R3850-1 16JA

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

# LENGTH OF STAY BY DIAGNOSIS



## UNITED STATES



## 1981



# Length of Stay by Diagnosis, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . 1

Source of the Data. . . . . . . . . . 1

Data Quality. . . . . . . . . . 2

Coverage . . . . . . . . . . 3

Organization of Length of Stay Tables. . . . . . . . . . 5

Definition of Multiple Diagnosis Patients . . . . . . . . . . 5

Definition of Operated Patients . . . . . . . . . . 5

Explanation of Statistics. . . . . . . . . . 6

Defining the Extended Stay Case . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . 17

Summary of All Patients. . . . . . . . . . 18

Summary of All Patients Except Newborn . . . . . . . . . . 19

Diagnosis Groups 1-398 . . . . . . . . . . 20

**Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups** . . . . . . . . . . 219

**Index to Length of Stay Tables** . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
North Central
Northeast
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
## January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups*** is based on the ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in ***UHDDS Classes of Procedures, ICD-9-CM,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.*<br>*a. acute myocardial infarction*<br>*b. dissecting aortic aneurysm*<br>*c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

### DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | **Cholelithiasis** |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | 129430 | 9.5 | 38 | 3 | 4 | 8 | 11 | 16 | 20 | 33 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

1,421 Hospitals, United States, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 978389 | 3.4 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 624181 | 4.0 | 24 | 1 | 1 | 3 | 4 | 7 | 11 | 27 |
| 35-49 | 224076 | 5.9 | 39 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| 50-64 | 193337 | 6.5 | 42 | 1 | 1 | 5 | 8 | 13 | 18 | 32 |
| 65+ | 185311 | 7.4 | 51 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 402575 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 777357 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 351680 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 50-64 | 330296 | 6.0 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 303977 | 7.3 | 56 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 590611 | 4.8 | 30 | 1 | 2 | 4 | 5 | 8 | 12 | 30 |
| 20-34 | 394388 | 6.1 | 47 | 1 | 1 | 4 | 7 | 12 | 18 | 35 |
| 35-49 | 394804 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| 50-64 | 668993 | 8.1 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 65+ | 1234090 | 10.0 | 78 | 2 | 3 | 8 | 12 | 19 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 235182 | 5.3 | 67 | <1 | 1 | 3 | 5 | 11 | 18 | 49 |
| 20-34 | 661960 | 5.7 | 40 | 1 | 2 | 4 | 6 | 10 | 15 | 35 |
| 35-49 | 451280 | 7.6 | 63 | 1 | 2 | 6 | 9 | 15 | 21 | 43 |
| 50-64 | 548024 | 10.0 | 104 | 2 | 2 | 7 | 13 | 21 | 29 | 57 |
| 65+ | 709820 | 13.4 | 157 | 2 | 2 | 10 | 18 | 28 | 39 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2205294 | 4.5 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| B. *Operated* | 2165885 | 4.6 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3282886 | 7.9 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 41 |
| B. *Operated* | 2606266 | 9.0 | 102 | 1 | 2 | 6 | 11 | 20 | 28 | 56 |
| **1. SINGLE DX** | 4371179 | 4.5 | 25 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| **2. MULTIPLE DX** | 5889152 | 8.3 | 79 | 1 | 2 | 6 | 10 | 18 | 25 | 48 |
| **A. NOT OPERATED** | 5488180 | 6.5 | 49 | 1 | 2 | 4 | 8 | 14 | 19 | 36 |
| **B. OPERATED** | 4772151 | 7.0 | 72 | 1 | 1 | 4 | 8 | 16 | 22 | 45 |
| TOTAL 0-19 YRS | 2206757 | 3.9 | 23 | 1 | 1 | 3 | 4 | 7 | 9 | 24 |
| 20-34 | 2457886 | 4.7 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 35-49 | 1421840 | 6.5 | 46 | 1 | 1 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 1740650 | 8.1 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 43 |
| 65+ | 2433198 | 10.4 | 101 | 2 | 2 | 8 | 13 | 22 | 29 | 56 |
| **GRAND TOTAL** | 10260331 | 6.7 | 60 | 1 | 2 | 4 | 8 | 14 | 21 | 41 |

1,421 Hospitals, United States, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394955 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 20-34 | 624181 | 4.0 | 24 | 1 | 1 | 3 | 4 | 7 | 11 | 27 |
| 35-49 | 224076 | 5.9 | 39 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| 50-64 | 193337 | 6.5 | 42 | 1 | 1 | 5 | 8 | 13 | 18 | 32 |
| 65+ | 185311 | 7.4 | 51 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 402281 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 777357 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 351680 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 50-64 | 330296 | 6.0 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 303977 | 7.3 | 55 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 327471 | 4.8 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 32 |
| 20-34 | 394388 | 6.1 | 47 | 1 | 1 | 4 | 7 | 12 | 18 | 35 |
| 35-49 | 394804 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| 50-64 | 668993 | 8.1 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 65+ | 1234090 | 10.0 | 78 | 2 | 3 | 8 | 12 | 19 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 226575 | 4.8 | 49 | <1 | 1 | 3 | 5 | 9 | 15 | 39 |
| 20-34 | 661960 | 5.7 | 40 | 1 | 2 | 4 | 6 | 10 | 15 | 35 |
| 35-49 | 451280 | 7.6 | 63 | 1 | 2 | 6 | 9 | 15 | 21 | 43 |
| 50-64 | 548024 | 10.0 | 104 | 2 | 2 | 7 | 13 | 21 | 29 | 57 |
| 65+ | 709820 | 13.4 | 157 | 2 | 2 | 10 | 18 | 28 | 39 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1621860 | 4.9 | 33 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| B. *Operated* | 2165591 | 4.6 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3019746 | 8.1 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 42 |
| B. *Operated* | 2597659 | 8.9 | 100 | 1 | 2 | 6 | 11 | 20 | 28 | 56 |
| **1. SINGLE DX** | 3787451 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | 5617405 | 8.5 | 80 | 1 | 2 | 6 | 10 | 18 | 25 | 49 |
| **A. NOT OPERATED** | 4641606 | 7.0 | 55 | 1 | 2 | 5 | 9 | 15 | 20 | 38 |
| **B. OPERATED** | 4763250 | 7.0 | 71 | 1 | 1 | 4 | 8 | 15 | 22 | 45 |
| TOTAL 0-19 YRS | 1351282 | 4.0 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 27 |
| 20-34 | 2457886 | 4.7 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 35-49 | 1421840 | 6.5 | 46 | 1 | 1 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 1740650 | 8.1 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 43 |
| 65+ | 2433198 | 10.4 | 101 | 2 | 2 | 8 | 13 | 22 | 29 | 55 |
| **GRAND TOTAL** | 9404856 | 7.0 | 63 | 1 | 1 | 4 | 8 | 15 | 21 | 42 |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8825 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 3715 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 1392 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 979 | 4.2 | 9 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| 65+ | 830 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 5.7 | 18 | 2 | 2 | 5 | 7 | 9 | 11 | 27 |
| 20-34 | 201 | 6.5 | 35 | 2 | 3 | 6 | 8 | 10 | 14 | 25 |
| 35-49 | 67 | 7.1 | 28 | 2 | 2 | 6 | 10 | 13 | 18 | 29 |
| 50-64 | 37 | 8.7 | 36 | 3 | 3 | 6 | 11 | 18 | 20 | 29 |
| 65+ | 22 | 11.1 | 85 | 2 | 2 | 8 | 14 | 26 | 30 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8985 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 3661 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 2152 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 2511 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 4260 | 6.9 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 7.9 | 46 | 2 | 3 | 6 | 9 | 16 | 21 | 36 |
| 20-34 | 258 | 7.9 | 32 | 2 | 3 | 6 | 10 | 15 | 20 | 28 |
| 35-49 | 196 | 10.7 | 98 | 3 | 4 | 8 | 13 | 19 | 26 | 74 |
| 50-64 | 252 | 12.6 | 146 | 3 | 4 | 9 | 14 | 22 | 36 | 69 |
| 65+ | 287 | 15.2 | 133 | 4 | 5 | 12 | 19 | 28 | 40 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15741 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 486 | 6.7 | 32 | 2 | 2 | 5 | 8 | 11 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21569 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 1168 | 11.2 | 103 | 3 | 3 | 8 | 13 | 21 | 28 | 58 |
| **1. SINGLE DX** | 16227 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 22737 | 5.2 | 23 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 37310 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 1654 | 9.8 | 86 | 2 | 3 | 7 | 12 | 20 | 26 | 54 |
| TOTAL 0-19 YRS | 18144 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 7835 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 3807 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 3779 | 5.6 | 29 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 65+ | 5399 | 7.0 | 42 | 2 | 2 | 5 | 8 | 14 | 18 | 34 |
| **GRAND TOTAL** | **38964** | **4.5** | **17** | **1** | **1** | **3** | **5** | **8** | **11** | **20** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 9.3 | 113 | 2 | 3 | 5 | 11 | 18 | 29 | 60 |
| 20-34 | 185 | 12.7 | 114 | 2 | 4 | 11 | 16 | 23 | 31 | 55 |
| 35-49 | 163 | 15.0 | 122 | 2 | 4 | 13 | 21 | 31 | 36 | 51 |
| 50-64 | 146 | 13.4 | 144 | 2 | 3 | 11 | 16 | 27 | 36 | 59 |
| 65+ | 133 | 13.2 | 104 | 2 | 3 | 10 | 19 | 29 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 8.7 | 34 | <1 | 1 | 9 | 13 | 17 | 19 | 20 |
| 20-34 | 92 | 12.3 | 115 | 2 | 3 | 9 | 14 | 24 | 37 | 56 |
| 35-49 | 95 | 12.2 | 60 | 2 | 3 | 11 | 16 | 26 | 29 | 70 |
| 50-64 | 127 | 13.5 | 106 | 2 | 3 | 11 | 17 | 26 | 38 | 53 |
| 65+ | 112 | 13.6 | 107 | 3 | 3 | 11 | 17 | 26 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 9.0 | 41 | 2 | 3 | 8 | 13 | 17 | 24 | 28 |
| 20-34 | 160 | 16.0 | 176 | 3 | 5 | 12 | 19 | 31 | 47 | 79 |
| 35-49 | 263 | 16.4 | 219 | 2 | 3 | 14 | 20 | 35 | 47 | 87 |
| 50-64 | 358 | 16.7 | 221 | 3 | 4 | 13 | 22 | 33 | 55 | 99+ |
| 65+ | 536 | 17.0 | 176 | 3 | 4 | 14 | 22 | 37 | 45 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.9 | 35 | 3 | 3 | 9 | 13 | 15 | 23 | 26 |
| 20-34 | 112 | 18.1 | 309 | 2 | 3 | 14 | 20 | 38 | 57 | 90 |
| 35-49 | 163 | 18.1 | 139 | 4 | 5 | 16 | 24 | 35 | 41 | 65 |
| 50-64 | 301 | 19.2 | 257 | 4 | 6 | 15 | 24 | 38 | 55 | 98 |
| 65+ | 355 | 21.7 | 279 | 4 | 5 | 18 | 30 | 43 | 55 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 707 | 13.1 | 122 | 2 | 3 | 10 | 17 | 27 | 34 | 53 |
| B. *Operated* | 446 | 12.8 | 96 | 2 | 3 | 10 | 16 | 25 | 32 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1356 | 16.4 | 194 | 3 | 4 | 13 | 21 | 35 | 47 | 88 |
| B. *Operated* | 946 | 19.7 | 251 | 3 | 5 | 15 | 25 | 40 | 53 | 91 |
| **1. SINGLE DX** | 1153 | 13.0 | 112 | 2 | 3 | 10 | 17 | 27 | 33 | 54 |
| **2. MULTIPLE DX** | 2302 | 17.8 | 220 | 3 | 4 | 14 | 23 | 37 | 49 | 89 |
| **A. NOT OPERATED** | 2063 | 15.3 | 171 | 3 | 4 | 12 | 19 | 31 | 43 | 80 |
| **B. OPERATED** | 1392 | 17.5 | 211 | 3 | 4 | 14 | 22 | 36 | 46 | 86 |
| TOTAL 0-19 YRS | 154 | 9.2 | 76 | 2 | 3 | 7 | 12 | 18 | 24 | 52 |
| 20-34 | 549 | 14.7 | 176 | 2 | 3 | 11 | 17 | 29 | 41 | 80 |
| 35-49 | 684 | 15.9 | 158 | 2 | 4 | 13 | 21 | 33 | 41 | 78 |
| 50-64 | 932 | 16.6 | 210 | 3 | 4 | 13 | 21 | 33 | 50 | 96 |
| 65+ | 1136 | 17.7 | 202 | 3 | 4 | 14 | 23 | 37 | 45 | 76 |
| **GRAND TOTAL** | **3455** | **16.2** | **189** | **3** | **4** | **13** | **21** | **33** | **44** | **83** |

### 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 9.5 | 77 | 1 | 1 | 3 | 18 | 21 | 21 | 21 |
| 20-34 | 17 | 9.5 | 52 | 1 | 2 | 7 | 13 | 21 | 23 | 24 |
| 35-49 | 18 | 7.7 | 34 | 1 | 2 | 5 | 13 | 17 | 18 | 19 |
| 50-64 | 15 | 9.6 | 112 | 1 | 3 | 5 | 10 | 21 | 37 | 43 |
| 65+ | 21 | 13.8 | 351 | 1 | 2 | 8 | 19 | 27 | 55 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.8 | 81 | <1 | 1 | 3 | 9 | 15 | 20 | 49 |
| 20-34 | 54 | 8.4 | 66 | 1 | 1 | 5 | 12 | 21 | 26 | 36 |
| 35-49 | 42 | 10.1 | 91 | 1 | 2 | 6 | 14 | 25 | 30 | 39 |
| 50-64 | 40 | 16.2 | 379 | 1 | 2 | 10 | 20 | 39 | 67 | 85 |
| 65+ | 32 | 15.0 | 302 | <1 | 3 | 11 | 21 | 23 | 33 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 18.3 | 240 | <1 | 2 | 16 | 33 | 40 | 43 | 43 |
| 20-34 | 35 | 10.1 | 41 | 3 | 4 | 9 | 13 | 17 | 26 | 29 |
| 35-49 | 37 | 13.3 | 295 | 2 | 4 | 8 | 16 | 23 | 41 | 99 |
| 50-64 | 42 | 12.8 | 130 | 2 | 3 | 9 | 18 | 31 | 46 | 99+ |
| 65+ | 64 | 13.9 | 155 | 2 | 3 | 10 | 17 | 30 | 46 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.7 | 61 | 2 | 3 | 6 | 18 | 23 | 24 | 24 |
| 20-34 | 81 | 16.9 | 182 | 2 | 3 | 14 | 24 | 34 | 42 | 66 |
| 35-49 | 53 | 17.5 | 251 | 3 | 5 | 12 | 26 | 37 | 64 | 99 |
| 50-64 | 74 | 20.3 | 191 | 6 | 6 | 16 | 29 | 41 | 51 | 89 |
| 65+ | 87 | 26.2 | 446 | 2 | 5 | 21 | 42 | 78 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 10.2 | 138 | 1 | 2 | 7 | 14 | 21 | 25 | 73 |
| B. *Operated* | 205 | 11.0 | 181 | 1 | 1 | 6 | 14 | 23 | 31 | 83 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 13.1 | 161 | 2 | 3 | 9 | 16 | 28 | 43 | 84 |
| B. *Operated* | 308 | 20.2 | 281 | 2 | 4 | 16 | 29 | 45 | 69 | 99+ |
| **1. SINGLE DX** | 287 | 10.8 | 168 | 1 | 2 | 7 | 14 | 22 | 29 | 84 |
| **2. MULTIPLE DX** | 498 | 17.5 | 246 | 2 | 4 | 13 | 24 | 41 | 56 | 99+ |
| **A. NOT OPERATED** | 272 | 12.3 | 155 | 2 | 3 | 9 | 16 | 25 | 37 | 81 |
| **B. OPERATED** | 513 | 16.5 | 261 | 2 | 2 | 12 | 23 | 39 | 54 | 99+ |
| TOTAL 0-19 YRS | 73 | 9.8 | 115 | <1 | 1 | 5 | 15 | 22 | 34 | 48 |
| 20-34 | 187 | 12.5 | 124 | 1 | 2 | 9 | 17 | 28 | 34 | 54 |
| 35-49 | 150 | 13.2 | 201 | 2 | 3 | 8 | 17 | 30 | 39 | 99 |
| 50-64 | 171 | 16.6 | 223 | 2 | 4 | 11 | 23 | 39 | 51 | 96 |
| 65+ | 204 | 19.3 | 354 | 2 | 3 | 14 | 24 | 53 | 78 | 99+ |
| **GRAND TOTAL** | **785** | **15.0** | **228** | **2** | **3** | **11** | **21** | **35** | **49** | **99+** |

### 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 993 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 369 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 96 | 3.8 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 9 |
| 50-64 | 52 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 65+ | 23 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 4 | 9 |
| 20-34 | 19 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1474 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 543 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 10 |
| 35-49 | 187 | 4.7 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 157 | 5.8 | 16 | 2 | 2 | 5 | 7 | 9 | 13 | 23 |
| 65+ | 90 | 6.7 | 21 | 2 | 3 | 5 | 8 | 13 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 20-34 | 34 | 5.7 | 29 | 2 | 2 | 5 | 6 | 10 | 12 | 32 |
| 35-49 | 11 | 9.8 | 57 | 2 | 3 | 8 | 13 | 21 | 27 | 28 |
| 50-64 | 5 | 14.2 | 163 | 4 | 4 | 8 | 23 | 34 | 34 | 34 |
| 65+ | 9 | 10.3 | 26 | 3 | 3 | 13 | 13 | 16 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1533 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 115 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2451 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 135 | 5.4 | 31 | 1 | 1 | 4 | 6 | 12 | 16 | 32 |
| **1. SINGLE DX** | 1648 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 2586 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 3984 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **B. OPERATED** | 250 | 3.8 | 20 | 1 | 1 | 2 | 4 | 8 | 13 | 28 |
| TOTAL 0-19 YRS | 2637 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 965 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 296 | 4.6 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 214 | 5.7 | 18 | 2 | 2 | 5 | 7 | 9 | 12 | 26 |
| 65+ | 122 | 6.7 | 20 | 2 | 3 | 5 | 8 | 13 | 15 | 23 |
| **GRAND TOTAL** | **4234** | **3.6** | **6** | **1** | **2** | **3** | **4** | **6** | **8** | **13** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1010 | 5.7 | 16 | 2 | 2 | 5 | 7 | 11 | 12 | 18 |
| 20-34 | 119 | 7.0 | 35 | 2 | 2 | 5 | 9 | 13 | 20 | 30 |
| 35-49 | 64 | 7.0 | 22 | 2 | 3 | 6 | 8 | 11 | 14 | 30 |
| 50-64 | 100 | 10.1 | 43 | 3 | 4 | 8 | 14 | 20 | 23 | 28 |
| 65+ | 262 | 11.1 | 43 | 3 | 4 | 10 | 15 | 19 | 25 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 9.2 | 54 | 1 | 2 | 8 | 11 | 19 | 22 | 36 |
| 20-34 | 9 | 11.8 | 61 | 4 | 5 | 8 | 17 | 25 | 27 | 27 |
| 35-49 | 14 | 11.3 | 44 | 4 | 5 | 10 | 11 | 24 | 26 | 26 |
| 50-64 | 14 | 20.3 | 262 | 2 | 4 | 16 | 24 | 44 | 55 | 58 |
| 65+ | 13 | 25.7 | 331 | 5 | 7 | 18 | 41 | 50 | 61 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1232 | 7.3 | 31 | 2 | 2 | 6 | 10 | 14 | 17 | 30 |
| 20-34 | 435 | 11.0 | 92 | 2 | 3 | 8 | 13 | 24 | 32 | 45 |
| 35-49 | 423 | 10.8 | 65 | 3 | 4 | 9 | 13 | 20 | 29 | 47 |
| 50-64 | 1165 | 13.0 | 89 | 4 | 5 | 11 | 16 | 24 | 31 | 54 |
| 65+ | 4325 | 15.0 | 123 | 5 | 6 | 12 | 18 | 27 | 36 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 14.7 | 136 | 2 | 5 | 11 | 19 | 30 | 34 | 61 |
| 20-34 | 137 | 21.3 | 286 | 3 | 6 | 16 | 28 | 49 | 57 | 73 |
| 35-49 | 164 | 22.4 | 299 | 5 | 7 | 20 | 29 | 43 | 89 | 99+ |
| 50-64 | 407 | 23.9 | 313 | 5 | 7 | 19 | 32 | 50 | 62 | 98 |
| 65+ | 972 | 26.2 | 310 | 8 | 10 | 21 | 34 | 54 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1555 | 7.1 | 28 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | 79 | 14.6 | 167 | 2 | 4 | 10 | 19 | 35 | 42 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7580 | 13.0 | 106 | 3 | 4 | 10 | 16 | 24 | 32 | 58 |
| B. *Operated* | 1813 | 24.1 | 304 | 6 | 8 | 20 | 32 | 50 | 69 | 99+ |
| **1. SINGLE DX** | 1634 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| **2. MULTIPLE DX** | 9393 | 15.1 | 164 | 3 | 4 | 12 | 18 | 30 | 42 | 80 |
| **A. NOT OPERATED** | 9135 | 12.0 | 98 | 3 | 4 | 10 | 15 | 23 | 30 | 53 |
| **B. OPERATED** | 1892 | 23.7 | 302 | 5 | 8 | 19 | 31 | 49 | 67 | 99+ |
| TOTAL 0-19 YRS | 2404 | 7.1 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 32 |
| 20-34 | 700 | 12.4 | 141 | 2 | 3 | 8 | 14 | 28 | 40 | 59 |
| 35-49 | 665 | 13.3 | 146 | 3 | 4 | 10 | 17 | 28 | 38 | 99+ |
| 50-64 | 1686 | 15.5 | 165 | 4 | 5 | 12 | 19 | 31 | 43 | 75 |
| 65+ | 5572 | 16.8 | 172 | 5 | 6 | 13 | 20 | 32 | 44 | 83 |
| **GRAND TOTAL** | **11027** | **14.0** | **152** | **3** | **4** | **11** | **17** | **28** | **39** | **75** |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 821 | 7.5 | 23 | 1 | 2 | 7 | 11 | 14 | 16 | 22 |
| 20-34 | 250 | 6.5 | 29 | 2 | 2 | 5 | 8 | 12 | 14 | 31 |
| 35-49 | 138 | 7.5 | 43 | 2 | 3 | 6 | 9 | 14 | 17 | 46 |
| 50-64 | 138 | 7.6 | 26 | 3 | 3 | 6 | 9 | 14 | 18 | 24 |
| 65+ | 94 | 8.2 | 31 | 2 | 3 | 6 | 10 | 18 | 21 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 9.2 | 52 | 1 | 2 | 9 | 12 | 15 | 20 | 45 |
| 20-34 | 27 | 11.0 | 82 | 2 | 2 | 10 | 15 | 27 | 30 | 33 |
| 35-49 | 24 | 18.2 | 451 | 1 | 1 | 10 | 24 | 47 | 64 | 92 |
| 50-64 | 38 | 12.4 | 114 | 2 | 2 | 10 | 15 | 24 | 38 | 47 |
| 65+ | 26 | 11.7 | 101 | 1 | 1 | 9 | 16 | 28 | 32 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 647 | 7.6 | 25 | 2 | 2 | 6 | 11 | 14 | 17 | 22 |
| 20-34 | 241 | 7.3 | 30 | 2 | 3 | 6 | 9 | 12 | 18 | 28 |
| 35-49 | 223 | 9.4 | 67 | 3 | 3 | 7 | 11 | 18 | 26 | 36 |
| 50-64 | 351 | 10.4 | 67 | 3 | 4 | 8 | 13 | 20 | 29 | 45 |
| 65+ | 565 | 12.1 | 98 | 3 | 4 | 10 | 15 | 23 | 31 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 11.8 | 50 | 2 | 3 | 11 | 16 | 20 | 23 | 38 |
| 20-34 | 72 | 16.5 | 192 | 4 | 5 | 12 | 25 | 37 | 47 | 94 |
| 35-49 | 84 | 17.2 | 155 | 2 | 4 | 15 | 24 | 36 | 39 | 60 |
| 50-64 | 132 | 19.4 | 344 | 3 | 4 | 15 | 24 | 52 | 72 | 99+ |
| 65+ | 170 | 20.4 | 225 | 4 | 7 | 17 | 26 | 41 | 61 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1441 | 7.4 | 27 | 2 | 2 | 6 | 10 | 14 | 16 | 24 |
| B. *Operated* | 167 | 11.9 | 140 | 1 | 2 | 10 | 15 | 25 | 33 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2027 | 9.5 | 61 | 2 | 3 | 7 | 12 | 18 | 23 | 39 |
| B. *Operated* | 518 | 18.1 | 225 | 3 | 5 | 15 | 24 | 38 | 54 | 99+ |
| **1. SINGLE DX** | 1608 | 7.9 | 40 | 2 | 2 | 6 | 10 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | 2545 | 11.2 | 106 | 2 | 3 | 8 | 14 | 22 | 31 | 65 |
| **A. NOT OPERATED** | 3468 | 8.6 | 48 | 2 | 3 | 7 | 11 | 16 | 20 | 36 |
| **B. OPERATED** | 685 | 16.6 | 211 | 2 | 4 | 12 | 22 | 35 | 47 | 92 |
| TOTAL 0-19 YRS | 1580 | 7.8 | 26 | 2 | 2 | 7 | 11 | 14 | 17 | 23 |
| 20-34 | 590 | 8.3 | 62 | 2 | 3 | 6 | 10 | 16 | 24 | 45 |
| 35-49 | 469 | 10.7 | 108 | 2 | 3 | 7 | 13 | 22 | 31 | 47 |
| 50-64 | 659 | 11.7 | 132 | 3 | 3 | 8 | 15 | 24 | 33 | 77 |
| 65+ | 855 | 13.3 | 129 | 3 | 4 | 10 | 17 | 26 | 36 | 72 |
| **GRAND TOTAL** | **4153** | **9.9** | **84** | **2** | **3** | **8** | **12** | **19** | **26** | **52** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2411 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1595 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| 35-49 | 278 | 5.5 | 15 | 2 | 2 | 4 | 7 | 10 | 14 | 20 |
| 50-64 | 61 | 6.4 | 18 | 1 | 2 | 5 | 9 | 12 | 14 | 22 |
| 65+ | 18 | 7.6 | 27 | 2 | 2 | 7 | 10 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 6.5 | 27 | 2 | 2 | 5 | 7 | 12 | 22 | 23 |
| 20-34 | 12 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 12 | 13 |
| 35-49 | 9 | 15.1 | 310 | 2 | 4 | 10 | 14 | 42 | 61 | 61 |
| 50-64 | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| 65+ | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 824 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 592 | 5.8 | 20 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 35-49 | 168 | 6.7 | 27 | 2 | 2 | 5 | 8 | 12 | 17 | 29 |
| 50-64 | 75 | 7.7 | 47 | 2 | 3 | 6 | 10 | 14 | 18 | 43 |
| 65+ | 52 | 14.6 | 160 | 4 | 5 | 12 | 16 | 26 | 44 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 10.0 | 39 | 3 | 4 | 9 | 14 | 24 | 41 | 99+ |
| 20-34 | 37 | 11.2 | 72 | 3 | 4 | 8 | 15 | 23 | 38 | 99+ |
| 35-49 | 19 | 9.8 | 41 | 2 | 3 | 8 | 12 | 21 | 24 | 24 |
| 50-64 | 15 | 13.1 | 150 | 3 | 3 | 11 | 13 | 33 | 45 | 49 |
| 65+ | 11 | 25.9 | 677 | 3 | 6 | 15 | 25 | 76 | 80 | 80 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4363 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 55 | 7.9 | 75 | 2 | 2 | 6 | 9 | 14 | 20 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1711 | 5.7 | 25 | 2 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 107 | 12.4 | 146 | 3 | 4 | 9 | 15 | 25 | 43 | 99+ |
| 1. SINGLE DX | 4418 | 4.2 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 2. MULTIPLE DX | 1818 | 6.1 | 34 | 2 | 2 | 5 | 7 | 12 | 15 | 30 |
| A. NOT OPERATED | 6074 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. OPERATED | 162 | 10.9 | 126 | 2 | 3 | 8 | 13 | 23 | 32 | 97 |
| TOTAL 0-19 YRS | 3290 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 10 | 14 |
| 20-34 | 2236 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 474 | 6.3 | 27 | 2 | 2 | 5 | 8 | 11 | 16 | 24 |
| 50-64 | 153 | 7.8 | 48 | 2 | 3 | 6 | 11 | 14 | 17 | 49 |
| 65+ | 83 | 14.3 | 218 | 2 | 3 | 10 | 16 | 25 | 46 | 79 |
| GRAND TOTAL | 6236 | 4.7 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1594 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 338 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 129 | 5.3 | 20 | 1 | 2 | 4 | 7 | 9 | 14 | 28 |
| 50-64 | 304 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 13 | 24 |
| 65+ | 702 | 7.4 | 33 | 2 | 2 | 6 | 9 | 14 | 17 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 10.6 | 335 | 2 | 2 | 4 | 8 | 79 | 99+ | 99+ |
| 20-34 | 26 | 4.7 | 16 | 1 | 1 | 3 | 5 | 12 | 13 | 14 |
| 35-49 | 20 | 5.6 | 23 | 1 | 1 | 4 | 9 | 13 | 16 | 17 |
| 50-64 | 22 | 8.7 | 78 | 2 | 2 | 7 | 8 | 17 | 28 | 42 |
| 65+ | 43 | 9.6 | 71 | 1 | 2 | 7 | 13 | 19 | 27 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2186 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 474 | 5.7 | 21 | 2 | 2 | 5 | 7 | 10 | 13 | 26 |
| 35-49 | 239 | 7.6 | 41 | 2 | 2 | 6 | 9 | 14 | 20 | 35 |
| 50-64 | 853 | 7.9 | 40 | 2 | 3 | 6 | 9 | 15 | 20 | 30 |
| 65+ | 3074 | 10.8 | 85 | 2 | 3 | 8 | 13 | 21 | 28 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 12.6 | 184 | 2 | 3 | 9 | 16 | 36 | 44 | 99+ |
| 20-34 | 52 | 12.0 | 179 | 2 | 3 | 8 | 12 | 29 | 43 | 63 |
| 35-49 | 43 | 14.2 | 167 | 2 | 3 | 8 | 21 | 32 | 38 | 63 |
| 50-64 | 88 | 14.6 | 249 | 2 | 3 | 10 | 18 | 30 | 51 | 98 |
| 65+ | 313 | 16.8 | 192 | 3 | 4 | 13 | 23 | 35 | 49 | 91 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 3067 | 4.8 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 120 | 7.8 | 73 | 1 | 2 | 5 | 10 | 15 | 23 | 71 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6826 | 7.7 | 57 | 2 | 2 | 5 | 9 | 16 | 21 | 40 |
| B. *Operated* | 543 | 15.4 | 199 | 2 | 3 | 11 | 21 | 34 | 45 | 94 |
| 1. SINGLE DX | 3187 | 4.9 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 2. MULTIPLE DX | 7369 | 8.3 | 72 | 2 | 2 | 6 | 10 | 17 | 24 | 46 |
| A. NOT OPERATED | 9893 | 6.8 | 47 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| B. OPERATED | 663 | 14.1 | 185 | 2 | 3 | 10 | 18 | 31 | 43 | 92 |
| TOTAL 0-19 YRS | 3836 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 890 | 5.7 | 27 | 2 | 2 | 4 | 7 | 10 | 12 | 28 |
| 35-49 | 431 | 7.5 | 52 | 2 | 2 | 5 | 9 | 14 | 23 | 36 |
| 50-64 | 1267 | 8.0 | 54 | 2 | 3 | 6 | 9 | 15 | 21 | 37 |
| 65+ | 4132 | 10.6 | 89 | 2 | 3 | 8 | 13 | 21 | 28 | 55 |
| GRAND TOTAL | 10556 | 7.3 | 59 | 1 | 2 | 5 | 9 | 15 | 21 | 42 |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 794 | 6.6 | 16 | 2 | 2 | 6 | 8 | 12 | 14 | 20 |
| 20-34 | 2159 | 7.5 | 21 | 2 | 3 | 7 | 9 | 13 | 16 | 25 |
| 35-49 | 604 | 8.8 | 32 | 2 | 3 | 8 | 11 | 15 | 18 | 32 |
| 50-64 | 324 | 8.9 | 36 | 3 | 3 | 8 | 11 | 16 | 19 | 29 |
| 65+ | 128 | 8.6 | 28 | 2 | 3 | 8 | 11 | 17 | 19 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 8.4 | 43 | <1 | 1 | 7 | 15 | 19 | 19 | 19 |
| 20-34 | 106 | 8.4 | 45 | 1 | 1 | 7 | 12 | 19 | 22 | 30 |
| 35-49 | 49 | 9.9 | 79 | 1 | 2 | 8 | 13 | 22 | 27 | 43 |
| 50-64 | 33 | 12.7 | 223 | 2 | 3 | 10 | 13 | 20 | 35 | 87 |
| 65+ | 25 | 13.7 | 102 | 2 | 4 | 11 | 18 | 30 | 35 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 7.4 | 44 | 2 | 2 | 6 | 9 | 13 | 16 | 32 |
| 20-34 | 1026 | 8.5 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| 35-49 | 485 | 9.8 | 50 | 3 | 4 | 8 | 12 | 18 | 23 | 37 |
| 50-64 | 467 | 10.5 | 51 | 3 | 3 | 9 | 13 | 19 | 25 | 37 |
| 65+ | 402 | 12.1 | 69 | 4 | 5 | 10 | 16 | 22 | 29 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 15.3 | 175 | 1 | 2 | 11 | 22 | 34 | 44 | 50 |
| 20-34 | 122 | 12.6 | 113 | 2 | 3 | 10 | 16 | 22 | 27 | 64 |
| 35-49 | 92 | 12.8 | 133 | 1 | 2 | 9 | 16 | 24 | 34 | 58 |
| 50-64 | 99 | 13.7 | 119 | 1 | 2 | 12 | 18 | 26 | 35 | 57 |
| 65+ | 105 | 17.2 | 200 | 3 | 4 | 13 | 22 | 36 | 55 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4009 | 7.7 | 24 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| B. *Operated* | 231 | 9.9 | 86 | 1 | 2 | 8 | 13 | 21 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2707 | 9.4 | 50 | 3 | 3 | 8 | 12 | 17 | 23 | 37 |
| B. *Operated* | 435 | 14.1 | 144 | 2 | 3 | 11 | 18 | 27 | 38 | 65 |
| **1. SINGLE DX** | 4240 | 7.8 | 28 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 3142 | 10.1 | 65 | 2 | 3 | 8 | 12 | 19 | 24 | 42 |
| **A. NOT OPERATED** | 6716 | 8.4 | 35 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| **B. OPERATED** | 666 | 12.6 | 128 | 1 | 2 | 10 | 16 | 25 | 33 | 63 |
| TOTAL 0-19 YRS | 1156 | 7.0 | 28 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| 20-34 | 3413 | 8.0 | 31 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| 35-49 | 1230 | 9.5 | 49 | 2 | 3 | 8 | 12 | 17 | 22 | 37 |
| 50-64 | 923 | 10.3 | 61 | 2 | 3 | 9 | 13 | 19 | 24 | 39 |
| 65+ | 660 | 12.3 | 89 | 3 | 4 | 10 | 16 | 23 | 30 | 58 |
| **GRAND TOTAL** | **7382** | **8.8** | **45** | **2** | **3** | **7** | **11** | **16** | **20** | **35** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2427 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 781 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 109 | 6.0 | 12 | 2 | 2 | 5 | 7 | 11 | 13 | 17 |
| 50-64 | 25 | 5.7 | 10 | 1 | 2 | 6 | 7 | 10 | 12 | 12 |
| 65+ | 4 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 18 | 8.1 | 15 | 1 | 2 | 9 | 11 | 12 | 14 | 15 |
| 35-49 | 4 | 10.5 | 38 | 5 | 5 | 9 | 15 | 19 | 19 | 19 |
| 50-64 | 3 | 13.3 | 16 | 11 | 11 | 11 | 16 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2305 | 5.0 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 696 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 105 | 6.6 | 22 | 2 | 2 | 6 | 8 | 12 | 14 | 26 |
| 50-64 | 44 | 7.7 | 20 | 2 | 3 | 6 | 11 | 13 | 16 | 20 |
| 65+ | 18 | 7.4 | 14 | 2 | 3 | 7 | 11 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 8.4 | 43 | 2 | 3 | 7 | 11 | 14 | 17 | 41 |
| 20-34 | 48 | 10.2 | 55 | 2 | 2 | 9 | 13 | 20 | 24 | 38 |
| 35-49 | 20 | 11.6 | 55 | 4 | 4 | 10 | 16 | 18 | 27 | 35 |
| 50-64 | 11 | 12.0 | 20 | 4 | 6 | 12 | 15 | 18 | 19 | 19 |
| 65+ | 6 | 10.0 | 16 | 6 | 6 | 9 | 12 | 16 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3346 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 60 | 6.4 | 18 | 1 | 2 | 5 | 10 | 11 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3168 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 148 | 9.7 | 46 | 2 | 3 | 8 | 13 | 17 | 21 | 38 |
| **1. SINGLE DX** | 3406 | 4.9 | 9 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 3316 | 5.4 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 6514 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| **B. OPERATED** | 208 | 8.8 | 40 | 2 | 3 | 7 | 11 | 15 | 19 | 36 |
| TOTAL 0-19 YRS | 4830 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 1543 | 5.7 | 14 | 2 | 2 | 5 | 7 | 11 | 13 | 18 |
| 35-49 | 238 | 6.8 | 22 | 2 | 2 | 6 | 9 | 13 | 15 | 25 |
| 50-64 | 83 | 7.8 | 21 | 2 | 2 | 7 | 11 | 14 | 17 | 20 |
| 65+ | 28 | 7.5 | 15 | 2 | 3 | 7 | 10 | 13 | 15 | 17 |
| **GRAND TOTAL** | **6722** | **5.1** | **11** | **2** | **2** | **4** | **6** | **9** | **11** | **17** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 32 | 2.1 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 5 |
| 35-49 | 6 | 2.8 | 7 | <1 | <1 | 2 | 3 | 8 | 8 | 8 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1282 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 2971 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 674 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 240 | 2.6 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 51 | 3.3 | 6 | <1 | 1 | 2 | 4 | 7 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.6 | 19 | <1 | <1 | 2 | 4 | 8 | 14 | 20 |
| 20-34 | 47 | 2.8 | 10 | <1 | <1 | 2 | 3 | 6 | 7 | 20 |
| 35-49 | 12 | 6.2 | 16 | 2 | 2 | 5 | 9 | 12 | 15 | 15 |
| 50-64 | 15 | 6.3 | 47 | <1 | 2 | 4 | 6 | 21 | 23 | 24 |
| 65+ | 6 | 8.5 | 32 | 1 | 1 | 8 | 14 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 3.0 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 894 | 3.3 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 355 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 50-64 | 185 | 4.8 | 36 | 1 | 1 | 3 | 5 | 9 | 15 | 35 |
| 65+ | 83 | 6.3 | 62 | 1 | 2 | 3 | 7 | 13 | 23 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 5218 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 4.2 | 22 | <1 | <1 | 3 | 5 | 9 | 15 | 22 |
| B. *Operated* | 1762 | 3.7 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **1. SINGLE DX** | 5274 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 1863 | 3.7 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| **A. NOT OPERATED** | 157 | 3.5 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 21 |
| **B. OPERATED** | 6980 | 2.6 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 1564 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 3944 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 1047 | 3.0 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 441 | 3.6 | 20 | <1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 65+ | 141 | 5.3 | 42 | 1 | 2 | 3 | 6 | 11 | 17 | 38 |
| **GRAND TOTAL** | **7137** | **2.6** | **6** | **<1** | **<1** | **2** | **3** | **5** | **6** | **12** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6000 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 1623 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 632 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 11 | 14 |
| 50-64 | 441 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 388 | 5.1 | 24 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 107 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| 35-49 | 39 | 6.1 | 30 | 1 | 1 | 4 | 7 | 13 | 19 | 27 |
| 50-64 | 25 | 9.7 | 122 | 2 | 3 | 7 | 9 | 18 | 30 | 57 |
| 65+ | 14 | 13.7 | 372 | 2 | 3 | 7 | 9 | 52 | 62 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5713 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 2391 | 4.4 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 1410 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 1666 | 5.9 | 22 | 2 | 2 | 5 | 7 | 10 | 14 | 24 |
| 65+ | 2759 | 7.5 | 43 | 2 | 3 | 6 | 9 | 14 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 6.9 | 73 | 1 | 2 | 4 | 8 | 14 | 24 | 61 |
| 20-34 | 170 | 9.2 | 110 | 2 | 2 | 7 | 11 | 18 | 25 | 98 |
| 35-49 | 148 | 10.3 | 95 | 2 | 3 | 8 | 14 | 21 | 23 | 74 |
| 50-64 | 158 | 13.0 | 146 | 3 | 4 | 10 | 15 | 27 | 37 | 89 |
| 65+ | 175 | 12.5 | 84 | 3 | 4 | 11 | 16 | 22 | 27 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9084 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 342 | 5.2 | 42 | 1 | 1 | 4 | 6 | 9 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13939 | 4.9 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 833 | 10.3 | 105 | 2 | 3 | 8 | 13 | 21 | 27 | 76 |
| **1. SINGLE DX** | 9426 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 14772 | 5.2 | 27 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| **A. NOT OPERATED** | 23023 | 4.3 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| **B. OPERATED** | 1175 | 8.8 | 92 | 1 | 2 | 6 | 11 | 18 | 25 | 69 |
| TOTAL 0-19 YRS | 12052 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 4291 | 4.4 | 18 | 1 | 2 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 2229 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 50-64 | 2290 | 6.2 | 33 | 2 | 2 | 5 | 7 | 11 | 16 | 30 |
| 65+ | 3336 | 7.5 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| **GRAND TOTAL** | **24198** | **4.5** | **20** | **1** | **2** | **3** | **5** | **8** | **11** | **22** |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 311 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| 20-34 | 216 | 4.5 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 35-49 | 98 | 4.9 | 6 | 2 | 2 | 5 | 6 | 8 | 10 | 11 |
| 50-64 | 46 | 5.8 | 10 | 1 | 2 | 6 | 8 | 10 | 11 | 15 |
| 65+ | 17 | 6.5 | 11 | 1 | 2 | 5 | 10 | 11 | 12 | 12 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.0 | 14 | 4 | 4 | 5 | 10 | 13 | 13 | 13 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| 50-64 | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 65+ | 1 | 6.0 | | 6 | 6 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 5.1 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 98 | 5.2 | 11 | 2 | 2 | 4 | 6 | 11 | 14 | 16 |
| 35-49 | 53 | 6.3 | 13 | 2 | 3 | 5 | 8 | 10 | 13 | 19 |
| 50-64 | 65 | 8.5 | 52 | 3 | 4 | 6 | 9 | 17 | 23 | 40 |
| 65+ | 40 | 9.2 | 45 | 2 | 3 | 8 | 11 | 19 | 21 | 35 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 20.0 | 516 | 6 | 6 | 14 | 26 | 60 | 60 | 60 |
| 20-34 | 11 | 11.5 | 57 | 3 | 4 | 9 | 18 | 50 | 93 | 99+ |
| 35-49 | 5 | 9.0 | 8 | 6 | 6 | 8 | 12 | 12 | 12 | 12 |
| 50-64 | 13 | 14.7 | 63 | 4 | 6 | 13 | 19 | 28 | 29 | 29 |
| 65+ | 7 | 22.3 | 278 | 7 | 7 | 13 | 38 | 44 | 45 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 688 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| *B. Operated* | 14 | 6.1 | 11 | 2 | 3 | 5 | 8 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 339 | 6.4 | 25 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| *B. Operated* | 41 | 15.1 | 148 | 4 | 6 | 11 | 18 | 36 | 51 | 99+ |
| **1. SINGLE DX** | 702 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 380 | 7.4 | 45 | 2 | 3 | 5 | 9 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 1027 | 5.3 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 55 | 12.8 | 128 | 3 | 4 | 9 | 15 | 29 | 43 | 98 |
| TOTAL 0-19 YRS | 405 | 4.8 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 326 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 12 | 18 |
| 35-49 | 159 | 5.5 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 127 | 8.1 | 43 | 2 | 3 | 6 | 9 | 15 | 22 | 38 |
| 65+ | 65 | 9.8 | 77 | 2 | 3 | 7 | 10 | 19 | 34 | 44 |
| **GRAND TOTAL** | **1082** | **5.7** | **22** | **2** | **2** | **5** | **7** | **10** | **13** | **27** |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 385 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 20-34 | 654 | 5.3 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 119 | 6.6 | 33 | 1 | 2 | 5 | 8 | 14 | 18 | 29 |
| 50-64 | 41 | 5.2 | 22 | <1 | 1 | 4 | 7 | 11 | 16 | 22 |
| 65+ | 37 | 6.5 | 38 | 1 | 1 | 4 | 9 | 17 | 19 | 22 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 357 | 3.0 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 35-49 | 88 | 3.3 | 10 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 50-64 | 43 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 12 | 14 |
| 65+ | 20 | 9.0 | 49 | 1 | 2 | 6 | 14 | 19 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 5.9 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 20-34 | 557 | 5.9 | 17 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 35-49 | 151 | 7.4 | 24 | 2 | 2 | 6 | 10 | 14 | 17 | 20 |
| 50-64 | 88 | 7.2 | 43 | 1 | 1 | 5 | 10 | 16 | 20 | 34 |
| 65+ | 146 | 10.9 | 95 | 1 | 2 | 8 | 15 | 22 | 28 | 69 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 5.2 | 15 | <1 | 1 | 4 | 7 | 11 | 14 | 17 |
| 20-34 | 210 | 5.9 | 54 | 1 | 1 | 4 | 7 | 11 | 18 | 42 |
| 35-49 | 90 | 7.0 | 136 | 1 | 2 | 4 | 7 | 13 | 19 | 77 |
| 50-64 | 68 | 9.7 | 90 | 2 | 2 | 5 | 13 | 22 | 33 | 39 |
| 65+ | 72 | 14.2 | 162 | 2 | 3 | 12 | 19 | 29 | 40 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1236 | 5.5 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| *B. Operated* | 612 | 3.3 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1236 | 6.8 | 31 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| *B. Operated* | 506 | 7.7 | 92 | 1 | 2 | 4 | 9 | 18 | 25 | 54 |
| **1. SINGLE DX** | 1848 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 1742 | 7.1 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| **A. NOT OPERATED** | 2472 | 6.1 | 23 | 2 | 2 | 5 | 7 | 11 | 15 | 23 |
| **B. OPERATED** | 1118 | 5.3 | 53 | <1 | 1 | 3 | 6 | 12 | 18 | 36 |
| TOTAL 0-19 YRS | 849 | 5.3 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |
| 20-34 | 1778 | 5.1 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 448 | 6.3 | 48 | 1 | 1 | 4 | 8 | 13 | 17 | 31 |
| 50-64 | 240 | 7.0 | 51 | 1 | 1 | 4 | 9 | 16 | 22 | 38 |
| 65+ | 275 | 11.0 | 106 | 1 | 2 | 8 | 16 | 22 | 30 | 70 |
| **GRAND TOTAL** | **3590** | **5.9** | **32** | **1** | **2** | **4** | **7** | **11** | **16** | **29** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 133 | 4.3 | 15 | 1 | 2 | 3 | 5 | 7 | 9 | 24 |
| 20-34 | 76 | 7.9 | 141 | <1 | 2 | 4 | 7 | 15 | 31 | 67 |
| 35-49 | 77 | 5.8 | 63 | <1 | <1 | 3 | 8 | 14 | 20 | 41 |
| 50-64 | 72 | 8.6 | 179 | <1 | <1 | 4 | 9 | 18 | 44 | 68 |
| 65+ | 37 | 8.4 | 36 | 1 | 3 | 6 | 12 | 17 | 20 | 27 |
| **B. *Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 14.0 | 362 | <1 | 1 | 5 | 18 | 38 | 59 | 78 |
| 20-34 | 111 | 5.0 | 76 | 1 | 1 | 1 | 5 | 13 | 19 | 51 |
| 35-49 | 126 | 10.4 | 139 | 1 | 2 | 7 | 11 | 25 | 37 | 57 |
| 50-64 | 122 | 8.7 | 179 | 1 | 1 | 4 | 10 | 20 | 31 | 87 |
| 65+ | 64 | 10.6 | 112 | 2 | 2 | 8 | 11 | 21 | 36 | 56 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 257 | 5.5 | 43 | 2 | 2 | 4 | 6 | 9 | 13 | 22 |
| 20-34 | 156 | 7.7 | 94 | 1 | 2 | 5 | 8 | 14 | 27 | 59 |
| 35-49 | 173 | 7.7 | 109 | <1 | 1 | 5 | 9 | 16 | 22 | 88 |
| 50-64 | 222 | 11.0 | 202 | 2 | 3 | 7 | 11 | 21 | 45 | 82 |
| 65+ | 308 | 11.7 | 92 | 3 | 4 | 9 | 14 | 22 | 29 | 53 |
| **B. *Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 31 | 12.1 | 255 | 1 | 2 | 8 | 14 | 22 | 57 | 75 |
| 20-34 | 113 | 17.1 | 377 | 2 | 2 | 10 | 19 | 46 | 75 | 96 |
| 35-49 | 153 | 13.1 | 250 | 2 | 2 | 8 | 14 | 29 | 47 | 98 |
| 50-64 | 199 | 12.9 | 156 | 2 | 2 | 9 | 17 | 32 | 41 | 85 |
| 65+ | 177 | 16.8 | 328 | 2 | 3 | 11 | 21 | 42 | 70 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** | 395 | 6.5 | 83 | <1 | <1 | 4 | 7 | 12 | 20 | 55 |
| **B. *Operated*** | 445 | 8.8 | 146 | 1 | 1 | 5 | 10 | 20 | 33 | 60 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** | 1116 | 9.0 | 111 | 2 | 2 | 6 | 10 | 17 | 26 | 62 |
| **B. *Operated*** | 673 | 14.6 | 267 | 2 | 2 | 10 | 17 | 38 | 55 | 99 |
| **1. SINGLE DX** | 840 | 7.7 | 117 | <1 | 1 | 4 | 9 | 17 | 29 | 59 |
| **2. MULTIPLE DX** | 1789 | 11.1 | 177 | 2 | 2 | 7 | 13 | 24 | 40 | 82 |
| **A. NOT OPERATED** | 1511 | 8.3 | 105 | <1 | 2 | 5 | 9 | 16 | 25 | 60 |
| **B. OPERATED** | 1118 | 12.3 | 227 | 1 | 1 | 8 | 14 | 31 | 45 | 86 |
| TOTAL 0-19 YRS | 443 | 6.0 | 71 | 1 | 2 | 4 | 6 | 10 | 16 | 50 |
| 20-34 | 456 | 9.4 | 187 | 1 | 1 | 5 | 10 | 22 | 39 | 77 |
| 35-49 | 529 | 9.6 | 156 | <1 | 1 | 6 | 12 | 20 | 34 | 82 |
| 50-64 | 615 | 10.9 | 182 | <1 | 1 | 7 | 12 | 25 | 41 | 82 |
| 65+ | 586 | 12.9 | 168 | 2 | 3 | 9 | 15 | 27 | 42 | 78 |
| **GRAND TOTAL** | **2629** | **10.0** | **161** | **1** | **2** | **6** | **11** | **22** | **36** | **78** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 70 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 12 | 13 |
| 20-34 | 39 | 5.3 | 12 | <1 | 1 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 14 | 5.5 | 13 | 1 | 1 | 5 | 8 | 11 | 11 | 11 |
| 50-64 | 11 | 5.5 | 18 | 1 | 2 | 4 | 8 | 13 | 15 | 15 |
| 65+ | 4 | 5.8 | 20 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| **B. *Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 41 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 35 | 7.1 | 29 | 2 | 3 | 5 | 9 | 17 | 18 | 20 |
| 35-49 | 16 | 6.6 | 10 | <1 | 1 | 7 | 9 | 10 | 11 | 11 |
| 50-64 | 7 | 3.4 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 12.5 | 265 | 1 | 1 | 12 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 60 | 4.5 | 15 | <1 | 1 | 3 | 6 | 9 | 14 | 18 |
| 20-34 | 47 | 6.0 | 19 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| 35-49 | 36 | 7.2 | 15 | 2 | 2 | 7 | 10 | 13 | 15 | 15 |
| 50-64 | 27 | 7.8 | 23 | 2 | 2 | 7 | 10 | 16 | 18 | 20 |
| 65+ | 30 | 9.6 | 52 | 3 | 4 | 8 | 12 | 15 | 18 | 41 |
| **B. *Operated*** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 50 | 5.1 | 24 | 1 | 2 | 4 | 6 | 8 | 13 | 31 |
| 20-34 | 44 | 10.4 | 92 | 1 | 2 | 7 | 14 | 24 | 32 | 41 |
| 35-49 | 26 | 13.0 | 99 | 2 | 3 | 10 | 17 | 22 | 33 | 49 |
| 50-64 | 19 | 16.8 | 212 | 2 | 3 | 14 | 21 | 32 | 53 | 66 |
| 65+ | 15 | 17.0 | 133 | 6 | 8 | 12 | 20 | 34 | 44 | 48 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** | 138 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 15 |
| **B. *Operated*** | 101 | 5.6 | 19 | 1 | 2 | 4 | 7 | 11 | 16 | 22 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. *Not Operated*** | 200 | 6.6 | 25 | 1 | 2 | 6 | 9 | 13 | 16 | 21 |
| **B. *Operated*** | 154 | 10.5 | 107 | 2 | 2 | 7 | 14 | 21 | 31 | 49 |
| **1. SINGLE DX** | 239 | 5.0 | 15 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 354 | 8.3 | 64 | 1 | 2 | 6 | 11 | 17 | 21 | 41 |
| **A. NOT OPERATED** | 338 | 5.7 | 20 | 1 | 1 | 5 | 8 | 12 | 14 | 19 |
| **B. OPERATED** | 255 | 8.6 | 78 | 1 | 2 | 6 | 11 | 20 | 24 | 48 |
| TOTAL 0-19 YRS | 221 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 12 | 19 |
| 20-34 | 165 | 7.2 | 42 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| 35-49 | 92 | 8.5 | 45 | 1 | 2 | 7 | 11 | 15 | 19 | 41 |
| 50-64 | 64 | 9.6 | 98 | 1 | 2 | 7 | 13 | 20 | 22 | 62 |
| 65+ | 51 | 11.6 | 87 | 1 | 3 | 10 | 12 | 22 | 34 | 48 |
| **GRAND TOTAL** | **593** | **6.9** | **47** | **1** | **2** | **5** | **9** | **15** | **18** | **37** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| 20-34 | 216 | 5.6 | 19 | 1 | 2 | 5 | 8 | 11 | 12 | 25 |
| 35-49 | 136 | 5.6 | 21 | 1 | 1 | 4 | 8 | 12 | 14 | 39 |
| 50-64 | 55 | 6.6 | 36 | 1 | 1 | 5 | 10 | 15 | 19 | 29 |
| 65+ | 20 | 8.7 | 28 | 2 | 2 | 8 | 12 | 16 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 5.2 | 29 | 1 | 1 | 3 | 7 | 10 | 16 | 30 |
| 20-34 | 670 | 6.1 | 30 | 1 | 2 | 4 | 8 | 13 | 15 | 27 |
| 35-49 | 362 | 6.5 | 55 | 1 | 2 | 4 | 8 | 13 | 17 | 30 |
| 50-64 | 144 | 6.9 | 35 | 1 | 2 | 5 | 10 | 13 | 17 | 31 |
| 65+ | 43 | 9.1 | 57 | 2 | 2 | 7 | 10 | 20 | 29 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 6.3 | 30 | 2 | 2 | 5 | 8 | 12 | 14 | 29 |
| 20-34 | 388 | 6.7 | 46 | 1 | 2 | 5 | 8 | 12 | 17 | 36 |
| 35-49 | 367 | 9.0 | 61 | 2 | 2 | 7 | 11 | 18 | 23 | 41 |
| 50-64 | 227 | 9.3 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 34 |
| 65+ | 179 | 11.6 | 102 | 3 | 4 | 9 | 15 | 22 | 30 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 11.2 | 120 | 2 | 2 | 8 | 12 | 27 | 41 | 43 |
| 20-34 | 454 | 9.0 | 57 | 2 | 2 | 7 | 12 | 18 | 22 | 34 |
| 35-49 | 394 | 11.1 | 108 | 2 | 2 | 9 | 15 | 23 | 32 | 66 |
| 50-64 | 237 | 11.5 | 121 | 2 | 2 | 8 | 15 | 26 | 37 | 96 |
| 65+ | 96 | 16.5 | 170 | 3 | 3 | 13 | 21 | 35 | 41 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 514 | 5.8 | 21 | 1 | 1 | 5 | 8 | 12 | 14 | 25 |
| B. *Operated* | 1263 | 6.4 | 39 | 1 | 2 | 5 | 8 | 13 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1365 | 8.3 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| B. *Operated* | 1218 | 10.9 | 100 | 2 | 2 | 8 | 14 | 22 | 32 | 59 |
| **1. SINGLE DX** | 1777 | 6.2 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 2583 | 9.5 | 79 | 2 | 2 | 7 | 12 | 19 | 27 | 43 |
| **A. NOT OPERATED** | 1879 | 7.6 | 48 | 1 | 2 | 6 | 10 | 15 | 19 | 35 |
| **B. OPERATED** | 2481 | 8.6 | 74 | 2 | 2 | 6 | 11 | 17 | 24 | 42 |
| TOTAL 0-19 YRS | 372 | 6.4 | 38 | 1 | 2 | 5 | 8 | 13 | 15 | 39 |
| 20-34 | 1728 | 6.9 | 41 | 1 | 2 | 5 | 9 | 13 | 17 | 32 |
| 35-49 | 1259 | 8.6 | 74 | 2 | 2 | 6 | 11 | 18 | 23 | 44 |
| 50-64 | 663 | 9.3 | 71 | 2 | 2 | 7 | 12 | 18 | 27 | 40 |
| 65+ | 338 | 12.5 | 118 | 3 | 3 | 9 | 15 | 27 | 34 | 62 |
| **GRAND TOTAL** | **4360** | **8.2** | **63** | **1** | **2** | **6** | **10** | **16** | **22** | **40** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 8.0 | 7 | 4 | 4 | 8 | 9 | 11 | 11 | 11 |
| 35-49 | 5 | 6.0 | 19 | 1 | 1 | 5 | 8 | 13 | 13 | 13 |
| 50-64 | 4 | 4.8 | 8 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 6 | 9.0 | 48 | 3 | 3 | 6 | 15 | 19 | 20 | 20 |
| 35-49 | 9 | 3.4 | 5 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 8 | 4.9 | 15 | 2 | 2 | 3 | 7 | 11 | 12 | 12 |
| 65+ | 5 | 6.4 | 56 | 1 | 1 | 4 | 10 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.6 | 15 | 1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 20-34 | 12 | 8.0 | 54 | 1 | 1 | 5 | 13 | 19 | 23 | 24 |
| 35-49 | 24 | 9.7 | 78 | 1 | 2 | 6 | 14 | 23 | 28 | 34 |
| 50-64 | 26 | 9.3 | 64 | 3 | 4 | 6 | 12 | 17 | 30 | 35 |
| 65+ | 40 | 10.0 | 67 | 2 | 3 | 8 | 13 | 18 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 10 | 2 | 2 | 5 | 8 | 10 | 11 | 11 |
| 20-34 | 23 | 6.8 | 28 | 2 | 3 | 5 | 8 | 11 | 19 | 26 |
| 35-49 | 30 | 12.4 | 174 | 2 | 3 | 8 | 13 | 35 | 42 | 59 |
| 50-64 | 30 | 13.3 | 181 | 2 | 2 | 9 | 16 | 25 | 44 | 66 |
| 65+ | 25 | 16.8 | 140 | 3 | 5 | 14 | 20 | 34 | 47 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 5.5 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 13 |
| B. *Operated* | 32 | 5.4 | 24 | 1 | 1 | 4 | 7 | 13 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 9.1 | 63 | 2 | 2 | 6 | 12 | 19 | 25 | 39 |
| B. *Operated* | 115 | 12.1 | 139 | 2 | 3 | 9 | 15 | 26 | 40 | 61 |
| **1. SINGLE DX** | 50 | 5.4 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| **2. MULTIPLE DX** | 226 | 10.6 | 103 | 2 | 3 | 7 | 13 | 20 | 34 | 51 |
| **A. NOT OPERATED** | 129 | 8.6 | 57 | 2 | 2 | 6 | 12 | 17 | 24 | 37 |
| **B. OPERATED** | 147 | 10.6 | 121 | 2 | 2 | 7 | 13 | 20 | 35 | 59 |
| TOTAL 0-19 YRS | 23 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| 20-34 | 46 | 7.5 | 33 | 2 | 3 | 6 | 9 | 16 | 21 | 26 |
| 35-49 | 68 | 9.8 | 113 | 1 | 2 | 6 | 12 | 22 | 35 | 56 |
| 50-64 | 68 | 10.3 | 114 | 2 | 2 | 7 | 13 | 20 | 30 | 62 |
| 65+ | 71 | 12.0 | 103 | 2 | 3 | 10 | 15 | 21 | 34 | 48 |
| **GRAND TOTAL** | **276** | **9.7** | **92** | **2** | **2** | **6** | **12** | **19** | **29** | **48** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 17 | 6.2 | 24 | 1 | 2 | 4 | 11 | 12 | 15 | 16 |
| 35-49 | 65 | 5.5 | 29 | 1 | 1 | 4 | 7 | 11 | 13 | 32 |
| 50-64 | 261 | 5.6 | 52 | 1 | 1 | 4 | 6 | 11 | 20 | 42 |
| 65+ | 238 | 6.8 | 53 | 1 | 1 | 5 | 8 | 14 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.9 | 11 | 2 | 2 | 5 | 8 | 10 | 13 | 14 |
| 20-34 | 130 | 5.3 | 25 | 1 | 2 | 4 | 6 | 10 | 12 | 28 |
| 35-49 | 404 | 6.4 | 53 | 1 | 1 | 4 | 8 | 15 | 19 | 35 |
| 50-64 | 1205 | 7.7 | 91 | 1 | 2 | 4 | 9 | 19 | 26 | 55 |
| 65+ | 1255 | 6.7 | 64 | 1 | 2 | 4 | 8 | 16 | 22 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.7 | 80 | 1 | 2 | 5 | 6 | 13 | 33 | 39 |
| 20-34 | 45 | 5.3 | 25 | 1 | 1 | 4 | 7 | 10 | 17 | 23 |
| 35-49 | 165 | 7.7 | 55 | <1 | 1 | 5 | 10 | 17 | 22 | 30 |
| 50-64 | 672 | 9.4 | 109 | 1 | 2 | 6 | 11 | 20 | 32 | 51 |
| 65+ | 721 | 9.7 | 118 | 1 | 2 | 6 | 12 | 21 | 32 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.0 | 31 | 1 | 1 | 5 | 10 | 12 | 42 | 99+ |
| 20-34 | 70 | 13.8 | 299 | 2 | 2 | 8 | 15 | 35 | 43 | 84 |
| 35-49 | 379 | 14.2 | 244 | 1 | 2 | 10 | 19 | 30 | 48 | 98 |
| 50-64 | 1721 | 14.2 | 219 | 2 | 2 | 10 | 18 | 33 | 47 | 85 |
| 65+ | 1912 | 14.3 | 234 | 2 | 2 | 9 | 18 | 35 | 49 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 592 | 6.1 | 48 | 1 | 1 | 4 | 7 | 12 | 22 | 42 |
| B. *Operated* | 3011 | 7.0 | 72 | 1 | 2 | 4 | 8 | 16 | 23 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1627 | 9.2 | 105 | 1 | 2 | 6 | 11 | 20 | 31 | 51 |
| B. *Operated* | 4107 | 14.2 | 229 | 2 | 2 | 9 | 18 | 34 | 48 | 87 |
| **1. SINGLE DX** | 3603 | 6.8 | 68 | 1 | 1 | 4 | 8 | 16 | 23 | 46 |
| **2. MULTIPLE DX** | 5734 | 12.8 | 199 | 2 | 2 | 8 | 16 | 30 | 43 | 79 |
| **A. NOT OPERATED** | 2219 | 8.3 | 92 | 1 | 1 | 5 | 10 | 18 | 28 | 46 |
| **B. OPERATED** | 7118 | 11.1 | 175 | 1 | 2 | 6 | 14 | 26 | 40 | 75 |
| TOTAL 0-19 YRS | 77 | 5.6 | 39 | 1 | 1 | 4 | 7 | 10 | 22 | 83 |
| 20-34 | 262 | 7.6 | 111 | 1 | 2 | 5 | 8 | 15 | 24 | 66 |
| 35-49 | 1013 | 9.5 | 137 | 1 | 2 | 5 | 12 | 22 | 29 | 71 |
| 50-64 | 3859 | 10.7 | 159 | 1 | 2 | 6 | 14 | 25 | 37 | 72 |
| 65+ | 4126 | 10.7 | 163 | 1 | 2 | 6 | 13 | 26 | 38 | 73 |
| **GRAND TOTAL** | **9337** | **10.5** | **157** | **1** | **2** | **6** | **13** | **25** | **37** | **72** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 22.0 | 578 | 5 | 5 | 22 | 39 | 39 | 39 | 39 |
| 20-34 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 35-49 | 21 | 6.3 | 23 | 2 | 2 | 5 | 7 | 13 | 19 | 21 |
| 50-64 | 126 | 8.7 | 81 | 1 | 1 | 6 | 10 | 19 | 29 | 43 |
| 65+ | 155 | 8.1 | 68 | 1 | 2 | 6 | 9 | 14 | 27 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 5 | 10.8 | 57 | 4 | 4 | 7 | 19 | 19 | 19 | 19 |
| 35-49 | 46 | 18.7 | 278 | 3 | 4 | 14 | 21 | 36 | 61 | 75 |
| 50-64 | 276 | 14.4 | 182 | 1 | 2 | 11 | 20 | 32 | 43 | 66 |
| 65+ | 352 | 14.5 | 177 | 2 | 2 | 10 | 20 | 32 | 43 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 6.3 | 9 | 3 | 3 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 55 | 10.9 | 168 | 2 | 3 | 7 | 11 | 23 | 41 | 75 |
| 50-64 | 309 | 11.0 | 142 | 1 | 2 | 7 | 14 | 24 | 34 | 72 |
| 65+ | 479 | 11.3 | 117 | 2 | 3 | 8 | 14 | 25 | 35 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 20-34 | 3 | 15.0 | 91 | 6 | 6 | 14 | 22 | 25 | 25 | 25 |
| 35-49 | 92 | 23.5 | 331 | 3 | 5 | 19 | 31 | 55 | 65 | 94 |
| 50-64 | 632 | 20.9 | 281 | 3 | 5 | 16 | 27 | 44 | 58 | 88 |
| 65+ | 852 | 20.1 | 261 | 2 | 4 | 16 | 27 | 43 | 55 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 306 | 8.3 | 73 | 1 | 2 | 6 | 10 | 17 | 28 | 45 |
| B. *Operated* | 681 | 14.7 | 185 | 2 | 2 | 11 | 20 | 32 | 43 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 847 | 11.1 | 129 | 1 | 2 | 8 | 14 | 24 | 34 | 61 |
| B. *Operated* | 1580 | 20.6 | 273 | 3 | 4 | 17 | 27 | 44 | 57 | 90 |
| **1. SINGLE DX** | 987 | 12.7 | 159 | 2 | 2 | 8 | 18 | 28 | 39 | 63 |
| **2. MULTIPLE DX** | 2427 | 17.3 | 243 | 2 | 3 | 12 | 23 | 39 | 51 | 84 |
| **A. NOT OPERATED** | 1153 | 10.4 | 115 | 1 | 2 | 7 | 12 | 22 | 33 | 57 |
| **B. OPERATED** | 2261 | 18.8 | 254 | 2 | 3 | 15 | 25 | 41 | 54 | 82 |
| TOTAL 0-19 YRS | 5 | 20.6 | 409 | 4 | 4 | 9 | 41 | 46 | 46 | 46 |
| 20-34 | 14 | 10.1 | 46 | 3 | 4 | 7 | 14 | 20 | 24 | 25 |
| 35-49 | 214 | 17.5 | 284 | 2 | 3 | 12 | 22 | 44 | 58 | 80 |
| 50-64 | 1343 | 16.1 | 232 | 2 | 3 | 12 | 22 | 35 | 48 | 80 |
| 65+ | 1838 | 15.7 | 210 | 2 | 3 | 11 | 21 | 36 | 47 | 72 |
| **GRAND TOTAL** | **3414** | **16.0** | **223** | **2** | **3** | **11** | **22** | **36** | **48** | **76** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.5 | 113 | 3 | 3 | 10 | 18 | 18 | 18 | 18 |
| 20-34 | 12 | 4.4 | 16 | 1 | 1 | 3 | 7 | 10 | 13 | 14 |
| 35-49 | 50 | 7.6 | 107 | 1 | 1 | 4 | 8 | 18 | 31 | 55 |
| 50-64 | 116 | 6.5 | 62 | 1 | 1 | 4 | 9 | 14 | 19 | 43 |
| 65+ | 233 | 7.9 | 62 | 1 | 2 | 6 | 9 | 18 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 14 | 12.6 | 21 | 5 | 7 | 11 | 16 | 19 | 19 | 19 |
| 35-49 | 74 | 15.3 | 81 | 2 | 5 | 14 | 18 | 27 | 34 | 46 |
| 50-64 | 298 | 15.5 | 103 | 2 | 5 | 13 | 20 | 26 | 33 | 55 |
| 65+ | 540 | 16.6 | 122 | 2 | 4 | 15 | 21 | 30 | 35 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.1 | 13 | 2 | 2 | 3 | 7 | 11 | 12 | 12 |
| 20-34 | 11 | 14.9 | 587 | 1 | 2 | 7 | 15 | 45 | 83 | 86 |
| 35-49 | 141 | 8.0 | 43 | 1 | 2 | 6 | 11 | 17 | 24 | 36 |
| 50-64 | 453 | 8.9 | 77 | 1 | 2 | 6 | 11 | 20 | 29 | 43 |
| 65+ | 1172 | 10.2 | 92 | 1 | 2 | 7 | 13 | 21 | 29 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 19.3 | 17 | 14 | 14 | 19 | 22 | 24 | 24 | 24 |
| 20-34 | 36 | 20.2 | 229 | 4 | 8 | 15 | 26 | 55 | 87 | 99+ |
| 35-49 | 247 | 19.7 | 205 | 4 | 6 | 16 | 26 | 35 | 50 | 77 |
| 50-64 | 1082 | 20.0 | 177 | 5 | 7 | 17 | 24 | 37 | 49 | 70 |
| 65+ | 2477 | 22.1 | 216 | 5 | 8 | 19 | 28 | 42 | 53 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 413 | 7.4 | 66 | 1 | 1 | 5 | 9 | 17 | 22 | 41 |
| B. *Operated* | 928 | 16.1 | 111 | 2 | 5 | 14 | 20 | 29 | 34 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1784 | 9.7 | 87 | 1 | 2 | 7 | 12 | 21 | 29 | 47 |
| B. *Operated* | 3846 | 21.3 | 205 | 5 | 8 | 18 | 27 | 40 | 51 | 82 |
| **1. SINGLE DX** | 1341 | 13.4 | 113 | 1 | 2 | 11 | 19 | 27 | 33 | 55 |
| **2. MULTIPLE DX** | 5630 | 17.6 | 197 | 2 | 4 | 15 | 23 | 35 | 46 | 75 |
| **A. NOT OPERATED** | 2197 | 9.2 | 84 | 1 | 2 | 6 | 12 | 20 | 28 | 47 |
| **B. OPERATED** | 4774 | 20.3 | 191 | 4 | 7 | 17 | 25 | 38 | 49 | 78 |
| TOTAL 0-19 YRS | 15 | 9.7 | 58 | 2 | 2 | 8 | 17 | 20 | 23 | 24 |
| 20-34 | 73 | 15.4 | 232 | 1 | 2 | 12 | 19 | 41 | 64 | 99+ |
| 35-49 | 512 | 14.6 | 161 | 1 | 2 | 12 | 19 | 30 | 37 | 71 |
| 50-64 | 1949 | 15.9 | 161 | 2 | 3 | 13 | 21 | 31 | 41 | 62 |
| 65+ | 4422 | 17.5 | 195 | 2 | 4 | 14 | 23 | 35 | 46 | 75 |
| **GRAND TOTAL** | **6971** | **16.8** | **184** | **2** | **3** | **14** | **22** | **33** | **44** | **71** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 4 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 8 | 6.0 | 22 | 1 | 1 | 4 | 10 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 14.7 | 20 | 10 | 10 | 15 | 18 | 19 | 19 | 19 |
| 35-49 | 15 | 22.5 | 489 | 5 | 6 | 13 | 24 | 62 | 68 | 70 |
| 50-64 | 27 | 18.3 | 153 | 5 | 8 | 14 | 22 | 37 | 50 | 53 |
| 65+ | 34 | 18.1 | 49 | 9 | 10 | 17 | 24 | 28 | 30 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 6.6 | 10 | 4 | 4 | 5 | 10 | 11 | 11 | 11 |
| 35-49 | 12 | 8.3 | 37 | 1 | 2 | 7 | 10 | 19 | 20 | 20 |
| 50-64 | 33 | 9.2 | 80 | 2 | 3 | 6 | 11 | 18 | 21 | 49 |
| 65+ | 67 | 10.5 | 162 | 2 | 3 | 6 | 11 | 20 | 38 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 8 | 16.5 | 63 | 8 | 8 | 15 | 23 | 28 | 29 | 29 |
| 35-49 | 62 | 16.0 | 96 | 6 | 7 | 13 | 18 | 26 | 39 | 51 |
| 50-64 | 173 | 19.6 | 200 | 8 | 9 | 15 | 23 | 33 | 43 | 89 |
| 65+ | 269 | 23.4 | 223 | 8 | 9 | 20 | 30 | 44 | 57 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 5.2 | 15 | 1 | 1 | 4 | 8 | 11 | 13 | 14 |
| B. *Operated* | 80 | 18.8 | 163 | 7 | 9 | 15 | 23 | 30 | 51 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 9.6 | 117 | 2 | 3 | 6 | 11 | 19 | 22 | 59 |
| B. *Operated* | 513 | 21.1 | 203 | 7 | 9 | 17 | 26 | 39 | 51 | 80 |
| **1. SINGLE DX** | 94 | 16.7 | 164 | 2 | 4 | 13 | 21 | 29 | 48 | 66 |
| **2. MULTIPLE DX** | 633 | 18.9 | 207 | 4 | 5 | 15 | 24 | 36 | 49 | 79 |
| **A. NOT OPERATED** | 134 | 9.1 | 108 | 2 | 3 | 6 | 11 | 18 | 21 | 55 |
| **B. OPERATED** | 593 | 20.8 | 198 | 7 | 9 | 17 | 25 | 38 | 51 | 75 |
| TOTAL 0-19 YRS | 3 | 8.3 | 25 | 3 | 3 | 9 | 12 | 13 | 13 | 13 |
| 20-34 | 19 | 11.8 | 57 | 3 | 4 | 10 | 16 | 23 | 27 | 29 |
| 35-49 | 90 | 15.9 | 163 | 4 | 6 | 12 | 18 | 29 | 46 | 67 |
| 50-64 | 237 | 17.8 | 190 | 4 | 6 | 14 | 21 | 32 | 43 | 70 |
| 65+ | 378 | 20.3 | 220 | 3 | 5 | 17 | 25 | 39 | 51 | 80 |
| **GRAND TOTAL** | **727** | **18.6** | **202** | **4** | **5** | **15** | **23** | **36** | **49** | **73** |

### 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 17 | 5.8 | 36 | 1 | 1 | 4 | 6 | 18 | 21 | 21 |
| 35-49 | 86 | 5.1 | 19 | 1 | 2 | 4 | 6 | 8 | 12 | 28 |
| 50-64 | 217 | 6.0 | 46 | 1 | 1 | 5 | 7 | 11 | 16 | 52 |
| 65+ | 410 | 7.8 | 62 | 1 | 2 | 5 | 9 | 15 | 25 | 43 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 17.8 | 69 | 7 | 7 | 18 | 23 | 27 | 27 | 27 |
| 20-34 | 52 | 11.3 | 26 | 3 | 5 | 11 | 15 | 18 | 19 | 27 |
| 35-49 | 364 | 12.1 | 31 | 4 | 7 | 12 | 15 | 17 | 21 | 32 |
| 50-64 | 1485 | 13.2 | 44 | 3 | 8 | 12 | 16 | 20 | 24 | 38 |
| 65+ | 2978 | 15.6 | 67 | 5 | 8 | 14 | 18 | 25 | 31 | 46 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 7.8 | 35 | 2 | 2 | 6 | 11 | 16 | 16 | 16 |
| 20-34 | 49 | 7.6 | 45 | <1 | 1 | 5 | 11 | 18 | 20 | 28 |
| 35-49 | 243 | 7.4 | 39 | 1 | 2 | 5 | 9 | 17 | 20 | 32 |
| 50-64 | 1200 | 8.9 | 74 | 1 | 2 | 6 | 11 | 19 | 26 | 44 |
| 65+ | 2984 | 10.2 | 92 | 2 | 3 | 7 | 13 | 22 | 29 | 51 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 16.8 | 400 | 3 | 3 | 13 | 17 | 32 | 61 | 98 |
| 20-34 | 159 | 15.6 | 87 | 6 | 7 | 13 | 19 | 29 | 37 | 47 |
| 35-49 | 815 | 15.7 | 94 | 5 | 8 | 13 | 19 | 27 | 32 | 54 |
| 50-64 | 4466 | 17.8 | 127 | 6 | 9 | 15 | 21 | 30 | 38 | 67 |
| 65+ | 12417 | 20.7 | 148 | 8 | 10 | 18 | 25 | 36 | 45 | 75 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 732 | 6.9 | 52 | 1 | 2 | 5 | 8 | 13 | 21 | 44 |
| B. *Operated* | 4883 | 14.6 | 59 | 4 | 8 | 13 | 17 | 23 | 28 | 44 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4480 | 9.7 | 84 | 2 | 2 | 7 | 12 | 20 | 28 | 47 |
| B. *Operated* | 17879 | 19.7 | 143 | 7 | 9 | 17 | 24 | 34 | 43 | 73 |
| **1. SINGLE DX** | 5615 | 13.6 | 64 | 2 | 4 | 13 | 17 | 22 | 28 | 44 |
| **2. MULTIPLE DX** | 22359 | 17.7 | 147 | 3 | 5 | 15 | 22 | 32 | 41 | 68 |
| **A. NOT OPERATED** | 5212 | 9.3 | 81 | 2 | 2 | 6 | 11 | 19 | 27 | 46 |
| **B. OPERATED** | 22762 | 18.6 | 129 | 7 | 9 | 16 | 22 | 32 | 41 | 68 |
| TOTAL 0-19 YRS | 32 | 15.0 | 298 | 3 | 3 | 12 | 17 | 28 | 36 | 98 |
| 20-34 | 277 | 12.8 | 78 | 2 | 3 | 11 | 16 | 24 | 30 | 46 |
| 35-49 | 1508 | 12.9 | 78 | 2 | 4 | 11 | 16 | 23 | 28 | 46 |
| 50-64 | 7368 | 15.1 | 113 | 3 | 5 | 13 | 18 | 27 | 34 | 59 |
| 65+ | 18789 | 17.9 | 142 | 3 | 6 | 16 | 22 | 32 | 41 | 67 |
| **GRAND TOTAL** | **27974** | **16.9** | **133** | **3** | **5** | **14** | **21** | **30** | **39** | **64** |

### 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 7.4 | 13 | 2 | 3 | 8 | 9 | 13 | 13 | 13 |
| 35-49 | 51 | 5.4 | 41 | 1 | 1 | 4 | 6 | 9 | 18 | 41 |
| 50-64 | 149 | 6.1 | 47 | 1 | 2 | 4 | 6 | 12 | 19 | 42 |
| 65+ | 306 | 7.2 | 66 | 1 | 2 | 5 | 9 | 13 | 23 | 48 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 11.3 | 15 | 7 | 7 | 10 | 15 | 16 | 17 | 17 |
| 20-34 | 53 | 13.4 | 76 | 2 | 3 | 11 | 18 | 24 | 32 | 40 |
| 35-49 | 285 | 12.4 | 60 | 2 | 3 | 12 | 15 | 20 | 24 | 43 |
| 50-64 | 1298 | 14.3 | 62 | 3 | 4 | 13 | 18 | 24 | 28 | 40 |
| 65+ | 2108 | 15.4 | 90 | 2 | 4 | 14 | 20 | 27 | 32 | 46 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 21 | 9.4 | 77 | 1 | 2 | 7 | 11 | 27 | 29 | 30 |
| 35-49 | 162 | 7.2 | 35 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 50-64 | 836 | 9.0 | 82 | 1 | 2 | 6 | 11 | 19 | 25 | 49 |
| 65+ | 1733 | 11.0 | 120 | 2 | 2 | 7 | 14 | 24 | 34 | 57 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 10 | 16.3 | 114 | 1 | 1 | 15 | 24 | 30 | 33 | 33 |
| 20-34 | 86 | 15.4 | 60 | 4 | 7 | 15 | 20 | 26 | 30 | 99+ |
| 35-49 | 504 | 17.0 | 109 | 3 | 5 | 15 | 22 | 29 | 35 | 56 |
| 50-64 | 2783 | 18.6 | 126 | 5 | 8 | 16 | 23 | 31 | 40 | 66 |
| 65+ | 6181 | 21.1 | 184 | 4 | 7 | 19 | 26 | 38 | 48 | 84 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 516 | 6.7 | 57 | 1 | 2 | 5 | 7 | 12 | 21 | 43 |
| B. *Operated* | 3752 | 14.8 | 78 | 2 | 4 | 14 | 19 | 25 | 30 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2753 | 10.2 | 104 | 2 | 2 | 7 | 12 | 21 | 30 | 56 |
| B. *Operated* | 9564 | 20.1 | 164 | 4 | 7 | 18 | 25 | 36 | 45 | 79 |
| **1. SINGLE DX** | 4268 | 13.8 | 83 | 2 | 3 | 13 | 18 | 25 | 29 | 45 |
| **2. MULTIPLE DX** | 12317 | 17.9 | 167 | 3 | 4 | 16 | 23 | 34 | 43 | 73 |
| **A. NOT OPERATED** | 3269 | 9.6 | 98 | 1 | 2 | 6 | 12 | 21 | 29 | 54 |
| **B. OPERATED** | 13316 | 18.6 | 145 | 3 | 6 | 16 | 23 | 33 | 42 | 70 |
| TOTAL 0-19 YRS | 20 | 12.8 | 80 | 1 | 1 | 11 | 16 | 26 | 30 | 33 |
| 20-34 | 169 | 13.6 | 70 | 2 | 4 | 12 | 19 | 26 | 30 | 89 |
| 35-49 | 1002 | 13.5 | 96 | 2 | 3 | 12 | 18 | 25 | 30 | 47 |
| 50-64 | 5066 | 15.5 | 115 | 2 | 4 | 14 | 20 | 28 | 35 | 58 |
| 65+ | 10328 | 17.8 | 169 | 3 | 4 | 16 | 23 | 34 | 43 | 73 |
| **GRAND TOTAL** | **16585** | **16.8** | **149** | **3** | **4** | **15** | **22** | **31** | **40** | **67** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.2 | 11 | <1 | <1 | 2 | 3 | 8 | 11 | 14 |
| 20-34 | 32 | 7.0 | 20 | 2 | 3 | 5 | 9 | 13 | 15 | 22 |
| 35-49 | 57 | 6.5 | 58 | 1 | 2 | 5 | 6 | 12 | 24 | 44 |
| 50-64 | 108 | 7.8 | 48 | 1 | 1 | 6 | 9 | 16 | 23 | 34 |
| 65+ | 152 | 9.3 | 99 | 2 | 2 | 7 | 11 | 19 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 11.7 | 38 | 2 | 3 | 12 | 17 | 20 | 22 | 22 |
| 20-34 | 36 | 13.0 | 93 | 2 | 4 | 10 | 16 | 29 | 33 | 42 |
| 35-49 | 94 | 14.7 | 93 | 2 | 4 | 13 | 18 | 30 | 31 | 47 |
| 50-64 | 212 | 15.9 | 122 | 2 | 4 | 13 | 21 | 30 | 37 | 62 |
| 65+ | 309 | 17.0 | 167 | 2 | 3 | 14 | 21 | 33 | 40 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.0 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 20-34 | 62 | 7.5 | 62 | 1 | 1 | 5 | 8 | 18 | 27 | 37 |
| 35-49 | 98 | 6.8 | 33 | 1 | 1 | 5 | 9 | 15 | 18 | 27 |
| 50-64 | 359 | 9.0 | 75 | 1 | 2 | 6 | 11 | 19 | 25 | 42 |
| 65+ | 687 | 11.2 | 94 | 2 | 3 | 8 | 14 | 22 | 31 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 12.7 | 47 | 2 | 4 | 12 | 20 | 24 | 66 | 99+ |
| 20-34 | 60 | 18.4 | 187 | 3 | 6 | 14 | 22 | 41 | 51 | 56 |
| 35-49 | 162 | 18.7 | 187 | 4 | 5 | 15 | 24 | 36 | 52 | 96 |
| 50-64 | 697 | 20.0 | 203 | 4 | 7 | 16 | 25 | 38 | 52 | 74 |
| 65+ | 1460 | 22.1 | 206 | 6 | 8 | 19 | 27 | 41 | 51 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 368 | 7.9 | 68 | 1 | 2 | 5 | 10 | 16 | 23 | 38 |
| B. *Operated* | 668 | 16.0 | 136 | 2 | 4 | 14 | 20 | 31 | 37 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1241 | 9.8 | 83 | 1 | 2 | 7 | 13 | 21 | 28 | 44 |
| B. *Operated* | 2397 | 21.1 | 204 | 6 | 8 | 18 | 26 | 40 | 52 | 76 |
| **1. SINGLE DX** | 1036 | 13.1 | 127 | 2 | 2 | 10 | 18 | 27 | 34 | 59 |
| **2. MULTIPLE DX** | 3638 | 17.2 | 191 | 2 | 4 | 14 | 23 | 35 | 46 | 72 |
| **A. NOT OPERATED** | 1609 | 9.4 | 80 | 1 | 2 | 7 | 12 | 20 | 27 | 44 |
| **B. OPERATED** | 3065 | 20.0 | 193 | 4 | 7 | 17 | 25 | 37 | 50 | 74 |
| TOTAL 0-19 YRS | 89 | 7.1 | 40 | <1 | 1 | 4 | 11 | 17 | 21 | 70 |
| 20-34 | 190 | 11.9 | 123 | 2 | 2 | 8 | 15 | 27 | 38 | 54 |
| 35-49 | 411 | 13.2 | 139 | 2 | 2 | 10 | 18 | 28 | 35 | 68 |
| 50-64 | 1376 | 15.5 | 170 | 2 | 3 | 12 | 20 | 32 | 42 | 71 |
| 65+ | 2608 | 17.8 | 191 | 3 | 4 | 15 | 23 | 35 | 46 | 70 |
| **GRAND TOTAL** | **4674** | **16.3** | **179** | **2** | **3** | **13** | **22** | **33** | **43** | **70** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 6.3 | 30 | 1 | 1 | 6 | 10 | 12 | 12 | 12 |
| 35-49 | 50 | 8.6 | 50 | 2 | 4 | 5 | 11 | 18 | 22 | 35 |
| 50-64 | 195 | 7.1 | 39 | 1 | 2 | 5 | 8 | 16 | 20 | 34 |
| 65+ | 266 | 9.0 | 65 | 1 | 2 | 7 | 12 | 19 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 17.7 | 80 | 12 | 12 | 13 | 24 | 28 | 28 | 28 |
| 20-34 | 2 | 11.5 | 61 | 6 | 6 | 11 | 17 | 17 | 17 | 17 |
| 35-49 | 34 | 17.4 | 178 | 2 | 4 | 16 | 22 | 28 | 46 | 68 |
| 50-64 | 204 | 16.6 | 140 | 2 | 3 | 15 | 22 | 29 | 35 | 77 |
| 65+ | 326 | 19.7 | 156 | 3 | 6 | 18 | 26 | 35 | 44 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.6 | 13 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 20-34 | 21 | 10.7 | 243 | 2 | 2 | 5 | 8 | 32 | 52 | 66 |
| 35-49 | 169 | 7.7 | 50 | 1 | 2 | 6 | 9 | 15 | 24 | 40 |
| 50-64 | 665 | 8.3 | 55 | 1 | 2 | 6 | 11 | 17 | 23 | 37 |
| 65+ | 1248 | 10.8 | 100 | 1 | 2 | 8 | 14 | 22 | 29 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 21.7 | 22 | 18 | 18 | 20 | 25 | 27 | 27 | 27 |
| 20-34 | 19 | 20.0 | 217 | 3 | 6 | 16 | 25 | 29 | 53 | 72 |
| 35-49 | 229 | 21.0 | 192 | 4 | 7 | 18 | 26 | 39 | 54 | 65 |
| 50-64 | 1116 | 21.8 | 202 | 6 | 8 | 18 | 28 | 39 | 51 | 83 |
| 65+ | 2155 | 22.8 | 173 | 7 | 10 | 20 | 28 | 39 | 52 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 516 | 8.2 | 54 | 1 | 2 | 6 | 11 | 18 | 23 | 35 |
| B. *Operated* | 569 | 18.4 | 153 | 2 | 5 | 17 | 24 | 32 | 41 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2108 | 9.5 | 85 | 1 | 2 | 7 | 13 | 20 | 27 | 46 |
| B. *Operated* | 3522 | 22.3 | 184 | 7 | 9 | 19 | 28 | 39 | 52 | 74 |
| **1. SINGLE DX** | 1085 | 13.6 | 131 | 2 | 2 | 11 | 19 | 28 | 34 | 61 |
| **2. MULTIPLE DX** | 5630 | 17.6 | 184 | 2 | 4 | 15 | 24 | 35 | 44 | 69 |
| **A. NOT OPERATED** | 2624 | 9.5 | 79 | 1 | 2 | 7 | 12 | 19 | 26 | 42 |
| **B. OPERATED** | 4091 | 21.8 | 181 | 6 | 8 | 19 | 27 | 39 | 50 | 73 |
| TOTAL 0-19 YRS | 13 | 11.9 | 79 | 2 | 2 | 10 | 18 | 27 | 28 | 28 |
| 20-34 | 45 | 14.4 | 227 | 2 | 3 | 10 | 17 | 28 | 46 | 72 |
| 35-49 | 482 | 14.8 | 166 | 2 | 3 | 12 | 20 | 30 | 40 | 60 |
| 50-64 | 2180 | 15.9 | 178 | 2 | 3 | 13 | 22 | 32 | 42 | 73 |
| 65+ | 3995 | 17.9 | 176 | 3 | 4 | 15 | 24 | 35 | 43 | 66 |
| **GRAND TOTAL** | **6715** | **17.0** | **177** | **2** | **4** | **14** | **23** | **34** | **43** | **67** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.4 | 37 | 3 | 3 | 10 | 15 | 18 | 18 | 18 |
| 20-34 | 28 | 3.4 | 8 | 1 | 1 | 2 | 5 | 7 | 9 | 13 |
| 35-49 | 354 | 5.3 | 37 | 1 | 1 | 3 | 7 | 12 | 16 | 30 |
| 50-64 | 1452 | 6.1 | 51 | 1 | 1 | 4 | 8 | 13 | 20 | 35 |
| 65+ | 1651 | 7.8 | 70 | 1 | 1 | 5 | 10 | 17 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 18.3 | 176 | 10 | 10 | 12 | 26 | 38 | 38 | 38 |
| 20-34 | 61 | 11.5 | 61 | 1 | 2 | 10 | 16 | 21 | 26 | 37 |
| 35-49 | 698 | 11.7 | 68 | 2 | 3 | 10 | 16 | 21 | 26 | 40 |
| 50-64 | 3345 | 11.9 | 75 | 2 | 3 | 10 | 16 | 22 | 27 | 41 |
| 65+ | 3410 | 12.2 | 94 | 2 | 2 | 10 | 16 | 23 | 30 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 8.1 | 168 | 1 | 1 | 3 | 7 | 23 | 42 | 50 |
| 20-34 | 87 | 9.1 | 85 | 1 | 2 | 6 | 11 | 23 | 29 | 44 |
| 35-49 | 1336 | 8.9 | 85 | 1 | 2 | 6 | 11 | 21 | 28 | 48 |
| 50-64 | 6486 | 9.3 | 83 | 1 | 2 | 7 | 12 | 20 | 27 | 47 |
| 65+ | 8682 | 11.0 | 102 | 2 | 2 | 8 | 14 | 24 | 32 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 11.8 | 42 | 3 | 4 | 11 | 16 | 19 | 25 | 28 |
| 20-34 | 87 | 15.9 | 170 | 3 | 4 | 12 | 19 | 25 | 39 | 79 |
| 35-49 | 1830 | 14.9 | 114 | 3 | 4 | 12 | 19 | 28 | 36 | 54 |
| 50-64 | 9210 | 15.7 | 137 | 3 | 4 | 13 | 20 | 30 | 39 | 63 |
| 65+ | 11349 | 16.6 | 154 | 3 | 4 | 14 | 22 | 32 | 42 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3492 | 6.8 | 59 | 1 | 1 | 4 | 8 | 15 | 21 | 37 |
| B. *Operated* | 7518 | 12.0 | 83 | 2 | 3 | 10 | 16 | 23 | 28 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16607 | 10.2 | 94 | 1 | 2 | 7 | 13 | 22 | 30 | 49 |
| B. *Operated* | 22492 | 16.1 | 144 | 3 | 4 | 13 | 21 | 31 | 40 | 64 |
| **1. SINGLE DX** | 11010 | 10.4 | 81 | 1 | 2 | 8 | 14 | 21 | 27 | 42 |
| **2. MULTIPLE DX** | 39099 | 13.6 | 131 | 2 | 3 | 11 | 18 | 28 | 36 | 59 |
| **A. NOT OPERATED** | 20099 | 9.6 | 90 | 1 | 2 | 7 | 12 | 21 | 29 | 47 |
| **B. OPERATED** | 30010 | 15.1 | 132 | 2 | 4 | 12 | 19 | 29 | 37 | 61 |
| TOTAL 0-19 YRS | 43 | 10.6 | 102 | 1 | 2 | 8 | 15 | 20 | 31 | 50 |
| 20-34 | 263 | 11.3 | 113 | 1 | 2 | 9 | 15 | 23 | 29 | 47 |
| 35-49 | 4218 | 11.7 | 101 | 2 | 2 | 9 | 16 | 25 | 31 | 49 |
| 50-64 | 20493 | 12.4 | 114 | 2 | 2 | 10 | 17 | 25 | 33 | 54 |
| 65+ | 25092 | 13.5 | 131 | 2 | 3 | 10 | 18 | 28 | 36 | 58 |
| **GRAND TOTAL** | **50109** | **12.9** | **122** | **2** | **2** | **10** | **17** | **26** | **34** | **56** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.8 | 58 | 2 | 2 | 3 | 8 | 20 | 22 | 22 |
| 20-34 | 8 | 3.9 | 4 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 42 | 5.3 | 30 | 1 | 2 | 4 | 6 | 10 | 14 | 33 |
| 50-64 | 163 | 5.5 | 33 | 1 | 1 | 4 | 7 | 11 | 20 | 29 |
| 65+ | 127 | 7.9 | 106 | 1 | 1 | 4 | 9 | 18 | 30 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.7 | 52 | <1 | <1 | 5 | 9 | 20 | 23 | 24 |
| 20-34 | 67 | 7.4 | 57 | 1 | 2 | 5 | 10 | 14 | 19 | 45 |
| 35-49 | 299 | 9.0 | 114 | 1 | 1 | 5 | 14 | 19 | 26 | 47 |
| 50-64 | 1182 | 8.2 | 91 | 1 | 1 | 4 | 12 | 20 | 25 | 45 |
| 65+ | 1096 | 7.6 | 86 | 1 | 1 | 3 | 12 | 18 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.7 | 3 | <1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 31 | 5.4 | 13 | 1 | 2 | 5 | 6 | 10 | 12 | 17 |
| 35-49 | 82 | 7.7 | 76 | 1 | 2 | 5 | 9 | 17 | 21 | 53 |
| 50-64 | 299 | 8.2 | 77 | 1 | 1 | 6 | 10 | 17 | 23 | 44 |
| 65+ | 366 | 10.6 | 149 | 1 | 2 | 7 | 13 | 24 | 38 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 19.6 | 396 | 2 | 3 | 13 | 27 | 78 | 94 | 99+ |
| 20-34 | 42 | 15.0 | 153 | 2 | 2 | 13 | 23 | 35 | 44 | 99+ |
| 35-49 | 251 | 14.7 | 180 | 2 | 2 | 12 | 20 | 31 | 42 | 70 |
| 50-64 | 1152 | 15.2 | 196 | 1 | 2 | 12 | 22 | 35 | 43 | 73 |
| 65+ | 1366 | 15.2 | 199 | 2 | 2 | 13 | 21 | 33 | 45 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 349 | 6.4 | 60 | 1 | 1 | 4 | 7 | 14 | 22 | 38 |
| B. *Operated* | 2661 | 8.0 | 90 | 1 | 1 | 3 | 12 | 19 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 787 | 9.1 | 109 | 1 | 2 | 6 | 10 | 19 | 29 | 55 |
| B. *Operated* | 2825 | 15.2 | 196 | 2 | 2 | 12 | 22 | 33 | 44 | 82 |
| **1. SINGLE DX** | 3010 | 7.8 | 87 | 1 | 1 | 3 | 12 | 19 | 24 | 41 |
| **2. MULTIPLE DX** | 3612 | 13.8 | 183 | 2 | 2 | 10 | 19 | 31 | 42 | 76 |
| **A. NOT OPERATED** | 1136 | 8.3 | 96 | 1 | 2 | 5 | 10 | 18 | 25 | 52 |
| **B. OPERATED** | 5486 | 11.7 | 157 | 1 | 2 | 8 | 17 | 28 | 37 | 68 |
| TOTAL 0-19 YRS | 49 | 9.9 | 175 | <1 | 1 | 5 | 13 | 23 | 42 | 99+ |
| 20-34 | 148 | 9.0 | 87 | 1 | 2 | 6 | 12 | 23 | 30 | 52 |
| 35-49 | 674 | 10.7 | 138 | 1 | 2 | 7 | 15 | 24 | 32 | 63 |
| 50-64 | 2796 | 10.9 | 142 | 1 | 2 | 7 | 15 | 26 | 35 | 61 |
| 65+ | 2955 | 11.5 | 159 | 1 | 2 | 8 | 16 | 27 | 37 | 70 |
| **GRAND TOTAL** | **6622** | **11.1** | **148** | **1** | **2** | **7** | **16** | **26** | **36** | **65** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.4 | 18 | <1 | <1 | 2 | 4 | 5 | 8 | 27 |
| 20-34 | 59 | 5.5 | 42 | 1 | 1 | 4 | 6 | 8 | 14 | 40 |
| 35-49 | 54 | 4.3 | 13 | 1 | 1 | 4 | 5 | 7 | 15 | 17 |
| 50-64 | 92 | 5.9 | 33 | 1 | 1 | 5 | 7 | 11 | 13 | 37 |
| 65+ | 91 | 6.3 | 42 | 1 | 1 | 4 | 7 | 15 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 7.1 | 45 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| 20-34 | 210 | 7.8 | 61 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 35-49 | 234 | 7.4 | 46 | 1 | 2 | 5 | 9 | 15 | 19 | 38 |
| 50-64 | 365 | 9.1 | 84 | 1 | 2 | 7 | 12 | 19 | 26 | 58 |
| 65+ | 489 | 10.2 | 122 | 1 | 2 | 7 | 13 | 24 | 31 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 4.7 | 33 | 1 | 1 | 3 | 5 | 9 | 16 | 32 |
| 20-34 | 128 | 7.0 | 63 | 1 | 1 | 4 | 8 | 16 | 17 | 51 |
| 35-49 | 70 | 5.7 | 25 | 1 | 1 | 4 | 7 | 12 | 18 | 26 |
| 50-64 | 249 | 9.6 | 154 | 1 | 2 | 5 | 11 | 21 | 37 | 58 |
| 65+ | 342 | 10.4 | 105 | 1 | 2 | 7 | 13 | 22 | 30 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 11.3 | 86 | 2 | 3 | 8 | 16 | 22 | 30 | 47 |
| 20-34 | 119 | 14.9 | 219 | 2 | 2 | 10 | 20 | 32 | 42 | 84 |
| 35-49 | 148 | 15.0 | 181 | 2 | 3 | 12 | 19 | 32 | 43 | 80 |
| 50-64 | 382 | 16.1 | 188 | 2 | 3 | 13 | 23 | 36 | 43 | 81 |
| 65+ | 602 | 16.1 | 206 | 2 | 3 | 12 | 21 | 35 | 46 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 397 | 5.1 | 31 | 1 | 1 | 4 | 6 | 11 | 15 | 36 |
| B. *Operated* | 1474 | 8.8 | 84 | 1 | 2 | 6 | 11 | 18 | 26 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 928 | 8.5 | 100 | 1 | 2 | 5 | 10 | 17 | 28 | 55 |
| B. *Operated* | 1331 | 15.6 | 193 | 2 | 3 | 12 | 21 | 34 | 43 | 83 |
| **1. SINGLE DX** | 1871 | 8.0 | 75 | 1 | 2 | 5 | 10 | 17 | 24 | 46 |
| **2. MULTIPLE DX** | 2259 | 12.7 | 167 | 1 | 2 | 8 | 17 | 29 | 40 | 73 |
| **A. NOT OPERATED** | 1325 | 7.5 | 82 | 1 | 1 | 5 | 8 | 16 | 24 | 49 |
| **B. OPERATED** | 2805 | 12.0 | 147 | 2 | 2 | 8 | 16 | 27 | 37 | 69 |
| TOTAL 0-19 YRS | 496 | 6.4 | 49 | 1 | 1 | 4 | 8 | 15 | 20 | 37 |
| 20-34 | 516 | 9.0 | 107 | 1 | 2 | 6 | 11 | 19 | 28 | 52 |
| 35-49 | 506 | 9.0 | 94 | 1 | 2 | 6 | 12 | 19 | 25 | 56 |
| 50-64 | 1088 | 11.4 | 145 | 1 | 2 | 8 | 15 | 27 | 37 | 65 |
| 65+ | 1524 | 12.3 | 157 | 1 | 2 | 8 | 16 | 28 | 37 | 72 |
| **GRAND TOTAL** | 4130 | 10.5 | 131 | 1 | 2 | 7 | 14 | 24 | 34 | 63 |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| 20-34 | 47 | 5.3 | 80 | 1 | 1 | 3 | 6 | 9 | 12 | 62 |
| 35-49 | 70 | 4.2 | 16 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| 50-64 | 108 | 5.2 | 42 | <1 | 1 | 4 | 6 | 9 | 14 | 41 |
| 65+ | 69 | 6.0 | 27 | 2 | 2 | 4 | 6 | 12 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.4 | 25 | <1 | <1 | 3 | 6 | 10 | 12 | 25 |
| 20-34 | 440 | 5.7 | 19 | 1 | 1 | 5 | 8 | 10 | 12 | 21 |
| 35-49 | 620 | 6.0 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 735 | 7.0 | 30 | 1 | 2 | 6 | 9 | 13 | 18 | 27 |
| 65+ | 588 | 7.0 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 14 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 20-34 | 74 | 6.4 | 19 | 1 | 2 | 5 | 9 | 13 | 15 | 19 |
| 35-49 | 131 | 6.1 | 26 | 1 | 1 | 5 | 7 | 13 | 16 | 26 |
| 50-64 | 199 | 8.7 | 112 | 1 | 2 | 5 | 9 | 21 | 32 | 55 |
| 65+ | 241 | 9.4 | 104 | 2 | 2 | 6 | 11 | 18 | 24 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.0 | 8 | 3 | 3 | 6 | 7 | 10 | 11 | 11 |
| 20-34 | 169 | 7.8 | 43 | 1 | 2 | 6 | 10 | 17 | 22 | 30 |
| 35-49 | 306 | 8.3 | 58 | 1 | 2 | 7 | 10 | 16 | 22 | 38 |
| 50-64 | 508 | 10.3 | 92 | 2 | 2 | 8 | 13 | 22 | 29 | 58 |
| 65+ | 627 | 11.4 | 101 | 2 | 2 | 9 | 15 | 23 | 31 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 297 | 5.2 | 38 | 1 | 1 | 4 | 6 | 10 | 14 | 33 |
| B. *Operated* | 2411 | 6.4 | 27 | 1 | 2 | 5 | 9 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 649 | 8.2 | 82 | 1 | 2 | 5 | 10 | 16 | 22 | 51 |
| B. *Operated* | 1617 | 10.1 | 85 | 2 | 2 | 8 | 13 | 21 | 27 | 55 |
| **1. SINGLE DX** | 2708 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | 2266 | 9.5 | 85 | 1 | 2 | 7 | 12 | 20 | 26 | 53 |
| **A. NOT OPERATED** | 946 | 7.2 | 70 | 1 | 1 | 5 | 8 | 15 | 21 | 49 |
| **B. OPERATED** | 4028 | 7.9 | 54 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| TOTAL 0-19 YRS | 42 | 4.9 | 22 | <1 | 1 | 3 | 7 | 10 | 13 | 25 |
| 20-34 | 730 | 6.2 | 29 | 1 | 1 | 5 | 8 | 12 | 15 | 27 |
| 35-49 | 1127 | 6.5 | 32 | 1 | 2 | 5 | 9 | 12 | 16 | 27 |
| 50-64 | 1550 | 8.2 | 64 | 1 | 2 | 6 | 10 | 16 | 24 | 46 |
| 65+ | 1525 | 9.2 | 78 | 2 | 2 | 7 | 12 | 19 | 25 | 48 |
| **GRAND TOTAL** | 4974 | 7.8 | 57 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 18 | 6.0 | 40 | 1 | 2 | 4 | 9 | 11 | 22 | 28 |
| 50-64 | 19 | 6.2 | 45 | 1 | 2 | 4 | 7 | 15 | 24 | 28 |
| 65+ | 56 | 8.3 | 94 | <1 | 1 | 5 | 10 | 19 | 31 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.7 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| 20-34 | 189 | 3.5 | 12 | <1 | <1 | 2 | 4 | 8 | 11 | 17 |
| 35-49 | 556 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 16 |
| 50-64 | 1452 | 3.2 | 12 | <1 | <1 | 2 | 3 | 7 | 9 | 19 |
| 65+ | 2647 | 3.7 | 21 | <1 | 1 | 2 | 4 | 8 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 7 | 5.7 | 16 | 2 | 2 | 6 | 10 | 11 | 11 | 11 |
| 35-49 | 22 | 6.6 | 48 | <1 | 1 | 5 | 7 | 12 | 23 | 33 |
| 50-64 | 81 | 6.9 | 104 | 1 | 1 | 5 | 8 | 12 | 16 | 68 |
| 65+ | 236 | 10.5 | 131 | 1 | 2 | 6 | 14 | 27 | 40 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.5 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 10 |
| 20-34 | 102 | 4.2 | 17 | <1 | 1 | 2 | 6 | 9 | 11 | 23 |
| 35-49 | 364 | 5.1 | 58 | <1 | 1 | 3 | 6 | 11 | 17 | 40 |
| 50-64 | 1209 | 5.4 | 63 | <1 | 1 | 3 | 8 | 12 | 19 | 40 |
| 65+ | 3266 | 7.0 | 73 | 1 | 1 | 4 | 8 | 15 | 22 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 7.3 | 72 | 1 | 1 | 4 | 9 | 19 | 27 | 44 |
| B. *Operated* | 4872 | 3.5 | 16 | <1 | <1 | 2 | 4 | 7 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 9.3 | 110 | 1 | 1 | 6 | 11 | 22 | 35 | 66 |
| B. *Operated* | 4954 | 6.4 | 69 | 1 | 1 | 3 | 8 | 14 | 21 | 42 |
| **1. SINGLE DX** | 4968 | 3.6 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 5301 | 6.6 | 72 | 1 | 1 | 4 | 8 | 15 | 22 | 44 |
| **A. NOT OPERATED** | 443 | 8.8 | 109 | 1 | 1 | 5 | 11 | 21 | 34 | 62 |
| **B. OPERATED** | 9826 | 4.9 | 45 | <1 | 1 | 3 | 5 | 11 | 16 | 33 |
| TOTAL 0-19 YRS | 44 | 3.6 | 9 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| 20-34 | 299 | 3.8 | 14 | <1 | <1 | 2 | 5 | 9 | 11 | 18 |
| 35-49 | 960 | 3.9 | 30 | <1 | <1 | 2 | 4 | 9 | 11 | 27 |
| 50-64 | 2761 | 4.3 | 38 | <1 | 1 | 2 | 4 | 9 | 14 | 29 |
| 65+ | 6205 | 5.7 | 56 | <1 | 1 | 3 | 7 | 13 | 19 | 40 |
| **GRAND TOTAL** | 10269 | 5.1 | 48 | <1 | 1 | 3 | 6 | 11 | 17 | 37 |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 37 | 3.9 | 28 | <1 | <1 | 2 | 4 | 8 | 10 | 31 |
| 35-49 | 230 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 447 | 6.4 | 56 | 1 | 1 | 4 | 8 | 13 | 21 | 35 |
| 65+ | 380 | 7.5 | 72 | 1 | 1 | 5 | 8 | 17 | 26 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.8 | 9 | <1 | 1 | 2 | 5 | 10 | 10 | 10 |
| 20-34 | 677 | 6.5 | 21 | 1 | 2 | 6 | 8 | 11 | 13 | 19 |
| 35-49 | 3363 | 6.9 | 14 | 1 | 2 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 5529 | 7.7 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 21 |
| 65+ | 5550 | 8.4 | 22 | 2 | 4 | 8 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.3 | 81 | 2 | 2 | 5 | 10 | 24 | 28 | 28 |
| 20-34 | 152 | 7.3 | 35 | 1 | 2 | 5 | 10 | 16 | 19 | 27 |
| 35-49 | 928 | 8.8 | 90 | 1 | 1 | 6 | 11 | 19 | 28 | 47 |
| 50-64 | 2291 | 9.6 | 102 | 1 | 2 | 6 | 12 | 21 | 29 | 55 |
| 65+ | 2902 | 11.2 | 121 | 1 | 2 | 8 | 14 | 24 | 33 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.7 | 15 | 3 | 6 | 9 | 13 | 15 | 16 | 16 |
| 20-34 | 552 | 9.2 | 53 | 2 | 4 | 8 | 10 | 15 | 20 | 41 |
| 35-49 | 3360 | 9.3 | 53 | 2 | 3 | 8 | 11 | 15 | 21 | 41 |
| 50-64 | 6860 | 10.6 | 66 | 3 | 4 | 9 | 12 | 18 | 24 | 49 |
| 65+ | 9242 | 12.2 | 83 | 3 | 5 | 10 | 14 | 21 | 28 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1094 | 6.2 | 54 | 1 | 1 | 4 | 7 | 14 | 21 | 38 |
| B. *Operated* | 15137 | 7.7 | 19 | 2 | 3 | 7 | 10 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6281 | 10.2 | 108 | 1 | 2 | 7 | 13 | 22 | 31 | 56 |
| B. *Operated* | 20028 | 11.1 | 72 | 3 | 4 | 9 | 13 | 19 | 25 | 50 |
| **1. SINGLE DX** | 16231 | 7.6 | 21 | 2 | 2 | 7 | 9 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | 26309 | 10.9 | 81 | 2 | 3 | 9 | 13 | 20 | 27 | 51 |
| **A. NOT OPERATED** | 7375 | 9.6 | 102 | 1 | 2 | 6 | 12 | 21 | 29 | 54 |
| **B. OPERATED** | 35165 | 9.6 | 52 | 2 | 4 | 8 | 11 | 16 | 21 | 40 |
| TOTAL 0-19 YRS | 40 | 6.8 | 31 | 1 | 2 | 5 | 9 | 14 | 16 | 28 |
| 20-34 | 1418 | 7.6 | 37 | 1 | 2 | 7 | 9 | 13 | 16 | 31 |
| 35-49 | 7881 | 8.1 | 41 | 1 | 2 | 7 | 10 | 13 | 17 | 35 |
| 50-64 | 15127 | 9.3 | 55 | 2 | 3 | 8 | 11 | 16 | 21 | 41 |
| 65+ | 18074 | 10.7 | 73 | 2 | 4 | 9 | 13 | 19 | 26 | 49 |
| **GRAND TOTAL** | 42540 | 9.6 | 61 | 2 | 3 | 8 | 11 | 17 | 23 | 44 |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 150 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 339 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 430 | 4.1 | 13 | 1 | 2 | 4 | 4 | 6 | 9 | 22 |
| 65+ | 328 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.6 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| 20-34 | 650 | 5.5 | 25 | 1 | 2 | 4 | 7 | 12 | 15 | 21 |
| 35-49 | 646 | 6.6 | 33 | 1 | 2 | 5 | 9 | 14 | 17 | 32 |
| 50-64 | 602 | 6.2 | 32 | 1 | 2 | 4 | 8 | 13 | 17 | 29 |
| 65+ | 428 | 6.5 | 36 | 2 | 2 | 4 | 8 | 13 | 18 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 117 | 7.1 | 73 | 1 | 1 | 4 | 9 | 16 | 24 | 46 |
| 35-49 | 291 | 6.3 | 42 | 1 | 2 | 4 | 7 | 13 | 21 | 33 |
| 50-64 | 523 | 7.2 | 77 | 1 | 1 | 4 | 8 | 16 | 23 | 45 |
| 65+ | 553 | 9.5 | 95 | 2 | 2 | 6 | 12 | 21 | 29 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.4 | 30 | 1 | 1 | 4 | 6 | 15 | 17 | 17 |
| 20-34 | 424 | 7.4 | 42 | 1 | 2 | 6 | 9 | 15 | 20 | 31 |
| 35-49 | 767 | 10.9 | 114 | 2 | 3 | 8 | 13 | 22 | 29 | 68 |
| 50-64 | 748 | 12.4 | 138 | 2 | 2 | 9 | 16 | 27 | 37 | 65 |
| 65+ | 783 | 13.2 | 177 | 2 | 3 | 9 | 16 | 30 | 42 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1248 | 4.0 | 9 | 1 | 2 | 4 | 4 | 6 | 9 | 18 |
| B. *Operated* | 2335 | 6.2 | 31 | 1 | 2 | 4 | 8 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1485 | 7.9 | 78 | 1 | 2 | 5 | 9 | 18 | 25 | 48 |
| B. *Operated* | 2729 | 11.4 | 131 | 2 | 2 | 8 | 14 | 24 | 33 | 65 |
| **1. SINGLE DX** | 3583 | 5.4 | 25 | 1 | 2 | 4 | 6 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | 4214 | 10.1 | 115 | 1 | 2 | 7 | 12 | 22 | 31 | 59 |
| **A. NOT OPERATED** | 2733 | 6.1 | 50 | 1 | 2 | 4 | 6 | 12 | 19 | 36 |
| **B. OPERATED** | 5064 | 9.0 | 92 | 2 | 2 | 6 | 11 | 19 | 27 | 52 |
| TOTAL 0-19 YRS | 18 | 4.7 | 16 | 1 | 1 | 3 | 7 | 9 | 14 | 17 |
| 20-34 | 1341 | 6.0 | 34 | 1 | 2 | 4 | 8 | 12 | 16 | 28 |
| 35-49 | 2043 | 7.7 | 67 | 1 | 2 | 5 | 10 | 16 | 22 | 41 |
| 50-64 | 2303 | 8.1 | 83 | 1 | 2 | 4 | 10 | 18 | 26 | 49 |
| 65+ | 2092 | 9.5 | 111 | 2 | 2 | 6 | 11 | 21 | 31 | 55 |
| **GRAND TOTAL** | **7797** | **8.0** | **79** | **1** | **2** | **5** | **10** | **17** | **24** | **48** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 14 | 4.2 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 9 |
| 35-49 | 77 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 380 | 3.8 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 65+ | 430 | 5.1 | 38 | 1 | 2 | 4 | 5 | 9 | 15 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 10 | 7 | 7 | 8 | 12 | 13 | 13 | 13 |
| 20-34 | 64 | 6.5 | 13 | 2 | 2 | 6 | 8 | 10 | 13 | 21 |
| 35-49 | 372 | 6.2 | 13 | 1 | 1 | 6 | 8 | 10 | 13 | 16 |
| 50-64 | 1800 | 6.4 | 19 | 1 | 2 | 6 | 8 | 11 | 13 | 19 |
| 65+ | 1789 | 7.3 | 35 | 1 | 2 | 7 | 9 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 4.2 | 5 | 2 | 2 | 4 | 5 | 8 | 10 | 10 |
| 35-49 | 75 | 6.3 | 73 | 1 | 1 | 4 | 5 | 15 | 24 | 47 |
| 50-64 | 421 | 7.6 | 91 | 1 | 1 | 4 | 8 | 17 | 28 | 44 |
| 65+ | 755 | 9.1 | 95 | 1 | 2 | 6 | 11 | 21 | 31 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.3 | 12 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| 20-34 | 92 | 7.9 | 43 | 1 | 2 | 7 | 9 | 13 | 19 | 42 |
| 35-49 | 656 | 8.9 | 65 | 2 | 2 | 8 | 10 | 15 | 20 | 47 |
| 50-64 | 2942 | 8.9 | 52 | 1 | 2 | 8 | 11 | 16 | 21 | 41 |
| 65+ | 3539 | 11.2 | 91 | 2 | 2 | 9 | 14 | 21 | 28 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 902 | 4.4 | 22 | 1 | 2 | 3 | 4 | 6 | 10 | 27 |
| B. *Operated* | 4028 | 6.8 | 25 | 1 | 2 | 7 | 9 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1262 | 8.4 | 92 | 1 | 2 | 5 | 10 | 19 | 29 | 50 |
| B. *Operated* | 7236 | 10.0 | 73 | 2 | 2 | 8 | 12 | 19 | 25 | 48 |
| **1. SINGLE DX** | 4930 | 6.3 | 26 | 1 | 2 | 6 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 8498 | 9.8 | 76 | 2 | 2 | 8 | 12 | 19 | 25 | 48 |
| **A. NOT OPERATED** | 2164 | 6.7 | 67 | 1 | 2 | 4 | 7 | 15 | 22 | 43 |
| **B. OPERATED** | 11264 | 8.9 | 59 | 1 | 2 | 8 | 11 | 16 | 21 | 41 |
| TOTAL 0-19 YRS | 11 | 7.0 | 11 | 2 | 2 | 7 | 9 | 12 | 13 | 13 |
| 20-34 | 181 | 6.9 | 28 | 2 | 2 | 6 | 8 | 12 | 15 | 31 |
| 35-49 | 1180 | 7.5 | 48 | 1 | 2 | 7 | 9 | 13 | 17 | 33 |
| 50-64 | 5543 | 7.6 | 43 | 1 | 2 | 7 | 9 | 14 | 18 | 35 |
| 65+ | 6513 | 9.5 | 77 | 2 | 2 | 8 | 12 | 18 | 25 | 47 |
| **GRAND TOTAL** | **13428** | **8.5** | **60** | **1** | **2** | **7** | **10** | **16** | **22** | **41** |

### 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.9 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 76 | 3.3 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 13 |
| 35-49 | 342 | 2.6 | 12 | 1 | 1 | 2 | 2 | 5 | 6 | 21 |
| 50-64 | 1039 | 2.6 | 11 | 1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 65+ | 654 | 3.5 | 22 | 1 | 1 | 2 | 3 | 7 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 8.3 | 9 | 4 | 5 | 8 | 10 | 12 | 15 | 15 |
| 20-34 | 121 | 8.4 | 16 | 4 | 4 | 7 | 10 | 13 | 17 | 21 |
| 35-49 | 243 | 9.5 | 28 | 3 | 5 | 8 | 11 | 15 | 18 | 34 |
| 50-64 | 411 | 11.3 | 43 | [illegible] | 6 | 10 | 13 | 18 | 22 | 38 |
| 65+ | 273 | 13.5 | 64 | 3 | 6 | 12 | 17 | 23 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.1 | 38 | <1 | 1 | 5 | 6 | 11 | 20 | 29 |
| 20-34 | 116 | 4.2 | 19 | 1 | 1 | 3 | 4 | 7 | 12 | 26 |
| 35-49 | 469 | 4.3 | 36 | 1 | 1 | 2 | 5 | 9 | 14 | 33 |
| 50-64 | 1684 | 4.8 | 47 | 1 | 1 | 2 | 5 | 11 | 17 | 34 |
| 65+ | 1521 | 6.8 | 77 | 1 | 1 | 3 | 8 | 16 | 24 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 9.1 | 27 | 4 | 5 | 8 | 10 | 17 | 22 | 23 |
| 20-34 | 178 | 10.2 | 36 | 5 | 5 | 8 | 12 | 19 | 25 | 29 |
| 35-49 | 610 | 12.9 | 70 | 5 | 6 | 11 | 16 | 21 | 28 | 43 |
| 50-64 | 1564 | 15.6 | 119 | 6 | 7 | 13 | 19 | 28 | 37 | 63 |
| 65+ | 1567 | 19.9 | 164 | 7 | 8 | 17 | 25 | 36 | 47 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2139 | 2.9 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| B. *Operated* | 1081 | 11.0 | 44 | 4 | 5 | 9 | 13 | 18 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3810 | 5.5 | 58 | 1 | 1 | 3 | 6 | 13 | 19 | 41 |
| B. *Operated* | 3947 | 16.6 | 134 | 6 | 7 | 13 | 20 | 30 | 40 | 68 |
| **1. SINGLE DX** | 3220 | 5.6 | 39 | 1 | 1 | 3 | 8 | 13 | 17 | 29 |
| **2. MULTIPLE DX** | 7757 | 11.2 | 127 | 1 | 2 | 8 | 15 | 25 | 33 | 58 |
| **A. NOT OPERATED** | 5949 | 4.6 | 44 | 1 | 1 | 2 | 5 | 10 | 16 | 34 |
| **B. OPERATED** | 5028 | 15.4 | 120 | 5 | 6 | 12 | 19 | 28 | 37 | 63 |
| TOTAL 0-19 YRS | 109 | 7.0 | 22 | 1 | 2 | 6 | 9 | 11 | 15 | 25 |
| 20-34 | 491 | 7.3 | 30 | 1 | 2 | 6 | 9 | 13 | 19 | 28 |
| 35-49 | 1664 | 7.9 | 61 | 1 | 1 | 6 | 11 | 17 | 21 | 39 |
| 50-64 | 4698 | 8.5 | 93 | 1 | 1 | 5 | 12 | 19 | 26 | 48 |
| 65+ | 4015 | 11.8 | 148 | 1 | 1 | 9 | 17 | 27 | 36 | 62 |
| **GRAND TOTAL** | 10977 | 9.5 | 208 | 1 | 1 | 7 | 13 | 22 | 29 | 51 |

### 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 11 | 3.5 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 22 | 4.3 | 17 | 1 | 1 | 3 | 5 | 7 | 13 | 21 |
| 50-64 | 46 | 4.6 | 42 | 1 | 1 | 4 | 5 | 8 | 15 | 99+ |
| 65+ | 74 | 7.0 | 108 | 2 | 2 | 4 | 6 | 14 | 25 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.2 | 15 | 1 | 1 | 2 | 3 | 10 | 11 | 11 |
| 20-34 | 36 | 7.9 | 77 | <1 | 1 | 4 | 10 | 22 | 23 | 40 |
| 35-49 | 64 | 8.0 | 83 | 1 | 2 | 4 | 10 | 19 | 24 | 46 |
| 50-64 | 137 | 9.2 | 86 | 2 | 2 | 6 | 11 | 22 | 29 | 45 |
| 65+ | 291 | 9.5 | 93 | 2 | 2 | 6 | 13 | 23 | 29 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 6 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 23 | 5.5 | 20 | 1 | 1 | 4 | 8 | 11 | 16 | 17 |
| 35-49 | 36 | 7.3 | 41 | 2 | 2 | 5 | 9 | 17 | 22 | 25 |
| 50-64 | 92 | 6.2 | 47 | 1 | 2 | 3 | 8 | 14 | 19 | 35 |
| 65+ | 193 | 9.3 | 96 | 1 | 2 | 6 | 11 | 20 | 29 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 23.7 | 607 | 4 | 4 | 17 | 35 | 62 | 65 | 65 |
| 20-34 | 37 | 12.3 | 189 | 1 | 2 | 7 | 14 | 27 | 47 | 62 |
| 35-49 | 100 | 13.7 | 172 | 2 | 2 | 8 | 20 | 31 | 41 | 59 |
| 50-64 | 270 | 13.9 | 168 | 2 | 3 | 10 | 18 | 31 | 45 | 64 |
| 65+ | 527 | 17.3 | 241 | 2 | 3 | 13 | 23 | 36 | 47 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 5.6 | 68 | 1 | 1 | 4 | 5 | 10 | 18 | 61 |
| B. *Operated* | 534 | 9.0 | 88 | 1 | 2 | 6 | 11 | 22 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 349 | 7.9 | 73 | 1 | 2 | 5 | 10 | 18 | 24 | 38 |
| B. *Operated* | 940 | 15.8 | 215 | 2 | 3 | 11 | 20 | 34 | 47 | 78 |
| **1. SINGLE DX** | 690 | 8.3 | 86 | 1 | 2 | 5 | 10 | 20 | 27 | 47 |
| **2. MULTIPLE DX** | 1289 | 13.6 | 189 | 2 | 2 | 9 | 18 | 31 | 43 | 75 |
| **A. NOT OPERATED** | 505 | 7.2 | 73 | 1 | 2 | 4 | 8 | 16 | 23 | 50 |
| **B. OPERATED** | 1474 | 13.3 | 180 | 2 | 2 | 9 | 18 | 30 | 41 | 71 |
| TOTAL 0-19 YRS | 20 | 9.3 | 260 | <1 | <1 | 3 | 6 | 32 | 50 | 65 |
| 20-34 | 107 | 8.5 | 104 | 1 | 1 | 5 | 10 | 21 | 26 | 56 |
| 35-49 | 222 | 10.1 | 120 | 1 | 2 | 6 | 13 | 25 | 33 | 52 |
| 50-64 | 545 | 10.6 | 128 | 1 | 2 | 7 | 14 | 25 | 34 | 62 |
| 65+ | 1085 | 13.1 | 183 | 2 | 2 | 9 | 17 | 30 | 39 | 78 |
| **GRAND TOTAL** | 1979 | 11.8 | 159 | 2 | 2 | 8 | 16 | 27 | 37 | 67 |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 14 | 5.1 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | 203 | 5.6 | 47 | 1 | 1 | 3 | 6 | 14 | 20 | 36 |
| 65+ | 654 | 6.6 | 56 | 1 | 1 | 5 | 8 | 14 | 20 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 9.6 | 37 | 2 | 3 | 8 | 12 | 19 | 23 | 23 |
| 20-34 | 5 | 5.4 | 12 | 2 | 2 | 5 | 7 | 11 | 11 | 11 |
| 35-49 | 60 | 7.0 | 29 | 2 | 2 | 5 | 9 | 16 | 18 | 22 |
| 50-64 | 1909 | 7.7 | 39 | 1 | 2 | 6 | 10 | 15 | 19 | 29 |
| 65+ | 6126 | 8.0 | 35 | 2 | 2 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.3 | 72 | 3 | 3 | 9 | 14 | 25 | 28 | 28 |
| 20-34 | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 35-49 | 40 | 8.5 | 88 | 1 | 1 | 6 | 10 | 20 | 25 | 52 |
| 50-64 | 636 | 8.7 | 90 | 1 | 2 | 6 | 11 | 17 | 24 | 50 |
| 65+ | 4958 | 10.1 | 98 | 2 | 2 | 7 | 13 | 21 | 29 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 14.9 | 135 | 4 | 5 | 9 | 22 | 35 | 37 | 37 |
| 20-34 | 11 | 15.0 | 302 | 2 | 3 | 10 | 14 | 45 | 58 | 59 |
| 35-49 | 65 | 10.4 | 77 | 2 | 2 | 8 | 15 | 25 | 28 | 34 |
| 50-64 | 2843 | 11.2 | 92 | 2 | 3 | 9 | 14 | 22 | 28 | 52 |
| 65+ | 14474 | 12.1 | 95 | 3 | 4 | 9 | 15 | 23 | 30 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 872 | 6.4 | 53 | 1 | 1 | 4 | 8 | 14 | 20 | 41 |
| B. *Operated* | 8109 | 7.9 | 36 | 2 | 2 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5843 | 9.9 | 97 | 1 | 2 | 7 | 12 | 21 | 28 | 53 |
| B. *Operated* | 17405 | 12.0 | 95 | 3 | 4 | 9 | 15 | 23 | 30 | 53 |
| **1. SINGLE DX** | 8981 | 7.8 | 38 | 2 | 2 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | 23248 | 11.4 | 96 | 2 | 3 | 9 | 14 | 22 | 30 | 53 |
| **A. NOT OPERATED** | 6715 | 9.4 | 92 | 1 | 2 | 7 | 12 | 20 | 27 | 52 |
| **B. OPERATED** | 25514 | 10.7 | 79 | 2 | 3 | 8 | 13 | 21 | 27 | 48 |
| TOTAL 0-19 YRS | 29 | 12.1 | 86 | 3 | 4 | 9 | 14 | 29 | 34 | 37 |
| 20-34 | 18 | 11.4 | 203 | 2 | 2 | 6 | 11 | 30 | 50 | 59 |
| 35-49 | 179 | 8.4 | 80 | 1 | 2 | 6 | 10 | 19 | 24 | 34 |
| 50-64 | 5791 | 9.5 | 76 | 2 | 2 | 7 | 12 | 19 | 25 | 43 |
| 65+ | 26212 | 10.6 | 84 | 2 | 3 | 8 | 13 | 21 | 27 | 50 |
| **GRAND TOTAL** | **32229** | **10.4** | **82** | **2** | **3** | **8** | **13** | **20** | **27** | **49** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 124 | 4.8 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 26 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 27 | 4.6 | 17 | 1 | 1 | 3 | 8 | 12 | 13 | 15 |
| 65+ | 6 | 5.2 | 9 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 6.7 | 29 | 2 | 2 | 5 | 8 | 11 | 16 | 33 |
| 20-34 | 615 | 5.9 | 19 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 200 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 50-64 | 114 | 6.7 | 23 | 2 | 2 | 5 | 9 | 14 | 17 | 22 |
| 65+ | 84 | 7.6 | 71 | 1 | 2 | 5 | 9 | 15 | 20 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 5.5 | 14 | 2 | 3 | 5 | 6 | 8 | 17 | 19 |
| 20-34 | 231 | 5.5 | 38 | 1 | 2 | 5 | 6 | 8 | 10 | 29 |
| 35-49 | 68 | 6.4 | 78 | 1 | 2 | 5 | 6 | 12 | 14 | 62 |
| 50-64 | 37 | 6.6 | 36 | 1 | 2 | 4 | 8 | 16 | 22 | 26 |
| 65+ | 22 | 7.2 | 24 | 1 | 2 | 7 | 7 | 15 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 13.9 | 138 | 3 | 4 | 11 | 17 | 27 | 46 | 50 |
| 20-34 | 269 | 9.6 | 53 | 2 | 3 | 8 | 12 | 18 | 23 | 41 |
| 35-49 | 109 | 9.5 | 64 | 2 | 2 | 7 | 13 | 18 | 24 | 42 |
| 50-64 | 113 | 10.1 | 82 | 2 | 3 | 8 | 12 | 22 | 29 | 47 |
| 65+ | 147 | 12.6 | 148 | 2 | 3 | 9 | 15 | 22 | 36 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 4.5 | 8 | 1 | 1 | 5 | 6 | 8 | 9 | 14 |
| B. *Operated* | 1077 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 391 | 5.9 | 42 | 1 | 2 | 5 | 6 | 9 | 14 | 27 |
| B. *Operated* | 668 | 10.5 | 86 | 2 | 3 | 8 | 13 | 20 | 27 | 47 |
| **1. SINGLE DX** | 1278 | 5.8 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| **2. MULTIPLE DX** | 1059 | 8.8 | 74 | 2 | 2 | 6 | 10 | 17 | 23 | 46 |
| **A. NOT OPERATED** | 592 | 5.4 | 31 | 1 | 1 | 5 | 6 | 8 | 12 | 22 |
| **B. OPERATED** | 1745 | 7.8 | 52 | 2 | 2 | 6 | 10 | 16 | 20 | 39 |
| TOTAL 0-19 YRS | 145 | 7.5 | 56 | 2 | 2 | 5 | 8 | 16 | 20 | 46 |
| 20-34 | 1239 | 6.5 | 31 | 1 | 2 | 5 | 8 | 12 | 17 | 27 |
| 35-49 | 403 | 6.7 | 42 | 1 | 2 | 5 | 8 | 13 | 16 | 36 |
| 50-64 | 291 | 7.8 | 50 | 1 | 2 | 5 | 10 | 16 | 22 | 39 |
| 65+ | 259 | 10.4 | 115 | 2 | 2 | 8 | 13 | 19 | 31 | 62 |
| **GRAND TOTAL** | **2337** | **7.2** | **48** | **1** | **2** | **5** | **9** | **14** | **18** | **36** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 6.3 | 70 | 1 | 1 | 2 | 12 | 16 | 16 | 16 |
| 35-49 | 20 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 50-64 | 121 | 4.6 | 50 | 1 | 1 | 2 | 5 | 10 | 14 | 43 |
| 65+ | 322 | 6.6 | 70 | 1 | 1 | 4 | 7 | 15 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.1 | 13 | 1 | 1 | 5 | 9 | 10 | 11 | 11 |
| 20-34 | 121 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| 35-49 | 642 | 4.6 | 18 | 1 | 1 | 3 | 5 | 10 | 13 | 21 |
| 50-64 | 3434 | 5.4 | 29 | 1 | 2 | 4 | 6 | 12 | 16 | 29 |
| 65+ | 7140 | 5.9 | 35 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 4 | 9.0 | 67 | 1 | 1 | 7 | 15 | 20 | 20 | 20 |
| 35-49 | 38 | 6.0 | 31 | 1 | 1 | 4 | 8 | 16 | 17 | 21 |
| 50-64 | 356 | 7.1 | 64 | 1 | 1 | 4 | 8 | 19 | 26 | 37 |
| 65+ | 1464 | 9.8 | 99 | 1 | 2 | 7 | 13 | 21 | 30 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.3 | 19 | 1 | 2 | 4 | 6 | 12 | 16 | 18 |
| 20-34 | 48 | 10.1 | 243 | 1 | 1 | 3 | 14 | 32 | 51 | 99+ |
| 35-49 | 331 | 8.8 | 106 | 1 | 2 | 5 | 11 | 22 | 29 | 60 |
| 50-64 | 3003 | 9.2 | 101 | 2 | 2 | 6 | 11 | 21 | 28 | 53 |
| 65+ | 10078 | 10.3 | 104 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 468 | 5.9 | 63 | 1 | 1 | 3 | 6 | 13 | 21 | 46 |
| B. *Operated* | 11351 | 5.7 | 32 | 1 | 2 | 4 | 7 | 12 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1865 | 9.2 | 92 | 1 | 2 | 6 | 12 | 20 | 27 | 50 |
| B. *Operated* | 13483 | 10.0 | 104 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **1. SINGLE DX** | 11819 | 5.7 | 33 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| **2. MULTIPLE DX** | 15348 | 9.9 | 103 | 2 | 2 | 7 | 12 | 22 | 30 | 54 |
| **A. NOT OPERATED** | 2333 | 8.5 | 88 | 1 | 1 | 5 | 11 | 19 | 27 | 50 |
| **B. OPERATED** | 24834 | 8.0 | 76 | 1 | 2 | 5 | 10 | 18 | 24 | 45 |
| TOTAL 0-19 YRS | 40 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| 20-34 | 176 | 5.7 | 84 | 1 | 1 | 3 | 6 | 13 | 19 | 75 |
| 35-49 | 1031 | 6.0 | 51 | 1 | 1 | 4 | 6 | 13 | 20 | 36 |
| 50-64 | 6916 | 7.1 | 66 | 1 | 2 | 4 | 8 | 16 | 22 | 41 |
| 65+ | 19004 | 8.6 | 81 | 2 | 2 | 6 | 10 | 19 | 26 | 47 |
| **GRAND TOTAL** | 27167 | 8.1 | 77 | 1 | 2 | 5 | 10 | 18 | 25 | 45 |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.6 | 8 | <1 | <1 | 4 | 5 | 6 | 10 | 11 |
| 20-34 | 5 | 7.2 | 39 | 3 | 3 | 4 | 10 | 18 | 18 | 18 |
| 35-49 | 19 | 4.7 | 26 | 1 | 1 | 2 | 8 | 11 | 16 | 20 |
| 50-64 | 85 | 5.1 | 43 | 1 | 1 | 3 | 5 | 12 | 15 | 40 |
| 65+ | 88 | 6.6 | 42 | 1 | 2 | 4 | 8 | 15 | 22 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 11.7 | 47 | 2 | 6 | 10 | 13 | 20 | 29 | 32 |
| 20-34 | 40 | 10.9 | 43 | 2 | 3 | 10 | 13 | 17 | 20 | 39 |
| 35-49 | 226 | 10.9 | 33 | 2 | 2 | 10 | 14 | 18 | 21 | 28 |
| 50-64 | 584 | 12.3 | 47 | 2 | 4 | 12 | 16 | 20 | 24 | 36 |
| 65+ | 657 | 12.5 | 57 | 2 | 3 | 12 | 16 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.4 | 6 | 1 | 2 | 4 | 5 | 9 | 10 | 11 |
| 20-34 | 38 | 6.1 | 33 | 1 | 2 | 4 | 7 | 13 | 19 | 30 |
| 35-49 | 108 | 9.3 | 169 | 1 | 1 | 5 | 10 | 18 | 37 | 70 |
| 50-64 | 450 | 9.3 | 79 | 1 | 2 | 6 | 13 | 22 | 28 | 39 |
| 65+ | 673 | 10.9 | 100 | 2 | 2 | 8 | 14 | 23 | 29 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 16.8 | 202 | 5 | 6 | 13 | 20 | 31 | 55 | 65 |
| 20-34 | 51 | 13.2 | 75 | 2 | 4 | 10 | 17 | 28 | 32 | 39 |
| 35-49 | 298 | 14.9 | 103 | 2 | 5 | 12 | 18 | 28 | 36 | 50 |
| 50-64 | 1254 | 16.1 | 114 | 3 | 6 | 14 | 20 | 28 | 37 | 57 |
| 65+ | 1959 | 17.6 | 141 | 4 | 6 | 15 | 22 | 32 | 41 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 5.6 | 39 | 1 | 1 | 4 | 7 | 12 | 18 | 29 |
| B. *Operated* | 1547 | 12.1 | 49 | 2 | 3 | 11 | 15 | 20 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1291 | 9.9 | 96 | 1 | 2 | 7 | 13 | 22 | 29 | 57 |
| B. *Operated* | 3599 | 16.8 | 129 | 3 | 6 | 14 | 21 | 30 | 39 | 65 |
| **1. SINGLE DX** | 1757 | 11.4 | 52 | 2 | 2 | 11 | 15 | 20 | 24 | 35 |
| **2. MULTIPLE DX** | 4890 | 15.0 | 129 | 2 | 3 | 13 | 19 | 28 | 37 | 62 |
| **A. NOT OPERATED** | 1501 | 9.3 | 91 | 1 | 2 | 6 | 12 | 21 | 28 | 54 |
| **B. OPERATED** | 5146 | 15.4 | 109 | 3 | 5 | 13 | 19 | 27 | 35 | 58 |
| TOTAL 0-19 YRS | 112 | 11.0 | 111 | 1 | 2 | 9 | 13 | 23 | 31 | 64 |
| 20-34 | 134 | 10.3 | 60 | 2 | 3 | 9 | 13 | 19 | 29 | 39 |
| 35-49 | 651 | 12.3 | 94 | 2 | 2 | 10 | 16 | 22 | 31 | 52 |
| 50-64 | 2373 | 13.5 | 98 | 2 | 3 | 12 | 17 | 25 | 32 | 51 |
| 65+ | 3377 | 15.0 | 124 | 2 | 4 | 13 | 19 | 28 | 36 | 63 |
| **GRAND TOTAL** | 6647 | 14.0 | 111 | 2 | 3 | 12 | 18 | 26 | 33 | 57 |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 4 | 4.5 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 9 | 5.2 | 7 | 1 | 2 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 10 | 10.3 | 196 | 2 | 2 | 5 | 10 | 30 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 11 | 14 |
| 20-34 | 14 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 14 | 15 |
| 35-49 | 34 | 3.8 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 76 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 83 | 4.8 | 19 | 1 | 2 | 4 | 5 | 8 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.7 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 7 | 9.4 | 88 | <1 | 1 | 5 | 13 | 26 | 28 | 28 |
| 35-49 | 7 | 6.4 | 31 | 1 | 1 | 6 | 11 | 15 | 15 | 15 |
| 50-64 | 15 | 6.1 | 59 | 1 | 3 | 4 | 6 | 8 | 27 | 33 |
| 65+ | 41 | 8.0 | 53 | 1 | 2 | 6 | 10 | 13 | 23 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.9 | 167 | <1 | <1 | 2 | 16 | 31 | 39 | 42 |
| 20-34 | 3 | 5.0 | 12 | 3 | 3 | 3 | 8 | 9 | 9 | 9 |
| 35-49 | 14 | 3.9 | 19 | 1 | 1 | 3 | 4 | 9 | 16 | 18 |
| 50-64 | 48 | 8.9 | 79 | 2 | 2 | 6 | 11 | 24 | 28 | 43 |
| 65+ | 82 | 9.6 | 78 | 1 | 2 | 6 | 11 | 25 | 27 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 5.0 | 56 | 1 | 1 | 4 | 5 | 9 | 11 | 49 |
| B. *Operated* | 227 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 7.0 | 50 | 1 | 1 | 5 | 8 | 13 | 23 | 39 |
| B. *Operated* | 162 | 8.8 | 82 | 1 | 2 | 5 | 10 | 24 | 28 | 42 |
| **1. SINGLE DX** | 269 | 4.4 | 18 | 1 | 1 | 4 | 5 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 242 | 8.2 | 72 | 1 | 2 | 5 | 10 | 22 | 27 | 41 |
| **A. NOT OPERATED** | 122 | 6.3 | 53 | 1 | 1 | 4 | 7 | 12 | 18 | 43 |
| **B. OPERATED** | 389 | 6.2 | 46 | 1 | 2 | 4 | 7 | 13 | 23 | 34 |
| TOTAL 0-19 YRS | 63 | 4.5 | 51 | <1 | 1 | 2 | 4 | 8 | 20 | 41 |
| 20-34 | 28 | 5.9 | 31 | 1 | 2 | 4 | 6 | 13 | 17 | 28 |
| 35-49 | 56 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 50-64 | 148 | 6.0 | 39 | 2 | 2 | 4 | 7 | 11 | 18 | 35 |
| 65+ | 216 | 7.5 | 60 | 1 | 2 | 5 | 9 | 19 | 25 | 39 |
| **GRAND TOTAL** | **511** | **6.2** | **47** | **1** | **2** | **4** | **7** | **13** | **23** | **36** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 5.5 | 61 | 1 | 1 | 3 | 5 | 11 | 20 | 46 |
| 20-34 | 112 | 7.8 | 129 | <1 | <1 | 4 | 9 | 17 | 25 | 65 |
| 35-49 | 150 | 9.3 | 94 | 1 | 2 | 6 | 12 | 23 | 32 | 63 |
| 50-64 | 270 | 12.0 | 162 | 1 | 2 | 8 | 16 | 31 | 37 | 75 |
| 65+ | 192 | 14.1 | 206 | 2 | 3 | 9 | 18 | 32 | 44 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 15.3 | 106 | 4 | 6 | 13 | 19 | 28 | 33 | 54 |
| 20-34 | 218 | 14.5 | 126 | 3 | 6 | 12 | 16 | 25 | 33 | 65 |
| 35-49 | 286 | 16.3 | 145 | 4 | 6 | 14 | 18 | 29 | 39 | 70 |
| 50-64 | 480 | 17.4 | 170 | 4 | 7 | 15 | 20 | 30 | 45 | 86 |
| 65+ | 277 | 20.5 | 204 | 4 | 7 | 16 | 27 | 40 | 53 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 6.8 | 104 | 1 | 1 | 4 | 8 | 12 | 24 | 65 |
| 20-34 | 152 | 8.7 | 84 | 1 | 2 | 6 | 11 | 21 | 25 | 63 |
| 35-49 | 229 | 11.6 | 143 | 2 | 3 | 7 | 14 | 29 | 38 | 71 |
| 50-64 | 499 | 12.8 | 172 | 2 | 2 | 9 | 16 | 30 | 45 | 80 |
| 65+ | 435 | 16.4 | 253 | 3 | 3 | 11 | 21 | 39 | 56 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 23.9 | 328 | 4 | 6 | 19 | 30 | 50 | 75 | 99+ |
| 20-34 | 170 | 23.0 | 298 | 5 | 8 | 18 | 28 | 48 | 58 | 82 |
| 35-49 | 199 | 23.1 | 404 | 4 | 7 | 17 | 28 | 57 | 79 | 99+ |
| 50-64 | 401 | 27.0 | 403 | 5 | 7 | 21 | 36 | 63 | 79 | 99+ |
| 65+ | 379 | 28.3 | 406 | 7 | 10 | 23 | 37 | 64 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 791 | 10.8 | 153 | 1 | 2 | 7 | 13 | 26 | 36 | 83 |
| B. *Operated* | 1409 | 17.1 | 161 | 4 | 6 | 14 | 20 | 31 | 43 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1434 | 12.8 | 186 | 2 | 2 | 8 | 15 | 30 | 45 | 75 |
| B. *Operated* | 1283 | 25.9 | 386 | 5 | 8 | 20 | 33 | 59 | 77 | 99+ |
| **1. SINGLE DX** | 2200 | 14.9 | 167 | 2 | 3 | 12 | 19 | 29 | 41 | 73 |
| **2. MULTIPLE DX** | 2717 | 19.0 | 323 | 2 | 3 | 14 | 25 | 46 | 65 | 99+ |
| **A. NOT OPERATED** | 2225 | 12.1 | 175 | 1 | 2 | 8 | 15 | 29 | 42 | 77 |
| **B. OPERATED** | 2692 | 21.3 | 288 | 5 | 7 | 16 | 26 | 46 | 64 | 94 |
| TOTAL 0-19 YRS | 468 | 14.2 | 214 | 1 | 2 | 10 | 19 | 31 | 45 | 79 |
| 20-34 | 652 | 14.2 | 195 | 2 | 2 | 11 | 17 | 29 | 45 | 73 |
| 35-49 | 864 | 15.4 | 219 | 2 | 3 | 11 | 19 | 32 | 49 | 89 |
| 50-64 | 1650 | 17.4 | 259 | 2 | 3 | 13 | 22 | 39 | 56 | 91 |
| 65+ | 1283 | 20.5 | 310 | 3 | 4 | 15 | 27 | 47 | 65 | 99+ |
| **GRAND TOTAL** | **4917** | **17.1** | **258** | **2** | **3** | **13** | **22** | **38** | **56** | **91** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.8 | 67 | 1 | 1 | 7 | 18 | 70 | 99+ | 99+ |
| 20-34 | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 8 | 12.0 | 114 | 1 | 1 | 10 | 19 | 28 | 30 | 30 |
| 50-64 | 7 | 14.7 | 39 | 5 | 6 | 15 | 20 | 22 | 22 | 22 |
| 65+ | 10 | 9.6 | 75 | 2 | 2 | 6 | 13 | 24 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 14.6 | 221 | 2 | 4 | 11 | 15 | 29 | 51 | 68 |
| 20-34 | 21 | 14.6 | 110 | 4 | 5 | 12 | 19 | 27 | 38 | 50 |
| 35-49 | 23 | 17.0 | 133 | 3 | 7 | 16 | 21 | 26 | 41 | 58 |
| 50-64 | 27 | 21.3 | 361 | 2 | 4 | 16 | 25 | 55 | 79 | 99+ |
| 65+ | 13 | 23.4 | 415 | 5 | 7 | 20 | 27 | 51 | 75 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.5 | 225 | 1 | 1 | 3 | 5 | 17 | 49 | 57 |
| 20-34 | 11 | 4.9 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 13 |
| 35-49 | 15 | 11.1 | 184 | 2 | 3 | 7 | 11 | 22 | 47 | 56 |
| 50-64 | 32 | 13.8 | 218 | 1 | 2 | 7 | 20 | 34 | 50 | 58 |
| 65+ | 24 | 15.7 | 306 | 2 | 3 | 10 | 18 | 30 | 55 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 21.8 | 433 | 4 | 5 | 16 | 21 | 56 | 76 | 78 |
| 20-34 | 23 | 21.1 | 351 | 2 | 6 | 15 | 43 | 64 | 99+ | 99+ |
| 35-49 | 25 | 25.3 | 333 | 2 | 4 | 28 | 34 | 48 | 62 | 76 |
| 50-64 | 37 | 24.6 | 255 | 7 | 9 | 21 | 32 | 45 | 47 | 91 |
| 65+ | 54 | 25.4 | 337 | 5 | 7 | 21 | 37 | 64 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 10.3 | 71 | 1 | 2 | 7 | 16 | 24 | 30 | 99+ |
| B. *Operated* | 103 | 18.0 | 241 | 3 | 6 | 13 | 21 | 43 | 57 | 90 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 12.0 | 218 | 1 | 2 | 6 | 15 | 28 | 49 | 72 |
| B. *Operated* | 159 | 24.1 | 325 | 4 | 6 | 19 | 33 | 57 | 72 | 99+ |
| **1. SINGLE DX** | 139 | 16.0 | 208 | 2 | 3 | 13 | 20 | 30 | 54 | 99+ |
| **2. MULTIPLE DX** | 254 | 19.6 | 319 | 2 | 3 | 15 | 28 | 48 | 64 | 99+ |
| **A. NOT OPERATED** | 131 | 11.5 | 177 | 1 | 2 | 7 | 16 | 28 | 43 | 86 |
| **B. OPERATED** | 262 | 21.7 | 300 | 4 | 6 | 16 | 29 | 51 | 68 | 99+ |
| TOTAL 0-19 YRS | 60 | 14.5 | 296 | 1 | 2 | 9 | 17 | 38 | 71 | 98 |
| 20-34 | 58 | 14.9 | 217 | 1 | 3 | 10 | 19 | 47 | 61 | 99+ |
| 35-49 | 71 | 18.1 | 237 | 2 | 3 | 15 | 25 | 37 | 56 | 72 |
| 50-64 | 103 | 19.7 | 273 | 2 | 4 | 16 | 27 | 47 | 54 | 95 |
| 65+ | 101 | 21.3 | 336 | 3 | 5 | 16 | 27 | 57 | 70 | 99+ |
| **GRAND TOTAL** | **393** | **18.3** | **282** | **2** | **3** | **14** | **24** | **46** | **59** | **99+** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.8 | 15 | 1 | 1 | 3 | 7 | 12 | 13 | 17 |
| 20-34 | 69 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 73 | 3.6 | 25 | 1 | 1 | 3 | 3 | 5 | 7 | 33 |
| 50-64 | 43 | 3.9 | 17 | 1 | 2 | 3 | 4 | 6 | 9 | 27 |
| 65+ | 59 | 6.8 | 83 | <1 | 1 | 3 | 7 | 14 | 27 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 7.1 | 66 | 2 | 2 | 4 | 7 | 14 | 22 | 47 |
| 20-34 | 366 | 5.3 | 12 | 2 | 3 | 4 | 6 | 9 | 11 | 23 |
| 35-49 | 332 | 5.6 | 20 | 2 | 3 | 4 | 6 | 9 | 12 | 30 |
| 50-64 | 241 | 6.3 | 21 | 3 | 3 | 5 | 7 | 12 | 15 | 26 |
| 65+ | 150 | 8.1 | 64 | 3 | 3 | 6 | 10 | 16 | 19 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 4.3 | 9 | <1 | 1 | 4 | 6 | 9 | 10 | 13 |
| 20-34 | 71 | 4.9 | 72 | 1 | 1 | 3 | 4 | 7 | 17 | 55 |
| 35-49 | 85 | 6.4 | 92 | 1 | 2 | 4 | 6 | 12 | 22 | 62 |
| 50-64 | 91 | 6.9 | 42 | 1 | 1 | 4 | 9 | 17 | 18 | 32 |
| 65+ | 164 | 8.8 | 66 | 1 | 2 | 7 | 13 | 17 | 20 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 12.9 | 252 | 2 | 3 | 7 | 15 | 33 | 48 | 96 |
| 20-34 | 312 | 7.0 | 30 | 2 | 3 | 5 | 8 | 12 | 19 | 31 |
| 35-49 | 335 | 8.2 | 60 | 3 | 3 | 6 | 9 | 16 | 22 | 46 |
| 50-64 | 341 | 11.3 | 127 | 3 | 4 | 7 | 14 | 25 | 36 | 61 |
| 65+ | 357 | 15.2 | 235 | 3 | 4 | 10 | 18 | 32 | 51 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 296 | 4.2 | 30 | 1 | 1 | 3 | 4 | 7 | 12 | 33 |
| B. *Operated* | 1167 | 6.1 | 27 | 2 | 3 | 5 | 6 | 11 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 480 | 6.8 | 61 | 1 | 1 | 4 | 8 | 15 | 18 | 47 |
| B. *Operated* | 1415 | 10.7 | 133 | 3 | 3 | 7 | 12 | 23 | 33 | 67 |
| **1. SINGLE DX** | 1463 | 5.7 | 28 | 2 | 2 | 4 | 6 | 10 | 15 | 29 |
| **2. MULTIPLE DX** | 1895 | 9.7 | 118 | 2 | 3 | 6 | 11 | 20 | 30 | 64 |
| **A. NOT OPERATED** | 776 | 5.8 | 51 | 1 | 1 | 3 | 7 | 13 | 17 | 37 |
| **B. OPERATED** | 2582 | 8.6 | 90 | 3 | 3 | 5 | 9 | 17 | 25 | 50 |
| TOTAL 0-19 YRS | 269 | 7.4 | 101 | 1 | 2 | 5 | 8 | 15 | 25 | 75 |
| 20-34 | 818 | 5.7 | 25 | 2 | 2 | 4 | 6 | 10 | 14 | 28 |
| 35-49 | 825 | 6.6 | 46 | 2 | 2 | 5 | 7 | 12 | 18 | 36 |
| 50-64 | 716 | 8.6 | 81 | 2 | 3 | 5 | 10 | 18 | 25 | 50 |
| 65+ | 730 | 11.7 | 162 | 2 | 3 | 7 | 14 | 24 | 35 | 72 |
| **GRAND TOTAL** | **3358** | **8.0** | **83** | **2** | **2** | **5** | **9** | **15** | **24** | **54** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.9 | 33 | 1 | 1 | 4 | 5 | 8 | 15 | 34 |
| 20-34 | 77 | 6.4 | 45 | 1 | 1 | 4 | 9 | 12 | 17 | 39 |
| 35-49 | 235 | 6.9 | 54 | 1 | 1 | 5 | 8 | 15 | 20 | 46 |
| 50-64 | 856 | 7.6 | 75 | 1 | 1 | 5 | 9 | 17 | 23 | 46 |
| 65+ | 1031 | 9.1 | 83 | 1 | 2 | 6 | 11 | 20 | 28 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 9.1 | 103 | 1 | 2 | 6 | 10 | 22 | 28 | 57 |
| 20-34 | 154 | 8.1 | 108 | 1 | 2 | 6 | 9 | 15 | 19 | 66 |
| 35-49 | 424 | 8.5 | 87 | 1 | 1 | 6 | 11 | 18 | 28 | 45 |
| 50-64 | 1122 | 9.5 | 100 | 1 | 2 | 7 | 12 | 19 | 29 | 53 |
| 65+ | 1486 | 9.5 | 87 | 1 | 2 | 7 | 13 | 21 | 27 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 5.9 | 51 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| 20-34 | 748 | 6.8 | 43 | 1 | 2 | 5 | 8 | 15 | 19 | 38 |
| 35-49 | 2828 | 8.5 | 78 | 1 | 2 | 6 | 11 | 19 | 25 | 46 |
| 50-64 | 9776 | 9.8 | 94 | 1 | 2 | 7 | 12 | 21 | 29 | 49 |
| 65+ | 13947 | 11.5 | 114 | 2 | 3 | 8 | 15 | 25 | 33 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 12.1 | 188 | 3 | 3 | 8 | 13 | 23 | 50 | 71 |
| 20-34 | 743 | 11.5 | 118 | 2 | 2 | 9 | 15 | 25 | 31 | 64 |
| 35-49 | 2682 | 13.3 | 155 | 2 | 3 | 10 | 17 | 28 | 38 | 70 |
| 50-64 | 8488 | 15.0 | 172 | 2 | 3 | 11 | 20 | 31 | 41 | 70 |
| 65+ | 11270 | 15.8 | 178 | 2 | 3 | 12 | 21 | 33 | 43 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2241 | 8.1 | 75 | 1 | 2 | 5 | 10 | 18 | 25 | 46 |
| B. *Operated* | 3229 | 9.3 | 93 | 1 | 2 | 7 | 12 | 20 | 27 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27450 | 10.4 | 102 | 1 | 2 | 7 | 13 | 22 | 31 | 51 |
| B. *Operated* | 23282 | 15.1 | 172 | 2 | 3 | 11 | 20 | 31 | 41 | 72 |
| **1. SINGLE DX** | 5470 | 8.8 | 86 | 1 | 2 | 6 | 11 | 19 | 26 | 47 |
| **2. MULTIPLE DX** | 50732 | 12.5 | 140 | 2 | 2 | 9 | 16 | 27 | 36 | 62 |
| **A. NOT OPERATED** | 29691 | 10.2 | 101 | 1 | 2 | 7 | 13 | 22 | 30 | 50 |
| **B. OPERATED** | 26511 | 14.4 | 166 | 2 | 3 | 11 | 19 | 30 | 40 | 69 |
| TOTAL 0-19 YRS | 335 | 8.0 | 103 | 1 | 2 | 5 | 9 | 16 | 24 | 64 |
| 20-34 | 1722 | 9.0 | 86 | 1 | 2 | 6 | 11 | 19 | 26 | 55 |
| 35-49 | 6169 | 10.5 | 117 | 1 | 2 | 7 | 13 | 23 | 32 | 57 |
| 50-64 | 20242 | 11.8 | 133 | 1 | 2 | 8 | 15 | 26 | 35 | 60 |
| 65+ | 27734 | 13.0 | 143 | 2 | 3 | 9 | 17 | 28 | 37 | 61 |
| **GRAND TOTAL** | **56202** | **12.2** | **136** | **2** | **2** | **9** | **16** | **27** | **35** | **60** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 3.0 | 17 | <1 | <1 | 1 | 3 | 7 | 10 | 26 |
| 20-34 | 336 | 3.3 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 35-49 | 141 | 4.1 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 16 |
| 50-64 | 80 | 5.6 | 78 | 1 | 1 | 3 | 6 | 11 | 18 | 52 |
| 65+ | 86 | 9.1 | 116 | 1 | 1 | 6 | 12 | 22 | 27 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 304 | 7.6 | 37 | 1 | 2 | 6 | 10 | 16 | 19 | 28 |
| 20-34 | 845 | 8.0 | 40 | 1 | 2 | 7 | 10 | 17 | 22 | 30 |
| 35-49 | 289 | 9.0 | 66 | 1 | 2 | 7 | 12 | 18 | 24 | 32 |
| 50-64 | 192 | 11.4 | 108 | 2 | 2 | 8 | 16 | 26 | 34 | 48 |
| 65+ | 159 | 11.2 | 113 | 2 | 3 | 9 | 14 | 20 | 29 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 4.3 | 20 | 1 | 1 | 3 | 6 | 10 | 11 | 26 |
| 20-34 | 328 | 5.7 | 52 | 1 | 1 | 4 | 7 | 12 | 17 | 40 |
| 35-49 | 152 | 6.6 | 43 | 1 | 1 | 4 | 9 | 15 | 19 | 35 |
| 50-64 | 181 | 6.7 | 45 | 1 | 1 | 4 | 9 | 15 | 20 | 33 |
| 65+ | 233 | 10.9 | 93 | 1 | 2 | 7 | 13 | 20 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 11.2 | 71 | 2 | 2 | 9 | 16 | 23 | 26 | 44 |
| 20-34 | 437 | 12.0 | 96 | 2 | 3 | 10 | 16 | 24 | 31 | 53 |
| 35-49 | 179 | 13.3 | 142 | 2 | 3 | 10 | 18 | 26 | 35 | 70 |
| 50-64 | 228 | 15.3 | 158 | 2 | 4 | 12 | 19 | 31 | 40 | 64 |
| 65+ | 278 | 19.2 | 187 | 4 | 5 | 17 | 25 | 35 | 43 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 753 | 4.3 | 37 | <1 | 1 | 2 | 5 | 10 | 14 | 31 |
| B. *Operated* | 1789 | 8.8 | 59 | 1 | 2 | 7 | 11 | 18 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1002 | 6.9 | 59 | 1 | 1 | 4 | 9 | 15 | 21 | 38 |
| B. *Operated* | 1217 | 14.4 | 141 | 2 | 3 | 11 | 19 | 29 | 35 | 68 |
| **1. SINGLE DX** | 2542 | 7.4 | 56 | 1 | 1 | 5 | 10 | 17 | 22 | 34 |
| **2. MULTIPLE DX** | 2219 | 11.0 | 118 | 1 | 1 | 8 | 15 | 24 | 32 | 55 |
| **A. NOT OPERATED** | 1755 | 5.8 | 51 | 1 | 1 | 3 | 7 | 13 | 19 | 35 |
| **B. OPERATED** | 3006 | 11.0 | 100 | 2 | 2 | 8 | 15 | 23 | 30 | 50 |
| TOTAL 0-19 YRS | 617 | 6.8 | 42 | 1 | 1 | 5 | 9 | 16 | 20 | 28 |
| 20-34 | 1946 | 7.7 | 58 | 1 | 1 | 6 | 10 | 17 | 23 | 35 |
| 35-49 | 761 | 8.6 | 80 | 1 | 1 | 6 | 11 | 19 | 24 | 40 |
| 50-64 | 681 | 10.8 | 115 | 1 | 2 | 7 | 14 | 24 | 32 | 52 |
| 65+ | 756 | 13.5 | 153 | 1 | 2 | 10 | 18 | 29 | 36 | 71 |
| **GRAND TOTAL** | **4761** | **9.1** | **88** | **1** | **1** | **6** | **12** | **20** | **27** | **46** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 5.2 | 36 | <1 | <1 | 3 | 7 | 14 | 17 | 26 |
| 20-34 | 66 | 6.4 | 24 | <1 | 1 | 6 | 8 | 11 | 13 | 30 |
| 35-49 | 16 | 6.6 | 49 | <1 | 1 | 4 | 9 | 14 | 24 | 28 |
| 50-64 | 108 | 6.7 | 75 | <1 | 1 | 4 | 8 | 14 | 26 | 48 |
| 65+ | 217 | 7.2 | 58 | 1 | 1 | 5 | 10 | 15 | 20 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 10.6 | 197 | <1 | 1 | 5 | 14 | 28 | 42 | 74 |
| 20-34 | 56 | 16.0 | 144 | 3 | 4 | 13 | 27 | 34 | 36 | 47 |
| 35-49 | 29 | 9.8 | 98 | 1 | 2 | 5 | 19 | 22 | 34 | 42 |
| 50-64 | 89 | 8.1 | 55 | 2 | 2 | 6 | 9 | 15 | 20 | 42 |
| 65+ | 135 | 8.1 | 67 | 2 | 2 | 5 | 10 | 18 | 26 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 6.2 | 46 | <1 | 1 | 4 | 8 | 13 | 19 | 34 |
| 20-34 | 60 | 8.8 | 107 | 1 | 1 | 5 | 10 | 20 | 28 | 53 |
| 35-49 | 59 | 7.2 | 50 | 1 | 1 | 5 | 10 | 16 | 22 | 36 |
| 50-64 | 369 | 8.7 | 83 | 1 | 1 | 6 | 11 | 18 | 24 | 46 |
| 65+ | 1260 | 9.7 | 93 | 1 | 2 | 7 | 13 | 20 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 15.8 | 248 | 1 | 3 | 11 | 23 | 35 | 49 | 89 |
| 20-34 | 46 | 26.2 | 421 | 2 | 4 | 24 | 39 | 59 | 71 | 99+ |
| 35-49 | 62 | 17.4 | 220 | 3 | 4 | 13 | 28 | 41 | 51 | 95 |
| 50-64 | 287 | 12.8 | 145 | 2 | 3 | 9 | 16 | 26 | 38 | 76 |
| 65+ | 718 | 14.3 | 161 | 2 | 4 | 10 | 18 | 31 | 40 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 637 | 6.3 | 50 | <1 | 1 | 4 | 8 | 14 | 19 | 35 |
| B. *Operated* | 487 | 10.0 | 128 | 1 | 2 | 6 | 13 | 25 | 33 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1996 | 9.0 | 85 | 1 | 1 | 6 | 12 | 18 | 25 | 47 |
| B. *Operated* | 1265 | 14.7 | 185 | 2 | 3 | 10 | 19 | 33 | 45 | 82 |
| **1. SINGLE DX** | 1124 | 7.9 | 87 | <1 | 1 | 5 | 10 | 18 | 27 | 48 |
| **2. MULTIPLE DX** | 3261 | 11.2 | 132 | 1 | 2 | 8 | 14 | 24 | 34 | 63 |
| **A. NOT OPERATED** | 2633 | 8.3 | 78 | 1 | 1 | 6 | 11 | 17 | 24 | 45 |
| **B. OPERATED** | 1752 | 13.4 | 174 | 2 | 3 | 9 | 17 | 31 | 41 | 77 |
| TOTAL 0-19 YRS | 808 | 8.7 | 130 | <1 | 1 | 5 | 11 | 23 | 31 | 62 |
| 20-34 | 228 | 13.4 | 208 | 1 | 2 | 7 | 18 | 34 | 48 | 72 |
| 35-49 | 166 | 11.4 | 142 | 1 | 2 | 7 | 15 | 29 | 41 | 59 |
| 50-64 | 853 | 9.7 | 104 | 1 | 2 | 7 | 12 | 26 | 30 | 54 |
| 65+ | 2330 | 10.8 | 115 | 1 | 2 | 8 | 14 | 22 | 32 | 56 |
| **GRAND TOTAL** | 4385 | 10.4 | 123 | 1 | 2 | 7 | 13 | 2[illegible] | 33 | 59 |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 4.2 | 18 | <1 | <1 | 3 | 5 | 9 | 11 | 23 |
| 20-34 | 146 | 7.2 | 76 | <1 | <1 | 5 | 8 | 19 | 27 | 38 |
| 35-49 | 154 | 7.5 | 81 | <1 | <1 | 5 | 9 | 21 | 25 | 44 |
| 50-64 | 274 | 7.5 | 97 | <1 | 1 | 4 | 8 | 22 | 30 | 49 |
| 65+ | 451 | 6.2 | 61 | <1 | 1 | 4 | 8 | 14 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 19.6 | 410 | 1 | 2 | 10 | 35 | 55 | 64 | 97 |
| 20-34 | 118 | 19.1 | 337 | 2 | 3 | 11 | 30 | 49 | 59 | 73 |
| 35-49 | 138 | 19.4 | 302 | 2 | 2 | 11 | 31 | 45 | 54 | 73 |
| 50-64 | 185 | 16.6 | 244 | 2 | 2 | 10 | 28 | 41 | 48 | 70 |
| 65+ | 225 | 14.8 | 212 | 2 | 3 | 10 | 19 | 35 | 49 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 5.2 | 27 | <1 | <1 | 4 | 7 | 11 | 15 | 26 |
| 20-34 | 156 | 8.1 | 115 | <1 | 1 | 5 | 9 | 18 | 29 | 52 |
| 35-49 | 255 | 8.8 | 90 | <1 | 1 | 6 | 11 | 23 | 29 | 54 |
| 50-64 | 506 | 7.9 | 71 | 1 | 1 | 5 | 10 | 20 | 28 | 39 |
| 65+ | 1296 | 8.2 | 80 | 1 | 1 | 5 | 11 | 18 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 21.5 | 308 | 2 | 3 | 17 | 32 | 44 | 56 | 74 |
| 20-34 | 171 | 25.8 | 421 | 2 | 5 | 20 | 38 | 57 | 72 | 98 |
| 35-49 | 246 | 26.9 | 454 | 3 | 4 | 23 | 41 | 60 | 70 | 87 |
| 50-64 | 440 | 24.0 | 449 | 3 | 4 | 17 | 35 | 56 | 72 | 98 |
| 65+ | 816 | 19.0 | 320 | 3 | 4 | 13 | 25 | 44 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1176 | 6.6 | 70 | <1 | 1 | 4 | 8 | 16 | 25 | 42 |
| B. *Operated* | 739 | 17.3 | 278 | 2 | 3 | 10 | 28 | 42 | 53 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2385 | 8.0 | 78 | 1 | 1 | 5 | 10 | 18 | 26 | 43 |
| B. *Operated* | 1757 | 22.1 | 390 | 3 | 4 | 15 | 32 | 52 | 69 | 98 |
| **1. SINGLE DX** | 1915 | 10.7 | 177 | <1 | 1 | 6 | 12 | 30 | 40 | 64 |
| **2. MULTIPLE DX** | 4142 | 14.0 | 259 | 1 | 2 | 8 | 18 | 36 | 50 | 85 |
| **A. NOT OPERATED** | 3561 | 7.5 | 76 | <1 | 1 | 5 | 9 | 18 | 26 | 42 |
| **B. OPERATED** | 2496 | 20.7 | 362 | 2 | 3 | 14 | 31 | 49 | 64 | 94 |
| TOTAL 0-19 YRS | 480 | 9.9 | 187 | <1 | 1 | 5 | 11 | 29 | 41 | 69 |
| 20-34 | 591 | 15.2 | 302 | <1 | 1 | 8 | 23 | 40 | 53 | 85 |
| 35-49 | 793 | 16.0 | 307 | 1 | 1 | 8 | 25 | 42 | 54 | 79 |
| 50-64 | 1405 | 14.0 | 271 | 1 | 1 | 7 | 20 | 37 | 48 | 84 |
| 65+ | 2788 | 11.6 | 185 | 1 | 1 | 7 | 14 | 28 | 40 | 80 |
| **GRAND TOTAL** | 6057 | 12.9 | 236 | 1 | 1 | 7 | 16 | 34 | 47 | 80 |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 5.1 | 24 | <1 | 1 | 4 | 6 | 13 | 16 | 72 |
| 20-34 | 200 | 4.9 | 33 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 35-49 | 331 | 5.6 | 34 | 1 | 1 | 4 | 8 | 14 | 17 | 26 |
| 50-64 | 908 | 5.9 | 47 | 1 | 1 | 4 | 7 | 13 | 20 | 34 |
| 65+ | 1166 | 7.7 | 77 | 1 | 1 | 5 | 10 | 19 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 8.8 | 71 | 1 | 1 | 6 | 12 | 19 | 25 | 42 |
| 20-34 | 266 | 9.0 | 100 | 1 | 2 | 5 | 11 | 19 | 32 | 43 |
| 35-49 | 560 | 8.6 | 62 | 1 | 2 | 7 | 11 | 17 | 21 | 39 |
| 50-64 | 1363 | 9.3 | 77 | 1 | 2 | 7 | 12 | 19 | 25 | 44 |
| 65+ | 1589 | 10.4 | 83 | 2 | 2 | 8 | 13 | 22 | 29 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 5.7 | 49 | 1 | 1 | 4 | 7 | 10 | 14 | 47 |
| 20-34 | 185 | 6.5 | 58 | 1 | 1 | 4 | 7 | 14 | 22 | 38 |
| 35-49 | 530 | 8.8 | 106 | 1 | 1 | 6 | 10 | 19 | 33 | 51 |
| 50-64 | 1914 | 9.0 | 96 | 1 | 1 | 6 | 11 | 20 | 28 | 45 |
| 65+ | 3901 | 10.2 | 107 | 1 | 2 | 7 | 13 | 23 | 31 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 14.4 | 178 | 2 | 3 | 10 | 19 | 31 | 44 | 66 |
| 20-34 | 185 | 14.9 | 212 | 2 | 2 | 10 | 20 | 32 | 44 | 77 |
| 35-49 | 574 | 14.2 | 160 | 2 | 3 | 11 | 18 | 31 | 42 | 96 |
| 50-64 | 2013 | 15.9 | 200 | 2 | 4 | 12 | 20 | 34 | 47 | 82 |
| 65+ | 3530 | 17.7 | 213 | 3 | 4 | 14 | 23 | 37 | 49 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2690 | 6.5 | 57 | 1 | 1 | 4 | 8 | 16 | 22 | 36 |
| B. *Operated* | 3888 | 9.6 | 79 | 1 | 2 | 7 | 12 | 20 | 27 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6625 | 9.6 | 102 | 1 | 1 | 7 | 12 | 21 | 30 | 52 |
| B. *Operated* | 6364 | 16.7 | 205 | 3 | 4 | 13 | 22 | 35 | 47 | 83 |
| **1. SINGLE DX** | 6578 | 8.4 | 73 | 1 | 1 | 6 | 11 | 18 | 25 | 42 |
| **2. MULTIPLE DX** | 12989 | 13.1 | 165 | 1 | 2 | 9 | 17 | 29 | 40 | 71 |
| **A. NOT OPERATED** | 9315 | 8.7 | 91 | 1 | 1 | 6 | 11 | 20 | 28 | 49 |
| **B. OPERATED** | 10252 | 14.0 | 169 | 2 | 3 | 10 | 18 | 30 | 41 | 72 |
| TOTAL 0-19 YRS | 352 | 8.1 | 83 | 1 | 1 | 5 | 10 | 18 | 25 | 49 |
| 20-34 | 836 | 8.8 | 112 | 1 | 1 | 5 | 11 | 21 | 31 | 47 |
| 35-49 | 1995 | 9.8 | 106 | 1 | 2 | 7 | 13 | 21 | 31 | 59 |
| 50-64 | 6198 | 10.8 | 132 | 1 | 2 | 7 | 14 | 24 | 34 | 63 |
| 65+ | 10186 | 12.6 | 151 | 1 | 2 | 9 | 17 | 28 | 38 | 65 |
| **GRAND TOTAL** | 19567 | 11.5 | 139 | 1 | 2 | 8 | 15 | 26 | 35 | 63 |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.1 | 8 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 20-34 | 3 | 4.3 | 12 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 5 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 614 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 692 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 931 | 3.8 | 11 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 644 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 50-64 | 8 | 3.6 | 14 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 65+ | 10 | 5.3 | 26 | <1 | <1 | 4 | 8 | 13 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.4 | 20 | <1 | 1 | 3 | 5 | 13 | 16 | 17 |
| 20-34 | 130 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 213 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 14 |
| 50-64 | 457 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| 65+ | 486 | 6.2 | 30 | 2 | 2 | 5 | 7 | 11 | 18 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 3.3 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| B. *Operated* | 3117 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.4 | 17 | <1 | 1 | 3 | 7 | 10 | 13 | 17 |
| B. *Operated* | 1331 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 14 | 22 |
| **1. SINGLE DX** | 3140 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 1354 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 14 | 22 |
| **A. NOT OPERATED** | 46 | 3.9 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 4448 | 4.0 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 290 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 20-34 | 749 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 910 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 1401 | 4.1 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 65+ | 1144 | 5.0 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| **GRAND TOTAL** | 4494 | 4.0 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 67 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 125 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 264 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 65+ | 330 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 3.7 | 10 | 1 | 1 | 2 | 5 | 7 | 10 | 15 |
| 20-34 | 291 | 5.2 | 22 | 1 | 1 | 4 | 8 | 11 | 13 | 25 |
| 35-49 | 726 | 3.8 | 13 | 1 | 1 | 2 | 5 | 9 | 11 | 17 |
| 50-64 | 2105 | 3.8 | 20 | 1 | 1 | 2 | 4 | 10 | 12 | 21 |
| 65+ | 2454 | 4.4 | 28 | 1 | 1 | 2 | 5 | 11 | 15 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 20-34 | 76 | 5.5 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 29 |
| 35-49 | 166 | 4.8 | 15 | 1 | 1 | 4 | 6 | 11 | 14 | 18 |
| 50-64 | 481 | 4.5 | 16 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 65+ | 918 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 5.0 | 17 | 1 | 1 | 3 | 7 | 11 | 14 | 18 |
| 20-34 | 312 | 8.5 | 78 | 1 | 2 | 6 | 11 | 16 | 22 | 49 |
| 35-49 | 868 | 6.7 | 42 | 1 | 1 | 5 | 9 | 14 | 18 | 28 |
| 50-64 | 2873 | 7.0 | 47 | 1 | 1 | 5 | 10 | 15 | 20 | 32 |
| 65+ | 4825 | 8.6 | 77 | 1 | 2 | 6 | 12 | 19 | 25 | 41 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 838 | 3.0 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| B. *Operated* | 5758 | 4.2 | 23 | 1 | 1 | 2 | 5 | 10 | 13 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1684 | 5.2 | 23 | 1 | 1 | 4 | 7 | 11 | 13 | 23 |
| B. *Operated* | 8983 | 7.9 | 64 | 1 | 2 | 5 | 11 | 17 | 23 | 37 |
| 1. SINGLE DX | 6596 | 4.0 | 21 | 1 | 1 | 2 | 5 | 10 | 13 | 22 |
| 2. MULTIPLE DX | 10667 | 7.4 | 59 | 1 | 1 | 5 | 10 | 16 | 22 | 36 |
| A. NOT OPERATED | 2522 | 4.4 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. OPERATED | 14741 | 6.4 | 51 | 1 | 1 | 4 | 9 | 15 | 20 | 33 |
| TOTAL 0-19 YRS | 382 | 4.0 | 11 | 1 | 1 | 3 | 6 | 8 | 11 | 16 |
| 20-34 | 746 | 6.4 | 48 | 1 | 1 | 4 | 9 | 13 | 17 | 33 |
| 35-49 | 1885 | 5.2 | 28 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| 50-64 | 5723 | 5.4 | 35 | 1 | 1 | 3 | 8 | 13 | 16 | 27 |
| 65+ | 8527 | 6.9 | 59 | 1 | 1 | 4 | 9 | 16 | 22 | 37 |
| GRAND TOTAL | 17263 | 6.1 | 47 | 1 | 1 | 3 | 8 | 14 | 19 | 32 |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 20-34 | 6 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 10 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 17 | 3.1 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 8 |
| 65+ | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 2.2 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 15 |
| 20-34 | 249 | 3.0 | 9 | <1 | <1 | 2 | 3 | 8 | 10 | 13 |
| 35-49 | 300 | 3.9 | 13 | <1 | <1 | 2 | 6 | 9 | 11 | 18 |
| 50-64 | 340 | 4.9 | 23 | 1 | 1 | 2 | 7 | 12 | 15 | 20 |
| 65+ | 236 | 4.8 | 32 | <1 | 1 | 2 | 5 | 13 | 18 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.4 | 14 | <1 | 1 | 4 | 5 | 10 | 14 | 14 |
| 20-34 | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 6 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 50-64 | 21 | 4.8 | 15 | 1 | 1 | 4 | 6 | 12 | 14 | 14 |
| 65+ | 19 | 8.3 | 87 | 1 | 1 | 6 | 11 | 15 | 31 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 11 | 16 |
| 20-34 | 70 | 5.3 | 36 | <1 | 1 | 2 | 7 | 12 | 18 | 29 |
| 35-49 | 122 | 6.4 | 43 | 1 | 1 | 4 | 9 | 14 | 20 | 33 |
| 50-64 | 251 | 8.7 | 79 | 1 | 2 | 5 | 12 | 19 | 27 | 49 |
| 65+ | 284 | 10.3 | 102 | 1 | 2 | 7 | 15 | 23 | 28 | 47 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 77 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 1408 | 3.8 | 18 | <1 | 1 | 2 | 4 | 9 | 13 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 61 | 5.6 | 38 | 1 | 1 | 4 | 7 | 12 | 14 | 39 |
| B. *Operated* | 818 | 8.0 | 75 | 1 | 1 | 5 | 11 | 19 | 26 | 38 |
| 1. SINGLE DX | 1485 | 3.7 | 17 | <1 | 1 | 2 | 4 | 9 | 12 | 19 |
| 2. MULTIPLE DX | 879 | 7.9 | 73 | 1 | 1 | 5 | 11 | 18 | 25 | 39 |
| A. NOT OPERATED | 138 | 3.8 | 21 | 1 | 1 | 2 | 5 | 8 | 12 | 20 |
| B. OPERATED | 2226 | 5.4 | 43 | <1 | 1 | 2 | 7 | 13 | 18 | 32 |
| TOTAL 0-19 YRS | 420 | 2.5 | 8 | <1 | 1 | 2 | 2 | 5 | 9 | 15 |
| 20-34 | 329 | 3.5 | 16 | <1 | <1 | 2 | 4 | 9 | 12 | 19 |
| 35-49 | 438 | 4.5 | 22 | <1 | 1 | 2 | 6 | 10 | 13 | 21 |
| 50-64 | 629 | 6.4 | 48 | 1 | 1 | 3 | 9 | 15 | 19 | 37 |
| 65+ | 548 | 7.7 | 77 | 1 | 1 | 4 | 11 | 19 | 25 | 41 |
| GRAND TOTAL | 2364 | 5.3 | 42 | <1 | 1 | 2 | 7 | 13 | 18 | 32 |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 20-34 | 51 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 44 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 58 | 3.4 | 15 | <1 | <1 | 2 | 4 | 6 | 14 | 19 |
| 65+ | 35 | 3.8 | 19 | <1 | 1 | 2 | 6 | 8 | 11 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2798 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 3566 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 3674 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 3485 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 1459 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 2.7 | 9 | <1 | <1 | 1 | 3 | 7 | 9 | 15 |
| 20-34 | 46 | 3.6 | 7 | <1 | 1 | 3 | 5 | 8 | 8 | 11 |
| 35-49 | 66 | 5.0 | 17 | <1 | 1 | 4 | 7 | 10 | 14 | 20 |
| 50-64 | 91 | 4.2 | 11 | <1 | 1 | 3 | 6 | 10 | 11 | 15 |
| 65+ | 118 | 6.3 | 24 | 1 | 1 | 5 | 8 | 14 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 441 | 3.8 | 16 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 20-34 | 1105 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 1775 | 4.7 | 25 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| 50-64 | 2354 | 5.0 | 26 | 1 | 2 | 3 | 6 | 10 | 14 | 29 |
| 65+ | 1410 | 6.2 | 41 | 1 | 2 | 4 | 7 | 14 | 19 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 221 | 3.2 | 11 | <1 | <1 | 2 | 4 | 6 | 9 | 18 |
| B. *Operated* | 14982 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 362 | 4.8 | 17 | <1 | 1 | 4 | 6 | 10 | 14 | 18 |
| B. *Operated* | 7085 | 4.9 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **1. SINGLE DX** | 15203 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 7447 | 4.9 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 583 | 4.2 | 15 | <1 | <1 | 3 | 5 | 9 | 13 | 18 |
| **B. OPERATED** | 22067 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 3313 | 3.1 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 20-34 | 4768 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 5559 | 3.4 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 50-64 | 5988 | 3.8 | 17 | <1 | 1 | 3 | 4 | 7 | 11 | 21 |
| 65+ | 3022 | 4.9 | 29 | 1 | 1 | 3 | 5 | 11 | 16 | 28 |
| **GRAND TOTAL** | 22650 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.3 | 27 | <1 | <1 | 2 | 3 | 6 | 9 | 35 |
| 20-34 | 33 | 3.3 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | 26 | 3.5 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 20 | 4.6 | 14 | 1 | 1 | 3 | 6 | 11 | 13 | 14 |
| 65+ | 22 | 4.9 | 20 | 1 | 2 | 3 | 6 | 13 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2735 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 20-34 | 1294 | 2.9 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 35-49 | 941 | 3.0 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 50-64 | 915 | 3.1 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 16 |
| 65+ | 518 | 3.8 | 23 | <1 | 1 | 2 | 4 | 8 | 11 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 3.3 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 64 |
| 20-34 | 24 | 3.3 | 9 | <1 | <1 | 2 | 4 | 8 | 11 | 11 |
| 35-49 | 28 | 4.1 | 13 | <1 | 1 | 3 | 6 | 10 | 11 | 18 |
| 50-64 | 54 | 6.1 | 34 | 1 | 1 | 5 | 8 | 13 | 16 | 29 |
| 65+ | 81 | 9.5 | 77 | 1 | 2 | 7 | 12 | 24 | 32 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 574 | 3.6 | 34 | <1 | 1 | 2 | 3 | 7 | 11 | 31 |
| 20-34 | 596 | 3.8 | 34 | <1 | <1 | 2 | 4 | 8 | 10 | 20 |
| 35-49 | 698 | 4.5 | 29 | <1 | 1 | 2 | 5 | 10 | 16 | 28 |
| 50-64 | 819 | 5.3 | 47 | <1 | 1 | 3 | 7 | 11 | 16 | 35 |
| 65+ | 681 | 7.6 | 95 | 1 | 1 | 4 | 9 | 17 | 28 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163 | 3.7 | 17 | <1 | <1 | 2 | 5 | 8 | 11 | 16 |
| B. *Operated* | 6403 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 278 | 5.7 | 40 | <1 | 1 | 4 | 8 | 12 | 16 | 46 |
| B. *Operated* | 3368 | 5.1 | 51 | <1 | 1 | 3 | 6 | 11 | 17 | 37 |
| **1. SINGLE DX** | 6566 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | 3646 | 5.1 | 50 | <1 | 1 | 3 | 6 | 11 | 17 | 37 |
| **A. NOT OPERATED** | 441 | 5.0 | 33 | <1 | 1 | 3 | 7 | 11 | 15 | 37 |
| **B. OPERATED** | 9771 | 3.5 | 25 | <1 | <1 | 2 | 4 | 7 | 11 | 25 |
| TOTAL 0-19 YRS | 3462 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 1947 | 3.2 | 16 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 35-49 | 1693 | 3.7 | 19 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| 50-64 | 1808 | 4.2 | 30 | <1 | 1 | 2 | 5 | 9 | 13 | 29 |
| 65+ | 1302 | 6.2 | 68 | <1 | 1 | 3 | 7 | 14 | 23 | 45 |
| **GRAND TOTAL** | 10212 | 3.6 | 25 | <1 | <1 | 2 | 4 | 7 | 11 | 26 |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 19 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | 17 | 2.2 | 6 | <1 | <1 | 1 | 2 | 6 | 9 | 10 |
| 50-64 | 8 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1509 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 3293 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 1958 | 2.3 | 12 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 825 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 65+ | 445 | 2.8 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 14 | 2.5 | 4 | <1 | <1 | 1 | 4 | 5 | 7 | 7 |
| 35-49 | 16 | 5.1 | 32 | <1 | <1 | 3 | 7 | 12 | 19 | 22 |
| 50-64 | 14 | 5.3 | 20 | 1 | 1 | 4 | 8 | 10 | 16 | 18 |
| 65+ | 8 | 4.6 | 23 | <1 | <1 | 2 | 7 | 12 | 14 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 963 | 2.8 | 13 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 1210 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 710 | 3.6 | 11 | 1 | 2 | 3 | 4 | 7 | 9 | 19 |
| 65+ | 475 | 4.5 | 14 | 2 | 2 | 3 | 5 | 9 | 12 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| B. *Operated* | 8030 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 4.0 | 19 | <1 | <1 | 2 | 5 | 10 | 13 | 22 |
| B. *Operated* | 3573 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **1. SINGLE DX** | 8082 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 3632 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 9 | 17 |
| **A. NOT OPERATED** | 111 | 3.1 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| **B. OPERATED** | 11603 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 1736 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 4289 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 3201 | 2.6 | 10 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 1557 | 3.0 | 7 | 1 | 2 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 931 | 3.7 | 9 | 1 | 2 | 3 | 4 | 7 | 10 | 17 |
| **GRAND TOTAL** | 11714 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 100 | 2.9 | 8 | <1 | <1 | 2 | 4 | 5 | 8 | 16 |
| 35-49 | 172 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 50-64 | 30 | 4.0 | 8 | <1 | <1 | 3 | 6 | 8 | 8 | 13 |
| 65+ | 11 | 5.1 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.6 | 15 | 1 | 2 | 5 | 8 | 9 | 13 | 19 |
| 20-34 | 2347 | 5.7 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 6832 | 6.1 | 8 | 1 | 2 | 6 | 8 | 9 | 10 | 14 |
| 50-64 | 1326 | 6.0 | 11 | 1 | 1 | 7 | 8 | 9 | 11 | 15 |
| 65+ | 105 | 7.2 | 21 | 1 | 2 | 7 | 9 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 4 | 1 | 1 | [illegible] | 4 | 5 | 5 | 5 |
| 20-34 | 227 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 560 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 144 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 9 | 25 |
| 65+ | 71 | 7.0 | 34 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.8 | 15 | <1 | 1 | 6 | 8 | 9 | 13 | 19 |
| 20-34 | 6719 | 6.4 | 11 | 1 | 2 | 6 | 8 | 10 | 11 | 16 |
| 35-49 | 30011 | 7.1 | 12 | 2 | 2 | 7 | 8 | 10 | 12 | 19 |
| 50-64 | 6726 | 7.4 | 18 | 1 | 2 | 7 | 9 | 11 | 14 | 21 |
| 65+ | 831 | 10.5 | 44 | 2 | 5 | 9 | 13 | 18 | 22 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 3.2 | 7 | <1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 10634 | 6.0 | 9 | 1 | 2 | 6 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1006 | 4.1 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 44329 | 7.1 | 14 | 2 | 2 | 7 | 8 | 11 | 13 | 20 |
| **1. SINGLE DX** | 10951 | 6.0 | 9 | 1 | 2 | 6 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 45335 | 7.0 | 14 | 1 | 2 | 7 | 8 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 1323 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 54963 | 6.9 | 13 | 1 | 2 | 7 | 8 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 74 | 5.4 | 14 | <1 | 1 | 5 | 7 | 9 | 12 | 19 |
| 20-34 | 9393 | 6.1 | 10 | 1 | 2 | 6 | 8 | 9 | 11 | 16 |
| 35-49 | 37575 | 6.9 | 12 | 1 | 2 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 8226 | 7.1 | 18 | 1 | 2 | 7 | 9 | 11 | 13 | 21 |
| 65+ | 1018 | 9.9 | 43 | 2 | 3 | 8 | 12 | 17 | 22 | 32 |
| **GRAND TOTAL** | 56286 | 6.8 | 13 | 1 | 2 | 7 | 8 | 10 | 12 | 19 |

### 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 106 | 3.6 | 12 | <1 | 1 | 2 | 5 | 7 | 7 | 19 |
| 35-49 | 140 | 4.8 | 11 | <1 | 1 | 5 | 7 | 9 | 10 | 13 |
| 50-64 | 52 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 32 | 4.1 | 9 | 1 | 1 | 3 | 7 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 5 | 4.2 | 10 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 65+ | 4 | 6.0 | 22 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 20-34 | 186 | 5.5 | 20 | 1 | 1 | 6 | 7 | 9 | 11 | 25 |
| 35-49 | 462 | 6.4 | 17 | 1 | 2 | 6 | 8 | 10 | 12 | 21 |
| 50-64 | 212 | 5.6 | 19 | 1 | 1 | 6 | 8 | 10 | 13 | 27 |
| 65+ | 63 | 7.2 | 26 | 1 | 2 | 7 | 10 | 14 | 17 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 3.0 | 8 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| B. *Operated* | 335 | 4.0 | 11 | <1 | 1 | 3 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| B. *Operated* | 930 | 6.1 | 19 | 1 | 1 | 6 | 8 | 10 | 13 | 22 |
| **1. SINGLE DX** | 339 | 4.0 | 11 | <1 | 1 | 3 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 947 | 6.0 | 19 | 1 | 1 | 6 | 8 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 21 | 3.7 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| **B. OPERATED** | 1265 | 5.5 | 18 | 1 | 1 | 6 | 7 | 9 | 11 | 21 |
| TOTAL 0-19 YRS | 13 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 20-34 | 296 | 4.8 | 18 | <1 | 1 | 4 | 7 | 8 | 10 | 24 |
| 35-49 | 607 | 6.0 | 16 | 1 | 2 | 6 | 8 | 10 | 11 | 19 |
| 50-64 | 270 | 5.1 | 18 | <1 | 1 | 4 | 8 | 9 | 11 | 24 |
| 65+ | 100 | 6.1 | 22 | 1 | 2 | 4 | 9 | 13 | 15 | 20 |
| **GRAND TOTAL** | 1284 | 5.5 | 17 | 1 | [illegible] | 6 | 7 | 9 | 11 | 20 |

### 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.0 | 3 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| 20-34 | 19 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 35-49 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 6 | 7.3 | 105 | 1 | 1 | 3 | 6 | 26 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 456 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 20-34 | 1737 | 5.8 | 3 | 4 | 4 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 507 | 6.6 | 5 | 4 | 4 | 6 | 7 | 9 | 11 | 14 |
| 50-64 | 373 | 7.9 | 7 | 5 | 5 | 7 | 9 | 11 | 13 | 19 |
| 65+ | 218 | 9.7 | 51 | 5 | 6 | 8 | 10 | 14 | 17 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| 20-34 | 11 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 6 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 50-64 | 4 | 8.8 | 16 | 3 | 3 | 10 | 11 | 12 | 12 | 12 |
| 65+ | 7 | 10.6 | 30 | 5 | 5 | 9 | 13 | 20 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 20-34 | 1756 | 6.6 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 1281 | 7.7 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 20 |
| 50-64 | 913 | 9.3 | 20 | 5 | 6 | 8 | 10 | 14 | 18 | 27 |
| 65+ | 663 | 12.8 | 48 | 6 | 7 | 11 | 15 | 21 | 26 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 4.3 | 22 | <1 | 1 | 3 | 5 | 6 | 13 | 28 |
| B. *Operated* | 3291 | 6.5 | 8 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 6.1 | 22 | 1 | 1 | 5 | 9 | 11 | 14 | 21 |
| B. *Operated* | 4973 | 8.2 | 20 | 4 | 5 | 7 | 9 | 13 | 16 | 26 |
| **1. SINGLE DX** | 3329 | 6.4 | 8 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 5003 | 8.2 | 20 | 4 | 5 | 7 | 9 | 13 | 16 | 26 |
| **A. NOT OPERATED** | 68 | 5.1 | 28 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| **B. OPERATED** | 8264 | 7.5 | 16 | 4 | 5 | 7 | 8 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 823 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |
| 20-34 | 3525 | 6.2 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 15 |
| 35-49 | 1797 | 7.4 | 9 | 4 | 5 | 7 | 8 | 10 | 12 | 19 |
| 50-64 | 1293 | 8.9 | 17 | 5 | 6 | 8 | 10 | 13 | 16 | 26 |
| 65+ | 894 | 12.0 | 51 | 6 | 6 | 10 | 14 | 20 | 25 | 41 |
| **GRAND TOTAL** | 8332 | 7.5 | 16 | 4 | 5 | 7 | 8 | 11 | 14 | 23 |

### 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 9 | 9 |
| 20-34 | 83 | 3.1 | 6 | <1 | <1 | 2 | 5 | 7 | 8 | 10 |
| 35-49 | 88 | 3.1 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| 50-64 | 64 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | 37 | 3.8 | 9 | 1 | 1 | 2 | 6 | 9 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 112 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 9 | 22 |
| 35-49 | 100 | 4.6 | 12 | <1 | 1 | 4 | 7 | 8 | 9 | 19 |
| 50-64 | 67 | 5.9 | 20 | 1 | 2 | 5 | 8 | 13 | 15 | 20 |
| 65+ | 46 | 7.7 | 29 | 1 | 2 | 6 | 11 | 16 | 23 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| *B. Operated* | 303 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 12 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| *B. Operated* | 338 | 5.3 | 19 | 1 | 1 | 4 | 7 | 9 | 14 | 24 |
| **1. SINGLE DX** | 307 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 350 | 5.2 | 18 | 1 | 1 | 4 | 7 | 9 | 14 | 24 |
| **A. NOT OPERATED** | 16 | 2.2 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| **B. OPERATED** | 641 | 4.2 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 44 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 20-34 | 199 | 4.0 | 11 | <1 | 1 | 3 | 6 | 7 | 9 | 14 |
| 35-49 | 193 | 3.9 | 10 | <1 | <1 | 3 | 6 | 8 | 9 | 14 |
| 50-64 | 136 | 4.3 | 15 | <1 | 1 | 3 | 6 | 9 | 13 | 18 |
| 65+ | 85 | 5.9 | 29 | 1 | 2 | 4 | 8 | 13 | 20 | 26 |
| **GRAND TOTAL** | 657 | 4.2 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |

### 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 108 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 71 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 7 | 10 |
| 50-64 | 56 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 10 | 11 |
| 65+ | 48 | 3.6 | 6 | <1 | 1 | 3 | 4 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.5 | 18 | <1 | 1 | 2 | 4 | 9 | 15 | 15 |
| 20-34 | 36 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 10 | 10 |
| 35-49 | 44 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 46 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 65 | 6.9 | 46 | 1 | 2 | 4 | 9 | 16 | 21 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| *B. Operated* | 306 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| *B. Operated* | 202 | 4.9 | 22 | 1 | 2 | 3 | 5 | 10 | 15 | 26 |
| **1. SINGLE DX** | 310 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 205 | 4.8 | 22 | 1 | 1 | 3 | 5 | 10 | 15 | 26 |
| **A. NOT OPERATED** | 7 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| **B. OPERATED** | 508 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| TOTAL 0-19 YRS | 36 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 7 | 16 |
| 20-34 | 145 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 117 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 102 | 3.9 | 8 | 1 | 2 | 3 | 5 | 8 | 11 | 14 |
| 65+ | 115 | 5.4 | 31 | 1 | 1 | 3 | 7 | 12 | 18 | 30 |
| **GRAND TOTAL** | 515 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 61 | 3.7 | 13 | <1 | 1 | 2 | 4 | 10 | 12 | 16 |
| 35-49 | 79 | 4.4 | 14 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 50-64 | 181 | 3.9 | 17 | 1 | 1 | 2 | 4 | 9 | 13 | 23 |
| 65+ | 217 | 3.4 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 35-49 | 3 | 6.0 | 12 | 2 | 2 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 4 | 5.0 | 32 | 1 | 1 | 3 | 9 | 13 | 13 | 13 |
| 65+ | 7 | 6.7 | 16 | 2 | 2 | 6 | 8 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.3 | 14 | <1 | <1 | 2 | 2 | 10 | 12 | 12 |
| 20-34 | 33 | 5.9 | 40 | <1 | 1 | 4 | 8 | 15 | 19 | 20 |
| 35-49 | 67 | 7.8 | 47 | 1 | 2 | 5 | 11 | 18 | 23 | 30 |
| 50-64 | 162 | 6.7 | 39 | 1 | 2 | 4 | 9 | 15 | 20 | 31 |
| 65+ | 298 | [illegible] | 49 | 1 | 2 | 4 | 8 | 15 | 22 | 36 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 547 | 3.7 | 12 | 1 | 1 | 2 | 4 | 8 | 12 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 16 | 6.4 | 16 | 1 | 1 | 6 | 9 | 13 | 14 | 14 |
| B. *Operated* | 570 | 6.8 | 45 | 1 | 2 | 4 | 9 | 15 | 21 | 31 |
| 1. SINGLE DX | 553 | 3.7 | 12 | 1 | 1 | 2 | 4 | 8 | 12 | 17 |
| 2. MULTIPLE DX | 586 | 6.8 | 44 | 1 | 2 | 4 | 9 | 15 | 21 | 31 |
| A. NOT OPERATED | 22 | 5.2 | 16 | 1 | 1 | 4 | 8 | 12 | 13 | 14 |
| B. OPERATED | 1117 | 5.3 | 31 | 1 | 1 | 3 | 6 | 12 | 16 | 28 |
| TOTAL 0-19 YRS | 19 | 2.7 | 8 | <1 | <1 | 2 | 2 | 6 | 10 | 12 |
| 20-34 | 96 | 4.5 | 23 | <1 | 1 | 2 | 6 | 12 | 15 | 23 |
| 35-49 | 151 | 5.9 | 31 | 1 | 1 | 3 | 8 | 13 | 18 | 25 |
| 50-64 | 349 | 5.2 | 29 | 1 | 1 | 3 | 6 | 12 | 16 | 25 |
| 65+ | 524 | 5.4 | 34 | 1 | 2 | 3 | 6 | 13 | 16 | 31 |
| GRAND TOTAL | 1139 | 5.3 | 31 | 1 | 1 | 3 | 6 | 12 | 16 | 28 |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 7.3 | 4 | 5 | 5 | 8 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 9 |
| 20-34 | 42 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 18 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 30 | 2.6 | 3 | <1 | <1 | 2 | 3 | 3 | 6 | 10 |
| 65+ | 22 | 4.5 | 43 | 1 | 1 | 3 | 4 | 6 | 17 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 6.7 | 24 | 1 | 1 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.9 | 10 | 1 | 1 | 2 | 3 | 8 | 11 | 11 |
| 20-34 | 7 | 3.6 | 14 | 2 | 2 | 2 | 3 | 10 | 12 | 12 |
| 35-49 | 11 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 50-64 | 8 | 5.5 | 18 | 2 | 2 | 4 | 8 | 12 | 13 | 13 |
| 65+ | 20 | 3.5 | 6 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.6 | 23 | 1 | 1 | 4 | 8 | 13 | 15 | 15 |
| B. *Operated* | 214 | 2.2 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.9 | 26 | <1 | <1 | 5 | 9 | 13 | 15 | 15 |
| B. *Operated* | 55 | 3.5 | 9 | <1 | 1 | 2 | 4 | 9 | 11 | 13 |
| 1. SINGLE DX | 222 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 2. MULTIPLE DX | 63 | 3.8 | 12 | <1 | 1 | 2 | 5 | 9 | 12 | 15 |
| A. NOT OPERATED | 16 | 5.8 | 23 | <1 | <1 | 4 | 9 | 14 | 15 | 15 |
| B. OPERATED | 269 | 2.5 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 115 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 11 |
| 20-34 | 51 | 2.4 | 6 | <1 | <1 | 2 | 2 | 4 | 5 | 15 |
| 35-49 | 33 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 9 | 10 |
| 50-64 | 42 | 3.8 | 11 | <1 | 1 | 3 | 4 | 9 | 12 | 15 |
| 65+ | 44 | 4.0 | 24 | 1 | 1 | 3 | 5 | 7 | 8 | 33 |
| GRAND TOTAL | 285 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.4 | 7 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 22 | 3.0 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 36 | 4.6 | 44 | 1 | 1 | 2 | 4 | 10 | 18 | 36 |
| 50-64 | 62 | 5.0 | 46 | 1 | 1 | 3 | 5 | 10 | 13 | 39 |
| 65+ | 57 | 7.4 | 52 | 2 | 2 | 6 | 9 | 15 | 18 | 46 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 11.3 | 108 | 2 | 2 | 9 | 13 | 22 | 32 | 55 |
| 20-34 | 165 | 12.5 | 65 | 2 | 3 | 11 | 16 | 22 | 29 | 37 |
| 35-49 | 302 | 12.8 | 67 | 2 | 5 | 11 | 16 | 21 | 29 | 40 |
| 50-64 | 453 | 14.3 | 92 | 2 | 4 | 13 | 18 | 25 | 30 | 51 |
| 65+ | 265 | 18.4 | 183 | 3 | 5 | 15 | 23 | 34 | 47 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 22 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 17 | 14 |
| 35-49 | 43 | 9.4 | 193 | 1 | 1 | 4 | 10 | 19 | 39 | 78 |
| 50-64 | 92 | 9.2 | 137 | 1 | 1 | 6 | 10 | 18 | 40 | 91 |
| 65+ | 270 | 12.3 | 139 | 2 | 3 | 9 | 16 | 24 | 39 | 96 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 17.6 | 172 | 2 | 5 | 14 | 21 | 43 | 47 | 48 |
| 20-34 | 112 | 16.2 | 114 | 3 | 6 | 14 | 21 | 29 | 41 | 81 |
| 35-49 | 230 | 18.0 | 162 | 4 | 7 | 15 | 22 | 34 | 46 | 79 |
| 50-64 | 440 | 21.0 | 249 | 4 | 7 | 16 | 27 | 47 | 60 | 99+ |
| 65+ | 468 | 27.6 | 386 | 6 | 9 | 22 | 38 | 56 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 184 | 5.4 | 43 | 1 | 1 | 3 | 7 | 10 | 15 | 38 |
| *B. Operated* | 1225 | 14.5 | 107 | 2 | 4 | 12 | 18 | 26 | 33 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 432 | 10.8 | 140 | 1 | 2 | 8 | 13 | 22 | 38 | 86 |
| *B. Operated* | 1277 | 22.4 | 287 | 4 | 7 | 17 | 29 | 49 | 63 | 99+ |
| **1. SINGLE DX** | 1409 | 13.2 | 108 | 2 | 2 | 11 | 17 | 25 | 32 | 54 |
| **2. MULTIPLE DX** | 1709 | 19.5 | 275 | 3 | 4 | 15 | 25 | 45 | 58 | 99+ |
| **A. NOT OPERATED** | 616 | 9.2 | 117 | 1 | 2 | 6 | 11 | 19 | 33 | 81 |
| **B. OPERATED** | 2502 | 18.5 | 215 | 3 | 6 | 15 | 23 | 37 | 52 | 88 |
| TOTAL 0-19 YRS | 79 | 12.2 | 135 | 1 | 2 | 9 | 16 | 26 | 41 | 53 |
| 20-34 | 321 | 12.6 | 89 | 2 | 3 | 11 | 17 | 23 | 31 | 49 |
| 35-49 | 611 | 14.1 | 123 | 2 | 3 | 12 | 17 | 28 | 35 | 62 |
| 50-64 | 1047 | 16.1 | 182 | 2 | 3 | 13 | 20 | 33 | 47 | 80 |
| 65+ | 1060 | 20.3 | 304 | 3 | 4 | 15 | 26 | 46 | 59 | 99+ |
| **GRAND TOTAL** | 3118 | 16.7 | 269 | 2 | 3 | 13 | 21 | 38 | 49 | 86 |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 6 | 3.3 | 7 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 50-64 | 5 | 7.4 | 19 | 2 | 3 | 6 | 12 | 12 | 12 | 12 |
| 65+ | 6 | 3.5 | 5 | 2 | 2 | 3 | 3 | 8 | 8 | 8 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 20-34 | 1093 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 1202 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 940 | 4.4 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 12 |
| 65+ | 393 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 11 | 3.5 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| 35-49 | 9 | 4.4 | 12 | <1 | <1 | 4 | 6 | 10 | 12 | 12 |
| 50-64 | 25 | 5.2 | 20 | 1 | 1 | 4 | 5 | 14 | 16 | 18 |
| 65+ | 30 | 7.6 | 37 | 1 | 1 | 6 | 10 | 15 | 24 | 28 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 5.0 | 8 | 2 | 3 | 4 | 5 | 9 | 13 | 14 |
| 20-34 | 338 | 4.7 | 7 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 594 | 5.0 | 8 | 3 | 3 | 4 | 5 | 8 | 10 | 17 |
| 50-64 | 622 | 6.1 | 17 | 3 | 3 | 5 | 6 | 10 | 14 | 24 |
| 65+ | 378 | 7.7 | 36 | 3 | 4 | 6 | 9 | 15 | 19 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 32 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| *B. Operated* | 3779 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 77 | 5.8 | 25 | 1 | 1 | 5 | 7 | 12 | 17 | 20 |
| *B. Operated* | 1970 | 5.6 | 17 | 3 | 3 | 5 | 6 | 10 | 14 | 23 |
| **1. SINGLE DX** | 3811 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 2047 | 5.6 | 17 | 3 | 3 | 5 | 6 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 109 | 5.2 | 21 | 1 | 1 | 4 | 6 | 11 | 14 | 24 |
| **B. OPERATED** | 5749 | 4.8 | 8 | 3 | 3 | 4 | 5 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 193 | 4.0 | 3 | 2 | 2 | 4 | 4 | 5 | 7 | 13 |
| 20-34 | 1455 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 1811 | 4.5 | 5 | 2 | 3 | 4 | 5 | 6 | 8 | 13 |
| 50-64 | 1592 | 5.1 | 9 | 3 | 3 | 4 | 5 | 8 | 10 | 18 |
| 65+ | 807 | 6.4 | 22 | 3 | 3 | 5 | 7 | 11 | 15 | 28 |
| **GRAND TOTAL** | 5858 | 4.8 | 9 | 2 | 3 | 4 | 5 | 7 | 9 | 17 |

### 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.2 | 21 | 1 | 2 | 4 | 5 | 13 | 17 | 17 |
| 20-34 | 41 | 4.0 | 7 | 1 | 1 | 3 | 6 | 7 | 9 | 14 |
| 35-49 | 22 | 6.2 | 26 | 1 | 2 | 4 | 8 | 15 | 19 | 19 |
| 50-64 | 22 | 6.6 | 33 | 1 | 2 | 5 | 8 | 11 | 19 | 29 |
| 65+ | 8 | 12.9 | 456 | 1 | 1 | 5 | 10 | 49 | 65 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 10.0 | 58 | 3 | 4 | 7 | 14 | 16 | 30 | 35 |
| 20-34 | 190 | 8.7 | 19 | 3 | 4 | 8 | 10 | 15 | 18 | 22 |
| 35-49 | 155 | 9.2 | 38 | 3 | 3 | 7 | 12 | 18 | 22 | 29 |
| 50-64 | 204 | 10.1 | 55 | 3 | 4 | 8 | 13 | 19 | 23 | 39 |
| 65+ | 127 | 11.3 | 94 | 4 | 4 | 8 | 14 | 24 | 26 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.0 | 14 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 20-34 | 56 | 5.4 | 24 | 1 | 1 | 4 | 6 | 12 | 16 | 27 |
| 35-49 | 40 | 7.3 | 55 | 1 | 1 | 5 | 8 | 19 | 21 | 36 |
| 50-64 | 66 | 8.4 | 75 | 2 | 2 | 6 | 10 | 16 | 20 | 57 |
| 65+ | 60 | 10.8 | 87 | 2 | 3 | 9 | 13 | 17 | 23 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 18.2 | 539 | 5 | 6 | 10 | 15 | 51 | 82 | 95 |
| 20-34 | 130 | 11.2 | 71 | 3 | 4 | 9 | 13 | 22 | 27 | 46 |
| 35-49 | 193 | 12.1 | 114 | 4 | 4 | 9 | 15 | 24 | 27 | 52 |
| 50-64 | 369 | 12.7 | 129 | 3 | 4 | 9 | 17 | 26 | 33 | 52 |
| 65+ | 240 | 15.4 | 175 | 4 | 4 | 10 | 22 | 35 | 45 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 104 | 5.8 | 53 | 1 | 1 | 4 | 7 | 11 | 15 | 46 |
| B. *Operated* | 703 | 9.8 | 49 | 3 | 4 | 8 | 12 | 18 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 227 | 8.0 | 64 | 1 | 2 | 6 | 10 | 16 | 20 | 42 |
| B. *Operated* | 950 | 13.1 | 139 | 3 | 4 | 9 | 17 | 26 | 36 | 65 |
| **1. SINGLE DX** | 807 | 9.3 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | 1177 | 12.1 | 128 | 3 | 3 | 9 | 15 | 25 | 34 | 64 |
| **A. NOT OPERATED** | 331 | 7.3 | 61 | 1 | 2 | 5 | 9 | 15 | 19 | 41 |
| **B. OPERATED** | 1653 | 11.7 | 103 | 3 | 4 | 9 | 14 | 23 | 31 | 53 |
| TOTAL 0-19 YRS | 61 | 11.0 | 208 | 2 | 3 | 7 | 12 | 17 | 32 | 91 |
| 20-34 | 417 | 8.6 | 40 | 2 | 3 | 7 | 10 | 15 | 21 | 31 |
| 35-49 | 410 | 10.2 | 78 | 2 | 3 | 8 | 12 | 21 | 25 | 41 |
| 50-64 | 661 | 11.3 | 100 | 3 | 4 | 8 | 14 | 22 | 30 | 51 |
| 65+ | 435 | 13.5 | 147 | 3 | 4 | 9 | 17 | 30 | 40 | 77 |
| **GRAND TOTAL** | 1984 | 11.0 | 99 | 3 | 3 | 8 | 13 | 22 | 29 | 53 |

### 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 2.1 | 2 | <1 | 1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 10 | 3.8 | 10 | <1 | <1 | 2 | 7 | 8 | 9 | 9 |
| 50-64 | 7 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 65+ | 9 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 3564 | 3.9 | 7 | 1 | 1 | 3 | 6 | 7 | 8 | 11 |
| 35-49 | 1348 | 4.9 | 12 | 1 | 2 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 350 | 4.9 | 9 | 1 | 1 | 4 | 7 | 9 | 10 | 12 |
| 65+ | 157 | 5.3 | 11 | 1 | 2 | 4 | 8 | 10 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 38 | 2.2 | 5 | <1 | 1 | 1 | 2 | 6 | 8 | 9 |
| 35-49 | 17 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 50-64 | 8 | 3.5 | 5 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 9 | 3.4 | 7 | 1 | 1 | 3 | 3 | 7 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.1 | 5 | 1 | 1 | 2 | [illegible] | 7 | 9 | 10 |
| 20-34 | 2334 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| 35-49 | 1511 | 6.7 | 17 | 2 | 2 | 6 | 8 | 10 | 12 | 21 |
| 50-64 | 484 | 7.6 | 31 | 2 | 2 | 7 | 9 | 12 | 17 | 29 |
| 65+ | 245 | 8.2 | 45 | 2 | 2 | 7 | 10 | 15 | 18 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | 5490 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 2.5 | 5 | <1 | 1 | 1 | 3 | 6 | 7 | 10 |
| B. *Operated* | 4603 | 6.1 | 18 | 1 | 2 | 6 | 8 | 10 | 12 | 21 |
| **1. SINGLE DX** | 5532 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 4678 | 6.0 | 18 | 1 | 2 | 6 | 8 | 10 | 12 | 21 |
| **A. NOT OPERATED** | 117 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| **B. OPERATED** | 10093 | 5.1 | 14 | 1 | 2 | 5 | 7 | 9 | 10 | 16 |
| TOTAL 0-19 YRS | 103 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 5952 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 2886 | 5.8 | 16 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| 50-64 | 849 | 6.4 | 24 | 1 | 2 | 6 | 8 | 11 | 13 | 20 |
| 65+ | 420 | 6.9 | 33 | 1 | 2 | 6 | 9 | 13 | 16 | 27 |
| **GRAND TOTAL** | 10210 | 5.0 | 14 | 1 | 1 | 5 | 7 | 9 | 10 | 16 |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 9 | 4.3 | 15 | 1 | 1 | 3 | 5 | 11 | 14 | 14 |
| 50-64 | 13 | 2.8 | 2 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 16 | 4.8 | 15 | 1 | 1 | 3 | 8 | 11 | 12 | 13 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 2.1 | 2 | 1 | 1 | 2 | 2 | 5 | 6 | 6 |
| 20-34 | 124 | 4.1 | 9 | <1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 35-49 | 244 | 4.8 | 14 | 1 | 1 | 4 | 7 | 9 | 12 | 18 |
| 50-64 | 496 | 5.0 | 20 | 1 | 1 | 3 | 7 | 10 | 13 | 21 |
| 65+ | 543 | 5.6 | 32 | 1 | 1 | 3 | 7 | 13 | 17 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 4.5 | 12 | <1 | <1 | 4 | 7 | 9 | 9 | 9 |
| 35-49 | 13 | 4.8 | 12 | <1 | 1 | 3 | 7 | 11 | 12 | 12 |
| 50-64 | 21 | 5.7 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 16 |
| 65+ | 46 | 10.7 | 142 | 1 | 3 | 8 | 11 | 26 | 36 | 67 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 3.9 | 9 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 20-34 | 122 | 5.7 | 17 | 1 | 2 | 5 | 8 | 10 | 12 | 22 |
| 35-49 | 347 | 6.7 | 26 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| 50-64 | 710 | 7.7 | 48 | 1 | 2 | 6 | 10 | 17 | 21 | 32 |
| 65+ | 974 | 9.6 | 91 | 2 | 2 | 7 | 13 | 19 | 26 | 52 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 41 | 4.0 | 10 | <1 | 1 | 3 | 5 | 9 | 12 | 14 |
| B. *Operated* | 1416 | 5.1 | 22 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 86 | 8.1 | 89 | 1 | 2 | 5 | 10 | 15 | 26 | 56 |
| B. *Operated* | 2162 | 8.3 | 64 | 1 | 2 | 6 | 11 | 17 | 23 | 36 |
| **1. SINGLE DX** | 1457 | 5.1 | 22 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 2248 | 8.3 | 65 | 1 | 2 | 6 | 11 | 17 | 23 | 36 |
| **A. NOT OPERATED** | 127 | 6.8 | 67 | 1 | 1 | 4 | 9 | 13 | 18 | 43 |
| **B. OPERATED** | 3578 | 7.0 | 50 | 1 | 2 | 5 | 9 | 15 | 19 | 32 |
| TOTAL 0-19 YRS | 21 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 252 | 4.9 | 14 | <1 | 1 | 4 | 7 | 9 | 11 | 19 |
| 35-49 | 613 | 5.9 | 22 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| 50-64 | 1240 | 6.5 | 37 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| 65+ | 1579 | 8.2 | 75 | 1 | 2 | 5 | 11 | 17 | 24 | 40 |
| **GRAND TOTAL** | **3705** | **7.0** | **50** | **1** | **2** | **5** | **9** | **15** | **19** | **33** |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 138 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 10 | 27 |
| 20-34 | 223 | 4.0 | 15 | <1 | 1 | 3 | 5 | 7 | 9 | 25 |
| 35-49 | 218 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 50-64 | 338 | 4.5 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 65+ | 476 | 6.3 | 62 | 1 | 1 | 4 | 8 | 14 | 19 | 50 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 662 | 4.2 | 23 | <1 | 1 | 2 | 5 | 9 | 12 | 25 |
| 20-34 | 1248 | 4.9 | 36 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 35-49 | 1212 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| 50-64 | 1675 | 5.1 | 29 | 1 | 1 | 3 | 6 | 11 | 15 | 27 |
| 65+ | 1811 | 5.9 | 45 | 1 | 1 | 3 | 7 | 14 | 19 | 32 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 143 | 4.5 | 34 | <1 | 1 | 3 | 5 | 8 | 13 | 41 |
| 20-34 | 262 | 5.0 | 40 | 1 | 1 | 4 | 7 | 9 | 13 | 24 |
| 35-49 | 362 | 5.9 | 37 | 1 | 1 | 4 | 8 | 12 | 16 | 39 |
| 50-64 | 768 | 6.9 | 56 | 1 | 1 | 5 | 9 | 14 | 19 | 40 |
| 65+ | 1934 | 8.8 | 86 | 1 | 2 | 7 | 11 | 17 | 23 | 49 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 232 | 9.2 | 144 | 1 | 1 | 6 | 10 | 20 | 35 | 68 |
| 20-34 | 770 | 7.6 | 72 | 1 | 2 | 6 | 9 | 14 | 21 | 56 |
| 35-49 | 1067 | 8.1 | 74 | 1 | 2 | 6 | 10 | 16 | 22 | 46 |
| 50-64 | 1863 | 9.1 | 88 | 1 | 2 | 6 | 11 | 20 | 26 | 51 |
| 65+ | 3227 | 11.2 | 116 | 2 | 2 | 8 | 15 | 23 | 31 | 57 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1393 | 4.9 | 34 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| B. *Operated* | 6608 | 5.1 | 34 | 1 | 1 | 3 | 6 | 11 | 15 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3469 | 7.6 | 71 | 1 | 1 | 5 | 9 | 15 | 21 | 45 |
| B. *Operated* | 7159 | 9.8 | 101 | 2 | 2 | 7 | 12 | 20 | 29 | 56 |
| **1. SINGLE DX** | 8001 | 5.1 | 34 | 1 | 1 | 3 | 6 | 11 | 15 | 27 |
| **2. MULTIPLE DX** | 10628 | 9.1 | 92 | 1 | 2 | 6 | 11 | 19 | 26 | 51 |
| **A. NOT OPERATED** | 4862 | 6.9 | 62 | 1 | 1 | 5 | 8 | 14 | 19 | 41 |
| **B. OPERATED** | 13767 | 7.5 | 74 | 1 | 2 | 5 | 9 | 17 | 23 | 43 |
| TOTAL 0-19 YRS | 1175 | 5.1 | 52 | 1 | 1 | 3 | 6 | 10 | 17 | 40 |
| 20-34 | 2503 | 5.7 | 47 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| 35-49 | 2859 | 6.1 | 48 | 1 | 1 | 4 | 8 | 12 | 17 | 39 |
| 50-64 | 4644 | 7.0 | 60 | 1 | 1 | 4 | 9 | 15 | 21 | 39 |
| 65+ | 7448 | 9.0 | 92 | 1 | 2 | 6 | 12 | 19 | 26 | 49 |
| **GRAND TOTAL** | **18629** | **7.4** | **71** | **1** | **1** | **5** | **9** | **16** | **22** | **43** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 20-34 | 67 | 3.7 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 65 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 56 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 65+ | 50 | 4.3 | 10 | 1 | 1 | 3 | 6 | 9 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 830 | 4.2 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1118 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| 50-64 | 1141 | 4.7 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 475 | 5.6 | 10 | 3 | 3 | 5 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 132 | 4.1 | 8 | <1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 35-49 | 143 | 4.8 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| 50-64 | 192 | 6.1 | 22 | 1 | 1 | 5 | 8 | 13 | 15 | 22 |
| 65+ | 266 | 7.5 | 53 | 2 | 3 | 6 | 9 | 14 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 5.6 | 27 | 2 | 3 | 4 | 6 | 9 | 13 | 34 |
| 20-34 | 352 | 5.2 | 8 | 2 | 3 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 574 | 5.8 | 16 | 3 | 3 | 5 | 6 | 10 | 13 | 18 |
| 50-64 | 814 | 7.0 | 38 | 3 | 3 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 574 | 8.7 | 55 | 3 | 4 | 6 | 10 | 15 | 22 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| B. *Operated* | 3668 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 762 | 5.9 | 29 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| B. *Operated* | 2353 | 6.9 | 34 | 3 | 3 | 5 | 7 | 12 | 16 | 31 |
| **1. SINGLE DX** | 3926 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 3115 | 6.6 | 33 | 2 | 3 | 5 | 7 | 12 | 15 | 30 |
| **A. NOT OPERATED** | 1020 | 5.3 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| **B. OPERATED** | 6021 | 5.5 | 17 | 3 | 3 | 4 | 6 | 9 | 12 | 21 |
| TOTAL 0-19 YRS | 192 | 4.1 | 9 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |
| 20-34 | 1381 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1900 | 4.8 | 8 | 2 | 3 | 4 | 5 | 7 | 10 | 16 |
| 50-64 | 2203 | 5.7 | 19 | 2 | 3 | 5 | 6 | 9 | 13 | 22 |
| 65+ | 1365 | 7.2 | 39 | 3 | 3 | 5 | 8 | 13 | 17 | 34 |
| **GRAND TOTAL** | **7041** | **5.5** | **18** | **2** | **3** | **4** | **6** | **9** | **12** | **21** |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 5.4 | 30 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| 20-34 | 589 | 5.2 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 16 |
| 35-49 | 435 | 5.2 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| 50-64 | 340 | 5.9 | 16 | 2 | 2 | 5 | 7 | 10 | 15 | 21 |
| 65+ | 247 | 7.5 | 31 | 2 | 2 | 6 | 10 | 15 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 5.8 | 32 | 2 | 3 | 4 | 6 | 9 | 13 | 38 |
| 20-34 | 909 | 5.4 | 11 | 3 | 3 | 5 | 6 | 8 | 12 | 20 |
| 35-49 | 658 | 4.8 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 485 | 5.2 | 10 | 3 | 3 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 150 | 6.2 | 20 | 3 | 3 | 5 | 7 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 6.0 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 38 |
| 20-34 | 773 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 13 | 24 |
| 35-49 | 1082 | 7.3 | 28 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| 50-64 | 1573 | 8.2 | 40 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 65+ | 2041 | 11.0 | 91 | 3 | 3 | 8 | 14 | 21 | 29 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 7.0 | 25 | 3 | 4 | 5 | 8 | 12 | 17 | 30 |
| 20-34 | 379 | 7.6 | 43 | 3 | 3 | 5 | 9 | 14 | 21 | 33 |
| 35-49 | 469 | 8.0 | 49 | 2 | 3 | 6 | 9 | 15 | 21 | 33 |
| 50-64 | 590 | 10.1 | 109 | 3 | 3 | 7 | 12 | 20 | 31 | 69 |
| 65+ | 510 | 14.7 | 197 | 4 | 4 | 11 | 19 | 30 | 46 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1820 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 2387 | 5.3 | 12 | 3 | 3 | 5 | 6 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5660 | 8.7 | 57 | 2 | 3 | 7 | 11 | 16 | 21 | 39 |
| B. *Operated* | 2017 | 10.2 | 110 | 3 | 3 | 7 | 12 | 21 | 29 | 72 |
| **1. SINGLE DX** | 4207 | 5.4 | 14 | 2 | 2 | 5 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 7677 | 9.1 | 71 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| **A. NOT OPERATED** | 7480 | 8.0 | 49 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| **B. OPERATED** | 4404 | 7.5 | 63 | 3 | 3 | 5 | 8 | 14 | 21 | 44 |
| TOTAL 0-19 YRS | 654 | 5.9 | 33 | 1 | 2 | 4 | 7 | 11 | 14 | 32 |
| 20-34 | 2650 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| 35-49 | 2644 | 6.4 | 25 | 2 | 3 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 2988 | 7.8 | 49 | 2 | 3 | 6 | 9 | 14 | 19 | 36 |
| 65+ | 2948 | 11.1 | 105 | 3 | 3 | 8 | 14 | 21 | 30 | 63 |
| **GRAND TOTAL** | **11884** | **7.8** | **54** | **2** | **3** | **6** | **9** | **15** | **20** | **38** |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1622 | 6.6 | 17 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| 20-34 | 1377 | 6.1 | 19 | 2 | 2 | 5 | 7 | 11 | 13 | 20 |
| 35-49 | 1472 | 6.4 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 50-64 | 2115 | 6.9 | 14 | 2 | 3 | 6 | 9 | 12 | 14 | 19 |
| 65+ | 1816 | 7.7 | 24 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 13 | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| 20-34 | 17 | 6.5 | 25 | 2 | 2 | 6 | 8 | 15 | 19 | 20 |
| 35-49 | 19 | 6.6 | 20 | 1 | 2 | 5 | 9 | 14 | 17 | 18 |
| 50-64 | 44 | 10.5 | 57 | 2 | 3 | 10 | 13 | 19 | 30 | 34 |
| 65+ | 34 | 9.7 | 41 | 2 | 2 | 8 | 13 | 21 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1120 | 6.0 | 28 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 20-34 | 2589 | 6.6 | 28 | 2 | 2 | 6 | 8 | 12 | 15 | 26 |
| 35-49 | 5547 | 7.7 | 28 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 50-64 | 12078 | 8.4 | 32 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| 65+ | 15409 | 9.8 | 60 | 3 | 4 | 8 | 12 | 17 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 9.5 | 124 | 2 | 2 | 7 | 11 | 17 | 40 | 96 |
| 20-34 | 328 | 11.9 | 132 | 2 | 3 | 9 | 15 | 22 | 36 | 81 |
| 35-49 | 792 | 12.5 | 113 | 2 | 3 | 10 | 15 | 24 | 31 | 59 |
| 50-64 | 1866 | 13.9 | 128 | 3 | 5 | 11 | 17 | 26 | 35 | 69 |
| 65+ | 2065 | 17.0 | 165 | 3 | 5 | 14 | 22 | 34 | 44 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8402 | 6.8 | 18 | 2 | 3 | 6 | 8 | 12 | 14 | 21 |
| B. *Operated* | 119 | 8.9 | 42 | 2 | 2 | 7 | 12 | 18 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36743 | 8.7 | 44 | 2 | 3 | 7 | 11 | 15 | 20 | 35 |
| B. *Operated* | 5113 | 14.8 | 145 | 3 | 4 | 12 | 18 | 29 | 39 | 76 |
| **1. SINGLE DX** | 8521 | 6.8 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 41856 | 9.4 | 60 | 2 | 3 | 8 | 11 | 17 | 23 | 43 |
| **A. NOT OPERATED** | 45145 | 8.3 | 40 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| **B. OPERATED** | 5232 | 14.6 | 143 | 3 | 4 | 11 | 18 | 28 | 39 | 76 |
| TOTAL 0-19 YRS | 2809 | 6.4 | 24 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| 20-34 | 4311 | 6.8 | 35 | 2 | 2 | 6 | 8 | 12 | 16 | 31 |
| 35-49 | 7830 | 8.0 | 36 | 2 | 3 | 7 | 10 | 14 | 18 | 30 |
| 50-64 | 16103 | 8.9 | 44 | 3 | 3 | 7 | 11 | 16 | 20 | 35 |
| 65+ | 19324 | 10.4 | 74 | 3 | 4 | 8 | 12 | 19 | 26 | 51 |
| **GRAND TOTAL** | **50377** | **9.0** | **54** | **2** | **3** | **7** | **11** | **16** | **21** | **40** |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2558 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 20-34 | 1811 | 5.1 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| 35-49 | 663 | 6.6 | 22 | 2 | 2 | 6 | 8 | 12 | 14 | 22 |
| 50-64 | 534 | 7.8 | 24 | 2 | 3 | 7 | 10 | 14 | 16 | 27 |
| 65+ | 435 | 9.0 | 38 | 2 | 3 | 8 | 11 | 16 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.6 | 28 | 1 | 1 | 5 | 8 | 16 | 20 | 21 |
| 20-34 | 19 | 9.5 | 38 | 3 | 4 | 8 | 11 | 18 | 24 | 28 |
| 35-49 | 6 | 13.2 | 72 | 5 | 5 | 10 | 18 | 27 | 28 | 28 |
| 50-64 | 10 | 14.5 | 98 | 3 | 4 | 12 | 20 | 31 | 32 | 32 |
| 65+ | 5 | 21.6 | 281 | 3 | 3 | 21 | 31 | 47 | 47 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1915 | 6.0 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 20-34 | 2623 | 6.4 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 35-49 | 1650 | 8.4 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| 50-64 | 1822 | 10.3 | 53 | 3 | 4 | 9 | 13 | 18 | 23 | 38 |
| 65+ | 2213 | 12.5 | 93 | 3 | 4 | 10 | 15 | 23 | 30 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 11.7 | 104 | 2 | 3 | 9 | 14 | 23 | 33 | 56 |
| 20-34 | 213 | 15.0 | 183 | 4 | 5 | 10 | 17 | 33 | 46 | 76 |
| 35-49 | 205 | 18.0 | 179 | 6 | 7 | 14 | 21 | 36 | 52 | 90 |
| 50-64 | 249 | 20.8 | 213 | 5 | 8 | 17 | 27 | 41 | 57 | 99+ |
| 65+ | 259 | 24.9 | 270 | 7 | 9 | 20 | 35 | 48 | 61 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6001 | 5.8 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | 58 | 10.9 | 81 | 2 | 3 | 8 | 13 | 25 | 29 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10223 | 8.7 | 53 | 2 | 3 | 7 | 11 | 17 | 21 | 38 |
| B. *Operated* | 985 | 19.5 | 224 | 5 | 6 | 15 | 25 | 41 | 54 | 97 |
| **1. SINGLE DX** | 6059 | 5.9 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 11208 | 9.6 | 78 | 2 | 3 | 7 | 12 | 19 | 25 | 48 |
| **A. NOT OPERATED** | 16224 | 7.6 | 42 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| **B. OPERATED** | 1043 | 19.0 | 220 | 4 | 6 | 15 | 24 | 40 | 53 | 96 |
| TOTAL 0-19 YRS | 4550 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 4666 | 6.3 | 31 | 2 | 2 | 5 | 8 | 12 | 15 | 29 |
| 35-49 | 2524 | 8.7 | 54 | 2 | 3 | 7 | 10 | 16 | 21 | 41 |
| 50-64 | 2615 | 10.8 | 74 | 3 | 4 | 9 | 13 | 20 | 26 | 48 |
| 65+ | 2912 | 13.1 | 116 | 3 | 4 | 10 | 16 | 25 | 34 | 60 |
| **GRAND TOTAL** | **17267** | **8.3** | **60** | **2** | **2** | **6** | **10** | **16** | **22** | **42** |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1092 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 20-34 | 1583 | 6.2 | 16 | 2 | 3 | 5 | 8 | 10 | 13 | 23 |
| 35-49 | 1729 | 6.9 | 15 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| 50-64 | 2636 | 7.6 | 20 | 3 | 3 | 7 | 9 | 12 | 15 | 23 |
| 65+ | 2177 | 8.2 | 30 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 3.1 | 3 | 2 | 2 | 3 | 3 | 6 | 7 | 7 |
| 20-34 | 106 | 5.9 | 38 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| 35-49 | 143 | 7.5 | 99 | 1 | 2 | 4 | 9 | 18 | 26 | 36 |
| 50-64 | 401 | 6.8 | 59 | 1 | 2 | 4 | 8 | 15 | 21 | 40 |
| 65+ | 381 | 7.3 | 95 | 2 | 2 | 4 | 8 | 17 | 26 | 48 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 882 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| 20-34 | 3458 | 7.4 | 33 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 35-49 | 6725 | 8.5 | 35 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| 50-64 | 15067 | 9.3 | 44 | 3 | 4 | 8 | 11 | 16 | 21 | 35 |
| 65+ | 18156 | 10.6 | 64 | 3 | 4 | 9 | 13 | 19 | 24 | 44 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 74 | 10.2 | 68 | 2 | 3 | 8 | 13 | 20 | 27 | 87 |
| 20-34 | 1008 | 13.3 | 183 | 2 | 3 | 9 | 17 | 28 | 41 | 77 |
| 35-49 | 2020 | 15.4 | 186 | 2 | 4 | 12 | 20 | 32 | 44 | 80 |
| 50-64 | 4897 | 18.6 | 263 | 3 | 4 | 14 | 24 | 43 | 57 | 97 |
| 65+ | 6214 | 21.9 | 302 | 3 | 5 | 17 | 30 | 50 | 67 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 9217 | 7.2 | 21 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| B. *Operated* | 1045 | 6.9 | 75 | 1 | 2 | 4 | 8 | 15 | 22 | 44 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 44288 | 9.5 | 51 | 3 | 4 | 8 | 12 | 17 | 22 | 38 |
| B. *Operated* | 14213 | 19.2 | 271 | 3 | 4 | 14 | 26 | 44 | 59 | 99+ |
| **1. SINGLE DX** | 10262 | 7.2 | 27 | 2 | 3 | 6 | 9 | 12 | 16 | 25 |
| **2. MULTIPLE DX** | 58501 | 11.9 | 121 | 3 | 4 | 9 | 14 | 23 | 34 | 68 |
| **A. NOT OPERATED** | 53505 | 9.1 | 46 | 3 | 3 | 8 | 11 | 16 | 21 | 36 |
| **B. OPERATED** | 15258 | 18.3 | 267 | 2 | 3 | 14 | 25 | 43 | 57 | 99+ |
| TOTAL 0-19 YRS | 2062 | 6.4 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| 20-34 | 6155 | 8.0 | 59 | 2 | 2 | 6 | 9 | 15 | 21 | 41 |
| 35-49 | 10617 | 9.5 | 70 | 2 | 3 | 7 | 11 | 18 | 24 | 46 |
| 50-64 | 23001 | 11.1 | 104 | 3 | 4 | 8 | 13 | 21 | 31 | 61 |
| 65+ | 26928 | 13.0 | 141 | 3 | 4 | 9 | 15 | 27 | 39 | 79 |
| **GRAND TOTAL** | **68763** | **11.2** | **110** | **3** | **3** | **8** | **13** | **22** | **31** | **64** |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 27 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 73 | 3.7 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 20 |
| 35-49 | 10 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 15.0 | 18 | 12 | 12 | 15 | 18 | 18 | 18 | 18 |
| 65+ | 1 | 5.0 |  | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 165 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 11 |
| 20-34 | 825 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 48 | 4.1 | 11 | <1 | <1 | 3 | 6 | 9 | 11 | 13 |
| 50-64 | 3 | 4.7 | 10 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 23 | 4.4 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 95 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 26 | 4.4 | 8 | 1 | 2 | 4 | 5 | 9 | 10 | 14 |
| 50-64 | 8 | 4.4 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 2 | 7.0 |  | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 166 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 1350 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 186 | 5.9 | 11 | 1 | 2 | 6 | 8 | 10 | 11 | 16 |
| 50-64 | 17 | 8.5 | 78 | 1 | 2 | 7 | 10 | 12 | 30 | 40 |
| 65+ | 6 | 8.7 | 39 | <1 | <1 | 9 | 12 | 17 | 18 | 18 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 113 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| B. *Operated* | 1041 | 4.0 | 7 | 1 | 1 | 3 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 154 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 1725 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| **1. SINGLE DX** | 1154 | 4.0 | 7 | 1 | 1 | 3 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1879 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 267 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 2766 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 381 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 2343 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 270 | 5.3 | 11 | 1 | 1 | 5 | 7 | 10 | 11 | 15 |
| 50-64 | 30 | 7.5 | 53 | 1 | 2 | 6 | 9 | 12 | 18 | 40 |
| 65+ | 9 | 7.9 | 26 | <1 | 1 | 7 | 11 | 16 | 18 | 18 |
| **GRAND TOTAL** | **3033** | **4.4** | **9** | **1** | **1** | **4** | **6** | **8** | **9** | **14** |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 574 | 3.6 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 20-34 | 668 | 4.6 | 16 | 1 | 2 | 4 | 6 | 8 | 12 | 20 |
| 35-49 | 494 | 4.9 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| 50-64 | 468 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 65+ | 426 | 6.0 | 33 | 1 | 1 | 4 | 8 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 20-34 | 114 | 6.8 | 62 | 1 | 2 | 5 | 8 | 13 | 15 | 46 |
| 35-49 | 109 | 7.9 | 53 | 2 | 3 | 6 | 10 | 15 | 20 | 46 |
| 50-64 | 156 | 8.2 | 59 | 2 | 3 | 6 | 10 | 16 | 19 | 37 |
| 65+ | 69 | 9.3 | 69 | 3 | 3 | 7 | 11 | 18 | 25 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 786 | 4.2 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 20-34 | 1505 | 5.6 | 30 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 35-49 | 1695 | 6.6 | 36 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| 50-64 | 2391 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 39 |
| 65+ | 4464 | 8.4 | 55 | 2 | 2 | 6 | 10 | 17 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 8.6 | 98 | 1 | 2 | 5 | 9 | 18 | 33 | 50 |
| 20-34 | 298 | 9.7 | 91 | 1 | 2 | 7 | 13 | 20 | 27 | 60 |
| 35-49 | 375 | 10.4 | 88 | 2 | 2 | 8 | 13 | 22 | 28 | 49 |
| 50-64 | 561 | 12.8 | 134 | 3 | 4 | 9 | 16 | 27 | 34 | 75 |
| 65+ | 549 | 17.9 | 229 | 4 | 5 | 13 | 24 | 41 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2630 | 4.7 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 506 | 7.7 | 56 | 1 | 2 | 6 | 9 | 15 | 19 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10841 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| B. *Operated* | 1858 | 13.1 | 155 | 2 | 3 | 9 | 17 | 29 | 40 | 79 |
| **1. SINGLE DX** | 3136 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | 12699 | 8.0 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 44 |
| **A. NOT OPERATED** | 13471 | 6.7 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| **B. OPERATED** | 2364 | 12.0 | 139 | 2 | 3 | 8 | 15 | 26 | 37 | 74 |
| TOTAL 0-19 YRS | 1493 | 4.3 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 31 |
| 20-34 | 2585 | 5.9 | 37 | 1 | 1 | 4 | 7 | 12 | 16 | 32 |
| 35-49 | 2673 | 6.9 | 43 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 50-64 | 3576 | 7.8 | 62 | 1 | 2 | 5 | 9 | 16 | 22 | 42 |
| 65+ | 5508 | 9.1 | 79 | 2 | 2 | 7 | 11 | 19 | 26 | 47 |
| **GRAND TOTAL** | **15835** | **7.5** | **60** | **1** | **2** | **5** | **9** | **15** | **22** | **41** |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 13 | 30 |
| 20-34 | 14 | 4.7 | 14 | <1 | 1 | 3 | 8 | 10 | 12 | 13 |
| 35-49 | 18 | 8.8 | 52 | 2 | 2 | 7 | 11 | 20 | 26 | 28 |
| 50-64 | 22 | 9.0 | 41 | 2 | 3 | 8 | 10 | 16 | 23 | 31 |
| 65+ | 69 | 8.6 | 60 | 2 | 2 | 7 | 10 | 16 | 19 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 12 | 5.0 | 14 | <1 | 1 | 4 | 7 | 11 | 13 | 13 |
| 35-49 | 7 | 10.6 | 141 | <1 | <1 | 2 | 22 | 26 | 27 | 27 |
| 50-64 | 10 | 11.1 | 68 | 2 | 3 | 9 | 14 | 24 | 28 | 28 |
| 65+ | 16 | 7.9 | 91 | <1 | 1 | 6 | 9 | 10 | 32 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 8.7 | 63 | 2 | 2 | 6 | 10 | 19 | 23 | 38 |
| 20-34 | 104 | 9.8 | 84 | 2 | 3 | 7 | 12 | 20 | 28 | 84 |
| 35-49 | 141 | 10.3 | 96 | 2 | 3 | 7 | 13 | 21 | 26 | 45 |
| 50-64 | 337 | 11.9 | 114 | 2 | 3 | 9 | 15 | 24 | 32 | 87 |
| 65+ | 1605 | 13.2 | 130 | 3 | 4 | 10 | 16 | 26 | 35 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 13.9 | 137 | 4 | 5 | 8 | 18 | 34 | 41 | 43 |
| 20-34 | 59 | 13.7 | 183 | 4 | 5 | 8 | 18 | 43 | 56 | 99+ |
| 35-49 | 87 | 14.1 | 124 | 4 | 5 | 10 | 19 | 33 | 38 | 82 |
| 50-64 | 129 | 20.1 | 253 | 4 | 6 | 18 | 27 | 42 | 75 | 99+ |
| 65+ | 323 | 22.5 | 321 | 4 | 7 | 18 | 29 | 52 | 76 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 7.5 | 44 | 2 | 2 | 5 | 9 | 14 | 18 | 31 |
| B. *Operated* | 54 | 7.5 | 65 | <1 | 1 | 5 | 9 | 19 | 26 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2341 | 12.4 | 121 | 3 | 4 | 9 | 15 | 24 | 33 | 74 |
| B. *Operated* | 619 | 19.7 | 272 | 4 | 6 | 15 | 26 | 45 | 66 | 99+ |
| **1. SINGLE DX** | 235 | 7.5 | 48 | 1 | 2 | 6 | 9 | 15 | 21 | 33 |
| **2. MULTIPLE DX** | 2960 | 13.9 | 161 | 3 | 4 | 10 | 17 | 29 | 41 | 97 |
| **A. NOT OPERATED** | 2522 | 12.0 | 117 | 3 | 4 | 9 | 15 | 23 | 31 | 71 |
| **B. OPERATED** | 673 | 18.7 | 266 | 3 | 4 | 14 | 26 | 43 | 64 | 99+ |
| TOTAL 0-19 YRS | 242 | 8.3 | 62 | 2 | 2 | 6 | 10 | 18 | 24 | 39 |
| 20-34 | 189 | 10.3 | 112 | 2 | 3 | 7 | 12 | 22 | 41 | 99+ |
| 35-49 | 253 | 11.5 | 106 | 2 | 3 | 8 | 15 | 25 | 33 | 53 |
| 50-64 | 498 | 13.9 | 159 | 2 | 3 | 10 | 18 | 30 | 40 | 99+ |
| 65+ | 2013 | 14.5 | 171 | 3 | 4 | 11 | 18 | 29 | 42 | 95 |
| **GRAND TOTAL** | **3195** | **13.4** | **156** | **3** | **4** | **10** | **17** | **28** | **39** | **94** |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 298 | 11.2 | 38 | 2 | 3 | 10 | 14 | 18 | 21 | 36 |
| 20-34 | 61 | 10.9 | 24 | 4 | 4 | 11 | 14 | 17 | 20 | 21 |
| 35-49 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 20.8 | 87 | 13 | 13 | 15 | 31 | 31 | 31 | 31 |
| 20-34 | 7 | 3.0 | 13 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 35-49 | 9 | 4.0 | 4 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 450 | 11.2 | 62 | 2 | 3 | 10 | 14 | 20 | 25 | 37 |
| 20-34 | 160 | 11.4 | 57 | 2 | 3 | 10 | 15 | 19 | 24 | 43 |
| 35-49 | 11 | 9.6 | 46 | 3 | 4 | 9 | 10 | 19 | 27 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 17.5 | 250 | 2 | 3 | 13 | 26 | 36 | 69 | 99+ |
| 20-34 | 26 | 12.6 | 157 | 1 | 2 | 9 | 17 | 28 | 36 | 54 |
| 35-49 | 14 | 4.8 | 46 | <1 | 1 | 2 | 5 | 19 | 21 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 361 | 11.1 | 36 | 2 | 4 | 11 | 14 | 18 | 21 | 35 |
| B. *Operated* | 21 | 7.7 | 80 | 1 | 1 | 4 | 11 | 21 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 621 | 11.2 | 60 | 2 | 3 | 10 | 14 | 19 | 25 | 39 |
| B. *Operated* | 77 | 13.6 | 200 | 1 | 1 | 10 | 22 | 30 | 42 | 96 |
| **1. SINGLE DX** | 382 | 10.9 | 39 | 2 | 3 | 10 | 14 | 18 | 21 | 35 |
| **2. MULTIPLE DX** | 698 | 11.5 | 76 | 2 | 3 | 10 | 14 | 21 | 27 | 46 |
| **A. NOT OPERATED** | 982 | 11.2 | 51 | 2 | 3 | 10 | 14 | 19 | 22 | 37 |
| **B. OPERATED** | 98 | 12.3 | 179 | 1 | 1 | 7 | 18 | 30 | 36 | 92 |
| TOTAL 0-19 YRS | 790 | 11.5 | 64 | 2 | 3 | 10 | 14 | 20 | 26 | 38 |
| 20-34 | 254 | 11.2 | 59 | 2 | 3 | 10 | 15 | 19 | 23 | 43 |
| 35-49 | 36 | 6.1 | 38 | 1 | 1 | 4 | 8 | 13 | 21 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1080** | **11.3** | **63** | **2** | **3** | **10** | **14** | **20** | **25** | **39** |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 8.9 | 266 | 1 | 2 | 4 | 6 | 19 | 54 | 83 |
| 20-34 | 72 | 4.4 | 18 | 1 | 1 | 3 | 6 | 11 | 12 | 82 |
| 35-49 | 65 | 6.1 | 80 | 1 | 1 | 3 | 7 | 11 | 18 | 58 |
| 50-64 | 21 | 5.6 | 29 | 1 | 2 | 4 | 6 | 10 | 18 | 26 |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 8.6 | 21 | 5 | 6 | 8 | 9 | 11 | 14 | 35 |
| 20-34 | 1281 | 8.4 | 12 | 5 | 6 | 8 | 10 | 12 | 13 | 18 |
| 35-49 | 819 | 8.8 | 14 | 5 | 6 | 8 | 10 | 12 | 14 | 23 |
| 50-64 | 125 | 9.3 | 15 | 5 | 6 | 8 | 10 | 15 | 17 | 24 |
| 65+ | 3 | 8.0 | 9 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 14 | 51 |
| 20-34 | 301 | 5.3 | 41 | 1 | 1 | 3 | 6 | 10 | 16 | 46 |
| 35-49 | 385 | 6.5 | 36 | 1 | 2 | 5 | 8 | 13 | 19 | 34 |
| 50-64 | 357 | 8.1 | 43 | 2 | 2 | 6 | 10 | 16 | 22 | 34 |
| 65+ | 157 | 9.0 | 39 | 2 | 3 | 7 | 11 | 17 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 10.7 | 91 | 5 | 6 | 8 | 10 | 16 | 30 | 63 |
| 20-34 | 1803 | 9.6 | 55 | 5 | 5 | 8 | 10 | 14 | 18 | 45 |
| 35-49 | 1995 | 10.1 | 48 | 5 | 5 | 9 | 11 | 15 | 20 | 49 |
| 50-64 | 544 | 10.7 | 59 | 4 | 5 | 9 | 11 | 18 | 24 | 41 |
| 65+ | 44 | 11.9 | 179 | 2 | 2 | 8 | 15 | 24 | 38 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 237 | 6.4 | 119 | 1 | 1 | 4 | 6 | 11 | 22 | 80 |
| B. *Operated* | 2305 | 8.6 | 13 | 5 | 6 | 8 | 10 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1314 | 6.8 | 39 | 1 | 2 | 5 | 8 | 14 | 20 | 35 |
| B. *Operated* | 4462 | 10.0 | 54 | 5 | 5 | 8 | 11 | 15 | 21 | 47 |
| **1. SINGLE DX** | 2542 | 8.4 | 23 | 4 | 5 | 8 | 10 | 12 | 14 | 24 |
| **2. MULTIPLE DX** | 5776 | 9.3 | 53 | 3 | 4 | 8 | 10 | 15 | 20 | 43 |
| **A. NOT OPERATED** | 1551 | 6.8 | 51 | 1 | 2 | 5 | 8 | 14 | 20 | 39 |
| **B. OPERATED** | 6767 | 9.5 | 41 | 5 | 5 | 8 | 10 | 14 | 18 | 40 |
| TOTAL 0-19 YRS | 344 | 8.0 | 93 | 2 | 2 | 6 | 9 | 11 | 21 | 72 |
| 20-34 | 3457 | 8.7 | 39 | 3 | 5 | 8 | 10 | 12 | 16 | 39 |
| 35-49 | 3264 | 9.3 | 40 | 3 | 5 | 8 | 10 | 14 | 19 | 39 |
| 50-64 | 1047 | 9.6 | 49 | 3 | 4 | 8 | 11 | 16 | 23 | 34 |
| 65+ | 206 | 9.5 | 69 | 2 | 3 | 7 | 11 | 18 | 22 | 40 |
| **GRAND TOTAL** | **8318** | **9.0** | **44** | **3** | **4** | **8** | **10** | **14** | **18** | **40** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 390 | 3.8 | 43 | <1 | <1 | 2 | 4 | 7 | 9 | 29 |
| 20-34 | 295 | 4.6 | 29 | <1 | <1 | 3 | 6 | 9 | 14 | 32 |
| 35-49 | 227 | 4.6 | 22 | <1 | <1 | 4 | 6 | 9 | 13 | 25 |
| 50-64 | 238 | 4.4 | 21 | <1 | <1 | 3 | 6 | 9 | 14 | 20 |
| 65+ | 160 | 5.7 | 29 | <1 | 1 | 4 | 7 | 11 | 14 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 5.2 | 43 | <1 | 1 | 3 | 6 | 10 | 17 | 39 |
| 20-34 | 240 | 5.3 | 22 | 1 | 1 | 4 | 6 | 11 | 14 | 23 |
| 35-49 | 272 | 4.6 | 15 | <1 | 1 | 4 | 6 | 9 | 12 | 17 |
| 50-64 | 270 | 4.7 | 27 | <1 | 1 | 3 | 5 | 11 | 15 | 28 |
| 65+ | 148 | 7.7 | 67 | 1 | 1 | 5 | 10 | 16 | 23 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 432 | 5.6 | 45 | <1 | 1 | 4 | 7 | 11 | 16 | 40 |
| 20-34 | 575 | 6.0 | 34 | 1 | 2 | 4 | 7 | 12 | 15 | 30 |
| 35-49 | 757 | 6.9 | 44 | 1 | 2 | 5 | 9 | 13 | 18 | 32 |
| 50-64 | 936 | 8.1 | 43 | 2 | 2 | 6 | 10 | 16 | 20 | 32 |
| 65+ | 1146 | 9.5 | 66 | 2 | 3 | 8 | 12 | 18 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 10.0 | 104 | 1 | 2 | 7 | 12 | 24 | 31 | 75 |
| 20-34 | 423 | 8.8 | 57 | 2 | 3 | 7 | 11 | 15 | 23 | 45 |
| 35-49 | 624 | 8.6 | 48 | 2 | 2 | 7 | 11 | 15 | 20 | 37 |
| 50-64 | 648 | 10.1 | 112 | 1 | 2 | 7 | 12 | 21 | 29 | 58 |
| 65+ | 538 | 13.9 | 142 | 2 | 3 | 10 | 19 | 30 | 38 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1310 | 4.5 | 31 | <1 | <1 | 3 | 5 | 9 | 13 | 28 |
| B. *Operated* | 1065 | 5.3 | 31 | <1 | 1 | 4 | 6 | 11 | 15 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3846 | 7.7 | 51 | 1 | 2 | 6 | 10 | 15 | 20 | 36 |
| B. *Operated* | 2352 | 10.3 | 96 | 2 | 2 | 8 | 13 | 21 | 30 | 58 |
| **1. SINGLE DX** | 2375 | 4.8 | 31 | <1 | <1 | 3 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | 6198 | 8.7 | 70 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| **A. NOT OPERATED** | 5156 | 6.9 | 48 | <1 | 1 | 5 | 9 | 14 | 19 | 34 |
| **B. OPERATED** | 3417 | 8.8 | 81 | 1 | 2 | 6 | 11 | 19 | 26 | 47 |
| TOTAL 0-19 YRS | 1076 | 5.4 | 54 | <1 | 1 | 3 | 6 | 11 | 17 | 41 |
| 20-34 | 1533 | 6.4 | 40 | <1 | 1 | 5 | 8 | 13 | 16 | 33 |
| 35-49 | 1880 | 6.9 | 41 | 1 | 2 | 5 | 9 | 13 | 18 | 32 |
| 50-64 | 2092 | 7.8 | 64 | 1 | 2 | 5 | 10 | 16 | 22 | 42 |
| 65+ | 1992 | 10.3 | 90 | 2 | 2 | 8 | 13 | 21 | 29 | 50 |
| **GRAND TOTAL** | **8573** | **7.6** | **62** | **1** | **1** | **5** | **10** | **16** | **22** | **41** |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 62 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 150 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 10 | 16 |
| 50-64 | 199 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 13 | 25 |
| 65+ | 258 | 5.6 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 3.7 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 20 | 7.1 | 46 | 1 | 2 | 5 | 10 | 13 | 22 | 30 |
| 50-64 | 52 | 5.8 | 41 | 2 | 2 | 3 | 6 | 15 | 18 | 37 |
| 65+ | 46 | 5.5 | 19 | 1 | 2 | 4 | 7 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.3 | 236 | 2 | 2 | 5 | 24 | 30 | 30 | 30 |
| 20-34 | 62 | 5.7 | 31 | 2 | 2 | 4 | 7 | 10 | 14 | 37 |
| 35-49 | 300 | 5.8 | 16 | 2 | 2 | 5 | 7 | 11 | 14 | 20 |
| 50-64 | 724 | 6.7 | 21 | 2 | 3 | 6 | 8 | 12 | 14 | 23 |
| 65+ | 1407 | 8.1 | 41 | 2 | 3 | 7 | 10 | 14 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.6 | 9 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 12 | 7.7 | 39 | 1 | 2 | 6 | 10 | 18 | 21 | 22 |
| 35-49 | 52 | 9.3 | 116 | 1 | 2 | 7 | 10 | 18 | 32 | 64 |
| 50-64 | 138 | 11.5 | 110 | 2 | 3 | 8 | 16 | 24 | 33 | 50 |
| 65+ | 224 | 13.2 | 124 | 2 | 3 | 10 | 17 | 28 | 39 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 675 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| B. *Operated* | 132 | 5.7 | 31 | 1 | 2 | 4 | 7 | 13 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2496 | 7.4 | 33 | 2 | 3 | 6 | 9 | 13 | 18 | 32 |
| B. *Operated* | 431 | 11.9 | 117 | 2 | 3 | 9 | 16 | 24 | 35 | 70 |
| **1. SINGLE DX** | 807 | 5.2 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| **2. MULTIPLE DX** | 2927 | 8.1 | 48 | 2 | 3 | 6 | 10 | 15 | 20 | 39 |
| **A. NOT OPERATED** | 3171 | 6.9 | 30 | 2 | 2 | 6 | 9 | 12 | 18 | 29 |
| **B. OPERATED** | 563 | 10.4 | 104 | 2 | 2 | 8 | 14 | 21 | 32 | 64 |
| TOTAL 0-19 YRS | 15 | 5.1 | 52 | 1 | 1 | 3 | 5 | 8 | 24 | 30 |
| 20-34 | 149 | 4.9 | 20 | 1 | 2 | 4 | 6 | 8 | 12 | 22 |
| 35-49 | 522 | 5.9 | 27 | 2 | 2 | 5 | 7 | 11 | 15 | 24 |
| 50-64 | 1113 | 7.0 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 65+ | 1935 | 8.3 | 51 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| **GRAND TOTAL** | **3734** | **7.4** | **43** | **2** | **2** | **6** | **9** | **14** | **19** | **36** |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 412 | 3.2 | 18 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 20-34 | 194 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 168 | 4.6 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 50-64 | 254 | 5.0 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| 65+ | 666 | 7.1 | 44 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.8 | 9 | 2 | 2 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 2 | 18.0 | 128 | 10 | 10 | 18 | 26 | 26 | 26 | 26 |
| 35-49 | 9 | 11.0 | 190 | 2 | 3 | 6 | 10 | 33 | 47 | 47 |
| 50-64 | 12 | 5.7 | 14 | 1 | 2 | 4 | 8 | 11 | 13 | 13 |
| 65+ | 16 | 17.3 | 81 | 4 | 7 | 19 | 25 | 32 | 76 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2300 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 20-34 | 1514 | 4.6 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 1892 | 6.0 | 25 | 1 | 2 | 5 | 7 | 11 | 15 | 26 |
| 50-64 | 4047 | 7.4 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| 65+ | 15746 | 10.3 | 80 | 3 | 3 | 8 | 13 | 20 | 27 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 8.6 | 69 | 1 | 2 | 6 | 9 | 20 | 25 | 42 |
| 20-34 | 131 | 9.3 | 76 | 1 | 2 | 7 | 12 | 18 | 25 | 46 |
| 35-49 | 220 | 12.8 | 151 | 1 | 2 | 10 | 17 | 26 | 36 | 87 |
| 50-64 | 419 | 15.7 | 197 | 2 | 3 | 11 | 20 | 35 | 44 | 65 |
| 65+ | 1331 | 20.8 | 248 | 4 | 6 | 17 | 27 | 42 | 59 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1694 | 5.2 | 30 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| B. *Operated* | 45 | 11.4 | 97 | 2 | 3 | 9 | 15 | 27 | 35 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25499 | 8.6 | 66 | 2 | 2 | 6 | 11 | 17 | 23 | 44 |
| B. *Operated* | 2179 | 17.9 | 227 | 2 | 4 | 14 | 24 | 37 | 50 | 90 |
| **1. SINGLE DX** | 1739 | 5.4 | 32 | 1 | 1 | 4 | 7 | 10 | 15 | 32 |
| **2. MULTIPLE DX** | 27678 | 9.4 | 85 | 2 | 2 | 7 | 12 | 19 | 26 | 53 |
| **A. NOT OPERATED** | 27193 | 8.4 | 64 | 2 | 2 | 6 | 10 | 17 | 22 | 44 |
| **B. OPERATED** | 2224 | 17.8 | 226 | 2 | 4 | 14 | 23 | 37 | 50 | 91 |
| TOTAL 0-19 YRS | 2796 | 4.1 | 18 | 1 | 1 | 3 | 5 | 7 | 10 | 23 |
| 20-34 | 1841 | 4.9 | 23 | 1 | 1 | 4 | 6 | 9 | 13 | 23 |
| 35-49 | 2289 | 6.5 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 50-64 | 4732 | 8.0 | 63 | 2 | 2 | 6 | 10 | 16 | 21 | 42 |
| 65+ | 17759 | 11.0 | 99 | 2 | 3 | 8 | 13 | 21 | 30 | 62 |
| **GRAND TOTAL** | **29417** | **9.1** | **83** | **2** | **2** | **7** | **11** | **18** | **26** | **51** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 206 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 112 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 203 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 193 | 5.1 | 9 | 1 | 1 | 5 | 7 | 9 | 11 | 14 |
| 65+ | 539 | 5.4 | 12 | 1 | 1 | 5 | 7 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 5.2 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| 20-34 | 35 | 5.5 | 12 | 1 | 1 | 5 | 8 | 10 | 13 | 15 |
| 35-49 | 74 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 16 |
| 50-64 | 78 | 7.6 | 26 | 2 | 2 | 7 | 10 | 13 | 15 | 29 |
| 65+ | 143 | 8.6 | 28 | 2 | 3 | 7 | 11 | 16 | 20 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 386 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 407 | 5.5 | 19 | 1 | 2 | 5 | 7 | 9 | 12 | 24 |
| 35-49 | 814 | 5.9 | 20 | 1 | 2 | 5 | 7 | 11 | 15 | 23 |
| 50-64 | 1308 | 7.0 | 28 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 65+ | 5635 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 7.4 | 80 | 1 | 2 | 4 | 7 | 15 | 20 | 54 |
| 20-34 | 195 | 7.9 | 26 | 2 | 2 | 7 | 10 | 15 | 20 | 25 |
| 35-49 | 544 | 9.3 | 37 | 2 | 3 | 8 | 12 | 16 | 20 | 31 |
| 50-64 | 695 | 10.8 | 53 | 3 | 4 | 9 | 13 | 20 | 25 | 39 |
| 65+ | 2109 | 12.8 | 92 | 4 | 5 | 10 | 15 | 22 | 30 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1253 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| B. *Operated* | 369 | 7.1 | 22 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8550 | 7.5 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 3602 | 11.5 | 75 | 3 | 4 | 9 | 14 | 21 | 27 | 47 |
| **1. SINGLE DX** | 1622 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 12152 | 8.7 | 52 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| **A. NOT OPERATED** | 9803 | 7.2 | 35 | 1 | 2 | 6 | 9 | 14 | 17 | 29 |
| **B. OPERATED** | 3971 | 11.1 | 72 | 3 | 4 | 9 | 14 | 20 | 26 | 46 |
| TOTAL 0-19 YRS | 690 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 20-34 | 749 | 6.0 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 35-49 | 1635 | 6.8 | 27 | 1 | 2 | 6 | 9 | 13 | 17 | 25 |
| 50-64 | 2274 | 8.1 | 37 | 2 | 2 | 7 | 10 | 15 | 20 | 33 |
| 65+ | 8426 | 9.2 | 59 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **GRAND TOTAL** | **13774** | **8.3** | **49** | **2** | **2** | **7** | **10** | **16** | **20** | **35** |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1109 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 1745 | 6.1 | 24 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 35-49 | 334 | 6.4 | 22 | 1 | 2 | 6 | 8 | 11 | 16 | 27 |
| 50-64 | 31 | 5.9 | 33 | 1 | 2 | 5 | 7 | 10 | 13 | 33 |
| 65+ | 8 | 5.3 | 4 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.8 | 28 | 5 | 5 | 8 | 14 | 18 | 20 | 20 |
| 20-34 | 21 | 12.7 | 77 | 1 | 2 | 11 | 17 | 22 | 32 | 40 |
| 35-49 | 8 | 9.0 | 51 | 2 | 2 | 7 | 14 | 20 | 22 | 22 |
| 50-64 | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 65+ | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 953 | 6.5 | 35 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| 20-34 | 1629 | 7.8 | 39 | 2 | 3 | 6 | 10 | 14 | 19 | 35 |
| 35-49 | 440 | 9.4 | 52 | 2 | 3 | 8 | 12 | 17 | 23 | 39 |
| 50-64 | 118 | 10.5 | 88 | 2 | 3 | 7 | 12 | 23 | 29 | 50 |
| 65+ | 20 | 12.1 | 102 | 4 | 5 | 9 | 15 | 23 | 36 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 12.5 | 163 | 2 | 3 | 9 | 15 | 26 | 34 | 77 |
| 20-34 | 181 | 16.0 | 176 | 2 | 3 | 12 | 22 | 34 | 44 | 69 |
| 35-49 | 61 | 17.1 | 164 | 4 | 5 | 16 | 22 | 34 | 40 | 66 |
| 50-64 | 20 | 17.1 | 215 | 1 | 3 | 12 | 27 | 33 | 47 | 60 |
| 65+ | 8 | 15.9 | 125 | 4 | 5 | 11 | 28 | 30 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3227 | 5.6 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | 43 | 10.8 | 55 | 2 | 3 | 9 | 15 | 19 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3160 | 7.8 | 43 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| B. *Operated* | 331 | 15.6 | 172 | 2 | 4 | 12 | 21 | 32 | 43 | 68 |
| **1. SINGLE DX** | 3270 | 5.7 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 3491 | 8.5 | 60 | 2 | 2 | 6 | 10 | 16 | 23 | 41 |
| **A. NOT OPERATED** | 6387 | 6.7 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 374 | 15.1 | 161 | 2 | 3 | 11 | 20 | 32 | 42 | 68 |
| TOTAL 0-19 YRS | 2133 | 5.7 | 28 | 1 | 2 | 5 | 7 | 10 | 14 | 26 |
| 20-34 | 3576 | 7.5 | 44 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| 35-49 | 843 | 8.8 | 55 | 2 | 2 | 7 | 11 | 17 | 22 | 38 |
| 50-64 | 171 | 10.4 | 99 | 2 | 3 | 7 | 12 | 24 | 32 | 55 |
| 65+ | 38 | 11.1 | 91 | 3 | 4 | 7 | 13 | 28 | 30 | 46 |
| **GRAND TOTAL** | **6761** | **7.2** | **43** | **1** | **2** | **6** | **9** | **13** | **18** | **35** |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 812 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| 20-34 | 300 | 3.9 | 15 | <1 | <1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 254 | 4.5 | 17 | <1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 489 | 4.0 | 17 | <1 | <1 | 3 | 5 | 9 | 13 | 20 |
| 65+ | 1792 | 4.2 | 25 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 6.3 | 40 | 1 | 1 | 5 | 7 | 12 | 15 | 25 |
| 20-34 | 95 | 7.3 | 26 | 2 | 2 | 6 | 9 | 14 | 16 | 29 |
| 35-49 | 98 | 8.7 | 54 | 2 | 2 | 6 | 11 | 16 | 26 | 39 |
| 50-64 | 188 | 8.7 | 46 | 2 | 3 | 7 | 11 | 16 | 20 | 39 |
| 65+ | 489 | 9.7 | 60 | 2 | 3 | 8 | 12 | 17 | 23 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 645 | 4.1 | 22 | <1 | <1 | 3 | 5 | 9 | 12 | 25 |
| 20-34 | 669 | 5.6 | 33 | <1 | 1 | 4 | 7 | 11 | 15 | 34 |
| 35-49 | 868 | 6.2 | 30 | 1 | 1 | 5 | 8 | 13 | 17 | 25 |
| 50-64 | 2413 | 6.5 | 39 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |
| 65+ | 9639 | 7.7 | 63 | 1 | 1 | 6 | 10 | 16 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 7.9 | 77 | 1 | 2 | 6 | 9 | 15 | 27 | 88 |
| 20-34 | 326 | 10.2 | 86 | 2 | 3 | 8 | 13 | 20 | 30 | 62 |
| 35-49 | 493 | 11.1 | 82 | 2 | 3 | 9 | 13 | 21 | 27 | 52 |
| 50-64 | 1106 | 12.7 | 101 | 3 | 4 | 10 | 16 | 25 | 32 | 51 |
| 65+ | 3647 | 14.0 | 121 | 3 | 4 | 11 | 18 | 27 | 35 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3647 | 3.7 | 19 | <1 | <1 | 2 | 5 | 9 | 11 | 20 |
| B. *Operated* | 1034 | 8.7 | 52 | 2 | 2 | 7 | 11 | 16 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14234 | 7.1 | 54 | 1 | 1 | 5 | 9 | 15 | 20 | 37 |
| B. *Operated* | 5751 | 13.1 | 113 | 3 | 4 | 10 | 16 | 25 | 34 | 61 |
| **1. SINGLE DX** | 4681 | 4.8 | 30 | <1 | <1 | 3 | 6 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | 19985 | 8.9 | 79 | 1 | 1 | 7 | 12 | 18 | 25 | 47 |
| **A. NOT OPERATED** | 17881 | 6.4 | 49 | <1 | 1 | 4 | 8 | 14 | 19 | 35 |
| **B. OPERATED** | 6785 | 12.4 | 106 | 2 | 3 | 10 | 16 | 24 | 32 | 60 |
| TOTAL 0-19 YRS | 1800 | 3.8 | 25 | <1 | <1 | 2 | 5 | 9 | 12 | 26 |
| 20-34 | 1390 | 6.4 | 46 | <1 | 1 | 5 | 8 | 14 | 18 | 37 |
| 35-49 | 1713 | 7.5 | 51 | 1 | 1 | 6 | 10 | 15 | 20 | 38 |
| 50-64 | 4196 | 7.9 | 62 | 1 | 1 | 6 | 10 | 17 | 22 | 40 |
| 65+ | 15567 | 8.9 | 82 | 1 | 1 | 6 | 12 | 19 | 25 | 48 |
| **GRAND TOTAL** | **24666** | **8.1** | **72** | **1** | **1** | **6** | **11** | **17** | **23** | **44** |

## 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 3.4 | 9 | <1 | <1 | 3 | 4 | 7 | 11 | 15 |
| 20-34 | 41 | 6.6 | 25 | <1 | 1 | 5 | 10 | 15 | 17 | 19 |
| 35-49 | 23 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 16 | 19 |
| 50-64 | 13 | 8.3 | 74 | <1 | 2 | 5 | 9 | 24 | 29 | 30 |
| 65+ | 5 | 9.0 | 85 | <1 | <1 | 9 | 13 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 9 | 11.6 | 58 | 3 | 4 | 9 | 17 | 24 | 26 | 26 |
| 35-49 | 2 | 27.0 | 32 | 23 | 23 | 27 | 31 | 31 | 31 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 20-34 | 109 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 17 | 27 |
| 35-49 | 37 | 6.7 | 28 | 1 | 2 | 5 | 9 | 12 | 18 | 26 |
| 50-64 | 24 | 7.8 | 50 | 1 | 1 | 6 | 9 | 22 | 25 | 26 |
| 65+ | 14 | 9.1 | 49 | 2 | 3 | 8 | 11 | 20 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 9.8 | 52 | 1 | 2 | 8 | 13 | 21 | 23 | 23 |
| 20-34 | 23 | 13.8 | 128 | 3 | 4 | 10 | 20 | 32 | 37 | 38 |
| 35-49 | 11 | 19.0 | 426 | 3 | 5 | 9 | 26 | 49 | 72 | 74 |
| 50-64 | 4 | 15.8 | 119 | 2 | 2 | 18 | 24 | 25 | 25 | 25 |
| 65+ | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 5.0 | 25 | <1 | 1 | 4 | 6 | 12 | 16 | 24 |
| B. *Operated* | 14 | 14.2 | 96 | 3 | 5 | 10 | 23 | 29 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 337 | 5.5 | 28 | 1 | 1 | 4 | 7 | 12 | 16 | 26 |
| B. *Operated* | 58 | 13.5 | 158 | 2 | 3 | 9 | 20 | 29 | 34 | 71 |
| **1. SINGLE DX** | 170 | 5.8 | 37 | <1 | 1 | 4 | 7 | 14 | 19 | 30 |
| **2. MULTIPLE DX** | 395 | 6.7 | 54 | 1 | 1 | 4 | 8 | 14 | 22 | 34 |
| **A. NOT OPERATED** | 493 | 5.4 | 27 | 1 | 1 | 4 | 7 | 12 | 16 | 26 |
| **B. OPERATED** | 72 | 13.6 | 144 | 3 | 3 | 9 | 20 | 29 | 32 | 66 |
| TOTAL 0-19 YRS | 247 | 4.3 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 20-34 | 182 | 7.6 | 47 | 1 | 2 | 5 | 10 | 16 | 22 | 34 |
| 35-49 | 73 | 8.5 | 112 | 1 | 2 | 6 | 9 | 21 | 27 | 64 |
| 50-64 | 41 | 8.8 | 65 | 1 | 2 | 6 | 11 | 24 | 25 | 30 |
| 65+ | 22 | 9.9 | 65 | 1 | 2 | 8 | 11 | 24 | 27 | 29 |
| **GRAND TOTAL** | **565** | **6.4** | **49** | **1** | **1** | **4** | **8** | **14** | **22** | **31** |

## 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 766 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 211 | 4.6 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 35-49 | 279 | 3.1 | 13 | <1 | <1 | 1 | 4 | 8 | 11 | 17 |
| 50-64 | 213 | 4.6 | 18 | <1 | <1 | 3 | 6 | 10 | 12 | 19 |
| 65+ | 337 | 5.3 | 31 | <1 | <1 | 3 | 7 | 12 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 440 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 20-34 | 322 | 7.8 | 23 | 2 | 3 | 7 | 9 | 14 | 18 | 24 |
| 35-49 | 180 | 8.1 | 32 | 2 | 3 | 7 | 10 | 15 | 18 | 31 |
| 50-64 | 256 | 9.2 | 63 | 2 | 3 | 7 | 11 | 18 | 24 | 40 |
| 65+ | 260 | 9.6 | 48 | 2 | 2 | 8 | 12 | 19 | 23 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 691 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 502 | 5.5 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 35-49 | 631 | 5.8 | 24 | <1 | <1 | 4 | 8 | 12 | 15 | 25 |
| 50-64 | 1251 | 7.1 | 41 | 1 | 1 | 6 | 9 | 14 | 19 | 30 |
| 65+ | 2153 | 8.6 | 70 | 1 | 2 | 6 | 11 | 18 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 8.2 | 71 | 2 | 2 | 7 | 9 | 15 | 20 | 46 |
| 20-34 | 432 | 10.6 | 107 | 2 | 3 | 8 | 13 | 20 | 30 | 58 |
| 35-49 | 447 | 11.7 | 103 | 2 | 3 | 9 | 15 | 24 | 32 | 50 |
| 50-64 | 945 | 12.2 | 104 | 2 | 3 | 10 | 15 | 23 | 31 | 57 |
| 65+ | 1487 | 14.8 | 155 | 3 | 4 | 11 | 18 | 30 | 41 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1806 | 4.4 | 18 | <1 | <1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 1458 | 7.9 | 35 | 2 | 2 | 7 | 10 | 14 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5228 | 7.1 | 48 | 1 | 1 | 5 | 9 | 15 | 19 | 36 |
| B. *Operated* | 3584 | 12.7 | 127 | 2 | 3 | 9 | 16 | 26 | 35 | 63 |
| **1. SINGLE DX** | 3264 | 5.9 | 29 | <1 | 1 | 5 | 8 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | 8812 | 9.4 | 88 | 1 | 2 | 7 | 12 | 19 | 27 | 49 |
| **A. NOT OPERATED** | 7034 | 6.4 | 42 | <1 | 1 | 5 | 8 | 13 | 18 | 33 |
| **B. OPERATED** | 5042 | 11.3 | 105 | 2 | 3 | 8 | 14 | 22 | 31 | 57 |
| TOTAL 0-19 YRS | 2170 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 1467 | 7.4 | 51 | 1 | 2 | 6 | 9 | 15 | 19 | 39 |
| 35-49 | 1537 | 7.3 | 56 | <1 | <1 | 6 | 9 | 15 | 21 | 37 |
| 50-64 | 2665 | 8.9 | 70 | 1 | 2 | 7 | 11 | 18 | 24 | 43 |
| 65+ | 4237 | 10.5 | 106 | 1 | 2 | 8 | 13 | 22 | 31 | 53 |
| **GRAND TOTAL** | **12076** | **8.4** | **74** | **1** | **2** | **6** | **10** | **17** | **24** | **44** |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3340 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 743 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 102 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 28 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 65+ | 10 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1617 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 536 | 4.6 | 21 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 72 | 5.1 | 9 | 2 | 3 | 4 | 6 | 7 | 10 | 20 |
| 50-64 | 17 | 5.2 | 7 | 2 | 3 | 4 | 6 | 10 | 11 | 11 |
| 65+ | 4 | 7.0 | 29 | 1 | 1 | 7 | 11 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1604 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 315 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 35-49 | 54 | 4.4 | 9 | 2 | 2 | 4 | 5 | 6 | 11 | 18 |
| 50-64 | 33 | 4.8 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 11 |
| 65+ | 27 | 6.0 | 16 | 1 | 2 | 6 | 8 | 11 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 597 | 5.2 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 317 | 6.1 | 16 | 2 | 3 | 5 | 7 | 10 | 13 | 23 |
| 35-49 | 42 | 7.0 | 10 | 3 | 4 | 6 | 9 | 12 | 13 | 13 |
| 50-64 | 15 | 8.5 | 34 | 3 | 3 | 7 | 9 | 18 | 23 | 25 |
| 65+ | 8 | 13.8 | 399 | 4 | 4 | 5 | 12 | 48 | 62 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4223 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 2246 | 4.2 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2033 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 979 | 5.7 | 16 | 2 | 3 | 5 | 6 | 9 | 12 | 22 |
| **1. SINGLE DX** | 6469 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 3012 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 6256 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| **B. OPERATED** | 3225 | 4.7 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 7158 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 1911 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 270 | 4.3 | 9 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 50-64 | 93 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 65+ | 49 | 6.8 | 80 | 1 | 2 | 5 | 8 | 12 | 16 | 62 |
| **GRAND TOTAL** | **9481** | **3.3** | **7** | **1** | **1** | **3** | **4** | **6** | **7** | **12** |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 627 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 95 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 40 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 16 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 17 | 4.8 | 7 | <1 | 1 | 5 | 6 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 552 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 20-34 | 446 | 3.4 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 35-49 | 203 | 4.0 | 20 | <1 | 1 | 3 | 4 | 8 | 12 | 24 |
| 50-64 | 137 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 65+ | 66 | 4.5 | 30 | 1 | 1 | 3 | 5 | 10 | 13 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 4.5 | 8 | 1 | 2 | 4 | 6 | 7 | 10 | 14 |
| 20-34 | 87 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 50 | 6.2 | 16 | 1 | 2 | 6 | 8 | 10 | 12 | 24 |
| 50-64 | 41 | 6.8 | 49 | 2 | 2 | 5 | 7 | 14 | 17 | 42 |
| 65+ | 39 | 6.7 | 28 | 1 | 1 | 5 | 9 | 14 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 4.8 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 20-34 | 184 | 6.2 | 45 | 1 | 2 | 4 | 8 | 12 | 16 | 36 |
| 35-49 | 136 | 5.4 | 28 | 1 | 2 | 4 | 6 | 11 | 15 | 26 |
| 50-64 | 149 | 6.6 | 38 | 2 | 2 | 4 | 9 | 14 | 20 | 33 |
| 65+ | 104 | 7.8 | 43 | 1 | 2 | 6 | 9 | 17 | 20 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 795 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| B. *Operated* | 1404 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 631 | 4.9 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 866 | 5.8 | 34 | 1 | 2 | 4 | 8 | 12 | 16 | 29 |
| **1. SINGLE DX** | 2199 | 3.9 | 11 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 1497 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| **A. NOT OPERATED** | 1426 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 2270 | 4.4 | 22 | <1 | 1 | 3 | 5 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 1886 | 4.2 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 20-34 | 812 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 429 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 50-64 | 343 | 5.3 | 28 | 1 | 2 | 3 | 6 | 10 | 15 | 29 |
| 65+ | 226 | 6.4 | 36 | 1 | 2 | 5 | 9 | 13 | 19 | 30 |
| **GRAND TOTAL** | **3696** | **4.5** | **17** | **1** | **1** | **3** | **6** | **9** | **12** | **20** |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 7.9 | 79 | 1 | 1 | 5 | 11 | 20 | 22 | 43 |
| 20-34 | 145 | 10.7 | 125 | 1 | 1 | 7 | 16 | 26 | 38 | 99+ |
| 35-49 | 44 | 9.6 | 64 | 2 | 3 | 7 | 12 | 23 | 26 | 35 |
| 50-64 | 57 | 9.5 | 123 | <1 | 1 | 6 | 10 | 25 | 35 | 51 |
| 65+ | 80 | 13.7 | 230 | 1 | 2 | 10 | 18 | 30 | 50 | 97 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 14.0 | 193 | 1 | 1 | 14 | 26 | 26 | 26 | 26 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 10.6 | 186 | <1 | 1 | 7 | 11 | 28 | 43 | 72 |
| 20-34 | 149 | 12.1 | 154 | 1 | 2 | 9 | 15 | 28 | 39 | 65 |
| 35-49 | 96 | 11.1 | 134 | 1 | 2 | 7 | 15 | 27 | 36 | 54 |
| 50-64 | 189 | 13.9 | 157 | 2 | 4 | 10 | 17 | 29 | 43 | 80 |
| 65+ | 401 | 11.7 | 128 | 2 | 3 | 9 | 15 | 23 | 32 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 24.2 | 252 | 2 | 4 | 25 | 38 | 45 | 49 | 50 |
| 35-49 | 11 | 28.1 | 391 | 6 | 6 | 27 | 45 | 57 | 63 | 64 |
| 50-64 | 15 | 18.6 | 219 | 6 | 6 | 13 | 31 | 36 | 49 | 54 |
| 65+ | 45 | 15.0 | 104 | 5 | 6 | 12 | 19 | 29 | 35 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 357 | 10.8 | 138 | 1 | 1 | 7 | 15 | 25 | 36 | 89 |
| B. *Operated* | 6 | 12.5 | 129 | 1 | 1 | 9 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 894 | 12.1 | 143 | 2 | 2 | 9 | 16 | 26 | 38 | 68 |
| B. *Operated* | 84 | 18.8 | 200 | 5 | 6 | 13 | 27 | 40 | 50 | 61 |
| **1. SINGLE DX** | 363 | 10.8 | 138 | 1 | 1 | 7 | 15 | 26 | 35 | 87 |
| **2. MULTIPLE DX** | 978 | 12.7 | 151 | 2 | 2 | 9 | 16 | 28 | 40 | 65 |
| **A. NOT OPERATED** | 1251 | 11.7 | 142 | 1 | 2 | 8 | 15 | 26 | 37 | 71 |
| **B. OPERATED** | 90 | 18.4 | 196 | 4 | 6 | 13 | 27 | 39 | 50 | 60 |
| TOTAL 0-19 YRS | 90 | 9.7 | 149 | 1 | 1 | 6 | 11 | 23 | 40 | 64 |
| 20-34 | 308 | 12.0 | 150 | 1 | 2 | 8 | 16 | 28 | 41 | 71 |
| 35-49 | 151 | 11.9 | 151 | 2 | 2 | 7 | 16 | 28 | 36 | 54 |
| 50-64 | 265 | 13.2 | 156 | 2 | 3 | 9 | 17 | 30 | 41 | 72 |
| 65+ | 527 | 12.3 | 142 | 2 | 3 | 9 | 16 | 25 | 35 | 72 |
| **GRAND TOTAL** | **1341** | **12.2** | **148** | **1** | **2** | **8** | **16** | **27** | **39** | **69** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 627 | 3.0 | 28 | 1 | 1 | 2 | 3 | 5 | 7 | 29 |
| 20-34 | 534 | 5.1 | 59 | 1 | 1 | 3 | 6 | 10 | 15 | 47 |
| 35-49 | 238 | 6.7 | 59 | 1 | 1 | 4 | 8 | 15 | 25 | 39 |
| 50-64 | 410 | 10.8 | 128 | 1 | 2 | 7 | 15 | 24 | 33 | 70 |
| 65+ | 2352 | 12.5 | 167 | 2 | 3 | 8 | 16 | 27 | 40 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.3 | 22 | <1 | <1 | 3 | 4 | 12 | 16 | 17 |
| 20-34 | 12 | 4.6 | 12 | 1 | 1 | 4 | 6 | 10 | 13 | 13 |
| 35-49 | 9 | 6.6 | 14 | 2 | 3 | 5 | 8 | 13 | 15 | 15 |
| 50-64 | 34 | 9.3 | 83 | 2 | 2 | 6 | 12 | 22 | 33 | 38 |
| 65+ | 58 | 11.9 | 102 | 2 | 3 | 9 | 15 | 26 | 37 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 601 | 6.1 | 90 | 1 | 1 | 3 | 6 | 14 | 23 | 74 |
| 20-34 | 1049 | 8.7 | 103 | 1 | 2 | 5 | 10 | 20 | 31 | 60 |
| 35-49 | 740 | 10.1 | 82 | 2 | 3 | 7 | 13 | 23 | 29 | 45 |
| 50-64 | 1467 | 13.2 | 170 | 2 | 3 | 9 | 17 | 30 | 42 | 84 |
| 65+ | 12305 | 13.4 | 158 | 3 | 3 | 10 | 17 | 28 | 42 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 15.4 | 417 | 1 | 1 | 8 | 20 | 64 | 79 | 99+ |
| 20-34 | 72 | 14.8 | 349 | 1 | 2 | 8 | 21 | 43 | 78 | 99+ |
| 35-49 | 55 | 14.0 | 86 | 2 | 5 | 13 | 22 | 33 | 99+ | 99+ |
| 50-64 | 160 | 17.8 | 230 | 3 | 5 | 14 | 23 | 38 | 66 | 99+ |
| 65+ | 1049 | 22.8 | 290 | 4 | 7 | 19 | 34 | 56 | 93 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4161 | 9.6 | 136 | 1 | 1 | 6 | 12 | 22 | 34 | 75 |
| B. *Operated* | 125 | 9.4 | 81 | 1 | 2 | 6 | 12 | 22 | 30 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16162 | 12.7 | 153 | 2 | 3 | 9 | 16 | 27 | 40 | 99+ |
| B. *Operated* | 1363 | 21.3 | 288 | 4 | 5 | 17 | 31 | 55 | 89 | 99+ |
| **1. SINGLE DX** | 4286 | 9.6 | 135 | 1 | 1 | 6 | 12 | 22 | 34 | 74 |
| **2. MULTIPLE DX** | 17525 | 13.3 | 169 | 2 | 3 | 9 | 17 | 30 | 44 | 99+ |
| **A. NOT OPERATED** | 20323 | 12.0 | 151 | 2 | 2 | 8 | 15 | 27 | 39 | 95 |
| **B. OPERATED** | 1488 | 20.3 | 281 | 3 | 5 | 16 | 30 | 52 | 83 | 99+ |
| TOTAL 0-19 YRS | 1267 | 4.8 | 70 | 1 | 1 | 2 | 4 | 9 | 19 | 60 |
| 20-34 | 1667 | 7.8 | 104 | 1 | 1 | 5 | 9 | 17 | 29 | 65 |
| 35-49 | 1042 | 9.5 | 79 | 1 | 2 | 7 | 12 | 22 | 29 | 48 |
| 50-64 | 2071 | 13.0 | 168 | 2 | 3 | 9 | 17 | 29 | 42 | 97 |
| 65+ | 15764 | 13.9 | 174 | 2 | 3 | 10 | 17 | 31 | 45 | 99+ |
| **GRAND TOTAL** | **21811** | **12.6** | **164** | **2** | **2** | **9** | **16** | **28** | **42** | **99+** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 28.0 | 288 | 16 | 16 | 28 | 40 | 40 | 40 | 40 |
| 50-64 | 13 | 11.6 | 92 | 2 | 3 | 7 | 15 | 27 | 33 | 35 |
| 65+ | 97 | 13.0 | 147 | 3 | 4 | 10 | 15 | 26 | 40 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 14.3 | 30 | 7 | 7 | 15 | 18 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 4 | 20.5 | 111 | 10 | 10 | 18 | 27 | 35 | 35 | 35 |
| 50-64 | 45 | 16.2 | 219 | 3 | 5 | 10 | 21 | 47 | 74 | 99+ |
| 65+ | 667 | 15.1 | 204 | 3 | 4 | 11 | 17 | 34 | 47 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 19.3 | 144 | 5 | 5 | 19 | 28 | 33 | 33 | 33 |
| 65+ | 56 | 25.4 | 395 | 4 | 5 | 22 | 29 | 66 | 76 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 13.1 | 144 | 2 | 4 | 9 | 15 | 27 | 39 | 63 |
| B. *Operated* | 4 | 14.3 | 30 | 7 | 7 | 15 | 18 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 717 | 15.1 | 204 | 3 | 4 | 11 | 18 | 35 | 48 | 99+ |
| B. *Operated* | 60 | 25.0 | 378 | 4 | 5 | 22 | 29 | 65 | 76 | 98 |
| **1. SINGLE DX** | 117 | 13.1 | 139 | 3 | 4 | 10 | 15 | 26 | 38 | 62 |
| **2. MULTIPLE DX** | 777 | 15.9 | 224 | 3 | 4 | 11 | 19 | 36 | 54 | 99+ |
| **A. NOT OPERATED** | 830 | 14.9 | 196 | 3 | 4 | 11 | 17 | 34 | 47 | 99+ |
| **B. OPERATED** | 64 | 24.3 | 362 | 4 | 5 | 20 | 29 | 63 | 75 | 98 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 6 | 23.0 | 139 | 10 | 11 | 18 | 35 | 39 | 40 | 40 |
| 50-64 | 62 | 15.4 | 188 | 3 | 5 | 10 | 20 | 36 | 61 | 99+ |
| 65+ | 824 | 15.5 | 216 | 3 | 4 | 11 | 18 | 35 | 49 | 98 |
| **GRAND TOTAL** | **894** | **15.5** | **214** | **3** | **4** | **11** | **18** | **35** | **49** | **99+** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.6 | 74 | <1 | <1 | 2 | 3 | 13 | 28 | 36 |
| 20-34 | 549 | 4.8 | 27 | 1 | 1 | 5 | 5 | 7 | 10 | 25 |
| 35-49 | 940 | 5.0 | 20 | 1 | 2 | 5 | 5 | 8 | 11 | 26 |
| 50-64 | 526 | 5.9 | 27 | 1 | 2 | 5 | 6 | 10 | 15 | 31 |
| 65+ | 176 | 8.1 | 62 | 1 | 2 | 5 | 9 | 20 | 27 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 8.3 | 12 | 5 | 5 | 8 | 11 | 12 | 12 | 12 |
| 35-49 | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 50-64 | 3 | 21.7 | 254 | 4 | 4 | 26 | 33 | 35 | 35 | 35 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 7.5 | 67 | 1 | 1 | 5 | 8 | 23 | 28 | 36 |
| 20-34 | 1593 | 6.6 | 38 | 1 | 2 | 5 | 7 | 12 | 21 | 32 |
| 35-49 | 3096 | 7.0 | 43 | 2 | 2 | 5 | 8 | 13 | 21 | 32 |
| 50-64 | 2674 | 8.5 | 65 | 2 | 2 | 6 | 10 | 17 | 25 | 41 |
| 65+ | 980 | 10.5 | 96 | 2 | 3 | 7 | 13 | 22 | 28 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 47 | 11.4 | 56 | 3 | 4 | 9 | 14 | 25 | 29 | 30 |
| 35-49 | 131 | 13.6 | 156 | 3 | 4 | 10 | 15 | 29 | 48 | 99+ |
| 50-64 | 137 | 18.1 | 217 | 4 | 5 | 13 | 22 | 37 | 54 | 81 |
| 65+ | 87 | 25.0 | 424 | 5 | 6 | 19 | 39 | 57 | 93 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2209 | 5.4 | 28 | 1 | 2 | 5 | 5 | 9 | 14 | 29 |
| B. *Operated* | 9 | 12.6 | 117 | 4 | 4 | 8 | 15 | 31 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8400 | 7.8 | 57 | 2 | 2 | 6 | 9 | 16 | 24 | 38 |
| B. *Operated* | 404 | 17.3 | 243 | 3 | 5 | 12 | 22 | 41 | 56 | 99+ |
| **1. SINGLE DX** | 2218 | 5.4 | 28 | 1 | 2 | 5 | 5 | 9 | 14 | 29 |
| **2. MULTIPLE DX** | 8804 | 8.2 | 69 | 2 | 2 | 6 | 9 | 17 | 25 | 44 |
| **A. NOT OPERATED** | 10609 | 7.3 | 52 | 2 | 2 | 5 | 8 | 15 | 22 | 36 |
| **B. OPERATED** | 413 | 17.2 | 240 | 3 | 5 | 12 | 22 | 41 | 56 | 99+ |
| TOTAL 0-19 YRS | 77 | 6.7 | 68 | <1 | 1 | 4 | 7 | 20 | 28 | 37 |
| 20-34 | 2192 | 6.3 | 37 | 1 | 2 | 5 | 7 | 11 | 20 | 30 |
| 35-49 | 4169 | 6.8 | 44 | 1 | 2 | 5 | 7 | 13 | 21 | 34 |
| 50-64 | 3340 | 8.5 | 71 | 2 | 2 | 6 | 10 | 18 | 26 | 44 |
| 65+ | 1244 | 11.2 | 129 | 2 | 3 | 7 | 14 | 25 | 33 | 86 |
| **GRAND TOTAL** | **11022** | **7.7** | **62** | **2** | **2** | **5** | **8** | **16** | **24** | **41** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 8.0 | 84 | 1 | 1 | 5 | 10 | 21 | 28 | 43 |
| 20-34 | 218 | 7.3 | 69 | 1 | 1 | 4 | 10 | 18 | 25 | 41 |
| 35-49 | 63 | 5.3 | 31 | 1 | 1 | 3 | 7 | 10 | 17 | 29 |
| 50-64 | 41 | 8.1 | 55 | 1 | 2 | 6 | 9 | 21 | 25 | 29 |
| 65+ | 36 | 8.0 | 64 | <1 | 1 | 6 | 9 | 17 | 30 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 8.8 | 123 | 1 | 1 | 5 | 12 | 19 | 26 | 64 |
| 20-34 | 456 | 8.2 | 78 | 1 | 2 | 5 | 10 | 18 | 25 | 43 |
| 35-49 | 187 | 8.5 | 59 | 1 | 2 | 6 | 11 | 18 | 23 | 38 |
| 50-64 | 217 | 9.3 | 55 | 2 | 3 | 7 | 12 | 19 | 27 | 35 |
| 65+ | 267 | 10.7 | 93 | 2 | 3 | 7 | 13 | 22 | 30 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 20-34 | 19 | 15.2 | 143 | 3 | 4 | 9 | 28 | 38 | 71 | 99+ |
| 35-49 | 8 | 14.1 | 57 | 5 | 6 | 12 | 21 | 25 | 25 | 25 |
| 50-64 | 13 | 17.2 | 455 | 2 | 3 | 7 | 22 | 55 | 56 | 56 |
| 65+ | 19 | 19.0 | 166 | 2 | 4 | 19 | 22 | 41 | 42 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 465 | 7.3 | 66 | 1 | 1 | 5 | 9 | 18 | 26 | 39 |
| B. *Operated* | 3 | 10.0 | 36 | 4 | 4 | 10 | 14 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1240 | 9.1 | 79 | 1 | 2 | 6 | 12 | 19 | 26 | 47 |
| B. *Operated* | 61 | 16.5 | 196 | 3 | 4 | 11 | 23 | 42 | 53 | 95 |
| **1. SINGLE DX** | 468 | 7.4 | 66 | 1 | 1 | 5 | 9 | 18 | 26 | 39 |
| **2. MULTIPLE DX** | 1301 | 9.4 | 87 | 1 | 2 | 6 | 12 | 21 | 27 | 50 |
| **A. NOT OPERATED** | 1705 | 8.6 | 76 | 1 | 2 | 6 | 11 | 19 | 26 | 44 |
| **B. OPERATED** | 64 | 16.2 | 190 | 3 | 4 | 11 | 21 | 42 | 53 | 93 |
| TOTAL 0-19 YRS | 222 | 8.4 | 103 | 1 | 1 | 5 | 11 | 20 | 27 | 52 |
| 20-34 | 694 | 8.1 | 78 | 1 | 1 | 5 | 10 | 18 | 26 | 44 |
| 35-49 | 258 | 7.9 | 55 | 1 | 2 | 5 | 11 | 18 | 23 | 37 |
| 50-64 | 272 | 9.5 | 75 | 2 | 3 | 7 | 11 | 21 | 28 | 43 |
| 65+ | 323 | 10.9 | 98 | 2 | 3 | 7 | 14 | 22 | 33 | 48 |
| **GRAND TOTAL** | **1769** | **8.9** | **82** | **1** | **2** | **6** | **11** | **20** | **27** | **47** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 493 | 20.8 | 351 | 2 | 3 | 16 | 28 | 52 | 66 | 99+ |
| 20-34 | 5266 | 15.6 | 207 | 1 | 2 | 12 | 21 | 33 | 45 | 78 |
| 35-49 | 2472 | 15.2 | 159 | 2 | 3 | 12 | 20 | 30 | 40 | 68 |
| 50-64 | 964 | 16.2 | 172 | 2 | 4 | 13 | 21 | 31 | 41 | 69 |
| 65+ | 189 | 15.4 | 135 | 2 | 3 | 13 | 22 | 32 | 39 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 48.5 | 1 | 48 | 48 | 48 | 49 | 49 | 49 | 49 |
| 20-34 | 8 | 17.1 | 68 | 10 | 10 | 14 | 23 | 30 | 31 | 31 |
| 35-49 | 7 | 22.7 | 18 | 16 | 17 | 23 | 26 | 28 | 28 | 28 |
| 50-64 | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 65+ | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 23.3 | 455 | 2 | 3 | 17 | 33 | 58 | 77 | 99+ |
| 20-34 | 2090 | 17.6 | 232 | 2 | 3 | 14 | 23 | 39 | 49 | 86 |
| 35-49 | 1312 | 15.8 | 150 | 2 | 3 | 13 | 21 | 31 | 39 | 60 |
| 50-64 | 829 | 18.4 | 186 | 3 | 5 | 15 | 24 | 38 | 46 | 70 |
| 65+ | 280 | 19.0 | 182 | 3 | 5 | 16 | 27 | 37 | 48 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 43.3 | 533 | 18 | 19 | 36 | 57 | 79 | 84 | 84 |
| 20-34 | 126 | 23.2 | 255 | 6 | 8 | 19 | 29 | 49 | 63 | 99+ |
| 35-49 | 98 | 26.4 | 389 | 6 | 8 | 22 | 35 | 52 | 80 | 99 |
| 50-64 | 50 | 24.7 | 188 | 6 | 8 | 23 | 34 | 48 | 54 | 99+ |
| 65+ | 19 | 31.0 | 458 | 9 | 13 | 26 | 53 | 95 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9384 | 15.8 | 198 | 2 | 3 | 13 | 21 | 33 | 44 | 77 |
| B. *Operated* | 19 | 24.7 | 143 | 10 | 11 | 23 | 30 | 45 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4734 | 17.6 | 211 | 2 | 4 | 14 | 23 | 37 | 48 | 79 |
| B. *Operated* | 300 | 25.5 | 314 | 6 | 8 | 21 | 34 | 53 | 69 | 99+ |
| **1. SINGLE DX** | 9403 | 15.8 | 198 | 2 | 3 | 13 | 21 | 33 | 44 | 77 |
| **2. MULTIPLE DX** | 5034 | 18.0 | 221 | 2 | 4 | 14 | 24 | 38 | 49 | 84 |
| **A. NOT OPERATED** | 14118 | 16.4 | 203 | 2 | 3 | 13 | 22 | 34 | 46 | 77 |
| **B. OPERATED** | 319 | 25.4 | 303 | 6 | 8 | 21 | 33 | 51 | 67 | 99+ |
| TOTAL 0-19 YRS | 725 | 21.9 | 390 | 2 | 3 | 16 | 30 | 53 | 74 | 99+ |
| 20-34 | 7490 | 16.3 | 216 | 2 | 3 | 13 | 21 | 35 | 47 | 79 |
| 35-49 | 3889 | 15.7 | 165 | 2 | 3 | 13 | 21 | 31 | 41 | 68 |
| 50-64 | 1844 | 17.4 | 182 | 2 | 4 | 14 | 23 | 36 | 44 | 69 |
| 65+ | 489 | 18.1 | 183 | 3 | 5 | 15 | 25 | 35 | 47 | 99+ |
| **GRAND TOTAL** | **14437** | **16.6** | **207** | **2** | **3** | **13** | **22** | **35** | **46** | **79** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 144 | 19.4 | 300 | 2 | 3 | 13 | 27 | 49 | 62 | 99+ |
| 20-34 | 456 | 13.6 | 144 | 1 | 3 | 11 | 18 | 30 | 39 | 70 |
| 35-49 | 104 | 12.5 | 116 | 3 | 3 | 9 | 17 | 28 | 31 | 61 |
| 50-64 | 37 | 14.1 | 60 | 4 | 6 | 14 | 18 | 26 | 31 | 33 |
| 65+ | 11 | 17.2 | 124 | 1 | 4 | 14 | 27 | 32 | 33 | 33 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 61 | 25.2 | 448 | 3 | 5 | 18 | 36 | 51 | 72 | 94 |
| 20-34 | 171 | 16.1 | 139 | 2 | 3 | 14 | 22 | 33 | 42 | 54 |
| 35-49 | 59 | 13.3 | 151 | 3 | 3 | 10 | 17 | 25 | 36 | 72 |
| 50-64 | 27 | 15.4 | 62 | 5 | 5 | 16 | 17 | 26 | 29 | 38 |
| 65+ | 17 | 12.4 | 74 | 1 | 2 | 11 | 17 | 22 | 30 | 34 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 2 | 45.5 | 1 | 45 | 45 | 45 | 46 | 46 | 46 | 46 |
| 20-34 | 7 | 25.6 | 593 | 2 | 3 | 13 | 40 | 63 | 68 | 68 |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 752 | 14.7 | 170 | 2 | 3 | 11 | 19 | 33 | 43 | 73 |
| **B. *Operated*** | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 335 | 17.0 | 202 | 2 | 3 | 14 | 22 | 35 | 45 | 74 |
| **B. *Operated*** | 12 | 25.8 | 441 | 2 | 5 | 16 | 43 | 53 | 66 | 68 |
| **1. SINGLE DX** | 753 | 14.6 | 170 | 2 | 3 | 11 | 19 | 33 | 43 | 73 |
| **2. MULTIPLE DX** | 347. | 17.3 | 212 | 2 | 3 | 14 | 22 | 37 | 46 | 74 |
| **A. NOT OPERATED** | 1087 | 15.4 | 181 | 2 | 3 | 12 | 20 | 33 | 44 | 74 |
| **B. OPERATED** | 13 | 24.3 | 434 | 3 | 5 | 13 | 42 | 50 | 65 | 68 |
| TOTAL 0-19 YRS | 207 | 21.3 | 351 | 2 | 3 | 14 | 33 | 50 | 66 | 96 |
| 20-34 | 635 | 14.4 | 149 | 2 | 3 | 11 | 19 | 31 | 40 | 65 |
| 35-49 | 164 | 12.8 | 127 | 3 | 3 | 9 | 17 | 27 | 32 | 63 |
| 50-64 | 66 | 14.5 | 59 | 4 | 5 | 15 | 18 | 26 | 31 | 37 |
| 65+ | 28 | 14.3 | 96 | 1 | 2 | 12 | 22 | 31 | 33 | 34 |
| **GRAND TOTAL** | **1100** | **15.5** | **185** | **2** | **3** | **12** | **20** | **34** | **44** | **73** |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 1158 | 20.2 | 320 | 2 | 3 | 15 | 29 | 46 | 60 | 98 |
| 20-34 | 8078 | 15.9 | 212 | 1 | 2 | 12 | 21 | 35 | 47 | 78 |
| 35-49 | 3926 | 14.8 | 165 | 2 | 3 | 12 | 20 | 31 | 41 | 64 |
| 50-64 | 1935 | 16.1 | 170 | 2 | 3 | 13 | 22 | 33 | 42 | 68 |
| 65+ | 394 | 16.7 | 189 | 2 | 3 | 14 | 23 | 32 | 49 | 84 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 6 | 27.5 | 309 | <1 | 2 | 27 | 42 | 48 | 49 | 49 |
| 20-34 | 14 | 25.3 | 268 | 6 | 6 | 26 | 30 | 69 | 92 | 99+ |
| 35-49 | 14 | 15.9 | 177 | 4 | 6 | 11 | 23 | 36 | 47 | 50 |
| 50-64 | 8 | 32.0 | 372 | 8 | 8 | 36 | 47 | 55 | 57 | 57 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 558 | 22.0 | 365 | 2 | 3 | 17 | 31 | 52 | 66 | 99+ |
| 20-34 | 4001 | 16.9 | 218 | 2 | 3 | 13 | 23 | 36 | 48 | 79 |
| 35-49 | 2486 | 15.6 | 174 | 2 | 4 | 12 | 21 | 31 | 42 | 70 |
| 50-64 | 1745 | 18.0 | 218 | 3 | 4 | 14 | 23 | 37 | 49 | 78 |
| 65+ | 650 | 18.1 | 210 | 3 | 5 | 14 | 24 | 36 | 49 | 84 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 24 | 37.6 | 491 | 12 | 13 | 34 | 56 | 78 | 90 | 99+ |
| 20-34 | 206 | 26.2 | 303 | 4 | 7 | 24 | 38 | 52 | 73 | 99+ |
| 35-49 | 158 | 26.6 | 326 | 5 | 7 | 22 | 35 | 50 | 70 | 84 |
| 50-64 | 130 | 28.2 | 385 | 5 | 7 | 24 | 37 | 58 | 65 | 87 |
| 65+ | 48 | 26.7 | 390 | 8 | 8 | 17 | 36 | 62 | 75 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 15491 | 16.0 | 204 | 2 | 3 | 12 | 21 | 35 | 46 | 77 |
| **B. *Operated*** | 42 | 23.7 | 279 | 5 | 6 | 20 | 34 | 49 | 61 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 9440 | 17.1 | 217 | 2 | 3 | 13 | 23 | 36 | 49 | 79 |
| **B. *Operated*** | 566 | 27.3 | 346 | 5 | 8 | 24 | 38 | 58 | 71 | 99+ |
| **1. SINGLE DX** | 15533 | 16.0 | 204 | 2 | 3 | 12 | 21 | 35 | 46 | 77 |
| **2. MULTIPLE DX** | 10006 | 17.7 | 230 | 2 | 4 | 14 | 24 | 38 | 50 | 81 |
| **A. NOT OPERATED** | 24931 | 16.4 | 209 | 2 | 3 | 13 | 22 | 35 | 47 | 77 |
| **B. OPERATED** | 608 | 27.0 | 342 | 5 | 7 | 24 | 38 | 57 | 71 | 99+ |
| TOTAL 0-19 YRS | 1746 | 21.0 | 341 | 2 | 3 | 16 | 30 | 49 | 64 | 99+ |
| 20-34 | 12299 | 16.4 | 217 | 1 | 3 | 12 | 22 | 36 | 48 | 79 |
| 35-49 | 6584 | 15.4 | 176 | 2 | 3 | 12 | 20 | 32 | 42 | 68 |
| 50-64 | 3818 | 17.4 | 205 | 2 | 4 | 14 | 23 | 36 | 47 | 76 |
| 65+ | 1092 | 17.9 | 214 | 3 | 4 | 14 | 24 | 36 | 50 | 87 |
| **GRAND TOTAL** | **25539** | **16.7** | **215** | **2** | **3** | **13** | **22** | **36** | **48** | **78** |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 19.3 | 577 | 2 | 3 | 11 | 40 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 21.7 | 604 | 1 | 2 | 12 | 46 | 90 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 19.3 | 577 | 2 | 3 | 11 | 40 | 99+ | 99+ | 99+ |
| B. *Operated* | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 21.7 | 604 | 1 | 2 | 12 | 46 | 90 | 99+ | 99+ |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 42 | 18.8 | 555 | 2 | 3 | 10 | 39 | 98 | 99+ | 99+ |
| **2. MULTIPLE DX** | 41 | 21.3 | 598 | 1 | 2 | 11 | 45 | 89 | 99+ | 99+ |
| **A. NOT OPERATED** | 80 | 20.5 | 584 | 1 | 2 | 11 | 44 | 97 | 99+ | 99+ |
| **B. OPERATED** | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| TOTAL 0-19 YRS | 83 | 20.0 | 571 | 1 | 2 | 10 | 43 | 95 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **83** | **20.0** | **571** | **1** | **2** | **10** | **43** | **95** | **99+** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 17.8 | 291 | 1 | 2 | 13 | 27 | 48 | 57 | 99+ |
| 20-34 | 2846 | 13.9 | 170 | 1 | 2 | 10 | 19 | 30 | 39 | 66 |
| 35-49 | 2676 | 14.8 | 155 | 2 | 3 | 11 | 20 | 31 | 39 | 61 |
| 50-64 | 2565 | 17.3 | 176 | 2 | 4 | 15 | 23 | 35 | 44 | 65 |
| 65+ | 1784 | 20.1 | 203 | 2 | 5 | 17 | 28 | 39 | 49 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.0 | 162 | 4 | 4 | 13 | 22 | 22 | 22 | 22 |
| 20-34 | 11 | 16.9 | 111 | 5 | 6 | 14 | 23 | 33 | 38 | 39 |
| 35-49 | 14 | 32.0 | 556 | 9 | 11 | 30 | 35 | 66 | 90 | 97 |
| 50-64 | 17 | 28.4 | 514 | 4 | 6 | 22 | 39 | 60 | 78 | 87 |
| 65+ | 16 | 33.3 | 439 | 5 | 6 | 32 | 40 | 56 | 79 | 89 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 511 | 17.1 | 329 | 1 | 2 | 11 | 23 | 45 | 63 | 99+ |
| 20-34 | 3454 | 15.1 | 194 | 1 | 3 | 11 | 20 | 33 | 43 | 77 |
| 35-49 | 3438 | 15.8 | 183 | 2 | 3 | 12 | 22 | 32 | 43 | 68 |
| 50-64 | 3377 | 18.2 | 204 | 3 | 4 | 15 | 24 | 37 | 46 | 76 |
| 65+ | 3246 | 21.3 | 269 | 4 | 5 | 17 | 29 | 43 | 56 | 90 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 38.1 | 684 | 6 | 9 | 30 | 64 | 79 | 81 | 81 |
| 20-34 | 214 | 22.5 | 310 | 5 | 6 | 18 | 31 | 49 | 63 | 99+ |
| 35-49 | 296 | 24.2 | 262 | 5 | 8 | 21 | 32 | 45 | 55 | 86 |
| 50-64 | 291 | 26.1 | 260 | 7 | 8 | 22 | 35 | 49 | 62 | 79 |
| 65+ | 286 | 33.1 | 375 | 8 | 11 | 30 | 47 | 66 | 80 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10277 | 16.2 | 183 | 2 | 3 | 13 | 22 | 34 | 44 | 67 |
| B. *Operated* | 60 | 27.9 | 437 | 5 | 6 | 24 | 35 | 55 | 75 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14026 | 17.5 | 222 | 2 | 3 | 14 | 24 | 37 | 48 | 79 |
| B. *Operated* | 1112 | 27.0 | 326 | 6 | 8 | 23 | 36 | 57 | 69 | 99+ |
| **1. SINGLE DX** | 10337 | 16.3 | 185 | 2 | 3 | 13 | 22 | 34 | 44 | 67 |
| **2. MULTIPLE DX** | 15138 | 18.2 | 235 | 2 | 4 | 14 | 25 | 39 | 50 | 81 |
| **A. NOT OPERATED** | 24303 | 17.0 | 206 | 2 | 3 | 13 | 23 | 36 | 46 | 74 |
| **B. OPERATED** | 1172 | 27.0 | 332 | 6 | 8 | 23 | 36 | 57 | 69 | 99+ |
| TOTAL 0-19 YRS | 944 | 18.0 | 332 | 1 | 2 | 12 | 26 | 48 | 63 | 99+ |
| 20-34 | 6525 | 14.8 | 190 | 1 | 2 | 11 | 20 | 32 | 43 | 72 |
| 35-49 | 6424 | 15.8 | 180 | 2 | 3 | 12 | 22 | 33 | 43 | 68 |
| 50-64 | 6250 | 18.2 | 199 | 3 | 4 | 15 | 25 | 36 | 46 | 72 |
| 65+ | 5332 | 21.6 | 261 | 3 | 5 | 18 | 29 | 44 | 56 | 87 |
| **GRAND TOTAL** | **25475** | **17.4** | **216** | **2** | **3** | **14** | **24** | **37** | **48** | **77** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 20.1 | 301 | 3 | 4 | 15 | 27 | 47 | 57 | 91 |
| 20-34 | 3387 | 15.6 | 164 | 2 | 3 | 13 | 21 | 32 | 41 | 63 |
| 35-49 | 2619 | 15.3 | 149 | 2 | 4 | 12 | 20 | 31 | 38 | 60 |
| 50-64 | 1722 | 16.6 | 152 | 2 | 4 | 14 | 22 | 33 | 40 | 60 |
| 65+ | 625 | 19.3 | 199 | 3 | 5 | 16 | 26 | 37 | 47 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 15.4 | 129 | 2 | 3 | 16 | 28 | 81 | 99+ | 99+ |
| 35-49 | 12 | 15.8 | 136 | 5 | 5 | 11 | 21 | 31 | 45 | 47 |
| 50-64 | 12 | 32.8 | 798 | 10 | 10 | 23 | 38 | 87 | 94 | 95 |
| 65+ | 9 | 21.4 | 79 | 10 | 12 | 20 | 24 | 36 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 281 | 21.3 | 304 | 3 | 4 | 17 | 30 | 46 | 62 | 99+ |
| 20-34 | 2034 | 16.8 | 200 | 2 | 3 | 14 | 22 | 35 | 46 | 71 |
| 35-49 | 2021 | 16.1 | 162 | 2 | 4 | 13 | 21 | 32 | 42 | 63 |
| 50-64 | 1687 | 18.4 | 202 | 3 | 5 | 15 | 24 | 36 | 45 | 82 |
| 65+ | 941 | 20.4 | 222 | 4 | 6 | 17 | 26 | 41 | 50 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 31.2 | 407 | 7 | 8 | 25 | 50 | 60 | 64 | 65 |
| 20-34 | 111 | 25.2 | 220 | 7 | 9 | 21 | 35 | 48 | 53 | 67 |
| 35-49 | 149 | 23.5 | 230 | 5 | 8 | 20 | 29 | 45 | 56 | 86 |
| 50-64 | 150 | 27.4 | 325 | 8 | 9 | 22 | 36 | 51 | 60 | 99 |
| 65+ | 96 | 27.5 | 292 | 7 | 10 | 24 | 35 | 59 | 75 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8764 | 16.2 | 168 | 2 | 4 | 13 | 22 | 33 | 41 | 65 |
| B. *Operated* | 40 | 22.1 | 356 | 5 | 9 | 20 | 26 | 46 | 88 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6964 | 17.6 | 199 | 3 | 4 | 14 | 23 | 36 | 46 | 76 |
| B. *Operated* | 520 | 25.9 | 273 | 7 | 9 | 21 | 35 | 49 | 60 | 99 |
| **1. SINGLE DX** | 8804 | 16.2 | 169 | 2 | 4 | 13 | 22 | 33 | 41 | 65 |
| **2. MULTIPLE DX** | 7484 | 18.2 | 209 | 3 | 4 | 15 | 24 | 37 | 48 | 79 |
| **A. NOT OPERATED** | 15728 | 16.8 | 182 | 2 | 4 | 14 | 22 | 34 | 44 | 70 |
| **B. OPERATED** | 560 | 25.7 | 279 | 7 | 9 | 21 | 35 | 49 | 61 | 99+ |
| TOTAL 0-19 YRS | 706 | 20.8 | 306 | 3 | 4 | 16 | 28 | 47 | 59 | 99 |
| 20-34 | 5539 | 16.2 | 180 | 2 | 3 | 13 | 21 | 33 | 44 | 65 |
| 35-49 | 4801 | 15.9 | 159 | 2 | 4 | 13 | 21 | 32 | 41 | 63 |
| 50-64 | 3571 | 18.0 | 190 | 3 | 4 | 15 | 24 | 36 | 44 | 75 |
| 65+ | 1671 | 20.4 | 219 | 4 | 6 | 17 | 27 | 40 | 51 | 81 |
| **GRAND TOTAL** | **16288** | **17.1** | **188** | **2** | **4** | **14** | **23** | **35** | **45** | **71** |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 426 | 14.8 | 225 | 1 | 2 | 11 | 20 | 39 | 49 | 99+ |
| 20-34 | 1861 | 12.0 | 140 | 1 | 2 | 9 | 16 | 26 | 36 | 60 |
| 35-49 | 1042 | 11.4 | 103 | 1 | 2 | 9 | 16 | 24 | 30 | 54 |
| 50-64 | 790 | 13.6 | 144 | 1 | 2 | 11 | 18 | 29 | 37 | 59 |
| 65+ | 638 | 13.5 | 160 | 1 | 2 | 9 | 20 | 30 | 38 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 24.0 | 759 | 7 | 7 | 12 | 40 | 65 | 65 | 65 |
| 20-34 | 6 | 27.5 | 238 | 4 | 5 | 29 | 40 | 44 | 44 | 44 |
| 35-49 | 7 | 14.1 | 117 | 2 | 3 | 10 | 19 | 31 | 34 | 34 |
| 50-64 | 16 | 17.4 | 248 | 3 | 3 | 15 | 34 | 50 | 83 | 99+ |
| 65+ | 21 | 13.1 | 122 | 2 | 3 | 10 | 17 | 33 | 37 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 16.4 | 302 | 1 | 2 | 11 | 22 | 40 | 65 | 99+ |
| 20-34 | 1436 | 13.5 | 158 | 1 | 2 | 10 | 18 | 30 | 40 | 63 |
| 35-49 | 1096 | 13.8 | 144 | 2 | 3 | 10 | 19 | 29 | 39 | 60 |
| 50-64 | 1203 | 13.8 | 141 | 2 | 3 | 11 | 18 | 29 | 38 | 60 |
| 65+ | 2595 | 13.2 | 147 | 2 | 3 | 9 | 17 | 28 | 37 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 16.1 | 107 | 2 | 3 | 16 | 25 | 29 | 30 | 30 |
| 20-34 | 73 | 19.8 | 307 | 4 | 5 | 17 | 28 | 34 | 58 | 91 |
| 35-49 | 60 | 21.0 | 234 | 3 | 4 | 18 | 31 | 44 | 56 | 96 |
| 50-64 | 104 | 18.5 | 216 | 3 | 4 | 14 | 27 | 38 | 49 | 99+ |
| 65+ | 272 | 20.3 | 249 | 4 | 5 | 16 | 27 | 44 | 58 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4757 | 12.6 | 144 | 1 | 2 | 9 | 17 | 28 | 37 | 62 |
| B. *Operated* | 54 | 16.9 | 218 | 3 | 3 | 11 | 23 | 41 | 50 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6657 | 13.6 | 156 | 2 | 3 | 10 | 18 | 29 | 39 | 66 |
| B. *Operated* | 517 | 19.9 | 246 | 3 | 5 | 16 | 27 | 41 | 56 | 99+ |
| **1. SINGLE DX** | 4811 | 12.7 | 145 | 1 | 2 | 9 | 17 | 28 | 37 | 62 |
| **2. MULTIPLE DX** | 7174 | 14.1 | 165 | 2 | 3 | 10 | 18 | 30 | 41 | 69 |
| **A. NOT OPERATED** | 11414 | 13.2 | 151 | 1 | 2 | 10 | 17 | 29 | 38 | 64 |
| **B. OPERATED** | 571 | 19.6 | 244 | 3 | 4 | 16 | 27 | 41 | 55 | 99+ |
| TOTAL 0-19 YRS | 765 | 15.5 | 259 | 1 | 2 | 11 | 21 | 40 | 54 | 99+ |
| 20-34 | 3376 | 12.9 | 153 | 1 | 2 | 9 | 17 | 29 | 38 | 62 |
| 35-49 | 2205 | 12.8 | 130 | 1 | 2 | 9 | 17 | 28 | 37 | 58 |
| 50-64 | 2113 | 14.0 | 148 | 2 | 3 | 11 | 19 | 30 | 39 | 61 |
| 65+ | 3526 | 13.8 | 161 | 2 | 3 | 10 | 18 | 29 | 40 | 70 |
| **GRAND TOTAL** | **11985** | **13.5** | **157** | **1** | **2** | **10** | **18** | **29** | **39** | **66** |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 396 | 7.0 | 149 | <1 | 1 | 3 | 6 | 18 | 42 | 99+ |
| 20-34 | 1513 | 6.0 | 49 | 1 | 1 | 4 | 7 | 13 | 20 | 34 |
| 35-49 | 1175 | 6.1 | 53 | 1 | 1 | 4 | 7 | 13 | 21 | 36 |
| 50-64 | 664 | 5.7 | 33 | 1 | 1 | 4 | 7 | 12 | 18 | 31 |
| 65+ | 291 | 5.8 | 47 | 1 | 1 | 4 | 7 | 11 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.8 | 12 | 1 | 1 | 5 | 5 | 10 | 11 | 11 |
| 20-34 | 16 | 7.3 | 45 | 1 | 2 | 6 | 8 | 12 | 25 | 30 |
| 35-49 | 12 | 5.6 | 18 | 2 | 2 | 4 | 8 | 12 | 15 | 16 |
| 50-64 | 14 | 8.1 | 36 | 2 | 2 | 6 | 10 | 17 | 21 | 22 |
| 65+ | 4 | 11.5 | 83 | 2 | 2 | 10 | 18 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 499 | 8.2 | 135 | 1 | 1 | 4 | 8 | 21 | 34 | 63 |
| 20-34 | 2651 | 7.4 | 64 | 1 | 1 | 5 | 8 | 19 | 22 | 38 |
| 35-49 | 2704 | 7.1 | 54 | 1 | 2 | 5 | 8 | 16 | 22 | 38 |
| 50-64 | 2153 | 6.8 | 46 | 1 | 2 | 5 | 8 | 15 | 22 | 33 |
| 65+ | 1848 | 6.8 | 48 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.6 | 107 | 1 | 1 | 5 | 10 | 28 | 34 | 40 |
| 20-34 | 226 | 6.8 | 78 | 1 | 1 | 2 | 8 | 18 | 29 | 42 |
| 35-49 | 198 | 9.6 | 93 | 1 | 2 | 8 | 12 | 22 | 28 | 47 |
| 50-64 | 109 | 11.7 | 104 | 2 | 3 | 9 | 13 | 23 | 33 | 52 |
| 65+ | 77 | 12.6 | 73 | 3 | 4 | 10 | 19 | 24 | 31 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4039 | 6.0 | 57 | 1 | 1 | 4 | 7 | 13 | 20 | 41 |
| B. *Operated* | 52 | 7.1 | 35 | 2 | 2 | 5 | 8 | 15 | 21 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9855 | 7.1 | 58 | 1 | 2 | 5 | 8 | 16 | 22 | 38 |
| B. *Operated* | 633 | 9.3 | 92 | 1 | 2 | 7 | 12 | 22 | 30 | 43 |
| **1. SINGLE DX** | 4091 | 6.0 | 57 | 1 | 1 | 4 | 7 | 13 | 21 | 41 |
| **2. MULTIPLE DX** | 10488 | 7.2 | 60 | 1 | 2 | 5 | 9 | 16 | 22 | 39 |
| **A. NOT OPERATED** | 13894 | 6.8 | 58 | 1 | 1 | 4 | 8 | 15 | 22 | 39 |
| **B. OPERATED** | 685 | 9.1 | 88 | 1 | 2 | 7 | 12 | 22 | 30 | 43 |
| TOTAL 0-19 YRS | 924 | 7.7 | 140 | 1 | 1 | 4 | 7 | 20 | 36 | 75 |
| 20-34 | 4406 | 6.9 | 60 | 1 | 1 | 4 | 8 | 16 | 22 | 37 |
| 35-49 | 4089 | 6.9 | 56 | 1 | 1 | 4 | 8 | 16 | 22 | 39 |
| 50-64 | 2940 | 6.7 | 46 | 1 | 2 | 5 | 8 | 15 | 21 | 33 |
| 65+ | 2220 | 6.9 | 50 | 1 | 2 | 5 | 8 | 14 | 20 | 35 |
| **GRAND TOTAL** | **14579** | **6.9** | **60** | **1** | **1** | **4** | **8** | **15** | **22** | **40** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1146 | 17.7 | 380 | 1 | 2 | 10 | 25 | 50 | 64 | 97 |
| 20-34 | 5184 | 9.9 | 99 | 1 | 2 | 7 | 13 | 22 | 30 | 47 |
| 35-49 | 4076 | 11.2 | 107 | 1 | 2 | 8 | 15 | 24 | 32 | 49 |
| 50-64 | 2074 | 12.8 | 130 | 2 | 3 | 9 | 17 | 28 | 35 | 58 |
| 65+ | 938 | 14.7 | 148 | 2 | 3 | 11 | 20 | 32 | 40 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 18 | 19.0 | 132 | 3 | 4 | 17 | 29 | 34 | 37 | 39 |
| 35-49 | 32 | 14.9 | 205 | 2 | 3 | 9 | 23 | 31 | 34 | 74 |
| 50-64 | 16 | 20.8 | 196 | 6 | 7 | 16 | 30 | 44 | 45 | 45 |
| 65+ | 8 | 19.9 | 293 | 4 | 5 | 15 | 25 | 48 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1421 | 19.3 | 379 | 2 | 2 | 13 | 28 | 50 | 66 | 99+ |
| 20-34 | 6669 | 12.0 | 126 | 1 | 2 | 8 | 16 | 27 | 35 | 54 |
| 35-49 | 5751 | 12.0 | 108 | 2 | 3 | 9 | 16 | 25 | 32 | 50 |
| 50-64 | 3890 | 12.8 | 126 | 2 | 3 | 9 | 17 | 28 | 35 | 54 |
| 65+ | 2755 | 12.6 | 128 | 3 | 3 | 9 | 16 | 27 | 36 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 24.3 | 507 | 3 | 5 | 15 | 34 | 67 | 80 | 99+ |
| 20-34 | 415 | 20.4 | 229 | 4 | 5 | 17 | 29 | 42 | 54 | 99+ |
| 35-49 | 438 | 21.1 | 245 | 4 | 6 | 17 | 28 | 42 | 52 | 77 |
| 50-64 | 285 | 21.5 | 237 | 4 | 6 | 17 | 29 | 42 | 51 | 83 |
| 65+ | 202 | 21.7 | 257 | 5 | 6 | 18 | 29 | 42 | 54 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13418 | 11.8 | 139 | 1 | 2 | 8 | 15 | 27 | 35 | 60 |
| B. *Operated* | 75 | 17.6 | 191 | 3 | 5 | 12 | 25 | 35 | 44 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20486 | 12.7 | 142 | 2 | 3 | 9 | 17 | 28 | 37 | 60 |
| B. *Operated* | 1382 | 21.2 | 248 | 4 | 6 | 17 | 29 | 42 | 53 | 87 |
| **1. SINGLE DX** | 13493 | 11.8 | 139 | 1 | 2 | 8 | 15 | 27 | 35 | 60 |
| **2. MULTIPLE DX** | 21868 | 13.3 | 153 | 2 | 3 | 9 | 18 | 29 | 39 | 63 |
| **A. NOT OPERATED** | 33904 | 12.4 | 141 | 2 | 2 | 8 | 16 | 27 | 36 | 60 |
| **B. OPERATED** | 1457 | 21.0 | 245 | 4 | 6 | 17 | 29 | 42 | 53 | 85 |
| TOTAL 0-19 YRS | 2610 | 18.7 | 382 | 1 | 2 | 11 | 27 | 50 | 66 | 99+ |
| 20-34 | 12286 | 11.4 | 122 | 1 | 2 | 8 | 15 | 26 | 34 | 54 |
| 35-49 | 10297 | 12.1 | 118 | 2 | 3 | 9 | 16 | 26 | 34 | 52 |
| 50-64 | 6265 | 13.2 | 136 | 2 | 3 | 9 | 17 | 29 | 36 | 57 |
| 65+ | 3903 | 13.6 | 144 | 3 | 3 | 10 | 17 | 30 | 39 | 59 |
| **GRAND TOTAL** | **35361** | **12.7** | **148** | **2** | **2** | **9** | **17** | **28** | **37** | **62** |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1076 | 10.9 | 204 | 1 | 1 | 5 | 14 | 32 | 48 | 99+ |
| 20-34 | 2636 | 9.1 | 121 | 1 | 1 | 5 | 12 | 22 | 30 | 54 |
| 35-49 | 1167 | 8.8 | 99 | 1 | 1 | 5 | 12 | 21 | 29 | 47 |
| 50-64 | 483 | 8.0 | 88 | 1 | 1 | 4 | 11 | 18 | 28 | 48 |
| 65+ | 183 | 11.0 | 187 | 1 | 1 | 7 | 13 | 26 | 45 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 12.0 | 306 | 1 | 2 | 5 | 9 | 41 | 58 | 68 |
| 20-34 | 145 | 8.8 | 54 | 2 | 3 | 9 | 9 | 13 | 18 | 55 |
| 35-49 | 105 | 7.4 | 15 | 2 | 3 | 7 | 9 | 12 | 15 | 19 |
| 50-64 | 108 | 4.9 | 8 | 1 | 2 | 5 | 6 | 9 | 11 | 15 |
| 65+ | 44 | 5.5 | 16 | 1 | 2 | 4 | 7 | 9 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1273 | 13.1 | 285 | 1 | 1 | 7 | 17 | 35 | 57 | 99+ |
| 20-34 | 4170 | 10.8 | 142 | 1 | 1 | 7 | 14 | 25 | 35 | 58 |
| 35-49 | 2217 | 10.4 | 122 | 1 | 2 | 7 | 14 | 23 | 32 | 54 |
| 50-64 | 1190 | 10.4 | 127 | 1 | 2 | 7 | 13 | 24 | 32 | 60 |
| 65+ | 767 | 11.1 | 109 | 2 | 3 | 8 | 15 | 25 | 34 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 14.4 | 315 | <1 | 1 | 8 | 24 | 43 | 54 | 99+ |
| 20-34 | 281 | 15.1 | 257 | 1 | 2 | 9 | 22 | 38 | 54 | 85 |
| 35-49 | 229 | 12.0 | 151 | 1 | 2 | 8 | 14 | 30 | 44 | 58 |
| 50-64 | 206 | 9.6 | 88 | 2 | 2 | 7 | 12 | 20 | 28 | 48 |
| 65+ | 120 | 13.3 | 176 | 3 | 3 | 9 | 15 | 37 | 44 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5545 | 9.4 | 132 | 1 | 1 | 5 | 12 | 23 | 33 | 62 |
| B. *Operated* | 423 | 7.3 | 44 | 1 | 2 | 6 | 9 | 11 | 15 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9617 | 11.0 | 153 | 1 | 2 | 7 | 14 | 26 | 36 | 69 |
| B. *Operated* | 881 | 12.7 | 185 | 1 | 2 | 8 | 15 | 33 | 45 | 66 |
| **1. SINGLE DX** | 5968 | 9.2 | 126 | 1 | 1 | 5 | 12 | 22 | 32 | 62 |
| **2. MULTIPLE DX** | 10498 | 11.1 | 156 | 1 | 2 | 7 | 14 | 26 | 37 | 69 |
| **A. NOT OPERATED** | 15162 | 10.4 | 146 | 1 | 1 | 6 | 14 | 25 | 35 | 66 |
| **B. OPERATED** | 1304 | 11.0 | 146 | 1 | 2 | 7 | 12 | 26 | 40 | 63 |
| TOTAL 0-19 YRS | 2415 | 12.1 | 251 | 1 | 1 | 6 | 16 | 35 | 53 | 99+ |
| 20-34 | 7232 | 10.3 | 139 | 1 | 1 | 6 | 13 | 24 | 34 | 58 |
| 35-49 | 3718 | 9.9 | 114 | 1 | 1 | 6 | 13 | 23 | 30 | 53 |
| 50-64 | 1987 | 9.5 | 109 | 1 | 1 | 6 | 12 | 21 | 31 | 55 |
| 65+ | 1114 | 11.1 | 127 | 2 | 2 | 7 | 14 | 26 | 35 | 61 |
| **GRAND TOTAL** | **16466** | **10.4** | **146** | **1** | **1** | **6** | **13** | **25** | **35** | **66** |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 741 | 10.3 | 145 | <1 | 1 | 4 | 20 | 29 | 33 | 42 |
| 20-34 | 5821 | 12.5 | 113 | 1 | 2 | 8 | 22 | 29 | 30 | 36 |
| 35-49 | 6769 | 10.7 | 98 | 1 | 2 | 6 | 19 | 28 | 29 | 35 |
| 50-64 | 3793 | 10.8 | 102 | 1 | 2 | 6 | 19 | 28 | 30 | 36 |
| 65+ | 865 | 10.1 | 90 | 1 | 2 | 6 | 16 | 27 | 28 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 19 | 16.3 | 84 | 5 | 6 | 16 | 24 | 29 | 30 | 30 |
| 35-49 | 17 | 10.7 | 72 | 1 | 1 | 7 | 18 | 23 | 27 | 29 |
| 50-64 | 13 | 12.8 | 80 | 1 | 2 | 10 | 21 | 24 | 30 | 32 |
| 65+ | 4 | 14.3 | 134 | 3 | 3 | 21 | 45 | 99+ | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1297 | 18.3 | 248 | 1 | 1 | 15 | 29 | 40 | 46 | 59 |
| 20-34 | 11302 | 12.4 | 117 | 1 | 2 | 8 | 21 | 29 | 32 | 42 |
| 35-49 | 16048 | 10.8 | 94 | 2 | 2 | 7 | 15 | 27 | 30 | 38 |
| 50-64 | 12597 | 11.2 | 99 | 2 | 2 | 7 | 16 | 28 | 30 | 41 |
| 65+ | 4599 | 11.9 | 105 | 2 | 3 | 8 | 18 | 27 | 31 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 18.9 | 272 | <1 | 1 | 15 | 32 | 44 | 45 | 46 |
| 20-34 | 424 | 17.2 | 128 | 2 | 4 | 14 | 26 | 32 | 36 | 54 |
| 35-49 | 742 | 18.0 | 148 | 3 | 5 | 15 | 25 | 32 | 41 | 68 |
| 50-64 | 652 | 18.8 | 172 | 4 | 5 | 16 | 26 | 35 | 44 | 71 |
| 65+ | 278 | 19.8 | 157 | 3 | 6 | 19 | 27 | 34 | 44 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17989 | 11.3 | 106 | 1 | 2 | 6 | 21 | 28 | 30 | 36 |
| B. *Operated* | 54 | 13.3 | 84 | 1 | 2 | 10 | 21 | 29 | 30 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45843 | 11.6 | 108 | 2 | 2 | 7 | 18 | 28 | 31 | 42 |
| B. *Operated* | 2126 | 18.4 | 155 | 3 | 5 | 16 | 26 | 34 | 41 | 64 |
| **1. SINGLE DX** | 18043 | 11.3 | 106 | 1 | 2 | 6 | 21 | 28 | 30 | 36 |
| **2. MULTIPLE DX** | 47969 | 11.9 | 112 | 2 | 2 | 8 | 19 | 28 | 31 | 43 |
| **A. NOT OPERATED** | 63832 | 11.5 | 107 | 1 | 2 | 7 | 19 | 28 | 30 | 41 |
| **B. OPERATED** | 2180 | 18.2 | 153 | 3 | 5 | 16 | 26 | 34 | 41 | 64 |
| TOTAL 0-19 YRS | 2069 | 15.4 | 226 | <1 | 1 | 10 | 28 | 36 | 43 | 57 |
| 20-34 | 17566 | 12.6 | 116 | 1 | 2 | 8 | 21 | 29 | 31 | 41 |
| 35-49 | 23576 | 11.0 | 98 | 1 | 2 | 7 | 16 | 28 | 30 | 38 |
| 50-64 | 17055 | 11.4 | 104 | 2 | 2 | 7 | 17 | 28 | 30 | 42 |
| 65+ | 5746 | 12.0 | 109 | 2 | 3 | 8 | 19 | 28 | 31 | 46 |
| **GRAND TOTAL** | **66012** | **11.7** | **110** | **1** | **2** | **7** | **20** | **28** | **31** | **42** |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 11.7 | 84 | 2 | 3 | 6 | 20 | 25 | 29 | 30 |
| 20-34 | 495 | 11.9 | 64 | 2 | 3 | 11 | 16 | 22 | 27 | 32 |
| 35-49 | 103 | 12.1 | 83 | 1 | 2 | 10 | 16 | 24 | 29 | 45 |
| 50-64 | 11 | 15.1 | 146 | 3 | 4 | 11 | 23 | 33 | 41 | 42 |
| 65+ | 6 | 8.7 | 36 | 2 | 2 | 8 | 14 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 12.0 | 47 | 1 | 3 | 13 | 14 | 17 | 24 | 40 |
| 20-34 | 1843 | 13.1 | 41 | 3 | 5 | 13 | 16 | 19 | 25 | 32 |
| 35-49 | 769 | 13.5 | 33 | 4 | 7 | 13 | 17 | 18 | 23 | 34 |
| 50-64 | 126 | 13.3 | 45 | 3 | 7 | 12 | 17 | 21 | 27 | 37 |
| 65+ | 23 | 13.4 | 97 | 3 | 4 | 10 | 18 | 28 | 37 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 14.5 | 24 | 9 | 9 | 14 | 18 | 20 | 20 | 20 |
| 20-34 | 188 | 16.0 | 68 | 7 | 9 | 15 | 17 | 21 | 29 | 55 |
| 35-49 | 53 | 16.5 | 41 | 8 | 11 | 17 | 18 | 24 | 31 | 43 |
| 50-64 | 9 | 19.1 | 420 | 2 | 5 | 13 | 18 | 52 | 72 | 72 |
| 65+ | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 636 | 12.0 | 68 | 2 | 3 | 11 | 16 | 22 | 28 | 37 |
| B. *Operated* | 4 | 9.3 | 47 | 3 | 3 | 7 | 13 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2823 | 13.2 | 40 | 3 | 6 | 13 | 17 | 19 | 25 | 34 |
| B. *Operated* | 256 | 16.1 | 73 | 7 | 9 | 15 | 17 | 21 | 30 | 56 |
| **1. SINGLE DX** | 640 | 11.9 | 68 | 2 | 3 | 11 | 16 | 22 | 28 | 37 |
| **2. MULTIPLE DX** | 3079 | 13.5 | 43 | 4 | 6 | 13 | 17 | 19 | 25 | 35 |
| **A. NOT OPERATED** | 3459 | 13.0 | 45 | 3 | 5 | 13 | 16 | 20 | 26 | 34 |
| **B. OPERATED** | 260 | 16.0 | 73 | 7 | 9 | 15 | 17 | 21 | 30 | 56 |
| TOTAL 0-19 YRS | 87 | 12.0 | 54 | 1 | 3 | 13 | 15 | 21 | 25 | 38 |
| 20-34 | 2528 | 13.1 | 48 | 3 | 5 | 13 | 16 | 20 | 26 | 35 |
| 35-49 | 926 | 13.5 | 40 | 4 | 6 | 13 | 17 | 19 | 25 | 35 |
| 50-64 | 147 | 13.8 | 74 | 3 | 5 | 12 | 17 | 23 | 28 | 44 |
| 65+ | 31 | 12.3 | 82 | 3 | 3 | 10 | 14 | 25 | 35 | 38 |
| **GRAND TOTAL** | **3719** | **13.2** | **48** | **3** | **5** | **13** | **17** | **20** | **26** | **35** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 18.9 | 227 | 1 | 2 | 14 | 30 | 39 | 43 | 65 |
| 20-34 | 546 | 14.7 | 128 | 1 | 2 | 12 | 25 | 30 | 35 | 42 |
| 35-49 | 125 | 11.4 | 115 | 1 | 1 | 8 | 16 | 28 | 31 | 45 |
| 50-64 | 35 | 15.8 | 161 | 2 | 4 | 12 | 25 | 30 | 38 | 61 |
| 65+ | 10 | 10.4 | 83 | <1 | 1 | 6 | 21 | 24 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 3.8 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 339 | 23.6 | 250 | 2 | 4 | 24 | 35 | 43 | 48 | 72 |
| 20-34 | 1169 | 15.1 | 124 | 2 | 3 | 12 | 24 | 30 | 34 | 45 |
| 35-49 | 344 | 15.8 | 130 | 2 | 4 | 14 | 24 | 31 | 37 | 50 |
| 50-64 | 140 | 16.1 | 160 | 2 | 4 | 12 | 23 | 34 | 40 | 62 |
| 65+ | 77 | 14.3 | 106 | 3 | 4 | 13 | 19 | 28 | 35 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 65.2 | 69 | 53 | 53 | 64 | 73 | 73 | 73 | 73 |
| 20-34 | 50 | 20.0 | 155 | 6 | 8 | 18 | 27 | 34 | 40 | 73 |
| 35-49 | 9 | 15.9 | 155 | 2 | 4 | 11 | 22 | 36 | 44 | 44 |
| 50-64 | 11 | 17.0 | 268 | 5 | 5 | 11 | 16 | 46 | 57 | 58 |
| 65+ | 3 | 22.0 | 277 | 3 | 3 | 29 | 33 | 34 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 905 | 15.1 | 152 | 1 | 2 | 12 | 26 | 31 | 36 | 47 |
| B. *Operated* | 5 | 3.6 | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2069 | 16.6 | 157 | 2 | 3 | 14 | 26 | 34 | 40 | 51 |
| B. *Operated* | 78 | 22.1 | 292 | 4 | 7 | 17 | 29 | 44 | 64 | 73 |
| **1. SINGLE DX** | 910 | 15.1 | 152 | 1 | 2 | 12 | 26 | 31 | 36 | 47 |
| **2. MULTIPLE DX** | 2147 | 16.8 | 162 | 2 | 3 | 14 | 26 | 34 | 41 | 53 |
| **A. NOT OPERATED** | 2974 | 16.2 | 156 | 2 | 3 | 13 | 26 | 33 | 39 | 50 |
| **B. OPERATED** | 83 | 21.0 | 294 | 3 | 5 | 16 | 28 | 44 | 63 | 73 |
| TOTAL 0-19 YRS | 534 | 22.3 | 262 | 2 | 3 | 21 | 34 | 42 | 48 | 71 |
| 20-34 | 1769 | 15.1 | 126 | 2 | 2 | 12 | 24 | 30 | 34 | 44 |
| 35-49 | 478 | 14.7 | 130 | 1 | 2 | 12 | 22 | 30 | 36 | 50 |
| 50-64 | 186 | 16.1 | 164 | 2 | 4 | 12 | 23 | 34 | 40 | 61 |
| 65+ | 90 | 14.1 | 109 | 2 | 3 | 12 | 20 | 28 | 34 | 52 |
| **GRAND TOTAL** | **3057** | **16.3** | **160** | **2** | **3** | **13** | **26** | **33** | **40** | **52** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1024 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| 20-34 | 542 | 2.6 | 19 | <1 | <1 | 1 | 2 | 4 | 8 | 28 |
| 35-49 | 329 | 3.9 | 36 | <1 | <1 | 2 | 4 | 7 | 21 | 30 |
| 50-64 | 223 | 3.9 | 24 | <1 | 1 | 2 | 4 | 8 | 12 | 26 |
| 65+ | 85 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 9 | 29 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 1.0 |  | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 636 | 2.6 | 28 | <1 | <1 | 1 | 2 | 4 | 8 | 30 |
| 20-34 | 1057 | 4.4 | 33 | <1 | <1 | 2 | 6 | 9 | 14 | 31 |
| 35-49 | 901 | 5.7 | 45 | 1 | 1 | 4 | 8 | 10 | 17 | 34 |
| 50-64 | 660 | 5.3 | 32 | <1 | 1 | 4 | 7 | 10 | 14 | 27 |
| 65+ | 311 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 32 | 2.0 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |
| 20-34 | 55 | 4.7 | 34 | <1 | <1 | 2 | 5 | 15 | 19 | 24 |
| 35-49 | 45 | 8.2 | 76 | <1 | 1 | 7 | 10 | 19 | 27 | 39 |
| 50-64 | 31 | 11.0 | 93 | 1 | 1 | 7 | 18 | 27 | 30 | 35 |
| 65+ | 28 | 8.6 | 118 | 1 | 1 | 5 | 10 | 19 | 25 | 56 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2203 | 2.4 | 16 | <1 | <1 | 1 | 2 | 4 | 7 | 26 |
| B. *Operated* | 4 | 2.8 | 12 | <1 | <1 | 1 | 5 | 8 | 8 | 8 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3565 | 4.6 | 35 | <1 | <1 | 3 | 6 | 9 | 13 | 30 |
| B. *Operated* | 191 | 6.7 | 69 | <1 | <1 | 3 | 8 | 19 | 22 | 38 |
| **1. SINGLE DX** | 2207 | 2.4 | 16 | <1 | <1 | 1 | 2 | 4 | 7 | 26 |
| **2. MULTIPLE DX** | 3756 | 4.7 | 37 | <1 | <1 | 3 | 6 | 10 | 14 | 30 |
| **A. NOT OPERATED** | 5768 | 3.8 | 29 | <1 | <1 | 2 | 4 | 8 | 12 | 29 |
| **B. OPERATED** | 195 | 6.6 | 68 | <1 | <1 | 3 | 8 | 19 | 22 | 38 |
| TOTAL 0-19 YRS | 1694 | 1.9 | 14 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| 20-34 | 1654 | 3.8 | 29 | <1 | <1 | 2 | 4 | 8 | 13 | 30 |
| 35-49 | 1275 | 5.3 | 45 | <1 | 1 | 3 | 7 | 10 | 18 | 33 |
| 50-64 | 916 | 5.1 | 34 | <1 | 1 | 3 | 7 | 10 | 15 | 29 |
| 65+ | 424 | 5.1 | 30 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| **GRAND TOTAL** | **5963** | **3.9** | **31** | **<1** | **<1** | **2** | **4** | **8** | **12** | **29** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 230 | 8.2 | 118 | <1 | 1 | 3 | 10 | 28 | 31 | 44 |
| 20-34 | 466 | 8.2 | 90 | <1 | 1 | 4 | 11 | 26 | 29 | 38 |
| 35-49 | 72 | 8.9 | 120 | <1 | 1 | 4 | 14 | 25 | 29 | 56 |
| 50-64 | 28 | 8.8 | 163 | 1 | 1 | 4 | 8 | 29 | 41 | 54 |
| 65+ | 13 | 6.3 | 19 | 1 | 2 | 5 | 8 | 14 | 16 | 16 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 16.0 | 242 | 5 | 5 | 16 | 27 | 27 | 27 | 27 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 1 | 13.0 |  | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 65+ | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 308 | 11.4 | 167 | 1 | 1 | 6 | 15 | 30 | 37 | 57 |
| 20-34 | 1142 | 9.6 | 84 | 1 | 1 | 6 | 13 | 24 | 29 | 38 |
| 35-49 | 318 | 10.6 | 98 | 1 | 2 | 7 | 14 | 25 | 30 | 40 |
| 50-64 | 129 | 10.5 | 98 | 2 | 2 | 7 | 12 | 25 | 30 | 49 |
| 65+ | 94 | 9.9 | 64 | 2 | 3 | 7 | 13 | 19 | 29 | 38 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 20.4 | 165 | 3 | 4 | 22 | 31 | 37 | 40 | 40 |
| 20-34 | 39 | 14.2 | 130 | 2 | 3 | 10 | 20 | 29 | 40 | 50 |
| 35-49 | 21 | 17.7 | 178 | 3 | 4 | 10 | 31 | 36 | 40 | 43 |
| 50-64 | 14 | 13.6 | 211 | 2 | 2 | 9 | 15 | 41 | 49 | 51 |
| 65+ | 8 | 18.5 | 131 | 5 | 5 | 19 | 28 | 32 | 34 | 34 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 809 | 8.3 | 101 | <1 | 1 | 4 | 10 | 26 | 30 | 42 |
| B. *Operated* | 5 | 10.2 | 105 | 3 | 3 | 5 | 16 | 27 | 27 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1991 | 10.1 | 99 | 1 | 1 | 7 | 14 | 26 | 30 | 45 |
| B. *Operated* | 91 | 15.9 | 155 | 2 | 4 | 11 | 23 | 34 | 40 | 51 |
| **1. SINGLE DX** | 814 | 8.3 | 101 | <1 | 1 | 4 | 10 | 26 | 30 | 42 |
| **2. MULTIPLE DX** | 2082 | 10.4 | 103 | 1 | 1 | 7 | 14 | 26 | 30 | 44 |
| **A. NOT OPERATED** | 2800 | 9.6 | 100 | 1 | 1 | 6 | 13 | 26 | 30 | 42 |
| **B. OPERATED** | 96 | 15.6 | 153 | 2 | 3 | 11 | 23 | 34 | 40 | 51 |
| TOTAL 0-19 YRS | 548 | 10.2 | 149 | 1 | 1 | 5 | 14 | 29 | 36 | 50 |
| 20-34 | 1649 | 9.3 | 88 | 1 | 1 | 6 | 13 | 25 | 30 | 38 |
| 35-49 | 411 | 10.7 | 108 | 1 | 2 | 7 | 15 | 27 | 32 | 42 |
| 50-64 | 172 | 10.5 | 116 | 1 | 2 | 7 | 12 | 26 | 34 | 53 |
| 65+ | 116 | 10.1 | 69 | 2 | 3 | 7 | 14 | 21 | 29 | 38 |
| **GRAND TOTAL** | **2896** | **9.8** | **103** | **1** | **1** | **6** | **13** | **26** | **30** | **43** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 431 | 4.6 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 32 |
| 35-49 | 379 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 50-64 | 209 | 4.5 | 15 | 1 | 2 | 4 | 5 | 8 | 10 | 24 |
| 65+ | 126 | 4.9 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.1 | 10 | 1 | 1 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 35 | 6.4 | 38 | <1 | 1 | 4 | 9 | 13 | 22 | 27 |
| 35-49 | 26 | 5.1 | 26 | 1 | 2 | 3 | 6 | 14 | 16 | 22 |
| 50-64 | 19 | 7.6 | 31 | 2 | 3 | 5 | 9 | 18 | 19 | 19 |
| 65+ | 8 | 9.3 | 35 | 4 | 5 | 7 | 10 | 19 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 4.5 | 17 | 1 | 1 | 4 | 6 | 8 | 10 | 21 |
| 20-34 | 853 | 5.5 | 40 | 1 | 2 | 4 | 7 | 10 | 13 | 28 |
| 35-49 | 923 | 5.6 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 798 | 5.7 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| 65+ | 737 | 6.6 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 6.9 | 22 | 1 | 1 | 7 | 10 | 13 | 16 | 17 |
| 20-34 | 91 | 8.9 | 51 | 1 | 2 | 6 | 12 | 17 | 22 | 36 |
| 35-49 | 101 | 10.0 | 102 | 2 | 2 | 8 | 12 | 20 | 31 | 56 |
| 50-64 | 92 | 9.3 | 63 | 2 | 3 | 7 | 11 | 17 | 21 | 49 |
| 65+ | 58 | 13.9 | 201 | 2 | 4 | 10 | 17 | 27 | 38 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1540 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| B. *Operated* | 122 | 6.1 | 27 | 1 | 1 | 5 | 8 | 13 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3686 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| B. *Operated* | 364 | 10.0 | 93 | 2 | 2 | 7 | 12 | 19 | 26 | 52 |
| **1. SINGLE DX** | 1662 | 4.5 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **2. MULTIPLE DX** | 4050 | 6.1 | 34 | 1 | 2 | 5 | 7 | 12 | 16 | 28 |
| **A. NOT OPERATED** | 5226 | 5.3 | 24 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| **B. OPERATED** | 486 | 9.0 | 79 | 1 | 2 | 7 | 11 | 18 | 23 | 43 |
| TOTAL 0-19 YRS | 826 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 1410 | 5.5 | 37 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| 35-49 | 1429 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | 1118 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 26 |
| 65+ | 929 | 6.9 | 42 | 2 | 2 | 5 | 8 | 13 | 18 | 32 |
| **GRAND TOTAL** | **5712** | **5.6** | **30** | **1** | **2** | **4** | **7** | **11** | **15** | **27** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2137 | 12.9 | 247 | 1 | 1 | 7 | 18 | 37 | 56 | 99+ |
| 20-34 | 2266 | 6.3 | 49 | <1 | 1 | 4 | 8 | 14 | 21 | 36 |
| 35-49 | 1192 | 7.0 | 64 | 1 | 1 | 4 | 8 | 15 | 23 | 42 |
| 50-64 | 396 | 7.8 | 80 | 1 | 1 | 5 | 9 | 18 | 24 | 43 |
| 65+ | 186 | 10.3 | 110 | 1 | 1 | 7 | 14 | 28 | 35 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 11.8 | 321 | <1 | <1 | 3 | 19 | 43 | 43 | 43 |
| 20-34 | 13 | 4.6 | 17 | 1 | 1 | 2 | 9 | 11 | 12 | 12 |
| 35-49 | 8 | 11.9 | 50 | 2 | 3 | 11 | 18 | 21 | 22 | 22 |
| 50-64 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1991 | 13.1 | 260 | 1 | 1 | 6 | 17 | 35 | 52 | 98 |
| 20-34 | 3528 | 7.5 | 67 | 1 | 1 | 5 | 9 | 17 | 23 | 42 |
| 35-49 | 2082 | 8.0 | 75 | 1 | 1 | 5 | 10 | 18 | 25 | 44 |
| 50-64 | 1029 | 8.4 | 72 | 1 | 2 | 5 | 10 | 19 | 25 | 43 |
| 65+ | 673 | 10.4 | 116 | 2 | 2 | 7 | 13 | 21 | 30 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 19.0 | 503 | 1 | 1 | 11 | 29 | 63 | 89 | 99+ |
| 20-34 | 146 | 12.0 | 134 | 1 | 1 | 9 | 16 | 28 | 34 | 57 |
| 35-49 | 88 | 14.0 | 190 | 1 | 2 | 10 | 19 | 27 | 40 | 74 |
| 50-64 | 53 | 15.3 | 138 | 3 | 4 | 11 | 21 | 33 | 36 | 49 |
| 65+ | 32 | 20.0 | 203 | 3 | 6 | 16 | 30 | 37 | 49 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6177 | 8.9 | 133 | 1 | 1 | 5 | 11 | 23 | 34 | 87 |
| B. *Operated* | 29 | 8.7 | 91 | 1 | 1 | 6 | 11 | 20 | 28 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9303 | 9.1 | 119 | 1 | 1 | 5 | 11 | 21 | 30 | 62 |
| B. *Operated* | 375 | 14.7 | 215 | 1 | 2 | 11 | 20 | 32 | 46 | 81 |
| **1. SINGLE DX** | 6206 | 8.9 | 133 | 1 | 1 | 5 | 11 | 23 | 34 | 87 |
| **2. MULTIPLE DX** | 9678 | 9.3 | 123 | 1 | 1 | 6 | 11 | 22 | 31 | 63 |
| **A. NOT OPERATED** | 15480 | 9.0 | 124 | 1 | 1 | 5 | 11 | 22 | 31 | 69 |
| **B. OPERATED** | 404 | 14.2 | 208 | 1 | 2 | 10 | 19 | 32 | 43 | 80 |
| TOTAL 0-19 YRS | 4189 | 13.1 | 257 | 1 | 1 | 7 | 18 | 37 | 55 | 99+ |
| 20-34 | 5953 | 7.1 | 63 | 1 | 1 | 4 | 9 | 16 | 22 | 39 |
| 35-49 | 3370 | 7.8 | 75 | 1 | 1 | 5 | 10 | 18 | 24 | 44 |
| 50-64 | 1480 | 8.5 | 78 | 1 | 2 | 5 | 10 | 19 | 26 | 44 |
| 65+ | 892 | 10.8 | 121 | 1 | 2 | 7 | 13 | 24 | 33 | 62 |
| **GRAND TOTAL** | **15884** | **9.2** | **127** | **1** | **1** | **5** | **11** | **22** | **32** | **70** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2525 | 17.0 | 436 | 1 | 2 | 7 | 25 | 57 | 75 | 99+ |
| 20-34 | 3240 | 8.7 | 96 | 1 | 2 | 5 | 11 | 21 | 29 | 49 |
| 35-49 | 2026 | 9.3 | 85 | 1 | 2 | 6 | 12 | 21 | 28 | 45 |
| 50-64 | 1087 | 11.1 | 108 | 1 | 2 | 8 | 15 | 26 | 31 | 51 |
| 65+ | 639 | 13.1 | 130 | 2 | 3 | 10 | 18 | 28 | 36 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.0 | 22 | 1 | 1 | 2 | 5 | 11 | 17 | 99+ |
| 20-34 | 81 | 10.9 | 217 | 1 | 2 | 7 | 11 | 26 | 46 | 82 |
| 35-49 | 51 | 9.4 | 80 | 1 | 2 | 7 | 13 | 19 | 33 | 43 |
| 50-64 | 31 | 10.1 | 88 | 2 | 3 | 6 | 12 | 22 | 35 | 40 |
| 65+ | 22 | 15.4 | 208 | 2 | 3 | 8 | 22 | 37 | 49 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2590 | 16.5 | 415 | 1 | 2 | 8 | 24 | 55 | 78 | 99+ |
| 20-34 | 4900 | 9.5 | 109 | 1 | 2 | 6 | 12 | 22 | 30 | 55 |
| 35-49 | 3771 | 9.4 | 89 | 2 | 2 | 6 | 12 | 21 | 28 | 47 |
| 50-64 | 2892 | 10.4 | 104 | 2 | 3 | 7 | 13 | 23 | 30 | 51 |
| 65+ | 2588 | 11.8 | 125 | 2 | 3 | 8 | 14 | 26 | 35 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 24.3 | 552 | 2 | 3 | 18 | 44 | 64 | 95 | 99+ |
| 20-34 | 353 | 14.6 | 184 | 2 | 3 | 11 | 20 | 32 | 42 | 97 |
| 35-49 | 348 | 14.5 | 150 | 3 | 4 | 10 | 19 | 29 | 38 | 57 |
| 50-64 | 307 | 17.1 | 221 | 3 | 4 | 12 | 21 | 40 | 47 | 73 |
| 65+ | 255 | 19.2 | 282 | 3 | 5 | 13 | 26 | 45 | 59 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9517 | 11.6 | 199 | 1 | 2 | 6 | 14 | 29 | 43 | 87 |
| B. *Operated* | 229 | 9.6 | 138 | 1 | 1 | 6 | 11 | 22 | 35 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16741 | 11.1 | 159 | 2 | 2 | 7 | 14 | 26 | 37 | 78 |
| B. *Operated* | 1373 | 16.8 | 239 | 2 | 4 | 12 | 22 | 38 | 53 | 95 |
| **1. SINGLE DX** | 9746 | 11.5 | 198 | 1 | 2 | 6 | 14 | 29 | 43 | 87 |
| **2. MULTIPLE DX** | 18114 | 11.5 | 168 | 2 | 2 | 7 | 14 | 27 | 39 | 79 |
| **A. NOT OPERATED** | 26258 | 11.3 | 174 | 1 | 2 | 7 | 14 | 27 | 40 | 81 |
| **B. OPERATED** | 1602 | 15.8 | 231 | 2 | 3 | 11 | 20 | 36 | 51 | 94 |
| TOTAL 0-19 YRS | 5269 | 16.8 | 427 | 1 | 2 | 8 | 25 | 56 | 77 | 99+ |
| 20-34 | 8574 | 9.4 | 109 | 1 | 2 | 6 | 12 | 22 | 30 | 54 |
| 35-49 | 6196 | 9.7 | 92 | 1 | 2 | 6 | 12 | 22 | 29 | 47 |
| 50-64 | 4317 | 11.1 | 116 | 2 | 3 | 7 | 14 | 25 | 32 | 53 |
| 65+ | 3504 | 12.6 | 142 | 2 | 3 | 9 | 16 | 28 | 37 | 61 |
| **GRAND TOTAL** | **27860** | **11.5** | **178** | **1** | **2** | **7** | **14** | **28** | **40** | **81** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 7.1 | 104 | 1 | 1 | 4 | 8 | 16 | 55 | 99+ |
| 20-34 | 56 | 7.7 | 124 | <1 | 1 | 3 | 10 | 19 | 25 | 69 |
| 35-49 | 14 | 6.5 | 39 | <1 | 1 | 4 | 13 | 20 | 80 | 99+ |
| 50-64 | 13 | 11.8 | 228 | 1 | 2 | 7 | 12 | 30 | 53 | 58 |
| 65+ | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.5 | 6 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 257 | 9.1 | 133 | 1 | 2 | 5 | 11 | 21 | 37 | 86 |
| 20-34 | 362 | 11.3 | 149 | 1 | 2 | 8 | 15 | 22 | 33 | 78 |
| 35-49 | 172 | 10.9 | 86 | 2 | 2 | 9 | 14 | 21 | 28 | 51 |
| 50-64 | 88 | 11.2 | 120 | 2 | 3 | 8 | 14 | 22 | 31 | 65 |
| 65+ | 38 | 12.1 | 81 | 2 | 3 | 11 | 17 | 23 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 8.8 | 142 | <1 | 1 | 5 | 7 | 25 | 44 | 46 |
| 20-34 | 30 | 11.9 | 395 | <1 | 1 | 5 | 13 | 27 | 80 | 80 |
| 35-49 | 11 | 16.2 | 170 | 3 | 3 | 16 | 18 | 32 | 49 | 51 |
| 50-64 | 9 | 22.7 | 854 | 2 | 2 | 11 | 36 | 70 | 91 | 91 |
| 65+ | 4 | 19.0 | 655 | 2 | 2 | 11 | 68 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 7.7 | 115 | 1 | 1 | 4 | 10 | 19 | 41 | 99+ |
| B. *Operated* | 11 | 10.5 | 182 | <1 | 2 | 5 | 8 | 34 | 45 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 917 | 10.6 | 128 | 1 | 2 | 8 | 14 | 22 | 33 | 78 |
| B. *Operated* | 97 | 12.3 | 310 | <1 | 1 | 6 | 14 | 39 | 55 | 96 |
| **1. SINGLE DX** | 145 | 7.9 | 120 | 1 | 1 | 4 | 10 | 20 | 46 | 99+ |
| **2. MULTIPLE DX** | 1014 | 10.8 | 145 | 1 | 2 | 7 | 14 | 22 | 35 | 80 |
| **A. NOT OPERATED** | 1051 | 10.3 | 127 | 1 | 2 | 7 | 13 | 21 | 33 | 79 |
| **B. OPERATED** | 108 | 12.1 | 295 | <1 | 1 | 6 | 14 | 39 | 51 | 95 |
| TOTAL 0-19 YRS | 355 | 8.8 | 128 | 1 | 1 | 5 | 10 | 20 | 41 | 98 |
| 20-34 | 450 | 10.8 | 162 | 1 | 2 | 7 | 14 | 22 | 32 | 79 |
| 35-49 | 199 | 10.9 | 90 | 1 | 2 | 9 | 14 | 22 | 28 | 52 |
| 50-64 | 110 | 12.2 | 193 | 2 | 3 | 8 | 15 | 23 | 35 | 86 |
| 65+ | 45 | 13.2 | 143 | 2 | 3 | 11 | 18 | 42 | 63 | 99+ |
| **GRAND TOTAL** | **1159** | **10.4** | **143** | **1** | **2** | **7** | **13** | **22** | **35** | **80** |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1533 | 10.7 | 26 | 2 | 3 | 11 | 13 | 16 | 18 | 24 |
| 20-34 | 290 | 8.1 | 41 | 2 | 2 | 7 | 11 | 15 | 19 | 34 |
| 35-49 | 159 | 9.6 | 61 | 1 | 2 | 7 | 13 | 18 | 27 | 37 |
| 50-64 | 112 | 12.2 | 115 | 2 | 2 | 10 | 16 | 23 | 32 | 61 |
| 65+ | 44 | 14.4 | 138 | 2 | 2 | 12 | 16 | 24 | 46 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 14.7 | 86 | 6 | 8 | 12 | 16 | 23 | 31 | 59 |
| 20-34 | 109 | 12.9 | 200 | 2 | 2 | 7 | 17 | 30 | 41 | 77 |
| 35-49 | 154 | 10.0 | 105 | 1 | 2 | 6 | 14 | 23 | 34 | 53 |
| 50-64 | 103 | 14.1 | 204 | 2 | 2 | 10 | 19 | 33 | 44 | 87 |
| 65+ | 34 | 17.0 | 222 | 1 | 2 | 13 | 26 | 31 | 39 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1282 | 12.1 | 45 | 2 | 3 | 12 | 15 | 18 | 22 | 35 |
| 20-34 | 259 | 10.7 | 95 | 1 | 2 | 9 | 13 | 22 | 30 | 49 |
| 35-49 | 236 | 12.8 | 98 | 2 | 3 | 11 | 15 | 25 | 34 | 56 |
| 50-64 | 257 | 15.3 | 160 | 3 | 4 | 13 | 18 | 30 | 41 | 81 |
| 65+ | 216 | 17.8 | 150 | 4 | 4 | 15 | 23 | 34 | 42 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 324 | 20.7 | 213 | 6 | 9 | 17 | 25 | 40 | 58 | 91 |
| 20-34 | 138 | 22.7 | 349 | 2 | 3 | 18 | 33 | 50 | 65 | 99+ |
| 35-49 | 193 | 19.5 | 333 | 3 | 3 | 14 | 24 | 48 | 68 | 99+ |
| 50-64 | 231 | 20.1 | 274 | 3 | 4 | 16 | 29 | 45 | 70 | 99+ |
| 65+ | 122 | 30.5 | 468 | 3 | 4 | 28 | 47 | 67 | 81 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2138 | 10.4 | 39 | 2 | 3 | 11 | 13 | 17 | 19 | 33 |
| B. *Operated* | 587 | 13.2 | 144 | 2 | 2 | 11 | 16 | 27 | 39 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2250 | 12.9 | 83 | 2 | 3 | 12 | 16 | 22 | 30 | 50 |
| B. *Operated* | 1008 | 21.8 | 310 | 3 | 5 | 17 | 30 | 50 | 67 | 99+ |
| **1. SINGLE DX** | 2725 | 11.0 | 63 | 2 | 3 | 11 | 14 | 18 | 23 | 43 |
| **2. MULTIPLE DX** | 3258 | 15.7 | 170 | 2 | 4 | 12 | 18 | 31 | 45 | 82 |
| **A. NOT OPERATED** | 4388 | 11.7 | 63 | 2 | 3 | 11 | 14 | 19 | 24 | 43 |
| **B. OPERATED** | 1595 | 18.6 | 266 | 2 | 3 | 14 | 24 | 43 | 58 | 99+ |
| TOTAL 0-19 YRS | 3326 | 12.5 | 63 | 2 | 4 | 12 | 15 | 19 | 24 | 47 |
| 20-34 | 796 | 12.1 | 159 | 2 | 2 | 9 | 14 | 28 | 39 | 72 |
| 35-49 | 742 | 13.3 | 167 | 2 | 3 | 10 | 16 | 30 | 42 | 97 |
| 50-64 | 703 | 16.2 | 205 | 2 | 3 | 13 | 21 | 36 | 49 | 99+ |
| 65+ | 416 | 21.1 | 284 | 3 | 4 | 16 | 28 | 48 | 57 | 87 |
| **GRAND TOTAL** | **5983** | **13.6** | **126** | **2** | **3** | **11** | **16** | **25** | **36** | **70** |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 8.1 | 96 | 1 | 1 | 4 | 9 | 25 | 31 | 31 |
| 35-49 | 36 | 8.6 | 54 | 2 | 2 | 7 | 9 | 15 | 27 | 37 |
| 50-64 | 307 | 10.8 | 111 | 2 | 3 | 8 | 14 | 21 | 27 | 78 |
| 65+ | 808 | 11.6 | 83 | 3 | 4 | 9 | 15 | 22 | 28 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 9 | 11.7 | 53 | 3 | 3 | 11 | 14 | 22 | 28 | 28 |
| 50-64 | 27 | 13.3 | 64 | 4 | 5 | 12 | 18 | 23 | 31 | 35 |
| 65+ | 26 | 14.8 | 256 | 3 | 4 | 7 | 17 | 48 | 52 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.3 | 147 | 2 | 2 | 9 | 27 | 29 | 29 | 29 |
| 20-34 | 17 | 10.4 | 78 | 1 | 2 | 8 | 14 | 24 | 31 | 34 |
| 35-49 | 65 | 10.7 | 86 | 2 | 2 | 9 | 14 | 28 | 30 | 42 |
| 50-64 | 770 | 12.3 | 100 | 3 | 4 | 10 | 16 | 26 | 33 | 57 |
| 65+ | 4344 | 13.3 | 130 | 3 | 4 | 10 | 16 | 26 | 36 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 50-64 | 116 | 18.0 | 219 | 4 | 5 | 14 | 25 | 44 | 62 | 99+ |
| 65+ | 566 | 22.1 | 292 | 4 | 7 | 18 | 30 | 53 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1161 | 11.3 | 90 | 2 | 3 | 9 | 15 | 22 | 28 | 46 |
| B. *Operated* | 64 | 13.6 | 137 | 3 | 4 | 10 | 16 | 30 | 39 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5202 | 13.1 | 125 | 3 | 4 | 10 | 16 | 26 | 35 | 73 |
| B. *Operated* | 684 | 21.4 | 282 | 4 | 6 | 17 | 29 | 51 | 76 | 99+ |
| **1. SINGLE DX** | 1225 | 11.4 | 92 | 2 | 3 | 9 | 15 | 22 | 29 | 50 |
| **2. MULTIPLE DX** | 5886 | 14.1 | 150 | 3 | 4 | 11 | 18 | 29 | 41 | 91 |
| **A. NOT OPERATED** | 6363 | 12.8 | 119 | 3 | 4 | 10 | 16 | 25 | 33 | 70 |
| **B. OPERATED** | 748 | 20.7 | 274 | 4 | 6 | 16 | 28 | 50 | 72 | 99+ |
| TOTAL 0-19 YRS | 9 | 10.3 | 121 | 1 | 1 | 5 | 17 | 28 | 29 | 29 |
| 20-34 | 26 | 9.5 | 79 | 1 | 1 | 7 | 12 | 25 | 32 | 34 |
| 35-49 | 112 | 10.1 | 72 | 2 | 2 | 8 | 12 | 23 | 29 | 40 |
| 50-64 | 1220 | 12.5 | 116 | 3 | 3 | 10 | 16 | 26 | 34 | 79 |
| 65+ | 5744 | 13.9 | 148 | 3 | 4 | 11 | 17 | 28 | 40 | 89 |
| **GRAND TOTAL** | **7111** | **13.6** | **141** | **3** | **4** | **10** | **17** | **28** | **38** | **87** |

### 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 9.4 | 32 | 3 | 4 | 8 | 11 | 20 | 21 | 25 |
| 20-34 | 931 | 9.0 | 69 | 1 | 2 | 7 | 12 | 17 | 22 | 44 |
| 35-49 | 990 | 9.4 | 80 | 1 | 2 | 8 | 12 | 18 | 22 | 66 |
| 50-64 | 379 | 10.3 | 84 | 1 | 1 | 8 | 14 | 20 | 28 | 44 |
| 65+ | 47 | 11.9 | 212 | 2 | 3 | 10 | 14 | 18 | 22 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.3 | 36 | 1 | 2 | 6 | 9 | 16 | 21 | 22 |
| 20-34 | 149 | 9.3 | 89 | 2 | 2 | 7 | 13 | 19 | 24 | 68 |
| 35-49 | 160 | 10.5 | 95 | 1 | 2 | 8 | 14 | 19 | 39 | 45 |
| 50-64 | 69 | 11.1 | 85 | 1 | 2 | 9 | 14 | 27 | 30 | 37 |
| 65+ | 5 | 10.8 | 84 | 1 | 1 | 10 | 16 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 15.0 | 391 | 2 | 3 | 7 | 13 | 47 | 67 | 75 |
| 20-34 | 600 | 11.4 | 102 | 2 | 3 | 9 | 14 | 24 | 33 | 52 |
| 35-49 | 1043 | 12.7 | 131 | 2 | 3 | 10 | 16 | 25 | 33 | 70 |
| 50-64 | 741 | 12.6 | 116 | 2 | 3 | 10 | 15 | 24 | 31 | 76 |
| 65+ | 211 | 12.9 | 124 | 3 | 4 | 10 | 16 | 26 | 34 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.8 | 45 | 3 | 3 | 7 | 17 | 17 | 17 | 17 |
| 20-34 | 210 | 16.9 | 237 | 2 | 4 | 13 | 22 | 42 | 56 | 99+ |
| 35-49 | 349 | 18.7 | 254 | 3 | 5 | 15 | 23 | 42 | 63 | 99+ |
| 50-64 | 267 | 19.2 | 276 | 3 | 5 | 14 | 26 | 45 | 60 | 99+ |
| 65+ | 75 | 20.1 | 304 | 2 | 4 | 15 | 30 | 57 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2389 | 9.4 | 78 | 1 | 2 | 8 | 13 | 18 | 23 | 47 |
| B. *Operated* | 395 | 10.0 | 89 | 1 | 2 | 8 | 14 | 20 | 29 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2612 | 12.4 | 121 | 2 | 3 | 10 | 15 | 25 | 33 | 70 |
| B. *Operated* | 906 | 18.5 | 260 | 3 | 4 | 14 | 24 | 43 | 61 | 99+ |
| **1. SINGLE DX** | 2784 | 9.5 | 80 | 1 | 2 | 8 | 13 | 18 | 24 | 47 |
| **2. MULTIPLE DX** | 3518 | 14.0 | 164 | 2 | 3 | 11 | 17 | 29 | 41 | 85 |
| **A. NOT OPERATED** | 5001 | 11.0 | 103 | 1 | 2 | 9 | 14 | 21 | 29 | 63 |
| **B. OPERATED** | 1301 | 15.9 | 223 | 2 | 3 | 12 | 20 | 37 | 53 | 99+ |
| TOTAL 0-19 YRS | 76 | 10.4 | 115 | 3 | 3 | 7 | 11 | 20 | 24 | 69 |
| 20-34 | 1890 | 10.7 | 105 | 1 | 2 | 8 | 14 | 22 | 30 | 61 |
| 35-49 | 2542 | 12.1 | 135 | 1 | 2 | 9 | 15 | 24 | 34 | 75 |
| 50-64 | 1456 | 13.1 | 144 | 2 | 3 | 10 | 16 | 27 | 35 | 74 |
| 65+ | 338 | 14.3 | 183 | 3 | 4 | 11 | 18 | 31 | 47 | 99+ |
| **GRAND TOTAL** | **6302** | **12.0** | **132** | **1** | **2** | **9** | **15** | **24** | **34** | **75** |

### 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2061 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| 20-34 | 1634 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 774 | 4.4 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 50-64 | 565 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 15 |
| 65+ | 368 | 5.5 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.6 | 90 | 1 | 1 | 4 | 6 | 9 | 62 | 99+ |
| 20-34 | 66 | 6.3 | 58 | 1 | 2 | 5 | 7 | 11 | 16 | 49 |
| 35-49 | 48 | 5.8 | 17 | 2 | 2 | 4 | 8 | 12 | 14 | 21 |
| 50-64 | 41 | 7.0 | 79 | 1 | 2 | 5 | 6 | 12 | 24 | 53 |
| 65+ | 14 | 6.4 | 18 | 2 | 3 | 5 | 7 | 11 | 17 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1983 | 5.1 | 40 | 1 | 1 | 3 | 6 | 10 | 14 | 34 |
| 20-34 | 2181 | 6.2 | 46 | 1 | 1 | 4 | 7 | 13 | 17 | 34 |
| 35-49 | 1787 | 6.5 | 40 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 2075 | 7.3 | 47 | 1 | 2 | 6 | 9 | 15 | 20 | 33 |
| 65+ | 2388 | 8.7 | 73 | 2 | 2 | 6 | 10 | 17 | 24 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 9.8 | 119 | 2 | 2 | 6 | 11 | 25 | 33 | 92 |
| 20-34 | 241 | 9.9 | 105 | 1 | 2 | 7 | 12 | 24 | 35 | 53 |
| 35-49 | 191 | 12.3 | 134 | 2 | 3 | 9 | 15 | 27 | 41 | 63 |
| 50-64 | 244 | 14.5 | 156 | 2 | 4 | 10 | 19 | 30 | 40 | 87 |
| 65+ | 216 | 17.3 | 221 | 3 | 4 | 14 | 22 | 38 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5402 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 193 | 6.3 | 53 | 1 | 2 | 4 | 7 | 11 | 18 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10414 | 6.8 | 52 | 1 | 2 | 5 | 8 | 14 | 19 | 38 |
| B. *Operated* | 970 | 13.2 | 158 | 2 | 3 | 9 | 18 | 30 | 41 | 84 |
| **1. SINGLE DX** | 5595 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 11384 | 7.4 | 64 | 1 | 2 | 5 | 9 | 15 | 22 | 44 |
| **A. NOT OPERATED** | 15816 | 5.9 | 41 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| **B. OPERATED** | 1163 | 12.0 | 147 | 2 | 2 | 8 | 16 | 28 | 39 | 74 |
| TOTAL 0-19 YRS | 4146 | 4.4 | 29 | 1 | 1 | 3 | 5 | 8 | 12 | 29 |
| 20-34 | 4122 | 5.5 | 40 | 1 | 1 | 4 | 7 | 11 | 16 | 33 |
| 35-49 | 2800 | 6.3 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| 50-64 | 2925 | 7.3 | 55 | 1 | 2 | 5 | 9 | 15 | 21 | 37 |
| 65+ | 2986 | 9.0 | 84 | 2 | 2 | 6 | 11 | 18 | 26 | 56 |
| **GRAND TOTAL** | **16979** | **6.3** | **50** | **1** | **1** | **4** | **7** | **13** | **19** | **38** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 899 | 4.5 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 20-34 | 1276 | 5.5 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 35-49 | 1021 | 6.1 | 44 | 1 | 2 | 4 | 8 | 12 | 16 | 41 |
| 50-64 | 879 | 7.5 | 78 | 1 | 2 | 5 | 9 | 15 | 20 | 53 |
| 65+ | 1175 | 8.8 | 79 | 2 | 2 | 6 | 11 | 17 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 783 | 6.7 | 60 | 1 | 2 | 4 | 8 | 14 | 20 | 36 |
| 20-34 | 854 | 7.9 | 72 | 1 | 2 | 5 | 10 | 17 | 25 | 41 |
| 35-49 | 759 | 7.5 | 54 | 1 | 2 | 5 | 10 | 16 | 21 | 39 |
| 50-64 | 813 | 8.8 | 91 | 1 | 2 | 6 | 11 | 18 | 26 | 51 |
| 65+ | 701 | 11.0 | 145 | 1 | 2 | 7 | 14 | 25 | 33 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1445 | 7.0 | 99 | 1 | 1 | 4 | 8 | 15 | 26 | 81 |
| 20-34 | 1823 | 8.9 | 138 | 1 | 2 | 5 | 10 | 18 | 31 | 89 |
| 35-49 | 1702 | 9.9 | 119 | 2 | 2 | 7 | 11 | 22 | 32 | 70 |
| 50-64 | 2961 | 11.5 | 138 | 2 | 3 | 8 | 14 | 25 | 37 | 74 |
| 65+ | 7489 | 13.0 | 137 | 3 | 4 | 10 | 16 | 27 | 37 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1103 | 8.7 | 143 | 1 | 2 | 5 | 10 | 19 | 32 | 90 |
| 20-34 | 1340 | 12.8 | 220 | 1 | 2 | 8 | 16 | 36 | 60 | 99+ |
| 35-49 | 1274 | 13.0 | 198 | 2 | 2 | 9 | 16 | 29 | 50 | 99+ |
| 50-64 | 1872 | 14.9 | 226 | 2 | 3 | 10 | 19 | 37 | 54 | 99+ |
| 65+ | 2890 | 18.4 | 285 | 2 | 3 | 13 | 25 | 44 | 59 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5250 | 6.5 | 55 | 1 | 1 | 4 | 8 | 13 | 18 | 39 |
| B. *Operated* | 3910 | 8.3 | 85 | 1 | 2 | 5 | 10 | 18 | 26 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15420 | 11.3 | 136 | 2 | 2 | 8 | 14 | 25 | 38 | 78 |
| B. *Operated* | 8479 | 14.7 | 241 | 2 | 2 | 10 | 19 | 37 | 55 | 99+ |
| **1. SINGLE DX** | 9160 | 7.3 | 69 | 1 | 2 | 5 | 9 | 15 | 22 | 45 |
| **2. MULTIPLE DX** | 23899 | 12.5 | 176 | 2 | 2 | 8 | 16 | 29 | 43 | 94 |
| **A. NOT OPERATED** | 20670 | 10.1 | 120 | 1 | 2 | 7 | 12 | 22 | 32 | 71 |
| **B. OPERATED** | 12389 | 12.7 | 200 | 2 | 2 | 8 | 16 | 31 | 47 | 99+ |
| TOTAL 0-19 YRS | 4230 | 6.9 | 91 | 1 | 1 | 4 | 8 | 15 | 24 | 67 |
| 20-34 | 5293 | 8.9 | 129 | 1 | 2 | 5 | 10 | 19 | 33 | 93 |
| 35-49 | 4756 | 9.5 | 120 | 1 | 2 | 6 | 11 | 21 | 30 | 78 |
| 50-64 | 6525 | 11.6 | 156 | 2 | 2 | 8 | 14 | 26 | 40 | 87 |
| 65+ | 12255 | 13.8 | 175 | 2 | 3 | 10 | 17 | 30 | 43 | 84 |
| **GRAND TOTAL** | **33059** | **11.1** | **151** | **1** | **2** | **7** | **14** | **25** | **37** | **84** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1062 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2357 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 1507 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 513 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 65+ | 117 | 4.2 | 7 | 1 | 2 | 3 | 5 | 9 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.3 | 8 | 1 | 2 | 3 | 5 | 9 | 11 | 13 |
| 20-34 | 205 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 157 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 10 | 19 |
| 50-64 | 77 | 5.0 | 10 | 2 | 2 | 4 | 7 | 10 | 12 | 14 |
| 65+ | 23 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 494 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 2182 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 2023 | 5.7 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 1229 | 5.5 | 17 | 1 | 2 | 4 | 7 | 11 | 13 | 21 |
| 65+ | 392 | 6.1 | 18 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 14 | 21 |
| 20-34 | 190 | 9.0 | 65 | 2 | 3 | 7 | 11 | 20 | 26 | 41 |
| 35-49 | 248 | 8.4 | 42 | 2 | 3 | 7 | 10 | 16 | 19 | 29 |
| 50-64 | 175 | 8.3 | 35 | 2 | 3 | 7 | 10 | 17 | 20 | 30 |
| 65+ | 52 | 11.4 | 188 | 3 | 3 | 8 | 14 | 19 | 22 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5556 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 500 | 4.7 | 10 | 2 | 2 | 4 | 6 | 9 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6320 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 699 | 8.6 | 57 | 2 | 3 | 7 | 11 | 17 | 21 | 38 |
| **1. SINGLE DX** | 6056 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 7019 | 5.6 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 11876 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 1199 | 7.0 | 41 | 2 | 2 | 5 | 9 | 14 | 18 | 30 |
| TOTAL 0-19 YRS | 1628 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 4934 | 4.6 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 3935 | 5.2 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 1994 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 584 | 6.2 | 34 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| **GRAND TOTAL** | **13075** | **4.8** | **17** | **1** | **1** | **4** | **6** | **9** | **12** | **20** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 2 | 2 | 2 | 3 | 3 | 6 | 6 | 6 |
| 20-34 | 61 | 3.6 | 10 | <1 | 1 | 3 | 4 | 7 | 11 | 17 |
| 35-49 | 80 | 3.2 | 7 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 50-64 | 60 | 3.8 | 13 | <1 | 1 | 2 | 5 | 8 | 11 | 19 |
| 65+ | 27 | 3.5 | 7 | 1 | 1 | 3 | 5 | 6 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3279 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 5108 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 5519 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 2761 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 67 | 3.8 | 9 | <1 | <1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 176 | 4.8 | 16 | <1 | 1 | 4 | 6 | 10 | 12 | 19 |
| 50-64 | 226 | 5.4 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 126 | 5.5 | 21 | <1 | 1 | 4 | 8 | 11 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.2 | 19 | 1 | 1 | 2 | 3 | 4 | 5 | 31 |
| 20-34 | 918 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 1905 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 50-64 | 2946 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 65+ | 2005 | 4.2 | 21 | 1 | 2 | 3 | 4 | 9 | 12 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 3.5 | 9 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| B. *Operated* | 16833 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 599 | 5.1 | 17 | <1 | 1 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 7829 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 11 | 19 |
| **1. SINGLE DX** | 17067 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 8428 | 3.9 | 15 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 833 | 4.6 | 15 | <1 | 1 | 4 | 6 | 10 | 12 | 19 |
| **B. OPERATED** | 24662 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-19 YRS | 231 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 4325 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 7269 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 13 |
| 50-64 | 8751 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 4919 | 3.3 | 12 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **GRAND TOTAL** | 25495 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 328 | 7.7 | 97 | 1 | 1 | 5 | 9 | 18 | 25 | 52 |
| 20-34 | 933 | 6.3 | 49 | 1 | 1 | 4 | 8 | 13 | 18 | 40 |
| 35-49 | 1125 | 6.4 | 45 | 1 | 2 | 4 | 8 | 12 | 16 | 35 |
| 50-64 | 1091 | 6.5 | 44 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 790 | 7.4 | 53 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 557 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 20-34 | 3226 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 3742 | 4.3 | 16 | 1 | 2 | 3 | 5 | 9 | 11 | 19 |
| 50-64 | 3516 | 4.2 | 21 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 1411 | 4.8 | 24 | 1 | 2 | 3 | 5 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 7.0 | 64 | 1 | 1 | 4 | 8 | 15 | 21 | 39 |
| 20-34 | 906 | 7.0 | 58 | 1 | 2 | 5 | 8 | 14 | 19 | 36 |
| 35-49 | 1698 | 7.7 | 58 | 1 | 2 | 6 | 9 | 14 | 19 | 43 |
| 50-64 | 2545 | 8.4 | 59 | 2 | 2 | 6 | 10 | 17 | 22 | 41 |
| 65+ | 3192 | 9.8 | 81 | 2 | 3 | 7 | 12 | 19 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 5.8 | 68 | 1 | 2 | 3 | 6 | 12 | 23 | 93 |
| 20-34 | 1544 | 6.7 | 76 | 1 | 2 | 4 | 7 | 13 | 21 | 50 |
| 35-49 | 2185 | 7.3 | 65 | 2 | 2 | 5 | 9 | 15 | 22 | 39 |
| 50-64 | 2662 | 8.2 | 95 | 2 | 2 | 5 | 10 | 17 | 24 | 62 |
| 65+ | 1734 | 11.6 | 154 | 2 | 2 | 7 | 15 | 29 | 39 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4267 | 6.7 | 51 | 1 | 2 | 5 | 8 | 13 | 19 | 38 |
| B. *Operated* | 12452 | 4.3 | 19 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8575 | 8.6 | 68 | 2 | 2 | 6 | 11 | 17 | 23 | 45 |
| B. *Operated* | 8394 | 8.3 | 98 | 2 | 2 | 5 | 10 | 18 | 27 | 62 |
| **1. SINGLE DX** | 16719 | 4.9 | 28 | 1 | 2 | 3 | 6 | 10 | 13 | 27 |
| **2. MULTIPLE DX** | 16969 | 8.5 | 83 | 2 | 2 | 6 | 10 | 18 | 25 | 52 |
| **A. NOT OPERATED** | 12842 | 8.0 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| **B. OPERATED** | 20846 | 5.9 | 55 | 1 | 2 | 4 | 6 | 12 | 18 | 42 |
| TOTAL 0-19 YRS | 1388 | 5.7 | 57 | 1 | 1 | 3 | 6 | 12 | 19 | 47 |
| 20-34 | 6609 | 5.5 | 43 | 1 | 2 | 4 | 6 | 11 | 15 | 35 |
| 35-49 | 8750 | 6.0 | 42 | 1 | 2 | 4 | 7 | 12 | 17 | 33 |
| 50-64 | 9814 | 6.6 | 57 | 1 | 2 | 4 | 8 | 14 | 19 | 41 |
| 65+ | 7127 | 9.0 | 90 | 2 | 2 | 6 | 11 | 19 | 28 | 55 |
| **GRAND TOTAL** | 33688 | 6.7 | 59 | 1 | 2 | 4 | 8 | 14 | 20 | 42 |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 6 | <1 | <1 | 1 | 3 | 5 | 9 | 10 |
| 20-34 | 7 | 2.7 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 8 | 4.1 | 9 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 15 | 3.1 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 9 |
| 65+ | 27 | 4.3 | 9 | <1 | <1 | 3 | 6 | 9 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 229 | 5.1 | 8 | 1 | 2 | 5 | 6 | 9 | 10 | 16 |
| 20-34 | 466 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 540 | 5.4 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 21 |
| 50-64 | 1886 | 5.1 | 13 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 1715 | 5.3 | 7 | 2 | 2 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 10 | 4.6 | 14 | 1 | 1 | 4 | 5 | 11 | 12 | 12 |
| 35-49 | 13 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 31 | 3.2 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 9 |
| 65+ | 47 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 6.7 | 26 | 2 | 2 | 6 | 8 | 12 | 19 | 29 |
| 20-34 | 288 | 5.9 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 370 | 6.1 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 1582 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 1868 | 6.4 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 3.5 | 8 | <1 | <1 | 3 | 5 | 8 | 9 | 12 |
| B. *Operated* | 4836 | 5.2 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 115 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| B. *Operated* | 4248 | 6.1 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| **1. SINGLE DX** | 4906 | 5.2 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 4363 | 6.0 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| **A. NOT OPERATED** | 185 | 3.4 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 13 |
| **B. OPERATED** | 9084 | 5.6 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 396 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| 20-34 | 771 | 5.3 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 17 |
| 35-49 | 931 | 5.6 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| 50-64 | 3514 | 5.3 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 65+ | 3657 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| **GRAND TOTAL** | 9269 | 5.5 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.4 | 7 | 1 | 1 | 2 | 2 | 7 | 9 | 9 |
| 20-34 | 11 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 35-49 | 16 | 2.7 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 9 |
| 50-64 | 53 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 147 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 8 | 8 |
| 20-34 | 80 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 272 | 3.4 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 1009 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 1900 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.4 | 23 | <1 | <1 | 1 | 4 | 12 | 12 | 12 |
| 20-34 | 10 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 18 | 3.8 | 19 | 1 | 1 | 3 | 4 | 7 | 15 | 20 |
| 50-64 | 59 | 3.4 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 65+ | 168 | 4.4 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.3 | 18 | 1 | 1 | 2 | 3 | 8 | 15 | 17 |
| 20-34 | 42 | 4.6 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 35-49 | 112 | 4.5 | 11 | 1 | 2 | 3 | 6 | 9 | 10 | 19 |
| 50-64 | 606 | 4.4 | 24 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| 65+ | 1591 | 4.9 | 19 | 2 | 2 | 3 | 6 | 10 | 13 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 235 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 3292 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 260 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 16 |
| B. *Operated* | 2365 | 4.8 | 20 | 1 | 2 | 3 | 6 | 9 | 12 | 21 |
| **1. SINGLE DX** | 3527 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 2625 | 4.7 | 19 | 1 | 2 | 3 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 495 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 5657 | 3.9 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 16 |
| TOTAL 0-19 YRS | 58 | 3.0 | 8 | 1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 20-34 | 143 | 3.5 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 418 | 3.7 | 9 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 1727 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 65+ | 3806 | 4.0 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| **GRAND TOTAL** | 6152 | 3.9 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 16 |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.3 | 52 | <1 | <1 | 1 | 4 | 9 | 24 | 29 |
| 20-34 | 9 | 2.6 | 6 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 35-49 | 16 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 14 | 17 |
| 50-64 | 33 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 65+ | 61 | 2.7 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 94 | 3.7 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 127 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 447 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 933 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.3 | 17 | <1 | <1 | 1 | 3 | 11 | 13 | 14 |
| 20-34 | 15 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 35-49 | 23 | 6.2 | 59 | 1 | 1 | 4 | 6 | 13 | 24 | 37 |
| 50-64 | 53 | 5.5 | 52 | 1 | 1 | 3 | 6 | 10 | 14 | 44 |
| 65+ | 161 | 6.0 | 49 | 1 | 1 | 4 | 7 | 12 | 15 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.2 | 17 | 1 | 1 | 3 | 4 | 11 | 14 | 18 |
| 20-34 | 75 | 4.6 | 11 | 1 | 2 | 4 | 6 | 7 | 9 | 20 |
| 35-49 | 114 | 4.8 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 36 |
| 50-64 | 353 | 4.4 | 13 | 1 | 2 | 3 | 5 | 9 | 12 | 18 |
| 65+ | 914 | 5.1 | 26 | 1 | 2 | 3 | 6 | 11 | 15 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 2.9 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| B. *Operated* | 1647 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 265 | 5.6 | 46 | 1 | 1 | 4 | 7 | 11 | 14 | 40 |
| B. *Operated* | 1495 | 4.9 | 23 | 1 | 2 | 3 | 6 | 10 | 14 | 25 |
| **1. SINGLE DX** | 1781 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1760 | 5.0 | 27 | 1 | 2 | 3 | 6 | 10 | 14 | 28 |
| **A. NOT OPERATED** | 399 | 4.7 | 36 | 1 | 1 | 3 | 6 | 9 | 13 | 34 |
| **B. OPERATED** | 3142 | 4.0 | 14 | 1 | 2 | 3 | 5 | 7 | 11 | 19 |
| TOTAL 0-19 YRS | 113 | 3.5 | 15 | 1 | 1 | 2 | 4 | 6 | 12 | 22 |
| 20-34 | 193 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 35-49 | 280 | 4.1 | 23 | 1 | 1 | 3 | 5 | 7 | 10 | 28 |
| 50-64 | 886 | 3.8 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 17 |
| 65+ | 2069 | 4.3 | 19 | 1 | 2 | 3 | 5 | 8 | 12 | 22 |
| **GRAND TOTAL** | 3541 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 68 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 231 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2582 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 16552 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 57368 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 58 | 2.4 | 10 | <1 | 1 | 2 | 3 | 4 | 5 | 23 |
| 50-64 | 394 | 2.4 | 7 | <1 | <1 | [illegible] | 3 | 5 | 8 | 12 |
| 65+ | 1520 | 3.1 | 16 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1386 | 3.4 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 11371 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 65+ | 48937 | 3.7 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 303 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | 76502 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1972 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| B. *Operated* | 61694 | 3.6 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| **1. SINGLE DX** | 76805 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 63666 | 3.6 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 2275 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| **B. OPERATED** | 138196 | 3.2 | 6 | 2 | 2 | 3 | 3 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4030 | 2.9 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 28385 | 3.0 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| 65+ | 108056 | 3.2 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| **GRAND TOTAL** | 140471 | 3.2 | 6 | 2 | 2 | 3 | 3 | 5 | 6 | 12 |

### 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 321 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 268 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 332 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 612 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 679 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.3 | 5 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| 20-34 | 6 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| 35-49 | 9 | 2.9 | 21 | 1 | 1 | 1 | 2 | 10 | 15 | 15 |
| 50-64 | 15 | 2.1 | 2 | <1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 65+ | 15 | 2.2 | 3 | <1 | 1 | 2 | 2 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 215 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 256 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 8 | 13 |
| 50-64 | 525 | 3.2 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 65+ | 759 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | 2212 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 2.4 | 6 | <1 | <1 | 2 | 2 | 5 | 7 | 15 |
| B. *Operated* | 1946 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 13 |
| **1. SINGLE DX** | 2233 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 2001 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 76 | 2.3 | 5 | <1 | <1 | 2 | 2 | 5 | 6 | 13 |
| **B. OPERATED** | 4158 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 528 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 495 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 600 | 2.9 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 1154 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 1457 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **GRAND TOTAL** | **4234** | **2.7** | **4** | **1** | **1** | **2** | **3** | **4** | **5** | **11** |

### 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 8 | 30 |
| 20-34 | 45 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 34 | 4.2 | 8 | 1 | 1 | 3 | 6 | 7 | 11 | 13 |
| 50-64 | 47 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 12 | 12 |
| 65+ | 56 | 4.7 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7602 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1406 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 625 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 375 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 181 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 63 | 4.0 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 22 |
| 35-49 | 74 | 5.3 | 23 | <1 | 1 | 4 | 7 | 11 | 13 | 28 |
| 50-64 | 134 | 5.6 | 17 | 1 | 2 | 5 | 7 | 11 | 12 | 23 |
| 65+ | 218 | 7.1 | 28 | 1 | 2 | 6 | 10 | 14 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1364 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 445 | 2.4 | 4 | 1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 35-49 | 299 | 2.7 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | 299 | 3.9 | 17 | 1 | 2 | 2 | 4 | 8 | 11 | 26 |
| 65+ | 201 | 4.5 | 18 | 1 | 2 | 2 | 5 | 11 | 14 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 310 | 3.3 | 8 | <1 | <1 | 2 | 5 | 7 | 10 | 13 |
| B. *Operated* | 10189 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 784 | 4.3 | 20 | <1 | <1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | 2608 | 2.5 | 6 | 1 | 1 | 2 | 2 | 3 | 6 | 14 |
| **1. SINGLE DX** | 10499 | 1.8 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 3392 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| **A. NOT OPERATED** | 1094 | 4.0 | 17 | <1 | <1 | 3 | 5 | 9 | 12 | 21 |
| **B. OPERATED** | 12797 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 9389 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1959 | 2.2 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 1032 | 2.6 | 5 | 1 | 1 | 2 | 2 | 4 | 6 | 13 |
| 50-64 | 855 | 3.5 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 65+ | 656 | 4.8 | 20 | 1 | 2 | 3 | 6 | 11 | 14 | 22 |
| **GRAND TOTAL** | **13891** | **2.1** | **4** | **<1** | **1** | **2** | **2** | **3** | **4** | **11** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 861 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 189 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| 35-49 | 121 | 4.0 | 14 | <1 | <1 | 3 | 5 | 9 | 12 | 17 |
| 50-64 | 130 | 4.5 | 19 | <1 | 1 | 3 | 5 | 10 | 12 | 24 |
| 65+ | 220 | 6.1 | 24 | 1 | 1 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1045 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 1079 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1558 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 7 |
| 50-64 | 2156 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 3062 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 567 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 20-34 | 164 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 35-49 | 132 | 4.4 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 14 |
| 50-64 | 238 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| 65+ | 530 | 6.5 | 37 | 1 | 1 | 5 | 8 | 12 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 346 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 470 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 7 | 17 |
| 35-49 | 1048 | 3.1 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 2193 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 65+ | 3527 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1521 | 3.2 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | 8900 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1631 | 4.9 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| B. *Operated* | 7584 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| **1. SINGLE DX** | 10421 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 9215 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| **A. NOT OPERATED** | 3152 | 4.1 | 19 | <1 | <1 | 3 | 5 | 9 | 12 | 22 |
| **B. OPERATED** | 16484 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-19 YRS | 2819 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1902 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 2859 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 4717 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 7339 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **GRAND TOTAL** | 19636 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1174 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 436 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 231 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 12 | 17 |
| 50-64 | 249 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 10 | 15 |
| 65+ | 278 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 254 | 3.7 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 19 |
| 20-34 | 293 | 3.3 | 11 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 35-49 | 320 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | 1013 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 2526 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 962 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 20-34 | 355 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| 35-49 | 334 | 5.9 | 21 | 1 | 2 | 5 | 7 | 12 | 15 | 23 |
| 50-64 | 517 | 5.7 | 23 | 1 | 2 | 5 | 7 | 10 | 13 | 26 |
| 65+ | 845 | 6.8 | 43 | 1 | 2 | 5 | 9 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 13 | 17 |
| 20-34 | 429 | 5.2 | 24 | 1 | 2 | 4 | 6 | 9 | 14 | 29 |
| 35-49 | 523 | 5.5 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| 50-64 | 1383 | 5.1 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 3073 | 4.7 | 26 | 1 | 2 | 3 | 5 | 10 | 14 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2368 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| B. *Operated* | 4406 | 3.1 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3013 | 5.7 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 5702 | 4.9 | 26 | 1 | 2 | 3 | 6 | 10 | 13 | 25 |
| **1. SINGLE DX** | 6774 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 8715 | 5.2 | 25 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| **A. NOT OPERATED** | 5381 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 10108 | 4.1 | 18 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 2684 | 4.3 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 20-34 | 1513 | 4.7 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 1408 | 5.0 | 19 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 50-64 | 3162 | 4.4 | 19 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 6722 | 4.3 | 21 | 1 | 2 | 3 | 5 | 9 | 12 | 23 |
| **GRAND TOTAL** | 15489 | 4.4 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 85 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 63 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 70 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 78 | 4.2 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 20-34 | 59 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 35-49 | 50 | 3.7 | 14 | <1 | 1 | 3 | 4 | 5 | 10 | 21 |
| 50-64 | 100 | 3.5 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 95 | 3.3 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 20-34 | 148 | 4.5 | 21 | 1 | 1 | 3 | 5 | 9 | 11 | 28 |
| 35-49 | 146 | 4.8 | 15 | 2 | 2 | 4 | 6 | 8 | 10 | 22 |
| 50-64 | 224 | 5.6 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| 65+ | 299 | 6.8 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 33 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.9 | 16 | 1 | 1 | 2 | 5 | 8 | 12 | 23 |
| 20-34 | 112 | 4.6 | 40 | 2 | 2 | 3 | 5 | 8 | 9 | 40 |
| 35-49 | 106 | 5.4 | 25 | 2 | 2 | 3 | 6 | 12 | 20 | 57 |
| 50-64 | 196 | 6.1 | 63 | 1 | 2 | 4 | 6 | 14 | 20 | 39 |
| 65+ | 267 | 5.8 | 44 | 2 | 2 | 4 | 7 | 12 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 372 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| *B. Operated* | 358 | 3.1 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 925 | 5.4 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 28 |
| *B. Operated* | 733 | 5.5 | 44 | 1 | 2 | 3 | 6 | 11 | 17 | 31 |
| **1. SINGLE DX** | 730 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1658 | 5.5 | 33 | 1 | 2 | 4 | 6 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 1297 | 4.8 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 1091 | 4.7 | 33 | 1 | 2 | 3 | 5 | 9 | 14 | 26 |
| TOTAL 0-19 YRS | 290 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 404 | 4.0 | 21 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| 35-49 | 365 | 4.5 | 16 | 1 | 2 | 3 | 5 | 9 | 12 | 23 |
| 50-64 | 590 | 5.1 | 31 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| 65+ | 739 | 5.7 | 33 | 1 | 2 | 4 | 7 | 11 | 16 | 28 |
| **GRAND TOTAL** | **2388** | **4.8** | **26** | **1** | **2** | **3** | **5** | **9** | **13** | **24** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3003 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 78 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 43 | 4.6 | 18 | 1 | 1 | 3 | 7 | 9 | 10 | 26 |
| 50-64 | 33 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 30 | 4.4 | 7 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 17131 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 1414 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 35-49 | 1170 | 2.3 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 1136 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 464 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8953 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 299 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| 35-49 | 189 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 12 | 26 |
| 50-64 | 199 | 5.5 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 19 |
| 65+ | 241 | 8.0 | 61 | 1 | 2 | 6 | 9 | 16 | 21 | 45 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 11556 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 1468 | 2.8 | 9 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 1231 | 3.0 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 1364 | 3.0 | 6 | 1 | 2 | 2 | 3 | 4 | 7 | 15 |
| 65+ | 576 | 3.6 | 22 | 1 | 1 | 2 | 3 | 6 | 11 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3187 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| *B. Operated* | 21315 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 9881 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| *B. Operated* | 16195 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| **1. SINGLE DX** | 24502 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 26076 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **A. NOT OPERATED** | 13068 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 37510 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| TOTAL 0-19 YRS | 40643 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 3259 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 2633 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 2732 | 2.9 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 14 |
| 65+ | 1311 | 3.9 | 25 | 1 | 1 | 2 | 4 | 8 | 12 | 22 |
| **GRAND TOTAL** | **50578** | **2.2** | **5** | **<1** | **<1** | **2** | **3** | **4** | **5** | **10** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 362 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 211 | 4.2 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 117 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 50-64 | 70 | 5.2 | 16 | 2 | 2 | 4 | 6 | 9 | 14 | 21 |
| 65+ | 37 | 7.5 | 37 | 2 | 2 | 6 | 8 | 14 | 23 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1556 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 298 | 3.3 | 26 | 1 | 1 | 2 | 3 | 6 | 9 | 21 |
| 35-49 | 173 | 3.2 | 11 | <1 | 1 | 2 | 3 | 5 | 10 | 17 |
| 50-64 | 184 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 125 | 4.5 | 18 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 813 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 246 | 5.4 | 14 | 2 | 2 | 4 | 7 | 9 | 11 | 21 |
| 35-49 | 209 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 12 | 26 |
| 50-64 | 204 | 6.9 | 32 | 2 | 3 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 192 | 9.9 | 88 | 2 | 3 | 7 | 12 | 22 | 29 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1701 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 20-34 | 407 | 3.9 | 19 | 1 | 1 | 3 | 4 | 8 | 10 | 25 |
| 35-49 | 326 | 4.0 | 26 | 1 | 2 | 3 | 4 | 7 | 9 | 27 |
| 50-64 | 352 | 5.7 | 66 | 1 | 2 | 3 | 5 | 12 | 20 | 42 |
| 65+ | 217 | 10.8 | 157 | 1 | 2 | 5 | 14 | 27 | 41 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 797 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| B. *Operated* | 2336 | 2.3 | 9 | <1 | <1 | 1 | 2 | 4 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1664 | 5.5 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 27 |
| B. *Operated* | 3003 | 3.7 | 33 | <1 | 1 | 2 | 3 | 7 | 11 | 34 |
| **1. SINGLE DX** | 3133 | 2.8 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 4667 | 4.3 | 31 | <1 | 1 | 3 | 5 | 9 | 12 | 30 |
| **A. NOT OPERATED** | 2461 | 5.1 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 24 |
| **B. OPERATED** | 5339 | 3.0 | 23 | <1 | <1 | 2 | 3 | 6 | 9 | 26 |
| TOTAL 0-19 YRS | 4432 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 1162 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 825 | 4.4 | 20 | 1 | 2 | 3 | 5 | 8 | 11 | 25 |
| 50-64 | 810 | 5.3 | 42 | 1 | 2 | 3 | 6 | 10 | 15 | 38 |
| 65+ | 571 | 8.9 | 101 | 1 | 2 | 5 | 11 | 21 | 30 | 54 |
| **GRAND TOTAL** | 7800 | 3.7 | 24 | <1 | <1 | 2 | 4 | 7 | 11 | 26 |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 136 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 617 | 3.7 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 970 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 1475 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 1233 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 6 | 6 |
| 20-34 | 207 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 301 | 4.0 | 9 | 1 | 2 | 3 | 4 | 8 | 9 | 16 |
| 50-64 | 380 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 149 | 4.3 | 8 | 2 | 2 | 3 | 5 | 7 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 4.6 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 15 |
| 20-34 | 676 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 1345 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| 50-64 | 3125 | 5.3 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 65+ | 4905 | 6.0 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.5 | 7 | 1 | 1 | 2 | 4 | 8 | 10 | 11 |
| 20-34 | 110 | 5.8 | 19 | 2 | 2 | 4 | 7 | 12 | 14 | 23 |
| 35-49 | 164 | 6.9 | 26 | 2 | 2 | 5 | 9 | 14 | 17 | 25 |
| 50-64 | 326 | 8.0 | 46 | 2 | 2 | 6 | 10 | 15 | 21 | 32 |
| 65+ | 319 | 9.3 | 41 | 2 | 3 | 8 | 13 | 17 | 20 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4431 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 1066 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10176 | 5.6 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 944 | 7.9 | 38 | 2 | 2 | 6 | 10 | 15 | 20 | 28 |
| **1. SINGLE DX** | 5497 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 11120 | 5.8 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 14607 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 2010 | 5.8 | 25 | 2 | 2 | 4 | 7 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 315 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 1610 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 2780 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 5306 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 6606 | 5.8 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **GRAND TOTAL** | 16617 | 5.2 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 8 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 9 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 6 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 2.5 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 15 |
| 20-34 | 949 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 1494 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 1620 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 653 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 4 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 13 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 50-64 | 16 | 4.4 | 12 | 1 | 1 | 4 | 5 | 9 | 12 | 14 |
| 65+ | 19 | 4.7 | 12 | <1 | 1 | 4 | 7 | 10 | 11 | 11 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 2.6 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 182 | 2.6 | [illegible] | 1 | 2 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 328 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 402 | 2.9 | 5 | [illegible] | 1 | 3 | 3 | 4 | 6 | 12 |
| 65+ | 201 | 3.3 | 7 | 2 | 2 | 3 | 3 | 5 | 7 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 30 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| *B. Operated* | 4838 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 53 | 3.6 | 11 | <1 | <1 | 2 | 6 | 8 | 11 | 14 |
| *B. Operated* | 1143 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 6 | 12 |
| **1. SINGLE DX** | 4868 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 1196 | 2.9 | 5 | 1 | 2 | 3 | 3 | 4 | 6 | 13 |
| **A. NOT OPERATED** | 83 | 2.9 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| **B. OPERATED** | 5981 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **TOTAL** 0-19 YRS | 155 | 2.5 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 13 |
| 20-34 | 1143 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 1844 | 2.5 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 2044 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| 65+ | 878 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | 6064 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 141 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 163 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 198 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 114 | 3.8 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2814 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1995 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 1438 | 2.3 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 1290 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 463 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 160 | 3.8 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 173 | 4.8 | 15 | 1 | 1 | 4 | 6 | 10 | 14 | 19 |
| 50-64 | 248 | 5.2 | 17 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| 65+ | 260 | 6.1 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 30 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1993 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 1498 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 1225 | 3.0 | 21 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 1242 | 3.0 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 523 | 3.6 | 11 | 1 | 2 | 3 | 4 | 6 | 9 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 725 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| *B. Operated* | 8000 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 989 | 4.8 | 19 | <1 | 1 | 4 | 6 | 10 | 13 | 21 |
| *B. Operated* | 6481 | 2.7 | 8 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| **1. SINGLE DX** | 8725 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 7470 | 3.0 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 1714 | 4.1 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 14481 | 2.4 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| **TOTAL** 0-19 YRS | 5064 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 3794 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 2999 | 2.8 | 12 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 50-64 | 2978 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1360 | 3.8 | 13 | 1 | 1 | 3 | 4 | 8 | 10 | 19 |
| **GRAND TOTAL** | 16195 | 2.6 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 257 | 6.6 | 20 | 2 | 2 | 5 | 9 | 12 | 15 | 21 |
| 20-34 | 99 | 7.6 | 25 | 2 | 3 | 7 | 9 | 12 | 16 | 29 |
| 35-49 | 28 | 6.5 | 11 | 2 | 3 | 6 | 9 | 11 | 12 | 15 |
| 50-64 | 20 | 8.9 | 79 | 2 | 3 | 6 | 11 | 16 | 29 | 42 |
| 65+ | 10 | 15.0 | 203 | 3 | 4 | 11 | 14 | 37 | 53 | 53 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 78 | <1 | <1 | 1 | 7 | 21 | 21 | 21 |
| 20-34 | 7 | 11.3 | 26 | 6 | 6 | 10 | 14 | 19 | 20 | 20 |
| 35-49 | 3 | 4.3 | 16 | 2 | 2 | 2 | 7 | 9 | 9 | 9 |
| 50-64 | 7 | 9.9 | 111 | 2 | 2 | 7 | 12 | 28 | 32 | 32 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 8.0 | 32 | 2 | 2 | 7 | 11 | 16 | 20 | 24 |
| 20-34 | 100 | 6.9 | 28 | 2 | 3 | 5 | 8 | 11 | 16 | 33 |
| 35-49 | 82 | 8.8 | 78 | 2 | 2 | 7 | 10 | 16 | 34 | 45 |
| 50-64 | 157 | 9.0 | 71 | 2 | 3 | 7 | 10 | 17 | 23 | 41 |
| 65+ | 201 | 11.3 | 106 | 3 | 3 | 8 | 13 | 22 | 31 | 59 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.5 | 31 | <1 | 1 | 10 | 14 | 18 | 20 | 20 |
| 20-34 | 20 | 11.8 | 183 | 1 | 2 | 8 | 12 | 36 | 46 | 51 |
| 35-49 | 52 | 12.7 | 206 | 2 | 2 | 8 | 14 | 34 | 46 | 66 |
| 50-64 | 82 | 15.0 | 158 | 2 | 2 | 11 | 21 | 32 | 41 | 58 |
| 65+ | 45 | 17.6 | 147 | 3 | 4 | 15 | 24 | 32 | 46 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 414 | 7.2 | 29 | 2 | 3 | 6 | 9 | 12 | 15 | 26 |
| *B. Operated* | 24 | 8.0 | 61 | <1 | 1 | 6 | 11 | 20 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 705 | 9.1 | 69 | 2 | 3 | 7 | 11 | 17 | 24 | 41 |
| *B. Operated* | 212 | 14.4 | 164 | 2 | 2 | 10 | 19 | 31 | 43 | 58 |
| **1. SINGLE DX** | 438 | 7.2 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| **2. MULTIPLE DX** | 917 | 10.3 | 96 | 2 | 3 | 7 | 12 | 21 | 31 | 51 |
| **A. NOT OPERATED** | 1119 | 8.4 | 55 | 2 | 3 | 6 | 10 | 15 | 21 | 39 |
| **B. OPERATED** | 236 | 13.7 | 157 | 2 | 2 | 10 | 18 | 31 | 42 | 57 |
| TOTAL 0-19 YRS | 440 | 7.2 | 26 | 2 | 2 | 6 | 10 | 14 | 17 | 22 |
| 20-34 | 226 | 7.8 | 42 | 2 | 3 | 6 | 9 | 13 | 17 | 37 |
| 35-49 | 165 | 9.6 | 110 | 2 | 2 | 7 | 10 | 20 | 35 | 55 |
| 50-64 | 266 | 10.9 | 106 | 2 | 3 | 7 | 14 | 22 | 32 | 52 |
| 65+ | 258 | 12.5 | 121 | 3 | 3 | 9 | 15 | 27 | 33 | 54 |
| **GRAND TOTAL** | 1355 | 9.3 | 77 | 2 | 3 | 7 | 11 | 18 | 26 | 47 |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.8 | 6 | 1 | 2 | 5 | 6 | 8 | 10 | 12 |
| 20-34 | 91 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 132 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |
| 50-64 | 100 | 5.0 | 14 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| 65+ | 79 | 8.1 | 27 | 2 | 3 | 7 | 11 | 15 | 19 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 7.9 | 47 | 1 | 1 | 7 | 12 | 18 | 21 | 24 |
| 20-34 | 171 | 7.3 | 37 | 2 | 2 | 5 | 11 | 16 | 19 | 25 |
| 35-49 | 385 | 7.1 | 37 | 2 | 2 | 4 | 12 | 16 | 19 | 23 |
| 50-64 | 521 | 8.3 | 54 | 2 | 2 | 6 | 13 | 17 | 22 | 35 |
| 65+ | 194 | 9.7 | 84 | 2 | 2 | 5 | 15 | 22 | 26 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 6.3 | 45 | 1 | 2 | 4 | 7 | 11 | 27 | 93 |
| 20-34 | 330 | 5.9 | 29 | 1 | 2 | 5 | 7 | 10 | 14 | 29 |
| 35-49 | 756 | 5.8 | 24 | 1 | 2 | 5 | 7 | 10 | 13 | 30 |
| 50-64 | 1462 | 7.7 | 40 | 2 | 2 | 6 | 10 | 14 | 18 | 34 |
| 65+ | 1907 | 10.0 | 70 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 7.4 | 35 | 2 | 2 | 5 | 11 | 17 | 19 | 21 |
| 20-34 | 266 | 9.5 | 81 | 2 | 2 | 8 | 13 | 21 | 28 | 52 |
| 35-49 | 843 | 10.3 | 72 | 2 | 2 | 9 | 15 | 22 | 26 | 38 |
| 50-64 | 1643 | 12.6 | 133 | 2 | 2 | 11 | 17 | 26 | 34 | 64 |
| 65+ | 1156 | 14.4 | 179 | 2 | 2 | 12 | 19 | 31 | 44 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 435 | 5.4 | 17 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| *B. Operated* | 1293 | 8.0 | 52 | 2 | 2 | 5 | 12 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4516 | 8.2 | 52 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| *B. Operated* | 3940 | 12.4 | 132 | 2 | 2 | 10 | 17 | 26 | 34 | 62 |
| **1. SINGLE DX** | 1728 | 7.4 | 44 | 2 | 2 | 4 | 11 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | 8456 | 10.2 | 94 | 2 | 2 | 8 | 13 | 21 | 28 | 51 |
| **A. NOT OPERATED** | 4951 | 8.0 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 38 |
| **B. OPERATED** | 5233 | 11.3 | 116 | 2 | 2 | 9 | 16 | 24 | 31 | 55 |
| TOTAL 0-19 YRS | 148 | 6.4 | 35 | 1 | 2 | 5 | 8 | 13 | 19 | 40 |
| 20-34 | 858 | 7.1 | 48 | 1 | 2 | 5 | 10 | 15 | 20 | 37 |
| 35-49 | 2116 | 7.8 | 49 | 2 | 2 | 5 | 11 | 17 | 22 | 32 |
| 50-64 | 3726 | 9.9 | 89 | 2 | 2 | 7 | 13 | 21 | 27 | 47 |
| 65+ | 3336 | 11.5 | 112 | 2 | 2 | 9 | 15 | 23 | 31 | 57 |
| **GRAND TOTAL** | 10184 | 9.7 | 86 | 2 | 2 | 7 | 13 | 20 | 27 | 48 |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 3.9 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 1058 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 2151 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 2296 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 1504 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 4.4 | 26 | 1 | 2 | 3 | 4 | 7 | 11 | 34 |
| 20-34 | 185 | 3.6 | 8 | 1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 35-49 | 203 | 4.4 | 14 | 1 | 1 | 3 | 6 | 10 | 13 | 17 |
| 50-64 | 219 | 5.0 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| 65+ | 76 | 6.5 | 37 | 1 | 1 | 4 | 9 | 15 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 338 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 20-34 | 2677 | 5.4 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 8202 | 6.0 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 13308 | 6.7 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 65+ | 14622 | 7.8 | 45 | 2 | 3 | 6 | 9 | 14 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 7.9 | 29 | 2 | 3 | 6 | 11 | 15 | 17 | 28 |
| 20-34 | 500 | 7.5 | 34 | 1 | 2 | 6 | 10 | 15 | 19 | 28 |
| 35-49 | 1378 | 8.7 | 52 | 2 | 2 | 7 | 11 | 17 | 22 | 35 |
| 50-64 | 2254 | 10.2 | 75 | 2 | 2 | 8 | 13 | 20 | 26 | 45 |
| 65+ | 1886 | 12.8 | 124 | 2 | 3 | 10 | 16 | 25 | 34 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7247 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 736 | 4.6 | 17 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39147 | 6.9 | 32 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 6081 | 10.4 | 85 | 2 | 2 | 8 | 13 | 21 | 27 | 49 |
| **1. SINGLE DX** | 7983 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 45228 | 7.3 | 40 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 46394 | 6.5 | 29 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| **B. OPERATED** | 6817 | 9.8 | 81 | 2 | 2 | 8 | 13 | 20 | 26 | 46 |
| TOTAL 0-19 YRS | 692 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 4420 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| 35-49 | 11934 | 6.1 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 18077 | 6.9 | 32 | 2 | 2 | 5 | 8 | 13 | 17 | 29 |
| 65+ | 18088 | 8.1 | 54 | 2 | 3 | 6 | 10 | 15 | 20 | 38 |
| **GRAND TOTAL** | **53211** | **7.0** | **37** | **2** | **2** | **5** | **9** | **13** | **17** | **30** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.6 | 5 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 62 | 5.1 | 9 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| 35-49 | 280 | 6.1 | 19 | 2 | 2 | 5 | 7 | 11 | 15 | 20 |
| 50-64 | 556 | 6.4 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 27 |
| 65+ | 890 | 7.3 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 5 | 3.8 | 12 | 2 | 2 | 2 | 5 | 10 | 10 | 10 |
| 35-49 | 58 | 5.1 | 22 | 2 | 2 | 3 | 8 | 13 | 15 | 19 |
| 50-64 | 99 | 5.1 | 33 | 2 | 2 | 3 | 7 | 10 | 15 | 33 |
| 65+ | 50 | 4.9 | 15 | 1 | 2 | 3 | 8 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.4 | 40 | 1 | 2 | 5 | 10 | 17 | 22 | 28 |
| 20-34 | 221 | 6.4 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 19 |
| 35-49 | 1611 | 7.5 | 30 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| 50-64 | 5932 | 8.6 | 36 | 2 | 3 | 7 | 11 | 16 | 20 | 30 |
| 65+ | 14010 | 10.3 | 70 | 3 | 3 | 8 | 13 | 19 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 44 | 8.1 | 31 | 2 | 2 | 7 | 11 | 15 | 19 | 25 |
| 35-49 | 321 | 10.0 | 71 | 2 | 2 | 8 | 13 | 21 | 26 | 40 |
| 50-64 | 1020 | 11.7 | 123 | 2 | 2 | 9 | 15 | 23 | 33 | 55 |
| 65+ | 1677 | 16.5 | 179 | 3 | 4 | 13 | 21 | 33 | 44 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1793 | 6.7 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| B. *Operated* | 213 | 5.1 | 25 | 2 | 2 | 3 | 7 | 11 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21787 | 9.6 | 58 | 3 | 3 | 8 | 12 | 18 | 23 | 40 |
| B. *Operated* | 3066 | 14.1 | 154 | 2 | 2 | 11 | 18 | 29 | 39 | 70 |
| **1. SINGLE DX** | 2006 | 6.6 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | 24853 | 10.1 | 72 | 2 | 3 | 8 | 12 | 19 | 26 | 47 |
| **A. NOT OPERATED** | 23580 | 9.3 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| **B. OPERATED** | 3279 | 13.5 | 151 | 2 | 2 | 11 | 17 | 28 | 38 | 69 |
| TOTAL 0-19 YRS | 23 | 6.4 | 25 | 1 | 2 | 5 | 8 | 11 | 18 | 23 |
| 20-34 | 332 | 6.4 | 16 | 2 | 2 | 5 | 8 | 12 | 14 | 21 |
| 35-49 | 2270 | 7.6 | 35 | 2 | 2 | 6 | 10 | 14 | 19 | 31 |
| 50-64 | 7607 | 8.8 | 48 | 2 | 3 | 7 | 11 | 17 | 21 | 35 |
| 65+ | 16627 | 10.7 | 83 | 3 | 3 | 8 | 13 | 21 | 27 | 52 |
| **GRAND TOTAL** | **26859** | **9.9** | **70** | **2** | **3** | **8** | **12** | **19** | **25** | **45** |

### 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.2 | 19 | 1 | 1 | 4 | 7 | 12 | 15 | 16 |
| 20-34 | 46 | 5.5 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 35-49 | 78 | 6.3 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 27 |
| 50-64 | 113 | 6.6 | 25 | 1 | 2 | 6 | 9 | 13 | 14 | 28 |
| 65+ | 135 | 9.2 | 66 | 2 | 2 | 7 | 12 | 17 | 25 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.3 | 16 | 1 | 1 | 4 | 7 | 12 | 13 | 14 |
| 20-34 | 78 | 7.0 | 66 | 1 | 1 | 5 | 8 | 17 | 27 | 40 |
| 35-49 | 146 | 8.6 | 57 | 2 | 2 | 7 | 12 | 17 | 25 | 40 |
| 50-64 | 156 | 7.8 | 59 | 2 | 2 | 6 | 9 | 17 | 24 | 35 |
| 65+ | 101 | 10.6 | 83 | 1 | 2 | 8 | 15 | 24 | 29 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.9 | 9 | 2 | 2 | 4 | 7 | 9 | 10 | 13 |
| 20-34 | 114 | 6.6 | 30 | 1 | 2 | 5 | 9 | 14 | 19 | 55 |
| 35-49 | 283 | 7.7 | 37 | 1 | 2 | 6 | 10 | 16 | 20 | 31 |
| 50-64 | 691 | 9.0 | 61 | 1 | 2 | 7 | 11 | 18 | 23 | 39 |
| 65+ | 1509 | 12.4 | 119 | 2 | 3 | 9 | 16 | 24 | 33 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 9.9 | 215 | 2 | 2 | 5 | 11 | 20 | 31 | 98 |
| 20-34 | 237 | 10.8 | 159 | <1 | 2 | 8 | 13 | 23 | 32 | 68 |
| 35-49 | 399 | 11.9 | 110 | 2 | 2 | 9 | 16 | 27 | 33 | 52 |
| 50-64 | 761 | 13.0 | 125 | 2 | 3 | 10 | 18 | 26 | 34 | 69 |
| 65+ | 788 | 18.5 | 261 | 2 | 3 | 14 | 24 | 41 | 54 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 389 | 7.3 | 40 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 504 | 8.3 | 64 | 1 | 2 | 6 | 11 | 18 | 25 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2645 | 10.6 | 94 | 2 | 3 | 8 | 13 | 21 | 27 | 53 |
| B. *Operated* | 2235 | 14.5 | 185 | 2 | 3 | 11 | 19 | 31 | 43 | 73 |
| **1. SINGLE DX** | 893 | 7.9 | 54 | 1 | 2 | 6 | 10 | 17 | 24 | 35 |
| **2. MULTIPLE DX** | 4880 | 12.4 | 139 | 2 | 3 | 9 | 16 | 26 | 35 | 67 |
| **A. NOT OPERATED** | 3034 | 10.2 | 88 | 2 | 2 | 8 | 13 | 21 | 26 | 50 |
| **B. OPERATED** | 2739 | 13.3 | 168 | 2 | 2 | 10 | 17 | 29 | 39 | 70 |
| TOTAL 0-19 YRS | 138 | 6.8 | 90 | 1 | 2 | 4 | 8 | 13 | 16 | 39 |
| 20-34 | 475 | 8.6 | 104 | 1 | 2 | 5 | 11 | 19 | 28 | 66 |
| 35-49 | 906 | 9.6 | 76 | 2 | 2 | 7 | 12 | 20 | 27 | 44 |
| 50-64 | 1721 | 10.5 | 92 | 1 | 2 | 8 | 14 | 22 | 28 | 56 |
| 65+ | 2533 | 14.0 | 169 | 2 | 3 | 10 | 18 | 29 | 40 | 72 |
| **GRAND TOTAL** | **5773** | **11.7** | **129** | **2** | **2** | **8** | **15** | **25** | **34** | **64** |

### 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 10.2 | 27 | 2 | 5 | 10 | 14 | 16 | 19 | 21 |
| 20-34 | 310 | 10.8 | 21 | 3 | 4 | 11 | 14 | 17 | 18 | 23 |
| 35-49 | 3643 | 11.6 | 19 | 5 | 6 | 11 | 14 | 17 | 19 | 24 |
| 50-64 | 8484 | 12.2 | 22 | 5 | 7 | 12 | 14 | 18 | 20 | 27 |
| 65+ | 7301 | 12.8 | 27 | 6 | 7 | 12 | 15 | 19 | 22 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 20-34 | 56 | 10.3 | 59 | 1 | 2 | 10 | 14 | 20 | 24 | 39 |
| 35-49 | 341 | 11.6 | 44 | 2 | 2 | 12 | 15 | 18 | 21 | 34 |
| 50-64 | 699 | 13.5 | 49 | 2 | 3 | 13 | 17 | 21 | 25 | 38 |
| 65+ | 340 | 16.0 | 68 | 3 | 8 | 14 | 19 | 27 | 31 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 12.7 | 48 | 4 | 6 | 12 | 15 | 19 | 23 | 40 |
| 20-34 | 550 | 11.5 | 24 | 3 | 5 | 11 | 14 | 17 | 20 | 26 |
| 35-49 | 7825 | 12.3 | 30 | 4 | 6 | 12 | 15 | 19 | 21 | 29 |
| 50-64 | 27252 | 13.4 | 38 | 5 | 7 | 13 | 16 | 20 | 24 | 34 |
| 65+ | 40954 | 14.9 | 59 | 6 | 8 | 14 | 18 | 23 | 29 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 7.2 | 150 | 1 | 1 | 1 | 2 | 28 | 33 | 44 |
| 20-34 | 139 | 12.2 | 81 | 2 | 2 | 12 | 17 | 23 | 28 | 45 |
| 35-49 | 1695 | 13.7 | 82 | 2 | 2 | 13 | 18 | 24 | 29 | 46 |
| 50-64 | 5113 | 16.3 | 110 | 2 | 4 | 15 | 20 | 28 | 36 | 59 |
| 65+ | 5305 | 21.1 | 154 | 8 | 10 | 18 | 26 | 37 | 46 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19756 | 12.3 | 23 | 5 | 7 | 12 | 15 | 18 | 20 | 27 |
| B. *Operated* | 1438 | 13.5 | 55 | 2 | 3 | 13 | 17 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 76535 | 14.1 | 49 | 6 | 7 | 13 | 17 | 22 | 26 | 41 |
| B. *Operated* | 12286 | 17.9 | 134 | 2 | 6 | 16 | 22 | 32 | 40 | 68 |
| **1. SINGLE DX** | 21194 | 12.4 | 26 | 5 | 7 | 12 | 15 | 18 | 21 | 28 |
| **2. MULTIPLE DX** | 88921 | 14.6 | 63 | 5 | 7 | 13 | 17 | 23 | 28 | 46 |
| **A. NOT OPERATED** | 96391 | 13.7 | 45 | 5 | 7 | 13 | 16 | 21 | 25 | 38 |
| **B. OPERATED** | 13724 | 17.5 | 127 | 2 | 6 | 15 | 22 | 31 | 39 | 64 |
| TOTAL 0-19 YRS | 108 | 10.5 | 82 | 1 | 1 | 10 | 14 | 21 | 28 | 42 |
| 20-34 | 1055 | 11.3 | 33 | 2 | 4 | 11 | 14 | 18 | 20 | 28 |
| 35-49 | 13504 | 12.3 | 34 | 3 | 6 | 12 | 15 | 19 | 22 | 31 |
| 50-64 | 41548 | 13.5 | 45 | 5 | 7 | 13 | 16 | 21 | 24 | 38 |
| 65+ | 53900 | 15.3 | 69 | 6 | 8 | 14 | 18 | 24 | 30 | 49 |
| **GRAND TOTAL** | **110115** | **14.2** | **56** | **5** | **7** | **13** | **17** | **22** | **27** | **44** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.8 | 4 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 193 | 4.0 | 7 | 1 | 1 | 3 | 6 | 7 | 9 | 12 |
| 35-49 | 1573 | 4.3 | 11 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 50-64 | 2983 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 2606 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 49 | 3.7 | 10 | 2 | 2 | 2 | 4 | 9 | 14 | 99+ |
| 35-49 | 404 | 3.8 | 11 | 1 | 2 | 2 | 5 | 8 | 10 | 19 |
| 50-64 | 871 | 4.6 | 23 | 1 | 2 | 2 | 6 | 11 | 15 | 22 |
| 65+ | 280 | 5.3 | 29 | 1 | 2 | 3 | 8 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 22 |
| 20-34 | 624 | 5.2 | 17 | 1 | 2 | 4 | 7 | 9 | 12 | 24 |
| 35-49 | 6514 | 5.3 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 50-64 | 19895 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 27537 | 6.7 | 26 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.3 | 64 | 1 | 1 | 6 | 12 | 18 | 27 | 29 |
| 20-34 | 175 | 6.0 | 26 | 2 | 2 | 4 | 9 | 12 | 15 | 25 |
| 35-49 | 3171 | 6.8 | 41 | 2 | 2 | 4 | 10 | 14 | 18 | 30 |
| 50-64 | 9873 | 7.6 | 54 | 2 | 2 | 5 | 11 | 16 | 20 | 34 |
| 65+ | 5275 | 10.4 | 91 | 2 | 2 | 8 | 14 | 22 | 28 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7365 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 1607 | 4.5 | 21 | 1 | 2 | 2 | 6 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54635 | 6.2 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| B. *Operated* | 18506 | 8.3 | 64 | 2 | 2 | 6 | 12 | 17 | 23 | 38 |
| **1. SINGLE DX** | 8972 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 73141 | 6.7 | 33 | 2 | 2 | 5 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 62000 | 6.0 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 20113 | 8.0 | 62 | 2 | 2 | 5 | 11 | 17 | 22 | 37 |
| TOTAL 0-19 YRS | 90 | 5.7 | 19 | 1 | 2 | 5 | 7 | 11 | 12 | 27 |
| 20-34 | 1041 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 24 |
| 35-49 | 11662 | 5.5 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 33622 | 6.1 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 25 |
| 65+ | 35698 | 7.1 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | 82113 | 6.5 | 31 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.5 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 99 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 999 | 5.3 | 11 | 1 | 2 | 4 | 7 | 10 | 11 | 16 |
| 50-64 | 2462 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 65+ | 2295 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 7.9 | 39 | 2 | 2 | 5 | 14 | 17 | 17 | 17 |
| 35-49 | 228 | 7.0 | 24 | 2 | 2 | 6 | 10 | 14 | 15 | 23 |
| 50-64 | 535 | 8.1 | 38 | 2 | 2 | 8 | 11 | 15 | 18 | 28 |
| 65+ | 231 | 8.7 | 41 | 2 | 2 | 8 | 12 | 17 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 7.8 | 20 | 2 | 3 | 7 | 10 | 15 | 17 | 21 |
| 20-34 | 266 | 6.4 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 35-49 | 3882 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 14421 | 7.2 | 23 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| 65+ | 21899 | 8.4 | 33 | 3 | 3 | 7 | 10 | 15 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 57 | 8.7 | 48 | 2 | 2 | 8 | 11 | 10 | 23 | 37 |
| 35-49 | 1314 | 9.7 | 48 | 2 | 2 | 9 | 13 | 18 | 23 | 36 |
| 50-64 | 4472 | 11.2 | 72 | 2 | 2 | 10 | 15 | 21 | 26 | 41 |
| 65+ | 3205 | 14.6 | 111 | 2 | 3 | 13 | 19 | 27 | 35 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5859 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| B. *Operated* | 1002 | 8.0 | 36 | 2 | 2 | 7 | 11 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40512 | 7.7 | 29 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* | 9050 | 12.2 | 86 | 2 | 2 | 11 | 16 | 23 | 29 | 47 |
| **1. SINGLE DX** | 6861 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 49562 | 8.5 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| **A. NOT OPERATED** | 46371 | 7.5 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| **B. OPERATED** | 10052 | 11.7 | 82 | 2 | 2 | 10 | 15 | 22 | 28 | 46 |
| TOTAL 0-19 YRS | 50 | 7.5 | 18 | 2 | 3 | 7 | 9 | 14 | 17 | 21 |
| 20-34 | 430 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| 35-49 | 6423 | 7.0 | 27 | 2 | 2 | 6 | 9 | 13 | 17 | 25 |
| 50-64 | 21890 | 7.8 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| 65+ | 27630 | 8.9 | 46 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| **GRAND TOTAL** | 56423 | 8.3 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 32 |

### 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 7 | 3 | 3 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 63 | 4.7 | 13 | 1 | 2 | 4 | 7 | 8 | 11 | 22 |
| 35-49 | 771 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 19 |
| 50-64 | 1916 | 5.0 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 1821 | 6.3 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 5.3 | 41 | <1 | <1 | 2 | 6 | 15 | 22 | 23 |
| 20-34 | 203 | 5.4 | 27 | 1 | 2 | 2 | 9 | 12 | 14 | 27 |
| 35-49 | 4015 | 6.0 | 28 | 2 | 2 | 3 | 10 | 13 | 16 | 22 |
| 50-64 | 10937 | 6.7 | 34 | 2 | 2 | 3 | 11 | 14 | 17 | 24 |
| 65+ | 3652 | 7.9 | 51 | 2 | 2 | 5 | 12 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 7.4 | 39 | 1 | 2 | 6 | 9 | 17 | 20 | 27 |
| 20-34 | 313 | 5.4 | 18 | 1 | 2 | 4 | 8 | 11 | 13 | 22 |
| 35-49 | 4487 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 17058 | 7.0 | 28 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| 65+ | 37505 | 9.0 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 5.7 | 38 | 1 | 1 | 2 | 10 | 14 | 21 | 24 |
| 20-34 | 460 | 6.1 | 39 | 2 | 2 | 3 | 9 | 13 | 15 | 26 |
| 35-49 | 7442 | 7.0 | 45 | 2 | 2 | 4 | 11 | 15 | 19 | 31 |
| 50-64 | 23486 | 8.5 | 64 | 2 | 2 | 7 | 12 | 18 | 22 | 38 |
| 65+ | 13426 | 12.1 | 114 | 2 | 2 | 10 | 16 | 24 | 32 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4574 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 13 | 20 |
| B. *Operated* | 18839 | 6.8 | 36 | 2 | 2 | 3 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59413 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| B. *Operated* | 44852 | 9.3 | 79 | 2 | 2 | 8 | 13 | 19 | 25 | 44 |
| **1. SINGLE DX** | 23413 | 6.5 | 33 | 2 | 2 | 4 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | 104265 | 8.7 | 60 | 2 | 2 | 7 | 11 | 17 | 22 | 38 |
| **A. NOT OPERATED** | 63987 | 8.0 | 43 | 2 | 2 | 6 | 10 | 15 | 20 | 33 |
| **B. OPERATED** | 63691 | 8.6 | 68 | 2 | 2 | 7 | 12 | 18 | 23 | 39 |
| TOTAL 0-19 YRS | 123 | 6.2 | 39 | 1 | 1 | 3 | 9 | 15 | 21 | 26 |
| 20-34 | 1039 | 5.7 | 29 | 1 | 2 | 3 | 9 | 12 | 15 | 24 |
| 35-49 | 16715 | 6.4 | 33 | 2 | 2 | 4 | 10 | 13 | 17 | 25 |
| 50-64 | 53397 | 7.5 | 45 | 2 | 2 | 6 | 11 | 15 | 19 | 31 |
| 65+ | 56404 | 9.6 | 69 | 2 | 2 | 8 | 12 | 19 | 25 | 42 |
| **GRAND TOTAL** | **127678** | **8.3** | **55** | **2** | **2** | **7** | **11** | **17** | **21** | **36** |

### 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 9.1 | 21 | 3 | 3 | 9 | 12 | 13 | 19 | 23 |
| 20-34 | 502 | 9.2 | 30 | 3 | 4 | 9 | 11 | 14 | 16 | 20 |
| 35-49 | 701 | 10.4 | 21 | 3 | 5 | 10 | 13 | 16 | 18 | 27 |
| 50-64 | 757 | 10.7 | 20 | 5 | 6 | 10 | 13 | 16 | 19 | 26 |
| 65+ | 724 | 11.7 | 28 | 5 | 6 | 11 | 14 | 18 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.0 | 21 | 5 | 5 | 11 | 13 | 14 | 14 | 14 |
| 20-34 | 89 | 11.3 | 21 | 4 | 5 | 12 | 14 | 17 | 18 | 24 |
| 35-49 | 134 | 12.6 | 35 | 5 | 7 | 12 | 15 | 20 | 24 | 33 |
| 50-64 | 122 | 12.5 | 58 | 3 | 5 | 10 | 16 | 23 | 26 | 42 |
| 65+ | 92 | 13.9 | 44 | 3 | 5 | 14 | 17 | 22 | 27 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 10.0 | 30 | 3 | 4 | 9 | 13 | 16 | 23 | 28 |
| 20-34 | 605 | 11.3 | 41 | 3 | 5 | 10 | 14 | 19 | 22 | 36 |
| 35-49 | 1376 | 11.6 | 34 | 4 | 6 | 11 | 14 | 18 | 21 | 34 |
| 50-64 | 2662 | 12.7 | 48 | 5 | 6 | 11 | 15 | 20 | 25 | 36 |
| 65+ | 4597 | 14.8 | 72 | 6 | 7 | 13 | 18 | 24 | 30 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.6 | 28 | 2 | 3 | 13 | 15 | 17 | 17 | 17 |
| 20-34 | 200 | 15.2 | 79 | 5 | 7 | 13 | 18 | 26 | 34 | 49 |
| 35-49 | 357 | 15.9 | 86 | 5 | 7 | 14 | 19 | 27 | 35 | 50 |
| 50-64 | 678 | 17.5 | 122 | 6 | 8 | 15 | 21 | 31 | 39 | 68 |
| 65+ | 936 | 20.3 | 165 | 7 | 9 | 17 | 25 | 38 | 47 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2734 | 10.6 | 25 | 4 | 5 | 10 | 13 | 16 | 19 | 27 |
| B. *Operated* | 440 | 12.6 | 41 | 4 | 5 | 12 | 15 | 21 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9294 | 13.5 | 59 | 5 | 7 | 12 | 16 | 22 | 27 | 42 |
| B. *Operated* | 2178 | 18.2 | 134 | 6 | 8 | 15 | 22 | 33 | 42 | 63 |
| **1. SINGLE DX** | 3174 | 10.8 | 28 | 4 | 5 | 10 | 13 | 17 | 20 | 28 |
| **2. MULTIPLE DX** | 11472 | 14.4 | 77 | 5 | 7 | 12 | 17 | 24 | 30 | 50 |
| **A. NOT OPERATED** | 12028 | 12.8 | 53 | 5 | 6 | 11 | 15 | 21 | 25 | 40 |
| **B. OPERATED** | 2618 | 17.3 | 123 | 6 | 8 | 14 | 21 | 31 | 40 | 61 |
| TOTAL 0-19 YRS | 114 | 9.7 | 25 | 3 | 3 | 9 | 13 | 16 | 20 | 26 |
| 20-34 | 1396 | 11.1 | 45 | 3 | 5 | 10 | 13 | 18 | 22 | 37 |
| 35-49 | 2568 | 11.9 | 40 | 4 | 6 | 11 | 14 | 19 | 23 | 36 |
| 50-64 | 4219 | 13.1 | 59 | 5 | 6 | 12 | 16 | 21 | 26 | 41 |
| 65+ | 6349 | 15.2 | 86 | 6 | 7 | 13 | 18 | 25 | 33 | 56 |
| **GRAND TOTAL** | **14646** | **13.6** | **68** | **5** | **6** | **12** | **16** | **23** | **28** | **47** |

### 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 15.2 | 137 | 1 | 2 | 14 | 26 | 30 | 33 | 33 |
| 20-34 | 36 | 23.1 | 209 | 2 | 3 | 27 | 33 | 42 | 44 | 54 |
| 35-49 | 16 | 25.1 | 201 | 3 | 5 | 23 | 35 | 44 | 48 | 50 |
| 50-64 | 28 | 23.9 | 212 | 2 | 3 | 29 | 34 | 42 | 43 | 45 |
| 65+ | 34 | 27.8 | 408 | 4 | 5 | 26 | 36 | 53 | 73 | 84 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 2 | 15.0 | 2 | 14 | 14 | 15 | 16 | 16 | 16 | 16 |
| 35-49 | 4 | 23.8 | 256 | 10 | 10 | 20 | 36 | 45 | 45 | 45 |
| 50-64 | 7 | 41.0 | 212 | 22 | 24 | 34 | 53 | 62 | 63 | 63 |
| 65+ | 6 | 33.5 | 215 | 14 | 14 | 40 | 44 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 24.5 | 201 | 2 | 3 | 28 | 32 | 43 | 45 | 62 |
| 20-34 | 247 | 27.2 | 227 | 4 | 6 | 30 | 37 | 45 | 51 | 66 |
| 35-49 | 140 | 26.6 | 196 | 4 | 6 | 29 | 34 | 44 | 49 | 60 |
| 50-64 | 223 | 28.0 | 212 | 4 | 7 | 29 | 38 | 47 | 52 | 58 |
| 65+ | 326 | 31.2 | 218 | 8 | 13 | 30 | 42 | 49 | 58 | 95 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 22.5 | 168 | 2 | 4 | 29 | 33 | 36 | 36 | 36 |
| 20-34 | 107 | 37.5 | 254 | 15 | 18 | 36 | 46 | 56 | 61 | 92 |
| 35-49 | 60 | 34.2 | 299 | 7 | 14 | 32 | 45 | 62 | 77 | 99+ |
| 50-64 | 93 | 35.2 | 265 | 8 | 14 | 35 | 44 | 54 | 68 | 99+ |
| 65+ | 119 | 40.3 | 261 | 15 | 24 | 37 | 52 | 64 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 123 | 24.2 | 261 | 2 | 4 | 26 | 34 | 43 | 51 | 79 |
| *B. Operated* | 20 | 31.1 | 266 | 9 | 11 | 33 | 45 | 51 | 59 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 990 | 28.5 | 219 | 5 | 7 | 29 | 38 | 46 | 53 | 70 |
| *B. Operated* | 391 | 36.8 | 272 | 9 | 16 | 36 | 47 | 59 | 75 | 99+ |
| **1. SINGLE DX** | 143 | 25.2 | 266 | 3 | 4 | 26 | 35 | 44 | 53 | 77 |
| **2. MULTIPLE DX** | 1381 | 30.8 | 248 | 5 | 9 | 31 | 42 | 51 | 58 | 93 |
| **A. NOT OPERATED** | 1113 | 28.0 | 225 | 4 | 7 | 29 | 38 | 46 | 53 | 71 |
| **B. OPERATED** | 411 | 36.6 | 273 | 9 | 16 | 35 | 46 | 59 | 74 | 99+ |
| TOTAL 0-19 YRS | 76 | 22.9 | 193 | 2 | 3 | 27 | 31 | 39 | 45 | 59 |
| 20-34 | 392 | 29.6 | 256 | 4 | 7 | 30 | 41 | 48 | 56 | 73 |
| 35-49 | 220 | 28.5 | 235 | 5 | 8 | 29 | 38 | 48 | 56 | 93 |
| 50-64 | 351 | 29.8 | 239 | 5 | 7 | 31 | 41 | 49 | 54 | 88 |
| 35+ | 485 | 33.2 | 257 | 7 | 13 | 32 | 43 | 55 | 64 | 99+ |
| **GRAND TOTAL** | 1524 | 30.3 | 252 | 5 | 8 | 30 | 42 | 50 | 58 | 91 |

### 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 304 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 513 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 763 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 65+ | 511 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 13 | 4.3 | 11 | 1 | 1 | 3 | 9 | 9 | 9 | 9 |
| 50-64 | 26 | 4.3 | 21 | 2 | 2 | 2 | 5 | 6 | 16 | 21 |
| 65+ | 12 | 7.8 | 30 | 1 | 2 | 7 | 9 | 14 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 20-34 | 365 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 829 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 11 | 16 |
| 50-64 | 1948 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 2701 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.7 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 9.4 | 302 | 1 | 1 | 6 | 7 | 15 | 57 | 69 |
| 35-49 | 71 | 8.0 | 37 | 2 | 2 | 6 | 12 | 17 | 21 | 24 |
| 50-64 | 133 | 9.0 | 84 | 2 | 2 | 7 | 12 | 18 | 23 | 50 |
| 65+ | 181 | 12.6 | 67 | 3 | 5 | 10 | 16 | 22 | 27 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2230 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| *B. Operated* | 55 | 5.0 | 21 | 1 | 2 | 3 | 7 | 9 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 5955 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| *B. Operated* | 405 | 10.4 | 78 | 2 | 2 | 8 | 14 | 20 | 24 | 47 |
| **1. SINGLE DX** | 2285 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 6360 | 5.6 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 8185 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 460 | 9.7 | 74 | 2 | 2 | 8 | 13 | 19 | 23 | 45 |
| TOTAL 0-19 YRS | 260 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 684 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 1426 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 2870 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 65+ | 3405 | 6.1 | 28 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| **GRAND TOTAL** | 8645 | 4.9 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |

### 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 414 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 772 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 50-64 | 1581 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 65+ | 1849 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 20 | 4.4 | 14 | 1 | 2 | 3 | 6 | 9 | 13 | 17 |
| 50-64 | 78 | 5.2 | 20 | 1 | 2 | 4 | 7 | 9 | 14 | 25 |
| 65+ | 74 | 6.9 | 60 | 2 | 2 | 5 | 8 | 13 | 17 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 17 | 21 |
| 20-34 | 481 | 3.4 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 1541 | 4.8 | 19 | <1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 50-64 | 6575 | 5.9 | 30 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 17670 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.4 | 28 | 2 | 2 | 5 | 6 | 15 | 16 | 16 |
| 20-34 | 31 | 9.0 | 101 | 1 | 2 | 6 | 10 | 21 | 27 | 50 |
| 35-49 | 162 | 9.2 | 54 | 2 | 2 | 7 | 12 | 19 | 23 | 33 |
| 50-64 | 632 | 10.6 | 81 | 2 | 2 | 9 | 14 | 21 | 25 | 44 |
| 65+ | 1906 | 15.3 | 149 | 3 | 5 | 12 | 19 | 30 | 39 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4643 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 177 | 5.8 | 37 | 1 | 2 | 4 | 7 | 11 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26322 | 7.0 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| B. *Operated* | 2742 | 13.8 | 132 | 2 | 3 | 11 | 17 | 26 | 35 | 65 |
| **1. SINGLE DX** | 4820 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 29064 | 7.7 | 53 | 1 | 2 | 6 | 10 | 15 | 20 | 37 |
| **A. NOT OPERATED** | 30965 | 6.5 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| **B. OPERATED** | 2919 | 13.3 | 130 | 2 | 3 | 11 | 17 | 26 | 35 | 64 |
| TOTAL 0-19 YRS | 93 | 4.4 | 17 | 1 | 1 | 3 | 5 | 10 | 14 | 20 |
| 20-34 | 929 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 2495 | 4.5 | 19 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 50-64 | 8866 | 5.8 | 32 | 1 | 1 | 4 | 7 | 12 | 15 | 26 |
| 65+ | 21501 | 8.1 | 58 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| **GRAND TOTAL** | 33884 | 7.1 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |

### 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 774 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 1163 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 1801 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 1985 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 3.9 | 9 | 1 | 1 | 5 | 5 | 8 | 11 | 14 |
| 20-34 | 88 | 5.5 | 18 | 1 | 2 | 5 | 7 | 11 | 15 | 23 |
| 35-49 | 215 | 5.6 | 19 | 2 | 2 | 4 | 8 | 12 | 14 | 20 |
| 50-64 | 585 | 6.5 | 21 | 2 | 2 | 5 | 9 | 12 | 15 | 25 |
| 65+ | 2282 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 420 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 23 |
| 20-34 | 1605 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 3841 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 10333 | 6.5 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 65+ | 21096 | 8.1 | 44 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 8.9 | 151 | 1 | 2 | 5 | 10 | 17 | 31 | 70 |
| 20-34 | 181 | 8.3 | 60 | 2 | 2 | 6 | 11 | 17 | 22 | 52 |
| 35-49 | 768 | 8.6 | 60 | 2 | 2 | 7 | 11 | 17 | 22 | 47 |
| 50-64 | 3075 | 10.5 | 77 | 2 | 3 | 8 | 13 | 21 | 27 | 50 |
| 65+ | 12867 | 12.6 | 92 | 3 | 4 | 10 | 15 | 23 | 30 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5983 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 3205 | 7.3 | 25 | 2 | 2 | 6 | 9 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37295 | 7.2 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | 16973 | 11.9 | 89 | 3 | 4 | 10 | 15 | 23 | 29 | 51 |
| **1. SINGLE DX** | 9188 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 54268 | 8.7 | 58 | 2 | 2 | 7 | 11 | 17 | 22 | 39 |
| **A. NOT OPERATED** | 43278 | 6.8 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 30 |
| **B. OPERATED** | 20178 | 11.2 | 82 | 2 | 3 | 9 | 14 | 21 | 28 | 49 |
| TOTAL 0-19 YRS | 797 | 4.6 | 31 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| 20-34 | 2648 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 5987 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 15794 | 7.0 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| 65+ | 38230 | 9.4 | 63 | 2 | 3 | 7 | 12 | 18 | 24 | 41 |
| **GRAND TOTAL** | 63456 | 8.2 | 54 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| 20-34 | 47 | 5.8 | 16 | 1 | 1 | 5 | 8 | 11 | 12 | 19 |
| 35-49 | 201 | 7.2 | 38 | 1 | 2 | 6 | 9 | 12 | 17 | 38 |
| 50-64 | 1156 | 7.1 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 5721 | 8.0 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 50 | 1 | 1 | 2 | 8 | 18 | 20 | 20 |
| 20-34 | 6 | 9.0 | 112 | 1 | 1 | 5 | 12 | 27 | 29 | 29 |
| 35-49 | 18 | 6.1 | 52 | 2 | 2 | 3 | 6 | 14 | 24 | 31 |
| 50-64 | 55 | 10.6 | 64 | 2 | 2 | 9 | 15 | 21 | 27 | 38 |
| 65+ | 121 | 13.1 | 86 | 2 | 3 | 11 | 16 | 26 | 31 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 372 | 8.0 | 74 | 1 | 2 | 6 | 9 | 15 | 21 | 56 |
| 20-34 | 408 | 8.5 | 58 | 2 | 3 | 6 | 10 | 16 | 21 | 47 |
| 35-49 | 2858 | 8.6 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 50-64 | 19139 | 9.4 | 50 | 3 | 3 | 8 | 12 | 17 | 22 | 36 |
| 65+ | 69053 | 10.9 | 75 | 3 | 4 | 9 | 14 | 20 | 27 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 11.0 | 183 | 2 | 2 | 6 | 15 | 26 | 39 | 67 |
| 20-34 | 106 | 11.4 | 151 | <1 | 1 | 7 | 13 | 26 | 33 | 64 |
| 35-49 | 434 | 13.0 | 111 | 2 | 2 | 10 | 17 | 25 | 35 | 54 |
| 50-64 | 2246 | 16.4 | 168 | 2 | 4 | 13 | 21 | 34 | 45 | 74 |
| 65+ | 8230 | 19.5 | 192 | 5 | 7 | 16 | 25 | 38 | 50 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7165 | 7.8 | 37 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| B. *Operated* | 207 | 11.4 | 81 | 2 | 2 | 10 | 16 | 23 | 30 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111830 | 10.6 | 70 | 3 | 4 | 8 | 13 | 20 | 26 | 46 |
| B. *Operated* | 11077 | 18.5 | 187 | 4 | 6 | 15 | 24 | 36 | 48 | 84 |
| **1. SINGLE DX** | 7372 | 7.9 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| **2. MULTIPLE DX** | 122907 | 11.3 | 86 | 3 | 4 | 9 | 14 | 21 | 29 | 52 |
| **A. NOT OPERATED** | 118995 | 10.4 | 68 | 3 | 4 | 8 | 13 | 19 | 25 | 45 |
| **B. OPERATED** | 11284 | 18.3 | 186 | 4 | 6 | 15 | 23 | 36 | 48 | 83 |
| TOTAL 0-19 YRS | 480 | 8.1 | 84 | 1 | 2 | 6 | 9 | 16 | 21 | 62 |
| 20-34 | 567 | 8.8 | 75 | 1 | 2 | 7 | 11 | 17 | 23 | 52 |
| 35-49 | 3511 | 9.1 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| 50-64 | 22596 | 10.0 | 66 | 2 | 3 | 8 | 12 | 19 | 25 | 44 |
| 65+ | 103125 | 11.5 | 88 | 3 | 4 | 9 | 14 | 22 | 29 | 53 |
| **GRAND TOTAL** | 130279 | 11.1 | 84 | 3 | 4 | 9 | 14 | 21 | 28 | 51 |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 4.8 | 16 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 20-34 | 1059 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 1085 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 1097 | 6.2 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 761 | 7.2 | 37 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 3.9 | 22 | 1 | 2 | 2 | 3 | 10 | 12 | 19 |
| 20-34 | 327 | 5.8 | 29 | 1 | 2 | 3 | 8 | 13 | 15 | 31 |
| 35-49 | 823 | 5.5 | 30 | 2 | 2 | 3 | 8 | 13 | 17 | 23 |
| 50-64 | 1389 | 6.3 | 48 | 2 | 2 | 3 | 9 | 15 | 19 | 34 |
| 65+ | 739 | 7.9 | 65 | 2 | 2 | 4 | 13 | 18 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 408 | 6.3 | 34 | 1 | 2 | 5 | 8 | 13 | 16 | 36 |
| 20-34 | 1808 | 6.6 | 36 | 1 | 2 | 5 | 8 | 13 | 16 | 33 |
| 35-49 | 3234 | 7.1 | 36 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| 50-64 | 6702 | 8.5 | 50 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| 65+ | 10415 | 10.0 | 67 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 7.5 | 78 | 1 | 2 | 3 | 11 | 16 | 26 | 45 |
| 20-34 | 570 | 9.7 | 105 | 2 | 2 | 7 | 13 | 21 | 31 | 50 |
| 35-49 | 1753 | 8.7 | 82 | 2 | 2 | 6 | 12 | 19 | 25 | 47 |
| 50-64 | 4644 | 10.1 | 99 | 2 | 2 | 8 | 14 | 22 | 28 | 53 |
| 65+ | 4255 | 13.6 | 147 | 2 | 2 | 11 | 18 | 29 | 37 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4294 | 5.6 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 3463 | 6.3 | 45 | 2 | 2 | 3 | 9 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22567 | 8.8 | 56 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | 11436 | 11.1 | 118 | 2 | 2 | 9 | 15 | 24 | 32 | 56 |
| **1. SINGLE DX** | 7757 | 5.9 | 33 | 1 | 2 | 4 | 8 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | 34003 | 9.6 | 78 | 2 | 2 | 7 | 12 | 20 | 26 | 48 |
| **A. NOT OPERATED** | 26861 | 8.3 | 52 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| **B. OPERATED** | 14899 | 10.0 | 105 | 2 | 2 | 7 | 14 | 22 | 29 | 52 |
| TOTAL 0-19 YRS | 1099 | 5.7 | 37 | 1 | 2 | 4 | 7 | 12 | 16 | 37 |
| 20-34 | 3764 | 6.5 | 42 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| 35-49 | 6895 | 7.0 | 46 | 2 | 2 | 5 | 9 | 14 | 19 | 34 |
| 50-64 | 13832 | 8.6 | 66 | 2 | 2 | 6 | 11 | 18 | 23 | 40 |
| 65+ | 16170 | 10.7 | 90 | 2 | 2 | 8 | 14 | 22 | 28 | 50 |
| **GRAND TOTAL** | 41760 | 8.9 | 72 | 2 | 2 | 7 | 12 | 18 | 25 | 43 |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 26 | 6.2 | 24 | 1 | 2 | 5 | 7 | 14 | 19 | 21 |
| 50-64 | 96 | 5.8 | 15 | 1 | 2 | 5 | 7 | 11 | 14 | 19 |
| 65+ | 189 | 7.3 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 31 | 3.6 | 10 | 2 | 2 | 2 | 3 | 10 | 11 | 12 |
| 50-64 | 105 | 5.1 | 34 | 1 | 2 | 3 | 6 | 12 | 17 | 31 |
| 65+ | 56 | 7.5 | 38 | 2 | 2 | 5 | 11 | 16 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 10.0 | 123 | 1 | 2 | 7 | 11 | 18 | 37 | 51 |
| 20-34 | 25 | 6.6 | 25 | 2 | 3 | 4 | 9 | 13 | 17 | 22 |
| 35-49 | 392 | 6.2 | 21 | 1 | 2 | 5 | 9 | 12 | 14 | 24 |
| 50-64 | 1994 | 7.7 | 40 | 2 | 2 | 6 | 10 | 15 | 18 | 33 |
| 65+ | 7480 | 9.9 | 80 | 2 | 3 | 8 | 12 | 19 | 25 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.4 | 96 | 2 | 2 | 3 | 19 | 22 | 22 | 22 |
| 20-34 | 17 | 6.2 | 38 | 2 | 2 | 3 | 11 | 14 | 20 | 23 |
| 35-49 | 204 | 7.3 | 70 | 2 | 2 | 4 | 10 | 15 | 23 | 44 |
| 50-64 | 804 | 9.2 | 83 | 2 | 2 | 7 | 12 | 19 | 25 | 50 |
| 65+ | 1300 | 14.7 | 150 | 2 | 3 | 12 | 19 | 29 | 38 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 314 | 6.7 | 31 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| B. *Operated* | 196 | 5.5 | 33 | 2 | 2 | 3 | 8 | 13 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9910 | 9.3 | 70 | 2 | 3 | 7 | 11 | 18 | 23 | 49 |
| B. *Operated* | 2330 | 12.0 | 128 | 2 | 2 | 10 | 16 | 25 | 34 | 58 |
| **1. SINGLE DX** | 510 | 6.2 | 32 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 12240 | 9.8 | 82 | 2 | 3 | 7 | 12 | 19 | 26 | 51 |
| **A. NOT OPERATED** | 10224 | 9.2 | 69 | 2 | 3 | 7 | 11 | 17 | 23 | 49 |
| **B. OPERATED** | 2526 | 11.5 | 123 | 2 | 2 | 9 | 15 | 24 | 33 | 57 |
| TOTAL 0-19 YRS | 26 | 9.5 | 107 | 1 | 2 | 6 | 11 | 19 | 28 | 51 |
| 20-34 | 47 | 6.0 | 28 | 2 | 2 | 4 | 9 | 13 | 17 | 23 |
| 35-49 | 653 | 6.5 | 36 | 2 | 2 | 5 | 9 | 13 | 16 | 31 |
| 50-64 | 2999 | 7.9 | 51 | 2 | 2 | 6 | 10 | 16 | 20 | 39 |
| 65+ | 9025 | 10.5 | 92 | 2 | 3 | 8 | 13 | 21 | 28 | 54 |
| **GRAND TOTAL** | 12750 | 9.7 | 81 | 2 | 2 | 7 | 12 | 19 | 26 | 50 |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.7 | 6 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| 20-34 | 23 | 5.4 | 72 | <1 | 1 | 2 | 6 | 12 | 29 | 37 |
| 35-49 | 31 | 6.5 | 52 | <1 | <1 | 2 | 12 | 19 | 25 | 99+ |
| 50-64 | 64 | 7.1 | 77 | <1 | <1 | 3 | 10 | 20 | 27 | 37 |
| 65+ | 28 | 16.0 | 241 | 1 | 1 | 11 | 23 | 39 | 51 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 12.1 | 44 | 2 | 3 | 15 | 15 | 21 | 22 | 22 |
| 20-34 | 107 | 16.9 | 146 | 2 | 3 | 15 | 21 | 31 | 43 | 85 |
| 35-49 | 139 | 19.7 | 208 | 2 | 5 | 18 | 24 | 34 | 44 | 89 |
| 50-64 | 170 | 20.8 | 216 | 3 | 7 | 18 | 26 | 41 | 48 | 73 |
| 65+ | 33 | 24.1 | 235 | 3 | 7 | 22 | 25 | 45 | 67 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 9.2 | 74 | <1 | 1 | 6 | 12 | 22 | 29 | 31 |
| 20-34 | 14 | 8.0 | 34 | 1 | 2 | 6 | 10 | 18 | 20 | 20 |
| 35-49 | 42 | 15.5 | 298 | 1 | 2 | 8 | 18 | 39 | 54 | 74 |
| 50-64 | 61 | 14.0 | 282 | 1 | 2 | 9 | 17 | 29 | 44 | 86 |
| 65+ | 148 | 21.0 | 259 | 2 | 4 | 18 | 30 | 43 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 26.7 | 254 | 7 | 7 | 29 | 41 | 48 | 50 | 51 |
| 20-34 | 86 | 19.8 | 182 | 4 | 6 | 18 | 25 | 37 | 50 | 99+ |
| 35-49 | 192 | 29.1 | 329 | 6 | 10 | 27 | 43 | 57 | 78 | 99+ |
| 50-64 | 298 | 30.6 | 352 | 7 | 10 | 27 | 47 | 71 | 99+ | 99+ |
| 65+ | 184 | 35.8 | 443 | 10 | 14 | 31 | 54 | 73 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 8.2 | 111 | <1 | <1 | 3 | 12 | 24 | 34 | 58 |
| B. *Operated* | 464 | 19.5 | 197 | 2 | 5 | 17 | 24 | 36 | 46 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 278 | 17.4 | 265 | 1 | 2 | 13 | 25 | 40 | 49 | 93 |
| B. *Operated* | 775 | 30.2 | 366 | 6 | 10 | 27 | 44 | 67 | 86 | 99+ |
| **1. SINGLE DX** | 617 | 16.7 | 200 | 1 | 2 | 14 | 23 | 34 | 44 | 78 |
| **2. MULTIPLE DX** | 1053 | 26.8 | 371 | 3 | 6 | 23 | 39 | 61 | 79 | 99+ |
| **A. NOT OPERATED** | 431 | 14.1 | 230 | <1 | 1 | 9 | 20 | 36 | 45 | 88 |
| **B. OPERATED** | 1239 | 26.2 | 329 | 4 | 8 | 22 | 36 | 58 | 76 | 99+ |
| TOTAL 0-19 YRS | 50 | 14.4 | 178 | 1 | 1 | 12 | 20 | 36 | 45 | 51 |
| 20-34 | 230 | 16.3 | 165 | 2 | 2 | 14 | 22 | 34 | 43 | 99+ |
| 35-49 | 404 | 22.7 | 310 | 2 | 3 | 19 | 33 | 51 | 67 | 99+ |
| 50-64 | 593 | 23.5 | 341 | 2 | 3 | 20 | 33 | 56 | 74 | 99+ |
| 65+ | 393 | 27.8 | 398 | 2 | 6 | 23 | 39 | 62 | 76 | 99+ |
| **GRAND TOTAL** | 1670 | 23.1 | 331 | 2 | 3 | 19 | 33 | 53 | 71 | 99+ |

### 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 5 | 34.8 | 521 | 4 | 4 | 36 | 50 | 65 | 65 | 65 |
| 50-64 | 5 | 18.6 | 470 | 4 | 4 | 10 | 23 | 57 | 57 | 57 |
| 65+ | 9 | 28.3 | 478 | 6 | 8 | 20 | 37 | 66 | 72 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 55 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 8 | 34.0 | 629 | 13 | 13 | 31 | 53 | 96 | 99+ | 99+ |
| 35-49 | 17 | 41.1 | 393 | 7 | 20 | 40 | 57 | 66 | 72 | 75 |
| 50-64 | 31 | 57.6 | 539 | 31 | 35 | 55 | 92 | 99+ | 99+ | 99+ |
| 65+ | 16 | 44.4 | 719 | 7 | 16 | 51 | 84 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 26.3 | 472 | 4 | 4 | 19 | 40 | 61 | 68 | 72 |
| B. *Operated* | 73 | 47.6 | 619 | 12 | 20 | 51 | 81 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 93 | 43.1 | 659 | 4 | 12 | 45 | 67 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 20 | 26.3 | 472 | 4 | 4 | 19 | 40 | 61 | 68 | 72 |
| **B. OPERATED** | 73 | 47.6 | 619 | 12 | 20 | 51 | 81 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 10.0 | | 10 | 10 | 55 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 9 | 30.7 | 650 | 4 | 8 | 28 | 41 | 95 | 99+ | 99+ |
| 35-49 | 22 | 39.6 | 406 | 3 | 14 | 39 | 56 | 65 | 70 | 75 |
| 50-64 | 36 | 52.2 | 703 | 7 | 11 | 55 | 91 | 99+ | 99+ | 99+ |
| 65+ | 25 | 38.6 | 670 | 5 | 13 | 35 | 66 | 99 | 99+ | 99+ |
| **GRAND TOTAL** | 93 | 43.1 | 659 | 4 | 12 | 45 | 67 | 99+ | 99+ | 99+ |

### 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 11.3 | 185 | <1 | <1 | 4 | 17 | 35 | 40 | 41 |
| 20-34 | 21 | 6.2 | 60 | <1 | <1 | 4 | 7 | 14 | 25 | 34 |
| 35-49 | 29 | 6.9 | 38 | <1 | 1 | 5 | 8 | 18 | 19 | 22 |
| 50-64 | 70 | 11.5 | 197 | <1 | 1 | 6 | 16 | 39 | 50 | 91 |
| 65+ | 199 | 13.5 | 144 | 1 | 2 | 10 | 18 | 30 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 14.1 | 105 | 3 | 4 | 13 | 19 | 24 | 27 | 54 |
| 20-34 | 54 | 16.6 | 194 | 2 | 6 | 14 | 23 | 31 | 40 | 99+ |
| 35-49 | 86 | 15.4 | 189 | 3 | 4 | 12 | 20 | 27 | 39 | 80 |
| 50-64 | 176 | 16.8 | 198 | 4 | 6 | 13 | 19 | 33 | 47 | 87 |
| 65+ | 292 | 16.3 | 166 | 4 | 6 | 13 | 20 | 32 | 46 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 6.1 | 30 | 1 | 1 | 4 | 10 | 15 | 17 | 18 |
| 20-34 | 29 | 14.6 | 262 | 3 | 3 | 7 | 18 | 42 | 54 | 66 |
| 35-49 | 105 | 17.7 | 247 | 2 | 3 | 14 | 25 | 42 | 59 | 99+ |
| 50-64 | 308 | 16.9 | 245 | 2 | 4 | 12 | 23 | 36 | 48 | 93 |
| 65+ | 959 | 19.1 | 228 | 3 | 5 | 15 | 25 | 39 | 50 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 19.1 | 289 | 3 | 5 | 16 | 22 | 34 | 58 | 96 |
| 20-34 | 67 | 22.5 | 362 | 5 | 7 | 18 | 31 | 77 | 99+ | 99+ |
| 35-49 | 141 | 22.2 | 303 | 4 | 7 | 18 | 30 | 53 | 91 | 99+ |
| 50-64 | 340 | 25.1 | 344 | 6 | 8 | 20 | 35 | 58 | 75 | 99+ |
| 65+ | 664 | 26.7 | 322 | 7 | 9 | 21 | 37 | 57 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 332 | 11.9 | 147 | <1 | 1 | 9 | 17 | 28 | 39 | 99+ |
| B. *Operated* | 636 | 16.3 | 177 | 4 | 5 | 13 | 20 | 31 | 44 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1431 | 18.1 | 233 | 2 | 4 | 14 | 24 | 39 | 50 | 95 |
| B. *Operated* | 1265 | 25.2 | 330 | 6 | 8 | 20 | 34 | 58 | 76 | 99+ |
| **1. SINGLE DX** | 968 | 14.8 | 171 | 1 | 3 | 11 | 19 | 30 | 42 | 94 |
| **2. MULTIPLE DX** | 2696 | 21.5 | 291 | 3 | 5 | 17 | 29 | 48 | 64 | 99+ |
| **A. NOT OPERATED** | 1763 | 17.0 | 223 | 2 | 3 | 13 | 23 | 37 | 49 | 95 |
| **B. OPERATED** | 1901 | 22.2 | 297 | 5 | 7 | 17 | 30 | 50 | 68 | 99+ |
| TOTAL 0-19 YRS | 124 | 14.0 | 197 | 1 | 2 | 11 | 18 | 26 | 39 | 73 |
| 20-34 | 171 | 17.3 | 279 | 1 | 3 | 14 | 23 | 40 | 79 | 99+ |
| 35-49 | 361 | 18.0 | 255 | 2 | 3 | 14 | 25 | 40 | 61 | 99+ |
| 50-64 | 894 | 19.5 | 289 | 3 | 4 | 15 | 26 | 45 | 60 | 99+ |
| 65+ | 2114 | 20.6 | 261 | 4 | 6 | 16 | 27 | 45 | 58 | 99+ |
| **GRAND TOTAL** | 3664 | 19.7 | 268 | 3 | 5 | 15 | 26 | 44 | 60 | 99+ |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| *B. Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 18.0 |  | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 3 | 16.3 | 177 | 5 | 5 | 13 | 26 | 31 | 31 | 31 |
| 35-49 | 22 | 22.9 | 381 | 3 | 5 | 20 | 32 | 55 | 90 | 99+ |
| 50-64 | 100 | 28.6 | 390 | 7 | 9 | 25 | 39 | 66 | 86 | 99+ |
| 65+ | 347 | 25.6 | 245 | 6 | 9 | 22 | 34 | 48 | 62 | 99+ |
| *B. Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 19.0 |  | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 19 | 32.5 | 711 | 4 | 7 | 20 | 54 | 71 | 84 | 93 |
| 35-49 | 30 | 29.3 | 427 | 8 | 10 | 27 | 48 | 99+ | 99+ | 99+ |
| 50-64 | 74 | 35.5 | 513 | 8 | 10 | 33 | 59 | 80 | 99+ | 99+ |
| 65+ | 127 | 38.1 | 534 | 8 | 14 | 34 | 52 | 79 | 89 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* |  |  |  |  |  |  |  |  |  |  |
| *B. Operated* |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* | 473 | 26.0 | 282 | 6 | 8 | 23 | 34 | 49 | 68 | 99+ |
| *B. Operated* | 251 | 35.8 | 529 | 8 | 11 | 32 | 54 | 79 | 97 | 99+ |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** | 724 | 29.4 | 388 | 7 | 9 | 25 | 40 | 64 | 84 | 99+ |
| **A. NOT OPERATED** | 473 | 26.0 | 282 | 6 | 8 | 23 | 34 | 49 | 68 | 99+ |
| **B. OPERATED** | 251 | 35.8 | 529 | 8 | 11 | 32 | 54 | 79 | 97 | 99+ |
| TOTAL 0-19 YRS | 2 | 18.5 | 1 | 18 | 18 | 18 | 19 | 19 | 19 | 19 |
| 20-34 | 22 | 30.3 | 659 | 4 | 6 | 19 | 48 | 68 | 82 | 93 |
| 35-49 | 52 | 26.6 | 410 | 5 | 8 | 23 | 45 | 93 | 99+ | 99+ |
| 50-64 | 174 | 31.6 | 451 | 8 | 10 | 28 | 45 | 73 | 93 | 99+ |
| 65+ | 474 | 29.0 | 352 | 7 | 10 | 25 | 37 | 58 | 77 | 99+ |
| **GRAND TOTAL** | **724** | **29.4** | **388** | **7** | **9** | **25** | **40** | **64** | **84** | **99+** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 8 | 4.9 | 20 | <1 | <1 | 3 | 8 | 12 | 13 | 13 |
| 35-49 | 24 | 5.4 | 20 | 1 | 1 | 3 | 8 | 11 | 16 | 17 |
| 50-64 | 119 | 4.8 | 33 | 1 | 1 | 3 | 5 | 10 | 16 | 33 |
| 65+ | 214 | 5.5 | 47 | 1 | 2 | 4 | 7 | 10 | 15 | 48 |
| *B. Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 11 | 6.5 | 6 | 2 | 3 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 27 | 7.3 | 46 | 1 | 1 | 6 | 7 | 20 | 23 | 23 |
| 35-49 | 276 | 7.3 | 32 | 1 | 2 | 6 | 10 | 14 | 17 | 30 |
| 50-64 | 2274 | 7.5 | 33 | 2 | 2 | 6 | 10 | 14 | 18 | 28 |
| 65+ | 3275 | 7.5 | 27 | 2 | 2 | 6 | 9 | 14 | 18 | 25 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 6.7 | 11 | 3 | 3 | 7 | 10 | 10 | 10 | 10 |
| 20-34 | 16 | 10.6 | 253 | <1 | 1 | 4 | 10 | 31 | 52 | 61 |
| 35-49 | 64 | 6.8 | 103 | 2 | 2 | 5 | 7 | 11 | 14 | 73 |
| 50-64 | 477 | 7.1 | 54 | 1 | 2 | 5 | 9 | 14 | 17 | 36 |
| 65+ | 1203 | 8.8 | 71 | 2 | 2 | 7 | 11 | 17 | 28 | 48 |
| *B. Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 10.0 | 24 | 3 | 4 | 11 | 14 | 16 | 17 | 17 |
| 20-34 | 35 | 11.8 | 216 | 2 | 2 | 8 | 13 | 26 | 36 | 80 |
| 35-49 | 467 | 9.9 | 87 | 2 | 2 | 8 | 13 | 19 | 26 | 47 |
| 50-64 | 4453 | 9.7 | 66 | 2 | 2 | 8 | 12 | 19 | 24 | 42 |
| 65+ | 7269 | 10.9 | 82 | 2 | 3 | 8 | 14 | 21 | 27 | 47 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* | 365 | 5.2 | 40 | 1 | 2 | 3 | 6 | 10 | 15 | 37 |
| *B. Operated* | 5863 | 7.5 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 26 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| *A. Not Operated* | 1766 | 8.3 | 69 | 2 | 2 | 6 | 10 | 16 | 22 | 44 |
| *B. Operated* | 12237 | 10.4 | 77 | 2 | 3 | 8 | 13 | 20 | 26 | 45 |
| **1. SINGLE DX** | 6228 | 7.3 | 31 | 2 | 2 | 6 | 9 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 14003 | 10.1 | 77 | 2 | 2 | 8 | 13 | 20 | 26 | 45 |
| **A. NOT OPERATED** | 2131 | 7.7 | 66 | 1 | 2 | 6 | 10 | 15 | 21 | 43 |
| **B. OPERATED** | 18100 | 9.5 | 64 | 2 | 2 | 7 | 12 | 18 | 24 | 41 |
| TOTAL 0-19 YRS | 30 | 8.1 | 17 | 3 | 3 | 7 | 10 | 14 | 16 | 17 |
| 20-34 | 86 | 9.5 | 153 | 1 | 2 | 6 | 10 | 23 | 32 | 73 |
| 35-49 | 831 | 8.7 | 70 | 2 | 2 | 7 | 11 | 16 | 21 | 43 |
| 50-64 | 7323 | 8.8 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 37 |
| 65+ | 11961 | 9.6 | 68 | 2 | 2 | 8 | 12 | 19 | 24 | 44 |
| **GRAND TOTAL** | **20231** | **9.3** | **64** | **2** | **2** | **7** | **12** | **18** | **23** | **42** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 72.0 | | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 35-49 | 7 | 21.7 | 217 | 3 | 4 | 22 | 27 | 44 | 48 | 48 |
| 50-64 | 48 | 15.3 | 208 | 2 | 3 | 12 | 19 | 38 | 51 | 60 |
| 65+ | 106 | 17.1 | 211 | 2 | 4 | 13 | 23 | 38 | 50 | 87 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 20.3 | 261 | 3 | 3 | 21 | 34 | 35 | 35 | 35 |
| 35-49 | 40 | 18.2 | 218 | 3 | 5 | 13 | 26 | 38 | 56 | 60 |
| 50-64 | 206 | 16.9 | 259 | 2 | 3 | 12 | 21 | 38 | 52 | 85 |
| 65+ | 360 | 19.1 | 232 | 2 | 4 | 15 | 27 | 42 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 162 | 17.1 | 227 | 2 | 3 | 13 | 22 | 38 | 50 | 76 |
| *B. Operated* | 610 | 18.3 | 240 | 2 | 4 | 14 | 25 | 40 | 55 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 772 | 18.0 | 237 | 2 | 4 | 13 | 25 | 40 | 55 | 99+ |
| **A. NOT OPERATED** | 162 | 17.1 | 227 | 2 | 3 | 13 | 22 | 38 | 50 | 76 |
| **B. OPERATED** | 610 | 18.3 | 240 | 2 | 4 | 14 | 25 | 40 | 55 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 30.6 | 731 | 3 | 3 | 33 | 44 | 72 | 72 | 72 |
| 35-49 | 47 | 18.7 | 215 | 3 | 5 | 13 | 26 | 40 | 56 | 60 |
| 50-64 | 254 | 16.6 | 249 | 2 | 3 | 12 | 21 | 38 | 52 | 83 |
| 65+ | 466 | 18.6 | 227 | 2 | 4 | 15 | 26 | 41 | 56 | 99+ |
| **GRAND TOTAL** | **772** | **18.0** | **237** | **2** | **4** | **13** | **25** | **40** | **55** | **99+** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.4 | 2 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 25 | 6.8 | 16 | 1 | 2 | 6 | 9 | 13 | 14 | 16 |
| 35-49 | 91 | 10.2 | 100 | 2 | 3 | 7 | 11 | 26 | 35 | 49 |
| 50-64 | 406 | 10.3 | 99 | 2 | 3 | 7 | 12 | 20 | 32 | 64 |
| 65+ | 1035 | 12.2 | 121 | 3 | 3 | 9 | 15 | 26 | 34 | 68 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.8 | 34 | 1 | 1 | 4 | 11 | 16 | 17 | 17 |
| 20-34 | 24 | 10.5 | 69 | 2 | 2 | 9 | 16 | 20 | 26 | 34 |
| 35-49 | 81 | 9.1 | 60 | 2 | 2 | 8 | 11 | 17 | 20 | 46 |
| 50-64 | 140 | 9.7 | 64 | 2 | 2 | 7 | 13 | 21 | 28 | 36 |
| 65+ | 144 | 12.3 | 206 | 2 | 2 | 8 | 14 | 23 | 49 | 90 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 10.2 | 81 | 2 | 2 | 6 | 14 | 25 | 29 | 34 |
| 20-34 | 71 | 9.3 | 98 | 2 | 3 | 7 | 11 | 16 | 22 | 66 |
| 35-49 | 389 | 12.0 | 124 | 2 | 3 | 9 | 14 | 28 | 39 | 91 |
| 50-64 | 2299 | 12.9 | 137 | 3 | 4 | 9 | 16 | 25 | 39 | 80 |
| 65+ | 8673 | 15.8 | 173 | 4 | 5 | 12 | 20 | 33 | 46 | 91 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 14.0 | 153 | 3 | 3 | 11 | 17 | 33 | 45 | 46 |
| 20-34 | 49 | 14.6 | 195 | 2 | 3 | 9 | 17 | 34 | 54 | 99+ |
| 35-49 | 184 | 16.0 | 271 | 3 | 4 | 10 | 19 | 36 | 58 | 96 |
| 50-64 | 761 | 16.0 | 218 | 2 | 4 | 12 | 21 | 37 | 54 | 99+ |
| 65+ | 1302 | 21.3 | 308 | 3 | 6 | 16 | 30 | 52 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1566 | 11.4 | 113 | 2 | 3 | 8 | 14 | 24 | 33 | 62 |
| *B. Operated* | 400 | 10.5 | 115 | 2 | 2 | 8 | 13 | 21 | 32 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 11474 | 15.0 | 165 | 3 | 4 | 11 | 19 | 31 | 44 | 88 |
| *B. Operated* | 2307 | 18.9 | 279 | 3 | 4 | 14 | 25 | 47 | 65 | 99+ |
| **1. SINGLE DX** | 1966 | 11.2 | 114 | 2 | 3 | 8 | 14 | 23 | 33 | 61 |
| **2. MULTIPLE DX** | 13781 | 15.7 | 186 | 3 | 4 | 12 | 20 | 34 | 48 | 99+ |
| **A. NOT OPERATED** | 13040 | 14.6 | 160 | 3 | 4 | 11 | 18 | 31 | 42 | 85 |
| **B. OPERATED** | 2707 | 17.7 | 264 | 2 | 4 | 13 | 23 | 43 | 61 | 99+ |
| TOTAL 0-19 YRS | 73 | 9.4 | 82 | 1 | 2 | 6 | 13 | 24 | 27 | 43 |
| 20-34 | 169 | 10.6 | 116 | 2 | 2 | 7 | 13 | 21 | 34 | 71 |
| 35-49 | 745 | 12.5 | 155 | 2 | 3 | 9 | 14 | 28 | 42 | 80 |
| 50-64 | 3606 | 13.1 | 150 | 3 | 3 | 9 | 16 | 27 | 41 | 88 |
| 65+ | 11154 | 16.0 | 189 | 3 | 4 | 12 | 20 | 35 | 49 | 99+ |
| **GRAND TOTAL** | **15747** | **15.1** | **179** | **3** | **4** | **11** | **19** | **33** | **46** | **94** |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 21.0 | 259 | 5 | 5 | 16 | 30 | 46 | 57 | 57 |
| 20-34 | 25 | 14.8 | 130 | 3 | 4 | 11 | 20 | 28 | 36 | 54 |
| 35-49 | 111 | 13.8 | 92 | 3 | 4 | 11 | 19 | 27 | 34 | 44 |
| 50-64 | 894 | 19.1 | 233 | 4 | 5 | 15 | 25 | 42 | 56 | 95 |
| 65+ | 3786 | 20.9 | 235 | 5 | 6 | 17 | 28 | 43 | 57 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.3 | 9 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 12 | 11.9 | 123 | 2 | 2 | 10 | 19 | 52 | 91 | 99+ |
| 35-49 | 42 | 19.0 | 165 | 3 | 5 | 16 | 32 | 36 | 41 | 50 |
| 50-64 | 208 | 24.0 | 408 | 4 | 7 | 17 | 33 | 63 | 87 | 99+ |
| 65+ | 477 | 28.8 | 359 | 8 | 10 | 24 | 39 | 61 | 83 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 4826 | 20.4 | 232 | 5 | 6 | 16 | 27 | 42 | 56 | 99+ |
| B. *Operated* | 743 | 26.5 | 369 | 5 | 8 | 22 | 37 | 60 | 80 | 99+ |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | 5569 | 21.2 | 258 | 5 | 6 | 17 | 28 | 44 | 60 | 99+ |
| A. NOT OPERATED | 4826 | 20.4 | 232 | 5 | 6 | 16 | 27 | 42 | 56 | 99+ |
| B. OPERATED | 743 | 26.5 | 369 | 5 | 8 | 22 | 37 | 60 | 80 | 99+ |
| TOTAL 0-19 YRS | 14 | 17.4 | 217 | 4 | 5 | 13 | 22 | 37 | 53 | 57 |
| 20-34 | 37 | 13.8 | 126 | 2 | 3 | 11 | 19 | 29 | 48 | 99+ |
| 35-49 | 153 | 15.2 | 116 | 3 | 4 | 11 | 20 | 33 | 37 | 44 |
| 50-64 | 1102 | 20.0 | 270 | 4 | 5 | 15 | 27 | 44 | 63 | 99+ |
| 65+ | 4263 | 21.8 | 255 | 5 | 7 | 18 | 29 | 45 | 60 | 99+ |
| GRAND TOTAL | 5569 | 21.2 | 258 | 5 | 6 | 17 | 28 | 44 | 60 | 99+ |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.0 | 10 | 1 | 2 | 3 | 4 | 7 | 12 | 14 |
| 20-34 | 126 | 4.3 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 35-49 | 437 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 50-64 | 1510 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 4017 | 5.2 | 20 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 20-34 | 37 | 5.4 | 15 | 2 | 2 | 4 | 7 | 11 | 14 | 19 |
| 35-49 | 255 | 5.1 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 50-64 | 918 | 5.3 | 14 | 1 | 2 | 4 | 7 | 11 | 13 | 17 |
| 65+ | 958 | 5.9 | 27 | 1 | 2 | 4 | 8 | 11 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 6.2 | 10 | 2 | 3 | 5 | 8 | 11 | 12 | 16 |
| 20-34 | 195 | 4.9 | 10 | 1 | 1 | 4 | 7 | 10 | 11 | 16 |
| 35-49 | 1098 | 5.9 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 50-64 | 6049 | 6.3 | 23 | 2 | 2 | 5 | 8 | 12 | 14 | 22 |
| 65+ | 27863 | 8.0 | 52 | 2 | 3 | 6 | 10 | 15 | 20 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.7 | 34 | 2 | 2 | 11 | 14 | 16 | 16 | 16 |
| 20-34 | 53 | 9.4 | 83 | 2 | 2 | 7 | 10 | 18 | 24 | 95 |
| 35-49 | 460 | 7.7 | 37 | 2 | 2 | 6 | 10 | 15 | 19 | 30 |
| 50-64 | 2727 | 8.7 | 48 | 2 | 2 | 7 | 11 | 16 | 21 | 34 |
| 65+ | 4895 | 11.8 | 108 | 2 | 3 | 9 | 15 | 23 | 31 | 64 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6104 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 2174 | 5.5 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 35252 | 7.6 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| B. *Operated* | 8141 | 10.5 | 86 | 2 | 3 | 8 | 13 | 21 | 27 | 53 |
| 1. SINGLE DX | 8278 | 5.1 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 2. MULTIPLE DX | 43393 | 8.2 | 55 | 2 | 2 | 6 | 10 | 15 | 21 | 40 |
| A. NOT OPERATED | 41356 | 7.2 | 43 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| B. OPERATED | 10315 | 9.4 | 76 | 2 | 2 | 7 | 12 | 19 | 25 | 50 |
| TOTAL 0-19 YRS | 73 | 5.9 | 14 | 1 | 2 | 5 | 7 | 12 | 14 | 16 |
| 20-34 | 411 | 5.3 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 35-49 | 2250 | 5.8 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 11204 | 6.6 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 37733 | 8.1 | 58 | 2 | 2 | 6 | 10 | 15 | 21 | 42 |
| GRAND TOTAL | 51671 | 7.7 | 50 | 2 | 2 | 6 | 9 | 15 | 19 | 37 |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.6 | 21 | 1 | 2 | 4 | 8 | 12 | 14 | 21 |
| 20-34 | 46 | 7.9 | 73 | 1 | 1 | 6 | 9 | 18 | 28 | 99+ |
| 35-49 | 221 | 9.1 | 106 | 1 | 1 | 5 | 11 | 20 | 29 | 56 |
| 50-64 | 966 | 10.7 | 114 | 2 | 2 | 8 | 13 | 22 | 33 | 57 |
| 65+ | 3900 | 12.7 | 136 | 2 | 3 | 9 | 16 | 27 | 38 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 26 | 7.6 | 45 | 1 | 2 | 6 | 10 | 18 | 25 | 25 |
| 35-49 | 74 | 9.9 | 72 | 2 | 2 | 7 | 12 | 22 | 30 | 38 |
| 50-64 | 272 | 10.3 | 118 | 2 | 2 | 7 | 12 | 23 | 34 | 54 |
| 65+ | 329 | 14.5 | 209 | 2 | 2 | 11 | 18 | 32 | 40 | 93 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 10.5 | 109 | 2 | 2 | 8 | 13 | 18 | 24 | 59 |
| 20-34 | 108 | 9.1 | 96 | 1 | 2 | 6 | 11 | 20 | 33 | 99+ |
| 35-49 | 630 | 12.1 | 123 | 2 | 3 | 9 | 15 | 25 | 36 | 61 |
| 50-64 | 4502 | 13.4 | 156 | 3 | 4 | 10 | 17 | 28 | 40 | 84 |
| 65+ | 22864 | 15.8 | 177 | 3 | 5 | 12 | 20 | 33 | 45 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 14.9 | 294 | <1 | 1 | 9 | 22 | 44 | 53 | 55 |
| 20-34 | 54 | 13.0 | 119 | 2 | 2 | 9 | 17 | 28 | 33 | 51 |
| 35-49 | 246 | 16.6 | 239 | 2 | 4 | 11 | 20 | 41 | 55 | 99+ |
| 50-64 | 1042 | 17.4 | 235 | 3 | 5 | 13 | 22 | 40 | 60 | 99+ |
| 65+ | 2925 | 23.4 | 327 | 4 | 7 | 18 | 32 | 55 | 75 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 5162 | 12.1 | 131 | 2 | 3 | 9 | 15 | 25 | 36 | 67 |
| B. *Operated* | 705 | 12.1 | 158 | 2 | 2 | 8 | 15 | 27 | 37 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 28168 | 15.3 | 173 | 3 | 4 | 12 | 19 | 32 | 44 | 91 |
| B. *Operated* | 4279 | 21.4 | 306 | 4 | 6 | 16 | 29 | 51 | 70 | 99+ |
| 1. SINGLE DX | 5867 | 12.1 | 134 | 2 | 3 | 9 | 15 | 26 | 36 | 68 |
| 2. MULTIPLE DX | 32447 | 16.1 | 195 | 3 | 4 | 12 | 21 | 34 | 48 | 99+ |
| A. NOT OPERATED | 33330 | 14.8 | 168 | 3 | 4 | 11 | 19 | 31 | 43 | 88 |
| B. OPERATED | 4984 | 20.0 | 295 | 3 | 5 | 15 | 27 | 48 | 66 | 99+ |
| TOTAL 0-19 YRS | 109 | 9.3 | 109 | 1 | 2 | 6 | 12 | 18 | 24 | 59 |
| 20-34 | 234 | 9.6 | 94 | 1 | 2 | 6 | 12 | 24 | 31 | 99+ |
| 35-49 | 1171 | 12.3 | 147 | 2 | 3 | 9 | 15 | 27 | 41 | 69 |
| 50-64 | 6782 | 13.5 | 164 | 2 | 3 | 10 | 17 | 29 | 41 | 86 |
| 65+ | 30018 | 16.1 | 193 | 3 | 4 | 12 | 21 | 34 | 48 | 99 |
| GRAND TOTAL | 38314 | 15.8 | 187 | 3 | 4 | 11 | 20 | 33 | 46 | 96 |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 21.2 | 301 | 2 | 4 | 13 | 30 | 47 | 60 | 80 |
| 20-34 | 27 | 15.3 | 455 | 1 | 2 | 8 | 14 | 36 | 76 | 92 |
| 35-49 | 283 | 18.9 | 298 | 3 | 4 | 14 | 22 | 44 | 57 | 81 |
| 50-64 | 1913 | 19.6 | 286 | 4 | 5 | 14 | 26 | 44 | 61 | 99+ |
| 65+ | 8918 | 20.2 | 240 | 4 | 6 | 16 | 26 | 42 | 56 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 30.3 | 212 | 22 | 22 | 24 | 30 | 52 | 52 | 52 |
| 20-34 | 17 | 21.4 | 292 | 4 | 7 | 15 | 31 | 63 | 87 | 99+ |
| 35-49 | 88 | 24.7 | 388 | 3 | 7 | 19 | 38 | 73 | 97 | 99+ |
| 50-64 | 322 | 27.6 | 486 | 4 | 6 | 22 | 42 | 75 | 99 | 99+ |
| 65+ | 1042 | 29.7 | 387 | 7 | 9 | 26 | 42 | 66 | 90 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 11164 | 20.0 | 251 | 4 | 6 | 16 | 26 | 42 | 57 | 99+ |
| B. *Operated* | 1473 | 28.8 | 409 | 6 | 8 | 24 | 41 | 68 | 94 | 99+ |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | 12637 | 21.0 | 277 | 4 | 6 | 16 | 28 | 46 | 63 | 99+ |
| A. NOT OPERATED | 11164 | 20.0 | 251 | 4 | 6 | 16 | 26 | 42 | 57 | 99+ |
| B. OPERATED | 1473 | 28.8 | 409 | 6 | 8 | 24 | 41 | 68 | 94 | 99+ |
| TOTAL 0-19 YRS | 27 | 22.6 | 358 | 3 | 5 | 21 | 30 | 49 | 56 | 80 |
| 20-34 | 44 | 17.6 | 393 | 2 | 2 | 11 | 24 | 50 | 78 | 99+ |
| 35-49 | 371 | 20.3 | 324 | 3 | 4 | 15 | 26 | 48 | 87 | 99+ |
| 50-64 | 2235 | 20.7 | 323 | 4 | 5 | 15 | 28 | 48 | 68 | 99+ |
| 65+ | 9960 | 21.2 | 264 | 4 | 6 | 17 | 28 | 45 | 61 | 99+ |
| GRAND TOTAL | 12637 | 21.0 | 277 | 4 | 6 | 16 | 28 | 46 | 63 | 99+ |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 20 | 5.2 | 17 | 1 | 1 | 4 | 8 | 12 | 13 | 13 |
| 20-34 | 75 | 5.8 | 95 | 1 | 1 | 4 | 6 | 9 | 13 | 68 |
| 35-49 | 218 | 5.7 | 63 | 1 | 2 | 4 | 6 | 10 | 17 | 51 |
| 50-64 | 444 | 5.7 | 32 | 1 | 2 | 4 | 7 | 10 | 14 | 31 |
| 65+ | 1254 | 7.0 | 41 | 1 | 2 | 5 | 9 | 13 | 19 | 41 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 25 | 8.3 | 60 | 1 | 2 | 5 | 12 | 21 | 24 | 31 |
| 20-34 | 74 | 12.0 | 157 | 2 | 2 | 10 | 16 | 24 | 32 | 75 |
| 35-49 | 168 | 9.9 | 127 | 1 | 2 | 5 | 14 | 24 | 31 | 56 |
| 50-64 | 476 | 8.2 | 78 | 2 | 2 | 5 | 10 | 18 | 26 | 44 |
| 65+ | 599 | 6.9 | 55 | 2 | 2 | 5 | 9 | 15 | 19 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 51 | 8.5 | 214 | 1 | 1 | 4 | 7 | 17 | 26 | 94 |
| 20-34 | 209 | 6.8 | 89 | 1 | 2 | 5 | 7 | 11 | 18 | 73 |
| 35-49 | 808 | 8.1 | 73 | 2 | 2 | 6 | 9 | 15 | 22 | 53 |
| 50-64 | 2907 | 9.5 | 89 | 2 | 3 | 7 | 11 | 18 | 27 | 55 |
| 65+ | 16057 | 11.1 | 113 | 2 | 3 | 8 | 13 | 22 | 32 | 70 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 12.0 | 91 | 2 | 2 | 11 | 17 | 24 | 32 | 41 |
| 20-34 | 98 | 12.6 | 151 | 2 | 2 | 9 | 15 | 28 | 37 | 66 |
| 35-49 | 310 | 15.5 | 294 | 2 | 2 | 9 | 19 | 44 | 68 | 99+ |
| 50-64 | 1300 | 12.4 | 174 | 2 | 2 | 9 | 15 | 26 | 37 | 95 |
| 65+ | 2785 | 15.0 | 197 | 2 | 3 | 11 | 20 | 34 | 46 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2011 | 6.5 | 43 | 1 | 2 | 5 | 8 | 12 | 18 | 41 |
| B. *Operated* | 1342 | 8.1 | 79 | 2 | 2 | 5 | 10 | 18 | 24 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 20032 | 10.7 | 109 | 2 | 3 | 8 | 13 | 21 | 31 | 68 |
| B. *Operated* | 4515 | 14.2 | 197 | 2 | 3 | 10 | 18 | 32 | 46 | 99+ |
| **1. SINGLE DX** | 3353 | 7.2 | 58 | 1 | 2 | 5 | 9 | 15 | 20 | 42 |
| **2. MULTIPLE DX** | 24547 | 11.4 | 127 | 2 | 3 | 8 | 14 | 24 | 34 | 79 |
| **A. NOT OPERATED** | 22043 | 10.3 | 104 | 2 | 3 | 7 | 12 | 21 | 30 | 65 |
| **B. OPERATED** | 5857 | 12.8 | 177 | 2 | 2 | 9 | 17 | 29 | 41 | 96 |
| TOTAL 0-19 YRS | 118 | 8.5 | 127 | 1 | 2 | 5 | 12 | 17 | 25 | 62 |
| 20-34 | 456 | 8.7 | 122 | 1 | 2 | 5 | 10 | 18 | 29 | 70 |
| 35-49 | 1504 | 9.5 | 133 | 2 | 2 | 6 | 11 | 19 | 33 | 73 |
| 50-64 | 5127 | 9.8 | 108 | 2 | 2 | 7 | 12 | 20 | 29 | 66 |
| 65+ | 20695 | 11.3 | 122 | 2 | 3 | 8 | 14 | 23 | 34 | 76 |
| **GRAND TOTAL** | **27900** | **10.8** | **121** | **2** | **3** | **8** | **13** | **23** | **33** | **74** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 15 | 4.1 | 11 | 2 | 2 | 2 | 5 | 11 | 12 | 12 |
| 50-64 | 69 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 65+ | 211 | 6.5 | 95 | 1 | 1 | 4 | 7 | 12 | 15 | 66 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 4.5 | 25 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 17 | 4.6 | 12 | 1 | 2 | 3 | 6 | 11 | 12 | 12 |
| 35-49 | 164 | 7.3 | 41 | 1 | 2 | 5 | 11 | 15 | 20 | 30 |
| 50-64 | 697 | 7.6 | 39 | 1 | 2 | 6 | 11 | 16 | 19 | 28 |
| 65+ | 777 | 8.8 | 64 | 1 | 2 | 7 | 13 | 18 | 23 | 37 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 11.4 | 106 | 3 | 3 | 10 | 15 | 29 | 29 | 29 |
| 20-34 | 7 | 4.1 | 9 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 76 | 7.2 | 45 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| 50-64 | 655 | 7.3 | 44 | 1 | 2 | 6 | 9 | 14 | 20 | 32 |
| 65+ | 4104 | 10.3 | 94 | 2 | 3 | 8 | 13 | 20 | 29 | 67 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 16 | 9.9 | 38 | 2 | 2 | 11 | 14 | 19 | 20 | 20 |
| 20-34 | 60 | 8.9 | 98 | 1 | 2 | 7 | 10 | 18 | 35 | 48 |
| 35-49 | 511 | 12.2 | 140 | 2 | 2 | 10 | 15 | 26 | 35 | 63 |
| 50-64 | 3010 | 13.5 | 180 | 2 | 2 | 10 | 17 | 29 | 42 | 83 |
| 65+ | 5763 | 18.3 | 251 | 2 | 3 | 14 | 24 | 40 | 55 | 95 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 299 | 5.7 | 72 | 1 | 1 | 4 | 6 | 11 | 15 | 47 |
| B. *Operated* | 1657 | 8.1 | 51 | 1 | 2 | 6 | 12 | 17 | 22 | 32 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4847 | 9.8 | 87 | 2 | 3 | 7 | 12 | 20 | 28 | 58 |
| B. *Operated* | 9360 | 16.3 | 227 | 2 | 2 | 12 | 21 | 36 | 50 | 91 |
| **1. SINGLE DX** | 1956 | 7.7 | 55 | 1 | 2 | 5 | 11 | 16 | 21 | 33 |
| **2. MULTIPLE DX** | 14207 | 14.1 | 189 | 2 | 2 | 10 | 18 | 32 | 45 | 85 |
| **A. NOT OPERATED** | 5146 | 9.6 | 87 | 2 | 2 | 7 | 12 | 19 | 27 | 58 |
| **B. OPERATED** | 11017 | 15.1 | 210 | 2 | 2 | 11 | 19 | 34 | 48 | 86 |
| TOTAL 0-19 YRS | 24 | 9.5 | 49 | 1 | 2 | 9 | 13 | 20 | 23 | 29 |
| 20-34 | 87 | 7.4 | 75 | 1 | 2 | 5 | 9 | 14 | 21 | 47 |
| 35-49 | 766 | 10.5 | 113 | 2 | 2 | 8 | 14 | 22 | 30 | 60 |
| 50-64 | 4431 | 11.5 | 144 | 1 | 2 | 9 | 15 | 24 | 34 | 72 |
| 65+ | 10855 | 14.4 | 193 | 2 | 3 | 11 | 18 | 32 | 45 | 86 |
| **GRAND TOTAL** | **16163** | **13.3** | **177** | **2** | **2** | **10** | **17** | **30** | **42** | **81** |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 6 | 4.7 | 32 | 1 | 1 | 3 | 4 | 15 | 16 | 16 |
| 50-64 | 63 | 4.0 | 10 | <1 | 1 | 3 | 5 | 10 | 11 | 15 |
| 65+ | 214 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 8 | 7.4 | 18 | 2 | 2 | 8 | 10 | 12 | 13 | 13 |
| 35-49 | 27 | 10.3 | 43 | 2 | 2 | 10 | 13 | 19 | 22 | 29 |
| 50-64 | 585 | 11.1 | 29 | 2 | 3 | 11 | 13 | 17 | 20 | 29 |
| 65+ | 1284 | 12.8 | 56 | 2 | 3 | 12 | 16 | 21 | 24 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 19.0 | 450 | 4 | 4 | 19 | 34 | 34 | 34 | 34 |
| 35-49 | 11 | 3.4 | 10 | <1 | <1 | 2 | 6 | 8 | 10 | 10 |
| 50-64 | 194 | 6.4 | 49 | 1 | 2 | 5 | 8 | 14 | 17 | 29 |
| 65+ | 1302 | 8.0 | 56 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 23.5 | 631 | 2 | 6 | 16 | 18 | 72 | 79 | 80 |
| 20-34 | 34 | 16.7 | 217 | 2 | 2 | 15 | 24 | 44 | 58 | 99+ |
| 35-49 | 82 | 13.6 | 191 | 2 | 2 | 10 | 15 | 25 | 54 | 64 |
| 50-64 | 1743 | 14.7 | 113 | 2 | 5 | 12 | 17 | 25 | 34 | 71 |
| 65+ | 4563 | 17.2 | 147 | 3 | 6 | 14 | 21 | 31 | 40 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 287 | 4.5 | 15 | <1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 1906 | 12.3 | 48 | 2 | 3 | 12 | 15 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1512 | 7.8 | 56 | 1 | 2 | 6 | 10 | 15 | 21 | 40 |
| B. *Operated* | 6433 | 16.5 | 141 | 2 | 5 | 14 | 20 | 29 | 39 | 74 |
| **1. SINGLE DX** | 2193 | 11.2 | 51 | 2 | 2 | 11 | 15 | 19 | 23 | 35 |
| **2. MULTIPLE DX** | 7945 | 14.8 | 136 | 2 | 3 | 13 | 18 | 27 | 36 | 71 |
| **A. NOT OPERATED** | 1799 | 7.3 | 51 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| **B. OPERATED** | 8339 | 15.5 | 123 | 2 | 5 | 13 | 18 | 27 | 35 | 69 |
| TOTAL 0-19 YRS | 17 | 16.6 | 490 | 1 | 1 | 10 | 16 | 56 | 75 | 80 |
| 20-34 | 47 | 14.3 | 191 | 2 | 2 | 11 | 19 | 40 | 52 | 99+ |
| 35-49 | 126 | 11.6 | 147 | 1 | 2 | 10 | 13 | 21 | 33 | 63 |
| 50-64 | 2585 | 13.0 | 95 | 2 | 3 | 11 | 16 | 22 | 29 | 61 |
| 65+ | 7363 | 14.4 | 126 | 2 | 3 | 12 | 18 | 26 | 35 | 65 |
| **GRAND TOTAL** | **10138** | **14.0** | **120** | **2** | **3** | **12** | **17** | **25** | **33** | **64** |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 5 | 2.6 | 5 | <1 | <1 | 1 | 4 | 6 | 6 | 6 |
| 50-64 | 20 | 6.4 | 64 | <1 | 1 | 4 | 7 | 16 | 28 | 34 |
| 65+ | 23 | 3.8 | 10 | <1 | <1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.9 | 16 | <1 | 1 | 2 | 5 | 11 | 12 | 12 |
| 20-34 | 56 | 6.9 | 34 | 2 | 2 | 5 | 10 | 15 | 19 | 29 |
| 35-49 | 123 | 10.8 | 82 | 2 | 2 | 8 | 16 | 21 | 28 | 48 |
| 50-64 | 283 | 9.9 | 78 | 2 | 2 | 8 | 12 | 18 | 23 | 47 |
| 65+ | 293 | 10.5 | 59 | 2 | 2 | 9 | 13 | 21 | 25 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 11 | 5.9 | 47 | <1 | <1 | 3 | 8 | 18 | 22 | 22 |
| 50-64 | 34 | 8.2 | 79 | 1 | 2 | 5 | 9 | 23 | 31 | 38 |
| 65+ | 105 | 6.9 | 38 | 1 | 2 | 6 | 9 | 12 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.7 | 24 | 1 | 2 | 5 | 9 | 13 | 16 | 17 |
| 20-34 | 62 | 10.5 | 97 | 1 | 2 | 9 | 14 | 22 | 26 | 57 |
| 35-49 | 162 | 14.6 | 191 | 2 | 2 | 11 | 18 | 33 | 46 | 85 |
| 50-64 | 526 | 14.0 | 149 | 2 | 3 | 11 | 17 | 30 | 36 | 61 |
| 65+ | 762 | 15.9 | 183 | 2 | 3 | 12 | 20 | 33 | 43 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.7 | 31 | <1 | <1 | 3 | 6 | 8 | 14 | 34 |
| B. *Operated* | 768 | 9.9 | 68 | 2 | 2 | 8 | 13 | 19 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 7.1 | 48 | 1 | 1 | 5 | 9 | 12 | 22 | 38 |
| B. *Operated* | 1526 | 14.8 | 169 | 2 | 3 | 11 | 18 | 32 | 40 | 66 |
| **1. SINGLE DX** | 819 | 9.6 | 68 | 2 | 2 | 8 | 12 | 19 | 24 | 41 |
| **2. MULTIPLE DX** | 1677 | 14.1 | 163 | 2 | 2 | 11 | 17 | 30 | 39 | 65 |
| **A. NOT OPERATED** | 202 | 6.5 | 44 | 1 | 1 | 5 | 8 | 12 | 22 | 26 |
| **B. OPERATED** | 2294 | 13.2 | 141 | 2 | 2 | 11 | 16 | 26 | 36 | 62 |
| TOTAL 0-19 YRS | 27 | 5.4 | 21 | 1 | 1 | 3 | 9 | 12 | 14 | 17 |
| 20-34 | 122 | 8.6 | 69 | 1 | 2 | 6 | 11 | 19 | 23 | 39 |
| 35-49 | 301 | 12.5 | 145 | 1 | 2 | 10 | 17 | 25 | 36 | 68 |
| 50-64 | 863 | 12.2 | 126 | 2 | 2 | 10 | 15 | 24 | 34 | 54 |
| 65+ | 1183 | 13.5 | 148 | 2 | 2 | 11 | 17 | 28 | 37 | 63 |
| **GRAND TOTAL** | **2496** | **12.6** | **136** | **2** | **2** | **10** | **16** | **26** | **35** | **60** |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 7 | 6.1 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 20-34 | 34 | 8.4 | 25 | 1 | 2 | 8 | 11 | 14 | 19 | 21 |
| 35-49 | 61 | 5.7 | 18 | 1 | 2 | 5 | 7 | 11 | 16 | 19 |
| 50-64 | 142 | 5.8 | 31 | 1 | 1 | 3 | 8 | 13 | 17 | 27 |
| 65+ | 186 | 6.7 | 48 | 1 | 1 | 5 | 9 | 14 | 16 | 21 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 16 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 19 | 23 |
| 20-34 | 116 | 7.2 | 27 | 1 | 2 | 6 | 11 | 14 | 18 | 22 |
| 35-49 | 575 | 8.2 | 45 | 2 | 2 | 8 | 11 | 14 | 20 | 33 |
| 50-64 | 1817 | 8.9 | 39 | 1 | 2 | 9 | 12 | 16 | 19 | 29 |
| 65+ | 1906 | 10.3 | 62 | 2 | 2 | 9 | 14 | 19 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 7 | 6.7 | 19 | 1 | 2 | 5 | 9 | 13 | 14 | 14 |
| 20-34 | 39 | 9.2 | 64 | 3 | 3 | 7 | 11 | 16 | 19 | 49 |
| 35-49 | 124 | 7.1 | 21 | 1 | 2 | 6 | 10 | 14 | 16 | 18 |
| 50-64 | 329 | 7.8 | 44 | 1 | 2 | 6 | 10 | 16 | 21 | 30 |
| 65+ | 862 | 9.6 | 68 | 1 | 2 | 8 | 13 | 18 | 23 | 41 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 29 | 11.5 | 100 | 2 | 3 | 10 | 13 | 22 | 32 | 51 |
| 20-34 | 127 | 13.6 | 151 | 2 | 2 | 10 | 16 | 31 | 41 | 80 |
| 35-49 | 929 | 12.6 | 109 | 2 | 2 | 11 | 15 | 23 | 32 | 60 |
| 50-64 | 4457 | 13.5 | 127 | 2 | 3 | 11 | 17 | 25 | 35 | 73 |
| 65+ | 6587 | 16.3 | 172 | 2 | 3 | 13 | 21 | 32 | 44 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 430 | 6.4 | 36 | 1 | 1 | 5 | 9 | 13 | 16 | 23 |
| **B.** ***Operated*** | 4430 | 9.4 | 50 | 1 | 2 | 9 | 13 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 1361 | 8.9 | 58 | 1 | 2 | 7 | 12 | 17 | 21 | 39 |
| **B.** ***Operated*** | 12129 | 14.9 | 152 | 2 | 3 | 12 | 19 | 29 | 40 | 77 |
| **1. SINGLE DX** | 4860 | 9.1 | 50 | 1 | 2 | 8 | 12 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | 13490 | 14.3 | 146 | 2 | 3 | 12 | 18 | 28 | 39 | 74 |
| **A. NOT OPERATED** | 1791 | 8.3 | 54 | 1 | 2 | 7 | 11 | 16 | 20 | 37 |
| **B. OPERATED** | 16559 | 13.4 | 131 | 2 | 2 | 11 | 17 | 26 | 36 | 69 |
| TOTAL 0-19 YRS | 59 | 8.8 | 66 | 2 | 2 | 8 | 11 | 16 | 24 | 49 |
| 20-34 | 316 | 10.2 | 90 | 1 | 2 | 9 | 12 | 20 | 29 | 52 |
| 35-49 | 1689 | 10.5 | 83 | 2 | 2 | 9 | 13 | 20 | 26 | 50 |
| 50-64 | 6745 | 11.8 | 103 | 2 | 2 | 10 | 15 | 22 | 29 | 61 |
| 65+ | 9541 | 14.3 | 147 | 2 | 3 | 12 | 18 | 29 | 39 | 72 |
| **GRAND TOTAL** | **18350** | **12.9** | **126** | **2** | **2** | **11** | **16** | **25** | **35** | **67** |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 234 | 6.1 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 20-34 | 153 | 5.0 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 32 |
| 35-49 | 200 | 5.3 | 22 | 1 | 1 | 4 | 7 | 10 | 15 | 25 |
| 50-64 | 329 | 5.7 | 50 | 1 | 1 | 4 | 7 | 12 | 15 | 32 |
| 65+ | 401 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 77 | 5.8 | 39 | <1 | 1 | 3 | 9 | 15 | 18 | 30 |
| 20-34 | 228 | 6.2 | 42 | 1 | 1 | 4 | 8 | 13 | 20 | 30 |
| 35-49 | 521 | 6.9 | 78 | 1 | 1 | 5 | 9 | 13 | 19 | 49 |
| 50-64 | 1388 | 7.7 | 69 | 1 | 2 | 5 | 11 | 16 | 20 | 44 |
| 65+ | 1518 | 8.7 | 76 | 1 | 2 | 6 | 12 | 18 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 149 | 7.7 | 47 | 2 | 2 | 6 | 10 | 17 | 21 | 36 |
| 20-34 | 258 | 6.5 | 32 | 1 | 2 | 5 | 9 | 13 | 16 | 34 |
| 35-49 | 438 | 6.9 | 40 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| 50-64 | 1192 | 6.9 | 40 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| 65+ | 2665 | 9.9 | 86 | 2 | 2 | 7 | 12 | 20 | 27 | 57 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 82 | 6.7 | 119 | <1 | <1 | 3 | 7 | 17 | 24 | 67 |
| 20-34 | 312 | 9.7 | 135 | <1 | 2 | 6 | 12 | 22 | 33 | 69 |
| 35-49 | 899 | 10.7 | 118 | 2 | 2 | 8 | 14 | 23 | 33 | 66 |
| 50-64 | 3491 | 13.1 | 177 | 2 | 2 | 10 | 17 | 28 | 41 | 80 |
| 65+ | 5943 | 16.5 | 231 | 2 | 3 | 12 | 21 | 38 | 52 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 1317 | 5.6 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| **B.** ***Operated*** | 3732 | 7.9 | 72 | 1 | 2 | 5 | 11 | 17 | 22 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 4702 | 8.6 | 68 | 2 | 2 | 6 | 11 | 18 | 24 | 43 |
| **B.** ***Operated*** | 10727 | 14.6 | 205 | 2 | 2 | 11 | 19 | 33 | 47 | 88 |
| **1. SINGLE DX** | 5049 | 7.3 | 62 | 1 | 2 | 5 | 10 | 15 | 20 | 39 |
| **2. MULTIPLE DX** | 15429 | 12.8 | 171 | 2 | 2 | 9 | 16 | 28 | 41 | 80 |
| **A. NOT OPERATED** | 6019 | 8.0 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| **B. OPERATED** | 14459 | 12.9 | 179 | 2 | 2 | 9 | 17 | 29 | 42 | 81 |
| TOTAL 0-19 YRS | 542 | 6.6 | 44 | 1 | 1 | 5 | 8 | 13 | 18 | 36 |
| 20-34 | 951 | 7.2 | 71 | 1 | 2 | 5 | 9 | 15 | 22 | 47 |
| 35-49 | 2058 | 8.4 | 86 | 1 | 2 | 6 | 11 | 18 | 25 | 52 |
| 50-64 | 6400 | 10.4 | 130 | 1 | 2 | 7 | 13 | 22 | 31 | 65 |
| 65+ | 10527 | 13.3 | 178 | 2 | 2 | 9 | 17 | 30 | 42 | 84 |
| **GRAND TOTAL** | **20478** | **11.4** | **150** | **2** | **2** | **8** | **15** | **25** | **37** | **73** |

### 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 7.2 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 23 |
| 20-34 | 2108 | 7.9 | 18 | 2 | 3 | 7 | 10 | 13 | 16 | 21 |
| 35-49 | 2478 | 8.4 | 19 | 3 | 4 | 8 | 11 | 14 | 16 | 22 |
| 50-64 | 2688 | 8.8 | 20 | 3 | 4 | 8 | 11 | 14 | 17 | 23 |
| 65+ | 2268 | 9.4 | 22 | 3 | 4 | 9 | 12 | 15 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 7.7 | 22 | 2 | 3 | 7 | 10 | 14 | 16 | 26 |
| 20-34 | 778 | 8.0 | 25 | 2 | 2 | 7 | 11 | 14 | 17 | 25 |
| 35-49 | 856 | 8.4 | 32 | 2 | 2 | 8 | 11 | 15 | 17 | 24 |
| 50-64 | 817 | 9.0 | 29 | 2 | 3 | 8 | 12 | 16 | 19 | 27 |
| 65+ | 624 | 9.9 | 40 | 2 | 3 | 9 | 13 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 170 | 8.1 | 23 | 2 | 3 | 7 | 11 | 15 | 18 | 20 |
| 20-34 | 1732 | 9.2 | 33 | 3 | 4 | 8 | 11 | 15 | 19 | 30 |
| 35-49 | 3267 | 9.9 | 38 | 3 | 4 | 9 | 12 | 16 | 20 | 33 |
| 50-64 | 5815 | 10.4 | 34 | 4 | 5 | 9 | 13 | 17 | 21 | 32 |
| 65+ | 8078 | 11.6 | 50 | 4 | 5 | 10 | 14 | 19 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 11.0 | 47 | 3 | 4 | 9 | 14 | 18 | 26 | 35 |
| 20-34 | 818 | 11.0 | 59 | 2 | 3 | 9 | 14 | 20 | 26 | 42 |
| 35-49 | 1423 | 11.6 | 62 | 3 | 4 | 10 | 14 | 21 | 26 | 44 |
| 50-64 | 2217 | 12.7 | 93 | 3 | 4 | 10 | 15 | 23 | 30 | 62 |
| 65+ | 2698 | 14.7 | 109 | 4 | 6 | 12 | 18 | 26 | 34 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9787 | 8.6 | 20 | 3 | 4 | 8 | 11 | 14 | 17 | 23 |
| B. *Operated* | 3172 | 8.7 | 31 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19062 | 10.7 | 42 | 3 | 4 | 9 | 13 | 18 | 22 | 35 |
| B. *Operated* | 7219 | 13.0 | 91 | 3 | 4 | 11 | 16 | 23 | 30 | 55 |
| **1. SINGLE DX** | 12959 | 8.6 | 23 | 2 | 3 | 8 | 11 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | 26281 | 11.3 | 57 | 3 | 4 | 10 | 14 | 19 | 24 | 42 |
| **A. NOT OPERATED** | 28849 | 10.0 | 36 | 3 | 4 | 9 | 12 | 17 | 20 | 32 |
| **B. OPERATED** | 10391 | 11.7 | 76 | 2 | 4 | 10 | 14 | 21 | 27 | 50 |
| TOTAL 0-19 YRS | 575 | 8.0 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 20-34 | 5436 | 8.8 | 31 | 2 | 3 | 8 | 11 | 15 | 18 | 29 |
| 35-49 | 8024 | 9.6 | 37 | 3 | 4 | 9 | 12 | 16 | 20 | 32 |
| 50-64 | 11537 | 10.4 | 44 | 3 | 4 | 9 | 13 | 17 | 22 | 36 |
| 65+ | 13668 | 11.8 | 60 | 4 | 5 | 10 | 14 | 20 | 25 | 44 |
| **GRAND TOTAL** | **39240** | **10.4** | **47** | **3** | **4** | **9** | **13** | **18** | **22** | **37** |

### 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 48 | 7.1 | 63 | <1 | 1 | 5 | 8 | 14 | 24 | 42 |
| 35-49 | 103 | 8.6 | 51 | 1 | 2 | 7 | 13 | 18 | 23 | 32 |
| 50-64 | 217 | 10.7 | 88 | 2 | 2 | 8 | 14 | 21 | 26 | 48 |
| 65+ | 461 | 12.8 | 108 | 1 | 3 | 11 | 16 | 24 | 31 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 3074 | 4.2 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 4279 | 4.7 | 13 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 3491 | 5.9 | 34 | 2 | 3 | 4 | 6 | 10 | 15 | 30 |
| 65+ | 1211 | 10.8 | 117 | 2 | 3 | 6 | 14 | 26 | 33 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 110 | 8.1 | 72 | 1 | 1 | 5 | 10 | 20 | 28 | 37 |
| 35-49 | 290 | 9.5 | 80 | 1 | 2 | 7 | 12 | 19 | 26 | 42 |
| 50-64 | 700 | 11.9 | 93 | 2 | 3 | 9 | 15 | 23 | 31 | 51 |
| 65+ | 2216 | 14.5 | 126 | 3 | 4 | 12 | 19 | 29 | 36 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.6 | 14 | <1 | 1 | 3 | 6 | 9 | 15 | 15 |
| 20-34 | 807 | 6.1 | 39 | 2 | 2 | 4 | 7 | 11 | 16 | 34 |
| 35-49 | 1623 | 7.1 | 49 | 2 | 3 | 5 | 8 | 13 | 19 | 36 |
| 50-64 | 2305 | 9.8 | 99 | 3 | 3 | 6 | 11 | 22 | 30 | 49 |
| 65+ | 1756 | 18.2 | 229 | 3 | 4 | 14 | 26 | 40 | 49 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 831 | 11.4 | 96 | 1 | 2 | 9 | 15 | 23 | 29 | 49 |
| B. *Operated* | 12197 | 5.5 | 31 | 2 | 2 | 4 | 6 | 9 | 14 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3318 | 13.3 | 117 | 2 | 4 | 11 | 17 | 27 | 34 | 55 |
| B. *Operated* | 6514 | 10.9 | 135 | 2 | 3 | 6 | 13 | 26 | 36 | 59 |
| **1. SINGLE DX** | 13028 | 5.9 | 38 | 2 | 2 | 4 | 6 | 10 | 17 | 33 |
| **2. MULTIPLE DX** | 9832 | 11.7 | 130 | 2 | 3 | 8 | 15 | 26 | 35 | 58 |
| **A. NOT OPERATED** | 4149 | 12.9 | 113 | 2 | 3 | 10 | 17 | 26 | 33 | 54 |
| **B. OPERATED** | 18711 | 7.4 | 74 | 2 | 3 | 5 | 7 | 16 | 25 | 46 |
| TOTAL 0-19 YRS | 169 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 4039 | 4.7 | 18 | 2 | 2 | 4 | 5 | 7 | 10 | 24 |
| 35-49 | 6295 | 5.6 | 28 | 2 | 2 | 4 | 6 | 10 | 14 | 29 |
| 50-64 | 6713 | 8.0 | 70 | 2 | 3 | 5 | 9 | 17 | 24 | 43 |
| 65+ | 5644 | 14.7 | 162 | 3 | 4 | 11 | 20 | 31 | 41 | 64 |
| **GRAND TOTAL** | **22860** | **8.4** | **86** | **2** | **3** | **5** | **9** | **19** | **27** | **48** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 373 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 392 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 351 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 246 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 2330 | 4.8 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 12 |
| 35-49 | 2795 | 5.0 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 12 |
| 50-64 | 1845 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 65+ | 645 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 563 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 991 | 4.4 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 1208 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 1444 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 5.0 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 18 |
| 20-34 | 7489 | 5.3 | 7 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 10854 | 5.7 | 9 | 3 | 3 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 8890 | 6.3 | 15 | 3 | 3 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 3960 | 7.7 | 27 | 3 | 3 | 6 | 9 | 14 | 18 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1424 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 7744 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4261 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 31477 | 6.0 | 13 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |
| **1. SINGLE DX** | 9168 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 35738 | 5.9 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 20 |
| **A. NOT OPERATED** | 5685 | 4.4 | 15 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 39221 | 5.8 | 12 | 3 | 3 | 5 | 7 | 9 | 12 | 19 |
| TOTAL 0-19 YRS | 530 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 10755 | 5.1 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 15032 | 5.4 | 8 | 2 | 3 | 5 | 6 | 9 | 10 | 16 |
| 50-64 | 12294 | 5.9 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 65+ | 6295 | 6.9 | 26 | 2 | 3 | 6 | 8 | 13 | 16 | 26 |
| **GRAND TOTAL** | **44906** | **5.7** | **12** | **2** | **3** | **5** | **7** | **9** | **11** | **19** |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 20-34 | 481 | 6.5 | 21 | 1 | 2 | 6 | 9 | 12 | 14 | 21 |
| 35-49 | 457 | 6.6 | 20 | 1 | 2 | 6 | 9 | 13 | 15 | 22 |
| 50-64 | 660 | 7.1 | 24 | 1 | 2 | 6 | 10 | 13 | 15 | 25 |
| 65+ | 841 | 7.6 | 29 | 1 | 2 | 7 | 10 | 14 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 548 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 10 | 18 |
| 20-34 | 1839 | 3.6 | 15 | 1 | 1 | 2 | 4 | 8 | 11 | 18 |
| 35-49 | 765 | 5.5 | 33 | 1 | 2 | 3 | 7 | 12 | 15 | 29 |
| 50-64 | 588 | 8.0 | 36 | 1 | 2 | 7 | 11 | 16 | 19 | 26 |
| 65+ | 489 | 9.9 | 79 | 1 | 2 | 8 | 13 | 20 | 24 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 251 | 4.8 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 20-34 | 708 | 7.1 | 48 | 1 | 2 | 5 | 9 | 15 | 17 | 31 |
| 35-49 | 1341 | 7.7 | 36 | 1 | 2 | 6 | 10 | 15 | 18 | 31 |
| 50-64 | 2871 | 7.9 | 33 | 2 | 2 | 7 | 10 | 15 | 18 | 27 |
| 65+ | 6030 | 9.1 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 244 | 6.8 | 89 | 1 | 2 | 4 | 7 | 14 | 23 | 44 |
| 20-34 | 1541 | 5.5 | 39 | 1 | 1 | 3 | 7 | 12 | 16 | 38 |
| 35-49 | 1132 | 10.3 | 120 | 1 | 2 | 7 | 13 | 22 | 28 | 63 |
| 50-64 | 1723 | 12.8 | 128 | 2 | 3 | 10 | 16 | 25 | 33 | 63 |
| 65+ | 2540 | 15.2 | 152 | 2 | 4 | 12 | 19 | 30 | 40 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2611 | 6.9 | 24 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| B. *Operated* | 4229 | 5.3 | 33 | 1 | 2 | 3 | 7 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11201 | 8.4 | 46 | 2 | 2 | 7 | 11 | 16 | 20 | 34 |
| B. *Operated* | 7180 | 11.5 | 129 | 2 | 2 | 9 | 15 | 24 | 33 | 63 |
| **1. SINGLE DX** | 6840 | 5.9 | 30 | 1 | 2 | 4 | 8 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | 18381 | 9.6 | 81 | 2 | 2 | 7 | 12 | 19 | 26 | 47 |
| **A. NOT OPERATED** | 13812 | 8.1 | 42 | 2 | 2 | 7 | 10 | 15 | 20 | 33 |
| **B. OPERATED** | 11409 | 9.2 | 102 | 1 | 2 | 6 | 12 | 21 | 28 | 54 |
| TOTAL 0-19 YRS | 1215 | 4.5 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 20-34 | 4569 | 5.1 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 26 |
| 35-49 | 3695 | 7.9 | 62 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |
| 50-64 | 5842 | 9.3 | 66 | 2 | 2 | 7 | 12 | 18 | 23 | 42 |
| 65+ | 9900 | 10.6 | 86 | 2 | 3 | 8 | 13 | 21 | 28 | 48 |
| **GRAND TOTAL** | **25221** | **8.6** | **70** | **1** | **2** | **6** | **11** | **17** | **23** | **43** |

### 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16635 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 2034 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 784 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 550 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 65+ | 470 | 5.2 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2713 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 1212 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 233 | 3.5 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 158 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 65+ | 79 | 4.2 | 17 | 1 | 1 | 3 | 6 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21892 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 3907 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2284 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 2741 | 6.1 | 18 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 65+ | 4667 | 7.8 | 33 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1656 | 3.5 | 22 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| 20-34 | 622 | 4.9 | 27 | 1 | 2 | 3 | 6 | 10 | 13 | 26 |
| 35-49 | 368 | 6.5 | 26 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| 50-64 | 367 | 8.4 | 64 | 1 | 2 | 6 | 11 | 18 | 22 | 39 |
| 65+ | 410 | 13.4 | 178 | 2 | 2 | 10 | 17 | 29 | 39 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20473 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 4395 | 2.4 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35491 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| B. *Operated* | 3423 | 5.8 | 57 | 1 | 1 | 3 | 7 | 13 | 18 | 37 |
| **1. SINGLE DX** | 24868 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 38914 | 4.6 | 17 | 1 | 2 | 4 | 5 | 9 | 11 | 21 |
| **A. NOT OPERATED** | 55964 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 7818 | 3.9 | 30 | 1 | 1 | 2 | 4 | 8 | 12 | 27 |
| TOTAL 0-19 YRS | 42896 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 7775 | 3.8 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 3669 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 3816 | 5.9 | 22 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| 65+ | 5626 | 8.0 | 45 | 2 | 3 | 6 | 10 | 15 | 19 | 36 |
| **GRAND TOTAL** | **63782** | **4.0** | **13** | **1** | **1** | **3** | **5** | **7** | **10** | **18** |

### 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16129 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1093 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 979 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 1101 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 15 |
| 65+ | 1334 | 6.1 | 17 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 5.8 | 18 | 1 | 2 | 5 | 8 | 12 | 16 | 19 |
| 20-34 | 37 | 4.6 | 12 | 1 | 2 | 3 | 6 | 8 | 11 | 19 |
| 35-49 | 46 | 5.7 | 14 | 1 | 2 | 5 | 8 | 11 | 14 | 15 |
| 50-64 | 86 | 8.1 | 108 | 1 | 2 | 6 | 9 | 14 | 19 | 70 |
| 65+ | 60 | 7.5 | 72 | 1 | 2 | 5 | 9 | 13 | 23 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14176 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 2646 | 5.4 | 15 | 2 | 2 | 4 | 7 | 10 | 12 | 19 |
| 35-49 | 3628 | 6.4 | 21 | 2 | 3 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 9232 | 7.6 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| 65+ | 17979 | 9.0 | 42 | 3 | 4 | 7 | 11 | 16 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 9.7 | 119 | 2 | 4 | 7 | 11 | 18 | 21 | 78 |
| 20-34 | 216 | 9.2 | 58 | 2 | 3 | 8 | 11 | 17 | 21 | 44 |
| 35-49 | 404 | 9.8 | 84 | 2 | 3 | 8 | 12 | 18 | 24 | 51 |
| 50-64 | 844 | 10.9 | 75 | 2 | 3 | 9 | 14 | 21 | 27 | 51 |
| 65+ | 1233 | 14.2 | 129 | 3 | 4 | 12 | 17 | 26 | 36 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20636 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 278 | 6.7 | 57 | 1 | 2 | 5 | 8 | 12 | 15 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47661 | 7.0 | 30 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | 2868 | 11.9 | 105 | 2 | 3 | 9 | 15 | 22 | 31 | 57 |
| **1. SINGLE DX** | 20914 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 50529 | 7.3 | 35 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 68297 | 6.1 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| **B. OPERATED** | 3146 | 11.5 | 103 | 2 | 3 | 9 | 14 | 22 | 30 | 55 |
| TOTAL 0-19 YRS | 30525 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 3992 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 5057 | 6.3 | 24 | 2 | 3 | 5 | 8 | 11 | 14 | 25 |
| 50-64 | 11263 | 7.6 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| 65+ | 20606 | 9.1 | 48 | 3 | 3 | 7 | 11 | 16 | 21 | 37 |
| **GRAND TOTAL** | **71443** | **6.4** | **29** | **2** | **2** | **5** | **8** | **12** | **15** | **27** |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 41 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 13 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2933 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 6903 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 2847 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 1430 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 326 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 5 |
| 20-34 | 136 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 93 | 2.2 | 4 | <1 | <1 | 1 | 3 | 4 | 7 | 10 |
| 50-64 | 60 | 2.4 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 18 |
| 65+ | 24 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3922 | 2.5 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 9794 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 5412 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 3102 | 3.1 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 757 | 3.6 | 9 | 1 | 2 | 3 | 4 | 5 | 8 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 14439 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 371 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| B. *Operated* | 22987 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 14516 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 23358 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 448 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **B. OPERATED** | 37426 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 6928 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 16874 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 8365 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 4598 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 65+ | 1109 | 3.3 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| **GRAND TOTAL** | **37874** | **2.6** | **2** | **1** | **1** | **2** | **3** | **4** | **5** | **7** |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 2.3 | 5 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 5 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 6 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 326 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 415 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 575 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 351 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 12 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 18 | 4.6 | 26 | <1 | <1 | 3 | 5 | 12 | 18 | 20 |
| 50-64 | 16 | 6.3 | 88 | <1 | 1 | 2 | 6 | 23 | 30 | 33 |
| 65+ | 31 | 4.0 | 12 | <1 | <1 | 3 | 6 | 8 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 253 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 696 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 867 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 1116 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 65+ | 681 | 3.8 | 14 | 1 | 2 | 3 | 4 | 6 | 9 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 1.9 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| B. *Operated* | 1842 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 4.1 | 26 | <1 | 1 | 2 | 5 | 8 | 14 | 29 |
| B. *Operated* | 3613 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **1. SINGLE DX** | 1864 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 3703 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| **A. NOT OPERATED** | 112 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 13 | 27 |
| **B. OPERATED** | 5455 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 5 | 11 |
| TOTAL 0-19 YRS | 445 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1037 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1304 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 1712 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 1069 | 3.3 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 19 |
| **GRAND TOTAL** | **5567** | **2.8** | **5** | **1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 20-34 | 113 | 2.7 | 5 | <1 | <1 | 2 | 4 | 5 | 5 | 12 |
| 35-49 | 19 | 3.2 | 4 | 1 | <1 | 3 | 4 | 5 | 8 | 10 |
| 50-64 | 12 | 2.6 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 65+ | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67248 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 18134 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 1557 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 301 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 129 | 3.1 | 69 | <1 | 1 | 2 | 2 | 4 | 7 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1249 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 249 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 38 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 18 |
| 50-64 | 13 | 5.2 | 54 | <1 | <1 | 3 | 6 | 12 | 25 | 28 |
| 65+ | 15 | 8.2 | 33 | 3 | 3 | 5 | 12 | 16 | 21 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33410 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 3006 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 446 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 175 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 65+ | 85 | 4.9 | 106 | <1 | 1 | 2 | 4 | 11 | 15 | 68 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 541 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 87369 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1564 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 37122 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 1. SINGLE DX | 87910 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 2. MULTIPLE DX | 38686 | 1.8 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| A. NOT OPERATED | 2105 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. OPERATED | 124491 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| TOTAL 0-19 YRS | 102301 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 21502 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 2060 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 501 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 232 | 4.1 | 81 | 1 | 1 | 2 | 3 | 8 | 13 | 39 |
| GRAND TOTAL | 126596 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1925 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1246 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 592 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 50-64 | 459 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 65+ | 236 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2469 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 4177 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 3454 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 3526 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 1588 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1587 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1129 | 4.3 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 1002 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 1052 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 919 | 6.4 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1987 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 3590 | 3.4 | 13 | 1 | 1 | 3 | 4 | 5 | 8 | 15 |
| 35-49 | 3112 | 3.7 | 17 | 1 | 1 | 3 | 4 | 6 | 10 | 19 |
| 50-64 | 3406 | 4.1 | 22 | 1 | 1 | 3 | 4 | 8 | 12 | 26 |
| 65+ | 1881 | 5.3 | 44 | 1 | 2 | 3 | 6 | 12 | 17 | 35 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4458 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 15214 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5689 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 13976 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 1. SINGLE DX | 19672 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 2. MULTIPLE DX | 19665 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| A. NOT OPERATED | 10147 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. OPERATED | 29190 | 3.1 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-19 YRS | 7968 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 10142 | 3.1 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 8160 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 8443 | 3.5 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 65+ | 4624 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 14 | 27 |
| GRAND TOTAL | 39337 | 3.4 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30029 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 6447 | 5.3 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 35-49 | 4485 | 6.0 | 11 | 2 | 3 | 5 | 8 | 10 | 12 | 16 |
| 50-64 | 5104 | 6.8 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| 65+ | 7812 | 8.4 | 27 | 3 | 4 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 8.4 | 56 | 1 | 2 | 7 | 11 | 14 | 20 | 38 |
| 20-34 | 192 | 9.4 | 48 | 2 | 3 | 8 | 12 | 17 | 25 | 40 |
| 35-49 | 288 | 9.9 | 60 | 2 | 2 | 9 | 13 | 17 | 24 | 41 |
| 50-64 | 605 | 10.6 | 59 | 2 | 2 | 10 | 14 | 19 | 25 | 39 |
| 65+ | 528 | 11.7 | 70 | 2 | 2 | 10 | 16 | 22 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25821 | 5.4 | 14 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| 20-34 | 6235 | 6.9 | 25 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| 35-49 | 7487 | 7.9 | 30 | 3 | 3 | 7 | 10 | 14 | 17 | 30 |
| 50-64 | 16983 | 9.3 | 41 | 3 | 4 | 8 | 11 | 16 | 20 | 34 |
| 65+ | 52453 | 11.9 | 71 | 4 | 5 | 10 | 14 | 21 | 27 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 589 | 13.3 | 147 | 3 | 4 | 10 | 16 | 24 | 35 | 78 |
| 20-34 | 684 | 15.6 | 162 | 4 | 5 | 12 | 19 | 32 | 45 | 93 |
| 35-49 | 1244 | 15.5 | 136 | 4 | 5 | 12 | 20 | 29 | 38 | 66 |
| 50-64 | 3041 | 17.0 | 164 | 4 | 5 | 14 | 21 | 32 | 42 | 76 |
| 65+ | 6319 | 20.4 | 203 | 6 | 7 | 17 | 26 | 40 | 52 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53877 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 1806 | 10.5 | 62 | 2 | 2 | 9 | 14 | 19 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108979 | 9.4 | 55 | 2 | 3 | 8 | 12 | 17 | 22 | 39 |
| B. *Operated* | 11877 | 18.4 | 186 | 4 | 6 | 15 | 23 | 36 | 47 | 86 |
| **1. SINGLE DX** | 55683 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 120856 | 10.3 | 75 | 2 | 3 | 8 | 13 | 19 | 26 | 47 |
| **A. NOT OPERATED** | 162856 | 8.1 | 44 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| **B. OPERATED** | 13683 | 17.3 | 177 | 3 | 5 | 14 | 22 | 34 | 45 | 80 |
| TOTAL 0-19 YRS | 56632 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 13558 | 6.6 | 30 | 2 | 3 | 5 | 8 | 12 | 15 | 28 |
| 35-49 | 13504 | 8.0 | 41 | 2 | 3 | 6 | 10 | 14 | 19 | 35 |
| 50-64 | 25733 | 9.8 | 59 | 3 | 4 | 8 | 12 | 17 | 23 | 42 |
| 65+ | 67112 | 12.3 | 87 | 4 | 5 | 10 | 15 | 22 | 29 | 53 |
| **GRAND TOTAL** | **176539** | **8.8** | **61** | **2** | **3** | **7** | **11** | **17** | **23** | **42** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1366 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 981 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 537 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 630 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 65+ | 932 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.9 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 7 | 8.1 | 60 | 2 | 2 | 7 | 12 | 21 | 23 | 23 |
| 35-49 | 4 | 8.3 | 14 | 4 | 4 | 8 | 11 | 13 | 13 | 13 |
| 50-64 | 7 | 9.1 | 35 | 1 | 2 | 7 | 14 | 17 | 18 | 18 |
| 65+ | 4 | 6.5 | 6 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2140 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 1872 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 1443 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 2628 | 6.6 | 22 | 2 | 3 | 5 | 8 | 12 | 14 | 23 |
| 65+ | 6366 | 8.5 | 42 | 2 | 3 | 7 | 10 | 16 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 7.1 | 23 | 2 | 3 | 6 | 9 | 16 | 22 | 99+ |
| 20-34 | 67 | 7.9 | 33 | 1 | 2 | 7 | 11 | 15 | 17 | 31 |
| 35-49 | 72 | 10.8 | 53 | 4 | 4 | 9 | 14 | 21 | 28 | 38 |
| 50-64 | 125 | 14.7 | 139 | 4 | 5 | 12 | 18 | 30 | 34 | 79 |
| 65+ | 296 | 17.3 | 153 | 5 | 6 | 14 | 21 | 34 | 46 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4446 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 31 | 6.9 | 26 | 2 | 2 | 6 | 9 | 14 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14449 | 6.6 | 29 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 593 | 14.3 | 130 | 3 | 4 | 11 | 18 | 30 | 39 | 70 |
| **1. SINGLE DX** | 4477 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 15042 | 6.9 | 36 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| **A. NOT OPERATED** | 18895 | 6.0 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 624 | 14.0 | 128 | 3 | 4 | 11 | 18 | 29 | 38 | 69 |
| TOTAL 0-19 YRS | 3548 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 2927 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 2056 | 5.3 | 15 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| 50-64 | 3390 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 65+ | 7598 | 8.5 | 47 | 2 | 3 | 7 | 10 | 16 | 21 | 36 |
| **GRAND TOTAL** | **19519** | **6.3** | **31** | **2** | **2** | **5** | **8** | **12** | **16** | **29** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5086 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 551 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 699 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 1307 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 1703 | 7.0 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.3 | 11 | <1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 20-34 | 104 | 4.9 | 13 | 1 | 1 | 4 | 6 | 10 | 13 | 16 |
| 35-49 | 193 | 4.4 | 19 | <1 | 1 | 3 | 5 | 9 | 11 | 25 |
| 50-64 | 357 | 4.5 | 16 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 65+ | 251 | 6.3 | 37 | 1 | 1 | 4 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4476 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 20-34 | 1326 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 35-49 | 2197 | 6.5 | 28 | 2 | 3 | 5 | 8 | 11 | 14 | 25 |
| 50-64 | 6040 | 7.9 | 37 | 2 | 3 | 6 | 10 | 14 | 18 | 31 |
| 65+ | 11093 | 9.1 | 48 | 3 | 3 | 7 | 11 | 16 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 7.6 | 96 | 1 | 2 | 6 | 9 | 13 | 16 | 55 |
| 20-34 | 231 | 7.9 | 52 | 2 | 2 | 6 | 11 | 15 | 23 | 31 |
| 35-49 | 551 | 7.9 | 50 | 1 | 2 | 6 | 11 | 15 | 20 | 40 |
| 50-64 | 1285 | 9.5 | 65 | 2 | 2 | 8 | 12 | 20 | 25 | 41 |
| 65+ | 1536 | 12.9 | 141 | 2 | 3 | 10 | 16 | 27 | 36 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9346 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 957 | 5.0 | 22 | 1 | 1 | 3 | 6 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25132 | 7.5 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 3707 | 10.5 | 99 | 2 | 2 | 8 | 13 | 22 | 29 | 60 |
| **1. SINGLE DX** | 10303 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 28839 | 7.9 | 46 | 2 | 3 | 6 | 10 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 34478 | 6.8 | 32 | 2 | 2 | 5 | 8 | 13 | 16 | 29 |
| **B. OPERATED** | 4664 | 9.4 | 88 | 1 | 2 | 7 | 12 | 20 | 27 | 54 |
| TOTAL 0-19 YRS | 9718 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 2212 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 13 | 21 |
| 35-49 | 3640 | 6.3 | 29 | 2 | 2 | 5 | 8 | 11 | 14 | 27 |
| 50-64 | 8989 | 7.7 | 39 | 2 | 3 | 6 | 10 | 14 | 19 | 32 |
| 65+ | 14583 | 9.2 | 57 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **GRAND TOTAL** | **39142** | **7.1** | **40** | **2** | **2** | **5** | **9** | **14** | **18** | **32** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 19 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| 20-34 | 22 | 4.5 | 8 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 35-49 | 101 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 570 | 7.3 | 31 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| 65+ | 833 | 8.4 | 44 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 91 | 1 | 1 | 2 | 14 | 18 | 18 | 18 |
| 20-34 | 20 | 9.1 | 28 | 1 | 2 | 9 | 12 | 15 | 20 | 24 |
| 35-49 | 42 | 13.6 | 157 | 2 | 3 | 11 | 15 | 24 | 41 | 69 |
| 50-64 | 49 | 13.9 | 117 | 2 | 3 | 12 | 17 | 26 | 42 | 53 |
| 65+ | 22 | 13.0 | 91 | 2 | 3 | 10 | 22 | 25 | 28 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.6 | 32 | 1 | 2 | 5 | 8 | 17 | 20 | 21 |
| 20-34 | 43 | 6.2 | 14 | 2 | 2 | 6 | 8 | 9 | 15 | 21 |
| 35-49 | 446 | 8.0 | 40 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| 50-64 | 2861 | 9.6 | 60 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |
| 65+ | 5935 | 10.6 | 81 | 3 | 3 | 8 | 13 | 20 | 27 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 10.3 | 15 | 3 | 5 | 10 | 13 | 16 | 16 | 16 |
| 20-34 | 64 | 15.0 | 146 | 3 | 5 | 11 | 17 | 29 | 45 | 63 |
| 35-49 | 111 | 14.5 | 109 | 3 | 4 | 13 | 18 | 28 | 37 | 54 |
| 50-64 | 420 | 15.8 | 159 | 4 | 5 | 12 | 20 | 33 | 43 | 72 |
| 65+ | 683 | 19.8 | 256 | 4 | 6 | 15 | 24 | 43 | 57 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1530 | 7.8 | 37 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| B. *Operated* | 136 | 12.8 | 112 | 2 | 3 | 11 | 16 | 24 | 30 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9304 | 10.2 | 73 | 3 | 3 | 8 | 12 | 19 | 26 | 46 |
| B. *Operated* | 1290 | 17.7 | 209 | 4 | 5 | 14 | 22 | 36 | 50 | 82 |
| **1. SINGLE DX** | 1666 | 8.2 | 45 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |
| **2. MULTIPLE DX** | 10594 | 11.1 | 95 | 3 | 3 | 8 | 14 | 21 | 29 | 56 |
| **A. NOT OPERATED** | 10834 | 9.8 | 68 | 2 | 3 | 8 | 12 | 18 | 25 | 44 |
| **B. OPERATED** | 1426 | 17.2 | 202 | 3 | 5 | 13 | 22 | 35 | 50 | 81 |
| TOTAL 0-19 YRS | 38 | 7.6 | 30 | 1 | 2 | 6 | 11 | 16 | 18 | 21 |
| 20-34 | 149 | 10.1 | 91 | 2 | 2 | 8 | 12 | 19 | 25 | 51 |
| 35-49 | 700 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 24 | 43 |
| 50-64 | 3900 | 10.0 | 72 | 2 | 3 | 8 | 12 | 19 | 26 | 46 |
| 65+ | 7473 | 11.2 | 100 | 3 | 3 | 8 | 14 | 22 | 30 | 59 |
| **GRAND TOTAL** | **12260** | **10.7** | **89** | **2** | **3** | **8** | **13** | **21** | **28** | **55** |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24583 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 7337 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 6008 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 6154 | 5.9 | 14 | 2 | 2 | 5 | 8 | 10 | 13 | 19 |
| 65+ | 3810 | 6.7 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 6.1 | 19 | 2 | 2 | 5 | 8 | 12 | 16 | 20 |
| 20-34 | 67 | 8.2 | 68 | 1 | 2 | 7 | 10 | 13 | 22 | 45 |
| 35-49 | 100 | 7.2 | 27 | 1 | 1 | 6 | 10 | 14 | 16 | 28 |
| 50-64 | 91 | 9.0 | 51 | 2 | 2 | 7 | 12 | 20 | 25 | 34 |
| 65+ | 49 | 10.3 | 60 | 2 | 2 | 8 | 14 | 21 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13472 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 5734 | 5.5 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 35-49 | 7448 | 6.8 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| 50-64 | 13017 | 7.9 | 34 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| 65+ | 14534 | 9.0 | 43 | 3 | 3 | 8 | 11 | 16 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 8.8 | 89 | 2 | 3 | 7 | 10 | 15 | 21 | 48 |
| 20-34 | 281 | 10.1 | 46 | 2 | 3 | 9 | 13 | 19 | 22 | 32 |
| 35-49 | 542 | 13.2 | 103 | 3 | 4 | 11 | 16 | 25 | 33 | 62 |
| 50-64 | 874 | 14.2 | 141 | 3 | 4 | 12 | 17 | 27 | 38 | 77 |
| 65+ | 834 | 16.6 | 142 | 4 | 6 | 14 | 21 | 32 | 42 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47892 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 357 | 8.1 | 45 | 1 | 2 | 7 | 10 | 16 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54205 | 6.9 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | 2708 | 14.0 | 126 | 3 | 4 | 11 | 17 | 28 | 36 | 68 |
| **1. SINGLE DX** | 48249 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 56913 | 7.2 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **A. NOT OPERATED** | 102097 | 5.8 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 3065 | 13.3 | 120 | 2 | 4 | 11 | 17 | 26 | 34 | 65 |
| TOTAL 0-19 YRS | 38282 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 13419 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 14098 | 6.4 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 50-64 | 20136 | 7.6 | 35 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 65+ | 19227 | 8.9 | 46 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| **GRAND TOTAL** | **105162** | **6.0** | **26** | **2** | **2** | **5** | **7** | **11** | **15** | **26** |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 20-34 | 106 | 4.5 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 35-49 | 640 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 50-64 | 3363 | 7.4 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| 65+ | 5327 | 8.0 | 40 | 2 | 3 | 7 | 10 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.4 | 59 | 1 | 1 | 3 | 8 | 18 | 26 | 29 |
| 20-34 | 40 | 6.9 | 39 | 2 | 2 | 4 | 11 | 14 | 16 | 34 |
| 35-49 | 103 | 6.6 | 33 | 1 | 2 | 5 | 9 | 14 | 17 | 31 |
| 50-64 | 231 | 7.5 | 41 | 1 | 2 | 6 | 10 | 16 | 21 | 31 |
| 65+ | 218 | 9.2 | 75 | 2 | 2 | 7 | 12 | 18 | 24 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 7.4 | 33 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| 20-34 | 336 | 7.4 | 38 | 2 | 3 | 6 | 9 | 14 | 16 | 24 |
| 35-49 | 2437 | 7.8 | 48 | 2 | 3 | 6 | 10 | 15 | 19 | 34 |
| 50-64 | 15834 | 9.1 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| 65+ | 32107 | 10.3 | 69 | 3 | 3 | 8 | 13 | 19 | 26 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 11.0 | 116 | 2 | 2 | 8 | 15 | 31 | 40 | 99+ |
| 20-34 | 106 | 10.5 | 147 | 2 | 2 | 8 | 11 | 23 | 28 | 68 |
| 35-49 | 435 | 13.2 | 135 | 3 | 4 | 10 | 16 | 27 | 35 | 67 |
| 50-64 | 2172 | 15.0 | 190 | 2 | 4 | 11 | 18 | 32 | 43 | 96 |
| 65+ | 3696 | 17.5 | 213 | 3 | 5 | 14 | 22 | 37 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9529 | 7.6 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 609 | 7.9 | 53 | 1 | 2 | 6 | 10 | 17 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50874 | 9.8 | 63 | 3 | 3 | 8 | 12 | 18 | 24 | 42 |
| B. *Operated* | 6452 | 16.2 | 201 | 3 | 4 | 12 | 20 | 34 | 48 | 97 |
| **1. SINGLE DX** | 10138 | 7.6 | 36 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | 57326 | 10.5 | 83 | 3 | 3 | 8 | 13 | 20 | 27 | 52 |
| **A. NOT OPERATED** | 60403 | 9.4 | 59 | 2 | 3 | 7 | 12 | 18 | 23 | 41 |
| **B. OPERATED** | 7061 | 15.5 | 193 | 2 | 4 | 12 | 19 | 33 | 46 | 96 |
| TOTAL 0-19 YRS | 313 | 6.9 | 42 | 2 | 2 | 5 | 8 | 14 | 21 | 34 |
| 20-34 | 588 | 7.4 | 56 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| 35-49 | 3615 | 8.2 | 58 | 2 | 3 | 6 | 10 | 15 | 20 | 41 |
| 50-64 | 21600 | 9.4 | 67 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| 65+ | 41348 | 10.6 | 83 | 3 | 3 | 8 | 13 | 20 | 27 | 52 |
| **GRAND TOTAL** | **67464** | **10.1** | **77** | **2** | **3** | **8** | **12** | **19** | **26** | **49** |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 732 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 35-49 | 234 | 4.8 | 46 | 1 | 1 | 4 | 6 | 9 | 10 | 15 |
| 50-64 | 93 | 5.5 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 18 |
| 65+ | 64 | 7.6 | 55 | 2 | 2 | 5 | 9 | 16 | 19 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 526 | 6.5 | 17 | 2 | 3 | 5 | 8 | 11 | 15 | 21 |
| 20-34 | 2167 | 6.6 | 19 | 2 | 3 | 5 | 8 | 12 | 15 | 23 |
| 35-49 | 703 | 7.1 | 20 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 50-64 | 318 | 8.3 | 35 | 3 | 3 | 7 | 11 | 15 | 19 | 32 |
| 65+ | 188 | 9.0 | 54 | 3 | 3 | 6 | 11 | 19 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 4.3 | 13 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 20-34 | 181 | 5.3 | 21 | 1 | 2 | 4 | 7 | 9 | 13 | 30 |
| 35-49 | 105 | 6.0 | 21 | 1 | 2 | 5 | 8 | 13 | 15 | 24 |
| 50-64 | 201 | 8.5 | 64 | 2 | 2 | 7 | 11 | 16 | 20 | 30 |
| 65+ | 305 | 11.3 | 91 | 3 | 4 | 8 | 14 | 23 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 10.7 | 70 | 3 | 4 | 9 | 13 | 22 | 26 | 42 |
| 20-34 | 683 | 10.1 | 51 | 3 | 4 | 8 | 12 | 19 | 22 | 38 |
| 35-49 | 424 | 10.5 | 55 | 3 | 4 | 8 | 14 | 20 | 24 | 35 |
| 50-64 | 668 | 12.5 | 92 | 3 | 4 | 10 | 16 | 25 | 31 | 54 |
| 65+ | 925 | 15.0 | 146 | 4 | 5 | 11 | 18 | 30 | 38 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1387 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 3902 | 6.9 | 23 | 2 | 3 | 6 | 8 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 871 | 8.1 | 61 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| B. *Operated* | 2860 | 12.3 | 97 | 3 | 4 | 9 | 15 | 24 | 31 | 54 |
| **1. SINGLE DX** | 5289 | 6.3 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | 3731 | 11.4 | 92 | 3 | 3 | 9 | 14 | 22 | 29 | 50 |
| **A. NOT OPERATED** | 2258 | 5.8 | 38 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| **B. OPERATED** | 6762 | 9.2 | 61 | 3 | 3 | 7 | 11 | 18 | 24 | 40 |
| TOTAL 0-19 YRS | 1029 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 20-34 | 3763 | 6.7 | 26 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 35-49 | 1466 | 7.6 | 38 | 2 | 3 | 6 | 9 | 15 | 19 | 30 |
| 50-64 | 1280 | 10.3 | 73 | 3 | 3 | 8 | 13 | 20 | 26 | 43 |
| 65+ | 1482 | 13.1 | 125 | 3 | 4 | 10 | 16 | 27 | 35 | 58 |
| **GRAND TOTAL** | **9020** | **8.4** | **57** | **2** | **3** | **6** | **10** | **17** | **22** | **38** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1202 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 920 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 883 | 4.8 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 21 |
| 50-64 | 1099 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 1473 | 7.2 | 39 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 221 | 6.7 | 62 | <1 | 1 | 4 | 9 | 16 | 22 | 34 |
| 20-34 | 507 | 7.6 | 44 | 1 | 2 | 6 | 10 | 16 | 20 | 35 |
| 35-49 | 799 | 8.2 | 50 | 1 | 2 | 7 | 10 | 17 | 21 | 35 |
| 50-64 | 1299 | 8.3 | 58 | 1 | 2 | 7 | 11 | 17 | 22 | 35 |
| 65+ | 1154 | 8.9 | 71 | 1 | 2 | 7 | 12 | 19 | 24 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2006 | 5.3 | 22 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| 20-34 | 1612 | 6.1 | 33 | 1 | 2 | 4 | 7 | 12 | 17 | 31 |
| 35-49 | 2476 | 7.0 | 37 | 2 | 2 | 5 | 9 | 14 | 18 | 32 |
| 50-64 | 6224 | 8.2 | 43 | 2 | 2 | 7 | 10 | 16 | 20 | 33 |
| 65+ | 15340 | 10.4 | 69 | 2 | 3 | 8 | 13 | 20 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 332 | 10.7 | 178 | 1 | 2 | 6 | 14 | 24 | 34 | 87 |
| 20-34 | 824 | 12.2 | 147 | 1 | 2 | 9 | 16 | 28 | 39 | 82 |
| 35-49 | 1508 | 13.0 | 145 | 2 | 2 | 10 | 16 | 28 | 38 | 72 |
| 50-64 | 3766 | 13.5 | 157 | 2 | 3 | 10 | 18 | 28 | 38 | 74 |
| 65+ | 5215 | 15.7 | 175 | 2 | 3 | 12 | 21 | 33 | 43 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5577 | 5.3 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| B. *Operated* | 3980 | 8.3 | 59 | 1 | 2 | 6 | 11 | 17 | 22 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27658 | 9.0 | 58 | 2 | 3 | 7 | 11 | 18 | 23 | 39 |
| B. *Operated* | 11645 | 14.2 | 165 | 2 | 3 | 11 | 19 | 30 | 41 | 77 |
| **1. SINGLE DX** | 9557 | 6.5 | 40 | 1 | 1 | 5 | 8 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | 39303 | 10.5 | 96 | 2 | 3 | 8 | 13 | 22 | 29 | 53 |
| **A. NOT OPERATED** | 33235 | 8.4 | 54 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| **B. OPERATED** | 15625 | 12.7 | 145 | 2 | 2 | 9 | 17 | 28 | 37 | 68 |
| TOTAL 0-19 YRS | 3761 | 5.4 | 37 | 1 | 1 | 4 | 6 | 11 | 15 | 29 |
| 20-34 | 3863 | 7.2 | 63 | 1 | 2 | 5 | 9 | 16 | 22 | 42 |
| 35-49 | 5666 | 8.4 | 73 | 1 | 2 | 6 | 10 | 17 | 24 | 47 |
| 50-64 | 12388 | 9.6 | 85 | 2 | 2 | 7 | 12 | 20 | 26 | 49 |
| 65+ | 23182 | 11.3 | 97 | 2 | 3 | 9 | 14 | 23 | 30 | 54 |
| **GRAND TOTAL** | **48860** | **9.8** | **87** | **2** | **2** | **7** | **12** | **20** | **27** | **50** |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 182 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 105 | 4.0 | 15 | <1 | 1 | 3 | 5 | 7 | 9 | 25 |
| 50-64 | 65 | 4.0 | 18 | <1 | 1 | 3 | 4 | 7 | 10 | 29 |
| 65+ | 49 | 4.5 | 22 | 1 | 1 | 3 | 5 | 9 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12483 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 10659 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 3181 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 2063 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 764 | 2.8 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 448 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 440 | 3.6 | 13 | <1 | <1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 283 | 3.9 | 16 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 307 | 4.6 | 16 | <1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 65+ | 289 | 5.6 | 23 | 1 | 1 | 4 | 7 | 12 | 15 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4828 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 6237 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 3989 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 4192 | 3.2 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 65+ | 2646 | 3.9 | 21 | 1 | 2 | 2 | 4 | 8 | 12 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 611 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 9 | 19 |
| B. *Operated* | 29150 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1767 | 4.0 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 21892 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **1. SINGLE DX** | 29761 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 23659 | 3.0 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 2378 | 3.9 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **B. OPERATED** | 51042 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 17969 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 17518 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 7558 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 6627 | 3.1 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 65+ | 3748 | 3.8 | 20 | 1 | 2 | 2 | 4 | 7 | 11 | 23 |
| **GRAND TOTAL** | **53420** | **2.5** | **6** | **<1** | **1** | **2** | **3** | **4** | **6** | **12** |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 383 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 20-34 | 188 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 127 | 4.4 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 132 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 107 | 5.5 | 26 | 1 | 1 | 4 | 6 | 9 | 11 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 701 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 767 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 665 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 849 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 65+ | 658 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 614 | 4.4 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 220 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 159 | 5.7 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 50-64 | 288 | 6.8 | 31 | 1 | 2 | 5 | 9 | 14 | 17 | 25 |
| 65+ | 546 | 8.5 | 44 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 20-34 | 445 | 4.7 | 20 | 1 | 2 | 4 | 5 | 9 | 11 | 29 |
| 35-49 | 580 | 4.6 | 15 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 817 | 5.0 | 30 | 1 | 2 | 3 | 5 | 9 | 14 | 27 |
| 65+ | 777 | 6.6 | 51 | 2 | 2 | 4 | 8 | 14 | 19 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 937 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 3640 | 3.2 | 6 | <1 | 1 | 3 | 4 | 5 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1827 | 6.2 | 26 | 1 | 2 | 5 | 8 | 11 | 16 | 25 |
| B. *Operated* | 2946 | 5.1 | 30 | 1 | 2 | 4 | 6 | 10 | 14 | 29 |
| **1. SINGLE DX** | 4577 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 4773 | 5.5 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 2764 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 6586 | 4.1 | 18 | 1 | 1 | 3 | 4 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 2025 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 1620 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 1531 | 4.1 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 2086 | 4.5 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 2088 | 6.2 | 39 | 1 | 2 | 4 | 8 | 13 | 17 | 34 |
| **GRAND TOTAL** | **9350** | **4.5** | **19** | **1** | **1** | **3** | **5** | **9** | **12** | **22** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 726 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 808 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 1072 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 971 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 787 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 4.8 | 36 | <1 | <1 | 2 | 6 | 10 | 14 | 39 |
| 20-34 | 431 | 6.0 | 30 | 1 | 1 | 5 | 8 | 10 | 14 | 27 |
| 35-49 | 542 | 6.3 | 28 | 1 | 1 | 5 | 9 | 13 | 16 | 23 |
| 50-64 | 802 | 6.1 | 31 | 1 | 1 | 5 | 9 | 12 | 16 | 26 |
| 65+ | 1040 | 6.6 | 40 | 1 | 1 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 820 | 5.2 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 20-34 | 1978 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 3439 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 4370 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 5753 | 6.9 | 34 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 9.8 | 99 | 1 | 1 | 7 | 13 | 24 | 30 | 56 |
| 20-34 | 911 | 8.3 | 49 | 1 | 2 | 7 | 10 | 16 | 22 | 35 |
| 35-49 | 1728 | 9.0 | 73 | 2 | 2 | 7 | 11 | 17 | 22 | 48 |
| 50-64 | 2974 | 9.4 | 83 | 2 | 2 | 7 | 11 | 19 | 26 | 46 |
| 65+ | 4353 | 11.3 | 123 | 2 | 2 | 8 | 14 | 24 | 33 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4364 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 3032 | 6.2 | 34 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16360 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| B. *Operated* | 10208 | 10.0 | 97 | 2 | 2 | 8 | 12 | 21 | 28 | 55 |
| **1. SINGLE DX** | 7396 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 26568 | 7.5 | 56 | 1 | 2 | 5 | 9 | 15 | 20 | 39 |
| **A. NOT OPERATED** | 20724 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 13240 | 9.2 | 85 | 1 | 2 | 7 | 11 | 19 | 26 | 49 |
| TOTAL 0-19 YRS | 2005 | 5.2 | 29 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| 20-34 | 4128 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 35-49 | 6781 | 6.2 | 34 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| 50-64 | 9117 | 6.7 | 43 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| 65+ | 11933 | 8.3 | 71 | 1 | 2 | 6 | 10 | 17 | 23 | 46 |
| **GRAND TOTAL** | **33964** | **6.9** | **49** | **1** | **2** | **5** | **8** | **14** | **19** | **37** |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 20-34 | 510 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 14 |
| 35-49 | 687 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 753 | 5.1 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |
| 65+ | 624 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.2 | 8 | 1 | 2 | 6 | 8 | 10 | 11 | 11 |
| 20-34 | 214 | 8.1 | 28 | 2 | 3 | 7 | 10 | 15 | 19 | 25 |
| 35-49 | 546 | 8.3 | 35 | 1 | 2 | 7 | 11 | 15 | 19 | 30 |
| 50-64 | 624 | 8.9 | 50 | 1 | 2 | 8 | 12 | 17 | 20 | 30 |
| 65+ | 505 | 8.6 | 55 | 1 | 2 | 7 | 11 | 16 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 5.0 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 18 |
| 20-34 | 660 | 5.8 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| 35-49 | 1370 | 6.7 | 23 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 50-64 | 1986 | 7.0 | 22 | 2 | 3 | 6 | 9 | 12 | 16 | 23 |
| 65+ | 3203 | 8.5 | 36 | 2 | 3 | 7 | 11 | 15 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 6.0 | 13 | 2 | 2 | 5 | 9 | 11 | 14 | 15 |
| 20-34 | 355 | 9.6 | 60 | 3 | 4 | 8 | 12 | 17 | 20 | 38 |
| 35-49 | 1064 | 10.3 | 54 | 2 | 3 | 9 | 13 | 19 | 24 | 39 |
| 50-64 | 1837 | 10.8 | 64 | 2 | 4 | 9 | 13 | 20 | 24 | 44 |
| 65+ | 2515 | 12.4 | 94 | 3 | 4 | 10 | 15 | 24 | 31 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2682 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| B. *Operated* | 1903 | 8.5 | 44 | 1 | 2 | 7 | 11 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7309 | 7.4 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| B. *Operated* | 5805 | 11.3 | 76 | 3 | 4 | 9 | 14 | 21 | 27 | 46 |
| **1. SINGLE DX** | 4585 | 6.6 | 29 | 1 | 2 | 5 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 13114 | 9.2 | 53 | 2 | 3 | 7 | 11 | 17 | 23 | 37 |
| **A. NOT OPERATED** | 9991 | 6.8 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| **B. OPERATED** | 7708 | 10.6 | 69 | 2 | 3 | 9 | 13 | 20 | 25 | 43 |
| TOTAL 0-19 YRS | 246 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| 20-34 | 1739 | 6.6 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 24 |
| 35-49 | 3667 | 7.6 | 36 | 2 | 2 | 6 | 10 | 14 | 18 | 30 |
| 50-64 | 5200 | 8.3 | 43 | 2 | 3 | 7 | 10 | 16 | 20 | 32 |
| 65+ | 6847 | 9.7 | 62 | 2 | 3 | 8 | 12 | 18 | 25 | 40 |
| **GRAND TOTAL** | **17699** | **8.5** | **48** | **2** | **3** | **7** | **11** | **16** | **21** | **35** |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 170 | 5.2 | 9 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 35-49 | 330 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 50-64 | 480 | 5.8 | 9 | 2 | 3 | 5 | 7 | 10 | 11 | 15 |
| 65+ | 574 | 7.2 | 15 | 3 | 3 | 6 | 9 | 12 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.3 | 13 | 3 | 3 | 6 | 9 | 12 | 14 | 18 |
| 20-34 | 135 | 8.7 | 18 | 3 | 4 | 8 | 10 | 14 | 16 | 22 |
| 35-49 | 263 | 9.1 | 24 | 3 | 4 | 8 | 11 | 15 | 18 | 26 |
| 50-64 | 421 | 10.2 | 35 | 3 | 4 | 9 | 13 | 18 | 22 | 32 |
| 65+ | 473 | 11.7 | 57 | 4 | 5 | 10 | 15 | 21 | 24 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 6.0 | 34 | 1 | 2 | 5 | 8 | 10 | 11 | 40 |
| 20-34 | 221 | 6.4 | 18 | 2 | 3 | 5 | 8 | 11 | 13 | 26 |
| 35-49 | 501 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| 50-64 | 1151 | 7.8 | 27 | 3 | 3 | 7 | 9 | 14 | 17 | 27 |
| 65+ | 2545 | 9.8 | 48 | 3 | 4 | 8 | 12 | 18 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 7.5 | 8 | 3 | 3 | 7 | 9 | 11 | 12 | 14 |
| 20-34 | 165 | 11.9 | 146 | 3 | 4 | 9 | 12 | 22 | 28 | 78 |
| 35-49 | 492 | 13.3 | 122 | 3 | 4 | 10 | 15 | 26 | 33 | 63 |
| 50-64 | 1153 | 13.3 | 103 | 4 | 5 | 10 | 16 | 25 | 33 | 64 |
| 65+ | 2504 | 15.6 | 136 | 4 | 5 | 13 | 19 | 30 | 39 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1596 | 6.1 | 11 | 2 | 3 | 6 | 8 | 10 | 13 | 18 |
| B. *Operated* | 1316 | 10.3 | 40 | 3 | 4 | 9 | 13 | 18 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4464 | 8.7 | 39 | 3 | 3 | 7 | 10 | 16 | 20 | 34 |
| B. *Operated* | 4341 | 14.5 | 127 | 4 | 5 | 11 | 18 | 28 | 36 | 65 |
| **1. SINGLE DX** | 2912 | 8.0 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 8805 | 11.6 | 91 | 3 | 4 | 9 | 14 | 22 | 29 | 54 |
| **A. NOT OPERATED** | 6060 | 8.0 | 33 | 2 | 3 | 7 | 10 | 14 | 18 | 30 |
| **B. OPERATED** | 5657 | 13.6 | 110 | 4 | 5 | 11 | 16 | 25 | 34 | 62 |
| TOTAL 0-19 YRS | 139 | 6.0 | 18 | 2 | 2 | 5 | 8 | 10 | 11 | 20 |
| 20-34 | 691 | 7.9 | 53 | 2 | 3 | 6 | 10 | 13 | 19 | 31 |
| 35-49 | 1586 | 8.8 | 59 | 3 | 3 | 7 | 10 | 16 | 22 | 39 |
| 50-64 | 3205 | 9.8 | 61 | 3 | 4 | 8 | 12 | 18 | 24 | 42 |
| 65+ | 6096 | 12.1 | 91 | 3 | 4 | 9 | 15 | 23 | 30 | 55 |
| **GRAND TOTAL** | **11717** | **10.7** | **78** | **3** | **4** | **8** | **13** | **20** | **27** | **48** |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 780 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 2784 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2701 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 1952 | 5.0 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 65+ | 1164 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 7.7 | 20 | 2 | 3 | 7 | 10 | 13 | 18 | 20 |
| 20-34 | 394 | 9.5 | 30 | 2 | 4 | 9 | 11 | 16 | 21 | 26 |
| 35-49 | 592 | 9.5 | 28 | 2 | 4 | 8 | 11 | 16 | 19 | 26 |
| 50-64 | 440 | 10.4 | 37 | 2 | 4 | 9 | 13 | 18 | 22 | 32 |
| 65+ | 212 | 10.8 | 74 | 2 | 3 | 9 | 13 | 21 | 27 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 521 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 20-34 | 2956 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 4299 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 5312 | 6.5 | 19 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 5880 | 8.0 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 8.5 | 37 | 2 | 3 | 6 | 11 | 19 | 21 | 26 |
| 20-34 | 611 | 10.2 | 56 | 3 | 4 | 9 | 12 | 17 | 22 | 44 |
| 35-49 | 1258 | 11.2 | 61 | 3 | 4 | 9 | 14 | 20 | 25 | 42 |
| 50-64 | 1552 | 11.7 | 71 | 3 | 4 | 10 | 15 | 21 | 27 | 44 |
| 65+ | 1509 | 13.7 | 114 | 3 | 5 | 11 | 17 | 26 | 34 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9381 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 1673 | 9.9 | 37 | 2 | 4 | 9 | 12 | 17 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18968 | 6.7 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | 4978 | 12.0 | 81 | 3 | 4 | 10 | 15 | 22 | 28 | 50 |
| **1. SINGLE DX** | 11054 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 23946 | 7.8 | 40 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 28349 | 6.0 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 6651 | 11.4 | 71 | 3 | 4 | 9 | 14 | 21 | 26 | 46 |
| TOTAL 0-19 YRS | 1384 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 20-34 | 6745 | 5.7 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 35-49 | 8850 | 6.6 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 9256 | 7.2 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 8765 | 8.8 | 51 | 2 | 3 | 7 | 11 | 16 | 22 | 38 |
| **GRAND TOTAL** | **35000** | **7.0** | **33** | **2** | **2** | **6** | **9** | **13** | **17** | **30** |

### 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 184 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 20-34 | 1046 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 1318 | 5.2 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 13 |
| 50-64 | 1446 | 5.7 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 1325 | 6.9 | 19 | 2 | 3 | 6 | 9 | 11 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 7.7 | 11 | 2 | 3 | 7 | 10 | 12 | 14 | 17 |
| 20-34 | 442 | 9.1 | 25 | 4 | 5 | 8 | 10 | 13 | 18 | 28 |
| 35-49 | 549 | 9.7 | 19 | 4 | 5 | 9 | 11 | 16 | 18 | 24 |
| 50-64 | 587 | 10.9 | 33 | 4 | 6 | 10 | 13 | 17 | 21 | 30 |
| 65+ | 550 | 12.3 | 47 | 4 | 6 | 11 | 15 | 20 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 792 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 1355 | 6.3 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 50-64 | 2679 | 7.3 | 22 | 3 | 3 | 6 | 9 | 12 | 15 | 23 |
| 65+ | 4701 | 9.6 | 49 | 3 | 4 | 8 | 11 | 17 | 21 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 10.7 | 54 | 3 | 4 | 9 | 13 | 20 | 26 | 37 |
| 20-34 | 294 | 11.9 | 69 | 3 | 5 | 10 | 14 | 21 | 29 | 41 |
| 35-49 | 646 | 13.2 | 104 | 4 | 6 | 10 | 15 | 24 | 33 | 65 |
| 50-64 | 1252 | 14.6 | 111 | 5 | 6 | 12 | 17 | 26 | 35 | 61 |
| 65+ | 2302 | 18.4 | 184 | 5 | 7 | 14 | 23 | 35 | 47 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5319 | 5.7 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | 2186 | 10.5 | 32 | 4 | 5 | 9 | 13 | 17 | 21 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9679 | 8.1 | 35 | 3 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | 4534 | 16.1 | 150 | 5 | 6 | 12 | 19 | 31 | 40 | 74 |
| **1. SINGLE DX** | 7505 | 7.1 | 22 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | 14213 | 10.6 | 85 | 3 | 4 | 8 | 13 | 20 | 28 | 52 |
| **A. NOT OPERATED** | 14998 | 7.2 | 28 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| **B. OPERATED** | 6720 | 14.3 | 118 | 5 | 6 | 11 | 17 | 26 | 35 | 65 |
| TOTAL 0-19 YRS | 434 | 5.8 | 16 | 2 | 2 | 5 | 8 | 10 | 13 | 20 |
| 20-34 | 2574 | 6.6 | 25 | 2 | 3 | 5 | 8 | 11 | 15 | 29 |
| 35-49 | 3868 | 7.6 | 36 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| 50-64 | 5964 | 8.8 | 49 | 3 | 3 | 7 | 10 | 16 | 21 | 38 |
| 65+ | 8878 | 11.6 | 96 | 3 | 4 | 9 | 14 | 22 | 30 | 57 |
| **GRAND TOTAL** | **21718** | **9.4** | **66** | **3** | **3** | **7** | **11** | **17** | **24** | **45** |

### 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.6 | 11 | <1 | 1 | 5 | 7 | 11 | 12 | 12 |
| 20-34 | 43 | 6.3 | 26 | 1 | 2 | 5 | 7 | 11 | 16 | 31 |
| 35-49 | 76 | 6.7 | 19 | 2 | 3 | 6 | 8 | 11 | 16 | 26 |
| 50-64 | 94 | 6.8 | 17 | 2 | 3 | 6 | 9 | 12 | 16 | 20 |
| 65+ | 108 | 8.1 | 53 | 3 | 3 | 7 | 10 | 12 | 15 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.0 | 4 | 7 | 7 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 53 | 11.0 | 40 | 3 | 4 | 10 | 14 | 21 | 24 | 26 |
| 35-49 | 170 | 14.3 | 73 | 5 | 6 | 13 | 18 | 24 | 26 | 52 |
| 50-64 | 212 | 14.3 | 50 | 6 | 7 | 13 | 18 | 23 | 25 | 39 |
| 65+ | 187 | 17.4 | 105 | 6 | 8 | 15 | 22 | 30 | 36 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.3 | 9 | 4 | 5 | 8 | 10 | 13 | 13 | 13 |
| 20-34 | 74 | 7.1 | 20 | 2 | 3 | 6 | 9 | 12 | 14 | 27 |
| 35-49 | 108 | 7.9 | 26 | 2 | 3 | 7 | 9 | 15 | 18 | 29 |
| 50-64 | 222 | 8.6 | 32 | 3 | 3 | 7 | 10 | 15 | 19 | 39 |
| 65+ | 400 | 10.9 | 68 | 3 | 4 | 9 | 13 | 20 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 18.8 | 79 | 8 | 8 | 21 | 23 | 30 | 31 | 31 |
| 20-34 | 77 | 16.7 | 131 | 6 | 7 | 14 | 19 | 34 | 45 | 56 |
| 35-49 | 255 | 17.0 | 135 | 5 | 7 | 14 | 21 | 32 | 40 | 61 |
| 50-64 | 466 | 19.4 | 184 | 6 | 8 | 16 | 23 | 36 | 46 | 81 |
| 65+ | 715 | 20.9 | 207 | 7 | 8 | 17 | 26 | 42 | 52 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 333 | 7.1 | 30 | 2 | 3 | 6 | 9 | 12 | 16 | 26 |
| B. *Operated* | 625 | 14.9 | 75 | 5 | 7 | 13 | 19 | 25 | 29 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 811 | 9.5 | 49 | 3 | 3 | 8 | 11 | 17 | 22 | 35 |
| B. *Operated* | 1519 | 19.6 | 186 | 6 | 8 | 16 | 24 | 38 | 48 | 81 |
| **1. SINGLE DX** | 958 | 12.2 | 73 | 3 | 4 | 10 | 16 | 23 | 26 | 44 |
| **2. MULTIPLE DX** | 2330 | 16.1 | 161 | 4 | 5 | 13 | 20 | 32 | 43 | 72 |
| **A. NOT OPERATED** | 1144 | 8.8 | 45 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| **B. OPERATED** | 2144 | 18.2 | 158 | 6 | 7 | 15 | 22 | 33 | 45 | 72 |
| TOTAL 0-19 YRS | 28 | 9.5 | 48 | 2 | 3 | 8 | 11 | 22 | 24 | 31 |
| 20-34 | 247 | 10.8 | 78 | 2 | 3 | 9 | 14 | 21 | 30 | 47 |
| 35-49 | 609 | 13.3 | 100 | 3 | 4 | 11 | 17 | 25 | 31 | 54 |
| 50-64 | 994 | 14.7 | 130 | 3 | 5 | 12 | 19 | 27 | 37 | 70 |
| 65+ | 1410 | 16.6 | 166 | 4 | 5 | 13 | 21 | 33 | 46 | 72 |
| **GRAND TOTAL** | **3288** | **14.9** | **139** | **3** | **5** | **12** | **19** | **28** | **38** | **69** |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3120 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 4950 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 3533 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 2347 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| 65+ | 1379 | 4.7 | 12 | 1 | 1 | 4 | 6 | 8 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 4.6 | 7 | <1 | 1 | 4 | 6 | 9 | 10 | 12 |
| 20-34 | 344 | 6.9 | 38 | <1 | 2 | 5 | 8 | 13 | 19 | 29 |
| 35-49 | 415 | 7.0 | 31 | 1 | 2 | 6 | 9 | 12 | 17 | 31 |
| 50-64 | 416 | 7.7 | 39 | <1 | 1 | 6 | 10 | 15 | 19 | 31 |
| 65+ | 303 | 7.8 | 47 | <1 | 1 | 6 | 10 | 16 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4227 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 8864 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 10039 | 5.6 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 10052 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| 65+ | 11371 | 7.3 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 7.2 | 43 | 2 | 3 | 6 | 8 | 12 | 18 | 45 |
| 20-34 | 1462 | 8.3 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| 35-49 | 2212 | 9.7 | 58 | 2 | 3 | 8 | 12 | 18 | 23 | 41 |
| 50-64 | 2629 | 10.5 | 79 | 2 | 3 | 8 | 13 | 20 | 25 | 48 |
| 65+ | 2876 | 11.9 | 94 | 3 | 4 | 9 | 14 | 22 | 30 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15329 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 1556 | 7.2 | 37 | <1 | 1 | 6 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44553 | 5.8 | 20 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| B. *Operated* | 9355 | 10.3 | 74 | 2 | 3 | 8 | 13 | 19 | 25 | 47 |
| **1. SINGLE DX** | 16885 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | 53908 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| **A. NOT OPERATED** | 59882 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| **B. OPERATED** | 10911 | 9.9 | 70 | 2 | 3 | 8 | 12 | 19 | 24 | 45 |
| TOTAL 0-19 YRS | 7601 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 15620 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 16199 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| 50-64 | 15444 | 6.5 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 15929 | 7.9 | 45 | 2 | 3 | 6 | 10 | 15 | 19 | 35 |
| **GRAND TOTAL** | **70793** | **6.0** | **28** | **1** | **2** | **5** | **7** | **11** | **15** | **26** |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 749 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 1074 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 893 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 675 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 444 | 5.0 | 14 | 1 | 1 | 4 | 6 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 344 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 119 | 9.3 | 41 | 1 | 2 | 9 | 11 | 18 | 22 | 30 |
| 35-49 | 166 | 11.2 | 67 | 2 | 3 | 10 | 14 | 19 | 28 | 46 |
| 50-64 | 151 | 14.7 | 148 | 3 | 5 | 11 | 18 | 27 | 37 | 68 |
| 65+ | 128 | 14.4 | 141 | 1 | 2 | 12 | 18 | 29 | 33 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 829 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 1833 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 35-49 | 2066 | 5.6 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 2111 | 5.9 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| 65+ | 2396 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 9.1 | 72 | 2 | 3 | 7 | 12 | 19 | 27 | 44 |
| 20-34 | 326 | 12.1 | 90 | 2 | 3 | 9 | 15 | 26 | 36 | 45 |
| 35-49 | 562 | 13.7 | 142 | 3 | 3 | 10 | 17 | 27 | 36 | 75 |
| 50-64 | 794 | 16.1 | 164 | 3 | 5 | 13 | 20 | 32 | 42 | 76 |
| 65+ | 969 | 18.3 | 194 | 3 | 5 | 15 | 24 | 36 | 46 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3835 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 908 | 9.6 | 83 | 2 | 2 | 7 | 12 | 19 | 27 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9235 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| B. *Operated* | 2765 | 15.6 | 164 | 3 | 4 | 12 | 20 | 31 | 42 | 69 |
| **1. SINGLE DX** | 4743 | 5.0 | 29 | 1 | 1 | 4 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | 12000 | 8.1 | 73 | 2 | 2 | 5 | 10 | 17 | 24 | 46 |
| **A. NOT OPERATED** | 13070 | 5.3 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **B. OPERATED** | 3673 | 14.1 | 151 | 2 | 3 | 11 | 18 | 29 | 39 | 65 |
| TOTAL 0-19 YRS | 2036 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 20-34 | 3352 | 5.4 | 28 | 1 | 2 | 4 | 6 | 10 | 14 | 29 |
| 35-49 | 3687 | 6.7 | 49 | 1 | 2 | 5 | 8 | 13 | 19 | 37 |
| 50-64 | 3731 | 8.1 | 75 | 1 | 2 | 6 | 10 | 17 | 23 | 48 |
| 65+ | 3937 | 10.1 | 101 | 2 | 2 | 7 | 12 | 22 | 29 | 52 |
| **GRAND TOTAL** | **16743** | **7.2** | **63** | **1** | **2** | **5** | **8** | **15** | **22** | **41** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 20-34 | 158 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 44 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 7 |
| 50-64 | 13 | 4.5 | 13 | 1 | 1 | 3 | 6 | 9 | 13 | 14 |
| 65+ | 8 | 4.9 | 12 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19920 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| 20-34 | 13257 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 3604 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 1555 | 5.4 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 534 | 6.6 | 14 | 3 | 3 | 6 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 82 | 3.7 | 16 | 1 | 1 | 3 | 5 | 6 | 11 | 25 |
| 35-49 | 25 | 3.9 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 13 |
| 50-64 | 19 | 4.8 | 17 | <1 | 1 | 4 | 5 | 12 | 16 | 16 |
| 65+ | 24 | 11.4 | 68 | 1 | 3 | 9 | 15 | 23 | 29 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3007 | 5.6 | 15 | 2 | 3 | 4 | 6 | 10 | 13 | 20 |
| 20-34 | 2760 | 5.8 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 1053 | 7.4 | 27 | 3 | 3 | 6 | 9 | 13 | 18 | 29 |
| 50-64 | 815 | 8.9 | 35 | 3 | 4 | 7 | 11 | 16 | 20 | 31 |
| 65+ | 549 | 11.1 | 54 | 4 | 4 | 9 | 14 | 20 | 25 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 410 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| B. *Operated* | 38870 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 263 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| B. *Operated* | 8184 | 6.6 | 23 | 3 | 3 | 5 | 8 | 12 | 16 | 26 |
| **1. SINGLE DX** | 39280 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 8447 | 6.5 | 23 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| **A. NOT OPERATED** | 673 | 3.4 | 11 | 1 | 1 | 3 | 4 | 6 | 9 | 18 |
| **B. OPERATED** | 47054 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 23227 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 16257 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 4726 | 5.2 | 12 | 2 | 3 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 2402 | 6.6 | 19 | 3 | 3 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 1115 | 8.9 | 40 | 3 | 4 | 7 | 11 | 16 | 21 | 34 |
| **GRAND TOTAL** | **47727** | **4.5** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **16** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 8.6 | 26 | 2 | 3 | 8 | 11 | 15 | 17 | 28 |
| 20-34 | 52 | 6.9 | 18 | 1 | 2 | 6 | 9 | 13 | 15 | 20 |
| 35-49 | 38 | 7.9 | 15 | 2 | 3 | 8 | 10 | 13 | 14 | 20 |
| 50-64 | 31 | 8.7 | 20 | 4 | 5 | 9 | 10 | 12 | 15 | 27 |
| 65+ | 16 | 7.1 | 14 | 1 | 2 | 6 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3862 | 7.4 | 15 | 3 | 3 | 7 | 9 | 12 | 14 | 21 |
| 20-34 | 2206 | 7.2 | 14 | 3 | 3 | 7 | 9 | 12 | 14 | 20 |
| 35-49 | 1264 | 8.2 | 16 | 3 | 4 | 8 | 10 | 13 | 15 | 22 |
| 50-64 | 1007 | 9.6 | 23 | 4 | 5 | 9 | 11 | 15 | 18 | 27 |
| 65+ | 510 | 11.4 | 37 | 5 | 6 | 10 | 13 | 19 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 10.1 | 24 | 2 | 5 | 9 | 14 | 17 | 18 | 18 |
| 20-34 | 25 | 7.0 | 34 | 1 | 1 | 5 | 9 | 14 | 20 | 26 |
| 35-49 | 20 | 8.6 | 28 | 1 | 2 | 7 | 12 | 17 | 19 | 19 |
| 50-64 | 26 | 8.9 | 22 | <1 | 2 | 8 | 11 | 13 | 18 | 22 |
| 65+ | 30 | 11.3 | 45 | 3 | 5 | 9 | 13 | 20 | 24 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1652 | 11.0 | 41 | 4 | 5 | 9 | 14 | 19 | 24 | 33 |
| 20-34 | 1201 | 10.7 | 42 | 4 | 5 | 9 | 12 | 18 | 22 | 36 |
| 35-49 | 916 | 12.3 | 52 | 5 | 6 | 11 | 14 | 21 | 26 | 39 |
| 50-64 | 1251 | 13.8 | 65 | 6 | 7 | 12 | 16 | 23 | 30 | 44 |
| 65+ | 1144 | 17.1 | 130 | 7 | 8 | 14 | 21 | 30 | 38 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 7.9 | 20 | 2 | 3 | 7 | 10 | 14 | 15 | 25 |
| B. *Operated* | 8849 | 7.9 | 18 | 3 | 4 | 7 | 10 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 9.2 | 33 | 1 | 2 | 8 | 12 | 17 | 19 | 29 |
| B. *Operated* | 6164 | 12.8 | 70 | 5 | 6 | 11 | 15 | 22 | 28 | 46 |
| **1. SINGLE DX** | 9059 | 7.9 | 18 | 3 | 4 | 7 | 10 | 13 | 15 | 24 |
| **2. MULTIPLE DX** | 6280 | 12.8 | 69 | 5 | 6 | 11 | 15 | 22 | 28 | 46 |
| **A. NOT OPERATED** | 326 | 8.4 | 25 | 2 | 3 | 8 | 11 | 14 | 18 | 26 |
| **B. OPERATED** | 15013 | 10.0 | 45 | 3 | 4 | 8 | 12 | 17 | 22 | 35 |
| TOTAL 0-19 YRS | 5602 | 8.5 | 25 | 3 | 4 | 7 | 10 | 14 | 18 | 27 |
| 20-34 | 3484 | 8.4 | 27 | 3 | 4 | 7 | 10 | 14 | 17 | 28 |
| 35-49 | 2238 | 9.8 | 35 | 4 | 4 | 9 | 12 | 16 | 21 | 32 |
| 50-64 | 2315 | 11.8 | 50 | 5 | 6 | 10 | 14 | 20 | 25 | 40 |
| 65+ | 1700 | 15.2 | 107 | 6 | 7 | 12 | 18 | 27 | 34 | 63 |
| **GRAND TOTAL** | **15339** | **9.9** | **45** | **3** | **4** | **8** | **12** | **17** | **22** | **35** |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 365 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 287 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 35-49 | 78 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 35 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 8 | 20 |
| 65+ | 19 | 3.9 | 5 | <1 | 1 | 4 | 5 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1931 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 1306 | 4.7 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 346 | 5.4 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| 50-64 | 154 | 6.9 | 23 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| 65+ | 55 | 6.8 | 15 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 188 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 20-34 | 148 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 53 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 11 | 13 |
| 50-64 | 42 | 5.1 | 10 | 1 | 2 | 4 | 7 | 9 | 10 | 16 |
| 65+ | 24 | 7.8 | 65 | 1 | 2 | 6 | 9 | 12 | 22 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1000 | 5.2 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 16 |
| 20-34 | 883 | 6.3 | 16 | 3 | 3 | 5 | 7 | 11 | 13 | 21 |
| 35-49 | 308 | 8.1 | 46 | 3 | 3 | 6 | 9 | 14 | 19 | 39 |
| 50-64 | 168 | 10.5 | 57 | 4 | 5 | 8 | 12 | 19 | 24 | 46 |
| 65+ | 118 | 11.9 | 72 | 4 | 5 | 10 | 15 | 22 | 26 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 784 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 3792 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 455 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 2477 | 6.7 | 26 | 3 | 3 | 5 | 8 | 11 | 15 | 29 |
| **1. SINGLE DX** | 4576 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 2932 | 6.2 | 25 | 2 | 3 | 5 | 7 | 11 | 14 | 28 |
| **A. NOT OPERATED** | 1239 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 6269 | 5.4 | 17 | 2 | 3 | 4 | 6 | 9 | 12 | 21 |
| TOTAL 0-19 YRS | 3484 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 2624 | 4.9 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 785 | 6.2 | 26 | 2 | 2 | 5 | 7 | 10 | 14 | 28 |
| 50-64 | 399 | 8.0 | 40 | 2 | 3 | 6 | 9 | 15 | 19 | 39 |
| 65+ | 216 | 9.5 | 59 | 2 | 3 | 7 | 12 | 19 | 24 | 42 |
| **GRAND TOTAL** | **7508** | **5.1** | **16** | **2** | **2** | **4** | **6** | **9** | **11** | **20** |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 1.8 | 17 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 71 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 35-49 | 62 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | 92 | 3.3 | 10 | <1 | <1 | 3 | 4 | 6 | 9 | 19 |
| 65+ | 94 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15916 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 15178 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 13385 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 20190 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 14407 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 649 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| 20-34 | 138 | 2.4 | 10 | <1 | <1 | 1 | 3 | 6 | 7 | 17 |
| 35-49 | 156 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 50-64 | 349 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 602 | 5.1 | 29 | 1 | 1 | 4 | 6 | 11 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8236 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 4922 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 6913 | 5.0 | 8 | 2 | 3 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 14526 | 5.7 | 13 | 2 | 3 | 5 | 7 | 9 | 12 | 20 |
| 65+ | 16619 | 7.3 | 32 | 3 | 3 | 6 | 8 | 13 | 17 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 463 | 2.8 | 10 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 79076 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1894 | 3.3 | 15 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| B. *Operated* | 51216 | 5.4 | 19 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **1. SINGLE DX** | 79539 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 53110 | 5.4 | 19 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| **A. NOT OPERATED** | 2357 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| **B. OPERATED** | 130292 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 24945 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 20309 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| 35-49 | 20516 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 35157 | 4.9 | 8 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 31722 | 6.2 | 22 | 2 | 3 | 5 | 7 | 10 | 14 | 24 |
| **GRAND TOTAL** | **132649** | **4.4** | **11** | **1** | **2** | **4** | **5** | **7** | **9** | **16** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 8 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 5 | 2.8 | 6 | <1 | <1 | 1 | 5 | 6 | 6 | 6 |
| 50-64 | 16 | 2.3 | 6 | <1 | 1 | 1 | 2 | 7 | 8 | 9 |
| 65+ | 45 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1000 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 498 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 418 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 12 |
| 50-64 | 729 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 65+ | 1195 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 6 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 14 | 5.6 | 23 | 1 | 1 | 5 | 7 | 13 | 17 | 18 |
| 50-64 | 34 | 5.4 | 61 | 1 | 1 | 3 | 5 | 11 | 25 | 39 |
| 65+ | 144 | 7.7 | 77 | 1 | 1 | 5 | 9 | 17 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 617 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 194 | 5.1 | 19 | 2 | 3 | 4 | 6 | 8 | 10 | 30 |
| 35-49 | 215 | 6.3 | 16 | 2 | 3 | 5 | 7 | 12 | 14 | 20 |
| 50-64 | 709 | 8.3 | 45 | 3 | 3 | 7 | 9 | 15 | 20 | 44 |
| 65+ | 2134 | 11.1 | 79 | 3 | 4 | 9 | 13 | 21 | 28 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| B. *Operated* | 3840 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 236 | 6.3 | 62 | 1 | 1 | 4 | 7 | 15 | 22 | 40 |
| B. *Operated* | 3869 | 8.7 | 64 | 1 | 2 | 7 | 11 | 17 | 23 | 45 |
| **1. SINGLE DX** | 3957 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 4105 | 8.6 | 65 | 1 | 2 | 7 | 10 | 17 | 23 | 44 |
| **A. NOT OPERATED** | 353 | 4.9 | 47 | <1 | 1 | 2 | 5 | 11 | 16 | 34 |
| **B. OPERATED** | 7709 | 6.7 | 41 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| TOTAL 0-19 YRS | 1698 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 706 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 652 | 5.2 | 10 | 2 | 2 | 5 | 6 | 8 | 12 | 19 |
| 50-64 | 1488 | 6.6 | 29 | 2 | 3 | 5 | 7 | 11 | 15 | 31 |
| 65+ | 3518 | 9.3 | 61 | 3 | 3 | 7 | 11 | 17 | 23 | 43 |
| **GRAND TOTAL** | **8062** | **6.6** | **42** | **1** | **2** | **5** | **8** | **13** | **18** | **33** |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 9 | 11 |
| 20-34 | 2 | 4.5 | 25 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| 35-49 | 14 | 2.1 | 7 | <1 | 1 | 1 | 2 | 5 | 10 | 11 |
| 50-64 | 11 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 65+ | 10 | 4.2 | 16 | 1 | 1 | 3 | 4 | 11 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2857 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 986 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 1077 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 856 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 364 | 5.2 | 11 | 2 | 2 | 5 | 6 | 9 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 2.4 | 15 | <1 | <1 | 1 | 2 | 6 | 6 | 24 |
| 20-34 | 25 | 1.9 | 2 | <1 | 1 | 1 | 3 | 4 | 5 | 6 |
| 35-49 | 51 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 50-64 | 69 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 9 | 19 |
| 65+ | 82 | 7.0 | 33 | 1 | 2 | 5 | 9 | 16 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 629 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 562 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 854 | 5.9 | 20 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| 50-64 | 1026 | 6.3 | 20 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 623 | 8.2 | 37 | 3 | 3 | 7 | 10 | 15 | 21 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 2.5 | 7 | <1 | <1 | 1 | 3 | 5 | 10 | 13 |
| B. *Operated* | 6140 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 377 | 3.8 | 19 | <1 | <1 | 2 | 5 | 8 | 12 | 23 |
| B. *Operated* | 3694 | 5.7 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| **1. SINGLE DX** | 6210 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 4071 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| **A. NOT OPERATED** | 447 | 3.6 | 18 | <1 | <1 | 2 | 5 | 8 | 11 | 21 |
| **B. OPERATED** | 9834 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 3669 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1575 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 1996 | 4.5 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 1962 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 1079 | 7.1 | 30 | 2 | 3 | 6 | 8 | 13 | 18 | 31 |
| **GRAND TOTAL** | **10281** | **4.0** | **12** | **1** | **1** | **3** | **5** | **8** | **10** | **18** |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 7 |
| 20-34 | 35 | 3.7 | 12 | 1 | 1 | 2 | 5 | 7 | 8 | 19 |
| 35-49 | 35 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 6 |
| 50-64 | 42 | 4.1 | 7 | 1 | 2 | 3 | 6 | 8 | 10 | 11 |
| 65+ | 51 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 549 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1662 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 2424 | 5.4 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 3076 | 6.0 | 12 | 2 | 3 | 5 | 8 | 10 | 11 | 16 |
| 65+ | 2002 | 7.1 | 13 | 3 | 3 | 7 | 9 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.7 | 7 | <1 | <1 | 1 | 4 | 8 | 9 | 9 |
| 20-34 | 59 | 3.1 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 35-49 | 144 | 4.5 | 15 | <1 | 1 | 3 | 6 | 10 | 11 | 20 |
| 50-64 | 232 | 5.0 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 65+ | 384 | 6.8 | 63 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 10 | 14 |
| 20-34 | 1029 | 6.3 | 18 | 2 | 3 | 5 | 7 | 10 | 14 | 27 |
| 35-49 | 2133 | 7.7 | 23 | 3 | 3 | 7 | 9 | 13 | 16 | 26 |
| 50-64 | 3343 | 8.9 | 35 | 3 | 4 | 8 | 11 | 15 | 19 | 31 |
| 65+ | 3115 | 10.4 | 56 | 3 | 4 | 9 | 12 | 18 | 23 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 176 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 9713 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 834 | 5.5 | 38 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 9794 | 8.7 | 39 | 3 | 3 | 7 | 11 | 15 | 19 | 33 |
| **1. SINGLE DX** | 9889 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 10628 | 8.5 | 40 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| **A. NOT OPERATED** | 1010 | 5.2 | 33 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 19507 | 7.2 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| TOTAL 0-19 YRS | 751 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 2785 | 5.0 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 4736 | 6.4 | 17 | 2 | 3 | 6 | 8 | 11 | 13 | 22 |
| 50-64 | 6693 | 7.4 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| 65+ | 5552 | 8.9 | 44 | 3 | 3 | 8 | 11 | 15 | 19 | 34 |
| **GRAND TOTAL** | **20517** | **7.1** | **28** | **2** | **3** | **6** | **9** | **12** | **16** | **26** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| 20-34 | 232 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 659 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 877 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 733 | 4.8 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 5.2 | 64 | 1 | 1 | 2 | 5 | 11 | 18 | 44 |
| 20-34 | 100 | 7.4 | 14 | 2 | 3 | 7 | 9 | 12 | 15 | 18 |
| 35-49 | 224 | 8.1 | 17 | 2 | 3 | 8 | 10 | 14 | 15 | 22 |
| 50-64 | 288 | 8.7 | 21 | 2 | 3 | 9 | 11 | 14 | 16 | 25 |
| 65+ | 180 | 10.7 | 42 | 2 | 3 | 10 | 14 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 15 |
| 20-34 | 957 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 35-49 | 3273 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 5730 | 5.4 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 65+ | 8427 | 6.5 | 22 | 2 | 3 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 11.5 | 106 | 2 | 2 | 8 | 18 | 29 | 34 | 99+ |
| 20-34 | 485 | 9.0 | 41 | 2 | 3 | 8 | 11 | 15 | 21 | 36 |
| 35-49 | 1441 | 9.5 | 46 | 3 | 4 | 8 | 11 | 16 | 20 | 30 |
| 50-64 | 2219 | 10.0 | 47 | 2 | 3 | 9 | 12 | 18 | 22 | 34 |
| 65+ | 2174 | 11.7 | 80 | 2 | 3 | 10 | 15 | 22 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2531 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 825 | 8.7 | 27 | 2 | 3 | 8 | 11 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18474 | 5.9 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 6365 | 10.4 | 59 | 2 | 3 | 9 | 13 | 19 | 24 | 40 |
| **1. SINGLE DX** | 3356 | 5.3 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 24839 | 7.0 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 21005 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 7190 | 10.2 | 56 | 2 | 3 | 9 | 12 | 18 | 23 | 38 |
| TOTAL 0-19 YRS | 196 | 6.3 | 48 | 1 | 2 | 4 | 7 | 12 | 22 | 47 |
| 20-34 | 1774 | 6.1 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 35-49 | 5597 | 6.2 | 24 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 9114 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 11514 | 7.5 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | **28195** | **6.8** | **30** | **2** | **2** | **5** | **9** | **13** | **16** | **28** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 25 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 35-49 | 22 | 6.8 | 72 | 1 | 2 | 5 | 7 | 12 | 27 | 41 |
| 50-64 | 24 | 4.1 | 10 | <1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 65+ | 21 | 3.6 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.7 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 7 |
| 20-34 | 342 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 448 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 571 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 560 | 5.6 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.0 | 6 | <1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 20-34 | 28 | 6.3 | 96 | 1 | 1 | 4 | 5 | 10 | 27 | 51 |
| 35-49 | 47 | 5.1 | 15 | 1 | 1 | 4 | 7 | 12 | 14 | 15 |
| 50-64 | 54 | 6.0 | 21 | 1 | 1 | 5 | 7 | 12 | 17 | 20 |
| 65+ | 103 | 6.5 | 26 | 1 | 2 | 5 | 9 | 14 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 12 | 17 |
| 20-34 | 155 | 5.5 | 22 | 2 | 2 | 4 | 6 | 9 | 13 | 27 |
| 35-49 | 306 | 6.5 | 25 | 2 | 3 | 5 | 8 | 12 | 15 | 27 |
| 50-64 | 438 | 7.2 | 24 | 3 | 3 | 6 | 8 | 13 | 17 | 28 |
| 65+ | 635 | 8.9 | 56 | 3 | 4 | 7 | 10 | 16 | 21 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 30 |
| B. *Operated* | 2040 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 246 | 5.9 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| B. *Operated* | 1587 | 7.5 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| **1. SINGLE DX** | 2134 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 1833 | 7.3 | 37 | 2 | 3 | 6 | 9 | 14 | 17 | 31 |
| **A. NOT OPERATED** | 340 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **B. OPERATED** | 3627 | 6.0 | 23 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 188 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 550 | 4.5 | 14 | 2 | 2 | 4 | 5 | 7 | 8 | 24 |
| 35-49 | 823 | 5.4 | 18 | 2 | 2 | 4 | 6 | 9 | 13 | 23 |
| 50-64 | 1087 | 6.0 | 17 | 2 | 3 | 5 | 7 | 11 | 14 | 23 |
| 65+ | 1319 | 7.2 | 35 | 2 | 3 | 6 | 8 | 13 | 16 | 31 |
| **GRAND TOTAL** | **3967** | **5.9** | **24** | **2** | **2** | **5** | **7** | **10** | **14** | **26** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 15 | 4.3 | 13 | <1 | 1 | 2 | 8 | 10 | 10 | 10 |
| 35-49 | 33 | 3.3 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 50-64 | 62 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 14 |
| 65+ | 93 | 5.0 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 3.1 | 16 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 478 | 4.5 | 12 | 2 | 2 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 770 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 930 | 6.2 | 12 | 2 | 3 | 5 | 8 | 10 | 13 | 19 |
| 65+ | 1216 | 8.6 | 33 | 3 | 4 | 7 | 10 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.9 | 8 | <1 | <1 | 2 | 3 | 8 | 9 | 9 |
| 20-34 | 19 | 7.2 | 63 | <1 | 1 | 4 | 11 | 15 | 25 | 34 |
| 35-49 | 50 | 5.1 | 23 | 1 | 1 | 4 | 6 | 10 | 11 | 31 |
| 50-64 | 141 | 6.1 | 25 | 1 | 2 | 5 | 7 | 13 | 16 | 24 |
| 65+ | 437 | 8.3 | 73 | 2 | 2 | 6 | 9 | 15 | 21 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 6.8 | 57 | 1 | 2 | 4 | 8 | 12 | 30 | 35 |
| 20-34 | 288 | 7.0 | 43 | 2 | 3 | 6 | 8 | 12 | 16 | 23 |
| 35-49 | 729 | 8.5 | 57 | 3 | 3 | 6 | 10 | 15 | 21 | 40 |
| 50-64 | 1431 | 10.3 | 65 | 3 | 4 | 8 | 12 | 19 | 25 | 42 |
| 65+ | 2660 | 14.5 | 131 | 4 | 5 | 11 | 18 | 27 | 36 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 4.3 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 15 |
| B. *Operated* | 3613 | 6.3 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 657 | 7.5 | 59 | 1 | 2 | 6 | 9 | 14 | 19 | 43 |
| B. *Operated* | 5163 | 12.0 | 104 | 3 | 4 | 9 | 15 | 23 | 31 | 57 |
| **1. SINGLE DX** | 3828 | 6.2 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 5820 | 11.5 | 101 | 3 | 4 | 9 | 14 | 22 | 30 | 56 |
| **A. NOT OPERATED** | 872 | 6.7 | 49 | 1 | 2 | 5 | 8 | 12 | 17 | 41 |
| **B. OPERATED** | 8776 | 9.7 | 78 | 2 | 3 | 7 | 12 | 19 | 25 | 48 |
| TOTAL 0-19 YRS | 296 | 3.8 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| 20-34 | 800 | 5.5 | 26 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 35-49 | 1582 | 6.6 | 35 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 50-64 | 2564 | 8.4 | 47 | 2 | 3 | 7 | 10 | 15 | 20 | 37 |
| 65+ | 4406 | 12.1 | 105 | 3 | 4 | 9 | 15 | 23 | 30 | 57 |
| **GRAND TOTAL** | **9648** | **9.4** | **76** | **2** | **3** | **7** | **11** | **18** | **25** | **47** |

### 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 532 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 17 |
| 20-34 | 1021 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 1390 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 1854 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| 65+ | 2193 | 6.4 | 21 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 504 | 7.5 | 33 | 3 | 3 | 7 | 9 | 12 | 16 | 26 |
| 20-34 | 753 | 10.1 | 39 | 4 | 5 | 9 | 12 | 16 | 21 | 29 |
| 35-49 | 889 | 11.3 | 37 | 5 | 6 | 10 | 14 | 18 | 21 | 35 |
| 50-64 | 1080 | 12.3 | 44 | 6 | 7 | 11 | 14 | 20 | 24 | 41 |
| 65+ | 1336 | 14.3 | 61 | 6 | 8 | 12 | 17 | 23 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 373 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 20-34 | 962 | 5.7 | 24 | 1 | 2 | 5 | 7 | 10 | 12 | 24 |
| 35-49 | 1507 | 6.7 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 25 |
| 50-64 | 3193 | 7.4 | 33 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 7383 | 9.3 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 535 | 10.4 | 76 | 3 | 4 | 8 | 12 | 18 | 26 | 53 |
| 20-34 | 989 | 13.7 | 115 | 5 | 6 | 11 | 16 | 25 | 34 | 77 |
| 35-49 | 1538 | 15.4 | 121 | 6 | 7 | 12 | 18 | 28 | 35 | 67 |
| 50-64 | 2748 | 18.4 | 166 | 7 | 8 | 15 | 22 | 35 | 46 | 83 |
| 65+ | 5737 | 20.4 | 178 | 7 | 9 | 17 | 25 | 38 | 49 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6990 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 4562 | 11.8 | 50 | 4 | 6 | 10 | 14 | 20 | 24 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13418 | 8.1 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| B. *Operated* | 11547 | 18.2 | 166 | 6 | 7 | 15 | 22 | 34 | 45 | 81 |
| **1. SINGLE DX** | 11552 | 7.9 | 39 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | 24965 | 12.8 | 126 | 2 | 3 | 10 | 16 | 26 | 35 | 65 |
| **A. NOT OPERATED** | 20408 | 7.2 | 36 | 2 | 2 | 6 | 9 | 14 | 17 | 30 |
| **B. OPERATED** | 16109 | 16.4 | 141 | 5 | 7 | 13 | 20 | 31 | 41 | 74 |
| TOTAL 0-19 YRS | 1944 | 6.7 | 43 | 1 | 1 | 5 | 8 | 12 | 16 | 34 |
| 20-34 | 3725 | 8.4 | 61 | 2 | 2 | 7 | 10 | 16 | 22 | 43 |
| 35-49 | 5324 | 9.6 | 69 | 2 | 3 | 8 | 12 | 18 | 24 | 44 |
| 50-64 | 8875 | 11.0 | 100 | 2 | 3 | 8 | 13 | 22 | 30 | 56 |
| 65+ | 16649 | 13.1 | 124 | 3 | 4 | 10 | 16 | 26 | 35 | 64 |
| **GRAND TOTAL** | **36517** | **11.3** | **103** | **2** | **3** | **9** | **14** | **22** | **31** | **56** |

### 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23002 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 9919 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 4236 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 3216 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 3127 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 426 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 20-34 | 704 | 5.7 | 21 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 35-49 | 322 | 7.1 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| 50-64 | 262 | 6.7 | 23 | 1 | 1 | 6 | 9 | 13 | 16 | 24 |
| 65+ | 190 | 9.8 | 84 | 1 | 2 | 8 | 12 | 17 | 23 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28270 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 10469 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 7003 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 9311 | 5.7 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| 65+ | 18111 | 7.3 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 643 | 8.1 | 78 | 2 | 3 | 6 | 8 | 16 | 24 | 60 |
| 20-34 | 1041 | 8.0 | 48 | 2 | 2 | 6 | 10 | 15 | 19 | 38 |
| 35-49 | 915 | 9.6 | 52 | 2 | 3 | 8 | 12 | 17 | 20 | 39 |
| 50-64 | 1153 | 11.2 | 86 | 2 | 4 | 9 | 13 | 22 | 28 | 56 |
| 65+ | 1810 | 14.3 | 138 | 3 | 4 | 11 | 18 | 28 | 42 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43500 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 1904 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 15 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73164 | 5.1 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 5562 | 11.0 | 96 | 2 | 3 | 8 | 13 | 21 | 29 | 58 |
| **1. SINGLE DX** | 45404 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 78726 | 5.5 | 27 | 1 | 2 | 4 | 7 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 116664 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 7466 | 9.8 | 83 | 2 | 3 | 7 | 12 | 19 | 26 | 54 |
| TOTAL 0-19 YRS | 52341 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 22133 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 12476 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 13942 | 5.8 | 26 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| 65+ | 23238 | 7.5 | 48 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| **GRAND TOTAL** | **124130** | **4.8** | **21** | **1** | **2** | **4** | **6** | **9** | **12** | **23** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.0 | 11 | 1 | 2 | 4 | 6 | 10 | 12 | 15 |
| 20-34 | 275 | 5.1 | 9 | 1 | 2 | 5 | 6 | 9 | 11 | 15 |
| 35-49 | 1732 | 5.1 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 15 |
| 50-64 | 3667 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 4962 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.3 | 21 | 2 | 3 | 6 | 8 | 16 | 17 | 18 |
| 20-34 | 172 | 9.3 | 27 | 4 | 4 | 8 | 11 | 15 | 19 | 30 |
| 35-49 | 522 | 11.1 | 26 | 4 | 6 | 10 | 13 | 18 | 21 | 28 |
| 50-64 | 1152 | 12.3 | 40 | 3 | 6 | 11 | 15 | 20 | 24 | 34 |
| 65+ | 1030 | 13.8 | 61 | 3 | 6 | 13 | 17 | 24 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 6.1 | 27 | 1 | 2 | 4 | 7 | 12 | 21 | 24 |
| 20-34 | 286 | 5.7 | 12 | 2 | 2 | 5 | 7 | 11 | 12 | 18 |
| 35-49 | 2026 | 5.9 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 50-64 | 7499 | 6.3 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 21413 | 7.6 | 34 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 12.7 | 105 | 5 | 6 | 10 | 15 | 17 | 35 | 53 |
| 20-34 | 217 | 12.0 | 54 | 5 | 6 | 10 | 14 | 19 | 22 | 44 |
| 35-49 | 1262 | 13.3 | 60 | 4 | 6 | 12 | 16 | 22 | 28 | 42 |
| 50-64 | 4033 | 15.0 | 106 | 4 | 6 | 13 | 18 | 26 | 34 | 60 |
| 65+ | 6700 | 17.0 | 151 | 4 | 6 | 14 | 21 | 32 | 42 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10660 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 2896 | 12.4 | 46 | 3 | 5 | 11 | 15 | 21 | 25 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31255 | 7.1 | 29 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | 12232 | 15.8 | 127 | 4 | 6 | 13 | 19 | 29 | 38 | 65 |
| **1. SINGLE DX** | 13556 | 6.9 | 28 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | 43487 | 9.6 | 72 | 2 | 3 | 7 | 12 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 41915 | 6.7 | 25 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 15128 | 15.2 | 113 | 4 | 6 | 13 | 18 | 27 | 35 | 61 |
| TOTAL 0-19 YRS | 95 | 7.5 | 45 | 2 | 2 | 6 | 9 | 16 | 18 | 40 |
| 20-34 | 950 | 7.6 | 31 | 2 | 3 | 6 | 10 | 14 | 17 | 27 |
| 35-49 | 5542 | 7.8 | 35 | 2 | 3 | 6 | 10 | 15 | 19 | 29 |
| 50-64 | 16351 | 8.6 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| 65+ | 34105 | 9.3 | 71 | 2 | 3 | 7 | 11 | 18 | 25 | 46 |
| **GRAND TOTAL** | **57043** | **8.9** | **63** | **2** | **3** | **7** | **11** | **17** | **23** | **42** |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 264 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 203 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 119 | 4.3 | 31 | <1 | 1 | 3 | 5 | 8 | 10 | 32 |
| 65+ | 61 | 5.6 | 14 | 1 | 2 | 5 | 7 | 11 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 721 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 4753 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 4116 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 2369 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 65+ | 784 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 3.8 | 10 | 1 | 1 | 3 | 5 | 6 | 9 | 18 |
| 20-34 | 290 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 35-49 | 284 | 5.3 | 19 | 1 | 2 | 4 | 7 | 9 | 11 | 23 |
| 50-64 | 348 | 5.5 | 19 | 1 | 1 | 4 | 7 | 11 | 16 | 20 |
| 65+ | 357 | 7.6 | 50 | 1 | 2 | 6 | 9 | 16 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 380 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 9 | 22 |
| 20-34 | 3679 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 4170 | 5.1 | 23 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| 50-64 | 3509 | 5.9 | 29 | 2 | 2 | 4 | 7 | 10 | 14 | 29 |
| 65+ | 1847 | 8.7 | 85 | 2 | 3 | 6 | 10 | 17 | 24 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 772 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 12743 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1417 | 5.6 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | 13585 | 5.6 | 31 | 2 | 2 | 4 | 6 | 10 | 13 | 28 |
| **1. SINGLE DX** | 13515 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 15002 | 5.6 | 30 | 2 | 2 | 4 | 6 | 10 | 13 | 28 |
| **A. NOT OPERATED** | 2189 | 4.9 | 22 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| **B. OPERATED** | 26328 | 4.8 | 20 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 1364 | 3.7 | 9 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 20-34 | 8986 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 8773 | 4.5 | 15 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 6345 | 5.2 | 22 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| 65+ | 3049 | 7.5 | 64 | 2 | 2 | 5 | 9 | 15 | 21 | 45 |
| **GRAND TOTAL** | **28517** | **4.8** | **20** | **1** | **2** | **4** | **5** | **8** | **11** | **22** |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3314 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 6035 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 4057 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 2908 | 5.0 | 18 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 65+ | 2967 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1040 | 6.6 | 40 | 1 | 1 | 5 | 8 | 14 | 19 | 33 |
| 20-34 | 2942 | 8.1 | 58 | 1 | 2 | 6 | 10 | 16 | 23 | 40 |
| 35-49 | 2117 | 8.4 | 61 | 1 | 2 | 6 | 11 | 17 | 22 | 39 |
| 50-64 | 1931 | 8.7 | 67 | 1 | 2 | 7 | 11 | 18 | 23 | 39 |
| 65+ | 1761 | 10.1 | 101 | 1 | 2 | 7 | 13 | 21 | 28 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2844 | 4.5 | 16 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| 20-34 | 7068 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 35-49 | 7270 | 6.0 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 50-64 | 8666 | 6.3 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 65+ | 16432 | 7.5 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1094 | 9.9 | 97 | 2 | 2 | 7 | 12 | 21 | 28 | 61 |
| 20-34 | 5031 | 10.9 | 113 | 2 | 3 | 8 | 13 | 24 | 33 | 62 |
| 35-49 | 4888 | 11.3 | 115 | 2 | 3 | 8 | 14 | 23 | 31 | 58 |
| 50-64 | 6036 | 12.7 | 141 | 2 | 3 | 9 | 16 | 27 | 37 | 77 |
| 65+ | 7914 | 15.5 | 187 | 3 | 4 | 12 | 20 | 32 | 45 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19281 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 9791 | 8.5 | 67 | 1 | 2 | 6 | 11 | 17 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42280 | 6.5 | 33 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| B. *Operated* | 24963 | 12.8 | 147 | 2 | 3 | 9 | 16 | 27 | 37 | 72 |
| **1. SINGLE DX** | 29072 | 6.0 | 37 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| **2. MULTIPLE DX** | 67243 | 8.9 | 85 | 2 | 2 | 6 | 11 | 18 | 26 | 52 |
| **A. NOT OPERATED** | 61561 | 6.0 | 29 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 34754 | 11.6 | 128 | 2 | 2 | 8 | 15 | 24 | 34 | 65 |
| TOTAL 0-19 YRS | 8292 | 5.2 | 32 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| 20-34 | 21076 | 7.1 | 54 | 1 | 2 | 5 | 8 | 14 | 20 | 39 |
| 35-49 | 18332 | 7.5 | 57 | 1 | 2 | 5 | 9 | 15 | 20 | 39 |
| 50-64 | 19541 | 8.3 | 74 | 1 | 2 | 6 | 10 | 17 | 24 | 47 |
| 65+ | 29074 | 9.6 | 99 | 2 | 2 | 7 | 12 | 20 | 28 | 57 |
| **GRAND TOTAL** | **96315** | **8.0** | **72** | **1** | **2** | **5** | **10** | **16** | **23** | **46** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.8 | 134 | 1 | 1 | 5 | 13 | 30 | 32 | 32 |
| 20-34 | 150 | 7.1 | 28 | 2 | 2 | 6 | 9 | 13 | 16 | 30 |
| 35-49 | 341 | 8.6 | 49 | 2 | 3 | 7 | 10 | 18 | 24 | 35 |
| 50-64 | 399 | 10.0 | 71 | 2 | 3 | 7 | 13 | 21 | 27 | 40 |
| 65+ | 136 | 11.5 | 102 | 3 | 3 | 8 | 14 | 21 | 32 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 39 | 9.9 | 141 | 1 | 1 | 8 | 12 | 20 | 25 | 70 |
| 35-49 | 111 | 8.0 | 54 | 1 | 1 | 6 | 11 | 16 | 22 | 36 |
| 50-64 | 157 | 8.5 | 60 | 1 | 1 | 7 | 12 | 21 | 25 | 32 |
| 65+ | 63 | 9.6 | 71 | 1 | 1 | 8 | 14 | 20 | 27 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 17.0 | 201 | 2 | 3 | 15 | 26 | 31 | 44 | 55 |
| 20-34 | 759 | 11.2 | 82 | 3 | 3 | 8 | 14 | 25 | 29 | 39 |
| 35-49 | 2346 | 12.6 | 105 | 3 | 3 | 9 | 16 | 26 | 32 | 50 |
| 50-64 | 3470 | 13.1 | 118 | 3 | 4 | 10 | 17 | 27 | 34 | 57 |
| 65+ | 1592 | 13.9 | 133 | 3 | 4 | 11 | 17 | 27 | 35 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 14 | 2 | 2 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 236 | 16.1 | 181 | 2 | 3 | 12 | 21 | 33 | 43 | 66 |
| 35-49 | 802 | 17.8 | 223 | 2 | 4 | 14 | 24 | 37 | 50 | 91 |
| 50-64 | 1147 | 17.6 | 213 | 2 | 4 | 13 | 23 | 36 | 45 | 77 |
| 65+ | 465 | 19.3 | 202 | 3 | 5 | 16 | 26 | 38 | 49 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1032 | 9.3 | 63 | 2 | 3 | 7 | 12 | 19 | 26 | 39 |
| B. *Operated* | 371 | 8.7 | 69 | 1 | 1 | 7 | 12 | 19 | 24 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8191 | 12.9 | 115 | 3 | 4 | 10 | 17 | 26 | 33 | 54 |
| B. *Operated* | 2654 | 17.8 | 211 | 3 | 4 | 14 | 23 | 36 | 48 | 84 |
| **1. SINGLE DX** | 1403 | 9.2 | 65 | 1 | 2 | 7 | 12 | 19 | 25 | 40 |
| **2. MULTIPLE DX** | 10845 | 14.1 | 143 | 3 | 4 | 11 | 19 | 29 | 37 | 64 |
| **A. NOT OPERATED** | 9223 | 12.5 | 110 | 3 | 3 | 9 | 16 | 26 | 32 | 53 |
| **B. OPERATED** | 3025 | 16.7 | 203 | 2 | 3 | 13 | 22 | 35 | 45 | 81 |
| TOTAL 0-19 YRS | 35 | 14.6 | 172 | 1 | 2 | 8 | 25 | 30 | 38 | 55 |
| 20-34 | 1184 | 11.6 | 103 | 2 | 3 | 8 | 15 | 26 | 31 | 50 |
| 35-49 | 3600 | 13.2 | 132 | 2 | 3 | 10 | 17 | 28 | 35 | 61 |
| 50-64 | 5173 | 13.7 | 139 | 2 | 3 | 10 | 18 | 28 | 37 | 61 |
| 65+ | 2256 | 14.7 | 149 | 3 | 4 | 11 | 19 | 30 | 40 | 67 |
| **GRAND TOTAL** | **12248** | **13.6** | **136** | **2** | **3** | **10** | **18** | **28** | **36** | **61** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 19th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.6 | 8 | <1 | 1 | 2 | 5 | 7 | 11 | 12 |
| 20-34 | 148 | 6.3 | 38 | 1 | 2 | 5 | 8 | 14 | 16 | 42 |
| 35-49 | 195 | 7.8 | 43 | 1 | 2 | 6 | 11 | 17 | 21 | 31 |
| 50-64 | 272 | 8.5 | 58 | 1 | 2 | 7 | 11 | 16 | 22 | 34 |
| 65+ | 215 | 9.4 | 67 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 11 | 14 |
| 20-34 | 538 | 3.5 | 23 | 1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 35-49 | 481 | 4.5 | 37 | 1 | 1 | 2 | 5 | 11 | 16 | 28 |
| 50-64 | 527 | 5.4 | 56 | 1 | 1 | 2 | 7 | 13 | 18 | 35 |
| 65+ | 258 | 7.7 | 76 | 1 | 1 | 4 | 11 | 19 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 14 | 20 |
| 20-34 | 272 | 8.4 | 51 | 1 | 2 | 6 | 11 | 17 | 26 | 34 |
| 35-49 | 910 | 10.4 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |
| 50-64 | 2056 | 11.5 | 85 | 2 | 3 | 9 | 15 | 22 | 28 | 48 |
| 65+ | 1973 | 12.7 | 98 | 3 | 4 | 10 | 16 | 24 | 32 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 7.9 | 64 | 1 | 2 | 5 | 10 | 15 | 28 | 41 |
| 20-34 | 444 | 8.2 | 86 | 1 | 1 | 5 | 11 | 17 | 23 | 49 |
| 35-49 | 805 | 10.9 | 128 | 1 | 2 | 8 | 15 | 25 | 33 | 56 |
| 50-64 | 1499 | 12.4 | 152 | 1 | 2 | 9 | 17 | 27 | 35 | 63 |
| 65+ | 1248 | 15.4 | 167 | 2 | 3 | 12 | 20 | 32 | 41 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 860 | 8.0 | 53 | 1 | 2 | 6 | 10 | 16 | 21 | 38 |
| B. *Operated* | 1876 | 4.8 | 45 | 1 | 1 | 2 | 6 | 12 | 17 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5265 | 11.6 | 87 | 2 | 3 | 9 | 15 | 22 | 30 | 48 |
| B. *Operated* | 4052 | 12.5 | 149 | 1 | 2 | 9 | 17 | 27 | 36 | 61 |
| **1. SINGLE DX** | 2736 | 5.8 | 49 | 1 | 1 | 3 | 8 | 14 | 19 | 34 |
| **2. MULTIPLE DX** | 9317 | 12.0 | 114 | 2 | 2 | 9 | 16 | 25 | 32 | 54 |
| **A. NOT OPERATED** | 6125 | 11.1 | 84 | 2 | 3 | 9 | 14 | 22 | 28 | 47 |
| **B. OPERATED** | 5928 | 10.1 | 128 | 1 | 1 | 6 | 14 | 24 | 32 | 56 |
| TOTAL 0-19 YRS | 212 | 5.1 | 29 | 1 | 1 | 3 | 6 | 11 | 14 | 30 |
| 20-34 | 1402 | 6.2 | 55 | 1 | 1 | 4 | 8 | 14 | 19 | 38 |
| 35-49 | 2391 | 9.2 | 88 | 1 | 2 | 6 | 12 | 20 | 27 | 47 |
| 50-64 | 4354 | 10.9 | 108 | 1 | 2 | 8 | 14 | 23 | 30 | 52 |
| 65+ | 3694 | 13.1 | 123 | 2 | 3 | 10 | 17 | 27 | 35 | 57 |
| **GRAND TOTAL** | **12053** | **10.6** | **106** | **1** | **2** | **8** | **14** | **23** | **30** | **52** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 5.8 | 23 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 20-34 | 865 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 35-49 | 424 | 6.7 | 22 | 2 | 2 | 6 | 8 | 12 | 14 | 25 |
| 50-64 | 355 | 7.6 | 44 | 2 | 2 | 6 | 9 | 13 | 18 | 31 |
| 65+ | 245 | 8.6 | 42 | 2 | 3 | 7 | 10 | 16 | 20 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 7.0 | 42 | 1 | 1 | 6 | 11 | 14 | 23 | 27 |
| 20-34 | 223 | 6.5 | 46 | 1 | 1 | 4 | 9 | 15 | 20 | 26 |
| 35-49 | 196 | 7.3 | 46 | 1 | 1 | 5 | 11 | 19 | 20 | 30 |
| 50-64 | 203 | 9.8 | 129 | 1 | 1 | 6 | 13 | 20 | 31 | 58 |
| 65+ | 129 | 10.3 | 68 | 1 | 1 | 8 | 17 | 22 | 27 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 6.2 | 19 | 2 | 2 | 5 | 8 | 12 | 16 | 22 |
| 20-34 | 824 | 7.5 | 41 | 2 | 2 | 6 | 9 | 13 | 18 | 30 |
| 35-49 | 964 | 10.0 | 72 | 2 | 3 | 8 | 13 | 19 | 25 | 45 |
| 50-64 | 1646 | 10.8 | 84 | 2 | 3 | 8 | 13 | 22 | 29 | 50 |
| 65+ | 1679 | 11.6 | 91 | 3 | 4 | 9 | 14 | 22 | 30 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 11.4 | 100 | 2 | 2 | 10 | 15 | 24 | 29 | 51 |
| 20-34 | 237 | 12.3 | 124 | 1 | 2 | 10 | 14 | 26 | 36 | 55 |
| 35-49 | 364 | 12.8 | 161 | 1 | 2 | 10 | 17 | 26 | 38 | 65 |
| 50-64 | 659 | 15.1 | 142 | 2 | 3 | 12 | 21 | 30 | 38 | 72 |
| 65+ | 677 | 17.6 | 207 | 2 | 4 | 14 | 23 | 34 | 44 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2195 | 6.8 | 27 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | 783 | 8.2 | 73 | 1 | 1 | 6 | 12 | 19 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5325 | 10.2 | 77 | 2 | 3 | 8 | 13 | 20 | 27 | 48 |
| B. *Operated* | 1981 | 15.1 | 169 | 2 | 3 | 12 | 20 | 31 | 41 | 76 |
| **1. SINGLE DX** | 2978 | 7.1 | 40 | 1 | 2 | 6 | 9 | 14 | 19 | 30 |
| **2. MULTIPLE DX** | 7306 | 11.6 | 107 | 2 | 3 | 9 | 14 | 23 | 32 | 55 |
| **A. NOT OPERATED** | 7520 | 9.2 | 65 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| **B. OPERATED** | 2764 | 13.2 | 151 | 1 | 2 | 10 | 18 | 28 | 36 | 66 |
| TOTAL 0-19 YRS | 594 | 6.4 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 20-34 | 2149 | 7.4 | 45 | 2 | 2 | 6 | 9 | 14 | 18 | 36 |
| 35-49 | 1948 | 9.6 | 79 | 2 | 2 | 7 | 12 | 19 | 25 | 46 |
| 50-64 | 2863 | 11.3 | 101 | 2 | 3 | 8 | 14 | 24 | 31 | 51 |
| 65+ | 2730 | 12.8 | 123 | 2 | 4 | 10 | 16 | 25 | 34 | 62 |
| **GRAND TOTAL** | **10284** | **10.3** | **91** | **2** | **2** | **8** | **13** | **21** | **28** | **51** |

### 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 1557 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1490 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1566 | 4.1 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 1454 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1216 | 7.2 | 8 | 4 | 5 | 6 | 8 | 11 | 13 | 17 |
| 20-34 | 14034 | 7.2 | 7 | 4 | 5 | 7 | 8 | 10 | 12 | 16 |
| 35-49 | 12475 | 7.6 | 8 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 12840 | 8.3 | 11 | 5 | 5 | 8 | 9 | 12 | 15 | 20 |
| 65+ | 7103 | 10.2 | 23 | 5 | 6 | 9 | 12 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 4.4 | 9 | 1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 1367 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 1854 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 3553 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 65+ | 7439 | 7.8 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 614 | 9.2 | 20 | 5 | 5 | 8 | 11 | 14 | 17 | 24 |
| 20-34 | 8728 | 9.0 | 21 | 5 | 5 | 8 | 10 | 14 | 17 | 25 |
| 35-49 | 11127 | 9.7 | 27 | 5 | 5 | 8 | 11 | 15 | 18 | 28 |
| 50-64 | 17213 | 11.1 | 38 | 5 | 6 | 9 | 13 | 18 | 22 | 33 |
| 65+ | 18894 | 14.8 | 77 | 6 | 7 | 13 | 18 | 25 | 31 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6276 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 47668 | 8.1 | 12 | 5 | 5 | 7 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14352 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | 56576 | 11.7 | 51 | 5 | 6 | 10 | 14 | 20 | 24 | 40 |
| **1. SINGLE DX** | 53944 | 7.6 | 13 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 70928 | 10.7 | 51 | 3 | 5 | 9 | 13 | 19 | 23 | 38 |
| **A. NOT OPERATED** | 20628 | 5.8 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 104244 | 10.0 | 37 | 5 | 5 | 8 | 12 | 17 | 21 | 33 |
| TOTAL 0-19 YRS | 2178 | 7.2 | 14 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| 20-34 | 25686 | 7.4 | 14 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| 35-49 | 26946 | 8.1 | 19 | 3 | 4 | 7 | 9 | 13 | 16 | 23 |
| 50-64 | 35172 | 9.2 | 29 | 3 | 5 | 8 | 11 | 15 | 19 | 29 |
| 65+ | 34890 | 12.0 | 65 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | 124872 | 9.3 | 37 | 3 | 4 | 8 | 11 | 16 | 20 | 32 |

### 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1415 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 1142 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 1007 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 880 | 5.6 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 7.6 | 11 | 4 | 5 | 7 | 9 | 11 | 16 | 19 |
| 20-34 | 1471 | 8.0 | 13 | 4 | 5 | 7 | 9 | 12 | 15 | 22 |
| 35-49 | 1495 | 8.4 | 16 | 4 | 5 | 7 | 10 | 13 | 16 | 21 |
| 50-64 | 1125 | 9.4 | 21 | 5 | 5 | 8 | 11 | 15 | 17 | 24 |
| 65+ | 860 | 11.5 | 30 | 5 | 6 | 10 | 14 | 18 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 184 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 1229 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 1373 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 1965 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 3603 | 8.3 | 39 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 9.1 | 23 | 4 | 5 | 8 | 10 | 14 | 18 | 32 |
| 20-34 | 1899 | 9.7 | 30 | 4 | 5 | 8 | 12 | 16 | 19 | 29 |
| 35-49 | 2466 | 10.6 | 34 | 5 | 5 | 9 | 13 | 17 | 21 | 31 |
| 50-64 | 2741 | 12.2 | 50 | 5 | 6 | 10 | 15 | 20 | 25 | 37 |
| 65+ | 3071 | 16.5 | 111 | 7 | 8 | 14 | 20 | 29 | 37 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4627 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 5082 | 9.0 | 20 | 4 | 5 | 8 | 11 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8354 | 6.8 | 27 | 2 | 2 | 6 | 8 | 12 | 15 | 27 |
| B. *Operated* | 10299 | 12.6 | 68 | 5 | 6 | 10 | 15 | 22 | 28 | 46 |
| **1. SINGLE DX** | 9709 | 6.8 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 18653 | 10.0 | 58 | 2 | 3 | 8 | 12 | 18 | 23 | 40 |
| **A. NOT OPERATED** | 12981 | 5.9 | 22 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 15381 | 11.4 | 55 | 5 | 6 | 9 | 14 | 20 | 24 | 42 |
| TOTAL 0-19 YRS | 620 | 5.9 | 16 | 1 | 2 | 5 | 8 | 10 | 13 | 20 |
| 20-34 | 6014 | 6.9 | 22 | 2 | 2 | 6 | 9 | 12 | 15 | 23 |
| 35-49 | 6476 | 7.9 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 50-64 | 6838 | 8.9 | 39 | 2 | 3 | 8 | 11 | 16 | 20 | 32 |
| 65+ | 8414 | 11.3 | 79 | 3 | 4 | 9 | 14 | 21 | 28 | 48 |
| **GRAND TOTAL** | 28362 | 8.9 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.6 | 16 | 1 | 1 | 3 | 5 | 12 | 14 | 14 |
| 20-34 | 110 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 137 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 50-64 | 132 | 5.0 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 224 | 5.4 | 13 | 1 | 2 | 5 | 8 | 10 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 9.9 | 22 | 5 | 6 | 9 | 12 | 17 | 19 | 24 |
| 20-34 | 441 | 9.0 | 19 | 3 | 5 | 8 | 11 | 14 | 17 | 23 |
| 35-49 | 398 | 9.0 | 37 | 2 | 3 | 8 | 11 | 15 | 19 | 28 |
| 50-64 | 520 | 10.1 | 33 | 2 | 4 | 9 | 13 | 17 | 21 | 29 |
| 65+ | 783 | 12.8 | 57 | 2 | 4 | 12 | 17 | 22 | 25 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.6 | 7 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| 20-34 | 83 | 5.3 | 21 | 1 | 2 | 4 | 6 | 12 | 15 | 26 |
| 35-49 | 157 | 5.7 | 13 | 1 | 2 | 5 | 7 | 11 | 13 | 17 |
| 50-64 | 262 | 6.5 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 24 |
| 65+ | 765 | 8.4 | 38 | 2 | 3 | 7 | 11 | 16 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 10.4 | 19 | 5 | 6 | 10 | 12 | 16 | 18 | 23 |
| 20-34 | 370 | 11.2 | 50 | 4 | 5 | 10 | 13 | 18 | 24 | 41 |
| 35-49 | 435 | 12.8 | 83 | 5 | 6 | 10 | 15 | 22 | 27 | 70 |
| 50-64 | 893 | 14.3 | 72 | 4 | 6 | 12 | 18 | 24 | 31 | 45 |
| 65+ | 2232 | 18.0 | 113 | 5 | 8 | 16 | 22 | 30 | 38 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 4.7 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | 2180 | 10.6 | 42 | 2 | 4 | 9 | 14 | 19 | 23 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1282 | 7.5 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | 3960 | 15.9 | 100 | 5 | 6 | 14 | 20 | 27 | 35 | 55 |
| **1. SINGLE DX** | 2794 | 9.3 | 41 | 1 | 2 | 8 | 12 | 17 | 21 | 29 |
| **2. MULTIPLE DX** | 5242 | 13.9 | 97 | 3 | 4 | 12 | 18 | 26 | 32 | 51 |
| **A. NOT OPERATED** | 1896 | 6.6 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 26 |
| **B. OPERATED** | 6140 | 14.1 | 86 | 4 | 5 | 12 | 18 | 25 | 30 | 49 |
| TOTAL 0-19 YRS | 94 | 8.6 | 23 | 2 | 3 | 8 | 11 | 16 | 18 | 24 |
| 20-34 | 1004 | 8.9 | 35 | 2 | 3 | 8 | 11 | 15 | 18 | 34 |
| 35-49 | 1127 | 9.4 | 58 | 2 | 2 | 8 | 12 | 17 | 22 | 41 |
| 50-64 | 1807 | 11.3 | 62 | 2 | 3 | 10 | 15 | 21 | 25 | 37 |
| 65+ | 4004 | 14.5 | 101 | 3 | 4 | 13 | 19 | 26 | 32 | 53 |
| **GRAND TOTAL** | **8036** | **12.3** | **83** | **2** | **3** | **10** | **16** | **23** | **28** | **46** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.7 | 15 | <1 | 1 | 4 | 8 | 12 | 13 | 13 |
| 20-34 | 96 | 5.3 | 12 | 1 | 1 | 4 | 7 | 11 | 12 | 15 |
| 35-49 | 135 | 5.0 | 10 | 1 | 2 | 4 | 7 | 10 | 11 | 13 |
| 50-64 | 189 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 16 |
| 65+ | 258 | 6.4 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.3 | 48 | 1 | 1 | 7 | 13 | 18 | 19 | 19 |
| 20-34 | 92 | 8.9 | 61 | 1 | 1 | 7 | 11 | 19 | 24 | 38 |
| 35-49 | 101 | 8.9 | 40 | 1 | 2 | 8 | 12 | 18 | 21 | 27 |
| 50-64 | 125 | 10.0 | 93 | 1 | 2 | 8 | 13 | 21 | 24 | 52 |
| 65+ | 140 | 14.6 | 106 | 1 | 2 | 13 | 22 | 28 | 32 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 7.8 | 26 | 1 | 2 | 8 | 11 | 14 | 16 | 22 |
| 20-34 | 156 | 6.9 | 32 | 1 | 2 | 6 | 9 | 15 | 19 | 25 |
| 35-49 | 237 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 15 | 26 |
| 50-64 | 453 | 8.2 | 44 | 2 | 2 | 7 | 10 | 14 | 20 | 40 |
| 65+ | 1156 | 10.4 | 78 | 2 | 3 | 8 | 13 | 19 | 25 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 14.4 | 67 | 2 | 3 | 15 | 17 | 24 | 32 | 36 |
| 20-34 | 166 | 13.5 | 118 | 2 | 3 | 11 | 18 | 24 | 31 | 62 |
| 35-49 | 286 | 14.8 | 145 | 2 | 3 | 12 | 19 | 30 | 38 | 92 |
| 50-64 | 560 | 17.5 | 175 | 2 | 4 | 15 | 22 | 33 | 44 | 77 |
| 65+ | 1119 | 20.7 | 179 | 5 | 6 | 18 | 26 | 38 | 47 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 699 | 5.8 | 19 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | 468 | 10.9 | 84 | 1 | 2 | 9 | 15 | 23 | 28 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2029 | 9.2 | 63 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| B. *Operated* | 2149 | 18.5 | 174 | 3 | 5 | 16 | 24 | 35 | 45 | 79 |
| **1. SINGLE DX** | 1167 | 7.8 | 51 | 1 | 2 | 6 | 10 | 16 | 22 | 33 |
| **2. MULTIPLE DX** | 4178 | 14.0 | 142 | 2 | 3 | 11 | 18 | 28 | 37 | 64 |
| **A. NOT OPERATED** | 2728 | 8.3 | 54 | 2 | 2 | 7 | 10 | 16 | 20 | 39 |
| **B. OPERATED** | 2617 | 17.1 | 166 | 2 | 4 | 14 | 22 | 33 | 42 | 72 |
| TOTAL 0-19 YRS | 76 | 8.8 | 45 | 1 | 2 | 8 | 13 | 17 | 20 | 33 |
| 20-34 | 510 | 9.1 | 72 | 1 | 2 | 7 | 12 | 19 | 24 | 45 |
| 35-49 | 759 | 9.8 | 89 | 2 | 2 | 8 | 13 | 20 | 27 | 50 |
| 50-64 | 1327 | 11.9 | 123 | 2 | 3 | 9 | 15 | 24 | 33 | 58 |
| 65+ | 2673 | 14.6 | 146 | 3 | 4 | 11 | 19 | 29 | 38 | 65 |
| **GRAND TOTAL** | **5345** | **12.6** | **128** | **2** | **3** | **9** | **17** | **26** | **35** | **60** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 356 | 5.6 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 2554 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 35-49 | 2628 | 6.8 | 22 | 2 | 3 | 6 | 8 | 12 | 15 | 27 |
| 50-64 | 1731 | 7.0 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 1090 | 7.6 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 10.9 | 67 | 1 | 2 | 9 | 13 | 25 | 29 | 32 |
| 20-34 | 258 | 11.8 | 96 | 2 | 2 | 9 | 14 | 26 | 31 | 47 |
| 35-49 | 360 | 13.6 | 159 | 1 | 2 | 10 | 17 | 26 | 37 | 68 |
| 50-64 | 278 | 12.4 | 115 | 1 | 2 | 10 | 17 | 26 | 35 | 76 |
| 65+ | 157 | 13.4 | 132 | 1 | 2 | 11 | 18 | 27 | 39 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 7.0 | 49 | 2 | 2 | 5 | 8 | 12 | 17 | 36 |
| 20-34 | 3841 | 7.7 | 29 | 2 | 3 | 6 | 9 | 14 | 17 | 28 |
| 35-49 | 5828 | 8.4 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| 50-64 | 4646 | 9.0 | 43 | 3 | 3 | 7 | 11 | 16 | 21 | 34 |
| 65+ | 4303 | 10.0 | 52 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 18.2 | 293 | 3 | 5 | 12 | 20 | 41 | 56 | 89 |
| 20-34 | 725 | 18.8 | 242 | 4 | 6 | 14 | 23 | 41 | 53 | 85 |
| 35-49 | 1248 | 19.6 | 253 | 4 | 5 | 15 | 25 | 42 | 56 | 84 |
| 50-64 | 1445 | 19.2 | 209 | 4 | 6 | 16 | 24 | 40 | 55 | 99 |
| 65+ | 1193 | 21.0 | 222 | 6 | 8 | 17 | 26 | 41 | 54 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8359 | 6.7 | 22 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | 1087 | 12.7 | 126 | 1 | 2 | 10 | 17 | 26 | 36 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18905 | 8.7 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | 4676 | 19.7 | 231 | 4 | 6 | 16 | 24 | 41 | 55 | 91 |
| **1. SINGLE DX** | 9446 | 7.4 | 38 | 2 | 3 | 6 | 9 | 13 | 17 | 33 |
| **2. MULTIPLE DX** | 23581 | 10.9 | 98 | 3 | 3 | 8 | 13 | 21 | 29 | 58 |
| **A. NOT OPERATED** | 27264 | 8.1 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **B. OPERATED** | 5763 | 18.4 | 218 | 3 | 5 | 14 | 23 | 38 | 51 | 87 |
| TOTAL 0-19 YRS | 742 | 7.5 | 65 | 2 | 2 | 6 | 8 | 13 | 18 | 44 |
| 20-34 | 7378 | 8.4 | 62 | 2 | 3 | 6 | 10 | 16 | 21 | 44 |
| 35-49 | 10064 | 9.5 | 80 | 2 | 3 | 7 | 11 | 18 | 25 | 51 |
| 50-64 | 8100 | 10.5 | 88 | 2 | 3 | 8 | 13 | 20 | 27 | 56 |
| 65+ | 6743 | 11.7 | 99 | 3 | 4 | 9 | 14 | 22 | 30 | 58 |
| **GRAND TOTAL** | 33027 | 9.9 | 83 | 2 | 3 | 7 | 12 | 19 | 26 | 52 |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 452 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 707 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 663 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 944 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 1574 | 6.2 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.0 | 10 | 1 | 2 | 4 | 6 | 8 | 12 | 15 |
| 20-34 | 75 | 6.2 | 24 | 1 | 1 | 4 | 9 | 14 | 16 | 21 |
| 35-49 | 89 | 7.1 | 25 | 1 | 2 | 6 | 10 | 14 | 17 | 24 |
| 50-64 | 140 | 8.7 | 52 | 1 | 2 | 7 | 11 | 17 | 20 | 43 |
| 65+ | 202 | 9.8 | 51 | 2 | 3 | 8 | 12 | 19 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 606 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 20-34 | 1678 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 2674 | 6.1 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 50-64 | 5031 | 7.1 | 30 | 2 | 3 | 6 | 9 | 12 | 16 | 29 |
| 65+ | 12915 | 8.6 | 46 | 2 | 3 | 7 | 10 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 8.4 | 47 | 1 | 2 | 7 | 11 | 16 | 24 | 36 |
| 20-34 | 296 | 9.6 | 82 | 2 | 3 | 7 | 12 | 18 | 23 | 43 |
| 35-49 | 605 | 11.0 | 101 | 3 | 4 | 8 | 13 | 20 | 28 | 66 |
| 50-64 | 1525 | 12.3 | 101 | 3 | 4 | 10 | 15 | 24 | 32 | 59 |
| 65+ | 3293 | 14.4 | 133 | 3 | 5 | 11 | 18 | 28 | 38 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4340 | 5.0 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 526 | 8.3 | 43 | 1 | 2 | 7 | 11 | 16 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22904 | 7.5 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 5812 | 13.1 | 120 | 3 | 4 | 10 | 16 | 26 | 35 | 63 |
| **1. SINGLE DX** | 4866 | 5.4 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 28716 | 8.7 | 60 | 2 | 3 | 7 | 10 | 17 | 22 | 42 |
| **A. NOT OPERATED** | 27244 | 7.1 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| **B. OPERATED** | 6338 | 12.7 | 116 | 3 | 4 | 10 | 16 | 25 | 33 | 61 |
| TOTAL 0-19 YRS | 1171 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 20-34 | 2756 | 5.1 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 4031 | 6.6 | 36 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 50-64 | 7640 | 7.9 | 48 | 2 | 2 | 6 | 9 | 15 | 20 | 37 |
| 65+ | 17984 | 9.4 | 66 | 2 | 3 | 7 | 11 | 18 | 24 | 45 |
| **GRAND TOTAL** | 33582 | 8.2 | 55 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 300 | 4.2 | 8 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 51 | 5.9 | 11 | 2 | 2 | 6 | 8 | 9 | 12 | 20 |
| 35-49 | 49 | 5.7 | 22 | 1 | 1 | 4 | 7 | 12 | 14 | 26 |
| 50-64 | 62 | 9.8 | 77 | 2 | 3 | 7 | 11 | 24 | 27 | 40 |
| 65+ | 56 | 9.6 | 81 | 1 | 2 | 7 | 12 | 19 | 34 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.3 | 88 | <1 | <1 | 2 | 8 | 15 | 33 | 37 |
| 20-34 | 34 | 8.3 | 22 | 1 | 3 | 8 | 11 | 14 | 17 | 22 |
| 35-49 | 37 | 12.0 | 179 | 1 | 2 | 8 | 13 | 32 | 41 | 65 |
| 50-64 | 38 | 10.9 | 169 | 1 | 2 | 8 | 12 | 18 | 31 | 77 |
| 65+ | 33 | 11.9 | 99 | 1 | 2 | 9 | 16 | 26 | 37 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 307 | 5.4 | 18 | 2 | 2 | 4 | 6 | 10 | 14 | 24 |
| 20-34 | 134 | 8.1 | 38 | 2 | 3 | 6 | 10 | 16 | 23 | 34 |
| 35-49 | 173 | 9.2 | 57 | 2 | 3 | 7 | 11 | 18 | 24 | 40 |
| 50-64 | 239 | 11.3 | 113 | 2 | 3 | 8 | 13 | 24 | 31 | 60 |
| 65+ | 331 | 11.4 | 79 | 3 | 3 | 9 | 15 | 22 | 29 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 11.4 | 317 | 1 | 2 | 7 | 10 | 17 | 42 | 99 |
| 20-34 | 106 | 11.4 | 53 | 3 | 4 | 10 | 13 | 21 | 28 | 66 |
| 35-49 | 142 | 15.1 | 159 | 3 | 4 | 11 | 17 | 34 | 40 | 65 |
| 50-64 | 175 | 15.9 | 155 | 3 | 4 | 13 | 23 | 31 | 35 | 80 |
| 65+ | 172 | 18.9 | 232 | 4 | 5 | 15 | 25 | 39 | 53 | 84 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 518 | 5.8 | 30 | 1 | 2 | 4 | 7 | 11 | 17 | 33 |
| B. *Operated* | 166 | 10.1 | 117 | 1 | 1 | 8 | 12 | 21 | 33 | 62 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1184 | 9.1 | 68 | 2 | 2 | 7 | 11 | 18 | 25 | 41 |
| B. *Operated* | 627 | 15.6 | 174 | 3 | 4 | 12 | 19 | 31 | 42 | 80 |
| 1. SINGLE DX | 684 | 6.8 | 55 | 1 | 2 | 4 | 8 | 14 | 20 | 38 |
| 2. MULTIPLE DX | 1811 | 11.4 | 114 | 2 | 3 | 8 | 14 | 24 | 32 | 60 |
| A. NOT OPERATED | 1702 | 8.1 | 59 | 2 | 2 | 6 | 10 | 17 | 24 | 38 |
| B. OPERATED | 793 | 14.4 | 167 | 2 | 4 | 11 | 18 | 29 | 40 | 77 |
| TOTAL 0-19 YRS | 663 | 5.2 | 32 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 20-34 | 325 | 8.9 | 40 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| 35-49 | 401 | 11.1 | 110 | 2 | 3 | 8 | 14 | 21 | 34 | 58 |
| 50-64 | 514 | 12.7 | 132 | 2 | 3 | 10 | 16 | 27 | 33 | 64 |
| 65+ | 592 | 13.4 | 137 | 3 | 3 | 10 | 18 | 27 | 37 | 63 |
| GRAND TOTAL | 2495 | 10.1 | 102 | 2 | 2 | 7 | 12 | 22 | 29 | 56 |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 390 | 6.7 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 23 |
| 20-34 | 100 | 5.8 | 21 | 2 | 2 | 5 | 7 | 11 | 15 | 24 |
| 35-49 | 68 | 5.6 | 18 | 1 | 1 | 5 | 8 | 11 | 12 | 23 |
| 50-64 | 56 | 8.1 | 31 | <1 | 2 | 7 | 12 | 17 | 20 | 21 |
| 65+ | 59 | 7.9 | 53 | 1 | 2 | 7 | 10 | 14 | 18 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 4.5 | 17 | 2 | 2 | 3 | 6 | 10 | 15 | 21 |
| 20-34 | 224 | 4.7 | 17 | 1 | 2 | 3 | 6 | 10 | 13 | 21 |
| 35-49 | 136 | 4.9 | 20 | 1 | 1 | 3 | 7 | 11 | 13 | 25 |
| 50-64 | 119 | 5.8 | 29 | 1 | 2 | 4 | 7 | 14 | 16 | 25 |
| 65+ | 57 | 7.7 | 51 | 1 | 2 | 5 | 11 | 16 | 22 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 6.6 | 24 | 1 | 2 | 5 | 9 | 13 | 17 | 22 |
| 20-34 | 204 | 6.2 | 28 | 1 | 2 | 5 | 8 | 10 | 13 | 34 |
| 35-49 | 209 | 8.0 | 32 | 2 | 3 | 6 | 11 | 16 | 20 | 26 |
| 50-64 | 324 | 9.4 | 62 | 3 | 3 | 7 | 11 | 17 | 24 | 42 |
| 65+ | 570 | 12.0 | 112 | 2 | 3 | 9 | 15 | 23 | 32 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 8.2 | 77 | 1 | 2 | 5 | 11 | 16 | 24 | 61 |
| 20-34 | 360 | 8.6 | 79 | 2 | 2 | 6 | 11 | 20 | 23 | 37 |
| 35-49 | 341 | 9.9 | 88 | 2 | 2 | 7 | 13 | 21 | 28 | 46 |
| 50-64 | 467 | 12.1 | 126 | 2 | 2 | 9 | 16 | 27 | 36 | 59 |
| 65+ | 416 | 15.8 | 187 | 2 | 3 | 13 | 20 | 34 | 48 | 71 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 673 | 6.6 | 27 | 1 | 2 | 5 | 9 | 13 | 17 | 24 |
| B. *Operated* | 730 | 5.1 | 23 | 1 | 2 | 3 | 6 | 12 | 15 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1620 | 9.2 | 70 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |
| B. *Operated* | 1746 | 11.5 | 126 | 2 | 2 | 8 | 15 | 25 | 35 | 62 |
| 1. SINGLE DX | 1403 | 5.8 | 25 | 1 | 2 | 4 | 8 | 12 | 16 | 23 |
| 2. MULTIPLE DX | 3366 | 10.4 | 100 | 2 | 2 | 7 | 14 | 22 | 29 | 55 |
| A. NOT OPERATED | 2293 | 8.5 | 58 | 2 | 2 | 6 | 11 | 17 | 22 | 40 |
| B. OPERATED | 2476 | 9.6 | 104 | 1 | 2 | 6 | 13 | 21 | 29 | 55 |
| TOTAL 0-19 YRS | 1059 | 6.5 | 32 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| 20-34 | 888 | 6.7 | 48 | 1 | 2 | 5 | 8 | 14 | 20 | 33 |
| 35-49 | 754 | 8.1 | 58 | 1 | 2 | 6 | 10 | 17 | 22 | 41 |
| 50-64 | 966 | 10.2 | 92 | 2 | 2 | 7 | 14 | 22 | 29 | 48 |
| 65+ | 1102 | 13.0 | 140 | 2 | 3 | 10 | 16 | 27 | 36 | 68 |
| GRAND TOTAL | 4769 | 9.1 | 83 | 2 | 2 | 6 | 12 | 19 | 26 | 49 |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 238 | 5.4 | 11 | 2 | 2 | 5 | 6 | 10 | 12 | 18 |
| 20-34 | 30 | 5.0 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 12 |
| 35-49 | 18 | 5.1 | 20 | 1 | 2 | 3 | 6 | 9 | 16 | 20 |
| 50-64 | 12 | 8.0 | 60 | 2 | 2 | 5 | 8 | 24 | 24 | 24 |
| 65+ | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 28 | 5.8 | 38 | 1 | 2 | 4 | 7 | 14 | 20 | 29 |
| 20-34 | 17 | 6.2 | 27 | 1 | 1 | 6 | 9 | 13 | 18 | 20 |
| 35-49 | 10 | 6.0 | 34 | 2 | 2 | 4 | 6 | 15 | 21 | 21 |
| 50-64 | 3 | 5.0 | 13 | 2 | 2 | 4 | 8 | 9 | 9 | 9 |
| 65+ | 7 | 10.4 | 69 | 2 | 2 | 7 | 16 | 24 | 25 | 25 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 165 | 7.1 | 21 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| 20-34 | 39 | 6.8 | 11 | 2 | 3 | 7 | 9 | 12 | 13 | 15 |
| 35-49 | 27 | 6.4 | 18 | 2 | 2 | 6 | 8 | 10 | 17 | 21 |
| 50-64 | 28 | 8.4 | 37 | 2 | 3 | 7 | 11 | 15 | 22 | 27 |
| 65+ | 70 | 12.6 | 103 | 3 | 3 | 10 | 17 | 28 | 38 | 40 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 34 | 8.3 | 38 | 1 | 2 | 7 | 12 | 16 | 23 | 26 |
| 20-34 | 41 | 8.6 | 67 | <1 | 1 | 7 | 11 | 14 | 25 | 41 |
| 35-49 | 45 | 10.0 | 70 | 2 | 2 | 9 | 12 | 16 | 29 | 42 |
| 50-64 | 44 | 12.1 | 120 | 2 | 2 | 9 | 16 | 26 | 38 | 46 |
| 65+ | 56 | 16.6 | 160 | 2 | 4 | 12 | 24 | 33 | 39 | 64 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 300 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| B. *Operated* | 65 | 6.4 | 37 | 1 | 2 | 5 | 7 | 17 | 20 | 28 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 329 | 8.3 | 43 | 2 | 3 | 6 | 11 | 16 | 22 | 38 |
| B. *Operated* | 220 | 11.6 | 106 | 2 | 2 | 9 | 14 | 26 | 34 | 47 |
| **1. SINGLE DX** | 365 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | 549 | 9.6 | 71 | 2 | 2 | 7 | 12 | 20 | 28 | 41 |
| **A. NOT OPERATED** | 629 | 6.9 | 31 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| **B. OPERATED** | 285 | 10.4 | 95 | 1 | 2 | 8 | 13 | 25 | 30 | 45 |
| TOTAL 0-19 YRS | 465 | 5.2 | 19 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 20-34 | 127 | 6.9 | 32 | 1 | 2 | 6 | 9 | 12 | 14 | 38 |
| 35-49 | 100 | 7.8 | 47 | 2 | 2 | 6 | 10 | 16 | 21 | 36 |
| 50-64 | 87 | 10.1 | 84 | 2 | 2 | 7 | 12 | 24 | 28 | 45 |
| 65+ | 135 | 14.1 | 127 | 2 | 4 | 11 | 19 | 29 | 38 | 51 |
| **GRAND TOTAL** | **914** | **8.0** | **53** | **2** | **2** | **6** | **10** | **16** | **23** | **39** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 19 | 3.2 | 14 | <1 | <1 | 2 | 4 | 6 | 12 | 17 |
| 20-34 | 51 | 3.5 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 16 |
| 35-49 | 64 | 3.5 | 23 | <1 | 1 | 2 | 3 | 9 | 12 | 28 |
| 50-64 | 139 | 5.2 | 76 | 1 | 1 | 3 | 5 | 9 | 19 | 49 |
| 65+ | 193 | 5.2 | 49 | <1 | <1 | 2 | 6 | 11 | 19 | 37 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 69 | 8.8 | 111 | <1 | 1 | 4 | 11 | 24 | 38 | 90 |
| 20-34 | 252 | 9.2 | 104 | 1 | 1 | 4 | 13 | 24 | 28 | 49 |
| 35-49 | 284 | 6.9 | 82 | 1 | 1 | 4 | 7 | 17 | 25 | 45 |
| 50-64 | 473 | 6.4 | 60 | <1 | 1 | 4 | 8 | 15 | 21 | 35 |
| 65+ | 326 | 7.1 | 68 | 1 | 2 | 4 | 8 | 16 | 22 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 75 | 6.2 | 74 | <1 | 1 | 3 | 7 | 16 | 21 | 52 |
| 20-34 | 356 | 4.9 | 38 | <1 | 1 | 3 | 6 | 12 | 15 | 32 |
| 35-49 | 566 | 4.6 | 28 | 1 | 1 | 2 | 6 | 12 | 16 | 25 |
| 50-64 | 1132 | 7.0 | 63 | 1 | 1 | 5 | 9 | 16 | 22 | 39 |
| 65+ | 2036 | 10.1 | 91 | 1 | 1 | 8 | 13 | 22 | 29 | 48 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 170 | 7.8 | 78 | <1 | <1 | 4 | 11 | 21 | 32 | 88 |
| 20-34 | 1021 | 10.9 | 154 | <1 | <1 | 6 | 15 | 27 | 37 | 64 |
| 35-49 | 1231 | 11.6 | 137 | 1 | 2 | 8 | 16 | 27 | 34 | 56 |
| 50-64 | 2274 | 12.1 | 171 | <1 | 2 | 8 | 16 | 28 | 40 | 75 |
| 65+ | 2122 | 15.3 | 234 | 2 | 2 | 10 | 20 | 36 | 50 | 90 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 466 | 4.7 | 48 | <1 | 1 | 2 | 5 | 10 | 15 | 41 |
| B. *Operated* | 1404 | 7.3 | 77 | <1 | 1 | 4 | 8 | 19 | 25 | 46 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4165 | 8.0 | 75 | 1 | 1 | 5 | 11 | 18 | 25 | 42 |
| B. *Operated* | 6818 | 12.7 | 183 | <1 | 2 | 8 | 17 | 30 | 42 | 77 |
| **1. SINGLE DX** | 1870 | 6.7 | 71 | <1 | 1 | 3 | 8 | 17 | 24 | 46 |
| **2. MULTIPLE DX** | 10983 | 10.9 | 147 | 1 | 1 | 7 | 14 | 26 | 36 | 66 |
| **A. NOT OPERATED** | 4631 | 7.7 | 73 | 1 | 1 | 5 | 10 | 17 | 24 | 41 |
| **B. OPERATED** | 8222 | 11.8 | 169 | <1 | 2 | 7 | 16 | 28 | 40 | 71 |
| TOTAL 0-19 YRS | 333 | 7.4 | 81 | <1 | <1 | 4 | 10 | 20 | 28 | 67 |
| 20-34 | 1680 | 9.2 | 124 | <1 | 1 | 5 | 12 | 23 | 33 | 54 |
| 35-49 | 2145 | 8.9 | 108 | 1 | 1 | 5 | 12 | 21 | 30 | 50 |
| 50-64 | 4018 | 9.7 | 131 | <1 | 1 | 6 | 12 | 23 | 32 | 64 |
| 65+ | 4677 | 12.1 | 162 | 1 | 2 | 8 | 16 | 28 | 39 | 73 |
| **GRAND TOTAL** | **12853** | **10.3** | **138** | **1** | **1** | **6** | **14** | **25** | **34** | **64** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 6.5 | 48 | 1 | 1 | 4 | 7 | 20 | 21 | 26 |
| 20-34 | 21 | 4.1 | 6 | <1 | 1 | 4 | 6 | 8 | 8 | 9 |
| 35-49 | 23 | 6.8 | 38 | 1 | 1 | 4 | 10 | 17 | 19 | 22 |
| 50-64 | 64 | 4.9 | 18 | <1 | 1 | 3 | 7 | 11 | 14 | 19 |
| 65+ | 134 | 8.7 | 57 | <1 | 1 | 7 | 11 | 18 | 26 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.8 | 15 | <1 | <1 | 2 | 8 | 10 | 10 | 10 |
| 20-34 | 26 | 7.8 | 63 | <1 | 1 | 6 | 10 | 18 | 23 | 37 |
| 35-49 | 35 | 8.5 | 75 | <1 | 1 | 6 | 12 | 20 | 30 | 36 |
| 50-64 | 63 | 7.3 | 90 | <1 | 1 | 4 | 9 | 19 | 31 | 47 |
| 65+ | 73 | 12.3 | 216 | 1 | 1 | 8 | 18 | 27 | 34 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.9 | 24 | <1 | 1 | 4 | 8 | 14 | 16 | 21 |
| 20-34 | 112 | 8.4 | 105 | 1 | 2 | 5 | 10 | 16 | 25 | 60 |
| 35-49 | 169 | 8.1 | 52 | 2 | 2 | 6 | 11 | 17 | 19 | 41 |
| 50-64 | 493 | 10.4 | 79 | 1 | 2 | 8 | 13 | 22 | 28 | 42 |
| 65+ | 1992 | 13.5 | 130 | 2 | 3 | 10 | 17 | 28 | 36 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 7.1 | 109 | <1 | <1 | <1 | 9 | 24 | 39 | 93 |
| 20-34 | 133 | 14.2 | 197 | 2 | 2 | 10 | 20 | 32 | 50 | 85 |
| 35-49 | 208 | 17.0 | 240 | 2 | 3 | 13 | 25 | 40 | 52 | 99+ |
| 50-64 | 472 | 18.3 | 246 | 3 | 4 | 14 | 25 | 37 | 53 | 89 |
| 65+ | 863 | 22.6 | 282 | 3 | 6 | 19 | 31 | 47 | 61 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 271 | 7.0 | 44 | 1 | 1 | 5 | 10 | 16 | 20 | 34 |
| B. *Operated* | 207 | 9.2 | 129 | <1 | 1 | 6 | 12 | 22 | 32 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2822 | 12.3 | 117 | 2 | 3 | 10 | 15 | 25 | 34 | 56 |
| B. *Operated* | 1737 | 19.6 | 268 | 2 | 3 | 16 | 27 | 43 | 56 | 99+ |
| **1. SINGLE DX** | 478 | 8.0 | 82 | 1 | 1 | 5 | 10 | 19 | 26 | 37 |
| **2. MULTIPLE DX** | 4559 | 15.1 | 187 | 2 | 3 | 11 | 20 | 33 | 43 | 81 |
| **A. NOT OPERATED** | 3093 | 11.8 | 113 | 2 | 2 | 9 | 15 | 25 | 33 | 55 |
| **B. OPERATED** | 1944 | 18.5 | 263 | 2 | 3 | 14 | 26 | 41 | 53 | 99 |
| TOTAL 0-19 YRS | 156 | 6.4 | 61 | <1 | <1 | 3 | 9 | 16 | 22 | 46 |
| 20-34 | 292 | 10.7 | 147 | 1 | 2 | 7 | 13 | 25 | 37 | 72 |
| 35-49 | 435 | 12.3 | 163 | 1 | 2 | 8 | 16 | 31 | 41 | 74 |
| 50-64 | 1092 | 13.3 | 169 | 1 | 2 | 9 | 18 | 29 | 39 | 70 |
| 65+ | 3062 | 15.8 | 190 | 2 | 3 | 12 | 21 | 34 | 45 | 81 |
| **GRAND TOTAL** | **5037** | **14.4** | **181** | **2** | **2** | **10** | **19** | **32** | **42** | **78** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1109 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 1696 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 473 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 300 | 5.3 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 274 | 6.9 | 20 | 3 | 3 | 6 | 8 | 11 | 14 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 6.1 | 9 | 3 | 3 | 6 | 7 | 9 | 10 | 19 |
| 20-34 | 97 | 6.2 | 12 | 3 | 3 | 5 | 7 | 10 | 11 | 24 |
| 35-49 | 40 | 7.0 | 10 | 2 | 3 | 7 | 9 | 11 | 12 | 13 |
| 50-64 | 28 | 8.4 | 13 | 3 | 4 | 8 | 11 | 14 | 14 | 15 |
| 65+ | 23 | 8.1 | 10 | 3 | 4 | 9 | 11 | 12 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1065 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1909 | 5.3 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 16 |
| 35-49 | 963 | 6.6 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |
| 50-64 | 1177 | 7.6 | 21 | 3 | 3 | 7 | 9 | 12 | 16 | 26 |
| 65+ | 2100 | 9.6 | 42 | 3 | 4 | 8 | 12 | 17 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 7.9 | 21 | 3 | 3 | 7 | 9 | 15 | 18 | 21 |
| 20-34 | 337 | 8.8 | 43 | 3 | 4 | 7 | 10 | 15 | 22 | 33 |
| 35-49 | 242 | 11.2 | 65 | 4 | 5 | 9 | 13 | 18 | 24 | 52 |
| 50-64 | 323 | 12.2 | 80 | 4 | 5 | 10 | 14 | 21 | 28 | 44 |
| 65+ | 472 | 16.3 | 134 | 5 | 6 | 13 | 20 | 30 | 39 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3852 | 4.7 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| B. *Operated* | 278 | 6.6 | 11 | 3 | 3 | 6 | 9 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7214 | 7.0 | 24 | 2 | 3 | 6 | 8 | 12 | 16 | 26 |
| B. *Operated* | 1575 | 12.0 | 88 | 4 | 5 | 9 | 14 | 22 | 30 | 52 |
| **1. SINGLE DX** | 4130 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 8789 | 7.9 | 39 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 11066 | 6.2 | 19 | 2 | 3 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 1853 | 11.2 | 80 | 3 | 4 | 9 | 13 | 21 | 28 | 51 |
| TOTAL 0-19 YRS | 2465 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| 20-34 | 4039 | 5.3 | 12 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |
| 35-49 | 1718 | 6.8 | 22 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| 50-64 | 1828 | 8.1 | 33 | 3 | 3 | 7 | 10 | 14 | 17 | 30 |
| 65+ | 2869 | 10.4 | 62 | 3 | 4 | 8 | 12 | 19 | 25 | 44 |
| **GRAND TOTAL** | **12919** | **6.9** | **31** | **2** | **3** | **5** | **8** | **12** | **16** | **30** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1240 | 4.2 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 1891 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 550 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 367 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 24 |
| 65+ | 307 | 6.4 | 19 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 5.4 | 50 | <1 | 1 | 5 | 7 | 10 | 11 | 22 |
| 20-34 | 234 | 6.4 | 21 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 142 | 7.0 | 30 | 1 | 2 | 5 | 9 | 15 | 19 | 25 |
| 50-64 | 113 | 8.2 | 60 | 1 | 2 | 8 | 11 | 20 | 24 | 36 |
| 65+ | 96 | 11.6 | 98 | 2 | 2 | 9 | 15 | 22 | 28 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1065 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 2097 | 5.2 | 13 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 35-49 | 1019 | 6.7 | 25 | 2 | 3 | 6 | 8 | 11 | 15 | 25 |
| 50-64 | 1273 | 7.5 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| 65+ | 2229 | 9.6 | 47 | 3 | 4 | 8 | 12 | 17 | 22 | 39 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 387 | 6.8 | 24 | 1 | 1 | 6 | 9 | 13 | 16 | 25 |
| 20-34 | 764 | 8.7 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 41 |
| 35-49 | 586 | 10.8 | 66 | 2 | 2 | 9 | 14 | 21 | 27 | 38 |
| 50-64 | 784 | 13.0 | 112 | 2 | 3 | 10 | 17 | 26 | 34 | 59 |
| 65+ | 934 | 15.6 | 150 | 3 | 4 | 13 | 20 | 31 | 40 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4355 | 4.7 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| *B. Operated* | 748 | 7.2 | 48 | 1 | 2 | 6 | 9 | 15 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 7683 | 7.0 | 31 | 2 | 3 | 6 | 8 | 13 | 16 | 29 |
| *B. Operated* | 3455 | 11.7 | 99 | 2 | 3 | 9 | 15 | 23 | 31 | 56 |
| **1. SINGLE DX** | 5103 | 5.0 | 15 | 2 | 2 | 4 | 6 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 11138 | 8.5 | 57 | 2 | 3 | 6 | 10 | 16 | 22 | 41 |
| **A. NOT OPERATED** | 12038 | 6.2 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| **B. OPERATED** | 4203 | 10.9 | 93 | 2 | 2 | 8 | 14 | 22 | 29 | 54 |
| TOTAL 0-19 YRS | 2855 | 4.9 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 4986 | 5.5 | 18 | 2 | 2 | 5 | 7 | 9 | 12 | 23 |
| 35-49 | 2297 | 7.4 | 36 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| 50-64 | 2537 | 8.9 | 62 | 2 | 3 | 7 | 11 | 17 | 24 | 44 |
| 65+ | 3566 | 11.0 | 81 | 3 | 4 | 9 | 13 | 21 | 28 | 51 |
| **GRAND TOTAL** | 16241 | 7.4 | 46 | 2 | 2 | 5 | 9 | 14 | 20 | 36 |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1948 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 2145 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 1310 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 482 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 7.4 | 22 | 2 | 2 | 7 | 9 | 13 | 15 | 26 |
| 20-34 | 1021 | 8.2 | 19 | 2 | 3 | 8 | 10 | 13 | 16 | 22 |
| 35-49 | 1417 | 8.3 | 20 | 2 | 3 | 8 | 10 | 13 | 16 | 23 |
| 50-64 | 1328 | 9.1 | 26 | 2 | 3 | 9 | 11 | 15 | 18 | 27 |
| 65+ | 590 | 9.9 | 32 | 2 | 3 | 9 | 12 | 17 | 21 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 1202 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 1626 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 1808 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 1288 | 6.0 | 34 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 10.3 | 69 | 1 | 3 | 8 | 12 | 17 | 27 | 48 |
| 20-34 | 1006 | 9.5 | 53 | 2 | 3 | 8 | 12 | 16 | 21 | 35 |
| 35-49 | 1533 | 9.9 | 58 | 2 | 3 | 9 | 12 | 18 | 23 | 42 |
| 50-64 | 2249 | 10.7 | 60 | 2 | 3 | 9 | 13 | 19 | 24 | 40 |
| 65+ | 1941 | 13.0 | 101 | 2 | 3 | 11 | 16 | 24 | 31 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLF DX** | | | | | | | | | | |
| *A. Not Operated* | 6102 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| *B. Operated* | 4470 | 8.7 | 23 | 2 | 3 | 8 | 11 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 6074 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| *B. Operated* | 6841 | 11.0 | 72 | 2 | 3 | 9 | 14 | 20 | 26 | 43 |
| **1. SINGLE DX** | 10572 | 5.2 | 22 | 1 | 1 | 3 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 12915 | 7.8 | 57 | 1 | 2 | 6 | 10 | 16 | 21 | 37 |
| **A. NOT OPERATED** | 12176 | 3.4 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **B. OPERATED** | 11311 | 10.1 | 54 | 2 | 3 | 9 | 12 | 18 | 23 | 39 |
| TOTAL 0-19 YRS | 593 | 5.2 | 29 | 1 | 1 | 3 | 7 | 11 | 15 | 27 |
| 20-34 | 5177 | 5.2 | 26 | 1 | 1 | 3 | 7 | 11 | 14 | 23 |
| 35-49 | 6721 | 5.7 | 31 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| 50-64 | 6695 | 7.1 | 40 | 1 | 1 | 5 | 10 | 14 | 18 | 30 |
| 65+ | 4301 | 9.4 | 74 | 1 | 2 | 8 | 12 | 19 | 24 | 42 |
| **GRAND TOTAL** | 23487 | 6.6 | 43 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (5) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 760 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 7199 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 7955 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 4919 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 65+ | 1376 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 5.5 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 20-34 | 4497 | 5.9 | 13 | 2 | 2 | 5 | 8 | 11 | 13 | 17 |
| 35-49 | 5230 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 4281 | 6.8 | 19 | 2 | 2 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 1514 | 7.5 | 28 | 2 | 2 | 7 | 10 | 14 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 200 | 3.0 | 9 | 1 | 1 | 2 | 4 | 5 | 6 | 15 |
| 20-34 | 2080 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 2816 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 50-64 | 2979 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 65+ | 1598 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 7.1 | 23 | 2 | 3 | 5 | 9 | 12 | 16 | 27 |
| 20-34 | 1773 | 7.3 | 26 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| 35-49 | 2594 | 7.8 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 3055 | 8.9 | 39 | 2 | 3 | 8 | 11 | 16 | 20 | 30 |
| 65+ | 2573 | 11.0 | 59 | 3 | 4 | 9 | 14 | 20 | 25 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 22209 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| *B. Operated* | 15933 | 6.4 | 17 | 2 | 2 | 5 | 8 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 9673 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| *B. Operated* | 10763 | 8.9 | 40 | 2 | 3 | 8 | 11 | 16 | 20 | 31 |
| **1. SINGLE DX** | 38142 | 4.0 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 20436 | 6.2 | 32 | 1 | 1 | 4 | 8 | 13 | 17 | 27 |
| **A. NOT OPERATED** | 31882 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 26696 | 7.4 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| TOTAL 0-19 YRS | 1539 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 15549 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 35-49 | 18595 | 4.2 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 50-64 | 15834 | 5.3 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 7061 | 7.1 | 42 | 1 | 2 | 5 | 9 | 15 | 19 | 31 |
| **GRAND TOTAL** | **58578** | **4.8** | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.0 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 19 |
| 20-34 | 223 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 196 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 214 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 218 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1239 | 6.2 | 22 | <1 | 1 | 6 | 9 | 12 | 14 | 20 |
| 20-34 | 805 | 7.2 | 27 | 1 | 1 | 7 | 10 | 14 | 17 | 23 |
| 35-49 | 615 | 6.5 | 34 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| 50-64 | 787 | 6.8 | 37 | 1 | 1 | 5 | 9 | 15 | 19 | 28 |
| 65+ | 593 | 7.6 | 57 | 1 | 1 | 5 | 11 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 451 | 4.7 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 383 | 5.7 | 29 | 1 | 1 | 4 | 7 | 11 | 17 | 26 |
| 50-64 | 783 | 6.6 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| 65+ | 1629 | 10.0 | 83 | 2 | 3 | 8 | 13 | 20 | 26 | 51 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1478 | 7.2 | 37 | <1 | 1 | 7 | 10 | 14 | 17 | 31 |
| 20-34 | 1329 | 9.3 | 51 | 2 | 2 | 8 | 12 | 18 | 22 | 36 |
| 35-49 | 1365 | 9.7 | 69 | 1 | 2 | 8 | 13 | 19 | 23 | 44 |
| 50-64 | 2144 | 10.7 | 93 | 2 | 2 | 9 | 14 | 21 | 29 | 51 |
| 65+ | 2603 | 12.8 | 128 | 2 | 2 | 10 | 17 | 26 | 34 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1004 | 3.6 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| *B. Operated* | 4039 | 6.8 | 33 | 1 | 1 | 6 | 9 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3540 | 7.6 | 58 | 1 | 2 | 5 | 9 | 16 | 21 | 40 |
| *B. Operated* | 8919 | 10.4 | 88 | 1 | 2 | 8 | 13 | 21 | 27 | 47 |
| **1. SINGLE DX** | 5043 | 6.1 | 30 | 1 | 1 | 5 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 12459 | 9.6 | 81 | 1 | 2 | 8 | 12 | 20 | 26 | 46 |
| **A. NOT OPERATED** | 4544 | 6.8 | 50 | 1 | 1 | 5 | 8 | 14 | 20 | 35 |
| **B. OPERATED** | 12958 | 9.2 | 73 | 1 | 2 | 8 | 12 | 19 | 25 | 43 |
| TOTAL 0-19 YRS | 3164 | 6.3 | 29 | <1 | 1 | 6 | 9 | 12 | 16 | 25 |
| 20-34 | 2808 | 7.5 | 40 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| 35-49 | 2559 | 7.9 | 54 | 1 | 2 | 6 | 11 | 16 | 21 | 35 |
| 50-64 | 3928 | 8.7 | 71 | 1 | 2 | 7 | 11 | 18 | 24 | 43 |
| 65+ | 5043 | 11.0 | 105 | 2 | 2 | 8 | 14 | 23 | 30 | 51 |
| **GRAND TOTAL** | **17502** | **8.6** | 69 | 1 | 2 | 7 | 11 | 18 | 23 | 41 |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 563 | 2.5 | 17 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 577 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 50-64 | 309 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 125 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 5.8 | 20 | 1 | 1 | 5 | 7 | 13 | 14 | 21 |
| 20-34 | 267 | 6.1 | 18 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| 35-49 | 356 | 6.2 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| 50-64 | 376 | 5.9 | 25 | 1 | 2 | 4 | 8 | 12 | 15 | 25 |
| 65+ | 355 | 6.3 | 23 | 1 | 2 | 5 | 9 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.8 | 3 | 2 | 2 | 4 | 4 | 7 | 7 | 7 |
| 20-34 | 245 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 278 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 50-64 | 306 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 243 | 6.0 | 33 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 6.1 | 26 | 2 | 2 | 4 | 9 | 11 | 15 | 32 |
| 20-34 | 279 | 7.3 | 51 | 1 | 2 | 5 | 9 | 14 | 18 | 40 |
| 35-49 | 337 | 7.5 | 40 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| 50-64 | 709 | 8.4 | 56 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| 65+ | 1369 | 10.1 | 70 | 2 | 3 | 8 | 13 | 19 | 26 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1634 | 2.5 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 1399 | 6.1 | 22 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1090 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| B. *Operated* | 2745 | 9.0 | 61 | 2 | 2 | 7 | 12 | 18 | 24 | 40 |
| **1. SINGLE DX** | 3033 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 3835 | 7.6 | 53 | 1 | 2 | 5 | 10 | 16 | 21 | 38 |
| **A. NOT OPERATED** | 2724 | 3.2 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 4144 | 8.0 | 50 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| TOTAL 0-19 YRS | 174 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 1354 | 4.3 | 26 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 1548 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 50-64 | 1700 | 6.0 | 37 | 1 | 1 | 4 | 8 | 13 | 17 | 31 |
| 65+ | 2092 | 8.6 | 59 | 2 | 2 | 6 | 11 | 17 | 23 | 39 |
| **GRAND TOTAL** | **6868** | **6.1** | **40** | **1** | **1** | **4** | **8** | **13** | **17** | **33** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 520 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 445 | 3.2 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 217 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | 185 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 65+ | 267 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 786 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1255 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 1126 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 1298 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 65+ | 1455 | 4.5 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 572 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 858 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 18 |
| 35-49 | 600 | 5.6 | 24 | 1 | 2 | 5 | 7 | 9 | 12 | 25 |
| 50-64 | 847 | 6.3 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 65+ | 2378 | 8.5 | 46 | 2 | 3 | 7 | 10 | 15 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1265 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 2510 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 22 |
| 35-49 | 2514 | 5.3 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 50-64 | 3371 | 5.5 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 65+ | 5318 | 7.7 | 59 | 2 | 2 | 5 | 10 | 16 | 22 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1634 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 5920 | 3.5 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5255 | 6.7 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 30 |
| B. *Operated* | 14978 | 5.9 | 37 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| **1. SINGLE DX** | 7554 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 20233 | 6.1 | 36 | 1 | 2 | 4 | 8 | 12 | 17 | 31 |
| **A. NOT OPERATED** | 6889 | 6.0 | 29 | 1 | 2 | 5 | 7 | 12 | 15 | 28 |
| **B. OPERATED** | 20898 | 5.2 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| TOTAL 0-19 YRS | 3143 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 5068 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 4457 | 4.7 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 50-64 | 5701 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 65+ | 9418 | 7.3 | 50 | 2 | 2 | 5 | 9 | 15 | 20 | 37 |
| **GRAND TOTAL** | **27787** | **5.4** | **31** | **1** | **1** | **4** | **7** | **11** | **15** | **28** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 31 | 2.5 | 7 | <1 | <1 | 2 | 2 | 5 | 10 | 12 |
| 35-49 | 22 | 3.1 | 5 | <1 | <1 | 2 | 5 | 7 | 7 | 8 |
| 50-64 | 23 | 3.8 | 13 | <1 | 1 | 2 | 5 | 7 | 11 | 17 |
| 65+ | 66 | 4.1 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3433 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 1578 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 35-49 | 1171 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 1238 | 3.7 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 1540 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 63 | 3.9 | 12 | <1 | 1 | 3 | 5 | 9 | 10 | 17 |
| 35-49 | 49 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 13 | 27 |
| 50-64 | 85 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 65+ | 303 | 6.3 | 30 | 1 | 2 | 5 | 7 | 12 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2978 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 20-34 | 2319 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 2165 | 4.5 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 50-64 | 2991 | 5.1 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 65+ | 4634 | 7.2 | 46 | 2 | 2 | 5 | 9 | 15 | 19 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 3.3 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 16 |
| B. *Operated* | 8960 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 575 | 5.1 | 23 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| B. *Operated* | 15087 | 4.9 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **1. SINGLE DX** | 9139 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 15662 | 4.9 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **A. NOT OPERATED** | 754 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 13 | 25 |
| **B. OPERATED** | 24047 | 4.1 | 22 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 6523 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 3991 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 35-49 | 3407 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 4337 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 65+ | 6543 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| **GRAND TOTAL** | **24801** | **4.1** | **22** | **<1** | **1** | **3** | **5** | **9** | **12** | **23** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2864 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1690 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 835 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 868 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 1711 | 5.8 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2425 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 2337 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 2150 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 50-64 | 2501 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 65+ | 2688 | 4.7 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4105 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 9 | 14 |
| 20-34 | 4232 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 3008 | 6.1 | 24 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 5275 | 7.0 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 19165 | 9.6 | 62 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3444 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 20-34 | 4223 | 5.1 | 35 | 1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 35-49 | 4345 | 5.6 | 36 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| 50-64 | 7058 | 6.7 | 51 | 1 | 2 | 4 | 9 | 14 | 19 | 36 |
| 65+ | 12526 | 9.8 | 90 | 2 | 2 | 7 | 13 | 20 | 27 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7968 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 12101 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35785 | 7.7 | 47 | 2 | 2 | 6 | 10 | 15 | 19 | 36 |
| B. *Operated* | 31596 | 7.2 | 63 | 1 | 1 | 5 | 9 | 16 | 22 | 41 |
| **1. SINGLE DX** | 20069 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 67381 | 7.5 | 55 | 1 | 2 | 5 | 9 | 15 | 20 | 38 |
| **A. NOT OPERATED** | 43753 | 7.1 | 42 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| **B. OPERATED** | 43697 | 6.2 | 52 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| TOTAL 0-19 YRS | 12838 | 3.4 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 12482 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 10338 | 5.1 | 27 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 15702 | 6.2 | 37 | 1 | 2 | 4 | 8 | 12 | 17 | 30 |
| 65+ | 36090 | 9.1 | 69 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |
| **GRAND TOTAL** | **87450** | **6.6** | **47** | **1** | **1** | **5** | **8** | **14** | **18** | **35** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 10 | 4.0 | 6 | <1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | 133 | 3.5 | 9 | <1 | 1 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 245 | 3.7 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 35 | 5.6 | 14 | <1 | 1 | 6 | 7 | 9 | 12 | 20 |
| 20-34 | 61 | 3.9 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 670 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 9386 | 6.0 | 12 | 1 | 2 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 15995 | 7.3 | 17 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 7 | 4.6 | 16 | 1 | 1 | 4 | 5 | 11 | 13 | 13 |
| 20-34 | 10 | 4.6 | 21 | <1 | <1 | 3 | 4 | 12 | 16 | 16 |
| 35-49 | 51 | 5.1 | 11 | 1 | 2 | 4 | 7 | 9 | 14 | 17 |
| 50-64 | 622 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 2130 | 7.1 | 60 | 1 | 1 | 5 | 9 | 15 | 21 | 43 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 40 | 7.9 | 42 | 1 | 2 | 6 | 9 | 18 | 21 | 29 |
| 20-34 | 107 | 5.7 | 33 | <1 | 1 | 3 | 8 | 13 | 17 | 28 |
| 35-49 | 935 | 5.5 | 18 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 50-64 | 13959 | 7.9 | 29 | 2 | 2 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 35316 | 10.4 | 55 | 3 | 4 | 8 | 13 | 19 | 24 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 399 | 3.6 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **B. *Operated*** | 26147 | 6.7 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 2820 | 6.5 | 51 | 1 | 1 | 4 | 8 | 13 | 19 | 39 |
| **B. *Operated*** | 50357 | 9.6 | 49 | 2 | 3 | 8 | 12 | 17 | 22 | 36 |
| **1. SINGLE DX** | 26546 | 6.7 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 53177 | 9.4 | 50 | 2 | 3 | 8 | 12 | 17 | 22 | 36 |
| **A. NOT OPERATED** | 3219 | 6.2 | 46 | 1 | 1 | 4 | 7 | 13 | 17 | 37 |
| **B. OPERATED** | 76504 | 8.6 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| TOTAL 0-19 YRS | 84 | 6.5 | 29 | 1 | 2 | 6 | 8 | 15 | 19 | 27 |
| 20-34 | 187 | 4.9 | 24 | <1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 35-49 | 1666 | 5.0 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| 50-64 | 24100 | 7.0 | 23 | 2 | 2 | 6 | 9 | 12 | 16 | 24 |
| 65+ | 53686 | 9.3 | 46 | 2 | 3 | 8 | 11 | 17 | 21 | 35 |
| **GRAND TOTAL** | 79723 | 8.5 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 52 | 3.3 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 15 |
| 20-34 | 291 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 308 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 305 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 65+ | 160 | 4.3 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 86 | 3.2 | 39 | <1 | 1 | 2 | 3 | 5 | 7 | 41 |
| 20-34 | 741 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 852 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 665 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 370 | 4.6 | 22 | 1 | 1 | 3 | 6 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 54 | 4.2 | 9 | 1 | 2 | 3 | 6 | 7 | 11 | 14 |
| 20-34 | 334 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 498 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 778 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 699 | 6.4 | 20 | 2 | 3 | 5 | 7 | 11 | 14 | 24 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 108 | 3.9 | 20 | 1 | 1 | 2 | 5 | 7 | 13 | 27 |
| 20-34 | 851 | 3.5 | 11 | 1 | 1 | 2 | 5 | 7 | 9 | 16 |
| 35-49 | 1276 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | 1735 | 5.4 | 30 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| 65+ | 1434 | 7.8 | 51 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 1116 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| **B. *Operated*** | 2714 | 3.0 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 2363 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| **B. *Operated*** | 5404 | 5.4 | 30 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| **1. SINGLE DX** | 3830 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 7767 | 5.4 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 3479 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **B. OPERATED** | 8118 | 4.6 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | 300 | 3.6 | 21 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 2217 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 35-49 | 2934 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 3483 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 2663 | 6.8 | 38 | 2 | 2 | 5 | 8 | 13 | 17 | 32 |
| **GRAND TOTAL** | 11597 | 4.7 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| 20-34 | 8 | 3.5 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 6 | 3.0 | 3 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 13 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 5 | 2.6 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1383 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 638 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 659 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 1234 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 675 | 3.9 | 6 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 1.7 | 5 | <1 | <1 | 1 | 2 | 4 | 4 | 14 |
| 20-34 | 8 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 12 | 4.3 | 8 | 1 | 1 | 4 | 7 | 8 | 9 | 9 |
| 50-64 | 27 | 6.0 | 63 | <1 | 1 | 3 | 7 | 14 | 24 | 37 |
| 65+ | 48 | 5.8 | 39 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1219 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 317 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 386 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 1022 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 65+ | 941 | 6.4 | 31 | 2 | 3 | 5 | 8 | 13 | 16 | 26 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 78 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| B. *Operated* | 4589 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 190 | 3.5 | 25 | <1 | <1 | 2 | 4 | 8 | 11 | 31 |
| B. *Operated* | 3885 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 1. SINGLE DX | 4667 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 4075 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| A. NOT OPERATED | 268 | 3.1 | 19 | <1 | <1 | 2 | 4 | 6 | 9 | 22 |
| B. OPERATED | 8474 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 2743 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 971 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1063 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 2296 | 4.1 | 8 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 1669 | 5.4 | 22 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| GRAND TOTAL | 8742 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 554 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 1092 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 549 | 5.1 | 7 | 1 | 2 | 5 | 6 | 9 | 10 | 12 |
| 50-64 | 410 | 6.0 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| 65+ | 282 | 6.1 | 9 | 2 | 3 | 6 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 425 | 4.2 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 314 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 243 | 5.4 | 17 | 2 | 2 | 4 | 6 | 10 | 14 | 21 |
| 65+ | 160 | 6.5 | 28 | 2 | 2 | 5 | 8 | 14 | 17 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 4.8 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 20-34 | 410 | 5.5 | 14 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 35-49 | 361 | 6.0 | 13 | 2 | 3 | 5 | 7 | 10 | 11 | 22 |
| 50-64 | 523 | 7.1 | 21 | 2 | 3 | 6 | 9 | 12 | 14 | 24 |
| 65+ | 682 | 8.2 | 26 | 3 | 4 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| 20-34 | 312 | 5.6 | 18 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 35-49 | 302 | 6.1 | 17 | 2 | 2 | 5 | 8 | 12 | 13 | 23 |
| 50-64 | 453 | 8.0 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| 65+ | 490 | 10.0 | 52 | 2 | 3 | 8 | 13 | 19 | 24 | 37 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2887 | 4.9 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 1322 | 4.6 | 14 | 1 | 2 | 4 | 5 | 9 | 12 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2152 | 6.7 | 20 | 2 | 3 | 6 | 8 | 12 | 14 | 25 |
| B. *Operated* | 1698 | 7.5 | 36 | 2 | 2 | 6 | 10 | 15 | 19 | 31 |
| 1. SINGLE DX | 4209 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 2. MULTIPLE DX | 3850 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| A. NOT OPERATED | 5039 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. OPERATED | 3020 | 6.3 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| TOTAL 0-19 YRS | 1051 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 2239 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 35-49 | 1526 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 1629 | 6.8 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 28 |
| 65+ | 1614 | 8.2 | 33 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| GRAND TOTAL | 8059 | 5.9 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1054 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 324 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 171 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 50-64 | 156 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 84 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4045 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 1447 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 711 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 411 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 65+ | 244 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 331 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 93 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 136 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 164 | 3.3 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 65+ | 134 | 3.8 | 17 | 1 | 1 | 3 | 4 | 6 | 11 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1051 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| 20-34 | 845 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 734 | 3.1 | 8 | 1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 50-64 | 735 | 3.5 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 65+ | 688 | 5.2 | 28 | 1 | 2 | 3 | 6 | 11 | 15 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1789 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| B. *Operated* | 6858 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 858 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 4053 | 3.2 | 11 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **1. SINGLE DX** | 8647 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 4911 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **A. NOT OPERATED** | 2647 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **B. OPERATED** | 10911 | 2.4 | 5 | <1 | 1 | 2 | 2 | 3 | 5 | 12 |
| TOTAL 0-19 YRS | 6481 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 2709 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 1752 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 50-64 | 1466 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 1150 | 4.2 | 21 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| **GRAND TOTAL** | **13558** | **2.3** | **5** | **<1** | **1** | **2** | **2** | **3** | **5** | **12** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 259 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 220 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 145 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 50-64 | 147 | 2.9 | 8 | <1 | 1 | 2 | 3 | 7 | 8 | 12 |
| 65+ | 75 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2554 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 2338 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 1406 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 1394 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 520 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 178 | 4.4 | 18 | 1 | 1 | 3 | 5 | 8 | 14 | 20 |
| 35-49 | 180 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 12 | 20 |
| 50-64 | 221 | 4.5 | 28 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| 65+ | 232 | 7.1 | 48 | 1 | 2 | 5 | 9 | 14 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 992 | 3.1 | 7 | 1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 20-34 | 1478 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 1253 | 4.7 | 24 | 1 | 2 | 3 | 5 | 9 | 12 | 31 |
| 50-64 | 1797 | 5.5 | 31 | 1 | 2 | 4 | 7 | 10 | 13 | 32 |
| 65+ | 1094 | 7.5 | 79 | 2 | 2 | 5 | 8 | 15 | 25 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 846 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 14 |
| B. *Operated* | 8212 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 970 | 4.8 | 27 | 1 | 1 | 3 | 6 | 11 | 14 | 30 |
| B. *Operated* | 6614 | 4.9 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 32 |
| **1. SINGLE DX** | 9058 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 7584 | 4.9 | 31 | 1 | 1 | 3 | 6 | 9 | 13 | 31 |
| **A. NOT OPERATED** | 1816 | 3.9 | 18 | 1 | 1 | 2 | 5 | 8 | 12 | 21 |
| **B. OPERATED** | 14826 | 3.8 | 18 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 3964 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 4214 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 2984 | 3.7 | 14 | 1 | 1 | 3 | [illegible] | 7 | 10 | 19 |
| 50-64 | 3559 | 4.6 | 22 | 1 | 2 | 3 | [illegible] | 8 | 11 | 21 |
| 65+ | 1921 | 6.4 | 57 | 1 | 2 | 4 | 7 | 13 | 19 | 40 |
| **GRAND TOTAL** | **16642** | **3.8** | **18** | **1** | **1** | **3** | **4** | **7** | **10** | **21** |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 49 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 35-49 | 93 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 38 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 65+ | 15 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 610 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 4966 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 11116 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 5061 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 1747 | 2.7 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.9 | 9 | <1 | <1 | 1 | 4 | 8 | 10 | 10 |
| 20-34 | 66 | 4.8 | 18 | <1 | 1 | 4 | 6 | 10 | 11 | 23 |
| 35-49 | 146 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 70 | 4.1 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 26 |
| 65+ | 43 | 4.3 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 2206 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 5579 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 3548 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 1709 | 4.6 | 24 | 2 | 2 | 3 | 5 | 9 | 11 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | 23500 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 336 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 13194 | 3.6 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| **1. SINGLE DX** | 23710 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 13530 | 3.6 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 546 | 3.3 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 36694 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 788 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 7287 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 16934 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 8717 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 3514 | 3.7 | 14 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| **GRAND TOTAL** | 37240 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 275 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 129 | 3.6 | 11 | <1 | <1 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 66 | 3.6 | 11 | <1 | 1 | 2 | 5 | 7 | 9 | 19 |
| 65+ | 47 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1688 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 3396 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 2220 | 3.0 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 1694 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 857 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 218 | 3.9 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 207 | 4.6 | 25 | <1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 50-64 | 164 | 5.6 | 43 | <1 | <1 | 4 | 7 | 12 | 19 | 28 |
| 65+ | 182 | 5.0 | 17 | <1 | 1 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 344 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| 20-34 | 1488 | 3.8 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 1703 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 1502 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 23 |
| 65+ | 987 | 5.1 | 24 | 2 | 2 | 3 | 6 | 10 | 15 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 621 | 3.6 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 15 |
| B. *Operated* | 9855 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 832 | 4.6 | 23 | <1 | 1 | 3 | 6 | 10 | 12 | 22 |
| B. *Operated* | 6024 | 4.4 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **1. SINGLE DX** | 10476 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 6856 | 4.4 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 1453 | 4.1 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 15879 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 2197 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 5377 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 4259 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 3426 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 65+ | 2073 | 4.3 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **GRAND TOTAL** | 17332 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1176 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 2343 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 445 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 50-64 | 37 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 8 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1966 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 6912 | 4.7 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 1648 | 6.1 | 10 | 2 | 2 | 6 | 7 | 9 | 11 | 17 |
| 50-64 | 276 | 7.2 | 10 | 2 | 3 | 7 | 8 | 11 | 13 | 18 |
| 65+ | 133 | 9.5 | 19 | 4 | 5 | 9 | 11 | 15 | 18 | 24 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 569 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 1613 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 427 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 50-64 | 44 | 3.7 | 9 | <1 | 1 | 3 | 5 | 6 | 10 | 16 |
| 65+ | 35 | 5.8 | 19 | 1 | 1 | 5 | 8 | 10 | 12 | 25 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1696 | 5.3 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| 20-34 | 11374 | 6.0 | 12 | 1 | 2 | 6 | 7 | 9 | 12 | 18 |
| 35-49 | 4793 | 7.6 | 22 | 2 | 4 | 7 | 9 | 12 | 15 | 24 |
| 50-64 | 722 | 8.8 | 26 | 4 | 5 | 8 | 10 | 13 | 17 | 27 |
| 65+ | 340 | 12.7 | 69 | 6 | 6 | 10 | 15 | 22 | 29 | 52 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4009 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 10935 | 5.0 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2688 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 18925 | 6.5 | 17 | 2 | 2 | 6 | 8 | 10 | 13 | 21 |
| **1. SINGLE DX** | 14944 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 21613 | 6.2 | 17 | 1 | 2 | 6 | 8 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 6697 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 29860 | 6.0 | 14 | 1 | 2 | 6 | 7 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 5407 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 22242 | [illegible] | 11 | 1 | 1 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 7313 | 6.4 | 19 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| 50-64 | 1079 | 8.0 | 22 | 2 | 3 | 7 | 9 | 12 | 16 | 26 |
| 65+ | 516 | 11.2 | 57 | 4 | 5 | 9 | 14 | 19 | 25 | 44 |
| **GRAND TOTAL** | **36557** | **5.4** | **14** | **1** | **2** | **5** | **7** | **9** | **11** | **18** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3828 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 9145 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 1119 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| 50-64 | 79 | 5.7 | 23 | 2 | 2 | 5 | 7 | 10 | 15 | 30 |
| 65+ | 26 | 6.7 | 37 | 2 | 3 | 5 | 7 | 11 | 22 | 30 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1233 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 20-34 | 6148 | 4.9 | 12 | 1 | 1 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 1431 | 6.2 | 18 | 1 | 2 | 6 | 8 | 11 | 13 | 20 |
| 50-64 | 224 | 6.9 | 30 | 1 | 2 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 55 | 8.1 | 33 | 1 | 2 | 7 | 11 | 16 | 20 | 28 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2126 | 5.2 | 10 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| 20-34 | 6200 | 5.5 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 1089 | 6.5 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| 50-64 | 148 | 8.2 | 23 | 3 | 3 | 7 | 10 | 15 | 18 | 24 |
| 65+ | 90 | 8.3 | 25 | 3 | 3 | 7 | 11 | 16 | 19 | 21 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1831 | 6.6 | 17 | 2 | 2 | 6 | 8 | 12 | 14 | 20 |
| 20-34 | 16022 | 6.0 | 16 | 1 | 2 | 6 | 8 | 10 | 13 | 20 |
| 35-49 | 4780 | 7.8 | 28 | 2 | 2 | 7 | 9 | 13 | 17 | 28 |
| 50-64 | 660 | 10.3 | 68 | 2 | 4 | 8 | 12 | 19 | 25 | 46 |
| 65+ | 224 | 16.0 | 167 | 3 | 5 | 12 | 22 | 34 | 42 | 68 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 14197 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 9091 | 5.2 | 14 | 1 | 1 | 5 | 7 | 9 | 11 | 18 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 9653 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 23517 | 6.7 | 23 | 1 | 2 | 6 | 8 | 11 | 14 | 24 |
| **1. SINGLE DX** | 23288 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 33170 | 6.4 | 20 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 23850 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 32608 | 6.3 | 21 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| TOTAL 0-19 YRS | 9018 | 5.2 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 20-34 | 37515 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 8419 | 7.0 | 22 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 1111 | 9.0 | 54 | 2 | 2 | 7 | 11 | 17 | 23 | 40 |
| 65+ | 395 | 12.5 | 123 | 2 | 3 | 9 | 16 | 28 | 35 | 64 |
| **GRAND TOTAL** | **56458** | **5.7** | **16** | **1** | **2** | **5** | **7** | **10** | **12** | **20** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 306 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 85 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 4 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 3.4 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 10 |
| 20-34 | 5599 | 4.5 | 8 | <1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 2413 | 6.0 | 8 | 1 | 2 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | 216 | 5.9 | 10 | 1 | 1 | 6 | 8 | 9 | 11 | 15 |
| 65+ | 21 | 4.2 | 14 | <1 | 1 | 2 | 6 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 20-34 | 324 | 3.9 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 139 | 5.0 | 20 | 1 | 1 | 4 | 7 | 9 | 12 | 21 |
| 50-64 | 9 | 6.7 | 35 | 1 | 1 | 4 | 8 | 16 | 20 | 20 |
| 65+ | 3 | 3.[illegible] | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 4.1 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 13357 | 5.[illegible] | 11 | 1 | 2 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 12310 | 7.2 | 10 | 2 | 4 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 1528 | 7.8 | 12 | 3 | 5 | 7 | 9 | 11 | 14 | 21 |
| 65+ | 161 | 9.2 | 40 | 2 | 4 | 8 | 10 | 16 | 20 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 449 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 8507 | 4.9 | 8 | <1 | 1 | 5 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 4.2 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| B. *Operated* | 27669 | 6.5 | 11 | 1 | 2 | 6 | 8 | 10 | 11 | 17 |
| **1. SINGLE DX** | 8956 | 4.8 | 8 | <1 | 1 | 5 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 28179 | 6.5 | 11 | 1 | 2 | 6 | 8 | 10 | 11 | 17 |
| **A. NOT OPERATED** | 959 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| **B. OPERATED** | 36176 | 6.1 | 11 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 660 | 3.8 | 7 | <1 | 1 | 3 | 6 | 7 | 8 | 12 |
| 20-34 | 19586 | 5.3 | 10 | 1 | 1 | 6 | 7 | 8 | 10 | 15 |
| 35-49 | 14947 | 6.9 | 10 | 2 | 4 | 7 | 8 | 10 | 12 | 17 |
| 50-64 | 1757 | 7.6 | 12 | 2 | 4 | 7 | 9 | 11 | 13 | 20 |
| 65+ | 185 | 8.6 | 39 | 2 | 2 | 8 | 10 | 15 | 19 | 39 |
| **GRAND TOTAL** | 37135 | 6.1 | 11 | 1 | 2 | 6 | 8 | 9 | 14 | 17 |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 30 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 7 | 4.1 | 9 | <1 | <1 | 4 | 6 | 8 | 9 | 9 |
| 50-64 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1031 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 684 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 8 |
| 50-64 | 283 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 89 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 20-34 | 83 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 13 |
| 35-49 | 26 | 5.0 | 9 | 1 | 1 | 4 | 6 | 10 | 11 | 14 |
| 50-64 | 12 | 6.2 | 14 | 2 | 2 | 5 | 10 | 11 | 12 | 12 |
| 65+ | 10 | 6.7 | 8 | <1 | 2 | 7 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 3.3 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 20-34 | 3380 | 4.4 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 3152 | 5.0 | 14 | 1 | 1 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 968 | 4.8 | 28 | 1 | 1 | 3 | 7 | 10 | 11 | 19 |
| 65+ | 365 | 5.9 | 28 | 2 | 2 | 4 | 8 | 11 | 15 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 2148 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 13 |
| B. *Operated* | 7995 | 4.8 | 15 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| **1. SINGLE DX** | 2195 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 8153 | 4.7 | 15 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 205 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| **B. OPERATED** | 10143 | 4.3 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| TOTAL 0-19 YRS | 226 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 4524 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 35-49 | 3869 | 4.6 | 13 | 1 | 1 | 3 | 7 | 9 | 10 | 14 |
| 50-64 | 1265 | 4.3 | 23 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 65+ | 464 | 5.3 | 24 | 1 | 2 | 3 | 8 | 10 | 14 | 28 |
| **GRAND TOTAL** | 10348 | 4.3 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 683 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 133 | 4.3 | 8 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| 50-64 | 37 | 4.9 | 12 | <1 | <1 | 5 | 7 | 10 | 10 | 15 |
| 65+ | 29 | 7.4 | 113 | 1 | 1 | 6 | 8 | 12 | 16 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 495 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 3673 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1526 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 519 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 137 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 272 | 4.5 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 20-34 | 784 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 241 | 5.7 | 22 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| 50-64 | 111 | 7.9 | 37 | 3 | 3 | 7 | 9 | 13 | 18 | 39 |
| 65+ | 155 | 8.6 | 29 | 2 | 3 | 7 | 12 | 16 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 322 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 2142 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 1319 | 4.4 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 50-64 | 492 | 5.2 | 50 | 1 | 1 | 3 | 6 | 11 | 15 | 35 |
| 65+ | 255 | 7.3 | 56 | 1 | 2 | 5 | 10 | 15 | 24 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 6350 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1563 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | 4530 | 4.4 | 22 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| **1. SINGLE DX** | 7496 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 6093 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 2709 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 10880 | 3.2 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 1353 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 7282 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 3219 | 3.5 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 1159 | 4.2 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 65+ | 576 | 6.7 | 44 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| **GRAND TOTAL** | 13589 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 16 | 3.9 | 10 | <1 | <1 | 3 | 6 | 8 | 11 | 12 |
| 35-49 | 32 | 2.9 | 12 | <1 | <1 | 2 | 3 | 7 | 10 | 17 |
| 50-64 | 31 | 2.9 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 11 |
| 65+ | 35 | 4.9 | 13 | 1 | 2 | 4 | 6 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 5.0 | 10 | <1 | 1 | 5 | 7 | 9 | 11 | 12 |
| 20-34 | 1775 | 5.9 | 6 | 2 | 3 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 2925 | 7.0 | 8 | 3 | 4 | 7 | 8 | 10 | 12 | 16 |
| 50-64 | 3897 | 7.6 | 8 | 4 | 5 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 3130 | 8.1 | 11 | 4 | 5 | 8 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 90 | 3.0 | 10 | <1 | <1 | 1 | 4 | 8 | 10 | 14 |
| 35-49 | 180 | 3.4 | 9 | <1 | <1 | 2 | 5 | 7 | 9 | 14 |
| 50-64 | 253 | 4.4 | 17 | <1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 65+ | 396 | 5.9 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 7.5 | 22 | 2 | 3 | 6 | 10 | 13 | 16 | 25 |
| 20-34 | 6252 | 6.8 | 9 | [illegible] | 4 | 6 | 8 | 10 | 12 | 17 |
| 35-49 | 11146 | 7.9 | 11 | 4 | 5 | 7 | 9 | 11 | 14 | 20 |
| 50-64 | 9737 | 8.7 | 14 | 4 | 5 | 8 | 10 | 13 | 16 | 22 |
| 65+ | 7701 | 9.8 | 27 | 5 | 6 | 9 | 11 | 15 | 19 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 3.7 | 11 | <1 | <1 | 2 | 5 | 7 | 12 | 15 |
| B. *Operated* | 11763 | 7.3 | 9 | 4 | 4 | 7 | 9 | 11 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 921 | 4.7 | 27 | <1 | 1 | 3 | 6 | 10 | 12 | 26 |
| B. *Operated* | 34877 | 8.3 | 16 | 4 | 5 | 8 | 10 | 13 | 15 | 23 |
| **1. SINGLE DX** | 11879 | 7.3 | 9 | 3 | 4 | 7 | 9 | 11 | 13 | 17 |
| **2. MULTIPLE DX** | 35798 | 8.2 | 17 | 4 | 5 | 8 | 10 | 12 | 15 | 23 |
| **A. NOT OPERATED** | 1037 | 4.6 | 26 | <1 | 1 | 3 | 6 | 10 | 12 | 26 |
| **B. OPERATED** | 46640 | 8.1 | 14 | 4 | 5 | 7 | 9 | 12 | 15 | 22 |
| TOTAL 0-19 YRS | 81 | 6.2 | 18 | 1 | 1 | 5 | 8 | 12 | 13 | 22 |
| 20-34 | 8133 | 6.5 | 9 | 2 | 4 | 6 | 8 | 10 | 11 | 16 |
| 35-49 | 14283 | [illegible] | 11 | 4 | 5 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 13918 | 8.3 | 13 | 4 | 5 | 8 | 10 | 12 | 15 | 21 |
| 65+ | 11262 | 9.2 | 24 | 4 | 5 | 8 | 11 | 14 | 17 | 27 |
| **GRAND TOTAL** | 47677 | 8.0 | 15 | 4 | 5 | 7 | 9 | 12 | 15 | 22 |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 20-34 | 34 | 2.6 | 8 | <1 | 1 | 2 | 2 | 5 | 9 | 14 |
| 35-49 | 15 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 50-64 | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 764 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 883 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 50-64 | 127 | 1.9 | 2 | <1 | <1 | 2 | 2 | 2 | 5 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.5 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 63 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 18 |
| 35-49 | 44 | 3.0 | 11 | <1 | <1 | 2 | 4 | 6 | 7 | 21 |
| 50-64 | 10 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 20-34 | 1094 | 3.4 | 9 | <1 | 1 | 2 | 5 | 7 | 9 | 13 |
| 35-49 | 1427 | 3.6 | 10 | <1 | 1 | 2 | 6 | 8 | 9 | 14 |
| 50-64 | 194 | 3.2 | 8 | <1 | 1 | 2 | 5 | 8 | 9 | 12 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| B. *Operated* | 1831 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 19 |
| B. *Operated* | 2769 | 3.5 | 9 | <1 | 1 | 2 | 5 | 8 | 9 | 14 |
| **1. SINGLE DX** | 1895 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | 2905 | 3.5 | 9 | <1 | 1 | 2 | 5 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 200 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 16 |
| **B. OPERATED** | 4600 | 2.8 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 141 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1955 | 2.8 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 2369 | 2.9 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| 50-64 | 335 | 2.7 | 6 | <1 | <1 | 2 | 2 | 7 | 8 | 11 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4800 | 2.8 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 12 |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 444 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1134 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 361 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 50-64 | 46 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1533 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 17479 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 8 |
| 35-49 | 16641 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| 50-64 | 2212 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 486 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 1331 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 829 | 3.2 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 111 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1324 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 22857 | 3.9 | 10 | <1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 35-49 | 29014 | 4.3 | 11 | <1 | 1 | 3 | 7 | 8 | 10 | 15 |
| 50-64 | 3640 | 4.1 | 15 | <1 | 1 | 2 | 6 | 9 | 10 | 17 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1985 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 37865 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2757 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| B. *Operated* | 56835 | 4.1 | 11 | <1 | 1 | 3 | 6 | 8 | 10 | 14 |
| **1. SINGLE DX** | 39850 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | 59592 | 4.0 | 11 | <1 | 1 | 3 | 6 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 4742 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 94700 | 3.3 | 9 | <1 | 1 | 2 | 5 | 7 | 9 | 13 |
| TOTAL 0-19 YRS | 3787 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 42801 | 3.1 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 46845 | 3.5 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 13 |
| 50-64 | 6009 | 3.2 | 11 | <1 | <1 | 2 | 4 | 8 | 9 | 15 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 99442 | 3.2 | 9 | <1 | 1 | 2 | 5 | 7 | 9 | 13 |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 5.0 | 11 | 3 | 3 | 4 | 7 | 10 | 10 | 10 |
| 35-49 | 50 | 2.5 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 50-64 | 70 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 65+ | 43 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 27 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 35-49 | 1575 | 1.8 | 4 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| 50-64 | 5678 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 8 |
| 65+ | 1464 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 19 | 4.5 | 7 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 35-49 | 154 | 4.4 | 10 | <1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 50-64 | 215 | 3.5 | 8 | <1 | <1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 238 | 5.2 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 39 | 4.7 | 8 | 1 | 1 | 5 | 7 | 8 | 10 | 12 |
| 35-49 | 1549 | 3.1 | 13 | <1 | 1 | 2 | 3 | 7 | 9 | 17 |
| 50-64 | 6698 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 65+ | 2767 | 4.1 | 18 | 1 | 1 | 2 | 6 | 9 | 12 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| B. *Operated* | 8746 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 627 | 4.4 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 11057 | 3.4 | 13 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| **1. SINGLE DX** | 8913 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| **2. MULTIPLE DX** | 11684 | 3.5 | 13 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| **A. NOT OPERATED** | 794 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 16 |
| **B. OPERATED** | 19803 | 2.7 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 7 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 89 | 3.9 | 7 | <1 | 1 | 3 | 6 | 8 | 9 | 11 |
| 35-49 | 3328 | 2.5 | 9 | <1 | <1 | 2 | 2 | 5 | 8 | 13 |
| 50-64 | 12661 | 2.6 | 7 | <1 | <1 | 2 | 2 | 5 | 8 | 13 |
| 65+ | 4512 | 3.5 | 14 | 1 | 1 | 2 | 4 | 8 | 11 | 18 |
| **GRAND TOTAL** | 20597 | 2.8 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 529 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 178 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 65 | 3.5 | 6 | <1 | 1 | 3 | 6 | 7 | 8 | 12 |
| 65+ | 44 | 4.0 | 15 | <1 | 1 | 3 | 6 | 7 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 770 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 8421 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 5696 | 3.0 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 14 |
| 50-64 | 3530 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 65+ | 1140 | 3.5 | 23 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 601 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 35-49 | 334 | 3.9 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 185 | 5.5 | 33 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| 65+ | 321 | 7.4 | 67 | 1 | 2 | 5 | 8 | 15 | 20 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 730 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 10158 | 4.2 | 10 | <1 | 1 | 3 | 6 | 8 | 9 | 15 |
| 35-49 | 12067 | 4.8 | 15 | <1 | 1 | 4 | 7 | 9 | 11 | 17 |
| 50-64 | 7502 | 5.0 | 22 | 1 | 1 | 3 | 7 | 10 | 12 | 23 |
| 65+ | 2864 | 7.3 | 72 | 1 | 2 | 4 | 9 | 16 | 23 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 997 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 19557 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1605 | 4.3 | 26 | <1 | 1 | 3 | 5 | 9 | 12 | 24 |
| B. *Operated* | 33321 | 4.9 | 20 | 1 | 1 | 4 | 7 | 9 | 12 | 22 |
| **1. SINGLE DX** | 20554 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 34926 | 4.9 | 21 | 1 | 1 | 3 | 7 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 2602 | 3.7 | 19 | <1 | 1 | 2 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 52878 | 4.2 | 17 | <1 | 1 | 3 | 6 | 8 | 10 | 19 |
| TOTAL 0-19 YRS | 1845 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 19709 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 18275 | 4.2 | 13 | <1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 50-64 | 11282 | 4.3 | 18 | <1 | 1 | 2 | 6 | 9 | 11 | 21 |
| 65+ | 4369 | 6.3 | 61 | 1 | 1 | 3 | 8 | 14 | 20 | 41 |
| **GRAND TOTAL** | 55480 | 4.1 | 17 | <1 | 1 | 3 | 6 | 8 | 10 | 19 |

### 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 939 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1409 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 233 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 53 | 3.7 | 10 | <1 | <1 | 2 | 5 | 8 | 11 | 13 |
| 65+ | 43 | 4.2 | 15 | 1 | 1 | 3 | 5 | 10 | 11 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 651 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 6751 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| 35-49 | 2588 | 6.1 | 13 | 1 | 1 | 6 | 8 | 10 | 12 | 17 |
| 50-64 | 1611 | 8.1 | 12 | 2 | 4 | 8 | 10 | 12 | 14 | 20 |
| 65+ | 741 | 9.0 | 20 | 2 | 4 | 9 | 11 | 14 | 17 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 610 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 1533 | 2.8 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 405 | 3.5 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 153 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 28 |
| 65+ | 137 | 7.1 | 44 | 1 | 1 | 5 | 9 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 695 | 3.4 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 13 |
| 20-34 | 14142 | 4.6 | 10 | <1 | 1 | 5 | 7 | 8 | 10 | 14 |
| 35-49 | 6984 | 6.9 | 14 | 1 | 2 | 7 | 8 | 11 | 13 | 19 |
| 50-64 | 2598 | 9.3 | 27 | 2 | 5 | 8 | 11 | 15 | 18 | 27 |
| 65+ | 1346 | 10.4 | 38 | 2 | 4 | 9 | 13 | 17 | 22 | 33 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2677 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | 12342 | 4.7 | 14 | <1 | 1 | 3 | 7 | 9 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2838 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 25765 | 5.9 | 18 | 1 | 1 | 6 | 8 | 10 | 13 | 20 |
| 1. SINGLE DX | 15019 | 4.3 | 13 | <1 | 1 | 3 | 7 | 9 | 11 | 16 |
| 2. MULTIPLE DX | 28603 | 5.7 | 18 | 1 | 1 | 6 | 8 | 10 | 13 | 20 |
| A. NOT OPERATED | 5515 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. OPERATED | 38107 | 5.5 | 17 | <1 | 1 | 5 | 8 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 2395 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 23835 | 3.9 | 9 | <1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 10210 | 6.4 | 14 | 1 | 2 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 4415 | 8.6 | 22 | 2 | 3 | 8 | 10 | 14 | 16 | 25 |
| 65+ | 2267 | 9.6 | 35 | 2 | 3 | 9 | 12 | 16 | 19 | 31 |
| GRAND TOTAL | 43622 | 5.2 | 16 | <1 | 1 | 5 | 7 | 10 | 12 | 19 |

### 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.4 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 113 | 2.9 | 11 | <1 | 1 | 2 | 3 | 6 | 7 | 19 |
| 35-49 | 14 | 3.4 | 25 | <1 | 1 | 2 | 3 | 8 | 17 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 483 | 5.3 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 20-34 | 6368 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 600 | 5.6 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 57 | 2.6 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 328 | 5.8 | 7 | 3 | 4 | 5 | 7 | 8 | 10 | 15 |
| 20-34 | 5180 | 5.8 | 6 | 3 | 4 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 720 | 6.5 | 8 | 3 | 4 | 6 | 7 | 10 | 11 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 138 | 2.9 | 12 | <1 | 1 | 2 | 3 | 6 | 7 | 21 |
| B. *Operated* | 7451 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 71 | 2.5 | 3 | <1 | 1 | 2 | 4 | 5 | 5 | 9 |
| B. *Operated* | 6228 | 5.9 | 6 | 3 | 4 | 5 | 7 | 8 | 10 | 15 |
| 1. SINGLE DX | 7589 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 2. MULTIPLE DX | 6299 | 5.8 | 6 | 3 | 4 | 5 | 7 | 8 | 10 | 15 |
| A. NOT OPERATED | 209 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. OPERATED | 13679 | 5.6 | 5 | 3 | 4 | 5 | 6 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 835 | 5.4 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 20-34 | 11718 | 5.5 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 1335 | 6.1 | 7 | 3 | 4 | 6 | 7 | 9 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 13888 | 5.5 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 272 | 1.3 | 1 | <1 | 1 | 1 | 2 | 2 | 2 | 5 |
| 20-34 | 432 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 35-49 | 49 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7730 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 18177 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 35-49 | 2063 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 146 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 45 | 2.1 | 5 | <1 | 1 | 1 | 2 | 3 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2061 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 7755 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 35-49 | 2222 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 753 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | 27970 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| B. *Operated* | 12038 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **1. SINGLE DX** | 28723 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 12287 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 1002 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **B. OPERATED** | 40008 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 10121 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 26510 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 35-49 | 4379 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 41010 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 10 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 8 | 5.0 | 26 | 1 | 1 | 3 | 7 | 14 | 16 | 16 |
| 35-49 | 4 | 5.5 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 4.3 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 15 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 14 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 14 | 16 |
| **1. SINGLE DX** | 18 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | 17 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 13 | 16 |
| **A. NOT OPERATED** | 6 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| **B. OPERATED** | 29 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 5 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 23 | 3.4 | 11 | 1 | 1 | 2 | 4 | 6 | 11 | 16 |
| 35-49 | 7 | 3.6 | 8 | <1 | <1 | 4 | 5 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 35 | 3.3 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1051 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 3580 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 277 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7610 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 42426 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 5238 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 692 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 84 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1122 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 6440 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1392 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4908 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 55274 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 968 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 8954 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 1. SINGLE DX | 60182 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 2. MULTIPLE DX | 9922 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| A. NOT OPERATED | 5876 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. OPERATED | 64228 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 9975 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 53138 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 6991 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 70104 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 275 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 905 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 35-49 | 97 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 758 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 6438 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 715 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 20-34 | 295 | 3.4 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 29 | 2.8 | 5 | 1 | 1 | 2 | 3 | 6 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 3.7 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 20-34 | 1678 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 13 |
| 35-49 | 281 | 3.6 | 16 | <1 | 1 | 2 | 6 | 7 | 10 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1277 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| B. *Operated* | 7911 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 408 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 2173 | 3.1 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 1. SINGLE DX | 9188 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 2. MULTIPLE DX | 2581 | 3.1 | 11 | <1 | 1 | 2 | 4 | 6 | [illegible] | 18 |
| A. NOT OPERATED | 1685 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| B. OPERATED | 10084 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 1331 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 9316 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 1122 | 2.3 | 8 | <1 | <1 | 2 | 2 | 5 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 11769 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1024 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 6043 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 376 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 122 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 35-49 | 11 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 1074 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 74 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.7 | 41 | 1 | 1 | 3 | 6 | 15 | 22 | 25 |
| 20-34 | 106 | 3.9 | 26 | 1 | 1 | 3 | 5 | 7 | 8 | 31 |
| 35-49 | 10 | 4.5 | 11 | <1 | <1 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7443 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 163 | 2.6 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1350 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 134 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| **1. SINGLE DX** | 7606 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 1484 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 8793 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 297 | 3.3 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 1274 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 7345 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 471 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9090** | **2.6** | **4** | **1** | **1** | **2** | **3** | **5** | **6** | **9** |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 1.9 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 317 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 13 | 3.8 | 9 | 1 | 1 | 2 | 5 | 7 | 11 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 16 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 9 | 11 |
| 20-34 | 79 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 6 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 11 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 388 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 19 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 14 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| **1. SINGLE DX** | 407 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 114 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| **A. NOT OPERATED** | 488 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 33 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| TOTAL 0-19 YRS | 77 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 423 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 21 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **521** | **2.4** | **5** | **<1** | **1** | **2** | **3** | **4** | **6** | **10** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1024 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 4548 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 355 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 407 | 4.0 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 35-49 | 33 | 5.3 | 20 | <1 | 1 | 4 | 8 | 12 | 15 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 225 | 4.5 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| 20-34 | 1214 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 163 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| 20-34 | 279 | 4.6 | 17 | <1 | <1 | 3 | 6 | 10 | 14 | 19 |
| 35-49 | 22 | 7.7 | 56 | <1 | 1 | 5 | 13 | 20 | 24 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5927 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 526 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1602 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 352 | 4.8 | 20 | <1 | 1 | 3 | 6 | 11 | 14 | 21 |
| **1. SINGLE DX** | 6453 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 1954 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **A. NOT OPERATED** | 7529 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 878 | 4.3 | 16 | <1 | 1 | 3 | 5 | 9 | 13 | 21 |
| TOTAL 0-19 YRS | 1386 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 6448 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 573 | 4.4 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **8407** | **3.8** | **9** | **1** | **1** | **3** | **5** | **7** | **9** | **16** |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1259 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 5285 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 119 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 23 | 4.9 | 27 | <1 | 1 | 2 | 6 | 14 | 17 | 19 |
| 35-49 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 444 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 1882 | 4.3 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 48 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 16 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 13 |
| 20-34 | 65 | 5.7 | 17 | 1 | 2 | 5 | 7 | 9 | 15 | 23 |
| 35-49 | 4 | 8.5 | 60 | 4 | 4 | 5 | 13 | 20 | 20 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6663 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| B. *Operated* | 34 | 4.5 | 21 | <1 | 1 | 3 | 5 | 11 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2374 | 4.2 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 83 | 5.7 | 17 | 1 | 2 | 5 | 7 | 10 | 15 | 23 |
| **1. SINGLE DX** | 6697 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 2457 | 4.2 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| **A. NOT OPERATED** | 9037 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| **B. OPERATED** | 117 | 5.3 | 18 | 1 | 2 | 4 | 6 | 11 | 15 | 21 |
| TOTAL 0-19 YRS | 1726 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 7255 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 173 | 4.7 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9154** | **3.9** | **7** | **1** | **2** | **3** | **5** | **7** | **8** | **14** |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7100 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 26492 | 1.2 | 2 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 1290 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 554 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 3 | 6 |
| 20-34 | 2286 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 35-49 | 114 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 596 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 20-34 | 2167 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 35-49 | 135 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 334 | 2.2 | 14 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 35-49 | 10 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34882 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| B. *Operated* | 2954 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2898 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| B. *Operated* | 413 | 2.1 | 12 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **1. SINGLE DX** | 37836 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| **2. MULTIPLE DX** | 3311 | 1.9 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| **A. NOT OPERATED** | 37780 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **B. OPERATED** | 3367 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 8319 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 31279 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 1549 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **41147** | **1.3** | **2** | **<1** | **<1** | **1** | **1** | **2** | **3** | **5** |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 3.2 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 20-34 | 1940 | 3.5 | 16 | <1 | 1 | 3 | 4 | 6 | 9 | 18 |
| 35-49 | 183 | 3.6 | 18 | <1 | 1 | 3 | 4 | 7 | 13 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.8 | 19 | <1 | <1 | 2 | 4 | 11 | 14 | 15 |
| 20-34 | 152 | 4.7 | 52 | <1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 35-49 | 14 | 4.9 | 12 | <1 | 1 | 4 | 6 | 8 | 13 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 477 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 35-49 | 62 | 5.5 | 58 | 1 | 1 | 3 | 6 | 11 | 14 | 49 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.8 | 13 | 1 | 1 | 5 | 7 | 10 | 10 | 10 |
| 20-34 | 63 | 6.0 | 50 | <1 | 1 | 4 | 7 | 12 | 20 | 41 |
| 35-49 | 6 | 8.0 | 18 | 2 | 2 | 8 | 12 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2345 | 3.5 | 16 | <1 | 1 | 3 | 4 | 6 | 9 | 19 |
| B. *Operated* | 178 | 4.6 | 47 | <1 | 1 | 3 | 5 | 9 | 15 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 600 | 4.5 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 29 |
| B. *Operated* | 74 | 6.1 | 45 | <1 | 1 | 4 | 7 | 12 | 17 | 40 |
| **1. SINGLE DX** | 2523 | 3.6 | 18 | <1 | 1 | 3 | 4 | 6 | 10 | 20 |
| **2. MULTIPLE DX** | 674 | 4.7 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| **A. NOT OPERATED** | 2945 | 3.7 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| **B. OPERATED** | 252 | 5.1 | 46 | <1 | 1 | 3 | 5 | 10 | 15 | 36 |
| TOTAL 0-19 YRS | 300 | 3.4 | 11 | <1 | 1 | 2 | 4 | 6 | 10 | 19 |
| 20-34 | 2632 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 265 | 4.4 | 28 | 1 | 1 | 3 | 5 | 8 | 13 | 30 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3197** | **3.8** | **20** | **1** | **1** | **3** | **4** | **7** | **11** | **22** |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 536 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 2390 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 155 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 231 | 2.5 | 9 | <1 | <1 | 1 | 3 | 5 | 7 | 20 |
| 35-49 | 12 | 2.7 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 20-34 | 598 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 35-49 | 37 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.8 | 6 | <1 | <1 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 93 | 3.3 | 11 | <1 | <1 | 2 | 4 | 8 | 11 | 17 |
| 35-49 | 4 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3081 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 285 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 7 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 755 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| B. *Operated* | 113 | 3.4 | 10 | <1 | <1 | 3 | 4 | 7 | 9 | 16 |
| **1. SINGLE DX** | 3366 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 868 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 3836 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **B. OPERATED** | 398 | 2.7 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| TOTAL 0-19 YRS | 714 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 3312 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 208 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4234** | **2.4** | **5** | **<1** | **<1** | **2** | **3** | **4** | **6** | **11** |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1099 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2426 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 66 | 3.5 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| 20-34 | 250 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 12 |
| 35-49 | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1103 | 3.9 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 2193 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 57 | 4.1 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 4.4 | 17 | <1 | <1 | 3 | 5 | 10 | 13 | 20 |
| 20-34 | 215 | 4.4 | 13 | <1 | 1 | 3 | 6 | 9 | 12 | 15 |
| 35-49 | 11 | 6.5 | 23 | 2 | 3 | 6 | 7 | 13 | 19 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3591 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 371 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3353 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 314 | 4.5 | 14 | <1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **1. SINGLE DX** | 3962 | 3.2 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 3667 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 6944 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **B. OPERATED** | 685 | 3.4 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| TOTAL 0-19 YRS | 2407 | 3.6 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 5084 | 3.5 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 138 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7629** | **3.5** | **5** | **<1** | **1** | **3** | **5** | **6** | **8** | **11** |

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 326 | 4.1 | 23 | <1 | 1 | 3 | 5 | 8 | 12 | 33 |
| 20-34 | 2002 | 4.6 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 35-49 | 246 | 5.2 | 17 | 1 | 2 | 4 | 7 | 9 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.1 | 29 | <1 | <1 | 3 | 4 | 8 | 15 | 27 |
| 20-34 | 188 | 3.9 | 23 | <1 | <1 | 2 | 5 | 9 | 11 | 30 |
| 35-49 | 20 | 4.6 | 27 | <1 | <1 | 3 | 5 | 10 | 17 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 801 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 4111 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 382 | 5.4 | 20 | 1 | 1 | 4 | 7 | 11 | 13 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 20-34 | 521 | 5.6 | 45 | <1 | 1 | 4 | 7 | 11 | 16 | 31 |
| 35-49 | 47 | 6.0 | 37 | <1 | <1 | 4 | 7 | 13 | 20 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2574 | 4.6 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 234 | 4.0 | 24 | <1 | <1 | 3 | 5 | 8 | 11 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5294 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 667 | 5.4 | 39 | <1 | 1 | 4 | 7 | 11 | 15 | 29 |
| **1. SINGLE DX** | 2808 | 4.5 | 17 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 5961 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 7868 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 901 | 5.0 | 36 | <1 | <1 | 3 | 6 | 10 | 15 | 30 |
| TOTAL 0-19 YRS | 1252 | 4.2 | 19 | <1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 20-34 | 6822 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 35-49 | 695 | 5.3 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **8769** | **4.5** | **18** | **1** | **1** | **3** | **6** | **9** | **12** | **21** |

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2677 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 6 | 13 |
| 20-34 | 10496 | 2.5 | 10 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| 35-49 | 538 | 3.0 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 610 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 5064 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 322 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1031 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |
| 20-34 | 4479 | 3.4 | 16 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 264 | 3.8 | 17 | <1 | <1 | 3 | 5 | 7 | 12 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 3.7 | 12 | <1 | <1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 1961 | 3.7 | 19 | <1 | <1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 172 | 4.1 | 27 | <1 | <1 | 2 | 5 | 8 | 13 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13711 | 2.5 | 10 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| B. *Operated* | 5996 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5774 | 3.4 | 15 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| B. *Operated* | 2426 | 3.8 | 19 | <1 | <1 | 3 | 5 | 8 | 10 | 20 |
| **1. SINGLE DX** | 19707 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 8200 | 3.5 | 16 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| **A. NOT OPERATED** | 19485 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| **B. OPERATED** | 8422 | 3.0 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 4611 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 22000 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 1296 | 3.2 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **27907** | **2.8** | **11** | **<1** | **<1** | **2** | **3** | **6** | **8** | **16** |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 399 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 1747 | 3.3 | 5 | 2 | 2 | 3 | 4 | 4 | 5 | 10 |
| 35-49 | 128 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 4.7 | 34 | 2 | 2 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 910 | 4.7 | 18 | 2 | 2 | 4 | 5 | 7 | 10 | 22 |
| 35-49 | 64 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 453 | 3.5 | 7 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| 20-34 | 1825 | 3.7 | 15 | 2 | 2 | 3 | 4 | 5 | 7 | 19 |
| 35-49 | 137 | 4.9 | 25 | 2 | 2 | 3 | 5 | 9 | 13 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 502 | 6.3 | 64 | 2 | 2 | 4 | 6 | 12 | 21 | 46 |
| 20-34 | 3929 | 6.4 | 51 | 2 | 3 | 4 | 7 | 11 | 18 | 40 |
| 35-49 | 436 | 7.3 | 46 | 2 | 3 | 5 | 8 | 14 | 23 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2274 | 3.3 | 4 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| B. *Operated* | 1122 | 4.8 | 20 | 2 | 2 | 4 | 5 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2415 | 3.8 | 14 | 2 | 2 | 3 | 4 | 5 | 7 | 19 |
| B. *Operated* | 4867 | 6.5 | 52 | 2 | 3 | 4 | 7 | 11 | 19 | 4[illegible] |
| **1. SINGLE DX** | 3396 | 3.7 | 10 | 2 | 2 | 3 | 4 | 6 | 7 | 15 |
| **2. MULTIPLE DX** | 7282 | 5.6 | 41 | 2 | 2 | 4 | 6 | 9 | 15 | 38 |
| **A. NOT OPERATED** | 4689 | 3.5 | 9 | 2 | 2 | 3 | 4 | 5 | 6 | 15 |
| **B. OPERATED** | 5989 | 6.2 | 47 | 2 | 2 | 4 | 6 | 11 | 17 | 39 |
| TOTAL 0-19 YRS | 1502 | 4.4 | 29 | 2 | 2 | 3 | 4 | 6 | 10 | 33 |
| 20-34 | 8411 | 5.0 | 32 | 2 | 2 | 4 | 5 | 8 | 12 | 34 |
| 35-49 | 765 | 6.0 | 34 | 2 | 2 | 4 | 6 | 11 | 17 | 36 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **10678** | **5.0** | **32** | **2** | **2** | **4** | **5** | **8** | **12** | **34** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38451 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 214744 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 9587 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7134 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 40150 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 1815 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1471 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 6792 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 384 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 855 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 28497 | 3.6 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 3228 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 262782 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 49099 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8647 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 32580 | 3.6 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| **1. SINGLE DX** | 311881 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 41227 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| **A. NOT OPERATED** | 271429 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 81679 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 47911 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 290183 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 15014 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **353108** | **3.0** | **1** | **1** | **2** | **3** | **4** | **4** | **5** | **6** |

## 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.2 | 5 | 1 | 1 | 3 | 3 | 7 | 8 | 9 |
| 20-34 | 203 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 22 | 4.4 | 29 | 1 | 1 | 3 | 4 | 7 | 16 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 5.9 | 13 | 3 | 3 | 5 | 7 | 9 | 10 | 27 |
| 20-34 | 887 | 8.3 | 86 | 3 | 4 | 6 | 7 | 14 | 27 | 51 |
| 35-49 | 91 | 7.9 | 58 | 3 | 3 | 6 | 8 | 15 | 23 | 46 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.8 | 19 | 2 | 2 | 3 | 5 | 13 | 16 | 16 |
| 20-34 | 150 | 4.4 | 21 | 1 | 2 | 3 | 5 | 8 | 10 | 30 |
| 35-49 | 6 | 4.5 | 20 | <1 | <1 | 3 | 5 | 12 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 6.8 | 34 | 2 | 3 | 5 | 7 | 11 | 18 | 35 |
| 20-34 | 1609 | 8.8 | 77 | 3 | 4 | 6 | 8 | 17 | 27 | 50 |
| 35-49 | 273 | 9.2 | 78 | 3 | 4 | 7 | 9 | 17 | 31 | 48 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |
| B. *Operated* | 1047 | 8.1 | 79 | 3 | 3 | 6 | 7 | 13 | 26 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 176 | 4.4 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 29 |
| B. *Operated* | 1986 | 8.7 | 75 | 3 | 4 | 6 | 8 | 17 | 26 | 49 |
| **1. SINGLE DX** | 1291 | 7.3 | 69 | 2 | 3 | 5 | 7 | 11 | 22 | 48 |
| **2. MULTIPLE DX** | 2162 | 8.4 | 72 | 3 | 3 | 6 | 8 | 16 | 26 | 48 |
| **A. NOT OPERATED** | 420 | 3.9 | 14 | 1 | 2 | 3 | 4 | 6 | 9 | 27 |
| **B. OPERATED** | 3033 | 8.5 | 77 | 3 | 4 | 6 | 8 | 15 | 26 | 50 |
| TOTAL 0-19 YRS | 212 | 6.0 | 24 | 2 | 2 | 5 | 6 | 10 | 16 | 27 |
| 20-34 | 2849 | 8.0 | 74 | 2 | 3 | 6 | 8 | 14 | 25 | 50 |
| 35-49 | 392 | 8.6 | 71 | 3 | 3 | 6 | 8 | 16 | 27 | 47 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3453** | **8.0** | **71** | **2** | **3** | **6** | **8** | **14** | **25** | **48** |

## 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 909 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 9 |
| 35-49 | 53 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 13 |
| 20-34 | 962 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 62 | 5.2 | 13 | 2 | 2 | 5 | 6 | 7 | 9 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 651 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 39 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 374 | 5.0 | 17 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 2387 | 5.3 | 14 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 219 | 6.0 | 20 | 2 | 3 | 5 | 7 | 9 | 11 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1120 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| B. *Operated* | 1209 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 851 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| B. *Operated* | 2980 | 5.3 | 15 | 2 | 2 | 5 | 6 | 8 | 10 | 20 |
| **1. SINGLE DX** | 2329 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 3831 | 4.9 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 1971 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **B. OPERATED** | 4189 | 5.1 | 12 | 2 | 2 | 5 | 6 | 8 | 9 | 17 |
| TOTAL 0-19 YRS | 878 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 4909 | 4.5 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 373 | 5.1 | 16 | 2 | 2 | 5 | 6 | 8 | 9 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **6160** | **4.5** | **10** | **1** | **2** | **4** | **5** | **7** | **9** | **15** |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 218 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 5 | 3.2 | 2 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 382 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 2407 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 110 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.6 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 75 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 11 |
| 35-49 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 20-34 | 1590 | 3.7 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 127 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 2899 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 10 |
| B. *Operated* | 1909 | 3.7 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| **1. SINGLE DX** | 3157 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 1995 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| **A. NOT OPERATED** | 344 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 4808 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 616 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 4290 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 246 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **5152** | **3.2** | **3** | **1** | **2** | **3** | **4** | **5** | **6** | **9** |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 898 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 36 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 14 |
| 20-34 | 514 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 30 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 408 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 18 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 8 | 9 |
| 20-34 | 742 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 56 | 4.4 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1109 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 641 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 518 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 913 | 3.9 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| **1. SINGLE DX** | 1750 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 1431 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 1627 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 1554 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 479 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 2562 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 140 | 3.8 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3181** | **3.3** | **3** | **1** | **2** | **3** | **4** | **5** | **6** | **8** |

## 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 4.1 | 11 | 2 | 2 | 3 | 4 | 6 | 7 | 25 |
| 20-34 | 577 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 31 | 3.5 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 378 | 5.2 | 27 | 2 | 3 | 4 | 6 | 7 | 9 | 27 |
| 35-49 | 27 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 4.0 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| 20-34 | 530 | 4.3 | 23 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| 35-49 | 39 | 4.7 | 8 | 2 | 3 | 4 | 6 | 8 | 12 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 282 | 5.6 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| 20-34 | 2996 | 5.9 | 26 | 2 | 3 | 5 | 7 | 9 | 11 | 30 |
| 35-49 | 221 | 6.0 | 29 | 2 | 3 | 5 | 7 | 8 | 11 | 39 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 664 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 448 | 5.1 | 24 | 2 | 3 | 4 | 6 | 7 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 648 | 4.3 | 22 | 1 | 2 | 4 | 5 | 6 | 8 | 16 |
| B. *Operated* | 3499 | 5.9 | 25 | 2 | 3 | 5 | 7 | 9 | 12 | 30 |
| **1. SINGLE DX** | 1112 | 4.2 | 12 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 4147 | 5.6 | 25 | 2 | 3 | 5 | 6 | 8 | 11 | 29 |
| **A. NOT OPERATED** | 1312 | 4.0 | 13 | 2 | 2 | 3 | 4 | 6 | 7 | 14 |
| **B. OPERATED** | 3947 | 5.8 | 25 | 2 | 3 | 5 | 6 | 8 | 11 | 30 |
| TOTAL 0-19 YRS | 460 | 5.0 | 16 | 2 | 2 | 4 | 6 | 8 | 11 | 24 |
| 20-34 | 4481 | 5.4 | 23 | 2 | 3 | 4 | 6 | 8 | 10 | 28 |
| 35-49 | 318 | 5.5 | 23 | 2 | 3 | 5 | 6 | 8 | 11 | 32 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **5259** | **5.3** | **23** | **2** | **3** | **4** | **6** | **8** | **11** | **28** |

## 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 1131 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 67 | 3.0 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1177 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| 20-34 | 7945 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| 35-49 | 320 | 4.8 | 4 | 2 | 2 | 5 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 3.1 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| 20-34 | 415 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 33 | 3.2 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1178 | 5.6 | 9 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| 20-34 | 8937 | 5.4 | 7 | 2 | 3 | 5 | 6 | 7 | 9 | 14 |
| 35-49 | 803 | 5.8 | 10 | 2 | 3 | 5 | 7 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1333 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 9442 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 515 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| B. *Operated* | 10918 | 5.4 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| **1. SINGLE DX** | 10775 | 4.6 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 11433 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 1848 | 3.0 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 20360 | 5.2 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 2557 | 5.0 | 6 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 18428 | 5.0 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 1223 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **22208** | **5.0** | **6** | **2** | **3** | **5** | **6** | **7** | **8** | **12** |

### 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 266 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 1869 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 92 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 885 | 3.7 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 8 |
| 20-34 | 5850 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 311 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 8 |
| 20-34 | 984 | 3.2 | 5 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 48 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1890 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 12547 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 1034 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2227 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 7046 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1152 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 15471 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 9273 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 16623 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 3379 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 22517 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 3161 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 21250 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 7 | 10 |
| 35-49 | 1485 | 4.9 | 7 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **25896** | **4.3** | **5** | **2** | **2** | **4** | **5** | **7** | **7** | **11** |

### 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 244 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 17 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2633 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 8 | 10 |
| 20-34 | 11727 | 5.6 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 9 |
| 35-49 | 402 | 5.8 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 12 | 13 |
| 20-34 | 148 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 6 | 4.3 | 3 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3824 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 20-34 | 18616 | 6.0 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 1047 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 304 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 14762 | 5.6 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 23487 | 6.1 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 15066 | 5.6 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 23666 | 6.1 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 483 | 3.9 | 3 | 2 | 2 | 3 | 5 | 6 | 8 | 10 |
| **B. OPERATED** | 38249 | 5.9 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 6525 | 6.0 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 20-34 | 30735 | 5.8 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 12 |
| 35-49 | 1472 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **38732** | **5.9** | **4** | **4** | **4** | **6** | **7** | **8** | **9** | **13** |

## 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 491 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 2518 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 115 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 702 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 4212 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 212 | 4.7 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1348 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 56 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1483 | 4.7 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 20-34 | 8986 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 612 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3124 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 5126 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1646 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 11081 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 8250 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 12727 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 4770 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 16207 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 2918 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 17064 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 995 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **20977** | **4.2** | **5** | **2** | **2** | **4** | **5** | **7** | **7** | **10** |

## 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 5 | 7 |
| 20-34 | 463 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 56 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 20-34 | 1661 | 4.7 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 133 | 5.3 | 15 | 2 | 3 | 5 | 7 | 8 | 8 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 249 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 21 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 376 | 5.8 | 16 | 2 | 3 | 5 | 7 | 8 | 11 | 19 |
| 20-34 | 3438 | 5.7 | 18 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 346 | 6.2 | 11 | 3 | 3 | 6 | 7 | 10 | 12 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 577 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 1996 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 4160 | 5.7 | 17 | 2 | 3 | 5 | 7 | 8 | 10 | 19 |
| **1. SINGLE DX** | 2573 | 4.4 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 4471 | 5.6 | 17 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 888 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 6156 | 5.4 | 14 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 677 | 5.0 | 11 | 2 | 2 | 5 | 6 | 8 | 9 | 15 |
| 20-34 | 5811 | 5.1 | 13 | 2 | 3 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 556 | 5.6 | 12 | 2 | 3 | 5 | 7 | 8 | 10 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7044** | **5.2** | **13** | **2** | **3** | **5** | **6** | **8** | **9** | **15** |

### 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 274 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 24 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1662 | 5.5 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 9 |
| 20-34 | 25786 | 5.8 | 2 | 4 | 4 | 6 | 7 | 7 | 8 | 9 |
| 35-49 | 1243 | 6.1 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 106 | 4.4 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| 35-49 | 11 | 4.5 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1142 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 20-34 | 26907 | 6.1 | 6 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 2549 | 6.6 | 9 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 319 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| B. *Operated* | 28691 | 5.8 | 2 | 4 | 4 | 6 | 7 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 14 |
| B. *Operated* | 30598 | 6.1 | 6 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 29010 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 30722 | 6.1 | 6 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 443 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| **B. OPERATED** | 59289 | 5.9 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 11 |
| TOTAL 0-19 YRS | 2832 | 5.7 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |
| 20-34 | 53073 | 5.9 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 3827 | 6.4 | 7 | 4 | 4 | 6 | 7 | 8 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **59732** | **5.9** | **4** | **4** | **4** | **6** | **7** | **8** | **8** | **11** |

### 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 924 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 5872 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 290 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 690 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 4570 | 3.8 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 222 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 534 | 3.7 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 2933 | 3.7 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 171 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1851 | 4.7 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | 12670 | 4.7 | 7 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 1019 | 5.0 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7086 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 5482 | 3.8 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3638 | 3.7 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 15540 | 4.7 | 8 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| **1. SINGLE DX** | 12568 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 19178 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 10724 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 21022 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 3999 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 26045 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 1702 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **31746** | **4.1** | **6** | **2** | **2** | **4** | **5** | **6** | **8** | **12** |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2736 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 18838 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 898 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1342 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 8439 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 411 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 643 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 3884 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 199 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1279 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 11299 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 901 | 3.9 | 5 | 2 | 2 | 4 | 4 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22472 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 10192 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4726 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 13479 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 32664 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 18205 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 27198 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 23671 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 6000 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 42460 | 3.2 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 2409 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **50869** | **3.2** | **2** | **1** | **2** | **3** | **4** | **4** | **5** | **7** |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 461 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 2764 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 164 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4536 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 31133 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 2110 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 719 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 33 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1761 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 14882 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 1453 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3389 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 37779 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 854 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 18096 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **1. SINGLE DX** | 41168 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 18950 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **A. NOT OPERATED** | 4243 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 55875 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| TOTAL 0-19 YRS | 6860 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 49498 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 3760 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **60118** | **2.9** | **2** | **1** | **2** | **3** | **3** | **4** | **5** | **6** |

## 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 1391 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 51 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4737 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 18750 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 452 | 3.2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 3.2 | 3 | 1 | 2 | 3 | 3 | 5 | 6 | 10 |
| 20-34 | 351 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 11 | 2.8 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2964 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 10795 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 411 | 4.2 | 27 | 2 | 2 | 4 | 4 | 6 | 7 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1799 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 23939 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 468 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| B. *Operated* | 14170 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 25738 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 14638 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 2267 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 38109 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 8164 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 31287 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 925 | 3.6 | 13 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **40376** | **3.2** | **2** | **2** | **2** | **3** | **4** | **4** | **5** | **7** |

## 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 324 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 1200 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 28 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1788 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 7396 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 245 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| 20-34 | 355 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 15 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1209 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 5604 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 282 | 3.9 | 3 | 2 | 2 | 4 | 4 | 6 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1552 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 9429 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 10 |
| B. *Operated* | 7095 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 10981 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 7547 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 2004 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 16524 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 3403 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 14555 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 570 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **18528** | **3.2** | **3** | **2** | **2** | **3** | **4** | **5** | **5** | **7** |

### 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4918 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 21621 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1179 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13763 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 66631 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 2993 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2729 | 3.5 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 11217 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 788 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11624 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 64090 | 4.6 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 5431 | 5.2 | 17 | 2 | 3 | 4 | 6 | 8 | 11 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27718 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 83387 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14734 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| B. *Operated* | 81145 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| **1. SINGLE DX** | 111105 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 95879 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 42452 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| **B. OPERATED** | 164532 | 4.1 | 8 | 2 | 2 | 3 | 5 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 33034 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 163559 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 10391 | 4.5 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **206984** | **3.9** | **7** | **2** | **2** | **3** | **4** | **6** | **7** | **14** |

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 20-34 | 519 | 4.0 | 5 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 21 | 4.2 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| 20-34 | 52 | 5.9 | 19 | 2 | 2 | 5 | 7 | 11 | 16 | 23 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 4.6 | 18 | 2 | 2 | 4 | 5 | 6 | 8 | 31 |
| 20-34 | 255 | 4.7 | 10 | 1 | 2 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 18 | 5.8 | 9 | 2 | 2 | 6 | 7 | 11 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 12 | 13 |
| 20-34 | 92 | 5.9 | 21 | 1 | 1 | 5 | 7 | 11 | 17 | 23 |
| 35-49 | 6 | 16.5 | 227 | 2 | 3 | 10 | 27 | 40 | 42 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 716 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| B. *Operated* | 73 | 5.5 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 346 | 4.7 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 122 | 6.2 | 32 | 1 | 2 | 5 | 7 | 12 | 17 | 31 |
| **1. SINGLE DX** | 789 | 4.2 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 468 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 1062 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 195 | 6.0 | 26 | 1 | 2 | 5 | 7 | 11 | 16 | 26 |
| TOTAL 0-19 YRS | 292 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 918 | 4.5 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 47 | 6.3 | 46 | 2 | 2 | 5 | 7 | 11 | 15 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1257** | **4.5** | **11** | **2** | **2** | **4** | **5** | **7** | **10** | **17** |

## 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 467 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 26 | 2.1 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 254 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1637 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 94 | 2.0 | 6 | <1 | 1 | 1 | 2 | 3 | 4 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 228 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 9 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 2.9 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 808 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 55 | 3.6 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 591 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 1985 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 277 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 990 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| **1. SINGLE DX** | 2576 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 1267 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 868 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| **B. OPERATED** | 2975 | 2.2 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 519 | 2.1 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 3140 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 184 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3843** | **2.2** | **4** | **<1** | **1** | **2** | **3** | **4** | **5** | **9** |

## 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 14 |
| 20-34 | 436 | 4.7 | 25 | 1 | 1 | 3 | 6 | 10 | 11 | 20 |
| 35-49 | 25 | 5.8 | 25 | 2 | 2 | 4 | 6 | 14 | 17 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 20-34 | 654 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 35-49 | 40 | 4.0 | 10 | <1 | 1 | 3 | 5 | 10 | 11 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 289 | 4.8 | 15 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| 35-49 | 16 | 6.9 | 34 | 1 | 1 | 6 | 9 | 13 | 20 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 4.8 | 25 | 1 | 2 | 3 | 5 | 8 | 17 | 25 |
| 20-34 | 467 | 4.9 | 36 | 1 | 1 | 3 | 5 | 10 | 15 | 35 |
| 35-49 | 45 | 5.2 | 24 | 1 | 2 | 3 | 6 | 14 | 18 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 554 | 4.6 | 23 | 1 | 1 | 3 | 6 | 10 | 11 | 20 |
| B. *Operated* | 823 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 354 | 4.7 | 15 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| B. *Operated* | 586 | 4.9 | 33 | 1 | 1 | 3 | 5 | 11 | 16 | 28 |
| **1. SINGLE DX** | 1377 | 3.9 | 15 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 940 | 4.8 | 26 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| **A. NOT OPERATED** | 908 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| **B. OPERATED** | 1409 | 4.0 | 20 | 1 | 1 | 3 | 4 | 8 | 12 | 22 |
| TOTAL 0-19 YRS | 345 | 4.0 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 20 |
| 20-34 | 1846 | 4.3 | 21 | 1 | 1 | 3 | 5 | 9 | 11 | 21 |
| 35-49 | 126 | 5.2 | 21 | 1 | 1 | 3 | 6 | 13 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2317** | **4.3** | **20** | **1** | **1** | **3** | **5** | **9** | **12** | **21** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3028 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 2658 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 1798 | 5.4 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 19 |
| 50-64 | 1561 | 6.4 | 19 | 2 | 3 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 1347 | 7.5 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1557 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 20-34 | 1775 | 5.7 | 28 | 1 | 2 | 4 | 7 | 10 | 15 | 27 |
| 35-49 | 1008 | 6.4 | 34 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| 50-64 | 789 | 8.0 | 64 | 2 | 2 | 6 | 10 | 15 | 22 | 37 |
| 65+ | 612 | 9.8 | 70 | 2 | 3 | 7 | 13 | 21 | 26 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2551 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 3120 | 6.2 | 26 | 2 | 2 | 5 | 7 | 11 | 14 | 25 |
| 35-49 | 3316 | 7.4 | 36 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| 50-64 | 4899 | 8.9 | 45 | 3 | 3 | 7 | 11 | 16 | 21 | 35 |
| 65+ | 7795 | 10.9 | 71 | 3 | 4 | 9 | 13 | 20 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1041 | 7.0 | 46 | 2 | 2 | 5 | 8 | 13 | 19 | 36 |
| 20-34 | 1895 | 9.6 | 84 | 2 | 2 | 7 | 11 | 20 | 28 | 48 |
| 35-49 | 1725 | 12.1 | 145 | 2 | 3 | 8 | 15 | 25 | 35 | 69 |
| 50-64 | 2433 | 15.0 | 196 | 3 | 4 | 11 | 19 | 32 | 44 | 81 |
| 65+ | 2817 | 17.9 | 230 | 4 | 5 | 14 | 22 | 38 | 52 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10392 | 5.3 | 13 | 2 | 2 | 4 | 7 | 9 | 12 | 19 |
| B. *Operated* | 5741 | 6.3 | 37 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21681 | 8.5 | 51 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| B. *Operated* | 9911 | 13.4 | 173 | 2 | 3 | 9 | 17 | 29 | 41 | 76 |
| **1. SINGLE DX** | 16133 | 5.7 | 22 | 2 | 2 | 4 | 7 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | 31592 | 10.1 | 94 | 2 | 3 | 7 | 12 | 20 | 28 | 56 |
| **A. NOT OPERATED** | 32073 | 7.5 | 41 | 2 | 3 | 6 | 9 | 14 | 19 | 32 |
| **B. OPERATED** | 15652 | 10.8 | 135 | 2 | 2 | 7 | 13 | 24 | 34 | 65 |
| TOTAL 0-19 YRS | 8177 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 9448 | 6.3 | 36 | 2 | 2 | 5 | 7 | 12 | 16 | 33 |
| 35-49 | 7847 | 7.8 | 60 | 2 | 2 | 6 | 9 | 15 | 21 | 41 |
| 50-64 | 9682 | 10.0 | 90 | 2 | 3 | 7 | 12 | 19 | 26 | 54 |
| 65+ | 12571 | 12.1 | 112 | 3 | 4 | 9 | 15 | 23 | 32 | 64 |
| **GRAND TOTAL** | **47725** | **8.6** | **74** | **2** | **2** | **6** | **10** | **17** | **24** | **48** |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1021 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 597 | 4.5 | 11 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 35-49 | 295 | 5.3 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 50-64 | 236 | 5.9 | 16 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 65+ | 210 | 7.9 | 37 | 2 | 2 | 6 | 10 | 16 | 21 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 835 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 835 | 4.8 | 26 | <1 | 1 | 3 | 6 | 9 | 13 | 23 |
| 35-49 | 506 | 5.2 | 27 | <1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 394 | 6.1 | 54 | <1 | 1 | 4 | 7 | 12 | 20 | 45 |
| 65+ | 293 | 7.0 | 103 | 1 | 1 | 4 | 8 | 14 | 24 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1122 | 4.9 | 16 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 701 | 5.8 | 25 | 2 | 2 | 5 | 7 | 10 | 14 | 30 |
| 35-49 | 548 | 7.2 | 37 | 2 | 3 | 6 | 8 | 13 | 18 | 33 |
| 50-64 | 827 | 9.1 | 60 | 2 | 3 | 7 | 11 | 16 | 23 | 40 |
| 65+ | 1188 | 10.2 | 63 | 3 | 4 | 8 | 13 | 19 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 502 | 5.8 | 25 | 1 | 1 | 4 | 8 | 11 | 15 | 25 |
| 20-34 | 669 | 7.6 | 66 | 1 | 2 | 5 | 9 | 15 | 23 | 52 |
| 35-49 | 661 | 9.5 | 102 | 1 | 2 | 7 | 12 | 19 | 27 | 50 |
| 50-64 | 871 | 12.1 | 149 | 2 | 2 | 8 | 16 | 26 | 36 | 68 |
| 65+ | 935 | 14.9 | 182 | 2 | 3 | 11 | 19 | 32 | 45 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2359 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| B. *Operated* | 2863 | 5.0 | 35 | <1 | 1 | 3 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4386 | 7.6 | 46 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| B. *Operated* | 3638 | 10.6 | 127 | 1 | 2 | 7 | 13 | 23 | 33 | 61 |
| **1. SINGLE DX** | 5222 | 5.0 | 25 | 1 | 1 | 4 | 6 | 9 | 13 | 25 |
| **2. MULTIPLE DX** | 8024 | 9.0 | 85 | 2 | 2 | 6 | 11 | 18 | 26 | 51 |
| **A. NOT OPERATED** | 6745 | 6.6 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| **B. OPERATED** | 6501 | 8.2 | 94 | 1 | 1 | 5 | 10 | 18 | 26 | 52 |
| TOTAL 0-19 YRS | 3480 | 4.6 | 14 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 2802 | 5.7 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |
| 35-49 | 2010 | 7.2 | 57 | 1 | 2 | 5 | 8 | 14 | 20 | 40 |
| 50-64 | 2328 | 9.4 | 94 | 2 | 2 | 7 | 11 | 19 | 28 | 49 |
| 65+ | 2626 | 11.3 | 116 | 2 | 3 | 8 | 14 | 23 | 32 | 64 |
| **GRAND TOTAL** | **13246** | **7.4** | **65** | **1** | **2** | **5** | **9** | **15** | **22** | **43** |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 106 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 20 | 4.0 | 6 | <1 | <1 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 8 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4196 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 7573 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 1027 | 3.9 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 245 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 9 | 18 |
| 65+ | 58 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.0 | 7 | <1 | <1 | 1 | 1 | 4 | 7 | 15 |
| 20-34 | 67 | 3.3 | 11 | <1 | <1 | 2 | 5 | 8 | 10 | 15 |
| 35-49 | 19 | 3.9 | 16 | <1 | 1 | 2 | 5 | 9 | 14 | 17 |
| 50-64 | 8 | 9.9 | 86 | 1 | 1 | 6 | 18 | 24 | 24 | 24 |
| 65+ | 8 | 5.5 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 490 | 5.2 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 1140 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 348 | 5.4 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 150 | 7.8 | 57 | 2 | 2 | 5 | 9 | 18 | 21 | 56 |
| 65+ | 55 | 8.7 | 72 | 2 | 3 | 6 | 11 | 17 | 22 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| B. *Operated* | 13099 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 3.5 | 17 | <1 | <1 | 2 | 5 | 8 | 13 | 23 |
| B. *Operated* | 2183 | 5.4 | 18 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| **1. SINGLE DX** | 13299 | 3.9 | 6 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 2320 | 5.3 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 337 | 3.5 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 15282 | 4.1 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 4784 | 3.9 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 8886 | 4.0 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 1414 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 411 | 5.8 | 33 | 2 | 2 | 4 | 6 | 11 | 17 | 37 |
| 65+ | 124 | 6.5 | 40 | 2 | 2 | 5 | 8 | 12 | 17 | 37 |
| **GRAND TOTAL** | **15619** | **4.1** | **8** | **1** | **2** | **4** | **5** | **7** | **8** | **14** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 7 |
| 20-34 | 16 | 2.7 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 9 |
| 35-49 | 14 | 1.9 | 1 | <1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 8 | 3.8 | 21 | <1 | <1 | 2 | 5 | 12 | 14 | 14 |
| 65+ | 9 | 4.0 | 8 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 923 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 1374 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 1008 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 889 | 2.1 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 65+ | 411 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 28 | 3.5 | 9 | <1 | <1 | 3 | 5 | 8 | 10 | 12 |
| 35-49 | 30 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 10 | 10 |
| 50-64 | 33 | 3.4 | 9 | <1 | <1 | 2 | 5 | 7 | 10 | 13 |
| 65+ | 27 | 6.4 | 13 | 2 | 2 | 6 | 8 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 20-34 | 461 | 3.2 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 516 | 3.6 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 558 | 4.2 | 23 | <1 | <1 | 3 | 5 | 8 | 13 | 24 |
| 65+ | 378 | 5.5 | 51 | <1 | 1 | 3 | 6 | 12 | 17 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 2.6 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| B. *Operated* | 4605 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 145 | 3.6 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 13 |
| B. *Operated* | 2057 | 3.9 | 22 | <1 | <1 | 2 | 4 | 8 | 11 | 23 |
| **1. SINGLE DX** | 4666 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | 2202 | 3.9 | 21 | <1 | <1 | 2 | 5 | 8 | 11 | 23 |
| **A. NOT OPERATED** | 206 | 3.3 | 9 | <1 | <1 | 2 | 5 | 7 | 10 | 13 |
| **B. OPERATED** | 6662 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 1108 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 20-34 | 1879 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 35-49 | 1568 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 1488 | 2.9 | 13 | <1 | <1 | 2 | 3 | 6 | 9 | 18 |
| 65+ | 825 | 3.9 | 30 | <1 | <1 | 2 | 4 | 8 | 12 | 25 |
| **GRAND TOTAL** | **6868** | **2.5** | **10** | **<1** | **<1** | **2** | **3** | **5** | **7** | **15** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1757 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 1179 | 6.2 | 47 | 1 | 1 | 4 | 7 | 15 | 22 | 32 |
| 35-49 | 806 | 7.8 | 65 | 1 | 1 | 5 | 10 | 18 | 24 | 38 |
| 50-64 | 791 | 8.7 | 75 | 1 | 2 | 6 | 11 | 21 | 26 | 40 |
| 65+ | 985 | 11.2 | 111 | 2 | 3 | 8 | 14 | 22 | 31 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3561 | 2.7 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 4371 | 4.3 | 46 | <1 | 1 | 2 | 4 | 8 | 14 | 38 |
| 35-49 | 2994 | 4.9 | 53 | <1 | 1 | 3 | 5 | 10 | 16 | 41 |
| 50-64 | 2902 | 5.2 | 56 | <1 | 1 | 3 | 5 | 12 | 19 | 40 |
| 65+ | 2126 | 9.1 | 146 | <1 | 1 | 4 | 12 | 24 | 33 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1820 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 20-34 | 1705 | 8.1 | 86 | 1 | 2 | 5 | 9 | 18 | 27 | 49 |
| 35-49 | 1806 | 9.2 | 76 | 1 | 2 | 6 | 11 | 20 | 28 | 47 |
| 50-64 | 2826 | 10.6 | 90 | 2 | 3 | 8 | 13 | 22 | 29 | 54 |
| 65+ | 6495 | 13.8 | 156 | 3 | 4 | 10 | 17 | 29 | 40 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1456 | 5.7 | 78 | <1 | 1 | 2 | 6 | 14 | 22 | 50 |
| 20-34 | 3314 | 10.3 | 216 | 1 | 2 | 4 | 12 | 29 | 46 | 94 |
| 35-49 | 3452 | 10.2 | 185 | 1 | 2 | 5 | 12 | 28 | 42 | 85 |
| 50-64 | 4713 | 11.9 | 219 | 1 | 2 | 6 | 16 | 32 | 47 | 99 |
| 65+ | 6052 | 19.6 | 344 | 2 | 2 | 14 | 28 | 49 | 67 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5518 | 7.0 | 61 | 1 | 1 | 4 | 8 | 17 | 23 | 37 |
| B. *Operated* | 15954 | 4.8 | 58 | <1 | 1 | 2 | 4 | 10 | 18 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14652 | 10.8 | 118 | 2 | 2 | 7 | 14 | 23 | 32 | 65 |
| B. *Operated* | 18987 | 13.3 | 262 | 1 | 2 | 6 | 18 | 36 | 53 | 99+ |
| **1. SINGLE DX** | 21472 | 5.4 | 60 | <1 | 1 | 3 | 5 | 12 | 20 | 39 |
| **2. MULTIPLE DX** | 33639 | 12.2 | 201 | 1 | 2 | 7 | 16 | 30 | 45 | 90 |
| **A. NOT OPERATED** | 20170 | 9.8 | 105 | 1 | 2 | 7 | 12 | 22 | 30 | 57 |
| **B. OPERATED** | 34941 | 9.4 | 187 | 1 | 1 | 4 | 11 | 27 | 41 | 83 |
| TOTAL 0-19 YRS | 8594 | 4.0 | 27 | <1 | 1 | 2 | 4 | 8 | 12 | 28 |
| 20-34 | 10569 | 7.0 | 113 | <1 | 1 | 3 | 7 | 17 | 28 | 65 |
| 35-49 | 9058 | 8.0 | 114 | 1 | 1 | 4 | 9 | 20 | 31 | 60 |
| 50-64 | 11232 | 9.6 | 142 | 1 | 2 | 5 | 12 | 24 | 34 | 73 |
| 65+ | 15658 | 15.3 | 239 | 2 | 2 | 10 | 20 | 36 | 52 | 98 |
| **GRAND TOTAL** | **55111** | **9.6** | **187** | **1** | **1** | **5** | **12** | **24** | **36** | **76** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 8.1 | 81 | 2 | 2 | 6 | 9 | 14 | 19 | 49 |
| 20-34 | 281 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 18 | 32 |
| 35-49 | 223 | 8.3 | 64 | 1 | 2 | 6 | 10 | 16 | 20 | 47 |
| 50-64 | 215 | 6.8 | 38 | <1 | 1 | 5 | 8 | 14 | 18 | 38 |
| 65+ | 98 | 9.4 | 54 | 2 | 3 | 7 | 11 | 18 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 10.5 | 196 | 1 | 2 | 6 | 12 | 21 | 32 | 82 |
| 20-34 | 142 | 8.9 | 95 | 2 | 2 | 6 | 12 | 16 | 23 | 52 |
| 35-49 | 134 | 8.9 | 81 | 1 | 2 | 7 | 11 | 16 | 24 | 53 |
| 50-64 | 119 | 10.0 | 82 | 2 | 2 | 7 | 14 | 21 | 26 | 48 |
| 65+ | 67 | 11.6 | 101 | 1 | 2 | 9 | 15 | 26 | 33 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 9.3 | 91 | 2 | 3 | 6 | 10 | 21 | 29 | 51 |
| 20-34 | 644 | 9.3 | 81 | 2 | 3 | 6 | 11 | 19 | 28 | 48 |
| 35-49 | 655 | 9.5 | 78 | 2 | 3 | 7 | 11 | 18 | 25 | 47 |
| 50-64 | 790 | 10.5 | 101 | 2 | 3 | 8 | 12 | 19 | 27 | 57 |
| 65+ | 667 | 12.0 | 95 | 3 | 3 | 9 | 15 | 24 | 33 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 13.9 | 160 | 1 | 2 | 9 | 19 | 31 | 39 | 59 |
| 20-34 | 380 | 16.1 | 303 | 1 | 2 | 10 | 21 | 37 | 62 | 89 |
| 35-49 | 432 | 14.9 | 159 | 2 | 3 | 11 | 20 | 32 | 41 | 70 |
| 50-64 | 485 | 16.3 | 215 | 3 | 4 | 11 | 21 | 33 | 48 | 86 |
| 65+ | 377 | 19.6 | 265 | 3 | 5 | 16 | 25 | 38 | 57 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 933 | 7.7 | 51 | 1 | 2 | 6 | 9 | 15 | 19 | 36 |
| B. *Operated* | 522 | 9.7 | 101 | 2 | 2 | 7 | 13 | 20 | 28 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2919 | 10.3 | 90 | 2 | 3 | 7 | 12 | 20 | 28 | 52 |
| B. *Operated* | 1755 | 16.5 | 231 | 2 | 3 | 12 | 22 | 35 | 48 | 84 |
| **1. SINGLE DX** | 1455 | 8.4 | 70 | 1 | 2 | 6 | 10 | 16 | 22 | 45 |
| **2. MULTIPLE DX** | 4674 | 12.6 | 152 | 2 | 3 | 9 | 15 | 27 | 37 | 69 |
| **A. NOT OPERATED** | 3852 | 9.6 | 82 | 2 | 3 | 7 | 12 | 19 | 27 | 48 |
| **B. OPERATED** | 2277 | 14.9 | 210 | 2 | 3 | 10 | 20 | 32 | 44 | 81 |
| TOTAL 0-19 YRS | 420 | 10.0 | 120 | 2 | 2 | 7 | 11 | 22 | 31 | 58 |
| 20-34 | 1447 | 10.6 | 143 | 2 | 2 | 7 | 13 | 23 | 33 | 70 |
| 35-49 | 1444 | 10.9 | 107 | 2 | 3 | 8 | 13 | 23 | 32 | 55 |
| 50-64 | 1609 | 11.7 | 136 | 2 | 3 | 8 | 14 | 24 | 34 | 68 |
| 65+ | 1209 | 14.1 | 159 | 3 | 4 | 10 | 17 | 29 | 38 | 68 |
| **GRAND TOTAL** | **6129** | **11.6** | **136** | **2** | **3** | **8** | **14** | **25** | **34** | **64** |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 452 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 15 | 22 |
| 20-34 | 327 | 7.4 | 52 | 2 | 2 | 6 | 9 | 14 | 18 | 24 |
| 35-49 | 521 | 8.1 | 36 | 1 | 2 | 7 | 11 | 17 | 19 | 28 |
| 50-64 | 965 | 8.7 | 42 | 1 | 2 | 7 | 12 | 17 | 21 | 31 |
| 65+ | 646 | 9.9 | 52 | 3 | 3 | 8 | 12 | 19 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 7.1 | 51 | <1 | 1 | 4 | 10 | 18 | 21 | 33 |
| 20-34 | 266 | 10.0 | 106 | 2 | 2 | 6 | 13 | 20 | 37 | 61 |
| 35-49 | 655 | 8.4 | 60 | 2 | 2 | 6 | 11 | 17 | 23 | 38 |
| 50-64 | 1495 | 10.6 | 74 | 2 | 2 | 8 | 16 | 21 | 26 | 41 |
| 65+ | 890 | 13.5 | 94 | 2 | 3 | 12 | 18 | 26 | 31 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 8.1 | 49 | 2 | 2 | 6 | 10 | 17 | 23 | 33 |
| 20-34 | 352 | 8.0 | 33 | 2 | 3 | 7 | 10 | 17 | 20 | 32 |
| 35-49 | 837 | 9.0 | 41 | 2 | 3 | 7 | 11 | 18 | 21 | 31 |
| 50-64 | 2553 | 10.1 | 61 | 2 | 3 | 8 | 13 | 19 | 23 | 40 |
| 65+ | 3468 | 11.3 | 76 | 3 | 4 | 9 | 14 | 21 | 27 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 12.3 | 150 | 2 | 2 | 9 | 17 | 24 | 40 | 66 |
| 20-34 | 282 | 11.3 | 150 | 2 | 2 | 8 | 13 | 25 | 37 | 69 |
| 35-49 | 741 | 11.5 | 134 | 2 | 3 | 8 | 15 | 24 | 34 | 69 |
| 50-64 | 2138 | 13.0 | 143 | 2 | 3 | 10 | 17 | 27 | 38 | 68 |
| 65+ | 1871 | 16.7 | 198 | 3 | 4 | 13 | 21 | 35 | 50 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2911 | 8.3 | 42 | 2 | 2 | 7 | 11 | 17 | 20 | 30 |
| B. *Operated* | 3409 | 10.8 | 82 | 2 | 2 | 8 | 15 | 22 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7471 | 10.3 | 65 | 3 | 3 | 8 | 13 | 20 | 24 | 43 |
| B. *Operated* | 5107 | 14.0 | 167 | 2 | 3 | 10 | 18 | 29 | 43 | 76 |
| **1. SINGLE DX** | 6320 | 9.6 | 65 | 2 | 2 | 7 | 13 | 19 | 24 | 38 |
| **2. MULTIPLE DX** | 12578 | 11.8 | 110 | 2 | 3 | 9 | 15 | 23 | 32 | 60 |
| **A. NOT OPERATED** | 10382 | 9.8 | 60 | 2 | 3 | 8 | 12 | 19 | 23 | 40 |
| **B. OPERATED** | 8516 | 12.7 | 135 | 2 | 3 | 10 | 17 | 26 | 36 | 64 |
| TOTAL 0-19 YRS | 891 | 7.2 | 45 | 1 | 2 | 5 | 9 | 15 | 20 | 33 |
| 20-34 | 1227 | 9.0 | 83 | 2 | 2 | 6 | 11 | 18 | 24 | 47 |
| 35-49 | 2754 | 9.4 | 71 | 2 | 3 | 7 | 12 | 19 | 24 | 44 |
| 50-64 | 7151 | 10.9 | 88 | 2 | 3 | 8 | 14 | 21 | 28 | 50 |
| 65+ | 6875 | 12.9 | 116 | 3 | 4 | 10 | 17 | 25 | 34 | 62 |
| **GRAND TOTAL** | **18898** | **11.1** | **96** | **2** | **3** | **8** | **14** | **22** | **29** | **54** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.8 | 41 | 1 | 2 | 4 | 9 | 17 | 20 | 28 |
| 20-34 | 57 | 5.4 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 179 | 6.1 | 31 | 1 | 2 | 5 | 8 | 11 | 14 | 32 |
| 50-64 | 540 | 6.1 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 1084 | 7.3 | 30 | 1 | 2 | 6 | 10 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 6.6 | 51 | 1 | 2 | 4 | 8 | 17 | 23 | 30 |
| 20-34 | 902 | 4.9 | 23 | 1 | 1 | 3 | 6 | 11 | 14 | 23 |
| 35-49 | 1769 | 6.3 | 36 | 1 | 2 | 4 | 9 | 14 | 17 | 27 |
| 50-64 | 6022 | 10.3 | 50 | 2 | 2 | 10 | 15 | 19 | 23 | 31 |
| 65+ | 8153 | 15.3 | 58 | 3 | 6 | 15 | 19 | 24 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.3 | 30 | 1 | 1 | 5 | 8 | 15 | 19 | 24 |
| 20-34 | 117 | 6.6 | 57 | 1 | 2 | 5 | 7 | 12 | 17 | 44 |
| 35-49 | 716 | 6.9 | 23 | 2 | 2 | 6 | 9 | 12 | 16 | 23 |
| 50-64 | 2540 | 7.5 | 33 | 2 | 2 | 6 | 9 | 14 | 17 | 29 |
| 65+ | 8244 | 9.2 | 64 | 2 | 3 | 7 | 11 | 17 | 22 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 6.5 | 55 | 1 | 1 | 3 | 9 | 16 | 21 | 39 |
| 20-34 | 685 | 6.1 | 43 | 1 | 2 | 4 | 7 | 14 | 18 | 33 |
| 35-49 | 1485 | 8.0 | 58 | 1 | 2 | 5 | 11 | 18 | 24 | 35 |
| 50-64 | 5490 | 11.9 | 83 | 2 | 2 | 11 | 16 | 23 | 28 | 44 |
| 65+ | 10195 | 18.2 | 124 | 3 | 6 | 16 | 23 | 31 | 39 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1886 | 6.8 | 28 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | 16940 | 12.0 | 64 | 2 | 2 | 12 | 17 | 21 | 25 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11642 | 8.7 | 55 | 2 | 3 | 7 | 11 | 16 | 21 | 41 |
| B. *Operated* | 17933 | 14.9 | 118 | 2 | 3 | 14 | 19 | 28 | 34 | 57 |
| **1. SINGLE DX** | 18826 | 11.4 | 62 | 2 | 2 | 11 | 16 | 21 | 25 | 36 |
| **2. MULTIPLE DX** | 29575 | 12.5 | 103 | 2 | 3 | 10 | 17 | 24 | 31 | 52 |
| **A. NOT OPERATED** | 13528 | 8.4 | 52 | 2 | 3 | 7 | 11 | 16 | 20 | 40 |
| **B. OPERATED** | 34873 | 13.5 | 94 | 2 | 3 | 13 | 18 | 24 | 30 | 48 |
| TOTAL 0-19 YRS | 223 | 6.6 | 48 | 1 | 2 | 4 | 9 | 17 | 22 | 31 |
| 20-34 | 1761 | 5.5 | 33 | 1 | 2 | 4 | 7 | 12 | 16 | 28 |
| 35-49 | 4149 | 7.0 | 42 | 1 | 2 | 5 | 9 | 15 | 19 | 32 |
| 50-64 | 14592 | 10.3 | 61 | 2 | 2 | 9 | 15 | 19 | 24 | 37 |
| 65+ | 27676 | 14.2 | 98 | 3 | 4 | 13 | 18 | 25 | 32 | 52 |
| **GRAND TOTAL** | **48401** | **12.1** | **87** | **2** | **3** | **11** | **17** | **23** | **28** | **46** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 499 | 7.2 | 34 | 1 | 2 | 5 | 10 | 15 | 19 | 29 |
| 20-34 | 431 | 7.0 | 29 | 2 | 2 | 5 | 9 | 14 | 18 | 28 |
| 35-49 | 301 | 6.2 | 20 | 1 | 2 | 5 | 8 | 11 | 13 | 26 |
| 50-64 | 312 | 6.8 | 28 | 2 | 2 | 5 | 9 | 13 | 18 | 26 |
| 65+ | 411 | 7.0 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 349 | 11.1 | 79 | 2 | 2 | 9 | 16 | 24 | 29 | 37 |
| 20-34 | 884 | 6.0 | 41 | 1 | 2 | 4 | 7 | 12 | 17 | 36 |
| 35-49 | 829 | 6.1 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 952 | 8.9 | 72 | 2 | 2 | 6 | 12 | 18 | 24 | 46 |
| 65+ | 639 | 14.2 | 90 | 3 | 3 | 14 | 18 | 24 | 31 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 329 | 9.4 | 74 | 2 | 3 | 7 | 13 | 20 | 24 | 35 |
| 20-34 | 438 | 8.0 | 61 | 2 | 2 | 6 | 9 | 16 | 23 | 42 |
| 35-49 | 511 | 7.5 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 50-64 | 921 | 8.4 | 50 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| 65+ | 1937 | 9.8 | 71 | 2 | 3 | 7 | 12 | 19 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 15.1 | 123 | 2 | 3 | 14 | 22 | 30 | 34 | 42 |
| 20-34 | 568 | 9.5 | 105 | 2 | 2 | 6 | 12 | 23 | 31 | 51 |
| 35-49 | 613 | 9.4 | 87 | 1 | 2 | 6 | 12 | 20 | 28 | 54 |
| 50-64 | 968 | 12.9 | 176 | 2 | 2 | 9 | 17 | 27 | 40 | 77 |
| 65+ | 979 | 18.9 | 221 | 3 | 4 | 16 | 25 | 38 | 50 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1954 | 6.9 | 30 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| B. *Operated* | 3653 | 8.7 | 68 | 2 | 2 | 6 | 12 | 18 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4136 | 9.0 | 62 | 2 | 3 | 7 | 11 | 17 | 24 | 41 |
| B. *Operated* | 3388 | 13.6 | 171 | 2 | 2 | 10 | 18 | 30 | 40 | 70 |
| **1. SINGLE DX** | 5607 | 8.1 | 55 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| **2. MULTIPLE DX** | 7524 | 11.1 | 116 | 2 | 3 | 8 | 14 | 24 | 32 | 57 |
| **A. NOT OPERATED** | 6090 | 8.3 | 53 | 2 | 2 | 6 | 10 | 16 | 22 | 38 |
| **B. OPERATED** | 7041 | 11.1 | 124 | 2 | 2 | 7 | 15 | 24 | 33 | 57 |
| TOTAL 0-19 YRS | 1437 | 10.1 | 78 | 2 | 2 | 7 | 14 | 22 | 28 | 38 |
| 20-34 | 2321 | 7.4 | 60 | 1 | 2 | 5 | 9 | 16 | 22 | 41 |
| 35-49 | 2254 | 7.3 | 47 | 2 | 2 | 5 | 9 | 14 | 20 | 36 |
| 50-64 | 3153 | 9.8 | 98 | 2 | 2 | 7 | 12 | 20 | 27 | 51 |
| 65+ | 3966 | 12.4 | 125 | 2 | 3 | 9 | 16 | 25 | 34 | 60 |
| **GRAND TOTAL** | **13131** | **9.8** | **92** | **2** | **2** | **7** | **13** | **21** | **28** | **50** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 210 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 86 | 3.4 | 13 | <1 | 1 | 2 | 4 | 8 | 12 | 18 |
| 50-64 | 52 | 4.0 | 14 | <1 | <1 | 3 | 6 | 10 | 12 | 16 |
| 65+ | 30 | 5.7 | 28 | 1 | 1 | 4 | 7 | 14 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5072 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 10370 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 4779 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 2326 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 520 | 5.2 | 22 | 1 | 2 | 4 | 6 | 9 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.7 | 9 | <1 | <1 | 1 | 4 | 6 | 8 | 16 |
| 20-34 | 237 | 2.8 | 9 | <1 | <1 | 1 | 3 | 6 | 9 | 12 |
| 35-49 | 135 | 4.3 | 36 | <1 | <1 | 3 | 5 | 10 | 13 | 27 |
| 50-64 | 133 | 4.6 | 28 | <1 | 1 | 2 | 5 | 10 | 16 | 26 |
| 65+ | 102 | 7.3 | 31 | 1 | 2 | 7 | 9 | 14 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2699 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 6593 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 4009 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 3375 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 1162 | 5.8 | 30 | 1 | 2 | 4 | 7 | 12 | 16 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 522 | 2.9 | 8 | <1 | <1 | 2 | 4 | 6 | 9 | 14 |
| B. *Operated* | 23067 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 713 | 4.0 | 23 | <1 | <1 | 2 | 5 | 10 | 13 | 22 |
| B. *Operated* | 17838 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **1. SINGLE DX** | 23589 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 18551 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 1235 | 3.6 | 17 | <1 | <1 | 2 | 4 | 8 | 11 | 19 |
| **B. OPERATED** | 40905 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| TOTAL 0-19 YRS | 8021 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 17410 | 3.6 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 9009 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 5886 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 65+ | 1814 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 16 | 25 |
| **GRAND TOTAL** | **42140** | **3.8** | **9** | **1** | **1** | **3** | **5** | **7** | **9** | **15** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 767 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 584 | 3.8 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 344 | 4.8 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 320 | 5.0 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 409 | 6.6 | 31 | 1 | 1 | 5 | 8 | 13 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5316 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 7911 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 35-49 | 2469 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 1299 | 5.2 | 29 | 1 | 2 | 4 | 6 | 11 | 15 | 29 |
| 65+ | 623 | 8.2 | 80 | 1 | 1 | 5 | 11 | 18 | 24 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 614 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 651 | 5.6 | 35 | <1 | 1 | 4 | 7 | 11 | 16 | 31 |
| 35-49 | 633 | 6.3 | 42 | 1 | 1 | 5 | 8 | 12 | 17 | 29 |
| 50-64 | 795 | 6.8 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| 65+ | 1418 | 8.8 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1869 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 20-34 | 3413 | 4.8 | 28 | 1 | 2 | 4 | 6 | 8 | 12 | 24 |
| 35-49 | 1755 | 6.0 | 45 | 1 | 2 | 4 | 7 | 12 | 18 | 34 |
| 50-64 | 1439 | 7.4 | 70 | 1 | 2 | 4 | 9 | 16 | 23 | 46 |
| 65+ | 987 | 12.5 | 151 | 2 | 2 | 9 | 17 | 27 | 36 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2424 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | 17618 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4111 | 6.8 | 42 | 1 | 1 | 5 | 9 | 14 | 19 | 32 |
| B. *Operated* | 9463 | 6.2 | 54 | 1 | 2 | 4 | 7 | 13 | 19 | 38 |
| **1. SINGLE DX** | 20042 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | 13574 | 6.4 | 51 | 1 | 2 | 4 | 7 | 13 | 19 | 36 |
| **A. NOT OPERATED** | 6535 | 6.0 | 34 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 27081 | 4.8 | 28 | 1 | 2 | 4 | 5 | 9 | 13 | 27 |
| TOTAL 0-19 YRS | 8566 | 3.8 | 9 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 20-34 | 12559 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 35-49 | 5201 | 5.0 | 28 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| 50-64 | 3853 | 6.4 | 45 | 1 | 2 | 4 | 8 | 14 | 18 | 33 |
| 65+ | 3437 | 9.5 | 89 | 1 | 2 | 7 | 12 | 20 | 26 | 51 |
| **GRAND TOTAL** | **33616** | **5.0** | **29** | **1** | **2** | **4** | **6** | **9** | **14** | **27** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 9.7 | 49 | 2 | 3 | 8 | 11 | 21 | 26 | 26 |
| 20-34 | 52 | 6.8 | 32 | 1 | 2 | 5 | 8 | 14 | 23 | 24 |
| 35-49 | 34 | 6.6 | 15 | 2 | 3 | 6 | 9 | 12 | 13 | 20 |
| 50-64 | 28 | 8.2 | 21 | 2 | 3 | 7 | 10 | 16 | 18 | 21 |
| 65+ | 9 | 9.2 | 130 | 2 | 2 | 5 | 8 | 27 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 20-34 | 13 | 10.4 | 37 | 1 | 2 | 11 | 15 | 17 | 18 | 18 |
| 35-49 | 11 | 9.4 | 28 | 2 | 2 | 10 | 13 | 16 | 19 | 19 |
| 50-64 | 12 | 8.3 | 34 | 2 | 3 | 6 | 11 | 16 | 22 | 23 |
| 65+ | 4 | 17.8 | 26 | 13 | 13 | 16 | 21 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 47 | 7.2 | 40 | 1 | 2 | 5 | 10 | 17 | 19 | 32 |
| 35-49 | 89 | 7.0 | 32 | 2 | 2 | 6 | 9 | 12 | 17 | 35 |
| 50-64 | 84 | 8.8 | 63 | 2 | 3 | 7 | 11 | 17 | 21 | 49 |
| 65+ | 93 | 11.0 | 70 | 3 | 3 | 9 | 15 | 21 | 23 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.5 | 33 | <1 | <1 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 8 | 14.3 | 315 | 3 | 3 | 9 | 13 | 44 | 57 | 57 |
| 35-49 | 34 | 15.1 | 115 | 3 | 3 | 14 | 19 | 27 | 39 | 51 |
| 50-64 | 42 | 21.4 | 256 | 4 | 7 | 17 | 28 | 47 | 57 | 70 |
| 65+ | 25 | 14.5 | 104 | 4 | 7 | 11 | 18 | 25 | 37 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132 | 7.4 | 33 | 2 | 2 | 6 | 9 | 13 | 20 | 28 |
| B. *Operated* | 42 | 10.2 | 36 | 2 | 2 | 10 | 14 | 18 | 21 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 315 | 8.7 | 55 | 2 | 3 | 7 | 11 | 17 | 21 | 47 |
| B. *Operated* | 113 | 17.0 | 183 | 3 | 5 | 13 | 20 | 36 | 51 | 64 |
| **1. SINGLE DX** | 174 | 8.1 | 35 | 2 | 2 | 7 | 10 | 16 | 20 | 26 |
| **2. MULTIPLE DX** | 428 | 10.9 | 102 | 2 | 3 | 8 | 14 | 21 | 29 | 61 |
| **A. NOT OPERATED** | 447 | 8.3 | 48 | 2 | 2 | 7 | 10 | 17 | 21 | 39 |
| **B. OPERATED** | 155 | 15.2 | 152 | 2 | 3 | 12 | 18 | 28 | 44 | 60 |
| TOTAL 0-19 YRS | 17 | 9.1 | 33 | 1 | 2 | 8 | 12 | 13 | 22 | 26 |
| 20-34 | 120 | 7.9 | 55 | 1 | 2 | 6 | 10 | 17 | 21 | 39 |
| 35-49 | 168 | 8.7 | 55 | 2 | 2 | 7 | 11 | 17 | 20 | 40 |
| 50-64 | 166 | 11.9 | 132 | 2 | 3 | 9 | 14 | 23 | 31 | 63 |
| 65+ | 131 | 11.8 | 80 | 3 | 3 | 10 | 15 | 22 | 26 | 71 |
| **GRAND TOTAL** | **602** | **10.1** | **84** | **2** | **3** | **8** | **13** | **20** | **25** | **56** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 17 | 5.2 | 21 | 1 | 1 | 3 | 7 | 11 | 16 | 18 |
| 20-34 | 161 | 6.1 | 13 | 1 | 2 | 6 | 8 | 11 | 13 | 17 |
| 35-49 | 565 | 6.2 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 1068 | 6.8 | 19 | 2 | 2 | 6 | 9 | 13 | 15 | 21 |
| 65+ | 1085 | 7.4 | 26 | 2 | 3 | 6 | 10 | 13 | 16 | 27 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 15 | 5.1 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 20-34 | 285 | 6.9 | 34 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| 35-49 | 1202 | 7.7 | 36 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| 50-64 | 1672 | 8.1 | 41 | 2 | 2 | 7 | 11 | 15 | 19 | 32 |
| 65+ | 598 | 10.6 | 91 | 2 | 2 | 8 | 14 | 22 | 27 | 49 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 12 | 10.9 | 388 | 1 | 2 | 6 | 7 | 29 | 67 | 73 |
| 20-34 | 242 | 7.5 | 53 | 2 | 3 | 6 | 9 | 14 | 18 | 26 |
| 35-49 | 1655 | 7.3 | 27 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| 50-64 | 4560 | 7.8 | 29 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 65+ | 7650 | 9.4 | 52 | 3 | 3 | 8 | 12 | 17 | 22 | 36 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 25 | 10.6 | 153 | 2 | 2 | 8 | 10 | 17 | 31 | 66 |
| 20-34 | 269 | 9.8 | 103 | 1 | 2 | 8 | 12 | 18 | 23 | 50 |
| 35-49 | 1250 | 9.9 | 72 | 2 | 2 | 8 | 13 | 19 | 24 | 49 |
| 50-64 | 2624 | 11.2 | 83 | 2 | 3 | 9 | 14 | 22 | 28 | 47 |
| 65+ | 2076 | 14.9 | 154 | 3 | 4 | 12 | 19 | 29 | 41 | 78 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2896 | 6.9 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| B. *Operated* | 3772 | 8.3 | 48 | 2 | 2 | 7 | 11 | 16 | 20 | 34 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 14119 | 8.6 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| B. *Operated* | 6244 | 12.1 | 110 | 2 | 3 | 10 | 15 | 24 | 32 | 57 |
| **1. SINGLE DX** | 6668 | 7.7 | 37 | 2 | 2 | 6 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | 20363 | 9.7 | 66 | 2 | 3 | 8 | 12 | 18 | 24 | 43 |
| **A. NOT OPERATED** | 17015 | 8.3 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **B. OPERATED** | 10016 | 10.7 | 90 | 2 | 2 | 8 | 14 | 21 | 27 | 50 |
| TOTAL 0-19 YRS | 69 | 8.1 | 132 | 1 | 1 | 6 | 9 | 12 | 18 | 72 |
| 20-34 | 957 | 7.7 | 57 | 1 | 2 | 6 | 10 | 15 | 19 | 41 |
| 35-49 | 4672 | 7.9 | 41 | 2 | 2 | 7 | 10 | 15 | 18 | 31 |
| 50-64 | 9924 | 8.6 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| 65+ | 11409 | 10.3 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |
| **GRAND TOTAL** | **27031** | **9.2** | **59** | **2** | **3** | **7** | **11** | **17** | **22** | **40** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 186 | 7.6 | 26 | 1 | 2 | 7 | 10 | 14 | 16 | 24 |
| 20-34 | 3581 | 7.6 | 24 | 2 | 2 | 7 | 10 | 14 | 16 | 23 |
| 35-49 | 5145 | 8.0 | 27 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 3202 | 8.3 | 26 | 2 | 3 | 7 | 11 | 15 | 18 | 26 |
| 65+ | 920 | 9.5 | 37 | 2 | 3 | 8 | 12 | 17 | 20 | 30 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 548 | 7.8 | 25 | 1 | 2 | 7 | 10 | 15 | 18 | 23 |
| 20-34 | 12094 | 8.7 | 37 | 1 | 2 | 8 | 11 | 16 | 20 | 28 |
| 35-49 | 17592 | 9.2 | 37 | 2 | 2 | 8 | 12 | 17 | 21 | 29 |
| 50-64 | 8707 | 10.1 | 47 | 2 | 2 | 9 | 13 | 19 | 23 | 32 |
| 65+ | 1677 | 12.1 | 64 | 2 | 3 | 11 | 16 | 21 | 27 | 39 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 66 | 8.7 | 42 | 2 | 3 | 8 | 11 | 15 | 19 | 36 |
| 20-34 | 1564 | 8.7 | 33 | 2 | 3 | 7 | 11 | 16 | 19 | 29 |
| 35-49 | 3287 | 9.2 | 41 | 2 | 3 | 8 | 11 | 17 | 20 | 34 |
| 50-64 | 3770 | 9.6 | 37 | 2 | 3 | 8 | 12 | 17 | 21 | 31 |
| 65+ | 3125 | 10.7 | 47 | 3 | 4 | 9 | 14 | 19 | 24 | 34 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 104 | 10.4 | 59 | 2 | 2 | 9 | 14 | 22 | 25 | 39 |
| 20-34 | 3174 | 11.3 | 67 | 2 | 3 | 10 | 15 | 21 | 27 | 40 |
| 35-49 | 6564 | 12.1 | 75 | 2 | 3 | 10 | 15 | 23 | 29 | 44 |
| 50-64 | 5996 | 13.3 | 89 | 2 | 4 | 11 | 17 | 25 | 30 | 45 |
| 65+ | 2590 | 16.4 | 130 | 3 | 5 | 14 | 21 | 31 | 38 | 60 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 13034 | 8.1 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| B. *Operated* | 40618 | 9.4 | 41 | 2 | 2 | 8 | 12 | 17 | 21 | 30 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 11812 | 9.6 | 41 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| B. *Operated* | 18428 | 13.0 | 88 | 2 | 3 | 11 | 17 | 24 | 31 | 46 |
| **1. SINGLE DX** | 53652 | 9.0 | 38 | 2 | 2 | 8 | 12 | 17 | 20 | 30 |
| **2. MULTIPLE DX** | 30240 | 11.7 | 72 | 2 | 3 | 10 | 15 | 22 | 28 | 42 |
| **A. NOT OPERATED** | 24846 | 8.8 | 34 | 2 | 3 | 8 | 11 | 16 | 19 | 29 |
| **B. OPERATED** | 59046 | 10.5 | 58 | 2 | 2 | 9 | 14 | 20 | 24 | 37 |
| TOTAL 0-19 YRS | 904 | 8.1 | 31 | 1 | 2 | 7 | 10 | 15 | 18 | 27 |
| 20-34 | 20413 | 8.9 | 40 | 2 | 2 | 8 | 11 | 16 | 20 | 31 |
| 35-49 | 32588 | 9.6 | 45 | 2 | 3 | 8 | 12 | 18 | 22 | 34 |
| 50-64 | 21675 | 10.6 | 57 | 2 | 3 | 9 | 14 | 20 | 25 | 37 |
| 65+ | 8312 | 12.6 | 83 | 2 | 4 | 11 | 16 | 24 | 29 | 47 |
| **GRAND TOTAL** | **83892** | **10.0** | **52** | **2** | **3** | **9** | **13** | **18** | **23** | **36** |

### 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 6.1 | 16 | 1 | 2 | 5 | 9 | 12 | 14 | 15 |
| 20-34 | 924 | 7.4 | 21 | 2 | 2 | 7 | 10 | 13 | 16 | 23 |
| 35-49 | 1669 | 7.7 | 21 | 2 | 3 | 7 | 10 | 14 | 16 | 24 |
| 50-64 | 1031 | 8.1 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 351 | 8.2 | 26 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 7.2 | 27 | 1 | 2 | 6 | 10 | 15 | 19 | 91 |
| 20-34 | 1926 | 8.0 | 35 | 1 | 2 | 7 | 10 | 15 | 18 | 29 |
| 35-49 | 4029 | 8.5 | 33 | 2 | 2 | 8 | 11 | 15 | 19 | 28 |
| 50-64 | 2307 | 8.8 | 37 | 2 | 2 | 8 | 12 | 16 | 20 | 29 |
| 65+ | 303 | 10.3 | 61 | 2 | 2 | 9 | 13 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 8.1 | 25 | 2 | 3 | 7 | 11 | 16 | 18 | 22 |
| 20-34 | 519 | 8.2 | 29 | 2 | 3 | 7 | 10 | 15 | 19 | 24 |
| 35-49 | 1523 | 8.5 | 34 | 2 | 3 | 7 | 11 | 14 | 18 | 31 |
| 50-64 | 1853 | 8.8 | 32 | 2 | 3 | 8 | 11 | 16 | 19 | 28 |
| 65+ | 1399 | 9.6 | 43 | 2 | 3 | 8 | 12 | 17 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 9.2 | 55 | 1 | 2 | 7 | 12 | 20 | 25 | 26 |
| 20-34 | 584 | 10.4 | 58 | 2 | 2 | 9 | 14 | 20 | 25 | 37 |
| 35-49 | 1959 | 10.5 | 63 | 2 | 3 | 9 | 14 | 19 | 24 | 41 |
| 50-64 | 1912 | 10.8 | 66 | 2 | 3 | 9 | 14 | 20 | 26 | 41 |
| 65+ | 565 | 15.4 | 154 | 3 | 4 | 12 | 20 | 30 | 40 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4023 | 7.8 | 23 | 2 | 3 | 7 | 10 | 14 | 16 | 24 |
| B. *Operated* | 8626 | 8.6 | 36 | 2 | 2 | 8 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5323 | 8.9 | 36 | 2 | 3 | 8 | 11 | 16 | 20 | 30 |
| B. *Operated* | 5033 | 11.2 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 44 |
| **1. SINGLE DX** | 12649 | 8.3 | 32 | 2 | 2 | 7 | 11 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 10356 | 10.0 | 57 | 2 | 3 | 8 | 13 | 18 | 23 | 38 |
| **A. NOT OPERATED** | 9346 | 8.4 | 30 | 2 | 3 | 7 | 11 | 15 | 18 | 27 |
| **B. OPERATED** | 13659 | 9.5 | 52 | 2 | 2 | 8 | 12 | 18 | 22 | 35 |
| TOTAL 0-19 YRS | 151 | 7.2 | 26 | 1 | 2 | 6 | 10 | 15 | 18 | 26 |
| 20-34 | 3953 | 8.3 | 35 | 1 | 2 | 7 | 11 | 16 | 19 | 30 |
| 35-49 | 9180 | 8.8 | 38 | 2 | 3 | 8 | 11 | 16 | 20 | 30 |
| 50-64 | 7103 | 9.3 | 43 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| 65+ | 2618 | 10.7 | 73 | 2 | 3 | 9 | 13 | 20 | 26 | 43 |
| **GRAND TOTAL** | **23005** | **9.1** | **44** | **2** | **3** | **8** | **12** | **17** | **21** | **33** |

### 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 6.2 | 9 | 2 | 2 | 6 | 8 | 11 | 11 | 14 |
| 20-34 | 1112 | 7.1 | 20 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| 35-49 | 1214 | 8.0 | 29 | 2 | 2 | 7 | 10 | 13 | 17 | 32 |
| 50-64 | 550 | 7.7 | 30 | 2 | 2 | 7 | 10 | 13 | 16 | 35 |
| 65+ | 138 | 7.4 | 24 | 1 | 2 | 7 | 9 | 13 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 14 | 15 |
| 20-34 | 702 | 6.5 | 27 | 1 | 2 | 5 | 9 | 14 | 16 | 24 |
| 35-49 | 738 | 7.6 | 42 | 1 | 2 | 6 | 10 | 16 | 20 | 30 |
| 50-64 | 238 | 8.7 | 43 | 2 | 2 | 7 | 11 | 17 | 22 | 35 |
| 65+ | 21 | 9.9 | 59 | 1 | 2 | 9 | 13 | 23 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 6.0 | 15 | 1 | 2 | 5 | 8 | 11 | 15 | 19 |
| 20-34 | 838 | 7.8 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| 35-49 | 1218 | 8.6 | 29 | 2 | 3 | 8 | 11 | 16 | 19 | 27 |
| 50-64 | 951 | 8.9 | 35 | 2 | 3 | 8 | 11 | 15 | 19 | 26 |
| 65+ | 474 | 9.9 | 36 | 3 | 3 | 9 | 13 | 17 | 22 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.9 | 26 | 2 | 2 | 7 | 12 | 15 | 16 | 17 |
| 20-34 | 435 | 10.4 | 61 | 2 | 2 | 9 | 14 | 20 | 25 | 34 |
| 35-49 | 572 | 10.8 | 52 | 2 | 3 | 10 | 15 | 20 | 24 | 34 |
| 50-64 | 353 | 12.0 | 67 | 2 | 3 | 11 | 16 | 23 | 28 | 40 |
| 65+ | 65 | 13.4 | 69 | 4 | 5 | 12 | 17 | 22 | 30 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3079 | 7.6 | 26 | 2 | 2 | 7 | 9 | 13 | 16 | 28 |
| B. *Operated* | 1729 | 7.3 | 36 | 1 | 2 | 6 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3542 | 8.6 | 31 | 2 | 3 | 8 | 11 | 15 | 19 | 28 |
| B. *Operated* | 1445 | 11.1 | 59 | 2 | 3 | 10 | 15 | 21 | 26 | 36 |
| **1. SINGLE DX** | 4808 | 7.5 | 29 | 1 | 2 | 7 | 10 | 14 | 17 | 28 |
| **2. MULTIPLE DX** | 4987 | 9.3 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| **A. NOT OPERATED** | 6621 | 8.1 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| **B. OPERATED** | 3174 | 9.0 | 50 | 2 | 2 | 7 | 13 | 18 | 22 | 33 |
| TOTAL 0-19 YRS | 176 | 6.2 | 14 | 2 | 2 | 6 | 8 | 11 | 14 | 17 |
| 20-34 | 3087 | 7.6 | 29 | 2 | 2 | 7 | 10 | 14 | 18 | 27 |
| 35-49 | 3742 | 8.6 | 36 | 2 | 2 | 7 | 11 | 16 | 19 | 31 |
| 50-64 | 2092 | 9.1 | 42 | 2 | 2 | 8 | 12 | 17 | 21 | 34 |
| 65+ | 698 | 9.7 | 39 | 2 | 3 | 8 | 12 | 17 | 22 | 32 |
| **GRAND TOTAL** | **9795** | **8.4** | **36** | **2** | **2** | **7** | **11** | **16** | **19** | **31** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.6 | 37 | <1 | 1 | 4 | 7 | 9 | 19 | 29 |
| 20-34 | 403 | 7.6 | 21 | 2 | 3 | 7 | 9 | 13 | 17 | 23 |
| 35-49 | 575 | 7.6 | 25 | 2 | 3 | 7 | 10 | 13 | 17 | 26 |
| 50-64 | 472 | 8.0 | 23 | 2 | 3 | 7 | 10 | 13 | 16 | 26 |
| 65+ | 287 | 8.4 | 36 | 2 | 2 | 7 | 11 | 16 | 21 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.3 | 20 | 1 | 1 | 6 | 9 | 12 | 14 | 15 |
| 20-34 | 294 | 6.1 | 28 | 1 | 1 | 4 | 9 | 13 | 17 | 25 |
| 35-49 | 387 | 7.5 | 46 | 1 | 1 | 5 | 11 | 16 | 20 | 34 |
| 50-64 | 209 | 6.7 | 40 | 1 | 1 | 5 | 9 | 15 | 18 | 30 |
| 65+ | 68 | 9.1 | 47 | 1 | 2 | 8 | 14 | 19 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.1 | 23 | 1 | 2 | 6 | 10 | 13 | 16 | 20 |
| 20-34 | 332 | 7.9 | 25 | 2 | 3 | 7 | 9 | 14 | 17 | 26 |
| 35-49 | 641 | 8.5 | 26 | 3 | 3 | 7 | 11 | 15 | 17 | 28 |
| 50-64 | 924 | 9.5 | 41 | 3 | 4 | 8 | 12 | 16 | 20 | 34 |
| 65+ | 1087 | 10.4 | 42 | 3 | 4 | 9 | 13 | 19 | 24 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.6 | 19 | 2 | 2 | 5 | 7 | 13 | 13 | 13 |
| 20-34 | 178 | 10.5 | 83 | 2 | 2 | 8 | 14 | 21 | 29 | 51 |
| 35-49 | 299 | 10.4 | 52 | 2 | 2 | 9 | 15 | 20 | 25 | 33 |
| 50-64 | 265 | 11.7 | 76 | 2 | 3 | 11 | 17 | 23 | 26 | 51 |
| 65+ | 219 | 15.7 | 90 | 3 | 5 | 14 | 20 | 29 | 36 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1757 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 972 | 7.0 | 39 | 1 | 1 | 5 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3008 | 9.4 | 37 | 3 | 4 | 8 | 12 | 16 | 21 | 31 |
| B. *Operated* | 966 | 12.0 | 77 | 2 | 3 | 10 | 17 | 23 | 29 | 40 |
| **1. SINGLE DX** | 2729 | 7.5 | 31 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 3974 | 10.0 | 48 | 2 | 3 | 8 | 13 | 18 | 24 | 36 |
| **A. NOT OPERATED** | 4765 | 8.8 | 33 | 2 | 3 | 8 | 11 | 16 | 19 | 30 |
| **B. OPERATED** | 1938 | 9.5 | 64 | 1 | 2 | 7 | 13 | 20 | 25 | 37 |
| TOTAL 0-19 YRS | 63 | 6.3 | 26 | 1 | 1 | 5 | 9 | 13 | 15 | 28 |
| 20-34 | 1207 | 7.7 | 35 | 1 | 2 | 7 | 10 | 15 | 18 | 29 |
| 35-49 | 1902 | 8.3 | 35 | 2 | 2 | 7 | 11 | 16 | 19 | 30 |
| 50-64 | 1870 | 9.1 | 43 | 2 | 3 | 8 | 12 | 17 | 21 | 34 |
| 65+ | 1661 | 10.7 | 52 | 3 | 4 | 9 | 14 | 20 | 25 | 36 |
| **GRAND TOTAL** | **6703** | **9.0** | **42** | **2** | **3** | **8** | **12** | **17** | **21** | **32** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 648 | 4.9 | 15 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| 20-34 | 5261 | 6.7 | 22 | 1 | 2 | 6 | 9 | 12 | 15 | 24 |
| 35-49 | 6595 | 7.3 | 25 | 2 | 2 | 6 | 9 | 13 | 17 | 25 |
| 50-64 | 3845 | 7.8 | 31 | 2 | 2 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 1538 | 8.2 | 33 | 2 | 2 | 7 | 11 | 16 | 20 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 343 | 5.1 | 20 | 1 | 2 | 3 | 7 | 11 | 14 | 23 |
| 20-34 | 4415 | 6.1 | 29 | 1 | 2 | 4 | 8 | 13 | 16 | 26 |
| 35-49 | 5478 | 7.0 | 34 | 1 | 2 | 5 | 10 | 15 | 18 | 27 |
| 50-64 | 3411 | 8.1 | 44 | 1 | 2 | 7 | 11 | 16 | 21 | 33 |
| 65+ | 1207 | 10.3 | 69 | 1 | 2 | 9 | 14 | 20 | 26 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 507 | 5.3 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 20-34 | 4717 | 7.5 | 32 | 1 | 2 | 6 | 10 | 14 | 18 | 28 |
| 35-49 | 7394 | 8.4 | 35 | 2 | 3 | 7 | 11 | 16 | 19 | 29 |
| 50-64 | 6770 | 8.7 | 38 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| 65+ | 6159 | 9.6 | 53 | 2 | 3 | 8 | 12 | 18 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 6.5 | 24 | 1 | 2 | 5 | 9 | 14 | 17 | 21 |
| 20-34 | 3120 | 8.5 | 53 | 1 | 2 | 7 | 11 | 18 | 22 | 35 |
| 35-49 | 4944 | 9.7 | 71 | 2 | 2 | 8 | 13 | 19 | 25 | 40 |
| 50-64 | 4469 | 11.3 | 90 | 2 | 2 | 9 | 15 | 22 | 28 | 46 |
| 65+ | 2675 | 15.1 | 133 | 2 | 3 | 12 | 20 | 30 | 38 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17887 | 7.2 | 26 | 1 | 2 | 6 | 9 | 13 | 17 | 25 |
| B. *Operated* | 14854 | 7.2 | 39 | 1 | 2 | 5 | 10 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25547 | 8.6 | 40 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| B. *Operated* | 15397 | 10.8 | 98 | 2 | 2 | 9 | 14 | 22 | 28 | 47 |
| **1. SINGLE DX** | 32741 | 7.2 | 32 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 40944 | 9.4 | 59 | 2 | 2 | 8 | 12 | 18 | 23 | 39 |
| **A. NOT OPERATED** | 43434 | 8.0 | 35 | 2 | 2 | 7 | 10 | 15 | 19 | 29 |
| **B. OPERATED** | 30251 | 9.1 | 67 | 1 | 2 | 7 | 12 | 19 | 24 | 40 |
| TOTAL 0-19 YRS | 1687 | 5.3 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 20-34 | 17513 | 7.1 | 33 | 1 | 2 | 6 | 9 | 14 | 18 | 27 |
| 35-49 | 24411 | 8.1 | 40 | 2 | 2 | 7 | 10 | 16 | 20 | 31 |
| 50-64 | 18495 | 9.0 | 52 | 2 | 2 | 7 | 12 | 17 | 22 | 35 |
| 65+ | 11579 | 10.8 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 44 |
| **GRAND TOTAL** | **73685** | **8.4** | **48** | **2** | **2** | **7** | **11** | **17** | **21** | **34** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 702 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 551 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 650 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 674 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 435 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1572 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 3905 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 5220 | 3.2 | 7 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 5231 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 65+ | 1451 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 289 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 20-34 | 473 | 5.6 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 35-49 | 901 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 1439 | 6.7 | 26 | 1 | 2 | 5 | 9 | 12 | 16 | 26 |
| 65+ | 1555 | 8.2 | 33 | 2 | 3 | 7 | 11 | 15 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 497 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 20-34 | 1836 | 4.1 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 2791 | 4.6 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 50-64 | 3546 | 5.1 | 25 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| 65+ | 1533 | 6.8 | 58 | 1 | 2 | 4 | 8 | 15 | 21 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3012 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 17379 | 3.1 | 7 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4657 | 6.8 | 27 | 1 | 2 | 5 | 9 | 13 | 16 | 26 |
| B. *Operated* | 10203 | 5.0 | 28 | 1 | 2 | 3 | 5 | 10 | 14 | 26 |
| **1. SINGLE DX** | 20391 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 14860 | 5.5 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 7669 | 6.0 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| **B. OPERATED** | 27582 | 3.8 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 3060 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 6765 | 3.6 | 12 | <1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 35-49 | 9562 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 10890 | 4.4 | 17 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 4974 | 6.2 | 37 | 1 | 2 | 4 | 8 | 13 | 17 | 30 |
| **GRAND TOTAL** | **35251** | **4.3** | **18** | **1** | **1** | **3** | **5** | **8** | **12** | **21** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 22 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 20 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| 50-64 | 22 | 3.6 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 11 |
| 65+ | 22 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1310 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |
| 20-34 | 3140 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 2869 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 3644 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 1831 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 88 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 15 |
| 35-49 | 79 | 2.5 | 7 | <1 | <1 | 1 | 3 | 6 | 8 | 14 |
| 50-64 | 132 | 2.8 | 9 | <1 | <1 | 1 | 3 | 6 | 8 | 16 |
| 65+ | 115 | 3.7 | 18 | <1 | <1 | 2 | 5 | 10 | 14 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1050 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 4216 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 4853 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 8345 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 4704 | 5.8 | 22 | 2 | 3 | 5 | 7 | 9 | 12 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 12794 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 434 | 2.7 | 10 | <1 | <1 | 1 | 3 | 6 | 10 | 18 |
| B. *Operated* | 23168 | 4.8 | 10 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| **1. SINGLE DX** | 12890 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 23602 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 530 | 2.7 | 9 | <1 | <1 | 1 | 3 | 6 | 9 | 17 |
| **B. OPERATED** | 35962 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 2390 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 7466 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 7821 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 12143 | 4.6 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 65+ | 6672 | 5.3 | 18 | 2 | 2 | 5 | 6 | 9 | 11 | 22 |
| **GRAND TOTAL** | **36492** | **4.4** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **14** |

## 311: Gangion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 62 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 34 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 7 | 14 |
| 50-64 | 26 | 3.2 | 8 | <1 | <1 | 2 | 5 | 6 | 10 | 12 |
| 65+ | 9 | 3.3 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2783 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 5386 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 2773 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1937 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 661 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 56 | 1.8 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 35-49 | 64 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 50-64 | 61 | 5.0 | 12 | <1 | 1 | 5 | 8 | 9 | 12 | 14 |
| 65+ | 51 | 7.0 | 20 | 2 | 2 | 6 | 9 | 14 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 327 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1018 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1067 | 3.3 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 1081 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 65+ | 589 | 5.5 | 52 | 1 | 1 | 3 | 6 | 11 | 16 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 170 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| B. *Operated* | 13540 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 276 | 3.6 | 13 | <1 | <1 | 2 | 5 | 8 | 11 | 15 |
| B. *Operated* | 4082 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **1. SINGLE DX** | 13710 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | 4358 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 446 | 3.0 | 10 | <1 | <1 | 1 | 4 | 8 | 10 | 14 |
| **B. OPERATED** | 17622 | 2.5 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 3193 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 6522 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 3938 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 3105 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 65+ | 1310 | 4.4 | 30 | <1 | 1 | 3 | 5 | 9 | 13 | 25 |
| **GRAND TOTAL** | **18068** | **2.5** | **7** | **<1** | **<1** | **2** | **3** | **4** | **6** | **12** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 399 | 15.2 | 100 | 2 | 4 | 14 | 21 | 28 | 32 | 45 |
| 20-34 | 186 | 10.2 | 88 | 1 | 2 | 7 | 13 | 23 | 29 | 42 |
| 35-49 | 153 | 9.6 | 60 | 1 | 2 | 8 | 13 | 20 | 24 | 41 |
| 50-64 | 151 | 13.1 | 151 | 2 | 3 | 9 | 17 | 28 | 42 | 55 |
| 65+ | 112 | 14.3 | 119 | 2 | 4 | 12 | 20 | 28 | 39 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 429 | 15.2 | 133 | 2 | 3 | 13 | 22 | 30 | 39 | 47 |
| 20-34 | 550 | 14.5 | 183 | 2 | 2 | 10 | 21 | 33 | 39 | 59 |
| 35-49 | 425 | 13.0 | 163 | 1 | 2 | 8 | 17 | 31 | 39 | 56 |
| 50-64 | 403 | 15.0 | 172 | 2 | 3 | 11 | 22 | 37 | 43 | 58 |
| 65+ | 278 | 15.7 | 200 | 2 | 3 | 11 | 21 | 37 | 46 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 17.9 | 142 | 2 | 3 | 16 | 25 | 31 | 40 | 59 |
| 20-34 | 179 | 14.9 | 152 | 2 | 3 | 11 | 21 | 32 | 43 | 55 |
| 35-49 | 224 | 15.6 | 188 | 3 | 4 | 11 | 21 | 35 | 44 | 62 |
| 50-64 | 405 | 15.5 | 185 | 3 | 4 | 13 | 22 | 34 | 43 | 59 |
| 65+ | 419 | 16.6 | 169 | 3 | 4 | 13 | 21 | 36 | 44 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 299 | 21.3 | 225 | 2 | 4 | 20 | 29 | 43 | 49 | 75 |
| 20-34 | 556 | 21.0 | 289 | 2 | 3 | 17 | 31 | 46 | 54 | 99 |
| 35-49 | 612 | 21.6 | 304 | 3 | 5 | 17 | 29 | 47 | 59 | 99+ |
| 50-64 | 1035 | 22.8 | 308 | 3 | 5 | 18 | 32 | 49 | 62 | 97 |
| 65+ | 987 | 24.4 | 305 | 4 | 6 | 21 | 34 | 51 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1001 | 13.0 | 106 | 2 | 3 | 10 | 18 | 27 | 32 | 47 |
| B. *Operated* | 2085 | 14.6 | 169 | 2 | 3 | 10 | 21 | 33 | 41 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1443 | 16.4 | 171 | 3 | 4 | 13 | 22 | 34 | 43 | 60 |
| B. *Operated* | 3489 | 22.6 | 298 | 3 | 5 | 18 | 32 | 48 | 60 | 99+ |
| **1. SINGLE DX** | 3086 | 14.1 | 149 | 2 | 3 | 10 | 20 | 31 | 39 | 56 |
| **2. MULTIPLE DX** | 4932 | 20.8 | 268 | 3 | 4 | 16 | 29 | 45 | 56 | 95 |
| **A. NOT OPERATED** | 2444 | 15.0 | 147 | 2 | 3 | 12 | 21 | 31 | 41 | 57 |
| **B. OPERATED** | 5574 | 19.6 | 265 | 2 | 3 | 15 | 28 | 43 | 54 | 91 |
| TOTAL 0-19 YRS | 1343 | 17.0 | 151 | 2 | 3 | 15 | 24 | 32 | 42 | 57 |
| 20-34 | 1471 | 16.5 | 221 | 2 | 3 | 12 | 24 | 38 | 46 | 77 |
| 35-49 | 1414 | 16.8 | 237 | 2 | 3 | 12 | 23 | 39 | 49 | 93 |
| 50-64 | 1994 | 19.2 | 258 | 3 | 4 | 15 | 27 | 43 | 53 | 79 |
| 65+ | 1796 | 20.6 | 263 | 3 | 5 | 16 | 29 | 45 | 57 | 99 |
| **GRAND TOTAL** | **8018** | **18.2** | **233** | **2** | **3** | **14** | **26** | **41** | **50** | **80** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 341 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 17 | 30 |
| 20-34 | 600 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 35-49 | 738 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | 632 | 5.6 | 19 | 1 | 2 | 4 | 7 | 11 | 15 | 21 |
| 65+ | 1116 | 8.7 | 48 | 2 | 2 | 7 | 11 | 16 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4172 | 4.6 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| 20-34 | 4736 | 4.7 | 22 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 35-49 | 2368 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| 50-64 | 1785 | 7.9 | 54 | 2 | 2 | 5 | 11 | 17 | 20 | 33 |
| 65+ | 1244 | 12.2 | 94 | 2 | 2 | 11 | 17 | 24 | 30 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 347 | 5.5 | 46 | <1 | 1 | 3 | 6 | 12 | 18 | 34 |
| 20-34 | 909 | 5.0 | 19 | 1 | 1 | 4 | 6 | 10 | 12 | 24 |
| 35-49 | 1620 | 5.8 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 2750 | 7.7 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 65+ | 9785 | 11.5 | 78 | 3 | 4 | 9 | 14 | 21 | 28 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1300 | 5.6 | 44 | 1 | 2 | 4 | 6 | 11 | 16 | 34 |
| 20-34 | 2612 | 6.3 | 57 | 1 | 2 | 4 | 7 | 13 | 19 | 41 |
| 35-49 | 1968 | 8.8 | 97 | 2 | 2 | 5 | 11 | 18 | 26 | 50 |
| 50-64 | 2568 | 12.7 | 152 | 2 | 3 | 10 | 17 | 27 | 38 | 77 |
| 65+ | 3549 | 18.7 | 185 | 3 | 5 | 16 | 24 | 36 | 46 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3627 | 6.0 | 31 | 1 | 1 | 4 | 8 | 12 | 16 | 26 |
| B. *Operated* | 14305 | 5.9 | 39 | 1 | 2 | 4 | 7 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15411 | 9.7 | 69 | 2 | 3 | 8 | 13 | 19 | 25 | 43 |
| B. *Operated* | 11997 | 11.7 | 146 | 2 | 2 | 8 | 16 | 26 | 36 | 68 |
| **1. SINGLE DX** | 17932 | 5.9 | 37 | 1 | 2 | 4 | 7 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | 27408 | 10.5 | 104 | 2 | 2 | 8 | 14 | 22 | 30 | 57 |
| **A. NOT OPERATED** | 19038 | 9.0 | 64 | 2 | 2 | 7 | 12 | 18 | 23 | 41 |
| **B. OPERATED** | 26302 | [illegible].6 | 96 | 1 | 2 | 5 | 11 | 20 | 27 | 52 |
| TOTAL 0-19 YRS | 6360 | 4.9 | 28 | 1 | 1 | 3 | 6 | 9 | 14 | 28 |
| 20-34 | 8857 | 5.2 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 35-49 | 6694 | 6.6 | 51 | 1 | 2 | 4 | 8 | 13 | 18 | 36 |
| 50-64 | 7735 | 9.3 | 87 | 2 | 2 | 6 | 12 | 19 | 26 | 52 |
| 65+ | 15694 | 12.9 | 111 | 3 | 3 | 10 | 17 | 25 | 33 | 60 |
| **GRAND TOTAL** | **45340** | **8.7** | **82** | **1** | **2** | **6** | **11** | **19** | **26** | **47** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.6 | 20 | <1 | <1 | 2 | 4 | 8 | 9 | 23 |
| 20-34 | 17 | 2.6 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 12 |
| 35-49 | 16 | 4.3 | 11 | <1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 50-64 | 11 | 4.4 | 50 | <1 | <1 | 2 | 4 | 14 | 24 | 25 |
| 65+ | 13 | 6.0 | 47 | 1 | 1 | 2 | 7 | 17 | 23 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 937 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 941 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 35-49 | 558 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 50-64 | 448 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 21 |
| 65+ | 131 | 6.5 | 35 | 1 | 2 | 4 | 9 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.0 | 22 | <1 | <1 | 1 | 3 | 7 | 18 | 21 |
| 20-34 | 46 | 5.3 | 70 | <1 | 1 | 3 | 6 | 11 | 24 | 46 |
| 35-49 | 39 | 6.6 | 58 | 1 | 1 | 4 | 9 | 13 | 23 | 39 |
| 50-64 | 59 | 7.4 | 70 | <1 | 1 | 4 | 9 | 21 | 29 | 94 |
| 65+ | 84 | 14.0 | 246 | 1 | 3 | 10 | 17 | 29 | 55 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 642 | 5.2 | 36 | 1 | 2 | 4 | 6 | 9 | 13 | 31 |
| 20-34 | 1036 | 5.0 | 38 | 1 | 2 | 3 | 5 | 9 | 13 | 33 |
| 35-49 | 742 | 4.9 | 23 | 2 | 2 | 4 | 5 | 9 | 12 | 32 |
| 50-64 | 804 | 6.5 | 57 | 2 | 2 | 5 | 7 | 12 | 16 | 49 |
| 65+ | 385 | 10.3 | 100 | 2 | 2 | 7 | 14 | 22 | 30 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.0 | 23 | <1 | <1 | 2 | 5 | 9 | 12 | 25 |
| B. *Operated* | 3015 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 270 | 8.3 | 131 | <1 | 1 | 4 | 10 | 20 | 30 | 93 |
| B. *Operated* | 3609 | 5.9 | 48 | 1 | 2 | 4 | 6 | 11 | 16 | 40 |
| **1. SINGLE DX** | 3102 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 3879 | 6.1 | 54 | 1 | 2 | 4 | 7 | 12 | 18 | 44 |
| **A. NOT OPERATED** | 357 | 7.2 | 108 | <1 | 1 | 3 | 9 | 18 | 27 | 73 |
| **B. OPERATED** | 6624 | 4.9 | 32 | 1 | 2 | 3 | 6 | 9 | 13 | 29 |
| TOTAL 0-19 YRS | 1651 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 20-34 | 2040 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 35-49 | 1355 | 4.3 | 18 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 50-64 | 1322 | 5.8 | 44 | 1 | 2 | 4 | 7 | 11 | 15 | 33 |
| 65+ | 613 | 9.9 | 109 | 2 | 2 | 7 | 13 | 21 | 29 | 56 |
| **GRAND TOTAL** | **6981** | **5.1** | **36** | **1** | **1** | **3** | **6** | **10** | **14** | **30** |

## 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.6 | 127 | <1 | 1 | 5 | 7 | 13 | 34 | 55 |
| 20-34 | 182 | 6.0 | 18 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 279 | 6.9 | 25 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| 50-64 | 189 | 6.8 | 23 | 1 | 2 | 6 | 9 | 12 | 16 | 23 |
| 65+ | 94 | 7.8 | 33 | 2 | 2 | 6 | 11 | 16 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.8 | 25 | 1 | 2 | 4 | 7 | 14 | 17 | 17 |
| 20-34 | 155 | 7.1 | 43 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |
| 35-49 | 216 | 6.3 | 26 | 1 | 2 | 5 | 8 | 13 | 17 | 26 |
| 50-64 | 137 | 7.8 | 45 | 1 | 2 | 6 | 11 | 16 | 20 | 33 |
| 65+ | 56 | 8.3 | 48 | 2 | 2 | 6 | 13 | 18 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.2 | 11 | <1 | 1 | 5 | 7 | 10 | 11 | 11 |
| 20-34 | 146 | 8.0 | 49 | 2 | 3 | 6 | 9 | 15 | 20 | 41 |
| 35-49 | 280 | 7.3 | 29 | 1 | 2 | 6 | 10 | 13 | 18 | 29 |
| 50-64 | 431 | 7.8 | 26 | 2 | 2 | 7 | 10 | 15 | 17 | 26 |
| 65+ | 465 | 9.4 | 53 | 2 | 3 | 7 | 12 | 17 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.0 | 167 | 1 | 1 | 6 | 16 | 33 | 35 | 35 |
| 20-34 | 95 | 8.5 | 48 | 1 | 2 | 7 | 12 | 17 | 22 | 34 |
| 35-49 | 217 | 10.4 | 50 | 2 | 3 | 9 | 13 | 20 | 24 | 42 |
| 50-64 | 215 | 11.1 | 76 | 2 | 3 | 9 | 14 | 24 | 28 | 47 |
| 65+ | 103 | 14.0 | 168 | 3 | 4 | 11 | 18 | 24 | 27 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 768 | 6.8 | 27 | 1 | 2 | 6 | 9 | 12 | 16 | 25 |
| B. *Operated* | 572 | 7.0 | 38 | 1 | 2 | 5 | 9 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1333 | 8.3 | 39 | 2 | 2 | 7 | 11 | 15 | 20 | 34 |
| B. *Operated* | 636 | 10.9 | 81 | 2 | 3 | 9 | 14 | 22 | 26 | 48 |
| **1. SINGLE DX** | 1340 | 6.9 | 32 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| **2. MULTIPLE DX** | 1969 | 9.1 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| **A. NOT OPERATED** | 2101 | 7.7 | 35 | 2 | 2 | 6 | 10 | 15 | 18 | 32 |
| **B. OPERATED** | 1208 | 9.1 | 64 | 2 | 2 | 7 | 12 | 18 | 24 | 38 |
| TOTAL 0-19 YRS | 49 | 7.2 | 87 | 1 | 1 | 5 | 7 | 14 | 25 | 55 |
| 20-34 | 578 | 7.2 | 38 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| 35-49 | 992 | 7.6 | 34 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| 50-64 | 972 | 8.3 | 42 | 2 | 2 | 7 | 11 | 16 | 21 | 33 |
| 65+ | 718 | 9.8 | 69 | 2 | 3 | 8 | 12 | 19 | 24 | 39 |
| **GRAND TOTAL** | **3309** | **8.2** | **46** | **2** | **2** | **7** | **11** | **16** | **21** | **35** |

## 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 716 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 1801 | 4.9 | 12 | 1 | 1 | 4 | 7 | 9 | 11 | 17 |
| 35-49 | 1789 | 5.5 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 1181 | 5.2 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 18 |
| 65+ | 670 | 5.9 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2588 | 4.5 | 24 | 1 | 1 | 3 | 5 | 11 | 15 | 23 |
| 20-34 | 3803 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 35-49 | 2714 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| 50-64 | 2896 | 3.8 | 14 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 65+ | 1601 | 4.2 | 32 | 1 | 1 | 3 | 4 | 8 | 12 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 682 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| 20-34 | 2585 | 6.2 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 35-49 | 3517 | 6.8 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| 50-64 | 3370 | 6.9 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 3410 | 8.1 | 41 | 2 | 2 | 7 | 10 | 16 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1719 | 4.5 | 31 | 1 | 1 | 3 | 4 | 10 | 16 | 31 |
| 20-34 | 3638 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| 35-49 | 2996 | 6.3 | 48 | 1 | 2 | 4 | 8 | 13 | 18 | 36 |
| 50-64 | 3182 | 7.0 | 57 | 1 | 2 | 4 | 9 | 16 | 22 | 37 |
| 65+ | 1986 | 8.9 | 94 | 2 | 2 | 5 | 12 | 20 | 28 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6157 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| B. *Operated* | 13602 | 4.2 | 22 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13564 | 6.9 | 30 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | 13521 | 6.3 | 52 | 1 | 2 | 4 | 8 | 14 | 20 | 37 |
| **1. SINGLE DX** | 19759 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | 27085 | 6.6 | 41 | 1 | 2 | 5 | 8 | 14 | 18 | 33 |
| **A. NOT OPERATED** | 19721 | 6.3 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| **B. OPERATED** | 27123 | 5.2 | 38 | 1 | 1 | 3 | 6 | 12 | 16 | 31 |
| TOTAL 0-19 YRS | 5705 | 4.4 | 23 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| 20-34 | 11827 | 5.0 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 35-49 | 11016 | 5.9 | 31 | 1 | 2 | 4 | 8 | 12 | 15 | 27 |
| 50-64 | 10629 | 5.9 | 33 | 1 | 2 | 4 | 8 | 12 | 16 | 28 |
| 65+ | 7667 | 7.3 | 54 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| **GRAND TOTAL** | **46844** | **5.7** | **33** | **1** | **2** | **4** | **7** | **12** | **16** | **29** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 6 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 103 | 6.4 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| 35-49 | 103 | 6.3 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| 50-64 | 38 | 6.3 | 13 | 2 | 2 | 6 | 8 | 11 | 14 | 15 |
| 65+ | 13 | 6.8 | 16 | 2 | 3 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 37 | 5.8 | 11 | 1 | 2 | 5 | 8 | 10 | 12 | 14 |
| 35-49 | 37 | 7.1 | 15 | 2 | 2 | 6 | 10 | 13 | 14 | 15 |
| 50-64 | 11 | 4.4 | 5 | 1 | 2 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.2 | 10 | 2 | 2 | 4 | 7 | 10 | 12 | 14 |
| 20-34 | 256 | 6.4 | 16 | 2 | 3 | 6 | 8 | 11 | 13 | 21 |
| 35-49 | 322 | 6.8 | 15 | 2 | 3 | 6 | 9 | 11 | 14 | 19 |
| 50-64 | 197 | 7.4 | 18 | 3 | 3 | 6 | 9 | 13 | 16 | 21 |
| 65+ | 69 | 8.1 | 38 | 2 | 3 | 7 | 10 | 14 | 16 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.3 | 21 | 2 | 2 | 7 | 10 | 13 | 13 | 13 |
| 20-34 | 66 | 8.1 | 32 | 2 | 3 | 6 | 11 | 15 | 19 | 30 |
| 35-49 | 88 | 9.9 | 37 | 3 | 3 | 9 | 13 | 19 | 23 | 28 |
| 50-64 | 43 | 9.7 | 123 | 2 | 3 | 8 | 11 | 16 | 23 | 71 |
| 65+ | 12 | 11.3 | 88 | 2 | 3 | 8 | 16 | 24 | 33 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 6.3 | 12 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| B. *Operated* | 87 | 6.1 | 13 | 1 | 2 | 5 | 8 | 11 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 872 | 6.9 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| B. *Operated* | 213 | 9.3 | 55 | 2 | 3 | 8 | 12 | 17 | 22 | 33 |
| **1. SINGLE DX** | 353 | 6.3 | 12 | 2 | 2 | 6 | 8 | 11 | 13 | 16 |
| **2. MULTIPLE DX** | 1085 | 7.3 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| **A. NOT OPERATED** | 1138 | 6.7 | 16 | 2 | 3 | 6 | 8 | 12 | 14 | 21 |
| **B. OPERATED** | 300 | 8.4 | 45 | 2 | 3 | 7 | 11 | 15 | 19 | 31 |
| TOTAL 0-19 YRS | 42 | 5.3 | 10 | 1 | 2 | 5 | 8 | 9 | 12 | 14 |
| 20-34 | 462 | 6.6 | 17 | 2 | 3 | 6 | 8 | 12 | 14 | 24 |
| 35-49 | 550 | 7.2 | 19 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 50-64 | 289 | 7.5 | 33 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| 65+ | 95 | 8.3 | 42 | 2 | 3 | 7 | 10 | 15 | 17 | 41 |
| **GRAND TOTAL** | **1438** | **7.1** | **23** | **2** | **3** | **6** | **9** | **12** | **15** | **24** |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 3.2 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 20-34 | 22 | 4.4 | 9 | 2 | 2 | 3 | 5 | 10 | 11 | 12 |
| 35-49 | 13 | 5.8 | 15 | 2 | 2 | 5 | 7 | 13 | 13 | 13 |
| 50-64 | 12 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 10 | 10 |
| 65+ | 9 | 4.0 | 12 | 1 | 1 | 3 | 5 | 10 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 7.8 | 41 | 1 | 2 | 6 | 11 | 15 | 19 | 40 |
| 20-34 | 70 | 9.9 | 40 | 1 | 2 | 9 | 14 | 20 | 22 | 23 |
| 35-49 | 41 | 9.3 | 33 | 3 | 3 | 9 | 12 | 16 | 23 | 24 |
| 50-64 | 24 | 14.3 | 90 | 2 | 3 | 13 | 22 | 25 | 32 | 39 |
| 65+ | 7 | 11.7 | 54 | 2 | 3 | 11 | 13 | 24 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 442 | 5.4 | 51 | 1 | 1 | 3 | 7 | 11 | 17 | 29 |
| 20-34 | 62 | 8.5 | 154 | 1 | 2 | 5 | 9 | 15 | 22 | 76 |
| 35-49 | 25 | 6.8 | 38 | 2 | 2 | 5 | 8 | 17 | 22 | 27 |
| 50-64 | 27 | 8.0 | 39 | 1 | 3 | 5 | 10 | 17 | 22 | 25 |
| 65+ | 41 | 7.6 | 50 | <1 | 1 | 5 | 13 | 18 | 27 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 374 | 12.7 | 202 | 2 | 2 | 8 | 15 | 31 | 44 | 81 |
| 20-34 | 74 | 16.7 | 237 | 3 | 4 | 12 | 21 | 40 | 62 | 93 |
| 35-49 | 61 | 13.4 | 211 | 1 | 2 | 9 | 16 | 31 | 41 | 82 |
| 50-64 | 26 | 15.5 | 195 | 2 | 2 | 14 | 21 | 60 | 99+ | 99+ |
| 65+ | 25 | 19.1 | 274 | 5 | 5 | 12 | 22 | 40 | 60 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 254 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| B. *Operated* | 353 | 8.9 | 46 | 2 | 2 | 8 | 12 | 18 | 23 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 597 | 6.0 | 62 | 1 | 1 | 4 | 7 | 13 | 18 | 38 |
| B. *Operated* | 560 | 13.7 | 212 | 2 | 3 | 9 | 17 | 33 | 47 | 89 |
| **1. SINGLE DX** | 607 | 6.6 | 39 | 1 | 1 | 4 | 10 | 15 | 20 | 33 |
| **2. MULTIPLE DX** | 1157 | 9.7 | 149 | 1 | 1 | 6 | 12 | 22 | 35 | 78 |
| **A. NOT OPERATED** | 851 | 5.3 | 48 | 1 | 1 | 3 | 6 | 12 | 17 | 32 |
| **B. OPERATED** | 913 | 11.8 | 153 | 2 | 2 | 9 | 14 | 26 | 39 | 79 |
| TOTAL 0-19 YRS | 1225 | 7.7 | 102 | 1 | 1 | 4 | 9 | 17 | 26 | 65 |
| 20-34 | 228 | 11.2 | 147 | 2 | 2 | 9 | 14 | 22 | 38 | 73 |
| 35-49 | 140 | 10.3 | 117 | 2 | 2 | 8 | 13 | 22 | 29 | 50 |
| 50-64 | 89 | 11.4 | 108 | 2 | 2 | 10 | 17 | 24 | 38 | 99+ |
| 65+ | 82 | 11.0 | 143 | 1 | 2 | 8 | 13 | 24 | 38 | 90 |
| **GRAND TOTAL** | **1764** | **8.7** | **113** | **1** | **1** | **5** | **11** | **19** | **29** | **69** |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 546 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| 20-34 | 7 | 4.4 | 3 | 1 | 2 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 6 | 4.0 | 5 | <1 | <1 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 8 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2125 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 639 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 379 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 6 | 10 |
| 50-64 | 533 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 10 |
| 65+ | 534 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 1.9 | 15 | <1 | <1 | 1 | 1 | 3 | 5 | 10 |
| 20-34 | 19 | 2.9 | 5 | <1 | <1 | 2 | 5 | 7 | 8 | 8 |
| 35-49 | 8 | 3.8 | 8 | 1 | 1 | 3 | 7 | 7 | 7 | 7 |
| 50-64 | 17 | 3.6 | 11 | 1 | 1 | 3 | 4 | 9 | 11 | 12 |
| 65+ | 23 | 4.4 | 37 | <1 | 1 | 2 | 4 | 12 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 624 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 227 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 198 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 511 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 747 | 3.3 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 570 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| B. *Operated* | 4210 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 229 | 2.4 | 16 | <1 | <1 | 1 | 2 | 5 | 7 | 16 |
| B. *Operated* | 2307 | 3.2 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| **1. SINGLE DX** | 4780 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 2536 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 799 | 1.7 | 6 | <1 | <1 | 1 | 1 | 3 | 5 | 11 |
| **B. OPERATED** | 6517 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| TOTAL 0-19 YRS | 3457 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 892 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 591 | 3.1 | 4 | 1 | 1 | 3 | 3 | 5 | 7 | 12 |
| 50-64 | 1069 | 3.1 | 4 | 1 | 2 | 3 | 3 | 5 | 6 | 12 |
| 65+ | 1307 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| **GRAND TOTAL** | **7316** | **2.6** | **4** | **<1** | **1** | **2** | **3** | **4** | **6** | **10** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 173 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 20-34 | 71 | 3.3 | 5 | 1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 35-49 | 58 | 4.4 | 14 | <1 | 1 | 3 | 6 | 10 | 13 | 17 |
| 50-64 | 33 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 12 |
| 65+ | 22 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1626 | 4.6 | 22 | 1 | 1 | 2 | 7 | 10 | 12 | 20 |
| 20-34 | 476 | 6.0 | 34 | 1 | 2 | 4 | 9 | 12 | 16 | 24 |
| 35-49 | 310 | 6.6 | 35 | 1 | 2 | 4 | 10 | 14 | 17 | 27 |
| 50-64 | 210 | 6.5 | 44 | 1 | 2 | 3 | 10 | 14 | 17 | 35 |
| 65+ | 64 | 5.8 | 27 | 1 | 2 | 3 | 9 | 13 | 18 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 750 | 5.3 | 42 | 1 | 1 | 4 | 6 | 10 | 15 | 34 |
| 20-34 | 288 | 6.2 | 47 | 1 | 2 | 4 | 7 | 11 | 18 | 41 |
| 35-49 | 196 | 7.2 | 81 | 1 | 2 | 5 | 9 | 14 | 17 | 48 |
| 50-64 | 179 | 8.0 | 54 | 2 | 2 | 6 | 11 | 16 | 21 | 34 |
| 65+ | 273 | 7.7 | 34 | 2 | 2 | 6 | 9 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2007 | 7.2 | 90 | 1 | 1 | 3 | 9 | 15 | 24 | 60 |
| 20-34 | 478 | 9.2 | 127 | 2 | 2 | 5 | 11 | 20 | 31 | 58 |
| 35-49 | 384 | 9.1 | 99 | 2 | 2 | 7 | 12 | 22 | 30 | 72 |
| 50-64 | 388 | 9.5 | 109 | 2 | 2 | 7 | 12 | 21 | 26 | 82 |
| 65+ | 252 | 12.8 | 159 | 2 | 2 | 10 | 17 | 28 | 34 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 357 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| B. *Operated* | 2686 | 5.3 | 28 | 1 | 1 | 3 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1686 | 6.4 | 49 | 1 | 1 | 4 | 8 | 13 | 17 | 35 |
| B. *Operated* | 3509 | 8.4 | 105 | 1 | 2 | 5 | 11 | 18 | 27 | 58 |
| **1. SINGLE DX** | 3043 | 5.1 | 26 | 1 | 1 | 3 | 8 | 11 | 13 | 23 |
| **2. MULTIPLE DX** | 5195 | 7.7 | 88 | 1 | 2 | 5 | 10 | 16 | 25 | 51 |
| **A. NOT OPERATED** | 2043 | 5.9 | 43 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| **B. OPERATED** | 6195 | 7.0 | 74 | 1 | 1 | 4 | 9 | 15 | 22 | 46 |
| TOTAL 0-19 YRS | 4556 | 5.8 | 56 | 1 | 1 | 3 | 8 | 12 | 17 | 42 |
| 20-34 | 1313 | 7.0 | 72 | 1 | 2 | 4 | 9 | 14 | 21 | 48 |
| 35-49 | 948 | 7.6 | 71 | 1 | 2 | 5 | 10 | 16 | 23 | 49 |
| 50-64 | 810 | 8.2 | 78 | 2 | 2 | 5 | 11 | 17 | 24 | 37 |
| 65+ | 611 | 9.5 | 92 | 2 | 2 | 7 | 12 | 19 | 27 | 43 |
| **GRAND TOTAL** | **8238** | **6.7** | **66** | **1** | **1** | **4** | **9** | **14** | **20** | **43** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.7 | 17 | <1 | <1 | 1 | 2 | 5 | 12 | 20 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1401 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 58 | 3.3 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 21 | 3.6 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 6 | 4.5 | 11 | 1 | 1 | 3 | 8 | 9 | 9 | 9 |
| 65+ | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.4 | 16 | <1 | <1 | 1 | 2 | 6 | 8 | 24 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 828 | 4.5 | 15 | 1 | 2 | 4 | 5 | 7 | 9 | 21 |
| 20-34 | 73 | 4.3 | 32 | 1 | 2 | 3 | 5 | 6 | 8 | 40 |
| 35-49 | 14 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 3 | 11.0 | 84 | 3 | 3 | 9 | 18 | 21 | 21 | 21 |
| 65+ | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.7 | 17 | <1 | <1 | 1 | 2 | 5 | 12 | 20 |
| B. *Operated* | 1490 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 2.4 | 16 | <1 | <1 | 1 | 2 | 6 | 8 | 24 |
| B. *Operated* | 921 | 4.5 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 22 |
| **1. SINGLE DX** | 1511 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 1026 | 4.3 | 17 | 1 | 1 | 4 | 5 | 7 | 9 | 22 |
| **A. NOT OPERATED** | 126 | 2.4 | 16 | <1 | <1 | 1 | 2 | 6 | 8 | 23 |
| **B. OPERATED** | 2411 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 2352 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 133 | 3.8 | 19 | 1 | 2 | 3 | 4 | 6 | 7 | 21 |
| 35-49 | 35 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 9 | 9 |
| 50-64 | 9 | 6.7 | 38 | 1 | 1 | 4 | 9 | 16 | 21 | 21 |
| 65+ | 8 | 4.6 | 10 | <1 | 1 | 4 | 7 | 9 | 10 | 10 |
| **GRAND TOTAL** | **2537** | **4.2** | **10** | **1** | **2** | **4** | **5** | **7** | **8** | **13** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1217 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 276 | 5.9 | 11 | 3 | 3 | 5 | 7 | 10 | 13 | 18 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| B. *Operated* | 1217 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 276 | 5.9 | 11 | 3 | 3 | 5 | 7 | 10 | 13 | 18 |
| **1. SINGLE DX** | 1320 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 348 | 5.6 | 11 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| **A. NOT OPERATED** | 175 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| **B. OPERATED** | 1493 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 1668 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1668** | **4.3** | **7** | **2** | **2** | **4** | **5** | **7** | **9** | **14** |

### 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 399 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 50 | 3.9 | 19 | 1 | 1 | 3 | 5 | 7 | 11 | 28 |
| 35-49 | 28 | 4.9 | 26 | 1 | 1 | 3 | 5 | 12 | 17 | 22 |
| 50-64 | 30 | 4.5 | 36 | <1 | <1 | 3 | 5 | 8 | 11 | 33 |
| 65+ | 31 | 3.3 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1021 | 4.3 | 24 | <1 | <1 | 3 | 5 | 9 | 14 | 23 |
| 20-34 | 339 | 4.6 | 15 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 35-49 | 125 | 5.8 | 52 | 1 | 1 | 4 | 8 | 12 | 15 | 42 |
| 50-64 | 114 | 5.1 | 16 | 1 | 1 | 4 | 8 | 11 | 13 | 17 |
| 65+ | 86 | 7.8 | 57 | 1 | 2 | 5 | 10 | 18 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 304 | 5.5 | 63 | <1 | 1 | 4 | 7 | 11 | 16 | 45 |
| 20-34 | 63 | 5.5 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 35-49 | 82 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 13 | 16 |
| 50-64 | 129 | 6.3 | 28 | 1 | 2 | 5 | 8 | 11 | 20 | 27 |
| 65+ | 230 | 6.8 | 28 | 1 | 2 | 5 | 8 | 13 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 752 | 8.4 | 118 | 1 | 2 | 5 | 10 | 18 | 29 | 64 |
| 20-34 | 340 | 7.5 | 36 | 1 | 2 | 6 | 10 | 15 | 19 | 28 |
| 35-49 | 212 | 9.3 | 91 | 2 | 2 | 7 | 11 | 17 | 21 | 62 |
| 50-64 | 256 | 11.0 | 88 | 2 | 2 | 9 | 15 | 21 | 29 | 42 |
| 65+ | 268 | 14.9 | 156 | 2 | 3 | 12 | 19 | 30 | 40 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 538 | 2.9 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |
| B. *Operated* | 1685 | 4.7 | 26 | <1 | 1 | 3 | 6 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 808 | 5.9 | 39 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| B. *Operated* | 1828 | 9.7 | 106 | 1 | 2 | 7 | 12 | 20 | 29 | 57 |
| **1. SINGLE DX** | 2223 | 4.3 | 23 | <1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | 2636 | 8.5 | 89 | 1 | 2 | 6 | 10 | 18 | 25 | 51 |
| **A. NOT OPERATED** | 1346 | 4.7 | 30 | <1 | 1 | 3 | 6 | 10 | 13 | 26 |
| **B. OPERATED** | 3513 | 7.3 | 74 | 1 | 1 | 5 | 9 | 16 | 21 | 45 |
| TOTAL 0-19 YRS | 2476 | 5.4 | 59 | <1 | 1 | 3 | 6 | 11 | 17 | 41 |
| 20-34 | 792 | 5.9 | 26 | 1 | 1 | 4 | 8 | 12 | 16 | 25 |
| 35-49 | 447 | 7.2 | 66 | 1 | 2 | 5 | 9 | 14 | 19 | 44 |
| 50-64 | 529 | 8.2 | 62 | 1 | 2 | 6 | 11 | 17 | 22 | 39 |
| 65+ | 615 | 10.3 | 103 | 1 | 2 | 7 | 13 | 22 | 29 | 51 |
| **GRAND TOTAL** | 4859 | 6.6 | 63 | <1 | 1 | 4 | 8 | 14 | 20 | 40 |

### 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 7 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2893 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 305 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 63 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 50-64 | 18 | 3.9 | 5 | 2 | 2 | 3 | 5 | 7 | 9 | 10 |
| 65+ | 4 | 5.0 | 8 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 9 |
| 20-34 | 8 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2545 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 288 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 96 | 4.0 | 4 | 1 | 2 | 3 | 5 | 8 | 8 | 11 |
| 50-64 | 37 | 4.4 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 15 | 5.7 | 15 | 2 | 2 | 6 | 7 | 10 | 15 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 3283 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 1.7 | 3 | <1 | <1 | 1 | 1 | 4 | 5 | 9 |
| B. *Operated* | 2981 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **1. SINGLE DX** | 3335 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 3116 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **A. NOT OPERATED** | 187 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| **B. OPERATED** | 6264 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 5604 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 608 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 161 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 58 | 4.3 | 9 | 2 | 2 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 20 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 13 | 17 |
| **GRAND TOTAL** | 6451 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 63 | 3.1 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 35-49 | 39 | 3.9 | 13 | <1 | <1 | 3 | 5 | 8 | 9 | 21 |
| 50-64 | 45 | 4.1 | 11 | 1 | 1 | 3 | 5 | 6 | 10 | 19 |
| 65+ | 34 | 5.2 | 20 | 1 | 1 | 3 | 10 | 12 | 15 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2093 | 4.9 | 17 | <1 | 1 | 4 | 8 | 10 | 12 | 17 |
| 20-34 | 941 | 4.3 | 16 | <1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 297 | 5.1 | 18 | 1 | 1 | 4 | 7 | 9 | 13 | 22 |
| 50-64 | 153 | 5.0 | 17 | <1 | 1 | 4 | 8 | 10 | 13 | 21 |
| 65+ | 100 | 6.1 | 28 | 1 | 2 | 4 | 9 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 3.4 | 41 | <1 | <1 | 2 | 3 | 7 | 10 | 36 |
| 20-34 | 163 | 4.4 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 179 | 5.5 | 15 | 1 | 2 | 4 | 7 | 10 | 14 | 20 |
| 50-64 | 177 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 180 | 8.1 | 48 | 2 | 3 | 6 | 9 | 17 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1531 | 5.4 | 28 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 20-34 | 1221 | 5.6 | 20 | 1 | 1 | 5 | 7 | 10 | 14 | 22 |
| 35-49 | 602 | 7.3 | 42 | 1 | 2 | 6 | 9 | 14 | 20 | 33 |
| 50-64 | 527 | 8.2 | 51 | 1 | 2 | 6 | 11 | 17 | 22 | 35 |
| 65+ | 374 | 10.1 | 92 | 1 | 2 | 7 | 14 | 21 | 27 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 279 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | 3584 | 4.8 | 17 | <1 | 1 | 3 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 893 | 5.5 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 4255 | 6.5 | 38 | 1 | 1 | 5 | 8 | 13 | 18 | 31 |
| **1. SINGLE DX** | 3863 | 4.7 | 17 | <1 | 1 | 3 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 5148 | 6.3 | 37 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 1172 | 5.0 | 27 | <1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **B. OPERATED** | 7839 | 5.7 | 29 | <1 | 1 | 4 | 8 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 3916 | 5.0 | 23 | <1 | 1 | 3 | 7 | 11 | 13 | 20 |
| 20-34 | 2388 | 4.9 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 1117 | 6.3 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 26 |
| 50-64 | 902 | 7.0 | 40 | 1 | 2 | 5 | 9 | 15 | 20 | 30 |
| 65+ | 688 | 8.7 | 70 | 1 | 2 | 6 | 11 | 18 | 25 | 51 |
| **GRAND TOTAL** | 9011 | 5.6 | 29 | <1 | 1 | 4 | 8 | 12 | 15 | 26 |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1320 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 135 | 5.7 | 11 | 2 | 3 | 5 | 7 | 10 | 13 | 17 |
| 35-49 | 51 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 37 | 4.5 | 4 | 2 | 2 | 5 | 5 | 7 | 9 | 10 |
| 65+ | 13 | 5.2 | 6 | <1 | 2 | 5 | 6 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 7 |
| 20-34 | 6 | 5.1 | 54 | 1 | 1 | 1 | 9 | 17 | 17 | 17 |
| 35-49 | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 50-64 | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 65+ | 3 | 9.0 | 13 | 6 | 6 | 8 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 713 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 292 | 4.9 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 17 |
| 35-49 | 196 | 5.1 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 252 | 5.6 | 27 | 2 | 3 | 5 | 6 | 8 | 13 | 24 |
| 65+ | 105 | 6.1 | 24 | 2 | 3 | 5 | 7 | 10 | 11 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| B. *Operated* | 1556 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 2.0 | 9 | <1 | <1 | 1 | 1 | 5 | 7 | 17 |
| B. *Operated* | 1558 | 4.9 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| **1. SINGLE DX** | 1613 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1649 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **A. NOT OPERATED** | 148 | 1.9 | 7 | <1 | <1 | 1 | 1 | 4 | 6 | 17 |
| **B. OPERATED** | 3114 | 4.4 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 2159 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 437 | 5.2 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 250 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 295 | 5.4 | 24 | 2 | 2 | 5 | 6 | 8 | 12 | 24 |
| 65+ | 121 | 6.1 | 22 | 2 | 3 | 5 | 7 | 10 | 11 | 27 |
| **GRAND TOTAL** | 3262 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 707 | 3.3 | 23 | <1 | <1 | 2 | 3 | 7 | 10 | 26 |
| 20-34 | 198 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 35-49 | 175 | 6.6 | 32 | 1 | 2 | 5 | 8 | 13 | 20 | 28 |
| 50-64 | 155 | 7.2 | 26 | 1 | 2 | 6 | 10 | 13 | 18 | 23 |
| 65+ | 75 | 8.4 | 52 | 2 | 2 | 6 | 10 | 19 | 24 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4780 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 20-34 | 2233 | 4.1 | 17 | <1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 35-49 | 1200 | 5.0 | 26 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| 50-64 | 685 | 6.5 | 35 | 1 | 2 | 4 | 9 | 14 | 19 | 28 |
| 65+ | 222 | 7.6 | 54 | 1 | 2 | 5 | 10 | 17 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 821 | 4.7 | 29 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 20-34 | 402 | 6.4 | 28 | 1 | 1 | 5 | 8 | 13 | 16 | 27 |
| 35-49 | 388 | 7.0 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| 50-64 | 443 | 8.2 | 33 | 2 | 3 | 7 | 11 | 15 | 20 | 30 |
| 65+ | 424 | 9.3 | 59 | 2 | 3 | 8 | 12 | 18 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1767 | 6.5 | 59 | 1 | 2 | 4 | 7 | 14 | 20 | 44 |
| 20-34 | 1157 | 6.0 | 39 | 1 | 1 | 4 | 8 | 13 | 18 | 34 |
| 35-49 | 976 | 8.2 | 65 | 1 | 2 | 6 | 11 | 18 | 22 | 40 |
| 50-64 | 917 | 9.6 | 71 | 2 | 2 | 7 | 13 | 19 | 25 | 44 |
| 65+ | 426 | 13.1 | 171 | 2 | 2 | 10 | 16 | 30 | 38 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1310 | 4.7 | 28 | <1 | 1 | 3 | 6 | 10 | 14 | 27 |
| B. *Operated* | 9120 | 4.6 | 22 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2478 | 6.7 | 37 | 1 | 1 | 5 | 9 | 14 | 18 | 29 |
| B. *Operated* | 5243 | 7.8 | 71 | 1 | 2 | 5 | 10 | 17 | 23 | 44 |
| **1. SINGLE DX** | 10430 | 4.6 | 23 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | 7721 | 7.5 | 60 | 1 | 2 | 5 | 10 | 16 | 22 | 40 |
| **A. NOT OPERATED** | 3788 | 6.0 | 34 | <1 | 1 | 4 | 8 | 13 | 17 | 28 |
| **B. OPERATED** | 14363 | 5.8 | 42 | 1 | 1 | 3 | 7 | 13 | 17 | 33 |
| TOTAL 0-19 YRS | 8075 | 4.8 | 30 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| 20-34 | 3990 | 4.9 | 25 | <1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 35-49 | 2739 | 6.5 | 42 | 1 | 1 | 4 | 9 | 14 | 18 | 31 |
| 50-64 | 2200 | 8.2 | 51 | 1 | 2 | 6 | 11 | 17 | 22 | 36 |
| 65+ | 1147 | 10.3 | 104 | 2 | 2 | 8 | 13 | 22 | 29 | 55 |
| **GRAND TOTAL** | 18151 | 5.8 | 41 | 1 | 1 | 4 | 7 | 13 | 17 | 32 |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6533 | 3.8 | 23 | 1 | 1 | 2 | 4 | 7 | 13 | 27 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 6.3 | 79 | <1 | 1 | 3 | 6 | 14 | 27 | 43 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3756 | 9.3 | 125 | 1 | 2 | 5 | 12 | 23 | 33 | 60 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 16.3 | 369 | 1 | 2 | 10 | 22 | 51 | 95 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6533 | 3.8 | 23 | 1 | 1 | 2 | 4 | 7 | 13 | 27 |
| B. *Operated* | 132 | 6.3 | 79 | <1 | 1 | 3 | 6 | 14 | 27 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3756 | 9.3 | 125 | 1 | 2 | 5 | 12 | 23 | 33 | 60 |
| B. *Operated* | 355 | 16.3 | 369 | 1 | 2 | 10 | 22 | 51 | 95 | 99+ |
| **1. SINGLE DX** | 6665 | 3.8 | 24 | 1 | 1 | 2 | 4 | 7 | 13 | 27 |
| **2. MULTIPLE DX** | 4111 | 9.9 | 150 | 1 | 2 | 5 | 13 | 25 | 36 | 81 |
| **A. NOT OPERATED** | 10289 | 5.8 | 67 | 1 | 1 | 2 | 5 | 14 | 23 | 42 |
| **B. OPERATED** | 487 | 13.6 | 310 | 1 | 2 | 7 | 18 | 42 | 66 | 99+ |
| TOTAL 0-19 YRS | 10776 | 6.1 | 81 | 1 | 1 | 3 | 6 | 15 | 24 | 48 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 10776 | 6.1 | 81 | 1 | 1 | 3 | 6 | 15 | 24 | 48 |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6888 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 3139 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 1588 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 1216 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 915 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 5.8 | 59 | 2 | 2 | 3 | 7 | 10 | 13 | 49 |
| 20-34 | 123 | 6.2 | 35 | 1 | 2 | 5 | 9 | 12 | 15 | 31 |
| 35-49 | 75 | 5.4 | 15 | 2 | 2 | 4 | 7 | 12 | 14 | 19 |
| 50-64 | 77 | 6.5 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 28 |
| 65+ | 41 | 7.4 | 40 | 2 | 3 | 6 | 8 | 17 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8210 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 3571 | 5.5 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| 35-49 | 3326 | 6.0 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 4213 | 6.8 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 65+ | 4934 | 8.5 | 66 | 2 | 3 | 6 | 10 | 16 | 22 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 8.9 | 96 | 1 | 2 | 6 | 11 | 19 | 28 | 59 |
| 20-34 | 324 | 9.5 | 125 | 1 | 2 | 7 | 11 | 17 | 26 | 63 |
| 35-49 | 363 | 11.5 | 122 | 2 | 3 | 9 | 14 | 22 | 31 | 62 |
| 50-64 | 393 | 13.1 | 134 | 3 | 3 | 10 | 17 | 27 | 34 | 77 |
| 65+ | 436 | 16.4 | 201 | 4 | 5 | 13 | 21 | 34 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13746 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 403 | 6.1 | 34 | 2 | 2 | 4 | 7 | 11 | 15 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24254 | 5.8 | 34 | 1 | 2 | 4 | 7 | 12 | 15 | 29 |
| B. *Operated* | 1728 | 12.4 | 149 | 2 | 3 | 9 | 15 | 26 | 38 | 83 |
| **1. SINGLE DX** | 14149 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 25982 | 6.3 | 45 | 1 | 2 | 4 | 8 | 13 | 17 | 34 |
| **A. NOT OPERATED** | 38000 | 5.0 | 27 | 1 | 1 | 4 | 6 | 10 | 13 | 26 |
| **B. OPERATED** | 2131 | 11.2 | 134 | 2 | 2 | 8 | 14 | 24 | 33 | 71 |
| TOTAL 0-19 YRS | 15397 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 20-34 | 7157 | 5.0 | 26 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 35-49 | 5352 | 5.9 | 31 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |
| 50-64 | 5899 | 6.8 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| 65+ | 6326 | 8.5 | 74 | 2 | 2 | 6 | 10 | 17 | 24 | 50 |
| **GRAND TOTAL** | 40131 | 5.4 | 34 | 1 | 1 | 4 | 6 | 11 | 15 | 29 |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2282 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 605 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 317 | 5.0 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 50-64 | 348 | 5.5 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 464 | 6.5 | 37 | 2 | 2 | 5 | 8 | 11 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 15 | 28 |
| 20-34 | 77 | 10.1 | 43 | 3 | 4 | 8 | 12 | 18 | 26 | 32 |
| 35-49 | 50 | 13.0 | 171 | 3 | 3 | 9 | 16 | 28 | 50 | 63 |
| 50-64 | 63 | 13.0 | 73 | 3 | 4 | 11 | 16 | 26 | 29 | 43 |
| 65+ | 47 | 11.9 | 57 | 2 | 3 | 11 | 16 | 21 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3376 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1181 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 35-49 | 923 | 6.3 | 19 | 2 | 2 | 5 | 8 | 12 | 14 | 20 |
| 50-64 | 1649 | 6.8 | 25 | 2 | 3 | 5 | 8 | 12 | 16 | 25 |
| 65+ | 3062 | 8.4 | 47 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 8.3 | 51 | 2 | 2 | 6 | 11 | 18 | 26 | 42 |
| 20-34 | 211 | 11.6 | 151 | 3 | 3 | 9 | 14 | 21 | 26 | 94 |
| 35-49 | 207 | 13.5 | 123 | 3 | 4 | 11 | 16 | 27 | 30 | 65 |
| 50-64 | 369 | 12.9 | 85 | 2 | 4 | 11 | 17 | 24 | 33 | 44 |
| 65+ | 518 | 17.4 | 216 | 3 | 5 | 13 | 21 | 40 | 54 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4016 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 285 | 10.9 | 76 | 2 | 3 | 9 | 14 | 22 | 27 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10191 | 6.0 | 28 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |
| B. *Operated* | 1443 | 14.0 | 152 | 3 | 4 | 11 | 17 | 28 | 39 | 67 |
| **1. SINGLE DX** | 4301 | 4.6 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 11634 | 7.0 | 50 | 2 | 2 | 5 | 8 | 14 | 19 | 37 |
| **A. NOT OPERATED** | 14207 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **B. OPERATED** | 1728 | 13.5 | 141 | 3 | 3 | 10 | 16 | 27 | 37 | 65 |
| TOTAL 0-19 YRS | 5844 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 2074 | 6.0 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 35-49 | 1497 | 7.2 | 45 | 2 | 2 | 5 | 9 | 13 | 18 | 32 |
| 50-64 | 2429 | 7.7 | 40 | 2 | 3 | 6 | 10 | 15 | 20 | 33 |
| 65+ | 4091 | 9.3 | 77 | 2 | 3 | 7 | 11 | 18 | 25 | 53 |
| **GRAND TOTAL** | 15935 | 6.3 | 43 | 1 | 2 | 4 | 8 | 13 | 17 | 34 |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1402 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2734 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 1480 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 660 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 267 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 20-34 | 271 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 224 | 5.5 | 17 | 2 | 2 | 4 | 7 | 11 | 14 | 19 |
| 50-64 | 134 | 5.2 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 14 |
| 65+ | 59 | 6.3 | 35 | 1 | 2 | 4 | 8 | 14 | 16 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1331 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 3439 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 2746 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 50-64 | 1950 | 6.1 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 1451 | 6.7 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 5.4 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 20-34 | 371 | 7.5 | 29 | 2 | 2 | 6 | 10 | 15 | 18 | 31 |
| 35-49 | 398 | 8.5 | 41 | 2 | 2 | 7 | 11 | 17 | 22 | 29 |
| 50-64 | 348 | 8.1 | 32 | 2 | 2 | 7 | 11 | 16 | 20 | 26 |
| 65+ | 243 | 10.0 | 60 | 2 | 3 | 8 | 12 | 19 | 24 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6543 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 735 | 5.1 | 15 | 1 | 2 | 4 | 7 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10917 | 5.5 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 1413 | 8.3 | 39 | 2 | 2 | 7 | 11 | 15 | 21 | 31 |
| **1. SINGLE DX** | 7278 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 12330 | 5.8 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 17460 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 2148 | 7.2 | 33 | 2 | 2 | 6 | 9 | 14 | 18 | 28 |
| TOTAL 0-19 YRS | 2833 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 6815 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 4848 | 5.6 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 3092 | 6.0 | 22 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 2020 | 6.8 | 33 | 2 | 2 | 5 | 9 | 13 | 16 | 29 |
| **GRAND TOTAL** | **19608** | **5.1** | **18** | **1** | **2** | **4** | **6** | **10** | **13** | **22** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 271 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 408 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 10 |
| 50-64 | 727 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 778 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| 20-34 | 221 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 301 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | 526 | 5.1 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 456 | 5.2 | 13 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 249 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 20-34 | 198 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 484 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 1321 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 2308 | 5.4 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 11 |
| 20-34 | 146 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 274 | 6.1 | 13 | 2 | 2 | 5 | 8 | 10 | 13 | 19 |
| 50-64 | 718 | 6.5 | 20 | 2 | 3 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 989 | 7.4 | 37 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2343 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | 1687 | 4.7 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4560 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 2215 | 6.6 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| **1. SINGLE DX** | 4030 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | 6775 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 6903 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| **B. OPERATED** | 3902 | 5.8 | 20 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| TOTAL 0-19 YRS | 679 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 836 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1467 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 50-64 | 3292 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 4531 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| **GRAND TOTAL** | **10805** | **4.9** | **16** | **1** | **1** | **4** | **6** | **9** | **11** | **20** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 59th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 3.6 | 17 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 207 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 134 | 3.4 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 11 |
| 50-64 | 141 | 3.8 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 65+ | 129 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 979 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 12 |
| 20-34 | 1009 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 513 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 50-64 | 463 | 3.6 | 29 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 65+ | 256 | 3.8 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 291 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 17 |
| 20-34 | 411 | 4.6 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 388 | 4.8 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 50-64 | 600 | 5.9 | 50 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| 65+ | 1001 | 8.1 | 64 | 1 | 2 | 5 | 10 | 18 | 23 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 4.8 | 27 | 1 | 1 | 3 | 6 | 11 | 16 | 27 |
| 20-34 | 436 | 5.2 | 25 | 1 | 2 | 3 | 7 | 11 | 14 | 28 |
| 35-49 | 389 | 6.6 | 57 | 1 | 2 | 4 | 9 | 14 | 18 | 39 |
| 50-64 | 543 | 7.7 | 94 | 1 | 2 | 4 | 9 | 17 | 26 | 53 |
| 65+ | 448 | 10.8 | 183 | 1 | 2 | 6 | 13 | 26 | 40 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 853 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 3220 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2691 | 6.1 | 45 | 1 | 2 | 4 | 7 | 13 | 18 | 35 |
| B. *Operated* | 2058 | 7.3 | 88 | 1 | 2 | 4 | 9 | 16 | 25 | 54 |
| **1. SINGLE DX** | 4073 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 4749 | 6.6 | 64 | 1 | 2 | 4 | 8 | 14 | 21 | 42 |
| **A. NOT OPERATED** | 3544 | 5.5 | 38 | 1 | 1 | 4 | 6 | 11 | 16 | 32 |
| **B. OPERATED** | 5278 | 4.6 | 45 | <1 | 1 | 2 | 5 | 10 | 15 | 34 |
| TOTAL 0-19 YRS | 1754 | 3.1 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 2063 | 3.8 | 13 | <1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 35-49 | 1424 | 4.4 | 28 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 50-64 | 1747 | 5.7 | 57 | 1 | 1 | 3 | 6 | 11 | 17 | 37 |
| 65+ | 1834 | 7.9 | 88 | 1 | 2 | 5 | 10 | 18 | 25 | 49 |
| **GRAND TOTAL** | 8822 | 5.0 | 42 | 1 | 1 | 3 | 5 | 10 | 15 | 33 |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.9 | 37 | 3 | 4 | 10 | 16 | 20 | 20 | 20 |
| 20-34 | 10 | 4.0 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 9 | 10.2 | 60 | 2 | 3 | 8 | 12 | 23 | 28 | 28 |
| 50-64 | 25 | 13.7 | 167 | 3 | 5 | 11 | 14 | 27 | 40 | 66 |
| 65+ | 57 | 9.0 | 67 | 1 | 2 | 7 | 11 | 18 | 32 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 6.8 | 95 | 1 | 1 | 4 | 8 | 14 | 23 | 59 |
| 20-34 | 158 | 6.8 | 55 | 1 | 1 | 4 | 9 | 17 | 21 | 43 |
| 35-49 | 116 | 11.2 | 181 | 1 | 2 | 6 | 14 | 26 | 35 | 74 |
| 50-64 | 232 | 17.4 | 255 | 2 | 2 | 13 | 24 | 39 | 52 | 70 |
| 65+ | 569 | 18.5 | 216 | 3 | 5 | 14 | 24 | 38 | 49 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.7 | 34 | <1 | <1 | 6 | 13 | 16 | 17 | 17 |
| 20-34 | 15 | 6.6 | 27 | <1 | 1 | 4 | 12 | 14 | 15 | 15 |
| 35-49 | 42 | 13.4 | 109 | 3 | 4 | 10 | 15 | 27 | 41 | 46 |
| 50-64 | 130 | 13.1 | 155 | 2 | 3 | 10 | 16 | 24 | 29 | 73 |
| 65+ | 543 | 13.2 | 152 | 3 | 4 | 10 | 16 | 27 | 38 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 9.4 | 142 | 1 | 1 | 4 | 13 | 29 | 39 | 92 |
| 20-34 | 164 | 12.2 | 155 | 2 | 2 | 8 | 18 | 29 | 43 | 99+ |
| 35-49 | 292 | 20.3 | 309 | 2 | 3 | 15 | 28 | 46 | 56 | 87 |
| 50-64 | 1132 | 23.9 | 318 | 4 | 6 | 19 | 32 | 50 | 63 | 99 |
| 65+ | 3363 | 25.7 | 337 | 6 | 8 | 21 | 34 | 55 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 9.9 | 87 | 1 | 2 | 8 | 12 | 20 | 30 | 48 |
| B. *Operated* | 1158 | 15.1 | 212 | 2 | 2 | 11 | 20 | 34 | 45 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 740 | 13.0 | 146 | 2 | 4 | 10 | 16 | 25 | 37 | 72 |
| B. *Operated* | 5018 | 24.3 | 332 | 4 | 6 | 20 | 32 | 52 | 69 | 99+ |
| **1. SINGLE DX** | 1266 | 14.7 | 203 | 2 | 2 | 11 | 19 | 33 | 43 | 73 |
| **2. MULTIPLE DX** | 5758 | 22.9 | 323 | 3 | 6 | 18 | 30 | 49 | 66 | 99+ |
| **A. NOT OPERATED** | 848 | 12.6 | 140 | 2 | 3 | 9 | 15 | 25 | 35 | 69 |
| **B. OPERATED** | 6176 | 22.6 | 322 | 3 | 5 | 18 | 30 | 49 | 65 | 99+ |
| TOTAL 0-19 YRS | 167 | 8.0 | 108 | 1 | 1 | 4 | 10 | 21 | 28 | 72 |
| 20-34 | 347 | 9.3 | 107 | 1 | 2 | 5 | 12 | 23 | 29 | 65 |
| 35-49 | 459 | 17.2 | 270 | 2 | 2 | 12 | 24 | 40 | 51 | 86 |
| 50-64 | 1519 | 21.8 | 305 | 3 | 5 | 17 | 30 | 48 | 59 | 92 |
| 65+ | 4532 | 23.1 | 318 | 4 | 7 | 18 | 30 | 49 | 67 | 99+ |
| **GRAND TOTAL** | 7024 | 21.4 | 311 | 2 | 4 | 17 | 29 | 47 | 63 | 99+ |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 386 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 2653 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 7208 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 5982 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 2320 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.6 | 4 | 1 | 2 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 308 | 3.7 | 11 | 1 | 2 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 1855 | 3.2 | 6 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 2012 | 3.2 | 11 | 1 | 2 | 2 | 3 | 6 | 8 | 14 |
| 65+ | 382 | 3.8 | 22 | 1 | 2 | 2 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 454 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 4152 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 13883 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 18498 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 12742 | 5.5 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 5.9 | 39 | 1 | 1 | 4 | 8 | 12 | 19 | 32 |
| 20-34 | 481 | 5.8 | 20 | 2 | 2 | 4 | 8 | 12 | 14 | 22 |
| 35-49 | 2748 | 5.5 | 25 | 2 | 2 | 4 | 7 | 11 | 15 | 24 |
| 50-64 | 4379 | 5.6 | 27 | 2 | 2 | 4 | 8 | 12 | 16 | 25 |
| 65+ | 1504 | 8.3 | 65 | 2 | 2 | 6 | 11 | 17 | 22 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18549 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 4573 | 3.3 | 10 | 1 | 2 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49729 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 9148 | 6.0 | 33 | 2 | 2 | 4 | 8 | 13 | 17 | 27 |
| **1. SINGLE DX** | 23122 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 58877 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 68278 | 4.4 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 13721 | 5.1 | 27 | 1 | 2 | 3 | 7 | 11 | 15 | 24 |
| TOTAL 0-19 YRS | 892 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 7594 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 25694 | 4.2 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 30871 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 65+ | 16948 | 5.5 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| **GRAND TOTAL** | 81999 | 4.5 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1188 | 3.3 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 20-34 | 222 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 247 | 3.4 | 8 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 50-64 | 274 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 65+ | 352 | 5.3 | 36 | 1 | 1 | 4 | 7 | 10 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 4.8 | 68 | 1 | 1 | 2 | 5 | 9 | 11 | 54 |
| 20-34 | 169 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 35-49 | 312 | 4.1 | 12 | 1 | 1 | 3 | 6 | 9 | 10 | 21 |
| 50-64 | 541 | 4.1 | 11 | 1 | 1 | 3 | 5 | 9 | 10 | 17 |
| 65+ | 437 | 4.8 | 19 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1246 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 20-34 | 572 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 35-49 | 842 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 1959 | 6.9 | 41 | 1 | 2 | 5 | 9 | 14 | 17 | 32 |
| 65+ | 3297 | 7.9 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 9.5 | 171 | 1 | 1 | 5 | 10 | 20 | 37 | 68 |
| 20-34 | 255 | 6.4 | 33 | 1 | 2 | 5 | 8 | 14 | 16 | 23 |
| 35-49 | 562 | 6.8 | 49 | 1 | 2 | 5 | 8 | 14 | 19 | 33 |
| 50-64 | 1409 | 7.6 | 60 | 1 | 2 | 5 | 9 | 15 | 21 | 43 |
| 65+ | 1514 | 9.5 | 95 | 2 | 2 | 7 | 12 | 20 | 29 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2283 | 3.7 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| B. *Operated* | 1550 | 4.3 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7916 | 6.6 | 41 | 1 | 2 | 5 | 8 | 13 | 18 | 31 |
| B. *Operated* | 3853 | 8.2 | 78 | 1 | 2 | 6 | 10 | 17 | 23 | 45 |
| **1. SINGLE DX** | 3833 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 11769 | 7.1 | 52 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| **A. NOT OPERATED** | 10199 | 5.9 | 36 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| **B. OPERATED** | 5403 | 7.1 | 61 | 1 | 2 | 5 | 9 | 15 | 21 | 42 |
| TOTAL 0-19 YRS | 2638 | 4.1 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 1218 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 35-49 | 1963 | 5.3 | 27 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 4183 | 6.6 | 43 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 5600 | 7.9 | 61 | 1 | 2 | 6 | 10 | 16 | 21 | 41 |
| **GRAND TOTAL** | 15602 | 6.3 | 45 | 1 | 1 | 4 | 8 | 13 | 18 | 33 |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1392 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1390 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 944 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 633 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 742 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 345 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 353 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 350 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 393 | 7.5 | 31 | 1 | 2 | 6 | 10 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 317 | 3.5 | 22 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1081 | 3.4 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 1208 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 1474 | 4.5 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 65+ | 2656 | 7.0 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 751 | 2.6 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 524 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| 35-49 | 711 | 7.2 | 37 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| 50-64 | 1159 | 8.6 | 37 | 2 | 3 | 8 | 11 | 15 | 19 | 32 |
| 65+ | 2691 | 11.6 | 80 | 2 | 3 | 9 | 15 | 22 | 28 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4722 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 2183 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6736 | 5.2 | 29 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| B. *Operated* | 5836 | 8.8 | 62 | 1 | 2 | 7 | 12 | 18 | 23 | 40 |
| **1. SINGLE DX** | 6905 | 3.2 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 12572 | 6.9 | 47 | 1 | 1 | 5 | 9 | 14 | 19 | 34 |
| **A. NOT OPERATED** | 11458 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **B. OPERATED** | 8019 | 7.7 | 54 | 1 | 1 | 6 | 10 | 16 | 21 | 36 |
| TOTAL 0-19 YRS | 2173 | 2.4 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 3342 | 3.5 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 3662 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 50-64 | 3927 | 5.4 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 65+ | 6373 | 8.6 | 63 | 1 | 2 | 6 | 11 | 18 | 23 | 40 |
| **GRAND TOTAL** | 19477 | 5.6 | 37 | 1 | 1 | 4 | 7 | 12 | 17 | 30 |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9335 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 9560 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 4879 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 3312 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 2360 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1116 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 1820 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 12 | 18 |
| 35-49 | 828 | 5.3 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 475 | 6.1 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 252 | 7.1 | 28 | 1 | 2 | 6 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5484 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 9128 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 6645 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 7184 | 5.5 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 9266 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 802 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 2355 | 6.7 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| 35-49 | 1585 | 8.6 | 49 | 2 | 2 | 7 | 11 | 16 | 20 | 34 |
| 50-64 | 1412 | 9.4 | 49 | 2 | 3 | 8 | 12 | 18 | 23 | 35 |
| 65+ | 1323 | 11.6 | 84 | 3 | 4 | 9 | 15 | 22 | 29 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29446 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 4491 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37709 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 7477 | 8.2 | 50 | 2 | 2 | 6 | 10 | 16 | 21 | 35 |
| **1. SINGLE DX** | 33937 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 45186 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 67155 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 11968 | 7.0 | 39 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 16737 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 22863 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 13937 | 5.0 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 12383 | 5.6 | 21 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 13203 | 6.5 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **GRAND TOTAL** | 79123 | 4.6 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 866 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 546 | 3.4 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 412 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 433 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 544 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 20 |
| 20-34 | 206 | 5.3 | 34 | 1 | 1 | 4 | 6 | 10 | 15 | 32 |
| 35-49 | 195 | 5.2 | 23 | 1 | 1 | 3 | 7 | 12 | 14 | 25 |
| 50-64 | 222 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 16 | 29 |
| 65+ | 185 | 6.5 | 34 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1869 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 1344 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 1420 | 5.8 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 25 |
| 50-64 | 2265 | 6.4 | 34 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| 65+ | 4596 | 7.3 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 7.3 | 48 | 1 | 1 | 5 | 9 | 14 | 20 | 35 |
| 20-34 | 552 | 7.5 | 51 | 1 | 2 | 6 | 9 | 14 | 20 | 36 |
| 35-49 | 611 | 9.0 | 74 | 1 | 2 | 7 | 11 | 18 | 22 | 40 |
| 50-64 | 798 | 10.1 | 88 | 1 | 2 | 8 | 13 | 21 | 28 | 50 |
| 65+ | 1033 | 12.7 | 140 | 2 | 3 | 10 | 16 | 26 | 35 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2801 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 874 | 5.4 | 28 | 1 | 1 | 4 | 7 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11494 | 6.0 | 32 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| B. *Operated* | 3149 | 10.1 | 98 | 1 | 2 | 8 | 13 | 21 | 28 | 52 |
| **1. SINGLE DX** | 3675 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 14643 | 6.9 | 49 | 1 | 2 | 5 | 8 | 14 | 19 | 36 |
| **A. NOT OPERATED** | 14295 | 5.5 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 4023 | 9.1 | 87 | 1 | 2 | 7 | 11 | 19 | 26 | 47 |
| TOTAL 0-19 YRS | 2956 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 2648 | 4.9 | 26 | 1 | 1 | 3 | 6 | 9 | 13 | 25 |
| 35-49 | 2638 | 6.2 | 40 | 1 | 1 | 4 | 8 | 13 | 17 | 30 |
| 50-64 | 3718 | 6.8 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| 65+ | 6358 | 7.9 | 59 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |
| **GRAND TOTAL** | **18318** | **6.3** | **44** | **1** | **1** | **4** | **8** | **13** | **18** | **34** |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6185 | 4.0 | 24 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| 20-34 | 4668 | 4.4 | 30 | <1 | 1 | 3 | 5 | 8 | 12 | 26 |
| 35-49 | 3731 | 5.2 | 41 | 1 | 1 | 4 | 6 | 9 | 15 | 31 |
| 50-64 | 4339 | 5.4 | 42 | 1 | 1 | 4 | 6 | 11 | 15 | 32 |
| 65+ | 4863 | 6.1 | 45 | 1 | 2 | 4 | 7 | 12 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 562 | 3.3 | 18 | <1 | 1 | 2 | 3 | 7 | 10 | 16 |
| 20-34 | 1302 | 3.8 | 25 | 1 | 1 | 2 | 4 | 8 | 11 | 25 |
| 35-49 | 1182 | 4.1 | 23 | <1 | 1 | 2 | 5 | 9 | 13 | 24 |
| 50-64 | 1307 | 4.7 | 31 | 1 | 1 | 3 | 6 | 10 | 16 | 28 |
| 65+ | 851 | 6.4 | 62 | 1 | 1 | 3 | 8 | 14 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6519 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| 20-34 | 5728 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 6963 | 5.4 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 13414 | 6.4 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 29409 | 7.6 | 47 | 2 | 2 | 6 | 9 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 558 | 6.9 | 79 | 1 | 1 | 4 | 8 | 15 | 24 | 56 |
| 20-34 | 1339 | 5.9 | 51 | 1 | 1 | 4 | 7 | 12 | 17 | 43 |
| 35-49 | 1633 | 6.9 | 71 | 1 | 1 | 4 | 9 | 14 | 20 | 49 |
| 50-64 | 2870 | 9.4 | 112 | 1 | 2 | 6 | 12 | 21 | 30 | 74 |
| 65+ | 4302 | 12.7 | 155 | 2 | 3 | 9 | 16 | 27 | 40 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23786 | 5.0 | 36 | 1 | 1 | 3 | 6 | 9 | 14 | 31 |
| B. *Operated* | 5204 | 4.5 | 32 | 1 | 1 | 2 | 5 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62033 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| B. *Operated* | 10702 | 9.8 | 120 | 1 | 2 | 7 | 12 | 21 | 31 | 69 |
| **1. SINGLE DX** | 28990 | 4.9 | 36 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| **2. MULTIPLE DX** | 72735 | 7.1 | 51 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| **A. NOT OPERATED** | 85819 | 6.1 | 38 | 1 | 2 | 4 | 7 | 12 | 17 | 31 |
| **B. OPERATED** | 15906 | 8.0 | 98 | 1 | 2 | 5 | 10 | 18 | 26 | 58 |
| TOTAL 0-19 YRS | 13824 | 4.6 | 28 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| 20-34 | 13037 | 4.6 | 26 | 1 | 1 | 3 | 6 | 9 | 12 | 26 |
| 35-49 | 13509 | 5.4 | 33 | 1 | 1 | 4 | 7 | 10 | 14 | 28 |
| 50-64 | 21930 | 6.5 | 47 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 39425 | 8.0 | 62 | 2 | 2 | 6 | 10 | 16 | 22 | 43 |
| **GRAND TOTAL** | **101725** | **6.4** | **48** | **1** | **2** | **4** | **8** | **13** | **18** | **36** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1646 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 219 | 4.4 | 16 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 35-49 | 67 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 50-64 | 39 | 6.3 | 75 | 1 | 1 | 3 | 8 | 15 | 18 | 50 |
| 65+ | 32 | 6.3 | 28 | 1 | 1 | 5 | 8 | 14 | 19 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 6.2 | 56 | 1 | 2 | 5 | 7 | 10 | 13 | 35 |
| 20-34 | 131 | 8.7 | 57 | 2 | 3 | 7 | 10 | 14 | 24 | 45 |
| 35-49 | 39 | 8.8 | 49 | 2 | 3 | 7 | 12 | 17 | 23 | 34 |
| 50-64 | 25 | 11.0 | 95 | 2 | 4 | 9 | 12 | 19 | 26 | 52 |
| 65+ | 11 | 19.2 | 291 | 1 | 3 | 12 | 34 | 46 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1184 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 358 | 6.4 | 40 | 1 | 1 | 5 | 9 | 14 | 16 | 26 |
| 35-49 | 163 | 7.2 | 43 | 1 | 2 | 5 | 9 | 16 | 23 | 37 |
| 50-64 | 168 | 8.6 | 84 | 1 | 2 | 6 | 11 | 21 | 29 | 64 |
| 65+ | 152 | 12.0 | 143 | 2 | 2 | 8 | 16 | 25 | 32 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 466 | 13.4 | 231 | 1 | 2 | 8 | 18 | 36 | 59 | 99+ |
| 20-34 | 454 | 16.4 | 346 | 2 | 3 | 10 | 20 | 52 | 86 | 99+ |
| 35-49 | 182 | 16.2 | 236 | 2 | 3 | 11 | 20 | 43 | 52 | 99+ |
| 50-64 | 127 | 17.1 | 250 | 2 | 3 | 12 | 25 | 44 | 69 | 99+ |
| 65+ | 88 | 25.4 | 542 | 2 | 3 | 16 | 39 | 69 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2003 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| B. *Operated* | 464 | 7.7 | 68 | 2 | 2 | 6 | 9 | 13 | 20 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2025 | 5.7 | 45 | 1 | 1 | 4 | 7 | 12 | 18 | 33 |
| B. *Operated* | 1317 | 16.0 | 301 | 2 | 3 | 10 | 21 | 44 | 74 | 99+ |
| **1. SINGLE DX** | 2467 | 3.7 | 23 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 3342 | 9.7 | 172 | 1 | 1 | 5 | 11 | 25 | 42 | 99+ |
| **A. NOT OPERATED** | 4028 | 4.3 | 29 | 1 | 1 | 2 | 5 | 9 | 13 | 26 |
| **B. OPERATED** | 1781 | 13.8 | 254 | 2 | 2 | 8 | 17 | 38 | 59 | 99+ |
| TOTAL 0-19 YRS | 3554 | 4.6 | 55 | 1 | 1 | 2 | 5 | 9 | 15 | 46 |
| 20-34 | 1162 | 10.2 | 183 | 1 | 1 | 6 | 12 | 24 | 44 | 99+ |
| 35-49 | 451 | 10.6 | 138 | 1 | 2 | 7 | 13 | 26 | 39 | 98 |
| 50-64 | 359 | 11.5 | 159 | 1 | 2 | 8 | 14 | 30 | 43 | 99+ |
| 65+ | 283 | 15.8 | 305 | 1 | 2 | 9 | 21 | 42 | 56 | 93 |
| **GRAND TOTAL** | **5809** | **7.2** | **117** | **1** | **1** | **4** | **8** | **16** | **29** | **81** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 769 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 262 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 13 |
| 35-49 | 86 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 50-64 | 52 | 5.2 | 19 | 1 | 1 | 4 | 6 | 12 | 16 | 20 |
| 65+ | 27 | 7.7 | 31 | 1 | 1 | 7 | 12 | 15 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 8.1 | 79 | 2 | 2 | 6 | 9 | 13 | 25 | 51 |
| 20-34 | 78 | 7.4 | 106 | 2 | 2 | 6 | 8 | 15 | 35 | 99+ |
| 35-49 | 37 | 6.2 | 20 | 1 | 2 | 5 | 8 | 13 | 16 | 18 |
| 50-64 | 22 | 8.3 | 30 | 1 | 2 | 7 | 13 | 16 | 17 | 17 |
| 65+ | 14 | 12.2 | 60 | 4 | 5 | 9 | 17 | 23 | 26 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 770 | 5.1 | 32 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| 20-34 | 531 | 7.0 | 47 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |
| 35-49 | 230 | 7.6 | 68 | 1 | 2 | 5 | 10 | 14 | 23 | 38 |
| 50-64 | 173 | 9.3 | 65 | 1 | 3 | 7 | 12 | 21 | 24 | 40 |
| 65+ | 169 | 11.6 | 100 | 2 | 3 | 8 | 16 | 25 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 13.3 | 228 | 1 | 2 | 8 | 16 | 33 | 52 | 99+ |
| 20-34 | 391 | 15.5 | 252 | 2 | 3 | 10 | 20 | 45 | 58 | 99+ |
| 35-49 | 148 | 15.1 | 257 | 2 | 3 | 11 | 20 | 47 | 86 | 99+ |
| 50-64 | 102 | 18.5 | 304 | 2 | 3 | 14 | 26 | 43 | 55 | 98 |
| 65+ | 69 | 23.6 | 411 | 3 | 4 | 19 | 35 | 51 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1196 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| B. *Operated* | 257 | 7.8 | 74 | 2 | 2 | 6 | 9 | 16 | 23 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1873 | 6.9 | 53 | 1 | 1 | 5 | 9 | 15 | 21 | 37 |
| B. *Operated* | 1011 | 15.7 | 267 | 2 | 3 | 10 | 21 | 42 | 61 | 99+ |
| **1. SINGLE DX** | 1453 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 2884 | 10.0 | 146 | 1 | 2 | 6 | 12 | 24 | 37 | 84 |
| **A. NOT OPERATED** | 3069 | 5.6 | 39 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| **B. OPERATED** | 1268 | 14.1 | 238 | 2 | 2 | 9 | 18 | 37 | 54 | 99+ |
| TOTAL 0-19 YRS | 1946 | 5.7 | 67 | 1 | 1 | 3 | 6 | 12 | 19 | 48 |
| 20-34 | 1262 | 9.1 | 126 | 1 | 2 | 6 | 11 | 21 | 35 | 82 |
| 35-49 | 501 | 9.1 | 126 | 1 | 2 | 6 | 11 | 21 | 33 | 99+ |
| 50-64 | 349 | 11.3 | 148 | 1 | 2 | 7 | 15 | 25 | 33 | 64 |
| 65+ | 279 | 14.2 | 197 | 2 | 3 | 10 | 19 | 31 | 43 | 74 |
| **GRAND TOTAL** | **4337** | **8.1** | **112** | **1** | **1** | **5** | **10** | **18** | **29** | **70** |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 225 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 321 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 127 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 59 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 57 | 5.2 | 28 | <1 | 1 | 3 | 7 | 9 | 18 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4324 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 5252 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 1425 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 489 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 65+ | 243 | 5.2 | 26 | 1 | 1 | 3 | 7 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 818 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 345 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 256 | 5.0 | 49 | 1 | 1 | 4 | 6 | 10 | 13 | 29 |
| 65+ | 578 | 7.5 | 62 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2997 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 5321 | 5.1 | 31 | 1 | 1 | 4 | 6 | 10 | 13 | 30 |
| 35-49 | 1816 | 6.2 | 40 | 1 | 2 | 4 | 8 | 12 | 16 | 31 |
| 50-64 | 937 | 7.2 | 59 | 1 | 2 | 5 | 9 | 14 | 21 | 47 |
| 65+ | 673 | 11.0 | 143 | 2 | 2 | 7 | 14 | 24 | 34 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 789 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 11733 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2403 | 4.4 | 30 | <1 | 1 | 3 | 5 | 9 | 12 | 25 |
| B. *Operated* | 11744 | 5.6 | 41 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| **1. SINGLE DX** | 12522 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 14147 | 5.4 | 39 | 1 | 1 | 4 | 6 | 11 | 15 | 32 |
| **A. NOT OPERATED** | 3192 | 3.9 | 24 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 23477 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| TOTAL 0-19 YRS | 7952 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 11712 | 3.9 | 18 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 3713 | 4.7 | 26 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 50-64 | 1741 | 5.7 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 34 |
| 65+ | 1551 | 8.6 | 96 | 1 | 2 | 6 | 10 | 18 | 26 | 56 |
| **GRAND TOTAL** | 26669 | 4.1 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 999 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 20-34 | 1927 | 5.9 | 22 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| 35-49 | 960 | 6.5 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 1172 | 8.1 | 35 | 2 | 3 | 7 | 10 | 15 | 19 | 28 |
| 65+ | 1941 | 10.4 | 41 | 3 | 4 | 9 | 13 | 18 | 22 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 13.8 | 118 | 3 | 4 | 11 | 19 | 29 | 37 | 57 |
| 20-34 | 330 | 14.0 | 140 | 2 | 3 | 12 | 19 | 28 | 38 | 63 |
| 35-49 | 117 | 13.4 | 131 | 3 | 4 | 11 | 16 | 23 | 35 | 62 |
| 50-64 | 89 | 14.5 | 168 | 2 | 3 | 12 | 19 | 25 | 35 | 69 |
| 65+ | 73 | 19.1 | 185 | 4 | 6 | 17 | 22 | 37 | 50 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 813 | 6.3 | 35 | 1 | 2 | 5 | 7 | 12 | 17 | 30 |
| 20-34 | 1729 | 7.3 | 38 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| 35-49 | 1099 | 8.5 | 49 | 2 | 2 | 7 | 10 | 16 | 21 | 34 |
| 50-64 | 1918 | 10.8 | 68 | 3 | 3 | 9 | 14 | 20 | 26 | 42 |
| 65+ | 8122 | 13.1 | 81 | 3 | 5 | 11 | 16 | 24 | 30 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 325 | 14.0 | 167 | 2 | 3 | 10 | 18 | 30 | 43 | 99+ |
| 20-34 | 802 | 16.6 | 239 | 3 | 4 | 12 | 21 | 37 | 49 | 81 |
| 35-49 | 393 | 17.9 | 245 | 3 | 4 | 13 | 24 | 43 | 51 | 99+ |
| 50-64 | 399 | 18.9 | 209 | 4 | 5 | 15 | 25 | 40 | 48 | 86 |
| 65+ | 858 | 23.0 | 259 | 5 | 8 | 19 | 30 | 45 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6999 | 7.5 | 34 | 1 | 2 | 5 | 10 | 14 | 18 | 28 |
| B. *Operated* | 751 | 14.4 | 144 | 2 | 4 | 12 | 19 | 28 | 38 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13681 | 11.2 | 75 | 2 | 3 | 9 | 14 | 21 | 27 | 46 |
| B. *Operated* | 2777 | 18.8 | 242 | 3 | 5 | 14 | 25 | 40 | 53 | 97 |
| **1. SINGLE DX** | 7750 | 8.1 | 48 | 1 | 2 | 6 | 10 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | 16458 | 12.5 | 111 | 2 | 3 | 10 | 16 | 25 | 33 | 59 |
| **A. NOT OPERATED** | 20680 | 10.0 | 64 | 2 | 3 | 8 | 13 | 19 | 25 | 42 |
| **B. OPERATED** | 3528 | 17.9 | 225 | 3 | 4 | 14 | 23 | 38 | 49 | 91 |
| TOTAL 0-19 YRS | 2279 | 7.4 | 64 | 1 | 2 | 5 | 9 | 15 | 22 | 42 |
| 20-34 | 4788 | 8.7 | 88 | 1 | 2 | 6 | 10 | 18 | 25 | 51 |
| 35-49 | 2569 | 9.4 | 89 | 2 | 2 | 7 | 11 | 18 | 27 | 51 |
| 50-64 | 3578 | 10.9 | 86 | 2 | 3 | 8 | 14 | 21 | 28 | 49 |
| 65+ | 10994 | 13.4 | 98 | 3 | 5 | 11 | 17 | 25 | 32 | 57 |
| **GRAND TOTAL** | 24208 | 11.1 | 95 | 2 | 3 | 9 | 14 | 22 | 29 | 53 |

## 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 7.5 | 71 | 1 | 1 | 5 | 9 | 18 | 23 | 44 |
| 20-34 | 65 | 11.0 | 234 | 1 | 1 | 6 | 9 | 35 | 44 | 83 |
| 35-49 | 39 | 6.5 | 23 | 1 | 1 | 5 | 10 | 14 | 17 | 99+ |
| 50-64 | 35 | 10.1 | 56 | 2 | 3 | 8 | 13 | 21 | 26 | 32 |
| 65+ | 53 | 9.9 | 32 | 4 | 4 | 8 | 12 | 16 | 22 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 29.0 | 457 | 8 | 10 | 22 | 45 | 71 | 84 | 99+ |
| 20-34 | 72 | 21.3 | 270 | 4 | 5 | 16 | 31 | 50 | 59 | 99+ |
| 35-49 | 23 | 18.0 | 152 | 3 | 5 | 14 | 32 | 35 | 36 | 36 |
| 50-64 | 17 | 24.7 | 429 | 5 | 8 | 19 | 28 | 49 | 76 | 90 |
| 65+ | 9 | 31.8 | 795 | <1 | 4 | 26 | 44 | 76 | 94 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 16.7 | 611 | <1 | 1 | 9 | 13 | 61 | 81 | 88 |
| 20-34 | 79 | 11.0 | 203 | 1 | 2 | 7 | 13 | 29 | 55 | 99+ |
| 35-49 | 52 | 13.2 | 217 | 2 | 3 | 9 | 14 | 24 | 48 | 85 |
| 50-64 | 62 | 12.1 | 86 | 3 | 4 | 10 | 15 | 20 | 33 | 51 |
| 65+ | 216 | 14.0 | 119 | 4 | 5 | 11 | 16 | 24 | 43 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 38.1 | 586 | 9 | 11 | 36 | 58 | 95 | 99+ | 99+ |
| 20-34 | 179 | 39.9 | 744 | 6 | 10 | 39 | 77 | 99+ | 99+ | 99+ |
| 35-49 | 64 | 37.6 | 613 | 5 | 8 | 38 | 70 | 99+ | 99+ | 99+ |
| 50-64 | 44 | 39.8 | 629 | 8 | 14 | 40 | 74 | 99+ | 99+ | 99+ |
| 65+ | 53 | 32.0 | 515 | 6 | 9 | 27 | 49 | 96 | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 229 | 9.3 | 99 | 1 | 2 | 7 | 11 | 19 | 28 | 62 |
| B. *Operated* | 152 | 23.4 | 345 | 4 | 6 | 18 | 33 | 51 | 73 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 434 | 13.2 | 169 | 2 | 3 | 10 | 15 | 25 | 46 | 96 |
| B. *Operated* | 449 | 38.2 | 649 | 7 | 10 | 37 | 68 | 99+ | 99+ | 99+ |
| 1. SINGLE DX | 381 | 14.9 | 244 | 1 | 2 | 10 | 19 | 35 | 50 | 98 |
| 2. MULTIPLE DX | 883 | 25.9 | 569 | 3 | 5 | 18 | 44 | 83 | 99+ | 99+ |
| A. NOT OPERATED | 663 | 11.9 | 149 | 2 | 3 | 9 | 14 | 23 | 39 | 88 |
| B. OPERATED | 601 | 34.5 | 613 | 5 | 9 | 31 | 59 | 97 | 99+ | 99+ |
| TOTAL 0-19 YRS | 202 | 28.4 | 616 | 2 | 3 | 21 | 46 | 76 | 96 | 99+ |
| 20-34 | 395 | 26.0 | 638 | 2 | 3 | 18 | 50 | 88 | 99+ | 99+ |
| 35-49 | 178 | 21.1 | 469 | 2 | 3 | 13 | 35 | 73 | 99+ | 99+ |
| 50-64 | 158 | 20.7 | 420 | 3 | 4 | 14 | 28 | 58 | 91 | 99+ |
| 65+ | 331 | 16.7 | 239 | 4 | 5 | 12 | 20 | 41 | 57 | 99+ |
| GRAND TOTAL | 1264 | 22.6 | 496 | 2 | 4 | 15 | 35 | 73 | 99 | 99+ |

## 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 317 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 35-49 | 396 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 535 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 65+ | 596 | 6.1 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.1 | 24 | 2 | 2 | 4 | 7 | 14 | 18 | 18 |
| 20-34 | 24 | 6.8 | 44 | 1 | 1 | 5 | 8 | 18 | 24 | 27 |
| 35-49 | 19 | 6.6 | 25 | 2 | 2 | 5 | 8 | 13 | 17 | 20 |
| 50-64 | 21 | 7.7 | 35 | 1 | 2 | 6 | 9 | 16 | 23 | 24 |
| 65+ | 11 | 10.1 | 52 | 2 | 3 | 8 | 16 | 21 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 4.7 | 39 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 20-34 | 1329 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 1611 | 6.0 | 24 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 2515 | 7.0 | 28 | 1 | 2 | 6 | 9 | 13 | 17 | 28 |
| 65+ | 4955 | 9.6 | 64 | 2 | 3 | 8 | 12 | 18 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 10.9 | 174 | 2 | 3 | 7 | 12 | 23 | 37 | 82 |
| 20-34 | 594 | 10.5 | 105 | 2 | 3 | 7 | 12 | 23 | 32 | 53 |
| 35-49 | 571 | 10.9 | 94 | 2 | 3 | 8 | 13 | 22 | 31 | 50 |
| 50-64 | 633 | 13.7 | 154 | 3 | 4 | 10 | 17 | 28 | 41 | 66 |
| 65+ | 749 | 17.4 | 203 | 3 | 5 | 13 | 23 | 37 | 50 | 97 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1961 | 4.4 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 86 | 7.3 | 36 | 1 | 2 | 6 | 9 | 18 | 22 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 10786 | 7.7 | 46 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | 2712 | 13.3 | 153 | 2 | 3 | 9 | 17 | 29 | 40 | 70 |
| 1. SINGLE DX | 2047 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 2. MULTIPLE DX | 13500 | 8.8 | 73 | 2 | 2 | 7 | 11 | 18 | 24 | 47 |
| A. NOT OPERATED | 12749 | 7.2 | 43 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| B. OPERATED | 2798 | 13.1 | 151 | 2 | 3 | 9 | 16 | 28 | 39 | 70 |
| TOTAL 0-19 YRS | 671 | 5.9 | 74 | 1 | 1 | 4 | 7 | 12 | 16 | 45 |
| 20-34 | 2264 | 6.0 | 45 | 1 | 1 | 4 | 7 | 11 | 17 | 36 |
| 35-49 | 2597 | 6.7 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 3704 | 7.8 | 55 | 1 | 2 | 6 | 10 | 15 | 20 | 40 |
| 65+ | 6311 | 10.2 | 85 | 2 | 3 | 8 | 13 | 20 | 27 | 51 |
| GRAND TOTAL | 15547 | 8.3 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 44 |

1,421 Hospitals, United States, January–December 1981

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 451 | 6.3 | 35 | 1 | 2 | 5 | 8 | 12 | 17 | 35 |
| 20-34 | 425 | 9.2 | 96 | 2 | 2 | 6 | 10 | 17 | 28 | 54 |
| 35-49 | 223 | 9.3 | 50 | 1 | 2 | 8 | 12 | 17 | 21 | 37 |
| 50-64 | 433 | 10.9 | 80 | 2 | 3 | 8 | 13 | 20 | 28 | 48 |
| 65+ | 1651 | 13.1 | 76 | 3 | 5 | 11 | 17 | 23 | 28 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 17.1 | 303 | 2 | 3 | 14 | 24 | 37 | 57 | 80 |
| 20-34 | 38 | 24.8 | 286 | 4 | 6 | 21 | 35 | 49 | 57 | 66 |
| 35-49 | 28 | 28.1 | 253 | 9 | 11 | 23 | 36 | 47 | 64 | 69 |
| 50-64 | 22 | 30.5 | 400 | 3 | 6 | 28 | 47 | 62 | 67 | 68 |
| 65+ | 26 | 19.0 | 71 | 8 | 9 | 17 | 24 | 34 | 35 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 509 | 10.3 | 105 | 2 | 3 | 7 | 12 | 21 | 31 | 57 |
| 20-34 | 831 | 12.6 | 131 | 2 | 3 | 9 | 15 | 26 | 39 | 58 |
| 35-49 | 447 | 14.6 | 124 | 3 | 4 | 11 | 20 | 31 | 38 | 55 |
| 50-64 | 762 | 15.3 | 138 | 3 | 5 | 12 | 19 | 28 | 40 | 58 |
| 65+ | 4759 | 16.7 | 129 | 4 | 6 | 14 | 21 | 30 | 38 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 21.4 | 320 | 3 | 5 | 15 | 29 | 49 | 58 | 83 |
| 20-34 | 543 | 25.0 | 364 | 4 | 6 | 20 | 37 | 54 | 65 | 99+ |
| 35-49 | 237 | 27.0 | 362 | 5 | 7 | 21 | 39 | 55 | 67 | 96 |
| 50-64 | 263 | 29.4 | 410 | 5 | 8 | 24 | 40 | 62 | 74 | 99 |
| 65+ | 585 | 28.4 | 320 | 8 | 11 | 24 | 38 | 55 | 71 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3183 | 11.0 | 78 | 2 | 3 | 9 | 14 | 21 | 27 | 44 |
| B. *Operated* | 153 | 23.3 | 282 | 3 | 4 | 20 | 33 | 47 | 60 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7308 | 15.5 | 132 | 3 | 5 | 13 | 20 | 29 | 38 | 62 |
| B. *Operated* | 1934 | 26.3 | 356 | 5 | 7 | 21 | 38 | 54 | 67 | 99+ |
| **1. SINGLE DX** | 3336 | 11.6 | 94 | 2 | 3 | 9 | 15 | 23 | 29 | 49 |
| **2. MULTIPLE DX** | 9242 | 17.8 | 198 | 4 | 5 | 14 | 23 | 36 | 48 | 78 |
| **A. NOT OPERATED** | 10491 | 14.2 | 120 | 3 | 4 | 12 | 18 | 27 | 35 | 59 |
| **B. OPERATED** | 2087 | 26.1 | 351 | 5 | 7 | 21 | 37 | 54 | 66 | 96 |
| TOTAL 0-19 YRS | 1305 | 11.7 | 170 | 2 | 2 | 7 | 13 | 27 | 42 | 68 |
| 20-34 | 1837 | 15.7 | 236 | 2 | 3 | 10 | 20 | 39 | 50 | 78 |
| 35-49 | 935 | 16.9 | 216 | 3 | 4 | 12 | 22 | 39 | 49 | 77 |
| 50-64 | 1480 | 16.7 | 215 | 3 | 4 | 12 | 20 | 37 | 51 | 75 |
| 65+ | 7021 | 16.8 | 147 | 4 | 6 | 14 | 21 | 31 | 40 | 72 |
| **GRAND TOTAL** | **12578** | **16.1** | **178** | **3** | **4** | **12** | **20** | **33** | **45** | **74** |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 825 | 3.7 | 30 | <1 | 1 | 2 | 3 | 10 | 16 | 24 |
| 20-34 | 235 | 3.5 | 22 | <1 | 1 | 2 | 4 | 6 | 9 | 29 |
| 35-49 | 170 | 4.0 | 24 | 1 | 1 | 3 | 4 | 7 | 11 | 25 |
| 50-64 | 444 | 4.6 | 26 | 1 | 1 | 3 | 5 | 9 | 15 | 29 |
| 65+ | 1370 | 6.4 | 50 | 1 | 1 | 5 | 8 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4310 | 4.4 | 28 | 1 | 1 | 2 | 4 | 12 | 17 | 24 |
| 20-34 | 687 | 5.1 | 36 | 1 | 1 | 4 | 6 | 9 | 15 | 31 |
| 35-49 | 491 | 5.1 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 32 |
| 50-64 | 771 | 6.0 | 32 | 1 | 2 | 5 | 7 | 11 | 17 | 32 |
| 65+ | 1251 | 7.9 | 53 | 1 | 2 | 6 | 10 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 4.9 | 27 | 1 | 1 | 3 | 6 | 12 | 17 | 24 |
| 20-34 | 228 | 5.3 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 38 |
| 35-49 | 208 | 6.4 | 53 | 1 | 1 | 4 | 8 | 13 | 18 | 48 |
| 50-64 | 714 | 8.1 | 75 | 1 | 2 | 6 | 9 | 17 | 24 | 42 |
| 65+ | 3424 | 11.0 | 100 | 2 | 3 | 8 | 14 | 23 | 31 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1189 | 7.7 | 72 | 1 | 1 | 4 | 10 | 19 | 28 | 41 |
| 20-34 | 692 | 11.1 | 144 | 2 | 2 | 7 | 14 | 26 | 35 | 71 |
| 35-49 | 513 | 11.2 | 158 | 1 | 2 | 7 | 13 | 27 | 39 | 71 |
| 50-64 | 932 | 11.6 | 151 | 1 | 2 | 8 | 14 | 26 | 37 | 68 |
| 65+ | 2331 | 14.9 | 173 | 2 | 4 | 11 | 20 | 33 | 44 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3044 | 5.1 | 39 | 1 | 1 | 3 | 6 | 11 | 16 | 29 |
| B. *Operated* | 7510 | 5.2 | 35 | 1 | 1 | 3 | 6 | 12 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4870 | 9.8 | 91 | 1 | 2 | 7 | 12 | 21 | 28 | 51 |
| B. *Operated* | 5657 | 12.1 | 151 | 1 | 2 | 8 | 16 | 27 | 38 | 68 |
| **1. SINGLE DX** | 10554 | 5.2 | 36 | 1 | 1 | 3 | 6 | 12 | 18 | 28 |
| **2. MULTIPLE DX** | 10527 | 11.0 | 124 | 1 | 2 | 7 | 14 | 24 | 34 | 62 |
| **A. NOT OPERATED** | 7914 | 8.0 | 76 | 1 | 1 | 5 | 10 | 18 | 24 | 44 |
| **B. OPERATED** | 13167 | 8.2 | 96 | 1 | 1 | 5 | 10 | 20 | 27 | 53 |
| TOTAL 0-19 YRS | 6620 | 4.9 | 38 | 1 | 1 | 3 | 5 | 13 | 19 | 27 |
| 20-34 | 1842 | 7.2 | 83 | 1 | 1 | 4 | 8 | 16 | 26 | 58 |
| 35-49 | 1382 | 7.4 | 86 | 1 | 1 | 5 | 8 | 16 | 25 | 54 |
| 50-64 | 2861 | 8.1 | 88 | 1 | 2 | 5 | 9 | 18 | 26 | 50 |
| 65+ | 8376 | 10.9 | 114 | 2 | 2 | 8 | 14 | 23 | 33 | 61 |
| **GRAND TOTAL** | **21081** | **8.1** | **88** | **1** | **1** | **5** | **10** | **19** | **26** | **50** |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 477 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 176 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 95 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 165 | 3.1 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 65+ | 328 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8716 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 2645 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 1710 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 2583 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 2599 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 312 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 310 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 222 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 50-64 | 324 | 6.2 | 43 | 1 | 1 | 4 | 8 | 14 | 22 | 32 |
| 65+ | 989 | 9.2 | 72 | 1 | 2 | 7 | 12 | 20 | 26 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1799 | 4.3 | 35 | 1 | 1 | 3 | 5 | 9 | 14 | 29 |
| 20-34 | 1787 | 6.9 | 62 | 1 | 2 | 5 | 8 | 14 | 20 | 48 |
| 35-49 | 1187 | 7.0 | 72 | 1 | 2 | 4 | 8 | 15 | 22 | 49 |
| 50-64 | 1683 | 6.5 | 53 | 1 | 2 | 4 | 8 | 13 | 18 | 42 |
| 65+ | 2815 | 9.0 | 93 | 1 | 2 | 6 | 11 | 20 | 27 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1241 | 2.8 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| B. *Operated* | 18253 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2157 | 6.6 | 51 | 1 | 1 | 4 | 8 | 15 | 21 | 38 |
| B. *Operated* | 9271 | 7.0 | 69 | 1 | 1 | 4 | 8 | 15 | 22 | 47 |
| **1. SINGLE DX** | 19494 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 11428 | 6.9 | 65 | 1 | 1 | 4 | 8 | 15 | 22 | 46 |
| **A. NOT OPERATED** | 3398 | 5.2 | 40 | 1 | 1 | 3 | 6 | 12 | 18 | 34 |
| **B. OPERATED** | 27524 | 4.1 | 32 | 1 | 1 | 2 | 5 | 8 | 13 | 29 |
| TOTAL 0-19 YRS | 11304 | 2.3 | 9 | 1 | 1 | 1 | 2 | 4 | 6 | 14 |
| 20-34 | 4918 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 35-49 | 3214 | 4.7 | 34 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| 50-64 | 4755 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 65+ | 6731 | 6.8 | 63 | 1 | 1 | 4 | 8 | 15 | 22 | 45 |
| **GRAND TOTAL** | 30922 | 4.2 | 33 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 169 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 10 |
| 35-49 | 61 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 50-64 | 53 | 3.3 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 65+ | 84 | 4.1 | 13 | <1 | 1 | 3 | 6 | 8 | 9 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2732 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 3268 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 1216 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 751 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 425 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 3.7 | 15 | <1 | 1 | 3 | 4 | 8 | 11 | 21 |
| 20-34 | 223 | 3.7 | 19 | <1 | 1 | 3 | 4 | 8 | 10 | 19 |
| 35-49 | 114 | 4.8 | 23 | 1 | 1 | 4 | 6 | 9 | 14 | 31 |
| 50-64 | 130 | 7.3 | 51 | 1 | 2 | 5 | 9 | 15 | 19 | 37 |
| 65+ | 369 | 9.6 | 94 | 1 | 2 | 7 | 12 | 20 | 29 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 970 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 1808 | 4.0 | 26 | 1 | 1 | 3 | 4 | 8 | 11 | 25 |
| 35-49 | 885 | 4.2 | 24 | 1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 50-64 | 721 | 4.5 | 34 | 1 | 1 | 3 | 5 | 9 | 12 | 34 |
| 65+ | 606 | 7.2 | 67 | 1 | 1 | 4 | 9 | 16 | 23 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 494 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | 8392 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 986 | 6.5 | 58 | 1 | 1 | 4 | 8 | 14 | 20 | 42 |
| B. *Operated* | 4990 | 4.4 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **1. SINGLE DX** | 8886 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 5976 | 4.7 | 36 | 1 | 1 | 3 | 5 | 10 | 15 | 32 |
| **A. NOT OPERATED** | 1480 | 5.3 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 34 |
| **B. OPERATED** | 13382 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 19 |
| TOTAL 0-19 YRS | 3979 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 5468 | 2.9 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 35-49 | 2276 | 3.2 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 50-64 | 1655 | 3.9 | 26 | 1 | 1 | 2 | 4 | 8 | 11 | 27 |
| 65+ | 1484 | 6.4 | 60 | 1 | 1 | 4 | 8 | 14 | 20 | 41 |
| **GRAND TOTAL** | 14862 | 3.3 | 19 | <1 | 1 | 2 | 3 | 6 | 10 | 21 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 15.7 | 221 | 1 | 2 | 12 | 24 | 35 | 46 | 65 |
| 20-34 | 56 | 13.8 | 308 | 1 | 2 | 6 | 17 | 46 | 61 | 69 |
| 35-49 | 64 | 13.3 | 330 | 1 | 1 | 6 | 14 | 41 | 57 | 87 |
| 50-64 | 181 | 11.0 | 175 | 1 | 2 | 8 | 12 | 21 | 29 | 88 |
| 65+ | 936 | 12.0 | 136 | 1 | 2 | 9 | 15 | 23 | 31 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 13.1 | 124 | 3 | 4 | 10 | 16 | 35 | 35 | 57 |
| 20-34 | 296 | 14.0 | 130 | 4 | 5 | 11 | 16 | 25 | 42 | 61 |
| 35-49 | 506 | 13.2 | 98 | 4 | 6 | 11 | 15 | 22 | 33 | 54 |
| 50-64 | 2294 | 14.2 | 56 | 6 | 7 | 13 | 17 | 22 | 28 | 43 |
| 65+ | 14399 | 16.0 | 87 | 8 | 9 | 16 | 21 | 28 | 35 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 18.4 | 208 | 2 | 2 | 17 | 30 | 37 | 44 | 86 |
| 20-34 | 71 | 17.9 | 494 | 1 | 2 | 9 | 19 | 62 | 68 | 82 |
| 35-49 | 92 | 13.2 | 213 | 1 | 2 | 9 | 15 | 39 | 52 | 99+ |
| 50-64 | 286 | 16.1 | 257 | 1 | 3 | 11 | 21 | 38 | 50 | 86 |
| 65+ | 2487 | 17.2 | 229 | 2 | 4 | 14 | 22 | 37 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 312 | 21.0 | 297 | 3 | 5 | 16 | 28 | 44 | 63 | 97 |
| 20-34 | 622 | 23.3 | 344 | 5 | 7 | 17 | 30 | 55 | 71 | 99+ |
| 35-49 | 675 | 20.7 | 236 | 6 | 8 | 16 | 25 | 41 | 56 | 99 |
| 50-64 | 3237 | 20.6 | 186 | 8 | 9 | 17 | 25 | 37 | 51 | 96 |
| 65+ | 29506 | 22.8 | 178 | 9 | 11 | 19 | 27 | 40 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1430 | 12.5 | 169 | 1 | 2 | 9 | 16 | 26 | 38 | 69 |
| B. *Operated* | 17890 | 17.2 | 88 | 7 | 8 | 15 | 20 | 27 | 35 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3025 | 17.0 | 237 | 2 | 4 | 13 | 22 | 38 | 53 | 99+ |
| B. *Operated* | 34352 | 22.5 | 184 | 9 | 11 | 19 | 27 | 40 | 54 | 99+ |
| **1. SINGLE DX** | 19320 | 16.9 | 95 | 6 | 8 | 15 | 20 | 27 | 35 | 59 |
| **2. MULTIPLE DX** | 37377 | 22.1 | 191 | 8 | 10 | 19 | 27 | 40 | 54 | 99+ |
| **A. NOT OPERATED** | 4455 | 15.6 | 219 | 1 | 3 | 12 | 20 | 34 | 49 | 96 |
| **B. OPERATED** | 52242 | 20.7 | 158 | 8 | 10 | 17 | 25 | 36 | 48 | 92 |
| TOTAL 0-19 YRS | 989 | 16.6 | 216 | 2 | 3 | 12 | 22 | 36 | 48 | 75 |
| 20-34 | 1045 | 19.7 | 309 | 3 | 5 | 14 | 25 | 48 | 63 | 99+ |
| 35-49 | 1337 | 17.0 | 200 | 4 | 5 | 13 | 20 | 36 | 48 | 91 |
| 50-64 | 5998 | 17.6 | 150 | 6 | 7 | 15 | 21 | 31 | 43 | 79 |
| 65+ | 47328 | 20.8 | 159 | 8 | 10 | 18 | 25 | 37 | 48 | 94 |
| **GRAND TOTAL** | 56697 | 20.3 | 164 | 7 | 9 | 17 | 24 | 36 | 48 | 92 |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1677 | 19.2 | 186 | 1 | 2 | 19 | 26 | 35 | 44 | 61 |
| 20-34 | 154 | 23.5 | 526 | 1 | 2 | 13 | 43 | 60 | 68 | 86 |
| 35-49 | 82 | 19.4 | 341 | <1 | 2 | 10 | 38 | 45 | 52 | 64 |
| 50-64 | 118 | 26.7 | 519 | 2 | 3 | 19 | 48 | 60 | 80 | 99+ |
| 65+ | 409 | 18.8 | 302 | 2 | 4 | 13 | 26 | 47 | 59 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1910 | 16.4 | 201 | 2 | 2 | 13 | 24 | 35 | 44 | 66 |
| 20-34 | 716 | 16.1 | 199 | 2 | 4 | 12 | 19 | 32 | 48 | 77 |
| 35-49 | 227 | 16.0 | 193 | 2 | 4 | 12 | 20 | 32 | 51 | 90 |
| 50-64 | 300 | 21.7 | 328 | 4 | 6 | 17 | 25 | 52 | 66 | 93 |
| 65+ | 951 | 21.0 | 184 | 7 | 9 | 17 | 26 | 38 | 53 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 659 | 23.1 | 251 | 2 | 3 | 22 | 31 | 43 | 52 | 81 |
| 20-34 | 196 | 25.4 | 585 | 1 | 2 | 16 | 42 | 62 | 77 | 97 |
| 35-49 | 108 | 24.7 | 556 | 2 | 3 | 18 | 42 | 71 | 87 | 99+ |
| 50-64 | 227 | 26.7 | 543 | 3 | 4 | 19 | 44 | 66 | 79 | 99+ |
| 65+ | 899 | 24.3 | 479 | 3 | 6 | 17 | 36 | 68 | 81 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1734 | 24.9 | 305 | 3 | 5 | 21 | 34 | 50 | 62 | 93 |
| 20-34 | 1596 | 25.9 | 369 | 4 | 7 | 20 | 36 | 57 | 74 | 99+ |
| 35-49 | 457 | 27.5 | 451 | 4 | 6 | 23 | 40 | 68 | 93 | 99+ |
| 50-64 | 586 | 27.9 | 414 | 5 | 8 | 22 | 40 | 61 | 82 | 99+ |
| 65+ | 2096 | 28.1 | 340 | 9 | 11 | 2[illegible] | 38 | 63 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2440 | 19.7 | 251 | 1 | 2 | 18 | 27 | 42 | 51 | 74 |
| B. *Operated* | 4104 | 17.7 | 211 | 2 | 3 | 15 | 24 | 36 | 49 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2089 | 24.3 | 428 | 2 | 4 | 19 | 36 | 59 | 73 | 99+ |
| B. *Operated* | 6469 | 26.6 | 354 | 4 | 8 | 22 | 37 | 58 | 75 | 99+ |
| **1. SINGLE DX** | 6544 | 18.5 | 227 | 2 | 3 | 16 | 25 | 38 | 50 | 77 |
| **2. MULTIPLE DX** | 8558 | 26.1 | 373 | 4 | 6 | 21 | 36 | 58 | 74 | 99+ |
| **A. NOT OPERATED** | 4529 | 21.8 | 338 | 2 | 3 | 18 | 30 | 49 | 63 | 97 |
| **B. OPERATED** | 10573 | 23.2 | 317 | 3 | 5 | 19 | 31 | 51 | 67 | 99+ |
| TOTAL 0-19 YRS | 5980 | 20.4 | 245 | 2 | 3 | 19 | 28 | 41 | 51 | 76 |
| 20-34 | 2662 | 23.1 | 366 | 2 | 4 | 18 | 32 | 54 | 68 | 99+ |
| 35-49 | 874 | 23.4 | 410 | 3 | 4 | 18 | 34 | 60 | 80 | 99+ |
| 50-64 | 1231 | 26.1 | 432 | 4 | 6 | 20 | 37 | 60 | 76 | 99+ |
| 65+ | 4355 | 24.9 | 343 | 5 | 7 | 20 | 33 | 57 | 73 | 99+ |
| **GRAND TOTAL** | 15102 | 22.8 | 324 | 2 | 4 | 19 | 31 | 51 | 66 | 99+ |

## 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1450 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 755 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 460 | 5.0 | 22 | 1 | 1 | 4 | 6 | 9 | 13 | 23 |
| 50-64 | 505 | 7.2 | 56 | 1 | 2 | 5 | 9 | 14 | 18 | 36 |
| 65+ | 592 | 10.2 | 77 | 2 | 3 | 8 | 13 | 20 | 28 | 46 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 3566 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 2722 | 7.1 | 47 | 1 | 2 | 5 | 8 | 14 | 18 | 38 |
| 35-49 | 1544 | 7.5 | 42 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| 50-64 | 1329 | 9.5 | 72 | 2 | 3 | 7 | 11 | 18 | 27 | 46 |
| 65+ | 698 | 12.0 | 96 | 3 | 4 | 9 | 15 | 23 | 30 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 442 | 4.7 | 25 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 487 | 6.3 | 57 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |
| 35-49 | 353 | 7.3 | 75 | 1 | 2 | 5 | 8 | 15 | 23 | 45 |
| 50-64 | 544 | 10.0 | 92 | 2 | 2 | 7 | 12 | 20 | 29 | 47 |
| 65+ | 1100 | 13.2 | 128 | 3 | 4 | 10 | 17 | 27 | 36 | 77 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1552 | 10.6 | 160 | 1 | 2 | 6 | 12 | 24 | 38 | 76 |
| 20-34 | 2303 | 14.1 | 213 | 2 | 3 | 9 | 17 | 33 | 51 | 99+ |
| 35-49 | 1166 | 14.7 | 223 | 2 | 3 | 10 | 18 | 33 | 49 | 95 |
| 50-64 | 1232 | 16.3 | 221 | 3 | 4 | 12 | 20 | 36 | 55 | 99+ |
| 65+ | 1204 | 19.2 | 246 | 4 | 5 | 15 | 25 | 41 | 56 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3762 | 5.1 | 35 | 1 | 1 | 3 | 6 | 11 | 15 | 30 |
| *B. Operated* | 9859 | 6.9 | 48 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2926 | 9.5 | 98 | 1 | 2 | 6 | 12 | 20 | 30 | 59 |
| *B. Operated* | 7457 | 14.6 | 217 | 2 | 3 | 10 | 18 | 34 | 50 | 99 |
| **1. SINGLE DX** | 13621 | 6.4 | 45 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| **2. MULTIPLE DX** | 10383 | 13.2 | 189 | 2 | 3 | 9 | 16 | 30 | 44 | 90 |
| **A. NOT OPERATED** | 6688 | 7.0 | 67 | 1 | 1 | 4 | 9 | 15 | 22 | 44 |
| **B. OPERATED** | 17316 | 10.2 | 136 | 1 | 2 | 6 | 12 | 22 | 34 | 72 |
| TOTAL 0-19 YRS | 7010 | 5.5 | 56 | 1 | 1 | 3 | 6 | 11 | 16 | 44 |
| 20-34 | 6267 | 9.2 | 119 | 1 | 2 | 6 | 11 | 19 | 31 | 69 |
| 35-49 | 3523 | 9.5 | 117 | 2 | 2 | 6 | 11 | 20 | 29 | 67 |
| 50-64 | 3610 | 11.6 | 136 | 2 | 3 | 8 | 14 | 24 | 36 | 78 |
| 65+ | 3594 | 14.5 | 165 | 3 | 4 | 11 | 18 | 31 | 42 | 80 |
| **GRAND TOTAL** | 24004 | 9.3 | 119 | 1 | 2 | 6 | 11 | 20 | 31 | 67 |

## 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 676 | 2.8 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 811 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 636 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 723 | 4.9 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 806 | 6.5 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 3858 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 5749 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 3764 | 5.5 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 3753 | 6.6 | 22 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| 65+ | 2312 | 8.9 | 49 | 2 | 3 | 7 | 11 | 16 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 425 | 4.3 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 20-34 | 771 | 5.0 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| 35-49 | 554 | 6.2 | 31 | 1 | 1 | 4 | 7 | 13 | 16 | 30 |
| 50-64 | 888 | 7.1 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 65+ | 1728 | 10.1 | 69 | 2 | 3 | 8 | 12 | 19 | 26 | 56 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1849 | 7.0 | 66 | 2 | 2 | 5 | 7 | 13 | 19 | 48 |
| 20-34 | 3851 | 7.8 | 72 | 2 | 2 | 5 | 9 | 14 | 22 | 50 |
| 35-49 | 2447 | 8.3 | 69 | 2 | 3 | 6 | 10 | 15 | 21 | 49 |
| 50-64 | 2935 | 10.0 | 87 | 3 | 3 | 7 | 12 | 19 | 27 | 69 |
| 65+ | 2733 | 14.2 | 157 | 3 | 5 | 11 | 17 | 27 | 39 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3652 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| *B. Operated* | 19436 | 5.6 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4366 | 7.5 | 58 | 1 | 2 | 5 | 9 | 15 | 20 | 40 |
| *B. Operated* | 13815 | 9.5 | 97 | 2 | 3 | 7 | 11 | 19 | 27 | 58 |
| **1. SINGLE DX** | 23088 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 18181 | 9.0 | 88 | 2 | 2 | 6 | 11 | 18 | 26 | 55 |
| **A. NOT OPERATED** | 8018 | 6.1 | 42 | 1 | 1 | 4 | 8 | 12 | 17 | 31 |
| **B. OPERATED** | 33251 | 7.2 | 56 | 2 | 2 | 5 | 8 | 13 | 19 | 41 |
| TOTAL 0-19 YRS | 6808 | 4.6 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |
| 20-34 | 11182 | 5.8 | 35 | 1 | 2 | 4 | 7 | 10 | 14 | 32 |
| 35-49 | 7401 | 6.4 | 36 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| 50-64 | 8299 | 7.7 | 49 | 2 | 3 | 6 | 9 | 14 | 19 | 39 |
| 65+ | 7579 | 10.8 | 102 | 2 | 3 | 8 | 13 | 20 | 29 | 63 |
| **GRAND TOTAL** | 41269 | 7.0 | 93 | 1 | 2 | 5 | 8 | 13 | 18 | 40 |

### 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 2.2 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 140 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 79 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 10 | 16 |
| 50-64 | 47 | 4.0 | 14 | <1 | 1 | 2 | 6 | 10 | 12 | 14 |
| 65+ | 110 | 5.8 | 45 | 1 | 1 | 4 | 8 | 12 | 15 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 256 | 3.6 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 60 | 4.1 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 50-64 | 26 | 4.0 | 13 | 1 | 1 | 3 | 4 | 5 | 13 | 18 |
| 65+ | 28 | 7.4 | 41 | 2 | 3 | 5 | 9 | 13 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 498 | 4.0 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 20-34 | 651 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 35-49 | 349 | 5.2 | 31 | 1 | 1 | 4 | 6 | 10 | 14 | 32 |
| 50-64 | 417 | 7.0 | 30 | 1 | 2 | 6 | 9 | 14 | 19 | 26 |
| 65+ | 750 | 9.9 | 80 | 2 | 2 | 8 | 13 | 20 | 27 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 6.4 | 65 | 1 | 1 | 4 | 7 | 13 | 24 | 72 |
| 20-34 | 337 | 7.4 | 90 | 1 | 2 | 4 | 9 | 15 | 22 | 48 |
| 35-49 | 168 | 8.4 | 146 | 1 | 2 | 5 | 9 | 15 | 27 | 77 |
| 50-64 | 136 | 11.3 | 134 | 2 | 2 | 8 | 13 | 25 | 39 | 59 |
| 65+ | 166 | 16.9 | 242 | 2 | 3 | 13 | 21 | 42 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 537 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| B. *Operated* | 649 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2665 | 6.4 | 46 | 1 | 1 | 4 | 8 | 14 | 19 | 36 |
| B. *Operated* | 1026 | 9.4 | 137 | 1 | 2 | 5 | 11 | 21 | 33 | 78 |
| **1. SINGLE DX** | 1186 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | 3691 | 7.2 | 73 | 1 | 1 | 5 | 9 | 15 | 23 | 49 |
| **A. NOT OPERATED** | 3202 | 5.9 | 42 | 1 | 1 | 4 | 7 | 13 | 18 | 34 |
| **B. OPERATED** | 1675 | 7.1 | 96 | 1 | 1 | 4 | 8 | 16 | 26 | 61 |
| TOTAL 0-19 YRS | 1157 | 4.0 | 25 | 1 | 1 | 3 | 4 | 8 | 11 | 32 |
| 20-34 | 1384 | 4.8 | 37 | 1 | 1 | 3 | 5 | 10 | 13 | 31 |
| 35-49 | 656 | 5.7 | 59 | 1 | 1 | 4 | 7 | 11 | 15 | 42 |
| 50-64 | 626 | 7.6 | 55 | 1 | 2 | 5 | 10 | 15 | 21 | 39 |
| 65+ | 1054 | 10.5 | 110 | 1 | 2 | 7 | 14 | 23 | 31 | 79 |
| **GRAND TOTAL** | **4877** | **6.3** | **61** | **1** | **1** | **4** | **8** | **14** | **20** | **43** |

### 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 22 | 4.6 | 29 | <1 | 1 | 3 | 6 | 11 | 17 | 25 |
| 35-49 | 9 | 5.8 | 37 | 1 | 1 | 3 | 10 | 16 | 16 | 16 |
| 50-64 | 8 | 8.0 | 59 | 3 | 3 | 5 | 9 | 21 | 26 | 26 |
| 65+ | 7 | 8.0 | 9 | 2 | 3 | 9 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 8.9 | 85 | 1 | 1 | 8 | 10 | 19 | 34 | 38 |
| 20-34 | 23 | 9.4 | 110 | 1 | 1 | 8 | 12 | 21 | 31 | 49 |
| 35-49 | 12 | 8.1 | 30 | <1 | 1 | 7 | 13 | 15 | 16 | 16 |
| 50-64 | 6 | 7.2 | 9 | 2 | 2 | 8 | 8 | 11 | 11 | 11 |
| 65+ | 3 | 20.7 | 246 | 3 | 3 | 26 | 31 | 33 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 6.1 | 108 | 1 | 2 | 3 | 6 | 9 | 20 | 64 |
| 20-34 | 38 | 10.9 | 110 | 2 | 2 | 9 | 12 | 23 | 34 | 52 |
| 35-49 | 21 | 10.3 | 269 | 1 | 2 | 5 | 10 | 20 | 48 | 77 |
| 50-64 | 23 | 10.5 | 158 | 2 | 2 | 6 | 10 | 33 | 44 | 47 |
| 65+ | 32 | 15.1 | 178 | 1 | 3 | 12 | 18 | 33 | 47 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 22.2 | 405 | 2 | 3 | 15 | 29 | 56 | 67 | 73 |
| 20-34 | 62 | 24.0 | 525 | 5 | 6 | 15 | 32 | 80 | 99 | 99+ |
| 35-49 | 29 | 27.9 | 768 | 5 | 6 | 15 | 51 | 86 | 96 | 99+ |
| 50-64 | 20 | 32.0 | 511 | 4 | 8 | 26 | 45 | 69 | 79 | 79 |
| 65+ | 19 | 30.6 | 569 | 6 | 8 | 25 | 51 | 77 | 94 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 4.1 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| B. *Operated* | 66 | 9.3 | 85 | 1 | 1 | 8 | 12 | 20 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 10.4 | 158 | 1 | 2 | 6 | 12 | 24 | 38 | 64 |
| B. *Operated* | 160 | 26.1 | 548 | 4 | 6 | 17 | 38 | 73 | 90 | 99+ |
| **1. SINGLE DX** | 176 | 6.1 | 49 | 1 | 1 | 4 | 8 | 13 | 19 | 37 |
| **2. MULTIPLE DX** | 313 | 18.4 | 418 | 2 | 2 | 11 | 24 | 54 | 76 | 99+ |
| **A. NOT OPERATED** | 263 | 7.8 | 109 | 1 | 1 | 4 | 9 | 17 | 27 | 56 |
| **B. OPERATED** | 226 | 21.2 | 471 | 2 | 3 | 13 | 29 | 61 | 80 | 99+ |
| TOTAL 0-19 YRS | 155 | 8.3 | 168 | 1 | 1 | 3 | 8 | 21 | 36 | 67 |
| 20-34 | 145 | 15.3 | 332 | 1 | 2 | 10 | 20 | 43 | 69 | 99+ |
| 35-49 | 71 | 16.5 | 485 | 1 | 2 | 9 | 16 | 54 | 77 | 99 |
| 50-64 | 57 | 17.3 | 362 | 2 | 2 | 10 | 24 | 46 | 58 | 79 |
| 65+ | 61 | 19.4 | 337 | 2 | 3 | 13 | 29 | 51 | 65 | 99 |
| **GRAND TOTAL** | **489** | **14.0** | **321** | **1** | **2** | **8** | **16** | **38** | **62** | **99** |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 88 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 35-49 | 31 | 2.5 | 8 | <1 | <1 | 1 | 3 | 8 | 9 | 11 |
| 50-64 | 24 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 65+ | 48 | 3.2 | 11 | 1 | 1 | 2 | 4 | 7 | 12 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 678 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 2066 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 564 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | 303 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 65+ | 278 | 3.4 | 22 | 1 | 1 | 2 | 4 | 8 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 3.3 | 8 | <1 | 1 | 2 | 5 | 8 | 10 | 12 |
| 20-34 | 119 | 3.5 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 35-49 | 53 | 4.8 | 15 | <1 | 1 | 3 | 8 | 11 | 13 | 15 |
| 50-64 | 59 | 7.4 | 109 | 1 | 1 | 5 | 8 | 15 | 19 | 59 |
| 65+ | 159 | 7.7 | 46 | 1 | 1 | 6 | 10 | 16 | 25 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 5.1 | 28 | 1 | 1 | 3 | 6 | 10 | 18 | 28 |
| 20-34 | 450 | 4.4 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 194 | 4.5 | 32 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 225 | 5.8 | 50 | 1 | 1 | 4 | 7 | 11 | 14 | 33 |
| 65+ | 435 | 8.1 | 99 | 1 | 1 | 4 | 10 | 21 | 30 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 217 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 12 |
| B. *Operated* | 3889 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 427 | 5.7 | 42 | 1 | 1 | 4 | 8 | 12 | 16 | 35 |
| B. *Operated* | 1406 | 5.8 | 51 | 1 | 1 | 4 | 7 | 11 | 19 | 38 |
| **1. SINGLE DX** | 4106 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 1833 | 5.8 | 49 | 1 | 1 | 4 | 7 | 12 | 18 | 37 |
| **A. NOT OPERATED** | 644 | 4.6 | 32 | <1 | 1 | 3 | 6 | 11 | 15 | 27 |
| **B. OPERATED** | 5295 | 3.8 | 18 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 843 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 2723 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 842 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 50-64 | 611 | 4.4 | 35 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 65+ | 920 | 6.3 | 67 | 1 | 1 | 3 | 8 | 16 | 24 | 46 |
| **GRAND TOTAL** | **5939** | **3.9** | **20** | **1** | **1** | **3** | **4** | **7** | **10** | **24** |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 20 |
| 20-34 | 172 | 2.8 | 9 | <1 | <1 | 2 | 4 | 5 | 7 | 17 |
| 35-49 | 60 | 3.4 | 14 | <1 | <1 | 2 | 5 | 6 | 11 | 20 |
| 50-64 | 45 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 7 |
| 65+ | 18 | 6.3 | 61 | 1 | 2 | 3 | 6 | 21 | 27 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4602 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 9133 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 4025 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 2050 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 65+ | 408 | 5.8 | 28 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 2.7 | 10 | <1 | <1 | 1 | 4 | 6 | 9 | 17 |
| 20-34 | 142 | 3.0 | 12 | <1 | <1 | 1 | 4 | 6 | 10 | 17 |
| 35-49 | 81 | 3.6 | 12 | <1 | <1 | 3 | 5 | 7 | 9 | 20 |
| 50-64 | 71 | 4.6 | 16 | <1 | <1 | 3 | 7 | 10 | 12 | 19 |
| 65+ | 36 | 9.3 | 136 | 1 | 1 | 6 | 9 | 22 | 31 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2113 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 4703 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 2395 | 4.8 | 16 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| 50-64 | 2091 | 5.3 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 671 | 7.0 | 45 | 2 | 2 | 5 | 8 | 14 | 20 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 419 | 3.2 | 12 | <1 | <1 | 2 | 4 | 6 | 7 | 21 |
| B. *Operated* | 20218 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 421 | 3.9 | 26 | <1 | <1 | 2 | 5 | 8 | 12 | 23 |
| B. *Operated* | 11973 | 4.8 | 17 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| **1. SINGLE DX** | 20637 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 12394 | 4.8 | 17 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 840 | 3.5 | 19 | <1 | <1 | 2 | 4 | 7 | 10 | 22 |
| **B. OPERATED** | 32191 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 6930 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 14150 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 6561 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 4257 | 4.8 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 21 |
| 65+ | 1133 | 6.6 | 42 | 2 | 2 | 5 | 8 | 13 | 18 | 32 |
| **GRAND TOTAL** | **33031** | **4.2** | **10** | **1** | **2** | **4** | **5** | **7** | **9** | **16** |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 3.9 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 20-34 | 271 | 5.8 | 39 | 1 | 1 | 4 | 7 | 11 | 14 | 35 |
| 35-49 | 167 | 6.0 | 20 | 1 | 1 | 5 | 8 | 11 | 13 | 22 |
| 50-64 | 85 | 6.7 | 32 | 1 | 2 | 5 | 9 | 13 | 20 | 28 |
| 65+ | 56 | 7.7 | 62 | 1 | 1 | 6 | 8 | 16 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1070 | 3.5 | 26 | <1 | 1 | 2 | 4 | 8 | 14 | 26 |
| 20-34 | 1206 | 4.6 | 28 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| 35-49 | 590 | 5.5 | 34 | 1 | 1 | 3 | 8 | 13 | 17 | 28 |
| 50-64 | 395 | 5.4 | 45 | 1 | 1 | 3 | 7 | 12 | 16 | 34 |
| 65+ | 245 | 6.9 | 84 | 1 | 1 | 4 | 8 | 16 | 21 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 7.0 | 68 | 1 | 1 | 5 | 8 | 13 | 26 | 42 |
| 20-34 | 376 | 8.1 | 60 | 1 | 2 | 7 | 9 | 14 | 20 | 49 |
| 35-49 | 255 | 7.9 | 53 | 2 | 3 | 7 | 9 | 13 | 18 | 42 |
| 50-64 | 195 | 8.4 | 40 | 1 | 2 | 7 | 12 | 16 | 21 | 33 |
| 65+ | 169 | 10.9 | 107 | 1 | 2 | 8 | 13 | 22 | 31 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 486 | 8.9 | 128 | 1 | 1 | 5 | 11 | 22 | 32 | 62 |
| 20-34 | 1021 | 10.4 | 144 | 1 | 2 | 6 | 14 | 24 | 36 | 65 |
| 35-49 | 537 | 10.3 | 140 | 1 | 2 | 6 | 13 | 24 | 35 | 64 |
| 50-64 | 485 | 9.1 | 115 | 1 | 2 | 5 | 11 | 25 | 33 | 67 |
| 65+ | 380 | 14.9 | 240 | 1 | 2 | 9 | 20 | 37 | 50 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 756 | 5.7 | 31 | 1 | 1 | 4 | 7 | 11 | 14 | 30 |
| B. *Operated* | 3506 | 4.7 | 35 | 1 | 1 | 3 | 5 | 11 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1151 | 8.4 | 64 | 1 | 2 | 7 | 10 | 16 | 22 | 48 |
| B. *Operated* | 2909 | 10.5 | 151 | 1 | 1 | 6 | 14 | 26 | 37 | 63 |
| **1. SINGLE DX** | 4262 | 4.9 | 34 | 1 | 1 | 3 | 6 | 11 | 16 | 30 |
| **2. MULTIPLE DX** | 4060 | 9.9 | 127 | 1 | 2 | 6 | 12 | 23 | 33 | 59 |
| **A. NOT OPERATED** | 1907 | 7.3 | 53 | 1 | 1 | 6 | 9 | 14 | 20 | 42 |
| **B. OPERATED** | 6415 | 7.3 | 96 | 1 | 1 | 4 | 9 | 18 | 27 | 51 |
| TOTAL 0-19 YRS | 1889 | 5.2 | 60 | 1 | 1 | 2 | 6 | 12 | 20 | 42 |
| 20-34 | 2874 | 7.2 | 81 | 1 | 1 | 4 | 9 | 17 | 24 | 47 |
| 35-49 | 1549 | 7.6 | 77 | 1 | 1 | 5 | 9 | 16 | 23 | 49 |
| 50-64 | 1160 | 7.5 | 75 | 1 | 1 | 5 | 9 | 16 | 26 | 47 |
| 65+ | 850 | 11.3 | 169 | 1 | 1 | 7 | 15 | 28 | 40 | 63 |
| **GRAND TOTAL** | **8322** | **7.3** | **86** | **1** | **1** | **4** | **9** | **17** | **25** | **49** |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 324 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 178 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | 135 | 4.6 | 39 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 65+ | 121 | 6.5 | 39 | 1 | 2 | 5 | 8 | 12 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1598 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 2472 | 3.9 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 559 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 215 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 65+ | 80 | 8.2 | 60 | 2 | 3 | 6 | 10 | 15 | 18 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 4.3 | 21 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 20-34 | 247 | 4.3 | 12 | <1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 35-49 | 166 | 5.8 | 27 | 1 | 2 | 4 | 7 | 10 | 19 | 38 |
| 50-64 | 262 | 6.9 | 31 | 1 | 2 | 5 | 9 | 13 | 17 | 27 |
| 65+ | 476 | 9.0 | 54 | 2 | 3 | 7 | 11 | 17 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1374 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 2317 | 5.1 | 12 | 1 | 2 | 5 | 6 | 8 | 11 | 18 |
| 35-49 | 657 | 5.9 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| 50-64 | 316 | 7.6 | 50 | 1 | 2 | 6 | 9 | 15 | 21 | 41 |
| 65+ | 158 | 11.4 | 88 | 2 | 3 | 9 | 16 | 22 | 25 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 994 | 3.6 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 4924 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1299 | 6.7 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| B. *Operated* | 4822 | 5.5 | 19 | 1 | 2 | 5 | 6 | 9 | 13 | 23 |
| **1. SINGLE DX** | 5918 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 6121 | 5.7 | 23 | 1 | 2 | 5 | 7 | 10 | 14 | 25 |
| **A. NOT OPERATED** | 2293 | 5.4 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 9746 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 3356 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 5360 | 4.4 | 9 | 1 | 1 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 1560 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 928 | 6.5 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 835 | 9.0 | 60 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| **GRAND TOTAL** | **12039** | **4.9** | **17** | **1** | **1** | **4** | **6** | **9** | **11** | **21** |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 539 | 5.0 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 20-34 | 5099 | 6.2 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| 35-49 | 4791 | 6.7 | 15 | 2 | 3 | 6 | 9 | 11 | 14 | 20 |
| 50-64 | 2313 | 6.9 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 714 | 7.0 | 23 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 5.5 | 13 | 1 | 1 | 5 | 8 | 11 | 12 | 15 |
| 20-34 | 983 | 8.1 | 35 | 2 | 2 | 7 | 11 | 15 | 19 | 28 |
| 35-49 | 853 | 8.2 | 32 | 2 | 2 | 7 | 11 | 16 | 19 | 24 |
| 50-64 | 217 | 8.9 | 35 | 2 | 2 | 8 | 12 | 18 | 20 | 25 |
| 65+ | 20 | 10.7 | 45 | <1 | 2 | 12 | 14 | 20 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 430 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 20-34 | 4231 | 7.5 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 24 |
| 35-49 | 5152 | 8.1 | 24 | 3 | 3 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 4117 | 8.3 | 27 | 3 | 3 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 3095 | 9.2 | 38 | 2 | 3 | 8 | 12 | 16 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 8.7 | 42 | 2 | 3 | 7 | 12 | 17 | 23 | 32 |
| 20-34 | 786 | 10.7 | 53 | 2 | 3 | 9 | 14 | 20 | 24 | 40 |
| 35-49 | 1004 | 11.5 | 62 | 2 | 4 | 10 | 15 | 21 | 26 | 40 |
| 50-64 | 554 | 12.0 | 56 | 3 | 4 | 11 | 16 | 22 | 26 | 37 |
| 65+ | 211 | 15.4 | 120 | 4 | 6 | 13 | 18 | 27 | 36 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13456 | 6.5 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 20 |
| B. *Operated* | 2125 | 8.2 | 34 | 2 | 2 | 7 | 11 | 16 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17025 | 8.1 | 27 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| B. *Operated* | 2603 | 11.6 | 64 | 2 | 4 | 10 | 15 | 21 | 26 | 41 |
| **1. SINGLE DX** | 15581 | 6.7 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | 19628 | 8.6 | 33 | 2 | 3 | 7 | 11 | 15 | 19 | 29 |
| **A. NOT OPERATED** | 30481 | 7.4 | 23 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 4728 | 10.1 | 53 | 2 | 3 | 9 | 14 | 19 | 23 | 36 |
| TOTAL 0-19 YRS | 1069 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 20-34 | 11099 | 7.2 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 24 |
| 35-49 | 11800 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 7201 | 8.1 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 4040 | 9.1 | 43 | 2 | 3 | 8 | 12 | 16 | 21 | 33 |
| **GRAND TOTAL** | **35209** | **7.8** | **28** | **2** | **3** | **7** | **10** | **14** | **17** | **26** |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1061 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 3808 | 5.6 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 2801 | 6.3 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 1205 | 6.4 | 16 | 1 | 2 | 6 | 8 | 12 | 14 | 19 |
| 65+ | 403 | 6.8 | 20 | 1 | 2 | 6 | 9 | 13 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.8 | 16 | 1 | 2 | 3 | 6 | 12 | 14 | 17 |
| 20-34 | 895 | 6.3 | 24 | 1 | 2 | 5 | 9 | 13 | 16 | 23 |
| 35-49 | 677 | 7.0 | 30 | 1 | 2 | 6 | 9 | 15 | 17 | 25 |
| 50-64 | 182 | 7.3 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 21 | 8.8 | 19 | 3 | 4 | 7 | 12 | 16 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1102 | 4.3 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 20-34 | 5501 | 6.6 | 20 | 1 | 2 | 6 | 8 | 12 | 15 | 22 |
| 35-49 | 4748 | 7.5 | 25 | 2 | 3 | 6 | 10 | 14 | 17 | 25 |
| 50-64 | 3045 | 7.3 | 23 | 2 | 2 | 6 | 9 | 13 | 17 | 24 |
| 65+ | 2141 | 8.2 | 33 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 6.2 | 16 | 1 | 1 | 5 | 10 | 12 | 14 | 16 |
| 20-34 | 873 | 9.5 | 46 | 2 | 3 | 8 | 13 | 18 | 21 | 31 |
| 35-49 | 908 | 9.8 | 49 | 2 | 3 | 8 | 13 | 19 | 23 | 36 |
| 50-64 | 426 | 11.0 | 56 | 2 | 3 | 9 | 14 | 21 | 26 | 36 |
| 65+ | 146 | 13.6 | 122 | 3 | 4 | 11 | 16 | 23 | 37 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9278 | 5.7 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| B. *Operated* | 1819 | 6.7 | 27 | 1 | 2 | 5 | 9 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16537 | 7.0 | 24 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| B. *Operated* | 2407 | 10.1 | 54 | 2 | 3 | 9 | 13 | 19 | 23 | 36 |
| **1. SINGLE DX** | 11097 | 5.9 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 18944 | 7.4 | 29 | 2 | 2 | 6 | 10 | 14 | 17 | 27 |
| **A. NOT OPERATED** | 25815 | 6.6 | 21 | 1 | 2 | 6 | 8 | 12 | 15 | 23 |
| **B. OPERATED** | 4226 | 8.6 | 45 | 2 | 2 | 7 | 12 | 17 | 21 | 33 |
| TOTAL 0-19 YRS | 2261 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 11077 | 6.4 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 35-49 | 9134 | 7.3 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 4858 | 7.4 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| 65+ | 2711 | 8.3 | 37 | 2 | 3 | 7 | 11 | 15 | 19 | 31 |
| **GRAND TOTAL** | **30041** | **6.8** | **25** | **1** | **2** | **6** | **9** | **13** | **16** | **24** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 434 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 20-34 | 526 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 332 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 274 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 258 | 5.1 | 17 | 1 | 1 | 4 | 7 | 10 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 933 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 2205 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1572 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 1482 | 4.6 | 9 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| 65+ | 469 | 6.0 | 18 | 2 | 3 | 5 | 7 | 10 | 13 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 20-34 | 616 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 35-49 | 524 | 5.2 | 21 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| 50-64 | 614 | 5.9 | 29 | 1 | 2 | 4 | 8 | 12 | 16 | 22 |
| 65+ | 1144 | 7.8 | 44 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 276 | 3.7 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 656 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 35-49 | 529 | 4.9 | 24 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 798 | 6.6 | 33 | 2 | 2 | 5 | 8 | 12 | 17 | 31 |
| 65+ | 451 | 9.5 | 91 | 2 | 3 | 6 | 11 | 19 | 28 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1824 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 6661 | 3.8 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3190 | 5.9 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| B. *Operated* | 2710 | 5.9 | 38 | 1 | 2 | 4 | 7 | 11 | 16 | 33 |
| **1. SINGLE DX** | 8485 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 5900 | 5.9 | 34 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| **A. NOT OPERATED** | 5014 | 5.1 | 24 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| **B. OPERATED** | 9371 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 10 | 21 |
| TOTAL 0-19 YRS | 1935 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 4003 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 2957 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 3168 | 5.3 | 20 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| 65+ | 2322 | 7.5 | 47 | 2 | 2 | 6 | 9 | 15 | 19 | 36 |
| **GRAND TOTAL** | **14385** | **4.6** | **19** | **1** | **1** | **4** | **5** | **9** | **12** | **22** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10573 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 3243 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 922 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 50-64 | 452 | 2.9 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 65+ | 292 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 2.3 | 11 | 1 | 1 | 1 | 2 | 4 | 7 | 22 |
| 20-34 | 50 | 5.1 | 148 | <1 | 1 | 2 | 4 | 9 | 15 | 84 |
| 35-49 | 16 | 4.1 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 50-64 | 8 | 6.3 | 14 | 1 | 2 | 6 | 7 | 12 | 14 | 14 |
| 65+ | 5 | 5.8 | 15 | 2 | 2 | 4 | 8 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10335 | 2.5 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 8327 | 3.5 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 35-49 | 3159 | 4.5 | 21 | 1 | 1 | 3 | 6 | 9 | 13 | 22 |
| 50-64 | 2332 | 5.2 | 28 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 65+ | 2674 | 7.4 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2471 | 4.7 | 59 | 1 | 1 | 2 | 5 | 10 | 16 | 47 |
| 20-34 | 2884 | 5.4 | 60 | 1 | 1 | 3 | 6 | 12 | 18 | 41 |
| 35-49 | 1040 | 6.1 | 77 | 1 | 1 | 4 | 7 | 13 | 20 | 57 |
| 50-64 | 740 | 8.0 | 123 | 1 | 1 | 5 | 9 | 18 | 27 | 59 |
| 65+ | 826 | 10.3 | 151 | 1 | 2 | 6 | 13 | 24 | 36 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15482 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| B. *Operated* | 142 | 3.8 | 60 | 1 | 1 | 2 | 4 | 8 | 11 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26827 | 3.8 | 20 | 1 | 1 | 2 | 5 | 8 | 11 | 21 |
| B. *Operated* | 7961 | 6.0 | 80 | 1 | 1 | 3 | 7 | 13 | 21 | 53 |
| **1. SINGLE DX** | 15624 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 34788 | 4.3 | 34 | 1 | 1 | 2 | 5 | 9 | 13 | 30 |
| **A. NOT OPERATED** | 42309 | 3.1 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 8103 | 6.0 | 80 | 1 | 1 | 3 | 6 | 13 | 21 | 52 |
| TOTAL 0-19 YRS | 23442 | 2.3 | 11 | 1 | 1 | 2 | 2 | 4 | 6 | 14 |
| 20-34 | 14504 | 3.6 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 35-49 | 5137 | 4.5 | 31 | 1 | 1 | 3 | 6 | 9 | 13 | 25 |
| 50-64 | 3532 | 5.5 | 47 | 1 | 1 | 4 | 7 | 11 | 15 | 35 |
| 65+ | 3797 | 7.8 | 76 | 1 | 1 | 5 | 10 | 17 | 24 | 50 |
| **GRAND TOTAL** | **50412** | **3.6** | **26** | **1** | **1** | **2** | **4** | **7** | **11** | **25** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3056 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 14 |
| 20-34 | 1129 | 3.3 | 39 | <1 | 1 | 2 | 3 | 7 | 10 | 22 |
| 35-49 | 341 | 4.5 | 61 | 1 | 1 | 2 | 5 | 8 | 14 | 36 |
| 50-64 | 173 | 4.0 | 19 | <1 | 1 | 2 | 4 | 9 | 13 | 24 |
| 65+ | 205 | 6.4 | 46 | 1 | 1 | 4 | 8 | 14 | 22 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 11.2 | 180 | 1 | 2 | 7 | 12 | 22 | 32 | 78 |
| 20-34 | 168 | 12.9 | 172 | 1 | 3 | 9 | 16 | 27 | 45 | 99 |
| 35-49 | 123 | 14.6 | 213 | 2 | 3 | 10 | 17 | 29 | 46 | 77 |
| 50-64 | 144 | 14.2 | 162 | 3 | 5 | 11 | 15 | 27 | 40 | 66 |
| 65+ | 212 | 17.7 | 239 | 4 | 6 | 13 | 22 | 44 | 68 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3476 | 3.4 | 29 | 1 | 1 | 2 | 3 | 7 | 11 | 27 |
| 20-34 | 2438 | 5.2 | 62 | <1 | 1 | 3 | 6 | 11 | 17 | 47 |
| 35-49 | 1030 | 5.6 | 48 | 1 | 1 | 4 | 7 | 12 | 18 | 39 |
| 50-64 | 833 | 6.8 | 65 | 1 | 1 | 4 | 9 | 15 | 24 | 49 |
| 65+ | 1392 | 9.8 | 111 | 1 | 2 | 6 | 13 | 21 | 31 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1080 | 15.5 | 414 | 1 | 1 | 6 | 24 | 54 | 76 | 99+ |
| 20-34 | 1301 | 16.8 | 441 | 1 | 1 | 9 | 27 | 59 | 93 | 99+ |
| 35-49 | 524 | 15.8 | 374 | 1 | 1 | 9 | 24 | 53 | 85 | 99+ |
| 50-64 | 497 | 20.0 | 396 | 1 | 2 | 14 | 30 | 56 | 80 | 99+ |
| 65+ | 730 | 21.6 | 348 | 2 | 3 | 17 | 31 | 53 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4904 | 2.8 | 23 | <1 | 1 | 1 | 3 | 6 | 9 | 23 |
| B. *Operated* | 823 | 14.3 | 200 | 2 | 3 | 10 | 17 | 31 | 48 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9169 | 5.4 | 60 | 1 | 1 | 3 | 6 | 12 | 19 | 45 |
| B. *Operated* | 4132 | 17.6 | 408 | 1 | 1 | 10 | 27 | 56 | 84 | 99+ |
| **1. SINGLE DX** | 5727 | 4.4 | 65 | <1 | 1 | 2 | 4 | 11 | 17 | 46 |
| **2. MULTIPLE DX** | 13301 | 9.2 | 200 | 1 | 1 | 4 | 10 | 27 | 46 | 99+ |
| **A. NOT OPERATED** | 14073 | 4.5 | 49 | <1 | 1 | 2 | 5 | 10 | 16 | 38 |
| **B. OPERATED** | 4955 | 17.0 | 375 | 1 | 1 | 10 | 25 | 52 | 79 | 99+ |
| TOTAL 0-19 YRS | 7788 | 4.7 | 99 | 1 | 1 | 2 | 4 | 10 | 22 | 70 |
| 20-34 | 5036 | 8.0 | 188 | <1 | 1 | 3 | 8 | 23 | 44 | 99+ |
| 35-49 | 2018 | 8.6 | 168 | 1 | 1 | 4 | 9 | 23 | 40 | 99+ |
| 50-64 | 1647 | 11.1 | 207 | 1 | 1 | 6 | 13 | 30 | 47 | 99+ |
| 65+ | 2539 | 13.6 | 217 | 1 | 2 | 9 | 18 | 34 | 50 | 99+ |
| **GRAND TOTAL** | **19028** | **7.7** | **164** | **1** | **1** | **3** | **8** | **22** | **37** | **95** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 11 |
| 20-34 | 211 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 35-49 | 90 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 50-64 | 49 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 65+ | 26 | 3.9 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 6.6 | 24 | 1 | 3 | 5 | 8 | 12 | 17 | 24 |
| 20-34 | 362 | 6.3 | 14 | 2 | 3 | 5 | 8 | 11 | 13 | 20 |
| 35-49 | 110 | 5.8 | 9 | 2 | 3 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 71 | 6.8 | 31 | 2 | 2 | 5 | 9 | 13 | 15 | 34 |
| 65+ | 26 | 9.3 | 70 | 2 | 4 | 6 | 11 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 4.7 | 22 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |
| 20-34 | 470 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 12 | 24 |
| 35-49 | 280 | 6.4 | 36 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 50-64 | 238 | 7.0 | 62 | 1 | 2 | 5 | 9 | 13 | 19 | 32 |
| 65+ | 266 | 9.1 | 65 | 2 | 3 | 7 | 11 | 18 | 23 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 385 | 11.1 | 126 | 3 | 4 | 8 | 12 | 21 | 39 | 72 |
| 20-34 | 1061 | 10.7 | 106 | 3 | 3 | 8 | 12 | 19 | 31 | 64 |
| 35-49 | 455 | 11.2 | 106 | 3 | 4 | 8 | 14 | 23 | 30 | 67 |
| 50-64 | 330 | 14.9 | 229 | 3 | 4 | 10 | 16 | 36 | 49 | 79 |
| 65+ | 244 | 16.2 | 235 | 3 | 4 | 11 | 20 | 35 | 47 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 489 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 725 | 6.5 | 19 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1474 | 6.3 | 42 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| B. *Operated* | 2475 | 11.9 | 142 | 3 | 4 | 8 | 14 | 24 | 37 | 73 |
| **1. SINGLE DX** | 1214 | 5.3 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 3949 | 9.9 | 112 | 2 | 2 | 7 | 11 | 19 | 30 | 65 |
| **A. NOT OPERATED** | 1963 | 5.7 | 35 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| **B. OPERATED** | 3200 | 10.7 | 119 | 3 | 3 | 8 | 12 | 21 | 32 | 66 |
| TOTAL 0-19 YRS | 874 | 7.7 | 76 | 1 | 2 | 5 | 9 | 15 | 22 | 59 |
| 20-34 | 2104 | 8.0 | 70 | 1 | 2 | 6 | 9 | 14 | 21 | 48 |
| 35-49 | 935 | 8.5 | 72 | 2 | 2 | 6 | 10 | 17 | 24 | 52 |
| 50-64 | 688 | 10.6 | 153 | 2 | 2 | 7 | 12 | 21 | 37 | 69 |
| 65+ | 562 | 11.9 | 151 | 2 | 3 | 8 | 14 | 25 | 36 | 72 |
| **GRAND TOTAL** | **5163** | **8.8** | **93** | **1** | **2** | **6** | **10** | **17** | **25** | **58** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1088 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 644 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 160 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 81 | 3.8 | 11 | 1 | 1 | 3 | 4 | 8 | 11 | 15 |
| 65+ | 41 | 4.9 | 28 | <1 | 1 | 3 | 6 | 13 | 18 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 577 | 7.0 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| 20-34 | 655 | 7.9 | 26 | 2 | 4 | 7 | 9 | 12 | 17 | 29 |
| 35-49 | 192 | 7.5 | 18 | 2 | 3 | 7 | 9 | 12 | 16 | 22 |
| 50-64 | 72 | 9.0 | 21 | 3 | 5 | 8 | 10 | 13 | 19 | 28 |
| 65+ | 36 | 11.0 | 106 | 2 | 2 | 8 | 12 | 22 | 35 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1083 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 20-34 | 969 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 35-49 | 370 | 4.7 | 21 | 1 | 1 | 4 | 6 | 8 | 12 | 25 |
| 50-64 | 195 | 5.9 | 21 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| 65+ | 228 | 7.3 | 40 | 1 | 2 | 6 | 10 | 13 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1407 | 12.9 | 152 | 3 | 5 | 9 | 14 | 27 | 41 | 73 |
| 20-34 | 2247 | 14.0 | 167 | 4 | 5 | 10 | 16 | 29 | 42 | 90 |
| 35-49 | 867 | 15.0 | 171 | 5 | 6 | 11 | 17 | 31 | 44 | 83 |
| 50-64 | 480 | 17.7 | 228 | 5 | 6 | 12 | 22 | 41 | 52 | 99+ |
| 65+ | 290 | 19.4 | 240 | 4 | 6 | 15 | 24 | 39 | 58 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2014 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 1532 | 7.7 | 23 | 2 | 3 | 7 | 9 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2845 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 21 |
| B. *Operated* | 5291 | 14.5 | 176 | 4 | 5 | 10 | 17 | 31 | 44 | 84 |
| **1. SINGLE DX** | 3546 | 5.4 | 19 | 1 | 1 | 5 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 8136 | 11.1 | 143 | 1 | 2 | 8 | 13 | 24 | 36 | 74 |
| **A. NOT OPERATED** | 4859 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| **B. OPERATED** | 6823 | 13.0 | 150 | 3 | 5 | 9 | 14 | 27 | 39 | 79 |
| TOTAL 0-19 YRS | 4155 | 7.4 | 76 | 1 | 1 | 5 | 9 | 14 | 22 | 50 |
| 20-34 | 4515 | 9.6 | 112 | 1 | 2 | 7 | 11 | 19 | 30 | 68 |
| 35-49 | 1589 | 10.6 | 126 | 1 | 2 | 8 | 12 | 22 | 34 | 67 |
| 50-64 | 828 | 12.8 | 174 | 2 | 2 | 9 | 15 | 29 | 45 | 82 |
| 65+ | 595 | 13.3 | 178 | 2 | 2 | 9 | 17 | 30 | 42 | 79 |
| **GRAND TOTAL** | **11682** | **9.4** | **112** | **1** | **2** | **7** | **11** | **19** | **30** | **64** |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 43 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 20 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 50-64 | 8 | 8.6 | 176 | <1 | <1 | 5 | 6 | 31 | 41 | 41 |
| 65+ | 7 | 9.0 | 283 | 1 | 1 | 4 | 4 | 38 | 47 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 901 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 536 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 230 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 115 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 65+ | 81 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 9 | 11 |
| 20-34 | 98 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 48 | 4.0 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 11 |
| 50-64 | 26 | 4.3 | 9 | 1 | 1 | 3 | 5 | 10 | 11 | 12 |
| 65+ | 37 | 5.9 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 825 | 4.3 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 817 | 4.9 | 28 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 333 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 21 |
| 50-64 | 231 | 6.0 | 59 | 1 | 1 | 4 | 6 | 12 | 16 | 44 |
| 65+ | 219 | 7.0 | 51 | 1 | 2 | 5 | 9 | 14 | 21 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 3.2 | 25 | <1 | 1 | 2 | 3 | 5 | 6 | 38 |
| B. *Operated* | 1863 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| B. *Operated* | 2425 | 5.0 | 34 | 1 | 1 | 4 | 6 | 10 | 13 | 28 |
| **1. SINGLE DX** | 2022 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 2742 | 4.9 | 31 | 1 | 1 | 4 | 6 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 476 | 3.5 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **B. OPERATED** | 4288 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 1915 | 3.5 | 16 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 1494 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 631 | 4.4 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 50-64 | 380 | 5.1 | 43 | 1 | 1 | 3 | 6 | 9 | 13 | 42 |
| 65+ | 344 | 6.1 | 44 | 1 | 1 | 4 | 8 | 13 | 17 | 47 |
| **GRAND TOTAL** | **4764** | **4.1** | **22** | **1** | **1** | **3** | **5** | **8** | **11** | **21** |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 425 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 368 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 139 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 77 | 2.4 | 12 | <1 | 1 | 2 | 3 | 5 | 5 | 24 |
| 65+ | 86 | 3.2 | 16 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1585 | 2.2 | 11 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 951 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 35-49 | 356 | 3.3 | 13 | <1 | 1 | 2 | 4 | 6 | 9 | 23 |
| 50-64 | 189 | 3.5 | 31 | 1 | 1 | 2 | 4 | 7 | 10 | 32 |
| 65+ | 122 | 3.4 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 957 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 1421 | 3.2 | 19 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 35-49 | 654 | 3.7 | 16 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 543 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 65+ | 1122 | 6.7 | 52 | 1 | 1 | 5 | 8 | 14 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2618 | 3.5 | 26 | <1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 20-34 | 3510 | 4.6 | 42 | <1 | 1 | 3 | 5 | 9 | 14 | 37 |
| 35-49 | 1393 | 5.5 | 55 | 1 | 1 | 3 | 6 | 12 | 18 | 50 |
| 50-64 | 1033 | 5.8 | 43 | 1 | 1 | 4 | 7 | 12 | 17 | 36 |
| 65+ | 1441 | 7.8 | 81 | 1 | 1 | 5 | 10 | 17 | 24 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1095 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 3203 | 2.6 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4697 | 4.2 | 27 | <1 | 1 | 3 | 5 | 9 | 12 | 24 |
| B. *Operated* | 9995 | 5.0 | 47 | 1 | 1 | 3 | 6 | 11 | 16 | 39 |
| **1. SINGLE DX** | 4298 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 14692 | 4.7 | 41 | 1 | 1 | 3 | 5 | 10 | 15 | 34 |
| **A. NOT OPERATED** | 5792 | 3.8 | 23 | <1 | 1 | 2 | 5 | 8 | 11 | 23 |
| **B. OPERATED** | 13198 | 4.4 | 40 | <1 | 1 | 2 | 5 | 9 | 14 | 34 |
| TOTAL 0-19 YRS | 5585 | 2.9 | 18 | <1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 20-34 | 6250 | 3.9 | 30 | <1 | 1 | 2 | 4 | 8 | 11 | 26 |
| 35-49 | 2542 | 4.6 | 37 | <1 | 1 | 3 | 5 | 9 | 14 | 31 |
| 50-64 | 1842 | 5.1 | 35 | 1 | 1 | 3 | 6 | 10 | 14 | 32 |
| 65+ | 2771 | 7.0 | 66 | 1 | 1 | 4 | 9 | 15 | 21 | 45 |
| **GRAND TOTAL** | **18990** | **4.3** | **35** | **<1** | **1** | **2** | **5** | **9** | **13** | **30** |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 584 | 2.4 | 17 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 1228 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 390 | 2.8 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 50-64 | 118 | 3.3 | 21 | <1 | 1 | 2 | 3 | 8 | 12 | 27 |
| 65+ | 38 | 4.0 | 24 | 1 | 1 | 3 | 4 | 9 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 812 | 3.7 | 20 | <1 | 1 | 2 | 5 | 8 | 11 | 17 |
| 20-34 | 1143 | 5.1 | 29 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 35-49 | 372 | 5.0 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 152 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 13 | 26 |
| 65+ | 58 | 7.0 | 58 | 1 | 1 | 4 | 9 | 17 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 377 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 926 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 306 | 4.6 | 34 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| 50-64 | 182 | 5.8 | 79 | 1 | 1 | 4 | 6 | 11 | 14 | 49 |
| 65+ | 133 | 8.6 | 88 | 1 | 2 | 6 | 11 | 17 | 24 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 807 | 7.2 | 71 | 1 | 1 | 5 | 9 | 14 | 22 | 45 |
| 20-34 | 2186 | 9.0 | 91 | 1 | 2 | 7 | 10 | 17 | 25 | 57 |
| 35-49 | 777 | 9.9 | 86 | 1 | 2 | 8 | 12 | 21 | 31 | 55 |
| 50-64 | 294 | 10.9 | 131 | 1 | 2 | 8 | 13 | 23 | 34 | 60 |
| 65+ | 165 | 13.8 | 222 | 2 | 2 | 9 | 17 | 35 | 46 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2358 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 2537 | 4.7 | 26 | <1 | 1 | 3 | 6 | 9 | 12 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1924 | 4.3 | 28 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| B. *Operated* | 4229 | 9.1 | 96 | 1 | 2 | 7 | 11 | 18 | 27 | 57 |
| **1. SINGLE DX** | 4895 | 3.7 | 19 | <1 | 1 | 2 | 5 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | 6153 | 7.6 | 80 | 1 | 1 | 5 | 9 | 15 | 23 | 54 |
| **A. NOT OPERATED** | 4282 | 3.3 | 19 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **B. OPERATED** | 6766 | 7.5 | 74 | 1 | 1 | 5 | 9 | 15 | 22 | 53 |
| TOTAL 0-19 YRS | 2580 | 4.4 | 38 | <1 | 1 | 3 | 5 | 9 | 13 | 31 |
| 20-34 | 5483 | 5.8 | 53 | 1 | 1 | 4 | 7 | 12 | 17 | 42 |
| 35-49 | 1845 | 6.6 | 56 | 1 | 1 | 4 | 8 | 14 | 20 | 47 |
| 50-64 | 746 | 7.3 | 88 | 1 | 1 | 5 | 9 | 15 | 23 | 56 |
| 65+ | 394 | 10.1 | 144 | 1 | 2 | 7 | 12 | 23 | 36 | 61 |
| **GRAND TOTAL** | **11048** | **5.9** | **57** | **1** | **1** | **4** | **7** | **12** | **17** | **43** |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 551 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 855 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 35-49 | 284 | 3.5 | 9 | <1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 50-64 | 146 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 68 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 10 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4020 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 5825 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 2346 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 1447 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 65+ | 565 | 3.3 | 20 | 1 | 1 | 2 | 3 | 7 | 11 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 423 | 3.8 | 15 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 20-34 | 913 | 4.0 | 26 | <1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 35-49 | 376 | 4.7 | 24 | <1 | 1 | 3 | 6 | 10 | 12 | 30 |
| 50-64 | 242 | 5.1 | 26 | 1 | 1 | 4 | 6 | 10 | 14 | 28 |
| 65+ | 246 | 7.3 | 46 | 1 | 2 | 5 | 9 | 17 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2810 | 3.5 | 23 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 4835 | 3.8 | 27 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 1954 | 4.4 | 36 | 1 | 1 | 3 | 5 | 9 | 14 | 34 |
| 50-64 | 1296 | 4.8 | 41 | 1 | 1 | 3 | 5 | 10 | 16 | 38 |
| 65+ | 692 | 6.2 | 71 | 1 | 1 | 3 | 7 | 14 | 22 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1904 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| B. *Operated* | 14203 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2200 | 4.6 | 27 | <1 | 1 | 3 | 5 | 9 | 13 | 27 |
| B. *Operated* | 11587 | 4.1 | 32 | 1 | 1 | 2 | 4 | 8 | 13 | 32 |
| **1. SINGLE DX** | 16107 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 13787 | 4.2 | 31 | 1 | 1 | 3 | 5 | 8 | 13 | 31 |
| **A. NOT OPERATED** | 4104 | 3.9 | 19 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| **B. OPERATED** | 25790 | 3.2 | 20 | <1 | 1 | 2 | 3 | 6 | 10 | 23 |
| TOTAL 0-19 YRS | 7804 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 12428 | 3.2 | 17 | <1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 35-49 | 4960 | 3.5 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 50-64 | 3131 | 3.9 | 26 | 1 | 1 | 2 | 4 | 8 | 12 | 28 |
| 65+ | 1571 | 5.3 | 49 | 1 | 1 | 3 | 6 | 12 | 18 | 39 |
| **GRAND TOTAL** | **29894** | **3.3** | **19** | **<1** | **1** | **2** | **4** | **7** | **10** | **23** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 762 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 893 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 289 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 11 | 18 |
| 50-64 | 112 | 3.7 | 11 | 1 | 1 | 2 | 4 | 9 | 11 | 16 |
| 65+ | 87 | 5.3 | 37 | 1 | 1 | 4 | 7 | 12 | 15 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2541 | 4.1 | 23 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 20-34 | 1982 | 5.2 | 43 | 1 | 1 | 3 | 6 | 10 | 16 | 33 |
| 35-49 | 690 | 5.1 | 41 | 1 | 1 | 3 | 6 | 10 | 15 | 35 |
| 50-64 | 387 | 6.2 | 57 | 1 | 1 | 4 | 7 | 14 | 19 | 39 |
| 65+ | 204 | 9.7 | 97 | 1 | 2 | 7 | 13 | 20 | 32 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 369 | 4.5 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 547 | 5.1 | 33 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 35-49 | 271 | 6.6 | 40 | 1 | 2 | 5 | 9 | 12 | 16 | 27 |
| 50-64 | 266 | 7.0 | 40 | 1 | 2 | 5 | 9 | 13 | 17 | 37 |
| 65+ | 303 | 9.5 | 84 | 2 | 2 | 7 | 12 | 18 | 21 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1158 | 7.9 | 99 | 1 | 1 | 5 | 9 | 18 | 28 | 53 |
| 20-34 | 1412 | 9.3 | 129 | 1 | 2 | 6 | 11 | 21 | 32 | 70 |
| 35-49 | 566 | 11.1 | 198 | 1 | 2 | 6 | 12 | 26 | 42 | 74 |
| 50-64 | 469 | 12.1 | 185 | 1 | 2 | 7 | 15 | 30 | 42 | 70 |
| 65+ | 419 | 15.8 | 238 | 2 | 2 | 10 | 22 | 39 | 48 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2143 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 5804 | 4.9 | 38 | 1 | 1 | 3 | 6 | 10 | 15 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1756 | 6.2 | 43 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| B. *Operated* | 4024 | 10.1 | 154 | 1 | 2 | 6 | 12 | 24 | 37 | 69 |
| **1. SINGLE DX** | 7947 | 4.5 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **2. MULTIPLE DX** | 5780 | 9.0 | 123 | 1 | 2 | 5 | 10 | 20 | 31 | 63 |
| **A. NOT OPERATED** | 3899 | 4.8 | 27 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| **B. OPERATED** | 9828 | 7.0 | 92 | 1 | 1 | 4 | 8 | 16 | 25 | 52 |
| TOTAL 0-19 YRS | 4830 | 4.9 | 41 | 1 | 1 | 3 | 5 | 10 | 15 | 34 |
| 20-34 | 4834 | 6.0 | 65 | 1 | 1 | 4 | 7 | 12 | 19 | 45 |
| 35-49 | 1816 | 7.0 | 93 | 1 | 1 | 4 | 8 | 14 | 23 | 56 |
| 50-64 | 1234 | 8.4 | 107 | 1 | 1 | 5 | 10 | 19 | 31 | 58 |
| 65+ | 1013 | 11.8 | 159 | 1 | 2 | 7 | 15 | 27 | 40 | 68 |
| **GRAND TOTAL** | **13727** | **6.4** | **75** | **1** | **1** | **4** | **7** | **14** | **21** | **47** |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.2 | 25 | <1 | <1 | 2 | 2 | 6 | 19 | 22 |
| 20-34 | 19 | 3.2 | 11 | <1 | <1 | 2 | 3 | 8 | 11 | 14 |
| 35-49 | 10 | 4.9 | 10 | 2 | 2 | 4 | 5 | 10 | 11 | 11 |
| 50-64 | 7 | 3.1 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | 7 | 5.7 | 11 | 2 | 2 | 6 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| 20-34 | 117 | 4.8 | 18 | 1 | 1 | 3 | 7 | 9 | 13 | 20 |
| 35-49 | 34 | 6.6 | 54 | 1 | 2 | 4 | 7 | 12 | 28 | 33 |
| 50-64 | 28 | 4.9 | 24 | <1 | 1 | 4 | 6 | 12 | 17 | 20 |
| 65+ | 8 | 7.4 | 62 | <1 | 1 | 4 | 11 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.3 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 14 |
| 20-34 | 33 | 3.9 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 35-49 | 14 | 4.8 | 15 | <1 | 1 | 3 | 8 | 10 | 12 | 12 |
| 50-64 | 26 | 10.0 | 182 | 1 | 1 | 6 | 10 | 20 | 44 | 63 |
| 65+ | 40 | 9.2 | 69 | 1 | 2 | 6 | 12 | 22 | 28 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 9.9 | 256 | 1 | 1 | 5 | 10 | 23 | 51 | 95 |
| 20-34 | 382 | 11.5 | 213 | 1 | 1 | 6 | 13 | 31 | 43 | 72 |
| 35-49 | 129 | 12.8 | 301 | 1 | 1 | 7 | 16 | 33 | 71 | 99+ |
| 50-64 | 77 | 11.2 | 239 | 1 | 1 | 5 | 13 | 37 | 51 | 95 |
| 65+ | 39 | 13.6 | 218 | 1 | 2 | 9 | 20 | 47 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 3.6 | 16 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| B. *Operated* | 243 | 5.0 | 24 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 6.3 | 63 | 1 | 1 | 4 | 8 | 14 | 20 | 39 |
| B. *Operated* | 771 | 11.5 | 238 | 1 | 1 | 6 | 13 | 31 | 52 | 95 |
| **1. SINGLE DX** | 317 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | 923 | 10.6 | 213 | 1 | 1 | 5 | 12 | 27 | 45 | 93 |
| **A. NOT OPERATED** | 226 | 5.4 | 49 | <1 | 1 | 3 | 7 | 12 | 17 | 36 |
| **B. OPERATED** | 1014 | 9.9 | 194 | 1 | 1 | 5 | 11 | 25 | 42 | 89 |
| TOTAL 0-19 YRS | 270 | 7.0 | 153 | 1 | 1 | 3 | 7 | 13 | 24 | 89 |
| 20-34 | 551 | 9.3 | 163 | 1 | 1 | 5 | 11 | 24 | 36 | 68 |
| 35-49 | 187 | 10.6 | 229 | 1 | 1 | 6 | 12 | 26 | 51 | 97 |
| 50-64 | 138 | 9.3 | 179 | 1 | 1 | 5 | 11 | 20 | 45 | 85 |
| 65+ | 94 | 10.6 | 131 | 1 | 2 | 7 | 15 | 25 | 40 | 99+ |
| **GRAND TOTAL** | **1240** | **9.1** | **171** | **1** | **1** | **5** | **10** | **23** | **37** | **85** |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 14 | 22 |
| 20-34 | 217 | 5.4 | 39 | <1 | 1 | 4 | 6 | 10 | 14 | 45 |
| 35-49 | 104 | 6.6 | 21 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| 50-64 | 86 | 5.9 | 18 | 1 | 1 | 5 | 9 | 12 | 13 | 18 |
| 65+ | 77 | 10.5 | 74 | 1 | 3 | 8 | 14 | 24 | 33 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 989 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 1838 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 35-49 | 867 | 4.6 | 30 | 1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 50-64 | 521 | 5.6 | 51 | 1 | 2 | 3 | 6 | 11 | 16 | 36 |
| 65+ | 207 | 7.5 | 45 | 1 | 2 | 5 | 11 | 16 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 6.6 | 97 | 1 | 1 | 4 | 7 | 12 | 21 | 68 |
| 20-34 | 405 | 8.2 | 112 | 1 | 1 | 5 | 9 | 18 | 36 | 79 |
| 35-49 | 305 | 8.3 | 74 | 1 | 2 | 6 | 10 | 18 | 22 | 55 |
| 50-64 | 280 | 9.1 | 59 | 2 | 2 | 7 | 12 | 19 | 26 | 38 |
| 65+ | 410 | 13.4 | 149 | 2 | 3 | 10 | 18 | 28 | 35 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 762 | 4.7 | 42 | 1 | 1 | 3 | 5 | 9 | 15 | 40 |
| 20-34 | 1626 | 6.1 | 69 | 1 | 2 | 3 | 6 | 13 | 21 | 46 |
| 35-49 | 914 | 6.4 | 58 | 1 | 2 | 4 | 7 | 14 | 21 | 48 |
| 50-64 | 685 | 9.2 | 122 | 1 | 2 | 5 | 11 | 21 | 31 | 69 |
| 65+ | 410 | 14.1 | 182 | 2 | 2 | 10 | 19 | 31 | 46 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 591 | 6.2 | 37 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| B. *Operated* | 4422 | 4.5 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1579 | 9.6 | 109 | 1 | 2 | 6 | 12 | 21 | 30 | 70 |
| B. *Operated* | 4397 | 7.1 | 88 | 1 | 2 | 4 | 8 | 17 | 27 | 56 |
| **1. SINGLE DX** | 5013 | 4.7 | 28 | 1 | 1 | 3 | 5 | 10 | 13 | 28 |
| **2. MULTIPLE DX** | 5976 | 7.8 | 94 | 1 | 2 | 4 | 9 | 18 | 28 | 58 |
| **A. NOT OPERATED** | 2170 | 8.6 | 91 | 1 | 2 | 6 | 10 | 19 | 27 | 63 |
| **B. OPERATED** | 8819 | 5.8 | 59 | 1 | 1 | 3 | 6 | 13 | 19 | 44 |
| TOTAL 0-19 YRS | 2037 | 4.5 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 20-34 | 4086 | 5.4 | 51 | 1 | 1 | 3 | 6 | 11 | 16 | 40 |
| 35-49 | 2190 | 5.9 | 49 | 1 | 2 | 4 | 7 | 12 | 18 | 44 |
| 50-64 | 1572 | 7.8 | 85 | 1 | 2 | 5 | 9 | 17 | 25 | 49 |
| 65+ | 1104 | 12.3 | 142 | 2 | 2 | 9 | 17 | 27 | 35 | 77 |
| **GRAND TOTAL** | **10989** | **6.4** | **66** | **1** | **1** | **4** | **7** | **14** | **21** | **45** |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1302 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 555 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| 35-49 | 166 | 4.0 | 17 | 1 | 1 | 4 | 5 | 6 | 6 | 11 |
| 50-64 | 66 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 65+ | 38 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 5.9 | 15 | 1 | 2 | 6 | 9 | 12 | 13 | 15 |
| 20-34 | 14 | 6.4 | 17 | 2 | 2 | 5 | 9 | 12 | 15 | 16 |
| 35-49 | 9 | 4.9 | 6 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 50-64 | 9 | 4.7 | 24 | 1 | 1 | 2 | 5 | 13 | 16 | 16 |
| 65+ | 11 | 3.8 | 10 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 707 | 4.1 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 481 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 213 | 4.2 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 50-64 | 124 | 4.7 | 23 | 1 | 1 | 4 | 6 | 8 | 11 | 30 |
| 65+ | 167 | 8.0 | 75 | 2 | 2 | 5 | 9 | 17 | 25 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 5.3 | 15 | 1 | 1 | 5 | 7 | 11 | 13 | 20 |
| 20-34 | 126 | 5.9 | 33 | 1 | 1 | 5 | 7 | 11 | 13 | 38 |
| 35-49 | 44 | 7.2 | 55 | 1 | 2 | 4 | 9 | 15 | 23 | 38 |
| 50-64 | 30 | 6.9 | 32 | 2 | 2 | 5 | 9 | 12 | 20 | 27 |
| 65+ | 57 | 9.2 | 68 | 1 | 1 | 7 | 12 | 21 | 26 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2127 | 4.0 | 6 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 92 | 5.5 | 15 | 1 | 2 | 4 | 8 | 11 | 13 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1692 | 4.5 | 18 | 1 | 1 | 4 | 5 | 8 | 11 | 20 |
| B. *Operated* | 385 | 6.4 | 36 | 1 | 1 | 5 | 8 | 12 | 18 | 35 |
| **1. SINGLE DX** | 2219 | 4.1 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 2077 | 4.8 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| **A. NOT OPERATED** | 3819 | 4.2 | 11 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 477 | 6.2 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| TOTAL 0-19 YRS | 2186 | 4.3 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 1176 | 4.0 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 432 | 4.4 | 19 | 1 | 1 | 4 | 5 | 7 | 11 | 23 |
| 50-64 | 229 | 4.8 | 19 | 1 | 1 | 4 | 5 | 9 | 11 | 27 |
| 65+ | 273 | 7.6 | 64 | 1 | 2 | 5 | 8 | 16 | 24 | 39 |
| **GRAND TOTAL** | **4296** | **4.4** | **14** | **1** | **1** | **4** | **5** | **7** | **10** | **19** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3211 | 2.0 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 2562 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 1144 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 837 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 65+ | 1194 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 508 | 3.5 | 23 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 473 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 229 | 4.7 | 25 | 1 | 1 | 3 | 5 | 11 | 15 | 25 |
| 50-64 | 211 | 4.9 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 158 | 7.4 | 47 | 1 | 2 | 5 | 9 | 17 | 20 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5157 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 6255 | 3.6 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 3360 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 50-64 | 3382 | 5.5 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 65+ | 9255 | 8.4 | 64 | 2 | 2 | 6 | 11 | 17 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 747 | 4.0 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 20-34 | 1169 | 6.0 | 54 | 1 | 1 | 4 | 7 | 13 | 17 | 38 |
| 35-49 | 616 | 7.8 | 73 | 1 | 1 | 5 | 10 | 16 | 24 | 44 |
| 50-64 | 621 | 10.2 | 100 | 1 | 2 | 7 | 13 | 22 | 29 | 52 |
| 65+ | 992 | 14.7 | 194 | 2 | 3 | 11 | 19 | 30 | 38 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8948 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| B. *Operated* | 1579 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27409 | 5.4 | 37 | 1 | 1 | 4 | 7 | 11 | 16 | 29 |
| B. *Operated* | 4145 | 8.6 | 106 | 1 | 1 | 5 | 11 | 20 | 27 | 54 |
| **1. SINGLE DX** | 10527 | 3.2 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 31554 | 5.8 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| **A. NOT OPERATED** | 36357 | 4.8 | 31 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **B. OPERATED** | 5724 | 7.4 | 86 | 1 | 1 | 4 | 9 | 17 | 23 | 47 |
| TOTAL 0-19 YRS | 9623 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 10459 | 3.6 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 5349 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 50-64 | 5051 | 5.8 | 36 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| 65+ | 11599 | 8.6 | 75 | 1 | 2 | 6 | 11 | 17 | 23 | 47 |
| **GRAND TOTAL** | **42081** | **5.2** | **39** | **1** | **1** | **3** | **6** | **11** | **16** | **30** |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 19 |
| 20-34 | 207 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 68 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 50-64 | 36 | 4.0 | 11 | 1 | 1 | 3 | 5 | 9 | 12 | 14 |
| 65+ | 11 | 4.1 | 12 | 1 | 1 | 3 | 7 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 6.4 | 65 | <1 | 1 | 4 | 8 | 17 | 24 | 43 |
| 20-34 | 277 | 6.1 | 100 | 1 | 1 | 3 | 6 | 13 | 24 | 46 |
| 35-49 | 136 | 6.9 | 99 | 1 | 1 | 4 | 8 | 14 | 28 | 48 |
| 50-64 | 100 | 6.9 | 102 | 1 | 1 | 3 | 7 | 16 | 42 | 74 |
| 65+ | 28 | 6.0 | 44 | 1 | 1 | 3 | 8 | 15 | 20 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 3.6 | 11 | 1 | 1 | 3 | 5 | 6 | 10 | 18 |
| 20-34 | 179 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 87 | 5.0 | 34 | 1 | 1 | 3 | 6 | 10 | 19 | 29 |
| 50-64 | 54 | 5.3 | 19 | 1 | 2 | 4 | 6 | 12 | 16 | 20 |
| 65+ | 42 | 9.5 | 101 | 2 | 2 | 6 | 11 | 20 | 33 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 227 | 8.8 | 131 | 1 | 1 | 4 | 10 | 22 | 31 | 47 |
| 20-34 | 490 | 8.8 | 119 | 1 | 1 | 5 | 10 | 22 | 30 | 56 |
| 35-49 | 266 | 9.5 | 119 | 1 | 1 | 5 | 12 | 26 | 37 | 50 |
| 50-64 | 163 | 11.4 | 239 | 1 | 1 | 5 | 14 | 29 | 43 | 76 |
| 65+ | 43 | 12.8 | 223 | 1 | 2 | 6 | 18 | 42 | 54 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 534 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 667 | 6.4 | 91 | 1 | 1 | 3 | 7 | 14 | 25 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 488 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| B. *Operated* | 1189 | 9.4 | 142 | 1 | 1 | 5 | 12 | 23 | 36 | 61 |
| 1. SINGLE DX | 1201 | 4.9 | 57 | 1 | 1 | 3 | 5 | 10 | 15 | 43 |
| 2. MULTIPLE DX | 1677 | 8.1 | 113 | 1 | 1 | 4 | 9 | 20 | 30 | 54 |
| A. NOT OPERATED | 1022 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 11 | 22 |
| B. OPERATED | 1856 | 8.4 | 126 | 1 | 1 | 4 | 9 | 21 | 34 | 58 |
| TOTAL 0-19 YRS | 691 | 5.6 | 66 | 1 | 1 | 3 | 6 | 14 | 21 | 39 |
| 20-34 | 1153 | 6.4 | 83 | 1 | 1 | 3 | 7 | 14 | 23 | 51 |
| 35-49 | 557 | 7.4 | 92 | 1 | 1 | 4 | 9 | 17 | 31 | 44 |
| 50-64 | 353 | 8.4 | 151 | 1 | 1 | 4 | 9 | 20 | 37 | 73 |
| 65+ | 124 | 9.4 | 129 | 1 | 1 | 6 | 12 | 23 | 40 | 68 |
| GRAND TOTAL | 2878 | 6.8 | 92 | 1 | 1 | 3 | 7 | 16 | 25 | 51 |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 24 | 4.2 | 147 | <1 | <1 | 2 | 2 | 3 | 22 | 61 |
| 35-49 | 9 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 5 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 35 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 6 | 9 |
| 35-49 | 11 | 3.4 | 13 | <1 | <1 | 2 | 4 | 9 | 13 | 13 |
| 50-64 | 6 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 22 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 35-49 | 8 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.3 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 13 |
| 20-34 | 27 | 3.8 | 11 | 1 | 1 | 3 | 4 | 9 | 11 | 15 |
| 35-49 | 12 | 4.9 | 8 | <1 | 1 | 5 | 7 | 8 | 9 | 9 |
| 50-64 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 108 | 2.2 | 34 | <1 | <1 | 1 | 2 | 3 | 5 | 30 |
| B. *Operated* | 112 | 2.3 | 5 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 46 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 4 | 10 |
| B. *Operated* | 64 | 3.9 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 1. SINGLE DX | 220 | 2.3 | 19 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 2. MULTIPLE DX | 110 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| A. NOT OPERATED | 154 | 2.2 | 25 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| B. OPERATED | 176 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 9 | 13 |
| TOTAL 0-19 YRS | 161 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 108 | 3.2 | 37 | <1 | 1 | 2 | 3 | 6 | 9 | 34 |
| 35-49 | 40 | 3.4 | 8 | <1 | <1 | 2 | 5 | 7 | 9 | 13 |
| 50-64 | 16 | 1.9 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 65+ | 5 | 5.0 | 21 | 2 | 2 | 3 | 6 | 13 | 13 | 13 |
| GRAND TOTAL | 330 | 2.6 | 15 | <1 | <1 | 1 | 3 | 5 | 7 | 13 |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2266 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 512 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 474 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 546 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 65+ | 514 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 512 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 145 | 3.3 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 35-49 | 98 | 3.2 | 10 | <1 | 1 | 2 | 4 | 8 | 11 | 15 |
| 50-64 | 106 | 3.8 | 19 | <1 | 1 | 2 | 4 | 9 | 12 | 24 |
| 65+ | 102 | 4.0 | 19 | 1 | 1 | 2 | 5 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 444 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 210 | 3.1 | 17 | <1 | 1 | 2 | 3 | 7 | 10 | 22 |
| 35-49 | 239 | 3.3 | 10 | <1 | 1 | 2 | 5 | 7 | 9 | 16 |
| 50-64 | 434 | 3.5 | 20 | 1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 65+ | 777 | 4.5 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 213 | 4.3 | 29 | <1 | <1 | 2 | 5 | 8 | 17 | 27 |
| 20-34 | 151 | 7.3 | 96 | 1 | 1 | 5 | 8 | 14 | 26 | 59 |
| 35-49 | 142 | 6.9 | 43 | <1 | 1 | 5 | 9 | 16 | 22 | 28 |
| 50-64 | 285 | 8.5 | 126 | 1 | 1 | 5 | 10 | 17 | 27 | 67 |
| 65+ | 426 | 8.1 | 91 | 1 | 1 | 5 | 10 | 19 | 26 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4312 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 963 | 2.8 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2104 | 3.6 | 17 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| B. *Operated* | 1217 | 7.3 | 85 | 1 | 1 | 4 | 9 | 16 | 24 | 46 |
| **1. SINGLE DX** | 5275 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| **2. MULTIPLE DX** | 3321 | 5.0 | 45 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| **A. NOT OPERATED** | 6416 | 2.3 | 8 | <1 | <1 | 1 | 2 | 5 | 7 | 14 |
| **B. OPERATED** | 2180 | 5.3 | 57 | <1 | 1 | 3 | 6 | 13 | 18 | 36 |
| TOTAL 0-19 YRS | 3435 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 1018 | 3.1 | 25 | <1 | <1 | 1 | 3 | 7 | 10 | 26 |
| 35-49 | 953 | 3.0 | 15 | <1 | <1 | 1 | 3 | 7 | 10 | 22 |
| 50-64 | 1371 | 3.9 | 41 | <1 | 1 | 2 | 4 | 9 | 14 | 28 |
| 65+ | 1819 | 4.6 | 37 | 1 | 1 | 2 | 5 | 11 | 15 | 30 |
| **GRAND TOTAL** | **8596** | **3.0** | **22** | **<1** | **<1** | **1** | **3** | **7** | **10** | **23** |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 7.5 | 45 | 1 | 1 | 5 | 10 | 17 | 21 | 33 |
| 20-34 | 134 | 6.6 | 33 | <1 | 1 | 5 | 10 | 16 | 18 | 23 |
| 35-49 | 56 | 8.1 | 38 | 1 | 2 | 6 | 11 | 15 | 20 | 32 |
| 50-64 | 43 | 10.9 | 56 | 1 | 1 | 9 | 16 | 23 | 25 | 28 |
| 65+ | 33 | 17.1 | 188 | 2 | 4 | 13 | 24 | 35 | 49 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 13.0 | 160 | 1 | 2 | 9 | 18 | 30 | 40 | 62 |
| 20-34 | 352 | 13.1 | 196 | 2 | 2 | 8 | 16 | 30 | 44 | 69 |
| 35-49 | 168 | 14.0 | 180 | 2 | 2 | 10 | 17 | 33 | 43 | 66 |
| 50-64 | 154 | 16.1 | 281 | 2 | 3 | 10 | 22 | 36 | 48 | 89 |
| 65+ | 92 | 22.5 | 326 | 4 | 5 | 17 | 33 | 50 | 53 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 251 | 8.6 | 68 | 1 | 1 | 6 | 11 | 20 | 26 | 45 |
| 20-34 | 237 | 8.4 | 57 | 1 | 1 | 6 | 12 | 18 | 22 | 43 |
| 35-49 | 144 | 10.3 | 96 | 1 | 2 | 8 | 14 | 22 | 28 | 71 |
| 50-64 | 112 | 13.2 | 111 | 2 | 2 | 11 | 18 | 25 | 36 | 51 |
| 65+ | 116 | 15.6 | 131 | 3 | 4 | 12 | 23 | 31 | 37 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 523 | 21.2 | 287 | 3 | 4 | 16 | 29 | 46 | 56 | 97 |
| 20-34 | 612 | 22.8 | 343 | 3 | 5 | 18 | 32 | 51 | 65 | 99+ |
| 35-49 | 391 | 25.1 | 460 | 3 | 4 | 20 | 38 | 63 | 93 | 99+ |
| 50-64 | 347 | 27.1 | 382 | 4 | 6 | 23 | 41 | 57 | 71 | 99+ |
| 65+ | 332 | 31.4 | 435 | 6 | 9 | 28 | 46 | 69 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 440 | 8.4 | 59 | 1 | 1 | 6 | 11 | 18 | 23 | 35 |
| B. *Operated* | 1144 | 14.3 | 210 | 2 | 2 | 9 | 19 | 34 | 45 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 860 | 10.4 | 90 | 1 | 2 | 8 | 14 | 23 | 29 | 52 |
| B. *Operated* | 2205 | 24.8 | 381 | 3 | 5 | 20 | 36 | 56 | 72 | 99+ |
| **1. SINGLE DX** | 1584 | 12.7 | 175 | 1 | 2 | 8 | 16 | 29 | 41 | 68 |
| **2. MULTIPLE DX** | 3065 | 20.7 | 341 | 2 | 3 | 15 | 30 | 50 | 64 | 99+ |
| **A. NOT OPERATED** | 1300 | 9.7 | 80 | 1 | 2 | 7 | 13 | 21 | 27 | 46 |
| **B. OPERATED** | 3349 | 21.2 | 347 | 2 | 3 | 16 | 31 | 50 | 64 | 99+ |
| TOTAL 0-19 YRS | 1326 | 14.7 | 208 | 1 | 2 | 10 | 21 | 34 | 46 | 76 |
| 20-34 | 1335 | 16.1 | 265 | 1 | 2 | 11 | 22 | 40 | 54 | 90 |
| 35-49 | 759 | 18.6 | 345 | 2 | 3 | 12 | 27 | 49 | 67 | 99+ |
| 50-64 | 656 | 21.1 | 332 | 2 | 4 | 15 | 30 | 47 | 61 | 98 |
| 65+ | 573 | 25.9 | 385 | 4 | 6 | 21 | 37 | 56 | 74 | 99+ |
| **GRAND TOTAL** | **4649** | **18.0** | **299** | **2** | **2** | **12** | **25** | **44** | **58** | **99** |

## 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1525 | 5.7 | 30 | 1 | 1 | 4 | 8 | 12 | 17 | 25 |
| 20-34 | 940 | 5.3 | 34 | 1 | 1 | 3 | 7 | 12 | 16 | 29 |
| 35-49 | 419 | 5.3 | 31 | 1 | 1 | 3 | 7 | 14 | 16 | 24 |
| 50-64 | 200 | 7.2 | 47 | 1 | 1 | 5 | 11 | 15 | 20 | 30 |
| 65+ | 117 | 10.6 | 88 | 1 | 1 | 8 | 15 | 25 | 30 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 291 | 9.1 | 78 | 1 | 2 | 7 | 11 | 21 | 27 | 44 |
| 20-34 | 247 | 10.5 | 109 | 1 | 2 | 7 | 14 | 24 | 33 | 51 |
| 35-49 | 115 | 10.4 | 101 | 1 | 2 | 8 | 13 | 21 | 32 | 51 |
| 50-64 | 67 | 13.8 | 175 | 1 | 2 | 10 | 18 | 33 | 42 | 64 |
| 65+ | 37 | 16.4 | 199 | 1 | 2 | 11 | 25 | 39 | 48 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2592 | 6.2 | 35 | 1 | 1 | 5 | 8 | 14 | 17 | 29 |
| 20-34 | 1877 | 5.9 | 40 | 1 | 1 | 4 | 8 | 13 | 17 | 29 |
| 35-49 | 960 | 7.3 | 53 | 1 | 1 | 5 | 10 | 17 | 22 | 35 |
| 50-64 | 669 | 8.8 | 74 | 1 | 2 | 6 | 12 | 20 | 26 | 41 |
| 65+ | 550 | 13.9 | 190 | 2 | 3 | 10 | 17 | 29 | 39 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 562 | 13.1 | 162 | 1 | 2 | 9 | 17 | 30 | 40 | 60 |
| 20-34 | 589 | 13.8 | 145 | 2 | 3 | 10 | 19 | 30 | 41 | 62 |
| 35-49 | 338 | 15.9 | 206 | 1 | 3 | 12 | 21 | 33 | 52 | 83 |
| 50-64 | 251 | 20.7 | 282 | 2 | 4 | 17 | 28 | 45 | 60 | 99+ |
| 65+ | 219 | 30.7 | 503 | 4 | 6 | 26 | 46 | 69 | 80 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3201 | 5.8 | 36 | 1 | 1 | 4 | 8 | 13 | 17 | 28 |
| B. *Operated* | 757 | 10.5 | 109 | 1 | 2 | 7 | 13 | 23 | 33 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6648 | 7.2 | 61 | 1 | 1 | 5 | 10 | 16 | 21 | 37 |
| B. *Operated* | 1959 | 16.8 | 248 | 2 | 3 | 12 | 22 | 39 | 51 | 87 |
| **1. SINGLE DX** | 3958 | 6.7 | 53 | 1 | 1 | 4 | 9 | 15 | 21 | 37 |
| **2. MULTIPLE DX** | 8607 | 9.4 | 119 | 1 | 1 | 6 | 12 | 21 | 31 | 60 |
| **A. NOT OPERATED** | 9849 | 6.7 | 53 | 1 | 1 | 4 | 9 | 15 | 20 | 34 |
| **B. OPERATED** | 2716 | 15.0 | 217 | 1 | 2 | 10 | 20 | 34 | 48 | 76 |
| TOTAL 0-19 YRS | 4970 | 7.0 | 56 | 1 | 1 | 5 | 9 | 15 | 21 | 37 |
| 20-34 | 3653 | 7.3 | 70 | 1 | 1 | 4 | 10 | 17 | 23 | 43 |
| 35-49 | 1832 | 8.7 | 93 | 1 | 1 | 6 | 12 | 19 | 26 | 53 |
| 50-64 | 1187 | 11.3 | 144 | 1 | 2 | 7 | 15 | 26 | 35 | 66 |
| 65+ | 923 | 17.6 | 307 | 2 | 2 | 12 | 23 | 42 | 57 | 94 |
| **GRAND TOTAL** | **12565** | **8.5** | **100** | **1** | **1** | **5** | **11** | **19** | **28** | **52** |

## 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 3.0 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 184 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 14 | 17 |
| 35-49 | 98 | 5.8 | 28 | <1 | <1 | 4 | 8 | 11 | 16 | 27 |
| 50-64 | 59 | 8.4 | 195 | 1 | 1 | 4 | 9 | 15 | 23 | 83 |
| 65+ | 31 | 9.8 | 162 | 1 | 1 | 4 | 15 | 22 | 30 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 2.7 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| 20-34 | 719 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 9 | 16 |
| 35-49 | 266 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 10 | 14 |
| 50-64 | 153 | 4.3 | 60 | <1 | 1 | 2 | 3 | 8 | 15 | 32 |
| 65+ | 41 | 5.7 | 75 | <1 | 1 | 3 | 7 | 12 | 16 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 4.5 | 34 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| 20-34 | 241 | 7.3 | 147 | 1 | 1 | 4 | 8 | 14 | 20 | 95 |
| 35-49 | 179 | 7.4 | 65 | 1 | 2 | 6 | 9 | 14 | 19 | 50 |
| 50-64 | 132 | 9.2 | 143 | 1 | 2 | 6 | 9 | 17 | 29 | 69 |
| 65+ | 207 | 12.0 | 152 | 2 | 3 | 8 | 14 | 25 | 36 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 338 | 4.1 | 47 | 1 | 1 | 2 | 4 | 8 | 19 | 80 |
| 20-34 | 689 | 5.8 | 106 | 1 | 1 | 3 | 5 | 13 | 28 | 99+ |
| 35-49 | 270 | 7.5 | 177 | 1 | 1 | 3 | 6 | 17 | 43 | 79 |
| 50-64 | 187 | 9.1 | 205 | 1 | 1 | 4 | 11 | 31 | 77 | 99+ |
| 65+ | 93 | 14.9 | 303 | 1 | 2 | 7 | 24 | 40 | 66 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 524 | 5.1 | 48 | 1 | 1 | 3 | 6 | 10 | 15 | 28 |
| B. *Operated* | 1537 | 3.1 | 17 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 897 | 8.3 | 119 | 1 | 1 | 5 | 9 | 17 | 26 | 84 |
| B. *Operated* | 1577 | 6.6 | 135 | 1 | 1 | 3 | 6 | 17 | 35 | 99+ |
| **1. SINGLE DX** | 2061 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| **2. MULTIPLE DX** | 2474 | 7.2 | 130 | 1 | 1 | 4 | 7 | 17 | 31 | 99+ |
| **A. NOT OPERATED** | 1421 | 7.1 | 95 | 1 | 1 | 4 | 8 | 14 | 21 | 66 |
| **B. OPERATED** | 3114 | 4.9 | 80 | <1 | 1 | 2 | 4 | 10 | 20 | 78 |
| TOTAL 0-19 YRS | 986 | 3.5 | 27 | 1 | 1 | 2 | 4 | 7 | 11 | 31 |
| 20-34 | 1833 | 4.7 | 67 | <1 | 1 | 3 | 5 | 9 | 16 | 58 |
| 35-49 | 813 | 5.8 | 83 | <1 | 1 | 3 | 6 | 11 | 18 | 62 |
| 50-64 | 531 | 7.6 | 150 | 1 | 1 | 4 | 8 | 17 | 32 | 99+ |
| 65+ | 372 | 11.9 | 188 | 1 | 2 | 8 | 15 | 29 | 41 | 97 |
| **GRAND TOTAL** | **4535** | **5.6** | **86** | **1** | **1** | **3** | **6** | **12** | **21** | **78** |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1130 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1059 | 3.4 | 20 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 436 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 249 | 4.6 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| 65+ | 235 | 5.7 | 28 | 1 | 1 | 4 | 8 | 11 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 390 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| 20-34 | 576 | 5.2 | 36 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| 35-49 | 280 | 5.5 | 27 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| 50-64 | 165 | 6.3 | 86 | 1 | 1 | 3 | 7 | 15 | 23 | 69 |
| 65+ | 59 | 7.5 | 100 | 1 | 1 | 3 | 8 | 25 | 32 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1078 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 1535 | 4.4 | 31 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 35-49 | 786 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 14 | 22 |
| 50-64 | 744 | 6.4 | 42 | 1 | 1 | 5 | 8 | 13 | 17 | 35 |
| 65+ | 1276 | 8.9 | 63 | 2 | 2 | 7 | 11 | 17 | 23 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 440 | 8.5 | 120 | 1 | 1 | 5 | 10 | 18 | 28 | 63 |
| 20-34 | 875 | 9.3 | 117 | 1 | 2 | 6 | 12 | 21 | 33 | 62 |
| 35-49 | 388 | 10.5 | 133 | 1 | 2 | 7 | 13 | 26 | 39 | 92 |
| 50-64 | 298 | 11.9 | 196 | 1 | 2 | 7 | 14 | 27 | 43 | 93 |
| 65+ | 298 | 18.1 | 335 | 2 | 3 | 12 | 23 | 44 | 63 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3109 | 3.4 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| B. *Operated* | 1470 | 5.2 | 38 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5419 | 5.6 | 38 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| B. *Operated* | 2299 | 10.8 | 167 | 1 | 2 | 7 | 13 | 25 | 39 | 82 |
| **1. SINGLE DX** | 4579 | 3.9 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **2. MULTIPLE DX** | 7718 | 7.2 | 82 | 1 | 1 | 4 | 9 | 15 | 23 | 52 |
| **A. NOT OPERATED** | 8528 | 4.8 | 31 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **B. OPERATED** | 3769 | 8.6 | 124 | 1 | 1 | 5 | 10 | 20 | 32 | 64 |
| TOTAL 0-19 YRS | 3038 | 3.8 | 29 | 1 | 1 | 2 | 4 | 8 | 12 | 26 |
| 20-34 | 4045 | 5.3 | 52 | 1 | 1 | 3 | 6 | 11 | 17 | 40 |
| 35-49 | 1890 | 6.0 | 47 | 1 | 1 | 4 | 7 | 12 | 18 | 40 |
| 50-64 | 1456 | 7.2 | 80 | 1 | 1 | 5 | 8 | 15 | 23 | 50 |
| 65+ | 1868 | 9.9 | 117 | 1 | 2 | 7 | 12 | 21 | 31 | 70 |
| **GRAND TOTAL** | **12297** | **6.0** | **62** | **1** | **1** | **3** | **7** | **13** | **19** | **44** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6823 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 4094 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 1451 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 625 | 3.3 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 65+ | 496 | 4.9 | 16 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 33 | 3.6 | 9 | <1 | <1 | 2 | 6 | 9 | 9 | 11 |
| 35-49 | 14 | 3.2 | 15 | <1 | 1 | 1 | 2 | 11 | 11 | 11 |
| 50-64 | 15 | 14.2 | 277 | 2 | 2 | 9 | 21 | 26 | 55 | 65 |
| 65+ | 17 | 7.9 | 25 | 1 | 2 | 7 | 12 | 13 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6490 | 3.9 | 42 | <1 | 1 | 2 | 4 | 7 | 12 | 36 |
| 20-34 | 10804 | 4.5 | 38 | <1 | 1 | 3 | 5 | 10 | 15 | 31 |
| 35-49 | 5752 | 5.0 | 38 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 50-64 | 3597 | 6.7 | 52 | 1 | 1 | 5 | 8 | 14 | 20 | 38 |
| 65+ | 5054 | 8.1 | 51 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 9.2 | 155 | 1 | 1 | 5 | 10 | 24 | 44 | 89 |
| 20-34 | 469 | 9.9 | 151 | 1 | 1 | 5 | 13 | 26 | 36 | 67 |
| 35-49 | 308 | 11.3 | 157 | <1 | 1 | 8 | 14 | 25 | 36 | 71 |
| 50-64 | 253 | 15.7 | 218 | 3 | 4 | 11 | 19 | 36 | 48 | 84 |
| 65+ | 442 | 16.6 | 185 | 3 | 5 | 13 | 21 | 34 | 47 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13489 | 2.3 | 7 | <1 | 1 | 1 | 3 | 4 | 6 | 12 |
| B. *Operated* | 97 | 5.9 | 66 | <1 | 1 | 3 | 7 | 13 | 18 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31697 | 5.3 | 44 | 1 | 1 | 3 | 6 | 12 | 17 | 34 |
| B. *Operated* | 1556 | 13.0 | 181 | 1 | 2 | 9 | 17 | 30 | 42 | 74 |
| **1. SINGLE DX** | 13586 | 2.3 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | 33253 | 5.7 | 53 | 1 | 1 | 3 | 7 | 13 | 19 | 38 |
| **A. NOT OPERATED** | 45186 | 4.4 | 35 | <1 | 1 | 2 | 5 | 10 | 14 | 30 |
| **B. OPERATED** | 1653 | 12.5 | 177 | 1 | 2 | 8 | 16 | 28 | 42 | 73 |
| TOTAL 0-19 YRS | 13415 | 2.9 | 25 | <1 | 1 | 2 | 3 | 5 | 8 | 26 |
| 20-34 | 15400 | 4.1 | 35 | <1 | 1 | 2 | 4 | 8 | 14 | 31 |
| 35-49 | 7525 | 4.8 | 39 | 1 | 1 | 3 | 5 | 11 | 16 | 31 |
| 50-64 | 4490 | 6.8 | 64 | 1 | 1 | 4 | 8 | 15 | 21 | 41 |
| 65+ | 6009 | 8.5 | 64 | 1 | 2 | 6 | 10 | 16 | 23 | 43 |
| **GRAND TOTAL** | **46839** | **4.7** | **42** | **<1** | **1** | **3** | **5** | **10** | **16** | **34** |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3189 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 1509 | 1.9 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 35-49 | 740 | 2.2 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 50-64 | 442 | 2.2 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 223 | 2.5 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 15 |
| 20-34 | 49 | 4.7 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 19 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 15 | 18 |
| 50-64 | 8 | 6.4 | 20 | 2 | 2 | 5 | 8 | 14 | 16 | 16 |
| 65+ | 7 | 10.9 | 157 | 1 | 1 | 6 | 14 | 33 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1595 | 3.3 | 27 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 20-34 | 1447 | 3.4 | 33 | <1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 35-49 | 906 | 4.1 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 50-64 | 839 | 4.8 | 37 | 1 | 1 | 3 | 5 | 10 | 15 | 34 |
| 65+ | 626 | 6.6 | 65 | 1 | 1 | 4 | 8 | 15 | 19 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 11.9 | 294 | 1 | 1 | 5 | 11 | 35 | 55 | 82 |
| 20-34 | 82 | 9.0 | 113 | 1 | 1 | 5 | 12 | 22 | 42 | 99+ |
| 35-49 | 68 | 17.1 | 323 | 1 | 3 | 11 | 24 | 44 | 59 | 98 |
| 50-64 | 61 | 14.6 | 288 | 1 | 2 | 7 | 19 | 35 | 60 | 73 |
| 65+ | 58 | 25.0 | 343 | 3 | 7 | 22 | 39 | 55 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6103 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| B. *Operated* | 128 | 5.1 | 21 | 1 | 1 | 4 | 7 | 9 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5413 | 4.1 | 36 | 1 | 1 | 2 | 4 | 8 | 13 | 32 |
| B. *Operated* | 315 | 15.2 | 288 | 1 | 2 | 8 | 22 | 42 | 59 | 99+ |
| **1. SINGLE DX** | 6231 | 2.0 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 5728 | 4.7 | 56 | 1 | 1 | 2 | 5 | 10 | 16 | 44 |
| **A. NOT OPERATED** | 11516 | 3.0 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 21 |
| **B. OPERATED** | 443 | 12.3 | 232 | 1 | 2 | 6 | 15 | 36 | 50 | 99+ |
| TOTAL 0-19 YRS | 4875 | 2.5 | 16 | <1 | 1 | 1 | 2 | 5 | 7 | 15 |
| 20-34 | 3087 | 2.9 | 22 | <1 | 1 | 2 | 3 | 5 | 8 | 22 |
| 35-49 | 1733 | 3.8 | 39 | 1 | 1 | 2 | 4 | 8 | 13 | 38 |
| 50-64 | 1350 | 4.4 | 43 | 1 | 1 | 2 | 5 | 9 | 14 | 35 |
| 65+ | 914 | 6.8 | 94 | 1 | 1 | 3 | 8 | 16 | 28 | 59 |
| **GRAND TOTAL** | 11959 | 3.3 | 31 | <1 | 1 | 2 | 3 | 7 | 10 | 30 |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1729 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 1084 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 35-49 | 657 | 3.1 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 50-64 | 513 | 3.5 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 65+ | 474 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 13 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 11.0 | 90 | 1 | 1 | 7 | 18 | 25 | 29 | 33 |
| 20-34 | 35 | 8.3 | 94 | 1 | 1 | 4 | 9 | 25 | 31 | 36 |
| 35-49 | 29 | 14.0 | 401 | <1 | 1 | 7 | 16 | 48 | 92 | 99+ |
| 50-64 | 30 | 9.8 | 131 | 2 | 2 | 8 | 11 | 23 | 61 | 99+ |
| 65+ | 26 | 17.0 | 523 | <1 | 1 | 8 | 21 | 43 | 72 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1514 | 4.0 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 1433 | 3.9 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 1403 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 50-64 | 1911 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 14 | 28 |
| 65+ | 3570 | 8.0 | 55 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 10.3 | 221 | 1 | 1 | 5 | 14 | 29 | 87 | 99+ |
| 20-34 | 135 | 9.5 | 258 | 1 | 1 | 4 | 9 | 27 | 55 | 99+ |
| 35-49 | 182 | 12.2 | 238 | 1 | 1 | 7 | 15 | 33 | 53 | 99+ |
| 50-64 | 271 | 13.7 | 183 | 2 | 2 | 9 | 19 | 30 | 49 | 99+ |
| 65+ | 413 | 16.7 | 214 | 3 | 4 | 13 | 21 | 42 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4457 | 2.9 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| B. *Operated* | 141 | 11.8 | 246 | 1 | 1 | 7 | 15 | 31 | 47 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9831 | 5.8 | 39 | 1 | 1 | 4 | 7 | 12 | 17 | 32 |
| B. *Operated* | 1069 | 13.9 | 222 | 1 | 2 | 9 | 19 | 34 | 56 | 99+ |
| **1. SINGLE DX** | 4598 | 3.2 | 21 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| **2. MULTIPLE DX** | 10900 | 6.6 | 63 | 1 | 1 | 4 | 8 | 14 | 20 | 45 |
| **A. NOT OPERATED** | 14288 | 4.9 | 33 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| **B. OPERATED** | 1210 | 13.6 | 225 | 1 | 2 | 9 | 18 | 33 | 56 | 99+ |
| TOTAL 0-19 YRS | 3332 | 3.4 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 20-34 | 2687 | 3.7 | 29 | 1 | 1 | 2 | 4 | 7 | 11 | 27 |
| 35-49 | 2271 | 4.9 | 48 | 1 | 1 | 3 | 6 | 10 | 16 | 36 |
| 50-64 | 2725 | 6.1 | 55 | 1 | 1 | 4 | 7 | 12 | 18 | 42 |
| 65+ | 4483 | 8.5 | 77 | 1 | 2 | 6 | 10 | 17 | 24 | 56 |
| **GRAND TOTAL** | 15498 | 5.6 | 53 | 1 | 1 | 3 | 7 | 12 | 18 | 40 |

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 169 | 4.4 | 19 | <1 | 1 | 3 | 6 | 10 | 15 | 21 |
| 20-34 | 288 | 3.6 | 13 | <1 | <1 | 2 | 5 | 8 | 10 | 21 |
| 35-49 | 169 | 6.2 | 40 | <1 | 1 | 4 | 9 | 14 | 19 | 31 |
| 50-64 | 228 | 6.0 | 35 | 1 | 1 | 4 | 7 | 13 | 17 | 29 |
| 65+ | 444 | 6.7 | 51 | 1 | 1 | 5 | 9 | 14 | 19 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1095 | 5.5 | 51 | <1 | 1 | 3 | 7 | 11 | 15 | 40 |
| 20-34 | 2093 | 4.6 | 37 | <1 | 1 | 2 | 5 | 11 | 16 | 30 |
| 35-49 | 1662 | 6.0 | 51 | 1 | 1 | 3 | 7 | 14 | 19 | 38 |
| 50-64 | 2565 | 8.2 | 70 | 1 | 2 | 5 | 12 | 18 | 23 | 41 |
| 65+ | 4588 | 9.2 | 88 | 1 | 2 | 6 | 13 | 21 | 27 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 4.9 | 33 | 1 | 1 | 3 | 6 | 12 | 17 | 35 |
| 20-34 | 403 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 15 | 22 |
| 35-49 | 339 | 6.6 | 32 | 1 | 1 | 5 | 9 | 14 | 16 | 31 |
| 50-64 | 577 | 8.2 | 90 | 1 | 2 | 5 | 10 | 18 | 27 | 57 |
| 65+ | 1170 | 9.2 | 95 | 1 | 2 | 6 | 11 | 20 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1142 | 9.6 | 138 | 1 | 2 | 6 | 11 | 23 | 34 | 59 |
| 20-34 | 2434 | 7.4 | 105 | 1 | 1 | 4 | 8 | 18 | 26 | 58 |
| 35-49 | 2687 | 9.0 | 127 | 1 | 2 | 5 | 11 | 21 | 29 | 64 |
| 50-64 | 5160 | 11.6 | 153 | 2 | 2 | 8 | 15 | 26 | 37 | 72 |
| 65+ | 8514 | 13.2 | 181 | 2 | 2 | 9 | 18 | 29 | 42 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1298 | 5.5 | 36 | <1 | 1 | 4 | 7 | 12 | 17 | 29 |
| B. *Operated* | 12003 | 7.4 | 70 | 1 | 1 | 4 | 10 | 17 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2690 | 7.8 | 73 | 1 | 1 | 5 | 10 | 16 | 24 | 47 |
| B. *Operated* | 19937 | 11.3 | 159 | 1 | 2 | 7 | 15 | 26 | 37 | 71 |
| **1. SINGLE DX** | 13301 | 7.2 | 67 | 1 | 1 | 4 | 10 | 17 | 22 | 40 |
| **2. MULTIPLE DX** | 22627 | 10.9 | 150 | 1 | 2 | 7 | 14 | 25 | 36 | 70 |
| **A. NOT OPERATED** | 3988 | 7.0 | 62 | 1 | 1 | 5 | 9 | 15 | 22 | 42 |
| **B. OPERATED** | 31940 | 9.8 | 129 | 1 | 2 | 6 | 13 | 23 | 32 | 63 |
| TOTAL 0-19 YRS | 2607 | 7.2 | 90 | <1 | 1 | 4 | 8 | 15 | 25 | 49 |
| 20-34 | 5218 | 5.9 | 68 | <1 | 1 | 3 | 7 | 14 | 20 | 43 |
| 35-49 | 4857 | 7.7 | 94 | 1 | 1 | 4 | 9 | 17 | 25 | 53 |
| 50-64 | 8530 | 10.2 | 124 | 1 | 2 | 7 | 13 | 23 | 32 | 62 |
| 65+ | 14716 | 11.5 | 146 | 1 | 2 | 8 | 15 | 26 | 35 | 68 |
| **GRAND TOTAL** | **35928** | **9.5** | **123** | **1** | **2** | **6** | **12** | **22** | **31** | **61** |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 829 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 1226 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 643 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 684 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 915 | 4.3 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 818 | 2.0 | 6 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 1172 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 570 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 362 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 65+ | 324 | 5.7 | 22 | 1 | 2 | 4 | 7 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 431 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 309 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 506 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 950 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.6 | 12 | 1 | 1 | 2 | 5 | 9 | 11 | 16 |
| 20-34 | 427 | 5.0 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| 35-49 | 260 | 6.4 | 41 | 1 | 1 | 5 | 8 | 13 | 20 | 34 |
| 50-64 | 317 | 9.1 | 129 | 1 | 2 | 6 | 11 | 17 | 29 | 67 |
| 65+ | 472 | 9.3 | 87 | 1 | 2 | 7 | 11 | 20 | 28 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4297 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 3246 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2345 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 1587 | 7.2 | 72 | 1 | 1 | 5 | 9 | 15 | 21 | 43 |
| **1. SINGLE DX** | 7543 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 3932 | 5.7 | 40 | 1 | 1 | 4 | 7 | 11 | 16 | 33 |
| **A. NOT OPERATED** | 6642 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 4833 | 4.6 | 35 | 1 | 1 | 3 | 5 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 1907 | 2.2 | 5 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 20-34 | 3256 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 1782 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 50-64 | 1869 | 5.1 | 36 | 1 | 1 | 4 | 6 | 10 | 14 | 31 |
| 65+ | 2661 | 5.8 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 31 |
| **GRAND TOTAL** | **11475** | **4.0** | **21** | **1** | **1** | **3** | **5** | **8** | **11** | **22** |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 20-34 | 778 | 5.9 | 23 | 2 | 2 | 5 | 7 | 10 | 13 | 27 |
| 35-49 | 609 | 7.3 | 39 | 2 | 2 | 5 | 9 | 14 | 18 | 35 |
| 50-64 | 461 | 8.5 | 52 | 2 | 3 | 7 | 11 | 16 | 20 | 40 |
| 65+ | 373 | 9.0 | 48 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 7.9 | 49 | 1 | 2 | 6 | 10 | 14 | 21 | 32 |
| 20-34 | 656 | 8.3 | 61 | 1 | 2 | 6 | 10 | 17 | 25 | 43 |
| 35-49 | 512 | 9.4 | 69 | 1 | 2 | 7 | 12 | 19 | 25 | 46 |
| 50-64 | 489 | 10.3 | 97 | 2 | 2 | 8 | 13 | 22 | 29 | 50 |
| 65+ | 343 | 12.0 | 133 | 2 | 2 | 9 | 15 | 24 | 36 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 235 | 6.2 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 20-34 | 548 | 6.6 | 26 | 2 | 2 | 5 | 8 | 12 | 17 | 25 |
| 35-49 | 552 | 8.2 | 38 | 2 | 3 | 6 | 10 | 16 | 21 | 32 |
| 50-64 | 732 | 10.5 | 78 | 3 | 3 | 8 | 13 | 21 | 27 | 51 |
| 65+ | 783 | 11.8 | 90 | 3 | 4 | 9 | 14 | 23 | 28 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 10.6 | 89 | 1 | 2 | 8 | 13 | 22 | 30 | 47 |
| 20-34 | 519 | 11.7 | 123 | 2 | 3 | 9 | 14 | 24 | 35 | 62 |
| 35-49 | 585 | 14.2 | 175 | 2 | 3 | 10 | 19 | 30 | 44 | 68 |
| 50-64 | 805 | 15.5 | 196 | 2 | 3 | 11 | 20 | 35 | 49 | 99+ |
| 65+ | 803 | 18.6 | 245 | 3 | 4 | 14 | 25 | 43 | 55 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2596 | 7.1 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | 2355 | 9.4 | 81 | 1 | 2 | 7 | 12 | 19 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2850 | 9.3 | 63 | 2 | 3 | 7 | 11 | 18 | 24 | 40 |
| B. *Operated* | 2920 | 15.1 | 192 | 2 | 3 | 11 | 20 | 34 | 47 | 76 |
| **1. SINGLE DX** | 4951 | 8.2 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 41 |
| **2. MULTIPLE DX** | 5770 | 12.2 | 136 | 2 | 3 | 9 | 15 | 26 | 36 | 65 |
| **A. NOT OPERATED** | 5446 | 8.3 | 51 | 2 | 3 | 6 | 10 | 16 | 21 | 37 |
| **B. OPERATED** | 5275 | 12.6 | 150 | 2 | 3 | 9 | 16 | 28 | 39 | 66 |
| TOTAL 0-19 YRS | 1173 | 7.4 | 43 | 1 | 2 | 6 | 9 | 14 | 20 | 32 |
| 20-34 | 2501 | 7.9 | 59 | 2 | 2 | 6 | 9 | 15 | 22 | 43 |
| 35-49 | 2258 | 9.8 | 88 | 2 | 2 | 7 | 12 | 20 | 28 | 50 |
| 50-64 | 2487 | 11.7 | 123 | 2 | 3 | 8 | 14 | 25 | 34 | 64 |
| 65+ | 2302 | 13.7 | 157 | 2 | 3 | 10 | 17 | 29 | 42 | 68 |
| **GRAND TOTAL** | **10721** | **10.4** | **105** | **2** | **3** | **7** | **13** | **22** | **30** | **57** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 3.8 | 25 | 1 | 1 | 2 | 4 | 7 | 13 | 30 |
| 20-34 | 462 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 353 | 6.0 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |
| 50-64 | 325 | 6.3 | 34 | 1 | 1 | 5 | 8 | 12 | 16 | 30 |
| 65+ | 336 | 6.5 | 37 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 331 | 4.2 | 25 | <1 | <1 | 2 | 5 | 9 | 13 | 27 |
| 20-34 | 918 | 5.7 | 45 | 1 | 1 | 3 | 7 | 12 | 17 | 36 |
| 35-49 | 790 | 7.0 | 62 | 1 | 1 | 5 | 9 | 15 | 20 | 39 |
| 50-64 | 808 | 6.6 | 50 | 1 | 1 | 4 | 8 | 15 | 21 | 36 |
| 65+ | 768 | 7.8 | 85 | 1 | 1 | 5 | 10 | 18 | 24 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 4.3 | 36 | 1 | 1 | 3 | 5 | 9 | 12 | 38 |
| 20-34 | 656 | 5.3 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 35-49 | 637 | 6.6 | 42 | 1 | 1 | 5 | 8 | 13 | 19 | 32 |
| 50-64 | 794 | 7.6 | 46 | 1 | 2 | 6 | 10 | 15 | 20 | 38 |
| 65+ | 1112 | 9.5 | 76 | 1 | 2 | 7 | 13 | 19 | 25 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 246 | 8.2 | 109 | 1 | 1 | 5 | 9 | 19 | 28 | 61 |
| 20-34 | 1015 | 8.8 | 88 | 1 | 2 | 6 | 10 | 18 | 26 | 54 |
| 35-49 | 1155 | 11.3 | 134 | 2 | 2 | 8 | 14 | 25 | 37 | 71 |
| 50-64 | 1686 | 12.8 | 186 | 1 | 2 | 9 | 16 | 28 | 44 | 84 |
| 65+ | 2050 | 14.3 | 197 | 2 | 2 | 10 | 19 | 33 | 46 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1670 | 5.4 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | 3615 | 6.5 | 57 | 1 | 1 | 4 | 8 | 14 | 20 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3451 | 7.3 | 53 | 1 | 1 | 5 | 10 | 15 | 21 | 38 |
| B. *Operated* | 6152 | 12.2 | 165 | 1 | 2 | 8 | 16 | 27 | 41 | 78 |
| **1. SINGLE DX** | 5285 | 6.2 | 49 | 1 | 1 | 4 | 8 | 13 | 18 | 36 |
| **2. MULTIPLE DX** | 9603 | 10.4 | 130 | 1 | 2 | 7 | 13 | 23 | 33 | 66 |
| **A. NOT OPERATED** | 5121 | 6.7 | 47 | 1 | 1 | 5 | 9 | 14 | 19 | 37 |
| **B. OPERATED** | 9767 | 10.1 | 133 | 1 | 2 | 6 | 13 | 23 | 34 | 66 |
| TOTAL 0-19 YRS | 1023 | 5.1 | 51 | <1 | 1 | 3 | 6 | 11 | 18 | 38 |
| 20-34 | 3051 | 6.4 | 53 | 1 | 1 | 4 | 8 | 13 | 19 | 39 |
| 35-49 | 2935 | 8.5 | 89 | 1 | 2 | 6 | 10 | 18 | 26 | 54 |
| 50-64 | 3613 | 9.7 | 120 | 1 | 2 | 6 | 12 | 21 | 31 | 65 |
| 65+ | 4266 | 11.3 | 142 | 1 | 2 | 7 | 15 | 25 | 36 | 65 |
| **GRAND TOTAL** | **14888** | **8.9** | **106** | **1** | **2** | **6** | **11** | **20** | **29** | **58** |

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 58 | 4.2 | 10 | 1 | 1 | 3 | 5 | 10 | 12 | 14 |
| 35-49 | 38 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 28 | 4.9 | 34 | 1 | 1 | 4 | 5 | 7 | 18 | 30 |
| 65+ | 17 | 4.4 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 9 | 7.3 | 34 | 2 | 2 | 6 | 11 | 17 | 19 | 19 |
| 35-49 | 5 | 5.2 | 17 | 2 | 2 | 5 | 7 | 12 | 12 | 12 |
| 50-64 | 13 | 3.6 | 10 | 1 | 1 | 2 | 5 | 9 | 10 | 10 |
| 65+ | 5 | 3.4 | 9 | <1 | <1 | 2 | 6 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 3.6 | 12 | 1 | 1 | 3 | 4 | 8 | 9 | 21 |
| 20-34 | 71 | 5.5 | 24 | 1 | 1 | 5 | 7 | 9 | 18 | 27 |
| 35-49 | 80 | 5.0 | 19 | 1 | 1 | 4 | 7 | 12 | 14 | 21 |
| 50-64 | 109 | 5.8 | 26 | 1 | 1 | 5 | 7 | 11 | 14 | 28 |
| 65+ | 157 | 4.7 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.0 | 23 | 3 | 3 | 11 | 13 | 13 | 13 | 13 |
| 20-34 | 15 | 10.1 | 88 | 1 | 1 | 8 | 15 | 17 | 32 | 37 |
| 35-49 | 32 | 9.9 | 51 | 1 | 2 | 8 | 14 | 21 | 25 | 27 |
| 50-64 | 50 | 10.9 | 160 | 1 | 2 | 7 | 14 | 24 | 52 | 99+ |
| 65+ | 54 | 9.8 | 55 | 2 | 3 | 8 | 15 | 23 | 28 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 264 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 38 | 4.6 | 16 | 1 | 1 | 3 | 6 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 524 | 4.9 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 157 | 10.2 | 88 | 1 | 2 | 8 | 14 | 23 | 27 | 97 |
| **1. SINGLE DX** | 302 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 681 | 6.1 | 40 | 1 | 1 | 4 | 8 | 13 | 18 | 31 |
| **A. NOT OPERATED** | 788 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 195 | 9.1 | 79 | 1 | 2 | 6 | 13 | 19 | 25 | 86 |
| TOTAL 0-19 YRS | 242 | 3.4 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 153 | 5.6 | 27 | 1 | 1 | 4 | 6 | 11 | 16 | 29 |
| 35-49 | 155 | 5.9 | 27 | 1 | 1 | 4 | 8 | 13 | 17 | 25 |
| 50-64 | 200 | 6.8 | 65 | 1 | 1 | 5 | 8 | 14 | 23 | 62 |
| 65+ | 233 | 5.9 | 30 | 1 | 1 | 4 | 8 | 13 | 17 | 30 |
| **GRAND TOTAL** | **983** | **5.4** | **32** | **1** | **1** | **4** | **7** | **12** | **16** | **28** |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 81 | 2.3 | 57 | <1 | <1 | 1 | 2 | 3 | 4 | 49 |
| 35-49 | 28 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 235 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 27782 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 10403 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 93 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 18 | 2.1 | 2 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 369 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 148 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 50-64 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 15764 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 7384 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 70 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 10 | 4.9 | 73 | <1 | <1 | 2 | 4 | 17 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 2.1 | 43 | <1 | <1 | 1 | 2 | 3 | 4 | 32 |
| B. *Operated* | 38531 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 527 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| B. *Operated* | 23400 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| **1. SINGLE DX** | 38641 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 23927 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 637 | 1.4 | 8 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **B. OPERATED** | 61931 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 416 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 43996 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 17963 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 50-64 | 165 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 65+ | 28 | 3.1 | 27 | <1 | <1 | 2 | 3 | 5 | 8 | 29 |
| **GRAND TOTAL** | **62568** | **2.0** | **2** | **<1** | **<1** | **2** | **2** | **4** | **4** | **7** |

## 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 3 | 36.0 | 2269 | 8 | 8 | 9 | 70 | 91 | 91 | 91 |
| 1000-1499 | 8 | 29.5 | 225 | 10 | 11 | 28 | 40 | 50 | 54 | 54 |
| 1500-1749 | 21 | 18.5 | 37 | 9 | 9 | 19 | 23 | 26 | 27 | 27 |
| 1750-2499 | 9707 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 2500+ | 566222 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 3 | 43.0 | 228 | 29 | 29 | 41 | 54 | 59 | 59 | 59 |
| 1500-1749 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 1750-2499 | 18 | 12.0 | 92 | 2 | 3 | 12 | 16 | 21 | 33 | 41 |
| 2500+ | 264 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 8 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 126 | 57.7 | 589 | 9 | 21 | 68 | 85 | 99+ | 99+ | 99+ |
| 1000-1499 | 1049 | 40.6 | 245 | 17 | 23 | 39 | 51 | 63 | 71 | 99+ |
| 1500-1749 | 1556 | 25.2 | 101 | 11 | 14 | 24 | 30 | 38 | 44 | 59 |
| 1750-2499 | 23631 | 7.8 | 41 | 2 | 2 | 6 | 10 | 17 | 20 | 30 |
| 2500+ | 228791 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 166 | 70.7 | 506 | 22 | 42 | 84 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 751 | 50.4 | 316 | 26 | 30 | 50 | 64 | 83 | 99+ | 99+ |
| 1500-1749 | 498 | 33.5 | 184 | 16 | 20 | 32 | 40 | 53 | 68 | 99+ |
| 1750-2499 | 1747 | 17.1 | 167 | 3 | 5 | 15 | 22 | 31 | 41 | 81 |
| 2500+ | 4748 | 8.0 | 68 | 2 | 2 | 6 | 9 | 15 | 22 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 575961 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 286 | 5.2 | 42 | 1 | 2 | 3 | 5 | 8 | 16 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 255153 | 4.7 | 21 | 2 | 2 | 4 | 5 | 7 | 10 | 24 |
| B. *Operated* | 7910 | 17.0 | 362 | 2 | 3 | 9 | 23 | 48 | 69 | 99+ |
| **1. SINGLE DX** | 576247 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 263063 | 5.1 | 35 | 2 | 2 | 4 | 5 | 7 | 12 | 34 |
| **A. NOT OPERATED** | 831114 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **B. OPERATED** | 8196 | 16.6 | 356 | 2 | 3 | 9 | 22 | 47 | 68 | 99+ |
| TOTAL 1-999 G | 295 | 64.8 | 599 | 15 | 30 | 78 | 99 | 99+ | 99+ | 99+ |
| 1000-1499 | 1811 | 44.6 | 298 | 20 | 25 | 43 | 56 | 72 | 87 | 99+ |
| 1500-1749 | 2076 | 27.2 | 133 | 12 | 15 | 26 | 32 | 42 | 48 | 78 |
| 1750-2499 | 35103 | 7.1 | 46 | 2 | 2 | 5 | 9 | 16 | 20 | 31 |
| 2500+ | 800025 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | 839310 | 3.7 | 13 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |

## 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 2 | 21.5 | 25 | 18 | 18 | 21 | 25 | 25 | 25 | 25 |
| 1500-1749 | 14 | 20.9 | 25 | 14 | 17 | 19 | 22 | 29 | 30 | 30 |
| 1750-2499 | 1277 | 5.1 | 10 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |
| 2500+ | 4712 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1750-2499 | 7 | 12.7 | 97 | 4 | 4 | 9 | 20 | 29 | 30 | 30 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 22 | 58.9 | 494 | 11 | 17 | 63 | 72 | 85 | 86 | 88 |
| 1000-1499 | 228 | 38.6 | 246 | 18 | 21 | 36 | 48 | 59 | 72 | 98 |
| 1500-1749 | 393 | 24.8 | 86 | 12 | 15 | 24 | 29 | 37 | 43 | 55 |
| 1750-2499 | 3637 | 9.5 | 42 | 3 | 3 | 7 | 13 | 18 | 22 | 30 |
| 2500+ | 2851 | 5.4 | 7 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 35 | 72.2 | 275 | 44 | 51 | 83 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 150 | 50.5 | 292 | 27 | 30 | 49 | 62 | 83 | 95 | 99+ |
| 1500-1749 | 108 | 34.0 | 215 | 15 | 18 | 30 | 41 | 55 | 59 | 96 |
| 1750-2499 | 237 | 18.2 | 155 | 4 | 6 | 16 | 22 | 31 | 38 | 70 |
| 2500+ | 101 | 10.4 | 166 | 3 | 4 | 6 | 12 | 18 | 24 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6005 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| B. *Operated* | 8 | 13.6 | 90 | 4 | 4 | 9 | 21 | 28 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7131 | 9.8 | 92 | 3 | 3 | 6 | 12 | 21 | 28 | 52 |
| B. *Operated* | 631 | 30.3 | 521 | 4 | 6 | 26 | 47 | 73 | 92 | 99+ |
| **1. SINGLE DX** | 6013 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 7762 | 11.5 | 158 | 3 | 3 | 7 | 14 | 26 | 38 | 74 |
| **A. NOT OPERATED** | 13136 | 7.5 | 59 | 2 | 3 | 5 | 7 | 15 | 22 | 42 |
| **B. OPERATED** | 639 | 30.1 | 519 | 4 | 6 | 26 | 47 | 72 | 92 | 99+ |
| TOTAL 1-999 G | 57 | 67.1 | 395 | 33 | 46 | 76 | 95 | 99+ | 99+ | 99+ |
| 1000-1499 | 380 | 43.3 | 298 | 20 | 24 | 42 | 54 | 70 | 85 | 99+ |
| 1500-1749 | 516 | 26.6 | 125 | 13 | 15 | 25 | 31 | 41 | 49 | 60 |
| 1750-2499 | 5158 | 8.8 | 47 | 2 | 3 | 6 | 12 | 18 | 22 | 31 |
| 2500+ | 7664 | 4.9 | 8 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| **GRAND TOTAL** | 13775 | 8.5 | 103 | 2 | 3 | 5 | 8 | 18 | 27 | 60 |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
| | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
| | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |

| Group Number | Title |
|---|---|
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer – *see Neoplasm, malignant* |
|  | Carcinoma – *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 1500-1749 | 2 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 1750-2499 | 85 | 3.7 | 10 | 1 | 1 | 3 | 4 | 6 | 11 | 18 |
| 2500+ | 1380 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 1 | 78.0 | | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 1000-1499 | 16 | 39.8 | 155 | 13 | 27 | 43 | 47 | 50 | 59 | 63 |
| 1500-1749 | 33 | 25.4 | 135 | 9 | 11 | 24 | 35 | 43 | 47 | 48 |
| 1750-2499 | 223 | 8.7 | 42 | 2 | 3 | 7 | 12 | 18 | 21 | 29 |
| 2500+ | 583 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 3 | 68.0 | 73 | 59 | 59 | 76 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 15 | 49.7 | 403 | 27 | 28 | 48 | 66 | 95 | 99 | 99+ |
| 1500-1749 | 6 | 40.3 | 277 | 19 | 20 | 38 | 53 | 64 | 65 | 65 |
| 1750-2499 | 13 | 12.0 | 53 | 2 | 4 | 8 | 18 | 22 | 23 | 23 |
| 2500+ | 29 | 9.2 | 78 | 1 | 2 | 8 | 11 | 18 | 24 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1468 | 2.8 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 856 | 6.8 | 69 | 1 | 2 | 4 | 7 | 14 | 23 | 45 |
| B. *Operated* | 66 | 24.5 | 547 | 2 | 3 | 16 | 46 | 68 | 97 | 99+ |
| **1. SINGLE DX** | 1468 | 2.8 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 922 | 8.0 | 123 | 1 | 2 | 4 | 8 | 19 | 33 | 66 |
| **A. NOT OPERATED** | 2324 | 4.3 | 33 | 1 | 1 | 3 | 4 | 7 | 12 | 35 |
| **B. OPERATED** | 66 | 24.5 | 547 | 2 | 3 | 16 | 46 | 68 | 97 | 99+ |
| TOTAL 1-999 G | 4 | 70.5 | 74 | 59 | 60 | 77 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 32 | 44.3 | 285 | 27 | 28 | 44 | 51 | 69 | 94 | 99+ |
| 1500-1749 | 41 | 28.5 | 184 | 10 | 11 | 25 | 39 | 46 | 50 | 65 |
| 1750-2499 | 321 | 7.5 | 39 | 1 | 2 | 5 | 11 | 16 | 20 | 28 |
| 2500+ | 1992 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **GRAND TOTAL** | **2390** | **4.8** | **58** | **1** | **1** | **3** | **4** | **8** | **15** | **46** |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 2.9 | 16 | <1 | <1 | 2 | 3 | 5 | 11 | 25 |
| 20-34 | 97 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 33 | 3.7 | 10 | <1 | <1 | 2 | 7 | 8 | 9 | 12 |
| 50-64 | 31 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 23 | 4.9 | 37 | <1 | 1 | 2 | 6 | 13 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3291 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 4973 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 2136 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 1801 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 1362 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.0 | 72 | <1 | <1 | 1 | 3 | 10 | 16 | 51 |
| 20-34 | 48 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 6 | 8 |
| 35-49 | 26 | 2.5 | 8 | <1 | <1 | 2 | 2 | 6 | 8 | 14 |
| 50-64 | 33 | 6.0 | 155 | <1 | <1 | 2 | 3 | 14 | 40 | 53 |
| 65+ | 26 | 5.2 | 17 | <1 | 1 | 4 | 7 | 12 | 15 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 567 | 3.4 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| 20-34 | 965 | 4.2 | 32 | 1 | 1 | 3 | 4 | 8 | 12 | 27 |
| 35-49 | 573 | 4.4 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 50-64 | 686 | 5.9 | 53 | 1 | 2 | 4 | 7 | 12 | 18 | 36 |
| 65+ | 728 | 9.1 | 98 | 2 | 2 | 6 | 12 | 20 | 26 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 256 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| B. *Operated* | 13563 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 3.7 | 52 | <1 | <1 | 2 | 3 | 7 | 13 | 48 |
| B. *Operated* | 3519 | 5.5 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 35 |
| **1. SINGLE DX** | 13819 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 3693 | 5.4 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 37 |
| **A. NOT OPERATED** | 430 | 3.2 | 28 | <1 | <1 | 2 | 3 | 7 | 9 | 30 |
| **B. OPERATED** | 17082 | 3.5 | 17 | <1 | 1 | 2 | 4 | 6 | 9 | 21 |
| TOTAL 0-19 YRS | 3971 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 6083 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 2768 | 3.1 | 8 | <1 | 1 | 2 | 4 | 5 | 8 | 16 |
| 50-64 | 2551 | 4.0 | 23 | 1 | 1 | 3 | 4 | 7 | 11 | 25 |
| 65+ | 2139 | 6.5 | 55 | 1 | 2 | 4 | 8 | 14 | 18 | 38 |
| **GRAND TOTAL** | **17512** | **3.5** | **17** | **<1** | **1** | **2** | **4** | **6** | **9** | **21** |

### 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 10 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 5 | 2.6 | 6 | 1 | 1 | 2 | 3 | 7 | 7 | 7 |
| 50-64 | 32 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 65+ | 35 | 1.3 | | 1 | 1 | 1 | 1 | 2 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 9 | 1.9 | 3 | <1 | <1 | <1 | 2 | 5 | 6 | 6 |
| 35-49 | 13 | 1.8 | 5 | <1 | <1 | <1 | <1 | 5 | 8 | 9 |
| 50-64 | 9 | 2.4 | 5 | <1 | <1 | <1 | 3 | 6 | 7 | 7 |
| 65+ | 21 | 2.2 | 10 | <1 | <1 | <1 | 1 | 7 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 196 | 1.2 | 2 | <1 | <1 | 1 | 1 | 1 | 2 | 7 |
| 35-49 | 278 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | 897 | 1.7 | 5 | 1 | 1 | 1 | 2 | 2 | 3 | 11 |
| 65+ | 776 | 1.7 | 5 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.3 | 18 | <1 | <1 | 1 | 4 | 9 | 15 | 17 |
| 20-34 | 228 | 1.5 | 16 | <1 | <1 | <1 | <1 | 2 | 3 | 8 |
| 35-49 | 171 | 2.2 | 40 | <1 | <1 | <1 | 1 | 4 | 8 | 65 |
| 50-64 | 299 | 2.2 | 31 | <1 | <1 | <1 | <1 | 4 | 6 | 18 |
| 65+ | 87 | 5.0 | 77 | <1 | <1 | 2 | 6 | 10 | 17 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 1.3 | 1 | <1 | 1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 58 | 2.0 | 6 | <1 | <1 | <1 | 1 | 5 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2207 | 1.6 | 4 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| B. *Operated* | 801 | 2.3 | 34 | <1 | <1 | <1 | 1 | 5 | 8 | 23 |
| **1. SINGLE DX** | 141 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 5 | 11 |
| **2. MULTIPLE DX** | 3008 | 1.8 | 12 | <1 | <1 | 1 | 2 | 2 | 4 | 12 |
| **A. NOT OPERATED** | 2290 | 1.6 | 4 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| **B. OPERATED** | 859 | 2.3 | 32 | <1 | <1 | <1 | 1 | 5 | 8 | 21 |
| TOTAL 0-19 YRS | 83 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 14 |
| 20-34 | 443 | 1.4 | 9 | <1 | <1 | <1 | 1 | 1 | 3 | 8 |
| 35-49 | 467 | 1.7 | 16 | <1 | <1 | 1 | 1 | 2 | 4 | 12 |
| 50-64 | 1237 | 1.8 | 11 | <1 | <1 | 1 | 2 | 2 | 4 | 11 |
| 65+ | 919 | 2.0 | 13 | <1 | 1 | 1 | 2 | 3 | 5 | 13 |
| **GRAND TOTAL** | 3149 | 1.8 | 12 | <1 | <1 | 1 | 2 | 2 | 4 | 12 |

### 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4805 | 2.5 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 6786 | 2.1 | 11 | <1 | <1 | 1 | 2 | 4 | 5 | 14 |
| 35-49 | 2412 | 2.9 | 19 | <1 | <1 | 2 | 3 | 5 | 8 | 22 |
| 50-64 | 3057 | 3.3 | 23 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 65+ | 2710 | 5.1 | 87 | <1 | 1 | 2 | 5 | 11 | 21 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2278 | 3.0 | 16 | <1 | <1 | 2 | 3 | 7 | 10 | 17 |
| 20-34 | 8464 | 3.0 | 10 | <1 | <1 | 2 | 3 | 6 | 9 | 14 |
| 35-49 | 4458 | 3.7 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 16 |
| 50-64 | 3973 | 4.4 | 23 | 1 | 1 | 2 | 6 | 10 | 13 | 20 |
| 65+ | 3691 | 4.6 | 28 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4542 | 3.9 | 39 | <1 | <1 | 2 | 4 | 7 | 12 | 32 |
| 20-34 | 8018 | 4.7 | 50 | <1 | 1 | 2 | 5 | 10 | 19 | 33 |
| 35-49 | 9076 | 4.6 | 46 | 1 | 1 | 2 | 5 | 9 | 19 | 32 |
| 50-64 | 21417 | 4.5 | 44 | 1 | 1 | 3 | 5 | 9 | 15 | 37 |
| 65+ | 19458 | 6.3 | 83 | 1 | 1 | 4 | 6 | 14 | 23 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1672 | 5.0 | 63 | <1 | 1 | 2 | 5 | 11 | 17 | 53 |
| 20-34 | 7877 | 4.2 | 44 | <1 | <1 | 2 | 5 | 8 | 12 | 35 |
| 35-49 | 6673 | 5.1 | 55 | <1 | <1 | 3 | 5 | 11 | 15 | 39 |
| 50-64 | 9430 | 6.3 | 71 | 1 | 1 | 3 | 8 | 13 | 19 | 49 |
| 65+ | 10198 | 7.3 | 93 | 1 | 1 | 3 | 10 | 17 | 25 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19770 | 2.9 | 25 | <1 | <1 | 2 | 3 | 5 | 8 | 25 |
| B. *Operated* | 22864 | 3.6 | 17 | <1 | <1 | 2 | 4 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62511 | 5.1 | 58 | 1 | 1 | 3 | 5 | 11 | 19 | 42 |
| B. *Operated* | 35850 | 5.8 | 70 | <1 | 1 | 3 | 7 | 13 | 19 | 48 |
| **1. SINGLE DX** | 42634 | 3.3 | 21 | <1 | <1 | 2 | 4 | 7 | 11 | 20 |
| **2. MULTIPLE DX** | 98361 | 5.4 | 62 | 1 | 1 | 3 | 6 | 12 | 19 | 44 |
| **A. NOT OPERATED** | 82281 | 4.6 | 51 | <1 | 1 | 2 | 5 | 9 | 16 | 39 |
| **B. OPERATED** | 58714 | 5.0 | 50 | <1 | 1 | 2 | 6 | 11 | 16 | 38 |
| TOTAL 0-19 YRS | 13297 | 3.4 | 29 | <1 | <1 | 2 | 4 | 7 | 11 | 28 |
| 20-34 | 31145 | 3.5 | 30 | <1 | <1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 22619 | 4.4 | 41 | <1 | 1 | 2 | 5 | 9 | 14 | 31 |
| 50-64 | 37877 | 4.9 | 48 | 1 | 1 | 3 | 5 | 10 | 16 | 38 |
| 65+ | 36057 | 6.3 | 81 | 1 | 1 | 3 | 7 | 15 | 23 | 52 |
| **GRAND TOTAL** | 140995 | 4.7 | 51 | <1 | 1 | 2 | 5 | 10 | 16 | 39 |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs — *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| | |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
| | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
| | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular – *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer – *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbiiirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve – *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes – *see Diabetes mellitus* |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| | |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
|  | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
|  | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
| | Paget's disease — *see Disease, Paget's* |
| | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
| | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma – *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
|  | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
|  | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
|  |  |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| | |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open – *see Laceration* |
| | |
| 12 | Yellow fever |

R3850-1.2(U)1A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

# LENGTH OF STAY BY OPERATION



# UNITED STATES

# 1981



# Length of Stay by Operation, United States, 1981

## A Companion Volume To Length of Stay by Diagnosis, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1

- Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
- Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
- Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
- Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . 5
  - Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . 5
  - Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . . . 6
- Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 6
- Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 15

- Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 16
- Operation Groups 501-764 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17

**Appendix: *ICD-9-CM* Codes for Selected Operation Groups** . . . . . . . . . . . . 83

**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.
2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.
5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
## January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups*** **is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[2] **Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,*** **Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.**

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in ***Concurrent Review Screening.*** Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| *1. Diastolic BP > 110* | | | |
| *2. Not controlled by outpatient Rx* | | | |
| *3.* | | | |
| *4.* | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| **Prostatic hyperplasia** | **2** | | **235** |
| for: Cystoscopy | | | 636 |
| **TUR** | | | **648** |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| *1. Sepsis or fever > 102°, chills* | | | |
| *2. Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



### OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| **648** | **Transurethral approach** |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** INDEX TO PROCEDURES

**Procedure** — *continued*
  diagnostic NEC — *continued*
    pleura 34.28
    posterior chamber, eye 14.19
    prostate 60.18
    pulmonary 33.29
    rectum 48.29
    renal 55.29
    respiratory 33.29
    retina 14.19
    retroperitoneum 59.29
    salivary gland or duct 26.19
    sclera 12.29
    scrotum 61.19
    seminal vesicle 60.19
    sigmoid 45.28
    sinus, nasal 22.19
    skin 86.19
    skull 01.19
    soft tissue 83.29
    spermatic cord 63.09
    sphincter of Oddi 51.19
    spine, spinal (canal) (cord) (meninges) (structure) 03.39
    spleen 41.39
    stomach 44.19
    subcutaneous tissue 86.19
    sympathetic nerve 05.19
    tarsus 09.19
    tendon NEC 83.29
      extraocular 15.09
    testicle 62.19
    thalamus 01.18
    thoracic duct 40.19
    thorax 34.28
    thymus 07.19
    thyroid gland 06.19
    tongue 25.09
    tonsils 28.19
    tooth 24.19
    trachea 31.49
    tunica vaginalis 61.19
    ureter 56.39
    urethra 58.29
    uterus and supporting structures 68.19
    uvula 27.29
    vagina 70.29
    vas deferens 63.09
    vesical 57.39
    vessel (blood) (any site) 38.29
    vitreous 14.19
    vulva 71.19
  fistulizing, sclera NEC 12.69
  miscellaneous (nonoperative) NEC 99.99
  respiratory (nonoperative) NEC 93.99
  surgical — *see* Operation
**Proctectasis** 96.22
**Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  abdominoperineal 48.5
**Proctectomy** (partial) — *continued*
  complete (Miles) (Rankin) 48.5
  pull-through 48.49
**Proctoclysis** 96.37
**Proctolysis** 48.99
**Proctopexy** (Delorme) 48.76
  abdominal (Ripstein) 48.75
**Proctoplasty** 48.79
**Proctorrhaphy** 48.71
**Proctoscopy** 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
**Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
**Proctosigmoidopexy** 48.76
**Proctosigmoidoscopy** 48.23
  through stoma (artificial) 48.22
  transabdominal approach 48.21
**Proctostomy** 48.1
**Proctotomy** (decompression) (linear) 48.0
**Production** — *see also* Formation
  atrial septal defect 35.42
  subcutaneous tunnel for esophageal anastomosis 42.86
    with anastomosis — *see* Anastomosis, esophagus, antesternal
**Prognathic recession** 76.64
**Prophylaxis, dental** (scaling) (polishing) 96.54
**Prostatectomy (complete) (partial) NEC** 60.69
  loop 60.2
  perineal 60.62
  radical (any approach) 60.5
  retropubic (punch) (transcapsular) 60.4
  suprapubic (punch) (transvesical) 60.3
  transcapsular NEC 60.69
    retropubic 60.4
  **transurethral 60.2**
  transvesical punch (suprapubic) 60.3
**Prostatocystotomy** 60.0
**Prostatolithotomy** 60.0
**Prostatotomy** (perineal) 60.0
**Prostatovesiculectomy** 60.5
**Protection** (of)
  individual from his surroundings 99.84
  surroundings from individual 99.84
**Psychoanalysis** 94.31
**Psychodrama** 94.43
**Psychotherapy** NEC 94.39
  biofeedback 94.39
  exploratory verbal 94.37
  group 94.44
    for psychosexual dysfunctions 94.41
  play 94.36
  psychosexual dysfunctions 94.34
  supportive verbal 94.38
**Ptyalectasis** 26.91
**Ptyalithotomy** 26.0
**Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 26 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 26 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

1,421 Hospitals, United States, 1981, by Operation

## SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 560386 | 3.3 | 15 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 20-34 | 1148869 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 446325 | 5.0 | 24 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 50-64 | 407893 | 6.1 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 378542 | 7.4 | 55 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 363611 | 5.3 | 58 | 1 | 1 | 3 | 6 | 10 | 16 | 44 |
| 20-34 | 843767 | 5.8 | 40 | 1 | 2 | 4 | 7 | 10 | 15 | 34 |
| 35-49 | 633811 | 7.5 | 57 | 1 | 2 | 6 | 9 | 15 | 20 | 40 |
| 50-64 | 860823 | 9.5 | 86 | 2 | 2 | 7 | 12 | 19 | 26 | 51 |
| 65+ | 1301608 | 12.2 | 124 | 2 | 3 | 9 | 15 | 25 | 34 | 63 |
| **TOT. SINGLE DX** | 2942015 | 4.6 | 25 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| **" MULTIPLE DX** | 4003620 | 8.9 | 89 | 1 | 2 | 6 | 11 | 19 | 26 | 52 |
| TOTAL 0-19 YRS | 923997 | 4.1 | 33 | <1 | 1 | 3 | 4 | 7 | 11 | 31 |
| 20-34 | 1992636 | 4.6 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 35-49 | 1080136 | 6.5 | 45 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 1268716 | 8.4 | 73 | 1 | 2 | 6 | 11 | 17 | 23 | 45 |
| 65+ | 1680150 | 11.1 | 112 | 2 | 2 | 8 | 14 | 23 | 31 | 59 |
| **GRAND TOTAL** | **6945635** | **7.1** | **66** | **1** | **2** | **4** | **9** | **15** | **22** | **43** |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 356 | 11.8 | 99 | 2 | 2 | 10 | 15 | 23 | 29 | 54 |
| 20-34 | 518 | 12.4 | 112 | 1 | 1 | 10 | 16 | 23 | 32 | 69 |
| 35-49 | 570 | 15.6 | 146 | 4 | 6 | 13 | 17 | 29 | 39 | 68 |
| 50-64 | 866 | 17.0 | 154 | 4 | 7 | 14 | 20 | 30 | 42 | 73 |
| 65+ | 654 | 19.3 | 177 | 5 | 7 | 15 | 24 | 38 | 48 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 456 | 21.3 | 349 | 2 | 4 | 17 | 29 | 53 | 73 | 99+ |
| 20-34 | 488 | 24.5 | 343 | 5 | 8 | 19 | 35 | 61 | 95 | 99+ |
| 35-49 | 615 | 24.5 | 368 | 6 | 9 | 18 | 30 | 56 | 79 | 99+ |
| 50-64 | 1287 | 25.9 | 317 | 7 | 9 | 21 | 34 | 58 | 72 | 99+ |
| 65+ | 1444 | 29.1 | 360 | 8 | 10 | 24 | 40 | 58 | 77 | 99+ |
| TOT. SINGLE DX | 2964 | 15.8 | 151 | 2 | 5 | 13 | 19 | 30 | 41 | 70 |
| " MULTIPLE DX | 4290 | 26.1 | 351 | 6 | 9 | 21 | 35 | 58 | 77 | 99+ |
| TOTAL 0-19 YRS | 812 | 17.1 | 262 | 2 | 3 | 13 | 22 | 41 | 59 | 99+ |
| 20-34 | 1006 | 18.3 | 260 | 1 | 4 | 14 | 23 | 45 | 65 | 99+ |
| 35-49 | 1185 | 20.2 | 281 | 4 | 7 | 15 | 24 | 44 | 65 | 99+ |
| 50-64 | 2153 | 22.3 | 271 | 6 | 8 | 17 | 28 | 47 | 65 | 99+ |
| 65+ | 2098 | 26.0 | 324 | 7 | 9 | 21 | 35 | 53 | 70 | 99+ |
| GRAND TOTAL | 7254 | 21.9 | 295 | 4 | 7 | 17 | 28 | 49 | 66 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 297 | 11.1 | 88 | 3 | 4 | 8 | 13 | 22 | 30 | 52 |
| 20-34 | 280 | 14.1 | 115 | 4 | 5 | 11 | 18 | 26 | 35 | 87 |
| 35-49 | 302 | 16.6 | 193 | 5 | 6 | 12 | 19 | 30 | 48 | 83 |
| 50-64 | 435 | 17.2 | 164 | 6 | 7 | 14 | 20 | 32 | 44 | 83 |
| 65+ | 385 | 19.6 | 267 | 6 | 7 | 14 | 24 | 42 | 66 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 330 | 23.2 | 404 | 5 | 6 | 16 | 34 | 63 | 80 | 99+ |
| 20-34 | 391 | 23.6 | 350 | 6 | 7 | 19 | 34 | 65 | 99+ | 99+ |
| 35-49 | 377 | 23.3 | 333 | 6 | 8 | 19 | 31 | 65 | 99 | 99+ |
| 50-64 | 638 | 26.4 | 332 | 8 | 9 | 22 | 36 | 59 | 81 | 99+ |
| 65+ | 771 | 29.5 | 403 | 8 | 10 | 24 | 40 | 66 | 86 | 99+ |
| TOT. SINGLE DX | 1699 | 16.0 | 179 | 4 | 6 | 12 | 19 | 30 | 44 | 85 |
| " MULTIPLE DX | 2507 | 26.0 | 373 | 6 | 8 | 21 | 36 | 64 | 88 | 99+ |
| TOTAL 0-19 YRS | 627 | 17.5 | 291 | 3 | 5 | 11 | 23 | 43 | 65 | 99+ |
| 20-34 | 671 | 19.7 | 274 | 5 | 6 | 15 | 26 | 48 | 81 | 99+ |
| 35-49 | 679 | 20.3 | 282 | 5 | 7 | 15 | 26 | 47 | 80 | 99+ |
| 50-64 | 1073 | 22.7 | 285 | 6 | 8 | 18 | 30 | 51 | 68 | 99+ |
| 65+ | 1156 | 26.2 | 380 | 7 | 8 | 20 | 36 | 63 | 80 | 99+ |
| GRAND TOTAL | 4206 | 22.0 | 319 | 5 | 7 | 16 | 29 | 53 | 76 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 537 | 6.4 | 34 | 2 | 3 | 5 | 8 | 10 | 12 | 24 |
| 20-34 | 274 | 7.0 | 37 | 2 | 3 | 6 | 8 | 11 | 13 | 31 |
| 35-49 | 148 | 8.0 | 28 | 2 | 3 | 7 | 11 | 15 | 19 | 25 |
| 50-64 | 88 | 9.1 | 65 | 3 | 3 | 8 | 11 | 14 | 23 | 52 |
| 65+ | 31 | 9.0 | 27 | 4 | 4 | 8 | 12 | 16 | 20 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 381 | 11.0 | 126 | 3 | 3 | 8 | 12 | 24 | 36 | 99+ |
| 20-34 | 308 | 12.6 | 168 | 3 | 3 | 9 | 14 | 27 | 51 | 99+ |
| 35-49 | 156 | 13.0 | 194 | 3 | 4 | 9 | 15 | 38 | 64 | 99+ |
| 50-64 | 134 | 13.6 | 179 | 3 | 4 | 9 | 14 | 37 | 43 | 67 |
| 65+ | 51 | 21.6 | 427 | 4 | 5 | 13 | 27 | 56 | 63 | 96 |
| TOT. SINGLE DX | 1078 | 7.1 | 38 | 2 | 3 | 6 | 8 | 12 | 14 | 27 |
| " MULTIPLE DX | 1030 | 12.6 | 176 | 3 | 4 | 8 | 14 | 30 | 48 | 99+ |
| TOTAL 0-19 YRS | 918 | 8.3 | 78 | 2 | 3 | 6 | 9 | 14 | 24 | 68 |
| 20-34 | 582 | 10.0 | 115 | 2 | 3 | 7 | 11 | 18 | 31 | 83 |
| 35-49 | 304 | 10.5 | 120 | 3 | 3 | 8 | 12 | 21 | 40 | 99+ |
| 50-64 | 222 | 11.8 | 138 | 3 | 3 | 9 | 12 | 26 | 42 | 56 |
| 65+ | 82 | 16.8 | 311 | 4 | 4 | 10 | 19 | 44 | 57 | 87 |
| GRAND TOTAL | 2108 | 9.8 | 113 | 2 | 3 | 7 | 11 | 19 | 31 | 80 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 249 | 9.0 | 64 | 3 | 4 | 8 | 10 | 14 | 19 | 56 |
| 20-34 | 86 | 14.1 | 122 | 5 | 6 | 11 | 16 | 29 | 37 | 64 |
| 35-49 | 53 | 14.2 | 154 | 5 | 5 | 11 | 16 | 25 | 39 | 71 |
| 50-64 | 85 | 16.0 | 146 | 6 | 6 | 14 | 20 | 26 | 31 | 74 |
| 65+ | 144 | 19.2 | 170 | 7 | 8 | 15 | 25 | 35 | 48 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 367 | 21.8 | 491 | 4 | 5 | 13 | 27 | 70 | 89 | 99+ |
| 20-34 | 108 | 19.6 | 319 | 5 | 6 | 14 | 26 | 48 | 93 | 99+ |
| 35-49 | 97 | 25.0 | 433 | 6 | 7 | 20 | 33 | 67 | 91 | 99+ |
| 50-64 | 191 | 29.0 | 455 | 7 | 9 | 25 | 46 | 88 | 99+ | 99+ |
| 65+ | 473 | 31.2 | 342 | 9 | 10 | 28 | 42 | 61 | 75 | 99+ |
| TOT. SINGLE DX | 617 | 13.5 | 132 | 4 | 5 | 10 | 16 | 26 | 35 | 67 |
| " MULTIPLE DX | 1236 | 26.6 | 428 | 6 | 7 | 22 | 38 | 65 | 89 | 99+ |
| TOTAL 0-19 YRS | 616 | 16.6 | 358 | 4 | 4 | 10 | 18 | 46 | 78 | 99+ |
| 20-34 | 194 | 17.2 | 238 | 5 | 6 | 12 | 20 | 42 | 66 | 99+ |
| 35-49 | 150 | 21.2 | 360 | 5 | 6 | 15 | 28 | 56 | 80 | 99+ |
| 50-64 | 276 | 25.0 | 395 | 6 | 8 | 19 | 37 | 71 | 99+ | 99+ |
| 65+ | 617 | 28.4 | 327 | 8 | 9 | 25 | 38 | 57 | 70 | 99+ |
| GRAND TOTAL | 1853 | 22.2 | 367 | 5 | 6 | 16 | 31 | 55 | 76 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 536 | 8.4 | 67 | 2 | 2 | 6 | 10 | 17 | 25 | 41 |
| 20-34 | 194 | 13.8 | 179 | 2 | 3 | 10 | 19 | 32 | 48 | 92 |
| 35-49 | 84 | 11.4 | 99 | 2 | 2 | 8 | 16 | 28 | 32 | 45 |
| 50-64 | 87 | 13.9 | 111 | 3 | 4 | 11 | 18 | 26 | 39 | 52 |
| 65+ | 86 | 16.3 | 186 | 3 | 4 | 13 | 21 | 28 | 44 | 78 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 846 | 15.1 | 298 | 2 | 3 | 9 | 18 | 40 | 60 | 99+ |
| 20-34 | 310 | 22.9 | 480 | 3 | 4 | 14 | 34 | 64 | 83 | 99+ |
| 35-49 | 194 | 18.4 | 237 | 3 | 5 | 14 | 24 | 48 | 70 | 99+ |
| 50-64 | 205 | 21.2 | 347 | 3 | 4 | 16 | 30 | 61 | 87 | 99+ |
| 65+ | 229 | 22.7 | 259 | 3 | 5 | 19 | 33 | 49 | 60 | 99+ |
| TOT. SINGLE DX | 987 | 10.9 | 115 | 2 | 3 | 8 | 14 | 24 | 32 | 56 |
| " MULTIPLE DX | 1784 | 18.5 | 335 | 3 | 4 | 12 | 26 | 50 | 71 | 99+ |
| TOTAL 0-19 YRS | 1382 | 12.5 | 220 | 2 | 3 | 7 | 15 | 32 | 47 | 94 |
| 20-34 | 504 | 19.4 | 384 | 2 | 3 | 12 | 26 | 54 | 73 | 99+ |
| 35-49 | 278 | 16.3 | 205 | 3 | 4 | 12 | 22 | 42 | 58 | 99+ |
| 50-64 | 292 | 19.0 | 288 | 3 | 4 | 14 | 26 | 52 | 76 | 99+ |
| 65+ | 315 | 20.9 | 247 | 3 | 5 | 17 | 29 | 45 | 57 | 99+ |
| GRAND TOTAL | 2771 | 15.8 | 270 | 2 | 3 | 10 | 21 | 40 | 59 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 11.3 | 70 | 3 | 5 | 9 | 13 | 19 | 26 | 91 |
| 20-34 | 1039 | 11.4 | 56 | 4 | 5 | 9 | 13 | 20 | 25 | 39 |
| 35-49 | 1914 | 11.6 | 46 | 5 | 6 | 10 | 14 | 19 | 24 | 36 |
| 50-64 | 1788 | 12.3 | 54 | 5 | 6 | 10 | 14 | 21 | 26 | 41 |
| 65+ | 803 | 15.3 | 84 | 6 | 7 | 13 | 18 | 26 | 33 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 18.4 | 179 | 5 | 7 | 15 | 24 | 35 | 48 | 99+ |
| 20-34 | 634 | 17.1 | 211 | 6 | 6 | 12 | 20 | 35 | 52 | 91 |
| 35-49 | 1491 | 15.9 | 147 | 5 | 6 | 12 | 19 | 30 | 41 | 79 |
| 50-64 | 2304 | 17.7 | 164 | 6 | 7 | 14 | 21 | 33 | 46 | 84 |
| 65+ | 1862 | 22.5 | 232 | 8 | 9 | 18 | 29 | 43 | 58 | 99+ |
| TOT. SINGLE DX | 5615 | 12.3 | 58 | 5 | 6 | 10 | 15 | 21 | 26 | 42 |
| " MULTIPLE DX | 6389 | 18.6 | 192 | 6 | 7 | 14 | 23 | 37 | 50 | 93 |
| TOTAL 0-19 YRS | 169 | 15.4 | 145 | 4 | 6 | 12 | 19 | 31 | 43 | 99+ |
| 20-34 | 1673 | 13.5 | 123 | 5 | 6 | 10 | 16 | 25 | 32 | 73 |
| 35-49 | 3405 | 13.5 | 95 | 5 | 6 | 11 | 16 | 24 | 31 | 60 |
| 50-64 | 4092 | 15.3 | 123 | 6 | 7 | 12 | 18 | 28 | 38 | 71 |
| 65+ | 2665 | 20.4 | 199 | 7 | 8 | 16 | 25 | 39 | 53 | 93 |
| GRAND TOTAL | 12004 | 15.7 | 139 | 5 | 6 | 12 | 19 | 29 | 40 | 78 |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 152 | 13.9 | 182 | 1 | 2 | 9 | 19 | 35 | 39 | 84 |
| 20-34 | 462 | 9.5 | 98 | 1 | 2 | 6 | 12 | 23 | 33 | 52 |
| 35-49 | 528 | 8.3 | 67 | 2 | 2 | 6 | 11 | 17 | 21 | 40 |
| 50-64 | 353 | 11.5 | 141 | 1 | 2 | 8 | 15 | 27 | 38 | 56 |
| 65+ | 144 | 12.4 | 114 | 2 | 2 | 10 | 15 | 28 | 33 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 275 | 19.8 | 256 | 3 | 5 | 15 | 26 | 45 | 58 | 91 |
| 20-34 | 572 | 14.3 | 259 | 2 | 2 | 9 | 18 | 37 | 53 | 99+ |
| 35-49 | 631 | 12.7 | 199 | 2 | 2 | 8 | 15 | 30 | 44 | 87 |
| 50-64 | 647 | 15.8 | 223 | 2 | 3 | 12 | 20 | 35 | 49 | 95 |
| 65+ | 421 | 23.2 | 306 | 3 | 5 | 19 | 32 | 50 | 64 | 99+ |
| TOT. SINGLE DX | 1639 | 10.2 | 110 | 1 | 2 | 7 | 13 | 23 | 32 | 52 |
| " MULTIPLE DX | 2546 | 16.4 | 256 | 2 | 3 | 12 | 22 | 39 | 54 | 96 |
| TOTAL 0-19 YRS | 427 | 17.7 | 238 | 2 | 3 | 13 | 23 | 38 | 52 | 87 |
| 20-34 | 1034 | 12.2 | 193 | 2 | 2 | 8 | 15 | 31 | 44 | 90 |
| 35-49 | 1159 | 10.7 | 144 | 2 | 2 | 7 | 13 | 23 | 32 | 72 |
| 50-64 | 1000 | 14.3 | 198 | 2 | 2 | 10 | 19 | 33 | 44 | 82 |
| 65+ | 565 | 20.4 | 280 | 2 | 4 | 16 | 28 | 44 | 59 | 93 |
| GRAND TOTAL | 4185 | 14.0 | 208 | 2 | 2 | 10 | 18 | 33 | 46 | 83 |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 233 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| 20-34 | 1293 | 3.2 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 35-49 | 1600 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 1940 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 65+ | 802 | 4.1 | 16 | 1 | 2 | 3 | 4 | 8 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 135 | 4.1 | 16 | 1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 20-34 | 679 | 5.5 | 61 | 1 | 1 | 3 | 5 | 12 | 20 | 36 |
| 35-49 | 863 | 5.8 | 46 | 1 | 2 | 3 | 6 | 13 | 17 | 33 |
| 50-64 | 1212 | 6.3 | 46 | 2 | 2 | 4 | 7 | 13 | 19 | 34 |
| 65+ | 665 | 7.9 | 68 | 2 | 2 | 5 | 10 | 19 | 26 | 41 |
| TOT. SINGLE DX | 5868 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| " MULTIPLE DX | 3554 | 6.2 | 53 | 1 | 2 | 4 | 7 | 14 | 20 | 36 |
| TOTAL 0-19 YRS | 368 | 3.4 | 10 | 1 | 1 | 2 | 4 | 6 | 10 | 18 |
| 20-34 | 1972 | 4.0 | 29 | 1 | 1 | 3 | 4 | 7 | 11 | 27 |
| 35-49 | 2463 | 4.2 | 24 | 1 | 1 | 3 | 4 | 8 | 12 | 25 |
| 50-64 | 3152 | 4.5 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 27 |
| 65+ | 1467 | 5.8 | 43 | 1 | 2 | 4 | 6 | 12 | 19 | 36 |
| GRAND TOTAL | 9422 | 4.5 | 28 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 773 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 5071 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 6477 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 6637 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 65+ | 3156 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 724 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 20-34 | 2339 | 3.9 | 23 | 1 | 1 | 3 | 4 | 8 | 12 | 26 |
| 35-49 | 2972 | 4.6 | 27 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| 50-64 | 4031 | 4.8 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 27 |
| 65+ | 2666 | 5.8 | 51 | 1 | 2 | 3 | 6 | 13 | 19 | 38 |
| TOT. SINGLE DX | 22114 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 12732 | 4.7 | 32 | 1 | 1 | 3 | 5 | 10 | 15 | 29 |
| TOTAL 0-19 YRS | 1497 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 7410 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 9449 | 3.2 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 50-64 | 10668 | 3.5 | 15 | 1 | 1 | 2 | 3 | 6 | 10 | 21 |
| 65+ | 5822 | 4.2 | 29 | 1 | 1 | 3 | 4 | 8 | 13 | 28 |
| GRAND TOTAL | 34846 | 3.4 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 21 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 6.5 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 20-34 | 174 | 7.6 | 33 | 1 | 3 | 6 | 8 | 13 | 19 | 34 |
| 35-49 | 191 | 8.2 | 55 | 2 | 2 | 6 | 10 | 15 | 21 | 52 |
| 50-64 | 197 | 10.6 | 50 | 3 | 3 | 9 | 13 | 22 | 27 | 36 |
| 65+ | 196 | 11.6 | 48 | 4 | 5 | 9 | 15 | 21 | 25 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 8.9 | 45 | 4 | 4 | 7 | 11 | 20 | 25 | 25 |
| 20-34 | 167 | 8.4 | 57 | 3 | 4 | 6 | 8 | 14 | 21 | 53 |
| 35-49 | 201 | 13.9 | 146 | 3 | 4 | 10 | 17 | 25 | 34 | 71 |
| 50-64 | 515 | 17.0 | 171 | 4 | 5 | 14 | 21 | 32 | 49 | 71 |
| 65+ | 1136 | 19.9 | 196 | 7 | 8 | 16 | 25 | 39 | 51 | 78 |
| TOT. SINGLE DX | 787 | 9.4 | 49 | 2 | 3 | 8 | 12 | 18 | 24 | 38 |
| " MULTIPLE DX | 2028 | 17.6 | 184 | 4 | 6 | 14 | 22 | 35 | 48 | 74 |
| TOTAL 0-19 YRS | 38 | 7.1 | 27 | 2 | 2 | 6 | 9 | 13 | 19 | 25 |
| 20-34 | 341 | 8.0 | 46 | 2 | 3 | 6 | 8 | 13 | 19 | 35 |
| 35-49 | 392 | 11.1 | 110 | 2 | 3 | 8 | 13 | 22 | 31 | 69 |
| 50-64 | 712 | 15.2 | 146 | 3 | 5 | 12 | 19 | 29 | 40 | 70 |
| 65+ | 1332 | 18.7 | 183 | 6 | 7 | 15 | 23 | 36 | 48 | 76 |
| GRAND TOTAL | 2815 | 15.3 | 160 | 3 | 5 | 12 | 19 | 30 | 41 | 70 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 4.9 | 41 | <1 | <1 | 3 | 5 | 9 | 25 | 27 |
| 20-34 | 138 | 5.8 | 30 | <1 | 1 | 4 | 8 | 12 | 15 | 27 |
| 35-49 | 148 | 8.0 | 69 | 1 | 2 | 6 | 10 | 15 | 22 | 51 |
| 50-64 | 139 | 6.8 | 28 | 1 | 1 | 6 | 9 | 13 | 19 | 25 |
| 65+ | 84 | 8.5 | 81 | 1 | 2 | 6 | 11 | 18 | 28 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 5.1 | 42 | <1 | 1 | 2 | 5 | 15 | 22 | 27 |
| 20-34 | 121 | 9.2 | 66 | 1 | 2 | 7 | 12 | 19 | 24 | 40 |
| 35-49 | 186 | 10.4 | 87 | 2 | 2 | 9 | 13 | 22 | 26 | 53 |
| 50-64 | 228 | 11.3 | 117 | 2 | 2 | 9 | 13 | 23 | 29 | 66 |
| 65+ | 182 | 13.6 | 169 | 2 | 3 | 10 | 17 | 28 | 34 | 67 |
| TOT. SINGLE DX | 544 | 7.0 | 50 | 1 | 1 | 5 | 9 | 14 | 20 | 39 |
| " MULTIPLE DX | 751 | 11.0 | 115 | 1 | 2 | 8 | 14 | 23 | 30 | 65 |
| TOTAL 0-19 YRS | 69 | 5.0 | 41 | <1 | <1 | 2 | 5 | 14 | 23 | 27 |
| 20-34 | 259 | 7.4 | 50 | 1 | 1 | 5 | 10 | 15 | 21 | 40 |
| 35-49 | 334 | 9.3 | 81 | 1 | 2 | 7 | 11 | 18 | 25 | 52 |
| 50-64 | 367 | 9.6 | 88 | 1 | 2 | 7 | 12 | 20 | 26 | 43 |
| 65+ | 266 | 12.0 | 147 | 1 | 2 | 9 | 15 | 26 | 33 | 66 |
| GRAND TOTAL | 1295 | 9.3 | 91 | 1 | 2 | 7 | 12 | 20 | 26 | 53 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 482 | 4.6 | 14 | 2 | 3 | 4 | 5 | 6 | 8 | 22 |
| 20-34 | 3151 | 4.5 | 5 | 2 | 3 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 3243 | 4.5 | 4 | 2 | 3 | 4 | 5 | 6 | 8 | 13 |
| 50-64 | 2724 | 4.8 | 5 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 65+ | 1112 | 5.7 | 15 | 3 | 3 | 5 | 6 | 9 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 176 | 5.8 | 14 | 3 | 3 | 5 | 6 | 10 | 13 | 23 |
| 20-34 | 1243 | 5.9 | 19 | 3 | 3 | 5 | 6 | 9 | 13 | 25 |
| 35-49 | 1770 | 6.0 | 19 | 3 | 3 | 5 | 6 | 10 | 13 | 24 |
| 50-64 | 2009 | 7.3 | 38 | 3 | 3 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 1398 | 10.0 | 79 | 3 | 4 | 7 | 12 | 19 | 27 | 48 |
| TOT. SINGLE DX | 10712 | 4.7 | 6 | 3 | 3 | 4 | 5 | 7 | 8 | 15 |
| " MULTIPLE DX | 6596 | 7.2 | 40 | 3 | 3 | 5 | 8 | 13 | 18 | 36 |
| TOTAL 0-19 YRS | 658 | 4.9 | 15 | 2 | 3 | 4 | 5 | 7 | 10 | 24 |
| 20-34 | 4394 | 4.9 | 10 | 2 | 3 | 4 | 5 | 7 | 10 | 18 |
| 35-49 | 5013 | 5.0 | 10 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |
| 50-64 | 4733 | 5.8 | 21 | 3 | 3 | 5 | 6 | 9 | 13 | 25 |
| 65+ | 2510 | 8.1 | 56 | 3 | 3 | 6 | 9 | 15 | 21 | 42 |
| GRAND TOTAL | 17308 | 5.7 | 21 | 3 | 3 | 4 | 6 | 9 | 13 | 25 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 787 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 591 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 451 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 392 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 26 |
| 65+ | 202 | 6.6 | 24 | 2 | 3 | 5 | 7 | 12 | 17 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 4.8 | 31 | 1 | 2 | 3 | 5 | 11 | 14 | 32 |
| 20-34 | 293 | 8.4 | 106 | 2 | 2 | 6 | 9 | 16 | 28 | 84 |
| 35-49 | 406 | 8.8 | 56 | 2 | 3 | 6 | 10 | 19 | 25 | 49 |
| 50-64 | 725 | 9.5 | 75 | 3 | 3 | 6 | 11 | 20 | 27 | 48 |
| 65+ | 577 | 14.1 | 175 | 3 | 4 | 9 | 18 | 33 | 42 | 65 |
| TOT. SINGLE DX | 2423 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| " MULTIPLE DX | 2118 | 10.2 | 108 | 2 | 3 | 6 | 12 | 23 | 32 | 63 |
| TOTAL 0-19 YRS | 904 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 884 | 5.0 | 45 | 1 | 2 | 3 | 5 | 9 | 13 | 40 |
| 35-49 | 857 | 6.3 | 37 | 2 | 2 | 4 | 7 | 13 | 19 | 32 |
| 50-64 | 1117 | 8.0 | 59 | 2 | 3 | 5 | 9 | 16 | 23 | 39 |
| 65+ | 779 | 12.1 | 147 | 2 | 3 | 7 | 15 | 29 | 37 | 64 |
| GRAND TOTAL | 4541 | 6.8 | 66 | 1 | 2 | 4 | 7 | 14 | 23 | 45 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 10.2 | 33 | 3 | 4 | 9 | 15 | 18 | 20 | 31 |
| 20-34 | 232 | 10.4 | 25 | 5 | 6 | 9 | 13 | 17 | 20 | 28 |
| 35-49 | 140 | 12.8 | 103 | 4 | 6 | 11 | 15 | 23 | 28 | 53 |
| 50-64 | 153 | 12.8 | 45 | 5 | 6 | 11 | 16 | 21 | 25 | 42 |
| 65+ | 69 | 17.0 | 153 | 6 | 7 | 13 | 22 | 28 | 40 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 15.2 | 127 | 4 | 5 | 11 | 19 | 31 | 36 | 63 |
| 20-34 | 182 | 14.7 | 113 | 5 | 6 | 11 | 17 | 27 | 40 | 61 |
| 35-49 | 183 | 16.0 | 99 | 6 | 7 | 13 | 20 | 26 | 35 | 51 |
| 50-64 | 298 | 19.3 | 194 | 6 | 8 | 15 | 23 | 38 | 49 | 85 |
| 65+ | 193 | 21.0 | 221 | 6 | 8 | 16 | 26 | 41 | 54 | 85 |
| TOT. SINGLE DX | 647 | 12.2 | 65 | 4 | 6 | 10 | 15 | 21 | 25 | 42 |
| " MULTIPLE DX | 903 | 17.8 | 166 | 6 | 7 | 14 | 22 | 35 | 46 | 77 |
| TOTAL 0-19 YRS | 100 | 12.6 | 83 | 3 | 5 | 10 | 17 | 22 | 31 | 50 |
| 20-34 | 414 | 12.3 | 69 | 5 | 6 | 10 | 14 | 21 | 27 | 56 |
| 35-49 | 323 | 14.6 | 103 | 5 | 6 | 12 | 18 | 25 | 32 | 51 |
| 50-64 | 451 | 17.1 | 153 | 6 | 7 | 14 | 20 | 31 | 44 | 77 |
| 65+ | 262 | 19.9 | 206 | 6 | 8 | 15 | 25 | 39 | 51 | 81 |
| GRAND TOTAL | 1550 | 15.5 | 132 | 5 | 6 | 12 | 19 | 28 | 39 | 64 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 851 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 192 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 268 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 482 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 586 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 138 | 2.5 | 6 | <1 | <1 | 2 | 2 | 6 | 8 | 13 |
| 20-34 | 113 | 4.1 | 33 | <1 | 1 | 2 | 4 | 9 | 14 | 35 |
| 35-49 | 260 | 4.9 | 30 | <1 | <1 | 3 | 6 | 11 | 18 | 27 |
| 50-64 | 472 | 5.9 | 55 | 1 | 1 | 3 | 7 | 13 | 19 | 34 |
| 65+ | 725 | 6.6 | 68 | 1 | 1 | 3 | 8 | 15 | 23 | 49 |
| TOT. SINGLE DX | 2379 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 1708 | 5.7 | 53 | <1 | 1 | 3 | 7 | 13 | 20 | 38 |
| TOTAL 0-19 YRS | 989 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 305 | 2.5 | 14 | <1 | <1 | 2 | 2 | 4 | 7 | 19 |
| 35-49 | 528 | 3.4 | 19 | <1 | <1 | 2 | 3 | 8 | 11 | 25 |
| 50-64 | 954 | 4.0 | 32 | <1 | <1 | 2 | 4 | 9 | 13 | 29 |
| 65+ | 1311 | 4.7 | 43 | <1 | 1 | 2 | 5 | 11 | 16 | 37 |
| GRAND TOTAL | 4087 | 3.4 | 27 | <1 | <1 | 2 | 3 | 8 | 12 | 28 |

### 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1066 | 2.0 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 487 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 35-49 | 857 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 1355 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 1920 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1032 | 3.4 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 20-34 | 1243 | 3.9 | 31 | <1 | 1 | 2 | 4 | 8 | 11 | 37 |
| 35-49 | 1215 | 3.6 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 50-64 | 2017 | 3.7 | 24 | 1 | 1 | 3 | 4 | 6 | 9 | 24 |
| 65+ | 2511 | 5.2 | 57 | 1 | 1 | 2 | 5 | 12 | 20 | 50 |
| TOT. SINGLE DX | 5685 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 8018 | 4.1 | 36 | 1 | 1 | 2 | 4 | 8 | 13 | 34 |
| TOTAL 0-19 YRS | 2098 | 2.7 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 20-34 | 1730 | 3.4 | 24 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 2072 | 3.0 | 15 | <1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 50-64 | 3372 | 3.0 | 16 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 65+ | 4431 | 3.9 | 37 | <1 | 1 | 2 | 3 | 9 | 14 | 36 |
| GRAND TOTAL | 13703 | 3.3 | 23 | <1 | 1 | 2 | 3 | 6 | 9 | 25 |

### 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 238 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 196 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 167 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 244 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 337 | 2.9 | 7 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 3.1 | 14 | 1 | 1 | 2 | 3 | 6 | 9 | 25 |
| 20-34 | 104 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 7 | 23 |
| 35-49 | 99 | 3.4 | 6 | 1 | 1 | 3 | 4 | 5 | 11 | 14 |
| 50-64 | 168 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 441 | 3.9 | 9 | 2 | 2 | 3 | 4 | 7 | 10 | 16 |
| TOT. SINGLE DX | 1182 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 905 | 3.5 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 331 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 20-34 | 300 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 35-49 | 266 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 412 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 778 | 3.5 | 9 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| GRAND TOTAL | 2087 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |

### 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 1.8 | 5 | <1 | <1 | 1 | 2 | 2 | 3 | 16 |
| 20-34 | 58 | 2.3 | 6 | <1 | <1 | 1 | 2 | 4 | 8 | 14 |
| 35-49 | 40 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 50-64 | 60 | 3.3 | 15 | <1 | <1 | 2 | 4 | 7 | 11 | 24 |
| 65+ | 74 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 50 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 38 | 4.2 | 24 | 1 | 1 | 2 | 6 | 9 | 17 | 23 |
| 50-64 | 51 | 4.7 | 111 | <1 | 1 | 2 | 4 | 8 | 10 | 73 |
| 65+ | 92 | 5.4 | 33 | 1 | 2 | 3 | 6 | 13 | 19 | 27 |
| TOT. SINGLE DX | 349 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 7 | 14 |
| " MULTIPLE DX | 290 | 4.3 | 38 | 1 | 1 | 2 | 5 | 9 | 14 | 25 |
| TOTAL 0-19 YRS | 176 | 2.1 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 15 |
| 20-34 | 108 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 12 | 21 |
| 35-49 | 78 | 3.0 | 14 | <1 | <1 | 2 | 3 | 6 | 10 | 22 |
| 50-64 | 111 | 3.9 | 59 | <1 | <1 | 2 | 4 | 8 | 11 | 44 |
| 65+ | 166 | 4.1 | 22 | <1 | 1 | 2 | 4 | 10 | 15 | 25 |
| GRAND TOTAL | 639 | 3.2 | 22 | <1 | 1 | 2 | 3 | 6 | 10 | 23 |

### 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 198 | 4.3 | 9 | 1 | 2 | 4 | 5 | 6 | 8 | 18 |
| 35-49 | 148 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 192 | 4.4 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 18 |
| 65+ | 511 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 5.9 | 24 | 1 | 2 | 5 | 7 | 14 | 18 | 24 |
| 20-34 | 98 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 17 |
| 35-49 | 112 | 5.8 | 27 | 2 | 2 | 4 | 6 | 10 | 14 | 33 |
| 50-64 | 246 | 5.0 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| 65+ | 943 | 5.5 | 24 | 2 | 2 | 5 | 6 | 8 | 11 | 22 |
| TOT. SINGLE DX | 1111 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| " MULTIPLE DX | 1434 | 5.4 | 21 | 2 | 2 | 5 | 6 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 97 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| 20-34 | 296 | 4.4 | 9 | 2 | 2 | 4 | 5 | 7 | 8 | 17 |
| 35-49 | 260 | 4.6 | 15 | 1 | 2 | 4 | 5 | 7 | 9 | 26 |
| 50-64 | 438 | 4.7 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 65+ | 1454 | 5.1 | 19 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| GRAND TOTAL | 2545 | 4.9 | 15 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |

### 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 372 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 9 | 16 |
| 20-34 | 549 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 531 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 461 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 65+ | 380 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 261 | 5.0 | 23 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 20-34 | 284 | 5.5 | 43 | 1 | 2 | 4 | 6 | 10 | 14 | 41 |
| 35-49 | 190 | 5.0 | 23 | 1 | 2 | 3 | 6 | 11 | 13 | 26 |
| 50-64 | 268 | 4.3 | 35 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 65+ | 441 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| TOT. SINGLE DX | 2293 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| " MULTIPLE DX | 1444 | 4.8 | 32 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| TOTAL 0-19 YRS | 633 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| 20-34 | 833 | 3.5 | 21 | <1 | 1 | 2 | 4 | 7 | 9 | 22 |
| 35-49 | 721 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 50-64 | 729 | 3.0 | 17 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 821 | 3.7 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 25 |
| GRAND TOTAL | 3737 | 3.4 | 17 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |

### 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 164 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 166 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 262 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 827 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 1747 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 4.3 | 39 | 1 | 1 | 3 | 4 | 8 | 12 | 40 |
| 20-34 | 111 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 182 | 4.7 | 24 | 1 | 2 | 3 | 5 | 9 | 13 | 24 |
| 50-64 | 625 | 4.6 | 27 | 2 | 2 | 3 | 5 | 8 | 11 | 21 |
| 65+ | 1493 | 4.9 | 19 | 2 | 2 | 3 | 6 | 10 | 13 | 24 |
| TOT. SINGLE DX | 3166 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 2500 | 4.8 | 22 | 1 | 2 | 3 | 5 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 253 | 3.3 | 16 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 277 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 444 | 4.0 | 14 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| 50-64 | 1452 | 3.9 | 16 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| 65+ | 3240 | 4.1 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| GRAND TOTAL | 5666 | 4.0 | 14 | 1 | 2 | 3 | 4 | 7 | 10 | 19 |

### 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 174 | 4.2 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 15 |
| 20-34 | 182 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 233 | 3.2 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 50-64 | 742 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 1317 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 186 | 4.9 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 20-34 | 178 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 13 | 26 |
| 35-49 | 155 | 5.2 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| 50-64 | 528 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 19 |
| 65+ | 1202 | 5.3 | 33 | 1 | 2 | 3 | 6 | 11 | 16 | 34 |
| TOT. SINGLE DX | 2648 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 2249 | 5.0 | 26 | 1 | 2 | 3 | 6 | 10 | 14 | 27 |
| TOTAL 0-19 YRS | 360 | 4.6 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 17 |
| 20-34 | 360 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 35-49 | 388 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 1270 | 3.5 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 65+ | 2519 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| GRAND TOTAL | 4897 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 2.9 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 97 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 1673 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 11009 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 37796 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 91 | 3.7 | 9 | <1 | 1 | 3 | 4 | 8 | 9 | 18 |
| 20-34 | 104 | 4.0 | 9 | 2 | 2 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 1082 | 4.1 | 18 | 2 | 2 | 3 | 4 | 7 | 10 | 23 |
| 50-64 | 8637 | 3.8 | 15 | 2 | 2 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 36189 | 4.2 | 18 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |
| TOT. SINGLE DX | 50682 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 46103 | 4.1 | 18 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |
| TOTAL 0-19 YRS | 198 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 201 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 2755 | 3.4 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 19646 | 3.3 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 65+ | 73985 | 3.6 | 10 | 2 | 2 | 3 | 4 | 5 | 8 | 17 |
| GRAND TOTAL | 96785 | 3.5 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 407 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 266 | 2.5 | 6 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 1419 | 2.3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 6315 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 19520 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 245 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 217 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 765 | 3.1 | 13 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 3969 | 3.0 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 14713 | 3.2 | 10 | 2 | 2 | 2 | 3 | 5 | 7 | 17 |
| TOT. SINGLE DX | 27927 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 19909 | 3.2 | 9 | 1 | 2 | 2 | 3 | 5 | 7 | 17 |
| TOTAL 0-19 YRS | 652 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 483 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 2184 | 2.6 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 10284 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 34233 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| GRAND TOTAL | 47836 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 45 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 132 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 1029 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 3467 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 4.8 | 29 | 1 | 1 | 2 | 6 | 15 | 17 | 17 |
| 20-34 | 15 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 | 6 |
| 35-49 | 59 | 4.2 | 58 | 1 | 1 | 2 | 4 | 7 | 13 | 52 |
| 50-64 | 597 | 3.0 | 8 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 65+ | 2534 | 3.7 | 18 | 1 | 2 | 3 | 4 | 6 | 10 | 18 |
| TOT. SINGLE DX | 4686 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 3217 | 3.6 | 17 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| TOTAL 0-19 YRS | 25 | 3.3 | 16 | <1 | <1 | 2 | 3 | 9 | 15 | 17 |
| 20-34 | 60 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 191 | 3.0 | 19 | 1 | 1 | 2 | 3 | 4 | 7 | 20 |
| 50-64 | 1626 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 6001 | 3.1 | 11 | 1 | 2 | 3 | 3 | 5 | 6 | 14 |
| GRAND TOTAL | 7903 | 3.0 | 10 | 1 | 2 | 2 | 3 | 4 | 6 | 14 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 255 | 5.0 | 8 | 1 | 2 | 5 | 6 | 8 | 11 | 16 |
| 20-34 | 507 | 4.9 | 9 | 2 | 2 | 4 | 6 | 9 | 10 | 17 |
| 35-49 | 574 | 5.2 | 12 | 2 | 2 | 5 | 6 | 8 | 11 | 21 |
| 50-64 | 1945 | 5.0 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 1741 | 5.2 | 6 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 181 | 6.5 | 31 | 2 | 2 | 5 | 8 | 11 | 17 | 27 |
| 20-34 | 418 | 5.9 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 447 | 6.2 | 15 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 50-64 | 1772 | 5.7 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 65+ | 2006 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| TOT. SINGLE DX | 5022 | 5.1 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| " MULTIPLE DX | 4824 | 6.0 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 436 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| 20-34 | 925 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| 35-49 | 1021 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| 50-64 | 3717 | 5.3 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 3747 | 5.8 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| GRAND TOTAL | 9846 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 20-34 | 113 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 91 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 12 | 15 |
| 50-64 | 274 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 65+ | 500 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 101 | 5.5 | 96 | 1 | 1 | 3 | 5 | 9 | 13 | 64 |
| 20-34 | 273 | 5.6 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 22 |
| 35-49 | 282 | 5.6 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 552 | 5.4 | 24 | 1 | 2 | 4 | 6 | 10 | 13 | 28 |
| 65+ | 1012 | 5.5 | 41 | 1 | 2 | 4 | 6 | 11 | 14 | 25 |
| TOT. SINGLE DX | 1066 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 2220 | 5.5 | 34 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 189 | 4.7 | 56 | 1 | 1 | 3 | 5 | 8 | 11 | 36 |
| 20-34 | 386 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 373 | 5.3 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| 50-64 | 826 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 65+ | 1512 | 4.8 | 31 | 1 | 2 | 3 | 6 | 9 | 13 | 22 |
| GRAND TOTAL | 3286 | 4.9 | 26 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7552 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1385 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 598 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 354 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 175 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1381 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 454 | 2.4 | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 19 |
| 35-49 | 294 | 2.4 | 2 | 1 | 2 | 2 | 2 | 4 | 4 | 7 |
| 50-64 | 241 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 183 | 3.5 | 56 | 1 | 2 | 2 | 3 | 5 | 8 | 20 |
| TOT. SINGLE DX | 10064 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 2553 | 2.2 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 8933 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1839 | 2.1 | 4 | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 892 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 595 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 358 | 2.8 | 30 | 1 | 1 | 2 | 3 | 4 | 6 | 18 |
| GRAND TOTAL | 12617 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 21 | 2.3 | 5 | <1 | <1 | 2 | 2 | 3 | 8 | 12 |
| 35-49 | 5 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 5 | 5.8 | 64 | <1 | <1 | 2 | 8 | 20 | 20 | 20 |
| 65+ | 6 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 2.1 | | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 11 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 35-49 | 9 | 4.0 | 23 | 1 | 1 | 2 | 4 | 12 | 16 | 16 |
| 50-64 | 8 | 2.8 | 2 | 2 | 2 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 6 | 2.7 | | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| TOT. SINGLE DX | 68 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 4 | 19 |
| " MULTIPLE DX | 56 | 2.7 | 5 | 1 | 1 | 2 | 2 | 4 | 7 | 15 |
| TOTAL 0-19 YRS | 53 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 20-34 | 32 | 2.4 | 4 | <1 | 1 | 2 | 2 | 4 | 7 | 12 |
| 35-49 | 14 | 3.3 | 15 | 1 | 1 | 2 | 2 | 8 | 14 | 16 |
| 50-64 | 13 | 3.9 | 25 | <1 | 1 | 2 | 3 | 9 | 18 | 20 |
| 65+ | 12 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| GRAND TOTAL | 124 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 17 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 519 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 420 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 273 | 3.6 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 50-64 | 337 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 480 | 3.9 | 12 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 328 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 20-34 | 452 | 5.7 | 36 | 1 | 2 | 4 | 7 | 11 | 16 | 37 |
| 35-49 | 315 | 5.7 | 47 | 1 | 2 | 4 | 6 | 11 | 17 | 38 |
| 50-64 | 425 | 5.8 | 37 | 1 | 2 | 4 | 6 | 13 | 19 | 31 |
| 65+ | 817 | 7.1 | 66 | 2 | 2 | 4 | 8 | 16 | 24 | 43 |
| TOT. SINGLE DX | 2029 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| " MULTIPLE DX | 2337 | 6.0 | 46 | 1 | 2 | 4 | 7 | 12 | 19 | 37 |
| TOTAL 0-19 YRS | 847 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 872 | 4.5 | 22 | 1 | 2 | 3 | 5 | 8 | 12 | 27 |
| 35-49 | 588 | 4.7 | 32 | 1 | 2 | 3 | 5 | 9 | 12 | 26 |
| 50-64 | 762 | 4.9 | 25 | 1 | 2 | 3 | 5 | 10 | 14 | 29 |
| 65+ | 1297 | 5.9 | 49 | 1 | 2 | 4 | 6 | 13 | 20 | 38 |
| GRAND TOTAL | 4366 | 4.8 | 30 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |

### 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1504 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 593 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 288 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 9 | 21 |
| 50-64 | 407 | 2.6 | 8 | <1 | <1 | 2 | 3 | 4 | 7 | 16 |
| 65+ | 526 | 3.8 | 18 | <1 | 1 | 2 | 4 | 8 | 12 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 924 | 3.4 | 22 | <1 | 1 | 2 | 4 | 6 | 8 | 20 |
| 20-34 | 546 | 5.5 | 85 | <1 | 1 | 3 | 6 | 12 | 19 | 51 |
| 35-49 | 330 | 5.9 | 63 | 1 | 1 | 3 | 7 | 14 | 22 | 36 |
| 50-64 | 453 | 6.7 | 54 | 1 | 1 | 4 | 8 | 15 | 22 | 42 |
| 65+ | 782 | 8.8 | 103 | 1 | 2 | 5 | 11 | 20 | 29 | 51 |
| TOT. SINGLE DX | 3318 | 2.5 | 7 | <1 | <1 | 2 | 3 | 4 | 7 | 15 |
| " MULTIPLE DX | 3035 | 5.9 | 68 | 1 | 1 | 3 | 7 | 13 | 21 | 45 |
| TOTAL 0-19 YRS | 2428 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 1139 | 3.8 | 46 | <1 | <1 | 2 | 4 | 7 | 12 | 29 |
| 35-49 | 618 | 4.4 | 41 | <1 | <1 | 2 | 4 | 10 | 17 | 30 |
| 50-64 | 860 | 4.8 | 36 | <1 | 1 | 2 | 5 | 11 | 17 | 33 |
| 65+ | 1308 | 6.7 | 76 | 1 | 1 | 3 | 8 | 16 | 25 | 46 |
| GRAND TOTAL | 6353 | 4.1 | 39 | <1 | 1 | 2 | 4 | 9 | 14 | 32 |

### 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 244 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1097 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 1636 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 1732 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 723 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 318 | 2.8 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 477 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 547 | 3.0 | 5 | 1 | 1 | 3 | 3 | 5 | 7 | 14 |
| 65+ | 265 | 3.3 | 8 | 2 | 2 | 3 | 3 | 5 | 8 | 25 |
| TOT. SINGLE DX | 5432 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 1736 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 373 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 1415 | 2.5 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 2113 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 2279 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 988 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| GRAND TOTAL | 7168 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |

### 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2706 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 2152 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 35-49 | 1519 | 2.2 | 3 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 50-64 | 1358 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 65+ | 474 | 2.3 | | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1906 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1544 | 2.5 | 7 | 1 | 1 | 2 | 3 | 3 | 4 | 12 |
| 35-49 | 1248 | 2.7 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 1373 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 15 |
| 65+ | 510 | 2.9 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 13 |
| TOT. SINGLE DX | 8209 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 6581 | 2.5 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 11 |
| TOTAL 0-19 YRS | 4612 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 3696 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 2767 | 2.4 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 2731 | 2.5 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 11 |
| 65+ | 984 | 2.6 | 4 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |
| GRAND TOTAL | 14790 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15558 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 20-34 | 426 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 35-49 | 322 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 13 |
| 50-64 | 352 | 2.1 | 8 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 65+ | 187 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8722 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 20-34 | 364 | 3.1 | 21 | <1 | 1 | 2 | 3 | 6 | 10 | 23 |
| 35-49 | 328 | 4.2 | 48 | <1 | 1 | 2 | 4 | 10 | 14 | 39 |
| 50-64 | 358 | 4.4 | 28 | <1 | 1 | 2 | 5 | 11 | 16 | 29 |
| 65+ | 264 | 8.8 | 124 | 1 | 1 | 4 | 11 | 23 | 37 | 67 |
| TOT. SINGLE DX | 16845 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 10036 | 2.3 | 13 | <1 | <1 | 1 | 2 | 4 | 7 | 18 |
| TOTAL 0-19 YRS | 24280 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 20-34 | 790 | 2.4 | 12 | <1 | <1 | 2 | 2 | 4 | 6 | 17 |
| 35-49 | 650 | 3.2 | 27 | <1 | <1 | 2 | 3 | 6 | 11 | 25 |
| 50-64 | 710 | 3.2 | 20 | <1 | <1 | 2 | 3 | 7 | 11 | 25 |
| 65+ | 451 | 5.9 | 85 | <1 | 1 | 2 | 6 | 17 | 25 | 56 |
| GRAND TOTAL | 26881 | 1.6 | 6 | <1 | <1 | 1 | 1 | 2 | 4 | 11 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 701 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 599 | 2.9 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 474 | 3.1 | 6 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| 50-64 | 403 | 3.1 | 4 | 1 | 2 | 3 | 3 | 5 | 7 | 11 |
| 65+ | 160 | 3.9 | 9 | 2 | 2 | 3 | 4 | 8 | 12 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1042 | 3.1 | 6 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| 20-34 | 978 | 3.5 | 21 | 1 | 2 | 3 | 3 | 5 | 8 | 21 |
| 35-49 | 770 | 3.5 | 10 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 799 | 4.1 | 20 | 2 | 2 | 3 | 4 | 7 | 12 | 22 |
| 65+ | 370 | 6.4 | 79 | 2 | 2 | 4 | 6 | 13 | 20 | 60 |
| TOT. SINGLE DX | 2337 | 3.0 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| " MULTIPLE DX | 3959 | 3.8 | 22 | 1 | 2 | 3 | 4 | 6 | 9 | 22 |
| TOTAL 0-19 YRS | 1743 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 1577 | 3.3 | 15 | 1 | 2 | 3 | 3 | 5 | 7 | 17 |
| 35-49 | 1244 | 3.4 | 9 | 1 | 2 | 3 | 3 | 5 | 8 | 15 |
| 50-64 | 1202 | 3.8 | 16 | 2 | 2 | 3 | 4 | 6 | 10 | 20 |
| 65+ | 530 | 5.6 | 59 | 2 | 2 | 3 | 5 | 12 | 16 | 57 |
| GRAND TOTAL | 6296 | 3.5 | 15 | 1 | 2 | 3 | 4 | 5 | 8 | 19 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1125 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 20-34 | 582 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 623 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 625 | 3.0 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 65+ | 226 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 690 | 2.4 | 7 | <1 | <1 | 2 | 3 | 4 | 5 | 19 |
| 20-34 | 444 | 3.2 | 9 | 1 | 1 | 3 | 3 | 6 | 8 | 15 |
| 35-49 | 379 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 11 | 22 |
| 50-64 | 434 | 3.8 | 15 | 1 | 2 | 3 | 4 | 7 | 11 | 26 |
| 65+ | 173 | 7.3 | 171 | 1 | 2 | 3 | 6 | 18 | 23 | 87 |
| TOT. SINGLE DX | 3181 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| " MULTIPLE DX | 2120 | 3.5 | 26 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 1815 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 1026 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1002 | 3.2 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 1059 | 3.3 | 8 | 1 | 2 | 3 | 3 | 6 | 8 | 14 |
| 65+ | 399 | 5.0 | 82 | 1 | 1 | 3 | 4 | 9 | 17 | 46 |
| GRAND TOTAL | 5301 | 2.9 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1010 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 2342 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 946 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 501 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 10 |
| 65+ | 123 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1701 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 3818 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 5 | 10 |
| 35-49 | 1971 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 50-64 | 1152 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 65+ | 329 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 12 | 26 |
| TOT. SINGLE DX | 4922 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 8971 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 2711 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 6160 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 2917 | 3.0 | 7 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 50-64 | 1653 | 3.3 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| 65+ | 452 | 4.1 | 19 | 1 | 2 | 3 | 4 | 7 | 10 | 24 |
| GRAND TOTAL | 13893 | 2.9 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3498 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 6946 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 2828 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 1350 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 362 | 2.9 | 7 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4076 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 9781 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 5273 | 3.0 | 6 | 1 | 1 | 3 | 3 | 5 | 6 | 14 |
| 50-64 | 3072 | 3.5 | 12 | 1 | 1 | 3 | 4 | 5 | 8 | 18 |
| 65+ | 936 | 4.7 | 35 | 1 | 2 | 3 | 5 | 9 | 14 | 28 |
| TOT. SINGLE DX | 14984 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 23138 | 3.0 | 8 | 1 | 1 | 3 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 7574 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 16727 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 8101 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 4422 | 3.2 | 10 | 1 | 1 | 3 | 3 | 5 | 7 | 16 |
| 65+ | 1298 | 4.2 | 28 | 1 | 2 | 3 | 4 | 6 | 11 | 26 |
| GRAND TOTAL | 38122 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 512 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 681 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 719 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 1115 | 2.7 | 13 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 65+ | 1083 | 3.0 | 11 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 566 | 2.8 | 16 | 1 | 1 | 2 | 3 | 4 | 6 | 21 |
| 20-34 | 1167 | 3.1 | 15 | 1 | 1 | 2 | 3 | 5 | 6 | 19 |
| 35-49 | 1228 | 3.4 | 12 | 1 | 1 | 3 | 4 | 5 | 8 | 17 |
| 50-64 | 1756 | 4.2 | 26 | 1 | 1 | 3 | 4 | 8 | 13 | 25 |
| 65+ | 1815 | 6.6 | 78 | 1 | 2 | 4 | 8 | 15 | 20 | 44 |
| TOT. SINGLE DX | 4110 | 2.5 | 8 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 6532 | 4.4 | 38 | 1 | 1 | 3 | 4 | 9 | 14 | 30 |
| TOTAL 0-19 YRS | 1078 | 2.5 | 10 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 20-34 | 1848 | 2.8 | 11 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 35-49 | 1947 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 2871 | 3.6 | 22 | <1 | 1 | 2 | 4 | 6 | 10 | 22 |
| 65+ | 2898 | 5.3 | 57 | 1 | 1 | 3 | 6 | 12 | 17 | 36 |
| GRAND TOTAL | 10642 | 3.7 | 27 | <1 | 1 | 2 | 4 | 7 | 11 | 25 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2894 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 2113 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 754 | 3.3 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 625 | 4.5 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 500 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1381 | 3.4 | 19 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 1878 | 4.1 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 797 | 5.1 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| 50-64 | 976 | 6.3 | 39 | 1 | 2 | 5 | 7 | 12 | 15 | 26 |
| 65+ | 1229 | 8.0 | 65 | 2 | 2 | 6 | 9 | 15 | 23 | 44 |
| TOT. SINGLE DX | 6886 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| " MULTIPLE DX | 6261 | 5.2 | 35 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 4275 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 20-34 | 3991 | 3.2 | 13 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 1551 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 1601 | 5.6 | 27 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 65+ | 1729 | 7.1 | 52 | 1 | 2 | 5 | 8 | 13 | 19 | 41 |
| GRAND TOTAL | 13147 | 3.8 | 21 | <1 | 1 | 2 | 5 | 8 | 10 | 22 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 213 | 2.9 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 693 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 12 |
| 35-49 | 651 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | 546 | 3.3 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 253 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 207 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 32 |
| 20-34 | 701 | 4.2 | 19 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| 35-49 | 740 | 4.3 | 16 | 1 | 2 | 3 | 4 | 8 | 11 | 21 |
| 50-64 | 773 | 4.7 | 19 | 1 | 2 | 3 | 5 | 9 | 14 | 25 |
| 65+ | 382 | 5.8 | 33 | 2 | 2 | 4 | 6 | 13 | 18 | 27 |
| TOT. SINGLE DX | 2356 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| " MULTIPLE DX | 2803 | 4.5 | 21 | 1 | 2 | 3 | 5 | 9 | 13 | 25 |
| TOTAL 0-19 YRS | 420 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 8 | 13 |
| 20-34 | 1394 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 35-49 | 1391 | 3.7 | 11 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| 50-64 | 1319 | 4.1 | 15 | 1 | 2 | 3 | 4 | 8 | 11 | 23 |
| 65+ | 635 | 4.9 | 25 | 2 | 2 | 3 | 5 | 11 | 14 | 26 |
| GRAND TOTAL | 5159 | 3.9 | 14 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 341 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 14 |
| 20-34 | 648 | 3.5 | 11 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 496 | 3.5 | 19 | 1 | 1 | 3 | 4 | 6 | 10 | 16 |
| 50-64 | 460 | 3.8 | 17 | 1 | 1 | 3 | 4 | 7 | 11 | 19 |
| 65+ | 269 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 403 | 4.7 | 30 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 20-34 | 828 | 4.5 | 25 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 35-49 | 782 | 4.9 | 31 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| 50-64 | 794 | 5.6 | 37 | 1 | 2 | 3 | 6 | 12 | 17 | 35 |
| 65+ | 500 | 7.7 | 77 | 1 | 2 | 5 | 10 | 17 | 23 | 49 |
| TOT. SINGLE DX | 2214 | 3.6 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| " MULTIPLE DX | 3307 | 5.4 | 39 | 1 | 1 | 3 | 6 | 12 | 17 | 34 |
| TOTAL 0-19 YRS | 744 | 3.9 | 22 | <1 | <1 | 2 | 4 | 8 | 13 | 22 |
| 20-34 | 1476 | 4.0 | 19 | 1 | 1 | 3 | 4 | 8 | 11 | 21 |
| 35-49 | 1278 | 4.4 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 50-64 | 1254 | 5.0 | 31 | 1 | 1 | 3 | 5 | 11 | 15 | 32 |
| 65+ | 769 | 6.6 | 60 | 1 | 2 | 4 | 8 | 14 | 19 | 38 |
| GRAND TOTAL | 5521 | 4.7 | 30 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9713 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 8092 | 1.8 | 2 | <1 | 1 | 2 | 2 | 2 | 2 | 4 |
| 35-49 | 1558 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 50-64 | 1101 | 2.4 | 10 | 1 | 1 | 2 | 2 | 3 | 4 | 17 |
| 65+ | 516 | 2.7 | 9 | 1 | 1 | 2 | 3 | 4 | 5 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3292 | 2.3 | 10 | <1 | 1 | 2 | 2 | 3 | 5 | 13 |
| 20-34 | 5201 | 3.7 | 38 | 1 | 1 | 2 | 3 | 7 | 14 | 35 |
| 35-49 | 3457 | 4.3 | 43 | 1 | 1 | 2 | 3 | 10 | 16 | 35 |
| 50-64 | 3913 | 4.7 | 41 | 1 | 2 | 2 | 4 | 11 | 17 | 35 |
| 65+ | 3090 | 7.3 | 99 | 1 | 2 | 3 | 9 | 19 | 28 | 71 |
| TOT. SINGLE DX | 20980 | 1.8 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 18953 | 4.4 | 48 | 1 | 1 | 2 | 3 | 10 | 17 | 38 |
| TOTAL 0-19 YRS | 13005 | 1.9 | 4 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 20-34 | 13293 | 2.5 | 17 | <1 | 1 | 2 | 2 | 3 | 6 | 21 |
| 35-49 | 5015 | 3.6 | 32 | 1 | 1 | 2 | 3 | 7 | 13 | 31 |
| 50-64 | 5014 | 4.2 | 36 | 1 | 1 | 2 | 3 | 9 | 15 | 33 |
| 65+ | 3606 | 6.7 | 89 | 1 | 2 | 3 | 7 | 18 | 27 | 68 |
| GRAND TOTAL | 39933 | 3.0 | 25 | <1 | 1 | 2 | 2 | 4 | 10 | 28 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1251 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 180 | 2.4 | 28 | <1 | <1 | 2 | 2 | 4 | 5 | 14 |
| 35-49 | 53 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| 50-64 | 35 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 8 | 9 |
| 65+ | 14 | 2.6 | 2 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 617 | 2.2 | 31 | <1 | <1 | 1 | 2 | 2 | 5 | 32 |
| 20-34 | 242 | 4.3 | 38 | <1 | 1 | 2 | 4 | 13 | 16 | 56 |
| 35-49 | 80 | 4.4 | 22 | <1 | <1 | 2 | 7 | 11 | 15 | 20 |
| 50-64 | 41 | 5.0 | 33 | 1 | 1 | 3 | 6 | 12 | 15 | 31 |
| 65+ | 29 | 5.8 | 38 | 1 | 1 | 3 | 7 | 17 | 18 | 26 |
| TOT. SINGLE DX | 1533 | 1.4 | 4 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| " MULTIPLE DX | 1009 | 3.1 | 34 | <1 | <1 | 1 | 2 | 7 | 13 | 32 |
| TOTAL 0-19 YRS | 1868 | 1.5 | 11 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| 20-34 | 422 | 3.5 | 35 | <1 | 1 | 2 | 3 | 9 | 15 | 47 |
| 35-49 | 133 | 3.4 | 15 | <1 | 1 | 2 | 3 | 9 | 11 | 20 |
| 50-64 | 76 | 3.9 | 21 | 1 | 1 | 2 | 4 | 9 | 13 | 27 |
| 65+ | 43 | 4.7 | 29 | 1 | 1 | 2 | 5 | 12 | 17 | 26 |
| GRAND TOTAL | 2542 | 2.1 | 17 | <1 | <1 | 1 | 2 | 3 | 6 | 17 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 323 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 537 | 2.4 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 885 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 645 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 65+ | 172 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 416 | 2.7 | 8 | <1 | 1 | 2 | 2 | 5 | 7 | 16 |
| 20-34 | 461 | 3.8 | 32 | 1 | 1 | 2 | 3 | 7 | 12 | 24 |
| 35-49 | 556 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 50-64 | 641 | 4.5 | 34 | 1 | 2 | 3 | 4 | 8 | 15 | 29 |
| 65+ | 350 | 5.9 | 56 | 1 | 2 | 3 | 7 | 13 | 20 | 52 |
| TOT. SINGLE DX | 2562 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 2424 | 4.0 | 29 | 1 | 1 | 2 | 4 | 8 | 13 | 27 |
| TOTAL 0-19 YRS | 739 | 2.3 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| 20-34 | 998 | 3.0 | 17 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 35-49 | 1441 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 1286 | 3.6 | 20 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 65+ | 522 | 5.0 | 40 | 1 | 2 | 3 | 5 | 11 | 15 | 31 |
| GRAND TOTAL | 4986 | 3.2 | 16 | <1 | 1 | 2 | 3 | 5 | 8 | 21 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 505 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 1270 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1329 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 1623 | 4.1 | 9 | 2 | 2 | 3 | 5 | 6 | 8 | 14 |
| 65+ | 1206 | 4.8 | 16 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 170 | 4.1 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| 20-34 | 420 | 4.4 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 20 |
| 35-49 | 677 | 5.3 | 27 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 1041 | 6.0 | 32 | 2 | 2 | 4 | 7 | 12 | 17 | 28 |
| 65+ | 1260 | 7.9 | 58 | 2 | 3 | 5 | 9 | 16 | 22 | 45 |
| TOT. SINGLE DX | 5933 | 3.9 | 9 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| " MULTIPLE DX | 3568 | 6.3 | 40 | 2 | 2 | 4 | 7 | 13 | 17 | 35 |
| TOTAL 0-19 YRS | 675 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| 20-34 | 1690 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 2006 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 2664 | 4.8 | 20 | 2 | 2 | 4 | 5 | 8 | 12 | 23 |
| 65+ | 2466 | 6.4 | 41 | 2 | 2 | 4 | 7 | 12 | 17 | 36 |
| GRAND TOTAL | 9501 | 4.8 | 22 | 1 | 2 | 4 | 5 | 8 | 12 | 24 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 917 | 3.9 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 40 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 15 | 4.4 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 50-64 | 9 | 4.2 | 6 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 65+ | 7 | 4.6 | 20 | 1 | 1 | 2 | 8 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 587 | 4.4 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 42 | 5.4 | 50 | 2 | 2 | 4 | 6 | 7 | 11 | 48 |
| 35-49 | 16 | 3.6 | 2 | 1 | 1 | 4 | 5 | 5 | 6 | 6 |
| 50-64 | 11 | 7.3 | 28 | 1 | 2 | 6 | 9 | 14 | 20 | 21 |
| 65+ | 6 | 6.5 | 15 | 3 | 3 | 6 | 8 | 13 | 13 | 13 |
| TOT. SINGLE DX | 988 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 662 | 4.5 | 9 | 1 | 2 | 4 | 6 | 7 | 8 | 15 |
| TOTAL 0-19 YRS | 1504 | 4.1 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 82 | 4.5 | 28 | 2 | 2 | 4 | 5 | 7 | 8 | 37 |
| 35-49 | 31 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 20 | 5.9 | 20 | 1 | 2 | 5 | 8 | 10 | 15 | 21 |
| 65+ | 13 | 5.5 | 17 | 1 | 2 | 3 | 9 | 12 | 13 | 13 |
| GRAND TOTAL | 1650 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2139 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 721 | 3.4 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 699 | 3.7 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 50-64 | 1286 | 4.5 | 40 | <1 | 1 | 2 | 5 | 10 | 15 | 30 |
| 65+ | 1302 | 4.7 | 43 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1495 | 3.7 | 21 | 1 | 1 | 2 | 5 | 8 | 10 | 25 |
| 20-34 | 1092 | 4.9 | 33 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| 35-49 | 867 | 7.1 | 80 | 1 | 1 | 4 | 9 | 15 | 24 | 47 |
| 50-64 | 1741 | 8.4 | 110 | 1 | 2 | 5 | 10 | 19 | 28 | 56 |
| 65+ | 2049 | 9.7 | 122 | 1 | 2 | 6 | 12 | 23 | 32 | 59 |
| TOT. SINGLE DX | 6147 | 3.7 | 23 | <1 | 1 | 2 | 4 | 8 | 10 | 22 |
| " MULTIPLE DX | 7244 | 7.1 | 86 | 1 | 1 | 4 | 8 | 16 | 24 | 48 |
| TOTAL 0-19 YRS | 3634 | 3.2 | 12 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 20-34 | 1813 | 4.3 | 25 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 1566 | 5.6 | 54 | 1 | 1 | 3 | 6 | 12 | 19 | 40 |
| 50-64 | 3027 | 6.8 | 84 | 1 | 1 | 3 | 8 | 16 | 23 | 47 |
| 65+ | 3351 | 7.7 | 98 | 1 | 2 | 4 | 9 | 18 | 27 | 52 |
| GRAND TOTAL | 13391 | 5.6 | 60 | <1 | 1 | 3 | 6 | 12 | 19 | 41 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 26210 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 17852 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 1592 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 271 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 21 |
| 65+ | 88 | 3.5 | 31 | 1 | 1 | 2 | 3 | 5 | 9 | 39 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4732 | 2.1 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 2924 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 473 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 50-64 | 143 | 5.8 | 83 | 1 | 2 | 3 | 5 | 12 | 23 | 49 |
| 65+ | 57 | 9.2 | 227 | 1 | 2 | 3 | 9 | 24 | 33 | 89 |
| TOT. SINGLE DX | 46013 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 8329 | 2.5 | 8 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| TOTAL 0-19 YRS | 30942 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 20776 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 2065 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 414 | 3.8 | 35 | 1 | 1 | 2 | 3 | 6 | 11 | 37 |
| 65+ | 145 | 5.7 | 115 | 1 | 1 | 3 | 4 | 11 | 25 | 57 |
| GRAND TOTAL | 54342 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 41973 | 1.7 |  | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1539 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 80 | 2.3 |  | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 34 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 11 |
| 65+ | 38 | 4.4 | 224 | <1 | 1 | 2 | 2 | 4 | 7 | 94 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24434 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 437 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 29 | 4.2 | 20 | 2 | 2 | 2 | 4 | 9 | 12 | 24 |
| 50-64 | 19 | 2.4 | 3 | <1 | 1 | 2 | 3 | 3 | 7 | 10 |
| 65+ | 20 | 1.8 |  | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| TOT. SINGLE DX | 43664 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 24939 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| TOTAL 0-19 YRS | 66407 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 1976 | 2.3 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 109 | 2.8 | 7 | 1 | 2 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 53 | 2.3 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 11 |
| 65+ | 58 | 3.5 | 147 | <1 | 1 | 2 | 2 | 3 | 5 | 87 |
| GRAND TOTAL | 68603 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3688 | 1.4 |  | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 80 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 8 | 2.3 |  | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9508 | 1.5 |  | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 58 | 2.5 | 8 | <1 | <1 | 2 | 2 | 4 | 4 | 22 |
| 35-49 | 9 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 16 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 13 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| TOT. SINGLE DX | 3780 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 9604 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 13196 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 138 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 4 | 9 |
| 35-49 | 17 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 17 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 16 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| GRAND TOTAL | 13384 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1918 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 1416 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 516 | 3.4 | 18 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 50-64 | 572 | 4.6 | 40 | 1 | 1 | 3 | 5 | 9 | 16 | 28 |
| 65+ | 376 | 5.0 | 27 | 1 | 2 | 3 | 7 | 10 | 15 | 29 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 481 | 3.9 | 24 | <1 | 1 | 2 | 5 | 7 | 10 | 28 |
| 20-34 | 426 | 5.3 | 70 | 1 | 1 | 3 | 5 | 10 | 15 | 48 |
| 35-49 | 326 | 6.1 | 91 | 1 | 1 | 3 | 6 | 12 | 21 | 68 |
| 50-64 | 569 | 8.7 | 123 | 1 | 2 | 4 | 11 | 21 | 29 | 63 |
| 65+ | 607 | 11.9 | 216 | 2 | 2 | 7 | 15 | 28 | 46 | 78 |
| TOT. SINGLE DX | 4798 | 3.1 | 13 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| " MULTIPLE DX | 2409 | 7.6 | 122 | 1 | 1 | 4 | 8 | 18 | 28 | 66 |
| TOTAL 0-19 YRS | 2399 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 1842 | 3.3 | 20 | 1 | 1 | 2 | 4 | 5 | 8 | 19 |
| 35-49 | 842 | 4.4 | 48 | 1 | 1 | 3 | 4 | 9 | 14 | 37 |
| 50-64 | 1141 | 6.6 | 86 | 1 | 1 | 3 | 8 | 16 | 23 | 54 |
| 65+ | 983 | 9.3 | 156 | 1 | 2 | 5 | 11 | 20 | 37 | 73 |
| GRAND TOTAL | 7207 | 4.6 | 54 | 1 | 1 | 2 | 4 | 9 | 15 | 41 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 282 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 144 | 3.4 | 6 | <1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 165 | 3.6 | 18 | <1 | 1 | 3 | 4 | 6 | 7 | 17 |
| 50-64 | 256 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 65+ | 261 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 529 | 3.8 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 95 | 4.9 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| 35-49 | 158 | 5.0 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| 50-64 | 384 | 6.5 | 74 | 1 | 2 | 5 | 7 | 12 | 16 | 36 |
| 65+ | 608 | 6.5 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| TOT. SINGLE DX | 1108 | 3.3 | 11 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| " MULTIPLE DX | 1774 | 5.5 | 34 | 1 | 2 | 4 | 6 | 10 | 14 | 28 |
| TOTAL 0-19 YRS | 811 | 3.1 | 8 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 239 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 323 | 4.3 | 18 | 1 | 1 | 4 | 5 | 8 | 10 | 23 |
| 50-64 | 640 | 5.5 | 51 | 1 | 1 | 4 | 6 | 10 | 14 | 32 |
| 65+ | 869 | 5.7 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| GRAND TOTAL | 2882 | 4.6 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 478 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 10 |
| 20-34 | 1112 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 35-49 | 1773 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 10 |
| 50-64 | 2799 | 2.2 | 6 | <1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 65+ | 1530 | 2.5 | 9 | 1 | 1 | 2 | 2 | 4 | 6 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 2.7 | 26 | <1 | 1 | 2 | 2 | 3 | 7 | 36 |
| 20-34 | 411 | 3.7 | 41 | 1 | 1 | 2 | 3 | 6 | 13 | 65 |
| 35-49 | 834 | 3.8 | 22 | 1 | 1 | 2 | 4 | 9 | 12 | 27 |
| 50-64 | 1885 | 4.8 | 46 | 1 | 1 | 2 | 5 | 12 | 18 | 33 |
| 65+ | 1440 | 6.3 | 77 | 1 | 1 | 3 | 7 | 15 | 24 | 44 |
| TOT. SINGLE DX | 7692 | 2.1 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 12 |
| " MULTIPLE DX | 4726 | 4.9 | 52 | 1 | 1 | 2 | 5 | 12 | 18 | 38 |
| TOTAL 0-19 YRS | 634 | 2.0 | 9 | <1 | <1 | 1 | 2 | 2 | 4 | 13 |
| 20-34 | 1523 | 2.3 | 13 | <1 | 1 | 2 | 2 | 3 | 5 | 18 |
| 35-49 | 2607 | 2.6 | 11 | <1 | 1 | 2 | 2 | 4 | 7 | 18 |
| 50-64 | 4684 | 3.3 | 24 | <1 | 1 | 2 | 3 | 6 | 11 | 25 |
| 65+ | 2970 | 4.3 | 46 | 1 | 1 | 2 | 4 | 10 | 16 | 35 |
| GRAND TOTAL | 12418 | 3.2 | 25 | <1 | 1 | 2 | 2 | 6 | 11 | 26 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 2.4 | 6 | <1 | 1 | 2 | 2 | 5 | 9 | 11 |
| 20-34 | 44 | 3.1 | 14 | <1 | 1 | 2 | 2 | 10 | 11 | 20 |
| 35-49 | 80 | 7.7 | 83 | 1 | 1 | 2 | 11 | 20 | 25 | 45 |
| 50-64 | 234 | 9.5 | 61 | 1 | 2 | 9 | 14 | 19 | 24 | 40 |
| 65+ | 161 | 11.5 | 176 | 1 | 2 | 10 | 16 | 23 | 29 | 87 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 7.5 | 72 | 1 | 1 | 2 | 12 | 20 | 26 | 31 |
| 20-34 | 25 | 9.9 | 61 | <1 | 1 | 9 | 14 | 22 | 25 | 27 |
| 35-49 | 64 | 11.8 | 99 | 2 | 2 | 10 | 16 | 27 | 33 | 38 |
| 50-64 | 200 | 14.3 | 171 | 1 | 2 | 11 | 18 | 34 | 41 | 62 |
| 65+ | 232 | 17.5 | 230 | 2 | 2 | 15 | 22 | 33 | 47 | 85 |
| TOT. SINGLE DX | 551 | 8.9 | 99 | 1 | 1 | 6 | 13 | 18 | 25 | 45 |
| " MULTIPLE DX | 546 | 14.8 | 186 | 2 | 2 | 12 | 20 | 31 | 40 | 65 |
| TOTAL 0-19 YRS | 57 | 4.6 | 41 | <1 | 1 | 2 | 4 | 13 | 20 | 31 |
| 20-34 | 69 | 5.6 | 42 | <1 | 1 | 2 | 9 | 15 | 20 | 27 |
| 35-49 | 144 | 9.5 | 94 | 1 | 1 | 5 | 15 | 24 | 31 | 39 |
| 50-64 | 434 | 11.7 | 117 | 1 | 2 | 10 | 15 | 24 | 36 | 53 |
| 65+ | 393 | 15.1 | 217 | 2 | 2 | 13 | 19 | 30 | 40 | 86 |
| GRAND TOTAL | 1097 | 11.9 | 151 | 1 | 2 | 10 | 16 | 26 | 34 | 59 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 265 | 1 | 1 | 12 | 24 | 24 | 24 | 24 |
| 20-34 | 4 | 15.3 | 35 | 11 | 11 | 13 | 19 | 24 | 24 | 24 |
| 35-49 | 53 | 16.7 | 55 | 8 | 10 | 14 | 21 | 26 | 32 | 44 |
| 50-64 | 205 | 18.8 | 124 | 9 | 10 | 16 | 21 | 31 | 38 | 84 |
| 65+ | 179 | 17.5 | 62 | 10 | 11 | 15 | 20 | 31 | 36 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 30.0 | | 30 | 30 | 65 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 1 | 26.0 | | 26 | 26 | 63 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 69 | 25.3 | 283 | 11 | 11 | 20 | 32 | 55 | 70 | 99+ |
| 50-64 | 401 | 24.4 | 192 | 10 | 12 | 22 | 30 | 44 | 63 | 99+ |
| 65+ | 388 | 25.2 | 211 | 11 | 13 | 21 | 31 | 46 | 63 | 99+ |
| TOT. SINGLE DX | 443 | 18.0 | 91 | 9 | 10 | 15 | 21 | 30 | 36 | 71 |
| " MULTIPLE DX | 860 | 24.8 | 208 | 11 | 12 | 21 | 31 | 47 | 64 | 99+ |
| TOTAL 0-19 YRS | 3 | 18.3 | 234 | 1 | 1 | 27 | 65 | 99+ | 99+ | 99+ |
| 20-34 | 5 | 17.4 | 50 | 11 | 11 | 19 | 26 | 93 | 99+ | 99+ |
| 35-49 | 122 | 21.5 | 202 | 10 | 11 | 17 | 24 | 42 | 56 | 99+ |
| 50-64 | 606 | 22.5 | 176 | 10 | 11 | 19 | 27 | 40 | 58 | 99+ |
| 65+ | 567 | 22.8 | 177 | 10 | 11 | 19 | 28 | 40 | 55 | 99+ |
| GRAND TOTAL | 1303 | 22.5 | 178 | 10 | 11 | 19 | 27 | 41 | 57 | 99+ |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 26.3 | 814 | 7 | 7 | 10 | 51 | 71 | 73 | 73 |
| 20-34 | 8 | 11.9 | 236 | 2 | 2 | 8 | 21 | 80 | 99+ | 99+ |
| 35-49 | 11 | 10.2 | 205 | 1 | 2 | 6 | 11 | 28 | 50 | 52 |
| 50-64 | 28 | 16.6 | 213 | 2 | 3 | 14 | 26 | 31 | 41 | 67 |
| 65+ | 12 | 18.3 | 139 | 4 | 6 | 17 | 30 | 33 | 36 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 39.7 | 785 | 4 | 9 | 34 | 66 | 99 | 99+ | 99+ |
| 20-34 | 17 | 30.6 | 382 | 4 | 6 | 36 | 70 | 99+ | 99+ | 99+ |
| 35-49 | 40 | 24.0 | 433 | 3 | 4 | 18 | 55 | 99+ | 99+ | 99+ |
| 50-64 | 112 | 30.4 | 591 | 3 | 5 | 30 | 63 | 99+ | 99+ | 99+ |
| 65+ | 146 | 35.6 | 555 | 7 | 11 | 35 | 57 | 97 | 99+ | 99+ |
| TOT. SINGLE DX | 65 | 16.1 | 254 | 2 | 3 | 10 | 25 | 38 | 55 | 96 |
| " MULTIPLE DX | 325 | 32.2 | 561 | 4 | 7 | 32 | 59 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 16 | 34.7 | 787 | 5 | 7 | 33 | 61 | 93 | 99 | 99+ |
| 20-34 | 25 | 24.6 | 404 | 2 | 4 | 27 | 57 | 99+ | 99+ | 99+ |
| 35-49 | 51 | 21.0 | 412 | 2 | 3 | 12 | 51 | 94 | 99+ | 99+ |
| 50-64 | 140 | 27.7 | 545 | 3 | 4 | 25 | 56 | 99+ | 99+ | 99+ |
| 65+ | 158 | 34.3 | 544 | 7 | 9 | 33 | 55 | 96 | 99+ | 99+ |
| GRAND TOTAL | 390 | 29.6 | 545 | 3 | 5 | 29 | 55 | 99+ | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 173 | 9.0 | 192 | 1 | 1 | 5 | 9 | 18 | 42 | 78 |
| 20-34 | 159 | 8.2 | 207 | <1 | 1 | 3 | 8 | 16 | 48 | 99 |
| 35-49 | 87 | 8.6 | 121 | 1 | 1 | 4 | 10 | 22 | 31 | 59 |
| 50-64 | 213 | 10.4 | 246 | 1 | 2 | 4 | 11 | 24 | 41 | 89 |
| 65+ | 162 | 12.0 | 316 | 1 | 1 | 5 | 15 | 43 | 66 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 308 | 21.7 | 511 | 1 | 2 | 14 | 35 | 71 | 97 | 99+ |
| 20-34 | 319 | 27.5 | 618 | 2 | 3 | 21 | 46 | 83 | 99+ | 99+ |
| 35-49 | 324 | 26.2 | 546 | 2 | 2 | 23 | 47 | 78 | 99+ | 99+ |
| 50-64 | 895 | 30.0 | 591 | 2 | 3 | 27 | 52 | 83 | 99+ | 99+ |
| 65+ | 1049 | 35.7 | 634 | 2 | 4 | 36 | 57 | 85 | 99+ | 99+ |
| TOT. SINGLE DX | 794 | 9.8 | 229 | 1 | 1 | 4 | 10 | 23 | 48 | 92 |
| " MULTIPLE DX | 2895 | 30.5 | 617 | 2 | 3 | 28 | 53 | 83 | 99+ | 99+ |
| TOTAL 0-19 YRS | 481 | 17.1 | 433 | 1 | 1 | 9 | 25 | 60 | 83 | 99+ |
| 20-34 | 478 | 21.1 | 564 | 1 | 2 | 11 | 36 | 72 | 92 | 99+ |
| 35-49 | 411 | 22.5 | 508 | 1 | 2 | 15 | 40 | 72 | 99+ | 99+ |
| 50-64 | 1108 | 26.2 | 585 | 2 | 2 | 21 | 46 | 76 | 99+ | 99+ |
| 65+ | 1211 | 32.5 | 657 | 2 | 2 | 32 | 55 | 83 | 99+ | 99+ |
| GRAND TOTAL | 3689 | 26.0 | 606 | 1 | 2 | 20 | 46 | 76 | 99+ | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 92 | 6.0 | 28 | 1 | 1 | 4 | 9 | 13 | 18 | 25 |
| 20-34 | 469 | 6.5 | 47 | 1 | 2 | 5 | 8 | 13 | 17 | 35 |
| 35-49 | 777 | 7.1 | 44 | 1 | 2 | 5 | 9 | 16 | 19 | 33 |
| 50-64 | 1997 | 8.1 | 58 | 1 | 2 | 6 | 11 | 17 | 21 | 36 |
| 65+ | 2071 | 8.7 | 67 | 1 | 2 | 6 | 12 | 18 | 23 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 11.7 | 154 | 2 | 2 | 9 | 14 | 24 | 34 | 72 |
| 20-34 | 673 | 10.1 | 96 | 2 | 2 | 8 | 13 | 21 | 28 | 46 |
| 35-49 | 1754 | 11.5 | 101 | 2 | 3 | 9 | 15 | 23 | 30 | 52 |
| 50-64 | 6137 | 12.6 | 117 | 2 | 3 | 10 | 16 | 25 | 33 | 57 |
| 65+ | 8842 | 14.5 | 139 | 2 | 3 | 11 | 19 | 29 | 39 | 64 |
| TOT. SINGLE DX | 5406 | 8.0 | 59 | 1 | 2 | 6 | 11 | 17 | 22 | 37 |
| " MULTIPLE DX | 17494 | 13.3 | 128 | 2 | 3 | 10 | 17 | 27 | 36 | 60 |
| TOTAL 0-19 YRS | 180 | 8.8 | 98 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |
| 20-34 | 1142 | 8.7 | 79 | 1 | 2 | 6 | 11 | 17 | 24 | 42 |
| 35-49 | 2531 | 10.1 | 88 | 1 | 2 | 8 | 13 | 21 | 27 | 47 |
| 50-64 | 8134 | 11.5 | 107 | 2 | 2 | 9 | 15 | 23 | 30 | 52 |
| 65+ | 10913 | 13.4 | 131 | 2 | 3 | 10 | 17 | 28 | 36 | 60 |
| GRAND TOTAL | 22900 | 12.1 | 117 | 2 | 2 | 9 | 16 | 25 | 33 | 57 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 19.5 | 584 | 2 | 2 | 10 | 34 | 55 | 55 | 55 |
| 20-34 | 3 | 8.3 | 76 | 1 | 1 | 6 | 15 | 18 | 18 | 18 |
| 35-49 | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 50-64 | 4 | 13.0 | 178 | 2 | 2 | 11 | 24 | 29 | 29 | 29 |
| 65+ | 2 | 12.5 | 145 | 4 | 4 | 12 | 21 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 8.7 | 46 | 1 | 1 | 11 | 13 | 14 | 14 | 14 |
| 35-49 | 4 | 18.3 | 139 | 5 | 5 | 17 | 27 | 33 | 33 | 33 |
| 50-64 | 7 | 25.6 | 531 | 6 | 8 | 19 | 24 | 66 | 76 | 76 |
| 65+ | 11 | 15.6 | 108 | 2 | 4 | 12 | 25 | 31 | 35 | 35 |
| TOT. SINGLE DX | 15 | 12.9 | 210 | 1 | 2 | 7 | 19 | 29 | 48 | 55 |
| " MULTIPLE DX | 25 | 18.0 | 229 | 2 | 5 | 15 | 26 | 35 | 81 | 99+ |
| TOTAL 0-19 YRS | 4 | 19.5 | 584 | 2 | 2 | 14 | 66 | 99+ | 99+ | 99+ |
| 20-34 | 6 | 8.5 | 49 | 1 | 1 | 8 | 14 | 18 | 18 | 18 |
| 35-49 | 6 | 14.5 | 128 | 2 | 2 | 13 | 21 | 32 | 33 | 33 |
| 50-64 | 11 | 21.0 | 412 | 2 | 2 | 19 | 24 | 48 | 74 | 76 |
| 65+ | 13 | 15.2 | 103 | 2 | 4 | 12 | 22 | 29 | 34 | 35 |
| GRAND TOTAL | 40 | 16.1 | 223 | 1 | 2 | 14 | 21 | 34 | 64 | 99+ |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 12.4 | 119 | 4 | 5 | 9 | 13 | 21 | 30 | 68 |
| 20-34 | 374 | 10.4 | 40 | 2 | 4 | 9 | 13 | 19 | 21 | 32 |
| 35-49 | 670 | 10.5 | 57 | 2 | 3 | 9 | 13 | 19 | 25 | 39 |
| 50-64 | 1320 | 12.0 | 77 | 2 | 3 | 10 | 15 | 22 | 26 | 44 |
| 65+ | 1170 | 12.2 | 80 | 1 | 2 | 10 | 17 | 23 | 28 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 133 | 15.2 | 143 | 5 | 6 | 12 | 20 | 29 | 38 | 99+ |
| 20-34 | 558 | 14.8 | 138 | 3 | 5 | 12 | 18 | 26 | 39 | 77 |
| 35-49 | 1035 | 15.3 | 121 | 3 | 5 | 13 | 19 | 29 | 36 | 66 |
| 50-64 | 3253 | 16.2 | 134 | 3 | 5 | 13 | 21 | 30 | 39 | 60 |
| 65+ | 3832 | 17.0 | 155 | 3 | 4 | 14 | 22 | 32 | 41 | 66 |
| TOT. SINGLE DX | 3624 | 11.6 | 72 | 2 | 3 | 10 | 15 | 21 | 27 | 43 |
| " MULTIPLE DX | 8811 | 16.3 | 143 | 3 | 5 | 13 | 21 | 31 | 39 | 64 |
| TOTAL 0-19 YRS | 223 | 14.0 | 135 | 5 | 5 | 11 | 18 | 27 | 37 | 98 |
| 20-34 | 932 | 13.0 | 104 | 3 | 4 | 11 | 16 | 23 | 31 | 66 |
| 35-49 | 1705 | 13.4 | 102 | 2 | 4 | 11 | 17 | 25 | 31 | 56 |
| 50-64 | 4573 | 15.0 | 122 | 2 | 4 | 12 | 19 | 28 | 36 | 57 |
| 65+ | 5002 | 15.9 | 142 | 2 | 4 | 13 | 21 | 30 | 38 | 62 |
| GRAND TOTAL | 12435 | 15.0 | 127 | 2 | 4 | 12 | 19 | 29 | 36 | 59 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 12.9 | 55 | 5 | 6 | 10 | 17 | 22 | 31 | 32 |
| 20-34 | 64 | 14.2 | 63 | 7 | 8 | 12 | 16 | 22 | 34 | 46 |
| 35-49 | 224 | 14.0 | 36 | 7 | 8 | 13 | 17 | 21 | 25 | 38 |
| 50-64 | 818 | 15.0 | 49 | 7 | 8 | 13 | 18 | 23 | 27 | 41 |
| 65+ | 600 | 16.9 | 61 | 8 | 9 | 15 | 20 | 27 | 31 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 19.4 | 303 | 8 | 8 | 15 | 20 | 45 | 92 | 99+ |
| 20-34 | 94 | 20.0 | 282 | 6 | 8 | 14 | 23 | 39 | 54 | 89 |
| 35-49 | 399 | 18.5 | 131 | 7 | 8 | 16 | 23 | 32 | 41 | 65 |
| 50-64 | 1741 | 19.1 | 121 | 8 | 9 | 17 | 23 | 32 | 40 | 68 |
| 65+ | 1657 | 21.3 | 143 | 9 | 10 | 18 | 26 | 35 | 44 | 73 |
| TOT. SINGLE DX | 1718 | 15.5 | 54 | 8 | 8 | 14 | 19 | 24 | 29 | 42 |
| " MULTIPLE DX | 3917 | 20.0 | 138 | 8 | 9 | 17 | 24 | 34 | 42 | 74 |
| TOTAL 0-19 YRS | 38 | 17.4 | 230 | 7 | 8 | 14 | 18 | 36 | 71 | 99+ |
| 20-34 | 158 | 17.6 | 201 | 6 | 8 | 12 | 20 | 34 | 45 | 82 |
| 35-49 | 623 | 16.9 | 102 | 7 | 8 | 15 | 20 | 28 | 38 | 56 |
| 50-64 | 2559 | 17.8 | 102 | 8 | 9 | 16 | 21 | 29 | 36 | 64 |
| 65+ | 2257 | 20.1 | 125 | 9 | 10 | 17 | 24 | 33 | 41 | 68 |
| GRAND TOTAL | 5635 | 18.6 | 116 | 8 | 9 | 16 | 22 | 31 | 39 | 66 |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 684 | 4.4 | 34 | 1 | 1 | 2 | 5 | 10 | 14 | 31 |
| 20-34 | 702 | 6.3 | 46 | 1 | 1 | 4 | 8 | 13 | 17 | 31 |
| 35-49 | 1097 | 6.5 | 48 | 1 | 1 | 4 | 9 | 14 | 19 | 32 |
| 50-64 | 2238 | 7.3 | 49 | 1 | 2 | 5 | 10 | 17 | 21 | 31 |
| 65+ | 1994 | 8.2 | 61 | 1 | 2 | 6 | 11 | 18 | 23 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 603 | 10.0 | 142 | 1 | 2 | 6 | 13 | 22 | 31 | 90 |
| 20-34 | 1145 | 10.6 | 116 | 2 | 2 | 7 | 13 | 23 | 32 | 54 |
| 35-49 | 2411 | 10.8 | 110 | 2 | 2 | 8 | 14 | 23 | 31 | 65 |
| 50-64 | 6259 | 12.1 | 119 | 2 | 2 | 9 | 16 | 25 | 32 | 58 |
| 65+ | 8568 | 14.6 | 157 | 2 | 3 | 11 | 19 | 30 | 40 | 74 |
| TOT. SINGLE DX | 6715 | 7.0 | 52 | 1 | 1 | 5 | 9 | 16 | 21 | 34 |
| " MULTIPLE DX | 18986 | 12.9 | 138 | 2 | 3 | 10 | 17 | 27 | 36 | 66 |
| TOTAL 0-19 YRS | 1287 | 7.0 | 93 | 1 | 1 | 4 | 8 | 16 | 23 | 57 |
| 20-34 | 1847 | 8.9 | 94 | 1 | 2 | 6 | 11 | 19 | 28 | 51 |
| 35-49 | 3508 | 9.5 | 95 | 1 | 2 | 7 | 12 | 21 | 28 | 56 |
| 50-64 | 8497 | 10.8 | 105 | 2 | 2 | 8 | 14 | 23 | 30 | 53 |
| 65+ | 10562 | 13.4 | 146 | 2 | 2 | 10 | 18 | 28 | 37 | 68 |
| GRAND TOTAL | 25701 | 11.4 | 123 | 1 | 2 | 8 | 15 | 24 | 33 | 61 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 5.7 | 14 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 20-34 | 256 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 103 | 7.6 | 50 | 2 | 2 | 6 | 9 | 15 | 18 | 41 |
| 50-64 | 78 | 9.3 | 44 | 2 | 3 | 8 | 12 | 19 | 20 | 36 |
| 65+ | 55 | 10.5 | 65 | 1 | 2 | 10 | 14 | 20 | 25 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 92 | 12.7 | 189 | 3 | 3 | 8 | 15 | 28 | 56 | 87 |
| 20-34 | 181 | 9.9 | 101 | 3 | 3 | 7 | 10 | 17 | 32 | 74 |
| 35-49 | 143 | 11.6 | 111 | 2 | 4 | 9 | 14 | 24 | 34 | 83 |
| 50-64 | 246 | 15.6 | 198 | 3 | 4 | 11 | 19 | 35 | 50 | 73 |
| 65+ | 331 | 15.8 | 188 | 2 | 4 | 12 | 21 | 32 | 44 | 75 |
| TOT. SINGLE DX | 574 | 7.1 | 34 | 2 | 2 | 5 | 9 | 14 | 18 | 27 |
| " MULTIPLE DX | 993 | 13.8 | 169 | 2 | 4 | 10 | 17 | 31 | 42 | 76 |
| TOTAL 0-19 YRS | 174 | 9.4 | 119 | 1 | 2 | 6 | 10 | 19 | 31 | 68 |
| 20-34 | 437 | 7.6 | 56 | 2 | 3 | 6 | 9 | 14 | 18 | 44 |
| 35-49 | 246 | 9.9 | 89 | 2 | 3 | 7 | 12 | 20 | 26 | 62 |
| 50-64 | 324 | 14.1 | 168 | 2 | 3 | 10 | 17 | 31 | 42 | 67 |
| 65+ | 386 | 15.0 | 175 | 2 | 3 | 11 | 20 | 31 | 42 | 73 |
| GRAND TOTAL | 1567 | 11.3 | 130 | 2 | 3 | 8 | 14 | 24 | 35 | 65 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 633 | 6.5 | 21 | 2 | 3 | 5 | 8 | 12 | 16 | 24 |
| 20-34 | 2233 | 6.3 | 20 | 2 | 3 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 827 | 7.6 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 50-64 | 650 | 10.7 | 72 | 3 | 4 | 9 | 13 | 21 | 26 | 42 |
| 65+ | 496 | 12.6 | 82 | 3 | 4 | 10 | 18 | 24 | 32 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 990 | 13.3 | 208 | 3 | 4 | 9 | 15 | 30 | 50 | 99+ |
| 20-34 | 1960 | 10.5 | 98 | 3 | 3 | 8 | 12 | 20 | 31 | 65 |
| 35-49 | 1498 | 13.1 | 118 | 3 | 4 | 10 | 17 | 26 | 37 | 60 |
| 50-64 | 2679 | 15.7 | 165 | 4 | 5 | 12 | 20 | 32 | 42 | 74 |
| 65+ | 3314 | 17.9 | 185 | 4 | 5 | 14 | 23 | 36 | 46 | 71 |
| TOT. SINGLE DX | 4839 | 7.8 | 41 | 2 | 3 | 6 | 9 | 15 | 20 | 34 |
| " MULTIPLE DX | 10441 | 14.8 | 164 | 3 | 4 | 11 | 19 | 31 | 42 | 75 |
| TOTAL 0-19 YRS | 1623 | 10.7 | 146 | 3 | 3 | 7 | 12 | 22 | 36 | 89 |
| 20-34 | 4193 | 8.3 | 61 | 2 | 3 | 6 | 10 | 15 | 21 | 50 |
| 35-49 | 2325 | 11.1 | 96 | 3 | 3 | 8 | 14 | 23 | 30 | 56 |
| 50-64 | 3329 | 14.7 | 152 | 3 | 4 | 11 | 19 | 30 | 39 | 70 |
| 65+ | 3810 | 17.2 | 176 | 4 | 5 | 14 | 22 | 35 | 44 | 68 |
| GRAND TOTAL | 15280 | 12.6 | 136 | 3 | 4 | 9 | 16 | 27 | 37 | 64 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 498 | 6.3 | 26 | 1 | 2 | 6 | 8 | 10 | 13 | 27 |
| 20-34 | 702 | 7.2 | 40 | 1 | 1 | 6 | 10 | 14 | 20 | 30 |
| 35-49 | 606 | 7.0 | 37 | 1 | 2 | 5 | 9 | 15 | 18 | 30 |
| 50-64 | 836 | 8.8 | 66 | 1 | 2 | 7 | 12 | 19 | 25 | 38 |
| 65+ | 665 | 10.0 | 89 | 1 | 2 | 8 | 13 | 21 | 28 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 237 | 10.6 | 84 | 2 | 2 | 8 | 13 | 20 | 28 | 50 |
| 20-34 | 687 | 12.6 | 144 | 1 | 2 | 9 | 16 | 26 | 36 | 75 |
| 35-49 | 957 | 12.8 | 139 | 2 | 2 | 10 | 17 | 27 | 37 | 76 |
| 50-64 | 2342 | 13.7 | 135 | 2 | 3 | 11 | 18 | 29 | 36 | 62 |
| 65+ | 2817 | 15.9 | 165 | 3 | 4 | 13 | 21 | 32 | 41 | 70 |
| TOT. SINGLE DX | 3307 | 8.0 | 56 | 1 | 2 | 6 | 10 | 17 | 22 | 38 |
| " MULTIPLE DX | 7040 | 14.3 | 149 | 2 | 3 | 11 | 19 | 29 | 38 | 67 |
| TOTAL 0-19 YRS | 735 | 7.7 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| 20-34 | 1389 | 9.9 | 99 | 1 | 2 | 7 | 12 | 21 | 28 | 52 |
| 35-49 | 1563 | 10.6 | 108 | 1 | 2 | 8 | 14 | 23 | 31 | 61 |
| 50-64 | 3178 | 12.4 | 122 | 2 | 2 | 9 | 17 | 26 | 33 | 58 |
| 65+ | 3482 | 14.8 | 156 | 2 | 3 | 12 | 20 | 30 | 40 | 66 |
| GRAND TOTAL | 10347 | 12.3 | 128 | 2 | 2 | 9 | 16 | 26 | 35 | 59 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 324 | 9.8 | 23 | 6 | 6 | 9 | 11 | 14 | 18 | 25 |
| 20-34 | 201 | 11.8 | 20 | 7 | 8 | 11 | 14 | 17 | 20 | 31 |
| 35-49 | 355 | 13.3 | 46 | 8 | 9 | 12 | 15 | 19 | 22 | 38 |
| 50-64 | 573 | 14.8 | 54 | 8 | 9 | 13 | 17 | 22 | 27 | 42 |
| 65+ | 293 | 17.2 | 57 | 10 | 10 | 15 | 20 | 26 | 30 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 502 | 13.3 | 106 | 7 | 7 | 10 | 14 | 23 | 36 | 64 |
| 20-34 | 328 | 18.8 | 172 | 8 | 8 | 14 | 23 | 42 | 50 | 73 |
| 35-49 | 715 | 18.2 | 128 | 8 | 9 | 15 | 21 | 29 | 42 | 67 |
| 50-64 | 1928 | 19.4 | 132 | 9 | 10 | 16 | 23 | 33 | 46 | 71 |
| 65+ | 1645 | 22.3 | 165 | 10 | 11 | 18 | 27 | 40 | 51 | 83 |
| TOT. SINGLE DX | 1746 | 13.6 | 49 | 7 | 8 | 12 | 16 | 21 | 26 | 39 |
| " MULTIPLE DX | 5118 | 19.5 | 149 | 8 | 9 | 16 | 23 | 35 | 47 | 75 |
| TOTAL 0-19 YRS | 826 | 11.9 | 77 | 6 | 7 | 9 | 12 | 19 | 27 | 51 |
| 20-34 | 529 | 16.1 | 126 | 7 | 8 | 12 | 17 | 29 | 45 | 62 |
| 35-49 | 1070 | 16.6 | 107 | 8 | 9 | 14 | 19 | 26 | 36 | 62 |
| 50-64 | 2501 | 18.4 | 118 | 9 | 10 | 15 | 21 | 31 | 41 | 68 |
| 65+ | 1938 | 21.5 | 152 | 10 | 11 | 18 | 26 | 37 | 50 | 80 |
| GRAND TOTAL | 6864 | 18.0 | 130 | 8 | 9 | 14 | 21 | 31 | 43 | 70 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 95th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 16.3 | 23 | 11 | 11 | 15 | 21 | 23 | 23 | 23 |
| 20-34 | 63 | 11.5 | 22 | 7 | 7 | 11 | 13 | 16 | 22 | 29 |
| 35-49 | 1532 | 11.7 | 16 | 8 | 8 | 11 | 13 | 17 | 19 | 27 |
| 50-64 | 4712 | 12.5 | 21 | 8 | 8 | 11 | 14 | 18 | 21 | 29 |
| 65+ | 1670 | 14.1 | 34 | 8 | 9 | 13 | 16 | 21 | 25 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 16.9 | 102 | 9 | 9 | 13 | 20 | 31 | 43 | 44 |
| 20-34 | 189 | 13.0 | 48 | 8 | 8 | 11 | 14 | 20 | 25 | 45 |
| 35-49 | 3987 | 13.6 | 43 | 8 | 8 | 12 | 15 | 21 | 26 | 40 |
| 50-64 | 14527 | 15.0 | 64 | 8 | 9 | 13 | 17 | 24 | 29 | 49 |
| 65+ | 7295 | 18.2 | 106 | 9 | 10 | 15 | 21 | 31 | 38 | 63 |
| TOT. SINGLE DX | 7984 | 12.7 | 24 | 8 | 8 | 11 | 14 | 18 | 22 | 31 |
| " MULTIPLE DX | 26009 | 15.7 | 76 | 8 | 9 | 13 | 18 | 25 | 32 | 53 |
| TOTAL 0-19 YRS | 18 | 16.7 | 69 | 9 | 10 | 14 | 22 | 23 | 36 | 44 |
| 20-34 | 252 | 12.7 | 42 | 7 | 8 | 11 | 14 | 20 | 24 | 40 |
| 35-49 | 5519 | 13.1 | 37 | 8 | 8 | 11 | 15 | 20 | 24 | 37 |
| 50-64 | 19239 | 14.4 | 55 | 8 | 9 | 12 | 16 | 22 | 28 | 45 |
| 65+ | 8965 | 17.4 | 96 | 9 | 9 | 14 | 20 | 29 | 37 | 60 |
| GRAND TOTAL | 33993 | 15.0 | 65 | 8 | 9 | 12 | 17 | 24 | 30 | 49 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1149 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 978 | 3.4 | 10 | 1 | 2 | 2 | 3 | 7 | 10 | 17 |
| 35-49 | 6040 | 3.3 | 9 | 1 | 2 | 2 | 3 | 7 | 10 | 16 |
| 50-64 | 11237 | 3.3 | 11 | 1 | 2 | 2 | 3 | 7 | 10 | 18 |
| 65+ | 3492 | 3.8 | 17 | 1 | 2 | 2 | 4 | 9 | 12 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1639 | 3.7 | 38 | 1 | 1 | 2 | 2 | 7 | 13 | 34 |
| 20-34 | 1670 | 5.1 | 41 | 1 | 2 | 2 | 6 | 12 | 16 | 31 |
| 35-49 | 13441 | 4.9 | 27 | 1 | 2 | 3 | 6 | 11 | 15 | 25 |
| 50-64 | 32724 | 5.3 | 32 | 2 | 2 | 3 | 7 | 12 | 16 | 27 |
| 65+ | 14088 | 6.9 | 58 | 2 | 2 | 4 | 9 | 16 | 21 | 37 |
| TOT. SINGLE DX | 22896 | 3.3 | 12 | 1 | 2 | 2 | 3 | 7 | 10 | 18 |
| " MULTIPLE DX | 63562 | 5.5 | 38 | 1 | 2 | 3 | 7 | 13 | 17 | 30 |
| TOTAL 0-19 YRS | 2788 | 3.0 | 24 | 1 | 1 | 2 | 2 | 5 | 9 | 27 |
| 20-34 | 2648 | 4.5 | 31 | 1 | 2 | 2 | 5 | 10 | 14 | 28 |
| 35-49 | 19481 | 4.4 | 23 | 1 | 2 | 2 | 5 | 10 | 14 | 23 |
| 50-64 | 43961 | 4.8 | 28 | 1 | 2 | 2 | 6 | 11 | 15 | 25 |
| 65+ | 17580 | 6.3 | 52 | 2 | 2 | 3 | 8 | 15 | 20 | 35 |
| GRAND TOTAL | 86458 | 4.9 | 32 | 1 | 2 | 2 | 6 | 12 | 16 | 27 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 5.3 | 10 | 2 | 2 | 5 | 7 | 8 | 12 | 18 |
| 20-34 | 82 | 6.7 | 35 | 2 | 2 | 5 | 8 | 12 | 18 | 36 |
| 35-49 | 234 | 8.1 | 38 | 2 | 2 | 6 | 12 | 16 | 19 | 26 |
| 50-64 | 942 | 7.6 | 34 | 2 | 2 | 6 | 11 | 16 | 19 | 26 |
| 65+ | 4385 | 7.1 | 32 | 2 | 2 | 5 | 9 | 14 | 18 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 11.3 | 185 | 2 | 3 | 7 | 12 | 22 | 30 | 90 |
| 20-34 | 175 | 9.0 | 79 | 2 | 2 | 7 | 11 | 17 | 22 | 45 |
| 35-49 | 872 | 12.8 | 74 | 3 | 4 | 12 | 17 | 22 | 29 | 44 |
| 50-64 | 4711 | 13.1 | 81 | 3 | 4 | 11 | 17 | 24 | 30 | 47 |
| 65+ | 23839 | 13.9 | 111 | 3 | 4 | 11 | 18 | 26 | 34 | 57 |
| TOT. SINGLE DX | 5684 | 7.2 | 33 | 2 | 2 | 5 | 9 | 14 | 18 | 28 |
| " MULTIPLE DX | 29658 | 13.7 | 106 | 3 | 4 | 11 | 18 | 26 | 33 | 54 |
| TOTAL 0-19 YRS | 102 | 8.9 | 123 | 2 | 3 | 6 | 10 | 18 | 25 | 69 |
| 20-34 | 257 | 8.2 | 66 | 2 | 2 | 6 | 11 | 15 | 21 | 42 |
| 35-49 | 1106 | 11.8 | 71 | 2 | 3 | 11 | 16 | 21 | 26 | 43 |
| 50-64 | 5653 | 12.2 | 77 | 2 | 3 | 10 | 16 | 23 | 29 | 44 |
| 65+ | 28224 | 12.8 | 105 | 2 | 3 | 10 | 17 | 25 | 32 | 53 |
| GRAND TOTAL | 35342 | 12.6 | 100 | 2 | 3 | 10 | 16 | 24 | 31 | 52 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 9.8 | 61 | 1 | 2 | 8 | 11 | 17 | 22 | 42 |
| 20-34 | 78 | 8.5 | 16 | 2 | 3 | 8 | 12 | 14 | 15 | 21 |
| 35-49 | 122 | 9.0 | 31 | 2 | 3 | 8 | 11 | 17 | 19 | 27 |
| 50-64 | 191 | 9.4 | 50 | 2 | 2 | 8 | 13 | 16 | 22 | 39 |
| 65+ | 90 | 10.9 | 75 | 2 | 2 | 8 | 16 | 20 | 25 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 12.7 | 76 | 2 | 5 | 10 | 16 | 23 | 29 | 47 |
| 20-34 | 195 | 16.1 | 174 | 4 | 6 | 11 | 19 | 31 | 43 | 74 |
| 35-49 | 424 | 14.6 | 144 | 2 | 3 | 12 | 18 | 29 | 39 | 61 |
| 50-64 | 930 | 15.3 | 145 | 3 | 4 | 12 | 19 | 30 | 39 | 65 |
| 65+ | 559 | 17.4 | 167 | 3 | 5 | 14 | 22 | 35 | 43 | 70 |
| TOT. SINGLE DX | 529 | 9.5 | 46 | 2 | 2 | 8 | 12 | 17 | 21 | 40 |
| " MULTIPLE DX | 2205 | 15.6 | 152 | 3 | 4 | 12 | 20 | 31 | 39 | 66 |
| TOTAL 0-19 YRS | 145 | 11.7 | 73 | 2 | 4 | 10 | 14 | 21 | 28 | 46 |
| 20-34 | 273 | 13.9 | 141 | 3 | 5 | 10 | 15 | 27 | 38 | 71 |
| 35-49 | 546 | 13.3 | 124 | 2 | 3 | 11 | 17 | 26 | 34 | 53 |
| 50-64 | 1121 | 14.2 | 134 | 2 | 3 | 11 | 18 | 28 | 37 | 64 |
| 65+ | 649 | 16.5 | 159 | 2 | 4 | 14 | 21 | 33 | 41 | 68 |
| GRAND TOTAL | 2734 | 14.4 | 137 | 2 | 4 | 11 | 18 | 28 | 38 | 63 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 974 | 3.2 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| 20-34 | 705 | 4.1 | 25 | <1 | 1 | 2 | 4 | 9 | 15 | 26 |
| 35-49 | 998 | 3.6 | 19 | <1 | 1 | 2 | 3 | 9 | 14 | 22 |
| 50-64 | 1549 | 4.0 | 29 | <1 | 1 | 2 | 3 | 10 | 14 | 28 |
| 65+ | 1325 | 6.2 | 73 | 1 | 1 | 3 | 8 | 16 | 22 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1568 | 6.1 | 50 | 1 | 2 | 4 | 7 | 13 | 19 | 44 |
| 20-34 | 1002 | 9.9 | 103 | 1 | 2 | 7 | 13 | 21 | 30 | 58 |
| 35-49 | 1727 | 9.5 | 83 | 1 | 2 | 7 | 13 | 20 | 28 | 44 |
| 50-64 | 4234 | 10.9 | 111 | 1 | 2 | 8 | 15 | 23 | 32 | 54 |
| 65+ | 8180 | 14.5 | 146 | 2 | 3 | 11 | 19 | 30 | 39 | 63 |
| TOT. SINGLE DX | 5551 | 4.3 | 36 | <1 | 1 | 2 | 5 | 10 | 16 | 29 |
| " MULTIPLE DX | 16711 | 12.0 | 127 | 2 | 2 | 9 | 16 | 26 | 35 | 59 |
| TOTAL 0-19 YRS | 2542 | 5.0 | 38 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 20-34 | 1707 | 7.5 | 80 | 1 | 1 | 4 | 10 | 18 | 25 | 47 |
| 35-49 | 2725 | 7.4 | 68 | 1 | 1 | 4 | 10 | 17 | 23 | 39 |
| 50-64 | 5783 | 9.1 | 99 | 1 | 1 | 6 | 12 | 21 | 29 | 48 |
| 65+ | 9505 | 13.3 | 144 | 2 | 2 | 10 | 18 | 29 | 37 | 61 |
| GRAND TOTAL | 22262 | 10.1 | 115 | 1 | 1 | 7 | 14 | 23 | 32 | 55 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 131 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 3033 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 35-49 | 4199 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 3302 | 5.2 | 14 | 2 | 3 | 4 | 6 | 8 | 11 | 21 |
| 65+ | 863 | 6.7 | 39 | 2 | 3 | 5 | 7 | 12 | 17 | 37 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 5.0 | 15 | 1 | 2 | 3 | 5 | 12 | 15 | 15 |
| 20-34 | 743 | 5.6 | 18 | 2 | 3 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 1576 | 6.5 | 21 | 2 | 3 | 5 | 8 | 12 | 16 | 24 |
| 50-64 | 2058 | 8.0 | 50 | 3 | 3 | 6 | 9 | 15 | 22 | 39 |
| 65+ | 929 | 11.7 | 113 | 3 | 3 | 8 | 15 | 24 | 34 | 53 |
| TOT. SINGLE DX | 11528 | 4.7 | 12 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| " MULTIPLE DX | 5328 | 7.8 | 52 | 2 | 3 | 6 | 9 | 15 | 22 | 39 |
| TOTAL 0-19 YRS | 153 | 3.9 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 3776 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 5775 | 5.0 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 5360 | 6.2 | 30 | 2 | 3 | 5 | 7 | 11 | 16 | 29 |
| 65+ | 1792 | 9.3 | 84 | 2 | 3 | 6 | 11 | 19 | 27 | 50 |
| GRAND TOTAL | 16856 | 5.7 | 27 | 2 | 3 | 4 | 6 | 10 | 14 | 28 |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 64 | 9.8 | 90 | 2 | 2 | 7 | 12 | 17 | 29 | 55 |
| 20-34 | 176 | 7.7 | 57 | 1 | 2 | 5 | 10 | 18 | 21 | 42 |
| 35-49 | 565 | 10.1 | 57 | 2 | 3 | 9 | 12 | 17 | 23 | 43 |
| 50-64 | 1945 | 11.5 | 44 | 3 | 5 | 11 | 14 | 18 | 22 | 38 |
| 65+ | 1743 | 13.4 | 71 | 4 | 6 | 12 | 16 | 22 | 28 | 46 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 194 | 14.6 | 175 | 3 | 4 | 11 | 17 | 30 | 48 | 99+ |
| 20-34 | 598 | 14.2 | 171 | 2 | 3 | 10 | 18 | 31 | 41 | 69 |
| 35-49 | 1617 | 15.4 | 137 | 3 | 4 | 12 | 19 | 29 | 40 | 64 |
| 50-64 | 6376 | 16.9 | 160 | 4 | 7 | 13 | 20 | 31 | 43 | 79 |
| 65+ | 7712 | 20.4 | 203 | 6 | 8 | 16 | 25 | 39 | 52 | 89 |
| TOT. SINGLE DX | 4495 | 11.9 | 60 | 2 | 4 | 11 | 14 | 20 | 24 | 43 |
| " MULTIPLE DX | 16497 | 18.2 | 183 | 4 | 7 | 15 | 22 | 35 | 47 | 84 |
| TOTAL 0-19 YRS | 258 | 13.4 | 158 | 2 | 3 | 10 | 16 | 28 | 42 | 99+ |
| 20-34 | 776 | 12.7 | 153 | 2 | 2 | 9 | 16 | 28 | 40 | 66 |
| 35-49 | 2182 | 14.0 | 122 | 2 | 4 | 11 | 17 | 26 | 36 | 60 |
| 50-64 | 8321 | 15.6 | 138 | 4 | 6 | 13 | 18 | 29 | 39 | 72 |
| 65+ | 9455 | 19.1 | 187 | 6 | 8 | 15 | 23 | 36 | 49 | 86 |
| GRAND TOTAL | 20992 | 16.9 | 164 | 4 | 6 | 13 | 20 | 32 | 44 | 80 |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 20-34 | 2 | 13.0 | 2 | 12 | 12 | 13 | 14 | 14 | 14 | 14 |
| 35-49 | 14 | 12.5 | 15 | 8 | 9 | 11 | 16 | 17 | 20 | 21 |
| 50-64 | 33 | 16.5 | 57 | 11 | 11 | 15 | 17 | 24 | 32 | 49 |
| 65+ | 12 | 20.8 | 91 | 8 | 9 | 19 | 28 | 35 | 37 | 37 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 20-34 | 5 | 27.4 | 474 | 7 | 7 | 19 | 48 | 55 | 55 | 55 |
| 35-49 | 14 | 12.6 | 19 | 7 | 8 | 11 | 14 | 20 | 21 | 22 |
| 50-64 | 59 | 17.7 | 126 | 8 | 9 | 14 | 21 | 34 | 42 | 97 |
| 65+ | 26 | 18.5 | 238 | 8 | 9 | 14 | 21 | 55 | 77 | 99+ |
| TOT. SINGLE DX | 63 | 16.1 | 58 | 9 | 9 | 14 | 17 | 25 | 34 | 47 |
| " MULTIPLE DX | 106 | 17.7 | 156 | 8 | 9 | 13 | 20 | 35 | 56 | 99+ |
| TOTAL 0-19 YRS | 4 | 13.5 | 51 | 8 | 8 | 11 | 18 | 24 | 24 | 24 |
| 20-34 | 7 | 23.3 | 366 | 7 | 8 | 14 | 39 | 53 | 55 | 55 |
| 35-49 | 28 | 12.5 | 17 | 8 | 8 | 11 | 15 | 19 | 21 | 22 |
| 50-64 | 92 | 17.3 | 101 | 9 | 9 | 14 | 19 | 33 | 39 | 86 |
| 65+ | 38 | 19.2 | 190 | 8 | 9 | 16 | 22 | 36 | 68 | 99+ |
| GRAND TOTAL | 169 | 17.1 | 120 | 8 | 9 | 14 | 19 | 33 | 44 | 94 |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 37 | 3.3 | 13 | <1 | <1 | 1 | 4 | 10 | 11 | 16 |
| 20-34 | 91 | 5.2 | 52 | <1 | <1 | 3 | 6 | 10 | 15 | 42 |
| 35-49 | 115 | 4.7 | 37 | <1 | <1 | 3 | 6 | 9 | 15 | 37 |
| 50-64 | 207 | 5.4 | 52 | <1 | <1 | 3 | 7 | 13 | 18 | 38 |
| 65+ | 145 | 6.7 | 59 | <1 | <1 | 4 | 8 | 16 | 24 | 31 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 229 | 4.4 | 31 | <1 | <1 | 2 | 5 | 11 | 16 | 31 |
| 20-34 | 1598 | 5.4 | 41 | <1 | <1 | 3 | 7 | 12 | 17 | 34 |
| 35-49 | 1791 | 7.0 | 55 | <1 | <1 | 5 | 9 | 15 | 21 | 35 |
| 50-64 | 3444 | 7.5 | 67 | <1 | <1 | 5 | 9 | 15 | 22 | 47 |
| 65+ | 2833 | 10.0 | 129 | 1 | 2 | 7 | 12 | 21 | 31 | 71 |
| TOT. SINGLE DX | 595 | 5.4 | 50 | <1 | <1 | 3 | 7 | 13 | 19 | 34 |
| " MULTIPLE DX | 9895 | 7.7 | 81 | <1 | <1 | 5 | 9 | 16 | 24 | 48 |
| TOTAL 0-19 YRS | 266 | 4.2 | 29 | <1 | <1 | 2 | 5 | 11 | 15 | 29 |
| 20-34 | 1689 | 5.4 | 42 | <1 | <1 | 3 | 7 | 12 | 17 | 34 |
| 35-49 | 1906 | 6.8 | 55 | <1 | <1 | 5 | 9 | 15 | 21 | 35 |
| 50-64 | 3651 | 7.3 | 67 | <1 | <1 | 5 | 9 | 15 | 22 | 44 |
| 65+ | 2978 | 9.8 | 126 | 1 | 2 | 7 | 12 | 21 | 31 | 70 |
| GRAND TOTAL | 10490 | 7.6 | 79 | <1 | <1 | 5 | 9 | 16 | 23 | 47 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 954 | 7.3 | 46 | 1 | 1 | 6 | 9 | 14 | 19 | 37 |
| 20-34 | 1167 | 7.1 | 71 | 1 | 1 | 4 | 9 | 16 | 21 | 42 |
| 35-49 | 1410 | 8.9 | 79 | 1 | 2 | 6 | 11 | 19 | 25 | 45 |
| 50-64 | 4501 | 9.4 | 49 | 2 | 3 | 8 | 12 | 17 | 21 | 37 |
| 65+ | 5863 | 10.5 | 54 | 2 | 4 | 9 | 13 | 19 | 23 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6222 | 18.5 | 364 | 2 | 3 | 11 | 26 | 50 | 69 | 99+ |
| 20-34 | 2472 | 12.1 | 192 | 1 | 2 | 8 | 15 | 29 | 43 | 75 |
| 35-49 | 3741 | 13.5 | 186 | 2 | 2 | 9 | 17 | 31 | 44 | 84 |
| 50-64 | 14155 | 14.1 | 154 | 2 | 4 | 11 | 17 | 28 | 39 | 78 |
| 65+ | 22132 | 16.5 | 171 | 4 | 5 | 13 | 21 | 33 | 44 | 79 |
| TOT. SINGLE DX | 13895 | 9.5 | 58 | 2 | 2 | 8 | 12 | 18 | 23 | 39 |
| " MULTIPLE DX | 48722 | 15.6 | 196 | 2 | 4 | 12 | 19 | 33 | 46 | 86 |
| TOTAL 0-19 YRS | 7176 | 17.0 | 337 | 1 | 3 | 10 | 22 | 46 | 64 | 99+ |
| 20-34 | 3639 | 10.5 | 159 | 1 | 1 | 6 | 13 | 25 | 36 | 69 |
| 35-49 | 5151 | 12.2 | 162 | 1 | 2 | 9 | 15 | 27 | 40 | 73 |
| 50-64 | 18656 | 13.0 | 133 | 2 | 3 | 10 | 16 | 26 | 35 | 71 |
| 65+ | 27995 | 15.2 | 153 | 3 | 5 | 12 | 19 | 30 | 40 | 74 |
| GRAND TOTAL | 62617 | 14.2 | 172 | 2 | 3 | 11 | 18 | 30 | 42 | 80 |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2044 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 10 | 17 |
| 20-34 | 2392 | 4.3 | 19 | <1 | 1 | 3 | 5 | 10 | 13 | 23 |
| 35-49 | 1421 | 5.1 | 30 | <1 | 1 | 3 | 6 | 11 | 15 | 26 |
| 50-64 | 1721 | 6.2 | 36 | 1 | 1 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 1445 | 7.5 | 51 | 1 | 2 | 5 | 10 | 16 | 21 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 739 | 5.7 | 43 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| 20-34 | 1376 | 7.9 | 66 | 1 | 2 | 5 | 10 | 17 | 23 | 38 |
| 35-49 | 1627 | 8.9 | 78 | 1 | 2 | 6 | 11 | 19 | 25 | 45 |
| 50-64 | 3379 | 11.0 | 105 | 2 | 2 | 8 | 14 | 23 | 31 | 52 |
| 65+ | 4027 | 13.1 | 143 | 2 | 3 | 10 | 17 | 26 | 36 | 68 |
| TOT. SINGLE DX | 9023 | 5.1 | 30 | <1 | 1 | 3 | 6 | 12 | 16 | 27 |
| " MULTIPLE DX | 11148 | 10.7 | 111 | 2 | 2 | 8 | 14 | 22 | 30 | 56 |
| TOTAL 0-19 YRS | 2783 | 3.9 | 21 | <1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 20-34 | 3768 | 5.6 | 40 | 1 | 1 | 3 | 7 | 13 | 18 | 30 |
| 35-49 | 3048 | 7.1 | 60 | 1 | 1 | 4 | 9 | 16 | 22 | 38 |
| 50-64 | 5100 | 9.4 | 87 | 1 | 2 | 7 | 12 | 20 | 27 | 47 |
| 65+ | 5472 | 11.6 | 125 | 2 | 2 | 9 | 15 | 24 | 31 | 63 |
| GRAND TOTAL | 20171 | 8.2 | 83 | 1 | 1 | 5 | 11 | 18 | 25 | 47 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 3.7 | 9 | <1 | 1 | 2 | 5 | 8 | 11 | 13 |
| 20-34 | 165 | 6.8 | 23 | 1 | 2 | 6 | 9 | 13 | 17 | 24 |
| 35-49 | 168 | 8.9 | 101 | 2 | 2 | 7 | 11 | 17 | 20 | 74 |
| 50-64 | 323 | 10.3 | 82 | 2 | 3 | 8 | 12 | 19 | 27 | 46 |
| 65+ | 285 | 10.9 | 76 | 3 | 4 | 8 | 13 | 20 | 27 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 6.9 | 26 | 1 | 2 | 6 | 10 | 14 | 16 | 24 |
| 20-34 | 218 | 8.8 | 38 | 2 | 3 | 8 | 10 | 14 | 18 | 29 |
| 35-49 | 287 | 11.6 | 119 | 2 | 3 | 8 | 14 | 24 | 30 | 72 |
| 50-64 | 898 | 13.5 | 141 | 3 | 4 | 10 | 16 | 28 | 37 | 64 |
| 65+ | 884 | 14.5 | 151 | 3 | 5 | 11 | 18 | 30 | 40 | 82 |
| TOT. SINGLE DX | 1021 | 9.2 | 73 | 2 | 2 | 8 | 11 | 18 | 23 | 42 |
| " MULTIPLE DX | 2325 | 13.1 | 135 | 3 | 4 | 9 | 16 | 26 | 36 | 68 |
| TOTAL 0-19 YRS | 118 | 4.7 | 17 | 1 | 1 | 3 | 7 | 11 | 13 | 19 |
| 20-34 | 383 | 7.9 | 33 | 2 | 2 | 7 | 10 | 14 | 17 | 28 |
| 35-49 | 455 | 10.6 | 114 | 2 | 3 | 8 | 12 | 22 | 27 | 74 |
| 50-64 | 1221 | 12.7 | 128 | 3 | 4 | 9 | 15 | 25 | 35 | 62 |
| 65+ | 1169 | 13.6 | 136 | 3 | 4 | 10 | 17 | 27 | 36 | 74 |
| GRAND TOTAL | 3346 | 11.9 | 119 | 2 | 3 | 9 | 14 | 24 | 33 | 63 |

## 584: Miscellancous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 20-34 | 6 | 17.0 | 184 | 5 | 5 | 12 | 26 | 39 | 40 | 40 |
| 35-49 | 7 | 8.3 | 27 | 2 | 2 | 7 | 12 | 15 | 16 | 16 |
| 50-64 | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 65+ | 3 | 6.3 | 34 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 29.0 | 1488 | 1 | 1 | 13 | 58 | 73 | 73 | 73 |
| 20-34 | 4 | 28.3 | 956 | 8 | 8 | 15 | 47 | 74 | 74 | 74 |
| 35-49 | 7 | 14.0 | 398 | 4 | 4 | 6 | 10 | 49 | 59 | 59 |
| 50-64 | 8 | 11.8 | 116 | 2 | 3 | 7 | 19 | 29 | 31 | 31 |
| 65+ | 4 | 6.3 | 19 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| TOT. SINGLE DX | 20 | 10.6 | 86 | 2 | 2 | 8 | 14 | 21 | 33 | 40 |
| " MULTIPLE DX | 26 | 16.0 | 431 | 2 | 2 | 7 | 14 | 56 | 73 | 74 |
| TOTAL 0-19 YRS | 5 | 21.0 | 889 | 1 | 1 | 13 | 30 | 73 | 73 | 73 |
| 20-34 | 10 | 21.5 | 455 | 5 | 6 | 13 | 26 | 57 | 74 | 74 |
| 35-49 | 14 | 11.1 | 205 | 2 | 3 | 7 | 11 | 20 | 50 | 59 |
| 50-64 | 10 | 10.8 | 95 | 2 | 3 | 7 | 14 | 28 | 31 | 31 |
| 65+ | 7 | 6.3 | 21 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |
| GRAND TOTAL | 46 | 13.7 | 283 | 2 | 2 | 8 | 14 | 30 | 62 | 74 |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 40.0 | | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 35-49 | 4 | 14.5 | 231 | 4 | 4 | 8 | 23 | 37 | 37 | 37 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOT. SINGLE DX | 5 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| " MULTIPLE DX | 8 | 14.6 | 222 | 4 | 4 | 8 | 23 | 39 | 40 | 40 |
| TOTAL 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 13.0 | 325 | 3 | 3 | 4 | 22 | 40 | 40 | 40 |
| 35-49 | 5 | 12.2 | 200 | 3 | 3 | 7 | 17 | 37 | 37 | 37 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| GRAND TOTAL | 13 | 10.3 | 162 | 2 | 3 | 5 | 8 | 38 | 40 | 40 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1307 | 8.0 | 70 | 1 | 2 | 6 | 9 | 14 | 21 | 45 |
| 20-34 | 1275 | 9.1 | 61 | 2 | 3 | 7 | 10 | 17 | 25 | 39 |
| 35-49 | 941 | 10.0 | 89 | 2 | 3 | 7 | 11 | 20 | 30 | 51 |
| 50-64 | 1538 | 10.0 | 91 | 2 | 3 | 7 | 12 | 21 | 29 | 50 |
| 65+ | 2129 | 10.7 | 83 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1550 | 11.5 | 126 | 2 | 3 | 8 | 13 | 25 | 35 | 73 |
| 20-34 | 2699 | 13.2 | 155 | 3 | 4 | 9 | 15 | 27 | 38 | 75 |
| 35-49 | 3244 | 13.8 | 150 | 3 | 4 | 10 | 17 | 28 | 39 | 72 |
| 50-64 | 7060 | 14.3 | 153 | 3 | 4 | 11 | 18 | 29 | 39 | 72 |
| 65+ | 16704 | 15.2 | 144 | 3 | 5 | 12 | 19 | 30 | 40 | 74 |
| TOT. SINGLE DX | 7190 | 9.7 | 81 | 2 | 3 | 7 | 11 | 19 | 28 | 48 |
| " MULTIPLE DX | 31257 | 14.5 | 148 | 3 | 4 | 11 | 18 | 29 | 39 | 73 |
| TOTAL 0-19 YRS | 2857 | 9.9 | 104 | 2 | 3 | 7 | 11 | 20 | 30 | 62 |
| 20-34 | 3974 | 11.9 | 129 | 2 | 3 | 8 | 14 | 24 | 33 | 68 |
| 35-49 | 4185 | 12.9 | 139 | 3 | 4 | 9 | 15 | 26 | 37 | 68 |
| 50-64 | 8598 | 13.6 | 145 | 3 | 4 | 10 | 17 | 28 | 38 | 69 |
| 65+ | 18833 | 14.7 | 140 | 3 | 4 | 12 | 18 | 29 | 39 | 71 |
| GRAND TOTAL | 38447 | 13.6 | 139 | 3 | 4 | 10 | 17 | 27 | 37 | 69 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 10.3 | 178 | 1 | 2 | 5 | 12 | 26 | 37 | 70 |
| 20-34 | 113 | 13.7 | 246 | 1 | 2 | 8 | 15 | 37 | 48 | 77 |
| 35-49 | 97 | 10.3 | 91 | 1 | 1 | 8 | 14 | 26 | 28 | 45 |
| 50-64 | 142 | 12.2 | 162 | 1 | 2 | 8 | 16 | 28 | 32 | 78 |
| 65+ | 99 | 16.2 | 293 | 1 | 2 | 11 | 20 | 39 | 59 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 349 | 15.5 | 341 | 2 | 3 | 8 | 21 | 41 | 73 | 99+ |
| 20-34 | 363 | 16.9 | 263 | 2 | 3 | 11 | 26 | 41 | 50 | 94 |
| 35-49 | 472 | 16.6 | 235 | 2 | 3 | 12 | 22 | 39 | 52 | 91 |
| 50-64 | 886 | 17.2 | 224 | 2 | 4 | 12 | 24 | 38 | 51 | 72 |
| 65+ | 1135 | 20.5 | 266 | 3 | 5 | 16 | 27 | 42 | 53 | 82 |
| TOT. SINGLE DX | 562 | 12.5 | 196 | 1 | 2 | 8 | 15 | 29 | 39 | 76 |
| " MULTIPLE DX | 3205 | 18.1 | 261 | 2 | 4 | 13 | 25 | 41 | 54 | 88 |
| TOTAL 0-19 YRS | 460 | 14.3 | 306 | 1 | 2 | 7 | 18 | 37 | 63 | 99+ |
| 20-34 | 476 | 16.1 | 261 | 2 | 3 | 10 | 24 | 39 | 49 | 88 |
| 35-49 | 569 | 15.6 | 217 | 2 | 2 | 12 | 20 | 37 | 48 | 87 |
| 50-64 | 1028 | 16.5 | 219 | 2 | 3 | 12 | 23 | 37 | 49 | 73 |
| 65+ | 1234 | 20.1 | 269 | 3 | 5 | 16 | 27 | 42 | 54 | 81 |
| GRAND TOTAL | 3767 | 17.2 | 255 | 2 | 3 | 12 | 24 | 39 | 52 | 84 |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 3.6 | 20 | <1 | 1 | 2 | 4 | 8 | 12 | 22 |
| 20-34 | 365 | 5.2 | 30 | 1 | 1 | 3 | 7 | 11 | 14 | 25 |
| 35-49 | 472 | 6.5 | 51 | 1 | 1 | 4 | 8 | 14 | 19 | 32 |
| 50-64 | 862 | 7.7 | 84 | 1 | 1 | 5 | 9 | 18 | 24 | 48 |
| 65+ | 1120 | 7.9 | 80 | 1 | 1 | 5 | 10 | 18 | 24 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 173 | 10.4 | 153 | 1 | 1 | 7 | 12 | 24 | 34 | 54 |
| 20-34 | 761 | 8.7 | 74 | 1 | 2 | 6 | 10 | 18 | 24 | 49 |
| 35-49 | 1454 | 9.8 | 105 | 1 | 2 | 7 | 11 | 20 | 29 | 59 |
| 50-64 | 3249 | 11.1 | 143 | 2 | 2 | 8 | 14 | 24 | 34 | 73 |
| 65+ | 5093 | 12.5 | 145 | 2 | 2 | 9 | 16 | 27 | 37 | 66 |
| TOT. SINGLE DX | 3027 | 7.0 | 68 | 1 | 1 | 4 | 9 | 16 | 22 | 43 |
| " MULTIPLE DX | 10730 | 11.4 | 136 | 2 | 2 | 8 | 14 | 24 | 34 | 66 |
| TOTAL 0-19 YRS | 381 | 6.7 | 92 | <1 | 1 | 3 | 8 | 16 | 24 | 51 |
| 20-34 | 1126 | 7.6 | 63 | 1 | 2 | 6 | 9 | 16 | 21 | 45 |
| 35-49 | 1926 | 9.0 | 94 | 1 | 2 | 6 | 11 | 18 | 26 | 56 |
| 50-64 | 4111 | 10.4 | 133 | 1 | 2 | 7 | 13 | 23 | 33 | 70 |
| 65+ | 6213 | 11.7 | 137 | 2 | 2 | 8 | 15 | 25 | 35 | 63 |
| GRAND TOTAL | 13757 | 10.5 | 124 | 1 | 2 | 7 | 13 | 23 | 32 | 63 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1512 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 18 | 9.3 | 23 | 4 | 5 | 7 | 12 | 17 | 19 | 20 |
| 35-49 | 14 | 10.7 | 22 | 6 | 7 | 9 | 12 | 17 | 22 | 24 |
| 50-64 | 29 | 18.6 | 238 | 5 | 7 | 11 | 24 | 49 | 52 | 57 |
| 65+ | 35 | 17.7 | 85 | 4 | 7 | 15 | 24 | 28 | 30 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 342 | 6.5 | 26 | 2 | 3 | 5 | 7 | 11 | 14 | 26 |
| 20-34 | 38 | 17.4 | 303 | 5 | 6 | 10 | 18 | 45 | 58 | 77 |
| 35-49 | 47 | 16.2 | 122 | 7 | 7 | 12 | 18 | 28 | 45 | 56 |
| 50-64 | 94 | 22.1 | 228 | 7 | 9 | 17 | 27 | 44 | 56 | 91 |
| 65+ | 138 | 23.0 | 315 | 8 | 9 | 18 | 25 | 44 | 60 | 91 |
| TOT. SINGLE DX | 1608 | 4.8 | 19 | 2 | 2 | 4 | 5 | 8 | 10 | 25 |
| " MULTIPLE DX | 659 | 13.5 | 194 | 3 | 3 | 9 | 17 | 29 | 44 | 78 |
| TOTAL 0-19 YRS | 1854 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 56 | 14.8 | 226 | 5 | 5 | 9 | 15 | 37 | 49 | 76 |
| 35-49 | 61 | 14.9 | 104 | 7 | 7 | 11 | 18 | 24 | 44 | 55 |
| 50-64 | 123 | 21.2 | 231 | 7 | 9 | 16 | 26 | 48 | 55 | 85 |
| 65+ | 173 | 21.9 | 273 | 7 | 9 | 17 | 25 | 41 | 55 | 90 |
| GRAND TOTAL | 2267 | 7.3 | 85 | 2 | 2 | 4 | 7 | 15 | 24 | 52 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 9.8 | 203 | 1 | 1 | 6 | 9 | 17 | 39 | 72 |
| 20-34 | 24 | 12.8 | 159 | 2 | 3 | 9 | 15 | 24 | 45 | 56 |
| 35-49 | 33 | 16.1 | 243 | 5 | 6 | 10 | 14 | 39 | 49 | 75 |
| 50-64 | 69 | 15.4 | 122 | 3 | 5 | 13 | 20 | 33 | 40 | 49 |
| 65+ | 155 | 18.9 | 245 | 5 | 6 | 15 | 26 | 47 | 75 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 21.8 | 353 | 4 | 5 | 17 | 35 | 67 | 99+ | 99+ |
| 20-34 | 83 | 28.6 | 628 | 5 | 7 | 21 | 52 | 97 | 99+ | 99+ |
| 35-49 | 113 | 24.9 | 369 | 5 | 7 | 21 | 35 | 67 | 99 | 99+ |
| 50-64 | 471 | 24.9 | 348 | 6 | 7 | 19 | 36 | 59 | 82 | 99+ |
| 65+ | 1605 | 28.1 | 362 | 6 | 8 | 25 | 41 | 65 | 90 | 99+ |
| TOT. SINGLE DX | 305 | 16.6 | 213 | 3 | 5 | 12 | 21 | 40 | 56 | 99+ |
| " MULTIPLE DX | 2414 | 26.9 | 371 | 6 | 8 | 23 | 39 | 65 | 93 | 99+ |
| TOTAL 0-19 YRS | 166 | 20.0 | 348 | 3 | 5 | 14 | 33 | 66 | 99+ | 99+ |
| 20-34 | 107 | 25.0 | 564 | 3 | 5 | 16 | 41 | 84 | 99+ | 99+ |
| 35-49 | 146 | 22.9 | 353 | 5 | 7 | 17 | 34 | 65 | 79 | 99+ |
| 50-64 | 540 | 23.7 | 329 | 5 | 7 | 18 | 34 | 56 | 77 | 99+ |
| 65+ | 1760 | 27.3 | 359 | 6 | 8 | 23 | 40 | 64 | 88 | 99+ |
| GRAND TOTAL | 2719 | 25.8 | 364 | 5 | 7 | 21 | 38 | 63 | 89 | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 99 | 5.2 | 10 | <1 | 2 | 5 | 7 | 10 | 11 | 16 |
| 20-34 | 492 | 6.3 | 22 | 1 | 2 | 5 | 8 | 12 | 13 | 24 |
| 35-49 | 804 | 6.7 | 25 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| 50-64 | 1053 | 7.2 | 37 | <1 | 1 | 6 | 9 | 13 | 17 | 30 |
| 65+ | 1234 | 7.9 | 39 | 1 | 2 | 7 | 10 | 15 | 19 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 180 | 7.2 | 18 | 3 | 3 | 6 | 9 | 13 | 18 | 25 |
| 20-34 | 1635 | 8.5 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| 35-49 | 3153 | 9.6 | 53 | 2 | 3 | 8 | 12 | 17 | 22 | 39 |
| 50-64 | 5801 | 10.3 | 61 | 3 | 3 | 8 | 13 | 19 | 25 | 41 |
| 65+ | 10034 | 12.8 | 101 | 3 | 4 | 10 | 16 | 24 | 32 | 56 |
| TOT. SINGLE DX | 3682 | 7.2 | 33 | 1 | 2 | 6 | 9 | 13 | 17 | 29 |
| " MULTIPLE DX | 20803 | 11.2 | 80 | 3 | 4 | 9 | 14 | 21 | 28 | 49 |
| TOTAL 0-19 YRS | 279 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| 20-34 | 2127 | 8.0 | 40 | 2 | 3 | 7 | 10 | 15 | 18 | 32 |
| 35-49 | 3957 | 9.0 | 49 | 2 | 3 | 7 | 11 | 17 | 21 | 37 |
| 50-64 | 6854 | 9.8 | 59 | 2 | 3 | 8 | 12 | 18 | 24 | 40 |
| 65+ | 11268 | 12.3 | 97 | 3 | 4 | 10 | 15 | 23 | 30 | 54 |
| GRAND TOTAL | 24485 | 10.6 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 8.0 | 8 | 3 | 3 | 8 | 10 | 12 | 13 | 13 |
| 20-34 | 280 | 11.4 | 24 | 6 | 6 | 10 | 14 | 19 | 22 | 26 |
| 35-49 | 654 | 12.9 | 36 | 7 | 8 | 11 | 15 | 20 | 25 | 32 |
| 50-64 | 759 | 14.9 | 65 | 7 | 8 | 13 | 17 | 23 | 27 | 47 |
| 65+ | 605 | 18.0 | 97 | 9 | 10 | 16 | 21 | 28 | 34 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 20.2 | 390 | 4 | 6 | 15 | 21 | 50 | 73 | 83 |
| 20-34 | 305 | 16.0 | 119 | 7 | 8 | 12 | 19 | 29 | 41 | 86 |
| 35-49 | 1009 | 17.6 | 125 | 8 | 9 | 14 | 21 | 31 | 40 | 65 |
| 50-64 | 1822 | 20.1 | 159 | 9 | 9 | 17 | 23 | 35 | 47 | 70 |
| 65+ | 2638 | 25.0 | 227 | 10 | 11 | 21 | 31 | 46 | 60 | 96 |
| TOT. SINGLE DX | 2319 | 14.7 | 65 | 7 | 8 | 13 | 17 | 24 | 28 | 47 |
| " MULTIPLE DX | 5797 | 21.7 | 194 | 8 | 10 | 18 | 26 | 40 | 53 | 86 |
| TOTAL 0-19 YRS | 44 | 14.4 | 242 | 3 | 5 | 9 | 16 | 23 | 52 | 83 |
| 20-34 | 585 | 13.8 | 79 | 6 | 7 | 11 | 16 | 24 | 30 | 60 |
| 35-49 | 1663 | 15.7 | 96 | 7 | 8 | 13 | 18 | 27 | 34 | 61 |
| 50-64 | 2581 | 18.6 | 137 | 8 | 9 | 15 | 22 | 31 | 42 | 68 |
| 65+ | 3243 | 23.7 | 210 | 9 | 11 | 20 | 29 | 43 | 58 | 92 |
| GRAND TOTAL | 8116 | 19.7 | 167 | 8 | 9 | 16 | 24 | 35 | 47 | 77 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 12.1 | 39 | 3 | 4 | 13 | 18 | 19 | 19 | 19 |
| 35-49 | 21 | 20.6 | 125 | 9 | 10 | 18 | 22 | 39 | 46 | 48 |
| 50-64 | 96 | 19.9 | 69 | 10 | 11 | 18 | 23 | 30 | 35 | 56 |
| 65+ | 103 | 22.6 | 107 | 12 | 13 | 21 | 27 | 34 | 41 | 88 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 20 | 20.3 | 252 | 10 | 11 | 15 | 20 | 59 | 88 | 99+ |
| 35-49 | 66 | 27.1 | 384 | 10 | 11 | 22 | 32 | 62 | 80 | 99+ |
| 50-64 | 274 | 25.8 | 208 | 11 | 13 | 21 | 31 | 46 | 56 | 89 |
| 65+ | 389 | 28.4 | 225 | 12 | 14 | 24 | 35 | 48 | 64 | 93 |
| TOT. SINGLE DX | 228 | 20.8 | 95 | 10 | 11 | 19 | 24 | 33 | 36 | 66 |
| " MULTIPLE DX | 750 | 27.1 | 236 | 11 | 13 | 23 | 33 | 48 | 62 | 97 |
| TOTAL 0-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 27 | 18.1 | 206 | 7 | 8 | 15 | 19 | 40 | 81 | 99+ |
| 35-49 | 87 | 25.5 | 328 | 10 | 11 | 20 | 30 | 47 | 75 | 99 |
| 50-64 | 370 | 24.2 | 179 | 11 | 12 | 20 | 28 | 42 | 52 | 81 |
| 65+ | 492 | 27.2 | 207 | 12 | 14 | 23 | 33 | 45 | 57 | 93 |
| GRAND TOTAL | 978 | 25.6 | 210 | 11 | 13 | 22 | 31 | 44 | 56 | 94 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 10.0 | 16 | 5 | 5 | 9 | 12 | 17 | 18 | 20 |
| 20-34 | 304 | 11.5 | 34 | 6 | 7 | 10 | 13 | 20 | 23 | 28 |
| 35-49 | 434 | 11.6 | 36 | 6 | 7 | 10 | 13 | 18 | 22 | 34 |
| 50-64 | 393 | 12.9 | 44 | 7 | 7 | 11 | 15 | 20 | 23 | 42 |
| 65+ | 202 | 16.1 | 73 | 7 | 8 | 14 | 19 | 27 | 37 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 18.0 | 179 | 7 | 8 | 14 | 20 | 36 | 53 | 62 |
| 20-34 | 255 | 13.9 | 73 | 6 | 7 | 11 | 16 | 24 | 30 | 47 |
| 35-49 | 587 | 14.5 | 87 | 7 | 7 | 12 | 17 | 25 | 33 | 61 |
| 50-64 | 771 | 16.5 | 93 | 7 | 8 | 14 | 20 | 28 | 34 | 61 |
| 65+ | 735 | 21.7 | 161 | 9 | 10 | 18 | 26 | 39 | 49 | 85 |
| TOT. SINGLE DX | 1361 | 12.6 | 46 | 6 | 7 | 11 | 15 | 20 | 24 | 39 |
| " MULTIPLE DX | 2371 | 17.3 | 121 | 7 | 8 | 14 | 21 | 31 | 40 | 65 |
| TOTAL 0-19 YRS | 51 | 13.6 | 104 | 5 | 6 | 11 | 16 | 21 | 32 | 62 |
| 20-34 | 559 | 12.6 | 54 | 6 | 7 | 10 | 15 | 21 | 26 | 44 |
| 35-49 | 1021 | 13.3 | 68 | 6 | 7 | 11 | 15 | 22 | 28 | 50 |
| 50-64 | 1164 | 15.3 | 80 | 7 | 8 | 13 | 18 | 25 | 32 | 50 |
| 65+ | 937 | 20.5 | 148 | 8 | 10 | 17 | 24 | 37 | 47 | 81 |
| GRAND TOTAL | 3732 | 15.6 | 99 | 7 | 8 | 13 | 19 | 27 | 35 | 60 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 220 | 8.3 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 40 |
| 20-34 | 1654 | 8.6 | 15 | 5 | 6 | 8 | 10 | 12 | 15 | 23 |
| 35-49 | 1368 | 9.5 | 24 | 5 | 6 | 8 | 10 | 14 | 18 | 29 |
| 50-64 | 688 | 11.4 | 36 | 6 | 7 | 10 | 13 | 19 | 24 | 35 |
| 65+ | 554 | 14.8 | 89 | 6 | 7 | 12 | 17 | 25 | 32 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 312 | 14.7 | 192 | 5 | 5 | 9 | 18 | 31 | 50 | 82 |
| 20-34 | 2506 | 10.8 | 72 | 5 | 6 | 9 | 11 | 17 | 25 | 54 |
| 35-49 | 3218 | 12.0 | 87 | 5 | 6 | 9 | 13 | 21 | 29 | 59 |
| 50-64 | 2135 | 15.9 | 135 | 6 | 7 | 12 | 19 | 30 | 39 | 75 |
| 65+ | 2312 | 22.6 | 234 | 8 | 9 | 18 | 29 | 44 | 57 | 88 |
| TOT. SINGLE DX | 4484 | 10.1 | 36 | 5 | 6 | 8 | 11 | 16 | 21 | 34 |
| " MULTIPLE DX | 10483 | 14.9 | 149 | 5 | 6 | 11 | 17 | 29 | 41 | 73 |
| TOTAL 0-19 YRS | 532 | 12.0 | 136 | 4 | 5 | 8 | 13 | 25 | 38 | 77 |
| 20-34 | 4160 | 9.9 | 51 | 5 | 6 | 8 | 10 | 15 | 21 | 45 |
| 35-49 | 4586 | 11.3 | 70 | 5 | 6 | 9 | 12 | 18 | 26 | 52 |
| 50-64 | 2823 | 14.8 | 115 | 6 | 7 | 11 | 17 | 27 | 36 | 65 |
| 65+ | 2866 | 21.1 | 216 | 7 | 8 | 17 | 26 | 41 | 54 | 86 |
| GRAND TOTAL | 14967 | 13.5 | 120 | 5 | 6 | 10 | 15 | 25 | 36 | 67 |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 605 | 5.4 | 22 | <1 | 1 | 4 | 7 | 10 | 13 | 25 |
| 20-34 | 1473 | 6.5 | 29 | 1 | 1 | 5 | 8 | 12 | 16 | 28 |
| 35-49 | 1461 | 5.5 | 29 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 50-64 | 2523 | 4.4 | 23 | 1 | 1 | 2 | 6 | 10 | 14 | 23 |
| 65+ | 2810 | 5.3 | 37 | 1 | 1 | 3 | 7 | 13 | 17 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 572 | 8.4 | 62 | 2 | 2 | 7 | 10 | 15 | 22 | 51 |
| 20-34 | 1998 | 8.8 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| 35-49 | 3061 | 8.9 | 63 | 1 | 2 | 7 | 11 | 17 | 22 | 43 |
| 50-64 | 6580 | 9.3 | 74 | 1 | 2 | 7 | 12 | 19 | 25 | 42 |
| 65+ | 11411 | 11.5 | 112 | 2 | 2 | 9 | 15 | 24 | 32 | 58 |
| TOT. SINGLE DX | 8872 | 5.3 | 30 | 1 | 1 | 3 | 7 | 11 | 15 | 26 |
| " MULTIPLE DX | 23622 | 10.3 | 91 | 1 | 2 | 8 | 13 | 21 | 28 | 50 |
| TOTAL 0-19 YRS | 1177 | 6.8 | 44 | 1 | 1 | 5 | 8 | 13 | 17 | 38 |
| 20-34 | 3471 | 7.8 | 46 | 1 | 2 | 6 | 10 | 15 | 19 | 33 |
| 35-49 | 4522 | 7.8 | 55 | 1 | 2 | 6 | 10 | 15 | 20 | 37 |
| 50-64 | 9103 | 8.0 | 65 | 1 | 1 | 6 | 11 | 17 | 23 | 38 |
| 65+ | 14221 | 10.3 | 104 | 1 | 2 | 8 | 14 | 22 | 30 | 55 |
| GRAND TOTAL | 32494 | 8.9 | 79 | 1 | 2 | 7 | 12 | 19 | 25 | 46 |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 109 | 10.8 | 56 | 5 | 5 | 9 | 12 | 16 | 21 | 44 |
| 20-34 | 193 | 13.4 | 77 | 5 | 6 | 11 | 15 | 23 | 32 | 57 |
| 35-49 | 204 | 13.4 | 77 | 6 | 7 | 11 | 15 | 21 | 31 | 54 |
| 50-64 | 241 | 14.8 | 105 | 6 | 7 | 12 | 17 | 25 | 35 | 52 |
| 65+ | 355 | 16.6 | 110 | 7 | 8 | 14 | 19 | 26 | 33 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 269 | 18.4 | 300 | 5 | 6 | 12 | 23 | 49 | 74 | 99+ |
| 20-34 | 566 | 17.1 | 171 | 7 | 8 | 12 | 20 | 34 | 45 | 79 |
| 35-49 | 655 | 18.3 | 187 | 7 | 8 | 14 | 22 | 37 | 50 | 98 |
| 50-64 | 1244 | 22.4 | 248 | 8 | 9 | 17 | 27 | 46 | 61 | 99+ |
| 65+ | 2078 | 23.3 | 224 | 9 | 10 | 19 | 29 | 44 | 58 | 99+ |
| TOT. SINGLE DX | 1102 | 14.5 | 95 | 6 | 7 | 12 | 17 | 24 | 32 | 55 |
| " MULTIPLE DX | 4812 | 21.4 | 229 | 7 | 9 | 17 | 27 | 42 | 57 | 99+ |
| TOTAL 0-19 YRS | 378 | 16.2 | 242 | 5 | 6 | 11 | 18 | 41 | 56 | 99+ |
| 20-34 | 759 | 16.2 | 150 | 6 | 7 | 12 | 19 | 32 | 41 | 77 |
| 35-49 | 859 | 17.2 | 166 | 7 | 8 | 13 | 20 | 33 | 48 | 95 |
| 50-64 | 1485 | 21.1 | 233 | 7 | 9 | 16 | 26 | 43 | 59 | 99 |
| 65+ | 2433 | 22.3 | 213 | 8 | 10 | 18 | 28 | 42 | 55 | 99+ |
| GRAND TOTAL | 5914 | 20.1 | 211 | 7 | 8 | 16 | 25 | 40 | 54 | 97 |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 154 | 13.7 | 70 | 5 | 6 | 11 | 17 | 23 | 34 | 43 |
| 20-34 | 544 | 14.2 | 83 | 7 | 7 | 11 | 16 | 26 | 33 | 49 |
| 35-49 | 1040 | 13.2 | 43 | 7 | 8 | 12 | 15 | 20 | 25 | 42 |
| 50-64 | 2754 | 13.6 | 36 | 8 | 9 | 12 | 15 | 20 | 24 | 36 |
| 65+ | 4060 | 16.1 | 60 | 9 | 10 | 14 | 18 | 25 | 30 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 258 | 19.0 | 291 | 6 | 7 | 14 | 23 | 46 | 74 | 99+ |
| 20-34 | 1082 | 18.9 | 180 | 7 | 8 | 14 | 23 | 38 | 50 | 73 |
| 35-49 | 2144 | 16.9 | 108 | 8 | 9 | 14 | 20 | 29 | 38 | 65 |
| 50-64 | 7559 | 18.0 | 119 | 8 | 9 | 15 | 21 | 30 | 39 | 72 |
| 65+ | 16800 | 21.7 | 154 | 10 | 11 | 16 | 26 | 38 | 48 | 83 |
| TOT. SINGLE DX | 8552 | 14.8 | 54 | 8 | 9 | 13 | 17 | 23 | 28 | 44 |
| " MULTIPLE DX | 27843 | 20.2 | 147 | 9 | 10 | 17 | 24 | 35 | 46 | 79 |
| TOTAL 0-19 YRS | 412 | 17.0 | 215 | 6 | 7 | 12 | 20 | 36 | 57 | 99+ |
| 20-34 | 1626 | 17.3 | 153 | 7 | 8 | 13 | 20 | 34 | 44 | 69 |
| 35-49 | 3184 | 15.7 | 90 | 7 | 8 | 13 | 18 | 27 | 34 | 58 |
| 50-64 | 10313 | 16.9 | 101 | 8 | 9 | 14 | 19 | 28 | 36 | 64 |
| 65+ | 20860 | 20.6 | 141 | 9 | 10 | 17 | 24 | 35 | 45 | 78 |
| GRAND TOTAL | 36395 | 18.9 | 131 | 8 | 10 | 16 | 22 | 33 | 42 | 74 |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 7.4 | 18 | 2 | 3 | 7 | 9 | 13 | 16 | 21 |
| 20-34 | 57 | 10.2 | 31 | 4 | 5 | 9 | 11 | 16 | 18 | 39 |
| 35-49 | 56 | 12.1 | 48 | 5 | 6 | 10 | 14 | 22 | 28 | 36 |
| 50-64 | 111 | 13.5 | 87 | 5 | 6 | 11 | 14 | 25 | 32 | 52 |
| 65+ | 170 | 16.1 | 92 | 7 | 8 | 13 | 20 | 25 | 38 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 78 | 19.5 | 424 | 4 | 6 | 12 | 21 | 53 | 81 | 99+ |
| 20-34 | 106 | 15.9 | 107 | 4 | 6 | 13 | 23 | 32 | 38 | 99+ |
| 35-49 | 189 | 19.1 | 146 | 7 | 8 | 15 | 25 | 34 | 42 | 66 |
| 50-64 | 514 | 19.6 | 180 | 7 | 9 | 16 | 24 | 37 | 46 | 98 |
| 65+ | 996 | 23.6 | 198 | 9 | 10 | 20 | 30 | 43 | 58 | 80 |
| TOT. SINGLE DX | 418 | 13.6 | 78 | 5 | 6 | 11 | 16 | 25 | 32 | 48 |
| " MULTIPLE DX | 1883 | 21.5 | 198 | 7 | 9 | 18 | 27 | 40 | 53 | 89 |
| TOTAL 0-19 YRS | 102 | 16.7 | 354 | 3 | 5 | 10 | 17 | 35 | 67 | 99+ |
| 20-34 | 163 | 13.9 | 88 | 4 | 5 | 11 | 17 | 29 | 37 | 94 |
| 35-49 | 245 | 17.5 | 132 | 6 | 7 | 13 | 22 | 31 | 39 | 64 |
| 50-64 | 625 | 18.6 | 170 | 7 | 8 | 15 | 23 | 34 | 44 | 94 |
| 65+ | 1166 | 22.5 | 190 | 8 | 10 | 19 | 28 | 41 | 53 | 78 |
| GRAND TOTAL | 2301 | 20.0 | 186 | 7 | 8 | 16 | 29 | 37 | 49 | 82 |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 443 | 7.5 | 24 | 2 | 3 | 7 | 9 | 12 | 15 | 29 |
| 20-34 | 734 | 9.7 | 26 | 4 | 5 | 9 | 11 | 14 | 18 | 32 |
| 35-49 | 670 | 10.0 | 24 | 4 | 5 | 9 | 12 | 15 | 17 | 29 |
| 50-64 | 919 | 10.7 | 36 | 5 | 6 | 10 | 12 | 16 | 20 | 34 |
| 65+ | 1074 | 11.8 | 40 | 4 | 6 | 11 | 14 | 19 | 24 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 524 | 12.7 | 158 | 3 | 4 | 9 | 15 | 24 | 35 | 94 |
| 20-34 | 1158 | 13.1 | 97 | 5 | 6 | 10 | 15 | 23 | 30 | 65 |
| 35-49 | 1266 | 14.2 | 108 | 6 | 7 | 11 | 16 | 26 | 34 | 56 |
| 50-64 | 2109 | 15.7 | 144 | 6 | 7 | 12 | 17 | 29 | 42 | 80 |
| 65+ | 3450 | 17.8 | 160 | 6 | 8 | 14 | 21 | 33 | 45 | 76 |
| TOT. SINGLE DX | 3840 | 10.4 | 34 | 4 | 5 | 9 | 12 | 16 | 20 | 33 |
| " MULTIPLE DX | 8507 | 15.8 | 144 | 6 | 7 | 12 | 18 | 29 | 40 | 76 |
| TOTAL 0-19 YRS | 967 | 10.4 | 104 | 3 | 4 | 8 | 11 | 19 | 27 | 64 |
| 20-34 | 1892 | 11.8 | 72 | 5 | 6 | 10 | 13 | 20 | 26 | 53 |
| 35-49 | 1936 | 12.8 | 83 | 5 | 6 | 10 | 14 | 21 | 30 | 51 |
| 50-64 | 3028 | 14.2 | 117 | 5 | 7 | 11 | 15 | 25 | 36 | 73 |
| 65+ | 4524 | 16.4 | 139 | 6 | 7 | 13 | 19 | 30 | 41 | 70 |
| GRAND TOTAL | 12347 | 14.1 | 116 | 5 | 6 | 11 | 16 | 25 | 35 | 66 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 11.1 | 31 | 4 | 5 | 9 | 15 | 22 | 23 | 99+ |
| 20-34 | 63 | 14.4 | 129 | 5 | 6 | 11 | 16 | 25 | 39 | 65 |
| 35-49 | 98 | 14.1 | 108 | 5 | 7 | 12 | 15 | 20 | 25 | 69 |
| 50-64 | 186 | 19.2 | 155 | 6 | 9 | 16 | 22 | 32 | 44 | 71 |
| 65+ | 334 | 19.0 | 83 | 8 | 9 | 17 | 24 | 32 | 37 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 20.7 | 266 | 6 | 7 | 16 | 29 | 66 | 99+ | 99+ |
| 20-34 | 166 | 23.9 | 321 | 7 | 8 | 19 | 31 | 49 | 71 | 99 |
| 35-49 | 348 | 22.2 | 234 | 7 | 9 | 18 | 28 | 47 | 55 | 99 |
| 50-64 | 1170 | 23.3 | 214 | 9 | 10 | 19 | 29 | 43 | 58 | 99+ |
| 65+ | 2260 | 26.8 | 250 | 10 | 12 | 23 | 34 | 50 | 66 | 99+ |
| TOT. SINGLE DX | 717 | 17.6 | 113 | 6 | 8 | 15 | 22 | 31 | 38 | 67 |
| " MULTIPLE DX | 4024 | 25.2 | 246 | 9 | 10 | 21 | 32 | 48 | 65 | 99+ |
| TOTAL 0-19 YRS | 116 | 17.7 | 212 | 5 | 6 | 14 | 24 | 55 | 99+ | 99+ |
| 20-34 | 229 | 21.3 | 286 | 6 | 8 | 16 | 25 | 44 | 62 | 95 |
| 35-49 | 446 | 20.4 | 218 | 7 | 8 | 16 | 25 | 43 | 54 | 89 |
| 50-64 | 1356 | 22.8 | 209 | 8 | 10 | 19 | 28 | 42 | 57 | 98 |
| 65+ | 2594 | 25.8 | 236 | 9 | 11 | 22 | 33 | 48 | 63 | 99+ |
| GRAND TOTAL | 4741 | 24.0 | 233 | 8 | 10 | 20 | 31 | 46 | 61 | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28004 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 18067 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 5413 | 5.4 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 2706 | 6.9 | 16 | 3 | 3 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 1076 | 8.6 | 27 | 3 | 4 | 7 | 11 | 15 | 19 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6794 | 6.7 | 24 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| 20-34 | 5769 | 6.9 | 24 | 3 | 3 | 5 | 8 | 12 | 15 | 27 |
| 35-49 | 2370 | 9.2 | 44 | 3 | 4 | 7 | 11 | 16 | 21 | 34 |
| 50-64 | 2242 | 11.4 | 53 | 4 | 5 | 9 | 14 | 20 | 25 | 40 |
| 65+ | 1785 | 14.5 | 100 | 5 | 6 | 12 | 18 | 26 | 33 | 59 |
| TOT. SINGLE DX | 55266 | 4.7 | 8 | 2 | 2 | 4 | 5 | 8 | 10 | 15 |
| " MULTIPLE DX | 18960 | 8.3 | 44 | 3 | 3 | 6 | 10 | 16 | 21 | 33 |
| TOTAL 0-19 YRS | 34798 | 4.8 | 11 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 20-34 | 23836 | 5.0 | 12 | 2 | 3 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 7783 | 6.6 | 23 | 2 | 3 | 5 | 8 | 11 | 15 | 26 |
| 50-64 | 4948 | 9.0 | 38 | 3 | 4 | 7 | 11 | 16 | 20 | 32 |
| 65+ | 2861 | 12.3 | 81 | 4 | 5 | 10 | 15 | 22 | 29 | 49 |
| GRAND TOTAL | 74226 | 5.6 | 20 | 2 | 3 | 4 | 6 | 10 | 13 | 23 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 384 | 4.5 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 318 | 5.5 | 12 | 2 | 3 | 5 | 6 | 9 | 12 | 20 |
| 35-49 | 66 | 6.8 | 6 | 4 | 4 | 6 | 8 | 10 | 12 | 13 |
| 50-64 | 42 | 6.6 | 12 | 3 | 3 | 6 | 8 | 9 | 13 | 22 |
| 65+ | 12 | 12.3 | 63 | 7 | 7 | 10 | 13 | 21 | 34 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 6.6 | 25 | 3 | 3 | 5 | 8 | 11 | 14 | 28 |
| 20-34 | 212 | 6.8 | 15 | 3 | 3 | 6 | 8 | 11 | 15 | 22 |
| 35-49 | 73 | 8.8 | 28 | 4 | 4 | 8 | 10 | 18 | 21 | 28 |
| 50-64 | 44 | 14.2 | 134 | 4 | 5 | 11 | 18 | 25 | 41 | 63 |
| 65+ | 51 | 18.5 | 206 | 5 | 6 | 14 | 23 | 36 | 44 | 81 |
| TOT. SINGLE DX | 822 | 5.3 | 11 | 2 | 3 | 4 | 6 | 9 | 11 | 18 |
| " MULTIPLE DX | 517 | 8.8 | 63 | 3 | 4 | 7 | 10 | 17 | 23 | 43 |
| TOTAL 0-19 YRS | 521 | 5.1 | 13 | 2 | 3 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 530 | 6.0 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| 35-49 | 139 | 7.8 | 19 | 4 | 4 | 7 | 9 | 12 | 18 | 26 |
| 50-64 | 86 | 10.5 | 89 | 3 | 4 | 7 | 13 | 21 | 26 | 55 |
| 65+ | 63 | 17.4 | 134 | 5 | 6 | 13 | 21 | 36 | 43 | 78 |
| GRAND TOTAL | 1339 | 6.7 | 34 | 2 | 3 | 5 | 7 | 11 | 16 | 31 |

### 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 113 | 9.3 | 40 | 2 | 3 | 8 | 12 | 16 | 21 | 36 |
| 20-34 | 76 | 9.3 | 21 | 3 | 4 | 9 | 11 | 16 | 18 | 26 |
| 35-49 | 28 | 11.5 | 42 | 4 | 5 | 10 | 14 | 19 | 28 | 30 |
| 50-64 | 39 | 11.3 | 26 | 3 | 5 | 10 | 15 | 19 | 21 | 23 |
| 65+ | 24 | 14.4 | 86 | 2 | 5 | 12 | 17 | 26 | 33 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 10.5 | 23 | 4 | 5 | 9 | 13 | 16 | 18 | 29 |
| 20-34 | 58 | 11.9 | 44 | 2 | 4 | 11 | 15 | 20 | 27 | 33 |
| 35-49 | 35 | 14.0 | 47 | 6 | 7 | 12 | 16 | 25 | 29 | 30 |
| 50-64 | 42 | 15.5 | 83 | 4 | 7 | 14 | 19 | 26 | 32 | 52 |
| 65+ | 41 | 19.7 | 117 | 7 | 8 | 17 | 27 | 35 | 42 | 48 |
| TOT. SINGLE DX | 280 | 10.2 | 39 | 3 | 4 | 9 | 13 | 17 | 22 | 30 |
| " MULTIPLE DX | 227 | 14.0 | 69 | 4 | 6 | 12 | 17 | 26 | 32 | 44 |
| TOTAL 0-19 YRS | 164 | 9.7 | 35 | 3 | 4 | 9 | 12 | 16 | 20 | 30 |
| 20-34 | 134 | 10.4 | 33 | 3 | 4 | 9 | 13 | 17 | 20 | 30 |
| 35-49 | 63 | 12.9 | 46 | 5 | 6 | 12 | 16 | 24 | 29 | 30 |
| 50-64 | 81 | 13.5 | 60 | 4 | 6 | 11 | 17 | 23 | 26 | 46 |
| 65+ | 65 | 17.7 | 111 | 5 | 7 | 15 | 23 | 33 | 41 | 47 |
| GRAND TOTAL | 507 | 11.9 | 56 | 3 | 4 | 10 | 15 | 21 | 28 | 42 |

### 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 507 | 4.0 | 13 | <1 | 1 | 3 | 5 | 9 | 10 | 20 |
| 20-34 | 783 | 4.7 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 510 | 4.9 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 885 | 5.3 | 29 | 1 | 1 | 3 | 6 | 11 | 15 | 26 |
| 65+ | 1329 | 6.5 | 53 | 1 | 2 | 4 | 8 | 14 | 19 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 264 | 6.6 | 62 | 1 | 1 | 4 | 8 | 13 | 22 | 57 |
| 20-34 | 682 | 7.4 | 52 | 2 | 2 | 5 | 9 | 14 | 20 | 42 |
| 35-49 | 874 | 7.8 | 48 | 2 | 2 | 6 | 10 | 15 | 20 | 38 |
| 50-64 | 1830 | 9.1 | 84 | 2 | 2 | 6 | 11 | 18 | 26 | 52 |
| 65+ | 3851 | 11.6 | 120 | 2 | 3 | 8 | 15 | 24 | 32 | 62 |
| TOT. SINGLE DX | 4019 | 5.3 | 33 | 1 | 1 | 4 | 6 | 11 | 15 | 28 |
| " MULTIPLE DX | 7501 | 10.0 | 98 | 2 | 2 | 7 | 12 | 21 | 28 | 54 |
| TOTAL 0-19 YRS | 771 | 4.9 | 32 | <1 | 1 | 3 | 6 | 10 | 14 | 28 |
| 20-34 | 1470 | 6.0 | 37 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| 35-49 | 1384 | 6.7 | 41 | 1 | 2 | 5 | 8 | 13 | 17 | 35 |
| 50-64 | 2715 | 7.8 | 70 | 1 | 2 | 5 | 10 | 16 | 23 | 46 |
| 65+ | 5180 | 10.3 | 108 | 2 | 2 | 7 | 13 | 22 | 30 | 57 |
| GRAND TOTAL | 11520 | 8.4 | 80 | 1 | 2 | 6 | 10 | 18 | 25 | 47 |

### 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 231 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 1065 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 793 | 3.7 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 442 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 22 |
| 65+ | 162 | 6.2 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 4.5 | 18 | 1 | 1 | 4 | 6 | 8 | 9 | 27 |
| 20-34 | 534 | 5.6 | 52 | 1 | 2 | 4 | 6 | 11 | 16 | 39 |
| 35-49 | 528 | 6.8 | 78 | 1 | 2 | 4 | 8 | 14 | 19 | 50 |
| 50-64 | 497 | 8.4 | 75 | 2 | 2 | 5 | 10 | 17 | 25 | 43 |
| 65+ | 326 | 12.0 | 152 | 2 | 3 | 9 | 15 | 25 | 33 | 90 |
| TOT. SINGLE DX | 2693 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 1973 | 7.7 | 85 | 1 | 2 | 5 | 9 | 16 | 23 | 55 |
| TOTAL 0-19 YRS | 319 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 1599 | 4.1 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 35-49 | 1321 | 4.9 | 38 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 50-64 | 939 | 6.6 | 50 | 1 | 2 | 4 | 7 | 13 | 20 | 37 |
| 65+ | 488 | 10.1 | 118 | 2 | 2 | 7 | 12 | 22 | 30 | 76 |
| GRAND TOTAL | 4666 | 5.5 | 45 | 1 | 1 | 4 | 6 | 10 | 16 | 33 |

### 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 9.8 | 36 | 1 | 2 | 10 | 12 | 21 | 24 | 97 |
| 20-34 | 118 | 15.8 | 137 | 2 | 3 | 13 | 20 | 32 | 39 | 60 |
| 35-49 | 217 | 13.9 | 48 | 3 | 6 | 13 | 17 | 23 | 28 | 40 |
| 50-64 | 790 | 16.3 | 45 | 8 | 10 | 15 | 19 | 25 | 29 | 39 |
| 65+ | 1048 | 18.8 | 77 | 9 | 11 | 17 | 22 | 29 | 34 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 14.3 | 97 | 6 | 7 | 12 | 16 | 26 | 31 | 63 |
| 20-34 | 192 | 18.5 | 167 | 3 | 6 | 15 | 26 | 33 | 42 | 84 |
| 35-49 | 407 | 18.2 | 132 | 5 | 9 | 16 | 22 | 29 | 36 | 80 |
| 50-64 | 1692 | 20.6 | 122 | 9 | 10 | 18 | 24 | 34 | 42 | 74 |
| 65+ | 3260 | 24.4 | 176 | 10 | 12 | 21 | 29 | 42 | 53 | 85 |
| TOT. SINGLE DX | 2226 | 17.0 | 69 | 7 | 9 | 16 | 21 | 27 | 32 | 48 |
| " MULTIPLE DX | 5623 | 22.5 | 161 | 9 | 11 | 19 | 27 | 38 | 49 | 79 |
| TOTAL 0-19 YRS | 125 | 12.4 | 77 | 2 | 4 | 10 | 15 | 23 | 28 | 75 |
| 20-34 | 310 | 17.5 | 158 | 3 | 4 | 15 | 23 | 33 | 42 | 71 |
| 35-49 | 624 | 16.7 | 108 | 4 | 8 | 15 | 20 | 27 | 33 | 70 |
| 50-64 | 2482 | 19.2 | 102 | 9 | 10 | 17 | 23 | 31 | 38 | 67 |
| 65+ | 4308 | 23.0 | 158 | 10 | 12 | 20 | 27 | 39 | 49 | 79 |
| GRAND TOTAL | 7849 | 20.9 | 141 | 9 | 10 | 18 | 25 | 35 | 45 | 74 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 818 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 3272 | 5.3 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 35-49 | 3449 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 50-64 | 3270 | 5.7 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 2819 | 6.7 | 32 | 1 | 1 | 5 | 9 | 13 | 16 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1162 | 6.4 | 34 | 2 | 2 | 5 | 8 | 11 | 15 | 33 |
| 20-34 | 7290 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| 35-49 | 10863 | 8.1 | 41 | 2 | 3 | 6 | 10 | 15 | 20 | 33 |
| 50-64 | 14872 | 8.9 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| 65+ | 20190 | 10.8 | 76 | 2 | 3 | 9 | 13 | 21 | 27 | 48 |
| TOT. SINGLE DX | 13628 | 5.7 | 21 | 1 | 1 | 5 | 7 | 11 | 14 | 23 |
| " MULTIPLE DX | 54377 | 9.2 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| TOTAL 0-19 YRS | 1980 | 5.6 | 25 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| 20-34 | 10562 | 6.6 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 35-49 | 14312 | 7.5 | 37 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| 50-64 | 18142 | 8.3 | 48 | 2 | 2 | 7 | 10 | 16 | 21 | 36 |
| 65+ | 23009 | 10.3 | 73 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |
| GRAND TOTAL | 68005 | 8.5 | 53 | 2 | 2 | 7 | 10 | 16 | 22 | 38 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 182 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 1519 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1512 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 910 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 65+ | 277 | 4.3 | 16 | 1 | 2 | 4 | 5 | 6 | 8 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 4.5 | 14 | 1 | 1 | 4 | 6 | 7 | 12 | 22 |
| 20-34 | 1091 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 1378 | 4.9 | 15 | 2 | 2 | 4 | 6 | 8 | 10 | 20 |
| 50-64 | 1167 | 5.2 | 12 | 2 | 3 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 528 | 8.0 | 84 | 2 | 3 | 5 | 9 | 15 | 24 | 56 |
| TOT. SINGLE DX | 4400 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| " MULTIPLE DX | 4262 | 5.2 | 23 | 2 | 2 | 4 | 6 | 9 | 12 | 25 |
| TOTAL 0-19 YRS | 280 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 20-34 | 2610 | 4.0 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 2890 | 4.3 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 2077 | 4.7 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 19 |
| 65+ | 805 | 6.7 | 64 | 2 | 2 | 4 | 7 | 12 | 18 | 49 |
| GRAND TOTAL | 8662 | 4.5 | 15 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 265 | 2.8 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 1773 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 894 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 509 | 4.0 | 10 | 1 | 2 | 3 | 4 | 7 | 8 | 19 |
| 65+ | 212 | 4.7 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 135 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 1431 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 35-49 | 1474 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 1256 | 5.7 | 19 | 2 | 3 | 5 | 7 | 9 | 12 | 26 |
| 65+ | 856 | 7.9 | 75 | 2 | 3 | 5 | 9 | 14 | 22 | 54 |
| TOT. SINGLE DX | 3653 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| " MULTIPLE DX | 5152 | 5.5 | 25 | 2 | 2 | 4 | 6 | 9 | 12 | 26 |
| TOTAL 0-19 YRS | 400 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 3204 | 3.7 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 2368 | 4.4 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 1765 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 11 | 25 |
| 65+ | 1068 | 7.3 | 64 | 2 | 3 | 5 | 8 | 14 | 20 | 51 |
| GRAND TOTAL | 8805 | 4.6 | 18 | 1 | 2 | 4 | 5 | 8 | 10 | 22 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 4.3 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 2217 | 4.9 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 2651 | 5.0 | 4 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 1750 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 65+ | 606 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 290 | 4.9 | 6 | 2 | 3 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 7556 | 5.4 | 8 | 3 | 3 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 10929 | 5.9 | 12 | 3 | 3 | 5 | 7 | 9 | 12 | 19 |
| 50-64 | 8980 | 6.5 | 20 | 3 | 3 | 5 | 7 | 11 | 14 | 23 |
| 65+ | 4042 | 8.3 | 40 | 3 | 4 | 6 | 10 | 15 | 20 | 34 |
| TOT. SINGLE DX | 7342 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| " MULTIPLE DX | 31797 | 6.3 | 18 | 3 | 3 | 5 | 7 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | 408 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 9773 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 16 |
| 35-49 | 13580 | 5.7 | 11 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 10730 | 6.3 | 19 | 3 | 3 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 4648 | 8.0 | 37 | 3 | 3 | 6 | 9 | 14 | 19 | 33 |
| GRAND TOTAL | 39139 | 6.0 | 16 | 3 | 3 | 5 | 7 | 10 | 12 | 21 |

### 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 291 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 1590 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 1163 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 713 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 65+ | 363 | 5.4 | 19 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 176 | 6.0 | 41 | 1 | 2 | 4 | 7 | 12 | 15 | 36 |
| 20-34 | 1007 | 5.2 | 25 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 35-49 | 1082 | 6.1 | 57 | 1 | 2 | 4 | 7 | 11 | 16 | 39 |
| 50-64 | 1099 | 7.2 | 56 | 2 | 2 | 5 | 8 | 14 | 21 | 42 |
| 65+ | 980 | 10.0 | 82 | 2 | 3 | 7 | 13 | 21 | 27 | 46 |
| TOT. SINGLE DX | 4120 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 4344 | 7.0 | 58 | 1 | 2 | 5 | 8 | 14 | 20 | 40 |
| TOTAL 0-19 YRS | 467 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 20-34 | 2597 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 2245 | 4.9 | 33 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 50-64 | 1812 | 6.1 | 40 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |
| 65+ | 1343 | 8.7 | 69 | 2 | 2 | 6 | 11 | 18 | 25 | 43 |
| GRAND TOTAL | 8464 | 5.5 | 36 | 1 | 2 | 4 | 6 | 11 | 15 | 30 |

### 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 9.9 | 41 | 4 | 5 | 7 | 12 | 21 | 24 | 24 |
| 20-34 | 34 | 10.3 | 42 | 2 | 3 | 9 | 14 | 20 | 23 | 28 |
| 35-49 | 31 | 9.5 | 50 | 1 | 1 | 8 | 16 | 20 | 21 | 21 |
| 50-64 | 29 | 14.3 | 112 | 2 | 3 | 11 | 19 | 30 | 36 | 46 |
| 65+ | 25 | 14.0 | 98 | <1 | 1 | 15 | 22 | 27 | 29 | 29 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 23 | 19.7 | 325 | 3 | 4 | 16 | 22 | 58 | 64 | 64 |
| 20-34 | 73 | 17.3 | 239 | 4 | 6 | 12 | 20 | 44 | 57 | 93 |
| 35-49 | 55 | 19.1 | 250 | 2 | 4 | 15 | 26 | 46 | 59 | 98 |
| 50-64 | 94 | 22.7 | 290 | 3 | 5 | 20 | 30 | 43 | 57 | 81 |
| 65+ | 116 | 25.3 | 299 | 4 | 7 | 22 | 34 | 46 | 63 | 97 |
| TOT. SINGLE DX | 127 | 11.7 | 74 | 1 | 2 | 10 | 18 | 23 | 27 | 38 |
| " MULTIPLE DX | 361 | 21.7 | 286 | 3 | 5 | 18 | 30 | 45 | 61 | 95 |
| TOTAL 0-19 YRS | 31 | 17.2 | 267 | 4 | 4 | 11 | 21 | 40 | 63 | 64 |
| 20-34 | 107 | 15.1 | 187 | 4 | 5 | 10 | 18 | 35 | 52 | 84 |
| 35-49 | 86 | 15.6 | 199 | 1 | 2 | 13 | 21 | 38 | 52 | 87 |
| 50-64 | 123 | 20.7 | 260 | 3 | 4 | 18 | 28 | 41 | 50 | 81 |
| 65+ | 141 | 23.3 | 281 | 2 | 4 | 21 | 31 | 45 | 60 | 96 |
| GRAND TOTAL | 488 | 19.1 | 249 | 2 | 4 | 15 | 26 | 41 | 55 | 86 |

### 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 235 | 6.4 | 38 | 1 | 1 | 4 | 9 | 15 | 18 | 26 |
| 20-34 | 1249 | 5.1 | 36 | 1 | 1 | 2 | 7 | 12 | 16 | 29 |
| 35-49 | 1110 | 5.6 | 42 | 1 | 1 | 3 | 8 | 13 | 18 | 30 |
| 50-64 | 1261 | 6.9 | 70 | 1 | 1 | 3 | 9 | 17 | 22 | 38 |
| 65+ | 809 | 9.0 | 82 | 1 | 1 | 7 | 13 | 20 | 24 | 46 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 414 | 14.1 | 208 | 2 | 2 | 9 | 16 | 34 | 48 | 74 |
| 20-34 | 1790 | 11.5 | 126 | 1 | 2 | 9 | 15 | 24 | 34 | 69 |
| 35-49 | 2656 | 11.7 | 119 | 1 | 2 | 9 | 15 | 24 | 32 | 56 |
| 50-64 | 4870 | 12.5 | 118 | 1 | 2 | 10 | 17 | 25 | 32 | 56 |
| 65+ | 4695 | 15.4 | 150 | 2 | 3 | 12 | 20 | 31 | 39 | 63 |
| TOT. SINGLE DX | 4664 | 6.5 | 57 | 1 | 1 | 3 | 9 | 16 | 21 | 36 |
| " MULTIPLE DX | 14425 | 13.2 | 135 | 2 | 2 | 10 | 17 | 27 | 35 | 62 |
| TOTAL 0-19 YRS | 649 | 11.3 | 161 | 1 | 2 | 8 | 13 | 26 | 39 | 67 |
| 20-34 | 3039 | 8.9 | 99 | 1 | 1 | 6 | 12 | 20 | 28 | 54 |
| 35-49 | 3766 | 9.9 | 105 | 1 | 1 | 7 | 13 | 21 | 29 | 52 |
| 50-64 | 6131 | 11.3 | 113 | 1 | 2 | 9 | 15 | 24 | 31 | 53 |
| 65+ | 5504 | 14.4 | 145 | 2 | 2 | 12 | 19 | 29 | 38 | 62 |
| GRAND TOTAL | 19089 | 11.6 | 124 | 1 | 2 | 9 | 16 | 25 | 33 | 57 |

### 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1360 | 7.3 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 19 |
| 20-34 | 15781 | 7.3 | 7 | 4 | 5 | 7 | 8 | 11 | 12 | 17 |
| 35-49 | 14107 | 7.7 | 9 | 5 | 5 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 14117 | 8.5 | 12 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 8186 | 10.5 | 25 | 5 | 6 | 9 | 12 | 17 | 20 | 28 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 812 | 9.8 | 30 | 5 | 5 | 8 | 12 | 15 | 19 | 32 |
| 20-34 | 11158 | 9.5 | 29 | 5 | 5 | 8 | 11 | 15 | 18 | 31 |
| 35-49 | 14245 | 10.4 | 39 | 5 | 6 | 9 | 12 | 17 | 21 | 34 |
| 50-64 | 21155 | 11.9 | 49 | 5 | 6 | 10 | 14 | 20 | 24 | 40 |
| 65+ | 23901 | 16.0 | 95 | 7 | 8 | 14 | 19 | 27 | 35 | 58 |
| TOT. SINGLE DX | 53551 | 8.2 | 13 | 5 | 5 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 71271 | 12.6 | 66 | 5 | 6 | 10 | 15 | 22 | 27 | 46 |
| TOTAL 0-19 YRS | 2172 | 8.3 | 18 | 4 | 5 | 7 | 10 | 13 | 15 | 23 |
| 20-34 | 26939 | 8.2 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 35-49 | 28352 | 9.1 | 26 | 5 | 5 | 8 | 10 | 14 | 17 | 28 |
| 50-64 | 35272 | 10.5 | 37 | 5 | 6 | 9 | 12 | 17 | 21 | 34 |
| 65+ | 32087 | 14.6 | 83 | 6 | 7 | 12 | 18 | 25 | 31 | 53 |
| GRAND TOTAL | 124822 | 10.7 | 48 | 5 | 5 | 9 | 13 | 18 | 23 | 39 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 11.9 | 88 | 1 | 2 | 11 | 18 | 25 | 31 | 34 |
| 20-34 | 174 | 9.2 | 48 | 2 | 3 | 8 | 11 | 17 | 25 | 32 |
| 35-49 | 285 | 10.4 | 67 | 2 | 2 | 9 | 14 | 21 | 24 | 40 |
| 50-64 | 408 | 12.1 | 68 | 2 | 3 | 11 | 17 | 23 | 26 | 40 |
| 65+ | 668 | 15.2 | 99 | 2 | 4 | 14 | 21 | 27 | 33 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 10.9 | 54 | 2 | 3 | 9 | 16 | 23 | 26 | 28 |
| 20-34 | 235 | 14.6 | 147 | 2 | 3 | 12 | 18 | 27 | 42 | 55 |
| 35-49 | 470 | 16.2 | 142 | 4 | 6 | 13 | 20 | 29 | 38 | 66 |
| 50-64 | 1159 | 19.2 | 180 | 4 | 7 | 16 | 24 | 36 | 47 | 81 |
| 65+ | 2771 | 21.6 | 167 | 7 | 9 | 19 | 26 | 37 | 48 | 77 |
| TOT. SINGLE DX | 1557 | 12.8 | 84 | 2 | 3 | 11 | 17 | 24 | 29 | 44 |
| " MULTIPLE DX | 4659 | 20.0 | 172 | 5 | 8 | 17 | 25 | 36 | 46 | 76 |
| TOTAL 0-19 YRS | 46 | 11.4 | 69 | 2 | 2 | 10 | 16 | 23 | 28 | 34 |
| 20-34 | 409 | 12.3 | 112 | 2 | 3 | 10 | 15 | 24 | 32 | 51 |
| 35-49 | 755 | 14.0 | 122 | 2 | 3 | 11 | 18 | 26 | 32 | 61 |
| 50-64 | 1567 | 17.3 | 162 | 3 | 5 | 15 | 22 | 32 | 42 | 75 |
| 65+ | 3439 | 20.4 | 161 | 5 | 8 | 18 | 25 | 36 | 45 | 74 |
| GRAND TOTAL | 6216 | 18.2 | 160 | 3 | 6 | 16 | 23 | 33 | 42 | 71 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 50 | 7.8 | 37 | 1 | 1 | 7 | 11 | 15 | 23 | 27 |
| 20-34 | 321 | 8.6 | 77 | 1 | 1 | 6 | 11 | 20 | 27 | 42 |
| 35-49 | 481 | 9.6 | 122 | 1 | 1 | 6 | 12 | 21 | 28 | 61 |
| 50-64 | 494 | 10.1 | 104 | 1 | 1 | 7 | 14 | 23 | 32 | 54 |
| 65+ | 404 | 12.2 | 142 | 1 | 2 | 9 | 18 | 26 | 38 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 18.9 | 378 | 2 | 4 | 12 | 22 | 44 | 63 | 92 |
| 20-34 | 498 | 14.2 | 218 | 1 | 2 | 9 | 18 | 35 | 49 | 77 |
| 35-49 | 912 | 16.7 | 246 | 2 | 2 | 12 | 22 | 40 | 53 | 80 |
| 50-64 | 1340 | 18.0 | 253 | 2 | 3 | 13 | 25 | 40 | 54 | 89 |
| 65+ | 1444 | 18.8 | 223 | 2 | 4 | 15 | 25 | 38 | 51 | 79 |
| TOT. SINGLE DX | 1750 | 10.1 | 113 | 1 | 1 | 7 | 13 | 23 | 30 | 54 |
| " MULTIPLE DX | 4237 | 17.6 | 241 | 2 | 3 | 13 | 24 | 39 | 52 | 81 |
| TOTAL 0-19 YRS | 93 | 12.9 | 224 | 1 | 2 | 9 | 15 | 28 | 43 | 83 |
| 20-34 | 819 | 12.0 | 171 | 1 | 2 | 8 | 15 | 29 | 40 | 64 |
| 35-49 | 1393 | 14.2 | 215 | 1 | 2 | 10 | 19 | 34 | 48 | 73 |
| 50-64 | 1834 | 15.9 | 225 | 1 | 2 | 11 | 22 | 36 | 48 | 81 |
| 65+ | 1848 | 17.4 | 213 | 2 | 3 | 14 | 24 | 37 | 48 | 76 |
| GRAND TOTAL | 5987 | 15.4 | 215 | 1 | 2 | 11 | 21 | 35 | 47 | 75 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1488 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 4553 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 4127 | 5.0 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 4903 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| 65+ | 5627 | 6.1 | 36 | 1 | 1 | 5 | 8 | 12 | 16 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1438 | 6.0 | 33 | 2 | 2 | 4 | 7 | 10 | 15 | 33 |
| 20-34 | 7278 | 6.6 | 33 | 2 | 2 | 5 | 8 | 12 | 17 | 31 |
| 35-49 | 10795 | 7.1 | 35 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| 50-64 | 19149 | 7.7 | 42 | 2 | 2 | 6 | 9 | 15 | 19 | 34 |
| 65+ | 37222 | 9.7 | 72 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| TOT. SINGLE DX | 20698 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| " MULTIPLE DX | 75882 | 8.4 | 57 | 2 | 3 | 6 | 10 | 16 | 22 | 40 |
| TOTAL 0-19 YRS | 2926 | 5.2 | 24 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| 20-34 | 11831 | 6.0 | 27 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 35-49 | 14922 | 6.5 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 50-64 | 24052 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 33 |
| 65+ | 42849 | 9.2 | 69 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |
| GRAND TOTAL | 96580 | 7.8 | 51 | 2 | 2 | 6 | 9 | 15 | 20 | 38 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14296 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 14433 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 12082 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 18072 | 4.3 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 65+ | 13788 | 5.0 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7297 | 2.6 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 4636 | 4.5 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 6108 | 5.1 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 13167 | 6.0 | 19 | 2 | 3 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 16942 | 8.1 | 49 | 3 | 3 | 6 | 9 | 15 | 20 | 39 |
| TOT. SINGLE DX | 72671 | 3.8 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 48150 | 6.0 | 30 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| TOTAL 0-19 YRS | 21593 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 19069 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 18190 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 31239 | 5.0 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 30730 | 6.7 | 33 | 2 | 3 | 5 | 8 | 12 | 16 | 30 |
| GRAND TOTAL | 120821 | 4.7 | 16 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2666 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 1254 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 1697 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 2819 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| 65+ | 1785 | 5.6 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1942 | 3.1 | 58 | <1 | <1 | 2 | 3 | 4 | 8 | 62 |
| 20-34 | 545 | 4.8 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 1089 | 5.4 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | 2372 | 6.3 | 14 | 3 | 3 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 2392 | 8.6 | 42 | 3 | 4 | 7 | 10 | 15 | 21 | 36 |
| TOT. SINGLE DX | 10221 | 4.1 | 6 | <1 | 1 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 8340 | 6.0 | 35 | 1 | 1 | 5 | 7 | 11 | 14 | 30 |
| TOTAL 0-19 YRS | 4608 | 2.4 | 26 | <1 | <1 | 2 | 2 | 4 | 5 | 18 |
| 20-34 | 1799 | 4.3 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 2786 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 5191 | 5.5 | 10 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 65+ | 4177 | 7.3 | 29 | 3 | 3 | 6 | 8 | 13 | 17 | 29 |
| GRAND TOTAL | 18561 | 4.9 | 20 | <1 | 1 | 4 | 6 | 8 | 11 | 21 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 362 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 505 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 700 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 977 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 5.2 | 87 | <1 | 1 | 4 | 5 | 7 | 9 | 55 |
| 20-34 | 142 | 4.8 | 13 | 2 | 2 | 4 | 5 | 7 | 9 | 25 |
| 35-49 | 306 | 5.7 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 24 |
| 50-64 | 515 | 6.9 | 22 | 3 | 3 | 5 | 8 | 12 | 17 | 25 |
| 65+ | 1355 | 11.5 | 95 | 3 | 4 | 8 | 14 | 23 | 31 | 54 |
| TOT. SINGLE DX | 2651 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| " MULTIPLE DX | 2350 | 9.3 | 72 | 3 | 3 | 7 | 11 | 18 | 25 | 45 |
| TOTAL 0-19 YRS | 139 | 3.5 | 22 | <1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 504 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| 35-49 | 811 | 4.7 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 1215 | 5.8 | 15 | 2 | 3 | 5 | 7 | 9 | 13 | 22 |
| 65+ | 2332 | 9.4 | 69 | 3 | 3 | 7 | 11 | 18 | 26 | 45 |
| GRAND TOTAL | 5001 | 7.1 | 44 | 2 | 3 | 5 | 8 | 13 | 19 | 35 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3005 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1205 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1383 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 1152 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 12 |
| 65+ | 580 | 6.0 | 25 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 696 | 3.4 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 20-34 | 686 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 1153 | 6.2 | 22 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 50-64 | 1505 | 7.4 | 38 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| 65+ | 1170 | 10.9 | 82 | 3 | 4 | 8 | 13 | 21 | 28 | 55 |
| TOT. SINGLE DX | 7325 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| " MULTIPLE DX | 5210 | 7.1 | 44 | 2 | 2 | 5 | 8 | 14 | 19 | 33 |
| TOTAL 0-19 YRS | 3701 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 1891 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 2536 | 4.9 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 2657 | 6.1 | 27 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 1750 | 9.2 | 69 | 2 | 3 | 7 | 11 | 18 | 24 | 46 |
| GRAND TOTAL | 12535 | 4.9 | 26 | 1 | 1 | 3 | 6 | 9 | 13 | 26 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 599 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1797 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 2704 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 50-64 | 3403 | 6.1 | 12 | 2 | 3 | 6 | 8 | 10 | 11 | 17 |
| 65+ | 2318 | 7.4 | 16 | 3 | 3 | 7 | 9 | 12 | 15 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 184 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 1206 | 6.6 | 21 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| 35-49 | 2477 | 8.1 | 32 | 3 | 3 | 7 | 10 | 14 | 19 | 33 |
| 50-64 | 4020 | 9.4 | 42 | 3 | 4 | 8 | 11 | 16 | 21 | 36 |
| 65+ | 4101 | 11.6 | 76 | 4 | 5 | 9 | 14 | 21 | 26 | 47 |
| TOT. SINGLE DX | 10821 | 5.7 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| " MULTIPLE DX | 11988 | 9.5 | 53 | 3 | 4 | 8 | 11 | 17 | 22 | 39 |
| TOTAL 0-19 YRS | 783 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 3003 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 5181 | 6.7 | 22 | 2 | 3 | 6 | 8 | 11 | 15 | 25 |
| 50-64 | 7423 | 7.9 | 31 | 3 | 3 | 7 | 9 | 14 | 17 | 30 |
| 65+ | 6419 | 10.1 | 59 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |
| GRAND TOTAL | 22809 | 7.7 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |

## 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 84 | 3.9 | 13 | <1 | 1 | 2 | 5 | 9 | 11 | 18 |
| 20-34 | 148 | 6.8 | 13 | 2 | 3 | 6 | 9 | 12 | 14 | 17 |
| 35-49 | 234 | 7.7 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 22 |
| 50-64 | 299 | 8.6 | 20 | 3 | 4 | 8 | 11 | 14 | 16 | 23 |
| 65+ | 242 | 10.9 | 37 | 3 | 4 | 10 | 14 | 18 | 23 | 33 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 91 | 10.0 | 150 | 1 | 1 | 7 | 12 | 26 | 31 | 97 |
| 20-34 | 267 | 11.1 | 69 | 4 | 5 | 9 | 12 | 18 | 29 | 41 |
| 35-49 | 624 | 11.4 | 58 | 5 | 6 | 10 | 13 | 19 | 23 | 42 |
| 50-64 | 1017 | 12.6 | 59 | 6 | 6 | 10 | 15 | 21 | 27 | 42 |
| 65+ | 939 | 16.9 | 120 | 6 | 8 | 14 | 21 | 30 | 39 | 64 |
| TOT. SINGLE DX | 1007 | 8.3 | 25 | 2 | 3 | 8 | 10 | 14 | 17 | 26 |
| " MULTIPLE DX | 2938 | 13.5 | 88 | 5 | 6 | 11 | 16 | 24 | 31 | 55 |
| TOTAL 0-19 YRS | 175 | 7.0 | 93 | <1 | 1 | 4 | 9 | 16 | 26 | 78 |
| 20-34 | 415 | 9.6 | 53 | 3 | 3 | 8 | 11 | 16 | 20 | 38 |
| 35-49 | 858 | 10.4 | 50 | 4 | 5 | 9 | 12 | 17 | 21 | 33 |
| 50-64 | 1316 | 11.7 | 53 | 4 | 6 | 10 | 14 | 20 | 25 | 40 |
| 65+ | 1181 | 15.7 | 109 | 5 | 7 | 13 | 19 | 28 | 36 | 62 |
| GRAND TOTAL | 3945 | 12.2 | 77 | 3 | 5 | 10 | 14 | 22 | 29 | 49 |

## 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 807 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 20-34 | 1409 | 5.3 | 32 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| 35-49 | 1089 | 6.8 | 42 | 1 | 2 | 5 | 9 | 14 | 20 | 29 |
| 50-64 | 1176 | 8.8 | 68 | 1 | 2 | 6 | 12 | 18 | 24 | 39 |
| 65+ | 930 | 10.4 | 84 | 2 | 2 | 8 | 13 | 21 | 28 | 50 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 562 | 7.9 | 89 | 1 | 2 | 5 | 9 | 17 | 24 | 69 |
| 20-34 | 1562 | 9.4 | 96 | 1 | 2 | 7 | 11 | 20 | 28 | 94 |
| 35-49 | 2164 | 12.3 | 132 | 2 | 3 | 9 | 16 | 27 | 35 | 58 |
| 50-64 | 4260 | 13.6 | 141 | 2 | 3 | 10 | 18 | 28 | 36 | 65 |
| 65+ | 4858 | 15.9 | 165 | 2 | 4 | 13 | 21 | 32 | 42 | 68 |
| TOT. SINGLE DX | 5411 | 7.0 | 53 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| " MULTIPLE DX | 13406 | 13.5 | 147 | 2 | 3 | 10 | 18 | 28 | 37 | 64 |
| TOTAL 0-19 YRS | 1369 | 5.5 | 49 | 1 | 1 | 3 | 6 | 11 | 17 | 38 |
| 20-34 | 2971 | 7.4 | 70 | 1 | 2 | 5 | 9 | 15 | 22 | 45 |
| 35-49 | 3253 | 10.5 | 109 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| 50-64 | 5436 | 12.6 | 130 | 2 | 3 | 9 | 16 | 26 | 35 | 61 |
| 65+ | 5788 | 15.0 | 156 | 2 | 3 | 12 | 20 | 31 | 40 | 66 |
| GRAND TOTAL | 18817 | 11.5 | 129 | 1 | 2 | 8 | 15 | 25 | 34 | 59 |

## 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1037 | 6.3 | 18 | 2 | 3 | 5 | 8 | 11 | 13 | 23 |
| 20-34 | 2587 | 6.7 | 23 | 2 | 3 | 6 | 8 | 11 | 15 | 25 |
| 35-49 | 1057 | 8.8 | 34 | 3 | 4 | 7 | 10 | 15 | 20 | 31 |
| 50-64 | 813 | 12.2 | 73 | 4 | 5 | 10 | 15 | 23 | 30 | 42 |
| 65+ | 759 | 14.5 | 89 | 4 | 6 | 12 | 18 | 26 | 32 | 50 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1171 | 10.6 | 113 | 3 | 4 | 7 | 12 | 22 | 32 | 82 |
| 20-34 | 4148 | 9.4 | 70 | 3 | 4 | 7 | 10 | 17 | 25 | 54 |
| 35-49 | 2265 | 13.5 | 132 | 4 | 5 | 10 | 16 | 27 | 38 | 65 |
| 50-64 | 2357 | 18.3 | 191 | 6 | 7 | 14 | 22 | 37 | 49 | 83 |
| 65+ | 3026 | 21.7 | 211 | 7 | 9 | 18 | 27 | 40 | 54 | 90 |
| TOT. SINGLE DX | 6253 | 8.6 | 47 | 2 | 3 | 7 | 10 | 16 | 22 | 36 |
| " MULTIPLE DX | 12967 | 14.7 | 165 | 4 | 5 | 10 | 18 | 30 | 42 | 77 |
| TOTAL 0-19 YRS | 2208 | 8.6 | 73 | 2 | 3 | 6 | 9 | 16 | 23 | 52 |
| 20-34 | 6735 | 8.4 | 54 | 2 | 3 | 6 | 9 | 15 | 21 | 42 |
| 35-49 | 3322 | 12.0 | 106 | 4 | 5 | 9 | 14 | 23 | 32 | 58 |
| 50-64 | 3170 | 16.7 | 168 | 5 | 6 | 13 | 21 | 33 | 45 | 78 |
| 65+ | 3785 | 20.2 | 195 | 6 | 8 | 16 | 25 | 36 | 51 | 87 |
| GRAND TOTAL | 19220 | 12.7 | 134 | 3 | 4 | 9 | 15 | 26 | 36 | 67 |

## 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1873 | 3.4 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 9087 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 1321 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 50-64 | 266 | 3.9 | 25 | <1 | 1 | 2 | 4 | 9 | 12 | 28 |
| 65+ | 105 | 5.5 | 52 | 1 | 1 | 2 | 7 | 12 | 20 | 39 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1448 | 4.6 | 26 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 20-34 | 10468 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 35-49 | 1953 | 4.4 | 27 | <1 | 1 | 2 | 5 | 10 | 14 | 27 |
| 50-64 | 484 | 7.8 | 84 | 1 | 1 | 4 | 10 | 19 | 28 | 43 |
| 65+ | 285 | 11.7 | 168 | 1 | 2 | 9 | 15 | 26 | 37 | 93 |
| TOT. SINGLE DX | 12652 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| " MULTIPLE DX | 14638 | 4.0 | 23 | <1 | 1 | 2 | 5 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 3321 | 3.9 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 19555 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 3274 | 3.7 | 20 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 50-64 | 750 | 6.4 | 67 | 1 | 1 | 3 | 8 | 16 | 24 | 40 |
| 65+ | 390 | 10.1 | 144 | 1 | 1 | 6 | 14 | 24 | 32 | 82 |
| GRAND TOTAL | 27290 | 3.4 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |

## 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 412 | 7.6 | 52 | 1 | 2 | 6 | 9 | 14 | 17 | 38 |
| 20-34 | 1790 | 6.7 | 26 | 1 | 2 | 6 | 8 | 12 | 15 | 26 |
| 35-49 | 1245 | 9.0 | 38 | 2 | 2 | 8 | 11 | 16 | 19 | 31 |
| 50-64 | 1100 | 11.0 | 56 | 3 | 5 | 9 | 13 | 18 | 22 | 42 |
| 65+ | 981 | 12.9 | 49 | 5 | 6 | 12 | 16 | 21 | 26 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 613 | 10.2 | 111 | 2 | 3 | 7 | 11 | 19 | 30 | 73 |
| 20-34 | 3967 | 7.7 | 49 | 2 | 3 | 6 | 9 | 14 | 19 | 40 |
| 35-49 | 2626 | 12.2 | 109 | 2 | 4 | 9 | 15 | 24 | 32 | 59 |
| 50-64 | 2830 | 16.5 | 168 | 4 | 6 | 13 | 20 | 32 | 43 | 81 |
| 65+ | 3710 | 19.8 | 190 | 6 | 8 | 16 | 24 | 37 | 50 | 79 |
| TOT. SINGLE DX | 5528 | 9.3 | 47 | 2 | 2 | 8 | 12 | 17 | 21 | 33 |
| " MULTIPLE DX | 13746 | 13.8 | 149 | 2 | 4 | 10 | 17 | 28 | 38 | 70 |
| TOTAL 0-19 YRS | 1025 | 9.1 | 89 | 1 | 2 | 7 | 10 | 16 | 23 | 63 |
| 20-34 | 5757 | 7.4 | 43 | 1 | 2 | 6 | 9 | 13 | 18 | 34 |
| 35-49 | 3871 | 11.2 | 89 | 2 | 3 | 9 | 13 | 21 | 29 | 52 |
| 50-64 | 3930 | 14.9 | 143 | 4 | 5 | 12 | 18 | 28 | 40 | 72 |
| 65+ | 4691 | 18.4 | 169 | 6 | 8 | 15 | 22 | 34 | 46 | 76 |
| GRAND TOTAL | 19274 | 12.5 | 124 | 2 | 3 | 9 | 15 | 25 | 34 | 64 |

## 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 8.8 | 16 | 5 | 5 | 8 | 10 | 13 | 17 | 26 |
| 20-34 | 217 | 9.8 | 17 | 5 | 6 | 9 | 11 | 15 | 17 | 27 |
| 35-49 | 301 | 11.4 | 20 | 6 | 7 | 10 | 14 | 17 | 20 | 27 |
| 50-64 | 582 | 13.1 | 30 | 7 | 8 | 12 | 15 | 20 | 23 | 34 |
| 65+ | 573 | 14.5 | 47 | 8 | 8 | 13 | 17 | 23 | 27 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 278 | 11.6 | 75 | 4 | 6 | 9 | 13 | 21 | 34 | 89 |
| 20-34 | 537 | 13.6 | 105 | 6 | 7 | 10 | 15 | 25 | 32 | 61 |
| 35-49 | 720 | 15.3 | 91 | 7 | 8 | 13 | 18 | 26 | 34 | 57 |
| 50-64 | 1610 | 17.4 | 107 | 8 | 8 | 15 | 20 | 30 | 39 | 67 |
| 65+ | 2122 | 19.8 | 137 | 8 | 9 | 17 | 24 | 34 | 43 | 70 |
| TOT. SINGLE DX | 1788 | 12.6 | 35 | 6 | 7 | 11 | 15 | 20 | 24 | 34 |
| " MULTIPLE DX | 5267 | 17.4 | 122 | 7 | 8 | 14 | 21 | 31 | 40 | 67 |
| TOTAL 0-19 YRS | 393 | 10.8 | 59 | 4 | 5 | 9 | 12 | 19 | 27 | 61 |
| 20-34 | 754 | 12.5 | 63 | 6 | 7 | 10 | 14 | 21 | 29 | 51 |
| 35-49 | 1021 | 14.2 | 74 | 7 | 7 | 12 | 17 | 23 | 30 | 49 |
| 50-64 | 2192 | 16.2 | 91 | 7 | 8 | 14 | 19 | 28 | 35 | 56 |
| 65+ | 2695 | 18.7 | 123 | 8 | 9 | 16 | 22 | 31 | 41 | 66 |
| GRAND TOTAL | 7055 | 16.2 | 104 | 7 | 8 | 13 | 19 | 28 | 36 | 60 |

## 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 615 | 7.8 | 38 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| 20-34 | 1417 | 9.0 | 33 | 2 | 3 | 8 | 11 | 15 | 19 | 31 |
| 35-49 | 1453 | 9.3 | 27 | 2 | 4 | 9 | 11 | 15 | 18 | 28 |
| 50-64 | 1418 | 9.9 | 33 | 2 | 3 | 9 | 12 | 16 | 20 | 31 |
| 65+ | 680 | 10.6 | 43 | 2 | 2 | 10 | 13 | 18 | 23 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 664 | 11.1 | 72 | 2 | 2 | 9 | 14 | 22 | 28 | 46 |
| 20-34 | 1661 | 13.1 | 125 | 2 | 3 | 10 | 16 | 25 | 35 | 68 |
| 35-49 | 1664 | 13.7 | 115 | 2 | 3 | 11 | 17 | 25 | 36 | 59 |
| 50-64 | 2427 | 14.4 | 107 | 3 | 5 | 12 | 17 | 26 | 35 | 57 |
| 65+ | 2133 | 16.2 | 128 | 3 | 5 | 14 | 21 | 31 | 39 | 60 |
| TOT. SINGLE DX | 5583 | 9.4 | 34 | 2 | 2 | 9 | 11 | 16 | 19 | 31 |
| " MULTIPLE DX | 8549 | 14.2 | 117 | 2 | 4 | 12 | 18 | 27 | 36 | 60 |
| TOTAL 0-19 YRS | 1279 | 9.5 | 59 | 2 | 2 | 8 | 12 | 18 | 25 | 41 |
| 20-34 | 3078 | 11.2 | 87 | 2 | 3 | 9 | 13 | 21 | 28 | 55 |
| 35-49 | 3117 | 11.7 | 79 | 2 | 3 | 9 | 14 | 21 | 27 | 52 |
| 50-64 | 3845 | 12.8 | 85 | 2 | 4 | 11 | 15 | 23 | 30 | 53 |
| 65+ | 2813 | 14.8 | 113 | 2 | 4 | 12 | 19 | 28 | 36 | 56 |
| GRAND TOTAL | 14132 | 12.3 | 90 | 2 | 3 | 10 | 15 | 23 | 30 | 53 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 7.9 | 14 | 2 | 4 | 8 | 10 | 12 | 17 | 18 |
| 20-34 | 1261 | 8.8 | 15 | 3 | 5 | 8 | 11 | 14 | 15 | 20 |
| 35-49 | 1609 | 9.0 | 17 | 3 | 4 | 8 | 11 | 14 | 16 | 23 |
| 50-64 | 1481 | 9.7 | 19 | 4 | 5 | 9 | 12 | 14 | 18 | 25 |
| 65+ | 557 | 10.7 | 28 | 4 | 5 | 10 | 13 | 17 | 19 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 9.2 | 42 | 2 | 2 | 8 | 12 | 17 | 26 | 30 |
| 20-34 | 661 | 10.2 | 32 | 3 | 5 | 9 | 12 | 17 | 20 | 33 |
| 35-49 | 991 | 11.3 | 39 | 4 | 6 | 10 | 14 | 18 | 22 | 34 |
| 50-64 | 1519 | 12.3 | 52 | 5 | 6 | 11 | 15 | 21 | 25 | 40 |
| 65+ | 1241 | 14.9 | 95 | 4 | 6 | 12 | 18 | 25 | 33 | 55 |
| TOT. SINGLE DX | 5015 | 9.3 | 19 | 3 | 5 | 9 | 11 | 14 | 17 | 25 |
| " MULTIPLE DX | 4479 | 12.4 | 61 | 4 | 5 | 11 | 15 | 21 | 26 | 44 |
| TOTAL 0-19 YRS | 174 | 8.4 | 25 | 2 | 3 | 8 | 10 | 15 | 17 | 28 |
| 20-34 | 1922 | 9.3 | 21 | 3 | 5 | 9 | 11 | 14 | 17 | 27 |
| 35-49 | 2600 | 9.9 | 27 | 3 | 5 | 9 | 12 | 16 | 19 | 28 |
| 50-64 | 3000 | 11.0 | 38 | 4 | 5 | 10 | 13 | 18 | 22 | 34 |
| 65+ | 1798 | 13.6 | 78 | 4 | 6 | 11 | 16 | 24 | 29 | 51 |
| GRAND TOTAL | 9494 | 10.8 | 41 | 4 | 5 | 9 | 13 | 18 | 22 | 35 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 485 | 9.0 | 9 | 5 | 6 | 8 | 10 | 12 | 15 | 20 |
| 20-34 | 97 | 11.9 | 36 | 5 | 6 | 10 | 14 | 21 | 25 | 34 |
| 35-49 | 53 | 12.2 | 30 | 4 | 7 | 12 | 15 | 18 | 24 | 30 |
| 50-64 | 83 | 16.0 | 63 | 4 | 7 | 15 | 20 | 28 | 33 | 36 |
| 65+ | 85 | 16.0 | 105 | 3 | 5 | 15 | 20 | 28 | 33 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 603 | 10.8 | 33 | 5 | 6 | 9 | 12 | 16 | 20 | 37 |
| 20-34 | 208 | 15.9 | 157 | 6 | 7 | 12 | 18 | 30 | 49 | 99 |
| 35-49 | 156 | 17.7 | 114 | 8 | 9 | 14 | 21 | 33 | 39 | 77 |
| 50-64 | 264 | 21.0 | 198 | 5 | 9 | 18 | 26 | 39 | 49 | 78 |
| 65+ | 353 | 23.2 | 190 | 7 | 9 | 20 | 31 | 40 | 53 | 73 |
| TOT. SINGLE DX | 803 | 11.0 | 37 | 5 | 6 | 9 | 12 | 18 | 22 | 34 |
| " MULTIPLE DX | 1584 | 16.6 | 146 | 6 | 7 | 13 | 20 | 32 | 40 | 67 |
| TOTAL 0-19 YRS | 1088 | 10.0 | 23 | 5 | 6 | 9 | 11 | 15 | 17 | 32 |
| 20-34 | 305 | 14.6 | 122 | 6 | 7 | 11 | 17 | 25 | 40 | 81 |
| 35-49 | 209 | 16.3 | 98 | 7 | 8 | 13 | 19 | 29 | 36 | 69 |
| 50-64 | 347 | 19.8 | 171 | 5 | 8 | 17 | 24 | 34 | 46 | 78 |
| 65+ | 438 | 21.8 | 182 | 5 | 9 | 19 | 28 | 39 | 52 | 67 |
| GRAND TOTAL | 2387 | 14.7 | 116 | 5 | 7 | 11 | 17 | 27 | 36 | 62 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 277 | 4.6 | 15 | <1 | 1 | 4 | 6 | 10 | 12 | 21 |
| 20-34 | 1846 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 2067 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 1546 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 560 | 6.0 | 19 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 222 | 7.8 | 52 | 1 | 1 | 5 | 11 | 16 | 22 | 34 |
| 20-34 | 802 | 6.3 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 21 |
| 35-49 | 1002 | 6.8 | 28 | 2 | 2 | 6 | 8 | 12 | 16 | 27 |
| 50-64 | 1315 | 7.7 | 44 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 1029 | 10.2 | 75 | 2 | 3 | 8 | 13 | 21 | 26 | 50 |
| TOT. SINGLE DX | 6296 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| " MULTIPLE DX | 4370 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 35 |
| TOTAL 0-19 YRS | 499 | 6.0 | 34 | <1 | 1 | 4 | 8 | 12 | 16 | 31 |
| 20-34 | 2648 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 3069 | 5.4 | 18 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 2861 | 6.3 | 29 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 1589 | 8.7 | 60 | 2 | 2 | 6 | 11 | 17 | 24 | 42 |
| GRAND TOTAL | 10666 | 6.1 | 28 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4745 | 2.3 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 5859 | 3.7 | 11 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 6299 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 7972 | 4.0 | 16 | 1 | 1 | 2 | 5 | 8 | 11 | 19 |
| 65+ | 8390 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5290 | 3.4 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 8827 | 6.1 | 48 | 1 | 1 | 4 | 8 | 12 | 17 | 35 |
| 35-49 | 11240 | 6.8 | 53 | 1 | 1 | 5 | 9 | 14 | 19 | 38 |
| 50-64 | 19537 | 7.4 | 66 | 1 | 1 | 5 | 9 | 18 | 22 | 42 |
| 65+ | 32878 | 10.3 | 110 | 1 | 2 | 7 | 13 | 22 | 31 | 58 |
| TOT. SINGLE DX | 33265 | 3.9 | 16 | 1 | 1 | 2 | 5 | 8 | 11 | 19 |
| " MULTIPLE DX | 77772 | 8.1 | 83 | 1 | 1 | 5 | 10 | 18 | 25 | 48 |
| TOTAL 0-19 YRS | 10035 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 14686 | 5.1 | 35 | 1 | 1 | 3 | 6 | 11 | 14 | 28 |
| 35-49 | 17539 | 5.7 | 41 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| 50-64 | 27509 | 6.4 | 54 | 1 | 1 | 4 | 8 | 14 | 19 | 38 |
| 65+ | 41268 | 9.2 | 98 | 1 | 2 | 6 | 12 | 20 | 28 | 53 |
| GRAND TOTAL | 111037 | 6.8 | 66 | 1 | 1 | 4 | 9 | 15 | 21 | 43 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 10 | 13 |
| 20-34 | 354 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 921 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 3704 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 7267 | 4.9 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 120 | 4.5 | 12 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 20-34 | 592 | 5.7 | 39 | 1 | 2 | 4 | 6 | 12 | 16 | 36 |
| 35-49 | 1193 | 5.8 | 39 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| 50-64 | 4547 | 6.4 | 49 | 1 | 2 | 4 | 8 | 13 | 18 | 38 |
| 65+ | 12644 | 8.7 | 79 | 2 | 2 | 6 | 10 | 18 | 25 | 50 |
| TOT. SINGLE DX | 12314 | 4.6 | 16 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| " MULTIPLE DX | 19096 | 7.3 | 70 | 2 | 2 | 5 | 9 | 16 | 23 | 45 |
| TOTAL 0-19 YRS | 188 | 4.1 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 20-34 | 946 | 4.8 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| 35-49 | 2114 | 5.0 | 30 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 50-64 | 8251 | 5.4 | 34 | 1 | 2 | 4 | 6 | 10 | 15 | 30 |
| 65+ | 19911 | 7.3 | 61 | 2 | 2 | 5 | 9 | 15 | 21 | 41 |
| GRAND TOTAL | 31410 | 6.5 | 51 | 1 | 2 | 4 | 8 | 13 | 19 | 38 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 302 | 5.9 | 26 | 1 | 2 | 4 | 8 | 11 | 14 | 31 |
| 20-34 | 497 | 6.5 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| 35-49 | 663 | 6.6 | 31 | 1 | 1 | 5 | 9 | 14 | 17 | 29 |
| 50-64 | 1201 | 7.5 | 47 | 1 | 2 | 5 | 11 | 16 | 21 | 31 |
| 65+ | 1780 | 8.3 | 61 | 1 | 2 | 6 | 12 | 18 | 23 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 610 | 9.6 | 102 | 2 | 3 | 7 | 11 | 19 | 29 | 61 |
| 20-34 | 893 | 10.0 | 139 | 1 | 2 | 7 | 12 | 23 | 35 | 88 |
| 35-49 | 1121 | 10.5 | 135 | 1 | 2 | 8 | 13 | 21 | 31 | 77 |
| 50-64 | 2648 | 11.2 | 124 | 2 | 2 | 8 | 15 | 23 | 32 | 61 |
| 65+ | 5900 | 13.8 | 152 | 2 | 3 | 11 | 18 | 30 | 39 | 78 |
| TOT. SINGLE DX | 4443 | 7.5 | 48 | 1 | 2 | 5 | 10 | 16 | 20 | 33 |
| " MULTIPLE DX | 11172 | 12.3 | 143 | 2 | 2 | 9 | 16 | 27 | 36 | 73 |
| TOTAL 0-19 YRS | 912 | 8.4 | 80 | 1 | 2 | 6 | 10 | 17 | 23 | 52 |
| 20-34 | 1390 | 8.7 | 101 | 1 | 2 | 6 | 10 | 18 | 28 | 72 |
| 35-49 | 1784 | 9.0 | 100 | 1 | 2 | 7 | 11 | 17 | 26 | 59 |
| 50-64 | 3849 | 10.0 | 103 | 1 | 2 | 7 | 14 | 21 | 28 | 52 |
| 65+ | 7680 | 12.5 | 137 | 2 | 2 | 9 | 17 | 27 | 36 | 68 |
| GRAND TOTAL | 15615 | 10.9 | 120 | 2 | 2 | 8 | 14 | 24 | 32 | 64 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1192 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 105 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 16 |
| 35-49 | 80 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 88 | 3.2 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 65+ | 55 | 3.5 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 893 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 20-34 | 236 | 3.3 | 27 | 1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 35-49 | 192 | 4.4 | 17 | 1 | 1 | 3 | 5 | 10 | 12 | 21 |
| 50-64 | 222 | 4.9 | 17 | 1 | 2 | 3 | 7 | 10 | 13 | 21 |
| 65+ | 205 | 7.2 | 67 | 2 | 2 | 5 | 9 | 16 | 21 | 55 |
| TOT. SINGLE DX | 1520 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 1748 | 3.5 | 20 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 2085 | 1.7 | 2 | <1 | <1 | 1 | [illegible] | 3 | 4 | 8 |
| 20-34 | 341 | 3.1 | 21 | <1 | 1 | 2 | [illegible] | 5 | 8 | 18 |
| 35-49 | 272 | 3.9 | 14 | <1 | 1 | 2 | [illegible] | 8 | 12 | 21 |
| 50-64 | 310 | 4.4 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 65+ | 260 | 6.4 | 57 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |
| GRAND TOTAL | 3268 | 2.7 | 12 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1227 | 5.9 | 17 | 1 | 1 | 5 | 9 | 11 | 13 | 17 |
| 20-34 | 777 | 4.0 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 415 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 14 | 20 |
| 50-64 | 498 | 5.1 | 17 | 1 | 2 | 4 | 7 | 10 | 11 | 22 |
| 65+ | 547 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 709 | 5.4 | 22 | 1 | 1 | 4 | 8 | 11 | 13 | 21 |
| 20-34 | 655 | 5.6 | 36 | 1 | 1 | 3 | 7 | 13 | 16 | 35 |
| 35-49 | 586 | 6.7 | 58 | 1 | 2 | 4 | 8 | 13 | 20 | 33 |
| 50-64 | 846 | 6.8 | 39 | 2 | 2 | 5 | 9 | 14 | 19 | 28 |
| 65+ | 1231 | 8.3 | 71 | 2 | 2 | 6 | 10 | 17 | 25 | 42 |
| TOT. SINGLE DX | 3464 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| " MULTIPLE DX | 4027 | 6.8 | 50 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 1936 | 5.7 | 19 | 1 | 1 | 5 | 8 | 11 | 13 | 20 |
| 20-34 | 1432 | 4.7 | 24 | <1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 35-49 | 1001 | 6.1 | 42 | 1 | 2 | 4 | 8 | 12 | 16 | 30 |
| 50-64 | 1344 | 6.2 | 32 | 1 | 2 | 4 | 8 | 12 | 17 | 26 |
| 65+ | 1778 | 7.3 | 58 | 2 | 2 | 5 | 9 | 15 | 22 | 36 |
| GRAND TOTAL | 7491 | 6.0 | 36 | 1 | 1 | 4 | 8 | 12 | 16 | 30 |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1242 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 860 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 770 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 704 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 65+ | 828 | 4.4 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2252 | 2.5 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 2479 | 4.8 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 35-49 | 2588 | 6.2 | 43 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| 50-64 | 3379 | 6.8 | 54 | 1 | 2 | 5 | 9 | 15 | 19 | 35 |
| 65+ | 5645 | 9.6 | 90 | 2 | 2 | 7 | 13 | 20 | 27 | 50 |
| TOT. SINGLE DX | 4404 | 3.0 | 11 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| " MULTIPLE DX | 16343 | 6.8 | 60 | 1 | 1 | 4 | 9 | 15 | 21 | 39 |
| TOTAL 0-19 YRS | 3494 | 2.2 | 7 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |
| 20-34 | 3339 | 4.3 | 21 | <1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 35-49 | 3358 | 5.5 | 38 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| 50-64 | 4083 | 6.2 | 49 | 1 | 1 | 4 | 8 | 14 | 18 | 33 |
| 65+ | 6473 | 9.0 | 85 | 1 | 2 | 6 | 12 | 19 | 25 | 48 |
| GRAND TOTAL | 20747 | 6.0 | 52 | 1 | 1 | 3 | 8 | 14 | 19 | 36 |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 642 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 814 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 574 | 4.6 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 50-64 | 566 | 4.9 | 12 | 1 | 2 | 4 | 6 | 10 | 12 | 18 |
| 65+ | 589 | 5.2 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 701 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 1017 | 4.4 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| 35-49 | 806 | 5.7 | 36 | 1 | 2 | 3 | 7 | 13 | 17 | 30 |
| 50-64 | 1116 | 6.4 | 39 | 1 | 2 | 4 | 8 | 13 | 17 | 33 |
| 65+ | 1766 | 9.1 | 81 | 2 | 2 | 6 | 11 | 19 | 26 | 49 |
| TOT. SINGLE DX | 3185 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| " MULTIPLE DX | 5406 | 6.4 | 50 | 1 | 2 | 4 | 8 | 13 | 19 | 36 |
| TOTAL 0-19 YRS | 1343 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 1831 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| 35-49 | 1380 | 5.2 | 28 | 1 | 2 | 3 | 7 | 11 | 15 | 28 |
| 50-64 | 1682 | 5.9 | 31 | 1 | 2 | 4 | 7 | 12 | 15 | 28 |
| 65+ | 2355 | 8.2 | 68 | 2 | 2 | 6 | 10 | 16 | 23 | 44 |
| GRAND TOTAL | 8591 | 5.5 | 37 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 3.9 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 293 | 7.5 | 12 | 3 | 4 | 7 | 9 | 10 | 13 | 18 |
| 35-49 | 1023 | 8.3 | 8 | 5 | 5 | 8 | 9 | 11 | 14 | 19 |
| 50-64 | 1063 | 8.9 | 8 | 5 | 6 | 8 | 10 | 12 | 15 | 20 |
| 65+ | 480 | 10.0 | 17 | 5 | 6 | 9 | 11 | 15 | 18 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 8.9 | 39 | 3 | 3 | 7 | 11 | 17 | 24 | 25 |
| 20-34 | 388 | 8.6 | 19 | 5 | 5 | 8 | 10 | 12 | 16 | 26 |
| 35-49 | 1540 | 9.8 | 21 | 5 | 6 | 9 | 11 | 15 | 18 | 28 |
| 50-64 | 1775 | 10.8 | 35 | 6 | 6 | 9 | 12 | 16 | 20 | 33 |
| 65+ | 983 | 12.6 | 53 | 6 | 7 | 10 | 15 | 21 | 28 | 42 |
| TOT. SINGLE DX | 2868 | 8.7 | 11 | 5 | 5 | 8 | 10 | 12 | 15 | 20 |
| " MULTIPLE DX | 4697 | 10.6 | 35 | 5 | 6 | 9 | 12 | 17 | 21 | 32 |
| TOTAL 0-19 YRS | 20 | 6.7 | 30 | 1 | 2 | 5 | 9 | 12 | 18 | 25 |
| 20-34 | 681 | 8.1 | 17 | 4 | 5 | 8 | 9 | 12 | 14 | 23 |
| 35-49 | 2563 | 9.2 | 17 | 5 | 6 | 8 | 10 | 14 | 16 | 26 |
| 50-64 | 2838 | 10.1 | 26 | 5 | 6 | 9 | 11 | 15 | 18 | 29 |
| 65+ | 1463 | 11.8 | 43 | 6 | 7 | 10 | 14 | 19 | 23 | 36 |
| GRAND TOTAL | 7565 | 9.9 | 27 | 5 | 6 | 9 | 11 | 15 | 19 | 29 |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 66 | 7.4 | 5 | 4 | 4 | 8 | 9 | 11 | 12 | 14 |
| 35-49 | 248 | 8.1 | 8 | 4 | 5 | 8 | 9 | 12 | 13 | 17 |
| 50-64 | 282 | 8.3 | 9 | 4 | 5 | 8 | 10 | 12 | 14 | 20 |
| 65+ | 156 | 9.1 | 15 | 4 | 5 | 9 | 11 | 14 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 9.5 | 33 | 2 | 2 | 10 | 13 | 16 | 16 | 16 |
| 20-34 | 71 | 9.1 | 24 | 3 | 4 | 8 | 11 | 14 | 18 | 32 |
| 35-49 | 309 | 9.3 | 19 | 4 | 5 | 8 | 11 | 15 | 18 | 29 |
| 50-64 | 349 | 10.2 | 34 | 4 | 5 | 9 | 12 | 16 | 20 | 32 |
| 65+ | 320 | 11.1 | 45 | 4 | 5 | 9 | 14 | 18 | 23 | 40 |
| TOT. SINGLE DX | 754 | 8.3 | 10 | 4 | 5 | 8 | 10 | 12 | 14 | 19 |
| " MULTIPLE DX | 1053 | 10.1 | 33 | 4 | 5 | 9 | 12 | 16 | 20 | 32 |
| TOTAL 0-19 YRS | 6 | 8.2 | 27 | 2 | 2 | 8 | 11 | 15 | 16 | 16 |
| 20-34 | 137 | 8.3 | 16 | 4 | 4 | 8 | 10 | 12 | 14 | 25 |
| 35-49 | 557 | 8.7 | 15 | 4 | 5 | 8 | 10 | 13 | 16 | 22 |
| 50-64 | 631 | 9.4 | 24 | 4 | 5 | 8 | 11 | 14 | 17 | 27 |
| 65+ | 476 | 10.4 | 37 | 4 | 5 | 9 | 12 | 17 | 21 | 32 |
| GRAND TOTAL | 1807 | 9.4 | 24 | 4 | 5 | 8 | 11 | 15 | 18 | 28 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 3.7 | 7 | <1 | 1 | 3 | 6 | 8 | 9 | 10 |
| 20-34 | 82 | 5.4 | 15 | 1 | 2 | 5 | 6 | 10 | 15 | 22 |
| 35-49 | 92 | 5.3 | 17 | <1 | 2 | 4 | 7 | 12 | 14 | 20 |
| 50-64 | 95 | 5.7 | 21 | 1 | 2 | 4 | 8 | 12 | 17 | 20 |
| 65+ | 54 | 7.4 | 39 | 2 | 2 | 5 | 10 | 15 | 23 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 4.5 | 59 | <1 | 1 | 2 | 5 | 8 | 14 | 44 |
| 20-34 | 118 | 6.4 | 29 | 1 | 2 | 5 | 8 | 13 | 15 | 27 |
| 35-49 | 157 | 8.5 | 45 | 2 | 2 | 7 | 12 | 18 | 20 | 34 |
| 50-64 | 205 | 8.5 | 77 | 1 | 2 | 6 | 11 | 19 | 23 | 53 |
| 65+ | 246 | 12.4 | 109 | 2 | 2 | 9 | 17 | 25 | 36 | 50 |
| TOT. SINGLE DX | 356 | 5.6 | 21 | 1 | 2 | 4 | 7 | 12 | 15 | 23 |
| " MULTIPLE DX | 785 | 9.1 | 78 | 1 | 2 | 6 | 12 | 20 | 26 | 44 |
| TOTAL 0-19 YRS | 92 | 4.2 | 40 | <1 | 1 | 2 | 5 | 8 | 10 | 42 |
| 20-34 | 200 | 6.0 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 35-49 | 249 | 7.3 | 37 | 1 | 2 | 5 | 10 | 16 | 19 | 31 |
| 50-64 | 300 | 7.6 | 61 | 1 | 2 | 5 | 10 | 17 | 21 | 41 |
| 65+ | 300 | 11.5 | 100 | 2 | 2 | 9 | 16 | 25 | 32 | 49 |
| GRAND TOTAL | 1141 | 8.0 | 63 | 1 | 2 | 6 | 10 | 18 | 23 | 41 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 5.8 | 19 | 1 | 1 | 5 | 9 | 12 | 14 | 14 |
| 20-34 | 46 | 6.5 | 27 | 1 | 1 | 6 | 9 | 12 | 18 | 22 |
| 35-49 | 35 | 8.5 | 29 | 1 | 2 | 9 | 11 | 15 | 20 | 23 |
| 50-64 | 24 | 14.5 | 77 | 2 | 2 | 14 | 20 | 28 | 30 | 33 |
| 65+ | 25 | 12.9 | 140 | 1 | 2 | 10 | 16 | 29 | 42 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 7.7 | 19 | 1 | 2 | 8 | 10 | 12 | 16 | 19 |
| 20-34 | 73 | 12.3 | 78 | 3 | 4 | 9 | 17 | 22 | 26 | 52 |
| 35-49 | 90 | 13.7 | 185 | 2 | 3 | 11 | 15 | 23 | 31 | 85 |
| 50-64 | 110 | 18.1 | 189 | 4 | 6 | 15 | 20 | 36 | 44 | 71 |
| 65+ | 152 | 17.4 | 186 | 2 | 3 | 16 | 23 | 29 | 42 | 77 |
| TOT. SINGLE DX | 140 | 9.8 | 65 | 1 | 2 | 8 | 12 | 19 | 24 | 40 |
| " MULTIPLE DX | 445 | 15.6 | 168 | 2 | 4 | 13 | 20 | 28 | 39 | 75 |
| TOTAL 0-19 YRS | 30 | 7.1 | 19 | 1 | 1 | 7 | 10 | 12 | 14 | 19 |
| 20-34 | 119 | 10.1 | 67 | 1 | 2 | 8 | 13 | 21 | 24 | 39 |
| 35-49 | 125 | 12.3 | 146 | 2 | 2 | 10 | 15 | 22 | 28 | 81 |
| 50-64 | 134 | 17.5 | 170 | 3 | 6 | 14 | 20 | 32 | 43 | 70 |
| 65+ | 177 | 16.8 | 181 | 2 | 3 | 15 | 22 | 29 | 41 | 74 |
| GRAND TOTAL | 585 | 14.1 | 150 | 2 | 3 | 11 | 18 | 26 | 34 | 68 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 8.2 | 30 | 2 | 3 | 7 | 9 | 13 | 23 | 27 |
| 20-34 | 36 | 5.8 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| 35-49 | 342 | 6.4 | 10 | 3 | 4 | 6 | 8 | 10 | 13 | 19 |
| 50-64 | 7103 | 6.8 | 9 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 15223 | 7.8 | 15 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 12.4 | 95 | 4 | 4 | 8 | 15 | 28 | 34 | 46 |
| 20-34 | 65 | 9.7 | 63 | 2 | 3 | 8 | 12 | 19 | 35 | 90 |
| 35-49 | 576 | 8.6 | 27 | 3 | 4 | 7 | 10 | 18 | 19 | 27 |
| 50-64 | 12508 | 9.5 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 38 |
| 65+ | 41135 | 12.1 | 83 | 4 | 5 | 9 | 14 | 23 | 30 | 82 |
| TOT. SINGLE DX | 22733 | 7.5 | 14 | 4 | 4 | 7 | 9 | 11 | 16 | 21 |
| " MULTIPLE DX | 54331 | 11.5 | 76 | 4 | 5 | 9 | 14 | 21 | 28 | 49 |
| TOTAL 0-19 YRS | 76 | 10.8 | 74 | 3 | 4 | 8 | 13 | 23 | 32 | 44 |
| 20-34 | 101 | 8.3 | 50 | 2 | 3 | 7 | 10 | 16 | 27 | 67 |
| 35-49 | 918 | 7.8 | 22 | 3 | 4 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 19611 | 8.5 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 33 |
| 65+ | 56358 | 11.0 | 69 | 4 | 5 | 8 | 13 | 20 | 27 | 47 |
| GRAND TOTAL | 77064 | 10.3 | 61 | 4 | 5 | 8 | 12 | 18 | 25 | 44 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 5.1 | 26 | 1 | 1 | 4 | 5 | 12 | 19 | 20 |
| 20-34 | 5 | 4.2 | 8 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 35-49 | 21 | 10.5 | 32 | 2 | 3 | 12 | 15 | 16 | 19 | 22 |
| 50-64 | 898 | 12.1 | 26 | 6 | 7 | 11 | 14 | 18 | 22 | 29 |
| 65+ | 1593 | 12.8 | 26 | 7 | 8 | 12 | 15 | 19 | 22 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 7.3 | 60 | <1 | <1 | 4 | 11 | 21 | 23 | 23 |
| 20-34 | 9 | 10.9 | 97 | 2 | 2 | 5 | 21 | 25 | 28 | 28 |
| 35-49 | 30 | 13.3 | 68 | 3 | 3 | 11 | 18 | 25 | 31 | 34 |
| 50-64 | 1328 | 14.4 | 51 | 7 | 8 | 13 | 17 | 23 | 28 | 39 |
| 65+ | 4475 | 16.2 | 73 | 7 | 9 | 14 | 19 | 26 | 32 | 52 |
| TOT. SINGLE DX | 2528 | 12.5 | 27 | 6 | 7 | 12 | 15 | 19 | 22 | 29 |
| " MULTIPLE DX | 5851 | 15.8 | 69 | 7 | 8 | 14 | 19 | 25 | 31 | 49 |
| TOTAL 0-19 YRS | 20 | 6.1 | 41 | <1 | 1 | 4 | 6 | 18 | 21 | 23 |
| 20-34 | 14 | 8.5 | 74 | 2 | 2 | 4 | 11 | 22 | 27 | 28 |
| 35-49 | 51 | 12.1 | 54 | 2 | 3 | 11 | 16 | 23 | 25 | 34 |
| 50-64 | 2226 | 13.5 | 42 | 6 | 8 | 12 | 16 | 21 | 26 | 37 |
| 65+ | 6068 | 15.3 | 64 | 7 | 8 | 13 | 18 | 24 | 29 | 49 |
| GRAND TOTAL | 8379 | 14.8 | 59 | 7 | 8 | 13 | 17 | 23 | 28 | 45 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 3.1 | 2 | 2 | 2 | 3 | 3 | 5 | 7 | 7 |
| 20-34 | 47 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 257 | 2.8 | 8 | <1 | 1 | 2 | 3 | 4 | 7 | 19 |
| 50-64 | 1898 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 2814 | 3.8 | 15 | 1 | 1 | 3 | 4 | 8 | 10 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 7.8 | 60 | 2 | 2 | 5 | 9 | 15 | 26 | 35 |
| 20-34 | 52 | 6.3 | 57 | <1 | 1 | 4 | 7 | 14 | 20 | 41 |
| 35-49 | 285 | 4.7 | 19 | 1 | 1 | 3 | 6 | 10 | 12 | 26 |
| 50-64 | 2033 | 6.1 | 50 | 1 | 2 | 4 | 7 | 13 | 19 | 36 |
| 65+ | 4647 | 8.7 | 80 | 2 | 2 | 6 | 11 | 19 | 25 | 45 |
| TOT. SINGLE DX | 5030 | 3.4 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| " MULTIPLE DX | 7036 | 7.8 | 71 | 1 | 2 | 5 | 10 | 17 | 23 | 42 |
| TOTAL 0-19 YRS | 33 | 5.8 | 41 | 2 | 2 | 3 | 7 | 13 | 15 | 35 |
| 20-34 | 99 | 4.7 | 34 | <1 | 1 | 3 | 5 | 9 | 15 | 37 |
| 35-49 | 542 | 3.8 | 15 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| 50-64 | 3931 | 4.6 | 32 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| 65+ | 7461 | 6.8 | 61 | 1 | 2 | 4 | 9 | 16 | 21 | 39 |
| GRAND TOTAL | 12066 | 6.0 | 51 | 1 | 2 | 3 | 7 | 14 | 19 | 36 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 542 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 603 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 388 | 3.8 | 11 | <1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 50-64 | 383 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| 65+ | 237 | 4.6 | 15 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 338 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| 20-34 | 314 | 5.8 | 30 | 1 | 2 | 4 | 7 | 12 | 17 | 28 |
| 35-49 | 310 | 7.2 | 65 | 2 | 2 | 5 | 9 | 14 | 21 | 46 |
| 50-64 | 441 | 7.5 | 85 | 2 | 2 | 5 | 8 | 15 | 23 | 52 |
| 65+ | 440 | 11.1 | 155 | 2 | 3 | 7 | 13 | 24 | 36 | 72 |
| TOT. SINGLE DX | 2153 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| " MULTIPLE DX | 1843 | 7.3 | 63 | 1 | 2 | 4 | 8 | 15 | 23 | 49 |
| TOTAL 0-19 YRS | 880 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 917 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 698 | 5.3 | 38 | 1 | 1 | 4 | 4 | 10 | 14 | 38 |
| 50-64 | 824 | 6.0 | 55 | 1 | 2 | 4 | 6 | 12 | 17 | 45 |
| 65+ | 677 | 8.8 | 116 | 2 | 2 | 5 | 10 | 18 | 28 | 58 |
| GRAND TOTAL | 3996 | 5.2 | 47 | 1 | 1 | 3 | 5 | 10 | 15 | 38 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 748 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 981 | 4.6 | 13 | 1 | 2 | 4 | 5 | 8 | 12 | 19 |
| 35-49 | 371 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 387 | 6.0 | 22 | 2 | 2 | 4 | 8 | 12 | 16 | 24 |
| 65+ | 849 | 6.1 | 31 | 2 | 2 | 4 | 8 | 13 | 17 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 634 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 605 | 6.0 | 30 | 2 | 2 | 4 | 7 | 12 | 17 | 32 |
| 35-49 | 352 | 6.5 | 38 | 2 | 2 | 5 | 8 | 13 | 19 | 39 |
| 50-64 | 850 | 9.6 | 109 | 2 | 2 | 6 | 12 | 20 | 27 | 53 |
| 65+ | 2456 | 11.3 | 110 | 2 | 3 | 8 | 15 | 24 | 31 | 68 |
| TOT. SINGLE DX | 3336 | 4.8 | 18 | 1 | 2 | 3 | 6 | 10 | 13 | 22 |
| " MULTIPLE DX | 4897 | 9.0 | 90 | 2 | 2 | 6 | 11 | 20 | 27 | 49 |
| TOTAL 0-19 YRS | 1382 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 1586 | 5.1 | 22 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| 35-49 | 723 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 1237 | 8.5 | 85 | 2 | 2 | 5 | 10 | 18 | 25 | 45 |
| 65+ | 3305 | 9.9 | 95 | 2 | 2 | 7 | 13 | 22 | 29 | 51 |
| GRAND TOTAL | 8233 | 7.3 | 65 | 2 | 2 | 4 | 9 | 16 | 22 | 40 |

### 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3440 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 20-34 | 472 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 41 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 7 |
| 50-64 | 11 | 5.8 | 8 | 3 | 3 | 5 | 7 | 10 | 13 | 13 |
| 65+ | 4 | 5.3 | 12 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2293 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 155 | 4.4 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 24 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 50-64 | 11 | 2.8 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 8 | 19.5 | 1127 | 2 | 2 | 4 | 21 | 79 | 98 | 98 |
| TOT. SINGLE DX | 3968 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| " MULTIPLE DX | 2491 | 3.3 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 5733 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 627 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 65 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 22 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 10 | 13 |
| 65+ | 12 | 14.8 | 770 | 1 | 2 | 4 | 8 | 54 | 92 | 98 |
| GRAND TOTAL | 6459 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |

### 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 674 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 736 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 215 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 94 | 3.7 | 16 | 1 | 2 | 3 | 4 | 6 | 7 | 29 |
| 65+ | 35 | 7.6 | 81 | 2 | 2 | 4 | 9 | 20 | 26 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 277 | 3.4 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 312 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 131 | 4.7 | 13 | 1 | 2 | 3 | 6 | 10 | 13 | 19 |
| 50-64 | 93 | 5.9 | 37 | 1 | 2 | 4 | 7 | 11 | 22 | 31 |
| 65+ | 61 | 11.5 | 142 | 2 | 3 | 6 | 12 | 33 | 41 | 46 |
| TOT. SINGLE DX | 1754 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| " MULTIPLE DX | 874 | 4.4 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 32 |
| TOTAL 0-19 YRS | 951 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1048 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 346 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 187 | 4.8 | 25 | 1 | 2 | 3 | 5 | 9 | 14 | 29 |
| 65+ | 96 | 10.1 | 123 | 2 | 2 | 5 | 12 | 28 | 40 | 45 |
| GRAND TOTAL | 2628 | 3.3 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 22 |

### 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 2.5 | 2 | <1 | <1 | 2 | 4 | 4 | 6 | 6 |
| 20-34 | 712 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 35-49 | 427 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 50-64 | 49 | 3.3 | 13 | <1 | <1 | 1 | 6 | 8 | 11 | 17 |
| 65+ | 35 | 8.3 | 24 | 2 | 3 | 7 | 10 | 16 | 18 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 324 | 3.1 | 16 | <1 | <1 | 2 | 3 | 6 | 10 | 21 |
| 35-49 | 266 | 3.8 | 34 | <1 | <1 | 2 | 4 | 9 | 11 | 20 |
| 50-64 | 97 | 6.5 | 28 | 1 | 1 | 6 | 9 | 12 | 15 | 29 |
| 65+ | 139 | 12.6 | 98 | 4 | 5 | 10 | 15 | 22 | 31 | 54 |
| TOT. SINGLE DX | 1237 | 1.6 | 4 | <1 | <1 | 1 | 1 | 2 | 5 | 13 |
| " MULTIPLE DX | 832 | 5.3 | 49 | <1 | 1 | 3 | 7 | 12 | 16 | 36 |
| TOTAL 0-19 YRS | 20 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 1036 | 1.9 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 35-49 | 693 | 2.3 | 16 | <1 | <1 | 1 | 2 | 4 | 8 | 18 |
| 50-64 | 146 | 5.5 | 25 | <1 | <1 | 4 | 8 | 12 | 14 | 23 |
| 65+ | 174 | 11.8 | 87 | 3 | 5 | 9 | 14 | 21 | 29 | 52 |
| GRAND TOTAL | 2069 | 2.1 | 25 | <1 | <1 | 1 | 3 | 8 | 12 | 22 |

### 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2007 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 3053 | 2.7 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1991 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 1817 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 739 | 3.9 | 6 | 2 | 2 | 3 | 5 | 6 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1289 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1788 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 1121 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 1565 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 65+ | 1062 | 6.6 | 33 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| TOT. SINGLE DX | 9607 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| " MULTIPLE DX | 6825 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| TOTAL 0-19 YRS | 3296 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4841 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 3112 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 3382 | 4.1 | 8 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 1801 | 5.5 | 24 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |
| GRAND TOTAL | 16432 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4244 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 1808 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 941 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 560 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 65+ | 324 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1285 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 20 |
| 20-34 | 1160 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 10 | 19 |
| 35-49 | 1101 | 4.1 | 20 | 1 | 1 | 2 | 5 | 9 | 11 | 21 |
| 50-64 | 1085 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 65+ | 994 | 6.4 | 50 | 1 | 2 | 3 | 8 | 15 | 22 | 34 |
| TOT. SINGLE DX | 9839 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| " MULTIPLE DX | 6585 | 4.3 | 30 | 1 | 1 | 2 | 4 | 9 | 13 | 28 |
| TOTAL 0-19 YRS | 6874 | 2.2 | 10 | <1 | <1 | 2 | 2 | 3 | 4 | 15 |
| 20-34 | 3443 | 2.5 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 13 |
| 35-49 | 2424 | 3.1 | 12 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 50-64 | 2072 | 3.6 | 17 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 65+ | 1611 | 5.4 | 43 | 1 | 2 | 3 | 6 | 12 | 19 | 33 |
| GRAND TOTAL | 16424 | 2.9 | 14 | <1 | 1 | 2 | 3 | 5 | 9 | 20 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 396 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 20-34 | 467 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 9 | 16 |
| 35-49 | 330 | 4.4 | 10 | 1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 50-64 | 597 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 300 | 5.4 | 28 | 1 | 2 | 4 | 7 | 10 | 13 | 27 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 295 | 4.0 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 20-34 | 394 | 6.3 | 70 | 1 | 1 | 4 | 7 | 12 | 18 | 46 |
| 35-49 | 500 | 6.8 | 39 | 2 | 2 | 5 | 8 | 13 | 17 | 36 |
| 50-64 | 958 | 6.7 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 610 | 8.7 | 100 | 2 | 2 | 6 | 9 | 17 | 26 | 55 |
| TOT. SINGLE DX | 2090 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| " MULTIPLE DX | 2757 | 6.8 | 52 | 1 | 2 | 5 | 8 | 13 | 18 | 38 |
| TOTAL 0-19 YRS | 691 | 3.4 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 16 |
| 20-34 | 861 | 4.4 | 40 | <1 | 1 | 2 | 5 | 9 | 12 | 28 |
| 35-49 | 830 | 5.9 | 29 | 1 | 2 | 4 | 7 | 11 | 14 | 30 |
| 50-64 | 1555 | 6.0 | 21 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 910 | 7.6 | 79 | 2 | 2 | 5 | 8 | 14 | 21 | 49 |
| GRAND TOTAL | 4847 | 5.6 | 37 | 1 | 1 | 4 | 7 | 10 | 14 | 31 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| TOT. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| " MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| TOTAL 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| GRAND TOTAL |  |  |  |  |  |  |  |  |  |  |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1186 | 5.6 | 4 | 3 | 3 | 5 | 7 | 8 | 10 | 13 |
| 20-34 | 4213 | 5.7 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 559 | 6.5 | 9 | 3 | 4 | 6 | 8 | 10 | 11 | 19 |
| 50-64 | 128 | 8.1 | 16 | 2 | 4 | 7 | 9 | 13 | 17 | 22 |
| 65+ | 76 | 12.4 | 65 | 5 | 6 | 10 | 15 | 22 | 30 | 45 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1134 | 6.3 | 12 | 3 | 4 | 6 | 7 | 9 | 12 | 18 |
| 20-34 | 6842 | 6.4 | 10 | 3 | 4 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 1254 | 8.2 | 37 | 3 | 4 | 7 | 9 | 13 | 18 | 30 |
| 50-64 | 292 | 12.8 | 107 | 5 | 6 | 10 | 15 | 23 | 36 | 66 |
| 65+ | 294 | 18.9 | 190 | 6 | 8 | 15 | 23 | 35 | 47 | 61 |
| TOT. SINGLE DX | 6162 | 5.9 | 7 | 3 | 3 | 6 | 7 | 8 | 10 | 15 |
| " MULTIPLE DX | 9816 | 7.2 | 27 | 3 | 4 | 6 | 8 | 11 | 15 | 29 |
| TOTAL 0-19 YRS | 2320 | 6.0 | 9 | 3 | 3 | 6 | 7 | 9 | 11 | 15 |
| 20-34 | 11055 | 6.1 | 8 | 3 | 4 | 6 | 7 | 9 | 10 | 17 |
| 35-49 | 1813 | 7.7 | 29 | 3 | 4 | 7 | 8 | 12 | 17 | 28 |
| 50-64 | 420 | 11.4 | 84 | 3 | 5 | 9 | 13 | 20 | 29 | 53 |
| 65+ | 370 | 17.6 | 140 | 6 | 7 | 14 | 22 | 35 | 43 | 60 |
| GRAND TOTAL | 15978 | 6.7 | 19 | 3 | 4 | 6 | 7 | 10 | 13 | 24 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 609 | 6.2 | 4 | 4 | 4 | 6 | 7 | 9 | 11 | 14 |
| 20-34 | 3910 | 6.2 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 1283 | 6.7 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 17 |
| 50-64 | 240 | 8.9 | 21 | 5 | 5 | 8 | 10 | 13 | 17 | 30 |
| 65+ | 137 | 10.6 | 25 | 5 | 6 | 9 | 13 | 18 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 841 | 6.9 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 20-34 | 7409 | 7.0 | 11 | 4 | 4 | 6 | 8 | 10 | 13 | 20 |
| 35-49 | 3146 | 8.1 | 23 | 4 | 5 | 7 | 9 | 12 | 16 | 27 |
| 50-64 | 567 | 11.5 | 59 | 5 | 6 | 9 | 14 | 20 | 25 | 40 |
| 65+ | 474 | 17.4 | 146 | 6 | 7 | 14 | 21 | 32 | 44 | 72 |
| TOT. SINGLE DX | 6179 | 6.5 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 17 |
| " MULTIPLE DX | 12437 | 7.9 | 26 | 4 | 5 | 7 | 8 | 12 | 16 | 29 |
| TOTAL 0-19 YRS | 1450 | 6.6 | 7 | 4 | 4 | 6 | 7 | 10 | 12 | 16 |
| 20-34 | 11319 | 6.7 | 9 | 4 | 4 | 6 | 7 | 10 | 12 | 19 |
| 35-49 | 4429 | 7.7 | 19 | 4 | 5 | 7 | 8 | 11 | 15 | 24 |
| 50-64 | 807 | 10.7 | 49 | 5 | 5 | 8 | 12 | 19 | 24 | 38 |
| 65+ | 611 | 15.9 | 127 | 6 | 7 | 13 | 19 | 29 | 39 | 68 |
| GRAND TOTAL | 18616 | 7.4 | 20 | 4 | 4 | 6 | 8 | 11 | 15 | 25 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 6.2 | 3 | 2 | 5 | 6 | 7 | 9 | 10 | 10 |
| 20-34 | 443 | 6.6 | 9 | 3 | 4 | 6 | 8 | 9 | 11 | 16 |
| 35-49 | 667 | 7.3 | 8 | 4 | 5 | 7 | 8 | 10 | 12 | 19 |
| 50-64 | 340 | 8.7 | 26 | 5 | 5 | 8 | 10 | 13 | 16 | 24 |
| 65+ | 168 | 10.8 | 55 | 6 | 6 | 9 | 12 | 17 | 21 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 7.6 | 12 | 4 | 5 | 7 | 8 | 12 | 15 | 22 |
| 20-34 | 1569 | 7.5 | 13 | 4 | 5 | 7 | 8 | 11 | 14 | 22 |
| 35-49 | 2431 | 8.9 | 33 | 5 | 5 | 7 | 10 | 14 | 18 | 32 |
| 50-64 | 1028 | 11.6 | 60 | 5 | 6 | 9 | 14 | 20 | 26 | 43 |
| 65+ | 602 | 16.5 | 111 | 6 | 7 | 14 | 20 | 31 | 39 | 67 |
| TOT. SINGLE DX | 1638 | 7.7 | 19 | 4 | 5 | 7 | 9 | 12 | 14 | 22 |
| " MULTIPLE DX | 5671 | 9.8 | 48 | 5 | 5 | 8 | 11 | 17 | 22 | 40 |
| TOTAL 0-19 YRS | 61 | 7.1 | 10 | 4 | 5 | 7 | 8 | 10 | 14 | 21 |
| 20-34 | 2012 | 7.3 | 13 | 4 | 5 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 3098 | 8.6 | 29 | 4 | 5 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 1368 | 10.9 | 54 | 5 | 6 | 8 | 13 | 19 | 24 | 42 |
| 65+ | 770 | 15.3 | 105 | 6 | 7 | 12 | 18 | 29 | 37 | 64 |
| GRAND TOTAL | 7309 | 9.4 | 42 | 4 | 5 | 7 | 10 | 16 | 21 | 38 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 199 | 4.2 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 20-34 | 811 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 144 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 50-64 | 21 | 6.1 | 19 | 1 | 2 | 6 | 9 | 11 | 15 | 18 |
| 65+ | 7 | 9.4 | 39 | 2 | 2 | 10 | 15 | 18 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 248 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 2042 | 5.1 | 13 | 1 | 2 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 346 | 6.6 | 35 | 1 | 2 | 6 | 8 | 13 | 17 | 33 |
| 50-64 | 36 | 11.0 | 56 | 2 | 3 | 8 | 13 | 24 | 28 | 31 |
| 65+ | 25 | 15.1 | 119 | 3 | 3 | 13 | 19 | 35 | 38 | 43 |
| TOT. SINGLE DX | 1182 | 4.0 | 9 | 1 | 1 | 3 | 6 | 7 | 9 | 16 |
| " MULTIPLE DX | 2697 | 5.4 | 19 | 1 | 2 | 5 | 7 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 447 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 2853 | 4.7 | 12 | 1 | 1 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 490 | 5.9 | 30 | 1 | 1 | 5 | 7 | 11 | 16 | 31 |
| 50-64 | 57 | 9.2 | 48 | 1 | 2 | 8 | 10 | 20 | 24 | 31 |
| 65+ | 32 | 13.8 | 106 | 2 | 3 | 11 | 17 | 30 | 37 | 43 |
| GRAND TOTAL | 3879 | 5.0 | 17 | 1 | 1 | 5 | 6 | 8 | 11 | 21 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 116 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 16345 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 6114 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 50-64 | 36 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 14 |
| 20-34 | 11057 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 4988 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 50-64 | 43 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 22611 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 16185 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 213 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 27402 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 11102 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 50-64 | 79 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 38796 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |

### 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 12773 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 4330 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 41 | 3.9 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 24 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 211 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| 20-34 | 18275 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 5261 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 54 | 6.9 | 45 | 1 | 2 | 6 | 8 | 15 | 16 | 44 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 17281 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 23801 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 348 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 31048 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 9591 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 95 | 5.6 | 34 | 1 | 1 | 4 | 7 | 11 | 15 | 36 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 41082 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |

### 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 496 | 5.3 | 3 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 7065 | 4.9 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 890 | 4.8 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 16 | 6.4 | 8 | 3 | 3 | 6 | 9 | 10 | 11 | 12 |
| 65+ | 9 | 10.9 | 28 | 4 | 4 | 11 | 15 | 18 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 501 | 6.1 | 9 | 2 | 3 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 7424 | 5.4 | 7 | 2 | 2 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 1121 | 5.6 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 29 | 10.7 | 30 | 3 | 4 | 10 | 14 | 19 | 23 | 23 |
| 65+ | 17 | 12.5 | 78 | 2 | 3 | 9 | 18 | 27 | 27 | 27 |
| TOT. SINGLE DX | 8476 | 4.9 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| " MULTIPLE DX | 9092 | 5.5 | 8 | 2 | 2 | 5 | 7 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 997 | 5.7 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 15 |
| 20-34 | 14489 | 5.2 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 2011 | 5.2 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 16 |
| 50-64 | 45 | 9.2 | 27 | 3 | 3 | 9 | 11 | 17 | 20 | 23 |
| 65+ | 26 | 11.9 | 60 | 2 | 4 | 10 | 16 | 26 | 27 | 27 |
| GRAND TOTAL | 17568 | 5.2 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 14 |

### 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 192 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 3982 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 1363 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 476 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 205 | 3.4 | 12 | 1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 2536 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 1321 | 3.3 | 15 | <1 | 1 | 2 | 3 | 6 | 9 | 21 |
| 50-64 | 592 | 3.9 | 20 | 1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 65+ | 257 | 6.1 | 71 | 1 | 2 | 3 | 6 | 13 | 18 | 44 |
| TOT. SINGLE DX | 6218 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| " MULTIPLE DX | 4832 | 3.3 | 14 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| TOTAL 0-19 YRS | 318 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 6518 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 2684 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 1068 | 3.3 | 13 | <1 | 1 | 2 | 3 | 6 | 10 | 18 |
| 65+ | 462 | 4.9 | 47 | 1 | 1 | 3 | 4 | 10 | 15 | 42 |
| GRAND TOTAL | 11050 | 2.8 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |

### 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 133 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 1631 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 35-49 | 1743 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 50-64 | 1206 | 2.8 | 7 | <1 | 1 | 2 | 2 | 5 | 8 | 15 |
| 65+ | 638 | 4.5 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 170 | 3.3 | 30 | <1 | 1 | 2 | 3 | 6 | 8 | 28 |
| 20-34 | 2861 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 4005 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 50-64 | 2574 | 4.1 | 31 | 1 | 1 | 2 | 4 | 9 | 13 | 27 |
| 65+ | 1568 | 8.1 | 82 | 2 | 2 | 6 | 10 | 16 | 24 | 53 |
| TOT. SINGLE DX | 5351 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| " MULTIPLE DX | 11178 | 3.9 | 29 | <1 | 1 | 2 | 4 | 9 | 12 | 27 |
| TOTAL 0-19 YRS | 303 | 2.7 | 18 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 4492 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 7 | 13 |
| 35-49 | 5748 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 3780 | 3.7 | 25 | <1 | 1 | 2 | 3 | 8 | 12 | 23 |
| 65+ | 2206 | 7.0 | 68 | 1 | 2 | 4 | 9 | 14 | 21 | 45 |
| GRAND TOTAL | 16529 | 3.5 | 23 | <1 | 1 | 2 | 3 | 7 | 11 | 23 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 180 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 2990 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 254 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 50-64 | 7 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 818 | 4.2 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 103 | 3.9 | 21 | 1 | 1 | 3 | 4 | 7 | 9 | 28 |
| 50-64 | 12 | 6.5 | 29 | 1 | 1 | 6 | 8 | 13 | 20 | 21 |
| 65+ | 4 | 7.0 | 18 | 3 | 3 | 6 | 10 | 13 | 13 | 13 |
| TOT. SINGLE DX | 3432 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 995 | 4.2 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 238 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 3808 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 357 | 3.1 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 19 | 4.9 | 23 | <1 | 1 | 4 | 7 | 9 | 16 | 21 |
| 65+ | 5 | 6.6 | 14 | 3 | 3 | 6 | 8 | 13 | 13 | 13 |
| **GRAND TOTAL** | **4427** | **3.3** | **6** | **1** | **1** | **3** | **4** | **6** | **7** | **12** |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 4.3 | 7 | <1 | <1 | 4 | 6 | 7 | 9 | 12 |
| 20-34 | 1191 | 5.2 | 7 | <1 | 1 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 414 | 4.5 | 10 | <1 | 1 | 4 | 7 | 8 | 9 | 14 |
| 50-64 | 129 | 3.9 | 77 | <1 | 1 | 2 | 3 | 7 | 10 | 42 |
| 65+ | 76 | 5.1 | 94 | 1 | 2 | 3 | 5 | 10 | 13 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 20-34 | 1933 | 5.9 | 16 | 1 | 1 | 6 | 7 | 9 | 11 | 20 |
| 35-49 | 882 | 5.9 | 31 | 1 | 1 | 5 | 8 | 10 | 13 | 26 |
| 50-64 | 368 | 5.4 | 55 | 1 | 1 | 3 | 6 | 11 | 18 | 48 |
| 65+ | 240 | 9.9 | 162 | 1 | 2 | 5 | 13 | 22 | 40 | 87 |
| TOT. SINGLE DX | 1851 | 5.0 | 17 | <1 | 1 | 5 | 7 | 8 | 9 | 14 |
| " MULTIPLE DX | 3475 | 6.1 | 36 | 1 | 1 | 6 | 7 | 10 | 14 | 31 |
| TOTAL 0-19 YRS | 93 | 4.5 | 11 | <1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 3124 | 5.6 | 13 | <1 | 1 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 1296 | 5.5 | 25 | 1 | 1 | 5 | 7 | 10 | 12 | 24 |
| 50-64 | 497 | 5.0 | 62 | 1 | 1 | 2 | 5 | 10 | 16 | 47 |
| 65+ | 316 | 8.8 | 150 | 1 | 2 | 4 | 11 | 20 | 31 | 84 |
| **GRAND TOTAL** | **5326** | **5.7** | **29** | **1** | **1** | **5** | **7** | **9** | **12** | **26** |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 7.5 | 4 | 5 | 5 | 7 | 9 | 10 | 12 | 16 |
| 20-34 | 5868 | 7.1 | 4 | 5 | 5 | 7 | 8 | 9 | 11 | 15 |
| 35-49 | 9606 | 7.3 | 4 | 5 | 5 | 7 | 8 | 9 | 11 | 15 |
| 50-64 | 3318 | 8.2 | 8 | 5 | 6 | 8 | 9 | 11 | 14 | 20 |
| 65+ | 1458 | 9.9 | 20 | 6 | 6 | 9 | 11 | 15 | 18 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 291 | 7.5 | 13 | 4 | 5 | 7 | 8 | 10 | 13 | 23 |
| 20-34 | 26921 | 7.6 | 9 | 5 | 5 | 7 | 8 | 10 | 12 | 19 |
| 35-49 | 55233 | 8.0 | 11 | 5 | 6 | 7 | 9 | 11 | 13 | 21 |
| 50-64 | 15508 | 9.1 | 22 | 5 | 6 | 8 | 10 | 13 | 17 | 28 |
| 65+ | 5398 | 12.8 | 69 | 6 | 7 | 10 | 15 | 22 | 28 | 49 |
| TOT. SINGLE DX | 20323 | 7.6 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 103351 | 8.3 | 17 | 5 | 6 | 7 | 9 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 364 | 7.5 | 12 | 5 | 5 | 7 | 8 | 10 | 13 | 22 |
| 20-34 | 32789 | 7.5 | 9 | 5 | 5 | 7 | 8 | 10 | 12 | 19 |
| 35-49 | 64839 | 7.9 | 10 | 5 | 6 | 7 | 9 | 11 | 13 | 20 |
| 50-64 | 18826 | 9.0 | 20 | 5 | 6 | 8 | 10 | 13 | 16 | 28 |
| 65+ | 6856 | 12.2 | 61 | 6 | 7 | 10 | 14 | 20 | 26 | 46 |
| **GRAND TOTAL** | **123674** | **8.2** | **15** | **5** | **6** | **7** | **9** | **11** | **14** | **24** |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 6.7 | 3 | 4 | 5 | 6 | 8 | 9 | 11 | 11 |
| 20-34 | 3371 | 5.9 | 2 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 3041 | 6.5 | 5 | 4 | 4 | 6 | 7 | 9 | 11 | 15 |
| 50-64 | 1472 | 8.0 | 7 | 5 | 5 | 8 | 9 | 11 | 13 | 18 |
| 65+ | 1181 | 8.7 | 11 | 5 | 6 | 8 | 10 | 12 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 6.3 | 5 | 3 | 4 | 6 | 7 | 10 | 12 | 12 |
| 20-34 | 11145 | 6.4 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 16578 | 7.0 | 9 | 4 | 5 | 6 | 8 | 10 | 12 | 17 |
| 50-64 | 5667 | 8.5 | 11 | 5 | 6 | 8 | 10 | 12 | 14 | 20 |
| 65+ | 3849 | 10.2 | 29 | 6 | 6 | 9 | 11 | 15 | 19 | 31 |
| TOT. SINGLE DX | 9080 | 6.8 | 7 | 4 | 5 | 6 | 8 | 10 | 11 | 16 |
| " MULTIPLE DX | 37269 | 7.4 | 12 | 4 | 5 | 7 | 8 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | 45 | 6.4 | 5 | 3 | 4 | 6 | 8 | 9 | 11 | 12 |
| 20-34 | 14516 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 35-49 | 19619 | 7.0 | 9 | 4 | 5 | 6 | 8 | 10 | 12 | 17 |
| 50-64 | 7139 | 8.4 | 11 | 5 | 5 | 8 | 10 | 12 | 14 | 19 |
| 65+ | 5030 | 9.9 | 26 | 6 | 6 | 9 | 11 | 15 | 18 | 29 |
| **GRAND TOTAL** | **46349** | **7.3** | **11** | **4** | **5** | **7** | **8** | **11** | **13** | **19** |

## 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 9 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 90 | 12.7 | 58 | 6 | 7 | 11 | 15 | 18 | 23 | 54 |
| 35-49 | 92 | 13.8 | 32 | 7 | 8 | 12 | 16 | 23 | 25 | 32 |
| 50-64 | 75 | 14.2 | 70 | 6 | 7 | 11 | 18 | 25 | 29 | 53 |
| 65+ | 47 | 15.7 | 59 | 7 | 9 | 14 | 19 | 23 | 32 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 19.3 | 214 | 6 | 6 | 17 | 30 | 35 | 35 | 35 |
| 20-34 | 87 | 12.6 | 30 | 6 | 7 | 11 | 15 | 21 | 24 | 28 |
| 35-49 | 163 | 17.2 | 144 | 7 | 8 | 13 | 19 | 31 | 47 | 99 |
| 50-64 | 160 | 19.8 | 185 | 7 | 9 | 15 | 23 | 40 | 54 | 74 |
| 65+ | 88 | 21.1 | 210 | 8 | 9 | 17 | 23 | 40 | 50 | 82 |
| TOT. SINGLE DX | 307 | 13.8 | 54 | 6 | 7 | 12 | 16 | 22 | 27 | 46 |
| " MULTIPLE DX | 501 | 17.9 | 157 | 7 | 8 | 14 | 20 | 34 | 45 | 81 |
| TOTAL 0-19 YRS | 6 | 13.0 | 138 | 4 | 4 | 8 | 17 | 33 | 35 | 35 |
| 20-34 | 177 | 12.6 | 44 | 6 | 7 | 11 | 15 | 20 | 24 | 41 |
| 35-49 | 255 | 16.0 | 107 | 7 | 8 | 13 | 18 | 29 | 34 | 91 |
| 50-64 | 235 | 18.0 | 155 | 7 | 8 | 14 | 20 | 35 | 46 | 71 |
| 65+ | 135 | 19.3 | 164 | 8 | 9 | 16 | 21 | 37 | 43 | 77 |
| GRAND TOTAL | 808 | 16.4 | 122 | 7 | 8 | 13 | 19 | 29 | 39 | 68 |

## 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1205 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 4175 | 1.3 | | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| 35-49 | 523 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 244 | 3.1 | 35 | <1 | <1 | 1 | 3 | 6 | 8 | 18 |
| 20-34 | 1606 | 2.7 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 534 | 2.3 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5903 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 2384 | 2.7 | 13 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| TOTAL 0-19 YRS | 1449 | 1.6 | 7 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 20-34 | 5781 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 35-49 | 1057 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 8287 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |

## 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10362 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 73105 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 28648 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 10997 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 2895 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4103 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 20-34 | 42815 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 34089 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 9 | 16 |
| 50-64 | 14660 | 3.3 | 17 | <1 | 1 | 2 | 3 | 7 | 10 | 21 |
| 65+ | 5472 | 5.5 | 51 | 1 | 1 | 3 | 6 | 12 | 18 | 36 |
| TOT. SINGLE DX | 126007 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 101139 | 3.1 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| TOTAL 0-19 YRS | 14465 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 115920 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 35-49 | 62737 | 2.4 | 7 | <1 | <1 | 2 | 2 | 4 | 7 | 13 |
| 50-64 | 25657 | 2.7 | 11 | <1 | <1 | 2 | 2 | 5 | 8 | 17 |
| 65+ | 8367 | 4.6 | 39 | 1 | 1 | 2 | 5 | 10 | 15 | 32 |
| GRAND TOTAL | 227146 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 7 | 14 |

## 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3909 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 11993 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 35-49 | 1432 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1248 | 1.7 | 11 | <1 | <1 | <1 | 1 | 2 | 5 | 12 |
| 20-34 | 5612 | 2.1 | 9 | <1 | <1 | <1 | 2 | 4 | 6 | 15 |
| 35-49 | 1509 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 17334 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| " MULTIPLE DX | 8369 | 2.0 | 10 | <1 | <1 | <1 | 2 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 5157 | 1.3 | 3 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| 20-34 | 17605 | 1.5 | 4 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |
| 35-49 | 2941 | 1.6 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 25703 | 1.5 | 4 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1122 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 20-34 | 6226 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 753 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | 16 | 2.4 | 6 | <1 | <1 | 2 | 2 | 7 | 9 | 9 |
| 65+ | 6 | 2.5 | 5 | 1 | 1 | 2 | 2 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 20-34 | 1389 | 2.5 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 303 | 3.1 | 26 | <1 | <1 | 2 | 3 | 5 | 11 | 32 |
| 50-64 | 39 | 7.7 | 123 | <1 | <1 | 2 | 10 | 27 | 34 | 47 |
| 65+ | 26 | 11.5 | 225 | 2 | 2 | 8 | 12 | 29 | 48 | 70 |
| TOT. SINGLE DX | 8123 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| " MULTIPLE DX | 1965 | 2.8 | 18 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |
| TOTAL 0-19 YRS | 1330 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 7615 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 1056 | 1.9 | 9 | <1 | <1 | 1 | 2 | 3 | 4 | 17 |
| 50-64 | 55 | 6.2 | 94 | <1 | <1 | 2 | 7 | 15 | 30 | 47 |
| 65+ | 32 | 9.8 | 195 | 1 | 2 | 5 | 10 | 20 | 41 | 70 |
| GRAND TOTAL | 10088 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 5.0 | 3 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 141 | 5.3 | 5 | 1 | 2 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 29 | 5.1 | 10 | 1 | 1 | 5 | 8 | 10 | 10 | 11 |
| 50-64 | 24 | 7.3 | 12 | 4 | 4 | 7 | 8 | 10 | 14 | 22 |
| 65+ | 21 | 9.5 | 16 | 5 | 6 | 9 | 11 | 13 | 18 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 14 | 17 |
| 20-34 | 443 | 6.3 | 10 | 2 | 3 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 72 | 6.8 | 14 | <1 | 1 | 6 | 9 | 11 | 13 | 18 |
| 50-64 | 42 | 9.0 | 22 | 4 | 6 | 8 | 11 | 13 | 16 | 32 |
| 65+ | 40 | 12.7 | 85 | 5 | 6 | 9 | 14 | 25 | 33 | 50 |
| TOT. SINGLE DX | 224 | 5.9 | 9 | 1 | 2 | 6 | 7 | 9 | 10 | 16 |
| " MULTIPLE DX | 638 | 6.9 | 19 | 2 | 4 | 6 | 8 | 11 | 14 | 28 |
| TOTAL 0-19 YRS | 50 | 6.3 | 9 | 3 | 3 | 5 | 8 | 10 | 12 | 17 |
| 20-34 | 584 | 6.0 | 9 | 2 | 3 | 6 | 7 | 9 | 10 | 17 |
| 35-49 | 101 | 6.3 | 14 | 1 | 1 | 6 | 8 | 11 | 12 | 18 |
| 50-64 | 66 | 8.4 | 20 | 4 | 5 | 7 | 9 | 12 | 16 | 30 |
| 65+ | 61 | 11.6 | 63 | 5 | 6 | 9 | 12 | 20 | 28 | 49 |
| GRAND TOTAL | 862 | 6.7 | 16 | 2 | 3 | 6 | 8 | 10 | 13 | 23 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 191 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 816 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 10 |
| 35-49 | 166 | 3.5 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 50-64 | 135 | 4.2 | 6 | 1 | 2 | 4 | 5 | 6 | 10 | 15 |
| 65+ | 103 | 4.2 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 99 | 4.9 | 16 | 1 | 1 | 4 | 7 | 9 | 11 | 25 |
| 20-34 | 887 | 4.3 | 17 | <1 | 1 | 3 | 6 | 8 | 9 | 23 |
| 35-49 | 267 | 4.6 | 19 | 1 | 1 | 3 | 6 | 8 | 11 | 23 |
| 50-64 | 178 | 5.3 | 21 | 1 | 2 | 4 | 6 | 11 | 13 | 23 |
| 65+ | 174 | 6.4 | 66 | 2 | 2 | 4 | 6 | 13 | 22 | 42 |
| TOT. SINGLE DX | 1411 | 3.3 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 1605 | 4.7 | 24 | 1 | 1 | 4 | 6 | 8 | 11 | 26 |
| TOTAL 0-19 YRS | 290 | 3.5 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 1703 | 3.8 | 13 | <1 | <1 | 3 | 5 | 7 | 8 | 16 |
| 35-49 | 433 | 4.2 | 15 | 1 | 1 | 3 | 6 | 8 | 10 | 22 |
| 50-64 | 313 | 4.8 | 15 | 1 | 2 | 4 | 5 | 9 | 11 | 21 |
| 65+ | 277 | 5.6 | 45 | 2 | 2 | 4 | 5 | 8 | 15 | 39 |
| GRAND TOTAL | 3016 | 4.1 | 16 | <1 | 1 | 3 | 5 | 8 | 9 | 22 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 5.8 | 22 | 1 | 2 | 5 | 7 | 13 | 18 | 18 |
| 20-34 | 418 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 17 |
| 35-49 | 1229 | 6.9 | 8 | 3 | 4 | 7 | 8 | 10 | 12 | 16 |
| 50-64 | 2051 | 7.1 | 7 | 4 | 4 | 7 | 8 | 10 | 12 | 17 |
| 65+ | 1349 | 7.7 | 9 | 4 | 4 | 7 | 9 | 11 | 14 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 7.3 | 16 | <1 | 2 | 7 | 10 | 13 | 15 | 16 |
| 20-34 | 787 | 7.3 | 13 | 3 | 4 | 7 | 9 | 11 | 13 | 22 |
| 35-49 | 2549 | 8.5 | 17 | 4 | 5 | 8 | 10 | 13 | 16 | 23 |
| 50-64 | 3563 | 8.7 | 17 | 4 | 5 | 8 | 10 | 14 | 16 | 24 |
| 65+ | 2482 | 9.8 | 34 | 5 | 5 | 9 | 11 | 15 | 19 | 31 |
| TOT. SINGLE DX | 5058 | 7.1 | 9 | 4 | 4 | 7 | 8 | 11 | 12 | 17 |
| " MULTIPLE DX | 9399 | 8.8 | 22 | 4 | 5 | 8 | 10 | 14 | 17 | 25 |
| TOTAL 0-19 YRS | 29 | 6.8 | 19 | 1 | 2 | 6 | 8 | 13 | 16 | 18 |
| 20-34 | 1205 | 6.8 | 13 | 3 | 3 | 6 | 8 | 11 | 12 | 20 |
| 35-49 | 3778 | 8.0 | 15 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| 50-64 | 5614 | 8.2 | 14 | 4 | 5 | 7 | 9 | 12 | 15 | 22 |
| 65+ | 3831 | 9.1 | 27 | 4 | 5 | 8 | 10 | 14 | 17 | 26 |
| GRAND TOTAL | 14457 | 8.2 | 16 | 4 | 5 | 7 | 9 | 13 | 15 | 23 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| 20-34 | 776 | 3.9 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 337 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 238 | 5.7 | 11 | 1 | 1 | 6 | 8 | 10 | 11 | 16 |
| 65+ | 107 | 7.3 | 19 | 2 | 2 | 7 | 9 | 12 | 17 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 5.3 | 64 | <1 | 1 | 3 | 6 | 12 | 15 | 43 |
| 20-34 | 389 | 5.1 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 35-49 | 300 | 6.9 | 31 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 50-64 | 322 | 9.2 | 63 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| 65+ | 254 | 11.5 | 116 | 3 | 4 | 8 | 14 | 22 | 31 | 53 |
| TOT. SINGLE DX | 1635 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| " MULTIPLE DX | 1392 | 7.6 | 59 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| TOTAL 0-19 YRS | 304 | 4.1 | 35 | <1 | 1 | 2 | 5 | 9 | 13 | 26 |
| 20-34 | 1165 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 35-49 | 637 | 5.5 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| 50-64 | 560 | 7.7 | 44 | 1 | 2 | 6 | 9 | 14 | 19 | 35 |
| 65+ | 361 | 10.2 | 91 | 2 | 3 | 8 | 11 | 18 | 27 | 49 |
| GRAND TOTAL | 3027 | 5.9 | 36 | 1 | 1 | 5 | 7 | 11 | 15 | 30 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 613 | 3.2 | 11 | <1 | <1 | 2 | 3 | 7 | 9 | 19 |
| 20-34 | 1821 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 629 | 4.0 | 27 | <1 | 1 | 2 | 5 | 9 | 11 | 25 |
| 50-64 | 476 | 4.7 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |
| 65+ | 536 | 5.8 | 17 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 495 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| 20-34 | 1568 | 4.7 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 35-49 | 829 | 6.6 | 41 | 1 | 1 | 5 | 9 | 14 | 19 | 33 |
| 50-64 | 966 | 7.5 | 57 | 1 | 2 | 6 | 9 | 15 | 21 | 41 |
| 65+ | 1254 | 10.0 | 82 | 2 | 3 | 8 | 12 | 21 | 29 | 49 |
| TOT. SINGLE DX | 4075 | 3.8 | 16 | <1 | 1 | 2 | 5 | 8 | 10 | 20 |
| " MULTIPLE DX | 5112 | 6.8 | 52 | 1 | 1 | 5 | 8 | 14 | 20 | 39 |
| TOTAL 0-19 YRS | 1108 | 3.8 | 19 | <1 | 1 | 2 | 5 | 8 | 12 | 21 |
| 20-34 | 3389 | 3.9 | 16 | <1 | 1 | 2 | 5 | 8 | 11 | 19 |
| 35-49 | 1458 | 5.5 | 27 | <1 | 1 | 3 | 7 | 12 | 17 | 33 |
| 50-64 | 1442 | 6.5 | 47 | 1 | 2 | 5 | 8 | 13 | 19 | 37 |
| 65+ | 1790 | 8.8 | 67 | 2 | 2 | 7 | 10 | 17 | 25 | 46 |
| GRAND TOTAL | 9187 | 5.5 | 38 | <1 | 1 | 4 | 7 | 11 | 16 | 32 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 928 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4252 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1773 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 832 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 421 | 3.9 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 352 | 3.7 | 20 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| 20-34 | 1515 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 11 | 30 |
| 35-49 | 981 | 4.5 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| 50-64 | 750 | 7.0 | 92 | 1 | 1 | 4 | 8 | 15 | 25 | 53 |
| 65+ | 651 | 9.1 | 103 | 2 | 2 | 6 | 12 | 19 | 29 | 61 |
| TOT. SINGLE DX | 8206 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 4249 | 5.4 | 50 | 1 | 1 | 3 | 6 | 12 | 17 | 38 |
| TOTAL 0-19 YRS | 1280 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 5767 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 2754 | 3.2 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 50-64 | 1582 | 4.8 | 52 | 1 | 1 | 3 | 5 | 10 | 15 | 37 |
| 65+ | 1072 | 7.1 | 76 | 1 | 2 | 4 | 9 | 16 | 23 | 54 |
| GRAND TOTAL | 12455 | 3.4 | 22 | <1 | 1 | 2 | 4 | 6 | 10 | 25 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 2.2 | | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 75 | 4.4 | 16 | <1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 35-49 | 80 | 6.6 | 63 | <1 | 1 | 4 | 8 | 15 | 20 | 46 |
| 50-64 | 118 | 9.0 | 77 | 2 | 2 | 6 | 11 | 21 | 28 | 44 |
| 65+ | 140 | 11.1 | 98 | 2 | 2 | 8 | 16 | 25 | 30 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 3 | 2 | 2 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 46 | 7.5 | 75 | 1 | 2 | 4 | 10 | 13 | 26 | 52 |
| 35-49 | 78 | 9.6 | 85 | 1 | 2 | 7 | 12 | 27 | 30 | 38 |
| 50-64 | 125 | 14.0 | 183 | 2 | 3 | 10 | 18 | 26 | 49 | 64 |
| 65+ | 248 | 19.9 | 285 | 3 | 5 | 16 | 27 | 43 | 56 | 96 |
| TOT. SINGLE DX | 431 | 8.2 | 75 | 1 | 2 | 5 | 10 | 19 | 26 | 44 |
| " MULTIPLE DX | 505 | 15.5 | 229 | 2 | 3 | 11 | 20 | 35 | 45 | 83 |
| TOTAL 0-19 YRS | 26 | 2.4 | 2 | <1 | 1 | 2 | 2 | 5 | 6 | 7 |
| 20-34 | 121 | 5.6 | 41 | <1 | 1 | 3 | 7 | 11 | 14 | 34 |
| 35-49 | 158 | 8.1 | 76 | 1 | 1 | 5 | 9 | 20 | 28 | 43 |
| 50-64 | 243 | 11.6 | 138 | 2 | 2 | 8 | 16 | 24 | 35 | 62 |
| 65+ | 388 | 16.7 | 236 | 2 | 3 | 12 | 22 | 38 | 45 | 92 |
| GRAND TOTAL | 936 | 12.1 | 171 | 1 | 2 | 7 | 16 | 28 | 39 | 68 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 187 | 1.9 | 1 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 325 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 91 | 3.3 | 9 | <1 | 1 | 2 | 4 | 6 | 10 | 17 |
| 50-64 | 62 | 4.5 | 29 | <1 | 1 | 3 | 5 | 8 | 11 | 37 |
| 65+ | 22 | 6.9 | 111 | <1 | 1 | 4 | 6 | 14 | 31 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 83 | 3.2 | 13 | 1 | 1 | 2 | 4 | 6 | 8 | 24 |
| 20-34 | 208 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 77 | 5.6 | 14 | 1 | 1 | 5 | 8 | 10 | 13 | 20 |
| 50-64 | 78 | 8.9 | 132 | 2 | 2 | 6 | 10 | 20 | 25 | 74 |
| 65+ | 29 | 11.2 | 130 | 2 | 2 | 9 | 12 | 27 | 40 | 48 |
| TOT. SINGLE DX | 687 | 3.1 | 10 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| " MULTIPLE DX | 475 | 5.2 | 43 | 1 | 1 | 3 | 6 | 10 | 15 | 33 |
| TOTAL 0-19 YRS | 270 | 2.3 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 533 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 168 | 4.4 | 13 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 50-64 | 140 | 7.0 | 92 | 1 | 2 | 4 | 8 | 14 | 22 | 44 |
| 65+ | 51 | 9.4 | 125 | 1 | 1 | 6 | 10 | 22 | 39 | 50 |
| GRAND TOTAL | 1162 | 3.9 | 25 | <1 | 1 | 3 | 5 | 8 | 10 | 24 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 2.8 | 13 | <1 | <1 | 1 | 2 | 7 | 11 | 19 |
| 20-34 | 78 | 4.0 | 38 | <1 | <1 | 2 | 3 | 12 | 17 | 36 |
| 35-49 | 22 | 3.7 | 10 | <1 | 1 | 2 | 6 | 9 | 11 | 12 |
| 50-64 | 20 | 3.9 | 30 | <1 | <1 | 2 | 4 | 8 | 18 | 25 |
| 65+ | 5 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 4.0 | 25 | <1 | <1 | 2 | 5 | 10 | 15 | 24 |
| 20-34 | 82 | 5.7 | 49 | <1 | 1 | 3 | 6 | 14 | 20 | 39 |
| 35-49 | 39 | 5.9 | 35 | 1 | 2 | 3 | 9 | 15 | 24 | 99+ |
| 50-64 | 19 | 7.6 | 71 | 1 | 2 | 5 | 11 | 14 | 27 | 38 |
| 65+ | 39 | 10.3 | 185 | 1 | 1 | 5 | 11 | 28 | 44 | 60 |
| TOT. SINGLE DX | 166 | 3.6 | 26 | <1 | <1 | 2 | 3 | 8 | 14 | 24 |
| " MULTIPLE DX | 215 | 6.5 | 72 | <1 | 1 | 3 | 8 | 15 | 23 | 55 |
| TOTAL 0-19 YRS | 77 | 3.4 | 19 | <1 | <1 | 1 | 3 | 9 | 13 | 23 |
| 20-34 | 160 | 4.9 | 45 | <1 | <1 | 2 | 5 | 13 | 18 | 41 |
| 35-49 | 61 | 5.1 | 27 | <1 | 1 | 3 | 8 | 11 | 18 | 91 |
| 50-64 | 39 | 5.7 | 53 | <1 | 1 | 3 | 7 | 12 | 20 | 38 |
| 65+ | 44 | 9.4 | 170 | 1 | 1 | 4 | 11 | 24 | 39 | 60 |
| GRAND TOTAL | 381 | 5.2 | 54 | <1 | <1 | 2 | 6 | 12 | 19 | 44 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12638 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 60099 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 2381 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7551 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 39901 | 3.8 | 4 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| 35-49 | 2385 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 75118 | 3.3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| " MULTIPLE DX | 49837 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 20189 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 100000 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 4766 | 3.8 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 124955 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 205 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| 20-34 | 1624 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 102 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 319 | 3.1 | 10 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 2315 | 3.7 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 223 | 3.9 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1931 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 2857 | 3.7 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| TOTAL 0-19 YRS | 524 | 3.0 | 7 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 3939 | 3.5 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 325 | 3.6 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4788 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1465 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 8672 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 382 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1754 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 10260 | 3.8 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| 35-49 | 597 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 10519 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| " MULTIPLE DX | 12611 | 3.8 | 4 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 3219 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 18932 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 979 | 3.7 | 3 | 2 | 2 | 4 | 4 | 6 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 23130 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 58247 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 318612 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 14148 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12180 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 85790 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 6779 | 3.9 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 391007 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 104749 | 3.6 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 70427 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 404402 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 20927 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 495756 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6404 | 5.7 | 4 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 20-34 | 51161 | 5.8 | 4 | 4 | 4 | 6 | 7 | 7 | 8 | 11 |
| 35-49 | 2500 | 6.2 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10669 | 6.6 | 11 | 4 | 4 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 82822 | 6.4 | 11 | 4 | 4 | 6 | 7 | 8 | 10 | 19 |
| 35-49 | 7476 | 7.0 | 19 | 4 | 4 | 6 | 7 | 9 | 12 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 60065 | 5.8 | 4 | 4 | 4 | 6 | 7 | 7 | 8 | 11 |
| " MULTIPLE DX | 100967 | 6.5 | 12 | 4 | 4 | 6 | 7 | 8 | 10 | 20 |
| TOTAL 0-19 YRS | 17073 | 6.3 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| 20-34 | 133983 | 6.2 | 9 | 4 | 4 | 6 | 7 | 8 | 9 | 17 |
| 35-49 | 9976 | 6.8 | 16 | 4 | 4 | 6 | 7 | 9 | 11 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 161032 | 6.2 | 9 | 4 | 4 | 6 | 7 | 8 | 9 | 17 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 615 | 5.8 | 4 | 4 | 4 | 5 | 6 | 8 | 9 | 13 |
| 20-34 | 3338 | 5.8 | 5 | 4 | 4 | 6 | 6 | 7 | 8 | 12 |
| 35-49 | 167 | 6.2 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 727 | 6.5 | 6 | 4 | 4 | 6 | 7 | 9 | 11 | 17 |
| 20-34 | 4683 | 6.7 | 17 | 4 | 4 | 6 | 7 | 9 | 11 | 24 |
| 35-49 | 482 | 7.4 | 15 | 4 | 4 | 6 | 8 | 11 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 4120 | 5.8 | 5 | 4 | 4 | 6 | 6 | 7 | 8 | 12 |
| " MULTIPLE DX | 5892 | 6.7 | 16 | 4 | 4 | 6 | 7 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 1342 | 6.2 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |
| 20-34 | 8021 | 6.3 | 13 | 4 | 4 | 6 | 7 | 8 | 10 | 20 |
| 35-49 | 649 | 7.1 | 14 | 4 | 4 | 6 | 8 | 10 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 10012 | 6.3 | 12 | 4 | 4 | 6 | 7 | 8 | 10 | 19 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 4.2 | 1 | 2 | 3 | 4 | 5 | 5 | 6 | 6 |
| 20-34 | 159 | 5.3 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 11 |
| 35-49 | 7 | 5.3 | 5 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 8.2 | 71 | 3 | 4 | 6 | 7 | 14 | 32 | 40 |
| 20-34 | 171 | 6.6 | 19 | 3 | 4 | 6 | 7 | 10 | 12 | 29 |
| 35-49 | 25 | 7.0 | 6 | 3 | 4 | 7 | 8 | 10 | 13 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 181 | 5.2 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 11 |
| " MULTIPLE DX | 218 | 6.8 | 23 | 3 | 4 | 6 | 7 | 10 | 12 | 35 |
| TOTAL 0-19 YRS | 37 | 6.6 | 46 | 3 | 3 | 5 | 7 | 8 | 20 | 40 |
| 20-34 | 330 | 6.0 | 12 | 3 | 3 | 5 | 7 | 9 | 11 | 15 |
| 35-49 | 32 | 6.7 | 7 | 3 | 3 | 6 | 8 | 10 | 12 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 399 | 6.1 | 15 | 3 | 3 | 5 | 7 | 9 | 11 | 22 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2605 | 1.8 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 2825 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 230 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 648 | 2.3 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 14 |
| 20-34 | 811 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 35-49 | 101 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5660 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 1560 | 2.4 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| TOTAL 0-19 YRS | 3253 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 3636 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 331 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 7220 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 158 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 20-34 | 809 | 4.0 | 30 | <1 | <1 | 2 | 5 | 9 | 11 | 27 |
| 35-49 | 67 | 3.6 | 11 | <1 | <1 | 2 | 4 | 10 | 12 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 108 | 5.2 | 22 | <1 | 1 | 4 | 7 | 12 | 18 | 20 |
| 20-34 | 872 | 4.2 | 43 | <1 | <1 | 2 | 5 | 10 | 15 | 31 |
| 35-49 | 517 | 1.7 | 11 | <1 | <1 | <1 | <1 | 1 | 5 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1034 | 4.0 | 28 | <1 | <1 | 2 | 5 | 8 | 11 | 27 |
| " MULTIPLE DX | 1497 | 3.4 | 33 | <1 | <1 | <1 | 4 | 8 | 13 | 27 |
| TOTAL 0-19 YRS | 266 | 4.5 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |
| 20-34 | 1681 | 4.1 | 38 | <1 | <1 | 2 | 5 | 9 | 13 | 30 |
| 35-49 | 584 | 1.9 | 12 | <1 | <1 | <1 | <1 | 4 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2531 | 3.7 | 31 | <1 | <1 | 2 | 4 | 8 | 12 | 27 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2946 | 2.5 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 15303 | 2.6 | 2 | <1 | <1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 758 | 2.6 | 2 | <1 | <1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1160 | 3.2 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 6481 | 3.4 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 532 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 19007 | 2.6 | 2 | <1 | <1 | 3 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 8173 | 3.4 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 4106 | 2.7 | 3 | <1 | <1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 21784 | 2.9 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 1290 | 3.1 | 5 | <1 | <1 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 27180 | 2.8 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 8 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7692 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 42747 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 2409 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5377 | 3.2 | 4 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| 20-34 | 29860 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 2243 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 52848 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 37480 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 13069 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 72607 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 4652 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 90328 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 265 | 3.6 | 11 | 1 | 2 | 3 | 4 | 6 | 9 | 22 |
| 35-49 | 152 | 3.7 | 13 | 1 | 1 | 3 | 4 | 8 | 10 | 19 |
| 50-64 | 211 | 5.7 | 50 | 1 | 2 | 3 | 6 | 13 | 19 | 38 |
| 65+ | 141 | 8.1 | 88 | 2 | 2 | 5 | 10 | 18 | 25 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 104 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 12 | 19 |
| 20-34 | 182 | 4.7 | 56 | 1 | 2 | 3 | 4 | 8 | 12 | 32 |
| 35-49 | 188 | 6.9 | 147 | 1 | 2 | 3 | 7 | 15 | 23 | 78 |
| 50-64 | 358 | 9.8 | 165 | 2 | 2 | 4 | 12 | 25 | 35 | 84 |
| 65+ | 300 | 10.9 | 167 | 2 | 2 | 6 | 14 | 25 | 38 | 84 |
| TOT. SINGLE DX | 925 | 4.7 | 35 | 1 | 2 | 3 | 5 | 10 | 15 | 31 |
| " MULTIPLE DX | 1132 | 8.3 | 137 | 2 | 2 | 4 | 10 | 19 | 30 | 77 |
| TOTAL 0-19 YRS | 260 | 3.7 | 11 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 20-34 | 447 | 4.1 | 30 | 1 | 2 | 3 | 4 | 7 | 10 | 27 |
| 35-49 | 340 | 5.5 | 90 | 1 | 1 | 3 | 5 | 11 | 17 | 48 |
| 50-64 | 569 | 8.3 | 127 | 1 | 2 | 4 | 10 | 20 | 30 | 72 |
| 65+ | 441 | 10.0 | 143 | 2 | 2 | 5 | 13 | 23 | 33 | 75 |
| GRAND TOTAL | 2057 | 6.7 | 94 | 1 | 2 | 3 | 7 | 16 | 24 | 55 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1210 | 3.9 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| 20-34 | 1891 | 3.8 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 9 |
| 35-49 | 616 | 4.1 | 11 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 50-64 | 215 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 57 | 6.6 | 32 | 2 | 2 | 4 | 8 | 16 | 19 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 846 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| 20-34 | 1137 | 4.4 | 7 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 423 | 4.7 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 193 | 6.4 | 62 | 2 | 2 | 4 | 7 | 14 | 17 | 64 |
| 65+ | 75 | 10.4 | 185 | 2 | 2 | 6 | 12 | 32 | 40 | 93 |
| TOT. SINGLE DX | 3989 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 2674 | 4.8 | 16 | 2 | 3 | 4 | 5 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 2056 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 3028 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 1039 | 4.3 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 50-64 | 408 | 5.2 | 34 | 2 | 2 | 4 | 6 | 9 | 14 | 24 |
| 65+ | 132 | 8.8 | 122 | 2 | 2 | 4 | 11 | 20 | 33 | 78 |
| GRAND TOTAL | 6663 | 4.3 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 783 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 1261 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 274 | 3.5 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 92 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 65+ | 38 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 859 | 5.1 | 43 | 1 | 2 | 3 | 6 | 10 | 13 | 34 |
| 20-34 | 1380 | 5.7 | 40 | 1 | 2 | 4 | 7 | 11 | 14 | 34 |
| 35-49 | 376 | 7.6 | 63 | 2 | 2 | 6 | 9 | 15 | 20 | 37 |
| 50-64 | 184 | 8.3 | 77 | 2 | 2 | 6 | 10 | 17 | 23 | 54 |
| 65+ | 105 | 11.7 | 147 | 2 | 3 | 7 | 14 | 26 | 35 | 67 |
| TOT. SINGLE DX | 2448 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| " MULTIPLE DX | 2904 | 6.2 | 53 | 1 | 2 | 4 | 7 | 12 | 17 | 39 |
| TOTAL 0-19 YRS | 1642 | 4.0 | 26 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 20-34 | 2641 | 4.5 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |
| 35-49 | 650 | 5.9 | 45 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| 50-64 | 276 | 7.0 | 59 | 1 | 2 | 5 | 8 | 14 | 20 | 46 |
| 65+ | 143 | 9.8 | 123 | 1 | 2 | 6 | 12 | 22 | 33 | 64 |
| GRAND TOTAL | 5352 | 4.8 | 34 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 662 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 1823 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 655 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 222 | 4.4 | 14 | 1 | 2 | 3 | 5 | 9 | 12 | 18 |
| 65+ | 97 | 6.8 | 33 | 2 | 2 | 5 | 8 | 15 | 19 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 858 | 7.2 | 60 | 2 | 2 | 5 | 8 | 13 | 18 | 45 |
| 20-34 | 2250 | 7.3 | 68 | 2 | 2 | 5 | 8 | 14 | 19 | 49 |
| 35-49 | 881 | 7.8 | 70 | 2 | 2 | 6 | 9 | 14 | 21 | 41 |
| 50-64 | 431 | 9.6 | 82 | 2 | 2 | 7 | 12 | 21 | 26 | 53 |
| 65+ | 233 | 12.5 | 154 | 2 | 3 | 9 | 14 | 25 | 36 | 66 |
| TOT. SINGLE DX | 3459 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| " MULTIPLE DX | 4653 | 7.9 | 75 | 2 | 2 | 6 | 9 | 15 | 22 | 49 |
| TOTAL 0-19 YRS | 1520 | 5.6 | 41 | 1 | 2 | 4 | 6 | 11 | 14 | 33 |
| 20-34 | 4073 | 5.6 | 44 | 1 | 2 | 4 | 6 | 11 | 15 | 39 |
| 35-49 | 1536 | 6.1 | 49 | 1 | 2 | 4 | 7 | 12 | 16 | 31 |
| 50-64 | 653 | 7.9 | 65 | 1 | 2 | 5 | 10 | 16 | 23 | 48 |
| 65+ | 330 | 10.8 | 125 | 2 | 2 | 8 | 14 | 21 | 33 | 59 |
| GRAND TOTAL | 8112 | 6.1 | 51 | 1 | 2 | 4 | 7 | 12 | 16 | 38 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 4.8 | 29 | 1 | 2 | 3 | 5 | 8 | 11 | 35 |
| 20-34 | 110 | 4.3 | 22 | <1 | 1 | 3 | 5 | 8 | 9 | 27 |
| 35-49 | 82 | 4.5 | 13 | <1 | 1 | 4 | 5 | 8 | 10 | 22 |
| 50-64 | 70 | 5.2 | 48 | 2 | 2 | 4 | 5 | 8 | 11 | 50 |
| 65+ | 26 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 17 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 6.0 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 33 |
| 20-34 | 81 | 6.0 | 56 | 1 | 1 | 4 | 7 | 12 | 16 | 49 |
| 35-49 | 78 | 7.1 | 39 | 2 | 2 | 5 | 8 | 18 | 21 | 27 |
| 50-64 | 82 | 8.2 | 71 | 2 | 2 | 5 | 9 | 15 | 29 | 44 |
| 65+ | 50 | 6.8 | 38 | 1 | 2 | 5 | 8 | 15 | 21 | 30 |
| TOT. SINGLE DX | 360 | 4.6 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 29 |
| " MULTIPLE DX | 356 | 6.9 | 49 | 1 | 2 | 5 | 8 | 15 | 20 | 34 |
| TOTAL 0-19 YRS | 137 | 5.4 | 31 | 1 | 2 | 4 | 6 | 10 | 12 | 34 |
| 20-34 | 191 | 5.0 | 37 | <1 | 1 | 4 | 6 | 9 | 14 | 34 |
| 35-49 | 160 | 5.7 | 28 | 1 | 2 | 4 | 6 | 14 | 18 | 25 |
| 50-64 | 152 | 6.8 | 63 | 2 | 2 | 5 | 7 | 12 | 20 | 44 |
| 65+ | 76 | 6.1 | 34 | 1 | 2 | 4 | 8 | 14 | 20 | 29 |
| GRAND TOTAL | 716 | 5.7 | 39 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1722 | 5.5 | 31 | 1 | 2 | 4 | 6 | 11 | 16 | 30 |
| 20-34 | 1944 | 5.0 | 37 | 1 | 2 | 3 | 5 | 9 | 13 | 35 |
| 35-49 | 1325 | 4.9 | 24 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 50-64 | 1403 | 6.6 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 563 | 9.7 | 75 | 2 | 3 | 8 | 12 | 20 | 25 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1017 | 7.4 | 67 | 2 | 2 | 5 | 8 | 14 | 24 | 47 |
| 20-34 | 1866 | 6.2 | 66 | 2 | 2 | 4 | 6 | 12 | 22 | 47 |
| 35-49 | 1569 | 6.3 | 67 | 2 | 2 | 4 | 6 | 12 | 19 | 45 |
| 50-64 | 1749 | 8.2 | 89 | 2 | 2 | 5 | 9 | 16 | 23 | 58 |
| 65+ | 839 | 13.5 | 156 | 2 | 3 | 10 | 18 | 30 | 42 | 98 |
| TOT. SINGLE DX | 6957 | 5.8 | 37 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| " MULTIPLE DX | 7040 | 7.8 | 88 | 2 | 2 | 5 | 9 | 17 | 26 | 53 |
| TOTAL 0-19 YRS | 2739 | 6.2 | 46 | 1 | 2 | 4 | 7 | 12 | 19 | 39 |
| 20-34 | 3810 | 5.6 | 52 | 1 | 2 | 4 | 6 | 10 | 17 | 42 |
| 35-49 | 2894 | 5.7 | 48 | 1 | 2 | 4 | 6 | 10 | 16 | 38 |
| 50-64 | 3152 | 7.5 | 63 | 2 | 2 | 5 | 9 | 14 | 20 | 45 |
| 65+ | 1402 | 12.0 | 127 | 2 | 3 | 9 | 15 | 26 | 37 | 69 |
| GRAND TOTAL | 13997 | 6.8 | 64 | 2 | 2 | 4 | 8 | 14 | 21 | 45 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1016 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 2240 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 2032 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 2443 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 1061 | 5.1 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1056 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 3379 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 3912 | 4.7 | 10 | 2 | 3 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 6961 | 5.2 | 14 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| 65+ | 3683 | 6.5 | 34 | 2 | 3 | 5 | 7 | 10 | 15 | 32 |
| TOT. SINGLE DX | 8792 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| " MULTIPLE DX | 18991 | 5.1 | 16 | 2 | 3 | 4 | 6 | 8 | 10 | 22 |
| TOTAL 0-19 YRS | 2072 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 5619 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 5944 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 9404 | 5.0 | 12 | 2 | 3 | 4 | 6 | 8 | 9 | 17 |
| 65+ | 4744 | 6.1 | 30 | 2 | 3 | 5 | 7 | 10 | 14 | 31 |
| GRAND TOTAL | 27783 | 4.8 | 13 | 2 | 2 | 4 | 6 | 7 | 9 | 18 |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5799 | 3.9 | 18 | 1 | 1 | 3 | 4 | 6 | 9 | 25 |
| 20-34 | 7664 | 4.5 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 35-49 | 5034 | 4.8 | 32 | 1 | 2 | 3 | 5 | 9 | 12 | 31 |
| 50-64 | 4090 | 5.5 | 41 | 1 | 2 | 4 | 6 | 10 | 15 | 37 |
| 65+ | 1968 | 7.7 | 73 | 1 | 2 | 5 | 9 | 17 | 24 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2292 | 7.7 | 127 | 1 | 2 | 4 | 7 | 20 | 33 | 71 |
| 20-34 | 5188 | 8.1 | 142 | 1 | 2 | 4 | 8 | 19 | 35 | 75 |
| 35-49 | 4448 | 8.3 | 130 | 1 | 2 | 4 | 8 | 20 | 32 | 70 |
| 50-64 | 5260 | 9.7 | 149 | 2 | 2 | 5 | 11 | 23 | 36 | 66 |
| 65+ | 4137 | 14.8 | 226 | 2 | 3 | 10 | 20 | 35 | 49 | 94 |
| TOT. SINGLE DX | 24555 | 4.8 | 34 | 1 | 2 | 3 | 5 | 9 | 13 | 32 |
| " MULTIPLE DX | 21325 | 9.8 | 163 | 1 | 2 | 5 | 11 | 25 | 38 | 74 |
| TOTAL 0-19 YRS | 8091 | 5.0 | 53 | 1 | 1 | 3 | 5 | 8 | 16 | 42 |
| 20-34 | 12852 | 5.9 | 78 | 1 | 2 | 3 | 6 | 11 | 20 | 53 |
| 35-49 | 9482 | 6.4 | 81 | 1 | 2 | 4 | 6 | 13 | 22 | 54 |
| 50-64 | 9350 | 7.9 | 107 | 1 | 2 | 4 | 8 | 18 | 28 | 57 |
| 65+ | 6105 | 12.5 | 188 | 2 | 2 | 7 | 16 | 30 | 43 | 76 |
| GRAND TOTAL | 45880 | 7.1 | 100 | 1 | 2 | 4 | 7 | 16 | 27 | 58 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1815 | 6.7 | 64 | 1 | 2 | 4 | 7 | 13 | 22 | 44 |
| 20-34 | 1781 | 5.4 | 37 | 1 | 2 | 4 | 6 | 9 | 14 | 34 |
| 35-49 | 736 | 6.2 | 45 | 1 | 2 | 5 | 7 | 11 | 16 | 36 |
| 50-64 | 638 | 8.9 | 80 | 2 | 2 | 7 | 11 | 16 | 21 | 64 |
| 65+ | 1092 | 14.9 | 84 | 3 | 5 | 14 | 18 | 26 | 33 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 669 | 11.4 | 212 | 2 | 2 | 6 | 13 | 30 | 43 | 74 |
| 20-34 | 937 | 11.2 | 191 | 2 | 2 | 6 | 13 | 27 | 45 | 79 |
| 35-49 | 532 | 11.3 | 182 | 2 | 2 | 7 | 13 | 24 | 36 | 75 |
| 50-64 | 716 | 14.2 | 168 | 2 | 3 | 10 | 18 | 30 | 42 | 80 |
| 65+ | 1930 | 21.2 | 221 | 5 | 7 | 18 | 27 | 41 | 57 | 99+ |
| TOT. SINGLE DX | 6062 | 8.0 | 71 | 1 | 2 | 5 | 10 | 17 | 23 | 47 |
| " MULTIPLE DX | 4784 | 15.7 | 223 | 2 | 3 | 11 | 21 | 35 | 49 | 88 |
| TOTAL 0-19 YRS | 2484 | 8.0 | 109 | 2 | 2 | 5 | 8 | 18 | 29 | 60 |
| 20-34 | 2718 | 7.4 | 98 | 1 | 2 | 4 | 8 | 15 | 25 | 59 |
| 35-49 | 1268 | 8.3 | 110 | 1 | 2 | 5 | 9 | 17 | 26 | 61 |
| 50-64 | 1354 | 11.7 | 134 | 2 | 3 | 8 | 15 | 25 | 36 | 74 |
| 65+ | 3022 | 18.9 | 181 | 4 | 6 | 16 | 24 | 36 | 49 | 94 |
| GRAND TOTAL | 10846 | 11.4 | 153 | 2 | 2 | 7 | 15 | 26 | 37 | 71 |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3832 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 6 | 24 |
| 20-34 | 5960 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 2650 | 3.3 | 17 | <1 | 1 | 2 | 4 | 5 | 8 | 19 |
| 50-64 | 2362 | 4.1 | 24 | 1 | 1 | 3 | 4 | 8 | 11 | 25 |
| 65+ | 2049 | 7.2 | 71 | 1 | 2 | 4 | 9 | 16 | 23 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 899 | 5.1 | 62 | 1 | 1 | 3 | 5 | 9 | 21 | 44 |
| 20-34 | 1714 | 6.0 | 77 | 1 | 1 | 3 | 6 | 12 | 21 | 48 |
| 35-49 | 1125 | 6.9 | 94 | 1 | 1 | 4 | 8 | 15 | 26 | 51 |
| 50-64 | 1368 | 9.1 | 141 | 1 | 2 | 5 | 10 | 22 | 34 | 77 |
| 65+ | 2074 | 14.8 | 218 | 2 | 3 | 10 | 20 | 34 | 48 | 94 |
| TOT. SINGLE DX | 16853 | 3.7 | 24 | <1 | 1 | 2 | 4 | 6 | 10 | 26 |
| " MULTIPLE DX | 7180 | 9.2 | 145 | 1 | 2 | 4 | 11 | 23 | 34 | 70 |
| TOTAL 0-19 YRS | 4731 | 3.4 | 27 | <1 | 1 | 2 | 3 | 5 | 8 | 30 |
| 20-34 | 7674 | 3.6 | 27 | <1 | 1 | 2 | 4 | 6 | 9 | 28 |
| 35-49 | 3775 | 4.4 | 43 | <1 | 1 | 3 | 4 | 8 | 13 | 35 |
| 50-64 | 3730 | 5.9 | 74 | 1 | 1 | 3 | 6 | 13 | 21 | 52 |
| 65+ | 4123 | 11.0 | 160 | 1 | 2 | 6 | 14 | 26 | 38 | 71 |
| GRAND TOTAL | 24033 | 5.3 | 67 | <1 | 1 | 3 | 5 | 11 | 20 | 45 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 391 | 19.8 | 226 | 3 | 4 | 17 | 28 | 40 | 50 | 64 |
| 20-34 | 135 | 17.5 | 207 | 4 | 6 | 12 | 21 | 37 | 51 | 67 |
| 35-49 | 115 | 13.7 | 75 | 4 | 6 | 11 | 17 | 27 | 33 | 42 |
| 50-64 | 340 | 13.9 | 81 | 5 | 6 | 12 | 16 | 22 | 28 | 57 |
| 65+ | 1424 | 17.7 | 102 | 7 | 9 | 16 | 21 | 28 | 37 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 297 | 25.6 | 286 | 5 | 8 | 23 | 34 | 48 | 62 | 93 |
| 20-34 | 254 | 26.3 | 339 | 7 | 9 | 21 | 33 | 56 | 66 | 98 |
| 35-49 | 115 | 22.5 | 309 | 6 | 7 | 18 | 31 | 52 | 83 | 99+ |
| 50-64 | 435 | 22.1 | 256 | 7 | 9 | 17 | 27 | 46 | 63 | 98 |
| 65+ | 3002 | 22.2 | 190 | 8 | 10 | 19 | 27 | 41 | 56 | 99+ |
| TOT. SINGLE DX | 2405 | 17.3 | 128 | 5 | 7 | 15 | 21 | 30 | 40 | 65 |
| " MULTIPLE DX | 4103 | 22.7 | 218 | 8 | 10 | 19 | 28 | 43 | 61 | 99+ |
| TOTAL 0-19 YRS | 688 | 22.3 | 260 | 3 | 4 | 20 | 31 | 44 | 54 | 85 |
| 20-34 | 389 | 23.3 | 310 | 6 | 7 | 18 | 29 | 51 | 62 | 91 |
| 35-49 | 230 | 18.1 | 211 | 5 | 6 | 14 | 24 | 40 | 52 | 99+ |
| 50-64 | 775 | 18.5 | 196 | 6 | 8 | 14 | 22 | 34 | 53 | 82 |
| 65+ | 4426 | 20.8 | 167 | 8 | 10 | 17 | 25 | 37 | 51 | 99+ |
| GRAND TOTAL | 6508 | 20.7 | 192 | 7 | 8 | 17 | 25 | 39 | 53 | 98 |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 677 | 12.6 | 103 | 3 | 4 | 10 | 15 | 22 | 30 | 57 |
| 20-34 | 662 | 14.2 | 105 | 4 | 6 | 12 | 17 | 25 | 34 | 61 |
| 35-49 | 512 | 13.5 | 82 | 5 | 6 | 11 | 16 | 22 | 30 | 52 |
| 50-64 | 1566 | 14.9 | 80 | 6 | 7 | 13 | 17 | 24 | 30 | 55 |
| 65+ | 7896 | 18.5 | 96 | 8 | 9 | 16 | 22 | 29 | 37 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 787 | 20.5 | 206 | 5 | 8 | 16 | 26 | 40 | 51 | 99 |
| 20-34 | 1321 | 22.7 | 249 | 7 | 9 | 18 | 27 | 45 | 60 | 99+ |
| 35-49 | 781 | 22.3 | 250 | 7 | 8 | 18 | 28 | 47 | 67 | 99+ |
| 50-64 | 2410 | 21.8 | 211 | 8 | 9 | 18 | 27 | 42 | 57 | 99+ |
| 65+ | 17071 | 23.5 | 197 | 9 | 11 | 20 | 29 | 43 | 58 | 99+ |
| TOT. SINGLE DX | 11313 | 17.2 | 99 | 6 | 8 | 15 | 20 | 28 | 36 | 61 |
| " MULTIPLE DX | 22370 | 23.2 | 205 | 9 | 10 | 19 | 28 | 43 | 59 | 99+ |
| TOTAL 0-19 YRS | 1464 | 16.8 | 174 | 4 | 5 | 13 | 21 | 33 | 44 | 85 |
| 20-34 | 1983 | 19.8 | 218 | 5 | 7 | 16 | 24 | 40 | 54 | 91 |
| 35-49 | 1293 | 18.8 | 202 | 5 | 7 | 15 | 23 | 37 | 56 | 99+ |
| 50-64 | 3976 | 19.1 | 171 | 7 | 8 | 16 | 22 | 35 | 48 | 88 |
| 65+ | 24967 | 21.9 | 171 | 9 | 11 | 19 | 26 | 39 | 52 | 99+ |
| GRAND TOTAL | 33683 | 21.1 | 177 | 8 | 9 | 18 | 25 | 38 | 52 | 99+ |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1099 | 13.4 | 171 | 1 | 2 | 9 | 20 | 30 | 40 | 62 |
| 20-34 | 108 | 19.1 | 335 | 2 | 3 | 12 | 28 | 46 | 51 | 87 |
| 35-49 | 46 | 18.1 | 324 | 2 | 3 | 11 | 24 | 34 | 57 | 93 |
| 50-64 | 101 | 17.8 | 381 | 1 | 2 | 12 | 24 | 45 | 79 | 99+ |
| 65+ | 326 | 18.1 | 189 | 3 | 4 | 16 | 23 | 35 | 53 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 530 | 22.2 | 317 | 2 | 3 | 19 | 32 | 48 | 62 | 91 |
| 20-34 | 289 | 25.1 | 365 | 4 | 7 | 19 | 36 | 53 | 68 | 99+ |
| 35-49 | 119 | 29.7 | 477 | 4 | 6 | 26 | 47 | 63 | 86 | 99+ |
| 50-64 | 144 | 28.5 | 540 | 3 | 5 | 22 | 47 | 77 | 93 | 99+ |
| 65+ | 573 | 25.2 | 318 | 6 | 8 | 20 | 35 | 55 | 71 | 99+ |
| TOT. SINGLE DX | 1680 | 15.1 | 207 | 1 | 2 | 11 | 21 | 32 | 46 | 81 |
| " MULTIPLE DX | 1655 | 24.8 | 361 | 3 | 5 | 20 | 36 | 56 | 70 | 99+ |
| TOTAL 0-19 YRS | 1629 | 16.2 | 236 | 1 | 2 | 12 | 24 | 38 | 49 | 74 |
| 20-34 | 397 | 23.5 | 363 | 3 | 5 | 18 | 34 | 51 | 67 | 98 |
| 35-49 | 165 | 26.5 | 460 | 3 | 5 | 22 | 40 | 60 | 83 | 99+ |
| 50-64 | 245 | 24.1 | 500 | 2 | 3 | 17 | 35 | 69 | 91 | 99+ |
| 65+ | 899 | 22.6 | 283 | 4 | 7 | 18 | 29 | 50 | 66 | 99+ |
| GRAND TOTAL | 3335 | 19.9 | 307 | 2 | 3 | 16 | 28 | 47 | 61 | 99+ |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1555 | 5.2 | 43 | 1 | 1 | 2 | 6 | 15 | 20 | 28 |
| 20-34 | 1475 | 4.1 | 22 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 35-49 | 844 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 11 | 24 |
| 50-64 | 961 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 65+ | 846 | 5.9 | 39 | 1 | 1 | 4 | 7 | 13 | 18 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 481 | 11.5 | 188 | 1 | 2 | 6 | 16 | 29 | 42 | 64 |
| 20-34 | 792 | 10.7 | 191 | 1 | 2 | 6 | 12 | 27 | 41 | 73 |
| 35-49 | 484 | 9.9 | 154 | 1 | 2 | 6 | 11 | 22 | 38 | 76 |
| 50-64 | 600 | 10.6 | 163 | 1 | 2 | 6 | 12 | 25 | 40 | 83 |
| 65+ | 770 | 13.7 | 192 | 2 | 2 | 10 | 18 | 30 | 43 | 86 |
| TOT. SINGLE DX | 5681 | 4.8 | 32 | 1 | 1 | 3 | 5 | 11 | 16 | 28 |
| " MULTIPLE DX | 3127 | 11.4 | 182 | 1 | 2 | 7 | 14 | 27 | 41 | 78 |
| TOTAL 0-19 YRS | 2036 | 6.7 | 85 | 1 | 1 | 3 | 8 | 18 | 24 | 46 |
| 20-34 | 2267 | 6.4 | 91 | 1 | 1 | 3 | 7 | 14 | 23 | 53 |
| 35-49 | 1328 | 6.4 | 79 | 1 | 1 | 4 | 7 | 13 | 21 | 54 |
| 50-64 | 1561 | 6.8 | 86 | 1 | 1 | 4 | 7 | 14 | 24 | 50 |
| 65+ | 1616 | 9.6 | 128 | 1 | 2 | 5 | 12 | 22 | 31 | 63 |
| GRAND TOTAL | 8808 | 7.1 | 95 | 1 | 1 | 4 | 8 | 17 | 25 | 53 |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6863 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 20-34 | 8796 | 4.5 | 14 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 35-49 | 4717 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 4282 | 6.7 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 2766 | 9.3 | 63 | 2 | 3 | 7 | 11 | 18 | 22 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2883 | 8.0 | 112 | 1 | 2 | 5 | 8 | 17 | 28 | 63 |
| 20-34 | 5618 | 9.2 | 126 | 1 | 2 | 6 | 10 | 19 | 31 | 73 |
| 35-49 | 3290 | 9.6 | 125 | 2 | 2 | 6 | 11 | 19 | 31 | 69 |
| 50-64 | 3646 | 11.1 | 123 | 2 | 3 | 8 | 13 | 23 | 33 | 66 |
| 65+ | 3833 | 15.4 | 167 | 3 | 4 | 12 | 19 | 32 | 42 | 71 |
| TOT. SINGLE DX | 27424 | 5.3 | 24 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| " MULTIPLE DX | 19270 | 10.7 | 138 | 2 | 2 | 7 | 13 | 23 | 35 | 69 |
| TOTAL 0-19 YRS | 9746 | 5.0 | 45 | 1 | 1 | 3 | 5 | 9 | 13 | 38 |
| 20-34 | 14414 | 6.3 | 64 | 1 | 2 | 4 | 7 | 12 | 18 | 51 |
| 35-49 | 8007 | 7.1 | 67 | 1 | 2 | 5 | 8 | 13 | 19 | 49 |
| 50-64 | 7928 | 8.7 | 77 | 2 | 3 | 6 | 10 | 17 | 24 | 50 |
| 65+ | 6599 | 12.8 | 133 | 3 | 4 | 9 | 16 | 26 | 36 | 64 |
| GRAND TOTAL | 46694 | 7.5 | 78 | 1 | 2 | 5 | 9 | 15 | 22 | 51 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14540 | 2.5 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 4455 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 2716 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 50-64 | 3194 | 4.6 | 28 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 65+ | 3293 | 5.5 | 40 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3849 | 6.0 | 78 | 1 | 1 | 3 | 6 | 14 | 21 | 49 |
| 20-34 | 3193 | 8.3 | 112 | 1 | 1 | 5 | 9 | 18 | 29 | 64 |
| 35-49 | 2056 | 8.7 | 116 | 1 | 2 | 5 | 10 | 18 | 30 | 65 |
| 50-64 | 2753 | 9.1 | 116 | 1 | 2 | 6 | 11 | 20 | 30 | 70 |
| 65+ | 4690 | 12.1 | 174 | 1 | 2 | 8 | 15 | 27 | 41 | 80 |
| TOT. SINGLE DX | 28198 | 3.5 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 21 |
| " MULTIPLE DX | 16541 | 9.0 | 128 | 1 | 1 | 5 | 11 | 21 | 31 | 67 |
| TOTAL 0-19 YRS | 18389 | 3.2 | 26 | 1 | 1 | 2 | 3 | 6 | 10 | 25 |
| 20-34 | 7648 | 5.8 | 62 | 1 | 1 | 4 | 6 | 12 | 18 | 47 |
| 35-49 | 4772 | 6.3 | 68 | 1 | 1 | 4 | 7 | 13 | 19 | 48 |
| 50-64 | 5947 | 6.7 | 74 | 1 | 1 | 4 | 8 | 14 | 22 | 50 |
| 65+ | 7983 | 9.4 | 130 | 1 | 1 | 6 | 12 | 21 | 31 | 67 |
| GRAND TOTAL | 44739 | 5.5 | 66 | 1 | 1 | 3 | 6 | 12 | 19 | 46 |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1289 | 4.2 | 32 | <1 | 1 | 2 | 4 | 11 | 16 | 27 |
| 20-34 | 1119 | 3.2 | 20 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 519 | 3.4 | 25 | <1 | 1 | 2 | 4 | 7 | 10 | 31 |
| 50-64 | 609 | 4.3 | 38 | <1 | 1 | 2 | 5 | 9 | 13 | 33 |
| 65+ | 738 | 5.9 | 62 | 1 | 1 | 3 | 7 | 14 | 23 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 496 | 8.2 | 99 | 1 | 1 | 4 | 10 | 22 | 30 | 45 |
| 20-34 | 798 | 10.4 | 161 | 1 | 1 | 6 | 13 | 26 | 41 | 60 |
| 35-49 | 432 | 10.9 | 204 | 1 | 1 | 5 | 14 | 27 | 44 | 74 |
| 50-64 | 609 | 8.6 | 122 | 1 | 1 | 5 | 10 | 21 | 31 | 54 |
| 65+ | 958 | 11.7 | 194 | 1 | 1 | 7 | 15 | 27 | 41 | 80 |
| TOT. SINGLE DX | 4274 | 4.1 | 35 | <1 | 1 | 2 | 4 | 10 | 15 | 31 |
| " MULTIPLE DX | 3293 | 10.2 | 162 | 1 | 1 | 5 | 13 | 25 | 37 | 67 |
| TOTAL 0-19 YRS | 1785 | 5.3 | 54 | <1 | 1 | 2 | 6 | 15 | 21 | 34 |
| 20-34 | 1917 | 6.2 | 91 | <1 | 1 | 3 | 6 | 16 | 25 | 52 |
| 35-49 | 951 | 6.8 | 121 | <1 | 1 | 3 | 7 | 17 | 27 | 57 |
| 50-64 | 1218 | 6.4 | 85 | 1 | 1 | 3 | 7 | 15 | 25 | 49 |
| 65+ | 1696 | 9.2 | 145 | 1 | 1 | 5 | 12 | 23 | 33 | 76 |
| GRAND TOTAL | 7567 | 6.8 | 99 | 1 | 1 | 3 | 8 | 17 | 26 | 53 |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 774 | 3.8 | 13 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| 20-34 | 1364 | 3.8 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 474 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 10 | 14 |
| 50-64 | 291 | 6.0 | 25 | 1 | 2 | 5 | 7 | 11 | 16 | 27 |
| 65+ | 205 | 9.9 | 76 | 2 | 2 | 7 | 14 | 18 | 23 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 251 | 8.3 | 97 | 1 | 1 | 5 | 9 | 19 | 28 | 51 |
| 20-34 | 538 | 7.8 | 87 | 1 | 2 | 5 | 9 | 16 | 26 | 60 |
| 35-49 | 244 | 9.2 | 108 | 2 | 2 | 5 | 11 | 20 | 30 | 62 |
| 50-64 | 244 | 10.9 | 135 | 2 | 2 | 8 | 13 | 26 | 39 | 69 |
| 65+ | 310 | 18.5 | 240 | 3 | 4 | 15 | 23 | 40 | 55 | 76 |
| TOT. SINGLE DX | 3108 | 4.5 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| " MULTIPLE DX | 1587 | 10.7 | 145 | 1 | 2 | 6 | 13 | 25 | 36 | 67 |
| TOTAL 0-19 YRS | 1025 | 4.9 | 38 | 1 | 1 | 3 | 5 | 9 | 17 | 31 |
| 20-34 | 1902 | 4.9 | 36 | 1 | 2 | 3 | 5 | 8 | 12 | 36 |
| 35-49 | 718 | 6.0 | 50 | 1 | 2 | 4 | 6 | 12 | 18 | 38 |
| 50-64 | 535 | 8.3 | 82 | 1 | 2 | 5 | 9 | 16 | 27 | 64 |
| 65+ | 515 | 15.0 | 193 | 2 | 3 | 11 | 19 | 32 | 48 | 71 |
| GRAND TOTAL | 4695 | 6.6 | 71 | 1 | 2 | 4 | 7 | 14 | 21 | 50 |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3538 | 4.0 | 17 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| 20-34 | 4007 | 4.1 | 17 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 35-49 | 1850 | 4.3 | 19 | 1 | 2 | 3 | 5 | 8 | 11 | 26 |
| 50-64 | 1125 | 6.2 | 53 | 1 | 2 | 4 | 7 | 13 | 18 | 41 |
| 65+ | 656 | 12.9 | 159 | 2 | 2 | 8 | 18 | 29 | 38 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1668 | 5.4 | 43 | 1 | 2 | 3 | 5 | 11 | 21 | 32 |
| 20-34 | 2373 | 5.5 | 47 | 1 | 2 | 4 | 6 | 10 | 14 | 41 |
| 35-49 | 1436 | 7.1 | 84 | 1 | 2 | 4 | 7 | 15 | 24 | 52 |
| 50-64 | 1291 | 10.5 | 153 | 2 | 2 | 6 | 12 | 25 | 36 | 73 |
| 65+ | 1142 | 19.7 | 301 | 2 | 3 | 15 | 28 | 44 | 60 | 97 |
| TOT. SINGLE DX | 11176 | 4.8 | 34 | 1 | 1 | 3 | 5 | 9 | 14 | 32 |
| " MULTIPLE DX | 7910 | 8.6 | 131 | 1 | 2 | 4 | 9 | 22 | 32 | 64 |
| TOTAL 0-19 YRS | 5206 | 4.5 | 26 | 1 | 1 | 3 | 5 | 8 | 14 | 29 |
| 20-34 | 6380 | 4.6 | 29 | 1 | 2 | 3 | 5 | 8 | 11 | 29 |
| 35-49 | 3286 | 5.5 | 50 | 1 | 2 | 4 | 6 | 10 | 17 | 42 |
| 50-64 | 2416 | 8.5 | 112 | 1 | 2 | 5 | 10 | 19 | 30 | 60 |
| 65+ | 1798 | 17.2 | 260 | 2 | 3 | 13 | 24 | 39 | 53 | 86 |
| GRAND TOTAL | 19086 | 6.4 | 78 | 1 | 2 | 4 | 6 | 14 | 23 | 49 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 400 | 9.6 | 37 | 4 | 5 | 8 | 12 | 16 | 20 | 35 |
| 20-34 | 8580 | 10.3 | 32 | 4 | 5 | 9 | 12 | 17 | 21 | 31 |
| 35-49 | 13872 | 10.7 | 32 | 4 | 5 | 9 | 13 | 18 | 22 | 30 |
| 50-64 | 7110 | 11.8 | 43 | 5 | 6 | 10 | 14 | 20 | 24 | 34 |
| 65+ | 1455 | 14.0 | 61 | 6 | 7 | 12 | 17 | 23 | 28 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 121 | 13.1 | 85 | 2 | 4 | 10 | 18 | 29 | 42 | 99+ |
| 20-34 | 2374 | 13.7 | 89 | 5 | 6 | 11 | 17 | 24 | 31 | 50 |
| 35-49 | 5430 | 13.9 | 83 | 5 | 6 | 11 | 17 | 24 | 32 | 51 |
| 50-64 | 5344 | 15.5 | 100 | 6 | 7 | 13 | 19 | 27 | 34 | 53 |
| 65+ | 2510 | 20.2 | 157 | 7 | 8 | 17 | 25 | 37 | 45 | 73 |
| TOT. SINGLE DX | 31417 | 11.0 | 37 | 4 | 5 | 9 | 13 | 18 | 22 | 32 |
| " MULTIPLE DX | 15779 | 15.4 | 107 | 5 | 7 | 13 | 19 | 28 | 35 | 56 |
| TOTAL 0-19 YRS | 521 | 10.4 | 50 | 3 | 4 | 9 | 13 | 19 | 25 | 51 |
| 20-34 | 10954 | 11.1 | 46 | 4 | 5 | 9 | 13 | 19 | 23 | 37 |
| 35-49 | 19302 | 11.6 | 49 | 5 | 5 | 10 | 14 | 20 | 24 | 37 |
| 50-64 | 12454 | 13.4 | 71 | 5 | 6 | 11 | 16 | 23 | 29 | 45 |
| 65+ | 3965 | 17.9 | 131 | 6 | 8 | 15 | 22 | 32 | 40 | 64 |
| GRAND TOTAL | 47196 | 12.5 | 65 | 5 | 6 | 10 | 15 | 22 | 27 | 43 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4340 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 10964 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 5482 | 4.0 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 50-64 | 3126 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 681 | 5.3 | 20 | 1 | 2 | 4 | 7 | 9 | 13 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2332 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| 20-34 | 6302 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 4002 | 4.6 | 16 | 1 | 2 | 4 | 6 | 8 | 11 | 23 |
| 50-64 | 4144 | 5.3 | 23 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| 65+ | 1544 | 6.7 | 52 | 2 | 2 | 5 | 8 | 14 | 19 | 36 |
| TOT. SINGLE DX | 24593 | 3.9 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 18324 | 4.8 | 19 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 6672 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 17266 | 3.9 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 9484 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 7270 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 2225 | 6.3 | 43 | 1 | 2 | 5 | 7 | 12 | 17 | 32 |
| GRAND TOTAL | 42917 | 4.2 | 12 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6284 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 9703 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 4951 | 3.3 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 50-64 | 3091 | 3.8 | 16 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| 65+ | 1084 | 5.3 | 38 | 1 | 1 | 3 | 6 | 12 | 17 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2564 | 3.5 | 17 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 5183 | 3.9 | 23 | 1 | 1 | 3 | 4 | 7 | 10 | 26 |
| 35-49 | 3243 | 4.9 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 50-64 | 3391 | 6.2 | 68 | 1 | 2 | 4 | 6 | 13 | 20 | 47 |
| 65+ | 1678 | 9.6 | 133 | 2 | 2 | 5 | 12 | 23 | 33 | 60 |
| TOT. SINGLE DX | 25113 | 3.1 | 10 | <1 | 1 | 2 | 4 | 5 | 8 | 16 |
| " MULTIPLE DX | 16059 | 5.1 | 51 | 1 | 1 | 3 | 5 | 10 | 16 | 40 |
| TOTAL 0-19 YRS | 8848 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 14886 | 3.2 | 13 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 8194 | 4.0 | 24 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 50-64 | 6482 | 5.0 | 45 | 1 | 1 | 3 | 5 | 10 | 16 | 37 |
| 65+ | 2762 | 7.9 | 100 | 1 | 2 | 4 | 9 | 18 | 28 | 51 |
| GRAND TOTAL | 41172 | 3.9 | 27 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 626 | 13.4 | 49 | 6 | 7 | 12 | 16 | 20 | 26 | 40 |
| 20-34 | 877 | 12.5 | 70 | 5 | 6 | 10 | 14 | 20 | 28 | 47 |
| 35-49 | 1193 | 11.3 | 39 | 5 | 5 | 10 | 14 | 18 | 23 | 36 |
| 50-64 | 735 | 12.0 | 73 | 5 | 5 | 10 | 14 | 20 | 26 | 52 |
| 65+ | 98 | 15.8 | 94 | 5 | 7 | 13 | 20 | 29 | 33 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 377 | 19.7 | 228 | 6 | 8 | 15 | 24 | 38 | 56 | 98 |
| 20-34 | 709 | 17.9 | 234 | 6 | 7 | 13 | 21 | 38 | 64 | 99+ |
| 35-49 | 921 | 15.2 | 126 | 5 | 6 | 12 | 18 | 29 | 40 | 88 |
| 50-64 | 761 | 16.9 | 168 | 5 | 6 | 13 | 21 | 34 | 47 | 99+ |
| 65+ | 245 | 22.2 | 282 | 7 | 8 | 16 | 30 | 50 | 72 | 99+ |
| TOT. SINGLE DX | 3529 | 12.2 | 59 | 5 | 6 | 10 | 14 | 20 | 26 | 41 |
| " MULTIPLE DX | 3013 | 17.4 | 192 | 5 | 7 | 13 | 21 | 36 | 51 | 99+ |
| TOTAL 0-19 YRS | 1003 | 15.8 | 126 | 6 | 7 | 13 | 18 | 28 | 36 | 72 |
| 20-34 | 1586 | 14.9 | 151 | 5 | 6 | 12 | 17 | 29 | 40 | 96 |
| 35-49 | 2114 | 13.0 | 81 | 5 | 6 | 11 | 16 | 22 | 32 | 59 |
| 50-64 | 1496 | 14.5 | 127 | 5 | 6 | 11 | 17 | 27 | 38 | 87 |
| 65+ | 343 | 20.4 | 237 | 7 | 8 | 15 | 25 | 43 | 58 | 99+ |
| GRAND TOTAL | 6542 | 14.6 | 126 | 5 | 6 | 12 | 17 | 27 | 37 | 83 |

### 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 558 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 1275 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 1056 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 23 |
| 50-64 | 1457 | 5.3 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| 65+ | 655 | 6.8 | 51 | 1 | 2 | 4 | 8 | 16 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 383 | 5.9 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 27 |
| 20-34 | 859 | 6.6 | 49 | 2 | 2 | 5 | 8 | 12 | 17 | 42 |
| 35-49 | 811 | 6.3 | 29 | 2 | 2 | 5 | 8 | 12 | 15 | 33 |
| 50-64 | 1203 | 7.6 | 69 | 2 | 2 | 5 | 9 | 15 | 22 | 48 |
| 65+ | 834 | 9.3 | 102 | 2 | 2 | 5 | 12 | 21 | 30 | 57 |
| TOT. SINGLE DX | 5001 | 5.3 | 25 | 1 | 2 | 4 | 6 | 10 | 13 | 26 |
| " MULTIPLE DX | 4090 | 7.3 | 61 | 2 | 2 | 5 | 8 | 14 | 21 | 45 |
| TOTAL 0-19 YRS | 941 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 2134 | 5.6 | 32 | 1 | 2 | 4 | 7 | 10 | 13 | 28 |
| 35-49 | 1867 | 5.6 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 27 |
| 50-64 | 2660 | 6.3 | 47 | 1 | 2 | 4 | 7 | 12 | 17 | 40 |
| 65+ | 1489 | 8.2 | 82 | 2 | 2 | 5 | 10 | 19 | 26 | 46 |
| GRAND TOTAL | 9091 | 6.2 | 42 | 1 | 2 | 4 | 7 | 12 | 17 | 36 |

### 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 14.6 | 78 | 3 | 5 | 15 | 17 | 25 | 34 | 42 |
| 20-34 | 252 | 13.7 | 46 | 7 | 8 | 12 | 16 | 20 | 26 | 38 |
| 35-49 | 543 | 14.1 | 31 | 8 | 9 | 13 | 16 | 20 | 24 | 33 |
| 50-64 | 2702 | 15.1 | 40 | 8 | 9 | 14 | 17 | 22 | 26 | 39 |
| 65+ | 4942 | 16.9 | 52 | 9 | 10 | 16 | 19 | 24 | 29 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 20.1 | 274 | 8 | 9 | 12 | 26 | 46 | 60 | 71 |
| 20-34 | 264 | 17.9 | 121 | 8 | 9 | 15 | 21 | 31 | 44 | 95 |
| 35-49 | 641 | 18.5 | 110 | 8 | 9 | 16 | 21 | 33 | 40 | 57 |
| 50-64 | 2625 | 18.7 | 106 | 9 | 10 | 16 | 21 | 30 | 39 | 72 |
| 65+ | 6643 | 21.8 | 142 | 10 | 11 | 18 | 25 | 36 | 47 | 79 |
| TOT. SINGLE DX | 8460 | 16.0 | 48 | 8 | 10 | 15 | 18 | 23 | 28 | 42 |
| " MULTIPLE DX | 10204 | 20.7 | 134 | 9 | 11 | 18 | 24 | 34 | 44 | 75 |
| TOTAL 0-19 YRS | 52 | 17.9 | 200 | 5 | 8 | 13 | 18 | 38 | 51 | 71 |
| 20-34 | 516 | 15.8 | 89 | 8 | 9 | 13 | 18 | 27 | 33 | 71 |
| 35-49 | 1184 | 16.5 | 79 | 8 | 9 | 14 | 18 | 27 | 35 | 49 |
| 50-64 | 5327 | 16.9 | 76 | 8 | 10 | 15 | 19 | 26 | 32 | 56 |
| 65+ | 11585 | 19.7 | 110 | 9 | 11 | 17 | 23 | 31 | 40 | 69 |
| GRAND TOTAL | 18664 | 18.6 | 100 | 9 | 10 | 16 | 21 | 29 | 38 | 64 |

### 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 11.9 | 83 | 4 | 4 | 9 | 15 | 21 | 31 | 50 |
| 20-34 | 100 | 14.1 | 83 | 3 | 5 | 11 | 17 | 25 | 35 | 46 |
| 35-49 | 163 | 13.7 | 68 | 5 | 7 | 12 | 16 | 21 | 25 | 54 |
| 50-64 | 789 | 15.2 | 51 | 8 | 9 | 14 | 17 | 23 | 28 | 45 |
| 65+ | 4889 | 17.7 | 72 | 8 | 10 | 16 | 21 | 27 | 33 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 17.1 | 164 | 3 | 5 | 13 | 24 | 36 | 47 | 51 |
| 20-34 | 94 | 17.9 | 175 | 5 | 7 | 14 | 23 | 34 | 43 | 70 |
| 35-49 | 184 | 19.1 | 208 | 7 | 8 | 15 | 22 | 35 | 47 | 94 |
| 50-64 | 1216 | 21.4 | 193 | 8 | 10 | 17 | 25 | 40 | 56 | 99+ |
| 65+ | 9731 | 23.0 | 169 | 10 | 12 | 20 | 27 | 40 | 53 | 99+ |
| TOT. SINGLE DX | 6013 | 17.1 | 71 | 8 | 9 | 15 | 20 | 26 | 32 | 51 |
| " MULTIPLE DX | 11262 | 22.7 | 174 | 9 | 11 | 19 | 27 | 40 | 53 | 99+ |
| TOTAL 0-19 YRS | 109 | 13.7 | 116 | 4 | 4 | 11 | 17 | 29 | 37 | 51 |
| 20-34 | 194 | 15.9 | 131 | 4 | 6 | 12 | 20 | 29 | 40 | 62 |
| 35-49 | 347 | 16.6 | 150 | 6 | 7 | 14 | 19 | 27 | 40 | 75 |
| 50-64 | 2005 | 18.9 | 146 | 8 | 9 | 16 | 22 | 32 | 46 | 90 |
| 65+ | 14620 | 21.3 | 143 | 9 | 11 | 18 | 25 | 36 | 47 | 88 |
| GRAND TOTAL | 17275 | 20.8 | 145 | 9 | 10 | 18 | 24 | 35 | 46 | 87 |

### 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2442 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 3411 | 5.3 | 13 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 1072 | 7.3 | 36 | 2 | 2 | 5 | 9 | 15 | 19 | 31 |
| 50-64 | 2065 | 14.4 | 58 | 3 | 5 | 14 | 18 | 23 | 27 | 38 |
| 65+ | 3840 | 17.5 | 57 | 8 | 10 | 16 | 21 | 26 | 31 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1747 | 5.5 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 3174 | 6.4 | 28 | 2 | 3 | 5 | 7 | 10 | 14 | 30 |
| 35-49 | 1189 | 8.5 | 74 | 2 | 2 | 6 | 10 | 17 | 24 | 47 |
| 50-64 | 2070 | 16.3 | 115 | 3 | 5 | 15 | 20 | 29 | 37 | 58 |
| 65+ | 4665 | 20.6 | 121 | 8 | 11 | 18 | 24 | 34 | 42 | 69 |
| TOT. SINGLE DX | 12830 | 10.5 | 66 | 2 | 3 | 7 | 16 | 21 | 25 | 37 |
| " MULTIPLE DX | 12845 | 13.2 | 121 | 2 | 3 | 10 | 18 | 26 | 34 | 58 |
| TOTAL 0-19 YRS | 4189 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 20-34 | 6585 | 5.8 | 21 | 2 | 2 | 5 | 7 | 9 | 12 | 25 |
| 35-49 | 2261 | 8.0 | 57 | 2 | 2 | 6 | 10 | 16 | 22 | 40 |
| 50-64 | 4135 | 15.4 | 88 | 3 | 5 | 14 | 19 | 26 | 32 | 50 |
| 65+ | 8505 | 19.2 | 95 | 8 | 10 | 17 | 23 | 31 | 38 | 61 |
| GRAND TOTAL | 25675 | 11.9 | 95 | 2 | 3 | 9 | 17 | 24 | 30 | 48 |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2969 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 5765 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 2263 | 3.9 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 2154 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 952 | 6.6 | 32 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 700 | 4.4 | 16 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 20-34 | 1996 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 10 | 20 |
| 35-49 | 1525 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 50-64 | 2186 | 6.3 | 39 | 2 | 2 | 5 | 7 | 11 | 16 | 31 |
| 65+ | 1284 | 9.2 | 77 | 2 | 3 | 6 | 11 | 20 | 27 | 47 |
| **TOT. SINGLE DX** | 14103 | 4.0 | 8 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| **" MULTIPLE DX** | 7691 | 5.8 | 35 | 2 | 2 | 4 | 6 | 11 | 16 | 32 |
| TOTAL 0-19 YRS | 3669 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 7761 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| 35-49 | 3788 | 4.4 | 12 | 1 | 2 | 4 | 5 | 7 | 10 | 18 |
| 50-64 | 4340 | 5.5 | 27 | 2 | 2 | 4 | 6 | 10 | 14 | 26 |
| 65+ | 2236 | 8.1 | 60 | 2 | 2 | 5 | 10 | 17 | 24 | 40 |
| **GRAND TOTAL** | 21794 | 4.7 | 18 | 1 | 2 | 4 | 5 | 8 | 11 | 23 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 3381 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 6093 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 35-49 | 3540 | 2.6 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 2723 | 3.3 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 21 |
| 65+ | 1022 | 4.4 | 30 | <1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 548 | 4.2 | 42 | <1 | 1 | 2 | 4 | 8 | 12 | 32 |
| 20-34 | 1503 | 4.7 | 39 | <1 | 1 | 3 | 5 | 10 | 16 | 31 |
| 35-49 | 1755 | 5.7 | 45 | 1 | 1 | 3 | 7 | 14 | 18 | 37 |
| 50-64 | 2063 | 7.5 | 80 | 1 | 2 | 4 | 9 | 18 | 24 | 48 |
| 65+ | 1451 | 11.0 | 154 | 1 | 2 | 7 | 14 | 26 | 36 | 65 |
| **TOT. SINGLE DX** | 16759 | 2.6 | 9 | <1 | <1 | 2 | 3 | 4 | 6 | 15 |
| **" MULTIPLE DX** | 7320 | 6.9 | 81 | 1 | 1 | 4 | 8 | 16 | 24 | 48 |
| TOTAL 0-19 YRS | 3929 | 2.5 | 13 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 7596 | 2.7 | 12 | <1 | <1 | 2 | 3 | 4 | 7 | 18 |
| 35-49 | 5295 | 3.6 | 22 | <1 | 1 | 2 | 4 | 7 | 12 | 24 |
| 50-64 | 4786 | 5.1 | 48 | <1 | 1 | 3 | 5 | 11 | 18 | 36 |
| 65+ | 2473 | 8.3 | 113 | 1 | 1 | 4 | 10 | 20 | 30 | 56 |
| **GRAND TOTAL** | 24079 | 3.9 | 35 | <1 | 1 | 2 | 4 | 8 | 14 | 31 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1559 | 3.6 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 20-34 | 1683 | 3.7 | 13 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 1567 | 3.3 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 50-64 | 1716 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |
| 65+ | 568 | 3.7 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 833 | 7.0 | 77 | 1 | 2 | 4 | 7 | 16 | 23 | 47 |
| 20-34 | 1053 | 7.4 | 91 | 1 | 1 | 4 | 9 | 16 | 24 | 50 |
| 35-49 | 914 | 7.0 | 86 | 1 | 2 | 4 | 7 | 16 | 23 | 52 |
| 50-64 | 1050 | 6.7 | 60 | 1 | 2 | 4 | 8 | 17 | 24 | 39 |
| 65+ | 625 | 11.2 | 165 | 1 | 2 | 7 | 15 | 28 | 36 | 65 |
| **TOT. SINGLE DX** | 7093 | 3.4 | 15 | <1 | <1 | 2 | 4 | 7 | 9 | 20 |
| **" MULTIPLE DX** | 4475 | 7.6 | 93 | 1 | 2 | 4 | 9 | 18 | 26 | 52 |
| TOTAL 0-19 YRS | 2392 | 4.8 | 41 | <1 | 1 | 3 | 5 | 9 | 15 | 38 |
| 20-34 | 2736 | 5.1 | 47 | <1 | 1 | 3 | 6 | 10 | 15 | 39 |
| 35-49 | 2481 | 4.7 | 44 | <1 | 1 | 3 | 5 | 9 | 15 | 38 |
| 50-64 | 2766 | 4.3 | 33 | <1 | <1 | 2 | 4 | 10 | 16 | 31 |
| 65+ | 1193 | 7.7 | 112 | <1 | 1 | 3 | 9 | 20 | 30 | 56 |
| **GRAND TOTAL** | 11568 | 5.0 | 49 | <1 | 1 | 3 | 5 | 11 | 17 | 39 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 173 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 332 | 2.9 | 19 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 589 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | 1672 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 1095 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 60 | 4.4 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| 20-34 | 168 | 4.7 | 47 | 1 | 1 | 3 | 5 | 9 | 14 | 24 |
| 35-49 | 314 | 4.0 | 20 | 1 | 1 | 3 | 4 | 8 | 12 | 27 |
| 50-64 | 897 | 3.9 | 20 | 1 | 2 | 3 | 4 | 7 | 12 | 26 |
| 65+ | 649 | 4.7 | 36 | 1 | 2 | 3 | 4 | 9 | 17 | 29 |
| **TOT. SINGLE DX** | 3861 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **" MULTIPLE DX** | 2088 | 4.3 | 28 | 1 | 1 | 3 | 4 | 8 | 14 | 28 |
| TOTAL 0-19 YRS | 233 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 500 | 3.5 | 29 | <1 | 1 | 2 | 4 | 6 | 10 | 22 |
| 35-49 | 903 | 3.0 | 9 | <1 | 1 | 2 | 3 | 4 | 7 | 18 |
| 50-64 | 2569 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 1744 | 3.4 | 17 | 1 | 1 | 2 | 3 | 5 | 9 | 24 |
| **GRAND TOTAL** | 5949 | 3.2 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1900 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 3024 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 1252 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 794 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 65+ | 195 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1254 | 2.8 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 2167 | 3.1 | 14 | 1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 35-49 | 836 | 3.7 | 28 | 1 | 1 | 2 | 4 | 6 | 10 | 35 |
| 50-64 | 584 | 3.8 | 21 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 65+ | 250 | 5.0 | 33 | 1 | 1 | 3 | 5 | 11 | 16 | 33 |
| TOT. SINGLE DX | 7165 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 5091 | 3.3 | 19 | 1 | 1 | 2 | 4 | 6 | 9 | 21 |
| TOTAL 0-19 YRS | 3154 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 5191 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 2088 | 2.9 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 1378 | 3.1 | 14 | <1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 65+ | 445 | 4.0 | 24 | 1 | 1 | 3 | 4 | 8 | 12 | 32 |
| GRAND TOTAL | 12256 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 981 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1907 | 3.2 | 10 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 1680 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 1888 | 4.2 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 21 |
| 65+ | 694 | 5.3 | 26 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 545 | 4.5 | 48 | 1 | 1 | 3 | 4 | 8 | 14 | 41 |
| 20-34 | 1208 | 4.9 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 35-49 | 1071 | 5.6 | 46 | 1 | 2 | 4 | 6 | 10 | 16 | 40 |
| 50-64 | 1381 | 6.6 | 70 | 2 | 2 | 4 | 7 | 12 | 19 | 47 |
| 65+ | 778 | 9.2 | 116 | 2 | 2 | 5 | 10 | 22 | 32 | 64 |
| TOT. SINGLE DX | 7150 | 3.7 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| " MULTIPLE DX | 4983 | 6.1 | 65 | 1 | 1 | 4 | 6 | 12 | 20 | 47 |
| TOTAL 0-19 YRS | 1526 | 3.3 | 21 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 3115 | 3.8 | 24 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 35-49 | 2751 | 4.4 | 24 | 1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 50-64 | 3269 | 5.2 | 38 | 1 | 2 | 4 | 6 | 9 | 13 | 34 |
| 65+ | 1472 | 7.4 | 77 | 1 | 2 | 5 | 8 | 15 | 25 | 54 |
| GRAND TOTAL | 12133 | 4.7 | 35 | 1 | 1 | 3 | 5 | 8 | 13 | 32 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2235 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2180 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 1263 | 3.8 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 862 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 18 |
| 65+ | 300 | 7.0 | 44 | 1 | 2 | 5 | 9 | 15 | 18 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1318 | 4.8 | 24 | 1 | 2 | 4 | 5 | 8 | 11 | 29 |
| 20-34 | 1069 | 6.0 | 69 | 1 | 2 | 4 | 6 | 10 | 18 | 54 |
| 35-49 | 570 | 6.1 | 66 | 1 | 2 | 4 | 7 | 10 | 18 | 54 |
| 50-64 | 568 | 8.3 | 99 | 2 | 2 | 5 | 9 | 18 | 24 | 62 |
| 65+ | 325 | 12.8 | 158 | 2 | 3 | 9 | 17 | 32 | 41 | 99+ |
| TOT. SINGLE DX | 6840 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| " MULTIPLE DX | 3850 | 6.5 | 70 | 1 | 2 | 4 | 7 | 12 | 20 | 55 |
| TOTAL 0-19 YRS | 3553 | 3.9 | 12 | 1 | 1 | 3 | 5 | 6 | 8 | 17 |
| 20-34 | 3249 | 4.6 | 33 | 1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 35-49 | 1833 | 4.5 | 27 | 1 | 1 | 4 | 5 | 8 | 10 | 25 |
| 50-64 | 1430 | 5.9 | 51 | 1 | 2 | 4 | 6 | 11 | 16 | 48 |
| 65+ | 625 | 10.0 | 113 | 2 | 2 | 7 | 13 | 22 | 33 | 76 |
| GRAND TOTAL | 10690 | 4.8 | 34 | 1 | 1 | 4 | 5 | 8 | 12 | 32 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 381 | 2.7 | 26 | <1 | 1 | 2 | 3 | 5 | 7 | 23 |
| 20-34 | 708 | 2.9 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 35-49 | 479 | 3.1 | 14 | <1 | 1 | 2 | 3 | 7 | 10 | 20 |
| 50-64 | 396 | 3.3 | 22 | 1 | 1 | 2 | 3 | 6 | 11 | 24 |
| 65+ | 218 | 3.5 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 176 | 5.0 | 67 | 1 | 1 | 2 | 5 | 10 | 18 | 53 |
| 20-34 | 486 | 5.4 | 45 | 1 | 1 | 3 | 6 | 14 | 19 | 37 |
| 35-49 | 401 | 7.3 | 128 | 1 | 1 | 3 | 7 | 17 | 31 | 61 |
| 50-64 | 417 | 7.7 | 92 | 1 | 1 | 3 | 9 | 19 | 27 | 48 |
| 65+ | 312 | 9.8 | 162 | 1 | 1 | 5 | 12 | 26 | 37 | 91 |
| TOT. SINGLE DX | 2182 | 3.0 | 19 | 1 | 1 | 2 | 3 | 6 | 9 | 22 |
| " MULTIPLE DX | 1792 | 7.1 | 100 | 1 | 1 | 3 | 8 | 18 | 27 | 57 |
| TOTAL 0-19 YRS | 557 | 3.4 | 41 | 1 | 1 | 2 | 3 | 6 | 10 | 38 |
| 20-34 | 1194 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 14 | 29 |
| 35-49 | 880 | 5.0 | 70 | 1 | 1 | 2 | 5 | 11 | 18 | 45 |
| 50-64 | 813 | 5.5 | 63 | 1 | 1 | 3 | 6 | 14 | 21 | 45 |
| 65+ | 530 | 7.2 | 116 | 1 | 1 | 3 | 8 | 20 | 29 | 71 |
| GRAND TOTAL | 3974 | 4.9 | 59 | 1 | 1 | 2 | 5 | 11 | 18 | 43 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 20-34 | 55 | 4.7 | 26 | 1 | 1 | 3 | 5 | 12 | 17 | 23 |
| 35-49 | 29 | 9.4 | 332 | 1 | 2 | 4 | 9 | 19 | 34 | 98 |
| 50-64 | 38 | 7.6 | 67 | 1 | 2 | 5 | 10 | 18 | 24 | 41 |
| 65+ | 16 | 14.8 | 249 | 2 | 3 | 9 | 18 | 40 | 54 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 21.8 | 396 | 2 | 2 | 18 | 36 | 49 | 61 | 71 |
| 20-34 | 53 | 12.3 | 157 | 1 | 1 | 6 | 18 | 27 | 44 | 53 |
| 35-49 | 32 | 18.3 | 317 | 2 | 3 | 11 | 25 | 47 | 54 | 70 |
| 50-64 | 40 | 18.8 | 331 | 3 | 4 | 13 | 24 | 42 | 49 | 98 |
| 65+ | 65 | 21.0 | 397 | 2 | 3 | 14 | 30 | 54 | 75 | 98 |
| TOT. SINGLE DX | 165 | 7.1 | 116 | 1 | 1 | 4 | 8 | 15 | 22 | 56 |
| " MULTIPLE DX | 213 | 18.1 | 320 | 2 | 2 | 12 | 24 | 46 | 54 | 90 |
| TOTAL 0-19 YRS | 50 | 12.2 | 266 | 1 | 1 | 5 | 18 | 39 | 47 | 71 |
| 20-34 | 108 | 8.4 | 104 | 1 | 1 | 4 | 12 | 22 | 26 | 50 |
| 35-49 | 61 | 14.1 | 339 | 1 | 2 | 8 | 15 | 40 | 53 | 95 |
| 50-64 | 78 | 13.3 | 232 | 2 | 2 | 8 | 18 | 30 | 43 | 85 |
| 65+ | 81 | 19.8 | 371 | 2 | 3 | 13 | 24 | 51 | 70 | 96 |
| GRAND TOTAL | 378 | 13.3 | 260 | 1 | 2 | 7 | 17 | 35 | 48 | 84 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 180 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 20-34 | 183 | 6.2 | 44 | 1 | 2 | 4 | 7 | 13 | 18 | 37 |
| 35-49 | 174 | 8.3 | 120 | 1 | 2 | 4 | 8 | 23 | 28 | 50 |
| 50-64 | 213 | 9.7 | 119 | 1 | 2 | 6 | 12 | 24 | 34 | 51 |
| 65+ | 340 | 11.8 | 212 | 1 | 2 | 7 | 13 | 28 | 40 | 71 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 7.8 | 105 | 1 | 1 | 4 | 9 | 21 | 31 | 83 |
| 20-34 | 228 | 15.1 | 262 | 2 | 2 | 9 | 20 | 37 | 51 | 94 |
| 35-49 | 538 | 18.5 | 271 | 2 | 3 | 14 | 24 | 42 | 53 | 80 |
| 50-64 | 1422 | 20.9 | 308 | 3 | 4 | 16 | 29 | 47 | 61 | 97 |
| 65+ | 2460 | 22.6 | 322 | 3 | 5 | 18 | 31 | 49 | 64 | 99+ |
| TOT. SINGLE DX | 1090 | 8.6 | 127 | 1 | 2 | 5 | 10 | 21 | 30 | 61 |
| " MULTIPLE DX | 4766 | 20.9 | 312 | 3 | 4 | 16 | 29 | 47 | 60 | 99 |
| TOTAL 0-19 YRS | 298 | 5.6 | 58 | 1 | 1 | 3 | 6 | 11 | 20 | 41 |
| 20-34 | 411 | 11.1 | 185 | 1 | 2 | 6 | 15 | 29 | 40 | 83 |
| 35-49 | 712 | 16.0 | 253 | 2 | 2 | 11 | 22 | 37 | 51 | 78 |
| 50-64 | 1635 | 19.4 | 298 | 2 | 3 | 14 | 27 | 46 | 59 | 95 |
| 65+ | 2800 | 21.3 | 321 | 3 | 4 | 16 | 29 | 48 | 62 | 99+ |
| GRAND TOTAL | 5856 | 18.6 | 300 | 2 | 3 | 14 | 26 | 43 | 58 | 96 |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 11.7 | 25 | 3 | 6 | 11 | 13 | 21 | 21 | 21 |
| 20-34 | 42 | 17.5 | 132 | 5 | 7 | 14 | 21 | 36 | 41 | 56 |
| 35-49 | 39 | 23.0 | 333 | 6 | 7 | 17 | 29 | 45 | 65 | 92 |
| 50-64 | 85 | 27.6 | 303 | 8 | 9 | 22 | 37 | 52 | 59 | 85 |
| 65+ | 230 | 22.4 | 190 | 8 | 9 | 18 | 29 | 41 | 49 | 78 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 26.4 | 314 | 6 | 8 | 20 | 39 | 53 | 55 | 69 |
| 20-34 | 129 | 27.9 | 447 | 6 | 8 | 22 | 39 | 65 | 79 | 99+ |
| 35-49 | 265 | 29.2 | 357 | 8 | 10 | 25 | 39 | 62 | 93 | 99+ |
| 50-64 | 1228 | 31.3 | 344 | 9 | 12 | 28 | 42 | 65 | 82 | 99+ |
| 65+ | 3230 | 32.3 | 398 | 9 | 12 | 28 | 45 | 70 | 89 | 99+ |
| TOT. SINGLE DX | 411 | 22.6 | 226 | 7 | 9 | 18 | 29 | 43 | 54 | 81 |
| " MULTIPLE DX | 4883 | 31.8 | 384 | 9 | 12 | 28 | 44 | 67 | 88 | 99+ |
| TOTAL 0-19 YRS | 46 | 21.6 | 266 | 6 | 7 | 15 | 29 | 50 | 54 | 69 |
| 20-34 | 171 | 25.4 | 389 | 5 | 7 | 18 | 34 | 56 | 73 | 98 |
| 35-49 | 304 | 28.4 | 358 | 8 | 10 | 24 | 38 | 58 | 89 | 99+ |
| 50-64 | 1313 | 31.1 | 343 | 9 | 12 | 27 | 42 | 62 | 82 | 99+ |
| 65+ | 3460 | 31.7 | 391 | 9 | 12 | 27 | 44 | 68 | 88 | 99+ |
| GRAND TOTAL | 5294 | 31.1 | 378 | 9 | 11 | 27 | 43 | 66 | 67 | 99+ |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 11.7 | 50 | 4 | 5 | 9 | 15 | 24 | 28 | 28 |
| 20-34 | 18 | 14.5 | 82 | 5 | 6 | 12 | 17 | 27 | 35 | 40 |
| 35-49 | 19 | 15.2 | 70 | 5 | 6 | 14 | 24 | 29 | 65 | 99+ |
| 50-64 | 68 | 17.0 | 125 | 5 | 7 | 14 | 21 | 32 | 37 | 63 |
| 65+ | 280 | 20.1 | 207 | 6 | 7 | 16 | 24 | 42 | 54 | 88 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 24.9 | 473 | 5 | 6 | 14 | 37 | 61 | 73 | 77 |
| 20-34 | 49 | 34.8 | 364 | 12 | 16 | 34 | 60 | 99+ | 99+ | 99+ |
| 35-49 | 96 | 27.6 | 395 | 7 | 9 | 23 | 34 | 65 | 80 | 99+ |
| 50-64 | 695 | 29.3 | 360 | 8 | 10 | 24 | 42 | 66 | 84 | 99+ |
| 65+ | 3464 | 27.2 | 333 | 8 | 10 | 22 | 37 | 59 | 82 | 99+ |
| TOT. SINGLE DX | 403 | 18.7 | 179 | 5 | 7 | 15 | 22 | 36 | 50 | 83 |
| " MULTIPLE DX | 4327 | 27.6 | 341 | 8 | 10 | 22 | 38 | 61 | 83 | 99+ |
| TOTAL 0-19 YRS | 41 | 19.1 | 326 | 4 | 5 | 14 | 27 | 46 | 64 | 77 |
| 20-34 | 67 | 29.3 | 368 | 7 | 9 | 25 | 51 | 78 | 99+ | 99+ |
| 35-49 | 115 | 25.5 | 362 | 6 | 8 | 20 | 32 | 64 | 80 | 99+ |
| 50-64 | 763 | 28.2 | 351 | 8 | 10 | 23 | 40 | 64 | 81 | 99+ |
| 65+ | 3744 | 26.6 | 327 | 8 | 10 | 21 | 36 | 58 | 79 | 99+ |
| GRAND TOTAL | 4730 | 26.8 | 333 | 8 | 9 | 22 | 37 | 60 | 80 | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 10.4 | 98 | 1 | 3 | 6 | 12 | 23 | 35 | 44 |
| 20-34 | 34 | 14.3 | 227 | 2 | 3 | 9 | 19 | 33 | 38 | 77 |
| 35-49 | 23 | 18.9 | 146 | 3 | 4 | 17 | 26 | 31 | 41 | 55 |
| 50-64 | 43 | 20.2 | 203 | 3 | 4 | 18 | 30 | 37 | 49 | 60 |
| 65+ | 49 | 19.4 | 156 | 3 | 5 | 17 | 26 | 36 | 40 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 26.7 | 629 | 2 | 3 | 19 | 42 | 65 | 73 | 90 |
| 20-34 | 63 | 27.1 | 471 | 3 | 4 | 21 | 47 | 64 | 99+ | 99+ |
| 35-49 | 121 | 31.5 | 554 | 6 | 9 | 27 | 45 | 77 | 94 | 99+ |
| 50-64 | 443 | 32.2 | 377 | 9 | 12 | 29 | 45 | 66 | 91 | 99+ |
| 65+ | 684 | 32.3 | 366 | 8 | 12 | 29 | 46 | 65 | 82 | 99+ |
| TOT. SINGLE DX | 181 | 17.0 | 179 | 3 | 4 | 14 | 24 | 33 | 41 | 66 |
| " MULTIPLE DX | 1340 | 31.8 | 398 | 7 | 11 | 28 | 46 | 66 | 89 | 99+ |
| TOTAL 0-19 YRS | 61 | 18.1 | 411 | 2 | 3 | 10 | 22 | 50 | 64 | 88 |
| 20-34 | 97 | 22.6 | 420 | 3 | 3 | 16 | 37 | 60 | 93 | 99+ |
| 35-49 | 144 | 29.5 | 510 | 5 | 8 | 24 | 40 | 75 | 90 | 99+ |
| 50-64 | 486 | 31.1 | 373 | 8 | 10 | 28 | 43 | 64 | 89 | 99+ |
| 65+ | 733 | 31.4 | 363 | 8 | 11 | 28 | 45 | 64 | 82 | 99+ |
| GRAND TOTAL | 1521 | 30.0 | 395 | 5 | 9 | 26 | 43 | 64 | 85 | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 108 | 4.0 | 18 | <1 | 1 | 2 | 6 | 9 | 14 | 20 |
| 20-34 | 94 | 6.4 | 38 | 1 | 1 | 5 | 8 | 11 | 16 | 36 |
| 35-49 | 48 | 7.4 | 72 | 1 | 1 | 5 | 9 | 14 | 18 | 47 |
| 50-64 | 28 | 7.8 | 57 | 1 | 1 | 5 | 10 | 20 | 28 | 28 |
| 65+ | 10 | 4.1 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 8.6 | 129 | 1 | 2 | 6 | 9 | 16 | 28 | 72 |
| 20-34 | 65 | 9.7 | 99 | 2 | 2 | 7 | 10 | 22 | 28 | 55 |
| 35-49 | 39 | 12.0 | 154 | 1 | 2 | 8 | 14 | 29 | 35 | 65 |
| 50-64 | 30 | 6.8 | 32 | 1 | 2 | 5 | 10 | 13 | 17 | 28 |
| 65+ | 14 | 8.6 | 72 | 1 | 2 | 5 | 12 | 21 | 30 | 32 |
| TOT. SINGLE DX | 288 | 5.7 | 39 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| " MULTIPLE DX | 206 | 9.4 | 108 | 1 | 2 | 7 | 11 | 19 | 29 | 61 |
| TOTAL 0-19 YRS | 166 | 5.7 | 62 | 1 | 1 | 3 | 7 | 12 | 17 | 39 |
| 20-34 | 159 | 7.8 | 66 | 1 | 2 | 6 | 9 | 13 | 24 | 46 |
| 35-49 | 87 | 9.4 | 113 | 1 | 1 | 7 | 11 | 17 | 34 | 58 |
| 50-64 | 58 | 7.3 | 44 | 1 | 2 | 5 | 10 | 15 | 25 | 28 |
| 65+ | 24 | 6.8 | 48 | 1 | 2 | 4 | 8 | 13 | 24 | 32 |
| GRAND TOTAL | 494 | 7.2 | 71 | 1 | 1 | 5 | 9 | 14 | 23 | 46 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 152 | 3.0 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 23 |
| 20-34 | 368 | 4.3 | 38 | <1 | 1 | 2 | 5 | 8 | 12 | 40 |
| 35-49 | 232 | 4.8 | 73 | <1 | 1 | 2 | 5 | 10 | 16 | 37 |
| 50-64 | 217 | 6.9 | 106 | <1 | 1 | 3 | 7 | 17 | 27 | 47 |
| 65+ | 170 | 11.3 | 134 | 1 | 1 | 8 | 14 | 25 | 37 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 4.0 | 23 | <1 | 1 | 2 | 5 | 7 | 16 | 29 |
| 20-34 | 178 | 8.0 | 180 | 1 | 1 | 3 | 7 | 22 | 37 | 97 |
| 35-49 | 169 | 10.8 | 130 | 1 | 1 | 7 | 15 | 26 | 33 | 67 |
| 50-64 | 340 | 15.4 | 273 | 2 | 2 | 10 | 20 | 41 | 61 | 99+ |
| 65+ | 462 | 18.4 | 229 | 3 | 4 | 14 | 25 | 41 | 51 | 98 |
| TOT. SINGLE DX | 1139 | 5.8 | 76 | <1 | 1 | 3 | 6 | 13 | 22 | 46 |
| " MULTIPLE DX | 1202 | 14.3 | 230 | 1 | 2 | 10 | 19 | 36 | 50 | 99+ |
| TOTAL 0-19 YRS | 205 | 3.3 | 16 | <1 | 1 | 2 | 3 | 6 | 8 | 26 |
| 20-34 | 546 | 5.5 | 88 | 1 | 1 | 3 | 5 | 11 | 21 | 58 |
| 35-49 | 401 | 7.3 | 106 | 1 | 1 | 3 | 9 | 18 | 26 | 62 |
| 50-64 | 557 | 12.1 | 225 | 1 | 2 | 7 | 16 | 31 | 49 | 99+ |
| 65+ | 632 | 16.5 | 214 | 2 | 3 | 13 | 22 | 37 | 48 | 86 |
| GRAND TOTAL | 2341 | 10.2 | 173 | 1 | 1 | 5 | 13 | 26 | 39 | 80 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 18.0 | 495 | 2 | 2 | 4 | 31 | 58 | 58 | 58 |
| 20-34 | 33 | 4.2 | 16 | 1 | 2 | 3 | 4 | 8 | 14 | 21 |
| 35-49 | 23 | 7.0 | 42 | 1 | 2 | 4 | 10 | 17 | 21 | 28 |
| 50-64 | 36 | 8.9 | 69 | 2 | 3 | 6 | 11 | 22 | 28 | 38 |
| 65+ | 28 | 11.6 | 49 | 3 | 3 | 10 | 17 | 22 | 25 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 7.9 | 91 | 2 | 2 | 5 | 7 | 25 | 29 | 29 |
| 20-34 | 10 | 8.2 | 97 | 1 | 1 | 5 | 8 | 26 | 30 | 30 |
| 35-49 | 14 | 6.6 | 24 | 1 | 1 | 6 | 10 | 14 | 17 | 18 |
| 50-64 | 26 | 13.3 | 186 | 1 | 2 | 8 | 16 | 35 | 42 | 56 |
| 65+ | 36 | 15.7 | 80 | 4 | 5 | 16 | 20 | 27 | 35 | 38 |
| TOT. SINGLE DX | 131 | 8.7 | 93 | 2 | 2 | 5 | 11 | 20 | 27 | 58 |
| " MULTIPLE DX | 93 | 12.3 | 113 | 1 | 2 | 9 | 17 | 27 | 35 | 46 |
| TOTAL 0-19 YRS | 18 | 14.1 | 349 | 2 | 2 | 4 | 18 | 51 | 58 | 58 |
| 20-34 | 43 | 5.1 | 36 | 1 | 2 | 3 | 5 | 10 | 22 | 30 |
| 35-49 | 37 | 6.8 | 35 | 1 | 2 | 6 | 10 | 16 | 18 | 28 |
| 50-64 | 62 | 10.7 | 121 | 2 | 2 | 6 | 15 | 27 | 37 | 54 |
| 65+ | 64 | 13.9 | 70 | 3 | 4 | 12 | 19 | 25 | 29 | 38 |
| GRAND TOTAL | 224 | 10.2 | 104 | 2 | 2 | 6 | 15 | 23 | 29 | 56 |

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2581 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 9743 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 14818 | 2.4 | 3 | <1 | 1 | 2 | 3 | 3 | 5 | 9 |
| 50-64 | 8224 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 4179 | 3.8 | 13 | 1 | 2 | 2 | 4 | 8 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 482 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 3861 | 3.3 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 35-49 | 8156 | 3.9 | 19 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| 50-64 | 6546 | 5.4 | 42 | 1 | 2 | 3 | 6 | 11 | 16 | 36 |
| 65+ | 5466 | 8.4 | 95 | 2 | 2 | 5 | 11 | 18 | 26 | 58 |
| TOT. SINGLE DX | 39545 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 24511 | 5.2 | 45 | 1 | 2 | 3 | 6 | 11 | 16 | 35 |
| TOTAL 0-19 YRS | 3063 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 13604 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 22974 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 14770 | 4.0 | 24 | 1 | 1 | 2 | 4 | 8 | 12 | 24 |
| 65+ | 9645 | 6.4 | 65 | 1 | 2 | 3 | 8 | 14 | 20 | 44 |
| GRAND TOTAL | 64056 | 3.6 | 22 | <1 | 1 | 2 | 3 | 7 | 11 | 23 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 279 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 301 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 412 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| 50-64 | 463 | 5.1 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 768 | 7.6 | 28 | 2 | 3 | 7 | 9 | 13 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 4.7 | 34 | 1 | 1 | 3 | 4 | 11 | 15 | 37 |
| 20-34 | 128 | 5.1 | 15 | 2 | 2 | 4 | 6 | 11 | 12 | 23 |
| 35-49 | 387 | 6.9 | 48 | 2 | 2 | 5 | 8 | 12 | 14 | 47 |
| 50-64 | 659 | 8.4 | 56 | 2 | 3 | 6 | 9 | 17 | 25 | 44 |
| 65+ | 1458 | 12.0 | 102 | 2 | 4 | 9 | 15 | 23 | 31 | 55 |
| TOT. SINGLE DX | 2223 | 5.3 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| " MULTIPLE DX | 2687 | 9.9 | 84 | 2 | 3 | 7 | 12 | 20 | 28 | 51 |
| TOTAL 0-19 YRS | 334 | 2.9 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 20-34 | 429 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 16 |
| 35-49 | 799 | 5.8 | 33 | 2 | 2 | 5 | 7 | 10 | 13 | 27 |
| 50-64 | 1122 | 7.0 | 42 | 2 | 2 | 5 | 8 | 13 | 19 | 38 |
| 65+ | 2226 | 10.5 | 81 | 2 | 3 | 8 | 13 | 20 | 28 | 53 |
| GRAND TOTAL | 4910 | 7.8 | 60 | 2 | 2 | 6 | 10 | 15 | 22 | 41 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 4.1 | 5 | <1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 431 | 7.9 | 21 | 4 | 5 | 7 | 9 | 11 | 14 | 20 |
| 35-49 | 2361 | 7.8 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 4055 | 8.4 | 11 | 4 | 5 | 8 | 10 | 12 | 14 | 20 |
| 65+ | 3713 | 9.0 | 15 | 5 | 5 | 8 | 10 | 13 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 7.0 | 21 | 1 | 2 | 8 | 10 | 14 | 15 | 16 |
| 20-34 | 372 | 9.0 | 25 | 4 | 5 | 8 | 10 | 13 | 17 | 30 |
| 35-49 | 2410 | 9.0 | 23 | 4 | 5 | 8 | 10 | 14 | 17 | 26 |
| 50-64 | 4820 | 10.1 | 32 | 5 | 5 | 9 | 11 | 16 | 20 | 32 |
| 65+ | 5772 | 11.9 | 50 | 5 | 6 | 10 | 14 | 19 | 24 | 39 |
| TOT. SINGLE DX | 10580 | 8.4 | 13 | 4 | 5 | 8 | 10 | 12 | 15 | 21 |
| " MULTIPLE DX | 13389 | 10.6 | 40 | 5 | 5 | 9 | 12 | 17 | 22 | 35 |
| TOTAL 0-19 YRS | 35 | 5.3 | 14 | 1 | 2 | 4 | 8 | 10 | 13 | 16 |
| 20-34 | 803 | 8.4 | 23 | 4 | 5 | 8 | 10 | 12 | 15 | 23 |
| 35-49 | 4771 | 8.4 | 18 | 4 | 5 | 8 | 10 | 12 | 15 | 23 |
| 50-64 | 8875 | 9.3 | 24 | 4 | 5 | 8 | 11 | 14 | 18 | 27 |
| 65+ | 9485 | 10.8 | 39 | 5 | 6 | 9 | 12 | 17 | 22 | 35 |
| GRAND TOTAL | 23969 | 9.7 | 29 | 4 | 5 | 9 | 11 | 15 | 19 | 30 |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1195 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 3382 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 2606 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 1273 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 303 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 333 | 3.9 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| 20-34 | 1873 | 4.2 | 12 | 1 | 1 | 4 | 5 | 7 | 10 | 18 |
| 35-49 | 2857 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 1795 | 5.1 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 437 | 6.5 | 48 | 2 | 2 | 4 | 8 | 12 | 18 | 39 |
| TOT. SINGLE DX | 8759 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| " MULTIPLE DX | 7295 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| TOTAL 0-19 YRS | 1528 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 5255 | 3.6 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 5463 | 4.2 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 3068 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 740 | 5.6 | 36 | 1 | 2 | 4 | 6 | 10 | 15 | 31 |
| GRAND TOTAL | 16054 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4046 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 7305 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 997 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 252 | 4.5 | 15 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 65+ | 65 | 6.0 | 32 | 2 | 2 | 4 | 6 | 15 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 501 | 5.5 | 29 | 2 | 2 | 4 | 6 | 9 | 13 | 27 |
| 20-34 | 1133 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 376 | 6.2 | 31 | 2 | 2 | 5 | 7 | 11 | 17 | 31 |
| 50-64 | 183 | 8.4 | 71 | 2 | 2 | 6 | 11 | 18 | 25 | 57 |
| 65+ | 68 | 9.7 | 78 | 2 | 3 | 7 | 13 | 21 | 32 | 91 |
| TOT. SINGLE DX | 12665 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 2261 | 5.8 | 30 | 2 | 2 | 4 | 7 | 10 | 14 | 32 |
| TOTAL 0-19 YRS | 4547 | 4.0 | 9 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 8438 | 4.1 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 1373 | 4.5 | 13 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 435 | 6.2 | 42 | 1 | 2 | 4 | 7 | 13 | 18 | 42 |
| 65+ | 133 | 7.9 | 59 | 2 | 2 | 5 | 10 | 17 | 26 | 60 |
| GRAND TOTAL | 14926 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5636 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 20-34 | 6779 | 3.1 | 14 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| 35-49 | 5715 | 3.2 | 17 | <1 | <1 | 2 | 3 | 6 | 9 | 20 |
| 50-64 | 5474 | 3.5 | 18 | <1 | <1 | 2 | 4 | 7 | 11 | 24 |
| 65+ | 3747 | 4.8 | 42 | <1 | <1 | 3 | 5 | 11 | 17 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1973 | 4.7 | 52 | <1 | 1 | 2 | 5 | 9 | 15 | 40 |
| 20-34 | 4449 | 7.2 | 91 | 1 | 1 | 4 | 8 | 17 | 26 | 62 |
| 35-49 | 5553 | 7.7 | 85 | 1 | 1 | 5 | 9 | 17 | 25 | 48 |
| 50-64 | 8253 | 8.9 | 98 | 1 | 2 | 6 | 11 | 19 | 27 | 53 |
| 65+ | 9787 | 11.4 | 142 | 2 | 2 | 8 | 14 | 25 | 35 | 71 |
| TOT. SINGLE DX | 27351 | 3.3 | 19 | <1 | <1 | 2 | 3 | 6 | 10 | 22 |
| " MULTIPLE DX | 30015 | 9.0 | 110 | 1 | 2 | 6 | 11 | 20 | 29 | 60 |
| TOTAL 0-19 YRS | 7609 | 2.9 | 21 | <1 | <1 | 2 | 3 | 5 | 8 | 22 |
| 20-34 | 11228 | 4.7 | 49 | <1 | <1 | 3 | 5 | 10 | 16 | 39 |
| 35-49 | 11268 | 5.4 | 56 | <1 | 1 | 3 | 6 | 12 | 18 | 38 |
| 50-64 | 13727 | 6.8 | 74 | <1 | 1 | 4 | 8 | 15 | 22 | 44 |
| 65+ | 13534 | 9.6 | 123 | 1 | 2 | 6 | 12 | 22 | 31 | 63 |
| GRAND TOTAL | 57366 | 6.3 | 75 | <1 | 1 | 3 | 7 | 15 | 22 | 46 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6840 | 4.3 | 31 | <1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 20-34 | 7561 | 5.3 | 45 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| 35-49 | 4277 | 5.9 | 53 | 1 | 1 | 4 | 7 | 13 | 17 | 38 |
| 50-64 | 3506 | 7.5 | 85 | 1 | 1 | 4 | 9 | 17 | 24 | 48 |
| 65+ | 2949 | 9.3 | 119 | 1 | 1 | 5 | 12 | 22 | 32 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9235 | 6.1 | 80 | 1 | 1 | 3 | 6 | 13 | 22 | 50 |
| 20-34 | 13834 | 7.4 | 109 | 1 | 1 | 4 | 8 | 17 | 28 | 63 |
| 35-49 | 7903 | 10.1 | 152 | 1 | 1 | 6 | 12 | 25 | 37 | 71 |
| 50-64 | 8875 | 13.3 | 213 | 1 | 2 | 8 | 17 | 32 | 46 | 84 |
| 65+ | 12378 | 16.7 | 273 | 2 | 2 | 12 | 22 | 42 | 58 | 99+ |
| TOT. SINGLE DX | 25133 | 5.9 | 60 | 1 | 1 | 3 | 7 | 13 | 19 | 41 |
| " MULTIPLE DX | 52225 | 10.8 | 184 | 1 | 1 | 6 | 13 | 28 | 41 | 82 |
| TOTAL 0-19 YRS | 16075 | 5.3 | 60 | 1 | 1 | 3 | 6 | 11 | 18 | 42 |
| 20-34 | 21395 | 6.6 | 88 | 1 | 1 | 4 | 7 | 14 | 23 | 55 |
| 35-49 | 12180 | 8.7 | 122 | 1 | 1 | 5 | 10 | 20 | 31 | 62 |
| 50-64 | 12381 | 11.7 | 184 | 1 | 2 | 7 | 15 | 28 | 41 | 76 |
| 65+ | 15327 | 15.3 | 252 | 1 | 2 | 10 | 20 | 38 | 54 | 99+ |
| GRAND TOTAL | 77358 | 9.2 | 149 | 1 | 1 | 5 | 11 | 23 | 35 | 72 |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1179 | 7.1 | 58 | 1 | 1 | 5 | 10 | 16 | 23 | 38 |
| 20-34 | 1357 | 8.3 | 106 | 1 | 1 | 5 | 10 | 21 | 28 | 52 |
| 35-49 | 775 | 9.2 | 97 | 1 | 1 | 6 | 12 | 22 | 31 | 48 |
| 50-64 | 768 | 12.0 | 163 | 1 | 1 | 8 | 16 | 27 | 39 | 66 |
| 65+ | 862 | 16.6 | 197 | 1 | 2 | 13 | 23 | 34 | 42 | 71 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 786 | 16.1 | 230 | 2 | 2 | 11 | 23 | 37 | 47 | 80 |
| 20-34 | 1303 | 17.1 | 258 | 2 | 2 | 13 | 24 | 39 | 53 | 92 |
| 35-49 | 981 | 18.9 | 291 | 2 | 2 | 14 | 27 | 43 | 59 | 99+ |
| 50-64 | 1384 | 22.1 | 309 | 2 | 4 | 18 | 31 | 49 | 63 | 99+ |
| 65+ | 2151 | 27.6 | 344 | 4 | 7 | 24 | 38 | 56 | 72 | 99+ |
| TOT. SINGLE DX | 4941 | 10.2 | 129 | 1 | 1 | 6 | 14 | 24 | 33 | 55 |
| " MULTIPLE DX | 6605 | 21.7 | 319 | 2 | 3 | 18 | 31 | 49 | 63 | 99+ |
| TOTAL 0-19 YRS | 1965 | 10.7 | 147 | 1 | 1 | 7 | 14 | 28 | 36 | 60 |
| 20-34 | 2660 | 12.6 | 200 | 1 | 2 | 8 | 17 | 30 | 43 | 78 |
| 35-49 | 1756 | 14.6 | 229 | 1 | 2 | 10 | 21 | 35 | 49 | 85 |
| 50-64 | 2152 | 18.5 | 281 | 1 | 2 | 14 | 27 | 43 | 58 | 99+ |
| 65+ | 3013 | 24.5 | 327 | 3 | 5 | 21 | 34 | 51 | 66 | 99+ |
| GRAND TOTAL | 11546 | 16.8 | 270 | 1 | 2 | 12 | 24 | 40 | 53 | 92 |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 402 | 3.9 | 37 | <1 | 1 | 2 | 4 | 8 | 14 | 33 |
| 20-34 | 636 | 5.3 | 71 | <1 | 1 | 2 | 5 | 13 | 22 | 47 |
| 35-49 | 345 | 6.3 | 95 | 1 | 1 | 3 | 6 | 16 | 25 | 52 |
| 50-64 | 253 | 6.1 | 62 | 1 | 1 | 3 | 7 | 15 | 22 | 41 |
| 65+ | 133 | 10.2 | 208 | 1 | 1 | 4 | 11 | 31 | 42 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 196 | 7.6 | 121 | 1 | 1 | 3 | 6 | 23 | 31 | 64 |
| 20-34 | 467 | 13.6 | 282 | 1 | 2 | 7 | 18 | 40 | 52 | 99+ |
| 35-49 | 262 | 14.8 | 321 | 1 | 2 | 7 | 22 | 42 | 59 | 98 |
| 50-64 | 330 | 15.4 | 336 | 1 | 2 | 8 | 23 | 51 | 69 | 99+ |
| 65+ | 320 | 22.8 | 513 | 2 | 2 | 16 | 38 | 62 | 88 | 99+ |
| TOT. SINGLE DX | 1769 | 5.7 | 80 | 1 | 1 | 2 | 5 | 14 | 23 | 46 |
| " MULTIPLE DX | 1575 | 15.3 | 346 | 1 | 2 | 7 | 23 | 47 | 65 | 99+ |
| TOTAL 0-19 YRS | 598 | 5.1 | 68 | 1 | 1 | 2 | 5 | 12 | 23 | 50 |
| 20-34 | 1103 | 8.8 | 177 | 1 | 1 | 3 | 10 | 25 | 39 | 88 |
| 35-49 | 607 | 9.9 | 210 | 1 | 1 | 4 | 11 | 30 | 42 | 85 |
| 50-64 | 583 | 11.4 | 239 | 1 | 1 | 5 | 15 | 36 | 57 | 99+ |
| 65+ | 453 | 19.1 | 457 | 1 | 2 | 11 | 30 | 55 | 81 | 99+ |
| GRAND TOTAL | 3344 | 10.2 | 228 | 1 | 1 | 4 | 12 | 31 | 49 | 99 |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2251 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 1656 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 1224 | 3.4 | 11 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 1436 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 611 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 995 | 4.1 | 42 | <1 | 1 | 2 | 4 | 8 | 12 | 36 |
| 20-34 | 1318 | 5.3 | 46 | 1 | 1 | 3 | 6 | 11 | 15 | 38 |
| 35-49 | 1559 | 5.8 | 44 | 1 | 2 | 4 | 7 | 11 | 17 | 31 |
| 50-64 | 2120 | 6.5 | 75 | 1 | 2 | 4 | 7 | 14 | 22 | 50 |
| 65+ | 1709 | 11.0 | 151 | 2 | 2 | 7 | 14 | 25 | 40 | 99+ |
| TOT. SINGLE DX | 7178 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| " MULTIPLE DX | 7701 | 6.8 | 82 | 1 | 1 | 4 | 8 | 15 | 23 | 56 |
| TOTAL 0-19 YRS | 3246 | 2.9 | 18 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 20-34 | 2974 | 3.9 | 26 | <1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 35-49 | 2783 | 4.8 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 50-64 | 3556 | 5.1 | 50 | 1 | 1 | 3 | 5 | 10 | 16 | 39 |
| 65+ | 2320 | 8.9 | 125 | 1 | 2 | 5 | 11 | 21 | 32 | 85 |
| GRAND TOTAL | 14879 | 4.9 | 50 | <1 | 1 | 3 | 5 | 10 | 16 | 41 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 4.0 | 24 | 1 | 1 | 3 | 5 | 8 | 9 | 25 |
| 20-34 | 166 | 5.9 | 44 | 1 | 1 | 3 | 7 | 12 | 17 | 36 |
| 35-49 | 148 | 5.9 | 48 | 1 | 1 | 4 | 7 | 12 | 16 | 45 |
| 50-64 | 160 | 5.2 | 29 | 1 | 1 | 3 | 7 | 11 | 15 | 26 |
| 65+ | 116 | 7.3 | 63 | 1 | 1 | 5 | 8 | 16 | 26 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 155 | 6.1 | 49 | 1 | 2 | 4 | 6 | 13 | 17 | 34 |
| 20-34 | 242 | 7.6 | 56 | 2 | 2 | 6 | 9 | 13 | 18 | 43 |
| 35-49 | 286 | 9.2 | 75 | 2 | 2 | 7 | 11 | 18 | 30 | 46 |
| 50-64 | 382 | 10.2 | 61 | 2 | 3 | 8 | 13 | 20 | 26 | 39 |
| 65+ | 719 | 12.5 | 109 | 3 | 4 | 10 | 15 | 24 | 32 | 58 |
| TOT. SINGLE DX | 719 | 5.6 | 42 | 1 | 1 | 4 | 7 | 12 | 16 | 38 |
| " MULTIPLE DX | 1784 | 10.3 | 86 | 2 | 3 | 8 | 13 | 21 | 28 | 48 |
| TOTAL 0-19 YRS | 284 | 5.1 | 39 | 1 | 1 | 4 | 6 | 9 | 15 | 32 |
| 20-34 | 408 | 6.9 | 52 | 1 | 2 | 5 | 9 | 13 | 18 | 40 |
| 35-49 | 434 | 8.1 | 68 | 1 | 2 | 6 | 10 | 16 | 23 | 45 |
| 50-64 | 542 | 8.7 | 57 | 1 | 2 | 7 | 11 | 17 | 23 | 39 |
| 65+ | 835 | 11.8 | 106 | 2 | 3 | 9 | 15 | 23 | 30 | 54 |
| GRAND TOTAL | 2503 | 8.9 | 78 | 1 | 2 | 6 | 11 | 18 | 26 | 46 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 905 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 20-34 | 12552 | 5.7 | 26 | 1 | 1 | 4 | 8 | 12 | 16 | 24 |
| 35-49 | 15169 | 5.8 | 27 | 1 | 1 | 4 | 8 | 13 | 16 | 24 |
| 50-64 | 8391 | 6.0 | 31 | 1 | 1 | 4 | 8 | 13 | 17 | 26 |
| 65+ | 1993 | 6.9 | 48 | 1 | 1 | 4 | 9 | 15 | 20 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 456 | 6.7 | 44 | 1 | 1 | 5 | 8 | 15 | 18 | 39 |
| 20-34 | 6381 | 8.0 | 52 | 1 | 2 | 6 | 11 | 17 | 21 | 35 |
| 35-49 | 10012 | 8.2 | 51 | 1 | 2 | 6 | 11 | 17 | 22 | 35 |
| 50-64 | 9116 | 9.0 | 67 | 1 | 2 | 7 | 12 | 19 | 24 | 41 |
| 65+ | 4448 | 11.7 | 120 | 2 | 2 | 9 | 15 | 26 | 33 | 59 |
| TOT. SINGLE DX | 39010 | 5.8 | 29 | 1 | 1 | 4 | 8 | 13 | 16 | 25 |
| " MULTIPLE DX | 30413 | 8.9 | 68 | 1 | 2 | 7 | 12 | 19 | 24 | 41 |
| TOTAL 0-19 YRS | 1361 | 5.4 | 30 | 1 | 1 | 3 | 7 | 12 | 16 | 25 |
| 20-34 | 18933 | 6.4 | 36 | 1 | 1 | 4 | 9 | 14 | 18 | 28 |
| 35-49 | 25181 | 6.8 | 38 | 1 | 2 | 5 | 9 | 15 | 18 | 29 |
| 50-64 | 17507 | 7.6 | 53 | 1 | 2 | 5 | 10 | 16 | 21 | 35 |
| 65+ | 6441 | 10.2 | 103 | 1 | 2 | 7 | 14 | 23 | 30 | 51 |
| GRAND TOTAL | 69423 | 7.2 | 48 | 1 | 2 | 5 | 10 | 15 | 20 | 33 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 300 | 5.1 | 30 | 1 | 2 | 3 | 6 | 11 | 15 | 29 |
| 20-34 | 1161 | 5.4 | 38 | 1 | 2 | 3 | 7 | 11 | 16 | 25 |
| 35-49 | 1548 | 5.2 | 29 | 1 | 2 | 3 | 6 | 11 | 15 | 28 |
| 50-64 | 2905 | 5.1 | 29 | 1 | 2 | 3 | 6 | 11 | 14 | 27 |
| 65+ | 2649 | 5.0 | 32 | 1 | 2 | 3 | 6 | 10 | 15 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 238 | 8.7 | 79 | 2 | 2 | 6 | 10 | 21 | 29 | 51 |
| 20-34 | 1007 | 9.0 | 113 | 2 | 2 | 6 | 10 | 19 | 29 | 51 |
| 35-49 | 2081 | 9.1 | 89 | 2 | 2 | 6 | 11 | 19 | 27 | 50 |
| 50-64 | 6343 | 8.4 | 77 | 2 | 2 | 6 | 10 | 17 | 24 | 49 |
| 65+ | 7632 | 9.2 | 89 | 2 | 2 | 7 | 12 | 19 | 26 | 52 |
| TOT. SINGLE DX | 8563 | 5.2 | 32 | 1 | 2 | 3 | 6 | 11 | 15 | 28 |
| " MULTIPLE DX | 17301 | 8.9 | 86 | 2 | 2 | 6 | 11 | 18 | 26 | 50 |
| TOTAL 0-19 YRS | 538 | 6.7 | 55 | 1 | 2 | 4 | 8 | 15 | 22 | 43 |
| 20-34 | 2168 | 7.1 | 77 | 1 | 2 | 4 | 8 | 15 | 21 | 44 |
| 35-49 | 3629 | 7.4 | 68 | 2 | 2 | 5 | 9 | 16 | 22 | 44 |
| 50-64 | 9248 | 7.4 | 65 | 2 | 2 | 5 | 9 | 15 | 22 | 43 |
| 65+ | 10281 | 8.1 | 78 | 1 | 2 | 5 | 10 | 17 | 24 | 47 |
| GRAND TOTAL | 25864 | 7.6 | 71 | 2 | 2 | 5 | 10 | 16 | 23 | 45 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 13 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 20-34 | 53 | 3.8 | 9 | 1 | 2 | 2 | 4 | 8 | 9 | 17 |
| 35-49 | 450 | 3.5 | 10 | 2 | 2 | 2 | 3 | 7 | 9 | 15 |
| 50-64 | 788 | 3.4 | 9 | 2 | 2 | 2 | 3 | 7 | 10 | 16 |
| 65+ | 202 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 4.2 | 11 | 2 | 2 | 2 | 5 | 10 | 12 | 12 |
| 20-34 | 85 | 4.9 | 18 | 1 | 2 | 3 | 7 | 13 | 14 | 18 |
| 35-49 | 993 | 5.0 | 21 | 2 | 2 | 3 | 7 | 11 | 15 | 24 |
| 50-64 | 2538 | 5.1 | 21 | 2 | 2 | 3 | 7 | 11 | 15 | 22 |
| 65+ | 901 | 6.0 | 35 | 1 | 2 | 4 | 8 | 13 | 18 | 25 |
| TOT. SINGLE DX | 1500 | 3.5 | 9 | 1 | 2 | 2 | 3 | 7 | 10 | 15 |
| " MULTIPLE DX | 4530 | 5.3 | 24 | 1 | 2 | 3 | 7 | 12 | 15 | 23 |
| TOTAL 0-19 YRS | 20 | 3.8 | 12 | 1 | 1 | 2 | 4 | 10 | 11 | 12 |
| 20-34 | 138 | 4.4 | 15 | 1 | 2 | 3 | 5 | 10 | 14 | 17 |
| 35-49 | 1443 | 4.5 | 18 | 2 | 2 | 3 | 6 | 10 | 14 | 20 |
| 50-64 | 3326 | 4.7 | 19 | 2 | 2 | 3 | 6 | 10 | 14 | 22 |
| 65+ | 1103 | 5.6 | 31 | 1 | 2 | 3 | 7 | 12 | 15 | 25 |
| GRAND TOTAL | 6030 | 4.8 | 21 | 1 | 2 | 3 | 6 | 11 | 14 | 22 |

### 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 642 | 4.8 | 26 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| 20-34 | 2799 | 5.6 | 23 | 1 | 1 | 4 | 8 | 12 | 14 | 22 |
| 35-49 | 3240 | 5.7 | 26 | 1 | 1 | 4 | 8 | 12 | 15 | 23 |
| 50-64 | 4756 | 5.3 | 28 | 1 | 1 | 3 | 7 | 12 | 15 | 25 |
| 65+ | 4237 | 5.7 | 34 | 1 | 1 | 3 | 8 | 13 | 16 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 559 | 7.3 | 76 | 1 | 2 | 4 | 9 | 16 | 20 | 46 |
| 20-34 | 2838 | 8.5 | 65 | 1 | 2 | 7 | 11 | 16 | 22 | 44 |
| 35-49 | 5557 | 8.2 | 56 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| 50-64 | 13279 | 8.2 | 64 | 2 | 2 | 6 | 11 | 17 | 22 | 40 |
| 65+ | 16727 | 10.1 | 90 | 2 | 2 | 8 | 13 | 21 | 27 | 50 |
| TOT. SINGLE DX | 15674 | 5.5 | 29 | 1 | 1 | 3 | 8 | 12 | 15 | 24 |
| " MULTIPLE DX | 38960 | 9.0 | 76 | 2 | 2 | 7 | 12 | 19 | 24 | 44 |
| TOTAL 0-19 YRS | 1201 | 6.0 | 51 | 1 | 1 | 3 | 8 | 13 | 17 | 34 |
| 20-34 | 5637 | 7.0 | 47 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 35-49 | 8797 | 7.3 | 47 | 1 | 2 | 5 | 10 | 15 | 20 | 32 |
| 50-64 | 18035 | 7.5 | 56 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| 65+ | 20964 | 9.2 | 83 | 1 | 2 | 7 | 12 | 19 | 25 | 46 |
| GRAND TOTAL | 54634 | 8.0 | 65 | 1 | 2 | 6 | 11 | 17 | 22 | 40 |

### 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52448 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 20-34 | 74773 | 4.7 | 24 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 35-49 | 52156 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 46337 | 6.2 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 42324 | 7.7 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 56457 | 5.3 | 39 | 1 | 1 | 4 | 6 | 10 | 14 | 34 |
| 20-34 | 95299 | 6.3 | 40 | 1 | 2 | 5 | 7 | 12 | 17 | 33 |
| 35-49 | 110338 | 7.4 | 41 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| 50-64 | 185170 | 8.6 | 55 | 2 | 3 | 7 | 11 | 16 | 22 | 39 |
| 65+ | 338256 | 10.7 | 82 | 3 | 3 | 8 | 13 | 21 | 27 | 50 |
| TOT. SINGLE DX | 268038 | 5.4 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| " MULTIPLE DX | 785520 | 8.8 | 66 | 2 | 2 | 7 | 11 | 17 | 23 | 43 |
| TOTAL 0-19 YRS | 108905 | 4.6 | 29 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |
| 20-34 | 170072 | 5.6 | 34 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 162494 | 6.8 | 38 | 1 | 2 | 5 | 8 | 13 | 18 | 31 |
| 50-64 | 231507 | 8.1 | 52 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| 65+ | 380580 | 10.3 | 79 | 2 | 3 | 8 | 13 | 20 | 27 | 49 |
| GRAND TOTAL | 1053558 | 7.9 | 59 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |

### 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17181 | 7.0 | 97 | 1 | 1 | 4 | 7 | 17 | 27 | 55 |
| 20-34 | 15761 | 8.2 | 70 | 1 | 2 | 6 | 10 | 16 | 23 | 46 |
| 35-49 | 14348 | 8.2 | 48 | 2 | 2 | 7 | 10 | 15 | 21 | 37 |
| 50-64 | 12392 | 8.6 | 56 | 2 | 2 | 7 | 11 | 16 | 21 | 39 |
| 65+ | 10936 | 10.0 | 76 | 2 | 3 | 8 | 12 | 19 | 26 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16273 | 8.1 | 108 | 1 | 2 | 5 | 8 | 18 | 30 | 61 |
| 20-34 | 18697 | 9.3 | 84 | 2 | 3 | 7 | 11 | 19 | 27 | 51 |
| 35-49 | 22145 | 9.5 | 64 | 2 | 3 | 7 | 11 | 18 | 24 | 43 |
| 50-64 | 34765 | 10.3 | 73 | 2 | 3 | 8 | 13 | 19 | 25 | 46 |
| 65+ | 68429 | 12.4 | 98 | 3 | 4 | 10 | 15 | 23 | 31 | 56 |
| TOT. SINGLE DX | 70618 | 8.3 | 72 | 1 | 2 | 6 | 10 | 17 | 24 | 46 |
| " MULTIPLE DX | 160309 | 10.7 | 90 | 2 | 3 | 8 | 13 | 21 | 28 | 53 |
| TOTAL 0-19 YRS | 33454 | 7.5 | 103 | 1 | 2 | 4 | 7 | 17 | 28 | 58 |
| 20-34 | 34458 | 8.8 | 78 | 2 | 2 | 6 | 10 | 18 | 25 | 49 |
| 35-49 | 36493 | 9.0 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| 50-64 | 47157 | 9.8 | 70 | 2 | 3 | 8 | 12 | 18 | 24 | 45 |
| 65+ | 79365 | 12.1 | 96 | 3 | 4 | 10 | 15 | 23 | 30 | 55 |
| GRAND TOTAL | 230927 | 10.0 | 86 | 2 | 3 | 7 | 12 | 20 | 27 | 51 |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 39846 | 4.1 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 20-34 | 20625 | 5.0 | 36 | 1 | 1 | 3 | 6 | 9 | 14 | 33 |
| 35-49 | 14050 | 6.1 | 34 | 1 | 2 | 4 | 7 | 12 | 16 | 30 |
| 50-64 | 15552 | 6.9 | 37 | 1 | 2 | 5 | 9 | 14 | 17 | 30 |
| 65+ | 16054 | 8.0 | 49 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 49803 | 5.4 | 43 | 1 | 2 | 4 | 6 | 9 | 14 | 38 |
| 20-34 | 30466 | 6.3 | 50 | 1 | 2 | 4 | 7 | 12 | 18 | 37 |
| 35-49 | 36424 | 7.4 | 45 | 2 | 2 | 6 | 9 | 15 | 19 | 34 |
| 50-64 | 72617 | 8.6 | 54 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| 65+ | 144272 | 10.5 | 76 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |
| TOT. SINGLE DX | 106127 | 5.5 | 34 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| " MULTIPLE DX | 333582 | 8.6 | 65 | 2 | 2 | 6 | 11 | 17 | 23 | 42 |
| TOTAL 0-19 YRS | 89649 | 4.8 | 33 | 1 | 2 | 4 | 5 | 8 | 12 | 32 |
| 20-34 | 51091 | 5.8 | 45 | 1 | 1 | 4 | 7 | 11 | 17 | 36 |
| 35-49 | 50474 | 7.0 | 43 | 1 | 2 | 5 | 9 | 14 | 19 | 33 |
| 50-64 | 88169 | 8.3 | 52 | 2 | 2 | 6 | 11 | 16 | 21 | 37 |
| 65+ | 160326 | 10.2 | 74 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |
| GRAND TOTAL | 439709 | 7.9 | 59 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |

# *ICD-9-CM* Codes for Selected Operation Groups

## *ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 | Incidental |
| | Arteriography |
| 757 | Aorta |
| 755 | Cerebral |
| 756 | Coronary |
| 757 | Femoral |
| 755 | Head |
| 756 | Heart |
| 757 | Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 | Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 699 | Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
| | Artificial |
| 686 | Insemination |
| 690 | Rupture of membranes for delivery |
| | Aspiration |
| 752 | Breast, except for biopsy |
| 742 | Biopsy |
| 741 | Bursa |
| 682 | Cul-de-sac |
| 677 | Curettage, uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 651 | Hydrocele, except of spermatic cord |
| 656 | Spermatic cord |
| 632 | Kidney |
| 614 | Liver, percutaneous, except for biopsy |
| 615 | Biopsy |
| 537 | Middle ear |
| 546 | Nasal sinus |
| 663 | Ovary |
| 752 | Skin |
| 656 | Spermatocele |
| 529 | Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
| | Cardiac |
| 573 |  Catheterization |
| 764 |  Function tests |
| |  Massage |
| 763 |  Closed |
| 575 |  Open |
| 574 |  Pacemaker insertion or replacement |
| 575 |  Revascularization, except coronary bypass |
| 572 |  Coronary bypass |
| 764 |  Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 |  Intracapsular |
| | Catheterization |
| 647 |  Bladder, except suprapubic approach |
| 638 |  Suprapubic approach |
| 581 |  Blood vessel |
| 573 |  Cardiac |
| 645 |  Ureteral |
| 647 |  Urethral, indwelling |
| 587 |  Vein, except umbilical |
| 581 |  Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 |  Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
| | Closure |
| 617 |  Cholecystostomy |
| 601 |  Colostomy |
| |  Fistula – *see Fistulectomy* |
| 596 |  Gastric anastomosis |
| 601 |  Sigmoidostomy |
| 570 |  Thoracostomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

## OPERATION INDEX (continued)

Group Number Title

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions – *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 | Peripheral nerve |
| 511 | Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage — *see also Incision (and drainage)* |
| 647 | Bladder, except surgical approach |
| 638 | Surgical approach (suprapubic) |
| 569 | Chest |
| 537 | Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 | Bladder |
| 567 | Bronchus |
| 619 | Colon, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 682 | Cul-de-sac, except for tubal ligation |
| 664 | Tubal ligation |
| 589 | Esophagus |
| 589 | Gastric, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 576 | Larynx |
| 628 | Peritoneum |
| 557 | Pharynx |
| 609 | Small intestine |
| 589 | Stomach, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 570 | Thorax, transpleural |
| 636 | Urethra |
| 679 | Uterus |
| 686 | Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 |  With low forceps delivery |
| 689 |  With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 |  Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 |  Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 |  Eyeball |
| 673 |  Pelvic |
|  | Examination |
| 764 |  Eye |
| 764 |  General physical |
| 764 |  Gynecologic |
| 764 |  Pelvic |
| 761 |  Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 |  Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 |  Anal fistula |
| 727 |  Baker's cyst |
| 705 |  Bone, except facial |
| 699 |   Facial, except partial |
| 698 |    Partial |
| 556 |  Branchial cleft cyst |
| 704 |  Bunion |
| 517 |  Chalazion, eyelid |
| 599 |  Colon |
| 665 |  Fallopian tubes, bilateral, except endoscopic approach |
| 664 |   Endoscopic approach |
| 670 |  Fibroid, uterine |
| 616 |  Gallbladder |
| 508 |  Ganglion, except of tendon |
| 727 |   Tendon (of hand) |
| 612 |  Hemorrhoids |

## OPERATION INDEX (continued)

Group Number — Title

- Excision (continued)
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 With adenoids
  - 556 Tonsil tag
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 | Breech, for delivery |
| 547 | Dental |
| 686 | Menstrual |
| 547 | Teeth |
| 689 | Vacuum, for delivery |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 | Hand |
| 726 | Fasciotomy, except of hand |
| 728 | Hand |
| | Fistulectomy |
| 610 | Anal |
| 638 | Bladder |
| 556 | Branchial cleft |
| 564 | Bronchus |
| 601 | Intestine |
| 542 | Nasal |
| 542 | Nasolabial |
| 546 | Oroantral |
| 609 | Perirectal |
| 556 | Pharynx |
| 640 | Rectourethral |
| 679 | Rectouterine |
| 681 | Rectovaginal |
| 638 | Rectovesical |
| 609 | Rectum |
| 562 | Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| | With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 | Low forceps |
| | Formation |
| 581 | Arteriovenous shunt for dialysis |
| 634 | Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 |  Facial bone, except closed reduction |
| 700 |   Closed reduction |
| |  Femur |
| 710 |   Closed, except with internal fixation |
| 708 |    With internal fixation |
| 710 |   Open, except with internal fixation |
| 709 |    With internal fixation |
| 701 |  Mandible, except closed reduction |
| 700 |   Closed reduction |
| 701 |  Maxillofacial, except closed reduction |
| 700 |   Closed reduction |
| 544 |  Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 |  Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 |  Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 |  Total |
| 589 | Gastroscopy, except surgical approach |
| 596 |  Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 |  Bone, except facial and skull |
| 702 |   Facial |
| 503 |   Skull |
| 749 |  Free, of skin |
| 552 |  Lip |
| 731 |  Muscle, except of hand |
| 729 |   Hand |
| 750 |  Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| | Skin |
| 749 | Free |
| 750 | Pedicle |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 | Diaphragmatic |
| 624 | Epigastric |
| 622 | Femoral |
| 624 | Incisional |
| | Inguinal |
| 621 | Bilateral |
| 620 | Unilateral |
| 623 | Umbilical |
| 624 | Ventral |
| 723 | Hip replacement, except total |
| 722 | Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 | Radical |
| 672 | Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 | Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 | Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 | Breast |
| 740 | Limb prosthesis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 | Retroperitoneal abscess |
| 651 | Scrotum |
| | Sinus (nasal) — *see Sinusotomy* |
| 748 | Skin, except pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 506 | Spinal meninges |
| 726 | Tendon |
| 569 | Thorax |
| 633 | Ureter |
| 682 | Vagina |
| 683 | Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 | Intra-amniotic, for termination of pregnancy |
| 763 | Therapeutic agent (drugs) |
| 745 | Breast |
| 741 | Bursa |
| 741 | Joint |
| 741 | Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 | Cardiac pacemaker |
| 686 | Intrauterine contraceptive device |
| 679 | Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | |
| | Laceration repair (suture) — *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 | Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 | Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 |  Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 |  Intracapsular |
|  | Ligation |
| 665 |  Fallopian tubes (bilateral), except endoscopic approach |
| 664 |   Endoscopic approach |
| 612 |  Hemorrhoids |
| 577 |  Varicose veins |
| 655 |  Vas deferens |
| 577 | Ligation and stripping, varicose veins |
|  | Lobectomy |
| 501 |  Brain |
| 615 |  Liver |
| 566 |  Lung, except partial |
| 565 |   Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
|  | Lysis, adhesions |
| 630 |  Abdominal |
| 741 |  Hand |
| 524 |  Iris |
| 716 |  Joint |
| 731 |  Muscle, except of hand |
| 741 |   Hand |
| 630 |  Pelvis |
| 630 |  Peritoneum |
| 731 |  Tendon, except of hand |
| 741 |   Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 |  Partial |
| 699 | Mandibulotomy |
|  | Mastectomy |
| 743 |  Complete |
| 743 |  Simple, except extended |
| 744 |   Extended |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 759 | Radiation therapy |
|  | Radiography |
| 757 |   Arteries, except cerebral and coronary |
| 755 |     Cerebral |
| 756 |     Coronary |
| 758 |   Breast |
| 755 |   Cerebral |
| 755 |     Arteries |
| 753 |     Ventricles |
| 758 |   Chest |
| 758 |   Gallbladder |
| 758 |   Kidney |
| 758 |   Skeletal |
| 758 |   Spine, except myelogram |
| 754 |     Myelogram |
| 757 |   Veins |
|  | Reattachment |
| 738 |   Extremity |
| 528 |   Retina |
| 731 |   Tendon, except of hand |
| 729 |     Hand |
| 530 | Recession, ocular muscle |
|  | Reconstruction |
| 535 |   Ear ossicles |
| 699 |   Mandible |
| 729 |   Thumb |
| 680 | Rectocele repair |
|  | Reduction |
|  |   Dislocation, except temporomandibular |
| 714 |     Closed |
| 715 |     Open |
| 702 |     Temporomandibular (joint) |
|  |   Fracture, except facial bone, femur, and nose |
| 713 |     Closed, except with internal fixation |
| 711 |       With internal fixation |
| 713 |     Open, except with internal fixation |
| 712 |       With internal fixation |
| 701 |     Facial bone, except closed reduction |
| 700 |       Closed reduction |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Removal (continued) |
| 524 | Iris |
| 527 | Lens |
| | Prosthesis |
| 745 | Breast |
| 716 | Joint |
| 697 | Retained placenta, manually |
| 764 | Sutures |
| 764 | T-tube, gallbladder |
| 764 | Therapeutic device, nonoperatively |
| 529 | Vitreous |
| 580 | Renal dialysis |
| | Repair |
| 630 | Abdominal wall |
| 613 | Anal fistula, except by excision |
| 610 | Excision |
| 581 | Aneurysm (arteriovenous) |
| 638 | Bladder, except obstetric laceration |
| 697 | Obstetric laceration |
| 518 | Blepharoptosis |
| 581 | Blood vessel |
| 706 | Bone, except facial |
| 699 | Facial |
| 745 | Breast |
| 564 | Bronchial fistula |
| 704 | Bunion |
| 571 | Cardiac septal defect |
| 669 | Cervix, except obstetric laceration |
| 697 | Obstetric laceration |
| 570 | Chest wall |
| 551 | Cleft palate |
| 520 | Conjunctiva |
| 522 | Cornea, except transplant |
| 521 | Transplant |
| 680 | Cystocele, vagina |
| 730 | Diastasis recti |
| 534 | Ear, external |
| 518 | Ectropion or entropion, eyelid |
| 697 | Episiotomy |
| 518 | Eyelid |
| | Fistula – *see Fistulectomy* |
| 704 | Hallux valgus |
| 729 | Hand |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| | Hernia – *see Herniorrhaphy* |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| | Hydrocephalus, by ventricular shunt |
| 504 | Extracranial |
| 505 | Intracranial (ventriculostomy) |
| 601 | Intestine |
| 725 | Joint, except hip and knee |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 724 | Knee (joint) |
| | Laceration – *see also Repair, by site* |
| 697 | Obstetric |
| 562 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 568 | Lung |
| 731 | Muscle, except extraocular and of hand |
| 531 | Extraocular |
| 729 | Hand |
| 556 | Nasopharyngeal atresia |
| 542 | Nose |
| 663 | Ovary |
| 551 | Palate |
| 658 | Penis |
| 685 | Perineum, female, except obstetric laceration |
| 697 | Obstetric laceration |
| 509 | Peripheral nerve |
| 596 | Pylorus, stomach |
| 680 | Rectocele, vagina |
| 609 | Rectum |
| 528 | Retinal detachment or tear |
| 730 | Rotator-cuff (shoulder) |
| 503 | Skull |
| 507 | Spina bifida |
| 507 | Spinal meningocele |
| 596 | Stomach |
| 644 | Stress incontinence, except urethral suspension |
| 643 | Urethral suspension |
| 731 | Tendon, except of hand |
| 729 | Hand |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |   Testis |
| 562 |   Trachea |
| 635 |   Ureter |
| 640 |   Urethra |
| 679 |   Uterus, except obstetric laceration and supporting structures |
| 697 |     Obstetric laceration |
| 678 |     Supporting structures |
| 681 |   Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |     Cystocele and rectocele |
| 697 |     Obstetric laceration |
| 552 |   Vestibular arch (mouth) |
| 685 |   Vulva, except obstetric laceration |
| 697 |     Obstetric laceration |
| | Replacement |
| 574 |   Cardiac pacemaker |
| 571 |   Heart valve |
| 725 |   Joint, except hip and knee |
| 723 |     Hip, except total replacement |
| 722 |       Total replacement |
| 724 |     Knee |
| 647 |   Urinary catheter |
| | Resection |
| 638 |   Bladder |
| 581 |   Blood vessel |
| 564 |   Bronchus |
| 599 |   Large intestine |
| 730 |   Muscle, except of hand |
| 728 |     Hand |
| 541 |   Nasal septum, submucous |
| 530 |   Ocular muscle |
| 660 |   Ovary |
| 608 |   Rectum (abdominoperineal) (pull-through) |
| 549 |   Root of tooth |
| 598 |   Small intestine |
| 730 |   Tendon, except of hand |
| 728 |     Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |   Amputation stump |
| 581 |   Arteriovenous shunt for dialysis |
| 596 |   Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 | Intestinal anastomosis |
| 539 | Mastoidectomy |
| 562 | Tracheostomy |
| 539 | Tympanoplasty |
| 505 | Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | Salpingectomy |
| 665 | Bilateral |
| 666 | Unilateral |
| | Salpingo-oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 | C.A.T. (computerized axial tomography) |
| 758 | Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 | Cerebral ventricles, except intracranial and revision |
| 505 | Intracranial |
| 505 | Revision |
| 578 | Peripheral vessels |
| 630 | Peritoneovenous |
| 578 | Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 | Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 | Breast |
| | Sphincterotomy |
| 617 | Ampullary (of Vater) (pancreas) |
| 613 | Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| | Stress incontinence repair, except by |
| 644 | urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture – *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 643 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | X-ray – *see Radiography* |
| 751 | Z-plasty, skin |

P3850-1.3 (US)A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

# DX LENGTH OF STAY BY DIAGNOSIS



## UNITED STATES NORTH CENTRAL REGION

## 1981

# Length of Stay by Diagnosis, North Central Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
    Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
    Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
    Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
    Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . . 5
        Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . . 5
        Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . . 5
    Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . . . 6
    Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17
    Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 18
    Summary of All Patients Except Newborn . . . . . . . . . . . . . . . . . . . . . 19
    Diagnosis Groups 1-398 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 20
**Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups** . . . . . . . . . . . . 219
**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
** Includes Alaska and Hawaii
South

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

## January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.* | | | |
| *a. acute myocardial infarction* | | | |
| *b. dissecting aortic aneurysm* | | | |
| *c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| **215** | **Cholelithiasis** |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | **129430** | **9.5** | **38** | **3** | **4** | **8** | **11** | **16** | **20** | **33** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 9 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 360431 | 3.8 | 14 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |
| 20-34 | 223461 | 4.5 | 29 | <1 | 1 | 3 | 4 | 8 | 12 | 29 |
| 35-49 | 77267 | 6.5 | 46 | 1 | 1 | 4 | 8 | 14 | 20 | 34 |
| 50-64 | 64658 | 6.9 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| 65+ | 59321 | 7.6 | 48 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 141038 | 3.1 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 266553 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 114599 | 5.1 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 109485 | 6.2 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 96540 | 7.5 | 55 | 2 | 2 | 5 | 10 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 241515 | 5.1 | 32 | 1 | 2 | 4 | 6 | 8 | 12 | 31 |
| 20-34 | 156085 | 6.5 | 52 | 1 | 1 | 4 | 7 | 13 | 21 | 37 |
| 35-49 | 150368 | 7.6 | 49 | 1 | 2 | 6 | 9 | 15 | 21 | 36 |
| 50-64 | 245024 | 8.3 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 65+ | 428925 | 9.9 | 64 | 2 | 3 | 8 | 12 | 19 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86813 | 5.3 | 63 | 1 | 1 | 3 | 6 | 10 | 17 | 47 |
| 20-34 | 240000 | 6.0 | 40 | 1 | 2 | 5 | 7 | 11 | 15 | 35 |
| 35-49 | 163077 | 8.0 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| 50-64 | 205090 | 10.3 | 102 | 2 | 2 | 8 | 13 | 21 | 29 | 54 |
| 65+ | 249083 | 13.5 | 144 | 2 | 3 | 10 | 18 | 28 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 785138 | 4.8 | 28 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| B. *Operated* | 728215 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1221917 | 7.9 | 55 | 1 | 2 | 6 | 10 | 16 | 22 | 38 |
| B. *Operated* | 944063 | 9.2 | 97 | 1 | 2 | 6 | 11 | 20 | 28 | 52 |
| **1. SINGLE DX** | 1513353 | 4.8 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **2. MULTIPLE DX** | 2165980 | 8.5 | 74 | 1 | 2 | 6 | 10 | 18 | 24 | 45 |
| **A. NOT OPERATED** | 2007055 | 6.7 | 47 | 1 | 2 | 4 | 8 | 14 | 19 | 35 |
| **B. OPERATED** | 1672278 | 7.3 | 70 | 1 | 2 | 5 | 9 | 16 | 23 | 44 |
| TOTAL 0-19 YRS | 829797 | 4.2 | 24 | 1 | 1 | 3 | 5 | 7 | 10 | 26 |
| 20-34 | 886099 | 5.1 | 32 | 1 | 1 | 4 | 6 | 9 | 14 | 30 |
| 35-49 | 505311 | 7.0 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 50-64 | 624257 | 8.4 | 67 | 2 | 2 | 6 | 11 | 17 | 23 | 42 |
| 65+ | 833869 | 10.5 | 91 | 2 | 3 | 8 | 14 | 21 | 28 | 49 |
| **GRAND TOTAL** | **3679333** | **6.9** | **58** | **1** | **2** | **4** | **8** | **15** | **21** | **39** |

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 149174 | 4.1 | 30 | 1 | 1 | 3 | 5 | 7 | 10 | 29 |
| 20-34 | 223461 | 4.5 | 29 | <1 | 1 | 3 | 4 | 8 | 12 | 29 |
| 35-49 | 77267 | 6.5 | 46 | 1 | 1 | 4 | 8 | 14 | 20 | 34 |
| 50-64 | 64658 | 6.9 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| 65+ | 59321 | 7.6 | 48 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 140937 | 3.1 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 266553 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 114599 | 5.1 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 109485 | 6.2 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 96540 | 7.5 | 55 | 2 | 2 | 5 | 10 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 133212 | 5.1 | 40 | 1 | 1 | 4 | 6 | 9 | 13 | 35 |
| 20-34 | 156085 | 6.5 | 52 | 1 | 1 | 4 | 7 | 13 | 21 | 37 |
| 35-49 | 150368 | 7.6 | 49 | 1 | 2 | 6 | 9 | 15 | 21 | 36 |
| 50-64 | 245024 | 8.3 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 65+ | 428925 | 9.9 | 64 | 2 | 3 | 8 | 12 | 19 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83933 | 4.9 | 45 | 1 | 1 | 3 | 5 | 10 | 15 | 37 |
| 20-34 | 240000 | 6.0 | 40 | 1 | 2 | 5 | 7 | 11 | 15 | 35 |
| 35-49 | 163077 | 8.0 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| 50-64 | 205090 | 10.3 | 102 | 2 | 2 | 8 | 13 | 21 | 29 | 54 |
| 65+ | 249083 | 13.5 | 144 | 2 | 3 | 10 | 18 | 28 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 573881 | 5.2 | 37 | 1 | 1 | 4 | 6 | 10 | 15 | 31 |
| B. *Operated* | 728114 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1113614 | 8.2 | 58 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |
| B. *Operated* | 941183 | 9.2 | 95 | 1 | 2 | 6 | 11 | 20 | 28 | 52 |
| **1. SINGLE DX** | 1301995 | 5.0 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | 2054797 | 8.6 | 75 | 1 | 2 | 6 | 11 | 18 | 25 | 45 |
| **A. NOT OPERATED** | 1687495 | 7.2 | 52 | 1 | 2 | 5 | 9 | 15 | 21 | 37 |
| **B. OPERATED** | 1669297 | 7.2 | 69 | 1 | 2 | 4 | 9 | 16 | 23 | 43 |
| TOTAL 0-19 YRS | 507256 | 4.2 | 30 | 1 | 1 | 3 | 5 | 8 | 11 | 29 |
| 20-34 | 886099 | 5.1 | 32 | 1 | 1 | 4 | 6 | 9 | 14 | 30 |
| 35-49 | 505311 | 7.0 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 50-64 | 624257 | 8.4 | 67 | 2 | 2 | 6 | 11 | 17 | 23 | 42 |
| 65+ | 833869 | 10.5 | 91 | 2 | 3 | 8 | 14 | 21 | 28 | 49 |
| **GRAND TOTAL** | **3356792** | **7.2** | **61** | **1** | **2** | **5** | **9** | **15** | **22** | **40** |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3042 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 1178 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 428 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 50-64 | 300 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 269 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 5.1 | 7 | 2 | 2 | 4 | 7 | 9 | 10 | 12 |
| 20-34 | 70 | 6.1 | 10 | 3 | 3 | 6 | 8 | 10 | 12 | 19 |
| 35-49 | 25 | 7.0 | 18 | 2 | 3 | 5 | 9 | 14 | 16 | 19 |
| 50-64 | 11 | 8.8 | 31 | 2 | 3 | 8 | 11 | 18 | 20 | 20 |
| 65+ | 6 | 11.5 | 154 | 2 | 2 | 8 | 14 | 33 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3087 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 1329 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 740 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 843 | 5.7 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 20 |
| 65+ | 1349 | 7.1 | 39 | 2 | 2 | 5 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 8.5 | 38 | 2 | 3 | 7 | 10 | 20 | 21 | 25 |
| 20-34 | 83 | 8.1 | 25 | 2 | 3 | 7 | 10 | 15 | 20 | 22 |
| 35-49 | 73 | 10.9 | 103 | 3 | 4 | 8 | 12 | 18 | 27 | 57 |
| 50-64 | 93 | 12.6 | 153 | 3 | 4 | 9 | 14 | 23 | 37 | 72 |
| 65+ | 109 | 15.9 | 133 | 4 | 5 | 13 | 20 | 31 | 38 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5217 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 175 | 6.2 | 17 | 2 | 2 | 5 | 8 | 10 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7348 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 423 | 11.6 | 105 | 3 | 4 | 9 | 14 | 22 | 31 | 57 |
| **1. SINGLE DX** | 5392 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 7771 | 5.4 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 12565 | 4.5 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 598 | 10.1 | 85 | 2 | 3 | 8 | 12 | 20 | 26 | 52 |
| TOTAL 0-19 YRS | 6257 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 2660 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 1266 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 1247 | 5.9 | 30 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| 65+ | 1733 | 7.2 | 47 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| **GRAND TOTAL** | **13163** | **4.8** | **18** | **1** | **2** | **4** | **6** | **9** | **12** | **21** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 12.0 | 175 | 1 | 3 | 9 | 15 | 27 | 41 | 64 |
| 20-34 | 59 | 13.5 | 170 | 3 | 4 | 11 | 16 | 22 | 28 | 89 |
| 35-49 | 43 | 15.1 | 96 | 4 | 5 | 13 | 21 | 33 | 35 | 39 |
| 50-64 | 47 | 15.6 | 243 | 2 | 3 | 12 | 21 | 27 | 51 | 85 |
| 65+ | 35 | 17.0 | 141 | 3 | 4 | 15 | 23 | 34 | 42 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.6 | 49 | 2 | 2 | 15 | 18 | 20 | 20 | 20 |
| 20-34 | 33 | 10.4 | 60 | 2 | 3 | 9 | 12 | 20 | 27 | 39 |
| 35-49 | 22 | 14.9 | 67 | 2 | 5 | 14 | 20 | 28 | 31 | 33 |
| 50-64 | 39 | 13.8 | 76 | 4 | 5 | 13 | 17 | 24 | 30 | 48 |
| 65+ | 25 | 13.7 | 88 | 3 | 3 | 11 | 19 | 28 | 30 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.8 | 15 | 3 | 3 | 8 | 12 | 14 | 14 | 14 |
| 20-34 | 53 | 16.5 | 190 | 3 | 5 | 13 | 21 | 30 | 58 | 99 |
| 35-49 | 56 | 15.2 | 199 | 2 | 2 | 13 | 19 | 33 | 39 | 81 |
| 50-64 | 107 | 15.6 | 148 | 3 | 4 | 13 | 21 | 30 | 38 | 91 |
| 65+ | 165 | 19.0 | 183 | 4 | 5 | 16 | 25 | 41 | 45 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 67 | 3 | 3 | 9 | 11 | 24 | 26 | 26 |
| 20-34 | 37 | 18.2 | 229 | 2 | 3 | 15 | 22 | 39 | 43 | 77 |
| 35-49 | 46 | 20.2 | 136 | 5 | 7 | 17 | 28 | 35 | 43 | 54 |
| 50-64 | 107 | 19.4 | 279 | 5 | 6 | 14 | 25 | 42 | 49 | 98 |
| 65+ | 93 | 21.8 | 217 | 5 | 6 | 19 | 30 | 43 | 52 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 14.6 | 166 | 3 | 4 | 11 | 19 | 28 | 35 | 71 |
| B. *Operated* | 124 | 13.1 | 72 | 2 | 3 | 11 | 17 | 27 | 29 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 392 | 16.9 | 175 | 3 | 4 | 14 | 21 | 35 | 45 | 84 |
| B. *Operated* | 289 | 20.0 | 226 | 4 | 5 | 16 | 27 | 40 | 48 | 86 |
| **1. SINGLE DX** | 339 | 14.1 | 132 | 3 | 3 | 11 | 18 | 28 | 34 | 59 |
| **2. MULTIPLE DX** | 681 | 18.2 | 199 | 3 | 5 | 15 | 24 | 37 | 46 | 84 |
| **A. NOT OPERATED** | 607 | 16.1 | 173 | 3 | 4 | 13 | 21 | 33 | 42 | 83 |
| **B. OPERATED** | 413 | 17.9 | 190 | 3 | 5 | 14 | 23 | 35 | 44 | 79 |
| TOTAL 0-19 YRS | 53 | 11.3 | 116 | 2 | 3 | 9 | 14 | 21 | 32 | 63 |
| 20-34 | 182 | 14.8 | 172 | 3 | 4 | 11 | 18 | 27 | 41 | 88 |
| 35-49 | 167 | 16.5 | 141 | 2 | 4 | 14 | 22 | 33 | 36 | 53 |
| 50-64 | 300 | 16.7 | 203 | 3 | 4 | 13 | 21 | 33 | 47 | 92 |
| 65+ | 318 | 19.1 | 184 | 3 | 5 | 16 | 26 | 39 | 45 | 69 |
| **GRAND TOTAL** | **1020** | **16.8** | **180** | **3** | **4** | **14** | **21** | **35** | **44** | **82** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.2 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 35-49 | 3 | 12.7 | 72 | 3 | 3 | 16 | 18 | 19 | 19 | 19 |
| 50-64 | 8 | 11.5 | 181 | 1 | 2 | 7 | 13 | 35 | 43 | 43 |
| 65+ | 5 | 14.8 | 110 | 3 | 3 | 14 | 23 | 29 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.3 | 33 | 2 | 2 | 9 | 15 | 16 | 17 | 17 |
| 20-34 | 19 | 8.4 | 39 | 2 | 3 | 7 | 12 | 16 | 21 | 26 |
| 35-49 | 12 | 13.6 | 116 | 2 | 4 | 9 | 20 | 29 | 38 | 39 |
| 50-64 | 9 | 24.9 | 671 | 2 | 4 | 17 | 30 | 70 | 82 | 82 |
| 65+ | 12 | 23.3 | 620 | 4 | 7 | 17 | 22 | 53 | 92 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 14 | 8.9 | 47 | 4 | 4 | 7 | 9 | 18 | 27 | 29 |
| 35-49 | 11 | 20.1 | 749 | 4 | 4 | 11 | 21 | 56 | 95 | 99 |
| 50-64 | 16 | 10.9 | 56 | 2 | 3 | 9 | 17 | 19 | 26 | 29 |
| 65+ | 21 | 10.9 | 76 | 2 | 2 | 9 | 13 | 26 | 32 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.0 | 82 | 2 | 2 | 9 | 20 | 23 | 23 | 23 |
| 20-34 | 26 | 13.7 | 153 | 1 | 2 | 9 | 23 | 33 | 38 | 44 |
| 35-49 | 18 | 26.5 | 427 | 5 | 7 | 20 | 36 | 62 | 72 | 76 |
| 50-64 | 19 | 17.0 | 106 | 7 | 8 | 15 | 21 | 32 | 40 | 45 |
| 65+ | 35 | 25.4 | 609 | 2 | 4 | 17 | 33 | 74 | 84 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 10.7 | 116 | 1 | 1 | 6 | 16 | 24 | 35 | 43 |
| B. *Operated* | 62 | 14.8 | 284 | 2 | 3 | 10 | 17 | 25 | 44 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 12.1 | 183 | 2 | 4 | 9 | 15 | 24 | 30 | 90 |
| B. *Operated* | 104 | 20.3 | 365 | 2 | 3 | 14 | 26 | 44 | 70 | 86 |
| **1. SINGLE DX** | 84 | 13.8 | 241 | 2 | 3 | 10 | 17 | 25 | 40 | 93 |
| **2. MULTIPLE DX** | 167 | 17.2 | 311 | 2 | 3 | 11 | 21 | 36 | 53 | 86 |
| **A. NOT OPERATED** | 85 | 11.7 | 165 | 2 | 3 | 8 | 15 | 23 | 29 | 79 |
| **B. OPERATED** | 166 | 18.3 | 340 | 2 | 3 | 13 | 22 | 39 | 67 | 86 |
| TOTAL 0-19 YRS | 22 | 8.2 | 46 | 1 | 2 | 5 | 14 | 18 | 21 | 23 |
| 20-34 | 60 | 11.1 | 95 | 2 | 2 | 7 | 15 | 27 | 32 | 43 |
| 35-49 | 44 | 20.4 | 409 | 4 | 5 | 14 | 25 | 43 | 70 | 99 |
| 50-64 | 52 | 15.7 | 210 | 2 | 4 | 10 | 19 | 31 | 45 | 81 |
| 65+ | 73 | 20.2 | 452 | 2 | 3 | 13 | 23 | 41 | 77 | 95 |
| **GRAND TOTAL** | **251** | **16.0** | **289** | **2** | **3** | **11** | **20** | **34** | **45** | **86** |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 371 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 119 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 30 | 3.7 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 19 | 4.6 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 10 | 4.9 | 4 | 2 | 2 | 5 | 6 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 7 | 9 |
| 20-34 | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 558 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 190 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 35-49 | 53 | 4.5 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 50-64 | 46 | 6.5 | 33 | 2 | 2 | 5 | 8 | 11 | 20 | 32 |
| 65+ | 25 | 5.9 | 21 | 2 | 3 | 4 | 7 | 13 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.7 | 12 | 1 | 1 | 2 | 5 | 8 | 12 | 16 |
| 20-34 | 14 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 11 | 12 |
| 35-49 | 4 | 15.3 | 81 | 7 | 7 | 13 | 21 | 28 | 28 | 28 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 3 | 14.7 | 8 | 13 | 13 | 13 | 17 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 549 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 48 | 2.3 | 4 | 1 | 1 | 2 | 2 | 4 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 872 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| B. *Operated* | 62 | 5.2 | 27 | 1 | 1 | 3 | 6 | 13 | 15 | 27 |
| **1. SINGLE DX** | 597 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 934 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| **A. NOT OPERATED** | 1421 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 110 | 3.9 | 19 | 1 | 1 | 2 | 4 | 9 | 13 | 22 |
| TOTAL 0-19 YRS | 1005 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 334 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 88 | 4.8 | 13 | 2 | 2 | 4 | 6 | 7 | 10 | 23 |
| 50-64 | 66 | 6.0 | 25 | 2 | 2 | 4 | 7 | 11 | 14 | 31 |
| 65+ | 38 | 6.3 | 21 | 2 | 2 | 5 | 8 | 13 | 16 | 22 |
| **GRAND TOTAL** | **1531** | **3.6** | **6** | **1** | **2** | **3** | **4** | **6** | **8** | **13** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 257 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 20-34 | 47 | 6.3 | 12 | 2 | 3 | 5 | 9 | 12 | 13 | 15 |
| 35-49 | 25 | 7.1 | 35 | 2 | 3 | 6 | 8 | 13 | 18 | 31 |
| 50-64 | 31 | 10.1 | 33 | 3 | 4 | 8 | 15 | 19 | 20 | 23 |
| 65+ | 73 | 10.8 | 31 | 3 | 5 | 9 | 15 | 17 | 22 | 27 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 8.7 | 45 | <1 | 1 | 6 | 13 | 19 | 20 | 20 |
| 20-34 | 2 | 12.0 | 32 | 8 | 8 | 12 | 16 | 16 | 16 | 16 |
| 35-49 | 5 | 9.2 | 19 | 5 | 5 | 9 | 11 | 16 | 16 | 16 |
| 50-64 | 7 | 15.9 | 193 | 1 | 2 | 13 | 22 | 38 | 42 | 42 |
| 65+ | 3 | 8.7 | 16 | 5 | 5 | 8 | 12 | 13 | 13 | 13 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 339 | 7.5 | 36 | 2 | 2 | 6 | 10 | 14 | 19 | 33 |
| 20-34 | 161 | 9.6 | 69 | 3 | 3 | 7 | 11 | 18 | 26 | 45 |
| 35-49 | 163 | 10.9 | 67 | 3 | 4 | 9 | 13 | 19 | 29 | 47 |
| 50-64 | 372 | 13.0 | 86 | 4 | 5 | 11 | 16 | 23 | 30 | 63 |
| 65+ | 1374 | 14.8 | 90 | 5 | 6 | 12 | 18 | 26 | 33 | 53 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 35 | 13.2 | 91 | 2 | 5 | 11 | 18 | 26 | 32 | 43 |
| 20-34 | 54 | 23.5 | 356 | 4 | 6 | 16 | 30 | 53 | 65 | 71 |
| 35-49 | 71 | 23.1 | 297 | 5 | 8 | 21 | 29 | 42 | 68 | 99+ |
| 50-64 | 128 | 26.2 | 341 | 6 | 8 | 21 | 37 | 51 | 63 | 85 |
| 65+ | 353 | 27.2 | 311 | 9 | 11 | 23 | 33 | 51 | 70 | 99 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 433 | 7.4 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| B. *Operated* | 26 | 11.0 | 76 | 1 | 3 | 9 | 16 | 20 | 27 | 42 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2409 | 12.9 | 86 | 3 | 4 | 11 | 16 | 24 | 30 | 50 |
| B. *Operated* | 641 | 25.5 | 316 | 6 | 9 | 21 | 32 | 50 | 66 | 99 |
| **1. SINGLE DX** | 459 | 7.6 | 28 | 2 | 3 | 6 | 10 | 15 | 17 | 27 |
| **2. MULTIPLE DX** | 3050 | 15.5 | 160 | 3 | 5 | 12 | 19 | 30 | 41 | 73 |
| **A. NOT OPERATED** | 2842 | 12.0 | 80 | 3 | 4 | 10 | 15 | 22 | 29 | 49 |
| **B. OPERATED** | 667 | 24.9 | 315 | 6 | 8 | 21 | 31 | 49 | 64 | 98 |
| TOTAL 0-19 YRS | 640 | 7.4 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| 20-34 | 264 | 11.9 | 152 | 3 | 3 | 8 | 13 | 27 | 42 | 65 |
| 35-49 | 264 | 13.8 | 157 | 3 | 4 | 10 | 17 | 29 | 38 | 86 |
| 50-64 | 538 | 16.0 | 178 | 4 | 5 | 12 | 19 | 32 | 44 | 73 |
| 65+ | 1803 | 17.0 | 156 | 5 | 6 | 14 | 21 | 31 | 42 | 79 |
| **GRAND TOTAL** | **3509** | **14.5** | **150** | **3** | **4** | **11** | **18** | **29** | **38** | **70** |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 220 | 7.3 | 20 | 2 | 2 | 7 | 11 | 14 | 15 | 21 |
| 20-34 | 83 | 7.1 | 52 | 2 | 2 | 5 | 8 | 13 | 16 | 48 |
| 35-49 | 39 | 7.4 | 65 | 2 | 2 | 5 | 7 | 16 | 23 | 46 |
| 50-64 | 47 | 6.7 | 16 | 3 | 3 | 5 | 8 | 13 | 14 | 22 |
| 65+ | 26 | 7.3 | 14 | 3 | 3 | 6 | 10 | 12 | 15 | 18 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 18 | 8.7 | 19 | 1 | 3 | 9 | 12 | 14 | 15 | 15 |
| 20-34 | 12 | 9.3 | 31 | 1 | 2 | 9 | 13 | 17 | 19 | 19 |
| 35-49 | 9 | 11.7 | 153 | <1 | <1 | 5 | 22 | 31 | 35 | 35 |
| 50-64 | 13 | 14.5 | 79 | 3 | 3 | 15 | 22 | 26 | 30 | 31 |
| 65+ | 2 | 18.0 | 98 | 11 | 11 | 18 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 218 | 7.3 | 27 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| 20-34 | 80 | 7.1 | 34 | 2 | 3 | 6 | 9 | 11 | 14 | 39 |
| 35-49 | 67 | 8.7 | 26 | 3 | 4 | 8 | 11 | 16 | 18 | 29 |
| 50-64 | 91 | 9.1 | 44 | 2 | 3 | 7 | 12 | 17 | 26 | 32 |
| 65+ | 179 | 11.1 | 70 | 3 | 4 | 9 | 14 | 19 | 25 | 50 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 20 | 14.0 | 74 | 4 | 5 | 12 | 18 | 24 | 34 | 39 |
| 20-34 | 20 | 18.7 | 347 | 3 | 4 | 11 | 27 | 45 | 61 | 75 |
| 35-49 | 29 | 13.9 | 178 | 3 | 4 | 10 | 17 | 27 | 42 | 68 |
| 50-64 | 50 | 22.9 | 486 | 2 | 3 | 16 | 25 | 60 | 72 | 91 |
| 65+ | 53 | 17.2 | 122 | 4 | 5 | 16 | 24 | 40 | 86 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 415 | 7.2 | 30 | 2 | 3 | 6 | 10 | 14 | 15 | 24 |
| B. *Operated* | 54 | 11.1 | 63 | 1 | 2 | 10 | 15 | 24 | 25 | 35 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 635 | 8.8 | 45 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | 172 | 18.1 | 264 | 3 | 4 | 14 | 22 | 42 | 67 | 99+ |
| **1. SINGLE DX** | 469 | 7.7 | 35 | 2 | 3 | 6 | 10 | 14 | 17 | 30 |
| **2. MULTIPLE DX** | 807 | 10.7 | 106 | 2 | 3 | 8 | 13 | 20 | 29 | 69 |
| **A. NOT OPERATED** | 1050 | 8.1 | 39 | 2 | 3 | 7 | 11 | 15 | 18 | 35 |
| **B. OPERATED** | 226 | 16.4 | 225 | 2 | 4 | 12 | 21 | 36 | 54 | 99+ |
| TOTAL 0-19 YRS | 476 | 7.7 | 27 | 2 | 2 | 7 | 11 | 14 | 17 | 23 |
| 20-34 | 195 | 8.4 | 84 | 2 | 3 | 6 | 9 | 14 | 24 | 50 |
| 35-49 | 144 | 9.6 | 79 | 2 | 3 | 7 | 11 | 18 | 25 | 47 |
| 50-64 | 201 | 12.3 | 188 | 2 | 3 | 8 | 15 | 24 | 35 | 75 |
| 65+ | 260 | 12.0 | 83 | 3 | 4 | 10 | 16 | 24 | 35 | 94 |
| **GRAND TOTAL** | **1276** | **9.6** | **82** | **2** | **3** | **7** | **12** | **18** | **25** | **55** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 753 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 472 | 4.7 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 75 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 20 | 8.2 | 29 | <1 | 2 | 7 | 12 | 14 | 19 | 23 |
| 65+ | 5 | 10.4 | 13 | 7 | 7 | 9 | 13 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.9 | 9 | 2 | 3 | 5 | 8 | 11 | 11 | 11 |
| 20-34 | 4 | 5.3 | 5 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 4 | 24.8 | 588 | 10 | 10 | 14 | 38 | 61 | 61 | 61 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 5.0 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 18 |
| 20-34 | 210 | 5.9 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 35-49 | 53 | 7.3 | 26 | 1 | 3 | 6 | 9 | 12 | 17 | 29 |
| 50-64 | 17 | 4.8 | 12 | <1 | 1 | 4 | 6 | 9 | 13 | 15 |
| 65+ | 14 | 15.4 | 110 | 5 | 6 | 14 | 18 | 25 | 42 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.0 | 33 | 8 | 8 | 11 | 18 | 70 | 99+ | 99+ |
| 20-34 | 16 | 12.5 | 107 | 2 | 4 | 10 | 18 | 23 | 37 | 43 |
| 35-49 | 5 | 10.4 | 67 | 4 | 4 | 6 | 15 | 24 | 24 | 24 |
| 50-64 | 5 | 20.8 | 380 | 3 | 3 | 11 | 37 | 49 | 49 | 49 |
| 65+ | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1325 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| B. *Operated* | 19 | 9.8 | 167 | 2 | 3 | 6 | 10 | 14 | 40 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 546 | 5.8 | 22 | 2 | 2 | 4 | 7 | 11 | 14 | 23 |
| B. *Operated* | 35 | 13.8 | 120 | 3 | 4 | 11 | 19 | 32 | 47 | 99+ |
| **1. SINGLE DX** | 1344 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 581 | 6.3 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| **A. NOT OPERATED** | 1871 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 54 | 12.4 | 137 | 2 | 4 | 10 | 14 | 26 | 47 | 98 |
| TOTAL 0-19 YRS | 1022 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 702 | 5.2 | 15 | 2 | 2 | 4 | 6 | 10 | 12 | 21 |
| 35-49 | 137 | 6.6 | 42 | 2 | 2 | 5 | 8 | 11 | 14 | 33 |
| 50-64 | 42 | 8.3 | 79 | 1 | 2 | 6 | 11 | 15 | 27 | 49 |
| 65+ | 22 | 13.9 | 86 | 4 | 6 | 12 | 16 | 23 | 33 | 47 |
| **GRAND TOTAL** | **1925** | **4.9** | **18** | **1** | **2** | **4** | **6** | **9** | **12** | **22** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 642 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 119 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 55 | 5.4 | 13 | 2 | 2 | 4 | 7 | 9 | 13 | 20 |
| 50-64 | 103 | 6.3 | 17 | 1 | 2 | 5 | 9 | 12 | 14 | 20 |
| 65+ | 246 | 7.6 | 32 | 2 | 3 | 6 | 9 | 15 | 18 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 9 | 4.0 | 16 | 1 | 1 | 3 | 4 | 10 | 14 | 14 |
| 35-49 | 7 | 5.6 | 13 | 1 | 1 | 5 | 8 | 11 | 11 | 11 |
| 50-64 | 6 | 16.0 | 177 | 7 | 7 | 12 | 16 | 39 | 42 | 42 |
| 65+ | 10 | 9.1 | 21 | 4 | 4 | 9 | 13 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 824 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 192 | 5.8 | 18 | 2 | 2 | 5 | 8 | 10 | 13 | 27 |
| 35-49 | 91 | 7.8 | 47 | 2 | 3 | 6 | 9 | 15 | 20 | 40 |
| 50-64 | 304 | 8.1 | 45 | 2 | 3 | 6 | 9 | 15 | 18 | 28 |
| 65+ | 1148 | 10.6 | 71 | 2 | 3 | 8 | 13 | 21 | 26 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 9.1 | 41 | 3 | 3 | 8 | 14 | 19 | 22 | 22 |
| 20-34 | 15 | 11.9 | 131 | 3 | 3 | 8 | 13 | 30 | 40 | 44 |
| 35-49 | 18 | 17.0 | 178 | 2 | 3 | 12 | 28 | 36 | 40 | 43 |
| 50-64 | 36 | 17.3 | 368 | 4 | 4 | 12 | 19 | 31 | 66 | 94 |
| 65+ | 117 | 18.0 | 170 | 3 | 4 | 14 | 26 | 35 | 49 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1165 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 34 | 7.9 | 58 | 1 | 2 | 5 | 12 | 15 | 16 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2559 | 7.7 | 51 | 2 | 2 | 6 | 9 | 16 | 21 | 34 |
| B. *Operated* | 197 | 16.8 | 199 | 3 | 4 | 12 | 25 | 35 | 44 | 87 |
| **1. SINGLE DX** | 1199 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 2756 | 8.4 | 67 | 2 | 2 | 6 | 10 | 17 | 25 | 44 |
| **A. NOT OPERATED** | 3724 | 6.8 | 42 | 1 | 2 | 5 | 8 | 14 | 19 | 31 |
| **B. OPERATED** | 231 | 15.5 | 188 | 3 | 3 | 11 | 20 | 34 | 43 | 83 |
| TOTAL 0-19 YRS | 1479 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 335 | 5.6 | 21 | 2 | 2 | 4 | 7 | 10 | 12 | 27 |
| 35-49 | 171 | 7.9 | 58 | 2 | 2 | 6 | 9 | 15 | 26 | 42 |
| 50-64 | 449 | 8.5 | 73 | 2 | 3 | 7 | 10 | 16 | 20 | 42 |
| 65+ | 1521 | 10.7 | 78 | 2 | 3 | 8 | 13 | 21 | 27 | 50 |
| **GRAND TOTAL** | **3955** | **7.3** | **54** | **1** | **2** | **5** | **9** | **15** | **21** | **38** |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 338 | 7.0 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| 20-34 | 778 | 7.7 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 24 |
| 35-49 | 194 | 8.6 | 30 | 2 | 3 | 7 | 11 | 15 | 18 | 29 |
| 50-64 | 124 | 9.6 | 45 | 3 | 4 | 8 | 12 | 17 | 19 | 44 |
| 65+ | 34 | 8.9 | 24 | 3 | 4 | 8 | 12 | 15 | 20 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 12.4 | 47 | 1 | 1 | 15 | 18 | 19 | 19 | 19 |
| 20-34 | 44 | 10.5 | 45 | 1 | 3 | 10 | 13 | 22 | 24 | 31 |
| 35-49 | 16 | 10.3 | 44 | 4 | 4 | 9 | 13 | 20 | 25 | 27 |
| 50-64 | 9 | 10.6 | 27 | 3 | 5 | 10 | 12 | 19 | 22 | 22 |
| 65+ | 12 | 14.3 | 110 | 1 | 4 | 11 | 20 | 28 | 38 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 6.9 | 17 | 2 | 3 | 6 | 9 | 12 | 16 | 21 |
| 20-34 | 367 | 8.2 | 25 | 3 | 3 | 7 | 10 | 14 | 18 | 27 |
| 35-49 | 165 | 10.1 | 42 | 4 | 4 | 8 | 13 | 19 | 22 | 38 |
| 50-64 | 155 | 10.3 | 39 | 3 | 4 | 9 | 14 | 19 | 22 | 30 |
| 65+ | 122 | 11.6 | 69 | 3 | 4 | 9 | 15 | 21 | 28 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 14.5 | 120 | 1 | 2 | 12 | 22 | 31 | 32 | 32 |
| 20-34 | 47 | 13.7 | 171 | 3 | 3 | 9 | 18 | 26 | 42 | 70 |
| 35-49 | 33 | 13.2 | 121 | 2 | 4 | 10 | 15 | 25 | 32 | 59 |
| 50-64 | 29 | 15.0 | 87 | 2 | 3 | 15 | 20 | 26 | 33 | 41 |
| 65+ | 34 | 16.3 | 126 | 4 | 6 | 14 | 22 | 27 | 28 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1468 | 7.9 | 25 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| B. *Operated* | 90 | 11.1 | 51 | 1 | 3 | 10 | 14 | 21 | 23 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 942 | 9.1 | 37 | 3 | 3 | 8 | 11 | 16 | 20 | 31 |
| B. *Operated* | 149 | 14.5 | 129 | 2 | 4 | 12 | 19 | 26 | 33 | 64 |
| **1. SINGLE DX** | 1558 | 8.1 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 1091 | 9.9 | 53 | 3 | 3 | 8 | 12 | 19 | 23 | 40 |
| **A. NOT OPERATED** | 2410 | 8.4 | 30 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| **B. OPERATED** | 239 | 13.2 | 102 | 2 | 3 | 11 | 18 | 24 | 30 | 60 |
| TOTAL 0-19 YRS | 486 | 7.1 | 20 | 2 | 3 | 6 | 9 | 12 | 16 | 22 |
| 20-34 | 1236 | 8.2 | 31 | 2 | 3 | 7 | 10 | 14 | 18 | 30 |
| 35-49 | 408 | 9.6 | 44 | 3 | 4 | 8 | 12 | 18 | 22 | 36 |
| 50-64 | 317 | 10.5 | 47 | 3 | 4 | 9 | 14 | 19 | 22 | 39 |
| 65+ | 202 | 12.1 | 78 | 3 | 4 | 10 | 16 | 23 | 27 | 44 |
| **GRAND TOTAL** | **2649** | **8.8** | **38** | **3** | **3** | **7** | **11** | **16** | **20** | **31** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1011 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 320 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 46 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| 50-64 | 9 | 6.6 | 14 | 2 | 2 | 6 | 9 | 12 | 12 | 12 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.6 | 7 | 1 | 2 | 5 | 6 | 9 | 10 | 10 |
| 20-34 | 5 | 7.6 | 9 | 4 | 4 | 8 | 10 | 11 | 11 | 11 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1004 | 5.2 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 20-34 | 299 | 5.7 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 35-49 | 39 | 7.0 | 20 | 2 | 3 | 6 | 9 | 11 | 12 | 28 |
| 50-64 | 17 | 8.6 | 21 | 3 | 3 | 9 | 12 | 15 | 16 | 17 |
| 65+ | 5 | 7.6 | 24 | 2 | 2 | 7 | 10 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.9 | 16 | 2 | 3 | 6 | 10 | 14 | 14 | 15 |
| 20-34 | 18 | 9.7 | 70 | 2 | 4 | 8 | 12 | 18 | 31 | 38 |
| 35-49 | 11 | 10.8 | 25 | 4 | 4 | 11 | 15 | 17 | 17 | 17 |
| 50-64 | 4 | 13.5 | 19 | 10 | 10 | 13 | 17 | 19 | 19 | 19 |
| 65+ | 6 | 10.0 | 16 | 6 | 6 | 9 | 12 | 16 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1387 | 5.0 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| B. *Operated* | 22 | 5.3 | 8 | 1 | 2 | 5 | 7 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1364 | 5.4 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| B. *Operated* | 65 | 9.0 | 35 | 2 | 3 | 8 | 12 | 15 | 18 | 35 |
| **1. SINGLE DX** | 1409 | 5.0 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 1429 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 2751 | 5.2 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| **B. OPERATED** | 87 | 8.1 | 30 | 2 | 3 | 7 | 11 | 15 | 17 | 31 |
| TOTAL 0-19 YRS | 2058 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 642 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 96 | 6.4 | 18 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| 50-64 | 30 | 8.7 | 22 | 2 | 3 | 9 | 12 | 15 | 17 | 19 |
| 65+ | 12 | 8.5 | 19 | 2 | 3 | 8 | 11 | 16 | 17 | 17 |
| **GRAND TOTAL** | **2838** | **5.3** | **11** | **2** | **2** | **4** | **7** | **9** | **11** | **16** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 6 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 13 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 3 | 3.3 | 16 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 528 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 1058 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 248 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 83 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 18 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 18 | 3.0 | 21 | <1 | <1 | 1 | 2 | 7 | 15 | 20 |
| 35-49 | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 8 | 4.4 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 65+ | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 3.1 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 20-34 | 365 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 155 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 50-64 | 69 | 3.8 | 9 | 1 | 2 | 3 | 4 | 8 | 10 | 16 |
| 65+ | 34 | 5.7 | 47 | 2 | 2 | 3 | 4 | 12 | 25 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| B. *Operated* | 1935 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.7 | 16 | <1 | <1 | 2 | 5 | 7 | 12 | 20 |
| B. *Operated* | 738 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **1. SINGLE DX** | 1957 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 773 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 57 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 8 | 20 |
| **B. OPERATED** | 2673 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 653 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 10 |
| 20-34 | 1454 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 409 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 50-64 | 160 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 65+ | 54 | 5.2 | 36 | 1 | 2 | 3 | 5 | 12 | 21 | 30 |
| **GRAND TOTAL** | **2730** | **2.6** | **5** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1854 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 540 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 179 | 4.6 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 16 |
| 50-64 | 103 | 4.9 | 11 | 1 | 2 | 4 | 7 | 9 | 10 | 17 |
| 65+ | 98 | 6.1 | 58 | 2 | 2 | 4 | 7 | 11 | 17 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.8 | 17 | <1 | 1 | 2 | 5 | 9 | 9 | 22 |
| 20-34 | 30 | 6.1 | 20 | 1 | 2 | 5 | 8 | 13 | 15 | 19 |
| 35-49 | 11 | 7.3 | 61 | 1 | 1 | 4 | 8 | 20 | 26 | 27 |
| 50-64 | 5 | 18.2 | 503 | 4 | 4 | 8 | 28 | 57 | 57 | 57 |
| 65+ | 8 | 18.3 | 621 | 2 | 2 | 6 | 30 | 61 | 65 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1959 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 772 | 4.6 | 20 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 35-49 | 459 | 5.3 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 50-64 | 477 | 5.9 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 24 |
| 65+ | 764 | 7.4 | 33 | 2 | 3 | 6 | 9 | 14 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 7.8 | 64 | 1 | 2 | 5 | 9 | 17 | 26 | 41 |
| 20-34 | 56 | 9.4 | 116 | 2 | 3 | 7 | 12 | 19 | 30 | 98 |
| 35-49 | 46 | 11.2 | 137 | 2 | 3 | 8 | 15 | 25 | 44 | 99+ |
| 50-64 | 52 | 16.0 | 217 | 4 | 5 | 11 | 18 | 32 | 37 | 89 |
| 65+ | 57 | 12.0 | 119 | 2 | 4 | 9 | 13 | 23 | 27 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2774 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 88 | 7.1 | 116 | 1 | 1 | 4 | 7 | 14 | 22 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4431 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 277 | 11.1 | 133 | 2 | 2 | 8 | 13 | 23 | 32 | 86 |
| **1. SINGLE DX** | 2862 | 3.6 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 4708 | 5.2 | 26 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 7205 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 365 | 10.1 | 131 | 1 | 2 | 7 | 12 | 22 | 31 | 76 |
| TOTAL 0-19 YRS | 3913 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 1398 | 4.6 | 20 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 35-49 | 695 | 5.5 | 22 | 2 | 2 | 4 | 7 | 10 | 13 | 25 |
| 50-64 | 637 | 6.7 | 46 | 2 | 2 | 5 | 8 | 12 | 18 | 33 |
| 65+ | 927 | 7.6 | 48 | 2 | 3 | 6 | 9 | 15 | 18 | 37 |
| **GRAND TOTAL** | **7570** | **4.6** | **21** | **1** | **2** | **3** | **5** | **8** | **11** | **23** |

### 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.2 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 11 |
| 20-34 | 36 | 4.8 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 13 |
| 35-49 | 20 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 50-64 | 8 | 3.6 | 9 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 8 | 8 |
| 20-34 | 14 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 11 | 5.7 | 5 | 3 | 3 | 5 | 7 | 9 | 10 | 10 |
| 50-64 | 6 | 7.2 | 56 | 2 | 2 | 4 | 7 | 20 | 22 | 22 |
| 65+ | 5 | 5.8 | 40 | 2 | 2 | 3 | 7 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 1 | 19.0 | | 19 | 19 | 59 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 50-64 | 3 | 7.7 | 25 | 3 | 3 | 7 | 11 | 13 | 13 | 13 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 4.4 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| B. *Operated* | 3 | 8.3 | 6 | 6 | 6 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 5.0 | 13 | 2 | 3 | 4 | 5 | 8 | 10 | 22 |
| B. *Operated* | 7 | 10.7 | 29 | 3 | 4 | 12 | 16 | 76 | 99+ | 99+ |
| **1. SINGLE DX** | 109 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 57 | 5.7 | 18 | 2 | 3 | 4 | 7 | 13 | 18 | 94 |
| **A. NOT OPERATED** | 156 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| **B. OPERATED** | 10 | 10.0 | 22 | 3 | 5 | 11 | 14 | 51 | 96 | 99+ |
| TOTAL 0-19 YRS | 56 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 14 |
| 20-34 | 52 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 13 | 97 |
| 35-49 | 34 | 5.2 | 7 | 2 | 2 | 5 | 7 | 10 | 11 | 12 |
| 50-64 | 17 | 5.6 | 28 | 1 | 1 | 4 | 7 | 12 | 19 | 22 |
| 65+ | 7 | 5.4 | 27 | 2 | 2 | 4 | 5 | 15 | 17 | 17 |
| **GRAND TOTAL** | **166** | **4.9** | **10** | **2** | **2** | **4** | **6** | **8** | **11** | **21** |

### 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 4.9 | 7 | 2 | 2 | 4 | 7 | 8 | 9 | 15 |
| 20-34 | 219 | 5.5 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 23 |
| 35-49 | 35 | 7.4 | 36 | 1 | 3 | 6 | 8 | 18 | 23 | 25 |
| 50-64 | 10 | 4.0 | 5 | <1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 65+ | 8 | 9.9 | 67 | 1 | 1 | 8 | 17 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.0 | 11 | <1 | 1 | 2 | 3 | 4 | 7 | 22 |
| 20-34 | 104 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 31 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 14 | 4.5 | 14 | 1 | 2 | 3 | 6 | 11 | 13 | 14 |
| 65+ | 5 | 8.4 | 51 | 2 | 2 | 6 | 12 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 5.8 | 10 | 2 | 2 | 5 | 7 | 9 | 13 | 16 |
| 20-34 | 183 | 6.0 | 19 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| 35-49 | 50 | 7.3 | 28 | 2 | 3 | 6 | 8 | 14 | 17 | 31 |
| 50-64 | 36 | 6.0 | 24 | 1 | 1 | 5 | 7 | 13 | 17 | 22 |
| 65+ | 55 | 9.8 | 53 | 1 | 2 | 9 | 14 | 20 | 24 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 6.0 | 15 | 1 | 2 | 5 | 9 | 12 | 14 | 14 |
| 20-34 | 97 | 5.5 | 33 | <1 | 1 | 4 | 7 | 10 | 18 | 34 |
| 35-49 | 27 | 5.3 | 15 | 2 | 2 | 4 | 7 | 11 | 12 | 19 |
| 50-64 | 24 | 8.9 | 75 | 2 | 2 | 5 | 13 | 23 | 31 | 31 |
| 65+ | 21 | 16.8 | 94 | 4 | 6 | 16 | 21 | 33 | 35 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 407 | 5.5 | 15 | 2 | 2 | 5 | 7 | 9 | 13 | 23 |
| B. *Operated* | 196 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 416 | 6.6 | 25 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 196 | 7.2 | 51 | 1 | 2 | 5 | 9 | 17 | 22 | 35 |
| **1. SINGLE DX** | 603 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 612 | 6.8 | 33 | 1 | 2 | 5 | 8 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 823 | 6.1 | 20 | 2 | 2 | 5 | 7 | 11 | 15 | 25 |
| **B. OPERATED** | 392 | 5.1 | 34 | <1 | 1 | 3 | 6 | 11 | 18 | 33 |
| TOTAL 0-19 YRS | 296 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |
| 20-34 | 603 | 5.2 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 143 | 5.9 | 25 | 1 | 2 | 4 | 7 | 12 | 17 | 25 |
| 50-64 | 84 | 6.4 | 37 | 1 | 2 | 4 | 7 | 14 | 18 | 31 |
| 65+ | 89 | 11.4 | 70 | 1 | 2 | 10 | 16 | 22 | 28 | 36 |
| **GRAND TOTAL** | **1215** | **5.8** | **25** | **1** | **2** | **4** | **7** | **11** | **16** | **28** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 3.8 | 4 | <1 | 2 | 3 | 5 | 7 | 8 | 9 |
| 20-34 | 26 | 4.3 | 6 | 1 | 2 | 4 | 5 | 9 | 9 | 10 |
| 35-49 | 39 | 3.3 | 36 | <1 | <1 | <1 | 2 | 8 | 12 | 35 |
| 50-64 | 41 | 6.4 | 203 | <1 | <1 | <1 | 5 | 11 | 40 | 71 |
| 65+ | 15 | 8.2 | 55 | <1 | 1 | 5 | 11 | 19 | 25 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 15.0 | 252 | 2 | 2 | 7 | 22 | 42 | 47 | 47 |
| 20-34 | 31 | 8.8 | 126 | <1 | 1 | 4 | 10 | 20 | 23 | 59 |
| 35-49 | 54 | 9.9 | 101 | 1 | 2 | 7 | 12 | 23 | 38 | 46 |
| 50-64 | 44 | 8.8 | 91 | 1 | 2 | 5 | 12 | 20 | 30 | 44 |
| 65+ | 16 | 5.8 | 32 | 1 | 2 | 4 | 7 | 13 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 5.9 | 62 | 2 | 2 | 4 | 7 | 9 | 12 | 40 |
| 20-34 | 60 | 7.6 | 72 | 2 | 2 | 5 | 8 | 14 | 31 | 44 |
| 35-49 | 65 | 6.7 | 43 | <1 | <1 | 5 | 10 | 17 | 24 | 89 |
| 50-64 | 88 | 8.0 | 53 | 2 | 3 | 7 | 10 | 14 | 18 | 48 |
| 65+ | 97 | 12.1 | 86 | 3 | 4 | 10 | 14 | 24 | 32 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.8 | 24 | 1 | 1 | 4 | 8 | 12 | 18 | 19 |
| 20-34 | 51 | 17.6 | 459 | 2 | 2 | 10 | 20 | 55 | 77 | 99+ |
| 35-49 | 65 | 12.9 | 250 | 2 | 2 | 8 | 14 | 29 | 48 | 83 |
| 50-64 | 76 | 12.1 | 153 | 2 | 2 | 8 | 15 | 29 | 39 | 59 |
| 65+ | 66 | 13.2 | 193 | 2 | 2 | 9 | 18 | 34 | 42 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 4.8 | 65 | <1 | <1 | 3 | 5 | 9 | 11 | 54 |
| B. *Operated* | 154 | 9.2 | 105 | 1 | 2 | 6 | 12 | 21 | 33 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 431 | 8.1 | 69 | 2 | 2 | 6 | 10 | 15 | 23 | 46 |
| B. *Operated* | 271 | 13.3 | 241 | 2 | 2 | 9 | 15 | 34 | 49 | 90 |
| **1. SINGLE DX** | 325 | 6.9 | 89 | <1 | <1 | 4 | 8 | 16 | 24 | 50 |
| **2. MULTIPLE DX** | 702 | 10.1 | 141 | 2 | 2 | 7 | 12 | 22 | 35 | 76 |
| **A. NOT OPERATED** | 602 | 7.2 | 70 | <1 | <1 | 5 | 9 | 14 | 21 | 49 |
| **B. OPERATED** | 425 | 11.8 | 195 | 1 | 2 | 8 | 14 | 27 | 44 | 79 |
| TOTAL 0-19 YRS | 193 | 5.8 | 57 | 1 | 2 | 4 | 6 | 9 | 14 | 41 |
| 20-34 | 168 | 10.4 | 211 | 2 | 2 | 5 | 10 | 24 | 45 | 88 |
| 35-49 | 223 | 8.7 | 127 | <1 | <1 | 5 | 11 | 19 | 31 | 73 |
| 50-64 | 249 | 9.2 | 118 | <1 | 1 | 6 | 11 | 19 | 34 | 59 |
| 65+ | 194 | 11.7 | 119 | 2 | 3 | 9 | 14 | 24 | 35 | 71 |
| **GRAND TOTAL** | **1027** | **9.1** | **127** | **<1** | **2** | **5** | **11** | **20** | **33** | **70** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.3 | 13 | 1 | 1 | 3 | 6 | 12 | 12 | 13 |
| 20-34 | 13 | 6.0 | 22 | <1 | 1 | 4 | 7 | 13 | 17 | 18 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.8 | 3 | 1 | 2 | 3 | 4 | 7 | 7 | 7 |
| 20-34 | 4 | 7.3 | 38 | 3 | 3 | 5 | 11 | 16 | 16 | 16 |
| 35-49 | 5 | 8.0 | 7 | 4 | 4 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | 3 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.6 | 27 | <1 | 1 | 4 | 7 | 15 | 17 | 18 |
| 20-34 | 12 | 5.1 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| 35-49 | 15 | 6.4 | 10 | 2 | 2 | 6 | 8 | 10 | 13 | 14 |
| 50-64 | 9 | 9.0 | 40 | 2 | 2 | 6 | 14 | 18 | 20 | 20 |
| 65+ | 11 | 11.5 | 110 | <1 | 4 | 9 | 12 | 25 | 40 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.1 | 6 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 17 | 8.5 | 60 | <1 | 1 | 7 | 10 | 19 | 27 | 31 |
| 35-49 | 7 | 17.1 | 70 | 2 | 4 | 17 | 21 | 28 | 29 | 29 |
| 50-64 | 4 | 13.5 | 6 | 10 | 10 | 14 | 15 | 15 | 15 | 15 |
| 65+ | 3 | 10.7 | 1 | 10 | 10 | 10 | 12 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 4.9 | 16 | 1 | 1 | 3 | 7 | 12 | 13 | 18 |
| B. *Operated* | 25 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 7.2 | 39 | 1 | 2 | 6 | 9 | 14 | 17 | 38 |
| B. *Operated* | 40 | 9.7 | 56 | 1 | 2 | 8 | 15 | 20 | 25 | 31 |
| **1. SINGLE DX** | 66 | 5.0 | 14 | 1 | 1 | 4 | 7 | 11 | 12 | 18 |
| **2. MULTIPLE DX** | 103 | 8.2 | 47 | 1 | 2 | 7 | 11 | 16 | 20 | 36 |
| **A. NOT OPERATED** | 104 | 6.3 | 31 | 1 | 1 | 5 | 8 | 13 | 16 | 30 |
| **B. OPERATED** | 65 | 8.0 | 44 | 1 | 2 | 6 | 10 | 17 | 21 | 31 |
| TOTAL 0-19 YRS | 63 | 4.5 | 13 | 1 | 1 | 3 | 6 | 9 | 13 | 18 |
| 20-34 | 46 | 6.8 | 34 | 1 | 2 | 5 | 8 | 15 | 18 | 31 |
| 35-49 | 29 | 9.0 | 44 | 2 | 2 | 7 | 11 | 19 | 22 | 29 |
| 50-64 | 17 | 9.3 | 32 | 2 | 2 | 10 | 14 | 16 | 19 | 20 |
| 65+ | 14 | 11.3 | 85 | 1 | 5 | 9 | 12 | 18 | 36 | 41 |
| **GRAND TOTAL** | **169** | **6.9** | **36** | **1** | **2** | **5** | **9** | **15** | **18** | **31** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.1 | 13 | <1 | 1 | 4 | 7 | 10 | 12 | 14 |
| 20-34 | 77 | 6.5 | 23 | 1 | 2 | 6 | 9 | 12 | 12 | 28 |
| 35-49 | 50 | 4.6 | 25 | 1 | 1 | 3 | 6 | 10 | 12 | 30 |
| 50-64 | 23 | 4.8 | 21 | <1 | 1 | 3 | 6 | 13 | 16 | 18 |
| 65+ | 5 | 3.4 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.5 | 91 | <1 | <1 | 4 | 16 | 23 | 30 | 30 |
| 20-34 | 227 | 7.2 | 48 | 1 | 2 | 6 | 10 | 14 | 18 | 30 |
| 35-49 | 127 | 6.5 | 27 | 1 | 2 | 5 | 9 | 13 | 17 | 24 |
| 50-64 | 39 | 6.3 | 22 | 2 | 2 | 4 | 11 | 13 | 15 | 17 |
| 65+ | 12 | 6.2 | 10 | 2 | 3 | 5 | 7 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 7.7 | 44 | 2 | 3 | 6 | 9 | 14 | 15 | 43 |
| 20-34 | 135 | 6.1 | 55 | 2 | 2 | 5 | 7 | 10 | 12 | 31 |
| 35-49 | 136 | 8.7 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| 50-64 | 85 | 8.5 | 27 | 2 | 3 | 7 | 11 | 17 | 19 | 24 |
| 65+ | 60 | 10.7 | 40 | 3 | 4 | 10 | 14 | 17 | 26 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.2 | 221 | 4 | 4 | 5 | 13 | 42 | 43 | 43 |
| 20-34 | 169 | 9.4 | 50 | 2 | 2 | 8 | 12 | 18 | 27 | 32 |
| 35-49 | 167 | 10.4 | 63 | 2 | 2 | 9 | 14 | 20 | 25 | 39 |
| 50-64 | 91 | 10.3 | 61 | 2 | 2 | 9 | 14 | 20 | 27 | 38 |
| 65+ | 31 | 15.6 | 251 | 2 | 3 | 10 | 14 | 36 | 61 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 178 | 5.5 | 22 | 1 | 1 | 4 | 8 | 11 | 12 | 27 |
| B. *Operated* | 415 | 6.9 | 39 | 1 | 2 | 5 | 9 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 8.1 | 46 | 2 | 2 | 7 | 10 | 15 | 18 | 32 |
| B. *Operated* | 469 | 10.4 | 75 | 2 | 2 | 9 | 13 | 20 | 29 | 41 |
| **1. SINGLE DX** | 593 | 6.5 | 34 | 1 | 1 | 5 | 9 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | 979 | 9.2 | 61 | 2 | 2 | 7 | 12 | 17 | 23 | 39 |
| **A. NOT OPERATED** | 688 | 7.4 | 41 | 1 | 2 | 6 | 9 | 14 | 17 | 31 |
| **B. OPERATED** | 884 | 8.8 | 61 | 2 | 2 | 7 | 12 | 17 | 23 | 38 |
| TOTAL 0-19 YRS | 138 | 7.8 | 58 | 1 | 2 | 6 | 9 | 14 | 17 | 44 |
| 20-34 | 608 | 7.5 | 48 | 1 | 2 | 6 | 10 | 14 | 18 | 32 |
| 35-49 | 480 | 8.3 | 49 | 1 | 2 | 6 | 11 | 17 | 21 | 35 |
| 50-64 | 238 | 8.5 | 42 | 1 | 2 | 7 | 11 | 17 | 20 | 33 |
| 65+ | 108 | 11.3 | 105 | 2 | 3 | 9 | 14 | 20 | 31 | 64 |
| **GRAND TOTAL** | **1572** | **8.2** | **53** | **1** | **2** | **6** | **11** | **16** | **21** | **35** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 35-49 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 4 | 3.8 | 12 | 2 | 2 | 2 | 6 | 9 | 9 | 9 |
| 65+ | 3 | 9.0 | 84 | 1 | 1 | 7 | 16 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 4 | 6.0 | 46 | 1 | 1 | 3 | 10 | 16 | 16 | 16 |
| 35-49 | 8 | 6.0 | 14 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 50-64 | 8 | 9.8 | 80 | 4 | 4 | 5 | 13 | 25 | 29 | 29 |
| 65+ | 16 | 9.5 | 50 | 4 | 4 | 7 | 11 | 17 | 27 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 6.6 | 16 | 3 | 3 | 6 | 8 | 12 | 16 | 16 |
| 35-49 | 13 | 11.8 | 120 | 2 | 4 | 8 | 14 | 35 | 35 | 35 |
| 50-64 | 11 | 16.8 | 134 | 2 | 5 | 16 | 19 | 35 | 43 | 44 |
| 65+ | 7 | 19.3 | 228 | 5 | 6 | 14 | 26 | 45 | 49 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | 12 | 5.2 | 25 | 1 | 1 | 3 | 7 | 12 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 8.0 | 44 | 2 | 3 | 6 | 10 | 16 | 23 | 32 |
| B. *Operated* | 41 | 13.2 | 129 | 2 | 3 | 9 | 16 | 31 | 39 | 49 |
| **1. SINGLE DX** | 15 | 4.9 | 21 | 1 | 1 | 3 | 7 | 9 | 16 | 19 |
| **2. MULTIPLE DX** | 81 | 10.6 | 93 | 2 | 3 | 7 | 14 | 23 | 33 | 47 |
| **A. NOT OPERATED** | 43 | 7.7 | 42 | 2 | 3 | 6 | 10 | 16 | 21 | 32 |
| **B. OPERATED** | 53 | 11.4 | 116 | 2 | 2 | 8 | 16 | 29 | 38 | 49 |
| TOTAL 0-19 YRS | 6 | 4.2 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 16 | 6.3 | 20 | 1 | 3 | 5 | 8 | 15 | 16 | 16 |
| 35-49 | 25 | 8.7 | 77 | 2 | 2 | 6 | 10 | 16 | 35 | 35 |
| 50-64 | 23 | 12.1 | 114 | 2 | 2 | 9 | 16 | 29 | 34 | 44 |
| 65+ | 26 | 12.1 | 111 | 3 | 4 | 9 | 14 | 28 | 35 | 49 |
| **GRAND TOTAL** | **96** | **9.7** | **85** | **2** | **2** | **7** | **13** | **19** | **31** | **47** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 10.3 | 44 | 3 | 3 | 12 | 15 | 16 | 16 | 16 |
| 35-49 | 12 | 5.8 | 20 | 1 | 1 | 5 | 8 | 13 | 15 | 15 |
| 50-64 | 74 | 5.0 | 28 | 1 | 1 | 4 | 6 | 11 | 16 | 28 |
| 65+ | 68 | 7.8 | 100 | 1 | 1 | 4 | 9 | 26 | 32 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.0 | 8 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 46 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 21 |
| 35-49 | 116 | 6.2 | 28 | 1 | 2 | 4 | 8 | 14 | 16 | 26 |
| 50-64 | 358 | 8.0 | 88 | 1 | 2 | 4 | 10 | 19 | 26 | 69 |
| 65+ | 350 | 7.3 | 68 | 1 | 2 | 4 | 9 | 18 | 23 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.1 | 98 | 2 | 2 | 5 | 6 | 17 | 35 | 39 |
| 20-34 | 22 | 3.9 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 50 | 8.8 | 44 | 2 | 3 | 7 | 12 | 17 | 26 | 29 |
| 50-64 | 199 | 9.7 | 97 | 1 | 2 | 7 | 12 | 20 | 28 | 49 |
| 65+ | 283 | 9.3 | 122 | 1 | 1 | 6 | 11 | 20 | 31 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.3 | 13 | 1 | 1 | 4 | 8 | 11 | 12 | 12 |
| 20-34 | 21 | 11.5 | 305 | 2 | 2 | 6 | 12 | 19 | 51 | 84 |
| 35-49 | 124 | 12.4 | 162 | 1 | 2 | 9 | 16 | 28 | 42 | 61 |
| 50-64 | 582 | 14.8 | 211 | 2 | 2 | 11 | 19 | 32 | 45 | 84 |
| 65+ | 584 | 14.8 | 238 | 2 | 2 | 10 | 19 | 37 | 52 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 6.4 | 60 | 1 | 1 | 4 | 7 | 15 | 26 | 41 |
| B. *Operated* | 876 | 7.3 | 68 | 1 | 2 | 4 | 9 | 17 | 23 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 567 | 9.2 | 102 | 1 | 2 | 6 | 11 | 19 | 28 | 52 |
| B. *Operated* | 1323 | 14.4 | 219 | 2 | 2 | 10 | 19 | 34 | 47 | 84 |
| **1. SINGLE DX** | 1034 | 7.1 | 67 | 1 | 2 | 4 | 9 | 17 | 24 | 45 |
| **2. MULTIPLE DX** | 1890 | 12.8 | 189 | 2 | 2 | 9 | 16 | 30 | 43 | 80 |
| **A. NOT OPERATED** | 725 | 8.5 | 94 | 1 | 1 | 5 | 11 | 18 | 27 | 47 |
| **B. OPERATED** | 2199 | 11.6 | 171 | 2 | 2 | 7 | 15 | 27 | 39 | 79 |
| TOTAL 0-19 YRS | 32 | 6.2 | 45 | 2 | 2 | 5 | 8 | 10 | 12 | 39 |
| 20-34 | 92 | 6.3 | 86 | 1 | 2 | 4 | 7 | 12 | 15 | 59 |
| 35-49 | 302 | 9.2 | 93 | 1 | 2 | 6 | 12 | 19 | 27 | 50 |
| 50-64 | 1213 | 11.3 | 156 | 1 | 2 | 7 | 15 | 25 | 36 | 79 |
| 65+ | 1285 | 11.2 | 170 | 1 | 2 | 7 | 14 | 29 | 40 | 74 |
| **GRAND TOTAL** | **2924** | **10.8** | **154** | **1** | **2** | **7** | **14** | **25** | **36** | **73** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 35-49 | 7 | 4.4 | 2 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 26 | 8.2 | 57 | <1 | 1 | 6 | 13 | 18 | 24 | 31 |
| 65+ | 29 | 8.4 | 68 | 2 | 2 | 6 | 10 | 13 | 34 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 35-49 | 9 | 18.9 | 245 | 3 | 5 | 14 | 21 | 43 | 57 | 57 |
| 50-64 | 110 | 15.0 | 154 | 2 | 3 | 13 | 19 | 30 | 38 | 66 |
| 65+ | 98 | 14.3 | 173 | 2 | 2 | 10 | 21 | 32 | 44 | 86 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | 25 | 10.5 | 214 | 3 | 3 | 6 | 11 | 14 | 40 | 76 |
| 50-64 | 101 | 9.3 | 99 | 1 | 2 | 6 | 11 | 19 | 30 | 54 |
| 65+ | 157 | 11.3 | 89 | 2 | 3 | 9 | 15 | 22 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 32 | 20.2 | 228 | 4 | 5 | 17 | 25 | 44 | 54 | 66 |
| 50-64 | 227 | 22.1 | 338 | 3 | 5 | 17 | 27 | 47 | 65 | 86 |
| 65+ | 312 | 21.0 | 248 | 3 | 5 | 17 | 28 | 43 | 54 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 7.8 | 54 | 1 | 2 | 5 | 10 | 14 | 24 | 37 |
| B. *Operated* | 219 | 14.8 | 165 | 2 | 3 | 12 | 20 | 30 | 41 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 285 | 10.5 | 103 | 2 | 3 | 7 | 13 | 21 | 30 | 53 |
| B. *Operated* | 571 | 21.4 | 282 | 3 | 5 | 17 | 27 | 45 | 56 | 81 |
| **1. SINGLE DX** | 284 | 13.2 | 148 | 2 | 2 | 10 | 19 | 28 | 37 | 68 |
| **2. MULTIPLE DX** | 856 | 17.7 | 249 | 2 | 3 | 13 | 24 | 38 | 51 | 76 |
| **A. NOT OPERATED** | 350 | 10.0 | 95 | 1 | 2 | 7 | 12 | 21 | 30 | 46 |
| **B. OPERATED** | 790 | 19.5 | 258 | 2 | 4 | 16 | 25 | 41 | 55 | 79 |
| TOTAL 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 7.0 | 12 | 3 | 3 | 6 | 10 | 12 | 12 | 12 |
| 35-49 | 73 | 15.2 | 229 | 3 | 4 | 11 | 19 | 32 | 54 | 74 |
| 50-64 | 464 | 16.9 | 256 | 2 | 3 | 12 | 23 | 35 | 50 | 79 |
| 65+ | 596 | 16.7 | 206 | 2 | 3 | 12 | 23 | 37 | 48 | 72 |
| **GRAND TOTAL** | **1140** | **16.6** | **227** | **2** | **3** | **12** | **23** | **36** | **48** | **76** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 35-49 | 6 | 3.3 | 7 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| 50-64 | 35 | 5.5 | 26 | 1 | 1 | 4 | 7 | 12 | 19 | 21 |
| 65+ | 85 | 7.1 | 50 | 1 | 1 | 5 | 8 | 15 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 2 | 9.5 | 61 | 4 | 4 | 9 | 15 | 15 | 15 | 15 |
| 35-49 | 26 | 15.3 | 53 | 2 | 6 | 15 | 18 | 26 | 27 | 32 |
| 50-64 | 86 | 15.3 | 64 | 4 | 5 | 14 | 21 | 25 | 27 | 40 |
| 65+ | 130 | 17.4 | 119 | 4 | 5 | 15 | 22 | 30 | 39 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 28.3 | 1531 | 1 | 1 | 13 | 52 | 86 | 86 | 86 |
| 35-49 | 46 | 8.9 | 42 | 1 | 2 | 7 | 12 | 16 | 23 | 31 |
| 50-64 | 136 | 8.3 | 64 | 1 | 2 | 5 | 10 | 18 | 28 | 38 |
| 65+ | 391 | 9.7 | 83 | 1 | 2 | 7 | 12 | 21 | 29 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 20-34 | 10 | 22.6 | 325 | 10 | 11 | 15 | 54 | 99+ | 99+ | 99+ |
| 35-49 | 68 | 19.6 | 251 | 4 | 6 | 16 | 26 | 33 | 46 | 88 |
| 50-64 | 334 | 20.3 | 152 | 5 | 7 | 18 | 26 | 38 | 47 | 60 |
| 65+ | 747 | 23.7 | 255 | 5 | 8 | 20 | 30 | 44 | 54 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 6.5 | 42 | 1 | 1 | 5 | 7 | 14 | 20 | 37 |
| B. *Operated* | 246 | 16.3 | 93 | 4 | 5 | 15 | 21 | 27 | 33 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 580 | 9.4 | 85 | 1 | 2 | 7 | 12 | 20 | 28 | 45 |
| B. *Operated* | 1160 | 22.5 | 228 | 5 | 8 | 19 | 28 | 42 | 52 | 84 |
| **1. SINGLE DX** | 375 | 12.9 | 97 | 1 | 2 | 11 | 16 | 25 | 30 | 44 |
| **2. MULTIPLE DX** | 1740 | 18.1 | 218 | 2 | 4 | 15 | 24 | 36 | 47 | 77 |
| **A. NOT OPERATED** | 709 | 8.9 | 78 | 1 | 1 | 6 | 11 | 19 | 27 | 42 |
| **B. OPERATED** | 1406 | 21.4 | 210 | 5 | 7 | 18 | 27 | 40 | 50 | 80 |
| TOTAL 0-19 YRS | 7 | 6.0 | 44 | 2 | 2 | 3 | 8 | 18 | 20 | 20 |
| 20-34 | 18 | 20.7 | 502 | 1 | 3 | 15 | 32 | 93 | 99+ | 99+ |
| 35-49 | 146 | 14.8 | 166 | 1 | 3 | 12 | 18 | 29 | 33 | 76 |
| 50-64 | 591 | 15.9 | 142 | 2 | 3 | 14 | 22 | 30 | 40 | 55 |
| 65+ | 1353 | 18.0 | 224 | 2 | 4 | 14 | 24 | 37 | 47 | 77 |
| **GRAND TOTAL** | **2115** | **17.2** | **201** | **2** | **4** | **14** | **23** | **34** | **44** | **72** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 11.4 | 2 | 10 | 10 | 11 | 13 | 13 | 13 | 13 |
| 50-64 | 4 | 9.3 | 33 | 2 | 2 | 9 | 13 | 16 | 16 | 16 |
| 65+ | 10 | 15.6 | 26 | 8 | 9 | 15 | 19 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 35-49 | 3 | 9.3 | 2 | 8 | 8 | 9 | 10 | 11 | 11 | 11 |
| 50-64 | 16 | 10.6 | 146 | 2 | 2 | 5 | 16 | 22 | 41 | 49 |
| 65+ | 30 | 13.4 | 310 | 3 | 3 | 6 | 14 | 42 | 50 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 35-49 | 14 | 20.4 | 189 | 7 | 9 | 16 | 24 | 47 | 51 | 52 |
| 50-64 | 52 | 20.2 | 201 | 9 | 9 | 17 | 24 | 31 | 42 | 95 |
| 65+ | 90 | 24.6 | 249 | 9 | 11 | 22 | 30 | 40 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 6.3 | 46 | 1 | 1 | 4 | 11 | 14 | 14 | 14 |
| B. *Operated* | 19 | 13.2 | 27 | 5 | 8 | 13 | 17 | 21 | 23 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 11.9 | 224 | 2 | 3 | 6 | 12 | 26 | 49 | 79 |
| B. *Operated* | 159 | 22.5 | 228 | 8 | 10 | 18 | 27 | 37 | 56 | 99 |
| **1. SINGLE DX** | 22 | 12.2 | 33 | 2 | 3 | 12 | 16 | 20 | 23 | 24 |
| **2. MULTIPLE DX** | 211 | 19.9 | 247 | 3 | 5 | 16 | 24 | 36 | 52 | 97 |
| **A. NOT OPERATED** | 55 | 11.6 | 215 | 2 | 3 | 6 | 13 | 22 | 48 | 78 |
| **B. OPERATED** | 178 | 21.5 | 215 | 8 | 9 | 17 | 25 | 35 | 53 | 98 |
| TOTAL 0-19 YRS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 20-34 | 4 | 8.5 | 7 | 5 | 5 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 22 | 16.9 | 141 | 7 | 9 | 12 | 17 | 35 | 48 | 52 |
| 50-64 | 73 | 17.2 | 196 | 3 | 4 | 15 | 21 | 31 | 41 | 86 |
| 65+ | 132 | 21.1 | 267 | 3 | 5 | 17 | 26 | 38 | 59 | 99 |
| **GRAND TOTAL** | **233** | **19.2** | **232** | **3** | **5** | **15** | **24** | **35** | **51** | **96** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 12 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 11 | 12 |
| 50-64 | 66 | 5.9 | 52 | 1 | 1 | 4 | 6 | 11 | 25 | 91 |
| 65+ | 102 | 8.3 | 81 | 1 | 2 | 5 | 9 | 16 | 32 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 18.5 | 5 | 17 | 17 | 18 | 20 | 20 | 20 | 20 |
| 20-34 | 13 | 14.3 | 33 | 8 | 8 | 12 | 17 | 24 | 26 | 27 |
| 35-49 | 100 | 11.6 | 27 | 2 | 6 | 11 | 14 | 17 | 21 | 30 |
| 50-64 | 447 | 13.8 | 40 | 4 | 8 | 13 | 17 | 20 | 25 | 35 |
| 65+ | 841 | 16.3 | 73 | 6 | 9 | 15 | 19 | 26 | 31 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 15 | 9.8 | 38 | 2 | 2 | 10 | 15 | 18 | 19 | 20 |
| 35-49 | 82 | 7.7 | 45 | 2 | 2 | 5 | 9 | 17 | 20 | 38 |
| 50-64 | 411 | 8.7 | 66 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |
| 65+ | 1070 | 10.0 | 78 | 2 | 3 | 7 | 12 | 21 | 28 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 12.3 | 25 | 5 | 5 | 14 | 16 | 18 | 18 | 18 |
| 20-34 | 50 | 16.5 | 84 | 4 | 8 | 13 | 21 | 29 | 34 | 49 |
| 35-49 | 289 | 16.3 | 124 | 5 | 8 | 14 | 19 | 28 | 33 | 89 |
| 50-64 | 1530 | 18.2 | 118 | 7 | 9 | 16 | 22 | 31 | 38 | 66 |
| 65+ | 3994 | 21.0 | 136 | 8 | 10 | 19 | 25 | 36 | 43 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 7.1 | 66 | 1 | 2 | 5 | 8 | 13 | 28 | 48 |
| B. *Operated* | 1403 | 15.1 | 61 | 5 | 8 | 14 | 18 | 24 | 29 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1579 | 9.5 | 73 | 2 | 3 | 7 | 12 | 20 | 26 | 43 |
| B. *Operated* | 5870 | 20.0 | 133 | 8 | 10 | 17 | 24 | 34 | 42 | 67 |
| **1. SINGLE DX** | 1586 | 14.2 | 68 | 3 | 5 | 13 | 17 | 23 | 29 | 44 |
| **2. MULTIPLE DX** | 7449 | 17.8 | 139 | 3 | 5 | 16 | 23 | 32 | 40 | 62 |
| **A. NOT OPERATED** | 1762 | 9.3 | 73 | 2 | 3 | 6 | 11 | 19 | 26 | 45 |
| **B. OPERATED** | 7273 | 19.1 | 123 | 7 | 9 | 17 | 23 | 32 | 40 | 63 |
| TOTAL 0-19 YRS | 10 | 13.9 | 25 | 5 | 6 | 15 | 17 | 19 | 20 | 20 |
| 20-34 | 81 | 14.4 | 75 | 3 | 4 | 12 | 19 | 27 | 29 | 45 |
| 35-49 | 483 | 13.6 | 100 | 3 | 4 | 12 | 16 | 24 | 30 | 53 |
| 50-64 | 2454 | 15.5 | 109 | 3 | 5 | 14 | 19 | 28 | 35 | 58 |
| 65+ | 6007 | 18.2 | 136 | 4 | 6 | 16 | 23 | 32 | 40 | 61 |
| **GRAND TOTAL** | **9035** | **17.2** | **128** | **3** | **5** | **15** | **22** | **30** | **39** | **60** |

## 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 10 | 4.4 | 9 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 50-64 | 56 | 6.3 | 58 | 1 | 1 | 4 | 6 | 12 | 18 | 42 |
| 65+ | 99 | 6.7 | 47 | 1 | 2 | 5 | 8 | 12 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 17 | 14.7 | 80 | 3 | 4 | 13 | 21 | 26 | 30 | 32 |
| 35-49 | 72 | 11.4 | 31 | 2 | 3 | 12 | 15 | 17 | 20 | 26 |
| 50-64 | 388 | 14.7 | 60 | 3 | 5 | 14 | 18 | 24 | 28 | 36 |
| 65+ | 660 | 16.2 | 88 | 3 | 4 | 15 | 21 | 28 | 33 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 9.5 | 110 | 1 | 1 | 7 | 9 | 28 | 30 | 30 |
| 35-49 | 81 | 6.8 | 22 | 1 | 2 | 5 | 9 | 13 | 15 | 24 |
| 50-64 | 319 | 8.5 | 56 | 2 | 3 | 6 | 10 | 18 | 23 | 36 |
| 65+ | 597 | 11.1 | 108 | 2 | 3 | 8 | 14 | 23 | 35 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 15.3 | 169 | 2 | 2 | 16 | 25 | 28 | 28 | 28 |
| 20-34 | 27 | 17.5 | 79 | 6 | 7 | 18 | 22 | 24 | 33 | 47 |
| 35-49 | 165 | 18.6 | 128 | 5 | 9 | 16 | 22 | 30 | 38 | 58 |
| 50-64 | 984 | 19.0 | 124 | 5 | 8 | 17 | 24 | 32 | 39 | 66 |
| 65+ | 2120 | 21.4 | 166 | 5 | 8 | 19 | 27 | 38 | 46 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 6.5 | 48 | 1 | 2 | 5 | 8 | 12 | 17 | 41 |
| B. *Operated* | 1138 | 15.4 | 76 | 3 | 4 | 14 | 20 | 26 | 31 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1003 | 9.9 | 87 | 2 | 3 | 7 | 12 | 21 | 29 | 49 |
| B. *Operated* | 3299 | 20.5 | 152 | 5 | 8 | 18 | 25 | 36 | 44 | 67 |
| **1. SINGLE DX** | 1305 | 14.2 | 81 | 2 | 3 | 13 | 19 | 26 | 30 | 42 |
| **2. MULTIPLE DX** | 4302 | 18.0 | 156 | 3 | 4 | 16 | 24 | 33 | 42 | 64 |
| **A. NOT OPERATED** | 1170 | 9.4 | 82 | 2 | 2 | 6 | 11 | 20 | 28 | 48 |
| **B. OPERATED** | 4437 | 19.2 | 137 | 4 | 7 | 17 | 24 | 33 | 42 | 64 |
| TOTAL 0-19 YRS | 4 | 13.3 | 130 | 2 | 2 | 11 | 22 | 28 | 28 | 28 |
| 20-34 | 52 | 15.3 | 85 | 3 | 5 | 14 | 22 | 25 | 30 | 47 |
| 35-49 | 328 | 13.7 | 104 | 2 | 3 | 13 | 17 | 25 | 30 | 47 |
| 50-64 | 1747 | 15.7 | 114 | 3 | 4 | 14 | 20 | 29 | 34 | 58 |
| 65+ | 3476 | 18.2 | 157 | 3 | 4 | 16 | 24 | 34 | 43 | 63 |
| **GRAND TOTAL** | **5607** | **17.1** | **142** | **3** | **4** | **15** | **22** | **32** | **40** | **61** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.8 | 16 | <1 | <1 | 2 | 5 | 10 | 13 | 14 |
| 20-34 | 9 | 7.8 | 43 | 1 | 2 | 5 | 11 | 18 | 22 | 22 |
| 35-49 | 11 | 4.8 | 14 | 2 | 2 | 3 | 6 | 11 | 13 | 13 |
| 50-64 | 28 | 6.5 | 30 | 1 | 2 | 5 | 8 | 15 | 20 | 23 |
| 65+ | 42 | 8.0 | 47 | 1 | 2 | 6 | 10 | 17 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 9 | 17.3 | 148 | 2 | 3 | 19 | 27 | 32 | 34 | 34 |
| 35-49 | 26 | 16.3 | 131 | 4 | 6 | 13 | 17 | 31 | 36 | 54 |
| 50-64 | 62 | 16.8 | 78 | 3 | 7 | 16 | 22 | 29 | 32 | 38 |
| 65+ | 79 | 16.4 | 131 | 3 | 4 | 15 | 21 | 31 | 35 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 16 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 20-34 | 24 | 7.5 | 57 | 1 | 2 | 5 | 8 | 22 | 27 | 28 |
| 35-49 | 38 | 6.4 | 24 | 1 | 2 | 5 | 10 | 14 | 16 | 18 |
| 50-64 | 120 | 10.0 | 82 | 2 | 2 | 7 | 13 | 23 | 30 | 43 |
| 65+ | 223 | 11.9 | 99 | 2 | 3 | 9 | 16 | 25 | 33 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 12.3 | 82 | 1 | 1 | 12 | 21 | 24 | 24 | 24 |
| 20-34 | 13 | 23.2 | 338 | 2 | 4 | 19 | 40 | 50 | 54 | 55 |
| 35-49 | 52 | 19.9 | 219 | 5 | 7 | 15 | 23 | 44 | 60 | 67 |
| 50-64 | 248 | 20.7 | 180 | 6 | 8 | 17 | 27 | 38 | 52 | 74 |
| 65+ | 479 | 22.3 | 186 | 7 | 9 | 19 | 27 | 41 | 50 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 6.8 | 36 | 1 | 1 | 5 | 8 | 16 | 19 | 30 |
| B. *Operated* | 177 | 16.5 | 111 | 3 | 5 | 15 | 22 | 31 | 33 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 10.5 | 87 | 2 | 2 | 8 | 14 | 23 | 29 | 46 |
| B. *Operated* | 799 | 21.5 | 188 | 6 | 8 | 18 | 27 | 40 | 50 | 74 |
| **1. SINGLE DX** | 279 | 12.9 | 105 | 2 | 2 | 11 | 19 | 26 | 32 | 38 |
| **2. MULTIPLE DX** | 1208 | 17.8 | 181 | 2 | 4 | 15 | 24 | 35 | 46 | 68 |
| **A. NOT OPERATED** | 511 | 9.8 | 79 | 1 | 2 | 7 | 13 | 21 | 28 | 44 |
| **B. OPERATED** | 976 | 20.6 | 178 | 5 | 8 | 17 | 26 | 37 | 49 | 73 |
| TOTAL 0-19 YRS | 24 | 6.6 | 46 | <1 | <1 | 4 | 9 | 16 | 23 | 24 |
| 20-34 | 55 | 12.9 | 173 | 1 | 2 | 7 | 20 | 31 | 43 | 55 |
| 35-49 | 127 | 13.9 | 163 | 2 | 2 | 11 | 17 | 28 | 44 | 63 |
| 50-64 | 458 | 16.5 | 158 | 2 | 4 | 14 | 23 | 33 | 40 | 68 |
| 65+ | 823 | 18.2 | 175 | 3 | 5 | 15 | 24 | 35 | 44 | 67 |
| **GRAND TOTAL** | **1487** | **16.9** | **170** | **2** | **4** | **14** | **23** | **33** | **43** | **65** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 35-49 | 15 | 6.4 | 14 | 2 | 2 | 5 | 7 | 13 | 15 | 16 |
| 50-64 | 51 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 17 | 23 |
| 65+ | 77 | 10.6 | 72 | 1 | 2 | 8 | 15 | 22 | 26 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 11 | 21.1 | 326 | 3 | 4 | 18 | 27 | 46 | 66 | 68 |
| 50-64 | 52 | 19.4 | 150 | 2 | 6 | 20 | 24 | 30 | 38 | 62 |
| 65+ | 93 | 19.6 | 143 | 5 | 7 | 17 | 27 | 35 | 41 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 8 | 18.8 | 499 | 4 | 5 | 8 | 25 | 58 | 66 | 66 |
| 35-49 | 59 | 9.4 | 73 | 2 | 2 | 7 | 12 | 17 | 28 | 44 |
| 50-64 | 227 | 9.0 | 51 | 2 | 3 | 7 | 12 | 18 | 22 | 39 |
| 65+ | 393 | 11.1 | 94 | 1 | 3 | 9 | 15 | 22 | 30 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 20-34 | 10 | 24.8 | 324 | 12 | 12 | 20 | 28 | 51 | 72 | 72 |
| 35-49 | 67 | 21.3 | 192 | 4 | 5 | 19 | 26 | 39 | 49 | 72 |
| 50-64 | 386 | 23.1 | 232 | 5 | 9 | 20 | 29 | 44 | 58 | 88 |
| 65+ | 644 | 23.3 | 167 | 8 | 10 | 21 | 29 | 39 | 50 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 145 | 8.5 | 52 | 1 | 2 | 6 | 12 | 18 | 23 | 38 |
| B. *Operated* | 156 | 19.6 | 156 | 3 | 6 | 18 | 26 | 34 | 41 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 688 | 10.4 | 84 | 2 | 3 | 8 | 13 | 21 | 28 | 43 |
| B. *Operated* | 1108 | 23.1 | 192 | 7 | 9 | 20 | 29 | 41 | 52 | 75 |
| **1. SINGLE DX** | 301 | 14.3 | 136 | 2 | 3 | 11 | 20 | 30 | 35 | 61 |
| **2. MULTIPLE DX** | 1796 | 18.2 | 189 | 3 | 4 | 15 | 25 | 36 | 45 | 73 |
| **A. NOT OPERATED** | 833 | 10.0 | 79 | 2 | 3 | 8 | 13 | 19 | 27 | 41 |
| **B. OPERATED** | 1264 | 22.7 | 189 | 6 | 9 | 20 | 29 | 40 | 51 | 75 |
| TOTAL 0-19 YRS | 2 | 14.5 | 313 | 2 | 2 | 14 | 27 | 27 | 27 | 27 |
| 20-34 | 20 | 20.3 | 379 | 2 | 5 | 13 | 27 | 53 | 69 | 72 |
| 35-49 | 152 | 15.2 | 174 | 2 | 3 | 12 | 20 | 32 | 40 | 68 |
| 50-64 | 716 | 17.2 | 203 | 2 | 4 | 14 | 23 | 34 | 47 | 75 |
| 65+ | 1207 | 18.2 | 169 | 3 | 5 | 15 | 25 | 35 | 42 | 63 |
| **GRAND TOTAL** | **2097** | **17.7** | **183** | **3** | **4** | **15** | **24** | **35** | **43** | **72** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 11 | 3.5 | 16 | 1 | 1 | 2 | 4 | 11 | 13 | 13 |
| 35-49 | 117 | 5.5 | 34 | 1 | 1 | 4 | 7 | 12 | 15 | 33 |
| 50-64 | 485 | 6.0 | 49 | 1 | 1 | 4 | 7 | 14 | 21 | 31 |
| 65+ | 510 | 7.4 | 59 | 1 | 1 | 5 | 9 | 16 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 25 | 11.2 | 56 | 2 | 3 | 9 | 15 | 20 | 25 | 33 |
| 35-49 | 206 | 11.6 | 58 | 2 | 3 | 10 | 16 | 21 | 25 | 34 |
| 50-64 | 1054 | 12.4 | 67 | 2 | 3 | 11 | 17 | 23 | 26 | 40 |
| 65+ | 994 | 12.3 | 85 | 2 | 3 | 10 | 16 | 23 | 28 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.8 | 7 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 36 | 10.6 | 79 | 1 | 2 | 7 | 16 | 27 | 28 | 30 |
| 35-49 | 488 | 9.5 | 85 | 1 | 2 | 6 | 12 | 21 | 28 | 46 |
| 50-64 | 2447 | 9.5 | 82 | 1 | 2 | 7 | 12 | 20 | 27 | 47 |
| 65+ | 3003 | 11.0 | 98 | 2 | 2 | 8 | 15 | 23 | 31 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.3 | 9 | 13 | 13 | 17 | 18 | 19 | 19 | 19 |
| 20-34 | 30 | 13.2 | 73 | 2 | 3 | 12 | 16 | 21 | 37 | 38 |
| 35-49 | 656 | 16.0 | 140 | 3 | 5 | 13 | 21 | 28 | 40 | 66 |
| 50-64 | 3383 | 16.4 | 139 | 3 | 5 | 14 | 21 | 30 | 40 | 61 |
| 65+ | 3783 | 17.6 | 164 | 3 | 5 | 15 | 23 | 34 | 43 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1125 | 6.5 | 52 | 1 | 1 | 4 | 8 | 15 | 21 | 37 |
| B. *Operated* | 2279 | 12.3 | 74 | 2 | 3 | 11 | 17 | 23 | 27 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5979 | 10.3 | 90 | 2 | 2 | 7 | 13 | 22 | 29 | 47 |
| B. *Operated* | 7655 | 17.0 | 151 | 3 | 5 | 14 | 22 | 32 | 42 | 64 |
| **1. SINGLE DX** | 3404 | 10.4 | 74 | 1 | 2 | 8 | 15 | 21 | 26 | 40 |
| **2. MULTIPLE DX** | 13834 | 14.1 | 136 | 2 | 3 | 11 | 19 | 28 | 37 | 59 |
| **A. NOT OPERATED** | 7104 | 9.7 | 86 | 1 | 2 | 7 | 13 | 21 | 28 | 46 |
| **B. OPERATED** | 10134 | 15.9 | 138 | 3 | 4 | 13 | 20 | 30 | 39 | 61 |
| TOTAL 0-19 YRS | 10 | 8.6 | 37 | 2 | 2 | 7 | 13 | 18 | 19 | 19 |
| 20-34 | 102 | 10.7 | 71 | 1 | 2 | 9 | 15 | 22 | 28 | 37 |
| 35-49 | 1467 | 12.4 | 114 | 2 | 2 | 9 | 17 | 25 | 32 | 53 |
| 50-64 | 7369 | 12.9 | 117 | 2 | 3 | 10 | 17 | 26 | 33 | 53 |
| 65+ | 8290 | 14.0 | 136 | 2 | 3 | 11 | 19 | 29 | 37 | 59 |
| **GRAND TOTAL** | **17238** | **13.3** | **126** | **2** | **3** | **10** | **18** | **27** | **35** | **56** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.5 | 82 | 2 | 2 | 3 | 18 | 22 | 22 | 22 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 19 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | 46 | 5.4 | 34 | 1 | 1 | 4 | 6 | 9 | 21 | 29 |
| 65+ | 45 | 10.3 | 203 | 1 | 1 | 5 | 11 | 24 | 43 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.8 | 65 | 1 | 1 | 5 | 12 | 21 | 22 | 22 |
| 20-34 | 21 | 8.5 | 54 | 1 | 2 | 6 | 14 | 20 | 23 | 24 |
| 35-49 | 105 | 8.6 | 98 | 1 | 1 | 4 | 13 | 18 | 32 | 46 |
| 50-64 | 372 | 8.4 | 86 | 1 | 1 | 4 | 13 | 19 | 25 | 43 |
| 65+ | 310 | 8.2 | 85 | 1 | 2 | 4 | 13 | 19 | 24 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.2 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 15 | 6.0 | 13 | 2 | 2 | 6 | 7 | 9 | 15 | 17 |
| 35-49 | 33 | 7.6 | 42 | 2 | 2 | 5 | 10 | 17 | 19 | 29 |
| 50-64 | 107 | 8.1 | 52 | 1 | 2 | 7 | 10 | 16 | 21 | 43 |
| 65+ | 134 | 9.3 | 69 | 2 | 2 | 7 | 11 | 21 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 24.0 | 648 | 6 | 6 | 42 | 85 | 99+ | 99+ | 99+ |
| 20-34 | 11 | 11.5 | 131 | 2 | 2 | 11 | 19 | 57 | 94 | 99+ |
| 35-49 | 86 | 15.8 | 186 | 2 | 2 | 13 | 19 | 36 | 46 | 65 |
| 50-64 | 398 | 15.1 | 183 | 2 | 2 | 11 | 23 | 35 | 43 | 67 |
| 65+ | 453 | 15.2 | 192 | 2 | 2 | 12 | 21 | 34 | 43 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 7.2 | 101 | 1 | 1 | 4 | 7 | 17 | 25 | 58 |
| B. *Operated* | 814 | 8.3 | 86 | 1 | 1 | 4 | 13 | 19 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 294 | 8.4 | 57 | 2 | 2 | 6 | 10 | 18 | 22 | 42 |
| B. *Operated* | 950 | 15.2 | 187 | 2 | 2 | 12 | 22 | 35 | 43 | 75 |
| **1. SINGLE DX** | 931 | 8.2 | 88 | 1 | 1 | 4 | 12 | 19 | 25 | 44 |
| **2. MULTIPLE DX** | 1244 | 13.6 | 165 | 2 | 2 | 10 | 19 | 31 | 40 | 67 |
| **A. NOT OPERATED** | 411 | 8.1 | 69 | 1 | 2 | 6 | 9 | 18 | 24 | 44 |
| **B. OPERATED** | 1764 | 12.0 | 152 | 1 | 2 | 9 | 17 | 29 | 37 | 64 |
| TOTAL 0-19 YRS | 19 | 8.5 | 112 | <1 | 1 | 5 | 15 | 32 | 71 | 99+ |
| 20-34 | 48 | 8.3 | 60 | 2 | 2 | 6 | 13 | 21 | 25 | 99+ |
| 35-49 | 243 | 10.7 | 129 | 1 | 2 | 7 | 15 | 23 | 36 | 59 |
| 50-64 | 923 | 11.1 | 134 | 1 | 2 | 7 | 15 | 27 | 36 | 58 |
| 65+ | 942 | 11.8 | 151 | 1 | 2 | 8 | 17 | 28 | 36 | 63 |
| **GRAND TOTAL** | **2175** | **11.3** | **139** | **1** | **2** | **8** | **16** | **27** | **36** | **61** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.8 | 55 | <1 | <1 | 1 | 3 | 6 | 21 | 36 |
| 20-34 | 18 | 4.8 | 5 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 17 | 4.8 | 16 | 1 | 1 | 4 | 5 | 12 | 15 | 16 |
| 50-64 | 37 | 7.2 | 67 | 1 | 1 | 4 | 9 | 13 | 30 | 37 |
| 65+ | 30 | 6.9 | 80 | 1 | 1 | 4 | 6 | 17 | 25 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 7.5 | 71 | 1 | 2 | 4 | 8 | 15 | 29 | 40 |
| 20-34 | 62 | 8.6 | 102 | 2 | 2 | 6 | 11 | 15 | 19 | 70 |
| 35-49 | 77 | 7.4 | 35 | 2 | 2 | 6 | 9 | 16 | 18 | 29 |
| 50-64 | 119 | 9.0 | 77 | 2 | 2 | 6 | 12 | 18 | 25 | 45 |
| 65+ | 125 | 10.2 | 104 | 2 | 2 | 7 | 13 | 24 | 30 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 7.2 | 105 | <1 | <1 | 3 | 7 | 24 | 29 | 44 |
| 20-34 | 47 | 6.1 | 20 | 1 | 1 | 5 | 9 | 12 | 16 | 16 |
| 35-49 | 28 | 5.0 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 97 | 8.4 | 84 | 1 | 2 | 6 | 10 | 16 | 29 | 49 |
| 65+ | 119 | 11.2 | 115 | 2 | 3 | 8 | 14 | 25 | 33 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 11.7 | 107 | 2 | 3 | 8 | 16 | 21 | 34 | 49 |
| 20-34 | 42 | 16.2 | 128 | 4 | 5 | 13 | 23 | 33 | 36 | 52 |
| 35-49 | 49 | 18.5 | 277 | 3 | 4 | 15 | 21 | 39 | 67 | 80 |
| 50-64 | 137 | 17.3 | 205 | 2 | 3 | 14 | 23 | 38 | 49 | 76 |
| 65+ | 187 | 17.9 | 209 | 4 | 5 | 15 | 24 | 34 | 41 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 5.8 | 53 | <1 | 1 | 4 | 6 | 13 | 17 | 38 |
| B. *Operated* | 428 | 8.8 | 81 | 2 | 2 | 6 | 11 | 17 | 25 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 314 | 8.8 | 86 | 1 | 2 | 6 | 10 | 17 | 29 | 48 |
| B. *Operated* | 439 | 17.3 | 203 | 3 | 4 | 14 | 23 | 35 | 45 | 80 |
| **1. SINGLE DX** | 554 | 8.2 | 76 | 1 | 2 | 5 | 11 | 17 | 25 | 43 |
| **2. MULTIPLE DX** | 753 | 13.7 | 172 | 2 | 3 | 9 | 18 | 30 | 40 | 72 |
| **A. NOT OPERATED** | 440 | 7.9 | 78 | 1 | 1 | 5 | 9 | 17 | 27 | 45 |
| **B. OPERATED** | 867 | 13.1 | 160 | 2 | 2 | 9 | 17 | 28 | 37 | 72 |
| TOTAL 0-19 YRS | 119 | 7.5 | 87 | <1 | 1 | 4 | 8 | 18 | 28 | 46 |
| 20-34 | 169 | 9.4 | 92 | 1 | 2 | 7 | 11 | 20 | 28 | 49 |
| 35-49 | 168 | 10.0 | 130 | 2 | 2 | 6 | 13 | 20 | 26 | 68 |
| 50-64 | 390 | 11.6 | 140 | 2 | 2 | 8 | 15 | 27 | 37 | 62 |
| 65+ | 461 | 13.4 | 162 | 2 | 3 | 9 | 17 | 30 | 37 | 71 |
| **GRAND TOTAL** | 1307 | 11.4 | 139 | 1 | 2 | 8 | 15 | 26 | 35 | 64 |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 18 | 3.7 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 26 | 3.0 | 3 | <1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 26 | 2.7 | 4 | <1 | <1 | 1 | 5 | 5 | 6 | 8 |
| 65+ | 16 | 8.6 | 67 | 2 | 2 | 5 | 12 | 22 | 27 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.6 | 6 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 116 | 6.7 | 28 | 1 | 1 | 6 | 8 | 12 | 16 | 32 |
| 35-49 | 171 | 7.4 | 26 | 2 | 2 | 6 | 9 | 14 | 16 | 27 |
| 50-64 | 187 | 7.5 | 22 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| 65+ | 152 | 8.2 | 54 | 2 | 2 | 6 | 11 | 16 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 31 | 5.2 | 16 | 1 | 1 | 4 | 7 | 13 | 13 | 15 |
| 35-49 | 40 | 6.7 | 39 | 2 | 2 | 5 | 7 | 14 | 23 | 30 |
| 50-64 | 69 | 8.4 | 83 | <1 | 1 | 5 | 9 | 20 | 28 | 42 |
| 65+ | 82 | 7.9 | 61 | 1 | 2 | 5 | 8 | 17 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 16 | 3 | 3 | 7 | 10 | 11 | 11 | 11 |
| 20-34 | 51 | 7.9 | 37 | <1 | 1 | 7 | 10 | 16 | 22 | 30 |
| 35-49 | 90 | 9.8 | 102 | 1 | 2 | 7 | 12 | 19 | 26 | 62 |
| 50-64 | 145 | 12.3 | 91 | 2 | 3 | 10 | 16 | 25 | 29 | 60 |
| 65+ | 169 | 11.5 | 82 | 2 | 2 | 9 | 15 | 24 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.1 | 20 | <1 | <1 | 3 | 5 | 6 | 12 | 26 |
| B. *Operated* | 635 | 7.4 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 224 | 7.4 | 58 | 1 | 2 | 5 | 8 | 16 | 22 | 41 |
| B. *Operated* | 458 | 11.0 | 85 | 2 | 2 | 9 | 14 | 22 | 27 | 56 |
| **1. SINGLE DX** | 722 | 7.0 | 31 | 1 | 2 | 6 | 9 | 13 | 18 | 30 |
| **2. MULTIPLE DX** | 682 | 9.8 | 79 | 1 | 2 | 7 | 13 | 21 | 26 | 50 |
| **A. NOT OPERATED** | 311 | 6.5 | 49 | <1 | 1 | 4 | 7 | 15 | 21 | 39 |
| **B. OPERATED** | 1093 | 8.9 | 57 | 2 | 2 | 7 | 11 | 18 | 24 | 39 |
| TOTAL 0-19 YRS | 15 | 5.3 | 9 | 1 | 2 | 5 | 7 | 10 | 11 | 11 |
| 20-34 | 216 | 6.5 | 27 | 1 | 1 | 6 | 8 | 13 | 16 | 31 |
| 35-49 | 327 | 7.6 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 30 |
| 50-64 | 427 | 9.0 | 61 | 1 | 2 | 7 | 11 | 19 | 24 | 44 |
| 65+ | 419 | 9.5 | 70 | 2 | 2 | 7 | 12 | 20 | 26 | 47 |
| **GRAND TOTAL** | 1404 | 8.4 | 56 | 1 | 2 | 6 | 10 | 17 | 23 | 39 |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 6 | 6.8 | 41 | 3 | 3 | 4 | 9 | 18 | 19 | 19 |
| 65+ | 10 | 10.0 | 34 | 2 | 2 | 10 | 14 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.9 | 16 | 1 | 1 | 2 | 4 | 11 | 14 | 14 |
| 20-34 | 49 | 3.6 | 9 | 1 | 1 | 2 | 5 | 9 | 11 | 13 |
| 35-49 | 100 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 323 | 3.8 | 17 | 1 | 1 | 3 | 4 | 8 | 14 | 21 |
| 65+ | 623 | 4.2 | 29 | 1 | 1 | 2 | 4 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 5.3 | 29 | 1 | 1 | 4 | 5 | 15 | 16 | 16 |
| 50-64 | 29 | 6.3 | 29 | 1 | 2 | 5 | 9 | 12 | 16 | 26 |
| 65+ | 78 | 9.4 | 79 | 1 | 2 | 7 | 12 | 22 | 28 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 26 | 4.9 | 29 | <1 | 1 | 3 | 8 | 9 | 13 | 27 |
| 35-49 | 113 | 5.8 | 57 | 1 | 1 | 3 | 7 | 11 | 17 | 47 |
| 50-64 | 333 | 5.3 | 92 | 1 | 1 | 3 | 7 | 13 | 21 | 45 |
| 65+ | 924 | 7.7 | 78 | 1 | 2 | 5 | 10 | 16 | 22 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 8.4 | 35 | 2 | 2 | 7 | 13 | 18 | 19 | 19 |
| B. *Operated* | 1107 | 4.1 | 22 | 1 | 1 | 3 | 4 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 115 | 8.3 | 65 | 1 | 2 | 5 | 10 | 18 | 26 | 41 |
| B. *Operated* | 1397 | 7.2 | 79 | 1 | 2 | 4 | 9 | 15 | 22 | 45 |
| **1. SINGLE DX** | 1125 | 4.1 | 23 | 1 | 1 | 3 | 4 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | 1512 | 7.3 | 78 | 1 | 2 | 4 | 9 | 15 | 22 | 45 |
| **A. NOT OPERATED** | 133 | 8.3 | 61 | 1 | 2 | 5 | 11 | 18 | 25 | 41 |
| **B. OPERATED** | 2504 | 5.8 | 56 | 1 | 1 | 3 | 7 | 13 | 17 | 40 |
| TOTAL 0-19 YRS | 13 | 4.0 | 15 | 1 | 1 | 2 | 5 | 11 | 13 | 14 |
| 20-34 | 78 | 4.0 | 15 | 1 | 1 | 2 | 5 | 9 | 11 | 23 |
| 35-49 | 220 | 5.0 | 35 | 1 | 1 | 3 | 6 | 10 | 15 | 31 |
| 50-64 | 691 | 5.1 | 55 | 1 | 1 | 3 | 5 | 10 | 16 | 34 |
| 65+ | 1635 | 6.5 | 62 | 1 | 2 | 4 | 8 | 14 | 20 | 42 |
| **GRAND TOTAL** | **2637** | **5.9** | **57** | **1** | **1** | **3** | **7** | **13** | **18** | **40** |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 5.4 | 80 | 1 | 1 | 2 | 5 | 18 | 30 | 31 |
| 35-49 | 68 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 143 | 5.9 | 42 | <1 | 1 | 4 | 7 | 12 | 19 | 39 |
| 65+ | 119 | 8.9 | 88 | 1 | 1 | 5 | 11 | 25 | 30 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.2 | 17 | <1 | <1 | 2 | 9 | 10 | 10 | 10 |
| 20-34 | 191 | 7.0 | 13 | 1 | 2 | 7 | 9 | 11 | 13 | 18 |
| 35-49 | 1023 | 7.3 | 13 | 2 | 2 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 1642 | 8.3 | 17 | 2 | 3 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 1690 | 8.8 | 18 | 3 | 4 | 8 | 11 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 50 | 8.3 | 44 | 1 | 2 | 8 | 12 | 16 | 21 | 32 |
| 35-49 | 307 | 8.8 | 98 | 1 | 1 | 5 | 11 | 20 | 27 | 54 |
| 50-64 | 759 | 9.4 | 92 | 1 | 2 | 7 | 12 | 21 | 28 | 45 |
| 65+ | 936 | 11.4 | 114 | 2 | 2 | 8 | 15 | 23 | 32 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.3 | 16 | 8 | 8 | 8 | 13 | 15 | 15 | 15 |
| 20-34 | 181 | 10.3 | 83 | 3 | 4 | 9 | 11 | 16 | 22 | 62 |
| 35-49 | 1130 | 10.2 | 64 | 3 | 4 | 9 | 12 | 17 | 22 | 48 |
| 50-64 | 2226 | 11.5 | 70 | 4 | 5 | 10 | 13 | 19 | 24 | 52 |
| 65+ | 3175 | 12.7 | 77 | 4 | 6 | 10 | 15 | 22 | 29 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 6.5 | 56 | 1 | 1 | 4 | 7 | 14 | 25 | 40 |
| B. *Operated* | 4552 | 8.2 | 17 | 2 | 3 | 8 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2053 | 10.2 | 103 | 1 | 2 | 7 | 13 | 22 | 31 | 52 |
| B. *Operated* | 6715 | 11.8 | 73 | 4 | 5 | 10 | 14 | 20 | 26 | 50 |
| **1. SINGLE DX** | 4893 | 8.1 | 20 | 2 | 3 | 8 | 10 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 8768 | 11.4 | 81 | 2 | 4 | 9 | 14 | 21 | 27 | 50 |
| **A. NOT OPERATED** | 2394 | 9.7 | 98 | 1 | 2 | 7 | 12 | 22 | 30 | 50 |
| **B. OPERATED** | 11267 | 10.4 | 54 | 3 | 4 | 9 | 12 | 17 | 22 | 41 |
| TOTAL 0-19 YRS | 10 | 8.1 | 22 | <1 | <1 | 6 | 9 | 12 | 15 | 15 |
| 20-34 | 433 | 8.5 | 50 | 1 | 2 | 8 | 10 | 13 | 17 | 39 |
| 35-49 | 2528 | 8.7 | 48 | 2 | 2 | 8 | 10 | 15 | 19 | 40 |
| 50-64 | 4770 | 9.9 | 57 | 2 | 3 | 8 | 11 | 17 | 22 | 42 |
| 65+ | 5920 | 11.3 | 69 | 3 | 4 | 9 | 13 | 20 | 26 | 45 |
| **GRAND TOTAL** | **13661** | **10.2** | **61** | **2** | **3** | **9** | **12** | **18** | **23** | **42** |

### 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 42 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 115 | 3.8 | 4 | 1 | 2 | 3 | 4 | 5 | 9 | 11 |
| 50-64 | 163 | 4.2 | 19 | 1 | 1 | 3 | 4 | 6 | 9 | 28 |
| 65+ | 110 | 4.3 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 20-34 | 200 | 5.8 | 31 | 1 | 2 | 5 | 8 | 12 | 14 | 19 |
| 35-49 | 227 | 7.1 | 35 | 2 | 2 | 5 | 10 | 14 | 18 | 33 |
| 50-64 | 187 | 6.4 | 31 | 2 | 2 | 5 | 9 | 13 | 16 | 32 |
| 65+ | 131 | 8.0 | 52 | 2 | 2 | 5 | 10 | 17 | 20 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 42 | 8.7 | 87 | <1 | 1 | 5 | 13 | 24 | 29 | 42 |
| 35-49 | 100 | 5.7 | 28 | 1 | 2 | 4 | 6 | 11 | 19 | 28 |
| 50-64 | 192 | 7.4 | 78 | 1 | 1 | 4 | 9 | 18 | 24 | 35 |
| 65+ | 201 | 9.1 | 74 | 1 | 2 | 6 | 12 | 19 | 24 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 159 | 8.3 | 53 | 1 | 2 | 7 | 10 | 18 | 23 | 41 |
| 35-49 | 261 | 10.4 | 72 | 2 | 3 | 8 | 13 | 22 | 26 | 46 |
| 50-64 | 261 | 12.8 | 128 | 2 | 2 | 10 | 17 | 29 | 37 | 72 |
| 65+ | 308 | 14.2 | 171 | 2 | 3 | 10 | 16 | 31 | 43 | 69 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 430 | 4.0 | 13 | 1 | 1 | 3 | 4 | 6 | 9 | 22 |
| B. *Operated* | 750 | 6.7 | 36 | 1 | 2 | 5 | 9 | 14 | 17 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 535 | 7.8 | 69 | 1 | 2 | 5 | 10 | 18 | 24 | 36 |
| B. *Operated* | 990 | 11.9 | 119 | 2 | 2 | 9 | 15 | 25 | 34 | 65 |
| 1. SINGLE DX | 1180 | 5.7 | 29 | 1 | 2 | 4 | 7 | 12 | 15 | 31 |
| 2. MULTIPLE DX | 1525 | 10.5 | 105 | 2 | 2 | 7 | 13 | 23 | 31 | 58 |
| A. NOT OPERATED | 965 | 6.1 | 48 | 1 | 1 | 4 | 6 | 13 | 21 | 33 |
| B. OPERATED | 1740 | 9.7 | 89 | 2 | 2 | 7 | 12 | 20 | 29 | 54 |
| TOTAL 0-19 YRS | 6 | 2.7 | 7 | 1 | 1 | 2 | 2 | 7 | 8 | 8 |
| 20-34 | 443 | 6.7 | 44 | 1 | 2 | 5 | 8 | 14 | 19 | 34 |
| 35-49 | 703 | 7.6 | 48 | 2 | 2 | 5 | 10 | 16 | 22 | 37 |
| 50-64 | 803 | 8.3 | 82 | 1 | 2 | 4 | 10 | 19 | 28 | 48 |
| 65+ | 750 | 10.3 | 114 | 2 | 2 | 7 | 13 | 21 | 32 | 60 |
| GRAND TOTAL | 2705 | 8.4 | 77 | 1 | 2 | 5 | 10 | 18 | 25 | 47 |

### 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 4.0 | 4 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 36 | 3.6 | 2 | 1 | 2 | 4 | 5 | 5 | 6 | 6 |
| 50-64 | 154 | 3.9 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 16 |
| 65+ | 162 | 4.4 | 13 | 1 | 2 | 4 | 4 | 7 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 20 | 6.2 | 7 | 2 | 2 | 6 | 8 | 10 | 11 | 12 |
| 35-49 | 136 | 6.2 | 13 | 1 | 2 | 6 | 8 | 11 | 13 | 17 |
| 50-64 | 639 | 6.8 | 22 | 1 | 2 | 7 | 9 | 12 | 14 | 19 |
| 65+ | 599 | 7.5 | 23 | 1 | 2 | 7 | 10 | 14 | 17 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.0 | 9 | 3 | 3 | 4 | 6 | 10 | 10 | 10 |
| 35-49 | 24 | 6.5 | 40 | 2 | 2 | 4 | 6 | 19 | 21 | 25 |
| 50-64 | 165 | 6.7 | 66 | 1 | 2 | 4 | 7 | 15 | 22 | 44 |
| 65+ | 284 | 8.1 | 70 | 2 | 2 | 5 | 10 | 18 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 39 | 8.2 | 20 | 2 | 3 | 8 | 10 | 15 | 19 | 20 |
| 35-49 | 239 | 9.1 | 35 | 2 | 2 | 8 | 11 | 16 | 20 | 31 |
| 50-64 | 1021 | 9.6 | 55 | 2 | 2 | 8 | 12 | 17 | 21 | 37 |
| 65+ | 1234 | 11.5 | 84 | 2 | 3 | 10 | 14 | 21 | 28 | 55 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 358 | 4.1 | 8 | 1 | 2 | 4 | 5 | 6 | 9 | 18 |
| B. *Operated* | 1395 | 7.0 | 22 | 1 | 2 | 7 | 9 | 13 | 15 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 478 | 7.5 | 67 | 1 | 2 | 4 | 9 | 18 | 23 | 41 |
| B. *Operated* | 2534 | 10.4 | 68 | 2 | 2 | 9 | 13 | 19 | 24 | 46 |
| 1. SINGLE DX | 1753 | 6.4 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 21 |
| 2. MULTIPLE DX | 3012 | 10.0 | 69 | 2 | 2 | 8 | 12 | 19 | 24 | 45 |
| A. NOT OPERATED | 836 | 6.1 | 45 | 1 | 2 | 4 | 6 | 13 | 19 | 35 |
| B. OPERATED | 3929 | 9.2 | 54 | 2 | 2 | 8 | 11 | 17 | 21 | 39 |
| TOTAL 0-19 YRS | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 70 | 7.0 | 16 | 2 | 2 | 5 | 8 | 12 | 16 | 20 |
| 35-49 | 435 | 7.6 | 28 | 1 | 2 | 7 | 9 | 14 | 17 | 28 |
| 50-64 | 1979 | 8.0 | 44 | 1 | 2 | 7 | 10 | 14 | 18 | 33 |
| 65+ | 2279 | 9.5 | 66 | 2 | 2 | 8 | 12 | 19 | 24 | 44 |
| GRAND TOTAL | 4765 | 8.7 | 54 | 1 | 2 | 8 | 11 | 16 | 21 | 37 |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 2 | 1 | 1 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 17 | 4.4 | 7 | 2 | 2 | 3 | 7 | 8 | 9 | 9 |
| 35-49 | 84 | 2.8 | 23 | <1 | 1 | 2 | 3 | 4 | 6 | 32 |
| 50-64 | 262 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 21 |
| 65+ | 170 | 3.9 | 26 | 1 | 1 | 2 | 4 | 9 | 13 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.8 | 10 | 4 | 5 | 9 | 11 | 12 | 15 | 15 |
| 20-34 | 39 | 9.1 | 21 | 4 | 4 | 8 | 11 | 15 | 20 | 22 |
| 35-49 | 74 | 9.2 | 32 | 2 | 4 | 8 | 10 | 13 | 18 | 35 |
| 50-64 | 113 | 10.5 | 32 | 4 | 6 | 9 | 13 | 16 | 20 | 35 |
| 65+ | 84 | 15.0 | 74 | 2 | 7 | 14 | 19 | 26 | 31 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.5 | 15 | 1 | 2 | 6 | 10 | 11 | 12 | 12 |
| 20-34 | 36 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 115 | 3.7 | 22 | 1 | 1 | 2 | 5 | 7 | 9 | 25 |
| 50-64 | 506 | 5.1 | 42 | 1 | 1 | 3 | 5 | 11 | 17 | 34 |
| 65+ | 529 | 7.4 | 88 | 1 | 1 | 4 | 9 | 16 | 26 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.7 | 42 | 4 | 5 | 8 | 14 | 22 | 23 | 23 |
| 20-34 | 72 | 11.1 | 39 | 5 | 5 | 9 | 13 | 22 | 25 | 29 |
| 35-49 | 171 | 13.2 | 62 | 6 | 7 | 11 | 16 | 21 | 27 | 39 |
| 50-64 | 525 | 16.6 | 140 | 6 | 7 | 13 | 20 | 30 | 39 | 69 |
| 65+ | 526 | 21.0 | 173 | 7 | 9 | 18 | 26 | 39 | 50 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 539 | 3.2 | 17 | 1 | 1 | 2 | 3 | 6 | 9 | 23 |
| B. *Operated* | 322 | 11.2 | 46 | 3 | 5 | 10 | 13 | 19 | 25 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1194 | 6.0 | 61 | 1 | 1 | 3 | 7 | 13 | 20 | 43 |
| B. *Operated* | 1305 | 17.6 | 147 | 6 | 7 | 14 | 22 | 33 | 44 | 70 |
| **1. SINGLE DX** | 861 | 6.2 | 43 | 1 | 1 | 4 | 9 | 14 | 19 | 35 |
| **2. MULTIPLE DX** | 2499 | 12.0 | 139 | 1 | 2 | 9 | 16 | 27 | 35 | 62 |
| **A. NOT OPERATED** | 1733 | 5.1 | 49 | 1 | 1 | 3 | 5 | 12 | 17 | 41 |
| **B. OPERATED** | 1627 | 16.3 | 133 | 5 | 7 | 13 | 20 | 30 | 39 | 69 |
| TOTAL 0-19 YRS | 37 | 8.0 | 24 | 2 | 3 | 7 | 10 | 14 | 20 | 23 |
| 20-34 | 164 | 8.3 | 34 | 2 | 2 | 7 | 10 | 16 | 22 | 29 |
| 35-49 | 444 | 8.1 | 60 | 1 | 1 | 7 | 11 | 17 | 21 | 39 |
| 50-64 | 1406 | 9.4 | 106 | 1 | 1 | 6 | 13 | 21 | 29 | 53 |
| 65+ | 1309 | 12.9 | 162 | 1 | 2 | 10 | 18 | 29 | 39 | 67 |
| **GRAND TOTAL** | 3360 | 10.5 | 121 | 1 | 2 | 8 | 14 | 24 | 31 | 55 |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 35-49 | 12 | 4.4 | 28 | 2 | 2 | 3 | 4 | 9 | 10 | 21 |
| 50-64 | 4 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 32 | 8.2 | 137 | 1 | 2 | 4 | 7 | 21 | 31 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 13 | 8.0 | 63 | <1 | 1 | 3 | 12 | 22 | 23 | 23 |
| 35-49 | 21 | 7.5 | 51 | 1 | 2 | 4 | 12 | 18 | 24 | 26 |
| 50-64 | 44 | 11.3 | 125 | 2 | 2 | 7 | 15 | 27 | 37 | 46 |
| 65+ | 92 | 11.2 | 108 | 2 | 2 | 7 | 16 | 29 | 31 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 6.1 | 21 | 1 | 1 | 6 | 8 | 12 | 16 | 16 |
| 35-49 | 14 | 9.5 | 76 | 1 | 2 | 6 | 17 | 23 | 25 | 25 |
| 50-64 | 35 | 6.7 | 51 | 1 | 2 | 4 | 9 | 13 | 18 | 38 |
| 65+ | 77 | 10.9 | 152 | 2 | 2 | 5 | 14 | 27 | 34 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 10 | 7.4 | 53 | 1 | 1 | 4 | 11 | 20 | 20 | 20 |
| 35-49 | 36 | 15.6 | 150 | 2 | 3 | 12 | 24 | 35 | 38 | 49 |
| 50-64 | 90 | 14.0 | 138 | 2 | 3 | 10 | 18 | 30 | 38 | 59 |
| 65+ | 207 | 17.7 | 265 | 3 | 3 | 13 | 23 | 36 | 47 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 6.6 | 93 | 1 | 2 | 4 | 6 | 15 | 26 | 58 |
| B. *Operated* | 171 | 10.5 | 102 | 2 | 2 | 6 | 15 | 26 | 30 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 9.3 | 117 | 1 | 2 | 5 | 11 | 20 | 30 | 60 |
| B. *Operated* | 345 | 16.1 | 217 | 2 | 3 | 12 | 20 | 34 | 44 | 90 |
| **1. SINGLE DX** | 224 | 9.5 | 102 | 2 | 2 | 5 | 12 | 25 | 30 | 46 |
| **2. MULTIPLE DX** | 481 | 14.2 | 197 | 2 | 2 | 10 | 19 | 32 | 41 | 77 |
| **A. NOT OPERATED** | 189 | 8.6 | 111 | 1 | 2 | 4 | 10 | 20 | 29 | 58 |
| **B. OPERATED** | 516 | 14.2 | 186 | 2 | 3 | 10 | 20 | 31 | 41 | 76 |
| TOTAL 0-19 YRS | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 37 | 6.9 | 42 | 1 | 1 | 4 | 9 | 19 | 21 | 23 |
| 35-49 | 83 | 10.9 | 112 | 2 | 2 | 7 | 17 | 27 | 32 | 46 |
| 50-64 | 173 | 11.6 | 123 | 2 | 2 | 8 | 16 | 26 | 36 | 51 |
| 65+ | 408 | 14.2 | 212 | 2 | 2 | 9 | 19 | 32 | 42 | 83 |
| **GRAND TOTAL** | 705 | 12.7 | 172 | 2 | 2 | 8 | 18 | 29 | 37 | 72 |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 6.0 |  | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 | 1 | 5.0 |  | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 78 | 5.5 | 58 | 1 | 1 | 3 | 5 | 14 | 21 | 39 |
| 65+ | 229 | 6.2 | 52 | 1 | 1 | 4 | 7 | 13 | 20 | 41 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 14.0 | 67 | 7 | 7 | 12 | 20 | 23 | 23 | 23 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 17 | 6.6 | 23 | 2 | 2 | 5 | 9 | 15 | 17 | 18 |
| 50-64 | 600 | 8.4 | 42 | 2 | 2 | 7 | 11 | 16 | 21 | 31 |
| 65+ | 1721 | 8.4 | 25 | 2 | 2 | 8 | 11 | 15 | 18 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 | 9 | 5.3 | 12 | 1 | 1 | 5 | 9 | 10 | 10 | 10 |
| 50-64 | 309 | 9.2 | 76 | 1 | 2 | 7 | 12 | 18 | 28 | 42 |
| 65+ | 1681 | 10.2 | 85 | 2 | 3 | 8 | 13 | 21 | 27 | 48 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 19.0 | 176 | 7 | 7 | 13 | 31 | 37 | 37 | 37 |
| 20-34 | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 35-49 | 15 | 12.6 | 114 | 2 | 2 | 8 | 24 | 25 | 31 | 33 |
| 50-64 | 1019 | 11.9 | 96 | 2 | 3 | 9 | 15 | 23 | 31 | 55 |
| 65+ | 4961 | 12.5 | 83 | 3 | 4 | 10 | 16 | 23 | 30 | 51 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 309 | 6.0 | 53 | 1 | 1 | 4 | 7 | 13 | 20 | 41 |
| B. *Operated* | 2343 | 8.4 | 32 | 2 | 2 | 8 | 11 | 15 | 19 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2000 | 10.1 | 83 | 2 | 2 | 7 | 13 | 21 | 27 | 47 |
| B. *Operated* | 6002 | 12.4 | 86 | 3 | 4 | 10 | 16 | 23 | 30 | 51 |
| **1. SINGLE DX** | 2652 | 8.1 | 35 | 2 | 2 | 7 | 11 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | 8002 | 11.8 | 86 | 2 | 3 | 9 | 15 | 23 | 29 | 50 |
| **A. NOT OPERATED** | 2309 | 9.5 | 81 | 1 | 2 | 7 | 12 | 20 | 27 | 46 |
| **B. OPERATED** | 8345 | 11.3 | 74 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| TOTAL 0-19 YRS | 10 | 15.2 | 115 | 6 | 6 | 11 | 23 | 33 | 37 | 37 |
| 20-34 | 4 | 5.3 | 27 | 2 | 2 | 3 | 8 | 13 | 13 | 13 |
| 35-49 | 42 | 8.4 | 60 | 2 | 2 | 5 | 10 | 23 | 25 | 33 |
| 50-64 | 2006 | 10.2 | 79 | 2 | 2 | 8 | 13 | 20 | 27 | 46 |
| 65+ | 8592 | 11.1 | 75 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| **GRAND TOTAL** | 10654 | 10.9 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 4.4 | 6 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 49 | 4.9 | 6 | 2 | 2 | 5 | 5 | 6 | 8 | 18 |
| 35-49 | 6 | 4.2 | 6 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 12 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 17 | 7.2 | 13 | 2 | 2 | 8 | 9 | 11 | 14 | 16 |
| 20-34 | 214 | 6.0 | 17 | 2 | 2 | 5 | 8 | 10 | 15 | 21 |
| 35-49 | 64 | 5.0 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 41 | 7.9 | 34 | 1 | 2 | 6 | 12 | 17 | 20 | 25 |
| 65+ | 31 | 7.3 | 35 | 1 | 2 | 5 | 9 | 17 | 19 | 23 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 5.5 | 16 | 2 | 3 | 4 | 5 | 9 | 16 | 18 |
| 20-34 | 66 | 6.0 | 19 | 1 | 2 | 5 | 7 | 10 | 14 | 29 |
| 35-49 | 28 | 6.5 | 16 | 2 | 3 | 6 | 8 | 12 | 14 | 19 |
| 50-64 | 15 | 7.5 | 58 | 1 | 2 | 4 | 10 | 23 | 25 | 26 |
| 65+ | 8 | 6.5 | 37 | 2 | 2 | 5 | 6 | 17 | 21 | 21 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 11 | 17.4 | 138 | 4 | 5 | 16 | 23 | 33 | 45 | 46 |
| 20-34 | 94 | 10.4 | 52 | 3 | 3 | 9 | 13 | 18 | 22 | 41 |
| 35-49 | 36 | 9.8 | 49 | 2 | 3 | 9 | 13 | 18 | 23 | 35 |
| 50-64 | 35 | 10.1 | 60 | 2 | 3 | 8 | 14 | 19 | 24 | 38 |
| 65+ | 58 | 13.0 | 142 | 2 | 4 | 10 | 15 | 22 | 39 | 63 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 74 | 4.4 | 6 | 1 | 1 | 5 | 5 | 6 | 7 | 16 |
| B. *Operated* | 367 | 6.2 | 18 | 2 | 2 | 5 | 8 | 12 | 16 | 21 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 131 | 6.3 | 23 | 2 | 2 | 5 | 7 | 11 | 17 | 27 |
| B. *Operated* | 234 | 11.2 | 81 | 2 | 3 | 9 | 15 | 21 | 25 | 48 |
| **1. SINGLE DX** | 441 | 5.9 | 17 | 1 | 2 | 5 | 7 | 11 | 15 | 21 |
| **2. MULTIPLE DX** | 365 | 9.5 | 66 | 2 | 3 | 7 | 12 | 18 | 23 | 45 |
| **A. NOT OPERATED** | 205 | 5.6 | 18 | 1 | 2 | 5 | 6 | 9 | 14 | 24 |
| **B. OPERATED** | 601 | 8.2 | 49 | 2 | 3 | 6 | 10 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 47 | 8.8 | 63 | 2 | 3 | 7 | 10 | 18 | 23 | 46 |
| 20-34 | 423 | 6.9 | 27 | 2 | 2 | 5 | 9 | 13 | 17 | 25 |
| 35-49 | 134 | 6.6 | 23 | 2 | 3 | 5 | 8 | 13 | 14 | 26 |
| 50-64 | 103 | 7.9 | 47 | 1 | 2 | 5 | 11 | 17 | 23 | 32 |
| 65+ | 99 | 10.5 | 105 | 2 | 2 | 8 | 13 | 20 | 28 | 60 |
| **GRAND TOTAL** | 806 | 7.5 | 42 | 2 | 2 | 5 | 9 | 15 | 19 | 34 |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 35-49 | 9 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | 51 | 4.9 | 36 | 1 | 1 | 3 | 7 | 11 | 14 | 37 |
| 65+ | 138 | 5.8 | 48 | 1 | 1 | 4 | 7 | 14 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 11 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 20-34 | 38 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 177 | 4.8 | 17 | 1 | 2 | 3 | 5 | 9 | 14 | 20 |
| 50-64 | 1028 | 5.8 | 33 | 1 | 2 | 4 | 7 | 13 | 17 | 30 |
| 65+ | 2157 | 6.0 | 32 | 1 | 2 | 4 | 7 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 10.5 | 181 | 1 | 1 | 10 | 20 | 20 | 20 | 20 |
| 35-49 | 14 | 4.9 | 17 | 1 | 1 | 4 | 5 | 11 | 15 | 16 |
| 50-64 | 110 | 6.5 | 52 | 1 | 1 | 4 | 8 | 18 | 21 | 33 |
| 65+ | 494 | 9.2 | 70 | 1 | 2 | 7 | 13 | 20 | 26 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.9 | 21 | 2 | 2 | 4 | 8 | 13 | 15 | 15 |
| 20-34 | 19 | 9.6 | 135 | 1 | 1 | 4 | 15 | 38 | 72 | 99+ |
| 35-49 | 112 | 9.5 | 107 | 2 | 2 | 6 | 11 | 22 | 31 | 58 |
| 50-64 | 1059 | 9.6 | 111 | 2 | 2 | 6 | 12 | 22 | 31 | 56 |
| 65+ | 3434 | 10.3 | 100 | 2 | 2 | 7 | 13 | 22 | 29 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 5.5 | 43 | 1 | 1 | 4 | 7 | 13 | 15 | 35 |
| B. *Operated* | 3405 | 5.9 | 31 | 1 | 2 | 4 | 7 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 620 | 8.6 | 67 | 1 | 2 | 6 | 12 | 19 | 25 | 40 |
| B. *Operated* | 4632 | 10.1 | 103 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **1. SINGLE DX** | 3605 | 5.8 | 32 | 1 | 2 | 4 | 7 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 5252 | 10.0 | 99 | 2 | 2 | 7 | 13 | 22 | 29 | 52 |
| **A. NOT OPERATED** | 820 | 7.8 | 63 | 1 | 1 | 5 | 10 | 18 | 24 | 39 |
| **B. OPERATED** | 8037 | 8.3 | 77 | 2 | 2 | 5 | 10 | 18 | 25 | 45 |
| TOTAL 0-19 YRS | 14 | 5.0 | 16 | 1 | 1 | 4 | 8 | 10 | 14 | 15 |
| 20-34 | 60 | 6.0 | 59 | 1 | 1 | 3 | 7 | 16 | 26 | 94 |
| 35-49 | 312 | 6.4 | 54 | 1 | 2 | 4 | 7 | 13 | 21 | 34 |
| 50-64 | 2248 | 7.6 | 74 | 1 | 2 | 5 | 9 | 16 | 25 | 47 |
| 65+ | 6223 | 8.6 | 77 | 2 | 2 | 6 | 11 | 19 | 25 | 43 |
| **GRAND TOTAL** | 8857 | 9.3 | 76 | 1 | 2 | 5 | 10 | 18 | 25 | 44 |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 6 | 6.8 | 55 | 1 | 1 | 4 | 11 | 19 | 20 | 20 |
| 50-64 | 24 | 5.8 | 23 | <1 | 1 | 4 | 9 | 15 | 15 | 15 |
| 65+ | 23 | 7.1 | 32 | 1 | 2 | 5 | 8 | 16 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.1 | 53 | 1 | 5 | 12 | 17 | 23 | 28 | 28 |
| 20-34 | 12 | 9.6 | 39 | 2 | 2 | 10 | 11 | 20 | 22 | 22 |
| 35-49 | 76 | 11.1 | 47 | 1 | 2 | 10 | 15 | 20 | 24 | 33 |
| 50-64 | 178 | 12.6 | 46 | 2 | 3 | 12 | 17 | 21 | 23 | 28 |
| 65+ | 201 | 12.5 | 49 | 2 | 3 | 12 | 17 | 21 | 26 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 6.5 | 26 | 2 | 2 | 5 | 8 | 15 | 18 | 19 |
| 35-49 | 35 | 12.2 | 297 | 1 | 2 | 6 | 12 | 36 | 60 | 70 |
| 50-64 | 167 | 10.1 | 88 | 1 | 2 | 7 | 14 | 23 | 29 | 41 |
| 65+ | 233 | 11.6 | 86 | 2 | 3 | 9 | 15 | 24 | 31 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 23.6 | 38 | 16 | 16 | 27 | 28 | 30 | 30 | 30 |
| 20-34 | 11 | 12.6 | 67 | 4 | 5 | 10 | 17 | 25 | 31 | 32 |
| 35-49 | 116 | 16.2 | 121 | 3 | 5 | 14 | 20 | 32 | 40 | 53 |
| 50-64 | 496 | 16.9 | 122 | 3 | 7 | 14 | 20 | 30 | 39 | 59 |
| 65+ | 673 | 18.1 | 138 | 4 | 7 | 15 | 23 | 33 | 41 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 6.3 | 28 | 1 | 1 | 5 | 9 | 15 | 18 | 21 |
| B. *Operated* | 478 | 12.3 | 47 | 2 | 3 | 11 | 16 | 21 | 24 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 11.0 | 102 | 1 | 2 | 8 | 14 | 23 | 31 | 57 |
| B. *Operated* | 1301 | 17.4 | 130 | 4 | 7 | 15 | 22 | 32 | 41 | 58 |
| **1. SINGLE DX** | 534 | 11.6 | 48 | 2 | 2 | 11 | 16 | 21 | 24 | 30 |
| **2. MULTIPLE DX** | 1749 | 15.8 | 131 | 3 | 4 | 13 | 20 | 30 | 38 | 58 |
| **A. NOT OPERATED** | 504 | 10.5 | 96 | 1 | 2 | 8 | 14 | 22 | 29 | 56 |
| **B. OPERATED** | 1779 | 16.0 | 113 | 3 | 5 | 14 | 20 | 29 | 37 | 56 |
| TOTAL 0-19 YRS | 17 | 15.7 | 74 | 2 | 5 | 16 | 22 | 28 | 29 | 30 |
| 20-34 | 38 | 9.1 | 46 | 2 | 2 | [illegible] | 11 | 19 | 21 | 32 |
| 35-49 | 233 | 13.7 | 127 | 2 | 2 | 11 | 17 | 26 | 36 | 58 |
| 50-64 | 865 | 14.4 | 107 | 2 | 3 | 13 | 18 | 26 | 33 | 53 |
| 65+ | 1130 | 15.5 | 119 | 3 | 4 | 13 | 20 | 29 | 36 | 57 |
| **GRAND TOTAL** | 2283 | 14.8 | 115 | 2 | 3 | 13 | 19 | 27 | 35 | 56 |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 5 | 12.6 | 415 | 2 | 2 | 4 | 16 | 49 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.3 | 18 | <1 | <1 | 3 | 6 | 11 | 14 | 14 |
| 20-34 | 4 | 5.5 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 8 | 5.0 | 5 | 1 | 2 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | 26 | 5.2 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 17 |
| 65+ | 26 | 4.2 | 6 | 2 | 2 | 3 | 4 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.5 | 3 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 7.0 | 72 | 1 | 1 | 7 | 13 | 13 | 13 | 13 |
| 50-64 | 7 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 9 | 7.6 | 41 | 2 | 3 | 6 | 7 | 17 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 5.6 | 35 | 2 | 2 | 3 | 7 | 16 | 18 | 18 |
| 50-64 | 16 | 6.1 | 13 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 65+ | 27 | 9.6 | 74 | 2 | 3 | 7 | 10 | 25 | 27 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 5.3 | 121 | 1 | 1 | 3 | 4 | 6 | 32 | 49 |
| B. *Operated* | 73 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 5.4 | 23 | 1 | 1 | 4 | 6 | 8 | 16 | 24 |
| B. *Operated* | 54 | 7.4 | 49 | 2 | 2 | 5 | 8 | 18 | 25 | 33 |
| **1. SINGLE DX** | 91 | 4.8 | 30 | 1 | 1 | 4 | 6 | 8 | 11 | 36 |
| **2. MULTIPLE DX** | 78 | 6.8 | 42 | 1 | 2 | 5 | 8 | 13 | 24 | 31 |
| **A. NOT OPERATED** | 42 | 5.4 | 63 | 1 | 1 | 4 | 6 | 7 | 17 | 49 |
| **B. OPERATED** | 127 | 5.9 | 28 | 1 | 2 | 4 | 7 | 11 | 17 | 28 |
| TOTAL 0-19 YRS | 28 | 2.8 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 5 | 5.0 | 4 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 17 | 5.5 | 20 | 1 | 1 | 4 | 7 | 12 | 16 | 18 |
| 50-64 | 52 | 5.3 | 11 | 2 | 2 | 4 | 7 | 10 | 13 | 17 |
| 65+ | 67 | 7.4 | 69 | 2 | 2 | 4 | 8 | 20 | 25 | 46 |
| **GRAND TOTAL** | **169** | **5.8** | **36** | **1** | **2** | **4** | **7** | **11** | **17** | **32** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.3 | 66 | 1 | 1 | 4 | 7 | 12 | 27 | 34 |
| 20-34 | 50 | 7.7 | 207 | <1 | <1 | 4 | 8 | 13 | 24 | 97 |
| 35-49 | 50 | 8.2 | 64 | 1 | 2 | 5 | 10 | 23 | 26 | 34 |
| 50-64 | 88 | 13.5 | 187 | 2 | 2 | 9 | 19 | 36 | 40 | 94 |
| 65+ | 71 | 11.8 | 88 | 1 | 3 | 8 | 16 | 27 | 32 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 15.3 | 90 | 7 | 7 | 13 | 19 | 28 | 32 | 53 |
| 20-34 | 77 | 13.8 | 93 | 2 | 6 | 12 | 16 | 20 | 32 | 59 |
| 35-49 | 96 | 15.8 | 156 | 4 | 6 | 13 | 17 | 25 | 38 | 75 |
| 50-64 | 147 | 18.0 | 157 | 4 | 7 | 16 | 21 | 31 | 45 | 93 |
| 65+ | 77 | 21.8 | 246 | 4 | 8 | 17 | 27 | 50 | 61 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 15 | 24 |
| 20-34 | 60 | 8.6 | 64 | 1 | 2 | 6 | 10 | 19 | 23 | 45 |
| 35-49 | 88 | 11.5 | 133 | 3 | 3 | 7 | 13 | 29 | 34 | 59 |
| 50-64 | 195 | 11.7 | 128 | 2 | 3 | 8 | 15 | 26 | 39 | 68 |
| 65+ | 131 | 15.6 | 187 | 3 | 3 | 12 | 20 | 38 | 47 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 24.4 | 315 | 5 | 8 | 20 | 29 | 44 | 60 | 97 |
| 20-34 | 59 | 22.9 | 283 | 5 | 9 | 19 | 28 | 46 | 56 | 91 |
| 35-49 | 63 | 23.9 | 365 | 8 | 9 | 17 | 29 | 59 | 77 | 98 |
| 50-64 | 147 | 27.4 | 436 | 6 | 8 | 20 | 36 | 64 | 81 | 99+ |
| 65+ | 136 | 30.4 | 414 | 8 | 11 | 24 | 43 | 66 | 76 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 275 | 10.7 | 141 | 1 | 2 | 7 | 13 | 25 | 35 | 75 |
| B. *Operated* | 447 | 17.1 | 159 | 4 | 7 | 14 | 20 | 31 | 45 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 512 | 11.8 | 136 | 2 | 3 | 8 | 15 | 27 | 39 | 65 |
| B. *Operated* | 449 | 26.9 | 392 | 6 | 9 | 21 | 34 | 59 | 74 | 99+ |
| **1. SINGLE DX** | 722 | 14.7 | 162 | 2 | 3 | 12 | 18 | 29 | 39 | 76 |
| **2. MULTIPLE DX** | 961 | 18.9 | 313 | 2 | 4 | 14 | 25 | 46 | 62 | 92 |
| **A. NOT OPERATED** | 787 | 11.4 | 138 | 1 | 2 | 7 | 15 | 26 | 37 | 65 |
| **B. OPERATED** | 896 | 22.1 | 299 | 5 | 8 | 17 | 27 | 49 | 65 | 95 |
| TOTAL 0-19 YRS | 148 | 14.3 | 197 | 1 | 2 | 11 | 19 | 30 | 38 | 74 |
| 20-34 | 246 | 13.5 | 186 | 1 | 2 | 10 | 16 | 27 | 39 | 70 |
| 35-49 | 297 | 15.0 | 205 | 2 | 3 | 11 | 18 | 31 | 41 | 79 |
| 50-64 | 577 | 17.6 | 261 | 3 | 4 | 13 | 21 | 40 | 58 | 91 |
| 65+ | 415 | 21.0 | 306 | 3 | 5 | 16 | 27 | 49 | 62 | 99 |
| **GRAND TOTAL** | **1683** | **17.1** | **252** | **2** | **3** | **13** | **22** | **38** | **55** | **87** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 13.5 | 138 | 3 | 3 | 10 | 21 | 30 | 30 | 30 |
| 50-64 | 3 | 12.0 | 79 | 5 | 5 | 9 | 19 | 22 | 22 | 22 |
| 65+ | 6 | 10.5 | 127 | 2 | 2 | 4 | 20 | 28 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 11.5 | 140 | 3 | 3 | 7 | 18 | 29 | 29 | 29 |
| 20-34 | 6 | 14.2 | 82 | 3 | 4 | 11 | 20 | 28 | 29 | 29 |
| 35-49 | 8 | 17.5 | 11 | 14 | 14 | 16 | 20 | 23 | 23 | 23 |
| 50-64 | 10 | 22.6 | 580 | 3 | 4 | 12 | 27 | 65 | 77 | 77 |
| 65+ | 5 | 37.0 | 750 | 9 | 9 | 26 | 52 | 81 | 81 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.6 | 6 | 1 | 1 | 2 | 3 | 7 | 7 | 7 |
| 20-34 | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 4 | 22.0 | 534 | 7 | 7 | 12 | 36 | 56 | 56 | 56 |
| 50-64 | 13 | 12.6 | 225 | 1 | 2 | 4 | 22 | 33 | 48 | 51 |
| 65+ | 6 | 15.2 | 81 | 6 | 6 | 13 | 25 | 27 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 16.8 | 151 | 5 | 5 | 14 | 21 | 36 | 38 | 38 |
| 20-34 | 6 | 24.3 | 437 | 7 | 8 | 18 | 55 | 93 | 99+ | 99+ |
| 35-49 | 9 | 21.3 | 145 | 2 | 5 | 17 | 30 | 37 | 40 | 40 |
| 50-64 | 12 | 21.0 | 166 | 4 | 6 | 16 | 31 | 39 | 46 | 47 |
| 65+ | 14 | 23.4 | 288 | 6 | 10 | 19 | 30 | 64 | 91 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 11.6 | 92 | 2 | 3 | 8 | 19 | 29 | 30 | 30 |
| B. *Operated* | 33 | 20.7 | 349 | 3 | 5 | 16 | 26 | 45 | 73 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 11.7 | 198 | 1 | 1 | 6 | 16 | 28 | 50 | 56 |
| B. *Operated* | 47 | 21.7 | 215 | 5 | 7 | 17 | 31 | 52 | 66 | 99+ |
| **1. SINGLE DX** | 48 | 17.8 | 283 | 3 | 3 | 13 | 23 | 30 | 55 | 81 |
| **2. MULTIPLE DX** | 78 | 17.7 | 230 | 1 | 2 | 15 | 27 | 43 | 60 | 99+ |
| **A. NOT OPERATED** | 46 | 11.7 | 161 | 1 | 1 | 6 | 17 | 28 | 34 | 56 |
| **B. OPERATED** | 80 | 21.3 | 267 | 4 | 6 | 17 | 29 | 49 | 69 | 99+ |
| TOTAL 0-19 YRS | 16 | 11.0 | 119 | 1 | 1 | 7 | 18 | 28 | 35 | 38 |
| 20-34 | 16 | 15.1 | 249 | 1 | 2 | 12 | 22 | 57 | 87 | 99+ |
| 35-49 | 25 | 19.0 | 145 | 3 | 7 | 16 | 24 | 33 | 44 | 56 |
| 50-64 | 38 | 17.8 | 290 | 2 | 3 | 12 | 27 | 43 | 52 | 77 |
| 65+ | 31 | 21.5 | 333 | 3 | 5 | 18 | 27 | 58 | 79 | 99+ |
| **GRAND TOTAL** | 126 | 17.7 | 248 | 2 | 3 | 15 | 25 | 39 | 57 | 99+ |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.2 | 11 | 1 | 1 | 3 | 5 | 10 | 12 | 12 |
| 20-34 | 28 | 2.7 | 1 | 1 | 1 | 2 | 4 | 4 | 5 | 5 |
| 35-49 | 26 | 2.7 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 50-64 | 10 | 3.6 | 8 | 2 | 2 | 3 | 4 | 8 | 11 | 11 |
| 65+ | 20 | 8.6 | 156 | 1 | 2 | 4 | 8 | 21 | 41 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 8.9 | 82 | 3 | 3 | 5 | 12 | 20 | 34 | 38 |
| 20-34 | 124 | 6.1 | 19 | 3 | 3 | 5 | 7 | 10 | 15 | 27 |
| 35-49 | 106 | 5.9 | 18 | 2 | 2 | 5 | 6 | 10 | 14 | 24 |
| 50-64 | 68 | 6.4 | 13 | 3 | 3 | 5 | 8 | 11 | 15 | 18 |
| 65+ | 33 | 6.3 | 13 | 3 | 3 | 5 | 7 | 12 | 15 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.5 | 16 | <1 | 1 | 5 | 8 | 13 | 13 | 13 |
| 20-34 | 26 | 6.1 | 63 | 1 | 1 | 3 | 7 | 16 | 28 | 34 |
| 35-49 | 20 | 3.4 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 7 |
| 50-64 | 31 | 7.3 | 64 | 1 | 2 | 4 | 10 | 17 | 24 | 37 |
| 65+ | 56 | 10.5 | 103 | 1 | 2 | 8 | 15 | 20 | 30 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 14.1 | 357 | 2 | 3 | 7 | 20 | 63 | 91 | 99+ |
| 20-34 | 102 | 7.1 | 27 | 2 | 3 | 5 | 8 | 13 | 17 | 31 |
| 35-49 | 120 | 8.5 | 47 | 3 | 4 | 6 | 10 | 16 | 23 | 39 |
| 50-64 | 108 | 11.6 | 110 | 3 | 4 | 7 | 15 | 25 | 33 | 57 |
| 65+ | 111 | 13.2 | 164 | 3 | 4 | 8 | 16 | 29 | 34 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 4.2 | 39 | 1 | 1 | 3 | 4 | 7 | 12 | 42 |
| B. *Operated* | 357 | 6.3 | 22 | 3 | 3 | 5 | 7 | 11 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 7.6 | 71 | 1 | 2 | 4 | 10 | 17 | 24 | 65 |
| B. *Operated* | 459 | 10.3 | 103 | 3 | 4 | 7 | 12 | 22 | 30 | 60 |
| **1. SINGLE DX** | 454 | 5.9 | 26 | 2 | 2 | 4 | 6 | 11 | 15 | 29 |
| **2. MULTIPLE DX** | 607 | 9.6 | 96 | 2 | 3 | 6 | 12 | 20 | 29 | 60 |
| **A. NOT OPERATED** | 245 | 6.3 | 61 | 1 | 1 | 3 | 7 | 15 | 20 | 54 |
| **B. OPERATED** | 816 | 8.5 | 71 | 3 | 3 | 6 | 10 | 17 | 25 | 47 |
| TOTAL 0-19 YRS | 72 | 8.7 | 133 | 1 | 2 | 5 | 9 | 20 | 35 | 96 |
| 20-34 | 280 | 6.1 | 26 | 2 | 2 | 5 | 7 | 11 | 16 | 30 |
| 35-49 | 272 | 6.6 | 32 | 2 | 2 | 5 | 7 | 12 | 18 | 28 |
| 50-64 | 217 | 9.0 | 75 | 2 | 3 | 6 | 11 | 19 | 25 | 44 |
| 65+ | 220 | 11.1 | 130 | 2 | 3 | 7 | 14 | 24 | 32 | 70 |
| **GRAND TOTAL** | 1061 | 8.0 | 70 | 2 | 2 | 5 | 9 | 17 | 24 | 50 |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.7 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 18 | 7.0 | 26 | 1 | 1 | 6 | 11 | 13 | 17 | 19 |
| 35-49 | 58 | 7.1 | 39 | 1 | 1 | 5 | 10 | 18 | 21 | 28 |
| 50-64 | 260 | 7.7 | 85 | 1 | 1 | 5 | 9 | 16 | 23 | 50 |
| 65+ | 314 | 8.6 | 83 | 1 | 2 | 6 | 11 | 19 | 29 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.9 | 11 | 1 | 2 | 5 | 9 | 11 | 12 | 12 |
| 20-34 | 48 | 7.5 | 45 | 1 | 2 | 5 | 10 | 15 | 16 | 40 |
| 35-49 | 108 | 8.7 | 83 | 1 | 1 | 6 | 12 | 18 | 29 | 47 |
| 50-64 | 296 | 10.0 | 90 | 2 | 2 | 7 | 13 | 21 | 27 | 44 |
| 65+ | 382 | 10.0 | 109 | 1 | 2 | 7 | 14 | 22 | 30 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.6 | 20 | 2 | 2 | 5 | 8 | 11 | 17 | 23 |
| 20-34 | 240 | 7.4 | 45 | 1 | 2 | 5 | 9 | 17 | 19 | 34 |
| 35-49 | 1077 | 8.4 | 71 | 1 | 2 | 5 | 11 | 18 | 25 | 45 |
| 50-64 | 3626 | 9.7 | 83 | 2 | 2 | 7 | 12 | 21 | 28 | 45 |
| 65+ | 5057 | 11.1 | 93 | 2 | 3 | 8 | 14 | 23 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 12.7 | 182 | 2 | 3 | 8 | 17 | 27 | 30 | 70 |
| 20-34 | 277 | 11.7 | 98 | 2 | 3 | 10 | 15 | 23 | 31 | 81 |
| 35-49 | 974 | 14.6 | 162 | 2 | 3 | 11 | 19 | 31 | 41 | 74 |
| 50-64 | 3166 | 15.4 | 165 | 2 | 3 | 12 | 21 | 31 | 41 | 66 |
| 65+ | 3987 | 16.5 | 175 | 2 | 4 | 13 | 22 | 34 | 43 | 65 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 657 | 8.0 | 78 | 1 | 1 | 5 | 10 | 18 | 24 | 44 |
| B. *Operated* | 844 | 9.7 | 95 | 1 | 2 | 7 | 13 | 21 | 28 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 10042 | 10.2 | 86 | 2 | 2 | 7 | 13 | 22 | 29 | 45 |
| B. *Operated* | 8433 | 15.7 | 168 | 2 | 4 | 12 | 21 | 32 | 42 | 66 |
| 1. SINGLE DX | 1501 | 9.0 | 88 | 1 | 2 | 6 | 12 | 19 | 27 | 48 |
| 2. MULTIPLE DX | 18475 | 12.7 | 131 | 2 | 3 | 9 | 17 | 27 | 35 | 58 |
| A. NOT OPERATED | 10699 | 10.0 | 86 | 2 | 2 | 7 | 13 | 22 | 28 | 45 |
| B. OPERATED | 9277 | 15.1 | 165 | 2 | 3 | 12 | 20 | 31 | 41 | 65 |
| TOTAL 0-19 YRS | 88 | 8.4 | 79 | 2 | 2 | 6 | 9 | 18 | 23 | 54 |
| 20-34 | 583 | 9.4 | 74 | 2 | 2 | 7 | 12 | 18 | 26 | 47 |
| 35-49 | 2217 | 11.1 | 120 | 2 | 2 | 8 | 14 | 24 | 34 | 58 |
| 50-64 | 7348 | 12.1 | 127 | 2 | 2 | 9 | 16 | 26 | 35 | 58 |
| 65+ | 9740 | 13.2 | 135 | 2 | 3 | 10 | 17 | 28 | 36 | 57 |
| GRAND TOTAL | 19976 | 12.4 | 129 | 2 | 3 | 9 | 16 | 27 | 35 | 57 |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.4 | 12 | <1 | <1 | 1 | 6 | 9 | 10 | 14 |
| 20-34 | 104 | 3.4 | 14 | 1 | 1 | 2 | 4 | 7 | 12 | 20 |
| 35-49 | 48 | 4.6 | 23 | 1 | 1 | 4 | 6 | 9 | 11 | 30 |
| 50-64 | 17 | 7.0 | 137 | <1 | 1 | 4 | 6 | 11 | 37 | 61 |
| 65+ | 26 | 11.0 | 134 | 2 | 2 | 7 | 16 | 24 | 32 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 7.7 | 30 | 2 | 2 | 7 | 10 | 16 | 17 | 26 |
| 20-34 | 319 | 8.6 | 40 | 2 | 2 | 7 | 11 | 18 | 23 | 29 |
| 35-49 | 103 | 10.0 | 51 | 2 | 3 | 8 | 14 | 20 | 25 | 31 |
| 50-64 | 78 | 12.2 | 108 | 2 | 2 | 9 | 19 | 25 | 33 | 48 |
| 65+ | 50 | 11.6 | 195 | 2 | 3 | 9 | 14 | 19 | 26 | 89 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.2 | 12 | 1 | 1 | 4 | 6 | 10 | 11 | 14 |
| 20-34 | 128 | 5.0 | 50 | 1 | 1 | 3 | 6 | 10 | 15 | 38 |
| 35-49 | 54 | 6.1 | 50 | 1 | 1 | 4 | 7 | 13 | 20 | 39 |
| 50-64 | 57 | 5.8 | 25 | 1 | 1 | 4 | 7 | 13 | 16 | 26 |
| 65+ | 88 | 10.9 | 109 | 1 | 1 | 8 | 15 | 23 | 33 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 11.5 | 46 | 2 | 2 | 11 | 16 | 21 | 24 | 26 |
| 20-34 | 183 | 13.1 | 111 | 2 | 4 | 11 | 17 | 25 | 31 | 76 |
| 35-49 | 80 | 12.6 | 82 | 2 | 3 | 10 | 18 | 25 | 32 | 40 |
| 50-64 | 93 | 15.0 | 115 | 4 | 5 | 12 | 19 | 30 | 37 | 56 |
| 65+ | 94 | 17.7 | 100 | 4 | 5 | 17 | 23 | 32 | 36 | 46 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 229 | 4.8 | 43 | 1 | 1 | 3 | 5 | 10 | 14 | 34 |
| B. *Operated* | 670 | 9.3 | 61 | 2 | 2 | 7 | 12 | 19 | 24 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 372 | 6.5 | 61 | 1 | 1 | 4 | 8 | 15 | 21 | 40 |
| B. *Operated* | 488 | 14.1 | 103 | 3 | 4 | 12 | 19 | 27 | 32 | 49 |
| 1. SINGLE DX | 899 | 8.1 | 60 | 1 | 1 | 6 | 10 | 18 | 23 | 32 |
| 2. MULTIPLE DX | 860 | 10.8 | 99 | 1 | 1 | 8 | 15 | 23 | 31 | 47 |
| A. NOT OPERATED | 601 | 5.9 | 55 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| B. OPERATED | 1158 | 11.3 | 84 | 2 | 3 | 9 | 15 | 23 | 29 | 44 |
| TOTAL 0-19 YRS | 237 | 7.0 | 33 | 1 | 1 | 6 | 10 | 16 | 17 | 26 |
| 20-34 | 734 | 8.3 | 67 | 1 | 1 | 6 | 11 | 18 | 24 | 35 |
| 35-49 | 285 | 9.0 | 63 | 1 | 1 | 7 | 12 | 20 | 26 | 38 |
| 50-64 | 245 | 11.4 | 106 | 1 | 2 | 8 | 16 | 25 | 32 | 50 |
| 65+ | 258 | 13.5 | 134 | 2 | 3 | 10 | 18 | 28 | 34 | 53 |
| GRAND TOTAL | 1759 | 9.5 | 81 | 1 | 1 | 7 | 13 | 21 | 27 | 42 |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 6.2 | 59 | 1 | 1 | 4 | 6 | 14 | 23 | 43 |
| 20-34 | 35 | 6.0 | 17 | <1 | 1 | 6 | 7 | 11 | 14 | 21 |
| 35-49 | 8 | 4.3 | 13 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| 50-64 | 49 | 6.5 | 86 | <1 | <1 | 3 | 7 | 18 | 28 | 46 |
| 65+ | 78 | 7.9 | 68 | 1 | 2 | 5 | 12 | 17 | 20 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 13.0 | 121 | 1 | 2 | 9 | 18 | 28 | 41 | 44 |
| 20-34 | 26 | 17.7 | 166 | 3 | 4 | 15 | 29 | 35 | 38 | 48 |
| 35-49 | 11 | 10.1 | 93 | 1 | 2 | 6 | 16 | 23 | 33 | 34 |
| 50-64 | 41 | 8.1 | 58 | 2 | 3 | 7 | 8 | 16 | 27 | 38 |
| 65+ | 50 | 7.0 | 39 | 2 | 2 | 5 | 9 | 14 | 18 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 8.4 | 49 | 1 | 1 | 7 | 12 | 16 | 24 | 32 |
| 20-34 | 25 | 8.4 | 124 | <1 | 1 | 5 | 9 | 26 | 34 | 50 |
| 35-49 | 22 | 8.8 | 80 | 1 | 1 | 5 | 12 | 22 | 29 | 37 |
| 50-64 | 130 | 7.9 | 90 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| 65+ | 448 | 9.1 | 91 | 1 | 2 | 7 | 13 | 17 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 18.2 | 307 | 1 | 2 | 15 | 24 | 39 | 71 | 99+ |
| 20-34 | 18 | 27.4 | 304 | 4 | 6 | 28 | 40 | 57 | 82 | 99+ |
| 35-49 | 21 | 19.3 | 274 | 3 | 3 | 13 | 34 | 45 | 51 | 51 |
| 50-64 | 117 | 11.2 | 97 | 2 | 3 | 8 | 14 | 23 | 32 | 53 |
| 65+ | 313 | 13.6 | 135 | 3 | 4 | 10 | 17 | 28 | 38 | 57 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 219 | 6.8 | 60 | <1 | 1 | 4 | 8 | 15 | 21 | 44 |
| B. *Operated* | 177 | 10.6 | 100 | 2 | 2 | 7 | 14 | 26 | 35 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 681 | 8.8 | 54 | 1 | 2 | 7 | 12 | 17 | 23 | 37 |
| B. *Operated* | 514 | 14.2 | 162 | 2 | 3 | 10 | 18 | 32 | 40 | 73 |
| 1. SINGLE DX | 396 | 8.5 | 81 | 1 | 1 | 6 | 11 | 21 | 29 | 44 |
| 2. MULTIPLE DX | 1195 | 11.1 | 107 | 1 | 2 | 8 | 14 | 24 | 33 | 55 |
| A. NOT OPERATED | 900 | 8.3 | 56 | 1 | 1 | 6 | 11 | 17 | 23 | 38 |
| B. OPERATED | 691 | 13.3 | 148 | 2 | 3 | 9 | 17 | 30 | 39 | 62 |
| TOTAL 0-19 YRS | 199 | 11.2 | 148 | 1 | 1 | 7 | 15 | 26 | 36 | 75 |
| 20-34 | 104 | 13.2 | 188 | 1 | 2 | 7 | 20 | 36 | 48 | 78 |
| 35-49 | 62 | 12.0 | 165 | 1 | 2 | 7 | 15 | 35 | 41 | 51 |
| 50-64 | 337 | 8.9 | 75 | 1 | 2 | 6 | 10 | 19 | 29 | 39 |
| 65+ | 889 | 10.4 | 86 | 2 | 2 | 8 | 14 | 21 | 28 | 51 |
| GRAND TOTAL | 1591 | 10.4 | 102 | 1 | 2 | 7 | 14 | 23 | 32 | 52 |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.8 | 23 | <1 | 1 | 5 | 6 | 7 | 9 | 31 |
| 20-34 | 59 | 5.5 | 25 | <1 | <1 | 4 | 8 | 11 | 13 | 26 |
| 35-49 | 36 | 8.7 | 101 | <1 | 1 | 6 | 11 | 24 | 32 | 42 |
| 50-64 | 63 | 7.5 | 96 | 1 | 1 | 4 | 7 | 27 | 30 | 46 |
| 65+ | 99 | 6.2 | 33 | <1 | 1 | 5 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 15.1 | 216 | 1 | 2 | 9 | 21 | 36 | 43 | 60 |
| 20-34 | 57 | 19.4 | 337 | 2 | 3 | 11 | 29 | 51 | 62 | 64 |
| 35-49 | 51 | 21.4 | 337 | 2 | 4 | 20 | 31 | 46 | 56 | 77 |
| 50-64 | 74 | 17.6 | 301 | 2 | 2 | 9 | 28 | 45 | 54 | 71 |
| 65+ | 78 | 13.1 | 156 | 2 | 3 | 9 | 14 | 32 | 42 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 5.1 | 18 | <1 | 1 | 4 | 7 | 12 | 15 | 19 |
| 20-34 | 54 | 7.2 | 59 | <1 | <1 | 6 | 8 | 15 | 18 | 44 |
| 35-49 | 97 | 7.4 | 64 | <1 | 1 | 5 | 9 | 17 | 24 | 39 |
| 50-64 | 186 | 6.5 | 51 | 1 | 1 | 4 | 8 | 15 | 21 | 33 |
| 65+ | 392 | 8.5 | 84 | 1 | 1 | 5 | 11 | 18 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 22.8 | 325 | 1 | 2 | 21 | 34 | 47 | 59 | 68 |
| 20-34 | 86 | 24.6 | 413 | 2 | 4 | 18 | 38 | 59 | 76 | 99+ |
| 35-49 | 90 | 26.0 | 446 | 4 | 6 | 22 | 42 | 58 | 75 | 95 |
| 50-64 | 184 | 24.7 | 532 | 3 | 4 | 15 | 36 | 63 | 73 | 97 |
| 65+ | 308 | 18.2 | 258 | 3 | 4 | 14 | 24 | 42 | 60 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 298 | 6.5 | 52 | <1 | 1 | 5 | 8 | 14 | 22 | 38 |
| B. *Operated* | 287 | 17.2 | 273 | 2 | 3 | 10 | 28 | 40 | 53 | 70 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 782 | 7.6 | 68 | 1 | 1 | 5 | 10 | 17 | 24 | 39 |
| B. *Operated* | 700 | 21.9 | 385 | 3 | 4 | 15 | 31 | 54 | 71 | 99+ |
| 1. SINGLE DX | 585 | 11.7 | 189 | 1 | 1 | 6 | 13 | 31 | 41 | 63 |
| 2. MULTIPLE DX | 1482 | 14.3 | 269 | 1 | 2 | 8 | 19 | 37 | 54 | 86 |
| A. NOT OPERATED | 1080 | 7.3 | 64 | 1 | 1 | 5 | 9 | 16 | 23 | 37 |
| B. OPERATED | 987 | 20.5 | 357 | 2 | 4 | 13 | 30 | 49 | 64 | 99 |
| TOTAL 0-19 YRS | 153 | 10.5 | 170 | <1 | 1 | 5 | 12 | 30 | 39 | 60 |
| 20-34 | 256 | 15.4 | 299 | <1 | 1 | 8 | 21 | 43 | 59 | 89 |
| 35-49 | 274 | 16.3 | 314 | 1 | 1 | 8 | 25 | 43 | 54 | 81 |
| 50-64 | 507 | 14.9 | 335 | 1 | 1 | 7 | 20 | 40 | 58 | 84 |
| 65+ | 877 | 12.1 | 168 | 1 | 2 | 8 | 16 | 29 | 41 | 81 |
| GRAND TOTAL | 2067 | 13.6 | 248 | 1 | 1 | 8 | 17 | 35 | 49 | 82 |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.1 | 9 | <1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 74 | 4.6 | 30 | 1 | 1 | 2 | 5 | 10 | 12 | 33 |
| 35-49 | 98 | 6.4 | 35 | 1 | 1 | 5 | 8 | 15 | 21 | 26 |
| 50-64 | 279 | 5.4 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| 65+ | 349 | 8.6 | 93 | 1 | 1 | 5 | 10 | 20 | 29 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 9.7 | 80 | 1 | 2 | 6 | 12 | 23 | 31 | 36 |
| 20-34 | 79 | 9.0 | 87 | 1 | 2 | 6 | 11 | 19 | 34 | 45 |
| 35-49 | 203 | 9.4 | 72 | 2 | 2 | 8 | 12 | 18 | 23 | 52 |
| 50-64 | 484 | 10.4 | 103 | 2 | 2 | 8 | 13 | 20 | 29 | 46 |
| 65+ | 562 | 10.6 | 88 | 2 | 3 | 8 | 13 | 23 | 29 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 7.0 | 94 | 1 | 1 | 5 | 8 | 11 | 26 | 49 |
| 20-34 | 67 | 6.4 | 76 | 1 | 1 | 4 | 6 | 15 | 25 | 50 |
| 35-49 | 196 | 9.0 | 120 | 1 | 2 | 5 | 10 | 20 | 35 | 54 |
| 50-64 | 583 | 8.7 | 69 | 1 | 2 | 6 | 11 | 18 | 26 | 41 |
| 65+ | 1268 | 10.4 | 99 | 1 | 2 | 8 | 14 | 22 | 29 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 15.8 | 181 | 2 | 3 | 12 | 22 | 39 | 46 | 48 |
| 20-34 | 71 | 15.4 | 228 | 2 | 2 | 10 | 21 | 33 | 46 | 82 |
| 35-49 | 205 | 14.3 | 167 | 2 | 3 | 11 | 19 | 31 | 39 | 88 |
| 50-64 | 740 | 16.1 | 222 | 2 | 3 | 12 | 20 | 34 | 50 | 81 |
| 65+ | 1389 | 17.5 | 207 | 3 | 4 | 13 | 23 | 36 | 47 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 825 | 6.8 | 59 | 1 | 1 | 4 | 8 | 16 | 22 | 38 |
| B. *Operated* | 1366 | 10.2 | 91 | 2 | 2 | 8 | 13 | 21 | 29 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2137 | 9.6 | 93 | 1 | 2 | 7 | 12 | 21 | 29 | 50 |
| B. *Operated* | 2423 | 16.7 | 209 | 3 | 4 | 12 | 22 | 35 | 48 | 79 |
| **1. SINGLE DX** | 2191 | 8.9 | 82 | 1 | 2 | 6 | 11 | 19 | 26 | 47 |
| **2. MULTIPLE DX** | 4560 | 13.4 | 167 | 2 | 2 | 10 | 17 | 29 | 39 | 66 |
| **A. NOT OPERATED** | 2962 | 8.8 | 85 | 1 | 1 | 6 | 11 | 20 | 27 | 49 |
| **B. OPERATED** | 3789 | 14.4 | 176 | 2 | 3 | 11 | 18 | 30 | 41 | 71 |
| TOTAL 0-19 YRS | 104 | 8.8 | 96 | 1 | 2 | 5 | 11 | 20 | 32 | 48 |
| 20-34 | 291 | 8.8 | 120 | 1 | 2 | 5 | 10 | 21 | 32 | 51 |
| 35-49 | 702 | 10.3 | 115 | 1 | 2 | 7 | 13 | 23 | 31 | 62 |
| 50-64 | 2086 | 11.3 | 141 | 1 | 2 | 8 | 14 | 24 | 34 | 63 |
| 65+ | 3568 | 13.0 | 152 | 2 | 2 | 9 | 17 | 28 | 38 | 62 |
| **GRAND TOTAL** | 6751 | 11.9 | 144 | 1 | 2 | 8 | 15 | 27 | 36 | 62 |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 99th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 212 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 227 | 3.6 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| 50-64 | 303 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 65+ | 186 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 3 | 6.7 | 80 | <1 | <1 | 2 | 13 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.5 | 6 | <1 | 1 | 3 | 5 | 6 | 9 | 10 |
| 20-34 | 47 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 15 |
| 35-49 | 90 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 50-64 | 161 | 5.4 | 18 | 2 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 168 | 6.3 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 3.0 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | 1009 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.4 | 28 | <1 | <1 | 3 | 4 | 13 | 17 | 17 |
| B. *Operated* | 480 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| **1. SINGLE DX** | 1015 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 488 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 14 | 3.8 | 18 | <1 | 1 | 2 | 4 | 9 | 15 | 17 |
| **B. OPERATED** | 1489 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 10 | 17 |
| TOTAL 0-19 YRS | 99 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 260 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 318 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 467 | 4.3 | 11 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |
| 65+ | 359 | 5.3 | 13 | 2 | 2 | 4 | 6 | 10 | 12 | 18 |
| **GRAND TOTAL** | 1503 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 10 | 17 |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.3 | 3 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 16 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 42 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 50-64 | 71 | 3.0 | 12 | 1 | 1 | 2 | 4 | 5 | 10 | 22 |
| 65+ | 82 | 3.8 | 13 | 1 | 1 | 3 | 4 | 9 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.8 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 13 |
| 20-34 | 93 | 5.5 | 25 | 1 | 1 | 4 | 8 | 11 | 16 | 25 |
| 35-49 | 216 | 4.2 | 16 | 1 | 1 | 2 | 6 | 10 | 12 | 17 |
| 50-64 | 592 | 4.3 | 27 | 1 | 1 | 2 | 5 | 10 | 13 | 22 |
| 65+ | 583 | 4.8 | 28 | 1 | 1 | 3 | 6 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 26 | 5.7 | 11 | 1 | 2 | 5 | 7 | 11 | 12 | 14 |
| 35-49 | 59 | 5.0 | 14 | 1 | 1 | 4 | 6 | 10 | 15 | 17 |
| 50-64 | 161 | 5.1 | 21 | 1 | 1 | 4 | 6 | 11 | 13 | 26 |
| 65+ | 274 | 5.7 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.3 | 22 | 1 | 2 | 3 | 7 | 13 | 16 | 20 |
| 20-34 | 102 | 8.8 | 73 | 1 | 2 | 7 | 11 | 16 | 22 | 52 |
| 35-49 | 309 | 7.4 | 60 | 1 | 2 | 6 | 10 | 16 | 19 | 32 |
| 50-64 | 1028 | 7.7 | 48 | 1 | 1 | 5 | 11 | 16 | 21 | 32 |
| 65+ | 1487 | 9.2 | 76 | 1 | 2 | 7 | 12 | 20 | 26 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 233 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 10 | 19 |
| B. *Operated* | 1546 | 4.5 | 25 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 537 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| B. *Operated* | 2976 | 8.4 | 64 | 1 | 2 | 6 | 11 | 18 | 23 | 38 |
| **1. SINGLE DX** | 1779 | 4.4 | 23 | 1 | 1 | 2 | 5 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 3513 | 8.0 | 59 | 1 | 2 | 6 | 11 | 17 | 22 | 37 |
| **A. NOT OPERATED** | 770 | 4.7 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| **B. OPERATED** | 4522 | 7.1 | 54 | 1 | 1 | 4 | 10 | 16 | 21 | 34 |
| TOTAL 0-19 YRS | 151 | 4.1 | 12 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 20-34 | 237 | 6.7 | 46 | 1 | 1 | 5 | 9 | 13 | 20 | 33 |
| 35-49 | 626 | 5.8 | 40 | 1 | 1 | 4 | 8 | 12 | 17 | 26 |
| 50-64 | 1852 | 6.2 | 40 | 1 | 1 | 4 | 9 | 14 | 19 | 27 |
| 65+ | 2426 | 7.6 | 61 | 1 | 1 | 5 | 10 | 17 | 23 | 38 |
| **GRAND TOTAL** | **5292** | **6.8** | **50** | **1** | **1** | **4** | **9** | **15** | **20** | **33** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 50-64 | 4 | 5.5 | 4 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.5 | 7 | <1 | 1 | 2 | 2 | 7 | 9 | 12 |
| 20-34 | 85 | 3.8 | 14 | 1 | 1 | 2 | 4 | 10 | 12 | 16 |
| 35-49 | 89 | 4.2 | 13 | 1 | 1 | 2 | 6 | 10 | 12 | 14 |
| 50-64 | 92 | 6.0 | 32 | 1 | 2 | 3 | 9 | 15 | 17 | 26 |
| 65+ | 78 | 3.6 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | 10 | 4.8 | 14 | 1 | 1 | 4 | 6 | 10 | 14 | 14 |
| 65+ | 5 | 5.8 | 12 | 2 | 2 | 5 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.7 | 14 | 1 | 1 | 2 | 3 | 10 | 14 | 18 |
| 20-34 | 21 | 3.6 | 11 | <1 | 1 | 2 | 4 | 10 | 11 | 12 |
| 35-49 | 40 | 5.4 | 24 | 1 | 2 | 3 | 7 | 14 | 16 | 21 |
| 50-64 | 74 | 10.2 | 75 | 2 | 2 | 8 | 16 | 20 | 26 | 37 |
| 65+ | 76 | 10.7 | 66 | 2 | 2 | 8 | 16 | 25 | 26 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| B. *Operated* | 415 | 4.1 | 18 | 1 | 1 | 2 | 5 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 12 | 14 |
| B. *Operated* | 237 | 8.3 | 59 | 1 | 2 | 5 | 13 | 19 | 25 | 33 |
| **1. SINGLE DX** | 436 | 4.1 | 17 | 1 | 1 | 2 | 5 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | 258 | 8.0 | 56 | 1 | 2 | 5 | 13 | 18 | 24 | 33 |
| **A. NOT OPERATED** | 42 | 3.7 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 652 | 5.6 | 37 | 1 | 1 | 3 | 8 | 15 | 18 | 26 |
| TOTAL 0-19 YRS | 110 | 2.8 | 8 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 20-34 | 108 | 3.7 | 13 | 1 | 1 | 2 | 4 | 10 | 12 | 16 |
| 35-49 | 134 | 4.5 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 50-64 | 180 | 7.7 | 52 | 1 | 2 | 5 | 12 | 17 | 20 | 35 |
| 65+ | 162 | 7.0 | 51 | 1 | 1 | 4 | 10 | 18 | 25 | 27 |
| **GRAND TOTAL** | **694** | **5.5** | **35** | **1** | **1** | **3** | **8** | **14** | **18** | **26** |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 28 | 2.8 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 9 |
| 35-49 | 22 | 2.1 | 3 | <1 | <1 | 1 | 3 | 4 | 6 | 8 |
| 50-64 | 27 | 3.4 | 11 | <1 | 1 | 3 | 4 | 5 | 9 | 18 |
| 65+ | 20 | 3.6 | 11 | <1 | <1 | 2 | 6 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 939 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 1104 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 1084 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 977 | 3.4 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 65+ | 425 | 3.8 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 19 | 4.3 | 6 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 19 | 5.6 | 20 | <1 | <1 | 4 | 9 | 11 | 14 | 17 |
| 50-64 | 39 | 5.2 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 15 |
| 65+ | 52 | 6.8 | 25 | 1 | 2 | 5 | 7 | 15 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 32 |
| 20-34 | 429 | 4.2 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 672 | 5.3 | 31 | 1 | 2 | 4 | 6 | 11 | 17 | 26 |
| 50-64 | 885 | 5.6 | 34 | 1 | 2 | 4 | 6 | 12 | 16 | 32 |
| 65+ | 512 | 6.5 | 39 | 2 | 2 | 4 | 8 | 14 | 20 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 4529 | 3.2 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 145 | 5.3 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| B. *Operated* | 2674 | 5.4 | 30 | 1 | 2 | 4 | 6 | 11 | 16 | 29 |
| **1. SINGLE DX** | 4639 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 2819 | 5.4 | 30 | 1 | 2 | 4 | 6 | 11 | 16 | 28 |
| **A. NOT OPERATED** | 255 | 4.3 | 15 | <1 | <1 | 3 | 6 | 9 | 12 | 18 |
| **B. OPERATED** | 7203 | 4.0 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 1144 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 1580 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 1797 | 4.0 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| 50-64 | 1928 | 4.5 | 24 | 1 | 2 | 3 | 5 | 9 | 13 | 28 |
| 65+ | 1009 | 5.3 | 29 | 1 | 2 | 4 | 6 | 11 | 15 | 28 |
| **GRAND TOTAL** | 7458 | 4.1 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.4 | 13 | <1 | <1 | 2 | 5 | 7 | 12 | 16 |
| 20-34 | 14 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 6 | 3.3 | 7 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 50-64 | 9 | 5.2 | 20 | 1 | 1 | 5 | 7 | 12 | 14 | 14 |
| 65+ | 3 | 6.0 | 37 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 808 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 338 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 35-49 | 249 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 50-64 | 240 | 3.4 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 124 | 5.1 | 47 | 1 | 1 | 3 | 5 | 11 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 10 | 3.0 | 10 | <1 | <1 | 2 | 3 | 8 | 11 | 11 |
| 35-49 | 13 | 3.8 | 7 | <1 | 1 | 3 | 5 | 8 | 10 | 10 |
| 50-64 | 24 | 6.3 | 35 | 1 | 2 | 5 | 7 | 11 | 20 | 29 |
| 65+ | 22 | 8.9 | 66 | 1 | 2 | 8 | 10 | 16 | 30 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 3.8 | 26 | 1 | 1 | 2 | 4 | 7 | 12 | 30 |
| 20-34 | 194 | 4.3 | 38 | <1 | 1 | 3 | 5 | 8 | 12 | 30 |
| 35-49 | 238 | 5.6 | 45 | 1 | 1 | 3 | 7 | 13 | 20 | 32 |
| 50-64 | 277 | 6.0 | 45 | 1 | 1 | 4 | 7 | 13 | 20 | 34 |
| 65+ | 237 | 7.9 | 75 | 1 | 2 | 4 | 10 | 18 | 27 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 3.8 | 13 | <1 | <1 | 3 | 5 | 8 | 13 | 16 |
| B. *Operated* | 1759 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 5.2 | 31 | <1 | 1 | 4 | 7 | 10 | 11 | 33 |
| B. *Operated* | 1143 | 5.6 | 49 | 1 | 1 | 3 | 7 | 12 | 19 | 36 |
| **1. SINGLE DX** | 1810 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 1245 | 5.6 | 47 | 1 | 1 | 3 | 7 | 12 | 19 | 36 |
| **A. NOT OPERATED** | 153 | 4.7 | 25 | <1 | 1 | 3 | 6 | 10 | 11 | 29 |
| **B. OPERATED** | 2902 | 4.1 | 27 | 1 | 1 | 2 | 4 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 1057 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 20-34 | 556 | 3.6 | 19 | <1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 35-49 | 506 | 4.4 | 27 | 1 | 1 | 2 | 5 | 9 | 14 | 25 |
| 50-64 | 550 | 4.9 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 29 |
| 65+ | 386 | 7.1 | 67 | 1 | 1 | 4 | 9 | 17 | 25 | 39 |
| **GRAND TOTAL** | 3055 | 4.1 | 27 | 1 | 1 | 2 | 4 | 9 | 12 | 28 |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 2.2 | 2 | <1 | <1 | 2 | 2 | 5 | 5 | 5 |
| 35-49 | 5 | 3.8 | 14 | 1 | 1 | 3 | 5 | 10 | 10 | 10 |
| 50-64 | 5 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 330 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 778 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 517 | 2.6 | 26 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 50-64 | 212 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 132 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 3.6 | 7 | <1 | <1 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 6 | 6.8 | 35 | 2 | 2 | 5 | 8 | 17 | 18 | 18 |
| 65+ | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.1 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 20-34 | 263 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 35-49 | 357 | 3.4 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 50-64 | 234 | 4.2 | 21 | 1 | 2 | 3 | 4 | 8 | 11 | 25 |
| 65+ | 173 | 4.8 | 16 | 2 | 2 | 3 | 6 | 10 | 14 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| B. *Operated* | 1969 | 2.3 | 8 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 4.5 | 18 | <1 | 1 | 3 | 6 | 9 | 15 | 18 |
| B. *Operated* | 1080 | 3.7 | 12 | 1 | 2 | 2 | 4 | 8 | 10 | 19 |
| **1. SINGLE DX** | 1988 | 2.3 | 8 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 1098 | 3.7 | 12 | 1 | 2 | 2 | 4 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 37 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 10 | 18 |
| **B. OPERATED** | 3049 | 2.8 | 10 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| TOTAL 0-19 YRS | 386 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 1052 | 2.3 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 35-49 | 883 | 2.9 | 19 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 457 | 3.4 | 12 | 1 | 2 | 2 | 3 | 6 | 9 | 20 |
| 65+ | 308 | 3.9 | 11 | 1 | 2 | 3 | 4 | 8 | 10 | 19 |
| **GRAND TOTAL** | **3086** | **2.8** | **10** | **<1** | **1** | **2** | **3** | **4** | **7** | **14** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 36 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 49 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 7 | 5.6 | 15 | 2 | 2 | 6 | 7 | 12 | 13 | 13 |
| 65+ | 4 | 4.3 | 4 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.5 | 42 | 2 | 2 | 6 | 9 | 18 | 19 | 19 |
| 20-34 | 678 | 6.2 | 8 | 1 | 2 | 6 | 8 | 9 | 10 | 14 |
| 35-49 | 1935 | 6.5 | 9 | 1 | 2 | 7 | 8 | 9 | 10 | 15 |
| 50-64 | 371 | 6.4 | 10 | 1 | 2 | 7 | 8 | 10 | 11 | 15 |
| 65+ | 29 | 8.1 | 17 | 2 | 2 | 8 | 12 | 13 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 89 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 180 | 4.5 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 50-64 | 41 | 4.0 | 12 | 1 | 1 | 3 | 5 | 9 | 13 | 15 |
| 65+ | 21 | 6.9 | 34 | 1 | 2 | 5 | 8 | 13 | 20 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.9 | 30 | <1 | 1 | 6 | 8 | 16 | 19 | 19 |
| 20-34 | 2148 | 6.7 | 11 | 2 | 2 | 7 | 8 | 10 | 12 | 17 |
| 35-49 | 9041 | 7.6 | 12 | 2 | 4 | 7 | 9 | 11 | 13 | 21 |
| 50-64 | 2095 | 8.0 | 19 | 2 | 3 | 8 | 9 | 12 | 15 | 23 |
| 65+ | 258 | 11.2 | 45 | 2 | 6 | 9 | 14 | 20 | 23 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | 3019 | 6.4 | 9 | 1 | 2 | 7 | 8 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 333 | 4.3 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| B. *Operated* | 13540 | 7.6 | 14 | 2 | 3 | 7 | 9 | 11 | 14 | 21 |
| **1. SINGLE DX** | 3115 | 6.3 | 10 | 1 | 2 | 7 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 13873 | 7.5 | 15 | 2 | 3 | 7 | 9 | 11 | 14 | 21 |
| **A. NOT OPERATED** | 429 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 16559 | 7.4 | 14 | 2 | 2 | 7 | 9 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | 16 | 6.4 | 32 | <1 | 1 | 5 | 8 | 18 | 19 | 19 |
| 20-34 | 2951 | 6.4 | 11 | 1 | 2 | 7 | 8 | 10 | 11 | 17 |
| 35-49 | 11205 | 7.3 | 12 | 2 | 3 | 7 | 8 | 11 | 13 | 20 |
| 50-64 | 2504 | 7.7 | 18 | 2 | 2 | 7 | 9 | 12 | 14 | 22 |
| 65+ | 312 | 10.6 | 43 | 2 | 4 | 9 | 13 | 19 | 22 | 32 |
| **GRAND TOTAL** | **16988** | **7.3** | **14** | **2** | **2** | **7** | **9** | **11** | **13** | **20** |

### 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 28 | 5.0 | 28 | 1 | 1 | 4 | 6 | 7 | 12 | 29 |
| 35-49 | 43 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 12 |
| 50-64 | 9 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 11 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 70 | 6.0 | 12 | 2 | 2 | 6 | 7 | 10 | 13 | 18 |
| 35-49 | 153 | 7.3 | 30 | 2 | 2 | 7 | 8 | 11 | 17 | 25 |
| 50-64 | 70 | 7.1 | 24 | 2 | 2 | 7 | 9 | 11 | 14 | 29 |
| 65+ | 23 | 7.1 | 24 | 2 | 2 | 8 | 10 | 14 | 16 | 19 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 93 | 4.4 | 15 | 1 | 1 | 3 | 6 | 8 | 10 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 8 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | 319 | 6.9 | 24 | 2 | 2 | 7 | 8 | 11 | 15 | 25 |
| 1. SINGLE DX | 93 | 4.4 | 15 | 1 | 1 | 3 | 6 | 8 | 10 | 22 |
| 2. MULTIPLE DX | 327 | 6.9 | 24 | 2 | 2 | 7 | 8 | 11 | 14 | 25 |
| A. NOT OPERATED | 8 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. OPERATED | 412 | 6.4 | 23 | 1 | 2 | 6 | 8 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 6 | 2.2 | 2 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 20-34 | 99 | 5.7 | 16 | 1 | 2 | 5 | 7 | 9 | 12 | 24 |
| 35-49 | 200 | 6.8 | 26 | 1 | 2 | 6 | 8 | 11 | 14 | 24 |
| 50-64 | 81 | 6.6 | 23 | 1 | 2 | 7 | 8 | 10 | 13 | 29 |
| 65+ | 34 | 5.6 | 22 | 1 | 2 | 3 | 9 | 12 | 15 | 19 |
| GRAND TOTAL | 420 | 6.3 | 23 | 1 | 2 | 6 | 8 | 10 | 13 | 25 |

### 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 3.8 | 9 | <1 | <1 | 3 | 5 | 9 | 9 | 9 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 20-34 | 599 | 5.9 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 168 | 6.8 | 6 | 4 | 4 | 6 | 8 | 9 | 11 | 15 |
| 50-64 | 106 | 7.8 | 7 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 65+ | 80 | 9.2 | 10 | 5 | 6 | 9 | 10 | 14 | 15 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 5.0 | 13 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 6.6 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| 20-34 | 610 | 6.7 | 6 | 4 | 5 | 6 | 7 | 9 | 11 | 17 |
| 35-49 | 416 | 8.2 | 13 | 5 | 5 | 7 | 9 | 12 | 15 | 23 |
| 50-64 | 286 | 9.7 | 23 | 5 | 6 | 8 | 11 | 15 | 18 | 26 |
| 65+ | 222 | 13.1 | 50 | 6 | 7 | 11 | 16 | 21 | 25 | 43 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.6 | 5 | <1 | 1 | 3 | 4 | 7 | 9 | 9 |
| B. *Operated* | 1106 | 6.5 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.1 | 13 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| B. *Operated* | 1664 | 8.4 | 21 | 4 | 5 | 7 | 9 | 14 | 17 | 25 |
| 1. SINGLE DX | 1116 | 6.5 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 2. MULTIPLE DX | 1672 | 8.4 | 21 | 4 | 5 | 7 | 9 | 14 | 17 | 25 |
| A. NOT OPERATED | 18 | 4.3 | 9 | <1 | 1 | 4 | 5 | 9 | 10 | 11 |
| B. OPERATED | 2770 | 7.7 | 16 | 4 | 5 | 7 | 8 | 12 | 15 | 23 |
| TOTAL 0-19 YRS | 283 | 6.3 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 12 |
| 20-34 | 1219 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 587 | 7.7 | 11 | 4 | 5 | 7 | 9 | 11 | 13 | 21 |
| 50-64 | 393 | 9.2 | 19 | 5 | 6 | 8 | 10 | 14 | 17 | 25 |
| 65+ | 306 | 12.0 | 42 | 6 | 6 | 10 | 15 | 19 | 23 | 38 |
| GRAND TOTAL | 2788 | 7.6 | 16 | 4 | 5 | 7 | 8 | 12 | 15 | 23 |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 25 | 3.2 | 6 | <1 | 1 | 2 | 6 | 7 | 8 | 8 |
| 35-49 | 25 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 18 | 3.0 | 4 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 65+ | 8 | 4.1 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 43 | 5.1 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 37 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 14 |
| 50-64 | 19 | 6.1 | 21 | 1 | 2 | 4 | 8 | 13 | 16 | 18 |
| 65+ | 23 | 8.3 | 44 | 2 | 2 | 6 | 11 | 17 | 23 | 26 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 79 | 3.0 | 5 | <1 | 1 | 2 | 4 | 7 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 130 | 5.8 | 18 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| 1. SINGLE DX | 80 | 3.0 | 5 | <1 | 1 | 2 | 4 | 7 | 7 | 9 |
| 2. MULTIPLE DX | 134 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 15 | 23 |
| A. NOT OPERATED | 5 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| B. OPERATED | 209 | 4.7 | 15 | 1 | 1 | 3 | 7 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 11 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 70 | 4.4 | 10 | 1 | 1 | 3 | 7 | 8 | 9 | 15 |
| 35-49 | 63 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 50-64 | 39 | 4.4 | 15 | 1 | 1 | 3 | 7 | 9 | 13 | 18 |
| 65+ | 31 | 7.2 | 37 | 2 | 2 | 5 | 9 | 16 | 22 | 26 |
| GRAND TOTAL | 214 | 4.7 | 15 | 1 | 1 | 3 | 7 | 9 | 12 | 19 |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 32 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 21 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 8 | 10 |
| 50-64 | 14 | 3.7 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 11 |
| 65+ | 12 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 15 | 3.1 | 5 | 1 | 1 | 3 | 4 | 4 | 9 | 10 |
| 35-49 | 17 | 4.2 | 10 | 1 | 2 | 3 | 5 | 9 | 12 | 13 |
| 50-64 | 21 | 3.9 | 9 | 1 | 1 | 3 | 4 | 6 | 11 | 18 |
| 65+ | 22 | 9.6 | 58 | 2 | 2 | 7 | 15 | 22 | 25 | 29 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 82 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 79 | 5.3 | 29 | 1 | 1 | 3 | 6 | 13 | 17 | 27 |
| 1. SINGLE DX | 84 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 8 | 12 |
| 2. MULTIPLE DX | 79 | 5.3 | 29 | 1 | 1 | 3 | 6 | 13 | 17 | 27 |
| A. NOT OPERATED | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. OPERATED | 161 | 4.3 | 18 | 1 | 1 | 3 | 4 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 7 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 48 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 39 | 3.7 | 6 | 1 | 2 | 3 | 4 | 7 | 10 | 13 |
| 50-64 | 35 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 65+ | 34 | 7.4 | 49 | 1 | 2 | 6 | 9 | 19 | 23 | 29 |
| GRAND TOTAL | 163 | 4.3 | 17 | 1 | 1 | 3 | 4 | 9 | 13 | 23 |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 18 | 3.4 | 9 | 1 | 1 | 2 | 4 | 9 | 10 | 11 |
| 35-49 | 19 | 4.3 | 10 | 1 | 2 | 3 | 6 | 9 | 11 | 12 |
| 50-64 | 57 | 4.5 | 28 | 1 | 1 | 2 | 4 | 11 | 18 | 25 |
| 65+ | 47 | 3.2 | 6 | 1 | 1 | 3 | 3 | 5 | 9 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 27 | 1 | 1 | 2 | 7 | 12 | 12 | 12 |
| 20-34 | 15 | 6.1 | 31 | 1 | 1 | 4 | 9 | 15 | 18 | 19 |
| 35-49 | 16 | 8.6 | 83 | 1 | 1 | 5 | 13 | 24 | 29 | 31 |
| 50-64 | 59 | 6.7 | 41 | 2 | 2 | 4 | 9 | 16 | 21 | 31 |
| 65+ | 92 | 6.5 | 34 | 1 | 2 | 5 | 8 | 14 | 18 | 31 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 145 | 3.9 | 16 | 1 | 1 | 2 | 4 | 9 | 12 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6 | 5.0 | 17 | 1 | 1 | 4 | 9 | 11 | 11 | 11 |
| B. *Operated* | 186 | 6.6 | 40 | 1 | 2 | 4 | 9 | 16 | 20 | 31 |
| 1. SINGLE DX | 147 | 3.8 | 15 | 1 | 1 | 2 | 4 | 9 | 12 | 23 |
| 2. MULTIPLE DX | 192 | 6.6 | 39 | 1 | 2 | 4 | 9 | 15 | 20 | 31 |
| A. NOT OPERATED | 8 | 4.5 | 13 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| B. OPERATED | 331 | 5.4 | 31 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| TOTAL 0-19 YRS | 8 | 3.4 | 13 | 1 | 1 | 2 | 3 | 10 | 12 | 12 |
| 20-34 | 34 | 4.9 | 21 | 1 | 1 | 3 | 8 | 11 | 14 | 19 |
| 35-49 | 36 | 6.1 | 46 | 1 | 1 | 3 | 8 | 15 | 22 | 31 |
| 50-64 | 120 | 5.5 | 35 | 1 | 1 | 3 | 7 | 13 | 19 | 28 |
| 65+ | 141 | 5.4 | 27 | 1 | 2 | 3 | 6 | 12 | 16 | 31 |
| GRAND TOTAL | 339 | 5.4 | 31 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.7 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 11 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 8 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 8 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 21 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| 20-34 | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 4.8 | 18 | 2 | 2 | 3 | 7 | 11 | 11 | 11 |
| 65+ | 5 | 3.8 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| B. *Operated* | 58 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| B. *Operated* | 21 | 3.4 | 9 | <1 | 1 | 2 | 4 | 9 | 11 | 11 |
| 1. SINGLE DX | 60 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 14 |
| 2. MULTIPLE DX | 23 | 3.8 | 10 | <1 | 1 | 2 | 4 | 10 | 11 | 11 |
| A. NOT OPERATED | 4 | 9.0 | 21 | 5 | 5 | 8 | 12 | 15 | 15 | 15 |
| B. OPERATED | 79 | 2.3 | 3 | <1 | 1 | 2 | 2 | 3 | 6 | 11 |
| TOTAL 0-19 YRS | 31 | 2.0 | 4 | <1 | 1 | 2 | 2 | 3 | 7 | 11 |
| 20-34 | 16 | 2.8 | 11 | 1 | 1 | 2 | 2 | 3 | 11 | 15 |
| 35-49 | 13 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 9 | 10 |
| 50-64 | 13 | 3.2 | 7 | <1 | 1 | 2 | 3 | 6 | 10 | 11 |
| 65+ | 10 | 3.4 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| GRAND TOTAL | 83 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 9 | 14 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 11 | 3.2 | 31 | 1 | 1 | 2 | 2 | 9 | 19 | 20 |
| 50-64 | 23 | 5.4 | 63 | 1 | 1 | 3 | 5 | 11 | 22 | 39 |
| 65+ | 21 | 9.5 | 109 | 1 | 2 | 7 | 12 | 19 | 34 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.5 | 48 | 1 | 2 | 9 | 14 | 19 | 23 | 24 |
| 20-34 | 50 | 12.0 | 51 | 3 | 4 | 10 | 16 | 20 | 24 | 37 |
| 35-49 | 87 | 13.4 | 86 | 3 | 5 | 12 | 16 | 21 | 29 | 57 |
| 50-64 | 144 | 14.9 | 104 | 4 | 6 | 13 | 19 | 24 | 31 | 63 |
| 65+ | 73 | 20.8 | 181 | 4 | 8 | 17 | 25 | 38 | 51 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 5.2 | 11 | 1 | 2 | 5 | 6 | 9 | 13 | 14 |
| 35-49 | 13 | 8.1 | 32 | 1 | 2 | 7 | 11 | 17 | 18 | 18 |
| 50-64 | 27 | 6.9 | 27 | 1 | 1 | 5 | 11 | 14 | 16 | 19 |
| 65+ | 80 | 10.7 | 78 | 2 | 3 | 9 | 14 | 19 | 30 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 21.9 | 252 | 2 | 3 | 21 | 33 | 43 | 46 | 46 |
| 20-34 | 25 | 18.4 | 200 | 4 | 6 | 16 | 21 | 30 | 53 | 70 |
| 35-49 | 66 | 20.7 | 235 | 4 | 9 | 18 | 23 | 37 | 57 | 82 |
| 50-64 | 148 | 23.7 | 276 | 6 | 9 | 19 | 30 | 48 | 66 | 99+ |
| 65+ | 137 | 28.3 | 446 | 5 | 7 | 22 | 37 | 55 | 77 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 6.0 | 71 | 1 | 1 | 3 | 7 | 14 | 21 | 47 |
| B. *Operated* | 366 | 15.2 | 114 | 3 | 5 | 13 | 18 | 26 | 33 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 9.1 | 60 | 1 | 2 | 7 | 12 | 18 | 19 | 44 |
| B. *Operated* | 383 | 24.4 | 332 | 5 | 8 | 19 | 31 | 49 | 66 | 95 |
| **1. SINGLE DX** | 428 | 13.9 | 118 | 2 | 2 | 12 | 18 | 25 | 32 | 55 |
| **2. MULTIPLE DX** | 517 | 20.5 | 306 | 3 | 4 | 16 | 27 | 45 | 57 | 93 |
| **A. NOT OPERATED** | 196 | 8.1 | 65 | 1 | 1 | 6 | 11 | 17 | 20 | 44 |
| **B. OPERATED** | 749 | 19.9 | 247 | 4 | 6 | 16 | 24 | 39 | 53 | 86 |
| TOTAL 0-19 YRS | 21 | 12.9 | 150 | 1 | 1 | 10 | 18 | 32 | 39 | 46 |
| 20-34 | 94 | 12.2 | 103 | 2 | 3 | 9 | 16 | 23 | 29 | 60 |
| 35-49 | 177 | 15.1 | 159 | 1 | 3 | 13 | 19 | 29 | 32 | 76 |
| 50-64 | 342 | 17.5 | 207 | 2 | 4 | 14 | 22 | 36 | 48 | 82 |
| 65+ | 311 | 20.7 | 324 | 3 | 4 | 16 | 26 | 46 | 55 | 92 |
| **GRAND TOTAL** | 945 | 17.5 | 232 | 2 | 4 | 14 | 21 | 36 | 49 | 83 |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 65+ | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 4.1 | 3 | 3 | 3 | 4 | 5 | 5 | 7 | 11 |
| 20-34 | 349 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 10 |
| 35-49 | 339 | 4.5 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 268 | 4.6 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 65+ | 107 | 5.4 | 6 | 3 | 3 | 5 | 6 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 10 | 4.4 | 13 | 1 | 1 | 4 | 5 | 10 | 14 | 14 |
| 65+ | 14 | 8.4 | 54 | 1 | 1 | 6 | 9 | 24 | 25 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.5 | 13 | 2 | 3 | 4 | 6 | 13 | 14 | 14 |
| 20-34 | 134 | 4.6 | 4 | 3 | 3 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 193 | 5.1 | 9 | 3 | 3 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 206 | 6.7 | 23 | 3 | 3 | 5 | 7 | 12 | 17 | 27 |
| 65+ | 128 | 7.9 | 31 | 3 | 4 | 6 | 9 | 15 | 19 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 11 | 12 |
| B. *Operated* | 1099 | 4.4 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 6.1 | 31 | 1 | 2 | 5 | 7 | 11 | 23 | 28 |
| B. *Operated* | 677 | 6.0 | 18 | 3 | 3 | 5 | 6 | 10 | 14 | 23 |
| **1. SINGLE DX** | 1113 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 709 | 6.0 | 18 | 3 | 3 | 5 | 6 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 46 | 5.4 | 25 | 1 | 1 | 4 | 6 | 10 | 16 | 28 |
| **B. OPERATED** | 1776 | 5.0 | 9 | 3 | 3 | 4 | 5 | 7 | 10 | 18 |
| TOTAL 0-19 YRS | 55 | 4.4 | 6 | 2 | 3 | 4 | 5 | 6 | 11 | 14 |
| 20-34 | 493 | 4.2 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 537 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 486 | 5.5 | 14 | 3 | 3 | 5 | 6 | 8 | 12 | 23 |
| 65+ | 251 | 6.8 | 23 | 3 | 3 | 5 | 8 | 12 | 17 | 29 |
| **GRAND TOTAL** | 1822 | 5.1 | 10 | 3 | 3 | 4 | 5 | 8 | 10 | 19 |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.2 | 40 | 2 | 2 | 4 | 12 | 17 | 17 | 17 |
| 20-34 | 10 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 4 | 7.3 | 11 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| 50-64 | 7 | 5.0 | 13 | 1 | 1 | 5 | 7 | 10 | 11 | 11 |
| 65+ | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.5 | 24 | 3 | 3 | 8 | 11 | 15 | 16 | 16 |
| 20-34 | 51 | 9.7 | 28 | 3 | 4 | 9 | 12 | 17 | 21 | 25 |
| 35-49 | 28 | 10.0 | 48 | 2 | 3 | 9 | 14 | 21 | 26 | 27 |
| 50-64 | 47 | 11.8 | 71 | 3 | 4 | 9 | 15 | 22 | 31 | 42 |
| 65+ | 37 | 15.6 | 179 | 3 | 4 | 12 | 22 | 28 | 32 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 21 | 6.0 | 19 | 1 | 2 | 5 | 7 | 14 | 15 | 16 |
| 35-49 | 10 | 6.9 | 27 | 1 | 1 | 6 | 11 | 14 | 16 | 16 |
| 50-64 | 23 | 7.4 | 28 | 1 | 2 | 6 | 9 | 15 | 18 | 22 |
| 65+ | 17 | 13.2 | 210 | 2 | 3 | 9 | 15 | 22 | 50 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 12.8 | 37 | 6 | 6 | 11 | 16 | 22 | 23 | 23 |
| 20-34 | 38 | 11.7 | 85 | 4 | 5 | 9 | 12 | 24 | 27 | 53 |
| 35-49 | 62 | 13.2 | 183 | 4 | 5 | 9 | 17 | 23 | 34 | 91 |
| 50-64 | 106 | 15.1 | 181 | 4 | 4 | 10 | 20 | 32 | 42 | 70 |
| 65+ | 77 | 13.8 | 98 | 4 | 4 | 10 | 19 | 29 | 33 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 5.6 | 14 | 2 | 2 | 5 | 7 | 11 | 12 | 17 |
| B. *Operated* | 169 | 11.6 | 80 | 3 | 4 | 9 | 15 | 23 | 27 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 71 | 8.3 | 74 | 1 | 2 | 6 | 10 | 15 | 16 | 56 |
| B. *Operated* | 289 | 13.8 | 144 | 4 | 5 | 10 | 18 | 27 | 35 | 53 |
| **1. SINGLE DX** | 197 | 10.7 | 75 | 3 | 3 | 9 | 14 | 22 | 26 | 38 |
| **2. MULTIPLE DX** | 360 | 12.7 | 134 | 3 | 4 | 9 | 16 | 25 | 34 | 53 |
| **A. NOT OPERATED** | 99 | 7.5 | 58 | 1 | 2 | 6 | 9 | 15 | 16 | 44 |
| **B. OPERATED** | 458 | 13.0 | 121 | 4 | 4 | 9 | 16 | 25 | 32 | 53 |
| TOTAL 0-19 YRS | 17 | 9.6 | 35 | 2 | 3 | 10 | 14 | 17 | 21 | 23 |
| 20-34 | 120 | 9.2 | 47 | 2 | 3 | 8 | 11 | 17 | 23 | 35 |
| 35-49 | 104 | 11.5 | 128 | 3 | 4 | 9 | 14 | 21 | 26 | 65 |
| 50-64 | 183 | 12.9 | 136 | 3 | 4 | 9 | 17 | 26 | 34 | 52 |
| 65+ | 133 | 14.1 | 133 | 4 | 4 | 10 | 19 | 28 | 33 | 67 |
| **GRAND TOTAL** | 557 | 12.0 | 114 | 3 | 4 | 9 | 15 | 24 | 31 | 53 |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 2.5 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 1113 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| 35-49 | 400 | 5.2 | 9 | 1 | 2 | 5 | 7 | 8 | 9 | 15 |
| 50-64 | 111 | 5.0 | 7 | 1 | 2 | 6 | 7 | 8 | 9 | 10 |
| 65+ | 43 | 5.0 | 11 | 1 | 2 | 4 | 7 | 10 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 3.2 | 12 | <1 | <1 | 1 | 6 | 9 | 9 | 9 |
| 35-49 | 7 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 50-64 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 20-34 | 786 | 5.5 | 13 | 1 | 2 | 6 | 7 | 9 | 12 | 17 |
| 35-49 | 475 | 7.2 | 24 | 2 | 2 | 7 | 8 | 10 | 13 | 24 |
| 50-64 | 162 | 8.0 | 20 | 2 | 2 | 8 | 9 | 13 | 17 | 22 |
| 65+ | 76 | 9.2 | 60 | 2 | 2 | 9 | 11 | 14 | 18 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 2.1 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| B. *Operated* | 1684 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.3 | 6 | <1 | <1 | 1 | 2 | 6 | 9 | 9 |
| B. *Operated* | 1508 | 6.5 | 21 | 2 | 2 | 6 | 8 | 10 | 13 | 22 |
| **1. SINGLE DX** | 1695 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 1529 | 6.4 | 21 | 1 | 2 | 6 | 8 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 32 | 2.2 | 6 | <1 | <1 | 1 | 2 | 6 | 9 | 9 |
| **B. OPERATED** | 3192 | 5.4 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 28 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 1914 | 4.8 | 11 | 1 | 2 | 4 | 7 | 8 | 10 | 15 |
| 35-49 | 886 | 6.2 | 18 | 1 | 2 | 6 | 8 | 10 | 11 | 22 |
| 50-64 | 275 | 6.7 | 17 | 1 | 2 | 7 | 8 | 11 | 15 | 22 |
| 65+ | 121 | 7.6 | 46 | 2 | 2 | 7 | 10 | 13 | 15 | 35 |
| **GRAND TOTAL** | 3224 | 5.4 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 7 | 4.3 | 8 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 41 | 4.8 | 12 | 1 | 1 | 4 | 7 | 9 | 12 | 15 |
| 35-49 | 70 | 5.4 | 20 | 1 | 1 | 5 | 7 | 10 | 12 | 24 |
| 50-64 | 175 | 5.9 | 27 | 1 | 1 | 5 | 9 | 11 | 16 | 26 |
| 65+ | 171 | 6.4 | 41 | 1 | 2 | 4 | 8 | 14 | 21 | 31 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 35-49 | 7 | 3.4 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 8 | 7.0 | 26 | 2 | 2 | 6 | 10 | 15 | 16 | 16 |
| 65+ | 16 | 8.4 | 68 | 1 | 3 | 7 | 11 | 12 | 29 | 36 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 4.5 | 7 | 4 | 4 | 6 | 8 | 10 | 10 | 10 |
| 20-34 | 40 | 5.3 | 14 | 1 | 1 | 4 | 8 | 10 | 11 | 20 |
| 35-49 | 126 | 7.4 | 24 | 2 | 2 | 7 | 10 | 14 | 17 | 24 |
| 50-64 | 245 | 8.5 | 58 | 2 | 2 | 6 | 12 | 18 | 23 | 34 |
| 65+ | 317 | 10.6 | 102 | 2 | 2 | 8 | 14 | 22 | 28 | 51 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 11 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | 459 | 5.9 | 30 | 1 | 1 | 4 | 8 | 12 | 17 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 34 | 6.5 | 43 | <1 | 1 | 4 | 9 | 12 | 15 | 36 |
| B. *Operated* | 732 | 9.0 | 71 | 2 | 2 | 7 | 12 | 19 | 25 | 39 |
| **1. SINGLE DX** | 470 | 5.9 | 29 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 766 | 8.9 | 70 | 2 | 2 | 7 | 11 | 19 | 25 | 38 |
| **A. NOT OPERATED** | 45 | 5.8 | 35 | <1 | 1 | 4 | 8 | 12 | 14 | 36 |
| **B. OPERATED** | 1191 | 7.8 | 57 | 1 | 2 | 6 | 10 | 17 | 23 | 33 |
| TOTAL 0-19 YRS | 7 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 20-34 | 83 | 5.0 | 13 | 1 | 1 | 4 | 7 | 9 | 11 | 18 |
| 35-49 | 204 | 6.6 | 23 | 1 | 2 | 6 | 9 | 12 | 16 | 24 |
| 50-64 | 431 | 7.4 | 46 | 1 | 2 | 6 | 9 | 16 | 20 | 32 |
| 65+ | 511 | 9.0 | 83 | 1 | 2 | 6 | 12 | 20 | 26 | 45 |
| **GRAND TOTAL** | 1236 | 7.8 | 57 | 1 | 2 | 6 | 10 | 16 | 22 | 34 |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 37 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 83 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 63 | 3.9 | 6 | <1 | 1 | 4 | 5 | 7 | 9 | 10 |
| 50-64 | 109 | 4.2 | 12 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |
| 65+ | 153 | 5.7 | 31 | 1 | 1 | 4 | 7 | 14 | 17 | 28 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 210 | 4.4 | 25 | 1 | 1 | 3 | 8 | 10 | 12 | 28 |
| 20-34 | 397 | 4.7 | 20 | 1 | 2 | 3 | 6 | 9 | 13 | 19 |
| 35-49 | 358 | 5.2 | 45 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 485 | 5.3 | 25 | 1 | 2 | 3 | 7 | 11 | 15 | 24 |
| 65+ | 519 | 6.3 | 48 | 1 | 2 | 4 | 8 | 15 | 21 | 32 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 53 | 5.3 | 45 | 1 | 1 | 4 | 6 | 11 | 15 | 45 |
| 20-34 | 111 | 5.0 | 15 | 1 | 1 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 134 | 5.6 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 30 |
| 50-64 | 255 | 6.7 | 30 | 1 | 2 | 5 | 9 | 14 | 17 | 30 |
| 65+ | 601 | 8.6 | 62 | 1 | 2 | 6 | 11 | 18 | 22 | 41 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 87 | 9.2 | 134 | 1 | 1 | 6 | 10 | 19 | 36 | 62 |
| 20-34 | 267 | 7.8 | 61 | 1 | 2 | 6 | 9 | 15 | 22 | 57 |
| 35-49 | 354 | 9.2 | 103 | 2 | 2 | 6 | 11 | 18 | 27 | 53 |
| 50-64 | 692 | 9.3 | 73 | 2 | 2 | 7 | 12 | 19 | 26 | 41 |
| 65+ | 1072 | 11.6 | 107 | 2 | 2 | 9 | 16 | 23 | 30 | 54 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 445 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| B. *Operated* | 1969 | 5.3 | 34 | 1 | 1 | 3 | 7 | 11 | 15 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1154 | 7.3 | 47 | 1 | 1 | 5 | 9 | 15 | 20 | 36 |
| B. *Operated* | 2472 | 10.1 | 96 | 2 | 2 | 7 | 13 | 21 | 29 | 50 |
| **1. SINGLE DX** | 2414 | 5.2 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | 3626 | 9.2 | 81 | 1 | 2 | 7 | 12 | 19 | 26 | 46 |
| **A. NOT OPERATED** | 1599 | 6.5 | 40 | 1 | 1 | 5 | 8 | 14 | 18 | 31 |
| **B. OPERATED** | 4441 | 8.0 | 74 | 1 | 2 | 5 | 10 | 17 | 23 | 45 |
| TOTAL 0-19 YRS | 387 | 5.5 | 54 | 1 | 1 | 3 | 6 | 11 | 17 | 41 |
| 20-34 | 858 | 5.6 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| 35-49 | 909 | 6.7 | 66 | 1 | 2 | 4 | 8 | 14 | 18 | 44 |
| 50-64 | 1541 | 7.2 | 50 | 1 | 2 | 5 | 9 | 16 | 20 | 36 |
| 65+ | 2345 | 9.3 | 83 | 1 | 2 | 6 | 12 | 20 | 26 | 46 |
| **GRAND TOTAL** | 6040 | 7.6 | 65 | 1 | 2 | 5 | 10 | 16 | 22 | 41 |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 37 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 22 | 3.7 | 9 | <1 | 1 | 3 | 4 | 6 | 10 | 15 |
| 50-64 | 26 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 65+ | 16 | 5.3 | 11 | 1 | 2 | 4 | 7 | 9 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 4.6 | 4 | 3 | 3 | 4 | 5 | 7 | 10 | 10 |
| 20-34 | 251 | 4.5 | 4 | 3 | 3 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 354 | 4.5 | 4 | 3 | 3 | 4 | 5 | 6 | 8 | 12 |
| 50-64 | 362 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 13 |
| 65+ | 149 | 5.6 | 5 | 3 | 3 | 5 | 6 | 9 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.4 | 3 | <1 | 2 | 5 | 5 | 6 | 7 | 7 |
| 20-34 | 48 | 4.7 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 35-49 | 49 | 4.6 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| 50-64 | 75 | 6.2 | 20 | 1 | 1 | 6 | 9 | 12 | 15 | 20 |
| 65+ | 117 | 6.6 | 23 | 2 | 3 | 5 | 8 | 13 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.3 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 126 | 5.4 | 7 | 3 | 3 | 5 | 6 | 9 | 11 | 16 |
| 35-49 | 193 | 6.5 | 12 | 3 | 4 | 5 | 7 | 12 | 14 | 18 |
| 50-64 | 297 | 7.2 | 43 | 3 | 4 | 5 | 8 | 12 | 16 | 25 |
| 65+ | 199 | 9.4 | 59 | 3 | 4 | 7 | 11 | 18 | 23 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 1148 | 4.8 | 4 | 3 | 3 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 302 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | 831 | 7.2 | 35 | 3 | 4 | 5 | 8 | 13 | 16 | 28 |
| **1. SINGLE DX** | 1257 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 1133 | 6.8 | 31 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| **A. NOT OPERATED** | 411 | 5.3 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **B. OPERATED** | 1979 | 5.8 | 19 | 3 | 3 | 5 | 6 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 69 | 4.2 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 462 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 618 | 5.1 | 8 | 2 | 3 | 4 | 6 | 8 | 12 | 16 |
| 50-64 | 760 | 6.0 | 23 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 481 | 7.4 | 35 | 3 | 3 | 6 | 8 | 13 | 18 | 34 |
| **GRAND TOTAL** | 2390 | 5.7 | 18 | 2 | 3 | 5 | 6 | 10 | 13 | 21 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 23 |
| 20-34 | 256 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 172 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 11 | 22 |
| 50-64 | 137 | 5.9 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 73 | 6.8 | 20 | 2 | 2 | 5 | 9 | 14 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 6.5 | 43 | 2 | 3 | 5 | 6 | 10 | 21 | 39 |
| 20-34 | 266 | 5.7 | 15 | 3 | 3 | 5 | 6 | 9 | 13 | 20 |
| 35-49 | 197 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 15 |
| 50-64 | 150 | 5.5 | 11 | 3 | 3 | 5 | 6 | 8 | 10 | 23 |
| 65+ | 49 | 6.7 | 41 | 3 | 3 | 5 | 6 | 12 | 16 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 6.0 | 27 | 1 | 2 | 5 | 7 | 12 | 15 | 31 |
| 20-34 | 363 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| 35-49 | 464 | 7.3 | 22 | 2 | 3 | 6 | 9 | 13 | 15 | 26 |
| 50-64 | 642 | 8.1 | 32 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| 65+ | 735 | 11.0 | 77 | 3 | 3 | 9 | 14 | 21 | 28 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.4 | 9 | 3 | 3 | 5 | 8 | 11 | 12 | 14 |
| 20-34 | 131 | 7.5 | 25 | 3 | 3 | 5 | 9 | 14 | 18 | 24 |
| 35-49 | 168 | 9.2 | 53 | 3 | 4 | 7 | 12 | 18 | 23 | 36 |
| 50-64 | 246 | 10.9 | 105 | 3 | 3 | 8 | 13 | 21 | 32 | 46 |
| 65+ | 177 | 15.5 | 225 | 4 | 4 | 12 | 19 | 29 | 43 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 718 | 5.8 | 14 | 2 | 2 | 5 | 7 | 11 | 13 | 20 |
| B. *Operated* | 739 | 5.6 | 16 | 3 | 3 | 5 | 6 | 8 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2293 | 8.5 | 46 | 2 | 3 | 7 | 10 | 16 | 20 | 35 |
| B. *Operated* | 747 | 10.9 | 112 | 3 | 4 | 8 | 13 | 21 | 29 | 63 |
| **1. SINGLE DX** | 1457 | 5.7 | 15 | 2 | 3 | 5 | 7 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 3040 | 9.1 | 63 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| **A. NOT OPERATED** | 3011 | 7.9 | 39 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| **B. OPERATED** | 1486 | 8.3 | 71 | 3 | 3 | 5 | 9 | 16 | 22 | 41 |
| TOTAL 0-19 YRS | 271 | 6.2 | 27 | 2 | 2 | 5 | 7 | 11 | 14 | 30 |
| 20-34 | 1016 | 6.1 | 18 | 2 | 3 | 5 | 7 | 11 | 13 | 21 |
| 35-49 | 1001 | 6.9 | 24 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 1175 | 8.1 | 45 | 2 | 3 | 6 | 9 | 15 | 20 | 36 |
| 65+ | 1034 | 11.3 | 102 | 3 | 3 | 9 | 14 | 21 | 29 | 53 |
| **GRAND TOTAL** | 4497 | 8.0 | 50 | 2 | 3 | 6 | 9 | 15 | 20 | 36 |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 593 | 6.8 | 15 | 2 | 3 | 6 | 9 | 11 | 14 | 19 |
| 20-34 | 567 | 6.4 | 15 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 35-49 | 540 | 6.8 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 50-64 | 896 | 7.3 | 13 | 3 | 3 | 7 | 9 | 12 | 14 | 18 |
| 65+ | 682 | 8.0 | 22 | 3 | 3 | 7 | 10 | 14 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 6.5 | 5 | 3 | 3 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 7 | 4.3 | 7 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | 20 | 9.4 | 43 | 2 | 2 | 9 | 13 | 16 | 22 | 29 |
| 65+ | 15 | 10.0 | 33 | 2 | 2 | 8 | 14 | 18 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 432 | 6.4 | 22 | 1 | 2 | 6 | 9 | 12 | 14 | 21 |
| 20-34 | 1053 | 6.6 | 27 | 1 | 2 | 6 | 8 | 12 | 14 | 22 |
| 35-49 | 2319 | 8.1 | 31 | 3 | 3 | 7 | 10 | 14 | 17 | 29 |
| 50-64 | 5150 | 8.6 | 28 | 3 | 4 | 7 | 11 | 15 | 18 | 28 |
| 65+ | 6059 | 9.8 | 51 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 9.0 | 33 | 2 | 2 | 8 | 13 | 15 | 20 | 25 |
| 20-34 | 150 | 10.8 | 65 | 2 | 3 | 9 | 15 | 19 | 26 | 48 |
| 35-49 | 359 | 12.8 | 99 | 3 | 4 | 10 | 15 | 24 | 32 | 59 |
| 50-64 | 829 | 13.9 | 116 | 4 | 5 | 11 | 17 | 24 | 32 | 72 |
| 65+ | 830 | 17.2 | 151 | 4 | 6 | 14 | 22 | 33 | 40 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3278 | 7.1 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| B. *Operated* | 50 | 8.4 | 32 | 2 | 2 | 7 | 11 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15013 | 8.8 | 39 | 3 | 3 | 8 | 11 | 15 | 19 | 32 |
| B. *Operated* | 2189 | 14.7 | 127 | 3 | 5 | 12 | 18 | 28 | 36 | 65 |
| **1. SINGLE DX** | 3328 | 7.1 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 17202 | 9.5 | 54 | 3 | 3 | 8 | 12 | 17 | 22 | 39 |
| **A. NOT OPERATED** | 18291 | 8.5 | 35 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| **B. OPERATED** | 2239 | 14.6 | 125 | 3 | 5 | 12 | 18 | 27 | 36 | 64 |
| TOTAL 0-19 YRS | 1046 | 6.6 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| 20-34 | 1778 | 6.9 | 28 | 2 | 2 | 6 | 9 | 12 | 15 | 25 |
| 35-49 | 3225 | 8.4 | 38 | 2 | 3 | 7 | 10 | 14 | 19 | 31 |
| 50-64 | 6895 | 9.1 | 40 | 3 | 4 | 8 | 11 | 16 | 20 | 37 |
| 65+ | 7586 | 10.5 | 65 | 3 | 4 | 9 | 13 | 19 | 24 | 42 |
| **GRAND TOTAL** | 20530 | 9.2 | 48 | 3 | 3 | 8 | 11 | 16 | 21 | 36 |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 900 | 5.8 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 20-34 | 651 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 35-49 | 193 | 6.5 | 15 | 2 | 3 | 6 | 8 | [illegible] | 13 | 21 |
| 50-64 | 147 | 7.2 | 14 | 2 | 3 | 6 | 10 | [illegible] | 14 | 17 |
| 65+ | 135 | 8.3 | 23 | 2 | 3 | 7 | 11 | 14 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 11 | 1 | 1 | 5 | 6 | 10 | 10 | 10 |
| 20-34 | 13 | 11.1 | 45 | 5 | 5 | 9 | 12 | 21 | 27 | 28 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 743 | 6.6 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| 20-34 | 929 | 7.0 | 30 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 35-49 | 465 | 9.2 | 47 | 2 | 3 | 8 | 11 | 18 | 23 | 35 |
| 50-64 | 580 | 11.0 | 44 | 3 | 5 | 10 | 14 | 19 | 23 | 31 |
| 65+ | 651 | 12.0 | 64 | 3 | 4 | 10 | 15 | 21 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 12.3 | 133 | 2 | 3 | 10 | 15 | 20 | 38 | 57 |
| 20-34 | 86 | 17.1 | 193 | 5 | 6 | 13 | 21 | 38 | 44 | 73 |
| 35-49 | 86 | 19.0 | 210 | 6 | 7 | 15 | 22 | 37 | 53 | 75 |
| 50-64 | 86 | 22.1 | 225 | 5 | 7 | 20 | 29 | 43 | 52 | 99 |
| 65+ | 98 | 26.1 | 238 | 8 | 11 | 21 | 36 | 50 | 58 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2026 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 22 | 8.7 | 41 | 1 | 2 | 6 | 12 | 18 | 23 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3368 | 8.9 | 47 | 2 | 3 | 7 | 11 | 17 | 21 | 35 |
| B. *Operated* | 378 | 20.7 | 226 | 5 | 7 | 16 | 27 | 43 | 52 | 78 |
| **1. SINGLE DX** | 2048 | 6.1 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 3746 | 10.1 | 77 | 2 | 3 | 8 | 13 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 5394 | 7.8 | 37 | 2 | 2 | 6 | 10 | 15 | 19 | 29 |
| **B. OPERATED** | 400 | 20.1 | 223 | 5 | 6 | 16 | 25 | 42 | 51 | 76 |
| TOTAL 0-19 YRS | 1671 | 6.2 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 20-34 | 1679 | 7.0 | 38 | 2 | 2 | 5 | 9 | 13 | 17 | 33 |
| 35-49 | 744 | 9.6 | 70 | 2 | 3 | 8 | 12 | 18 | 25 | 43 |
| 50-64 | 815 | 11.5 | 73 | 3 | 4 | 9 | 14 | 21 | 26 | 48 |
| 65+ | 885 | 13.0 | 100 | 3 | 4 | 11 | 16 | 24 | 33 | 62 |
| **GRAND TOTAL** | 5794 | 8.7 | 59 | 2 | 2 | 7 | 11 | 17 | 22 | 43 |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 462 | 6.7 | 20 | 2 | 2 | 6 | 8 | 11 | 15 | 26 |
| 20-34 | 720 | 6.6 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| 35-49 | 747 | 7.1 | 16 | 3 | 3 | 6 | 9 | 12 | 14 | 20 |
| 50-64 | 1143 | 7.6 | 15 | 3 | 4 | 7 | 9 | 13 | 15 | 21 |
| 65+ | 824 | 8.4 | 22 | 3 | 3 | 7 | 11 | 14 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 32 | 7.5 | 86 | <1 | 1 | 5 | 8 | 17 | 22 | 49 |
| 35-49 | 45 | 9.7 | 219 | 2 | 2 | 5 | 9 | 23 | 30 | 91 |
| 50-64 | 132 | 6.8 | 40 | 2 | 2 | 4 | 9 | 14 | 19 | 32 |
| 65+ | 146 | 8.0 | 126 | 2 | 2 | 4 | 9 | 19 | 28 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 423 | 7.1 | 32 | 1 | 2 | 6 | 9 | 13 | 18 | 31 |
| 20-34 | 1558 | 7.6 | 30 | 2 | 2 | 6 | 10 | 14 | 19 | 27 |
| 35-49 | 3063 | 8.7 | 34 | 3 | 4 | 7 | 11 | 15 | 19 | 30 |
| 50-64 | 6914 | 9.5 | 37 | 3 | 4 | 8 | 12 | 16 | 20 | 33 |
| 65+ | 7279 | 10.5 | 49 | 3 | 4 | 9 | 13 | 18 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 9.3 | 25 | 1 | 2 | 9 | 12 | 16 | 17 | 18 |
| 20-34 | 399 | 13.6 | 154 | 3 | 3 | 10 | 17 | 28 | 43 | 65 |
| 35-49 | 874 | 15.1 | 140 | 3 | 4 | 12 | 19 | 30 | 38 | 62 |
| 50-64 | 1840 | 18.2 | 234 | 3 | 5 | 13 | 23 | 40 | 50 | 89 |
| 65+ | 2095 | 21.0 | 251 | 4 | 5 | 17 | 28 | 44 | 56 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3896 | 7.4 | 18 | 2 | 3 | 7 | 9 | 12 | 15 | 23 |
| B. *Operated* | 359 | 7.7 | 101 | 2 | 2 | 4 | 9 | 18 | 26 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19237 | 9.5 | 41 | 3 | 4 | 8 | 12 | 17 | 21 | 34 |
| B. *Operated* | 5229 | 18.4 | 224 | 3 | 5 | 14 | 24 | 40 | 51 | 86 |
| **1. SINGLE DX** | 4255 | 7.4 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 24466 | 11.4 | 94 | 3 | 4 | 9 | 14 | 22 | 30 | 54 |
| **A. NOT OPERATED** | 23133 | 9.2 | 38 | 3 | 4 | 8 | 11 | 16 | 20 | 32 |
| **B. OPERATED** | 5588 | 17.7 | 223 | 3 | 4 | 13 | 23 | 38 | 50 | 85 |
| TOTAL 0-19 YRS | 910 | 6.9 | 26 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| 20-34 | 2709 | 8.2 | 50 | 2 | 3 | 6 | 10 | 15 | 21 | 38 |
| 35-49 | 4729 | 9.7 | 59 | 3 | 4 | 8 | 11 | 18 | 24 | 43 |
| 50-64 | 10029 | 10.8 | 83 | 3 | 4 | 8 | 13 | 20 | 27 | 50 |
| 65+ | 10344 | 12.4 | 108 | 3 | 4 | 9 | 15 | 24 | 33 | 59 |
| **GRAND TOTAL** | 28721 | 10.8 | 88 | 3 | 4 | 8 | 13 | 20 | 28 | 52 |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3; | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.0 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 34 | 3.7 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 12 |
| 35-49 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 276 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 8 | 13 |
| 35-49 | 17 | 4.2 | 11 | <1 | <1 | 4 | 6 | 8 | 11 | 13 |
| 50-64 | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.2 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 40 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 10 | 12 |
| 35-49 | 10 | 3.8 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 5.2 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 12 |
| 20-34 | 430 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 54 | 5.5 | 12 | <1 | 2 | 6 | 7 | 10 | 13 | 15 |
| 50-64 | 5 | 6.0 | 22 | <1 | <1 | 6 | 10 | 12 | 12 | 12 |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| B. *Operated* | 358 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 4.2 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 12 |
| B. *Operated* | 557 | 4.9 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| **1. SINGLE DX** | 404 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 620 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| **A. NOT OPERATED** | 109 | 4.1 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 12 |
| **B. OPERATED** | 915 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| TOTAL 0-19 YRS | 149 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 780 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 83 | 5.0 | 11 | <1 | 1 | 5 | 7 | 9 | 12 | 15 |
| 50-64 | 10 | 6.3 | 15 | <1 | 1 | 6 | 9 | 12 | 12 | 12 |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| **GRAND TOTAL** | 1024 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 3.7 | 20 | 1 | 1 | 2 | 4 | 7 | 11 | 25 |
| 20-34 | 248 | 5.3 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| 35-49 | 169 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 178 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 139 | 6.2 | 27 | 1 | 1 | 4 | 9 | 13 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.2 | 33 | 1 | 1 | 4 | 8 | 11 | 20 | 25 |
| 20-34 | 52 | 6.9 | 33 | 1 | 2 | 6 | 9 | 14 | 15 | 35 |
| 35-49 | 32 | 7.8 | 77 | 1 | 1 | 6 | 8 | 14 | 20 | 49 |
| 50-64 | 61 | 8.3 | 37 | 2 | 3 | 6 | 10 | 17 | 19 | 35 |
| 65+ | 25 | 8.7 | 49 | 2 | 3 | 7 | 10 | 12 | 25 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 337 | 4.5 | 28 | 1 | 1 | 3 | 5 | 8 | 12 | 32 |
| 20-34 | 637 | 5.8 | 41 | 1 | 2 | 4 | 7 | 11 | 14 | 34 |
| 35-49 | 706 | 7.1 | 47 | 2 | 2 | 5 | 9 | 13 | 18 | 35 |
| 50-64 | 873 | 7.2 | 40 | 1 | 2 | 5 | 9 | 13 | 18 | 35 |
| 65+ | 1523 | 8.8 | 57 | 2 | 3 | 7 | 11 | 17 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 7.6 | 86 | 1 | 2 | 4 | 8 | 17 | 28 | 48 |
| 20-34 | 139 | 9.5 | 97 | 1 | 2 | 7 | 13 | 19 | 24 | 81 |
| 35-49 | 162 | 10.7 | 94 | 2 | 2 | 8 | 14 | 23 | 28 | 45 |
| 50-64 | 214 | 12.4 | 128 | 2 | 4 | 10 | 15 | 25 | 34 | 76 |
| 65+ | 170 | 17.8 | 162 | 5 | 6 | 15 | 24 | 36 | 45 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 951 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| B. *Operated* | 188 | 7.7 | 43 | 1 | 2 | 6 | 9 | 15 | 18 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4076 | 7.3 | 48 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| B. *Operated* | 717 | 12.5 | 130 | 2 | 3 | 9 | 16 | 27 | 36 | 71 |
| **1. SINGLE DX** | 1139 | 5.4 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 4793 | 8.1 | 64 | 1 | 2 | 6 | 10 | 16 | 23 | 43 |
| **A. NOT OPERATED** | 5027 | 6.9 | 44 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| **B. OPERATED** | 905 | 11.5 | 116 | 2 | 3 | 8 | 15 | 25 | 34 | 66 |
| TOTAL 0-19 YRS | 604 | 4.5 | 29 | 1 | 1 | 3 | 5 | 8 | 12 | 32 |
| 20-34 | 1076 | 6.2 | 44 | 1 | 2 | 5 | 7 | 12 | 16 | 35 |
| 35-49 | 1069 | 7.4 | 53 | 1 | 2 | 5 | 9 | 14 | 20 | 38 |
| 50-64 | 1326 | 7.7 | 55 | 1 | 2 | 6 | 10 | 15 | 20 | 40 |
| 65+ | 1857 | 9.4 | 72 | 2 | 2 | 7 | 12 | 19 | 26 | 45 |
| **GRAND TOTAL** | 5932 | 7.6 | 58 | 1 | 2 | 5 | 9 | 15 | 21 | 40 |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 5.0 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 12 |
| 20-34 | 6 | 5.8 | 13 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| 35-49 | 8 | 10.1 | 69 | 3 | 3 | 8 | 13 | 24 | 28 | 28 |
| 50-64 | 7 | 9.0 | 24 | 2 | 3 | 10 | 10 | 16 | 18 | 18 |
| 65+ | 26 | 9.0 | 30 | 2 | 2 | 8 | 12 | 17 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 6 | 5.0 | 18 | 1 | 1 | 4 | 6 | 12 | 13 | 13 |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | 4 | 13.0 | 49 | 4 | 4 | 13 | 17 | 21 | 21 | 21 |
| 65+ | 5 | 4.8 | 6 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 9.0 | 55 | 2 | 2 | 7 | 12 | 19 | 23 | 37 |
| 20-34 | 46 | 8.9 | 52 | 3 | 3 | 7 | 12 | 20 | 31 | 99+ |
| 35-49 | 50 | 10.9 | 72 | 2 | 3 | 8 | 14 | 20 | 30 | 41 |
| 50-64 | 110 | 12.3 | 74 | 3 | 4 | 10 | 16 | 23 | 30 | 48 |
| 65+ | 539 | 13.0 | 89 | 4 | 5 | 10 | 16 | 25 | 30 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 18.5 | 308 | 5 | 5 | 9 | 39 | 43 | 43 | 43 |
| 20-34 | 18 | 20.4 | 260 | 2 | 5 | 15 | 36 | 52 | 82 | 99+ |
| 35-49 | 30 | 17.1 | 151 | 2 | 4 | 14 | 24 | 37 | 40 | 48 |
| 50-64 | 60 | 21.9 | 297 | 4 | 6 | 20 | 39 | 48 | 69 | 98 |
| 65+ | 126 | 19.8 | 194 | 4 | 7 | 18 | 26 | 35 | 49 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 7.3 | 27 | 1 | 2 | 6 | 10 | 15 | 18 | 26 |
| B. *Operated* | 18 | 7.4 | 36 | 1 | 1 | 5 | 13 | 17 | 20 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 814 | 12.2 | 82 | 3 | 4 | 10 | 15 | 23 | 30 | 90 |
| B. *Operated* | 240 | 20.0 | 220 | 4 | 6 | 17 | 26 | 39 | 51 | 99+ |
| **1. SINGLE DX** | 95 | 7.3 | 28 | 1 | 2 | 6 | 10 | 15 | 19 | 25 |
| **2. MULTIPLE DX** | 1054 | 14.0 | 124 | 3 | 4 | 11 | 18 | 28 | 36 | 60 |
| **A. NOT OPERATED** | 891 | 11.8 | 79 | 3 | 4 | 9 | 15 | 23 | 30 | 46 |
| **B. OPERATED** | 258 | 19.1 | 217 | 3 | 4 | 16 | 26 | 39 | 49 | 99+ |
| TOTAL 0-19 YRS | 107 | 8.3 | 62 | 2 | 2 | 6 | 10 | 17 | 24 | 41 |
| 20-34 | 76 | 11.1 | 121 | 2 | 3 | 8 | 13 | 29 | 41 | 99+ |
| 35-49 | 89 | 13.0 | 105 | 2 | 4 | 10 | 17 | 29 | 38 | 49 |
| 50-64 | 181 | 15.4 | 165 | 3 | 4 | 11 | 21 | 31 | 41 | 85 |
| 65+ | 696 | 14.1 | 113 | 4 | 5 | 11 | 18 | 27 | 34 | 57 |
| **GRAND TOTAL** | 1149 | 13.4 | 120 | 3 | 4 | 10 | 17 | 27 | 38 | 89 |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 11.6 | 39 | 2 | 4 | 10 | 14 | 18 | 20 | 37 |
| 20-34 | 27 | 10.9 | 18 | 4 | 5 | 11 | 14 | 16 | 17 | 20 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 25.7 | 85 | 15 | 15 | 31 | 31 | 31 | 31 | 31 |
| 20-34 | 3 | 4.7 | 30 | 1 | 1 | 2 | 9 | 11 | 11 | 11 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 11.1 | 37 | 3 | 4 | 10 | 14 | 18 | 23 | 31 |
| 20-34 | 52 | 13.2 | 93 | 3 | 5 | 10 | 15 | 23 | 39 | 46 |
| 35-49 | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 16.8 | 390 | 3 | 5 | 11 | 18 | 26 | 69 | 84 |
| 20-34 | 7 | 14.1 | 84 | 3 | 3 | 13 | 21 | 27 | 28 | 28 |
| 35-49 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 11.5 | 35 | 3 | 5 | 11 | 14 | 18 | 20 | 37 |
| B. *Operated* | 7 | 13.9 | 161 | 1 | 1 | 11 | 27 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 11.6 | 51 | 3 | 4 | 10 | 15 | 19 | 25 | 41 |
| B. *Operated* | 25 | 14.4 | 268 | 2 | 3 | 10 | 17 | 26 | 42 | 84 |
| **1. SINGLE DX** | 151 | 11.6 | 40 | 2 | 4 | 11 | 14 | 18 | 20 | 37 |
| **2. MULTIPLE DX** | 244 | 11.9 | 73 | 3 | 4 | 10 | 15 | 20 | 26 | 43 |
| **A. NOT OPERATED** | 363 | 11.6 | 44 | 3 | 4 | 10 | 14 | 18 | 23 | 38 |
| **B. OPERATED** | 32 | 14.3 | 239 | 2 | 2 | 10 | 18 | 29 | 31 | 84 |
| TOTAL 0-19 YRS | 300 | 11.8 | 58 | 3 | 4 | 10 | 15 | 19 | 25 | 34 |
| 20-34 | 89 | 12.3 | 69 | 3 | 4 | 11 | 15 | 21 | 28 | 45 |
| 35-49 | 6 | 4.8 | 9 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **395** | **11.8** | **60** | **3** | **4** | **10** | **15** | **19** | **26** | **39** |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.3 | 27 | 1 | 1 | 4 | 6 | 11 | 19 | 24 |
| 20-34 | 35 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 35-49 | 28 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 8 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 9.3 | 40 | 5 | 6 | 7 | 9 | 13 | 21 | 40 |
| 20-34 | 499 | 8.4 | 9 | 5 | 5 | 8 | 10 | 12 | 13 | 18 |
| 35-49 | 338 | 8.7 | 11 | 5 | 6 | 8 | 10 | 12 | 14 | 20 |
| 50-64 | 41 | 9.6 | 20 | 5 | 6 | 8 | 11 | 15 | 19 | 26 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.6 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 97 |
| 20-34 | 137 | 5.3 | 46 | <1 | 1 | 3 | 6 | 10 | 13 | 46 |
| 35-49 | 169 | 6.0 | 29 | 1 | 2 | 4 | 7 | 13 | 17 | 28 |
| 50-64 | 151 | 7.3 | 35 | 2 | 3 | 6 | 9 | 12 | 17 | 34 |
| 65+ | 70 | 9.6 | 41 | 2 | 3 | 8 | 13 | 19 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 10.7 | 45 | 5 | 6 | 9 | 10 | 17 | 28 | 36 |
| 20-34 | 823 | 9.6 | 45 | 4 | 5 | 8 | 10 | 13 | 18 | 44 |
| 35-49 | 978 | 9.9 | 36 | 5 | 5 | 9 | 11 | 15 | 19 | 39 |
| 50-64 | 244 | 9.9 | 36 | 4 | 5 | 9 | 11 | 15 | 21 | 35 |
| 65+ | 22 | 9.2 | 39 | 2 | 3 | 7 | 11 | 21 | 22 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 22 |
| B. *Operated* | 914 | 8.6 | 11 | 5 | 6 | 8 | 10 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 579 | 6.5 | 36 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| B. *Operated* | 2102 | 9.8 | 40 | 4 | 5 | 9 | 11 | 14 | 19 | 41 |
| **1. SINGLE DX** | 1021 | 8.1 | 13 | 3 | 5 | 8 | 10 | 12 | 13 | 21 |
| **2. MULTIPLE DX** | 2681 | 9.1 | 41 | 3 | 4 | 8 | 10 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 686 | 6.2 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| **B. OPERATED** | 3016 | 9.4 | 31 | 5 | 5 | 8 | 10 | 13 | 17 | 36 |
| TOTAL 0-19 YRS | 157 | 7.2 | 33 | 2 | 2 | 6 | 9 | 11 | 19 | 40 |
| 20-34 | 1494 | 8.6 | 34 | 3 | 4 | 8 | 10 | 12 | 15 | 37 |
| 35-49 | 1513 | 9.1 | 31 | 3 | 4 | 8 | 10 | 14 | 17 | 33 |
| 50-64 | 444 | 8.9 | 35 | 3 | 4 | 8 | 10 | 14 | 20 | 34 |
| 65+ | 94 | 9.5 | 40 | 2 | 3 | 7 | 12 | 19 | 22 | 29 |
| **GRAND TOTAL** | **3702** | **8.8** | **33** | **3** | **4** | **8** | **10** | **13** | **17** | **35** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 4.2 | 88 | <1 | <1 | 2 | 4 | 6 | 9 | 54 |
| 20-34 | 73 | 5.3 | 23 | 1 | 1 | 4 | 7 | 9 | 10 | 31 |
| 35-49 | 67 | 6.3 | 30 | 2 | 2 | 4 | 8 | 13 | 19 | 27 |
| 50-64 | 68 | 5.1 | 13 | 2 | 2 | 4 | 6 | 10 | 14 | 18 |
| 65+ | 51 | 5.6 | 11 | 1 | 1 | 5 | 8 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 5.7 | 70 | 1 | 1 | 3 | 6 | 10 | 26 | 43 |
| 20-34 | 98 | 5.9 | 16 | 1 | 2 | 5 | 8 | 12 | 15 | 17 |
| 35-49 | 90 | 5.2 | 14 | 1 | 1 | 4 | 7 | 12 | 13 | 17 |
| 50-64 | 75 | 5.9 | 25 | 1 | 2 | 4 | 9 | 14 | 15 | 23 |
| 65+ | 48 | 7.8 | 55 | 1 | 2 | 5 | 10 | 17 | 25 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 5.5 | 61 | <1 | <1 | 4 | 6 | 11 | 14 | 54 |
| 20-34 | 242 | 6.5 | 50 | 1 | 2 | 5 | 8 | 12 | 15 | 36 |
| 35-49 | 278 | 6.6 | 30 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 50-64 | 328 | 8.3 | 37 | 2 | 3 | 6 | 11 | 17 | 20 | 31 |
| 65+ | 423 | 9.1 | 48 | 2 | 3 | 7 | 12 | 17 | 21 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 9.0 | 79 | <1 | 1 | 6 | 12 | 23 | 33 | 99+ |
| 20-34 | 204 | 9.8 | 56 | 2 | 3 | 8 | 12 | 18 | 28 | 46 |
| 35-49 | 273 | 8.9 | 37 | 2 | 2 | 9 | 12 | 15 | 19 | 40 |
| 50-64 | 250 | 9.9 | 95 | 2 | 2 | 8 | 12 | 19 | 29 | 53 |
| 65+ | 221 | 12.9 | 115 | 2 | 3 | 10 | 17 | 26 | 31 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 404 | 5.1 | 45 | <1 | 1 | 4 | 6 | 9 | 13 | 28 |
| B. *Operated* | 350 | 6.0 | 29 | 1 | 1 | 5 | 8 | 13 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1445 | 7.6 | 46 | 1 | 2 | 6 | 9 | 15 | 19 | 35 |
| B. *Operated* | 996 | 10.2 | 77 | 2 | 2 | 9 | 12 | 20 | 28 | 48 |
| **1. SINGLE DX** | 754 | 5.5 | 37 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| **2. MULTIPLE DX** | 2441 | 8.6 | 60 | 1 | 2 | 7 | 11 | 17 | 23 | 42 |
| **A. NOT OPERATED** | 1849 | 7.0 | 46 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| **B. OPERATED** | 1346 | 9.1 | 68 | 1 | 2 | 7 | 12 | 18 | 25 | 44 |
| TOTAL 0-19 YRS | 406 | 5.5 | 75 | <1 | <1 | 3 | 6 | 10 | 15 | 55 |
| 20-34 | 617 | 7.3 | 46 | 1 | 2 | 6 | 9 | 13 | 17 | 36 |
| 35-49 | 708 | 7.3 | 32 | 1 | 2 | 6 | 10 | 13 | 18 | 31 |
| 50-64 | 721 | 8.3 | 56 | 2 | 2 | 6 | 11 | 16 | 21 | 40 |
| 65+ | 743 | 9.9 | 70 | 2 | 3 | 8 | 12 | 20 | 26 | 42 |
| **GRAND TOTAL** | **3195** | **7.9** | **56** | **1** | **2** | **6** | **10** | **15** | **21** | **40** |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 27 | 4.4 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 12 |
| 35-49 | 53 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 12 |
| 50-64 | 78 | 5.2 | 10 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 65+ | 80 | 5.8 | 13 | 1 | 2 | 5 | 8 | 11 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 2.8 | 9 | <1 | <1 | <1 | 4 | 8 | 8 | 8 |
| 35-49 | 4 | 8.0 | 35 | 2 | 2 | 8 | 13 | 14 | 14 | 14 |
| 50-64 | 19 | 5.8 | 36 | 2 | 2 | 3 | 5 | 17 | 20 | 22 |
| 65+ | 15 | 5.5 | 20 | 1 | 2 | 4 | 7 | 13 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 23 | 5.5 | 11 | 2 | 3 | 4 | 7 | 10 | 13 | 16 |
| 35-49 | 105 | 6.0 | 22 | 1 | 2 | 5 | 7 | 12 | 16 | 24 |
| 50-64 | 293 | 6.6 | 23 | 2 | 3 | 6 | 8 | 11 | 13 | 23 |
| 65+ | 522 | 8.3 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 4 | 9.3 | 34 | 3 | 3 | 9 | 14 | 16 | 16 | 16 |
| 35-49 | 20 | 8.8 | 67 | 1 | 2 | 7 | 10 | 16 | 27 | 38 |
| 50-64 | 60 | 11.5 | 127 | 3 | 3 | 8 | 15 | 23 | 25 | 69 |
| 65+ | 78 | 13.0 | 97 | 2 | 4 | 11 | 16 | 21 | 30 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 240 | 5.2 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 16 |
| B. *Operated* | 43 | 5.6 | 27 | <1 | 1 | 3 | 7 | 14 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 943 | 7.4 | 31 | 2 | 3 | 6 | 9 | 13 | 18 | 30 |
| B. *Operated* | 163 | 11.8 | 103 | 2 | 3 | 10 | 15 | 22 | 29 | 67 |
| **1. SINGLE DX** | 283 | 5.3 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 1106 | 8.1 | 44 | 2 | 3 | 6 | 10 | 15 | 20 | 37 |
| **A. NOT OPERATED** | 1183 | 7.0 | 28 | 2 | 2 | 6 | 9 | 12 | 16 | 27 |
| **B. OPERATED** | 206 | 10.5 | 93 | 2 | 2 | 8 | 14 | 21 | 25 | 57 |
| TOTAL 0-19 YRS | 3 | 3.7 | 9 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 59 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 182 | 6.0 | 24 | 1 | 2 | 5 | 8 | 11 | 15 | 27 |
| 50-64 | 450 | 7.0 | 38 | 2 | 3 | 5 | 8 | 12 | 17 | 25 |
| 65+ | 695 | 8.4 | 44 | 2 | 3 | 7 | 10 | 16 | 20 | 37 |
| **GRAND TOTAL** | **1389** | **7.5** | **39** | **2** | **2** | **6** | **9** | **14** | **18** | **32** |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 63 | 4.6 | 18 | 1 | 1 | 3 | 5 | 10 | 16 | 21 |
| 35-49 | 60 | 5.5 | 33 | 1 | 2 | 4 | 6 | 11 | 16 | 34 |
| 50-64 | 82 | 6.0 | 18 | 1 | 2 | 5 | 8 | 12 | 15 | 19 |
| 65+ | 215 | 7.0 | 27 | 1 | 2 | 6 | 9 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 6.7 | 6 | 4 | 4 | 6 | 8 | 11 | 11 | 11 |
| 50-64 | 4 | 5.0 | 13 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 6 | 18.3 | 89 | 8 | 8 | 17 | 25 | 31 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 863 | 4.3 | 20 | 1 | 2 | 3 | 5 | 7 | 10 | 23 |
| 20-34 | 627 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 712 | 6.5 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 50-64 | 1555 | 7.8 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 31 |
| 65+ | 6027 | 10.1 | 51 | 3 | 4 | 8 | 13 | 19 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 9.0 | 99 | 1 | 2 | 6 | 9 | 21 | 34 | 45 |
| 20-34 | 56 | 10.8 | 117 | 2 | 2 | 8 | 13 | 23 | 38 | 56 |
| 35-49 | 95 | 13.8 | 112 | 1 | 3 | 10 | 20 | 29 | 39 | 79 |
| 50-64 | 194 | 16.1 | 193 | 2 | 3 | 11 | 20 | 38 | 50 | 57 |
| 65+ | 531 | 20.1 | 190 | 4 | 7 | 17 | 27 | 37 | 46 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 568 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 25 |
| B. *Operated* | 19 | 9.6 | 67 | 2 | 3 | 6 | 11 | 24 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9784 | 8.6 | 47 | 2 | 3 | 7 | 11 | 17 | 21 | 35 |
| B. *Operated* | 905 | 17.6 | 185 | 3 | 4 | 14 | 24 | 37 | 46 | 77 |
| **1. SINGLE DX** | 587 | 5.5 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | 10689 | 9.4 | 65 | 2 | 3 | 7 | 12 | 19 | 25 | 41 |
| **A. NOT OPERATED** | 10352 | 8.5 | 46 | 2 | 2 | 7 | 11 | 16 | 21 | 34 |
| **B. OPERATED** | 924 | 17.5 | 184 | 3 | 4 | 14 | 23 | 37 | 45 | 76 |
| TOTAL 0-19 YRS | 1043 | 4.3 | 21 | 1 | 1 | 3 | 5 | 7 | 10 | 23 |
| 20-34 | 746 | 5.1 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 35-49 | 873 | 7.2 | 41 | 2 | 2 | 5 | 9 | 14 | 20 | 35 |
| 50-64 | 1835 | 8.6 | 60 | 2 | 3 | 6 | 10 | 17 | 22 | 44 |
| 65+ | 6779 | 10.8 | 69 | 3 | 4 | 9 | 14 | 21 | 27 | 42 |
| **GRAND TOTAL** | **11276** | **9.2** | **63** | **2** | **2** | **7** | **12** | **18** | **24** | **41** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 14 |
| 20-34 | 38 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 11 |
| 35-49 | 66 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 59 | 4.8 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 14 |
| 65+ | 181 | 5.9 | 12 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 11 | 12 |
| 20-34 | 9 | 6.0 | 9 | 2 | 2 | 5 | 9 | 10 | 10 | 10 |
| 35-49 | 27 | 5.6 | 7 | 2 | 3 | 5 | 8 | 10 | 11 | 11 |
| 50-64 | 31 | 9.3 | 41 | 2 | 3 | 8 | 12 | 15 | 27 | 30 |
| 65+ | 57 | 8.6 | 28 | 2 | 3 | 8 | 11 | 17 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 177 | 5.7 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 291 | 6.2 | 20 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 473 | 7.4 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 29 |
| 65+ | 1921 | 8.2 | 37 | 2 | 3 | 7 | 10 | 15 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 10.9 | 200 | 1 | 2 | 5 | 10 | 33 | 49 | 56 |
| 20-34 | 89 | 8.0 | 21 | 2 | 3 | 7 | 10 | 15 | 16 | 23 |
| 35-49 | 205 | 9.6 | 38 | 2 | 4 | 8 | 11 | 17 | 21 | 33 |
| 50-64 | 271 | 10.7 | 36 | 3 | 5 | 10 | 13 | 19 | 22 | 34 |
| 65+ | 766 | 12.7 | 81 | 4 | 5 | 10 | 15 | 22 | 29 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 449 | 5.1 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| B. *Operated* | 143 | 7.6 | 25 | 2 | 3 | 6 | 10 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3043 | 7.6 | 32 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | 1349 | 11.5 | 65 | 3 | 5 | 9 | 14 | 20 | 25 | 45 |
| **1. SINGLE DX** | 592 | 5.7 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 4392 | 8.8 | 46 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 3492 | 7.3 | 30 | 2 | 2 | 6 | 9 | 13 | 17 | 27 |
| **B. OPERATED** | 1492 | 11.1 | 63 | 3 | 4 | 9 | 13 | 20 | 24 | 45 |
| TOTAL 0-19 YRS | 323 | 5.4 | 21 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| 20-34 | 313 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 589 | 7.1 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 50-64 | 834 | 8.3 | 33 | 2 | 3 | 7 | 11 | 15 | 20 | 31 |
| 65+ | 2925 | 9.3 | 51 | 2 | 3 | 8 | 11 | 17 | 21 | 39 |
| **GRAND TOTAL** | **4984** | **8.4** | **43** | **2** | **3** | **7** | **11** | **15** | **20** | **34** |

### 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 20-34 | 566 | 6.5 | 33 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 35-49 | 80 | 7.2 | 24 | 2 | 3 | 6 | 8 | 15 | 17 | 27 |
| 50-64 | 6 | 9.2 | 141 | 1 | 1 | 5 | 7 | 30 | 33 | 33 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 4 | 12.8 | 340 | 1 | 1 | 5 | 24 | 40 | 40 | 40 |
| 35-49 | 6 | 10.3 | 59 | 3 | 3 | 9 | 16 | 21 | 22 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 275 | 7.0 | 36 | 1 | 2 | 5 | 9 | 13 | 17 | 37 |
| 20-34 | 525 | 8.0 | 43 | 2 | 3 | 6 | 10 | 15 | 21 | 36 |
| 35-49 | 112 | 9.5 | 50 | 2 | 3 | 8 | 11 | 17 | 20 | 41 |
| 50-64 | 20 | 9.5 | 30 | 3 | 4 | 8 | 13 | 15 | 20 | 26 |
| 65+ | 2 | 18.5 | 145 | 10 | 10 | 18 | 27 | 27 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 13.7 | 136 | 4 | 5 | 8 | 17 | 30 | 40 | 52 |
| 20-34 | 64 | 16.9 | 204 | 2 | 3 | 12 | 27 | 36 | 44 | 67 |
| 35-49 | 11 | 16.5 | 114 | 2 | 4 | 18 | 22 | 32 | 37 | 37 |
| 50-64 | 4 | 20.0 | 89 | 12 | 12 | 18 | 27 | 32 | 32 | 32 |
| 65+ | 3 | 15.0 | 148 | 7 | 7 | 9 | 24 | 29 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 954 | 6.1 | 28 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| B. *Operated* | 14 | 9.9 | 108 | 1 | 2 | 6 | 12 | 24 | 36 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 934 | 7.9 | 42 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| B. *Operated* | 105 | 16.2 | 171 | 2 | 4 | 12 | 23 | 33 | 42 | 60 |
| **1. SINGLE DX** | 968 | 6.2 | 29 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | 1039 | 8.8 | 62 | 2 | 3 | 7 | 10 | 17 | 23 | 42 |
| **A. NOT OPERATED** | 1888 | 7.0 | 36 | 1 | 2 | 6 | 9 | 13 | 17 | 32 |
| **B. OPERATED** | 119 | 15.5 | 167 | 2 | 3 | 11 | 22 | 33 | 41 | 58 |
| TOTAL 0-19 YRS | 603 | 6.3 | 32 | 1 | 2 | 5 | 7 | 12 | 16 | 32 |
| 20-34 | 1159 | 7.8 | 53 | 2 | 2 | 6 | 9 | 14 | 21 | 39 |
| 35-49 | 209 | 9.0 | 48 | 2 | 3 | 7 | 11 | 17 | 21 | 33 |
| 50-64 | 30 | 10.8 | 66 | 2 | 3 | 8 | 13 | 24 | 32 | 33 |
| 65+ | 6 | 14.8 | 106 | 7 | 7 | 9 | 27 | 29 | 29 | 29 |
| **GRAND TOTAL** | **2007** | **7.5** | **47** | **1** | **2** | **6** | **9** | **14** | **20** | **37** |

### 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 2.5 | 6 | <1 | <1 | 1 | 3 | 5 | 8 | 13 |
| 20-34 | 94 | 4.6 | 22 | 1 | 1 | 3 | 6 | 8 | 10 | 28 |
| 35-49 | 99 | 4.8 | 23 | 1 | 1 | 3 | 6 | 10 | 15 | 26 |
| 50-64 | 152 | 3.6 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 17 |
| 65+ | 523 | 4.3 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 5.8 | 16 | 1 | 2 | 5 | 7 | 11 | 15 | 20 |
| 20-34 | 39 | 7.9 | 40 | 2 | 2 | 7 | 9 | 14 | 18 | 36 |
| 35-49 | 42 | 8.3 | 43 | 2 | 3 | 7 | 11 | 15 | 18 | 40 |
| 50-64 | 75 | 8.8 | 45 | 2 | 3 | 7 | 11 | 17 | 21 | 39 |
| 65+ | 172 | 9.1 | 32 | 2 | 4 | 8 | 11 | 16 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 13 | 16 |
| 20-34 | 229 | 6.8 | 49 | 1 | 1 | 5 | 8 | 13 | 20 | 39 |
| 35-49 | 309 | 6.3 | 35 | 1 | 1 | 5 | 8 | 13 | 17 | 25 |
| 50-64 | 799 | 7.1 | 40 | 1 | 1 | 5 | 9 | 15 | 19 | 31 |
| 65+ | 3096 | 7.7 | 51 | 1 | 2 | 6 | 10 | 16 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 8.5 | 86 | 2 | 2 | 6 | 10 | 14 | 30 | 55 |
| 20-34 | 122 | 11.3 | 127 | 3 | 3 | 8 | 13 | 21 | 30 | 64 |
| 35-49 | 194 | 11.1 | 72 | 2 | 3 | 9 | 14 | 21 | 25 | 47 |
| 50-64 | 407 | 12.7 | 102 | 3 | 4 | 10 | 16 | 25 | 30 | 48 |
| 65+ | 1289 | 13.5 | 86 | 3 | 4 | 11 | 17 | 24 | 32 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1023 | 4.0 | 16 | <1 | 1 | 3 | 5 | 9 | 12 | 20 |
| B. *Operated* | 390 | 8.3 | 35 | 2 | 2 | 7 | 11 | 15 | 18 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4622 | 7.4 | 47 | 1 | 1 | 5 | 10 | 15 | 19 | 35 |
| B. *Operated* | 2084 | 12.8 | 92 | 3 | 4 | 10 | 16 | 24 | 30 | 49 |
| **1. SINGLE DX** | 1413 | 5.2 | 25 | <1 | 1 | 4 | 7 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | 6706 | 9.1 | 67 | 1 | 2 | 7 | 12 | 18 | 24 | 40 |
| **A. NOT OPERATED** | 5645 | 6.7 | 43 | 1 | 1 | 5 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 2474 | 12.1 | 85 | 3 | 4 | 10 | 15 | 23 | 29 | 47 |
| TOTAL 0-19 YRS | 478 | 4.6 | 26 | <1 | 1 | 3 | 6 | 10 | 13 | 26 |
| 20-34 | 484 | 7.6 | 68 | 1 | 2 | 5 | 9 | 15 | 22 | 40 |
| 35-49 | 644 | 7.7 | 50 | 1 | 1 | 6 | 10 | 16 | 20 | 33 |
| 50-64 | 1433 | 8.4 | 64 | 1 | 1 | 6 | 11 | 17 | 23 | 41 |
| 65+ | 5080 | 8.9 | 64 | 1 | 2 | 7 | 12 | 18 | 24 | 39 |
| **GRAND TOTAL** | **8119** | **8.4** | **62** | **1** | **1** | **6** | **11** | **17** | **23** | **38** |

### 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.4 | 19 | <1 | <1 | 2 | 4 | 11 | 15 | 16 |
| 20-34 | 11 | 6.2 | 31 | 1 | 1 | 4 | 9 | 16 | 16 | 16 |
| 35-49 | 5 | 5.8 | 25 | 1 | 1 | 5 | 8 | 14 | 14 | 14 |
| 50-64 | 7 | 8.4 | 50 | 2 | 2 | 5 | 12 | 20 | 22 | 22 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 3 | 9.3 | 86 | 3 | 3 | 5 | 16 | 20 | 20 | 20 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 3.4 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 31 | 5.8 | 18 | 2 | 2 | 5 | 8 | 9 | 10 | 25 |
| 35-49 | 19 | 7.3 | 44 | <1 | 1 | 5 | 10 | 18 | 23 | 26 |
| 50-64 | 11 | 9.0 | 54 | <1 | 2 | 7 | 10 | 23 | 24 | 24 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 16.3 | 39 | 8 | 8 | 19 | 21 | 23 | 23 | 23 |
| 20-34 | 3 | 17.7 | 310 | 7 | 7 | 8 | 30 | 38 | 38 | 38 |
| 35-49 | 3 | 30.0 | 1453 | 7 | 7 | 9 | 58 | 74 | 74 | 74 |
| 50-64 | 2 | 18.5 | 85 | 12 | 12 | 18 | 25 | 25 | 25 | 25 |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 39 | 5.4 | 30 | <1 | 1 | 3 | 7 | 15 | 16 | 22 |
| B. *Operated* | 5 | 12.8 | 126 | 3 | 3 | 7 | 22 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 108 | 5.4 | 24 | 1 | 1 | 4 | 7 | 10 | 15 | 25 |
| B. *Operated* | 15 | 19.6 | 304 | 7 | 7 | 13 | 23 | 38 | 65 | 74 |
| 1. SINGLE DX | 44 | 6.3 | 44 | <1 | 1 | 4 | 8 | 16 | 21 | 29 |
| 2. MULTIPLE DX | 123 | 7.1 | 78 | 1 | 1 | 5 | 8 | 15 | 23 | 48 |
| A. NOT OPERATED | 147 | 5.4 | 25 | 1 | 1 | 4 | 7 | 10 | 16 | 25 |
| B. OPERATED | 20 | 17.9 | 260 | 4 | 6 | 12 | 22 | 33 | 56 | 74 |
| TOTAL 0-19 YRS | 71 | 4.7 | 26 | <1 | 1 | 3 | 6 | 11 | 19 | 23 |
| 20-34 | 48 | 6.9 | 44 | 1 | 2 | 5 | 8 | 14 | 20 | 38 |
| 35-49 | 27 | 9.6 | 200 | 1 | 1 | 6 | 10 | 19 | 33 | 74 |
| 50-64 | 20 | 9.8 | 58 | 1 | 2 | 7 | 13 | 23 | 24 | 25 |
| 65+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| GRAND TOTAL | 167 | 6.9 | 69 | 1 | 1 | 5 | 8 | 16 | 22 | 36 |

### 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 4.7 | 20 | 1 | 2 | 3 | 6 | 9 | 10 | 24 |
| 20-34 | 76 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 98 | 3.6 | 18 | 1 | 1 | 1 | 5 | 9 | 13 | 20 |
| 50-64 | 55 | 5.0 | 14 | 1 | 2 | 4 | 6 | 11 | 13 | 15 |
| 65+ | 93 | 5.8 | 34 | 1 | 1 | 4 | 6 | 13 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 6.4 | 18 | 2 | 2 | 6 | 8 | 12 | 14 | 21 |
| 20-34 | 122 | 8.1 | 22 | 2 | 3 | 8 | 10 | 14 | 18 | 25 |
| 35-49 | 58 | 8.7 | 50 | 2 | 2 | 7 | 11 | 17 | 22 | 36 |
| 50-64 | 96 | 9.4 | 43 | 2 | 4 | 8 | 12 | 21 | 24 | 29 |
| 65+ | 79 | 11.1 | 76 | 2 | 2 | 8 | 15 | 20 | 31 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 4.9 | 26 | 1 | 1 | 4 | 6 | 9 | 13 | 23 |
| 20-34 | 210 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 35-49 | 226 | 6.8 | 23 | 1 | 2 | 6 | 9 | 12 | 15 | 25 |
| 50-64 | 448 | 7.1 | 31 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| 65+ | 669 | 8.3 | 60 | 1 | 2 | 6 | 10 | 18 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 9.3 | 119 | 2 | 2 | 6 | 11 | 17 | 25 | 69 |
| 20-34 | 167 | 11.0 | 120 | 2 | 2 | 8 | 13 | 20 | 31 | 68 |
| 35-49 | 184 | 12.6 | 148 | 2 | 3 | 9 | 15 | 28 | 39 | 82 |
| 50-64 | 387 | 12.5 | 117 | 3 | 3 | 10 | 15 | 25 | 32 | 64 |
| 65+ | 574 | 14.0 | 133 | 3 | 4 | 11 | 18 | 28 | 37 | 63 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 614 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| B. *Operated* | 522 | 8.3 | 38 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1783 | 7.1 | 41 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| B. *Operated* | 1428 | 12.7 | 130 | 2 | 3 | 10 | 16 | 25 | 35 | 65 |
| 1. SINGLE DX | 1136 | 6.4 | 32 | 1 | 1 | 5 | 8 | 13 | 17 | 29 |
| 2. MULTIPLE DX | 3211 | 9.6 | 88 | 1 | 2 | 7 | 12 | 19 | 27 | 49 |
| A. NOT OPERATED | 2397 | 6.5 | 37 | 1 | [illegible] | 5 | 8 | 13 | 18 | 32 |
| B. OPERATED | 1950 | 11.5 | 109 | 2 | 3 | 9 | 14 | 22 | 31 | 55 |
| TOTAL 0-19 YRS | 805 | 5.8 | 38 | 1 | 2 | 4 | 7 | 11 | 14 | 32 |
| 20-34 | 575 | 7.7 | 56 | 1 | 2 | 6 | 9 | 15 | 19 | 40 |
| 35-49 | 566 | 8.3 | 76 | 1 | 1 | 6 | 10 | 16 | 24 | 48 |
| 50-64 | 986 | 9.3 | 72 | 2 | 2 | 7 | 12 | 18 | 24 | 44 |
| 65+ | 1415 | 10.6 | 97 | 1 | 2 | 8 | 14 | 22 | 30 | 49 |
| GRAND TOTAL | 4347 | 8.7 | 75 | 1 | 2 | 6 | 11 | 18 | 24 | 46 |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1515 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 292 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 33 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 5 | 4.8 | 1 | 4 | 4 | 5 | 5 | 6 | 6 | 6 |
| 65+ | 8 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 526 | 4.2 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 157 | 4.8 | 6 | 2 | 3 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 21 | 4.4 | 3 | 1 | 2 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 6 | 3.8 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 764 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 138 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 18 | 4.2 | 7 | 2 | 2 | 3 | 5 | 8 | 10 | 11 |
| 50-64 | 12 | 4.8 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 9 | 6.7 | 20 | 1 | 1 | 7 | 8 | 13 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 5.6 | 11 | 3 | 3 | 5 | 6 | 9 | 11 | 19 |
| 20-34 | 117 | 6.6 | 22 | 3 | 3 | 5 | 8 | 13 | 16 | 27 |
| 35-49 | 13 | 6.5 | 9 | 3 | 3 | 7 | 9 | 10 | 12 | 12 |
| 50-64 | 5 | 9.0 | 32 | 3 | 3 | 9 | 11 | 18 | 18 | 18 |
| 65+ | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1853 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 710 | 4.4 | 5 | 2 | 3 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 941 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | 367 | 6.0 | 15 | 3 | 3 | 5 | 7 | 10 | 13 | 19 |
| **1. SINGLE DX** | 2563 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1308 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 2794 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| **B. OPERATED** | 1077 | 4.9 | 9 | 2 | 3 | 4 | 6 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 3035 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 704 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 85 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 28 | 5.3 | 9 | 3 | 3 | 5 | 6 | 8 | 10 | 18 |
| 65+ | 19 | 4.9 | 12 | 1 | 1 | 4 | 7 | 9 | 13 | 16 |
| **GRAND TOTAL** | 3871 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 4.5 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | 33 | 3.6 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 12 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | 7 | 4.6 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 5 | 4.2 | 9 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 4.0 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 20-34 | 134 | 4.1 | 22 | 1 | 1 | 3 | 5 | 7 | 13 | 26 |
| 35-49 | 54 | 5.6 | 48 | 1 | 1 | 3 | 5 | 14 | 23 | 37 |
| 50-64 | 36 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 12 | 17 |
| 65+ | 18 | 4.8 | 12 | 2 | 2 | 4 | 5 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 10 | 13 |
| 20-34 | 36 | 4.4 | 8 | <1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 17 | 7.4 | 31 | 1 | 2 | 7 | 9 | 15 | 21 | 24 |
| 50-64 | 16 | 7.7 | 96 | 1 | 2 | 5 | 7 | 15 | 34 | 42 |
| 65+ | 11 | 6.8 | 29 | 1 | 2 | 5 | 9 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 5.4 | 40 | 1 | 1 | 4 | 7 | 11 | 14 | 35 |
| 20-34 | 60 | 6.2 | 30 | 2 | 2 | 4 | 9 | 12 | 18 | 26 |
| 35-49 | 51 | 5.9 | 23 | 2 | 2 | 5 | 7 | 13 | 16 | 23 |
| 50-64 | 53 | 7.4 | 50 | 2 | 2 | 5 | 10 | 18 | 23 | 35 |
| 65+ | 26 | 7.8 | 22 | 2 | 2 | 7 | 9 | 16 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 290 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| B. *Operated* | 404 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 5.0 | 17 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| B. *Operated* | 296 | 6.2 | 35 | 1 | 2 | 4 | 8 | 12 | 17 | 28 |
| **1. SINGLE DX** | 694 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 524 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 518 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 700 | 5.1 | 27 | 1 | 2 | 3 | 6 | 11 | 15 | 24 |
| TOTAL 0-19 YRS | 649 | 4.5 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 20-34 | 263 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| 35-49 | 134 | 5.8 | 33 | 1 | 2 | 4 | 7 | 13 | 17 | 27 |
| 50-64 | 112 | 6.3 | 43 | 1 | 2 | 4 | 7 | 12 | 20 | 38 |
| 65+ | 60 | 6.4 | 21 | 1 | 2 | 5 | 9 | 14 | 17 | 17 |
| **GRAND TOTAL** | 1218 | 4.9 | 20 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 17 | 1 | 1 | 3 | 7 | 11 | 12 | 12 |
| 20-34 | 59 | 12.5 | 151 | 1 | 2 | 9 | 17 | 27 | 36 | 67 |
| 35-49 | 20 | 11.0 | 81 | 2 | 3 | 7 | 15 | 25 | 31 | 35 |
| 50-64 | 16 | 12.0 | 244 | <1 | 1 | 6 | 12 | 46 | 50 | 51 |
| 65+ | 17 | 11.2 | 100 | 1 | 2 | 10 | 14 | 26 | 35 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 12.7 | 218 | <1 | 1 | 7 | 12 | 43 | 46 | 47 |
| 20-34 | 57 | 13.7 | 136 | 2 | 2 | 11 | 20 | 28 | 37 | 55 |
| 35-49 | 41 | 13.1 | 171 | 2 | 3 | 8 | 16 | 32 | 44 | 54 |
| 50-64 | 64 | 15.5 | 284 | 3 | 4 | 9 | 19 | 39 | 52 | 82 |
| 65+ | 132 | 11.7 | 93 | 2 | 3 | 10 | 15 | 23 | 30 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 29.2 | 194 | 10 | 10 | 31 | 41 | 44 | 44 | 44 |
| 35-49 | 4 | 37.3 | 672 | 6 | 6 | 39 | 58 | 64 | 64 | 64 |
| 50-64 | 6 | 20.2 | 169 | 6 | 6 | 20 | 32 | 35 | 35 | 35 |
| 65+ | 20 | 14.1 | 110 | 5 | 6 | 10 | 18 | 27 | 38 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 11.5 | 136 | 1 | 2 | 7 | 15 | 27 | 37 | 57 |
| B. *Operated* | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 314 | 13.1 | 157 | 2 | 3 | 9 | 17 | 28 | 41 | 55 |
| B. *Operated* | 35 | 19.9 | 237 | 6 | 6 | 13 | 29 | 44 | 51 | 64 |
| **1. SINGLE DX** | 121 | 11.6 | 136 | 1 | 2 | 7 | 15 | 27 | 37 | 56 |
| **2. MULTIPLE DX** | 349 | 13.8 | 169 | 2 | 3 | 10 | 18 | 30 | 44 | 56 |
| **A. NOT OPERATED** | 433 | 12.7 | 152 | 2 | 3 | 9 | 16 | 27 | 40 | 55 |
| **B. OPERATED** | 37 | 19.6 | 233 | 5 | 6 | 13 | 28 | 43 | 51 | 64 |
| TOTAL 0-19 YRS | 27 | 10.5 | 177 | 1 | 1 | 7 | 10 | 37 | 46 | 47 |
| 20-34 | 121 | 13.8 | 153 | 1 | 2 | 10 | 20 | 29 | 40 | 60 |
| 35-49 | 65 | 13.9 | 200 | 2 | 3 | 8 | 17 | 34 | 52 | 63 |
| 50-64 | 88 | 15.1 | 264 | 2 | 3 | 8 | 20 | 38 | 51 | 80 |
| 65+ | 169 | 11.9 | 95 | 2 | 3 | 10 | 15 | 24 | 30 | 48 |
| **GRAND TOTAL** | **470** | **13.2** | **161** | **2** | **3** | **9** | **17** | **28** | **41** | **56** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 265 | 3.2 | 35 | 1 | 1 | 2 | 3 | 5 | 7 | 31 |
| 20-34 | 191 | 4.5 | 24 | 1 | 1 | 3 | 5 | 9 | 14 | 26 |
| 35-49 | 72 | 7.9 | 74 | 1 | 2 | 5 | 9 | 22 | 28 | 39 |
| 50-64 | 121 | 11.5 | 130 | 1 | 2 | 8 | 16 | 25 | 36 | 69 |
| 65+ | 674 | 10.9 | 94 | 2 | 3 | 8 | 14 | 22 | 30 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 39 | <1 | <1 | 2 | 4 | 16 | 17 | 17 |
| 20-34 | 7 | 4.1 | 8 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 5 | 6.2 | 26 | 2 | 2 | 3 | 8 | 15 | 15 | 15 |
| 50-64 | 12 | 11.0 | 107 | 2 | 3 | 7 | 17 | 26 | 35 | 36 |
| 65+ | 22 | 13.8 | 146 | 3 | 4 | 8 | 22 | 28 | 39 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 277 | 5.5 | 74 | 1 | 1 | 3 | 5 | 11 | 20 | 50 |
| 20-34 | 358 | 8.7 | 117 | 1 | 2 | 5 | 9 | 19 | 31 | 66 |
| 35-49 | 234 | 10.6 | 103 | 2 | 3 | 7 | 12 | 23 | 31 | 53 |
| 50-64 | 517 | 13.5 | 166 | 2 | 3 | 10 | 16 | 31 | 41 | 65 |
| 65+ | 4251 | 12.2 | 103 | 3 | 4 | 9 | 15 | 24 | 31 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 11.4 | 394 | <1 | 1 | 4 | 11 | 31 | 65 | 77 |
| 20-34 | 34 | 15.3 | 359 | 1 | 3 | 8 | 15 | 43 | 64 | 81 |
| 35-49 | 24 | 13.8 | 58 | 4 | 6 | 13 | 18 | 25 | 51 | 99+ |
| 50-64 | 71 | 19.4 | 204 | 3 | 5 | 16 | 25 | 38 | 48 | 67 |
| 65+ | 392 | 20.0 | 196 | 4 | 7 | 17 | 26 | 39 | 47 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1323 | 8.3 | 86 | 1 | 1 | 5 | 10 | 19 | 27 | 47 |
| B. *Operated* | 52 | 10.1 | 106 | 1 | 2 | 6 | 16 | 23 | 30 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5637 | 11.7 | 111 | 2 | 3 | 9 | 15 | 24 | 31 | 56 |
| B. *Operated* | 536 | 19.1 | 209 | 3 | 5 | 15 | 25 | 38 | 49 | 80 |
| **1. SINGLE DX** | 1375 | 8.4 | 86 | 1 | 1 | 5 | 10 | 19 | 27 | 47 |
| **2. MULTIPLE DX** | 6173 | 12.3 | 124 | 2 | 3 | 9 | 15 | 25 | 34 | 59 |
| **A. NOT OPERATED** | 6960 | 11.0 | 108 | 2 | 2 | 8 | 14 | 23 | 31 | 55 |
| **B. OPERATED** | 588 | 18.3 | 207 | 2 | 4 | 14 | 24 | 37 | 47 | 79 |
| TOTAL 0-19 YRS | 563 | 4.6 | 66 | 1 | 1 | 2 | 4 | 8 | 17 | 44 |
| 20-34 | 590 | 7.7 | 106 | 1 | 1 | 5 | 8 | 16 | 26 | 64 |
| 35-49 | 335 | 10.2 | 95 | 2 | 2 | 7 | 12 | 24 | 31 | 53 |
| 50-64 | 721 | 13.7 | 166 | 2 | 3 | 10 | 17 | 31 | 41 | 66 |
| 65+ | 5339 | 12.6 | 113 | 3 | 4 | 10 | 16 | 25 | 33 | 56 |
| **GRAND TOTAL** | **7548** | **11.6** | **119** | **2** | **2** | **8** | **15** | **24** | **33** | **57** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 65+ | 21 | 9.0 | 29 | 2 | 3 | 8 | 12 | 15 | 20 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 12.5 | 61 | 7 | 7 | 12 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 2 | 18.5 | 5 | 17 | 17 | 18 | 20 | 20 | 20 | 20 |
| 50-64 | 13 | 19.8 | 302 | 4 | 6 | 13 | 25 | 50 | 56 | 57 |
| 65+ | 204 | 13.0 | 82 | 3 | 4 | 11 | 16 | 23 | 29 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 19.5 | 41 | 15 | 15 | 19 | 24 | 24 | 24 | 24 |
| 65+ | 11 | 21.0 | 469 | 2 | 3 | 15 | 21 | 61 | 68 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 10.2 | 59 | 2 | 3 | 8 | 13 | 18 | 29 | 35 |
| B. *Operated* | 2 | 12.5 | 61 | 7 | 7 | 12 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 13.4 | 96 | 3 | 4 | 11 | 17 | 23 | 35 | 51 |
| B. *Operated* | 13 | 20.8 | 395 | 2 | 3 | 15 | 22 | 59 | 67 | 69 |
| **1. SINGLE DX** | 24 | 10.4 | 57 | 2 | 4 | 8 | 13 | 19 | 28 | 35 |
| **2. MULTIPLE DX** | 233 | 13.8 | 114 | 3 | 4 | 11 | 17 | 24 | 38 | 58 |
| **A. NOT OPERATED** | 242 | 13.1 | 93 | 3 | 4 | 11 | 16 | 23 | 35 | 49 |
| **B. OPERATED** | 15 | 19.7 | 351 | 2 | 4 | 15 | 21 | 56 | 66 | 69 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 2 | 18.5 | 5 | 17 | 17 | 18 | 20 | 20 | 20 | 20 |
| 50-64 | 16 | 20.7 | 259 | 4 | 7 | 15 | 29 | 47 | 54 | 57 |
| 65+ | 238 | 13.0 | 97 | 3 | 4 | 11 | 16 | 23 | 30 | 57 |
| **GRAND TOTAL** | **257** | **13.5** | **109** | **3** | **4** | **11** | **17** | **24** | **36** | **57** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.6 | 26 | <1 | <1 | 2 | 3 | 12 | 16 | 16 |
| 20-34 | 69 | 6.6 | 133 | <1 | 1 | 3 | 5 | 13 | 27 | 74 |
| 35-49 | 129 | 5.8 | 39 | 1 | 1 | 4 | 6 | 11 | 17 | 37 |
| 50-64 | 80 | 8.4 | 74 | 1 | 2 | 6 | 10 | 17 | 25 | 49 |
| 65+ | 29 | 8.3 | 57 | <1 | 1 | 6 | 9 | 20 | 25 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 30.5 | 41 | 26 | 26 | 30 | 35 | 35 | 35 | 35 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.5 | 150 | 1 | 1 | 3 | 5 | 31 | 37 | 37 |
| 20-34 | 356 | 6.1 | 33 | 1 | 2 | 4 | 7 | 12 | 20 | 29 |
| 35-49 | 722 | 7.3 | 47 | 2 | 2 | 5 | 9 | 14 | 22 | 31 |
| 50-64 | 699 | 8.6 | 58 | 2 | 2 | 6 | 11 | 18 | 26 | 38 |
| 65+ | 238 | 11.7 | 108 | 2 | 3 | 8 | 15 | 23 | 31 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 18 | 9.8 | 57 | 2 | 2 | 7 | 10 | 22 | 27 | 30 |
| 35-49 | 41 | 14.8 | 169 | 3 | 4 | 10 | 19 | 30 | 44 | 65 |
| 50-64 | 43 | 16.7 | 139 | 4 | 6 | 14 | 19 | 34 | 42 | 56 |
| 65+ | 24 | 24.6 | 235 | 8 | 9 | 19 | 31 | 48 | 59 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 315 | 6.8 | 71 | 1 | 1 | 4 | 8 | 14 | 24 | 38 |
| B. *Operated* | 3 | 24.3 | 134 | 12 | 12 | 26 | 33 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2025 | 8.1 | 58 | 2 | 2 | 6 | 10 | 17 | 24 | 37 |
| B. *Operated* | 126 | 16.6 | 172 | 3 | 4 | 13 | 22 | 33 | 47 | 61 |
| **1. SINGLE DX** | 318 | 7.0 | 74 | 1 | 1 | 4 | 8 | 15 | 24 | 38 |
| **2. MULTIPLE DX** | 2151 | 8.6 | 69 | 2 | 2 | 6 | 10 | 19 | 26 | 42 |
| **A. NOT OPERATED** | 2340 | 7.9 | 60 | 2 | 2 | 5 | 9 | 17 | 24 | 37 |
| **B. OPERATED** | 129 | 16.8 | 171 | 3 | 4 | 13 | 22 | 34 | 47 | 61 |
| TOTAL 0-19 YRS | 18 | 6.3 | 96 | <1 | 1 | 3 | 4 | 22 | 32 | 37 |
| 20-34 | 444 | 6.3 | 50 | 1 | 2 | 4 | 7 | 12 | 22 | 30 |
| 35-49 | 892 | 7.4 | 54 | 1 | 2 | 5 | 9 | 14 | 23 | 36 |
| 50-64 | 824 | 9.0 | 68 | 2 | 2 | 6 | 11 | 19 | 26 | 41 |
| 65+ | 291 | 12.4 | 127 | 2 | 3 | 9 | 15 | 27 | 35 | 59 |
| **GRAND TOTAL** | **2469** | **8.3** | **70** | **2** | **2** | **6** | **10** | **18** | **25** | **42** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 10.1 | 121 | 1 | 1 | 7 | 12 | 27 | 36 | 46 |
| 20-34 | 87 | 8.2 | 91 | <1 | 1 | 5 | 10 | 20 | 27 | 50 |
| 35-49 | 23 | 6.3 | 38 | 1 | 1 | 3 | 9 | 15 | 20 | 25 |
| 50-64 | 8 | 5.9 | 47 | 2 | 2 | 3 | 6 | 18 | 22 | 22 |
| 65+ | 8 | 5.8 | 9 | <1 | 1 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 10.8 | 177 | <1 | 1 | 6 | 15 | 25 | 42 | 61 |
| 20-34 | 151 | 8.6 | 86 | 1 | 1 | 6 | 10 | 19 | 27 | 50 |
| 35-49 | 55 | 8.5 | 53 | 1 | 2 | 6 | 12 | 18 | 23 | 37 |
| 50-64 | 64 | 9.3 | 62 | 2 | 3 | 6 | 10 | 24 | 28 | 31 |
| 65+ | 81 | 11.0 | 85 | 2 | 3 | 8 | 13 | 22 | 30 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 19.8 | 201 | 3 | 5 | 18 | 31 | 38 | 42 | 42 |
| 35-49 | 2 | 15.0 | 200 | 5 | 5 | 15 | 25 | 25 | 25 | 25 |
| 50-64 | 5 | 16.2 | 508 | 2 | 2 | 6 | 23 | 56 | 56 | 56 |
| 65+ | 4 | 16.5 | 40 | 7 | 7 | 19 | 20 | 20 | 20 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 172 | 8.2 | 87 | 1 | 1 | 5 | 10 | 21 | 27 | 46 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 388 | 9.4 | 86 | 1 | 2 | 6 | 11 | 22 | 28 | 50 |
| B. *Operated* | 21 | 17.9 | 212 | 3 | 4 | 12 | 27 | 37 | 48 | 56 |
| **1. SINGLE DX** | 173 | 8.2 | 87 | 1 | 1 | 5 | 10 | 21 | 27 | 46 |
| **2. MULTIPLE DX** | 409 | 9.8 | 96 | 1 | 2 | 6 | 12 | 22 | 30 | 51 |
| **A. NOT OPERATED** | 560 | 9.0 | 86 | 1 | 1 | 6 | 11 | 22 | 28 | 49 |
| **B. OPERATED** | 22 | 17.2 | 210 | 3 | 4 | 11 | 26 | 36 | 48 | 56 |
| TOTAL 0-19 YRS | 83 | 10.4 | 144 | 1 | 1 | 6 | 13 | 26 | 37 | 57 |
| 20-34 | 249 | 8.9 | 96 | 1 | 1 | 6 | 10 | 21 | 30 | 50 |
| 35-49 | 80 | 8.0 | 52 | 1 | 2 | 5 | 11 | 18 | 23 | 34 |
| 50-64 | 77 | 9.4 | 87 | 2 | 3 | 6 | 10 | 24 | 29 | 49 |
| 65+ | 93 | 10.8 | 80 | 2 | 3 | 8 | 13 | 21 | 29 | 50 |
| **GRAND TOTAL** | **582** | **9.3** | **93** | **1** | **2** | **6** | **11** | **22** | **29** | **50** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 23.0 | 349 | 2 | 4 | 20 | 31 | 52 | 64 | 98 |
| 20-34 | 1753 | 17.1 | 194 | 2 | 3 | 14 | 23 | 35 | 45 | 70 |
| 35-49 | 790 | 17.1 | 174 | 3 | 4 | 14 | 23 | 34 | 42 | 69 |
| 50-64 | 323 | 17.4 | 178 | 3 | 5 | 14 | 21 | 36 | 46 | 66 |
| 65+ | 60 | 16.8 | 150 | 2 | 4 | 15 | 24 | 35 | 48 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 48.5 | 1 | 48 | 48 | 48 | 49 | 49 | 49 | 49 |
| 20-34 | 5 | 16.2 | 76 | 10 | 10 | 12 | 20 | 31 | 31 | 31 |
| 35-49 | 4 | 22.5 | 25 | 16 | 16 | 23 | 26 | 28 | 28 | 28 |
| 50-64 | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 65+ | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 26.8 | 495 | 3 | 5 | 19 | 42 | 64 | 90 | 99+ |
| 20-34 | 738 | 20.2 | 247 | 2 | 4 | 17 | 27 | 43 | 53 | 77 |
| 35-49 | 473 | 17.6 | 152 | 3 | 5 | 15 | 23 | 35 | 43 | 61 |
| 50-64 | 295 | 19.9 | 187 | 4 | 6 | 16 | 27 | 39 | 48 | 67 |
| 65+ | 104 | 18.6 | 153 | 3 | 5 | 16 | 28 | 35 | 40 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 39.7 | 282 | 25 | 25 | 36 | 52 | 58 | 58 | 58 |
| 20-34 | 42 | 21.4 | 197 | 4 | 7 | 18 | 27 | 44 | 51 | 63 |
| 35-49 | 39 | 31.1 | 436 | 8 | 12 | 25 | 38 | 54 | 86 | 98 |
| 50-64 | 22 | 26.1 | 242 | 4 | 7 | 23 | 37 | 50 | 55 | 60 |
| 65+ | 4 | 29.3 | 485 | 6 | 6 | 26 | 43 | 59 | 59 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3097 | 17.5 | 196 | 2 | 4 | 14 | 23 | 36 | 45 | 74 |
| B. *Operated* | 13 | 26.5 | 185 | 10 | 11 | 24 | 36 | 48 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1682 | 19.6 | 217 | 3 | 5 | 16 | 26 | 41 | 50 | 76 |
| B. *Operated* | 110 | 26.6 | 314 | 6 | 8 | 21 | 35 | 50 | 59 | 92 |
| **1. SINGLE DX** | 3110 | 17.5 | 197 | 2 | 4 | 14 | 23 | 36 | 46 | 74 |
| **2. MULTIPLE DX** | 1792 | 20.0 | 226 | 3 | 5 | 17 | 27 | 42 | 51 | 77 |
| **A. NOT OPERATED** | 4779 | 18.2 | 205 | 2 | 4 | 15 | 24 | 38 | 47 | 75 |
| **B. OPERATED** | 123 | 26.6 | 299 | 6 | 9 | 22 | 35 | 49 | 56 | 91 |
| TOTAL 0-19 YRS | 248 | 24.5 | 395 | 2 | 4 | 20 | 36 | 55 | 76 | 99+ |
| 20-34 | 2538 | 18.1 | 211 | 2 | 4 | 15 | 24 | 38 | 48 | 72 |
| 35-49 | 1306 | 17.8 | 179 | 3 | 4 | 15 | 23 | 35 | 43 | 71 |
| 50-64 | 641 | 18.9 | 187 | 4 | 6 | 15 | 25 | 38 | 48 | 66 |
| 65+ | 169 | 18.3 | 160 | 3 | 5 | 16 | 26 | 35 | 42 | 68 |
| **GRAND TOTAL** | **4902** | **18.4** | **209** | **2** | **4** | **15** | **25** | **38** | **48** | **75** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 21.1 | 278 | 3 | 4 | 16 | 36 | 54 | 83 | 99+ |
| 20-34 | 126 | 15.9 | 149 | 3 | 4 | 13 | 20 | 31 | 40 | 68 |
| 35-49 | 33 | 15.4 | 152 | 3 | 4 | 11 | 20 | 30 | 31 | 64 |
| 50-64 | 14 | 13.1 | 42 | 4 | 6 | 13 | 16 | 24 | 26 | 26 |
| 65+ | 5 | 17.4 | 151 | 1 | 1 | 22 | 25 | 32 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 29.6 | 440 | 5 | 6 | 23 | 42 | 67 | 73 | 75 |
| 20-34 | 56 | 17.8 | 124 | 5 | 7 | 15 | 21 | 35 | 42 | 50 |
| 35-49 | 17 | 15.8 | 267 | 4 | 5 | 11 | 16 | 29 | 59 | 74 |
| 50-64 | 11 | 12.9 | 45 | 4 | 4 | 15 | 17 | 20 | 25 | 25 |
| 65+ | 5 | 13.4 | 174 | 2 | 2 | 6 | 23 | 34 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 45.0 | | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 20-34 | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 16.6 | 166 | 3 | 4 | 13 | 21 | 34 | 44 | 85 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 18.6 | 206 | 5 | 6 | 16 | 22 | 40 | 44 | 74 |
| B. *Operated* | 3 | 32.0 | 367 | 10 | 10 | 41 | 44 | 45 | 45 | 45 |
| **1. SINGLE DX** | 214 | 16.6 | 166 | 3 | 4 | 13 | 21 | 34 | 44 | 85 |
| **2. MULTIPLE DX** | 108 | 18.9 | 212 | 5 | 6 | 16 | 23 | 41 | 45 | 74 |
| **A. NOT OPERATED** | 319 | 17.2 | 180 | 3 | 5 | 14 | 21 | 35 | 44 | 76 |
| **B. OPERATED** | 3 | 32.0 | 367 | 10 | 10 | 41 | 44 | 45 | 45 | 45 |
| TOTAL 0-19 YRS | 53 | 24.1 | 337 | 3 | 5 | 22 | 41 | 56 | 73 | 99+ |
| 20-34 | 183 | 16.6 | 144 | 3 | 5 | 14 | 20 | 34 | 41 | 60 |
| 35-49 | 50 | 15.5 | 186 | 4 | 5 | 11 | 19 | 30 | 31 | 74 |
| 50-64 | 26 | 12.9 | 40 | 4 | 5 | 14 | 16 | 23 | 25 | 26 |
| 65+ | 10 | 15.4 | 149 | 1 | 1 | 14 | 23 | 33 | 34 | 34 |
| **GRAND TOTAL** | **322** | **17.4** | **182** | **3** | **5** | **14** | **21** | **36** | **44** | **76** |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 432 | 23.0 | 348 | 2 | 4 | 19 | 33 | 49 | 68 | 99 |
| 20-34 | 2909 | 17.9 | 217 | 2 | 3 | 14 | 25 | 39 | 49 | 76 |
| 35-49 | 1354 | 16.5 | 181 | 2 | 3 | 13 | 22 | 34 | 43 | 65 |
| 50-64 | 672 | 17.5 | 194 | 3 | 4 | 14 | 23 | 36 | 45 | 79 |
| 65+ | 128 | 17.4 | 151 | 3 | 5 | 14 | 24 | 32 | 45 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 28.8 | 125 | 19 | 19 | 27 | 38 | 42 | 42 | 42 |
| 20-34 | 6 | 23.7 | 37 | 13 | 14 | 26 | 28 | 29 | 29 | 29 |
| 35-49 | 8 | 10.9 | 35 | 4 | 5 | 10 | 13 | 20 | 23 | 23 |
| 50-64 | 1 | 45.0 | | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 21.9 | 293 | 3 | 4 | 18 | 34 | 51 | 60 | 99+ |
| 20-34 | 1474 | 18.6 | 230 | 2 | 4 | 15 | 25 | 40 | 50 | 80 |
| 35-49 | 867 | 16.8 | 191 | 3 | 4 | 13 | 22 | 35 | 44 | 74 |
| 50-64 | 655 | 18.8 | 204 | 3 | 5 | 15 | 25 | 37 | 49 | 75 |
| 65+ | 254 | 16.6 | 155 | 3 | 5 | 14 | 22 | 31 | 39 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 39.6 | 398 | 14 | 16 | 36 | 54 | 69 | 77 | 78 |
| 20-34 | 117 | 25.8 | 257 | 5 | 7 | 25 | 38 | 48 | 63 | 99+ |
| 35-49 | 67 | 28.7 | 304 | 7 | 9 | 25 | 38 | 51 | 67 | 81 |
| 50-64 | 64 | 30.0 | 417 | 4 | 8 | 26 | 44 | 59 | 67 | 93 |
| 65+ | 19 | 21.8 | 280 | 7 | 8 | 16 | 29 | 52 | 62 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5495 | 17.9 | 216 | 2 | 3 | 14 | 24 | 38 | 48 | 77 |
| B. *Operated* | 19 | 20.5 | 138 | 5 | 7 | 20 | 28 | 39 | 44 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3461 | 18.2 | 215 | 3 | 4 | 15 | 24 | 38 | 50 | 79 |
| B. *Operated* | 278 | 27.8 | 319 | 6 | 8 | 25 | 39 | 53 | 65 | 91 |
| **1. SINGLE DX** | 5514 | 17.9 | 216 | 2 | 3 | 14 | 24 | 38 | 48 | 77 |
| **2. MULTIPLE DX** | 3739 | 18.9 | 229 | 3 | 4 | 15 | 25 | 39 | 51 | 79 |
| **A. NOT OPERATED** | 8956 | 18.0 | 216 | 2 | 4 | 14 | 24 | 38 | 49 | 78 |
| **B. OPERATED** | 297 | 27.3 | 310 | 6 | 8 | 24 | 38 | 51 | 65 | 89 |
| TOTAL 0-19 YRS | 658 | 23.0 | 334 | 2 | 4 | 19 | 34 | 50 | 64 | 99+ |
| 20-34 | 4506 | 18.3 | 223 | 2 | 3 | 15 | 25 | 40 | 50 | 78 |
| 35-49 | 2296 | 16.9 | 192 | 2 | 4 | 13 | 22 | 35 | 44 | 70 |
| 50-64 | 1392 | 18.7 | 215 | 3 | 4 | 15 | 25 | 37 | 49 | 78 |
| 65+ | 401 | 17.1 | 160 | 3 | 5 | 14 | 23 | 32 | 41 | 71 |
| **GRAND TOTAL** | **9253** | **18.3** | **222** | **2** | **4** | **15** | **25** | **39** | **49** | **78** |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 32.4 | 634 | 3 | 4 | 29 | 49 | 70 | 75 | 75 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 22.7 | 455 | 2 | 3 | 19 | 39 | 71 | 92 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 32.4 | 634 | 3 | 4 | 29 | 49 | 70 | 75 | 75 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 22.7 | 455 | 2 | 3 | 19 | 39 | 71 | 92 | 99+ |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 8 | 32.4 | 634 | 3 | 4 | 29 | 49 | 70 | 75 | 75 |
| **2. MULTIPLE DX** | 17 | 21.5 | 450 | 2 | 3 | 16 | 37 | 68 | 90 | 99+ |
| **A. NOT OPERATED** | 24 | 25.9 | 512 | 2 | 3 | 24 | 41 | 75 | 82 | 99+ |
| **B. OPERATED** | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| TOTAL 0-19 YRS | 25 | 25.0 | 512 | 2 | 3 | 21 | 39 | 73 | 81 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **25** | **25.0** | **512** | **2** | **3** | **21** | **39** | **73** | **81** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 21.4 | 336 | 2 | 3 | 16 | 33 | 49 | 58 | 97 |
| 20-34 | 1149 | 14.6 | 176 | 1 | 2 | 11 | 20 | 31 | 42 | 66 |
| 35-49 | 1009 | 16.2 | 169 | 2 | 3 | 14 | 22 | 33 | 41 | 67 |
| 50-64 | 948 | 18.5 | 202 | 1 | 4 | 16 | 25 | 37 | 48 | 68 |
| 65+ | 596 | 20.3 | 204 | 2 | 4 | 18 | 27 | 39 | 48 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 16.1 | 132 | 5 | 5 | 13 | 23 | 35 | 39 | 39 |
| 35-49 | 8 | 30.9 | 281 | 11 | 12 | 31 | 38 | 56 | 63 | 63 |
| 50-64 | 10 | 29.0 | 387 | 5 | 6 | 23 | 52 | 57 | 62 | 62 |
| 65+ | 7 | 25.1 | 258 | 5 | 5 | 26 | 33 | 48 | 51 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 200 | 17.4 | 275 | 2 | 2 | 13 | 25 | 42 | 57 | 99+ |
| 20-34 | 1554 | 16.4 | 198 | 2 | 3 | 13 | 23 | 35 | 44 | 74 |
| 35-49 | 1500 | 16.9 | 183 | 2 | 4 | 13 | 23 | 35 | 44 | 70 |
| 50-64 | 1372 | 19.0 | 189 | 3 | 5 | 16 | 25 | 37 | 45 | 73 |
| 65+ | 1181 | 20.6 | 260 | 3 | 5 | 16 | 28 | 43 | 52 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 39.5 | 660 | 8 | 9 | 38 | 64 | 76 | 80 | 81 |
| 20-34 | 125 | 24.4 | 261 | 7 | 7 | 21 | 35 | 49 | 60 | 99+ |
| 35-49 | 162 | 23.5 | 264 | 5 | 8 | 20 | 33 | 44 | 55 | 89 |
| 50-64 | 150 | 25.6 | 189 | 8 | 9 | 25 | 33 | 45 | 58 | 99 |
| 65+ | 120 | 32.1 | 371 | 8 | 10 | 28 | 46 | 66 | 71 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3869 | 17.2 | 197 | 1 | 3 | 14 | 23 | 36 | 45 | 68 |
| B. *Operated* | 34 | 25.2 | 279 | 5 | 6 | 23 | 35 | 52 | 60 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5807 | 18.0 | 210 | 2 | 4 | 15 | 25 | 37 | 47 | 74 |
| B. *Operated* | 570 | 26.4 | 287 | 7 | 9 | 23 | 35 | 54 | 67 | 99+ |
| **1. SINGLE DX** | 3903 | 17.2 | 198 | 1 | 3 | 14 | 23 | 36 | 46 | 68 |
| **2. MULTIPLE DX** | 6377 | 18.8 | 222 | 2 | 4 | 15 | 26 | 39 | 49 | 78 |
| **A. NOT OPERATED** | 9676 | 17.7 | 205 | 2 | 3 | 14 | 24 | 37 | 46 | 71 |
| **B. OPERATED** | 604 | 26.3 | 286 | 6 | 8 | 23 | 35 | 53 | 66 | 99+ |
| TOTAL 0-19 YRS | 380 | 19.9 | 330 | 2 | 3 | 15 | 30 | 48 | 67 | 99+ |
| 20-34 | 2837 | 16.0 | 195 | 1 | 3 | 12 | 22 | 35 | 44 | 70 |
| 35-49 | 2679 | 17.1 | 186 | 2 | 3 | 14 | 23 | 35 | 44 | 71 |
| 50-64 | 2480 | 19.3 | 197 | 3 | 5 | 16 | 26 | 37 | 48 | 71 |
| 65+ | 1904 | 21.2 | 257 | 3 | 5 | 18 | 29 | 43 | 53 | 78 |
| **GRAND TOTAL** | **10280** | **18.2** | **213** | **2** | **4** | **15** | **25** | **37** | **48** | **73** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 200 | 21.9 | 346 | 3 | 5 | 16 | 29 | 50 | 60 | 87 |
| 20-34 | 1410 | 17.1 | 177 | 2 | 4 | 14 | 22 | 35 | 43 | 63 |
| 35-49 | 1049 | 16.5 | 163 | 2 | 4 | 14 | 22 | 33 | 40 | 64 |
| 50-64 | 588 | 18.8 | 171 | 3 | 5 | 16 | 25 | 36 | 44 | 60 |
| 65+ | 184 | 20.4 | 233 | 3 | 5 | 16 | 28 | 42 | 47 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 12.0 | 84 | 2 | 2 | 14 | 18 | 20 | 20 | 20 |
| 35-49 | 7 | 12.7 | 40 | 5 | 6 | 10 | 18 | 22 | 22 | 22 |
| 50-64 | 7 | 40.1 | 1190 | 10 | 10 | 28 | 70 | 93 | 95 | 95 |
| 65+ | 5 | 23.2 | 147 | 10 | 10 | 22 | 32 | 40 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 24.4 | 330 | 4 | 4 | 20 | 35 | 50 | 61 | 88 |
| 20-34 | 841 | 18.5 | 204 | 3 | 4 | 15 | 24 | 38 | 48 | 71 |
| 35-49 | 813 | 17.9 | 159 | 3 | 5 | 15 | 24 | 36 | 44 | 61 |
| 50-64 | 625 | 19.9 | 217 | 4 | 6 | 17 | 25 | 37 | 49 | 85 |
| 65+ | 314 | 21.3 | 238 | 5 | 7 | 17 | 29 | 41 | 49 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 24.6 | 366 | 7 | 7 | 18 | 37 | 56 | 65 | 65 |
| 20-34 | 55 | 28.0 | 230 | 7 | 9 | 28 | 39 | 49 | 54 | 64 |
| 35-49 | 89 | 26.5 | 282 | 7 | 9 | 23 | 36 | 46 | 62 | 81 |
| 50-64 | 65 | 29.1 | 307 | 8 | 10 | 26 | 39 | 52 | 61 | 89 |
| 65+ | 38 | 25.4 | 186 | 3 | 9 | 24 | 33 | 44 | 51 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3431 | 17.7 | 186 | 2 | 4 | 14 | 23 | 36 | 44 | 68 |
| B. *Operated* | 22 | 23.7 | 538 | 4 | 8 | 17 | 28 | 53 | 88 | 95 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2724 | 19.2 | 206 | 3 | 5 | 16 | 25 | 39 | 47 | 76 |
| B. *Operated* | 257 | 27.2 | 264 | 7 | 9 | 24 | 37 | 49 | 59 | 74 |
| **1. SINGLE DX** | 3453 | 17.7 | 189 | 2 | 4 | 14 | 23 | 36 | 44 | 69 |
| **2. MULTIPLE DX** | 2981 | 19.9 | 216 | 3 | 5 | 17 | 26 | 40 | 49 | 76 |
| **A. NOT OPERATED** | 6155 | 18.4 | 196 | 3 | 4 | 15 | 24 | 37 | 46 | 72 |
| **B. OPERATED** | 279 | 27.0 | 285 | 7 | 9 | 23 | 37 | 49 | 60 | 85 |
| TOTAL 0-19 YRS | 341 | 22.9 | 340 | 3 | 5 | 18 | 32 | 50 | 62 | 86 |
| 20-34 | 2309 | 17.9 | 191 | 2 | 4 | 15 | 23 | 36 | 46 | 64 |
| 35-49 | 1958 | 17.5 | 171 | 3 | 4 | 14 | 23 | 35 | 42 | 64 |
| 50-64 | 1285 | 20.0 | 211 | 4 | 6 | 17 | 26 | 39 | 47 | 84 |
| 65+ | 541 | 21.3 | 232 | 4 | 6 | 17 | 28 | 42 | 49 | 79 |
| **GRAND TOTAL** | **6434** | **18.7** | **202** | **3** | **4** | **15** | **25** | **38** | **46** | **73** |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 18.2 | 275 | 1 | 2 | 14 | 28 | 43 | 54 | 99+ |
| 20-34 | 733 | 14.3 | 170 | 1 | 2 | 11 | 20 | 32 | 43 | 62 |
| 35-49 | 433 | 12.9 | 130 | 1 | 2 | 10 | 18 | 28 | 35 | 61 |
| 50-64 | 315 | 16.1 | 183 | 2 | 3 | 13 | 21 | 34 | 46 | 60 |
| 65+ | 204 | 14.8 | 161 | 2 | 3 | 12 | 21 | 30 | 36 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 36.0 | 1682 | 7 | 7 | 36 | 65 | 65 | 65 | 65 |
| 20-34 | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 35-49 | 3 | 7.0 | 19 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | 10 | 18.9 | 333 | 3 | 3 | 11 | 38 | 46 | 52 | 52 |
| 65+ | 8 | 7.9 | 39 | 2 | 2 | 7 | 10 | 18 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 20.6 | 398 | 1 | 2 | 13 | 32 | 51 | 78 | 99+ |
| 20-34 | 583 | 15.5 | 168 | 2 | 3 | 12 | 20 | 33 | 40 | 64 |
| 35-49 | 439 | 15.5 | 158 | 2 | 3 | 12 | 22 | 35 | 41 | 62 |
| 50-64 | 454 | 15.8 | 157 | 3 | 3 | 13 | 22 | 31 | 42 | 67 |
| 65+ | 941 | 13.6 | 124 | 2 | 3 | 10 | 18 | 27 | 34 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 15.8 | 108 | 2 | 2 | 17 | 25 | 27 | 27 | 27 |
| 20-34 | 33 | 18.6 | 243 | 3 | 5 | 17 | 26 | 32 | 57 | 73 |
| 35-49 | 30 | 25.6 | 239 | 5 | 7 | 24 | 37 | 53 | 64 | 99+ |
| 50-64 | 43 | 21.6 | 235 | 5 | 6 | 20 | 30 | 43 | 59 | 99+ |
| 65+ | 115 | 20.7 | 258 | 4 | 5 | 16 | 29 | 43 | 51 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1831 | 14.7 | 172 | 1 | 2 | 11 | 20 | 32 | 42 | 63 |
| B. *Operated* | 24 | 15.9 | 308 | 2 | 3 | 9 | 20 | 42 | 56 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2532 | 15.1 | 161 | 2 | 3 | 12 | 20 | 31 | 40 | 65 |
| B. *Operated* | 226 | 21.1 | 246 | 4 | 5 | 18 | 29 | 43 | 56 | 89 |
| **1. SINGLE DX** | 1855 | 14.7 | 173 | 1 | 2 | 11 | 20 | 32 | 42 | 65 |
| **2. MULTIPLE DX** | 2758 | 15.6 | 170 | 2 | 3 | 12 | 21 | 33 | 42 | 67 |
| **A. NOT OPERATED** | 4363 | 14.9 | 165 | 2 | 3 | 11 | 20 | 32 | 41 | 65 |
| **B. OPERATED** | 250 | 20.6 | 253 | 3 | 5 | 17 | 28 | 43 | 56 | 86 |
| TOTAL 0-19 YRS | 268 | 19.3 | 331 | 1 | 2 | 14 | 29 | 44 | 65 | 99+ |
| 20-34 | 1350 | 15.0 | 172 | 1 | 3 | 11 | 20 | 33 | 41 | 63 |
| 35-49 | 905 | 14.6 | 152 | 2 | 3 | 11 | 20 | 31 | 39 | 63 |
| 50-64 | 822 | 16.3 | 174 | 2 | 3 | 13 | 22 | 34 | 44 | 67 |
| 65+ | 1268 | 14.4 | 146 | 2 | 3 | 11 | 19 | 29 | 38 | 57 |
| **GRAND TOTAL** | **4613** | **15.2** | **172** | **2** | **3** | **12** | **20** | **32** | **42** | **67** |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 7.9 | 187 | <1 | 1 | 3 | 6 | 21 | 41 | 80 |
| 20-34 | 706 | 6.2 | 52 | 1 | 1 | 4 | 7 | 13 | 21 | 34 |
| 35-49 | 498 | 6.4 | 56 | 1 | 1 | 4 | 7 | 13 | 24 | 43 |
| 50-64 | 271 | 6.4 | 43 | 1 | 1 | 4 | 8 | 14 | 19 | 35 |
| 65+ | 107 | 5.7 | 39 | 1 | 2 | 4 | 7 | 10 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 9 | 6.1 | 10 | 2 | 2 | 5 | 8 | 11 | 12 | 12 |
| 35-49 | 5 | 4.4 | 11 | 2 | 2 | 3 | 6 | 10 | 10 | 10 |
| 50-64 | 8 | 8.1 | 25 | 4 | 4 | 6 | 11 | 16 | 17 | 17 |
| 65+ | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 9.4 | 158 | 1 | 1 | 5 | 11 | 27 | 36 | 68 |
| 20-34 | 1323 | 8.3 | 82 | 1 | 2 | 5 | 10 | 22 | 27 | 44 |
| 35-49 | 1240 | 7.8 | 60 | 1 | 2 | 5 | 9 | 19 | 22 | 39 |
| 50-64 | 986 | 7.0 | 47 | 1 | 2 | 5 | 8 | 15 | 22 | 33 |
| 65+ | 847 | 7.1 | 53 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.2 | 155 | 2 | 3 | 7 | 10 | 35 | 40 | 40 |
| 20-34 | 61 | 13.7 | 142 | 2 | 3 | 9 | 18 | 35 | 41 | 43 |
| 35-49 | 80 | 13.6 | 141 | 2 | 3 | 10 | 17 | 27 | 41 | 59 |
| 50-64 | 58 | 12.4 | 95 | 2 | 4 | 10 | 15 | 27 | 35 | 43 |
| 65+ | 37 | 13.8 | 86 | 3 | 3 | 11 | 21 | 26 | 32 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1780 | 6.4 | 66 | 1 | 1 | 4 | 7 | 13 | 22 | 42 |
| B. *Operated* | 26 | 6.0 | 16 | 1 | 2 | 5 | 8 | 12 | 15 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4657 | 7.7 | 68 | 1 | 2 | 5 | 9 | 19 | 22 | 42 |
| B. *Operated* | 247 | 13.3 | 121 | 2 | 3 | 10 | 17 | 30 | 40 | 44 |
| **1. SINGLE DX** | 1806 | 6.4 | 65 | 1 | 1 | 4 | 7 | 13 | 22 | 42 |
| **2. MULTIPLE DX** | 4904 | 8.0 | 72 | 1 | 2 | 5 | 10 | 20 | 24 | 43 |
| **A. NOT OPERATED** | 6437 | 7.4 | 68 | 1 | 1 | 5 | 8 | 18 | 22 | 42 |
| **B. OPERATED** | 273 | 12.6 | 116 | 2 | 3 | 9 | 16 | 29 | 38 | 43 |
| TOTAL 0-19 YRS | 472 | 8.8 | 169 | 1 | 1 | 4 | 8 | 25 | 39 | 75 |
| 20-34 | 2099 | 7.8 | 75 | 1 | 1 | 5 | 9 | 20 | 25 | 42 |
| 35-49 | 1823 | 7.6 | 64 | 1 | 2 | 5 | 9 | 19 | 23 | 42 |
| 50-64 | 1323 | 7.1 | 49 | 1 | 2 | 5 | 9 | 15 | 22 | 37 |
| 65+ | 993 | 7.2 | 55 | 1 | 2 | 5 | 9 | 14 | 21 | 36 |
| **GRAND TOTAL** | **6710** | **7.6** | **71** | **1** | **2** | **5** | **9** | **18** | **24** | **43** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 539 | 19.1 | 334 | 1 | 2 | 13 | 29 | 46 | 62 | 87 |
| 20-34 | 2294 | 11.2 | 107 | 1 | 2 | 8 | 15 | 25 | 32 | 47 |
| 35-49 | 1678 | 12.6 | 117 | 2 | 3 | 9 | 17 | 27 | 35 | 50 |
| 50-64 | 843 | 13.7 | 128 | 2 | 3 | 11 | 18 | 28 | 35 | 59 |
| 65+ | 341 | 15.1 | 137 | 2 | 3 | 12 | 22 | 33 | 39 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 7 | 18.1 | 159 | 3 | 4 | 18 | 27 | 37 | 39 | 39 |
| 35-49 | 17 | 15.8 | 111 | 3 | 6 | 9 | 25 | 32 | 33 | 34 |
| 50-64 | 5 | 21.8 | 169 | 7 | 7 | 22 | 28 | 42 | 42 | 42 |
| 65+ | 5 | 25.0 | 387 | 8 | 8 | 23 | 34 | 57 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 687 | 20.8 | 318 | 2 | 3 | 16 | 31 | 47 | 63 | 99+ |
| 20-34 | 3028 | 13.4 | 142 | 2 | 3 | 10 | 18 | 30 | 39 | 56 |
| 35-49 | 2479 | 13.0 | 115 | 2 | 3 | 10 | 18 | 27 | 35 | 51 |
| 50-64 | 1567 | 14.3 | 135 | 3 | 4 | 10 | 19 | 31 | 39 | 53 |
| 65+ | 1103 | 13.8 | 136 | 3 | 4 | 10 | 18 | 30 | 38 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 29.8 | 678 | 5 | 6 | 22 | 36 | 68 | 86 | 98 |
| 20-34 | 218 | 22.0 | 223 | 4 | 6 | 19 | 31 | 42 | 52 | 67 |
| 35-49 | 221 | 22.0 | 210 | 5 | 8 | 19 | 29 | 40 | 48 | 78 |
| 50-64 | 127 | 21.3 | 251 | 4 | 6 | 17 | 29 | 42 | 51 | 80 |
| 65+ | 77 | 22.7 | 286 | 4 | 6 | 17 | 32 | 44 | 55 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5695 | 13.0 | 142 | 2 | 3 | 9 | 17 | 29 | 38 | 58 |
| B. *Operated* | 35 | 18.3 | 159 | 4 | 7 | 15 | 25 | 34 | 41 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8864 | 14.1 | 150 | 2 | 3 | 10 | 19 | 31 | 40 | 60 |
| B. *Operated* | 661 | 22.1 | 243 | 5 | 6 | 19 | 30 | 43 | 52 | 80 |
| **1. SINGLE DX** | 5730 | 13.0 | 142 | 2 | 3 | 9 | 18 | 29 | 38 | 58 |
| **2. MULTIPLE DX** | 9525 | 14.6 | 161 | 2 | 3 | 11 | 20 | 32 | 41 | 62 |
| **A. NOT OPERATED** | 14559 | 13.6 | 147 | 2 | 3 | 10 | 19 | 30 | 39 | 60 |
| **B. OPERATED** | 696 | 21.9 | 240 | 4 | 6 | 19 | 29 | 42 | 52 | 80 |
| TOTAL 0-19 YRS | 1245 | 20.2 | 331 | 2 | 3 | 15 | 30 | 47 | 63 | 98 |
| 20-34 | 5547 | 12.8 | 136 | 2 | 2 | 9 | 18 | 29 | 37 | 53 |
| 35-49 | 4395 | 13.3 | 125 | 2 | 3 | 10 | 18 | 28 | 36 | 53 |
| 50-64 | 2542 | 14.5 | 141 | 3 | 4 | 11 | 19 | 31 | 39 | 55 |
| 65+ | 1526 | 14.6 | 148 | 3 | 4 | 11 | 20 | 32 | 40 | 60 |
| **GRAND TOTAL** | **15255** | **14.0** | **154** | **2** | **3** | **10** | **19** | **31** | **40** | **61** |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 413 | 13.8 | 257 | 1 | 1 | 7 | 20 | 38 | 54 | 99+ |
| 20-34 | 954 | 10.6 | 149 | 1 | 1 | 6 | 15 | 27 | 35 | 61 |
| 35-49 | 455 | 9.7 | 109 | 1 | 1 | 6 | 14 | 22 | 29 | 48 |
| 50-64 | 199 | 8.0 | 85 | 1 | 1 | 5 | 12 | 20 | 28 | 42 |
| 65+ | 81 | 12.0 | 228 | 1 | 1 | 7 | 14 | 30 | 48 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.0 | 301 | 2 | 2 | 5 | 8 | 42 | 50 | 50 |
| 20-34 | 31 | 10.4 | 115 | 3 | 3 | 7 | 12 | 16 | 26 | 61 |
| 35-49 | 20 | 8.5 | 18 | 2 | 3 | 8 | 11 | 15 | 16 | 16 |
| 50-64 | 29 | 5.4 | 8 | 2 | 2 | 5 | 6 | 9 | 11 | 14 |
| 65+ | 6 | 5.7 | 4 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 588 | 15.1 | 319 | 1 | 2 | 8 | 21 | 41 | 61 | 99+ |
| 20-34 | 1627 | 11.7 | 150 | 1 | 2 | 8 | 16 | 27 | 37 | 61 |
| 35-49 | 817 | 12.3 | 155 | 1 | 2 | 8 | 17 | 28 | 38 | 64 |
| 50-64 | 479 | 11.7 | 139 | 1 | 2 | 8 | 16 | 25 | 33 | 56 |
| 65+ | 275 | 12.3 | 142 | 2 | 2 | 8 | 16 | 28 | 35 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 20.5 | 475 | 1 | 2 | 13 | 37 | 66 | 94 | 99+ |
| 20-34 | 104 | 20.3 | 316 | 2 | 3 | 13 | 32 | 47 | 56 | 71 |
| 35-49 | 64 | 15.9 | 258 | 1 | 1 | 9 | 24 | 44 | 51 | 61 |
| 50-64 | 68 | 10.3 | 91 | 2 | 3 | 7 | 13 | 20 | 27 | 48 |
| 65+ | 45 | 14.6 | 188 | 3 | 3 | 9 | 21 | 37 | 45 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2102 | 10.9 | 161 | 1 | 1 | 6 | 15 | 27 | 37 | 64 |
| B. *Operated* | 93 | 8.2 | 69 | 2 | 3 | 6 | 9 | 14 | 16 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3786 | 12.4 | 176 | 1 | 2 | 8 | 17 | 29 | 39 | 72 |
| B. *Operated* | 300 | 16.2 | 255 | 2 | 3 | 10 | 23 | 42 | 50 | 71 |
| **1. SINGLE DX** | 2195 | 10.7 | 157 | 1 | 1 | 6 | 14 | 27 | 37 | 63 |
| **2. MULTIPLE DX** | 4086 | 12.7 | 183 | 1 | 2 | 8 | 17 | 30 | 42 | 72 |
| **A. NOT OPERATED** | 5888 | 11.9 | 171 | 1 | 1 | 7 | 16 | 28 | 38 | 70 |
| **B. OPERATED** | 393 | 14.3 | 223 | 2 | 3 | 9 | 17 | 39 | 48 | 66 |
| TOTAL 0-19 YRS | 1027 | 14.7 | 297 | 1 | 2 | 8 | 21 | 41 | 58 | 99+ |
| 20-34 | 2716 | 11.7 | 158 | 1 | 1 | 7 | 16 | 28 | 37 | 62 |
| 35-49 | 1356 | 11.6 | 145 | 1 | 2 | 7 | 16 | 26 | 37 | 62 |
| 50-64 | 775 | 10.4 | 119 | 1 | 1 | 7 | 14 | 24 | 31 | 50 |
| 65+ | 407 | 12.4 | 163 | 1 | 2 | 8 | 15 | 29 | 37 | 61 |
| **GRAND TOTAL** | **6281** | **12.0** | **175** | **1** | **2** | **7** | **16** | **29** | **39** | **70** |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 392 | 14.7 | 177 | <1 | 1 | 11 | 27 | 31 | 36 | 48 |
| 20-34 | 3137 | 15.5 | 123 | 1 | 2 | 14 | 27 | 29 | 31 | 38 |
| 35-49 | 2923 | 14.3 | 118 | 1 | 2 | 12 | 25 | 29 | 30 | 37 |
| 50-64 | 1488 | 14.6 | 130 | 1 | 2 | 13 | 26 | 29 | 31 | 38 |
| 65+ | 294 | 12.9 | 124 | 1 | 2 | 8 | 22 | 28 | 30 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 19.1 | 132 | 5 | 6 | 25 | 29 | 30 | 30 | 30 |
| 35-49 | 2 | 15.0 | 392 | 1 | 1 | 15 | 29 | 29 | 29 | 29 |
| 50-64 | 5 | 12.8 | 77 | 1 | 1 | 11 | 21 | 22 | 22 | 22 |
| 65+ | 1 | 27.0 | | 27 | 27 | 63 | 99+ | 99+ | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 858 | 21.8 | 251 | 1 | 2 | 22 | 33 | 42 | 48 | 63 |
| 20-34 | 5304 | 15.1 | 139 | 1 | 2 | 12 | 26 | 30 | 34 | 44 |
| 35-49 | 6015 | 12.6 | 121 | 2 | 2 | 8 | 21 | 29 | 32 | 40 |
| 50-64 | 4709 | 12.8 | 129 | 2 | 2 | 8 | 21 | 30 | 33 | 46 |
| 65+ | 1515 | 13.5 | 128 | 2 | 3 | 9 | 21 | 29 | 34 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 19.9 | 254 | <1 | 1 | 19 | 31 | 44 | 45 | 46 |
| 20-34 | 182 | 19.3 | 124 | 3 | 5 | 19 | 28 | 34 | 37 | 44 |
| 35-49 | 311 | 20.2 | 150 | 4 | 6 | 20 | 29 | 36 | 44 | 65 |
| 50-64 | 297 | 19.8 | 158 | 5 | 6 | 17 | 28 | 35 | 41 | 57 |
| 65+ | 122 | 21.0 | 145 | 4 | 7 | 21 | 30 | 34 | 40 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8234 | 14.8 | 125 | 1 | 2 | 13 | 26 | 29 | 31 | 38 |
| B. *Operated* | 15 | 17.0 | 123 | 1 | 2 | 21 | 29 | 30 | 79 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18401 | 13.9 | 139 | 2 | 2 | 9 | 23 | 30 | 34 | 46 |
| B. *Operated* | 936 | 20.0 | 149 | 4 | 6 | 19 | 29 | 35 | 41 | 58 |
| **1. SINGLE DX** | 8249 | 14.8 | 125 | 1 | 2 | 13 | 26 | 29 | 31 | 38 |
| **2. MULTIPLE DX** | 19337 | 14.2 | 141 | 2 | 2 | 10 | 24 | 30 | 35 | 47 |
| **A. NOT OPERATED** | 26635 | 14.1 | 135 | 1 | 2 | 10 | 24 | 30 | 33 | 44 |
| **B. OPERATED** | 951 | 20.0 | 149 | 4 | 6 | 19 | 29 | 35 | 41 | 58 |
| TOTAL 0-19 YRS | 1274 | 19.6 | 239 | 1 | 1 | 20 | 30 | 40 | 46 | 59 |
| 20-34 | 8630 | 15.3 | 133 | 1 | 2 | 14 | 26 | 30 | 33 | 42 |
| 35-49 | 9251 | 13.4 | 123 | 1 | 2 | 9 | 23 | 29 | 32 | 40 |
| 50-64 | 6499 | 13.6 | 133 | 2 | 2 | 9 | 23 | 30 | 33 | 46 |
| 65+ | 1932 | 13.8 | 132 | 2 | 3 | 10 | 21 | 30 | 34 | 50 |
| **GRAND TOTAL** | **27586** | **14.3** | **137** | **1** | **2** | **11** | **24** | **30** | **34** | **45** |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 15.6 | 97 | 3 | 4 | 18 | 22 | 29 | 30 | 30 |
| 20-34 | 137 | 13.0 | 86 | 3 | 3 | 11 | 18 | 28 | 31 | 42 |
| 35-49 | 28 | 11.9 | 110 | 1 | 2 | 8 | 19 | 28 | 32 | 36 |
| 50-64 | 3 | 16.3 | 110 | 6 | 6 | 16 | 24 | 27 | 27 | 27 |
| 65+ | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 15.4 | 143 | 2 | 3 | 13 | 22 | 34 | 41 | 42 |
| 20-34 | 176 | 13.8 | 120 | 2 | 3 | 11 | 19 | 28 | 35 | 47 |
| 35-49 | 53 | 12.6 | 94 | 3 | 3 | 8 | 15 | 28 | 33 | 38 |
| 50-64 | 18 | 14.2 | 96 | 2 | 3 | 11 | 21 | 29 | 33 | 35 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 14.8 | 54 | 5 | 6 | 13 | 20 | 26 | 29 | 29 |
| 35-49 | 3 | 10.3 | 8 | 7 | 7 | 12 | 12 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 13.1 | 89 | 2 | 3 | 11 | 19 | 28 | 31 | 40 |
| B. *Operated* | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 259 | 13.6 | 112 | 2 | 3 | 11 | 19 | 28 | 34 | 42 |
| B. *Operated* | 12 | 13.7 | 45 | 5 | 6 | 12 | 17 | 23 | 28 | 29 |
| **1. SINGLE DX** | 184 | 13.0 | 88 | 2 | 3 | 11 | 19 | 28 | 30 | 40 |
| **2. MULTIPLE DX** | 271 | 13.6 | 109 | 2 | 3 | 11 | 19 | 28 | 34 | 42 |
| **A. NOT OPERATED** | 440 | 13.4 | 103 | 2 | 3 | 11 | 19 | 28 | 31 | 42 |
| **B. OPERATED** | 15 | 12.1 | 46 | 3 | 5 | 12 | 13 | 21 | 27 | 29 |
| TOTAL 0-19 YRS | 22 | 15.5 | 114 | 2 | 3 | 14 | 22 | 29 | 35 | 42 |
| 20-34 | 324 | 13.5 | 103 | 2 | 3 | 11 | 19 | 28 | 31 | 43 |
| 35-49 | 84 | 12.3 | 95 | 2 | 3 | 9 | 16 | 28 | 32 | 37 |
| 50-64 | 22 | 14.0 | 95 | 2 | 3 | 11 | 21 | 29 | 32 | 35 |
| 65+ | 3 | 12.0 | 16 | 8 | 8 | 12 | 15 | 16 | 16 | 16 |
| **GRAND TOTAL** | **455** | **13.4** | **101** | **2** | **3** | **11** | **19** | **28** | **31** | **42** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 20.8 | 239 | 1 | 2 | 21 | 31 | 41 | 45 | 67 |
| 20-34 | 330 | 17.0 | 130 | 2 | 3 | 15 | 28 | 32 | 35 | 42 |
| 35-49 | 69 | 12.7 | 116 | 1 | 2 | 9 | 22 | 29 | 31 | 39 |
| 50-64 | 22 | 19.4 | 208 | 3 | 4 | 15 | 28 | 36 | 48 | 61 |
| 65+ | 5 | 12.4 | 119 | <1 | <1 | 7 | 23 | 26 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 276 | 24.9 | 237 | 3 | 5 | 27 | 36 | 44 | 47 | 67 |
| 20-34 | 653 | 16.5 | 140 | 2 | 3 | 13 | 28 | 32 | 35 | 45 |
| 35-49 | 142 | 17.2 | 180 | 1 | 3 | 14 | 28 | 35 | 42 | 51 |
| 50-64 | 64 | 20.7 | 152 | 5 | 7 | 19 | 28 | 37 | 42 | 59 |
| 65+ | 27 | 15.0 | 131 | 3 | 3 | 13 | 19 | 28 | 39 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 65.5 | 92 | 53 | 53 | 68 | 73 | 73 | 73 | 73 |
| 20-34 | 25 | 24.4 | 222 | 5 | 9 | 21 | 31 | 40 | 51 | 73 |
| 35-49 | 6 | 15.0 | 216 | 2 | 3 | 11 | 13 | 41 | 44 | 44 |
| 50-64 | 5 | 20.2 | 453 | 7 | 7 | 13 | 24 | 58 | 58 | 58 |
| 65+ | 2 | 31.5 | 13 | 29 | 29 | 31 | 34 | 34 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 574 | 17.5 | 165 | 1 | 2 | 14 | 28 | 34 | 37 | 50 |
| B. *Operated* | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1162 | 18.8 | 180 | 2 | 3 | 16 | 29 | 36 | 42 | 51 |
| B. *Operated* | 42 | 26.8 | 384 | 4 | 8 | 21 | 37 | 59 | 73 | 73 |
| **1. SINGLE DX** | 576 | 17.5 | 165 | 1 | 2 | 14 | 28 | 34 | 37 | 50 |
| **2. MULTIPLE DX** | 1204 | 19.1 | 189 | 2 | 3 | 16 | 29 | 36 | 42 | 57 |
| **A. NOT OPERATED** | 1736 | 18.4 | 175 | 2 | 3 | 15 | 29 | 35 | 41 | 51 |
| **B. OPERATED** | 44 | 25.8 | 389 | 3 | 6 | 20 | 35 | 58 | 73 | 73 |
| TOTAL 0-19 YRS | 428 | 23.8 | 256 | 2 | 4 | 25 | 35 | 43 | 48 | 69 |
| 20-34 | 1010 | 16.9 | 140 | 2 | 3 | 14 | 28 | 32 | 36 | 45 |
| 35-49 | 217 | 15.7 | 163 | 1 | 2 | 11 | 27 | 34 | 40 | 50 |
| 50-64 | 91 | 20.3 | 175 | 4 | 6 | 17 | 28 | 38 | 45 | 61 |
| 65+ | 34 | 15.6 | 135 | 2 | 3 | 13 | 22 | 29 | 36 | 51 |
| **GRAND TOTAL** | **1780** | **18.5** | **182** | **2** | **3** | **15** | **29** | **36** | **41** | **56** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 401 | 1.7 | 8 | <1 | <1 | 1 | 1 | 2 | 4 | 15 |
| 20-34 | 229 | 3.2 | 38 | <1 | <1 | 1 | 2 | 5 | 20 | 30 |
| 35-49 | 127 | 4.0 | 47 | <1 | <1 | 1 | 3 | 8 | 26 | 30 |
| 50-64 | 73 | 4.7 | 48 | <1 | 1 | 2 | 4 | 12 | 21 | 35 |
| 65+ | 29 | 3.3 | 16 | 1 | 1 | 2 | 3 | 8 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 2.9 | 33 | <1 | <1 | 1 | 2 | 5 | 10 | 31 |
| 20-34 | 424 | 3.5 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 28 |
| 35-49 | 269 | 4.6 | 32 | <1 | 1 | 3 | 5 | 9 | 15 | 33 |
| 50-64 | 237 | 4.8 | 35 | <1 | 1 | 3 | 5 | 10 | 15 | 29 |
| 65+ | 136 | 4.9 | 22 | 1 | 1 | 4 | 6 | 10 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 20-34 | 29 | 5.1 | 40 | <1 | <1 | 2 | 5 | 17 | 19 | 24 |
| 35-49 | 15 | 7.8 | 109 | <1 | <1 | 3 | 12 | 17 | 34 | 39 |
| 50-64 | 7 | 11.1 | 72 | 1 | 1 | 13 | 18 | 21 | 22 | 22 |
| 65+ | 18 | 9.1 | 168 | 1 | 1 | 4 | 11 | 19 | 42 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 859 | 2.7 | 27 | <1 | <1 | 1 | 2 | 4 | 11 | 29 |
| B. *Operated* | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1335 | 4.0 | 29 | <1 | <1 | 2 | 4 | 9 | 13 | 29 |
| B. *Operated* | 82 | 6.4 | 82 | <1 | <1 | 3 | 8 | 17 | 21 | 51 |
| **1. SINGLE DX** | 861 | 2.7 | 27 | <1 | <1 | 1 | 2 | 4 | 11 | 29 |
| **2. MULTIPLE DX** | 1417 | 4.1 | 33 | <1 | <1 | 2 | 4 | 9 | 14 | 29 |
| **A. NOT OPERATED** | 2194 | 3.5 | 29 | <1 | <1 | 2 | 4 | 7 | 13 | 29 |
| **B. OPERATED** | 84 | 6.3 | 80 | <1 | <1 | 2 | 7 | 17 | 21 | 50 |
| TOTAL 0-19 YRS | 684 | 2.1 | 18 | <1 | <1 | 1 | 2 | 3 | 6 | 23 |
| 20-34 | 682 | 3.5 | 29 | <1 | <1 | 1 | 3 | 8 | 15 | 29 |
| 35-49 | 411 | 4.5 | 39 | <1 | <1 | 2 | 5 | 9 | 19 | 32 |
| 50-64 | 318 | 4.9 | 39 | <1 | 1 | 3 | 5 | 11 | 18 | 29 |
| 65+ | 183 | 5.0 | 36 | 1 | 1 | 4 | 6 | 10 | 16 | 25 |
| **GRAND TOTAL** | 2278 | 3.6 | 31 | <1 | <1 | 2 | 4 | 8 | 14 | 29 |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 11.7 | 170 | 1 | 1 | 5 | 22 | 30 | 38 | 50 |
| 20-34 | 184 | 10.7 | 116 | 1 | 1 | 5 | 19 | 29 | 30 | 37 |
| 35-49 | 25 | 10.8 | 120 | <1 | <1 | 5 | 18 | 29 | 32 | 36 |
| 50-64 | 11 | 14.0 | 363 | 1 | 1 | 4 | 27 | 46 | 53 | 54 |
| 65+ | 4 | 9.8 | 42 | 2 | 2 | 10 | 15 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 13.9 | 180 | 1 | 1 | 8 | 23 | 34 | 39 | 55 |
| 20-34 | 458 | 11.5 | 109 | 1 | 1 | 8 | 17 | 28 | 32 | 40 |
| 35-49 | 102 | 13.0 | 158 | 1 | 2 | 8 | 20 | 31 | 36 | 58 |
| 50-64 | 43 | 11.1 | 138 | 2 | 2 | 7 | 11 | 30 | 34 | 57 |
| 65+ | 29 | 10.0 | 100 | 2 | 2 | 5 | 12 | 29 | 30 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 29.0 | 130 | 13 | 13 | 31 | 36 | 40 | 40 | 40 |
| 20-34 | 21 | 15.7 | 139 | 1 | 2 | 12 | 22 | 32 | 40 | 44 |
| 35-49 | 8 | 17.3 | 177 | 2 | 3 | 15 | 27 | 36 | 38 | 38 |
| 50-64 | 5 | 10.0 | 40 | 2 | 2 | 10 | 15 | 18 | 18 | 18 |
| 65+ | 4 | 15.3 | 119 | 6 | 6 | 13 | 24 | 29 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 332 | 11.1 | 139 | <1 | 1 | 5 | 19 | 30 | 34 | 44 |
| B. *Operated* | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 772 | 12.1 | 130 | 1 | 2 | 8 | 18 | 30 | 34 | 46 |
| B. *Operated* | 42 | 16.5 | 141 | 2 | 2 | 13 | 23 | 34 | 39 | 44 |
| **1. SINGLE DX** | 334 | 11.1 | 139 | <1 | 1 | 5 | 18 | 30 | 34 | 43 |
| **2. MULTIPLE DX** | 814 | 12.3 | 132 | 1 | 2 | 8 | 19 | 30 | 34 | 45 |
| **A. NOT OPERATED** | 1104 | 11.8 | 133 | 1 | 1 | 7 | 18 | 30 | 34 | 45 |
| **B. OPERATED** | 44 | 16.2 | 138 | 2 | 2 | 13 | 23 | 33 | 39 | 44 |
| TOTAL 0-19 YRS | 252 | 13.2 | 179 | 1 | 1 | 7 | 24 | 34 | 40 | 51 |
| 20-34 | 664 | 11.4 | 112 | 1 | 1 | 7 | 18 | 29 | 31 | 40 |
| 35-49 | 135 | 12.8 | 151 | <1 | 1 | 8 | 20 | 31 | 36 | 50 |
| 50-64 | 60 | 11.6 | 164 | 2 | 2 | 6 | 13 | 31 | 40 | 57 |
| 65+ | 37 | 10.5 | 94 | 2 | 2 | 6 | 15 | 29 | 30 | 39 |
| **GRAND TOTAL** | 1148 | 11.9 | 134 | 1 | 1 | 7 | 19 | 30 | 34 | 44 |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 205 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 171 | 4.6 | 33 | 1 | 1 | 3 | 5 | 8 | 10 | 38 |
| 35-49 | 141 | 5.1 | 31 | 1 | 1 | 3 | 6 | 10 | 15 | 27 |
| 50-64 | 81 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| 65+ | 40 | 5.3 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 21 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 19 | 6.1 | 42 | <1 | <1 | 4 | 8 | 14 | 21 | 27 |
| 35-49 | 11 | 4.3 | 13 | 2 | 2 | 3 | 5 | 10 | 14 | 14 |
| 50-64 | 4 | 9.0 | 51 | 2 | 2 | 7 | 13 | 19 | 19 | 19 |
| 65+ | 5 | 10.8 | 53 | 4 | 4 | 9 | 14 | 23 | 23 | 23 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 207 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 10 | 31 |
| 20-34 | 366 | 5.9 | 44 | 1 | 2 | 4 | 7 | 10 | 14 | 34 |
| 35-49 | 383 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| 50-64 | 354 | 5.6 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 65+ | 279 | 6.6 | 29 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 6.0 | 23 | <1 | 1 | 4 | 8 | 13 | 16 | 17 |
| 20-34 | 45 | 8.0 | 38 | 1 | 1 | 6 | 13 | 17 | 19 | 26 |
| 35-49 | 44 | 9.4 | 61 | 2 | 3 | 8 | 11 | 19 | 30 | 37 |
| 50-64 | 46 | 8.7 | 57 | 2 | 2 | 7 | 10 | 14 | 25 | 44 |
| 65+ | 20 | 13.3 | 207 | 2 | 4 | 8 | 13 | 34 | 50 | 60 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 638 | 4.5 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| B. *Operated* | 60 | 6.0 | 28 | 1 | 1 | 5 | 8 | 13 | 17 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1589 | 5.8 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| B. *Operated* | 169 | 9.0 | 69 | 1 | 2 | 7 | 11 | 18 | 26 | 43 |
| **1. SINGLE DX** | 698 | 4.6 | 21 | 1 | 1 | 3 | 6 | 8 | 11 | 25 |
| **2. MULTIPLE DX** | 1758 | 6.1 | 32 | 1 | 2 | 5 | 7 | 12 | 15 | 29 |
| **A. NOT OPERATED** | 2227 | 5.4 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| **B. OPERATED** | 229 | 8.2 | 60 | 1 | 2 | 6 | 10 | 16 | 23 | 42 |
| TOTAL 0-19 YRS | 447 | 4.3 | 12 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 601 | 5.7 | 41 | 1 | 1 | 4 | 7 | 11 | 15 | 36 |
| 35-49 | 579 | 5.9 | 29 | 1 | 2 | 4 | 7 | 12 | 15 | 30 |
| 50-64 | 485 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| 65+ | 344 | 6.9 | 41 | 2 | 2 | 5 | 8 | 13 | 17 | 41 |
| **GRAND TOTAL** | **2456** | **5.7** | **30** | **1** | **2** | **4** | **7** | **11** | **14** | **28** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 919 | 15.8 | 278 | 1 | 2 | 9 | 22 | 40 | 50 | 86 |
| 20-34 | 844 | 6.9 | 63 | <1 | 1 | 4 | 8 | 16 | 21 | 41 |
| 35-49 | 389 | 7.8 | 79 | 1 | 1 | 5 | 9 | 20 | 26 | 42 |
| 50-64 | 115 | 7.5 | 90 | 1 | 1 | 5 | 9 | 15 | 24 | 54 |
| 65+ | 63 | 8.3 | 75 | 1 | 1 | 5 | 10 | 17 | 30 | 45 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 18.3 | 481 | <1 | <1 | 11 | 35 | 43 | 43 | 43 |
| 20-34 | 4 | 8.3 | 19 | 2 | 2 | 9 | 11 | 12 | 12 | 12 |
| 35-49 | 3 | 14.3 | 40 | 7 | 7 | 18 | 18 | 18 | 18 | 18 |
| 50-64 | 1 | 6.0 |  | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 889 | 15.6 | 298 | 1 | 2 | 9 | 22 | 41 | 54 | 91 |
| 20-34 | 1226 | 8.2 | 79 | 1 | 1 | 5 | 10 | 20 | 25 | 46 |
| 35-49 | 720 | 9.0 | 96 | 1 | 2 | 6 | 11 | 21 | 29 | 50 |
| 50-64 | 347 | 8.7 | 79 | 1 | 2 | 6 | 10 | 19 | 26 | 51 |
| 65+ | 237 | 11.1 | 153 | 2 | 2 | 7 | 13 | 22 | 39 | 69 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 30 | 27.5 | 700 | 1 | 3 | 15 | 47 | 77 | 94 | 99+ |
| 20-34 | 53 | 12.2 | 102 | <1 | 2 | 8 | 17 | 28 | 34 | 37 |
| 35-49 | 26 | 19.2 | 256 | 6 | 8 | 15 | 22 | 29 | 60 | 80 |
| 50-64 | 24 | 16.0 | 187 | 3 | 4 | 11 | 23 | 37 | 47 | 49 |
| 65+ | 12 | 22.2 | 237 | 5 | 6 | 20 | 29 | 40 | 59 | 62 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2330 | 10.6 | 170 | 1 | 1 | 6 | 13 | 27 | 39 | 71 |
| B. *Operated* | 11 | 12.5 | 133 | <1 | 1 | 10 | 16 | 28 | 42 | 43 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3419 | 10.6 | 154 | 1 | 2 | 6 | 13 | 25 | 37 | 66 |
| B. *Operated* | 145 | 18.1 | 304 | 2 | 3 | 13 | 24 | 40 | 60 | 95 |
| **1. SINGLE DX** | 2341 | 10.6 | 170 | 1 | 1 | 6 | 13 | 27 | 39 | 71 |
| **2. MULTIPLE DX** | 3564 | 10.9 | 162 | 1 | 2 | 6 | 13 | 26 | 38 | 68 |
| **A. NOT OPERATED** | 5749 | 10.6 | 160 | 1 | 1 | 6 | 13 | 26 | 38 | 68 |
| **B. OPERATED** | 156 | 17.7 | 293 | 1 | 3 | 12 | 24 | 40 | 58 | 94 |
| TOTAL 0-19 YRS | 1841 | 15.9 | 296 | 1 | 2 | 9 | 23 | 41 | 54 | 89 |
| 20-34 | 2127 | 7.8 | 74 | 1 | 1 | 5 | 10 | 18 | 24 | 44 |
| 35-49 | 1138 | 8.8 | 96 | 1 | 1 | 5 | 11 | 21 | 29 | 49 |
| 50-64 | 487 | 8.8 | 89 | 1 | 2 | 6 | 10 | 20 | 27 | 51 |
| 65+ | 312 | 11.0 | 145 | 1 | 2 | 7 | 13 | 22 | 33 | 67 |
| **GRAND TOTAL** | **5905** | **10.8** | **165** | **1** | **1** | **6** | **13** | **26** | **38** | **68** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1239 | 21.9 | 564 | 2 | 2 | 12 | 36 | 67 | 84 | 99+ |
| 20-34 | 1197 | 9.3 | 119 | 1 | 1 | 5 | 11 | 23 | 33 | 53 |
| 35-49 | 675 | 9.8 | 92 | 1 | 2 | 6 | 13 | 22 | 30 | 42 |
| 50-64 | 334 | 11.2 | 100 | 2 | 2 | 8 | 15 | 26 | 30 | 44 |
| 65+ | 198 | 13.2 | 124 | 2 | 3 | 9 | 19 | 30 | 38 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.3 | 36 | 1 | 1 | 4 | 5 | 21 | 67 | 99+ |
| 20-34 | 27 | 11.4 | 152 | 2 | 2 | 7 | 13 | 27 | 47 | 50 |
| 35-49 | 17 | 12.7 | 97 | 3 | 4 | 10 | 17 | 21 | 36 | 43 |
| 50-64 | 9 | 11.2 | 91 | 3 | 4 | 11 | 12 | 26 | 35 | 35 |
| 65+ | 11 | 12.9 | 88 | 3 | 3 | 8 | 21 | 25 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1285 | 19.1 | 479 | 2 | 2 | 10 | 28 | 60 | 80 | 99+ |
| 20-34 | 2073 | 10.3 | 119 | 1 | 2 | 6 | 13 | 24 | 32 | 53 |
| 35-49 | 1561 | 9.8 | 92 | 2 | 2 | 7 | 12 | 22 | 29 | 48 |
| 50-64 | 1139 | 11.2 | 114 | 2 | 3 | 7 | 14 | 24 | 33 | 51 |
| 65+ | 1010 | 12.2 | 133 | 2 | 3 | 8 | 14 | 26 | 37 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 29.9 | 701 | 2 | 4 | 24 | 52 | 81 | 94 | 99+ |
| 20-34 | 142 | 16.6 | 185 | 3 | 4 | 13 | 23 | 33 | 41 | 97 |
| 35-49 | 166 | 14.4 | 94 | 3 | 4 | 11 | 20 | 28 | 34 | 40 |
| 50-64 | 134 | 19.2 | 254 | 2 | 4 | 15 | 26 | 45 | 52 | 70 |
| 65+ | 115 | 18.1 | 233 | 4 | 5 | 13 | 24 | 39 | 53 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3643 | 14.0 | 296 | 1 | 2 | 7 | 18 | 39 | 59 | 94 |
| B. *Operated* | 82 | 10.5 | 104 | 2 | 2 | 7 | 14 | 23 | 38 | 83 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7068 | 12.2 | 191 | 2 | 2 | 7 | 15 | 29 | 42 | 81 |
| B. *Operated* | 616 | 18.1 | 250 | 3 | 4 | 13 | 25 | 39 | 53 | 91 |
| **1. SINGLE DX** | 3725 | 14.0 | 292 | 1 | 2 | 7 | 18 | 38 | 58 | 95 |
| **2. MULTIPLE DX** | 7584 | 12.7 | 198 | 2 | 2 | 8 | 16 | 29 | 43 | 82 |
| **A. NOT OPERATED** | 10711 | 12.8 | 227 | 1 | 2 | 7 | 16 | 31 | 47 | 88 |
| **B. OPERATED** | 698 | 17.2 | 238 | 3 | 4 | 12 | 23 | 37 | 52 | 92 |
| TOTAL 0-19 YRS | 2601 | 20.6 | 526 | 2 | 2 | 11 | 32 | 63 | 83 | 99+ |
| 20-34 | 3439 | 10.2 | 124 | 1 | 2 | 6 | 13 | 24 | 33 | 54 |
| 35-49 | 2419 | 10.1 | 93 | 1 | 2 | 7 | 13 | 23 | 30 | 46 |
| 50-64 | 1616 | 11.8 | 127 | 2 | 3 | 8 | 15 | 27 | 35 | 53 |
| 65+ | 1334 | 12.9 | 142 | 2 | 3 | 9 | 16 | 28 | 38 | 59 |
| **GRAND TOTAL** | **11409** | **13.1** | **229** | **2** | **2** | **7** | **16** | **32** | **47** | **88** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.0 | 21 | <1 | 1 | 7 | 10 | 14 | 15 | 15 |
| 20-34 | 18 | 11.4 | 287 | <1 | 1 | 7 | 14 | 25 | 54 | 72 |
| 35-49 | 6 | 8.5 | 63 | <1 | <1 | 7 | 14 | 19 | 20 | 20 |
| 50-64 | 5 | 12.8 | 44 | 5 | 5 | 12 | 16 | 23 | 23 | 23 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 8.1 | 60 | 1 | 2 | 6 | 11 | 20 | 23 | 71 |
| 20-34 | 139 | 10.9 | 105 | 1 | 2 | 8 | 15 | 19 | 29 | 60 |
| 35-49 | 73 | 11.2 | 71 | 2 | 2 | 10 | 14 | 22 | 27 | 45 |
| 50-64 | 36 | 13.3 | 201 | 2 | 4 | 8 | 17 | 23 | 32 | 82 |
| 65+ | 9 | 8.7 | 53 | <1 | 1 | 8 | 11 | 20 | 25 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.4 | 208 | 1 | 1 | 4 | 11 | 40 | 46 | 46 |
| 20-34 | 12 | 13.8 | 502 | 1 | 1 | 4 | 14 | 44 | 75 | 80 |
| 35-49 | 6 | 18.0 | 297 | 3 | 3 | 15 | 18 | 48 | 51 | 51 |
| 50-64 | 3 | 25.0 | 399 | 2 | 2 | 35 | 37 | 38 | 38 | 38 |
| 65+ | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 9.9 | 144 | <1 | 1 | 8 | 14 | 21 | 24 | 72 |
| B. *Operated* | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 358 | 10.4 | 95 | 1 | 2 | 8 | 14 | 21 | 28 | 57 |
| B. *Operated* | 40 | 13.6 | 305 | 1 | 1 | 6 | 17 | 41 | 48 | 80 |
| **1. SINGLE DX** | 43 | 9.7 | 139 | <1 | 1 | 8 | 13 | 21 | 24 | 72 |
| **2. MULTIPLE DX** | 398 | 10.7 | 117 | 1 | 2 | 8 | 14 | 22 | 30 | 66 |
| **A. NOT OPERATED** | 399 | 10.3 | 100 | 1 | 2 | 8 | 14 | 21 | 27 | 65 |
| **B. OPERATED** | 42 | 13.1 | 293 | 1 | 2 | 5 | 17 | 40 | 48 | 80 |
| TOTAL 0-19 YRS | 130 | 8.3 | 75 | 1 | 2 | 5 | 10 | 20 | 23 | 56 |
| 20-34 | 170 | 11.1 | 148 | 1 | 2 | 8 | 14 | 21 | 29 | 74 |
| 35-49 | 85 | 11.5 | 86 | 2 | 2 | 11 | 15 | 22 | 27 | 51 |
| 50-64 | 44 | 14.0 | 195 | 2 | 4 | 10 | 18 | 31 | 36 | 82 |
| 65+ | 12 | 8.6 | 40 | <1 | 1 | 8 | 11 | 15 | 24 | 25 |
| **GRAND TOTAL** | **441** | **10.6** | **119** | **1** | **2** | **8** | **14** | **21** | **29** | **72** |

### 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 480 | 10.7 | 30 | 1 | 3 | 11 | 14 | 16 | 18 | 24 |
| 20-34 | 100 | 7.6 | 39 | 2 | 2 | 6 | 11 | 14 | 17 | 35 |
| 35-49 | 57 | 10.1 | 58 | 2 | 3 | 8 | 12 | 18 | 22 | 42 |
| 50-64 | 38 | 11.3 | 57 | 2 | 4 | 10 | 15 | 23 | 26 | 34 |
| 65+ | 8 | 20.1 | 216 | 8 | 9 | 14 | 24 | 45 | 53 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 15.4 | 111 | 2 | 8 | 13 | 16 | 23 | 37 | 66 |
| 20-34 | 40 | 11.8 | 216 | 2 | 3 | 6 | 14 | 23 | 36 | 84 |
| 35-49 | 55 | 7.6 | 56 | 2 | 2 | 5 | 10 | 16 | 23 | 34 |
| 50-64 | 28 | 14.0 | 135 | 2 | 2 | 12 | 23 | 37 | 46 | 99+ |
| 65+ | 9 | 12.2 | 51 | 2 | 3 | 11 | 15 | 23 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 11.9 | 45 | 2 | 3 | 12 | 15 | 18 | 21 | 27 |
| 20-34 | 102 | 11.1 | 117 | 2 | 3 | 9 | 12 | 21 | 33 | 64 |
| 35-49 | 86 | 11.2 | 72 | 3 | 3 | 10 | 14 | 19 | 26 | 49 |
| 50-64 | 83 | 16.0 | 186 | 3 | 4 | 14 | 21 | 27 | 46 | 79 |
| 65+ | 79 | 17.5 | 120 | 4 | 5 | 15 | 23 | 33 | 36 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 20.5 | 140 | 9 | 10 | 18 | 25 | 34 | 40 | 71 |
| 20-34 | 51 | 22.9 | 410 | 2 | 4 | 16 | 34 | 54 | 70 | 99+ |
| 35-49 | 70 | 20.6 | 367 | 3 | 5 | 14 | 24 | 47 | 69 | 92 |
| 50-64 | 84 | 19.4 | 201 | 3 | 4 | 17 | 28 | 37 | 55 | 99+ |
| 65+ | 42 | 34.4 | 647 | 4 | 5 | 30 | 51 | 77 | 84 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 683 | 10.3 | 39 | 2 | 3 | 11 | 13 | 17 | 19 | 34 |
| B. *Operated* | 200 | 12.2 | 125 | 2 | 2 | 11 | 16 | 23 | 33 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 725 | 12.8 | 87 | 2 | 3 | 12 | 15 | 21 | 27 | 51 |
| B. *Operated* | 344 | 22.3 | 320 | 4 | 5 | 17 | 29 | 50 | 66 | 99 |
| **1. SINGLE DX** | 883 | 10.8 | 59 | 2 | 2 | 11 | 14 | 18 | 22 | 43 |
| **2. MULTIPLE DX** | 1069 | 15.9 | 181 | 3 | 4 | 13 | 19 | 30 | 42 | 81 |
| **A. NOT OPERATED** | 1408 | 11.6 | 65 | 2 | 3 | 11 | 14 | 19 | 23 | 44 |
| **B. OPERATED** | 544 | 18.6 | 272 | 2 | 4 | 14 | 23 | 37 | 58 | 95 |
| TOTAL 0-19 YRS | 1020 | 12.4 | 59 | 2 | 3 | 12 | 15 | 19 | 23 | 42 |
| 20-34 | 293 | 12.1 | 180 | 2 | 2 | 9 | 13 | 27 | 39 | 82 |
| 35-49 | 268 | 12.7 | 165 | 2 | 3 | 10 | 15 | 24 | 35 | 76 |
| 50-64 | 233 | 16.2 | 171 | 3 | 4 | 14 | 22 | 33 | 45 | 99+ |
| 65+ | 138 | 22.4 | 342 | 4 | 5 | 17 | 29 | 51 | 64 | 86 |
| **GRAND TOTAL** | **1952** | **13.5** | **133** | **2** | **3** | **12** | **16** | **24** | **35** | **69** |

### 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 6.3 | 15 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| 35-49 | 16 | 6.8 | 16 | 2 | 2 | 7 | 8 | 9 | 16 | 19 |
| 50-64 | 105 | 10.2 | 96 | 2 | 3 | 8 | 12 | 20 | 26 | 56 |
| 65+ | 292 | 11.5 | 71 | 3 | 4 | 9 | 15 | 21 | 28 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 9.8 | 22 | 3 | 3 | 11 | 13 | 14 | 14 | 14 |
| 50-64 | 13 | 12.1 | 69 | 5 | 6 | 9 | 13 | 25 | 33 | 35 |
| 65+ | 11 | 17.3 | 317 | 4 | 4 | 8 | 26 | 50 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 21.5 | 113 | 14 | 14 | 21 | 29 | 29 | 29 | 29 |
| 20-34 | 7 | 8.4 | 20 | 5 | 5 | 8 | 8 | 16 | 18 | 18 |
| 35-49 | 26 | 10.3 | 97 | 2 | 3 | 8 | 10 | 27 | 32 | 44 |
| 50-64 | 330 | 11.7 | 89 | 3 | 4 | 10 | 15 | 23 | 31 | 54 |
| 65+ | 1624 | 12.2 | 78 | 3 | 4 | 10 | 15 | 23 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 57 | 16.9 | 149 | 3 | 5 | 14 | 23 | 37 | 48 | 97 |
| 65+ | 234 | 20.1 | 238 | 4 | 5 | 16 | 26 | 42 | 50 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 418 | 10.9 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| B. *Operated* | 29 | 13.7 | 154 | 4 | 5 | 11 | 14 | 33 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1989 | 12.1 | 80 | 3 | 4 | 10 | 15 | 23 | 30 | 46 |
| B. *Operated* | 291 | 19.5 | 222 | 4 | 5 | 15 | 25 | 41 | 50 | 96 |
| **1. SINGLE DX** | 447 | 11.1 | 81 | 2 | 3 | 9 | 14 | 21 | 28 | 50 |
| **2. MULTIPLE DX** | 2280 | 13.1 | 104 | 3 | 4 | 11 | 16 | 26 | 33 | 53 |
| **A. NOT OPERATED** | 2407 | 11.9 | 80 | 3 | 4 | 10 | 15 | 23 | 29 | 46 |
| **B. OPERATED** | 320 | 18.9 | 218 | 4 | 5 | 15 | 25 | 41 | 50 | 94 |
| TOTAL 0-19 YRS | 4 | 13.8 | 134 | 1 | 1 | 12 | 21 | 29 | 29 | 29 |
| 20-34 | 11 | 7.6 | 17 | 2 | 3 | 8 | 9 | 13 | 18 | 18 |
| 35-49 | 46 | 9.0 | 64 | 2 | 3 | 8 | 9 | 19 | 28 | 44 |
| 50-64 | 505 | 12.1 | 99 | 3 | 3 | 10 | 15 | 24 | 32 | 57 |
| 65+ | 2161 | 13.0 | 102 | 3 | 4 | 10 | 16 | 25 | 33 | 51 |
| **GRAND TOTAL** | **2727** | **12.8** | **101** | **3** | **4** | **10** | **16** | **25** | **33** | **52** |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 9.8 | 21 | 4 | 4 | 10 | 11 | 17 | 19 | 20 |
| 20-34 | 440 | 9.8 | 47 | 2 | 3 | 9 | 14 | 18 | 22 | 38 |
| 35-49 | 420 | 10.9 | 60 | 2 | 3 | 10 | 14 | 19 | 22 | 47 |
| 50-64 | 166 | 12.4 | 76 | 2 | 3 | 12 | 16 | 23 | 29 | 50 |
| 65+ | 18 | 10.9 | 21 | 3 | 4 | 11 | 14 | 16 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 9.0 | 40 | 3 | 3 | 8 | 11 | 20 | 22 | 22 |
| 20-34 | 64 | 10.3 | 99 | 2 | 2 | 8 | 14 | 19 | 21 | 64 |
| 35-49 | 76 | 10.3 | 75 | 2 | 3 | 8 | 15 | 18 | 20 | 53 |
| 50-64 | 29 | 9.4 | 57 | 3 | 3 | 7 | 13 | 21 | 24 | 33 |
| 65+ | 2 | 15.0 | 200 | 5 | 5 | 15 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 12.3 | 195 | 2 | 3 | 7 | 13 | 33 | 48 | 51 |
| 20-34 | 288 | 11.4 | 74 | 2 | 4 | 9 | 14 | 22 | 26 | 44 |
| 35-49 | 517 | 12.5 | 97 | 3 | 4 | 10 | 15 | 23 | 29 | 57 |
| 50-64 | 330 | 12.7 | 93 | 3 | 4 | 10 | 16 | 24 | 29 | 57 |
| 65+ | 90 | 12.6 | 59 | 3 | 5 | 11 | 15 | 23 | 29 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 114 | 15.5 | 158 | 2 | 4 | 13 | 19 | 29 | 49 | 99+ |
| 35-49 | 191 | 19.0 | 213 | 4 | 5 | 16 | 23 | 41 | 58 | 99+ |
| 50-64 | 126 | 20.5 | 296 | 5 | 7 | 15 | 25 | 52 | 63 | 99+ |
| 65+ | 33 | 19.2 | 307 | 3 | 7 | 13 | 18 | 55 | 61 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1061 | 10.7 | 57 | 2 | 3 | 9 | 14 | 19 | 23 | 43 |
| B. *Operated* | 179 | 10.1 | 79 | 2 | 3 | 8 | 14 | 19 | 23 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1238 | 12.3 | 89 | 3 | 4 | 10 | 15 | 23 | 29 | 49 |
| B. *Operated* | 464 | 18.6 | 230 | 4 | 5 | 14 | 23 | 42 | 60 | 99+ |
| **1. SINGLE DX** | 1240 | 10.6 | 60 | 2 | 3 | 9 | 14 | 19 | 23 | 43 |
| **2. MULTIPLE DX** | 1702 | 14.0 | 135 | 3 | 4 | 11 | 17 | 26 | 36 | 72 |
| **A. NOT OPERATED** | 2299 | 11.6 | 75 | 2 | 3 | 10 | 15 | 21 | 27 | 47 |
| **B. OPERATED** | 643 | 16.2 | 202 | 3 | 4 | 13 | 19 | 35 | 54 | 99+ |
| TOTAL 0-19 YRS | 38 | 10.5 | 82 | 3 | 3 | 8 | 11 | 21 | 26 | 51 |
| 20-34 | 906 | 11.1 | 76 | 2 | 3 | 9 | 14 | 21 | 25 | 52 |
| 35-49 | 1204 | 12.8 | 109 | 3 | 4 | 10 | 16 | 23 | 32 | 71 |
| 50-64 | 651 | 14.0 | 136 | 3 | 4 | 11 | 17 | 27 | 34 | 66 |
| 65+ | 143 | 13.9 | 119 | 3 | 5 | 12 | 16 | 25 | 31 | 62 |
| **GRAND TOTAL** | **2942** | **12.6** | **106** | **3** | **4** | **10** | **16** | **23** | **31** | **64** |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 772 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 20 |
| 20-34 | 649 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 306 | 4.3 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| 50-64 | 191 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 94 | 6.6 | 35 | 2 | 2 | 5 | 7 | 14 | 16 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.2 | 171 | 1 | 2 | 5 | 7 | 21 | 45 | 46 |
| 20-34 | 30 | 6.0 | 36 | 2 | 2 | 4 | 8 | 12 | 13 | 32 |
| 35-49 | 20 | 6.1 | 11 | 3 | 3 | 5 | 8 | 10 | 13 | 15 |
| 50-64 | 16 | 4.9 | 12 | 1 | 2 | 4 | 6 | 11 | 13 | 13 |
| 65+ | 6 | 5.3 | 9 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 816 | 5.6 | 49 | 1 | 1 | 4 | 6 | 10 | 17 | 37 |
| 20-34 | 921 | 6.7 | 36 | 1 | 2 | 5 | 8 | 14 | 19 | 30 |
| 35-49 | 701 | 7.0 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| 50-64 | 691 | 7.4 | 39 | 2 | 2 | 6 | 9 | 15 | 19 | 33 |
| 65+ | 772 | 8.4 | 43 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 9.7 | 86 | 2 | 2 | 6 | 13 | 27 | 35 | 99+ |
| 20-34 | 106 | 10.2 | 86 | 2 | 2 | 7 | 12 | 24 | 35 | 67 |
| 35-49 | 88 | 14.1 | 174 | 2 | 2 | 11 | 18 | 29 | 42 | 64 |
| 50-64 | 90 | 16.3 | 143 | 4 | 5 | 13 | 23 | 33 | 42 | 51 |
| 65+ | 82 | 18.8 | 258 | 4 | 5 | 15 | 22 | 39 | 55 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2012 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 84 | 6.1 | 41 | 2 | 2 | 4 | 7 | 11 | 13 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3901 | 7.0 | 43 | 1 | 2 | 5 | 8 | 14 | 19 | 34 |
| B. *Operated* | 408 | 14.1 | 162 | 2 | 3 | 10 | 18 | 32 | 42 | 65 |
| **1. SINGLE DX** | 2096 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 4309 | 7.6 | 58 | 1 | 2 | 5 | 9 | 16 | 22 | 41 |
| **A. NOT OPERATED** | 5913 | 6.0 | 35 | 1 | 1 | 4 | 7 | 12 | 17 | 29 |
| **B. OPERATED** | 492 | 12.7 | 150 | 2 | 2 | 8 | 17 | 29 | 39 | 63 |
| TOTAL 0-19 YRS | 1642 | 4.8 | 34 | 1 | 1 | 3 | 5 | 9 | 13 | 33 |
| 20-34 | 1706 | 6.0 | 32 | 1 | 1 | 4 | 7 | 12 | 17 | 30 |
| 35-49 | 1115 | 6.8 | 52 | 1 | 2 | 5 | 8 | 14 | 19 | 41 |
| 50-64 | 988 | 7.5 | 51 | 1 | 2 | 5 | 9 | 16 | 22 | 38 |
| 65+ | 954 | 9.1 | 69 | 2 | 3 | 7 | 11 | 18 | 24 | 43 |
| **GRAND TOTAL** | **6405** | **6.5** | **47** | **1** | **2** | **5** | **8** | **13** | **19** | **36** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 324 | 5.0 | 36 | 1 | 1 | 3 | 5 | 10 | 15 | 27 |
| 20-34 | 467 | 6.0 | 27 | 1 | 2 | 4 | 8 | 12 | 16 | 25 |
| 35-49 | 387 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 50-64 | 326 | 8.2 | 75 | 1 | 2 | 6 | 11 | 16 | 20 | 52 |
| 65+ | 362 | 9.2 | 56 | 2 | 3 | 7 | 11 | 18 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 239 | 6.2 | 34 | 1 | 2 | 4 | 8 | 14 | 19 | 31 |
| 20-34 | 287 | 8.6 | 75 | 1 | 2 | 6 | 11 | 17 | 26 | 44 |
| 35-49 | 259 | 7.9 | 46 | 2 | 2 | 6 | 10 | 17 | 22 | 34 |
| 50-64 | 280 | 8.9 | 71 | 2 | 2 | 6 | 12 | 17 | 26 | 50 |
| 65+ | 202 | 12.6 | 173 | 2 | 2 | 9 | 16 | 28 | 38 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 582 | 7.1 | 87 | 1 | 2 | 4 | 8 | 14 | 23 | 62 |
| 20-34 | 759 | 8.7 | 105 | 1 | 2 | 6 | 10 | 18 | 27 | 67 |
| 35-49 | 705 | 10.4 | 118 | 2 | 2 | 7 | 12 | 21 | 30 | 61 |
| 50-64 | 1192 | 11.2 | 113 | 2 | 3 | 8 | 14 | 22 | 31 | 65 |
| 65+ | 2705 | 12.7 | 109 | 3 | 4 | 10 | 16 | 26 | 33 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 384 | 9.6 | 168 | 1 | 2 | 5 | 11 | 23 | 40 | 97 |
| 20-34 | 519 | 13.4 | 225 | 1 | 2 | 9 | 16 | 37 | 56 | 99+ |
| 35-49 | 493 | 13.8 | 223 | 2 | 3 | 10 | 16 | 30 | 56 | 99+ |
| 50-64 | 744 | 15.6 | 233 | 2 | 3 | 11 | 20 | 37 | 56 | 99+ |
| 65+ | 1100 | 18.0 | 241 | 3 | 4 | 13 | 24 | 40 | 53 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1866 | 6.9 | 47 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| B. *Operated* | 1267 | 8.7 | 80 | 2 | 2 | 6 | 11 | 18 | 26 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5943 | 11.1 | 112 | 2 | 3 | 8 | 14 | 23 | 31 | 60 |
| B. *Operated* | 3240 | 15.1 | 232 | 2 | 3 | 10 | 20 | 37 | 53 | 99+ |
| **1. SINGLE DX** | 3133 | 7.7 | 61 | 1 | 2 | 5 | 10 | 16 | 22 | 40 |
| **2. MULTIPLE DX** | 9183 | 12.5 | 158 | 2 | 3 | 9 | 15 | 27 | 39 | 78 |
| **A. NOT OPERATED** | 7809 | 10.1 | 99 | 2 | 2 | 7 | 12 | 21 | 28 | 56 |
| **B. OPERATED** | 4507 | 13.3 | 197 | 2 | 2 | 9 | 17 | 32 | 46 | 94 |
| TOTAL 0-19 YRS | 1529 | 7.1 | 91 | 1 | 1 | 4 | 8 | 16 | 23 | 64 |
| 20-34 | 2032 | 9.3 | 121 | 1 | 2 | 6 | 11 | 19 | 33 | 79 |
| 35-49 | 1844 | 10.2 | 126 | 2 | 2 | 7 | 12 | 21 | 30 | 75 |
| 50-64 | 2542 | 11.8 | 145 | 2 | 3 | 8 | 15 | 25 | 37 | 79 |
| 65+ | 4369 | 13.7 | 148 | 3 | 3 | 10 | 17 | 29 | 38 | 64 |
| **GRAND TOTAL** | **12316** | **11.3** | **138** | **2** | **2** | **8** | **14** | **25** | **35** | **70** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 494 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 974 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 593 | 4.7 | 16 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 196 | 4.3 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 65+ | 44 | 4.2 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.4 | 8 | 1 | 2 | 3 | 5 | 9 | 11 | 12 |
| 20-34 | 92 | 5.2 | 11 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| 35-49 | 59 | 5.1 | 13 | 2 | 2 | 4 | 7 | 9 | 13 | 19 |
| 50-64 | 31 | 5.5 | 9 | 2 | 2 | 4 | 7 | 10 | 12 | 13 |
| 65+ | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 218 | 4.0 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 12 |
| 20-34 | 981 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 35-49 | 866 | 6.2 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 525 | 5.9 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 159 | 7.1 | 20 | 2 | 2 | 6 | 9 | 14 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.4 | 12 | 2 | 2 | 4 | 7 | 10 | 13 | 15 |
| 20-34 | 85 | 9.6 | 60 | 2 | 3 | 8 | 11 | 21 | 28 | 35 |
| 35-49 | 123 | 9.0 | 45 | 2 | 3 | 8 | 10 | 17 | 21 | 34 |
| 50-64 | 71 | 8.3 | 33 | 3 | 3 | 7 | 10 | 15 | 20 | 33 |
| 65+ | 22 | 14.7 | 400 | 3 | 3 | 9 | 19 | 25 | 60 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2301 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 206 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2749 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 20 |
| B. *Operated* | 320 | 9.2 | 70 | 2 | 3 | 7 | 10 | 18 | 24 | 36 |
| **1. SINGLE DX** | 2507 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 3069 | 6.0 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 5050 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 526 | 7.6 | 51 | 2 | 2 | 6 | 9 | 15 | 20 | 32 |
| TOTAL 0-19 YRS | 750 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 2132 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 1641 | 5.8 | 22 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| 50-64 | 823 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 230 | 7.2 | 59 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| **GRAND TOTAL** | **5576** | **5.2** | **18** | **1** | **2** | **4** | **7** | **10** | **13** | **21** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.2 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 29 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 39 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 28 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 12 | 13 |
| 65+ | 13 | 4.2 | 11 | 1 | 1 | 3 | 5 | 9 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 1403 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 35-49 | 2148 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 2154 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 981 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 35 | 4.1 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 14 |
| 35-49 | 81 | 5.4 | 15 | <1 | 1 | 4 | 8 | 11 | 13 | 18 |
| 50-64 | 116 | 5.8 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 47 | 5.7 | 16 | 1 | 1 | 5 | 8 | 11 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.7 | 58 | 1 | 2 | 3 | 4 | 5 | 25 | 32 |
| 20-34 | 418 | 3.6 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 19 |
| 35-49 | 849 | 4.0 | 16 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| 50-64 | 1297 | 4.0 | 21 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| 65+ | 885 | 4.5 | 21 | 1 | 2 | 3 | 5 | 9 | 13 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 11 | 17 |
| B. *Operated* | 6738 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 280 | 5.5 | 17 | 1 | 1 | 4 | 8 | 11 | 13 | 21 |
| B. *Operated* | 3464 | 4.1 | 19 | 1 | 2 | 3 | 4 | 8 | 11 | 21 |
| **1. SINGLE DX** | 6852 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 3744 | 4.2 | 19 | 1 | 2 | 3 | 5 | 9 | 11 | 21 |
| **A. NOT OPERATED** | 394 | 4.9 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| **B. OPERATED** | 10202 | 3.0 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| TOTAL 0-19 YRS | 73 | 2.9 | 13 | 1 | 1 | 2 | 3 | 4 | 5 | 26 |
| 20-34 | 1885 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 3117 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 3595 | 3.2 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 65+ | 1926 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| **GRAND TOTAL** | **10596** | **3.1** | **9** | **1** | **1** | **2** | **3** | **5** | **8** | **16** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 8.7 | 115 | 1 | 1 | 5 | 10 | 18 | 35 | 54 |
| 20-34 | 375 | 6.5 | 41 | 1 | 1 | 5 | 8 | 13 | 17 | 36 |
| 35-49 | 441 | 6.8 | 52 | 1 | 2 | 5 | 8 | 11 | 18 | 37 |
| 50-64 | 453 | 6.5 | 50 | 1 | 2 | 5 | 8 | 12 | 18 | 39 |
| 65+ | 290 | 7.6 | 40 | 2 | 2 | 6 | 9 | 15 | 20 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.0 | 18 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 20-34 | 1190 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 11 | 24 |
| 35-49 | 1305 | 4.5 | 15 | 1 | 2 | 3 | 5 | 9 | 11 | 21 |
| 50-64 | 1311 | 4.5 | 25 | 1 | 2 | 3 | 5 | 9 | 12 | 26 |
| 65+ | 454 | 5.2 | 28 | 2 | 2 | 3 | 5 | 10 | 17 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 6.5 | 33 | 1 | 1 | 4 | 9 | 15 | 17 | 26 |
| 20-34 | 426 | 7.3 | 59 | 1 | 2 | 5 | 9 | 14 | 19 | 41 |
| 35-49 | 783 | 7.9 | 48 | 2 | 3 | 6 | 10 | 14 | 19 | 41 |
| 50-64 | 1049 | 8.7 | 51 | 2 | 3 | 7 | 11 | 17 | 21 | 39 |
| 65+ | 1269 | 9.8 | 78 | 2 | 3 | 8 | 12 | 19 | 25 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 6.1 | 76 | 1 | 2 | 4 | 6 | 17 | 35 | 99+ |
| 20-34 | 616 | 7.4 | 83 | 2 | 2 | 5 | 9 | 15 | 23 | 60 |
| 35-49 | 900 | 7.3 | 48 | 2 | 2 | 5 | 9 | 16 | 22 | 32 |
| 50-64 | 1149 | 8.5 | 83 | 2 | 2 | 6 | 10 | 18 | 23 | 51 |
| 65+ | 704 | 12.0 | 145 | 2 | 3 | 8 | 16 | 29 | 41 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1671 | 6.9 | 51 | 1 | 2 | 5 | 8 | 13 | 19 | 40 |
| B. *Operated* | 4450 | 4.5 | 22 | 1 | 2 | 3 | 5 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3636 | 8.7 | 61 | 2 | 3 | 7 | 11 | 16 | 22 | 42 |
| B. *Operated* | 3474 | 8.7 | 89 | 2 | 2 | 5 | 10 | 19 | 27 | 54 |
| **1. SINGLE DX** | 6121 | 5.2 | 31 | 1 | 2 | 3 | 6 | 10 | 14 | 30 |
| **2. MULTIPLE DX** | 7110 | 8.7 | 75 | 2 | 2 | 6 | 11 | 18 | 24 | 50 |
| **A. NOT OPERATED** | 5307 | 8.1 | 59 | 2 | 2 | 6 | 10 | 15 | 21 | 40 |
| **B. OPERATED** | 7924 | 6.3 | 56 | 2 | 2 | 4 | 7 | 13 | 20 | 41 |
| TOTAL 0-19 YRS | 516 | 6.0 | 57 | 1 | 2 | 4 | 6 | 13 | 19 | 53 |
| 20-34 | 2607 | 5.9 | 48 | 1 | 2 | 4 | 7 | 12 | 16 | 38 |
| 35-49 | 3429 | 6.3 | 38 | 2 | 2 | 4 | 8 | 12 | 17 | 32 |
| 50-64 | 3962 | 7.0 | 55 | 2 | 2 | 5 | 9 | 14 | 20 | 39 |
| 65+ | 2717 | 9.4 | 88 | 2 | 2 | 7 | 11 | 20 | 28 | 53 |
| **GRAND TOTAL** | **13231** | **7.1** | **58** | **2** | **2** | **5** | **9** | **14** | **20** | **41** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | 7 | 3.3 | 7 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 65+ | 12 | 4.4 | 12 | <1 | 1 | 3 | 6 | 10 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 4.7 | 5 | 1 | 2 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 157 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 139 | 4.7 | 9 | 2 | 2 | 4 | 6 | 7 | 8 | 21 |
| 50-64 | 518 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 557 | 5.3 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.4 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 3 | 4.7 | 21 | 2 | 2 | 2 | 8 | 10 | 10 | 10 |
| 35-49 | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 12 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 14 | 4.8 | 11 | <1 | 1 | 4 | 6 | 10 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 6.6 | 23 | 2 | 2 | 6 | 8 | 14 | 18 | 23 |
| 20-34 | 95 | 5.6 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 35-49 | 97 | 6.4 | 20 | 2 | 2 | 5 | 7 | 12 | 16 | 25 |
| 50-64 | 453 | 5.7 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 579 | 6.0 | 17 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 3.9 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 12 |
| B. *Operated* | 1456 | 4.9 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| B. *Operated* | 1265 | 5.9 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **1. SINGLE DX** | 1480 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 1306 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 65 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| **B. OPERATED** | 2721 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 134 | 5.1 | 12 | 1 | 2 | 5 | 6 | 8 | 12 | 20 |
| 20-34 | 257 | 5.0 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 35-49 | 243 | 5.3 | 14 | 2 | 2 | 5 | 6 | 9 | 12 | 21 |
| 50-64 | 990 | 5.1 | 10 | 2 | 2 | 5 | 6 | 9 | 10 | 16 |
| 65+ | 1162 | 5.7 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| **GRAND TOTAL** | **2786** | **5.3** | **11** | **2** | **2** | **5** | **7** | **9** | **11** | **18** |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 19 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 65+ | 46 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 23 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 35-49 | 89 | 3.6 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 351 | 3.3 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 65+ | 623 | 3.5 | 6 | 1 | 2 | 3 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 6 | 6.5 | 48 | 1 | 1 | 4 | 7 | 19 | 20 | 20 |
| 50-64 | 19 | 3.8 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 65+ | 58 | 4.9 | 18 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 12 | 6.1 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 32 | 5.3 | 11 | 1 | 2 | 4 | 8 | 9 | 13 | 14 |
| 50-64 | 204 | 4.7 | 42 | 2 | 2 | 3 | 5 | 8 | 11 | 16 |
| 65+ | 529 | 5.4 | 25 | 2 | 2 | 4 | 7 | 11 | 14 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 1089 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 4.8 | 17 | 1 | 1 | 3 | 7 | 10 | 14 | 20 |
| B. *Operated* | 778 | 5.3 | 28 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| **1. SINGLE DX** | 1161 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 866 | 5.2 | 27 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 160 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **B. OPERATED** | 1867 | 4.2 | 16 | 2 | 2 | 3 | 5 | 8 | 11 | 17 |
| TOTAL 0-19 YRS | 6 | 3.3 | 18 | 1 | 1 | 2 | 2 | 11 | 12 | 12 |
| 20-34 | 41 | 4.2 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 10 |
| 35-49 | 131 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| 50-64 | 593 | 3.8 | 18 | 1 | 2 | 3 | 4 | 7 | 9 | 14 |
| 65+ | 1256 | 4.4 | 16 | 1 | 2 | 3 | 5 | 9 | 11 | 20 |
| **GRAND TOTAL** | **2027** | **4.2** | **16** | **1** | **2** | **3** | **5** | **8** | **11** | **18** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 8 | 4.8 | 29 | 1 | 1 | 3 | 6 | 14 | 17 | 17 |
| 50-64 | 7 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 65+ | 18 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 32 | 3.7 | 4 | 1 | 2 | 3 | 5 | 7 | 7 | 8 |
| 35-49 | 45 | 3.9 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 141 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 9 | 12 |
| 65+ | 269 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.0 | 37 | 1 | 1 | 6 | 12 | 14 | 14 | 14 |
| 20-34 | 7 | 3.7 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 7 |
| 35-49 | 6 | 8.2 | 32 | 1 | 1 | 7 | 12 | 16 | 17 | 17 |
| 50-64 | 23 | 5.0 | 11 | 2 | 2 | 3 | 7 | 10 | 12 | 14 |
| 65+ | 55 | 6.3 | 23 | 1 | 2 | 4 | 8 | 13 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.8 | 27 | 1 | 1 | 2 | 4 | 11 | 18 | 18 |
| 20-34 | 24 | 5.1 | 8 | 1 | 2 | 6 | 7 | 8 | 10 | 12 |
| 35-49 | 31 | 6.1 | 72 | 2 | 2 | 4 | 6 | 10 | 13 | 49 |
| 50-64 | 123 | 4.9 | 17 | 2 | 2 | 3 | 5 | 10 | 13 | 21 |
| 65+ | 304 | 5.5 | 21 | 2 | 2 | 4 | 6 | 11 | 15 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 17 |
| B. *Operated* | 498 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 5.9 | 20 | 1 | 2 | 4 | 8 | 12 | 15 | 21 |
| B. *Operated* | 492 | 5.3 | 22 | 2 | 2 | 4 | 6 | 11 | 14 | 25 |
| **1. SINGLE DX** | 537 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 587 | 5.4 | 22 | 2 | 2 | 4 | 6 | 11 | 15 | 24 |
| **A. NOT OPERATED** | 134 | 5.0 | 18 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| **B. OPERATED** | 990 | 4.4 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 29 | 3.6 | 16 | 1 | 1 | 2 | 4 | 8 | 14 | 18 |
| 20-34 | 65 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 90 | 5.0 | 32 | 1 | 2 | 4 | 6 | 9 | 12 | 36 |
| 50-64 | 294 | 4.2 | 11 | 2 | 2 | 3 | 5 | 9 | 11 | 16 |
| 65+ | 646 | 4.6 | 15 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| **GRAND TOTAL** | **1124** | **4.5** | **15** | **1** | **2** | **3** | **5** | **9** | **12** | **19** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 33 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 71 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 934 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 5930 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 65+ | 20654 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 23 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 105 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 65+ | 491 | 3.1 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 453 | 3.6 | 12 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 3898 | 3.7 | 9 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 16383 | 4.0 | 10 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 27518 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 619 | 2.9 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| B. *Operated* | 20734 | 3.9 | 10 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| **1. SINGLE DX** | 27624 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 21353 | 3.9 | 10 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| **A. NOT OPERATED** | 725 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **B. OPERATED** | 48252 | 3.4 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1412 | 3.0 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 50-64 | 9966 | 3.1 | 5 | 2 | 2 | 3 | 3 | 4 | 6 | 11 |
| 65+ | 37599 | 3.4 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| **GRAND TOTAL** | **48977** | **3.4** | **6** | **2** | **2** | **3** | **4** | **5** | **7** | **13** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 93 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 137 | 2.7 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 249 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 243 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 5 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 20-34 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 2.5 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 2.9 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 7 |
| 20-34 | 90 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 10 |
| 35-49 | 93 | 3.3 | 8 | 1 | 2 | 3 | 3 | 5 | 7 | 19 |
| 50-64 | 207 | 3.3 | 11 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 65+ | 223 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.6 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| B. *Operated* | 828 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 2.7 | 5 | <1 | <1 | 1 | 5 | 6 | 7 | 7 |
| B. *Operated* | 663 | 3.2 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| **1. SINGLE DX** | 833 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 674 | 3.2 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 16 | 2.4 | 4 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| **B. OPERATED** | 1491 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 160 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 186 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 233 | 2.9 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 456 | 2.9 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 472 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **GRAND TOTAL** | **1507** | **2.8** | **4** | **1** | **1** | **2** | **3** | **4** | **6** | **11** |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 2.2 | 7 | <1 | <1 | 1 | 2 | 3 | 10 | 12 |
| 20-34 | 20 | 3.8 | 10 | <1 | 1 | 3 | 5 | 6 | 10 | 14 |
| 35-49 | 12 | 4.3 | 3 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 56-64 | 18 | 5.3 | 13 | 1 | 1 | 4 | 8 | 11 | 12 | 12 |
| 65+ | 18 | 6.3 | 13 | 1 | 2 | 5 | 10 | 11 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2931 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 519 | 2.2 | 8 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 224 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 147 | 2.4 | 4 | 1 | 1 | 2 | 2 | 3 | 5 | 12 |
| 65+ | 81 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 7 |
| 20-34 | 23 | 4.4 | 24 | 1 | 1 | 3 | 6 | 8 | 14 | 24 |
| 35-49 | 27 | 6.5 | 43 | <1 | 1 | 4 | 9 | 13 | 18 | 32 |
| 50-64 | 48 | 5.8 | 9 | 2 | 2 | 5 | 8 | 11 | 12 | 13 |
| 65+ | 93 | 7.8 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 444 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 191 | 2.6 | 6 | 1 | 1 | 2 | 3 | 3 | 5 | 17 |
| 35-49 | 123 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | 130 | 3.9 | 17 | 2 | 2 | 2 | 4 | 8 | 12 | 26 |
| 65+ | 69 | 4.6 | 17 | 2 | 2 | 2 | 6 | 11 | 13 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 3.7 | 11 | <1 | 1 | 2 | 5 | 9 | 11 | 13 |
| B. *Operated* | 3902 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 4.9 | 22 | <1 | <1 | 3 | 7 | 11 | 13 | 21 |
| B. *Operated* | 957 | 2.6 | 6 | 1 | 1 | 2 | 2 | 4 | 7 | 15 |
| **1. SINGLE DX** | 4026 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 1258 | 3.1 | 11 | 1 | 1 | 2 | 3 | 7 | 10 | 17 |
| **A. NOT OPERATED** | 425 | 4.5 | 19 | <1 | <1 | 3 | 6 | 10 | 13 | 20 |
| **B. OPERATED** | 4859 | 2.0 | 3 | 1 | 1 | 2 | 2 | 2 | 3 | 8 |
| TOTAL 0-19 YRS | 3541 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 753 | 2.4 | 8 | 1 | 1 | 2 | 2 | 3 | 4 | 11 |
| 35-49 | 386 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | 343 | 3.6 | 12 | 1 | 2 | 2 | 4 | 7 | 11 | 17 |
| 65+ | 261 | 5.2 | 20 | 1 | 2 | 3 | 7 | 12 | 14 | 21 |
| **GRAND TOTAL** | **5284** | **2.2** | **4** | **<1** | **1** | **2** | **2** | **3** | **5** | **12** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 1.8 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 60 | 4.0 | 21 | <1 | 1 | 3 | 5 | 9 | 11 | 28 |
| 35-49 | 47 | 4.4 | 14 | <1 | 1 | 3 | 5 | 10 | 12 | 16 |
| 50-64 | 31 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 14 | 24 |
| 65+ | 83 | 6.0 | 24 | 1 | 1 | 5 | 8 | 12 | 15 | 26 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 288 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 315 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 35-49 | 441 | 2.4 | 2 | 1 | 1 | 2 | 3 | 6 | 5 | 6 |
| 50-64 | 596 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 904 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 3.7 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 20-34 | 63 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| 35-49 | 62 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 87 | 5.5 | 34 | 1 | 1 | 4 | 7 | 10 | 17 | 33 |
| 65+ | 189 | 7.2 | 42 | 1 | 1 | 6 | 10 | 14 | 18 | 39 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 20-34 | 140 | 3.7 | 8 | 1 | 2 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 417 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 50-64 | 638 | 3.6 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 19 |
| 65+ | 1147 | 4.5 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 504 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| *B. Operated* | 2544 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 605 | 5.2 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| *B. Operated* | 2338 | 4.0 | 13 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| **1. SINGLE DX** | 3048 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 2943 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **A. NOT OPERATED** | 1109 | 4.3 | 21 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **B. OPERATED** | 4882 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| TOTAL 0-19 YRS | 871 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 578 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 867 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 1352 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 65+ | 2323 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **GRAND TOTAL** | **5991** | **3.4** | **11** | **1** | **1** | **2** | **4** | **6** | **9** | **18** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 166 | 5.3 | 19 | 1 | 2 | 4 | 7 | 11 | 13 | 21 |
| 35-49 | 83 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 13 | 15 |
| 50-64 | 84 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 65+ | 83 | 4.2 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 3.6 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 20-34 | 81 | 4.0 | 28 | 1 | 1 | 3 | 4 | 7 | 10 | 36 |
| 35-49 | 106 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 333 | 3.1 | 5 | 1 | 2 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 797 | 3.3 | 6 | 1 | 2 | 3 | 3 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 263 | 5.3 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 30 |
| 20-34 | 136 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 22 |
| 35-49 | 140 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 193 | 6.0 | 21 | 1 | 2 | 4 | 8 | 12 | 14 | 24 |
| 65+ | 321 | 6.6 | 25 | 1 | 2 | 6 | 9 | 12 | 16 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 5.0 | 13 | 2 | 2 | 4 | 6 | 10 | 12 | 18 |
| 20-34 | 153 | 5.5 | 27 | 2 | 2 | 4 | 6 | 9 | 14 | 30 |
| 35-49 | 176 | 5.9 | 31 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 482 | 5.7 | 28 | 2 | 2 | 4 | 7 | 12 | 13 | 27 |
| 65+ | 1038 | 5.3 | 30 | 2 | 2 | 3 | 6 | 11 | 15 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 773 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| *B. Operated* | 1391 | 3.3 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1053 | 5.9 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| *B. Operated* | 1954 | 5.4 | 29 | 2 | 2 | 4 | 6 | 11 | 15 | 27 |
| **1. SINGLE DX** | 2164 | 3.7 | 8 | 1 | 2 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 3007 | 5.6 | 26 | 2 | 2 | 4 | 7 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 1826 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 3345 | 4.5 | 21 | 2 | 2 | 3 | 5 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 799 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 536 | 5.1 | 22 | 1 | 2 | 4 | 6 | 10 | 12 | 24 |
| 35-49 | 505 | 5.3 | 22 | 1 | 2 | 4 | 6 | 11 | 14 | 22 |
| 50-64 | 1092 | 4.9 | 20 | 1 | 2 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 2239 | 4.7 | 22 | 1 | 2 | 3 | 5 | 10 | 14 | 23 |
| **GRAND TOTAL** | **5171** | **4.8** | **20** | **1** | **2** | **3** | **6** | **10** | **13** | **22** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 33 | 4.2 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 12 |
| 35-49 | 24 | 3.3 | 3 | <1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | 28 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 65+ | 26 | 4.3 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 14 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 13 | 5.1 | 28 | 1 | 2 | 4 | 5 | 12 | 19 | 21 |
| 50-64 | 35 | 3.6 | 8 | 2 | 2 | 3 | 4 | 6 | 11 | 14 |
| 65+ | 28 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 20-34 | 71 | 4.5 | 16 | 1 | 2 | 4 | 5 | 9 | 10 | 25 |
| 35-49 | 64 | 5.5 | 23 | 2 | 2 | 4 | 6 | 9 | 12 | 32 |
| 50-64 | 95 | 5.5 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 26 |
| 65+ | 123 | 7.1 | 24 | 2 | 2 | 6 | 9 | 15 | 17 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.2 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 12 |
| 20-34 | 43 | 6.4 | 95 | 2 | 2 | 4 | 6 | 10 | 17 | 63 |
| 35-49 | 37 | 5.2 | 18 | 2 | 2 | 4 | 6 | 13 | 18 | 99+ |
| 50-64 | 82 | 6.6 | 53 | 2 | 2 | 4 | 8 | 15 | 20 | 41 |
| 65+ | 99 | 6.3 | 38 | 2 | 2 | 4 | 8 | 14 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 2.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 102 | 3.4 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 15 | 22 |
| B. *Operated* | 274 | 6.1 | 47 | 2 | 2 | 4 | 7 | 13 | 18 | 45 |
| **1. SINGLE DX** | 244 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 668 | 5.8 | 31 | 2 | 2 | 4 | 7 | 11 | 16 | 30 |
| **A. NOT OPERATED** | 536 | 5.1 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| **B. OPERATED** | 376 | 5.4 | 38 | 2 | 2 | 3 | 6 | 11 | 16 | 40 |
| TOTAL 0-19 YRS | 97 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 161 | 4.8 | 35 | 1 | 2 | 3 | 5 | 9 | 11 | 28 |
| 35-49 | 138 | 5.0 | 19 | 2 | 2 | 4 | 6 | 9 | 13 | 41 |
| 50-64 | 240 | 5.4 | 28 | 2 | 2 | 4 | 6 | 10 | 14 | 31 |
| 65+ | 276 | 6.2 | 26 | 2 | 2 | 5 | 8 | 13 | 16 | 22 |
| **GRAND TOTAL** | **912** | **5.2** | **26** | **1** | **2** | **4** | **6** | **10** | **14** | **27** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1098 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 33 | 3.4 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 35-49 | 12 | 5.5 | 46 | <1 | 1 | 4 | 5 | 13 | 24 | 26 |
| 50-64 | 12 | 5.3 | 16 | 1 | 1 | 5 | 6 | 11 | 15 | 16 |
| 65+ | 9 | 5.3 | 9 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4564 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 585 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 35-49 | 456 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 442 | 2.5 | 3 | 1 | 2 | 2 | 3 | 3 | 3 | 6 |
| 65+ | 175 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3807 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 123 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 10 | 22 |
| 35-49 | 84 | 5.8 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 28 |
| 50-64 | 81 | 5.3 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 89 | 7.4 | 28 | 1 | 2 | 6 | 9 | 15 | 19 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3574 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 610 | 2.8 | 12 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 485 | 3.2 | 14 | 1 | 2 | 2 | 3 | 5 | 7 | 18 |
| 50-64 | 533 | 3.0 | 7 | 1 | 2 | 2 | 3 | 4 | 6 | 16 |
| 65+ | 222 | 3.8 | 30 | 1 | 2 | 2 | 3 | 6 | 12 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1164 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 6222 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4184 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 5424 | 2.3 | 7 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| **1. SINGLE DX** | 7386 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 9608 | 3.0 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 5348 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **B. OPERATED** | 11646 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 13043 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1351 | 2.8 | 8 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 1037 | 3.1 | 10 | 1 | 2 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 1068 | 3.0 | 6 | 1 | 2 | 2 | 3 | 4 | 6 | 15 |
| 65+ | 495 | 4.0 | 22 | 1 | 2 | 3 | 4 | 8 | 12 | 21 |
| **GRAND TOTAL** | **16994** | **2.5** | **6** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 84 | 3.9 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 40 | 4.7 | 23 | 1 | 2 | 3 | 6 | 8 | 9 | 31 |
| 50-64 | 20 | 6.7 | 30 | 2 | 2 | 4 | 9 | 17 | 20 | 20 |
| 65+ | 10 | 9.5 | 64 | 2 | 2 | 7 | 14 | 22 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 401 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 6 | 10 |
| 20-34 | 96 | 3.1 | 56 | 1 | 1 | 2 | 3 | 4 | 5 | 45 |
| 35-49 | 53 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 8 | 13 |
| 50-64 | 59 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 13 |
| 65+ | 44 | 3.6 | 9 | 1 | 1 | 3 | 4 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 321 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 102 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| 35-49 | 83 | 6.6 | 28 | 2 | 3 | 5 | 8 | 11 | 20 | 28 |
| 50-64 | 77 | 6.6 | 19 | 3 | 3 | 5 | 8 | 11 | 15 | 26 |
| 65+ | 73 | 9.9 | 78 | 2 | 3 | 7 | 12 | 22 | 25 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 586 | 2.3 | 5 | 1 | 1 | 2 | 2 | 3 | 7 | 12 |
| 20-34 | 135 | 4.5 | 33 | 1 | 1 | 3 | 5 | 9 | 13 | 42 |
| 35-49 | 97 | 4.7 | 60 | 1 | 2 | 3 | 4 | 7 | 18 | 50 |
| 50-64 | 112 | 6.2 | 77 | 1 | 2 | 3 | 6 | 12 | 23 | 47 |
| 65+ | 74 | 12.3 | 191 | 1 | 2 | 7 | 16 | 35 | 48 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 4.2 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| B. *Operated* | 653 | 2.3 | 13 | <1 | 1 | 2 | 2 | 4 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 656 | 5.5 | 23 | 1 | 2 | 4 | 6 | 11 | 13 | 25 |
| B. *Operated* | 1004 | 4.0 | 43 | 1 | 1 | 2 | 3 | 8 | 13 | 42 |
| **1. SINGLE DX** | 922 | 2.9 | 14 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | 1660 | 4.6 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 35 |
| **A. NOT OPERATED** | 925 | 5.1 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| **B. OPERATED** | 1657 | 3.3 | 32 | <1 | 1 | 2 | 3 | 6 | 10 | 35 |
| TOTAL 0-19 YRS | 1423 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 417 | 4.3 | 28 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 273 | 4.9 | 36 | 1 | 2 | 3 | 5 | 9 | 12 | 31 |
| 50-64 | 268 | 5.6 | 43 | 1 | 2 | 4 | 6 | 11 | 15 | 41 |
| 65+ | 201 | 9.4 | 113 | 1 | 2 | 6 | 11 | 22 | 32 | 56 |
| **GRAND TOTAL** | **2582** | **4.0** | **29** | **1** | **1** | **2** | **4** | **8** | **11** | **28** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 4.2 | 6 | 1 | 2 | 4 | 6 | 8 | 8 | 13 |
| 20-34 | 260 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| 35-49 | 397 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 610 | 4.2 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 438 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 60 | 3.7 | 5 | 1 | 2 | 3 | 4 | 8 | 9 | 12 |
| 35-49 | 82 | 3.9 | 5 | 2 | 2 | 3 | 5 | 8 | 8 | 11 |
| 50-64 | 136 | 4.0 | 6 | 2 | 2 | 3 | 5 | 7 | 10 | 13 |
| 65+ | 40 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.0 | 8 | 2 | 2 | 4 | 6 | 10 | 11 | 14 |
| 20-34 | 310 | 5.2 | 13 | 2 | 2 | 4 | 7 | 10 | 11 | 20 |
| 35-49 | 578 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 1254 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 1904 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 33 | 6.9 | 26 | 2 | 2 | 6 | 8 | 14 | 18 | 23 |
| 35-49 | 62 | 8.6 | 29 | 2 | 3 | 8 | 12 | 16 | 18 | 27 |
| 50-64 | 151 | 9.1 | 51 | 3 | 3 | 8 | 11 | 15 | 23 | 27 |
| 65+ | 143 | 9.8 | 49 | 3 | 3 | 8 | 13 | 17 | 21 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1759 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 9 | 16 |
| B. *Operated* | 328 | 3.9 | 5 | 2 | 2 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4104 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| B. *Operated* | 392 | 9.1 | 45 | 2 | 3 | 7 | 12 | 16 | 20 | 31 |
| **1. SINGLE DX** | 2087 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 4496 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 5863 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| **B. OPERATED** | 720 | 6.7 | 33 | 2 | 2 | 5 | 9 | 14 | 16 | 27 |
| TOTAL 0-19 YRS | 125 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 663 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 1119 | 5.1 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 50-64 | 2151 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 2525 | 6.0 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **GRAND TOTAL** | **6583** | **5.5** | **17** | **2** | **2** | **4** | **7** | **10** | **13** | **21** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.9 | 7 | 1 | 2 | 2 | 3 | 3 | 4 | 20 |
| 20-34 | 365 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 514 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 587 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 65+ | 212 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 9 | 4.8 | 15 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.7 | 1 | <1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 50 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 111 | 2.9 | 2 | 2 | 2 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 148 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 15 |
| 65+ | 70 | 3.2 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 1.9 | 1 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| B. *Operated* | 1724 | 2.6 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 3.4 | 10 | <1 | <1 | 2 | 5 | 9 | 10 | 11 |
| B. *Operated* | 392 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 11 |
| **1. SINGLE DX** | 1731 | 2.6 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 410 | 2.9 | 3 | 1 | 2 | 3 | 3 | 5 | 6 | 11 |
| **A. NOT OPERATED** | 25 | 3.0 | 8 | <1 | <1 | 2 | 4 | 8 | 9 | 11 |
| **B. OPERATED** | 2116 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| TOTAL 0-19 YRS | 59 | 2.8 | 6 | 1 | 2 | 2 | 3 | 4 | 4 | 19 |
| 20-34 | 419 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 632 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 739 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 65+ | 292 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 6 | 10 |
| **GRAND TOTAL** | 2141 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 67 | 2.7 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 67 | 3.4 | 3 | 1 | 1 | 4 | 4 | 6 | 7 | 8 |
| 50-64 | 85 | 3.7 | 5 | 1 | 1 | 4 | 4 | 6 | 7 | 15 |
| 65+ | 52 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 961 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 696 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 472 | 2.4 | 8 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 455 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 166 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.4 | 7 | <1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 20-34 | 69 | 3.7 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 35-49 | 73 | 4.9 | 18 | 1 | 1 | 3 | 6 | 10 | 16 | 21 |
| 50-64 | 109 | 5.6 | 17 | 1 | 2 | 4 | 8 | 11 | 14 | 20 |
| 65+ | 115 | 6.6 | 35 | 1 | 2 | 5 | 8 | 12 | 17 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 683 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 523 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 35-49 | 413 | 3.0 | 7 | 1 | 2 | 2 | 3 | 4 | 6 | 15 |
| 50-64 | 466 | 3.1 | 8 | 1 | 2 | 2 | 3 | 5 | 8 | 16 |
| 65+ | 185 | 3.6 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 2750 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 428 | 5.1 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 2270 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| **1. SINGLE DX** | 3067 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 2698 | 3.1 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **A. NOT OPERATED** | 745 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 5020 | 2.4 | 4 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |
| TOTAL 0-19 YRS | 1752 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 1355 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 1025 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 50-64 | 1115 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 15 |
| 65+ | 518 | 4.0 | 14 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| **GRAND TOTAL** | 5765 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 6.8 | 18 | 2 | 2 | 6 | 9 | 13 | 15 | 21 |
| 20-34 | 41 | 8.0 | 23 | 3 | 3 | 7 | 10 | 13 | 18 | 24 |
| 35-49 | 10 | 7.6 | 18 | 2 | 2 | 8 | 10 | 13 | 15 | 15 |
| 50-64 | 6 | 7.0 | 28 | 3 | 3 | 4 | 11 | 15 | 16 | 16 |
| 65+ | 2 | 16.0 | 50 | 11 | 11 | 16 | 21 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 7.3 | 32 | 2 | 2 | 6 | 10 | 14 | 18 | 32 |
| 20-34 | 42 | 7.1 | 45 | 2 | 3 | 5 | 8 | 12 | 22 | 36 |
| 35-49 | 18 | 12.9 | 164 | 3 | 4 | 9 | 13 | 35 | 44 | 48 |
| 50-64 | 46 | 8.7 | 39 | 1 | 3 | 7 | 10 | 21 | 23 | 24 |
| 65+ | 60 | 9.1 | 26 | 2 | 3 | 8 | 12 | 16 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.4 | 26 | 1 | 1 | 10 | 13 | 14 | 14 | 14 |
| 20-34 | 9 | 7.9 | 18 | 2 | 2 | 9 | 12 | 13 | 13 | 13 |
| 35-49 | 19 | 10.8 | 91 | 3 | 3 | 9 | 11 | 29 | 35 | 35 |
| 50-64 | 26 | 19.0 | 205 | 2 | 3 | 16 | 27 | 39 | 47 | 60 |
| 65+ | 19 | 14.7 | 89 | 3 | 4 | 15 | 22 | 29 | 31 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 7.3 | 21 | 2 | 3 | 6 | 10 | 13 | 16 | 24 |
| B. *Operated* | 6 | 5.2 | 11 | 2 | 2 | 4 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 8.4 | 45 | 2 | 3 | 7 | 10 | 16 | 21 | 36 |
| B. *Operated* | 78 | 14.1 | 129 | 2 | 3 | 10 | 18 | 31 | 36 | 56 |
| **1. SINGLE DX** | 158 | 7.2 | 21 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 323 | 9.8 | 71 | 2 | 3 | 7 | 12 | 21 | 27 | 40 |
| **A. NOT OPERATED** | 397 | 8.0 | 36 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| **B. OPERATED** | 84 | 13.4 | 126 | 2 | 3 | 10 | 18 | 30 | 35 | 55 |
| TOTAL 0-19 YRS | 177 | 7.1 | 25 | 2 | 2 | 6 | 9 | 14 | 16 | 21 |
| 20-34 | 94 | 7.6 | 32 | 2 | 3 | 6 | 9 | 12 | 17 | 33 |
| 35-49 | 48 | 10.8 | 103 | 2 | 3 | 9 | 11 | 29 | 35 | 48 |
| 50-64 | 81 | 11.7 | 115 | 2 | 3 | 8 | 16 | 25 | 33 | 55 |
| 65+ | 81 | 10.6 | 46 | 3 | 4 | 9 | 15 | 21 | 25 | 31 |
| **GRAND TOTAL** | 481 | 8.9 | 56 | 2 | 3 | 7 | 11 | 17 | 24 | 37 |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.1 | 8 | 1 | 2 | 5 | 6 | 8 | 11 | 12 |
| 20-34 | 32 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 35-49 | 48 | 5.1 | 13 | 2 | 2 | 4 | 7 | 9 | 12 | 21 |
| 50-64 | 29 | 4.7 | 14 | 1 | 2 | 3 | 6 | 11 | 12 | 17 |
| 65+ | 23 | 10.4 | 36 | 3 | 4 | 10 | 13 | 19 | 22 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.8 | 25 | 1 | 1 | 9 | 11 | 12 | 12 | 12 |
| 20-34 | 45 | 6.5 | 27 | 1 | 2 | 5 | 11 | 13 | 16 | 20 |
| 35-49 | 142 | 7.0 | 34 | 2 | 2 | 4 | 11 | 16 | 19 | 22 |
| 50-64 | 191 | 8.1 | 52 | 2 | 2 | 5 | 12 | 17 | 21 | 35 |
| 65+ | 60 | 9.6 | 85 | 2 | 2 | 4 | 16 | 23 | 28 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.2 | 18 | 2 | 2 | 4 | 6 | 9 | 15 | 21 |
| 20-34 | 127 | 6.3 | 28 | 1 | 2 | 5 | 8 | 11 | 16 | 29 |
| 35-49 | 274 | 6.1 | 21 | 1 | 2 | 5 | 7 | 11 | 13 | 25 |
| 50-64 | 505 | 7.5 | 33 | 2 | 2 | 6 | 10 | 13 | 17 | 30 |
| 65+ | 572 | 10.2 | 58 | 2 | 3 | 8 | 13 | 20 | 26 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 11 | 2 | 2 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 99 | 9.7 | 87 | 2 | 2 | 8 | 13 | 23 | 27 | 46 |
| 35-49 | 312 | 10.7 | 71 | 2 | 2 | 9 | 16 | 22 | 26 | 37 |
| 50-64 | 587 | 12.3 | 122 | 2 | 2 | 11 | 17 | 25 | 31 | 63 |
| 65+ | 399 | 15.3 | 192 | 2 | 2 | 12 | 20 | 32 | 42 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 146 | 5.8 | 20 | 1 | 2 | 5 | 7 | 12 | 15 | 21 |
| B. *Operated* | 442 | 7.8 | 48 | 2 | 2 | 4 | 12 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1499 | 8.1 | 43 | 2 | 2 | 6 | 10 | 16 | 21 | 33 |
| B. *Operated* | 1404 | 12.6 | 131 | 2 | 2 | 11 | 17 | 26 | 34 | 64 |
| **1. SINGLE DX** | 588 | 7.3 | 42 | 2 | 2 | 4 | 11 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | 2903 | 10.3 | 90 | 2 | 2 | 8 | 14 | 21 | 28 | 50 |
| **A. NOT OPERATED** | 1645 | 7.9 | 41 | 2 | 2 | 6 | 10 | 15 | 20 | 32 |
| **B. OPERATED** | 1846 | 11.5 | 115 | 2 | 2 | 10 | 16 | 24 | 30 | 59 |
| TOTAL 0-19 YRS | 46 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 20-34 | 303 | 7.3 | 46 | 1 | 2 | 5 | 10 | 16 | 21 | 35 |
| 35-49 | 776 | 8.1 | 48 | 2 | 2 | 6 | 11 | 18 | 22 | 32 |
| 50-64 | 1312 | 9.7 | 81 | 2 | 2 | 7 | 13 | 20 | 26 | 46 |
| 65+ | 1054 | 12.1 | 116 | 2 | 3 | 9 | 16 | 25 | 32 | 61 |
| **GRAND TOTAL** | 3491 | 9.8 | 84 | 2 | 2 | 7 | 13 | 20 | 27 | 45 |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 3.9 | 5 | 1 | 2 | 3 | 4 | 7 | 8 | 12 |
| 20-34 | 425 | 4.6 | 14 | 1 | 2 | 4 | 6 | 8 | 9 | 20 |
| 35-49 | 830 | 4.9 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 14 |
| 50-64 | 841 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 538 | 5.4 | 15 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.2 | 16 | 1 | 2 | 3 | 4 | 7 | 13 | 19 |
| 20-34 | 79 | 4.1 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 35-49 | 70 | 4.8 | 16 | 1 | 2 | 3 | 7 | 12 | 14 | 16 |
| 50-64 | 81 | 4.6 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 24 |
| 65+ | 18 | 4.9 | 13 | 1 | 2 | 3 | 8 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 10 | 19 |
| 20-34 | 1176 | 5.7 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 35-49 | 3627 | 6.5 | 19 | 2 | 2 | 6 | 8 | 12 | 14 | 22 |
| 50-64 | 5642 | 7.0 | 23 | 2 | 3 | 6 | 9 | 12 | 16 | 25 |
| 65+ | 5818 | 7.9 | 34 | 2 | 3 | 6 | 10 | 15 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 9.4 | 38 | 3 | 3 | 9 | 13 | 16 | 20 | 29 |
| 20-34 | 214 | 8.5 | 38 | 1 | 2 | 7 | 11 | 17 | 21 | 27 |
| 35-49 | 635 | 9.2 | 43 | 2 | 2 | 8 | 12 | 17 | 23 | 33 |
| 50-64 | 1060 | 10.8 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| 65+ | 817 | 12.7 | 100 | 2 | 3 | 10 | 16 | 25 | 31 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2734 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 268 | 4.5 | 15 | 1 | 2 | 3 | 6 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16403 | 7.1 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 2751 | 10.8 | 74 | 2 | 3 | 9 | 14 | 21 | 27 | 43 |
| **1. SINGLE DX** | 3002 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 19154 | 7.6 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 19137 | 6.8 | 25 | 2 | 2 | 6 | 8 | 12 | 16 | 26 |
| **B. OPERATED** | 3019 | 10.3 | 72 | 2 | 2 | 8 | 13 | 20 | 26 | 43 |
| TOTAL 0-19 YRS | 285 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 1894 | 5.7 | 19 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| 35-49 | 5162 | 6.6 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 7624 | 7.3 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| 65+ | 7191 | 8.3 | 43 | 2 | 3 | 7 | 10 | 16 | 20 | 33 |
| **GRAND TOTAL** | **22156** | **7.3** | **32** | **2** | **2** | **6** | **9** | **14** | **17** | **29** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 22 | 5.7 | 6 | 2 | 3 | 5 | 8 | 9 | 10 | 11 |
| 35-49 | 79 | 6.4 | 14 | 2 | 2 | 6 | 8 | 11 | 15 | 19 |
| 50-64 | 181 | 7.3 | 23 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| 65+ | 241 | 7.8 | 47 | 2 | 3 | 6 | 9 | 13 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | | | | | | | | | | |
| 35-49 | 24 | 5.1 | 25 | 2 | 2 | 2 | 7 | 13 | 17 | 19 |
| 50-64 | 40 | 5.1 | 20 | 1 | 2 | 3 | 8 | 11 | 15 | 20 |
| 65+ | 15 | 4.9 | 17 | 1 | 2 | 3 | 6 | 12 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 88 | 7.1 | 17 | 2 | 3 | 7 | 8 | 12 | 15 | 25 |
| 35-49 | 646 | 8.4 | 37 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| 50-64 | 2192 | 9.3 | 39 | 3 | 3 | 8 | 12 | 17 | 21 | 33 |
| 65+ | 4419 | 10.6 | 61 | 3 | 4 | 8 | 13 | 20 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 16 | 11.3 | 39 | 2 | 3 | 11 | 14 | 21 | 24 | 25 |
| 35-49 | 137 | 11.5 | 74 | 2 | 2 | 10 | 14 | 23 | 31 | 40 |
| 50-64 | 388 | 12.5 | 109 | 2 | 2 | 10 | 16 | 25 | 31 | 55 |
| 65+ | 596 | 17.0 | 165 | 3 | 5 | 14 | 21 | 32 | 41 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 524 | 7.3 | 32 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | 80 | 5.1 | 21 | 1 | 2 | 3 | 7 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7349 | 9.9 | 53 | 3 | 4 | 8 | 12 | 19 | 24 | 37 |
| B. *Operated* | 1138 | 14.7 | 138 | 2 | 3 | 12 | 19 | 28 | 36 | 62 |
| **1. SINGLE DX** | 604 | 7.0 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | 8487 | 10.6 | 67 | 3 | 4 | 8 | 13 | 20 | 26 | 42 |
| **A. NOT OPERATED** | 7873 | 9.8 | 52 | 3 | 3 | 8 | 12 | 18 | 23 | 36 |
| **B. OPERATED** | 1218 | 14.0 | 136 | 2 | 2 | 11 | 18 | 28 | 35 | 60 |
| TOTAL 0-19 YRS | 7 | 5.1 | 9 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 126 | 7.4 | 20 | 2 | 3 | 7 | 9 | 13 | 15 | 26 |
| 35-49 | 886 | 8.6 | 42 | 2 | 3 | 7 | 11 | 16 | 21 | 36 |
| 50-64 | 2801 | 9.5 | 49 | 2 | 3 | 8 | 12 | 18 | 22 | 36 |
| 65+ | 5271 | 11.2 | 77 | 3 | 4 | 9 | 14 | 21 | 27 | 46 |
| **GRAND TOTAL** | **9091** | **10.3** | **65** | **3** | **3** | **8** | **13** | **20** | **25** | **41** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 7.0 | 20 | 3 | 3 | 5 | 10 | 13 | 17 | 18 |
| 35-49 | 25 | 7.2 | 23 | 2 | 3 | 6 | 9 | 11 | 17 | 25 |
| 50-64 | 35 | 7.6 | 20 | 1 | 3 | 6 | 11 | 14 | 17 | 18 |
| 65+ | 37 | 8.6 | 41 | 2 | 3 | 7 | 12 | 17 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 27 | 2 | 2 | 3 | 8 | 13 | 13 | 13 |
| 20-34 | 26 | 8.3 | 102 | <1 | 1 | 5 | 9 | 24 | 34 | 41 |
| 35-49 | 47 | 9.7 | 49 | 2 | 3 | 8 | 13 | 20 | 27 | 29 |
| 50-64 | 40 | 10.9 | 131 | 2 | 3 | 6 | 14 | 25 | 29 | 60 |
| 65+ | 16 | 14.6 | 103 | 2 | 4 | 15 | 21 | 26 | 35 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 8 | 2 | 2 | 7 | 8 | 9 | 10 | 10 |
| 20-34 | 51 | 6.5 | 28 | 1 | 2 | 5 | 9 | 13 | 21 | 98 |
| 35-49 | 90 | 7.8 | 32 | 2 | 3 | 6 | 11 | 16 | 20 | 25 |
| 50-64 | 288 | 8.9 | 69 | 1 | 1 | 7 | 11 | 19 | 25 | 45 |
| 65+ | 527 | 12.2 | 90 | 3 | 4 | 9 | 16 | 25 | 30 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 6.9 | 19 | 2 | 3 | 6 | 8 | 13 | 17 | 18 |
| 20-34 | 79 | 9.4 | 96 | <1 | <1 | 7 | 13 | 20 | 28 | 56 |
| 35-49 | 122 | 11.7 | 89 | 1 | 2 | 10 | 15 | 25 | 28 | 47 |
| 50-64 | 244 | 13.4 | 107 | 2 | 3 | 11 | 18 | 25 | 35 | 56 |
| 65+ | 268 | 18.6 | 253 | 2 | 3 | 14 | 23 | 41 | 51 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 7.7 | 27 | 2 | 3 | 6 | 10 | 15 | 18 | 27 |
| B. *Operated* | 133 | 10.2 | 91 | 2 | 2 | 7 | 14 | 25 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 969 | 10.4 | 78 | 1 | 3 | 8 | 13 | 22 | 27 | 47 |
| B. *Operated* | 735 | 14.4 | 165 | 2 | 3 | 11 | 19 | 29 | 41 | 66 |
| **1. SINGLE DX** | 245 | 9.1 | 63 | 2 | 3 | 6 | 12 | 20 | 25 | 39 |
| **2. MULTIPLE DX** | 1704 | 12.1 | 119 | 1 | 3 | 9 | 16 | 25 | 33 | 56 |
| **A. NOT OPERATED** | 1081 | 10.1 | 73 | 1 | 3 | 8 | 13 | 21 | 26 | 46 |
| **B. OPERATED** | 868 | 13.8 | 156 | 2 | 3 | 11 | 18 | 28 | 39 | 63 |
| TOTAL 0-19 YRS | 40 | 6.4 | 15 | 2 | 2 | 6 | 8 | 11 | 14 | 18 |
| 20-34 | 170 | 8.2 | 71 | <1 | 1 | 5 | 10 | 18 | 28 | 61 |
| 35-49 | 284 | 9.8 | 61 | 2 | 2 | 7 | 14 | 20 | 26 | 41 |
| 50-64 | 607 | 10.8 | 90 | 1 | 2 | 8 | 14 | 22 | 28 | 51 |
| 65+ | 848 | 14.1 | 149 | 2 | 3 | 10 | 18 | 28 | 38 | 61 |
| **GRAND TOTAL** | 1949 | 11.7 | 113 | 1 | 3 | 9 | 15 | 25 | 32 | 54 |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.0 | 37 | 5 | 5 | 11 | 13 | 20 | 21 | 21 |
| 20-34 | 89 | 11.0 | 19 | 3 | 4 | 12 | 14 | 16 | 17 | 20 |
| 35-49 | 1180 | 12.0 | 20 | 5 | 7 | 12 | 14 | 17 | 19 | 26 |
| 50-64 | 2623 | 12.6 | 21 | 6 | 8 | 12 | 15 | 18 | 20 | 27 |
| 65+ | 2188 | 13.3 | 27 | 6 | 8 | 13 | 16 | 19 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 20-34 | 17 | 11.1 | 44 | 2 | 2 | 12 | 13 | 21 | 25 | 27 |
| 35-49 | 142 | 12.5 | 44 | 2 | 2 | 13 | 15 | 20 | 23 | 32 |
| 50-64 | 270 | 13.9 | 52 | 2 | 4 | 13 | 17 | 21 | 26 | 38 |
| 65+ | 95 | 17.7 | 84 | 6 | 9 | 16 | 22 | 29 | 37 | 80 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 13.6 | 87 | 1 | 6 | 12 | 15 | 25 | 38 | 40 |
| 20-34 | 193 | 12.2 | 22 | 5 | 6 | 13 | 15 | 17 | 21 | 26 |
| 35-49 | 2498 | 12.9 | 29 | 5 | 7 | 12 | 15 | 19 | 22 | 31 |
| 50-64 | 8478 | 13.8 | 34 | 6 | 8 | 13 | 16 | 20 | 24 | 33 |
| 65+ | 12480 | 15.4 | 55 | 6 | 8 | 14 | 18 | 24 | 29 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.1 | 78 | 1 | 1 | 1 | 2 | 20 | 28 | 32 |
| 20-34 | 49 | 10.1 | 71 | 2 | 2 | 8 | 15 | 20 | 24 | 44 |
| 35-49 | 604 | 13.7 | 78 | 2 | 2 | 14 | 18 | 24 | 29 | 42 |
| 50-64 | 1821 | 16.6 | 122 | 2 | 3 | 15 | 21 | 29 | 36 | 62 |
| 65+ | 1701 | 21.0 | 129 | 7 | 10 | 18 | 26 | 35 | 43 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6086 | 12.7 | 23 | 6 | 7 | 12 | 15 | 18 | 21 | 28 |
| B. *Operated* | 526 | 14.1 | 58 | 2 | 3 | 13 | 17 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23661 | 14.5 | 46 | 6 | 8 | 14 | 17 | 22 | 26 | 39 |
| B. *Operated* | 4203 | 17.8 | 127 | 2 | 4 | 16 | 22 | 31 | 39 | 61 |
| **1. SINGLE DX** | 6612 | 12.8 | 26 | 5 | 7 | 12 | 15 | 19 | 21 | 30 |
| **2. MULTIPLE DX** | 27864 | 15.0 | 59 | 5 | 8 | 14 | 18 | 23 | 29 | 44 |
| **A. NOT OPERATED** | 29747 | 14.2 | 42 | 6 | 8 | 13 | 17 | 21 | 25 | 37 |
| **B. OPERATED** | 4729 | 17.4 | 120 | 2 | 4 | 16 | 22 | 31 | 38 | 57 |
| TOTAL 0-19 YRS | 48 | 7.6 | 90 | 1 | 1 | 2 | 12 | 20 | 28 | 40 |
| 20-34 | 348 | 11.5 | 30 | 2 | 4 | 12 | 14 | 17 | 20 | 26 |
| 35-49 | 4424 | 12.7 | 34 | 3 | 6 | 12 | 15 | 19 | 22 | 31 |
| 50-64 | 13192 | 14.0 | 45 | 5 | 7 | 13 | 16 | 21 | 25 | 38 |
| 65+ | 16464 | 15.7 | 63 | 6 | 8 | 14 | 19 | 25 | 30 | 45 |
| **GRAND TOTAL** | 34476 | 14.6 | 54 | 5 | 8 | 13 | 17 | 22 | 27 | 42 |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 82 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 550 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 935 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 767 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 4.7 | 17 | 2 | 2 | 2 | 9 | 14 | 70 | 99+ |
| 35-49 | 170 | 3.7 | 9 | 1 | 2 | 2 | 5 | 8 | 10 | 17 |
| 50-64 | 330 | 4.8 | 29 | 1 | 1 | 2 | 7 | 11 | 16 | 25 |
| 65+ | 95 | 5.2 | 24 | 1 | 1 | 3 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.2 | 6 | 1 | 2 | 5 | 7 | 8 | 9 | 12 |
| 20-34 | 282 | 5.4 | 14 | 2 | 2 | 5 | 7 | 9 | 11 | 23 |
| 35-49 | 2549 | 5.6 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 6946 | 6.0 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 9155 | 7.0 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.8 | 23 | 2 | 2 | 2 | 7 | 13 | 13 | 13 |
| 20-34 | 66 | 6.9 | 33 | 2 | 2 | 6 | 9 | 14 | 20 | 28 |
| 35-49 | 1399 | 7.0 | 38 | 2 | 2 | 4 | 11 | 15 | 18 | 29 |
| 50-64 | 4146 | 7.8 | 60 | 2 | 2 | 5 | 12 | 17 | 21 | 35 |
| 65+ | 2010 | 10.9 | 104 | 2 | 2 | 9 | 15 | 23 | 30 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2338 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| B. *Operated* | 611 | 4.6 | 23 | 1 | 1 | 2 | 6 | 10 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18958 | 6.4 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| B. *Operated* | 7626 | 8.5 | 69 | 2 | 2 | 6 | 12 | 18 | 23 | 38 |
| **1. SINGLE DX** | 2949 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 26584 | 7.0 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| **A. NOT OPERATED** | 21296 | 6.2 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **B. OPERATED** | 8237 | 8.2 | 67 | 2 | 2 | 5 | 12 | 18 | 23 | 38 |
| TOTAL 0-19 YRS | 25 | 5.1 | 8 | 1 | 2 | 5 | 7 | 8 | 11 | 13 |
| 20-34 | 446 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 24 |
| 35-49 | 4668 | 5.8 | 22 | 2 | 2 | 4 | 8 | 12 | 15 | 23 |
| 50-64 | 12357 | 6.5 | 32 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 65+ | 12027 | 7.5 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| **GRAND TOTAL** | 29533 | 6.8 | 34 | 2 | 2 | 5 | 9 | 13 | 17 | 28 |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 30 | 4.9 | 7 | 1 | 1 | 4 | 7 | 9 | 9 | 10 |
| 35-49 | 307 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 612 | 5.8 | 16 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 577 | 6.4 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 66 | 7.4 | 24 | 2 | 2 | 7 | 10 | 15 | 17 | 21 |
| 50-64 | 135 | 10.0 | 49 | 2 | 2 | 10 | 13 | 18 | 21 | 40 |
| 65+ | 58 | 10.4 | 60 | 2 | 2 | 9 | 13 | 20 | 27 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.2 | 23 | 1 | 2 | 7 | 11 | 16 | 17 | 17 |
| 20-34 | 118 | 6.8 | 16 | 2 | 2 | 6 | 9 | 12 | 15 | 20 |
| 35-49 | 1264 | 6.8 | 22 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 4176 | 7.3 | 22 | 2 | 3 | 6 | 9 | 13 | 15 | 24 |
| 65+ | 5475 | 8.4 | 30 | 3 | 3 | 7 | 11 | 15 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 24 | 9.9 | 76 | 2 | 2 | 9 | 12 | 21 | 32 | 37 |
| 35-49 | 429 | 10.1 | 55 | 2 | 2 | 9 | 13 | 19 | 24 | 36 |
| 50-64 | 1383 | 10.9 | 67 | 2 | 2 | 10 | 14 | 21 | 25 | 39 |
| 65+ | 892 | 14.2 | 106 | 2 | 3 | 12 | 19 | 28 | 34 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1529 | 6.0 | 16 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| B. *Operated* | 259 | 9.4 | 46 | 2 | 2 | 8 | 12 | 17 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11045 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 2728 | 11.8 | 81 | 2 | 2 | 10 | 16 | 23 | 29 | 45 |
| **1. SINGLE DX** | 1788 | 6.5 | 22 | 2 | 2 | 5 | 8 | 12 | 14 | 24 |
| **2. MULTIPLE DX** | 13773 | 8.6 | 40 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| **A. NOT OPERATED** | 12574 | 7.6 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| **B. OPERATED** | 2987 | 11.6 | 78 | 2 | 2 | 10 | 15 | 22 | 29 | 44 |
| TOTAL 0-19 YRS | 15 | 7.7 | 19 | 1 | 2 | 7 | 9 | 15 | 16 | 17 |
| 20-34 | 172 | 6.9 | 24 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| 35-49 | 2066 | 7.3 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 28 |
| 50-64 | 6306 | 8.0 | 34 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| 65+ | 7002 | 9.0 | 43 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| **GRAND TOTAL** | 15561 | 8.4 | 38 | 2 | 3 | 7 | 11 | 15 | 20 | 32 |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 25 | 6.6 | 20 | 1 | 2 | 7 | 8 | 11 | 15 | 23 |
| 35-49 | 281 | 5.4 | 18 | 1 | 2 | 4 | 7 | 12 | 14 | 21 |
| 50-64 | 657 | 5.3 | 13 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| 65+ | 639 | 6.8 | 28 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.1 | 21 | <1 | 1 | 2 | 4 | 13 | 16 | 16 |
| 20-34 | 77 | 5.1 | 29 | 1 | 2 | 2 | 7 | 11 | 14 | 29 |
| 35-49 | 1356 | 5.7 | 26 | 2 | 2 | 3 | 9 | 13 | 15 | 21 |
| 50-64 | 3742 | 6.6 | 36 | 2 | 2 | 3 | 11 | 15 | 18 | 25 |
| 65+ | 1058 | 8.1 | 56 | 2 | 2 | 5 | 13 | 18 | 22 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.4 | 23 | 4 | 5 | 8 | 10 | 18 | 19 | 19 |
| 20-34 | 143 | 6.2 | 24 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 35-49 | 1895 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 6719 | 7.5 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| 65+ | 15120 | 9.5 | 50 | 2 | 3 | 8 | 12 | 18 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.5 | 38 | 1 | 1 | 2 | 4 | 13 | 21 | 24 |
| 20-34 | 184 | 6.9 | 60 | 2 | 2 | 3 | 10 | 15 | 21 | 44 |
| 35-49 | 2949 | 7.5 | 50 | 2 | 2 | 5 | 11 | 16 | 20 | 31 |
| 50-64 | 9425 | 9.0 | 67 | 2 | 2 | 8 | 13 | 19 | 23 | 38 |
| 65+ | 5014 | 13.1 | 123 | 2 | 2 | 11 | 17 | 25 | 33 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1603 | 5.9 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | 6250 | 6.7 | 38 | 2 | 2 | 3 | 11 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23887 | 8.6 | 43 | 2 | 3 | 7 | 11 | 16 | 21 | 33 |
| B. *Operated* | 17589 | 9.9 | 85 | 2 | 2 | 9 | 14 | 21 | 26 | 44 |
| **1. SINGLE DX** | 7853 | 6.5 | 34 | 2 | 2 | 4 | 10 | 14 | 18 | 25 |
| **2. MULTIPLE DX** | 41476 | 9.2 | 61 | 2 | 2 | 7 | 12 | 18 | 23 | 39 |
| **A. NOT OPERATED** | 25490 | 8.5 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| **B. OPERATED** | 23839 | 9.1 | 74 | 2 | 2 | 7 | 13 | 19 | 24 | 41 |
| TOTAL 0-19 YRS | 45 | 5.4 | 31 | 1 | 1 | 3 | 7 | 15 | 17 | 24 |
| 20-34 | 429 | 6.3 | 40 | 2 | 2 | 4 | 9 | 12 | 16 | 30 |
| 35-49 | 6481 | 6.7 | 35 | 2 | 2 | 5 | 10 | 14 | 17 | 27 |
| 50-64 | 20543 | 7.9 | 49 | 2 | 2 | 6 | 11 | 16 | 20 | 33 |
| 65+ | 21831 | 10.2 | 69 | 2 | 3 | 8 | 13 | 20 | 25 | 42 |
| **GRAND TOTAL** | 49329 | 8.8 | 58 | 2 | 2 | 7 | 12 | 17 | 22 | 37 |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 9.7 | 22 | 2 | 3 | 9 | 13 | 15 | 19 | 20 |
| 20-34 | 189 | 9.0 | 13 | 3 | 4 | 9 | 11 | 13 | 16 | 17 |
| 35-49 | 238 | 10.5 | 22 | 3 | 4 | 10 | 13 | 16 | 18 | 27 |
| 50-64 | 242 | 10.5 | 19 | 5 | 6 | 10 | 13 | 16 | 18 | 25 |
| 65+ | 203 | 12.1 | 33 | 4 | 6 | 11 | 14 | 19 | 24 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 28 | 11.6 | 16 | 5 | 6 | 12 | 14 | 16 | 18 | 21 |
| 35-49 | 49 | 13.3 | 36 | 5 | 6 | 12 | 17 | 22 | 23 | 31 |
| 50-64 | 34 | 14.2 | 95 | 4 | 6 | 11 | 19 | 26 | 37 | 47 |
| 65+ | 31 | 14.2 | 36 | 5 | 6 | 14 | 19 | 23 | 24 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 10.0 | 25 | 4 | 5 | 9 | 11 | 17 | 22 | 24 |
| 20-34 | 227 | 11.6 | 37 | 3 | 5 | 11 | 15 | 18 | 22 | 37 |
| 35-49 | 497 | 11.8 | 32 | 5 | 6 | 11 | 14 | 18 | 21 | 33 |
| 50-64 | 880 | 12.9 | 40 | 5 | 6 | 12 | 16 | 21 | 24 | 38 |
| 65+ | 1405 | 15.0 | 69 | 6 | 7 | 13 | 18 | 24 | 30 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.0 | 4 | 12 | 12 | 14 | 15 | 16 | 16 | 16 |
| 20-34 | 80 | 16.5 | 83 | 6 | 8 | 15 | 20 | 27 | 33 | 50 |
| 35-49 | 161 | 16.1 | 74 | 7 | 8 | 15 | 19 | 26 | 36 | 48 |
| 50-64 | 253 | 17.6 | 135 | 7 | 8 | 15 | 21 | 32 | 43 | 78 |
| 65+ | 313 | 20.3 | 151 | 8 | 10 | 17 | 24 | 35 | 46 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 894 | 10.5 | 23 | 4 | 5 | 10 | 13 | 16 | 19 | 28 |
| B. *Operated* | 142 | 13.4 | 46 | 5 | 6 | 12 | 17 | 22 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3029 | 13.6 | 54 | 6 | 7 | 12 | 16 | 22 | 27 | 40 |
| B. *Operated* | 810 | 18.2 | 126 | 7 | 8 | 15 | 21 | 32 | 42 | 67 |
| **1. SINGLE DX** | 1036 | 10.9 | 27 | 4 | 5 | 10 | 13 | 17 | 20 | 29 |
| **2. MULTIPLE DX** | 3839 | 14.5 | 73 | 6 | 7 | 13 | 17 | 24 | 30 | 49 |
| **A. NOT OPERATED** | 3923 | 12.9 | 48 | 5 | 6 | 11 | 15 | 21 | 25 | 38 |
| **B. OPERATED** | 952 | 17.5 | 117 | 6 | 8 | 15 | 21 | 30 | 40 | 61 |
| TOTAL 0-19 YRS | 45 | 10.1 | 23 | 3 | 5 | 10 | 13 | 16 | 20 | 24 |
| 20-34 | 524 | 11.4 | 40 | 3 | 5 | 11 | 14 | 18 | 22 | 37 |
| 35-49 | 945 | 12.3 | 40 | 4 | 6 | 11 | 15 | 19 | 23 | 36 |
| 50-64 | 1409 | 13.3 | 59 | 5 | 6 | 12 | 16 | 22 | 27 | 45 |
| 65+ | 1952 | 15.5 | 83 | 6 | 8 | 13 | 18 | 26 | 32 | 52 |
| **GRAND TOTAL** | 4875 | 13.8 | 65 | 5 | 7 | 12 | 16 | 23 | 28 | 48 |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 20-34 | 10 | 20.3 | 327 | 1 | 1 | 20 | 31 | 45 | 54 | 54 |
| 35-49 | 6 | 24.2 | 276 | 3 | 4 | 23 | 42 | 44 | 44 | 44 |
| 50-64 | 9 | 15.4 | 139 | 2 | 3 | 13 | 29 | 31 | 32 | 32 |
| 65+ | 7 | 29.4 | 254 | 11 | 11 | 27 | 40 | 53 | 55 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 22.7 | 376 | 10 | 10 | 13 | 37 | 45 | 45 | 45 |
| 50-64 | 4 | 37.8 | 310 | 22 | 22 | 33 | 48 | 63 | 63 | 63 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 23.2 | 247 | 2 | 4 | 22 | 31 | 41 | 56 | 63 |
| 20-34 | 72 | 27.8 | 207 | 5 | 6 | 30 | 39 | 45 | 51 | 58 |
| 35-49 | 27 | 31.3 | 285 | 3 | 5 | 31 | 44 | 49 | 60 | 74 |
| 50-64 | 59 | 28.6 | 257 | 2 | 5 | 30 | 41 | 51 | 53 | 60 |
| 65+ | 83 | 29.2 | 147 | 8 | 12 | 30 | 37 | 45 | 48 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 20.2 | 190 | 2 | 3 | 22 | 31 | 35 | 36 | 36 |
| 20-34 | 43 | 37.5 | 193 | 18 | 23 | 37 | 47 | 51 | 59 | 79 |
| 35-49 | 19 | 30.6 | 185 | 4 | 11 | 31 | 40 | 55 | 80 | 99+ |
| 50-64 | 19 | 38.7 | 311 | 11 | 18 | 39 | 43 | 53 | 76 | 94 |
| 65+ | 24 | 43.3 | 274 | 18 | 23 | 44 | 56 | 62 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 19.7 | 254 | 1 | 2 | 14 | 30 | 44 | 51 | 55 |
| B. *Operated* | 7 | 31.3 | 346 | 10 | 11 | 33 | 42 | 59 | 63 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 28.5 | 209 | 4 | 7 | 30 | 39 | 46 | 51 | 61 |
| B. *Operated* | 111 | 36.8 | 253 | 8 | 18 | 36 | 47 | 57 | 62 | 99+ |
| **1. SINGLE DX** | 43 | 21.6 | 280 | 2 | 3 | 20 | 32 | 44 | 54 | 63 |
| **2. MULTIPLE DX** | 369 | 31.0 | 236 | 5 | 9 | 31 | 42 | 50 | 56 | 79 |
| **A. NOT OPERATED** | 294 | 27.4 | 222 | 3 | 6 | 29 | 37 | 46 | 51 | 60 |
| **B. OPERATED** | 118 | 36.5 | 257 | 9 | 17 | 36 | 47 | 57 | 63 | 99+ |
| TOTAL 0-19 YRS | 27 | 19.7 | 235 | 2 | 2 | 21 | 31 | 38 | 45 | 63 |
| 20-34 | 125 | 30.5 | 237 | 4 | 6 | 31 | 42 | 49 | 55 | 65 |
| 35-49 | 55 | 29.8 | 246 | 3 | 5 | 31 | 42 | 49 | 60 | 98 |
| 50-64 | 91 | 29.8 | 291 | 3 | 6 | 31 | 41 | 51 | 54 | 81 |
| 65+ | 114 | 32.2 | 209 | 9 | 13 | 31 | 43 | 53 | 58 | 86 |
| **GRAND TOTAL** | 412 | 30.0 | 248 | 3 | 7 | 30 | 42 | 49 | 56 | 78 |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 136 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 193 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 274 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 65+ | 165 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 4.3 | 13 | 1 | 1 | 3 | 9 | 9 | 9 | 9 |
| 50-64 | 11 | 3.0 | 2 | 2 | 2 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 6 | 8.3 | 57 | 1 | 1 | 6 | 8 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 163 | 4.0 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 354 | 4.5 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 50-64 | 695 | 5.0 | 13 | 1 | 1 | 4 | 7 | 9 | 12 | 19 |
| 65+ | 863 | 6.4 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 9 | 12.2 | 458 | 1 | 1 | 6 | 7 | 45 | 69 | 69 |
| 35-49 | 29 | 7.7 | 34 | 2 | 2 | 6 | 12 | 16 | 17 | 22 |
| 50-64 | 58 | 10.1 | 70 | 2 | 2 | 7 | 13 | 21 | 26 | 44 |
| 65+ | 60 | 11.4 | 60 | 2 | 3 | 10 | 14 | 20 | 23 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 822 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 24 | 4.6 | 21 | 1 | 2 | 3 | 6 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2117 | 5.4 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 20 |
| B. *Operated* | 159 | 10.1 | 80 | 2 | 2 | 8 | 13 | 20 | 23 | 45 |
| **1. SINGLE DX** | 846 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 2276 | 5.7 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 2939 | 4.7 | 16 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| **B. OPERATED** | 183 | 9.4 | 76 | 2 | 2 | 7 | 12 | 20 | 23 | 45 |
| TOTAL 0-19 YRS | 100 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 308 | 3.7 | 23 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 582 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 1038 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 1094 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| **GRAND TOTAL** | 3122 | 5.0 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |

## 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.9 | 3 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 136 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 250 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 50-64 | 460 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 509 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 5.1 | 29 | 1 | 1 | 2 | 8 | 14 | 17 | 17 |
| 50-64 | 34 | 5.9 | 17 | 2 | 2 | 5 | 8 | 12 | 14 | 19 |
| 65+ | 19 | 8.0 | 31 | 2 | 2 | 7 | 11 | 15 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.0 | 6 | 1 | 2 | 3 | 5 | 8 | 10 | 10 |
| 20-34 | 163 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 492 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 2103 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 65+ | 5568 | 8.0 | 40 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 14 | 8.4 | 26 | 2 | 3 | 8 | 12 | 17 | 18 | 18 |
| 35-49 | 63 | 11.0 | 72 | 2 | 3 | 8 | 13 | 22 | 28 | 45 |
| 50-64 | 247 | 10.6 | 58 | 2 | 2 | 9 | 14 | 21 | 26 | 35 |
| 65+ | 640 | 15.2 | 114 | 4 | 5 | 13 | 19 | 29 | 37 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1365 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 62 | 6.4 | 24 | 2 | 2 | 6 | 9 | 13 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8339 | 7.3 | 35 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 967 | 13.6 | 101 | 2 | 4 | 12 | 17 | 25 | 33 | 57 |
| **1. SINGLE DX** | 1427 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 9306 | 7.9 | 46 | 2 | 2 | 6 | 10 | 16 | 20 | 35 |
| **A. NOT OPERATED** | 9704 | 6.8 | 33 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| **B. OPERATED** | 1029 | 13.2 | 99 | 2 | 3 | 11 | 17 | 25 | 33 | 56 |
| TOTAL 0-19 YRS | 26 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 313 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 814 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 50-64 | 2844 | 6.1 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 6736 | 8.4 | 50 | 2 | 2 | 7 | 11 | 16 | 21 | 37 |
| **GRAND TOTAL** | 10733 | 7.4 | 43 | 1 | 2 | 6 | 9 | 15 | 19 | 33 |

## 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 20-34 | 299 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 462 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 50-64 | 623 | 4.7 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 666 | 5.5 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 41 | 5.0 | 11 | 1 | 1 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 79 | 5.4 | 15 | 2 | 2 | 4 | 8 | 11 | 14 | 16 |
| 50-64 | 186 | 7.2 | 28 | 2 | 2 | 6 | 10 | 15 | 16 | 26 |
| 65+ | 628 | 8.5 | 25 | 2 | 3 | 7 | 11 | 15 | 19 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 4.3 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 14 |
| 20-34 | 699 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 1495 | 5.8 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 25 |
| 50-64 | 3788 | 6.8 | 26 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 65+ | 7253 | 8.2 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 8.1 | 140 | 1 | 2 | 4 | 8 | 17 | 34 | 63 |
| 20-34 | 74 | 7.8 | 39 | 2 | 2 | 6 | 10 | 14 | 18 | 37 |
| 35-49 | 316 | 9.1 | 60 | 2 | 2 | 7 | 12 | 18 | 22 | 47 |
| 50-64 | 1141 | 10.8 | 78 | 2 | 3 | 9 | 14 | 21 | 27 | 51 |
| 65+ | 4083 | 13.1 | 83 | 4 | 5 | 11 | 16 | 24 | 30 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2139 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 946 | 7.8 | 25 | 2 | 2 | 7 | 10 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13422 | 7.3 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | 5657 | 12.3 | 83 | 3 | 4 | 10 | 15 | 23 | 29 | 49 |
| **1. SINGLE DX** | 3085 | 5.6 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 19079 | 8.8 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| **A. NOT OPERATED** | 15561 | 6.9 | 30 | 1 | 2 | 6 | 9 | 13 | 17 | 28 |
| **B. OPERATED** | 6603 | 11.6 | 77 | 2 | 3 | 10 | 15 | 22 | 27 | 46 |
| TOTAL 0-19 YRS | 331 | 4.6 | 27 | 1 | 1 | 3 | 6 | 9 | 11 | 24 |
| 20-34 | 1113 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 2352 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 50-64 | 5738 | 7.4 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| 65+ | 12630 | 9.6 | 57 | 2 | 3 | 8 | 12 | 18 | 24 | 38 |
| **GRAND TOTAL** | 22164 | 8.3 | 49 | 2 | 2 | 7 | 10 | 16 | 21 | 35 |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.2 | 11 | 1 | 1 | 3 | 5 | 9 | 12 | 13 |
| 20-34 | 22 | 5.9 | 17 | 1 | 1 | 5 | 8 | 10 | 15 | 19 |
| 35-49 | 68 | 7.5 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 28 |
| 50-64 | 413 | 7.4 | 27 | 2 | 2 | 6 | 9 | 14 | 16 | 28 |
| 65+ | 2041 | 8.4 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 4.4 | 5 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| 50-64 | 25 | 11.0 | 80 | 1 | 2 | 9 | 16 | 23 | 29 | 31 |
| 65+ | 50 | 14.6 | 120 | 2 | 3 | 12 | 18 | 29 | 38 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 7.7 | 39 | 2 | 2 | 6 | 9 | 16 | 21 | 34 |
| 20-34 | 157 | 7.8 | 32 | 2 | 3 | 6 | 10 | 15 | 17 | 27 |
| 35-49 | 1024 | 9.0 | 46 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| 50-64 | 6898 | 9.7 | 48 | 3 | 4 | 8 | 12 | 18 | 22 | 35 |
| 65+ | 30967 | 10.9 | 61 | 3 | 4 | 9 | 14 | 20 | 26 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 11.5 | 133 | 2 | 2 | 8 | 16 | 33 | 39 | 40 |
| 20-34 | 34 | 9.6 | 76 | 1 | 2 | 7 | 11 | 19 | 30 | 38 |
| 35-49 | 145 | 14.4 | 99 | 3 | 4 | 13 | 17 | 28 | 34 | 51 |
| 50-64 | 875 | 16.3 | 145 | 3 | 5 | 13 | 21 | 32 | 41 | 62 |
| 65+ | 2994 | 19.3 | 157 | 5 | 7 | 16 | 24 | 36 | 45 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2557 | 8.1 | 34 | 2 | 3 | 7 | 10 | 15 | 18 | 31 |
| B. *Operated* | 84 | 12.4 | 106 | 2 | 2 | 10 | 17 | 27 | 32 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39160 | 10.6 | 58 | 3 | 4 | 9 | 13 | 20 | 25 | 40 |
| B. *Operated* | 4070 | 18.3 | 154 | 5 | 6 | 15 | 23 | 35 | 43 | 63 |
| **1. SINGLE DX** | 2641 | 8.3 | 37 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| **2. MULTIPLE DX** | 43230 | 11.4 | 72 | 3 | 4 | 9 | 14 | 21 | 28 | 44 |
| **A. NOT OPERATED** | 41717 | 10.5 | 57 | 3 | 4 | 8 | 13 | 19 | 25 | 39 |
| **B. OPERATED** | 4154 | 18.2 | 154 | 4 | 6 | 15 | 23 | 35 | 43 | 63 |
| TOTAL 0-19 YRS | 149 | 7.9 | 53 | 2 | 2 | 6 | 9 | 16 | 21 | 39 |
| 20-34 | 215 | 7.8 | 38 | 1 | 3 | 6 | 10 | 15 | 18 | 33 |
| 35-49 | 1244 | 9.5 | 54 | 2 | 3 | 8 | 12 | 18 | 23 | 40 |
| 50-64 | 8211 | 10.3 | 62 | 3 | 4 | 8 | 13 | 19 | 25 | 42 |
| 65+ | 36052 | 11.5 | 73 | 3 | 4 | 9 | 14 | 21 | 28 | 44 |
| **GRAND TOTAL** | 45871 | 11.2 | 71 | 3 | 4 | 9 | 14 | 21 | 27 | 44 |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 27 |
| 20-34 | 355 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 19 |
| 35-49 | 349 | 5.5 | 18 | 2 | 2 | 4 | 7 | 10 | 14 | 22 |
| 50-64 | 347 | 6.5 | 38 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 274 | 7.6 | 47 | 2 | 3 | 6 | 9 | 13 | 20 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 3.0 | 8 | 1 | 2 | 2 | 3 | 5 | 10 | 16 |
| 20-34 | 121 | 5.6 | 20 | 1 | 2 | 3 | 9 | 13 | 14 | 17 |
| 35-49 | 319 | 5.8 | 33 | 2 | 2 | 3 | 9 | 13 | 17 | 27 |
| 50-64 | 480 | 6.6 | 59 | 2 | 2 | 3 | 9 | 16 | 19 | 41 |
| 65+ | 220 | 7.8 | 67 | 2 | 2 | 4 | 12 | 18 | 25 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 6.1 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| 20-34 | 672 | 6.5 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 32 |
| 35-49 | 1199 | 7.5 | 39 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| 50-64 | 2514 | 8.9 | 50 | 2 | 3 | 7 | 11 | 17 | 21 | 37 |
| 65+ | 3895 | 10.3 | 60 | 3 | 3 | 8 | 13 | 19 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 6.6 | 67 | 2 | 2 | 2 | 9 | 14 | 21 | 45 |
| 20-34 | 210 | 10.1 | 109 | 2 | 2 | 7 | 12 | 20 | 31 | 57 |
| 35-49 | 699 | 8.9 | 72 | 2 | 2 | 6 | 12 | 20 | 26 | 43 |
| 50-64 | 1708 | 10.7 | 99 | 2 | 2 | 8 | 15 | 23 | 28 | 53 |
| 65+ | 1533 | 13.9 | 142 | 2 | 2 | 12 | 19 | 30 | 38 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1447 | 6.0 | 28 | 2 | 2 | 5 | 7 | 11 | 15 | 25 |
| B. *Operated* | 1216 | 6.3 | 48 | 2 | 2 | 3 | 9 | 14 | 19 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8451 | 9.1 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| B. *Operated* | 4250 | 11.5 | 114 | 2 | 2 | 9 | 16 | 25 | 32 | 54 |
| **1. SINGLE DX** | 2663 | 6.1 | 37 | 2 | 2 | 4 | 8 | 13 | 17 | 29 |
| **2. MULTIPLE DX** | 12701 | 9.9 | 75 | 2 | 2 | 8 | 13 | 20 | 26 | 44 |
| **A. NOT OPERATED** | 9898 | 8.6 | 50 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| **B. OPERATED** | 5466 | 10.3 | 104 | 2 | 2 | 8 | 14 | 23 | 30 | 50 |
| TOTAL 0-19 YRS | 469 | 5.4 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 30 |
| 20-34 | 1358 | 6.6 | 41 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| 35-49 | 2566 | 7.4 | 46 | 2 | 2 | 5 | 9 | 15 | 20 | 34 |
| 50-64 | 5049 | 9.1 | 69 | 2 | 2 | 7 | 12 | 18 | 24 | 42 |
| 65+ | 5922 | 11.0 | 85 | 2 | 3 | 9 | 14 | 22 | 28 | 46 |
| **GRAND TOTAL** | 15364 | 9.2 | 70 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 4 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 50-64 | 23 | 6.2 | 10 | 2 | 3 | 5 | 9 | 11 | 12 | 12 |
| 65+ | 45 | 8.6 | 48 | 3 | 3 | 6 | 11 | 16 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 3.4 | 10 | 1 | 1 | 2 | 4 | 9 | 9 | 9 |
| 50-64 | 18 | 5.3 | 26 | 2 | 2 | 3 | 6 | 14 | 16 | 18 |
| 65+ | 9 | 10.9 | 63 | 2 | 2 | 10 | 16 | 23 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 41 | 8 | 8 | 12 | 17 | 17 | 17 | 17 |
| 20-34 | 6 | 9.8 | 47 | 3 | 3 | 8 | 13 | 21 | 22 | 22 |
| 35-49 | 119 | 6.2 | 19 | 1 | 2 | 5 | 9 | 13 | 15 | 23 |
| 50-64 | 589 | 8.3 | 48 | 2 | 3 | 7 | 10 | 15 | 20 | 35 |
| 65+ | 2138 | 9.8 | 57 | 3 | 3 | 8 | 12 | 19 | 23 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 20-34 | 4 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 63 | 8.3 | 135 | 2 | 2 | 4 | 8 | 21 | 31 | 63 |
| 50-64 | 205 | 10.2 | 92 | 2 | 2 | 8 | 14 | 21 | 30 | 57 |
| 65+ | 375 | 15.9 | 140 | 2 | 3 | 14 | 21 | 30 | 38 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 7.6 | 35 | 2 | 3 | 6 | 10 | 13 | 16 | 35 |
| B. *Operated* | 32 | 6.6 | 40 | 2 | 2 | 3 | 10 | 17 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2854 | 9.4 | 55 | 2 | 3 | 7 | 12 | 18 | 22 | 39 |
| B. *Operated* | 648 | 13.3 | 133 | 2 | 2 | 11 | 18 | 28 | 35 | 58 |
| **1. SINGLE DX** | 105 | 7.3 | 36 | 2 | 2 | 5 | 10 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 3502 | 10.1 | 71 | 2 | 3 | 8 | 13 | 20 | 25 | 45 |
| **A. NOT OPERATED** | 2927 | 9.3 | 54 | 2 | 3 | 7 | 12 | 18 | 22 | 39 |
| **B. OPERATED** | 680 | 13.0 | 131 | 2 | 2 | 11 | 18 | 28 | 34 | 58 |
| TOTAL 0-19 YRS | 3 | 15.7 | 50 | 8 | 8 | 17 | 21 | 22 | 22 | 22 |
| 20-34 | 11 | 6.9 | 36 | 2 | 2 | 5 | 8 | 17 | 22 | 22 |
| 35-49 | 191 | 6.8 | 58 | 1 | 2 | 5 | 8 | 13 | 17 | 46 |
| 50-64 | 835 | 8.7 | 58 | 2 | 2 | 7 | 11 | 16 | 21 | 41 |
| 65+ | 2567 | 10.7 | 74 | 2 | 3 | 8 | 14 | 21 | 26 | 45 |
| **GRAND TOTAL** | 3607 | 10.0 | 71 | 2 | 3 | 8 | 13 | 20 | 25 | 44 |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 3.4 | 10 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 35-49 | 13 | 4.2 | 24 | <1 | <1 | 2 | 6 | 13 | 15 | 16 |
| 50-64 | 14 | 6.0 | 46 | 1 | 1 | 4 | 6 | 13 | 24 | 27 |
| 65+ | 7 | 24.9 | 371 | 1 | 3 | 19 | 37 | 54 | 58 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.0 | 47 | 3 | 4 | 14 | 18 | 22 | 22 | 22 |
| 20-34 | 39 | 18.4 | 146 | 2 | 4 | 17 | 25 | 33 | 41 | 62 |
| 35-49 | 32 | 21.3 | 182 | 7 | 8 | 19 | 27 | 37 | 48 | 66 |
| 50-64 | 46 | 21.1 | 194 | 3 | 5 | 19 | 28 | 44 | 46 | 59 |
| 65+ | 8 | 32.3 | 209 | 12 | 14 | 34 | 40 | 53 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 15.0 | 123 | 2 | 2 | 13 | 23 | 31 | 31 | 31 |
| 20-34 | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 8 | 22.4 | 267 | 6 | 7 | 15 | 35 | 47 | 52 | 52 |
| 50-64 | 19 | 10.5 | 101 | 1 | 2 | 6 | 16 | 28 | 30 | 30 |
| 65+ | 46 | 22.5 | 178 | 3 | 7 | 20 | 29 | 40 | 51 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 31 | 21.9 | 289 | 7 | 7 | 18 | 27 | 41 | 47 | 92 |
| 35-49 | 64 | 32.3 | 359 | 6 | 10 | 32 | 46 | 66 | 77 | 99+ |
| 50-64 | 117 | 30.9 | 348 | 6 | 10 | 28 | 46 | 68 | 99+ | 99+ |
| 65+ | 62 | 38.2 | 446 | 10 | 15 | 35 | 57 | 74 | 80 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 8.0 | 137 | <1 | 1 | 3 | 9 | 21 | 34 | 58 |
| B. *Operated* | 133 | 20.5 | 178 | 3 | 6 | 18 | 27 | 40 | 47 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 18.6 | 184 | 2 | 4 | 16 | 26 | 35 | 47 | 61 |
| B. *Operated* | 274 | 31.9 | 383 | 7 | 10 | 29 | 46 | 68 | 83 | 99+ |
| **1. SINGLE DX** | 175 | 17.5 | 196 | 1 | 2 | 15 | 25 | 38 | 45 | 61 |
| **2. MULTIPLE DX** | 355 | 28.8 | 368 | 5 | 7 | 26 | 41 | 64 | 77 | 99+ |
| **A. NOT OPERATED** | 123 | 15.0 | 192 | 1 | 1 | 11 | 24 | 33 | 42 | 59 |
| **B. OPERATED** | 407 | 28.2 | 344 | 5 | 5 | 25 | 40 | 61 | 75 | 99+ |
| TOTAL 0-19 YRS | 14 | 12.9 | 75 | 1 | 2 | 13 | 20 | 23 | 29 | 31 |
| 20-34 | 80 | 18.0 | 211 | 2 | 4 | 15 | 23 | 34 | 42 | 83 |
| 35-49 | 117 | 25.5 | 345 | 1 | 4 | 21 | 37 | 53 | 67 | 99+ |
| 50-64 | 196 | 24.8 | 335 | 3 | 4 | 23 | 38 | 57 | 70 | 99+ |
| 65+ | 123 | 31.2 | 375 | 7 | 11 | 28 | 40 | 64 | 74 | 99+ |
| **GRAND TOTAL** | 530 | 25.1 | 339 | 2 | 5 | 21 | 35 | 56 | 69 | 99+ |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 3 | 33.0 | 513 | 12 | 12 | 30 | 50 | 57 | 57 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 42.6 | 255 | 27 | 27 | 40 | 57 | 62 | 62 | 62 |
| 50-64 | 11 | 56.2 | 266 | 34 | 42 | 55 | 76 | 99+ | 99+ | 99+ |
| 65+ | 9 | 43.8 | 741 | 1 | 6 | 41 | 62 | 81 | 90 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 23.0 | 452 | 4 | 4 | 12 | 37 | 57 | 57 | 57 |
| B. *Operated* | 26 | 47.5 | 483 | 9 | 18 | 52 | 64 | 92 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 31 | 43.5 | 547 | 5 | 11 | 46 | 61 | 91 | 99 | 99+ |
| **A. NOT OPERATED** | 5 | 23.0 | 452 | 4 | 4 | 12 | 37 | 57 | 57 | 57 |
| **B. OPERATED** | 26 | 47.5 | 483 | 9 | 18 | 52 | 64 | 92 | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 5 | 42.6 | 255 | 27 | 27 | 40 | 57 | 62 | 62 | 62 |
| 50-64 | 12 | 52.5 | 404 | 16 | 30 | 55 | 70 | 99+ | 99+ | 99+ |
| 65+ | 12 | 41.1 | 656 | 2 | 9 | 38 | 59 | 74 | 88 | 90 |
| **GRAND TOTAL** | 31 | 43.5 | 547 | 5 | 11 | 46 | 61 | 91 | 99 | 99+ |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 11.4 | 174 | <1 | <1 | 4 | 19 | 33 | 33 | 33 |
| 20-34 | 7 | 5.7 | 32 | <1 | <1 | 4 | 6 | 16 | 16 | 16 |
| 35-49 | 6 | 4.8 | 11 | <1 | <1 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 24 | 11.9 | 242 | <1 | 1 | 7 | 12 | 26 | 59 | 59 |
| 65+ | 52 | 12.5 | 136 | <1 | 1 | 10 | 17 | 26 | 30 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 16.1 | 45 | 4 | 6 | 16 | 22 | 24 | 24 | 24 |
| 20-34 | 15 | 17.2 | 84 | 3 | 6 | 15 | 27 | 33 | 60 | 99+ |
| 35-49 | 25 | 16.3 | 210 | 4 | 5 | 11 | 21 | 29 | 45 | 71 |
| 50-64 | 46 | 17.8 | 243 | 5 | 6 | 13 | 20 | 36 | 44 | 88 |
| 65+ | 92 | 17.9 | 226 | 5 | 7 | 14 | 22 | 33 | 47 | 88 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.7 | 19 | <1 | <1 | 2 | 9 | 11 | 13 | 13 |
| 20-34 | 10 | 13.8 | 142 | 5 | 5 | 9 | 17 | 33 | 44 | 44 |
| 35-49 | 30 | 18.0 | 190 | 2 | 2 | 15 | 26 | 34 | 45 | 59 |
| 50-64 | 81 | 17.7 | 205 | 3 | 4 | 14 | 25 | 39 | 43 | 64 |
| 65+ | 291 | 17.1 | 130 | 3 | 5 | 15 | 23 | 31 | 41 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 22.7 | 484 | 6 | 7 | 16 | 23 | 49 | 80 | 97 |
| 20-34 | 20 | 20.7 | 256 | 4 | 6 | 16 | 23 | 44 | 58 | 68 |
| 35-49 | 35 | 19.6 | 145 | 7 | 9 | 16 | 28 | 36 | 88 | 99+ |
| 50-64 | 107 | 24.9 | 377 | 6 | 8 | 20 | 34 | 58 | 77 | 99+ |
| 65+ | 225 | 26.7 | 312 | 7 | 8 | 22 | 36 | 55 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 11.3 | 151 | <1 | 1 | 7 | 15 | 23 | 32 | 64 |
| B. *Operated* | 186 | 17.5 | 206 | 5 | 6 | 14 | 22 | 33 | 44 | 92 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 16.8 | 149 | 2 | 4 | 14 | 23 | 32 | 43 | 60 |
| B. *Operated* | 406 | 25.1 | 322 | 6 | 8 | 21 | 34 | 55 | 69 | 99+ |
| **1. SINGLE DX** | 280 | 15.4 | 196 | 2 | 4 | 12 | 19 | 31 | 42 | 86 |
| **2. MULTIPLE DX** | 831 | 20.9 | 251 | 4 | 6 | 17 | 28 | 43 | 58 | 99+ |
| **A. NOT OPERATED** | 519 | 15.8 | 154 | 2 | 3 | 13 | 22 | 31 | 42 | 60 |
| **B. OPERATED** | 592 | 22.8 | 298 | 6 | 7 | 18 | 31 | 48 | 67 | 99+ |
| TOTAL 0-19 YRS | 45 | 15.1 | 285 | 1 | 1 | 12 | 18 | 33 | 40 | 97 |
| 20-34 | 52 | 16.3 | 172 | 2 | 4 | 14 | 22 | 34 | 48 | 99 |
| 35-49 | 96 | 17.3 | 176 | 2 | 4 | 14 | 26 | 33 | 53 | 99+ |
| 50-64 | 258 | 20.1 | 302 | 3 | 5 | 15 | 28 | 43 | 60 | 99 |
| 65+ | 660 | 20.1 | 229 | 4 | 6 | 16 | 26 | 41 | 52 | 84 |
| **GRAND TOTAL** | 1111 | 19.5 | 242 | 3 | 5 | 15 | 26 | 41 | 56 | 97 |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 35-49 | 8 | 21.5 | 166 | 5 | 5 | 22 | 28 | 39 | 44 | 44 |
| 50-64 | 29 | 35.1 | 502 | 10 | 13 | 32 | 52 | 91 | 99+ | 99+ |
| 65+ | 113 | 25.1 | 215 | 8 | 11 | 23 | 32 | 41 | 60 | 94 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 21.7 | 700 | 6 | 6 | 9 | 24 | 69 | 74 | 74 |
| 35-49 | 9 | 30.7 | 343 | 10 | 15 | 32 | 87 | 99+ | 99+ | 99+ |
| 50-64 | 37 | 40.0 | 563 | 8 | 11 | 38 | 66 | 78 | 96 | 99+ |
| 65+ | 45 | 40.6 | 517 | 10 | 14 | 40 | 54 | 78 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 152 | 26.8 | 278 | 8 | 11 | 23 | 34 | 51 | 70 | 99+ |
| *B. Operated* | 97 | 38.3 | 540 | 8 | 10 | 36 | 60 | 82 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 249 | 31.3 | 409 | 8 | 11 | 28 | 44 | 72 | 89 | 99+ |
| **A. NOT OPERATED** | 152 | 26.8 | 278 | 8 | 11 | 23 | 34 | 51 | 70 | 99+ |
| **B. OPERATED** | 97 | 38.3 | 540 | 8 | 10 | 36 | 60 | 82 | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 7 | 23.0 | 596 | 6 | 6 | 10 | 29 | 65 | 74 | 74 |
| 35-49 | 17 | 26.4 | 266 | 5 | 7 | 27 | 41 | 99+ | 99+ | 99+ |
| 50-64 | 66 | 37.8 | 534 | 8 | 11 | 35 | 60 | 84 | 99+ | 99+ |
| 65+ | 158 | 29.5 | 347 | 9 | 11 | 25 | 38 | 56 | 76 | 99+ |
| **GRAND TOTAL** | 249 | 31.3 | 409 | 8 | 11 | 28 | 44 | 72 | 89 | 99+ |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 32 | 5.7 | 35 | <1 | 1 | 4 | 6 | 13 | 18 | 30 |
| 65+ | 60 | 6.1 | 53 | 2 | 2 | 4 | 7 | 11 | 15 | 43 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.3 | 11 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 8 | 5.3 | 5 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 99 | 7.5 | 21 | 2 | 2 | 6 | 11 | 14 | 17 | 19 |
| 50-64 | 817 | 7.8 | 36 | 2 | 2 | 7 | 10 | 14 | 18 | 31 |
| 65+ | 1023 | 8.1 | 30 | 2 | 2 | 7 | 10 | 15 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.5 | 16 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 5 | 16.4 | 634 | 1 | 1 | 7 | 23 | 61 | 61 | 61 |
| 35-49 | 17 | 4.8 | 7 | 1 | 2 | 4 | 6 | 9 | 11 | 11 |
| 50-64 | 192 | 6.6 | 36 | 1 | 2 | 5 | 8 | 13 | 15 | 36 |
| 65+ | 395 | 8.0 | 47 | 2 | 2 | 6 | 10 | 15 | 21 | 37 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.0 | 30 | 4 | 4 | 9 | 15 | 17 | 17 | 17 |
| 20-34 | 15 | 18.3 | 393 | 2 | 2 | 11 | 21 | 37 | 69 | 80 |
| 35-49 | 181 | 10.0 | 72 | 2 | 3 | 8 | 12 | 18 | 29 | 43 |
| 50-64 | 1700 | 10.5 | 67 | 2 | 3 | 8 | 14 | 20 | 26 | 38 |
| 65+ | 2564 | 12.0 | 85 | 2 | 3 | 10 | 15 | 23 | 30 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 95 | 5.9 | 45 | 1 | 2 | 4 | 6 | 11 | 15 | 41 |
| *B. Operated* | 1953 | 8.0 | 32 | 2 | 2 | 7 | 10 | 15 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 613 | 7.6 | 47 | 2 | 2 | 6 | 9 | 14 | 19 | 38 |
| *B. Operated* | 4466 | 11.4 | 79 | 2 | 3 | 9 | 15 | 22 | 28 | 44 |
| **1. SINGLE DX** | 2048 | 7.9 | 33 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 5079 | 10.9 | 77 | 2 | 3 | 9 | 14 | 21 | 28 | 44 |
| **A. NOT OPERATED** | 708 | 7.3 | 47 | 2 | 2 | 5 | 9 | 14 | 18 | 38 |
| **B. OPERATED** | 6419 | 10.3 | 67 | 2 | 3 | 8 | 13 | 19 | 26 | 41 |
| TOTAL 0-19 YRS | 16 | 7.8 | 20 | 3 | 3 | 7 | 10 | 15 | 16 | 17 |
| 20-34 | 30 | 13.4 | 319 | 1 | 2 | 7 | 13 | 35 | 61 | 80 |
| 35-49 | 298 | 8.9 | 54 | 2 | 2 | 7 | 11 | 16 | 20 | 39 |
| 50-64 | 2741 | 9.4 | 57 | 2 | 2 | 8 | 12 | 18 | 24 | 37 |
| 65+ | 4042 | 10.5 | 71 | 2 | 3 | 8 | 13 | 20 | 26 | 43 |
| **GRAND TOTAL** | 7127 | 10.0 | 66 | 2 | 3 | 8 | 13 | 19 | 25 | 41 |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 72.0 | | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 35-49 | 4 | 25.0 | 346 | 3 | 3 | 24 | 38 | 48 | 48 | 48 |
| 50-64 | 13 | 13.0 | 245 | 1 | 2 | 8 | 16 | 30 | 54 | 60 |
| 65+ | 32 | 14.5 | 182 | 2 | 2 | 12 | 18 | 30 | 40 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 15.3 | 246 | 3 | 3 | 10 | 27 | 33 | 33 | 33 |
| 35-49 | 19 | 18.4 | 251 | 4 | 5 | 12 | 24 | 48 | 57 | 57 |
| 50-64 | 68 | 19.3 | 250 | 3 | 4 | 15 | 24 | 39 | 53 | 81 |
| 65+ | 147 | 22.8 | 250 | 3 | 7 | 19 | 34 | 50 | 66 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 50 | 16.1 | 271 | 2 | 2 | 13 | 21 | 38 | 60 | 72 |
| B. *Operated* | 237 | 21.3 | 250 | 3 | 5 | 17 | 31 | 49 | 57 | 99+ |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | 287 | 20.4 | 257 | 2 | 4 | 16 | 28 | 48 | 58 | 99+ |
| A. NOT OPERATED | 50 | 16.1 | 271 | 2 | 2 | 13 | 21 | 38 | 60 | 72 |
| B. OPERATED | 237 | 21.3 | 250 | 3 | 5 | 17 | 31 | 49 | 57 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 29.5 | 967 | 3 | 3 | 21 | 52 | 72 | 72 | 72 |
| 35-49 | 23 | 19.5 | 259 | 3 | 5 | 13 | 26 | 50 | 56 | 57 |
| 50-64 | 81 | 18.2 | 251 | 2 | 3 | 14 | 22 | 39 | 54 | 78 |
| 65+ | 179 | 21.3 | 247 | 3 | 5 | 17 | 31 | 49 | 60 | 99+ |
| GRAND TOTAL | 287 | 20.4 | 257 | 2 | 4 | 16 | 28 | 48 | 58 | 99+ |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 11 | 7.0 | 17 | 2 | 3 | 6 | 9 | 14 | 16 | 16 |
| 35-49 | 26 | 13.9 | 185 | 1 | 2 | 9 | 17 | 35 | 44 | 50 |
| 50-64 | 125 | 10.2 | 73 | 3 | 3 | 8 | 12 | 18 | 26 | 47 |
| 65+ | 336 | 12.9 | 113 | 3 | 3 | 10 | 16 | 26 | 34 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 9 | 11.7 | 92 | 3 | 3 | 10 | 14 | 28 | 34 | 34 |
| 35-49 | 17 | 10.8 | 26 | 2 | 4 | 10 | 14 | 18 | 20 | 21 |
| 50-64 | 47 | 9.8 | 76 | 2 | 2 | 7 | 12 | 22 | 33 | 37 |
| 65+ | 48 | 12.7 | 152 | 2 | 3 | 8 | 14 | 33 | 43 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 12.9 | 87 | 1 | 2 | 10 | 24 | 25 | 25 | 25 |
| 20-34 | 30 | 11.4 | 161 | 2 | 3 | 8 | 13 | 21 | 23 | 71 |
| 35-49 | 129 | 14.0 | 170 | 3 | 4 | 10 | 16 | 32 | 42 | 84 |
| 50-64 | 744 | 13.1 | 132 | 3 | 4 | 10 | 16 | 25 | 36 | 64 |
| 65+ | 2823 | 15.5 | 135 | 4 | 5 | 12 | 20 | 30 | 39 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.0 | 102 | 3 | 3 | 5 | 15 | 24 | 24 | 24 |
| 20-34 | 21 | 16.6 | 256 | 3 | 4 | 10 | 20 | 34 | 52 | 71 |
| 35-49 | 85 | 14.9 | 186 | 4 | 4 | 11 | 17 | 29 | 42 | 80 |
| 50-64 | 343 | 17.0 | 206 | 4 | 5 | 13 | 21 | 37 | 50 | 99+ |
| 65+ | 512 | 21.9 | 283 | 5 | 6 | 16 | 30 | 45 | 61 | 89 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 500 | 12.1 | 106 | 3 | 3 | 9 | 15 | 25 | 35 | 50 |
| B. *Operated* | 123 | 11.2 | 99 | 2 | 2 | 8 | 13 | 22 | 35 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 3736 | 15.0 | 137 | 4 | 5 | 12 | 19 | 29 | 38 | 61 |
| B. *Operated* | 965 | 19.4 | 253 | 4 | 5 | 14 | 25 | 42 | 58 | 92 |
| 1. SINGLE DX | 623 | 11.9 | 105 | 3 | 3 | 9 | 14 | 25 | 35 | 50 |
| 2. MULTIPLE DX | 4701 | 15.9 | 164 | 4 | 5 | 12 | 20 | 32 | 42 | 70 |
| A. NOT OPERATED | 4236 | 14.6 | 134 | 3 | 4 | 11 | 19 | 29 | 37 | 61 |
| B. OPERATED | 1088 | 18.4 | 242 | 3 | 5 | 13 | 23 | 40 | 54 | 89 |
| TOTAL 0-19 YRS | 18 | 10.3 | 78 | 1 | 2 | 7 | 18 | 25 | 25 | 25 |
| 20-34 | 71 | 12.3 | 163 | 2 | 3 | 9 | 14 | 25 | 34 | 71 |
| 35-49 | 257 | 14.1 | 167 | 3 | 4 | 10 | 16 | 30 | 41 | 79 |
| 50-64 | 1259 | 13.8 | 149 | 3 | 4 | 10 | 17 | 27 | 39 | 75 |
| 65+ | 3719 | 16.1 | 160 | 4 | 5 | 12 | 20 | 32 | 42 | 68 |
| GRAND TOTAL | 5324 | 15.4 | 158 | 3 | 5 | 12 | 19 | 31 | 42 | 69 |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 40.7 | 206 | 30 | 30 | 35 | 51 | 57 | 57 | 57 |
| 20-34 | 8 | 8.5 | 8 | 3 | 4 | 9 | 11 | 12 | 12 | 12 |
| 35-49 | 34 | 18.7 | 150 | 4 | 5 | 15 | 28 | 41 | 43 | 44 |
| 50-64 | 330 | 21.8 | 278 | 4 | 6 | 17 | 28 | 43 | 61 | 74 |
| 65+ | 1280 | 21.0 | 209 | 5 | 7 | 17 | 27 | 41 | 52 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 5 | 21.0 | 136 | 10 | 10 | 18 | 27 | 40 | 40 | 40 |
| 35-49 | 20 | 21.1 | 134 | 6 | 8 | 17 | 33 | 36 | 38 | 39 |
| 50-64 | 96 | 28.3 | 450 | 7 | 8 | 22 | 35 | 62 | 74 | 95 |
| 65+ | 195 | 27.6 | 323 | 8 | 10 | 23 | 37 | 58 | 81 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1655 | 21.1 | 222 | 5 | 7 | 17 | 28 | 41 | 52 | 73 |
| B. *Operated* | 317 | 27.2 | 348 | 7 | 9 | 23 | 36 | 57 | 77 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1972 | 22.1 | 247 | 5 | 7 | 18 | 29 | 43 | 57 | 86 |
| **A. NOT OPERATED** | 1655 | 21.1 | 222 | 5 | 7 | 17 | 28 | 41 | 52 | 73 |
| **B. OPERATED** | 317 | 27.2 | 348 | 7 | 9 | 23 | 36 | 57 | 77 | 99+ |
| TOTAL 0-19 YRS | 4 | 33.3 | 35[illegible] | 11 | 11 | 32 | 46 | 57 | 57 | 57 |
| 20-34 | 13 | 13.3 | 90 | 4 | 6 | 10 | 15 | 26 | 37 | 40 |
| 35-49 | 54 | 19.6 | 143 | 4 | 5 | 16 | 28 | 37 | 41 | 44 |
| 50-64 | 426 | 23.2 | 323 | 5 | 7 | 18 | 30 | 50 | 63 | 83 |
| 65+ | 1475 | 21.9 | 229 | 5 | 7 | 18 | 29 | 43 | 55 | 87 |
| **GRAND TOTAL** | **1972** | **22.1** | **247** | **5** | **7** | **18** | **29** | **43** | **57** | **86** |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.8 | 21 | 2 | 2 | 3 | 4 | 13 | 14 | 14 |
| 20-34 | 61 | 5.2 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 35-49 | 145 | 4.2 | 8 | 1 | 1 | 3 | 6 | 7 | 9 | 16 |
| 50-64 | 554 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 16 |
| 65+ | 1407 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 18 | 6.6 | 21 | 2 | 3 | 5 | 8 | 13 | 17 | 19 |
| 35-49 | 103 | 5.8 | 14 | 2 | 2 | 5 | 8 | 10 | 12 | 19 |
| 50-64 | 355 | 5.8 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 17 |
| 65+ | 325 | 6.9 | 29 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 6.3 | 6 | 3 | 3 | 6 | 7 | 10 | 11 | 12 |
| 20-34 | 94 | 5.5 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 63 |
| 35-49 | 465 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| 50-64 | 2340 | 6.6 | 19 | 2 | 2 | 6 | 8 | 12 | 15 | 21 |
| 65+ | 9751 | 7.8 | 31 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 34 | 3 | 3 | 12 | 13 | 14 | 14 | 14 |
| 20-34 | 23 | 10.7 | 126 | 1 | 2 | 7 | 11 | 19 | 36 | 56 |
| 35-49 | 201 | 8.1 | 29 | 2 | 3 | 7 | 10 | 18 | 20 | 28 |
| 50-64 | 1148 | 9.5 | 48 | 2 | 3 | 8 | 12 | 17 | 23 | 34 |
| 65+ | 1929 | 11.9 | 84 | 2 | 3 | 10 | 15 | 22 | 28 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2173 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | 802 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12673 | 7.5 | 28 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | 3304 | 10.8 | 70 | 2 | 3 | 9 | 14 | 21 | 25 | 45 |
| **1. SINGLE DX** | 2975 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | 15977 | 8.2 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **A. NOT OPERATED** | 14846 | 7.1 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| **B. OPERATED** | 4106 | 9.9 | 64 | 2 | 3 | 8 | 13 | 19 | 24 | 41 |
| TOTAL 0-19 YRS | 33 | 6.2 | 11 | 2 | 3 | 6 | 8 | 12 | 14 | 14 |
| 20-34 | 196 | 6.1 | 28 | 1 | 2 | 5 | 8 | 11 | 14 | 41 |
| 35-49 | 914 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 4397 | 7.0 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| 65+ | 13412 | 8.1 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| **GRAND TOTAL** | **18952** | **7.7** | **36** | **2** | **2** | **6** | **10** | **14** | **19** | **30** |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.3 | 11 | <1 | <1 | 5 | 8 | 10 | 10 | 10 |
| 20-34 | 16 | 6.1 | 9 | 1 | 2 | 5 | 8 | 10 | 11 | 12 |
| 35-49 | 56 | 10.8 | 165 | 1 | 2 | 6 | 13 | 19 | 40 | 66 |
| 50-64 | 271 | 11.4 | 94 | 2 | 3 | 9 | 14 | 22 | 31 | 49 |
| 65+ | 1214 | 12.7 | 112 | 3 | 4 | 10 | 16 | 25 | 33 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 11.7 | 75 | 2 | 3 | 9 | 19 | 25 | 25 | 25 |
| 35-49 | 24 | 9.5 | 78 | 1 | 2 | 6 | 12 | 24 | 31 | 32 |
| 50-64 | 108 | 13.3 | 207 | 2 | 2 | 9 | 15 | 36 | 44 | 65 |
| 65+ | 109 | 17.1 | 209 | 2 | 3 | 14 | 23 | 34 | 39 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 11.1 | 152 | 2 | 3 | 7 | 14 | 17 | 38 | 59 |
| 20-34 | 33 | 9.4 | 144 | 1 | 2 | 6 | 12 | 33 | 90 | 99+ |
| 35-49 | 159 | 13.1 | 179 | 2 | 3 | 9 | 15 | 26 | 46 | 64 |
| 50-64 | 1378 | 13.6 | 126 | 3 | 4 | 10 | 17 | 27 | 37 | 54 |
| 65+ | 7260 | 15.1 | 123 | 4 | 5 | 12 | 19 | 29 | 37 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 29.0 | 571 | 8 | 8 | 24 | 47 | 55 | 55 | 55 |
| 20-34 | 22 | 14.1 | 145 | 1 | 2 | 9 | 26 | 32 | 35 | 41 |
| 35-49 | 94 | 18.0 | 254 | 2 | 4 | 12 | 26 | 44 | 55 | 91 |
| 50-64 | 392 | 18.1 | 240 | 4 | 5 | 13 | 22 | 41 | 57 | 99 |
| 65+ | 1047 | 23.0 | 297 | 5 | 7 | 18 | 29 | 48 | 63 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1564 | 12.3 | 110 | 2 | 3 | 9 | 16 | 25 | 33 | 52 |
| B. *Operated* | 251 | 14.5 | 195 | 2 | 2 | 9 | 19 | 33 | 40 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8850 | 14.8 | 125 | 3 | 5 | 12 | 19 | 29 | 37 | 58 |
| B. *Operated* | 1558 | 21.3 | 283 | 4 | 6 | 16 | 27 | 46 | 61 | 92 |
| **1. SINGLE DX** | 1815 | 12.6 | 122 | 2 | 3 | 9 | 16 | 26 | 35 | 58 |
| **2. MULTIPLE DX** | 10408 | 15.8 | 154 | 3 | 5 | 12 | 20 | 31 | 41 | 65 |
| **A. NOT OPERATED** | 10414 | 14.5 | 123 | 3 | 4 | 11 | 18 | 28 | 37 | 58 |
| **B. OPERATED** | 1809 | 20.4 | 277 | 3 | 5 | 15 | 27 | 44 | 60 | 90 |
| TOTAL 0-19 YRS | 30 | 11.5 | 183 | 2 | 2 | 7 | 14 | 21 | 55 | 59 |
| 20-34 | 81 | 10.3 | 114 | 2 | 2 | 7 | 13 | 29 | 36 | 99+ |
| 35-49 | 333 | 13.8 | 197 | 2 | 2 | 9 | 17 | 33 | 49 | 74 |
| 50-64 | 2149 | 14.2 | 150 | 3 | 4 | 10 | 18 | 29 | 41 | 64 |
| 65+ | 9630 | 15.7 | 148 | 3 | 5 | 12 | 20 | 31 | 40 | 65 |
| **GRAND TOTAL** | 12223 | 15.3 | 150 | 3 | 4 | 12 | 20 | 30 | 40 | 65 |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 32.8 | 348 | 10 | 10 | 36 | 48 | 49 | 49 | 49 |
| 20-34 | 14 | 14.6 | 373 | 1 | 2 | 7 | 17 | 41 | 66 | 73 |
| 35-49 | 93 | 22.4 | 391 | 4 | 6 | 17 | 25 | 52 | 67 | 94 |
| 50-64 | 622 | 20.8 | 314 | 4 | 5 | 15 | 28 | 46 | 64 | 99+ |
| 65+ | 2928 | 20.3 | 215 | 4 | 6 | 17 | 26 | 39 | 51 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 20-34 | 3 | 11.0 | 9 | 8 | 8 | 12 | 57 | 99+ | 99+ | 99+ |
| 35-49 | 30 | 21.5 | 145 | 8 | 10 | 20 | 37 | 99+ | 99+ | 99+ |
| 50-64 | 139 | 29.2 | 610 | 5 | 8 | 22 | 41 | 82 | 97 | 99+ |
| 65+ | 399 | 29.9 | 372 | 8 | 10 | 25 | 41 | 62 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3661 | 20.5 | 237 | 4 | 6 | 16 | 26 | 41 | 53 | 80 |
| B. *Operated* | 572 | 29.2 | 419 | 7 | 9 | 24 | 41 | 66 | 88 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 4233 | 21.6 | 271 | 5 | 6 | 17 | 28 | 44 | 59 | 92 |
| **A. NOT OPERATED** | 3661 | 20.5 | 237 | 4 | 6 | 16 | 26 | 41 | 53 | 80 |
| **B. OPERATED** | 572 | 29.2 | 419 | 7 | 9 | 24 | 41 | 66 | 88 | 99+ |
| TOTAL 0-19 YRS | 5 | 30.6 | 284 | 10 | 10 | 25 | 47 | 49 | 49 | 49 |
| 20-34 | 17 | 14.0 | 306 | 1 | 2 | 9 | 17 | 62 | 89 | 99+ |
| 35-49 | 123 | 22.2 | 330 | 5 | 6 | 18 | 28 | 83 | 75 | 99+ |
| 50-64 | 761 | 22.3 | 378 | 4 | 5 | 16 | 30 | 52 | 71 | 99+ |
| 65+ | 3327 | 21.5 | 243 | 5 | 7 | 17 | 28 | 42 | 55 | 83 |
| **GRAND TOTAL** | 4233 | 21.6 | 271 | 5 | 6 | 17 | 28 | 44 | 59 | 92 |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.6 | 16 | 1 | 1 | 3 | 7 | 11 | 13 | 13 |
| 20-34 | 26 | 3.9 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 9 |
| 35-49 | 65 | 5.1 | 15 | 1 | 2 | 5 | 6 | 9 | 14 | 18 |
| 50-64 | 152 | 5.6 | 18 | 1 | 2 | 4 | 8 | 10 | 15 | 23 |
| 65+ | 457 | 6.9 | 28 | 1 | 2 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.2 | 42 | 2 | 2 | 5 | 10 | 17 | 21 | 21 |
| 20-34 | 25 | 9.5 | 100 | 1 | 2 | 6 | 13 | 23 | 30 | 43 |
| 35-49 | 78 | 8.4 | 68 | 2 | 2 | 6 | 11 | 19 | 24 | 43 |
| 50-64 | 200 | 8.2 | 56 | 2 | 2 | 6 | 11 | 18 | 24 | 37 |
| 65+ | 266 | 7.4 | 38 | 2 | 2 | 6 | 10 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.6 | 23 | 1 | 2 | 5 | 8 | 15 | 17 | 19 |
| 20-34 | 88 | 7.3 | 72 | 1 | 2 | 5 | 8 | 14 | 18 | 84 |
| 35-49 | 326 | 7.7 | 50 | 2 | 2 | 6 | 10 | 15 | 17 | 55 |
| 50-64 | 1187 | 9.2 | 62 | 2 | 3 | 7 | 12 | 18 | 23 | 40 |
| 65+ | 6287 | 10.4 | 72 | 3 | 3 | 8 | 13 | 20 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.7 | 28 | 2 | 2 | 8 | 13 | 16 | 17 | 17 |
| 20-34 | 42 | 13.1 | 238 | 2 | 2 | 7 | 16 | 33 | 48 | 70 |
| 35-49 | 123 | 14.4 | 155 | 2 | 3 | 12 | 20 | 34 | 52 | 99+ |
| 50-64 | 588 | 12.6 | 147 | 2 | 3 | 9 | 16 | 26 | 36 | 76 |
| 65+ | 1238 | 15.2 | 172 | 2 | 3 | 12 | 19 | 32 | 41 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 711 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 24 |
| B. *Operated* | 578 | 7.9 | 51 | 2 | 2 | 6 | 10 | 18 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7908 | 10.1 | 70 | 2 | 3 | 8 | 12 | 19 | 25 | 44 |
| B. *Operated* | 2002 | 14.3 | 166 | 2 | 3 | 11 | 18 | 31 | 41 | 81 |
| **1. SINGLE DX** | 1289 | 7.0 | 37 | 2 | 2 | 5 | 9 | 15 | 19 | 28 |
| **2. MULTIPLE DX** | 9910 | 10.9 | 92 | 2 | 3 | 8 | 14 | 22 | 29 | 52 |
| **A. NOT OPERATED** | 8619 | 9.7 | 67 | 2 | 3 | 8 | 12 | 19 | 25 | 44 |
| **B. OPERATED** | 2580 | 12.9 | 147 | 2 | 2 | 9 | 17 | 27 | 38 | 73 |
| TOTAL 0-19 YRS | 51 | 6.7 | 26 | 1 | 2 | 5 | 10 | 15 | 17 | 21 |
| 20-34 | 181 | 8.5 | 112 | 1 | 2 | 5 | 9 | 18 | 29 | 67 |
| 35-49 | 592 | 8.9 | 79 | 2 | 2 | 7 | 11 | 18 | 25 | 59 |
| 50-64 | 2127 | 9.8 | 85 | 2 | 3 | 7 | 12 | 20 | 27 | 52 |
| 65+ | 8248 | 10.8 | 88 | 2 | 3 | 8 | 13 | 21 | 28 | 48 |
| **GRAND TOTAL** | 11199 | 10.5 | 87 | 2 | 3 | 8 | 13 | 21 | 28 | 50 |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 24 | 3.5 | 13 | <1 | 1 | 2 | 4 | 6 | 13 | 17 |
| 65+ | 84 | 5.5 | 16 | 1 | 2 | 5 | 7 | 11 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 4.9 | 11 | 2 | 2 | 4 | 8 | 10 | 12 | 12 |
| 35-49 | 66 | 7.3 | 42 | 2 | 2 | 4 | 11 | 16 | 20 | 30 |
| 50-64 | 270 | 8.2 | 42 | 2 | 2 | 7 | 12 | 16 | 20 | 28 |
| 65+ | 309 | 9.2 | 63 | 2 | 2 | 7 | 13 | 19 | 26 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 4 | 3.5 | 10 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 35-49 | 40 | 5.7 | 12 | 2 | 2 | 5 | 8 | 10 | 13 | 16 |
| 50-64 | 254 | 7.3 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 29 |
| 65+ | 1807 | 10.1 | 70 | 2 | 3 | 8 | 13 | 20 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.8 | 61 | 2 | 2 | 7 | 17 | 20 | 20 | 20 |
| 20-34 | 27 | 8.9 | 82 | 1 | 2 | 7 | 10 | 18 | 29 | 44 |
| 35-49 | 185 | 12.4 | 136 | 2 | 2 | 10 | 15 | 25 | 33 | 61 |
| 50-64 | 1008 | 13.5 | 152 | 2 | 2 | 11 | 17 | 27 | 37 | 67 |
| 65+ | 1980 | 18.5 | 238 | 2 | 3 | 15 | 24 | 38 | 50 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 4.9 | 16 | 1 | 1 | 4 | 6 | 11 | 15 | 18 |
| B. *Operated* | 655 | 8.5 | 52 | 2 | 2 | 7 | 13 | 17 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2106 | 9.7 | 65 | 2 | 3 | 7 | 12 | 19 | 24 | 41 |
| B. *Operated* | 3205 | 16.5 | 210 | 2 | 3 | 13 | 21 | 35 | 47 | 81 |
| **1. SINGLE DX** | 768 | 8.0 | 48 | 1 | 2 | 6 | 12 | 17 | 22 | 31 |
| **2. MULTIPLE DX** | 5311 | 13.8 | 164 | 2 | 3 | 10 | 18 | 29 | 39 | 68 |
| **A. NOT OPERATED** | 2219 | 9.4 | 64 | 2 | 3 | 7 | 12 | 18 | 24 | 41 |
| **B. OPERATED** | 3860 | 15.1 | 192 | 2 | 2 | 12 | 19 | 33 | 44 | 72 |
| TOTAL 0-19 YRS | 6 | 9.8 | 49 | 2 | 2 | 8 | 16 | 20 | 20 | 20 |
| 20-34 | 42 | 7.3 | 60 | 1 | 2 | 6 | 9 | 14 | 22 | 44 |
| 35-49 | 295 | 10.2 | 104 | 2 | 2 | 8 | 14 | 21 | 28 | 59 |
| 50-64 | 1556 | 11.4 | 119 | 2 | 2 | 9 | 15 | 23 | 32 | 59 |
| 65+ | 4180 | 13.9 | 167 | 2 | 3 | 10 | 18 | 30 | 39 | 68 |
| **GRAND TOTAL** | 6079 | 13.0 | 153 | 2 | 2 | 10 | 17 | 27 | 37 | 66 |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 10.0 | 72 | 4 | 4 | 10 | 16 | 16 | 16 | 16 |
| 50-64 | 20 | 3.4 | 7 | <1 | <1 | 3 | 4 | 7 | 10 | 11 |
| 65+ | 69 | 4.6 | 23 | <1 | 1 | 3 | 6 | 9 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 7.3 | 26 | 2 | 2 | 7 | 11 | 13 | 13 | 13 |
| 35-49 | 8 | 11.3 | 74 | 1 | 1 | 11 | 13 | 24 | 29 | 29 |
| 50-64 | 189 | 11.1 | 25 | 2 | 3 | 11 | 14 | 17 | 19 | 24 |
| 65+ | 409 | 12.8 | 66 | 2 | 2 | 13 | 16 | 20 | 23 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 2.6 | 6 | <1 | <1 | 2 | 3 | 7 | 7 | 7 |
| 50-64 | 73 | 6.7 | 75 | 1 | 2 | 5 | 7 | 14 | 16 | 59 |
| 65+ | 463 | 7.3 | 33 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 32 | 2 | 2 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 14 | 11.2 | 59 | 2 | 2 | 14 | 16 | 18 | 25 | 27 |
| 35-49 | 37 | 10.8 | 77 | 2 | 2 | 10 | 15 | 21 | 25 | 43 |
| 50-64 | 610 | 15.0 | 99 | 3 | 5 | 13 | 18 | 26 | 34 | 66 |
| 65+ | 1531 | 18.2 | 164 | 3 | 6 | 15 | 23 | 33 | 42 | 84 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 93 | 4.4 | 21 | <1 | 1 | 3 | 5 | 9 | 14 | 25 |
| B. *Operated* | 611 | 12.2 | 54 | 2 | 2 | 12 | 15 | 19 | 22 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 542 | 7.2 | 38 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| B. *Operated* | 2194 | 17.1 | 147 | 3 | 5 | 14 | 21 | 31 | 40 | 77 |
| 1. SINGLE DX | 704 | 11.2 | 56 | 2 | 2 | 11 | 15 | 19 | 22 | 33 |
| 2. MULTIPLE DX | 2736 | 15.2 | 141 | 2 | 3 | 13 | 19 | 29 | 37 | 73 |
| A. NOT OPERATED | 635 | 6.8 | 37 | 1 | 2 | 5 | 9 | 14 | 18 | 26 |
| B. OPERATED | 2805 | 16.1 | 131 | 2 | 4 | 14 | 19 | 29 | 37 | 73 |
| TOTAL 0-19 YRS | 4 | 4.0 | 17 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 20-34 | 20 | 9.6 | 53 | 1 | 2 | 8 | 15 | 17 | 22 | 27 |
| 35-49 | 52 | 10.0 | 72 | 1 | 2 | 10 | 14 | 21 | 26 | 43 |
| 50-64 | 892 | 13.3 | 88 | 2 | 3 | 12 | 16 | 22 | 31 | 62 |
| 65+ | 2472 | 14.9 | 141 | 2 | 3 | 13 | 19 | 28 | 36 | 73 |
| GRAND TOTAL | 3440 | 14.3 | 126 | 2 | 3 | 13 | 18 | 26 | 34 | 70 |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | 4 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 7 | 3.1 | 5 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 27 | 1 | 1 | 2 | 7 | 12 | 12 | 12 |
| 20-34 | 19 | 7.5 | 32 | 1 | 2 | 8 | 10 | 17 | 19 | 19 |
| 35-49 | 43 | 10.8 | 59 | 2 | 2 | 10 | 18 | 21 | 23 | 30 |
| 50-64 | 101 | 10.1 | 110 | 2 | 2 | 8 | 12 | 19 | 31 | 58 |
| 65+ | 96 | 11.1 | 62 | 2 | 3 | 10 | 14 | 22 | 25 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 10 | 5.3 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 9 |
| 65+ | 39 | 6.5 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.5 | 19 | 3 | 3 | 4 | 8 | 12 | 12 | 12 |
| 20-34 | 24 | 11.5 | 71 | 1 | 2 | 10 | 18 | 23 | 27 | 29 |
| 35-49 | 65 | 13.0 | 118 | 2 | 2 | 11 | 17 | 24 | 38 | 57 |
| 50-64 | 174 | 14.3 | 164 | 2 | 3 | 11 | 17 | 26 | 36 | 82 |
| 65+ | 238 | 17.0 | 209 | 2 | 3 | 13 | 21 | 36 | 47 | 67 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 15 | 3.3 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| B. *Operated* | 263 | 10.3 | 78 | 2 | 2 | 8 | 13 | 20 | 25 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 52 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 505 | 15.2 | 177 | 2 | 3 | 12 | 18 | 32 | 41 | 66 |
| 1. SINGLE DX | 278 | 9.9 | 77 | 2 | 2 | 8 | 13 | 20 | 25 | 44 |
| 2. MULTIPLE DX | 557 | 14.3 | 169 | 2 | 2 | 11 | 17 | 30 | 39 | 66 |
| A. NOT OPERATED | 67 | 5.4 | 15 | 1 | 1 | 5 | 7 | 10 | 13 | 21 |
| B. OPERATED | 768 | 13.5 | 148 | 2 | 2 | 11 | 17 | 26 | 37 | 64 |
| TOTAL 0-19 YRS | 8 | 4.9 | 20 | 1 | 1 | 3 | 8 | 12 | 12 | 12 |
| 20-34 | 46 | 9.2 | 56 | 1 | 2 | 7 | 15 | 20 | 24 | 29 |
| 35-49 | 112 | 11.8 | 94 | 2 | 2 | 10 | 17 | 22 | 32 | 50 |
| 50-64 | 289 | 12.3 | 144 | 2 | 2 | 10 | 14 | 24 | 35 | 67 |
| 65+ | 380 | 14.2 | 164 | 2 | 2 | 11 | 17 | 31 | 40 | 63 |
| GRAND TOTAL | 835 | 12.9 | 142 | 2 | 2 | 10 | 16 | 25 | 36 | 62 |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 13 | 9.5 | 22 | 1 | 2 | 10 | 14 | 14 | 15 | 15 |
| 35-49 | 26 | 6.7 | 15 | 1 | 2 | 6 | 8 | 11 | 16 | 18 |
| 50-64 | 38 | 7.0 | 28 | 1 | 2 | 6 | 10 | 14 | 17 | 23 |
| 65+ | 43 | 8.6 | 125 | 1 | 2 | 6 | 10 | 14 | 19 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 59 | 7.2 | 28 | 1 | 2 | 7 | 11 | 13 | 17 | 23 |
| 35-49 | 188 | 8.7 | 51 | 2 | 2 | 8 | 11 | 14 | 19 | 40 |
| 50-64 | 602 | 9.8 | 46 | 2 | 2 | 9 | 13 | 17 | 21 | 33 |
| 65+ | 562 | 10.9 | 63 | 2 | 2 | 10 | 15 | 20 | 25 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 18 | 8 | 8 | 11 | 14 | 14 | 14 | 14 |
| 20-34 | 18 | 12.0 | 116 | 3 | 3 | 11 | 16 | 19 | 37 | 49 |
| 35-49 | 46 | 7.4 | 23 | 1 | 2 | 7 | 11 | 15 | 16 | 18 |
| 50-64 | 98 | 7.7 | 41 | 1 | 2 | 6 | 10 | 15 | 23 | 33 |
| 65+ | 277 | 9.0 | 37 | 2 | 2 | 8 | 12 | 16 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.1 | 16 | 3 | 3 | 8 | 10 | 14 | 15 | 15 |
| 20-34 | 46 | 13.6 | 142 | 3 | 3 | 10 | 16 | 31 | 40 | 57 |
| 35-49 | 345 | 12.1 | 74 | 2 | 2 | 11 | 15 | 21 | 28 | 44 |
| 50-64 | 1531 | 14.2 | 130 | 2 | 3 | 12 | 17 | 26 | 37 | 68 |
| 65+ | 2077 | 16.4 | 164 | 2 | 3 | 13 | 21 | 32 | 41 | 64 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 122 | 7.8 | 58 | 1 | 2 | 6 | 10 | 14 | 16 | 37 |
| B. *Operated* | 1418 | 10.0 | 53 | 2 | 2 | 9 | 13 | 18 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 441 | 8.7 | 40 | 2 | 2 | 7 | 11 | 16 | 19 | 33 |
| B. *Operated* | 4006 | 15.1 | 145 | 2 | 3 | 12 | 19 | 30 | 38 | 64 |
| 1. SINGLE DX | 1540 | 9.8 | 54 | 2 | 2 | 9 | 13 | 18 | 22 | 34 |
| 2. MULTIPLE DX | 4447 | 14.5 | 138 | 2 | 3 | 12 | 18 | 29 | 37 | 63 |
| A. NOT OPERATED | 563 | 8.5 | 44 | 2 | 2 | 7 | 11 | 16 | 18 | 33 |
| B. OPERATED | 5424 | 13.8 | 126 | 2 | 3 | 11 | 17 | 27 | 35 | 59 |
| TOTAL 0-19 YRS | 18 | 6.8 | 14 | 2 | 2 | 7 | 8 | 13 | 15 | 15 |
| 20-34 | 136 | 10.2 | 85 | 2 | 2 | 9 | 13 | 20 | 24 | 50 |
| 35-49 | 605 | 10.4 | 64 | 2 | 2 | 9 | 13 | 19 | 24 | 43 |
| 50-64 | 2269 | 12.6 | 107 | 2 | 2 | 11 | 16 | 23 | 32 | 58 |
| 65+ | 2959 | 14.6 | 141 | 2 | 3 | 12 | 18 | 29 | 36 | 61 |
| GRAND TOTAL | 5987 | 13.3 | 121 | 2 | 2 | 11 | 17 | 26 | 34 | 58 |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 6.2 | 14 | 2 | 2 | 5 | 9 | 11 | 14 | 18 |
| 20-34 | 55 | 6.6 | 54 | 1 | 1 | 4 | 7 | 11 | 18 | 50 |
| 35-49 | 69 | 5.2 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 26 |
| 50-64 | 122 | 5.0 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 16 |
| 65+ | 107 | 6.2 | 39 | 1 | 1 | 5 | 8 | 11 | 18 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 5.7 | 25 | <1 | 1 | 4 | 9 | 12 | 17 | 19 |
| 20-34 | 97 | 6.8 | 44 | <1 | 1 | 4 | 9 | 14 | 19 | 38 |
| 35-49 | 181 | 6.8 | 81 | 1 | 2 | 5 | 9 | 12 | 18 | 44 |
| 50-64 | 479 | 8.0 | 56 | 2 | 2 | 5 | 11 | 17 | 20 | 42 |
| 65+ | 514 | 8.4 | 68 | 1 | 2 | 6 | 11 | 17 | 22 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 7.5 | 54 | 1 | 2 | 5 | 10 | 16 | 22 | 41 |
| 20-34 | 88 | 7.0 | 26 | 1 | 2 | 5 | 10 | 14 | 16 | 24 |
| 35-49 | 157 | 7.3 | 42 | 2 | 2 | 6 | 10 | 13 | 17 | 35 |
| 50-64 | 430 | 7.1 | 38 | 1 | 2 | 5 | 9 | 14 | 17 | 32 |
| 65+ | 848 | 9.9 | 68 | 2 | 3 | 8 | 13 | 20 | 28 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 4.3 | 26 | <1 | <1 | 3 | 6 | 9 | 16 | 28 |
| 20-34 | 135 | 9.5 | 125 | <1 | <1 | 7 | 11 | 19 | 32 | 62 |
| 35-49 | 335 | 10.8 | 127 | 2 | 2 | 8 | 14 | 22 | 33 | 71 |
| 50-64 | 1385 | 12.9 | 148 | 2 | 2 | 10 | 16 | 26 | 38 | 67 |
| 65+ | 1992 | 16.2 | 207 | 2 | 3 | 12 | 21 | 36 | 47 | 74 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 432 | 5.6 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| B. *Operated* | 1303 | 7.8 | 63 | 1 | 2 | 5 | 11 | 17 | 20 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1574 | 8.6 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 37 |
| B. *Operated* | 3884 | 14.2 | 180 | 2 | 2 | 11 | 18 | 31 | 43 | 69 |
| 1. SINGLE DX | 1735 | 7.3 | 54 | 1 | 2 | 5 | 10 | 15 | 19 | 39 |
| 2. MULTIPLE DX | 5458 | 12.6 | 150 | 2 | 2 | 9 | 16 | 27 | 38 | 64 |
| A. NOT OPERATED | 2006 | 8.0 | 51 | 1 | 2 | 6 | 10 | 16 | 21 | 36 |
| B. OPERATED | 5187 | 12.6 | 158 | 2 | 2 | 9 | 16 | 27 | 39 | 66 |
| TOTAL 0-19 YRS | 199 | 6.1 | 29 | <1 | 1 | 4 | 9 | 12 | 17 | 25 |
| 20-34 | 375 | 7.6 | 72 | <1 | 1 | 5 | 10 | 15 | 20 | 45 |
| 35-49 | 742 | 8.6 | 92 | 1 | 2 | 6 | 11 | 17 | 25 | 55 |
| 50-64 | 2416 | 10.5 | 112 | 2 | 2 | 8 | 13 | 22 | 30 | 54 |
| 65+ | 3461 | 13.2 | 160 | 2 | 2 | 9 | 17 | 29 | 40 | 64 |
| GRAND TOTAL | 7193 | 11.3 | 132 | 2 | 2 | 8 | 14 | 24 | 35 | 61 |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 6.9 | 17 | 2 | 2 | 6 | 9 | 13 | 14 | 22 |
| 20-34 | 822 | 7.9 | 18 | 2 | 3 | 7 | 10 | 13 | 15 | 20 |
| 35-49 | 864 | 8.4 | 17 | 3 | 4 | 8 | 10 | 13 | 16 | 21 |
| 50-64 | 889 | 8.6 | 17 | 3 | 4 | 8 | 11 | 14 | 16 | 21 |
| 65+ | 744 | 9.4 | 22 | 3 | 5 | 9 | 12 | 15 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 7.7 | 17 | 2 | 3 | 7 | 11 | 13 | 15 | 16 |
| 20-34 | 326 | 8.2 | 22 | 2 | 2 | 8 | 11 | 15 | 16 | 21 |
| 35-49 | 359 | 8.5 | 35 | 2 | 3 | 8 | 11 | 15 | 17 | 29 |
| 50-64 | 330 | 9.4 | 31 | 2 | 3 | 9 | 12 | 15 | 18 | 33 |
| 65+ | 197 | 10.3 | 40 | 2 | 3 | 9 | 13 | 18 | 22 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 8.4 | 23 | 2 | 3 | 8 | 11 | 16 | 18 | 21 |
| 20-34 | 679 | 9.3 | 33 | 3 | 4 | 8 | 11 | 16 | 20 | 31 |
| 35-49 | 1179 | 9.8 | 37 | 3 | 4 | 9 | 12 | 16 | 20 | 30 |
| 50-64 | 2105 | 10.3 | 31 | 4 | 5 | 9 | 13 | 17 | 21 | 30 |
| 65+ | 2679 | 11.2 | 46 | 4 | 5 | 10 | 14 | 18 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 11.1 | 28 | 3 | 4 | 11 | 14 | 16 | 22 | 25 |
| 20-34 | 367 | 11.2 | 55 | 3 | 4 | 10 | 14 | 20 | 26 | 43 |
| 35-49 | 617 | 11.5 | 59 | 3 | 4 | 10 | 14 | 20 | 26 | 40 |
| 50-64 | 895 | 12.5 | 73 | 4 | 4 | 11 | 15 | 22 | 29 | 52 |
| 65+ | 1018 | 14.4 | 88 | 4 | 6 | 12 | 18 | 25 | 31 | 55 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 3403 | 8.5 | 19 | 3 | 4 | 8 | 11 | 14 | 16 | 22 |
| B. *Operated* | 1256 | 8.9 | 32 | 2 | 3 | 8 | 12 | 15 | 18 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6721 | 10.4 | 39 | 4 | 4 | 9 | 13 | 17 | 22 | 33 |
| B. *Operated* | 2920 | 12.8 | 74 | 4 | 5 | 11 | 15 | 23 | 28 | 50 |
| 1. SINGLE DX | 4659 | 8.6 | 22 | 2 | 4 | 8 | 11 | 14 | 16 | 24 |
| 2. MULTIPLE DX | 9641 | 11.1 | 50 | 4 | 5 | 10 | 14 | 19 | 24 | 38 |
| A. NOT OPERATED | 10124 | 9.8 | 33 | 3 | 4 | 9 | 12 | 16 | 20 | 30 |
| B. OPERATED | 4176 | 11.6 | 65 | 3 | 4 | 10 | 14 | 20 | 27 | 44 |
| TOTAL 0-19 YRS | 230 | 8.0 | 21 | 2 | 3 | 7 | 11 | 14 | 16 | 22 |
| 20-34 | 2194 | 8.9 | 31 | 2 | 3 | 8 | 11 | 15 | 18 | 29 |
| 35-49 | 3019 | 9.6 | 37 | 3 | 4 | 9 | 12 | 16 | 20 | 31 |
| 50-64 | 4219 | 10.3 | 39 | 3 | 4 | 9 | 13 | 17 | 22 | 34 |
| 65+ | 4638 | 11.6 | 54 | 4 | 5 | 10 | 14 | 20 | 25 | 39 |
| GRAND TOTAL | 14300 | 10.3 | 43 | 3 | 4 | 9 | 13 | 17 | 22 | 34 |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 19 | 8.6 | 88 | <1 | 1 | 7 | 8 | 18 | 33 | 42 |
| 35-49 | 29 | 7.8 | 33 | 1 | 1 | 6 | 13 | 15 | 17 | 21 |
| 50-64 | 63 | 12.3 | 137 | 2 | 4 | 9 | 14 | 23 | 35 | 71 |
| 65+ | 161 | 12.3 | 89 | 2 | 3 | 10 | 16 | 23 | 29 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 1061 | 4.3 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 1459 | 4.9 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 50-64 | 1189 | 5.7 | 29 | 2 | 3 | 4 | 6 | 9 | 12 | 26 |
| 65+ | 349 | 10.6 | 136 | 2 | 3 | 6 | 12 | 26 | 37 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 48 | 7.7 | 43 | 1 | 1 | 6 | 9 | 16 | 21 | 29 |
| 35-49 | 112 | 9.8 | 63 | 1 | 2 | 7 | 12 | 20 | 26 | 39 |
| 50-64 | 291 | 12.8 | 99 | 2 | 3 | 10 | 16 | 27 | 33 | 49 |
| 65+ | 843 | 14.8 | 117 | 3 | 5 | 12 | 20 | 28 | 38 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.5 | 20 | 3 | 3 | 5 | 7 | 14 | 15 | 15 |
| 20-34 | 299 | 6.7 | 51 | 2 | 3 | 5 | 8 | 11 | 18 | 37 |
| 35-49 | 590 | 7.0 | 30 | 3 | 3 | 5 | 9 | 13 | 18 | 29 |
| 50-64 | 828 | 10.0 | 82 | 3 | 3 | 7 | 12 | 23 | 29 | 42 |
| 65+ | 620 | 17.7 | 199 | 3 | 4 | 14 | 24 | 38 | 46 | 68 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 272 | 11.6 | 96 | 2 | 3 | 9 | 15 | 22 | 30 | 52 |
| B. *Operated* | 4108 | 5.4 | 28 | 2 | 2 | 4 | 6 | 8 | 12 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1294 | 13.7 | 109 | 2 | 4 | 11 | 18 | 27 | 33 | 50 |
| B. *Operated* | 2343 | 10.9 | 114 | 3 | 3 | 7 | 13 | 24 | 34 | 50 |
| 1. SINGLE DX | 4380 | 5.8 | 35 | 2 | 2 | 4 | 6 | 10 | 18 | 32 |
| 2. MULTIPLE DX | 3637 | 11.9 | 114 | 3 | 3 | 8 | 15 | 26 | 33 | 50 |
| A. NOT OPERATED | 1566 | 13.3 | 107 | 2 | 4 | 11 | 17 | 26 | 33 | 50 |
| B. OPERATED | 6451 | 7.4 | 66 | 2 | 3 | 5 | 7 | 15 | 24 | 43 |
| TOTAL 0-19 YRS | 56 | 4.0 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 15 |
| 20-34 | 1427 | 5.0 | 19 | 2 | 2 | 4 | 5 | 8 | 10 | 23 |
| 35-49 | 2190 | 5.7 | 21 | 2 | 3 | 4 | 6 | 10 | 14 | 25 |
| 50-64 | 2371 | 8.2 | 66 | 2 | 3 | 5 | 9 | 17 | 25 | 41 |
| 65+ | 1973 | 14.8 | 150 | 3 | 4 | 11 | 20 | 31 | 40 | 60 |
| GRAND TOTAL | 8017 | 8.5 | 80 | 2 | 3 | 5 | 10 | 19 | 26 | 48 |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.0 | 5 | <1 | 1 | 3 | 3 | 5 | 8 | 10 |
| 20-34 | 147 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 126 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 10 |
| 50-64 | 130 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 10 |
| 65+ | 84 | 3.6 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.2 | 4 | <1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 764 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 836 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 505 | 5.6 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 65+ | 178 | 6.0 | 9 | 2 | 3 | 6 | 8 | 9 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.3 | 6 | 1 | 2 | 3 | 6 | 9 | 9 | 10 |
| 20-34 | 222 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 404 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 433 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 513 | 5.8 | 19 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 5.5 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 21 |
| 20-34 | 2827 | 5.7 | 8 | 3 | 3 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 3914 | 6.1 | 10 | 3 | 3 | 5 | 7 | 10 | 12 | 18 |
| 50-64 | 3242 | 6.8 | 17 | 3 | 4 | 6 | 8 | 11 | 14 | 22 |
| 65+ | 1327 | 8.2 | 28 | 3 | 4 | 7 | 10 | 15 | 19 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 512 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 2316 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1597 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 11419 | 6.4 | 14 | 3 | 3 | 6 | 7 | 10 | 13 | 20 |
| **1. SINGLE DX** | 2828 | 4.9 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 13016 | 6.2 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 2109 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 13735 | 6.2 | 13 | 3 | 3 | 5 | 7 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 192 | 4.6 | 8 | 1 | 2 | 5 | 6 | 8 | 9 | 17 |
| 20-34 | 3960 | 5.4 | 8 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 35-49 | 5280 | 5.8 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 4310 | 6.3 | 16 | 3 | 3 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 2102 | 7.3 | 25 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| **GRAND TOTAL** | 15844 | 6.0 | 13 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 20-34 | 191 | 6.1 | 16 | 1 | 1 | 5 | 8 | 11 | 14 | 18 |
| 35-49 | 168 | 7.1 | 27 | 1 | 2 | 6 | 9 | 14 | 17 | 24 |
| 50-64 | 216 | 6.8 | 21 | 1 | 2 | 6 | 10 | 13 | 18 | 22 |
| 65+ | 282 | 7.8 | 32 | 1 | 2 | 7 | 11 | 14 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 3.7 | 14 | 1 | 2 | 3 | 4 | 7 | 12 | 17 |
| 20-34 | 546 | 4.2 | 15 | 1 | 1 | 3 | 5 | 10 | 13 | 18 |
| 35-49 | 223 | 6.6 | 30 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| 50-64 | 219 | 8.4 | 35 | 1 | 2 | 8 | 11 | 17 | 20 | 25 |
| 65+ | 159 | 9.8 | 72 | 2 | 2 | 8 | 13 | 19 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 4.7 | 16 | 1 | 2 | 4 | 5 | 9 | 12 | 23 |
| 20-34 | 269 | 7.2 | 43 | 1 | 2 | 6 | 9 | 15 | 17 | 26 |
| 35-49 | 474 | 7.9 | 36 | 2 | 2 | 7 | 10 | 15 | 19 | 29 |
| 50-64 | 1099 | 8.3 | 36 | 2 | 2 | 7 | 11 | 15 | 20 | 29 |
| 65+ | 2164 | 9.2 | 44 | 2 | 3 | 7 | 12 | 17 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 6.6 | 63 | 2 | 2 | 3 | 8 | 13 | 26 | 42 |
| 20-34 | 557 | 5.6 | 33 | 1 | 2 | 3 | 7 | 12 | 15 | 29 |
| 35-49 | 401 | 11.5 | 128 | 2 | 2 | 9 | 14 | 23 | 30 | 71 |
| 50-64 | 720 | 12.9 | 129 | 2 | 3 | 10 | 16 | 24 | 34 | 66 |
| 65+ | 967 | 15.2 | 126 | 3 | 4 | 12 | 19 | 30 | 38 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 930 | 6.8 | 24 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| B. *Operated* | 1351 | 5.9 | 32 | 1 | 2 | 4 | 8 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4112 | 8.6 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| B. *Operated* | 2740 | 11.8 | 119 | 2 | 2 | 9 | 15 | 24 | 33 | 99 |
| **1. SINGLE DX** | 2281 | 6.3 | 29 | 1 | 2 | 4 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 6852 | 9.9 | 75 | 2 | 2 | 8 | 13 | 20 | 26 | 44 |
| **A. NOT OPERATED** | 5042 | 8.2 | 38 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| **B. OPERATED** | 4091 | 9.8 | 98 | 2 | 2 | 7 | 13 | 21 | 28 | 49 |
| TOTAL 0-19 YRS | 478 | 4.6 | 24 | 1 | 2 | 3 | 5 | 9 | 13 | 30 |
| 20-34 | 1563 | 5.5 | 28 | 1 | 2 | 4 | 7 | 12 | 15 | 25 |
| 35-49 | 1266 | 8.7 | 67 | 2 | 2 | 7 | 11 | 17 | 23 | 40 |
| 50-64 | 2254 | 9.7 | 69 | 2 | 2 | 8 | 12 | 19 | 24 | 42 |
| 65+ | 3572 | 10.7 | 74 | 2 | 3 | 9 | 14 | 21 | 27 | 44 |
| **GRAND TOTAL** | 9133 | 9.0 | 64 | 2 | 2 | 7 | 12 | 18 | 24 | 41 |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6439 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 762 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 262 | 3.9 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 175 | 4.4 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 157 | 5.2 | 11 | 1 | 2 | 5 | 7 | 10 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 884 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 342 | 2.7 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 63 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 9 | 16 |
| 50-64 | 45 | 3.6 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 65+ | 27 | 4.6 | 17 | 1 | 1 | 3 | 6 | 11 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9447 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1647 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 35-49 | 882 | 5.1 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 1042 | 6.3 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 65+ | 1740 | 8.0 | 31 | 2 | 3 | 7 | 10 | 15 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 570 | 3.7 | 16 | 1 | 1 | 2 | 4 | 8 | 12 | 19 |
| 20-34 | 233 | 4.9 | 16 | 1 | 2 | 4 | 6 | 11 | 13 | 18 |
| 35-49 | 140 | 7.4 | 22 | 2 | 2 | 6 | 11 | 14 | 17 | 20 |
| 50-64 | 120 | 8.8 | 44 | 2 | 2 | 7 | 12 | 18 | 21 | 31 |
| 65+ | 141 | 13.6 | 151 | 2 | 3 | 10 | 18 | 27 | 41 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7795 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 1361 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14758 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 1204 | 6.0 | 45 | 1 | 2 | 3 | 8 | 13 | 18 | 33 |
| **1. SINGLE DX** | 9156 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 15962 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| **A. NOT OPERATED** | 22553 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| **B. OPERATED** | 2565 | 4.1 | 26 | 1 | 1 | 2 | 4 | 10 | 13 | 24 |
| TOTAL 0-19 YRS | 17340 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 2984 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 1347 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 1382 | 6.2 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 2065 | 8.1 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| **GRAND TOTAL** | **25118** | **4.1** | **12** | **1** | **2** | **3** | **5** | **8** | **10** | **17** |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7491 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 537 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 398 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 409 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 65+ | 458 | 5.9 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.7 | 25 | 1 | 1 | 6 | 9 | 15 | 18 | 19 |
| 20-34 | 15 | 4.3 | 9 | 1 | 1 | 3 | 7 | 8 | 10 | 11 |
| 35-49 | 19 | 5.6 | 8 | 1 | 2 | 5 | 8 | 9 | 10 | 10 |
| 50-64 | 29 | 8.0 | 58 | 1 | 1 | 6 | 11 | 14 | 16 | 41 |
| 65+ | 14 | 12.6 | 199 | 1 | 2 | 8 | 15 | 30 | 49 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6224 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 1262 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 1568 | 6.6 | 21 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| 50-64 | 3399 | 7.8 | 24 | 3 | 3 | 7 | 10 | 14 | 17 | 25 |
| 65+ | 5928 | 9.0 | 39 | 3 | 4 | 7 | 11 | 16 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 8.7 | 58 | 3 | 4 | 6 | 10 | 17 | 21 | 49 |
| 20-34 | 99 | 9.8 | 74 | 2 | 3 | 8 | 11 | 19 | 21 | 52 |
| 35-49 | 173 | 10.3 | 71 | 2 | 3 | 8 | 13 | 19 | 26 | 46 |
| 50-64 | 322 | 11.3 | 70 | 3 | 4 | 9 | 14 | 22 | 28 | 42 |
| 65+ | 429 | 14.8 | 133 | 4 | 5 | 12 | 18 | 26 | 37 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9293 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 98 | 7.3 | 58 | 1 | 2 | 6 | 9 | 14 | 18 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18381 | 6.9 | 26 | 2 | 3 | 6 | 8 | 13 | 16 | 25 |
| B. *Operated* | 1101 | 12.2 | 99 | 3 | 4 | 10 | 15 | 22 | 31 | 53 |
| **1. SINGLE DX** | 9391 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 19482 | 7.2 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 27674 | 6.0 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 1199 | 11.8 | 97 | 3 | 3 | 9 | 14 | 22 | 30 | 53 |
| TOTAL 0-19 YRS | 13814 | 4.4 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 1913 | 5.5 | 18 | 2 | 2 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 2158 | 6.6 | 23 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 4159 | 7.8 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 6829 | 9.2 | 46 | 3 | 4 | 7 | 11 | 16 | 21 | 35 |
| **GRAND TOTAL** | **28873** | **6.3** | **25** | **2** | **2** | **5** | **8** | **11** | **15** | **25** |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 14 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 3 | 3 |
| 35-49 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 880 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 2141 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 870 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 420 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 102 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| 20-34 | 47 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 35-49 | 38 | 2.7 | 5 | <1 | <1 | 1 | 4 | 6 | 8 | 10 |
| 50-64 | 17 | 3.6 | 19 | <1 | 1 | 2 | 4 | 7 | 15 | 19 |
| 65+ | 11 | 5.3 | 21 | 2 | 2 | 4 | 7 | 12 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1501 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 3697 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 2116 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 10 |
| 50-64 | 1293 | 3.3 | 9 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 65+ | 326 | 3.8 | 13 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| B. *Operated* | 4413 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 2.5 | 8 | <1 | <1 | 1 | 3 | 5 | 7 | 17 |
| B. *Operated* | 8933 | 3.0 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| **1. SINGLE DX** | 4435 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 9061 | 3.0 | 4 | 1 | 2 | 3 | 3 | 5 | 5 | 9 |
| **A. NOT OPERATED** | 150 | 2.3 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 17 |
| **B. OPERATED** | 13346 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 2399 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 5899 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 3026 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 1733 | 3.1 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 439 | 3.6 | 11 | 1 | 2 | 3 | 4 | 6 | 8 | 17 |
| **GRAND TOTAL** | **13496** | **2.8** | **3** | **1** | **1** | **2** | **3** | **4** | **5** | **9** |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 106 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 134 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 208 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 104 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 7 | 5.4 | 15 | 3 | 3 | 4 | 5 | 12 | 14 | 14 |
| 50-64 | 5 | 5.8 | 104 | 1 | 1 | 1 | 7 | 24 | 24 | 24 |
| 65+ | 12 | 4.8 | 8 | 1 | 2 | 5 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 233 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 311 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 460 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 65+ | 247 | 4.2 | 21 | 1 | 2 | 3 | 4 | 7 | 11 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| B. *Operated* | 595 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 4.4 | 20 | 1 | 1 | 3 | 5 | 8 | 13 | 24 |
| B. *Operated* | 1335 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| **1. SINGLE DX** | 606 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 1371 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 47 | 3.8 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 24 |
| **B. OPERATED** | 1930 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 139 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 344 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 453 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 674 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 367 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| **GRAND TOTAL** | **1977** | **2.9** | **6** | **1** | **1** | **2** | **3** | **5** | **6** | **13** |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 34 | 2.6 | 2 | <1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 11 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| 50-64 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27515 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 6474 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 500 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 125 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 65+ | 37 | 2.2 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 547 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 101 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 13 |
| 35-49 | 12 | 2.8 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 50-64 | 6 | 3.3 | 9 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 65+ | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13842 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 1252 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 159 | 3.6 | 8 | 1 | 2 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | 76 | 3.4 | 9 | 1 | 2 | 2 | 3 | 8 | 11 | 16 |
| 65+ | 43 | 4.2 | 29 | <1 | 1 | 2 | 4 | 11 | 15 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 34651 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 668 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 15372 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| **1. SINGLE DX** | 34885 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 16040 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| **A. NOT OPERATED** | 902 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| **B. OPERATED** | 50023 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| TOTAL 0-19 YRS | 42089 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 7861 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 682 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 210 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| 65+ | 83 | 3.3 | 18 | <1 | 1 | 2 | 3 | 6 | 12 | 26 |
| **GRAND TOTAL** | **50925** | **1.9** | **1** | **1** | **1** | **2** | **2** | **3** | **3** | **5** |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 666 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 449 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 191 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 50-64 | 163 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 77 | 3.5 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 895 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1346 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 1028 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 1057 | 2.6 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 430 | 2.9 | 12 | 1 | 1 | 2 | 3 | 4 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 629 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 443 | 4.5 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 35-49 | 391 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 417 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 373 | 6.6 | 29 | 2 | 2 | 5 | 8 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 715 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 1353 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 1131 | 3.8 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 50-64 | 1243 | 4.1 | 17 | 1 | 2 | 3 | 4 | 8 | 12 | 23 |
| 65+ | 684 | 5.6 | 41 | 1 | 2 | 3 | 6 | 13 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1546 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 4756 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2253 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 5126 | 3.9 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 20 |
| **1. SINGLE DX** | 6302 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 7379 | 4.3 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 3799 | 4.3 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 9882 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| TOTAL 0-19 YRS | 2905 | 3.1 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 3591 | 3.3 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 2741 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 50-64 | 2880 | 3.7 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 65+ | 1564 | 5.0 | 31 | 1 | 2 | 3 | 6 | 10 | 14 | 27 |
| **GRAND TOTAL** | **13681** | **3.6** | **12** | **1** | **1** | **3** | **4** | **7** | **9** | **17** |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14019 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 2811 | 5.4 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 35-49 | 1765 | 6.2 | 10 | 2 | 3 | 6 | 8 | 10 | 12 | 16 |
| 50-64 | 1908 | 7.0 | 15 | 3 | 3 | 6 | 8 | 11 | 14 | 21 |
| 65+ | 2642 | 8.6 | 26 | 3 | 4 | 7 | 11 | 15 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 8.6 | 42 | 2 | 2 | 7 | 11 | 15 | 21 | 37 |
| 20-34 | 69 | 9.6 | 36 | 2 | 3 | 9 | 13 | 17 | 21 | 87 |
| 35-49 | 104 | 9.7 | 50 | 2 | 2 | 8 | 13 | 17 | 24 | 38 |
| 50-64 | 208 | 11.2 | 60 | 2 | 3 | 10 | 15 | 20 | 25 | 36 |
| 65+ | 165 | 13.5 | 85 | 2 | 3 | 12 | 18 | 26 | 33 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11209 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 20-34 | 2587 | 6.8 | 17 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| 35-49 | 2829 | 8.0 | 27 | 3 | 3 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 6165 | 9.4 | 38 | 3 | 4 | 8 | 11 | 16 | 20 | 31 |
| 65+ | 17951 | 11.7 | 57 | 4 | 5 | 10 | 14 | 21 | 26 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 13.0 | 155 | 3 | 4 | 10 | 15 | 23 | 36 | 91 |
| 20-34 | 290 | 15.7 | 151 | 4 | 5 | 12 | 19 | 29 | 37 | 71 |
| 35-49 | 460 | 15.0 | 100 | 4 | 5 | 13 | 20 | 28 | 35 | 61 |
| 50-64 | 1143 | 16.9 | 125 | 4 | 6 | 14 | 21 | 30 | 39 | 60 |
| 65+ | 2191 | 20.1 | 170 | 6 | 8 | 17 | 25 | 37 | 45 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23145 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 628 | 11.0 | 63 | 2 | 3 | 10 | 15 | 21 | 26 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40741 | 9.1 | 44 | 3 | 3 | 7 | 11 | 17 | 21 | 34 |
| B. *Operated* | 4332 | 18.0 | 154 | 5 | 6 | 15 | 23 | 33 | 42 | 67 |
| **1. SINGLE DX** | 23773 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 45073 | 10.0 | 62 | 3 | 3 | 8 | 12 | 19 | 24 | 41 |
| **A. NOT OPERATED** | 63886 | 7.9 | 35 | 2 | 3 | 6 | 10 | 15 | 19 | 31 |
| **B. OPERATED** | 4960 | 17.1 | 147 | 4 | 6 | 14 | 22 | 32 | 41 | 64 |
| TOTAL 0-19 YRS | 25558 | 5.3 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 5757 | 6.6 | 25 | 2 | 3 | 5 | 8 | 11 | 15 | 25 |
| 35-49 | 5158 | 8.0 | 34 | 3 | 3 | 7 | 10 | 14 | 18 | 30 |
| 50-64 | 9424 | 9.8 | 52 | 3 | 4 | 8 | 12 | 18 | 23 | 38 |
| 65+ | 22949 | 12.2 | 72 | 4 | 5 | 10 | 15 | 22 | 28 | 44 |
| **GRAND TOTAL** | **68846** | **8.5** | **49** | **2** | **3** | **7** | **10** | **16** | **21** | **36** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 623 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 398 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 195 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 203 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 332 | 5.9 | 23 | 2 | 2 | 5 | 8 | 11 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 4 | 3 | 3 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| 50-64 | 3 | 10.0 | 49 | 5 | 5 | 7 | 15 | 18 | 18 | 18 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 956 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 763 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 531 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 924 | 6.4 | 17 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 2220 | 8.4 | 43 | 2 | 3 | 7 | 10 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.7 | 43 | 1 | 2 | 5 | 11 | 54 | 96 | 99+ |
| 20-34 | 26 | 7.8 | 38 | 1 | 2 | 7 | 10 | 13 | 18 | 32 |
| 35-49 | 25 | 9.8 | 32 | 4 | 4 | 8 | 11 | 15 | 22 | 29 |
| 50-64 | 46 | 15.9 | 118 | 4 | 6 | 13 | 20 | 30 | 36 | 55 |
| 65+ | 110 | 16.6 | 195 | 4 | 5 | 12 | 20 | 32 | 47 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1751 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 11 | 7.3 | 22 | 3 | 3 | 7 | 9 | 15 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5394 | 6.3 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | 217 | 14.2 | 146 | 3 | 4 | 11 | 18 | 30 | 39 | 73 |
| **1. SINGLE DX** | 1762 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 5611 | 6.6 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 7145 | 5.7 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| **B. OPERATED** | 228 | 13.9 | 142 | 3 | 4 | 10 | 17 | 29 | 38 | 71 |
| TOTAL 0-19 YRS | 1593 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 1188 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 753 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 13 | 19 |
| 50-64 | 1176 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 65+ | 2663 | 8.4 | 50 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |
| **GRAND TOTAL** | **7373** | **6.0** | **30** | **1** | **2** | **4** | **7** | **11** | **15** | **28** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2404 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 230 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 257 | 5.4 | 16 | 2 | 2 | 5 | 6 | 9 | 11 | 21 |
| 50-64 | 469 | 6.2 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 557 | 7.2 | 20 | 2 | 3 | 6 | 9 | 13 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.2 | 17 | <1 | 1 | 5 | 7 | 11 | 14 | 16 |
| 20-34 | 42 | 5.1 | 11 | 1 | 2 | 4 | 7 | 10 | 13 | 13 |
| 35-49 | 73 | 4.8 | 18 | 1 | 2 | 3 | 7 | 9 | 11 | 26 |
| 50-64 | 153 | 5.3 | 21 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| 65+ | 87 | 7.1 | 38 | 1 | 2 | 5 | 10 | 15 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2279 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 558 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 20 |
| 35-49 | 876 | 6.8 | 34 | 2 | 3 | 5 | 8 | 12 | 15 | 30 |
| 50-64 | 2086 | 8.0 | 39 | 2 | 3 | 7 | 10 | 14 | 19 | 34 |
| 65+ | 3631 | 9.1 | 41 | 3 | 3 | 8 | 11 | 16 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 6.5 | 18 | 1 | 1 | 6 | 8 | 13 | 13 | 20 |
| 20-34 | 101 | 9.0 | 76 | 2 | 2 | 6 | 11 | 21 | 27 | 46 |
| 35-49 | 223 | 8.4 | 43 | 1 | 2 | 7 | 11 | 16 | 20 | 34 |
| 50-64 | 521 | 9.9 | 59 | 2 | 2 | 8 | 13 | 20 | 25 | 36 |
| 65+ | 528 | 12.2 | 88 | 2 | 3 | 10 | 16 | 25 | 30 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3917 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 376 | 5.6 | 24 | 1 | 2 | 4 | 7 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9430 | 7.3 | 33 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | 1422 | 10.3 | 70 | 2 | 3 | 8 | 13 | 21 | 27 | 44 |
| **1. SINGLE DX** | 4293 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 10852 | 7.7 | 39 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 13347 | 6.5 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| **B. OPERATED** | 1798 | 9.3 | 64 | 2 | 2 | 7 | 12 | 20 | 25 | 41 |
| TOTAL 0-19 YRS | 4753 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 931 | 5.5 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| 35-49 | 1429 | 6.7 | 32 | 2 | 2 | 5 | 8 | 12 | 15 | 30 |
| 50-64 | 3229 | 7.9 | 40 | 2 | 3 | 6 | 10 | 14 | 19 | 33 |
| 65+ | 4803 | 9.2 | 45 | 3 | 3 | 8 | 11 | 17 | 21 | 37 |
| **GRAND TOTAL** | **15145** | **6.9** | **33** | **2** | **2** | **5** | **8** | **13** | **17** | **30** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 5.3 | 8 | 1 | 1 | 6 | 7 | 9 | 10 | 10 |
| 35-49 | 50 | 6.3 | 13 | 2 | 3 | 5 | 8 | 11 | 13 | 17 |
| 50-64 | 218 | 7.2 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 300 | 8.4 | 32 | 2 | 3 | 7 | 11 | 15 | 20 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 18 | 18.1 | 303 | 1 | 3 | 12 | 18 | 46 | 62 | 69 |
| 50-64 | 23 | 15.2 | 94 | 3 | 5 | 13 | 22 | 26 | 33 | 44 |
| 65+ | 10 | 13.1 | 61 | 3 | 3 | 13 | 20 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.6 | 44 | 2 | 2 | 4 | 7 | 18 | 21 | 21 |
| 20-34 | 15 | 5.6 | 10 | 2 | 3 | 4 | 7 | 9 | 13 | 14 |
| 35-49 | 209 | 7.6 | 30 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| 50-64 | 1110 | 9.2 | 50 | 3 | 3 | 7 | 12 | 16 | 21 | 36 |
| 65+ | 2177 | 10.5 | 72 | 3 | 4 | 8 | 13 | 19 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 13.0 | 7 | 11 | 11 | 12 | 15 | 16 | 16 | 16 |
| 20-34 | 12 | 14.5 | 136 | 2 | 3 | 12 | 16 | 28 | 45 | 48 |
| 35-49 | 41 | 12.3 | 110 | 3 | 3 | 10 | 14 | 24 | 33 | 58 |
| 50-64 | 148 | 14.7 | 137 | 5 | 5 | 11 | 18 | 29 | 41 | 82 |
| 65+ | 245 | 20.3 | 271 | 4 | 6 | 15 | 24 | 44 | 57 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 578 | 7.7 | 28 | 2 | 3 | 6 | 10 | 14 | 18 | 27 |
| B. *Operated* | 55 | 14.8 | 159 | 2 | 2 | 11 | 19 | 26 | 42 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3518 | 9.9 | 63 | 3 | 3 | 8 | 12 | 18 | 24 | 42 |
| B. *Operated* | 449 | 17.5 | 216 | 4 | 5 | 13 | 21 | 35 | 53 | 81 |
| **1. SINGLE DX** | 633 | 8.3 | 44 | 2 | 3 | 7 | 11 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | 3967 | 10.8 | 86 | 3 | 4 | 8 | 13 | 20 | 27 | 52 |
| **A. NOT OPERATED** | 4096 | 9.6 | 59 | 3 | 3 | 8 | 12 | 17 | 24 | 40 |
| **B. OPERATED** | 504 | 17.2 | 210 | 4 | 5 | 13 | 21 | 34 | 51 | 77 |
| TOTAL 0-19 YRS | 12 | 7.5 | 38 | 2 | 2 | 5 | 11 | 17 | 20 | 21 |
| 20-34 | 39 | 8.1 | 64 | 1 | 2 | 6 | 10 | 15 | 18 | 48 |
| 35-49 | 318 | 8.6 | 60 | 2 | 3 | 7 | 11 | 16 | 19 | 46 |
| 50-64 | 1499 | 9.5 | 60 | 3 | 3 | 7 | 12 | 17 | 24 | 41 |
| 65+ | 2732 | 11.2 | 94 | 3 | 4 | 9 | 14 | 21 | 28 | 54 |
| **GRAND TOTAL** | **4600** | **10.4** | **81** | **3** | **3** | **8** | **13** | **19** | **26** | **50** |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9020 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 2485 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 1847 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 1899 | 6.1 | 13 | 2 | 2 | 5 | 8 | 10 | 13 | 18 |
| 65+ | 1189 | 7.1 | 18 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 7.2 | 28 | 2 | 3 | 5 | 9 | 17 | 19 | 20 |
| 20-34 | 19 | 8.5 | 58 | 2 | 2 | 7 | 11 | 13 | 26 | 36 |
| 35-49 | 37 | 8.7 | 28 | 2 | 2 | 7 | 13 | 16 | 17 | 23 |
| 50-64 | 35 | 9.7 | 65 | 2 | 3 | 7 | 12 | 20 | 26 | 37 |
| 65+ | 16 | 10.1 | 76 | 1 | 2 | 7 | 15 | 19 | 29 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5599 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 2122 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 35-49 | 2585 | 7.0 | 25 | 2 | 3 | 6 | 9 | 12 | 15 | 27 |
| 50-64 | 4534 | 8.1 | 33 | 2 | 3 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 4877 | 9.2 | 40 | 3 | 3 | 8 | 11 | 16 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 8.1 | 24 | 1 | 3 | 7 | 10 | 14 | 19 | 24 |
| 20-34 | 131 | 10.3 | 45 | 2 | 4 | 9 | 13 | 21 | 24 | 32 |
| 35-49 | 234 | 12.7 | 85 | 4 | 5 | 10 | 16 | 23 | 30 | 43 |
| 50-64 | 337 | 14.4 | 108 | 3 | 5 | 12 | 17 | 28 | 34 | 55 |
| 65+ | 338 | 16.3 | 137 | 5 | 6 | 14 | 19 | 30 | 39 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16440 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 129 | 8.9 | 48 | 2 | 2 | 7 | 12 | 18 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19717 | 7.0 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 1115 | 13.7 | 104 | 3 | 5 | 11 | 17 | 26 | 33 | 59 |
| **1. SINGLE DX** | 16569 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 20832 | 7.3 | 34 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 36157 | 5.9 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 1244 | 13.2 | 101 | 3 | 4 | 11 | 16 | 25 | 32 | 57 |
| TOTAL 0-19 YRS | 14716 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 4757 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 4703 | 6.7 | 25 | 2 | 3 | 5 | 8 | 12 | 15 | 27 |
| 50-64 | 6805 | 7.8 | 34 | 2 | 3 | 7 | 9 | 14 | 17 | 30 |
| 65+ | 6420 | 9.2 | 44 | 3 | 3 | 8 | 11 | 16 | 20 | 35 |
| **GRAND TOTAL** | **37401** | **6.2** | **25** | **2** | **2** | **5** | **8** | **11** | **15** | **25** |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 46 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 227 | 6.3 | 17 | 2 | 3 | 5 | 8 | 11 | 15 | 20 |
| 50-64 | 1098 | 7.4 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 1650 | 7.9 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.2 | 109 | 1 | 1 | 5 | 12 | 27 | 29 | 29 |
| 20-34 | 17 | 6.8 | 30 | 1 | 2 | 5 | 11 | 16 | 16 | 16 |
| 35-49 | 33 | 8.2 | 30 | 2 | 2 | 7 | 11 | 16 | 17 | 25 |
| 50-64 | 81 | 8.7 | 38 | 2 | 2 | 7 | 12 | 18 | 21 | 27 |
| 65+ | 63 | 8.0 | 75 | 1 | 2 | 6 | 10 | 17 | 19 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 6.7 | 18 | 2 | 3 | 5 | 8 | 13 | 16 | 22 |
| 20-34 | 151 | 7.6 | 59 | 2 | 3 | 6 | 9 | 13 | 16 | 43 |
| 35-49 | 958 | 7.9 | 44 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| 50-64 | 5632 | 9.2 | 44 | 2 | 3 | 8 | 11 | 17 | 21 | 34 |
| 65+ | 10546 | 10.3 | 58 | 3 | 4 | 8 | 13 | 19 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.8 | 33 | 2 | 2 | 8 | 12 | 15 | 19 | 25 |
| 20-34 | 46 | 11.0 | 211 | 2 | 3 | 8 | 11 | 21 | 23 | 99 |
| 35-49 | 174 | 14.0 | 108 | 3 | 5 | 11 | 18 | 27 | 35 | 65 |
| 50-64 | 837 | 15.0 | 180 | 3 | 4 | 11 | 18 | 32 | 42 | 89 |
| 65+ | 1238 | 17.2 | 196 | 4 | 5 | 14 | 22 | 35 | 48 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3059 | 7.5 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | 200 | 8.3 | 49 | 2 | 2 | 6 | 11 | 16 | 20 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17346 | 9.8 | 53 | 3 | 3 | 8 | 12 | 18 | 23 | 38 |
| B. *Operated* | 2318 | 16.0 | 185 | 3 | 5 | 13 | 19 | 33 | 44 | 97 |
| **1. SINGLE DX** | 3259 | 7.5 | 28 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 19664 | 10.5 | 73 | 3 | 4 | 8 | 13 | 19 | 26 | 46 |
| **A. NOT OPERATED** | 20405 | 9.4 | 50 | 3 | 3 | 8 | 12 | 17 | 22 | 36 |
| **B. OPERATED** | 2518 | 15.4 | 178 | 3 | 4 | 12 | 19 | 31 | 43 | 96 |
| TOTAL 0-19 YRS | 126 | 6.5 | 23 | 2 | 2 | 5 | 8 | 13 | 15 | 26 |
| 20-34 | 260 | 7.6 | 78 | 2 | 2 | 6 | 9 | 14 | 18 | 41 |
| 35-49 | 1392 | 8.4 | 52 | 2 | 3 | 7 | 10 | 16 | 19 | 35 |
| 50-64 | 7648 | 9.6 | 61 | 2 | 3 | 8 | 12 | 17 | 23 | 41 |
| 65+ | 13497 | 10.6 | 72 | 3 | 4 | 8 | 13 | 20 | 26 | 46 |
| **GRAND TOTAL** | **22923** | **10.1** | **67** | **3** | **3** | **8** | **12** | **19** | **28** | **43** |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 20-34 | 247 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 66 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 24 | 5.4 | 14 | 1 | 1 | 4 | 6 | 11 | 14 | 15 |
| 65+ | 13 | 9.2 | 178 | 1 | 1 | 4 | 9 | 26 | 45 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 7.0 | 19 | 3 | 3 | 6 | 9 | 13 | 18 | 20 |
| 20-34 | 719 | 6.4 | 18 | 2 | 3 | 5 | 8 | 12 | 15 | 23 |
| 35-49 | 217 | 7.1 | 19 | 2 | 3 | 6 | 9 | 13 | 15 | 24 |
| 50-64 | 82 | 8.8 | 33 | 3 | 4 | 7 | 10 | 15 | 18 | 36 |
| 65+ | 55 | 10.7 | 85 | 3 | 3 | 7 | 13 | 28 | 34 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 74 | 5.3 | 19 | 2 | 2 | 4 | 7 | 9 | 11 | 29 |
| 35-49 | 30 | 7.6 | 37 | 1 | 3 | 6 | 9 | 15 | 18 | 30 |
| 50-64 | 63 | 8.3 | 31 | 1 | 2 | 7 | 12 | 17 | 19 | 23 |
| 65+ | 96 | 10.9 | 64 | 3 | 3 | 8 | 14 | 21 | 29 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 10.2 | 41 | 3 | 4 | 9 | 13 | 21 | 25 | 30 |
| 20-34 | 247 | 10.1 | 49 | 3 | 4 | 8 | 12 | 18 | 23 | 37 |
| 35-49 | 151 | 10.1 | 43 | 3 | 4 | 8 | 13 | 19 | 22 | 33 |
| 50-64 | 226 | 13.4 | 117 | 4 | 5 | 10 | 16 | 26 | 38 | 61 |
| 65+ | 306 | 14.9 | 152 | 4 | 5 | 11 | 18 | 31 | 38 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 438 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 1238 | 7.0 | 23 | 2 | 3 | 6 | 8 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 293 | 7.9 | 43 | 2 | 2 | 6 | 10 | 16 | 20 | 33 |
| B. *Operated* | 989 | 12.4 | 99 | 4 | 4 | 10 | 15 | 23 | 32 | 57 |
| **1. SINGLE DX** | 1676 | 6.2 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | 1282 | 11.4 | 90 | 3 | 4 | 9 | 14 | 22 | 29 | 53 |
| **A. NOT OPERATED** | 731 | 5.7 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| **B. OPERATED** | 2227 | 9.4 | 64 | 3 | 3 | 7 | 11 | 18 | 24 | 43 |
| TOTAL 0-19 YRS | 342 | 6.5 | 24 | 1 | 2 | 5 | 8 | 13 | 18 | 24 |
| 20-34 | 1287 | 6.6 | 25 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 35-49 | 464 | 7.7 | 31 | 2 | 3 | 6 | 10 | 14 | 19 | 28 |
| 50-64 | 395 | 11.2 | 87 | 3 | 4 | 9 | 14 | 21 | 29 | 53 |
| 65+ | 470 | 13.4 | 130 | 3 | 4 | 10 | 17 | 28 | 36 | 64 |
| **GRAND TOTAL** | **2958** | **8.5** | **58** | **2** | **3** | **6** | **10** | **17** | **22** | **40** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 535 | 4.3 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 20-34 | 364 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 318 | 4.6 | 15 | 1 | 1 | 3 | 6 | 10 | 12 | 21 |
| 50-64 | 373 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 20 |
| 65+ | 421 | 7.5 | 33 | 2 | 2 | 6 | 9 | 15 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 7.5 | 95 | 1 | 1 | 4 | 9 | 17 | 22 | 61 |
| 20-34 | 177 | 8.0 | 39 | 1 | 2 | 6 | 10 | 17 | 20 | 31 |
| 35-49 | 273 | 7.8 | 38 | 1 | 2 | 7 | 10 | 16 | 20 | 33 |
| 50-64 | 416 | 8.9 | 55 | 1 | 2 | 7 | 12 | 18 | 23 | 37 |
| 65+ | 346 | 10.4 | 95 | 1 | 2 | 8 | 14 | 21 | 27 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 901 | 5.2 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 20-34 | 595 | 6.2 | 34 | 1 | 2 | 4 | 8 | 12 | 17 | 33 |
| 35-49 | 946 | 7.0 | 38 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |
| 50-64 | 2106 | 8.1 | 36 | 2 | 3 | 7 | 10 | 15 | 20 | 31 |
| 65+ | 4916 | 10.2 | 57 | 3 | 3 | 8 | 13 | 19 | 24 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 9.1 | 79 | 2 | 2 | 6 | 13 | 21 | 30 | 67 |
| 20-34 | 302 | 12.2 | 117 | 2 | 2 | 10 | 16 | 25 | 36 | 52 |
| 35-49 | 548 | 12.2 | 115 | 2 | 3 | 9 | 16 | 26 | 33 | 61 |
| 50-64 | 1283 | 13.7 | 148 | 2 | 3 | 10 | 18 | 28 | 37 | 66 |
| 65+ | 1658 | 15.8 | 152 | 2 | 4 | 13 | 21 | 33 | 42 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2011 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 1274 | 8.9 | 63 | 1 | 2 | 7 | 12 | 18 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9464 | 8.7 | 48 | 2 | 3 | 7 | 11 | 17 | 22 | 35 |
| B. *Operated* | 3898 | 14.1 | 143 | 2 | 3 | 11 | 18 | 29 | 39 | 64 |
| **1. SINGLE DX** | 3285 | 6.6 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | 13362 | 10.3 | 82 | 2 | 3 | 8 | 13 | 21 | 28 | 47 |
| **A. NOT OPERATED** | 11475 | 8.1 | 45 | 2 | 2 | 6 | 10 | 16 | 21 | 34 |
| **B. OPERATED** | 5172 | 12.9 | 129 | 2 | 3 | 10 | 17 | 27 | 36 | 60 |
| TOTAL 0-19 YRS | 1605 | 5.2 | 22 | 1 | 2 | 4 | 6 | 10 | 14 | 23 |
| 20-34 | 1438 | 7.2 | 55 | 1 | 2 | 5 | 9 | 15 | 22 | 38 |
| 35-49 | 2085 | 8.1 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| 50-64 | 4178 | 9.7 | 79 | 2 | 2 | 7 | 12 | 19 | 26 | 47 |
| 65+ | 7341 | 11.3 | 85 | 2 | 3 | 9 | 14 | 22 | 29 | 47 |
| **GRAND TOTAL** | **16647** | **9.6** | **76** | **2** | **2** | **7** | **12** | **20** | **26** | **44** |

## 501 Hospitals, North Central Region, January–December 1981

### 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 59 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 35-49 | 38 | 4.4 | 24 | <1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 50-64 | 21 | 3.7 | 4 | 1 | 1 | 4 | 4 | 6 | 8 | 10 |
| 65+ | 14 | 3.1 | 3 | <1 | 1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3850 | 1.9 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 3384 | 2.2 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 1126 | 2.5 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 735 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 65+ | 214 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 159 | 3.5 | 9 | <1 | <1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 101 | 3.8 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 50-64 | 118 | 4.4 | 12 | <1 | 1 | 3 | 6 | 10 | 11 | 17 |
| 65+ | 103 | 5.9 | 18 | 1 | 1 | 5 | 8 | 12 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1348 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 2154 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1623 | 3.0 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 1712 | 3.4 | 19 | 1 | 1 | 2 | 3 | 6 | 9 | 21 |
| 65+ | 965 | 4.1 | 25 | 1 | 2 | 3 | 4 | 8 | 12 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 9309 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 648 | 4.1 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 17 |
| B. *Operated* | 7802 | 3.0 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| **1. SINGLE DX** | 9520 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 8450 | 3.1 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **A. NOT OPERATED** | 859 | 3.9 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 17111 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 5444 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 5756 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 2888 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 2586 | 3.2 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 65+ | 1296 | 4.0 | 21 | 1 | 2 | 3 | 4 | 8 | 12 | 20 |
| **GRAND TOTAL** | **17970** | **2.6** | **8** | **1** | **1** | **2** | **3** | **4** | **6** | **12** |

### 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 4.1 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 15 |
| 20-34 | 63 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 43 | 4.6 | 7 | 1 | 2 | 4 | 5 | 9 | 11 | 12 |
| 50-64 | 48 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 10 | 19 |
| 65+ | 36 | 4.7 | 8 | <1 | 1 | 5 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 234 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 209 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 272 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 221 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 4.6 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| 20-34 | 73 | 4.8 | 10 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| 35-49 | 60 | 5.6 | 14 | 1 | 2 | 5 | 7 | 9 | 11 | 22 |
| 50-64 | 117 | 6.5 | 28 | 2 | 2 | 5 | 8 | 13 | 17 | 29 |
| 65+ | 193 | 8.1 | 29 | 2 | 3 | 7 | 10 | 14 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 20-34 | 156 | 5.2 | 28 | 1 | 2 | 4 | 6 | 9 | 12 | 34 |
| 35-49 | 205 | 4.9 | 17 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| 50-64 | 312 | 5.5 | 40 | 1 | 2 | 4 | 6 | 12 | 16 | 33 |
| 65+ | 300 | 6.4 | 37 | 2 | 2 | 4 | 5 | 13 | 18 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| B. *Operated* | 1162 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 704 | 6.0 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| B. *Operated* | 1093 | 5.4 | 31 | 1 | 2 | 4 | 6 | 11 | 15 | 30 |
| **1. SINGLE DX** | 1493 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 1797 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 1035 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 2255 | 4.3 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| TOTAL 0-19 YRS | 748 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 526 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 517 | 4.4 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 749 | 4.9 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| 65+ | 750 | 5.9 | 28 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| **GRAND TOTAL** | **3290** | **4.7** | **18** | **1** | **2** | **3** | **5** | **9** | **12** | **22** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 20-34 | 281 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 335 | 4.1 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 329 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 233 | 4.5 | 13 | 1 | 1 | 4 | 5 | 8 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 4.3 | 15 | <1 | <1 | 2 | 7 | 9 | 12 | 18 |
| 20-34 | 133 | 5.7 | 25 | 1 | 2 | 5 | 8 | 10 | 12 | 32 |
| 35-49 | 173 | 7.0 | 28 | 1 | 2 | 6 | 9 | 14 | 17 | 23 |
| 50-64 | 244 | 7.0 | 26 | 1 | 2 | 6 | 9 | 13 | 17 | 25 |
| 65+ | 313 | 8.0 | 52 | 1 | 2 | 6 | 10 | 17 | 20 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 351 | 5.5 | 16 | 1 | 2 | 4 | 7 | 10 | 14 | 20 |
| 20-34 | 737 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 1294 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 50-64 | 1536 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 1960 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 10.7 | 87 | 1 | 2 | 8 | 15 | 24 | 29 | 76 |
| 20-34 | 340 | 8.6 | 36 | 2 | 3 | 7 | 11 | 15 | 19 | 29 |
| 35-49 | 603 | 9.9 | 72 | 2 | 3 | 8 | 12 | 19 | 24 | 45 |
| 50-64 | 1078 | 10.2 | 91 | 2 | 2 | 8 | 13 | 20 | 28 | 46 |
| 65+ | 1562 | 11.7 | 105 | 2 | 3 | 9 | 14 | 24 | 32 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1465 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 943 | 6.9 | 35 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5878 | 6.1 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| B. *Operated* | 3690 | 10.6 | 89 | 2 | 3 | 8 | 13 | 21 | 29 | 50 |
| **1. SINGLE DX** | 2408 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | 9568 | 7.9 | 53 | 2 | 2 | 6 | 10 | 15 | 21 | 37 |
| **A. NOT OPERATED** | 7343 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 4633 | 9.9 | 81 | 2 | 2 | 8 | 12 | 20 | 27 | 46 |
| TOTAL 0-19 YRS | 825 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 16 | 29 |
| 20-34 | 1491 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 25 |
| 35-49 | 2405 | 6.6 | 34 | 1 | 2 | 5 | 8 | 13 | 16 | 30 |
| 50-64 | 3187 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 65+ | 4068 | 8.8 | 67 | 2 | 2 | 7 | 11 | 18 | 24 | 44 |
| **GRAND TOTAL** | **11976** | **7.3** | **48** | **1** | **2** | **5** | **9** | **14** | **19** | **36** |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 186 | 5.1 | 10 | 2 | 2 | 4 | 6 | 10 | 12 | 15 |
| 35-49 | 274 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 19 |
| 50-64 | 240 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 201 | 5.9 | 13 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 5 | 5 | 5 | 6 | 8 | 10 | 10 | 10 |
| 20-34 | 86 | 8.4 | 31 | 2 | 3 | 8 | 10 | 15 | 19 | 31 |
| 35-49 | 187 | 8.3 | 23 | 2 | 3 | 8 | 10 | 14 | 17 | 26 |
| 50-64 | 210 | 9.4 | 45 | 2 | 3 | 8 | 12 | 19 | 21 | 32 |
| 65+ | 171 | 9.0 | 52 | 2 | 2 | 7 | 12 | 17 | 22 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.2 | 11 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 20-34 | 278 | 6.2 | 20 | 2 | 2 | 5 | 8 | 10 | 13 | 24 |
| 35-49 | 547 | 6.9 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| 50-64 | 784 | 7.1 | 22 | 2 | 3 | 6 | 9 | 12 | 17 | 25 |
| 65+ | 1256 | 8.8 | 36 | 2 | 3 | 7 | 11 | 16 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 7.4 | 17 | 2 | 3 | 6 | 10 | 14 | 15 | 15 |
| 20-34 | 177 | 9.7 | 61 | 2 | 4 | 8 | 12 | 17 | 19 | 36 |
| 35-49 | 446 | 10.8 | 57 | 3 | 4 | 9 | 13 | 20 | 26 | 40 |
| 50-64 | 773 | 11.1 | 60 | 3 | 4 | 9 | 14 | 19 | 26 | 44 |
| 65+ | 1008 | 12.1 | 74 | 3 | 4 | 10 | 15 | 23 | 28 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 942 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | 658 | 8.8 | 39 | 2 | 3 | 8 | 11 | 16 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2899 | 7.7 | 29 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| B. *Operated* | 2420 | 11.3 | 65 | 3 | 4 | 9 | 14 | 21 | 26 | 41 |
| **1. SINGLE DX** | 1600 | 6.7 | 26 | 2 | 2 | 5 | 9 | 12 | 16 | 25 |
| **2. MULTIPLE DX** | 5319 | 9.4 | 49 | 2 | 3 | 8 | 12 | 17 | 22 | 37 |
| **A. NOT OPERATED** | 3841 | 7.1 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| **B. OPERATED** | 3078 | 10.8 | 61 | 3 | 4 | 9 | 13 | 19 | 25 | 40 |
| TOTAL 0-19 YRS | 95 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 20-34 | 727 | 7.1 | 32 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 35-49 | 1454 | 7.9 | 35 | 2 | 3 | 6 | 10 | 14 | 19 | 32 |
| 50-64 | 2007 | 8.6 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 65+ | 2636 | 9.9 | 53 | 2 | 3 | 8 | 12 | 18 | 24 | 37 |
| **GRAND TOTAL** | **6919** | **8.7** | **45** | **2** | **3** | **7** | **11** | **16** | **21** | **34** |

### 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.7 | 2 | 2 | 3 | 5 | 6 | 6 | 7 | 7 |
| 20-34 | 63 | 5.4 | 11 | 1 | 2 | 4 | 7 | 10 | 13 | 16 |
| 35-49 | 113 | 5.9 | 8 | 2 | 3 | 6 | 7 | 9 | 11 | 17 |
| 50-64 | 144 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 14 |
| 65+ | 176 | 7.2 | 10 | 3 | 4 | 7 | 9 | 12 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.5 | 7 | 5 | 5 | 7 | 8 | 12 | 13 | 13 |
| 20-34 | 60 | 9.3 | 23 | 3 | 4 | 9 | 11 | 14 | 20 | 27 |
| 35-49 | 92 | 9.4 | 18 | 4 | 5 | 9 | 11 | 15 | 17 | 25 |
| 50-64 | 123 | 10.2 | 28 | 4 | 5 | 9 | 12 | 18 | 21 | 26 |
| 65+ | 130 | 11.8 | 45 | 4 | 5 | 11 | 14 | 21 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.3 | 9 | 2 | 3 | 6 | 8 | 11 | 11 | 11 |
| 20-34 | 82 | 7.0 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 29 |
| 35-49 | 196 | 7.0 | 18 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 50-64 | 377 | 8.4 | 24 | 3 | 4 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 843 | 10.1 | 44 | 3 | 4 | 8 | 12 | 17 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.1 | 9 | 2 | 4 | 8 | 10 | 12 | 13 | 14 |
| 20-34 | 68 | 11.3 | 62 | 4 | 4 | 10 | 13 | 20 | 25 | 46 |
| 35-49 | 184 | 13.8 | 125 | 4 | 5 | 11 | 16 | 26 | 33 | 54 |
| 50-64 | 391 | 13.6 | 107 | 4 | 5 | 11 | 17 | 24 | 33 | 68 |
| 65+ | 934 | 15.8 | 124 | 5 | 6 | 13 | 20 | 29 | 37 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 511 | 6.2 | 9 | 2 | 3 | 6 | 8 | 10 | 13 | 17 |
| B. *Operated* | 413 | 10.3 | 31 | 4 | 5 | 9 | 13 | 17 | 21 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1516 | 9.0 | 36 | 3 | 4 | 8 | 11 | 16 | 20 | 32 |
| B. *Operated* | 1592 | 14.8 | 118 | 4 | 5 | 12 | 18 | 28 | 35 | 59 |
| **1. SINGLE DX** | 924 | 8.1 | 23 | 3 | 3 | 7 | 10 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | 3108 | 12.0 | 86 | 3 | 4 | 9 | 15 | 23 | 29 | 52 |
| **A. NOT OPERATED** | 2027 | 8.3 | 31 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| **B. OPERATED** | 2005 | 13.9 | 103 | 4 | 5 | 11 | 17 | 25 | 33 | 56 |
| TOTAL 0-19 YRS | 56 | 6.5 | 8 | 2 | 3 | 6 | 8 | 10 | 12 | 14 |
| 20-34 | 273 | 8.2 | 34 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| 35-49 | 585 | 9.3 | 60 | 3 | 3 | 7 | 11 | 17 | 23 | 37 |
| 50-64 | 1035 | 10.2 | 62 | 3 | 4 | 8 | 12 | 18 | 23 | 43 |
| 65+ | 2083 | 12.5 | 87 | 4 | 5 | 10 | 15 | 24 | 30 | 52 |
| **GRAND TOTAL** | **4032** | **11.1** | **74** | **3** | **4** | **9** | **14** | **21** | **27** | **47** |

### 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 11 |
| 20-34 | 1044 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 882 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 684 | 5.2 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 391 | 6.2 | 27 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.8 | 21 | 3 | 4 | 8 | 10 | 15 | 20 | 20 |
| 20-34 | 144 | 10.0 | 24 | 3 | 5 | 9 | 12 | 17 | 20 | 26 |
| 35-49 | 201 | 9.8 | 28 | 2 | 4 | 9 | 12 | 17 | 19 | 26 |
| 50-64 | 154 | 11.3 | 45 | 3 | 5 | 10 | 14 | 19 | 25 | 39 |
| 65+ | 72 | 11.0 | 59 | 3 | 4 | 9 | 13 | 22 | 28 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 221 | 5.2 | 17 | 2 | 2 | 4 | 6 | 8 | 11 | 20 |
| 20-34 | 1190 | 5.7 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 1593 | 6.5 | 18 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 1982 | 6.8 | 21 | 2 | 3 | 6 | 9 | 12 | 15 | 22 |
| 65+ | 2136 | 8.1 | 31 | 2 | 3 | 7 | 10 | 15 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 8.6 | 27 | 3 | 3 | 7 | 11 | 17 | 19 | 21 |
| 20-34 | 269 | 11.0 | 55 | 3 | 4 | 9 | 13 | 19 | 25 | 41 |
| 35-49 | 518 | 11.5 | 54 | 3 | 4 | 10 | 15 | 20 | 24 | 35 |
| 50-64 | 630 | 12.0 | 79 | 3 | 4 | 10 | 15 | 21 | 28 | 45 |
| 65+ | 556 | 13.9 | 109 | 4 | 5 | 11 | 17 | 26 | 35 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3297 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 582 | 10.4 | 35 | 3 | 4 | 9 | 12 | 18 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7122 | 6.9 | 22 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| B. *Operated* | 1994 | 12.2 | 78 | 3 | 4 | 10 | 15 | 22 | 29 | 46 |
| **1. SINGLE DX** | 3879 | 5.8 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 9116 | 8.1 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| **A. NOT OPERATED** | 10419 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **B. OPERATED** | 2576 | 11.8 | 69 | 3 | 4 | 10 | 14 | 21 | 26 | 43 |
| TOTAL 0-19 YRS | 549 | 4.9 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 20-34 | 2647 | 6.0 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 35-49 | 3194 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| 50-64 | 3450 | 7.6 | 36 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 3155 | 9.0 | 50 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| **GRAND TOTAL** | **12995** | **7.4** | **34** | **2** | **3** | **6** | **9** | **14** | **17** | **30** |

## 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 285 | 5.0 | 9 | 2 | 2 | 5 | 6 | 8 | 9 | 21 |
| 35-49 | 400 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 13 |
| 50-64 | 395 | 6.1 | 10 | 2 | 3 | 6 | 7 | 10 | 12 | 18 |
| 65+ | 387 | 7.0 | 15 | 3 | 3 | 6 | 9 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 8.4 | 18 | 1 | 3 | 8 | 10 | 15 | 17 | 17 |
| 20-34 | 131 | 9.4 | 24 | 5 | 6 | 8 | 10 | 16 | 19 | 28 |
| 35-49 | 164 | 10.3 | 24 | 4 | 5 | 9 | 13 | 17 | 19 | 25 |
| 50-64 | 159 | 11.2 | 23 | 4 | 6 | 10 | 13 | 17 | 21 | 27 |
| 65+ | 148 | 12.1 | 35 | 5 | 6 | 11 | 15 | 20 | 24 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 6.2 | 10 | 2 | 2 | 6 | 8 | 10 | 11 | 17 |
| 20-34 | 271 | 5.9 | 12 | 2 | 3 | 5 | 7 | 10 | 11 | 19 |
| 35-49 | 426 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 13 | 25 |
| 50-64 | 833 | 7.4 | 20 | 3 | 3 | 7 | 9 | 13 | 15 | 21 |
| 65+ | 1500 | 9.8 | 47 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 10.7 | 64 | 3 | 3 | 9 | 13 | 20 | 29 | 37 |
| 20-34 | 108 | 12.1 | 67 | 4 | 5 | 10 | 14 | 23 | 29 | 47 |
| 35-49 | 231 | 13.1 | 91 | 5 | 6 | 11 | 15 | 23 | 31 | 60 |
| 50-64 | 450 | 15.2 | 104 | 5 | 7 | 12 | 18 | 28 | 37 | 53 |
| 65+ | 722 | 18.2 | 161 | 6 | 7 | 14 | 22 | 34 | 42 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1515 | 5.8 | 11 | 2 | 3 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 620 | 10.7 | 27 | 4 | 6 | 9 | 13 | 17 | 21 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3085 | 8.3 | 34 | 3 | 3 | 7 | 10 | 15 | 18 | 31 |
| B. *Operated* | 1531 | 16.0 | 131 | 5 | 6 | 13 | 19 | 29 | 38 | 67 |
| **1. SINGLE DX** | 2135 | 7.3 | 21 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 4616 | 10.8 | 79 | 3 | 4 | 8 | 13 | 20 | 28 | 50 |
| **A. NOT OPERATED** | 4600 | 7.5 | 28 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| **B. OPERATED** | 2151 | 14.5 | 106 | 5 | 6 | 12 | 17 | 27 | 35 | 57 |
| TOTAL 0-19 YRS | 141 | 6.5 | 21 | 2 | 2 | 6 | 8 | 11 | 15 | 22 |
| 20-34 | 795 | 7.0 | 27 | 2 | 3 | 6 | 8 | 12 | 16 | 29 |
| 35-49 | 1221 | 7.9 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 50-64 | 1837 | 9.4 | 51 | 3 | 4 | 7 | 11 | 17 | 23 | 39 |
| 65+ | 2757 | 11.7 | 88 | 3 | 4 | 9 | 14 | 22 | 29 | 52 |
| **GRAND TOTAL** | **6751** | **9.7** | **63** | **3** | **3** | **8** | **12** | **18** | **24** | **42** |

## 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.8 | 16 | 2 | 2 | 7 | 11 | 12 | 12 | 12 |
| 20-34 | 9 | 4.6 | 2 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 28 | 6.8 | 20 | 2 | 3 | 6 | 7 | 14 | 18 | 21 |
| 50-64 | 20 | 5.8 | 11 | 2 | 3 | 5 | 7 | 10 | 13 | 15 |
| 65+ | 31 | 7.4 | 17 | 2 | 2 | 7 | 9 | 13 | 16 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 17 | 11.5 | 36 | 3 | 4 | 11 | 14 | 21 | 22 | 23 |
| 35-49 | 48 | 14.8 | 52 | 5 | 7 | 13 | 20 | 26 | 27 | 31 |
| 50-64 | 72 | 15.3 | 51 | 6 | 8 | 14 | 19 | 23 | 25 | 44 |
| 65+ | 51 | 17.8 | 61 | 8 | 9 | 17 | 24 | 29 | 32 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | 16 | 4 | 4 | 9 | 12 | 13 | 13 | 13 |
| 20-34 | 18 | 6.7 | 12 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 35-49 | 40 | 8.4 | 35 | 2 | 2 | 7 | 10 | 16 | 19 | 31 |
| 50-64 | 66 | 8.4 | 23 | 3 | 4 | 7 | 11 | 15 | 16 | 27 |
| 65+ | 122 | 9.7 | 49 | 3 | 4 | 8 | 12 | 19 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 18.3 | 65 | 9 | 9 | 23 | 23 | 23 | 23 | 23 |
| 20-34 | 22 | 13.5 | 41 | 5 | 6 | 13 | 15 | 21 | 26 | 32 |
| 35-49 | 95 | 16.5 | 91 | 6 | 7 | 14 | 20 | 32 | 35 | 52 |
| 50-64 | 163 | 20.7 | 183 | 6 | 9 | 17 | 24 | 40 | 47 | 72 |
| 65+ | 244 | 20.6 | 153 | 7 | 8 | 18 | 26 | 40 | 47 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 6.6 | 16 | 2 | 3 | 6 | 8 | 12 | 16 | 20 |
| B. *Operated* | 189 | 15.5 | 55 | 6 | 7 | 14 | 20 | 25 | 29 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 250 | 8.9 | 37 | 3 | 3 | 7 | 11 | 16 | 21 | 31 |
| B. *Operated* | 527 | 19.6 | 150 | 6 | 8 | 16 | 23 | 37 | 46 | 63 |
| **1. SINGLE DX** | 282 | 12.5 | 59 | 3 | 4 | 11 | 17 | 23 | 26 | 34 |
| **2. MULTIPLE DX** | 777 | 16.2 | 138 | 4 | 5 | 13 | 21 | 32 | 42 | 60 |
| **A. NOT OPERATED** | 343 | 8.3 | 32 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| **B. OPERATED** | 716 | 18.5 | 128 | 6 | 8 | 16 | 23 | 33 | 43 | 61 |
| TOTAL 0-19 YRS | 13 | 10.8 | 40 | 2 | 4 | 11 | 12 | 23 | 23 | 23 |
| 20-34 | 66 | 9.9 | 37 | 3 | 3 | 9 | 13 | 19 | 21 | 31 |
| 35-49 | 211 | 13.3 | 77 | 3 | 5 | 11 | 18 | 25 | 31 | 41 |
| 50-64 | 321 | 16.0 | 139 | 3 | 5 | 13 | 20 | 29 | 40 | 68 |
| 65+ | 448 | 16.4 | 133 | 4 | 5 | 14 | 21 | 32 | 43 | 54 |
| **GRAND TOTAL** | **1059** | **15.2** | **120** | **3** | **5** | **13** | **20** | **29** | **37** | **56** |

### 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1437 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 2042 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 1398 | 4.3 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 826 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 477 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.2 | 9 | 1 | 2 | 4 | 7 | 10 | 10 | 13 |
| 20-34 | 143 | 7.8 | 35 | 1 | 2 | 6 | 10 | 15 | 21 | 31 |
| 35-49 | 157 | 7.7 | 31 | 2 | 3 | 6 | 10 | 14 | 19 | 31 |
| 50-64 | 118 | 8.3 | 25 | 2 | 3 | 7 | 11 | 14 | 18 | 25 |
| 65+ | 102 | 8.7 | 39 | 2 | 3 | 7 | 12 | 16 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1972 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 4072 | 5.3 | 15 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| 35-49 | 4175 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 3912 | 6.3 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 65+ | 4189 | 7.4 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 7.5 | 32 | 3 | 3 | 6 | 9 | 12 | 18 | 35 |
| 20-34 | 677 | 8.9 | 35 | 2 | 3 | 7 | 11 | 16 | 20 | 29 |
| 35-49 | 957 | 10.1 | 55 | 3 | 4 | 8 | 12 | 18 | 24 | 42 |
| 50-64 | 1093 | 11.0 | 80 | 3 | 4 | 9 | 13 | 20 | 25 | 45 |
| 65+ | 1035 | 11.8 | 78 | 3 | 4 | 9 | 14 | 22 | 28 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6180 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 557 | 7.9 | 31 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18320 | 6.0 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 3851 | 10.5 | 66 | 3 | 4 | 9 | 13 | 19 | 24 | 42 |
| **1. SINGLE DX** | 6737 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 22171 | 6.8 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |
| **A. NOT OPERATED** | 24500 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 4408 | 10.2 | 62 | 3 | 3 | 8 | 12 | 19 | 24 | 41 |
| TOTAL 0-19 YRS | 3535 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 6934 | 5.2 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| 35-49 | 6687 | 6.3 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 50-64 | 5949 | 7.0 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| 65+ | 5803 | 8.0 | 39 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| **GRAND TOTAL** | **28908** | **6.2** | **26** | **1** | **2** | **5** | **8** | **12** | **15** | **25** |

### 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 300 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 373 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 262 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 214 | 4.4 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 17 |
| 65+ | 146 | 5.5 | 17 | 1 | 2 | 4 | 7 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 5.0 | 16 | 2 | 2 | 4 | 6 | 8 | 9 | 26 |
| 20-34 | 40 | 9.0 | 27 | 2 | 3 | 8 | 10 | 15 | 19 | 28 |
| 35-49 | 62 | 11.7 | 54 | 4 | 5 | 10 | 16 | 19 | 24 | 45 |
| 50-64 | 53 | 16.2 | 210 | 4 | 5 | 13 | 19 | 28 | 39 | 83 |
| 65+ | 44 | 16.8 | 261 | 2 | 2 | 10 | 24 | 34 | 55 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 377 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 741 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 829 | 5.7 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 781 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 902 | 7.4 | 31 | 2 | 3 | 6 | 9 | 14 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 9.8 | 97 | 2 | 2 | 7 | 11 | 20 | 28 | 56 |
| 20-34 | 126 | 13.0 | 89 | 3 | 4 | 10 | 16 | 27 | 36 | 44 |
| 35-49 | 215 | 13.5 | 104 | 3 | 4 | 10 | 18 | 27 | 32 | 46 |
| 50-64 | 302 | 15.7 | 127 | 4 | 5 | 13 | 20 | 30 | 40 | 62 |
| 65+ | 351 | 18.1 | 166 | 4 | 5 | 15 | 23 | 35 | 44 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1295 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 338 | 10.0 | 108 | 2 | 3 | 7 | 12 | 20 | 28 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3630 | 5.9 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 1036 | 15.5 | 135 | 3 | 5 | 12 | 20 | 30 | 39 | 61 |
| **1. SINGLE DX** | 1633 | 5.3 | 36 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | 4666 | 8.0 | 62 | 2 | 2 | 6 | 10 | 17 | 23 | 41 |
| **A. NOT OPERATED** | 4925 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 1374 | 14.1 | 134 | 3 | 4 | 11 | 18 | 29 | 37 | 61 |
| TOTAL 0-19 YRS | 858 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 1280 | 5.7 | 28 | 1 | 2 | 4 | 7 | 10 | 14 | 29 |
| 35-49 | 1368 | 6.9 | 43 | 1 | 2 | 5 | 8 | 14 | 19 | 33 |
| 50-64 | 1350 | 8.3 | 68 | 2 | 2 | 6 | 10 | 17 | 23 | 41 |
| 65+ | 1443 | 10.1 | 93 | 2 | 3 | 7 | 12 | 21 | 29 | 50 |
| **GRAND TOTAL** | **6299** | **7.3** | **57** | **1** | **2** | **5** | **9** | **15** | **21** | **39** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 42 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 12 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 7 | 7 |
| 50-64 | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6740 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 4493 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1163 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 536 | 5.5 | 7 | 3 | 3 | 5 | 7 | 9 | 11 | 14 |
| 65+ | 153 | 7.0 | 16 | 2 | 3 | 6 | 8 | 12 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 26 | 4.0 | 7 | 1 | 1 | 4 | 5 | 8 | 10 | 12 |
| 35-49 | 7 | 3.7 | 5 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | 5 | 2.2 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 8 | 12.4 | 129 | 4 | 4 | 7 | 18 | 31 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1106 | 5.6 | 14 | 2 | 3 | 5 | 6 | 10 | 12 | 20 |
| 20-34 | 1006 | 6.0 | 15 | 3 | 3 | 5 | 7 | 10 | 13 | 19 |
| 35-49 | 387 | 7.3 | 26 | 3 | 3 | 6 | 8 | 13 | 17 | 29 |
| 50-64 | 292 | 8.7 | 29 | 4 | 4 | 7 | 10 | 15 | 19 | 31 |
| 65+ | 190 | 10.7 | 39 | 4 | 5 | 9 | 13 | 20 | 23 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 13085 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.0 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 31 |
| B. *Operated* | 2981 | 6.6 | 21 | 3 | 3 | 5 | 8 | 12 | 15 | 25 |
| **1. SINGLE DX** | 13204 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 3068 | 6.5 | 21 | 3 | 3 | 5 | 8 | 12 | 15 | 25 |
| **A. NOT OPERATED** | 206 | 3.3 | 12 | 1 | 1 | 3 | 4 | 6 | 7 | 19 |
| **B. OPERATED** | 16066 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 7948 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 5567 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 1569 | 5.3 | 11 | 2 | 3 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 836 | 6.6 | 17 | 3 | 3 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 352 | 9.1 | 34 | 3 | 4 | 7 | 11 | 16 | 22 | 33 |
| **GRAND TOTAL** | **16272** | **4.6** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **16** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.6 | 10 | 3 | 4 | 7 | 9 | 11 | 14 | 15 |
| 20-34 | 11 | 5.7 | 5 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 35-49 | 12 | 8.8 | 30 | 2 | 3 | 8 | 13 | 16 | 19 | 20 |
| 50-64 | 9 | 9.8 | 46 | 5 | 5 | 9 | 10 | 20 | 27 | 27 |
| 65+ | 8 | 6.4 | 10 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1193 | 7.7 | 14 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 20-34 | 717 | 7.6 | 13 | 3 | 4 | 7 | 9 | 12 | 14 | 22 |
| 35-49 | 411 | 8.2 | 14 | 4 | 4 | 8 | 10 | 12 | 15 | 21 |
| 50-64 | 314 | 9.2 | 18 | 4 | 5 | 9 | 11 | 14 | 17 | 25 |
| 65+ | 137 | 11.7 | 37 | 6 | 7 | 10 | 14 | 18 | 22 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.7 | 2 | 7 | 7 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 8 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 8 | 8.4 | 22 | 4 | 4 | 7 | 9 | 16 | 19 | 19 |
| 50-64 | 7 | 9.7 | 40 | 2 | 3 | 10 | 11 | 20 | 22 | 22 |
| 65+ | 8 | 10.4 | 12 | 4 | 5 | 11 | 13 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 578 | 11.2 | 37 | 4 | 5 | 10 | 13 | 19 | 24 | 33 |
| 20-34 | 427 | 11.0 | 44 | 4 | 5 | 10 | 13 | 18 | 23 | 39 |
| 35-49 | 320 | 12.3 | 46 | 5 | 6 | 11 | 14 | 20 | 26 | 40 |
| 50-64 | 468 | 14.1 | 67 | 6 | 7 | 12 | 17 | 23 | 29 | 50 |
| 65+ | 408 | 16.6 | 95 | 7 | 8 | 14 | 20 | 28 | 35 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 7.7 | 20 | 2 | 3 | 7 | 9 | 13 | 15 | 27 |
| B. *Operated* | 2772 | 8.1 | 16 | 3 | 4 | 7 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 8.2 | 22 | 2 | 2 | 7 | 10 | 13 | 18 | 22 |
| B. *Operated* | 2201 | 12.9 | 61 | 5 | 6 | 11 | 15 | 22 | 27 | 43 |
| **1. SINGLE DX** | 2826 | 8.1 | 16 | 3 | 4 | 7 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | 2235 | 12.9 | 61 | 5 | 6 | 11 | 15 | 22 | 27 | 43 |
| **A. NOT OPERATED** | 88 | 7.9 | 20 | 2 | 3 | 7 | 10 | 13 | 15 | 25 |
| **B. OPERATED** | 4973 | 10.2 | 42 | 4 | 5 | 9 | 12 | 17 | 22 | 34 |
| TOTAL 0-19 YRS | 1788 | 8.8 | 24 | 3 | 4 | 8 | 10 | 14 | 18 | 28 |
| 20-34 | 1163 | 8.8 | 27 | 3 | 4 | 8 | 10 | 14 | 17 | 28 |
| 35-49 | 751 | 9.9 | 32 | 4 | 5 | 9 | 11 | 16 | 20 | 31 |
| 50-64 | 798 | 12.1 | 53 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| 65+ | 561 | 15.2 | 84 | 6 | 7 | 13 | 18 | 26 | 33 | 53 |
| **GRAND TOTAL** | **5061** | **10.2** | **42** | **4** | **5** | **9** | **12** | **17** | **22** | **34** |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 122 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 12 |
| 35-49 | 26 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 50-64 | 17 | 4.4 | 20 | 1 | 1 | 3 | 5 | 7 | 15 | 20 |
| 65+ | 6 | 3.0 | 4 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 757 | 4.5 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 508 | 5.0 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 120 | 5.5 | 8 | 3 | 3 | 5 | 6 | 9 | 11 | 17 |
| 50-64 | 49 | 6.2 | 8 | 3 | 4 | 6 | 7 | 10 | 12 | 17 |
| 65+ | 22 | 6.6 | 19 | 2 | 3 | 5 | 7 | 12 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 79 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 19 | 4.1 | 6 | 1 | 2 | 4 | 5 | 8 | 10 | 11 |
| 50-64 | 23 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 9 |
| 65+ | 7 | 6.9 | 21 | 1 | 2 | 5 | 10 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 459 | 5.5 | 9 | 3 | 3 | 5 | 6 | 9 | 11 | 18 |
| 20-34 | 375 | 6.4 | 11 | 3 | 3 | 6 | 8 | 11 | 13 | 19 |
| 35-49 | 118 | 7.9 | 33 | 3 | 4 | 6 | 9 | 14 | 19 | 35 |
| 50-64 | 57 | 12.4 | 92 | 4 | 5 | 9 | 15 | 23 | 36 | 47 |
| 65+ | 51 | 11.5 | 59 | 4 | 4 | 10 | 14 | 21 | 26 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 313 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 11 |
| B. *Operated* | 1456 | 4.8 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 222 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| B. *Operated* | 1060 | 6.8 | 23 | 3 | 3 | 5 | 8 | 11 | 15 | 26 |
| **1. SINGLE DX** | 1769 | 4.5 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 1282 | 6.2 | 21 | 2 | 3 | 5 | 7 | 11 | 14 | 25 |
| **A. NOT OPERATED** | 535 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 2516 | 5.7 | 14 | 2 | 3 | 5 | 6 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 1452 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 1084 | 5.1 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 283 | 6.2 | 20 | 2 | 3 | 5 | 7 | 10 | 14 | 25 |
| 50-64 | 146 | 8.1 | 54 | 2 | 2 | 6 | 9 | 16 | 21 | 42 |
| 65+ | 86 | 9.3 | 50 | 2 | 4 | 7 | 12 | 19 | 24 | 38 |
| **GRAND TOTAL** | **3051** | **5.2** | **13** | **2** | **2** | **4** | **6** | **9** | **11** | **20** |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 19 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 35-49 | 20 | 2.9 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 35 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 7 | 9 |
| 65+ | 29 | 3.8 | 10 | <1 | <1 | 2 | 5 | 9 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5314 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 5157 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 4334 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 6366 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 4081 | 5.4 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 1.6 | 2 | <1 | <1 | 1 | 1 | 4 | 5 | 8 |
| 20-34 | 48 | 2.5 | 4 | <1 | <1 | 1 | 4 | 6 | 7 | 9 |
| 35-49 | 65 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 110 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 65+ | 199 | 5.2 | 23 | 1 | 1 | 4 | 6 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3152 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1874 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 2573 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | 5222 | 6.1 | 14 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |
| 65+ | 5590 | 7.7 | 27 | 3 | 4 | 6 | 9 | 13 | 17 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 2.6 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 25252 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 645 | 3.4 | 12 | <1 | <1 | 2 | 5 | 7 | 10 | 18 |
| B. *Operated* | 18411 | 5.7 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| **1. SINGLE DX** | 25402 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 19056 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 795 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 43663 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 8736 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 7098 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 6992 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 11733 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 65+ | 9899 | 6.7 | 20 | 3 | 3 | 6 | 8 | 11 | 14 | 25 |
| **GRAND TOTAL** | **44458** | **4.7** | **11** | **1** | **2** | **4** | **6** | **8** | **10** | **17** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | 7 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 14 | 2.4 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 329 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 152 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 127 | 4.7 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 50-64 | 197 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| 65+ | 342 | 6.4 | 10 | 3 | 3 | 6 | 8 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.7 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 7 | 5.6 | 36 | 1 | 1 | 4 | 7 | 16 | 18 | 18 |
| 50-64 | 7 | 5.9 | 13 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 65+ | 48 | 5.9 | 26 | 1 | 1 | 4 | 8 | 14 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 224 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 20-34 | 77 | 5.3 | 5 | 3 | 3 | 5 | 6 | 9 | 10 | 14 |
| 35-49 | 79 | 5.8 | 12 | 2 | 3 | 5 | 6 | 11 | 14 | 19 |
| 50-64 | 247 | 8.5 | 40 | 3 | 4 | 7 | 10 | 16 | 21 | 38 |
| 65+ | 705 | 11.4 | 66 | 4 | 4 | 9 | 14 | 22 | 28 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | 1147 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 76 | 5.3 | 23 | <1 | 1 | 4 | 7 | 11 | 16 | 23 |
| B. *Operated* | 1332 | 8.7 | 55 | 2 | 2 | 7 | 10 | 18 | 23 | 41 |
| **1. SINGLE DX** | 1187 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 1408 | 8.6 | 54 | 1 | 2 | 7 | 10 | 18 | 23 | 40 |
| **A. NOT OPERATED** | 116 | 4.0 | 18 | <1 | 1 | 2 | 5 | 10 | 14 | 20 |
| **B. OPERATED** | 2479 | 6.8 | 38 | 1 | 2 | 5 | 8 | 13 | 19 | 31 |
| TOTAL 0-19 YRS | 579 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 234 | 4.5 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 215 | 5.1 | 8 | 2 | 3 | 5 | 6 | 8 | 11 | 18 |
| 50-64 | 458 | 7.0 | 27 | 2 | 3 | 6 | 8 | 12 | 17 | 30 |
| 65+ | 1109 | 9.5 | 52 | 3 | 4 | 7 | 11 | 19 | 24 | 41 |
| **GRAND TOTAL** | **2595** | **6.7** | **37** | **1** | **2** | **5** | **8** | **13** | **19** | **31** |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 8 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 50-64 | 5 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 953 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 313 | 3.5 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 341 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 284 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 105 | 5.5 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.1 | 15 | <1 | <1 | 1 | 4 | 6 | 9 | 23 |
| 20-34 | 8 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 19 | 2.7 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 50-64 | 28 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 31 | 6.6 | 22 | 2 | 2 | 5 | 8 | 14 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 237 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 192 | 5.2 | 10 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| 35-49 | 315 | 6.2 | 18 | 2 | 3 | 5 | 8 | 10 | 15 | 23 |
| 50-64 | 386 | 6.4 | 16 | 2 | 3 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 223 | 8.1 | 29 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 6 |
| B. *Operated* | 1996 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 3.9 | 17 | <1 | <1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 1353 | 5.9 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **1. SINGLE DX** | 2025 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1495 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| **A. NOT OPERATED** | 171 | 3.6 | 15 | <1 | <1 | 2 | 5 | 7 | 10 | 21 |
| **B. OPERATED** | 3349 | 4.3 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 1258 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 514 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 683 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 703 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 65+ | 362 | 7.2 | 24 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| **GRAND TOTAL** | **3520** | **4.2** | **12** | **1** | **1** | **3** | **5** | **8** | **10** | **18** |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 4.7 | 24 | <1 | 1 | 2 | 6 | 10 | 17 | 19 |
| 35-49 | 13 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 15 | 4.3 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 11 |
| 65+ | 17 | 4.1 | 13 | 1 | 1 | 3 | 5 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 548 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 774 | 5.5 | 9 | 2 | 3 | 5 | 7 | 9 | 10 | 19 |
| 50-64 | 964 | 6.3 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 603 | 7.5 | 15 | 3 | 4 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.3 | 11 | <1 | <1 | 1 | 6 | 9 | 9 | 9 |
| 20-34 | 24 | 3.3 | 12 | <1 | <1 | 2 | 4 | 6 | 12 | 16 |
| 35-49 | 48 | 4.5 | 11 | 1 | 1 | 3 | 7 | 10 | 11 | 12 |
| 50-64 | 74 | 5.3 | 14 | <1 | 1 | 4 | 7 | 10 | 12 | 19 |
| 65+ | 146 | 6.4 | 25 | 1 | 2 | 5 | 9 | 12 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 4.0 | 9 | 1 | 2 | 3 | 4 | 7 | 11 | 17 |
| 20-34 | 405 | 6.4 | 15 | 2 | 3 | 6 | 8 | 10 | 13 | 20 |
| 35-49 | 806 | 7.9 | 25 | 3 | 3 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 1271 | 9.1 | 36 | 3 | 4 | 8 | 11 | 16 | 20 | 33 |
| 65+ | 1128 | 10.9 | 55 | 4 | 5 | 9 | 13 | 19 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 3.6 | 11 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| B. *Operated* | 3088 | 5.8 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 5.5 | 20 | 1 | 1 | 4 | 7 | 11 | 13 | 23 |
| B. *Operated* | 3675 | 9.0 | 39 | 3 | 4 | 8 | 11 | 16 | 20 | 34 |
| **1. SINGLE DX** | 3153 | 5.7 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 3976 | 8.7 | 38 | 2 | 3 | 7 | 11 | 15 | 19 | 34 |
| **A. NOT OPERATED** | 366 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 22 |
| **B. OPERATED** | 6763 | 7.5 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| TOTAL 0-19 YRS | 280 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 990 | 5.2 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 1641 | 6.6 | 18 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| 50-64 | 2324 | 7.8 | 27 | 3 | 3 | 7 | 9 | 13 | 17 | 28 |
| 65+ | 1894 | 9.4 | 43 | 3 | 4 | 8 | 11 | 16 | 20 | 36 |
| **GRAND TOTAL** | **7129** | **7.4** | **29** | **2** | **3** | **6** | **9** | **13** | **17** | **28** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.4 | 8 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 20-34 | 66 | 4.3 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 12 |
| 35-49 | 185 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 288 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 65+ | 234 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.5 | 20 | <1 | <1 | 4 | 10 | 12 | 12 | 12 |
| 20-34 | 19 | 8.7 | 16 | 3 | 3 | 9 | 11 | 15 | 16 | 17 |
| 35-49 | 59 | 7.9 | 15 | 2 | 3 | 7 | 10 | 13 | 15 | 19 |
| 50-64 | 85 | 9.1 | 28 | 2 | 2 | 9 | 12 | 16 | 18 | 27 |
| 65+ | 51 | 10.7 | 46 | 2 | 4 | 9 | 14 | 18 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.9 | 9 | 1 | 1 | 5 | 7 | 10 | 11 | 12 |
| 20-34 | 327 | 5.4 | 15 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| 35-49 | 1126 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 50-64 | 2013 | 5.7 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 65+ | 3000 | 6.6 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 11.9 | 153 | 2 | 3 | 7 | 16 | 26 | 42 | 49 |
| 20-34 | 145 | 9.6 | 44 | 2 | 3 | 8 | 11 | 15 | 20 | 32 |
| 35-49 | 488 | 9.4 | 33 | 3 | 4 | 8 | 11 | 16 | 20 | 27 |
| 50-64 | 794 | 10.7 | 57 | 2 | 4 | 9 | 13 | 18 | 24 | 37 |
| 65+ | 803 | 12.0 | 70 | 3 | 4 | 10 | 15 | 22 | 28 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 789 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| B. *Operated* | 222 | 9.0 | 28 | 2 | 2 | 9 | 11 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6505 | 6.1 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | 2246 | 10.8 | 57 | 3 | 4 | 9 | 13 | 19 | 24 | 40 |
| **1. SINGLE DX** | 1011 | 5.4 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 8751 | 7.3 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 7294 | 5.9 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| **B. OPERATED** | 2468 | 10.6 | 55 | 2 | 4 | 9 | 13 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 79 | 6.3 | 45 | 1 | 2 | 5 | 8 | 11 | 17 | 42 |
| 20-34 | 557 | 6.4 | 26 | 2 | 2 | 5 | 8 | 12 | 14 | 28 |
| 35-49 | 1858 | 6.5 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 3180 | 6.9 | 29 | 2 | 2 | 5 | 9 | 13 | 16 | 27 |
| 65+ | 4088 | 7.6 | 34 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | **9762** | **7.1** | **30** | **2** | **2** | **6** | **9** | **13** | **17** | **28** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 4.3 | 3 | 3 | 3 | 4 | 4 | 8 | 8 | 8 |
| 35-49 | 9 | 5.1 | 26 | 1 | 1 | 3 | 7 | 13 | 17 | 17 |
| 50-64 | 6 | 4.3 | 10 | <1 | <1 | 4 | 5 | 9 | 10 | 10 |
| 65+ | 7 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 104 | 4.5 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 149 | 5.1 | 10 | 3 | 3 | 4 | 6 | 8 | 12 | 21 |
| 50-64 | 191 | 5.7 | 12 | 2 | 3 | 5 | 6 | 9 | 12 | 21 |
| 65+ | 169 | 6.0 | 8 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 11 | 10.4 | 220 | 2 | 2 | 5 | 8 | 35 | 50 | 51 |
| 35-49 | 15 | 5.9 | 15 | 2 | 3 | 4 | 8 | 13 | 14 | 15 |
| 50-64 | 22 | 5.7 | 15 | <1 | 1 | 5 | 7 | 13 | 14 | 15 |
| 65+ | 36 | 6.7 | 21 | 2 | 2 | 5 | 9 | 12 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.7 | 11 | 1 | 1 | 4 | 6 | 8 | 12 | 14 |
| 20-34 | 45 | 5.7 | 30 | 1 | 2 | 4 | 7 | 9 | 14 | 33 |
| 35-49 | 115 | 7.3 | 38 | 2 | 3 | 5 | 8 | 14 | 22 | 32 |
| 50-64 | 172 | 7.4 | 29 | 3 | 3 | 6 | 8 | 13 | 19 | 31 |
| 65+ | 188 | 9.2 | 61 | 3 | 4 | 7 | 10 | 16 | 23 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 643 | 5.4 | 9 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 6.4 | 42 | 1 | 2 | 5 | 8 | 12 | 15 | 39 |
| B. *Operated* | 536 | 7.8 | 43 | 3 | 3 | 6 | 9 | 14 | 21 | 33 |
| **1. SINGLE DX** | 673 | 5.3 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 629 | 7.6 | 43 | 2 | 3 | 6 | 9 | 14 | 20 | 33 |
| **A. NOT OPERATED** | 123 | 5.9 | 35 | 1 | 2 | 4 | 8 | 12 | 15 | 31 |
| **B. OPERATED** | 1179 | 6.5 | 26 | 2 | 3 | 5 | 7 | 11 | 15 | 29 |
| TOTAL 0-19 YRS | 57 | 3.7 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 166 | 5.2 | 26 | 2 | 2 | 4 | 6 | 8 | 10 | 32 |
| 35-49 | 288 | 6.0 | 23 | 2 | 3 | 5 | 7 | 11 | 15 | 27 |
| 50-64 | 391 | 6.4 | 20 | 2 | 3 | 5 | 7 | 12 | 14 | 28 |
| 65+ | 400 | 7.5 | 36 | 3 | 3 | 6 | 9 | 13 | 16 | 31 |
| **GRAND TOTAL** | **1302** | **6.4** | **27** | **2** | **3** | **5** | **7** | **11** | **15** | **29** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 5 | 4.6 | 17 | 1 | 1 | 2 | 8 | 10 | 10 | 10 |
| 35-49 | 13 | 3.2 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 50-64 | 12 | 4.3 | 9 | 2 | 2 | 3 | 6 | 9 | 12 | 12 |
| 65+ | 37 | 5.2 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 154 | 4.9 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 24 |
| 35-49 | 242 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 280 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 21 |
| 65+ | 350 | 8.2 | 18 | 3 | 4 | 8 | 10 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| 20-34 | 3 | 5.0 | 21 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 35-49 | 16 | 5.2 | 9 | <1 | 2 | 5 | 7 | 9 | 11 | 12 |
| 50-64 | 54 | 6.3 | 17 | 2 | 2 | 5 | 7 | 13 | 15 | 20 |
| 65+ | 167 | 8.0 | 55 | 2 | 3 | 6 | 9 | 15 | 19 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.0 | 46 | 1 | 2 | 4 | 8 | 11 | 17 | 35 |
| 20-34 | 101 | 7.3 | 76 | 2 | 3 | 6 | 8 | 12 | 14 | 52 |
| 35-49 | 276 | 8.6 | 40 | 3 | 3 | 7 | 10 | 16 | 21 | 31 |
| 50-64 | 506 | 10.6 | 60 | 3 | 4 | 8 | 13 | 18 | 25 | 41 |
| 65+ | 897 | 14.3 | 107 | 5 | 6 | 11 | 17 | 26 | 34 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 4.4 | 12 | <1 | 1 | 3 | 6 | 9 | 11 | 20 |
| B. *Operated* | 1090 | 6.3 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 7.3 | 43 | 1 | 2 | 6 | 9 | 14 | 17 | 42 |
| B. *Operated* | 1806 | 11.8 | 87 | 3 | 4 | 9 | 14 | 22 | 29 | 50 |
| **1. SINGLE DX** | 1165 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 2050 | 11.3 | 84 | 3 | 4 | 9 | 14 | 21 | 28 | 49 |
| **A. NOT OPERATED** | 319 | 6.6 | 38 | 1 | 2 | 5 | 8 | 12 | 17 | 39 |
| **B. OPERATED** | 2896 | 9.8 | 68 | 2 | 3 | 8 | 12 | 19 | 24 | 42 |
| TOTAL 0-19 YRS | 102 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 20-34 | 263 | 5.8 | 38 | 2 | 2 | 4 | 7 | 10 | 12 | 23 |
| 35-49 | 547 | 6.9 | 29 | 2 | 2 | 5 | 8 | 13 | 17 | 25 |
| 50-64 | 852 | 8.9 | 46 | 2 | 3 | 7 | 11 | 16 | 21 | 39 |
| 65+ | 1451 | 11.8 | 87 | 3 | 4 | 9 | 14 | 22 | 29 | 51 |
| **GRAND TOTAL** | **3215** | **9.5** | **66** | **2** | **3** | **7** | **11** | **18** | **24** | **42** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 173 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 20-34 | 319 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 35-49 | 425 | 5.4 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 50-64 | 470 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 590 | 6.9 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 7.6 | 26 | 2 | 3 | 7 | 9 | 12 | 17 | 28 |
| 20-34 | 229 | 9.8 | 23 | 4 | 5 | 9 | 12 | 17 | 20 | 24 |
| 35-49 | 264 | 11.1 | 28 | 5 | 6 | 10 | 14 | 18 | 21 | 31 |
| 50-64 | 311 | 13.1 | 54 | 6 | 7 | 11 | 16 | 21 | 25 | 43 |
| 65+ | 418 | 14.5 | 58 | 7 | 8 | 13 | 17 | 23 | 28 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 20-34 | 368 | 6.0 | 31 | 1 | 2 | 5 | 7 | 11 | 12 | 27 |
| 35-49 | 553 | 7.3 | 26 | 2 | 3 | 6 | 9 | 13 | 18 | 26 |
| 50-64 | 1141 | 7.7 | 30 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| 65+ | 2580 | 9.5 | 51 | 2 | 3 | 8 | 12 | 18 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 10.8 | 102 | 4 | 4 | 8 | 12 | 18 | 26 | 58 |
| 20-34 | 337 | 15.1 | 159 | 5 | 6 | 11 | 17 | 27 | 42 | 80 |
| 35-49 | 568 | 16.6 | 140 | 6 | 7 | 13 | 20 | 31 | 40 | 70 |
| 50-64 | 921 | 18.6 | 160 | 7 | 8 | 15 | 22 | 34 | 42 | 77 |
| 65+ | 2026 | 20.7 | 168 | 8 | 9 | 17 | 25 | 37 | 46 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1977 | 5.6 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 1374 | 12.0 | 47 | 4 | 6 | 10 | 15 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4771 | 8.4 | 42 | 2 | 3 | 7 | 10 | 16 | 20 | 34 |
| B. *Operated* | 4049 | 18.7 | 165 | 6 | 8 | 15 | 23 | 34 | 44 | 77 |
| **1. SINGLE DX** | 3351 | 8.2 | 38 | 2 | 2 | 7 | 11 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | 8820 | 13.1 | 125 | 3 | 4 | 10 | 16 | 26 | 35 | 59 |
| **A. NOT OPERATED** | 6748 | 7.6 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| **B. OPERATED** | 5423 | 17.0 | 144 | 5 | 7 | 14 | 21 | 31 | 40 | 69 |
| TOTAL 0-19 YRS | 651 | 6.8 | 50 | 1 | 1 | 5 | 8 | 12 | 17 | 35 |
| 20-34 | 1253 | 8.8 | 75 | 2 | 2 | 7 | 11 | 17 | 23 | 47 |
| 35-49 | 1810 | 10.3 | 80 | 2 | 3 | 8 | 13 | 20 | 26 | 52 |
| 50-64 | 2843 | 11.5 | 100 | 2 | 3 | 9 | 14 | 22 | 30 | 55 |
| 65+ | 5614 | 13.7 | 121 | 3 | 4 | 11 | 17 | 27 | 35 | 57 |
| **GRAND TOTAL** | **12171** | **11.8** | **106** | **2** | **3** | **9** | **15** | **23** | **31** | **55** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9226 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 3548 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1414 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 1070 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 65+ | 1064 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 5.3 | 22 | <1 | 1 | 4 | 6 | 8 | 13 | 31 |
| 20-34 | 219 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 14 | 25 |
| 35-49 | 105 | 7.6 | 27 | 2 | 2 | 6 | 10 | 13 | 17 | 29 |
| 50-64 | 81 | 7.3 | 19 | 1 | 2 | 7 | 10 | 13 | 15 | 20 |
| 65+ | 63 | 12.0 | 143 | 1 | 3 | 10 | 14 | 18 | 42 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11701 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 4222 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 2698 | 5.5 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 3423 | 5.9 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 65+ | 6695 | 7.5 | 33 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 7.7 | 36 | 2 | 3 | 6 | 9 | 15 | 21 | 33 |
| 20-34 | 412 | 8.2 | 48 | 2 | 2 | 7 | 10 | 16 | 19 | 31 |
| 35-49 | 392 | 9.8 | 37 | 3 | 4 | 9 | 13 | 18 | 21 | 32 |
| 50-64 | 444 | 11.4 | 89 | 2 | 4 | 9 | 14 | 23 | 28 | 47 |
| 65+ | 655 | 14.0 | 121 | 3 | 4 | 11 | 17 | 26 | 36 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16322 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 621 | 6.7 | 37 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28739 | 5.2 | 18 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 2163 | 10.8 | 81 | 2 | 3 | 9 | 13 | 21 | 27 | 51 |
| **1. SINGLE DX** | 16943 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 30902 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| **A. NOT OPERATED** | 45061 | 4.6 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| **B. OPERATED** | 2784 | 9.9 | 74 | 2 | 3 | 8 | 12 | 19 | 25 | 48 |
| TOTAL 0-19 YRS | 21340 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 8401 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 4609 | 5.5 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 5018 | 6.1 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 8477 | 7.7 | 42 | 2 | 2 | 6 | 9 | 15 | 19 | 33 |
| **GRAND TOTAL** | **47845** | **4.9** | **19** | **1** | **2** | **4** | **6** | **9** | **12** | **22** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 8 | 2 | 2 | 3 | 6 | 9 | 10 | 10 |
| 20-34 | 93 | 5.2 | 12 | 1 | 2 | 4 | 6 | 11 | 11 | 19 |
| 35-49 | 536 | 5.1 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | 1175 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 1546 | 5.4 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.0 | 22 | 5 | 5 | 8 | 10 | 17 | 17 | 17 |
| 20-34 | 48 | 9.2 | 39 | 4 | 4 | 8 | 10 | 15 | 18 | 41 |
| 35-49 | 169 | 11.5 | 29 | 4 | 7 | 10 | 13 | 20 | 23 | 30 |
| 50-64 | 326 | 12.2 | 40 | 3 | 5 | 11 | 14 | 20 | 25 | 33 |
| 65+ | 278 | 14.5 | 68 | 3 | 5 | 13 | 19 | 25 | 31 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.5 | 4 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 113 | 5.9 | 13 | 2 | 3 | 5 | 7 | 10 | 14 | 19 |
| 35-49 | 745 | 6.0 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 2703 | 6.4 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 22 |
| 65+ | 7335 | 7.3 | 28 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.3 | 13 | 7 | 7 | 9 | 13 | 16 | 16 | 16 |
| 20-34 | 81 | 13.0 | 40 | 5 | 6 | 12 | 15 | 20 | 25 | 35 |
| 35-49 | 455 | 12.8 | 53 | 4 | 6 | 12 | 16 | 22 | 25 | 42 |
| 50-64 | 1355 | 14.9 | 103 | 4 | 5 | 13 | 18 | 26 | 34 | 57 |
| 65+ | 2241 | 17.0 | 140 | 4 | 6 | 14 | 22 | 32 | 40 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3359 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | 826 | 12.6 | 49 | 3 | 5 | 11 | 15 | 21 | 26 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10906 | 7.0 | 24 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | 4138 | 15.8 | 118 | 4 | 6 | 13 | 19 | 29 | 37 | 60 |
| **1. SINGLE DX** | 4185 | 6.8 | 27 | 1 | 2 | 5 | 9 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | 15044 | 9.4 | 65 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |
| **A. NOT OPERATED** | 14265 | 6.6 | 21 | 2 | 2 | 6 | 8 | 12 | 15 | 23 |
| **B. OPERATED** | 4964 | 15.3 | 108 | 4 | 6 | 13 | 19 | 28 | 35 | 57 |
| TOTAL 0-19 YRS | 30 | 6.4 | 16 | 2 | 2 | 6 | 8 | 12 | 16 | 17 |
| 20-34 | 335 | 7.9 | 32 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| 35-49 | 1905 | 7.8 | 33 | 2 | 3 | 6 | 10 | 15 | 19 | 28 |
| 50-64 | 5559 | 8.6 | 53 | 2 | 3 | 7 | 11 | 16 | 22 | 36 |
| 65+ | 11400 | 9.2 | 65 | 2 | 3 | 7 | 11 | 18 | 24 | 42 |
| **GRAND TOTAL** | **19229** | **8.8** | **58** | **2** | **3** | **7** | **11** | **17** | **23** | **39** |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 13 |
| 20-34 | 102 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 72 | 4.2 | 12 | 1 | 1 | 4 | 5 | 7 | 11 | 19 |
| 50-64 | 43 | 3.6 | 7 | <1 | 1 | 2 | 5 | 7 | 9 | 11 |
| 65+ | 18 | 6.2 | 15 | 1 | 1 | 5 | 9 | 12 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1389 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 1204 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 713 | 4.6 | 14 | 2 | 2 | 4 | 5 | 8 | 10 | 19 |
| 65+ | 229 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 3.4 | 12 | 1 | 1 | 3 | 4 | 6 | 6 | 25 |
| 20-34 | 121 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 114 | 5.5 | 25 | 1 | 2 | 4 | 7 | 9 | 11 | 36 |
| 50-64 | 143 | 5.6 | 18 | 1 | 2 | 5 | 7 | 12 | 16 | 20 |
| 65+ | 144 | 7.8 | 42 | 2 | 2 | 6 | 9 | 17 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1191 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1423 | 5.5 | 22 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 1206 | 6.1 | 24 | 2 | 3 | 5 | 7 | 11 | 14 | 25 |
| 65+ | 616 | 9.0 | 95 | 2 | 3 | 6 | 10 | 17 | 25 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 283 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | 3733 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 581 | 5.7 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| B. *Operated* | 4547 | 5.9 | 30 | 2 | 2 | 5 | 7 | 10 | 14 | 27 |
| **1. SINGLE DX** | 4016 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 5128 | 5.9 | 30 | 2 | 2 | 5 | 7 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 864 | 5.1 | 20 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| **B. OPERATED** | 8280 | 5.1 | 21 | 2 | 2 | 4 | 6 | 9 | 11 | 23 |
| TOTAL 0-19 YRS | 416 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 2803 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2813 | 4.8 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 50-64 | 2105 | 5.5 | 20 | 2 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 1007 | 7.9 | 70 | 2 | 3 | 5 | 9 | 15 | 21 | 45 |
| **GRAND TOTAL** | **9144** | **5.1** | **21** | **1** | **2** | **4** | **6** | **9** | **12** | **23** |

### 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1443 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 2323 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 1500 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 997 | 5.1 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 65+ | 992 | 5.1 | 23 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 405 | 6.0 | 28 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| 20-34 | 1074 | 8.4 | 58 | 1 | 2 | 6 | 10 | 16 | 23 | 40 |
| 35-49 | 744 | 8.6 | 51 | 1 | 2 | 7 | 11 | 17 | 22 | 35 |
| 50-64 | 624 | 9.3 | 84 | 1 | 2 | 7 | 12 | 19 | 23 | 42 |
| 65+ | 508 | 10.8 | 100 | 1 | 2 | 9 | 14 | 22 | 29 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1296 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 3031 | 6.1 | 25 | 1 | 2 | 5 | 7 | 11 | 15 | 27 |
| 35-49 | 2928 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 3420 | 6.4 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 65+ | 6215 | 7.3 | 33 | 2 | 2 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 443 | 10.3 | 93 | 2 | 2 | 8 | 12 | 22 | 30 | 56 |
| 20-34 | 1976 | 11.1 | 112 | 2 | 3 | 8 | 13 | 23 | 32 | 58 |
| 35-49 | 1925 | 11.6 | 110 | 2 | 3 | 9 | 14 | 24 | 31 | 56 |
| 50-64 | 2273 | 12.5 | 115 | 2 | 3 | 10 | 16 | 25 | 34 | 58 |
| 65+ | 2747 | 16.3 | 207 | 3 | 4 | 12 | 20 | 33 | 47 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7255 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 3355 | 8.7 | 66 | 1 | 2 | 7 | 11 | 18 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16890 | 6.5 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | 9364 | 13.0 | 144 | 2 | 3 | 9 | 16 | 27 | 36 | 68 |
| **1. SINGLE DX** | 10610 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 26254 | 8.8 | 79 | 2 | 2 | 6 | 11 | 18 | 25 | 48 |
| **A. NOT OPERATED** | 24145 | 6.0 | 25 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| **B. OPERATED** | 12719 | 11.9 | 127 | 2 | 3 | 9 | 15 | 25 | 33 | 63 |
| TOTAL 0-19 YRS | 3587 | 5.0 | 26 | 1 | 1 | 4 | 6 | 10 | 13 | 27 |
| 20-34 | 8404 | 7.2 | 53 | 1 | 2 | 5 | 8 | 14 | 20 | 38 |
| 35-49 | 7097 | 7.7 | 55 | 2 | 2 | 6 | 9 | 15 | 21 | 38 |
| 50-64 | 7314 | 8.4 | 67 | 2 | 2 | 6 | 10 | 17 | 23 | 43 |
| 65+ | 10462 | 9.6 | 98 | 2 | 2 | 7 | 12 | 20 | 27 | 56 |
| **GRAND TOTAL** | **36864** | **8.0** | **68** | **1** | **2** | **6** | **10** | **16** | **23** | **43** |

### 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 52 | 7.3 | 27 | 2 | 3 | 6 | 8 | 12 | 19 | 28 |
| 35-49 | 100 | 8.2 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 35 |
| 50-64 | 135 | 11.0 | 74 | 2 | 3 | 8 | 15 | 23 | 30 | 38 |
| 65+ | 26 | 12.0 | 139 | 1 | 3 | 8 | 14 | 31 | 43 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 13.1 | 332 | 1 | 2 | 9 | 14 | 31 | 63 | 70 |
| 35-49 | 42 | 8.2 | 35 | 1 | 2 | 7 | 12 | 16 | 18 | 27 |
| 50-64 | 41 | 7.8 | 35 | 1 | 2 | 7 | 10 | 18 | 20 | 22 |
| 65+ | 17 | 8.8 | 38 | 1 | 2 | 8 | 12 | 16 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 12.1 | 218 | 1 | 1 | 6 | 21 | 37 | 40 | 40 |
| 20-34 | 250 | 10.2 | 69 | 3 | 3 | 8 | 12 | 21 | 28 | 39 |
| 35-49 | 711 | 12.7 | 101 | 3 | 4 | 10 | 16 | 26 | 33 | 51 |
| 50-64 | 1049 | 12.7 | 99 | 3 | 4 | 10 | 16 | 24 | 30 | 50 |
| 65+ | 463 | 13.4 | 91 | 3 | 4 | 11 | 17 | 26 | 33 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 21 | 2 | 2 | 8 | 10 | 11 | 11 | 11 |
| 20-34 | 91 | 15.5 | 144 | 3 | 4 | 12 | 21 | 33 | 43 | 55 |
| 35-49 | 295 | 18.2 | 214 | 2 | 4 | 14 | 23 | 37 | 47 | 69 |
| 50-64 | 367 | 16.5 | 190 | 2 | 4 | 12 | 21 | 34 | 43 | 70 |
| 65+ | 149 | 20.3 | 248 | 4 | 6 | 16 | 27 | 42 | 52 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 314 | 9.6 | 62 | 2 | 3 | 7 | 12 | 20 | 27 | 40 |
| B. *Operated* | 113 | 8.7 | 69 | 1 | 2 | 8 | 12 | 17 | 21 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2480 | 12.6 | 96 | 3 | 4 | 10 | 16 | 25 | 32 | 50 |
| B. *Operated* | 905 | 17.5 | 204 | 2 | 4 | 13 | 22 | 36 | 45 | 69 |
| **1. SINGLE DX** | 427 | 9.3 | 64 | 2 | 2 | 7 | 12 | 19 | 24 | 39 |
| **2. MULTIPLE DX** | 3385 | 13.9 | 130 | 3 | 4 | 11 | 17 | 28 | 36 | 59 |
| **A. NOT OPERATED** | 2794 | 12.2 | 93 | 3 | 4 | 10 | 16 | 24 | 31 | 49 |
| **B. OPERATED** | 1018 | 16.5 | 197 | 2 | 3 | 12 | 21 | 34 | 44 | 69 |
| TOTAL 0-19 YRS | 11 | 10.8 | 141 | 1 | 1 | 8 | 12 | 31 | 39 | 40 |
| 20-34 | 406 | 11.1 | 95 | 3 | 3 | 8 | 13 | 24 | 30 | 50 |
| 35-49 | 1148 | 13.5 | 132 | 2 | 4 | 10 | 17 | 28 | 37 | 61 |
| 50-64 | 1592 | 13.3 | 120 | 3 | 4 | 10 | 17 | 27 | 35 | 58 |
| 65+ | 655 | 14.8 | 136 | 3 | 4 | 12 | 19 | 30 | 36 | 58 |
| **GRAND TOTAL** | **3812** | **13.4** | **124** | **3** | **4** | **10** | **17** | **27** | **36** | **58** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.0 | 4 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 20-34 | 41 | 7.1 | 62 | 1 | 2 | 5 | 7 | 17 | 21 | 44 |
| 35-49 | 56 | 10.7 | 72 | 1 | 2 | 8 | 16 | 22 | 26 | 38 |
| 50-64 | 95 | 9.7 | 42 | 2 | 3 | 8 | 13 | 18 | 22 | 32 |
| 65+ | 63 | 10.4 | 59 | 3 | 4 | 8 | 13 | 18 | 26 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.4 | 14 | 1 | 1 | 4 | 5 | 11 | 14 | 14 |
| 20-34 | 127 | 4.3 | 42 | 1 | 1 | 2 | 4 | 10 | 13 | 30 |
| 35-49 | 138 | 5.3 | 62 | 1 | 1 | 2 | 6 | 11 | 17 | 44 |
| 50-64 | 135 | 6.0 | 48 | 1 | 1 | 3 | 9 | 14 | 19 | 36 |
| 65+ | 77 | 10.0 | 84 | 1 | 2 | 7 | 14 | 21 | 28 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.2 | 14 | 2 | 2 | 7 | 8 | 11 | 14 | 15 |
| 20-34 | 93 | 9.1 | 58 | 2 | 3 | 7 | 11 | 17 | 25 | 41 |
| 35-49 | 359 | 11.1 | 76 | 2 | 3 | 9 | 14 | 22 | 27 | 47 |
| 50-64 | 736 | 12.4 | 88 | 2 | 4 | 10 | 16 | 23 | 28 | 51 |
| 65+ | 625 | 13.2 | 96 | 3 | 4 | 11 | 17 | 26 | 32 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.0 | 15 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 156 | 8.3 | 60 | 1 | 2 | 7 | 11 | 17 | 22 | 43 |
| 35-49 | 292 | 11.1 | 90 | 1 | 2 | 9 | 16 | 26 | 31 | 38 |
| 50-64 | 543 | 13.0 | 124 | 1 | 2 | 10 | 17 | 26 | 33 | 58 |
| 65+ | 406 | 16.1 | 176 | 2 | 3 | 13 | 21 | 31 | 39 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 9.4 | 56 | 1 | 2 | 7 | 13 | 19 | 23 | 38 |
| B. *Operated* | 496 | 5.9 | 58 | 1 | 1 | 3 | 8 | 14 | 19 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1830 | 12.2 | 87 | 3 | 4 | 10 | 16 | 23 | 29 | 47 |
| B. *Operated* | 1413 | 12.9 | 130 | 2 | 2 | 10 | 17 | 27 | 34 | 55 |
| **1. SINGLE DX** | 762 | 7.2 | 60 | 1 | 1 | 4 | 10 | 16 | 21 | 38 |
| **2. MULTIPLE DX** | 3243 | 12.5 | 106 | 2 | 3 | 10 | 16 | 25 | 31 | 52 |
| **A. NOT OPERATED** | 2096 | 11.8 | 84 | 2 | 3 | 10 | 15 | 23 | 29 | 47 |
| **B. OPERATED** | 1909 | 11.4 | 120 | 1 | 2 | 8 | 15 | 24 | 31 | 54 |
| TOTAL 0-19 YRS | 63 | 5.1 | 13 | 1 | 1 | 4 | 7 | 10 | 13 | 15 |
| 20-34 | 417 | 7.1 | 58 | 1 | 1 | 5 | 9 | 15 | 20 | 43 |
| 35-49 | 845 | 10.1 | 83 | 1 | 2 | 8 | 14 | 22 | 28 | 44 |
| 50-64 | 1509 | 11.9 | 98 | 1 | 2 | 10 | 16 | 23 | 29 | 53 |
| 65+ | 1171 | 13.8 | 124 | 2 | 3 | 11 | 18 | 28 | 34 | 55 |
| **GRAND TOTAL** | **4005** | **11.5** | **102** | **1** | **2** | **9** | **15** | **23** | **30** | **50** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 6.8 | 39 | 2 | 3 | 5 | 8 | 12 | 13 | 42 |
| 20-34 | 274 | 6.7 | 25 | 2 | 2 | 6 | 8 | 12 | 14 | 25 |
| 35-49 | 155 | 7.1 | 23 | 2 | 2 | 6 | 9 | 13 | 14 | 24 |
| 50-64 | 96 | 8.1 | 39 | 2 | 2 | 7 | 10 | 14 | 20 | 36 |
| 65+ | 70 | 9.2 | 65 | 3 | 3 | 7 | 10 | 19 | 22 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.6 | 20 | 1 | 1 | 5 | 9 | 12 | 13 | 13 |
| 20-34 | 75 | 6.6 | 33 | 1 | 1 | 5 | 9 | 15 | 20 | 26 |
| 35-49 | 69 | 8.3 | 42 | 1 | 1 | 8 | 12 | 19 | 20 | 26 |
| 50-64 | 65 | 11.3 | 166 | 1 | 2 | 8 | 15 | 22 | 35 | 79 |
| 65+ | 41 | 10.7 | 60 | 1 | 2 | 8 | 16 | 22 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 6.3 | 17 | 2 | 2 | 5 | 8 | 12 | 16 | 21 |
| 20-34 | 331 | 7.7 | 29 | 2 | 3 | 7 | 10 | 13 | 17 | 26 |
| 35-49 | 354 | 10.7 | 73 | 2 | 3 | 8 | 14 | 21 | 28 | 43 |
| 50-64 | 523 | 10.7 | 77 | 2 | 3 | 8 | 13 | 21 | 26 | 46 |
| 65+ | 533 | 11.4 | 76 | 3 | 4 | 9 | 14 | 22 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 12.8 | 164 | 1 | 2 | 10 | 14 | 25 | 44 | 51 |
| 20-34 | 82 | 12.3 | 163 | 2 | 3 | 9 | 13 | 22 | 44 | 67 |
| 35-49 | 132 | 11.5 | 88 | 1 | 2 | 10 | 15 | 22 | 27 | 67 |
| 50-64 | 254 | 15.6 | 149 | 3 | 4 | 12 | 21 | 29 | 36 | 76 |
| 65+ | 219 | 17.9 | 171 | 3 | 5 | 15 | 23 | 34 | 41 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 706 | 7.3 | 33 | 2 | 3 | 6 | 9 | 13 | 16 | 36 |
| B. *Operated* | 262 | 8.8 | 75 | 1 | 1 | 7 | 12 | 19 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1822 | 10.1 | 67 | 2 | 3 | 8 | 13 | 20 | 25 | 43 |
| B. *Operated* | 702 | 15.1 | 151 | 2 | 4 | 12 | 20 | 29 | 37 | 74 |
| **1. SINGLE DX** | 968 | 7.7 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| **2. MULTIPLE DX** | 2524 | 11.5 | 95 | 2 | 3 | 9 | 14 | 23 | 30 | 53 |
| **A. NOT OPERATED** | 2528 | 9.3 | 59 | 2 | 3 | 7 | 11 | 18 | 23 | 41 |
| **B. OPERATED** | 964 | 13.4 | 138 | 2 | 2 | 11 | 18 | 27 | 35 | 63 |
| TOTAL 0-19 YRS | 219 | 7.0 | 40 | 2 | 2 | 5 | 8 | 13 | 16 | 39 |
| 20-34 | 762 | 7.7 | 45 | 2 | 2 | 6 | 10 | 13 | 18 | 38 |
| 35-49 | 710 | 9.8 | 64 | 2 | 3 | 8 | 13 | 19 | 24 | 42 |
| 50-64 | 938 | 11.8 | 104 | 2 | 3 | 9 | 15 | 23 | 31 | 58 |
| 65+ | 863 | 12.8 | 107 | 3 | 4 | 10 | 16 | 24 | 33 | 52 |
| **GRAND TOTAL** | **3492** | **10.5** | **84** | **2** | **3** | **8** | **13** | **21** | **27** | **47** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 640 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 35-49 | 578 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 595 | 4.0 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 65+ | 514 | 5.4 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 478 | 7.4 | 9 | 4 | 5 | 7 | 9 | 11 | 14 | 19 |
| 20-34 | 5339 | 7.3 | 7 | 4 | 5 | 7 | 8 | 11 | 12 | 17 |
| 35-49 | 4356 | 7.7 | 8 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 4475 | 8.4 | 12 | 5 | 5 | 8 | 9 | 12 | 14 | 21 |
| 65+ | 2258 | 10.3 | 22 | 5 | 6 | 9 | 12 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 4.8 | 14 | <1 | 1 | 4 | 6 | 11 | 14 | 15 |
| 20-34 | 605 | 4.3 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 785 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 1446 | 5.8 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 2806 | 7.7 | 31 | 2 | 3 | 6 | 10 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 249 | 9.2 | 20 | 5 | 5 | 8 | 11 | 15 | 17 | 23 |
| 20-34 | 3502 | 9.2 | 19 | 5 | 5 | 8 | 11 | 15 | 17 | 25 |
| 35-49 | 4180 | 9.8 | 27 | 5 | 6 | 8 | 12 | 16 | 18 | 27 |
| 50-64 | 6446 | 11.3 | 37 | 5 | 6 | 10 | 13 | 18 | 22 | 33 |
| 65+ | 6679 | 14.9 | 75 | 6 | 7 | 13 | 18 | 25 | 31 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2415 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 16906 | 8.1 | 11 | 5 | 5 | 7 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5701 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 16 | 25 |
| B. *Operated* | 21056 | 11.8 | 49 | 5 | 6 | 10 | 14 | 20 | 24 | 39 |
| **1. SINGLE DX** | 19321 | 7.6 | 13 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 26757 | 10.6 | 49 | 3 | 4 | 9 | 13 | 19 | 23 | 37 |
| **A. NOT OPERATED** | 8116 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 37962 | 10.1 | 35 | 5 | 5 | 8 | 12 | 17 | 21 | 33 |
| TOTAL 0-19 YRS | 874 | 7.3 | 15 | 2 | 3 | 7 | 9 | 12 | 15 | 20 |
| 20-34 | 10086 | 7.5 | 14 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| 35-49 | 9899 | 8.2 | 19 | 3 | 4 | 7 | 10 | 13 | 16 | 23 |
| 50-64 | 12962 | 9.3 | 30 | 3 | 4 | 8 | 11 | 16 | 19 | 28 |
| 65+ | 12257 | 12.0 | 64 | 3 | 5 | 10 | 15 | 21 | 27 | 42 |
| **GRAND TOTAL** | **46078** | **9.4** | **36** | **3** | **4** | **8** | **11** | **16** | **20** | **32** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 3.7 | 7 | 1 | 2 | 3 | 4 | 7 | 9 | 15 |
| 20-34 | 596 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 401 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 350 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 292 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 7.4 | 5 | 5 | 5 | 7 | 8 | 11 | 12 | 14 |
| 20-34 | 508 | 7.8 | 10 | 4 | 5 | 7 | 9 | 12 | 14 | 17 |
| 35-49 | 505 | 8.5 | 17 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 50-64 | 321 | 9.0 | 13 | 5 | 6 | 8 | 10 | 14 | 15 | 23 |
| 65+ | 251 | 11.8 | 31 | 6 | 7 | 10 | 14 | 18 | 23 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 4.7 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 549 | 4.8 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 35-49 | 613 | 5.8 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| 50-64 | 806 | 6.3 | 16 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| 65+ | 1333 | 7.9 | 33 | 2 | 3 | 7 | 10 | 14 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 9.1 | 14 | 5 | 6 | 8 | 10 | 14 | 16 | 22 |
| 20-34 | 809 | 9.4 | 21 | 5 | 5 | 8 | 11 | 15 | 18 | 25 |
| 35-49 | 1006 | 10.9 | 38 | 5 | 6 | 9 | 14 | 18 | 22 | 32 |
| 50-64 | 1036 | 12.0 | 35 | 6 | 6 | 10 | 15 | 20 | 23 | 31 |
| 65+ | 1037 | 16.5 | 103 | 7 | 8 | 14 | 20 | 29 | 36 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1718 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| B. *Operated* | 1625 | 8.9 | 18 | 5 | 5 | 8 | 10 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3396 | 6.5 | 22 | 2 | 2 | 6 | 8 | 11 | 14 | 23 |
| B. *Operated* | 3956 | 12.3 | 58 | 5 | 6 | 10 | 15 | 21 | 26 | 43 |
| **1. SINGLE DX** | 3343 | 6.5 | 18 | 1 | 2 | 6 | 8 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 7352 | 9.6 | 50 | 2 | 3 | 8 | 12 | 18 | 22 | 35 |
| **A. NOT OPERATED** | 5114 | 5.8 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 5581 | 11.3 | 48 | 5 | 6 | 9 | 14 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 282 | 5.9 | 13 | 2 | 2 | 6 | 8 | 10 | 13 | 17 |
| 20-34 | 2462 | 6.7 | 17 | 2 | 2 | 6 | 8 | 12 | 15 | 20 |
| 35-49 | 2525 | 8.1 | 30 | 2 | 3 | 7 | 10 | 15 | 18 | 26 |
| 50-64 | 2513 | 8.7 | 31 | 2 | 3 | 8 | 11 | 16 | 20 | 27 |
| 65+ | 2913 | 11.1 | 74 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| **GRAND TOTAL** | **10695** | **8.7** | **42** | **2** | **3** | **7** | **11** | **16** | **20** | **33** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 47 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 36 | 4.4 | 7 | 1 | 1 | 4 | 7 | 8 | 9 | 9 |
| 50-64 | 44 | 4.8 | 12 | 1 | 1 | 4 | 7 | 9 | 12 | 14 |
| 65+ | 69 | 5.5 | 9 | 1 | 2 | 5 | 8 | 10 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.1 | 20 | 6 | 6 | 9 | 11 | 18 | 20 | 20 |
| 20-34 | 138 | 9.4 | 21 | 4 | 5 | 9 | 12 | 15 | 18 | 23 |
| 35-49 | 98 | 9.3 | 46 | 2 | 3 | 8 | 11 | 16 | 19 | 44 |
| 50-64 | 136 | 10.6 | 44 | 2 | 3 | 9 | 13 | 18 | 23 | 35 |
| 65+ | 244 | 12.7 | 67 | 2 | 3 | 12 | 17 | 23 | 25 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.5 | 4 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 35 | 5.3 | 17 | 1 | 2 | 4 | 6 | 10 | 15 | 21 |
| 35-49 | 53 | 6.5 | 12 | 2 | 3 | 5 | 8 | 11 | 14 | 17 |
| 50-64 | 89 | 6.9 | 51 | 2 | 2 | 6 | 8 | 13 | 17 | 45 |
| 65+ | 271 | 8.3 | 32 | 2 | 3 | 7 | 11 | 16 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 12.0 | 28 | 5 | 6 | 11 | 14 | 20 | 23 | 23 |
| 20-34 | 121 | 12.6 | 71 | 5 | 6 | 10 | 14 | 21 | 29 | 46 |
| 35-49 | 119 | 13.1 | 54 | 5 | 5 | 12 | 16 | 24 | 27 | 61 |
| 50-64 | 304 | 14.9 | 73 | 5 | 7 | 13 | 19 | 25 | 29 | 48 |
| 65+ | 754 | 18.2 | 119 | 5 | 7 | 16 | 22 | 31 | 39 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 199 | 4.6 | 8 | 1 | 1 | 4 | 7 | 9 | 10 | 13 |
| B. *Operated* | 627 | 10.9 | 50 | 2 | 4 | 10 | 14 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 7.6 | 33 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | 1307 | 16.4 | 102 | 5 | 7 | 15 | 21 | 28 | 35 | 54 |
| **1. SINGLE DX** | 826 | 9.4 | 47 | 2 | 2 | 8 | 12 | 18 | 21 | 32 |
| **2. MULTIPLE DX** | 1759 | 14.2 | 99 | 3 | 4 | 12 | 18 | 26 | 32 | 50 |
| **A. NOT OPERATED** | 651 | 6.7 | 27 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 1934 | 14.6 | 92 | 4 | 5 | 13 | 19 | 26 | 32 | 50 |
| TOTAL 0-19 YRS | 27 | 9.4 | 26 | 3 | 4 | 9 | 12 | 16 | 20 | 23 |
| 20-34 | 341 | 9.3 | 46 | 2 | 3 | 8 | 11 | 16 | 20 | 42 |
| 35-49 | 306 | 9.7 | 48 | 2 | 3 | 8 | 13 | 18 | 22 | 42 |
| 50-64 | 573 | 11.9 | 71 | 2 | 3 | 10 | 16 | 22 | 27 | 38 |
| 65+ | 1338 | 14.6 | 106 | 3 | 4 | 13 | 19 | 26 | 32 | 53 |
| **GRAND TOTAL** | **2585** | **12.6** | **87** | **2** | **3** | **10** | **17** | **24** | **29** | **47** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 10 | 2 | 2 | 4 | 6 | 10 | 11 | 11 |
| 20-34 | 32 | 4.9 | 12 | 1 | 1 | 4 | 6 | 10 | 13 | 15 |
| 35-49 | 44 | 5.5 | 8 | 2 | 3 | 5 | 7 | 10 | 12 | 13 |
| 50-64 | 62 | 5.7 | 22 | 1 | 2 | 5 | 7 | 10 | 11 | 32 |
| 65+ | 64 | 6.8 | 20 | 1 | 2 | 6 | 9 | 12 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.5 | 145 | 2 | 2 | 10 | 19 | 19 | 19 | 19 |
| 20-34 | 28 | 10.5 | 93 | 2 | 2 | 8 | 11 | 24 | 33 | 43 |
| 35-49 | 41 | 8.8 | 42 | 1 | 1 | 7 | 13 | 19 | 20 | 23 |
| 50-64 | 42 | 9.6 | 40 | 2 | 3 | 8 | 14 | 20 | 22 | 26 |
| 65+ | 43 | 16.5 | 113 | 1 | 2 | 16 | 25 | 31 | 33 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | 9 | 4 | 4 | 8 | 9 | 10 | 10 | 10 |
| 20-34 | 73 | 7.5 | 42 | 2 | 2 | 6 | 9 | 16 | 19 | 37 |
| 35-49 | 91 | 7.6 | 61 | 2 | 2 | 5 | 9 | 12 | 16 | 50 |
| 50-64 | 137 | 8.5 | 38 | 2 | 3 | 7 | 11 | 18 | 21 | 31 |
| 65+ | 379 | 10.1 | 47 | 2 | 3 | 8 | 13 | 18 | 24 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 15.9 | 44 | 2 | 6 | 16 | 19 | 24 | 25 | 25 |
| 20-34 | 63 | 12.5 | 58 | 2 | 3 | 11 | 17 | 23 | 27 | 31 |
| 35-49 | 112 | 14.8 | 136 | 3 | 4 | 12 | 19 | 29 | 37 | 57 |
| 50-64 | 189 | 17.7 | 185 | 4 | 5 | 14 | 22 | 35 | 43 | 72 |
| 65+ | 375 | 20.9 | 173 | 5 | 9 | 18 | 25 | 38 | 45 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 12 | 21 |
| B. *Operated* | 156 | 11.4 | 79 | 1 | 2 | 9 | 17 | 24 | 31 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 683 | 9.1 | 48 | 2 | 3 | 7 | 12 | 17 | 22 | 36 |
| B. *Operated* | 747 | 18.4 | 167 | 4 | 6 | 16 | 23 | 35 | 42 | 71 |
| **1. SINGLE DX** | 364 | 8.2 | 51 | 1 | 2 | 6 | 10 | 19 | 23 | 33 |
| **2. MULTIPLE DX** | 1430 | 14.0 | 131 | 3 | 4 | 11 | 18 | 27 | 36 | 53 |
| **A. NOT OPERATED** | 891 | 8.4 | 42 | 2 | 3 | 7 | 11 | 18 | 21 | 34 |
| **B. OPERATED** | 903 | 17.2 | 159 | 3 | 4 | 18 | 22 | 33 | 40 | 66 |
| TOTAL 0-19 YRS | 19 | 10.5 | 53 | 2 | 2 | 10 | 16 | 20 | 23 | 25 |
| 20-34 | 196 | 9.1 | 57 | 2 | 2 | 6 | 12 | 19 | 24 | 37 |
| 35-49 | 288 | 10.2 | 93 | 2 | 3 | 8 | 12 | 21 | 27 | 40 |
| 50-64 | 430 | 12.2 | 124 | 2 | 3 | 9 | 16 | 24 | 35 | 54 |
| 65+ | 861 | 14.9 | 134 | 3 | 4 | 12 | 19 | 29 | 37 | 52 |
| **GRAND TOTAL** | **1794** | **12.8** | **120** | **2** | **3** | **10** | **17** | **26** | **34** | **51** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 5.0 | 7 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 20-34 | 883 | 6.3 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| 35-49 | 825 | 6.9 | 18 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| 50-64 | 533 | 7.1 | 21 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| 65+ | 324 | 8.0 | 25 | 3 | 3 | 7 | 10 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 12.3 | 80 | 2 | 3 | 10 | 18 | 26 | 28 | 28 |
| 20-34 | 79 | 9.9 | 52 | 1 | 2 | 9 | 14 | 18 | 25 | 37 |
| 35-49 | 118 | 12.4 | 89 | 2 | 3 | 10 | 16 | 25 | 34 | 45 |
| 50-64 | 87 | 10.9 | 59 | 1 | 2 | 10 | 14 | 22 | 28 | 76 |
| 65+ | 50 | 13.5 | 95 | 2 | 2 | 12 | 19 | 25 | 32 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 7.8 | 80 | 2 | 3 | 5 | 9 | 13 | 20 | 64 |
| 20-34 | 1533 | 7.8 | 27 | 3 | 3 | 7 | 10 | 14 | 17 | 27 |
| 35-49 | 2059 | 8.8 | 37 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 50-64 | 1582 | 9.3 | 37 | 3 | 4 | 8 | 11 | 17 | 21 | 33 |
| 65+ | 1479 | 10.0 | 39 | 3 | 4 | 9 | 13 | 17 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 18.7 | 326 | 4 | 6 | 13 | 17 | 56 | 63 | 71 |
| 20-34 | 270 | 19.3 | 283 | 5 | 6 | 14 | 21 | 42 | 59 | 87 |
| 35-49 | 497 | 19.5 | 230 | 5 | 7 | 15 | 24 | 39 | 52 | 84 |
| 50-64 | 533 | 20.6 | 237 | 5 | 7 | 16 | 25 | 46 | 61 | 99+ |
| 65+ | 415 | 20.0 | 174 | 6 | 8 | 17 | 25 | 37 | 48 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2689 | 6.8 | 18 | 2 | 3 | 6 | 8 | 11 | 14 | 24 |
| B. *Operated* | 343 | 11.6 | 74 | 2 | 2 | 10 | 15 | 24 | 29 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6772 | 9.0 | 36 | 3 | 3 | 7 | 11 | 16 | 20 | 32 |
| B. *Operated* | 1738 | 19.9 | 228 | 5 | 7 | 16 | 24 | 40 | 55 | 87 |
| **1. SINGLE DX** | 3032 | 7.3 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 8510 | 11.2 | 95 | 3 | 4 | 8 | 13 | 21 | 29 | 58 |
| **A. NOT OPERATED** | 9461 | 8.3 | 32 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| **B. OPERATED** | 2081 | 18.5 | 212 | 4 | 6 | 15 | 23 | 37 | 51 | 85 |
| TOTAL 0-19 YRS | 275 | 7.6 | 80 | 2 | 2 | 5 | 9 | 13 | 19 | 61 |
| 20-34 | 2765 | 8.5 | 62 | 2 | 3 | 7 | 10 | 15 | 20 | 43 |
| 35-49 | 3499 | 10.0 | 78 | 2 | 3 | 8 | 12 | 19 | 26 | 47 |
| 50-64 | 2735 | 11.1 | 96 | 3 | 4 | 8 | 13 | 21 | 29 | 61 |
| 65+ | 2268 | 11.6 | 79 | 3 | 4 | 9 | 14 | 22 | 28 | 50 |
| **GRAND TOTAL** | **11542** | **10.2** | **80** | **3** | **3** | **8** | **12** | **19** | **26** | **51** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 216 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 35-49 | 176 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 263 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 441 | 6.2 | 16 | 1 | 2 | 5 | 8 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 27 | 6.5 | 20 | 1 | 2 | 5 | 9 | 13 | 16 | 18 |
| 35-49 | 24 | 6.7 | 33 | 1 | 2 | 5 | 9 | 13 | 19 | 27 |
| 50-64 | 43 | 9.4 | 78 | 2 | 3 | 7 | 10 | 18 | 26 | 49 |
| 65+ | 58 | 12.9 | 77 | 3 | 3 | 11 | 18 | 25 | 27 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 4.4 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 20-34 | 563 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |
| 35-49 | 828 | 6.5 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 50-64 | 1676 | 7.4 | 31 | 2 | 3 | 6 | 9 | 13 | 16 | 31 |
| 65+ | 4196 | 9.0 | 41 | 2 | 3 | 7 | 11 | 17 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 7.8 | 55 | 1 | 1 | 6 | 9 | 15 | 24 | 37 |
| 20-34 | 111 | 11.3 | 116 | 3 | 4 | 8 | 13 | 21 | 27 | 61 |
| 35-49 | 214 | 11.5 | 98 | 3 | 4 | 9 | 15 | 21 | 29 | 52 |
| 50-64 | 543 | 12.5 | 106 | 3 | 4 | 10 | 16 | 24 | 31 | 52 |
| 65+ | 1099 | 15.3 | 144 | 4 | 5 | 12 | 19 | 29 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1251 | 5.0 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| B. *Operated* | 156 | 9.6 | 66 | 2 | 3 | 7 | 12 | 21 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7483 | 7.9 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| B. *Operated* | 2009 | 13.8 | 129 | 3 | 4 | 11 | 17 | 27 | 35 | 60 |
| **1. SINGLE DX** | 1407 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 9492 | 9.2 | 61 | 2 | 3 | 7 | 11 | 18 | 23 | 39 |
| **A. NOT OPERATED** | 8734 | 7.5 | 33 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| **B. OPERATED** | 2165 | 13.5 | 125 | 3 | 4 | 10 | 17 | 26 | 34 | 55 |
| TOTAL 0-19 YRS | 421 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 20-34 | 917 | 5.6 | 29 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| 35-49 | 1242 | 7.1 | 39 | 2 | 2 | 6 | 8 | 13 | 17 | 31 |
| 50-64 | 2525 | 8.3 | 51 | 2 | 3 | 7 | 10 | 15 | 20 | 38 |
| 65+ | 5794 | 10.0 | 66 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| **GRAND TOTAL** | **10899** | **8.7** | **57** | **2** | **3** | **7** | **10** | **17** | **22** | **38** |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 4.1 | 6 | 2 | 2 | 3 | 5 | 7 | 11 | 13 |
| 20-34 | 21 | 6.0 | 5 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 35-49 | 24 | 6.2 | 36 | 1 | 1 | 4 | 8 | 14 | 18 | 26 |
| 50-64 | 18 | 9.7 | 82 | 3 | 4 | 6 | 10 | 23 | 33 | 38 |
| 65+ | 21 | 11.4 | 119 | 2 | 2 | 7 | 13 | 33 | 36 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.4 | 153 | <1 | <1 | 3 | 10 | 30 | 37 | 37 |
| 20-34 | 10 | 9.6 | 32 | 3 | 3 | 9 | 13 | 18 | 22 | 22 |
| 35-49 | 13 | 10.7 | 81 | 1 | 2 | 9 | 13 | 20 | 33 | 36 |
| 50-64 | 11 | 5.7 | 11 | <1 | <1 | 8 | 8 | 9 | 9 | 9 |
| 65+ | 8 | 12.3 | 143 | 3 | 3 | 8 | 13 | 33 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 5.1 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 20-34 | 50 | 7.5 | 35 | 1 | 2 | 6 | 8 | 14 | 17 | 34 |
| 35-49 | 72 | 10.2 | 68 | 2 | 2 | 8 | 13 | 20 | 26 | 44 |
| 50-64 | 73 | 12.0 | 146 | 2 | 3 | 9 | 13 | 25 | 34 | 62 |
| 65+ | 109 | 11.5 | 83 | 3 | 3 | 10 | 15 | 23 | 29 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 10.7 | 92 | 4 | 4 | 8 | 11 | 21 | 36 | 44 |
| 20-34 | 53 | 12.0 | 54 | 3 | 5 | 10 | 13 | 22 | 36 | 98 |
| 35-49 | 72 | 13.8 | 127 | 3 | 4 | 11 | 17 | 30 | 39 | 60 |
| 50-64 | 61 | 16.0 | 103 | 4 | 6 | 14 | 25 | 29 | 38 | 94 |
| 65+ | 67 | 18.4 | 176 | 5 | 6 | 16 | 24 | 33 | 43 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 5.7 | 33 | 2 | 2 | 4 | 7 | 11 | 15 | 36 |
| B. *Operated* | 50 | 9.3 | 75 | 1 | 1 | 8 | 11 | 17 | 36 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 8.8 | 71 | 2 | 2 | 6 | 11 | 17 | 24 | 45 |
| B. *Operated* | 271 | 14.9 | 122 | 4 | 5 | 11 | 19 | 28 | 39 | 94 |
| **1. SINGLE DX** | 259 | 6.4 | 43 | 1 | 2 | 4 | 8 | 12 | 17 | 38 |
| **2. MULTIPLE DX** | 723 | 11.1 | 98 | 2 | 3 | 8 | 14 | 24 | 30 | 60 |
| **A. NOT OPERATED** | 661 | 7.8 | 61 | 2 | 2 | 5 | 10 | 16 | 24 | 40 |
| **B. OPERATED** | 321 | 14.0 | 119 | 3 | 4 | 11 | 17 | 27 | 39 | 82 |
| TOTAL 0-19 YRS | 299 | 5.1 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| 20-34 | 134 | 9.2 | 43 | 2 | 3 | 8 | 11 | 16 | 24 | 49 |
| 35-49 | 181 | 11.1 | 93 | 2 | 3 | 8 | 14 | 20 | 35 | 45 |
| 50-64 | 163 | 12.8 | 121 | 2 | 3 | 10 | 16 | 27 | 33 | 62 |
| 65+ | 205 | 13.8 | 128 | 3 | 4 | 11 | 18 | 27 | 36 | 75 |
| **GRAND TOTAL** | **982** | **9.8** | **88** | **2** | **2** | **7** | **12** | **22** | **28** | **50** |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 7.0 | 30 | 1 | 2 | 5 | 9 | 14 | 19 | 25 |
| 20-34 | 33 | 5.4 | 17 | 2 | 2 | 4 | 6 | 9 | 13 | 23 |
| 35-49 | 22 | 5.5 | 11 | 1 | 2 | 5 | 6 | 11 | 12 | 13 |
| 50-64 | 20 | 9.3 | 33 | 2 | 3 | 7 | 13 | 19 | 21 | 21 |
| 65+ | 16 | 5.6 | 16 | <1 | <1 | 5 | 8 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 4.2 | 10 | 1 | 2 | 3 | 6 | 9 | 10 | 16 |
| 20-34 | 74 | 5.7 | 20 | 2 | 2 | 4 | 8 | 12 | 16 | 20 |
| 35-49 | 37 | 4.6 | 13 | 1 | 1 | 3 | 8 | 11 | 12 | 13 |
| 50-64 | 38 | 8.0 | 45 | 1 | 2 | 5 | 14 | 16 | 20 | 30 |
| 65+ | 21 | 8.6 | 60 | 2 | 2 | 6 | 11 | 17 | 27 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 6.6 | 22 | 1 | 2 | 6 | 9 | 12 | 16 | 22 |
| 20-34 | 87 | 5.9 | 21 | 2 | 2 | 5 | 8 | 10 | 12 | 29 |
| 35-49 | 61 | 7.3 | 19 | 2 | 3 | 6 | 9 | 14 | 16 | 22 |
| 50-64 | 122 | 9.3 | 46 | 2 | 3 | 7 | 12 | 18 | 22 | 37 |
| 65+ | 194 | 12.7 | 99 | 3 | 4 | 10 | 16 | 26 | 32 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 7.8 | 34 | 2 | 2 | 6 | 11 | 16 | 23 | 90 |
| 20-34 | 134 | 9.7 | 134 | 2 | 2 | 6 | 12 | 20 | 28 | 65 |
| 35-49 | 115 | 10.8 | 114 | 2 | 3 | 8 | 14 | 19 | 34 | 58 |
| 50-64 | 181 | 12.2 | 123 | 2 | 2 | 9 | 16 | 26 | 35 | 57 |
| 65+ | 139 | 15.2 | 155 | 3 | 4 | 12 | 19 | 30 | 50 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 6.7 | 26 | 1 | 2 | 5 | 9 | 13 | 18 | 22 |
| B. *Operated* | 233 | 5.8 | 26 | 1 | 2 | 4 | 8 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 583 | 9.2 | 59 | 2 | 3 | 7 | 11 | 18 | 23 | 38 |
| B. *Operated* | 632 | 11.7 | 127 | 2 | 2 | 9 | 15 | 24 | 35 | 63 |
| **1. SINGLE DX** | 449 | 6.2 | 26 | 1 | 2 | 5 | 8 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | 1215 | 10.5 | 96 | 2 | 3 | 8 | 13 | 21 | 30 | 55 |
| **A. NOT OPERATED** | 799 | 8.5 | 51 | 2 | 2 | 7 | 11 | 17 | 21 | 35 |
| **B. OPERATED** | 865 | 10.1 | 106 | 2 | 2 | 7 | 13 | 21 | 31 | 58 |
| TOTAL 0-19 YRS | 370 | 6.5 | 26 | 1 | 2 | 5 | 9 | 13 | 18 | 25 |
| 20-34 | 328 | 7.4 | 70 | 2 | 2 | 5 | 9 | 14 | 20 | 38 |
| 35-49 | 235 | 8.5 | 70 | 2 | 2 | 6 | 10 | 16 | 20 | 51 |
| 50-64 | 361 | 10.6 | 86 | 2 | 3 | 8 | 14 | 21 | 30 | 47 |
| 65+ | 370 | 13.1 | 119 | 3 | 3 | 10 | 17 | 27 | 34 | 62 |
| **GRAND TOTAL** | **1664** | **9.3** | **80** | **2** | **2** | **7** | **12** | **19** | **26** | **51** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 5.5 | 10 | 1 | 2 | 5 | 7 | 8 | 12 | 18 |
| 20-34 | 13 | 5.5 | 6 | 2 | 2 | 6 | 7 | 8 | 10 | 10 |
| 35-49 | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 3 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.3 | 78 | 2 | 2 | 5 | 8 | 24 | 29 | 29 |
| 20-34 | 7 | 8.7 | 44 | 1 | 1 | 8 | 12 | 19 | 20 | 20 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | 2 | 14.5 | 221 | 4 | 4 | 14 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 6.4 | 18 | 2 | 2 | 5 | 10 | 14 | 15 | 15 |
| 20-34 | 13 | 6.9 | 11 | 3 | 4 | 6 | 10 | 12 | 12 | 12 |
| 35-49 | 12 | 5.3 | 7 | 1 | 2 | 5 | 7 | 9 | 10 | 10 |
| 50-64 | 12 | 7.8 | 31 | 2 | 3 | 6 | 9 | 16 | 21 | 22 |
| 65+ | 26 | 13.7 | 99 | 4 | 4 | 10 | 20 | 28 | 38 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.3 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 12 |
| 20-34 | 10 | 8.1 | 113 | <1 | 1 | 5 | 9 | 23 | 37 | 37 |
| 35-49 | 18 | 11.7 | 122 | 2 | 2 | 9 | 11 | 30 | 37 | 42 |
| 50-64 | 22 | 14.8 | 145 | 2 | 3 | 11 | 23 | 32 | 40 | 46 |
| 65+ | 19 | 18.4 | 227 | 2 | 3 | 16 | 24 | 35 | 53 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 5.4 | 10 | 1 | 2 | 5 | 7 | 8 | 12 | 17 |
| B. *Operated* | 20 | 9.1 | 66 | 1 | 2 | 6 | 12 | 22 | 27 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 8.4 | 47 | 2 | 3 | 6 | 11 | 15 | 23 | 38 |
| B. *Operated* | 77 | 13.0 | 155 | 1 | 2 | 9 | 19 | 30 | 38 | 60 |
| **1. SINGLE DX** | 123 | 6.0 | 20 | 1 | 2 | 5 | 7 | 10 | 15 | 26 |
| **2. MULTIPLE DX** | 179 | 10.4 | 98 | 2 | 2 | 7 | 12 | 24 | 31 | 45 |
| **A. NOT OPERATED** | 205 | 6.9 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| **B. OPERATED** | 97 | 12.2 | 139 | 1 | 2 | 9 | 17 | 29 | 37 | 56 |
| TOTAL 0-19 YRS | 139 | 5.8 | 17 | 2 | 2 | 5 | 7 | 12 | 15 | 20 |
| 20-34 | 43 | 7.0 | 37 | 1 | 2 | 6 | 9 | 12 | 15 | 37 |
| 35-49 | 34 | 8.4 | 79 | 1 | 2 | 6 | 10 | 17 | 30 | 42 |
| 50-64 | 38 | 11.6 | 107 | 2 | 3 | 8 | 14 | 26 | 34 | 46 |
| 65+ | 48 | 15.6 | 150 | 3 | 4 | 12 | 20 | 29 | 39 | 65 |
| **GRAND TOTAL** | **302** | **8.6** | **71** | **2** | **2** | **6** | **10** | **19** | **27** | **41** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 12 | 4.4 | 22 | <1 | <1 | 3 | 5 | 12 | 15 | 16 |
| 35-49 | 11 | 3.4 | 7 | 1 | 1 | 2 | 5 | 7 | 9 | 9 |
| 50-64 | 22 | 3.2 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 10 |
| 65+ | 51 | 3.4 | 13 | <1 | <1 | 2 | 4 | 10 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 12.3 | 151 | <1 | 1 | 8 | 20 | 36 | 53 | 99+ |
| 20-34 | 102 | 9.0 | 83 | <1 | 1 | 5 | 11 | 24 | 26 | 40 |
| 35-49 | 81 | 8.8 | 141 | <1 | 1 | 4 | 10 | 24 | 38 | 59 |
| 50-64 | 111 | 6.9 | 63 | <1 | 1 | 4 | 8 | 19 | 26 | 40 |
| 65+ | 50 | 6.6 | 51 | 1 | 1 | 5 | 7 | 16 | 21 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.3 | 17 | <1 | 1 | 3 | 6 | 9 | 14 | 18 |
| 20-34 | 155 | 3.3 | 20 | <1 | 1 | 1 | 4 | 9 | 12 | 26 |
| 35-49 | 224 | 3.5 | 24 | 1 | 1 | 1 | 4 | 9 | 14 | 28 |
| 50-64 | 332 | 6.2 | 47 | <1 | 1 | 5 | 8 | 13 | 18 | 30 |
| 65+ | 672 | 9.8 | 99 | 1 | 1 | 7 | 13 | 22 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 6.5 | 74 | <1 | <1 | 3 | 8 | 19 | 33 | 80 |
| 20-34 | 401 | 11.7 | 173 | <1 | <1 | 7 | 16 | 31 | 41 | 56 |
| 35-49 | 385 | 11.8 | 122 | <1 | 2 | 9 | 15 | 26 | 33 | 50 |
| 50-64 | 592 | 12.6 | 187 | 2 | 2 | 8 | 16 | 30 | 44 | 90 |
| 65+ | 586 | 15.3 | 207 | 1 | 2 | 11 | 21 | 35 | 44 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 99 | 3.5 | 11 | <1 | <1 | 2 | 4 | 10 | 11 | 15 |
| B. *Operated* | 371 | 8.3 | 92 | <1 | 1 | 4 | 10 | 22 | 28 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1403 | 7.1 | 72 | 1 | 1 | 5 | 10 | 17 | 23 | 38 |
| B. *Operated* | 2044 | 12.8 | 177 | <1 | 2 | 8 | 17 | 31 | 42 | 66 |
| **1. SINGLE DX** | 470 | 7.3 | 78 | <1 | 1 | 4 | 9 | 21 | 26 | 45 |
| **2. MULTIPLE DX** | 3447 | 10.5 | 142 | <1 | 1 | 7 | 14 | 25 | 35 | 60 |
| **A. NOT OPERATED** | 1502 | 6.9 | 69 | 1 | 1 | 4 | 9 | 16 | 22 | 38 |
| **B. OPERATED** | 2415 | 12.1 | 166 | <1 | 1 | 8 | 16 | 29 | 40 | 65 |
| TOTAL 0-19 YRS | 130 | 7.3 | 86 | <1 | <1 | 4 | 9 | 21 | 34 | 99+ |
| 20-34 | 670 | 9.2 | 133 | <1 | <1 | 5 | 12 | 24 | 35 | 51 |
| 35-49 | 701 | 8.7 | 105 | 1 | 1 | 5 | 11 | 23 | 30 | 47 |
| 50-64 | 1057 | 9.8 | 136 | 1 | 1 | 6 | 12 | 22 | 33 | 67 |
| 65+ | 1359 | 11.8 | 152 | 1 | 1 | 8 | 16 | 27 | 37 | 60 |
| **GRAND TOTAL** | **3917** | **10.1** | **135** | **<1** | **1** | **6** | **13** | **24** | **34** | **59** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.3 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 20-34 | 9 | 5.6 | 3 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 2 | 12.5 | 181 | 3 | 3 | 12 | 22 | 22 | 22 | 22 |
| 50-64 | 11 | 6.3 | 19 | 2 | 2 | 5 | 8 | 14 | 14 | 14 |
| 65+ | 39 | 8.5 | 34 | <1 | 2 | 8 | 10 | 16 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 5.5 | 11 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 35-49 | 9 | 9.1 | 101 | <1 | <1 | 8 | 13 | 25 | 32 | 32 |
| 50-64 | 9 | 7.8 | 110 | 1 | 1 | 4 | 9 | 25 | 34 | 34 |
| 65+ | 23 | 14.6 | 140 | 1 | 2 | 12 | 19 | 30 | 39 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.0 | 11 | 2 | 2 | 6 | 9 | 10 | 12 | 14 |
| 20-34 | 30 | 9.9 | 77 | 3 | 3 | 8 | 12 | 18 | 25 | 46 |
| 35-49 | 44 | 8.5 | 99 | 1 | 2 | 5 | 10 | 19 | 26 | 53 |
| 50-64 | 154 | 12.3 | 101 | 2 | 4 | 9 | 16 | 24 | 36 | 46 |
| 65+ | 686 | 13.5 | 105 | 2 | 3 | 11 | 18 | 28 | 34 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 19.7 | 176 | 9 | 10 | 15 | 39 | 89 | 99+ | 99+ |
| 20-34 | 40 | 13.9 | 168 | 2 | 2 | 10 | 20 | 29 | 46 | 56 |
| 35-49 | 63 | 19.2 | 232 | 2 | 3 | 15 | 30 | 41 | 53 | 96 |
| 50-64 | 139 | 20.9 | 333 | 3 | 4 | 14 | 27 | 46 | 61 | 86 |
| 65+ | 267 | 24.0 | 251 | 4 | 7 | 22 | 32 | 46 | 56 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 7.4 | 30 | 1 | 2 | 7 | 10 | 14 | 18 | 29 |
| B. *Operated* | 48 | 10.9 | 117 | 1 | 1 | 7 | 14 | 28 | 34 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 933 | 12.8 | 103 | 2 | 3 | 10 | 17 | 27 | 34 | 48 |
| B. *Operated* | 515 | 21.8 | 271 | 3 | 4 | 18 | 30 | 45 | 56 | 87 |
| **1. SINGLE DX** | 115 | 8.9 | 69 | 1 | 1 | 7 | 11 | 19 | 28 | 39 |
| **2. MULTIPLE DX** | 1448 | 16.0 | 181 | 2 | 4 | 12 | 22 | 35 | 44 | 69 |
| **A. NOT OPERATED** | 1000 | 12.5 | 100 | 2 | 3 | 10 | 16 | 26 | 33 | 48 |
| **B. OPERATED** | 563 | 20.8 | 266 | 2 | 4 | 17 | 29 | 44 | 54 | 85 |
| TOTAL 0-19 YRS | 36 | 7.7 | 64 | 1 | 2 | 6 | 10 | 15 | 37 | 99+ |
| 20-34 | 81 | 11.3 | 119 | 2 | 3 | 8 | 14 | 24 | 34 | 55 |
| 35-49 | 118 | 14.4 | 196 | 2 | 2 | 10 | 20 | 37 | 44 | 80 |
| 50-64 | 313 | 15.8 | 223 | 2 | 4 | 11 | 21 | 36 | 46 | 79 |
| 65+ | 1015 | 16.1 | 164 | 2 | 4 | 12 | 22 | 33 | 42 | 64 |
| **GRAND TOTAL** | 1563 | 15.5 | 176 | 2 | 3 | 12 | 21 | 33 | 43 | 67 |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 454 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 20-34 | 616 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 15 |
| 35-49 | 185 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 95 | 5.5 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 83 | 7.2 | 32 | 3 | 3 | 6 | 7 | 10 | 18 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.5 | 13 | 2 | 3 | 6 | 7 | 10 | 16 | 20 |
| 20-34 | 42 | 6.9 | 20 | 3 | 3 | 6 | 8 | 10 | 15 | 26 |
| 35-49 | 17 | 6.8 | 7 | 2 | 3 | 7 | 9 | 10 | 10 | 10 |
| 50-64 | 12 | 8.8 | 9 | 4 | 5 | 9 | 11 | 13 | 14 | 14 |
| 65+ | 5 | 8.0 | 4 | 5 | 5 | 8 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 453 | 5.0 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 14 |
| 20-34 | 766 | 5.6 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 372 | 6.7 | 11 | 3 | 3 | 6 | 8 | 11 | 13 | 17 |
| 50-64 | 447 | 8.1 | 25 | 3 | 4 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 741 | 9.8 | 47 | 3 | 4 | 8 | 12 | 17 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 8.5 | 16 | 3 | 5 | 7 | 10 | 15 | 17 | 20 |
| 20-34 | 146 | 8.9 | 34 | 3 | 4 | 7 | 10 | 15 | 23 | 32 |
| 35-49 | 99 | 11.5 | 68 | 4 | 5 | 10 | 13 | 18 | 23 | 52 |
| 50-64 | 138 | 12.1 | 99 | 5 | 6 | 10 | 13 | 21 | 27 | 49 |
| 65+ | 186 | 15.9 | 100 | 5 | 6 | 13 | 20 | 31 | 37 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1433 | 4.9 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| B. *Operated* | 118 | 7.0 | 14 | 3 | 3 | 6 | 9 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2779 | 7.2 | 26 | 2 | 3 | 6 | 9 | 12 | 16 | 26 |
| B. *Operated* | 662 | 11.9 | 77 | 4 | 5 | 9 | 14 | 21 | 29 | 46 |
| **1. SINGLE DX** | 1551 | 5.1 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 16 |
| **2. MULTIPLE DX** | 3441 | 8.1 | 39 | 3 | 3 | 6 | 10 | 14 | 19 | 32 |
| **A. NOT OPERATED** | 4212 | 6.4 | 21 | 2 | 3 | 5 | 8 | 11 | 14 | 23 |
| **B. OPERATED** | 780 | 11.1 | 70 | 4 | 5 | 9 | 13 | 21 | 27 | 45 |
| TOTAL 0-19 YRS | 1042 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 16 |
| 20-34 | 1570 | 5.6 | 13 | 2 | 3 | 5 | 7 | 9 | 11 | 21 |
| 35-49 | 673 | 7.0 | 22 | 3 | 3 | 6 | 8 | 12 | 14 | 21 |
| 50-64 | 692 | 8.6 | 41 | 3 | 4 | 7 | 10 | 15 | 19 | 32 |
| 65+ | 1015 | 10.7 | 62 | 4 | 4 | 8 | 13 | 20 | 26 | 41 |
| **GRAND TOTAL** | 4992 | 7.1 | 31 | 2 | 3 | 6 | 8 | 13 | 17 | 30 |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 469 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 622 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 35-49 | 157 | 5.4 | 11 | 2 | 3 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 130 | 5.4 | 10 | 2 | 2 | 5 | 7 | 8 | 12 | 18 |
| 65+ | 88 | 6.5 | 15 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 5.9 | 104 | 1 | 1 | 4 | 5 | 8 | 12 | 73 |
| 20-34 | 75 | 6.6 | 26 | 1 | 2 | 6 | 9 | 13 | 17 | 26 |
| 35-49 | 51 | 6.6 | 27 | 1 | 2 | 5 | 9 | 13 | 20 | 21 |
| 50-64 | 33 | 11.4 | 84 | 2 | 3 | 8 | 15 | 23 | 31 | 42 |
| 65+ | 32 | 11.1 | 109 | 2 | 3 | 9 | 13 | 20 | 22 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 20-34 | 747 | 5.3 | 14 | 2 | 2 | 5 | 6 | 8 | 10 | 20 |
| 35-49 | 393 | 6.9 | 26 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| 50-64 | 458 | 7.6 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 25 |
| 65+ | 768 | 9.6 | 41 | 3 | 4 | 8 | 12 | 17 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 7.1 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| 20-34 | 351 | 8.7 | 46 | 2 | 3 | 7 | 11 | 15 | 20 | 40 |
| 35-49 | 226 | 10.7 | 79 | 2 | 2 | 8 | 14 | 21 | 28 | 42 |
| 50-64 | 301 | 13.8 | 124 | 2 | 3 | 11 | 17 | 28 | 37 | 58 |
| 65+ | 313 | 15.7 | 140 | 3 | 5 | 13 | 19 | 31 | 37 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1466 | 4.8 | 7 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | 254 | 7.6 | 67 | 1 | 2 | 6 | 9 | 16 | 20 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2760 | 7.1 | 29 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | 1344 | 11.6 | 98 | 2 | 3 | 9 | 14 | 23 | 31 | 54 |
| **1. SINGLE DX** | 1720 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 4104 | 8.6 | 56 | 2 | 3 | 6 | 10 | 16 | 22 | 40 |
| **A. NOT OPERATED** | 4226 | 6.3 | 22 | 2 | 3 | 5 | 7 | 11 | 14 | 24 |
| **B. OPERATED** | 1598 | 11.0 | 95 | 2 | 2 | 8 | 14 | 21 | 30 | 52 |
| TOTAL 0-19 YRS | 1079 | 5.1 | 17 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 1795 | 5.8 | 20 | 2 | 2 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 827 | 7.6 | 41 | 2 | 3 | 6 | 9 | 15 | 20 | 34 |
| 50-64 | 922 | 9.5 | 69 | 2 | 3 | 7 | 12 | 18 | 25 | 46 |
| 65+ | 1201 | 11.0 | 75 | 3 | 4 | 9 | 13 | 21 | 27 | 43 |
| **GRAND TOTAL** | **5824** | **7.6** | **47** | **2** | **2** | **6** | **9** | **14** | **19** | **36** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 747 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 744 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 449 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 153 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 7.4 | 31 | 2 | 2 | 6 | 9 | 14 | 21 | 25 |
| 20-34 | 325 | 8.5 | 19 | 2 | 3 | 8 | 10 | 13 | 17 | 25 |
| 35-49 | 428 | 8.4 | 18 | 2 | 3 | 8 | 10 | 13 | 16 | 22 |
| 50-64 | 389 | 9.6 | 32 | 2 | 3 | 9 | 12 | 16 | 20 | 31 |
| 65+ | 153 | 9.8 | 36 | 2 | 2 | 10 | 12 | 18 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 20 |
| 20-34 | 421 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 35-49 | 591 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 593 | 4.4 | 11 | 1 | 2 | 3 | 6 | 8 | 11 | 17 |
| 65+ | 437 | 5.8 | 19 | 1 | 2 | 5 | 7 | 11 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 8.5 | 33 | 1 | 2 | 8 | 12 | 14 | 21 | 27 |
| 20-34 | 396 | 9.5 | 45 | 2 | 3 | 9 | 12 | 16 | 20 | 34 |
| 35-49 | 568 | 10.1 | 64 | 2 | 3 | 9 | 12 | 18 | 24 | 43 |
| 50-64 | 760 | 10.9 | 67 | 2 | 3 | 10 | 14 | 20 | 24 | 39 |
| 65+ | 651 | 12.4 | 80 | 2 | 3 | 11 | 16 | 23 | 29 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2164 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 1325 | 8.9 | 25 | 2 | 3 | 8 | 11 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2094 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| B. *Operated* | 2412 | 10.8 | 67 | 2 | 3 | 9 | 13 | 20 | 24 | 42 |
| **1. SINGLE DX** | 3489 | 5.1 | 22 | 1 | 1 | 3 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 4506 | 7.9 | 52 | 1 | 2 | 6 | 11 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 4258 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **B. OPERATED** | 3737 | 10.2 | 53 | 2 | 3 | 9 | 13 | 18 | 23 | 37 |
| TOTAL 0-19 YRS | 190 | 4.9 | 21 | 1 | 1 | 3 | 7 | 11 | 13 | 25 |
| 20-34 | 1889 | 5.3 | 25 | 1 | 1 | 3 | 8 | 12 | 14 | 23 |
| 35-49 | 2331 | 5.9 | 34 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| 50-64 | 2191 | 7.2 | 44 | 1 | 2 | 5 | 10 | 15 | 19 | 31 |
| 65+ | 1394 | 9.1 | 60 | 2 | 2 | 7 | 12 | 19 | 24 | 38 |
| **GRAND TOTAL** | **7995** | **6.6** | **41** | **1** | **1** | **5** | **9** | **14** | **18** | **30** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2260 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 2404 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 1488 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 397 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 6.2 | 15 | 2 | 2 | 6 | 8 | 10 | 16 | 20 |
| 20-34 | 1357 | 6.2 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 35-49 | 1512 | 6.6 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| 50-64 | 1263 | 7.1 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| 65+ | 440 | 8.0 | 34 | 2 | 2 | 7 | 11 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 736 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 1001 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 985 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 65+ | 523 | 4.1 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 7.3 | 21 | 2 | 3 | 7 | 10 | 12 | 14 | 27 |
| 20-34 | 637 | 7.5 | 23 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| 35-49 | 936 | 8.1 | 29 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| 50-64 | 1302 | 9.5 | 42 | 2 | 3 | 8 | 12 | 17 | 21 | 33 |
| 65+ | 833 | 11.1 | 54 | 3 | 4 | 10 | 14 | 21 | 25 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6783 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 4684 | 6.7 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3315 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 3770 | 9.2 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| **1. SINGLE DX** | 11467 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 7085 | 6.5 | 32 | 1 | 2 | 5 | 9 | 13 | 17 | 27 |
| **A. NOT OPERATED** | 10098 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 8454 | 7.8 | 30 | 2 | 3 | 7 | 10 | 14 | 16 | 27 |
| TOTAL 0-19 YRS | 478 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 20-34 | 4990 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 5853 | 4.5 | 17 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 5038 | 5.7 | 26 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 65+ | 2193 | 7.4 | 41 | 1 | 2 | 5 | 10 | 15 | 20 | 31 |
| **GRAND TOTAL** | **18552** | **5.0** | **22** | **1** | **1** | **3** | **7** | **11** | **14** | **22** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 7 |
| 20-34 | 63 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 63 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 62 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 66 | 5.1 | 16 | 1 | 1 | 4 | 7 | 10 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 430 | 6.7 | 21 | 1 | 1 | 7 | 10 | 12 | 14 | 20 |
| 20-34 | 265 | 7.1 | 21 | 1 | 2 | 7 | 10 | 13 | 16 | 20 |
| 35-49 | 212 | 7.0 | 38 | 1 | 2 | 6 | 10 | 14 | 18 | 26 |
| 50-64 | 258 | 6.9 | 34 | 1 | 1 | 5 | 10 | 14 | 19 | 28 |
| 65+ | 182 | 8.2 | 53 | 1 | 1 | 6 | 12 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 4.5 | 12 | 1 | 1 | 4 | 5 | 8 | 11 | 20 |
| 20-34 | 175 | 4.5 | 15 | 1 | 1 | 3 | 5 | 10 | 13 | 19 |
| 35-49 | 137 | 5.9 | 21 | 1 | 2 | 5 | 8 | 11 | 16 | 25 |
| 50-64 | 258 | 6.9 | 42 | 2 | 2 | 5 | 8 | 12 | 18 | 28 |
| 65+ | 549 | 9.8 | 58 | 2 | 3 | 8 | 13 | 19 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 544 | 7.4 | 33 | 1 | 1 | 7 | 10 | 13 | 17 | 27 |
| 20-34 | 539 | 9.6 | 50 | 2 | 2 | 9 | 13 | 18 | 23 | 36 |
| 35-49 | 500 | 10.0 | 70 | 2 | 2 | 8 | 13 | 20 | 23 | 46 |
| 50-64 | 754 | 10.9 | 94 | 2 | 2 | 9 | 14 | 21 | 31 | 46 |
| 65+ | 899 | 13.0 | 106 | 2 | 3 | 11 | 18 | 26 | 33 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 305 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 1347 | 7.0 | 31 | 1 | 1 | 6 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1226 | 7.5 | 45 | 1 | 2 | 6 | 9 | 15 | 20 | 34 |
| B. *Operated* | 3236 | 10.6 | 80 | 1 | 2 | 9 | 14 | 21 | 27 | 45 |
| **1. SINGLE DX** | 1652 | 6.4 | 28 | 1 | 1 | 5 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 4462 | 9.7 | 72 | 1 | 2 | 8 | 13 | 20 | 26 | 41 |
| **A. NOT OPERATED** | 1531 | 6.8 | 40 | 1 | 2 | 5 | 8 | 14 | 19 | 31 |
| **B. OPERATED** | 4583 | 9.5 | 68 | 1 | 2 | 8 | 12 | 19 | 25 | 40 |
| TOTAL 0-19 YRS | 1132 | 6.7 | 27 | 1 | 1 | 6 | 9 | 12 | 15 | 24 |
| 20-34 | 1042 | 7.7 | 39 | 1 | 2 | 6 | 11 | 16 | 19 | 28 |
| 35-49 | 912 | 8.2 | 56 | 1 | 2 | 6 | 11 | 17 | 21 | 37 |
| 50-64 | 1332 | 9.1 | 73 | 1 | 2 | 7 | 12 | 19 | 26 | 42 |
| 65+ | 1696 | 11.2 | 86 | 2 | 2 | 9 | 15 | 23 | 29 | 46 |
| **GRAND TOTAL** | **6114** | **8.8** | **62** | **1** | **2** | **7** | **12** | **18** | **23** | **38** |

### 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.2 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 212 | 2.9 | 42 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 180 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 50-64 | 105 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 65+ | 37 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.5 | 11 | 4 | 4 | 6 | 10 | 13 | 13 | 13 |
| 20-34 | 83 | 6.4 | 24 | 1 | 2 | 5 | 8 | 14 | 17 | 25 |
| 35-49 | 102 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 16 | 23 |
| 50-64 | 94 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| 65+ | 112 | 6.7 | 23 | 2 | 2 | 5 | 10 | 12 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.5 | 2 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 97 | 3.5 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 103 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 50-64 | 106 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 86 | 6.2 | 29 | 1 | 2 | 4 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.4 | 61 | 2 | 2 | 5 | 9 | 14 | 28 | 32 |
| 20-34 | 112 | 7.3 | 48 | 1 | 2 | 5 | 9 | 15 | 22 | 36 |
| 35-49 | 130 | 7.2 | 31 | 2 | 2 | 6 | 9 | 15 | 18 | 28 |
| 50-64 | 221 | 9.2 | 67 | 2 | 2 | 7 | 12 | 18 | 23 | 41 |
| 65+ | 432 | 10.5 | 76 | 2 | 3 | 8 | 14 | 22 | 27 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 552 | 2.7 | 18 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 404 | 6.5 | 21 | 2 | 2 | 5 | 9 | 12 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 400 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 909 | 9.3 | 65 | 2 | 2 | 7 | 12 | 19 | 25 | 41 |
| **1. SINGLE DX** | 956 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 1309 | 7.8 | 54 | 1 | 2 | 6 | 10 | 16 | 22 | 39 |
| **A. NOT OPERATED** | 952 | 3.4 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 1313 | 8.4 | 54 | 2 | 2 | 6 | 11 | 17 | 22 | 39 |
| TOTAL 0-19 YRS | 53 | 5.2 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 31 |
| 20-34 | 504 | 4.6 | 37 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| 35-49 | 515 | 4.8 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 50-64 | 526 | 6.3 | 42 | 1 | 1 | 4 | 8 | 14 | 18 | 31 |
| 65+ | 667 | 8.9 | 62 | 2 | 2 | 7 | 12 | 19 | 24 | 42 |
| **GRAND TOTAL** | 2265 | 6.3 | 44 | 1 | 1 | 4 | 8 | 14 | 18 | 32 |

### 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 257 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 183 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 85 | 3.8 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 71 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 65+ | 94 | 5.6 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 290 | 3.1 | 17 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 20-34 | 469 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 426 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 485 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 455 | 4.8 | 17 | 1 | 2 | 3 | 6 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 299 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 435 | 5.2 | 12 | 1 | 2 | 4 | 7 | 10 | 11 | 18 |
| 35-49 | 283 | 6.0 | 22 | 2 | 2 | 5 | 8 | 10 | 13 | 25 |
| 50-64 | 410 | 6.5 | 21 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 1048 | 8.6 | 44 | 2 | 3 | 7 | 11 | 15 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 541 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 1174 | 5.2 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| 35-49 | 1076 | 5.9 | 25 | 1 | 2 | 4 | 8 | 13 | 16 | 25 |
| 50-64 | 1505 | 6.0 | 28 | 1 | 2 | 4 | 8 | 12 | 16 | 27 |
| 65+ | 2280 | 7.9 | 61 | 2 | 2 | 6 | 10 | 16 | 22 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 690 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 2125 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2475 | 6.8 | 30 | 2 | 2 | 6 | 8 | 13 | 16 | 27 |
| B. *Operated* | 6576 | 6.3 | 38 | 1 | 2 | 4 | 8 | 13 | 17 | 31 |
| **1. SINGLE DX** | 2815 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 9051 | 6.4 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 3165 | 6.1 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| **B. OPERATED** | 8701 | 5.6 | 33 | 1 | 2 | 4 | 7 | 12 | 16 | 28 |
| TOTAL 0-19 YRS | 1387 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 2261 | 4.6 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 35-49 | 1870 | 5.3 | 21 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 2471 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| 65+ | 3877 | 7.7 | 52 | 2 | 2 | 6 | 10 | 15 | 20 | 37 |
| **GRAND TOTAL** | 11866 | 5.8 | 31 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.4 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 8 |
| 20-34 | 10 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 10 | 10 |
| 35-49 | 6 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 9 | 5.0 | 27 | 1 | 1 | 2 | 7 | 13 | 17 | 17 |
| 65+ | 20 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1046 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 492 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 35-49 | 361 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 428 | 3.8 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 513 | 4.5 | 16 | 1 | 2 | 3 | 6 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 20 | 4.1 | 10 | <1 | <1 | 3 | 6 | 9 | 10 | 10 |
| 35-49 | 21 | 6.3 | 32 | 1 | 2 | 5 | 8 | 12 | 19 | 27 |
| 50-64 | 29 | 4.5 | 8 | 2 | 2 | 4 | 5 | 9 | 10 | 13 |
| 65+ | 97 | 6.8 | 23 | 1 | 3 | 6 | 8 | 13 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1114 | 2.4 | 10 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 868 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 847 | 4.9 | 18 | 1 | 2 | 3 | 6 | 10 | 14 | 21 |
| 50-64 | 1218 | 5.3 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 1801 | 7.2 | 39 | 2 | 2 | 5 | 9 | 15 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 3.4 | 10 | <1 | 1 | 2 | 5 | 7 | 9 | 16 |
| B. *Operated* | 2840 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 5.7 | 20 | 1 | 1 | 5 | 7 | 10 | 15 | 24 |
| B. *Operated* | 5848 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| **1. SINGLE DX** | 2903 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 6033 | 5.1 | 25 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 248 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| **B. OPERATED** | 8688 | 4.4 | 21 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 2196 | 2.2 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 1390 | 3.8 | 12 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 35-49 | 1235 | 4.5 | 16 | 1 | 1 | 3 | 6 | 9 | 13 | 19 |
| 50-64 | 1684 | 4.9 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 65+ | 2431 | 6.6 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| **GRAND TOTAL** | **8936** | **4.5** | **21** | **1** | **1** | **3** | **5** | **9** | **13** | **23** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1060 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 652 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 35-49 | 296 | 4.3 | 13 | 1 | 1 | 4 | 5 | 7 | 11 | 19 |
| 50-64 | 281 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 553 | 5.8 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 699 | 2.9 | 8 | <1 | 1 | 2 | 3 | 7 | 8 | 13 |
| 20-34 | 738 | 3.5 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 746 | 3.5 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 50-64 | 861 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 65+ | 909 | 5.0 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1600 | 4.3 | 11 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 20-34 | 1602 | 5.1 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 1078 | 6.2 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 1835 | 7.1 | 34 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 6288 | 9.3 | 44 | 2 | 3 | 8 | 12 | 17 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1281 | 3.5 | 11 | 1 | 1 | 2 | 5 | 8 | 9 | 16 |
| 20-34 | 1765 | 5.4 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 1748 | 6.4 | 42 | 1 | 2 | 4 | 8 | 14 | 18 | 32 |
| 50-64 | 3052 | 7.0 | 50 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| 65+ | 4905 | 9.9 | 83 | 2 | 2 | 7 | 13 | 20 | 27 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2842 | 4.2 | 10 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| B. *Operated* | 3953 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12403 | 7.5 | 36 | 2 | 2 | 6 | 10 | 14 | 18 | 30 |
| B. *Operated* | 12751 | 7.5 | 60 | 1 | 2 | 5 | 9 | 16 | 22 | 39 |
| **1. SINGLE DX** | 6795 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 25154 | 7.5 | 48 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 15245 | 6.9 | 33 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| **B. OPERATED** | 16704 | 6.6 | 51 | 1 | 1 | 4 | 8 | 14 | 20 | 36 |
| TOTAL 0-19 YRS | 4640 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 4757 | 4.8 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 3868 | 5.6 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 6029 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 12655 | 9.1 | 58 | 2 | 2 | 7 | 12 | 18 | 23 | 39 |
| **GRAND TOTAL** | **31949** | **6.7** | **43** | **1** | **2** | **5** | **9** | **14** | **18** | **33** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 4 | 4.8 | 11 | <1 | <1 | 4 | 7 | 9 | 9 | 9 |
| 50-64 | 44 | 3.3 | 12 | <1 | 1 | 2 | 3 | 6 | 11 | 20 |
| 65+ | 89 | 3.8 | 13 | <1 | 1 | 3 | 4 | 8 | 11 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 6.3 | 27 | <1 | 1 | 6 | 8 | 13 | 18 | 20 |
| 20-34 | 24 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 35-49 | 231 | 4.7 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| 50-64 | 3024 | 6.3 | 13 | 2 | 2 | 6 | 8 | 10 | 13 | 17 |
| 65+ | 4734 | 7.7 | 18 | 2 | 3 | 7 | 9 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 26 | 1 | 1 | 4 | 9 | 13 | 13 | 13 |
| 20-34 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 22 | 4.9 | 11 | 1 | 1 | 4 | 7 | 9 | 12 | 15 |
| 50-64 | 231 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 690 | 6.6 | 35 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 8.1 | 49 | 1 | 2 | 6 | 10 | 20 | 22 | 23 |
| 20-34 | 40 | 5.9 | 38 | 1 | 2 | 4 | 7 | 14 | 18 | 32 |
| 35-49 | 364 | 6.1 | 18 | 1 | 2 | 5 | 8 | 12 | 15 | 20 |
| 50-64 | 5050 | 8.1 | 30 | 2 | 2 | 7 | 10 | 14 | 18 | 29 |
| 65+ | 11796 | 10.6 | 51 | 3 | 4 | 9 | 13 | 19 | 24 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 3.7 | 12 | <1 | 1 | 3 | 4 | 8 | 11 | 20 |
| B. *Operated* | 8028 | 7.0 | 17 | 2 | 2 | 6 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 951 | 6.0 | 30 | 1 | 1 | 4 | 8 | 12 | 16 | 26 |
| B. *Operated* | 17263 | 9.8 | 46 | 2 | 3 | 8 | 12 | 18 | 22 | 36 |
| **1. SINGLE DX** | 8167 | 7.0 | 17 | 2 | 2 | 6 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | 18214 | 9.6 | 46 | 2 | 3 | 8 | 12 | 17 | 22 | 35 |
| **A. NOT OPERATED** | 1090 | 5.7 | 28 | 1 | 1 | 4 | 7 | 12 | 15 | 26 |
| **B. OPERATED** | 25291 | 8.9 | 38 | 2 | 3 | 8 | 11 | 16 | 20 | 32 |
| TOTAL 0-19 YRS | 33 | 6.8 | 34 | 1 | 1 | 6 | 8 | 17 | 20 | 23 |
| 20-34 | 69 | 4.9 | 25 | 1 | 2 | 3 | 6 | 10 | 14 | 30 |
| 35-49 | 621 | 5.5 | 18 | 1 | 1 | 4 | 8 | 11 | 14 | 19 |
| 50-64 | 8349 | 7.3 | 25 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 17309 | 9.6 | 44 | 2 | 3 | 8 | 12 | 17 | 22 | 35 |
| **GRAND TOTAL** | **26381** | **8.8** | **38** | **2** | **3** | **7** | **11** | **16** | **20** | **32** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 8 |
| 20-34 | 102 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 87 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 10 | 11 |
| 50-64 | 92 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 65+ | 46 | 4.6 | 6 | 1 | 2 | 4 | 6 | 9 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 228 | 2.8 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 294 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 253 | 3.6 | 10 | 1 | 1 | 2 | 5 | 7 | 9 | 18 |
| 65+ | 143 | 4.0 | 14 | 1 | 2 | 3 | 4 | 7 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 5.3 | 14 | 1 | 1 | 4 | 7 | 11 | 14 | 14 |
| 20-34 | 107 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 155 | 5.1 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 271 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| 65+ | 222 | 6.5 | 20 | 2 | 2 | 6 | 8 | 11 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 7 | 14 |
| 20-34 | 350 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 487 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 50-64 | 734 | 5.4 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| 65+ | 594 | 7.8 | 52 | 2 | 2 | 6 | 10 | 15 | 21 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| B. *Operated* | 952 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 780 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 2199 | 5.6 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| **1. SINGLE DX** | 1293 | 3.4 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 2979 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 1121 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 3151 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| TOTAL 0-19 YRS | 107 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 787 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 1023 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 1350 | 5.0 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 65+ | 1005 | 6.8 | 39 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| **GRAND TOTAL** | **4272** | **4.9** | **20** | **1** | **1** | **4** | **6** | **10** | **12** | **22** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 4 | 4.3 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 485 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 223 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 207 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 400 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 209 | 4.1 | 10 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 5 | 7.0 | 4 | 4 | 4 | 8 | 8 | 9 | 9 | 9 |
| 50-64 | 13 | 3.4 | 16 | 1 | 1 | 2 | 3 | 9 | 14 | 15 |
| 65+ | 16 | 4.7 | 13 | <1 | 1 | 4 | 6 | 9 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 421 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 114 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 154 | 4.2 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 385 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 367 | 6.6 | 25 | 2 | 3 | 5 | 8 | 13 | 16 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| B. *Operated* | 1524 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 2.9 | 9 | <1 | <1 | 1 | 4 | 7 | 9 | 15 |
| B. *Operated* | 1441 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 12 | 19 |
| **1. SINGLE DX** | 1557 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1513 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 105 | 2.6 | 7 | <1 | <1 | 1 | 3 | 6 | 8 | 15 |
| **B. OPERATED** | 2965 | 3.8 | 9 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 964 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 343 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 367 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 802 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 594 | 5.6 | 21 | 2 | 2 | 4 | 6 | 11 | 15 | 21 |
| **GRAND TOTAL** | 3070 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 434 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 216 | 5.2 | 7 | 1 | 2 | 5 | 6 | 9 | 9 | 12 |
| 50-64 | 140 | 6.1 | 12 | 2 | 3 | 6 | 7 | 10 | 12 | 18 |
| 65+ | 109 | 6.0 | 7 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 13 | 17 |
| 20-34 | 177 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 12 | 16 |
| 35-49 | 116 | 4.4 | 10 | 1 | 2 | 3 | 5 | 8 | 12 | 16 |
| 50-64 | 77 | 5.7 | 20 | 2 | 2 | 4 | 7 | 11 | 15 | 27 |
| 65+ | 53 | 8.7 | 61 | 2 | 3 | 6 | 11 | 19 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 5.1 | 8 | 2 | 2 | 5 | 6 | 9 | 9 | 16 |
| 20-34 | 192 | 5.1 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 35-49 | 144 | 5.9 | 11 | 2 | 3 | 5 | 7 | 10 | 12 | 20 |
| 50-64 | 208 | 7.1 | 20 | 3 | 3 | 6 | 9 | 13 | 15 | 25 |
| 65+ | 250 | 8.3 | 21 | 3 | 4 | 8 | 10 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 5.8 | 22 | 1 | 1 | 4 | 7 | 14 | 15 | 18 |
| 20-34 | 138 | 6.1 | 23 | 2 | 2 | 5 | 8 | 12 | 14 | 25 |
| 35-49 | 122 | 6.5 | 15 | 2 | 2 | 6 | 9 | 12 | 13 | 18 |
| 50-64 | 185 | 8.4 | 45 | 2 | 3 | 7 | 11 | 14 | 22 | 37 |
| 65+ | 188 | 10.1 | 46 | 3 | 3 | 8 | 13 | 19 | 22 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1127 | 4.9 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 494 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 863 | 6.7 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| B. *Operated* | 680 | 7.9 | 36 | 2 | 2 | 6 | 10 | 15 | 19 | 32 |
| **1. SINGLE DX** | 1621 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 1543 | 7.2 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| **A. NOT OPERATED** | 1990 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| **B. OPERATED** | 1174 | 6.7 | 31 | 2 | 2 | 5 | 9 | 14 | 18 | 29 |
| TOTAL 0-19 YRS | 415 | 4.3 | 9 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 941 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 598 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 50-64 | 610 | 7.1 | 28 | 2 | 3 | 6 | 9 | 13 | 16 | 30 |
| 65+ | 600 | 8.5 | 31 | 3 | 3 | 7 | 10 | 15 | 20 | 28 |
| **GRAND TOTAL** | 3164 | 6.0 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 5 |
| 20-34 | 28 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 13 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 65+ | 5 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1353 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 467 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 270 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 169 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 65+ | 98 | 2.4 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 9 | 3.3 | 18 | 1 | 1 | 2 | 3 | 10 | 14 | 14 |
| 35-49 | 20 | 3.8 | 11 | <1 | 1 | 2 | 5 | 9 | 12 | 13 |
| 50-64 | 24 | 3.5 | 9 | 1 | 1 | 3 | 4 | 5 | 9 | 16 |
| 65+ | 25 | 5.1 | 20 | 1 | 2 | 3 | 6 | 12 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 361 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 286 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 277 | 3.6 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 50-64 | 313 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 65+ | 261 | 5.8 | 35 | 2 | 2 | 3 | 7 | 12 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| B. *Operated* | 2357 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 3.1 | 10 | <1 | <1 | 2 | 3 | 6 | 11 | 16 |
| B. *Operated* | 1498 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **1. SINGLE DX** | 2505 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 1632 | 3.5 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **A. NOT OPERATED** | 282 | 2.4 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 15 |
| **B. OPERATED** | 3855 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| TOTAL 0-19 YRS | 1861 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 790 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 578 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 519 | 3.3 | 10 | 1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 389 | 4.8 | 27 | 1 | 2 | 3 | 5 | 11 | 16 | 26 |
| **GRAND TOTAL** | 4137 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 58 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 7 | 11 |
| 35-49 | 39 | 3.0 | 13 | <1 | <1 | 2 | 4 | 6 | 11 | 18 |
| 50-64 | 43 | 2.7 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 65+ | 29 | 3.8 | 18 | 1 | 1 | 2 | 4 | 7 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 808 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 746 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 440 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 474 | 3.8 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 150 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 20-34 | 73 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 15 | 18 |
| 35-49 | 62 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 12 | 20 |
| 50-64 | 83 | 5.4 | 53 | 1 | 1 | 3 | 6 | 13 | 15 | 45 |
| 65+ | 81 | 8.8 | 84 | 1 | 1 | 5 | 11 | 22 | 31 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 610 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 475 | 4.8 | 22 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| 50-64 | 712 | 5.4 | 25 | 1 | 2 | 4 | 7 | 10 | 12 | 26 |
| 65+ | 394 | 7.2 | 52 | 2 | 2 | 5 | 8 | 16 | 22 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 15 |
| B. *Operated* | 2618 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 365 | 5.3 | 41 | 1 | 1 | 3 | 6 | 12 | 16 | 33 |
| B. *Operated* | 2554 | 4.8 | 24 | 1 | 2 | 3 | 6 | 9 | 12 | 27 |
| **1. SINGLE DX** | 2862 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 2919 | 4.9 | 26 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| **A. NOT OPERATED** | 609 | 4.3 | 29 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| **B. OPERATED** | 5172 | 3.9 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 1312 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1487 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 1016 | 3.9 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 50-64 | 1312 | 4.8 | 21 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 654 | 6.5 | 48 | 1 | 2 | 4 | 8 | 14 | 21 | 35 |
| **GRAND TOTAL** | 5781 | 3.9 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.9 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 16 | 2.5 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 31 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 9 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 195 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 1525 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 3553 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1630 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 543 | 2.8 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 11 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 23 | 4.7 | 8 | <1 | 1 | 4 | 7 | 9 | 10 | 11 |
| 35-49 | 56 | 3.8 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 50-64 | 28 | 4.1 | 13 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| 65+ | 19 | 4.3 | 7 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 20-34 | 730 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 1954 | 3.6 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 1311 | 3.9 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 65+ | 618 | 4.5 | 12 | 2 | 2 | 3 | 6 | 8 | 10 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 7446 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 131 | 4.1 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| B. *Operated* | 4659 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| **1. SINGLE DX** | 7514 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 4790 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 199 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| **B. OPERATED** | 12105 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 253 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 2294 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 5594 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 2978 | 3.2 | 7 | 1 | 2 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 1185 | 3.7 | 8 | 2 | 2 | 3 | 4 | 7 | 9 | 15 |
| **GRAND TOTAL** | **12304** | **3.0** | **6** | **1** | **1** | **2** | **3** | **5** | **7** | **12** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 97 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 7 | 17 |
| 35-49 | 40 | 4.2 | 11 | <1 | 1 | 4 | 5 | 8 | 12 | 16 |
| 50-64 | 21 | 4.2 | 20 | <1 | 1 | 3 | 6 | 8 | 14 | 20 |
| 65+ | 14 | 4.1 | 10 | <1 | 1 | 4 | 5 | 7 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 535 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 1017 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 597 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 520 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 244 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.7 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 89 | 4.4 | 11 | <1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 75 | 5.6 | 41 | 1 | 1 | 4 | 7 | 11 | 13 | 42 |
| 50-64 | 65 | 6.5 | 62 | <1 | 1 | 4 | 7 | 14 | 19 | 48 |
| 65+ | 64 | 5.0 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 4.3 | 27 | 1 | 2 | 3 | 5 | 7 | 9 | 36 |
| 20-34 | 480 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 547 | 4.9 | 25 | 2 | 2 | 4 | 6 | 9 | 12 | 28 |
| 50-64 | 503 | 5.2 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 65+ | 347 | 5.6 | 30 | 2 | 2 | 4 | 7 | 11 | 16 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| B. *Operated* | 2913 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 319 | 5.1 | 30 | <1 | 1 | 4 | 6 | 10 | 13 | 27 |
| B. *Operated* | 1981 | 4.9 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| **1. SINGLE DX** | 3110 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 2300 | 4.9 | 23 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| **A. NOT OPERATED** | 516 | 4.6 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 4894 | 3.9 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 690 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 1683 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 1259 | 4.1 | 17 | 1 | 2 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 1109 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 669 | 4.6 | 20 | 1 | 2 | 3 | 5 | 9 | 13 | 26 |
| **GRAND TOTAL** | **5410** | **4.0** | **13** | **1** | **2** | **3** | **5** | **7** | **9** | **18** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 430 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 786 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 152 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 50-64 | 10 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 716 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 20-34 | 2277 | 4.7 | 8 | 1 | 1 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 501 | 6.6 | 12 | 2 | 3 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 80 | 7.6 | 14 | 2 | 3 | 7 | 9 | 12 | 14 | 24 |
| 65+ | 46 | 10.0 | 14 | 5 | 5 | 9 | 12 | 15 | 18 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 244 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 621 | 3.8 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 166 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 10 | 21 |
| 50-64 | 14 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 65+ | 15 | 5.7 | 10 | 1 | 2 | 5 | 8 | 10 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 668 | 5.5 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 4242 | 6.3 | 14 | 2 | 2 | 6 | 8 | 10 | 13 | 19 |
| 35-49 | 1733 | 7.9 | 27 | 2 | 3 | 7 | 9 | 12 | 16 | 26 |
| 50-64 | 241 | 9.6 | 31 | 4 | 6 | 8 | 11 | 14 | 19 | 31 |
| 65+ | 129 | 12.9 | 50 | 5 | 7 | 11 | 15 | 23 | 28 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1379 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 3620 | 5.1 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1060 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 7013 | 6.8 | 20 | 2 | 2 | 6 | 8 | 11 | 14 | 24 |
| **1. SINGLE DX** | 4999 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 8073 | 6.4 | 20 | 1 | 2 | 6 | 8 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 2439 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 10633 | 6.2 | 17 | 1 | 2 | 6 | 8 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 2058 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 7926 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 2552 | 7.1 | 24 | 2 | 2 | 6 | 8 | 11 | 15 | 24 |
| 50-64 | 345 | 8.7 | 28 | 2 | 4 | 8 | 10 | 13 | 17 | 28 |
| 65+ | 191 | 11.6 | 43 | 3 | 5 | 10 | 14 | 19 | 25 | 37 |
| **GRAND TOTAL** | 13072 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1347 | 4.5 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 3261 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 345 | 5.1 | 6 | 2 | 2 | 5 | 7 | 8 | 10 | 13 |
| 50-64 | 26 | 5.3 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| 65+ | 6 | 7.2 | 44 | <1 | <1 | 5 | 7 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 477 | 5.5 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 20-34 | 2196 | 5.2 | 12 | 1 | 1 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 432 | 6.4 | 17 | 1 | 2 | 6 | 8 | 11 | 13 | 20 |
| 50-64 | 74 | 6.7 | 40 | 1 | 2 | 5 | 8 | 14 | 20 | 32 |
| 65+ | 19 | 9.3 | 26 | 2 | 3 | 8 | 13 | 17 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 928 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 20-34 | 2586 | 5.8 | 11 | 2 | 3 | 5 | 7 | 10 | 11 | 16 |
| 35-49 | 439 | 6.4 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |
| 50-64 | 62 | 8.2 | 23 | 3 | 3 | 7 | 10 | 15 | 17 | 23 |
| 65+ | 37 | 8.0 | 23 | 2 | 3 | 7 | 11 | 15 | 18 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 781 | 7.1 | 20 | 2 | 2 | 6 | 9 | 13 | 15 | 20 |
| 20-34 | 6207 | 6.5 | 18 | 1 | 2 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 1698 | 8.2 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| 50-64 | 226 | 10.1 | 79 | 2 | 3 | 8 | 11 | 19 | 24 | 54 |
| 65+ | 65 | 17.7 | 177 | 3 | 5 | 12 | 26 | 33 | 38 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4985 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 3198 | 5.4 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4052 | 5.8 | 11 | 2 | 3 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 8977 | 7.0 | 25 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| **1. SINGLE DX** | 8183 | 5.0 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 13029 | 6.6 | 21 | 2 | 2 | 6 | 8 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 9037 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 15 |
| **B. OPERATED** | 12175 | 6.6 | 22 | 1 | 2 | 6 | 8 | 12 | 14 | 23 |
| TOTAL 0-19 YRS | 3533 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 20-34 | 14250 | 5.7 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 2914 | 7.3 | 23 | 2 | 2 | 7 | 9 | 12 | 16 | 26 |
| 50-64 | 388 | 8.8 | 61 | 2 | 2 | 7 | 11 | 16 | 21 | 41 |
| 65+ | 127 | 13.1 | 124 | 2 | 4 | 10 | 17 | 29 | 33 | 64 |
| **GRAND TOTAL** | 21212 | 6.0 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.6 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 106 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 43 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1912 | 4.6 | 8 | 1 | 1 | 5 | 7 | 8 | 9 | 12 |
| 35-49 | 833 | 6.4 | 7 | 1 | 2 | 7 | 8 | 9 | 10 | 14 |
| 50-64 | 93 | 6.1 | 10 | 1 | 1 | 7 | 8 | 9 | 10 | 16 |
| 65+ | 5 | 4.4 | 13 | 2 | 2 | 2 | 7 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.9 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 20-34 | 119 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 35-49 | 51 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 14 |
| 50-64 | 3 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 14 |
| 20-34 | 4740 | 6.1 | 13 | 1 | 2 | 6 | 8 | 9 | 11 | 18 |
| 35-49 | 4517 | 7.5 | 10 | 2 | 5 | 7 | 8 | 11 | 13 | 18 |
| 50-64 | 574 | 8.4 | 14 | 4 | 6 | 8 | 9 | 12 | 15 | 23 |
| 65+ | 55 | 9.3 | 41 | 2 | 4 | 8 | 10 | 20 | 22 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 169 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | 2949 | 5.1 | 9 | 1 | 1 | 6 | 7 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 184 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| B. *Operated* | 10023 | 6.9 | 12 | 2 | 2 | 7 | 8 | 10 | 12 | 19 |
| **1. SINGLE DX** | 3118 | 5.0 | 9 | 1 | 1 | 5 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 10207 | 6.8 | 12 | 2 | 2 | 7 | 8 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 353 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| **B. OPERATED** | 12972 | 6.5 | 12 | 1 | 2 | 7 | 8 | 10 | 12 | 18 |
| TOTAL 0-19 YRS | 272 | 3.9 | 8 | 1 | 1 | 3 | 6 | 7 | 9 | 13 |
| 20-34 | 6877 | 5.6 | 12 | 1 | 2 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 5444 | 7.3 | 10 | 2 | 4 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 671 | 8.1 | 14 | 2 | 5 | 8 | 9 | 11 | 15 | 23 |
| 65+ | 61 | 8.8 | 39 | 2 | 2 | 8 | 9 | 18 | 22 | 34 |
| **GRAND TOTAL** | 13325 | 6.4 | 12 | 1 | 2 | 6 | 8 | 10 | 12 | 17 |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 13 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 35-49 | 3 | 3.7 | 21 | <1 | <1 | 1 | 7 | 9 | 9 | 9 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 415 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 246 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 113 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 65+ | 24 | 4.2 | 10 | 2 | 2 | 3 | 5 | 9 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 10 |
| 20-34 | 43 | 4.4 | 8 | <1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 13 | 5.3 | 14 | 1 | 1 | 5 | 7 | 11 | 13 | 14 |
| 50-64 | 4 | 8.0 | 7 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| 65+ | 4 | 6.5 | 15 | <1 | <1 | 7 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 1431 | 4.5 | 14 | 1 | 1 | 3 | 7 | 9 | 11 | 17 |
| 35-49 | 1164 | 5.4 | 13 | 1 | 2 | 5 | 8 | 9 | 11 | 17 |
| 50-64 | 357 | 5.3 | 36 | 1 | 2 | 4 | 8 | 10 | 12 | 21 |
| 65+ | 131 | 6.7 | 48 | 2 | 2 | 4 | 8 | 14 | 20 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.1 | 6 | <1 | <1 | 2 | 5 | 7 | 8 | 9 |
| B. *Operated* | 822 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 4.9 | 10 | 1 | 1 | 5 | 7 | 9 | 10 | 14 |
| B. *Operated* | 3146 | 5.0 | 18 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| **1. SINGLE DX** | 842 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 3223 | 5.0 | 17 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 97 | 4.5 | 9 | <1 | 1 | 4 | 6 | 9 | 10 | 14 |
| **B. OPERATED** | 3968 | 4.5 | 16 | 1 | 1 | 3 | 7 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 103 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 1902 | 4.1 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 1426 | 4.9 | 12 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| 50-64 | 475 | 4.7 | 30 | 1 | 1 | 3 | 7 | 10 | 11 | 18 |
| 65+ | 159 | 6.3 | 42 | 2 | 2 | 4 | 8 | 13 | 17 | 36 |
| **GRAND TOTAL** | 4065 | 4.5 | 15 | 1 | 1 | 3 | 7 | 9 | 11 | 17 |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 235 | 3.9 | 9 | 1 | 1 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 50 | 4.6 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 19 |
| 50-64 | 16 | 5.1 | 16 | <1 | <1 | 5 | 7 | 10 | 13 | 15 |
| 65+ | 7 | 6.7 | 15 | 2 | 2 | 6 | 8 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 1126 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 476 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 185 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 49 | 3.2 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 4.8 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 318 | 5.2 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 20 |
| 35-49 | 91 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 51 | 7.0 | 18 | 2 | 3 | 6 | 9 | 11 | 13 | 26 |
| 65+ | 51 | 8.3 | 18 | 2 | 3 | 8 | 11 | 14 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 869 | 4.5 | 26 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 35-49 | 523 | 4.5 | 12 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 50-64 | 181 | 5.6 | 35 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| 65+ | 84 | 7.9 | 79 | 1 | 2 | 5 | 10 | 20 | 25 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 387 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 15 |
| B. *Operated* | 1988 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 627 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| B. *Operated* | 1788 | 4.7 | 24 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **1. SINGLE DX** | 2375 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 2415 | 4.9 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 1014 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 3776 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 478 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 2548 | 3.7 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 1140 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 433 | 4.4 | 21 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 65+ | 191 | 6.8 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 32 |
| **GRAND TOTAL** | 4790 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 13 | 4.1 | 22 | 1 | 1 | 2 | 5 | 11 | 16 | 17 |
| 50-64 | 13 | 2.5 | 9 | <1 | <1 | 1 | 3 | 7 | 10 | 11 |
| 65+ | 9 | 4.7 | 15 | 1 | 1 | 4 | 5 | 11 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.8 | 6 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 569 | 6.2 | 6 | 1 | 3 | 6 | 7 | 9 | 10 | 14 |
| 35-49 | 1042 | 7.5 | 9 | 3 | 4 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 1393 | 8.0 | 9 | 4 | 5 | 7 | 9 | 12 | 13 | 18 |
| 65+ | 1065 | 8.5 | 13 | 4 | 5 | 8 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 29 | 3.6 | 13 | 1 | 1 | 2 | 5 | 9 | 10 | 14 |
| 35-49 | 78 | 3.9 | 12 | <1 | 1 | 3 | 5 | 7 | 11 | 19 |
| 50-64 | 96 | 4.9 | 21 | <1 | 1 | 4 | 7 | 9 | 11 | 26 |
| 65+ | 139 | 6.2 | 52 | 1 | 1 | 4 | 7 | 12 | 17 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 7.3 | 14 | 1 | 3 | 7 | 9 | 12 | 14 | 16 |
| 20-34 | 2221 | 7.3 | 10 | 3 | 4 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 4077 | 8.5 | 13 | 5 | 5 | 8 | 10 | 12 | 15 | 22 |
| 50-64 | 3741 | 9.2 | 14 | 5 | 6 | 8 | 11 | 14 | 16 | 22 |
| 65+ | 2750 | 10.3 | 27 | 5 | 6 | 9 | 12 | 16 | 19 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 3.5 | 13 | <1 | <1 | 2 | 5 | 7 | 12 | 17 |
| B. *Operated* | 4083 | 7.7 | 10 | 4 | 5 | 7 | 9 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 343 | 5.0 | 32 | 1 | 1 | 4 | 6 | 10 | 13 | 27 |
| B. *Operated* | 12807 | 8.9 | 17 | 4 | 5 | 8 | 10 | 13 | 16 | 23 |
| **1. SINGLE DX** | 4125 | 7.7 | 10 | 4 | 4 | 7 | 9 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | 13150 | 8.8 | 17 | 4 | 5 | 8 | 10 | 13 | 16 | 23 |
| **A. NOT OPERATED** | 385 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| **B. OPERATED** | 16890 | 8.6 | 15 | 4 | 5 | 8 | 10 | 13 | 15 | 23 |
| TOTAL 0-19 YRS | 34 | 6.3 | 12 | 1 | 2 | 6 | 8 | 10 | 12 | 16 |
| 20-34 | 2825 | 7.0 | 9 | 2 | 4 | 7 | 8 | 10 | 12 | 17 |
| 35-49 | 5210 | 8.2 | 12 | 4 | 5 | 8 | 9 | 12 | 14 | 21 |
| 50-64 | 5243 | 8.8 | 14 | 4 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 3963 | 9.7 | 25 | 4 | 5 | 9 | 11 | 15 | 18 | 28 |
| **GRAND TOTAL** | 17275 | 8.5 | 16 | 4 | 5 | 8 | 10 | 13 | 15 | 23 |

### 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 16 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 8 | 10 |
| 35-49 | 6 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 262 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 248 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 6 | 8 |
| 50-64 | 45 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 6 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.1 | 2 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 27 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 14 | 1.9 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 50-64 | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.1 | 8 | <1 | <1 | 2 | 4 | 5 | 9 | 14 |
| 20-34 | 392 | 3.7 | 10 | <1 | 1 | 2 | 6 | 8 | 8 | 17 |
| 35-49 | 469 | 4.2 | 12 | <1 | 1 | 2 | 6 | 9 | 10 | 16 |
| 50-64 | 68 | 3.5 | 9 | <1 | 1 | 2 | 5 | 8 | 9 | 13 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 581 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 7 |
| B. *Operated* | 951 | 3.9 | 11 | <1 | 1 | 2 | 6 | 8 | 10 | 16 |
| **1. SINGLE DX** | 613 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | 1005 | 3.9 | 11 | <1 | 1 | 2 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 86 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 1532 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 66 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 697 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| 35-49 | 737 | 3.4 | 10 | <1 | 1 | 2 | 5 | 8 | 9 | 14 |
| 50-64 | 118 | 2.9 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 12 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1618** | **3.2** | **9** | **<1** | **1** | **2** | **4** | **7** | **9** | **14** |

### 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 522 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 135 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 50-64 | 25 | 2.4 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 605 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 6147 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 8 |
| 35-49 | 5062 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 7 | 9 |
| 50-64 | 655 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 6 | 11 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 3.8 | 10 | 1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 20-34 | 591 | 3.5 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 303 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 42 | 3.0 | 5 | 1 | 1 | 2 | 5 | 6 | 7 | 10 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 563 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 8841 | 4.1 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 35-49 | 10012 | 4.7 | 12 | 1 | 1 | 3 | 7 | 9 | 10 | 16 |
| 50-64 | 1355 | 4.6 | 19 | 1 | 1 | 2 | 7 | 9 | 12 | 19 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 899 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 12469 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1164 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 20771 | 4.4 | 13 | 1 | 1 | 3 | 7 | 9 | 10 | 16 |
| **1. SINGLE DX** | 13368 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 21935 | 4.4 | 12 | 1 | 1 | 3 | 7 | 9 | 10 | 16 |
| **A. NOT OPERATED** | 2063 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **B. OPERATED** | 33240 | 3.6 | 10 | <1 | 1 | 2 | 5 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 1613 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 16101 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 35-49 | 15512 | 3.8 | 10 | <1 | 1 | 2 | 6 | 8 | 10 | 14 |
| 50-64 | 2077 | 3.8 | 15 | <1 | 1 | 2 | 6 | 9 | 10 | 18 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **35303** | **3.6** | **10** | **<1** | **1** | **2** | **5** | **8** | **9** | **14** |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | 19 | 2.7 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 8 |
| 50-64 | 29 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 65+ | 11 | 3.0 | 4 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 12 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 8 |
| 35-49 | 393 | 2.1 | 11 | <1 | 1 | 2 | 2 | 3 | 3 | 10 |
| 50-64 | 1497 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 65+ | 407 | 2.3 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.0 | 8 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 35-49 | 64 | 4.3 | 11 | <1 | 1 | 3 | 6 | 9 | 12 | 15 |
| 50-64 | 72 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 65+ | 89 | 5.4 | 20 | 1 | 1 | 4 | 8 | 10 | 13 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 5.1 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 10 |
| 35-49 | 497 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 50-64 | 2164 | 3.5 | 13 | 1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 65+ | 924 | 4.5 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 2.9 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 10 |
| B. *Operated* | 2310 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 17 |
| B. *Operated* | 3601 | 3.8 | 14 | 1 | 1 | 2 | 4 | 9 | 11 | 18 |
| **1. SINGLE DX** | 2371 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 3831 | 3.8 | 14 | 1 | 1 | 2 | 5 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 291 | 4.3 | 13 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| **B. OPERATED** | 5911 | 3.1 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 35 | 4.1 | 9 | <1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 35-49 | 973 | 2.9 | 12 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 50-64 | 3762 | 2.9 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 65+ | 1431 | 3.9 | 16 | 1 | 1 | 2 | 4 | 9 | 11 | 20 |
| **GRAND TOTAL** | 6202 | 3.1 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 2.6 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 191 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 59 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 23 | 3.0 | 3 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 12 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 20-34 | 2731 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 1844 | 3.1 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 50-64 | 1173 | 2.9 | 8 | <1 | 1 | 2 | 3 | 7 | 8 | 14 |
| 65+ | 361 | 3.5 | 17 | 1 | 1 | 2 | 3 | 7 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 234 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 35-49 | 119 | 4.4 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| 50-64 | 76 | 5.2 | 26 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| 65+ | 122 | 6.2 | 36 | 1 | 2 | 4 | 7 | 14 | 16 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 4.1 | 9 | 1 | 1 | 3 | 6 | 7 | 10 | 15 |
| 20-34 | 3516 | 4.5 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 35-49 | 4149 | 5.3 | 17 | 1 | 1 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 2778 | 5.4 | 22 | 1 | 1 | 4 | 8 | 10 | 14 | 25 |
| 65+ | 1058 | 7.6 | 70 | 1 | 2 | 4 | 10 | 17 | 24 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 6 | 12 |
| B. *Operated* | 6376 | 3.1 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 607 | 4.3 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| B. *Operated* | 11768 | 5.2 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| **1. SINGLE DX** | 6723 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 12375 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 954 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **B. OPERATED** | 18144 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| TOTAL 0-19 YRS | 652 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 6672 | 3.8 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 35-49 | 6171 | 4.6 | 15 | 1 | 1 | 3 | 7 | 9 | 11 | 17 |
| 50-64 | 4050 | 4.7 | 19 | 1 | 1 | 3 | 7 | 9 | 12 | 22 |
| 65+ | 1553 | 6.5 | 56 | 1 | 2 | 4 | 8 | 15 | 21 | 41 |
| **GRAND TOTAL** | 19098 | 4.4 | 18 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |

### 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 344 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 451 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 69 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 50-64 | 13 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| 65+ | 10 | 6.7 | 43 | 1 | 1 | 4 | 10 | 16 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2251 | 3.2 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 11 |
| 35-49 | 911 | 6.7 | 14 | 1 | 1 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 606 | 8.5 | 12 | 2 | 5 | 8 | 10 | 12 | 15 | 20 |
| 65+ | 219 | 9.7 | 23 | 2 | 5 | 9 | 11 | 15 | 18 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 244 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 575 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 153 | 4.0 | 12 | 1 | 1 | 3 | 5 | 9 | 10 | 17 |
| 50-64 | 69 | 5.0 | 14 | 1 | 1 | 4 | 7 | 11 | 13 | 14 |
| 65+ | 56 | 7.3 | 31 | 1 | 2 | 6 | 9 | 13 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 4432 | 4.7 | 11 | 1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 35-49 | 2391 | 7.5 | 16 | 1 | 2 | 7 | 9 | 12 | 14 | 20 |
| 50-64 | 1100 | 9.9 | 33 | 3 | 5 | 9 | 12 | 16 | 20 | 29 |
| 65+ | 511 | 11.0 | 35 | 2 | 4 | 10 | 14 | 18 | 22 | 32 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 887 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 4248 | 5.0 | 15 | <1 | 1 | 4 | 8 | 10 | 12 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1097 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| B. *Operated* | 8684 | 6.5 | 21 | 1 | 2 | 6 | 9 | 12 | 14 | 22 |
| 1. SINGLE DX | 5135 | 4.6 | 14 | <1 | 1 | 3 | 7 | 9 | 11 | 17 |
| 2. MULTIPLE DX | 9781 | 6.2 | 21 | 1 | 1 | 6 | 8 | 11 | 14 | 21 |
| A. NOT OPERATED | 1984 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| B. OPERATED | 12932 | 6.0 | 20 | 1 | 1 | 6 | 8 | 11 | 14 | 20 |
| TOTAL 0-19 YRS | 1099 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 7709 | 4.0 | 10 | <1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 35-49 | 3524 | 7.1 | 16 | 1 | 2 | 7 | 9 | 12 | 14 | 20 |
| 50-64 | 1788 | 9.2 | 26 | 2 | 4 | 9 | 11 | 15 | 18 | 26 |
| 65+ | 796 | 10.3 | 33 | 2 | 4 | 9 | 13 | 17 | 21 | 31 |
| GRAND TOTAL | 14916 | 5.6 | 19 | 1 | 1 | 5 | 8 | 11 | 13 | 20 |

### 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 38 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 5.6 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 14 |
| 20-34 | 1946 | 5.6 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 139 | 6.0 | 3 | 3 | 4 | 6 | 7 | 8 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 24 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 6.6 | 13 | 3 | 4 | 6 | 7 | 10 | 12 | 25 |
| 20-34 | 1650 | 6.2 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 185 | 7.2 | 12 | 3 | 4 | 6 | 8 | 12 | 15 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 50 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | 2248 | 5.6 | 3 | 3 | 4 | 5 | 6 | 7 | 9 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 28 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 1925 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 11 | 16 |
| 1. SINGLE DX | 2298 | 5.5 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 2. MULTIPLE DX | 1953 | 6.3 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| A. NOT OPERATED | 78 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| B. OPERATED | 4173 | 5.9 | 5 | 3 | 4 | 6 | 7 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 265 | 5.8 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 20-34 | 3658 | 5.8 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 328 | 6.6 | 9 | 3 | 4 | 6 | 7 | 9 | 14 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4251 | 5.9 | 5 | 3 | 4 | 6 | 7 | 8 | 9 | 14 |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 97 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2045 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 4044 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 286 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 28 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 35-49 | 11 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 195 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 1207 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 35-49 | 301 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 6375 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| B. *Operated* | 1803 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| **1. SINGLE DX** | 6552 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | 1851 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| **A. NOT OPERATED** | 225 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 8178 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 2425 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 5376 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 602 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 8403 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 5.6 | 28 | 1 | 1 | 4 | 7 | 14 | 16 | 16 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 5 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 8 | 5.9 | 24 | 1 | 1 | 5 | 8 | 14 | 16 | 16 |
| **1. SINGLE DX** | 6 | 2.5 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | 10 | 5.2 | 21 | 1 | 1 | 4 | 8 | 12 | 16 | 16 |
| **A. NOT OPERATED** | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| **B. OPERATED** | 13 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 15 | 16 |
| TOTAL 0-19 YRS | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 12 | 4.3 | 18 | 1 | 1 | 3 | 5 | 10 | 15 | 16 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 16 | 4.2 | 15 | <1 | 1 | 3 | 5 | 8 | 14 | 16 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 382 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 1397 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 104 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2887 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 15426 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 1505 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 242 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 26 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 439 | 2.9 | 8 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 20-34 | 2357 | 2.7 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 478 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1883 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 19818 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 3274 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **1. SINGLE DX** | 21701 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 3615 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **A. NOT OPERATED** | 2224 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 23092 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 3781 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 19422 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 2113 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 25316 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 6 | 20 |
| 20-34 | 274 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 25 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 262 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 2151 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 189 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.4 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 8 |
| 20-34 | 100 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 7 | 20 |
| 35-49 | 6 | 3.3 | 8 | 1 | 1 | 2 | 3 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 612 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 75 | 4.2 | 27 | <1 | 1 | 3 | 5 | 8 | 10 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 378 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2602 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 3.6 | 9 | <1 | 1 | 3 | 5 | 6 | 8 | 17 |
| B. *Operated* | 768 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **1. SINGLE DX** | 2980 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 902 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 512 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 6 | 10 |
| **B. OPERATED** | 3370 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| TOTAL 0-19 YRS | 450 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 3137 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 295 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 3882 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 481 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 2013 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 148 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 47 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| 35-49 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 562 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 39 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.6 | 34 | 1 | 1 | 3 | 8 | 15 | 17 | 17 |
| 20-34 | 47 | 4.9 | 50 | 1 | 1 | 3 | 5 | 8 | 13 | 47 |
| 35-49 | 5 | 6.6 | 11 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3442 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 60 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 723 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | 60 | 5.1 | 44 | 1 | 1 | 4 | 6 | 10 | 15 | 44 |
| **1. SINGLE DX** | 3502 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 783 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 4165 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 120 | 4.1 | 24 | 1 | 1 | 3 | 5 | 7 | 10 | 27 |
| TOTAL 0-19 YRS | 622 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 3469 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 194 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4285** | **2.9** | **4** | **1** | **1** | **2** | **4** | **5** | **6** | **10** |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 157 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 5 | 4.8 | 19 | 1 | 1 | 4 | 7 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.1 | 11 | 1 | 1 | 4 | 5 | 10 | 11 | 11 |
| 20-34 | 37 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 35-49 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 3.0 | 9 | 1 | 1 | 2 | 2 | 8 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | 10 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | 8 | 2.8 | 7 | 1 | 1 | 2 | 3 | 7 | 9 | 9 |
| **1. SINGLE DX** | 195 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 55 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| **A. NOT OPERATED** | 232 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 11 |
| **B. OPERATED** | 18 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| TOTAL 0-19 YRS | 32 | 2.3 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 208 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 35-49 | 10 | 4.0 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **250** | **2.5** | **4** | **<1** | **1** | **2** | **3** | **5** | **7** | **11** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 343 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1667 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 118 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 4.2 | 5 | 1 | 2 | 3 | 6 | 7 | 8 | 10 |
| 20-34 | 147 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 35-49 | 8 | 3.9 | 4 | 1 | 2 | 4 | 4 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 4.7 | 11 | <1 | 1 | 4 | 6 | 9 | 13 | 16 |
| 20-34 | 471 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 43 | 4.5 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.5 | 27 | 1 | 1 | 4 | 7 | 13 | 19 | 20 |
| 20-34 | 110 | 4.7 | 20 | <1 | <1 | 3 | 6 | 12 | 14 | 21 |
| 35-49 | 7 | 4.9 | 40 | <1 | <1 | 3 | 4 | 16 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2128 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 186 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 602 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 137 | 4.8 | 22 | <1 | <1 | 4 | 6 | 12 | 16 | 20 |
| **1. SINGLE DX** | 2314 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 739 | 4.3 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 2730 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| **B. OPERATED** | 323 | 4.2 | 14 | <1 | 1 | 3 | 6 | 8 | 12 | 19 |
| TOTAL 0-19 YRS | 482 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 2395 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 176 | 3.8 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 3053 | 3.8 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 530 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 2007 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 44 | 4.5 | 10 | 1 | 2 | 4 | 5 | 7 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 769 | 4.5 | 15 | 1 | 2 | 4 | 5 | 8 | 10 | 22 |
| 35-49 | 19 | 5.6 | 18 | 2 | 2 | 4 | 7 | 13 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 17 | 6.5 | 28 | 2 | 3 | 5 | 8 | 11 | 20 | 24 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2581 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 11 | 3.2 | 6 | 1 | 1 | 3 | 3 | 6 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 996 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| B. *Operated* | 21 | 6.2 | 23 | 2 | 3 | 5 | 7 | 10 | 17 | 24 |
| **1. SINGLE DX** | 2592 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 1017 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |
| **A. NOT OPERATED** | 3577 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 32 | 5.2 | 19 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 743 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 2801 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 65 | 4.9 | 13 | 2 | 2 | 4 | 5 | 9 | 13 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 3609 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3348 | 1.2 | 1 | <1 | <1 | 1 | 1 | 1 | 2 | 4 |
| 20-34 | 11831 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 502 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 854 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 34 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 13 |
| 20-34 | 942 | 1.9 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 35-49 | 43 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 153 | 2.5 | 26 | <1 | <1 | 1 | 2 | 4 | 7 | 16 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15681 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| B. *Operated* | 1096 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1252 | 1.9 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| B. *Operated* | 179 | 2.4 | 23 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| **1. SINGLE DX** | 16777 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | 1431 | 2.0 | 8 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| **A. NOT OPERATED** | 16933 | 1.2 | 2 | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| **B. OPERATED** | 1275 | 1.4 | 4 | <1 | <1 | 1 | 1 | 2 | 4 | 7 |
| TOTAL 0-19 YRS | 3848 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 13780 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| 35-49 | 580 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 18208 | 1.2 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.6 | 16 | 1 | 1 | 3 | 4 | 6 | 14 | 21 |
| 20-34 | 730 | 3.8 | 24 | 1 | 1 | 3 | 4 | 7 | 11 | 21 |
| 35-49 | 49 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 12 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 52 | 1 | 1 | 5 | 12 | 15 | 15 | 15 |
| 20-34 | 58 | 6.5 | 109 | <1 | 1 | 3 | 5 | 14 | 27 | 63 |
| 35-49 | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 20-34 | 181 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 35-49 | 16 | 7.2 | 64 | 1 | 1 | 4 | 10 | 15 | 27 | 32 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 23 | 5.9 | 39 | <1 | 1 | 4 | 8 | 10 | 19 | 31 |
| 35-49 | 3 | 6.7 | 32 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 872 | 3.8 | 22 | 1 | 1 | 3 | 4 | 7 | 11 | 21 |
| B. *Operated* | 63 | 6.4 | 103 | <1 | 1 | 3 | 6 | 14 | 25 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 226 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 12 | 26 |
| B. *Operated* | 28 | 6.1 | 35 | 1 | 1 | 5 | 8 | 11 | 19 | 31 |
| **1. SINGLE DX** | 935 | 4.0 | 28 | 1 | 1 | 3 | 4 | 7 | 13 | 23 |
| **2. MULTIPLE DX** | 254 | 4.9 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 31 |
| **A. NOT OPERATED** | 1098 | 4.0 | 22 | 1 | 1 | 3 | 5 | 7 | 12 | 22 |
| **B. OPERATED** | 91 | 6.4 | 81 | <1 | 1 | 4 | 7 | 13 | 23 | 63 |
| TOTAL 0-19 YRS | 127 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 12 | 20 |
| 20-34 | 992 | 4.2 | 29 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 70 | 4.8 | 26 | 1 | 1 | 4 | 5 | 12 | 15 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1189 | 4.2 | 27 | 1 | 1 | 3 | 5 | 8 | 13 | 24 |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARIANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 887 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 49 | 3.0 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 88 | 2.6 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 21 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 2.7 | 7 | <1 | <1 | 1 | 4 | 5 | 10 | 11 |
| 20-34 | 241 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 18 | 2.7 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.4 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 29 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 8 | 15 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1147 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | 107 | 2.4 | 9 | <1 | <1 | 1 | 3 | 5 | 6 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| B. *Operated* | 38 | 3.1 | 8 | <1 | <1 | 2 | 4 | 7 | 8 | 15 |
| **1. SINGLE DX** | 1254 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 355 | 2.8 | 7 | <1 | <1 | 2 | 4 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 1464 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **B. OPERATED** | 145 | 2.6 | 9 | <1 | <1 | 1 | 3 | 5 | 7 | 19 |
| TOTAL 0-19 YRS | 294 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1245 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 70 | 2.8 | 8 | 1 | 1 | 2 | 3 | 6 | 6 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1609 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARIANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 360 | 3.3 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 774 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 16 | 3.4 | 6 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.4 | 6 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 20-34 | 46 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 6 | 10 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 481 | 3.8 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 882 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 21 | 4.0 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.6 | 26 | <1 | 1 | 4 | 8 | 13 | 15 | 22 |
| 20-34 | 83 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 14 |
| 35-49 | 2 | 11.5 | 145 | 3 | 3 | 11 | 20 | 20 | 20 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1150 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 69 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1384 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 120 | 4.8 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| **1. SINGLE DX** | 1219 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1504 | 3.9 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 2534 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 10 |
| **B. OPERATED** | 189 | 4.1 | 12 | <1 | <1 | 3 | 6 | 8 | 11 | 18 |
| TOTAL 0-19 YRS | 898 | 3.7 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 1785 | 3.5 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 40 | 4.1 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2723 | 3.6 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 3.7 | 18 | <1 | 1 | 3 | 4 | 6 | 9 | 25 |
| 20-34 | 674 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 35-49 | 49 | 4.4 | 13 | <1 | 2 | 4 | 5 | 8 | 9 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.9 | 15 | <1 | <1 | 2 | 5 | 11 | 12 | 12 |
| 20-34 | 59 | 4.3 | 22 | <1 | 1 | 3 | 5 | 9 | 12 | 29 |
| 35-49 | 7 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 378 | 4.3 | 18 | <1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 20-34 | 1883 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 35-49 | 142 | 5.5 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.1 | 10 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 20-34 | 237 | 6.4 | 73 | <1 | 1 | 4 | 7 | 14 | 20 | 44 |
| 35-49 | 20 | 8.2 | 67 | <1 | <1 | 5 | 11 | 20 | 26 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 837 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 73 | 4.1 | 19 | <1 | <1 | 3 | 5 | 9 | 12 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2403 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 301 | 6.2 | 64 | <1 | 1 | 4 | 7 | 13 | 20 | 38 |
| **1. SINGLE DX** | 910 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 2704 | 4.6 | 20 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 3240 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 374 | 5.8 | 56 | <1 | 1 | 4 | 7 | 12 | 17 | 34 |
| TOTAL 0-19 YRS | 543 | 4.2 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 20-34 | 2853 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 35-49 | 218 | 5.4 | 23 | <1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 3614 | 4.5 | 20 | <1 | 1 | 3 | 6 | 9 | 11 | 22 |

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1053 | 2.5 | 10 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| 20-34 | 4025 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 151 | 3.3 | 13 | <1 | <1 | 2 | 4 | 7 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 3.0 | 14 | <1 | <1 | 2 | 3 | 6 | 7 | 24 |
| 20-34 | 2043 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 118 | 2.7 | 3 | <1 | <1 | 3 | 3 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 424 | 3.3 | 14 | <1 | <1 | 2 | 4 | 6 | 8 | 24 |
| 20-34 | 1819 | 3.5 | 17 | <1 | <1 | 2 | 4 | 7 | 9 | 20 |
| 35-49 | 99 | 4.9 | 25 | <1 | <1 | 3 | 6 | 13 | 17 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 3.9 | 13 | <1 | <1 | 3 | 6 | 9 | 11 | 17 |
| 20-34 | 791 | 3.6 | 20 | <1 | <1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 54 | 3.7 | 15 | <1 | <1 | 2 | 5 | 8 | 12 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5229 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 2411 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2342 | 3.5 | 17 | <1 | <1 | 2 | 4 | 7 | 9 | 20 |
| B. *Operated* | 968 | 3.7 | 19 | <1 | <1 | 3 | 5 | 7 | 10 | 18 |
| **1. SINGLE DX** | 7640 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 3310 | 3.6 | 17 | <1 | <1 | 3 | 4 | 7 | 9 | 20 |
| **A. NOT OPERATED** | 7571 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| **B. OPERATED** | 3379 | 3.1 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 1850 | 2.9 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| 20-34 | 8678 | 2.9 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 422 | 3.6 | 14 | <1 | <1 | 2 | 4 | 8 | 11 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 10950 | 2.9 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 430 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 5 | 10 |
| 35-49 | 18 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.7 | 14 | 2 | 3 | 4 | 4 | 7 | 12 | 21 |
| 20-34 | 271 | 4.8 | 11 | 2 | 3 | 4 | 6 | 7 | 9 | 24 |
| 35-49 | 17 | 6.2 | 21 | 2 | 3 | 5 | 6 | 12 | 18 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 3.7 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 709 | 3.8 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |
| 35-49 | 47 | 4.6 | 17 | 2 | 2 | 3 | 5 | 7 | 9 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 6.9 | 79 | 2 | 3 | 4 | 6 | 11 | 24 | 54 |
| 20-34 | 1459 | 7.1 | 67 | 2 | 3 | 5 | 7 | 13 | 22 | 49 |
| 35-49 | 134 | 8.0 | 48 | 3 | 3 | 6 | 9 | 16 | 24 | 36 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| B. *Operated* | 333 | 4.8 | 12 | 2 | 3 | 4 | 6 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 945 | 3.8 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |
| B. *Operated* | 1810 | 7.1 | 67 | 3 | 3 | 5 | 7 | 13 | 23 | 49 |
| **1. SINGLE DX** | 883 | 4.0 | 7 | 2 | 2 | 3 | 4 | 6 | 7 | 16 |
| **2. MULTIPLE DX** | 2755 | 6.0 | 48 | 2 | 3 | 4 | 6 | 10 | 17 | 39 |
| **A. NOT OPERATED** | 1495 | 3.7 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| **B. OPERATED** | 2143 | 6.8 | 59 | 2 | 3 | 4 | 7 | 12 | 21 | 45 |
| TOTAL 0-19 YRS | 553 | 5.0 | 37 | 2 | 3 | 4 | 4 | 7 | 11 | 37 |
| 20-34 | 2869 | 5.5 | 40 | 2 | 3 | 4 | 5 | 9 | 15 | 37 |
| 35-49 | 216 | 6.8 | 38 | 2 | 3 | 5 | 7 | 12 | 18 | 36 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3638** | **5.5** | **39** | **2** | **3** | **4** | **5** | **9** | **15** | **36** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11763 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 69619 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 2565 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2719 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 16069 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 630 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 519 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 2526 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 123 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 297 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 8898 | 4.0 | 2 | 2 | 3 | 4 | 5 | 5 | 6 | 8 |
| 35-49 | 862 | 4.3 | 3 | 3 | 3 | 4 | 5 | 6 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83947 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 19418 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3168 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 10057 | 4.0 | 2 | 2 | 3 | 4 | 5 | 5 | 6 | 8 |
| **1. SINGLE DX** | 103365 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 13225 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 87115 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 29475 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 15298 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 97112 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 4180 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **116590** | **3.3** | **1** | **2** | **2** | **3** | **4** | **5** | **5** | **6** |

### 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 79 | 3.9 | 12 | 2 | 2 | 3 | 4 | 6 | 7 | 25 |
| 35-49 | 7 | 6.9 | 81 | 2 | 2 | 4 | 6 | 23 | 27 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.3 | 3 | 2 | 3 | 5 | 6 | 8 | 9 | 10 |
| 20-34 | 295 | 9.0 | 79 | 3 | 4 | 6 | 8 | 17 | 31 | 50 |
| 35-49 | 27 | 8.6 | 41 | 3 | 3 | 7 | 8 | 21 | 24 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.0 | 4 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 48 | 4.6 | 28 | 1 | 2 | 3 | 4 | 6 | 12 | 30 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 7.7 | 59 | 2 | 3 | 5 | 8 | 15 | 19 | 47 |
| 20-34 | 584 | 9.5 | 87 | 3 | 4 | 7 | 9 | 19 | 29 | 54 |
| 35-49 | 67 | 10.5 | 135 | 3 | 3 | 7 | 10 | 24 | 34 | 65 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 4.1 | 17 | 2 | 2 | 3 | 4 | 6 | 7 | 29 |
| B. *Operated* | 344 | 8.7 | 72 | 3 | 4 | 6 | 8 | 15 | 29 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 4.5 | 26 | 1 | 2 | 3 | 4 | 6 | 10 | 30 |
| B. *Operated* | 689 | 9.5 | 90 | 3 | 4 | 7 | 9 | 19 | 30 | 54 |
| **1. SINGLE DX** | 434 | 7.7 | 64 | 2 | 3 | 6 | 7 | 12 | 25 | 47 |
| **2. MULTIPLE DX** | 743 | 9.1 | 87 | 3 | 4 | 6 | 8 | 18 | 28 | 52 |
| **A. NOT OPERATED** | 144 | 4.3 | 20 | 1 | 2 | 3 | 4 | 6 | 8 | 30 |
| **B. OPERATED** | 1033 | 9.2 | 84 | 3 | 4 | 6 | 8 | 18 | 29 | 51 |
| TOTAL 0-19 YRS | 70 | 6.3 | 36 | 2 | 2 | 5 | 6 | 10 | 15 | 41 |
| 20-34 | 1006 | 8.7 | 79 | 3 | 3 | 6 | 8 | 17 | 28 | 50 |
| 35-49 | 101 | 9.7 | 106 | 3 | 3 | 7 | 9 | 23 | 29 | 59 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1177** | **8.6** | **79** | **3** | **3** | **6** | **8** | **16** | **27** | **50** |

### 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 323 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 13 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 4.7 | 5 | 2 | 3 | 4 | 6 | 7 | 7 | 15 |
| 20-34 | 357 | 4.7 | 4 | 2 | 2 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 25 | 5.9 | 24 | 2 | 2 | 5 | 6 | 7 | 14 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 215 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 13 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 14 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 5.2 | 9 | 2 | 2 | 5 | 6 | 8 | 10 | 17 |
| 20-34 | 927 | 5.6 | 18 | 2 | 3 | 5 | 6 | 8 | 10 | 24 |
| 35-49 | 72 | 6.0 | 9 | 2 | 3 | 6 | 7 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 393 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 465 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 288 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 1154 | 5.6 | 16 | 2 | 3 | 5 | 7 | 8 | 10 | 23 |
| **1. SINGLE DX** | 858 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1442 | 5.2 | 15 | 2 | 2 | 5 | 6 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 681 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| **B. OPERATED** | 1619 | 5.3 | 13 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 355 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 1822 | 4.8 | 12 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 123 | 5.4 | 12 | 2 | 2 | 5 | 7 | 8 | 10 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2300** | **4.7** | **11** | **2** | **2** | **4** | **6** | **7** | **9** | **16** |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 76 | 3.1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 3.1 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 1041 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 46 | 3.4 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 26 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 3.8 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 733 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 47 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 3.2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 1262 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 871 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| **1. SINGLE DX** | 1356 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | 902 | 4.0 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 125 | 3.2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| **B. OPERATED** | 2133 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 286 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1876 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 96 | 3.7 | 3 | 1 | 2 | 4 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2258** | **3.5** | **4** | **1** | **2** | **3** | **4** | **5** | **6** | **9** |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.3 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 299 | 3.3 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 12 | 3.9 | 1 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 194 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 6 | 3.5 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 141 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 7 |
| 35-49 | 7 | 3.4 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 3.9 | 1 | 3 | 3 | 4 | 5 | 5 | 6 | 8 |
| 20-34 | 301 | 4.2 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 21 | 4.7 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 367 | 3.3 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 230 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 175 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 7 |
| B. *Operated* | 365 | 4.2 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| **1. SINGLE DX** | 597 | 3.4 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | 540 | 4.0 | 4 | 2 | 3 | 4 | 4 | 5 | 7 | 10 |
| **A. NOT OPERATED** | 542 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| **B. OPERATED** | 595 | 3.9 | 4 | 2 | 2 | 4 | 4 | 5 | 7 | 10 |
| TOTAL 0-19 YRS | 156 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 935 | 3.7 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 46 | 4.1 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1137** | **3.7** | **3** | **2** | **2** | **4** | **4** | **5** | **6** | **8** |

## 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.5 | 2 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 192 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 6 | 10 |
| 35-49 | 9 | 3.8 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 148 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 9 | 19 |
| 35-49 | 12 | 5.5 | 7 | 3 | 3 | 5 | 6 | 10 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.5 | 44 | 1 | 1 | 3 | 4 | 6 | 9 | 38 |
| 20-34 | 192 | 4.6 | 13 | 2 | 2 | 4 | 5 | 7 | 9 | 23 |
| 35-49 | 13 | 4.5 | 2 | 3 | 3 | 5 | 5 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 6.1 | 27 | 2 | 2 | 5 | 7 | 10 | 12 | 35 |
| 20-34 | 1144 | 6.3 | 24 | 3 | 3 | 5 | 7 | 9 | 12 | 31 |
| 35-49 | 63 | 5.1 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 6 | 10 |
| B. *Operated* | 173 | 5.2 | 7 | 3 | 3 | 5 | 6 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 4.6 | 16 | 2 | 2 | 4 | 5 | 6 | 8 | 30 |
| B. *Operated* | 1295 | 6.3 | 23 | 3 | 3 | 5 | 7 | 9 | 12 | 31 |
| **1. SINGLE DX** | 387 | 4.6 | 6 | 2 | 3 | 4 | 5 | 6 | 7 | 15 |
| **2. MULTIPLE DX** | 1529 | 6.0 | 23 | 2 | 3 | 5 | 7 | 9 | 12 | 31 |
| **A. NOT OPERATED** | 448 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| **B. OPERATED** | 1468 | 6.1 | 22 | 3 | 3 | 5 | 7 | 9 | 12 | 30 |
| TOTAL 0-19 YRS | 143 | 5.5 | 26 | 2 | 2 | 4 | 6 | 8 | 11 | 38 |
| 20-34 | 1676 | 5.8 | 20 | 2 | 3 | 5 | 6 | 8 | 11 | 29 |
| 35-49 | 97 | 4.9 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1916** | **5.7** | **20** | **2** | **3** | **5** | **6** | **8** | **11** | **29** |

## 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 454 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 27 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 384 | 5.2 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 20-34 | 2628 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 35-49 | 77 | 4.9 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.3 | 4 | 2 | 2 | 3 | 3 | 5 | 7 | 11 |
| 20-34 | 184 | 3.7 | 6 | 2 | 2 | 3 | 4 | 6 | 6 | 9 |
| 35-49 | 11 | 5.1 | 31 | 1 | 1 | 3 | 6 | 12 | 20 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 432 | 5.9 | 11 | 3 | 3 | 6 | 7 | 8 | 9 | 18 |
| 20-34 | 3112 | 5.7 | 6 | 3 | 3 | 6 | 6 | 8 | 9 | 14 |
| 35-49 | 241 | 6.3 | 16 | 2 | 3 | 6 | 7 | 9 | 13 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 532 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 3089 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 221 | 3.7 | 7 | 2 | 2 | 3 | 4 | 6 | 6 | 14 |
| B. *Operated* | 3785 | 5.7 | 7 | 3 | 3 | 6 | 7 | 8 | 9 | 15 |
| **1. SINGLE DX** | 3621 | 4.9 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 4006 | 5.6 | 8 | 3 | 3 | 5 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 753 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| **B. OPERATED** | 6874 | 5.5 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 893 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 6378 | 5.2 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 356 | 5.7 | 13 | 2 | 3 | 5 | 7 | 8 | 12 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7627** | **5.3** | **5** | **2** | **3** | **5** | **6** | **7** | **8** | **12** |

### 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 634 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 26 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 278 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 1766 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 95 | 5.0 | 5 | 3 | 3 | 5 | 6 | 8 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.4 | 1 | 1 | 2 | 4 | 4 | 4 | 5 | 7 |
| 20-34 | 350 | 3.8 | 9 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 13 | 4.5 | 3 | 3 | 3 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 704 | 4.9 | 4 | 3 | 3 | 5 | 6 | 7 | 9 | 12 |
| 20-34 | 4366 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 305 | 5.4 | 4 | 3 | 3 | 5 | 7 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 736 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 2139 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 405 | 3.8 | 8 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 5375 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 2875 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 5780 | 4.9 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 1141 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 7514 | 4.8 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 1100 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 7116 | 4.6 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 439 | 5.2 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **8655** | **4.7** | **4** | **2** | **3** | **4** | **6** | **7** | **8** | **11** |

### 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 94 | 3.8 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 5 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 740 | 5.9 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 10 |
| 20-34 | 2930 | 6.0 | 4 | 4 | 5 | 6 | 7 | 7 | 8 | 10 |
| 35-49 | 72 | 6.1 | 2 | 4 | 4 | 6 | 7 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.3 | 15 | 3 | 3 | 4 | 5 | 12 | 13 | 13 |
| 20-34 | 45 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 9 |
| 35-49 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1319 | 6.6 | 6 | 4 | 5 | 6 | 7 | 9 | 11 | 14 |
| 20-34 | 5931 | 6.4 | 5 | 4 | 5 | 6 | 7 | 8 | 9 | 14 |
| 35-49 | 244 | 6.8 | 3 | 4 | 5 | 7 | 8 | 9 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 3742 | 6.0 | 3 | 4 | 5 | 6 | 7 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 7494 | 6.4 | 5 | 4 | 5 | 6 | 7 | 8 | 10 | 14 |
| **1. SINGLE DX** | 3855 | 5.9 | 3 | 4 | 4 | 6 | 7 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 7547 | 6.4 | 5 | 4 | 5 | 6 | 7 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 166 | 3.9 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| **B. OPERATED** | 11236 | 6.3 | 5 | 4 | 5 | 6 | 7 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 2079 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |
| 20-34 | 9000 | 6.2 | 5 | 4 | 5 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 323 | 6.6 | 3 | 4 | 5 | 6 | 7 | 9 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **11402** | **6.2** | **5** | **4** | **5** | **6** | **7** | **8** | **9** | **13** |

## 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 184 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 868 | 3.6 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 6 |
| 35-49 | 26 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 4.4 | 3 | 2 | 3 | 4 | 5 | 7 | 7 | 10 |
| 20-34 | 1324 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 9 |
| 35-49 | 57 | 4.8 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| 20-34 | 461 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 18 | 4.1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 554 | 5.3 | 8 | 3 | 3 | 5 | 6 | 8 | 9 | 16 |
| 20-34 | 3057 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 162 | 5.7 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1078 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 |
| B. *Operated* | 1617 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 570 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| B. *Operated* | 3773 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| **1. SINGLE DX** | 2695 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 4343 | 4.9 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 1648 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 5390 | 4.9 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 1065 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 5710 | 4.6 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 10 |
| 35-49 | 263 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7038** | **4.6** | **4** | **2** | **3** | **4** | **6** | **7** | **8** | **11** |

## 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 | 7 |
| 20-34 | 152 | 3.8 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 14 |
| 35-49 | 13 | 3.9 | 2 | 2 | 2 | 4 | 4 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 543 | 5.1 | 10 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 36 | 6.7 | 40 | 3 | 3 | 6 | 7 | 8 | 9 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 84 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 8 | 3.1 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 6.2 | 17 | 2 | 3 | 6 | 7 | 8 | 11 | 23 |
| 20-34 | 1275 | 6.1 | 19 | 3 | 3 | 6 | 7 | 8 | 10 | 17 |
| 35-49 | 96 | 6.8 | 16 | 3 | 3 | 6 | 7 | 10 | 13 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 3.7 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| B. *Operated* | 643 | 5.1 | 11 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 3.8 | 3 | 2 | 2 | 3 | 4 | 7 | 7 | 11 |
| B. *Operated* | 1508 | 6.1 | 19 | 3 | 3 | 6 | 7 | 8 | 10 | 20 |
| **1. SINGLE DX** | 828 | 4.8 | 10 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1616 | 6.0 | 18 | 3 | 3 | 6 | 7 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 293 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| **B. OPERATED** | 2151 | 5.8 | 17 | 3 | 3 | 6 | 7 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 237 | 5.3 | 13 | 2 | 2 | 5 | 6 | 8 | 10 | 16 |
| 20-34 | 2054 | 5.5 | 16 | 2 | 3 | 5 | 7 | 8 | 9 | 15 |
| 35-49 | 153 | 6.3 | 20 | 3 | 3 | 6 | 7 | 9 | 12 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2444** | **5.6** | **16** | **2** | **3** | **5** | **7** | **8** | **9** | **16** |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 74 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 5 | 3.8 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 549 | 5.9 | 2 | 4 | 4 | 6 | 7 | 7 | 8 | 11 |
| 20-34 | 8841 | 6.1 | 2 | 4 | 5 | 6 | 7 | 7 | 8 | 9 |
| 35-49 | 377 | 6.4 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 24 | 5.0 | 4 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 6.3 | 4 | 4 | 4 | 6 | 7 | 8 | 10 | 15 |
| 20-34 | 8988 | 6.4 | 6 | 4 | 5 | 6 | 7 | 8 | 9 | 15 |
| 35-49 | 640 | 7.1 | 11 | 5 | 5 | 7 | 8 | 9 | 11 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 9767 | 6.1 | 2 | 4 | 5 | 6 | 7 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 4.9 | 4 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| B. *Operated* | 10030 | 6.5 | 6 | 4 | 5 | 6 | 7 | 8 | 9 | 15 |
| **1. SINGLE DX** | 9847 | 6.1 | 2 | 4 | 5 | 6 | 7 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 10056 | 6.5 | 6 | 4 | 5 | 6 | 7 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 106 | 4.0 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| **B. OPERATED** | 19797 | 6.3 | 4 | 4 | 5 | 6 | 7 | 8 | 8 | 12 |
| TOTAL 0-19 YRS | 954 | 6.1 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 20-34 | 17927 | 6.2 | 4 | 4 | 5 | 6 | 7 | 8 | 8 | 12 |
| 35-49 | 1022 | 6.8 | 8 | 5 | 5 | 7 | 7 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **19903** | **6.3** | **4** | **4** | **5** | **6** | **7** | **8** | **8** | **12** |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 1652 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 68 | 3.6 | 2 | 2 | 2 | 4 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 3.8 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 9 |
| 20-34 | 1807 | 4.0 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 67 | 4.2 | 2 | 2 | 3 | 4 | 5 | 7 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 17 |
| 20-34 | 936 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 38 | 4.5 | 21 | 1 | 2 | 3 | 5 | 6 | 11 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 658 | 5.0 | 17 | 2 | 3 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | 4409 | 5.0 | 7 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 281 | 5.3 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1970 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| B. *Operated* | 2157 | 4.0 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1125 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 5348 | 5.0 | 8 | 3 | 3 | 5 | 6 | 7 | 9 | 13 |
| **1. SINGLE DX** | 4127 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 6473 | 4.8 | 7 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 3095 | 3.8 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 7505 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 1342 | 4.4 | 10 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 8804 | 4.4 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 454 | 4.8 | 6 | 2 | 3 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **10600** | **4.4** | **6** | **2** | **3** | **4** | **5** | **7** | **8** | **12** |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1207 | 3.2 | 4 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 7853 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 288 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 619 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 3837 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 162 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 1648 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 73 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 563 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 4890 | 3.9 | 4 | 2 | 3 | 4 | 4 | 6 | 6 | 9 |
| 35-49 | 358 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9348 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 4618 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1992 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 5811 | 3.9 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 13966 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 7803 | 3.8 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 11340 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 10429 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 2660 | 3.3 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 18228 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 881 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **21769** | **3.5** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **7** |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 1046 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 59 | 3.1 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1474 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 6 |
| 20-34 | 10774 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 656 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 260 | 3.2 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 11 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 655 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 5350 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 446 | 3.9 | 2 | 2 | 2 | 4 | 4 | 5 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1249 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 12904 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 298 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 6451 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 14153 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 6749 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 1547 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 19355 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 2300 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 17430 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 1172 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **20902** | **3.3** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **7** |

## 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 515 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 17 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1725 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 7208 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 143 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 113 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 5 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1030 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 3991 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 143 | 4.6 | 8 | 2 | 3 | 4 | 5 | 6 | 8 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 671 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 9076 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 147 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 5164 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 9747 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| **2. MULTIPLE DX** | 5311 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 818 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **B. OPERATED** | 14240 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 2923 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 11827 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 308 | 4.0 | 5 | 2 | 3 | 4 | 5 | 6 | 6 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **15058** | **3.6** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **7** |

## 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 492 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 10 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 731 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 3202 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 82 | 3.9 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 135 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 7 | 3.1 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 555 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 2477 | 3.9 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 113 | 4.4 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 655 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 4015 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 168 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 3145 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 4670 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 3313 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 823 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 7160 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 1465 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 6306 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 212 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7983** | **3.5** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **8** |

## 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1457 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 7095 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 349 | 3.7 | 7 | 2 | 2 | 3 | 4 | 5 | 6 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4712 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 22469 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 884 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 975 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 3905 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 226 | 4.1 | 17 | 1 | 2 | 3 | 4 | 6 | 7 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4499 | 4.8 | 10 | 2 | 3 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 22724 | 4.9 | 11 | 2 | 3 | 4 | 6 | 7 | 9 | 18 |
| 35-49 | 1585 | 5.6 | 20 | 2 | 3 | 5 | 6 | 8 | 11 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8901 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 28065 | 3.8 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5106 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 28808 | 4.9 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| **1. SINGLE DX** | 36966 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 33914 | 4.7 | 11 | 2 | 3 | 4 | 5 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 14007 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| **B. OPERATED** | 56873 | 4.4 | 7 | 2 | 3 | 4 | 5 | 7 | 8 | 15 |
| TOTAL 0-19 YRS | 11643 | 4.1 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 56193 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 3044 | 4.8 | 14 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 70880 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |

## 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 4.3 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 14 |
| 20-34 | 178 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 5 | 5.2 | 12 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.1 | 12 | 4 | 4 | 7 | 9 | 12 | 13 | 13 |
| 20-34 | 19 | 6.6 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 18 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.7 | 56 | 2 | 2 | 4 | 5 | 8 | 23 | 37 |
| 20-34 | 91 | 4.4 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 19 |
| 35-49 | 7 | 5.9 | 5 | 3 | 3 | 6 | 7 | 9 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.2 | 11 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 20-34 | 34 | 7.1 | 28 | 2 | 2 | 6 | 8 | 16 | 19 | 25 |
| 35-49 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 240 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 26 | 6.7 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 4.7 | 18 | 1 | 2 | 4 | 5 | 8 | 11 | 26 |
| B. *Operated* | 42 | 6.8 | 25 | 2 | 2 | 6 | 8 | 14 | 18 | 25 |
| **1. SINGLE DX** | 266 | 4.5 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 161 | 5.3 | 21 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| **A. NOT OPERATED** | 359 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 68 | 6.8 | 21 | 2 | 2 | 6 | 9 | 13 | 17 | 24 |
| TOTAL 0-19 YRS | 91 | 4.9 | 17 | 2 | 2 | 4 | 5 | 7 | 11 | 28 |
| 20-34 | 322 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 14 | 5.5 | 8 | 1 | 2 | 5 | 7 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 427 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |

## 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 203 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 8 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 20-34 | 659 | 1.9 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 30 | 2.3 | 10 | 1 | 1 | 2 | 3 | 3 | 4 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.5 | 1 | <1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 89 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 330 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 22 | 3.1 | 6 | 1 | 1 | 2 | 3 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 254 | 1.8 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 808 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 403 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| **1. SINGLE DX** | 1062 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 511 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 362 | 2.0 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 1211 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| TOTAL 0-19 YRS | 232 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1281 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 60 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1573** | **2.2** | **4** | **<1** | **1** | **2** | **3** | **4** | **5** | **9** |

## 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 13 | 14 |
| 20-34 | 164 | 4.2 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.9 | 14 | 1 | 1 | 3 | 4 | 8 | 13 | 20 |
| 20-34 | 204 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 35-49 | 10 | 3.7 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 98 | 4.3 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 35-49 | 7 | 10.9 | 39 | 5 | 5 | 9 | 13 | 21 | 23 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.4 | 16 | 2 | 2 | 3 | 4 | 9 | 15 | 18 |
| 20-34 | 173 | 5.5 | 36 | 1 | 1 | 4 | 6 | 12 | 16 | 37 |
| 35-49 | 18 | 3.8 | 9 | 1 | 2 | 3 | 4 | 6 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 4.1 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| B. *Operated* | 256 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 123 | 4.6 | 13 | 1 | 1 | 4 | 5 | 10 | 12 | 18 |
| B. *Operated* | 224 | 5.2 | 31 | 1 | 2 | 3 | 6 | 11 | 15 | 31 |
| **1. SINGLE DX** | 457 | 3.9 | 11 | 1 | 1 | 3 | 4 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 347 | 5.0 | 24 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **A. NOT OPERATED** | 324 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| **B. OPERATED** | 480 | 4.4 | 21 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| TOTAL 0-19 YRS | 126 | 4.0 | 12 | 1 | 1 | 3 | 4 | 8 | 13 | 18 |
| 20-34 | 639 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 35-49 | 39 | 5.0 | 19 | 1 | 2 | 3 | 6 | 11 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **804** | **4.4** | **17** | **1** | **1** | **3** | **5** | **9** | **13** | **20** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1000 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 870 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 573 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 506 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 65+ | 391 | 8.0 | 27 | 3 | 3 | 7 | 10 | 14 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 514 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 557 | 5.9 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 312 | 6.2 | 28 | 1 | 2 | 5 | 8 | 12 | 14 | 29 |
| 50-64 | 248 | 8.3 | 83 | 2 | 2 | 6 | 10 | 15 | 18 | 41 |
| 65+ | 185 | 9.5 | 66 | 2 | 3 | 7 | 12 | 21 | 28 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 889 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| 20-34 | 1180 | 6.2 | 25 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| 35-49 | 1140 | 7.6 | 37 | 2 | 3 | 6 | 9 | 14 | 19 | 32 |
| 50-64 | 1646 | 9.0 | 42 | 3 | 3 | 7 | 11 | 16 | 21 | 35 |
| 65+ | 2446 | 10.7 | 52 | 3 | 4 | 9 | 13 | 20 | 24 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 8.1 | 61 | 2 | 2 | 6 | 10 | 15 | 21 | 41 |
| 20-34 | 729 | 9.3 | 67 | 2 | 3 | 7 | 11 | 19 | 27 | 44 |
| 35-49 | 614 | 12.3 | 122 | 2 | 3 | 9 | 15 | 25 | 35 | 60 |
| 50-64 | 815 | 14.4 | 164 | 3 | 4 | 11 | 18 | 30 | 41 | 73 |
| 65+ | 967 | 17.8 | 193 | 4 | 5 | 14 | 22 | 37 | 50 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3340 | 5.3 | 12 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| B. *Operated* | 1816 | 6.4 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7301 | 8.4 | 42 | 2 | 3 | 7 | 10 | 16 | 21 | 34 |
| B. *Operated* | 3480 | 13.3 | 146 | 2 | 3 | 10 | 17 | 28 | 39 | 62 |
| **1. SINGLE DX** | 5156 | 5.7 | 21 | 2 | 2 | 4 | 7 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | 10781 | 10.0 | 81 | 2 | 3 | 7 | 12 | 20 | 27 | 48 |
| **A. NOT OPERATED** | 10641 | 7.4 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **B. OPERATED** | 5296 | 10.9 | 120 | 2 | 3 | 8 | 14 | 23 | 33 | 58 |
| TOTAL 0-19 YRS | 2758 | 5.1 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 3336 | 6.4 | 33 | 2 | 2 | 5 | 8 | 12 | 16 | 34 |
| 35-49 | 2639 | 8.0 | 56 | 2 | 2 | 6 | 9 | 15 | 22 | 41 |
| 50-64 | 3215 | 9.9 | 80 | 2 | 3 | 7 | 12 | 19 | 26 | 44 |
| 65+ | 3989 | 12.1 | 96 | 3 | 4 | 9 | 15 | 23 | 31 | 54 |
| **GRAND TOTAL** | **15937** | **8.6** | **66** | **2** | **3** | **6** | **10** | **17** | **23** | **43** |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 182 | 4.5 | 18 | 1 | 2 | 4 | 5 | 7 | 11 | 25 |
| 35-49 | 89 | 5.6 | 18 | 1 | 2 | 5 | 6 | 9 | 15 | 26 |
| 50-64 | 78 | 5.6 | 14 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 65+ | 73 | 8.5 | 39 | 2 | 3 | 6 | 11 | 17 | 22 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 253 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 20-34 | 276 | 5.2 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 22 |
| 35-49 | 140 | 5.3 | 23 | 1 | 1 | 4 | 7 | 12 | 15 | 24 |
| 50-64 | 121 | 7.3 | 72 | 2 | 2 | 5 | 8 | 14 | 22 | 49 |
| 65+ | 75 | 6.5 | 27 | 1 | 2 | 5 | 10 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 412 | 5.0 | 18 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 251 | 5.8 | 28 | 1 | 2 | 4 | 7 | 10 | 15 | 31 |
| 35-49 | 190 | 7.1 | 33 | 2 | 3 | 6 | 8 | 12 | 16 | 34 |
| 50-64 | 272 | 9.0 | 58 | 2 | 3 | 7 | 11 | 16 | 23 | 40 |
| 65+ | 416 | 10.2 | 61 | 3 | 4 | 8 | 13 | 19 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 184 | 5.8 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 28 |
| 20-34 | 217 | 8.8 | 99 | 1 | 2 | 6 | 10 | 19 | 29 | 55 |
| 35-49 | 206 | 10.1 | 137 | 2 | 2 | 7 | 12 | 19 | 26 | 73 |
| 50-64 | 287 | 12.0 | 131 | 2 | 2 | 8 | 15 | 28 | 36 | 51 |
| 65+ | 323 | 15.4 | 176 | 3 | 4 | 12 | 20 | 32 | 40 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 779 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| B. *Operated* | 865 | 5.2 | 30 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1541 | 7.5 | 44 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| B. *Operated* | 1217 | 11.1 | 133 | 2 | 2 | 8 | 14 | 23 | 33 | 57 |
| **1. SINGLE DX** | 1644 | 5.1 | 23 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 2758 | 9.1 | 86 | 2 | 2 | 6 | 11 | 18 | 27 | 51 |
| **A. NOT OPERATED** | 2320 | 6.6 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 32 |
| **B. OPERATED** | 2082 | 8.6 | 98 | 1 | 2 | 6 | 10 | 19 | 27 | 54 |
| TOTAL 0-19 YRS | 1206 | 4.6 | 14 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 20-34 | 926 | 6.1 | 46 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| 35-49 | 625 | 7.5 | 66 | 2 | 2 | 5 | 9 | 14 | 20 | 39 |
| 50-64 | 758 | 9.5 | 88 | 2 | 2 | 7 | 11 | 20 | 29 | 47 |
| 65+ | 887 | 11.6 | 107 | 2 | 3 | 9 | 15 | 22 | 30 | 61 |
| **GRAND TOTAL** | **4402** | **7.6** | **66** | **1** | **2** | **5** | **9** | **16** | **22** | **44** |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 41 | 4.3 | 12 | <1 | 1 | 3 | 6 | 8 | 10 | 19 |
| 35-49 | 11 | 4.0 | 6 | <1 | <1 | 4 | 5 | 7 | 10 | 10 |
| 50-64 | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1343 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 20-34 | 2443 | 4.2 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 342 | 3.9 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 77 | 4.6 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 19 |
| 65+ | 19 | 4.6 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.1 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 20-34 | 21 | 4.4 | 18 | <1 | 1 | 3 | 6 | 11 | 15 | 15 |
| 35-49 | 6 | 6.3 | 31 | 2 | 2 | 5 | 7 | 16 | 17 | 17 |
| 50-64 | 4 | 7.0 | 25 | 2 | 2 | 6 | 11 | 13 | 13 | 13 |
| 65+ | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 5.3 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 421 | 5.3 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 123 | 5.5 | 14 | 2 | 2 | 5 | 6 | 9 | 13 | 22 |
| 50-64 | 64 | 7.9 | 42 | 2 | 3 | 6 | 10 | 16 | 21 | 34 |
| 65+ | 18 | 9.8 | 62 | 3 | 3 | 9 | 12 | 21 | 28 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 4224 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 4.2 | 17 | <1 | <1 | 3 | 6 | 9 | 15 | 17 |
| B. *Operated* | 820 | 5.6 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| **1. SINGLE DX** | 4296 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 868 | 5.6 | 17 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 120 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 5044 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 1567 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 2926 | 4.3 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 482 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 50-64 | 148 | 6.1 | 26 | 2 | 2 | 4 | 7 | 12 | 16 | 25 |
| 65+ | 41 | 6.8 | 36 | 2 | 3 | 5 | 9 | 12 | 20 | 32 |
| **GRAND TOTAL** | **5164** | **4.3** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **16** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 4 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 246 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 353 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 261 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 4 | 10 |
| 50-64 | 213 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 97 | 3.2 | 9 | <1 | 1 | 2 | 3 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.2 | 5 | 1 | 1 | 2 | 2 | 5 | 8 | 8 |
| 20-34 | 10 | 3.3 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 12 | 4.1 | 11 | 1 | 1 | 3 | 6 | 10 | 10 | 10 |
| 50-64 | 10 | 4.7 | 4 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 9 | 6.2 | 6 | 2 | 3 | 7 | 8 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 2.4 | 2 | <1 | 1 | 2 | 2 | 5 | 6 | 7 |
| 20-34 | 169 | 3.8 | 21 | 1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 183 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 187 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 124 | 6.1 | 27 | 1 | 2 | 4 | 9 | 13 | 16 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.6 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 8 |
| B. *Operated* | 1170 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.1 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 10 |
| B. *Operated* | 719 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| **1. SINGLE DX** | 1185 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 770 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 66 | 3.7 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 10 |
| **B. OPERATED** | 1889 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| TOTAL 0-19 YRS | 319 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 536 | 2.6 | 9 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 35-49 | 457 | 3.1 | 3 | <1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 50-64 | 411 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 65+ | 232 | 4.9 | 21 | 1 | 1 | 3 | 7 | 11 | 14 | 23 |
| **GRAND TOTAL** | **1955** | **3.1** | **10** | **<1** | **1** | **2** | **3** | **6** | **9** | **17** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 718 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 15 | 23 |
| 20-34 | 499 | 6.3 | 49 | 1 | 1 | 4 | 7 | 16 | 23 | 32 |
| 35-49 | 310 | 8.4 | 66 | 1 | 2 | 6 | 10 | 20 | 25 | 39 |
| 50-64 | 309 | 9.5 | 81 | 1 | 2 | 6 | 12 | 21 | 29 | 46 |
| 65+ | 356 | 11.3 | 90 | 2 | 3 | 8 | 15 | 22 | 32 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1261 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 1488 | 4.1 | 29 | 1 | 1 | 3 | 4 | 8 | 12 | 26 |
| 35-49 | 937 | 4.6 | 31 | 1 | 1 | 3 | 5 | 9 | 14 | 29 |
| 50-64 | 899 | 5.0 | 42 | 1 | 1 | 3 | 5 | 11 | 17 | 34 |
| 65+ | 642 | 9.4 | 152 | 1 | 2 | 4 | 12 | 25 | 33 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 771 | 5.0 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 20-34 | 689 | 8.4 | 91 | 1 | 2 | 5 | 9 | 21 | 28 | 47 |
| 35-49 | 736 | 9.9 | 93 | 2 | 2 | 7 | 12 | 22 | 29 | 50 |
| 50-64 | 1118 | 10.8 | 93 | 2 | 3 | 8 | 13 | 22 | 30 | 47 |
| 65+ | 2390 | 13.3 | 123 | 3 | 4 | 10 | 17 | 27 | 34 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 541 | 5.7 | 71 | 1 | 1 | 3 | 6 | 14 | 18 | 51 |
| 20-34 | 1325 | 10.9 | 238 | 1 | 2 | 5 | 12 | 31 | 49 | 99+ |
| 35-49 | 1319 | 10.3 | 184 | 1 | 2 | 5 | 11 | 29 | 43 | 82 |
| 50-64 | 1743 | 13.1 | 235 | 2 | 2 | 7 | 17 | 34 | 47 | 84 |
| 65+ | 2094 | 19.4 | 320 | 2 | 3 | 14 | 27 | 47 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2192 | 7.3 | 59 | 1 | 1 | 5 | 9 | 17 | 23 | 38 |
| B. *Operated* | 5227 | 4.7 | 46 | 1 | 1 | 3 | 4 | 10 | 17 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5704 | 10.7 | 103 | 2 | 3 | 8 | 13 | 23 | 30 | 53 |
| B. *Operated* | 7022 | 13.4 | 257 | 1 | 2 | 7 | 18 | 36 | 52 | 91 |
| **1. SINGLE DX** | 7419 | 5.4 | 51 | 1 | 1 | 3 | 6 | 12 | 20 | 36 |
| **2. MULTIPLE DX** | 12726 | 12.2 | 190 | 2 | 2 | 7 | 15 | 29 | 43 | 79 |
| **A. NOT OPERATED** | 7896 | 9.7 | 93 | 1 | 2 | 7 | 12 | 22 | 28 | 50 |
| **B. OPERATED** | 12249 | 9.7 | 186 | 1 | 1 | 4 | 11 | 27 | 41 | 78 |
| TOTAL 0-19 YRS | 3291 | 4.1 | 25 | 1 | 1 | 3 | 5 | 8 | 13 | 24 |
| 20-34 | 4001 | 7.4 | 119 | 1 | 1 | 4 | 7 | 18 | 29 | 68 |
| 35-49 | 3302 | 8.4 | 115 | 1 | 2 | 5 | 9 | 20 | 32 | 60 |
| 50-64 | 4069 | 10.4 | 151 | 1 | 2 | 6 | 13 | 25 | 35 | 72 |
| 65+ | 5482 | 15.0 | 213 | 2 | 3 | 10 | 20 | 34 | 47 | 80 |
| **GRAND TOTAL** | **20145** | **9.7** | **149** | **1** | **2** | **5** | **12** | **24** | **35** | **70** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 7.5 | 52 | 2 | 2 | 5 | 9 | 15 | 29 | 32 |
| 20-34 | 119 | 7.5 | 34 | 2 | 2 | 6 | 9 | 15 | 21 | 31 |
| 35-49 | 55 | 8.4 | 29 | 2 | 3 | 7 | 11 | 17 | 20 | 27 |
| 50-64 | 62 | 8.0 | 51 | 2 | 3 | 6 | 9 | 14 | 18 | 42 |
| 65+ | 24 | 8.7 | 42 | 3 | 3 | 7 | 10 | 15 | 24 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.8 | 65 | 2 | 2 | 8 | 13 | 22 | 29 | 31 |
| 20-34 | 43 | 8.6 | 47 | 2 | 2 | 7 | 12 | 19 | 24 | 29 |
| 35-49 | 46 | 10.8 | 132 | 2 | 2 | 8 | 12 | 24 | 36 | 56 |
| 50-64 | 44 | 10.0 | 37 | 3 | 4 | 8 | 14 | 20 | 23 | 24 |
| 65+ | 22 | 11.7 | 131 | 1 | 2 | 8 | 13 | 29 | 40 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 8.8 | 101 | 2 | 2 | 5 | 9 | 22 | 28 | 57 |
| 20-34 | 231 | 9.4 | 77 | 2 | 3 | 7 | 12 | 19 | 26 | 48 |
| 35-49 | 229 | 9.0 | 53 | 2 | 3 | 7 | 11 | 17 | 24 | 38 |
| 50-64 | 279 | 11.6 | 118 | 3 | 4 | 9 | 13 | 22 | 40 | 54 |
| 65+ | 234 | 11.3 | 63 | 3 | 4 | 9 | 14 | 21 | 27 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 12.7 | 104 | 2 | 3 | 10 | 16 | 25 | 32 | 46 |
| 20-34 | 145 | 13.8 | 205 | 2 | 2 | 10 | 18 | 28 | 46 | 83 |
| 35-49 | 169 | 14.5 | 159 | 2 | 3 | 11 | 20 | 31 | 34 | 67 |
| 50-64 | 196 | 17.7 | 257 | 3 | 5 | 12 | 23 | 37 | 58 | 97 |
| 65+ | 112 | 19.3 | 274 | 4 | 6 | 14 | 25 | 34 | 59 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 7.9 | 40 | 2 | 2 | 6 | 10 | 15 | 20 | 32 |
| B. *Operated* | 168 | 10.1 | 79 | 2 | 2 | 8 | 12 | 20 | 27 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1018 | 10.3 | 82 | 2 | 3 | 8 | 12 | 20 | 28 | 47 |
| B. *Operated* | 647 | 16.0 | 220 | 2 | 3 | 12 | 21 | 32 | 46 | 87 |
| **1. SINGLE DX** | 479 | 8.7 | 55 | 2 | 2 | 7 | 11 | 17 | 23 | 38 |
| **2. MULTIPLE DX** | 1665 | 12.6 | 143 | 2 | 3 | 9 | 15 | 26 | 35 | 68 |
| **A. NOT OPERATED** | 1329 | 9.8 | 73 | 2 | 3 | 7 | 12 | 19 | 27 | 44 |
| **B. OPERATED** | 815 | 14.8 | 197 | 2 | 3 | 11 | 19 | 30 | 42 | 84 |
| TOTAL 0-19 YRS | 134 | 9.2 | 81 | 2 | 2 | 6 | 11 | 22 | 29 | 48 |
| 20-34 | 538 | 10.1 | 105 | 2 | 2 | 7 | 13 | 21 | 28 | 63 |
| 35-49 | 499 | 11.0 | 100 | 2 | 3 | 8 | 13 | 23 | 31 | 42 |
| 50-64 | 581 | 13.1 | 163 | 3 | 4 | 9 | 15 | 27 | 42 | 75 |
| 65+ | 392 | 13.4 | 139 | 3 | 4 | 10 | 17 | 26 | 34 | 66 |
| **GRAND TOTAL** | **2144** | **11.7** | **126** | **2** | **3** | **8** | **14** | **24** | **32** | **63** |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 20-34 | 134 | 8.0 | 84 | 2 | 2 | 6 | 10 | 16 | 18 | 34 |
| 35-49 | 218 | 9.2 | 33 | 2 | 3 | 8 | 12 | 18 | 20 | 26 |
| 50-64 | 373 | 10.4 | 45 | 3 | 3 | 9 | 14 | 19 | 22 | 31 |
| 65+ | 238 | 10.5 | 53 | 3 | 3 | 9 | 13 | 20 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 8.7 | 53 | 1 | 1 | 5 | 15 | 19 | 21 | 25 |
| 20-34 | 96 | 10.8 | 133 | 2 | 2 | 8 | 13 | 19 | 37 | 65 |
| 35-49 | 251 | 8.5 | 49 | 2 | 2 | 6 | 12 | 17 | 22 | 32 |
| 50-64 | 515 | 10.9 | 62 | 2 | 3 | 9 | 16 | 20 | 24 | 36 |
| 65+ | 325 | 12.9 | 72 | 3 | 3 | 12 | 17 | 25 | 30 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 8.6 | 50 | 2 | 3 | 7 | 10 | 18 | 22 | 38 |
| 20-34 | 166 | 8.3 | 32 | 2 | 3 | 7 | 10 | 17 | 21 | 25 |
| 35-49 | 361 | 9.6 | 44 | 2 | 3 | 8 | 12 | 18 | 22 | 33 |
| 50-64 | 1004 | 10.5 | 50 | 3 | 3 | 9 | 14 | 19 | 22 | 38 |
| 65+ | 1345 | 11.6 | 64 | 3 | 4 | 10 | 15 | 21 | 26 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 10.9 | 85 | 2 | 2 | 9 | 15 | 18 | 30 | 44 |
| 20-34 | 134 | 11.5 | 150 | 2 | 3 | 8 | 13 | 23 | 36 | 68 |
| 35-49 | 313 | 11.9 | 129 | 2 | 3 | 8 | 16 | 24 | 35 | 58 |
| 50-64 | 901 | 13.7 | 126 | 3 | 4 | 11 | 18 | 27 | 36 | 57 |
| 65+ | 745 | 17.3 | 191 | 3 | 5 | 14 | 21 | 34 | 48 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1142 | 9.2 | 47 | 2 | 3 | 8 | 12 | 18 | 21 | 30 |
| B. *Operated* | 1228 | 10.9 | 69 | 2 | 3 | 9 | 15 | 21 | 26 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2981 | 10.7 | 55 | 3 | 4 | 9 | 14 | 20 | 24 | 39 |
| B. *Operated* | 2119 | 14.5 | 155 | 3 | 4 | 11 | 19 | 29 | 41 | 63 |
| **1. SINGLE DX** | 2370 | 10.1 | 59 | 2 | 3 | 8 | 14 | 19 | 24 | 35 |
| **2. MULTIPLE DX** | 5100 | 12.3 | 100 | 3 | 4 | 10 | 16 | 23 | 31 | 54 |
| **A. NOT OPERATED** | 4123 | 10.3 | 54 | 3 | 3 | 9 | 13 | 19 | 23 | 37 |
| **B. OPERATED** | 3347 | 13.2 | 127 | 2 | 3 | 10 | 17 | 26 | 35 | 58 |
| TOTAL 0-19 YRS | 351 | 7.5 | 38 | 2 | 2 | 6 | 9 | 16 | 20 | 26 |
| 20-34 | 530 | 9.5 | 95 | 2 | 3 | 7 | 12 | 18 | 23 | 64 |
| 35-49 | 1143 | 9.9 | 68 | 2 | 3 | 8 | 13 | 19 | 24 | 41 |
| 50-64 | 2793 | 11.6 | 78 | 2 | 3 | 10 | 15 | 21 | 27 | 47 |
| 65+ | 2653 | 13.3 | 107 | 3 | 4 | 11 | 17 | 25 | 32 | 56 |
| **GRAND TOTAL** | **7470** | **11.6** | **88** | **2** | **3** | **9** | **15** | **22** | **28** | **50** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.1 | 71 | 1 | 1 | 3 | 8 | 21 | 28 | 28 |
| 20-34 | 15 | 6.9 | 31 | 1 | 1 | 6 | 10 | 14 | 19 | 20 |
| 35-49 | 79 | 6.2 | 31 | 1 | 2 | 5 | 7 | 13 | 16 | 32 |
| 50-64 | 210 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 420 | 7.3 | 22 | 2 | 2 | 6 | 10 | 14 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 5.2 | 26 | 1 | 2 | 3 | 5 | 14 | 17 | 22 |
| 20-34 | 316 | 4.6 | 14 | 1 | 2 | 3 | 6 | 10 | 13 | 18 |
| 35-49 | 758 | 6.5 | 37 | 1 | 2 | 4 | 9 | 14 | 17 | 25 |
| 50-64 | 2478 | 10.4 | 48 | 2 | 2 | 10 | 15 | 18 | 22 | 31 |
| 65+ | 3022 | 15.4 | 54 | 3 | 5 | 15 | 19 | 24 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.3 | 33 | 1 | 1 | 4 | 10 | 16 | 17 | 17 |
| 20-34 | 49 | 6.1 | 26 | 2 | 2 | 5 | 7 | 11 | 13 | 33 |
| 35-49 | 335 | 7.1 | 20 | 2 | 3 | 6 | 9 | 12 | 16 | 22 |
| 50-64 | 1127 | 7.8 | 31 | 2 | 3 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 3398 | 8.9 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 7.5 | 50 | 1 | 2 | 5 | 11 | 17 | 24 | 31 |
| 20-34 | 267 | 6.5 | 39 | 1 | 2 | 4 | 8 | 14 | 18 | 30 |
| 35-49 | 701 | 8.4 | 60 | 2 | 2 | 6 | 12 | 18 | 24 | 36 |
| 50-64 | 2489 | 11.7 | 67 | 2 | 3 | 11 | 16 | 22 | 26 | 38 |
| 65+ | 4582 | 18.0 | 112 | 4 | 6 | 17 | 22 | 31 | 37 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 733 | 6.9 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 6612 | 11.9 | 60 | 2 | 2 | 12 | 17 | 21 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4919 | 8.5 | 38 | 2 | 3 | 7 | 11 | 15 | 19 | 33 |
| B. *Operated* | 8074 | 14.8 | 106 | 2 | 3 | 14 | 19 | 27 | 33 | 51 |
| **1. SINGLE DX** | 7345 | 11.4 | 59 | 2 | 2 | 11 | 16 | 21 | 24 | 34 |
| **2. MULTIPLE DX** | 12993 | 12.4 | 90 | 2 | 3 | 11 | 17 | 24 | 30 | 47 |
| **A. NOT OPERATED** | 5652 | 8.3 | 37 | 2 | 3 | 7 | 11 | 15 | 19 | 32 |
| **B. OPERATED** | 14686 | 13.5 | 87 | 2 | 3 | 13 | 18 | 24 | 30 | 45 |
| TOTAL 0-19 YRS | 92 | 6.4 | 40 | 1 | 2 | 4 | 9 | 15 | 19 | 30 |
| 20-34 | 647 | 5.6 | 26 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |
| 35-49 | 1873 | 7.3 | 43 | 2 | 2 | 5 | 10 | 16 | 20 | 32 |
| 50-64 | 6304 | 10.3 | 54 | 2 | 2 | 9 | 15 | 19 | 24 | 35 |
| 65+ | 11422 | 14.2 | 89 | 3 | 4 | 13 | 18 | 25 | 31 | 48 |
| **GRAND TOTAL** | **20338** | **12.1** | **79** | **2** | **3** | **11** | **17** | **23** | **28** | **42** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 7.2 | 40 | 2 | 2 | 5 | 9 | 15 | 18 | 31 |
| 20-34 | 157 | 7.5 | 34 | 2 | 2 | 6 | 10 | 15 | 20 | 28 |
| 35-49 | 121 | 6.5 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 50-64 | 123 | 6.7 | 20 | 1 | 2 | 6 | 9 | 13 | 16 | 20 |
| 65+ | 150 | 6.7 | 27 | 1 | 2 | 5 | 8 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 12.1 | 91 | 2 | 2 | 10 | 16 | 25 | 30 | 43 |
| 20-34 | 289 | 6.3 | 41 | 1 | 2 | 4 | 7 | 11 | 18 | 33 |
| 35-49 | 255 | 6.0 | 22 | 2 | 2 | 4 | 8 | 11 | 17 | 23 |
| 50-64 | 329 | 8.7 | 70 | 2 | 2 | 6 | 12 | 17 | 23 | 45 |
| 65+ | 206 | 13.5 | 63 | 3 | 4 | 13 | 17 | 22 | 26 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 7.5 | 34 | 2 | 2 | 6 | 10 | 17 | 19 | 26 |
| 20-34 | 178 | 8.3 | 63 | 2 | 2 | 6 | 9 | 15 | 22 | 45 |
| 35-49 | 208 | 7.6 | 31 | 2 | 3 | 7 | 10 | 14 | 17 | 33 |
| 50-64 | 379 | 8.4 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 43 |
| 65+ | 757 | 9.6 | 61 | 2 | 3 | 7 | 12 | 18 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 16.5 | 113 | 2 | 3 | 15 | 25 | 32 | 36 | 41 |
| 20-34 | 180 | 10.4 | 124 | 2 | 2 | 6 | 12 | 25 | 35 | 54 |
| 35-49 | 238 | 9.4 | 83 | 2 | 2 | 6 | 12 | 19 | 26 | 53 |
| 50-64 | 367 | 12.9 | 140 | 2 | 3 | 9 | 17 | 27 | 39 | 59 |
| 65+ | 347 | 18.8 | 190 | 3 | 4 | 16 | 25 | 36 | 44 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 723 | 7.0 | 29 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | 1193 | 8.7 | 61 | 2 | 2 | 6 | 12 | 18 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1635 | 8.8 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| B. *Operated* | 1205 | 13.8 | 152 | 2 | 3 | 10 | 19 | 31 | 39 | 56 |
| **1. SINGLE DX** | 1916 | 8.1 | 50 | 2 | 2 | 6 | 11 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | 2840 | 10.9 | 101 | 2 | 3 | 8 | 14 | 23 | 32 | 48 |
| **A. NOT OPERATED** | 2358 | 8.2 | 46 | 2 | 3 | 6 | 10 | 16 | 21 | 37 |
| **B. OPERATED** | 2398 | 11.2 | 113 | 2 | 2 | 8 | 15 | 24 | 33 | 52 |
| TOTAL 0-19 YRS | 472 | 9.9 | 73 | 2 | 2 | 7 | 14 | 22 | 29 | 38 |
| 20-34 | 804 | 7.9 | 66 | 2 | 2 | 5 | 9 | 16 | 24 | 42 |
| 35-49 | 822 | 7.5 | 43 | 2 | 2 | 6 | 9 | 14 | 20 | 35 |
| 50-64 | 1198 | 9.7 | 83 | 2 | 2 | 7 | 12 | 19 | 26 | 47 |
| 65+ | 1460 | 12.1 | 106 | 2 | 3 | 9 | 16 | 25 | 33 | 48 |
| **GRAND TOTAL** | **4756** | **9.8** | **82** | **2** | **2** | **7** | **12** | **20** | **28** | **46** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 90 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 9 | 9 |
| 35-49 | 45 | 3.8 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 50-64 | 25 | 4.5 | 14 | <1 | <1 | 3 | 6 | 11 | 12 | 13 |
| 65+ | 12 | 4.4 | 9 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1880 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 3537 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 1611 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 783 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 65+ | 187 | 5.7 | 19 | 2 | 2 | 4 | 7 | 10 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.9 | 7 | <1 | <1 | 1 | 4 | 7 | 9 | 10 |
| 20-34 | 83 | 3.3 | 16 | <1 | <1 | 2 | 4 | 7 | 9 | 25 |
| 35-49 | 42 | 5.0 | 23 | <1 | 1 | 3 | 8 | 11 | 15 | 22 |
| 50-64 | 51 | 4.5 | 23 | <1 | <1 | 3 | 5 | 11 | 12 | 24 |
| 65+ | 43 | 7.4 | 22 | 2 | 2 | 7 | 10 | 13 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 995 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 2381 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 1473 | 4.5 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 1351 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 414 | 6.5 | 27 | 2 | 2 | 5 | 8 | 14 | 17 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 227 | 3.2 | 8 | <1 | 1 | 2 | 4 | 8 | 9 | 13 |
| B. *Operated* | 7998 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 256 | 4.5 | 20 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | 6614 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| **1. SINGLE DX** | 8225 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 6870 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| **A. NOT OPERATED** | 483 | 3.9 | 15 | <1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **B. OPERATED** | 14612 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 2967 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 6091 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 3171 | 4.2 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 2210 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 65+ | 656 | 6.3 | 24 | 2 | 2 | 5 | 8 | 13 | 16 | 23 |
| **GRAND TOTAL** | **15095** | **4.0** | **9** | **1** | **1** | **3** | **5** | **7** | **9** | **16** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 302 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 245 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 35-49 | 130 | 4.6 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| 50-64 | 130 | 4.8 | 20 | 1 | 1 | 3 | 6 | 10 | 16 | 21 |
| 65+ | 140 | 7.2 | 43 | 1 | 1 | 5 | 9 | 14 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2015 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 2793 | 4.0 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 857 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | 461 | 5.3 | 23 | 1 | 2 | 4 | 6 | 11 | 15 | 25 |
| 65+ | 200 | 8.2 | 71 | 1 | 2 | 5 | 11 | 17 | 22 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 265 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 20-34 | 264 | 5.7 | 35 | 1 | 1 | 4 | 7 | 11 | 16 | 31 |
| 35-49 | 253 | 5.9 | 32 | 1 | 1 | 5 | 7 | 11 | 14 | 26 |
| 50-64 | 339 | 7.3 | 41 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| 65+ | 576 | 8.6 | 41 | 2 | 3 | 7 | 11 | 17 | 22 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 714 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 20-34 | 1357 | 5.0 | 25 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 35-49 | 681 | 6.0 | 34 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| 50-64 | 594 | 7.4 | 68 | 2 | 2 | 5 | 9 | 15 | 23 | 35 |
| 65+ | 405 | 12.8 | 133 | 2 | 3 | 10 | 16 | 26 | 35 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 947 | 4.5 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| B. *Operated* | 6326 | 4.2 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1697 | 6.8 | 37 | 1 | 1 | 5 | 9 | 14 | 19 | 31 |
| B. *Operated* | 3751 | 6.4 | 49 | 1 | 2 | 4 | 7 | 13 | 18 | 35 |
| **1. SINGLE DX** | 7273 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 5448 | 6.5 | 45 | 1 | 2 | 4 | 8 | 13 | 19 | 33 |
| **A. NOT OPERATED** | 2644 | 6.0 | 32 | 1 | 1 | 4 | 7 | 12 | 17 | 28 |
| **B. OPERATED** | 10077 | 5.0 | 27 | 1 | 2 | 4 | 5 | 9 | 13 | 26 |
| TOTAL 0-19 YRS | 3296 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 4659 | 4.4 | 15 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 35-49 | 1921 | 5.1 | 24 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| 50-64 | 1524 | 6.5 | 45 | 1 | 2 | 4 | 8 | 13 | 18 | 30 |
| 65+ | 1321 | 9.7 | 78 | 2 | 2 | 7 | 13 | 20 | 26 | 40 |
| **GRAND TOTAL** | **12721** | **5.2** | **28** | **1** | **2** | **4** | **6** | **10** | **14** | **26** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 17 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| 20-34 | 19 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 15 | 18 |
| 35-49 | 12 | 5.8 | 8 | 2 | 3 | 5 | 7 | 10 | 12 | 12 |
| 50-64 | 9 | 8.2 | 28 | 3 | 4 | 7 | 9 | 17 | 21 | 21 |
| 65+ | 5 | 5.4 | 9 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 12.0 | 12 | 8 | 8 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 2 | 14.5 | 41 | 10 | 10 | 14 | 19 | 19 | 19 | 19 |
| 50-64 | 5 | 6.2 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 65+ | 2 | 15.0 | 8 | 13 | 13 | 15 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 19 | 8.1 | 27 | 2 | 3 | 6 | 11 | 17 | 18 | 18 |
| 35-49 | 36 | 7.5 | 45 | 1 | 2 | 6 | 10 | 13 | 16 | 39 |
| 50-64 | 33 | 9.2 | 23 | 3 | 4 | 9 | 11 | 15 | 20 | 23 |
| 65+ | 29 | 10.8 | 50 | 2 | 3 | 9 | 15 | 20 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 3 | 24.0 | 829 | 4 | 4 | 11 | 45 | 57 | 57 | 57 |
| 35-49 | 15 | 14.3 | 39 | 3 | 4 | 16 | 19 | 20 | 25 | 26 |
| 50-64 | 16 | 16.6 | 95 | 6 | 7 | 16 | 22 | 29 | 37 | 40 |
| 65+ | 9 | 12.3 | 88 | 2 | 3 | 10 | 14 | 28 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 6.3 | 16 | 2 | 2 | 5 | 8 | 10 | 13 | 21 |
| B. *Operated* | 12 | 10.5 | 25 | 2 | 5 | 10 | 14 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 8.8 | 38 | 2 | 3 | 8 | 11 | 16 | 19 | 33 |
| B. *Operated* | 44 | 15.4 | 109 | 4 | 5 | 13 | 19 | 28 | 36 | 57 |
| **1. SINGLE DX** | 60 | 7.1 | 20 | 2 | 2 | 6 | 9 | 13 | 17 | 21 |
| **2. MULTIPLE DX** | 162 | 10.6 | 65 | 2 | 3 | 9 | 14 | 20 | 26 | 40 |
| **A. NOT OPERATED** | 166 | 8.1 | 32 | 2 | 3 | 7 | 10 | 15 | 18 | 29 |
| **B. OPERATED** | 56 | 14.3 | 94 | 3 | 5 | 12 | 18 | 26 | 32 | 56 |
| TOTAL 0-19 YRS | 5 | 8.0 | 17 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| 20-34 | 44 | 8.4 | 79 | 2 | 2 | 6 | 11 | 17 | 18 | 57 |
| 35-49 | 65 | 9.0 | 46 | 2 | 2 | 7 | 12 | 18 | 20 | 37 |
| 50-64 | 63 | 10.7 | 52 | 3 | 4 | 9 | 13 | 20 | 25 | 39 |
| 65+ | 45 | 10.7 | 53 | 2 | 3 | 9 | 15 | 18 | 27 | 34 |
| **GRAND TOTAL** | **222** | **9.7** | **55** | **2** | **3** | **8** | **12** | **18** | **23** | **39** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.8 | 25 | 1 | 2 | 4 | 7 | 14 | 18 | 18 |
| 20-34 | 75 | 6.0 | 12 | 1 | 2 | 6 | 8 | 10 | 12 | 16 |
| 35-49 | 235 | 6.8 | 15 | 2 | 3 | 6 | 9 | 12 | 14 | 19 |
| 50-64 | 392 | 7.2 | 18 | 2 | 3 | 6 | 9 | 13 | 16 | 21 |
| 65+ | 395 | 7.6 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.1 | 8 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 20-34 | 115 | 6.4 | 30 | 2 | 2 | 5 | 8 | 12 | 17 | 30 |
| 35-49 | 398 | 8.0 | 36 | 2 | 2 | 7 | 11 | 16 | 18 | 32 |
| 50-64 | 557 | 8.6 | 44 | 2 | 2 | 7 | 11 | 16 | 21 | 30 |
| 65+ | 186 | 11.0 | 90 | 2 | 2 | 9 | 15 | 22 | 27 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.9 | 576 | 2 | 3 | 5 | 8 | 54 | 73 | 73 |
| 20-34 | 129 | 7.8 | 24 | 3 | 4 | 6 | 9 | 14 | 19 | 26 |
| 35-49 | 849 | 7.5 | 19 | 2 | 3 | 7 | 9 | 13 | 15 | 21 |
| 50-64 | 2137 | 7.9 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 3247 | 9.3 | 39 | 3 | 3 | 8 | 12 | 17 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 12.9 | 281 | 1 | 3 | 8 | 12 | 29 | 59 | 66 |
| 20-34 | 105 | 9.3 | 103 | 2 | 2 | 7 | 11 | 17 | 21 | 64 |
| 35-49 | 540 | 10.2 | 61 | 2 | 3 | 9 | 13 | 19 | 23 | 45 |
| 50-64 | 1141 | 12.0 | 82 | 2 | 3 | 10 | 15 | 23 | 28 | 46 |
| 65+ | 814 | 14.7 | 125 | 3 | 4 | 12 | 19 | 27 | 36 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1108 | 7.2 | 19 | 2 | 3 | 6 | 9 | 13 | 16 | 21 |
| B. *Operated* | 1264 | 8.5 | 48 | 2 | 2 | 7 | 11 | 17 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6370 | 8.5 | 33 | 2 | 3 | 7 | 11 | 15 | 19 | 29 |
| B. *Operated* | 2613 | 12.4 | 96 | 2 | 3 | 10 | 16 | 23 | 30 | 50 |
| **1. SINGLE DX** | 2372 | 7.9 | 35 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 8983 | 9.7 | 54 | 2 | 3 | 8 | 12 | 18 | 23 | 37 |
| **A. NOT OPERATED** | 7478 | 8.3 | 31 | 2 | 3 | 7 | 11 | 15 | 19 | 28 |
| **B. OPERATED** | 3877 | 11.1 | 84 | 2 | 3 | 9 | 14 | 21 | 27 | 46 |
| TOTAL 0-19 YRS | 40 | 9.4 | 215 | 1 | 2 | 5 | 9 | 17 | 43 | 73 |
| 20-34 | 424 | 7.5 | 44 | 2 | 2 | 6 | 9 | 13 | 18 | 30 |
| 35-49 | 2022 | 8.2 | 35 | 2 | 3 | 7 | 10 | 15 | 18 | 31 |
| 50-64 | 4227 | 9.0 | 46 | 2 | 3 | 8 | 11 | 17 | 21 | 33 |
| 65+ | 4642 | 10.2 | 59 | 2 | 3 | 8 | 13 | 19 | 24 | 38 |
| **GRAND TOTAL** | **11355** | **9.3** | **51** | **2** | **3** | **8** | **12** | **17** | **22** | **36** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 7.1 | 13 | 2 | 3 | 7 | 9 | 12 | 14 | 16 |
| 20-34 | 1276 | 7.7 | 22 | 2 | 3 | 7 | 10 | 14 | 16 | 23 |
| 35-49 | 1803 | 8.0 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 1067 | 8.3 | 25 | 2 | 3 | 7 | 11 | 15 | 17 | 26 |
| 65+ | 270 | 9.3 | 33 | 2 | 3 | 8 | 12 | 17 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 8.0 | 25 | 2 | 2 | 7 | 11 | 15 | 18 | 22 |
| 20-34 | 4295 | 8.9 | 34 | 2 | 2 | 8 | 12 | 16 | 20 | 27 |
| 35-49 | 6289 | 9.6 | 40 | 2 | 3 | 9 | 13 | 18 | 21 | 31 |
| 50-64 | 3136 | 10.4 | 44 | 2 | 3 | 9 | 14 | 19 | 23 | 31 |
| 65+ | 554 | 12.6 | 76 | 2 | 3 | 11 | 17 | 22 | 29 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 8.1 | 17 | 2 | 3 | 8 | 10 | 14 | 16 | 17 |
| 20-34 | 631 | 8.7 | 27 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| 35-49 | 1357 | 9.3 | 38 | 2 | 3 | 8 | 11 | 16 | 20 | 32 |
| 50-64 | 1502 | 9.5 | 36 | 3 | 4 | 8 | 12 | 16 | 20 | 30 |
| 65+ | 1142 | 10.6 | 41 | 3 | 4 | 9 | 14 | 19 | 23 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 11.6 | 72 | 3 | 4 | 9 | 15 | 23 | 26 | 48 |
| 20-34 | 1239 | 11.4 | 55 | 2 | 3 | 10 | 15 | 20 | 26 | 40 |
| 35-49 | 2637 | 12.5 | 74 | 2 | 4 | 11 | 16 | 23 | 29 | 42 |
| 50-64 | 2505 | 13.8 | 89 | 3 | 4 | 12 | 18 | 25 | 30 | 44 |
| 65+ | 957 | 16.9 | 114 | 3 | 5 | 15 | 22 | 31 | 37 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4485 | 8.1 | 25 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| B. *Operated* | 14486 | 9.7 | 40 | 2 | 2 | 9 | 13 | 18 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4660 | 9.6 | 37 | 3 | 4 | 8 | 12 | 17 | 21 | 31 |
| B. *Operated* | 7382 | 13.3 | 84 | 2 | 4 | 11 | 17 | 25 | 30 | 43 |
| **1. SINGLE DX** | 18971 | 9.3 | 37 | 2 | 3 | 8 | 12 | 17 | 21 | 30 |
| **2. MULTIPLE DX** | 12042 | 11.9 | 69 | 3 | 4 | 10 | 15 | 22 | 28 | 41 |
| **A. NOT OPERATED** | 9145 | 8.9 | 32 | 2 | 3 | 8 | 11 | 15 | 19 | 28 |
| **B. OPERATED** | 21868 | 10.9 | 58 | 2 | 3 | 9 | 14 | 20 | 25 | 37 |
| TOTAL 0-19 YRS | 353 | 8.3 | 29 | 2 | 2 | 8 | 10 | 15 | 18 | 24 |
| 20-34 | 7441 | 9.1 | 36 | 2 | 3 | 8 | 12 | 16 | 20 | 29 |
| 35-49 | 12086 | 10.0 | 47 | 2 | 3 | 9 | 13 | 18 | 22 | 34 |
| 50-64 | 8210 | 11.0 | 58 | 2 | 3 | 9 | 14 | 20 | 25 | 36 |
| 65+ | 2923 | 12.9 | 79 | 3 | 4 | 11 | 17 | 24 | 30 | 44 |
| **GRAND TOTAL** | **31013** | **10.3** | **51** | **2** | **3** | **9** | **13** | **19** | **23** | **35** |

## 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.0 | 24 | 1 | 1 | 8 | 10 | 14 | 15 | 15 |
| 20-34 | 317 | 7.4 | 19 | 2 | 3 | 7 | 9 | 12 | 15 | 25 |
| 35-49 | 637 | 8.1 | 22 | 2 | 3 | 7 | 10 | 14 | 17 | 23 |
| 50-64 | 340 | 8.6 | 26 | 2 | 3 | 8 | 11 | 15 | 19 | 25 |
| 65+ | 113 | 7.6 | 23 | 2 | 3 | 6 | 10 | 13 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 8.4 | 33 | 1 | 2 | 8 | 10 | 15 | 21 | 26 |
| 20-34 | 616 | 8.3 | 31 | 2 | 2 | 7 | 11 | 16 | 19 | 29 |
| 35-49 | 1310 | 9.1 | 37 | 2 | 2 | 8 | 12 | 17 | 21 | 29 |
| 50-64 | 771 | 9.3 | 39 | 2 | 2 | 8 | 12 | 17 | 20 | 29 |
| 65+ | 85 | 10.8 | 48 | 2 | 3 | 10 | 14 | 21 | 26 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.2 | 17 | 4 | 4 | 6 | 8 | 14 | 15 | 15 |
| 20-34 | 187 | 8.0 | 25 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| 35-49 | 606 | 8.5 | 26 | 2 | 3 | 8 | 11 | 14 | 16 | 28 |
| 50-64 | 728 | 9.0 | 32 | 2 | 3 | 8 | 11 | 16 | 20 | 27 |
| 65+ | 461 | 9.7 | 36 | 3 | 4 | 9 | 12 | 17 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 168 | 10.8 | 53 | 2 | 3 | 9 | 15 | 20 | 24 | 36 |
| 35-49 | 740 | 11.2 | 61 | 2 | 3 | 10 | 15 | 20 | 24 | 39 |
| 50-64 | 722 | 11.1 | 56 | 2 | 3 | 10 | 15 | 19 | 24 | 39 |
| 65+ | 204 | 15.9 | 156 | 3 | 4 | 12 | 20 | 33 | 43 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1421 | 8.0 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| B. *Operated* | 2802 | 9.0 | 37 | 2 | 2 | 8 | 12 | 17 | 21 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1988 | 8.9 | 30 | 2 | 3 | 8 | 11 | 15 | 19 | 28 |
| B. *Operated* | 1835 | 11.7 | 71 | 2 | 3 | 10 | 15 | 21 | 28 | 43 |
| **1. SINGLE DX** | 4223 | 8.7 | 32 | 2 | 3 | 8 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | 3823 | 10.2 | 52 | 2 | 3 | 9 | 13 | 18 | 22 | 38 |
| **A. NOT OPERATED** | 3409 | 8.5 | 27 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| **B. OPERATED** | 4637 | 10.1 | 52 | 2 | 3 | 9 | 13 | 19 | 23 | 35 |
| TOTAL 0-19 YRS | 41 | 7.6 | 27 | 1 | 2 | 8 | 10 | 15 | 16 | 26 |
| 20-34 | 1288 | 8.4 | 31 | 2 | 2 | 7 | 11 | 15 | 19 | 30 |
| 35-49 | 3293 | 9.3 | 39 | 2 | 3 | 8 | 12 | 17 | 21 | 31 |
| 50-64 | 2561 | 9.6 | 41 | 2 | 3 | 8 | 13 | 17 | 21 | 32 |
| 65+ | 863 | 11.0 | 72 | 3 | 3 | 9 | 14 | 20 | 26 | 43 |
| **GRAND TOTAL** | **8046** | **9.4** | **42** | **2** | **3** | **8** | **12** | **17** | **21** | **33** |

## 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 6.4 | 13 | 2 | 2 | 6 | 9 | 11 | 12 | 14 |
| 20-34 | 686 | 7.2 | 18 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| 35-49 | 720 | 8.1 | 35 | 2 | 2 | 7 | 10 | 14 | 17 | 35 |
| 50-64 | 329 | 8.3 | 42 | 1 | 2 | 7 | 10 | 14 | 19 | 39 |
| 65+ | 80 | 7.2 | 34 | 1 | 1 | 6 | 10 | 13 | 16 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.6 | 12 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 20-34 | 292 | 6.8 | 28 | 1 | 2 | 5 | 9 | 14 | 17 | 27 |
| 35-49 | 285 | 8.5 | 54 | 2 | 2 | 7 | 11 | 16 | 21 | 32 |
| 50-64 | 99 | 8.7 | 40 | 1 | 2 | 7 | 10 | 18 | 21 | 32 |
| 65+ | 5 | 10.2 | 26 | 2 | 2 | 12 | 13 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.0 | 14 | 1 | 2 | 6 | 8 | 11 | 13 | 19 |
| 20-34 | 582 | 7.9 | 22 | 2 | 3 | 7 | 10 | 14 | 17 | 23 |
| 35-49 | 770 | 8.7 | 31 | 2 | 3 | 8 | 11 | 16 | 19 | 29 |
| 50-64 | 580 | 8.8 | 29 | 1 | 2 | 8 | 12 | 15 | 18 | 25 |
| 65+ | 226 | 10.2 | 36 | 3 | 4 | 9 | 13 | 16 | 24 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.7 | 26 | 3 | 3 | 9 | 15 | 16 | 16 | 16 |
| 20-34 | 210 | 10.8 | 60 | 2 | 2 | 9 | 13 | 21 | 27 | 37 |
| 35-49 | 303 | 11.6 | 46 | 2 | 3 | 11 | 15 | 21 | 24 | 33 |
| 50-64 | 186 | 12.4 | 68 | 3 | 3 | 11 | 16 | 24 | 29 | 40 |
| 65+ | 35 | 13.7 | 56 | 5 | 6 | 13 | 18 | 22 | 31 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1842 | 7.7 | 30 | 2 | 2 | 7 | 10 | 13 | 16 | 34 |
| B. *Operated* | 689 | 7.8 | 41 | 1 | 2 | 7 | 10 | 16 | 19 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2200 | 8.6 | 29 | 2 | 3 | 8 | 11 | 15 | 19 | 28 |
| B. *Operated* | 740 | 11.7 | 56 | 2 | 3 | 10 | 15 | 21 | 27 | 36 |
| **1. SINGLE DX** | 2531 | 7.7 | 33 | 1 | 2 | 7 | 10 | 14 | 17 | 31 |
| **2. MULTIPLE DX** | 2940 | 9.4 | 37 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| **A. NOT OPERATED** | 4042 | 8.2 | 29 | 2 | 2 | 7 | 10 | 14 | 18 | 28 |
| **B. OPERATED** | 1429 | 9.8 | 53 | 2 | 2 | 8 | 13 | 19 | 24 | 34 |
| TOTAL 0-19 YRS | 83 | 6.3 | 15 | 1 | 2 | 6 | 9 | 11 | 14 | 18 |
| 20-34 | 1770 | 7.8 | 27 | 2 | 2 | 7 | 10 | 14 | 17 | 28 |
| 35-49 | 2078 | 8.9 | 39 | 2 | 2 | 8 | 11 | 16 | 20 | 33 |
| 50-64 | 1194 | 9.2 | 41 | 1 | 2 | 8 | 12 | 17 | 21 | 35 |
| 65+ | 346 | 9.8 | 40 | 2 | 3 | 9 | 13 | 17 | 23 | 34 |
| **GRAND TOTAL** | **5471** | **8.6** | **36** | **2** | **2** | **8** | **11** | **16** | **19** | **32** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.1 | 6 | 1 | 1 | 4 | 5 | 8 | 8 | 8 |
| 20-34 | 153 | 7.5 | 20 | 2 | 3 | 7 | 9 | 12 | 17 | 26 |
| 35-49 | 184 | 7.4 | 21 | 1 | 3 | 6 | 10 | 12 | 16 | 26 |
| 50-64 | 149 | 8.1 | 25 | 2 | 3 | 7 | 10 | 13 | 16 | 32 |
| 65+ | 96 | 8.6 | 46 | 2 | 3 | 7 | 11 | 18 | 24 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 117 | 6.2 | 29 | 1 | 2 | 4 | 9 | 14 | 18 | 24 |
| 35-49 | 180 | 7.7 | 46 | 2 | 2 | 6 | 12 | 16 | 20 | 34 |
| 50-64 | 100 | 6.6 | 27 | 2 | 2 | 5 | 9 | 14 | 17 | 26 |
| 65+ | 27 | 8.2 | 39 | 1 | 2 | 7 | 14 | 18 | 20 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.6 | 15 | <1 | 2 | 7 | 11 | 13 | 13 | 13 |
| 20-34 | 152 | 7.9 | 24 | 1 | 3 | 7 | 9 | 15 | 17 | 26 |
| 35-49 | 289 | 8.7 | 29 | 3 | 4 | 7 | 11 | 16 | 17 | 32 |
| 50-64 | 379 | 9.2 | 23 | 3 | 4 | 8 | 12 | 15 | 18 | 24 |
| 65+ | 370 | 10.1 | 33 | 3 | 4 | 9 | 13 | 18 | 23 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 73 | 11.0 | 88 | 2 | 3 | 8 | 13 | 21 | 31 | 52 |
| 35-49 | 134 | 11.3 | 54 | 2 | 4 | 9 | 16 | 22 | 26 | 34 |
| 50-64 | 119 | 13.9 | 102 | 2 | 3 | 12 | 19 | 24 | 30 | 56 |
| 65+ | 85 | 15.3 | 95 | 3 | 5 | 14 | 20 | 29 | 36 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 593 | 7.7 | 26 | 2 | 3 | 7 | 10 | 13 | 17 | 27 |
| B. *Operated* | 426 | 7.1 | 37 | 2 | 2 | 5 | 10 | 15 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1201 | 9.2 | 28 | 3 | 4 | 8 | 12 | 16 | 19 | 27 |
| B. *Operated* | 412 | 12.8 | 85 | 2 | 3 | 11 | 18 | 24 | 30 | 43 |
| **1. SINGLE DX** | 1019 | 7.5 | 30 | 2 | 2 | 6 | 10 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 1613 | 10.1 | 45 | 3 | 4 | 8 | 13 | 18 | 23 | 34 |
| **A. NOT OPERATED** | 1794 | 8.7 | 28 | 3 | 3 | 8 | 11 | 15 | 19 | 27 |
| **B. OPERATED** | 838 | 9.9 | 68 | 2 | 2 | 8 | 14 | 21 | 25 | 37 |
| TOTAL 0-19 YRS | 25 | 6.0 | 12 | 1 | 1 | 5 | 8 | 12 | 13 | 13 |
| 20-34 | 495 | 7.9 | 35 | 1 | 2 | 7 | 10 | 15 | 18 | 29 |
| 35-49 | 787 | 8.6 | 37 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| 50-64 | 747 | 9.4 | 41 | 2 | 3 | 8 | 12 | 17 | 21 | 31 |
| 65+ | 578 | 10.5 | 49 | 3 | 4 | 9 | 14 | 20 | 25 | 35 |
| **GRAND TOTAL** | **2632** | **9.1** | **41** | **2** | **3** | **8** | **12** | **17** | **21** | **31** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 257 | 5.0 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 20-34 | 2012 | 6.8 | 22 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| 35-49 | 2335 | 7.3 | 23 | 1 | 2 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 1271 | 7.6 | 30 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 442 | 8.6 | 32 | 2 | 2 | 7 | 11 | 17 | 21 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 5.6 | 21 | 1 | 2 | 4 | 8 | 12 | 15 | 23 |
| 20-34 | 1540 | 6.2 | 29 | 1 | 2 | 4 | 9 | 13 | 17 | 26 |
| 35-49 | 1922 | 7.1 | 32 | 2 | 2 | 6 | 10 | 15 | 18 | 26 |
| 50-64 | 1198 | 8.6 | 48 | 2 | 2 | 7 | 11 | 18 | 22 | 35 |
| 65+ | 398 | 10.5 | 70 | 2 | 2 | 9 | 15 | 21 | 26 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 5.7 | 22 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 20-34 | 2064 | 7.6 | 29 | 2 | 3 | 6 | 10 | 14 | 17 | 27 |
| 35-49 | 3044 | 8.6 | 33 | 2 | 3 | 7 | 11 | 15 | 20 | 29 |
| 50-64 | 2637 | 8.9 | 37 | 2 | 3 | 8 | 11 | 16 | 20 | 30 |
| 65+ | 2161 | 9.6 | 45 | 2 | 3 | 8 | 12 | 18 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 6.5 | 20 | 2 | 2 | 5 | 8 | 14 | 16 | 19 |
| 20-34 | 1224 | 8.9 | 47 | 2 | 2 | 8 | 12 | 18 | 21 | 31 |
| 35-49 | 1954 | 10.1 | 67 | 2 | 2 | 8 | 13 | 19 | 25 | 39 |
| 50-64 | 1810 | 12.2 | 106 | 2 | 3 | 10 | 16 | 23 | 30 | 52 |
| 65+ | 976 | 15.7 | 150 | 2 | 4 | 13 | 21 | 31 | 39 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6317 | 7.2 | 25 | 1 | 2 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | 5177 | 7.4 | 39 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10120 | 8.7 | 36 | 2 | 3 | 7 | 11 | 16 | 20 | 30 |
| B. *Operated* | 6037 | 11.4 | 93 | 2 | 3 | 9 | 15 | 22 | 29 | 47 |
| **1. SINGLE DX** | 11494 | 7.3 | 31 | 1 | 2 | 6 | 10 | 14 | 18 | 26 |
| **2. MULTIPLE DX** | 16157 | 9.7 | 59 | 2 | 3 | 8 | 12 | 18 | 24 | 38 |
| **A. NOT OPERATED** | 16437 | 8.1 | 32 | 2 | 3 | 7 | 10 | 15 | 19 | 28 |
| **B. OPERATED** | 11214 | 9.5 | 72 | 2 | 2 | 8 | 13 | 19 | 25 | 40 |
| TOTAL 0-19 YRS | 663 | 5.5 | 20 | 1 | 2 | 4 | 7 | 11 | 15 | 21 |
| 20-34 | 6840 | 7.3 | 31 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| 35-49 | 9255 | 8.3 | 39 | 2 | 2 | 7 | 11 | 16 | 19 | 30 |
| 50-64 | 6916 | 9.5 | 58 | 2 | 3 | 8 | 12 | 18 | 23 | 36 |
| 65+ | 3977 | 11.1 | 79 | 2 | 3 | 9 | 14 | 22 | 27 | 43 |
| **GRAND TOTAL** | **27651** | **8.7** | **49** | **2** | **2** | **7** | **11** | **17** | **21** | **34** |

### 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 232 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 282 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 279 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 65+ | 156 | 5.7 | 12 | 1 | 2 | 5 | 8 | 11 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 569 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1442 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1926 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 1858 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 438 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 211 | 6.0 | 20 | 1 | 2 | 5 | 7 | 11 | 15 | 21 |
| 35-49 | 422 | 6.3 | 16 | 2 | 2 | 5 | 8 | 12 | 14 | 20 |
| 50-64 | 622 | 6.9 | 23 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 639 | 8.3 | 30 | 2 | 3 | 7 | 11 | 15 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 3.6 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 756 | 4.2 | 21 | 1 | 2 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 1129 | 4.9 | 22 | 1 | 2 | 4 | 5 | 9 | 13 | 21 |
| 50-64 | 1487 | 5.3 | 29 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| 65+ | 570 | 7.1 | 55 | 2 | 2 | 5 | 8 | 15 | 20 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1201 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | 6233 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2015 | 6.9 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 23 |
| B. *Operated* | 4132 | 5.2 | 29 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| **1. SINGLE DX** | 7434 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 6147 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 3216 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| **B. OPERATED** | 10365 | 4.1 | 16 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 1132 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 2641 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 3759 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 4246 | 4.8 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 65+ | 1803 | 6.6 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| **GRAND TOTAL** | **13581** | **4.6** | **18** | **1** | **2** | **3** | **5** | **9** | **12** | **21** |

### 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 14 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 10 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 50-64 | 10 | 2.5 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 608 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 1559 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 1228 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 1445 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 642 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.6 | 1 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 56 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 35 | 2.7 | 5 | <1 | <1 | 1 | 4 | 6 | 8 | 10 |
| 50-64 | 56 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 8 | 16 |
| 65+ | 50 | 3.8 | 18 | <1 | <1 | 2 | 5 | 9 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 534 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 2559 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 2523 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 3841 | 4.9 | 8 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 1859 | 6.0 | 23 | 2 | 3 | 5 | 7 | 9 | 13 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | 5482 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 2.7 | 8 | <1 | <1 | 1 | 3 | 6 | 8 | 17 |
| B. *Operated* | 11316 | 4.7 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| **1. SINGLE DX** | 5529 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 11527 | 4.7 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 258 | 2.6 | 7 | <1 | <1 | 1 | 3 | 6 | 8 | 16 |
| **B. OPERATED** | 16798 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 1163 | 3.7 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 4188 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 3796 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 50-64 | 5352 | 4.7 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 65+ | 2557 | 5.5 | 19 | 2 | 2 | 5 | 6 | 9 | 12 | 23 |
| **GRAND TOTAL** | **17056** | **4.4** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **14** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.8 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 27 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 10 |
| 35-49 | 13 | 2.7 | 15 | <1 | <1 | 1 | 2 | 9 | 13 | 14 |
| 50-64 | 7 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 5 | 4.8 | 10 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 941 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 1786 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 889 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 612 | 3.0 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 65+ | 222 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 22 | 2.6 | 8 | <1 | <1 | 1 | 3 | 7 | 10 | 12 |
| 35-49 | 20 | 3.3 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 11 |
| 50-64 | 27 | 5.2 | 10 | 1 | 2 | 5 | 8 | 10 | 11 | 13 |
| 65+ | 14 | 7.8 | 23 | <1 | 2 | 7 | 11 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 434 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 417 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 50-64 | 417 | 4.8 | 24 | 1 | 2 | 3 | 6 | 9 | 12 | 27 |
| 65+ | 223 | 6.4 | 62 | 1 | 2 | 4 | 7 | 12 | 22 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 8 | 13 |
| B. *Operated* | 4450 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 4.1 | 14 | <1 | <1 | 3 | 7 | 9 | 12 | 16 |
| B. *Operated* | 1624 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| **1. SINGLE DX** | 4520 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1718 | 4.0 | 19 | 1 | 1 | 3 | 4 | 8 | 10 | 22 |
| **A. NOT OPERATED** | 164 | 3.4 | 11 | <1 | <1 | 2 | 4 | 8 | 10 | 16 |
| **B. OPERATED** | 6074 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| TOTAL 0-19 YRS | 1103 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 2269 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 1339 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 1063 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 65+ | 464 | 4.9 | 36 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| **GRAND TOTAL** | **6238** | **2.8** | **8** | **<1** | **1** | **2** | **3** | **5** | **7** | **13** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 14.2 | 98 | 2 | 4 | 13 | 19 | 28 | 30 | 48 |
| 20-34 | 57 | 10.5 | 127 | 1 | 3 | 6 | 12 | 27 | 38 | 54 |
| 35-49 | 45 | 10.2 | 78 | 1 | 2 | 7 | 13 | 22 | 29 | 42 |
| 50-64 | 54 | 14.4 | 177 | 3 | 4 | 11 | 18 | 31 | 43 | 75 |
| 65+ | 35 | 14.1 | 135 | 1 | 2 | 10 | 20 | 35 | 37 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 15.6 | 118 | 2 | 3 | 14 | 24 | 29 | 35 | 44 |
| 20-34 | 199 | 15.7 | 216 | 2 | 2 | 10 | 24 | 35 | 46 | 66 |
| 35-49 | 134 | 14.1 | 165 | 2 | 2 | 9 | 22 | 34 | 37 | 54 |
| 50-64 | 129 | 14.8 | 149 | 2 | 3 | 11 | 22 | 36 | 42 | 58 |
| 65+ | 83 | 14.8 | 146 | 3 | 4 | 10 | 21 | 36 | 39 | 86 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 18.5 | 144 | 2 | 6 | 17 | 26 | 33 | 40 | 61 |
| 20-34 | 56 | 16.4 | 164 | 3 | 4 | 12 | 22 | 38 | 43 | 55 |
| 35-49 | 71 | 15.6 | 216 | 3 | 4 | 12 | 19 | 34 | 45 | 79 |
| 50-64 | 148 | 16.0 | 165 | 3 | 4 | 12 | 20 | 35 | 44 | 59 |
| 65+ | 144 | 16.3 | 158 | 4 | 5 | 12 | 19 | 33 | 46 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 22.6 | 254 | 3 | 4 | 21 | 31 | 44 | 50 | 75 |
| 20-34 | 207 | 20.6 | 251 | 2 | 3 | 16 | 30 | 44 | 51 | 77 |
| 35-49 | 234 | 21.9 | 305 | 4 | 5 | 17 | 29 | 48 | 56 | 92 |
| 50-64 | 342 | 23.1 | 328 | 3 | 5 | 18 | 32 | 49 | 64 | 92 |
| 65+ | 316 | 23.6 | 258 | 4 | 6 | 20 | 33 | 46 | 54 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 12.9 | 121 | 2 | 3 | 10 | 17 | 28 | 35 | 51 |
| B. *Operated* | 684 | 15.1 | 164 | 2 | 3 | 11 | 23 | 34 | 40 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 16.4 | 167 | 3 | 4 | 13 | 21 | 34 | 44 | 59 |
| B. *Operated* | 1192 | 22.5 | 286 | 3 | 5 | 18 | 32 | 46 | 55 | 82 |
| **1. SINGLE DX** | 976 | 14.4 | 152 | 2 | 3 | 10 | 22 | 32 | 39 | 56 |
| **2. MULTIPLE DX** | 1677 | 20.8 | 259 | 3 | 4 | 16 | 29 | 44 | 52 | 78 |
| **A. NOT OPERATED** | 777 | 15.1 | 153 | 3 | 4 | 12 | 20 | 31 | 42 | 57 |
| **B. OPERATED** | 1876 | 19.8 | 255 | 2 | 3 | 16 | 29 | 42 | 51 | 78 |
| TOTAL 0-19 YRS | 399 | 17.3 | 158 | 2 | 3 | 15 | 25 | 33 | 42 | 53 |
| 20-34 | 519 | 17.1 | 224 | 2 | 3 | 12 | 26 | 40 | 46 | 67 |
| 35-49 | 484 | 17.8 | 249 | 2 | 3 | 13 | 25 | 41 | 51 | 78 |
| 50-64 | 673 | 19.3 | 261 | 3 | 4 | 15 | 27 | 42 | 51 | 80 |
| 65+ | 578 | 20.0 | 225 | 4 | 5 | 16 | 29 | 42 | 50 | 73 |
| **GRAND TOTAL** | **2653** | **18.4** | **229** | **2** | **4** | **14** | **27** | **40** | **48** | **73** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 200 | 5.8 | 27 | 1 | 1 | 4 | 8 | 11 | 18 | 27 |
| 20-34 | 237 | 3.7 | 8 | 1 | 1 | 3 | 4 | 8 | 9 | 14 |
| 35-49 | 248 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 226 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 16 | 22 |
| 65+ | 358 | 8.3 | 52 | 2 | 2 | 7 | 11 | 16 | 20 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1591 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 20-34 | 1822 | 4.6 | 19 | 1 | 2 | 3 | 5 | 8 | 11 | 23 |
| 35-49 | 928 | 5.7 | 29 | 2 | 2 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | 645 | 7.7 | 43 | 2 | 2 | 5 | 11 | 17 | 20 | 29 |
| 65+ | 390 | 12.5 | 93 | 2 | 3 | 11 | 17 | 23 | 29 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 5.0 | 29 | <1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 20-34 | 419 | 5.0 | 15 | 1 | 1 | 4 | 7 | 9 | 12 | 19 |
| 35-49 | 655 | 6.0 | 27 | 1 | 2 | 5 | 7 | 11 | 15 | 29 |
| 50-64 | 1013 | 7.8 | 35 | 2 | 2 | 6 | 10 | 15 | 19 | 32 |
| 65+ | 3292 | 11.3 | 63 | 3 | 4 | 9 | 15 | 21 | 26 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 530 | 5.2 | 24 | 1 | 2 | 4 | 6 | 11 | 15 | 27 |
| 20-34 | 1099 | 6.3 | 68 | 2 | 2 | 4 | 7 | 12 | 17 | 44 |
| 35-49 | 830 | 8.0 | 74 | 2 | 2 | 5 | 10 | 17 | 24 | 46 |
| 50-64 | 1013 | 12.6 | 160 | 2 | 3 | 9 | 17 | 26 | 37 | 91 |
| 65+ | 1261 | 18.2 | 169 | 3 | 5 | 15 | 23 | 34 | 42 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1269 | 5.7 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| B. *Operated* | 5376 | 5.6 | 32 | 1 | 2 | 4 | 6 | 12 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5547 | 9.4 | 55 | 2 | 3 | 7 | 12 | 19 | 23 | 37 |
| B. *Operated* | 4733 | 11.0 | 136 | 2 | 2 | 7 | 15 | 25 | 33 | 63 |
| **1. SINGLE DX** | 6645 | 5.7 | 32 | 1 | 2 | 4 | 7 | 12 | 17 | 27 |
| **2. MULTIPLE DX** | 10280 | 10.1 | 93 | 2 | 2 | 7 | 13 | 21 | 28 | 48 |
| **A. NOT OPERATED** | 6816 | 8.7 | 52 | 1 | 2 | 7 | 11 | 18 | 22 | 36 |
| **B. OPERATED** | 10109 | 8.1 | 88 | 2 | 2 | 5 | 10 | 19 | 26 | 47 |
| TOTAL 0-19 YRS | 2489 | 4.6 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 20-34 | 3577 | 5.1 | 34 | 1 | 2 | 4 | 6 | 9 | 13 | 29 |
| 35-49 | 2661 | 6.3 | 42 | 1 | 2 | 4 | 7 | 13 | 17 | 35 |
| 50-64 | 2897 | 9.3 | 86 | 2 | 2 | 6 | 12 | 19 | 25 | 49 |
| 65+ | 5301 | 12.9 | 99 | 3 | 4 | 10 | 17 | 24 | 31 | 50 |
| **GRAND TOTAL** | **16925** | **8.4** | **74** | **2** | **2** | **5** | **11** | **18** | **24** | **42** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.4 | 30 | <1 | <1 | 1 | 3 | 7 | 18 | 23 |
| 20-34 | 7 | 3.9 | 16 | 1 | 1 | 3 | 5 | 11 | 12 | 12 |
| 35-49 | 5 | 4.8 | 19 | 1 | 1 | 2 | 9 | 10 | 10 | 10 |
| 50-64 | 5 | 3.2 | 5 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 6 | 4.0 | 15 | 1 | 1 | 2 | 6 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 358 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 451 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 245 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 50-64 | 176 | 4.3 | 11 | 1 | 2 | 3 | 5 | 9 | 11 | 20 |
| 65+ | 29 | 6.7 | 43 | 2 | 2 | 4 | 8 | 16 | 24 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.1 | 21 | <1 | <1 | 2 | 3 | 7 | 15 | 20 |
| 20-34 | 24 | 4.0 | 23 | <1 | 1 | 3 | 4 | 9 | 16 | 22 |
| 35-49 | 21 | 7.1 | 86 | 1 | 1 | 3 | 9 | 17 | 32 | 39 |
| 50-64 | 25 | 9.4 | 109 | <1 | 1 | 4 | 14 | 27 | 31 | 39 |
| 65+ | 30 | 13.8 | 179 | 3 | 4 | 11 | 17 | 24 | 27 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 5.6 | 42 | 1 | 2 | 4 | 6 | 9 | 14 | 41 |
| 20-34 | 529 | 4.6 | 37 | 1 | 2 | 3 | 5 | 8 | 11 | 41 |
| 35-49 | 382 | 4.3 | 8 | 2 | 2 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 390 | 6.7 | 70 | 2 | 2 | 5 | 7 | 12 | 16 | 45 |
| 65+ | 158 | 10.9 | 148 | 2 | 2 | 6 | 13 | 26 | 36 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 3.7 | 19 | <1 | 1 | 2 | 4 | 10 | 12 | 23 |
| B. *Operated* | 1259 | 3.7 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 8.0 | 105 | <1 | 1 | 4 | 10 | 21 | 27 | 50 |
| B. *Operated* | 1754 | 5.7 | 52 | 2 | 2 | 4 | 6 | 11 | 18 | 40 |
| **1. SINGLE DX** | 1298 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | 1872 | 5.9 | 55 | 2 | 2 | 4 | 6 | 11 | 16 | 40 |
| **A. NOT OPERATED** | 157 | 7.0 | 87 | <1 | 1 | 3 | 9 | 18 | 25 | 39 |
| **B. OPERATED** | 3013 | 4.9 | 34 | 1 | 2 | 3 | 5 | 9 | 12 | 30 |
| TOTAL 0-19 YRS | 687 | 4.5 | 22 | 1 | 2 | 4 | 5 | 8 | 10 | 25 |
| 20-34 | 1011 | 4.0 | 22 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| 35-49 | 653 | 4.1 | 10 | 1 | 2 | 3 | 5 | 8 | 9 | 17 |
| 50-64 | 596 | 6.1 | 55 | 2 | 2 | 4 | 7 | 12 | 15 | 34 |
| 65+ | 223 | 10.6 | 138 | 2 | 2 | 6 | 13 | 24 | 34 | 59 |
| **GRAND TOTAL** | **3170** | **5.0** | **37** | **1** | **2** | **3** | **5** | **9** | **13** | **31** |

## 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.1 | 221 | <1 | 1 | 6 | 8 | 31 | 50 | 55 |
| 20-34 | 91 | 6.0 | 17 | 1 | 2 | 5 | 8 | 12 | 15 | 17 |
| 35-49 | 123 | 7.2 | 34 | 1 | 2 | 6 | 9 | 13 | 17 | 37 |
| 50-64 | 73 | 6.5 | 25 | 1 | 1 | 5 | 9 | 13 | 17 | 23 |
| 65+ | 37 | 9.6 | 56 | 1 | 3 | 8 | 13 | 18 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 7 | 3 | 3 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 64 | 8.6 | 62 | 1 | 2 | 7 | 11 | 17 | 25 | 41 |
| 35-49 | 88 | 6.9 | 34 | 2 | 2 | 5 | 9 | 16 | 18 | 28 |
| 50-64 | 55 | 7.9 | 41 | 1 | 2 | 6 | 10 | 19 | 21 | 27 |
| 65+ | 23 | 5.8 | 25 | 1 | 2 | 4 | 8 | 16 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.3 | 14 | 1 | 1 | 6 | 10 | 11 | 11 | 11 |
| 20-34 | 67 | 7.6 | 31 | 1 | 3 | 7 | 9 | 14 | 20 | 31 |
| 35-49 | 124 | 7.2 | 25 | 1 | 2 | 6 | 10 | 12 | 17 | 26 |
| 50-64 | 186 | 8.1 | 28 | 2 | 2 | 7 | 10 | 16 | 19 | 26 |
| 65+ | 189 | 9.5 | 50 | 2 | 3 | 8 | 11 | 17 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.8 | 264 | 1 | 1 | 3 | 20 | 35 | 35 | 35 |
| 20-34 | 42 | 8.0 | 32 | 1 | 2 | 7 | 11 | 17 | 19 | 20 |
| 35-49 | 96 | 10.8 | 42 | 3 | 3 | 10 | 14 | 19 | 24 | 32 |
| 50-64 | 103 | 11.4 | 78 | 2 | 3 | 10 | 15 | 23 | 30 | 43 |
| 65+ | 41 | 14.6 | 193 | 3 | 4 | 11 | 20 | 23 | 37 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 337 | 7.1 | 38 | 1 | 2 | 6 | 9 | 14 | 18 | 36 |
| B. *Operated* | 233 | 7.5 | 43 | 2 | 2 | 5 | 9 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 572 | 8.3 | 35 | 2 | 2 | 7 | 11 | 16 | 20 | 30 |
| B. *Operated* | 286 | 11.1 | 79 | 2 | 3 | 9 | 15 | 20 | 26 | 44 |
| **1. SINGLE DX** | 570 | 7.3 | 40 | 1 | 2 | 6 | 9 | 15 | 18 | 35 |
| **2. MULTIPLE DX** | 858 | 9.2 | 52 | 2 | 3 | 8 | 11 | 17 | 22 | 35 |
| **A. NOT OPERATED** | 909 | 7.8 | 37 | 1 | 2 | 7 | 10 | 15 | 18 | 31 |
| **B. OPERATED** | 519 | 9.5 | 66 | 2 | 2 | 8 | 12 | 19 | 24 | 40 |
| TOTAL 0-19 YRS | 26 | 8.7 | 146 | <1 | 1 | 5 | 8 | 24 | 39 | 55 |
| 20-34 | 264 | 7.4 | 35 | 1 | 2 | 6 | 10 | 15 | 18 | 32 |
| 35-49 | 431 | 7.9 | 35 | 2 | 2 | 7 | 10 | 16 | 19 | 30 |
| 50-64 | 417 | 8.6 | 44 | 1 | 2 | 7 | 11 | 17 | 21 | 34 |
| 65+ | 290 | 9.9 | 73 | 2 | 3 | 8 | 12 | 19 | 23 | 49 |
| **GRAND TOTAL** | **1428** | **8.4** | **48** | **2** | **2** | **7** | **11** | **17** | **20** | **35** |

## 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 319 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 809 | 5.3 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 35-49 | 805 | 6.2 | 23 | 1 | 2 | 5 | 8 | 12 | 14 | 25 |
| 50-64 | 520 | 5.7 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 19 |
| 65+ | 250 | 6.3 | 19 | 1 | 2 | 6 | 9 | 11 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 843 | 4.2 | 23 | 1 | 1 | 2 | 4 | 11 | 15 | 23 |
| 20-34 | 1346 | 4.5 | 24 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| 35-49 | 997 | 4.8 | 23 | 1 | 2 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 1009 | 4.1 | 14 | 1 | 2 | 3 | 4 | 9 | 11 | 19 |
| 65+ | 536 | 4.3 | 25 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 4.5 | 17 | 1 | 1 | 3 | 6 | 8 | 11 | 22 |
| 20-34 | 1350 | 6.8 | 27 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 1788 | 7.3 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 50-64 | 1548 | 7.2 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 1397 | 8.3 | 42 | 2 | 3 | 7 | 11 | 16 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 683 | 4.5 | 28 | 1 | 1 | 3 | 4 | 10 | 15 | 29 |
| 20-34 | 1501 | 5.3 | 33 | 1 | 2 | 3 | 6 | 11 | 15 | 29 |
| 35-49 | 1269 | 6.9 | 51 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| 50-64 | 1289 | 7.5 | 61 | 2 | 2 | 5 | 10 | 17 | 23 | 36 |
| 65+ | 724 | 9.3 | 82 | 2 | 2 | 6 | 12 | 21 | 27 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2703 | 5.6 | 18 | 1 | 1 | 4 | 8 | 11 | 13 | 20 |
| B. *Operated* | 4731 | 4.4 | 21 | 1 | 1 | 3 | 5 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6377 | 7.2 | 29 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | 5466 | 6.6 | 52 | 1 | 2 | 4 | 8 | 15 | 20 | 36 |
| **1. SINGLE DX** | 7434 | 4.8 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 11843 | 6.9 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| **A. NOT OPERATED** | 9080 | 6.7 | 26 | 1 | 2 | 6 | 9 | 13 | 16 | 25 |
| **B. OPERATED** | 10197 | 5.6 | 39 | 1 | 2 | 3 | 6 | 13 | 17 | 31 |
| TOTAL 0-19 YRS | 2139 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 14 | 23 |
| 20-34 | 5006 | 5.5 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| 35-49 | 4859 | 6.5 | 31 | 1 | 2 | 5 | 9 | 13 | 16 | 28 |
| 50-64 | 4366 | 6.4 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| 65+ | 2907 | 7.6 | 50 | 2 | 2 | 5 | 10 | 15 | 20 | 37 |
| **GRAND TOTAL** | **19277** | **6.1** | **33** | **1** | **2** | **4** | **8** | **13** | **16** | **28** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 88 | 6.4 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 22 |
| 35-49 | 81 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 50-64 | 31 | 6.4 | 14 | 2 | 2 | 7 | 8 | 11 | 15 | 15 |
| 65+ | 9 | 7.2 | 21 | 2 | 2 | 5 | 11 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 17 | 7.5 | 12 | 2 | 3 | 8 | 9 | 13 | 14 | 14 |
| 35-49 | 22 | 7.1 | 11 | 2 | 3 | 7 | 10 | 12 | 13 | 14 |
| 50-64 | 6 | 4.7 | 8 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.8 | 12 | 2 | 3 | 5 | 8 | 11 | 13 | 14 |
| 20-34 | 214 | 6.4 | 12 | 3 | 3 | 6 | 8 | 11 | 13 | 18 |
| 35-49 | 260 | 6.9 | 17 | 3 | 3 | 6 | 9 | 12 | 14 | 21 |
| 50-64 | 148 | 7.4 | 17 | 3 | 3 | 7 | 10 | 13 | 15 | 21 |
| 65+ | 45 | 7.8 | 45 | 2 | 3 | 7 | 9 | 12 | 14 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 46 | 8.7 | 33 | 3 | 3 | 7 | 12 | 15 | 19 | 31 |
| 35-49 | 64 | 10.7 | 37 | 3 | 4 | 10 | 14 | 20 | 24 | 29 |
| 50-64 | 34 | 10.4 | 143 | 3 | 3 | 8 | 11 | 15 | 28 | 71 |
| 65+ | 12 | 11.3 | 88 | 2 | 3 | 8 | 16 | 24 | 33 | 35 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 217 | 6.5 | 13 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| B. *Operated* | 46 | 6.9 | 11 | 1 | 3 | 7 | 9 | 12 | 13 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 687 | 6.9 | 17 | 3 | 3 | 6 | 9 | 12 | 14 | 20 |
| B. *Operated* | 157 | 10.1 | 62 | 3 | 3 | 8 | 13 | 17 | 23 | 35 |
| 1. SINGLE DX | 263 | 6.5 | 13 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| 2. MULTIPLE DX | 844 | 7.5 | 27 | 3 | 3 | 7 | 9 | 13 | 16 | 25 |
| A. NOT OPERATED | 904 | 6.8 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 19 |
| B. OPERATED | 203 | 9.4 | 52 | 3 | 3 | 8 | 12 | 16 | 21 | 33 |
| TOTAL 0-19 YRS | 30 | 5.6 | 12 | 2 | 2 | 5 | 8 | 11 | 13 | 14 |
| 20-34 | 365 | 6.7 | 16 | 2 | 3 | 6 | 8 | 12 | 14 | 21 |
| 35-49 | 427 | 7.5 | 20 | 2 | 3 | 7 | 10 | 13 | 16 | 23 |
| 50-64 | 219 | 7.7 | 37 | 2 | 3 | 7 | 10 | 13 | 15 | 24 |
| 65+ | 66 | 8.3 | 50 | 2 | 3 | 7 | 10 | 14 | 17 | 44 |
| GRAND TOTAL | 1107 | 7.3 | 24 | 2 | 3 | 6 | 9 | 13 | 15 | 22 |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.8 | 15 | <1 | 1 | 3 | 4 | 9 | 11 | 20 |
| 20-34 | 10 | 4.6 | 8 | 2 | 2 | 4 | 5 | 9 | 12 | 12 |
| 35-49 | 5 | 4.2 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 8.2 | 44 | 2 | 2 | 6 | 11 | 17 | 20 | 36 |
| 20-34 | 22 | 11.1 | 38 | 2 | 3 | 10 | 17 | 20 | 22 | 23 |
| 35-49 | 16 | 8.4 | 32 | 2 | 2 | 8 | 10 | 15 | 21 | 24 |
| 50-64 | 9 | 15.7 | 159 | 2 | 2 | 15 | 23 | 35 | 39 | 39 |
| 65+ | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 5.9 | 76 | 1 | 1 | 4 | 7 | 11 | 15 | 38 |
| 20-34 | 28 | 9.4 | 198 | 2 | 3 | 6 | 11 | 15 | 21 | 78 |
| 35-49 | 12 | 7.4 | 34 | 2 | 2 | 6 | 8 | 18 | 21 | 21 |
| 50-64 | 7 | 9.3 | 65 | 3 | 3 | 7 | 13 | 23 | 25 | 25 |
| 65+ | 9 | 9.6 | 37 | 1 | 2 | 12 | 13 | 60 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 11.0 | 99 | 2 | 3 | 9 | 14 | 24 | 38 | 65 |
| 20-34 | 23 | 17.7 | 269 | 4 | 5 | 13 | 24 | 40 | 56 | 72 |
| 35-49 | 16 | 13.4 | 147 | 2 | 3 | 9 | 19 | 34 | 41 | 44 |
| 50-64 | 5 | 17.8 | 158 | 4 | 4 | 15 | 24 | 38 | 38 | 38 |
| 65+ | 10 | 19.5 | 346 | 5 | 5 | 15 | 22 | 46 | 69 | 69 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 64 | 4.0 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 19 |
| B. *Operated* | 106 | 9.5 | 53 | 2 | 2 | 8 | 12 | 19 | 23 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 215 | 6.7 | 88 | 1 | 1 | 4 | 7 | 13 | 19 | 82 |
| B. *Operated* | 179 | 12.7 | 144 | 2 | 3 | 9 | 16 | 28 | 40 | 71 |
| 1. SINGLE DX | 170 | 7.4 | 45 | 1 | 2 | 5 | 10 | 17 | 21 | 35 |
| 2. MULTIPLE DX | 394 | 9.5 | 122 | 1 | 2 | 6 | 12 | 20 | 31 | 75 |
| A. NOT OPERATED | 279 | 6.1 | 72 | 1 | 1 | 4 | 7 | 12 | 16 | 66 |
| B. OPERATED | 285 | 11.5 | 113 | 2 | 3 | 9 | 15 | 23 | 37 | 64 |
| TOTAL 0-19 YRS | 387 | 7.7 | 78 | 1 | 1 | 5 | 10 | 16 | 24 | 44 |
| 20-34 | 83 | 11.6 | 166 | 2 | 3 | 8 | 14 | 21 | 31 | 76 |
| 35-49 | 49 | 9.4 | 74 | 2 | 2 | 7 | 10 | 21 | 25 | 44 |
| 50-64 | 22 | 13.7 | 124 | 2 | 3 | 11 | 19 | 32 | 38 | 39 |
| 65+ | 23 | 13.3 | 191 | 2 | 3 | 12 | 18 | 28 | 78 | 99+ |
| GRAND TOTAL | 564 | 8.8 | 100 | 1 | 2 | 6 | 11 | 19 | 27 | 67 |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 6 | 5.0 | 1 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 683 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 213 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 143 | 2.9 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 50-64 | 187 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 201 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.6 | 42 | <1 | <1 | 1 | 1 | 4 | 9 | 45 |
| 20-34 | 4 | 3.8 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 3 | 5.3 | 8 | 2 | 2 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 65+ | 6 | 3.5 | 15 | 1 | 1 | 2 | 4 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 72 | 3.6 | 8 | 1 | 2 | 3 | 4 | 8 | 9 | 17 |
| 35-49 | 65 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 147 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 8 | 10 |
| 65+ | 169 | 4.1 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 7 |
| B. *Operated* | 1427 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 3.0 | 35 | <1 | <1 | 1 | 2 | 7 | 10 | 40 |
| B. *Operated* | 649 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| **1. SINGLE DX** | 1601 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 718 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 243 | 1.9 | 12 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **B. OPERATED** | 2076 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 1095 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 295 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 214 | 3.2 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 338 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 377 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| **GRAND TOTAL** | **2319** | **2.9** | **5** | **1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.5 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 20-34 | 15 | 4.7 | 6 | 2 | 2 | 4 | 6 | 9 | 9 | 9 |
| 35-49 | 18 | 4.4 | 14 | 1 | 2 | 3 | 6 | 8 | 13 | 17 |
| 50-64 | 6 | 4.3 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 5 | 4.8 | 8 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 482 | 5.2 | 32 | 1 | 2 | 2 | 8 | 11 | 13 | 20 |
| 20-34 | 171 | 6.3 | 51 | 2 | 2 | 3 | 9 | 13 | 18 | 46 |
| 35-49 | 94 | 6.8 | 36 | 1 | 2 | 4 | 10 | 15 | 18 | 28 |
| 50-64 | 62 | 6.8 | 56 | 1 | 2 | 3 | 11 | 15 | 23 | 35 |
| 65+ | 17 | 5.1 | 16 | 2 | 2 | 3 | 9 | 11 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 5.2 | 29 | 1 | 1 | 4 | 6 | 10 | 14 | 34 |
| 20-34 | 108 | 7.0 | 68 | 1 | 2 | 5 | 8 | 13 | 23 | 51 |
| 35-49 | 65 | 6.3 | 48 | 1 | 1 | 4 | 8 | 13 | 16 | 41 |
| 50-64 | 62 | 7.3 | 37 | 1 | 2 | 6 | 10 | 14 | 15 | 34 |
| 65+ | 82 | 8.0 | 36 | 2 | 3 | 7 | 9 | 17 | 21 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 660 | 7.6 | 78 | 2 | 2 | 4 | 10 | 16 | 25 | 43 |
| 20-34 | 171 | 8.9 | 80 | 2 | 2 | 7 | 12 | 19 | 24 | 56 |
| 35-49 | 133 | 9.9 | 96 | 2 | 2 | 8 | 14 | 22 | 27 | 41 |
| 50-64 | 143 | 10.6 | 178 | 2 | 2 | 8 | 12 | 18 | 31 | 89 |
| 65+ | 99 | 13.3 | 135 | 2 | 2 | 11 | 17 | 31 | 34 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 826 | 5.7 | 38 | 1 | 2 | 3 | 9 | 12 | 15 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 6.3 | 42 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| B. *Operated* | 1206 | 8.9 | 100 | 2 | 2 | 7 | 12 | 19 | 28 | 52 |
| **1. SINGLE DX** | 923 | 5.6 | 35 | 1 | 2 | 3 | 8 | 11 | 14 | 30 |
| **2. MULTIPLE DX** | 1756 | 8.1 | 83 | 2 | 2 | 5 | 10 | 17 | 25 | 45 |
| **A. NOT OPERATED** | 647 | 6.0 | 37 | 1 | 1 | 4 | 7 | 11 | 16 | 34 |
| **B. OPERATED** | 2032 | 7.6 | 77 | 2 | 2 | 4 | 10 | 16 | 23 | 45 |
| TOTAL 0-19 YRS | 1428 | 6.3 | 54 | 1 | 2 | 3 | 9 | 13 | 19 | 39 |
| 20-34 | 465 | 7.4 | 66 | 2 | 2 | 5 | 9 | 16 | 21 | 51 |
| 35-49 | 310 | 7.9 | 66 | 1 | 2 | 5 | 11 | 17 | 23 | 34 |
| 50-64 | 273 | 8.8 | 118 | 2 | 2 | 6 | 11 | 16 | 26 | 58 |
| 65+ | 203 | 10.3 | 91 | 2 | 2 | 8 | 13 | 21 | 31 | 47 |
| **GRAND TOTAL** | **2679** | **7.2** | **68** | **1** | **2** | **4** | **9** | **15** | **21** | **42** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.1 | 46 | 1 | 1 | 3 | 5 | 17 | 20 | 20 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 409 | 4.1 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| 20-34 | 24 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 7 | 5.7 | 9 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.8 | 14 | <1 | <1 | 1 | 3 | 6 | 11 | 17 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 4.2 | 20 | 1 | 2 | 3 | 5 | 8 | 9 | 34 |
| 20-34 | 26 | 4.8 | 80 | 1 | 1 | 3 | 4 | 6 | 15 | 48 |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 11.0 | 84 | 3 | 3 | 9 | 18 | 21 | 21 | 21 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 5.1 | 46 | 1 | 1 | 3 | 5 | 17 | 20 | 20 |
| B. *Operated* | 444 | 4.1 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.8 | 14 | <1 | <1 | 1 | 3 | 6 | 11 | 17 |
| B. *Operated* | 293 | 4.3 | 26 | 1 | 2 | 3 | 5 | 8 | 9 | 37 |
| **1. SINGLE DX** | 451 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 314 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 9 | 36 |
| **A. NOT OPERATED** | 28 | 3.4 | 22 | <1 | 1 | 1 | 4 | 6 | 17 | 20 |
| **B. OPERATED** | 737 | 4.2 | 14 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 697 | 4.1 | 12 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| 20-34 | 50 | 4.1 | 43 | 1 | 2 | 3 | 4 | 6 | 7 | 48 |
| 35-49 | 10 | 4.8 | 8 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 50-64 | 5 | 7.2 | 69 | 1 | 1 | 3 | 12 | 21 | 21 | 21 |
| 65+ | 3 | 5.3 | 9 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| **GRAND TOTAL** | **765** | **4.2** | **14** | **1** | **2** | **3** | **5** | **8** | **9** | **17** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 435 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 6.2 | 8 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| B. *Operated* | 435 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 11 |
| B. *Operated* | 100 | 6.2 | 8 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| **1. SINGLE DX** | 476 | 4.0 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 133 | 5.7 | 8 | 2 | 3 | 5 | 7 | 10 | 11 | 15 |
| **A. NOT OPERATED** | 74 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 535 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| TOTAL 0-19 YRS | 609 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **609** | **4.4** | **6** | **2** | **2** | **4** | **5** | **7** | **9** | **12** |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 2.8 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 21 |
| 20-34 | 17 | 3.4 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 8 | 7.6 | 59 | 2 | 2 | 4 | 12 | 20 | 22 | 22 |
| 50-64 | 12 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 65+ | 9 | 4.0 | 8 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 299 | 4.9 | 26 | <1 | 1 | 3 | 6 | 11 | 18 | 23 |
| 20-34 | 102 | 5.3 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 35-49 | 40 | 6.2 | 20 | 2 | 2 | 5 | 8 | 14 | 16 | 19 |
| 50-64 | 33 | 6.2 | 20 | 1 | 2 | 5 | 9 | 13 | 14 | 18 |
| 65+ | 30 | 9.2 | 74 | 2 | 2 | 5 | 15 | 22 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 5.5 | 43 | 1 | 1 | 4 | 7 | 10 | 16 | 39 |
| 20-34 | 21 | 6.3 | 16 | 1 | 2 | 5 | 8 | 13 | 15 | 16 |
| 35-49 | 26 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| 50-64 | 52 | 7.1 | 38 | 1 | 2 | 5 | 9 | 13 | 22 | 30 |
| 65+ | 69 | 6.0 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 8.0 | 83 | 1 | 2 | 5 | 10 | 16 | 22 | 46 |
| 20-34 | 110 | 7.3 | 28 | 2 | 2 | 6 | 10 | 15 | 18 | 22 |
| 35-49 | 71 | 10.9 | 117 | 2 | 2 | 9 | 13 | 19 | 24 | 65 |
| 50-64 | 96 | 11.6 | 112 | 2 | 2 | 10 | 16 | 22 | 26 | 64 |
| 65+ | 76 | 13.6 | 112 | 2 | 3 | 12 | 18 | 27 | 33 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 172 | 3.2 | 15 | <1 | <1 | 2 | 4 | 7 | 8 | 21 |
| B. *Operated* | 504 | 5.4 | 27 | 1 | 1 | 4 | 7 | 12 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 297 | 5.8 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 32 |
| B. *Operated* | 614 | 9.4 | 90 | 2 | 2 | 7 | 12 | 19 | 24 | 51 |
| **1. SINGLE DX** | 676 | 4.9 | 25 | <1 | 1 | 3 | 6 | 11 | 17 | 23 |
| **2. MULTIPLE DX** | 911 | 8.3 | 73 | 1 | 2 | 6 | 11 | 16 | 22 | 42 |
| **A. NOT OPERATED** | 469 | 4.9 | 26 | <1 | 1 | 3 | 6 | 9 | 13 | 29 |
| **B. OPERATED** | 1118 | 7.6 | 65 | 1 | 2 | 5 | 10 | 16 | 21 | 38 |
| TOTAL 0-19 YRS | 815 | 5.7 | 48 | <1 | 1 | 4 | 7 | 12 | 17 | 34 |
| 20-34 | 250 | 6.1 | 23 | 1 | 2 | 5 | 9 | 13 | 16 | 22 |
| 35-49 | 145 | 8.3 | 74 | 2 | 2 | 6 | 11 | 16 | 20 | 59 |
| 50-64 | 193 | 8.9 | 77 | 1 | 2 | 7 | 12 | 18 | 23 | 36 |
| 65+ | 184 | 9.5 | 77 | 2 | 2 | 7 | 12 | 21 | 27 | 42 |
| **GRAND TOTAL** | **1587** | **6.8** | **55** | **1** | **1** | **4** | **9** | **15** | **20** | **34** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.7 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 20-34 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 917 | 2.9 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 90 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 17 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 7 | 8 |
| 50-64 | 5 | 5.0 | 9 | 3 | 3 | 4 | 6 | 10 | 10 | 10 |
| 65+ | 3 | 4.3 | 9 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 952 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 99 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 29 | 3.9 | 3 | 1 | 2 | 4 | 5 | 6 | 8 | 8 |
| 50-64 | 10 | 5.5 | 25 | 2 | 2 | 4 | 6 | 13 | 19 | 19 |
| 65+ | 7 | 6.3 | 25 | 3 | 3 | 4 | 7 | 15 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| B. *Operated* | 1032 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 1097 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| **1. SINGLE DX** | 1051 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 1137 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| **A. NOT OPERATED** | 59 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| **B. OPERATED** | 2129 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| TOTAL 0-19 YRS | 1921 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 195 | 4.0 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 46 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 8 | 8 |
| 50-64 | 16 | 5.4 | 17 | 2 | 2 | 4 | 6 | 10 | 16 | 19 |
| 65+ | 10 | 5.7 | 19 | 1 | 2 | 5 | 7 | 12 | 17 | 17 |
| **GRAND TOTAL** | **2188** | **3.2** | **4** | **1** | **2** | **3** | **4** | **5** | **7** | **10** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 19 | 4.2 | 29 | <1 | 1 | 2 | 5 | 8 | 17 | 24 |
| 35-49 | 13 | 4.4 | 6 | 1 | 1 | 5 | 6 | 8 | 9 | 9 |
| 50-64 | 14 | 3.6 | 3 | <1 | 2 | 3 | 4 | 6 | 7 | 7 |
| 65+ | 12 | 5.8 | 20 | 1 | 1 | 3 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 669 | 5.1 | 15 | <1 | 1 | 4 | 8 | 11 | 12 | 16 |
| 20-34 | 296 | 4.5 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 103 | 5.5 | 20 | 1 | 2 | 4 | 7 | 12 | 16 | 20 |
| 50-64 | 43 | 4.9 | 17 | <1 | 1 | 3 | 8 | 10 | 14 | 16 |
| 65+ | 29 | 4.9 | 18 | 1 | 1 | 3 | 8 | 11 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 4.0 | 40 | <1 | <1 | 2 | 4 | 8 | 13 | 41 |
| 20-34 | 60 | 4.6 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 18 |
| 35-49 | 72 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 71 | 5.0 | 9 | 2 | 2 | 4 | 6 | 10 | 11 | 13 |
| 65+ | 68 | 7.6 | 48 | 1 | 3 | 5 | 8 | 15 | 28 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 532 | 5.7 | 27 | 1 | 1 | 4 | 8 | 12 | 14 | 26 |
| 20-34 | 415 | 5.7 | 22 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| 35-49 | 208 | 7.4 | 40 | 1 | 2 | 6 | 9 | 14 | 20 | 43 |
| 50-64 | 201 | 8.3 | 52 | 1 | 2 | 6 | 11 | 18 | 22 | 32 |
| 65+ | 127 | 9.7 | 73 | 2 | 2 | 7 | 13 | 20 | 26 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | 1140 | 5.0 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 5.2 | 26 | 1 | 1 | 4 | 6 | 10 | 13 | 29 |
| B. *Operated* | 1483 | 6.6 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| **1. SINGLE DX** | 1224 | 4.9 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 1824 | 6.4 | 35 | 1 | 1 | 5 | 8 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 425 | 4.9 | 23 | 1 | 1 | 4 | 6 | 10 | 12 | 28 |
| **B. OPERATED** | 2623 | 5.9 | 28 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| TOTAL 0-19 YRS | 1297 | 5.2 | 21 | 1 | 1 | 4 | 8 | 11 | 14 | 20 |
| 20-34 | 790 | 5.1 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 35-49 | 396 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| 50-64 | 329 | 7.0 | 39 | 1 | 2 | 5 | 9 | 15 | 20 | 28 |
| 65+ | 236 | 8.3 | 59 | 1 | 2 | 6 | 11 | 18 | 26 | 45 |
| **GRAND TOTAL** | **3048** | **5.8** | **27** | **1** | **1** | **4** | **8** | **12** | **15** | **26** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.0 | 6 | <1 | <1 | 1 | 2 | 5 | 6 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 528 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 68 | 5.7 | 12 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| 35-49 | 20 | 4.1 | 3 | 1 | 2 | 4 | 5 | 6 | 8 | 9 |
| 50-64 | 19 | 4.6 | 4 | 2 | 2 | 5 | 5 | 7 | 9 | 9 |
| 65+ | 6 | 6.2 | 3 | 5 | 5 | 6 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 5 | 7 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 131 | 5.2 | 8 | 3 | 3 | 5 | 6 | 8 | 11 | 18 |
| 35-49 | 90 | 5.4 | 10 | 3 | 3 | 5 | 6 | 9 | 11 | 21 |
| 50-64 | 124 | 6.6 | 43 | 3 | 3 | 5 | 7 | 11 | 14 | 40 |
| 65+ | 41 | 6.3 | 11 | 3 | 3 | 5 | 7 | 10 | 14 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 2.0 | 6 | <1 | <1 | 1 | 2 | 5 | 6 | 12 |
| B. *Operated* | 641 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 1.9 | 4 | <1 | <1 | 1 | 2 | 6 | 7 | 8 |
| B. *Operated* | 659 | 5.3 | 15 | 2 | 3 | 5 | 6 | 8 | 11 | 19 |
| **1. SINGLE DX** | 670 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 698 | 5.1 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **A. NOT OPERATED** | 68 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |
| **B. OPERATED** | 1300 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 862 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 200 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 12 | 18 |
| 35-49 | 112 | 5.2 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 145 | 6.3 | 38 | 2 | 3 | 5 | 6 | 10 | 13 | 34 |
| 65+ | 49 | 6.3 | 10 | 3 | 4 | 5 | 7 | 9 | 11 | 19 |
| **GRAND TOTAL** | **1368** | **4.5** | **11** | **1** | **2** | **4** | **5** | **8** | **10** | **17** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 3.4 | 16 | <1 | 1 | 2 | 3 | 8 | 10 | 25 |
| 20-34 | 76 | 5.3 | 16 | 1 | 1 | 4 | 8 | 10 | 13 | 19 |
| 35-49 | 66 | 6.8 | 42 | 1 | 1 | 5 | 8 | 14 | 23 | 31 |
| 50-64 | 56 | 7.7 | 25 | 1 | 2 | 7 | 11 | 15 | 18 | 22 |
| 65+ | 28 | 9.3 | 39 | 2 | 3 | 7 | 13 | 19 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1628 | 4.6 | 20 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| 20-34 | 813 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 421 | 5.1 | 23 | 1 | 1 | 3 | 6 | 12 | 14 | 26 |
| 50-64 | 224 | 6.7 | 34 | 2 | 2 | 4 | 9 | 14 | 20 | 27 |
| 65+ | 64 | 7.6 | 73 | 2 | 2 | 4 | 8 | 17 | 33 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 5.1 | 35 | <1 | 1 | 3 | 6 | 12 | 17 | 33 |
| 20-34 | 158 | 6.6 | 23 | 1 | 2 | 6 | 8 | 13 | 15 | 27 |
| 35-49 | 168 | 7.0 | 17 | 2 | 2 | 7 | 9 | 13 | 14 | 20 |
| 50-64 | 175 | 8.3 | 26 | 3 | 3 | 7 | 11 | 15 | 18 | 30 |
| 65+ | 137 | 9.0 | 30 | 2 | 3 | 8 | 12 | 17 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 616 | 6.4 | 44 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |
| 20-34 | 433 | 6.8 | 55 | 1 | 2 | 4 | 8 | 15 | 21 | 38 |
| 35-49 | 386 | 8.6 | 58 | 2 | 2 | 6 | 12 | 19 | 23 | 35 |
| 50-64 | 341 | 10.1 | 92 | 2 | 2 | 8 | 13 | 21 | 27 | 49 |
| 65+ | 143 | 14.1 | 166 | 2 | 3 | 10 | 18 | 32 | 38 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 443 | 5.2 | 26 | 1 | 1 | 3 | 7 | 11 | 17 | 25 |
| B. *Operated* | 3150 | 4.7 | 22 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 944 | 6.9 | 29 | 1 | 1 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | 1919 | 8.2 | 71 | 1 | 2 | 5 | 11 | 18 | 25 | 42 |
| **1. SINGLE DX** | 3593 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | 2863 | 7.8 | 58 | 1 | 2 | 5 | 10 | 16 | 22 | 38 |
| **A. NOT OPERATED** | 1387 | 6.3 | 29 | 1 | 1 | 5 | 9 | 13 | 17 | 26 |
| **B. OPERATED** | 5069 | 6.0 | 43 | 1 | 2 | 4 | 7 | 13 | 18 | 33 |
| TOTAL 0-19 YRS | 2767 | 5.0 | 28 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| 20-34 | 1480 | 5.3 | 29 | 1 | 1 | 3 | 6 | 11 | 15 | 31 |
| 35-49 | 1041 | 6.8 | 38 | 1 | 2 | 5 | 9 | 14 | 19 | 30 |
| 50-64 | 796 | 8.6 | 58 | 2 | 2 | 6 | 12 | 17 | 23 | 36 |
| 65+ | 372 | 10.7 | 97 | 2 | 2 | 8 | 14 | 22 | 32 | 48 |
| **GRAND TOTAL** | **6456** | **6.1** | **40** | **1** | **1** | **4** | **8** | **13** | **18** | **32** |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1576 | 3.9 | 22 | 1 | 1 | 3 | 4 | 7 | 12 | 27 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.1 | 53 | <1 | 1 | 3 | 5 | 7 | 24 | 37 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1033 | 8.7 | 89 | 1 | 2 | 5 | 11 | 22 | 30 | 44 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 16.8 | 388 | 1 | 2 | 12 | 26 | 64 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1576 | 3.9 | 22 | 1 | 1 | 3 | 4 | 7 | 12 | 27 |
| B. *Operated* | 37 | 5.1 | 53 | <1 | 1 | 3 | 5 | 7 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1033 | 8.7 | 89 | 1 | 2 | 5 | 11 | 22 | 30 | 44 |
| B. *Operated* | 85 | 16.8 | 388 | 1 | 2 | 12 | 26 | 64 | 99+ | 99+ |
| **1. SINGLE DX** | 1613 | 4.0 | 23 | 1 | 1 | 3 | 4 | 7 | 12 | 28 |
| **2. MULTIPLE DX** | 1118 | 9.3 | 116 | 1 | 2 | 5 | 12 | 23 | 33 | 85 |
| **A. NOT OPERATED** | 2609 | 5.8 | 54 | 1 | 1 | 3 | 6 | 14 | 22 | 38 |
| **B. OPERATED** | 122 | 13.3 | 314 | 1 | 1 | 6 | 18 | 51 | 95 | 99+ |
| TOTAL 0-19 YRS | 2731 | 6.2 | 68 | 1 | 1 | 3 | 6 | 15 | 23 | 44 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2731** | **6.2** | **68** | **1** | **1** | **3** | **6** | **15** | **23** | **44** |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2534 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 1216 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 550 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 400 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 291 | 5.2 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.7 | 9 | 1 | 2 | 4 | 7 | 8 | 11 | 13 |
| 20-34 | 50 | 6.5 | 17 | 1 | 2 | 6 | 10 | 12 | 14 | 17 |
| 35-49 | 32 | 6.1 | 15 | 2 | 3 | 5 | 7 | 13 | 14 | 17 |
| 50-64 | 26 | 6.3 | 13 | 2 | 4 | 5 | 7 | 10 | 15 | 19 |
| 65+ | 13 | 7.6 | 58 | 3 | 3 | 5 | 8 | 14 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3470 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 1473 | 5.8 | 26 | 1 | 2 | 4 | 8 | 11 | 15 | 24 |
| 35-49 | 1212 | 6.5 | 24 | 1 | 2 | 5 | 8 | 13 | 16 | 23 |
| 50-64 | 1490 | 7.3 | 35 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| 65+ | 1658 | 8.3 | 45 | 2 | 3 | 6 | 10 | 16 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 9.0 | 86 | 2 | 2 | 6 | 10 | 18 | 28 | 56 |
| 20-34 | 143 | 10.1 | 104 | 2 | 2 | 7 | 12 | 21 | 29 | 52 |
| 35-49 | 152 | 12.0 | 136 | 2 | 3 | 9 | 15 | 22 | 29 | 66 |
| 50-64 | 156 | 13.7 | 151 | 3 | 4 | 11 | 17 | 27 | 33 | 81 |
| 65+ | 153 | 15.9 | 147 | 4 | 4 | 13 | 21 | 30 | 37 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4991 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 168 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9303 | 5.9 | 28 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |
| B. *Operated* | 715 | 12.3 | 133 | 2 | 3 | 9 | 16 | 25 | 31 | 66 |
| **1. SINGLE DX** | 5159 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | 10018 | 6.4 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 14294 | 5.2 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| **B. OPERATED** | 883 | 11.1 | 117 | 2 | 3 | 8 | 14 | 23 | 30 | 61 |
| TOTAL 0-19 YRS | 6162 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 2882 | 5.4 | 26 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 35-49 | 1946 | 6.4 | 33 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| 50-64 | 2072 | 7.3 | 44 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 65+ | 2115 | 8.4 | 55 | 2 | 2 | 6 | 10 | 17 | 23 | 36 |
| **GRAND TOTAL** | **15177** | **5.6** | **30** | **1** | **1** | **4** | **7** | **11** | **15** | **27** |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 884 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 174 | 5.4 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 91 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 91 | 5.3 | 12 | 2 | 2 | 4 | 7 | 10 | 13 | 18 |
| 65+ | 103 | 6.8 | 30 | 2 | 3 | 5 | 8 | 11 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.2 | 15 | 2 | 2 | 5 | 8 | 13 | 14 | 14 |
| 20-34 | 23 | 10.6 | 65 | 4 | 4 | 8 | 10 | 25 | 29 | 34 |
| 35-49 | 18 | 16.8 | 232 | 3 | 4 | 12 | 20 | 44 | 53 | 55 |
| 50-64 | 19 | 12.3 | 38 | 5 | 6 | 11 | 15 | 22 | 25 | 26 |
| 65+ | 12 | 13.8 | 25 | 6 | 7 | 13 | 17 | 21 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1319 | 3.8 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 14 |
| 20-34 | 372 | 5.6 | 18 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 35-49 | 268 | 6.7 | 18 | 2 | 3 | 6 | 9 | 12 | 15 | 20 |
| 50-64 | 476 | 6.8 | 22 | 2 | 3 | 6 | 8 | 12 | 16 | 22 |
| 65+ | 817 | 8.3 | 34 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 9.6 | 67 | 2 | 2 | 7 | 13 | 26 | 31 | 93 |
| 20-34 | 81 | 12.4 | 139 | 3 | 4 | 9 | 14 | 23 | 26 | 79 |
| 35-49 | 78 | 14.2 | 142 | 4 | 5 | 11 | 15 | 28 | 40 | 62 |
| 50-64 | 115 | 13.5 | 73 | 2 | 4 | 12 | 18 | 23 | 31 | 43 |
| 65+ | 152 | 15.0 | 122 | 3 | 5 | 12 | 19 | 28 | 39 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1343 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 84 | 12.1 | 89 | 3 | 4 | 9 | 15 | 24 | 29 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3252 | 5.8 | 22 | 2 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 485 | 13.4 | 112 | 3 | 4 | 11 | 17 | 26 | 33 | 60 |
| **1. SINGLE DX** | 1427 | 4.5 | 18 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 3737 | 6.8 | 40 | 2 | 2 | 5 | 8 | 14 | 18 | 33 |
| **A. NOT OPERATED** | 4595 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 569 | 13.2 | 109 | 3 | 4 | 11 | 17 | 26 | 33 | 59 |
| TOTAL 0-19 YRS | 2274 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 650 | 6.6 | 39 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 35-49 | 455 | 8.0 | 58 | 2 | 3 | 6 | 10 | 15 | 19 | 50 |
| 50-64 | 701 | 7.8 | 36 | 2 | 3 | 6 | 10 | 16 | 20 | 32 |
| 65+ | 1084 | 9.2 | 52 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| **GRAND TOTAL** | **5164** | **6.2** | **35** | **1** | **2** | **4** | **7** | **12** | **17** | **30** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 623 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 960 | 4.3 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 499 | 4.9 | 14 | 1 | 1 | 4 | 6 | 10 | 12 | 20 |
| 50-64 | 205 | 5.0 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |
| 65+ | 81 | 5.4 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.7 | 21 | 1 | 2 | 4 | 8 | 14 | 15 | 15 |
| 20-34 | 105 | 5.1 | 12 | 2 | 2 | 4 | 7 | 9 | 12 | 19 |
| 35-49 | 79 | 5.3 | 12 | 2 | 2 | 4 | 8 | 10 | 12 | 18 |
| 50-64 | 50 | 5.4 | 16 | 2 | 2 | 4 | 8 | 12 | 13 | 17 |
| 65+ | 17 | 7.8 | 68 | 2 | 2 | 5 | 9 | 15 | 29 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 618 | 4.1 | 9 | 1 | 2 | 3 | 5 | 8 | 9 | 16 |
| 20-34 | 1458 | 5.3 | 18 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| 35-49 | 1131 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 757 | 6.5 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 585 | 6.6 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.2 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 155 | 7.9 | 24 | 2 | 2 | 7 | 10 | 15 | 17 | 22 |
| 35-49 | 161 | 8.6 | 45 | 2 | 2 | 7 | 11 | 16 | 22 | 28 |
| 50-64 | 139 | 8.6 | 40 | 2 | 2 | 7 | 11 | 17 | 20 | 36 |
| 65+ | 97 | 9.5 | 38 | 2 | 2 | 8 | 12 | 20 | 22 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2368 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 266 | 5.4 | 17 | 2 | 2 | 4 | 7 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4549 | 5.7 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | 573 | 8.4 | 36 | 2 | 2 | 7 | 11 | 16 | 21 | 27 |
| **1. SINGLE DX** | 2634 | 4.4 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 5122 | 6.0 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| **A. NOT OPERATED** | 6917 | 5.2 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 839 | 7.5 | 32 | 2 | 2 | 6 | 10 | 14 | 18 | 26 |
| TOTAL 0-19 YRS | 1277 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 2678 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 35-49 | 1870 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| 50-64 | 1151 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 780 | 6.9 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| **GRAND TOTAL** | **7756** | **5.4** | **19** | **1** | **2** | **4** | **7** | **10** | **14** | **22** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 92 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 10 |
| 35-49 | 123 | 3.4 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 9 |
| 50-64 | 222 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 65+ | 260 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 9 |
| 20-34 | 70 | 4.5 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 100 | 5.0 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 50-64 | 157 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 146 | 5.1 | 12 | 1 | 1 | 4 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 7 | 20 |
| 20-34 | 74 | 4.4 | 14 | 1 | 1 | 4 | 5 | 7 | 10 | 23 |
| 35-49 | 172 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| 50-64 | 523 | 4.9 | 11 | 1 | 1 | 4 | 6 | 9 | 10 | 17 |
| 65+ | 931 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.4 | 8 | <1 | <1 | 2 | 4 | 9 | 9 | 12 |
| 20-34 | 52 | 4.8 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| 35-49 | 97 | 6.1 | 16 | 2 | 2 | 5 | 8 | 11 | 16 | 20 |
| 50-64 | 293 | 6.4 | 17 | 2 | 3 | 5 | 8 | 12 | 15 | 20 |
| 65+ | 358 | 7.4 | 35 | 2 | 2 | 6 | 9 | 15 | 19 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| B. *Operated* | 546 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1812 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 840 | 6.5 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 26 |
| **1. SINGLE DX** | 1307 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 2652 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 2573 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| **B. OPERATED** | 1386 | 5.7 | 19 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| TOTAL 0-19 YRS | 289 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 288 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 14 |
| 35-49 | 492 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 1195 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 1695 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| **GRAND TOTAL** | **3959** | **4.8** | **14** | **1** | **1** | **4** | **6** | **9** | **11** | **19** |

### 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 83 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 55 | 3.1 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 9 |
| 50-64 | 47 | 3.9 | 7 | 1 | 1 | 3 | 4 | 8 | 9 | 15 |
| 65+ | 53 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 326 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 20-34 | 326 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 139 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 154 | 4.6 | 72 | 1 | 2 | 3 | 4 | 7 | 15 | 23 |
| 65+ | 66 | 4.1 | 16 | 1 | 1 | 3 | 4 | 9 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 158 | 5.1 | 22 | 1 | 1 | 4 | 7 | 9 | 13 | 32 |
| 35-49 | 146 | 5.2 | 56 | 1 | 1 | 4 | 6 | 9 | 12 | 34 |
| 50-64 | 237 | 5.6 | 28 | 1 | 2 | 4 | 7 | 10 | 15 | 31 |
| 65+ | 358 | 8.4 | 61 | 1 | 2 | 5 | 10 | 20 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 5.5 | 32 | 1 | 1 | 3 | 7 | 13 | 17 | 29 |
| 20-34 | 158 | 6.6 | 46 | 1 | 2 | 4 | 8 | 15 | 20 | 36 |
| 35-49 | 154 | 7.4 | 64 | 1 | 2 | 5 | 9 | 14 | 22 | 41 |
| 50-64 | 214 | 7.1 | 80 | 1 | 2 | 4 | 8 | 16 | 23 | 39 |
| 65+ | 165 | 10.4 | 153 | 2 | 2 | 6 | 12 | 25 | 37 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 1011 | 3.3 | 19 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1016 | 6.3 | 43 | 1 | 2 | 4 | 7 | 14 | 20 | 34 |
| B. *Operated* | 795 | 7.5 | 81 | 1 | 2 | 4 | 9 | 16 | 25 | 41 |
| **1. SINGLE DX** | 1350 | 3.4 | 16 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 1811 | 6.9 | 60 | 1 | 2 | 4 | 8 | 15 | 21 | 38 |
| **A. NOT OPERATED** | 1355 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 17 | 31 |
| **B. OPERATED** | 1806 | 5.2 | 51 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| TOTAL 0-19 YRS | 648 | 3.6 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 20-34 | 725 | 4.3 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 35-49 | 494 | 5.1 | 43 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| 50-64 | 652 | 5.8 | 55 | 1 | 2 | 4 | 6 | 11 | 17 | 32 |
| 65+ | 642 | 8.1 | 80 | 1 | 2 | 5 | 10 | 19 | 24 | 42 |
| **GRAND TOTAL** | 3161 | 5.4 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |

### 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.8 | 49 | 3 | 3 | 10 | 15 | 20 | 20 | 20 |
| 20-34 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 9.3 | 44 | 2 | 2 | 11 | 14 | 15 | 15 | 15 |
| 50-64 | 12 | 15.6 | 296 | 1 | 4 | 11 | 15 | 39 | 62 | 68 |
| 65+ | 25 | 9.0 | 55 | 2 | 2 | 8 | 11 | 19 | 25 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 5.2 | 23 | 1 | 1 | 4 | 6 | 11 | 18 | 21 |
| 20-34 | 53 | 7.3 | 59 | 1 | 2 | 5 | 8 | 15 | 23 | 44 |
| 35-49 | 38 | 11.3 | 235 | 2 | 2 | 4 | 13 | 31 | 47 | 73 |
| 50-64 | 75 | 21.8 | 425 | 2 | 3 | 13 | 35 | 52 | 62 | 85 |
| 65+ | 171 | 19.2 | 227 | 3 | 6 | 14 | 25 | 38 | 52 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.3 | 44 | <1 | <1 | 10 | 14 | 16 | 16 | 16 |
| 20-34 | 8 | 4.6 | 20 | <1 | <1 | 3 | 6 | 12 | 14 | 14 |
| 35-49 | 10 | 9.5 | 36 | 3 | 3 | 8 | 15 | 18 | 21 | 21 |
| 50-64 | 48 | 15.9 | 248 | 2 | 4 | 11 | 19 | 27 | 50 | 89 |
| 65+ | 199 | 12.6 | 90 | 3 | 4 | 10 | 16 | 25 | 33 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 8.4 | 111 | 1 | 1 | 3 | 11 | 28 | 32 | 39 |
| 20-34 | 70 | 11.2 | 156 | 2 | 2 | 7 | 15 | 31 | 42 | 93 |
| 35-49 | 88 | 23.8 | 353 | 2 | 4 | 19 | 37 | 51 | 62 | 95 |
| 50-64 | 383 | 24.4 | 310 | 3 | 5 | 20 | 33 | 50 | 58 | 86 |
| 65+ | 1179 | 26.7 | 331 | 7 | 9 | 22 | 34 | 55 | 67 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 10.4 | 118 | 1 | 2 | 8 | 12 | 20 | 28 | 66 |
| B. *Operated* | 367 | 16.1 | 260 | 2 | 2 | 11 | 21 | 38 | 52 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 12.8 | 117 | 2 | 4 | 10 | 16 | 24 | 34 | 52 |
| B. *Operated* | 1745 | 25.2 | 331 | 4 | 7 | 21 | 33 | 52 | 65 | 94 |
| **1. SINGLE DX** | 414 | 15.4 | 247 | 2 | 2 | 10 | 20 | 36 | 52 | 74 |
| **2. MULTIPLE DX** | 2014 | 23.5 | 320 | 3 | 6 | 19 | 31 | 49 | 64 | 93 |
| **A. NOT OPERATED** | 316 | 12.4 | 117 | 2 | 3 | 10 | 16 | 24 | 33 | 54 |
| **B. OPERATED** | 2112 | 23.6 | 330 | 3 | 5 | 19 | 32 | 50 | 64 | 92 |
| TOTAL 0-19 YRS | 63 | 7.1 | 62 | 1 | 1 | 4 | 10 | 19 | 23 | 38 |
| 20-34 | 134 | 9.1 | 111 | 1 | 2 | 6 | 11 | 23 | 33 | 70 |
| 35-49 | 139 | 19.0 | 328 | 2 | 2 | 14 | 28 | 48 | 56 | 88 |
| 50-64 | 518 | 23.0 | 326 | 2 | 4 | 18 | 31 | 50 | 58 | 87 |
| 65+ | 1574 | 23.8 | 313 | 5 | 7 | 19 | 31 | 49 | 64 | 93 |
| **GRAND TOTAL** | 2428 | 22.1 | 317 | 3 | 4 | 17 | 29 | 47 | 61 | 90 |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 1024 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 2406 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 1837 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 724 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 118 | 4.2 | 19 | 2 | 2 | 3 | 5 | 9 | 12 | 27 |
| 35-49 | 808 | 3.2 | 6 | 1 | 2 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 820 | 3.3 | 16 | 1 | 2 | 2 | 3 | 6 | 9 | 14 |
| 65+ | 136 | 3.4 | 7 | 1 | 2 | 2 | 4 | 7 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 1595 | 4.4 | 14 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 4981 | 4.8 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 6189 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 4012 | 5.7 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.3 | 8 | 2 | 2 | 5 | 7 | 8 | 11 | 12 |
| 20-34 | 227 | 6.1 | 20 | 2 | 2 | 5 | 9 | 12 | 14 | 21 |
| 35-49 | 1165 | 5.8 | 28 | 2 | 2 | 4 | 8 | 12 | 15 | 23 |
| 50-64 | 1746 | 6.0 | 30 | 2 | 2 | 4 | 8 | 12 | 16 | 26 |
| 65+ | 557 | 9.1 | 72 | 2 | 2 | 7 | 12 | 18 | 24 | 44 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6150 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 1887 | 3.3 | 11 | 1 | 2 | 2 | 3 | 6 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 16987 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 3710 | 6.4 | 36 | 2 | 2 | 4 | 9 | 13 | 17 | 30 |
| 1. SINGLE DX | 8037 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 2. MULTIPLE DX | 20697 | 5.3 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| A. NOT OPERATED | 23137 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. OPERATED | 5597 | 5.4 | 30 | 2 | 2 | 3 | 7 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 389 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 2964 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 9360 | 4.4 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 10592 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 5429 | 5.8 | 24 | 2 | 2 | 4 | 7 | 11 | 15 | 25 |
| GRAND TOTAL | 28734 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 430 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 86 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 92 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 107 | 4.4 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 65+ | 129 | 5.1 | 13 | 1 | 1 | 4 | 8 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 55 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 13 | 14 |
| 35-49 | 105 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| 50-64 | 156 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 18 |
| 65+ | 125 | 5.9 | 34 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 534 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 240 | 4.3 | 28 | <1 | 1 | 3 | 5 | 8 | 11 | 27 |
| 35-49 | 325 | 5.6 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 740 | 7.2 | 46 | 1 | 2 | 6 | 9 | 14 | 17 | 34 |
| 65+ | 1077 | 8.3 | 48 | 2 | 3 | 6 | 11 | 16 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 10.9 | 213 | 1 | 1 | 6 | 11 | 34 | 52 | 61 |
| 20-34 | 101 | 5.9 | 33 | 1 | 2 | 5 | 7 | 10 | 14 | 35 |
| 35-49 | 218 | 7.5 | 68 | 2 | 2 | 5 | 9 | 15 | 21 | 39 |
| 50-64 | 535 | 8.1 | 56 | 2 | 2 | 6 | 10 | 16 | 24 | 36 |
| 65+ | 460 | 9.9 | 75 | 2 | 2 | 8 | 13 | 21 | 29 | 42 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 844 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 473 | 4.8 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2916 | 6.7 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| B. *Operated* | 1356 | 8.5 | 69 | 2 | 2 | 6 | 10 | 18 | 24 | 43 |
| 1. SINGLE DX | 1317 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 2. MULTIPLE DX | 4272 | 7.3 | 49 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| A. NOT OPERATED | 3760 | 6.1 | 34 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| B. OPERATED | 1829 | 7.6 | 59 | 1 | 2 | 5 | 9 | 16 | 22 | 38 |
| TOTAL 0-19 YRS | 1038 | 4.3 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 482 | 4.4 | 24 | 1 | 1 | 3 | 6 | 8 | 11 | 22 |
| 35-49 | 740 | 5.7 | 33 | 1 | 2 | 4 | 7 | 11 | 16 | 25 |
| 50-64 | 1538 | 7.1 | 45 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| 65+ | 1791 | 8.3 | 53 | 2 | 2 | 6 | 11 | 16 | 22 | 37 |
| GRAND TOTAL | 5589 | 6.5 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 355 | 2.6 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 336 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 232 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 65+ | 187 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 265 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 124 | 5.1 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| 35-49 | 119 | 5.6 | 17 | 1 | 1 | 5 | 8 | 11 | 14 | 19 |
| 50-64 | 136 | 5.7 | 15 | 1 | 1 | 5 | 8 | 11 | 12 | 18 |
| 65+ | 146 | 8.3 | 34 | 2 | 2 | 7 | 11 | 16 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 4.0 | 51 | 1 | 1 | 3 | 4 | 7 | 8 | 42 |
| 20-34 | 387 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 399 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 483 | 4.8 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 29 |
| 65+ | 929 | 7.1 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 2.7 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 226 | 6.6 | 32 | 1 | 2 | 5 | 8 | 12 | 18 | 28 |
| 35-49 | 297 | 7.5 | 35 | 2 | 3 | 6 | 9 | 15 | 18 | 32 |
| 50-64 | 449 | 9.1 | 41 | 2 | 3 | 8 | 12 | 16 | 21 | 32 |
| 65+ | 1093 | 11.9 | 75 | 2 | 4 | 10 | 15 | 23 | 28 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1228 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 790 | 4.8 | 20 | 1 | 1 | 3 | 7 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2319 | 5.3 | 26 | 1 | 1 | 4 | 6 | 11 | 15 | 26 |
| B. *Operated* | 2373 | 9.1 | 61 | 1 | 2 | 7 | 12 | 18 | 24 | 37 |
| **1. SINGLE DX** | 2018 | 3.6 | 13 | 1 | 1 | 2 | 4 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 4692 | 7.2 | 47 | 1 | 2 | 5 | 9 | 15 | 20 | 33 |
| **A. NOT OPERATED** | 3547 | 4.4 | 21 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| **B. OPERATED** | 3163 | 8.1 | 54 | 1 | 1 | 6 | 11 | 17 | 22 | 35 |
| TOTAL 0-19 YRS | 812 | 2.6 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 1092 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 1151 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 13 | 22 |
| 50-64 | 1300 | 6.0 | 31 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| 65+ | 2355 | 9.1 | 59 | 1 | 2 | 7 | 12 | 18 | 24 | 37 |
| **GRAND TOTAL** | **6710** | **6.1** | **40** | **1** | **1** | **4** | **8** | **14** | **18** | **30** |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3211 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 3147 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 1445 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 1026 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 65+ | 687 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| 20-34 | 576 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 257 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 50-64 | 143 | 6.3 | 22 | 1 | 2 | 5 | 8 | 12 | 16 | 24 |
| 65+ | 78 | 7.9 | 30 | 1 | 2 | 8 | 11 | 14 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2144 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 3309 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 2140 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 2442 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 3216 | 6.4 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 315 | 5.4 | 15 | 1 | 2 | 4 | 6 | 10 | 14 | 20 |
| 20-34 | 803 | 6.9 | 31 | 1 | 2 | 6 | 9 | 13 | 18 | 27 |
| 35-49 | 599 | 9.3 | 48 | 2 | 3 | 8 | 12 | 17 | 22 | 34 |
| 50-64 | 523 | 10.0 | 55 | 2 | 3 | 8 | 13 | 19 | 24 | 35 |
| 65+ | 468 | 12.2 | 85 | 3 | 4 | 10 | 16 | 23 | 30 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9516 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 1424 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13251 | 5.0 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 20 |
| B. *Operated* | 2708 | 8.8 | 51 | 2 | 2 | 7 | 11 | 17 | 22 | 35 |
| **1. SINGLE DX** | 10940 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 15959 | 5.7 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 22767 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 4132 | 7.5 | 42 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| TOTAL 0-19 YRS | 6040 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 7835 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 4441 | 5.3 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 4134 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| 65+ | 4449 | 6.8 | 33 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| **GRAND TOTAL** | **26899** | **4.8** | **19** | **1** | **1** | **4** | **6** | **9** | **13** | **22** |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 321 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 179 | 3.3 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 99 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 123 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 65+ | 156 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.5 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 68 | 5.7 | 23 | 1 | 1 | 4 | 7 | 12 | 18 | 21 |
| 35-49 | 52 | 5.4 | 25 | 1 | 1 | 3 | 8 | 13 | 15 | 25 |
| 50-64 | 76 | 6.1 | 37 | 1 | 2 | 4 | 8 | 13 | 17 | 33 |
| 65+ | 52 | 7.5 | 46 | 1 | 2 | 6 | 10 | 13 | 25 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 767 | 3.6 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 469 | 4.8 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 35-49 | 452 | 5.7 | 28 | 1 | 1 | 4 | 7 | 12 | 15 | 25 |
| 50-64 | 737 | 6.8 | 42 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 65+ | 1465 | 7.5 | 42 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 7.8 | 67 | 1 | 2 | 6 | 10 | 14 | 17 | 50 |
| 20-34 | 207 | 7.9 | 52 | 1 | 2 | 7 | 9 | 14 | 18 | 39 |
| 35-49 | 216 | 9.2 | 63 | 1 | 2 | 7 | 12 | 18 | 24 | 39 |
| 50-64 | 273 | 10.7 | 104 | 2 | 2 | 8 | 13 | 22 | 30 | 55 |
| 65+ | 331 | 13.6 | 156 | 2 | 3 | 11 | 19 | 27 | 35 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 878 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| B. *Operated* | 265 | 6.0 | 31 | 1 | 1 | 4 | 8 | 13 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3890 | 6.1 | 35 | 1 | 2 | 4 | 8 | 12 | 16 | 29 |
| B. *Operated* | 1080 | 10.6 | 104 | 1 | 2 | 8 | 13 | 22 | 28 | 53 |
| **1. SINGLE DX** | 1143 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 4970 | 7.1 | 53 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |
| **A. NOT OPERATED** | 4768 | 5.6 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 1345 | 9.7 | 93 | 1 | 2 | 7 | 12 | 21 | 27 | 50 |
| TOTAL 0-19 YRS | 1158 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 20-34 | 923 | 5.3 | 28 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 35-49 | 819 | 6.4 | 37 | 1 | 1 | 5 | 8 | 14 | 18 | 34 |
| 50-64 | 1209 | 7.3 | 56 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| 65+ | 2004 | 8.2 | 65 | 2 | 2 | 6 | 10 | 16 | 23 | 39 |
| **GRAND TOTAL** | 6113 | 6.5 | 47 | 1 | 2 | 4 | 8 | 13 | 18 | 33 |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2469 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 20-34 | 1743 | 4.9 | 32 | <1 | 1 | 3 | 5 | 9 | 16 | 26 |
| 35-49 | 1248 | 5.6 | 36 | 1 | 1 | 4 | 6 | 11 | 23 | 27 |
| 50-64 | 1362 | 5.3 | 32 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| 65+ | 1424 | 5.9 | 37 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 3.6 | 16 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 496 | 4.2 | 26 | 1 | 1 | 2 | 5 | 9 | 12 | 28 |
| 35-49 | 459 | 5.0 | 37 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| 50-64 | 484 | 5.7 | 40 | 1 | 2 | 3 | 7 | 13 | 20 | 34 |
| 65+ | 286 | 7.6 | 96 | 1 | 1 | 4 | 8 | 20 | 29 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3066 | 5.1 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 20-34 | 2504 | 5.2 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 25 |
| 35-49 | 2778 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 5099 | 6.7 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 10246 | 7.8 | 44 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 7.0 | 71 | 1 | 1 | 4 | 9 | 14 | 21 | 57 |
| 20-34 | 546 | 5.6 | 35 | 1 | 1 | 4 | 7 | 12 | 17 | 30 |
| 35-49 | 684 | 7.5 | 76 | 1 | 2 | 5 | 9 | 16 | 22 | 49 |
| 50-64 | 1197 | 9.9 | 110 | 2 | 2 | 7 | 12 | 21 | 29 | 66 |
| 65+ | 1599 | 13.0 | 146 | 2 | 3 | 10 | 16 | 27 | 39 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8246 | 5.0 | 29 | 1 | 1 | 3 | 6 | 9 | 14 | 27 |
| B. *Operated* | 1948 | 5.2 | 43 | 1 | 1 | 3 | 6 | 11 | 17 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23693 | 6.7 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| B. *Operated* | 4276 | 10.0 | 114 | 1 | 2 | 7 | 13 | 22 | 30 | 62 |
| **1. SINGLE DX** | 10194 | 5.0 | 32 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| **2. MULTIPLE DX** | 27969 | 7.2 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| **A. NOT OPERATED** | 31939 | 6.3 | 35 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| **B. OPERATED** | 6224 | 8.5 | 96 | 1 | 2 | 5 | 11 | 19 | 27 | 57 |
| TOTAL 0-19 YRS | 6008 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 20-34 | 5289 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| 35-49 | 5169 | 5.9 | 35 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| 50-64 | 8142 | 6.9 | 49 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| 65+ | 13555 | 8.2 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 42 |
| **GRAND TOTAL** | 38163 | 6.6 | 45 | 1 | 2 | 5 | 8 | 13 | 19 | 34 |

### 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 638 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 84 | 4.9 | 17 | 1 | 1 | 4 | 6 | 10 | 14 | 21 |
| 35-49 | 22 | 6.0 | 23 | 2 | 2 | 4 | 7 | 14 | 17 | 19 |
| 50-64 | 16 | 4.6 | 20 | 1 | 1 | 3 | 6 | 12 | 15 | 17 |
| 65+ | 13 | 6.2 | 18 | 2 | 3 | 4 | 8 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 6.3 | 100 | 1 | 2 | 5 | 7 | 10 | 12 | 61 |
| 20-34 | 45 | 8.0 | 52 | 2 | 3 | 7 | 9 | 12 | 19 | 46 |
| 35-49 | 8 | 7.9 | 26 | 2 | 2 | 7 | 11 | 16 | 17 | 17 |
| 50-64 | 5 | 9.8 | 24 | 4 | 4 | 10 | 14 | 16 | 16 | 16 |
| 65+ | 3 | 23.3 | 401 | 4 | 4 | 22 | 38 | 44 | 44 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 491 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 25 |
| 20-34 | 117 | 5.6 | 32 | <1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 35-49 | 46 | 7.8 | 44 | 1 | 2 | 6 | 9 | 16 | 20 | 37 |
| 50-64 | 63 | 7.5 | 44 | 1 | 2 | 5 | 10 | 16 | 20 | 36 |
| 65+ | 57 | 11.7 | 119 | 3 | 3 | 8 | 15 | 24 | 31 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 12.2 | 161 | 1 | 2 | 8 | 16 | 30 | 40 | 72 |
| 20-34 | 147 | 16.2 | 357 | 2 | 3 | 10 | 20 | 52 | 84 | 99+ |
| 35-49 | 57 | 14.7 | 196 | 2 | 3 | 10 | 19 | 37 | 47 | 98 |
| 50-64 | 41 | 15.0 | 213 | 2 | 3 | 11 | 21 | 35 | 63 | 99+ |
| 65+ | 30 | 25.9 | 646 | 1 | 2 | 20 | 29 | 70 | 87 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 773 | 2.9 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| B. *Operated* | 165 | 7.3 | 89 | 1 | 2 | 5 | 8 | 12 | 17 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 774 | 5.5 | 36 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| B. *Operated* | 426 | 15.2 | 281 | 1 | 2 | 10 | 19 | 36 | 65 | 99+ |
| **1. SINGLE DX** | 938 | 3.7 | 24 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | 1200 | 8.9 | 144 | 1 | 1 | 5 | 10 | 21 | 33 | 85 |
| **A. NOT OPERATED** | 1547 | 4.2 | 23 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| **B. OPERATED** | 591 | 12.9 | 240 | 1 | 2 | 8 | 15 | 32 | 54 | 99+ |
| TOTAL 0-19 YRS | 1384 | 4.4 | 42 | 1 | 1 | 2 | 5 | 9 | 13 | 34 |
| 20-34 | 393 | 9.7 | 178 | 1 | 1 | 6 | 11 | 21 | 41 | 99+ |
| 35-49 | 133 | 10.5 | 117 | 2 | 2 | 7 | 13 | 23 | 37 | 81 |
| 50-64 | 125 | 9.7 | 109 | 1 | 2 | 7 | 13 | 21 | 32 | 77 |
| 65+ | 103 | 15.5 | 312 | 2 | 3 | 9 | 19 | 31 | 56 | 91 |
| **GRAND TOTAL** | 2138 | 6.6 | 98 | 1 | 1 | 3 | 7 | 14 | 25 | 68 |

### 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 253 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 20-34 | 69 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 17 | 5.1 | 12 | <1 | <1 | 4 | 7 | 11 | 12 | 12 |
| 50-64 | 15 | 5.1 | 21 | <1 | 2 | 3 | 6 | 8 | 17 | 20 |
| 65+ | 9 | 6.4 | 32 | 1 | 1 | 6 | 10 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 9.7 | 72 | 2 | 2 | 7 | 11 | 18 | 33 | 40 |
| 20-34 | 23 | 6.0 | 72 | 1 | 1 | 4 | 7 | 43 | 99+ | 99+ |
| 35-49 | 17 | 7.2 | 26 | 1 | 2 | 7 | 11 | 14 | 16 | 17 |
| 50-64 | 8 | 11.5 | 25 | 5 | 5 | 11 | 16 | 17 | 17 | 17 |
| 65+ | 4 | 13.0 | 117 | 4 | 4 | 10 | 21 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 4.7 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 138 | 7.7 | 60 | 1 | 2 | 5 | 10 | 14 | 23 | 45 |
| 35-49 | 65 | 6.5 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| 50-64 | 54 | 8.8 | 32 | 2 | 3 | 7 | 13 | 16 | 20 | 24 |
| 65+ | 60 | 11.9 | 83 | 2 | 3 | 9 | 18 | 27 | 31 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 15.0 | 259 | 1 | 2 | 9 | 22 | 38 | 68 | 99+ |
| 20-34 | 128 | 15.1 | 222 | 2 | 3 | 11 | 17 | 44 | 50 | 99+ |
| 35-49 | 45 | 14.8 | 171 | 2 | 3 | 12 | 22 | 58 | 99+ | 99+ |
| 50-64 | 35 | 14.9 | 130 | 2 | 3 | 11 | 24 | 28 | 39 | 46 |
| 65+ | 18 | 23.6 | 535 | 3 | 4 | 13 | 35 | 63 | 71 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 363 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| B. *Operated* | 86 | 8.5 | 62 | 2 | 2 | 7 | 11 | 17 | 35 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 557 | 6.8 | 43 | 1 | 2 | 5 | 8 | 14 | 19 | 34 |
| B. *Operated* | 328 | 15.5 | 235 | 2 | 3 | 10 | 21 | 42 | 62 | 99+ |
| **1. SINGLE DX** | 449 | 4.4 | 23 | 1 | 1 | 3 | 6 | 9 | 14 | 35 |
| **2. MULTIPLE DX** | 885 | 10.0 | 131 | 1 | 2 | 6 | 13 | 25 | 36 | 96 |
| **A. NOT OPERATED** | 920 | 5.5 | 32 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| **B. OPERATED** | 414 | 14.0 | 207 | 2 | 2 | 9 | 18 | 37 | 61 | 99+ |
| TOTAL 0-19 YRS | 629 | 5.9 | 73 | 1 | 1 | 3 | 7 | 12 | 22 | 57 |
| 20-34 | 358 | 9.6 | 127 | 1 | 2 | 6 | 12 | 23 | 43 | 99+ |
| 35-49 | 144 | 9.0 | 87 | 1 | 2 | 6 | 12 | 21 | 34 | 99+ |
| 50-64 | 112 | 10.4 | 71 | 2 | 3 | 7 | 14 | 23 | 27 | 44 |
| 65+ | 91 | 13.7 | 189 | 2 | 3 | 9 | 18 | 29 | 37 | 71 |
| **GRAND TOTAL** | 1334 | 8.1 | 102 | 1 | 1 | 5 | 10 | 19 | 30 | 76 |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.2 | 3 | 1 | 1 | 2 | 3 | 3 | 5 | 12 |
| 20-34 | 110 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 52 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 22 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 65+ | 23 | 6.1 | 47 | <1 | 1 | 3 | 7 | 16 | 25 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1176 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1602 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 387 | 3.4 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 142 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 62 | 6.0 | 35 | 1 | 2 | 4 | 7 | 14 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 332 | 3.2 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 35-49 | 127 | 3.7 | 14 | <1 | 1 | 2 | 5 | 8 | 10 | 20 |
| 50-64 | 92 | 5.7 | 105 | 1 | 2 | 4 | 6 | 11 | 13 | 63 |
| 65+ | 199 | 7.2 | 31 | 2 | 2 | 6 | 9 | 14 | 20 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1020 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 20-34 | 1830 | 5.2 | 34 | 1 | 1 | 4 | 6 | 10 | 13 | 29 |
| 35-49 | 595 | 6.3 | 33 | 1 | 2 | 5 | 8 | 12 | 15 | 30 |
| 50-64 | 312 | 7.2 | 68 | 1 | 2 | 5 | 9 | 13 | 19 | 65 |
| 65+ | 219 | 11.3 | 143 | 2 | 3 | 7 | 14 | 25 | 33 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 288 | 2.5 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| B. *Operated* | 3369 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 921 | 4.3 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| B. *Operated* | 3976 | 5.6 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| **1. SINGLE DX** | 3657 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 4897 | 5.3 | 38 | 1 | 1 | 4 | 6 | 10 | 14 | 31 |
| **A. NOT OPERATED** | 1209 | 3.9 | 23 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 7345 | 4.3 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| TOTAL 0-19 YRS | 2448 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 3874 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 1161 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 12 | 24 |
| 50-64 | 568 | 6.0 | 59 | 1 | 2 | 4 | 7 | 12 | 16 | 41 |
| 65+ | 503 | 8.8 | 85 | 2 | 2 | 6 | 11 | 18 | 25 | 43 |
| **GRAND TOTAL** | **8554** | **4.3** | **26** | **1** | **1** | **3** | **5** | **8** | **12** | **24** |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 382 | 5.1 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 20-34 | 636 | 5.6 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 35-49 | 314 | 6.6 | 23 | 2 | 2 | 6 | 9 | 12 | 14 | 26 |
| 50-64 | 383 | 7.6 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| 65+ | 602 | 10.4 | 38 | 3 | 4 | 9 | 13 | 18 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 13.9 | 185 | 3 | 3 | 9 | 16 | 37 | 46 | 57 |
| 20-34 | 118 | 14.1 | 103 | 3 | 4 | 12 | 21 | 28 | 33 | 74 |
| 35-49 | 34 | 10.5 | 65 | 2 | 3 | 9 | 14 | 20 | 30 | 36 |
| 50-64 | 32 | 13.9 | 65 | 5 | 6 | 12 | 20 | 24 | 29 | 34 |
| 65+ | 24 | 18.0 | 108 | 5 | 6 | 18 | 21 | 31 | 37 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 6.1 | 40 | 1 | 2 | 5 | 7 | 11 | 15 | 29 |
| 20-34 | 578 | 7.3 | 41 | 1 | 2 | 6 | 9 | 14 | 18 | 34 |
| 35-49 | 381 | 8.4 | 45 | 2 | 3 | 7 | 10 | 17 | 20 | 34 |
| 50-64 | 687 | 10.1 | 53 | 3 | 4 | 8 | 13 | 17 | 22 | 36 |
| 65+ | 2785 | 12.8 | 69 | 3 | 5 | 11 | 16 | 23 | 28 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 14.3 | 126 | 2 | 3 | 11 | 21 | 31 | 40 | 99+ |
| 20-34 | 248 | 16.9 | 256 | 2 | 4 | 12 | 21 | 36 | 49 | 94 |
| 35-49 | 125 | 18.2 | 192 | 3 | 4 | 15 | 26 | 43 | 50 | 69 |
| 50-64 | 130 | 19.7 | 202 | 5 | 6 | 16 | 27 | 37 | 46 | 72 |
| 65+ | 318 | 22.1 | 196 | 6 | 8 | 20 | 29 | 41 | 49 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2317 | 7.2 | 29 | 1 | 2 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | 251 | 13.9 | 109 | 3 | 4 | 12 | 19 | 28 | 34 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4732 | 10.9 | 65 | 2 | 3 | 9 | 14 | 21 | 26 | 41 |
| B. *Operated* | 929 | 18.9 | 211 | 3 | 5 | 15 | 26 | 39 | 49 | 94 |
| **1. SINGLE DX** | 2568 | 7.9 | 40 | 2 | 2 | 6 | 10 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 5661 | 12.3 | 98 | 2 | 4 | 10 | 15 | 24 | 31 | 51 |
| **A. NOT OPERATED** | 7049 | 9.7 | 56 | 2 | 3 | 8 | 13 | 19 | 23 | 36 |
| **B. OPERATED** | 1180 | 17.9 | 193 | 3 | 5 | 14 | 24 | 36 | 47 | 89 |
| TOTAL 0-19 YRS | 834 | 7.1 | 60 | 1 | 2 | 5 | 8 | 14 | 22 | 43 |
| 20-34 | 1580 | 8.7 | 87 | 1 | 2 | 6 | 10 | 18 | 25 | 49 |
| 35-49 | 854 | 9.2 | 74 | 2 | 3 | 7 | 11 | 19 | 27 | 48 |
| 50-64 | 1232 | 10.4 | 72 | 2 | 3 | 8 | 13 | 19 | 26 | 43 |
| 65+ | 3729 | 13.2 | 83 | 3 | 5 | 11 | 16 | 24 | 30 | 48 |
| **GRAND TOTAL** | **8229** | **10.9** | **84** | **2** | **3** | **8** | **14** | **22** | **28** | **47** |

## 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.1 | 24 | 1 | 1 | 5 | 8 | 14 | 17 | 18 |
| 20-34 | 15 | 10.5 | 217 | <1 | 2 | 6 | 8 | 35 | 50 | 55 |
| 35-49 | 5 | 6.6 | 19 | <1 | <1 | 6 | 9 | 13 | 13 | 13 |
| 50-64 | 12 | 9.2 | 41 | 2 | 3 | 7 | 13 | 20 | 21 | 21 |
| 65+ | 18 | 7.7 | 17 | 2 | 3 | 7 | 11 | 14 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 18.8 | 155 | 9 | 10 | 14 | 37 | 89 | 99+ | 99+ |
| 20-34 | 17 | 22.1 | 397 | 3 | 5 | 19 | 31 | 72 | 94 | 99+ |
| 35-49 | 6 | 16.8 | 107 | 6 | 6 | 17 | 20 | 33 | 34 | 34 |
| 50-64 | 7 | 21.1 | 204 | 10 | 10 | 16 | 25 | 46 | 51 | 51 |
| 65+ | 2 | 18.5 | 113 | 11 | 11 | 18 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 21.4 | 1397 | <1 | <1 | 5 | 29 | 88 | 88 | 88 |
| 20-34 | 15 | 8.3 | 33 | 3 | 4 | 7 | 9 | 12 | 23 | 27 |
| 35-49 | 12 | 13.1 | 144 | 3 | 4 | 10 | 14 | 27 | 46 | 49 |
| 50-64 | 21 | 9.5 | 28 | 3 | 3 | 10 | 12 | 17 | 19 | 21 |
| 65+ | 88 | 12.8 | 110 | 3 | 4 | 11 | 14 | 22 | 24 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 45.3 | 731 | 9 | 13 | 43 | 78 | 99+ | 99+ | 99+ |
| 20-34 | 54 | 48.4 | 820 | 11 | 15 | 56 | 93 | 99+ | 99+ | 99+ |
| 35-49 | 12 | 34.8 | 662 | 5 | 8 | 66 | 99+ | 99+ | 99+ | 99+ |
| 50-64 | 12 | 35.0 | 362 | 12 | 17 | 39 | 56 | 99+ | 99+ | 99+ |
| 65+ | 21 | 29.6 | 394 | 7 | 10 | 25 | 36 | 57 | 76 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 8.2 | 69 | 1 | 2 | 6 | 10 | 15 | 20 | 52 |
| B. *Operated* | 38 | 20.4 | 247 | 5 | 6 | 16 | 27 | 47 | 93 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 141 | 12.2 | 133 | 3 | 4 | 9 | 14 | 21 | 25 | 79 |
| B. *Operated* | 137 | 42.3 | 711 | 9 | 13 | 43 | 83 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 102 | 12.7 | 168 | 1 | 2 | 8 | 16 | 31 | 45 | 99+ |
| **2. MULTIPLE DX** | 278 | 27.0 | 644 | 4 | 5 | 19 | 50 | 96 | 99+ | 99+ |
| **A. NOT OPERATED** | 205 | 10.9 | 116 | 2 | 3 | 8 | 12 | 20 | 24 | 65 |
| **B. OPERATED** | 175 | 37.5 | 690 | 6 | 11 | 36 | 76 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 63 | 32.2 | 830 | 2 | 3 | 29 | 63 | 97 | 99+ | 99+ |
| 20-34 | 101 | 32.4 | 847 | 3 | 5 | 29 | 72 | 99+ | 99+ | 99+ |
| 35-49 | 35 | 20.3 | 401 | 4 | 5 | 15 | 49 | 99+ | 99+ | 99+ |
| 50-64 | 52 | 16.9 | 238 | 3 | 4 | 11 | 21 | 47 | 73 | 99+ |
| 65+ | 129 | 14.9 | 185 | 3 | 4 | 11 | 17 | 26 | 40 | 80 |
| **GRAND TOTAL** | **380** | **23.2** | **555** | **3** | **4** | **15** | **39** | **86** | **99+** | **99+** |

## 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 2.6 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 95 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 35-49 | 116 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 174 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 14 |
| 65+ | 189 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.8 | 39 | 2 | 2 | 6 | 12 | 17 | 18 | 18 |
| 20-34 | 10 | 8.1 | 51 | 1 | 2 | 7 | 9 | 18 | 27 | 27 |
| 35-49 | 6 | 5.8 | 13 | 2 | 2 | 5 | 8 | 12 | 12 | 12 |
| 50-64 | 7 | 10.0 | 37 | 4 | 4 | 8 | 12 | 20 | 22 | 22 |
| 65+ | 3 | 7.0 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 20-34 | 441 | 4.8 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 555 | 6.2 | 30 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 50-64 | 931 | 7.2 | 29 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 1824 | 9.7 | 45 | 2 | 3 | 8 | 12 | 19 | 23 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 10.0 | 77 | 2 | 3 | 7 | 12 | 22 | 30 | 48 |
| 20-34 | 197 | 10.6 | 115 | 2 | 3 | 8 | 12 | 22 | 33 | 61 |
| 35-49 | 199 | 10.9 | 122 | 3 | 4 | 8 | 12 | 20 | 33 | 62 |
| 50-64 | 227 | 13.8 | 133 | 3 | 4 | 10 | 18 | 29 | 39 | 56 |
| 65+ | 281 | 16.3 | 159 | 3 | 5 | 13 | 22 | 33 | 39 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 619 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 32 | 7.9 | 32 | 2 | 3 | 7 | 9 | 14 | 22 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3883 | 7.8 | 38 | 1 | 2 | 6 | 10 | 15 | 20 | 30 |
| B. *Operated* | 959 | 13.1 | 137 | 3 | 4 | 9 | 16 | 27 | 37 | 65 |
| **1. SINGLE DX** | 651 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 4842 | 8.9 | 62 | 2 | 2 | 7 | 11 | 18 | 24 | 40 |
| **A. NOT OPERATED** | 4502 | 7.4 | 36 | 1 | 2 | 6 | 9 | 14 | 19 | 29 |
| **B. OPERATED** | 991 | 12.9 | 134 | 3 | 4 | 9 | 16 | 27 | 36 | 62 |
| TOTAL 0-19 YRS | 238 | 5.4 | 37 | 1 | 1 | 3 | 7 | 12 | 15 | 38 |
| 20-34 | 743 | 6.2 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 36 |
| 35-49 | 876 | 6.9 | 53 | 1 | 2 | 5 | 8 | 12 | 17 | 43 |
| 50-64 | 1339 | 8.0 | 52 | 1 | 2 | 6 | 10 | 15 | 21 | 39 |
| 65+ | 2297 | 10.2 | 64 | 2 | 3 | 8 | 13 | 20 | 28 | 39 |
| **GRAND TOTAL** | **5493** | **8.4** | **58** | **1** | **2** | **6** | **10** | **17** | **23** | **39** |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 6.0 | 29 | 1 | 2 | 4 | 7 | 11 | 14 | 33 |
| 20-34 | 138 | 9.8 | 115 | 2 | 2 | 6 | 11 | 20 | 33 | 56 |
| 35-49 | 68 | 9.3 | 56 | 1 | 2 | 7 | 12 | 19 | 23 | 36 |
| 50-64 | 127 | 10.8 | 65 | 3 | 4 | 8 | 14 | 20 | 27 | 43 |
| 65+ | 486 | 13.4 | 85 | 4 | 5 | 11 | 17 | 24 | 29 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 16.3 | 174 | 2 | 3 | 15 | 24 | 29 | 44 | 54 |
| 20-34 | 16 | 27.7 | 322 | 10 | 12 | 22 | 35 | 60 | 64 | 66 |
| 35-49 | 10 | 32.5 | 461 | 5 | 10 | 28 | 47 | 66 | 69 | 69 |
| 50-64 | 7 | 40.3 | 463 | 2 | 8 | 43 | 57 | 66 | 67 | 67 |
| 65+ | 9 | 18.3 | 116 | 8 | 8 | 12 | 28 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 10.3 | 107 | 2 | 3 | 7 | 12 | 20 | 29 | 62 |
| 20-34 | 247 | 12.8 | 115 | 3 | 4 | 9 | 16 | 27 | 37 | 56 |
| 35-49 | 131 | 14.3 | 112 | 3 | 4 | 11 | 19 | 30 | 36 | 50 |
| 50-64 | 232 | 16.4 | 136 | 4 | 6 | 13 | 20 | 30 | 39 | 59 |
| 65+ | 1683 | 16.3 | 94 | 5 | 6 | 14 | 21 | 29 | 35 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 22.6 | 398 | 4 | 5 | 15 | 28 | 51 | 71 | 88 |
| 20-34 | 176 | 25.3 | 405 | 4 | 6 | 19 | 39 | 59 | 75 | 99+ |
| 35-49 | 85 | 28.2 | 372 | 5 | 8 | 25 | 42 | 57 | 63 | 93 |
| 50-64 | 76 | 29.5 | 364 | 6 | 9 | 24 | 47 | 56 | 64 | 79 |
| 65+ | 196 | 28.9 | 283 | 9 | 12 | 24 | 39 | 51 | 59 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 980 | 11.1 | 83 | 2 | 3 | 9 | 15 | 21 | 28 | 44 |
| B. *Operated* | 61 | 25.0 | 333 | 3 | 5 | 20 | 33 | 56 | 65 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2470 | 15.4 | 105 | 4 | 5 | 13 | 20 | 29 | 35 | 53 |
| B. *Operated* | 645 | 26.8 | 361 | 5 | 7 | 22 | 39 | 54 | 66 | 90 |
| **1. SINGLE DX** | 1041 | 11.9 | 108 | 2 | 3 | 9 | 15 | 23 | 31 | 61 |
| **2. MULTIPLE DX** | 3115 | 17.8 | 180 | 4 | 5 | 14 | 23 | 36 | 46 | 72 |
| **A. NOT OPERATED** | 3450 | 14.2 | 103 | 3 | 4 | 12 | 19 | 27 | 34 | 52 |
| **B. OPERATED** | 706 | 26.7 | 359 | 5 | 7 | 21 | 39 | 54 | 66 | 89 |
| TOTAL 0-19 YRS | 469 | 12.0 | 192 | 2 | 3 | 7 | 14 | 27 | 42 | 73 |
| 20-34 | 577 | 16.3 | 252 | 3 | 4 | 11 | 21 | 40 | 53 | 85 |
| 35-49 | 294 | 17.8 | 245 | 3 | 4 | 12 | 24 | 41 | 54 | 76 |
| 50-64 | 442 | 17.4 | 205 | 4 | 5 | 13 | 21 | 38 | 50 | 66 |
| 65+ | 2374 | 16.7 | 123 | 4 | 6 | 14 | 21 | 30 | 38 | 56 |
| **GRAND TOTAL** | 4156 | 16.3 | 168 | 3 | 4 | 13 | 21 | 32 | 43 | 66 |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 353 | 3.5 | 36 | <1 | 1 | 2 | 3 | 8 | 16 | 23 |
| 20-34 | 93 | 4.5 | 47 | 1 | 1 | 2 | 4 | 7 | 22 | 38 |
| 35-49 | 67 | 3.4 | 12 | <1 | 1 | 3 | 4 | 7 | 8 | 22 |
| 50-64 | 179 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |
| 65+ | 570 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1544 | 4.6 | 31 | 1 | 1 | 2 | 4 | 13 | 18 | 26 |
| 20-34 | 218 | 5.2 | 35 | 1 | 1 | 4 | 6 | 8 | 15 | 32 |
| 35-49 | 170 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 32 |
| 50-64 | 274 | 6.2 | 36 | 1 | 2 | 5 | 7 | 12 | 17 | 37 |
| 65+ | 416 | 8.3 | 56 | 1 | 2 | 6 | 11 | 18 | 22 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 4.7 | 26 | 1 | 1 | 3 | 5 | 13 | 16 | 25 |
| 20-34 | 74 | 4.8 | 37 | 1 | 1 | 3 | 6 | 9 | 12 | 40 |
| 35-49 | 79 | 6.2 | 48 | 1 | 1 | 4 | 7 | 12 | 21 | 41 |
| 50-64 | 271 | 7.3 | 46 | 1 | 2 | 6 | 9 | 15 | 22 | 31 |
| 65+ | 1350 | 10.0 | 68 | 2 | 3 | 8 | 13 | 20 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 8.4 | 84 | 1 | 1 | 5 | 11 | 20 | 27 | 48 |
| 20-34 | 218 | 10.5 | 122 | 2 | 2 | 6 | 13 | 26 | 32 | 62 |
| 35-49 | 192 | 12.8 | 195 | 1 | 2 | 8 | 17 | 31 | 45 | 75 |
| 50-64 | 321 | 13.3 | 203 | 2 | 3 | 8 | 17 | 29 | 40 | 78 |
| 65+ | 817 | 14.1 | 145 | 2 | 3 | 11 | 18 | 27 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1262 | 5.0 | 22 | 1 | 1 | 3 | 6 | 11 | 16 | 28 |
| B. *Operated* | 2622 | 5.5 | 37 | 1 | 1 | 3 | 7 | 13 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1883 | 9.0 | 63 | 1 | 2 | 7 | 12 | 19 | 24 | 40 |
| B. *Operated* | 1954 | 12.3 | 149 | 1 | 2 | 9 | 16 | 27 | 36 | 61 |
| **1. SINGLE DX** | 3884 | 5.3 | 35 | 1 | 1 | 3 | 6 | 12 | 18 | 29 |
| **2. MULTIPLE DX** | 3837 | 10.6 | 109 | 1 | 2 | 7 | 14 | 23 | 30 | 57 |
| **A. NOT OPERATED** | 3145 | 7.4 | 55 | 1 | 1 | 5 | 10 | 16 | 22 | 34 |
| **B. OPERATED** | 4576 | 8.4 | 96 | 1 | 1 | 5 | 11 | 20 | 27 | 52 |
| TOTAL 0-19 YRS | 2412 | 5.1 | 43 | 1 | 1 | 3 | 5 | 14 | 19 | 29 |
| 20-34 | 603 | 7.0 | 75 | 1 | 1 | 4 | 7 | 15 | 27 | 42 |
| 35-49 | 508 | 8.1 | 105 | 1 | 1 | 5 | 9 | 20 | 29 | 58 |
| 50-64 | 1045 | 8.4 | 99 | 1 | 2 | 5 | 10 | 19 | 26 | 49 |
| 65+ | 3153 | 10.2 | 86 | 2 | 2 | 8 | 13 | 21 | 27 | 50 |
| **GRAND TOTAL** | 7721 | 8.0 | 79 | 1 | 1 | 5 | 10 | 19 | 25 | 44 |

### 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 73 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 35 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 50-64 | 64 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | 133 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3436 | 1.8 | 3 | 1 | 1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 899 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 609 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 975 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 65+ | 1002 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 2.8 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 118 | 4.1 | 12 | 1 | 1 | 3 | 6 | 7 | 11 | 20 |
| 35-49 | 87 | 4.7 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 50-64 | 130 | 6.5 | 49 | 1 | 1 | 4 | 8 | 17 | 22 | 33 |
| 65+ | 382 | 9.1 | 76 | 1 | 2 | 7 | 12 | 18 | 25 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 702 | 4.3 | 44 | 1 | 1 | 2 | 4 | 9 | 15 | 38 |
| 20-34 | 585 | 6.9 | 68 | 1 | 2 | 5 | 8 | 13 | 18 | 48 |
| 35-49 | 449 | 7.0 | 75 | 1 | 2 | 4 | 8 | 15 | 21 | 49 |
| 50-64 | 668 | 6.2 | 38 | 1 | 2 | 4 | 8 | 12 | 17 | 31 |
| 65+ | 1102 | 8.9 | 84 | 1 | 2 | 6 | 11 | 19 | 26 | 50 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 488 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 6921 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 829 | 6.7 | 53 | 1 | 1 | 4 | 8 | 14 | 20 | 33 |
| B. *Operated* | 3506 | 6.9 | 66 | 1 | 1 | 4 | 8 | 15 | 21 | 47 |
| 1. SINGLE DX | 7409 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 2. MULTIPLE DX | 4335 | 6.8 | 64 | 1 | 1 | 4 | 8 | 15 | 21 | 43 |
| A. NOT OPERATED | 1317 | 5.1 | 39 | 1 | 1 | 3 | 6 | 12 | 17 | 31 |
| B. OPERATED | 10427 | 4.0 | 31 | 1 | 1 | 2 | 4 | 8 | 13 | 27 |
| TOTAL 0-19 YRS | 4433 | 2.3 | 11 | 1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 1675 | 4.5 | 32 | 1 | 1 | 3 | 5 | 8 | 12 | 37 |
| 35-49 | 1180 | 4.8 | 36 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |
| 50-64 | 1837 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 65+ | 2619 | 6.7 | 56 | 1 | 1 | 4 | 8 | 15 | 21 | 37 |
| GRAND TOTAL | 11744 | 4.2 | 32 | 1 | 1 | 2 | 5 | 9 | 13 | 27 |

### 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 1.7 | 1 | 1 | 1 | 1 | 2 | 4 | 4 | 6 |
| 20-34 | 60 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 10 |
| 35-49 | 22 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 50-64 | 13 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 4 |
| 65+ | 33 | 4.1 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1038 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 1104 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 383 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 267 | 2.8 | 20 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 65+ | 158 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 4.5 | 22 | 1 | 1 | 3 | 5 | 10 | 15 | 22 |
| 20-34 | 72 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 26 |
| 35-49 | 36 | 4.9 | 32 | 1 | 1 | 4 | 8 | 9 | 13 | 33 |
| 50-64 | 51 | 8.0 | 75 | 1 | 1 | 5 | 10 | 15 | 22 | 51 |
| 65+ | 128 | 9.2 | 53 | 1 | 2 | 7 | 12 | 20 | 24 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 385 | 3.1 | 9 | 1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 20-34 | 675 | 3.9 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 335 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 14 | 29 |
| 50-64 | 298 | 4.5 | 30 | 1 | 1 | 3 | 5 | 10 | 12 | 31 |
| 65+ | 247 | 7.0 | 63 | 1 | 1 | 5 | 8 | 16 | 21 | 42 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 166 | 2.6 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 2950 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 354 | 6.5 | 46 | 1 | 1 | 4 | 8 | 15 | 21 | 33 |
| B. *Operated* | 1940 | 4.3 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| 1. SINGLE DX | 3116 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | 2294 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| A. NOT OPERATED | 520 | 5.3 | 36 | 1 | 1 | 3 | 7 | 12 | 18 | 29 |
| B. OPERATED | 4890 | 3.0 | 14 | 1 | 1 | 2 | 3 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 1528 | 2.3 | 5 | <1 | 1 | 2 | 2 | 4 | 6 | 13 |
| 20-34 | 1911 | 2.9 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 35-49 | 776 | 3.3 | 15 | 1 | 1 | 2 | 4 | 6 | 8 | 22 |
| 50-64 | 629 | 4.0 | 31 | 1 | 1 | 2 | 4 | 8 | 12 | 34 |
| 65+ | 566 | 6.2 | 46 | 1 | 1 | 4 | 7 | 14 | 20 | 32 |
| GRAND TOTAL | 5410 | 3.3 | 17 | 1 | 1 | 2 | 3 | 6 | 10 | 21 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 15.2 | 192 | 1 | 2 | 12 | 24 | 31 | 45 | 60 |
| 20-34 | 15 | 11.7 | 226 | 1 | 1 | 7 | 15 | 46 | 47 | 47 |
| 35-49 | 19 | 15.9 | 390 | 2 | 3 | 5 | 17 | 50 | 64 | 71 |
| 50-64 | 55 | 11.6 | 244 | 2 | 2 | 8 | 12 | 18 | 26 | 93 |
| 65+ | 309 | 11.3 | 97 | 1 | 2 | 9 | 15 | 20 | 25 | 43 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 14.8 | 163 | 3 | 4 | 11 | 20 | 30 | 42 | 64 |
| 20-34 | 96 | 14.3 | 117 | 4 | 5 | 11 | 17 | 27 | 44 | 50 |
| 35-49 | 148 | 13.9 | 118 | 5 | 6 | 11 | 15 | 23 | 36 | 71 |
| 50-64 | 654 | 13.6 | 43 | 6 | 7 | 12 | 16 | 21 | 26 | 35 |
| 65+ | 4460 | 17.8 | 59 | 8 | 10 | 16 | 21 | 27 | 31 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 15.0 | 203 | 1 | 2 | 10 | 23 | 32 | 37 | 64 |
| 20-34 | 21 | 11.4 | 185 | <1 | 1 | 5 | 14 | 33 | 46 | 50 |
| 35-49 | 33 | 14.5 | 246 | 1 | 2 | 12 | 17 | 29 | 40 | 64 |
| 50-64 | 87 | 14.9 | 172 | 2 | 3 | 12 | 20 | 30 | 39 | 73 |
| 65+ | 916 | 15.7 | 163 | 2 | 4 | 13 | 20 | 31 | 40 | 82 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 21.1 | 306 | 4 | 5 | 16 | 28 | 47 | 63 | 97 |
| 20-34 | 207 | 24.3 | 373 | 6 | 7 | 17 | 33 | 55 | 66 | 94 |
| 35-49 | 225 | 21.4 | 227 | 7 | 8 | 17 | 26 | 43 | 54 | 90 |
| 50-64 | 1073 | 20.3 | 162 | 8 | 10 | 17 | 24 | 35 | 47 | 83 |
| 65+ | 10385 | 21.6 | 125 | 10 | 11 | 19 | 26 | 35 | 43 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 469 | 12.1 | 145 | 1 | 2 | 9 | 16 | 24 | 31 | 69 |
| *B. Operated* | 5490 | 17.1 | 64 | 7 | 9 | 16 | 20 | 26 | 31 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1085 | 15.5 | 167 | 2 | 4 | 13 | 20 | 31 | 40 | 83 |
| *B. Operated* | 11995 | 21.5 | 136 | 9 | 11 | 19 | 25 | 35 | 44 | 72 |
| **1. SINGLE DX** | 5959 | 16.7 | 72 | 6 | 8 | 15 | 20 | 26 | 31 | 46 |
| **2. MULTIPLE DX** | 13080 | 21.0 | 142 | 8 | 10 | 18 | 25 | 35 | 44 | 73 |
| **A. NOT OPERATED** | 1554 | 14.5 | 163 | 2 | 3 | 11 | 19 | 29 | 39 | 78 |
| **B. OPERATED** | 17485 | 20.1 | 118 | 8 | 10 | 18 | 24 | 33 | 41 | 65 |
| TOTAL 0-19 YRS | 336 | 16.9 | 223 | 2 | 4 | 12 | 23 | 35 | 49 | 74 |
| 20-34 | 339 | 20.1 | 309 | 3 | 5 | 13 | 25 | 47 | 59 | 86 |
| 35-49 | 425 | 18.0 | 209 | 5 | 6 | 14 | 21 | 37 | 52 | 82 |
| 50-64 | 1869 | 17.5 | 134 | 6 | 8 | 15 | 20 | 30 | 37 | 78 |
| 65+ | 16070 | 20.0 | 114 | 8 | 10 | 18 | 24 | 32 | 40 | 64 |
| **GRAND TOTAL** | **19039** | **19.7** | **124** | **7** | **9** | **17** | **23** | **32** | **41** | **66** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 577 | 19.2 | 181 | 1 | 2 | 20 | 26 | 34 | 44 | 64 |
| 20-34 | 37 | 27.6 | 543 | 1 | 1 | 23 | 43 | 66 | 69 | 70 |
| 35-49 | 25 | 20.2 | 385 | <1 | 2 | 7 | 38 | 44 | 50 | 67 |
| 50-64 | 40 | 27.1 | 530 | 2 | 5 | 18 | 45 | 60 | 70 | 91 |
| 65+ | 133 | 17.4 | 265 | 2 | 3 | 12 | 23 | 40 | 53 | 72 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 652 | 17.1 | 207 | 2 | 2 | 14 | 25 | 34 | 45 | 70 |
| 20-34 | 227 | 15.1 | 155 | 2 | 3 | 12 | 18 | 32 | 48 | 55 |
| 35-49 | 66 | 14.8 | 134 | 2 | 3 | 12 | 18 | 28 | 44 | 94 |
| 50-64 | 103 | 21.1 | 269 | 4 | 6 | 17 | 24 | 45 | 63 | 73 |
| 65+ | 302 | 21.8 | 189 | 8 | 10 | 18 | 26 | 38 | 56 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 21.8 | 242 | 1 | 3 | 21 | 31 | 40 | 46 | 82 |
| 20-34 | 62 | 18.6 | 462 | 1 | 2 | 8 | 25 | 55 | 64 | 85 |
| 35-49 | 36 | 25.3 | 489 | 2 | 3 | 19 | 42 | 53 | 76 | 78 |
| 50-64 | 73 | 25.7 | 523 | 2 | 4 | 18 | 44 | 66 | 74 | 99+ |
| 65+ | 305 | 21.1 | 375 | 3 | 4 | 15 | 29 | 50 | 69 | 97 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 592 | 23.4 | 263 | 4 | 3 | 20 | 31 | 45 | 58 | 86 |
| 20-34 | 529 | 23.9 | 339 | 4 | 6 | 19 | 32 | 53 | 71 | 99+ |
| 35-49 | 149 | 26.2 | 396 | 4 | 6 | 23 | 36 | 60 | 87 | 99+ |
| 50-64 | 184 | 26.8 | 304 | 5 | 8 | 22 | 36 | 51 | 59 | 97 |
| 65+ | 761 | 27.6 | 314 | 9 | 12 | 22 | 35 | 57 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 812 | 19.7 | 239 | 1 | 2 | 19 | 27 | 38 | 51 | 69 |
| *B. Operated* | 1350 | 18.0 | 201 | 2 | 3 | 15 | 24 | 37 | 49 | 83 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 686 | 21.8 | 365 | 2 | 3 | 17 | 31 | 49 | 66 | 94 |
| *B. Operated* | 2215 | 25.4 | 314 | 4 | 8 | 21 | 33 | 53 | 68 | 99+ |
| **1. SINGLE DX** | 2162 | 18.6 | 216 | 2 | 3 | 16 | 25 | 37 | 49 | 70 |
| **2. MULTIPLE DX** | 2901 | 24.6 | 328 | 4 | 6 | 20 | 33 | 52 | 67 | 99+ |
| **A. NOT OPERATED** | 1498 | 20.7 | 298 | 2 | 3 | 18 | 28 | 44 | 57 | 86 |
| **B. OPERATED** | 3565 | 22.6 | 284 | 3 | 5 | 19 | 29 | 48 | 61 | 99+ |
| TOTAL 0-19 YRS | 2031 | 20.0 | 226 | 2 | 3 | 19 | 28 | 39 | 49 | 80 |
| 20-34 | 855 | 21.3 | 323 | 2 | 4 | 16 | 28 | 50 | 65 | 99+ |
| 35-49 | 276 | 22.8 | 364 | 2 | 4 | 17 | 33 | 54 | 69 | 99+ |
| 50-64 | 400 | 25.1 | 360 | 3 | 6 | 20 | 36 | 55 | 65 | 95 |
| 65+ | 1501 | 24.2 | 309 | 5 | 7 | 19 | 30 | 52 | 66 | 99+ |
| **GRAND TOTAL** | **5063** | **22.0** | **289** | **2** | **4** | **18** | **29** | **47** | **60** | **97** |

## 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 599 | 2.9 | 10 | 1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 20-34 | 221 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 133 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 50-64 | 163 | 6.9 | 43 | 1 | 2 | 5 | 8 | 13 | 19 | 33 |
| 65+ | 199 | 10.5 | 81 | 2 | 3 | 8 | 13 | 20 | 28 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1307 | 4.4 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 939 | 7.2 | 46 | 2 | 2 | 6 | 9 | 14 | 17 | 35 |
| 35-49 | 490 | 7.6 | 46 | 2 | 2 | 6 | 9 | 13 | 18 | 36 |
| 50-64 | 454 | 9.4 | 64 | 2 | 3 | 7 | 11 | 17 | 27 | 46 |
| 65+ | 244 | 12.5 | 101 | 3 | 4 | 10 | 16 | 22 | 29 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 4.7 | 23 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 20-34 | 167 | 5.7 | 38 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| 35-49 | 123 | 6.4 | 52 | 1 | 2 | 4 | 8 | 11 | 15 | 47 |
| 50-64 | 191 | 8.9 | 60 | 2 | 2 | 7 | 11 | 18 | 29 | 40 |
| 65+ | 398 | 12.1 | 92 | 3 | 4 | 10 | 16 | 22 | 31 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 571 | 10.1 | 144 | 1 | 2 | 6 | 11 | 24 | 38 | 72 |
| 20-34 | 786 | 13.7 | 177 | 2 | 3 | 10 | 17 | 32 | 46 | 99+ |
| 35-49 | 364 | 14.2 | 208 | 3 | 3 | 10 | 17 | 31 | 46 | 87 |
| 50-64 | 442 | 15.1 | 157 | 4 | 5 | 12 | 19 | 32 | 42 | 99+ |
| 65+ | 418 | 17.6 | 143 | 3 | 5 | 14 | 23 | 34 | 42 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1315 | 5.0 | 32 | 1 | 1 | 3 | 6 | 10 | 15 | 30 |
| B. *Operated* | 3434 | 6.9 | 47 | 1 | 2 | 5 | 8 | 14 | 18 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1050 | 8.6 | 71 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |
| B. *Operated* | 2581 | 13.8 | 170 | 2 | 3 | 10 | 18 | 31 | 44 | 83 |
| **1. SINGLE DX** | 4749 | 6.3 | 43 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| **2. MULTIPLE DX** | 3631 | 12.3 | 147 | 2 | 3 | 9 | 16 | 27 | 38 | 73 |
| **A. NOT OPERATED** | 2365 | 6.6 | 52 | 1 | 1 | 4 | 8 | 14 | 19 | 38 |
| **B. OPERATED** | 6015 | 9.9 | 112 | 1 | 2 | 6 | 12 | 21 | 32 | 60 |
| TOTAL 0-19 YRS | 2648 | 5.3 | 50 | 1 | 1 | 3 | 6 | 10 | 15 | 41 |
| 20-34 | 2113 | 9.1 | 103 | 1 | 2 | 6 | 11 | 19 | 29 | 65 |
| 35-49 | 1110 | 9.3 | 108 | 2 | 2 | 6 | 10 | 18 | 29 | 61 |
| 50-64 | 1250 | 11.0 | 103 | 2 | 3 | 8 | 13 | 23 | 33 | 61 |
| 65+ | 1259 | 13.8 | 116 | 3 | 4 | 11 | 18 | 27 | 36 | 54 |
| **GRAND TOTAL** | **8380** | **8.9** | **97** | **1** | **2** | **6** | **11** | **19** | **29** | **55** |

## 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 275 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 306 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 255 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 269 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 13 | 17 |
| 65+ | 288 | 6.7 | 38 | 1 | 2 | 5 | 8 | 13 | 16 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1361 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 1986 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 1277 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 1263 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| 65+ | 693 | 9.1 | 41 | 3 | 3 | 8 | 11 | 16 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 27 |
| 20-34 | 303 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 35-49 | 223 | 5.6 | 21 | 1 | 2 | 4 | 7 | 11 | 15 | 22 |
| 50-64 | 351 | 6.7 | 26 | 1 | 2 | 5 | 9 | 13 | 15 | 26 |
| 65+ | 645 | 9.5 | 64 | 2 | 3 | 8 | 12 | 18 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 713 | 6.5 | 57 | 1 | 2 | 5 | 7 | 11 | 18 | 43 |
| 20-34 | 1358 | 7.7 | 64 | 2 | 2 | 6 | 9 | 14 | 21 | 48 |
| 35-49 | 937 | 8.1 | 51 | 2 | 3 | 6 | 10 | 14 | 20 | 38 |
| 50-64 | 1023 | 9.5 | 70 | 3 | 3 | 7 | 11 | 17 | 25 | 56 |
| 65+ | 949 | 13.7 | 111 | 4 | 5 | 11 | 17 | 25 | 32 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1393 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 6580 | 5.6 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1681 | 7.0 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| B. *Operated* | 4980 | 9.1 | 77 | 2 | 3 | 7 | 11 | 18 | 25 | 51 |
| **1. SINGLE DX** | 7973 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 6661 | 8.6 | 68 | 2 | 2 | 6 | 10 | 17 | 23 | 45 |
| **A. NOT OPERATED** | 3074 | 5.7 | 32 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| **B. OPERATED** | 11560 | 7.1 | 46 | 2 | 2 | 5 | 8 | 13 | 18 | 36 |
| TOTAL 0-19 YRS | 2508 | 4.5 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 20-34 | 3953 | 5.7 | 31 | 1 | 2 | 4 | 7 | 10 | 13 | 29 |
| 35-49 | 2692 | 6.3 | 29 | 2 | 2 | 5 | 7 | 11 | 15 | 29 |
| 50-64 | 2906 | 7.4 | 39 | 2 | 2 | 6 | 9 | 13 | 17 | 36 |
| 65+ | 2575 | 10.6 | 78 | 2 | 3 | 8 | 13 | 20 | 26 | 45 |
| **GRAND TOTAL** | **14634** | **6.8** | **43** | **1** | **2** | **5** | **8** | **13** | **18** | **35** |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 44 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 35-49 | 29 | 3.4 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 50-64 | 18 | 3.7 | 12 | <1 | 1 | 2 | 6 | 9 | 11 | 12 |
| 65+ | 45 | 4.8 | 15 | 1 | 1 | 4 | 7 | 10 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 109 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 20 | 4.6 | 23 | 1 | 1 | 3 | 5 | 12 | 17 | 18 |
| 50-64 | 10 | 4.9 | 23 | 1 | 1 | 4 | 5 | 12 | 18 | 18 |
| 65+ | 12 | 8.4 | 67 | 3 | 4 | 6 | 8 | 19 | 31 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 3.9 | 21 | 1 | 1 | 2 | 5 | 8 | 12 | 30 |
| 20-34 | 211 | 4.2 | 16 | <1 | 1 | 3 | 5 | 8 | 12 | 16 |
| 35-49 | 128 | 4.8 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 50-64 | 161 | 7.0 | 27 | 1 | 2 | 6 | 9 | 13 | 15 | 29 |
| 65+ | 289 | 9.7 | 56 | 2 | 3 | 8 | 13 | 20 | 25 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 6.3 | 66 | 1 | 1 | 4 | 7 | 13 | 26 | 44 |
| 20-34 | 105 | 7.1 | 48 | 1 | 1 | 4 | 10 | 15 | 22 | 33 |
| 35-49 | 63 | 7.7 | 57 | 1 | 2 | 6 | 9 | 14 | 24 | 45 |
| 50-64 | 46 | 14.1 | 188 | 3 | 4 | 9 | 17 | 34 | 45 | 58 |
| 65+ | 70 | 14.8 | 182 | 2 | 3 | 11 | 19 | 29 | 46 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 202 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| B. *Operated* | 270 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 985 | 6.3 | 36 | 1 | 1 | 4 | 8 | 13 | 18 | 30 |
| B. *Operated* | 376 | 9.3 | 107 | 1 | 2 | 6 | 11 | 21 | 30 | 55 |
| **1. SINGLE DX** | 472 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 1361 | 7.1 | 57 | 1 | 1 | 5 | 9 | 15 | 21 | 38 |
| **A. NOT OPERATED** | 1187 | 5.8 | 32 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| **B. OPERATED** | 646 | 6.9 | 74 | 1 | 1 | 4 | 8 | 15 | 24 | 47 |
| TOTAL 0-19 YRS | 473 | 3.9 | 24 | 1 | 1 | 3 | 4 | 7 | 10 | 32 |
| 20-34 | 489 | 4.5 | 21 | 1 | 1 | 3 | 5 | 9 | 14 | 26 |
| 35-49 | 240 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 235 | 8.0 | 66 | 1 | 2 | 6 | 10 | 15 | 23 | 44 |
| 65+ | 416 | 10.0 | 79 | 2 | 2 | 8 | 13 | 20 | 26 | 44 |
| **GRAND TOTAL** | 1833 | 6.2 | 47 | 1 | 1 | 4 | 8 | 13 | 19 | 36 |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 5 | 6.2 | 12 | 3 | 3 | 6 | 8 | 12 | 12 | 12 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.8 | 116 | 1 | 1 | 7 | 9 | 24 | 38 | 38 |
| 20-34 | 6 | 11.0 | 29 | 6 | 6 | 9 | 13 | 20 | 21 | 21 |
| 35-49 | 4 | 9.8 | 33 | 3 | 3 | 10 | 14 | 15 | 15 | 15 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.7 | 26 | 1 | 2 | 3 | 5 | 10 | 19 | 21 |
| 20-34 | 10 | 12.9 | 89 | 3 | 4 | 10 | 14 | 28 | 36 | 36 |
| 35-49 | 5 | 9.2 | 27 | 4 | 4 | 9 | 12 | 17 | 17 | 17 |
| 50-64 | 5 | 6.6 | 22 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| 65+ | 9 | 16.1 | 179 | <1 | 1 | 15 | 27 | 35 | 38 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 19.8 | 172 | 4 | 4 | 21 | 30 | 32 | 32 | 32 |
| 20-34 | 14 | 32.8 | 654 | 6 | 9 | 25 | 54 | 70 | 82 | 85 |
| 35-49 | 11 | 26.7 | 933 | 6 | 8 | 12 | 53 | 97 | 99+ | 99+ |
| 50-64 | 6 | 33.5 | 396 | 2 | 4 | 34 | 47 | 58 | 59 | 59 |
| 65+ | 5 | 27.0 | 197 | 12 | 12 | 30 | 38 | 43 | 43 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 21 | 9.5 | 66 | 1 | 2 | 8 | 10 | 17 | 29 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 9.7 | 87 | 1 | 2 | 6 | 13 | 22 | 33 | 38 |
| B. *Operated* | 40 | 29.2 | 560 | 5 | 8 | 25 | 41 | 71 | 90 | 99+ |
| **1. SINGLE DX** | 53 | 5.4 | 40 | 1 | 1 | 3 | 7 | 12 | 15 | 37 |
| **2. MULTIPLE DX** | 83 | 19.1 | 407 | 2 | 2 | 11 | 29 | 48 | 70 | 99 |
| **A. NOT OPERATED** | 75 | 6.7 | 64 | 1 | 1 | 3 | 9 | 17 | 25 | 37 |
| **B. OPERATED** | 61 | 22.4 | 475 | 2 | 4 | 13 | 30 | 61 | 80 | 99+ |
| TOTAL 0-19 YRS | 52 | 5.4 | 62 | 1 | 1 | 2 | 5 | 11 | 28 | 38 |
| 20-34 | 35 | 19.6 | 404 | 3 | 5 | 11 | 23 | 54 | 67 | 85 |
| 35-49 | 22 | 17.3 | 552 | 1 | 3 | 10 | 16 | 80 | 97 | 99+ |
| 50-64 | 13 | 18.8 | 374 | 2 | 2 | 10 | 32 | 49 | 57 | 59 |
| 65+ | 14 | 20.0 | 200 | 1 | 2 | 17 | 31 | 38 | 42 | 43 |
| **GRAND TOTAL** | 136 | 13.8 | 308 | 1 | 2 | 9 | 16 | 38 | 57 | 97 |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.1 | 3 | <1 | 1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 43 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 11 | 3.2 | 13 | <1 | <1 | 1 | 6 | 9 | 11 | 11 |
| 50-64 | 7 | 2.4 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 18 | 3.4 | 10 | <1 | 1 | 2 | 5 | 7 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 274 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 753 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 209 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 112 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 9 | 13 |
| 65+ | 98 | 3.0 | 14 | 1 | 1 | 2 | 4 | 6 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.1 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 10 |
| 20-34 | 49 | 4.3 | 24 | <1 | 1 | 3 | 4 | 11 | 15 | 24 |
| 35-49 | 23 | 5.7 | 19 | <1 | 1 | 3 | 9 | 12 | 14 | 15 |
| 50-64 | 18 | 7.9 | 158 | <1 | 1 | 4 | 8 | 14 | 40 | 56 |
| 65+ | 70 | 8.2 | 44 | 1 | 2 | 6 | 12 | 16 | 25 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 5.6 | 38 | <1 | 1 | 4 | 7 | 10 | 24 | 29 |
| 20-34 | 162 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 77 | 4.3 | 8 | 1 | 1 | 3 | 5 | 9 | 11 | 13 |
| 50-64 | 94 | 5.7 | 39 | 1 | 1 | 4 | 7 | 11 | 24 | 29 |
| 65+ | 192 | 6.6 | 59 | 1 | 1 | 4 | 8 | 17 | 24 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 12 |
| B. *Operated* | 1446 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 6.3 | 47 | 1 | 1 | 4 | 8 | 15 | 18 | 27 |
| B. *Operated* | 568 | 5.4 | 35 | 1 | 1 | 3 | 7 | 11 | 17 | 28 |
| **1. SINGLE DX** | 1539 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | 742 | 5.6 | 38 | 1 | 1 | 4 | 7 | 12 | 17 | 28 |
| **A. NOT OPERATED** | 267 | 4.9 | 36 | <1 | 1 | 3 | 7 | 12 | 15 | 26 |
| **B. OPERATED** | 2014 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| TOTAL 0-19 YRS | 345 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 1007 | 3.4 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 320 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 231 | 4.4 | 33 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 65+ | 378 | 5.8 | 46 | 1 | 1 | 3 | 7 | 14 | 21 | 28 |
| **GRAND TOTAL** | 2281 | 3.9 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.7 | 15 | <1 | 1 | 2 | 5 | 7 | 10 | 22 |
| 20-34 | 57 | 2.5 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 8 |
| 35-49 | 21 | 4.1 | 33 | <1 | <1 | 2 | 3 | 16 | 19 | 20 |
| 50-64 | 12 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 7 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1599 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 2957 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 1263 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 634 | 4.5 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 65+ | 120 | 6.0 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 8 | 9 |
| 20-34 | 41 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 25 | 4.6 | 12 | <1 | <1 | 4 | 6 | 9 | 12 | 16 |
| 50-64 | 15 | 6.1 | 17 | <1 | 1 | 6 | 10 | 12 | 13 | 13 |
| 65+ | 15 | 7.6 | 42 | 1 | 1 | 5 | 10 | 18 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 770 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 17 |
| 20-34 | 1572 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 788 | 5.3 | 21 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| 50-64 | 685 | 5.5 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 194 | 7.6 | 56 | 2 | 2 | 6 | 9 | 14 | 22 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 3.1 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 20 |
| B. *Operated* | 6573 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 130 | 3.8 | 15 | <1 | <1 | 2 | 5 | 9 | 11 | 19 |
| B. *Operated* | 4009 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| **1. SINGLE DX** | 6706 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 4139 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| **A. NOT OPERATED** | 263 | 3.4 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| **B. OPERATED** | 10582 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 2439 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 4627 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 2097 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 50-64 | 1346 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 336 | 7.0 | 40 | 2 | 2 | 5 | 9 | 13 | 18 | 36 |
| **GRAND TOTAL** | 10845 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |

## 501 Hospitals, North Central Region, January–December 1981

### 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 8 | 19 |
| 20-34 | 50 | 5.7 | 60 | 1 | 1 | 3 | 8 | 12 | 13 | 51 |
| 35-49 | 43 | 6.5 | 39 | 1 | 1 | 5 | 9 | 13 | 16 | 35 |
| 50-64 | 13 | 7.6 | 22 | 3 | 3 | 6 | 9 | 14 | 19 | 20 |
| 65+ | 14 | 8.4 | 39 | 2 | 2 | 7 | 9 | 17 | 23 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 384 | 3.4 | 22 | 1 | 1 | 2 | 4 | 7 | 11 | 27 |
| 20-34 | 428 | 4.6 | 31 | 1 | 1 | 3 | 5 | 11 | 16 | 30 |
| 35-49 | 187 | 5.3 | 39 | 1 | 1 | 2 | 6 | 13 | 17 | 36 |
| 50-64 | 134 | 4.9 | 32 | 1 | 1 | 3 | 5 | 11 | 16 | 33 |
| 65+ | 75 | 7.4 | 65 | 1 | 1 | 4 | 10 | 18 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.7 | 34 | <1 | 1 | 3 | 6 | 10 | 19 | 27 |
| 20-34 | 62 | 8.9 | 144 | 1 | 1 | 6 | 9 | 17 | 43 | 56 |
| 35-49 | 44 | 6.5 | 24 | 1 | 2 | 5 | 9 | 13 | 15 | 26 |
| 50-64 | 46 | 7.3 | 35 | 2 | 2 | 6 | 8 | 14 | 16 | 33 |
| 65+ | 50 | 11.4 | 121 | 2 | 2 | 7 | 16 | 27 | 36 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 8.7 | 114 | 1 | 1 | 5 | 11 | 23 | 32 | 57 |
| 20-34 | 369 | 10.5 | 140 | 1 | 2 | 6 | 15 | 24 | 33 | 73 |
| 35-49 | 220 | 8.9 | 103 | 1 | 2 | 5 | 12 | 21 | 29 | 57 |
| 50-64 | 181 | 7.7 | 102 | 1 | 1 | 4 | 8 | 19 | 33 | 43 |
| 65+ | 129 | 15.3 | 259 | 1 | 2 | 9 | 21 | 35 | 41 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 5.4 | 36 | 1 | 1 | 4 | 7 | 11 | 14 | 32 |
| B. *Operated* | 1208 | 4.5 | 32 | 1 | 1 | 2 | 5 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 247 | 7.9 | 82 | 1 | 1 | 5 | 9 | 16 | 25 | 51 |
| B. *Operated* | 1076 | 10.0 | 140 | 1 | 1 | 5 | 13 | 25 | 34 | 62 |
| **1. SINGLE DX** | 1389 | 4.6 | 33 | 1 | 1 | 3 | 5 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | 1323 | 9.6 | 130 | 1 | 1 | 5 | 12 | 24 | 33 | 57 |
| **A. NOT OPERATED** | 428 | 6.9 | 64 | 1 | 1 | 5 | 8 | 14 | 20 | 51 |
| **B. OPERATED** | 2284 | 7.1 | 91 | 1 | 1 | 3 | 8 | 18 | 27 | 48 |
| TOTAL 0-19 YRS | 667 | 4.9 | 52 | 1 | 1 | 2 | 5 | 11 | 19 | 34 |
| 20-34 | 909 | 7.4 | 92 | 1 | 1 | 4 | 9 | 18 | 25 | 51 |
| 35-49 | 494 | 7.1 | 69 | 1 | 1 | 4 | 9 | 16 | 23 | 49 |
| 50-64 | 374 | 6.6 | 67 | 1 | 1 | 4 | 7 | 15 | 26 | 40 |
| 65+ | 268 | 12.0 | 178 | 1 | 2 | 7 | 17 | 31 | 37 | 67 |
| **GRAND TOTAL** | 2712 | 7.1 | 86 | 1 | 1 | 4 | 8 | 17 | 26 | 47 |

### 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 137 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 35-49 | 76 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 11 | 16 |
| 50-64 | 62 | 4.4 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 65+ | 40 | 6.1 | 25 | 1 | 2 | 5 | 7 | 11 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 624 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 815 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 200 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 68 | 6.3 | 8 | 2 | 3 | 6 | 8 | 11 | 11 | 16 |
| 65+ | 30 | 7.5 | 33 | 2 | 3 | 6 | 9 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 4.8 | 35 | 1 | 1 | 3 | 6 | 10 | 12 | 40 |
| 20-34 | 94 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 71 | 5.7 | 32 | 1 | 2 | 4 | 7 | 10 | 15 | 37 |
| 50-64 | 104 | 7.1 | 38 | 1 | 2 | 5 | 10 | 13 | 16 | 34 |
| 65+ | 192 | 9.3 | 46 | 3 | 3 | 8 | 12 | 18 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 521 | 4.6 | 8 | 1 | 2 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | 770 | 5.4 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| 35-49 | 206 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 13 | 17 |
| 50-64 | 121 | 7.7 | 48 | 2 | 3 | 6 | 8 | 13 | 25 | 36 |
| 65+ | 61 | 10.7 | 62 | 2 | 2 | 9 | 15 | 20 | 25 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 421 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 1737 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 527 | 7.0 | 39 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| B. *Operated* | 1679 | 5.6 | 18 | 1 | 2 | 5 | 7 | 9 | 13 | 23 |
| **1. SINGLE DX** | 2158 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 2206 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 948 | 5.5 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| **B. OPERATED** | 3416 | 4.9 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| TOTAL 0-19 YRS | 1317 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 1816 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 553 | 5.2 | 17 | 1 | 2 | 4 | 7 | 9 | 13 | 18 |
| 50-64 | 355 | 6.7 | 32 | 2 | 2 | 5 | 8 | 12 | 15 | 29 |
| 65+ | 323 | 9.0 | 46 | 2 | 3 | 7 | 11 | 18 | 23 | 35 |
| **GRAND TOTAL** | 4364 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 5.0 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 20-34 | 2093 | 6.3 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 19 |
| 35-49 | 1859 | 6.9 | 15 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| 50-64 | 871 | 7.0 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 22 |
| 65+ | 252 | 7.4 | 27 | 2 | 3 | 6 | 9 | 14 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 11 | 1 | 3 | 5 | 9 | 11 | 12 | 12 |
| 20-34 | 307 | 9.1 | 42 | 2 | 2 | 8 | 12 | 17 | 21 | 28 |
| 35-49 | 282 | 9.3 | 36 | 2 | 3 | 8 | 13 | 17 | 19 | 26 |
| 50-64 | 69 | 10.1 | 39 | 2 | 3 | 9 | 14 | 19 | 21 | 25 |
| 65+ | 6 | 15.3 | 21 | 11 | 11 | 14 | 16 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 20-34 | 2062 | 7.6 | 20 | 2 | 3 | 7 | 10 | 13 | 16 | 22 |
| 35-49 | 2282 | 8.3 | 23 | 3 | 4 | 7 | 10 | 14 | 18 | 25 |
| 50-64 | 1749 | 8.5 | 28 | 3 | 3 | 8 | 11 | 15 | 18 | 27 |
| 65+ | 1218 | 9.1 | 32 | 3 | 3 | 8 | 12 | 16 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 9.0 | 30 | 2 | 2 | 8 | 13 | 16 | 20 | 24 |
| 20-34 | 341 | 12.0 | 60 | 3 | 4 | 11 | 16 | 21 | 25 | 42 |
| 35-49 | 455 | 12.4 | 54 | 3 | 5 | 11 | 15 | 22 | 25 | 40 |
| 50-64 | 228 | 12.7 | 57 | 3 | 4 | 12 | 16 | 23 | 26 | 37 |
| 65+ | 68 | 14.1 | 78 | 5 | 5 | 13 | 17 | 25 | 29 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5298 | 6.7 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| B. *Operated* | 677 | 9.3 | 38 | 2 | 2 | 8 | 13 | 18 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7507 | 8.2 | 25 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| B. *Operated* | 1114 | 12.4 | 58 | 3 | 4 | 11 | 16 | 22 | 26 | 40 |
| **1. SINGLE DX** | 5975 | 7.0 | 19 | 2 | 3 | 6 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 8621 | 8.8 | 31 | 3 | 3 | 8 | 11 | 16 | 19 | 28 |
| **A. NOT OPERATED** | 12805 | 7.6 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 24 |
| **B. OPERATED** | 1791 | 11.2 | 53 | 2 | 3 | 10 | 15 | 20 | 24 | 37 |
| TOTAL 0-19 YRS | 454 | 5.7 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 20-34 | 4803 | 7.5 | 24 | 2 | 3 | 6 | 10 | 14 | 17 | 24 |
| 35-49 | 4878 | 8.2 | 26 | 2 | 3 | 7 | 10 | 15 | 18 | 25 |
| 50-64 | 2917 | 8.4 | 29 | 3 | 3 | 7 | 11 | 15 | 18 | 27 |
| 65+ | 1544 | 9.1 | 35 | 2 | 3 | 8 | 12 | 16 | 20 | 30 |
| **GRAND TOTAL** | 14596 | 8.0 | 27 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 403 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 20-34 | 1390 | 5.7 | 14 | 1 | 2 | 5 | 8 | 10 | 12 | 18 |
| 35-49 | 968 | 6.5 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 432 | 6.5 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 18 |
| 65+ | 121 | 7.4 | 20 | 2 | 2 | 6 | 10 | 14 | 17 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.9 | 19 | 1 | 1 | 2 | 4 | 10 | 15 | 17 |
| 20-34 | 240 | 7.6 | 28 | 2 | 2 | 6 | 10 | 15 | 17 | 24 |
| 35-49 | 173 | 7.5 | 25 | 1 | 2 | 7 | 10 | 14 | 17 | 21 |
| 50-64 | 47 | 8.9 | 54 | 2 | 2 | 7 | 12 | 20 | 25 | 35 |
| 65+ | 9 | 9.0 | 30 | 2 | 3 | 7 | 13 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 421 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 20-34 | 2094 | 6.8 | 19 | 1 | 2 | 6 | 9 | 12 | 15 | 22 |
| 35-49 | 1848 | 7.7 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| 50-64 | 1130 | 7.3 | 22 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| 65+ | 730 | 8.4 | 34 | 2 | 3 | 7 | 11 | 16 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.1 | 18 | 1 | 2 | 5 | 9 | 12 | 18 | 18 |
| 20-34 | 364 | 10.6 | 40 | 3 | 4 | 9 | 15 | 19 | 23 | 30 |
| 35-49 | 304 | 10.5 | 43 | 3 | 4 | 9 | 14 | 19 | 23 | 33 |
| 50-64 | 162 | 12.8 | 64 | 3 | 4 | 11 | 17 | 25 | 28 | 37 |
| 65+ | 50 | 14.8 | 129 | 4 | 4 | 13 | 18 | 24 | 44 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3314 | 5.8 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 483 | 7.6 | 29 | 2 | 2 | 6 | 10 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6223 | 7.2 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| B. *Operated* | 984 | 11.0 | 51 | 3 | 4 | 9 | 15 | 20 | 24 | 34 |
| **1. SINGLE DX** | 3797 | 6.0 | 19 | 1 | 2 | 5 | 8 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 7207 | 7.7 | 29 | 2 | 2 | 6 | 10 | 15 | 18 | 26 |
| **A. NOT OPERATED** | 9537 | 6.7 | 22 | 1 | 2 | 6 | 9 | 12 | 16 | 23 |
| **B. OPERATED** | 1467 | 9.9 | 46 | 2 | 3 | 8 | 13 | 19 | 23 | 33 |
| TOTAL 0-19 YRS | 862 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 4088 | 6.8 | 22 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 3373 | 7.7 | 26 | 2 | 3 | 6 | 10 | 14 | 18 | 25 |
| 50-64 | 1771 | 7.7 | 28 | 2 | 2 | 6 | 10 | 14 | 18 | 27 |
| 65+ | 910 | 8.6 | 39 | 2 | 3 | 7 | 11 | 16 | 20 | 31 |
| **GRAND TOTAL** | 11004 | 7.1 | 26 | 1 | 2 | 6 | 9 | 14 | 17 | 24 |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 214 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 122 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 106 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 65+ | 83 | 5.1 | 14 | 1 | 2 | 4 | 8 | 10 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 336 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 724 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 543 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| 50-64 | 502 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 159 | 6.2 | 22 | 2 | 3 | 5 | 7 | 11 | 14 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 245 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 13 | 20 |
| 35-49 | 213 | 5.6 | 23 | 1 | 2 | 4 | 7 | 10 | 16 | 27 |
| 50-64 | 246 | 6.1 | 25 | 1 | 1 | 5 | 8 | 14 | 18 | 23 |
| 65+ | 483 | 7.2 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 3.7 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 20-34 | 252 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 186 | 5.9 | 52 | 2 | 2 | 4 | 7 | 10 | 13 | 31 |
| 50-64 | 301 | 6.6 | 27 | 2 | 2 | 5 | 8 | 12 | 18 | 28 |
| 65+ | 122 | 10.0 | 88 | 3 | 3 | 7 | 13 | 19 | 29 | 57 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 727 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 2264 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1314 | 5.9 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | 971 | 5.9 | 36 | 1 | 2 | 4 | 7 | 11 | 16 | 30 |
| 1. SINGLE DX | 2991 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 2. MULTIPLE DX | 2285 | 5.9 | 28 | 1 | 2 | 4 | 7 | 11 | 16 | 27 |
| A. NOT OPERATED | 2041 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| B. OPERATED | 3235 | 4.5 | 17 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| TOTAL 0-19 YRS | 775 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 1435 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 1064 | 4.5 | 18 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| 50-64 | 1155 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 847 | 7.2 | 35 | 2 | 2 | 6 | 9 | 14 | 17 | 30 |
| GRAND TOTAL | 5276 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3753 | 1.8 | 2 | 1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 1054 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 316 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 50-64 | 153 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 65+ | 90 | 3.2 | 8 | 1 | 1 | 2 | 5 | 6 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 20 | 3.7 | 16 | <1 | <1 | 2 | 5 | 9 | 12 | 15 |
| 35-49 | 5 | 5.8 | 4 | 4 | 4 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 3 | 6.3 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| 65+ | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3691 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 2790 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1079 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 15 | 21 |
| 50-64 | 764 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 65+ | 834 | 7.1 | 37 | 1 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 737 | 4.3 | 54 | 1 | 1 | 2 | 4 | 8 | 15 | 36 |
| 20-34 | 842 | 5.5 | 53 | 1 | 1 | 3 | 6 | 12 | 18 | 41 |
| 35-49 | 299 | 5.7 | 39 | <1 | 1 | 4 | 7 | 13 | 18 | 33 |
| 50-64 | 216 | 8.2 | 114 | 1 | 1 | 5 | 10 | 17 | 26 | 57 |
| 65+ | 243 | 9.9 | 120 | 1 | 1 | 6 | 13 | 24 | 33 | 61 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 5366 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 48 | 3.3 | 9 | 1 | 1 | 2 | 5 | 8 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 9158 | 3.8 | 17 | 1 | 1 | 2 | 5 | 8 | 11 | 20 |
| B. *Operated* | 2337 | 5.9 | 67 | 1 | 1 | 3 | 7 | 13 | 20 | 49 |
| 1. SINGLE DX | 5414 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 2. MULTIPLE DX | 11495 | 4.2 | 28 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| A. NOT OPERATED | 14524 | 3.1 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. OPERATED | 2385 | 5.8 | 66 | 1 | 1 | 3 | 7 | 13 | 20 | 48 |
| TOTAL 0-19 YRS | 8199 | 2.3 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 4706 | 3.8 | 19 | <1 | 1 | 2 | 5 | 8 | 11 | 22 |
| 35-49 | 1699 | 4.6 | 24 | 1 | 1 | 3 | 6 | 10 | 14 | 22 |
| 50-64 | 1136 | 5.6 | 41 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 1169 | 7.4 | 55 | 1 | 1 | 5 | 9 | 15 | 22 | 39 |
| GRAND TOTAL | 16909 | 3.5 | 21 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1147 | 2.1 | 11 | <1 | 1 | 1 | 2 | 3 | 6 | 14 |
| 20-34 | 455 | 3.0 | 34 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 35-49 | 106 | 4.0 | 36 | <1 | 1 | 2 | 4 | 10 | 16 | 34 |
| 50-64 | 74 | 3.9 | 16 | <1 | 1 | 2 | 5 | 8 | 12 | 22 |
| 65+ | 55 | 4.8 | 22 | <1 | 1 | 3 | 7 | 9 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 10.6 | 206 | 1 | 1 | 7 | 12 | 21 | 38 | 81 |
| 20-34 | 52 | 10.9 | 79 | 1 | 2 | 9 | 15 | 25 | 37 | 98 |
| 35-49 | 32 | 17.5 | 290 | 2 | 3 | 10 | 21 | 46 | 53 | 71 |
| 50-64 | 53 | 12.7 | 146 | 2 | 3 | 9 | 14 | 25 | 35 | 64 |
| 65+ | 54 | 18.7 | 239 | 4 | 7 | 13 | 26 | 46 | 71 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1410 | 3.1 | 23 | 1 | 1 | 2 | 3 | 6 | 9 | 26 |
| 20-34 | 1063 | 4.8 | 64 | <1 | 1 | 2 | 5 | 10 | 15 | 48 |
| 35-49 | 425 | 5.3 | 46 | 1 | 1 | 4 | 6 | 10 | 16 | 34 |
| 50-64 | 341 | 6.1 | 55 | 1 | 1 | 4 | 7 | 12 | 22 | 47 |
| 65+ | 450 | 9.2 | 88 | 1 | 1 | 6 | 12 | 20 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 439 | 12.1 | 282 | 1 | 1 | 5 | 17 | 41 | 56 | 99+ |
| 20-34 | 547 | 13.7 | 397 | <1 | 1 | 5 | 19 | 55 | 84 | 99+ |
| 35-49 | 221 | 15.0 | 420 | 1 | 1 | 7 | 22 | 50 | 79 | 99+ |
| 50-64 | 201 | 19.3 | 438 | 1 | 1 | 12 | 27 | 54 | 75 | 99+ |
| 65+ | 261 | 20.3 | 292 | 1 | 3 | 15 | 29 | 48 | 57 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1837 | 2.6 | 19 | <1 | 1 | 1 | 2 | 5 | 8 | 20 |
| B. *Operated* | 247 | 13.8 | 193 | 1 | 2 | 9 | 16 | 33 | 48 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3689 | 4.9 | 52 | <1 | 1 | 2 | 5 | 11 | 17 | 39 |
| B. *Operated* | 1669 | 15.2 | 367 | 1 | 1 | 7 | 23 | 49 | 71 | 99+ |
| **1. SINGLE DX** | 2084 | 3.9 | 53 | <1 | 1 | 2 | 3 | 9 | 14 | 43 |
| **2. MULTIPLE DX** | 5358 | 8.1 | 173 | 1 | 1 | 3 | 8 | 23 | 39 | 89 |
| **A. NOT OPERATED** | 5526 | 4.1 | 42 | <1 | 1 | 2 | 4 | 9 | 14 | 34 |
| **B. OPERATED** | 1916 | 15.0 | 345 | 1 | 1 | 8 | 22 | 47 | 68 | 99+ |
| TOTAL 0-19 YRS | 3052 | 4.2 | 71 | <1 | 1 | 2 | 3 | 8 | 18 | 55 |
| 20-34 | 2117 | 6.9 | 161 | <1 | 1 | 3 | 6 | 17 | 35 | 99+ |
| 35-49 | 784 | 8.4 | 182 | 1 | 1 | 4 | 8 | 22 | 38 | 82 |
| 50-64 | 669 | 10.4 | 211 | 1 | 1 | 5 | 11 | 27 | 47 | 90 |
| 65+ | 820 | 13.1 | 189 | 1 | 2 | 8 | 17 | 31 | 45 | 75 |
| **GRAND TOTAL** | **7442** | **6.9** | **143** | **<1** | **1** | **2** | **7** | **18** | **32** | **80** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 50 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 8 |
| 35-49 | 35 | 4.0 | 5 | 1 | 2 | 3 | 6 | 8 | 8 | 10 |
| 50-64 | 16 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 65+ | 10 | 4.3 | 23 | <1 | <1 | 2 | 7 | 12 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 7.1 | 17 | 3 | 3 | 6 | 9 | 12 | 13 | 24 |
| 20-34 | 116 | 6.6 | 19 | 2 | 3 | 6 | 8 | 13 | 16 | 22 |
| 35-49 | 24 | 6.5 | 9 | 3 | 3 | 6 | 9 | 10 | 13 | 14 |
| 50-64 | 20 | 8.8 | 60 | 2 | 3 | 6 | 11 | 15 | 26 | 37 |
| 65+ | 8 | 13.1 | 154 | 4 | 4 | 8 | 18 | 34 | 39 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 5.2 | 20 | 1 | 1 | 4 | 6 | 10 | 12 | 24 |
| 20-34 | 149 | 5.1 | 33 | 1 | 1 | 4 | 6 | 9 | 12 | 17 |
| 35-49 | 82 | 6.5 | 20 | 1 | 2 | 6 | 8 | 12 | 15 | 23 |
| 50-64 | 75 | 6.8 | 42 | 2 | 2 | 5 | 9 | 13 | 20 | 33 |
| 65+ | 81 | 9.6 | 59 | 2 | 3 | 8 | 12 | 17 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 11.3 | 148 | 3 | 4 | 8 | 12 | 18 | 32 | 66 |
| 20-34 | 356 | 11.4 | 153 | 3 | 4 | 8 | 12 | 21 | 35 | 86 |
| 35-49 | 127 | 10.1 | 63 | 3 | 4 | 7 | 13 | 24 | 26 | 61 |
| 50-64 | 116 | 14.4 | 177 | 3 | 4 | 10 | 16 | 37 | 50 | 76 |
| 65+ | 90 | 16.7 | 276 | 3 | 4 | 11 | 19 | 35 | 52 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 221 | 7.1 | 27 | 2 | 3 | 6 | 9 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 459 | 6.4 | 37 | 1 | 2 | 5 | 8 | 12 | 17 | 27 |
| B. *Operated* | 806 | 12.2 | 159 | 3 | 4 | 8 | 13 | 25 | 39 | 81 |
| **1. SINGLE DX** | 354 | 5.8 | 22 | 1 | 2 | 5 | 7 | 11 | 13 | 24 |
| **2. MULTIPLE DX** | 1265 | 10.1 | 122 | 2 | 3 | 7 | 12 | 20 | 30 | 67 |
| **A. NOT OPERATED** | 592 | 5.8 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| **B. OPERATED** | 1027 | 11.1 | 134 | 3 | 3 | 8 | 12 | 22 | 34 | 75 |
| TOTAL 0-19 YRS | 264 | 9.0 | 84 | 1 | 2 | 6 | 9 | 14 | 22 | 60 |
| 20-34 | 671 | 8.6 | 102 | 1 | 2 | 6 | 10 | 16 | 23 | 72 |
| 35-49 | 268 | 7.9 | 42 | 2 | 2 | 6 | 9 | 16 | 24 | 38 |
| 50-64 | 227 | 10.7 | 125 | 2 | 2 | 7 | 12 | 24 | 37 | 63 |
| 65+ | 189 | 12.8 | 178 | 2 | 3 | 9 | 15 | 25 | 38 | 79 |
| **GRAND TOTAL** | **1619** | **9.2** | **103** | **2** | **2** | **6** | **10** | **18** | **26** | **63** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 348 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 193 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 50 | 3.7 | 12 | <1 | 1 | 2 | 4 | 7 | 12 | 18 |
| 50-64 | 21 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 65+ | 4 | 3.5 | 8 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 7.0 | 15 | 3 | 4 | 6 | 8 | 10 | 13 | 21 |
| 20-34 | 179 | 7.8 | 22 | 2 | 3 | 7 | 9 | 12 | 16 | 28 |
| 35-49 | 45 | 7.2 | 9 | 2 | 3 | 8 | 9 | 9 | 13 | 16 |
| 50-64 | 16 | 8.8 | 24 | 2 | 3 | 8 | 10 | 14 | 20 | 23 |
| 65+ | 10 | 9.2 | 22 | 4 | 5 | 8 | 10 | 16 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 351 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 20-34 | 312 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 35-49 | 122 | 5.7 | 33 | 1 | 2 | 4 | 7 | 10 | 14 | 39 |
| 50-64 | 75 | 5.5 | 15 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 72 | 7.7 | 41 | 1 | 2 | 5 | 11 | 14 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 471 | 12.4 | 135 | 3 | 5 | 9 | 13 | 24 | 37 | 78 |
| 20-34 | 703 | 13.6 | 139 | 4 | 5 | 10 | 16 | 27 | 38 | 82 |
| 35-49 | 255 | 16.3 | 185 | 5 | 6 | 11 | 19 | 35 | 47 | 80 |
| 50-64 | 150 | 16.9 | 221 | 3 | 7 | 12 | 19 | 41 | 51 | 99+ |
| 65+ | 89 | 16.8 | 136 | 5 | 6 | 13 | 24 | 36 | 43 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 616 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 424 | 7.5 | 18 | 2 | 3 | 7 | 9 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 932 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| B. *Operated* | 1668 | 14.1 | 154 | 4 | 5 | 10 | 16 | 28 | 42 | 82 |
| **1. SINGLE DX** | 1040 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | 2600 | 10.7 | 126 | 2 | 2 | 8 | 12 | 22 | 35 | 69 |
| **A. NOT OPERATED** | 1548 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **B. OPERATED** | 2092 | 12.8 | 134 | 3 | 5 | 9 | 14 | 26 | 38 | 79 |
| TOTAL 0-19 YRS | 1344 | 7.3 | 70 | 1 | 2 | 5 | 9 | 14 | 21 | 52 |
| 20-34 | 1387 | 9.3 | 97 | 1 | 2 | 7 | 11 | 19 | 27 | 61 |
| 35-49 | 472 | 11.4 | 140 | 2 | 2 | 8 | 13 | 26 | 38 | 64 |
| 50-64 | 262 | 12.0 | 166 | 2 | 2 | 9 | 13 | 26 | 43 | 84 |
| 65+ | 175 | 12.3 | 108 | 1 | 3 | 10 | 16 | 26 | 38 | 90 |
| **GRAND TOTAL** | **3640** | **9.2** | **101** | **1** | **2** | **7** | **11** | **19** | **28** | **61** |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 18 | 2.9 | 7 | 1 | 1 | 3 | 3 | 5 | 9 | 12 |
| 35-49 | 9 | 3.0 | 5 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 3 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 170 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 35-49 | 73 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 9 | 22 |
| 50-64 | 29 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 25 | 3.3 | 5 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 35 | 3.2 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 35-49 | 13 | 3.5 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 50-64 | 9 | 4.3 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 10 |
| 65+ | 14 | 6.4 | 20 | 1 | 1 | 6 | 11 | 12 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 20-34 | 282 | 4.7 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 97 | 5.2 | 19 | 1 | 1 | 4 | 6 | 12 | 15 | 20 |
| 50-64 | 75 | 6.1 | 73 | 1 | 1 | 4 | 6 | 13 | 19 | 55 |
| 65+ | 69 | 8.1 | 99 | 1 | 2 | 5 | 9 | 16 | 28 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| B. *Operated* | 568 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| B. *Operated* | 781 | 5.0 | 32 | 1 | 1 | 4 | 6 | 9 | 13 | 30 |
| **1. SINGLE DX** | 629 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 893 | 4.8 | 29 | 1 | 1 | 4 | 6 | 9 | 12 | 28 |
| **A. NOT OPERATED** | 173 | 3.3 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 12 |
| **B. OPERATED** | 1349 | 4.2 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| TOTAL 0-19 YRS | 598 | 3.3 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 505 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 192 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 50-64 | 116 | 5.3 | 50 | 1 | 1 | 4 | 6 | 9 | 15 | 42 |
| 65+ | 111 | 6.7 | 69 | 1 | 1 | 4 | 8 | 13 | 21 | 53 |
| **GRAND TOTAL** | **1522** | **4.1** | **20** | **1** | **1** | **3** | **5** | **8** | **11** | **22** |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 118 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 31 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 20 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 23 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 626 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 334 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 106 | 3.3 | 13 | 1 | 1 | 2 | 4 | 6 | 8 | 24 |
| 50-64 | 58 | 3.3 | 14 | <1 | 1 | 2 | 4 | 7 | 8 | 24 |
| 65+ | 38 | 3.8 | 17 | <1 | 1 | 2 | 4 | 10 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 339 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 506 | 3.1 | 14 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 221 | 3.8 | 9 | <1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 50-64 | 195 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 405 | 6.6 | 43 | 1 | 1 | 5 | 8 | 14 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 981 | 3.3 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 1271 | 4.6 | 52 | <1 | 1 | 3 | 5 | 9 | 13 | 42 |
| 35-49 | 478 | 5.1 | 43 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 50-64 | 380 | 5.8 | 30 | 1 | 1 | 4 | 7 | 13 | 18 | 29 |
| 65+ | 580 | 7.4 | 55 | 1 | 2 | 5 | 9 | 16 | 22 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 349 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | 1162 | 2.4 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1666 | 4.1 | 21 | <1 | 1 | 3 | 5 | 8 | 11 | 24 |
| B. *Operated* | 3690 | 4.9 | 42 | 1 | 1 | 3 | 6 | 10 | 15 | 33 |
| **1. SINGLE DX** | 1511 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| **2. MULTIPLE DX** | 5356 | 4.7 | 35 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| **A. NOT OPERATED** | 2015 | 3.8 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **B. OPERATED** | 4852 | 4.3 | 34 | <1 | 1 | 2 | 5 | 9 | 14 | 28 |
| TOTAL 0-19 YRS | 2103 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 2229 | 3.9 | 35 | <1 | 1 | 2 | 4 | 8 | 11 | 30 |
| 35-49 | 836 | 4.4 | 30 | <1 | 1 | 3 | 5 | 9 | 13 | 27 |
| 50-64 | 653 | 5.1 | 24 | 1 | 1 | 4 | 6 | 11 | 15 | 26 |
| 65+ | 1046 | 6.8 | 49 | 1 | 1 | 5 | 8 | 15 | 20 | 34 |
| **GRAND TOTAL** | **6867** | **4.2** | **30** | **<1** | **1** | **2** | **5** | **9** | **13** | **27** |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 341 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 94 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 32 | 4.0 | 23 | <1 | <1 | 2 | 5 | 10 | 14 | 23 |
| 65+ | 10 | 5.8 | 59 | 1 | 1 | 3 | 5 | 17 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 243 | 3.7 | 21 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| 20-34 | 349 | 4.9 | 29 | <1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 96 | 5.6 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 47 | 5.3 | 24 | <1 | 1 | 4 | 8 | 12 | 13 | 26 |
| 65+ | 22 | 8.2 | 77 | 1 | 2 | 5 | 10 | 24 | 30 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 136 | 3.2 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 289 | 4.0 | 12 | <1 | 1 | 3 | 5 | 9 | 10 | 16 |
| 35-49 | 84 | 5.0 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| 50-64 | 50 | 6.0 | 82 | 1 | 1 | 4 | 7 | 12 | 15 | 62 |
| 65+ | 51 | 8.8 | 60 | 2 | 2 | 6 | 13 | 17 | 19 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 6.7 | 62 | 1 | 1 | 5 | 9 | 13 | 19 | 34 |
| 20-34 | 663 | 9.7 | 106 | 1 | 2 | 7 | 11 | 20 | 28 | 67 |
| 35-49 | 214 | 9.9 | 72 | 1 | 2 | 8 | 13 | 21 | 26 | 99+ |
| 50-64 | 85 | 11.6 | 170 | 1 | 2 | 8 | 13 | 25 | 36 | 73 |
| 65+ | 49 | 14.7 | 281 | 2 | 3 | 9 | 18 | 33 | 46 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 670 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 757 | 4.7 | 27 | 1 | 1 | 3 | 6 | 10 | 12 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 610 | 4.5 | 25 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| B. *Operated* | 1290 | 9.4 | 104 | 1 | 2 | 7 | 11 | 19 | 28 | 65 |
| **1. SINGLE DX** | 1427 | 3.7 | 19 | <1 | 1 | 2 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 1900 | 7.8 | 84 | 1 | 1 | 5 | 10 | 16 | 24 | 56 |
| **A. NOT OPERATED** | 1280 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| **B. OPERATED** | 2047 | 7.7 | 81 | 1 | 1 | 5 | 9 | 16 | 24 | 55 |
| TOTAL 0-19 YRS | 851 | 4.3 | 31 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 20-34 | 1642 | 6.2 | 61 | 1 | 1 | 4 | 8 | 13 | 18 | 45 |
| 35-49 | 488 | 6.9 | 50 | 1 | 1 | 5 | 9 | 15 | 21 | 49 |
| 50-64 | 214 | 7.8 | 105 | 1 | 1 | 5 | 9 | 15 | 25 | 59 |
| 65+ | 132 | 10.7 | 153 | 1 | 2 | 7 | 14 | 23 | 32 | 62 |
| **GRAND TOTAL** | **3327** | **6.1** | **60** | **1** | **1** | **4** | **8** | **13** | **18** | **45** |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 169 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 289 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 35-49 | 75 | 3.7 | 11 | <1 | 1 | 2 | 5 | 9 | 10 | 16 |
| 50-64 | 41 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 65+ | 27 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1475 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 2071 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 857 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 554 | 2.9 | 16 | <1 | 1 | 2 | 3 | 5 | 9 | 27 |
| 65+ | 249 | 3.1 | 17 | 1 | 1 | 2 | 3 | 6 | 10 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 4.6 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 38 |
| 20-34 | 309 | 4.0 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 133 | 4.9 | 30 | 1 | 1 | 4 | 6 | 10 | 15 | 32 |
| 50-64 | 68 | 6.5 | 56 | 1 | 1 | 5 | 8 | 13 | 16 | 46 |
| 65+ | 79 | 7.0 | 38 | 1 | 2 | 5 | 8 | 16 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1015 | 3.4 | 16 | 1 | 1 | 2 | 4 | 6 | 10 | 19 |
| 20-34 | 1866 | 3.7 | 26 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 700 | 4.3 | 33 | 1 | 1 | 2 | 5 | 9 | 13 | 34 |
| 50-64 | 496 | 4.9 | 43 | 1 | 1 | 3 | 6 | 10 | 16 | 43 |
| 65+ | 282 | 5.3 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 601 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 5206 | 2.5 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 729 | 4.8 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| B. *Operated* | 4359 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 12 | 29 |
| **1. SINGLE DX** | 5807 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 5088 | 4.1 | 28 | 1 | 1 | 2 | 5 | 8 | 12 | 29 |
| **A. NOT OPERATED** | 1330 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **B. OPERATED** | 9565 | 3.2 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| TOTAL 0-19 YRS | 2799 | 2.8 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 4535 | 3.1 | 16 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 35-49 | 1765 | 3.5 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 50-64 | 1159 | 3.9 | 31 | 1 | 1 | 2 | 4 | 8 | 13 | 30 |
| 65+ | 637 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 15 | 31 |
| **GRAND TOTAL** | **10895** | **3.3** | **18** | **<1** | **1** | **2** | **4** | **7** | **10** | **22** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 262 | 3.4 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 312 | 3.3 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 78 | 4.5 | 17 | <1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 50-64 | 30 | 4.0 | 15 | 1 | 1 | 2 | 5 | 10 | 14 | 15 |
| 65+ | 26 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 872 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 20-34 | 651 | 5.3 | 37 | 1 | 1 | 4 | 6 | 11 | 15 | 36 |
| 35-49 | 216 | 5.4 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| 50-64 | 128 | 6.8 | 75 | 1 | 1 | 4 | 7 | 15 | 19 | 45 |
| 65+ | 70 | 9.1 | 75 | 1 | 2 | 7 | 12 | 19 | 30 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 12 | 15 |
| 20-34 | 188 | 5.2 | 21 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 35-49 | 85 | 6.6 | 23 | 1 | 2 | 5 | 9 | 12 | 17 | 25 |
| 50-64 | 78 | 7.9 | 49 | 1 | 2 | 6 | 9 | 15 | 17 | 38 |
| 65+ | 96 | 9.3 | 92 | 2 | 3 | 7 | 11 | 17 | 21 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 8.4 | 101 | 1 | 2 | 5 | 10 | 20 | 30 | 53 |
| 20-34 | 502 | 8.7 | 93 | 1 | 2 | 6 | 11 | 18 | 28 | 51 |
| 35-49 | 191 | 10.5 | 179 | 2 | 2 | 6 | 11 | 21 | 43 | 64 |
| 50-64 | 168 | 11.9 | 177 | 2 | 2 | 7 | 15 | 28 | 39 | 74 |
| 65+ | 133 | 14.9 | 178 | 2 | 3 | 10 | 21 | 38 | 43 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 708 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| B. *Operated* | 1937 | 5.1 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 565 | 6.3 | 37 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| B. *Operated* | 1398 | 9.9 | 129 | 1 | 2 | 6 | 12 | 22 | 34 | 59 |
| **1. SINGLE DX** | 2645 | 4.7 | 30 | 1 | 1 | 3 | 5 | 10 | 13 | 28 |
| **2. MULTIPLE DX** | 1963 | 8.8 | 105 | 1 | 2 | 6 | 10 | 19 | 29 | 53 |
| **A. NOT OPERATED** | 1273 | 4.8 | 24 | 1 | 1 | 3 | 6 | 9 | 13 | 24 |
| **B. OPERATED** | 3335 | 7.1 | 80 | 1 | 1 | 4 | 8 | 16 | 24 | 46 |
| TOTAL 0-19 YRS | 1656 | 5.2 | 43 | 1 | 1 | 3 | 6 | 11 | 16 | 36 |
| 20-34 | 1653 | 6.0 | 50 | 1 | 1 | 4 | 7 | 12 | 18 | 38 |
| 35-49 | 570 | 7.1 | 85 | 1 | 1 | 4 | 8 | 14 | 22 | 48 |
| 50-64 | 404 | 8.9 | 115 | 1 | 2 | 6 | 11 | 19 | 33 | 60 |
| 65+ | 325 | 11.0 | 129 | 1 | 2 | 7 | 13 | 26 | 37 | 52 |
| **GRAND TOTAL** | **4608** | **6.5** | **66** | **1** | **1** | **4** | **7** | **13** | **21** | **43** |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.0 | 58 | <1 | <1 | 2 | 4 | 21 | 22 | 22 |
| 20-34 | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 5 | 4.8 | 10 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 65+ | 4 | 6.0 | 15 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.8 | 28 | <1 | 1 | 4 | 7 | 14 | 19 | 20 |
| 20-34 | 32 | 4.0 | 6 | <1 | 1 | 4 | 6 | 7 | 9 | 9 |
| 35-49 | 10 | 4.8 | 12 | 2 | 2 | 4 | 6 | 10 | 13 | 13 |
| 50-64 | 8 | 4.8 | 30 | 1 | 1 | 3 | 6 | 14 | 17 | 17 |
| 65+ | 4 | 7.3 | 37 | 2 | 2 | 5 | 11 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.2 | 17 | 1 | 1 | 2 | 7 | 11 | 13 | 14 |
| 20-34 | 8 | 3.1 | 2 | <1 | <1 | 4 | 4 | 5 | 5 | 5 |
| 35-49 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 8 | 7.5 | 41 | 1 | 1 | 5 | 11 | 18 | 20 | 20 |
| 65+ | 14 | 7.5 | 22 | <1 | 2 | 7 | 12 | 14 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 5.8 | 54 | 1 | 1 | 3 | 7 | 12 | 18 | 43 |
| 20-34 | 120 | 11.6 | 239 | 1 | 1 | 5 | 13 | 32 | 50 | 91 |
| 35-49 | 44 | 10.5 | 161 | 1 | 1 | 6 | 16 | 25 | 43 | 99+ |
| 50-64 | 29 | 10.9 | 218 | 1 | 1 | 5 | 14 | 26 | 53 | 61 |
| 65+ | 16 | 18.4 | 375 | 1 | 2 | 11 | 25 | 52 | 65 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 4.6 | 29 | <1 | <1 | 2 | 6 | 11 | 20 | 22 |
| B. *Operated* | 68 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 5.7 | 21 | 1 | 1 | 5 | 8 | 13 | 14 | 20 |
| B. *Operated* | 256 | 10.7 | 203 | 1 | 1 | 5 | 13 | 28 | 47 | 86 |
| **1. SINGLE DX** | 96 | 4.7 | 19 | <1 | 1 | 3 | 6 | 9 | 15 | 21 |
| **2. MULTIPLE DX** | 305 | 9.9 | 177 | 1 | 1 | 5 | 12 | 26 | 39 | 79 |
| **A. NOT OPERATED** | 77 | 5.3 | 24 | <1 | 1 | 4 | 7 | 12 | 16 | 22 |
| **B. OPERATED** | 324 | 9.4 | 169 | 1 | 1 | 5 | 11 | 25 | 37 | 76 |
| TOTAL 0-19 YRS | 90 | 5.4 | 42 | 1 | 1 | 3 | 7 | 12 | 20 | 35 |
| 20-34 | 165 | 9.4 | 188 | 1 | 1 | 5 | 11 | 27 | 40 | 85 |
| 35-49 | 61 | 9.0 | 124 | 1 | 1 | 5 | 13 | 22 | 29 | 97 |
| 50-64 | 47 | 9.0 | 150 | 1 | 1 | 5 | 12 | 20 | 32 | 61 |
| 65+ | 38 | 11.9 | 196 | 1 | 2 | 7 | 14 | 26 | 45 | 69 |
| **GRAND TOTAL** | **401** | **8.6** | **144** | **1** | **1** | **5** | **10** | **20** | **32** | **72** |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.7 | 21 | 1 | 1 | 3 | 5 | 10 | 16 | 21 |
| 20-34 | 99 | 5.5 | 22 | 1 | 2 | 5 | 7 | 10 | 14 | 27 |
| 35-49 | 54 | 6.6 | 22 | 1 | 2 | 6 | 9 | 12 | 16 | 25 |
| 50-64 | 34 | 6.6 | 14 | 2 | 2 | 6 | 9 | 12 | 13 | 14 |
| 65+ | 17 | 6.1 | 21 | 1 | 1 | 4 | 9 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 4.4 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 20-34 | 697 | 4.1 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 35-49 | 319 | 4.5 | 25 | 1 | 2 | 3 | 5 | 10 | 13 | 25 |
| 50-64 | 182 | 5.6 | 62 | 1 | 2 | 3 | 6 | 11 | 16 | 32 |
| 65+ | 71 | 7.9 | 38 | 2 | 2 | 6 | 11 | 16 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 6.7 | 113 | <1 | 1 | 3 | 7 | 12 | 23 | 70 |
| 20-34 | 166 | 7.8 | 88 | 1 | 2 | 5 | 9 | 15 | 28 | 64 |
| 35-49 | 122 | 8.6 | 78 | 1 | 2 | 6 | 10 | 15 | 28 | 45 |
| 50-64 | 95 | 9.1 | 54 | 1 | 3 | 7 | 11 | 18 | 29 | 33 |
| 65+ | 126 | 10.5 | 62 | 2 | 3 | 8 | 13 | 21 | 29 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 300 | 4.8 | 37 | 1 | 1 | 3 | 5 | 9 | 15 | 32 |
| 20-34 | 624 | 6.6 | 81 | 1 | 2 | 4 | 6 | 14 | 23 | 61 |
| 35-49 | 347 | 6.3 | 56 | 1 | 2 | 4 | 7 | 13 | 21 | 46 |
| 50-64 | 251 | 8.6 | 124 | 1 | 2 | 5 | 10 | 19 | 31 | 76 |
| 65+ | 145 | 15.6 | 228 | 2 | 3 | 12 | 20 | 31 | 51 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 252 | 5.8 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 21 |
| B. *Operated* | 1624 | 4.6 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 578 | 8.6 | 79 | 1 | 2 | 6 | 10 | 17 | 28 | 47 |
| B. *Operated* | 1667 | 7.3 | 95 | 1 | 2 | 4 | 8 | 17 | 26 | 57 |
| **1. SINGLE DX** | 1876 | 4.7 | 25 | 1 | 2 | 3 | 6 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 2245 | 7.6 | 91 | 1 | 2 | 4 | 8 | 17 | 27 | 56 |
| **A. NOT OPERATED** | 830 | 7.8 | 63 | 1 | 2 | 6 | 9 | 15 | 23 | 36 |
| **B. OPERATED** | 3291 | 6.0 | 62 | 1 | 2 | 4 | 6 | 12 | 19 | 44 |
| TOTAL 0-19 YRS | 772 | 4.8 | 35 | 1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 20-34 | 1586 | 5.6 | 51 | 1 | 2 | 4 | 6 | 11 | 16 | 40 |
| 35-49 | 842 | 6.0 | 47 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| 50-64 | 562 | 7.6 | 88 | 1 | 2 | 5 | 9 | 16 | 25 | 51 |
| 65+ | 359 | 11.8 | 133 | 2 | 2 | 9 | 15 | 25 | 32 | 63 |
| **GRAND TOTAL** | **4121** | **6.3** | **63** | **1** | **2** | **4** | **7** | **13** | **20** | **42** |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 423 | 3.9 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 14 |
| 20-34 | 197 | 3.4 | 4 | 1 | 1 | 3 | 5 | 5 | 6 | 11 |
| 35-49 | 54 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 50-64 | 24 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 14 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.7 | 17 | <1 | 1 | 4 | 9 | 11 | 13 | 14 |
| 20-34 | 6 | 6.8 | 27 | 3 | 3 | 4 | 10 | 15 | 16 | 16 |
| 35-49 | 3 | 5.0 | 3 | 4 | 4 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 5 | 6.6 | 36 | 2 | 2 | 4 | 11 | 16 | 16 | 16 |
| 65+ | 4 | 4.8 | 19 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 3.9 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| 20-34 | 193 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 89 | 4.6 | 18 | <1 | 1 | 4 | 6 | 8 | 12 | 26 |
| 50-64 | 46 | 4.5 | 13 | <1 | 1 | 4 | 5 | 8 | 12 | 20 |
| 65+ | 68 | 7.2 | 36 | 2 | 3 | 5 | 8 | 16 | 18 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.5 | 14 | 1 | 2 | 4 | 9 | 11 | 13 | 16 |
| 20-34 | 49 | 4.7 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 13 |
| 35-49 | 13 | 6.2 | 15 | 1 | 2 | 5 | 9 | 12 | 14 | 14 |
| 50-64 | 13 | 7.0 | 14 | 2 | 3 | 6 | 10 | 12 | 14 | 14 |
| 65+ | 20 | 12.3 | 87 | 2 | 3 | 10 | 15 | 27 | 35 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 712 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| B. *Operated* | 39 | 5.8 | 18 | 1 | 1 | 4 | 9 | 12 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 665 | 4.3 | 13 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| B. *Operated* | 137 | 6.4 | 29 | 1 | 2 | 5 | 9 | 12 | 14 | 34 |
| **1. SINGLE DX** | 751 | 3.8 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 802 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 1377 | 4.0 | 9 | 1 | 1 | 4 | 5 | 7 | 8 | 16 |
| **B. OPERATED** | 176 | 6.3 | 26 | 1 | 2 | 5 | 9 | 12 | 14 | 30 |
| TOTAL 0-19 YRS | 755 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 445 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 35-49 | 159 | 4.2 | 13 | 1 | 1 | 4 | 5 | 7 | 10 | 14 |
| 50-64 | 88 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 106 | 7.7 | 46 | 2 | 2 | 5 | 10 | 16 | 20 | 36 |
| **GRAND TOTAL** | **1553** | **4.3** | **11** | **1** | **1** | **4** | **5** | **7** | **10** | **16** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1281 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 980 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 419 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 294 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 65+ | 398 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 3.4 | 24 | <1 | 1 | 2 | 4 | 8 | 9 | 16 |
| 20-34 | 169 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 75 | 5.3 | 25 | 1 | 1 | 4 | 7 | 13 | 17 | 23 |
| 50-64 | 84 | 5.3 | 14 | 1 | 2 | 4 | 8 | 10 | 13 | 17 |
| 65+ | 50 | 8.3 | 61 | 1 | 2 | 6 | 11 | 19 | 23 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2166 | 2.8 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 2473 | 3.6 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 35-49 | 1275 | 4.8 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 1286 | 5.6 | 25 | 1 | 1 | 4 | 7 | 12 | 15 | 23 |
| 65+ | 3518 | 8.3 | 47 | 2 | 2 | 7 | 11 | 16 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 302 | 3.7 | 18 | 1 | 1 | 2 | 5 | 8 | 10 | 18 |
| 20-34 | 461 | 6.4 | 58 | 1 | 1 | 4 | 8 | 14 | 18 | 35 |
| 35-49 | 240 | 7.7 | 55 | 1 | 1 | 6 | 10 | 15 | 23 | 40 |
| 50-64 | 227 | 11.2 | 133 | 1 | 2 | 7 | 15 | 24 | 34 | 57 |
| 65+ | 369 | 13.9 | 127 | 2 | 3 | 11 | 19 | 28 | 33 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3372 | 3.0 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| B. *Operated* | 579 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10718 | 5.4 | 32 | 1 | 1 | 4 | 7 | 12 | 16 | 26 |
| B. *Operated* | 1599 | 8.5 | 90 | 1 | 1 | 5 | 11 | 20 | 26 | 46 |
| **1. SINGLE DX** | 3951 | 3.2 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 12317 | 5.8 | 40 | 1 | 1 | 4 | 7 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 14090 | 4.8 | 27 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| **B. OPERATED** | 2178 | 7.4 | 75 | 1 | 1 | 4 | 9 | 17 | 23 | 44 |
| TOTAL 0-19 YRS | 3950 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 4083 | 3.7 | 19 | <1 | 1 | 2 | 5 | 8 | 11 | 19 |
| 35-49 | 2009 | 4.9 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 50-64 | 1891 | 6.0 | 39 | 1 | 1 | 4 | 7 | 13 | 17 | 29 |
| 65+ | 4335 | 8.5 | 55 | 1 | 2 | 6 | 11 | 17 | 22 | 37 |
| **GRAND TOTAL** | **16268** | **5.1** | **34** | **1** | **1** | **3** | **6** | **11** | **16** | **28** |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 2.8 | 11 | 1 | 1 | 2 | 3 | 5 | 9 | 22 |
| 20-34 | 73 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 32 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 50-64 | 14 | 4.1 | 6 | 2 | 2 | 3 | 6 | 8 | 10 | 10 |
| 65+ | 4 | 3.8 | 10 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 6.3 | 50 | <1 | 1 | 4 | 8 | 17 | 18 | 35 |
| 20-34 | 100 | 6.4 | 96 | 1 | 1 | 3 | 7 | 10 | 29 | 55 |
| 35-49 | 54 | 7.8 | 170 | 1 | 1 | 4 | 7 | 16 | 34 | 80 |
| 50-64 | 51 | 6.2 | 57 | 1 | 1 | 4 | 7 | 17 | 27 | 99 |
| 65+ | 12 | 4.5 | 26 | 1 | 1 | 2 | 5 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.5 | 7 | 1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 20-34 | 60 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 35-49 | 42 | 4.5 | 29 | <1 | 1 | 3 | 6 | 9 | 15 | 27 |
| 50-64 | 22 | 5.4 | 9 | 1 | 2 | 5 | 7 | 9 | 12 | 12 |
| 65+ | 20 | 11.9 | 166 | 2 | 3 | 7 | 12 | 34 | 44 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 9.1 | 130 | 1 | 1 | 4 | 9 | 28 | 36 | 54 |
| 20-34 | 174 | 8.1 | 78 | 1 | 1 | 5 | 10 | 19 | 23 | 49 |
| 35-49 | 112 | 9.3 | 118 | 1 | 1 | 5 | 12 | 25 | 38 | 46 |
| 50-64 | 64 | 11.5 | 274 | 1 | 1 | 6 | 12 | 26 | 47 | 83 |
| 65+ | 16 | 9.3 | 160 | 1 | 1 | 4 | 15 | 22 | 41 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 273 | 6.5 | 90 | 1 | 1 | 4 | 7 | 15 | 28 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 5.1 | 34 | 1 | 1 | 4 | 6 | 10 | 12 | 34 |
| B. *Operated* | 453 | 9.1 | 128 | 1 | 1 | 5 | 11 | 23 | 36 | 51 |
| **1. SINGLE DX** | 474 | 5.0 | 58 | 1 | 1 | 3 | 6 | 10 | 16 | 41 |
| **2. MULTIPLE DX** | 645 | 7.9 | 103 | 1 | 1 | 5 | 8 | 19 | 28 | 51 |
| **A. NOT OPERATED** | 393 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| **B. OPERATED** | 726 | 8.2 | 115 | 1 | 1 | 4 | 9 | 21 | 31 | 53 |
| TOTAL 0-19 YRS | 269 | 5.7 | 63 | 1 | 1 | 3 | 5 | 13 | 23 | 39 |
| 20-34 | 407 | 6.2 | 63 | 1 | 1 | 4 | 7 | 14 | 22 | 44 |
| 35-49 | 240 | 7.3 | 104 | 1 | 1 | 4 | 8 | 16 | 29 | 44 |
| 50-64 | 151 | 8.2 | 145 | 1 | 1 | 5 | 9 | 19 | 35 | 85 |
| 65+ | 52 | 8.8 | 126 | 1 | 1 | 6 | 10 | 19 | 36 | 51 |
| **GRAND TOTAL** | **1119** | **6.7** | **86** | **1** | **1** | **4** | **7** | **16** | **25** | **49** |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.6 | 2 | <1 | <1 | 1 | 1 | 4 | 5 | 6 |
| 20-34 | 10 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 7 | 8 |
| 20-34 | 14 | 2.4 | 5 | <1 | 1 | 2 | 2 | 6 | 8 | 9 |
| 35-49 | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 6 | 2.3 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 10 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 10 | 6.0 | 18 | 2 | 2 | 4 | 9 | 12 | 15 | 15 |
| 35-49 | 7 | 4.9 | 10 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 1.9 | 2 | <1 | <1 | 1 | 2 | 5 | 5 | 6 |
| B. *Operated* | 32 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 23 | 5.5 | 15 | 1 | 2 | 5 | 8 | 11 | 14 | 15 |
| **1. SINGLE DX** | 60 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 41 | 4.0 | 12 | <1 | 1 | 3 | 6 | 9 | 11 | 15 |
| **A. NOT OPERATED** | 46 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| **B. OPERATED** | 55 | 3.7 | 11 | <1 | 1 | 2 | 5 | 9 | 10 | 15 |
| TOTAL 0-19 YRS | 40 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 7 | 8 |
| 20-34 | 41 | 3.1 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 35-49 | 17 | 3.7 | 6 | <1 | <1 | 4 | 5 | 8 | 9 | 9 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **GRAND TOTAL** | **101** | **2.9** | **7** | **<1** | **<1** | **2** | **4** | **7** | **9** | **14** |

### 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 734 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 152 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 128 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 5 |
| 50-64 | 162 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 65+ | 154 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 2.1 | 3 | 1 | 1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 32 | 3.0 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 35-49 | 27 | 4.1 | 16 | 1 | 1 | 2 | 6 | 10 | 12 | 16 |
| 50-64 | 35 | 4.5 | 25 | 1 | 1 | 3 | 5 | 9 | 16 | 24 |
| 65+ | 24 | 3.9 | 15 | 1 | 1 | 2 | 5 | 10 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 3.0 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 72 | 3.7 | 27 | <1 | 1 | 2 | 5 | 7 | 10 | 34 |
| 35-49 | 88 | 3.5 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 50-64 | 158 | 3.7 | 15 | 1 | 1 | 2 | 4 | 9 | 11 | 16 |
| 65+ | 248 | 4.9 | 23 | 1 | 1 | 3 | 7 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 4.6 | 22 | <1 | 1 | 3 | 6 | 9 | 16 | 22 |
| 20-34 | 53 | 6.3 | 41 | 1 | 1 | 4 | 8 | 13 | 16 | 39 |
| 35-49 | 36 | 6.7 | 31 | <1 | 1 | 6 | 9 | 13 | 21 | 23 |
| 50-64 | 104 | 8.0 | 72 | 1 | 1 | 5 | 10 | 20 | 26 | 43 |
| 65+ | 148 | 7.6 | 52 | 1 | 1 | 5 | 10 | 18 | 22 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1330 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 270 | 2.9 | 9 | 1 | 1 | 2 | 3 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 741 | 3.9 | 18 | 1 | 1 | 2 | 5 | 9 | 13 | 22 |
| B. *Operated* | 421 | 6.9 | 49 | 1 | 1 | 4 | 9 | 16 | 22 | 34 |
| **1. SINGLE DX** | 1600 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 1162 | 5.0 | 31 | 1 | 1 | 3 | 7 | 11 | 16 | 27 |
| **A. NOT OPERATED** | 2071 | 2.4 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 16 |
| **B. OPERATED** | 691 | 5.3 | 37 | 1 | 1 | 3 | 7 | 12 | 18 | 28 |
| TOTAL 0-19 YRS | 1141 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 309 | 3.1 | 18 | <1 | <1 | 1 | 3 | 8 | 10 | 19 |
| 35-49 | 279 | 3.0 | 13 | <1 | 1 | 1 | 3 | 8 | 10 | 21 |
| 50-64 | 459 | 4.0 | 29 | 1 | 1 | 2 | 4 | 10 | 15 | 27 |
| 65+ | 574 | 4.7 | 29 | 1 | 1 | 3 | 6 | 12 | 16 | 27 |
| **GRAND TOTAL** | **2762** | **3.1** | **18** | **<1** | **1** | **2** | **3** | **7** | **11** | **22** |

### 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 8.5 | 68 | 1 | 1 | 6 | 11 | 18 | 26 | 38 |
| 20-34 | 55 | 7.3 | 39 | <1 | 1 | 5 | 12 | 16 | 20 | 24 |
| 35-49 | 21 | 5.9 | 15 | 1 | 2 | 5 | 7 | 12 | 15 | 16 |
| 50-64 | 13 | 9.8 | 50 | 1 | 3 | 8 | 12 | 21 | 26 | 27 |
| 65+ | 9 | 11.4 | 53 | 3 | 3 | 11 | 18 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 14.8 | 195 | 1 | 2 | 11 | 22 | 34 | 45 | 63 |
| 20-34 | 106 | 15.1 | 262 | 2 | 3 | 9 | 21 | 40 | 54 | 71 |
| 35-49 | 61 | 13.0 | 115 | 2 | 2 | 10 | 20 | 30 | 35 | 41 |
| 50-64 | 44 | 15.3 | 366 | 2 | 3 | 10 | 16 | 27 | 58 | 95 |
| 65+ | 32 | 25.3 | 375 | 4 | 5 | 21 | 36 | 51 | 66 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 8.3 | 56 | 1 | 2 | 6 | 11 | 20 | 25 | 36 |
| 20-34 | 79 | 8.6 | 54 | 1 | 1 | 6 | 13 | 18 | 19 | 38 |
| 35-49 | 65 | 9.7 | 56 | 1 | 2 | 8 | 14 | 22 | 25 | 30 |
| 50-64 | 34 | 10.7 | 61 | 2 | 2 | 10 | 15 | 18 | 27 | 36 |
| 65+ | 45 | 15.5 | 145 | 2 | 4 | 11 | 20 | 30 | 41 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 195 | 22.0 | 281 | 3 | 4 | 17 | 30 | 47 | 55 | 94 |
| 20-34 | 208 | 24.0 | 370 | 3 | 5 | 19 | 33 | 53 | 71 | 96 |
| 35-49 | 130 | 24.3 | 433 | 2 | 5 | 18 | 39 | 63 | 90 | 99+ |
| 50-64 | 112 | 29.4 | 382 | 5 | 8 | 27 | 41 | 56 | 70 | 99 |
| 65+ | 108 | 32.5 | 427 | 6 | 9 | 28 | 48 | 71 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 8.0 | 49 | 1 | 1 | 6 | 11 | 18 | 21 | 34 |
| B. *Operated* | 367 | 15.6 | 244 | 2 | 2 | 10 | 22 | 36 | 46 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 305 | 10.0 | 74 | 1 | 2 | 8 | 14 | 21 | 26 | 40 |
| B. *Operated* | 753 | 25.6 | 379 | 4 | 6 | 21 | 36 | 55 | 72 | 99+ |
| **1. SINGLE DX** | 528 | 13.3 | 197 | 1 | 2 | 9 | 17 | 30 | 41 | 68 |
| **2. MULTIPLE DX** | 1058 | 21.1 | 341 | 2 | 3 | 16 | 30 | 49 | 64 | 99+ |
| **A. NOT OPERATED** | 466 | 9.3 | 66 | 1 | 2 | 7 | 13 | 19 | 25 | 38 |
| **B. OPERATED** | 1120 | 22.3 | 357 | 2 | 4 | 17 | 32 | 50 | 66 | 99+ |
| TOTAL 0-19 YRS | 464 | 15.8 | 222 | 1 | 2 | 11 | 23 | 34 | 47 | 71 |
| 20-34 | 448 | 17.1 | 295 | 2 | 2 | 12 | 22 | 40 | 56 | 90 |
| 35-49 | 277 | 17.0 | 292 | 2 | 2 | 11 | 24 | 45 | 58 | 99+ |
| 50-64 | 203 | 21.9 | 372 | 3 | 4 | 16 | 31 | 45 | 59 | 96 |
| 65+ | 194 | 26.4 | 391 | 4 | 5 | 21 | 40 | 58 | 75 | 99+ |
| **GRAND TOTAL** | **1586** | **18.5** | **306** | **2** | **3** | **13** | **26** | **44** | **56** | **96** |

### 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 531 | 5.5 | 34 | 1 | 1 | 4 | 7 | 13 | 18 | 28 |
| 20-34 | 341 | 4.7 | 29 | 1 | 1 | 3 | 6 | 10 | 13 | 28 |
| 35-49 | 142 | 4.4 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 50-64 | 73 | 5.9 | 29 | 1 | 1 | 4 | 8 | 14 | 17 | 23 |
| 65+ | 37 | 11.2 | 74 | 1 | 1 | 9 | 17 | 24 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 9.2 | 82 | 1 | 2 | 7 | 11 | 20 | 23 | 52 |
| 20-34 | 81 | 10.2 | 102 | 1 | 1 | 7 | 14 | 22 | 30 | 54 |
| 35-49 | 35 | 10.6 | 129 | 1 | 2 | 7 | 14 | 19 | 41 | 52 |
| 50-64 | 18 | 15.0 | 307 | 2 | 2 | 8 | 13 | 44 | 59 | 67 |
| 65+ | 8 | 7.0 | 17 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1022 | 6.2 | 33 | 1 | 1 | 5 | 9 | 13 | 17 | 25 |
| 20-34 | 668 | 6.0 | 46 | 1 | 1 | 4 | 8 | 13 | 17 | 34 |
| 35-49 | 357 | 7.5 | 57 | 1 | 1 | 5 | 10 | 17 | 22 | 37 |
| 50-64 | 255 | 9.0 | 71 | 1 | 2 | 7 | 12 | 20 | 29 | 37 |
| 65+ | 174 | 12.8 | 161 | 1 | 2 | 10 | 16 | 27 | 36 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 14.8 | 175 | 1 | 2 | 11 | 21 | 32 | 42 | 61 |
| 20-34 | 189 | 14.9 | 172 | 2 | 3 | 11 | 20 | 30 | 43 | 66 |
| 35-49 | 108 | 13.6 | 142 | 1 | 2 | 11 | 18 | 28 | 36 | 63 |
| 50-64 | 88 | 21.7 | 313 | 2 | 4 | 18 | 28 | 47 | 56 | 89 |
| 65+ | 57 | 31.9 | 511 | 5 | 6 | 29 | 47 | 71 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1124 | 5.3 | 33 | 1 | 1 | 3 | 7 | 12 | 17 | 27 |
| B. *Operated* | 230 | 10.1 | 112 | 1 | 2 | 7 | 13 | 21 | 32 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2476 | 7.1 | 56 | 1 | 1 | 5 | 10 | 15 | 20 | 35 |
| B. *Operated* | 639 | 17.1 | 243 | 2 | 3 | 13 | 22 | 38 | 49 | 73 |
| **1. SINGLE DX** | 1354 | 6.1 | 49 | 1 | 1 | 4 | 8 | 14 | 20 | 34 |
| **2. MULTIPLE DX** | 3115 | 9.1 | 111 | 1 | 1 | 6 | 12 | 20 | 29 | 53 |
| **A. NOT OPERATED** | 3600 | 6.5 | 49 | 1 | 1 | 4 | 9 | 14 | 19 | 33 |
| **B. OPERATED** | 869 | 15.3 | 218 | 1 | 2 | 11 | 20 | 34 | 47 | 72 |
| TOTAL 0-19 YRS | 1838 | 7.1 | 58 | 1 | 1 | 5 | 9 | 15 | 21 | 38 |
| 20-34 | 1279 | 7.2 | 75 | 1 | 1 | 4 | 9 | 17 | 23 | 43 |
| 35-49 | 642 | 8.0 | 75 | 1 | 1 | 5 | 11 | 18 | 24 | 40 |
| 50-64 | 434 | 11.3 | 152 | 1 | 2 | 7 | 14 | 25 | 34 | 62 |
| 65+ | 276 | 16.3 | 280 | 1 | 2 | 11 | 21 | 38 | 51 | 92 |
| **GRAND TOTAL** | **4469** | **8.2** | **94** | **1** | **1** | **5** | **11** | **18** | **26** | **49** |

### 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 20-34 | 55 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 13 | 17 |
| 35-49 | 28 | 5.8 | 30 | <1 | 1 | 4 | 7 | 13 | 16 | 27 |
| 50-64 | 18 | 6.0 | 15 | 1 | 1 | 5 | 9 | 11 | 14 | 15 |
| 65+ | 7 | 9.6 | 104 | 1 | 1 | 6 | 13 | 27 | 30 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 184 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 35-49 | 79 | 3.1 | 9 | 1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 50-64 | 30 | 4.6 | 40 | <1 | 1 | 3 | 4 | 11 | 16 | 32 |
| 65+ | 13 | 4.5 | 20 | <1 | <1 | 3 | 8 | 12 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.1 | 19 | 1 | 1 | 2 | 5 | 10 | 13 | 23 |
| 20-34 | 88 | 8.6 | 215 | 1 | 1 | 5 | 8 | 17 | 23 | 90 |
| 35-49 | 68 | 6.9 | 56 | 1 | 2 | 5 | 8 | 13 | 17 | 49 |
| 50-64 | 42 | 9.5 | 241 | 2 | 2 | 5 | 8 | 15 | 39 | 87 |
| 65+ | 70 | 12.6 | 183 | 3 | 3 | 8 | 15 | 24 | 34 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 4.1 | 67 | 1 | 1 | 2 | 4 | 9 | 26 | 99+ |
| 20-34 | 228 | 5.5 | 71 | 1 | 1 | 3 | 6 | 13 | 33 | 99+ |
| 35-49 | 80 | 8.2 | 210 | 1 | 1 | 3 | 6 | 28 | 53 | 93 |
| 50-64 | 63 | 12.4 | 346 | 1 | 1 | 5 | 14 | 38 | 64 | 99 |
| 65+ | 30 | 8.1 | 134 | 1 | 2 | 4 | 9 | 27 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 4.6 | 20 | 1 | 1 | 3 | 6 | 9 | 14 | 26 |
| B. *Operated* | 394 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 310 | 8.6 | 155 | 1 | 1 | 5 | 9 | 17 | 23 | 84 |
| B. *Operated* | 534 | 6.5 | 132 | 1 | 1 | 3 | 6 | 17 | 38 | 99+ |
| **1. SINGLE DX** | 553 | 3.5 | 14 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 844 | 7.3 | 142 | 1 | 1 | 4 | 8 | 17 | 33 | 99+ |
| **A. NOT OPERATED** | 469 | 7.2 | 113 | 1 | 1 | 4 | 8 | 15 | 19 | 60 |
| **B. OPERATED** | 928 | 5.0 | 83 | 1 | 1 | 2 | 5 | 11 | 25 | 99+ |
| TOTAL 0-19 YRS | 314 | 3.4 | 33 | 1 | 1 | 2 | 3 | 7 | 11 | 85 |
| 20-34 | 555 | 5.0 | 71 | 1 | 1 | 3 | 5 | 10 | 17 | 80 |
| 35-49 | 255 | 6.0 | 90 | 1 | 1 | 3 | 6 | 13 | 21 | 59 |
| 50-64 | 153 | 9.3 | 225 | 1 | 1 | 5 | 9 | 19 | 39 | 94 |
| 65+ | 120 | 10.4 | 154 | 1 | 2 | 7 | 13 | 24 | 32 | 94 |
| **GRAND TOTAL** | **1397** | **5.8** | **94** | **1** | **1** | **3** | **6** | **13** | **21** | **88** |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 400 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 351 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 143 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 90 | 4.6 | 15 | 1 | 1 | 4 | 6 | 11 | 12 | 19 |
| 65+ | 71 | 5.7 | 34 | 1 | 1 | 4 | 7 | 11 | 14 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 162 | 6.1 | 42 | 1 | 1 | 4 | 8 | 12 | 18 | 32 |
| 35-49 | 94 | 5.6 | 27 | 1 | 1 | 4 | 7 | 12 | 17 | 26 |
| 50-64 | 61 | 7.9 | 85 | 1 | 1 | 5 | 9 | 18 | 23 | 48 |
| 65+ | 19 | 8.8 | 113 | 1 | 1 | 4 | 10 | 28 | 35 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 427 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 20-34 | 556 | 4.7 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 35-49 | 294 | 5.4 | 18 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 50-64 | 266 | 6.7 | 43 | 1 | 1 | 5 | 8 | 13 | 19 | 32 |
| 65+ | 465 | 8.7 | 38 | 2 | 2 | 7 | 12 | 16 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 9.2 | 149 | 1 | 1 | 6 | 11 | 21 | 33 | 96 |
| 20-34 | 308 | 9.8 | 109 | 1 | 1 | 7 | 13 | 21 | 34 | 66 |
| 35-49 | 127 | 11.5 | 130 | 1 | 2 | 8 | 17 | 29 | 43 | 99+ |
| 50-64 | 101 | 11.0 | 116 | 2 | 3 | 8 | 14 | 21 | 34 | 53 |
| 65+ | 119 | 17.2 | 262 | 2 | 2 | 12 | 24 | 41 | 50 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1055 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 458 | 5.7 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2008 | 5.7 | 31 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| B. *Operated* | 809 | 11.2 | 149 | 1 | 2 | 7 | 14 | 26 | 41 | 71 |
| **1. SINGLE DX** | 1513 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 2817 | 7.3 | 71 | 1 | 1 | 5 | 9 | 15 | 22 | 48 |
| **A. NOT OPERATED** | 3063 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| **B. OPERATED** | 1267 | 9.2 | 117 | 1 | 1 | 6 | 11 | 21 | 32 | 59 |
| TOTAL 0-19 YRS | 1103 | 3.8 | 31 | 1 | 1 | 2 | 4 | 8 | 11 | 27 |
| 20-34 | 1377 | 5.6 | 50 | 1 | 1 | 3 | 7 | 12 | 18 | 41 |
| 35-49 | 658 | 6.2 | 45 | 1 | 1 | 4 | 8 | 12 | 18 | 43 |
| 50-64 | 518 | 7.3 | 61 | 1 | 1 | 5 | 9 | 15 | 21 | 48 |
| 65+ | 674 | 9.9 | 91 | 2 | 2 | 7 | 13 | 20 | 27 | 49 |
| **GRAND TOTAL** | **4330** | **6.1** | **56** | **1** | **1** | **4** | **7** | **13** | **19** | **43** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2560 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 1448 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 35-49 | 490 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 50-64 | 200 | 3.5 | 24 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 65+ | 155 | 5.1 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 5 | 6.6 | 19 | 1 | 1 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 50-64 | 4 | 8.5 | 59 | 2 | 2 | 8 | 15 | 17 | 17 | 17 |
| 65+ | 6 | 9.7 | 29 | 3 | 3 | 10 | 12 | 17 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2481 | 4.3 | 51 | 1 | 1 | 2 | 4 | 8 | 15 | 42 |
| 20-34 | 4011 | 4.8 | 41 | 1 | 1 | 3 | 5 | 10 | 17 | 31 |
| 35-49 | 2024 | 5.5 | 40 | 1 | 1 | 3 | 6 | 12 | 18 | 30 |
| 50-64 | 1263 | 7.1 | 56 | 1 | 1 | 5 | 9 | 15 | 20 | 40 |
| 65+ | 1639 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 10.9 | 166 | 1 | 2 | 8 | 13 | 39 | 54 | 99+ |
| 20-34 | 235 | 9.3 | 145 | 1 | 1 | 5 | 11 | 25 | 34 | 58 |
| 35-49 | 131 | 11.1 | 138 | 1 | 2 | 7 | 15 | 25 | 30 | 67 |
| 50-64 | 100 | 18.0 | 283 | 3 | 4 | 12 | 24 | 40 | 49 | 82 |
| 65+ | 152 | 16.0 | 172 | 3 | 4 | 12 | 20 | 32 | 45 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4853 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| B. *Operated* | 23 | 6.9 | 26 | 1 | 2 | 5 | 11 | 14 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11418 | 5.6 | 47 | 1 | 1 | 3 | 7 | 12 | 18 | 35 |
| B. *Operated* | 652 | 12.6 | 183 | 1 | 2 | 8 | 16 | 30 | 41 | 70 |
| **1. SINGLE DX** | 4876 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| **2. MULTIPLE DX** | 12070 | 5.9 | 57 | 1 | 1 | 3 | 7 | 13 | 20 | 39 |
| **A. NOT OPERATED** | 16271 | 4.6 | 37 | 1 | 1 | 3 | 5 | 10 | 15 | 30 |
| **B. OPERATED** | 675 | 12.4 | 178 | 1 | 2 | 8 | 16 | 29 | 41 | 69 |
| TOTAL 0-19 YRS | 5081 | 3.2 | 30 | <1 | 1 | 2 | 3 | 5 | 9 | 32 |
| 20-34 | 5699 | 4.4 | 39 | <1 | 1 | 2 | 5 | 9 | 15 | 32 |
| 35-49 | 2647 | 5.3 | 42 | 1 | 1 | 3 | 6 | 12 | 18 | 30 |
| 50-64 | 1567 | 7.3 | 75 | 1 | 1 | 5 | 9 | 15 | 23 | 49 |
| 65+ | 1952 | 8.6 | 56 | 2 | 2 | 7 | 10 | 16 | 22 | 39 |
| **GRAND TOTAL** | **16946** | **4.9** | **45** | **1** | **1** | **3** | **6** | **11** | **16** | **35** |

### 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1090 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 473 | 1.9 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 35-49 | 256 | 2.2 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 50-64 | 147 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 64 | 2.3 | 8 | <1 | 1 | 1 | 3 | 4 | 5 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.1 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 12 | 3.9 | 3 | 1 | 2 | 4 | 5 | 6 | 8 | 8 |
| 35-49 | 3 | 12.0 | 27 | 9 | 9 | 9 | 16 | 18 | 18 | 18 |
| 50-64 | 4 | 8.0 | 33 | 3 | 3 | 6 | 12 | 16 | 16 | 16 |
| 65+ | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 603 | 3.4 | 25 | <1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 20-34 | 499 | 3.9 | 42 | <1 | 1 | 2 | 4 | 8 | 14 | 30 |
| 35-49 | 322 | 4.6 | 41 | 1 | 1 | 3 | 5 | 10 | 16 | 39 |
| 50-64 | 315 | 4.8 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 65+ | 234 | 6.0 | 44 | 1 | 1 | 4 | 8 | 12 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 12.1 | 336 | 1 | 2 | 4 | 10 | 55 | 56 | 57 |
| 20-34 | 27 | 10.9 | 167 | 1 | 1 | 7 | 17 | 27 | 65 | 99+ |
| 35-49 | 21 | 13.8 | 165 | 1 | 2 | 11 | 17 | 37 | 44 | 46 |
| 50-64 | 25 | 13.1 | 141 | 2 | 3 | 8 | 16 | 33 | 37 | 40 |
| 65+ | 21 | 25.6 | 254 | 2 | 5 | 26 | 32 | 49 | 55 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2030 | 1.9 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 30 | 5.6 | 15 | 2 | 2 | 5 | 8 | 9 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1973 | 4.2 | 37 | <1 | 1 | 2 | 5 | 8 | 14 | 30 |
| B. *Operated* | 109 | 15.0 | 221 | 1 | 2 | 9 | 24 | 38 | 51 | 77 |
| **1. SINGLE DX** | 2060 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 2082 | 4.8 | 53 | 1 | 1 | 3 | 5 | 10 | 17 | 40 |
| **A. NOT OPERATED** | 4003 | 3.1 | 21 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| **B. OPERATED** | 139 | 12.9 | 191 | 1 | 2 | 7 | 18 | 33 | 46 | 65 |
| TOTAL 0-19 YRS | 1717 | 2.4 | 15 | <1 | 1 | 1 | 2 | 5 | 7 | 14 |
| 20-34 | 1011 | 3.2 | 29 | <1 | 1 | 2 | 3 | 6 | 9 | 26 |
| 35-49 | 602 | 3.9 | 35 | <1 | 1 | 2 | 4 | 8 | 14 | 35 |
| 50-64 | 491 | 4.5 | 40 | 1 | 1 | 2 | 5 | 9 | 14 | 36 |
| 65+ | 321 | 6.5 | 77 | 1 | 1 | 3 | 8 | 17 | 28 | 45 |
| **GRAND TOTAL** | **4142** | **3.4** | **30** | **<1** | **1** | **2** | **3** | **7** | **11** | **30** |

### 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 602 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 400 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 250 | 3.2 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 50-64 | 180 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 65+ | 149 | 4.4 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.0 | 26 | 5 | 5 | 11 | 14 | 18 | 18 | 18 |
| 20-34 | 11 | 6.5 | 56 | 1 | 1 | 3 | 8 | 20 | 24 | 24 |
| 35-49 | 15 | 7.7 | 60 | <1 | <1 | 6 | 10 | 16 | 26 | 29 |
| 50-64 | 9 | 12.1 | 376 | <1 | 1 | 6 | 11 | 42 | 63 | 63 |
| 65+ | 7 | 6.7 | 52 | <1 | <1 | 4 | 9 | 19 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 589 | 4.1 | 33 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 20-34 | 529 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 535 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 720 | 5.5 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 24 |
| 65+ | 1280 | 7.8 | 37 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 9.0 | 189 | 1 | 1 | 4 | 14 | 43 | 98 | 99+ |
| 20-34 | 55 | 9.9 | 314 | 1 | 1 | 4 | 9 | 26 | 75 | 99+ |
| 35-49 | 73 | 11.8 | 215 | 1 | 1 | 7 | 12 | 34 | 46 | 94 |
| 50-64 | 106 | 14.9 | 219 | 2 | 3 | 11 | 18 | 30 | 43 | 75 |
| 65+ | 150 | 16.3 | 220 | 2 | 4 | 13 | 20 | 31 | 49 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1581 | 2.9 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 48 | 8.5 | 108 | <1 | 1 | 6 | 11 | 18 | 24 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3653 | 5.7 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 26 |
| B. *Operated* | 413 | 13.8 | 234 | 1 | 2 | 9 | 17 | 30 | 51 | 99+ |
| **1. SINGLE DX** | 1629 | 3.1 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **2. MULTIPLE DX** | 4066 | 6.5 | 57 | 1 | 1 | 4 | 8 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 5234 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| **B. OPERATED** | 461 | 13.2 | 223 | 1 | 2 | 9 | 17 | 30 | 47 | 99 |
| TOTAL 0-19 YRS | 1226 | 3.6 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 20-34 | 995 | 3.7 | 29 | 1 | 1 | 2 | 4 | 8 | 11 | 24 |
| 35-49 | 873 | 4.9 | 39 | 1 | 1 | 3 | 6 | 10 | 15 | 33 |
| 50-64 | 1015 | 6.1 | 53 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |
| 65+ | 1586 | 8.2 | 60 | 1 | 2 | 6 | 10 | 17 | 22 | 40 |
| **GRAND TOTAL** | **5695** | **5.6** | **46** | **1** | **1** | **4** | **7** | **12** | **17** | **33** |

### 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.9 | 23 | <1 | 1 | 3 | 7 | 9 | 16 | 23 |
| 20-34 | 92 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 53 | 7.4 | 58 | <1 | 1 | 5 | 8 | 19 | 25 | 32 |
| 50-64 | 88 | 6.8 | 49 | 1 | 1 | 5 | 8 | 14 | 24 | 38 |
| 65+ | 167 | 7.5 | 43 | 1 | 2 | 6 | 10 | 16 | 21 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 361 | 5.7 | 54 | 1 | 1 | 4 | 7 | 11 | 15 | 49 |
| 20-34 | 710 | 5.0 | 45 | 1 | 1 | 3 | 5 | 11 | 17 | 35 |
| 35-49 | 496 | 6.4 | 46 | 1 | 2 | 4 | 8 | 15 | 19 | 37 |
| 50-64 | 855 | 9.0 | 64 | 2 | 2 | 6 | 13 | 20 | 25 | 41 |
| 65+ | 1420 | 10.7 | 101 | 2 | 2 | 7 | 16 | 24 | 30 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 4.9 | 38 | <1 | 1 | 3 | 6 | 11 | 14 | 39 |
| 20-34 | 129 | 5.4 | 23 | 1 | 1 | 4 | 7 | 10 | 16 | 26 |
| 35-49 | 119 | 6.8 | 36 | 1 | 2 | 5 | 8 | 14 | 16 | 34 |
| 50-64 | 197 | 8.2 | 64 | 1 | 2 | 6 | 11 | 17 | 25 | 35 |
| 65+ | 401 | 9.1 | 77 | 1 | 2 | 7 | 11 | 19 | 28 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 379 | 10.7 | 180 | 1 | 2 | 6 | 12 | 26 | 38 | 80 |
| 20-34 | 757 | 7.8 | 95 | 1 | 1 | 4 | 9 | 18 | 25 | 61 |
| 35-49 | 848 | 9.6 | 120 | 1 | 2 | 6 | 12 | 23 | 29 | 58 |
| 50-64 | 1723 | 13.2 | 174 | 2 | 2 | 10 | 17 | 29 | 41 | 80 |
| 65+ | 2715 | 14.5 | 171 | 2 | 3 | 11 | 19 | 30 | 41 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 455 | 6.3 | 39 | 1 | 1 | 4 | 8 | 14 | 20 | 29 |
| B. *Operated* | 3842 | 8.2 | 76 | 1 | 2 | 5 | 11 | 19 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 919 | 7.7 | 60 | 1 | 2 | 5 | 10 | 16 | 23 | 41 |
| B. *Operated* | 6422 | 12.5 | 162 | 2 | 2 | 9 | 17 | 28 | 38 | 71 |
| **1. SINGLE DX** | 4297 | 8.0 | 72 | 1 | 2 | 5 | 11 | 19 | 25 | 42 |
| **2. MULTIPLE DX** | 7341 | 11.9 | 152 | 2 | 2 | 8 | 16 | 27 | 36 | 69 |
| **A. NOT OPERATED** | 1374 | 7.3 | 54 | 1 | 1 | 5 | 9 | 15 | 22 | 38 |
| **B. OPERATED** | 10264 | 10.9 | 134 | 1 | 2 | 7 | 15 | 24 | 33 | 61 |
| TOTAL 0-19 YRS | 868 | 7.8 | 112 | 1 | 1 | 5 | 8 | 16 | 28 | 57 |
| 20-34 | 1688 | 6.2 | 66 | 1 | 1 | 3 | 7 | 14 | 20 | 46 |
| 35-49 | 1516 | 8.3 | 89 | 1 | 2 | 5 | 10 | 19 | 26 | 47 |
| 50-64 | 2863 | 11.4 | 135 | 2 | 2 | 8 | 15 | 25 | 35 | 69 |
| 65+ | 4703 | 12.6 | 142 | 2 | 2 | 9 | 17 | 27 | 36 | 62 |
| **GRAND TOTAL** | **11638** | **10.5** | **126** | **1** | **2** | **7** | **14** | **24** | **32** | **60** |

### 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 352 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 467 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 243 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 50-64 | 241 | 4.2 | 12 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| 65+ | 307 | 4.1 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 307 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 4 | 10 |
| 20-34 | 402 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 187 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 50-64 | 124 | 5.5 | 22 | 1 | 1 | 4 | 7 | 12 | 15 | 22 |
| 65+ | 94 | 5.8 | 16 | 1 | 2 | 5 | 7 | 10 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 145 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 121 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 195 | 4.5 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 65+ | 332 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.7 | 13 | 1 | 1 | 2 | 4 | 9 | 13 | 16 |
| 20-34 | 153 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 35-49 | 82 | 6.4 | 47 | 1 | 1 | 5 | 8 | 13 | 20 | 40 |
| 50-64 | 118 | 9.7 | 182 | 1 | 2 | 6 | 11 | 18 | 33 | 84 |
| 65+ | 145 | 9.7 | 105 | 2 | 2 | 7 | 12 | 20 | 25 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1610 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 1114 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 858 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 534 | 7.4 | 85 | 1 | 2 | 5 | 9 | 14 | 21 | 46 |
| **1. SINGLE DX** | 2724 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 1392 | 5.7 | 42 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| **A. NOT OPERATED** | 2468 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 1648 | 4.6 | 39 | 1 | 1 | 3 | 6 | 10 | 13 | 28 |
| TOTAL 0-19 YRS | 760 | 2.2 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 1167 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 633 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 678 | 5.5 | 46 | 1 | 1 | 4 | 6 | 10 | 14 | 33 |
| 65+ | 878 | 5.7 | 30 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| **GRAND TOTAL** | **4116** | **4.0** | **21** | **1** | **1** | **3** | **5** | **8** | **10** | **20** |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 6.4 | 24 | 2 | 2 | 5 | 8 | 13 | 15 | 28 |
| 20-34 | 267 | 6.2 | 19 | 2 | 2 | 5 | 8 | 12 | 15 | 21 |
| 35-49 | 212 | 6.9 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 30 |
| 50-64 | 148 | 8.2 | 29 | 3 | 3 | 7 | 10 | 17 | 19 | 27 |
| 65+ | 119 | 9.3 | 51 | 2 | 3 | 7 | 11 | 18 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 8.7 | 75 | 1 | 2 | 7 | 10 | 15 | 23 | 50 |
| 20-34 | 221 | 8.3 | 63 | 1 | 2 | 6 | 10 | 18 | 25 | 40 |
| 35-49 | 161 | 8.9 | 59 | 1 | 2 | 7 | 12 | 16 | 21 | 41 |
| 50-64 | 158 | 10.7 | 102 | 2 | 3 | 8 | 14 | 20 | 28 | 58 |
| 65+ | 108 | 13.3 | 168 | 1 | 2 | 9 | 18 | 30 | 38 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 6.8 | 23 | 2 | 2 | 6 | 8 | 12 | 15 | 29 |
| 20-34 | 186 | 6.5 | 24 | 2 | 2 | 5 | 8 | 13 | 18 | 24 |
| 35-49 | 204 | 9.1 | 39 | 2 | 3 | 7 | 12 | 17 | 21 | 31 |
| 50-64 | 271 | 10.9 | 93 | 3 | 4 | 8 | 13 | 23 | 29 | 52 |
| 65+ | 280 | 12.6 | 95 | 3 | 4 | 10 | 16 | 24 | 28 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 11.9 | 119 | 2 | 3 | 8 | 16 | 25 | 32 | 59 |
| 20-34 | 172 | 12.2 | 111 | 2 | 3 | 10 | 15 | 25 | 30 | 52 |
| 35-49 | 216 | 13.8 | 202 | 2 | 3 | 9 | 16 | 30 | 44 | 77 |
| 50-64 | 292 | 15.9 | 179 | 2 | 3 | 13 | 21 | 32 | 45 | 72 |
| 65+ | 295 | 18.2 | 235 | 3 | 4 | 13 | 24 | 41 | 54 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 874 | 7.2 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | 772 | 9.7 | 89 | 2 | 2 | 7 | 12 | 20 | 28 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1042 | 9.8 | 69 | 2 | 3 | 7 | 12 | 20 | 26 | 43 |
| B. *Operated* | 1048 | 15.2 | 189 | 2 | 3 | 11 | 19 | 32 | 45 | 69 |
| **1. SINGLE DX** | 1646 | 8.3 | 59 | 2 | 2 | 6 | 10 | 16 | 21 | 40 |
| **2. MULTIPLE DX** | 2090 | 12.5 | 136 | 2 | 3 | 9 | 16 | 26 | 35 | 64 |
| **A. NOT OPERATED** | 1916 | 8.6 | 53 | 2 | 3 | 7 | 10 | 17 | 23 | 35 |
| **B. OPERATED** | 1820 | 12.9 | 154 | 2 | 3 | 9 | 16 | 28 | 39 | 66 |
| TOTAL 0-19 YRS | 426 | 8.1 | 59 | 2 | 2 | 6 | 10 | 15 | 22 | 38 |
| 20-34 | 846 | 8.1 | 55 | 2 | 2 | 6 | 10 | 16 | 22 | 37 |
| 35-49 | 793 | 9.7 | 92 | 2 | 3 | 7 | 12 | 18 | 27 | 60 |
| 50-64 | 869 | 12.1 | 121 | 2 | 3 | 9 | 15 | 25 | 32 | 61 |
| 65+ | 802 | 14.3 | 160 | 2 | 4 | 10 | 18 | 30 | 43 | 64 |
| **GRAND TOTAL** | **3736** | **10.7** | **107** | **2** | **3** | **8** | **13** | **22** | **30** | **58** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 3.3 | 24 | 1 | 1 | 2 | 4 | 6 | 9 | 32 |
| 20-34 | 194 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 144 | 6.1 | 44 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| 50-64 | 127 | 5.4 | 34 | 1 | 1 | 4 | 7 | 9 | 13 | 38 |
| 65+ | 103 | 5.7 | 20 | 1 | 2 | 4 | 7 | 13 | 15 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 4.4 | 20 | <1 | 1 | 3 | 6 | 9 | 14 | 25 |
| 20-34 | 342 | 5.8 | 37 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| 35-49 | 281 | 7.5 | 66 | 1 | 2 | 5 | 9 | 15 | 20 | 49 |
| 50-64 | 289 | 6.4 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 35 |
| 65+ | 243 | 7.7 | 79 | 1 | 2 | 5 | 10 | 16 | 23 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 5.1 | 64 | 1 | 1 | 3 | 6 | 9 | 18 | 86 |
| 20-34 | 246 | 5.9 | 34 | 1 | 1 | 4 | 8 | 12 | 17 | 37 |
| 35-49 | 236 | 6.7 | 39 | 1 | 2 | 5 | 8 | 13 | 19 | 31 |
| 50-64 | 292 | 8.5 | 63 | 1 | 2 | 6 | 10 | 16 | 25 | 48 |
| 65+ | 361 | 9.5 | 79 | 1 | 2 | 7 | 12 | 19 | 24 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 8.0 | 95 | 1 | 1 | 5 | 9 | 19 | 33 | 84 |
| 20-34 | 400 | 8.5 | 55 | 1 | 2 | 7 | 11 | 18 | 24 | 35 |
| 35-49 | 422 | 11.5 | 151 | 2 | 2 | 8 | 14 | 25 | 38 | 81 |
| 50-64 | 569 | 13.5 | 195 | 2 | 2 | 9 | 17 | 30 | 46 | 80 |
| 65+ | 680 | 14.8 | 195 | 2 | 2 | 11 | 20 | 34 | 45 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 648 | 4.7 | 26 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| B. *Operated* | 1271 | 6.6 | 51 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1227 | 7.7 | 60 | 1 | 2 | 5 | 10 | 16 | 23 | 41 |
| B. *Operated* | 2160 | 12.4 | 162 | 2 | 2 | 9 | 16 | 28 | 41 | 71 |
| **1. SINGLE DX** | 1919 | 5.9 | 43 | 1 | 1 | 4 | 8 | 12 | 17 | 38 |
| **2. MULTIPLE DX** | 3387 | 10.7 | 130 | 1 | 2 | 7 | 13 | 24 | 35 | 67 |
| **A. NOT OPERATED** | 1875 | 6.6 | 50 | 1 | 1 | 5 | 8 | 14 | 19 | 40 |
| **B. OPERATED** | 3431 | 10.2 | 129 | 1 | 2 | 7 | 13 | 24 | 34 | 66 |
| TOTAL 0-19 YRS | 377 | 5.2 | 52 | 1 | 1 | 3 | 6 | 10 | 17 | 56 |
| 20-34 | 1182 | 6.3 | 41 | 1 | 1 | 4 | 8 | 13 | 19 | 34 |
| 35-49 | 1083 | 8.7 | 96 | 1 | 2 | 6 | 11 | 18 | 26 | 67 |
| 50-64 | 1277 | 10.0 | 124 | 1 | 2 | 6 | 12 | 23 | 34 | 66 |
| 65+ | 1387 | 11.5 | 143 | 1 | 2 | 8 | 15 | 26 | 36 | 64 |
| **GRAND TOTAL** | **5306** | **9.0** | **104** | **1** | **2** | **6** | **11** | **20** | **29** | **58** |

## 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G |  |  |  |  |  |  |  |  |  |  |
| 1000-1499 | 3 | 26.7 | 182 | 13 | 13 | 27 | 37 | 40 | 40 | 40 |
| 1500-1749 | 4 | 17.3 | 26 | 10 | 10 | 18 | 20 | 22 | 22 | 22 |
| 1750-2499 | 2931 | 4.0 | 5 | 2 | 2 | 3 | 5 | 6 | 8 | 13 |
| 2500+ | 205610 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G |  |  |  |  |  |  |  |  |  |  |
| 1000-1499 |  |  |  |  |  |  |  |  |  |  |
| 1500-1749 |  |  |  |  |  |  |  |  |  |  |
| 1750-2499 | 4 | 16.3 | 305 | 3 | 3 | 10 | 28 | 41 | 41 | 41 |
| 2500+ | 96 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G | 48 | 62.3 | 522 | 12 | 25 | 72 | 87 | 99+ | 99+ | 99+ |
| 1000-1499 | 430 | 41.9 | 234 | 20 | 24 | 41 | 51 | 64 | 74 | 99+ |
| 1500-1749 | 615 | 26.7 | 100 | 13 | 16 | 26 | 32 | 39 | 45 | 61 |
| 1750-2499 | 9078 | 8.2 | 41 | 2 | 3 | 6 | 11 | 17 | 21 | 30 |
| 2500+ | 94897 | 4.3 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G | 65 | 74.3 | 377 | 38 | 56 | 86 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 259 | 51.8 | 281 | 29 | 33 | 51 | 65 | 84 | 99+ | 99+ |
| 1500-1749 | 147 | 34.9 | 159 | 20 | 22 | 33 | 41 | 56 | 68 | 99+ |
| 1750-2499 | 558 | 18.2 | 163 | 4 | 5 | 16 | 23 | 32 | 41 | 79 |
| 2500+ | 1621 | 7.8 | 50 | 2 | 3 | 6 | 9 | 14 | 19 | 40 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 208548 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 100 | 4.9 | 21 | 2 | 2 | 4 | 6 | 7 | 10 | 30 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 105068 | 4.9 | 20 | 2 | 3 | 4 | 5 | 7 | 10 | 25 |
| B. *Operated* | 2650 | 17.4 | 378 | 3 | 3 | 9 | 23 | 50 | 73 | 99+ |
| **1. SINGLE DX** | 208648 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 107718 | 5.2 | 33 | 2 | 3 | 4 | 5 | 7 | 11 | 32 |
| **A. NOT OPERATED** | 313616 | 4.0 | 9 | 2 | 2 | 3 | 4 | 6 | 7 | 14 |
| **B. OPERATED** | 2750 | 17.0 | 371 | 3 | 3 | 9 | 23 | 48 | 72 | 99+ |
| TOTAL 1-999 G | 113 | 69.2 | 470 | 25 | 46 | 80 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 692 | 45.5 | 275 | 22 | 26 | 44 | 56 | 73 | 88 | 99+ |
| 1500-1749 | 766 | 28.2 | 122 | 13 | 16 | 26 | 33 | 43 | 49 | 70 |
| 1750-2499 | 12571 | 7.7 | 47 | 2 | 3 | 5 | 10 | 17 | 21 | 32 |
| 2500+ | 302224 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| **GRAND TOTAL** | **316366** | **4.1** | **13** | **2** | **2** | **3** | **4** | **6** | **7** | **17** |

## 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G |  |  |  |  |  |  |  |  |  |  |
| 1000-1499 |  |  |  |  |  |  |  |  |  |  |
| 1500-1749 | 3 | 19.7 | 4 | 18 | 18 | 19 | 21 | 22 | 22 | 22 |
| 1750-2499 | 461 | 5.9 | 10 | 3 | 3 | 5 | 7 | 10 | 12 | 18 |
| 2500+ | 1749 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G |  |  |  |  |  |  |  |  |  |  |
| 1000-1499 |  |  |  |  |  |  |  |  |  |  |
| 1500-1749 |  |  |  |  |  |  |  |  |  |  |
| 1750-2499 | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2500+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G | 8 | 60.8 | 874 | 12 | 14 | 66 | 85 | 87 | 88 | 88 |
| 1000-1499 | 92 | 39.3 | 280 | 16 | 21 | 36 | 51 | 60 | 74 | 98 |
| 1500-1749 | 154 | 25.8 | 89 | 12 | 15 | 25 | 30 | 39 | 44 | 52 |
| 1750-2499 | 1444 | 9.9 | 41 | 3 | 4 | 8 | 14 | 19 | 22 | 30 |
| 2500+ | 1194 | 5.7 | 6 | 3 | 3 | 5 | 7 | 8 | 10 | 15 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 1-999 G | 10 | 80.1 | 219 | 59 | 70 | 97 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 51 | 57.9 | 295 | 35 | 37 | 57 | 73 | 90 | 99 | 99+ |
| 1500-1749 | 32 | 36.1 | 195 | 16 | 18 | 35 | 47 | 60 | 62 | 99+ |
| 1750-2499 | 71 | 19.1 | 156 | 5 | 6 | 17 | 24 | 32 | 39 | 70 |
| 2500+ | 35 | 10.3 | 194 | 4 | 4 | 6 | 12 | 14 | 22 | 86 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2213 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| B. *Operated* | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2892 | 10.1 | 94 | 3 | 4 | 7 | 12 | 21 | 28 | 53 |
| B. *Operated* | 199 | 33.3 | 637 | 5 | 6 | 29 | 57 | 89 | 99+ | 99+ |
| **1. SINGLE DX** | 2214 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 3091 | 11.6 | 161 | 3 | 4 | 7 | 14 | 26 | 38 | 79 |
| **A. NOT OPERATED** | 5105 | 8.0 | 61 | 3 | 3 | 6 | 8 | 16 | 22 | 42 |
| **B. OPERATED** | 200 | 33.2 | 638 | 5 | 6 | 29 | 56 | 88 | 99+ | 99+ |
| TOTAL 1-999 G | 18 | 71.5 | 573 | 18 | 54 | 88 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 143 | 46.0 | 363 | 20 | 25 | 46 | 59 | 75 | 91 | 99+ |
| 1500-1749 | 189 | 27.4 | 121 | 13 | 16 | 26 | 33 | 43 | 52 | 62 |
| 1750-2499 | 1977 | 9.3 | 44 | 3 | 4 | 7 | 13 | 18 | 22 | 31 |
| 2500+ | 2978 | 5.3 | 7 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **GRAND TOTAL** | **5305** | **8.9** | **106** | **3** | **3** | **6** | **8** | **18** | **27** | **64** |

### 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 21 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 12 | 15 |
| 2500+ | 475 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 6 | 40.7 | 65 | 29 | 29 | 43 | 46 | 50 | 50 | 50 |
| 1500-1749 | 12 | 30.8 | 156 | 14 | 14 | 25 | 44 | 48 | 48 | 48 |
| 1750-2499 | 100 | 8.9 | 44 | 3 | 3 | 7 | 12 | 17 | 23 | 35 |
| 2500+ | 225 | 4.2 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 1 | 69.0 | | 69 | 69 | 84 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 8 | 50.8 | 357 | 27 | 27 | 57 | 69 | 90 | 99+ | 99+ |
| 1500-1749 | 2 | 52.5 | 313 | 40 | 40 | 52 | 65 | 65 | 65 | 65 |
| 1750-2499 | 5 | 13.8 | 88 | 1 | 1 | 18 | 21 | 23 | 23 | 23 |
| 2500+ | 15 | 8.1 | 42 | 1 | 3 | 6 | 11 | 20 | 22 | 23 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 496 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 343 | 7.2 | 69 | 2 | 2 | 4 | 7 | 14 | 24 | 46 |
| B. *Operated* | 31 | 24.8 | 581 | 1 | 3 | 20 | 55 | 70 | 96 | 99+ |
| 1. SINGLE DX | 496 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | 374 | 8.6 | 134 | 2 | 2 | 5 | 8 | 21 | 38 | 68 |
| A. NOT OPERATED | 839 | 4.7 | 34 | 1 | 2 | 3 | 4 | 8 | 13 | 41 |
| B. OPERATED | 31 | 24.8 | 581 | 1 | 3 | 20 | 55 | 70 | 96 | 99+ |
| TOTAL 1-999 G | 1 | 69.0 | | 69 | 69 | 84 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 14 | 46.4 | 244 | 27 | 28 | 46 | 63 | 75 | 94 | 99+ |
| 1500-1749 | 14 | 33.9 | 218 | 14 | 14 | 30 | 45 | 50 | 62 | 65 |
| 1750-2499 | 126 | 8.2 | 45 | 2 | 3 | 6 | 11 | 17 | 23 | 33 |
| 2500+ | 715 | 3.4 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| GRAND TOTAL | 870 | 5.4 | 67 | 1 | 2 | 3 | 5 | 9 | 19 | 53 |

### 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.8 | 38 | <1 | <1 | 2 | 4 | 9 | 20 | 27 |
| 20-34 | 34 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 11 | 3.4 | 6 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 50-64 | 14 | 2.9 | 3 | <1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 3 | 5.7 | 41 | 1 | 1 | 3 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1191 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1651 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 676 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 623 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 65+ | 456 | 5.4 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 6.4 | 169 | <1 | <1 | 1 | 3 | 13 | 42 | 51 |
| 20-34 | 15 | 2.1 | 5 | <1 | <1 | 1 | 2 | 6 | 7 | 8 |
| 35-49 | 7 | 5.0 | 20 | 2 | 2 | 2 | 7 | 13 | 14 | 14 |
| 50-64 | 4 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 4.5 | 11 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 225 | 3.7 | 16 | 1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 20-34 | 352 | 4.7 | 52 | 1 | 2 | 3 | 4 | 8 | 15 | 40 |
| 35-49 | 226 | 4.4 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 50-64 | 282 | 5.9 | 55 | 1 | 2 | 4 | 6 | 13 | 18 | 36 |
| 65+ | 267 | 9.1 | 110 | 2 | 2 | 5 | 12 | 19 | 27 | 66 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 81 | 3.0 | 12 | <1 | 1 | 2 | 3 | 6 | 8 | 23 |
| B. *Operated* | 4597 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 45 | 4.2 | 62 | <1 | <1 | 2 | 4 | 9 | 13 | 51 |
| B. *Operated* | 1352 | 5.6 | 56 | 1 | 2 | 3 | 6 | 12 | 18 | 39 |
| 1. SINGLE DX | 4678 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 2. MULTIPLE DX | 1397 | 5.6 | 56 | 1 | 2 | 3 | 6 | 12 | 18 | 39 |
| A. NOT OPERATED | 126 | 3.5 | 30 | <1 | 1 | 2 | 4 | 7 | 12 | 33 |
| B. OPERATED | 5949 | 3.7 | 20 | 1 | 1 | 3 | 4 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 1450 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 2052 | 3.1 | 13 | 1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 35-49 | 920 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 50-64 | 923 | 4.1 | 23 | 1 | 1 | 3 | 4 | 7 | 11 | 22 |
| 65+ | 730 | 6.7 | 59 | 1 | 2 | 4 | 8 | 14 | 19 | 36 |
| GRAND TOTAL | 6075 | 3.7 | 20 | 1 | 1 | 3 | 4 | 6 | 10 | 22 |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 1.2 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 11 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 65+ | 29 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 4 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 3.6 | 21 | 1 | 1 | 2 | 4 | 9 | 16 | 18 |
| 35-49 | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 28 | 3.9 | 21 | 1 | 1 | 3 | 4 | 10 | 13 | 22 |
| 65+ | 33 | 2.8 | 13 | 1 | 1 | 1 | 2 | 9 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 76 | 1.2 | 1 | <1 | <1 | <1 | <1 | <1 | 3 | 5 |
| 35-49 | 45 | 2.9 | 129 | <1 | <1 | <1 | <1 | 1 | 6 | 77 |
| 50-64 | 102 | 1.6 | 6 | <1 | <1 | <1 | <1 | 2 | 5 | 16 |
| 65+ | 33 | 1.6 | 3 | <1 | <1 | <1 | <1 | 4 | 6 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 1.4 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 7 |
| B. *Operated* | 11 | 1.0 | | <1 | <1 | <1 | <1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 3.3 | 16 | 1 | 1 | 2 | 4 | 8 | 12 | 21 |
| B. *Operated* | 258 | 1.7 | 25 | <1 | <1 | <1 | <1 | 2 | 5 | 14 |
| **1. SINGLE DX** | 61 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | 336 | 2.1 | 24 | <1 | <1 | <1 | 1 | 4 | 6 | 18 |
| **A. NOT OPERATED** | 128 | 2.6 | 11 | 1 | 1 | 1 | 3 | 5 | 12 | 19 |
| **B. OPERATED** | 269 | 1.7 | 24 | <1 | <1 | <1 | <1 | 2 | 4 | 13 |
| TOTAL 0-19 YRS | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 100 | 1.5 | 4 | <1 | <1 | <1 | 1 | 2 | 4 | 13 |
| 35-49 | 52 | 2.9 | 112 | <1 | <1 | <1 | <1 | 4 | 7 | 76 |
| 50-64 | 145 | 2.0 | 9 | <1 | <1 | <1 | 1 | 4 | 6 | 18 |
| 65+ | 97 | 1.9 | 6 | <1 | <1 | 1 | 1 | 4 | 8 | 13 |
| **GRAND TOTAL** | **397** | **2.0** | **20** | **<1** | **<1** | **<1** | **1** | **4** | **6** | **16** |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1758 | 2.4 | 15 | <1 | <1 | 1 | 3 | 4 | 6 | 12 |
| 20-34 | 2855 | 2.1 | 13 | <1 | <1 | 1 | 2 | 4 | 5 | 16 |
| 35-49 | 740 | 2.9 | 17 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 50-64 | 706 | 3.8 | 27 | <1 | 1 | 2 | 4 | 7 | 12 | 29 |
| 65+ | 756 | 7.4 | 162 | 1 | 1 | 3 | 7 | 19 | 36 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 821 | 2.9 | 16 | <1 | <1 | 2 | 3 | 6 | 10 | 20 |
| 20-34 | 2993 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 35-49 | 1330 | 3.9 | 16 | <1 | 1 | 2 | 5 | 9 | 12 | 17 |
| 50-64 | 1227 | 4.5 | 21 | 1 | 1 | 2 | 6 | 10 | 12 | 21 |
| 65+ | 1056 | 4.5 | 30 | 1 | 1 | 2 | 6 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1526 | 4.2 | 46 | <1 | 1 | 2 | 4 | 8 | 15 | 35 |
| 20-34 | 3063 | 4.8 | 57 | <1 | 1 | 3 | 5 | 9 | 21 | 37 |
| 35-49 | 3503 | 4.6 | 38 | 1 | 1 | 3 | 5 | 8 | 14 | 33 |
| 50-64 | 8541 | 4.9 | 43 | 1 | 1 | 3 | 5 | 8 | 14 | 37 |
| 65+ | 7460 | 6.4 | 76 | 1 | 1 | 4 | 6 | 13 | 21 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 539 | 4.6 | 29 | 1 | 1 | 3 | 5 | 11 | 14 | 32 |
| 20-34 | 2802 | 4.5 | 42 | <1 | 1 | 3 | 5 | 9 | 12 | 40 |
| 35-49 | 2020 | 5.7 | 48 | 1 | 1 | 3 | 7 | 12 | 16 | 36 |
| 50-64 | 3318 | 6.5 | 69 | 1 | 1 | 3 | 8 | 14 | 19 | 48 |
| 65+ | 4049 | 6.9 | 81 | 1 | 1 | 3 | 9 | 16 | 23 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6815 | 3.0 | 35 | <1 | <1 | 1 | 3 | 6 | 9 | 31 |
| B. *Operated* | 7427 | 3.6 | 16 | <1 | <1 | 2 | 4 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24093 | 5.2 | 55 | 1 | 1 | 3 | 5 | 10 | 17 | 40 |
| B. *Operated* | 12728 | 6.0 | 63 | 1 | 1 | 3 | 7 | 13 | 19 | 45 |
| **1. SINGLE DX** | 14242 | 3.3 | 25 | <1 | <1 | 2 | 3 | 7 | 11 | 23 |
| **2. MULTIPLE DX** | 36821 | 5.5 | 58 | 1 | 1 | 3 | 6 | 11 | 18 | 42 |
| **A. NOT OPERATED** | 30908 | 4.7 | 51 | <1 | 1 | 3 | 5 | 9 | 15 | 39 |
| **B. OPERATED** | 20155 | 5.1 | 47 | <1 | 1 | 3 | 6 | 11 | 16 | 37 |
| TOTAL 0-19 YRS | 4644 | 3.4 | 28 | <1 | <1 | 2 | 4 | 7 | 11 | 28 |
| 20-34 | 11713 | 3.6 | 31 | <1 | <1 | 2 | 4 | 7 | 10 | 29 |
| 35-49 | 7593 | 4.6 | 35 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| 50-64 | 13792 | 5.2 | 47 | 1 | 1 | 3 | 6 | 10 | 15 | 38 |
| 65+ | 13321 | 6.4 | 79 | 1 | 1 | 4 | 7 | 14 | 22 | 50 |
| **GRAND TOTAL** | **51063** | **4.9** | **50** | **<1** | **1** | **3** | **5** | **10** | **16** | **38** |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 16 |
| 20-34 | 17 | 4.9 | 10 | 1 | 2 | 5 | 6 | 10 | 12 | 12 |
| 35-49 | 14 | 3.9 | 7 | <1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 50-64 | 6 | 3.7 | 3 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 5 | 4.4 | 14 | 1 | 1 | 2 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 2 | 15.0 | 32 | 11 | 11 | 15 | 19 | 19 | 19 | 19 |
| 35-49 | 3 | 5.3 | 33 | 2 | 2 | 2 | 10 | 12 | 12 | 12 |
| 50-64 | 4 | 3.8 | 18 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 65+ | 3 | 4.7 | 12 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.2 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 25 | 5.4 | 20 | <1 | 1 | 4 | 8 | 10 | 13 | 21 |
| 35-49 | 25 | 5.1 | 24 | 1 | 1 | 3 | 7 | 14 | 17 | 17 |
| 50-64 | 40 | 4.8 | 7 | 1 | 1 | 4 | 6 | 9 | 10 | 11 |
| 65+ | 51 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 33 | 3 | 3 | 3 | 11 | 13 | 13 | 13 |
| 20-34 | 6 | 12.3 | 167 | 3 | 3 | 7 | 16 | 35 | 37 | 37 |
| 35-49 | 11 | 11.8 | 48 | 1 | 4 | 10 | 17 | 22 | 25 | 25 |
| 50-64 | 19 | 15.2 | 247 | 2 | 3 | 13 | 21 | 26 | 51 | 71 |
| 65+ | 19 | 9.4 | 58 | 1 | 2 | 6 | 13 | 24 | 25 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 16 | 5.4 | 27 | 1 | 1 | 3 | 9 | 12 | 17 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 4.4 | 13 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| B. *Operated* | 58 | 11.9 | 128 | 2 | 3 | 9 | 15 | 24 | 26 | 68 |
| **1. SINGLE DX** | 104 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 239 | 6.2 | 51 | 1 | 1 | 4 | 8 | 14 | 20 | 28 |
| **A. NOT OPERATED** | 269 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| **B. OPERATED** | 74 | 10.5 | 113 | 1 | 2 | 7 | 14 | 23 | 25 | 63 |
| TOTAL 0-19 YRS | 93 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 50 | 6.4 | 40 | 1 | 1 | 5 | 8 | 12 | 19 | 37 |
| 35-49 | 53 | 6.2 | 32 | 1 | 1 | 4 | 9 | 15 | 18 | 25 |
| 50-64 | 69 | 7.5 | 93 | 1 | 1 | 5 | 8 | 15 | 23 | 63 |
| 65+ | 78 | 5.5 | 29 | 1 | 1 | 4 | 8 | 13 | 16 | 25 |
| **GRAND TOTAL** | **343** | **5.5** | **40** | **1** | **1** | **4** | **7** | **12** | **17** | **25** |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 27 | 3.9 | 170 | <1 | <1 | 1 | 2 | 4 | 14 | 69 |
| 35-49 | 7 | 2.7 | 8 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 8931 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 2898 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 23 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 6 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 117 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 30 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 5653 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 2294 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 28 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 3.7 | 136 | <1 | <1 | 1 | 2 | 4 | 7 | 69 |
| B. *Operated* | 11922 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| B. *Operated* | 8032 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| **1. SINGLE DX** | 11956 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 8182 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| **A. NOT OPERATED** | 184 | 1.7 | 26 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| **B. OPERATED** | 19954 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 123 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 14728 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 5229 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 50-64 | 51 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 65+ | 7 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **GRAND TOTAL** | **20138** | **2.1** | **2** | **<1** | **<1** | **2** | **2** | **4** | **5** | **7** |

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
|  |  |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer — *see Neoplasm, malignant* |
|  | Carcinoma — *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs — *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
|  | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
|  | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 |    Appendix, except acute appendicitis |
| 151 |    Arteriosclerotic cardiovascular |
| 168 |    Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 |    Arthropod-borne |
| 79 |    Autoimmune |
| 6 |    Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 |    Biliary ducts |
| 234 |    Bladder, except calculus and cystitis |
| 313 |    Bone, except osteomyelitis and osteoarthritis |
| 242 |    Breast, except fibrocystic |
| 241 |    Breast, fibrocystic |
| 221 |    Celiac |
|  |    Central nervous system |
| 7 |       Enteroviral |
| 113 |       Inflammatory, except enteroviral |
| 117 |       Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  |    Cerebrovascular — *see Cerebrovascular accident* |
| 136 |    Chronic rheumatic heart |
| 296 |    Connective tissue, diffuse |
| 143 |    Coronary artery |
| 211 |    Crohn's |
| 75 |    Cushing's |
| 187 |    Dental |
| 209 |    Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer – *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer — *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve — *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes — *see Diabetes mellitus* |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
| | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
| | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
| | Paget's disease — *see Disease, Paget's* |
| | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
| | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 289 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
| | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
| | Tricuspid valve disease – *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open — *see Laceration* |
| | |
| 12 | Yellow fever |

R3850-1.4(1)A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

OP

# LENGTH OF STAY BY OPERATION



UNITED STATES

# NORTH CENTRAL REGION

## 1981



# Length of Stay by Operation, North Central Region, 1981

### A Companion Volume To Length of Stay by Diagnosis, North Central Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . 1
  Data Quality. . . . . . . . . . 2
  Coverage . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . 6
  Explanation of Statistics. . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . 15
  Summary of All Patients. . . . . . . . . . 16
  Operation Groups 501-764. . . . . . . . . . 17
**Appendix: *ICD-9-CM* Codes for Selected Operation Groups**. . . . . . . . . . 83
**Index to Length of Stay Tables** . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

### January-December 1981

| Hospital Class (1) | Short-Term Nonfederal Hospitals: U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | Beds: U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
|---|---|---|---|---|---|---|
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| *1. Diastolic BP > 110* | | | |
| *2. Not controlled by outpatient Rx* | | | |
| 3. | | | |
| 4. | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| Prostatic hyperplasia | 2 | | 235 |
| for: Cystoscopy | | | 636 |
| TUR | | | 648 |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| *1. Sepsis or fever > 101°, chills* | | | |
| *2. Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



### OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** **INDEX TO PROCEDURES**

**Procedure** — *continued*
- diagnostic NEC — *continued*
  - pleura 34.28
  - posterior chamber, eye 14.19
  - prostate 60.18
  - pulmonary 33.29
  - rectum 48.29
  - renal 55.29
  - respiratory 33.29
  - retina 14.19
  - retroperitoneum 59.29
  - salivary gland *or* duct 26.19
  - sclera 12.29
  - scrotum 61.19
  - seminal vesicle 60.19
  - sigmoid 45.28
  - sinus, nasal 22.19
  - skin 86.19
  - skull 01.19
  - soft tissue 83.29
  - spermatic cord 63.09
  - sphincter *of* Oddi 51.19
  - spine, spinal (canal) (cord) (meninges) (structure) 03.39
  - spleen 41.39
  - stomach 44.19
  - subcutaneous tissue 86.19
  - sympathetic nerve 05.19
  - tarsus 09.19
  - tendon NEC 83.29
    - extraocular 15.09
  - testicle 62.19
  - thalamus 01.18
  - thoracic duct 40.19
  - thorax 34.28
  - thymus 07.19
  - thyroid gland 06.19
  - tongue 25.09
  - tonsils 28.19
  - tooth 24.19
  - trachea 31.49
  - tunica vaginalis 61.19
  - ureter 56.39
  - urethra 58.29
  - uterus and supporting structures 68.19
  - uvula 27.29
  - vagina 70.29
  - vas deferens 63.09
  - vesical 57.39
  - vessel (blood) (any site) 38.29
  - vitreous 14.19
  - vulva 71.19
- fistulizing, sclera NEC 12.69
- miscellaneous (nonoperative) NEC 99.99
- respiratory (nonoperative) NEC 93.99
- surgical — *see* Operation

**Proctectasis** 96.22

**Proctectomy** (partial) (*see also* Resection, rectum) 48.69
- abdominoperineal 48.5

**Proctectomy** (partial) — *continued*
- complete (Miles) (Rankin) 48.5
- pull-through 48.49

**Proctoclysis** 96.37

**Proctolysis** 48.99

**Proctopexy** (Delorme) 48.76
- abdominal (Ripstein) 48.75

**Proctoplasty** 48.79

**Proctorrhaphy** 48.71

**Proctoscopy** 48.23
- through stoma (artificial) 48.22
- transabdominal approach 48.21

**Proctosigmoidectomy** (*see also* Resection, rectum) 48.69

**Proctosigmoidopexy** 48.76

**Proctosigmoidoscopy** 48.23
- through stoma (artificial) 48.22
- transabdominal approach 48.21

**Proctostomy** 48.1

**Proctotomy** (decompression) (linear) 48.0

**Production** — *see also* Formation
- atrial septal defect 35.42
- subcutaneous tunnel for esophageal anastomosis 42.86
  - with anastomosis — *see* Anastomosis, esophagus, antesternal

**Prognathic recession** 76.64

**Prophylaxis, dental** (scaling) (polishing) 96.54

**Prostatectomy** (complete) (partial) NEC 60.69
- loop 60.2
- perineal 60.62
- radical (any approach) 60.5
- retropubic (punch) (transcapsular) 60.4
- suprapubic (punch) (transvesical) 60.3
- transcapsular NEC 60.69
  - retropubic 60.4
- **transurethral** 60.2
- transvesical punch (suprapubic) 60.3

**Prostatocystotomy** 60.0

**Prostatolithotomy** 60.0

**Prostatotomy** (perineal) 60.0

**Prostatovesiculectomy** 60.5

**Protection** (of)
- individual from his surroundings 99.84
- surroundings from individual 99.84

**Psychoanalysis** 94.31

**Psychodrama** 94.43

**Psychotherapy** NEC 94.39
- biofeedback 94.39
- exploratory verbal 94.37
- group 94.44
  - for psychosexual dysfunctions 94.41
- play 94.36
- psychosexual dysfunctions 94.34
- supportive verbal 94.38

**Ptyalectasis** 26.91

**Ptyalithotomy** 26.0

**Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## 501 Hospitals, North Central Region, 1981, by Operation

### SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 208044 | 3.5 | 18 | 1 | 1 | 3 | 4 | 6 | 8 | 21 |
| 20-34 | 405736 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 152536 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 140714 | 6.4 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| 65+ | 124811 | 7.6 | 53 | 2 | 2 | 5 | 10 | 16 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 148347 | 5.5 | 55 | 1 | 1 | 3 | 6 | 10 | 16 | 43 |
| 20-34 | 321065 | 6.1 | 41 | 1 | 2 | 5 | 7 | 11 | 16 | 35 |
| 35-49 | 243943 | 7.9 | 57 | 2 | 2 | 6 | 10 | 15 | 21 | 40 |
| 50-64 | 337939 | 9.7 | 83 | 2 | 2 | 7 | 12 | 19 | 26 | 49 |
| 65+ | 486076 | 12.1 | 109 | 2 | 3 | 9 | 15 | 24 | 32 | 55 |
| **TOT. SINGLE DX** | 1031841 | 4.9 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **" MULTIPLE DX** | 1537370 | 9.0 | 82 | 2 | 2 | 6 | 11 | 19 | 26 | 48 |
| TOTAL 0-19 YRS | 356391 | 4.3 | 34 | 1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 20-34 | 726801 | 4.9 | 27 | 1 | 2 | 4 | 6 | 9 | 12 | 27 |
| 35-49 | 396479 | 6.9 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 50-64 | 478653 | 8.7 | 71 | 2 | 2 | 6 | 11 | 18 | 24 | 44 |
| 65+ | 610887 | 11.2 | 101 | 2 | 3 | 8 | 14 | 23 | 30 | 52 |
| **GRAND TOTAL** | 2569211 | 7.3 | 64 | 1 | 2 | 5 | 9 | 16 | 22 | 41 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 114 | 12.7 | 121 | 2 | 2 | 10 | 17 | 25 | 32 | 60 |
| 20-34 | 151 | 13.0 | 82 | 3 | 4 | 11 | 16 | 21 | 29 | 68 |
| 35-49 | 166 | 15.5 | 148 | 4 | 5 | 12 | 18 | 28 | 32 | 72 |
| 50-64 | 254 | 17.6 | 163 | 6 | 7 | 14 | 21 | 31 | 44 | 73 |
| 65+ | 179 | 21.1 | 206 | 6 | 8 | 17 | 25 | 41 | 49 | 79 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 149 | 20.1 | 300 | 3 | 5 | 15 | 28 | 42 | 71 | 99+ |
| 20-34 | 152 | 25.0 | 357 | 6 | 8 | 20 | 35 | 62 | 97 | 99+ |
| 35-49 | 217 | 24.2 | 305 | 7 | 9 | 19 | 30 | 47 | 74 | 99+ |
| 50-64 | 501 | 27.1 | 327 | 9 | 11 | 22 | 35 | 59 | 74 | 99+ |
| 65+ | 460 | 31.2 | 378 | 8 | 10 | 27 | 44 | 57 | 76 | 99+ |
| TOT. SINGLE DX | 864 | 16.5 | 158 | 3 | 5 | 14 | 20 | 31 | 41 | 73 |
| " MULTIPLE DX | 1479 | 27.0 | 352 | 7 | 9 | 22 | 36 | 57 | 76 | 99+ |
| TOTAL 0-19 YRS | 263 | 16.9 | 236 | 2 | 3 | 13 | 23 | 35 | 50 | 99 |
| 20-34 | 303 | 19.0 | 256 | 3 | 6 | 15 | 23 | 48 | 65 | 99+ |
| 35-49 | 383 | 20.4 | 256 | 4 | 7 | 16 | 26 | 39 | 61 | 96 |
| 50-64 | 755 | 23.9 | 292 | 7 | 9 | 18 | 30 | 52 | 67 | 99+ |
| 65+ | 639 | 28.4 | 351 | 8 | 9 | 23 | 39 | 55 | 73 | 99+ |
| GRAND TOTAL | 2343 | 23.1 | 306 | 5 | 7 | 18 | 30 | 50 | 66 | 99+ |

## 502: Cranictomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 86 | 11.8 | 117 | 3 | 4 | 8 | 13 | 24 | 31 | 62 |
| 20-34 | 78 | 13.3 | 78 | 4 | 5 | 11 | 17 | 25 | 37 | 84 |
| 35-49 | 80 | 16.1 | 151 | 5 | 7 | 12 | 18 | 29 | 42 | 72 |
| 50-64 | 121 | 15.0 | 88 | 5 | 6 | 13 | 18 | 28 | 35 | 74 |
| 65+ | 113 | 22.0 | 286 | 7 | 8 | 16 | 29 | 47 | 66 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 22.4 | 346 | 4 | 5 | 16 | 34 | 52 | 67 | 99+ |
| 20-34 | 128 | 24.3 | 373 | 5 | 7 | 19 | 33 | 65 | 81 | 99+ |
| 35-49 | 122 | 26.8 | 437 | 7 | 9 | 20 | 36 | 77 | 89 | 99+ |
| 50-64 | 211 | 27.9 | 383 | 7 | 9 | 23 | 38 | 62 | 83 | 99+ |
| 65+ | 275 | 30.6 | 409 | 8 | 10 | 26 | 41 | 66 | 83 | 99+ |
| TOT. SINGLE DX | 478 | 16.0 | 162 | 4 | 6 | 12 | 19 | 32 | 44 | 90 |
| " MULTIPLE DX | 834 | 27.4 | 400 | 6 | 8 | 22 | 37 | 64 | 83 | 99+ |
| TOTAL 0-19 YRS | 184 | 17.4 | 266 | 4 | 4 | 11 | 24 | 41 | 56 | 99 |
| 20-34 | 206 | 20.1 | 289 | 5 | 6 | 16 | 25 | 48 | 68 | 99+ |
| 35-49 | 202 | 22.6 | 351 | 6 | 8 | 16 | 29 | 52 | 80 | 99+ |
| 50-64 | 332 | 23.2 | 315 | 6 | 7 | 18 | 30 | 53 | 67 | 99+ |
| 65+ | 388 | 28.1 | 388 | 7 | 9 | 23 | 38 | 63 | 79 | 99+ |
| GRAND TOTAL | 1312 | 23.3 | 343 | 5 | 7 | 18 | 32 | 54 | 75 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 6.6 | 61 | 2 | 3 | 5 | 8 | 11 | 12 | 17 |
| 20-34 | 74 | 6.5 | 10 | 2 | 3 | 6 | 8 | 10 | 12 | 17 |
| 35-49 | 42 | 8.6 | 18 | 2 | 3 | 8 | 12 | 14 | 17 | 19 |
| 50-64 | 25 | 7.1 | 10 | 2 | 3 | 6 | 10 | 11 | 13 | 14 |
| 65+ | 7 | 10.9 | 34 | 4 | 4 | 9 | 15 | 19 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 12.1 | 179 | 2 | 3 | 8 | 12 | 30 | 41 | 88 |
| 20-34 | 100 | 14.7 | 191 | 3 | 5 | 11 | 17 | 34 | 61 | 99+ |
| 35-49 | 54 | 11.5 | 124 | 3 | 4 | 9 | 14 | 24 | 64 | 99+ |
| 50-64 | 42 | 16.7 | 284 | 4 | 4 | 10 | 22 | 41 | 53 | 79 |
| 65+ | 13 | 30.3 | 747 | 5 | 6 | 25 | 49 | 70 | 91 | 96 |
| TOT. SINGLE DX | 316 | 7.0 | 40 | 2 | 3 | 6 | 9 | 12 | 14 | 19 |
| " MULTIPLE DX | 320 | 14.1 | 221 | 3 | 4 | 9 | 16 | 33 | 56 | 99+ |
| TOTAL 0-19 YRS | 279 | 8.8 | 115 | 2 | 3 | 6 | 9 | 14 | 29 | 79 |
| 20-34 | 174 | 11.2 | 130 | 3 | 3 | 8 | 13 | 25 | 43 | 99+ |
| 35-49 | 96 | 10.2 | 79 | 3 | 4 | 9 | 12 | 19 | 24 | 99+ |
| 50-64 | 67 | 13.1 | 203 | 3 | 4 | 9 | 13 | 32 | 42 | 77 |
| 65+ | 20 | 23.5 | 574 | 4 | 5 | 14 | 26 | 58 | 79 | 96 |
| GRAND TOTAL | 636 | 10.6 | 144 | 2 | 3 | 7 | 11 | 21 | 34 | 99 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 9.1 | 26 | 4 | 4 | 8 | 11 | 16 | 21 | 27 |
| 20-34 | 32 | 16.5 | 220 | 4 | 7 | 11 | 16 | 38 | 60 | 65 |
| 35-49 | 19 | 16.6 | 224 | 6 | 7 | 11 | 19 | 30 | 53 | 71 |
| 50-64 | 26 | 13.5 | 40 | 5 | 6 | 11 | 17 | 21 | 27 | 29 |
| 65+ | 36 | 21.7 | 142 | 7 | 8 | 20 | 28 | 37 | 49 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 130 | 20.1 | 305 | 6 | 7 | 15 | 26 | 55 | 90 | 99+ |
| 20-34 | 40 | 22.9 | 295 | 6 | 6 | 17 | 32 | 47 | 73 | 99+ |
| 35-49 | 38 | 29.2 | 447 | 7 | 9 | 23 | 35 | 69 | 84 | 99+ |
| 50-64 | 64 | 33.1 | 531 | 8 | 10 | 27 | 48 | 75 | 96 | 99+ |
| 65+ | 164 | 32.1 | 296 | 8 | 10 | 30 | 43 | 57 | 65 | 76 |
| TOT. SINGLE DX | 185 | 14.2 | 125 | 4 | 5 | 11 | 17 | 27 | 36 | 64 |
| " MULTIPLE DX | 436 | 27.5 | 374 | 7 | 8 | 24 | 38 | 59 | 75 | 99+ |
| TOTAL 0-19 YRS | 202 | 16.2 | 233 | 4 | 5 | 11 | 20 | 41 | 74 | 99+ |
| 20-34 | 72 | 20.0 | 269 | 6 | 6 | 15 | 26 | 46 | 65 | 96 |
| 35-49 | 57 | 25.0 | 403 | 6 | 8 | 19 | 29 | 62 | 74 | 99 |
| 50-64 | 90 | 27.4 | 467 | 7 | 8 | 21 | 36 | 67 | 84 | 99+ |
| 65+ | 200 | 30.2 | 284 | 8 | 10 | 27 | 40 | 55 | 62 | 75 |
| GRAND TOTAL | 621 | 23.6 | 337 | 6 | 7 | 18 | 32 | 53 | 71 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 153 | 8.3 | 65 | 2 | 3 | 6 | 9 | 15 | 20 | 50 |
| 20-34 | 46 | 10.2 | 85 | 2 | 2 | 7 | 14 | 28 | 34 | 99+ |
| 35-49 | 23 | 10.7 | 73 | 2 | 3 | 9 | 15 | 23 | 31 | 32 |
| 50-64 | 30 | 13.4 | 74 | 4 | 5 | 11 | 17 | 22 | 26 | 47 |
| 65+ | 28 | 15.8 | 127 | 3 | 4 | 14 | 23 | 29 | 36 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 290 | 15.7 | 316 | 2 | 3 | 9 | 19 | 40 | 60 | 99 |
| 20-34 | 117 | 20.3 | 428 | 3 | 5 | 11 | 27 | 58 | 73 | 99+ |
| 35-49 | 63 | 21.2 | 279 | 4 | 6 | 15 | 29 | 56 | 62 | 99+ |
| 50-64 | 60 | 23.1 | 441 | 2 | 5 | 20 | 31 | 82 | 99+ | 99+ |
| 65+ | 77 | 22.8 | 215 | 3 | 7 | 19 | 33 | 44 | 57 | 90 |
| TOT. SINGLE DX | 280 | 10.1 | 82 | 2 | 3 | 7 | 13 | 21 | 30 | 50 |
| " MULTIPLE DX | 607 | 18.8 | 341 | 3 | 4 | 12 | 26 | 52 | 69 | 99+ |
| TOTAL 0-19 YRS | 443 | 13.1 | 242 | 2 | 3 | 7 | 15 | 33 | 52 | 93 |
| 20-34 | 163 | 17.4 | 351 | 2 | 4 | 10 | 19 | 50 | 71 | 99+ |
| 35-49 | 86 | 18.4 | 245 | 3 | 4 | 13 | 26 | 50 | 60 | 99+ |
| 50-64 | 90 | 19.9 | 338 | 2 | 5 | 16 | 27 | 63 | 97 | 99+ |
| 65+ | 105 | 20.9 | 200 | 3 | 5 | 18 | 28 | 41 | 53 | 80 |
| GRAND TOTAL | 887 | 16.0 | 275 | 2 | 3 | 10 | 20 | 41 | 60 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 9.9 | 17 | 4 | 5 | 9 | 12 | 16 | 18 | 20 |
| 20-34 | 302 | 11.0 | 38 | 4 | 5 | 9 | 13 | 20 | 24 | 33 |
| 35-49 | 600 | 12.1 | 45 | 5 | 6 | 10 | 15 | 20 | 25 | 36 |
| 50-64 | 546 | 13.0 | 68 | 5 | 6 | 11 | 15 | 23 | 27 | 41 |
| 65+ | 244 | 15.3 | 62 | 6 | 7 | 13 | 18 | 25 | 30 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 18.1 | 270 | 3 | 7 | 14 | 21 | 65 | 99+ | 99+ |
| 20-34 | 225 | 18.6 | 261 | 6 | 7 | 13 | 21 | 38 | 61 | 93 |
| 35-49 | 508 | 16.3 | 134 | 6 | 7 | 13 | 19 | 30 | 40 | 86 |
| 50-64 | 885 | 18.5 | 171 | 7 | 8 | 15 | 23 | 33 | 51 | 82 |
| 65+ | 642 | 23.7 | 249 | 8 | 9 | 20 | 30 | 43 | 58 | 89 |
| TOT. SINGLE DX | 1710 | 12.6 | 55 | 5 | 6 | 11 | 15 | 22 | 27 | 38 |
| " MULTIPLE DX | 2288 | 19.5 | 203 | 7 | 8 | 15 | 24 | 38 | 53 | 90 |
| TOTAL 0-19 YRS | 46 | 14.9 | 185 | 4 | 6 | 12 | 18 | 33 | 89 | 99+ |
| 20-34 | 527 | 14.3 | 148 | 5 | 6 | 11 | 17 | 26 | 36 | 89 |
| 35-49 | 1108 | 14.0 | 91 | 5 | 6 | 11 | 17 | 25 | 32 | 58 |
| 50-64 | 1431 | 16.4 | 139 | 6 | 7 | 13 | 20 | 29 | 40 | 76 |
| 65+ | 886 | 21.4 | 212 | 7 | 8 | 17 | 27 | 39 | 54 | 86 |
| GRAND TOTAL | 3998 | 16.6 | 151 | 6 | 7 | 13 | 20 | 31 | 41 | 78 |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 9.8 | 99 | 1 | 1 | 6 | 14 | 24 | 34 | 39 |
| 20-34 | 198 | 8.6 | 73 | 1 | 2 | 6 | 12 | 20 | 27 | 42 |
| 35-49 | 241 | 8.0 | 57 | 2 | 2 | 5 | 11 | 16 | 19 | 32 |
| 50-64 | 128 | 11.5 | 113 | 2 | 2 | 9 | 15 | 28 | 33 | 48 |
| 65+ | 35 | 12.9 | 146 | 2 | 2 | 10 | 15 | 29 | 42 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 20.4 | 303 | 2 | 3 | 16 | 28 | 44 | 54 | 86 |
| 20-34 | 284 | 11.0 | 208 | 2 | 2 | 6 | 13 | 28 | 50 | 99+ |
| 35-49 | 341 | 10.5 | 127 | 2 | 2 | 8 | 13 | 24 | 32 | 64 |
| 50-64 | 307 | 15.0 | 200 | 2 | 3 | 11 | 20 | 33 | 42 | 77 |
| 65+ | 143 | 24.0 | 291 | 2 | 4 | 20 | 34 | 45 | 59 | 74 |
| TOT. SINGLE DX | 630 | 9.2 | 83 | 2 | 2 | 6 | 13 | 20 | 27 | 44 |
| " MULTIPLE DX | 1168 | 14.3 | 221 | 2 | 2 | 10 | 18 | 34 | 47 | 90 |
| TOTAL 0-19 YRS | 121 | 18.0 | 275 | 2 | 3 | 14 | 25 | 38 | 53 | 80 |
| 20-34 | 482 | 10.0 | 154 | 2 | 2 | 6 | 13 | 22 | 36 | 98 |
| 35-49 | 582 | 9.5 | 100 | 2 | 2 | 7 | 12 | 19 | 27 | 60 |
| 50-64 | 435 | 14.0 | 177 | 2 | 2 | 10 | 19 | 30 | 39 | 65 |
| 65+ | 178 | 21.8 | 281 | 2 | 3 | 17 | 32 | 44 | 55 | 71 |
| GRAND TOTAL | 1798 | 12.5 | 178 | 2 | 2 | 9 | 16 | 30 | 40 | 72 |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 3.0 | 4 | 1 | 1 | 2 | 3 | 5 | 9 | 12 |
| 20-34 | 480 | 3.6 | 15 | 1 | 2 | 3 | 4 | 6 | 9 | 21 |
| 35-49 | 540 | 3.6 | 14 | 1 | 2 | 3 | 4 | 6 | 9 | 17 |
| 50-64 | 681 | 3.5 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 17 |
| 65+ | 257 | 4.4 | 13 | 1 | 2 | 3 | 5 | 9 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 20-34 | 271 | 5.9 | 72 | 1 | 2 | 3 | 6 | 12 | 22 | 40 |
| 35-49 | 357 | 5.4 | 24 | 2 | 2 | 4 | 6 | 12 | 17 | 25 |
| 50-64 | 492 | 6.3 | 42 | 2 | 2 | 4 | 7 | 13 | 20 | 34 |
| 65+ | 220 | 7.6 | 57 | 2 | 2 | 5 | 10 | 15 | 23 | 40 |
| TOT. SINGLE DX | 2030 | 3.6 | 12 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| " MULTIPLE DX | 1381 | 6.2 | 46 | 2 | 2 | 4 | 7 | 13 | 20 | 35 |
| TOTAL 0-19 YRS | 113 | 3.4 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 15 |
| 20-34 | 751 | 4.4 | 37 | 1 | 2 | 3 | 4 | 8 | 13 | 34 |
| 35-49 | 897 | 4.3 | 19 | 1 | 2 | 3 | 4 | 8 | 13 | 22 |
| 50-64 | 1173 | 4.7 | 25 | 1 | 2 | 3 | 5 | 9 | 14 | 28 |
| 65+ | 477 | 5.9 | 37 | 2 | 2 | 4 | 6 | 12 | 18 | 32 |
| GRAND TOTAL | 3411 | 4.7 | 27 | 1 | 2 | 3 | 5 | 9 | 14 | 28 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 237 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 2001 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 2604 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 2536 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 1094 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 255 | 2.9 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 21 |
| 20-34 | 917 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 35-49 | 1254 | 5.1 | 35 | 1 | 2 | 3 | 5 | 11 | 15 | 32 |
| 50-64 | 1757 | 5.2 | 34 | 1 | 2 | 3 | 6 | 12 | 17 | 30 |
| 65+ | 1192 | 6.3 | 50 | 1 | 2 | 4 | 7 | 14 | 20 | 36 |
| TOT. SINGLE DX | 8472 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 5375 | 5.1 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| TOTAL 0-19 YRS | 492 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 2918 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 35-49 | 3858 | 3.4 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 20 |
| 50-64 | 4293 | 3.8 | 18 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 65+ | 2286 | 4.7 | 32 | 1 | 2 | 3 | 5 | 10 | 15 | 30 |
| GRAND TOTAL | 13847 | 3.6 | 18 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 5.1 | 12 | 2 | 2 | 4 | 8 | 11 | 11 | 11 |
| 20-34 | 67 | 8.3 | 45 | 3 | 3 | 7 | 9 | 14 | 24 | 38 |
| 35-49 | 64 | 6.4 | 15 | 2 | 2 | 6 | 8 | 12 | 15 | 18 |
| 50-64 | 51 | 11.6 | 67 | 2 | 3 | 9 | 15 | 25 | 29 | 36 |
| 65+ | 48 | 11.9 | 39 | 4 | 6 | 10 | 15 | 22 | 24 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 57 | 10.1 | 125 | 3 | 4 | 7 | 8 | 19 | 29 | 64 |
| 35-49 | 75 | 14.4 | 178 | 3 | 4 | 10 | 18 | 30 | 35 | 72 |
| 50-64 | 158 | 16.6 | 137 | 4 | 5 | 14 | 21 | 27 | 44 | 59 |
| 65+ | 287 | 20.1 | 161 | 7 | 9 | 16 | 25 | 36 | 48 | 65 |
| TOT. SINGLE DX | 244 | 9.0 | 44 | 2 | 3 | 7 | 11 | 17 | 24 | 34 |
| " MULTIPLE DX | 578 | 17.4 | 163 | 5 | 6 | 14 | 22 | 33 | 46 | 65 |
| TOTAL 0-19 YRS | 15 | 5.3 | 11 | 2 | 2 | 4 | 8 | 11 | 11 | 11 |
| 20-34 | 124 | 9.1 | 82 | 3 | 3 | 7 | 9 | 16 | 25 | 59 |
| 35-49 | 139 | 10.7 | 119 | 2 | 3 | 7 | 13 | 22 | 31 | 70 |
| 50-64 | 209 | 15.4 | 124 | 3 | 5 | 13 | 20 | 27 | 36 | 59 |
| 65+ | 335 | 18.9 | 153 | 7 | 8 | 15 | 24 | 35 | 45 | 64 |
| GRAND TOTAL | 822 | 14.9 | 142 | 3 | 4 | 12 | 19 | 28 | 39 | 64 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 3.2 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 55 | 6.7 | 52 | <1 | <1 | 4 | 10 | 14 | 19 | 42 |
| 35-49 | 69 | 9.8 | 85 | 2 | 3 | 7 | 11 | 19 | 25 | 57 |
| 50-64 | 45 | 7.9 | 38 | 1 | 2 | 7 | 10 | 17 | 22 | 29 |
| 65+ | 29 | 6.9 | 34 | <1 | 1 | 5 | 9 | 14 | 18 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 3.9 | 19 | <1 | 1 | 2 | 4 | 11 | 14 | 15 |
| 20-34 | 62 | 10.0 | 64 | 2 | 2 | 7 | 13 | 22 | 28 | 36 |
| 35-49 | 89 | 9.8 | 52 | 2 | 3 | 8 | 13 | 21 | 24 | 36 |
| 50-64 | 98 | 12.3 | 100 | 3 | 4 | 10 | 15 | 26 | 30 | 55 |
| 65+ | 62 | 14.8 | 180 | 3 | 4 | 10 | 18 | 29 | 43 | 68 |
| TOT. SINGLE DX | 209 | 7.8 | 57 | <1 | 1 | 6 | 10 | 15 | 22 | 41 |
| " MULTIPLE DX | 325 | 11.3 | 97 | 2 | 3 | 9 | 14 | 23 | 29 | 58 |
| TOTAL 0-19 YRS | 25 | 3.6 | 13 | <1 | 1 | 2 | 5 | 8 | 12 | 15 |
| 20-34 | 117 | 8.4 | 61 | <1 | 2 | 6 | 12 | 18 | 24 | 38 |
| 35-49 | 158 | 9.8 | 66 | 2 | 3 | 8 | 12 | 20 | 25 | 39 |
| 50-64 | 143 | 10.9 | 85 | 2 | 3 | 8 | 13 | 23 | 29 | 43 |
| 65+ | 91 | 12.3 | 147 | 2 | 3 | 8 | 15 | 25 | 34 | 67 |
| GRAND TOTAL | 534 | 9.9 | 84 | 1 | 2 | 7 | 12 | 21 | 26 | 45 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 161 | 5.3 | 22 | 2 | 3 | 4 | 5 | 7 | 10 | 31 |
| 20-34 | 977 | 4.8 | 7 | 2 | 3 | 4 | 5 | 7 | 9 | 17 |
| 35-49 | 987 | 4.8 | 5 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 811 | 5.0 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 14 |
| 65+ | 325 | 5.8 | 8 | 3 | 4 | 5 | 6 | 9 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 5.3 | 7 | 2 | 3 | 4 | 6 | 10 | 12 | 14 |
| 20-34 | 445 | 5.8 | 16 | 3 | 3 | 5 | 6 | 9 | 13 | 22 |
| 35-49 | 594 | 6.4 | 19 | 3 | 3 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 722 | 7.8 | 43 | 3 | 4 | 6 | 9 | 14 | 19 | 35 |
| 65+ | 465 | 9.6 | 45 | 4 | 4 | 7 | 13 | 18 | 23 | 36 |
| TOT. SINGLE DX | 3261 | 4.9 | 7 | 3 | 3 | 4 | 5 | 7 | 9 | 16 |
| " MULTIPLE DX | 2291 | 7.4 | 33 | 3 | 3 | 5 | 8 | 14 | 18 | 33 |
| TOTAL 0-19 YRS | 226 | 5.3 | 18 | 2 | 3 | 4 | 5 | 8 | 11 | 29 |
| 20-34 | 1422 | 5.1 | 10 | 3 | 3 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 1581 | 5.4 | 11 | 3 | 3 | 5 | 6 | 8 | 12 | 19 |
| 50-64 | 1533 | 6.3 | 25 | 3 | 3 | 5 | 7 | 11 | 15 | 25 |
| 65+ | 790 | 8.0 | 34 | 3 | 4 | 6 | 9 | 15 | 20 | 33 |
| GRAND TOTAL | 5552 | 5.9 | 19 | 3 | 3 | 5 | 6 | 10 | 14 | 23 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 259 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 11 |
| 20-34 | 196 | 3.4 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 117 | 4.2 | 8 | 2 | 2 | 3 | 5 | 8 | 9 | 18 |
| 50-64 | 117 | 5.7 | 25 | 2 | 3 | 4 | 6 | 10 | 12 | 34 |
| 65+ | 50 | 5.7 | 26 | 1 | 2 | 5 | 7 | 10 | 10 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 3.7 | 7 | 1 | 2 | 3 | 4 | 7 | 11 | 13 |
| 20-34 | 97 | 8.6 | 70 | 2 | 2 | 6 | 10 | 18 | 27 | 77 |
| 35-49 | 136 | 8.3 | 45 | 3 | 3 | 6 | 10 | 16 | 21 | 63 |
| 50-64 | 252 | 9.7 | 73 | 3 | 3 | 7 | 11 | 21 | 27 | 47 |
| 65+ | 174 | 14.2 | 171 | 3 | 4 | 10 | 18 | 30 | 38 | 66 |
| TOT. SINGLE DX | 739 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| " MULTIPLE DX | 699 | 10.1 | 95 | 2 | 3 | 7 | 12 | 21 | 30 | 57 |
| TOTAL 0-19 YRS | 299 | 2.9 | 4 | 1 | 1 | 3 | 3 | 5 | 5 | 12 |
| 20-34 | 293 | 5.1 | 32 | 2 | 2 | 4 | 6 | 9 | 13 | 40 |
| 35-49 | 253 | 6.4 | 32 | 2 | 2 | 5 | 8 | 12 | 17 | 32 |
| 50-64 | 369 | 8.4 | 62 | 2 | 3 | 6 | 10 | 17 | 24 | 38 |
| 65+ | 224 | 12.3 | 151 | 2 | 3 | 8 | 15 | 28 | 36 | 64 |
| GRAND TOTAL | 1438 | 6.9 | 61 | 2 | 2 | 4 | 8 | 14 | 22 | 45 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 11.7 | 44 | 3 | 5 | 11 | 16 | 19 | 25 | 31 |
| 20-34 | 68 | 11.7 | 33 | 5 | 6 | 10 | 15 | 19 | 24 | 30 |
| 35-49 | 32 | 12.7 | 72 | 6 | 7 | 10 | 15 | 22 | 26 | 49 |
| 50-64 | 40 | 14.1 | 58 | 6 | 6 | 12 | 18 | 21 | 29 | 42 |
| 65+ | 22 | 19.1 | 142 | 5 | 8 | 17 | 25 | 30 | 43 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 16.0 | 69 | 6 | 8 | 15 | 19 | 27 | 35 | 37 |
| 20-34 | 62 | 15.3 | 130 | 7 | 7 | 12 | 17 | 29 | 50 | 95 |
| 35-49 | 55 | 17.5 | 71 | 7 | 8 | 17 | 23 | 28 | 35 | 45 |
| 50-64 | 89 | 22.6 | 236 | 7 | 9 | 19 | 28 | 47 | 50 | 97 |
| 65+ | 52 | 21.7 | 153 | 9 | 9 | 18 | 26 | 38 | 47 | 64 |
| TOT. SINGLE DX | 183 | 13.3 | 64 | 5 | 6 | 11 | 17 | 23 | 27 | 47 |
| " MULTIPLE DX | 271 | 19.4 | 162 | 7 | 8 | 16 | 24 | 38 | 48 | 89 |
| TOTAL 0-19 YRS | 34 | 13.3 | 57 | 4 | 6 | 11 | 17 | 23 | 30 | 37 |
| 20-34 | 130 | 13.4 | 82 | 5 | 6 | 11 | 15 | 24 | 31 | 67 |
| 35-49 | 87 | 15.7 | 76 | 7 | 7 | 13 | 20 | 26 | 34 | 48 |
| 50-64 | 129 | 20.0 | 196 | 6 | 8 | 17 | 24 | 41 | 49 | 94 |
| 65+ | 74 | 20.9 | 150 | 8 | 9 | 18 | 26 | 38 | 47 | 63 |
| GRAND TOTAL | 454 | 16.9 | 132 | 6 | 7 | 14 | 21 | 31 | 44 | 64 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 241 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 57 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 67 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 103 | 2.4 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 65+ | 164 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 50 | 2.8 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 39 | 6.3 | 77 | 1 | 1 | 3 | 8 | 15 | 25 | 45 |
| 35-49 | 103 | 5.9 | 33 | 1 | 1 | 4 | 8 | 13 | 20 | 27 |
| 50-64 | 161 | 7.5 | 54 | 1 | 2 | 5 | 10 | 16 | 25 | 37 |
| 65+ | 229 | 6.9 | 46 | 1 | 2 | 4 | 9 | 15 | 23 | 32 |
| TOT. SINGLE DX | 632 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 582 | 6.5 | 46 | 1 | 1 | 4 | 9 | 15 | 22 | 32 |
| TOTAL 0-19 YRS | 291 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 96 | 3.6 | 36 | <1 | 1 | 2 | 3 | 8 | 13 | 38 |
| 35-49 | 170 | 4.4 | 24 | <1 | 1 | 2 | 5 | 10 | 15 | 26 |
| 50-64 | 264 | 5.5 | 41 | 1 | 1 | 3 | 7 | 13 | 17 | 32 |
| 65+ | 393 | 5.1 | 33 | 1 | 1 | 3 | 6 | 13 | 16 | 30 |
| GRAND TOTAL | 1214 | 4.1 | 28 | <1 | 1 | 2 | 4 | 10 | 15 | 28 |

### 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 325 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 154 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 15 |
| 35-49 | 256 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 405 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 545 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 322 | 3.3 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 20-34 | 445 | 4.0 | 34 | <1 | 1 | 2 | 4 | 8 | 12 | 44 |
| 35-49 | 398 | 3.9 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 28 |
| 50-64 | 591 | 3.9 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 65+ | 819 | 5.5 | 52 | 1 | 1 | 3 | 6 | 13 | 21 | 38 |
| TOT. SINGLE DX | 1685 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 2575 | 4.4 | 35 | 1 | 1 | 3 | 4 | 9 | 14 | 33 |
| TOTAL 0-19 YRS | 647 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 20-34 | 599 | 3.6 | 28 | <1 | 1 | 2 | 4 | 7 | 11 | 37 |
| 35-49 | 654 | 3.2 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 50-64 | 996 | 3.2 | 18 | 1 | 1 | 2 | 3 | 5 | 9 | 20 |
| 65+ | 1364 | 4.1 | 35 | 1 | 1 | 2 | 4 | 9 | 15 | 33 |
| GRAND TOTAL | 4260 | 3.5 | 23 | 1 | 1 | 2 | 3 | 6 | 10 | 27 |

### 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 1.8 | | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 63 | 2.5 | | 1 | 2 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 52 | 2.4 | | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 67 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 98 | 2.9 | 2 | 2 | 2 | 2 | 3 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 4.2 | 28 | 1 | 1 | 2 | 4 | 8 | 13 | 28 |
| 20-34 | 28 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 29 | 3.4 | 10 | 1 | 1 | 2 | 4 | 5 | 13 | 15 |
| 50-64 | 49 | 3.3 | 5 | 1 | 2 | 2 | 4 | 7 | 8 | 12 |
| 65+ | 123 | 4.5 | 16 | 2 | 2 | 3 | 5 | 9 | 15 | 22 |
| TOT. SINGLE DX | 348 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 257 | 3.9 | 14 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 96 | 2.5 | 10 | <1 | 1 | 2 | 2 | 4 | 7 | 20 |
| 20-34 | 91 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 81 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 50-64 | 116 | 2.8 | 3 | 1 | 2 | 2 | 3 | 5 | 7 | 10 |
| 65+ | 221 | 3.8 | 11 | 2 | 2 | 3 | 4 | 7 | 10 | 20 |
| GRAND TOTAL | 605 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |

### 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 2.4 | 10 | 1 | 1 | 2 | 2 | 3 | 10 | 16 |
| 20-34 | 16 | 3.3 | 12 | 1 | 1 | 2 | 3 | 9 | 12 | 14 |
| 35-49 | 15 | 1.8 | | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 13 | 4.1 | 15 | <1 | 1 | 3 | 5 | 11 | 13 | 13 |
| 65+ | 20 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 1.9 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 18 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 15 | 6.7 | 46 | 1 | 1 | 4 | 9 | 21 | 22 | 23 |
| 50-64 | 16 | 2.8 | 6 | 1 | 1 | 2 | 2 | 8 | 9 | 9 |
| 65+ | 28 | 7.1 | 56 | 1 | 2 | 3 | 9 | 20 | 23 | 28 |
| TOT. SINGLE DX | 104 | 2.6 | 9 | 1 | 1 | 2 | 3 | 4 | 10 | 16 |
| " MULTIPLE DX | 96 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 20 | 26 |
| TOTAL 0-19 YRS | 59 | 2.2 | 7 | 1 | 1 | 2 | 2 | 3 | 3 | 16 |
| 20-34 | 34 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 30 | 4.3 | 29 | 1 | 1 | 2 | 4 | 9 | 21 | 23 |
| 50-64 | 29 | 3.4 | 10 | 1 | 1 | 2 | 4 | 9 | 11 | 13 |
| 65+ | 48 | 5.1 | 39 | 1 | 1 | 3 | 5 | 16 | 21 | 28 |
| GRAND TOTAL | 200 | 3.6 | 20 | 1 | 1 | 2 | 3 | 9 | 14 | 22 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 4.0 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 65 | 4.7 | 14 | 2 | 3 | 4 | 5 | 6 | 8 | 30 |
| 35-49 | 64 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 71 | 5.2 | 11 | 2 | 2 | 4 | 6 | 7 | 13 | 22 |
| 65+ | 179 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 7.4 | 25 | 2 | 3 | 6 | 8 | 16 | 19 | 19 |
| 20-34 | 40 | 5.7 | 6 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| 35-49 | 47 | 6.1 | 12 | 3 | 3 | 5 | 7 | 11 | 14 | 18 |
| 50-64 | 101 | 5.5 | 9 | 3 | 3 | 5 | 6 | 8 | 11 | 21 |
| 65+ | 371 | 6.1 | 17 | 3 | 3 | 5 | 6 | 9 | 12 | 22 |
| TOT. SINGLE DX | 388 | 4.8 | 9 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| " MULTIPLE DX | 567 | 6.0 | 15 | 3 | 3 | 5 | 6 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 17 | 5.6 | 16 | 1 | 2 | 5 | 6 | 8 | 15 | 19 |
| 20-34 | 105 | 5.1 | 12 | 2 | 3 | 5 | 6 | 7 | 9 | 24 |
| 35-49 | 111 | 4.9 | 8 | 2 | 2 | 5 | 6 | 8 | 11 | 16 |
| 50-64 | 172 | 5.4 | 10 | 2 | 3 | 5 | 6 | 8 | 11 | 22 |
| 65+ | 550 | 5.7 | 15 | 2 | 3 | 5 | 6 | 9 | 11 | 20 |
| GRAND TOTAL | 955 | 5.5 | 13 | 2 | 3 | 5 | 6 | 8 | 11 | 19 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 103 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 20-34 | 147 | 2.7 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 35-49 | 124 | 2.6 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 110 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 118 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 4.3 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 89 | 5.6 | 21 | 2 | 2 | 4 | 7 | 10 | 14 | 29 |
| 35-49 | 63 | 5.5 | 26 | 2 | 2 | 4 | 6 | 13 | 15 | 27 |
| 50-64 | 70 | 4.7 | 15 | 1 | 2 | 3 | 6 | 9 | 13 | 21 |
| 65+ | 120 | 5.2 | 27 | 1 | 2 | 3 | 6 | 11 | 17 | 26 |
| TOT. SINGLE DX | 602 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| " MULTIPLE DX | 419 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 180 | 3.9 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 20-34 | 236 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 187 | 3.6 | 15 | 1 | 1 | 2 | 4 | 7 | 12 | 24 |
| 50-64 | 180 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 65+ | 238 | 4.0 | 17 | 1 | 1 | 2 | 4 | 9 | 12 | 25 |
| GRAND TOTAL | 1021 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 2.9 | 5 | <1 | 1 | 3 | 3 | 5 | 8 | 11 |
| 20-34 | 55 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 85 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 50-64 | 266 | 3.6 | 5 | 2 | 2 | 3 | 4 | 6 | 9 | 13 |
| 65+ | 544 | 3.6 | 7 | 2 | 2 | 3 | 4 | 7 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 29 | 4.9 | 6 | 1 | 2 | 4 | 7 | 8 | 10 | 10 |
| 35-49 | 60 | 5.9 | 42 | 2 | 2 | 4 | 7 | 11 | 13 | 45 |
| 50-64 | 213 | 5.1 | 43 | 2 | 2 | 3 | 6 | 9 | 12 | 20 |
| 65+ | 490 | 5.3 | 20 | 2 | 2 | 4 | 6 | 10 | 14 | 21 |
| TOT. SINGLE DX | 973 | 3.7 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 820 | 5.2 | 27 | 2 | 2 | 4 | 6 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 51 | 3.0 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 84 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 35-49 | 145 | 4.7 | 21 | 2 | 2 | 4 | 5 | 9 | 11 | 16 |
| 50-64 | 479 | 4.3 | 23 | 2 | 2 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 1034 | 4.4 | 14 | 2 | 2 | 3 | 5 | 8 | 11 | 20 |
| GRAND TOTAL | 1793 | 4.4 | 16 | 2 | 2 | 3 | 5 | 8 | 11 | 18 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 4.3 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 14 |
| 20-34 | 63 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 84 | 3.6 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 258 | 3.0 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | 428 | 3.2 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 5.1 | 13 | 1 | 2 | 4 | 7 | 10 | 13 | 18 |
| 20-34 | 56 | 5.9 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 26 |
| 35-49 | 42 | 5.4 | 13 | 2 | 2 | 5 | 6 | 11 | 12 | 19 |
| 50-64 | 160 | 4.7 | 14 | 1 | 2 | 3 | 5 | 10 | 14 | 18 |
| 65+ | 418 | 5.5 | 31 | 1 | 2 | 4 | 7 | 11 | 17 | 26 |
| TOT. SINGLE DX | 897 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 732 | 5.3 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| TOTAL 0-19 YRS | 120 | 4.7 | 12 | 1 | 1 | 4 | 6 | 10 | 11 | 16 |
| 20-34 | 119 | 4.7 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 35-49 | 126 | 4.2 | 10 | 1 | 2 | 3 | 6 | 8 | 11 | 15 |
| 50-64 | 418 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 65+ | 846 | 4.4 | 19 | 1 | 2 | 3 | 5 | 8 | 12 | 23 |
| GRAND TOTAL | 1629 | 4.2 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 23 | 2.7 | 1 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 602 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 3928 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 13459 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 4.5 | 6 | 2 | 2 | 4 | 5 | 9 | 10 | 11 |
| 20-34 | 38 | 4.5 | 6 | 2 | 2 | 4 | 5 | 9 | 11 | 12 |
| 35-49 | 374 | 4.3 | 23 | 2 | 2 | 3 | 4 | 6 | 10 | 27 |
| 50-64 | 2991 | 4.2 | 19 | 2 | 2 | 3 | 4 | 7 | 10 | 21 |
| 65+ | 12207 | 4.4 | 15 | 2 | 2 | 3 | 4 | 7 | 11 | 21 |
| TOT. SINGLE DX | 18050 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| " MULTIPLE DX | 15635 | 4.3 | 17 | 2 | 2 | 3 | 4 | 7 | 11 | 21 |
| TOTAL 0-19 YRS | 63 | 3.7 | 5 | 2 | 2 | 3 | 4 | 6 | 10 | 12 |
| 20-34 | 61 | 3.8 | 5 | 1 | 2 | 3 | 4 | 7 | 9 | 12 |
| 35-49 | 976 | 3.5 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 6919 | 3.5 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 65+ | 25666 | 3.8 | 9 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| GRAND TOTAL | 33685 | 3.7 | 9 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 20-34 | 98 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 535 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 2298 | 2.5 | | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 7067 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 3.2 | 8 | 2 | 2 | 2 | 3 | 5 | 6 | 21 |
| 20-34 | 85 | 3.2 | 3 | 1 | 2 | 2 | 4 | 6 | 8 | 9 |
| 35-49 | 235 | 3.3 | 12 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| 50-64 | 1288 | 3.2 | 8 | 1 | 2 | 2 | 3 | 5 | 8 | 17 |
| 65+ | 4537 | 3.7 | 11 | 2 | 2 | 3 | 4 | 6 | 9 | 20 |
| TOT. SINGLE DX | 10140 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 6216 | 3.5 | 11 | 2 | 2 | 3 | 4 | 6 | 9 | 20 |
| TOTAL 0-19 YRS | 213 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 183 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 770 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 3586 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 11604 | 3.1 | 6 | 1 | 2 | 3 | 3 | 4 | 6 | 14 |
| GRAND TOTAL | 16356 | 3.0 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 13 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 16 | 2.7 | | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 54 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 8 |
| 50-64 | 389 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 1279 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 54 | 2 | 2 | 3 | 10 | 17 | 17 | 17 |
| 20-34 | 5 | 3.2 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 17 | 5.5 | 163 | 2 | 2 | 2 | 3 | 4 | 37 | 55 |
| 50-64 | 232 | 3.3 | 15 | 2 | 2 | 3 | 3 | 5 | 6 | 15 |
| 65+ | 993 | 4.2 | 18 | 2 | 2 | 3 | 4 | 6 | 11 | 22 |
| TOT. SINGLE DX | 1740 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 1251 | 4.0 | 20 | 2 | 2 | 3 | 4 | 6 | 10 | 21 |
| TOTAL 0-19 YRS | 6 | 4.5 | 38 | <1 | <1 | 2 | 3 | 16 | 17 | 17 |
| 20-34 | 21 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 71 | 3.3 | 40 | 2 | 2 | 2 | 3 | 4 | 4 | 45 |
| 50-64 | 621 | 2.9 | 7 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| 65+ | 2272 | 3.5 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 17 |
| GRAND TOTAL | 2991 | 3.4 | 10 | 2 | 2 | 3 | 4 | 5 | 6 | 16 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 92 | 4.5 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 165 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 18 |
| 35-49 | 139 | 4.6 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 21 |
| 50-64 | 523 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 558 | 5.3 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 7.8 | 58 | 1 | 2 | 6 | 9 | 15 | 18 | 51 |
| 20-34 | 152 | 5.8 | 12 | 2 | 3 | 5 | 7 | 9 | 11 | 25 |
| 35-49 | 115 | 6.4 | 18 | 2 | 2 | 6 | 7 | 12 | 15 | 23 |
| 50-64 | 505 | 5.8 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 65+ | 617 | 6.1 | 18 | 2 | 2 | 5 | 7 | 10 | 14 | 25 |
| TOT. SINGLE DX | 1477 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| " MULTIPLE DX | 1444 | 6.0 | 18 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| TOTAL 0-19 YRS | 147 | 5.7 | 27 | 1 | 2 | 5 | 6 | 10 | 14 | 24 |
| 20-34 | 317 | 5.2 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 254 | 5.4 | 14 | 2 | 2 | 5 | 6 | 9 | 12 | 21 |
| 50-64 | 1028 | 5.2 | 10 | 2 | 2 | 5 | 6 | 9 | 11 | 16 |
| 65+ | 1175 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| GRAND TOTAL | 2921 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |

### 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 31 | 4.6 | 13 | 1 | 1 | 3 | 6 | 11 | 11 | 17 |
| 35-49 | 22 | 3.6 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 7 |
| 50-64 | 70 | 4.0 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 12 |
| 65+ | 138 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 4.3 | 4 | 2 | 2 | 4 | 6 | 6 | 8 | 11 |
| 20-34 | 101 | 6.3 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 32 |
| 35-49 | 85 | 5.7 | 11 | 2 | 3 | 5 | 7 | 11 | 13 | 16 |
| 50-64 | 171 | 6.1 | 23 | 2 | 2 | 5 | 7 | 12 | 17 | 24 |
| 65+ | 332 | 6.1 | 47 | 2 | 2 | 4 | 7 | 13 | 15 | 30 |
| TOT. SINGLE DX | 288 | 3.9 | 7 | 1 | 2 | 3 | 5 | 8 | 10 | 13 |
| " MULTIPLE DX | 714 | 6.0 | 33 | 2 | 2 | 4 | 7 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 52 | 4.1 | 6 | 2 | 2 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 132 | 5.9 | 25 | 2 | 2 | 4 | 7 | 11 | 14 | 27 |
| 35-49 | 107 | 5.3 | 10 | 2 | 2 | 4 | 6 | 10 | 12 | 16 |
| 50-64 | 241 | 5.5 | 19 | 2 | 2 | 4 | 6 | 10 | 15 | 24 |
| 65+ | 470 | 5.4 | 37 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |
| GRAND TOTAL | 1002 | 5.4 | 27 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |

### 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2924 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 517 | 2.2 | 9 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 215 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 140 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 65+ | 78 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 449 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 196 | 2.8 | 9 | 1 | 1 | 2 | 3 | 3 | 6 | 20 |
| 35-49 | 114 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 109 | 2.6 | 3 | 2 | 2 | 2 | 3 | 4 | 7 | 12 |
| 65+ | 63 | 3.2 | 7 | 2 | 2 | 2 | 3 | 6 | 10 | 17 |
| TOT. SINGLE DX | 3874 | 1.8 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 931 | 2.3 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| TOTAL 0-19 YRS | 3373 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 713 | 2.4 | 10 | 1 | 1 | 2 | 2 | 3 | 3 | 15 |
| 35-49 | 329 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 249 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 65+ | 141 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| GRAND TOTAL | 4805 | 1.9 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |

### 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 7 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 3 | 2 | 2 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 7 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 4 | 6.8 | 43 | 2 | 2 | 5 | 11 | 16 | 16 | 16 |
| 50-64 | 5 | 3.2 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 22 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| " MULTIPLE DX | 21 | 3.7 | 11 | 1 | 2 | 2 | 4 | 7 | 11 | 16 |
| TOTAL 0-19 YRS | 18 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 5 | 6 |
| 20-34 | 14 | 2.2 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 35-49 | 4 | 6.8 | 44 | 2 | 2 | 5 | 11 | 16 | 16 | 16 |
| 50-64 | 6 | 3.0 | 2 | 2 | 2 | 3 | 3 | 6 | 6 | 6 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| GRAND TOTAL | 43 | 2.8 | 6 | 1 | 1 | 2 | 3 | 6 | 7 | 16 |

### 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 20-34 | 125 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 82 | 3.9 | 17 | 1 | 2 | 3 | 4 | 7 | 9 | 28 |
| 50-64 | 103 | 3.9 | 11 | 1 | 2 | 3 | 4 | 6 | 10 | 22 |
| 65+ | 160 | 3.8 | 7 | 1 | 2 | 3 | 4 | 8 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 103 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 10 | 15 |
| 20-34 | 141 | 5.1 | 25 | 2 | 2 | 4 | 6 | 10 | 12 | 21 |
| 35-49 | 102 | 6.7 | 71 | 2 | 2 | 4 | 7 | 16 | 19 | 53 |
| 50-64 | 162 | 6.3 | 41 | 2 | 2 | 4 | 7 | 13 | 20 | 34 |
| 65+ | 292 | 6.6 | 44 | 2 | 2 | 4 | 8 | 14 | 21 | 32 |
| TOT. SINGLE DX | 620 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| " MULTIPLE DX | 800 | 6.0 | 40 | 2 | 2 | 4 | 7 | 12 | 18 | 32 |
| TOTAL 0-19 YRS | 253 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 20-34 | 266 | 4.2 | 17 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 184 | 5.5 | 49 | 1 | 2 | 4 | 6 | 11 | 17 | 38 |
| 50-64 | 265 | 5.4 | 31 | 1 | 2 | 3 | 6 | 12 | 18 | 31 |
| 65+ | 452 | 5.6 | 33 | 2 | 2 | 4 | 7 | 11 | 17 | 30 |
| GRAND TOTAL | 1420 | 4.9 | 28 | 1 | 2 | 3 | 6 | 10 | 14 | 27 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 484 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 192 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 93 | 3.3 | 16 | 1 | 1 | 2 | 3 | 8 | 10 | 23 |
| 50-64 | 102 | 3.3 | 15 | <1 | 1 | 2 | 3 | 6 | 9 | 24 |
| 65+ | 140 | 3.7 | 21 | 1 | 1 | 2 | 3 | 8 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 345 | 3.5 | 22 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 223 | 5.3 | 42 | 1 | 1 | 3 | 6 | 12 | 16 | 34 |
| 35-49 | 122 | 5.8 | 58 | 1 | 1 | 3 | 7 | 11 | 21 | 45 |
| 50-64 | 136 | 6.7 | 57 | 1 | 2 | 4 | 8 | 15 | 26 | 54 |
| 65+ | 238 | 9.4 | 88 | 1 | 2 | 6 | 12 | 20 | 28 | 49 |
| TOT. SINGLE DX | 1011 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 7 | 18 |
| " MULTIPLE DX | 1064 | 5.9 | 54 | 1 | 1 | 3 | 7 | 13 | 19 | 43 |
| TOTAL 0-19 YRS | 829 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 415 | 3.9 | 26 | 1 | 1 | 2 | 4 | 9 | 13 | 28 |
| 35-49 | 215 | 4.7 | 42 | 1 | 1 | 2 | 5 | 9 | 18 | 37 |
| 50-64 | 238 | 5.2 | 42 | <1 | 1 | 3 | 6 | 12 | 17 | 43 |
| 65+ | 378 | 7.3 | 71 | 1 | 1 | 4 | 10 | 17 | 23 | 46 |
| GRAND TOTAL | 2075 | 4.3 | 35 | 1 | 1 | 2 | 4 | 9 | 15 | 32 |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 13 |
| 20-34 | 426 | 2.4 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 558 | 2.5 | | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 637 | 2.6 | | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 65+ | 242 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 2.3 | | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 98 | 3.0 | 19 | 1 | 1 | 2 | 3 | 4 | 4 | 30 |
| 35-49 | 150 | 2.9 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 178 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 87 | 3.4 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 72 |
| TOT. SINGLE DX | 1961 | 2.6 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 565 | 3.0 | 7 | 1 | 2 | 2 | 3 | 5 | 6 | 15 |
| TOTAL 0-19 YRS | 150 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 524 | 2.5 | 4 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 708 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 815 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 329 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| GRAND TOTAL | 2526 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1042 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 838 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 35-49 | 580 | 2.4 | 6 | 1 | 2 | 2 | 3 | 3 | 3 | 5 |
| 50-64 | 519 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 186 | 2.4 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 741 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 633 | 2.7 | 13 | 1 | 2 | 2 | 3 | 3 | 4 | 14 |
| 35-49 | 504 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 603 | 2.9 | 6 | 2 | 2 | 2 | 3 | 4 | 5 | 16 |
| 65+ | 196 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| TOT. SINGLE DX | 3165 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| " MULTIPLE DX | 2677 | 2.6 | 7 | 1 | 2 | 2 | 3 | 3 | 4 | 13 |
| TOTAL 0-19 YRS | 1783 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1471 | 2.4 | 6 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 1084 | 2.6 | 6 | 1 | 2 | 2 | 3 | 3 | 4 | 10 |
| 50-64 | 1122 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 4 | 14 |
| 65+ | 382 | 2.6 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 8 |
| GRAND TOTAL | 5842 | 2.4 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3810 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| 20-34 | 145 | 1.8 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 10 |
| 35-49 | 109 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 11 |
| 50-64 | 113 | 2.7 | 21 | <1 | 1 | 2 | 3 | 4 | 7 | 24 |
| 65+ | 56 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2708 | 2.5 | 10 | <1 | 1 | 2 | 2 | 5 | 8 | 16 |
| 20-34 | 136 | 3.7 | 31 | 1 | 1 | 2 | 3 | 7 | 12 | 28 |
| 35-49 | 138 | 4.7 | 42 | 1 | 1 | 2 | 4 | 11 | 14 | 30 |
| 50-64 | 136 | 5.8 | 41 | 1 | 1 | 3 | 7 | 16 | 21 | 30 |
| 65+ | 101 | 10.0 | 152 | 1 | 1 | 5 | 13 | 23 | 39 | 64 |
| TOT. SINGLE DX | 4233 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| " MULTIPLE DX | 3219 | 3.0 | 21 | <1 | 1 | 2 | 2 | 6 | 10 | 23 |
| TOTAL 0-19 YRS | 6518 | 1.7 | 5 | <1 | <1 | 1 | 2 | 2 | 5 | 11 |
| 20-34 | 281 | 2.7 | 18 | <1 | 1 | 2 | 2 | 5 | 7 | 20 |
| 35-49 | 247 | 3.6 | 26 | <1 | 1 | 2 | 3 | 7 | 13 | 25 |
| 50-64 | 249 | 4.4 | 35 | 1 | 1 | 2 | 4 | 10 | 16 | 29 |
| 65+ | 157 | 7.2 | 113 | 1 | 1 | 3 | 8 | 21 | 24 | 58 |
| GRAND TOTAL | 7452 | 2.0 | 11 | <1 | <1 | 1 | 2 | 3 | 6 | 16 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 225 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 204 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 150 | 3.1 | 4 | 1 | 1 | 3 | 3 | 5 | 8 | 13 |
| 50-64 | 129 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 6 | 14 |
| 65+ | 60 | 3.6 | 6 | 1 | 2 | 3 | 3 | 7 | 10 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 338 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 317 | 3.8 | 37 | 1 | 2 | 3 | 3 | 5 | 8 | 30 |
| 35-49 | 228 | 3.5 | 13 | 2 | 2 | 3 | 4 | 5 | 8 | 23 |
| 50-64 | 245 | 4.3 | 28 | 2 | 2 | 3 | 4 | 7 | 12 | 32 |
| 65+ | 127 | 7.3 | 139 | 2 | 2 | 4 | 6 | 14 | 23 | 63 |
| TOT. SINGLE DX | 768 | 2.9 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| " MULTIPLE DX | 1255 | 4.0 | 34 | 2 | 2 | 3 | 4 | 6 | 10 | 30 |
| TOTAL 0-19 YRS | 563 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 521 | 3.3 | 24 | 1 | 2 | 3 | 3 | 4 | 6 | 25 |
| 35-49 | 378 | 3.3 | 10 | 1 | 2 | 3 | 3 | 5 | 8 | 14 |
| 50-64 | 374 | 3.9 | 20 | 2 | 2 | 3 | 4 | 6 | 10 | 22 |
| 65+ | 187 | 6.1 | 99 | 2 | 2 | 3 | 5 | 12 | 16 | 61 |
| GRAND TOTAL | 2023 | 3.5 | 23 | 1 | 2 | 3 | 3 | 5 | 8 | 23 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 455 | 1.5 | | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 195 | 2.8 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 171 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 7 | 9 |
| 50-64 | 224 | 3.0 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 11 |
| 65+ | 72 | 3.5 | 4 | 2 | 2 | 3 | 4 | 6 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 219 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 7 | 21 |
| 20-34 | 154 | 3.3 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 109 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 50-64 | 146 | 4.3 | 30 | 1 | 2 | 2 | 4 | 9 | 14 | 30 |
| 65+ | 55 | 7.6 | 156 | 1 | 2 | 3 | 7 | 19 | 27 | 80 |
| TOT. SINGLE DX | 1117 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 683 | 3.6 | 29 | 1 | 1 | 2 | 3 | 7 | 10 | 28 |
| TOTAL 0-19 YRS | 674 | 1.8 | 4 | <1 | 1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 349 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 280 | 3.2 | 8 | 1 | 2 | 3 | 3 | 5 | 8 | 12 |
| 50-64 | 370 | 3.5 | 14 | 2 | 2 | 3 | 3 | 5 | 9 | 24 |
| 65+ | 127 | 5.3 | 74 | 1 | 2 | 3 | 5 | 9 | 18 | 46 |
| GRAND TOTAL | 1800 | 2.9 | 13 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 272 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 627 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 270 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 138 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 65+ | 37 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 595 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 1267 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 746 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 458 | 4.1 | 10 | 2 | 2 | 3 | 4 | 7 | 10 | 17 |
| 65+ | 139 | 4.6 | 14 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |
| **TOT. SINGLE DX** | 1344 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **" MULTIPLE DX** | 3205 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| TOTAL 0-19 YRS | 867 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 1894 | 3.2 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 1016 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 596 | 3.7 | 9 | 2 | 2 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 176 | 4.3 | 12 | 2 | 2 | 3 | 5 | 8 | 10 | 18 |
| **GRAND TOTAL** | 4549 | 3.3 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1106 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 2238 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 881 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 422 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 100 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1565 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 3853 | 2.9 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 12 |
| 35-49 | 2055 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 1273 | 3.7 | 15 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| 65+ | 385 | 4.8 | 21 | 1 | 2 | 3 | 5 | 10 | 15 | 25 |
| **TOT. SINGLE DX** | 4747 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **" MULTIPLE DX** | 9131 | 3.2 | 8 | 1 | 1 | 3 | 3 | 5 | 6 | 15 |
| TOTAL 0-19 YRS | 2671 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 6091 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 2936 | 3.1 | 6 | 1 | 1 | 3 | 3 | 5 | 6 | 13 |
| 50-64 | 1695 | 3.4 | 12 | 1 | 2 | 3 | 4 | 5 | 7 | 16 |
| 65+ | 485 | 4.4 | 19 | 1 | 2 | 3 | 5 | 9 | 13 | 23 |
| **GRAND TOTAL** | 13878 | 2.9 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 174 | 2.1 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 20-34 | 225 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 35-49 | 221 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 326 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 65+ | 291 | 3.4 | 17 | 1 | 1 | 2 | 4 | 6 | 10 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 210 | 2.9 | 16 | 1 | 1 | 2 | 3 | 4 | 5 | 37 |
| 20-34 | 433 | 3.3 | 19 | 1 | 1 | 2 | 3 | 5 | 6 | 28 |
| 35-49 | 480 | 3.6 | 18 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| 50-64 | 695 | 4.3 | 21 | 1 | 1 | 3 | 4 | 9 | 15 | 23 |
| 65+ | 657 | 6.7 | 54 | 1 | 2 | 4 | 8 | 15 | 20 | 38 |
| **TOT. SINGLE DX** | 1237 | 2.7 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **" MULTIPLE DX** | 2475 | 4.5 | 31 | 1 | 1 | 3 | 4 | 9 | 15 | 30 |
| TOTAL 0-19 YRS | 384 | 2.6 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 20 |
| 20-34 | 658 | 3.0 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 23 |
| 35-49 | 701 | 3.2 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 50-64 | 1021 | 3.8 | 17 | 1 | 1 | 3 | 4 | 7 | 12 | 22 |
| 65+ | 948 | 5.7 | 45 | 1 | 1 | 3 | 6 | 13 | 18 | 36 |
| **GRAND TOTAL** | 3712 | 3.9 | 24 | 1 | 1 | 2 | 4 | 7 | 12 | 26 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 735 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 589 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 219 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 175 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 150 | 5.1 | 15 | 1 | 1 | 4 | 7 | 9 | 11 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 543 | 3.5 | 18 | 1 | 1 | 3 | 4 | 6 | 9 | 18 |
| 20-34 | 736 | 4.3 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 295 | 5.6 | 29 | 1 | 2 | 4 | 6 | 9 | 13 | 31 |
| 50-64 | 341 | 6.4 | 48 | 1 | 2 | 5 | 7 | 12 | 16 | 24 |
| 65+ | 429 | 7.9 | 53 | 1 | 2 | 6 | 9 | 16 | 24 | 42 |
| **TOT. SINGLE DX** | 1868 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| **" MULTIPLE DX** | 2344 | 5.3 | 35 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 1278 | 2.5 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 1325 | 3.5 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 35-49 | 514 | 4.7 | 21 | 1 | 1 | 4 | 6 | 8 | 11 | 28 |
| 50-64 | 516 | 5.7 | 35 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| 65+ | 579 | 7.2 | 45 | 1 | 2 | 5 | 8 | 14 | 21 | 36 |
| **GRAND TOTAL** | 4212 | 4.1 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 99 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 244 | 3.0 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 209 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 50-64 | 165 | 3.4 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 65+ | 66 | 3.4 | 7 | 2 | 2 | 3 | 3 | 6 | 7 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 70 | 3.8 | 19 | 1 | 2 | 2 | 3 | 8 | 11 | 29 |
| 20-34 | 226 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 35-49 | 209 | 4.6 | 18 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| 50-64 | 234 | 5.1 | 22 | 2 | 2 | 4 | 5 | 10 | 15 | 24 |
| 65+ | 119 | 6.5 | 35 | 2 | 2 | 4 | 8 | 15 | 22 | 27 |
| **TOT. SINGLE DX** | 783 | 3.1 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| **" MULTIPLE DX** | 858 | 4.8 | 22 | 1 | 2 | 3 | 5 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 169 | 3.2 | 10 | 1 | 2 | 2 | 3 | 5 | 8 | 13 |
| 20-34 | 470 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 418 | 3.9 | 12 | 1 | 2 | 3 | 4 | 6 | 11 | 19 |
| 50-64 | 399 | 4.4 | 17 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 185 | 5.4 | 28 | 2 | 2 | 3 | 6 | 11 | 18 | 26 |
| **GRAND TOTAL** | **1641** | **4.0** | **14** | **1** | **2** | **3** | **4** | **8** | **11** | **21** |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 110 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 224 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 35-49 | 163 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 50-64 | 152 | 4.1 | 34 | 1 | 1 | 3 | 4 | 7 | 15 | 37 |
| 65+ | 92 | 4.7 | 31 | 1 | 2 | 3 | 5 | 10 | 14 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 129 | 5.1 | 30 | 1 | 1 | 3 | 6 | 11 | 17 | 32 |
| 20-34 | 301 | 4.9 | 27 | 1 | 1 | 3 | 5 | 10 | 15 | 32 |
| 35-49 | 267 | 5.1 | 27 | 1 | 1 | 3 | 6 | 11 | 15 | 23 |
| 50-64 | 280 | 5.8 | 37 | 1 | 2 | 4 | 7 | 13 | 18 | 32 |
| 65+ | 155 | 7.4 | 73 | 2 | 2 | 4 | 9 | 16 | 21 | 39 |
| **TOT. SINGLE DX** | 741 | 3.6 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **" MULTIPLE DX** | 1132 | 5.5 | 37 | 1 | 2 | 3 | 7 | 12 | 17 | 32 |
| TOTAL 0-19 YRS | 239 | 3.9 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 20-34 | 525 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 35-49 | 430 | 4.5 | 20 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 50-64 | 432 | 5.2 | 37 | 1 | 2 | 3 | 5 | 12 | 17 | 33 |
| 65+ | 247 | 6.4 | 59 | 1 | 2 | 4 | 8 | 14 | 20 | 38 |
| **GRAND TOTAL** | **1873** | **4.8** | **30** | **1** | **1** | **3** | **5** | **10** | **15** | **27** |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2794 | 1.7 | 2 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 2377 | 1.7 | 2 | <1 | 1 | 2 | 2 | 2 | 2 | 5 |
| 35-49 | 511 | 2.2 | 6 | 1 | 1 | 2 | 2 | 3 | 3 | 10 |
| 50-64 | 382 | 2.2 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 65+ | 148 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 946 | 2.5 | 8 | 1 | 1 | 2 | 2 | 4 | 6 | 15 |
| 20-34 | 1812 | 3.6 | 33 | 1 | 1 | 2 | 3 | 7 | 13 | 34 |
| 35-49 | 1483 | 4.1 | 37 | 1 | 1 | 2 | 3 | 9 | 14 | 31 |
| 50-64 | 1638 | 4.5 | 35 | 1 | 2 | 2 | 4 | 10 | 16 | 31 |
| 65+ | 1132 | 7.3 | 87 | 1 | 2 | 3 | 9 | 19 | 27 | 43 |
| **TOT. SINGLE DX** | 6212 | 1.8 | 3 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| **" MULTIPLE DX** | 7011 | 4.4 | 42 | 1 | 1 | 2 | 4 | 10 | 17 | 34 |
| TOTAL 0-19 YRS | 3740 | 1.9 | 4 | <1 | 1 | 2 | 2 | 2 | 3 | 7 |
| 20-34 | 4189 | 2.6 | 17 | <1 | 1 | 2 | 2 | 3 | 6 | 22 |
| 35-49 | 1994 | 3.6 | 30 | 1 | 1 | 2 | 3 | 7 | 13 | 29 |
| 50-64 | 2020 | 4.1 | 31 | 1 | 1 | 2 | 3 | 9 | 14 | 31 |
| 65+ | 1280 | 6.8 | 80 | 1 | 2 | 3 | 8 | 17 | 26 | 43 |
| **GRAND TOTAL** | **13223** | **3.2** | **26** | **1** | **1** | **2** | **2** | **5** | **11** | **28** |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 416 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 2 |
| 20-34 | 52 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 17 | 2.1 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 50-64 | 14 | 3.1 | 6 | <1 | 1 | 2 | 3 | 9 | 9 | 9 |
| 65+ | 5 | 2.4 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 154 | 3.4 | 88 | <1 | <1 | 1 | 2 | 3 | 9 | 61 |
| 20-34 | 65 | 3.1 | 35 | <1 | 1 | 1 | 2 | 7 | 9 | 40 |
| 35-49 | 25 | 3.5 | 19 | <1 | <1 | 2 | 4 | 10 | 13 | 20 |
| 50-64 | 10 | 5.4 | 21 | 2 | 2 | 3 | 10 | 13 | 14 | 14 |
| 65+ | 10 | 3.9 | 22 | 1 | 1 | 3 | 4 | 11 | 17 | 17 |
| **TOT. SINGLE DX** | 504 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| **" MULTIPLE DX** | 264 | 3.4 | 64 | <1 | <1 | 1 | 2 | 6 | 11 | 46 |
| TOTAL 0-19 YRS | 570 | 1.7 | 25 | <1 | <1 | 1 | 1 | 2 | 2 | 14 |
| 20-34 | 117 | 2.6 | 21 | <1 | <1 | 1 | 2 | 6 | 8 | 25 |
| 35-49 | 42 | 2.9 | 13 | <1 | <1 | 2 | 3 | 7 | 10 | 20 |
| 50-64 | 24 | 4.1 | 14 | 1 | 1 | 3 | 4 | 10 | 13 | 14 |
| 65+ | 15 | 3.4 | 15 | 1 | 1 | 2 | 4 | 4 | 14 | 17 |
| **GRAND TOTAL** | **768** | **2.0** | **23** | **<1** | **<1** | **1** | **2** | **3** | **5** | **17** |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 134 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 259 | 2.3 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 355 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 229 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 65+ | 40 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 101 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 9 | 14 |
| 20-34 | 155 | 3.9 | 23 | 1 | 1 | 2 | 4 | 8 | 12 | 31 |
| 35-49 | 203 | 3.9 | 16 | 1 | 2 | 2 | 4 | 8 | 12 | 22 |
| 50-64 | 241 | 4.7 | 32 | 1 | 2 | 3 | 4 | 10 | 16 | 29 |
| 65+ | 112 | 6.2 | 71 | 1 | 2 | 3 | 7 | 14 | 20 | 46 |
| TOT. SINGLE DX | 1017 | 2.3 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| " MULTIPLE DX | 812 | 4.3 | 30 | 1 | 2 | 2 | 4 | 9 | 14 | 28 |
| TOTAL 0-19 YRS | 235 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| 20-34 | 414 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 35-49 | 558 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 470 | 3.7 | 20 | 1 | 2 | 2 | 4 | 6 | 12 | 24 |
| 65+ | 152 | 5.4 | 55 | 1 | 2 | 3 | 6 | 11 | 15 | 30 |
| GRAND TOTAL | 1829 | 3.2 | 16 | 1 | 1 | 2 | 3 | 5 | 9 | 22 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 185 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 421 | 3.6 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 445 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 544 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 9 | 15 |
| 65+ | 347 | 5.0 | 16 | 2 | 2 | 4 | 5 | 9 | 12 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 4.4 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 20-34 | 147 | 4.3 | 16 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 255 | 5.9 | 30 | 1 | 2 | 4 | 6 | 12 | 17 | 29 |
| 50-64 | 377 | 7.1 | 52 | 2 | 2 | 5 | 8 | 16 | 20 | 32 |
| 65+ | 433 | 7.6 | 52 | 2 | 3 | 5 | 10 | 16 | 20 | 35 |
| TOT. SINGLE DX | 1942 | 4.0 | 8 | 1 | 2 | 3 | 5 | 6 | 9 | 16 |
| " MULTIPLE DX | 1274 | 6.6 | 44 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| TOTAL 0-19 YRS | 247 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 568 | 3.8 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 700 | 4.6 | 16 | 2 | 2 | 4 | 5 | 8 | 12 | 24 |
| 50-64 | 921 | 5.4 | 28 | 2 | 2 | 4 | 6 | 10 | 15 | 25 |
| 65+ | 780 | 6.5 | 38 | 2 | 2 | 5 | 8 | 12 | 17 | 31 |
| GRAND TOTAL | 3216 | 5.0 | 24 | 2 | 2 | 4 | 5 | 9 | 13 | 25 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 263 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 14 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 6 | 6.0 | 6 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 5.0 | 37 | 1 | 1 | 2 | 9 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 178 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 9 | 9.0 | 215 | 3 | 3 | 4 | 6 | 31 | 48 | 48 |
| 35-49 | 5 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 2 | 14.5 | 85 | 8 | 8 | 14 | 21 | 21 | 21 | 21 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| TOT. SINGLE DX | 288 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| " MULTIPLE DX | 195 | 4.3 | 17 | 1 | 2 | 3 | 5 | 8 | 9 | 18 |
| TOTAL 0-19 YRS | 441 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 23 | 5.7 | 87 | 2 | 2 | 3 | 5 | 7 | 22 | 48 |
| 35-49 | 11 | 4.4 | 7 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 50-64 | 4 | 8.5 | 76 | 2 | 2 | 5 | 14 | 21 | 21 | 21 |
| 65+ | 4 | 5.8 | 27 | 1 | 1 | 5 | 10 | 12 | 12 | 12 |
| GRAND TOTAL | 483 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 676 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 20-34 | 226 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 35-49 | 209 | 3.9 | 16 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 50-64 | 382 | 4.8 | 43 | 1 | 1 | 3 | 5 | 10 | 17 | 30 |
| 65+ | 396 | 4.7 | 42 | 1 | 1 | 3 | 5 | 10 | 15 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 520 | 3.9 | 28 | 1 | 1 | 3 | 5 | 8 | 9 | 28 |
| 20-34 | 379 | 5.3 | 38 | 1 | 1 | 3 | 6 | 11 | 15 | 34 |
| 35-49 | 282 | 7.5 | 62 | 1 | 2 | 4 | 10 | 16 | 24 | 43 |
| 50-64 | 621 | 9.5 | 145 | 2 | 2 | 5 | 11 | 21 | 35 | 72 |
| 65+ | 706 | 9.9 | 137 | 2 | 2 | 6 | 12 | 23 | 34 | 73 |
| TOT. SINGLE DX | 1889 | 3.8 | 23 | 1 | 1 | 2 | 4 | 8 | 11 | 25 |
| " MULTIPLE DX | 2508 | 7.6 | 99 | 1 | 1 | 4 | 9 | 17 | 26 | 57 |
| TOTAL 0-19 YRS | 1196 | 3.3 | 16 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 20-34 | 605 | 4.5 | 28 | 1 | 1 | 3 | 6 | 9 | 12 | 29 |
| 35-49 | 491 | 6.0 | 46 | 1 | 1 | 3 | 7 | 14 | 19 | 37 |
| 50-64 | 1003 | 7.7 | 112 | 1 | 2 | 4 | 9 | 18 | 26 | 61 |
| 65+ | 1102 | 8.1 | 110 | 1 | 2 | 4 | 10 | 18 | 28 | 69 |
| GRAND TOTAL | 4397 | 6.0 | 70 | 1 | 1 | 3 | 7 | 13 | 20 | 45 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9934 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 6291 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 504 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | 108 | 2.9 | 8 | 1 | 1 | 2 | 3 | 4 | 6 | 56 |
| 65+ | 30 | 4.8 | 85 | 1 | 1 | 2 | 3 | 7 | 30 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1955 | 2.2 | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 1240 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 172 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 11 | 16 |
| 50-64 | 51 | 7.2 | 95 | 1 | 2 | 3 | 6 | 22 | 31 | 45 |
| 65+ | 21 | 8.6 | 102 | 1 | 2 | 3 | 12 | 27 | 32 | 34 |
| TOT. SINGLE DX | 16867 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 3439 | 2.6 | 8 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 11889 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 7531 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 676 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 159 | 4.3 | 40 | 1 | 2 | 2 | 3 | 8 | 19 | 44 |
| 65+ | 51 | 6.4 | 94 | 1 | 1 | 2 | 5 | 20 | 31 | 45 |
| GRAND TOTAL | 20306 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17686 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 498 | 2.4 | 8 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 29 | 2.3 | | 1 | 2 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 15 | 2.6 | 5 | 1 | 2 | 2 | 2 | 3 | 9 | 11 |
| 65+ | 12 | 2.2 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10270 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 146 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 7 | 8.6 | 59 | 2 | 2 | 7 | 11 | 21 | 24 | 24 |
| 50-64 | 9 | 2.9 | 7 | 1 | 1 | 2 | 3 | 7 | 10 | 10 |
| 65+ | 10 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| TOT. SINGLE DX | 18240 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 10442 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 27956 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 644 | 2.5 | 7 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 36 | 3.6 | 17 | 2 | 2 | 2 | 3 | 7 | 11 | 24 |
| 50-64 | 24 | 2.7 | 6 | 1 | 1 | 2 | 2 | 4 | 10 | 11 |
| 65+ | 22 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| GRAND TOTAL | 28682 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1275 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 20 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 5 | 6 |
| 35-49 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3340 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 21 | 3.1 | 21 | <1 | 1 | 2 | 3 | 4 | 13 | 23 |
| 35-49 | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 9 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 7 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| TOT. SINGLE DX | 1300 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 3381 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 4615 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 41 | 2.6 | 12 | <1 | 1 | 2 | 2 | 4 | 5 | 23 |
| 35-49 | 7 | 2.6 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 9 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 9 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| GRAND TOTAL | 4681 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 662 | 2.6 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 485 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 166 | 3.7 | 28 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 50-64 | 203 | 5.2 | 52 | 1 | 1 | 3 | 6 | 10 | 18 | 48 |
| 65+ | 110 | 6.2 | 52 | 1 | 2 | 4 | 8 | 13 | 19 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 20-34 | 143 | 4.2 | 14 | 1 | 2 | 3 | 5 | 9 | 14 | 19 |
| 35-49 | 117 | 6.0 | 59 | 1 | 1 | 3 | 7 | 12 | 21 | 41 |
| 50-64 | 201 | 8.2 | 87 | 1 | 2 | 5 | 11 | 21 | 25 | 54 |
| 65+ | 204 | 12.6 | 194 | 2 | 2 | 8 | 16 | 28 | 46 | 67 |
| TOT. SINGLE DX | 1626 | 3.4 | 19 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |
| " MULTIPLE DX | 812 | 7.5 | 95 | 1 | 2 | 4 | 9 | 17 | 25 | 56 |
| TOTAL 0-19 YRS | 809 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 628 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 35-49 | 283 | 4.6 | 42 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| 50-64 | 404 | 6.7 | 72 | 1 | 2 | 3 | 8 | 16 | 22 | 54 |
| 65+ | 314 | 10.3 | 154 | 1 | 2 | 7 | 13 | 23 | 40 | 66 |
| GRAND TOTAL | 2438 | 4.7 | 48 | 1 | 1 | 3 | 5 | 10 | 16 | 40 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 101 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 51 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 58 | 4.1 | 40 | <1 | 1 | 3 | 4 | 5 | 7 | 46 |
| 50-64 | 86 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 65+ | 80 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 261 | 3.8 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 35 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 13 | 17 |
| 35-49 | 66 | 5.5 | 17 | 1 | 1 | 4 | 8 | 10 | 13 | 24 |
| 50-64 | 166 | 6.3 | 40 | 1 | 2 | 5 | 8 | 11 | 14 | 30 |
| 65+ | 258 | 6.5 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| TOT. SINGLE DX | 376 | 3.3 | 11 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| " MULTIPLE DX | 786 | 5.4 | 26 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 362 | 3.4 | 5 | <1 | 1 | 3 | 4 | 6 | 6 | 11 |
| 20-34 | 86 | 4.3 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 124 | 4.8 | 29 | 1 | 1 | 4 | 5 | 9 | 12 | 31 |
| 50-64 | 252 | 5.4 | 30 | 1 | 1 | 4 | 7 | 9 | 12 | 24 |
| 65+ | 338 | 5.9 | 31 | 1 | 2 | 4 | 7 | 12 | 15 | 29 |
| GRAND TOTAL | 1162 | 4.7 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 141 | 1.9 | 3 | <1 | <1 | 1 | 2 | 2 | 5 | 12 |
| 20-34 | 341 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 35-49 | 501 | 2.3 | 7 | 1 | 1 | 2 | 2 | 3 | 4 | 15 |
| 50-64 | 811 | 2.4 | 4 | 1 | 1 | 2 | 2 | 3 | 5 | 13 |
| 65+ | 427 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 7 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 2.5 | 20 | 1 | 1 | 2 | 2 | 3 | 6 | 32 |
| 20-34 | 168 | 3.9 | 54 | 1 | 1 | 2 | 3 | 7 | 14 | 61 |
| 35-49 | 336 | 4.2 | 23 | 1 | 1 | 2 | 5 | 10 | 15 | 25 |
| 50-64 | 704 | 5.4 | 55 | 1 | 1 | 2 | 6 | 12 | 20 | 37 |
| 65+ | 484 | 7.0 | 65 | 1 | 2 | 3 | 9 | 17 | 26 | 43 |
| TOT. SINGLE DX | 2221 | 2.3 | 5 | 1 | 1 | 2 | 2 | 3 | 5 | 13 |
| " MULTIPLE DX | 1757 | 5.4 | 52 | 1 | 1 | 2 | 6 | 13 | 20 | 39 |
| TOTAL 0-19 YRS | 206 | 2.1 | 9 | <1 | <1 | 2 | 2 | 2 | 5 | 12 |
| 20-34 | 509 | 2.5 | 19 | 1 | 1 | 2 | 2 | 3 | 5 | 26 |
| 35-49 | 837 | 3.1 | 15 | 1 | 1 | 2 | 3 | 6 | 10 | 19 |
| 50-64 | 1515 | 3.8 | 31 | 1 | 1 | 2 | 3 | 8 | 13 | 27 |
| 65+ | 911 | 5.0 | 43 | 1 | 1 | 2 | 5 | 13 | 19 | 37 |
| GRAND TOTAL | 3978 | 3.7 | 28 | 1 | 1 | 2 | 3 | 8 | 13 | 30 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 20-34 | 15 | 3.8 | 15 | 1 | 1 | 2 | 4 | 10 | 12 | 13 |
| 35-49 | 22 | 11.3 | 151 | 1 | 2 | 7 | 16 | 28 | 41 | 49 |
| 50-64 | 73 | 10.7 | 50 | 2 | 2 | 11 | 14 | 18 | 24 | 37 |
| 65+ | 45 | 12.4 | 211 | 1 | 2 | 10 | 16 | 24 | 32 | 88 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 10.4 | 125 | 2 | 2 | 3 | 21 | 25 | 25 | 25 |
| 20-34 | 6 | 7.5 | 90 | <1 | <1 | 3 | 12 | 24 | 25 | 25 |
| 35-49 | 24 | 10.8 | 68 | 2 | 2 | 9 | 15 | 24 | 28 | 32 |
| 50-64 | 76 | 13.4 | 189 | 2 | 2 | 10 | 16 | 30 | 43 | 71 |
| 65+ | 70 | 16.8 | 161 | 2 | 2 | 15 | 22 | 31 | 47 | 54 |
| TOT. SINGLE DX | 168 | 10.0 | 108 | 1 | 2 | 9 | 14 | 19 | 25 | 48 |
| " MULTIPLE DX | 181 | 14.1 | 161 | 2 | 2 | 11 | 19 | 29 | 43 | 57 |
| TOTAL 0-19 YRS | 18 | 4.7 | 46 | 1 | 1 | 2 | 4 | 17 | 23 | 25 |
| 20-34 | 21 | 4.9 | 36 | <1 | 1 | 2 | 6 | 12 | 18 | 25 |
| 35-49 | 46 | 11.0 | 105 | 2 | 2 | 8 | 16 | 25 | 33 | 49 |
| 50-64 | 149 | 12.1 | 122 | 2 | 2 | 11 | 15 | 24 | 36 | 58 |
| 65+ | 115 | 15.1 | 184 | 2 | 2 | 13 | 20 | 29 | 44 | 67 |
| GRAND TOTAL | 349 | 12.1 | 139 | 1 | 2 | 10 | 16 | 26 | 35 | 56 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 35-49 | 14 | 16.9 | 102 | 7 | 8 | 14 | 18 | 33 | 42 | 44 |
| 50-64 | 73 | 19.4 | 131 | 10 | 11 | 17 | 21 | 31 | 36 | 95 |
| 65+ | 52 | 16.3 | 36 | 9 | 11 | 14 | 18 | 24 | 31 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 22 | 25.6 | 216 | 11 | 12 | 21 | 30 | 46 | 62 | 66 |
| 50-64 | 143 | 23.8 | 161 | 10 | 12 | 21 | 31 | 43 | 60 | 99+ |
| 65+ | 127 | 25.7 | 240 | 11 | 13 | 21 | 31 | 45 | 63 | 98 |
| TOT. SINGLE DX | 141 | 17.9 | 93 | 10 | 11 | 15 | 20 | 29 | 33 | 82 |
| " MULTIPLE DX | 292 | 24.7 | 199 | 11 | 12 | 21 | 31 | 44 | 64 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 35-49 | 36 | 22.2 | 187 | 9 | 11 | 17 | 25 | 41 | 54 | 66 |
| 50-64 | 216 | 22.3 | 155 | 10 | 11 | 19 | 28 | 37 | 55 | 99+ |
| 65+ | 179 | 22.9 | 199 | 10 | 12 | 19 | 28 | 38 | 57 | 93 |
| GRAND TOTAL | 433 | 22.5 | 175 | 10 | 11 | 19 | 28 | 38 | 58 | 99+ |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 21.3 | 576 | 6 | 6 | 9 | 39 | 49 | 49 | 49 |
| 35-49 | 3 | 4.3 | 5 | 3 | 3 | 3 | 6 | 7 | 7 | 7 |
| 50-64 | 9 | 12.7 | 183 | 1 | 2 | 5 | 24 | 34 | 38 | 38 |
| 65+ | 2 | 11.0 | 18 | 8 | 8 | 11 | 14 | 14 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 40.6 | 854 | 4 | 10 | 33 | 53 | 89 | 98 | 98 |
| 20-34 | 8 | 27.9 | 491 | 5 | 6 | 27 | 50 | 88 | 99+ | 99+ |
| 35-49 | 19 | 22.2 | 399 | 3 | 4 | 22 | 57 | 99+ | 99+ | 99+ |
| 50-64 | 36 | 32.4 | 669 | 4 | 7 | 30 | 73 | 99+ | 99+ | 99+ |
| 65+ | 52 | 31.6 | 497 | 5 | 8 | 31 | 49 | 79 | 95 | 99+ |
| TOT. SINGLE DX | 19 | 12.1 | 174 | 2 | 3 | 7 | 13 | 34 | 44 | 49 |
| " MULTIPLE DX | 123 | 30.7 | 556 | 4 | 6 | 29 | 54 | 99 | 99+ | 99+ |
| TOTAL 0-19 YRS | 10 | 34.1 | 854 | 4 | 5 | 29 | 38 | 83 | 98 | 98 |
| 20-34 | 11 | 26.1 | 468 | 5 | 6 | 22 | 46 | 79 | 97 | 99+ |
| 35-49 | 22 | 19.7 | 382 | 3 | 3 | 16 | 53 | 99+ | 99+ | 99+ |
| 50-64 | 45 | 28.4 | 630 | 3 | 3 | 28 | 55 | 99+ | 99+ | 99+ |
| 65+ | 54 | 30.8 | 495 | 5 | 8 | 29 | 48 | 78 | 94 | 99+ |
| GRAND TOTAL | 142 | 28.2 | 544 | 3 | 5 | 25 | 49 | 92 | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 8.1 | 183 | 1 | 1 | 4 | 9 | 16 | 23 | 82 |
| 20-34 | 53 | 10.2 | 449 | 1 | 1 | 3 | 7 | 22 | 80 | 92 |
| 35-49 | 26 | 7.0 | 97 | <1 | 1 | 3 | 9 | 21 | 27 | 45 |
| 50-64 | 65 | 8.5 | 137 | 1 | 1 | 4 | 7 | 27 | 40 | 46 |
| 65+ | 46 | 15.7 | 512 | 1 | 1 | 5 | 18 | 61 | 67 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 19.2 | 330 | 2 | 2 | 15 | 33 | 70 | 99+ | 99+ |
| 20-34 | 96 | 25.1 | 600 | 2 | 3 | 15 | 39 | 69 | 85 | 99+ |
| 35-49 | 106 | 23.6 | 466 | 1 | 2 | 17 | 43 | 82 | 99+ | 99+ |
| 50-64 | 324 | 27.8 | 583 | 2 | 2 | 25 | 50 | 81 | 99+ | 99+ |
| 65+ | 333 | 33.3 | 638 | 2 | 3 | 33 | 52 | 74 | 93 | 99+ |
| TOT. SINGLE DX | 237 | 10.0 | 289 | 1 | 1 | 4 | 9 | 28 | 56 | 91 |
| " MULTIPLE DX | 956 | 28.1 | 584 | 2 | 2 | 25 | 49 | 75 | 99+ | 99+ |
| TOTAL 0-19 YRS | 144 | 15.5 | 308 | 1 | 2 | 10 | 24 | 56 | 98 | 99+ |
| 20-34 | 149 | 19.8 | 594 | 1 | 1 | 9 | 33 | 62 | 84 | 99+ |
| 35-49 | 132 | 20.3 | 436 | 1 | 2 | 14 | 40 | 71 | 99+ | 99+ |
| 50-64 | 389 | 24.6 | 560 | 2 | 2 | 20 | 45 | 72 | 99+ | 99+ |
| 65+ | 379 | 31.2 | 655 | 2 | 2 | 31 | 51 | 73 | 93 | 99+ |
| GRAND TOTAL | 1193 | 24.5 | 577 | 1 | 2 | 17 | 44 | 71 | 95 | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 7.3 | 46 | 1 | 2 | 4 | 10 | 19 | 20 | 28 |
| 20-34 | 173 | 7.2 | 72 | 1 | 1 | 5 | 9 | 15 | 18 | 54 |
| 35-49 | 275 | 7.6 | 52 | 1 | 2 | 5 | 10 | 16 | 20 | 34 |
| 50-64 | 695 | 8.7 | 51 | 1 | 2 | 7 | 12 | 18 | 22 | 34 |
| 65+ | 675 | 9.2 | 56 | 2 | 2 | 7 | 12 | 19 | 24 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 11.8 | 98 | 2 | 2 | 11 | 15 | 22 | 39 | 42 |
| 20-34 | 271 | 9.6 | 75 | 2 | 2 | 8 | 12 | 19 | 26 | 41 |
| 35-49 | 745 | 12.4 | 117 | 2 | 3 | 10 | 16 | 24 | 31 | 63 |
| 50-64 | 2476 | 13.0 | 111 | 2 | 3 | 10 | 17 | 26 | 32 | 54 |
| 65+ | 3159 | 15.0 | 131 | 3 | 4 | 12 | 19 | 29 | 39 | 60 |
| TOT. SINGLE DX | 1850 | 8.6 | 56 | 1 | 2 | 7 | 11 | 17 | 22 | 35 |
| " MULTIPLE DX | 6684 | 13.8 | 122 | 2 | 3 | 11 | 18 | 27 | 36 | 59 |
| TOTAL 0-19 YRS | 65 | 9.6 | 77 | 1 | 2 | 8 | 13 | 20 | 24 | 42 |
| 20-34 | 444 | 8.6 | 76 | 1 | 2 | 6 | 11 | 17 | 25 | 41 |
| 35-49 | 1020 | 11.1 | 104 | 2 | 2 | 9 | 14 | 22 | 28 | 59 |
| 50-64 | 3171 | 12.1 | 102 | 2 | 3 | 10 | 16 | 24 | 30 | 50 |
| 65+ | 3834 | 14.0 | 123 | 2 | 3 | 11 | 18 | 28 | 37 | 58 |
| GRAND TOTAL | 8534 | 12.6 | 112 | 2 | 3 | 10 | 16 | 25 | 33 | 56 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 35-49 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 50-64 | 4 | 17.3 | 70 | 6 | 6 | 18 | 23 | 26 | 26 | 26 |
| 65+ | 2 | 16.5 | 41 | 12 | 12 | 16 | 21 | 21 | 21 | 21 |
| TOT. SINGLE DX | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| " MULTIPLE DX | 9 | 16.4 | 39 | 6 | 8 | 17 | 21 | 24 | 26 | 26 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 35-49 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 50-64 | 5 | 14.2 | 99 | 2 | 2 | 17 | 21 | 26 | 26 | 26 |
| 65+ | 2 | 16.5 | 41 | 12 | 12 | 16 | 21 | 21 | 21 | 21 |
| GRAND TOTAL | 10 | 15.0 | 55 | 2 | 4 | 15 | 21 | 24 | 26 | 26 |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 13.1 | 121 | 6 | 7 | 11 | 12 | 21 | 34 | 66 |
| 20-34 | 131 | 9.7 | 36 | 2 | 3 | 8 | 13 | 19 | 22 | 28 |
| 35-49 | 235 | 10.9 | 59 | 2 | 4 | 9 | 13 | 20 | 24 | 40 |
| 50-64 | 433 | 12.4 | 64 | 2 | 4 | 11 | 16 | 22 | 26 | 41 |
| 65+ | 325 | 13.1 | 90 | 2 | 3 | 11 | 18 | 25 | 30 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 13.9 | 76 | 4 | 5 | 10 | 20 | 27 | 36 | 99+ |
| 20-34 | 205 | 16.8 | 189 | 4 | 6 | 12 | 19 | 33 | 46 | 76 |
| 35-49 | 375 | 15.8 | 135 | 4 | 6 | 13 | 21 | 29 | 38 | 74 |
| 50-64 | 1198 | 17.3 | 139 | 3 | 5 | 15 | 22 | 32 | 40 | 59 |
| 65+ | 1237 | 17.7 | 148 | 3 | 5 | 15 | 24 | 34 | 42 | 68 |
| TOT. SINGLE DX | 1161 | 12.0 | 71 | 2 | 3 | 10 | 15 | 22 | 27 | 43 |
| " MULTIPLE DX | 3057 | 17.2 | 146 | 3 | 5 | 14 | 22 | 32 | 41 | 67 |
| TOTAL 0-19 YRS | 79 | 13.5 | 96 | 5 | 6 | 10 | 18 | 25 | 35 | 90 |
| 20-34 | 336 | 14.0 | 141 | 3 | 4 | 11 | 16 | 25 | 37 | 72 |
| 35-49 | 610 | 13.9 | 112 | 3 | 5 | 11 | 18 | 25 | 32 | 67 |
| 50-64 | 1631 | 16.0 | 124 | 3 | 5 | 13 | 21 | 30 | 39 | 57 |
| 65+ | 1562 | 16.7 | 140 | 3 | 4 | 14 | 22 | 32 | 40 | 62 |
| GRAND TOTAL | 4218 | 15.8 | 130 | 3 | 5 | 13 | 21 | 30 | 38 | 60 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 24 | 14.0 | 35 | 7 | 8 | 12 | 18 | 20 | 25 | 33 |
| 35-49 | 63 | 13.8 | 24 | 8 | 8 | 13 | 17 | 20 | 24 | 29 |
| 50-64 | 262 | 16.0 | 50 | 8 | 9 | 14 | 20 | 24 | 28 | 41 |
| 65+ | 175 | 18.6 | 67 | 9 | 11 | 17 | 22 | 28 | 34 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 19.1 | 534 | 7 | 7 | 12 | 18 | 41 | 84 | 91 |
| 20-34 | 27 | 24.8 | 419 | 8 | 9 | 17 | 32 | 56 | 79 | 82 |
| 35-49 | 136 | 19.1 | 130 | 7 | 9 | 17 | 24 | 30 | 38 | 71 |
| 50-64 | 626 | 20.7 | 126 | 9 | 10 | 18 | 25 | 35 | 42 | 68 |
| 65+ | 542 | 22.6 | 152 | 9 | 11 | 19 | 28 | 38 | 48 | 68 |
| TOT. SINGLE DX | 525 | 16.5 | 55 | 8 | 9 | 15 | 20 | 25 | 29 | 43 |
| " MULTIPLE DX | 1343 | 21.4 | 148 | 9 | 10 | 18 | 26 | 36 | 44 | 68 |
| TOTAL 0-19 YRS | 13 | 18.8 | 490 | 7 | 8 | 13 | 18 | 33 | 80 | 91 |
| 20-34 | 51 | 19.7 | 263 | 7 | 8 | 13 | 21 | 35 | 57 | 82 |
| 35-49 | 199 | 17.4 | 103 | 7 | 8 | 15 | 21 | 28 | 33 | 62 |
| 50-64 | 888 | 19.3 | 109 | 9 | 9 | 17 | 23 | 31 | 40 | 63 |
| 65+ | 717 | 21.6 | 135 | 9 | 11 | 19 | 26 | 36 | 44 | 67 |
| GRAND TOTAL | 1868 | 20.0 | 126 | 8 | 10 | 17 | 24 | 34 | 40 | 67 |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 256 | 5.0 | 50 | 1 | 1 | 3 | 5 | 11 | 17 | 34 |
| 20-34 | 248 | 6.4 | 29 | 1 | 1 | 5 | 9 | 13 | 16 | 28 |
| 35-49 | 348 | 6.4 | 38 | 1 | 2 | 4 | 9 | 13 | 17 | 38 |
| 50-64 | 691 | 7.9 | 46 | 1 | 2 | 6 | 11 | 17 | 21 | 31 |
| 65+ | 515 | 8.9 | 72 | 1 | 2 | 6 | 12 | 19 | 26 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 266 | 8.9 | 123 | 1 | 2 | 6 | 12 | 19 | 23 | 99 |
| 20-34 | 413 | 11.2 | 121 | 2 | 2 | 8 | 14 | 25 | 33 | 55 |
| 35-49 | 882 | 11.2 | 92 | 2 | 3 | 8 | 15 | 24 | 32 | 56 |
| 50-64 | 2163 | 12.4 | 120 | 2 | 3 | 10 | 16 | 25 | 34 | 55 |
| 65+ | 2701 | 15.3 | 151 | 3 | 4 | 12 | 20 | 31 | 39 | 65 |
| TOT. SINGLE DX | 2058 | 7.4 | 52 | 1 | 1 | 5 | 10 | 16 | 21 | 36 |
| " MULTIPLE DX | 6425 | 13.3 | 135 | 2 | 3 | 10 | 17 | 27 | 36 | 62 |
| TOTAL 0-19 YRS | 522 | 7.0 | 91 | 1 | 1 | 4 | 8 | 16 | 21 | 70 |
| 20-34 | 661 | 9.4 | 92 | 1 | 2 | 7 | 12 | 21 | 29 | 51 |
| 35-49 | 1230 | 9.9 | 87 | 2 | 2 | 7 | 13 | 21 | 29 | 47 |
| 50-64 | 2854 | 11.3 | 106 | 2 | 2 | 9 | 15 | 23 | 30 | 52 |
| 65+ | 3216 | 14.3 | 145 | 2 | 3 | 11 | 19 | 29 | 37 | 63 |
| GRAND TOTAL | 8483 | 11.8 | 121 | 2 | 2 | 9 | 15 | 25 | 33 | 58 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 4.7 | 6 | 2 | 2 | 4 | 6 | 9 | 9 | 9 |
| 20-34 | 57 | 5.9 | 9 | 2 | 3 | 5 | 8 | 10 | 12 | 14 |
| 35-49 | 32 | 6.3 | 19 | 2 | 2 | 5 | 8 | 13 | 17 | 18 |
| 50-64 | 13 | 10.8 | 95 | <1 | 2 | 10 | 14 | 21 | 36 | 39 |
| 65+ | 15 | 9.3 | 65 | 1 | 2 | 7 | 14 | 23 | 25 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 12.8 | 149 | 3 | 3 | 9 | 16 | 30 | 72 | 99+ |
| 20-34 | 56 | 8.4 | 23 | 3 | 3 | 7 | 11 | 16 | 17 | 95 |
| 35-49 | 43 | 11.7 | 104 | 1 | 4 | 9 | 14 | 26 | 43 | 99+ |
| 50-64 | 81 | 18.4 | 267 | 3 | 4 | 12 | 25 | 43 | 57 | 71 |
| 65+ | 106 | 15.9 | 168 | 2 | 4 | 12 | 21 | 36 | 48 | 78 |
| TOT. SINGLE DX | 133 | 6.7 | 28 | 2 | 2 | 5 | 9 | 13 | 17 | 28 |
| " MULTIPLE DX | 309 | 14.4 | 169 | 3 | 4 | 10 | 17 | 33 | 52 | 99+ |
| TOTAL 0-19 YRS | 39 | 9.5 | 105 | 2 | 3 | 6 | 12 | 22 | 43 | 99+ |
| 20-34 | 113 | 7.1 | 18 | 3 | 3 | 6 | 9 | 13 | 16 | 54 |
| 35-49 | 75 | 9.3 | 75 | 2 | 2 | 8 | 11 | 19 | 35 | 86 |
| 50-64 | 94 | 17.3 | 249 | 3 | 4 | 12 | 22 | 39 | 55 | 69 |
| 65+ | 121 | 15.1 | 160 | 2 | 3 | 12 | 20 | 32 | 45 | 73 |
| GRAND TOTAL | 442 | 12.1 | 139 | 2 | 3 | 9 | 15 | 27 | 40 | 74 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 202 | 6.7 | 17 | 2 | 3 | 6 | 8 | 12 | 16 | 20 |
| 20-34 | 767 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 15 | 24 |
| 35-49 | 254 | 7.8 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| 50-64 | 181 | 11.8 | 78 | 3 | 4 | 9 | 15 | 22 | 27 | 50 |
| 65+ | 131 | 13.4 | 85 | 3 | 5 | 11 | 18 | 27 | 35 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 324 | 12.8 | 182 | 3 | 4 | 9 | 14 | 27 | 54 | 99+ |
| 20-34 | 681 | 10.4 | 89 | 3 | 4 | 8 | 12 | 19 | 30 | 66 |
| 35-49 | 501 | 13.3 | 120 | 3 | 4 | 10 | 17 | 27 | 42 | 59 |
| 50-64 | 875 | 15.7 | 156 | 4 | 5 | 12 | 19 | 31 | 42 | 65 |
| 65+ | 1086 | 18.9 | 215 | 5 | 6 | 15 | 24 | 38 | 49 | 84 |
| TOT. SINGLE DX | 1535 | 7.8 | 39 | 2 | 3 | 6 | 9 | 15 | 20 | 34 |
| " MULTIPLE DX | 3467 | 15.1 | 169 | 3 | 4 | 11 | 19 | 32 | 43 | 78 |
| TOTAL 0-19 YRS | 526 | 10.4 | 128 | 3 | 3 | 7 | 12 | 20 | 38 | 99+ |
| 20-34 | 1448 | 8.2 | 55 | 2 | 3 | 6 | 10 | 15 | 21 | 44 |
| 35-49 | 755 | 11.4 | 99 | 3 | 4 | 8 | 14 | 25 | 33 | 57 |
| 50-64 | 1056 | 15.1 | 146 | 4 | 5 | 12 | 18 | 29 | 39 | 63 |
| 65+ | 1217 | 18.3 | 205 | 4 | 6 | 14 | 23 | 36 | 48 | 80 |
| GRAND TOTAL | 5002 | 12.8 | 140 | 3 | 4 | 9 | 16 | 27 | 38 | 68 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 7.5 | 48 | 1 | 2 | 6 | 9 | 13 | 17 | 37 |
| 20-34 | 235 | 7.7 | 32 | 1 | 2 | 7 | 10 | 14 | 21 | 27 |
| 35-49 | 160 | 8.0 | 44 | 1 | 2 | 7 | 10 | 15 | 18 | 34 |
| 50-64 | 230 | 10.0 | 77 | 2 | 2 | 8 | 12 | 20 | 25 | 45 |
| 65+ | 168 | 10.9 | 104 | 2 | 2 | 8 | 14 | 23 | 29 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 75 | 11.5 | 98 | 2 | 3 | 9 | 14 | 22 | 36 | 50 |
| 20-34 | 245 | 13.8 | 164 | 2 | 3 | 10 | 17 | 28 | 42 | 71 |
| 35-49 | 307 | 13.3 | 126 | 2 | 2 | 11 | 17 | 26 | 37 | 63 |
| 50-64 | 766 | 14.2 | 133 | 2 | 3 | 11 | 19 | 29 | 35 | 58 |
| 65+ | 856 | 16.2 | 158 | 3 | 4 | 13 | 21 | 32 | 42 | 71 |
| TOT. SINGLE DX | 930 | 8.9 | 63 | 2 | 2 | 7 | 11 | 18 | 23 | 39 |
| " MULTIPLE DX | 2249 | 14.7 | 146 | 2 | 3 | 12 | 19 | 29 | 38 | 62 |
| TOTAL 0-19 YRS | 212 | 9.0 | 70 | 2 | 2 | 7 | 10 | 16 | 22 | 49 |
| 20-34 | 480 | 10.8 | 109 | 1 | 2 | 8 | 14 | 23 | 28 | 53 |
| 35-49 | 467 | 11.5 | 105 | 2 | 2 | 9 | 15 | 23 | 30 | 52 |
| 50-64 | 996 | 13.3 | 124 | 2 | 3 | 10 | 18 | 27 | 34 | 57 |
| 65+ | 1024 | 15.3 | 153 | 2 | 4 | 12 | 20 | 30 | 40 | 67 |
| GRAND TOTAL | 3179 | 13.0 | 128 | 2 | 3 | 10 | 17 | 26 | 35 | 59 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 105 | 10.3 | 38 | 6 | 7 | 9 | 11 | 13 | 15 | 41 |
| 20-34 | 58 | 10.9 | 8 | 7 | 8 | 11 | 12 | 14 | 16 | 20 |
| 35-49 | 115 | 14.1 | 36 | 9 | 9 | 12 | 16 | 20 | 24 | 42 |
| 50-64 | 187 | 15.7 | 70 | 9 | 10 | 13 | 17 | 24 | 31 | 56 |
| 65+ | 79 | 17.5 | 48 | 10 | 11 | 15 | 20 | 28 | 34 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 14.5 | 102 | 7 | 8 | 11 | 16 | 25 | 37 | 56 |
| 20-34 | 118 | 19.7 | 187 | 8 | 9 | 14 | 24 | 45 | 52 | 85 |
| 35-49 | 235 | 18.0 | 84 | 9 | 11 | 15 | 22 | 27 | 35 | 54 |
| 50-64 | 660 | 19.9 | 125 | 10 | 11 | 16 | 24 | 33 | 45 | 70 |
| 65+ | 580 | 23.4 | 175 | 11 | 12 | 19 | 29 | 40 | 54 | 93 |
| TOT. SINGLE DX | 544 | 14.1 | 53 | 7 | 8 | 12 | 16 | 21 | 27 | 43 |
| " MULTIPLE DX | 1761 | 20.2 | 145 | 9 | 10 | 16 | 25 | 35 | 46 | 71 |
| TOTAL 0-19 YRS | 273 | 12.9 | 82 | 7 | 7 | 10 | 13 | 21 | 30 | 55 |
| 20-34 | 176 | 16.8 | 145 | 8 | 8 | 12 | 18 | 34 | 48 | 74 |
| 35-49 | 350 | 16.7 | 72 | 9 | 10 | 14 | 19 | 26 | 33 | 47 |
| 50-64 | 847 | 18.9 | 116 | 10 | 11 | 15 | 22 | 31 | 41 | 67 |
| 65+ | 659 | 22.7 | 164 | 11 | 12 | 19 | 28 | 38 | 52 | 83 |
| GRAND TOTAL | 2305 | 18.8 | 131 | 8 | 10 | 15 | 22 | 32 | 42 | 70 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 15.5 | 1 | 15 | 15 | 15 | 16 | 16 | 16 | 16 |
| 20-34 | 18 | 12.6 | 41 | 7 | 8 | 10 | 14 | 25 | 29 | 29 |
| 35-49 | 445 | 12.0 | 12 | 8 | 9 | 11 | 14 | 17 | 19 | 24 |
| 50-64 | 1431 | 13.4 | 26 | 8 | 9 | 12 | 15 | 19 | 23 | 34 |
| 65+ | 425 | 15.5 | 42 | 9 | 10 | 14 | 18 | 23 | 29 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 18.3 | 25 | 13 | 13 | 18 | 22 | 23 | 23 | 23 |
| 20-34 | 64 | 14.8 | 82 | 8 | 9 | 12 | 15 | 24 | 31 | 58 |
| 35-49 | 1449 | 14.3 | 44 | 8 | 9 | 12 | 16 | 22 | 27 | 40 |
| 50-64 | 5235 | 15.7 | 71 | 9 | 9 | 13 | 18 | 25 | 30 | 51 |
| 65+ | 2388 | 19.3 | 123 | 9 | 10 | 16 | 23 | 32 | 41 | 68 |
| TOT. SINGLE DX | 2321 | 13.5 | 28 | 8 | 9 | 12 | 15 | 20 | 23 | 35 |
| " MULTIPLE DX | 9140 | 16.4 | 84 | 9 | 9 | 13 | 19 | 26 | 33 | 57 |
| TOTAL 0-19 YRS | 6 | 17.3 | 17 | 13 | 13 | 16 | 22 | 23 | 23 | 23 |
| 20-34 | 82 | 14.3 | 74 | 8 | 9 | 11 | 15 | 24 | 29 | 56 |
| 35-49 | 1894 | 13.8 | 38 | 8 | 9 | 12 | 16 | 21 | 25 | 39 |
| 50-64 | 6666 | 15.2 | 63 | 9 | 9 | 13 | 17 | 24 | 29 | 48 |
| 65+ | 2813 | 18.7 | 113 | 9 | 10 | 16 | 22 | 31 | 39 | 66 |
| GRAND TOTAL | 11461 | 15.8 | 74 | 9 | 9 | 13 | 18 | 25 | 31 | 53 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 370 | 2.3 | 4 | 1 | 2 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 363 | 3.5 | 9 | 2 | 2 | 2 | 4 | 7 | 10 | 20 |
| 35-49 | 2347 | 3.5 | 10 | 1 | 2 | 2 | 4 | 7 | 11 | 17 |
| 50-64 | 4173 | 3.6 | 14 | 1 | 2 | 2 | 3 | 8 | 11 | 19 |
| 65+ | 1118 | 4.1 | 17 | 1 | 2 | 2 | 4 | 10 | 13 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 548 | 4.0 | 41 | 2 | 2 | 2 | 3 | 7 | 12 | 41 |
| 20-34 | 633 | 5.4 | 40 | 2 | 2 | 3 | 7 | 12 | 16 | 32 |
| 35-49 | 5191 | 5.4 | 30 | 2 | 2 | 3 | 7 | 12 | 16 | 27 |
| 50-64 | 12480 | 5.8 | 33 | 2 | 2 | 3 | 8 | 13 | 17 | 28 |
| 65+ | 4855 | 7.6 | 57 | 2 | 2 | 5 | 10 | 17 | 22 | 37 |
| TOT. SINGLE DX | 8371 | 3.6 | 13 | 1 | 2 | 2 | 3 | 8 | 11 | 18 |
| " MULTIPLE DX | 23707 | 6.0 | 39 | 2 | 2 | 3 | 8 | 14 | 18 | 30 |
| TOTAL 0-19 YRS | 918 | 3.3 | 27 | 1 | 2 | 2 | 2 | 5 | 9 | 33 |
| 20-34 | 996 | 4.7 | 30 | 2 | 2 | 2 | 6 | 10 | 14 | 28 |
| 35-49 | 7538 | 4.8 | 25 | 2 | 2 | 3 | 6 | 11 | 15 | 24 |
| 50-64 | 16653 | 5.2 | 30 | 2 | 2 | 3 | 7 | 12 | 16 | 26 |
| 65+ | 5973 | 6.9 | 52 | 2 | 2 | 4 | 10 | 16 | 21 | 34 |
| GRAND TOTAL | 32078 | 5.4 | 33 | 2 | 2 | 3 | 7 | 12 | 16 | 28 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 6.1 | 12 | 3 | 3 | 5 | 7 | 8 | 15 | 18 |
| 20-34 | 30 | 6.1 | 12 | 2 | 3 | 5 | 7 | 11 | 12 | 18 |
| 35-49 | 76 | 9.0 | 50 | 1 | 2 | 8 | 13 | 17 | 22 | 41 |
| 50-64 | 272 | 8.2 | 38 | 2 | 2 | 6 | 12 | 16 | 19 | 29 |
| 65+ | 1150 | 8.0 | 37 | 2 | 2 | 6 | 10 | 16 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 16.3 | 445 | 5 | 6 | 8 | 14 | 37 | 70 | 95 |
| 20-34 | 67 | 8.0 | 34 | 2 | 2 | 7 | 10 | 14 | 19 | 31 |
| 35-49 | 302 | 13.2 | 71 | 3 | 4 | 12 | 17 | 24 | 30 | 43 |
| 50-64 | 1584 | 13.9 | 91 | 3 | 5 | 12 | 18 | 25 | 32 | 49 |
| 65+ | 7426 | 14.5 | 101 | 3 | 5 | 12 | 18 | 27 | 33 | 51 |
| TOT. SINGLE DX | 1544 | 8.1 | 38 | 2 | 2 | 6 | 11 | 16 | 20 | 28 |
| " MULTIPLE DX | 9399 | 14.3 | 99 | 3 | 5 | 12 | 18 | 26 | 33 | 51 |
| TOTAL 0-19 YRS | 36 | 11.8 | 273 | 3 | 4 | 7 | 10 | 23 | 41 | 95 |
| 20-34 | 97 | 7.4 | 28 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| 35-49 | 378 | 12.4 | 70 | 2 | 3 | 11 | 16 | 23 | 27 | 41 |
| 50-64 | 1856 | 13.1 | 88 | 3 | 4 | 11 | 17 | 24 | 31 | 48 |
| 65+ | 8576 | 13.6 | 98 | 3 | 4 | 11 | 18 | 25 | 32 | 49 |
| GRAND TOTAL | 10943 | 13.4 | 95 | 3 | 4 | 11 | 17 | 25 | 32 | 49 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 7.7 | 19 | 2 | 3 | 8 | 10 | 13 | 18 | 18 |
| 20-34 | 19 | 8.8 | 12 | 2 | 4 | 8 | 12 | 14 | 14 | 14 |
| 35-49 | 41 | 11.1 | 43 | 2 | 3 | 10 | 14 | 21 | 25 | 30 |
| 50-64 | 65 | 9.7 | 55 | 2 | 2 | 9 | 14 | 17 | 21 | 40 |
| 65+ | 16 | 13.3 | 82 | 1 | 2 | 12 | 17 | 21 | 34 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 12.9 | 72 | 6 | 7 | 10 | 15 | 23 | 30 | 46 |
| 20-34 | 62 | 17.2 | 184 | 5 | 6 | 12 | 24 | 34 | 39 | 75 |
| 35-49 | 161 | 14.4 | 169 | 3 | 4 | 11 | 17 | 26 | 40 | 67 |
| 50-64 | 381 | 15.4 | 133 | 3 | 4 | 13 | 20 | 31 | 37 | 64 |
| 65+ | 176 | 17.6 | 169 | 3 | 5 | 15 | 21 | 33 | 42 | 64 |
| TOT. SINGLE DX | 152 | 10.2 | 48 | 2 | 2 | 9 | 14 | 18 | 23 | 39 |
| " MULTIPLE DX | 811 | 15.7 | 151 | 3 | 4 | 13 | 19 | 31 | 39 | 66 |
| TOTAL 0-19 YRS | 42 | 11.5 | 63 | 3 | 5 | 10 | 11 | 19 | 29 | 46 |
| 20-34 | 81 | 15.2 | 156 | 4 | 6 | 11 | 17 | 31 | 38 | 71 |
| 35-49 | 202 | 13.7 | 145 | 3 | 4 | 11 | 17 | 25 | 35 | 66 |
| 50-64 | 446 | 14.6 | 126 | 3 | 4 | 12 | 19 | 29 | 36 | 59 |
| 65+ | 192 | 17.2 | 163 | 3 | 5 | 14 | 21 | 32 | 40 | 64 |
| GRAND TOTAL | 963 | 14.8 | 139 | 3 | 4 | 12 | 18 | 29 | 38 | 65 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 401 | 3.5 | 10 | <1 | 1 | 2 | 5 | 7 | 10 | 17 |
| 20-34 | 247 | 4.3 | 26 | 1 | 1 | 2 | 5 | 10 | 16 | 23 |
| 35-49 | 300 | 3.9 | 19 | 1 | 1 | 2 | 4 | 10 | 14 | 21 |
| 50-64 | 459 | 4.2 | 32 | 1 | 1 | 2 | 4 | 10 | 15 | 29 |
| 65+ | 374 | 6.9 | 79 | 1 | 1 | 3 | 9 | 16 | 25 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 968 | 5.2 | 22 | 2 | 2 | 4 | 6 | 10 | 14 | 25 |
| 20-34 | 365 | 9.3 | 91 | 1 | 2 | 6 | 12 | 21 | 28 | 50 |
| 35-49 | 661 | 9.6 | 87 | 1 | 2 | 7 | 13 | 20 | 28 | 43 |
| 50-64 | 1606 | 10.9 | 111 | 1 | 2 | 8 | 15 | 23 | 32 | 53 |
| 65+ | 2748 | 14.6 | 137 | 2 | 3 | 12 | 20 | 30 | 39 | 58 |
| TOT. SINGLE DX | 1781 | 4.6 | 36 | 1 | 1 | 2 | 5 | 11 | 16 | 29 |
| " MULTIPLE DX | 6348 | 11.4 | 117 | 2 | 2 | 8 | 15 | 25 | 33 | 53 |
| TOTAL 0-19 YRS | 1369 | 4.7 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 20-34 | 612 | 7.3 | 71 | 1 | 1 | 4 | 10 | 18 | 24 | 45 |
| 35-49 | 961 | 7.8 | 73 | 1 | 1 | 5 | 11 | 17 | 25 | 41 |
| 50-64 | 2065 | 9.4 | 102 | 1 | 2 | 6 | 13 | 22 | 29 | 50 |
| 65+ | 3122 | 13.7 | 137 | 2 | 2 | 11 | 19 | 29 | 37 | 57 |
| GRAND TOTAL | 8129 | 9.9 | 107 | 1 | 2 | 6 | 14 | 23 | 31 | 50 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 3.9 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1055 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 1451 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 1137 | 5.1 | 8 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 259 | 6.4 | 29 | 2 | 3 | 5 | 7 | 12 | 17 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 25 | 3 | 3 | 5 | 8 | 15 | 15 | 15 |
| 20-34 | 270 | 5.9 | 16 | 3 | 3 | 5 | 7 | 10 | 11 | 25 |
| 35-49 | 578 | 6.7 | 20 | 3 | 3 | 5 | 8 | 12 | 17 | 24 |
| 50-64 | 738 | 8.3 | 44 | 3 | 3 | 6 | 10 | 16 | 22 | 31 |
| 65+ | 329 | 11.0 | 71 | 3 | 4 | 8 | 15 | 22 | 26 | 45 |
| TOT. SINGLE DX | 3949 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| " MULTIPLE DX | 1920 | 7.9 | 41 | 3 | 3 | 6 | 9 | 15 | 20 | 31 |
| TOTAL 0-19 YRS | 52 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| 20-34 | 1325 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 2029 | 5.2 | 11 | 2 | 3 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 1875 | 6.3 | 25 | 2 | 3 | 5 | 7 | 11 | 15 | 26 |
| 65+ | 588 | 9.0 | 58 | 2 | 3 | 6 | 11 | 18 | 24 | 41 |
| GRAND TOTAL | 5869 | 5.8 | 21 | 2 | 3 | 5 | 6 | 10 | 14 | 25 |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 13.4 | 190 | 4 | 5 | 9 | 13 | 32 | 51 | 58 |
| 20-34 | 56 | 8.3 | 32 | 2 | 2 | 7 | 11 | 14 | 20 | 29 |
| 35-49 | 162 | 11.3 | 58 | 3 | 4 | 10 | 12 | 18 | 22 | 45 |
| 50-64 | 616 | 12.9 | 57 | 4 | 6 | 11 | 15 | 20 | 26 | 48 |
| 65+ | 503 | 14.2 | 64 | 5 | 7 | 13 | 17 | 22 | 29 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 60 | 14.8 | 134 | 4 | 5 | 11 | 18 | 28 | 37 | 61 |
| 20-34 | 182 | 15.4 | 198 | 2 | 3 | 11 | 19 | 33 | 46 | 81 |
| 35-49 | 508 | 16.1 | 129 | 3 | 5 | 13 | 20 | 29 | 39 | 62 |
| 50-64 | 2033 | 17.2 | 137 | 5 | 8 | 14 | 20 | 31 | 40 | 68 |
| 65+ | 2282 | 21.8 | 206 | 8 | 9 | 18 | 26 | 40 | 51 | 83 |
| TOT. SINGLE DX | 1353 | 13.0 | 62 | 4 | 6 | 12 | 15 | 21 | 27 | 48 |
| " MULTIPLE DX | 5065 | 19.1 | 176 | 5 | 8 | 15 | 23 | 35 | 46 | 79 |
| TOTAL 0-19 YRS | 76 | 14.5 | 144 | 4 | 5 | 10 | 17 | 29 | 38 | 61 |
| 20-34 | 238 | 13.7 | 168 | 2 | 3 | 10 | 17 | 29 | 41 | 75 |
| 35-49 | 670 | 14.9 | 116 | 3 | 5 | 12 | 18 | 27 | 36 | 62 |
| 50-64 | 2649 | 16.2 | 122 | 5 | 7 | 13 | 19 | 29 | 38 | 63 |
| 65+ | 2785 | 20.4 | 189 | 7 | 9 | 17 | 25 | 38 | 49 | 81 |
| GRAND TOTAL | 6418 | 17.8 | 158 | 5 | 7 | 14 | 21 | 33 | 43 | 76 |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 4 | 15.8 | 17 | 11 | 11 | 15 | 18 | 21 | 21 | 21 |
| 50-64 | 14 | 16.1 | 17 | 11 | 12 | 15 | 17 | 21 | 26 | 28 |
| 65+ | 5 | 21.2 | 51 | 17 | 17 | 18 | 23 | 34 | 34 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 5 | 13.6 | 42 | 7 | 7 | 10 | 20 | 22 | 22 | 22 |
| 50-64 | 14 | 21.9 | 140 | 9 | 9 | 20 | 34 | 44 | 86 | 99+ |
| 65+ | 3 | 14.3 | 32 | 8 | 8 | 17 | 59 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 24 | 16.9 | 27 | 11 | 12 | 16 | 18 | 22 | 30 | 34 |
| " MULTIPLE DX | 23 | 18.6 | 112 | 8 | 9 | 17 | 29 | 44 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 11.0 | 2 | 10 | 10 | 11 | 12 | 12 | 12 | 12 |
| 35-49 | 9 | 14.6 | 29 | 7 | 8 | 15 | 19 | 22 | 22 | 22 |
| 50-64 | 28 | 19.0 | 85 | 9 | 10 | 17 | 28 | 36 | 47 | 99+ |
| 65+ | 8 | 18.6 | 51 | 8 | 11 | 18 | 23 | 74 | 99+ | 99+ |
| GRAND TOTAL | 47 | 17.7 | 68 | 9 | 9 | 17 | 20 | 35 | 47 | 99+ |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 3.4 | 19 | <1 | <1 | 1 | 5 | 11 | 11 | 11 |
| 20-34 | 38 | 4.2 | 32 | <1 | <1 | 2 | 5 | 10 | 14 | 32 |
| 35-49 | 37 | 4.2 | 22 | <1 | <1 | 3 | 6 | 8 | 12 | 26 |
| 50-64 | 44 | 4.0 | 13 | <1 | <1 | 3 | 6 | 10 | 12 | 14 |
| 65+ | 23 | 6.3 | 34 | <1 | 1 | 5 | 7 | 17 | 21 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 3.4 | 12 | <1 | <1 | 2 | 4 | 8 | 12 | 16 |
| 20-34 | 566 | 5.3 | 47 | <1 | <1 | 3 | 7 | 12 | 17 | 40 |
| 35-49 | 536 | 7.1 | 55 | <1 | <1 | 5 | 9 | 15 | 22 | 32 |
| 50-64 | 950 | 7.6 | 70 | <1 | <1 | 5 | 9 | 16 | 22 | 49 |
| 65+ | 829 | 9.9 | 125 | <1 | 1 | 7 | 12 | 21 | 30 | 68 |
| TOT. SINGLE DX | 147 | 4.4 | 24 | <1 | <1 | 3 | 6 | 10 | 13 | 26 |
| " MULTIPLE DX | 2974 | 7.6 | 80 | <1 | <1 | 5 | 9 | 16 | 23 | 48 |
| TOTAL 0-19 YRS | 98 | 3.4 | 12 | <1 | <1 | 2 | 4 | 9 | 11 | 16 |
| 20-34 | 604 | 5.3 | 47 | <1 | <1 | 3 | 7 | 12 | 16 | 38 |
| 35-49 | 573 | 6.9 | 54 | <1 | <1 | 5 | 9 | 15 | 21 | 32 |
| 50-64 | 994 | 7.4 | 68 | <1 | <1 | 5 | 9 | 15 | 22 | 48 |
| 65+ | 852 | 9.8 | 123 | <1 | 1 | 7 | 12 | 21 | 29 | 68 |
| GRAND TOTAL | 3121 | 7.4 | 78 | <1 | <1 | 5 | 9 | 16 | 23 | 46 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 287 | 7.7 | 52 | 1 | 1 | 6 | 10 | 14 | 19 | 42 |
| 20-34 | 397 | 7.4 | 69 | 1 | 1 | 5 | 9 | 16 | 22 | 43 |
| 35-49 | 443 | 9.2 | 73 | 1 | 2 | 7 | 12 | 18 | 24 | 48 |
| 50-64 | 1521 | 10.3 | 56 | 3 | 4 | 9 | 13 | 18 | 23 | 45 |
| 65+ | 1797 | 11.2 | 54 | 3 | 4 | 10 | 14 | 19 | 24 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1908 | 20.1 | 406 | 2 | 3 | 12 | 29 | 54 | 77 | 99+ |
| 20-34 | 810 | 13.1 | 197 | 1 | 2 | 9 | 17 | 31 | 45 | 83 |
| 35-49 | 1235 | 13.5 | 146 | 2 | 3 | 11 | 17 | 28 | 41 | 77 |
| 50-64 | 4979 | 15.1 | 153 | 3 | 4 | 12 | 18 | 29 | 40 | 73 |
| 65+ | 7510 | 17.5 | 176 | 4 | 6 | 14 | 22 | 34 | 45 | 78 |
| TOT. SINGLE DX | 4445 | 10.1 | 60 | 2 | 3 | 9 | 13 | 18 | 23 | 41 |
| " MULTIPLE DX | 16442 | 16.5 | 199 | 3 | 4 | 13 | 21 | 34 | 47 | 86 |
| TOTAL 0-19 YRS | 2195 | 18.5 | 378 | 2 | 3 | 11 | 26 | 51 | 73 | 99+ |
| 20-34 | 1207 | 11.2 | 163 | 1 | 2 | 7 | 14 | 27 | 38 | 69 |
| 35-49 | 1678 | 12.4 | 131 | 2 | 2 | 10 | 16 | 26 | 37 | 68 |
| 50-64 | 6500 | 13.9 | 135 | 3 | 4 | 11 | 17 | 27 | 37 | 69 |
| 65+ | 9307 | 16.3 | 159 | 4 | 5 | 13 | 20 | 31 | 41 | 72 |
| GRAND TOTAL | 20887 | 15.2 | 176 | 3 | 4 | 12 | 19 | 31 | 43 | 81 |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 639 | 3.7 | 15 | 1 | 1 | 2 | 4 | 8 | 11 | 18 |
| 20-34 | 749 | 5.0 | 24 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 35-49 | 401 | 5.9 | 42 | 1 | 1 | 3 | 7 | 13 | 20 | 29 |
| 50-64 | 511 | 7.1 | 43 | 2 | 2 | 5 | 9 | 16 | 19 | 31 |
| 65+ | 450 | 8.5 | 71 | 2 | 2 | 6 | 11 | 16 | 22 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 294 | 5.9 | 30 | 1 | 1 | 4 | 8 | 13 | 17 | 25 |
| 20-34 | 533 | 9.2 | 80 | 2 | 2 | 7 | 12 | 19 | 25 | 47 |
| 35-49 | 610 | 9.3 | 66 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |
| 50-64 | 1275 | 11.9 | 112 | 2 | 3 | 9 | 16 | 24 | 32 | 53 |
| 65+ | 1468 | 14.0 | 147 | 2 | 3 | 11 | 17 | 27 | 38 | 65 |
| TOT. SINGLE DX | 2750 | 5.8 | 39 | 1 | 1 | 3 | 8 | 13 | 17 | 29 |
| " MULTIPLE DX | 4180 | 11.5 | 114 | 2 | 2 | 9 | 15 | 23 | 30 | 55 |
| TOTAL 0-19 YRS | 933 | 4.4 | 21 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| 20-34 | 1282 | 6.8 | 52 | 1 | 2 | 4 | 9 | 15 | 20 | 31 |
| 35-49 | 1011 | 8.0 | 59 | 1 | 2 | 5 | 11 | 17 | 24 | 37 |
| 50-64 | 1786 | 10.5 | 97 | 2 | 2 | 8 | 14 | 21 | 29 | 49 |
| 65+ | 1918 | 12.7 | 135 | 2 | 3 | 10 | 16 | 26 | 33 | 62 |
| GRAND TOTAL | 6930 | 9.2 | 92 | 1 | 2 | 6 | 12 | 20 | 27 | 48 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 4.4 | 11 | 1 | 1 | 3 | 7 | 9 | 11 | 13 |
| 20-34 | 48 | 7.7 | 29 | 1 | 2 | 7 | 9 | 14 | 20 | 25 |
| 35-49 | 58 | 7.8 | 26 | 2 | 2 | 7 | 10 | 14 | 18 | 26 |
| 50-64 | 108 | 10.0 | 57 | 3 | 3 | 8 | 12 | 19 | 27 | 38 |
| 65+ | 87 | 11.3 | 63 | 4 | 5 | 9 | 13 | 18 | 27 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 6.6 | 38 | 1 | 2 | 4 | 9 | 16 | 22 | 24 |
| 20-34 | 70 | 8.7 | 17 | 3 | 4 | 8 | 11 | 14 | 17 | 23 |
| 35-49 | 95 | 13.5 | 167 | 2 | 3 | 9 | 16 | 29 | 40 | 69 |
| 50-64 | 292 | 13.7 | 142 | 3 | 5 | 10 | 16 | 28 | 36 | 69 |
| 65+ | 284 | 14.3 | 119 | 4 | 5 | 11 | 17 | 29 | 37 | 55 |
| TOT. SINGLE DX | 321 | 9.3 | 50 | 2 | 2 | 8 | 12 | 17 | 23 | 37 |
| " MULTIPLE DX | 756 | 13.3 | 126 | 3 | 4 | 10 | 16 | 27 | 36 | 63 |
| TOTAL 0-19 YRS | 35 | 5.3 | 23 | 1 | 2 | 4 | 7 | 10 | 15 | 24 |
| 20-34 | 118 | 8.3 | 22 | 2 | 3 | 8 | 11 | 14 | 18 | 24 |
| 35-49 | 153 | 11.4 | 121 | 2 | 3 | 8 | 13 | 23 | 32 | 57 |
| 50-64 | 400 | 12.7 | 122 | 3 | 4 | 9 | 15 | 25 | 33 | 64 |
| 65+ | 371 | 13.6 | 108 | 4 | 5 | 11 | 16 | 27 | 36 | 54 |
| GRAND TOTAL | 1077 | 12.1 | 107 | 3 | 4 | 9 | 14 | 24 | 32 | 59 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 20.5 | 61 | 15 | 15 | 20 | 26 | 26 | 26 | 26 |
| 35-49 | 3 | 8.7 | 44 | 3 | 3 | 7 | 14 | 16 | 16 | 16 |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 6 | 12.7 | 67 | 3 | 3 | 12 | 16 | 25 | 26 | 26 |
| " MULTIPLE DX | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 20.5 | 61 | 15 | 15 | 20 | 26 | 26 | 26 | 26 |
| 35-49 | 4 | 7.8 | 33 | 3 | 3 | 6 | 11 | 16 | 16 | 16 |
| 50-64 | 2 | 11.5 | 13 | 9 | 9 | 11 | 14 | 14 | 14 | 14 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 8 | 11.9 | 56 | 3 | 4 | 11 | 15 | 23 | 26 | 26 |

### 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 40.0 | | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| " MULTIPLE DX | 3 | 18.3 | 352 | 7 | 7 | 8 | 32 | 40 | 40 | 40 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 22.0 | 648 | 4 | 4 | 22 | 40 | 40 | 40 | 40 |
| 35-49 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 5 | 12.4 | 242 | 3 | 3 | 7 | 16 | 40 | 40 | 40 |

### 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 477 | 8.5 | 62 | 2 | 2 | 6 | 9 | 16 | 24 | 43 |
| 20-34 | 484 | 9.5 | 69 | 2 | 3 | 7 | 11 | 17 | 26 | 48 |
| 35-49 | 362 | 10.3 | 99 | 2 | 3 | 7 | 12 | 21 | 31 | 51 |
| 50-64 | 621 | 10.2 | 103 | 2 | 3 | 7 | 12 | 21 | 29 | 54 |
| 65+ | 775 | 10.1 | 69 | 2 | 3 | 8 | 12 | 20 | 27 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 596 | 11.2 | 106 | 2 | 4 | 8 | 13 | 23 | 31 | 68 |
| 20-34 | 1066 | 12.9 | 130 | 3 | 4 | 10 | 15 | 25 | 36 | 60 |
| 35-49 | 1274 | 13.7 | 147 | 3 | 4 | 10 | 16 | 27 | 38 | 73 |
| 50-64 | 2772 | 14.4 | 160 | 3 | 4 | 11 | 17 | 28 | 40 | 71 |
| 65+ | 6035 | 14.4 | 111 | 3 | 5 | 12 | 18 | 27 | 36 | 57 |
| TOT. SINGLE DX | 2719 | 9.8 | 80 | 2 | 3 | 7 | 11 | 19 | 28 | 46 |
| " MULTIPLE DX | 11743 | 14.0 | 129 | 3 | 4 | 11 | 17 | 27 | 37 | 64 |
| TOTAL 0-19 YRS | 1073 | 10.0 | 89 | 2 | 3 | 7 | 11 | 20 | 29 | 54 |
| 20-34 | 1550 | 11.8 | 114 | 3 | 3 | 9 | 14 | 23 | 33 | 59 |
| 35-49 | 1636 | 12.9 | 139 | 3 | 4 | 9 | 15 | 26 | 36 | 70 |
| 50-64 | 3393 | 13.6 | 153 | 3 | 4 | 10 | 17 | 27 | 38 | 68 |
| 65+ | 6810 | 13.9 | 109 | 3 | 4 | 11 | 18 | 27 | 35 | 56 |
| GRAND TOTAL | 14462 | 13.2 | 123 | 3 | 4 | 10 | 16 | 26 | 35 | 61 |

### 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 9.0 | 79 | 2 | 3 | 6 | 10 | 21 | 33 | 39 |
| 20-34 | 50 | 14.9 | 197 | 2 | 3 | 10 | 16 | 39 | 46 | 59 |
| 35-49 | 37 | 13.8 | 138 | 1 | 2 | 11 | 17 | 28 | 41 | 46 |
| 50-64 | 46 | 12.2 | 91 | 2 | 3 | 8 | 18 | 28 | 30 | 41 |
| 65+ | 31 | 21.1 | 281 | 2 | 3 | 17 | 28 | 45 | 60 | 70 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 171 | 13.3 | 222 | 3 | 3 | 7 | 17 | 34 | 60 | 99+ |
| 20-34 | 167 | 17.0 | 261 | 2 | 3 | 10 | 28 | 39 | 49 | 73 |
| 35-49 | 192 | 17.4 | 236 | 2 | 3 | 12 | 23 | 39 | 50 | 72 |
| 50-64 | 370 | 17.4 | 208 | 3 | 4 | 13 | 23 | 37 | 49 | 70 |
| 65+ | 473 | 21.0 | 228 | 4 | 6 | 17 | 28 | 41 | 50 | 77 |
| TOT. SINGLE DX | 211 | 13.7 | 161 | 2 | 3 | 9 | 18 | 32 | 40 | 59 |
| " MULTIPLE DX | 1373 | 18.1 | 233 | 3 | 4 | 13 | 25 | 39 | 50 | 76 |
| TOTAL 0-19 YRS | 218 | 12.4 | 195 | 2 | 3 | 7 | 15 | 32 | 46 | 99+ |
| 20-34 | 217 | 16.6 | 246 | 2 | 3 | 10 | 27 | 39 | 48 | 66 |
| 35-49 | 229 | 16.8 | 222 | 2 | 3 | 12 | 23 | 38 | 46 | 71 |
| 50-64 | 416 | 16.9 | 198 | 3 | 4 | 13 | 23 | 36 | 49 | 69 |
| 65+ | 504 | 21.0 | 231 | 4 | 6 | 17 | 28 | 41 | 50 | 77 |
| GRAND TOTAL | 1584 | 17.5 | 226 | 3 | 4 | 13 | 24 | 39 | 49 | 73 |

### 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 4.1 | 32 | <1 | 1 | 2 | 5 | 9 | 15 | 35 |
| 20-34 | 112 | 5.9 | 29 | 1 | 2 | 4 | 8 | 11 | 14 | 32 |
| 35-49 | 139 | 7.1 | 52 | 1 | 1 | 5 | 10 | 16 | 20 | 28 |
| 50-64 | 264 | 9.5 | 103 | 1 | 2 | 6 | 11 | 22 | 29 | 53 |
| 65+ | 311 | 9.4 | 93 | 1 | 2 | 6 | 12 | 20 | 27 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 10.3 | 157 | 1 | 2 | 7 | 11 | 20 | 29 | 82 |
| 20-34 | 278 | 9.5 | 77 | 2 | 2 | 7 | 12 | 19 | 25 | 61 |
| 35-49 | 573 | 10.3 | 83 | 2 | 3 | 8 | 12 | 20 | 29 | 53 |
| 50-64 | 1196 | 11.9 | 148 | 2 | 3 | 8 | 14 | 24 | 34 | 73 |
| 65+ | 1855 | 12.9 | 121 | 2 | 3 | 10 | 16 | 27 | 35 | 59 |
| TOT. SINGLE DX | 898 | 8.2 | 80 | 1 | 1 | 5 | 10 | 18 | 24 | 46 |
| " MULTIPLE DX | 3966 | 12.0 | 123 | 2 | 3 | 9 | 15 | 25 | 34 | 60 |
| TOTAL 0-19 YRS | 136 | 7.0 | 100 | 1 | 1 | 4 | 9 | 14 | 21 | 48 |
| 20-34 | 390 | 8.5 | 66 | 2 | 2 | 7 | 10 | 17 | 21 | 46 |
| 35-49 | 712 | 9.7 | 79 | 2 | 2 | 7 | 12 | 19 | 26 | 49 |
| 50-64 | 1460 | 11.5 | 141 | 2 | 2 | 8 | 14 | 24 | 33 | 70 |
| 65+ | 2166 | 12.4 | 119 | 2 | 3 | 9 | 16 | 26 | 35 | 57 |
| GRAND TOTAL | 4864 | 11.3 | 117 | 2 | 2 | 8 | 14 | 24 | 32 | 58 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 551 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 8 | 12.8 | 25 | 6 | 7 | 13 | 16 | 19 | 20 | 20 |
| 35-49 | 4 | 9.0 | 8 | 6 | 6 | 9 | 11 | 12 | 12 | 12 |
| 50-64 | 12 | 17.8 | 240 | 5 | 8 | 11 | 19 | 45 | 55 | 57 |
| 65+ | 10 | 22.2 | 142 | 9 | 9 | 20 | 28 | 40 | 49 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 6.3 | 9 | 3 | 3 | 6 | 8 | 11 | 12 | 17 |
| 20-34 | 10 | 20.3 | 546 | 4 | 5 | 10 | 18 | 62 | 77 | 77 |
| 35-49 | 20 | 16.7 | 122 | 6 | 7 | 15 | 19 | 33 | 46 | 47 |
| 50-64 | 37 | 23.8 | 156 | 9 | 10 | 22 | 30 | 39 | 53 | 54 |
| 65+ | 46 | 24.0 | 361 | 9 | 9 | 19 | 25 | 46 | 66 | 94 |
| TOT. SINGLE DX | 585 | 5.0 | 22 | 2 | 2 | 4 | 5 | 8 | 10 | 26 |
| " MULTIPLE DX | 237 | 13.9 | 196 | 3 | 4 | 9 | 18 | 28 | 45 | 79 |
| TOTAL 0-19 YRS | 675 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 18 | 16.9 | 315 | 5 | 6 | 11 | 17 | 39 | 65 | 77 |
| 35-49 | 24 | 15.4 | 111 | 6 | 7 | 12 | 18 | 23 | 46 | 47 |
| 50-64 | 49 | 22.3 | 179 | 9 | 10 | 19 | 29 | 40 | 54 | 57 |
| 65+ | 56 | 23.7 | 319 | 9 | 9 | 19 | 26 | 46 | 58 | 94 |
| GRAND TOTAL | 822 | 7.5 | 89 | 2 | 2 | 5 | 8 | 15 | 24 | 52 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.3 | 4 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 8 | 8.9 | 32 | 3 | 3 | 8 | 12 | 17 | 19 | 19 |
| 35-49 | 7 | 10.1 | 13 | 4 | 5 | 11 | 12 | 14 | 15 | 15 |
| 50-64 | 33 | 16.8 | 113 | 3 | 7 | 15 | 21 | 36 | 39 | 48 |
| 65+ | 42 | 22.3 | 314 | 5 | 6 | 16 | 30 | 58 | 65 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 22.4 | 420 | 4 | 5 | 14 | 39 | 62 | 86 | 99+ |
| 20-34 | 31 | 27.1 | 390 | 7 | 8 | 25 | 46 | 65 | 96 | 99+ |
| 35-49 | 38 | 24.0 | 287 | 5 | 7 | 22 | 42 | 76 | 99+ | 99+ |
| 50-64 | 152 | 25.7 | 322 | 6 | 7 | 22 | 37 | 62 | 87 | 99+ |
| 65+ | 575 | 28.9 | 342 | 7 | 9 | 26 | 40 | 59 | 76 | 99+ |
| TOT. SINGLE DX | 96 | 17.4 | 206 | 3 | 5 | 14 | 21 | 39 | 57 | 87 |
| " MULTIPLE DX | 844 | 27.7 | 345 | 6 | 8 | 25 | 39 | 60 | 80 | 99+ |
| TOTAL 0-19 YRS | 54 | 20.6 | 399 | 4 | 4 | 11 | 37 | 57 | 81 | 99+ |
| 20-34 | 39 | 23.4 | 370 | 4 | 7 | 15 | 36 | 61 | 88 | 99+ |
| 35-49 | 45 | 21.8 | 269 | 4 | 6 | 18 | 35 | 64 | 99+ | 99+ |
| 50-64 | 185 | 24.1 | 296 | 6 | 7 | 20 | 34 | 52 | 81 | 99+ |
| 65+ | 617 | 28.5 | 343 | 7 | 9 | 25 | 40 | 59 | 73 | 99+ |
| GRAND TOTAL | 940 | 26.6 | 340 | 6 | 8 | 23 | 38 | 58 | 77 | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 13 | 13 |
| 20-34 | 193 | 6.7 | 17 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| 35-49 | 305 | 7.7 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| 50-64 | 374 | 7.7 | 31 | 2 | 2 | 7 | 10 | 14 | 18 | 29 |
| 65+ | 380 | 8.5 | 35 | 1 | 2 | 7 | 11 | 16 | 21 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 7.6 | 20 | 3 | 3 | 6 | 10 | 13 | 15 | 25 |
| 20-34 | 781 | 9.1 | 47 | 2 | 4 | 8 | 11 | 17 | 21 | 38 |
| 35-49 | 1424 | 10.2 | 55 | 3 | 4 | 8 | 12 | 18 | 22 | 42 |
| 50-64 | 2544 | 10.7 | 58 | 3 | 4 | 9 | 13 | 19 | 24 | 40 |
| 65+ | 3816 | 12.8 | 91 | 3 | 5 | 10 | 15 | 24 | 30 | 53 |
| TOT. SINGLE DX | 1289 | 7.7 | 31 | 2 | 2 | 6 | 10 | 14 | 18 | 29 |
| " MULTIPLE DX | 8663 | 11.4 | 73 | 3 | 4 | 9 | 14 | 21 | 27 | 47 |
| TOTAL 0-19 YRS | 135 | 7.0 | 18 | 2 | 3 | 6 | 10 | 13 | 14 | 25 |
| 20-34 | 974 | 8.6 | 43 | 2 | 3 | 7 | 10 | 16 | 19 | 36 |
| 35-49 | 1729 | 9.7 | 53 | 2 | 4 | 8 | 12 | 17 | 21 | 41 |
| 50-64 | 2918 | 10.4 | 56 | 3 | 4 | 9 | 13 | 18 | 24 | 40 |
| 65+ | 4196 | 12.4 | 88 | 3 | 4 | 10 | 15 | 23 | 29 | 52 |
| GRAND TOTAL | 9952 | 10.9 | 69 | 3 | 4 | 9 | 13 | 20 | 26 | 45 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 8.0 | 8 | 3 | 3 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 87 | 12.4 | 28 | 7 | 7 | 11 | 14 | 21 | 23 | 27 |
| 35-49 | 210 | 12.8 | 27 | 7 | 8 | 11 | 15 | 20 | 25 | 31 |
| 50-64 | 217 | 15.4 | 54 | 8 | 9 | 13 | 18 | 24 | 27 | 44 |
| 65+ | 150 | 18.8 | 95 | 9 | 10 | 16 | 22 | 30 | 38 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 34.1 | 793 | 7 | 8 | 20 | 56 | 78 | 83 | 83 |
| 20-34 | 126 | 15.9 | 88 | 7 | 8 | 13 | 20 | 29 | 39 | 69 |
| 35-49 | 360 | 17.8 | 101 | 8 | 9 | 15 | 21 | 31 | 36 | 60 |
| 50-64 | 605 | 21.7 | 177 | 9 | 10 | 18 | 26 | 38 | 51 | 72 |
| 65+ | 815 | 25.8 | 215 | 11 | 12 | 22 | 31 | 45 | 57 | 90 |
| TOT. SINGLE DX | 669 | 14.9 | 57 | 8 | 8 | 13 | 18 | 24 | 27 | 43 |
| " MULTIPLE DX | 1914 | 22.4 | 188 | 9 | 10 | 19 | 27 | 39 | 51 | 82 |
| TOTAL 0-19 YRS | 13 | 24.1 | 641 | 4 | 6 | 12 | 28 | 71 | 81 | 83 |
| 20-34 | 213 | 14.4 | 67 | 7 | 7 | 12 | 18 | 25 | 29 | 49 |
| 35-49 | 570 | 16.0 | 80 | 8 | 9 | 14 | 19 | 27 | 33 | 52 |
| 50-64 | 822 | 20.0 | 152 | 9 | 10 | 16 | 23 | 35 | 46 | 70 |
| 65+ | 965 | 24.7 | 203 | 10 | 11 | 21 | 30 | 44 | 53 | 89 |
| GRAND TOTAL | 2583 | 20.4 | 165 | 8 | 9 | 17 | 25 | 36 | 46 | 73 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 16.7 | 16 | 13 | 13 | 16 | 20 | 21 | 21 | 21 |
| 50-64 | 29 | 19.3 | 106 | 10 | 11 | 18 | 23 | 27 | 36 | 63 |
| 65+ | 22 | 21.0 | 47 | 12 | 13 | 20 | 27 | 30 | 34 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 11 | 20.1 | 387 | 9 | 11 | 15 | 17 | 85 | 98 | 99+ |
| 35-49 | 19 | 30.6 | 589 | 12 | 13 | 23 | 34 | 72 | 95 | 98 |
| 50-64 | 90 | 26.0 | 206 | 11 | 13 | 21 | 31 | 44 | 55 | 80 |
| 65+ | 120 | 27.3 | 179 | 12 | 14 | 24 | 32 | 42 | 54 | 77 |
| TOT. SINGLE DX | 56 | 19.2 | 85 | 10 | 11 | 18 | 24 | 27 | 35 | 61 |
| " MULTIPLE DX | 241 | 26.7 | 230 | 11 | 13 | 23 | 32 | 45 | 56 | 92 |
| TOTAL 0-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 12 | 18.7 | 376 | 4 | 8 | 15 | 16 | 83 | 97 | 99+ |
| 35-49 | 22 | 28.7 | 531 | 12 | 13 | 21 | 32 | 58 | 94 | 98 |
| 50-64 | 119 | 24.3 | 189 | 10 | 12 | 19 | 28 | 42 | 53 | 78 |
| 65+ | 142 | 26.3 | 163 | 12 | 14 | 23 | 30 | 41 | 52 | 73 |
| GRAND TOTAL | 297 | 25.3 | 211 | 11 | 13 | 22 | 29 | 42 | 55 | 91 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 11.9 | 18 | 8 | 8 | 10 | 16 | 18 | 20 | 20 |
| 20-34 | 93 | 12.2 | 27 | 6 | 7 | 11 | 15 | 19 | 24 | 28 |
| 35-49 | 136 | 12.1 | 26 | 7 | 7 | 11 | 15 | 19 | 23 | 29 |
| 50-64 | 125 | 13.3 | 40 | 7 | 8 | 11 | 16 | 20 | 22 | 41 |
| 65+ | 63 | 16.9 | 85 | 8 | 9 | 14 | 20 | 32 | 38 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 21.4 | 183 | 8 | 8 | 19 | 28 | 43 | 48 | 48 |
| 20-34 | 83 | 14.6 | 66 | 6 | 7 | 12 | 16 | 28 | 32 | 41 |
| 35-49 | 204 | 15.2 | 74 | 7 | 8 | 13 | 19 | 28 | 32 | 61 |
| 50-64 | 289 | 16.4 | 83 | 8 | 8 | 13 | 20 | 28 | 34 | 47 |
| 65+ | 280 | 21.8 | 118 | 10 | 11 | 19 | 27 | 37 | 47 | 57 |
| TOT. SINGLE DX | 427 | 13.2 | 42 | 7 | 7 | 11 | 16 | 21 | 25 | 39 |
| " MULTIPLE DX | 864 | 17.8 | 100 | 8 | 8 | 15 | 22 | 31 | 38 | 56 |
| TOTAL 0-19 YRS | 18 | 16.1 | 109 | 8 | 8 | 12 | 20 | 30 | 42 | 48 |
| 20-34 | 176 | 13.3 | 47 | 6 | 7 | 11 | 16 | 23 | 28 | 39 |
| 35-49 | 340 | 14.0 | 58 | 7 | 8 | 12 | 17 | 24 | 30 | 40 |
| 50-64 | 414 | 15.5 | 72 | 7 | 8 | 13 | 19 | 26 | 33 | 46 |
| 65+ | 343 | 20.9 | 116 | 9 | 10 | 18 | 25 | 37 | 45 | 57 |
| GRAND TOTAL | 1291 | 16.2 | 85 | 7 | 8 | 14 | 20 | 28 | 36 | 51 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 7.8 | 23 | 3 | 4 | 7 | 9 | 11 | 16 | 34 |
| 20-34 | 645 | 8.8 | 14 | 5 | 6 | 8 | 10 | 13 | 15 | 25 |
| 35-49 | 518 | 9.6 | 25 | 5 | 6 | 8 | 11 | 15 | 18 | 29 |
| 50-64 | 207 | 12.3 | 31 | 6 | 7 | 11 | 15 | 21 | 24 | 31 |
| 65+ | 163 | 15.3 | 92 | 6 | 7 | 12 | 20 | 25 | 31 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 15.7 | 200 | 5 | 6 | 10 | 20 | 30 | 52 | 86 |
| 20-34 | 1094 | 10.7 | 60 | 5 | 6 | 9 | 11 | 16 | 24 | 54 |
| 35-49 | 1392 | 11.7 | 78 | 5 | 6 | 9 | 12 | 19 | 26 | 60 |
| 50-64 | 756 | 15.5 | 120 | 6 | 7 | 12 | 18 | 30 | 39 | 59 |
| 65+ | 754 | 22.3 | 217 | 7 | 9 | 18 | 27 | 42 | 55 | 77 |
| TOT. SINGLE DX | 1618 | 10.1 | 33 | 5 | 6 | 8 | 11 | 16 | 21 | 32 |
| " MULTIPLE DX | 4123 | 14.2 | 128 | 5 | 6 | 10 | 16 | 27 | 38 | 67 |
| TOTAL 0-19 YRS | 212 | 12.5 | 145 | 4 | 5 | 9 | 14 | 24 | 39 | 79 |
| 20-34 | 1739 | 10.0 | 44 | 5 | 6 | 8 | 11 | 14 | 20 | 45 |
| 35-49 | 1910 | 11.1 | 65 | 5 | 6 | 9 | 12 | 17 | 23 | 52 |
| 50-64 | 963 | 14.8 | 103 | 6 | 7 | 12 | 17 | 26 | 36 | 54 |
| 65+ | 917 | 21.0 | 202 | 7 | 8 | 17 | 25 | 39 | 53 | 75 |
| GRAND TOTAL | 5741 | 13.0 | 105 | 5 | 6 | 10 | 14 | 24 | 34 | 62 |

### 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 258 | 5.1 | 18 | <1 | 1 | 4 | 7 | 9 | 11 | 22 |
| 20-34 | 559 | 6.8 | 30 | 1 | 2 | 5 | 9 | 12 | 17 | 30 |
| 35-49 | 524 | 5.9 | 23 | 1 | 1 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 787 | 5.2 | 23 | 1 | 1 | 3 | 8 | 11 | 15 | 23 |
| 65+ | 739 | 6.3 | 46 | 1 | 1 | 4 | 9 | 14 | 20 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 253 | 8.2 | 55 | 2 | 2 | 7 | 10 | 14 | 21 | 39 |
| 20-34 | 774 | 9.1 | 56 | 2 | 3 | 7 | 11 | 17 | 22 | 34 |
| 35-49 | 1272 | 9.4 | 57 | 2 | 2 | 8 | 12 | 17 | 22 | 37 |
| 50-64 | 2595 | 10.0 | 74 | 1 | 2 | 8 | 13 | 20 | 26 | 41 |
| 65+ | 3796 | 11.9 | 97 | 2 | 3 | 10 | 15 | 23 | 30 | 50 |
| **TOT. SINGLE DX** | 2867 | 5.9 | 31 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| **" MULTIPLE DX** | 8690 | 10.6 | 81 | 2 | 2 | 9 | 13 | 21 | 27 | 46 |
| TOTAL 0-19 YRS | 511 | 6.7 | 39 | 1 | 1 | 5 | 8 | 12 | 16 | 38 |
| 20-34 | 1333 | 8.1 | 47 | 1 | 2 | 7 | 10 | 16 | 20 | 32 |
| 35-49 | 1796 | 8.4 | 50 | 1 | 2 | 7 | 11 | 16 | 20 | 35 |
| 50-64 | 3382 | 8.9 | 67 | 1 | 2 | 7 | 12 | 18 | 23 | 39 |
| 65+ | 4535 | 11.0 | 93 | 1 | 2 | 9 | 14 | 22 | 29 | 49 |
| **GRAND TOTAL** | **11557** | **9.4** | **73** | **1** | **2** | **8** | **12** | **19** | **25** | **42** |

### 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 36 | 11.1 | 43 | 6 | 7 | 9 | 12 | 17 | 20 | 43 |
| 20-34 | 67 | 12.7 | 34 | 5 | 6 | 12 | 16 | 20 | 25 | 31 |
| 35-49 | 69 | 13.0 | 51 | 7 | 8 | 11 | 14 | 20 | 26 | 50 |
| 50-64 | 74 | 14.3 | 116 | 6 | 7 | 12 | 17 | 20 | 26 | 78 |
| 65+ | 99 | 15.8 | 50 | 7 | 8 | 15 | 19 | 24 | 29 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 95 | 19.2 | 305 | 5 | 6 | 12 | 23 | 45 | 56 | 81 |
| 20-34 | 213 | 18.6 | 213 | 7 | 8 | 13 | 23 | 38 | 50 | 80 |
| 35-49 | 259 | 18.5 | 171 | 7 | 8 | 14 | 22 | 39 | 51 | 99+ |
| 50-64 | 449 | 23.0 | 253 | 8 | 9 | 18 | 28 | 46 | 59 | 86 |
| 65+ | 713 | 24.0 | 222 | 9 | 10 | 20 | 29 | 43 | 55 | 96 |
| **TOT. SINGLE DX** | 345 | 13.8 | 63 | 6 | 7 | 12 | 16 | 21 | 26 | 43 |
| **" MULTIPLE DX** | 1729 | 22.0 | 231 | 8 | 9 | 17 | 27 | 42 | 55 | 93 |
| TOTAL 0-19 YRS | 131 | 17.0 | 245 | 5 | 6 | 11 | 20 | 39 | 55 | 79 |
| 20-34 | 280 | 17.2 | 177 | 7 | 7 | 13 | 20 | 32 | 44 | 79 |
| 35-49 | 328 | 17.3 | 151 | 7 | 8 | 13 | 20 | 35 | 50 | 99+ |
| 50-64 | 523 | 21.8 | 243 | 8 | 9 | 17 | 26 | 42 | 57 | 87 |
| 65+ | 812 | 23.0 | 208 | 8 | 10 | 19 | 28 | 41 | 54 | 94 |
| **GRAND TOTAL** | **2074** | **20.6** | **212** | **7** | **8** | **16** | **25** | **40** | **53** | **89** |

### 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 48 | 13.2 | 44 | 5 | 5 | 12 | 16 | 21 | 27 | 34 |
| 20-34 | 161 | 14.4 | 85 | 7 | 7 | 11 | 16 | 26 | 33 | 49 |
| 35-49 | 336 | 13.0 | 34 | 7 | 8 | 11 | 15 | 20 | 24 | 34 |
| 50-64 | 829 | 14.2 | 39 | 8 | 9 | 13 | 16 | 21 | 25 | 35 |
| 65+ | 1146 | 16.7 | 60 | 9 | 10 | 14 | 19 | 27 | 31 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 90 | 18.1 | 237 | 6 | 7 | 14 | 20 | 36 | 56 | 96 |
| 20-34 | 382 | 19.3 | 163 | 8 | 9 | 15 | 23 | 37 | 50 | 74 |
| 35-49 | 742 | 17.3 | 102 | 8 | 9 | 14 | 21 | 29 | 38 | 74 |
| 50-64 | 2563 | 18.7 | 123 | 9 | 10 | 16 | 22 | 31 | 40 | 74 |
| 65+ | 5523 | 22.1 | 147 | 10 | 11 | 19 | 26 | 37 | 45 | 77 |
| **TOT. SINGLE DX** | 2520 | 15.2 | 53 | 8 | 9 | 13 | 17 | 23 | 29 | 42 |
| **" MULTIPLE DX** | 9300 | 20.6 | 142 | 9 | 10 | 18 | 25 | 35 | 44 | 77 |
| TOTAL 0-19 YRS | 138 | 16.4 | 175 | 6 | 7 | 13 | 19 | 31 | 44 | 91 |
| 20-34 | 543 | 17.9 | 145 | 7 | 8 | 14 | 21 | 35 | 44 | 66 |
| 35-49 | 1078 | 15.9 | 85 | 8 | 9 | 13 | 19 | 27 | 34 | 61 |
| 50-64 | 3392 | 17.6 | 107 | 9 | 10 | 15 | 20 | 29 | 37 | 66 |
| 65+ | 6669 | 21.2 | 136 | 10 | 11 | 18 | 25 | 36 | 44 | 73 |
| **GRAND TOTAL** | **11820** | **19.5** | **128** | **9** | **10** | **16** | **23** | **33** | **41** | **71** |

### 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 8.2 | 54 | 2 | 2 | 6 | 10 | 21 | 21 | 21 |
| 20-34 | 20 | 9.2 | 12 | 3 | 5 | 9 | 11 | 14 | 16 | 17 |
| 35-49 | 18 | 13.1 | 73 | 3 | 6 | 10 | 17 | 27 | 33 | 36 |
| 50-64 | 32 | 15.7 | 188 | 2 | 6 | 11 | 17 | 31 | 37 | 74 |
| 65+ | 56 | 15.4 | 95 | 7 | 8 | 12 | 18 | 24 | 40 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 35 | 17.8 | 297 | 5 | 5 | 11 | 19 | 44 | 59 | 79 |
| 20-34 | 24 | 16.7 | 169 | 5 | 7 | 13 | 23 | 39 | 70 | 99+ |
| 35-49 | 63 | 16.1 | 86 | 7 | 8 | 14 | 21 | 26 | 28 | 62 |
| 50-64 | 154 | 19.8 | 142 | 7 | 9 | 17 | 24 | 36 | 42 | 70 |
| 65+ | 317 | 23.7 | 188 | 9 | 10 | 21 | 29 | 44 | 55 | 77 |
| **TOT. SINGLE DX** | 131 | 13.9 | 105 | 5 | 6 | 11 | 17 | 25 | 34 | 56 |
| **" MULTIPLE DX** | 593 | 21.2 | 178 | 7 | 9 | 18 | 26 | 38 | 51 | 77 |
| TOTAL 0-19 YRS | 40 | 16.6 | 276 | 4 | 5 | 10 | 18 | 38 | 58 | 79 |
| 20-34 | 44 | 13.3 | 111 | 5 | 6 | 10 | 15 | 31 | 44 | 99+ |
| 35-49 | 81 | 15.4 | 84 | 6 | 7 | 13 | 20 | 26 | 29 | 57 |
| 50-64 | 186 | 19.1 | 152 | 7 | 8 | 16 | 24 | 35 | 41 | 73 |
| 65+ | 373 | 22.5 | 183 | 8 | 10 | 20 | 28 | 41 | 52 | 75 |
| **GRAND TOTAL** | **724** | **19.9** | **173** | **7** | **8** | **16** | **25** | **37** | **48** | **74** |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 7.4 | 20 | 2 | 3 | 6 | 10 | 12 | 16 | 24 |
| 20-34 | 206 | 9.8 | 34 | 4 | 5 | 9 | 11 | 14 | 17 | 40 |
| 35-49 | 206 | 10.3 | 19 | 5 | 6 | 10 | 13 | 15 | 18 | 27 |
| 50-64 | 276 | 10.9 | 57 | 4 | 5 | 10 | 12 | 17 | 20 | 39 |
| 65+ | 298 | 12.5 | 49 | 4 | 5 | 11 | 15 | 21 | 28 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 164 | 12.6 | 130 | 4 | 4 | 9 | 14 | 28 | 37 | 97 |
| 20-34 | 401 | 13.3 | 86 | 6 | 7 | 11 | 15 | 23 | 28 | 57 |
| 35-49 | 465 | 14.4 | 114 | 6 | 7 | 11 | 15 | 26 | 34 | 57 |
| 50-64 | 714 | 15.9 | 136 | 6 | 7 | 12 | 18 | 30 | 41 | 78 |
| 65+ | 1180 | 18.2 | 168 | 6 | 8 | 14 | 22 | 33 | 45 | 78 |
| TOT. SINGLE DX | 1115 | 10.6 | 42 | 4 | 5 | 10 | 12 | 16 | 21 | 35 |
| " MULTIPLE DX | 2924 | 16.0 | 143 | 5 | 7 | 12 | 18 | 30 | 41 | 77 |
| TOTAL 0-19 YRS | 293 | 10.3 | 88 | 3 | 4 | 8 | 12 | 20 | 32 | 73 |
| 20-34 | 607 | 12.1 | 72 | 5 | 6 | 10 | 13 | 20 | 26 | 53 |
| 35-49 | 671 | 13.1 | 89 | 6 | 7 | 11 | 14 | 22 | 30 | 52 |
| 50-64 | 990 | 14.5 | 120 | 5 | 7 | 11 | 16 | 27 | 36 | 73 |
| 65+ | 1478 | 17.0 | 150 | 6 | 7 | 13 | 20 | 31 | 42 | 73 |
| GRAND TOTAL | 4039 | 14.5 | 121 | 5 | 6 | 11 | 16 | 27 | 36 | 68 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 13.6 | 36 | 7 | 7 | 11 | 19 | 22 | 23 | 23 |
| 20-34 | 18 | 14.7 | 157 | 6 | 6 | 10 | 15 | 35 | 48 | 53 |
| 35-49 | 31 | 13.0 | 48 | 4 | 6 | 12 | 16 | 20 | 22 | 40 |
| 50-64 | 48 | 19.7 | 265 | 6 | 8 | 15 | 20 | 39 | 68 | 74 |
| 65+ | 104 | 20.4 | 78 | 10 | 11 | 19 | 24 | 33 | 37 | 77 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 20.7 | 357 | 5 | 8 | 16 | 26 | 85 | 99+ | 99+ |
| 20-34 | 51 | 24.3 | 394 | 8 | 9 | 18 | 29 | 46 | 71 | 94 |
| 35-49 | 111 | 22.8 | 272 | 8 | 10 | 18 | 27 | 52 | 69 | 99+ |
| 50-64 | 394 | 23.9 | 208 | 9 | 10 | 20 | 30 | 44 | 56 | 99 |
| 65+ | 816 | 26.2 | 219 | 10 | 12 | 23 | 32 | 46 | 59 | 94 |
| TOT. SINGLE DX | 214 | 18.3 | 127 | 7 | 9 | 16 | 22 | 32 | 41 | 72 |
| " MULTIPLE DX | 1397 | 25.1 | 230 | 9 | 11 | 21 | 31 | 46 | 59 | 99+ |
| TOTAL 0-19 YRS | 38 | 18.3 | 255 | 6 | 7 | 15 | 22 | 46 | 96 | 99+ |
| 20-34 | 69 | 21.8 | 348 | 7 | 8 | 16 | 25 | 45 | 68 | 93 |
| 35-49 | 142 | 20.7 | 239 | 7 | 9 | 16 | 25 | 46 | 60 | 99+ |
| 50-64 | 442 | 23.4 | 216 | 9 | 10 | 19 | 29 | 44 | 57 | 98 |
| 65+ | 920 | 25.6 | 207 | 10 | 12 | 22 | 31 | 45 | 57 | 94 |
| GRAND TOTAL | 1611 | 24.2 | 222 | 9 | 10 | 20 | 30 | 45 | 57 | 98 |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9392 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 6074 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1746 | 5.5 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 901 | 6.8 | 13 | 3 | 3 | 6 | 8 | 11 | 13 | 19 |
| 65+ | 310 | 8.9 | 26 | 3 | 4 | 8 | 11 | 16 | 19 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2533 | 6.8 | 25 | 3 | 3 | 5 | 8 | 12 | 16 | 27 |
| 20-34 | 2118 | 7.2 | 25 | 3 | 3 | 6 | 9 | 13 | 16 | 27 |
| 35-49 | 867 | 9.0 | 41 | 3 | 4 | 7 | 11 | 16 | 21 | 32 |
| 50-64 | 821 | 11.8 | 59 | 4 | 5 | 10 | 14 | 20 | 25 | 42 |
| 65+ | 634 | 14.1 | 75 | 5 | 6 | 12 | 17 | 24 | 32 | 46 |
| TOT. SINGLE DX | 18423 | 4.8 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| " MULTIPLE DX | 6973 | 8.4 | 42 | 3 | 3 | 6 | 10 | 16 | 20 | 33 |
| TOTAL 0-19 YRS | 11925 | 5.0 | 11 | 2 | 3 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 8192 | 5.3 | 12 | 2 | 3 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 2613 | 6.7 | 22 | 3 | 3 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 1722 | 9.2 | 42 | 3 | 4 | 8 | 11 | 16 | 21 | 33 |
| 65+ | 944 | 12.4 | 66 | 4 | 5 | 10 | 15 | 22 | 27 | 41 |
| GRAND TOTAL | 25396 | 5.8 | 19 | 2 | 3 | 4 | 7 | 10 | 14 | 23 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 161 | 4.6 | 9 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 111 | 5.8 | 14 | 2 | 3 | 5 | 7 | 10 | 11 | 25 |
| 35-49 | 20 | 7.1 | 9 | 4 | 4 | 6 | 9 | 12 | 13 | 13 |
| 50-64 | 15 | 7.1 | 21 | 2 | 2 | 7 | 8 | 9 | 19 | 22 |
| 65+ | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 45 | 7.0 | 18 | 3 | 3 | 6 | 9 | 14 | 15 | 25 |
| 20-34 | 83 | 6.9 | 10 | 3 | 4 | 6 | 8 | 11 | 14 | 18 |
| 35-49 | 25 | 8.1 | 10 | 4 | 5 | 8 | 10 | 12 | 14 | 19 |
| 50-64 | 13 | 15.2 | 105 | 5 | 6 | 13 | 18 | 31 | 40 | 42 |
| 65+ | 18 | 15.3 | 295 | 4 | 5 | 11 | 13 | 23 | 58 | 81 |
| TOT. SINGLE DX | 309 | 5.3 | 12 | 2 | 3 | 4 | 6 | 9 | 11 | 23 |
| " MULTIPLE DX | 184 | 8.5 | 55 | 3 | 4 | 7 | 10 | 14 | 18 | 37 |
| TOTAL 0-19 YRS | 206 | 5.1 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 20 |
| 20-34 | 194 | 6.2 | 13 | 3 | 3 | 5 | 8 | 11 | 13 | 21 |
| 35-49 | 45 | 7.6 | 10 | 4 | 4 | 7 | 10 | 12 | 13 | 19 |
| 50-64 | 28 | 10.9 | 75 | 2 | 4 | 8 | 14 | 21 | 29 | 42 |
| 65+ | 20 | 14.6 | 271 | 4 | 5 | 11 | 13 | 22 | 52 | 81 |
| GRAND TOTAL | 493 | 6.5 | 30 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |

## 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 9.9 | 69 | 3 | 5 | 8 | 10 | 15 | 31 | 45 |
| 20-34 | 18 | 9.4 | 28 | 4 | 6 | 9 | 10 | 13 | 22 | 28 |
| 35-49 | 3 | 7.7 | 9 | 5 | 5 | 7 | 10 | 11 | 11 | 11 |
| 50-64 | 11 | 12.0 | 40 | 2 | 4 | 10 | 14 | 22 | 23 | 23 |
| 65+ | 6 | 19.2 | 196 | 7 | 7 | 13 | 29 | 42 | 43 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 9.1 | 10 | 4 | 4 | 9 | 12 | 13 | 14 | 14 |
| 20-34 | 21 | 14.0 | 75 | 3 | 5 | 11 | 19 | 28 | 31 | 33 |
| 35-49 | 10 | 12.9 | 43 | 4 | 5 | 12 | 16 | 23 | 24 | 24 |
| 50-64 | 7 | 13.7 | 39 | 8 | 8 | 12 | 14 | 25 | 27 | 27 |
| 65+ | 10 | 24.0 | 130 | 12 | 13 | 18 | 35 | 39 | 43 | 43 |
| TOT. SINGLE DX | 67 | 10.9 | 66 | 3 | 5 | 9 | 11 | 21 | 29 | 45 |
| " MULTIPLE DX | 66 | 14.0 | 76 | 4 | 6 | 12 | 16 | 27 | 34 | 42 |
| TOTAL 0-19 YRS | 47 | 9.6 | 46 | 4 | 4 | 8 | 11 | 13 | 19 | 45 |
| 20-34 | 39 | 11.9 | 58 | 3 | 6 | 10 | 12 | 27 | 29 | 33 |
| 35-49 | 13 | 11.7 | 39 | 4 | 5 | 11 | 14 | 23 | 24 | 24 |
| 50-64 | 18 | 12.7 | 38 | 4 | 7 | 11 | 14 | 23 | 25 | 27 |
| 65+ | 16 | 22.2 | 149 | 8 | 10 | 16 | 34 | 42 | 43 | 43 |
| GRAND TOTAL | 133 | 12.4 | 73 | 4 | 6 | 10 | 14 | 26 | 32 | 44 |

## 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 210 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 20-34 | 260 | 4.7 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 29 |
| 35-49 | 153 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 260 | 5.3 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 403 | 7.4 | 68 | 1 | 2 | 5 | 9 | 16 | 24 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 7.3 | 67 | 1 | 1 | 5 | 9 | 14 | 26 | 44 |
| 20-34 | 252 | 8.5 | 69 | 2 | 2 | 6 | 11 | 16 | 21 | 49 |
| 35-49 | 329 | 8.3 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 40 |
| 50-64 | 718 | 9.1 | 74 | 2 | 2 | 7 | 11 | 19 | 25 | 46 |
| 65+ | 1459 | 11.6 | 103 | 2 | 3 | 9 | 15 | 24 | 30 | 49 |
| TOT. SINGLE DX | 1286 | 5.5 | 36 | 1 | 1 | 4 | 6 | 11 | 16 | 33 |
| " MULTIPLE DX | 2858 | 10.2 | 89 | 2 | 3 | 7 | 13 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 310 | 5.0 | 32 | 1 | 1 | 3 | 6 | 10 | 13 | 29 |
| 20-34 | 512 | 6.6 | 48 | 1 | 2 | 5 | 7 | 13 | 18 | 45 |
| 35-49 | 482 | 7.1 | 47 | 1 | 2 | 5 | 9 | 14 | 18 | 38 |
| 50-64 | 978 | 8.0 | 64 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| 65+ | 1862 | 10.7 | 99 | 2 | 2 | 8 | 14 | 23 | 29 | 47 |
| GRAND TOTAL | 4144 | 8.7 | 77 | 1 | 2 | 6 | 11 | 19 | 25 | 45 |

## 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 20-34 | 299 | 3.5 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 217 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 50-64 | 124 | 5.0 | 21 | 1 | 2 | 4 | 6 | 8 | 14 | 27 |
| 65+ | 51 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 5.0 | 8 | 2 | 2 | 4 | 6 | 10 | 12 | 12 |
| 20-34 | 182 | 6.1 | 57 | 1 | 2 | 4 | 7 | 11 | 17 | 35 |
| 35-49 | 198 | 7.5 | 106 | 2 | 2 | 5 | 8 | 16 | 21 | 72 |
| 50-64 | 163 | 9.1 | 101 | 2 | 3 | 5 | 11 | 18 | 27 | 58 |
| 65+ | 97 | 12.0 | 124 | 2 | 3 | 8 | 17 | 27 | 31 | 54 |
| TOT. SINGLE DX | 753 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| " MULTIPLE DX | 658 | 8.1 | 95 | 2 | 2 | 5 | 9 | 17 | 25 | 57 |
| TOTAL 0-19 YRS | 80 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 481 | 4.5 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 415 | 5.6 | 59 | 1 | 2 | 4 | 6 | 9 | 16 | 29 |
| 50-64 | 287 | 7.3 | 71 | 2 | 2 | 5 | 8 | 15 | 22 | 51 |
| 65+ | 148 | 9.8 | 96 | 2 | 2 | 6 | 12 | 23 | 30 | 51 |
| GRAND TOTAL | 1411 | 5.9 | 54 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |

## 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 12.1 | 45 | 2 | 3 | 11 | 16 | 23 | 25 | 25 |
| 20-34 | 39 | 16.4 | 105 | 2 | 5 | 14 | 22 | 30 | 39 | 48 |
| 35-49 | 56 | 13.9 | 52 | 3 | 8 | 13 | 16 | 21 | 26 | 97 |
| 50-64 | 240 | 16.7 | 39 | 9 | 10 | 15 | 20 | 25 | 29 | 36 |
| 65+ | 323 | 20.0 | 63 | 10 | 12 | 18 | 24 | 30 | 35 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 17.2 | 168 | 8 | 8 | 12 | 20 | 31 | 46 | 67 |
| 20-34 | 56 | 20.1 | 181 | 3 | 5 | 16 | 28 | 36 | 47 | 64 |
| 35-49 | 126 | 18.4 | 162 | 4 | 6 | 16 | 22 | 29 | 43 | 71 |
| 50-64 | 570 | 20.5 | 98 | 9 | 11 | 18 | 25 | 34 | 40 | 57 |
| 65+ | 1073 | 24.7 | 149 | 11 | 13 | 22 | 30 | 42 | 50 | 66 |
| TOT. SINGLE DX | 672 | 17.9 | 60 | 8 | 10 | 17 | 22 | 28 | 32 | 45 |
| " MULTIPLE DX | 1856 | 22.7 | 141 | 9 | 11 | 20 | 28 | 38 | 47 | 66 |
| TOTAL 0-19 YRS | 45 | 15.6 | 133 | 5 | 8 | 12 | 18 | 28 | 36 | 67 |
| 20-34 | 95 | 18.6 | 152 | 3 | 5 | 16 | 24 | 33 | 45 | 61 |
| 35-49 | 182 | 17.0 | 132 | 4 | 7 | 15 | 20 | 27 | 39 | 78 |
| 50-64 | 810 | 19.4 | 84 | 9 | 10 | 17 | 23 | 32 | 37 | 52 |
| 65+ | 1396 | 23.6 | 133 | 11 | 13 | 21 | 28 | 40 | 47 | 64 |
| GRAND TOTAL | 2528 | 21.5 | 124 | 9 | 11 | 19 | 26 | 35 | 44 | 63 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 308 | 4.8 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 1107 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 1153 | 6.0 | 17 | 1 | 2 | 5 | 8 | 10 | 13 | 22 |
| 50-64 | 1005 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 832 | 7.3 | 33 | 1 | 2 | 6 | 10 | 14 | 18 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 500 | 6.7 | 28 | 2 | 2 | 6 | 8 | 12 | 14 | 28 |
| 20-34 | 3059 | 7.8 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 35-49 | 4305 | 8.8 | 45 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| 50-64 | 5684 | 9.5 | 55 | 2 | 3 | 8 | 12 | 17 | 23 | 39 |
| 65+ | 7104 | 11.3 | 73 | 3 | 4 | 9 | 14 | 21 | 28 | 47 |
| TOT. SINGLE DX | 4405 | 6.1 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| " MULTIPLE DX | 20652 | 9.6 | 58 | 2 | 3 | 8 | 12 | 18 | 24 | 40 |
| TOTAL 0-19 YRS | 808 | 6.0 | 22 | 1 | 2 | 5 | 8 | 11 | 13 | 24 |
| 20-34 | 4166 | 7.2 | 33 | 2 | 2 | 6 | 9 | 13 | 16 | 30 |
| 35-49 | 5458 | 8.2 | 41 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| 50-64 | 6689 | 9.0 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| 65+ | 7936 | 10.9 | 70 | 2 | 3 | 9 | 14 | 21 | 27 | 46 |
| GRAND TOTAL | 25057 | 9.0 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 423 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 401 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 253 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 67 | 4.3 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 5.3 | 11 | 1 | 2 | 5 | 7 | 8 | 13 | 17 |
| 20-34 | 330 | 4.8 | 13 | 2 | 2 | 4 | 5 | 8 | 11 | 22 |
| 35-49 | 445 | 5.2 | 11 | 2 | 3 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 381 | 5.5 | 13 | 2 | 3 | 4 | 6 | 9 | 12 | 23 |
| 65+ | 169 | 7.9 | 61 | 3 | 3 | 6 | 8 | 12 | 23 | 46 |
| TOT. SINGLE DX | 1188 | 3.9 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 1344 | 5.5 | 20 | 2 | 3 | 4 | 6 | 9 | 12 | 26 |
| TOTAL 0-19 YRS | 63 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 20-34 | 753 | 4.2 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 846 | 4.6 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 634 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 236 | 6.9 | 48 | 2 | 3 | 5 | 8 | 11 | 17 | 41 |
| GRAND TOTAL | 2532 | 4.8 | 13 | 2 | 2 | 4 | 5 | 8 | 10 | 21 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 95 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 562 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 256 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 145 | 4.0 | 6 | 2 | 2 | 3 | 4 | 7 | 8 | 19 |
| 65+ | 58 | 5.3 | 19 | 2 | 2 | 4 | 5 | 9 | 18 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 20 |
| 20-34 | 472 | 5.1 | 17 | 2 | 2 | 4 | 6 | 8 | 9 | 26 |
| 35-49 | 479 | 5.3 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| 50-64 | 434 | 6.1 | 20 | 2 | 3 | 5 | 7 | 10 | 13 | 27 |
| 65+ | 273 | 8.1 | 80 | 3 | 3 | 5 | 9 | 15 | 21 | 59 |
| TOT. SINGLE DX | 1126 | 3.4 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| " MULTIPLE DX | 1711 | 5.9 | 28 | 2 | 3 | 5 | 6 | 10 | 13 | 28 |
| TOTAL 0-19 YRS | 148 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 1034 | 4.0 | 11 | 1 | 2 | 3 | 5 | 6 | 8 | 17 |
| 35-49 | 735 | 4.7 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 579 | 5.6 | 18 | 2 | 3 | 4 | 7 | 9 | 12 | 26 |
| 65+ | 341 | 7.5 | 70 | 2 | 3 | 5 | 8 | 14 | 20 | 46 |
| GRAND TOTAL | 2837 | 4.9 | 20 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 4.3 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 20-34 | 716 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 794 | 5.2 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 473 | 5.6 | 9 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| 65+ | 159 | 6.2 | 9 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 5.6 | 9 | 2 | 3 | 5 | 7 | 8 | 10 | 21 |
| 20-34 | 2872 | 5.9 | 12 | 3 | 3 | 5 | 7 | 9 | 11 | 20 |
| 35-49 | 3927 | 6.4 | 14 | 3 | 3 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 3284 | 7.1 | 23 | 3 | 4 | 6 | 8 | 12 | 15 | 25 |
| 65+ | 1340 | 8.6 | 34 | 3 | 4 | 7 | 10 | 16 | 20 | 30 |
| TOT. SINGLE DX | 2171 | 5.4 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| " MULTIPLE DX | 11533 | 6.7 | 19 | 3 | 3 | 6 | 8 | 11 | 14 | 24 |
| TOTAL 0-19 YRS | 139 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 20 |
| 20-34 | 3588 | 5.7 | 11 | 3 | 3 | 5 | 7 | 8 | 11 | 18 |
| 35-49 | 4721 | 6.2 | 13 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |
| 50-64 | 3757 | 6.9 | 22 | 3 | 4 | 6 | 8 | 11 | 14 | 24 |
| 65+ | 1499 | 8.4 | 33 | 3 | 4 | 7 | 10 | 15 | 19 | 29 |
| GRAND TOTAL | 13704 | 6.5 | 18 | 3 | 3 | 5 | 7 | 10 | 13 | 23 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 86 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| 20-34 | 500 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 357 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 220 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 101 | 5.8 | 17 | 1 | 2 | 5 | 8 | 10 | 13 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 7.5 | 93 | 1 | 2 | 5 | 8 | 14 | 17 | 61 |
| 20-34 | 345 | 5.8 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| 35-49 | 376 | 6.1 | 28 | 2 | 2 | 5 | 7 | 11 | 16 | 25 |
| 50-64 | 376 | 7.9 | 54 | 2 | 2 | 6 | 9 | 17 | 24 | 34 |
| 65+ | 301 | 10.1 | 58 | 2 | 3 | 8 | 13 | 20 | 27 | 42 |
| TOT. SINGLE DX | 1264 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| " MULTIPLE DX | 1450 | 7.4 | 46 | 2 | 2 | 5 | 9 | 15 | 20 | 35 |
| TOTAL 0-19 YRS | 138 | 5.4 | 45 | 1 | 2 | 4 | 6 | 10 | 14 | 42 |
| 20-34 | 845 | 4.6 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 35-49 | 733 | 5.1 | 19 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 50-64 | 596 | 6.7 | 41 | 2 | 2 | 5 | 8 | 13 | 20 | 31 |
| 65+ | 402 | 9.0 | 51 | 2 | 3 | 7 | 11 | 19 | 26 | 39 |
| GRAND TOTAL | 2714 | 5.9 | 31 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 3 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 8 | 11.1 | 60 | 1 | 1 | 12 | 16 | 21 | 23 | 23 |
| 35-49 | 6 | 13.8 | 32 | 5 | 5 | 14 | 19 | 20 | 20 | 20 |
| 50-64 | 10 | 16.5 | 138 | 3 | 4 | 14 | 25 | 34 | 35 | 35 |
| 65+ | 7 | 14.3 | 88 | 4 | 4 | 15 | 23 | 27 | 27 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 23.0 | 552 | 3 | 3 | 16 | 39 | 56 | 56 | 56 |
| 20-34 | 15 | 17.4 | 366 | 4 | 4 | 9 | 19 | 46 | 65 | 72 |
| 35-49 | 16 | 16.9 | 211 | 3 | 4 | 12 | 22 | 32 | 52 | 60 |
| 50-64 | 31 | 24.7 | 345 | 3 | 7 | 21 | 34 | 48 | 67 | 80 |
| 65+ | 41 | 23.8 | 301 | 3 | 5 | 22 | 29 | 40 | 63 | 88 |
| TOT. SINGLE DX | 35 | 13.2 | 80 | 2 | 4 | 10 | 19 | 25 | 32 | 35 |
| " MULTIPLE DX | 107 | 22.1 | 316 | 3 | 4 | 20 | 28 | 46 | 63 | 83 |
| TOTAL 0-19 YRS | 8 | 14.6 | 318 | 3 | 3 | 7 | 16 | 46 | 56 | 56 |
| 20-34 | 23 | 15.2 | 262 | 2 | 3 | 10 | 17 | 36 | 55 | 72 |
| 35-49 | 22 | 16.0 | 161 | 4 | 5 | 13 | 21 | 28 | 44 | 60 |
| 50-64 | 41 | 22.7 | 302 | 3 | 5 | 20 | 33 | 44 | 59 | 80 |
| 65+ | 48 | 22.4 | 279 | 4 | 4 | 21 | 28 | 36 | 63 | 88 |
| GRAND TOTAL | 142 | 19.9 | 271 | 3 | 4 | 17 | 26 | 38 | 58 | 81 |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 7.0 | 42 | 1 | 1 | 4 | 9 | 15 | 19 | 35 |
| 20-34 | 373 | 6.0 | 40 | 1 | 1 | 4 | 8 | 12 | 16 | 31 |
| 35-49 | 341 | 6.0 | 32 | 1 | 1 | 4 | 8 | 14 | 18 | 27 |
| 50-64 | 345 | 8.0 | 73 | 1 | 1 | 6 | 11 | 19 | 22 | 36 |
| 65+ | 236 | 10.4 | 89 | 1 | 1 | 8 | 14 | 22 | 27 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 143 | 13.5 | 144 | 2 | 2 | 10 | 16 | 30 | 41 | 53 |
| 20-34 | 600 | 11.5 | 107 | 2 | 2 | 9 | 14 | 24 | 32 | 68 |
| 35-49 | 959 | 12.3 | 116 | 1 | 2 | 10 | 16 | 25 | 33 | 55 |
| 50-64 | 1759 | 12.9 | 109 | 2 | 2 | 10 | 17 | 25 | 32 | 53 |
| 65+ | 1579 | 16.4 | 152 | 2 | 4 | 13 | 22 | 31 | 41 | 61 |
| TOT. SINGLE DX | 1361 | 7.3 | 58 | 1 | 1 | 5 | 10 | 17 | 21 | 35 |
| " MULTIPLE DX | 5040 | 13.7 | 129 | 2 | 2 | 11 | 18 | 28 | 36 | 58 |
| TOTAL 0-19 YRS | 209 | 11.4 | 121 | 1 | 2 | 8 | 14 | 27 | 37 | 52 |
| 20-34 | 973 | 9.4 | 89 | 1 | 2 | 7 | 12 | 20 | 29 | 55 |
| 35-49 | 1300 | 10.7 | 102 | 1 | 2 | 8 | 14 | 22 | 30 | 52 |
| 50-64 | 2104 | 12.1 | 107 | 1 | 2 | 10 | 16 | 24 | 31 | 51 |
| 65+ | 1815 | 15.7 | 148 | 2 | 3 | 13 | 21 | 30 | 39 | 60 |
| GRAND TOTAL | 6401 | 12.4 | 120 | 1 | 2 | 10 | 16 | 26 | 33 | 54 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 522 | 7.5 | 9 | 4 | 5 | 7 | 9 | 11 | 14 | 19 |
| 20-34 | 5926 | 7.4 | 7 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 4870 | 7.8 | 9 | 5 | 5 | 7 | 9 | 11 | 14 | 19 |
| 50-64 | 4807 | 8.5 | 12 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 2547 | 10.6 | 24 | 6 | 6 | 9 | 13 | 17 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 345 | 9.9 | 33 | 5 | 6 | 8 | 12 | 16 | 18 | 32 |
| 20-34 | 4464 | 9.6 | 24 | 5 | 5 | 8 | 11 | 15 | 18 | 30 |
| 35-49 | 5408 | 10.5 | 38 | 5 | 6 | 9 | 12 | 17 | 21 | 32 |
| 50-64 | 7889 | 12.0 | 47 | 6 | 6 | 10 | 15 | 20 | 24 | 39 |
| 65+ | 8336 | 16.1 | 91 | 7 | 8 | 14 | 19 | 27 | 34 | 53 |
| TOT. SINGLE DX | 18672 | 8.2 | 13 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| " MULTIPLE DX | 26442 | 12.6 | 62 | 5 | 6 | 10 | 15 | 21 | 27 | 44 |
| TOTAL 0-19 YRS | 867 | 8.5 | 20 | 5 | 5 | 7 | 10 | 14 | 16 | 23 |
| 20-34 | 10390 | 8.3 | 16 | 5 | 5 | 7 | 9 | 13 | 15 | 23 |
| 35-49 | 10278 | 9.2 | 26 | 5 | 5 | 8 | 11 | 15 | 18 | 28 |
| 50-64 | 12696 | 10.7 | 37 | 5 | 6 | 9 | 13 | 18 | 22 | 34 |
| 65+ | 10883 | 14.8 | 81 | 6 | 7 | 12 | 18 | 25 | 32 | 50 |
| GRAND TOTAL | 45114 | 10.8 | 46 | 5 | 6 | 9 | 13 | 18 | 23 | 38 |

### 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 4 | 7.0 | 48 | 1 | 1 | 5 | 12 | 16 | 16 | 16 |
| 20-34 | 60 | 9.0 | 56 | 2 | 3 | 7 | 10 | 16 | 25 | 42 |
| 35-49 | 99 | 9.8 | 76 | 2 | 2 | 8 | 12 | 20 | 22 | 50 |
| 50-64 | 136 | 12.3 | 65 | 2 | 2 | 12 | 18 | 23 | 26 | 36 |
| 65+ | 226 | 14.4 | 106 | 2 | 3 | 13 | 19 | 26 | 32 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 10 | 10.7 | 63 | 2 | 2 | 8 | 15 | 24 | 25 | 25 |
| 20-34 | 101 | 15.2 | 138 | 3 | 5 | 13 | 19 | 27 | 35 | 70 |
| 35-49 | 166 | 16.0 | 135 | 3 | 5 | 13 | 21 | 28 | 35 | 60 |
| 50-64 | 377 | 19.6 | 183 | 4 | 8 | 17 | 25 | 35 | 47 | 90 |
| 65+ | 915 | 21.4 | 166 | 6 | 9 | 19 | 26 | 37 | 45 | 68 |
| **TOT. SINGLE DX** | 525 | 12.3 | 88 | 2 | 2 | 11 | 17 | 24 | 28 | 41 |
| **" MULTIPLE DX** | 1569 | 20.0 | 169 | 4 | 8 | 17 | 25 | 36 | 44 | 74 |
| TOTAL 0-19 YRS | 14 | 9.6 | 58 | 1 | 2 | 8 | 15 | 23 | 25 | 25 |
| 20-34 | 161 | 12.9 | 116 | 2 | 4 | 10 | 16 | 24 | 30 | 49 |
| 35-49 | 265 | 13.7 | 123 | 2 | 3 | 11 | 18 | 26 | 32 | 60 |
| 50-64 | 513 | 17.7 | 162 | 3 | 5 | 16 | 22 | 33 | 42 | 79 |
| 65+ | 1141 | 20.0 | 162 | 4 | 8 | 18 | 25 | 36 | 43 | 67 |
| **GRAND TOTAL** | **2094** | **18.0** | **160** | **3** | **5** | **16** | **23** | **33** | **42** | **69** |

### 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 13 | 6.6 | 50 | 1 | 1 | 3 | 11 | 18 | 23 | 24 |
| 20-34 | 115 | 7.6 | 51 | 1 | 2 | 6 | 10 | 15 | 21 | 37 |
| 35-49 | 161 | 9.9 | 100 | 1 | 2 | 7 | 12 | 22 | 31 | 53 |
| 50-64 | 139 | 9.6 | 80 | 1 | 2 | 8 | 12 | 22 | 29 | 66 |
| 65+ | 115 | 12.0 | 94 | 1 | 2 | 9 | 17 | 25 | 31 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 14 | 22.0 | 481 | 2 | 4 | 12 | 32 | 59 | 68 | 71 |
| 20-34 | 188 | 14.0 | 240 | 2 | 2 | 9 | 16 | 31 | 56 | 77 |
| 35-49 | 328 | 16.9 | 240 | 2 | 3 | 12 | 23 | 38 | 49 | 71 |
| 50-64 | 490 | 19.2 | 279 | 2 | 4 | 14 | 27 | 43 | 59 | 93 |
| 65+ | 485 | 18.4 | 186 | 2 | 4 | 15 | 25 | 35 | 44 | 73 |
| **TOT. SINGLE DX** | 543 | 9.7 | 84 | 1 | 2 | 7 | 13 | 22 | 29 | 46 |
| **" MULTIPLE DX** | 1505 | 17.8 | 240 | 2 | 3 | 13 | 24 | 38 | 52 | 76 |
| TOTAL 0-19 YRS | 27 | 14.6 | 325 | 1 | 2 | 8 | 16 | 44 | 60 | 71 |
| 20-34 | 303 | 11.6 | 178 | 1 | 2 | 8 | 13 | 24 | 38 | 71 |
| 35-49 | 489 | 14.6 | 205 | 2 | 2 | 10 | 19 | 34 | 46 | 69 |
| 50-64 | 629 | 17.1 | 251 | 2 | 3 | 12 | 24 | 38 | 55 | 92 |
| 65+ | 600 | 17.2 | 175 | 2 | 3 | 14 | 24 | 34 | 41 | 66 |
| **GRAND TOTAL** | **2048** | **15.7** | **212** | **2** | **2** | **11** | **21** | **35** | **47** | **74** |

### 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 586 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 10 | 25 |
| 20-34 | 1766 | 5.2 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 1487 | 5.4 | 27 | 1 | 1 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 1754 | 5.6 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 65+ | 1926 | 6.4 | 41 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 644 | 5.9 | 25 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 20-34 | 3122 | 6.9 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| 35-49 | 4648 | 7.5 | 37 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| 50-64 | 8115 | 7.8 | 37 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| 65+ | 14726 | 9.5 | 60 | 2 | 3 | 7 | 12 | 18 | 24 | 40 |
| **TOT. SINGLE DX** | 7519 | 5.6 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| **" MULTIPLE DX** | 31255 | 8.4 | 49 | 2 | 3 | 7 | 10 | 16 | 21 | 36 |
| TOTAL 0-19 YRS | 1230 | 5.4 | 21 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |
| 20-34 | 4888 | 6.3 | 29 | 2 | 3 | 5 | 7 | 11 | 15 | 28 |
| 35-49 | 6135 | 6.9 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| 50-64 | 9869 | 7.4 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 33 |
| 65+ | 16652 | 9.1 | 60 | 2 | 3 | 7 | 11 | 18 | 23 | 40 |
| **GRAND TOTAL** | **38774** | **7.9** | **46** | **2** | **2** | **6** | **10** | **15** | **20** | **35** |

### 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 4986 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 4893 | 3.8 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 8 |
| 35-49 | 3885 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 5657 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 3831 | 5.4 | 6 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 2914 | 2.8 | 14 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 1766 | 4.8 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 2267 | 5.4 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 19 |
| 50-64 | 4676 | 6.4 | 20 | 3 | 3 | 5 | 7 | 11 | 14 | 25 |
| 65+ | 5576 | 8.4 | 40 | 3 | 4 | 7 | 10 | 15 | 20 | 34 |
| **TOT. SINGLE DX** | 23252 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **" MULTIPLE DX** | 17199 | 6.1 | 28 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| TOTAL 0-19 YRS | 7900 | 2.5 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 6659 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 6152 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 10333 | 5.4 | 12 | 2 | 3 | 5 | 6 | 8 | 11 | 19 |
| 65+ | 9407 | 7.2 | 29 | 3 | 3 | 6 | 8 | 12 | 17 | 28 |
| **GRAND TOTAL** | **40451** | **4.9** | **15** | **1** | **2** | **4** | **6** | **8** | **11** | **20** |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 669 | 2.2 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 425 | 4.5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 35-49 | 574 | 4.8 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | 900 | 5.3 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 65+ | 579 | 6.1 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 637 | 4.0 | 91 | 1 | 1 | 2 | 3 | 5 | 9 | 75 |
| 20-34 | 203 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 423 | 5.6 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 14 |
| 50-64 | 934 | 6.7 | 14 | 3 | 4 | 6 | 8 | 11 | 13 | 20 |
| 65+ | 894 | 9.4 | 40 | 4 | 4 | 8 | 11 | 18 | 22 | 34 |
| TOT. SINGLE DX | 3147 | 4.6 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 12 |
| " MULTIPLE DX | 3091 | 6.7 | 40 | 1 | 2 | 5 | 8 | 12 | 16 | 33 |
| TOTAL 0-19 YRS | 1306 | 3.0 | 47 | 1 | 1 | 2 | 3 | 4 | 6 | 48 |
| 20-34 | 628 | 4.7 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 997 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 1834 | 6.0 | 10 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 1473 | 8.1 | 30 | 3 | 4 | 7 | 9 | 14 | 19 | 31 |
| GRAND TOTAL | 6238 | 5.6 | 24 | 1 | 2 | 5 | 7 | 9 | 12 | 24 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 3.7 | 3 | <1 | 1 | 4 | 5 | 7 | 7 | 8 |
| 20-34 | 103 | 4.3 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 155 | 4.6 | 4 | 2 | 3 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 220 | 5.5 | 10 | 3 | 3 | 5 | 6 | 8 | 10 | 22 |
| 65+ | 288 | 6.6 | 14 | 3 | 3 | 6 | 8 | 11 | 13 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 6.7 | 161 | <1 | 1 | 3 | 6 | 9 | 39 | 55 |
| 20-34 | 35 | 4.3 | 4 | 2 | 2 | 4 | 5 | 8 | 8 | 10 |
| 35-49 | 112 | 6.6 | 25 | 2 | 3 | 5 | 8 | 14 | 17 | 26 |
| 50-64 | 191 | 6.6 | 19 | 3 | 3 | 5 | 7 | 11 | 17 | 25 |
| 65+ | 418 | 12.0 | 89 | 4 | 5 | 9 | 14 | 23 | 32 | 49 |
| TOT. SINGLE DX | 800 | 5.5 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 19 |
| " MULTIPLE DX | 773 | 9.4 | 69 | 3 | 3 | 7 | 11 | 19 | 25 | 44 |
| TOTAL 0-19 YRS | 51 | 4.7 | 56 | <1 | 1 | 4 | 5 | 7 | 8 | 54 |
| 20-34 | 138 | 4.3 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 267 | 5.4 | 14 | 2 | 3 | 4 | 6 | 9 | 13 | 23 |
| 50-64 | 411 | 6.0 | 15 | 3 | 3 | 5 | 7 | 10 | 13 | 23 |
| 65+ | 706 | 9.8 | 66 | 3 | 4 | 7 | 11 | 19 | 25 | 44 |
| GRAND TOTAL | 1573 | 7.4 | 43 | 2 | 3 | 5 | 8 | 14 | 20 | 34 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 994 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 385 | 3.6 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 435 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 369 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 65+ | 164 | 6.3 | 12 | 2 | 3 | 5 | 8 | 10 | 12 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 261 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 20-34 | 238 | 5.5 | 18 | 2 | 2 | 4 | 7 | 10 | 12 | 23 |
| 35-49 | 433 | 6.8 | 22 | 2 | 3 | 5 | 8 | 13 | 16 | 25 |
| 50-64 | 535 | 7.6 | 42 | 2 | 3 | 6 | 9 | 13 | 18 | 33 |
| 65+ | 419 | 10.9 | 58 | 3 | 4 | 9 | 14 | 21 | 27 | 40 |
| TOT. SINGLE DX | 2347 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| " MULTIPLE DX | 1886 | 7.3 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| TOTAL 0-19 YRS | 1255 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 623 | 4.3 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 868 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| 50-64 | 904 | 6.4 | 30 | 2 | 2 | 5 | 7 | 11 | 15 | 29 |
| 65+ | 583 | 9.6 | 49 | 3 | 3 | 8 | 12 | 19 | 24 | 36 |
| GRAND TOTAL | 4233 | 5.2 | 24 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 215 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 590 | 4.5 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 14 |
| 35-49 | 877 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 1064 | 6.3 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 710 | 7.6 | 13 | 3 | 4 | 7 | 9 | 12 | 15 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 4.7 | 22 | 1 | 2 | 4 | 5 | 7 | 11 | 32 |
| 20-34 | 465 | 6.9 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 28 |
| 35-49 | 957 | 8.4 | 32 | 3 | 3 | 7 | 10 | 15 | 18 | 33 |
| 50-64 | 1522 | 9.6 | 43 | 3 | 4 | 8 | 12 | 17 | 21 | 34 |
| 65+ | 1493 | 11.9 | 67 | 4 | 5 | 10 | 14 | 21 | 27 | 42 |
| TOT. SINGLE DX | 3456 | 5.9 | 12 | 2 | 2 | 5 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 4502 | 9.8 | 50 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| TOTAL 0-19 YRS | 280 | 3.1 | 9 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| 20-34 | 1055 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| 35-49 | 1834 | 7.0 | 24 | 2 | 3 | 6 | 8 | 12 | 16 | 27 |
| 50-64 | 2586 | 8.3 | 33 | 3 | 3 | 7 | 10 | 14 | 18 | 30 |
| 65+ | 2203 | 10.5 | 54 | 3 | 4 | 9 | 13 | 19 | 24 | 38 |
| GRAND TOTAL | 7958 | 8.1 | 37 | 2 | 3 | 7 | 10 | 14 | 19 | 33 |

## 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 4.6 | 14 | <1 | 1 | 3 | 8 | 11 | 11 | 12 |
| 20-34 | 36 | 7.7 | 16 | 2 | 3 | 7 | 11 | 14 | 15 | 17 |
| 35-49 | 57 | 7.7 | 10 | 3 | 4 | 7 | 9 | 12 | 14 | 17 |
| 50-64 | 83 | 8.8 | 20 | 3 | 4 | 9 | 11 | 14 | 16 | 23 |
| 65+ | 67 | 10.9 | 26 | 4 | 5 | 10 | 14 | 17 | 20 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 10.2 | 86 | 1 | 1 | 8 | 11 | 26 | 30 | 39 |
| 20-34 | 77 | 12.4 | 110 | 4 | 7 | 10 | 13 | 22 | 28 | 72 |
| 35-49 | 183 | 11.1 | 39 | 5 | 6 | 9 | 13 | 19 | 23 | 31 |
| 50-64 | 350 | 13.4 | 73 | 6 | 7 | 11 | 16 | 22 | 30 | 46 |
| 65+ | 291 | 17.9 | 102 | 8 | 9 | 15 | 22 | 32 | 38 | 65 |
| TOT. SINGLE DX | 269 | 8.5 | 21 | 2 | 3 | 8 | 11 | 14 | 17 | 24 |
| " MULTIPLE DX | 934 | 14.1 | 86 | 5 | 7 | 11 | 17 | 26 | 32 | 52 |
| TOTAL 0-19 YRS | 59 | 7.7 | 62 | 1 | 1 | 6 | 10 | 13 | 27 | 38 |
| 20-34 | 113 | 10.9 | 85 | 3 | 4 | 9 | 12 | 18 | 23 | 52 |
| 35-49 | 240 | 10.3 | 35 | 4 | 5 | 9 | 12 | 18 | 21 | 30 |
| 50-64 | 433 | 12.5 | 66 | 4 | 6 | 10 | 15 | 21 | 29 | 44 |
| 65+ | 358 | 16.6 | 95 | 6 | 8 | 14 | 21 | 30 | 37 | 61 |
| GRAND TOTAL | 1203 | 12.9 | 77 | 4 | 5 | 10 | 15 | 23 | 30 | 49 |

## 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 289 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 20-34 | 426 | 5.8 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| 35-49 | 321 | 6.9 | 32 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| 50-64 | 368 | 9.5 | 67 | 2 | 3 | 7 | 13 | 20 | 25 | 38 |
| 65+ | 273 | 10.7 | 89 | 1 | 2 | 8 | 14 | 21 | 29 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 231 | 7.8 | 89 | 1 | 2 | 5 | 9 | 16 | 24 | 71 |
| 20-34 | 565 | 9.4 | 85 | 2 | 2 | 6 | 12 | 20 | 27 | 47 |
| 35-49 | 764 | 12.6 | 135 | 2 | 3 | 9 | 16 | 26 | 35 | 56 |
| 50-64 | 1480 | 13.5 | 130 | 2 | 3 | 11 | 18 | 27 | 36 | 63 |
| 65+ | 1632 | 16.4 | 170 | 2 | 4 | 13 | 21 | 33 | 43 | 67 |
| TOT. SINGLE DX | 1677 | 7.3 | 50 | 1 | 2 | 5 | 9 | 15 | 21 | 37 |
| " MULTIPLE DX | 4672 | 13.6 | 145 | 2 | 3 | 10 | 18 | 28 | 38 | 64 |
| TOTAL 0-19 YRS | 520 | 5.6 | 49 | 1 | 1 | 3 | 6 | 11 | 16 | 37 |
| 20-34 | 991 | 7.8 | 63 | 1 | 2 | 5 | 9 | 16 | 23 | 44 |
| 35-49 | 1085 | 10.9 | 112 | 2 | 2 | 8 | 14 | 23 | 29 | 53 |
| 50-64 | 1848 | 12.7 | 121 | 2 | 3 | 10 | 17 | 26 | 34 | 60 |
| 65+ | 1905 | 15.6 | 163 | 2 | 3 | 12 | 20 | 32 | 41 | 66 |
| GRAND TOTAL | 6349 | 11.9 | 127 | 2 | 2 | 9 | 16 | 25 | 34 | 59 |

## 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 317 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 13 | 24 |
| 20-34 | 752 | 7.0 | 23 | 2 | 3 | 6 | 8 | 12 | 16 | 28 |
| 35-49 | 305 | 9.2 | 35 | 3 | 4 | 8 | 11 | 18 | 22 | 30 |
| 50-64 | 256 | 12.7 | 92 | 4 | 5 | 9 | 15 | 25 | 33 | 52 |
| 65+ | 230 | 14.3 | 90 | 4 | 6 | 12 | 18 | 26 | 30 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 391 | 10.9 | 113 | 3 | 4 | 8 | 13 | 22 | 34 | 99 |
| 20-34 | 1215 | 10.3 | 88 | 3 | 4 | 7 | 11 | 19 | 27 | 56 |
| 35-49 | 742 | 14.8 | 146 | 4 | 6 | 11 | 18 | 29 | 43 | 77 |
| 50-64 | 800 | 19.0 | 189 | 6 | 7 | 15 | 24 | 38 | 47 | 87 |
| 65+ | 1051 | 21.7 | 202 | 7 | 9 | 18 | 27 | 39 | 53 | 87 |
| TOT. SINGLE DX | 1860 | 9.0 | 50 | 3 | 3 | 7 | 10 | 17 | 23 | 36 |
| " MULTIPLE DX | 4199 | 15.7 | 171 | 4 | 5 | 12 | 20 | 32 | 43 | 79 |
| TOTAL 0-19 YRS | 708 | 9.0 | 75 | 3 | 3 | 7 | 10 | 17 | 23 | 63 |
| 20-34 | 1967 | 9.0 | 66 | 3 | 4 | 7 | 10 | 17 | 24 | 47 |
| 35-49 | 1047 | 13.2 | 121 | 4 | 5 | 10 | 15 | 26 | 37 | 64 |
| 50-64 | 1056 | 17.5 | 173 | 5 | 6 | 14 | 22 | 35 | 45 | 79 |
| 65+ | 1281 | 20.4 | 190 | 6 | 8 | 17 | 26 | 37 | 51 | 86 |
| GRAND TOTAL | 6059 | 13.6 | 143 | 3 | 4 | 10 | 17 | 28 | 38 | 70 |

## 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 780 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 3227 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 405 | 2.7 | 8 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 50-64 | 92 | 4.7 | 43 | 1 | 1 | 2 | 5 | 9 | 22 | 37 |
| 65+ | 38 | 8.2 | 93 | 1 | 1 | 4 | 12 | 24 | 31 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 610 | 5.1 | 44 | 1 | 1 | 3 | 7 | 10 | 13 | 26 |
| 20-34 | 3992 | 3.9 | 16 | <1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 35-49 | 704 | 4.9 | 36 | 1 | 1 | 2 | 6 | 11 | 17 | 28 |
| 50-64 | 175 | 8.1 | 79 | 1 | 2 | 5 | 10 | 21 | 29 | 41 |
| 65+ | 106 | 12.0 | 163 | 2 | 2 | 10 | 16 | 27 | 38 | 94 |
| TOT. SINGLE DX | 4542 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 5587 | 4.5 | 28 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| TOTAL 0-19 YRS | 1390 | 4.3 | 24 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| 20-34 | 7219 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 35-49 | 1109 | 4.1 | 27 | <1 | 1 | 2 | 4 | 9 | 13 | 27 |
| 50-64 | 267 | 6.9 | 70 | 1 | 1 | 3 | 8 | [illegible] | 25 | 41 |
| 65+ | 144 | 11.0 | 149 | 1 | 2 | 8 | 15 | 27 | 35 | 90 |
| GRAND TOTAL | 10129 | 3.8 | 20 | <1 | 1 | 2 | 5 | 8 | 11 | 21 |

### 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 7.3 | 24 | 1 | 2 | 7 | 9 | 14 | 17 | 25 |
| 20-34 | 625 | 6.9 | 35 | 1 | 2 | 6 | 9 | 13 | 18 | 25 |
| 35-49 | 404 | 8.9 | 40 | 2 | 2 | 8 | 11 | 16 | 18 | 31 |
| 50-64 | 321 | 11.1 | 45 | 4 | 5 | 9 | 13 | 19 | 24 | 41 |
| 65+ | 283 | 13.0 | 52 | 5 | 7 | 12 | 15 | 21 | 24 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 237 | 10.0 | 91 | 2 | 3 | 8 | 11 | 18 | 27 | 66 |
| 20-34 | 1421 | 7.9 | 46 | 2 | 2 | 6 | 9 | 15 | 20 | 38 |
| 35-49 | 908 | 13.0 | 115 | 2 | 4 | 10 | 16 | 26 | 34 | 61 |
| 50-64 | 947 | 16.2 | 143 | 4 | 6 | 13 | 20 | 30 | 41 | 70 |
| 65+ | 1236 | 20.0 | 183 | 7 | 9 | 16 | 24 | 36 | 47 | 76 |
| TOT. SINGLE DX | 1762 | 9.1 | 45 | 2 | 2 | 8 | 12 | 17 | 21 | 32 |
| " MULTIPLE DX | 4749 | 13.8 | 139 | 2 | 4 | 10 | 17 | 28 | 37 | 63 |
| TOTAL 0-19 YRS | 366 | 9.1 | 70 | 2 | 2 | 7 | 11 | 17 | 22 | 53 |
| 20-34 | 2046 | 7.6 | 43 | 1 | 2 | 6 | 9 | 14 | 19 | 34 |
| 35-49 | 1312 | 11.8 | 96 | 2 | 3 | 9 | 14 | 22 | 31 | 56 |
| 50-64 | 1268 | 14.9 | 124 | 4 | 5 | 12 | 18 | 27 | 38 | 61 |
| 65+ | 1519 | 18.7 | 167 | 7 | 8 | 15 | 23 | 33 | 44 | 74 |
| GRAND TOTAL | 6511 | 12.5 | 118 | 2 | 3 | 9 | 16 | 25 | 33 | 58 |

### 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 9.4 | 26 | 5 | 5 | 8 | 11 | 17 | 20 | 28 |
| 20-34 | 62 | 10.0 | 10 | 7 | 7 | 9 | 11 | 13 | 15 | 25 |
| 35-49 | 100 | 12.3 | 29 | 7 | 8 | 10 | 15 | 19 | 24 | 31 |
| 50-64 | 178 | 13.7 | 32 | 7 | 8 | 12 | 17 | 21 | 23 | 31 |
| 65+ | 155 | 15.1 | 33 | 8 | 9 | 14 | 18 | 22 | 26 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 12.3 | 74 | 5 | 6 | 9 | 14 | 27 | 37 | 99+ |
| 20-34 | 182 | 13.5 | 67 | 6 | 7 | 11 | 15 | 25 | 33 | 44 |
| 35-49 | 269 | 16.3 | 87 | 7 | 8 | 14 | 19 | 28 | 38 | 58 |
| 50-64 | 573 | 18.6 | 109 | 8 | 9 | 16 | 22 | 31 | 39 | 59 |
| 65+ | 678 | 19.9 | 116 | 9 | 10 | 17 | 24 | 35 | 43 | 58 |
| TOT. SINGLE DX | 526 | 13.1 | 32 | 7 | 8 | 12 | 16 | 21 | 24 | 30 |
| " MULTIPLE DX | 1800 | 17.9 | 108 | 7 | 8 | 15 | 22 | 32 | 40 | 58 |
| TOTAL 0-19 YRS | 129 | 11.6 | 65 | 5 | 6 | 9 | 13 | 25 | 35 | 99+ |
| 20-34 | 244 | 12.6 | 55 | 7 | 7 | 10 | 14 | 23 | 28 | 43 |
| 35-49 | 369 | 15.2 | 75 | 7 | 8 | 13 | 18 | 26 | 34 | 51 |
| 50-64 | 751 | 17.4 | 96 | 8 | 9 | 15 | 20 | 29 | 36 | 57 |
| 65+ | 833 | 19.0 | 105 | 9 | 10 | 16 | 23 | 32 | 41 | 56 |
| GRAND TOTAL | 2326 | 16.8 | 95 | 7 | 8 | 14 | 20 | 29 | 37 | 55 |

### 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 8.6 | 50 | 2 | 2 | 8 | 12 | 17 | 22 | 45 |
| 20-34 | 431 | 9.6 | 35 | 2 | 3 | 9 | 12 | 17 | 21 | 31 |
| 35-49 | 421 | 10.0 | 34 | 2 | 3 | 9 | 12 | 16 | 20 | 33 |
| 50-64 | 396 | 11.0 | 43 | 2 | 3 | 10 | 14 | 18 | 23 | 33 |
| 65+ | 179 | 10.9 | 38 | 2 | 3 | 10 | 13 | 20 | 23 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 229 | 11.0 | 62 | 2 | 2 | 10 | 14 | 21 | 27 | 43 |
| 20-34 | 645 | 13.7 | 133 | 2 | 3 | 11 | 17 | 25 | 35 | 71 |
| 35-49 | 584 | 14.4 | 119 | 2 | 3 | 12 | 18 | 28 | 37 | 57 |
| 50-64 | 810 | 14.9 | 106 | 3 | 5 | 12 | 18 | 27 | 35 | 55 |
| 65+ | 701 | 16.3 | 117 | 3 | 5 | 14 | 20 | 30 | 36 | 53 |
| TOT. SINGLE DX | 1604 | 10.1 | 40 | 2 | 3 | 9 | 12 | 17 | 21 | 33 |
| " MULTIPLE DX | 2969 | 14.6 | 116 | 2 | 4 | 12 | 18 | 27 | 35 | 57 |
| TOTAL 0-19 YRS | 406 | 10.0 | 58 | 2 | 2 | 9 | 13 | 20 | 26 | 44 |
| 20-34 | 1076 | 12.1 | 98 | 2 | 3 | 10 | 15 | 23 | 31 | 63 |
| 35-49 | 1005 | 12.5 | 89 | 2 | 3 | 10 | 15 | 23 | 32 | 54 |
| 50-64 | 1206 | 13.6 | 89 | 2 | 4 | 11 | 16 | 24 | 32 | 52 |
| 65+ | 880 | 15.2 | 106 | 3 | 5 | 13 | 19 | 28 | 34 | 51 |
| GRAND TOTAL | 4573 | 13.0 | 94 | 2 | 3 | 11 | 16 | 24 | 32 | 53 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 8.6 | 17 | 3 | 4 | 8 | 10 | 16 | 17 | 17 |
| 20-34 | 363 | 9.3 | 15 | 4 | 5 | 9 | 12 | 14 | 16 | 19 |
| 35-49 | 435 | 9.5 | 20 | 3 | 4 | 9 | 12 | 15 | 18 | 25 |
| 50-64 | 420 | 10.1 | 18 | 4 | 5 | 9 | 12 | 15 | 18 | 25 |
| 65+ | 163 | 12.1 | 49 | 4 | 6 | 11 | 14 | 19 | 26 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 9.4 | 37 | 2 | 3 | 8 | 12 | 18 | 22 | 27 |
| 20-34 | 212 | 10.6 | 30 | 3 | 5 | 10 | 13 | 17 | 21 | 30 |
| 35-49 | 315 | 12.1 | 42 | 5 | 6 | 10 | 15 | 19 | 21 | 36 |
| 50-64 | 523 | 12.9 | 49 | 5 | 7 | 11 | 15 | 21 | 26 | 40 |
| 65+ | 389 | 15.5 | 96 | 4 | 7 | 14 | 19 | 26 | 33 | 59 |
| TOT. SINGLE DX | 1409 | 9.9 | 22 | 4 | 5 | 9 | 12 | 15 | 18 | 26 |
| " MULTIPLE DX | 1463 | 13.0 | 60 | 4 | 6 | 11 | 16 | 21 | 26 | 42 |
| TOTAL 0-19 YRS | 52 | 9.0 | 26 | 2 | 4 | 8 | 11 | 17 | 18 | 27 |
| 20-34 | 575 | 9.8 | 21 | 3 | 5 | 9 | 12 | 15 | 18 | 28 |
| 35-49 | 750 | 10.6 | 31 | 3 | 5 | 10 | 13 | 17 | 20 | 28 |
| 50-64 | 943 | 11.6 | 38 | 4 | 6 | 10 | 14 | 19 | 23 | 34 |
| 65+ | 552 | 14.5 | 85 | 4 | 6 | 12 | 18 | 25 | 32 | 56 |
| GRAND TOTAL | 2872 | 11.5 | 44 | 4 | 5 | 10 | 14 | 19 | 23 | 36 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 176 | 9.5 | 9 | 6 | 7 | 9 | 11 | 13 | 16 | 22 |
| 20-34 | 29 | 13.3 | 48 | 7 | 7 | 11 | 16 | 21 | 33 | 35 |
| 35-49 | 19 | 12.5 | 10 | 8 | 9 | 12 | 14 | 16 | 19 | 21 |
| 50-64 | 23 | 17.6 | 79 | 4 | 8 | 16 | 21 | 33 | 35 | 36 |
| 65+ | 24 | 16.5 | 57 | 5 | 7 | 16 | 21 | 24 | 31 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 235 | 10.7 | 26 | 6 | 7 | 9 | 11 | 16 | 20 | 37 |
| 20-34 | 70 | 18.2 | 185 | 7 | 8 | 13 | 21 | 40 | 49 | 65 |
| 35-49 | 59 | 18.0 | 126 | 7 | 9 | 16 | 21 | 27 | 37 | 75 |
| 50-64 | 102 | 21.8 | 171 | 5 | 10 | 18 | 27 | 42 | 50 | 63 |
| 65+ | 122 | 22.6 | 166 | 8 | 9 | 20 | 29 | 39 | 48 | 65 |
| TOT. SINGLE DX | 271 | 11.4 | 32 | 6 | 7 | 10 | 13 | 18 | 22 | 35 |
| " MULTIPLE DX | 588 | 16.7 | 135 | 6 | 7 | 12 | 21 | 32 | 40 | 58 |
| TOTAL 0-19 YRS | 411 | 10.2 | 20 | 6 | 7 | 9 | 11 | 14 | 18 | 30 |
| 20-34 | 99 | 16.8 | 149 | 7 | 8 | 13 | 19 | 34 | 46 | 62 |
| 35-49 | 78 | 16.6 | 103 | 7 | 9 | 14 | 20 | 26 | 36 | 68 |
| 50-64 | 125 | 21.0 | 156 | 5 | 9 | 18 | 27 | 36 | 49 | 61 |
| 65+ | 146 | 21.6 | 154 | 7 | 9 | 19 | 28 | 39 | 46 | 65 |
| GRAND TOTAL | 859 | 15.0 | 109 | 6 | 7 | 11 | 18 | 28 | 37 | 56 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 5.5 | 17 | 1 | 1 | 5 | 8 | 10 | 11 | 25 |
| 20-34 | 539 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 592 | 5.5 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 50-64 | 460 | 5.5 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 65+ | 168 | 5.9 | 17 | 2 | 2 | 5 | 7 | 12 | 13 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 74 | 8.0 | 50 | 1 | 1 | 7 | 11 | 15 | 22 | 39 |
| 20-34 | 311 | 6.9 | 29 | 2 | 2 | 6 | 9 | 12 | 17 | 25 |
| 35-49 | 388 | 7.0 | 35 | 2 | 3 | 6 | 8 | 12 | 15 | 33 |
| 50-64 | 505 | 8.3 | 52 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| 65+ | 366 | 10.9 | 78 | 2 | 3 | 8 | 14 | 23 | 26 | 50 |
| TOT. SINGLE DX | 1822 | 5.4 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 19 |
| " MULTIPLE DX | 1644 | 8.3 | 52 | 2 | 3 | 6 | 10 | 15 | 21 | 37 |
| TOTAL 0-19 YRS | 137 | 6.8 | 37 | 1 | 1 | 5 | 9 | 13 | 17 | 29 |
| 20-34 | 850 | 5.7 | 18 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 35-49 | 980 | 6.1 | 25 | 2 | 2 | 5 | 7 | 11 | 14 | 25 |
| 50-64 | 965 | 7.0 | 37 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 534 | 9.3 | 65 | 2 | 3 | 7 | 12 | 19 | 24 | 47 |
| GRAND TOTAL | 3466 | 6.8 | 34 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1408 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 1911 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 2114 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 50-64 | 2688 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 2616 | 5.0 | 27 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1889 | 4.3 | 38 | 1 | 1 | 2 | 5 | 9 | 12 | 26 |
| 20-34 | 3707 | 6.8 | 56 | 1 | 2 | 5 | 8 | 13 | 19 | 41 |
| 35-49 | 4573 | 7.7 | 64 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| 50-64 | 7896 | 7.7 | 66 | 1 | 1 | 5 | 10 | 16 | 22 | 41 |
| 65+ | 12552 | 10.0 | 98 | 1 | 2 | 7 | 13 | 22 | 29 | 49 |
| TOT. SINGLE DX | 10737 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| " MULTIPLE DX | 30617 | 8.3 | 79 | 1 | 2 | 6 | 11 | 18 | 24 | 48 |
| TOTAL 0-19 YRS | 3297 | 3.6 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 20-34 | 5618 | 5.8 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 32 |
| 35-49 | 6687 | 6.6 | 51 | 1 | 1 | 5 | 9 | 14 | 19 | 34 |
| 50-64 | 10584 | 6.8 | 56 | 1 | 1 | 4 | 9 | 14 | 19 | 38 |
| 65+ | 15168 | 9.2 | 90 | 1 | 2 | 6 | 12 | 20 | 27 | 47 |
| GRAND TOTAL | 41354 | 7.2 | 66 | 1 | 1 | 5 | 9 | 16 | 22 | 41 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 125 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 9 | 23 |
| 35-49 | 273 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| 50-64 | 1096 | 4.5 | 15 | 1 | 2 | 3 | 6 | 9 | 11 | 20 |
| 65+ | 2153 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 281 | 5.3 | 36 | 1 | 1 | 3 | 6 | 12 | 16 | 42 |
| 35-49 | 479 | 6.1 | 36 | 1 | 2 | 4 | 8 | 12 | 18 | 34 |
| 50-64 | 1778 | 6.6 | 56 | 1 | 2 | 4 | 8 | 13 | 18 | 45 |
| 65+ | 4447 | 8.6 | 66 | 2 | 2 | 6 | 11 | 18 | 24 | 41 |
| TOT. SINGLE DX | 3666 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| " MULTIPLE DX | 7028 | 7.8 | 62 | 2 | 2 | 5 | 10 | 16 | 22 | 41 |
| TOTAL 0-19 YRS | 62 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 406 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 32 |
| 35-49 | 752 | 5.4 | 33 | 1 | 2 | 4 | 7 | 11 | 14 | 30 |
| 50-64 | 2874 | 5.8 | 42 | 1 | 2 | 4 | 7 | 11 | 15 | 35 |
| 65+ | 6600 | 7.5 | 53 | 2 | 2 | 5 | 9 | 16 | 21 | 37 |
| GRAND TOTAL | 10694 | 6.8 | 49 | 1 | 2 | 5 | 8 | 14 | 19 | 36 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 6.0 | 10 | 2 | 2 | 5 | 8 | 10 | 12 | 15 |
| 20-34 | 154 | 6.3 | 18 | 1 | 2 | 5 | 9 | 12 | 14 | 19 |
| 35-49 | 225 | 6.8 | 31 | 1 | 2 | 6 | 9 | 13 | 17 | 23 |
| 50-64 | 361 | 7.9 | 50 | 1 | 2 | 5 | 11 | 18 | 22 | 33 |
| 65+ | 546 | 8.5 | 55 | 1 | 2 | 6 | 12 | 19 | 23 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 224 | 10.0 | 99 | 2 | 3 | 7 | 12 | 20 | 31 | 66 |
| 20-34 | 379 | 9.0 | 93 | 1 | 2 | 6 | 11 | 21 | 31 | 63 |
| 35-49 | 451 | 9.9 | 110 | 1 | 2 | 7 | 12 | 21 | 29 | 58 |
| 50-64 | 1000 | 11.4 | 124 | 2 | 2 | 8 | 15 | 24 | 30 | 58 |
| 65+ | 2164 | 13.7 | 145 | 2 | 3 | 11 | 18 | 29 | 37 | 62 |
| TOT. SINGLE DX | 1383 | 7.6 | 44 | 1 | 2 | 5 | 10 | 17 | 21 | 31 |
| " MULTIPLE DX | 4218 | 12.1 | 132 | 2 | 2 | 9 | 16 | 26 | 34 | 62 |
| TOTAL 0-19 YRS | 321 | 8.8 | 75 | 2 | 3 | 7 | 10 | 17 | 24 | 60 |
| 20-34 | 533 | 8.2 | 73 | 1 | 2 | 6 | 10 | 18 | 26 | 54 |
| 35-49 | 676 | 8.9 | 86 | 1 | 2 | 7 | 11 | 17 | 25 | 57 |
| 50-64 | 1361 | 10.4 | 107 | 2 | 2 | 7 | 14 | 22 | 28 | 49 |
| 65+ | 2710 | 12.6 | 132 | 2 | 2 | 9 | 17 | 27 | 34 | 58 |
| GRAND TOTAL | 5601 | 11.0 | 114 | 2 | 2 | 8 | 15 | 24 | 31 | 56 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 360 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 30 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 23 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 25 | 3.1 | 4 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 65+ | 18 | 4.3 | 10 | 1 | 2 | 3 | 6 | 8 | 12 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 360 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 92 | 3.0 | 6 | 1 | 2 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 81 | 4.6 | 21 | 1 | 1 | 3 | 5 | 11 | 16 | 21 |
| 50-64 | 110 | 5.3 | 17 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 65+ | 90 | 7.7 | 55 | 2 | 2 | 5 | 11 | 18 | 21 | 38 |
| TOT. SINGLE DX | 456 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 8 |
| " MULTIPLE DX | 733 | 3.9 | 18 | 1 | 1 | 2 | 4 | 8 | 13 | 21 |
| TOTAL 0-19 YRS | 720 | 2.0 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 122 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 104 | 4.2 | 18 | 1 | 1 | 3 | 5 | 10 | 15 | 21 |
| 50-64 | 135 | 4.9 | 16 | 1 | 2 | 3 | 7 | 10 | 13 | 20 |
| 65+ | 108 | 7.1 | 49 | 2 | 2 | 5 | 10 | 16 | 19 | 38 |
| GRAND TOTAL | 1189 | 3.1 | 13 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 411 | 6.0 | 16 | 1 | 1 | 5 | 9 | 11 | 13 | 17 |
| 20-34 | 230 | 4.5 | 16 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| 35-49 | 130 | 5.4 | 16 | 1 | 1 | 4 | 7 | 12 | 15 | 18 |
| 50-64 | 146 | 5.4 | 15 | 1 | 2 | 4 | 7 | 10 | 11 | 22 |
| 65+ | 180 | 5.2 | 28 | 1 | 2 | 4 | 6 | 9 | 12 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 281 | 4.9 | 23 | 1 | 1 | 3 | 7 | 11 | 13 | 23 |
| 20-34 | 271 | 5.6 | 37 | 1 | 1 | 3 | 7 | 12 | 18 | 36 |
| 35-49 | 236 | 6.9 | 60 | 1 | 2 | 5 | 9 | 13 | 21 | 36 |
| 50-64 | 373 | 6.8 | 38 | 2 | 2 | 5 | 9 | 14 | 19 | 28 |
| 65+ | 486 | 8.5 | 65 | 2 | 2 | 6 | 11 | 17 | 25 | 36 |
| TOT. SINGLE DX | 1097 | 5.4 | 18 | 1 | 1 | 4 | 8 | 11 | 13 | 20 |
| " MULTIPLE DX | 1647 | 6.8 | 48 | 1 | 2 | 4 | 9 | 14 | 20 | 34 |
| TOTAL 0-19 YRS | 692 | 5.5 | 19 | 1 | 1 | 4 | 9 | 11 | 13 | 19 |
| 20-34 | 501 | 5.1 | 28 | 1 | 1 | 3 | 6 | 11 | 15 | 30 |
| 35-49 | 366 | 6.4 | 46 | 1 | 2 | 4 | 8 | 13 | 18 | 31 |
| 50-64 | 519 | 6.4 | 32 | 2 | 2 | 5 | 8 | 13 | 17 | 26 |
| 65+ | 666 | 7.6 | 58 | 2 | 2 | 5 | 10 | 15 | 22 | 35 |
| GRAND TOTAL | 2744 | 6.2 | 37 | 1 | 2 | 4 | 8 | 12 | 17 | 30 |

### 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 451 | 2.0 | 9 | <1 | 1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 285 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 305 | 3.8 | 21 | 1 | 1 | 2 | 4 | 7 | 11 | 17 |
| 50-64 | 261 | 3.7 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 65+ | 315 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 982 | 2.7 | 10 | 1 | 1 | 2 | 3 | 6 | 7 | 15 |
| 20-34 | 1104 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 15 | 27 |
| 35-49 | 1155 | 6.9 | 48 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| 50-64 | 1586 | 7.2 | 57 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| 65+ | 2221 | 9.4 | 76 | 2 | 2 | 7 | 13 | 19 | 25 | 43 |
| TOT. SINGLE DX | 1617 | 3.3 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| " MULTIPLE DX | 7048 | 6.9 | 55 | 1 | 1 | 4 | 9 | 15 | 21 | 36 |
| TOTAL 0-19 YRS | 1433 | 2.5 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 1389 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 35-49 | 1460 | 6.2 | 45 | 1 | 2 | 4 | 8 | 14 | 18 | 34 |
| 50-64 | 1847 | 6.7 | 53 | 1 | 2 | 4 | 9 | 15 | 19 | 34 |
| 65+ | 2536 | 8.8 | 73 | 1 | 2 | 6 | 12 | 19 | 24 | 42 |
| GRAND TOTAL | 8665 | 6.2 | 50 | 1 | 1 | 4 | 8 | 14 | 19 | 35 |

### 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 184 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 241 | 4.5 | 12 | 1 | 1 | 4 | 5 | 9 | 11 | 21 |
| 35-49 | 159 | 5.0 | 20 | 1 | 2 | 3 | 6 | 10 | 13 | 25 |
| 50-64 | 194 | 5.2 | 13 | 1 | 2 | 4 | 6 | 11 | 13 | 19 |
| 65+ | 198 | 5.4 | 10 | 2 | 2 | 5 | 6 | 10 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 197 | 3.6 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 27 |
| 20-34 | 312 | 4.9 | 21 | 2 | 2 | 3 | 5 | 10 | 13 | 24 |
| 35-49 | 255 | 6.5 | 38 | 2 | 2 | 4 | 8 | 14 | 19 | 35 |
| 50-64 | 430 | 6.3 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 698 | 9.6 | 76 | 2 | 3 | 7 | 12 | 19 | 29 | 44 |
| TOT. SINGLE DX | 976 | 4.5 | 13 | 1 | 2 | 4 | 5 | 9 | 12 | 19 |
| " MULTIPLE DX | 1892 | 7.0 | 50 | 2 | 2 | 5 | 9 | 15 | 20 | 37 |
| TOTAL 0-19 YRS | 381 | 3.1 | 11 | 1 | 1 | 2 | 4 | 5 | 7 | 21 |
| 20-34 | 553 | 4.7 | 17 | 1 | 2 | 3 | 5 | 10 | 12 | 22 |
| 35-49 | 414 | 5.9 | 32 | 1 | 2 | 4 | 7 | 13 | 18 | 29 |
| 50-64 | 624 | 6.0 | 24 | 2 | 2 | 4 | 8 | 11 | 15 | 22 |
| 65+ | 896 | 8.7 | 65 | 2 | 3 | 6 | 11 | 17 | 24 | 40 |
| GRAND TOTAL | 2868 | 6.2 | 39 | 1 | 2 | 4 | 8 | 13 | 17 | 33 |

### 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 119 | 7.6 | 18 | 3 | 4 | 7 | 8 | 10 | 12 | 26 |
| 35-49 | 370 | 8.4 | 7 | 5 | 6 | 8 | 9 | 11 | 13 | 19 |
| 50-64 | 403 | 9.1 | 8 | 5 | 6 | 9 | 10 | 12 | 15 | 19 |
| 65+ | 142 | 11.0 | 23 | 6 | 7 | 10 | 12 | 17 | 20 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 7.7 | 12 | 3 | 3 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 196 | 9.4 | 26 | 5 | 6 | 8 | 10 | 14 | 20 | 28 |
| 35-49 | 697 | 10.3 | 24 | 6 | 6 | 9 | 12 | 15 | 20 | 30 |
| 50-64 | 768 | 11.5 | 49 | 6 | 7 | 10 | 13 | 18 | 22 | 36 |
| 65+ | 393 | 13.6 | 61 | 7 | 7 | 11 | 16 | 22 | 26 | 45 |
| TOT. SINGLE DX | 1037 | 8.9 | 12 | 5 | 6 | 8 | 10 | 12 | 15 | 21 |
| " MULTIPLE DX | 2060 | 11.3 | 43 | 6 | 6 | 9 | 13 | 18 | 23 | 33 |
| TOTAL 0-19 YRS | 9 | 6.1 | 14 | 2 | 2 | 4 | 10 | 11 | 11 | 11 |
| 20-34 | 315 | 8.8 | 24 | 5 | 5 | 8 | 9 | 13 | 16 | 28 |
| 35-49 | 1067 | 9.6 | 19 | 5 | 6 | 8 | 11 | 15 | 17 | 28 |
| 50-64 | 1171 | 10.6 | 37 | 6 | 6 | 9 | 12 | 16 | 20 | 31 |
| 65+ | 535 | 12.9 | 53 | 6 | 7 | 11 | 15 | 22 | 26 | 36 |
| GRAND TOTAL | 3097 | 10.5 | 34 | 5 | 6 | 9 | 12 | 16 | 20 | 31 |

### 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 37 | 8.3 | 3 | 5 | 6 | 8 | 9 | 11 | 12 | 13 |
| 35-49 | 120 | 8.7 | 8 | 5 | 6 | 8 | 10 | 13 | 15 | 19 |
| 50-64 | 103 | 9.3 | 11 | 5 | 6 | 9 | 10 | 13 | 17 | 22 |
| 65+ | 48 | 10.1 | 15 | 5 | 6 | 9 | 12 | 17 | 17 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 29 | 9.1 | 16 | 4 | 5 | 8 | 10 | 13 | 18 | 24 |
| 35-49 | 120 | 9.8 | 15 | 5 | 6 | 9 | 11 | 14 | 17 | 24 |
| 50-64 | 142 | 11.6 | 37 | 5 | 6 | 10 | 14 | 17 | 21 | 43 |
| 65+ | 113 | 12.6 | 33 | 5 | 7 | 12 | 16 | 21 | 23 | 59 |
| TOT. SINGLE DX | 310 | 9.1 | 10 | 5 | 6 | 8 | 10 | 13 | 16 | 20 |
| " MULTIPLE DX | 404 | 11.2 | 30 | 5 | 6 | 10 | 14 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 66 | 8.7 | 9 | 5 | 6 | 8 | 10 | 11 | 13 | 23 |
| 35-49 | 240 | 9.2 | 12 | 5 | 6 | 8 | 10 | 13 | 16 | 22 |
| 50-64 | 245 | 10.6 | 28 | 5 | 6 | 9 | 12 | 16 | 19 | 33 |
| 65+ | 161 | 11.9 | 29 | 5 | 6 | 11 | 15 | 18 | 22 | 36 |
| GRAND TOTAL | 714 | 10.2 | 22 | 5 | 6 | 9 | 12 | 16 | 19 | 29 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 28 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 14 | 18 |
| 35-49 | 32 | 5.3 | 18 | <1 | 1 | 4 | 7 | 13 | 14 | 16 |
| 50-64 | 37 | 6.4 | 30 | 1 | 1 | 5 | 8 | 17 | 19 | 21 |
| 65+ | 21 | 8.9 | 55 | 2 | 2 | 6 | 11 | 23 | 26 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 2.9 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 8 |
| 20-34 | 43 | 7.7 | 51 | 2 | 2 | 6 | 10 | 14 | 17 | 43 |
| 35-49 | 59 | 8.5 | 40 | 1 | 2 | 8 | 11 | 17 | 21 | 33 |
| 50-64 | 67 | 9.0 | 73 | 2 | 2 | 6 | 12 | 17 | 26 | 48 |
| 65+ | 76 | 12.8 | 113 | 2 | 2 | 10 | 17 | 24 | 36 | 56 |
| TOT. SINGLE DX | 130 | 6.1 | 27 | 1 | 2 | 5 | 8 | 12 | 18 | 26 |
| " MULTIPLE DX | 263 | 9.4 | 75 | 1 | 2 | 8 | 12 | 19 | 24 | 48 |
| TOTAL 0-19 YRS | 30 | 3.2 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 20-34 | 71 | 6.8 | 38 | 2 | 2 | 5 | 9 | 14 | 15 | 38 |
| 35-49 | 91 | 7.4 | 35 | 1 | 2 | 6 | 10 | 15 | 20 | 29 |
| 50-64 | 104 | 8.1 | 59 | 1 | 2 | 6 | 11 | 17 | 22 | 41 |
| 65+ | 97 | 11.9 | 103 | 2 | 2 | 9 | 16 | 24 | 30 | 54 |
| GRAND TOTAL | 393 | 8.3 | 62 | 1 | 2 | 6 | 11 | 17 | 23 | 42 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 9.3 | 21 | 3 | 3 | 10 | 12 | 14 | 14 | 14 |
| 20-34 | 13 | 6.5 | 14 | 1 | 2 | 7 | 10 | 11 | 12 | 12 |
| 35-49 | 13 | 10.5 | 44 | 1 | 2 | 10 | 14 | 21 | 23 | 23 |
| 50-64 | 12 | 12.3 | 54 | 2 | 3 | 12 | 17 | 21 | 27 | 28 |
| 65+ | 6 | 8.5 | 46 | 1 | 1 | 8 | 13 | 17 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 10.3 | 18 | 6 | 6 | 9 | 12 | 17 | 19 | 19 |
| 20-34 | 28 | 12.3 | 113 | 3 | 4 | 9 | 15 | 20 | 29 | 58 |
| 35-49 | 33 | 11.8 | 96 | 3 | 3 | 10 | 15 | 21 | 25 | 55 |
| 50-64 | 48 | 18.5 | 199 | 1 | 6 | 14 | 22 | 42 | 46 | 63 |
| 65+ | 39 | 14.3 | 64 | 1 | 5 | 15 | 21 | 26 | 28 | 29 |
| TOT. SINGLE DX | 48 | 9.5 | 39 | 1 | 2 | 9 | 13 | 18 | 21 | 28 |
| " MULTIPLE DX | 156 | 14.5 | 125 | 3 | 5 | 12 | 18 | 26 | 38 | 62 |
| TOTAL 0-19 YRS | 12 | 9.9 | 18 | 3 | 5 | 9 | 12 | 15 | 18 | 19 |
| 20-34 | 41 | 10.4 | 89 | 2 | 3 | 8 | 12 | 18 | 23 | 58 |
| 35-49 | 46 | 11.5 | 81 | 2 | 3 | 10 | 15 | 21 | 23 | 55 |
| 50-64 | 60 | 17.2 | 175 | 2 | 5 | 14 | 20 | 36 | 44 | 63 |
| 65+ | 45 | 13.6 | 65 | 1 | 2 | 13 | 19 | 25 | 27 | 29 |
| GRAND TOTAL | 204 | 13.3 | 109 | 2 | 3 | 11 | 17 | 24 | 30 | 60 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 11.3 | 47 | 6 | 6 | 8 | 13 | 24 | 27 | 27 |
| 20-34 | 5 | 4.8 | 15 | 1 | 1 | 4 | 7 | 11 | 11 | 11 |
| 35-49 | 101 | 7.4 | 18 | 4 | 4 | 6 | 8 | 13 | 19 | 23 |
| 50-64 | 2344 | 7.3 | 9 | 4 | 5 | 7 | 8 | 11 | 13 | 19 |
| 65+ | 4584 | 8.3 | 14 | 4 | 5 | 7 | 10 | 13 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 13.1 | 66 | 5 | 6 | 10 | 16 | 23 | 33 | 37 |
| 20-34 | 25 | 9.2 | 77 | 1 | 2 | 7 | 12 | 16 | 33 | 37 |
| 35-49 | 217 | 9.4 | 25 | 3 | 4 | 8 | 12 | 16 | 19 | 27 |
| 50-64 | 4757 | 10.1 | 51 | 4 | 5 | 8 | 12 | 17 | 22 | 40 |
| 65+ | 14784 | 12.7 | 75 | 5 | 6 | 10 | 15 | 23 | 30 | 47 |
| TOT. SINGLE DX | 7046 | 8.0 | 13 | 4 | 5 | 7 | 9 | 12 | 15 | 21 |
| " MULTIPLE DX | 19799 | 12.0 | 70 | 5 | 5 | 9 | 14 | 22 | 28 | 45 |
| TOTAL 0-19 YRS | 28 | 12.3 | 57 | 6 | 6 | 9 | 15 | 23 | 28 | 37 |
| 20-34 | 30 | 8.5 | 69 | 1 | 2 | 6 | 11 | 16 | 32 | 37 |
| 35-49 | 318 | 8.8 | 24 | 3 | 4 | 8 | 11 | 16 | 19 | 26 |
| 50-64 | 7101 | 9.2 | 40 | 4 | 5 | 7 | 10 | 15 | 20 | 35 |
| 65+ | 19368 | 11.6 | 64 | 5 | 5 | 9 | 14 | 21 | 27 | 43 |
| GRAND TOTAL | 26845 | 11.0 | 59 | 5 | 5 | 9 | 13 | 19 | 28 | 42 |

### 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 71 | 2 | 2 | 4 | 12 | 20 | 20 | 20 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 9 | 10.7 | 25 | 2 | 3 | 12 | 15 | 16 | 16 | 16 |
| 50-64 | 200 | 13.8 | 39 | 6 | 8 | 13 | 17 | 23 | 27 | 34 |
| 65+ | 359 | 13.5 | 26 | 7 | 8 | 13 | 16 | 19 | 22 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 13.0 | 128 | 5 | 5 | 13 | 21 | 21 | 21 | 21 |
| 35-49 | 11 | 15.3 | 89 | 2 | 3 | 15 | 24 | 28 | 31 | 31 |
| 50-64 | 321 | 15.9 | 69 | 7 | 9 | 14 | 19 | 26 | 32 | 43 |
| 65+ | 1059 | 18.0 | 82 | 8 | 10 | 16 | 21 | 28 | 35 | 52 |
| TOT. SINGLE DX | 573 | 13.5 | 32 | 6 | 8 | 13 | 16 | 20 | 24 | 30 |
| " MULTIPLE DX | 1394 | 17.5 | 81 | 8 | 9 | 15 | 21 | 28 | 34 | 52 |
| TOTAL 0-19 YRS | 5 | 6.2 | 62 | 1 | 1 | 3 | 9 | 20 | 20 | 20 |
| 20-34 | 3 | 9.3 | 104 | 2 | 2 | 5 | 17 | 21 | 21 | 21 |
| 35-49 | 20 | 13.2 | 64 | 2 | 3 | 13 | 16 | 25 | 28 | 31 |
| 50-64 | 521 | 15.1 | 59 | 6 | 8 | 14 | 18 | 24 | 29 | 40 |
| 65+ | 1418 | 16.9 | 72 | 8 | 9 | 15 | 20 | 26 | 32 | 51 |
| GRAND TOTAL | 1967 | 16.3 | 70 | 7 | 9 | 14 | 20 | 26 | 31 | 50 |

### 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 5 | 5 | 5 |
| 20-34 | 13 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 81 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 7 | 17 |
| 50-64 | 612 | 3.3 | 12 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 65+ | 791 | 4.0 | 14 | 1 | 2 | 3 | 4 | 8 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 5.5 | 20 | 2 | 2 | 3 | 9 | 13 | 13 | 13 |
| 20-34 | 18 | 7.3 | 69 | 1 | 1 | 4 | 9 | 19 | 27 | 32 |
| 35-49 | 118 | 5.2 | 19 | 1 | 2 | 4 | 7 | 10 | 12 | 28 |
| 50-64 | 815 | 6.7 | 58 | 1 | 2 | 4 | 8 | 15 | 21 | 40 |
| 65+ | 1667 | 9.2 | 86 | 2 | 2 | 6 | 12 | 20 | 25 | 46 |
| TOT. SINGLE DX | 1503 | 3.6 | 13 | 1 | 2 | 2 | 4 | 7 | 10 | 17 |
| " MULTIPLE DX | 2624 | 8.3 | 76 | 2 | 2 | 5 | 11 | 18 | 23 | 45 |
| TOTAL 0-19 YRS | 12 | 4.2 | 12 | 2 | 2 | 3 | 4 | 10 | 13 | 13 |
| 20-34 | 31 | 5.4 | 46 | 1 | 1 | 3 | 6 | 13 | 20 | 32 |
| 35-49 | 199 | 4.2 | 16 | 1 | 2 | 3 | 5 | 9 | 11 | 23 |
| 50-64 | 1427 | 5.3 | 42 | 1 | 2 | 3 | 6 | 11 | 17 | 33 |
| 65+ | 2458 | 7.5 | 70 | 2 | 2 | 4 | 10 | 17 | 22 | 43 |
| GRAND TOTAL | 4127 | 6.6 | 59 | 1 | 2 | 4 | 8 | 15 | 21 | 40 |

### 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 188 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 20-34 | 210 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| 35-49 | 145 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 137 | 4.5 | 18 | 2 | 2 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 78 | 4.3 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 3.5 | 12 | 1 | 1 | 3 | 4 | 5 | 8 | 24 |
| 20-34 | 145 | 6.4 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 36 |
| 35-49 | 130 | 6.9 | 58 | 2 | 2 | 5 | 9 | 13 | 14 | 46 |
| 50-64 | 171 | 8.1 | 93 | 2 | 2 | 5 | 9 | 19 | 25 | 50 |
| 65+ | 173 | 11.2 | 124 | 2 | 3 | 8 | 14 | 25 | 36 | 51 |
| TOT. SINGLE DX | 758 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| " MULTIPLE DX | 737 | 7.5 | 77 | 1 | 2 | 5 | 9 | 15 | 25 | 46 |
| TOTAL 0-19 YRS | 306 | 3.2 | 8 | 1 | 1 | 2 | 4 | 5 | 8 | 15 |
| 20-34 | 355 | 4.6 | 22 | 1 | 1 | 3 | 5 | 8 | 13 | 28 |
| 35-49 | 275 | 5.2 | 33 | 1 | 2 | 4 | 6 | 10 | 14 | 34 |
| 50-64 | 308 | 6.5 | 63 | 2 | 2 | 4 | 7 | 12 | 20 | 45 |
| 65+ | 251 | 9.0 | 99 | 2 | 2 | 5 | 11 | 19 | 30 | 51 |
| GRAND TOTAL | 1495 | 5.6 | 46 | 1 | 2 | 3 | 6 | 11 | 16 | 38 |

### 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 226 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 330 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 114 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 111 | 7.0 | 28 | 3 | 3 | 5 | 9 | 14 | 17 | 27 |
| 65+ | 216 | 7.0 | 32 | 2 | 2 | 5 | 9 | 14 | 20 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 212 | 4.0 | 11 | 1 | 2 | 3 | 4 | 7 | 11 | 20 |
| 20-34 | 233 | 6.6 | 33 | 2 | 2 | 4 | 9 | 14 | 17 | 28 |
| 35-49 | 121 | 6.9 | 34 | 2 | 2 | 5 | 9 | 14 | 18 | 50 |
| 50-64 | 278 | 10.1 | 107 | 2 | 3 | 7 | 13 | 20 | 27 | 61 |
| 65+ | 836 | 11.6 | 110 | 2 | 3 | 9 | 15 | 24 | 31 | 52 |
| TOT. SINGLE DX | 997 | 5.1 | 18 | 1 | 2 | 4 | 6 | 10 | 14 | 22 |
| " MULTIPLE DX | 1680 | 9.4 | 89 | 2 | 2 | 6 | 12 | 20 | 27 | 50 |
| TOTAL 0-19 YRS | 438 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 563 | 5.5 | 22 | 1 | 2 | 4 | 6 | 11 | 15 | 23 |
| 35-49 | 235 | 5.8 | 22 | 2 | 2 | 4 | 7 | 11 | 15 | 29 |
| 50-64 | 389 | 9.2 | 87 | 2 | 3 | 6 | 12 | 18 | 25 | 47 |
| 65+ | 1052 | 10.7 | 98 | 2 | 3 | 8 | 14 | 22 | 28 | 51 |
| GRAND TOTAL | 2677 | 7.8 | 67 | 2 | 2 | 5 | 10 | 17 | 23 | 39 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1091 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 152 | 3.0 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 35-49 | 11 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 856 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 56 | 5.0 | 12 | 2 | 2 | 4 | 6 | 10 | 12 | 20 |
| 35-49 | 13 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 13 | 14 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 34.7 | 3008 | 3 | 3 | 3 | 74 | 98 | 98 | 98 |
| TOT. SINGLE DX | 1257 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| " MULTIPLE DX | 930 | 3.6 | 15 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 1947 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 208 | 3.5 | 7 | 1 | 2 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 24 | 3.1 | 7 | <1 | 1 | 3 | 4 | 4 | 7 | 14 |
| 50-64 | 4 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 4 | 26.3 | 2289 | 1 | 1 | 3 | 51 | 98 | 98 | 98 |
| GRAND TOTAL | 2187 | 3.1 | 8 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 206 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 16 |
| 20-34 | 229 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 72 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 25 | 3.8 | 31 | <1 | 1 | 3 | 4 | 4 | 11 | 30 |
| 65+ | 7 | 10.1 | 93 | 3 | 3 | 4 | 16 | 26 | 28 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 6 | 19 |
| 20-34 | 125 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 48 | 4.3 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 11 |
| 50-64 | 43 | 6.0 | 43 | 1 | 2 | 4 | 7 | 10 | 23 | 35 |
| 65+ | 22 | 14.1 | 207 | 2 | 3 | 9 | 15 | 42 | 45 | 46 |
| TOT. SINGLE DX | 539 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 19 |
| " MULTIPLE DX | 328 | 4.5 | 31 | 1 | 1 | 3 | 5 | 8 | 11 | 36 |
| TOTAL 0-19 YRS | 296 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 18 |
| 20-34 | 354 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 120 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 68 | 5.2 | 40 | 1 | 1 | 3 | 5 | 10 | 22 | 34 |
| 65+ | 29 | 13.2 | 179 | 2 | 3 | 9 | 16 | 38 | 44 | 46 |
| GRAND TOTAL | 867 | 3.5 | 17 | 1 | 1 | 3 | 4 | 6 | 8 | 28 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 232 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 102 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 16 |
| 50-64 | 13 | 4.3 | 14 | <1 | <1 | 4 | 7 | 9 | 12 | 13 |
| 65+ | 20 | 7.6 | 15 | 2 | 3 | 7 | 9 | 14 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 143 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 35-49 | 106 | 4.0 | 17 | <1 | <1 | 3 | 4 | 9 | 13 | 22 |
| 50-64 | 42 | 7.6 | 18 | 1 | 2 | 7 | 12 | 14 | 15 | 18 |
| 65+ | 81 | 12.3 | 91 | 5 | 6 | 10 | 14 | 20 | 29 | 61 |
| TOT. SINGLE DX | 371 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 7 | 14 |
| " MULTIPLE DX | 374 | 6.0 | 44 | <1 | 1 | 3 | 8 | 14 | 16 | 29 |
| TOTAL 0-19 YRS | 6 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 375 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 8 | 14 |
| 35-49 | 208 | 2.9 | 13 | <1 | <1 | 2 | 3 | 6 | 11 | 20 |
| 50-64 | 55 | 6.8 | 19 | 1 | 1 | 7 | 9 | 13 | 14 | 18 |
| 65+ | 101 | 11.3 | 79 | 4 | 5 | 9 | 14 | 19 | 28 | 56 |
| GRAND TOTAL | 745 | 4.0 | 29 | <1 | <1 | 2 | 5 | 10 | 14 | 22 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 704 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 984 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 35-49 | 587 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 50-64 | 601 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 229 | 4.2 | 12 | 2 | 2 | 3 | 5 | 7 | 8 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 458 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 701 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 406 | 4.3 | 9 | 2 | 2 | 4 | 5 | 7 | 10 | 15 |
| 50-64 | 631 | 5.1 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 388 | 6.7 | 22 | 2 | 3 | 5 | 8 | 14 | 17 | 22 |
| TOT. SINGLE DX | 3105 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 2584 | 4.2 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| TOTAL 0-19 YRS | 1162 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1685 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 35-49 | 993 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 1232 | 4.3 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 617 | 5.8 | 20 | 2 | 2 | 4 | 7 | 12 | 16 | 22 |
| GRAND TOTAL | 5689 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1425 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 57[illegible] | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 34[illegible] | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 227 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 65+ | 136 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 480 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| 20-34 | 411 | 3.9 | 17 | 1 | 1 | 2 | 4 | 9 | 11 | 24 |
| 35-49 | 459 | 4.9 | 34 | 1 | 1 | 3 | 6 | 10 | 13 | 30 |
| 50-64 | 495 | 4.9 | 26 | 1 | 2 | 3 | 6 | 11 | 13 | 29 |
| 65+ | 427 | 6.6 | 43 | 1 | 2 | 4 | 9 | 16 | 22 | 29 |
| TOT. SINGLE DX | 2857 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| " MULTIPLE DX | 2398 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| TOTAL 0-19 YRS | 1986 | 2.1 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 1025 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 35-49 | 853 | 3.7 | 22 | 1 | 1 | 2 | 4 | 8 | 11 | 25 |
| 50-64 | 784 | 4.1 | 21 | 1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 65+ | 607 | 5.6 | 36 | 1 | 2 | 3 | 7 | 13 | 19 | 28 |
| GRAND TOTAL | 5255 | 3.2 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 21 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 121 | 3.4 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 15 |
| 20-34 | 162 | 2.8 | 8 | <1 | <1 | 2 | 3 | 7 | 10 | 16 |
| 35-49 | 89 | 4.4 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 175 | 5.1 | 11 | 1 | 2 | 5 | 6 | 8 | 10 | 24 |
| 65+ | 78 | 5.9 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 113 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 140 | 6.3 | 62 | 1 | 1 | 4 | 7 | 12 | 24 | 40 |
| 35-49 | 168 | 7.2 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 50-64 | 332 | 7.4 | 34 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| 65+ | 182 | 9.5 | 81 | 2 | 3 | 7 | 11 | 19 | 26 | 53 |
| TOT. SINGLE DX | 625 | 4.2 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| " MULTIPLE DX | 935 | 7.2 | 48 | 1 | 2 | 5 | 8 | 14 | 21 | 38 |
| TOTAL 0-19 YRS | 234 | 3.7 | 11 | <1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 20-34 | 302 | 4.4 | 37 | <1 | 1 | 2 | 5 | 9 | 14 | 38 |
| 35-49 | 257 | 6.2 | 30 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| 50-64 | 507 | 6.6 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 65+ | 260 | 8.4 | 68 | 2 | 2 | 6 | 10 | 16 | 24 | 44 |
| GRAND TOTAL | 1560 | 6.0 | 36 | 1 | 1 | 5 | 7 | 12 | 16 | 31 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 432 | 5.8 | 5 | 3 | 3 | 5 | 7 | 9 | 10 | 13 |
| 20-34 | 1318 | 5.8 | 5 | 2 | 3 | 6 | 7 | 8 | 9 | 14 |
| 35-49 | 175 | 6.9 | 16 | 2 | 3 | 6 | 8 | 10 | 13 | 26 |
| 50-64 | 37 | 7.8 | 7 | 3 | 4 | 7 | 10 | 12 | 13 | 13 |
| 65+ | 22 | 12.7 | 86 | 6 | 7 | 10 | 14 | 22 | 35 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 423 | 6.7 | 23 | 3 | 4 | 6 | 8 | 10 | 12 | 23 |
| 20-34 | 2476 | 6.7 | 13 | 3 | 4 | 6 | 7 | 10 | 13 | 20 |
| 35-49 | 471 | 8.5 | 58 | 2 | 4 | 7 | 9 | 14 | 19 | 35 |
| 50-64 | 109 | 12.6 | 87 | 5 | 6 | 9 | 15 | 21 | 36 | 50 |
| 65+ | 1[illegible] | 19.0 | 130 | 7 | 8 | 16 | 23 | 35 | 44 | 61 |
| TOT. SINGLE DX | 1984 | 6.0 | 8 | 3 | 3 | 6 | 7 | 9 | 10 | 15 |
| " MULTIPLE DX | 3585 | 7.5 | 32 | 3 | 4 | 6 | 8 | 12 | 16 | 30 |
| TOTAL 0-19 YRS | 855 | 6.3 | 15 | 3 | 4 | 6 | 7 | 9 | 11 | 17 |
| 20-34 | 3794 | 6.4 | 11 | 3 | 4 | 6 | 7 | 9 | 12 | 18 |
| 35-49 | 646 | 8.0 | 47 | 2 | 4 | 7 | 9 | 13 | 18 | 32 |
| 50-64 | 146 | 11.4 | 72 | 3 | 5 | 9 | 13 | 19 | 34 | 48 |
| 65+ | 128 | 17.9 | 128 | 7 | 7 | 15 | 22 | 33 | 43 | 58 |
| GRAND TOTAL | 5569 | 7.0 | 24 | 3 | 4 | 6 | 8 | 10 | 14 | 26 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 217 | 6.5 | 5 | 4 | 4 | 6 | 7 | 10 | 11 | 14 |
| 20-34 | 1382 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 422 | 7.0 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 50-64 | 61 | 8.8 | 30 | 5 | 5 | 7 | 9 | 13 | 21 | 34 |
| 65+ | 64 | 10.6 | 26 | 5 | 6 | 9 | 13 | 18 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 316 | 7.5 | 11 | 4 | 5 | 7 | 8 | 12 | 15 | 19 |
| 20-34 | 2707 | 7.3 | 12 | 4 | 5 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 1094 | 8.7 | 36 | 4 | 5 | 7 | 9 | 13 | 16 | 34 |
| 50-64 | 207 | 11.6 | 51 | 5 | 6 | 9 | 14 | 20 | 25 | 38 |
| 65+ | 162 | 18.8 | 186 | 6 | 7 | 15 | 22 | 34 | 48 | 73 |
| TOT. SINGLE DX | 2146 | 6.6 | 8 | 4 | 4 | 6 | 7 | 9 | 11 | 18 |
| " MULTIPLE DX | 4486 | 8.3 | 31 | 4 | 5 | 7 | 9 | 13 | 17 | 32 |
| TOTAL 0-19 YRS | 533 | 7.1 | 9 | 4 | 4 | 6 | 8 | 11 | 12 | 18 |
| 20-34 | 4089 | 7.0 | 10 | 4 | 5 | 6 | 8 | 10 | 13 | 20 |
| 35-49 | 1516 | 8.2 | 29 | 4 | 5 | 7 | 9 | 12 | 16 | 33 |
| 50-64 | 268 | 11.0 | 48 | 5 | 5 | 9 | 13 | 19 | 25 | 37 |
| 65+ | 226 | 16.5 | 154 | 6 | 7 | 13 | 20 | 30 | 42 | 71 |
| GRAND TOTAL | 6632 | 7.8 | 24 | 4 | 5 | 7 | 8 | 12 | 15 | 27 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 6.9 | 2 | 5 | 5 | 7 | 8 | 10 | 10 | 10 |
| 20-34 | 136 | 7.4 | 17 | 4 | 5 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 222 | 7.7 | 9 | 5 | 5 | 7 | 8 | 11 | 14 | 20 |
| 50-64 | 107 | 8.7 | 13 | 5 | 6 | 8 | 10 | 13 | 15 | 26 |
| 65+ | 49 | 11.2 | 31 | 5 | 6 | 9 | 14 | 19 | 22 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 8.2 | 14 | 5 | 6 | 7 | 8 | 11 | 18 | 22 |
| 20-34 | 558 | 8.1 | 18 | 4 | 5 | 7 | 9 | 12 | 17 | 26 |
| 35-49 | 858 | 9.4 | 38 | 5 | 5 | 8 | 10 | 15 | 20 | 33 |
| 50-64 | 337 | 12.6 | 73 | 5 | 6 | 10 | 15 | 22 | 29 | 44 |
| 65+ | 218 | 17.6 | 118 | 7 | 7 | 15 | 22 | 31 | 38 | 61 |
| TOT. SINGLE DX | 523 | 8.2 | 15 | 5 | 5 | 7 | 9 | 12 | 16 | 25 |
| " MULTIPLE DX | 1989 | 10.5 | 55 | 5 | 5 | 8 | 12 | 19 | 24 | 41 |
| TOTAL 0-19 YRS | 27 | 7.7 | 11 | 5 | 5 | 7 | 8 | 10 | 13 | 22 |
| 20-34 | 694 | 8.0 | 18 | 4 | 5 | 7 | 9 | 12 | 16 | 26 |
| 35-49 | 1080 | 9.0 | 33 | 5 | 5 | 8 | 10 | 15 | 19 | 31 |
| 50-64 | 444 | 11.7 | 61 | 5 | 6 | 9 | 13 | 20 | 26 | 42 |
| 65+ | 267 | 16.4 | 108 | 6 | 7 | 14 | 21 | 29 | 36 | 56 |
| GRAND TOTAL | 2512 | 10.0 | 48 | 5 | 5 | 8 | 11 | 17 | 23 | 38 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 4.3 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |
| 20-34 | 309 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 48 | 3.9 | 7 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 50-64 | 8 | 4.6 | 12 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 116 | 5.2 | 17 | 1 | 2 | 5 | 6 | 9 | 12 | 26 |
| 20-34 | 771 | 5.2 | 18 | 1 | 2 | 5 | 7 | 9 | 11 | 20 |
| 35-49 | 130 | 6.9 | 55 | 1 | 1 | 5 | 8 | 16 | 22 | 41 |
| 50-64 | 13 | 10.9 | 49 | 1 | 3 | 9 | 13 | 24 | 24 | 24 |
| 65+ | 5 | 8.8 | 73 | 3 | 3 | 3 | 15 | 22 | 22 | 22 |
| TOT. SINGLE DX | 449 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| " MULTIPLE DX | 1035 | 5.5 | 24 | 1 | 2 | 5 | 7 | 9 | 13 | 26 |
| TOTAL 0-19 YRS | 198 | 4.9 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 24 |
| 20-34 | 1080 | 4.8 | 16 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 178 | 6.1 | 44 | 1 | 1 | 4 | 7 | 11 | 18 | 39 |
| 50-64 | 21 | 8.5 | 44 | 1 | 1 | 8 | 10 | 20 | 24 | 24 |
| 65+ | 7 | 8.0 | 56 | 2 | 2 | 3 | 12 | 20 | 22 | 22 |
| GRAND TOTAL | 1484 | 5.0 | 20 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 5016 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 1612 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 50-64 | 7 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 20-34 | 3864 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 1500 | 2.1 | 9 | <1 | <1 | 2 | 2 | 3 | 5 | 14 |
| 50-64 | 17 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 6665 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 5414 | 2.0 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 63 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 8880 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 3112 | 1.7 | 5 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| 50-64 | 24 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 12079 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 4290 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1313 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 17 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 19 | 24 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 4.3 | 9 | <1 | 1 | 4 | 5 | 7 | 13 | 17 |
| 20-34 | 5128 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 1479 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 50-64 | 23 | 7.7 | 83 | 1 | 2 | 5 | 8 | 15 | 26 | 45 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5660 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 6689 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| TOTAL 0-19 YRS | 99 | 4.0 | 8 | 1 | 2 | 3 | 5 | 6 | 11 | 16 |
| 20-34 | 9418 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 2792 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 40 | 6.4 | 62 | 1 | 1 | 4 | 7 | 14 | 20 | 45 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 12349 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (3) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 159 | 5.4 | 3 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 2215 | 5.0 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 222 | 5.1 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | 5 | 7.8 | 12 | 3 | 3 | 8 | 10 | 12 | 12 | 12 |
| 65+ | 3 | 13.0 | 39 | 8 | 8 | 11 | 18 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 171 | 6.7 | 12 | 2 | 3 | 6 | 8 | 10 | 12 | 23 |
| 20-34 | 2468 | 5.8 | 8 | 2 | 2 | 6 | 7 | 8 | 10 | 15 |
| 35-49 | 287 | 6.2 | 15 | 1 | 2 | 6 | 8 | 10 | 14 | 21 |
| 50-64 | 5 | 10.0 | 23 | 5 | 5 | 9 | 12 | 18 | 18 | 18 |
| 65+ | 6 | 14.0 | 83 | 4 | 4 | 13 | 21 | 26 | 27 | 27 |
| TOT. SINGLE DX | 2604 | 5.0 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| " MULTIPLE DX | 2937 | 5.9 | 10 | 2 | 2 | 6 | 7 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 330 | 6.1 | 9 | 2 | 3 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 4683 | 5.4 | 7 | 1 | 2 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 509 | 5.7 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 10 | 8.9 | 17 | 3 | 4 | 9 | 10 | 15 | 18 | 18 |
| 65+ | 9 | 13.7 | 62 | 4 | 5 | 11 | 20 | 25 | 27 | 27 |
| GRAND TOTAL | 5541 | 5.5 | 8 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 20-34 | 1096 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 363 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 136 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 59 | 3.6 | 25 | 1 | 2 | 3 | 3 | 4 | 11 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 7 | 8 |
| 20-34 | 892 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 430 | 3.4 | 14 | 1 | 1 | 2 | 3 | 6 | 10 | 23 |
| 50-64 | 214 | 4.2 | 22 | 1 | 2 | 3 | 4 | 9 | 12 | 21 |
| 65+ | 87 | 7.3 | 90 | 1 | 2 | 3 | 9 | 16 | 32 | 45 |
| TOT. SINGLE DX | 1722 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| " MULTIPLE DX | 1666 | 3.5 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 20 |
| TOTAL 0-19 YRS | 111 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 1988 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 793 | 3.1 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 50-64 | 350 | 3.6 | 16 | 1 | 2 | 2 | 3 | 7 | 11 | 17 |
| 65+ | 146 | 5.8 | 67 | 1 | 2 | 3 | 4 | 14 | 18 | 44 |
| GRAND TOTAL | 3388 | 2.9 | 10 | 1 | 1 | 2 | 3 | 4 | 7 | 15 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 2.0 | | <1 | 1 | 2 | 2 | 4 | 4 | 5 |
| 20-34 | 525 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 35-49 | 440 | 2.5 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 50-64 | 315 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 65+ | 177 | 5.1 | 20 | 1 | 2 | 3 | 7 | 10 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 3.9 | 55 | 1 | 1 | 2 | 4 | 6 | 7 | 53 |
| 20-34 | 1015 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 1085 | 3.7 | 21 | <1 | 1 | 2 | 4 | 8 | 11 | 27 |
| 50-64 | 764 | 5.2 | 47 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 65+ | 530 | 8.8 | 70 | 2 | 2 | 7 | 11 | 17 | 24 | 48 |
| TOT. SINGLE DX | 1503 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| " MULTIPLE DX | 3464 | 4.6 | 35 | 1 | 1 | 3 | 5 | 10 | 14 | 31 |
| TOTAL 0-19 YRS | 116 | 3.2 | 34 | 1 | 1 | 2 | 3 | 5 | 7 | 29 |
| 20-34 | 1540 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 1525 | 3.4 | 18 | <1 | 1 | 2 | 3 | 7 | 10 | 22 |
| 50-64 | 1079 | 4.5 | 37 | 1 | 1 | 2 | 5 | 10 | 13 | 29 |
| 65+ | 707 | 7.9 | 60 | 2 | 2 | 6 | 10 | 15 | 21 | 41 |
| GRAND TOTAL | 4967 | 4.1 | 28 | <1 | 1 | 2 | 4 | 9 | 12 | 27 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1205 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 93 | 2.9 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 5.1 | 11 | 1 | 2 | 4 | 6 | 9 | 13 | 15 |
| 20-34 | 324 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 26 | 3.1 | 3 | 1 | 1 | 3 | 5 | 5 | 6 | 8 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| TOT. SINGLE DX | 1385 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| " MULTIPLE DX | 368 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 100 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 1529 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 118 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 5 | 3.0 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| GRAND TOTAL | 1753 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 4.5 | 5 | <1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 372 | 4.7 | 10 | <1 | <1 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 114 | 3.6 | 7 | 1 | 1 | 2 | 6 | 8 | 9 | 12 |
| 50-64 | 39 | 5.7 | 226 | 1 | 1 | 2 | 3 | 9 | 14 | 95 |
| 65+ | 27 | 4.6 | 21 | 1 | 2 | 2 | 4 | 13 | 16 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 4.1 | 10 | <1 | 1 | 2 | 6 | 9 | 11 | 12 |
| 20-34 | 664 | 5.4 | 15 | <1 | 1 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 258 | 5.6 | 26 | 1 | 1 | 5 | 8 | 11 | 13 | 27 |
| 50-64 | 116 | 5.6 | 42 | 1 | 1 | 3 | 7 | 12 | 19 | 36 |
| 65+ | 96 | 11.2 | 172 | 2 | 2 | 7 | 15 | 23 | 37 | 72 |
| TOT. SINGLE DX | 569 | 4.6 | 25 | <1 | 1 | 4 | 6 | 8 | 10 | 17 |
| " MULTIPLE DX | 1153 | 5.9 | 36 | 1 | 1 | 5 | 7 | 11 | 15 | 31 |
| TOTAL 0-19 YRS | 36 | 4.3 | 8 | <1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 1036 | 5.2 | 14 | <1 | 1 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 372 | 5.0 | 21 | 1 | 1 | 3 | 7 | 10 | 12 | 25 |
| 50-64 | 155 | 5.6 | 88 | 1 | 1 | 3 | 6 | 10 | 17 | 43 |
| 65+ | 123 | 9.7 | 147 | 2 | 2 | 5 | 14 | 22 | 31 | 62 |
| GRAND TOTAL | 1722 | 5.5 | 33 | <1 | 1 | 5 | 7 | 10 | 13 | 27 |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 7.5 | 4 | 5 | 5 | 7 | 9 | 10 | 11 | 12 |
| 20-34 | 2020 | 7.3 | 5 | 5 | 5 | 7 | 8 | 9 | 11 | 16 |
| 35-49 | 3021 | 7.6 | 4 | 5 | 6 | 7 | 8 | 10 | 11 | 16 |
| 50-64 | 1089 | 8.4 | 8 | 5 | 6 | 8 | 9 | 11 | 14 | 17 |
| 65+ | 465 | 10.2 | 17 | 6 | 7 | 9 | 12 | 15 | 18 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 8.5 | 27 | 5 | 5 | 7 | 9 | 13 | 16 | 37 |
| 20-34 | 9424 | 8.1 | 11 | 5 | 6 | 7 | 9 | 11 | 13 | 20 |
| 35-49 | 18992 | 8.4 | 11 | 5 | 6 | 8 | 9 | 12 | 14 | 22 |
| 50-64 | 5521 | 9.6 | 23 | 6 | 6 | 8 | 10 | 14 | 18 | 29 |
| 65+ | 1821 | 13.5 | 77 | 7 | 7 | 11 | 15 | 22 | 28 | 54 |
| TOT. SINGLE DX | 6611 | 7.8 | 7 | 5 | 6 | 7 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 35847 | 8.8 | 18 | 5 | 6 | 8 | 9 | 12 | 16 | 26 |
| TOTAL 0-19 YRS | 105 | 8.3 | 24 | 5 | 5 | 7 | 9 | 12 | 16 | 35 |
| 20-34 | 11444 | 7.9 | 10 | 5 | 6 | 7 | 9 | 11 | 13 | 20 |
| 35-49 | 22013 | 8.3 | 11 | 5 | 6 | 8 | 9 | 11 | 14 | 21 |
| 50-64 | 6610 | 9.4 | 21 | 6 | 6 | 8 | 10 | 14 | 17 | 28 |
| 65+ | 2286 | 12.8 | 67 | 6 | 7 | 10 | 15 | 21 | 27 | 51 |
| GRAND TOTAL | 42458 | 8.6 | 16 | 5 | 6 | 8 | 9 | 12 | 15 | 28 |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 8.0 | 1 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 979 | 6.3 | 3 | 4 | 5 | 5 | 7 | 8 | 10 | 13 |
| 35-49 | 984 | 7.0 | 6 | 4 | 5 | 6 | 8 | 10 | 12 | 16 |
| 50-64 | 572 | 8.5 | 8 | 5 | 6 | 8 | 10 | 12 | 14 | 19 |
| 65+ | 416 | 9.4 | 12 | 6 | 6 | 8 | 11 | 13 | 15 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 8.0 | 5 | 5 | 5 | 8 | 9 | 11 | 12 | 12 |
| 20-34 | 3248 | 7.1 | 7 | 4 | 5 | 6 | 8 | 10 | 12 | 16 |
| 35-49 | 5269 | 7.6 | 10 | 5 | 5 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 2058 | 9.1 | 11 | 6 | 6 | 8 | 10 | 13 | 15 | 20 |
| 65+ | 1356 | 10.7 | 24 | 6 | 7 | 9 | 12 | 16 | 19 | 31 |
| TOT. SINGLE DX | 2955 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 12 | 17 |
| " MULTIPLE DX | 11938 | 8.1 | 13 | 5 | 5 | 7 | 9 | 12 | 14 | 21 |
| TOTAL 0-19 YRS | 11 | 8.0 | 4 | 5 | 6 | 8 | 9 | 10 | 12 | 12 |
| 20-34 | 4227 | 6.9 | 6 | 4 | 5 | 6 | 8 | 10 | 11 | 16 |
| 35-49 | 6253 | 7.5 | 10 | 4 | 5 | 7 | 8 | 11 | 13 | 18 |
| 50-64 | 2630 | 9.0 | 11 | 5 | 6 | 8 | 10 | 13 | 15 | 20 |
| 65+ | 1772 | 10.4 | 22 | 6 | 7 | 9 | 12 | 15 | 19 | 30 |
| GRAND TOTAL | 14893 | 8.0 | 12 | 5 | 5 | 7 | 9 | 12 | 14 | 20 |

## 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 32 | 13.4 | 94 | 5 | 7 | 11 | 15 | 20 | 27 | 59 |
| 35-49 | 33 | 14.5 | 29 | 9 | 10 | 13 | 17 | 20 | 30 | 32 |
| 50-64 | 21 | 13.0 | 39 | 6 | 8 | 11 | 16 | 19 | 26 | 34 |
| 65+ | 17 | 17.6 | 46 | 9 | 9 | 18 | 20 | 25 | 33 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 36 | 12.9 | 36 | 5 | 7 | 12 | 15 | 20 | 26 | 28 |
| 35-49 | 54 | 16.2 | 69 | 7 | 9 | 14 | 20 | 31 | 36 | 97 |
| 50-64 | 59 | 21.0 | 170 | 8 | 9 | 17 | 27 | 41 | 50 | 97 |
| 65+ | 34 | 24.6 | 243 | 10 | 11 | 19 | 35 | 45 | 53 | 75 |
| TOT. SINGLE DX | 103 | 14.4 | 55 | 7 | 8 | 13 | 17 | 21 | 29 | 47 |
| " MULTIPLE DX | 183 | 18.6 | 142 | 8 | 9 | 15 | 22 | 37 | 45 | 91 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 68 | 13.1 | 63 | 5 | 7 | 12 | 15 | 20 | 27 | 53 |
| 35-49 | 87 | 15.6 | 54 | 8 | 9 | 13 | 18 | 29 | 32 | 79 |
| 50-64 | 80 | 18.9 | 148 | 8 | 8 | 16 | 21 | 37 | 45 | 92 |
| 65+ | 51 | 22.3 | 186 | 9 | 10 | 18 | 29 | 40 | 50 | 75 |
| GRAND TOTAL | 286 | 17.1 | 115 | 7 | 8 | 14 | 19 | 33 | 39 | 78 |

## 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 366 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 39 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 4.1 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 15 |
| 20-34 | 233 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 35-49 | 74 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 502 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| " MULTIPLE DX | 344 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| TOTAL 0-19 YRS | 134 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 599 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 113 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 846 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |

## 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4047 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 26832 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 8787 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 3305 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 65+ | 923 | 3.2 | 12 | 1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1713 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 20-34 | 16780 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 11773 | 3.3 | 13 | <1 | 1 | 2 | 3 | 7 | 10 | 19 |
| 50-64 | 5184 | 3.7 | 19 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 65+ | 1983 | 5.7 | 42 | 1 | 2 | 3 | 7 | 13 | 19 | 33 |
| TOT. SINGLE DX | 43894 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 37433 | 3.5 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| TOTAL 0-19 YRS | 5760 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 43612 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 20560 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 8489 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |
| 65+ | 2906 | 4.9 | 34 | 1 | 1 | 3 | 5 | 11 | 16 | 31 |
| GRAND TOTAL | 81327 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |

## 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1433 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 3317 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 241 | 1.4 | | <1 | <1 | 1 | 3 | 3 | 3 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 128 | 3.3 | 33 | <1 | <1 | 2 | 3 | 7 | 10 | 27 |
| 20-34 | 852 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 9 | 21 |
| 35-49 | 229 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 4991 | 1.3 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 1209 | 3.1 | 15 | <1 | <1 | 2 | 3 | 6 | 9 | 19 |
| TOTAL 0-19 YRS | 1561 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 4169 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 35-49 | 470 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 6200 | 1.7 | 4 | <1 | <1 | 1 | 2 | 2 | 4 | 9 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 316 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 1647 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 135 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | 4 | 4.8 | 19 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 329 | 2.9 | 15 | 1 | 1 | 2 | 3 | 6 | 7 | 14 |
| 35-49 | 54 | 4.0 | 30 | 1 | 1 | 2 | 4 | 8 | 16 | 34 |
| 50-64 | 9 | 12.3 | 206 | <1 | <1 | 2 | 24 | 34 | 38 | 38 |
| 65+ | 9 | 9.1 | 81 | 2 | 2 | 8 | 11 | 23 | 31 | 31 |
| TOT. SINGLE DX | 2103 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 462 | 3.3 | 23 | 1 | 1 | 2 | 3 | 6 | 10 | 28 |
| TOTAL 0-19 YRS | 377 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 1976 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 189 | 2.2 | 10 | <1 | <1 | 1 | 2 | 4 | 5 | 17 |
| 50-64 | 13 | 10.0 | 156 | <1 | <1 | 2 | 16 | 31 | 37 | 38 |
| 65+ | 10 | 8.9 | 73 | 2 | 2 | 7 | 10 | 21 | 31 | 31 |
| GRAND TOTAL | 2565 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 53 | 5.8 | 5 | 1 | 2 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 9 | 6.4 | 13 | 1 | 1 | 8 | 9 | 10 | 10 | 10 |
| 50-64 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 4 | 9.5 | 4 | 7 | 7 | 9 | 11 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 7.1 | 10 | 4 | 4 | 6 | 9 | 10 | 15 | 16 |
| 20-34 | 198 | 6.6 | 9 | 2 | 4 | 6 | 7 | 10 | 11 | 19 |
| 35-49 | 27 | 7.3 | 14 | 1 | 2 | 7 | 10 | 11 | 13 | 18 |
| 50-64 | 5 | 8.4 | 7 | 6 | 6 | 8 | 9 | 13 | 13 | 13 |
| 65+ | 10 | 13.8 | 55 | 6 | 6 | 12 | 19 | 25 | 28 | 28 |
| TOT. SINGLE DX | 70 | 6.1 | 7 | 1 | 2 | 6 | 8 | 10 | 10 | 13 |
| " MULTIPLE DX | 255 | 7.0 | 13 | 2 | 4 | 6 | 8 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 17 | 6.6 | 11 | 3 | 4 | 6 | 8 | 10 | 14 | 16 |
| 20-34 | 251 | 6.4 | 9 | 2 | 4 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 36 | 7.1 | 14 | 1 | 2 | 7 | 10 | 11 | 12 | 18 |
| 50-64 | 7 | 7.6 | 8 | 4 | 4 | 7 | 8 | 12 | 13 | 13 |
| 65+ | 14 | 12.6 | 44 | 6 | 7 | 10 | 15 | 23 | 27 | 28 |
| GRAND TOTAL | 325 | 6.8 | 12 | 2 | 4 | 6 | 8 | 10 | 13 | 21 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 2.7 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 260 | 3.0 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 35-49 | 55 | 3.5 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 50-64 | 37 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 11 | 17 |
| 65+ | 28 | 4.3 | 9 | 2 | 2 | 4 | 5 | 5 | 7 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 11 | 11 |
| 20-34 | 311 | 4.4 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 35-49 | 76 | 4.6 | 20 | 1 | 2 | 3 | 6 | 9 | 11 | 30 |
| 50-64 | 64 | 4.9 | 11 | 2 | 2 | 4 | 5 | 9 | 11 | 19 |
| 65+ | 67 | 6.4 | 97 | 2 | 3 | 4 | 5 | 12 | 20 | 68 |
| TOT. SINGLE DX | 444 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| " MULTIPLE DX | 553 | 4.7 | 24 | 1 | 1 | 4 | 6 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 99 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 571 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 131 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 101 | 4.7 | 10 | 1 | 2 | 4 | 5 | 8 | 12 | 18 |
| 65+ | 95 | 5.8 | 72 | 2 | 2 | 4 | 5 | 8 | 18 | 57 |
| GRAND TOTAL | 997 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 7.3 | 29 | 1 | 2 | 5 | 9 | 16 | 18 | 18 |
| 20-34 | 138 | 6.4 | 8 | 3 | 4 | 6 | 8 | 9 | 12 | 19 |
| 35-49 | 440 | 7.3 | 9 | 3 | 4 | 7 | 9 | 11 | 12 | 18 |
| 50-64 | 687 | 7.5 | 8 | 4 | 5 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 457 | 7.9 | 11 | 4 | 5 | 7 | 9 | 12 | 15 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 6.3 | 8 | <1 | 1 | 7 | 8 | 10 | 10 | 10 |
| 20-34 | 320 | 7.9 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 25 |
| 35-49 | 1004 | 9.2 | 20 | 5 | 5 | 8 | 11 | 14 | 17 | 26 |
| 50-64 | 1386 | 9.2 | 18 | 5 | 5 | 8 | 10 | 14 | 18 | 25 |
| 65+ | 869 | 10.1 | 25 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| TOT. SINGLE DX | 1729 | 7.5 | 10 | 4 | 4 | 7 | 9 | 11 | 13 | 18 |
| " MULTIPLE DX | 3586 | 9.3 | 21 | 5 | 5 | 8 | 11 | 15 | 18 | 26 |
| TOTAL 0-19 YRS | 14 | 6.8 | 17 | <1 | 1 | 6 | 8 | 11 | 16 | 18 |
| 20-34 | 458 | 7.5 | 14 | 3 | 4 | 7 | 9 | 12 | 13 | 22 |
| 35-49 | 1444 | 8.6 | 18 | 4 | 5 | 8 | 10 | 13 | 16 | 23 |
| 50-64 | 2073 | 8.6 | 16 | 4 | 5 | 8 | 10 | 13 | 16 | 23 |
| 65+ | 1326 | 9.4 | 22 | 5 | 5 | 8 | 11 | 15 | 18 | 26 |
| GRAND TOTAL | 5315 | 8.7 | 18 | 4 | 5 | 8 | 10 | 14 | 17 | 24 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 4.4 | 18 | 1 | 1 | 3 | 6 | 11 | 14 | 18 |
| 20-34 | 256 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 113 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 92 | 6.0 | 9 | 1 | 2 | 6 | 8 | 10 | 11 | 15 |
| 65+ | 43 | 7.1 | 10 | 2 | 3 | 7 | 9 | 11 | 13 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 6.2 | 35 | 1 | 1 | 4 | 8 | 13 | 16 | 32 |
| 20-34 | 153 | 6.0 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 23 |
| 35-49 | 108 | 7.6 | 41 | 1 | 2 | 7 | 9 | 13 | 16 | 41 |
| 50-64 | 139 | 8.3 | 24 | 2 | 2 | 8 | 10 | 14 | 18 | 27 |
| 65+ | 87 | 12.0 | 82 | 4 | 4 | 9 | 15 | 24 | 31 | 47 |
| TOT. SINGLE DX | 565 | 4.8 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 15 |
| " MULTIPLE DX | 528 | 7.9 | 41 | 2 | 2 | 7 | 10 | 15 | 19 | 33 |
| TOTAL 0-19 YRS | 102 | 5.1 | 26 | 1 | 1 | 3 | 6 | 13 | 14 | 25 |
| 20-34 | 409 | 5.0 | 12 | 1 | 1 | 4 | 6 | 9 | 10 | 20 |
| 35-49 | 221 | 5.9 | 27 | 1 | 1 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 231 | 7.4 | 20 | 2 | 2 | 7 | 9 | 13 | 16 | 25 |
| 65+ | 130 | 10.4 | 64 | 3 | 4 | 8 | 12 | 20 | 30 | 40 |
| GRAND TOTAL | 1093 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 190 | 3.1 | 9 | <1 | 1 | 2 | 3 | 7 | 10 | 16 |
| 20-34 | 581 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 35-49 | 210 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 50-64 | 156 | 4.5 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 65+ | 145 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 13 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 174 | 4.8 | 20 | 1 | 1 | 3 | 6 | 11 | 16 | 21 |
| 20-34 | 572 | 5.0 | 22 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| 35-49 | 308 | 7.7 | 52 | 1 | 2 | 6 | 10 | 17 | 22 | 35 |
| 50-64 | 372 | 7.8 | 51 | 2 | 2 | 6 | 9 | 15 | 22 | 36 |
| 65+ | 498 | 10.3 | 73 | 2 | 3 | 8 | 12 | 22 | 28 | 46 |
| TOT. SINGLE DX | 1282 | 3.9 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| " MULTIPLE DX | 1924 | 7.3 | 50 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| TOTAL 0-19 YRS | 364 | 3.9 | 15 | 1 | 1 | 2 | 5 | 8 | 13 | 20 |
| 20-34 | 1153 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 35-49 | 518 | 6.4 | 41 | 1 | 1 | 4 | 8 | 13 | 20 | 33 |
| 50-64 | 528 | 6.8 | 42 | 1 | 2 | 5 | 8 | 14 | 18 | 32 |
| 65+ | 643 | 9.4 | 65 | 2 | 2 | 7 | 11 | 19 | 25 | 43 |
| GRAND TOTAL | 3206 | 6.0 | 39 | 1 | 1 | 4 | 8 | 12 | 18 | 31 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 312 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1269 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 522 | 2.8 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 263 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 130 | 4.3 | 27 | 1 | 1 | 3 | 4 | 7 | 12 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 144 | 4.1 | 34 | 1 | 1 | 3 | 5 | 7 | 9 | 31 |
| 20-34 | 565 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 12 | 31 |
| 35-49 | 386 | 5.1 | 22 | 1 | 2 | 3 | 6 | 11 | 14 | 26 |
| 50-64 | 285 | 8.3 | 84 | 1 | 2 | 5 | 10 | 18 | 31 | 44 |
| 65+ | 281 | 9.5 | 84 | 2 | 2 | 6 | 13 | 20 | 27 | 48 |
| TOT. SINGLE DX | 2496 | 2.7 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 1661 | 6.0 | 49 | 1 | 2 | 4 | 7 | 13 | 19 | 38 |
| TOTAL 0-19 YRS | 456 | 3.0 | 13 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 1834 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 908 | 3.8 | 14 | 1 | 1 | 3 | 4 | 8 | 11 | 20 |
| 50-64 | 548 | 5.7 | 54 | 1 | 1 | 3 | 6 | 14 | 19 | 38 |
| 65+ | 411 | 7.9 | 72 | 2 | 2 | 4 | 10 | 18 | 26 | 45 |
| GRAND TOTAL | 4157 | 4.0 | 25 | 1 | 1 | 3 | 4 | 8 | 12 | 30 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 28 | 6.5 | 25 | 2 | 2 | 5 | 9 | 13 | 18 | 23 |
| 35-49 | 24 | 6.1 | 30 | 1 | 2 | 4 | 7 | 15 | 19 | 23 |
| 50-64 | 44 | 11.4 | 107 | 2 | 2 | 8 | 16 | 27 | 35 | 45 |
| 65+ | 50 | 12.7 | 98 | 2 | 3 | 10 | 20 | 29 | 31 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 4 | 2 | 2 | 2 | 2 | 7 | 7 | 7 |
| 20-34 | 19 | 6.6 | 16 | 2 | 2 | 6 | 10 | 12 | 14 | 15 |
| 35-49 | 38 | 9.5 | 81 | 2 | 2 | 7 | 11 | 25 | 30 | 39 |
| 50-64 | 47 | 15.4 | 166 | 3 | 3 | 12 | 18 | 30 | 46 | 64 |
| 65+ | 100 | 21.7 | 322 | 3 | 5 | 17 | 32 | 44 | 62 | 96 |
| TOT. SINGLE DX | 153 | 9.7 | 82 | 2 | 2 | 6 | 13 | 23 | 30 | 41 |
| " MULTIPLE DX | 210 | 16.2 | 241 | 2 | 3 | 12 | 21 | 37 | 45 | 91 |
| TOTAL 0-19 YRS | 13 | 2.4 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 20-34 | 47 | 6.5 | 22 | 2 | 2 | 6 | 10 | 13 | 15 | 23 |
| 35-49 | 62 | 8.2 | 63 | 2 | 2 | 5 | 9 | 21 | 27 | 38 |
| 50-64 | 91 | 13.5 | 141 | 2 | 3 | 10 | 18 | 27 | 38 | 59 |
| 65+ | 150 | 18.7 | 264 | 2 | 4 | 14 | 26 | 40 | 47 | 93 |
| GRAND TOTAL | 363 | 13.4 | 184 | 2 | 2 | 9 | 18 | 31 | 41 | 77 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 90 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 30 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 19 | 4.2 | 16 | <1 | 1 | 3 | 5 | 7 | 14 | 19 |
| 65+ | 6 | 4.0 | 13 | <1 | <1 | 3 | 5 | 10 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 2.9 | 6 | <1 | <1 | 2 | 4 | 6 | 10 | 11 |
| 20-34 | 65 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 86 |
| 35-49 | 35 | 6.8 | 18 | 2 | 3 | 6 | 9 | 12 | 15 | 21 |
| 50-64 | 28 | 9.1 | 38 | 2 | 2 | 8 | 12 | 18 | 24 | 25 |
| 65+ | 8 | 15.4 | 170 | 3 | 4 | 10 | 24 | 37 | 40 | 40 |
| TOT. SINGLE DX | 196 | 3.1 | 6 | <1 | 1 | 3 | 4 | 5 | 6 | 16 |
| " MULTIPLE DX | 167 | 5.6 | 30 | 1 | 2 | 4 | 7 | 11 | 16 | 38 |
| TOTAL 0-19 YRS | 82 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 155 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 12 |
| 35-49 | 65 | 5.6 | 17 | 2 | 2 | 4 | 8 | 11 | 14 | 21 |
| 50-64 | 47 | 7.1 | 35 | 1 | 2 | 5 | 9 | 15 | 20 | 25 |
| 65+ | 14 | 10.5 | 131 | <1 | 2 | 6 | 11 | 30 | 38 | 40 |
| GRAND TOTAL | 363 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 2.3 | 4 | 1 | 1 | 1 | 3 | 6 | 7 | 7 |
| 20-34 | 25 | 4.5 | 26 | <1 | 1 | 2 | 5 | 16 | 17 | 18 |
| 35-49 | 4 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 5 | 4.0 | 15 | 2 | 2 | 2 | 5 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 3.6 | 16 | <1 | 1 | 2 | 5 | 10 | 13 | 15 |
| 20-34 | 29 | 5.3 | 20 | 1 | 1 | 4 | 6 | 11 | 18 | 19 |
| 35-49 | 12 | 4.8 | 11 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | 7 | 5.6 | 24 | 2 | 2 | 3 | 9 | 13 | 14 | 14 |
| 65+ | 11 | 15.0 | 338 | 1 | 1 | 6 | 23 | 43 | 59 | 60 |
| TOT. SINGLE DX | 42 | 4.0 | 19 | <1 | 1 | 2 | 5 | 10 | 16 | 18 |
| " MULTIPLE DX | 75 | 6.3 | 74 | 1 | 1 | 3 | 7 | 14 | 22 | 53 |
| TOTAL 0-19 YRS | 24 | 3.2 | 13 | <1 | 1 | 2 | 3 | 8 | 11 | 15 |
| 20-34 | 54 | 4.9 | 23 | <1 | 1 | 3 | 6 | 12 | 18 | 19 |
| 35-49 | 16 | 4.8 | 10 | 1 | 2 | 4 | 7 | 9 | 10 | 11 |
| 50-64 | 12 | 4.9 | 20 | 2 | 2 | 3 | 8 | 12 | 14 | 14 |
| 65+ | 11 | 15.0 | 339 | 1 | 1 | 6 | 23 | 43 | 59 | 60 |
| GRAND TOTAL | 117 | 5.5 | 55 | 1 | 1 | 2 | 7 | 12 | 18 | 41 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4605 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 20361 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 731 | 3.8 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3049 | 4.0 | 5 | 2 | 3 | 4 | 4 | 5 | 6 | 11 |
| 20-34 | 14237 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 715 | 4.4 | 5 | 2 | 3 | 4 | 5 | 6 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 25697 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| " MULTIPLE DX | 18001 | 4.1 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 7654 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 34598 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 1446 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 43698 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 3.0 | | 1 | 2 | 3 | 4 | 4 | 4 | 5 |
| 20-34 | 502 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 21 | 3.0 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 96 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 739 | 4.1 | 14 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 76 | 4.4 | 22 | 1 | 2 | 4 | 5 | 6 | 7 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 586 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| " MULTIPLE DX | 911 | 4.0 | 14 | 2 | 2 | 3 | 5 | 6 | 7 | 16 |
| TOTAL 0-19 YRS | 159 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 1241 | 3.9 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 97 | 4.1 | 18 | 2 | 2 | 3 | 4 | 6 | 7 | 30 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1497 | 3.8 | 9 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 400 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 2698 | 3.8 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 119 | 4.0 | 1 | 2 | 3 | 4 | 5 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 639 | 4.0 | 4 | 2 | 3 | 4 | 4 | 6 | 7 | 11 |
| 20-34 | 3385 | 4.3 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 189 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3217 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 4213 | 4.3 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 1039 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 20-34 | 6083 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 6 | 10 |
| 35-49 | 308 | 4.4 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 7430 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 6 | 10 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19410 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 113801 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 4299 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4822 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 33299 | 4.0 | 5 | 2 | 2 | 4 | 4 | 5 | 6 | 11 |
| 35-49 | 2318 | 4.3 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 137510 | 3.3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 40439 | 4.0 | 5 | 2 | 2 | 4 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 24232 | 3.3 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 147100 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 6617 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 177949 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1917 | 6.0 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 11 |
| 20-34 | 15933 | 6.1 | 4 | 4 | 5 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 653 | 6.7 | 7 | 5 | 5 | 6 | 7 | 8 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3772 | 7.0 | 14 | 4 | 5 | 6 | 7 | 10 | 12 | 21 |
| 20-34 | 27484 | 6.8 | 12 | 4 | 5 | 6 | 7 | 9 | 11 | 21 |
| 35-49 | 1906 | 7.5 | 22 | 5 | 5 | 7 | 8 | 10 | 13 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 18503 | 6.2 | 4 | 4 | 5 | 6 | 7 | 8 | 8 | 11 |
| " MULTIPLE DX | 33162 | 6.9 | 13 | 4 | 5 | 6 | 7 | 9 | 11 | 21 |
| TOTAL 0-19 YRS | 5689 | 6.7 | 11 | 4 | 5 | 6 | 7 | 9 | 11 | 18 |
| 20-34 | 43417 | 6.5 | 9 | 4 | 5 | 6 | 7 | 8 | 10 | 18 |
| 35-49 | 2559 | 7.3 | 19 | 5 | 5 | 7 | 8 | 9 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 51665 | 6.6 | 10 | 4 | 5 | 6 | 7 | 8 | 10 | 19 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 215 | 6.0 | 2 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 20-34 | 1165 | 6.1 | 7 | 4 | 4 | 6 | 7 | 7 | 8 | 13 |
| 35-49 | 62 | 6.3 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 306 | 6.5 | 7 | 4 | 5 | 6 | 7 | 9 | 11 | 18 |
| 20-34 | 1890 | 7.1 | 23 | 4 | 5 | 6 | 7 | 9 | 12 | 28 |
| 35-49 | 145 | 8.0 | 12 | 5 | 5 | 7 | 9 | 13 | 15 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1442 | 6.1 | 7 | 4 | 4 | 6 | 7 | 8 | 8 | 13 |
| " MULTIPLE DX | 2341 | 7.1 | 21 | 4 | 5 | 6 | 7 | 10 | 13 | 27 |
| TOTAL 0-19 YRS | 521 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |
| 20-34 | 3055 | 6.7 | 18 | 4 | 5 | 6 | 7 | 8 | 11 | 23 |
| 35-49 | 207 | 7.5 | 11 | 4 | 5 | 7 | 8 | 11 | 15 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3783 | 6.7 | 16 | 4 | 5 | 6 | 7 | 9 | 11 | 21 |

### 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | | 4 | 4 | 5 | 5 | 6 | 6 | 6 |
| 20-34 | 46 | 5.5 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 11 |
| 35-49 | 3 | 6.3 | 9 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 5.8 | 3 | 4 | 4 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 55 | 6.9 | 9 | 3 | 4 | 6 | 8 | 11 | 14 | 17 |
| 35-49 | 4 | 8.0 | 3 | 6 | 6 | 8 | 9 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 54 | 5.5 | 4 | 3 | 3 | 5 | 7 | 8 | 9 | 11 |
| **" MULTIPLE DX** | 65 | 6.9 | 9 | 3 | 4 | 6 | 8 | 11 | 13 | 17 |
| TOTAL 0-19 YRS | 11 | 5.5 | 2 | 4 | 4 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 101 | 6.3 | 8 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| 35-49 | 7 | 7.3 | 6 | 3 | 4 | 7 | 9 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 119 | 6.3 | 7 | 3 | 3 | 6 | 7 | 10 | 11 | 16 |

### 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 508 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 506 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 36 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 145 | 2.3 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 20-34 | 213 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 17 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 1050 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **" MULTIPLE DX** | 375 | 2.3 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 653 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 719 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 53 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1425 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

### 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 67 | 5.1 | 33 | <1 | <1 | 4 | 6 | 9 | 13 | 35 |
| 20-34 | 360 | 4.4 | 36 | <1 | <1 | 3 | 6 | 9 | 12 | 30 |
| 35-49 | 23 | 4.3 | 9 | <1 | 1 | 4 | 5 | 10 | 11 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 54 | 6.1 | 26 | 1 | 1 | 4 | 8 | 14 | 18 | 22 |
| 20-34 | 259 | 6.5 | 88 | <1 | 1 | 4 | 7 | 13 | 18 | 57 |
| 35-49 | 26 | 7.4 | 103 | <1 | 1 | 4 | 8 | 19 | 37 | 41 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 450 | 4.5 | 35 | <1 | <1 | 3 | 6 | 9 | 12 | 30 |
| **" MULTIPLE DX** | 339 | 6.5 | 79 | <1 | 1 | 4 | 7 | 14 | 19 | 43 |
| TOTAL 0-19 YRS | 121 | 5.6 | 30 | <1 | 1 | 4 | 6 | 12 | 17 | 32 |
| 20-34 | 619 | 5.3 | 59 | <1 | 1 | 3 | 6 | 11 | 16 | 37 |
| 35-49 | 49 | 5.9 | 61 | <1 | 1 | 4 | 7 | 11 | 20 | 41 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 789 | 5.4 | 55 | <1 | 1 | 3 | 6 | 11 | 17 | 36 |

### 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1290 | 2.6 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 6203 | 2.7 | 2 | <1 | <1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 251 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 480 | 3.4 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 2669 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 188 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 7744 | 2.7 | 2 | <1 | <1 | 3 | 3 | 4 | 5 | 6 |
| **" MULTIPLE DX** | 3337 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 1770 | 2.8 | 3 | <1 | <1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 8872 | 3.0 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 439 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 11081 | 2.9 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 8 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2564 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 15752 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 761 | 3.3 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1819 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 11106 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 723 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 19077 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **" MULTIPLE DX** | 13648 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 4383 | 3.3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 26858 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 1484 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **32725** | **3.4** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **8** |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 44 | 3.7 | 18 | 1 | 2 | 3 | 4 | 5 | 10 | 27 |
| 20-34 | 78 | 3.9 | 18 | 1 | 2 | 3 | 4 | 6 | 10 | 29 |
| 35-49 | 31 | 3.5 | 9 | 1 | 2 | 2 | 3 | 9 | 11 | 13 |
| 50-64 | 68 | 5.5 | 39 | 1 | 2 | 3 | 6 | 14 | 22 | 29 |
| 65+ | 44 | 9.5 | 150 | 1 | 2 | 5 | 12 | 22 | 40 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 27 | 4.3 | 9 | 2 | 2 | 4 | 6 | 6 | 8 | 17 |
| 20-34 | 54 | 5.4 | 134 | 1 | 2 | 3 | 4 | 9 | 11 | 82 |
| 35-49 | 57 | 9.1 | 276 | 1 | 1 | 3 | 9 | 17 | 37 | 95 |
| 50-64 | 121 | 10.4 | 240 | 1 | 2 | 5 | 11 | 26 | 47 | 91 |
| 65+ | 94 | 9.8 | 140 | 2 | 2 | 6 | 13 | 22 | 41 | 99+ |
| **TOT. SINGLE DX** | 265 | 5.2 | 48 | 1 | 2 | 3 | 5 | 11 | 17 | 36 |
| **" MULTIPLE DX** | 353 | 8.8 | 189 | 1 | 2 | 4 | 10 | 18 | 32 | 96 |
| TOTAL 0-19 YRS | 71 | 3.9 | 15 | 1 | 2 | 3 | 4 | 6 | 8 | 25 |
| 20-34 | 132 | 4.5 | 66 | 1 | 2 | 3 | 4 | 8 | 11 | 44 |
| 35-49 | 88 | 7.1 | 188 | 1 | 2 | 3 | 7 | 14 | 18 | 88 |
| 50-64 | 189 | 8.6 | 173 | 1 | 2 | 4 | 10 | 19 | 30 | 87 |
| 65+ | 138 | 9.7 | 143 | 2 | 2 | 5 | 13 | 22 | 40 | 99+ |
| **GRAND TOTAL** | **618** | **7.2** | **131** | **1** | **2** | **3** | **8** | **16** | **26** | **84** |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 521 | 3.8 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 7 |
| 20-34 | 708 | 3.7 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 222 | 4.3 | 19 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | 86 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 15 |
| 65+ | 19 | 7.8 | 59 | 2 | 3 | 4 | 10 | 21 | 25 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 266 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 365 | 4.4 | 6 | 2 | 3 | 4 | 5 | 6 | 8 | 16 |
| 35-49 | 126 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 89 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 15 | 22 |
| 65+ | 21 | 11.7 | 149 | 2 | 2 | 6 | 14 | 35 | 39 | 41 |
| **TOT. SINGLE DX** | 1556 | 3.9 | 5 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **" MULTIPLE DX** | 867 | 4.6 | 11 | 2 | 3 | 4 | 5 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 787 | 4.0 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 20-34 | 1073 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 10 |
| 35-49 | 348 | 4.4 | 15 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| 50-64 | 175 | 4.6 | 11 | 2 | 2 | 4 | 5 | 7 | 12 | 18 |
| 65+ | 40 | 9.8 | 108 | 2 | 3 | 4 | 12 | 26 | 35 | 41 |
| **GRAND TOTAL** | **2423** | **4.2** | **7** | **2** | **3** | **4** | **5** | **6** | **7** | **15** |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 249 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 426 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 91 | 3.3 | 10 | 1 | 1 | 2 | 3 | 6 | 9 | 21 |
| 50-64 | 28 | 4.3 | 10 | 1 | 2 | 3 | 6 | 8 | 11 | 16 |
| 65+ | 6 | 7.3 | 67 | 2 | 2 | 4 | 9 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 281 | 4.7 | 30 | 1 | 2 | 3 | 5 | 9 | 13 | 25 |
| 20-34 | 448 | 5.6 | 38 | 1 | 2 | 4 | 7 | 10 | 13 | 40 |
| 35-49 | 111 | 7.6 | 34 | 2 | 2 | 6 | 9 | 16 | 20 | 31 |
| 50-64 | 69 | 8.2 | 82 | 2 | 3 | 6 | 10 | 15 | 20 | 61 |
| 65+ | 34 | 14.1 | 184 | 4 | 5 | 8 | 15 | 34 | 41 | 64 |
| **TOT. SINGLE DX** | 800 | 3.2 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **" MULTIPLE DX** | 943 | 6.1 | 47 | 1 | 2 | 4 | 7 | 12 | 16 | 40 |
| TOTAL 0-19 YRS | 530 | 3.9 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 20-34 | 874 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 11 | 27 |
| 35-49 | 202 | 5.7 | 28 | 1 | 2 | 4 | 8 | 11 | 18 | 28 |
| 50-64 | 97 | 7.1 | 64 | 2 | 2 | 5 | 8 | 14 | 17 | 49 |
| 65+ | 40 | 13.1 | 170 | 2 | 3 | 7 | 15 | 33 | 39 | 64 |
| **GRAND TOTAL** | **1743** | **4.8** | **31** | **1** | **2** | **3** | **5** | **9** | **12** | **31** |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 217 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 601 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 182 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 68 | 5.2 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 18 |
| 65+ | 26 | 6.2 | 14 | 2 | 2 | 5 | 8 | 13 | 14 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 285 | 7.1 | 54 | 2 | 2 | 5 | 8 | 14 | 19 | 43 |
| 20-34 | 759 | 7.1 | 57 | 2 | 2 | 5 | 8 | 13 | 18 | 39 |
| 35-49 | 291 | 8.2 | 71 | 2 | 2 | 6 | 10 | 14 | 22 | 41 |
| 50-64 | 142 | 9.9 | 89 | 2 | 3 | 7 | 12 | 22 | 28 | 66 |
| 65+ | 79 | 12.0 | 81 | 2 | 3 | 10 | 15 | 25 | 32 | 47 |
| TOT. SINGLE DX | 1094 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| " MULTIPLE DX | 1556 | 7.8 | 65 | 2 | 2 | 6 | 9 | 14 | 21 | 47 |
| TOTAL 0-19 YRS | 502 | 5.6 | 36 | 1 | 2 | 4 | 6 | 10 | 14 | 37 |
| 20-34 | 1360 | 5.5 | 37 | 1 | 2 | 4 | 7 | 10 | 14 | 31 |
| 35-49 | 473 | 6.6 | 52 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 50-64 | 210 | 8.4 | 70 | 2 | 2 | 6 | 10 | 16 | 24 | 57 |
| 65+ | 105 | 10.6 | 71 | 2 | 3 | 8 | 14 | 19 | 27 | 45 |
| GRAND TOTAL | 2650 | 6.1 | 45 | 2 | 2 | 4 | 7 | 12 | 16 | 34 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 3.3 | 1 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 36 | 4.4 | 49 | <1 | 1 | 3 | 4 | 7 | 9 | 44 |
| 35-49 | 29 | 5.2 | 23 | <1 | 1 | 4 | 6 | 9 | 17 | 24 |
| 50-64 | 24 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 6 | 5.7 | 9 | 3 | 3 | 4 | 9 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 4.6 | 7 | 1 | 2 | 4 | 7 | 8 | 10 | 12 |
| 20-34 | 26 | 5.6 | 21 | <1 | 1 | 4 | 7 | 12 | 17 | 17 |
| 35-49 | 21 | 6.3 | 22 | 2 | 2 | 5 | 8 | 14 | 18 | 19 |
| 50-64 | 31 | 10.5 | 98 | 2 | 3 | 6 | 12 | 28 | 31 | 43 |
| 65+ | 20 | 8.0 | 64 | <1 | 1 | 5 | 8 | 22 | 27 | 30 |
| TOT. SINGLE DX | 117 | 4.5 | 23 | <1 | 2 | 4 | 5 | 8 | 9 | 31 |
| " MULTIPLE DX | 121 | 7.2 | 49 | 1 | 2 | 5 | 8 | 16 | 22 | 35 |
| TOTAL 0-19 YRS | 45 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 62 | 4.9 | 38 | <1 | 1 | 3 | 5 | 10 | 14 | 41 |
| 35-49 | 50 | 5.7 | 23 | 1 | 2 | 4 | 7 | 10 | 18 | 24 |
| 50-64 | 55 | 7.9 | 66 | 2 | 2 | 5 | 9 | 15 | 30 | 42 |
| 65+ | 26 | 7.4 | 52 | 1 | 2 | 5 | 8 | 19 | 26 | 30 |
| GRAND TOTAL | 238 | 5.9 | 38 | 1 | 2 | 4 | 6 | 11 | 18 | 33 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 675 | 5.2 | 28 | 1 | 2 | 4 | 6 | 9 | 15 | 29 |
| 20-34 | 888 | 4.6 | 34 | 1 | 2 | 3 | 5 | 7 | 10 | 32 |
| 35-49 | 607 | 4.8 | 23 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 597 | 6.6 | 25 | 2 | 2 | 5 | 8 | 11 | 16 | 29 |
| 65+ | 200 | 10.1 | 78 | 2 | 3 | 8 | 12 | 21 | 25 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 421 | 6.8 | 57 | 2 | 2 | 5 | 7 | 12 | 17 | 47 |
| 20-34 | 1026 | 5.4 | 50 | 2 | 2 | 3 | 5 | 9 | 16 | 42 |
| 35-49 | 878 | 5.7 | 48 | 2 | 2 | 4 | 6 | 10 | 15 | 43 |
| 50-64 | 910 | 7.9 | 85 | 2 | 3 | 5 | 9 | 15 | 22 | 52 |
| 65+ | 375 | 12.0 | 116 | 3 | 3 | 9 | 15 | 25 | 33 | 52 |
| TOT. SINGLE DX | 2967 | 5.5 | 34 | 2 | 2 | 4 | 6 | 10 | 15 | 30 |
| " MULTIPLE DX | 3610 | 7.0 | 71 | 2 | 2 | 4 | 7 | 14 | 22 | 46 |
| TOTAL 0-19 YRS | 1096 | 5.8 | 40 | 1 | 2 | 4 | 6 | 11 | 16 | 35 |
| 20-34 | 1914 | 5.0 | 44 | 2 | 2 | 3 | 5 | 8 | 14 | 40 |
| 35-49 | 1485 | 5.3 | 39 | 2 | 2 | 4 | 6 | 9 | 13 | 35 |
| 50-64 | 1507 | 7.4 | 62 | 2 | 2 | 5 | 9 | 13 | 20 | 42 |
| 65+ | 575 | 11.4 | 104 | 3 | 3 | 8 | 14 | 23 | 30 | 52 |
| GRAND TOTAL | 6577 | 6.3 | 55 | 2 | 2 | 4 | 7 | 12 | 19 | 41 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 452 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 12 |
| 20-34 | 1081 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 822 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 973 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 359 | 4.9 | 10 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 503 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 1983 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 1976 | 4.7 | 8 | 2 | 3 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 3157 | 5.2 | 12 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 65+ | 1419 | 6.7 | 36 | 2 | 3 | 5 | 7 | 11 | 16 | 33 |
| TOT. SINGLE DX | 3687 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| " MULTIPLE DX | 9038 | 5.1 | 14 | 2 | 3 | 4 | 6 | 8 | 9 | 20 |
| TOTAL 0-19 YRS | 955 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 3064 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 2798 | 4.6 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 4130 | 5.0 | 11 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 1778 | 6.3 | 32 | 2 | 3 | 5 | 7 | 10 | 15 | 32 |
| GRAND TOTAL | 12725 | 4.8 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2091 | 3.9 | 16 | 1 | 2 | 3 | 4 | 6 | 9 | 25 |
| 20-34 | 2738 | 4.5 | 27 | 1 | 2 | 3 | 5 | 8 | 12 | 32 |
| 35-49 | 1846 | 4.8 | 25 | 1 | 2 | 3 | 5 | 9 | 12 | 29 |
| 50-64 | 1523 | 5.3 | 30 | 2 | 2 | 4 | 6 | 10 | 15 | 34 |
| 65+ | 622 | 7.2 | 55 | 2 | 2 | 5 | 9 | 15 | 21 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 812 | 7.1 | 111 | 1 | 2 | 4 | 6 | 17 | 32 | 72 |
| 20-34 | 2036 | 7.7 | 139 | 1 | 2 | 4 | 7 | 18 | 32 | 76 |
| 35-49 | 1839 | 7.7 | 108 | 2 | 2 | 4 | 8 | 18 | 29 | 61 |
| 50-64 | 2105 | 9.1 | 119 | 2 | 2 | 5 | 10 | 22 | 32 | 56 |
| 65+ | 1515 | 14.7 | 216 | 2 | 3 | 10 | 20 | 33 | 46 | 75 |
| **TOT. SINGLE DX** | 8820 | 4.8 | 27 | 1 | 2 | 3 | 5 | 9 | 13 | 31 |
| **" MULTIPLE DX** | 8307 | 9.3 | 146 | 2 | 2 | 5 | 10 | 23 | 35 | 67 |
| TOTAL 0-19 YRS | 2903 | 4.8 | 45 | 1 | 2 | 3 | 5 | 8 | 14 | 39 |
| 20-34 | 4774 | 5.9 | 78 | 1 | 2 | 3 | 5 | 11 | 20 | 53 |
| 35-49 | 3685 | 6.2 | 69 | 1 | 2 | 4 | 6 | 12 | 21 | 50 |
| 50-64 | 3628 | 7.5 | 86 | 2 | 2 | 4 | 8 | 16 | 26 | 49 |
| 65+ | 2137 | 12.5 | 181 | 2 | 3 | 8 | 16 | 29 | 41 | 69 |
| **GRAND TOTAL** | **17127** | **7.0** | **90** | **1** | **2** | **4** | **7** | **15** | **25** | **53** |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 698 | 7.3 | 84 | 2 | 2 | 5 | 7 | 15 | 25 | 46 |
| 20-34 | 660 | 5.6 | 38 | 1 | 2 | 4 | 6 | 10 | 14 | 29 |
| 35-49 | 259 | 6.2 | 51 | 1 | 1 | 4 | 7 | 11 | 15 | 43 |
| 50-64 | 229 | 8.6 | 73 | 2 | 2 | 6 | 11 | 15 | 21 | 44 |
| 65+ | 365 | 15.8 | 73 | 4 | 6 | 15 | 19 | 25 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 282 | 11.5 | 211 | 2 | 2 | 5 | 13 | 31 | 42 | 73 |
| 20-34 | 324 | 11.8 | 234 | 2 | 2 | 6 | 13 | 29 | 45 | 79 |
| 35-49 | 192 | 12.6 | 230 | 2 | 2 | 7 | 15 | 29 | 45 | 81 |
| 50-64 | 264 | 15.1 | 176 | 2 | 4 | 11 | 19 | 31 | 43 | 72 |
| 65+ | 687 | 21.7 | 206 | 5 | 7 | 19 | 26 | 39 | 50 | 78 |
| **TOT. SINGLE DX** | 2211 | 8.2 | 76 | 2 | 2 | 5 | 10 | 17 | 24 | 44 |
| **" MULTIPLE DX** | 1749 | 16.2 | 231 | 2 | 3 | 12 | 22 | 35 | 45 | 78 |
| TOTAL 0-19 YRS | 980 | 8.5 | 125 | 2 | 2 | 5 | 8 | 21 | 31 | 57 |
| 20-34 | 984 | 7.6 | 112 | 1 | 2 | 4 | 8 | 15 | 25 | 61 |
| 35-49 | 451 | 8.9 | 138 | 1 | 2 | 5 | 10 | 20 | 30 | 69 |
| 50-64 | 493 | 12.1 | 139 | 2 | 3 | 9 | 15 | 27 | 36 | 66 |
| 65+ | 1052 | 19.6 | 168 | 5 | 7 | 17 | 24 | 35 | 43 | 76 |
| **GRAND TOTAL** | **3960** | **11.7** | **160** | **2** | **2** | **7** | **16** | **26** | **37** | **68** |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1411 | 3.1 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 27 |
| 20-34 | 2035 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 35-49 | 860 | 3.5 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 50-64 | 837 | 4.1 | 22 | 1 | 2 | 3 | 5 | 7 | 11 | 25 |
| 65+ | 708 | 7.3 | 67 | 1 | 2 | 4 | 9 | 16 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 350 | 5.3 | 63 | 1 | 1 | 3 | 5 | 10 | 21 | 44 |
| 20-34 | 654 | 6.8 | 104 | 1 | 2 | 3 | 7 | 15 | 26 | 52 |
| 35-49 | 425 | 6.6 | 66 | 1 | 2 | 4 | 7 | 14 | 24 | 45 |
| 50-64 | 549 | 8.4 | 110 | 2 | 2 | 4 | 10 | 19 | 29 | 70 |
| 65+ | 762 | 14.3 | 173 | 2 | 3 | 11 | 20 | 31 | 40 | 70 |
| **TOT. SINGLE DX** | 5851 | 3.8 | 21 | 1 | 1 | 3 | 4 | 7 | 10 | 26 |
| **" MULTIPLE DX** | 2740 | 9.0 | 125 | 1 | 2 | 4 | 11 | 22 | 31 | 61 |
| TOTAL 0-19 YRS | 1761 | 3.6 | 25 | 1 | 1 | 2 | 4 | 6 | 9 | 31 |
| 20-34 | 2689 | 3.9 | 34 | 1 | 1 | 3 | 4 | 6 | 10 | 34 |
| 35-49 | 1285 | 4.5 | 33 | 1 | 1 | 3 | 4 | 9 | 15 | 30 |
| 50-64 | 1386 | 5.8 | 61 | 1 | 2 | 3 | 6 | 12 | 20 | 50 |
| 65+ | 1470 | 10.9 | 134 | 2 | 2 | 7 | 15 | 25 | 33 | 61 |
| **GRAND TOTAL** | **8591** | **5.4** | **60** | **1** | **1** | **3** | **5** | **12** | **20** | **43** |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 135 | 20.3 | 195 | 2 | 4 | 21 | 30 | 40 | 50 | 61 |
| 20-34 | 49 | 19.4 | 242 | 4 | 6 | 12 | 25 | 49 | 54 | 56 |
| 35-49 | 39 | 14.2 | 77 | 5 | 6 | 11 | 16 | 28 | 35 | 41 |
| 50-64 | 121 | 13.6 | 74 | 5 | 6 | 11 | 15 | 23 | 28 | 57 |
| 65+ | 542 | 17.6 | 73 | 7 | 10 | 16 | 21 | 26 | 31 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 97 | 22.7 | 222 | 4 | 7 | 21 | 29 | 39 | 53 | 95 |
| 20-34 | 79 | 25.4 | 321 | 9 | 10 | 20 | 30 | 46 | 73 | 90 |
| 35-49 | 49 | 24.7 | 426 | 6 | 7 | 18 | 36 | 66 | 90 | 99+ |
| 50-64 | 167 | 21.2 | 198 | 8 | 10 | 17 | 26 | 44 | 52 | 81 |
| 65+ | 1268 | 21.4 | 156 | 9 | 10 | 18 | 25 | 36 | 47 | 74 |
| **TOT. SINGLE DX** | 886 | 17.4 | 105 | 5 | 7 | 15 | 21 | 29 | 37 | 58 |
| **" MULTIPLE DX** | 1660 | 21.8 | 181 | 6 | 10 | 18 | 26 | 37 | 50 | 81 |
| TOTAL 0-19 YRS | 232 | 21.3 | 207 | 3 | 5 | 21 | 30 | 40 | 50 | 92 |
| 20-34 | 128 | 23.1 | 298 | 6 | 8 | 18 | 28 | 48 | 56 | 87 |
| 35-49 | 88 | 20.1 | 296 | 6 | 7 | 15 | 27 | 45 | 71 | 99+ |
| 50-64 | 288 | 18.0 | 160 | 6 | 8 | 14 | 22 | 33 | 50 | 74 |
| 65+ | 1810 | 20.3 | 135 | 8 | 10 | 17 | 23 | 33 | 43 | 70 |
| **GRAND TOTAL** | **2546** | **20.3** | **159** | **7** | **9** | **17** | **24** | **35** | **47** | **78** |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 204 | 12.3 | 106 | 3 | 4 | 10 | 15 | 20 | 27 | 64 |
| 20-34 | 208 | 13.4 | 84 | 4 | 6 | 12 | 17 | 23 | 30 | 64 |
| 35-49 | 152 | 13.8 | 92 | 5 | 6 | 12 | 16 | 21 | 29 | 64 |
| 50-64 | 433 | 14.3 | 59 | 6 | 7 | 13 | 17 | 22 | 27 | 42 |
| 65+ | 2357 | 18.2 | 67 | 8 | 10 | 17 | 21 | 27 | 32 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 259 | 19.2 | 157 | 5 | 7 | 16 | 23 | 36 | 47 | 82 |
| 20-34 | 435 | 20.7 | 191 | 7 | 8 | 17 | 25 | 43 | 53 | 75 |
| 35-49 | 243 | 22.0 | 215 | 6 | 9 | 18 | 28 | 47 | 69 | 99+ |
| 50-64 | 761 | 21.1 | 170 | 8 | 10 | 18 | 25 | 38 | 51 | 99 |
| 65+ | 5788 | 22.3 | 141 | 10 | 12 | 19 | 26 | 37 | 46 | 73 |
| TOT. SINGLE DX | 3354 | 16.8 | 76 | 6 | 8 | 15 | 20 | 26 | 31 | 51 |
| " MULTIPLE DX | 7486 | 22.0 | 151 | 9 | 11 | 19 | 26 | 37 | 48 | 79 |
| TOTAL 0-19 YRS | 463 | 16.2 | 147 | 4 | 5 | 13 | 20 | 30 | 40 | 77 |
| 20-34 | 643 | 18.4 | 169 | 6 | 7 | 15 | 22 | 36 | 50 | 73 |
| 35-49 | 395 | 18.8 | 184 | 6 | 7 | 15 | 23 | 41 | 56 | 99+ |
| 50-64 | 1194 | 18.6 | 141 | 7 | 9 | 16 | 22 | 33 | 44 | 82 |
| 65+ | 8145 | 21.1 | 124 | 9 | 11 | 18 | 25 | 34 | 43 | 69 |
| GRAND TOTAL | 10840 | 20.4 | 133 | 8 | 10 | 18 | 24 | 34 | 44 | 72 |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 376 | 14.6 | 187 | 1 | 2 | 11 | 22 | 31 | 40 | 67 |
| 20-34 | 38 | 14.9 | 163 | 2 | 3 | 11 | 21 | 38 | 46 | 48 |
| 35-49 | 9 | 13.7 | 164 | 2 | 2 | 9 | 18 | 34 | 42 | 42 |
| 50-64 | 32 | 19.4 | 346 | 1 | 3 | 15 | 30 | 51 | 76 | 99+ |
| 65+ | 94 | 18.1 | 195 | 2 | 5 | 16 | 24 | 44 | 56 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 185 | 21.1 | 250 | 3 | 4 | 18 | 30 | 42 | 52 | 68 |
| 20-34 | 99 | 25.9 | 329 | 6 | 7 | 20 | 38 | 53 | 75 | 99+ |
| 35-49 | 36 | 27.3 | 400 | 4 | 6 | 24 | 38 | 55 | 86 | 99+ |
| 50-64 | 56 | 25.4 | 457 | 2 | 5 | 19 | 36 | 58 | 80 | 99+ |
| 65+ | 181 | 25.5 | 313 | 6 | 9 | 20 | 32 | 51 | 65 | 99+ |
| TOT. SINGLE DX | 549 | 15.5 | 197 | 2 | 2 | 12 | 22 | 33 | 46 | 86 |
| " MULTIPLE DX | 557 | 24.2 | 318 | 4 | 6 | 20 | 33 | 51 | 64 | 99+ |
| TOTAL 0-19 YRS | 561 | 16.8 | 217 | 2 | 2 | 14 | 24 | 35 | 47 | 68 |
| 20-34 | 137 | 22.9 | 307 | 3 | 5 | 18 | 33 | 49 | 69 | 99+ |
| 35-49 | 45 | 24.5 | 378 | 3 | 4 | 22 | 37 | 53 | 74 | 99+ |
| 50-64 | 88 | 23.2 | 421 | 2 | 4 | 17 | 33 | 57 | 78 | 99+ |
| 65+ | 275 | 23.0 | 284 | 4 | 7 | 19 | 29 | 50 | 63 | 99+ |
| GRAND TOTAL | 1106 | 19.9 | 277 | 2 | 3 | 16 | 27 | 45 | 55 | 99 |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 542 | 5.7 | 48 | 1 | 1 | 2 | 7 | 17 | 21 | 29 |
| 20-34 | 488 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 35-49 | 271 | 4.7 | 34 | 1 | 1 | 3 | 5 | 9 | 11 | 30 |
| 50-64 | 343 | 4.5 | 26 | 1 | 1 | 3 | 5 | 9 | 12 | 29 |
| 65+ | 268 | 6.5 | 47 | 1 | 2 | 4 | 8 | 15 | 21 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 145 | 11.0 | 165 | 1 | 2 | 5 | 15 | 30 | 40 | 64 |
| 20-34 | 266 | 8.7 | 102 | 1 | 2 | 5 | 10 | 18 | 27 | 53 |
| 35-49 | 176 | 11.0 | 206 | 1 | 2 | 6 | 12 | 25 | 45 | 80 |
| 50-64 | 203 | 10.0 | 131 | 1 | 2 | 6 | 12 | 24 | 34 | 53 |
| 65+ | 275 | 13.3 | 174 | 2 | 2 | 9 | 18 | 29 | 39 | 63 |
| TOT. SINGLE DX | 1912 | 5.0 | 35 | 1 | 1 | 3 | 6 | 11 | 18 | 29 |
| " MULTIPLE DX | 1065 | 10.8 | 155 | 1 | 2 | 6 | 14 | 26 | 38 | 67 |
| TOTAL 0-19 YRS | 687 | 6.8 | 77 | 1 | 1 | 3 | 8 | 19 | 25 | 41 |
| 20-34 | 754 | 5.7 | 52 | 1 | 1 | 3 | 7 | 12 | 18 | 35 |
| 35-49 | 447 | 7.1 | 111 | 1 | 1 | 4 | 8 | 14 | 24 | 69 |
| 50-64 | 546 | 6.6 | 72 | 1 | 1 | 4 | 7 | 13 | 22 | 45 |
| 65+ | 543 | 9.9 | 124 | 1 | 2 | 6 | 13 | 23 | 30 | 53 |
| GRAND TOTAL | 2977 | 7.1 | 86 | 1 | 1 | 4 | 8 | 18 | 25 | 47 |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2367 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 3011 | 4.6 | 16 | 1 | 1 | 4 | 6 | 8 | 10 | 20 |
| 35-49 | 1571 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 1463 | 6.8 | 28 | 2 | 2 | 6 | 8 | 12 | 16 | 30 |
| 65+ | 906 | 9.5 | 56 | 2 | 3 | 8 | 12 | 18 | 22 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1052 | 8.0 | 103 | 1 | 2 | 5 | 8 | 18 | 28 | 60 |
| 20-34 | 1958 | 9.2 | 118 | 2 | 2 | 6 | 10 | 18 | 29 | 73 |
| 35-49 | 1184 | 9.2 | 96 | 2 | 2 | 6 | 11 | 19 | 27 | 54 |
| 50-64 | 1359 | 10.9 | 117 | 2 | 3 | 8 | 13 | 22 | 32 | 66 |
| 65+ | 1407 | 15.4 | 142 | 3 | 5 | 12 | 19 | 30 | 39 | 58 |
| TOT. SINGLE DX | 9318 | 5.4 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| " MULTIPLE DX | 6960 | 10.6 | 124 | 2 | 2 | 7 | 13 | 22 | 33 | 62 |
| TOTAL 0-19 YRS | 3419 | 5.1 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 20-34 | 4969 | 6.4 | 62 | 1 | 2 | 4 | 7 | 12 | 18 | 49 |
| 35-49 | 2755 | 7.1 | 55 | 1 | 2 | 5 | 8 | 13 | 19 | 42 |
| 50-64 | 2822 | 8.8 | 75 | 2 | 3 | 6 | 10 | 16 | 24 | 49 |
| 65+ | 2313 | 13.0 | 117 | 3 | 4 | 10 | 17 | 25 | 34 | 56 |
| GRAND TOTAL | 16278 | 7.6 | 73 | 1 | 2 | 5 | 9 | 15 | 22 | 48 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5750 | 2.4 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 1608 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 951 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 50-64 | 1212 | 4.4 | 25 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 65+ | 1202 | 5.0 | 32 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1525 | 5.4 | 62 | 1 | 1 | 3 | 6 | 12 | 18 | 45 |
| 20-34 | 1112 | 8.1 | 113 | 1 | 1 | 5 | 9 | 18 | 28 | 71 |
| 35-49 | 825 | 8.4 | 109 | 1 | 1 | 5 | 9 | 19 | 30 | 58 |
| 50-64 | 1001 | 8.3 | 93 | 1 | 2 | 5 | 10 | 18 | 29 | 53 |
| 65+ | 1722 | 10.7 | 122 | 1 | 2 | 8 | 14 | 22 | 30 | 60 |
| **TOT. SINGLE DX** | 10723 | 3.3 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **" MULTIPLE DX** | 6185 | 8.2 | 103 | 1 | 1 | 5 | 10 | 18 | 27 | 57 |
| TOTAL 0-19 YRS | 7275 | 3.1 | 22 | 1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 20-34 | 2720 | 5.7 | 60 | 1 | 1 | 3 | 6 | 11 | 17 | 46 |
| 35-49 | 1776 | 6.2 | 66 | 1 | 1 | 4 | 7 | 13 | 20 | 49 |
| 50-64 | 2213 | 6.2 | 60 | 1 | 1 | 4 | 7 | 13 | 20 | 45 |
| 65+ | 2924 | 8.4 | 93 | 1 | 1 | 5 | 11 | 18 | 25 | 54 |
| **GRAND TOTAL** | **16908** | **5.1** | **54** | **1** | **1** | **3** | **6** | **12** | **17** | **40** |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 479 | 4.1 | 32 | <1 | 1 | 2 | 5 | 11 | 16 | 28 |
| 20-34 | 426 | 3.3 | 23 | <1 | 1 | 2 | 4 | 6 | 11 | 24 |
| 35-49 | 167 | 3.5 | 31 | <1 | 1 | 2 | 4 | 7 | 9 | 41 |
| 50-64 | 205 | 3.9 | 29 | <1 | 1 | 2 | 4 | 8 | 12 | 32 |
| 65+ | 260 | 5.9 | 53 | 1 | 1 | 3 | 7 | 15 | 23 | 35 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 193 | 8.4 | 116 | 1 | 1 | 4 | 11 | 23 | 33 | 53 |
| 20-34 | 290 | 10.1 | 154 | 1 | 1 | 5 | 14 | 25 | 37 | 57 |
| 35-49 | 154 | 8.7 | 104 | 1 | 1 | 5 | 11 | 22 | 33 | 54 |
| 50-64 | 249 | 9.2 | 145 | 1 | 1 | 5 | 10 | 25 | 33 | 66 |
| 65+ | 354 | 10.0 | 136 | 1 | 1 | 6 | 14 | 23 | 31 | 61 |
| **TOT. SINGLE DX** | 1537 | 4.1 | 34 | <1 | 1 | 2 | 4 | 10 | 15 | 30 |
| **" MULTIPLE DX** | 1240 | 9.4 | 135 | 1 | 1 | 5 | 12 | 24 | 33 | 61 |
| TOTAL 0-19 YRS | 672 | 5.3 | 60 | 1 | 1 | 2 | 6 | 15 | 22 | 35 |
| 20-34 | 716 | 6.0 | 87 | <1 | 1 | 3 | 6 | 16 | 24 | 50 |
| 35-49 | 321 | 6.0 | 73 | <1 | 1 | 3 | 6 | 16 | 24 | 48 |
| 50-64 | 454 | 6.8 | 100 | <1 | 1 | 3 | 7 | 17 | 28 | 52 |
| 65+ | 614 | 8.3 | 105 | 1 | 1 | 4 | 11 | 20 | 28 | 57 |
| **GRAND TOTAL** | **2777** | **6.5** | **86** | **1** | **1** | **3** | **7** | **17** | **25** | **47** |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 284 | 4.0 | 16 | 1 | 1 | 3 | 4 | 7 | 12 | 24 |
| 20-34 | 487 | 3.8 | 11 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 165 | 4.5 | 12 | 1 | 2 | 4 | 6 | 7 | 10 | 14 |
| 50-64 | 102 | 6.9 | 38 | 2 | 2 | 5 | 8 | 12 | 17 | 39 |
| 65+ | 57 | 8.5 | 32 | 1 | 2 | 7 | 12 | 18 | 19 | 23 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 82 | 7.4 | 49 | 1 | 1 | 5 | 9 | 18 | 25 | 31 |
| 20-34 | 189 | 7.6 | 74 | 1 | 2 | 5 | 9 | 15 | 21 | 53 |
| 35-49 | 87 | 9.2 | 94 | 2 | 2 | 6 | 11 | 22 | 32 | 85 |
| 50-64 | 88 | 10.4 | 118 | 1 | 2 | 8 | 12 | 23 | 47 | 99+ |
| 65+ | 114 | 16.9 | 155 | 4 | 5 | 15 | 20 | 31 | 46 | 62 |
| **TOT. SINGLE DX** | 1095 | 4.5 | 18 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| **" MULTIPLE DX** | 560 | 10.1 | 110 | 2 | 2 | 6 | 13 | 23 | 32 | 61 |
| TOTAL 0-19 YRS | 366 | 4.8 | 25 | 1 | 1 | 3 | 5 | 9 | 16 | 27 |
| 20-34 | 676 | 4.9 | 32 | 1 | 2 | 3 | 5 | 9 | 12 | 32 |
| 35-49 | 252 | 6.1 | 45 | 2 | 2 | 4 | 7 | 12 | 20 | 36 |
| 50-64 | 190 | 8.5 | 78 | 2 | 2 | 6 | 10 | 17 | 28 | 85 |
| 65+ | 171 | 14.1 | 130 | 2 | 4 | 12 | 18 | 27 | 39 | 56 |
| **GRAND TOTAL** | **1655** | **6.4** | **56** | **1** | **2** | **4** | **7** | **14** | **20** | **46** |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1276 | 4.1 | 17 | 1 | 2 | 3 | 4 | 7 | 11 | 24 |
| 20-34 | 1390 | 4.2 | 17 | 1 | 2 | 3 | 5 | 7 | 10 | 22 |
| 35-49 | 615 | 4.3 | 13 | 1 | 2 | 3 | 5 | 7 | 10 | 21 |
| 50-64 | 427 | 6.7 | 52 | 2 | 2 | 4 | 7 | 15 | 21 | 38 |
| 65+ | 214 | 14.2 | 197 | 2 | 2 | 8 | 21 | 34 | 43 | 64 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 579 | 5.4 | 36 | 1 | 2 | 3 | 5 | 11 | 19 | 31 |
| 20-34 | 851 | 5.5 | 42 | 1 | 2 | 4 | 6 | 10 | 14 | 35 |
| 35-49 | 540 | 7.4 | 81 | 1 | 2 | 5 | 8 | 16 | 24 | 48 |
| 50-64 | 485 | 11.3 | 169 | 2 | 3 | 7 | 13 | 26 | 40 | 79 |
| 65+ | 439 | 19.6 | 271 | 3 | 4 | 15 | 27 | 42 | 53 | 73 |
| **TOT. SINGLE DX** | 3922 | 5.0 | 36 | 1 | 2 | 3 | 5 | 9 | 16 | 33 |
| **" MULTIPLE DX** | 2894 | 9.0 | 129 | 2 | 2 | 5 | 10 | 22 | 32 | 61 |
| TOTAL 0-19 YRS | 1855 | 4.5 | 24 | 1 | 2 | 3 | 5 | 8 | 14 | 27 |
| 20-34 | 2241 | 4.7 | 27 | 1 | 2 | 4 | 5 | 8 | 11 | 28 |
| 35-49 | 1155 | 5.7 | 48 | 1 | 2 | 4 | 6 | 11 | 17 | 42 |
| 50-64 | 912 | 9.1 | 120 | 2 | 2 | 5 | 11 | 20 | 31 | 63 |
| 65+ | 653 | 17.9 | 254 | 2 | 3 | 13 | 25 | 39 | 51 | 70 |
| **GRAND TOTAL** | **6816** | **6.7** | **79** | **1** | **2** | **4** | **6** | **15** | **24** | **48** |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 153 | 9.6 | 30 | 4 | 4 | 8 | 12 | 16 | 18 | 37 |
| 20-34 | 3034 | 10.5 | 29 | 4 | 5 | 9 | 13 | 18 | 21 | 30 |
| 35-49 | 4691 | 11.2 | 33 | 5 | 5 | 10 | 14 | 19 | 22 | 31 |
| 50-64 | 2439 | 12.3 | 42 | 5 | 6 | 11 | 15 | 21 | 25 | 34 |
| 65+ | 445 | 14.8 | 79 | 6 | 7 | 13 | 18 | 23 | 29 | 48 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 56 | 13.3 | 73 | 4 | 5 | 11 | 18 | 29 | 76 | 99+ |
| 20-34 | 886 | 14.0 | 82 | 5 | 6 | 12 | 17 | 24 | 30 | 47 |
| 35-49 | 2027 | 14.5 | 79 | 6 | 7 | 12 | 18 | 25 | 32 | 45 |
| 50-64 | 2092 | 16.1 | 109 | 6 | 7 | 13 | 20 | 28 | 34 | 56 |
| 65+ | 865 | 20.9 | 162 | 8 | 9 | 18 | 26 | 38 | 46 | 65 |
| TOT. SINGLE DX | 10762 | 11.4 | 37 | 5 | 6 | 10 | 14 | 19 | 23 | 32 |
| " MULTIPLE DX | 5926 | 15.9 | 107 | 6 | 7 | 13 | 19 | 29 | 35 | 56 |
| TOTAL 0-19 YRS | 209 | 10.6 | 45 | 4 | 5 | 9 | 14 | 18 | 25 | 99+ |
| 20-34 | 3920 | 11.3 | 44 | 5 | 5 | 10 | 14 | 19 | 23 | 36 |
| 35-49 | 6718 | 12.2 | 50 | 5 | 6 | 10 | 15 | 21 | 25 | 37 |
| 50-64 | 4531 | 14.1 | 77 | 5 | 6 | 12 | 17 | 24 | 30 | 46 |
| 65+ | 1310 | 18.8 | 142 | 7 | 8 | 16 | 23 | 33 | 42 | 62 |
| GRAND TOTAL | 16688 | 13.0 | 67 | 5 | 6 | 11 | 16 | 22 | 28 | 43 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1611 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 3662 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 1856 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 1046 | 4.4 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 65+ | 226 | 5.3 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 22 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 895 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 17 |
| 20-34 | 2231 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 1415 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 1542 | 5.6 | 27 | 2 | 2 | 4 | 6 | 10 | 14 | 25 |
| 65+ | 490 | 7.5 | 64 | 2 | 2 | 5 | 9 | 15 | 21 | 42 |
| TOT. SINGLE DX | 8401 | 4.0 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 6573 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| TOTAL 0-19 YRS | 2506 | 3.8 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 20-34 | 5893 | 4.1 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 3271 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 9 | 17 |
| 50-64 | 2588 | 5.1 | 20 | 2 | 2 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 716 | 6.8 | 50 | 2 | 2 | 5 | 8 | 13 | 19 | 33 |
| GRAND TOTAL | 14974 | 4.4 | 12 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2362 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 3317 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 1612 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| 50-64 | 988 | 4.1 | 16 | 1 | 2 | 3 | 4 | 8 | 11 | 21 |
| 65+ | 364 | 5.9 | 43 | 1 | 2 | 3 | 6 | 14 | 17 | 37 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1017 | 3.7 | 20 | 1 | 1 | 2 | 4 | 7 | 9 | 22 |
| 20-34 | 1866 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 35-49 | 1183 | 5.6 | 58 | 1 | 2 | 3 | 6 | 11 | 17 | 43 |
| 50-64 | 1343 | 6.3 | 57 | 1 | 2 | 4 | 7 | 14 | 20 | 41 |
| 65+ | 612 | 9.7 | 134 | 2 | 2 | 6 | 12 | 21 | 29 | 63 |
| TOT. SINGLE DX | 8643 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| " MULTIPLE DX | 6021 | 5.4 | 52 | 1 | 1 | 3 | 6 | 11 | 17 | 40 |
| TOTAL 0-19 YRS | 3379 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 5183 | 3.4 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 35-49 | 2795 | 4.4 | 32 | 1 | 1 | 3 | 5 | 8 | 12 | 30 |
| 50-64 | 2331 | 5.4 | 41 | 1 | 2 | 3 | 6 | 11 | 16 | 34 |
| 65+ | 976 | 8.3 | 104 | 2 | 2 | 5 | 10 | 17 | 25 | 55 |
| GRAND TOTAL | 14664 | 4.2 | 29 | 1 | 1 | 3 | 4 | 8 | 12 | 29 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 181 | 13.7 | 39 | 7 | 8 | 13 | 16 | 20 | 23 | 37 |
| 20-34 | 337 | 12.8 | 52 | 5 | 6 | 11 | 15 | 22 | 30 | 40 |
| 35-49 | 454 | 11.4 | 34 | 5 | 6 | 10 | 14 | 18 | 23 | 34 |
| 50-64 | 274 | 12.1 | 59 | 5 | 6 | 10 | 15 | 21 | 24 | 48 |
| 65+ | 34 | 15.4 | 44 | 7 | 7 | 14 | 19 | 23 | 29 | 34 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 123 | 20.1 | 211 | 7 | 9 | 16 | 23 | 41 | 64 | 99+ |
| 20-34 | 233 | 19.1 | 258 | 6 | 8 | 14 | 22 | 39 | 55 | 99 |
| 35-49 | 350 | 15.5 | 114 | 5 | 6 | 13 | 19 | 29 | 37 | 87 |
| 50-64 | 334 | 16.8 | 153 | 6 | 7 | 13 | 20 | 33 | 41 | 69 |
| 65+ | 89 | 20.7 | 174 | 7 | 8 | 16 | 26 | 43 | 51 | 99+ |
| TOT. SINGLE DX | 1280 | 12.3 | 46 | 5 | 6 | 11 | 15 | 20 | 24 | 38 |
| " MULTIPLE DX | 1129 | 17.5 | 174 | 6 | 7 | 14 | 21 | 35 | 45 | 91 |
| TOTAL 0-19 YRS | 304 | 16.3 | 118 | 7 | 8 | 14 | 18 | 29 | 39 | 81 |
| 20-34 | 570 | 15.4 | 146 | 6 | 7 | 12 | 17 | 30 | 39 | 81 |
| 35-49 | 804 | 13.2 | 74 | 5 | 6 | 11 | 16 | 22 | 32 | 51 |
| 50-64 | 608 | 14.7 | 116 | 5 | 6 | 12 | 17 | 27 | 35 | 65 |
| 65+ | 123 | 19.2 | 143 | 7 | 8 | 16 | 24 | 39 | 47 | 99+ |
| GRAND TOTAL | 2409 | 14.8 | 113 | 5 | 6 | 12 | 17 | 26 | 36 | 79 |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 206 | 4.3 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 458 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 18 |
| 35-49 | 381 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 522 | 5.4 | 21 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| 65+ | 251 | 7.0 | 46 | 2 | 2 | 5 | 9 | 16 | 19 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 5.6 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| 20-34 | 335 | 6.3 | 40 | 2 | 2 | 5 | 8 | 11 | 14 | 37 |
| 35-49 | 293 | 6.2 | 19 | 2 | 2 | 5 | 8 | 10 | 15 | 27 |
| 50-64 | 483 | 7.2 | 43 | 2 | 2 | 5 | 9 | 14 | 20 | 40 |
| 65+ | 309 | 9.5 | 97 | 2 | 3 | 6 | 12 | 21 | 29 | 46 |
| TOT. SINGLE DX | 1818 | 5.3 | 20 | 2 | 2 | 4 | 6 | 10 | 13 | 24 |
| " MULTIPLE DX | 1567 | 7.1 | 48 | 2 | 2 | 5 | 8 | 14 | 20 | 40 |
| TOTAL 0-19 YRS | 353 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 793 | 5.4 | 25 | 1 | 2 | 4 | 7 | 9 | 12 | 23 |
| 35-49 | 674 | 5.6 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 50-64 | 1005 | 6.3 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 65+ | 560 | 8.4 | 76 | 2 | 2 | 5 | 10 | 19 | 25 | 44 |
| **GRAND TOTAL** | **3385** | **6.2** | **34** | **2** | **2** | **5** | **7** | **11** | **16** | **31** |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 13.0 | 42 | 1 | 2 | 15 | 17 | 20 | 20 | 20 |
| 20-34 | 104 | 14.6 | 65 | 8 | 9 | 12 | 16 | 24 | 27 | 53 |
| 35-49 | 187 | 14.4 | 30 | 8 | 9 | 13 | 17 | 21 | 23 | 33 |
| 50-64 | 997 | 15.1 | 31 | 9 | 10 | 14 | 17 | 21 | 25 | 35 |
| 65+ | 1674 | 17.0 | 36 | 10 | 11 | 16 | 19 | 24 | 27 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 12.9 | 26 | 9 | 10 | 11 | 13 | 20 | 27 | 28 |
| 20-34 | 102 | 20.2 | 159 | 9 | 10 | 16 | 25 | 38 | 63 | 99+ |
| 35-49 | 255 | 19.1 | 105 | 9 | 10 | 17 | 22 | 34 | 42 | 57 |
| 50-64 | 1043 | 18.7 | 97 | 10 | 11 | 16 | 21 | 29 | 36 | 68 |
| 65+ | 2624 | 21.3 | 113 | 10 | 12 | 18 | 25 | 34 | 42 | 64 |
| TOT. SINGLE DX | 2969 | 16.1 | 37 | 9 | 10 | 15 | 18 | 23 | 26 | 36 |
| " MULTIPLE DX | 4036 | 20.4 | 111 | 10 | 11 | 18 | 24 | 33 | 41 | 66 |
| TOTAL 0-19 YRS | 19 | 12.9 | 30 | 4 | 8 | 12 | 15 | 19 | 24 | 28 |
| 20-34 | 206 | 17.3 | 120 | 8 | 9 | 14 | 19 | 30 | 39 | 84 |
| 35-49 | 442 | 17.1 | 79 | 9 | 10 | 15 | 19 | 28 | 35 | 52 |
| 50-64 | 2040 | 17.0 | 69 | 9 | 10 | 15 | 19 | 25 | 31 | 52 |
| 65+ | 4298 | 19.6 | 88 | 10 | 11 | 17 | 22 | 30 | 37 | 58 |
| **GRAND TOTAL** | **7005** | **18.6** | **84** | **9** | **11** | **16** | **21** | **29** | **35** | **58** |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 11.0 | 46 | 4 | 4 | 10 | 14 | 19 | 24 | 31 |
| 20-34 | 34 | 14.6 | 98 | 4 | 7 | 12 | 17 | 26 | 43 | 46 |
| 35-49 | 51 | 14.6 | 120 | 6 | 8 | 12 | 15 | 19 | 23 | 73 |
| 50-64 | 266 | 15.3 | 42 | 8 | 10 | 14 | 17 | 23 | 27 | 44 |
| 65+ | 1570 | 17.7 | 50 | 9 | 10 | 16 | 21 | 26 | 31 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 16.3 | 117 | 5 | 7 | 12 | 19 | 36 | 40 | 42 |
| 20-34 | 38 | 17.1 | 166 | 5 | 6 | 13 | 21 | 29 | 47 | 66 |
| 35-49 | 76 | 19.6 | 236 | 7 | 10 | 16 | 21 | 35 | 63 | 99+ |
| 50-64 | 433 | 21.3 | 168 | 9 | 10 | 18 | 25 | 36 | 48 | 96 |
| 65+ | 3500 | 22.2 | 129 | 10 | 12 | 19 | 26 | 36 | 44 | 73 |
| TOT. SINGLE DX | 1945 | 17.2 | 53 | 9 | 10 | 16 | 20 | 26 | 30 | 42 |
| " MULTIPLE DX | 4063 | 22.0 | 136 | 10 | 12 | 19 | 26 | 36 | 45 | 75 |
| TOTAL 0-19 YRS | 40 | 13.1 | 79 | 4 | 4 | 11 | 15 | 26 | 34 | 42 |
| 20-34 | 72 | 15.9 | 134 | 5 | 6 | 12 | 18 | 29 | 44 | 64 |
| 35-49 | 127 | 17.6 | 194 | 7 | 9 | 14 | 19 | 28 | 48 | 99 |
| 50-64 | 699 | 19.0 | 129 | 9 | 10 | 16 | 22 | 31 | 43 | 82 |
| 65+ | 5070 | 20.8 | 109 | 10 | 11 | 18 | 25 | 33 | 41 | 64 |
| **GRAND TOTAL** | **6008** | **20.4** | **115** | **9** | **11** | **18** | **24** | **33** | **41** | **68** |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 924 | 4.9 | 5 | 2 | 2 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 1120 | 5.4 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 393 | 7.5 | 35 | 2 | 2 | 5 | 10 | 16 | 20 | 29 |
| 50-64 | 866 | 14.3 | 57 | 3 | 4 | 14 | 18 | 23 | 27 | 37 |
| 65+ | 1505 | 17.4 | 54 | 8 | 10 | 16 | 20 | 26 | 31 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 584 | 5.7 | 13 | 2 | 3 | 5 | 7 | 9 | 11 | 21 |
| 20-34 | 1089 | 6.6 | 26 | 2 | 3 | 6 | 7 | 11 | 15 | 28 |
| 35-49 | 436 | 8.7 | 56 | 2 | 2 | 6 | 11 | 18 | 25 | 40 |
| 50-64 | 969 | 15.7 | 97 | 2 | 4 | 15 | 19 | 27 | 34 | 52 |
| 65+ | 2192 | 20.4 | 111 | 9 | 11 | 18 | 24 | 33 | 40 | 62 |
| TOT. SINGLE DX | 4808 | 10.8 | 64 | 2 | 3 | 8 | 16 | 21 | 25 | 37 |
| " MULTIPLE DX | 5270 | 14.1 | 115 | 2 | 4 | 12 | 19 | 27 | 34 | 54 |
| TOTAL 0-19 YRS | 1508 | 5.2 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 20-34 | 2209 | 6.0 | 18 | 2 | 3 | 5 | 7 | 9 | 13 | 23 |
| 35-49 | 829 | 8.1 | 47 | 2 | 2 | 6 | 10 | 17 | 22 | 36 |
| 50-64 | 1835 | 15.1 | 79 | 2 | 4 | 14 | 18 | 25 | 31 | 45 |
| 65+ | 3697 | 19.2 | 91 | 8 | 10 | 17 | 22 | 31 | 37 | 56 |
| **GRAND TOTAL** | **10078** | **12.5** | **93** | **2** | **3** | **11** | **17** | **24** | **31** | **46** |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1107 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 2174 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 951 | 4.1 | 10 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 50-64 | 849 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 355 | 6.8 | 28 | 2 | 2 | 5 | 9 | 14 | 17 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 291 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 20-34 | 950 | 4.2 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 20 |
| 35-49 | 697 | 4.9 | 18 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 967 | 6.2 | 34 | 2 | 2 | 5 | 7 | 11 | 16 | 29 |
| 65+ | 514 | 9.2 | 77 | 2 | 3 | 6 | 11 | 20 | 28 | 50 |
| TOT. SINGLE DX | 5436 | 4.2 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| " MULTIPLE DX | 3419 | 5.7 | 32 | 2 | 2 | 4 | 6 | 10 | 15 | 30 |
| TOTAL 0-19 YRS | 1398 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 3124 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 1648 | 4.4 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 1816 | 5.6 | 25 | 2 | 2 | 4 | 7 | 10 | 14 | 25 |
| 65+ | 869 | 8.2 | 59 | 2 | 2 | 6 | 10 | 17 | 24 | 39 |
| GRAND TOTAL | 8855 | 4.7 | 18 | 2 | 2 | 4 | 5 | 8 | 11 | 22 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 490 | 3.4 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 18 |
| 20-34 | 532 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 35-49 | 520 | 3.7 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 50-64 | 465 | 3.2 | 10 | 1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 65+ | 153 | 4.6 | 30 | 1 | 1 | 2 | 5 | 10 | 15 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 317 | 6.7 | 53 | 1 | 2 | 4 | 7 | 15 | 22 | 40 |
| 20-34 | 392 | 7.8 | 86 | 1 | 2 | 4 | 9 | 18 | 27 | 49 |
| 35-49 | 311 | 6.6 | 66 | 1 | 2 | 4 | 7 | 13 | 23 | 50 |
| 50-64 | 357 | 6.4 | 48 | 1 | 2 | 4 | 8 | 14 | 23 | 37 |
| 65+ | 199 | 12.2 | 134 | 2 | 2 | 8 | 17 | 28 | 33 | 57 |
| TOT. SINGLE DX | 2160 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| " MULTIPLE DX | 1576 | 7.6 | 77 | 1 | 2 | 4 | 9 | 18 | 26 | 44 |
| TOTAL 0-19 YRS | 807 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 15 | 30 |
| 20-34 | 924 | 5.5 | 48 | 1 | 1 | 3 | 6 | 11 | 18 | 41 |
| 35-49 | 831 | 4.8 | 37 | 1 | 1 | 3 | 5 | 9 | 14 | 34 |
| 50-64 | 822 | 4.6 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| 65+ | 352 | 8.9 | 103 | 1 | 1 | 5 | 12 | 21 | 30 | 50 |
| GRAND TOTAL | 3736 | 5.3 | 44 | 1 | 1 | 3 | 6 | 11 | 18 | 36 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1176 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 2027 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 35-49 | 1200 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 871 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 11 | 20 |
| 65+ | 331 | 4.7 | 36 | 1 | 1 | 3 | 5 | 10 | 15 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 230 | 5.1 | 64 | 1 | 1 | 2 | 4 | 10 | 20 | 51 |
| 20-34 | 656 | 4.8 | 35 | 1 | 1 | 3 | 5 | 11 | 17 | 30 |
| 35-49 | 731 | 5.9 | 43 | 1 | 2 | 4 | 7 | 14 | 18 | 31 |
| 50-64 | 839 | 8.1 | 85 | 1 | 2 | 5 | 10 | 18 | 26 | 55 |
| 65+ | 533 | 11.3 | 132 | 2 | 2 | 8 | 15 | 26 | 34 | 58 |
| TOT. SINGLE DX | 5605 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| " MULTIPLE DX | 2989 | 7.2 | 76 | 1 | 2 | 4 | 9 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 1406 | 2.7 | 14 | <1 | 1 | 2 | 3 | 4 | 6 | 20 |
| 20-34 | 2683 | 2.9 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 35-49 | 1931 | 4.1 | 25 | 1 | 1 | 2 | 4 | 8 | 14 | 24 |
| 50-64 | 1710 | 5.9 | 55 | 1 | 2 | 3 | 7 | 13 | 20 | 38 |
| 65+ | 864 | 8.8 | 106 | 1 | 2 | 5 | 11 | 21 | 31 | 51 |
| GRAND TOTAL | 8594 | 4.3 | 37 | 1 | 1 | 2 | 4 | 9 | 15 | 32 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 126 | 3.1 | 37 | 1 | 1 | 2 | 3 | 5 | 6 | 25 |
| 35-49 | 213 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | 560 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 348 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 4.3 | 31 | 1 | 1 | 2 | 4 | 11 | 20 | 23 |
| 20-34 | 62 | 4.6 | 15 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 35-49 | 137 | 4.3 | 19 | 1 | 1 | 3 | 4 | 9 | 12 | 25 |
| 50-64 | 352 | 4.1 | 14 | 1 | 2 | 3 | 5 | 8 | 13 | 19 |
| 65+ | 229 | 5.3 | 42 | 2 | 2 | 3 | 5 | 11 | 19 | 35 |
| TOT. SINGLE DX | 1309 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 803 | 4.5 | 24 | 1 | 2 | 3 | 5 | 9 | 14 | 26 |
| TOTAL 0-19 YRS | 85 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 22 |
| 20-34 | 188 | 3.6 | 31 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 35-49 | 350 | 3.2 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 50-64 | 912 | 3.2 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 65+ | 577 | 3.9 | 20 | 1 | 2 | 3 | 4 | 6 | 11 | 24 |
| GRAND TOTAL | 2112 | 3.4 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 709 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1198 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 487 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 311 | 3.0 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 22 |
| 65+ | 84 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 447 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 879 | 3.4 | 22 | 1 | 1 | 2 | 4 | 6 | 9 | 26 |
| 35-49 | 296 | 4.0 | 33 | 1 | 1 | 2 | 4 | 7 | 13 | 34 |
| 50-64 | 227 | 3.9 | 13 | 1 | 1 | 2 | 4 | 8 | 13 | 18 |
| 65+ | 105 | 5.2 | 35 | 1 | 1 | 3 | 5 | 12 | 19 | 30 |
| TOT. SINGLE DX | 2789 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| " MULTIPLE DX | 1954 | 3.5 | 21 | 1 | 1 | 2 | 4 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 1156 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 2077 | 2.8 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 783 | 3.1 | 16 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | 538 | 3.3 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 65+ | 189 | 4.0 | 23 | 1 | 1 | 3 | 4 | 8 | 13 | 27 |
| GRAND TOTAL | 4743 | 2.9 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 352 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 703 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 582 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 50-64 | 647 | 4.4 | 14 | 1 | 2 | 4 | 5 | 7 | 9 | 21 |
| 65+ | 229 | 5.6 | 32 | 2 | 2 | 5 | 7 | 10 | 13 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 207 | 4.7 | 63 | 1 | 1 | 3 | 4 | 8 | 13 | 45 |
| 20-34 | 442 | 4.7 | 44 | 1 | 1 | 3 | 5 | 9 | 15 | 34 |
| 35-49 | 375 | 6.2 | 61 | 1 | 2 | 4 | 7 | 11 | 20 | 49 |
| 50-64 | 517 | 6.7 | 77 | 2 | 2 | 4 | 7 | 13 | 19 | 50 |
| 65+ | 274 | 9.5 | 133 | 2 | 2 | 5 | 10 | 21 | 34 | 69 |
| TOT. SINGLE DX | 2513 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 17 |
| " MULTIPLE DX | 1815 | 6.3 | 75 | 1 | 2 | 4 | 6 | 12 | 21 | 50 |
| TOTAL 0-19 YRS | 559 | 3.6 | 29 | 1 | 1 | 2 | 4 | 6 | 8 | 25 |
| 20-34 | 1145 | 3.7 | 21 | 1 | 1 | 3 | 4 | 6 | 9 | 25 |
| 35-49 | 957 | 4.7 | 31 | 1 | 1 | 3 | 5 | 8 | 12 | 31 |
| 50-64 | 1164 | 5.4 | 44 | 1 | 2 | 4 | 6 | 9 | 14 | 36 |
| 65+ | 503 | 7.7 | 91 | 2 | 2 | 5 | 8 | 15 | 28 | 58 |
| GRAND TOTAL | 4328 | 4.8 | 40 | 1 | 1 | 3 | 5 | 8 | 13 | 35 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 822 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 705 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 35-49 | 408 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| 50-64 | 296 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |
| 65+ | 89 | 7.3 | 75 | 2 | 2 | 5 | 9 | 14 | 18 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 494 | 5.1 | 31 | 1 | 2 | 4 | 6 | 9 | 13 | 31 |
| 20-34 | 373 | 5.9 | 62 | 1 | 2 | 4 | 6 | 10 | 15 | 53 |
| 35-49 | 225 | 6.4 | 73 | 1 | 2 | 4 | 7 | 11 | 18 | 50 |
| 50-64 | 220 | 9.2 | 137 | 1 | 2 | 5 | 9 | 20 | 36 | 68 |
| 65+ | 111 | 14.3 | 190 | 3 | 3 | 9 | 17 | 34 | 47 | 62 |
| TOT. SINGLE DX | 2320 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 1423 | 6.9 | 81 | 1 | 2 | 4 | 7 | 13 | 21 | 56 |
| TOTAL 0-19 YRS | 1316 | 4.0 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 1078 | 4.7 | 30 | 1 | 1 | 4 | 5 | 8 | 10 | 27 |
| 35-49 | 633 | 4.7 | 32 | 1 | 2 | 4 | 5 | 8 | 11 | 26 |
| 50-64 | 516 | 6.5 | 70 | 1 | 2 | 4 | 7 | 12 | 19 | 58 |
| 65+ | 200 | 11.2 | 151 | 2 | 3 | 7 | 13 | 27 | 39 | 62 |
| GRAND TOTAL | 3743 | 5.1 | 40 | 1 | 2 | 4 | 5 | 9 | 13 | 36 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 261 | 3.2 | 13 | 1 | 1 | 2 | 3 | 7 | 10 | 20 |
| 35-49 | 198 | 3.3 | 16 | 1 | 1 | 2 | 3 | 7 | 10 | 25 |
| 50-64 | 161 | 4.0 | 42 | 1 | 1 | 2 | 3 | 9 | 14 | 28 |
| 65+ | 93 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 4.8 | 35 | 1 | 1 | 3 | 6 | 10 | 17 | 35 |
| 20-34 | 188 | 4.7 | 26 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |
| 35-49 | 159 | 8.1 | 120 | 1 | 1 | 4 | 9 | 23 | 34 | 53 |
| 50-64 | 169 | 7.4 | 87 | 1 | 1 | 3 | 9 | 19 | 26 | 46 |
| 65+ | 116 | 8.9 | 142 | 1 | 1 | 4 | 11 | 23 | 33 | 69 |
| TOT. SINGLE DX | 855 | 3.2 | 18 | 1 | 1 | 2 | 3 | 7 | 10 | 21 |
| " MULTIPLE DX | 704 | 6.8 | 85 | 1 | 1 | 3 | 8 | 17 | 25 | 46 |
| TOTAL 0-19 YRS | 214 | 3.2 | 16 | 1 | 1 | 2 | 3 | 7 | 10 | 20 |
| 20-34 | 449 | 3.9 | 20 | 1 | 1 | 2 | 4 | 9 | 14 | 20 |
| 35-49 | 357 | 5.4 | 68 | 1 | 1 | 2 | 5 | 13 | 23 | 45 |
| 50-64 | 330 | 5.7 | 68 | 1 | 1 | 3 | 6 | 14 | 21 | 44 |
| 65+ | 209 | 6.3 | 92 | 1 | 1 | 3 | 6 | 16 | 24 | 51 |
| GRAND TOTAL | 1559 | 4.8 | 51 | 1 | 1 | 2 | 5 | 11 | 18 | 38 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 5 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 18 | 4.9 | 38 | 1 | 1 | 2 | 4 | 17 | 19 | 20 |
| 35-49 | 11 | 16.2 | 802 | 2 | 2 | 6 | 10 | 58 | 95 | 98 |
| 50-64 | 15 | 5.9 | 35 | 1 | 2 | 3 | 7 | 16 | 19 | 20 |
| 65+ | 8 | 7.3 | 42 | 1 | 2 | 6 | 8 | 18 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 16.7 | 178 | 3 | 3 | 12 | 27 | 36 | 41 | 41 |
| 20-34 | 18 | 8.9 | 73 | 1 | 1 | 5 | 17 | 22 | 25 | 26 |
| 35-49 | 9 | 23.1 | 316 | 2 | 3 | 19 | 36 | 50 | 54 | 54 |
| 50-64 | 14 | 14.6 | 133 | 2 | 4 | 12 | 20 | 30 | 41 | 44 |
| 65+ | 22 | 25.9 | 608 | 1 | 2 | 17 | 35 | 69 | 76 | 79 |
| TOT. SINGLE DX | 60 | 7.4 | 180 | 1 | 1 | 4 | 8 | 17 | 21 | 91 |
| " MULTIPLE DX | 72 | 18.0 | 324 | 1 | 2 | 12 | 23 | 44 | 64 | 78 |
| TOTAL 0-19 YRS | 16 | 11.0 | 141 | 1 | 2 | 6 | 16 | 29 | 37 | 41 |
| 20-34 | 36 | 6.9 | 58 | 1 | 1 | 4 | 12 | 19 | 23 | 26 |
| 35-49 | 20 | 19.3 | 568 | 2 | 2 | 9 | 27 | 49 | 76 | 98 |
| 50-64 | 30 | 10.0 | 98 | 2 | 2 | 5 | 15 | 22 | 29 | 44 |
| 65+ | 30 | 20.9 | 521 | 1 | 2 | 11 | 23 | 66 | 74 | 79 |
| GRAND TOTAL | 132 | 13.2 | 284 | 1 | 1 | 7 | 18 | 30 | 48 | 82 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 5.5 | 43 | 1 | 1 | 4 | 6 | 10 | 15 | 36 |
| 20-34 | 60 | 6.0 | 56 | 1 | 2 | 4 | 6 | 11 | 19 | 44 |
| 35-49 | 54 | 8.0 | 62 | 2 | 2 | 4 | 12 | 20 | 26 | 36 |
| 50-64 | 72 | 8.4 | 105 | 1 | 2 | 5 | 9 | 19 | 38 | 50 |
| 65+ | 104 | 11.0 | 210 | 2 | 2 | 5 | 11 | 27 | 41 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 9.4 | 196 | 1 | 1 | 4 | 10 | 30 | 58 | 99+ |
| 20-34 | 87 | 14.0 | 246 | 2 | 3 | 9 | 19 | 37 | 60 | 99+ |
| 35-49 | 162 | 17.0 | 219 | 2 | 3 | 13 | 23 | 38 | 52 | 63 |
| 50-64 | 448 | 21.2 | 322 | 3 | 4 | 16 | 31 | 45 | 60 | 99+ |
| 65+ | 812 | 21.9 | 276 | 3 | 5 | 19 | 30 | 45 | 57 | 93 |
| TOT. SINGLE DX | 351 | 8.2 | 114 | 1 | 2 | 5 | 9 | 17 | 34 | 56 |
| " MULTIPLE DX | 1546 | 20.4 | 288 | 3 | 4 | 16 | 28 | 44 | 59 | 97 |
| TOTAL 0-19 YRS | 98 | 7.0 | 103 | 1 | 1 | 4 | 8 | 15 | 32 | 88 |
| 20-34 | 147 | 10.7 | 183 | 2 | 2 | 6 | 13 | 27 | 45 | 99+ |
| 35-49 | 216 | 14.7 | 195 | 2 | 3 | 10 | 20 | 35 | 47 | 62 |
| 50-64 | 520 | 19.5 | 311 | 2 | 3 | 14 | 28 | 44 | 59 | 98 |
| 65+ | 916 | 20.7 | 281 | 3 | 4 | 17 | 28 | 44 | 55 | 90 |
| GRAND TOTAL | 1897 | 18.2 | 278 | 2 | 3 | 14 | 26 | 41 | 55 | 93 |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 12.5 | 15 | 7 | 8 | 12 | 13 | 18 | 21 | 21 |
| 20-34 | 11 | 16.0 | 199 | 5 | 6 | 12 | 17 | 35 | 54 | 56 |
| 35-49 | 12 | 18.4 | 171 | 5 | 6 | 16 | 26 | 37 | 46 | 48 |
| 50-64 | 25 | 33.8 | 384 | 13 | 16 | 26 | 41 | 56 | 82 | 87 |
| 65+ | 66 | 23.7 | 147 | 8 | 10 | 22 | 30 | 40 | 48 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 34.7 | 463 | 10 | 11 | 38 | 49 | 66 | 69 | 69 |
| 20-34 | 44 | 29.0 | 556 | 6 | 9 | 20 | 38 | 73 | 90 | 99+ |
| 35-49 | 92 | 29.8 | 311 | 9 | 10 | 25 | 39 | 56 | 63 | 98 |
| 50-64 | 377 | 32.9 | 345 | 11 | 14 | 29 | 44 | 62 | 82 | 99+ |
| 65+ | 1061 | 32.8 | 364 | 11 | 14 | 28 | 43 | 62 | 81 | 99+ |
| TOT. SINGLE DX | 124 | 23.6 | 225 | 7 | 9 | 20 | 30 | 48 | 52 | 82 |
| " MULTIPLE DX | 1581 | 32.6 | 362 | 10 | 13 | 28 | 43 | 62 | 82 | 99+ |
| TOTAL 0-19 YRS | 17 | 21.6 | 309 | 8 | 9 | 13 | 25 | 50 | 63 | 69 |
| 20-34 | 55 | 26.4 | 507 | 6 | 8 | 17 | 34 | 63 | 88 | 99+ |
| 35-49 | 104 | 28.4 | 307 | 8 | 9 | 24 | 38 | 55 | 60 | 97 |
| 50-64 | 402 | 32.9 | 347 | 11 | 14 | 29 | 44 | 61 | 82 | 99+ |
| 65+ | 1127 | 32.3 | 356 | 11 | 14 | 28 | 42 | 61 | 81 | 99+ |
| GRAND TOTAL | 1705 | 31.9 | 358 | 10 | 13 | 28 | 42 | 60 | 81 | 99+ |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 25 | 5 | 5 | 11 | 15 | 15 | 15 | 15 |
| 20-34 | 7 | 12.1 | 64 | 5 | 5 | 9 | 18 | 25 | 26 | 26 |
| 35-49 | 4 | 22.5 | 65 | 15 | 15 | 22 | 29 | 30 | 30 | 30 |
| 50-64 | 22 | 15.2 | 52 | 8 | 9 | 13 | 16 | 26 | 33 | 37 |
| 65+ | 75 | 22.1 | 247 | 6 | 9 | 19 | 27 | 43 | 62 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 27.0 | 396 | 9 | 9 | 17 | 39 | 59 | 59 | 59 |
| 20-34 | 21 | 29.1 | 286 | 10 | 12 | 24 | 43 | 82 | 99+ | 99+ |
| 35-49 | 41 | 31.0 | 333 | 7 | 12 | 30 | 39 | 63 | 69 | 75 |
| 50-64 | 221 | 32.3 | 373 | 9 | 11 | 28 | 44 | 65 | 79 | 99+ |
| 65+ | 1170 | 27.5 | 293 | 9 | 11 | 22 | 36 | 53 | 66 | 96 |
| TOT. SINGLE DX | 114 | 19.6 | 194 | 6 | 8 | 16 | 25 | 36 | 48 | 74 |
| " MULTIPLE DX | 1458 | 28.3 | 309 | 9 | 11 | 23 | 38 | 56 | 67 | 99+ |
| TOTAL 0-19 YRS | 11 | 18.0 | 245 | 5 | 5 | 15 | 17 | 43 | 58 | 59 |
| 20-34 | 28 | 24.9 | 283 | 7 | 8 | 22 | 41 | 66 | 99+ | 99+ |
| 35-49 | 45 | 30.2 | 314 | 7 | 12 | 30 | 38 | 62 | 67 | 75 |
| 50-64 | 243 | 30.7 | 368 | 9 | 10 | 26 | 42 | 63 | 78 | 99+ |
| 65+ | 1245 | 27.2 | 292 | 9 | 11 | 22 | 35 | 52 | 66 | 96 |
| GRAND TOTAL | 1572 | 27.7 | 306 | 9 | 11 | 22 | 36 | 55 | 67 | 99 |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 10.1 | 49 | 2 | 3 | 8 | 13 | 21 | 23 | 23 |
| 20-34 | 12 | 16.0 | 444 | 1 | 2 | 10 | 16 | 45 | 72 | 77 |
| 35-49 | 6 | 23.2 | 355 | 3 | 4 | 19 | 33 | 53 | 55 | 55 |
| 50-64 | 12 | 19.8 | 232 | 3 | 4 | 18 | 24 | 38 | 57 | 60 |
| 65+ | 13 | 25.9 | 240 | 4 | 12 | 25 | 30 | 42 | 63 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 26.1 | 638 | 4 | 4 | 16 | 45 | 66 | 72 | 72 |
| 20-34 | 25 | 31.8 | 371 | 3 | 4 | 33 | 52 | 59 | 71 | 99+ |
| 35-49 | 32 | 35.4 | 692 | 8 | 11 | 28 | 71 | 99+ | 99+ | 99+ |
| 50-64 | 131 | 31.6 | 295 | 10 | 13 | 30 | 42 | 53 | 68 | 99+ |
| 65+ | 178 | 32.3 | 355 | 7 | 11 | 30 | 44 | 62 | 75 | 99+ |
| TOT. SINGLE DX | 53 | 19.0 | 273 | 2 | 3 | 16 | 25 | 35 | 59 | 77 |
| " MULTIPLE DX | 374 | 32.1 | 367 | 7 | 12 | 30 | 44 | 62 | 83 | 99+ |
| TOTAL 0-19 YRS | 18 | 17.2 | 356 | 3 | 4 | 11 | 20 | 47 | 64 | 72 |
| 20-34 | 37 | 26.6 | 439 | 2 | 3 | 22 | 48 | 58 | 72 | 99+ |
| 35-49 | 38 | 33.5 | 649 | 6 | 11 | 27 | 59 | 98 | 99+ | 99+ |
| 50-64 | 143 | 30.6 | 300 | 7 | 13 | 29 | 41 | 52 | 66 | 99+ |
| 65+ | 191 | 31.9 | 349 | 7 | 12 | 29 | 43 | 61 | 74 | 99+ |
| **GRAND TOTAL** | **427** | **30.5** | **373** | **5** | **9** | **27** | **42** | **61** | **80** | **99+** |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 4.2 | 19 | 1 | 1 | 3 | 6 | 9 | 14 | 22 |
| 20-34 | 35 | 5.5 | 16 | 1 | 1 | 5 | 7 | 10 | 11 | 22 |
| 35-49 | 16 | 11.8 | 165 | 1 | 2 | 8 | 11 | 37 | 45 | 47 |
| 50-64 | 16 | 7.4 | 43 | 2 | 2 | 5 | 9 | 13 | 24 | 28 |
| 65+ | 7 | 3.6 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 5.4 | 11 | 1 | 2 | 5 | 9 | 10 | 11 | 11 |
| 20-34 | 29 | 8.7 | 30 | 2 | 3 | 7 | 11 | 15 | 22 | 26 |
| 35-49 | 11 | 12.0 | 120 | 1 | 1 | 8 | 16 | 31 | 34 | 34 |
| 50-64 | 11 | 5.8 | 15 | 2 | 2 | 4 | 7 | 13 | 15 | 15 |
| 65+ | 6 | 11.8 | 109 | 4 | 4 | 9 | 12 | 30 | 32 | 32 |
| TOT. SINGLE DX | 117 | 6.0 | 46 | 1 | 1 | 5 | 7 | 11 | 17 | 42 |
| " MULTIPLE DX | 75 | 8.2 | 46 | 1 | 2 | 7 | 11 | 15 | 25 | 33 |
| TOTAL 0-19 YRS | 61 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 11 | 22 |
| 20-34 | 64 | 6.9 | 25 | 1 | 2 | 6 | 9 | 12 | 18 | 25 |
| 35-49 | 27 | 11.9 | 142 | 1 | 1 | 8 | 14 | 33 | 40 | 47 |
| 50-64 | 27 | 6.7 | 32 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| 65+ | 13 | 7.4 | 66 | 1 | 2 | 5 | 8 | 16 | 29 | 32 |
| **GRAND TOTAL** | **192** | **6.9** | **47** | **1** | **1** | **5** | **9** | **13** | **21** | **37** |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 3.3 | 15 | 1 | 1 | 2 | 3 | 7 | 13 | 23 |
| 20-34 | 108 | 4.8 | 41 | 1 | 1 | 3 | 5 | 10 | 14 | 39 |
| 35-49 | 94 | 5.3 | 68 | 1 | 1 | 3 | 5 | 12 | 18 | 49 |
| 50-64 | 88 | 5.7 | 38 | 1 | 1 | 4 | 7 | 13 | 17 | 35 |
| 65+ | 47 | 9.3 | 116 | 1 | 1 | 7 | 10 | 21 | 31 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 4.4 | 41 | <1 | 1 | 2 | 5 | 7 | 20 | 29 |
| 20-34 | 56 | 6.7 | 77 | 1 | 1 | 3 | 6 | 17 | 31 | 38 |
| 35-49 | 61 | 10.6 | 111 | 1 | 2 | 7 | 14 | 27 | 34 | 45 |
| 50-64 | 127 | 17.1 | 302 | 2 | 2 | 12 | 21 | 41 | 57 | 99 |
| 65+ | 160 | 18.9 | 220 | 2 | 4 | 14 | 28 | 40 | 47 | 73 |
| TOT. SINGLE DX | 389 | 5.5 | 55 | 1 | 1 | 3 | 6 | 12 | 17 | 38 |
| " MULTIPLE DX | 422 | 14.9 | 226 | 1 | 2 | 10 | 20 | 37 | 44 | 75 |
| TOTAL 0-19 YRS | 70 | 3.6 | 22 | 1 | 1 | 2 | 3 | 7 | 14 | 28 |
| 20-34 | 164 | 5.5 | 54 | 1 | 1 | 3 | 6 | 11 | 22 | 38 |
| 35-49 | 155 | 7.4 | 92 | 1 | 1 | 3 | 9 | 18 | 27 | 46 |
| 50-64 | 215 | 12.4 | 225 | 1 | 2 | 7 | 16 | 36 | 44 | 86 |
| 65+ | 207 | 16.7 | 213 | 2 | 3 | 12 | 24 | 37 | 45 | 69 |
| **GRAND TOTAL** | **811** | **10.4** | **166** | **1** | **1** | **5** | **13** | **29** | **38** | **65** |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 11 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 4 | 8.8 | 165 | 2 | 2 | 3 | 15 | 28 | 28 | 28 |
| 50-64 | 13 | 8.2 | 47 | 2 | 3 | 6 | 9 | 18 | 26 | 28 |
| 65+ | 9 | 14.9 | 69 | 2 | 4 | 13 | 21 | 26 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 3 | 11.0 | 271 | 1 | 1 | 2 | 23 | 30 | 30 | 30 |
| 35-49 | 9 | 6.6 | 29 | 1 | 1 | 6 | 10 | 15 | 18 | 18 |
| 50-64 | 7 | 14.7 | 185 | 3 | 3 | 7 | 25 | 36 | 38 | 38 |
| 65+ | 18 | 14.4 | 65 | 4 | 6 | 11 | 18 | 24 | 32 | 36 |
| TOT. SINGLE DX | 39 | 8.1 | 63 | 2 | 2 | 4 | 11 | 23 | 27 | 28 |
| " MULTIPLE DX | 41 | 11.5 | 92 | 1 | 2 | 9 | 17 | 27 | 33 | 38 |
| TOTAL 0-19 YRS | 6 | 3.3 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 14 | 4.8 | 54 | 1 | 2 | 3 | 4 | 7 | 25 | 30 |
| 35-49 | 13 | 7.2 | 62 | 1 | 1 | 4 | 10 | 20 | 26 | 28 |
| 50-64 | 20 | 10.5 | 99 | 2 | 3 | 6 | 13 | 28 | 33 | 38 |
| 65+ | 27 | 14.6 | 64 | 4 | 5 | 12 | 20 | 25 | 27 | 36 |
| **GRAND TOTAL** | **80** | **9.8** | **80** | **2** | **2** | **6** | **14** | **25** | **29** | **37** |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | | | | | | | | | | |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 663 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 2716 | 2.3 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 35-49 | 4527 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 2533 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 1258 | 3.9 | 12 | 1 | 2 | 3 | 4 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 142 | 3.7 | 24 | 1 | 1 | 2 | 4 | 7 | 8 | 21 |
| 20-34 | 1274 | 3.7 | 14 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 35-49 | 2824 | 4.3 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 25 |
| 50-64 | 2345 | 6.0 | 51 | 1 | 2 | 3 | 7 | 13 | 19 | 38 |
| 65+ | 1989 | 8.6 | 74 | 2 | 2 | 6 | 11 | 18 | 24 | 45 |
| **TOT. SINGLE DX** | 11697 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **" MULTIPLE DX** | 8574 | 5.7 | 46 | 1 | 2 | 3 | 7 | 13 | 18 | 36 |
| TOTAL 0-19 YRS | 805 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 3990 | 2.7 | 7 | <1 | 1 | 2 | 3 | 4 | 7 | 15 |
| 35-49 | 7351 | 3.2 | 14 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 50-64 | 4878 | 4.4 | 30 | 1 | 2 | 3 | 4 | 9 | 13 | 29 |
| 65+ | 3247 | 6.8 | 56 | 2 | 2 | 4 | 9 | 15 | 20 | 39 |
| **GRAND TOTAL** | **20271** | **4.0** | **25** | **1** | **1** | **2** | **4** | **8** | **12** | **24** |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 97 | 2.9 | 1 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 94 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 121 | 5.1 | 11 | 1 | 2 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 162 | 5.4 | 19 | 2 | 2 | 5 | 7 | 9 | 14 | 22 |
| 65+ | 255 | 8.0 | 18 | 2 | 3 | 7 | 10 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 27 | 5.7 | 62 | 1 | 1 | 3 | 4 | 15 | 21 | 38 |
| 20-34 | 50 | 4.9 | 8 | 1 | 2 | 4 | 6 | 10 | 11 | 12 |
| 35-49 | 147 | 6.9 | 16 | 2 | 3 | 6 | 9 | 13 | 14 | 22 |
| 50-64 | 231 | 9.0 | 53 | 2 | 3 | 7 | 10 | 19 | 25 | 42 |
| 65+ | 574 | 12.2 | 75 | 3 | 4 | 10 | 15 | 23 | 30 | 45 |
| **TOT. SINGLE DX** | 729 | 5.6 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 19 |
| **" MULTIPLE DX** | 1029 | 10.2 | 64 | 2 | 3 | 8 | 13 | 20 | 27 | 42 |
| TOTAL 0-19 YRS | 124 | 3.5 | 16 | 1 | 1 | 3 | 4 | 5 | 7 | 23 |
| 20-34 | 144 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 268 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 50-64 | 393 | 7.5 | 43 | 2 | 2 | 6 | 8 | 15 | 24 | 38 |
| 65+ | 829 | 10.9 | 62 | 3 | 4 | 9 | 14 | 20 | 27 | 40 |
| **GRAND TOTAL** | **1758** | **8.3** | **50** | **2** | **2** | **6** | **10** | **16** | **22** | **38** |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 13 | <1 | <1 | 2 | 6 | 9 | 9 | 9 |
| 20-34 | 133 | 7.9 | 9 | 4 | 4 | 8 | 9 | 12 | 13 | 19 |
| 35-49 | 739 | 8.0 | 9 | 4 | 5 | 8 | 9 | 12 | 13 | 18 |
| 50-64 | 1221 | 9.0 | 12 | 5 | 6 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 1132 | 9.5 | 14 | 5 | 6 | 9 | 11 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 131 | 9.8 | 29 | 5 | 6 | 9 | 11 | 15 | 20 | 38 |
| 35-49 | 839 | 9.6 | 21 | 5 | 6 | 8 | 11 | 15 | 19 | 26 |
| 50-64 | 1610 | 10.8 | 31 | 5 | 6 | 9 | 12 | 17 | 21 | 33 |
| 65+ | 1924 | 12.4 | 49 | 6 | 7 | 10 | 15 | 20 | 25 | 39 |
| **TOT. SINGLE DX** | 3229 | 8.9 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 22 |
| **" MULTIPLE DX** | 4506 | 11.2 | 38 | 5 | 6 | 10 | 13 | 18 | 22 | 37 |
| TOTAL 0-19 YRS | 6 | 4.2 | 12 | <1 | <1 | 3 | 8 | 9 | 9 | 9 |
| 20-34 | 264 | 8.9 | 20 | 4 | 5 | 8 | 10 | 13 | 16 | 25 |
| 35-49 | 1578 | 8.9 | 17 | 5 | 5 | 8 | 10 | 13 | 16 | 24 |
| 50-64 | 2831 | 10.0 | 24 | 5 | 6 | 9 | 11 | 15 | 19 | 27 |
| 65+ | 3056 | 11.3 | 39 | 5 | 6 | 10 | 13 | 18 | 22 | 36 |
| **GRAND TOTAL** | **7735** | **10.3** | **29** | **5** | **6** | **9** | **12** | **16** | **20** | **33** |

### 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 377 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 1071 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 35-49 | 726 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 330 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 65+ | 85 | 4.7 | 16 | 1 | 2 | 4 | 6 | 7 | 10 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 4.4 | 26 | 1 | 2 | 3 | 5 | 7 | 9 | 36 |
| 20-34 | 565 | 4.7 | 19 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 35-49 | 847 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 495 | 5.6 | 19 | 2 | 2 | 5 | 6 | 10 | 14 | 24 |
| 65+ | 134 | 6.9 | 35 | 2 | 2 | 5 | 8 | 14 | 22 | 28 |
| TOT. SINGLE DX | 2589 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 2134 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| TOTAL 0-19 YRS | 470 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 1636 | 4.0 | 11 | 1 | 1 | 3 | 5 | 6 | 8 | 16 |
| 35-49 | 1573 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 825 | 5.1 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 219 | 6.1 | 29 | 2 | 2 | 5 | 7 | 11 | 17 | 29 |
| GRAND TOTAL | 4723 | 4.4 | 12 | 1 | 2 | 4 | 5 | 7 | 10 | 18 |

### 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1292 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 20-34 | 2343 | 4.2 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 326 | 4.0 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 82 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 20 |
| 65+ | 23 | 6.5 | 54 | 1 | 2 | 3 | 7 | 17 | 27 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 202 | 5.6 | 28 | 2 | 2 | 4 | 6 | 10 | 13 | 26 |
| 20-34 | 425 | 5.6 | 23 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| 35-49 | 144 | 6.8 | 38 | 2 | 3 | 5 | 8 | 14 | 19 | 55 |
| 50-64 | 80 | 7.6 | 37 | 2 | 2 | 6 | 10 | 15 | 21 | 32 |
| 65+ | 24 | 11.0 | 74 | 2 | 3 | 9 | 15 | 25 | 28 | 32 |
| TOT. SINGLE DX | 4066 | 4.1 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 875 | 6.2 | 31 | 2 | 2 | 5 | 7 | 12 | 15 | 28 |
| TOTAL 0-19 YRS | 1494 | 4.2 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 2768 | 4.4 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 470 | 4.8 | 18 | 2 | 2 | 4 | 6 | 8 | 12 | 24 |
| 50-64 | 162 | 6.1 | 26 | 2 | 2 | 4 | 7 | 12 | 16 | 25 |
| 65+ | 47 | 8.8 | 68 | 2 | 2 | 5 | 11 | 25 | 27 | 32 |
| GRAND TOTAL | 4941 | 4.5 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |

### 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1817 | 2.6 | 9 | <1 | 1 | 2 | 3 | 4 | 7 | 15 |
| 20-34 | 2043 | 3.5 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 35-49 | 1582 | 3.7 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 50-64 | 1455 | 4.2 | 21 | 1 | 1 | 3 | 4 | 9 | 12 | 24 |
| 65+ | 956 | 5.5 | 44 | 1 | 1 | 3 | 6 | 12 | 18 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 771 | 5.6 | 80 | 1 | 1 | 3 | 6 | 11 | 20 | 45 |
| 20-34 | 1789 | 8.2 | 101 | 1 | 2 | 5 | 9 | 20 | 31 | 66 |
| 35-49 | 2215 | 8.6 | 98 | 1 | 2 | 6 | 11 | 18 | 27 | 52 |
| 50-64 | 3198 | 9.6 | 99 | 2 | 2 | 7 | 12 | 21 | 28 | 53 |
| 65+ | 3613 | 11.7 | 121 | 2 | 2 | 8 | 15 | 24 | 34 | 61 |
| TOT. SINGLE DX | 7853 | 3.7 | 21 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| " MULTIPLE DX | 11586 | 9.6 | 108 | 1 | 2 | 6 | 12 | 21 | 29 | 57 |
| TOTAL 0-19 YRS | 2588 | 3.5 | 33 | <1 | 1 | 2 | 3 | 6 | 10 | 26 |
| 20-34 | 3832 | 5.6 | 62 | 1 | 1 | 3 | 6 | 13 | 20 | 44 |
| 35-49 | 3797 | 6.6 | 71 | 1 | 1 | 4 | 8 | 14 | 21 | 42 |
| 50-64 | 4653 | 7.9 | 82 | 1 | 2 | 5 | 10 | 18 | 24 | 47 |
| 65+ | 4569 | 10.4 | 112 | 2 | 2 | 7 | 13 | 22 | 32 | 57 |
| GRAND TOTAL | 19439 | 7.2 | 81 | 1 | 1 | 4 | 9 | 17 | 24 | 48 |

### 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2389 | 4.4 | 34 | 1 | 1 | 3 | 5 | 9 | 14 | 32 |
| 20-34 | 2546 | 5.3 | 43 | 1 | 1 | 3 | 6 | 11 | 16 | 34 |
| 35-49 | 1313 | 6.0 | 52 | 1 | 1 | 4 | 7 | 13 | 17 | 36 |
| 50-64 | 1060 | 7.6 | 97 | 1 | 1 | 5 | 9 | 16 | 22 | 57 |
| 65+ | 870 | 9.9 | 132 | 1 | 2 | 6 | 13 | 24 | 34 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3402 | 6.2 | 76 | 1 | 1 | 3 | 7 | 14 | 22 | 50 |
| 20-34 | 4945 | 7.5 | 117 | 1 | 1 | 4 | 8 | 17 | 29 | 64 |
| 35-49 | 2694 | 10.2 | 144 | 1 | 1 | 6 | 13 | 25 | 37 | 64 |
| 50-64 | 3060 | 13.8 | 220 | 1 | 2 | 9 | 18 | 33 | 45 | 82 |
| 65+ | 4127 | 16.2 | 240 | 2 | 3 | 11 | 22 | 38 | 51 | 85 |
| TOT. SINGLE DX | 8178 | 5.9 | 62 | 1 | 1 | 3 | 7 | 13 | 19 | 41 |
| " MULTIPLE DX | 18228 | 10.7 | 174 | 1 | 1 | 6 | 13 | 27 | 40 | 71 |
| TOTAL 0-19 YRS | 5791 | 5.5 | 60 | 1 | 1 | 3 | 6 | 12 | 20 | 43 |
| 20-34 | 7491 | 6.7 | 94 | 1 | 1 | 4 | 8 | 14 | 24 | 57 |
| 35-49 | 4007 | 8.8 | 119 | 1 | 1 | 5 | 10 | 21 | 32 | 59 |
| 50-64 | 4120 | 12.2 | 196 | 1 | 2 | 8 | 15 | 29 | 42 | 76 |
| 65+ | 4997 | 15.1 | 227 | 2 | 2 | 10 | 20 | 36 | 49 | 83 |
| GRAND TOTAL | 26406 | 9.2 | 144 | 1 | 1 | 5 | 11 | 23 | 35 | 64 |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 407 | 7.4 | 62 | 1 | 1 | 5 | 10 | 17 | 23 | 38 |
| 20-34 | 455 | 8.2 | 93 | 1 | 1 | 5 | 10 | 19 | 28 | 46 |
| 35-49 | 252 | 8.9 | 81 | 1 | 1 | 6 | 11 | 21 | 26 | 41 |
| 50-64 | 261 | 11.7 | 176 | 1 | 1 | 8 | 15 | 26 | 35 | 67 |
| 65+ | 258 | 17.3 | 261 | 1 | 2 | 13 | 24 | 38 | 46 | 78 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 297 | 18.0 | 271 | 2 | 3 | 13 | 28 | 39 | 52 | 80 |
| 20-34 | 472 | 17.1 | 245 | 2 | 2 | 13 | 23 | 39 | 53 | 99 |
| 35-49 | 328 | 18.6 | 301 | 2 | 2 | 14 | 26 | 44 | 63 | 99+ |
| 50-64 | 477 | 22.2 | 308 | 2 | 3 | 19 | 31 | 46 | 59 | 87 |
| 65+ | 718 | 27.7 | 317 | 5 | 8 | 25 | 39 | 55 | 69 | 99+ |
| TOT. SINGLE DX | 1633 | 10.1 | 135 | 1 | 1 | 6 | 13 | 24 | 33 | 61 |
| " MULTIPLE DX | 2292 | 21.8 | 311 | 2 | 3 | 18 | 31 | 48 | 62 | 99+ |
| TOTAL 0-19 YRS | 704 | 11.9 | 178 | 1 | 1 | 7 | 15 | 29 | 38 | 69 |
| 20-34 | 927 | 12.7 | 191 | 1 | 2 | 8 | 17 | 30 | 43 | 76 |
| 35-49 | 580 | 14.3 | 229 | 1 | 2 | 9 | 20 | 34 | 47 | 84 |
| 50-64 | 738 | 18.5 | 287 | 1 | 2 | 14 | 26 | 42 | 55 | 84 |
| 65+ | 976 | 25.0 | 324 | 2 | 5 | 22 | 35 | 52 | 65 | 99+ |
| GRAND TOTAL | 3925 | 16.9 | 271 | 1 | 2 | 12 | 24 | 41 | 53 | 87 |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 3.9 | 26 | 1 | 1 | 2 | 4 | 8 | 13 | 32 |
| 20-34 | 192 | 4.6 | 48 | 1 | 1 | 2 | 4 | 11 | 22 | 36 |
| 35-49 | 106 | 5.8 | 54 | 1 | 1 | 3 | 7 | 15 | 26 | 34 |
| 50-64 | 70 | 7.0 | 55 | 1 | 1 | 4 | 11 | 19 | 24 | 86 |
| 65+ | 32 | 9.8 | 121 | 1 | 1 | 5 | 15 | 23 | 39 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 5.7 | 96 | 1 | 1 | 3 | 5 | 10 | 20 | 62 |
| 20-34 | 147 | 13.2 | 288 | 1 | 2 | 6 | 17 | 39 | 51 | 99+ |
| 35-49 | 85 | 17.0 | 366 | 1 | 2 | 7 | 31 | 44 | 60 | 74 |
| 50-64 | 105 | 16.7 | 372 | 1 | 2 | 10 | 24 | 50 | 68 | 99+ |
| 65+ | 95 | 21.8 | 608 | 1 | 2 | 12 | 37 | 63 | 96 | 99+ |
| TOT. SINGLE DX | 527 | 5.3 | 52 | 1 | 1 | 2 | 6 | 14 | 22 | 36 |
| " MULTIPLE DX | 505 | 15.1 | 372 | 1 | 2 | 6 | 22 | 46 | 65 | 99+ |
| TOTAL 0-19 YRS | 200 | 4.5 | 53 | 1 | 1 | 2 | 5 | 8 | 16 | 42 |
| 20-34 | 339 | 8.3 | 170 | 1 | 1 | 3 | 9 | 23 | 38 | 89 |
| 35-49 | 191 | 10.8 | 223 | 1 | 1 | 4 | 11 | 33 | 42 | 66 |
| 50-64 | 175 | 12.8 | 267 | 1 | 2 | 6 | 17 | 40 | 62 | 99+ |
| 65+ | 127 | 18.8 | 511 | 1 | 2 | 9 | 28 | 58 | 82 | 99+ |
| GRAND TOTAL | 1032 | 10.1 | 232 | 1 | 1 | 4 | 11 | 32 | 47 | 93 |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 804 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 607 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 416 | 3.5 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 476 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 193 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 397 | 4.4 | 56 | 1 | 1 | 3 | 4 | 9 | 12 | 41 |
| 20-34 | 523 | 5.5 | 39 | 1 | 2 | 4 | 6 | 11 | 15 | 32 |
| 35-49 | 643 | 6.4 | 45 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| 50-64 | 800 | 7.1 | 65 | 2 | 2 | 5 | 8 | 15 | 22 | 44 |
| 65+ | 620 | 9.9 | 85 | 2 | 2 | 7 | 13 | 20 | 27 | 50 |
| TOT. SINGLE DX | 2496 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 2983 | 6.9 | 63 | 1 | 2 | 4 | 8 | 14 | 21 | 42 |
| TOTAL 0-19 YRS | 1201 | 3.1 | 24 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 1130 | 4.3 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 29 |
| 35-49 | 1059 | 5.3 | 34 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 1276 | 5.6 | 47 | 1 | 1 | 3 | 6 | 11 | 17 | 36 |
| 65+ | 813 | 8.4 | 75 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| GRAND TOTAL | 5479 | 5.1 | 42 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 76 | 4.8 | 37 | <1 | 1 | 4 | 5 | 8 | 13 | 41 |
| 20-34 | 86 | 6.4 | 53 | 1 | 2 | 4 | 8 | 13 | 18 | 43 |
| 35-49 | 68 | 6.5 | 40 | 2 | 2 | 5 | 8 | 13 | 16 | 41 |
| 50-64 | 73 | 6.3 | 43 | 2 | 2 | 4 | 7 | 13 | 20 | 38 |
| 65+ | 43 | 8.7 | 97 | 1 | 2 | 5 | 9 | 22 | 29 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 7.0 | 72 | 2 | 2 | 5 | 7 | 15 | 20 | 54 |
| 20-34 | 147 | 8.5 | 52 | 2 | 3 | 6 | 10 | 15 | 22 | 43 |
| 35-49 | 165 | 9.5 | 73 | 2 | 3 | 7 | 11 | 18 | 30 | 45 |
| 50-64 | 241 | 10.7 | 70 | 2 | 3 | 8 | 13 | 21 | 26 | 44 |
| 65+ | 429 | 13.0 | 110 | 4 | 4 | 10 | 15 | 24 | 30 | 53 |
| TOT. SINGLE DX | 346 | 6.3 | 51 | 1 | 2 | 4 | 7 | 13 | 19 | 45 |
| " MULTIPLE DX | 1067 | 10.8 | 88 | 2 | 3 | 8 | 13 | 21 | 29 | 46 |
| TOTAL 0-19 YRS | 161 | 5.9 | 57 | 1 | 1 | 4 | 6 | 11 | 17 | 47 |
| 20-34 | 233 | 7.7 | 54 | 2 | 2 | 6 | 9 | 14 | 20 | 44 |
| 35-49 | 233 | 8.6 | 66 | 2 | 2 | 6 | 10 | 17 | 23 | 45 |
| 50-64 | 314 | 9.7 | 67 | 2 | 2 | 7 | 13 | 21 | 25 | 43 |
| 65+ | 472 | 12.6 | 110 | 3 | 4 | 10 | 15 | 24 | 30 | 51 |
| GRAND TOTAL | 1413 | 9.7 | 83 | 2 | 2 | 7 | 12 | 20 | 26 | 46 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 315 | 5.3 | 22 | 1 | 2 | 3 | 7 | 11 | 15 | 23 |
| 20-34 | 4215 | 6.0 | 26 | 1 | 2 | 4 | 8 | 13 | 16 | 24 |
| 35-49 | 5372 | 6.4 | 28 | 1 | 2 | 4 | 9 | 13 | 17 | 24 |
| 50-64 | 2985 | 6.5 | 30 | 1 | 2 | 5 | 9 | 14 | 18 | 26 |
| 65+ | 646 | 7.5 | 46 | 2 | 2 | 5 | 10 | 16 | 20 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 153 | 7.2 | 37 | 1 | 2 | 5 | 9 | 15 | 20 | 31 |
| 20-34 | 2368 | 8.9 | 52 | 2 | 2 | 7 | 12 | 18 | 23 | 35 |
| 35-49 | 3910 | 9.1 | 51 | 2 | 2 | 7 | 12 | 18 | 22 | 36 |
| 50-64 | 3605 | 10.0 | 69 | 2 | 2 | 8 | 13 | 20 | 25 | 41 |
| 65+ | 1690 | 12.2 | 105 | 2 | 3 | 9 | 16 | 26 | 32 | 51 |
| TOT. SINGLE DX | 13533 | 6.3 | 29 | 1 | 2 | 4 | 9 | 13 | 17 | 25 |
| " MULTIPLE DX | 11726 | 9.8 | 66 | 2 | 2 | 8 | 13 | 19 | 25 | 41 |
| TOTAL 0-19 YRS | 468 | 5.9 | 28 | 1 | 2 | 4 | 8 | 12 | 17 | 24 |
| 20-34 | 6583 | 7.0 | 38 | 1 | 2 | 5 | 10 | 15 | 19 | 28 |
| 35-49 | 9282 | 7.5 | 40 | 2 | 2 | 6 | 10 | 16 | 19 | 30 |
| 50-64 | 6590 | 8.4 | 55 | 2 | 2 | 6 | 11 | 18 | 22 | 36 |
| 65+ | 2336 | 10.9 | 93 | 2 | 2 | 8 | 15 | 23 | 31 | 45 |
| GRAND TOTAL | 25259 | 7.9 | 49 | 2 | 2 | 6 | 11 | 17 | 21 | 34 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 5.6 | 37 | 2 | 2 | 3 | 7 | 12 | 15 | 36 |
| 20-34 | 427 | 5.9 | 29 | 2 | 2 | 4 | 7 | 12 | 17 | 29 |
| 35-49 | 558 | 5.7 | 28 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 1047 | 5.4 | 26 | 2 | 2 | 4 | 7 | 11 | 14 | 27 |
| 65+ | 859 | 6.0 | 36 | 2 | 2 | 4 | 8 | 12 | 18 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 7.4 | 38 | 2 | 2 | 6 | 8 | 15 | 22 | 30 |
| 20-34 | 384 | 10.4 | 136 | 2 | 2 | 7 | 12 | 22 | 31 | 68 |
| 35-49 | 857 | 9.6 | 81 | 2 | 2 | 7 | 12 | 19 | 29 | 50 |
| 50-64 | 2641 | 9.4 | 83 | 2 | 2 | 7 | 12 | 19 | 25 | 48 |
| 65+ | 2937 | 10.2 | 88 | 2 | 2 | 8 | 13 | 21 | 28 | 52 |
| TOT. SINGLE DX | 2988 | 5.7 | 31 | 2 | 2 | 4 | 7 | 12 | 16 | 29 |
| " MULTIPLE DX | 6904 | 9.8 | 88 | 2 | 2 | 7 | 12 | 20 | 27 | 50 |
| TOTAL 0-19 YRS | 182 | 6.4 | 39 | 2 | 2 | 4 | 8 | 13 | 19 | 30 |
| 20-34 | 811 | 8.0 | 85 | 2 | 2 | 5 | 10 | 16 | 24 | 43 |
| 35-49 | 1415 | 8.0 | 64 | 2 | 2 | 6 | 10 | 16 | 22 | 43 |
| 50-64 | 3688 | 8.3 | 70 | 2 | 2 | 6 | 10 | 17 | 23 | 43 |
| 65+ | 3796 | 9.2 | 80 | 2 | 2 | 7 | 12 | 19 | 25 | 47 |
| GRAND TOTAL | 9892 | 8.6 | 74 | 2 | 2 | 6 | 11 | 18 | 24 | 44 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 22 | 3.9 | 16 | 1 | 2 | 2 | 3 | 10 | 15 | 17 |
| 35-49 | 211 | 3.5 | 10 | 1 | 2 | 2 | 3 | 7 | 11 | 17 |
| 50-64 | 329 | 3.3 | 6 | 2 | 2 | 2 | 3 | 7 | 10 | 13 |
| 65+ | 74 | 3.9 | 11 | 1 | 2 | 3 | 8 | 9 | 11 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 4 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 43 | 5.9 | 21 | 2 | 2 | 4 | 9 | 14 | 15 | 17 |
| 35-49 | 467 | 5.2 | 21 | 2 | 2 | 3 | 7 | 12 | 15 | 20 |
| 50-64 | 1137 | 5.4 | 24 | 1 | 2 | 3 | 8 | 13 | 16 | 23 |
| 65+ | 431 | 6.9 | 40 | 2 | 2 | 5 | 10 | 15 | 19 | 26 |
| TOT. SINGLE DX | 638 | 3.5 | 9 | 1 | 2 | 2 | 3 | 7 | 10 | 16 |
| " MULTIPLE DX | 2084 | 5.7 | 27 | 2 | 2 | 3 | 8 | 13 | 16 | 24 |
| TOTAL 0-19 YRS | 8 | 4.4 | 10 | 2 | 2 | 3 | 6 | 10 | 11 | 11 |
| 20-34 | 65 | 5.2 | 20 | 2 | 2 | 3 | 7 | 13 | 15 | 17 |
| 35-49 | 678 | 4.7 | 19 | 2 | 2 | 3 | 6 | 11 | 14 | 19 |
| 50-64 | 1466 | 4.9 | 21 | 2 | 2 | 3 | 6 | 11 | 15 | 22 |
| 65+ | 505 | 6.5 | 37 | 2 | 2 | 4 | 9 | 14 | 18 | 25 |
| GRAND TOTAL | 2722 | 5.2 | 24 | 2 | 2 | 3 | 7 | 12 | 15 | 22 |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 241 | 4.9 | 19 | 1 | 1 | 3 | 7 | 11 | 14 | 19 |
| 20-34 | 1085 | 5.9 | 22 | 1 | 2 | 5 | 9 | 12 | 14 | 19 |
| 35-49 | 1246 | 5.9 | 25 | 1 | 2 | 4 | 8 | 12 | 16 | 22 |
| 50-64 | 1815 | 5.9 | 32 | 1 | 2 | 4 | 8 | 13 | 16 | 26 |
| 65+ | 1463 | 6.1 | 36 | 1 | 2 | 4 | 8 | 13 | 16 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 196 | 8.0 | 64 | 1 | 2 | 6 | 11 | 15 | 19 | 38 |
| 20-34 | 1229 | 8.8 | 68 | 2 | 2 | 7 | 11 | 16 | 22 | 45 |
| 35-49 | 2458 | 8.7 | 59 | 2 | 2 | 7 | 12 | 18 | 23 | 38 |
| 50-64 | 5670 | 8.7 | 65 | 2 | 2 | 7 | 12 | 18 | 23 | 41 |
| 65+ | 6516 | 10.6 | 87 | 2 | 2 | 9 | 14 | 21 | 27 | 48 |
| TOT. SINGLE DX | 5850 | 5.9 | 30 | 1 | 2 | 4 | 8 | 13 | 16 | 24 |
| " MULTIPLE DX | 16069 | 9.5 | 75 | 2 | 2 | 7 | 13 | 19 | 25 | 44 |
| TOTAL 0-19 YRS | 437 | 6.3 | 42 | 1 | 2 | 4 | 8 | 14 | 16 | 33 |
| 20-34 | 2314 | 7.4 | 49 | 1 | 2 | 6 | 10 | 14 | 18 | 34 |
| 35-49 | 3704 | 7.7 | 50 | 2 | 2 | 6 | 10 | 16 | 20 | 35 |
| 50-64 | 7485 | 8.0 | 59 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| 65+ | 7979 | 9.8 | 81 | 2 | 2 | 8 | 13 | 20 | 26 | 45 |
| GRAND TOTAL | 21919 | 8.5 | 65 | 2 | 2 | 6 | 11 | 17 | 23 | 39 |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25724 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 20-34 | 32950 | 4.9 | 25 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 21299 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 18639 | 6.4 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 16144 | 7.7 | 42 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28037 | 5.3 | 36 | 1 | 1 | 4 | 6 | 10 | 14 | 33 |
| 20-34 | 44178 | 6.5 | 39 | 1 | 2 | 5 | 8 | 12 | 17 | 33 |
| 35-49 | 48917 | 7.6 | 41 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| 50-64 | 78959 | 8.7 | 50 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| 65+ | 135505 | 10.4 | 66 | 3 | 3 | 8 | 13 | 20 | 26 | 42 |
| TOT. SINGLE DX | 114756 | 5.5 | 29 | 1 | 1 | 4 | 7 | 11 | 14 | 28 |
| " MULTIPLE DX | 335596 | 8.7 | 56 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| TOTAL 0-19 YRS | 53761 | 4.7 | 28 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 20-34 | 77128 | 5.8 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 70216 | 7.0 | 38 | 2 | 2 | 5 | 9 | 13 | 18 | 32 |
| 50-64 | 97598 | 8.3 | 48 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |
| 65+ | 151649 | 10.2 | 65 | 2 | 3 | 8 | 13 | 19 | 25 | 42 |
| GRAND TOTAL | 450352 | 7.9 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 36 |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8123 | 8.1 | 134 | 1 | 2 | 4 | 7 | 20 | 32 | 67 |
| 20-34 | 7580 | 9.4 | 89 | 2 | 2 | 6 | 11 | 20 | 28 | 49 |
| 35-49 | 6521 | 9.1 | 61 | 2 | 3 | 7 | 11 | 18 | 24 | 40 |
| 50-64 | 5326 | 9.2 | 63 | 2 | 3 | 7 | 12 | 18 | 23 | 41 |
| 65+ | 4296 | 10.5 | 79 | 2 | 3 | 8 | 13 | 20 | 27 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7672 | 8.6 | 115 | 2 | 2 | 5 | 9 | 19 | 31 | 64 |
| 20-34 | 9196 | 10.0 | 92 | 2 | 3 | 7 | 12 | 21 | 29 | 52 |
| 35-49 | 10709 | 9.9 | 67 | 2 | 3 | 8 | 12 | 19 | 26 | 43 |
| 50-64 | 15631 | 10.5 | 71 | 3 | 3 | 8 | 13 | 19 | 25 | 44 |
| 65+ | 27887 | 12.6 | 89 | 3 | 4 | 10 | 16 | 24 | 30 | 50 |
| TOT. SINGLE DX | 31846 | 9.1 | 90 | 1 | 2 | 6 | 11 | 19 | 27 | 50 |
| " MULTIPLE DX | 71095 | 10.9 | 87 | 2 | 3 | 8 | 14 | 21 | 29 | 50 |
| TOTAL 0-19 YRS | 15795 | 8.3 | 125 | 1 | 2 | 5 | 8 | 20 | 31 | 65 |
| 20-34 | 16776 | 9.7 | 91 | 2 | 2 | 7 | 12 | 21 | 29 | 50 |
| 35-49 | 17230 | 9.6 | 65 | 2 | 3 | 7 | 12 | 19 | 25 | 42 |
| 50-64 | 20957 | 10.2 | 70 | 2 | 3 | 8 | 13 | 19 | 25 | 44 |
| 65+ | 32183 | 12.3 | 89 | 3 | 4 | 10 | 15 | 23 | 30 | 49 |
| GRAND TOTAL | 102941 | 10.4 | 89 | 2 | 3 | 8 | 13 | 21 | 28 | 50 |

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

# *ICD-9-CM* Codes for Selected Operation Groups

## *ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 | Incidental |
| | Arteriography |
| 757 | Aorta |
| 755 | Cerebral |
| 756 | Coronary |
| 757 | Femoral |
| 755 | Head |
| 756 | Heart |
| 757 | Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 | Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 699 | Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
| | Artificial |
| 686 | Insemination |
| 690 | Rupture of membranes for delivery |
| | Aspiration |
| 752 | Breast, except for biopsy |
| 742 | Biopsy |
| 741 | Bursa |
| 682 | Cul-de-sac |
| 677 | Curettage, uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 651 | Hydrocele, except of spermatic cord |
| 656 | Spermatic cord |
| 632 | Kidney |
| 614 | Liver, percutaneous, except for biopsy |
| 615 | Biopsy |
| 537 | Middle ear |
| 546 | Nasal sinus |
| 663 | Ovary |
| 752 | Skin |
| 656 | Spermatocele |
| 529 | Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
| | Cardiac |
| 573 | Catheterization |
| 764 | Function tests |
| | Massage |
| 763 |   Closed |
| 575 |   Open |
| 574 | Pacemaker insertion or replacement |
| 575 | Revascularization, except coronary bypass |
| 572 |   Coronary bypass |
| 764 | Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 | Intracapsular |
| | Catheterization |
| 647 | Bladder, except suprapubic approach |
| 638 |   Suprapubic approach |
| 581 | Blood vessel |
| 573 | Cardiac |
| 645 | Ureteral |
| 647 | Urethral, indwelling |
| 587 | Vein, except umbilical |
| 581 |   Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 | Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
| | Closure |
| 617 | Cholecystostomy |
| 601 | Colostomy |
| | Fistula – *see Fistulectomy* |
| 596 | Gastric anastomosis |
| 601 | Sigmoidostomy |
| 570 | Thoracostomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

### 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17801 | 4.4 | 21 | 1 | 2 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 8729 | 5.4 | 43 | 1 | 1 | 4 | 6 | 10 | 16 | 36 |
| 35-49 | 6074 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| 50-64 | 6507 | 7.1 | 39 | 1 | 2 | 5 | 9 | 14 | 17 | 30 |
| 65+ | 6299 | 8.3 | 50 | 2 | 2 | 6 | 11 | 16 | 20 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23180 | 5.6 | 43 | 1 | 2 | 4 | 6 | 10 | 15 | 38 |
| 20-34 | 13407 | 6.7 | 58 | 1 | 2 | 5 | 8 | 13 | 20 | 43 |
| 35-49 | 15953 | 7.7 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 50-64 | 30407 | 8.8 | 54 | 2 | 3 | 7 | 11 | 17 | 21 | 39 |
| 65+ | 58714 | 10.5 | 69 | 3 | 3 | 8 | 13 | 20 | 26 | 43 |
| TOT. SINGLE DX | 45410 | 5.8 | 37 | 1 | 2 | 4 | 7 | 12 | 15 | 31 |
| " MULTIPLE DX | 141661 | 8.7 | 62 | 2 | 2 | 6 | 11 | 17 | 23 | 41 |
| TOTAL 0-19 YRS | 40981 | 5.1 | 35 | 1 | 2 | 4 | 6 | 8 | 12 | 33 |
| 20-34 | 22136 | 6.2 | 53 | 1 | 1 | 4 | 7 | 12 | 18 | 40 |
| 35-49 | 22027 | 7.4 | 45 | 1 | 2 | 5 | 9 | 15 | 19 | 35 |
| 50-64 | 36914 | 8.5 | 53 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| 65+ | 65013 | 10.3 | 68 | 2 | 3 | 8 | 13 | 20 | 25 | 43 |
| GRAND TOTAL | 187071 | 8.0 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |

# OPERATION INDEX (continued)

**Group Number** **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 | Peripheral nerve |
| 511 | Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage — *see also Incision (and drainage)* |
| 647 | Bladder, except surgical approach |
| 638 | Surgical approach (suprapubic) |
| 569 | Chest |
| 537 | Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 | Bladder |
| 567 | Bronchus |
| 619 | Colon, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 682 | Cul-de-sac, except for tubal ligation |
| 664 | Tubal ligation |
| 589 | Esophagus |
| 589 | Gastric, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 576 | Larynx |
| 628 | Peritoneum |
| 557 | Pharynx |
| 609 | Small intestine |
| 589 | Stomach, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 570 | Thorax, transpleural |
| 636 | Urethra |
| 679 | Uterus |
| 686 | Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 | With low forceps delivery |
| 689 | With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 | Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 | Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 | Eyeball |
| 673 | Pelvic |
|  | Examination |
| 764 | Eye |
| 764 | General physical |
| 764 | Gynecologic |
| 764 | Pelvic |
| 761 | Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 | Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 | Anal fistula |
| 727 | Baker's cyst |
| 705 | Bone, except facial |
| 699 | Facial, except partial |
| 698 | Partial |
| 556 | Branchial cleft cyst |
| 704 | Bunion |
| 517 | Chalazion, eyelid |
| 599 | Colon |
| 665 | Fallopian tubes, bilateral, except endoscopic approach |
| 664 | Endoscopic approach |
| 670 | Fibroid, uterine |
| 616 | Gallbladder |
| 508 | Ganglion, except of tendon |
| 727 | Tendon (of hand) |
| 612 | Hemorrhoids |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision (continued) |
| | Hydrocele |
| 679 | Round ligament |
| 656 | Spermatic cord |
| 651 | Tunica vaginalis |
| 717 | Intervertebral disc or cartilage |
| 719 | Joint, except intervertebral disc and cartilage of knee |
| 717 | Intervertebral disc |
| 718 | Knee cartilage |
| 631 | Kidney, except partial |
| 632 | Partial |
| 718 | Knee cartilage (semilunar) |
| 582 | Lymph nodes, except radical |
| 583 | Radical |
| 508 | Neuroma, peripheral nerve |
| | Ovary |
| 662 | Bilateral |
| 661 | Unilateral |
| 550 | Parotid gland |
| 746 | Pilonidal cyst or sinus |
| 515 | Pituitary gland |
| 649 | Prostate, except transurethral approach |
| 648 | Transurethral approach |
| 522 | Pterygium |
| 747 | Sebaceous cyst, except of eyelid |
| 517 | Eyelid, eyebrow |
| 718 | Semilunar cartilage, knee |
| 586 | Spleen |
| 514 | Thyroglossal duct or tract |
| 513 | Thyroid |
| 751 | Toenail |
| 552 | Tongue |
| 553 | Tonsil, except with adenoids |
| 554 | With adenoids |
| 556 | Tonsil tag |
| | Tubes and ovaries |
| 662 | Bilateral |
| 661 | Unilateral |
| 670 | Uterine fibroid |
| 577 | Varicocele, except of spermatic cord |
| 656 | Spermatic cord |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 | Breech, for delivery |
| 547 | Dental |
| 686 | Menstrual |
| 547 | Teeth |
| 689 | Vacuum, for delivery |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 | Hand |
| 726 | Fasciotomy, except of hand |
| 728 | Hand |
| | Fistulectomy |
| 610 | Anal |
| 638 | Bladder |
| 556 | Branchial cleft |
| 564 | Bronchus |
| 601 | Intestine |
| 542 | Nasal |
| 542 | Nasolabial |
| 546 | Oroantral |
| 609 | Perirectal |
| 556 | Pharynx |
| 640 | Rectourethral |
| 679 | Rectouterine |
| 681 | Rectovaginal |
| 638 | Rectovesical |
| 609 | Rectum |
| 562 | Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| | With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 | Low forceps |
| | Formation |
| 581 | Arteriovenous shunt for dialysis |
| 634 | Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 | Facial bone, except closed reduction |
| 700 | Closed reduction |
| | Femur |
| 710 | Closed, except with internal fixation |
| 708 | With internal fixation |
| 710 | Open, except with internal fixation |
| 709 | With internal fixation |
| 701 | Mandible, except closed reduction |
| 700 | Closed reduction |
| 701 | Maxillofacial, except closed reduction |
| 700 | Closed reduction |
| 544 | Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 | Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 | Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 | Total |
| 589 | Gastroscopy, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 | Bone, except facial and skull |
| 702 | Facial |
| 503 | Skull |
| 749 | Free, of skin |
| 552 | Lip |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 750 | Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| |   Skin |
| 749 |     Free |
| 750 |     Pedicle |
| 731 |   Tendon, except of hand |
| 729 |     Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 |   Diaphragmatic |
| 624 |   Epigastric |
| 622 |   Femoral |
| 624 |   Incisional |
| |   Inguinal |
| 621 |     Bilateral |
| 620 |     Unilateral |
| 623 |   Umbilical |
| 624 |   Ventral |
| 723 | Hip replacement, except total |
| 722 |   Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 |   Radical |
| 672 |   Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 |   Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 |   Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 |   Breast |
| 740 |   Limb prosthesis |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus — *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 | Retroperitoneal abscess |
| 651 | Scrotum |
| | Sinus (nasal) – *see Sinusotomy* |
| 748 | Skin, except pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 506 | Spinal meninges |
| 726 | Tendon |
| 569 | Thorax |
| 633 | Ureter |
| 682 | Vagina |
| 683 | Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 | Intra-amniotic, for termination of pregnancy |
| 763 | Therapeutic agent (drugs) |
| 745 | Breast |
| 741 | Bursa |
| 741 | Joint |
| 741 | Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 | Cardiac pacemaker |
| 686 | Intrauterine contraceptive device |
| 679 | Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | |
| | Laceration repair (suture) – *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 | Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 | Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 | Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 | Intracapsular |
|  | Ligation |
| 665 | Fallopian tubes (bilateral), except endoscopic approach |
| 664 | Endoscopic approach |
| 612 | Hemorrhoids |
| 577 | Varicose veins |
| 655 | Vas deferens |
| 577 | Ligation and stripping, varicose veins |
|  | Lobectomy |
| 501 | Brain |
| 615 | Liver |
| 566 | Lung, except partial |
| 565 | Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
|  | Lysis, adhesions |
| 630 | Abdominal |
| 741 | Hand |
| 524 | Iris |
| 716 | Joint |
| 731 | Muscle, except of hand |
| 741 | Hand |
| 630 | Pelvis |
| 630 | Peritoneum |
| 731 | Tendon, except of hand |
| 741 | Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 | Partial |
| 699 | Mandibulotomy |
|  | Mastectomy |
| 743 | Complete |
| 743 | Simple, except extended |
| 744 | Extended |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 759 | Radiation therapy |
| | Radiography |
| 757 | Arteries, except cerebral and coronary |
| 755 | Cerebral |
| 756 | Coronary |
| 758 | Breast |
| 755 | Cerebral |
| 755 | Arteries |
| 753 | Ventricles |
| 758 | Chest |
| 758 | Gallbladder |
| 758 | Kidney |
| 758 | Skeletal |
| 758 | Spine, except myelogram |
| 754 | Myelogram |
| 757 | Veins |
| | Reattachment |
| 738 | Extremity |
| 528 | Retina |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 530 | Recession, ocular muscle |
| | Reconstruction |
| 535 | Ear ossicles |
| 699 | Mandible |
| 729 | Thumb |
| 680 | Rectocele repair |
| | Reduction |
| | Dislocation, except temporomandibular |
| 714 | Closed |
| 715 | Open |
| 702 | Temporomandibular (joint) |
| | Fracture, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |
| 701 | Facial bone, except closed reduction |
| 700 | Closed reduction |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Reduction (continued) |
| |   Femur |
| 710 |    Closed, except with internal fixation |
| 708 |     With internal fixation |
| 710 |    Open, except with internal fixation |
| 709 |     With internal fixation |
| 701 |   Mandible, except closed reduction |
| 700 |    Closed reduction |
| 701 |   Maxillofacial, except closed reduction |
| 700 |    Closed reduction |
| 544 |   Nose |
| 619 |  Hemorrhoids |
| |  Hernia – *see also Herniorrhaphy* |
| 764 |   Manual |
| 601 |  Intestinal torsion |
| 601 |  Intussusception, intestine |
| 745 |  Mammoplasty |
| 601 |  Volvulus, intestine |
| | Release |
| |  Adhesions – *see Lysis, adhesions* |
| 728 |  Dupuytren's contracture |
| 749 |  Scar contracture, skin |
| 642 |  Urethral stricture |
| | Removal |
| |  Calculus |
| 617 |   Biliary tract |
| 638 |   Bladder |
| 632 |   Kidney, except transurethral approach |
| 635 |    Transurethral approach |
| 519 |   Lacrimal tract (by incision) |
| 533 |    Without incision |
| 633 |   Ureter, except transurethral approach |
| 635 |    Transurethral approach |
| 764 |  Catheter, nonoperatively |
| 764 |  Cholecystotomy tube |
| 693 |  Ectopic fetus |
| 707 |  Fixation device, internal |
| |  Foreign body |
| 762 |   Bronchus, except with incision |
| 563 |    With incision |
| 532 |   Eye, except as below |
| 524 |    Anterior chamber |
| 520 |    Conjunctiva |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Removal (continued) |
| 524 | Iris |
| 527 | Lens |
| | Prosthesis |
| 745 | Breast |
| 716 | Joint |
| 697 | Retained placenta, manually |
| 764 | Sutures |
| 764 | T-tube, gallbladder |
| 764 | Therapeutic device, nonoperatively |
| 529 | Vitreous |
| 580 | Renal dialysis |
| | Repair |
| 630 | Abdominal wall |
| 613 | Anal fistula, except by excision |
| 610 | Excision |
| 581 | Aneurysm (arteriovenous) |
| 638 | Bladder, except obstetric laceration |
| 697 | Obstetric laceration |
| 518 | Blepharoptosis |
| 581 | Blood vessel |
| 706 | Bone, except facial |
| 699 | Facial |
| 745 | Breast |
| 564 | Bronchial fistula |
| 704 | Bunion |
| 571 | Cardiac septal defect |
| 669 | Cervix, except obstetric laceration |
| 697 | Obstetric laceration |
| 570 | Chest wall |
| 551 | Cleft palate |
| 520 | Conjunctiva |
| 522 | Cornea, except transplant |
| 521 | Transplant |
| 680 | Cystocele, vagina |
| 730 | Diastasis recti |
| 534 | Ear, external |
| 518 | Ectropion or entropion, eyelid |
| 697 | Episiotomy |
| 518 | Eyelid |
| | Fistula – *see Fistulectomy* |
| 704 | Hallux valgus |
| 729 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| | Hernia – *see Herniorrhaphy* |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| | Hydrocephalus, by ventricular shunt |
| 504 | Extracranial |
| 505 | Intracranial (ventriculostomy) |
| 601 | Intestine |
| 725 | Joint, except hip and knee |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 724 | Knee (joint) |
| | Laceration – *see also Repair, by site* |
| 697 | Obstetric |
| 562 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 568 | Lung |
| 731 | Muscle, except extraocular and of hand |
| 531 | Extraocular |
| 729 | Hand |
| 556 | Nasopharyngeal atresia |
| 542 | Nose |
| 663 | Ovary |
| 551 | Palate |
| 658 | Penis |
| 685 | Perineum, female, except obstetric laceration |
| 697 | Obstetric laceration |
| 509 | Peripheral nerve |
| 596 | Pylorus, stomach |
| 680 | Rectocele, vagina |
| 609 | Rectum |
| 528 | Retinal detachment or tear |
| 730 | Rotator-cuff (shoulder) |
| 503 | Skull |
| 507 | Spina bifida |
| 507 | Spinal meningocele |
| 596 | Stomach |
| 644 | Stress incontinence, except urethral suspension |
| 643 | Urethral suspension |
| 731 | Tendon, except of hand |
| 729 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 | Testis |
| 562 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterus, except obstetric laceration and supporting structures |
| 697 | Obstetric laceration |
| 678 | Supporting structures |
| 681 | Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 | Cystocele and rectocele |
| 697 | Obstetric laceration |
| 552 | Vestibular arch (mouth) |
| 685 | Vulva, except obstetric laceration |
| 697 | Obstetric laceration |
| | Replacement |
| 574 | Cardiac pacemaker |
| 571 | Heart valve |
| 725 | Joint, except hip and knee |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 647 | Urinary catheter |
| | Resection |
| 638 | Bladder |
| 581 | Blood vessel |
| 564 | Bronchus |
| 599 | Large intestine |
| 730 | Muscle, except of hand |
| 728 | Hand |
| 541 | Nasal septum, submucous |
| 530 | Ocular muscle |
| 660 | Ovary |
| 608 | Rectum (abdominoperineal) (pull-through) |
| 549 | Root of tooth |
| 598 | Small intestine |
| 730 | Tendon, except of hand |
| 728 | Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 | Amputation stump |
| 581 | Arteriovenous shunt for dialysis |
| 596 | Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 | Intestinal anastomosis |
| 539 | Mastoidectomy |
| 562 | Tracheostomy |
| 539 | Tympanoplasty |
| 505 | Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | Salpingectomy |
| 665 | Bilateral |
| 666 | Unilateral |
| | Salpingo-oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 | C.A.T. (computerized axial tomography) |
| 758 | Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 | Cerebral ventricles, except intracranial and revision |
| 505 | Intracranial |
| 505 | Revision |
| 578 | Peripheral vessels |
| 630 | Peritoneovenous |
| 578 | Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 | Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 | Breast |
| | Sphincterotomy |
| 617 | Ampullary (of Vater) (pancreas) |
| 613 | Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| | Stress incontinence repair, except by |
| 644 | urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture – *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 |   Hysterotomy |
| 694 |   Intra-amniotic injection |
| | Therapy |
| 761 |   Behavior |
| 763 |   Cancer (chemical) |
| 761 |   Electroconvulsive (ECT) |
| 760 |   Occupational |
| 760 |   Physical |
| 761 |   Psychiatric |
| 759 |   Radiation |
| 760 |   Rehabilitation |
| 761 |   Shock (EST) |
| 760 |   Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 |   With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 |   Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| |   With fracture-reduction – *see Reduction, fracture* |
| | Transfer – *see Transplant* |
| | Transfusion |
| 763 |   Blood |
| 763 |     Exchange, except intrauterine |
| 696 |       Intrauterine |
| 585 |   Bone marrow |
| 763 |   Coagulation factor |
| 763 |   Gamma globulin |
| 763 |   Plasma |
| | Transplant, transplantation |
| 585 |   Bone marrow |
| 521 |   Corneal |
| 571 |   Heart |
| 632 |   Kidney |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | X-ray – *see Radiography* |
| 751 | Z-plasty, skin |

R3850-1.5(U)A

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

DX

# LENGTH OF STAY BY DIAGNOSIS

## UNITED STATES

## Northeastern REGION



## 1981

# Length of Stay by Diagnosis, Northeastern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963 and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
  Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . . . 5
  Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17
  Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . . 18
  Summary of All Patients Except Newborn . . . . . . . . . . . . . . . . . . . . . 19
  Diagnosis Groups 1-398 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 20
**Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups** . . . . . . . . . . . . 219
**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
North Central
Northeast
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

### Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening*,[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.* | | | |
| *a. acute myocardial infarction* | | | |
| *b. dissecting aortic aneurysm* | | | |
| *c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (≫30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| Cholelithiasis | 2 | | 215 |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.



DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| **215** | **Cholelithiasis** |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** **INDEX TO DISEASES**

**Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  chronic nonsuppurative destructive 571.6
  nonsuppurative destructive (chronic) 571.6
**Cholecystdocholithiasis** — *see* Choledocholithiasis
**Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with
    calculus, stones in
      bile duct (common) (hepatic) 574.4
      gallbladder 574.1
    choledocholithiasis 574.4
    cholelithiasis 574.1
  acute 575.0
    with
      calculus, stones in
        bile duct (common) (hepatic) 574.3
        gallbladder 574.0
      choledocholithiasis 574.3
      cholelithiasis 574.0
  emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  gangrenous *(see also* Cholecystitis, acute) 575.0
  paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  suppurative *(see also* cholecystitis, acute) 575.0
  typhoidal 002.0
**Choledochitis** (suppurative) 576.1
**Choledocholith** — *see* Choledocholithiasis
**Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.4
    acute 574.3
**Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  with cholecystitis (chronic) 574.1
    acute 574.0
**Cholemia** *(see also* Jaundice) 782.4
  familial 277.4
  Gilbert's (familial nonhemolytic) 277.4
**Cholemic gallstone** — *see* Cholelithiasis
**Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
**Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  antimonial 985.4
  carrier (suspected) of V02.0
  classical 001.0
  contact V01.0
  due to
    Vibrio
      cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        El Tor 001.1
  El Tor 001.1
  exposure to V01.0
  vaccination, prophylactic (against) V03.0
**Cholerine** *(see also* Cholera) 001.9
**Cholestasis** *(see also* Disease, gallbladder) 575.8
**Cholesteatoma** (ear) 385.30
  attic (primary) 385.31
  diffuse 385.35
  external ear (canal) 380.21
  marginal (middle ear) 385.32
    with involvement of mastoid cavity 385.33
    secondary (with middle ear involvement) 385.33
  mastoid cavity 385.30
  middle ear 385.30
    secondary 385.32
      with involvement of mastoid cavity 385.33
  postmastoidectomy cavity (recurrent) 383.32
  primary 385.31
  recurrent, postmastoidectomy cavity 383.32
  secondary (middle ear) 385.32
    with involvement of mastoid cavity 385.33
**Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | **129430** | **9.5** | **38** | **3** | **4** | **8** | **11** | **16** | **20** | **33** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158747 | 3.7 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 137151 | 4.4 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 35-49 | 50358 | 6.2 | 43 | 1 | 1 | 4 | 7 | 13 | 17 | 34 |
| 50-64 | 45133 | 7.1 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 65+ | 42982 | 8.5 | 71 | 1 | 2 | 6 | 11 | 17 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 92922 | 3.1 | 13 | <1 | <1 | 2 | 4 | 6 | 8 | 18 |
| 20-34 | 182120 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 87329 | 4.6 | 24 | <1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 50-64 | 82357 | 6.1 | 41 | 1 | 2 | 4 | 8 | 13 | 18 | 31 |
| 65+ | 74289 | 7.9 | 73 | 1 | 2 | 5 | 10 | 18 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103488 | 5.1 | 36 | 1 | 2 | 4 | 6 | 9 | 13 | 32 |
| 20-34 | 75612 | 6.7 | 58 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |
| 35-49 | 80196 | 7.9 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 50-64 | 152521 | 9.1 | 69 | 2 | 2 | 7 | 11 | 18 | 23 | 45 |
| 65+ | 302901 | 11.9 | 120 | 2 | 3 | 9 | 15 | 23 | 33 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46428 | 5.4 | 76 | <1 | 1 | 3 | 6 | 11 | 19 | 53 |
| 20-34 | 129961 | 5.8 | 48 | <1 | 1 | 4 | 7 | 10 | 16 | 39 |
| 35-49 | 98532 | 7.6 | 78 | 1 | 1 | 5 | 9 | 16 | 23 | 50 |
| 50-64 | 127535 | 10.9 | 133 | 2 | 2 | 8 | 14 | 24 | 33 | 68 |
| 65+ | 183337 | 15.5 | 215 | 2 | 3 | 11 | 21 | 35 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 434371 | 5.0 | 33 | 1 | 1 | 3 | 5 | 10 | 14 | 30 |
| B. *Operated* | 519017 | 4.7 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 714718 | 9.3 | 89 | 1 | 2 | 7 | 12 | 19 | 26 | 57 |
| B. *Operated* | 585793 | 10.2 | 142 | 1 | 2 | 6 | 13 | 24 | 35 | 73 |
| **1. SINGLE DX** | 953388 | 4.9 | 32 | <1 | 1 | 3 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | 1300511 | 9.7 | 113 | 1 | 2 | 7 | 12 | 21 | 30 | 65 |
| **A. NOT OPERATED** | 1149089 | 7.7 | 72 | 1 | 2 | 5 | 9 | 16 | 22 | 48 |
| **B. OPERATED** | 1104810 | 7.6 | 97 | <1 | 1 | 4 | 9 | 18 | 26 | 57 |
| TOTAL 0-19 YRS | 401585 | 4.1 | 27 | <1 | 1 | 3 | 5 | 7 | 10 | 27 |
| 20-34 | 524844 | 4.8 | 34 | <1 | 1 | 3 | 6 | 9 | 13 | 30 |
| 35-49 | 316415 | 6.6 | 54 | 1 | 1 | 5 | 8 | 14 | 19 | 38 |
| 50-64 | 407546 | 8.8 | 84 | 1 | 2 | 6 | 11 | 18 | 25 | 50 |
| 65+ | 603509 | 12.3 | 146 | 2 | 3 | 9 | 15 | 26 | 37 | 81 |
| **GRAND TOTAL** | **2253899** | **7.7** | **85** | **1** | **1** | **5** | **9** | **17** | **24** | **53** |

300 Hospitals, Northeastern Region, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89599 | 3.9 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 20-34 | 137151 | 4.4 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 35-49 | 50358 | 5.2 | 43 | 1 | 1 | 4 | 7 | 13 | 17 | 34 |
| 50-64 | 45133 | 7.1 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 65+ | 42982 | 8.5 | 71 | 1 | 2 | 6 | 11 | 17 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 92886 | 3.1 | 13 | <1 | <1 | 2 | 4 | 6 | 8 | 18 |
| 20-34 | 182120 | 3.7 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 87329 | 4.6 | 24 | <1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 50-64 | 82357 | 6.1 | 41 | 1 | 2 | 4 | 8 | 13 | 18 | 31 |
| 65+ | 74289 | 7.9 | 73 | 1 | 2 | 5 | 10 | 18 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67870 | 4.9 | 39 | 1 | 1 | 3 | 6 | 9 | 13 | 33 |
| 20-34 | 75612 | 6.7 | 58 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |
| 35-49 | 80196 | 7.9 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 50-64 | 152521 | 9.1 | 69 | 2 | 2 | 7 | 11 | 18 | 23 | 45 |
| 65+ | 302901 | 11.9 | 120 | 2 | 3 | 9 | 15 | 23 | 33 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45498 | 5.1 | 65 | <1 | 1 | 3 | 5 | 11 | 17 | 48 |
| 20-34 | 129961 | 5.8 | 48 | <1 | 1 | 4 | 7 | 10 | 16 | 39 |
| 35-49 | 98532 | 7.6 | 78 | 1 | 1 | 5 | 9 | 16 | 23 | 50 |
| 50-64 | 127535 | 10.9 | 133 | 2 | 2 | 8 | 14 | 24 | 33 | 68 |
| 65+ | 183337 | 15.5 | 215 | 2 | 3 | 11 | 21 | 35 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 365223 | 5.3 | 39 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| B. *Operated* | 518981 | 4.7 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 679100 | 9.5 | 92 | 1 | 2 | 7 | 12 | 19 | 27 | 58 |
| B. *Operated* | 584863 | 10.2 | 141 | 1 | 2 | 6 | 13 | 24 | 35 | 73 |
| **1. SINGLE DX** | 884204 | 5.0 | 34 | <1 | 1 | 3 | 6 | 10 | 15 | 29 |
| **2. MULTIPLE DX** | 1263963 | 9.8 | 115 | 1 | 2 | 7 | 12 | 21 | 31 | 66 |
| **A. NOT OPERATED** | 1044323 | 8.0 | 77 | 1 | 2 | 5 | 10 | 17 | 23 | 50 |
| **B. OPERATED** | 1103844 | 7.6 | 97 | <1 | 1 | 4 | 9 | 18 | 26 | 57 |
| TOTAL 0-19 YRS | 295853 | 4.0 | 31 | <1 | 1 | 3 | 4 | 8 | 11 | 28 |
| 20-34 | 524844 | 4.8 | 34 | <1 | 1 | 3 | 6 | 9 | 13 | 30 |
| 35-49 | 316415 | 6.6 | 54 | 1 | 1 | 5 | 8 | 14 | 19 | 38 |
| 50-64 | 407546 | 8.8 | 84 | 1 | 2 | 6 | 11 | 18 | 25 | 50 |
| 65+ | 603509 | 12.3 | 146 | 2 | 3 | 9 | 15 | 26 | 37 | 81 |
| **GRAND TOTAL** | 2148167 | 7.8 | 87 | 1 | 1 | 5 | 9 | 17 | 25 | 54 |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2069 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 762 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 281 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 50-64 | 191 | 4.4 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 164 | 4.9 | 16 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 7.1 | 23 | 2 | 3 | 6 | 9 | 10 | 19 | 25 |
| 20-34 | 58 | 6.7 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 23 |
| 35-49 | 20 | 6.0 | 26 | 1 | 2 | 4 | 7 | 11 | 18 | 24 |
| 50-64 | 15 | 11.3 | 48 | 3 | 5 | 10 | 15 | 20 | 27 | 29 |
| 65+ | 8 | 16.4 | 71 | 2 | 4 | 16 | 23 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1852 | 4.2 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 20-34 | 599 | 4.4 | 11 | 1 | 2 | 3 | 6 | 9 | 10 | 17 |
| 35-49 | 392 | 5.1 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |
| 50-64 | 486 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 15 | 23 |
| 65+ | 885 | 7.9 | 48 | 2 | 3 | 6 | 9 | 15 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 8.0 | 85 | 1 | 2 | 6 | 8 | 15 | 26 | 50 |
| 20-34 | 59 | 8.4 | 34 | 2 | 3 | 7 | 10 | 15 | 22 | 30 |
| 35-49 | 50 | 13.4 | 192 | 3 | 4 | 9 | 18 | 30 | 36 | 99+ |
| 50-64 | 48 | 11.1 | 63 | 4 | 4 | 9 | 13 | 19 | 23 | 50 |
| 65+ | 62 | 16.5 | 132 | 4 | 6 | 14 | 21 | 35 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3467 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 134 | 7.8 | 31 | 2 | 3 | 6 | 9 | 14 | 22 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4214 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| B. *Operated* | 250 | 11.9 | 111 | 3 | 4 | 9 | 16 | 24 | 34 | 99 |
| **1. SINGLE DX** | 3601 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 4464 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 7681 | 4.6 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 384 | 10.4 | 87 | 2 | 3 | 8 | 12 | 21 | 28 | 77 |
| TOTAL 0-19 YRS | 3985 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1478 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 743 | 5.3 | 28 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 740 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 16 | 24 |
| 65+ | 1119 | 8.0 | 54 | 2 | 2 | 6 | 9 | 16 | 22 | 42 |
| **GRAND TOTAL** | **8065** | **4.9** | **20** | **1** | **2** | **4** | **6** | **9** | **12** | **23** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 8.1 | 37 | 3 | 3 | 5 | 12 | 17 | 21 | 24 |
| 20-34 | 44 | 16.4 | 134 | 4 | 5 | 13 | 22 | 32 | 34 | 62 |
| 35-49 | 50 | 19.5 | 155 | 3 | 5 | 16 | 29 | 37 | 41 | 58 |
| 50-64 | 23 | 17.3 | 137 | 5 | 7 | 15 | 21 | 31 | 46 | 54 |
| 65+ | 36 | 13.4 | 104 | 1 | 2 | 11 | 19 | 29 | 30 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.0 | 18 | 4 | 4 | 9 | 10 | 15 | 16 | 16 |
| 20-34 | 23 | 19.0 | 250 | 1 | 2 | 14 | 26 | 45 | 54 | 59 |
| 35-49 | 27 | 12.1 | 89 | 2 | 2 | 9 | 18 | 32 | 41 | 99+ |
| 50-64 | 33 | 16.5 | 178 | 3 | 5 | 12 | 20 | 40 | 49 | 58 |
| 65+ | 24 | 16.1 | 227 | 2 | 2 | 13 | 18 | 28 | 58 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.8 | 13 | 2 | 2 | 7 | 9 | 12 | 14 | 14 |
| 20-34 | 49 | 20.5 | 272 | 3 | 5 | 16 | 25 | 44 | 55 | 80 |
| 35-49 | 80 | 22.7 | 327 | 3 | 6 | 17 | 32 | 51 | 74 | 99+ |
| 50-64 | 87 | 21.7 | 284 | 5 | 6 | 16 | 30 | 56 | 71 | 99+ |
| 65+ | 108 | 19.5 | 237 | 3 | 5 | 16 | 26 | 43 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.0 | 19 | 7 | 7 | 14 | 15 | 15 | 15 | 15 |
| 20-34 | 28 | 25.6 | 529 | 3 | 7 | 17 | 31 | 55 | 85 | 99 |
| 35-49 | 47 | 19.0 | 94 | 3 | 7 | 18 | 25 | 35 | 39 | 99+ |
| 50-64 | 64 | 20.1 | 268 | 4 | 5 | 17 | 24 | 51 | 80 | 99+ |
| 65+ | 84 | 26.8 | 352 | 4 | 8 | 23 | 36 | 51 | 61 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 15.8 | 133 | 3 | 4 | 13 | 22 | 31 | 39 | 57 |
| B. *Operated* | 113 | 15.5 | 176 | 2 | 3 | 11 | 20 | 35 | 51 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 334 | 20.6 | 274 | 3 | 5 | 16 | 28 | 46 | 68 | 99+ |
| B. *Operated* | 226 | 22.9 | 301 | 4 | 7 | 19 | 31 | 44 | 61 | 99+ |
| **1. SINGLE DX** | 286 | 15.7 | 149 | 2 | 3 | 13 | 21 | 32 | 41 | 61 |
| **2. MULTIPLE DX** | 560 | 21.5 | 286 | 3 | 6 | 17 | 29 | 45 | 67 | 99+ |
| **A. NOT OPERATED** | 507 | 19.0 | 231 | 3 | 4 | 15 | 25 | 41 | 56 | 99+ |
| **B. OPERATED** | 339 | 20.4 | 271 | 3 | 5 | 16 | 26 | 42 | 57 | 99+ |
| TOTAL 0-19 YRS | 39 | 8.2 | 27 | 3 | 3 | 7 | 11 | 15 | 17 | 24 |
| 20-34 | 144 | 20.0 | 280 | 3 | 5 | 15 | 26 | 42 | 55 | 85 |
| 35-49 | 204 | 19.7 | 209 | 2 | 5 | 17 | 27 | 40 | 56 | 99+ |
| 50-64 | 207 | 19.9 | 247 | 4 | 6 | 15 | 25 | 46 | 67 | 99+ |
| 65+ | 252 | 20.7 | 276 | 3 | 4 | 17 | 28 | 43 | 55 | 99 |
| **GRAND TOTAL** | **846** | **19.6** | **247** | **3** | **5** | **15** | **25** | **41** | **57** | **99+** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.7 | 5 | 14 | 14 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 5 | 7.2 | 55 | 2 | 2 | 4 | 10 | 20 | 20 | 20 |
| 35-49 | 5 | 5.8 | 41 | 1 | 1 | 3 | 8 | 17 | 17 | 17 |
| 50-64 | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 65+ | 4 | 8.5 | 55 | 2 | 2 | 6 | 13 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.3 | 234 | <1 | <1 | 2 | 10 | 35 | 49 | 49 |
| 20-34 | 13 | 8.8 | 98 | 1 | 2 | 4 | 16 | 23 | 30 | 32 |
| 35-49 | 12 | 13.0 | 119 | 2 | 3 | 7 | 22 | 30 | 31 | 31 |
| 50-64 | 14 | 17.4 | 443 | 2 | 2 | 11 | 20 | 35 | 74 | 85 |
| 65+ | 9 | 9.1 | 65 | <1 | 1 | 6 | 17 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 113 | 6 | 6 | 13 | 21 | 21 | 21 | 21 |
| 20-34 | 7 | 13.9 | 49 | 5 | 6 | 15 | 16 | 25 | 27 | 27 |
| 35-49 | 8 | 14.9 | 235 | 2 | 3 | 10 | 18 | 41 | 49 | 49 |
| 50-64 | 9 | 13.8 | 261 | 2 | 2 | 6 | 21 | 41 | 51 | 51 |
| 65+ | 16 | 16.2 | 118 | 4 | 5 | 14 | 19 | 33 | 42 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 40 | 6 | 6 | 6 | 14 | 17 | 17 | 17 |
| 20-34 | 20 | 18.0 | 135 | 2 | 4 | 17 | 27 | 33 | 39 | 44 |
| 35-49 | 14 | 16.2 | 132 | 5 | 5 | 12 | 30 | 37 | 84 | 99+ |
| 50-64 | 16 | 22.9 | 190 | 7 | 9 | 23 | 34 | 50 | 83 | 99+ |
| 65+ | 19 | 29.5 | 541 | 2 | 3 | 32 | 67 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 8.7 | 45 | 1 | 2 | 7 | 16 | 19 | 20 | 20 |
| B. *Operated* | 58 | 11.9 | 203 | <1 | 1 | 6 | 20 | 27 | 32 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 14.9 | 145 | 3 | 4 | 12 | 19 | 29 | 47 | 51 |
| B. *Operated* | 72 | 21.4 | 271 | 3 | 5 | 18 | 33 | 67 | 99+ | 99+ |
| **1. SINGLE DX** | 77 | 11.1 | 165 | 1 | 2 | 6 | 18 | 22 | 31 | 75 |
| **2. MULTIPLE DX** | 114 | 19.0 | 233 | 3 | 4 | 16 | 29 | 51 | 89 | 99+ |
| **A. NOT OPERATED** | 61 | 13.0 | 121 | 2 | 3 | 10 | 18 | 25 | 39 | 51 |
| **B. OPERATED** | 130 | 17.2 | 262 | 1 | 2 | 13 | 28 | 48 | 83 | 99+ |
| TOTAL 0-19 YRS | 18 | 11.1 | 145 | <1 | <1 | 6 | 18 | 21 | 38 | 49 |
| 20-34 | 45 | 13.5 | 117 | 1 | 2 | 11 | 21 | 28 | 33 | 44 |
| 35-49 | 39 | 13.6 | 138 | 2 | 3 | 10 | 21 | 34 | 43 | 99+ |
| 50-64 | 41 | 18.3 | 286 | 2 | 3 | 12 | 28 | 44 | 65 | 99+ |
| 65+ | 48 | 19.5 | 335 | 2 | 3 | 16 | 32 | 73 | 99+ | 99+ |
| **GRAND TOTAL** | **191** | **15.8** | **220** | **2** | **2** | **12** | **22** | **39** | **56** | **99+** |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 70 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 18 | 3.6 | 3 | 1 | 2 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | 4 | 3.5 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 93 | 4.2 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 21 |
| 35-49 | 25 | 5.5 | 9 | 2 | 2 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | 30 | 6.0 | 14 | 3 | 3 | 5 | 7 | 9 | 16 | 19 |
| 65+ | 19 | 6.7 | 38 | 2 | 2 | 4 | 7 | 16 | 23 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.1 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 4 | 8.0 | 5 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 365 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 30 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 530 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| B. *Operated* | 19 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 16 | 20 |
| **1. SINGLE DX** | 395 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 549 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| **A. NOT OPERATED** | 895 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 49 | 3.0 | 10 | 1 | 1 | 2 | 3 | 6 | 10 | 20 |
| TOTAL 0-19 YRS | 669 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 173 | 3.9 | 7 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 44 | 4.7 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 35 | 6.1 | 19 | 2 | 3 | 5 | 7 | 10 | 18 | 20 |
| 65+ | 23 | 6.3 | 33 | 2 | 2 | 4 | 7 | 13 | 21 | 26 |
| **GRAND TOTAL** | **944** | **3.7** | **7** | **1** | **2** | **3** | **4** | **6** | **8** | **16** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 20-34 | 22 | 9.1 | 54 | 1 | 2 | 8 | 12 | 18 | 27 | 32 |
| 35-49 | 10 | 7.0 | 37 | 2 | 2 | 5 | 9 | 17 | 22 | 22 |
| 50-64 | 22 | 10.0 | 52 | 2 | 3 | 7 | 14 | 21 | 25 | 29 |
| 65+ | 68 | 12.7 | 48 | 4 | 6 | 10 | 16 | 23 | 28 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 14.5 | 212 | 4 | 4 | 9 | 23 | 36 | 36 | 36 |
| 20-34 | 3 | 7.0 | 7 | 4 | 4 | 8 | 9 | 9 | 9 | 9 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | 6 | 19.2 | 135 | 6 | 6 | 18 | 24 | 37 | 38 | 38 |
| 65+ | 4 | 35.8 | 215 | 14 | 14 | 41 | 44 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 316 | 7.6 | 37 | 2 | 2 | 6 | 10 | 14 | 20 | 32 |
| 20-34 | 96 | 13.6 | 131 | 4 | 4 | 9 | 17 | 32 | 41 | 50 |
| 35-49 | 99 | 11.4 | 62 | 3 | 4 | 9 | 14 | 25 | 31 | 68 |
| 50-64 | 331 | 14.7 | 123 | 4 | 5 | 11 | 19 | 30 | 35 | 55 |
| 65+ | 1301 | 17.1 | 185 | 5 | 7 | 14 | 19 | 31 | 44 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 18.5 | 227 | 5 | 5 | 15 | 22 | 37 | 50 | 71 |
| 20-34 | 39 | 18.9 | 282 | 2 | 4 | 14 | 26 | 34 | 64 | 74 |
| 35-49 | 41 | 23.5 | 265 | 7 | 8 | 25 | 34 | 87 | 99+ | 99+ |
| 50-64 | 113 | 24.7 | 330 | 7 | 9 | 18 | 31 | 51 | 71 | 99+ |
| 65+ | 299 | 27.2 | 313 | 9 | 11 | 24 | 36 | 61 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 369 | 7.5 | 36 | 2 | 2 | 6 | 9 | 15 | 19 | 31 |
| B. *Operated* | 18 | 19.3 | 216 | 4 | 5 | 12 | 36 | 42 | 44 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2143 | 14.9 | 157 | 4 | 5 | 12 | 18 | 29 | 38 | 78 |
| B. *Operated* | 522 | 25.3 | 312 | 7 | 9 | 21 | 34 | 56 | 82 | 99+ |
| **1. SINGLE DX** | 387 | 8.1 | 50 | 2 | 3 | 6 | 10 | 16 | 22 | 39 |
| **2. MULTIPLE DX** | 2665 | 16.9 | 204 | 4 | 5 | 13 | 20 | 34 | 48 | 96 |
| **A. NOT OPERATED** | 2512 | 13.8 | 146 | 3 | 4 | 11 | 17 | 27 | 36 | 75 |
| **B. OPERATED** | 540 | 25.1 | 309 | 7 | 8 | 21 | 34 | 55 | 80 | 99+ |
| TOTAL 0-19 YRS | 597 | 7.4 | 47 | 2 | 2 | 5 | 9 | 14 | 21 | 38 |
| 20-34 | 160 | 14.1 | 163 | 3 | 4 | 9 | 18 | 31 | 40 | 71 |
| 35-49 | 151 | 14.4 | 145 | 3 | 5 | 10 | 21 | 33 | 50 | 99+ |
| 50-64 | 472 | 16.9 | 189 | 4 | 5 | 13 | 22 | 34 | 46 | 88 |
| 65+ | 1672 | 18.8 | 219 | 5 | 7 | 14 | 21 | 37 | 53 | 96 |
| **GRAND TOTAL** | 3052 | 15.8 | 193 | 3 | 4 | 12 | 19 | 33 | 46 | 92 |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 8.2 | 26 | 2 | 2 | 8 | 11 | 15 | 17 | 24 |
| 20-34 | 41 | 7.3 | 31 | 3 | 3 | 6 | 9 | 12 | 19 | 31 |
| 35-49 | 29 | 7.0 | 11 | 3 | 3 | 6 | 9 | 13 | 14 | 15 |
| 50-64 | 39 | 7.1 | 17 | 2 | 3 | 6 | 9 | 14 | 16 | 18 |
| 65+ | 23 | 9.1 | 35 | 3 | 4 | 6 | 12 | 18 | 22 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.4 | 30 | <1 | 1 | 8 | 10 | 13 | 21 | 23 |
| 20-34 | 5 | 16.2 | 120 | 2 | 2 | 21 | 23 | 29 | 29 | 29 |
| 35-49 | 2 | 46.5 | 4141 | 1 | 1 | 46 | 92 | 92 | 92 | 92 |
| 50-64 | 8 | 11.1 | 226 | 2 | 2 | 5 | 11 | 37 | 47 | 47 |
| 65+ | 4 | 15.8 | 30 | 11 | 11 | 14 | 20 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 8.5 | 25 | 2 | 3 | 7 | 11 | 16 | 19 | 22 |
| 20-34 | 51 | 9.2 | 36 | 3 | 3 | 7 | 11 | 19 | 21 | 28 |
| 35-49 | 51 | 13.0 | 77 | 4 | 5 | 9 | 18 | 27 | 30 | 45 |
| 50-64 | 93 | 12.6 | 122 | 3 | 4 | 9 | 16 | 29 | 37 | 83 |
| 65+ | 152 | 14.1 | 129 | 4 | 4 | 12 | 18 | 28 | 37 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 12.5 | 31 | 6 | 6 | 13 | 16 | 21 | 23 | 23 |
| 20-34 | 13 | 18.3 | 128 | 5 | 7 | 16 | 30 | 42 | 87 | 99+ |
| 35-49 | 23 | 22.0 | 159 | 2 | 5 | 19 | 34 | 39 | 42 | 45 |
| 50-64 | 21 | 24.1 | 539 | 4 | 5 | 17 | 33 | 81 | 92 | 99+ |
| 65+ | 40 | 26.2 | 335 | 7 | 8 | 20 | 34 | 54 | 69 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 379 | 7.9 | 25 | 2 | 3 | 7 | 11 | 14 | 17 | 24 |
| B. *Operated* | 33 | 13.4 | 292 | 1 | 2 | 9 | 15 | 24 | 44 | 92 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 487 | 11.6 | 88 | 3 | 4 | 9 | 15 | 22 | 29 | 58 |
| B. *Operated* | 108 | 22.6 | 290 | 5 | 7 | 18 | 33 | 43 | 76 | 99+ |
| **1. SINGLE DX** | 412 | 8.4 | 48 | 2 | 3 | 7 | 11 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | 595 | 13.6 | 142 | 3 | 4 | 10 | 17 | 28 | 37 | 83 |
| **A. NOT OPERATED** | 866 | 10.0 | 63 | 2 | 3 | 8 | 13 | 19 | 24 | 45 |
| **B. OPERATED** | 141 | 20.4 | 304 | 2 | 5 | 16 | 28 | 40 | 67 | 99+ |
| TOTAL 0-19 YRS | 412 | 8.4 | 26 | 2 | 3 | 8 | 11 | 15 | 18 | 23 |
| 20-34 | 110 | 9.9 | 59 | 3 | 3 | 7 | 12 | 22 | 29 | 61 |
| 35-49 | 105 | 14.0 | 162 | 3 | 4 | 9 | 18 | 30 | 37 | 66 |
| 50-64 | 161 | 12.7 | 177 | 3 | 4 | 8 | 16 | 29 | 46 | 98 |
| 65+ | 219 | 15.8 | 180 | 4 | 5 | 12 | 20 | 32 | 41 | 81 |
| **GRAND TOTAL** | 1007 | 11.4 | 110 | 2 | 3 | 9 | 14 | 22 | 32 | 67 |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 442 | 4.2 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| 20-34 | 270 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 63 | 5.8 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| 50-64 | 7 | 6.4 | 14 | 2 | 2 | 6 | 8 | 12 | 13 | 13 |
| 65+ | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.8 | 128 | 2 | 2 | 13 | 22 | 23 | 23 | 23 |
| 20-34 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 5.2 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 15 |
| 20-34 | 92 | 7.0 | 16 | 2 | 3 | 6 | 9 | 13 | 15 | 20 |
| 35-49 | 31 | 7.7 | 41 | 2 | 3 | 6 | 8 | 13 | 17 | 37 |
| 50-64 | 19 | 7.8 | 24 | 3 | 3 | 6 | 11 | 16 | 18 | 19 |
| 65+ | 13 | 12.6 | 55 | 5 | 6 | 12 | 15 | 22 | 30 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.6 | 32 | 4 | 4 | 9 | 13 | 18 | 18 | 18 |
| 20-34 | 8 | 10.5 | 44 | 3 | 4 | 8 | 15 | 21 | 22 | 22 |
| 35-49 | 4 | 14.5 | 56 | 8 | 8 | 13 | 20 | 24 | 24 | 24 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 4 | 46.5 | 1256 | 8 | 8 | 49 | 76 | 80 | 80 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 784 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 7 | 9.7 | 81 | 2 | 2 | 4 | 19 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 6.5 | 21 | 2 | 2 | 5 | 8 | 12 | 14 | 21 |
| B. *Operated* | 22 | 17.3 | 412 | 3 | 4 | 9 | 18 | 39 | 76 | 80 |
| **1. SINGLE DX** | 791 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | 322 | 7.2 | 54 | 2 | 2 | 6 | 9 | 13 | 17 | 33 |
| **A. NOT OPERATED** | 1084 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| **B. OPERATED** | 29 | 15.4 | 338 | 3 | 4 | 9 | 19 | 25 | 73 | 80 |
| TOTAL 0-19 YRS | 596 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 20-34 | 372 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 35-49 | 99 | 6.8 | 26 | 2 | 2 | 6 | 8 | 12 | 16 | 31 |
| 50-64 | 27 | 7.3 | 21 | 3 | 3 | 6 | 9 | 14 | 17 | 19 |
| 65+ | 19 | 19.1 | 462 | 5 | 5 | 12 | 19 | 57 | 77 | 80 |
| **GRAND TOTAL** | **1113** | **5.5** | **24** | **1** | **2** | **4** | **7** | **10** | **13** | **22** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 426 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 80 | 5.3 | 11 | 2 | 2 | 5 | 6 | 9 | 10 | 22 |
| 35-49 | 23 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 68 | 6.9 | 37 | 1 | 2 | 6 | 8 | 11 | 16 | 39 |
| 65+ | 114 | 8.1 | 37 | 2 | 3 | 6 | 10 | 15 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 8 | 3 | 3 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 6 | 5.2 | 19 | <1 | <1 | 4 | 7 | 12 | 13 | 13 |
| 35-49 | 4 | 9.8 | 54 | 2 | 2 | 10 | 16 | 17 | 17 | 17 |
| 50-64 | 9 | 5.0 | 10 | 2 | 2 | 4 | 6 | 10 | 12 | 12 |
| 65+ | 3 | 11.0 | 91 | 2 | 2 | 10 | 18 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 505 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 9 | 13 |
| 20-34 | 96 | 6.0 | 38 | 2 | 2 | 5 | 6 | 10 | 16 | 39 |
| 35-49 | 46 | 8.9 | 63 | 2 | 3 | 6 | 10 | 18 | 30 | 38 |
| 50-64 | 187 | 8.6 | 40 | 2 | 3 | 7 | 11 | 17 | 24 | 29 |
| 65+ | 624 | 12.6 | 125 | 3 | 4 | 9 | 15 | 25 | 35 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.3 | 20 | 3 | 3 | 6 | 8 | 14 | 18 | 18 |
| 20-34 | 10 | 17.3 | 322 | 1 | 3 | 11 | 22 | 45 | 62 | 62 |
| 35-49 | 12 | 9.5 | 39 | 2 | 3 | 7 | 14 | 18 | 21 | 22 |
| 50-64 | 16 | 11.2 | 68 | 1 | 2 | 9 | 18 | 24 | 26 | 27 |
| 65+ | 90 | 17.8 | 252 | 3 | 4 | 14 | 24 | 34 | 61 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 711 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 25 |
| B. *Operated* | 25 | 6.7 | 28 | 1 | 2 | 5 | 9 | 15 | 18 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1458 | 8.5 | 80 | 2 | 2 | 6 | 10 | 18 | 25 | 55 |
| B. *Operated* | 138 | 15.5 | 211 | 2 | 3 | 12 | 20 | 28 | 43 | 88 |
| **1. SINGLE DX** | 736 | 4.8 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| **2. MULTIPLE DX** | 1596 | 9.1 | 95 | 2 | 2 | 6 | 11 | 19 | 27 | 62 |
| **A. NOT OPERATED** | 2169 | 7.3 | 63 | 2 | 2 | 5 | 9 | 15 | 21 | 44 |
| **B. OPERATED** | 163 | 14.1 | 193 | 2 | 3 | 11 | 18 | 27 | 42 | 85 |
| TOTAL 0-19 YRS | 944 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 192 | 6.3 | 46 | 2 | 2 | 5 | 7 | 10 | 16 | 41 |
| 35-49 | 85 | 7.9 | 48 | 2 | 2 | 5 | 9 | 16 | 23 | 36 |
| 50-64 | 280 | 8.2 | 41 | 2 | 3 | 6 | 10 | 17 | 23 | 29 |
| 65+ | 831 | 12.5 | 132 | 3 | 3 | 9 | 15 | 25 | 35 | 74 |
| **GRAND TOTAL** | **2332** | **7.8** | **75** | **2** | **2** | **5** | **9** | **16** | **24** | **51** |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 7.5 | 19 | 2 | 2 | 7 | 10 | 14 | 15 | 20 |
| 20-34 | 499 | 8.7 | 26 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| 35-49 | 157 | 10.4 | 36 | 4 | 5 | 10 | 12 | 17 | 21 | 36 |
| 50-64 | 85 | 10.5 | 37 | 3 | 4 | 9 | 13 | 19 | 24 | 30 |
| 65+ | 37 | 9.6 | 24 | 3 | 4 | 8 | 12 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 23 | 9.7 | 63 | 2 | 2 | 7 | 14 | 21 | 25 | 29 |
| 35-49 | 12 | 8.6 | 51 | 1 | 2 | 6 | 14 | 20 | 22 | 22 |
| 50-64 | 10 | 18.4 | 685 | 2 | 2 | 9 | 15 | 62 | 87 | 87 |
| 65+ | 4 | 13.8 | 43 | 4 | 4 | 16 | 17 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 9.3 | 107 | 2 | 3 | 7 | 11 | 13 | 19 | 70 |
| 20-34 | 248 | 11.1 | 78 | 3 | 4 | 9 | 13 | 21 | 27 | 37 |
| 35-49 | 123 | 11.6 | 64 | 4 | 4 | 10 | 14 | 24 | 25 | 42 |
| 50-64 | 133 | 12.5 | 70 | 3 | 4 | 11 | 15 | 24 | 31 | 44 |
| 65+ | 115 | 14.1 | 78 | 5 | 5 | 13 | 17 | 24 | 30 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.8 | 88 | 1 | 1 | 8 | 17 | 22 | 22 | 22 |
| 20-34 | 31 | 15.9 | 116 | 6 | 7 | 14 | 19 | 27 | 28 | 62 |
| 35-49 | 23 | 15.6 | 218 | 1 | 2 | 11 | 19 | 38 | 55 | 57 |
| 50-64 | 33 | 16.4 | 174 | 3 | 3 | 14 | 19 | 30 | 38 | 71 |
| 65+ | 24 | 26.1 | 384 | 7 | 11 | 16 | 38 | 64 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 932 | 9.0 | 29 | 2 | 3 | 8 | 11 | 15 | 19 | 27 |
| B. *Operated* | 51 | 11.3 | 180 | 2 | 2 | 8 | 15 | 21 | 29 | 86 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 690 | 11.8 | 79 | 3 | 4 | 10 | 15 | 23 | 27 | 46 |
| B. *Operated* | 115 | 17.9 | 221 | 3 | 6 | 14 | 21 | 38 | 58 | 89 |
| **1. SINGLE DX** | 983 | 9.1 | 37 | 2 | 3 | 8 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | 805 | 12.6 | 103 | 3 | 4 | 10 | 15 | 24 | 30 | 63 |
| **A. NOT OPERATED** | 1622 | 10.2 | 52 | 3 | 4 | 9 | 13 | 18 | 24 | 36 |
| **B. OPERATED** | 166 | 15.9 | 216 | 2 | 3 | 12 | 19 | 32 | 54 | 86 |
| TOTAL 0-19 YRS | 231 | 8.1 | 48 | 2 | 2 | 7 | 11 | 14 | 16 | 31 |
| 20-34 | 801 | 9.7 | 49 | 2 | 3 | 8 | 12 | 17 | 23 | 31 |
| 35-49 | 315 | 11.2 | 62 | 3 | 4 | 10 | 13 | 21 | 25 | 44 |
| 50-64 | 261 | 12.5 | 97 | 3 | 4 | 10 | 15 | 24 | 30 | 47 |
| 65+ | 180 | 14.8 | 128 | 4 | 5 | 12 | 18 | 27 | 39 | 95 |
| **GRAND TOTAL** | **1788** | **10.7** | **70** | **2** | **4** | **9** | **13** | **19** | **25** | **43** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 702 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 204 | 6.1 | 14 | 2 | 2 | 5 | 8 | 12 | 13 | 18 |
| 35-49 | 34 | 7.0 | 11 | 2 | 3 | 6 | 9 | 12 | 14 | 14 |
| 50-64 | 10 | 6.6 | 5 | 2 | 3 | 7 | 8 | 9 | 10 | 10 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.6 | 14 | 2 | 2 | 3 | 5 | 11 | 14 | 14 |
| 20-34 | 5 | 8.0 | 9 | 3 | 3 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 2 | 13.0 | 72 | 7 | 7 | 13 | 19 | 19 | 19 | 19 |
| 50-64 | 2 | 14.5 | 25 | 11 | 11 | 14 | 18 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 602 | 5.3 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 182 | 6.0 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| 35-49 | 27 | 6.1 | 16 | 2 | 2 | 5 | 8 | 13 | 15 | 17 |
| 50-64 | 16 | 8.3 | 26 | 2 | 2 | 7 | 12 | 13 | 18 | 20 |
| 65+ | 4 | 6.5 | 11 | 4 | 4 | 6 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 10.6 | 108 | 3 | 3 | 8 | 11 | 22 | 38 | 43 |
| 20-34 | 16 | 9.8 | 41 | 1 | 2 | 10 | 14 | 19 | 22 | 23 |
| 35-49 | 6 | 13.3 | 134 | 4 | 4 | 9 | 17 | 33 | 35 | 35 |
| 50-64 | 3 | 10.7 | 10 | 7 | 7 | 12 | 13 | 13 | 13 | 13 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 950 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 18 | 7.6 | 28 | 2 | 2 | 6 | 11 | 17 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 831 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 39 | 10.7 | 73 | 2 | 2 | 9 | 13 | 20 | 30 | 43 |
| **1. SINGLE DX** | 968 | 5.2 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 870 | 5.8 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| **A. NOT OPERATED** | 1781 | 5.3 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| **B. OPERATED** | 57 | 9.7 | 60 | 2 | 2 | 8 | 12 | 19 | 22 | 42 |
| TOTAL 0-19 YRS | 1327 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 10 | 17 |
| 20-34 | 407 | 6.2 | 16 | 2 | 2 | 5 | 8 | 12 | 14 | 19 |
| 35-49 | 69 | 7.4 | 27 | 2 | 3 | 6 | 9 | 14 | 17 | 32 |
| 50-64 | 31 | 8.4 | 20 | 2 | 3 | 7 | 12 | 13 | 18 | 20 |
| 65+ | 4 | 6.5 | 11 | 4 | 4 | 6 | 9 | 11 | 11 | 11 |
| **GRAND TOTAL** | **1838** | **5.5** | **14** | **2** | **2** | **5** | **7** | **10** | **12** | **19** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 338 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 930 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 180 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 66 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 65+ | 15 | 3.3 | 5 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 10 | 1.8 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 3.4 | 14 | <1 | <1 | 2 | 4 | 6 | 7 | 26 |
| 20-34 | 231 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 12 |
| 35-49 | 78 | 4.1 | 15 | <1 | <1 | 3 | 5 | 9 | 11 | 20 |
| 50-64 | 38 | 3.2 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| 65+ | 24 | 7.2 | 95 | 1 | 2 | 4 | 7 | 18 | 28 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | 1529 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.7 | 13 | <1 | <1 | 1 | 3 | 7 | 12 | 15 |
| B. *Operated* | 420 | 3.5 | 14 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| **1. SINGLE DX** | 1539 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 438 | 3.4 | 14 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| **A. NOT OPERATED** | 28 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| **B. OPERATED** | 1949 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| TOTAL 0-19 YRS | 395 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 20-34 | 1176 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 259 | 2.9 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 50-64 | 106 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 41 | 6.0 | 62 | <1 | 2 | 4 | 7 | 12 | 19 | 47 |
| **GRAND TOTAL** | **1977** | **2.4** | **5** | **<1** | **<1** | **2** | **3** | **4** | **6** | **11** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1799 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 382 | 4.2 | 22 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| 35-49 | 156 | 4.6 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 17 |
| 50-64 | 122 | 4.8 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| 65+ | 94 | 5.4 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 30 | 4.9 | 23 | <1 | <1 | 3 | 7 | 11 | 16 | 21 |
| 35-49 | 12 | 5.9 | 17 | 1 | 2 | 5 | 8 | 13 | 14 | 14 |
| 50-64 | 10 | 7.8 | 23 | 3 | 3 | 7 | 10 | 15 | 17 | 17 |
| 65+ | 4 | 8.5 | 25 | 3 | 3 | 8 | 12 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1575 | 3.7 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 484 | 4.9 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 315 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 420 | 6.5 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 25 |
| 65+ | 785 | 8.7 | 68 | 2 | 3 | 6 | 10 | 16 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 7.7 | 124 | 1 | 2 | 5 | 8 | 17 | 45 | 99+ |
| 20-34 | 45 | 9.4 | 54 | 1 | 2 | 8 | 13 | 19 | 23 | 34 |
| 35-49 | 32 | 10.5 | 31 | 3 | 4 | 9 | 14 | 18 | 22 | 23 |
| 50-64 | 47 | 14.9 | 183 | 4 | 5 | 10 | 19 | 35 | 54 | 99+ |
| 65+ | 38 | 12.4 | 22 | 4 | 6 | 13 | 16 | 19 | 20 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2553 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 105 | 4.7 | 17 | <1 | 1 | 3 | 6 | 10 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3579 | 5.5 | 30 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| B. *Operated* | 202 | 11.1 | 93 | 2 | 3 | 9 | 14 | 21 | 27 | 87 |
| **1. SINGLE DX** | 2658 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 3781 | 5.8 | 35 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 6132 | 4.7 | 22 | 1 | 2 | 4 | 5 | 8 | 12 | 22 |
| **B. OPERATED** | 307 | 8.9 | 76 | 1 | 2 | 7 | 12 | 18 | 22 | 71 |
| TOTAL 0-19 YRS | 3463 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 941 | 4.8 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 515 | 5.6 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 50-64 | 599 | 6.8 | 41 | 2 | 2 | 5 | 8 | 13 | 17 | 39 |
| 65+ | 921 | 8.5 | 62 | 2 | 3 | 6 | 10 | 16 | 21 | 39 |
| **GRAND TOTAL** | **6439** | **4.9** | **25** | **1** | **2** | **4** | **6** | **9** | **13** | **24** |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 13 | 15 |
| 20-34 | 41 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 14 | 17 |
| 35-49 | 20 | 4.6 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 10 |
| 50-64 | 7 | 9.1 | 12 | 5 | 5 | 9 | 11 | 14 | 15 | 15 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.4 | 21 | 2 | 3 | 6 | 8 | 15 | 16 | 16 |
| 20-34 | 15 | 5.7 | 9 | 2 | 4 | 5 | 6 | 12 | 13 | 13 |
| 35-49 | 6 | 6.2 | 41 | 2 | 2 | 4 | 6 | 18 | 19 | 19 |
| 50-64 | 5 | 9.0 | 53 | 2 | 2 | 8 | 12 | 21 | 21 | 21 |
| 65+ | 6 | 7.7 | 7 | 5 | 5 | 7 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.0 | 200 | 9 | 9 | 19 | 29 | 29 | 29 | 29 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 14 | 16 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 6.9 | 20 | 2 | 3 | 5 | 8 | 14 | 17 | 21 |
| B. *Operated* | 3 | 24.0 | 175 | 9 | 9 | 29 | 33 | 34 | 34 | 34 |
| **1. SINGLE DX** | 104 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 14 | 16 |
| **2. MULTIPLE DX** | 45 | 8.0 | 45 | 2 | 3 | 5 | 9 | 16 | 23 | 34 |
| **A. NOT OPERATED** | 145 | 5.9 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 19 |
| **B. OPERATED** | 4 | 18.8 | 227 | 3 | 3 | 19 | 31 | 34 | 34 | 34 |
| TOTAL 0-19 YRS | 44 | 6.0 | 13 | 2 | 2 | 5 | 7 | 11 | 15 | 16 |
| 20-34 | 58 | 5.9 | 21 | 1 | 2 | 5 | 7 | 12 | 14 | 28 |
| 35-49 | 27 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 12 | 9.1 | 26 | 2 | 4 | 8 | 11 | 17 | 20 | 21 |
| 65+ | 8 | 10.1 | 104 | 1 | 2 | 7 | 10 | 27 | 34 | 34 |
| **GRAND TOTAL** | **149** | **6.2** | **23** | **2** | **2** | **5** | **7** | **12** | **15** | **29** |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 6.4 | 11 | 2 | 2 | 6 | 9 | 11 | 13 | 14 |
| 20-34 | 148 | 6.2 | 16 | 2 | 3 | 5 | 7 | 11 | 15 | 23 |
| 35-49 | 31 | 6.6 | 53 | <1 | 1 | 5 | 8 | 14 | 15 | 39 |
| 50-64 | 13 | 5.0 | 28 | <1 | <1 | 2 | 7 | 13 | 17 | 18 |
| 65+ | 9 | 4.8 | 23 | <1 | <1 | 3 | 8 | 12 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.1 | 10 | <1 | <1 | 2 | 3 | 8 | 11 | 12 |
| 20-34 | 96 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 10 | 13 |
| 35-49 | 19 | 3.4 | 10 | <1 | <1 | 2 | 4 | 9 | 11 | 12 |
| 50-64 | 10 | 3.6 | 15 | <1 | 1 | 2 | 3 | 10 | 14 | 14 |
| 65+ | 4 | 9.5 | 70 | 2 | 2 | 8 | 16 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 6.9 | 12 | 2 | 3 | 7 | 9 | 13 | 13 | 14 |
| 20-34 | 94 | 6.8 | 27 | 1 | 2 | 6 | 9 | 14 | 18 | 25 |
| 35-49 | 37 | 9.0 | 28 | 2 | 2 | 8 | 13 | 17 | 18 | 20 |
| 50-64 | 20 | 7.3 | 91 | <1 | 1 | 4 | 9 | 18 | 30 | 41 |
| 65+ | 35 | 15.2 | 205 | 2 | 3 | 12 | 18 | 44 | 61 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.3 | 28 | <1 | <1 | 3 | 8 | 13 | 18 | 18 |
| 20-34 | 37 | 6.6 | 84 | <1 | 1 | 4 | 7 | 12 | 23 | 52 |
| 35-49 | 30 | 10.3 | 347 | <1 | 1 | 5 | 11 | 18 | 48 | 96 |
| 50-64 | 16 | 12.6 | 167 | 1 | 2 | 9 | 15 | 37 | 39 | 39 |
| 65+ | 15 | 14.8 | 352 | 2 | 2 | 8 | 20 | 68 | 91 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 274 | 6.2 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 147 | 3.2 | 11 | <1 | <1 | 2 | 3 | 6 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 8.3 | 60 | 1 | 2 | 6 | 10 | 17 | 20 | 45 |
| B. *Operated* | 109 | 9.5 | 203 | <1 | 1 | 5 | 10 | 22 | 41 | 98 |
| **1. SINGLE DX** | 421 | 5.1 | 18 | <1 | 1 | 4 | 7 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | 360 | 8.7 | 103 | 1 | 2 | 6 | 10 | 17 | 23 | 71 |
| **A. NOT OPERATED** | 525 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 40 |
| **B. OPERATED** | 256 | 5.9 | 102 | <1 | <1 | 3 | 6 | 13 | 19 | 70 |
| TOTAL 0-19 YRS | 167 | 6.1 | 14 | 1 | 2 | 6 | 9 | 11 | 13 | 14 |
| 20-34 | 375 | 5.5 | 25 | <1 | 1 | 4 | 7 | 11 | 15 | 25 |
| 35-49 | 117 | 7.8 | 116 | <1 | 1 | 6 | 10 | 15 | 18 | 64 |
| 50-64 | 59 | 7.6 | 92 | <1 | 1 | 4 | 10 | 17 | 36 | 41 |
| 65+ | 63 | 13.3 | 212 | 1 | 2 | 10 | 17 | 41 | 69 | 99+ |
| **GRAND TOTAL** | **781** | **6.8** | **60** | **<1** | **1** | **5** | **9** | **14** | **18** | **45** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 14 | 12.6 | 324 | <1 | <1 | 5 | 15 | 37 | 57 | 63 |
| 35-49 | 4 | 5.3 | 11 | <1 | <1 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 3 | 18.3 | 549 | 1 | 1 | 9 | 36 | 45 | 45 | 45 |
| 65+ | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 118 | 1 | 1 | 2 | 12 | 23 | 23 | 23 |
| 20-34 | 4 | 3.5 | 19 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 35-49 | 13 | 6.5 | 45 | <1 | 1 | 3 | 10 | 14 | 23 | 25 |
| 50-64 | 10 | 3.1 | 10 | <1 | <1 | 2 | 3 | 8 | 12 | 12 |
| 65+ | 7 | 8.0 | 55 | 1 | 2 | 5 | 13 | 20 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 4.7 | 12 | 1 | 2 | 4 | 6 | 7 | 10 | 21 |
| 20-34 | 18 | 5.3 | 8 | <1 | 1 | 6 | 7 | 9 | 11 | 11 |
| 35-49 | 34 | 7.8 | 238 | <1 | <1 | 4 | 6 | 13 | 24 | 90 |
| 50-64 | 36 | 12.1 | 211 | 2 | 3 | 8 | 14 | 24 | 50 | 71 |
| 65+ | 61 | 12.5 | 156 | 3 | 4 | 8 | 14 | 25 | 41 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.5 | 12 | 7 | 7 | 10 | 13 | 15 | 15 | 15 |
| 20-34 | 13 | 15.6 | 172 | 3 | 6 | 11 | 20 | 34 | 48 | 51 |
| 35-49 | 14 | 19.9 | 459 | 1 | 3 | 13 | 31 | 43 | 73 | 81 |
| 50-64 | 20 | 15.4 | 162 | 1 | 2 | 14 | 22 | 43 | 72 | 99+ |
| 65+ | 16 | 11.3 | 84 | 1 | 2 | 11 | [illegible] | 80 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 7.4 | 127 | <1 | 1 | 4 | 6 | 14 | 33 | 62 |
| B. *Operated* | 38 | 5.6 | 41 | <1 | 1 | 3 | 9 | 15 | 22 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 191 | 9.2 | 144 | 1 | 2 | 6 | 9 | 19 | 27 | 69 |
| B. *Operated* | 67 | 15.1 | 198 | 2 | 3 | 12 | [illegible] | 39 | 81 | 99+ |
| **1. SINGLE DX** | 91 | 6.7 | 91 | <1 | 1 | 4 | 7 | 14 | 25 | 56 |
| **2. MULTIPLE DX** | 258 | 10.7 | 164 | 1 | 2 | 7 | 12 | 25 | 39 | 99 |
| **A. NOT OPERATED** | 244 | 8.8 | 140 | 1 | 2 | 5 | 9 | 17 | 30 | 66 |
| **B. OPERATED** | 105 | 11.6 | 161 | 1 | 1 | 9 | 17 | 31 | 49 | 99+ |
| TOTAL 0-19 YRS | 80 | 4.9 | 15 | 1 | 2 | 4 | 6 | 8 | 12 | 22 |
| 20-34 | 49 | 10.0 | 157 | <1 | <1 | 7 | 10 | 28 | 35 | 63 |
| 35-49 | 65 | 10.0 | 253 | <1 | <1 | 5 | 10 | 25 | 36 | 89 |
| 50-64 | 69 | 12.0 | 188 | 1 | 2 | 8 | 15 | 29 | 49 | 94 |
| 65+ | 86 | 11.8 | 131 | 2 | 3 | 8 | 15 | 25 | 48 | 99+ |
| **GRAND TOTAL** | **349** | **9.7** | **148** | **1** | **1** | **6** | **11** | **23** | **35** | **90** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.9 | 7 | 1 | 1 | 4 | 5 | 6 | 10 | 12 |
| 20-34 | 13 | 4.5 | 8 | <1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 35-49 | 6 | 7.2 | 13 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 4 | 6.5 | 32 | 3 | 3 | 4 | 10 | 15 | 15 | 15 |
| 65+ | 3 | 6.7 | 24 | 1 | 1 | 9 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.1 | 4 | 4 | 4 | 4 | 5 | 8 | 10 | 10 |
| 20-34 | 12 | 11.1 | 40 | 3 | 3 | 11 | 17 | 19 | 20 | 20 |
| 35-49 | 4 | 7.0 | 11 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.7 | 24 | <1 | <1 | 2 | 9 | 12 | 13 | 13 |
| 20-34 | 10 | 8.0 | 28 | 1 | 1 | 8 | 11 | 16 | 17 | 17 |
| 35-49 | 6 | 7.8 | 10 | 4 | 4 | 8 | 11 | 11 | 11 | 11 |
| 50-64 | 4 | 6.8 | 10 | 4 | 4 | 6 | 9 | 11 | 11 | 11 |
| 65+ | 4 | 13.0 | 7 | 10 | 10 | 13 | 15 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.2 | 20 | 2 | 2 | 4 | 6 | 8 | 16 | 21 |
| 20-34 | 11 | 12.7 | 114 | 1 | 3 | 11 | 15 | 27 | 40 | 41 |
| 35-49 | 12 | 14.5 | 140 | 2 | 5 | 11 | 16 | 29 | 46 | 49 |
| 50-64 | 7 | 22.1 | 546 | 2 | 2 | 21 | 34 | 60 | 66 | 66 |
| 65+ | 2 | 34.5 | 365 | 21 | 21 | 34 | 48 | 48 | 48 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 5.0 | 12 | 1 | 1 | 4 | 6 | 10 | 11 | 15 |
| B. *Operated* | 27 | 8.8 | 36 | 3 | 3 | 6 | 12 | 18 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 7.7 | 23 | <1 | 1 | 7 | 11 | 14 | 16 | 17 |
| B. *Operated* | 49 | 12.8 | 192 | 2 | 2 | 8 | 15 | 31 | 48 | 66 |
| **1. SINGLE DX** | 69 | 6.5 | 25 | 1 | 1 | 5 | 9 | 14 | 18 | 23 |
| **2. MULTIPLE DX** | 80 | 10.8 | 131 | 1 | 2 | 8 | 13 | 21 | 39 | 61 |
| **A. NOT OPERATED** | 73 | 6.1 | 18 | 1 | 1 | 5 | 10 | 12 | 15 | 17 |
| **B. OPERATED** | 76 | 11.4 | 139 | 2 | 3 | 7 | 15 | 21 | 40 | 62 |
| TOTAL 0-19 YRS | 49 | 4.7 | 13 | 1 | 1 | 4 | 5 | 9 | 12 | 21 |
| 20-34 | 46 | 8.9 | 54 | 1 | 1 | 6 | 13 | 18 | 19 | 41 |
| 35-49 | 28 | 10.4 | 76 | 2 | 3 | 10 | 11 | 16 | 23 | 49 |
| 50-64 | 16 | 13.4 | 291 | 2 | 3 | 5 | 18 | 36 | 58 | 66 |
| 65+ | 10 | 16.5 | 164 | 1 | 5 | 13 | 21 | 36 | 48 | 48 |
| **GRAND TOTAL** | **149** | **8.8** | **86** | **1** | **2** | **6** | **11** | **17** | **21** | **49** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 6.2 | 28 | 1 | 2 | 4 | 7 | 14 | 16 | 24 |
| 20-34 | 50 | 5.4 | 17 | 1 | 2 | 5 | 7 | 9 | 12 | 26 |
| 35-49 | 38 | 7.3 | 23 | 1 | 2 | 6 | 10 | 13 | 18 | 21 |
| 50-64 | 15 | 9.1 | 56 | 2 | 3 | 8 | 13 | 19 | 26 | 29 |
| 65+ | 3 | 10.0 | 7 | 7 | 7 | 11 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.4 | 9 | 1 | 1 | 2 | 6 | 8 | 9 | 9 |
| 20-34 | 159 | 5.5 | 21 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 35-49 | 117 | 6.8 | 48 | 1 | 2 | 4 | 9 | 15 | 18 | 44 |
| 50-64 | 52 | 8.4 | 60 | 1 | 2 | 6 | 11 | 16 | 27 | 37 |
| 65+ | 17 | 11.7 | 103 | 2 | 3 | 9 | 13 | 30 | 33 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.8 | 25 | <1 | 2 | 6 | 9 | 13 | 18 | 23 |
| 20-34 | 67 | 8.0 | 61 | 2 | 2 | 6 | 9 | 14 | 28 | 46 |
| 35-49 | 91 | 12.1 | 112 | 2 | 3 | 10 | 16 | 24 | 35 | 56 |
| 50-64 | 58 | 11.0 | 58 | 2 | 3 | 11 | 14 | 18 | 26 | 40 |
| 65+ | 46 | 15.4 | 172 | 4 | 4 | 12 | 18 | 30 | 38 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.8 | 30 | 2 | 2 | 7 | 12 | 15 | 15 | 15 |
| 20-34 | 91 | 10.0 | 48 | 2 | 2 | 9 | 13 | 19 | 22 | 33 |
| 35-49 | 97 | 13.2 | 161 | 2 | 2 | 11 | 17 | 32 | 43 | 84 |
| 50-64 | 58 | 14.4 | 247 | 2 | 3 | 9 | 17 | 37 | 51 | 99+ |
| 65+ | 25 | 20.9 | 177 | 2 | 3 | 17 | 33 | 36 | 42 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 6.6 | 26 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| B. *Operated* | 354 | 6.6 | 42 | 1 | 2 | 4 | 9 | 13 | 17 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 299 | 10.8 | 95 | 2 | 3 | 8 | 14 | 21 | 30 | 49 |
| B. *Operated* | 277 | 13.0 | 148 | 2 | 2 | 10 | 17 | 31 | 39 | 87 |
| **1. SINGLE DX** | 489 | 6.6 | 37 | 1 | 2 | 5 | 9 | 13 | 17 | 33 |
| **2. MULTIPLE DX** | 576 | 11.9 | 121 | 2 | 3 | 9 | 15 | 25 | 35 | 64 |
| **A. NOT OPERATED** | 434 | 9.5 | 77 | 2 | 2 | 7 | 12 | 19 | 26 | 44 |
| **B. OPERATED** | 631 | 9.4 | 98 | 2 | 2 | 6 | 12 | 20 | 32 | 50 |
| TOTAL 0-19 YRS | 81 | 6.3 | 25 | 1 | 1 | 5 | 8 | 14 | 15 | 24 |
| 20-34 | 367 | 7.1 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| 35-49 | 343 | 10.1 | 102 | 2 | 2 | 7 | 13 | 21 | 32 | 60 |
| 50-64 | 183 | 11.2 | 123 | 2 | 2 | 9 | 14 | 21 | 36 | 83 |
| 65+ | 91 | 16.1 | 163 | 3 | 4 | 12 | 22 | 34 | 36 | 64 |
| **GRAND TOTAL** | **1065** | **9.4** | **90** | **2** | **2** | **7** | **12** | **19** | **29** | **48** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 50-64 | 3 | 5.3 | 9 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 32 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| 20-34 | 3 | 15.0 | 103 | 4 | 4 | 17 | 22 | 24 | 24 | 24 |
| 35-49 | 5 | 5.2 | 17 | 2 | 2 | 3 | 7 | 12 | 12 | 12 |
| 50-64 | 7 | 9.3 | 23 | 4 | 4 | 9 | 14 | 15 | 15 | 15 |
| 65+ | 5 | 12.4 | 42 | 2 | 2 | 15 | 16 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 11.7 | 228 | 2 | 2 | 7 | 9 | 39 | 42 | 42 |
| 50-64 | 9 | 14.1 | 406 | 2 | 3 | 6 | 14 | 47 | 66 | 66 |
| 65+ | 9 | 14.8 | 79 | 2 | 5 | 11 | 19 | 28 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 6.0 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 13 |
| B. *Operated* | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 9.5 | 41 | 2 | 2 | 9 | 15 | 17 | 21 | 24 |
| B. *Operated* | 26 | 12.8 | 213 | 2 | 2 | 9 | 16 | 33 | 47 | 66 |
| **1. SINGLE DX** | 11 | 5.6 | 12 | 2 | 2 | 6 | 8 | 10 | 13 | 13 |
| **2. MULTIPLE DX** | 49 | 11.3 | 132 | 2 | 2 | 9 | 15 | 19 | 34 | 66 |
| **A. NOT OPERATED** | 32 | 8.5 | 35 | 2 | 2 | 7 | 13 | 16 | 19 | 24 |
| **B. OPERATED** | 28 | 12.2 | 203 | 2 | 2 | 8 | 14 | 30 | 44 | 66 |
| TOTAL 0-19 YRS | 6 | 4.3 | 19 | 2 | 2 | 2 | 5 | 12 | 13 | 13 |
| 20-34 | 6 | 10.5 | 70 | 2 | 2 | 8 | 17 | 23 | 24 | 24 |
| 35-49 | 15 | 8.1 | 100 | 2 | 2 | 6 | 9 | 13 | 35 | 42 |
| 50-64 | 19 | 10.9 | 200 | 2 | 3 | 6 | 12 | 17 | 45 | 66 |
| 65+ | 14 | 13.9 | 63 | 2 | 2 | 13 | 19 | 21 | 31 | 34 |
| **GRAND TOTAL** | **60** | **10.2** | **114** | **2** | **2** | **8** | **13** | **19** | **29** | **64** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 7.8 | 17 | 1 | 1 | 9 | 10 | 12 | 12 | 12 |
| 35-49 | 11 | 4.5 | 10 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 50-64 | 67 | 6.9 | 70 | 1 | 1 | 4 | 7 | 17 | 26 | 41 |
| 65+ | 48 | 8.9 | 57 | 1 | 2 | 7 | 12 | 19 | 29 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 30 | 2 | 2 | 4 | 10 | 14 | 14 | 14 |
| 20-34 | 27 | 5.7 | 16 | 1 | 2 | 5 | 7 | 11 | 14 | 18 |
| 35-49 | 93 | 7.7 | 118 | 1 | 2 | 5 | 8 | 16 | 27 | 66 |
| 50-64 | 341 | 8.9 | 116 | 1 | 2 | 5 | 11 | 19 | 28 | 70 |
| 65+ | 301 | 8.0 | 100 | 1 | 2 | 5 | 9 | 16 | 28 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 10 | 7.7 | 36 | 2 | 2 | 7 | 9 | 16 | 23 | 23 |
| 35-49 | 28 | 7.8 | 60 | <1 | <1 | 5 | 10 | 21 | 24 | 30 |
| 50-64 | 170 | 10.5 | 156 | <1 | 1 | 7 | 11 | 28 | 38 | 59 |
| 65+ | 159 | 11.7 | 155 | 2 | 2 | 7 | 15 | 28 | 39 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 18.5 | 145 | 10 | 10 | 27 | 82 | 99+ | 99+ | 99+ |
| 20-34 | 17 | 18.5 | 321 | 1 | 2 | 12 | 28 | 42 | 60 | 69 |
| 35-49 | 95 | 18.4 | 356 | 1 | 2 | 14 | 25 | 41 | 82 | 99+ |
| 50-64 | 422 | 15.8 | 287 | 2 | 2 | 10 | 20 | 41 | 61 | 99+ |
| 65+ | 470 | 17.1 | 320 | 2 | 2 | 11 | 21 | 44 | 60 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 7.4 | 59 | 1 | 1 | 5 | 10 | 16 | 25 | 51 |
| B. *Operated* | 766 | 8.3 | 106 | 1 | 2 | 5 | 10 | 17 | 27 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 370 | 10.6 | 145 | <1 | 2 | 7 | 13 | 26 | 37 | 59 |
| B. *Operated* | 1006 | 16.7 | 309 | 2 | 2 | 11 | 21 | 43 | 62 | 99+ |
| **1. SINGLE DX** | 900 | 8.1 | 99 | 1 | 2 | 5 | 10 | 17 | 27 | 61 |
| **2. MULTIPLE DX** | 1376 | 15.1 | 272 | 2 | 2 | 10 | 19 | 38 | 54 | 97 |
| **A. NOT OPERATED** | 504 | 9.8 | 124 | 1 | 2 | 6 | 11 | 23 | 34 | 57 |
| **B. OPERATED** | 1772 | 13.1 | 239 | 2 | 2 | 8 | 16 | 33 | 50 | 92 |
| TOTAL 0-19 YRS | 11 | 6.7 | 62 | <1 | 1 | 4 | 12 | 49 | 93 | 99+ |
| 20-34 | 60 | 9.9 | 132 | 1 | 2 | 7 | 11 | 22 | 33 | 66 |
| 35-49 | 227 | 12.0 | 233 | 1 | 2 | 7 | 15 | 28 | 42 | 98 |
| 50-64 | 1000 | 11.9 | 203 | 1 | 2 | 7 | 15 | 29 | 43 | 83 |
| 65+ | 978 | 13.0 | 229 | 2 | 2 | 8 | 16 | 34 | 48 | 80 |
| **GRAND TOTAL** | **2276** | **12.3** | **215** | **1** | **2** | **7** | **15** | **30** | **45** | **83** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 8.8 | 39 | 5 | 5 | 6 | 12 | 18 | 18 | 18 |
| 50-64 | 37 | 9.4 | 88 | 1 | 1 | 7 | 11 | 25 | 34 | 38 |
| 65+ | 41 | 8.8 | 101 | 1 | 2 | 6 | 9 | 13 | 38 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 35-49 | 21 | 18.9 | 323 | 2 | 3 | 12 | 22 | 45 | 64 | 71 |
| 50-64 | 63 | 14.8 | 194 | 1 | 2 | 11 | 20 | 29 | 48 | 68 |
| 65+ | 120 | 16.9 | 208 | 2 | 3 | 14 | 23 | 34 | 47 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 11 | 7.0 | 6 | 3 | 4 | 7 | 8 | 10 | 12 | 12 |
| 50-64 | 64 | 16.6 | 355 | 2 | 2 | 11 | 20 | 50 | 64 | 99+ |
| 65+ | 122 | 13.3 | 131 | 1 | 3 | 10 | 17 | 34 | 39 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 24 | 23.9 | 348 | 2 | 5 | 20 | 26 | 56 | 62 | 68 |
| 50-64 | 158 | 21.9 | 287 | 3 | 5 | 19 | 31 | 48 | 64 | 99+ |
| 65+ | 234 | 22.7 | 339 | 2 | 5 | 18 | 31 | 53 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 9.1 | 91 | 1 | 2 | 6 | 10 | 18 | 35 | 47 |
| B. *Operated* | 206 | 16.5 | 213 | 2 | 3 | 14 | 23 | 34 | 48 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 14.0 | 201 | 1 | 3 | 10 | 17 | 34 | 44 | 98 |
| B. *Operated* | 416 | 22.4 | 318 | 2 | 5 | 19 | 31 | 51 | 62 | 99+ |
| **1. SINGLE DX** | 288 | 14.4 | 189 | 2 | 2 | 10 | 20 | 33 | 43 | 68 |
| **2. MULTIPLE DX** | 613 | 19.7 | 296 | 2 | 4 | 15 | 27 | 45 | 59 | 99+ |
| **A. NOT OPERATED** | 279 | 12.6 | 173 | 1 | 2 | 8 | 15 | 31 | 40 | 92 |
| **B. OPERATED** | 622 | 20.5 | 291 | 2 | 3 | 17 | 27 | 47 | 58 | 99 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 35-49 | 60 | 18.0 | 291 | 2 | 4 | 12 | 21 | 47 | 59 | 71 |
| 50-64 | 322 | 18.0 | 276 | 2 | 2 | 14 | 24 | 42 | 56 | 99+ |
| 65+ | 517 | 18.0 | 262 | 2 | 3 | 13 | 25 | 41 | 56 | 95 |
| **GRAND TOTAL** | **901** | **18.0** | **267** | **2** | **3** | **13** | **24** | **41** | **56** | **98** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 13 | 13.8 | 136 | 1 | 2 | 12 | 22 | 32 | 35 | 36 |
| 50-64 | 24 | 8.7 | 163 | 1 | 1 | 4 | 13 | 15 | 31 | 63 |
| 65+ | 47 | 9.5 | 88 | 1 | 2 | 7 | 13 | 17 | 28 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 12.0 | 18 | 8 | 8 | 11 | 15 | 18 | 18 | 18 |
| 35-49 | 17 | 13.8 | 70 | 4 | 5 | 11 | 17 | 28 | 33 | 34 |
| 50-64 | 87 | 18.0 | 134 | 3 | 7 | 15 | 21 | 33 | 41 | 64 |
| 65+ | 169 | 18.7 | 114 | 2 | 7 | 18 | 25 | 32 | 35 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 5 | 8.8 | 29 | 3 | 3 | 7 | 14 | 15 | 15 | 15 |
| 35-49 | 49 | 7.3 | 42 | 1 | 1 | 6 | 8 | 20 | 26 | 99+ |
| 50-64 | 121 | 11.8 | 115 | 1 | 2 | 8 | 15 | 26 | 33 | 54 |
| 65+ | 307 | 12.2 | 122 | 2 | 2 | 9 | 16 | 25 | 35 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 20-34 | 11 | 21.9 | 242 | 1 | 6 | 20 | 28 | 47 | 53 | 54 |
| 35-49 | 66 | 23.6 | 247 | 7 | 9 | 18 | 31 | 52 | 65 | 95 |
| 50-64 | 340 | 22.2 | 222 | 6 | 8 | 18 | 27 | 41 | 54 | 83 |
| 65+ | 816 | 24.2 | 218 | 7 | 9 | 21 | 31 | 45 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 9.8 | 115 | 1 | 1 | 7 | 13 | 20 | 32 | 59 |
| B. *Operated* | 277 | 18.1 | 117 | 3 | 7 | 17 | 23 | 32 | 37 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 483 | 11.6 | 113 | 1 | 2 | 9 | 15 | 24 | 33 | 58 |
| B. *Operated* | 1234 | 23.6 | 221 | 6 | 9 | 20 | 30 | 44 | 57 | 96 |
| **1. SINGLE DX** | 363 | 16.1 | 129 | 1 | 3 | 14 | 21 | 31 | 35 | 62 |
| **2. MULTIPLE DX** | 1717 | 20.2 | 220 | 3 | 5 | 17 | 27 | 41 | 53 | 87 |
| **A. NOT OPERATED** | 569 | 11.3 | 113 | 1 | 2 | 8 | 15 | 24 | 33 | 59 |
| **B. OPERATED** | 1511 | 22.6 | 206 | 6 | 9 | 20 | 29 | 42 | 55 | 91 |
| TOTAL 0-19 YRS | 2 | 16.0 | 128 | 8 | 8 | 16 | 24 | 24 | 24 | 24 |
| 20-34 | 22 | 15.6 | 169 | 2 | 3 | 12 | 20 | 33 | 47 | 54 |
| 35-49 | 145 | 16.0 | 198 | 2 | 3 | 12 | 24 | 35 | 53 | 99+ |
| 50-64 | 572 | 18.8 | 204 | 2 | 5 | 16 | 24 | 36 | 51 | 70 |
| 65+ | 1339 | 20.3 | 207 | 3 | 5 | 17 | 27 | 40 | 49 | 86 |
| **GRAND TOTAL** | **2080** | **19.5** | **206** | **2** | **5** | **17** | **26** | **38** | **50** | **81** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 4.3 | 12 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 65+ | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 17.0 | 8 | 15 | 15 | 17 | 19 | 19 | 19 | 19 |
| 35-49 | 3 | 37.0 | 859 | 14 | 14 | 27 | 59 | 70 | 70 | 70 |
| 50-64 | 11 | 20.6 | 188 | 5 | 9 | 17 | 22 | 44 | 52 | 53 |
| 65+ | 12 | 17.3 | 35 | 10 | 11 | 16 | 23 | 25 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 3 | 11.0 | 16 | 7 | 7 | 11 | 14 | 15 | 15 | 15 |
| 65+ | 15 | 9.3 | 48 | 1 | 3 | 6 | 15 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 19.3 | 112 | 8 | 8 | 21 | 27 | 29 | 29 | 29 |
| 35-49 | 26 | 17.3 | 85 | 4 | 10 | 15 | 21 | 35 | 39 | 41 |
| 50-64 | 56 | 22.0 | 254 | 7 | 9 | 16 | 29 | 38 | 51 | 95 |
| 65+ | 82 | 27.5 | 252 | 8 | 12 | 23 | 38 | 50 | 58 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.4 | 13 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| B. *Operated* | 28 | 20.7 | 184 | 9 | 11 | 17 | 23 | 35 | 55 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 8.9 | 39 | 2 | 3 | 6 | 12 | 20 | 21 | 21 |
| B. *Operated* | 167 | 23.9 | 236 | 7 | 9 | 19 | 32 | 44 | 55 | 78 |
| **1. SINGLE DX** | 33 | 18.4 | 188 | 4 | 5 | 15 | 22 | 29 | 51 | 70 |
| **2. MULTIPLE DX** | 188 | 22.3 | 236 | 4 | 7 | 18 | 30 | 43 | 52 | 75 |
| **A. NOT OPERATED** | 26 | 8.2 | 35 | 1 | 3 | 6 | 11 | 20 | 21 | 21 |
| **B. OPERATED** | 195 | 23.5 | 229 | 7 | 10 | 19 | 30 | 43 | 54 | 76 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 16.0 | 82 | 4 | 4 | 17 | 21 | 28 | 29 | 29 |
| 35-49 | 31 | 18.5 | 176 | 4 | 5 | 15 | 22 | 37 | 41 | 70 |
| 50-64 | 73 | 20.6 | 237 | 5 | 8 | 15 | 28 | 38 | 51 | 90 |
| 65+ | 111 | 23.6 | 244 | 4 | 6 | 19 | 32 | 45 | 55 | 71 |
| **GRAND TOTAL** | **221** | **21.7** | **230** | **4** | **7** | **17** | **28** | **42** | **52** | **73** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 35-49 | 26 | 6.3 | 42 | 1 | 1 | 5 | 6 | 8 | 18 | 36 |
| 50-64 | 47 | 6.1 | 44 | 1 | 1 | 5 | 7 | 11 | 13 | 45 |
| 65+ | 109 | 8.8 | 68 | 2 | 2 | 6 | 10 | 17 | 25 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 13.6 | 17 | 5 | 7 | 15 | 16 | 17 | 17 | 17 |
| 35-49 | 99 | 13.7 | 39 | 5 | 9 | 13 | 15 | 18 | 22 | 45 |
| 50-64 | 461 | 14.0 | 45 | 3 | 8 | 13 | 16 | 21 | 25 | 39 |
| 65+ | 927 | 16.6 | 82 | 4 | 9 | 15 | 20 | 27 | 34 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 9.3 | 68 | 1 | 1 | 8 | 14 | 22 | 24 | 24 |
| 35-49 | 43 | 6.4 | 29 | 1 | 2 | 5 | 7 | 17 | 20 | 23 |
| 50-64 | 327 | 10.2 | 95 | 1 | 2 | 7 | 13 | 22 | 32 | 49 |
| 65+ | 758 | 11.6 | 127 | 2 | 3 | 8 | 14 | 25 | 35 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 23.0 | 1375 | 3 | 3 | 9 | 16 | 90 | 98 | 98 |
| 20-34 | 28 | 16.1 | 90 | 7 | 8 | 13 | 19 | 35 | 38 | 39 |
| 35-49 | 193 | 17.6 | 99 | 6 | 9 | 15 | 22 | 30 | 35 | 55 |
| 50-64 | 1398 | 19.4 | 154 | 8 | 10 | 16 | 23 | 33 | 42 | 73 |
| 65+ | 4161 | 22.7 | 182 | 8 | 11 | 19 | 28 | 41 | 50 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 7.8 | 59 | 1 | 2 | 6 | 8 | 15 | 21 | 43 |
| B. *Operated* | 1496 | 15.6 | 69 | 3 | 9 | 14 | 18 | 25 | 31 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1136 | 11.0 | 115 | 2 | 2 | 7 | 14 | 24 | 33 | 57 |
| B. *Operated* | 5786 | 21.7 | 176 | 8 | 10 | 18 | 26 | 39 | 49 | 84 |
| **1. SINGLE DX** | 1682 | 14.7 | 74 | 2 | 5 | 13 | 18 | 24 | 31 | 48 |
| **2. MULTIPLE DX** | 6922 | 19.9 | 181 | 4 | 6 | 17 | 25 | 37 | 47 | 83 |
| **A. NOT OPERATED** | 1322 | 10.5 | 108 | 2 | 2 | 7 | 13 | 23 | 32 | 55 |
| **B. OPERATED** | 7282 | 20.4 | 160 | 7 | 10 | 17 | 25 | 36 | 46 | 80 |
| TOTAL 0-19 YRS | 8 | 18.4 | 1055 | 3 | 3 | 6 | 13 | 73 | 98 | 98 |
| 20-34 | 47 | 14.4 | 74 | 3 | 6 | 12 | 18 | 25 | 37 | 39 |
| 35-49 | 361 | 14.4 | 88 | 3 | 4 | 13 | 17 | 27 | 32 | 50 |
| 50-64 | 2233 | 16.6 | 135 | 3 | 5 | 14 | 20 | 30 | 38 | 66 |
| 65+ | 5955 | 20.1 | 175 | 4 | 7 | 17 | 25 | 38 | 47 | 83 |
| **GRAND TOTAL** | **8604** | **18.9** | **165** | **3** | **6** | **16** | **23** | **35** | **45** | **78** |

## 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 15 | 6.5 | 100 | <1 | 1 | 3 | 7 | 12 | 34 | 41 |
| 50-64 | 26 | 7.0 | 75 | 1 | 2 | 4 | 6 | 18 | 26 | 42 |
| 65+ | 77 | 9.9 | 129 | 1 | 2 | 6 | 10 | 21 | 35 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.5 | 25 | 8 | 8 | 11 | 15 | 15 | 15 | 15 |
| 20-34 | 13 | 13.0 | 41 | 2 | 2 | 16 | 17 | 21 | 22 | 22 |
| 35-49 | 82 | 14.6 | 124 | 2 | 3 | 14 | 19 | 24 | 30 | 62 |
| 50-64 | 432 | 15.2 | 75 | 3 | 4 | 14 | 19 | 26 | 30 | 55 |
| 65+ | 651 | 16.4 | 115 | 3 | 4 | 15 | 21 | 28 | 36 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 17.0 | 149 | 6 | 6 | 16 | 27 | 29 | 29 | 29 |
| 35-49 | 23 | 8.3 | 52 | 1 | 2 | 6 | 10 | 15 | 24 | 35 |
| 50-64 | 186 | 10.8 | 135 | 1 | 2 | 7 | 14 | 23 | 30 | 70 |
| 65+ | 476 | 12.8 | 172 | 2 | 2 | 9 | 16 | 29 | 41 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 23 | 15.2 | 51 | 2 | 4 | 17 | 20 | 27 | 99+ | 99+ |
| 35-49 | 137 | 16.7 | 93 | 3 | 6 | 16 | 21 | 28 | 33 | 83 |
| 50-64 | 849 | 20.2 | 160 | 5 | 9 | 18 | 24 | 35 | 45 | 80 |
| 65+ | 1979 | 23.2 | 233 | 5 | 8 | 20 | 29 | 43 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 8.8 | 113 | 1 | 2 | 5 | 10 | 20 | 35 | 56 |
| B. *Operated* | 1180 | 15.8 | 100 | 3 | 4 | 15 | 20 | 27 | 34 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 690 | 12.1 | 159 | 2 | 2 | 8 | 15 | 26 | 38 | 75 |
| B. *Operated* | 2988 | 22.0 | 208 | 5 | 8 | 19 | 27 | 40 | 53 | 98 |
| **1. SINGLE DX** | 1299 | 15.1 | 106 | 2 | 3 | 14 | 19 | 27 | 34 | 54 |
| **2. MULTIPLE DX** | 3678 | 20.1 | 213 | 3 | 5 | 17 | 26 | 38 | 52 | 93 |
| **A. NOT OPERATED** | 809 | 11.6 | 153 | 1 | 2 | 8 | 14 | 25 | 37 | 70 |
| **B. OPERATED** | 4168 | 20.2 | 185 | 4 | 6 | 18 | 25 | 37 | 49 | 90 |
| TOTAL 0-19 YRS | 3 | 8.3 | 42 | 2 | 2 | 8 | 13 | 15 | 15 | 15 |
| 20-34 | 41 | 14.4 | 57 | 2 | 3 | 16 | 19 | 26 | 54 | 99+ |
| 35-49 | 257 | 14.7 | 108 | 2 | 3 | 14 | 19 | 26 | 31 | 63 |
| 50-64 | 1493 | 17.3 | 144 | 3 | 4 | 15 | 22 | 30 | 41 | 76 |
| 65+ | 3183 | 19.9 | 216 | 3 | 5 | 17 | 26 | 38 | 52 | 91 |
| **GRAND TOTAL** | **4977** | **18.8** | **190** | **3** | **4** | **16** | **24** | **36** | **47** | **88** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 16 | 7.4 | 44 | 1 | 1 | 6 | 8 | 20 | 24 | 25 |
| 50-64 | 36 | 10.4 | 68 | 1 | 3 | 8 | 14 | 20 | 28 | 39 |
| 65+ | 35 | 9.6 | 66 | 2 | 3 | 8 | 11 | 16 | 21 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.8 | 5 | 11 | 11 | 13 | 15 | 17 | 17 | 17 |
| 20-34 | 5 | 16.2 | 60 | 8 | 8 | 14 | 19 | 29 | 29 | 29 |
| 35-49 | 25 | 17.7 | 120 | 1 | 2 | 18 | 26 | 31 | 36 | 39 |
| 50-64 | 54 | 18.9 | 254 | 3 | 4 | 13 | 24 | 42 | 61 | 65 |
| 65+ | 88 | 18.4 | 164 | 1 | 3 | 17 | 25 | 34 | 40 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 8 |
| 20-34 | 16 | 8.7 | 74 | 1 | 1 | 5 | 13 | 23 | 28 | 30 |
| 35-49 | 31 | 7.4 | 39 | <1 | 1 | 6 | 10 | 16 | 22 | 23 |
| 50-64 | 90 | 8.4 | 62 | 1 | 1 | 6 | 11 | 19 | 28 | 36 |
| 65+ | 173 | 11.9 | 114 | 2 | 3 | 9 | 14 | 23 | 36 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 25 | 5 | 5 | 12 | 57 | 99+ | 99+ | 99+ |
| 20-34 | 7 | 12.9 | 43 | 7 | 7 | 10 | 19 | 23 | 23 | 23 |
| 35-49 | 39 | 23.2 | 256 | 5 | 8 | 19 | 28 | 53 | 71 | 99+ |
| 50-64 | 165 | 22.4 | 212 | 6 | 8 | 18 | 29 | 44 | 55 | 73 |
| 65+ | 432 | 23.9 | 215 | 6 | 9 | 21 | 30 | 42 | 55 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 9.1 | 62 | 1 | 2 | 7 | 11 | 18 | 25 | 44 |
| B. *Operated* | 177 | 18.3 | 176 | 1 | 4 | 15 | 24 | 35 | 45 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 10.0 | 90 | 1 | 2 | 7 | 13 | 21 | 30 | 43 |
| B. *Operated* | 646 | 23.3 | 216 | 6 | 8 | 20 | 30 | 42 | 56 | 88 |
| **1. SINGLE DX** | 270 | 15.1 | 156 | 1 | 3 | 12 | 20 | 30 | 39 | 62 |
| **2. MULTIPLE DX** | 970 | 18.8 | 213 | 2 | 4 | 16 | 25 | 39 | 49 | 78 |
| **A. NOT OPERATED** | 417 | 9.8 | 84 | 1 | 2 | 7 | 13 | 20 | 29 | 43 |
| **B. OPERATED** | 823 | 22.2 | 211 | 5 | 8 | 19 | 28 | 41 | 55 | 79 |
| TOTAL 0-19 YRS | 27 | 5.5 | 26 | <1 | 1 | 3 | 10 | 15 | 25 | 99+ |
| 20-34 | 29 | 11.0 | 67 | 1 | 2 | 9 | 15 | 24 | 29 | 30 |
| 35-49 | 111 | 15.3 | 181 | 1 | 2 | 13 | 22 | 31 | 42 | 83 |
| 50-64 | 345 | 16.9 | 201 | 2 | 3 | 14 | 22 | 37 | 51 | 67 |
| 65+ | 728 | 19.7 | 207 | 3 | 5 | 17 | 26 | 39 | 48 | 77 |
| **GRAND TOTAL** | **1240** | **18.0** | **203** | **2** | **4** | **15** | **24** | **37** | **47** | **73** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 9 | 9.3 | 59 | 3 | 3 | 4 | 18 | 20 | 22 | 22 |
| 50-64 | 53 | 8.8 | 66 | 1 | 2 | 6 | 9 | 22 | 30 | 35 |
| 65+ | 52 | 10.1 | 58 | 1 | 3 | 8 | 13 | 21 | 23 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 16.4 | 16 | 11 | 12 | 16 | 20 | 21 | 22 | 22 |
| 50-64 | 66 | 18.1 | 214 | 2 | 3 | 15 | 23 | 29 | 43 | 89 |
| 65+ | 79 | 23.7 | 211 | 4 | 6 | 22 | 30 | 44 | 52 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 4 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 44 | 7.7 | 38 | 2 | 2 | 6 | 9 | 17 | 24 | 28 |
| 50-64 | 137 | 9.8 | 65 | 1 | 2 | 7 | 12 | 22 | 26 | 41 |
| 65+ | 318 | 12.3 | 138 | 2 | 3 | 9 | 16 | 26 | 34 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 20-34 | 4 | 13.3 | 66 | 4 | 4 | 13 | 19 | 23 | 23 | 23 |
| 35-49 | 65 | 22.3 | 211 | 6 | 9 | 20 | 28 | 39 | 54 | 77 |
| 50-64 | 277 | 24.5 | 232 | 7 | 9 | 21 | 30 | 41 | 54 | 90 |
| 65+ | 621 | 24.6 | 187 | 8 | 11 | 22 | 31 | 41 | 56 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 115 | 9.4 | 61 | 1 | 2 | 7 | 12 | 21 | 24 | 35 |
| B. *Operated* | 153 | 20.9 | 209 | 2 | 5 | 19 | 25 | 41 | 47 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 504 | 11.1 | 110 | 2 | 3 | 8 | 15 | 24 | 28 | 67 |
| B. *Operated* | 968 | 24.4 | 201 | 7 | 10 | 21 | 30 | 41 | 55 | 75 |
| **1. SINGLE DX** | 268 | 16.0 | 177 | 2 | 3 | 13 | 22 | 31 | 41 | 66 |
| **2. MULTIPLE DX** | 1472 | 19.9 | 210 | 3 | 5 | 17 | 26 | 37 | 50 | 74 |
| **A. NOT OPERATED** | 619 | 10.8 | 102 | 2 | 3 | 8 | 14 | 23 | 28 | 60 |
| **B. OPERATED** | 1121 | 23.9 | 204 | 7 | 10 | 21 | 30 | 41 | 54 | 73 |
| TOTAL 0-19 YRS | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 20-34 | 9 | 8.9 | 49 | 2 | 3 | 5 | 13 | 20 | 23 | 23 |
| 35-49 | 126 | 15.9 | 174 | 2 | 3 | 13 | 22 | 30 | 41 | 63 |
| 50-64 | 533 | 18.4 | 217 | 2 | 4 | 16 | 25 | 36 | 46 | 74 |
| 65+ | 1070 | 20.2 | 204 | 3 | 5 | 18 | 27 | 37 | 52 | 70 |
| **GRAND TOTAL** | **1740** | **19.3** | **206** | **3** | **4** | **17** | **26** | **37** | **48** | **70** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 70 | 5.6 | 51 | 1 | 1 | 3 | 7 | 12 | 20 | 42 |
| 50-64 | 276 | 6.9 | 88 | 1 | 1 | 4 | 9 | 14 | 20 | 37 |
| 65+ | 321 | 9.7 | 119 | 1 | 1 | 7 | 12 | 20 | 32 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 20-34 | 12 | 15.7 | 82 | 6 | 6 | 13 | 19 | 30 | 36 | 37 |
| 35-49 | 179 | 13.1 | 86 | 2 | 3 | 11 | 17 | 23 | 30 | 49 |
| 50-64 | 820 | 13.3 | 107 | 2 | 3 | 11 | 17 | 25 | 30 | 56 |
| 65+ | 808 | 13.9 | 121 | 2 | 3 | 11 | 19 | 28 | 36 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 15 | 10.0 | 147 | 1 | 1 | 6 | 12 | 30 | 40 | 44 |
| 35-49 | 299 | 10.3 | 127 | 1 | 2 | 6 | 13 | 25 | 36 | 66 |
| 50-64 | 1405 | 10.5 | 111 | 1 | 2 | 7 | 14 | 23 | 33 | 52 |
| 65+ | 1990 | 13.0 | 139 | 2 | 3 | 10 | 17 | 28 | 38 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.3 | 14 | 8 | 8 | 12 | 15 | 17 | 17 | 17 |
| 20-34 | 20 | 20.0 | 149 | 8 | 9 | 18 | 23 | 39 | 49 | 53 |
| 35-49 | 442 | 16.2 | 112 | 3 | 4 | 14 | 21 | 30 | 36 | 55 |
| 50-64 | 2223 | 17.4 | 158 | 3 | 5 | 15 | 22 | 33 | 43 | 72 |
| 65+ | 2986 | 18.7 | 180 | 3 | 5 | 16 | 24 | 36 | 46 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 670 | 8.1 | 101 | 1 | 1 | 5 | 10 | 17 | 26 | 46 |
| B. *Operated* | 1821 | 13.6 | 111 | 2 | 3 | 11 | 18 | 26 | 33 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3711 | 11.8 | 129 | 1 | 2 | 8 | 15 | 27 | 36 | 59 |
| B. *Operated* | 5675 | 18.0 | 166 | 3 | 5 | 15 | 23 | 34 | 45 | 75 |
| **1. SINGLE DX** | 2491 | 12.1 | 114 | 1 | 2 | 10 | 16 | 24 | 31 | 53 |
| **2. MULTIPLE DX** | 9386 | 15.6 | 161 | 2 | 3 | 13 | 21 | 32 | 41 | 68 |
| **A. NOT OPERATED** | 4381 | 11.2 | 126 | 1 | 2 | 8 | 15 | 25 | 35 | 58 |
| **B. OPERATED** | 7496 | 16.9 | 156 | 3 | 4 | 14 | 22 | 32 | 42 | 69 |
| TOTAL 0-19 YRS | 9 | 9.0 | 31 | 1 | 1 | 11 | 13 | 16 | 17 | 17 |
| 20-34 | 49 | 15.1 | 146 | 1 | 2 | 11 | 21 | 31 | 44 | 53 |
| 35-49 | 990 | 13.1 | 118 | 2 | 2 | 10 | 18 | 28 | 35 | 56 |
| 50-64 | 4724 | 14.0 | 143 | 2 | 3 | 11 | 19 | 29 | 37 | 63 |
| 65+ | 6105 | 15.7 | 164 | 2 | 3 | 13 | 21 | 32 | 42 | 69 |
| **GRAND TOTAL** | **11877** | **14.8** | **153** | **2** | **3** | **12** | **20** | **30** | **40** | **65** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 3 | 5.7 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 11 | 7.0 | 83 | 1 | 1 | 5 | 7 | 19 | 32 | 33 |
| 50-64 | 38 | 5.4 | 30 | <1 | 1 | 4 | 6 | 12 | 18 | 26 |
| 65+ | 26 | 7.2 | 63 | <1 | 1 | 5 | 9 | 21 | 25 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.2 | 88 | 1 | 1 | 7 | 15 | 24 | 24 | 24 |
| 20-34 | 17 | 9.2 | 125 | 2 | 2 | 7 | 11 | 15 | 37 | 49 |
| 35-49 | 83 | 10.4 | 156 | 1 | 1 | 9 | 15 | 21 | 29 | 74 |
| 50-64 | 330 | 9.8 | 131 | 1 | 1 | 4 | 15 | 23 | 31 | 55 |
| 65+ | 305 | 8.8 | 125 | 1 | 2 | 3 | 13 | 19 | 32 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 5 | 5.8 | 33 | 1 | 1 | 3 | 12 | 12 | 12 | 12 |
| 35-49 | 29 | 9.0 | 152 | 1 | 2 | 5 | 9 | 21 | 27 | 64 |
| 50-64 | 91 | 7.4 | 117 | 1 | 1 | 5 | 8 | 14 | 21 | 67 |
| 65+ | 83 | 12.6 | 250 | 1 | 1 | 8 | 15 | 38 | 50 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.7 | 201 | 2 | 2 | 12 | 25 | 30 | 30 | 30 |
| 20-34 | 10 | 18.0 | 281 | 2 | 2 | 9 | 32 | 43 | 52 | 52 |
| 35-49 | 65 | 16.2 | 140 | 2 | 2 | 14 | 24 | 33 | 43 | 92 |
| 50-64 | 342 | 16.6 | 237 | 2 | 2 | 13 | 24 | 37 | 47 | 99 |
| 65+ | 403 | 17.5 | 281 | 2 | 2 | 14 | 23 | 45 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 6.1 | 45 | 1 | 1 | 5 | 6 | 14 | 23 | 32 |
| B. *Operated* | 740 | 9.4 | 131 | 1 | 2 | 4 | 14 | 22 | 31 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 9.6 | 176 | 1 | 1 | 6 | 10 | 21 | 38 | 94 |
| B. *Operated* | 823 | 17.0 | 250 | 2 | 2 | 14 | 24 | 38 | 52 | 99+ |
| **1. SINGLE DX** | 821 | 9.1 | 123 | 1 | 2 | 4 | 13 | 22 | 30 | 54 |
| **2. MULTIPLE DX** | 1033 | 15.5 | 244 | 1 | 2 | 12 | 22 | 36 | 51 | 99+ |
| **A. NOT OPERATED** | 291 | 8.6 | 141 | 1 | 1 | 5 | 9 | 20 | 30 | 80 |
| **B. OPERATED** | 1563 | 13.4 | 208 | 1 | 2 | 10 | 19 | 31 | 45 | 94 |
| TOTAL 0-19 YRS | 13 | 8.4 | 82 | 1 | 2 | 5 | 12 | 25 | 29 | 30 |
| 20-34 | 35 | 10.9 | 159 | 1 | 2 | 7 | 12 | 32 | 45 | 52 |
| 35-49 | 188 | 12.0 | 154 | 1 | 2 | 10 | 17 | 27 | 33 | 82 |
| 50-64 | 801 | 12.2 | 185 | 1 | 2 | 8 | 18 | 29 | 39 | 86 |
| 65+ | 817 | 13.4 | 229 | 1 | 2 | 9 | 18 | 33 | 50 | 98 |
| **GRAND TOTAL** | **1854** | **12.7** | **200** | **1** | **2** | **9** | **18** | **30** | **42** | **92** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.2 | 10 | <1 | <1 | 2 | 4 | 5 | 8 | 19 |
| 20-34 | 14 | 7.2 | 64 | <1 | 1 | 5 | 7 | 17 | 28 | 31 |
| 35-49 | 18 | 4.6 | 21 | <1 | 1 | 3 | 6 | 13 | 16 | 17 |
| 50-64 | 21 | 4.3 | 3 | 1 | 1 | 5 | 5 | 6 | 7 | 8 |
| 65+ | 17 | 6.3 | 29 | <1 | 1 | 5 | 9 | 15 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 7.4 | 33 | 2 | 3 | 5 | 10 | 14 | 21 | 30 |
| 20-34 | 44 | 9.3 | 91 | <1 | 2 | 5 | 11 | 21 | 27 | 50 |
| 35-49 | 50 | 7.7 | 50 | 2 | 2 | 6 | 11 | 14 | 19 | 41 |
| 50-64 | 95 | 9.4 | 91 | 2 | 2 | 6 | 12 | 22 | 32 | 46 |
| 65+ | 140 | 10.8 | 136 | 2 | 2 | 7 | 14 | 27 | 33 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.0 | 30 | 1 | 1 | 4 | 6 | 10 | 16 | 31 |
| 20-34 | 17 | 10.6 | 269 | 1 | 1 | 5 | 8 | 46 | 52 | 52 |
| 35-49 | 9 | 8.2 | 39 | 2 | 2 | 5 | 15 | 18 | 18 | 18 |
| 50-64 | 56 | 11.7 | 276 | 1 | 2 | 5 | 15 | 24 | 48 | 94 |
| 65+ | 80 | 11.2 | 164 | 2 | 2 | 8 | 14 | 22 | 43 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 15.1 | 103 | 2 | 5 | 12 | 19 | 32 | 33 | 33 |
| 20-34 | 25 | 20.7 | 546 | 4 | 5 | 11 | 25 | 52 | 83 | 94 |
| 35-49 | 37 | 15.9 | 152 | 2 | 3 | 13 | 23 | 35 | 53 | 99+ |
| 50-64 | 98 | 15.0 | 180 | 2 | 3 | 12 | 21 | 33 | 45 | 83 |
| 65+ | 168 | 16.9 | 241 | 2 | 3 | 13 | 21 | 39 | 49 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 4.7 | 22 | <1 | 1 | 4 | 5 | 8 | 15 | 24 |
| B. *Operated* | 381 | 9.4 | 95 | 2 | 2 | 6 | 12 | 21 | 29 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 204 | 9.9 | 174 | 1 | 2 | 5 | 12 | 21 | 35 | 86 |
| B. *Operated* | 338 | 16.4 | 231 | 2 | 3 | 13 | 22 | 37 | 50 | 95 |
| **1. SINGLE DX** | 489 | 8.3 | 83 | 1 | 2 | 5 | 11 | 19 | 27 | 46 |
| **2. MULTIPLE DX** | 542 | 14.0 | 220 | 2 | 2 | 9 | 18 | 32 | 49 | 94 |
| **A. NOT OPERATED** | 312 | 8.1 | 127 | 1 | 1 | 5 | 9 | 17 | 25 | 67 |
| **B. OPERATED** | 719 | 12.7 | 171 | 2 | 2 | 8 | 17 | 29 | 40 | 78 |
| TOTAL 0-19 YRS | 142 | 6.1 | 39 | 1 | 1 | 4 | 8 | 13 | 19 | 32 |
| 20-34 | 100 | 12.1 | 250 | 1 | 2 | 6 | 13 | 28 | 50 | 86 |
| 35-49 | 114 | 9.9 | 95 | 1 | 2 | 7 | 14 | 23 | 31 | 73 |
| 50-64 | 270 | 11.5 | 163 | 2 | 2 | 7 | 16 | 27 | 38 | 65 |
| 65+ | 405 | 13.2 | 190 | 2 | 2 | 9 | 17 | 30 | 42 | 80 |
| **GRAND TOTAL** | **1031** | **11.3** | **162** | **1** | **2** | **7** | **15** | **26** | **38** | **78** |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 5.0 | 7 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 13 | 6.8 | 33 | 1 | 1 | 5 | 9 | 16 | 20 | 21 |
| 50-64 | 21 | 8.4 | 114 | 1 | 2 | 5 | 8 | 18 | 37 | 48 |
| 65+ | 11 | 6.6 | 14 | 2 | 3 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 100 | 5.4 | 15 | 1 | 2 | 4 | 8 | 10 | 12 | 20 |
| 35-49 | 158 | 5.8 | 23 | 1 | 2 | 5 | 8 | 10 | 12 | 29 |
| 50-64 | 232 | 7.5 | 38 | 2 | 2 | 6 | 9 | 14 | 20 | 33 |
| 65+ | 169 | 6.9 | 35 | 1 | 2 | 5 | 9 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 8.4 | 37 | 1 | 1 | 9 | 13 | 17 | 18 | 18 |
| 35-49 | 33 | 7.2 | 25 | 1 | 2 | 6 | 8 | 14 | 18 | 22 |
| 50-64 | 62 | 10.3 | 171 | 1 | 2 | 5 | 14 | 29 | 38 | 66 |
| 65+ | 61 | 12.7 | 230 | 2 | 2 | 9 | 14 | 21 | 53 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 28 | 9.8 | 61 | <1 | 1 | 8 | 13 | 23 | 27 | 28 |
| 35-49 | 76 | 9.1 | 52 | 1 | 2 | 8 | 11 | 17 | 23 | 39 |
| 50-64 | 172 | 10.2 | 94 | 2 | 2 | 8 | 13 | 19 | 30 | 62 |
| 65+ | 198 | 13.0 | 150 | 2 | 3 | 9 | 16 | 25 | 35 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 7.2 | 58 | 1 | 2 | 5 | 8 | 13 | 21 | 48 |
| B. *Operated* | 664 | 6.6 | 31 | 1 | 2 | 5 | 9 | 12 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 10.4 | 159 | 1 | 2 | 6 | 14 | 21 | 33 | 66 |
| B. *Operated* | 476 | 11.1 | 110 | 2 | 2 | 8 | 14 | 22 | 32 | 63 |
| **1. SINGLE DX** | 715 | 6.6 | 33 | 1 | 2 | 5 | 9 | 12 | 17 | 30 |
| **2. MULTIPLE DX** | 640 | 11.0 | 123 | 2 | 2 | 8 | 14 | 22 | 32 | 64 |
| **A. NOT OPERATED** | 215 | 9.7 | 137 | 1 | 2 | 6 | 12 | 21 | 30 | 63 |
| **B. OPERATED** | 1140 | 8.5 | 69 | 1 | 2 | 7 | 10 | 17 | 24 | 43 |
| TOTAL 0-19 YRS | 8 | 2.9 | 6 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 20-34 | 141 | 6.4 | 28 | 1 | 2 | 5 | 9 | 12 | 17 | 27 |
| 35-49 | 280 | 6.9 | 33 | 1 | 2 | 6 | 9 | 13 | 17 | 33 |
| 50-64 | 487 | 8.9 | 79 | 1 | 2 | 7 | 11 | 17 | 27 | 51 |
| 65+ | 439 | 10.4 | 122 | 2 | 2 | 7 | 13 | 21 | 29 | 61 |
| **GRAND TOTAL** | **1355** | **8.7** | **80** | **1** | **2** | **7** | **10** | **18** | **25** | **48** |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 5.5 | 17 | 2 | 2 | 3 | 9 | 11 | 12 | 12 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 14 | 12.0 | 137 | 2 | 3 | 6 | 19 | 33 | 35 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 20-34 | 54 | 3.0 | 8 | <1 | <1 | 2 | 3 | 7 | 10 | 13 |
| 35-49 | 191 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 9 | 16 |
| 50-64 | 467 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 18 |
| 65+ | 828 | 4.0 | 27 | <1 | <1 | 2 | 4 | 8 | 13 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 7.5 | 19 | 2 | 2 | 8 | 11 | 11 | 11 | 11 |
| 35-49 | 7 | 4.7 | 11 | <1 | <1 | 5 | 7 | 9 | 10 | 10 |
| 50-64 | 15 | 15.2 | 420 | 1 | 1 | 11 | 12 | 42 | 70 | 80 |
| 65+ | 61 | 13.7 | 217 | 1 | 2 | 10 | 16 | 44 | 55 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 15 | <1 | <1 | 4 | 7 | 10 | 10 | 10 |
| 20-34 | 28 | 4.5 | 14 | <1 | <1 | 3 | 7 | 10 | 12 | 14 |
| 35-49 | 96 | 4.9 | 81 | <1 | <1 | 2 | 4 | 11 | 21 | 55 |
| 50-64 | 372 | 5.4 | 70 | <1 | 1 | 3 | 6 | 12 | 19 | 37 |
| 65+ | 992 | 7.5 | 96 | <1 | 1 | 3 | 9 | 18 | 26 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 8.8 | 94 | 1 | 2 | 5 | 10 | 26 | 34 | 36 |
| B. *Operated* | 1547 | 3.5 | 19 | <1 | <1 | 2 | 3 | 7 | 11 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 12.9 | 230 | 1 | 1 | 9 | 15 | 41 | 50 | 99+ |
| B. *Operated* | 1494 | 6.7 | 87 | <1 | 1 | 3 | 8 | 16 | 23 | 51 |
| **1. SINGLE DX** | 1572 | 3.5 | 21 | <1 | <1 | 2 | 3 | 7 | 11 | 25 |
| **2. MULTIPLE DX** | 1581 | 7.1 | 97 | <1 | 1 | 3 | 8 | 17 | 26 | 53 |
| **A. NOT OPERATED** | 112 | 12.0 | 201 | 1 | 2 | 8 | 15 | 39 | 47 | 99+ |
| **B. OPERATED** | 3041 | 5.1 | 55 | <1 | <1 | 2 | 5 | 12 | 19 | 38 |
| TOTAL 0-19 YRS | 14 | 3.9 | 9 | <1 | <1 | 3 | 7 | 8 | 9 | 10 |
| 20-34 | 86 | 3.7 | 11 | <1 | <1 | 2 | 5 | 10 | 11 | 14 |
| 35-49 | 302 | 3.6 | 32 | <1 | <1 | 2 | 3 | 7 | 11 | 25 |
| 50-64 | 856 | 4.3 | 46 | <1 | <1 | 2 | 4 | 9 | 14 | 31 |
| 65+ | 1895 | 6.2 | 75 | <1 | 1 | 3 | 7 | 15 | 23 | 47 |
| **GRAND TOTAL** | **3153** | **5.3** | **62** | **<1** | **<1** | **2** | **6** | **12** | **20** | **41** |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.0 | 11 | <1 | <1 | 1 | 5 | 8 | 8 | 8 |
| 35-49 | 26 | 6.6 | 67 | <1 | 1 | 4 | 7 | 13 | 28 | 38 |
| 50-64 | 55 | 6.8 | 58 | 1 | 1 | 5 | 8 | 14 | 18 | 49 |
| 65+ | 54 | 7.8 | 83 | 1 | 2 | 5 | 9 | 17 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 18 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 20-34 | 179 | 6.6 | 44 | 1 | 2 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 894 | 7.2 | 16 | 2 | 2 | 7 | 9 | 11 | 14 | 18 |
| 50-64 | 1616 | 7.9 | 19 | 2 | 3 | 8 | 10 | 12 | 14 | 21 |
| 65+ | 1594 | 8.6 | 28 | 2 | 3 | 8 | 10 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 22 | 8.6 | 42 | 2 | 2 | 7 | 13 | 17 | 22 | 27 |
| 35-49 | 175 | 11.3 | 113 | 1 | 2 | 8 | 15 | 27 | 33 | 46 |
| 50-64 | 480 | 12.3 | 147 | 1 | 2 | 9 | 16 | 27 | 37 | 81 |
| 65+ | 733 | 13.2 | 164 | 2 | 3 | 9 | 17 | 30 | 42 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.0 | 20 | 2 | 2 | 10 | 12 | 14 | 14 | 14 |
| 20-34 | 131 | 8.6 | 28 | 2 | 2 | 9 | 11 | 13 | 16 | 27 |
| 35-49 | 921 | 9.6 | 58 | 2 | 4 | 8 | 11 | 15 | 21 | 45 |
| 50-64 | 1996 | 11.4 | 75 | 3 | 5 | 9 | 13 | 19 | 26 | 52 |
| 65+ | 2799 | 12.8 | 99 | 3 | 5 | 10 | 15 | 23 | 31 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 7.0 | 68 | 1 | 1 | 4 | 8 | 15 | 23 | 47 |
| B. *Operated* | 4287 | 8.0 | 23 | 2 | 3 | 8 | 10 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1410 | 12.5 | 150 | 2 | 3 | 9 | 16 | 29 | 40 | 85 |
| B. *Operated* | 5852 | 11.7 | 84 | 3 | 4 | 9 | 14 | 20 | 27 | 61 |
| **1. SINGLE DX** | 4426 | 7.9 | 25 | 2 | 2 | 8 | 10 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | 7262 | 11.9 | 97 | 3 | 4 | 9 | 14 | 22 | 31 | 65 |
| **A. NOT OPERATED** | 1549 | 12.0 | 145 | 1 | 2 | 8 | 15 | 27 | 39 | 80 |
| **B. OPERATED** | 10139 | 10.1 | 62 | 2 | 4 | 9 | 12 | 17 | 23 | 49 |
| TOTAL 0-19 YRS | 9 | 6.7 | 24 | 1 | 1 | 8 | 10 | 13 | 14 | 14 |
| 20-34 | 336 | 7.4 | 39 | 1 | 2 | 7 | 9 | 13 | 15 | 23 |
| 35-49 | 2016 | 8.6 | 47 | 2 | 2 | 8 | 10 | 14 | 18 | 38 |
| 50-64 | 4147 | 10.1 | 64 | 2 | 3 | 9 | 11 | 17 | 23 | 50 |
| 65+ | 5180 | 11.5 | 90 | 3 | 4 | 9 | 13 | 21 | 29 | 63 |
| **GRAND TOTAL** | **11688** | **10.4** | **73** | **2** | **3** | **9** | **12** | **18** | **25** | **53** |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 34 | 5.8 | 13 | 2 | 3 | 5 | 6 | 11 | 15 | 18 |
| 50-64 | 55 | 5.2 | 17 | 2 | 2 | 4 | 6 | 8 | 10 | 28 |
| 65+ | 57 | 4.4 | 9 | 1 | 2 | 4 | 5 | 5 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 131 | 5.1 | 22 | 1 | 1 | 3 | 7 | 12 | 16 | 22 |
| 35-49 | 142 | 6.6 | 39 | 1 | 2 | 5 | 8 | 14 | 19 | 33 |
| 50-64 | 168 | 7.0 | 41 | 2 | 2 | 5 | 9 | 16 | 19 | 31 |
| 65+ | 114 | 6.3 | 38 | 2 | 2 | 4 | 8 | 12 | 15 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 9.1 | 166 | 1 | 1 | 6 | 9 | 21 | 44 | 53 |
| 35-49 | 53 | 8.2 | 65 | 1 | 2 | 5 | 9 | 22 | 26 | 35 |
| 50-64 | 97 | 7.7 | 52 | 1 | 2 | 6 | 9 | 16 | 21 | 40 |
| 65+ | 118 | 11.4 | 120 | 2 | 3 | 8 | 14 | 26 | 32 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 66 | 7.3 | 56 | 2 | 2 | 5 | 10 | 15 | 17 | 46 |
| 35-49 | 162 | 11.3 | 129 | 2 | 2 | 8 | 15 | 24 | 31 | 87 |
| 50-64 | 183 | 14.6 | 229 | 2 | 2 | 10 | 19 | 31 | 56 | 70 |
| 65+ | 188 | 14.8 | 250 | 2 | 3 | 10 | 19 | 33 | 45 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 4.9 | 13 | 2 | 2 | 4 | 5 | 8 | 12 | 19 |
| B. *Operated* | 555 | 6.3 | 36 | 1 | 2 | 4 | 8 | 13 | 18 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 9.4 | 91 | 1 | 2 | 6 | 11 | 22 | 30 | 50 |
| B. *Operated* | 600 | 12.9 | 195 | 2 | 2 | 9 | 17 | 29 | 42 | 71 |
| **1. SINGLE DX** | 716 | 6.0 | 31 | 1 | 2 | 4 | 7 | 12 | 17 | 29 |
| **2. MULTIPLE DX** | 884 | 11.8 | 164 | 2 | 2 | 8 | 15 | 27 | 35 | 67 |
| **A. NOT OPERATED** | 445 | 7.8 | 67 | 1 | 2 | 5 | 9 | 18 | 26 | 41 |
| **B. OPERATED** | 1155 | 9.8 | 129 | 2 | 2 | 6 | 12 | 22 | 30 | 62 |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 228 | 5.9 | 42 | 1 | 2 | 4 | 7 | 13 | 17 | 33 |
| 35-49 | 391 | 8.7 | 82 | 1 | 2 | 6 | 11 | 20 | 26 | 43 |
| 50-64 | 503 | 9.7 | 122 | 2 | 2 | 6 | 12 | 22 | 29 | 61 |
| 65+ | 477 | 10.7 | 154 | 2 | 2 | 6 | 12 | 26 | 34 | 66 |
| **GRAND TOTAL** | **1600** | **9.2** | **113** | **2** | **2** | **5** | **11** | **20** | **29** | **58** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 35-49 | 14 | 3.5 | 5 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| 50-64 | 57 | 4.0 | 9 | 1 | 1 | 4 | 4 | 7 | 9 | 18 |
| 65+ | 71 | 5.4 | 46 | 1 | 2 | 4 | 5 | 10 | 16 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 7.3 | 7 | 2 | 3 | 7 | 9 | 11 | 12 | 12 |
| 35-49 | 86 | 6.8 | 15 | 1 | 2 | 7 | 9 | 12 | 13 | 18 |
| 50-64 | 487 | 6.7 | 19 | 1 | 2 | 7 | 9 | 11 | 14 | 23 |
| 65+ | 515 | 7.8 | 48 | 2 | 2 | 7 | 10 | 14 | 17 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 22 | 6.5 | 139 | <1 | 1 | 3 | 5 | 16 | 40 | 50 |
| 50-64 | 75 | 10.5 | 94 | 1 | 2 | 8 | 14 | 27 | 33 | 41 |
| 65+ | 169 | 11.4 | 140 | 2 | 3 | 7 | 16 | 28 | 36 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 19 | 8.7 | 103 | 1 | 2 | 7 | 9 | 16 | 34 | 47 |
| 35-49 | 165 | 10.1 | 116 | 1 | 2 | 8 | 10 | 18 | 28 | 68 |
| 50-64 | 814 | 9.3 | 67 | 1 | 2 | 8 | 12 | 18 | 25 | 48 |
| 65+ | 980 | 12.0 | 116 | 2 | 2 | 10 | 15 | 23 | 32 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 4.7 | 27 | 1 | 1 | 4 | 5 | 8 | 13 | 35 |
| B. *Operated* | 1104 | 7.2 | 33 | 1 | 2 | 7 | 9 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 10.7 | 128 | 1 | 2 | 7 | 14 | 28 | 35 | 70 |
| B. *Operated* | 1979 | 10.7 | 97 | 2 | 2 | 9 | 13 | 21 | 28 | 58 |
| **1. SINGLE DX** | 1248 | 6.9 | 33 | 1 | 2 | 7 | 9 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | 2246 | 10.7 | 101 | 2 | 2 | 8 | 13 | 21 | 30 | 61 |
| **A. NOT OPERATED** | 411 | 8.6 | 101 | 1 | 2 | 5 | 10 | 20 | 32 | 62 |
| **B. OPERATED** | 3083 | 9.5 | 77 | 2 | 2 | 8 | 11 | 18 | 24 | 43 |
| TOTAL 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 38 | 7.8 | 55 | 2 | 2 | 7 | 9 | 12 | 16 | 47 |
| 35-49 | 287 | 8.5 | 86 | 1 | 2 | 7 | 10 | 15 | 21 | 62 |
| 50-64 | 1433 | 8.3 | 52 | 1 | 2 | 7 | 10 | 16 | 22 | 41 |
| 65+ | 1735 | 10.4 | 99 | 2 | 2 | 9 | 13 | 20 | 29 | 59 |
| **GRAND TOTAL** | **3494** | **9.4** | **80** | **1** | **2** | **8** | **11** | **18** | **25** | **49** |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 57 | 3.2 | 15 | 1 | 1 | 2 | 3 | 5 | 10 | 23 |
| 50-64 | 197 | 2.9 | 20 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 65+ | 128 | 3.5 | 17 | 1 | 1 | 2 | 3 | 7 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.8 | 3 | 5 | 5 | 8 | 9 | 10 | 11 | 11 |
| 20-34 | 18 | 9.3 | 14 | 6 | 6 | 8 | 11 | 16 | 18 | 19 |
| 35-49 | 72 | 10.3 | 24 | 6 | 7 | 9 | 12 | 15 | 18 | 32 |
| 50-64 | 122 | 11.8 | 24 | 6 | 7 | 10 | 14 | 19 | 20 | 27 |
| 65+ | 69 | 13.5 | 60 | 4 | 7 | 12 | 16 | 22 | 25 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.0 | 108 | <1 | <1 | 5 | 5 | 27 | 29 | 29 |
| 20-34 | 21 | 3.7 | 13 | <1 | 1 | 3 | 4 | 8 | 12 | 16 |
| 35-49 | 117 | 5.5 | 43 | 1 | 2 | 3 | 7 | 14 | 18 | 37 |
| 50-64 | 526 | 4.6 | 49 | 1 | 1 | 2 | 5 | 10 | 15 | 36 |
| 65+ | 422 | 6.7 | 83 | 1 | 1 | 3 | 8 | 17 | 27 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.5 | 22 | 5 | 5 | 9 | 10 | 17 | 18 | 18 |
| 20-34 | 33 | 12.6 | 49 | 6 | 7 | 11 | 14 | 21 | 25 | 39 |
| 35-49 | 171 | 14.2 | 86 | 6 | 7 | 11 | 17 | 26 | 37 | 45 |
| 50-64 | 451 | 16.9 | 134 | 6 | 8 | 14 | 20 | 29 | 42 | 71 |
| 65+ | 429 | 22.3 | 189 | 8 | 9 | 20 | 28 | 41 | 52 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 387 | 3.1 | 18 | 1 | 1 | 2 | 3 | 6 | 9 | 23 |
| B. *Operated* | 290 | 11.5 | 33 | 6 | 7 | 10 | 14 | 18 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1092 | 5.5 | 62 | 1 | 1 | 2 | 6 | 13 | 20 | 43 |
| B. *Operated* | 1090 | 18.4 | 156 | 7 | 8 | 15 | 23 | 34 | 45 | 74 |
| **1. SINGLE DX** | 677 | 6.7 | 42 | 1 | 1 | 5 | 10 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | 2182 | 12.0 | 151 | 1 | 2 | 9 | 17 | 28 | 36 | 65 |
| **A. NOT OPERATED** | 1479 | 4.9 | 52 | 1 | 1 | 2 | 5 | 11 | 18 | 39 |
| **B. OPERATED** | 1380 | 17.0 | 138 | 6 | 7 | 14 | 21 | 31 | 42 | 70 |
| TOTAL 0-19 YRS | 22 | 8.2 | 33 | 2 | 4 | 7 | 9 | 13 | 22 | 29 |
| 20-34 | 76 | 8.9 | 43 | 1 | 2 | 8 | 11 | 16 | 20 | 35 |
| 35-49 | 417 | 9.6 | 72 | 1 | 2 | 8 | 12 | 20 | 27 | 43 |
| 50-64 | 1296 | 9.3 | 108 | 1 | 1 | 7 | 13 | 21 | 28 | 52 |
| 65+ | 1048 | 13.1 | 180 | 1 | 1 | 10 | 20 | 30 | 41 | 74 |
| **GRAND TOTAL** | **2859** | **10.7** | **130** | **1** | **1** | **8** | **15** | **24** | **33** | **56** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 50-64 | 16 | 4.3 | 3 | 1 | 1 | 4 | 6 | 8 | 68 | 99+ |
| 65+ | 13 | 7.4 | 263 | <1 | 1 | 2 | 4 | 18 | 53 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 11 | 5.5 | 54 | <1 | <1 | 2 | 7 | 19 | 23 | 23 |
| 35-49 | 12 | 6.1 | 34 | 1 | 1 | 3 | 9 | 15 | 19 | 20 |
| 50-64 | 35 | 9.2 | 97 | 2 | 2 | 5 | 11 | 23 | 32 | 44 |
| 65+ | 87 | 9.4 | 92 | 2 | 2 | 6 | 14 | 20 | 23 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 10 | 7.3 | 30 | 2 | 2 | 5 | 13 | 15 | 17 | 17 |
| 50-64 | 28 | 5.6 | 40 | 1 | 1 | 3 | 7 | 13 | 19 | 30 |
| 65+ | 32 | 8.8 | 65 | 2 | 2 | 7 | 10 | 21 | 29 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 20.2 | 584 | 2 | 2 | 13 | 29 | 62 | 62 | 62 |
| 35-49 | 21 | 10.4 | 83 | 1 | 2 | 7 | 18 | 24 | 30 | 32 |
| 50-64 | 68 | 14.4 | 152 | 2 | 3 | 12 | 20 | 31 | 48 | 92 |
| 65+ | 136 | 20.5 | 294 | 3 | 4 | 15 | 26 | 46 | 61 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 5.4 | 100 | <1 | 1 | 4 | 6 | 7 | 48 | 99+ |
| B. *Operated* | 147 | 8.7 | 85 | 1 | 2 | 5 | 12 | 20 | 23 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 6.9 | 49 | 1 | 2 | 4 | 9 | 17 | 23 | 32 |
| B. *Operated* | 231 | 17.7 | 248 | 2 | 3 | 14 | 24 | 38 | 53 | 97 |
| **1. SINGLE DX** | 181 | 8.1 | 89 | 1 | 2 | 4 | 10 | 19 | 24 | 67 |
| **2. MULTIPLE DX** | 306 | 15.1 | 221 | 2 | 2 | 11 | 20 | 33 | 48 | 87 |
| **A. NOT OPERATED** | 109 | 6.4 | 65 | 1 | 2 | 4 | 7 | 14 | 24 | 77 |
| **B. OPERATED** | 378 | 14.2 | 203 | 2 | 2 | 10 | 19 | 32 | 46 | 79 |
| TOTAL 0-19 YRS | 7 | 3.0 | 14 | <1 | <1 | 1 | 3 | 10 | 11 | 11 |
| 20-34 | 20 | 8.7 | 199 | <1 | <1 | 3 | 10 | 20 | 42 | 62 |
| 35-49 | 45 | 8.3 | 57 | 1 | 2 | 6 | 13 | 20 | 22 | 32 |
| 50-64 | 147 | 10.4 | 116 | 1 | 2 | 6 | 14 | 26 | 34 | 99+ |
| 65+ | 268 | 14.9 | 231 | 2 | 2 | 10 | 19 | 33 | 47 | 80 |
| **GRAND TOTAL** | **487** | **12.5** | **183** | **2** | **2** | **8** | **17** | **29** | **44** | **79** |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 7.0 | 7 | 4 | 4 | 7 | 9 | 10 | 10 | 10 |
| 50-64 | 23 | 8.7 | 57 | 1 | 1 | 5 | 13 | 21 | 24 | 27 |
| 65+ | 97 | 8.2 | 127 | 1 | 1 | 5 | 8 | 18 | 40 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 10 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 50-64 | 416 | 7.6 | 47 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| 65+ | 1424 | 8.9 | 53 | 2 | 2 | 8 | 11 | 16 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 12 | 8.0 | 68 | 1 | 1 | 4 | 15 | 21 | 23 | 23 |
| 50-64 | 153 | 9.7 | 165 | 1 | 2 | 6 | 11 | 20 | 28 | 84 |
| 65+ | 1125 | 11.7 | 153 | 1 | 2 | 8 | 15 | 25 | 36 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 20-34 | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 35-49 | 19 | 11.4 | 64 | 1 | 2 | 9 | 17 | 24 | 28 | 28 |
| 50-64 | 657 | 12.6 | 123 | 2 | 3 | 10 | 16 | 24 | 29 | 70 |
| 65+ | 3596 | 14.1 | 132 | 3 | 4 | 11 | 17 | 28 | 37 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 8.2 | 110 | 1 | 1 | 5 | 9 | 18 | 31 | 73 |
| B. *Operated* | 1853 | 8.6 | 52 | 2 | 2 | 7 | 11 | 16 | 20 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1291 | 11.4 | 154 | 1 | 2 | 8 | 14 | 24 | 35 | 83 |
| B. *Operated* | 4274 | 13.9 | 131 | 3 | 4 | 11 | 17 | 27 | 36 | 71 |
| **1. SINGLE DX** | 1977 | 8.6 | 56 | 2 | 2 | 7 | 11 | 16 | 21 | 39 |
| **2. MULTIPLE DX** | 5565 | 13.3 | 137 | 2 | 3 | 10 | 17 | 27 | 36 | 74 |
| **A. NOT OPERATED** | 1415 | 11.1 | 151 | 1 | 2 | 8 | 14 | 24 | 35 | 83 |
| **B. OPERATED** | 6127 | 12.3 | 113 | 2 | 3 | 9 | 15 | 24 | 32 | 62 |
| TOTAL 0-19 YRS | 4 | 12.3 | 219 | 2 | 2 | 6 | 21 | 34 | 34 | 34 |
| 20-34 | 2 | 21.0 | 450 | 6 | 6 | 21 | 36 | 36 | 36 | 36 |
| 35-49 | 45 | 8.5 | 53 | 1 | 2 | 6 | 11 | 20 | 24 | 28 |
| 50-64 | 1249 | 10.5 | 107 | 2 | 2 | 8 | 13 | 21 | 27 | 59 |
| 65+ | 6242 | 12.4 | 123 | 2 | 3 | 9 | 15 | 25 | 34 | 67 |
| **GRAND TOTAL** | **7542** | **12.1** | **120** | **2** | **3** | **9** | **15** | **24** | **32** | **66** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 21 | 5.7 | 6 | 2 | 3 | 5 | 7 | 9 | 10 | 12 |
| 35-49 | 5 | 4.4 | 2 | 2 | 2 | 5 | 5 | 6 | 6 | 6 |
| 50-64 | 4 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.9 | 69 | 2 | 3 | 4 | 9 | 18 | 28 | 36 |
| 20-34 | 129 | 6.7 | 24 | 2 | 2 | 5 | 8 | 13 | 17 | 24 |
| 35-49 | 59 | 7.1 | 26 | 2 | 2 | 6 | 9 | 14 | 16 | 27 |
| 50-64 | 27 | 5.8 | 17 | 2 | 2 | 5 | 8 | 12 | 14 | 17 |
| 65+ | 26 | 9.5 | 162 | 2 | 3 | 5 | 10 | 15 | 38 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 40 | 7.5 | 157 | 1 | 2 | 5 | 7 | 9 | 12 | 83 |
| 35-49 | 15 | 4.1 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 8 |
| 50-64 | 4 | 5.0 | 12 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 8 | 9.0 | 23 | 2 | 3 | 8 | 12 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 14.7 | 259 | 3 | 3 | 7 | 22 | 42 | 50 | 50 |
| 20-34 | 57 | 10.6 | 69 | 2 | 3 | 8 | 13 | 22 | 28 | 40 |
| 35-49 | 30 | 11.0 | 97 | 2 | 2 | 8 | 15 | 19 | 40 | 44 |
| 50-64 | 35 | 9.6 | 52 | 2 | 3 | 8 | 13 | 22 | 27 | 30 |
| 65+ | 31 | 16.2 | 311 | 2 | 3 | 10 | 17 | 42 | 51 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 4.7 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| B. *Operated* | 260 | 7.1 | 41 | 2 | 2 | 5 | 9 | 14 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 6.7 | 96 | 2 | 2 | 5 | 7 | 9 | 14 | 70 |
| B. *Operated* | 162 | 11.8 | 129 | 2 | 3 | 8 | 15 | 24 | 34 | 51 |
| **1. SINGLE DX** | 294 | 6.8 | 37 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| **2. MULTIPLE DX** | 231 | 10.2 | 124 | 2 | 2 | 7 | 11 | 20 | 30 | 57 |
| **A. NOT OPERATED** | 103 | 6.0 | 67 | 1 | 2 | 5 | 7 | 8 | 11 | 48 |
| **B. OPERATED** | 422 | 8.9 | 80 | 2 | 2 | 6 | 10 | 17 | 25 | 48 |
| TOTAL 0-19 YRS | 33 | 9.0 | 119 | 2 | 3 | 4 | 8 | 21 | 35 | 50 |
| 20-34 | 247 | 7.7 | 56 | 2 | 3 | 6 | 9 | 16 | 19 | 31 |
| 35-49 | 109 | 7.6 | 46 | 2 | 2 | 6 | 9 | 15 | 17 | 42 |
| 50-64 | 70 | 7.4 | 38 | 2 | 2 | 5 | 9 | 15 | 22 | 30 |
| 65+ | 66 | 12.5 | 221 | 2 | 3 | 8 | 13 | 26 | 48 | 83 |
| **GRAND TOTAL** | **525** | **8.3** | **78** | **2** | **2** | **6** | **9** | **17** | **22** | **48** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 23 | 6.8 | 166 | 1 | 1 | 2 | 5 | 19 | 38 | 59 |
| 65+ | 61 | 8.9 | 131 | <1 | 1 | 4 | 9 | 24 | 39 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 12 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 32 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 226 | 4.4 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| 50-64 | 1175 | 5.4 | 31 | 1 | 2 | 4 | 6 | 11 | 17 | 30 |
| 65+ | 2307 | 6.1 | 40 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 103 | 8.2 | 91 | 1 | 1 | 4 | 11 | 24 | 28 | 46 |
| 65+ | 431 | 12.1 | 164 | 2 | 2 | 7 | 15 | 27 | 42 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.3 | 11 | 2 | 2 | 3 | 4 | 10 | 11 | 11 |
| 20-34 | 13 | 10.9 | 217 | 2 | 2 | 3 | 12 | 34 | 46 | 49 |
| 35-49 | 86 | 8.9 | 127 | 1 | 2 | 5 | 12 | 19 | 28 | 93 |
| 50-64 | 945 | 9.5 | 105 | 2 | 2 | 6 | 12 | 21 | 28 | 49 |
| 65+ | 3182 | 11.2 | 126 | 2 | 2 | 7 | 14 | 25 | 33 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 8.0 | 135 | 1 | 1 | 4 | 8 | 23 | 36 | 56 |
| B. *Operated* | 3744 | 5.8 | 36 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 537 | 11.3 | 151 | 1 | 2 | 7 | 15 | 27 | 38 | 65 |
| B. *Operated* | 4232 | 10.7 | 122 | 2 | 2 | 7 | 13 | 24 | 32 | 60 |
| **1. SINGLE DX** | 3832 | 5.8 | 38 | 1 | 2 | 4 | 7 | 12 | 17 | 33 |
| **2. MULTIPLE DX** | 4769 | 10.8 | 125 | 2 | 2 | 7 | 14 | 24 | 33 | 62 |
| **A. NOT OPERATED** | 625 | 10.8 | 150 | 1 | 2 | 6 | 14 | 27 | 38 | 64 |
| **B. OPERATED** | 7976 | 8.4 | 88 | 2 | 2 | 5 | 10 | 19 | 26 | 48 |
| TOTAL 0-19 YRS | 10 | 4.7 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 11 |
| 20-34 | 46 | 5.2 | 73 | 1 | 1 | 3 | 4 | 7 | 27 | 49 |
| 35-49 | 318 | 5.6 | 52 | 1 | 1 | 3 | 6 | 12 | 18 | 41 |
| 50-64 | 2246 | 7.3 | 70 | 1 | 2 | 4 | 9 | 17 | 24 | 40 |
| 65+ | 5981 | 9.3 | 102 | 2 | 2 | 6 | 11 | 21 | 29 | 54 |
| **GRAND TOTAL** | **8601** | **8.6** | **92** | **1** | **2** | **5** | **10** | **19** | **27** | **52** |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 50-64 | 18 | 5.9 | 33 | <1 | 1 | 3 | 9 | 15 | 18 | 19 |
| 65+ | 16 | 7.3 | 52 | 1 | 1 | 4 | 11 | 15 | 24 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.3 | 22 | 2 | 5 | 11 | 12 | 16 | 21 | 21 |
| 20-34 | 11 | 13.1 | 90 | 2 | 6 | 11 | 13 | 26 | 38 | 39 |
| 35-49 | 53 | 12.1 | 24 | 1 | 6 | 12 | 16 | 18 | 20 | 22 |
| 50-64 | 137 | 12.9 | 39 | 3 | 7 | 12 | 16 | 21 | 23 | 34 |
| 65+ | 171 | 13.6 | 71 | 2 | 2 | 13 | 18 | 24 | 29 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 4 | 5.8 | 4 | 3 | 3 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 19 | 13.5 | 279 | 1 | 2 | 8 | 15 | 34 | 58 | 70 |
| 50-64 | 121 | 9.0 | 67 | 1 | 2 | 6 | 13 | 21 | 27 | 38 |
| 65+ | 153 | 11.9 | 143 | 2 | 2 | 9 | 16 | 28 | 37 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 19.0 | 272 | 6 | 7 | 13 | 24 | 44 | 59 | 63 |
| 20-34 | 13 | 14.5 | 105 | 2 | 4 | 13 | 17 | 32 | 38 | 39 |
| 35-49 | 64 | 16.9 | 135 | 6 | 7 | 14 | 19 | 31 | 36 | 72 |
| 50-64 | 324 | 18.3 | 138 | 5 | 7 | 16 | 22 | 32 | 42 | 83 |
| 65+ | 502 | 20.7 | 168 | 5 | 8 | 18 | 26 | 37 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 6.3 | 38 | 1 | 1 | 4 | 10 | 15 | 18 | 28 |
| B. *Operated* | 383 | 13.0 | 52 | 2 | 4 | 12 | 17 | 21 | 26 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 10.7 | 120 | 1 | 2 | 8 | 14 | 24 | 32 | 99+ |
| B. *Operated* | 916 | 19.5 | 157 | 5 | 8 | 17 | 24 | 34 | 47 | 83 |
| **1. SINGLE DX** | 421 | 12.4 | 55 | 2 | 2 | 12 | 16 | 21 | 25 | 40 |
| **2. MULTIPLE DX** | 1216 | 17.3 | 162 | 3 | 4 | 15 | 22 | 32 | 44 | 98 |
| **A. NOT OPERATED** | 338 | 10.2 | 112 | 1 | 2 | 7 | 14 | 23 | 30 | 99+ |
| **B. OPERATED** | 1299 | 17.6 | 135 | 3 | 7 | 15 | 22 | 31 | 41 | 76 |
| TOTAL 0-19 YRS | 28 | 13.1 | 167 | 1 | 2 | 10 | 13 | 28 | 41 | 63 |
| 20-34 | 29 | 12.4 | 89 | 2 | 3 | 9 | 14 | 25 | 39 | 39 |
| 35-49 | 138 | 14.4 | 114 | 2 | 5 | 12 | 17 | 25 | 32 | 71 |
| 50-64 | 600 | 14.8 | 114 | 2 | 3 | 13 | 19 | 26 | 34 | 60 |
| 65+ | 842 | 17.4 | 158 | 2 | 4 | 15 | 23 | 32 | 44 | 99+ |
| **GRAND TOTAL** | **1637** | **16.1** | **139** | **2** | **4** | **14** | **21** | **30** | **39** | **78** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 8.0 | 3 | 6 | 6 | 9 | 9 | 9 | 9 | 9 |
| 65+ | 5 | 8.0 | 12 | 4 | 4 | 9 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 3.7 | 9 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 35-49 | 6 | 3.8 | 4 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 15 | 3.9 | 4 | <1 | 2 | 3 | 5 | 6 | 8 | 9 |
| 65+ | 20 | 7.1 | 54 | 2 | 2 | 4 | 8 | 20 | 24 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 35-49 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 8 | 8.6 | 17 | 3 | 3 | 9 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 19.0 | 321 | 2 | 2 | 16 | 33 | 42 | 42 | 42 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 11 | 9.0 | 66 | 2 | 2 | 5 | 13 | 23 | 24 | 24 |
| 65+ | 20 | 12.2 | 105 | 2 | 2 | 7 | 20 | 24 | 32 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 6.9 | 9 | 4 | 4 | 6 | 9 | 11 | 12 | 12 |
| B. *Operated* | 46 | 5.2 | 28 | 1 | 2 | 3 | 5 | 9 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 7.1 | 23 | 1 | 2 | 5 | 12 | 13 | 15 | 16 |
| B. *Operated* | 39 | 11.0 | 112 | 2 | 2 | 6 | 19 | 24 | 33 | 42 |
| **1. SINGLE DX** | 57 | 5.6 | 24 | 2 | 2 | 4 | 6 | 10 | 17 | 26 |
| **2. MULTIPLE DX** | 54 | 9.9 | 89 | 2 | 2 | 6 | 14 | 23 | 26 | 42 |
| **A. NOT OPERATED** | 26 | 7.0 | 16 | 2 | 3 | 6 | 10 | 13 | 14 | 16 |
| **B. OPERATED** | 85 | 7.9 | 74 | 2 | 2 | 4 | 9 | 22 | 25 | 41 |
| TOTAL 0-19 YRS | 11 | 9.3 | 157 | 2 | 2 | 4 | 7 | 31 | 41 | 42 |
| 20-34 | 4 | 6.8 | 44 | 1 | 1 | 5 | 11 | 16 | 16 | 16 |
| 35-49 | 12 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 31 | 6.1 | 30 | 2 | 2 | 4 | 8 | 12 | 23 | 24 |
| 65+ | 53 | 9.3 | 67 | 2 | 2 | 5 | 13 | 22 | 25 | 38 |
| **GRAND TOTAL** | **111** | **7.7** | **60** | **2** | **2** | **4** | **9** | **20** | **24** | **40** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.3 | 38 | 1 | 1 | 3 | 4 | 17 | 19 | 20 |
| 20-34 | 22 | 8.0 | 57 | 1 | 2 | 5 | 13 | 19 | 25 | 30 |
| 35-49 | 23 | 12.7 | 265 | 1 | 2 | 8 | 12 | 37 | 59 | 63 |
| 50-64 | 59 | 13.4 | 208 | 1 | 2 | 8 | 18 | 34 | 41 | 78 |
| 65+ | 42 | 20.0 | 427 | 2 | 4 | 14 | 27 | 52 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 19.2 | 139 | 6 | 8 | 17 | 24 | 32 | 45 | 54 |
| 20-34 | 44 | 20.0 | 268 | 2 | 5 | 15 | 25 | 49 | 59 | 71 |
| 35-49 | 54 | 19.2 | 214 | 4 | 7 | 16 | 28 | 34 | 51 | 74 |
| 50-64 | 131 | 20.0 | 243 | 5 | 8 | 16 | 22 | 32 | 54 | 84 |
| 65+ | 52 | 24.6 | 256 | 7 | 10 | 20 | 32 | 42 | 64 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 5.4 | 132 | <1 | 1 | 4 | 7 | 10 | 11 | 65 |
| 20-34 | 26 | 11.0 | 176 | 2 | 3 | 8 | 11 | 35 | 69 | 99+ |
| 35-49 | 38 | 12.8 | 149 | 2 | 3 | 10 | 17 | 42 | 45 | 99+ |
| 50-64 | 123 | 16.3 | 268 | 2 | 2 | 11 | 22 | 42 | 64 | 99+ |
| 65+ | 104 | 20.6 | 388 | 3 | 4 | 14 | 26 | 49 | 71 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 31.1 | 427 | 8 | 10 | 27 | 39 | 76 | 82 | 99+ |
| 20-34 | 44 | 22.3 | 319 | 6 | 8 | 17 | 26 | 42 | 68 | 82 |
| 35-49 | 54 | 26.8 | 496 | 6 | 8 | 19 | 32 | 76 | 90 | 99+ |
| 50-64 | 95 | 33.8 | 511 | 6 | 11 | 26 | 48 | 71 | 78 | 92 |
| 65+ | 82 | 30.6 | 415 | 7 | 11 | 26 | 44 | 68 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 13.6 | 255 | 1 | 2 | 8 | 17 | 34 | 48 | 90 |
| B. *Operated* | 305 | 20.6 | 236 | 5 | 8 | 16 | 25 | 40 | 55 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 321 | 15.9 | 289 | 2 | 3 | 10 | 20 | 43 | 66 | 99+ |
| B. *Operated* | 307 | 29.8 | 456 | 7 | 9 | 24 | 40 | 69 | 82 | 99+ |
| **1. SINGLE DX** | 465 | 18.2 | 253 | 2 | 3 | 14 | 23 | 37 | 54 | 83 |
| **2. MULTIPLE DX** | 628 | 22.7 | 418 | 2 | 4 | 17 | 31 | 59 | 75 | 99+ |
| **A. NOT OPERATED** | 481 | 15.1 | 278 | 1 | 2 | 9 | 20 | 40 | 62 | 99+ |
| **B. OPERATED** | 612 | 25.2 | 367 | 6 | 8 | 19 | 31 | 57 | 72 | 99 |
| TOTAL 0-19 YRS | 100 | 17.2 | 329 | 1 | 2 | 11 | 25 | 41 | 67 | 91 |
| 20-34 | 136 | 17.1 | 261 | 2 | 3 | 13 | 22 | 39 | 59 | 84 |
| 35-49 | 169 | 19.3 | 325 | 3 | 4 | 15 | 25 | 48 | 70 | 99+ |
| 50-64 | 408 | 21.1 | 359 | 2 | 4 | 16 | 27 | 50 | 71 | 92 |
| 65+ | 280 | 24.2 | 393 | 4 | 5 | 18 | 32 | 58 | 74 | 99+ |
| **GRAND TOTAL** | **1093** | **20.8** | **352** | **2** | **4** | **15** | **27** | **50** | **70** | **99+** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.0 | 133 | 2 | 2 | 15 | 62 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.3 | 124 | 8 | 8 | 12 | 25 | 29 | 29 | 29 |
| 20-34 | 5 | 12.2 | 41 | 4 | 4 | 12 | 16 | 21 | 21 | 21 |
| 35-49 | 8 | 18.4 | 63 | 10 | 10 | 16 | 24 | 30 | 32 | 32 |
| 50-64 | 6 | 23.8 | 185 | 14 | 14 | 19 | 23 | 48 | 51 | 51 |
| 65+ | 3 | 14.3 | 37 | 9 | 9 | 13 | 19 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 18.0 | 677 | 4 | 4 | 5 | 31 | 57 | 57 | 57 |
| 20-34 | 6 | 6.5 | 20 | 1 | 1 | 6 | 10 | 13 | 13 | 13 |
| 35-49 | 5 | 9.2 | 56 | 3 | 3 | 6 | 12 | 22 | 22 | 22 |
| 50-64 | 7 | 15.4 | 380 | 2 | 2 | 10 | 15 | 50 | 58 | 58 |
| 65+ | 11 | 22.8 | 520 | 6 | 6 | 17 | 26 | 59 | 81 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 29.7 | 785 | 5 | 7 | 16 | 48 | 76 | 78 | 78 |
| 20-34 | 9 | 29.7 | 393 | 7 | 7 | 28 | 47 | 55 | 59 | 59 |
| 35-49 | 7 | 40.9 | 285 | 28 | 29 | 33 | 46 | 70 | 76 | 76 |
| 50-64 | 12 | 28.3 | 173 | 9 | 12 | 29 | 39 | 46 | 47 | 47 |
| 65+ | 13 | 26.7 | 226 | 11 | 12 | 22 | 42 | 46 | 57 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 11.0 | 75 | 2 | 2 | 11 | 24 | 92 | 99+ | 99+ |
| B. *Operated* | 25 | 17.7 | 95 | 7 | 9 | 16 | 22 | 29 | 37 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 15.6 | 348 | 2 | 3 | 9 | 17 | 46 | 58 | 83 |
| B. *Operated* | 50 | 30.1 | 342 | 7 | 10 | 27 | 42 | 54 | 74 | 78 |
| **1. SINGLE DX** | 30 | 16.6 | 95 | 4 | 7 | 15 | 23 | 30 | 50 | 99+ |
| **2. MULTIPLE DX** | 83 | 24.4 | 391 | 3 | 5 | 17 | 39 | 51 | 64 | 81 |
| **A. NOT OPERATED** | 38 | 15.0 | 311 | 2 | 2 | 9 | 18 | 51 | 72 | 99+ |
| **B. OPERATED** | 75 | 26.0 | 292 | 7 | 9 | 21 | 37 | 48 | 59 | 77 |
| TOTAL 0-19 YRS | 19 | 22.2 | 549 | 3 | 4 | 13 | 34 | 76 | 89 | 99+ |
| 20-34 | 20 | 18.4 | 294 | 2 | 3 | 12 | 24 | 47 | 54 | 59 |
| 35-49 | 21 | 23.5 | 289 | 5 | 6 | 22 | 31 | 43 | 61 | 76 |
| 50-64 | 25 | 23.6 | 243 | 2 | 7 | 18 | 34 | 47 | 53 | 58 |
| 65+ | 28 | 23.1 | 320 | 6 | 8 | 18 | 26 | 43 | 61 | 83 |
| **GRAND TOTAL** | 113 | 22.3 | 323 | 3 | 6 | 17 | 31 | 48 | 59 | 89 |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.1 | 21 | <1 | <1 | 3 | 7 | 13 | 15 | 16 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 9.3 | 68 | 1 | 1 | 7 | 19 | 20 | 20 | 20 |
| 50-64 | 7 | 3.9 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 9 | 7.7 | 124 | <1 | <1 | 3 | 8 | 26 | 36 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 8.3 | 146 | 2 | 2 | 4 | 8 | 16 | 40 | 51 |
| 20-34 | 67 | 5.3 | 6 | 2 | 3 | 5 | 6 | 10 | 11 | 12 |
| 35-49 | 70 | 6.9 | 39 | 3 | 3 | 5 | 7 | 11 | 28 | 35 |
| 50-64 | 70 | 6.5 | 23 | 3 | 4 | 5 | 7 | 12 | 16 | 29 |
| 65+ | 38 | 9.7 | 32 | 4 | 5 | 8 | 11 | 19 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.6 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 7 | 3.4 | 3 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 13 | 7.0 | 34 | 2 | 2 | 5 | 8 | 16 | 22 | 23 |
| 50-64 | 17 | 8.9 | 40 | 2 | 3 | 7 | 12 | 18 | 21 | 23 |
| 65+ | 35 | 7.9 | 35 | <1 | <1 | 7 | 13 | 16 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 18.5 | 408 | 1 | 3 | 10 | 27 | 43 | 67 | 83 |
| 20-34 | 68 | 7.7 | 30 | 3 | 3 | 6 | 9 | 18 | 21 | 25 |
| 35-49 | 62 | 10.5 | 119 | 3 | 4 | 7 | 12 | 17 | 30 | 66 |
| 50-64 | 101 | 11.0 | 110 | 3 | 4 | 8 | 11 | 28 | 37 | 79 |
| 65+ | 96 | 18.8 | 360 | 3 | 5 | 12 | 23 | 50 | 66 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 6.0 | 47 | <1 | <1 | 3 | 7 | 14 | 19 | 36 |
| B. *Operated* | 261 | 6.9 | 33 | 3 | 3 | 5 | 7 | 11 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 6.7 | 31 | <1 | <1 | 5 | 9 | 16 | 18 | 23 |
| B. *Operated* | 346 | 12.8 | 198 | 3 | 4 | 8 | 15 | 29 | 45 | 75 |
| **1. SINGLE DX** | 302 | 6.7 | 35 | 2 | 3 | 5 | 7 | 12 | 18 | 33 |
| **2. MULTIPLE DX** | 438 | 11.5 | 169 | 2 | 3 | 7 | 13 | 24 | 38 | 74 |
| **A. NOT OPERATED** | 133 | 6.5 | 36 | <1 | <1 | 5 | 8 | 16 | 16 | 25 |
| **B. OPERATED** | 607 | 10.3 | 136 | 3 | 3 | 6 | 11 | 22 | 33 | 69 |
| TOTAL 0-19 YRS | 73 | 8.9 | 175 | <1 | 1 | 4 | 9 | 19 | 35 | 76 |
| 20-34 | 143 | 6.3 | 19 | 2 | 3 | 5 | 7 | 11 | 16 | 24 |
| 35-49 | 151 | 8.4 | 75 | 3 | 3 | 6 | 9 | 16 | 25 | 51 |
| 50-64 | 195 | 8.9 | 73 | 3 | 4 | 6 | 10 | 20 | 29 | 55 |
| 65+ | 178 | 14.2 | 238 | <1 | 3 | 9 | 16 | 30 | 54 | 74 |
| **GRAND TOTAL** | 740 | 9.6 | 120 | 2 | 3 | 6 | 10 | 20 | 30 | 67 |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 11 |
| 20-34 | 17 | 6.9 | 78 | 1 | 1 | 4 | 9 | 13 | 30 | 38 |
| 35-49 | 56 | 6.7 | 60 | 1 | 1 | 5 | 7 | 15 | 18 | 50 |
| 50-64 | 220 | 9.3 | 100 | 1 | 2 | 6 | 12 | 21 | 32 | 57 |
| 65+ | 261 | 11.6 | 112 | 1 | 2 | 8 | 15 | 25 | 34 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 15.1 | 270 | 1 | 2 | 8 | 26 | 37 | 54 | 57 |
| 20-34 | 29 | 9.0 | 181 | 1 | 1 | 5 | 9 | 22 | 36 | 67 |
| 35-49 | 95 | 10.5 | 145 | 1 | 1 | 6 | 15 | 25 | 32 | 67 |
| 50-64 | 319 | 10.9 | 135 | 1 | 2 | 8 | 14 | 22 | 36 | 61 |
| 65+ | 404 | 10.5 | 108 | 1 | 2 | 7 | 14 | 23 | 32 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 9.8 | 214 | 2 | 2 | 5 | 9 | 23 | 48 | 66 |
| 20-34 | 155 | 7.7 | 49 | 1 | 1 | 5 | 11 | 17 | 22 | 38 |
| 35-49 | 734 | 10.1 | 106 | 1 | 2 | 7 | 13 | 23 | 31 | 53 |
| 50-64 | 2793 | 11.6 | 132 | 1 | 2 | 8 | 15 | 26 | 36 | 56 |
| 65+ | 3997 | 13.8 | 163 | 2 | 3 | 10 | 18 | 29 | 39 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 8.4 | 33 | 3 | 3 | 7 | 11 | 12 | 21 | 27 |
| 20-34 | 143 | 12.9 | 147 | 1 | 2 | 10 | 17 | 26 | 35 | 69 |
| 35-49 | 688 | 14.5 | 189 | 2 | 3 | 10 | 18 | 32 | 42 | 77 |
| 50-64 | 2359 | 16.7 | 218 | 2 | 3 | 13 | 22 | 36 | 45 | 84 |
| 65+ | 3182 | 17.9 | 231 | 2 | 4 | 14 | 24 | 38 | 52 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 562 | 10.0 | 103 | 1 | 2 | 7 | 12 | 22 | 32 | 52 |
| B. *Operated* | 859 | 10.7 | 126 | 1 | 2 | 7 | 14 | 23 | 34 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7702 | 12.5 | 146 | 2 | 2 | 9 | 16 | 28 | 37 | 63 |
| B. *Operated* | 6390 | 16.9 | 221 | 2 | 3 | 13 | 22 | 36 | 49 | 86 |
| **1. SINGLE DX** | 1421 | 10.4 | 117 | 1 | 2 | 7 | 14 | 23 | 33 | 55 |
| **2. MULTIPLE DX** | 14092 | 14.5 | 185 | 2 | 3 | 10 | 19 | 32 | 42 | 77 |
| **A. NOT OPERATED** | 8264 | 12.3 | 144 | 2 | 2 | 9 | 16 | 27 | 37 | 62 |
| **B. OPERATED** | 7249 | 16.2 | 214 | 2 | 3 | 12 | 21 | 35 | 47 | 84 |
| TOTAL 0-19 YRS | 61 | 9.8 | 148 | 2 | 2 | 5 | 10 | 25 | 33 | 65 |
| 20-34 | 344 | 10.0 | 108 | 1 | 1 | 7 | 13 | 22 | 29 | 67 |
| 35-49 | 1573 | 11.9 | 149 | 1 | 2 | 8 | 16 | 27 | 37 | 68 |
| 50-64 | 5691 | 13.6 | 174 | 2 | 2 | 10 | 18 | 30 | 40 | 72 |
| 65+ | 7844 | 15.2 | 191 | 2 | 3 | 11 | 20 | 33 | 45 | 80 |
| **GRAND TOTAL** | **15513** | **14.1** | **180** | **2** | **3** | **10** | **18** | **31** | **42** | **75** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.9 | 43 | <1 | <1 | 1 | 4 | 9 | 25 | 28 |
| 20-34 | 99 | 3.1 | 21 | <1 | <1 | 2 | 4 | 5 | 9 | 29 |
| 35-49 | 29 | 4.7 | 17 | <1 | 1 | 2 | 6 | 12 | 13 | 14 |
| 50-64 | 23 | 7.0 | 130 | 1 | 1 | 3 | 9 | 18 | 31 | 53 |
| 65+ | 22 | 11.1 | 198 | <1 | 1 | 7 | 14 | 25 | 45 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 8.0 | 38 | 1 | 2 | 7 | 10 | 18 | 21 | 27 |
| 20-34 | 227 | 8.4 | 48 | 1 | 2 | 7 | 11 | 18 | 22 | 32 |
| 35-49 | 84 | 9.2 | 112 | 1 | 2 | 7 | 11 | 17 | 24 | 66 |
| 50-64 | 54 | 12.1 | 95 | 2 | 2 | 9 | 16 | 27 | 32 | 45 |
| 65+ | 49 | 13.5 | 111 | 3 | 3 | 11 | 19 | 30 | 39 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.9 | 12 | <1 | 1 | 3 | 7 | 10 | 11 | 12 |
| 20-34 | 81 | 6.9 | 76 | <1 | 1 | 4 | 9 | 15 | 22 | 46 |
| 35-49 | 36 | 10.0 | 55 | 1 | 2 | 9 | 14 | 19 | 23 | 35 |
| 50-64 | 46 | 9.0 | 89 | 1 | 1 | 6 | 11 | 27 | 32 | 36 |
| 65+ | 59 | 10.6 | 117 | 1 | 2 | 7 | 13 | 21 | 31 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 14.4 | 126 | 2 | 2 | 12 | 20 | 27 | 33 | 50 |
| 20-34 | 93 | 12.7 | 94 | 2 | 3 | 11 | 17 | 27 | 32 | 47 |
| 35-49 | 53 | 16.5 | 303 | 1 | 2 | 10 | 20 | 37 | 57 | 83 |
| 50-64 | 60 | 17.5 | 198 | 2 | 2 | 14 | 22 | 33 | 56 | 62 |
| 65+ | 89 | 21.0 | 235 | 4 | 5 | 18 | 29 | 37 | 49 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 4.8 | 60 | <1 | 1 | 2 | 5 | 11 | 19 | 42 |
| B. *Operated* | 499 | 9.4 | 71 | 1 | 2 | 7 | 12 | 20 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 248 | 8.3 | 82 | 1 | 1 | 5 | 11 | 18 | 28 | 45 |
| B. *Operated* | 320 | 16.7 | 198 | 2 | 3 | 13 | 22 | 33 | 42 | 79 |
| **1. SINGLE DX** | 702 | 8.0 | 72 | 1 | 1 | 5 | 11 | 19 | 24 | 40 |
| **2. MULTIPLE DX** | 568 | 13.0 | 164 | 1 | 2 | 10 | 18 | 29 | 36 | 72 |
| **A. NOT OPERATED** | 451 | 6.7 | 75 | <1 | 1 | 3 | 9 | 16 | 23 | 45 |
| **B. OPERATED** | 819 | 12.2 | 133 | 2 | 2 | 9 | 17 | 26 | 33 | 65 |
| TOTAL 0-19 YRS | 166 | 7.6 | 59 | <1 | 1 | 5 | 10 | 19 | 24 | 28 |
| 20-34 | 500 | 7.9 | 65 | 1 | 1 | 5 | 11 | 18 | 24 | 38 |
| 35-49 | 202 | 10.6 | 152 | 1 | 2 | 8 | 14 | 23 | 30 | 78 |
| 50-64 | 183 | 12.5 | 145 | 1 | 2 | 10 | 17 | 28 | 35 | 61 |
| 65+ | 219 | 15.5 | 191 | 2 | 2 | 12 | 21 | 33 | 41 | 88 |
| **GRAND TOTAL** | **1270** | **10.3** | **119** | **1** | **1** | **7** | **14** | **23** | **32** | **60** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.5 | 22 | <1 | <1 | 1 | 4 | 10 | 14 | 23 |
| 20-34 | 12 | 8.8 | 62 | 1 | 3 | 7 | 9 | 18 | 30 | 32 |
| 35-49 | 4 | 13.0 | 129 | 1 | 1 | 11 | 21 | 28 | 28 | 28 |
| 50-64 | 22 | 9.5 | 142 | 1 | 1 | 6 | 11 | 24 | 41 | 50 |
| 65+ | 59 | 8.3 | 81 | <1 | 1 | 5 | 10 | 18 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 11.8 | 325 | <1 | <1 | 3 | 14 | 35 | 50 | 86 |
| 20-34 | 11 | 12.5 | 146 | 2 | 2 | 6 | 22 | 31 | 36 | 37 |
| 35-49 | 9 | 10.6 | 162 | <1 | 1 | 5 | 12 | 32 | 42 | 42 |
| 50-64 | 22 | 8.4 | 84 | 1 | 2 | 5 | 11 | 15 | 29 | 44 |
| 65+ | 27 | 10.8 | 65 | 3 | 3 | 9 | 17 | 24 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 6.0 | 69 | <1 | <1 | 3 | 7 | 12 | 21 | 47 |
| 20-34 | 10 | 7.3 | 52 | 2 | 2 | 5 | 7 | 18 | 27 | 27 |
| 35-49 | 13 | 9.5 | 43 | 1 | 1 | 8 | 13 | 20 | 21 | 21 |
| 50-64 | 102 | 9.9 | 149 | <1 | 1 | 7 | 11 | 20 | 30 | 70 |
| 65+ | 304 | 11.3 | 138 | 1 | 1 | 8 | 15 | 23 | 35 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 17.1 | 294 | 1 | 2 | 11 | 24 | 37 | 41 | 88 |
| 20-34 | 9 | 35.4 | 524 | 1 | 3 | 33 | 56 | 65 | 67 | 67 |
| 35-49 | 20 | 15.1 | 214 | 2 | 3 | 10 | 19 | 49 | 79 | 99+ |
| 50-64 | 66 | 17.0 | 188 | 4 | 5 | 13 | 21 | 42 | 54 | 94 |
| 65+ | 174 | 17.2 | 236 | 3 | 4 | 12 | 23 | 36 | 54 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 6.4 | 66 | <1 | <1 | 4 | 8 | 14 | 24 | 45 |
| B. *Operated* | 135 | 11.0 | 206 | <1 | 1 | 5 | 14 | 28 | 41 | 79 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 511 | 10.1 | 128 | <1 | 1 | 7 | 13 | 21 | 32 | 58 |
| B. *Operated* | 322 | 17.5 | 248 | 2 | 4 | 12 | 23 | 37 | 56 | 99+ |
| **1. SINGLE DX** | 316 | 8.3 | 131 | <1 | <1 | 4 | 10 | 20 | 32 | 51 |
| **2. MULTIPLE DX** | 833 | 13.0 | 188 | 1 | 2 | 9 | 16 | 31 | 41 | 79 |
| **A. NOT OPERATED** | 692 | 9.1 | 115 | <1 | 1 | 6 | 12 | 20 | 30 | 54 |
| **B. OPERATED** | 457 | 15.6 | 244 | 1 | 2 | 11 | 21 | 36 | 53 | 89 |
| TOTAL 0-19 YRS | 285 | 8.7 | 180 | <1 | <1 | 3 | 10 | 24 | 35 | 76 |
| 20-34 | 42 | 15.1 | 285 | 1 | 2 | 7 | 27 | 36 | 58 | 67 |
| 35-49 | 46 | 12.4 | 145 | 1 | 2 | 9 | 18 | 29 | 45 | 99+ |
| 50-64 | 212 | 11.9 | 164 | 1 | 2 | 9 | 15 | 25 | 45 | 75 |
| 65+ | 564 | 12.8 | 168 | 1 | 2 | 9 | 16 | 29 | 37 | 77 |
| **GRAND TOTAL** | **1149** | **11.7** | **176** | **<1** | **1** | **8** | **15** | **27** | **39** | **78** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.0 | 10 | <1 | <1 | 1 | 5 | 6 | 11 | 14 |
| 20-34 | 29 | 12.2 | 192 | 1 | 3 | 6 | 14 | 34 | 38 | 58 |
| 35-49 | 53 | 6.9 | 102 | <1 | <1 | 4 | 7 | 19 | 25 | 52 |
| 50-64 | 74 | 7.6 | 120 | <1 | <1 | 4 | 9 | 21 | 40 | 91 |
| 65+ | 108 | 7.7 | 92 | <1 | 1 | 4 | 10 | 21 | 27 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 26.4 | 632 | 1 | 2 | 16 | 48 | 66 | 91 | 99+ |
| 20-34 | 20 | 23.8 | 429 | 3 | 4 | 11 | 44 | 50 | 60 | 70 |
| 35-49 | 37 | 24.0 | 327 | 3 | 4 | 26 | 38 | 49 | 53 | 64 |
| 50-64 | 32 | 18.7 | 288 | 2 | 2 | 11 | 31 | 48 | 62 | 99+ |
| 65+ | 46 | 17.8 | 244 | 5 | 6 | 13 | 19 | 39 | 62 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.5 | 43 | <1 | <1 | 4 | 6 | 11 | 20 | 37 |
| 20-34 | 26 | 8.9 | 126 | <1 | 1 | 4 | 14 | 29 | 38 | 39 |
| 35-49 | 64 | 8.7 | 94 | 1 | 1 | 6 | 12 | 25 | 29 | 93 |
| 50-64 | 118 | 9.6 | 84 | <1 | 1 | 6 | 11 | 24 | 29 | 40 |
| 65+ | 350 | 9.3 | 107 | 1 | 1 | 6 | 13 | 20 | 31 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 26.3 | 560 | 3 | 4 | 23 | 40 | 71 | 74 | 74 |
| 20-34 | 32 | 32.0 | 487 | 3 | 6 | 32 | 42 | 61 | 72 | 94 |
| 35-49 | 63 | 30.0 | 563 | 2 | 3 | 24 | 47 | 66 | 78 | 86 |
| 50-64 | 101 | 27.5 | 509 | 3 | 5 | 23 | 39 | 64 | 84 | 99+ |
| 65+ | 216 | 22.2 | 426 | 3 | 5 | 14 | 30 | 55 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 309 | 7.3 | 102 | <1 | <1 | 4 | 8 | 20 | 31 | 54 |
| B. *Operated* | 158 | 21.5 | 354 | 2 | 4 | 13 | 35 | 51 | 64 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 616 | 8.9 | 97 | 1 | 1 | 6 | 12 | 21 | 30 | 56 |
| B. *Operated* | 428 | 25.5 | 483 | 3 | 5 | 19 | 38 | 63 | 78 | 99+ |
| **1. SINGLE DX** | 467 | 12.1 | 232 | <1 | 1 | 6 | 14 | 38 | 49 | 70 |
| **2. MULTIPLE DX** | 1044 | 15.7 | 322 | 1 | 2 | 9 | 20 | 40 | 59 | 92 |
| **A. NOT OPERATED** | 925 | 8.4 | 99 | <1 | 1 | 5 | 11 | 20 | 30 | 55 |
| **B. OPERATED** | 586 | 24.4 | 451 | 3 | 4 | 17 | 37 | 57 | 73 | 99+ |
| TOTAL 0-19 YRS | 142 | 10.5 | 279 | <1 | <1 | 4 | 10 | 36 | 52 | 88 |
| 20-34 | 107 | 19.5 | 393 | 1 | 2 | 10 | 34 | 49 | 58 | 82 |
| 35-49 | 217 | 17.1 | 371 | <1 | 1 | 8 | 28 | 47 | 60 | 82 |
| 50-64 | 325 | 15.6 | 315 | <1 | 1 | 8 | 23 | 42 | 56 | 99+ |
| 65+ | 720 | 13.4 | 246 | 1 | 1 | 9 | 16 | 33 | 49 | 89 |
| **GRAND TOTAL** | **1511** | **14.6** | **296** | **1** | **1** | **8** | **19** | **39** | **55** | **92** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 4.3 | 18 | <1 | 1 | 3 | 6 | 13 | 15 | 99+ |
| 20-34 | 29 | 7.1 | 61 | 1 | 2 | 4 | 8 | 20 | 27 | 32 |
| 35-49 | 69 | 7.2 | 63 | 1 | 1 | 4 | 10 | 16 | 26 | 38 |
| 50-64 | 204 | 7.2 | 60 | 1 | 1 | 4 | 9 | 18 | 24 | 34 |
| 65+ | 254 | 8.5 | 88 | 1 | 1 | 5 | 11 | 20 | 26 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 11.0 | 120 | 1 | 1 | 8 | 16 | 24 | 31 | 51 |
| 20-34 | 60 | 11.7 | 195 | 2 | 2 | 6 | 16 | 28 | 37 | 82 |
| 35-49 | 141 | 9.0 | 64 | 1 | 2 | 7 | 12 | 17 | 21 | 42 |
| 50-64 | 359 | 9.7 | 84 | 1 | 2 | 7 | 13 | 20 | 27 | 47 |
| 65+ | 386 | 11.5 | 101 | 2 | 2 | 9 | 15 | 23 | 30 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 6.8 | 60 | 1 | 2 | 4 | 8 | 14 | 17 | 44 |
| 20-34 | 53 | 6.4 | 48 | 1 | 1 | 4 | 8 | 13 | 19 | 40 |
| 35-49 | 108 | 11.8 | 160 | 1 | 2 | 8 | 15 | 30 | 37 | 62 |
| 50-64 | 498 | 11.0 | 171 | 1 | 1 | 7 | 14 | 25 | 36 | 74 |
| 65+ | 974 | 12.0 | 151 | 1 | 2 | 8 | 15 | 30 | 39 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 13.2 | 86 | 1 | 3 | 12 | 17 | 24 | 32 | 40 |
| 20-34 | 32 | 18.1 | 324 | 2 | 2 | 12 | 24 | 46 | 58 | 81 |
| 35-49 | 139 | 17.7 | 229 | 3 | 5 | 13 | 22 | 38 | 51 | 99+ |
| 50-64 | 524 | 18.7 | 223 | 3 | 5 | 15 | 25 | 39 | 52 | 84 |
| 65+ | 897 | 20.8 | 271 | 3 | 5 | 17 | 27 | 43 | 61 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 592 | 7.5 | 70 | 1 | 1 | 4 | 10 | 19 | 26 | 37 |
| B. *Operated* | 971 | 10.5 | 96 | 1 | 2 | 8 | 14 | 21 | 28 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1669 | 11.4 | 153 | 1 | 2 | 7 | 14 | 27 | 38 | 74 |
| B. *Operated* | 1612 | 19.7 | 252 | 3 | 5 | 15 | 26 | 41 | 56 | 98 |
| **1. SINGLE DX** | 1563 | 9.4 | 89 | 1 | 2 | 6 | 13 | 20 | 27 | 46 |
| **2. MULTIPLE DX** | 3281 | 15.5 | 219 | 1 | 2 | 11 | 21 | 36 | 47 | 87 |
| **A. NOT OPERATED** | 2261 | 10.4 | 134 | 1 | 1 | 7 | 13 | 25 | 34 | 67 |
| **B. OPERATED** | 2583 | 16.2 | 213 | 2 | 3 | 12 | 21 | 36 | 47 | 87 |
| TOTAL 0-19 YRS | 117 | 8.0 | 74 | 1 | 1 | 5 | 12 | 18 | 25 | 67 |
| 20-34 | 174 | 10.5 | 167 | 1 | 2 | 6 | 13 | 25 | 36 | 76 |
| 35-49 | 457 | 12.0 | 152 | 1 | 2 | 8 | 15 | 28 | 37 | 70 |
| 50-64 | 1585 | 12.8 | 173 | 1 | 2 | 9 | 17 | 29 | 40 | 69 |
| 65+ | 2511 | 14.7 | 201 | 1 | 2 | 11 | 20 | 33 | 45 | 87 |
| **GRAND TOTAL** | **4844** | **13.5** | **185** | **1** | **2** | **9** | **18** | **31** | **42** | **78** |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.1 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 20-34 | 159 | 3.5 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 173 | 3.6 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 8 |
| 50-64 | 275 | 4.3 | 27 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 65+ | 193 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 3 | 6.7 | 8 | 5 | 5 | 5 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.7 | 17 | <1 | 1 | 4 | 6 | 9 | 15 | 17 |
| 20-34 | 32 | 4.3 | 13 | <1 | 1 | 4 | 5 | 8 | 14 | 16 |
| 35-49 | 45 | 3.8 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 11 |
| 50-64 | 123 | 5.2 | 13 | 1 | 2 | 4 | 7 | 8 | 11 | 20 |
| 65+ | 154 | 7.3 | 58 | 2 | 2 | 5 | 8 | 14 | 22 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 3.3 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| B. *Operated* | 862 | 3.9 | 12 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.4 | 14 | 1 | 1 | 5 | 6 | 10 | 10 | 10 |
| B. *Operated* | 367 | 5.8 | 32 | 1 | 2 | 4 | 7 | 9 | 17 | 31 |
| **1. SINGLE DX** | 868 | 3.9 | 12 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 372 | 5.8 | 32 | 1 | 2 | 4 | 7 | 9 | 17 | 31 |
| **A. NOT OPERATED** | 11 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 10 |
| **B. OPERATED** | 1229 | 4.5 | 19 | 1 | 2 | 4 | 5 | 7 | 9 | 20 |
| TOTAL 0-19 YRS | 77 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 193 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 35-49 | 219 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 50-64 | 401 | 4.5 | 22 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 65+ | 350 | 5.6 | 30 | 2 | 2 | 4 | 6 | 9 | 14 | 31 |
| **GRAND TOTAL** | **1240** | **4.5** | **19** | **1** | **2** | **4** | **5** | **7** | **9** | **20** |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.2 | 13 | 1 | 1 | 3 | 6 | 9 | 13 | 14 |
| 20-34 | 22 | 3.3 | 6 | <1 | 1 | 2 | 5 | 7 | 9 | 10 |
| 35-49 | 31 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 50-64 | 78 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 65+ | 119 | 3.6 | 30 | <1 | 1 | 2 | 3 | 8 | 10 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.9 | 15 | <1 | 1 | 2 | 6 | 8 | 14 | 18 |
| 20-34 | 80 | 4.8 | 13 | 1 | 1 | 3 | 7 | 10 | 11 | 17 |
| 35-49 | 215 | 3.3 | 11 | <1 | 1 | 2 | 3 | 8 | 10 | 15 |
| 50-64 | 833 | 3.4 | 15 | <1 | 1 | 2 | 3 | 9 | 12 | 19 |
| 65+ | 1056 | 3.7 | 25 | 1 | 1 | 2 | 3 | 8 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.0 | 9 | 1 | 1 | 2 | 7 | 8 | 9 | 9 |
| 20-34 | 13 | 4.9 | 42 | 1 | 1 | 3 | 5 | 13 | 23 | 25 |
| 35-49 | 35 | 6.0 | 22 | <1 | 1 | 5 | 9 | 13 | 15 | 17 |
| 50-64 | 125 | 4.3 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 65+ | 274 | 6.2 | 30 | 1 | 1 | 4 | 9 | 13 | 17 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.8 | 18 | 2 | 2 | 3 | 7 | 11 | 15 | 16 |
| 20-34 | 83 | 10.0 | 150 | 1 | 1 | 7 | 12 | 25 | 31 | 68 |
| 35-49 | 199 | 6.3 | 37 | 1 | 1 | 4 | 9 | 14 | 18 | 30 |
| 50-64 | 845 | 6.8 | 59 | 1 | 1 | 3 | 9 | 15 | 22 | 36 |
| 65+ | 1619 | 8.5 | 99 | 1 | 2 | 5 | 11 | 20 | 27 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 264 | 3.1 | 17 | <1 | 1 | 2 | 3 | 7 | 9 | 18 |
| B. *Operated* | 2225 | 3.6 | 19 | 1 | 1 | 2 | 3 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 458 | 5.5 | 25 | 1 | 1 | 4 | 8 | 12 | 16 | 23 |
| B. *Operated* | 2760 | 7.9 | 85 | 1 | 2 | 4 | 10 | 18 | 25 | 46 |
| **1. SINGLE DX** | 2489 | 3.5 | 19 | 1 | 1 | 2 | 3 | 8 | 12 | 20 |
| **2. MULTIPLE DX** | 3218 | 7.5 | 77 | 1 | 1 | 4 | 10 | 17 | 24 | 44 |
| **A. NOT OPERATED** | 722 | 4.6 | 24 | <1 | 1 | 3 | 6 | 11 | 13 | 23 |
| **B. OPERATED** | 4985 | 5.9 | 60 | 1 | 1 | 3 | 8 | 15 | 20 | 36 |
| TOTAL 0-19 YRS | 80 | 4.1 | 14 | <1 | 1 | 2 | 6 | 8 | 13 | 17 |
| 20-34 | 198 | 6.8 | 79 | 1 | 1 | 4 | 8 | 14 | 24 | 47 |
| 35-49 | 480 | 4.7 | 25 | <1 | 1 | 2 | 6 | 11 | 15 | 26 |
| 50-64 | 1881 | 4.9 | 37 | 1 | 1 | 2 | 6 | 12 | 16 | 30 |
| 65+ | 3068 | 6.5 | 70 | 1 | 1 | 3 | 8 | 16 | 22 | 43 |
| **GRAND TOTAL** | **5707** | **5.8** | **56** | **1** | **1** | **3** | **8** | **14** | **19** | **35** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 2.8 | 9 | 1 | 1 | 2 | 2 | 5 | 11 | 16 |
| 20-34 | 65 | 2.7 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 12 |
| 35-49 | 80 | 4.2 | 15 | <1 | <1 | 2 | 6 | 9 | 12 | 18 |
| 50-64 | 91 | 4.4 | 15 | <1 | 1 | 2 | 7 | 11 | 13 | 15 |
| 65+ | 58 | 5.6 | 30 | <1 | 1 | 3 | 8 | 14 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 4 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 6 | 5.8 | 29 | 1 | 1 | 3 | 11 | 14 | 14 | 14 |
| 65+ | 4 | 20.3 | 219 | 10 | 10 | 14 | 29 | 42 | 42 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.3 | 30 | 1 | 1 | 2 | 6 | 14 | 16 | 16 |
| 20-34 | 18 | 7.4 | 51 | <1 | 1 | 5 | 11 | 13 | 23 | 29 |
| 35-49 | 36 | 7.8 | 66 | 2 | 2 | 5 | 10 | 14 | 29 | 37 |
| 50-64 | 68 | 9.8 | 123 | 1 | 2 | 5 | 13 | 28 | 37 | 51 |
| 65+ | 80 | 10.9 | 138 | 1 | 2 | 8 | 14 | 23 | 32 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| B. *Operated* | 341 | 4.0 | 16 | <1 | <1 | 2 | 5 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 7.4 | 90 | 1 | 1 | 4 | 10 | 15 | 29 | 42 |
| B. *Operated* | 211 | 9.4 | 110 | 1 | 2 | 5 | 12 | 21 | 31 | 50 |
| **1. SINGLE DX** | 357 | 3.9 | 16 | <1 | 1 | 2 | 5 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 231 | 9.3 | 108 | 1 | 2 | 5 | 12 | 20 | 31 | 50 |
| **A. NOT OPERATED** | 36 | 5.0 | 56 | 1 | 1 | 2 | 5 | 12 | 16 | 42 |
| **B. OPERATED** | 552 | 6.1 | 59 | <1 | 1 | 3 | 8 | 14 | 19 | 38 |
| TOTAL 0-19 YRS | 66 | 2.9 | 11 | 1 | 1 | 2 | 2 | 5 | 12 | 16 |
| 20-34 | 88 | 3.7 | 19 | <1 | <1 | 2 | 4 | 9 | 12 | 23 |
| 35-49 | 121 | 5.2 | 32 | <1 | <1 | 3 | 7 | 11 | 14 | 33 |
| 50-64 | 169 | 6.6 | 65 | 1 | 1 | 3 | 9 | 15 | 19 | 47 |
| 65+ | 144 | 8.9 | 104 | 1 | 2 | 5 | 12 | 19 | 26 | 50 |
| **GRAND TOTAL** | **588** | **6.0** | **59** | **<1** | **1** | **3** | **8** | **14** | **19** | **40** |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 6 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 6 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 5 | 6.4 | 55 | <1 | <1 | 5 | 9 | 19 | 19 | 19 |
| 65+ | 3 | 11.0 | 103 | 2 | 2 | 9 | 19 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 748 | 3.2 | 7 | <1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 20-34 | 989 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 1104 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 1149 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 446 | 3.6 | 17 | <1 | 1 | 2 | 4 | 6 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.0 | 11 | <1 | <1 | 1 | 3 | 9 | 11 | 11 |
| 20-34 | 10 | 4.2 | 13 | <1 | <1 | 3 | 7 | 10 | 11 | 11 |
| 35-49 | 19 | 4.4 | 11 | <1 | 1 | 4 | 6 | 9 | 12 | 13 |
| 50-64 | 20 | 3.9 | 8 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 22 | 7.0 | 25 | <1 | 1 | 6 | 10 | 15 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.9 | 24 | <1 | 1 | 3 | 5 | 6 | 8 | 29 |
| 20-34 | 245 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 35-49 | 415 | 4.0 | 14 | <1 | 1 | 3 | 4 | 8 | 12 | 20 |
| 50-64 | 622 | 4.8 | 28 | <1 | 1 | 3 | 5 | 11 | 15 | 32 |
| 65+ | 382 | 6.3 | 51 | 1 | 2 | 4 | 7 | 15 | 20 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.2 | 23 | <1 | 1 | 3 | 4 | 7 | 19 | 22 |
| B. *Operated* | 4436 | 2.9 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 4.7 | 16 | <1 | <1 | 4 | 7 | 10 | 13 | 17 |
| B. *Operated* | 1775 | 4.7 | 28 | <1 | 1 | 3 | 5 | 10 | 15 | 26 |
| **1. SINGLE DX** | 4466 | 2.9 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 1857 | 4.7 | 27 | <1 | 1 | 3 | 5 | 10 | 15 | 26 |
| **A. NOT OPERATED** | 112 | 4.6 | 18 | <1 | <1 | 3 | 6 | 10 | 13 | 20 |
| **B. OPERATED** | 6211 | 3.4 | 14 | <1 | <1 | 2 | 4 | 6 | 9 | 19 |
| TOTAL 0-19 YRS | 880 | 3.3 | 9 | <1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 20-34 | 1250 | 3.0 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 1544 | 2.9 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 1796 | 3.5 | 15 | <1 | <1 | 2 | 4 | 6 | 10 | 20 |
| 65+ | 853 | 4.9 | 34 | <1 | 1 | 3 | 5 | 11 | 17 | 33 |
| **GRAND TOTAL** | 6323 | 3.4 | 14 | <1 | <1 | 2 | 4 | 6 | 9 | 19 |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.9 | 83 | <1 | 1 | 2 | 3 | 10 | 30 | 38 |
| 20-34 | 7 | 4.0 | 9 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 10 | 3.2 | 5 | 1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 50-64 | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| 65+ | 8 | 2.3 | 1 | 2 | 2 | 2 | 2 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 870 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 20-34 | 412 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 9 | 15 |
| 35-49 | 300 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 304 | 2.9 | 18 | <1 | <1 | 2 | 3 | 5 | 7 | 20 |
| 65+ | 176 | 2.9 | 8 | <1 | <1 | 2 | 3 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.6 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 9 |
| 20-34 | 7 | 4.0 | 12 | <1 | <1 | 3 | 5 | 10 | 11 | 11 |
| 35-49 | 6 | 4.2 | 21 | <1 | <1 | 2 | 9 | 11 | 11 | 11 |
| 50-64 | 12 | 6.9 | 61 | 1 | 1 | 4 | 9 | 16 | 27 | 29 |
| 65+ | 29 | 13.1 | 125 | 2 | 3 | 10 | 19 | 32 | 50 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 3.7 | 45 | <1 | <1 | 2 | 4 | 8 | 11 | 50 |
| 20-34 | 155 | 2.8 | 32 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 191 | 3.1 | 16 | <1 | <1 | 2 | 3 | 6 | 11 | 25 |
| 50-64 | 268 | 4.1 | 24 | <1 | <1 | 2 | 5 | 10 | 15 | 29 |
| 65+ | 201 | 6.9 | 101 | <1 | 1 | 3 | 7 | 17 | 30 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 4.0 | 35 | 1 | 1 | 2 | 4 | 7 | 11 | 38 |
| B. *Operated* | 2062 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 7.0 | 75 | <1 | <1 | 4 | 9 | 18 | 29 | 81 |
| B. *Operated* | 979 | 4.2 | 45 | <1 | <1 | 2 | 4 | 10 | 15 | 38 |
| **1. SINGLE DX** | 2105 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 1065 | 4.5 | 48 | <1 | <1 | 2 | 5 | 10 | 16 | 39 |
| **A. NOT OPERATED** | 129 | 6.0 | 63 | <1 | <1 | 3 | 8 | 12 | 26 | 60 |
| **B. OPERATED** | 3041 | 3.1 | 21 | <1 | <1 | 2 | 3 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 1082 | 2.5 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 581 | 2.9 | 15 | <1 | <1 | 2 | 3 | 5 | 9 | 15 |
| 35-49 | 507 | 2.9 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |
| 50-64 | 586 | 3.5 | 22 | <1 | <1 | 2 | 3 | 8 | 12 | 23 |
| 65+ | 414 | 5.6 | 69 | <1 | <1 | 2 | 6 | 13 | 22 | 49 |
| **GRAND TOTAL** | 3170 | 3.2 | 23 | <1 | <1 | 2 | 3 | 6 | 10 | 25 |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 431 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 1133 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 707 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 249 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 4 | 9 |
| 65+ | 127 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 4 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 65+ | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.0 | 4 | 1 | 2 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 263 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 352 | 3.0 | 7 | <1 | 2 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 209 | 3.4 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 134 | 4.6 | 18 | 2 | 2 | 3 | 5 | 11 | 14 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 2647 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 3.1 | 13 | <1 | <1 | 1 | 3 | 8 | 12 | 14 |
| B. *Operated* | 1011 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 15 |
| **1. SINGLE DX** | 2654 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 1028 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 24 | 2.7 | 9 | <1 | <1 | 1 | 3 | 6 | 10 | 14 |
| **B. OPERATED** | 3658 | 2.4 | 3 | <1 | 1 | 2 | 3 | 3 | 5 | 10 |
| TOTAL 0-19 YRS | 487 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1405 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 1064 | 2.4 | 3 | <1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 50-64 | 462 | 3.0 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 65+ | 264 | 3.8 | 11 | 1 | 2 | 3 | 4 | 7 | 11 | 18 |
| **GRAND TOTAL** | 3682 | 2.4 | 3 | <1 | 1 | 2 | 3 | 3 | 5 | 10 |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 20 | 5.0 | 20 | <1 | 1 | 3 | 7 | 13 | 15 | 16 |
| 35-49 | 55 | 3.3 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 8 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 65+ | 3 | 5.0 | 1 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 8 | 2 | 2 | 4 | 6 | 9 | 9 | 9 |
| 20-34 | 616 | 5.3 | 9 | <1 | 1 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 2322 | 5.9 | 10 | 1 | 1 | 7 | 8 | 9 | 10 | 14 |
| 50-64 | 531 | 5.5 | 13 | <1 | 1 | 7 | 8 | 9 | 11 | 16 |
| 65+ | 37 | 7.8 | 37 | 2 | 2 | 7 | 10 | 15 | 22 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 41 | 4.2 | 20 | <1 | <1 | 3 | 6 | 9 | 13 | 24 |
| 35-49 | 173 | 3.6 | 11 | <1 | 1 | 2 | 5 | 8 | 10 | 16 |
| 50-64 | 39 | 5.0 | 39 | <1 | <1 | 3 | 7 | 9 | 10 | 39 |
| 65+ | 24 | 8.1 | 55 | 1 | 2 | 5 | 11 | 18 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.7 | 17 | <1 | <1 | 3 | 8 | 10 | 13 | 13 |
| 20-34 | 1447 | 6.1 | 17 | 1 | 1 | 6 | 8 | 10 | 12 | 20 |
| 35-49 | 8352 | 6.9 | 17 | 1 | 2 | 7 | 9 | 11 | 13 | 21 |
| 50-64 | 2161 | 6.8 | 21 | 1 | 2 | 7 | 9 | 11 | 14 | 22 |
| 65+ | 200 | 11.3 | 54 | 2 | 3 | 9 | 14 | 21 | 26 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 3513 | 5.7 | 11 | 1 | 1 | 7 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 278 | 4.3 | 21 | <1 | 1 | 3 | 6 | 9 | 12 | 23 |
| B. *Operated* | 12172 | 6.9 | 19 | 1 | 2 | 7 | 9 | 11 | 13 | 22 |
| **1. SINGLE DX** | 3602 | 5.7 | 11 | 1 | 1 | 7 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 12450 | 6.8 | 19 | 1 | 2 | 7 | 9 | 11 | 13 | 22 |
| **A. NOT OPERATED** | 367 | 4.1 | 18 | <1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **B. OPERATED** | 15685 | 6.6 | 17 | 1 | 2 | 7 | 8 | 10 | 13 | 20 |
| TOTAL 0-19 YRS | 23 | 4.3 | 11 | <1 | 1 | 4 | 7 | 9 | 11 | 13 |
| 20-34 | 2124 | 5.8 | 15 | 1 | 1 | 6 | 8 | 10 | 11 | 17 |
| 35-49 | 10902 | 6.6 | 16 | 1 | 2 | 7 | 8 | 10 | 12 | 19 |
| 50-64 | 2739 | 6.6 | 20 | 1 | 1 | 7 | 9 | 10 | 13 | 21 |
| 65+ | 264 | 10.4 | 53 | 2 | 3 | 9 | 13 | 18 | 25 | 33 |
| **GRAND TOTAL** | 16052 | 6.6 | 17 | 1 | 2 | 7 | 8 | 10 | 13 | 20 |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 23 | 2.6 | 6 | <1 | 1 | 2 | 2 | 6 | 8 | 11 |
| 35-49 | 32 | 4.6 | 17 | <1 | <1 | 4 | 6 | 8 | 9 | 22 |
| 50-64 | 21 | 3.1 | 10 | <1 | <1 | 2 | 3 | 8 | 11 | 14 |
| 65+ | 13 | 5.3 | 10 | 2 | 2 | 4 | 9 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 38 | 5.8 | 46 | <1 | 1 | 5 | 7 | 9 | 11 | 42 |
| 35-49 | 93 | 5.9 | 11 | <1 | 1 | 6 | 8 | 10 | 10 | 14 |
| 50-64 | 48 | 5.0 | 25 | 1 | 1 | 3 | 7 | 9 | 13 | 30 |
| 65+ | 15 | 8.3 | 48 | 1 | 1 | 7 | 14 | 18 | 20 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 90 | 3.8 | 12 | <1 | 1 | 2 | 6 | 8 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 196 | 5.8 | 24 | 1 | 1 | 6 | 8 | 10 | 13 | 26 |
| **1. SINGLE DX** | 91 | 3.8 | 12 | <1 | 1 | 2 | 6 | 8 | 9 | 19 |
| **2. MULTIPLE DX** | 197 | 5.8 | 24 | 1 | 1 | 6 | 8 | 10 | 13 | 26 |
| **A. NOT OPERATED** | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **B. OPERATED** | 286 | 5.2 | 21 | <1 | 1 | 4 | 8 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 61 | 4.6 | 33 | <1 | 1 | 2 | 7 | 8 | 10 | 39 |
| 35-49 | 125 | 5.6 | 13 | <1 | 1 | 6 | 8 | 9 | 10 | 17 |
| 50-64 | 70 | 4.4 | 21 | <1 | 1 | 2 | 7 | 8 | 13 | 27 |
| 65+ | 29 | 6.8 | 31 | 1 | 2 | 5 | 9 | 16 | 18 | 21 |
| **GRAND TOTAL** | **288** | **5.2** | **21** | **<1** | **1** | **4** | **8** | **9** | **12** | **22** |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 5 | 1 | 1 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 6.7 | 3 | 4 | 5 | 7 | 7 | 9 | 10 | 13 |
| 20-34 | 446 | 6.2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 11 |
| 35-49 | 119 | 6.8 | 3 | 4 | 5 | 7 | 8 | 9 | 11 | 13 |
| 50-64 | 110 | 8.4 | 9 | 5 | 6 | 8 | 9 | 12 | 14 | 20 |
| 65+ | 41 | 12.2 | 209 | 6 | 6 | 8 | 10 | 19 | 44 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| 20-34 | 5 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 11.0 | 2 | 10 | 10 | 11 | 12 | 12 | 12 | 12 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 6.9 | 5 | 4 | 4 | 6 | 8 | 9 | 11 | 14 |
| 20-34 | 406 | 6.9 | 6 | 4 | 5 | 7 | 8 | 9 | 11 | 17 |
| 35-49 | 323 | 8.0 | 10 | 5 | 5 | 7 | 9 | 11 | 14 | 20 |
| 50-64 | 231 | 10.0 | 27 | 6 | 6 | 8 | 11 | 16 | 21 | 32 |
| 65+ | 173 | 13.8 | 61 | 7 | 7 | 11 | 17 | 24 | 31 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | 821 | 7.0 | 16 | 4 | 5 | 6 | 8 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 4.8 | 16 | <1 | 1 | 3 | 8 | 11 | 12 | 12 |
| B. *Operated* | 1223 | 8.8 | 24 | 5 | 5 | 8 | 9 | 14 | 18 | 30 |
| **1. SINGLE DX** | 830 | 6.9 | 16 | 4 | 5 | 6 | 8 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | 1235 | 8.7 | 24 | 4 | 5 | 8 | 9 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 21 | 4.3 | 10 | <1 | 1 | 4 | 6 | 9 | 11 | 12 |
| **B. OPERATED** | 2044 | 8.0 | 21 | 4 | 5 | 7 | 8 | 11 | 16 | 28 |
| TOTAL 0-19 YRS | 200 | 6.7 | 4 | 4 | 5 | 6 | 8 | 9 | 10 | 14 |
| 20-34 | 861 | 6.5 | 5 | 4 | 5 | 6 | 7 | 8 | 10 | 16 |
| 35-49 | 444 | 7.7 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 20 |
| 50-64 | 344 | 9.5 | 22 | 5 | 6 | 8 | 10 | 14 | 19 | 29 |
| 65+ | 216 | 13.4 | 88 | 6 | 7 | 10 | 15 | 23 | 32 | 51 |
| **GRAND TOTAL** | **2065** | **8.0** | **22** | **4** | **5** | **7** | **8** | **11** | **16** | **28** |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 8 | 9 |
| 20-34 | 25 | 3.0 | 6 | <1 | <1 | 2 | 5 | 6 | 8 | 9 |
| 35-49 | 23 | 3.7 | 11 | <1 | <1 | 2 | 6 | 8 | 11 | 14 |
| 50-64 | 18 | 3.3 | 7 | <1 | <1 | 3 | 4 | 7 | 9 | 11 |
| 65+ | 10 | 3.0 | 7 | <1 | <1 | 2 | 3 | 7 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 22 | 3.4 | 6 | 1 | 1 | 2 | 6 | 7 | 8 | 8 |
| 35-49 | 27 | 4.2 | 7 | <1 | 1 | 3 | 7 | 8 | 8 | 9 |
| 50-64 | 22 | 5.1 | 18 | 1 | 1 | 4 | 7 | 11 | 15 | 16 |
| 65+ | 10 | 4.4 | 14 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 90 | 3.1 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* | 85 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 9 | 16 |
| **1. SINGLE DX** | 91 | 3.1 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 88 | 4.1 | 10 | 1 | 1 | 3 | 6 | 8 | 9 | 16 |
| **A. NOT OPERATED** | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **B. OPERATED** | 175 | 3.6 | 9 | <1 | <1 | 2 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 18 | 2.4 | 5 | <1 | <1 | 2 | 2 | 6 | 8 | 9 |
| 20-34 | 47 | 3.2 | 6 | <1 | <1 | 2 | 6 | 7 | 8 | 9 |
| 35-49 | 52 | 3.9 | 9 | <1 | <1 | 3 | 6 | 8 | 9 | 14 |
| 50-64 | 41 | 4.2 | 13 | <1 | 1 | 3 | 6 | 9 | 13 | 16 |
| 65+ | 21 | 3.7 | 10 | <1 | 1 | 2 | 5 | 10 | 11 | 11 |
| **GRAND TOTAL** | **179** | **3.6** | **9** | **<1** | **<1** | **2** | **6** | **8** | **9** | **15** |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 5 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 31 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 15 | 2.8 | 3 | <1 | 1 | 3 | 3 | 4 | 7 | 8 |
| 50-64 | 12 | 3.2 | 7 | 1 | 1 | 2 | 3 | 7 | 10 | 11 |
| 65+ | 11 | 3.8 | 9 | <1 | 1 | 3 | 6 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 9 | 3.9 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 8 | 5.6 | 16 | 2 | 2 | 4 | 9 | 12 | 12 | 12 |
| 65+ | 15 | 7.7 | 70 | <1 | 2 | 4 | 10 | 19 | 28 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 76 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 40 | 5.4 | 33 | 1 | 2 | 4 | 5 | 12 | 17 | 31 |
| **1. SINGLE DX** | 76 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 42 | 5.2 | 32 | <1 | 1 | 4 | 5 | 12 | 17 | 31 |
| **A. NOT OPERATED** | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 116 | 3.9 | 15 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| TOTAL 0-19 YRS | 11 | 2.7 | 4 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 36 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 6 | 8 |
| 35-49 | 25 | 3.1 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 20 | 4.2 | 11 | 1 | 2 | 3 | 5 | 11 | 12 | 12 |
| 65+ | 26 | 6.0 | 47 | <1 | 1 | 4 | 7 | 16 | 21 | 31 |
| **GRAND TOTAL** | **118** | **3.9** | **15** | **1** | **1** | **3** | **4** | **7** | **11** | **23** |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 24 | 4.1 | 19 | <1 | 1 | 2 | 5 | 11 | 15 | 16 |
| 35-49 | 29 | 4.6 | 22 | <1 | 1 | 3 | 5 | 12 | 17 | 18 |
| 50-64 | 62 | 3.7 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 65+ | 104 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 4.2 | 36 | <1 | <1 | 1 | 5 | 15 | 16 | 16 |
| 35-49 | 24 | 7.8 | 52 | 1 | 2 | 4 | 11 | 22 | 23 | 23 |
| 50-64 | 57 | 6.7 | 45 | 1 | 2 | 5 | 9 | 14 | 20 | 40 |
| 65+ | 111 | 7.8 | 64 | 2 | 2 | 5 | 10 | 19 | 26 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 221 | 3.7 | 12 | <1 | 1 | 2 | 4 | 8 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.2 | 10 | 1 | 1 | 6 | 8 | 8 | 8 | 8 |
| B. *Operated* | 202 | 7.2 | 55 | 1 | 2 | 4 | 9 | 18 | 23 | 38 |
| **1. SINGLE DX** | 221 | 3.7 | 12 | <1 | 1 | 2 | 4 | 8 | 12 | 17 |
| **2. MULTIPLE DX** | 207 | 7.2 | 54 | 1 | 2 | 4 | 9 | 17 | 23 | 38 |
| **A. NOT OPERATED** | 5 | 5.2 | 10 | 1 | 1 | 6 | 8 | 8 | 8 | 8 |
| **B. OPERATED** | 423 | 5.4 | 36 | 1 | 1 | 3 | 6 | 13 | 18 | 29 |
| TOTAL 0-19 YRS | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 30 | 4.1 | 21 | <1 | <1 | 2 | 5 | 12 | 16 | 16 |
| 35-49 | 55 | 6.1 | 36 | 1 | 2 | 3 | 8 | 17 | 21 | 23 |
| 50-64 | 120 | 5.1 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| 65+ | 217 | 5.6 | 41 | 1 | 1 | 4 | 6 | 13 | 19 | 32 |
| **GRAND TOTAL** | 428 | 5.4 | 35 | 1 | 1 | 3 | 6 | 13 | 18 | 28 |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 20-34 | 10 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 5 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 7 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 5 | 3.6 | 8 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 52 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.4 | 41 | <1 | <1 | 1 | 10 | 15 | 15 | 15 |
| B. *Operated* | 11 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 8 |
| **1. SINGLE DX** | 53 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 12 |
| **2. MULTIPLE DX** | 16 | 3.6 | 16 | <1 | <1 | 2 | 5 | 9 | 13 | 15 |
| **A. NOT OPERATED** | 6 | 4.8 | 35 | <1 | <1 | 1 | 9 | 14 | 15 | 15 |
| **B. OPERATED** | 63 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 11 |
| TOTAL 0-19 YRS | 33 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 12 |
| 20-34 | 10 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 2.7 | 10 | <1 | <1 | 1 | 2 | 8 | 9 | 9 |
| 50-64 | 8 | 4.0 | 21 | <1 | <1 | 2 | 4 | 12 | 15 | 15 |
| 65+ | 12 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| **GRAND TOTAL** | 69 | 2.3 | 6 | <1 | <1 | 2 | 2 | 6 | 8 | 14 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 5 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 10 | 8.4 | 107 | 2 | 2 | 5 | 10 | 24 | 36 | 36 |
| 50-64 | 18 | 6.3 | 70 | 1 | 1 | 3 | 8 | 12 | 27 | 37 |
| 65+ | 14 | 8.2 | 23 | 2 | 3 | 8 | 10 | 15 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.0 | 59 | 2 | 3 | 13 | 19 | 24 | 28 | 28 |
| 20-34 | 38 | 13.7 | 119 | 2 | 2 | 13 | 17 | 26 | 35 | 54 |
| 35-49 | 82 | 13.9 | 75 | 3 | 5 | 12 | 18 | 25 | 29 | 48 |
| 50-64 | 116 | 15.8 | 105 | 3 | 5 | 14 | 19 | 28 | 32 | 59 |
| 65+ | 63 | 22.7 | 242 | 3 | 5 | 20 | 29 | 47 | 61 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 10 | 10 |
| 35-49 | 11 | 13.5 | 600 | 1 | 1 | 2 | 8 | 56 | 76 | 78 |
| 50-64 | 25 | 9.8 | 71 | 3 | 3 | 8 | 13 | 20 | 54 | 99+ |
| 65+ | 89 | 15.8 | 206 | 2 | 4 | 13 | 22 | 34 | 79 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 20.8 | 189 | 8 | 8 | 17 | 23 | 45 | 47 | 47 |
| 20-34 | 29 | 16.5 | 104 | 3 | 4 | 17 | 21 | 30 | 40 | 43 |
| 35-49 | 59 | 19.3 | 170 | 4 | 7 | 16 | 23 | 40 | 49 | 65 |
| 50-64 | 106 | 22.1 | 226 | 4 | 7 | 18 | 31 | 52 | 66 | 99+ |
| 65+ | 143 | 31.5 | 425 | 8 | 11 | 26 | 44 | 72 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 6.9 | 56 | 1 | 2 | 4 | 9 | 13 | 21 | 37 |
| B. *Operated* | 310 | 16.4 | 135 | 2 | 4 | 14 | 21 | 30 | 37 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 13.8 | 209 | 1 | 2 | 10 | 19 | 34 | 70 | 99+ |
| B. *Operated* | 343 | 25.0 | 318 | 5 | 8 | 19 | 33 | 54 | 75 | 99+ |
| **1. SINGLE DX** | 358 | 15.1 | 135 | 2 | 3 | 13 | 20 | 29 | 36 | 66 |
| **2. MULTIPLE DX** | 476 | 21.9 | 313 | 3 | 5 | 17 | 29 | 52 | 75 | 99+ |
| **A. NOT OPERATED** | 181 | 11.9 | 177 | 1 | 2 | 8 | 15 | 26 | 43 | 99+ |
| **B. OPERATED** | 653 | 20.9 | 250 | 3 | 6 | 17 | 26 | 45 | 59 | 99+ |
| TOTAL 0-19 YRS | 20 | 14.1 | 112 | 1 | 3 | 13 | 19 | 25 | 37 | 47 |
| 20-34 | 78 | 13.2 | 115 | 1 | 2 | 12 | 18 | 26 | 35 | 51 |
| 35-49 | 162 | 15.5 | 152 | 2 | 3 | 13 | 19 | 29 | 40 | 65 |
| 50-64 | 265 | 17.1 | 171 | 3 | 4 | 14 | 23 | 34 | 52 | 99+ |
| 65+ | 309 | 24.1 | 361 | 3 | 6 | 19 | 33 | 56 | 82 | 99+ |
| **GRAND TOTAL** | 834 | 19.0 | 247 | 2 | 4 | 15 | 25 | 42 | 57 | 99+ |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 |
| 20-34 | 283 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 336 | 4.5 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 14 |
| 50-64 | 278 | 4.6 | 3 | 3 | 3 | 4 | 5 | 6 | 8 | 13 |
| 65+ | 102 | 5.3 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 4 | 2.3 | 6 | 1 | 1 | 1 | 4 | 6 | 6 | 6 |
| 35-49 | 3 | 4.7 | 40 | <1 | <1 | 1 | 9 | 12 | 12 | 12 |
| 50-64 | 5 | 3.8 | 8 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 7 | 8.1 | 33 | 1 | 2 | 6 | 12 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.1 | 8 | 3 | 3 | 4 | 5 | 9 | 13 | 13 |
| 20-34 | 59 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 11 | 16 |
| 35-49 | 127 | 5.1 | 6 | 3 | 3 | 5 | 6 | 7 | 9 | 16 |
| 50-64 | 158 | 6.1 | 14 | 3 | 4 | 5 | 6 | 9 | 14 | 24 |
| 65+ | 90 | 8.9 | 60 | 4 | 4 | 7 | 10 | 17 | 22 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | 1041 | 4.5 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 5.3 | 23 | <1 | 1 | 5 | 7 | 12 | 15 | 18 |
| B. *Operated* | 445 | 6.2 | 22 | 3 | 3 | 5 | 6 | 10 | 15 | 24 |
| **1. SINGLE DX** | 1045 | 4.5 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 465 | 6.2 | 22 | 3 | 3 | 5 | 6 | 10 | 15 | 24 |
| **A. NOT OPERATED** | 24 | 5.3 | 20 | <1 | 1 | 5 | 7 | 12 | 14 | 18 |
| **B. OPERATED** | 1486 | 5.0 | 10 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |
| TOTAL 0-19 YRS | 54 | 4.1 | 3 | 2 | 3 | 4 | 5 | 5 | 6 | 13 |
| 20-34 | 347 | 4.4 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 466 | 4.6 | 6 | 3 | 3 | 4 | 5 | 6 | 7 | 14 |
| 50-64 | 441 | 5.2 | 8 | 3 | 3 | 5 | 5 | 7 | 10 | 17 |
| 65+ | 202 | 7.0 | 33 | 3 | 4 | 5 | 7 | 12 | 17 | 25 |
| **GRAND TOTAL** | 1510 | 5.0 | 10 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 11 | 5.0 | 16 | 1 | 1 | 4 | 6 | 12 | 14 | 14 |
| 35-49 | 9 | 5.9 | 37 | 1 | 1 | 3 | 8 | 17 | 19 | 19 |
| 50-64 | 3 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 19.2 | 149 | 7 | 7 | 15 | 30 | 35 | 35 | 35 |
| 20-34 | 41 | 9.0 | 24 | 3 | 4 | 8 | 11 | 16 | 20 | 21 |
| 35-49 | 47 | 9.7 | 42 | 3 | 4 | 8 | 12 | 18 | 20 | 39 |
| 50-64 | 47 | 10.4 | 52 | 3 | 4 | 9 | 13 | 21 | 26 | 36 |
| 65+ | 21 | 9.3 | 31 | 3 | 4 | 9 | 11 | 17 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 12 | 6.2 | 28 | 1 | 1 | 5 | 7 | 14 | 19 | 20 |
| 35-49 | 13 | 8.0 | 57 | 1 | 1 | 6 | 11 | 21 | 22 | 22 |
| 50-64 | 11 | 15.6 | 302 | 2 | 3 | 9 | 19 | 38 | 62 | 64 |
| 65+ | 13 | 11.5 | 59 | 3 | 5 | 11 | 13 | 20 | 31 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 31.8 | 1788 | 8 | 8 | 12 | 55 | 95 | 95 | 95 |
| 20-34 | 39 | 14.6 | 96 | 3 | 5 | 12 | 19 | 27 | 39 | 44 |
| 35-49 | 48 | 14.4 | 66 | 4 | 4 | 13 | 22 | 25 | 27 | 31 |
| 50-64 | 95 | 13.4 | 137 | 3 | 4 | 9 | 17 | 31 | 44 | 52 |
| 65+ | 55 | 19.1 | 270 | 4 | 4 | 13 | 24 | 41 | 54 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 5.1 | 19 | 1 | 1 | 4 | 6 | 12 | 14 | 19 |
| B. *Operated* | 161 | 10.0 | 44 | 3 | 4 | 8 | 12 | 18 | 23 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 9.8 | 107 | 1 | 2 | 7 | 12 | 20 | 22 | 63 |
| B. *Operated* | 241 | 15.4 | 175 | 4 | 4 | 11 | 20 | 31 | 43 | 66 |
| **1. SINGLE DX** | 189 | 9.2 | 43 | 2 | 3 | 8 | 12 | 18 | 21 | 36 |
| **2. MULTIPLE DX** | 293 | 14.4 | 167 | 3 | 4 | 10 | 19 | 28 | 41 | 65 |
| **A. NOT OPERATED** | 80 | 8.2 | 81 | 1 | 1 | 6 | 10 | 19 | 21 | 55 |
| **B. OPERATED** | 402 | 13.2 | 129 | 3 | 4 | 10 | 17 | 25 | 35 | 54 |
| TOTAL 0-19 YRS | 16 | 15.5 | 541 | 1 | 1 | 8 | 15 | 34 | 77 | 95 |
| 20-34 | 103 | 10.3 | 62 | 2 | 3 | 8 | 13 | 20 | 25 | 41 |
| 35-49 | 117 | 11.1 | 61 | 2 | 3 | 9 | 16 | 23 | 25 | 34 |
| 50-64 | 156 | 12.5 | 122 | 3 | 4 | 9 | 15 | 25 | 36 | 53 |
| 65+ | 90 | 15.6 | 199 | 4 | 4 | 11 | 20 | 33 | 45 | 75 |
| **GRAND TOTAL** | 482 | 12.4 | 124 | 3 | 4 | 9 | 15 | 25 | 33 | 54 |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| 20-34 | 847 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 35-49 | 413 | 5.2 | 21 | 2 | 2 | 4 | 7 | 9 | 10 | 13 |
| 50-64 | 97 | 5.0 | 12 | 1 | 2 | 4 | 7 | 10 | 11 | 17 |
| 65+ | 40 | 5.9 | 12 | 1 | 2 | 5 | 8 | 11 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 17 | 2.1 | 3 | 1 | 1 | 1 | 3 | 4 | 6 | 7 |
| 35-49 | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.1 | 6 | 2 | 2 | 2 | 3 | 7 | 9 | 9 |
| 20-34 | 482 | 4.9 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 16 |
| 35-49 | 358 | 7.0 | 21 | 2 | 2 | 7 | 9 | 11 | 14 | 27 |
| 50-64 | 136 | 7.8 | 38 | 2 | 2 | 7 | 10 | 12 | 20 | 30 |
| 65+ | 64 | 7.4 | 45 | 2 | 2 | 6 | 8 | 17 | 20 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.0 | 7 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| B. *Operated* | 1416 | 4.2 | 11 | 1 | 2 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 2.3 | 5 | <1 | 1 | 1 | 3 | 4 | 8 | 10 |
| B. *Operated* | 1048 | 6.2 | 21 | 2 | 2 | 6 | 8 | 11 | 13 | 26 |
| **1. SINGLE DX** | 1421 | 4.2 | 11 | 1 | 2 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 1073 | 6.1 | 21 | 1 | 2 | 6 | 8 | 11 | 13 | 25 |
| **A. NOT OPERATED** | 30 | 2.4 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 10 |
| **B. OPERATED** | 2464 | 5.0 | 16 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 27 | 2.4 | 3 | <1 | <1 | 2 | 3 | 3 | 6 | 9 |
| 20-34 | 1348 | 4.1 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 777 | 6.0 | 21 | 2 | 2 | 6 | 8 | 10 | 12 | 20 |
| 50-64 | 236 | 6.6 | 29 | 1 | 2 | 6 | 9 | 11 | 15 | 27 |
| 65+ | 106 | 6.8 | 32 | 2 | 2 | 6 | 8 | 13 | 17 | 32 |
| **GRAND TOTAL** | 2494 | 5.0 | 16 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 5 | 6.4 | 31 | 1 | 1 | 6 | 11 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 24 | 4.6 | 7 | <1 | <1 | 5 | 6 | 7 | 9 | 11 |
| 35-49 | 65 | 4.9 | 11 | 1 | 2 | 4 | 7 | 9 | 10 | 16 |
| 50-64 | 128 | 4.6 | 17 | <1 | 1 | 3 | 6 | 11 | 13 | 20 |
| 65+ | 155 | 5.0 | 29 | 1 | 1 | 3 | 6 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 8.5 | 16 | 3 | 3 | 9 | 11 | 12 | 12 | 12 |
| 50-64 | 4 | 6.8 | 10 | 4 | 4 | 7 | 9 | 10 | 10 | 10 |
| 65+ | 13 | 16.8 | 338 | 1 | 3 | 10 | 26 | 42 | 62 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 26 | 7.5 | 28 | 2 | 2 | 7 | 10 | 12 | 17 | 27 |
| 35-49 | 88 | 5.9 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 186 | 7.5 | 49 | 1 | 2 | 5 | 10 | 18 | 21 | 30 |
| 65+ | 292 | 10.6 | 122 | 2 | 2 | 8 | 14 | 19 | 26 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 4.3 | 15 | <1 | 1 | 3 | 5 | 12 | 13 | 13 |
| B. *Operated* | 375 | 4.8 | 20 | <1 | 1 | 3 | 7 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 13.3 | 228 | 2 | 3 | 9 | 12 | 31 | 50 | 67 |
| B. *Operated* | 593 | 8.8 | 83 | 2 | 2 | 6 | 12 | 18 | 22 | 50 |
| **1. SINGLE DX** | 387 | 4.8 | 20 | <1 | 1 | 3 | 6 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 614 | 8.9 | 88 | 2 | 2 | 7 | 12 | 18 | 24 | 55 |
| **A. NOT OPERATED** | 33 | 10.1 | 167 | 1 | 1 | 6 | 11 | 26 | 35 | 67 |
| **B. OPERATED** | 968 | 7.2 | 62 | 1 | 2 | 5 | 10 | 16 | 20 | 38 |
| TOTAL 0-19 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 51 | 6.1 | 19 | <1 | 1 | 6 | 8 | 10 | 12 | 27 |
| 35-49 | 159 | 5.5 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 50-64 | 321 | 6.3 | 38 | 1 | 2 | 4 | 9 | 14 | 19 | 27 |
| 65+ | 465 | 8.8 | 104 | 1 | 2 | 5 | 12 | 18 | 25 | 58 |
| **GRAND TOTAL** | 1001 | 7.3 | 66 | 1 | 2 | 5 | 10 | 16 | 20 | 38 |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 5.0 | 65 | 1 | 1 | 2 | 6 | 9 | 18 | 46 |
| 20-34 | 54 | 3.9 | 17 | <1 | 1 | 2 | 5 | 7 | 10 | 26 |
| 35-49 | 69 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 17 | 23 |
| 50-64 | 100 | 5.5 | 21 | 1 | 1 | 4 | 8 | 12 | 14 | 21 |
| 65+ | 118 | 8.3 | 119 | 1 | 1 | 5 | 10 | 17 | 23 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.7 | 37 | <1 | 1 | 3 | 5 | 10 | 16 | 31 |
| 20-34 | 381 | 5.0 | 23 | <1 | 1 | 3 | 6 | 11 | 15 | 23 |
| 35-49 | 405 | 4.5 | 20 | <1 | 1 | 3 | 6 | 9 | 13 | 21 |
| 50-64 | 574 | 5.0 | 28 | 1 | 1 | 3 | 6 | 11 | 15 | 27 |
| 65+ | 652 | 6.2 | 57 | 1 | 2 | 3 | 7 | 14 | 20 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.2 | 39 | <1 | 1 | 3 | 4 | 8 | 13 | 41 |
| 20-34 | 53 | 5.3 | 124 | <1 | <1 | 3 | 6 | 8 | 13 | 79 |
| 35-49 | 93 | 7.1 | 55 | 1 | 1 | 5 | 8 | 15 | 23 | 42 |
| 50-64 | 234 | 8.1 | 92 | 1 | 1 | 5 | 10 | 15 | 26 | 57 |
| 65+ | 549 | 10.8 | 143 | 1 | 2 | 8 | 12 | 20 | 34 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 11.9 | 267 | 1 | 2 | 6 | 14 | 25 | 40 | 94 |
| 20-34 | 178 | 7.9 | 92 | 1 | 2 | 6 | 9 | 16 | 24 | 56 |
| 35-49 | 294 | 8.1 | 90 | 2 | 2 | 6 | 9 | 15 | 26 | 70 |
| 50-64 | 567 | 10.3 | 135 | 1 | 2 | 7 | 13 | 24 | 33 | 72 |
| 65+ | 1112 | 12.0 | 142 | 2 | 2 | 9 | 16 | 26 | 35 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 379 | 6.0 | 58 | 1 | 1 | 4 | 7 | 13 | 18 | 43 |
| B. *Operated* | 2202 | 5.2 | 36 | 1 | 1 | 3 | 6 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 976 | 9.2 | 120 | 1 | 1 | 6 | 11 | 18 | 28 | 64 |
| B. *Operated* | 2210 | 10.7 | 135 | 2 | 2 | 7 | 14 | 24 | 33 | 72 |
| **1. SINGLE DX** | 2581 | 5.3 | 39 | 1 | 1 | 3 | 6 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 3186 | 10.2 | 131 | 1 | 2 | 7 | 13 | 22 | 32 | 69 |
| **A. NOT OPERATED** | 1355 | 8.3 | 105 | 1 | 1 | 5 | 10 | 16 | 25 | 60 |
| **B. OPERATED** | 4412 | 8.0 | 93 | 1 | 2 | 5 | 10 | 18 | 26 | 53 |
| TOTAL 0-19 YRS | 334 | 5.9 | 88 | <1 | 1 | 3 | 6 | 13 | 21 | 47 |
| 20-34 | 666 | 5.7 | 51 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| 35-49 | 861 | 6.0 | 51 | 1 | 1 | 4 | 8 | 12 | 17 | 36 |
| 50-64 | 1475 | 7.6 | 85 | 1 | 2 | 4 | 10 | 16 | 24 | 52 |
| 65+ | 2431 | 10.0 | 124 | 1 | 2 | 7 | 13 | 22 | 31 | 68 |
| **GRAND TOTAL** | 5767 | 8.0 | 96 | 1 | 2 | 5 | 10 | 18 | 26 | 55 |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 24 | 2 | 2 | 3 | 9 | 11 | 11 | 11 |
| 20-34 | 6 | 5.2 | 23 | 1 | 1 | 4 | 6 | 13 | 14 | 14 |
| 35-49 | 10 | 4.4 | 6 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 50-64 | 6 | 3.8 | 3 | 2 | 2 | 3 | 4 | 7 | 7 | 7 |
| 65+ | 5 | 6.0 | 12 | 2 | 2 | 7 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.3 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 140 | 4.6 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 237 | 4.7 | 3 | 3 | 3 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 220 | 4.9 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 16 |
| 65+ | 86 | 5.8 | 8 | 3 | 3 | 5 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 20 | 4.1 | 11 | <1 | <1 | 3 | 6 | 9 | 11 | 12 |
| 35-49 | 22 | 5.6 | 23 | <1 | 1 | 5 | 8 | 12 | 16 | 21 |
| 50-64 | 33 | 8.5 | 43 | 1 | 2 | 7 | 12 | 18 | 23 | 25 |
| 65+ | 53 | 10.8 | 173 | 4 | 5 | 8 | 11 | 14 | 21 | 96 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.8 | 82 | 2 | 3 | 6 | 10 | 22 | 33 | 34 |
| 20-34 | 57 | 4.9 | 11 | 3 | 3 | 4 | 5 | 7 | 12 | 19 |
| 35-49 | 103 | 6.3 | 44 | 3 | 3 | 5 | 6 | 10 | 14 | 45 |
| 50-64 | 171 | 7.2 | 31 | 3 | 4 | 5 | 7 | 13 | 21 | 31 |
| 65+ | 128 | 9.2 | 75 | 3 | 4 | 7 | 10 | 17 | 23 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.8 | 10 | 2 | 2 | 4 | 7 | 9 | 11 | 14 |
| B. *Operated* | 706 | 4.8 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 131 | 8.1 | 93 | 1 | 1 | 6 | 10 | 14 | 21 | 43 |
| B. *Operated* | 470 | 7.3 | 46 | 3 | 3 | 5 | 7 | 13 | 20 | 37 |
| **1. SINGLE DX** | 736 | 4.8 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 601 | 7.5 | 56 | 2 | 3 | 5 | 8 | 13 | 20 | 36 |
| **A. NOT OPERATED** | 161 | 7.5 | 79 | 1 | 1 | 6 | 9 | 14 | 18 | 29 |
| **B. OPERATED** | 1176 | 5.8 | 22 | 3 | 3 | 5 | 6 | 9 | 13 | 30 |
| TOTAL 0-19 YRS | 40 | 5.4 | 28 | 1 | 2 | 4 | 6 | 9 | 13 | 34 |
| 20-34 | 223 | 4.6 | 5 | 1 | 3 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 372 | 5.2 | 16 | 2 | 3 | 4 | 5 | 7 | 10 | 20 |
| 50-64 | 430 | 6.0 | 20 | 2 | 3 | 5 | 6 | 10 | 14 | 26 |
| 65+ | 272 | 8.4 | 75 | 3 | 4 | 6 | 9 | 14 | 20 | 51 |
| **GRAND TOTAL** | 1337 | 6.0 | 29 | 2 | 3 | 5 | 6 | 10 | 14 | 30 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 5.8 | 19 | 1 | 2 | 4 | 9 | 12 | 14 | 20 |
| 20-34 | 87 | 5.9 | 20 | 1 | 2 | 5 | 8 | 9 | 11 | 29 |
| 35-49 | 72 | 6.3 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 23 |
| 50-64 | 80 | 6.6 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 59 | 9.9 | 51 | 3 | 3 | 8 | 12 | 20 | 27 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 5.4 | 12 | 2 | 3 | 5 | 6 | 11 | 13 | 18 |
| 20-34 | 204 | 5.6 | 7 | 3 | 4 | 5 | 6 | 7 | 12 | 16 |
| 35-49 | 132 | 5.2 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 15 |
| 50-64 | 107 | 5.7 | 11 | 3 | 4 | 5 | 6 | 10 | 14 | 20 |
| 65+ | 40 | 7.1 | 16 | 2 | 3 | 6 | 9 | 13 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 6.0 | 20 | 1 | 1 | 5 | 8 | 11 | 13 | 25 |
| 20-34 | 103 | 7.8 | 29 | 1 | 3 | 6 | 11 | 15 | 19 | 26 |
| 35-49 | 168 | 8.5 | 33 | 2 | 3 | 7 | 10 | 16 | 19 | 29 |
| 50-64 | 268 | 9.4 | 41 | 3 | 4 | 8 | 12 | 17 | 21 | 35 |
| 65+ | 506 | 13.1 | 139 | 3 | 4 | 10 | 16 | 25 | 36 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.3 | 74 | 3 | 3 | 6 | 10 | 24 | 30 | 32 |
| 20-34 | 70 | 7.5 | 22 | 3 | 4 | 6 | 9 | 13 | 14 | 27 |
| 35-49 | 83 | 8.2 | 61 | 3 | 3 | 6 | 8 | 16 | 20 | 50 |
| 50-64 | 116 | 11.4 | 173 | 2 | 3 | 7 | 14 | 24 | 45 | 99+ |
| 65+ | 133 | 16.2 | 241 | 4 | 5 | 11 | 20 | 36 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 349 | 6.8 | 26 | 2 | 2 | 6 | 8 | 12 | 15 | 29 |
| B. *Operated* | 527 | 5.6 | 9 | 3 | 3 | 5 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1085 | 10.7 | 89 | 2 | 3 | 8 | 13 | 20 | 26 | 61 |
| B. *Operated* | 417 | 11.6 | 155 | 3 | 4 | 7 | 14 | 25 | 38 | 99+ |
| **1. SINGLE DX** | 876 | 6.1 | 16 | 2 | 3 | 5 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | 1502 | 11.0 | 107 | 3 | 3 | 8 | 13 | 21 | 30 | 73 |
| **A. NOT OPERATED** | 1434 | 9.8 | 76 | 2 | 3 | 8 | 12 | 19 | 25 | 52 |
| **B. OPERATED** | 944 | 8.3 | 82 | 3 | 4 | 5 | 8 | 16 | 24 | 75 |
| TOTAL 0-19 YRS | 150 | 6.1 | 23 | 1 | 2 | 5 | 7 | 12 | 15 | 26 |
| 20-34 | 464 | 6.4 | 18 | 2 | 3 | 5 | 7 | 11 | 14 | 24 |
| 35-49 | 455 | 7.1 | 29 | 2 | 3 | 6 | 8 | 14 | 17 | 25 |
| 50-64 | 571 | 8.8 | 63 | 2 | 3 | 6 | 11 | 17 | 23 | 45 |
| 65+ | 738 | 13.1 | 148 | 3 | 4 | 10 | 16 | 26 | 37 | 87 |
| **GRAND TOTAL** | 2378 | 9.2 | 79 | 2 | 3 | 6 | 11 | 18 | 24 | 60 |

### 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 7.1 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| 20-34 | 248 | 6.5 | 16 | 2 | 3 | 6 | 8 | 11 | 15 | 20 |
| 35-49 | 265 | 7.0 | 13 | 2 | 3 | 6 | 9 | 11 | 14 | 19 |
| 50-64 | 421 | 7.4 | 16 | 2 | 3 | 7 | 9 | 12 | 15 | 20 |
| 65+ | 379 | 8.8 | 39 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 7.0 | 55 | 2 | 2 | 4 | 9 | 20 | 20 | 20 |
| 35-49 | 4 | 9.8 | 43 | 4 | 4 | 6 | 15 | 18 | 18 | 18 |
| 50-64 | 8 | 9.4 | 29 | 1 | 2 | 8 | 12 | 17 | 19 | 19 |
| 65+ | 8 | 10.6 | 56 | 2 | 3 | 9 | 16 | 22 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 7.0 | 71 | 1 | 1 | 5 | 8 | 15 | 19 | 48 |
| 20-34 | 364 | 7.7 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 35 |
| 35-49 | 939 | 8.4 | 31 | 2 | 3 | 7 | 11 | 16 | 19 | 29 |
| 50-64 | 2229 | 9.4 | 45 | 3 | 4 | 8 | 12 | 16 | 20 | 36 |
| 65+ | 3202 | 11.6 | 99 | 3 | 4 | 9 | 14 | 21 | 31 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.0 | 165 | 3 | 3 | 8 | 18 | 35 | 35 | 35 |
| 20-34 | 47 | 18.6 | 361 | 3 | 3 | 12 | 19 | 42 | 62 | 91 |
| 35-49 | 109 | 15.2 | 247 | 3 | 3 | 11 | 17 | 30 | 47 | 89 |
| 50-64 | 329 | 15.3 | 153 | 4 | 5 | 12 | 19 | 32 | 39 | 71 |
| 65+ | 478 | 19.8 | 202 | 5 | 7 | 16 | 25 | 42 | 57 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1688 | 7.4 | 21 | 2 | 3 | 7 | 9 | 13 | 16 | 24 |
| B. *Operated* | 25 | 9.4 | 41 | 2 | 2 | 7 | 12 | 20 | 21 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6921 | 10.1 | 71 | 3 | 4 | 8 | 12 | 18 | 24 | 53 |
| B. *Operated* | 968 | 17.6 | 202 | 4 | 5 | 14 | 22 | 36 | 52 | 99+ |
| 1. SINGLE DX | 1713 | 7.5 | 22 | 2 | 3 | 7 | 9 | 13 | 16 | 24 |
| 2. MULTIPLE DX | 7889 | 11.1 | 93 | 3 | 4 | 9 | 13 | 21 | 29 | 64 |
| A. NOT OPERATED | 8609 | 9.6 | 62 | 2 | 3 | 8 | 12 | 17 | 23 | 49 |
| B. OPERATED | 993 | 17.4 | 200 | 3 | 5 | 14 | 22 | 38 | 51 | 99+ |
| TOTAL 0-19 YRS | 567 | 7.1 | 35 | 1 | 2 | 6 | 9 | 13 | 16 | 30 |
| 20-34 | 664 | 8.0 | 61 | 2 | 2 | 6 | 9 | 15 | 19 | 41 |
| 35-49 | 1317 | 8.7 | 49 | 2 | 3 | 7 | 11 | 16 | 19 | 32 |
| 50-64 | 2987 | 9.7 | 57 | 3 | 4 | 8 | 12 | 17 | 22 | 42 |
| 65+ | 4067 | 12.3 | 113 | 3 | 4 | 9 | 15 | 24 | 33 | 83 |
| GRAND TOTAL | 9602 | 10.4 | 82 | 3 | 3 | 8 | 12 | 19 | 27 | 58 |

### 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 565 | 5.7 | 17 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| 20-34 | 347 | 5.8 | 15 | 1 | 2 | 5 | 7 | 11 | 13 | 17 |
| 35-49 | 176 | 7.9 | 44 | 2 | 2 | 7 | 10 | 13 | 17 | 34 |
| 50-64 | 136 | 7.8 | 27 | 3 | 3 | 8 | 11 | 15 | 19 | 29 |
| 65+ | 129 | 10.4 | 59 | 2 | 3 | 8 | 13 | 20 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 50-64 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 34.0 | 338 | 21 | 21 | 34 | 47 | 47 | 47 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 6.8 | 32 | 2 | 2 | 5 | 8 | 12 | 17 | 26 |
| 20-34 | 469 | 7.6 | 30 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| 35-49 | 338 | 9.8 | 43 | 3 | 3 | 8 | 13 | 18 | 22 | 38 |
| 50-64 | 418 | 11.8 | 72 | 4 | 4 | 10 | 14 | 20 | 26 | 41 |
| 65+ | 653 | 14.6 | 138 | 4 | 5 | 11 | 17 | 29 | 39 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 17.9 | 149 | 5 | 6 | 14 | 24 | 40 | 42 | 43 |
| 20-34 | 33 | 18.4 | 306 | 4 | 5 | 12 | 27 | 46 | 61 | 71 |
| 35-49 | 43 | 20.0 | 202 | 6 | 7 | 15 | 24 | 42 | 50 | 72 |
| 50-64 | 77 | 22.1 | 182 | 7 | 9 | 19 | 28 | 41 | 54 | 94 |
| 65+ | 85 | 26.3 | 299 | 7 | 10 | 22 | 35 | 54 | 67 | 99 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1353 | 6.8 | 27 | 2 | 2 | 6 | 9 | 12 | 15 | 27 |
| B. *Operated* | 8 | 14.5 | 212 | 4 | 4 | 8 | 19 | 39 | 47 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2292 | 10.5 | 80 | 2 | 3 | 8 | 13 | 19 | 26 | 49 |
| B. *Operated* | 251 | 22.4 | 245 | 5 | 7 | 18 | 29 | 43 | 58 | 97 |
| 1. SINGLE DX | 1361 | 6.8 | 29 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| 2. MULTIPLE DX | 2543 | 11.7 | 109 | 2 | 3 | 9 | 15 | 23 | 32 | 62 |
| A. NOT OPERATED | 3645 | 9.1 | 64 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| B. OPERATED | 259 | 22.2 | 245 | 5 | 7 | 18 | 29 | 43 | 57 | 96 |
| TOTAL 0-19 YRS | 995 | 6.3 | 27 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 20-34 | 849 | 7.3 | 40 | 2 | 2 | 6 | 9 | 14 | 17 | 36 |
| 35-49 | 558 | 10.0 | 64 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| 50-64 | 633 | 12.4 | 90 | 3 | 4 | 10 | 15 | 22 | 30 | 53 |
| 65+ | 869 | 15.1 | 158 | 4 | 5 | 12 | 18 | 30 | 42 | 79 |
| GRAND TOTAL | 3904 | 10.6 | 86 | 2 | 3 | 8 | 12 | 19 | 27 | 54 |

### 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 277 | 6.4 | 18 | 2 | 2 | 6 | 8 | 11 | 14 | 18 |
| 20-34 | 370 | 6.5 | 23 | 2 | 2 | 6 | 8 | 11 | 15 | 26 |
| 35-49 | 440 | 7.4 | 19 | 2 | 3 | 6 | 9 | 13 | 15 | 23 |
| 50-64 | 741 | 8.2 | 28 | 3 | 3 | 7 | 10 | 13 | 16 | 22 |
| 65+ | 588 | 9.3 | 46 | 3 | 4 | 8 | 11 | 16 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.2 | 5 | 2 | 2 | 2 | 4 | 7 | 7 | 7 |
| 20-34 | 26 | 5.5 | 20 | 1 | 1 | 4 | 7 | 10 | 17 | 19 |
| 35-49 | 35 | 7.1 | 65 | 2 | 2 | 3 | 10 | 18 | 29 | 31 |
| 50-64 | 132 | 7.8 | 85 | 2 | 2 | 4 | 10 | 17 | 25 | 54 |
| 65+ | 104 | 7.5 | 101 | 2 | 2 | 4 | 8 | 18 | 28 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 6.4 | 35 | 1 | 2 | 5 | 8 | 12 | 15 | 35 |
| 20-34 | 676 | 8.2 | 43 | 2 | 3 | 5 | 10 | 15 | 19 | 35 |
| 35-49 | 1515 | 9.3 | 45 | 2 | 3 | 8 | 11 | 17 | 21 | 34 |
| 50-64 | 3805 | 10.5 | 65 | 3 | 4 | 9 | 13 | 18 | 24 | 44 |
| 65+ | 5269 | 12.3 | 102 | 4 | 4 | 10 | 15 | 22 | 31 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 10.0 | 54 | 2 | 3 | 8 | 12 | 24 | 27 | 27 |
| 20-34 | 206 | 17.7 | 331 | 2 | 3 | 11 | 23 | 41 | 68 | 93 |
| 35-49 | 442 | 19.3 | 284 | 3 | 4 | 15 | 26 | 43 | 62 | 99+ |
| 50-64 | 1485 | 21.3 | 316 | 3 | 5 | 16 | 29 | 51 | 67 | 99+ |
| 65+ | 2108 | 26.2 | 385 | 4 | 7 | 22 | 39 | 67 | 97 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2416 | 7.8 | 30 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 302 | 7.4 | 81 | 2 | 2 | 4 | 9 | 17 | 25 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11434 | 11.0 | 80 | 3 | 4 | 9 | 13 | 20 | 26 | 57 |
| B. *Operated* | 4264 | 23.3 | 356 | 3 | 5 | 18 | 33 | 57 | 80 | 99+ |
| **1. SINGLE DX** | 2718 | 7.8 | 36 | 2 | 3 | 7 | 10 | 14 | 17 | 30 |
| **2. MULTIPLE DX** | 15698 | 14.3 | 185 | 3 | 4 | 10 | 17 | 31 | 47 | 99+ |
| **A. NOT OPERATED** | 13850 | 10.4 | 73 | 3 | 4 | 8 | 13 | 19 | 24 | 51 |
| **B. OPERATED** | 4566 | 22.2 | 353 | 3 | 4 | 17 | 32 | 56 | 77 | 99+ |
| TOTAL 0-19 YRS | 472 | 6.5 | 26 | 2 | 2 | 5 | 8 | 11 | 14 | 27 |
| 20-34 | 1280 | 9.2 | 98 | 2 | 3 | 6 | 10 | 18 | 26 | 59 |
| 35-49 | 2432 | 10.7 | 101 | 2 | 3 | 8 | 13 | 21 | 30 | 63 |
| 50-64 | 6163 | 12.7 | 145 | 3 | 4 | 9 | 15 | 25 | 39 | 80 |
| 65+ | 8069 | 15.7 | 212 | 3 | 4 | 11 | 19 | 35 | 54 | 99+ |
| **GRAND TOTAL** | 18416 | 13.4 | 168 | 3 | 4 | 9 | 16 | 29 | 43 | 98 |

### 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 10 | 3.7 | 6 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 3.7 | 5 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 20-34 | 234 | 3.8 | 7 | 1 | 1 | 2 | 6 | 7 | 8 | 11 |
| 35-49 | 11 | 3.5 | 13 | <1 | <1 | 2 | 4 | 10 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 19 | 3.1 | 14 | <1 | 1 | 2 | 4 | 6 | 12 | 17 |
| 35-49 | 3 | 6.7 | 16 | 2 | 2 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 5.3 | 15 | 1 | 1 | 5 | 6 | 9 | 16 | 18 |
| 20-34 | 291 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| 35-49 | 33 | 5.2 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 13 |
| 50-64 | 3 | 5.3 | 16 | 3 | 3 | 3 | 8 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 3.7 | 5 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| B. *Operated* | 288 | 3.7 | 7 | 1 | 1 | 2 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 4.1 | 14 | 1 | 1 | 3 | 6 | 9 | 10 | 17 |
| B. *Operated* | 358 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 13 |
| **1. SINGLE DX** | 299 | 3.7 | 7 | 1 | 1 | 2 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 386 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 39 | 4.0 | 11 | 1 | 1 | 3 | 6 | 9 | 9 | 17 |
| **B. OPERATED** | 646 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 79 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 9 | 17 |
| 20-34 | 554 | 3.9 | 8 | 1 | 1 | 3 | 6 | 7 | 8 | 12 |
| 35-49 | 47 | 4.9 | 13 | 1 | 1 | 3 | 8 | 10 | 12 | 13 |
| 50-64 | 3 | 5.3 | 16 | 3 | 3 | 3 | 8 | 10 | 10 | 10 |
| 65+ | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **GRAND TOTAL** | 685 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 3.9 | 9 | 1 | 1 | 3 | 6 | 7 | 10 | 15 |
| 20-34 | 127 | 4.7 | 19 | 1 | 1 | 4 | 5 | 9 | 12 | 21 |
| 35-49 | 98 | 5.1 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |
| 50-64 | 100 | 5.7 | 24 | 1 | 1 | 4 | 7 | 12 | 14 | 25 |
| 65+ | 94 | 6.5 | 61 | <1 | 1 | 5 | 8 | 13 | 16 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.5 | 26 | 2 | 2 | 5 | 8 | 16 | 18 | 18 |
| 20-34 | 20 | 6.3 | 61 | <1 | <1 | 3 | 8 | 14 | 24 | 34 |
| 35-49 | 19 | 9.6 | 93 | 1 | 2 | 8 | 12 | 17 | 33 | 44 |
| 50-64 | 28 | 10.2 | 161 | 2 | 3 | 6 | 11 | 17 | 24 | 70 |
| 65+ | 13 | 12.2 | 181 | 2 | 3 | 6 | 16 | 30 | 47 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 4.3 | 24 | 1 | 1 | 3 | 5 | 8 | 13 | 31 |
| 20-34 | 295 | 5.7 | 23 | 1 | 1 | 5 | 7 | 11 | 16 | 23 |
| 35-49 | 298 | 6.9 | 33 | 1 | 2 | 5 | 9 | 13 | 18 | 30 |
| 50-64 | 550 | 8.6 | 74 | 1 | 2 | 6 | 10 | 19 | 25 | 72 |
| 65+ | 1048 | 9.7 | 77 | 2 | 2 | 7 | 12 | 20 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 13.5 | 203 | <1 | 1 | 9 | 20 | 34 | 47 | 51 |
| 20-34 | 44 | 9.2 | 84 | 1 | 2 | 5 | 13 | 24 | 30 | 35 |
| 35-49 | 77 | 10.2 | 72 | 1 | 3 | 8 | 13 | 19 | 32 | 85 |
| 50-64 | 134 | 14.5 | 127 | 4 | 5 | 12 | 20 | 29 | 34 | 78 |
| 65+ | 138 | 22.2 | 297 | 4 | 6 | 18 | 31 | 56 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 5.1 | 25 | 1 | 1 | 4 | 7 | 10 | 13 | 25 |
| B. *Operated* | 93 | 9.0 | 110 | 1 | 2 | 6 | 11 | 18 | 24 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2349 | 8.2 | 64 | 1 | 2 | 6 | 10 | 18 | 22 | 45 |
| B. *Operated* | 408 | 15.7 | 196 | 2 | 3 | 12 | 22 | 35 | 53 | 99+ |
| **1. SINGLE DX** | 643 | 5.6 | 39 | 1 | 1 | 4 | 7 | 12 | 14 | 27 |
| **2. MULTIPLE DX** | 2757 | 9.3 | 90 | 1 | 2 | 7 | 11 | 20 | 28 | 59 |
| **A. NOT OPERATED** | 2899 | 7.6 | 58 | 1 | 2 | 6 | 9 | 16 | 21 | 40 |
| **B. OPERATED** | 501 | 14.4 | 187 | 2 | 3 | 10 | 19 | 34 | 46 | 99+ |
| TOTAL 0-19 YRS | 317 | 4.7 | 30 | 1 | 1 | 3 | 6 | 9 | 14 | 33 |
| 20-34 | 486 | 5.8 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| 35-49 | 492 | 7.1 | 40 | 1 | 2 | 5 | 9 | 14 | 19 | 40 |
| 50-64 | 812 | 9.3 | 86 | 1 | 2 | 7 | 11 | 20 | 27 | 71 |
| 65+ | 1293 | 10.9 | 116 | 2 | 2 | 7 | 13 | 22 | 32 | 63 |
| **GRAND TOTAL** | **3400** | **8.6** | **82** | **1** | **2** | **6** | **11** | **19** | **26** | **56** |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.7 | 67 | 1 | 2 | 6 | 10 | 23 | 29 | 31 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 16.5 | 61 | 11 | 11 | 16 | 22 | 22 | 22 | 22 |
| 50-64 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 65+ | 14 | 12.0 | 202 | 2 | 2 | 7 | 14 | 21 | 50 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 14.0 | 338 | <1 | <1 | 13 | 27 | 27 | 27 | 27 |
| 50-64 | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 65+ | 5 | 13.4 | 260 | 3 | 3 | 7 | 17 | 42 | 42 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 8.8 | 67 | 2 | 3 | 5 | 10 | 19 | 32 | 35 |
| 20-34 | 13 | 13.9 | 334 | 1 | 2 | 8 | 16 | 31 | 63 | 71 |
| 35-49 | 25 | 12.6 | 280 | 3 | 3 | 7 | 12 | 25 | 51 | 81 |
| 50-64 | 74 | 14.5 | 125 | 2 | 2 | 13 | 20 | 30 | 37 | 91 |
| 65+ | 339 | 16.5 | 245 | 4 | 5 | 12 | 20 | 36 | 61 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 14.3 | 112 | 3 | 3 | 13 | 21 | 30 | 31 | 31 |
| 20-34 | 7 | 15.7 | 202 | 4 | 5 | 10 | 18 | 41 | 46 | 46 |
| 35-49 | 9 | 20.9 | 261 | 4 | 5 | 15 | 30 | 47 | 53 | 53 |
| 50-64 | 18 | 19.5 | 288 | 6 | 7 | 18 | 30 | 99+ | 99+ | 99+ |
| 65+ | 83 | 29.6 | 438 | 5 | 7 | 26 | 44 | 75 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 11.1 | 133 | 2 | 2 | 7 | 14 | 25 | 31 | 58 |
| B. *Operated* | 9 | 13.8 | 218 | <1 | <1 | 7 | 27 | 36 | 42 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 15.4 | 221 | 3 | 4 | 11 | 19 | 34 | 44 | 99+ |
| B. *Operated* | 123 | 26.0 | 396 | 5 | 6 | 21 | 41 | 75 | 99+ | 99+ |
| **1. SINGLE DX** | 42 | 11.6 | 148 | 1 | 2 | 7 | 14 | 29 | 36 | 58 |
| **2. MULTIPLE DX** | 608 | 17.5 | 274 | 3 | 5 | 12 | 21 | 42 | 69 | 99+ |
| **A. NOT OPERATED** | 518 | 15.1 | 216 | 3 | 4 | 11 | 19 | 31 | 44 | 99+ |
| **B. OPERATED** | 132 | 25.1 | 392 | 4 | 6 | 21 | 40 | 70 | 99+ | 99+ |
| TOTAL 0-19 YRS | 56 | 9.3 | 72 | 2 | 2 | 6 | 11 | 21 | 31 | 35 |
| 20-34 | 21 | 14.0 | 269 | 1 | 2 | 9 | 16 | 31 | 57 | 71 |
| 35-49 | 38 | 14.8 | 261 | 3 | 3 | 8 | 22 | 35 | 48 | 81 |
| 50-64 | 94 | 15.8 | 159 | 2 | 3 | 14 | 21 | 36 | 72 | 99+ |
| 65+ | 441 | 18.8 | 306 | 4 | 5 | 13 | 23 | 44 | 74 | 99+ |
| **GRAND TOTAL** | **650** | **17.1** | **268** | **3** | **4** | **12** | **21** | **42** | **66** | **99+** |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 12.7 | 37 | 2 | 4 | 13 | 15 | 20 | 22 | 36 |
| 20-34 | 20 | 12.7 | 27 | 3 | 4 | 14 | 15 | 19 | 20 | 21 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 12.3 | 74 | 2 | 3 | 11 | 15 | 21 | 27 | 42 |
| 20-34 | 38 | 13.7 | 35 | 4 | 6 | 14 | 17 | 21 | 24 | 31 |
| 35-49 | 4 | 14.3 | 92 | 6 | 6 | 11 | 20 | 28 | 28 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 19.6 | 132 | 5 | 6 | 24 | 30 | 68 | 99+ | 99+ |
| 20-34 | 7 | 17.6 | 321 | <1 | <1 | 15 | 21 | 48 | 54 | 54 |
| 35-49 | 4 | 7.8 | 92 | 2 | 2 | 4 | 13 | 22 | 22 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 114 | 12.7 | 35 | 2 | 4 | 13 | 15 | 20 | 22 | 35 |
| *B. Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 172 | 12.6 | 66 | 3 | 3 | 12 | 15 | 21 | 27 | 39 |
| *B. Operated* | 20 | 16.5 | 192 | 1 | 2 | 15 | 27 | 43 | 75 | 99+ |
| **1. SINGLE DX** | 115 | 12.6 | 35 | 2 | 4 | 13 | 15 | 20 | 22 | 35 |
| **2. MULTIPLE DX** | 192 | 13.0 | 79 | 2 | 3 | 12 | 16 | 25 | 31 | 55 |
| **A. NOT OPERATED** | 286 | 12.7 | 53 | 3 | 4 | 13 | 15 | 21 | 25 | 37 |
| **B. OPERATED** | 21 | 15.9 | 191 | 1 | 2 | 13 | 27 | 41 | 72 | 99+ |
| TOTAL 0-19 YRS | 233 | 12.7 | 63 | 2 | 3 | 12 | 15 | 22 | 29 | 42 |
| 20-34 | 65 | 13.8 | 60 | 3 | 4 | 14 | 16 | 21 | 24 | 51 |
| 35-49 | 9 | 10.1 | 87 | 2 | 2 | 6 | 15 | 26 | 28 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 307 | 12.9 | 63 | 2 | 3 | 13 | 16 | 22 | 27 | 45 |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 32.4 | 1033 | 3 | 3 | 17 | 62 | 81 | 84 | 85 |
| 20-34 | 9 | 5.4 | 17 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| 35-49 | 15 | 9.8 | 72 | 1 | 1 | 7 | 13 | 19 | 29 | 33 |
| 50-64 | 3 | 12.7 | 134 | 5 | 5 | 7 | 21 | 26 | 26 | 26 |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | | 8 | 8 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 123 | 9.2 | 7 | 6 | 6 | 9 | 11 | 12 | 13 | 19 |
| 35-49 | 81 | 9.9 | 17 | 6 | 6 | 9 | 11 | 13 | 15 | 32 |
| 50-64 | 14 | 10.5 | 15 | 6 | 6 | 9 | 12 | 17 | 17 | 17 |
| 65+ | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.8 | 31 | 2 | 2 | 7 | 10 | 17 | 20 | 20 |
| 20-34 | 32 | 6.3 | 36 | <1 | 1 | 4 | 8 | 14 | 19 | 27 |
| 35-49 | 44 | 10.3 | 72 | 1 | 2 | 9 | 11 | 20 | 29 | 41 |
| 50-64 | 40 | 13.9 | 92 | 2 | 3 | 12 | 21 | 27 | 33 | 39 |
| 65+ | 21 | 10.4 | 65 | 2 | 4 | 9 | 11 | 16 | 28 | 41 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 24.6 | 774 | 5 | 5 | 11 | 38 | 72 | 72 | 72 |
| 20-34 | 88 | 14.3 | 122 | 6 | 7 | 11 | 14 | 31 | 38 | 63 |
| 35-49 | 117 | 14.0 | 74 | 6 | 8 | 11 | 15 | 27 | 36 | 67 |
| 50-64 | 38 | 13.5 | 61 | 4 | 6 | 12 | 17 | 23 | 29 | 41 |
| 65+ | 4 | 25.3 | 1125 | 2 | 2 | 12 | 44 | 75 | 75 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 39 | 16.0 | 464 | 1 | 2 | 7 | 17 | 63 | 73 | 85 |
| *B. Operated* | 224 | 9.5 | 11 | 6 | 6 | 9 | 11 | 13 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 148 | 10.2 | 71 | 1 | 2 | 8 | 13 | 22 | 27 | 41 |
| *B. Operated* | 252 | 14.4 | 115 | 6 | 7 | 11 | 15 | 29 | 38 | 74 |
| **1. SINGLE DX** | 263 | 10.5 | 82 | 5 | 6 | 9 | 11 | 13 | 18 | 64 |
| **2. MULTIPLE DX** | 400 | 12.9 | 103 | 2 | 4 | 10 | 15 | 24 | 35 | 61 |
| **A. NOT OPERATED** | 187 | 11.4 | 157 | 1 | 2 | 8 | 13 | 24 | 34 | 74 |
| **B. OPERATED** | 476 | 12.1 | 72 | 6 | 6 | 10 | 13 | 19 | 30 | 61 |
| TOTAL 0-19 YRS | 32 | 19.8 | 609 | 3 | 3 | 9 | 22 | 67 | 78 | 85 |
| 20-34 | 252 | 10.5 | 60 | 2 | 5 | 9 | 11 | 15 | 23 | 42 |
| 35-49 | 257 | 11.8 | 59 | 4 | 6 | 10 | 13 | 19 | 30 | 50 |
| 50-64 | 95 | 13.2 | 69 | 3 | 5 | 11 | 17 | 24 | 30 | 40 |
| 65+ | 27 | 12.3 | 211 | 2 | 3 | 9 | 12 | 17 | 46 | 75 |
| **GRAND TOTAL** | 663 | 11.9 | 96 | 3 | 5 | 10 | 13 | 20 | 31 | 64 |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 2.9 | 9 | <1 | <1 | 1 | 4 | 5 | 10 | 15 |
| 20-34 | 61 | 7.7 | 62 | <1 | 1 | 6 | 9 | 17 | 29 | 35 |
| 35-49 | 43 | 5.6 | 36 | 1 | 1 | 5 | 7 | 9 | 15 | 37 |
| 50-64 | 36 | 5.9 | 17 | 1 | 2 | 5 | 7 | 10 | 16 | 20 |
| 65+ | 38 | 7.5 | 63 | <1 | <1 | 5 | 9 | 15 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.9 | 72 | <1 | <1 | 3 | 9 | 21 | 26 | 38 |
| 20-34 | 56 | 5.5 | 41 | <1 | <1 | 3 | 6 | 14 | 17 | 37 |
| 35-49 | 73 | 4.4 | 24 | <1 | <1 | 2 | 6 | 9 | 11 | 30 |
| 50-64 | 99 | 4.7 | 43 | <1 | <1 | 2 | 4 | 12 | 20 | 34 |
| 65+ | 39 | 7.9 | 117 | 1 | 1 | 3 | 10 | 15 | 39 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 6.3 | 42 | <1 | 2 | 4 | 8 | 11 | 17 | 41 |
| 20-34 | 104 | 7.1 | 33 | 1 | 2 | 5 | 10 | 14 | 19 | 30 |
| 35-49 | 135 | 8.5 | 50 | 1 | 2 | 7 | 10 | 17 | 24 | 37 |
| 50-64 | 201 | 9.4 | 59 | 2 | 3 | 8 | 12 | 18 | 21 | 43 |
| 65+ | 244 | 11.7 | 111 | 2 | 3 | 10 | 14 | 21 | 29 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 12.3 | 78 | 1 | 2 | 11 | 17 | 25 | 29 | 31 |
| 20-34 | 55 | 9.5 | 93 | 2 | 3 | 7 | 11 | 15 | 21 | 67 |
| 35-49 | 98 | 9.3 | 93 | 2 | 2 | 6 | 12 | 20 | 23 | 59 |
| 50-64 | 130 | 13.1 | 207 | 2 | 2 | 9 | 18 | 28 | 50 | 87 |
| 65+ | 128 | 17.1 | 194 | 3 | 4 | 13 | 24 | 38 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 5.4 | 36 | <1 | 1 | 4 | 7 | 11 | 16 | 34 |
| B. *Operated* | 302 | 5.4 | 52 | <1 | <1 | 3 | 6 | 13 | 19 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 768 | 9.3 | 72 | 2 | 3 | 7 | 12 | 18 | 23 | 44 |
| B. *Operated* | 436 | 12.9 | 164 | 2 | 2 | 9 | 17 | 29 | 40 | 86 |
| **1. SINGLE DX** | 583 | 5.4 | 44 | <1 | <1 | 3 | 6 | 11 | 18 | 37 |
| **2. MULTIPLE DX** | 1204 | 10.6 | 108 | 2 | 3 | 8 | 13 | 22 | 31 | 64 |
| **A. NOT OPERATED** | 1049 | 8.3 | 66 | 1 | 1 | 6 | 11 | 17 | 22 | 42 |
| **B. OPERATED** | 738 | 9.9 | 132 | <1 | 1 | 6 | 13 | 23 | 34 | 74 |
| TOTAL 0-19 YRS | 247 | 5.6 | 44 | <1 | 1 | 3 | 7 | 13 | 18 | 32 |
| 20-34 | 276 | 7.4 | 54 | <1 | 2 | 5 | 9 | 15 | 20 | 35 |
| 35-49 | 349 | 7.5 | 58 | 1 | 1 | 5 | 9 | 16 | 22 | 37 |
| 50-64 | 466 | 9.2 | 103 | 1 | 2 | 6 | 12 | 20 | 26 | 59 |
| 65+ | 449 | 12.6 | 141 | 1 | 3 | 10 | 16 | 28 | 38 | 77 |
| **GRAND TOTAL** | 1787 | 8.9 | 93 | 1 | 1 | 6 | 11 | 20 | 27 | 52 |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 33 | 5.6 | 12 | 1 | 2 | 5 | 7 | 10 | 13 | 16 |
| 50-64 | 40 | 5.4 | 15 | 1 | 2 | 5 | 7 | 9 | 12 | 22 |
| 65+ | 68 | 6.3 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 5.3 | 11 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 35-49 | 6 | 5.2 | 18 | 1 | 1 | 4 | 6 | 12 | 13 | 13 |
| 50-64 | 15 | 7.4 | 85 | 2 | 2 | 4 | 8 | 16 | 32 | 37 |
| 65+ | 13 | 5.6 | 30 | <1 | <1 | 3 | 7 | 15 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 8.6 | 160 | 2 | 2 | 3 | 9 | 30 | 39 | 39 |
| 35-49 | 57 | 6.6 | 19 | 2 | 2 | 5 | 8 | 13 | 17 | 19 |
| 50-64 | 154 | 6.9 | 19 | 2 | 3 | 6 | 9 | 12 | 16 | 24 |
| 65+ | 320 | 9.4 | 68 | 2 | 3 | 8 | 11 | 17 | 25 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 7 | 15.3 | 513 | <1 | 1 | 6 | 16 | 56 | 65 | 65 |
| 50-64 | 23 | 12.0 | 53 | 2 | 3 | 11 | 17 | 20 | 25 | 28 |
| 65+ | 52 | 17.6 | 226 | 3 | 5 | 11 | 26 | 41 | 56 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 5.7 | 20 | 1 | 2 | 5 | 7 | 10 | 14 | 28 |
| B. *Operated* | 38 | 6.2 | 46 | 1 | 2 | 4 | 7 | 14 | 18 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 534 | 8.4 | 52 | 2 | 3 | 7 | 10 | 15 | 23 | 40 |
| B. *Operated* | 85 | 15.4 | 198 | 3 | 3 | 11 | 19 | 34 | 46 | 91 |
| **1. SINGLE DX** | 187 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 29 |
| **2. MULTIPLE DX** | 619 | 9.4 | 78 | 2 | 3 | 7 | 11 | 18 | 25 | 58 |
| **A. NOT OPERATED** | 683 | 7.8 | 46 | 2 | 3 | 6 | 9 | 14 | 20 | 38 |
| **B. OPERATED** | 123 | 12.6 | 169 | 2 | 2 | 9 | 17 | 31 | 41 | 81 |
| TOTAL 0-19 YRS | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 20 | 6.0 | 68 | 1 | 1 | 3 | 7 | 9 | 24 | 39 |
| 35-49 | 98 | 6.8 | 53 | 1 | 2 | 5 | 8 | 13 | 17 | 43 |
| 50-64 | 232 | 7.2 | 28 | 2 | 2 | 6 | 9 | 14 | 18 | 26 |
| 65+ | 453 | 9.8 | 88 | 2 | 3 | 7 | 11 | 21 | 29 | 58 |
| **GRAND TOTAL** | 806 | 8.6 | 68 | 2 | 2 | 6 | 10 | 17 | 24 | 47 |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 3.7 | 50 | 1 | 1 | 2 | 3 | 5 | 9 | 49 |
| 20-34 | 33 | 4.5 | 13 | <1 | 1 | 4 | 6 | 10 | 10 | 16 |
| 35-49 | 27 | 4.6 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 15 |
| 50-64 | 49 | 4.8 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 65+ | 114 | 6.1 | 80 | 1 | 2 | 6 | 9 | 15 | 30 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 65+ | 3 | 18.0 | 103 | 7 | 7 | 23 | 63 | 99+ | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| 20-34 | 237 | 5.6 | 51 | 1 | 2 | 4 | 6 | 10 | 14 | 40 |
| 35-49 | 279 | 6.5 | 36 | 2 | 2 | 5 | 8 | 12 | 15 | 37 |
| 50-64 | 658 | 7.7 | 42 | 2 | 3 | 6 | 10 | 14 | 19 | 41 |
| 65+ | 3014 | 12.7 | 152 | 3 | 4 | 9 | 15 | 27 | 41 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.9 | 60 | 1 | 1 | 4 | 11 | 20 | 25 | 25 |
| 20-34 | 17 | 9.5 | 46 | 1 | 2 | 7 | 14 | 20 | 22 | 23 |
| 35-49 | 35 | 13.1 | 229 | 1 | 2 | 10 | 16 | 24 | 39 | 83 |
| 50-64 | 72 | 18.2 | 249 | 2 | 4 | 15 | 25 | 34 | 39 | 88 |
| 65+ | 321 | 24.7 | 341 | 6 | 7 | 20 | 33 | 58 | 80 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 318 | 5.6 | 52 | 1 | 1 | 4 | 7 | 10 | 15 | 51 |
| B. *Operated* | 6 | 16.0 | 99 | 3 | 4 | 20 | 27 | 85 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 4558 | 10.5 | 122 | 2 | 3 | 7 | 13 | 22 | 33 | 93 |
| B. *Operated* | 454 | 21.9 | 323 | 3 | 6 | 17 | 28 | 50 | 76 | 99+ |
| 1. SINGLE DX | 324 | 5.8 | 54 | 1 | 1 | 4 | 7 | 11 | 17 | 55 |
| 2. MULTIPLE DX | 5012 | 11.5 | 151 | 2 | 3 | 8 | 14 | 25 | 39 | 99 |
| A. NOT OPERATED | 4876 | 10.2 | 119 | 2 | 2 | 7 | 12 | 21 | 33 | 88 |
| B. OPERATED | 460 | 21.8 | 320 | 3 | 6 | 17 | 28 | 50 | 77 | 99+ |
| TOTAL 0-19 YRS | 474 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 9 | 29 |
| 20-34 | 288 | 5.8 | 48 | 1 | 1 | 4 | 7 | 11 | 16 | 33 |
| 35-49 | 341 | 7.0 | 58 | 2 | 2 | 5 | 8 | 14 | 17 | 41 |
| 50-64 | 781 | 8.5 | 69 | 2 | 2 | 6 | 11 | 17 | 24 | 42 |
| 65+ | 3452 | 13.6 | 180 | 3 | 4 | 9 | 17 | 31 | 47 | 99+ |
| GRAND TOTAL | 5336 | 11.2 | 147 | 2 | 2 | 8 | 14 | 25 | 38 | 98 |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 4.8 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 13 |
| 20-34 | 26 | 5.1 | 9 | 2 | 2 | 5 | 6 | 11 | 12 | 14 |
| 35-49 | 49 | 5.2 | 11 | 2 | 2 | 4 | 6 | 10 | 12 | 17 |
| 50-64 | 34 | 4.9 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 116 | 6.2 | 11 | 1 | 2 | 6 | 8 | 11 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.5 | 20 | <1 | <1 | 3 | 9 | 12 | 14 | 14 |
| 20-34 | 9 | 6.7 | 12 | 3 | 3 | 6 | 8 | 12 | 14 | 14 |
| 35-49 | 21 | 6.4 | 12 | 2 | 3 | 5 | 8 | 11 | 13 | 15 |
| 50-64 | 14 | 6.6 | 15 | 2 | 2 | 6 | 11 | 12 | 12 | 12 |
| 65+ | 41 | 9.8 | 26 | 3 | 4 | 8 | 13 | 16 | 19 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.4 | 14 | 1 | 2 | 4 | 7 | 10 | 15 | 18 |
| 20-34 | 61 | 6.9 | 40 | 1 | 2 | 5 | 7 | 12 | 21 | 37 |
| 35-49 | 165 | 6.8 | 18 | 1 | 2 | 6 | 9 | 12 | 15 | 22 |
| 50-64 | 277 | 8.7 | 43 | 2 | 2 | 7 | 11 | 15 | 22 | 33 |
| 65+ | 1544 | 9.7 | 69 | 2 | 3 | 8 | 12 | 18 | 23 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 7.2 | 28 | 1 | 3 | 5 | 11 | 15 | 17 | 18 |
| 20-34 | 32 | 8.3 | 32 | 2 | 2 | 8 | 11 | 17 | 24 | 99+ |
| 35-49 | 121 | 10.5 | 35 | 3 | 4 | 10 | 14 | 17 | 21 | 30 |
| 50-64 | 187 | 12.4 | 60 | 4 | 5 | 11 | 16 | 23 | 26 | 52 |
| 65+ | 635 | 14.8 | 131 | 4 | 6 | 12 | 18 | 26 | 35 | 81 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 262 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 95 | 7.8 | 22 | 2 | 3 | 7 | 11 | 14 | 16 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2115 | 9.1 | 60 | 2 | 3 | 7 | 11 | 17 | 22 | 47 |
| B. *Operated* | 991 | 13.5 | 105 | 4 | 5 | 11 | 16 | 24 | 31 | 67 |
| 1. SINGLE DX | 357 | 6.1 | 15 | 1 | 2 | 5 | 8 | 12 | 14 | 17 |
| 2. MULTIPLE DX | 3106 | 10.5 | 78 | 2 | 3 | 8 | 13 | 19 | 25 | 56 |
| A. NOT OPERATED | 2377 | 8.7 | 56 | 2 | 3 | 7 | 11 | 16 | 21 | 42 |
| B. OPERATED | 1086 | 13.0 | 100 | 3 | 5 | 11 | 16 | 23 | 30 | 63 |
| TOTAL 0-19 YRS | 131 | 5.5 | 15 | 1 | 2 | 4 | 7 | 10 | 15 | 18 |
| 20-34 | 128 | 6.9 | 30 | 2 | 2 | 5 | 8 | 14 | 20 | 51 |
| 35-49 | 356 | 7.8 | 26 | 2 | 2 | 7 | 10 | 15 | 17 | 25 |
| 50-64 | 512 | 9.7 | 51 | 2 | 3 | 8 | 12 | 19 | 24 | 36 |
| 65+ | 2336 | 10.9 | 68 | 2 | 3 | 9 | 13 | 20 | 26 | 58 |
| GRAND TOTAL | 3463 | 10.1 | 74 | 2 | 3 | 8 | 13 | 19 | 24 | 49 |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 317 | 4.4 | 8 | <1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 400 | 6.4 | 32 | 1 | 1 | 5 | 8 | 11 | 14 | 29 |
| 35-49 | 111 | 6.9 | 28 | <1 | 1 | 7 | 9 | 12 | 15 | 29 |
| 50-64 | 8 | 7.1 | 12 | 4 | 4 | 6 | 10 | 13 | 13 | 13 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 15.3 | 32 | 9 | 9 | 17 | 19 | 20 | 20 | 20 |
| 20-34 | 4 | 19.0 | 19 | 15 | 15 | 18 | 22 | 25 | 25 | 25 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 7.0 | 56 | 1 | 2 | 5 | 9 | 13 | 15 | 32 |
| 20-34 | 305 | 8.8 | 54 | 2 | 3 | 7 | 11 | 16 | 20 | 37 |
| 35-49 | 134 | 11.2 | 60 | 3 | 4 | 9 | 14 | 22 | 26 | 42 |
| 50-64 | 32 | 14.8 | 182 | 4 | 4 | 9 | 20 | 33 | 46 | 57 |
| 65+ | 2 | 14.5 | 61 | 9 | 9 | 14 | 20 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 18.0 | 407 | 2 | 3 | 11 | 18 | 39 | 71 | 80 |
| 20-34 | 31 | 14.6 | 120 | 2 | 2 | 10 | 19 | 33 | 41 | 43 |
| 35-49 | 25 | 16.4 | 161 | 3 | 5 | 16 | 21 | 35 | 42 | 61 |
| 50-64 | 5 | 21.8 | 131 | 6 | 6 | 19 | 32 | 34 | 34 | 34 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 838 | 5.7 | 23 | 1 | 1 | 5 | 7 | 10 | 13 | 25 |
| B. *Operated* | 10 | 14.8 | 34 | 8 | 8 | 16 | 19 | 22 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 671 | 9.1 | 65 | 2 | 3 | 7 | 11 | 16 | 22 | 41 |
| B. *Operated* | 76 | 16.2 | 182 | 2 | 3 | 13 | 20 | 35 | 39 | 75 |
| **1. SINGLE DX** | 848 | 5.8 | 24 | 1 | 1 | 5 | 8 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | 747 | 9.6 | 82 | 2 | 3 | 8 | 12 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 1509 | 7.2 | 45 | 1 | 2 | 6 | 9 | 13 | 18 | 35 |
| **B. OPERATED** | 86 | 16.0 | 164 | 2 | 4 | 13 | 19 | 34 | 36 | 73 |
| TOTAL 0-19 YRS | 532 | 5.8 | 42 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 20-34 | 740 | 7.8 | 49 | 1 | 2 | 6 | 9 | 14 | 20 | 36 |
| 35-49 | 271 | 9.9 | 64 | 1 | 2 | 8 | 12 | 19 | 26 | 41 |
| 50-64 | 47 | 14.0 | 152 | 4 | 4 | 8 | 19 | 32 | 40 | 57 |
| 65+ | 5 | 8.6 | 46 | 3 | 3 | 7 | 12 | 20 | 20 | 20 |
| **GRAND TOTAL** | 1595 | 7.7 | 55 | 1 | 2 | 6 | 9 | 14 | 20 | 39 |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 1.7 | 4 | <1 | <1 | <1 | 1 | 3 | 5 | 11 |
| 20-34 | 30 | 3.3 | 16 | <1 | <1 | 1 | 4 | 9 | 12 | 20 |
| 35-49 | 63 | 4.8 | 18 | <1 | 1 | 3 | 8 | 11 | 14 | 16 |
| 50-64 | 154 | 4.2 | 27 | <1 | <1 | 2 | 6 | 12 | 16 | 20 |
| 65+ | 509 | 4.9 | 45 | <1 | 1 | 2 | 6 | 10 | 14 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 9.5 | 99 | 2 | 3 | 7 | 10 | 16 | 21 | 64 |
| 20-34 | 16 | 8.1 | 15 | 1 | 2 | 8 | 10 | 14 | 15 | 15 |
| 35-49 | 27 | 9.7 | 64 | 1 | 2 | 6 | 13 | 23 | 28 | 30 |
| 50-64 | 46 | 10.3 | 62 | 1 | 2 | 9 | 13 | 17 | 22 | 41 |
| 65+ | 134 | 11.9 | 84 | 2 | 3 | 10 | 15 | 23 | 26 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 3.8 | 36 | <1 | <1 | 1 | 4 | 9 | 15 | 78 |
| 20-34 | 171 | 5.1 | 20 | <1 | <1 | 4 | 8 | 11 | 14 | 25 |
| 35-49 | 189 | 7.0 | 33 | 1 | 1 | 5 | 9 | 15 | 19 | 28 |
| 50-64 | 631 | 7.0 | 51 | 1 | 1 | 5 | 10 | 15 | 20 | 36 |
| 65+ | 2851 | 8.9 | 97 | 1 | 2 | 6 | 11 | 19 | 26 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 10.1 | 97 | 2 | 3 | 8 | 13 | 26 | 79 | 99+ |
| 20-34 | 77 | 12.4 | 74 | 2 | 3 | 10 | 16 | 24 | 36 | 84 |
| 35-49 | 104 | 13.5 | 126 | 3 | 4 | 10 | 16 | 27 | 42 | 96 |
| 50-64 | 293 | 15.2 | 112 | [illegible] | 5 | 12 | 20 | 30 | [illegible] | [illegible] |
| 65+ | 1134 | 16.6 | 182 | [illegible] | 5 | 13 | 20 | 34 | 46 | [illegible] |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1218 | 3.6 | 27 | <1 | <1 | 1 | 4 | 9 | 12 | 21 |
| B. *Operated* | 264 | 10.8 | 77 | 2 | 3 | 9 | 14 | 20 | 25 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4050 | 8.1 | 83 | 1 | 1 | 6 | 10 | 17 | 24 | 53 |
| B. *Operated* | 1645 | 15.8 | 161 | 3 | 5 | 12 | 20 | 32 | 44 | 83 |
| **1. SINGLE DX** | 1482 | 4.9 | 44 | <1 | <1 | 2 | 7 | 12 | 16 | 31 |
| **2. MULTIPLE DX** | 5695 | 10.3 | 117 | 1 | 1 | 7 | 12 | 22 | [illegible] | 63 |
| **A. NOT OPERATED** | 5268 | 7.1 | 73 | <1 | 1 | 5 | 9 | 15 | 21 | 49 |
| **B. OPERATED** | 1909 | 15.1 | 152 | 3 | 4 | 12 | 19 | 30 | 42 | 79 |
| TOTAL 0-19 YRS | 688 | 3.2 | 30 | <1 | <1 | 1 | 3 | 8 | 11 | 44 |
| 20-34 | 354 | 6.4 | 42 | <1 | <1 | 4 | 9 | 14 | 19 | 37 |
| 35-49 | 383 | 8.6 | 68 | 1 | 1 | 6 | 11 | 18 | 24 | 43 |
| 50-64 | 1124 | 8.9 | 79 | 1 | 1 | 7 | 12 | 19 | 27 | 46 |
| 65+ | 4628 | 10.4 | 126 | 1 | 2 | 7 | 13 | 22 | 32 | 64 |
| **GRAND TOTAL** | 7177 | 9.2 | 107 | <1 | 1 | 6 | 12 | 20 | 29 | 60 |

### 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.7 | 10 | <1 | 1 | 3 | 4 | 9 | 11 | 13 |
| 20-34 | 14 | 8.8 | 27 | 1 | 3 | 7 | 12 | 17 | 19 | 19 |
| 35-49 | 5 | 6.6 | 56 | 1 | 1 | 4 | 11 | 19 | 19 | 19 |
| 50-64 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 9.0 | 85 | <1 | <1 | 9 | 13 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 16.0 | 100 | 6 | 6 | 16 | 23 | 26 | 26 | 26 |
| 35-49 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 4.4 | 37 | 1 | 1 | 3 | 4 | 11 | 15 | 30 |
| 20-34 | 17 | 6.5 | 29 | <1 | 1 | 5 | 9 | 13 | 19 | 22 |
| 35-49 | 8 | 7.6 | 14 | 1 | 2 | 8 | 10 | 12 | 12 | 12 |
| 50-64 | 5 | 5.4 | 13 | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| 65+ | 5 | 14.2 | 87 | 4 | 4 | 17 | 21 | 25 | 25 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 24 | 3 | 3 | 4 | 10 | 12 | 12 | 12 |
| 20-34 | 7 | 12.7 | 138 | 3 | 3 | 8 | 23 | 30 | 31 | 31 |
| 35-49 | 2 | 20.5 | 265 | 9 | 9 | 20 | 32 | 32 | 32 | 32 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 5.8 | 29 | <1 | 1 | 4 | 8 | 13 | 19 | 24 |
| B. *Operated* | 5 | 15.2 | 92 | 5 | 5 | 16 | 24 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 5.7 | 39 | 1 | 1 | 3 | 7 | 14 | 18 | 33 |
| B. *Operated* | 14 | 11.4 | 115 | 2 | 3 | 8 | 12 | 31 | 32 | 32 |
| **1. SINGLE DX** | 57 | 6.6 | 40 | <1 | 1 | 4 | 9 | 17 | 22 | 26 |
| **2. MULTIPLE DX** | 99 | 6.5 | 52 | 1 | 1 | 4 | 9 | 15 | 24 | 35 |
| **A. NOT OPERATED** | 137 | 5.6 | 35 | 1 | 1 | 4 | 8 | 13 | 18 | 27 |
| **B. OPERATED** | 19 | 12.4 | 106 | 2 | 3 | 9 | 21 | 30 | 32 | 32 |
| TOTAL 0-19 YRS | 80 | 4.3 | 27 | 1 | 1 | 3 | 5 | 11 | 13 | 31 |
| 20-34 | 41 | 9.0 | 55 | 1 | 2 | 7 | 11 | 20 | 27 | 31 |
| 35-49 | 16 | 9.9 | 72 | 1 | 1 | 8 | 11 | 23 | 29 | 32 |
| 50-64 | 8 | 4.3 | 11 | <1 | <1 | 4 | 5 | 9 | 11 | 11 |
| 65+ | 11 | 11.4 | 76 | <1 | 1 | 9 | 19 | 24 | 25 | 25 |
| **GRAND TOTAL** | 156 | 6.6 | 48 | 1 | 1 | 4 | 9 | 15 | 23 | 32 |

### 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 49 | 5.5 | 28 | <1 | 1 | 4 | 7 | 10 | 18 | 27 |
| 35-49 | 133 | 2.2 | 10 | <1 | <1 | <1 | <1 | 6 | 10 | 16 |
| 50-64 | 61 | 4.4 | 16 | <1 | <1 | 3 | 7 | 10 | 12 | 17 |
| 65+ | 92 | 6.0 | 47 | <1 | <1 | 4 | 9 | 14 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 6.7 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 22 |
| 20-34 | 84 | 8.5 | 30 | 2 | 3 | 8 | 10 | 15 | 21 | 29 |
| 35-49 | 44 | 8.4 | 18 | 3 | 4 | 8 | 10 | 13 | 16 | 25 |
| 50-64 | 75 | 9.3 | 49 | 1 | 3 | 8 | 11 | 16 | 23 | 38 |
| 65+ | 78 | 9.8 | 38 | 2 | 3 | 8 | 12 | 16 | 24 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 195 | 4.9 | 18 | 1 | 1 | 4 | 7 | 9 | 12 | 20 |
| 20-34 | 99 | 6.0 | 21 | <1 | 1 | 5 | 9 | 12 | 17 | 61 |
| 35-49 | 202 | 4.7 | 30 | <1 | <1 | 3 | 7 | 11 | 15 | 28 |
| 50-64 | 281 | 9.2 | 67 | 1 | 2 | 7 | 11 | 19 | 26 | 41 |
| 65+ | 569 | 10.5 | 113 | 1 | 2 | 8 | 13 | 21 | 30 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 8.9 | 44 | 2 | 3 | 8 | 10 | 16 | 23 | 34 |
| 20-34 | 112 | 11.8 | 101 | 3 | 4 | 9 | 14 | 24 | 35 | 49 |
| 35-49 | 110 | 13.2 | 88 | 3 | 4 | 10 | 19 | 25 | 30 | 47 |
| 50-64 | 229 | 13.3 | 101 | 3 | 4 | 11 | 15 | 24 | 32 | 50 |
| 65+ | 385 | 18.3 | 221 | 4 | 5 | 13 | 24 | 40 | 52 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 549 | 4.2 | 20 | <1 | <1 | 3 | 6 | 9 | 13 | 21 |
| B. *Operated* | 401 | 8.3 | 31 | 2 | 3 | 7 | 10 | 14 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1346 | 8.2 | 76 | <1 | 1 | 6 | 10 | 17 | 24 | 44 |
| B. *Operated* | 896 | 15.0 | 156 | 3 | 4 | 11 | 19 | 31 | 41 | 68 |
| **1. SINGLE DX** | 950 | 6.0 | 29 | <1 | <1 | 5 | 8 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | 2242 | 10.9 | 119 | 1 | 2 | 8 | 14 | 23 | 32 | 61 |
| **A. NOT OPERATED** | 1895 | 7.1 | 63 | <1 | <1 | 5 | 9 | 15 | 21 | 39 |
| **B. OPERATED** | 1297 | 12.9 | 127 | 2 | 4 | 9 | 16 | 27 | 36 | 64 |
| TOTAL 0-19 YRS | 589 | 5.5 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 344 | 8.4 | 56 | 1 | 2 | 7 | 10 | 18 | 23 | 41 |
| 35-49 | 489 | 6.3 | 53 | <1 | <1 | 4 | 9 | 15 | 22 | 33 |
| 50-64 | 646 | 10.2 | 70 | 1 | 2 | 8 | 13 | 21 | 28 | 43 |
| 65+ | 1124 | 12.8 | 157 | 1 | 2 | 9 | 16 | 28 | 39 | 68 |
| **GRAND TOTAL** | 3192 | 9.4 | 97 | <1 | 1 | 7 | 12 | 20 | 28 | 93 |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 944 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 235 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 29 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 10 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 9 |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 332 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 114 | 5.1 | 11 | 2 | 3 | 5 | 6 | 8 | 9 | 20 |
| 35-49 | 16 | 6.4 | 10 | 2 | 3 | 6 | 8 | 11 | 13 | 14 |
| 50-64 | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 65+ | 3 | 8.0 | 37 | 1 | 1 | 11 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 410 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 91 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 16 | 5.6 | 17 | 2 | 2 | 4 | 6 | 12 | 16 | 18 |
| 50-64 | 12 | 4.2 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 11 | 5.7 | 16 | 2 | 2 | 4 | 8 | 11 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 5.2 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 10 |
| 20-34 | 59 | 6.2 | 11 | 2 | 3 | 5 | 8 | 11 | 12 | 21 |
| 35-49 | 7 | 9.6 | 14 | 5 | 5 | 11 | 13 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 8.7 | 52 | 4 | 4 | 5 | 14 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1220 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 467 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 540 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 170 | 5.8 | 8 | 3 | 3 | 5 | 7 | 9 | 11 | 16 |
| **1. SINGLE DX** | 1687 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 710 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 1760 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 637 | 5.0 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 1787 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 499 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 68 | 5.1 | 13 | 1 | 1 | 4 | 6 | 11 | 13 | 17 |
| 50-64 | 24 | 4.0 | 8 | <1 | 1 | 3 | 5 | 9 | 10 | 11 |
| 65+ | 19 | 6.4 | 21 | 1 | 2 | 5 | 8 | 14 | 17 | 17 |
| **GRAND TOTAL** | **2397** | **3.2** | **5** | **1** | **1** | **3** | **4** | **6** | **7** | **11** |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 10 | 18 |
| 20-34 | 20 | 3.9 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 35-49 | 6 | 3.8 | 11 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 50-64 | 5 | 2.8 | 6 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 65+ | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 136 | 2.8 | 9 | <1 | <1 | 2 | 2 | 7 | 9 | 16 |
| 20-34 | 124 | 3.2 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 19 |
| 35-49 | 61 | 3.4 | 13 | <1 | 1 | 2 | 3 | 7 | 11 | 20 |
| 50-64 | 47 | 3.7 | 13 | <1 | 1 | 3 | 4 | 6 | 8 | 24 |
| 65+ | 21 | 5.5 | 71 | 1 | 1 | 2 | 4 | 15 | 30 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 5.3 | 8 | 2 | 2 | 5 | 7 | 8 | 11 | 15 |
| 20-34 | 17 | 3.9 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | 10 | 6.1 | 14 | 1 | 1 | 6 | 9 | 11 | 12 | 12 |
| 50-64 | 9 | 5.9 | 16 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 65+ | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.5 | 16 | 1 | 1 | 5 | 8 | 11 | 14 | 18 |
| 20-34 | 53 | 6.9 | 74 | 1 | 2 | 4 | 9 | 14 | 19 | 57 |
| 35-49 | 34 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 50-64 | 44 | 6.0 | 22 | 1 | 2 | 4 | 8 | 13 | 15 | 22 |
| 65+ | 31 | 8.4 | 61 | 2 | 2 | 6 | 9 | 19 | 24 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 389 | 3.3 | 14 | <1 | <1 | 2 | 3 | 7 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 140 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 12 | 16 |
| B. *Operated* | 218 | 6.2 | 37 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| **1. SINGLE DX** | 598 | 3.8 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 358 | 5.8 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 349 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| **B. OPERATED** | 607 | 4.3 | 24 | <1 | 1 | 2 | 5 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 469 | 4.5 | 11 | <1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 214 | 4.2 | 27 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 35-49 | 111 | 4.0 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 105 | 4.8 | 18 | 1 | 2 | 3 | 6 | 10 | 14 | 23 |
| 65+ | 57 | 7.2 | 63 | 1 | 2 | 4 | 8 | 19 | 25 | 37 |
| **GRAND TOTAL** | **956** | **4.6** | **19** | **<1** | **1** | **3** | **6** | **9** | **12** | **20** |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 13.0 | 227 | 1 | 1 | 10 | 19 | 39 | 43 | 43 |
| 20-34 | 23 | 12.1 | 97 | 1 | 3 | 9 | 21 | 37 | 99+ | 99+ |
| 35-49 | 11 | 10.9 | 84 | 1 | 2 | 7 | 20 | 25 | 26 | 26 |
| 50-64 | 19 | 9.6 | 86 | <1 | 1 | 7 | 13 | 23 | 32 | 37 |
| 65+ | 28 | 18.0 | 275 | 1 | 2 | 18 | 25 | 53 | 67 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.4 | 39 | <1 | 1 | 4 | 8 | 16 | 22 | 23 |
| 20-34 | 26 | 17.7 | 373 | 1 | 1 | 12 | 28 | 42 | 67 | 73 |
| 35-49 | 14 | 14.4 | 185 | 2 | 2 | 9 | 19 | 37 | 45 | 47 |
| 50-64 | 34 | 16.6 | 129 | 3 | 4 | 15 | 28 | 32 | 42 | 99+ |
| 65+ | 85 | 16.3 | 276 | 2 | 3 | 10 | 21 | 46 | 54 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 26.3 | 158 | 13 | 13 | 28 | 35 | 38 | 38 | 38 |
| 35-49 | 2 | 28.5 | 1 | 28 | 28 | 28 | 29 | 29 | 29 | 29 |
| 50-64 | 4 | 27.0 | 492 | 6 | 6 | 24 | 45 | 54 | 54 | 54 |
| 65+ | 10 | 16.3 | 93 | 6 | 6 | 13 | 26 | 28 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 13.4 | 164 | 1 | 1 | 9 | 21 | 34 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 15.7 | 240 | 2 | 2 | 11 | 22 | 41 | 51 | 96 |
| B. *Operated* | 19 | 21.4 | 177 | 6 | 6 | 25 | 29 | 37 | 47 | 54 |
| **1. SINGLE DX** | 88 | 13.4 | 164 | 1 | 1 | 9 | 21 | 34 | 62 | 99+ |
| **2. MULTIPLE DX** | 190 | 16.3 | 236 | 2 | 3 | 11 | 25 | 39 | 51 | 93 |
| **A. NOT OPERATED** | 259 | 14.9 | 215 | 1 | 2 | 10 | 22 | 37 | 52 | 99+ |
| **B. OPERATED** | 19 | 21.4 | 177 | 6 | 6 | 25 | 29 | 37 | 47 | 54 |
| TOTAL 0-19 YRS | 19 | 8.8 | 110 | <1 | 1 | 4 | 12 | 22 | 34 | 43 |
| 20-34 | 52 | 15.8 | 245 | 1 | 1 | 12 | 26 | 42 | 71 | 99+ |
| 35-49 | 27 | 14.0 | 145 | 2 | 2 | 9 | 24 | 29 | 38 | 47 |
| 50-64 | 57 | 15.0 | 152 | 1 | 3 | 11 | 24 | 35 | 42 | 96 |
| 65+ | 123 | 16.7 | 258 | 2 | 3 | 11 | 24 | 42 | 61 | 99+ |
| **GRAND TOTAL** | **278** | **15.4** | **214** | **1** | **2** | **11** | **23** | **37** | **52** | **99+** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 3.2 | 28 | 1 | 1 | 2 | 3 | 5 | 8 | 30 |
| 20-34 | 122 | 6.3 | 135 | <1 | 1 | 4 | 6 | 10 | 18 | 93 |
| 35-49 | 55 | 8.0 | 97 | <1 | 1 | 4 | 8 | 19 | 33 | 48 |
| 50-64 | 71 | 13.8 | 217 | 1 | 1 | 8 | 21 | 29 | 53 | 96 |
| 65+ | 526 | 17.0 | 308 | 2 | 3 | 12 | 21 | 45 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 13 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 8 | 9.1 | 152 | 1 | 1 | 4 | 10 | 30 | 38 | 38 |
| 65+ | 14 | 12.4 | 112 | 2 | 5 | 10 | 19 | 42 | 85 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 7.8 | 115 | 1 | 1 | 4 | 7 | 22 | 35 | 69 |
| 20-34 | 277 | 9.7 | 140 | 1 | 2 | 6 | 11 | 27 | 41 | 95 |
| 35-49 | 208 | 10.1 | 74 | 2 | 3 | 7 | 12 | 23 | 29 | 49 |
| 50-64 | 284 | 15.8 | 263 | 3 | 3 | 11 | 22 | 42 | 80 | 99+ |
| 65+ | 2267 | 19.3 | 340 | 3 | 4 | 14 | 27 | 60 | 99 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 21.7 | 395 | 2 | 3 | 24 | 49 | 91 | 99+ | 99+ |
| 20-34 | 11 | 9.6 | 58 | 2 | 3 | 10 | 15 | 49 | 93 | 99+ |
| 35-49 | 16 | 14.8 | 106 | 1 | 3 | 16 | 30 | 99+ | 99+ | 99+ |
| 50-64 | 29 | 22.9 | 524 | 4 | 5 | 19 | 51 | 99+ | 99+ | 99+ |
| 65+ | 246 | 29.9 | 449 | 7 | 10 | 30 | 60 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 916 | 12.6 | 253 | 1 | 1 | 7 | 17 | 35 | 54 | 99+ |
| B. *Operated* | 28 | 9.8 | 105 | 1 | 2 | 8 | 11 | 33 | 45 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3164 | 17.0 | 304 | 2 | 3 | 12 | 23 | 50 | 88 | 99+ |
| B. *Operated* | 308 | 27.6 | 447 | 5 | 7 | 27 | 55 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 944 | 12.5 | 248 | 1 | 1 | 7 | 17 | 35 | 54 | 99+ |
| **2. MULTIPLE DX** | 3472 | 18.0 | 326 | 2 | 4 | 13 | 26 | 57 | 99+ | 99+ |
| **A. NOT OPERATED** | 4080 | 16.0 | 296 | 2 | 3 | 11 | 21 | 46 | 80 | 99+ |
| **B. OPERATED** | 336 | 26.1 | 442 | 4 | 6 | 24 | 52 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 280 | 5.7 | 84 | 1 | 1 | 3 | 5 | 14 | 27 | 60 |
| 20-34 | 411 | 8.7 | 138 | 1 | 1 | 5 | 9 | 21 | 40 | 99+ |
| 35-49 | 280 | 9.9 | 82 | 2 | 3 | 7 | 12 | 25 | 31 | 99+ |
| 50-64 | 392 | 15.8 | 275 | 2 | 3 | 11 | 23 | 43 | 83 | 99+ |
| 65+ | 3053 | 19.7 | 352 | 3 | 4 | 14 | 28 | 64 | 99+ | 99+ |
| **GRAND TOTAL** | **4416** | **16.8** | **314** | **2** | **3** | **12** | **23** | **52** | **92** | **99+** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 40.0 | | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 50-64 | 3 | 10.0 | 169 | 2 | 2 | 3 | 19 | 25 | 25 | 25 |
| 65+ | 34 | 19.7 | 271 | 4 | 4 | 15 | 26 | 43 | 54 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 9 | 21.8 | 446 | 3 | 3 | 21 | 60 | 99+ | 99+ | 99+ |
| 65+ | 188 | 21.0 | 412 | 3 | 5 | 14 | 33 | 63 | 87 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 24 | 34.3 | 497 | 9 | 13 | 28 | 37 | 75 | 79 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 19.4 | 270 | 3 | 4 | 15 | 26 | 41 | 53 | 77 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 21.0 | 412 | 3 | 5 | 14 | 33 | 68 | 92 | 99+ |
| B. *Operated* | 24 | 34.3 | 497 | 9 | 13 | 28 | 37 | 75 | 79 | 84 |
| **1. SINGLE DX** | 38 | 19.4 | 270 | 3 | 4 | 15 | 26 | 41 | 53 | 77 |
| **2. MULTIPLE DX** | 221 | 22.4 | 436 | 3 | 5 | 16 | 34 | 68 | 88 | 99+ |
| **A. NOT OPERATED** | 235 | 20.8 | 388 | 3 | 4 | 14 | 31 | 62 | 85 | 99+ |
| **B. OPERATED** | 24 | 34.3 | 497 | 9 | 13 | 28 | 37 | 75 | 79 | 84 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 40.0 | | 40 | 40 | 40 | 40 | 40 | 40 | 40 |
| 50-64 | 12 | 18.8 | 383 | 2 | 3 | 20 | 34 | 99+ | 99+ | 99+ |
| 65+ | 246 | 22.1 | 414 | 3 | 5 | 15 | 32 | 63 | 83 | 99+ |
| **GRAND TOTAL** | **259** | **22.0** | **411** | **3** | **5** | **16** | **33** | **66** | **84** | **99+** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.3 | 296 | 1 | 1 | 2 | 19 | 36 | 36 | 36 |
| 20-34 | 272 | 5.0 | 5 | 1 | 2 | 5 | 5 | 7 | 8 | 17 |
| 35-49 | 451 | 5.2 | 6 | 2 | 3 | 5 | 5 | 7 | 8 | 19 |
| 50-64 | 240 | 6.0 | 18 | 3 | 4 | 5 | 5 | 9 | 14 | 31 |
| 65+ | 64 | 7.8 | 58 | 2 | 3 | 5 | 7 | 15 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.0 | 10 | <1 | 1 | 5 | 6 | 7 | 11 | 16 |
| 20-34 | 649 | 6.3 | 15 | 3 | 3 | 6 | 7 | 9 | 12 | 22 |
| 35-49 | 1109 | 6.7 | 20 | 3 | 4 | 6 | 7 | 10 | 15 | 26 |
| 50-64 | 840 | 8.2 | 58 | 3 | 4 | 6 | 9 | 15 | 21 | 46 |
| 65+ | 246 | 11.4 | 130 | 3 | 4 | 8 | 13 | 26 | 39 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 13 | 11.8 | 56 | 5 | 6 | 8 | 14 | 26 | 28 | 29 |
| 35-49 | 43 | 12.9 | 169 | 4 | 5 | 10 | 13 | 44 | 78 | 99+ |
| 50-64 | 42 | 20.3 | 349 | 5 | 6 | 13 | 23 | 59 | 73 | 99+ |
| 65+ | 26 | 30.5 | 624 | 6 | 7 | 29 | 44 | 97 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1031 | 5.5 | 13 | 2 | 3 | 5 | 5 | 7 | 10 | 24 |
| B. *Operated* | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2867 | 7.4 | 41 | 3 | 4 | 6 | 7 | 12 | 18 | 40 |
| B. *Operated* | 125 | 18.8 | 352 | 5 | 5 | 13 | 25 | 61 | 94 | 99+ |
| **1. SINGLE DX** | 1033 | 5.5 | 13 | 2 | 3 | 5 | 5 | 7 | 10 | 24 |
| **2. MULTIPLE DX** | 2992 | 7.9 | 59 | 3 | 4 | 6 | 8 | 14 | 21 | 52 |
| **A. NOT OPERATED** | 3898 | 6.9 | 35 | 3 | 4 | 5 | 7 | 11 | 17 | 35 |
| **B. OPERATED** | 127 | 18.7 | 348 | 5 | 5 | 12 | 25 | 59 | 93 | 99+ |
| TOTAL 0-19 YRS | 28 | 5.7 | 44 | 1 | 1 | 5 | 6 | 8 | 18 | 36 |
| 20-34 | 935 | 6.0 | 14 | 2 | 3 | 5 | 6 | 8 | 11 | 22 |
| 35-49 | 1604 | 6.5 | 22 | 3 | 4 | 5 | 7 | 10 | 14 | 27 |
| 50-64 | 1122 | 8.2 | 66 | 3 | 4 | 6 | 8 | 15 | 21 | 59 |
| 65+ | 336 | 12.2 | 183 | 3 | 4 | 7 | 14 | 30 | 43 | 99+ |
| **GRAND TOTAL** | **4025** | **7.3** | **49** | **3** | **4** | **5** | **7** | **12** | **19** | **43** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 9.4 | 62 | <1 | 1 | 8 | 14 | 22 | 26 | 27 |
| 20-34 | 60 | 8.0 | 65 | 1 | 1 | 5 | 11 | 17 | 29 | 35 |
| 35-49 | 13 | 7.3 | 64 | 1 | 1 | 4 | 8 | 20 | 28 | 30 |
| 50-64 | 7 | 14.6 | 88 | 5 | 5 | 9 | 23 | 28 | 29 | 29 |
| 65+ | 9 | 10.9 | 131 | <1 | 1 | 6 | 15 | 31 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 7.8 | 41 | 1 | 1 | 6 | 13 | 16 | 21 | 23 |
| 20-34 | 116 | 10.7 | 120 | 2 | 3 | 8 | 14 | 21 | 27 | 63 |
| 35-49 | 44 | 11.5 | 90 | 2 | 2 | 10 | 14 | 20 | 29 | 52 |
| 50-64 | 45 | 10.3 | 55 | 2 | 3 | 8 | 14 | 22 | 26 | 35 |
| 65+ | 60 | 14.4 | 162 | 3 | 3 | 11 | 18 | 32 | 45 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.0 | 2 | 4 | 4 | 6 | 76 | 99+ | 99+ | 99+ |
| 35-49 | 3 | 17.0 | 57 | 9 | 9 | 18 | 22 | 24 | 24 | 24 |
| 50-64 | 4 | 18.5 | 598 | 3 | 3 | 8 | 32 | 55 | 55 | 55 |
| 65+ | 7 | 25.7 | 247 | 7 | 8 | 23 | 42 | 42 | 42 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 8.9 | 71 | 1 | 1 | 6 | 12 | 24 | 29 | 35 |
| B. *Operated* | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 296 | 11.2 | 108 | 2 | 3 | 9 | 14 | 22 | 28 | 51 |
| B. *Operated* | 16 | 19.7 | 274 | 3 | 4 | 15 | 41 | 52 | 84 | 99+ |
| **1. SINGLE DX** | 111 | 8.9 | 70 | 1 | 1 | 6 | 12 | 24 | 29 | 35 |
| **2. MULTIPLE DX** | 312 | 11.6 | 120 | 2 | 3 | 9 | 14 | 24 | 35 | 57 |
| **A. NOT OPERATED** | 406 | 10.6 | 99 | 1 | 2 | 8 | 14 | 23 | 29 | 50 |
| **B. OPERATED** | 17 | 19.1 | 262 | 3 | 5 | 13 | 41 | 51 | 82 | 99+ |
| TOTAL 0-19 YRS | 52 | 8.4 | 49 | 1 | 1 | 7 | 14 | 18 | 23 | 27 |
| 20-34 | 178 | 9.7 | 102 | 1 | 2 | 7 | 13 | 20 | 28 | 78 |
| 35-49 | 60 | 10.9 | 85 | 1 | 2 | 9 | 14 | 21 | 27 | 51 |
| 50-64 | 56 | 11.4 | 92 | 2 | 3 | 9 | 14 | 24 | 28 | 54 |
| 65+ | 77 | 15.0 | 173 | 3 | 3 | 10 | 20 | 37 | 43 | 57 |
| **GRAND TOTAL** | **423** | **10.9** | **108** | **1** | **2** | **8** | **14** | **24** | **30** | **53** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 23.5 | 404 | 2 | 4 | 19 | 29 | 54 | 74 | 90 |
| 20-34 | 1338 | 20.4 | 326 | 2 | 3 | 15 | 27 | 46 | 64 | 89 |
| 35-49 | 631 | 19.4 | 238 | 3 | 5 | 16 | 25 | 42 | 58 | 88 |
| 50-64 | 246 | 19.6 | 231 | 3 | 4 | 17 | 25 | 33 | 47 | 83 |
| 65+ | 48 | 19.6 | 192 | 4 | 5 | 16 | 28 | 38 | 42 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 27.8 | 501 | 3 | 5 | 23 | 37 | 72 | 83 | 99+ |
| 20-34 | 535 | 21.7 | 296 | 3 | 5 | 17 | 29 | 47 | 60 | 99+ |
| 35-49 | 311 | 18.6 | 189 | 3 | 4 | 16 | 25 | 37 | 47 | 61 |
| 50-64 | 194 | 23.9 | 275 | 5 | 8 | 19 | 30 | 46 | 61 | 79 |
| 65+ | 61 | 24.9 | 250 | 6 | 9 | 22 | 33 | 53 | 81 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 46.0 | 855 | 18 | 18 | 41 | 68 | 84 | 84 | 84 |
| 20-34 | 40 | 28.5 | 339 | 7 | 12 | 22 | 41 | 61 | 72 | 99+ |
| 35-49 | 30 | 28.6 | 497 | 5 | 8 | 22 | 39 | 69 | 96 | 99+ |
| 50-64 | 15 | 23.9 | 174 | 7 | 10 | 22 | 33 | 53 | 86 | 99+ |
| 65+ | 5 | 44.4 | 1065 | 19 | 19 | 45 | 92 | 99 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2394 | 20.2 | 295 | 2 | 4 | 16 | 26 | 43 | 60 | 88 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1153 | 21.7 | 275 | 3 | 5 | 18 | 29 | 46 | 58 | 99 |
| B. *Operated* | 94 | 29.4 | 426 | 7 | 10 | 23 | 42 | 67 | 95 | 99+ |
| **1. SINGLE DX** | 2394 | 20.2 | 295 | 2 | 4 | 16 | 26 | 43 | 60 | 88 |
| **2. MULTIPLE DX** | 1247 | 22.3 | 290 | 3 | 6 | 18 | 29 | 47 | 61 | 99+ |
| **A. NOT OPERATED** | 3547 | 20.7 | 289 | 2 | 4 | 17 | 27 | 44 | 59 | 92 |
| **B. OPERATED** | 94 | 29.4 | 426 | 7 | 10 | 23 | 42 | 67 | 95 | 99+ |
| TOTAL 0-19 YRS | 187 | 25.1 | 447 | 2 | 4 | 21 | 34 | 57 | 84 | 99+ |
| 20-34 | 1913 | 21.0 | 320 | 2 | 4 | 16 | 28 | 47 | 64 | 96 |
| 35-49 | 972 | 19.4 | 232 | 3 | 5 | 16 | 25 | 39 | 55 | 83 |
| 50-64 | 455 | 21.6 | 251 | 4 | 6 | 18 | 27 | 41 | 54 | 83 |
| 65+ | 114 | 23.6 | 277 | 5 | 7 | 20 | 33 | 50 | 72 | 99+ |
| **GRAND TOTAL** | **3641** | **20.9** | **294** | **2** | **4** | **17** | **28** | **45** | **60** | **96** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 25.8 | 425 | 2 | 4 | 21 | 35 | 59 | 70 | 78 |
| 20-34 | 119 | 18.0 | 207 | 2 | 5 | 14 | 22 | 39 | 51 | 85 |
| 35-49 | 17 | 16.9 | 209 | 3 | 4 | 13 | 23 | 34 | 51 | 59 |
| 50-64 | 10 | 15.0 | 54 | 6 | 6 | 15 | 18 | 25 | 31 | 31 |
| 65+ | 3 | 25.3 | 100 | 14 | 14 | 29 | 32 | 33 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 28.6 | 535 | 1 | 3 | 23 | 45 | 51 | 77 | 94 |
| 20-34 | 48 | 20.7 | 193 | 4 | 6 | 17 | 26 | 42 | 50 | 60 |
| 35-49 | 13 | 17.8 | 206 | 2 | 3 | 13 | 25 | 41 | 47 | 48 |
| 50-64 | 6 | 21.5 | 134 | 5 | 6 | 21 | 28 | 37 | 38 | 38 |
| 65+ | 5 | 15.6 | 17 | 11 | 11 | 16 | 18 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 20-34 | 1 | 68.0 | | 68 | 68 | 68 | 68 | 68 | 68 | 68 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 19.5 | 253 | 2 | 5 | 15 | 26 | 42 | 57 | 79 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 21.6 | 255 | 2 | 5 | 17 | 28 | 45 | 50 | 80 |
| B. *Operated* | 2 | 57.0 | 242 | 46 | 46 | 57 | 68 | 68 | 68 | 68 |
| **1. SINGLE DX** | 190 | 19.5 | 253 | 2 | 5 | 15 | 26 | 42 | 57 | 79 |
| **2. MULTIPLE DX** | 92 | 22.4 | 279 | 2 | 5 | 18 | 32 | 47 | 52 | 83 |
| **A. NOT OPERATED** | 280 | 20.2 | 254 | 2 | 5 | 16 | 26 | 43 | 55 | 79 |
| **B. OPERATED** | 2 | 57.0 | 242 | 46 | 46 | 57 | 68 | 68 | 68 | 68 |
| TOTAL 0-19 YRS | 60 | 27.0 | 450 | 2 | 4 | 21 | 40 | 53 | 70 | 92 |
| 20-34 | 168 | 19.1 | 217 | 2 | 5 | 15 | 25 | 41 | 55 | 77 |
| 35-49 | 30 | 17.3 | 201 | 3 | 4 | 13 | 23 | 37 | 48 | 59 |
| 50-64 | 16 | 17.4 | 88 | 5 | 6 | 16 | 22 | 31 | 36 | 38 |
| 65+ | 8 | 19.3 | 64 | 11 | 12 | 16 | 25 | 32 | 33 | 33 |
| **GRAND TOTAL** | **282** | **20.5** | **262** | **2** | **5** | **16** | **27** | **44** | **55** | **79** |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 22.5 | 341 | 2 | 5 | 18 | 32 | 53 | 65 | 99 |
| 20-34 | 1889 | 19.7 | 290 | 1 | 3 | 15 | 27 | 45 | 57 | 94 |
| 35-49 | 890 | 18.1 | 222 | 1 | 3 | 14 | 25 | 38 | 49 | 77 |
| 50-64 | 470 | 18.9 | 182 | 2 | 5 | 16 | 26 | 37 | 45 | 70 |
| 65+ | 120 | 19.5 | 264 | 1 | 3 | 16 | 27 | 48 | 60 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 37.0 | 690 | 6 | 6 | 43 | 77 | 99+ | 99+ | 99+ |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 3 | 17.3 | 101 | 8 | 8 | 16 | 25 | 28 | 28 | 28 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 26.2 | 493 | 1 | 4 | 20 | 43 | 69 | 77 | 99+ |
| 20-34 | 901 | 21.2 | 303 | 2 | 4 | 17 | 29 | 48 | 63 | 99+ |
| 35-49 | 579 | 19.4 | 239 | 2 | 5 | 16 | 26 | 40 | 53 | 92 |
| 50-64 | 398 | 22.9 | 293 | 3 | 6 | 19 | 30 | 47 | 64 | 96 |
| 65+ | 163 | 24.0 | 349 | 4 | 6 | 19 | 33 | 53 | 63 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 34.5 | 925 | 13 | 13 | 56 | 89 | 99+ | 99+ | 99+ |
| 20-34 | 37 | 29.9 | 500 | 6 | 8 | 29 | 45 | 94 | 99+ | 99+ |
| 35-49 | 32 | 29.4 | 474 | 7 | 8 | 23 | 45 | 72 | 82 | 99+ |
| 50-64 | 30 | 33.4 | 367 | 9 | 11 | 31 | 45 | 61 | 77 | 85 |
| 65+ | 14 | 34.7 | 552 | 8 | 11 | 34 | 48 | 85 | 96 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3633 | 19.4 | 263 | 2 | 3 | 15 | 27 | 43 | 55 | 91 |
| B. *Operated* | 8 | 25.8 | 483 | 6 | 6 | 28 | 49 | 88 | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2172 | 21.5 | 302 | 3 | 5 | 18 | 29 | 48 | 62 | 99+ |
| B. *Operated* | 115 | 31.4 | 456 | 7 | 9 | 29 | 47 | 76 | 99+ | 99+ |
| **1. SINGLE DX** | 3641 | 19.4 | 264 | 2 | 3 | 15 | 27 | 43 | 55 | 91 |
| **2. MULTIPLE DX** | 2287 | 22.0 | 314 | 3 | 5 | 18 | 30 | 49 | 66 | 99+ |
| **A. NOT OPERATED** | 5805 | 20.2 | 279 | 2 | 4 | 16 | 28 | 44 | 57 | 95 |
| **B. OPERATED** | 123 | 31.0 | 455 | 7 | 9 | 29 | 46 | 76 | 99+ | 99+ |
| TOTAL 0-19 YRS | 397 | 23.8 | 394 | 2 | 4 | 18 | 35 | 58 | 74 | 99+ |
| 20-34 | 2831 | 20.3 | 299 | 2 | 3 | 16 | 28 | 46 | 59 | 99+ |
| 35-49 | 1502 | 18.9 | 236 | 2 | 4 | 15 | 25 | 40 | 51 | 85 |
| 50-64 | 901 | 21.1 | 245 | 3 | 5 | 18 | 28 | 43 | 54 | 84 |
| 65+ | 297 | 22.7 | 333 | 3 | 5 | 18 | 31 | 51 | 68 | 99+ |
| **GRAND TOTAL** | **5928** | **20.4** | **285** | **2** | **4** | **16** | **28** | **45** | **58** | **97** |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 22.1 | 800 | <1 | 1 | 14 | 59 | 94 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 21.7 | 509 | 2 | 2 | 43 | 62 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 22.1 | 800 | <1 | 1 | 14 | 59 | 94 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 21.7 | 509 | 2 | 2 | 43 | 62 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 7 | 22.1 | 800 | <1 | 1 | 14 | 59 | 94 | 99+ | 99+ |
| **2. MULTIPLE DX** | 7 | 21.7 | 509 | 2 | 2 | 43 | 62 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 14 | 21.9 | 604 | 1 | 2 | 18 | 56 | 99+ | 99+ | 99+ |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-19 YRS | 14 | 21.9 | 604 | 1 | 2 | 18 | 56 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **14** | **21.9** | **604** | **1** | **2** | **18** | **56** | **99+** | **99+** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 20.6 | 386 | 1 | 2 | 16 | 29 | 56 | 66 | 99+ |
| 20-34 | 544 | 16.6 | 198 | 2 | 3 | 13 | 22 | 33 | 42 | 74 |
| 35-49 | 588 | 17.1 | 173 | 2 | 4 | 14 | 24 | 34 | 43 | 62 |
| 50-64 | 676 | 19.0 | 157 | 3 | 5 | 18 | 26 | 35 | 44 | 61 |
| 65+ | 563 | 20.9 | 208 | 2 | 5 | 19 | 28 | 40 | 51 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 13.0 | 50 | 8 | 8 | 13 | 18 | 18 | 18 | 18 |
| 50-64 | 3 | 41.7 | 1797 | 3 | 3 | 35 | 74 | 87 | 87 | 87 |
| 65+ | 7 | 31.9 | 224 | 6 | 10 | 34 | 35 | 53 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 22.3 | 487 | 1 | 2 | 17 | 31 | 52 | 81 | 99+ |
| 20-34 | 583 | 17.8 | 248 | 2 | 3 | 14 | 24 | 38 | 53 | 88 |
| 35-49 | 630 | 19.1 | 232 | 3 | 4 | 16 | 25 | 39 | 52 | 78 |
| 50-64 | 871 | 21.6 | 248 | 4 | 6 | 18 | 28 | 43 | 55 | 86 |
| 65+ | 983 | 26.0 | 319 | 5 | 7 | 22 | 34 | 52 | 65 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 38.3 | 929 | 9 | 9 | 31 | 57 | 81 | 81 | 81 |
| 20-34 | 27 | 24.4 | 539 | 5 | 7 | 17 | 25 | 64 | 84 | 99 |
| 35-49 | 44 | 28.0 | 279 | 6 | 8 | 26 | 34 | 54 | 61 | 71 |
| 50-64 | 57 | 28.2 | 381 | 6 | 7 | 21 | 43 | 61 | 69 | 72 |
| 65+ | 91 | 38.0 | 408 | 11 | 16 | 36 | 58 | 86 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2454 | 18.5 | 192 | 2 | 4 | 16 | 25 | 36 | 46 | 69 |
| B. *Operated* | 13 | 29.1 | 556 | 3 | 4 | 30 | 35 | 63 | 82 | 87 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3145 | 21.8 | 283 | 3 | 5 | 18 | 29 | 45 | 58 | 93 |
| B. *Operated* | 223 | 31.9 | 420 | 7 | 9 | 27 | 45 | 68 | 85 | 99+ |
| **1. SINGLE DX** | 2467 | 18.5 | 194 | 2 | 4 | 16 | 25 | 36 | 47 | 69 |
| **2. MULTIPLE DX** | 3368 | 22.5 | 298 | 4 | 5 | 19 | 30 | 47 | 62 | 97 |
| **A. NOT OPERATED** | 5599 | 20.3 | 246 | 3 | 4 | 17 | 27 | 41 | 53 | 87 |
| **B. OPERATED** | 236 | 31.7 | 426 | 6 | 9 | 27 | 44 | 68 | 85 | 99+ |
| TOTAL 0-19 YRS | 166 | 21.7 | 445 | 1 | 2 | 16 | 30 | 56 | 75 | 99+ |
| 20-34 | 1154 | 17.4 | 232 | 2 | 3 | 14 | 23 | 36 | 49 | 86 |
| 35-49 | 1264 | 18.4 | 210 | 3 | 4 | 15 | 25 | 37 | 48 | 69 |
| 50-64 | 1607 | 20.8 | 221 | 4 | 5 | 18 | 27 | 41 | 51 | 79 |
| 65+ | 1644 | 25.0 | 301 | 4 | 7 | 21 | 33 | 51 | 63 | 99+ |
| **GRAND TOTAL** | **5835** | **20.8** | **258** | **3** | **5** | **18** | **28** | **42** | **56** | **89** |

### 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 20.6 | 312 | 2 | 5 | 16 | 27 | 49 | 76 | 99+ |
| 20-34 | 705 | 16.8 | 189 | 2 | 4 | 14 | 22 | 32 | 45 | 69 |
| 35-49 | 583 | 16.9 | 165 | 3 | 4 | 14 | 23 | 32 | 39 | 70 |
| 50-64 | 413 | 17.3 | 143 | 3 | 4 | 15 | 23 | 34 | 39 | 64 |
| 65+ | 155 | 22.4 | 251 | 2 | 5 | 20 | 31 | 42 | 56 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 2 | 18.0 | 8 | 16 | 16 | 18 | 20 | 20 | 20 | 20 |
| 65+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 22.5 | 405 | 2 | 6 | 16 | 31 | 52 | 97 | 99+ |
| 20-34 | 364 | 20.5 | 296 | 3 | 4 | 16 | 26 | 46 | 58 | 88 |
| 35-49 | 397 | 19.7 | 228 | 3 | 5 | 16 | 26 | 42 | 51 | 91 |
| 50-64 | 359 | 22.6 | 244 | 5 | 7 | 19 | 31 | 43 | 53 | 92 |
| 65+ | 239 | 22.9 | 253 | 5 | 7 | 20 | 32 | 44 | 63 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 44.0 | 148 | 30 | 30 | 50 | 51 | 52 | 52 | 52 |
| 20-34 | 17 | 26.8 | 173 | 9 | 13 | 23 | 33 | 49 | 53 | 54 |
| 35-49 | 22 | 21.2 | 70 | 9 | 13 | 20 | 28 | 32 | 39 | 41 |
| 50-64 | 37 | 24.9 | 299 | 8 | 8 | 21 | 35 | 50 | 79 | 99+ |
| 65+ | 17 | 26.8 | 260 | 8 | 10 | 29 | 44 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1945 | 17.6 | 185 | 2 | 4 | 14 | 24 | 34 | 44 | 71 |
| B. *Operated* | 5 | 14.6 | 20 | 10 | 10 | 16 | 18 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1411 | 21.3 | 262 | 4 | 6 | 17 | 28 | 44 | 57 | 95 |
| B. *Operated* | 96 | 25.3 | 221 | 8 | 10 | 22 | 32 | 51 | 84 | 99+ |
| **1. SINGLE DX** | 1950 | 17.6 | 185 | 2 | 4 | 14 | 24 | 34 | 44 | 71 |
| **2. MULTIPLE DX** | 1507 | 21.6 | 260 | 4 | 6 | 18 | 28 | 44 | 57 | 99+ |
| **A. NOT OPERATED** | 3356 | 19.2 | 221 | 3 | 5 | 16 | 26 | 38 | 51 | 83 |
| **B. OPERATED** | 101 | 24.8 | 216 | 8 | 10 | 21 | 31 | 50 | 78 | 99+ |
| TOTAL 0-19 YRS | 144 | 21.8 | 350 | 2 | 5 | 17 | 29 | 51 | 81 | 99+ |
| 20-34 | 1087 | 18.2 | 229 | 2 | 4 | 15 | 24 | 37 | 52 | 82 |
| 35-49 | 1003 | 18.1 | 190 | 3 | 5 | 15 | 24 | 35 | 47 | 73 |
| 50-64 | 811 | 20.0 | 201 | 4 | 6 | 17 | 27 | 38 | 48 | 79 |
| 65+ | 412 | 22.9 | 252 | 4 | 6 | 20 | 31 | 45 | 63 | 99+ |
| **GRAND TOTAL** | **3457** | **19.3** | **221** | **3** | **5** | **16** | **26** | **38** | **51** | **85** |

### 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 15.5 | 297 | 1 | 2 | 12 | 18 | 47 | 61 | 99+ |
| 20-34 | 349 | 13.1 | 173 | 1 | 2 | 10 | 17 | 29 | 39 | 63 |
| 35-49 | 173 | 11.8 | 80 | 1 | 3 | 10 | 16 | 22 | 28 | 46 |
| 50-64 | 132 | 15.3 | 142 | 1 | 3 | 12 | 21 | 32 | 37 | 62 |
| 65+ | 129 | 16.9 | 209 | 1 | 2 | 14 | 26 | 37 | 42 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.0 | 18 | 9 | 9 | 12 | 15 | 15 | 15 | 15 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 20.0 | 392 | 6 | 6 | 20 | 34 | 34 | 34 | 34 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 30.0 | 163 | 16 | 16 | 33 | 39 | 41 | 41 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 17.7 | 346 | 1 | 2 | 13 | 19 | 47 | 66 | 84 |
| 20-34 | 273 | 15.1 | 171 | 2 | 3 | 12 | 21 | 32 | 45 | 79 |
| 35-49 | 200 | 15.2 | 156 | 2 | 3 | 12 | 21 | 31 | 39 | 63 |
| 50-64 | 215 | 14.1 | 141 | 2 | 3 | 11 | 18 | 30 | 39 | 62 |
| 65+ | 402 | 16.1 | 239 | 3 | 4 | 11 | 20 | 34 | 47 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 24.0 | 390 | 5 | 7 | 21 | 29 | 48 | 74 | 81 |
| 35-49 | 10 | 16.9 | 216 | 2 | 3 | 13 | 31 | 40 | 43 | 43 |
| 50-64 | 14 | 19.6 | 398 | 2 | 4 | 14 | 28 | 41 | 71 | 79 |
| 65+ | 34 | 25.6 | 373 | 4 | 8 | 20 | 38 | 70 | 91 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 885 | 14.0 | 172 | 1 | 2 | 11 | 18 | 31 | 40 | 68 |
| B. *Operated* | 7 | 22.0 | 189 | 6 | 7 | 24 | 37 | 82 | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1163 | 15.5 | 197 | 2 | 3 | 11 | 20 | 32 | 46 | 77 |
| B. *Operated* | 72 | 22.9 | 356 | 3 | 5 | 18 | 29 | 60 | 77 | 99+ |
| **1. SINGLE DX** | 892 | 14.1 | 172 | 1 | 2 | 11 | 18 | 31 | 41 | 71 |
| **2. MULTIPLE DX** | 1235 | 15.9 | 209 | 2 | 3 | 12 | 20 | 34 | 47 | 82 |
| **A. NOT OPERATED** | 2048 | 14.8 | 187 | 1 | 3 | 11 | 19 | 32 | 43 | 73 |
| **B. OPERATED** | 79 | 22.8 | 339 | 4 | 5 | 18 | 31 | 61 | 80 | 99+ |
| TOTAL 0-19 YRS | 177 | 16.4 | 313 | 1 | 2 | 12 | 18 | 47 | 64 | 97 |
| 20-34 | 636 | 14.2 | 179 | 1 | 2 | 10 | 18 | 31 | 43 | 73 |
| 35-49 | 385 | 13.8 | 126 | 2 | 3 | 11 | 18 | 27 | 36 | 58 |
| 50-64 | 361 | 14.8 | 151 | 2 | 3 | 12 | 19 | 31 | 38 | 66 |
| 65+ | 568 | 16.9 | 244 | 2 | 3 | 12 | 23 | 38 | 51 | 98 |
| **GRAND TOTAL** | **2127** | **15.1** | **195** | **2** | **3** | **11** | **20** | **33** | **45** | **81** |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.9 | 19 | <1 | 1 | 3 | 5 | 8 | 15 | 99+ |
| 20-34 | 201 | 6.1 | 34 | <1 | 1 | 4 | 8 | 13 | 19 | 28 |
| 35-49 | 175 | 6.7 | 50 | 1 | 1 | 4 | 9 | 17 | 23 | 34 |
| 50-64 | 117 | 5.1 | 26 | <1 | 1 | 3 | 7 | 11 | 16 | 26 |
| 65+ | 50 | 7.2 | 104 | <1 | 1 | 4 | 9 | 17 | 24 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 4.7 | 9 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 6.6 | 71 | 1 | 1 | 4 | 7 | 14 | 20 | 45 |
| 20-34 | 309 | 7.8 | 61 | 1 | 1 | 5 | 10 | 18 | 22 | 36 |
| 35-49 | 441 | 7.0 | 51 | 1 | 1 | 5 | 9 | 15 | 21 | 37 |
| 50-64 | 348 | 7.3 | 46 | 1 | 2 | 5 | 9 | 16 | 22 | 31 |
| 65+ | 323 | 6.7 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 41 | 1 | 1 | 5 | 10 | 10 | 10 | 10 |
| 20-34 | 112 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 48 |
| 35-49 | 53 | 3.6 | 12 | <1 | 1 | 2 | 5 | 8 | 11 | 17 |
| 50-64 | 11 | 20.8 | 350 | 6 | 7 | 9 | 31 | 52 | 60 | 61 |
| 65+ | 9 | 12.7 | 102 | 2 | 2 | 7 | 22 | 28 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 588 | 6.0 | 43 | <1 | 1 | 4 | 8 | 14 | 20 | 32 |
| B. *Operated* | 7 | 3.6 | 5 | 2 | 2 | 2 | 5 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1481 | 7.1 | 51 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| B. *Operated* | 187 | 4.2 | 51 | <1 | 1 | 2 | 3 | 9 | 17 | 55 |
| **1. SINGLE DX** | 595 | 6.0 | 42 | <1 | 1 | 4 | 8 | 14 | 20 | 32 |
| **2. MULTIPLE DX** | 1668 | 6.8 | 52 | 1 | 1 | 5 | 8 | 15 | 21 | 37 |
| **A. NOT OPERATED** | 2069 | 6.8 | 49 | 1 | 1 | 5 | 8 | 15 | 21 | 36 |
| **B. OPERATED** | 194 | 4.2 | 50 | <1 | 1 | 2 | 4 | 9 | 17 | 54 |
| TOTAL 0-19 YRS | 109 | 5.4 | 48 | 1 | 1 | 4 | 6 | 12 | 17 | 67 |
| 20-34 | 623 | 6.2 | 46 | 1 | 1 | 4 | 8 | 14 | 21 | 34 |
| 35-49 | 672 | 6.6 | 48 | 1 | 1 | 4 | 8 | 15 | 21 | 36 |
| 50-64 | 477 | 7.1 | 53 | 1 | 1 | 5 | 8 | 16 | 22 | 34 |
| 65+ | 382 | 6.9 | 52 | 1 | 2 | 5 | 8 | 14 | 21 | 36 |
| **GRAND TOTAL** | **2263** | **6.6** | **49** | **1** | **1** | **4** | **8** | **15** | **21** | **36** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 16.7 | 448 | 1 | 1 | 9 | 22 | 66 | 88 | 99+ |
| 20-34 | 579 | 10.3 | 102 | 1 | 1 | 7 | 14 | 23 | 31 | 45 |
| 35-49 | 450 | 11.3 | 97 | 2 | 2 | 8 | 15 | 24 | 32 | 49 |
| 50-64 | 271 | 13.7 | 140 | 2 | 2 | 10 | 19 | 30 | 36 | 50 |
| 65+ | 187 | 15.9 | 208 | 2 | 4 | 12 | 22 | 32 | 44 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 3 | 12.7 | 86 | 5 | 5 | 10 | 20 | 23 | 23 | 23 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 19.6 | 602 | 1 | 2 | 12 | 25 | 83 | 99 | 99+ |
| 20-34 | 859 | 13.6 | 155 | 1 | 3 | 10 | 19 | 29 | 38 | 66 |
| 35-49 | 697 | 12.9 | 116 | 1 | 3 | 10 | 18 | 25 | 33 | 57 |
| 50-64 | 540 | 13.3 | 116 | 2 | 3 | 10 | 20 | 26 | 34 | 59 |
| 65+ | 450 | 13.7 | 172 | 2 | 3 | 10 | 16 | 31 | 44 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.4 | 85 | <1 | <1 | 13 | 17 | 27 | 27 | 27 |
| 20-34 | 41 | 18.2 | 121 | 5 | 7 | 16 | 26 | 40 | 65 | 99+ |
| 35-49 | 38 | 15.7 | 117 | 3 | 6 | 12 | 22 | 34 | 39 | 44 |
| 50-64 | 33 | 27.4 | 378 | 11 | 12 | 21 | 32 | 55 | 81 | 84 |
| 65+ | 38 | 26.2 | 385 | 6 | 8 | 20 | 32 | 55 | 67 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1621 | 12.3 | 152 | 1 | 2 | 9 | 16 | 28 | 36 | 72 |
| B. *Operated* | 7 | 10.4 | 39 | 4 | 4 | 10 | 12 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2709 | 13.7 | 169 | 2 | 3 | 10 | 19 | 29 | 41 | 81 |
| B. *Operated* | 155 | 21.3 | 259 | 6 | 7 | 16 | 27 | 44 | 62 | 99+ |
| **1. SINGLE DX** | 1628 | 12.3 | 152 | 1 | 2 | 9 | 16 | 28 | 36 | 72 |
| **2. MULTIPLE DX** | 2864 | 14.1 | 177 | 2 | 3 | 10 | 19 | 29 | 41 | 84 |
| **A. NOT OPERATED** | 4330 | 13.2 | 163 | 1 | 2 | 9 | 18 | 28 | 39 | 78 |
| **B. OPERATED** | 162 | 20.9 | 254 | 5 | 7 | 16 | 27 | 43 | 60 | 99 |
| TOTAL 0-19 YRS | 302 | 18.2 | 526 | 1 | 1 | 11 | 24 | 72 | 98 | 99+ |
| 20-34 | 1480 | 12.4 | 137 | 1 | 2 | 9 | 17 | 28 | 35 | 60 |
| 35-49 | 1188 | 12.4 | 109 | 2 | 3 | 10 | 17 | 25 | 33 | 55 |
| 50-64 | 845 | 14.0 | 140 | 2 | 3 | 10 | 20 | 29 | 36 | 59 |
| 65+ | 677 | 15.0 | 201 | 2 | 3 | 11 | 19 | 32 | 45 | 72 |
| **GRAND TOTAL** | **4492** | **13.5** | **168** | **1** | **2** | **10** | **18** | **29** | **40** | **82** |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 10.3 | 209 | 1 | 1 | 5 | 12 | 27 | 48 | 97 |
| 20-34 | 661 | 9.8 | 98 | 1 | 1 | 7 | 13 | 23 | 31 | 44 |
| 35-49 | 214 | 11.1 | 125 | 1 | 2 | 8 | 15 | 25 | 32 | 48 |
| 50-64 | 96 | 9.2 | 115 | 1 | 1 | 6 | 12 | 19 | 30 | 57 |
| 65+ | 39 | 12.1 | 234 | 2 | 2 | 7 | 14 | 24 | 45 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.7 | 322 | 1 | 1 | 8 | 28 | 35 | 35 | 35 |
| 20-34 | 28 | 8.1 | 27 | <1 | 1 | 8 | 9 | 13 | 20 | 24 |
| 35-49 | 25 | 6.7 | 13 | 2 | 3 | 7 | 9 | 11 | 14 | 15 |
| 50-64 | 23 | 4.7 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 11 |
| 65+ | 5 | 6.4 | 10 | 3 | 3 | 7 | 8 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 14.9 | 379 | 1 | 1 | 8 | 17 | 36 | 74 | 98 |
| 20-34 | 822 | 13.6 | 180 | 1 | 2 | 9 | 17 | 31 | 42 | 62 |
| 35-49 | 436 | 12.1 | 138 | 1 | 2 | 9 | 16 | 26 | 37 | 61 |
| 50-64 | 220 | 11.7 | 166 | 1 | 1 | 7 | 14 | 29 | 41 | 97 |
| 65+ | 144 | 11.9 | 101 | 2 | 3 | 9 | 17 | 30 | 39 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 12.1 | 255 | <1 | <1 | 6 | 11 | 41 | 46 | 46 |
| 20-34 | 37 | 17.6 | 371 | 2 | 3 | 10 | 21 | 39 | 65 | 89 |
| 35-49 | 53 | 11.1 | 92 | 2 | 3 | 8 | 12 | 28 | 35 | 98 |
| 50-64 | 45 | 10.8 | 92 | 1 | 2 | 8 | 13 | 23 | 32 | 47 |
| 65+ | 25 | 15.5 | 241 | 3 | 3 | 10 | 14 | 37 | 55 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1277 | 10.2 | 131 | 1 | 1 | 6 | 13 | 24 | 33 | 58 |
| B. *Operated* | 84 | 6.9 | 27 | 1 | 2 | 6 | 9 | 11 | 14 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1841 | 13.0 | 187 | 1 | 2 | 9 | 17 | 30 | 42 | 81 |
| B. *Operated* | 170 | 13.1 | 187 | 2 | 3 | 9 | 15 | 33 | 46 | 86 |
| **1. SINGLE DX** | 1361 | 10.0 | 125 | 1 | 1 | 6 | 13 | 23 | 33 | 58 |
| **2. MULTIPLE DX** | 2011 | 13.0 | 187 | 1 | 2 | 9 | 17 | 30 | 42 | 81 |
| **A. NOT OPERATED** | 3118 | 11.8 | 166 | 1 | 2 | 8 | 15 | 28 | 38 | 77 |
| **B. OPERATED** | 254 | 11.1 | 143 | 1 | 2 | 8 | 12 | 24 | 37 | 74 |
| TOTAL 0-19 YRS | 499 | 12.4 | 288 | 1 | 1 | 6 | 14 | 35 | 57 | 98 |
| 20-34 | 1548 | 12.0 | 151 | 1 | 1 | 8 | 16 | 28 | 37 | 58 |
| 35-49 | 728 | 11.5 | 127 | 1 | 2 | 8 | 15 | 25 | 34 | 59 |
| 50-64 | 384 | 10.5 | 138 | 1 | 1 | 7 | 13 | 24 | 35 | 63 |
| 65+ | 213 | 12.2 | 140 | 2 | 3 | 9 | 15 | 30 | 42 | 99+ |
| **GRAND TOTAL** | **3372** | **11.8** | **164** | **1** | **2** | **8** | **15** | **28** | **38** | **77** |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 4.0 | 23 | <1 | <1 | 2 | 5 | 8 | 13 | 25 |
| 20-34 | 1352 | 6.5 | 26 | 1 | 2 | 5 | 7 | 12 | 19 | 27 |
| 35-49 | 1699 | 6.3 | 23 | 1 | 2 | 5 | 7 | 10 | 16 | 23 |
| 50-64 | 812 | 6.7 | 29 | 1 | 2 | 5 | 7 | 12 | 17 | 27 |
| 65+ | 175 | 6.8 | 24 | 1 | 2 | 5 | 8 | 13 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 9.1 | 16 | 5 | 5 | 7 | 12 | 15 | 16 | 16 |
| 35-49 | 10 | 6.7 | 12 | 1 | 1 | 7 | 8 | 11 | 13 | 13 |
| 50-64 | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 186 | 7.2 | 95 | 1 | 1 | 5 | 9 | 14 | 21 | 48 |
| 20-34 | 2992 | 8.1 | 38 | 2 | 3 | 7 | 9 | 15 | 21 | 32 |
| 35-49 | 4582 | 8.4 | 41 | 2 | 3 | 7 | 10 | 15 | 21 | 31 |
| 50-64 | 2888 | 8.7 | 38 | 2 | 3 | 7 | 10 | 16 | 21 | 33 |
| 65+ | 858 | 9.8 | 73 | 2 | 3 | 8 | 12 | 19 | 24 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 130 | 12.8 | 90 | 3 | 5 | 10 | 16 | 22 | 34 | 57 |
| 35-49 | 207 | 15.4 | 127 | 5 | 6 | 12 | 19 | 26 | 36 | 63 |
| 50-64 | 154 | 18.9 | 242 | 5 | 6 | 14 | 24 | 40 | 53 | 96 |
| 65+ | 47 | 20.7 | 217 | 2 | 6 | 18 | 27 | 51 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4219 | 6.4 | 25 | 1 | 2 | 5 | 7 | 11 | 17 | 26 |
| B. *Operated* | 20 | 7.6 | 15 | 1 | 2 | 7 | 10 | 13 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11506 | 8.5 | 43 | 2 | 3 | 7 | 10 | 15 | 21 | 33 |
| B. *Operated* | 538 | 16.2 | 165 | 4 | 6 | 13 | 20 | 29 | 45 | 79 |
| **1. SINGLE DX** | 4239 | 6.4 | 25 | 1 | 2 | 5 | 7 | 11 | 17 | 26 |
| **2. MULTIPLE DX** | 12044 | 8.8 | 51 | 2 | 3 | 7 | 10 | 16 | 21 | 37 |
| **A. NOT OPERATED** | 15725 | 7.9 | 39 | 2 | 3 | 6 | 9 | 14 | 21 | 31 |
| **B. OPERATED** | 558 | 15.9 | 162 | 4 | 6 | 12 | 20 | 29 | 44 | 77 |
| TOTAL 0-19 YRS | 368 | 5.6 | 62 | <1 | 1 | 3 | 7 | 12 | 17 | 41 |
| 20-34 | 4481 | 7.7 | 37 | 1 | 2 | 6 | 8 | 14 | 21 | 31 |
| 35-49 | 6498 | 8.1 | 41 | 2 | 3 | 7 | 9 | 15 | 21 | 32 |
| 50-64 | 3856 | 8.7 | 49 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |
| 65+ | 1080 | 9.8 | 78 | 2 | 3 | 7 | 12 | 20 | 26 | 54 |
| **GRAND TOTAL** | **16283** | **8.2** | **45** | **2** | **3** | **7** | **9** | **15** | **21** | **34** |

### 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.3 | 24 | 1 | 1 | 5 | 10 | 14 | 14 | 14 |
| 20-34 | 266 | 11.9 | 31 | 4 | 5 | 12 | 16 | 19 | 21 | 27 |
| 35-49 | 47 | 13.0 | 46 | 1 | 5 | 13 | 15 | 21 | 28 | 30 |
| 50-64 | 3 | 10.3 | 16 | 6 | 6 | 11 | 13 | 14 | 14 | 14 |
| 65+ | 3 | 7.3 | 33 | 4 | 4 | 4 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 11.2 | 22 | 1 | 4 | 13 | 14 | 17 | 17 | 18 |
| 20-34 | 1496 | 13.2 | 25 | 5 | 7 | 13 | 16 | 17 | 21 | 29 |
| 35-49 | 666 | 13.5 | 23 | 6 | 8 | 13 | 17 | 17 | 19 | 30 |
| 50-64 | 87 | 12.8 | 14 | 7 | 8 | 13 | 16 | 17 | 19 | 22 |
| 65+ | 5 | 11.4 | 44 | 4 | 4 | 10 | 14 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 14.5 | 24 | 9 | 9 | 14 | 18 | 20 | 20 | 20 |
| 20-34 | 165 | 15.2 | 48 | 7 | 9 | 15 | 17 | 19 | 22 | 51 |
| 35-49 | 48 | 16.7 | 38 | 8 | 11 | 17 | 18 | 24 | 27 | 43 |
| 50-64 | 7 | 21.3 | 505 | 10 | 10 | 13 | 16 | 61 | 72 | 72 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 11.9 | 34 | 3 | 4 | 12 | 16 | 19 | 22 | 28 |
| B. *Operated* | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2297 | 13.2 | 24 | 5 | 7 | 13 | 16 | 17 | 20 | 29 |
| B. *Operated* | 224 | 15.7 | 59 | 8 | 10 | 15 | 17 | 20 | 26 | 57 |
| **1. SINGLE DX** | 327 | 11.9 | 34 | 3 | 4 | 12 | 16 | 19 | 22 | 28 |
| **2. MULTIPLE DX** | 2521 | 13.4 | 28 | 5 | 7 | 13 | 17 | 17 | 21 | 30 |
| **A. NOT OPERATED** | 2623 | 13.1 | 26 | 4 | 7 | 13 | 16 | 17 | 21 | 29 |
| **B. OPERATED** | 225 | 15.7 | 59 | 8 | 10 | 15 | 17 | 20 | 26 | 57 |
| TOTAL 0-19 YRS | 54 | 10.8 | 25 | 1 | 3 | 12 | 14 | 17 | 17 | 20 |
| 20-34 | 1927 | 13.2 | 28 | 4 | 7 | 13 | 16 | 18 | 21 | 29 |
| 35-49 | 762 | 13.7 | 26 | 6 | 8 | 13 | 17 | 18 | 20 | 30 |
| 50-64 | 97 | 13.3 | 50 | 7 | 8 | 13 | 16 | 17 | 19 | 49 |
| 65+ | 8 | 9.9 | 39 | 4 | 4 | 9 | 13 | 20 | 22 | 22 |
| **GRAND TOTAL** | **2848** | **13.3** | **29** | **5** | **7** | **13** | **16** | **18** | **21** | **30** |

### 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.5 | 201 | <1 | <1 | 8 | 14 | 33 | 48 | 48 |
| 20-34 | 99 | 10.7 | 53 | 1 | 2 | 10 | 15 | 19 | 23 | 37 |
| 35-49 | 21 | 11.9 | 31 | 2 | 2 | 13 | 16 | 18 | 19 | 20 |
| 50-64 | 5 | 11.4 | 19 | 7 | 7 | 10 | 16 | 16 | 16 | 16 |
| 65+ | 3 | 12.0 | 67 | 5 | 5 | 10 | 18 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.4 | 185 | <1 | 1 | 7 | 12 | 48 | 84 | 99+ |
| 20-34 | 268 | 13.4 | 73 | 2 | 3 | 13 | 17 | 21 | 26 | 52 |
| 35-49 | 100 | 14.7 | 71 | 4 | 6 | 14 | 18 | 24 | 31 | 45 |
| 50-64 | 25 | 9.2 | 20 | 2 | 4 | 9 | 12 | 14 | 17 | 21 |
| 65+ | 5 | 16.0 | 34 | 8 | 8 | 16 | 19 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 15.7 | 33 | 8 | 9 | 15 | 18 | 23 | 29 | 31 |
| 35-49 | 2 | 16.0 | 128 | 8 | 8 | 16 | 24 | 24 | 24 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 11.0 | 58 | 1 | 2 | 10 | 16 | 19 | 22 | 45 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 415 | 13.4 | 74 | 2 | 4 | 13 | 17 | 22 | 26 | 53 |
| B. *Operated* | 17 | 15.0 | 44 | 5 | 8 | 14 | 18 | 24 | 29 | 31 |
| **1. SINGLE DX** | 139 | 10.9 | 58 | 1 | 2 | 10 | 16 | 19 | 22 | 45 |
| **2. MULTIPLE DX** | 432 | 13.4 | 73 | 2 | 4 | 13 | 17 | 22 | 26 | 53 |
| **A. NOT OPERATED** | 553 | 12.8 | 71 | 2 | 3 | 12 | 17 | 21 | 25 | 48 |
| **B. OPERATED** | 18 | 14.4 | 48 | 3 | 5 | 14 | 18 | 23 | 28 | 31 |
| TOTAL 0-19 YRS | 27 | 10.8 | 184 | <1 | 1 | 7 | 13 | 39 | 64 | 99+ |
| 20-34 | 382 | 12.7 | 68 | 2 | 3 | 13 | 17 | 21 | 25 | 45 |
| 35-49 | 123 | 14.3 | 65 | 2 | 5 | 14 | 18 | 23 | 27 | 44 |
| 50-64 | 30 | 9.5 | 20 | 2 | 4 | 9 | 12 | 16 | 16 | 21 |
| 65+ | 9 | 13.2 | 52 | 3 | 4 | 14 | 19 | 23 | 24 | 24 |
| **GRAND TOTAL** | **571** | **12.8** | **70** | **2** | **3** | **12** | **17** | **21** | **25** | **48** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 12 |
| 20-34 | 146 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 8 | 14 |
| 35-49 | 70 | 4.6 | 53 | <1 | <1 | 2 | 6 | 8 | 24 | 39 |
| 50-64 | 43 | 2.8 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 21 |
| 65+ | 12 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 2.8 | 39 | <1 | <1 | 1 | 2 | 5 | 8 | 29 |
| 20-34 | 309 | 6.2 | 43 | <1 | 1 | 5 | 8 | 9 | 15 | 40 |
| 35-49 | 301 | 7.3 | 40 | 1 | 1 | 8 | 8 | 12 | 20 | 35 |
| 50-64 | 153 | 6.5 | 42 | 1 | 1 | 6 | 8 | 10 | 13 | 34 |
| 65+ | 54 | 5.7 | 27 | 1 | 1 | 4 | 9 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 11 | 3.6 | 17 | <1 | <1 | 2 | 5 | 9 | 15 | 15 |
| 35-49 | 13 | 9.3 | 48 | 1 | 1 | 8 | 12 | 20 | 23 | 24 |
| 50-64 | 10 | 15.6 | 163 | 1 | 3 | 8 | 29 | 32 | 35 | 35 |
| 65+ | 4 | 7.5 | 6 | 5 | 5 | 7 | 9 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 673 | 2.1 | 10 | <1 | <1 | 1 | 2 | 4 | 7 | 20 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1009 | 5.9 | 43 | <1 | 1 | 5 | 8 | 10 | 14 | 34 |
| B. *Operated* | 50 | 7.3 | 72 | <1 | <1 | 5 | 9 | 21 | 29 | 35 |
| **1. SINGLE DX** | 673 | 2.1 | 10 | <1 | <1 | 1 | 2 | 4 | 7 | 20 |
| **2. MULTIPLE DX** | 1059 | 6.0 | 44 | <1 | 1 | 5 | 8 | 10 | 15 | 35 |
| **A. NOT OPERATED** | 1682 | 4.4 | 33 | <1 | <1 | 2 | 7 | 8 | 12 | 28 |
| **B. OPERATED** | 50 | 7.3 | 72 | <1 | <1 | 5 | 9 | 21 | 29 | 35 |
| TOTAL 0-19 YRS | 606 | 1.9 | 15 | <1 | <1 | 1 | 2 | 3 | 5 | 14 |
| 20-34 | 466 | 4.9 | 34 | <1 | <1 | 3 | 8 | 8 | 13 | 33 |
| 35-49 | 384 | 6.9 | 44 | <1 | 1 | 7 | 8 | 12 | 22 | 35 |
| 50-64 | 206 | 6.2 | 48 | 1 | 1 | 5 | 8 | 10 | 15 | 34 |
| 65+ | 70 | 5.3 | 23 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **GRAND TOTAL** | **1732** | **4.5** | **35** | **<1** | **<1** | **2** | **7** | **8** | **13** | **29** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 6.3 | 60 | <1 | 1 | 4 | 8 | 14 | 21 | 42 |
| 20-34 | 89 | 7.0 | 53 | <1 | <1 | 4 | 11 | 14 | 27 | 34 |
| 35-49 | 14 | 8.1 | 66 | <1 | 1 | 5 | 14 | 20 | 26 | 28 |
| 50-64 | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 7.7 | 73 | 1 | 1 | 5 | 10 | 16 | 23 | 45 |
| 20-34 | 294 | 8.7 | 54 | 1 | 2 | 7 | 11 | 19 | 22 | 39 |
| 35-49 | 106 | 10.0 | 49 | 3 | 4 | 7 | 12 | 20 | 25 | 36 |
| 50-64 | 19 | 7.3 | 16 | 1 | 2 | 7 | 9 | 13 | 16 | 17 |
| 65+ | 12 | 12.6 | 46 | 3 | 4 | 12 | 14 | 21 | 29 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 10 | 11.2 | 47 | 7 | 7 | 8 | 11 | 23 | 27 | 27 |
| 35-49 | 4 | 21.0 | 350 | 4 | 4 | 18 | 36 | 43 | 43 | 43 |
| 50-64 | 3 | 8.0 | 3 | 6 | 6 | 9 | 9 | 9 | 9 | 9 |
| 65+ | 2 | 27.0 | 98 | 20 | 20 | 27 | 34 | 34 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 6.8 | 54 | <1 | 1 | 4 | 10 | 14 | 22 | 34 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 495 | 8.9 | 54 | 1 | 2 | 7 | 11 | 19 | 23 | 39 |
| B. *Operated* | 21 | 13.9 | 118 | 5 | 6 | 9 | 20 | 32 | 38 | 43 |
| **1. SINGLE DX** | 153 | 6.8 | 54 | <1 | 1 | 4 | 10 | 14 | 22 | 34 |
| **2. MULTIPLE DX** | 516 | 9.1 | 58 | 1 | 2 | 7 | 11 | 19 | 24 | 42 |
| **A. NOT OPERATED** | 647 | 8.4 | 55 | 1 | 1 | 7 | 11 | 18 | 22 | 36 |
| **B. OPERATED** | 22 | 13.4 | 118 | 4 | 5 | 9 | 20 | 31 | 38 | 43 |
| TOTAL 0-19 YRS | 111 | 7.1 | 66 | 1 | 1 | 4 | 10 | 15 | 22 | 43 |
| 20-34 | 393 | 8.4 | 54 | 1 | 1 | 7 | 11 | 18 | 23 | 34 |
| 35-49 | 124 | 10.2 | 62 | 2 | 3 | 7 | 13 | 20 | 27 | 38 |
| 50-64 | 25 | 7.0 | 15 | 1 | 1 | 7 | 9 | 11 | 15 | 17 |
| 65+ | 16 | 13.4 | 76 | 3 | 4 | 12 | 16 | 29 | 33 | 34 |
| **GRAND TOTAL** | **669** | **8.6** | **58** | **1** | **1** | **7** | **11** | **19** | **24** | **41** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 20-34 | 64 | 5.1 | 20 | 1 | 1 | 4 | 7 | 10 | 15 | 22 |
| 35-49 | 74 | 4.4 | 15 | 1 | 2 | 3 | 5 | 9 | 9 | 25 |
| 50-64 | 46 | 4.2 | 18 | 1 | 1 | 3 | 5 | 6 | 10 | 28 |
| 65+ | 33 | 5.1 | 11 | 1 | 1 | 5 | 7 | 10 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 18 | <1 | <1 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 35-49 | 3 | 5.7 | 16 | 2 | 2 | 5 | 9 | 10 | 10 | 10 |
| 50-64 | 4 | 7.3 | 53 | 2 | 2 | 4 | 11 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 4.6 | 11 | 1 | 2 | 4 | 6 | 9 | 13 | 16 |
| 20-34 | 129 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 135 | 5.7 | 18 | 1 | 2 | 5 | 6 | 11 | 15 | 25 |
| 50-64 | 138 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 163 | 7.5 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 13 | 11.2 | 129 | 2 | 4 | 6 | 11 | 34 | 37 | 38 |
| 35-49 | 11 | 12.3 | 125 | 2 | 2 | 11 | 19 | 29 | 36 | 37 |
| 50-64 | 17 | 8.2 | 22 | 2 | 3 | 7 | 10 | 14 | 19 | 21 |
| 65+ | 16 | 18.5 | 379 | 4 | 4 | 13 | 19 | 32 | 70 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 262 | 4.6 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| B. *Operated* | 14 | 5.9 | 22 | <1 | 1 | 5 | 9 | 11 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 628 | 5.8 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 58 | 12.6 | 171 | 2 | 3 | 9 | 16 | 24 | 35 | 82 |
| **1. SINGLE DX** | 276 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | 686 | 6.4 | 36 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **A. NOT OPERATED** | 890 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 72 | 11.3 | 149 | 2 | 2 | 8 | 13 | 22 | 33 | 75 |
| TOTAL 0-19 YRS | 114 | 4.4 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 20-34 | 208 | 5.2 | 23 | 1 | 1 | 4 | 7 | 9 | 14 | 27 |
| 35-49 | 223 | 5.6 | 24 | 1 | 2 | 4 | 6 | 11 | 15 | 26 |
| 50-64 | 205 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| 65+ | 212 | 7.9 | 62 | 2 | 2 | 6 | 10 | 14 | 18 | 36 |
| **GRAND TOTAL** | **962** | **5.9** | **31** | **1** | **2** | **5** | **7** | **11** | **15** | **26** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 422 | 10.2 | 141 | 1 | 1 | 6 | 13 | 26 | 33 | 60 |
| 20-34 | 460 | 7.4 | 52 | 1 | 1 | 5 | 10 | 16 | 23 | 37 |
| 35-49 | 244 | 8.7 | 82 | 1 | 2 | 6 | 11 | 19 | 30 | 45 |
| 50-64 | 108 | 11.1 | 130 | 1 | 1 | 8 | 15 | 25 | 36 | 52 |
| 65+ | 45 | 14.7 | 178 | 1 | 2 | 13 | 19 | 43 | 63 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 10.3 | 108 | 2 | 2 | 7 | 18 | 22 | 22 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 334 | 12.6 | 293 | 1 | 1 | 7 | 15 | 31 | 66 | 99+ |
| 20-34 | 672 | 9.3 | 82 | 1 | 2 | 7 | 13 | 20 | 26 | 45 |
| 35-49 | 346 | 9.4 | 77 | 1 | 2 | 7 | 13 | 20 | 25 | 43 |
| 50-64 | 195 | 11.0 | 119 | 1 | 2 | 8 | 14 | 23 | 33 | 57 |
| 65+ | 139 | 14.3 | 159 | 2 | 3 | 11 | 17 | 28 | 38 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.5 | 180 | 1 | 1 | 4 | 22 | 33 | 37 | 37 |
| 20-34 | 36 | 10.3 | 132 | 1 | 2 | 7 | 13 | 19 | 37 | 56 |
| 35-49 | 21 | 9.1 | 60 | 1 | 2 | 8 | 12 | 23 | 27 | 27 |
| 50-64 | 12 | 17.4 | 107 | 2 | 4 | 16 | 25 | 33 | 35 | 35 |
| 65+ | 6 | 23.7 | 258 | 3 | 3 | 26 | 33 | 44 | 45 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1279 | 9.1 | 101 | 1 | 1 | 5 | 12 | 22 | 31 | 57 |
| B. *Operated* | 7 | 5.4 | 57 | 1 | 1 | 2 | 6 | 19 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1686 | 10.6 | 136 | 1 | 2 | 7 | 14 | 22 | 32 | 81 |
| B. *Operated* | 85 | 12.1 | 135 | 1 | 1 | 9 | 17 | 32 | 35 | 52 |
| **1. SINGLE DX** | 1286 | 9.1 | 100 | 1 | 1 | 6 | 12 | 22 | 31 | 57 |
| **2. MULTIPLE DX** | 1771 | 10.7 | 136 | 1 | 2 | 7 | 14 | 23 | 32 | 80 |
| **A. NOT OPERATED** | 2965 | 10.0 | 121 | 1 | 1 | 7 | 13 | 22 | 31 | 66 |
| **B. OPERATED** | 92 | 11.6 | 132 | 1 | 1 | 8 | 16 | 30 | 35 | 51 |
| TOTAL 0-19 YRS | 766 | 11.3 | 209 | 1 | 1 | 6 | 14 | 28 | 40 | 89 |
| 20-34 | 1172 | 8.6 | 72 | 1 | 1 | 6 | 11 | 19 | 25 | 41 |
| 35-49 | 614 | 9.1 | 78 | 1 | 2 | 6 | 12 | 20 | 27 | 44 |
| 50-64 | 315 | 11.3 | 123 | 1 | 2 | 8 | 15 | 23 | 35 | 52 |
| 65+ | 190 | 14.7 | 167 | 2 | 3 | 11 | 19 | 32 | 45 | 91 |
| **GRAND TOTAL** | **3057** | **10.0** | **121** | **1** | **1** | **7** | **13** | **22** | **32** | **65** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 408 | 15.1 | 397 | 1 | 1 | 7 | 23 | 60 | 88 | 99+ |
| 20-34 | 357 | 9.1 | 97 | 1 | 2 | 5 | 13 | 22 | 34 | 47 |
| 35-49 | 214 | 9.4 | 80 | 1 | 2 | 7 | 11 | 23 | 28 | 42 |
| 50-64 | 151 | 12.6 | 132 | 1 | 2 | 8 | 20 | 27 | 34 | 52 |
| 65+ | 127 | 13.8 | 170 | 2 | 3 | 10 | 19 | 29 | 33 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.6 | 22 | <1 | <1 | 2 | 3 | 12 | 14 | 14 |
| 20-34 | 7 | 9.9 | 149 | 2 | 2 | 6 | 9 | 32 | 37 | 37 |
| 35-49 | 3 | 5.3 | 8 | 2 | 2 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 3 | 9.3 | 49 | 2 | 2 | 10 | 14 | 16 | 16 | 16 |
| 65+ | 3 | 16.7 | 176 | 9 | 9 | 9 | 26 | 32 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 366 | 17.2 | 478 | 1 | 2 | 8 | 28 | 75 | 99+ | 99+ |
| 20-34 | 527 | 10.6 | 136 | 1 | 2 | 6 | 13 | 25 | 32 | 63 |
| 35-49 | 371 | 10.3 | 112 | 2 | 2 | 7 | 14 | 22 | 33 | 67 |
| 50-64 | 350 | 11.2 | 131 | 2 | 2 | 8 | 14 | 25 | 32 | 63 |
| 65+ | 459 | 13.8 | 156 | 3 | 4 | 9 | 17 | 31 | 37 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 19.3 | 215 | 2 | 4 | 18 | 51 | 99+ | 99+ | 99+ |
| 20-34 | 45 | 17.5 | 297 | 2 | 3 | 12 | 25 | 40 | 64 | 99+ |
| 35-49 | 35 | 16.4 | 345 | 2 | 3 | 11 | 19 | 36 | 53 | 96 |
| 50-64 | 45 | 13.4 | 90 | 2 | 4 | 12 | 18 | 26 | 32 | 44 |
| 65+ | 42 | 26.3 | 537 | 4 | 6 | 18 | 40 | 71 | 97 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1257 | 12.0 | 209 | 1 | 2 | 7 | 16 | 30 | 50 | 99+ |
| B. *Operated* | 23 | 8.2 | 17 | 1 | 1 | 6 | 10 | 19 | 34 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2073 | 12.5 | 202 | 2 | 2 | 7 | 16 | 31 | 46 | 99+ |
| B. *Operated* | 175 | 18.4 | 323 | 2 | 4 | 13 | 24 | 51 | 73 | 99+ |
| **1. SINGLE DX** | 1280 | 11.9 | 207 | 1 | 2 | 7 | 15 | 30 | 50 | 99+ |
| **2. MULTIPLE DX** | 2248 | 13.0 | 214 | 2 | 2 | 8 | 17 | 32 | 50 | 99+ |
| **A. NOT OPERATED** | 3330 | 12.3 | 205 | 1 | 2 | 7 | 16 | 31 | 48 | 99+ |
| **B. OPERATED** | 198 | 17.2 | 306 | 2 | 3 | 12 | 22 | 43 | 67 | 99+ |
| TOTAL 0-19 YRS | 789 | 16.0 | 431 | 1 | 1 | 7 | 25 | 66 | 99+ | 99+ |
| 20-34 | 936 | 10.3 | 131 | 1 | 2 | 6 | 13 | 25 | 34 | 59 |
| 35-49 | 623 | 10.3 | 116 | 1 | 2 | 7 | 13 | 23 | 31 | 57 |
| 50-64 | 549 | 11.8 | 128 | 2 | 2 | 8 | 15 | 26 | 32 | 56 |
| 65+ | 631 | 14.6 | 193 | 3 | 4 | 10 | 18 | 32 | 41 | 78 |
| **GRAND TOTAL** | **3528** | **12.6** | **211** | **1** | **2** | **7** | **16** | **31** | **50** | **99+** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.8 | 172 | 1 | 1 | 2 | 16 | 99+ | 99+ | 99+ |
| 20-34 | 17 | 4.6 | 41 | <1 | <1 | 2 | 5 | 11 | 22 | 27 |
| 35-49 | 3 | 9.3 | 25 | 4 | 4 | 12 | 57 | 99+ | 99+ | 99+ |
| 50-64 | 5 | 15.0 | 584 | 1 | 1 | 6 | 20 | 58 | 58 | 58 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 14.0 | 280 | 2 | 2 | 9 | 15 | 44 | 56 | 99+ |
| 20-34 | 77 | 14.0 | 230 | 1 | 2 | 8 | 19 | 33 | 41 | 79 |
| 35-49 | 35 | 13.0 | 165 | 1 | 2 | 9 | 15 | 31 | 48 | 52 |
| 50-64 | 19 | 11.5 | 93 | 1 | 1 | 9 | 16 | 26 | 34 | 37 |
| 65+ | 8 | 10.3 | 28 | 3 | 3 | 13 | 15 | 66 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.6 | 180 | 1 | 1 | 7 | 9 | 33 | 39 | 39 |
| 20-34 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 35-49 | 2 | 15.5 | 5 | 14 | 14 | 15 | 17 | 17 | 17 | 17 |
| 50-64 | 2 | 51.0 | 3200 | 11 | 11 | 51 | 91 | 91 | 91 | 91 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 7.4 | 150 | <1 | 1 | 4 | 10 | 52 | 99+ | 99+ |
| B. *Operated* | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 13.4 | 205 | 1 | 2 | 9 | 16 | 33 | 47 | 95 |
| B. *Operated* | 13 | 16.2 | 606 | 1 | 1 | 9 | 17 | 92 | 98 | 99+ |
| **1. SINGLE DX** | 40 | 7.8 | 151 | <1 | 1 | 4 | 11 | 50 | 99+ | 99+ |
| **2. MULTIPLE DX** | 199 | 13.6 | 229 | 1 | 2 | 9 | 16 | 34 | 50 | 99+ |
| **A. NOT OPERATED** | 224 | 12.4 | 200 | 1 | 1 | 8 | 16 | 33 | 51 | 99+ |
| **B. OPERATED** | 15 | 16.0 | 538 | 1 | 1 | 9 | 21 | 86 | 97 | 99+ |
| TOTAL 0-19 YRS | 67 | 12.3 | 249 | 1 | 1 | 8 | 15 | 46 | 87 | 99+ |
| 20-34 | 96 | 12.1 | 205 | <1 | 1 | 7 | 17 | 27 | 35 | 79 |
| 35-49 | 42 | 13.0 | 146 | 2 | 2 | 11 | 15 | 33 | 51 | 99+ |
| 50-64 | 26 | 15.2 | 401 | 1 | 1 | 9 | 17 | 36 | 65 | 91 |
| 65+ | 8 | 10.3 | 28 | 3 | 3 | 14 | 16 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **239** | **12.6** | **220** | **1** | **1** | **8** | **16** | **36** | **52** | **99+** |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 11.8 | 25 | 3 | 5 | 12 | 15 | 17 | 19 | 25 |
| 20-34 | 57 | 8.9 | 40 | 2 | 3 | 7 | 11 | 15 | 23 | 33 |
| 35-49 | 46 | 9.9 | 79 | 1 | 2 | 6 | 15 | 24 | 29 | 37 |
| 50-64 | 28 | 12.5 | 106 | 2 | 2 | 10 | 16 | 32 | 33 | 35 |
| 65+ | 14 | 10.6 | 33 | 2 | 2 | 11 | 13 | 18 | 22 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 16.4 | 68 | 9 | 10 | 14 | 19 | 30 | 36 | 40 |
| 20-34 | 29 | 15.4 | 208 | 2 | 2 | 8 | 27 | 38 | 45 | 48 |
| 35-49 | 40 | 12.4 | 189 | 1 | 2 | 7 | 15 | 34 | 45 | 53 |
| 50-64 | 19 | 16.5 | 394 | 2 | 3 | 12 | 16 | 48 | 70 | 76 |
| 65+ | 12 | 21.3 | 432 | 1 | 2 | 16 | 28 | 50 | 71 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 13.2 | 66 | 3 | 4 | 12 | 16 | 21 | 27 | 41 |
| 20-34 | 50 | 10.6 | 107 | 1 | 2 | 7 | 15 | 25 | 30 | 54 |
| 35-49 | 48 | 16.6 | 167 | 2 | 4 | 14 | 22 | 33 | 48 | 61 |
| 50-64 | 58 | 19.2 | 218 | 5 | 8 | 15 | 22 | 40 | 59 | 98 |
| 65+ | 63 | 22.3 | 193 | 7 | 8 | 19 | 28 | 45 | 49 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 26.9 | 461 | 4 | 7 | 18 | 36 | 63 | 78 | 99 |
| 20-34 | 30 | 26.5 | 394 | 2 | 4 | 22 | 43 | 61 | 75 | 99+ |
| 35-49 | 45 | 17.7 | 303 | 2 | 3 | 14 | 23 | 45 | 58 | 99+ |
| 50-64 | 46 | 24.8 | 434 | 3 | 4 | 19 | 39 | 75 | 99+ | 99+ |
| 65+ | 23 | 34.6 | 336 | 4 | 9 | 42 | 49 | 57 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 11.2 | 39 | 2 | 3 | 11 | 14 | 17 | 22 | 33 |
| B. *Operated* | 139 | 15.5 | 206 | 2 | 3 | 12 | 20 | 34 | 45 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 445 | 15.3 | 132 | 3 | 4 | 13 | 18 | 30 | 39 | 66 |
| B. *Operated* | 201 | 25.2 | 411 | 3 | 4 | 19 | 40 | 59 | 84 | 99+ |
| **1. SINGLE DX** | 564 | 12.3 | 83 | 2 | 3 | 11 | 15 | 21 | 30 | 46 |
| **2. MULTIPLE DX** | 646 | 18.4 | 239 | 3 | 4 | 14 | 23 | 44 | 55 | 99+ |
| **A. NOT OPERATED** | 870 | 13.3 | 91 | 2 | 3 | 12 | 16 | 24 | 32 | 52 |
| **B. OPERATED** | 340 | 21.2 | 349 | 2 | 3 | 15 | 31 | 51 | 68 | 99+ |
| TOTAL 0-19 YRS | 602 | 14.0 | 102 | 3 | 4 | 12 | 16 | 21 | 31 | 67 |
| 20-34 | 166 | 13.7 | 191 | 2 | 3 | 9 | 17 | 33 | 48 | 74 |
| 35-49 | 179 | 14.2 | 191 | 1 | 2 | 11 | 19 | 33 | 46 | 87 |
| 50-64 | 151 | 19.3 | 298 | 3 | 3 | 14 | 26 | 47 | 73 | 99+ |
| 65+ | 112 | 23.3 | 269 | 4 | 7 | 20 | 32 | 48 | 53 | 84 |
| **GRAND TOTAL** | **1210** | **15.5** | **176** | **2** | **3** | **12** | **18** | **32** | **47** | **82** |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 35-49 | 9 | 14.7 | 130 | 2 | 4 | 10 | 19 | 34 | 37 | 37 |
| 50-64 | 84 | 14.0 | 144 | 4 | 5 | 12 | 17 | 24 | 32 | 98 |
| 65+ | 197 | 14.4 | 141 | 4 | 4 | 12 | 18 | 27 | 36 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 13.2 | 82 | 4 | 4 | 11 | 17 | 28 | 28 | 28 |
| 50-64 | 12 | 15.9 | 56 | 2 | 5 | 17 | 19 | 25 | 29 | 30 |
| 65+ | 6 | 20.5 | 428 | 5 | 5 | 12 | 32 | 54 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 11.7 | 141 | 1 | 1 | 9 | 13 | 32 | 34 | 34 |
| 35-49 | 8 | 14.8 | 68 | 3 | 5 | 15 | 16 | 27 | 32 | 32 |
| 50-64 | 158 | 15.7 | 140 | 3 | 5 | 13 | 21 | 33 | 42 | 99+ |
| 65+ | 1059 | 17.4 | 243 | 4 | 5 | 13 | 22 | 39 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | 25 | 22.4 | 221 | 6 | 7 | 18 | 39 | 57 | 99+ | 99+ |
| 65+ | 146 | 27.8 | 355 | 8 | 10 | 24 | 44 | 78 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 14.3 | 141 | 4 | 5 | 12 | 18 | 26 | 36 | 92 |
| B. *Operated* | 23 | 16.5 | 147 | 3 | 5 | 16 | 20 | 30 | 41 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1232 | 17.2 | 228 | 3 | 5 | 13 | 22 | 37 | 58 | 99+ |
| B. *Operated* | 172 | 26.9 | 337 | 8 | 10 | 23 | 42 | 76 | 99+ | 99+ |
| **1. SINGLE DX** | 314 | 14.5 | 141 | 4 | 5 | 12 | 18 | 28 | 35 | 91 |
| **2. MULTIPLE DX** | 1404 | 18.3 | 251 | 4 | 5 | 14 | 24 | 44 | 68 | 99+ |
| **A. NOT OPERATED** | 1523 | 16.6 | 213 | 3 | 5 | 13 | 21 | 35 | 52 | 99+ |
| **B. OPERATED** | 195 | 25.7 | 325 | 6 | 9 | 22 | 38 | 69 | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 14.4 | 171 | 1 | 2 | 12 | 26 | 33 | 34 | 34 |
| 35-49 | 23 | 14.2 | 85 | 3 | 4 | 11 | 16 | 30 | 34 | 37 |
| 50-64 | 279 | 15.8 | 148 | 4 | 5 | 13 | 21 | 32 | 47 | 99+ |
| 65+ | 1408 | 18.1 | 252 | 4 | 5 | 14 | 23 | 42 | 65 | 99+ |
| **GRAND TOTAL** | **1718** | **17.6** | **233** | **4** | **5** | **14** | **23** | **39** | **63** | **99+** |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 8.5 | 28 | 3 | 4 | 7 | 10 | 17 | 21 | 22 |
| 20-34 | 208 | 9.4 | 90 | 1 | 2 | 8 | 12 | 17 | 25 | 47 |
| 35-49 | 249 | 11.0 | 136 | 2 | 3 | 9 | 13 | 20 | 28 | 94 |
| 50-64 | 90 | 11.5 | 115 | 2 | 2 | 9 | 13 | 23 | 33 | 61 |
| 65+ | 11 | 16.4 | 777 | 2 | 2 | 9 | 12 | 51 | 95 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 38 | 10.8 | 134 | 1 | 2 | 7 | 15 | 25 | 49 | 99+ |
| 35-49 | 45 | 13.9 | 162 | 3 | 3 | 9 | 15 | 40 | 41 | 45 |
| 50-64 | 16 | 18.9 | 124 | 4 | 5 | 18 | 29 | 35 | 37 | 37 |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 109 | 11.8 | 91 | 3 | 3 | 10 | 15 | 26 | 32 | 75 |
| 35-49 | 207 | 16.2 | 229 | 2 | 4 | 12 | 19 | 40 | 51 | 96 |
| 50-64 | 182 | 14.1 | 175 | 2 | 4 | 11 | 17 | 26 | 41 | 97 |
| 65+ | 50 | 16.1 | 238 | 3 | 4 | 11 | 23 | 48 | 97 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 43 | 19.9 | 357 | 2 | 4 | 13 | 32 | 51 | 95 | 99+ |
| 35-49 | 80 | 20.1 | 278 | 4 | 5 | 16 | 25 | 47 | 66 | 94 |
| 50-64 | 74 | 21.2 | 292 | 3 | 5 | 16 | 27 | 42 | 57 | 92 |
| 65+ | 22 | 24.3 | 277 | 5 | 7 | 23 | 39 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 571 | 10.5 | 126 | 2 | 2 | 8 | 12 | 20 | 26 | 80 |
| B. *Operated* | 100 | 13.5 | 148 | 2 | 3 | 10 | 17 | 36 | 41 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 548 | 14.7 | 186 | 3 | 4 | 11 | 18 | 32 | 48 | 99+ |
| B. *Operated* | 221 | 20.7 | 295 | 4 | 5 | 15 | 29 | 47 | 72 | 99+ |
| **1. SINGLE DX** | 671 | 11.0 | 130 | 2 | 2 | 9 | 13 | 21 | 31 | 80 |
| **2. MULTIPLE DX** | 769 | 16.4 | 225 | 3 | 4 | 12 | 21 | 38 | 55 | 99+ |
| **A. NOT OPERATED** | 1119 | 12.5 | 159 | 2 | 3 | 10 | 15 | 26 | 40 | 95 |
| **B. OPERATED** | 321 | 16.5 | 260 | 3 | 4 | 14 | 26 | 42 | 62 | 99+ |
| TOTAL 0-19 YRS | 15 | 8.0 | 26 | 3 | 3 | 7 | 10 | 16 | 20 | 22 |
| 20-34 | 398 | 11.3 | 132 | 2 | 2 | 9 | 14 | 25 | 38 | 97 |
| 35-49 | 581 | 14.3 | 201 | 2 | 3 | 10 | 17 | 32 | 46 | 94 |
| 50-64 | 362 | 15.1 | 192 | 2 | 4 | 11 | 19 | 31 | 42 | 92 |
| 65+ | 84 | 18.2 | 318 | 3 | 4 | 12 | 31 | 66 | 99+ | 99+ |
| **GRAND TOTAL** | **1440** | **13.9** | **188** | **2** | **3** | **10** | **17** | **31** | **45** | **99+** |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 531 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 20-34 | 390 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 183 | 5.0 | 16 | 1 | 1 | 4 | 7 | 9 | 13 | 24 |
| 50-64 | 161 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 15 |
| 65+ | 93 | 6.1 | 31 | 1 | 2 | 5 | 8 | 11 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.3 | 7 | 1 | 1 | 3 | 30 | 99+ | 99+ | 99+ |
| 20-34 | 9 | 9.7 | 259 | 1 | 1 | 5 | 6 | 35 | 52 | 52 |
| 35-49 | 9 | 5.9 | 22 | 2 | 2 | 4 | 9 | 13 | 14 | 14 |
| 50-64 | 9 | 10.4 | 259 | 2 | 2 | 6 | 7 | 35 | 53 | 53 |
| 65+ | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 5.5 | 36 | 1 | 1 | 4 | 7 | 11 | 19 | 35 |
| 20-34 | 476 | 7.3 | 109 | 1 | 2 | 4 | 8 | 15 | 25 | 83 |
| 35-49 | 397 | 7.5 | 45 | 1 | 2 | 6 | 9 | 16 | 22 | 41 |
| 50-64 | 520 | 8.5 | 72 | 2 | 2 | 6 | 10 | 17 | 23 | 40 |
| 65+ | 619 | 10.5 | 109 | 2 | 3 | 8 | 12 | 20 | 31 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 19.0 | 513 | 1 | 1 | 8 | 30 | 55 | 71 | 71 |
| 20-34 | 52 | 10.2 | 139 | 1 | 2 | 6 | 12 | 24 | 36 | 57 |
| 35-49 | 42 | 11.3 | 118 | 2 | 3 | 8 | 15 | 29 | 47 | 99+ |
| 50-64 | 57 | 13.0 | 132 | 2 | 2 | 10 | 18 | 26 | 46 | 97 |
| 65+ | 51 | 19.3 | 261 | 2 | 3 | 14 | 30 | 49 | 68 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1358 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| B. *Operated* | 33 | 7.8 | 143 | 1 | 2 | 5 | 7 | 18 | 53 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2407 | 8.1 | 81 | 1 | 2 | 6 | 10 | 17 | 24 | 68 |
| B. *Operated* | 211 | 13.7 | 187 | 2 | 2 | 9 | 19 | 34 | 53 | 99+ |
| **1. SINGLE DX** | 1391 | 4.5 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | 2618 | 8.6 | 92 | 1 | 2 | 6 | 10 | 18 | 26 | 71 |
| **A. NOT OPERATED** | 3765 | 6.8 | 62 | 1 | 2 | 5 | 8 | 14 | 20 | 52 |
| **B. OPERATED** | 244 | 12.9 | 184 | 2 | 2 | 8 | 18 | 34 | 53 | 99+ |
| TOTAL 0-19 YRS | 939 | 4.8 | 30 | 1 | 1 | 3 | 6 | 9 | 14 | 31 |
| 20-34 | 927 | 6.2 | 79 | 1 | 1 | 4 | 7 | 12 | 18 | 63 |
| 35-49 | 631 | 7.0 | 43 | 1 | 2 | 5 | 9 | 14 | 21 | 46 |
| 50-64 | 747 | 8.0 | 70 | 2 | 2 | 6 | 9 | 16 | 22 | 54 |
| 65+ | 765 | 10.5 | 117 | 2 | 3 | 8 | 12 | 22 | 34 | 81 |
| **GRAND TOTAL** | **4009** | **7.2** | **71** | **1** | **2** | **5** | **8** | **15** | **22** | **59** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 4.8 | 44 | <1 | 1 | 3 | 5 | 10 | 14 | 29 |
| 20-34 | 269 | 5.8 | 34 | 1 | 1 | 4 | 8 | 12 | 15 | 35 |
| 35-49 | 252 | 6.3 | 58 | 1 | 2 | 4 | 7 | 11 | 16 | 42 |
| 50-64 | 213 | 7.9 | 103 | 1 | 2 | 5 | 9 | 15 | 25 | 72 |
| 65+ | 291 | 11.0 | 143 | 2 | 2 | 8 | 13 | 23 | 37 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 9.3 | 121 | 2 | 2 | 5 | 11 | 21 | 35 | 42 |
| 20-34 | 193 | 9.0 | 79 | 1 | 2 | 6 | 12 | 21 | 30 | 39 |
| 35-49 | 157 | 9.4 | 97 | 2 | 2 | 6 | 12 | 20 | 29 | 56 |
| 50-64 | 204 | 11.3 | 164 | 1 | 2 | 7 | 14 | 26 | 34 | 68 |
| 65+ | 158 | 11.9 | 191 | 2 | 2 | 7 | 16 | 25 | 33 | 79 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 268 | 7.1 | 122 | 1 | 1 | 4 | 8 | 16 | 26 | 99 |
| 20-34 | 366 | 9.6 | 172 | 1 | 2 | 5 | 10 | 22 | 39 | 98 |
| 35-49 | 332 | 10.3 | 130 | 2 | 2 | 7 | 12 | 23 | 37 | 99+ |
| 50-64 | 650 | 12.9 | 172 | 2 | 3 | 9 | 15 | 30 | 47 | 99+ |
| 65+ | 1800 | 16.1 | 215 | 3 | 4 | 12 | 21 | 37 | 60 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 218 | 8.9 | 146 | 1 | 2 | 5 | 10 | 20 | 30 | 92 |
| 20-34 | 258 | 13.1 | 244 | 1 | 2 | 8 | 16 | 44 | 72 | 99+ |
| 35-49 | 286 | 15.4 | 245 | 2 | 3 | 11 | 21 | 40 | 70 | 99+ |
| 50-64 | 419 | 15.7 | 263 | 2 | 3 | 10 | 22 | 43 | 59 | 99+ |
| 65+ | 693 | 21.2 | 405 | 2 | 4 | 15 | 30 | 59 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1228 | 7.3 | 83 | 1 | 1 | 5 | 9 | 15 | 21 | 58 |
| B. *Operated* | 895 | 10.2 | 131 | 1 | 2 | 6 | 13 | 23 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3416 | 13.5 | 196 | 2 | 3 | 9 | 17 | 32 | 51 | 99+ |
| B. *Operated* | 1874 | 16.6 | 313 | 2 | 2 | 11 | 22 | 47 | 73 | 99+ |
| **1. SINGLE DX** | 2123 | 8.5 | 105 | 1 | 2 | 5 | 10 | 18 | 27 | 58 |
| **2. MULTIPLE DX** | 5290 | 14.6 | 239 | 2 | 3 | 9 | 18 | 37 | 60 | 99+ |
| **A. NOT OPERATED** | 4644 | 11.9 | 173 | 1 | 2 | 8 | 15 | 28 | 44 | 99+ |
| **B. OPERATED** | 2769 | 14.5 | 263 | 2 | 2 | 9 | 19 | 38 | 59 | 99+ |
| TOTAL 0-19 YRS | 872 | 7.5 | 112 | 1 | 1 | 4 | 9 | 16 | 26 | 84 |
| 20-34 | 1086 | 9.4 | 144 | 1 | 2 | 6 | 11 | 22 | 38 | 99+ |
| 35-49 | 1027 | 10.6 | 150 | 1 | 2 | 7 | 13 | 24 | 39 | 99+ |
| 50-64 | 1486 | 12.7 | 193 | 2 | 2 | 8 | 16 | 31 | 49 | 99+ |
| 65+ | 2942 | 16.6 | 261 | 3 | 4 | 11 | 21 | 41 | 63 | 99+ |
| **GRAND TOTAL** | **7413** | **12.8** | **208** | **2** | **2** | **8** | **16** | **32** | **50** | **99+** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 378 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 249 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 10 | 13 |
| 50-64 | 100 | 4.3 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 18 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.6 | 4 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 30 | 5.0 | 10 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| 35-49 | 31 | 5.5 | 30 | 1 | 2 | 4 | 7 | 10 | 18 | 28 |
| 50-64 | 10 | 4.6 | 9 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 65+ | 5 | 5.2 | 8 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 322 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| 35-49 | 263 | 5.6 | 17 | 2 | 2 | 4 | 7 | 10 | 13 | 26 |
| 50-64 | 181 | 5.6 | 13 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 50 | 7.2 | 27 | 2 | 2 | 6 | 10 | 16 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.4 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 19 | 9.3 | 40 | 2 | 2 | 9 | 14 | 19 | 21 | 21 |
| 35-49 | 24 | 8.1 | 19 | 2 | 3 | 7 | 11 | 15 | 17 | 18 |
| 50-64 | 34 | 10.3 | 56 | 2 | 3 | 8 | 14 | 21 | 27 | 31 |
| 65+ | 11 | 8.2 | 23 | 2 | 3 | 8 | 10 | 15 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 917 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 83 | 5.2 | 16 | 2 | 2 | 4 | 7 | 9 | 11 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 896 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 95 | 8.8 | 38 | 2 | 2 | 7 | 11 | 18 | 21 | 30 |
| **1. SINGLE DX** | 1000 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| **2. MULTIPLE DX** | 991 | 5.7 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 1813 | 4.6 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 178 | 7.1 | 31 | 2 | 2 | 5 | 9 | 15 | 19 | 28 |
| TOTAL 0-19 YRS | 266 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 749 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 567 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 325 | 5.7 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 84 | 6.5 | 22 | 2 | 2 | 5 | 8 | 13 | 18 | 20 |
| **GRAND TOTAL** | **1991** | **4.8** | **15** | **1** | **1** | **4** | **6** | **9** | **12** | **19** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 3.3 | 9 | <1 | <1 | 2 | 4 | 8 | 11 | 11 |
| 35-49 | 11 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | 11 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 10 | 10 |
| 65+ | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 589 | 2.2 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 1020 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 1331 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 731 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 23 | 3.8 | 18 | <1 | <1 | 2 | 5 | 10 | 14 | 18 |
| 50-64 | 36 | 5.2 | 18 | <1 | 1 | 4 | 8 | 11 | 13 | 18 |
| 65+ | 32 | 5.5 | 27 | <1 | <1 | 4 | 8 | 12 | 17 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.5 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 130 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 379 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 664 | 3.1 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 13 |
| 65+ | 476 | 4.1 | 18 | 1 | 2 | 3 | 4 | 8 | 12 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 11 |
| B. *Operated* | 3708 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 4.6 | 21 | <1 | <1 | 3 | 7 | 11 | 13 | 20 |
| B. *Operated* | 1661 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| **1. SINGLE DX** | 3743 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | 1761 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| **A. NOT OPERATED** | 135 | 4.2 | 17 | <1 | <1 | 3 | 5 | 10 | 12 | 19 |
| **B. OPERATED** | 5369 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 50 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 738 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 1433 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 2042 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 1241 | 3.2 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| **GRAND TOTAL** | **5504** | **2.7** | **5** | **<1** | **1** | **2** | **3** | **4** | **6** | **12** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 8.0 | 76 | 1 | 2 | 5 | 9 | 20 | 24 | 47 |
| 20-34 | 173 | 7.2 | 94 | 1 | 2 | 5 | 8 | 14 | 21 | 44 |
| 35-49 | 220 | 7.4 | 76 | 1 | 2 | 5 | 9 | 14 | 19 | 48 |
| 50-64 | 211 | 8.2 | 56 | 1 | 2 | 6 | 11 | 18 | 24 | 35 |
| 65+ | 162 | 8.5 | 78 | 2 | 2 | 6 | 10 | 18 | 22 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 136 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 19 |
| 20-34 | 560 | 4.4 | 26 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 686 | 4.4 | 18 | 1 | 2 | 3 | 5 | 8 | 13 | 21 |
| 50-64 | 647 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 11 | 25 |
| 65+ | 277 | 5.1 | 30 | 1 | 2 | 3 | 6 | 10 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 8.7 | 82 | 2 | 2 | 5 | 12 | 19 | 35 | 37 |
| 20-34 | 135 | 6.5 | 36 | 1 | 1 | 5 | 8 | 13 | 18 | 31 |
| 35-49 | 281 | 9.0 | 119 | 1 | 2 | 6 | 10 | 18 | 24 | 82 |
| 50-64 | 542 | 8.9 | 79 | 2 | 3 | 6 | 11 | 17 | 25 | 48 |
| 65+ | 700 | 11.9 | 117 | 2 | 3 | 9 | 15 | 24 | 34 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 7.7 | 129 | 1 | 2 | 4 | 7 | 19 | 34 | 64 |
| 20-34 | 240 | 6.9 | 81 | 1 | 2 | 4 | 8 | 13 | 20 | 69 |
| 35-49 | 359 | 7.8 | 101 | 2 | 2 | 5 | 8 | 16 | 25 | 56 |
| 50-64 | 462 | 9.4 | 142 | 2 | 2 | 5 | 11 | 21 | 37 | 85 |
| 65+ | 337 | 14.5 | 231 | 2 | 2 | 10 | 19 | 33 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 847 | 7.8 | 75 | 1 | 2 | 5 | 9 | 16 | 22 | 45 |
| B. *Operated* | 2306 | 4.5 | 23 | 1 | 2 | 3 | 5 | 8 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1689 | 10.0 | 101 | 2 | 2 | 7 | 12 | 21 | 30 | 56 |
| B. *Operated* | 1461 | 9.7 | 149 | 2 | 2 | 6 | 11 | 23 | 36 | 82 |
| **1. SINGLE DX** | 3153 | 5.4 | 39 | 1 | 2 | 3 | 6 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | 3150 | 9.8 | 123 | 2 | 2 | 6 | 12 | 21 | 31 | 72 |
| **A. NOT OPERATED** | 2536 | 9.3 | 93 | 2 | 2 | 7 | 11 | 19 | 27 | 50 |
| **B. OPERATED** | 3767 | 6.5 | 78 | 1 | 2 | 4 | 7 | 14 | 21 | 58 |
| TOTAL 0-19 YRS | 311 | 6.2 | 63 | 1 | 2 | 4 | 6 | 14 | 20 | 40 |
| 20-34 | 1108 | 5.6 | 51 | 1 | 2 | 4 | 6 | 11 | 15 | 37 |
| 35-49 | 1546 | 6.5 | 67 | 1 | 2 | 4 | 7 | 13 | 18 | 47 |
| 50-64 | 1862 | 7.4 | 78 | 2 | 2 | 5 | 9 | 16 | 22 | 55 |
| 65+ | 1476 | 10.8 | 132 | 2 | 2 | 7 | 13 | 24 | 34 | 74 |
| **GRAND TOTAL** | **6303** | **7.6** | **86** | **1** | **2** | **5** | **9** | **16** | **24** | **55** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.8 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 4.5 | 12 | <1 | <1 | 4 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.7 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 11 |
| 20-34 | 111 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 9 | 19 |
| 35-49 | 115 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 490 | 5.2 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 14 |
| 65+ | 380 | 5.6 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 5.7 | 32 | 1 | 1 | 4 | 10 | 12 | 12 | 12 |
| 35-49 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 6 | 3.0 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 7 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.9 | 40 | 1 | 2 | 6 | 7 | 10 | 25 | 30 |
| 20-34 | 46 | 6.9 | 12 | 3 | 4 | 6 | 8 | 11 | 14 | 19 |
| 35-49 | 95 | 6.4 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 21 |
| 50-64 | 442 | 5.8 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 506 | 7.0 | 17 | 2 | 3 | 6 | 9 | 12 | 15 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.4 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | 1137 | 5.4 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 3.0 | 6 | 1 | 1 | 3 | 4 | 5 | 8 | 12 |
| B. *Operated* | 1126 | 6.5 | 16 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| **1. SINGLE DX** | 1156 | 5.3 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 1149 | 6.4 | 16 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| **A. NOT OPERATED** | 42 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 2263 | 5.9 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 87 | 5.4 | 22 | 1 | 1 | 5 | 7 | 8 | 10 | 30 |
| 20-34 | 162 | 5.8 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| 35-49 | 217 | 6.0 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 942 | 5.4 | 11 | 1 | 2 | 5 | 7 | 9 | 10 | 16 |
| 65+ | 897 | 6.4 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| **GRAND TOTAL** | **2305** | **5.9** | **13** | **2** | **2** | **5** | **7** | **10** | **12** | **19** |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 8 | 3.6 | 22 | 1 | 1 | 2 | 3 | 11 | 15 | 15 |
| 65+ | 32 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 16 | 2.8 | 3 | 1 | 2 | 2 | 3 | 4 | 7 | 8 |
| 35-49 | 60 | 3.3 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 201 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 526 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 5 | 2.8 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 16 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 11 | 13 |
| 65+ | 37 | 4.2 | 11 | 1 | 1 | 3 | 5 | 10 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 42 | 1 | 1 | 4 | 9 | 17 | 17 | 17 |
| 20-34 | 7 | 5.3 | 4 | 4 | 4 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 31 | 5.3 | 21 | 1 | 1 | 4 | 6 | 10 | 18 | 21 |
| 50-64 | 143 | 4.2 | 10 | 2 | 2 | 3 | 5 | 7 | 9 | 16 |
| 65+ | 475 | 5.0 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 8 | 15 |
| B. *Operated* | 807 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 3.8 | 9 | 1 | 1 | 3 | 4 | 8 | 12 | 13 |
| B. *Operated* | 661 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |
| **1. SINGLE DX** | 851 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 723 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |
| **A. NOT OPERATED** | 106 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 14 |
| **B. OPERATED** | 1468 | 4.1 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 11 | 4.2 | 22 | <1 | <1 | 3 | 5 | 11 | 16 | 17 |
| 20-34 | 27 | 3.4 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 98 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 50-64 | 368 | 3.7 | 7 | 1 | 2 | 3 | 4 | 7 | 8 | 14 |
| 65+ | 1070 | 4.1 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| **GRAND TOTAL** | **1574** | **4.0** | **10** | **1** | **2** | **3** | **5** | **7** | **10** | **17** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 19.0 | 200 | 9 | 9 | 19 | 29 | 29 | 29 | 29 |
| 20-34 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 2.3 | 5 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| 50-64 | 7 | 3.1 | 7 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 65+ | 17 | 2.4 | 5 | 1 | 1 | 1 | 3 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.2 | 2 | 2 | 2 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 20 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 11 | 12 |
| 35-49 | 27 | 2.9 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 9 |
| 50-64 | 92 | 3.0 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 65+ | 244 | 3.4 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 9 | 3.9 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 14 | 5.1 | 64 | <1 | <1 | 2 | 5 | 16 | 27 | 30 |
| 65+ | 41 | 6.5 | 57 | 1 | 1 | 4 | 8 | 11 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.8 | 20 | <1 | 1 | 2 | 7 | 11 | 15 | 16 |
| 20-34 | 17 | 4.5 | 18 | 1 | 2 | 4 | 5 | 6 | 15 | 20 |
| 35-49 | 34 | 3.5 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 101 | 4.0 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 23 |
| 65+ | 259 | 5.1 | 28 | 1 | 2 | 3 | 6 | 11 | 14 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 3.7 | 29 | 1 | 1 | 1 | 5 | 8 | 9 | 29 |
| B. *Operated* | 392 | 3.3 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 5.4 | 47 | <1 | 1 | 3 | 7 | 10 | 14 | 39 |
| B. *Operated* | 424 | 4.7 | 22 | 1 | 2 | 3 | 5 | 8 | 13 | 26 |
| **1. SINGLE DX** | 423 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| **2. MULTIPLE DX** | 496 | 4.8 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **A. NOT OPERATED** | 103 | 4.9 | 42 | 1 | 1 | 3 | 6 | 9 | 14 | 35 |
| **B. OPERATED** | 816 | 4.0 | 15 | 1 | 2 | 3 | 5 | 7 | 10 | 22 |
| TOTAL 0-19 YRS | 27 | 4.9 | 36 | <1 | 1 | 2 | 6 | 10 | 18 | 29 |
| 20-34 | 44 | 4.3 | 11 | 1 | 1 | 4 | 5 | 7 | 11 | 20 |
| 35-49 | 73 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 50-64 | 214 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 22 |
| 65+ | 561 | 4.3 | 22 | 1 | 2 | 3 | 5 | 8 | 12 | 25 |
| **GRAND TOTAL** | **919** | **4.1** | **18** | **1** | **1** | **3** | **5** | **7** | **11** | **24** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 10 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 47 | 2.7 | 6 | <1 | 1 | 2 | 4 | 5 | 6 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 542 | 2.8 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 3475 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 12136 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 14 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 133 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 8 | 9 |
| 65+ | 451 | 3.4 | 26 | <1 | <1 | 2 | 4 | 7 | 11 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 308 | 3.5 | 6 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| 50-64 | 2670 | 3.6 | 7 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| 65+ | 12617 | 4.0 | 15 | 2 | 2 | 3 | 4 | 6 | 9 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. *Operated* | 16153 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 598 | 3.1 | 21 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| B. *Operated* | 15595 | 4.0 | 14 | 2 | 2 | 3 | 4 | 6 | 9 | 19 |
| **1. SINGLE DX** | 16211 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 16193 | 3.9 | 14 | 2 | 2 | 3 | 4 | 6 | 9 | 19 |
| **A. NOT OPERATED** | 656 | 3.1 | 20 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 31748 | 3.5 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 865 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 5 | 11 |
| 50-64 | 6288 | 3.1 | 4 | 2 | 2 | 3 | 4 | 4 | 6 | 11 |
| 65+ | 25251 | 3.6 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |
| **GRAND TOTAL** | **32404** | **3.5** | **8** | **2** | **2** | **3** | **4** | **5** | **7** | **15** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 20-34 | 46 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 57 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 120 | 2.5 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 127 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 12 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| 50-64 | 6 | 2.7 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 5 | 2.2 | 7 | <1 | <1 | 1 | 3 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.6 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 33 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 4 | 12 |
| 35-49 | 44 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 10 | 13 |
| 50-64 | 102 | 3.5 | 8 | 1 | 2 | 3 | 4 | 5 | 8 | 18 |
| 65+ | 199 | 2.9 | 2 | 2 | 2 | 2 | 3 | 5 | 6 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 2.6 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 408 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 3.1 | 14 | <1 | <1 | 1 | 4 | 7 | 12 | 15 |
| B. *Operated* | 411 | 3.1 | 4 | 1 | 2 | 3 | 3 | 5 | 6 | 12 |
| **1. SINGLE DX** | 415 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 428 | 3.1 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 12 |
| **A. NOT OPERATED** | 24 | 3.0 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 819 | 2.8 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 96 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 20-34 | 81 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 104 | 3.2 | 5 | 1 | 2 | 3 | 3 | 4 | 9 | 14 |
| 50-64 | 229 | 3.0 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 12 |
| 65+ | 333 | 2.8 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **GRAND TOTAL** | 843 | 2.9 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.2 | 4 | <1 | <1 | 1 | 3 | 7 | 49 | 99+ |
| 20-34 | 7 | 4.4 | 6 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| 35-49 | 7 | 6.9 | 20 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| 50-64 | 8 | 3.5 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 65+ | 8 | 5.3 | 1 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1868 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 330 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 119 | 2.3 | 2 | 1 | 2 | 2 | 2 | 3 | 4 | 10 |
| 50-64 | 77 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 5 | 6 |
| 65+ | 30 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 1.2 | | <1 | <1 | 1 | 1 | 1 | 2 | 5 |
| 20-34 | 13 | 5.3 | 10 | 1 | 2 | 4 | 8 | 10 | 11 | 11 |
| 35-49 | 10 | 5.2 | 14 | <1 | 1 | 4 | 8 | 11 | 13 | 13 |
| 50-64 | 34 | 6.9 | 33 | <1 | 2 | 5 | 9 | 14 | 16 | 30 |
| 65+ | 56 | 8.1 | 30 | 2 | 3 | 7 | 11 | 14 | 20 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 365 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 65 | 2.5 | 2 | 1 | 1 | 2 | 3 | 3 | 6 | 8 |
| 35-49 | 58 | 3.3 | 8 | 2 | 2 | 2 | 3 | 6 | 10 | 17 |
| 50-64 | 58 | 4.4 | 28 | 1 | 2 | 2 | 4 | 10 | 14 | 29 |
| 65+ | 48 | 4.2 | 14 | 1 | 2 | 2 | 5 | 11 | 13 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 3.9 | 9 | <1 | 1 | 3 | 6 | 8 | 12 | 99 |
| B. *Operated* | 2424 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 4.3 | 24 | <1 | <1 | 2 | 6 | 10 | 14 | 24 |
| B. *Operated* | 594 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 14 |
| **1. SINGLE DX** | 2474 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 813 | 2.9 | 11 | <1 | <1 | 2 | 3 | 7 | 10 | 18 |
| **A. NOT OPERATED** | 269 | 4.2 | 21 | <1 | <1 | 2 | 6 | 10 | 13 | 25 |
| **B. OPERATED** | 3018 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 2359 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 415 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 194 | 2.9 | 6 | 1 | 2 | 2 | 3 | 5 | 9 | 13 |
| 50-64 | 177 | 3.9 | 19 | 1 | 1 | 2 | 4 | 9 | 11 | 28 |
| 65+ | 142 | 5.5 | 22 | 1 | 2 | 4 | 7 | 13 | 14 | 24 |
| **GRAND TOTAL** | 3287 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 20-34 | 36 | 4.4 | 15 | <1 | 1 | 3 | 5 | 10 | 15 | 17 |
| 35-49 | 17 | 3.7 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 11 |
| 50-64 | 33 | 4.0 | 17 | <1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 65+ | 36 | 5.8 | 13 | <1 | 1 | 6 | 8 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 1.9 | 15 | <1 | <1 | 1 | 2 | 2 | 4 | 13 |
| 20-34 | 257 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 35-49 | 491 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 688 | 2.1 | 1 | <1 | [illegible] | 2 | 2 | 3 | 4 | 7 |
| 65+ | 898 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 3.5 | 9 | <1 | <1 | 3 | 4 | 7 | 10 | 14 |
| 20-34 | 34 | 4.5 | 28 | <1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 35-49 | 20 | 3.6 | 7 | <1 | 1 | 2 | 6 | 7 | 8 | 9 |
| 50-64 | 50 | 5.4 | 27 | <1 | 1 | 4 | 7 | 11 | 14 | 30 |
| 65+ | 107 | 6.9 | 58 | 1 | 1 | 4 | 9 | 16 | 22 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.6 | 10 | <1 | <1 | 2 | 3 | 4 | 7 | 21 |
| 20-34 | 100 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 412 | 2.9 | 11 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 873 | 3.0 | 4 | 1 | 2 | 3 | 4 | 5 | 5 | 11 |
| 65+ | 1030 | 3.7 | 21 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 318 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| B. *Operated* | 2628 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 5.0 | 32 | <1 | 1 | 3 | 6 | 11 | 14 | 29 |
| B. *Operated* | 2517 | 3.3 | 12 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| **1. SINGLE DX** | 2946 | 2.3 | 6 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 2843 | 3.5 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| **A. NOT OPERATED** | 644 | 4.1 | 22 | <1 | <1 | 3 | 5 | 9 | 12 | 22 |
| **B. OPERATED** | 5145 | 2.7 | 9 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 707 | 2.3 | 11 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 427 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 940 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 1644 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 5 | 11 |
| 65+ | 2071 | 3.4 | 18 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **GRAND TOTAL** | **5789** | **2.9** | **11** | **<1** | **1** | **2** | **3** | **5** | **7** | **15** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 270 | 4.1 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 94 | 4.4 | 7 | 1 | 2 | 4 | 5 | 9 | 9 | 14 |
| 35-49 | 50 | 4.7 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 20 |
| 50-64 | 53 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 15 | 20 |
| 65+ | 63 | 5.0 | 13 | 1 | 2 | 4 | 6 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 20-34 | 58 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 35-49 | 67 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 50-64 | 166 | 3.3 | 8 | 1 | 2 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 465 | 3.2 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 5.3 | 11 | 1 | 2 | 5 | 6 | 9 | 12 | 17 |
| 20-34 | 70 | 5.8 | 15 | 2 | 2 | 4 | 8 | 11 | 14 | 19 |
| 35-49 | 63 | 6.0 | 22 | 1 | 1 | 5 | 8 | 14 | 15 | 20 |
| 50-64 | 120 | 6.4 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 34 |
| 65+ | 200 | 8.0 | 103 | 1 | 2 | 6 | 9 | 15 | 19 | 89 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 5.1 | 17 | <1 | 1 | 3 | 8 | 12 | 14 | 15 |
| 20-34 | 79 | 5.7 | 28 | 1 | 2 | 4 | 7 | 12 | 19 | 27 |
| 35-49 | 105 | 5.4 | 29 | 1 | 1 | 4 | 7 | 10 | 13 | 31 |
| 50-64 | 258 | 5.9 | 52 | 1 | 2 | 4 | 7 | 10 | 15 | 34 |
| 65+ | 596 | 5.3 | 35 | 1 | 2 | 3 | 6 | 12 | 17 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 530 | 4.3 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| B. *Operated* | 818 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 661 | 6.4 | 45 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| B. *Operated* | 1099 | 5.5 | 37 | 1 | 2 | 3 | 7 | 11 | 15 | 31 |
| **1. SINGLE DX** | 1348 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 1760 | 5.8 | 40 | 1 | 2 | 4 | 7 | 12 | 15 | 32 |
| **A. NOT OPERATED** | 1191 | 5.5 | 31 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 1917 | 4.5 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 25 |
| TOTAL 0-19 YRS | 601 | 4.5 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 15 |
| 20-34 | 301 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 285 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 50-64 | 597 | 5.2 | 34 | 1 | 2 | 4 | 7 | 10 | 14 | 27 |
| 65+ | 1324 | 4.9 | 36 | 1 | 2 | 3 | 6 | 10 | 14 | 29 |
| **GRAND TOTAL** | **3108** | **4.9** | **28** | **1** | **2** | **3** | **6** | **10** | **13** | **25** |

### 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 11 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 11 | 3.9 | 9 | 1 | 1 | 3 | 5 | 9 | 11 | 11 |
| 50-64 | 13 | 3.9 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 65+ | 13 | 4.3 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 13 | 2.3 | 2 | <1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 35-49 | 8 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 11 | 3.5 | 4 | 2 | 2 | 3 | 4 | 6 | 9 | 9 |
| 65+ | 13 | 4.3 | 21 | 1 | 1 | 2 | 4 | 11 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.3 | 11 | <1 | 1 | 2 | 4 | 8 | 12 | 14 |
| 20-34 | 22 | 4.9 | 21 | <1 | 1 | 3 | 7 | 10 | 15 | 20 |
| 35-49 | 18 | 4.7 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 10 |
| 50-64 | 30 | 5.9 | 27 | 1 | 1 | 4 | 8 | 12 | 17 | 24 |
| 65+ | 42 | 6.6 | 23 | 1 | 2 | 5 | 9 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.1 | 23 | 1 | 1 | 6 | 8 | 13 | 16 | 16 |
| 20-34 | 17 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 12 | 5.3 | 22 | 1 | 1 | 3 | 9 | 13 | 14 | 14 |
| 50-64 | 39 | 8.0 | 164 | 2 | 2 | 3 | 8 | 17 | 22 | 78 |
| 65+ | 44 | 6.9 | 57 | 1 | 2 | 4 | 9 | 18 | 25 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | 60 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 5.4 | 20 | 1 | 1 | 4 | 8 | 11 | 14 | 24 |
| B. *Operated* | 121 | 6.5 | 78 | 2 | 2 | 3 | 8 | 14 | 22 | 45 |
| **1. SINGLE DX** | 125 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 255 | 5.9 | 48 | 1 | 2 | 4 | 8 | 12 | 17 | 28 |
| **A. NOT OPERATED** | 199 | 4.7 | 17 | 1 | 1 | 3 | 7 | 10 | 12 | 22 |
| **B. OPERATED** | 181 | 5.3 | 57 | 1 | 2 | 3 | 5 | 12 | 18 | 31 |
| TOTAL 0-19 YRS | 63 | 3.0 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 16 |
| 20-34 | 63 | 3.6 | 10 | 1 | 1 | 2 | 5 | 7 | 9 | 19 |
| 35-49 | 49 | 4.3 | 11 | 1 | 1 | 3 | 5 | 10 | 12 | 14 |
| 50-64 | 93 | 6.2 | 81 | 1 | 2 | 3 | 7 | 12 | 19 | 55 |
| 65+ | 112 | 6.2 | 35 | 1 | 2 | 4 | 9 | 13 | 18 | 30 |
| **GRAND TOTAL** | **380** | **5.0** | **36** | **1** | **1** | **3** | **6** | **11** | **14** | **24** |

### 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 804 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 8 | 4.4 | 3 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 6 | 3.0 | 2 | 2 | 2 | 3 | 3 | 6 | 6 | 6 |
| 50-64 | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 4 | 4.0 | 17 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4171 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 2 | 3 |
| 20-34 | 233 | 2.2 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| 35-49 | 181 | 2.3 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 218 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| 65+ | 104 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1774 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 50 | 4.1 | 12 | <1 | 1 | 3 | 5 | 9 | 10 | 18 |
| 35-49 | 17 | 5.4 | 35 | 1 | 2 | 4 | 5 | 9 | 21 | 27 |
| 50-64 | 29 | 6.0 | 22 | <1 | 1 | 5 | 8 | 13 | 16 | 21 |
| 65+ | 56 | 11.5 | 142 | 2 | 2 | 8 | 14 | 25 | 38 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2213 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 270 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 10 |
| 35-49 | 219 | 3.0 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 16 |
| 50-64 | 316 | 3.2 | 6 | 1 | 2 | 3 | 3 | 4 | 8 | 15 |
| 65+ | 138 | 3.8 | 19 | 1 | 2 | 3 | 3 | 6 | 12 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 825 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 4907 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1926 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | 3156 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| **1. SINGLE DX** | 5732 | 1.6 | 1 | <1 | <1 | <1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 5082 | 2.8 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 2751 | 3.7 | 10 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| **B. OPERATED** | 8063 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| TOTAL 0-19 YRS | 8962 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 561 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 423 | 2.8 | 5 | <1 | 1 | 3 | 3 | 4 | 5 | 15 |
| 50-64 | 566 | 3.0 | 6 | <1 | 1 | 3 | 3 | 4 | 7 | 15 |
| 65+ | 302 | 4.7 | 47 | 1 | 1 | 3 | 4 | 10 | 16 | 39 |
| **GRAND TOTAL** | **10814** | **2.1** | **5** | **<1** | **<1** | **1** | **3** | **4** | **5** | **10** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 37 | 5.5 | 66 | 2 | 2 | 4 | 6 | 8 | 9 | 52 |
| 35-49 | 22 | 5.2 | 5 | 2 | 3 | 5 | 6 | 9 | 10 | 11 |
| 50-64 | 14 | 5.2 | 5 | 2 | 3 | 5 | 7 | 8 | 9 | 9 |
| 65+ | 5 | 4.6 | 5 | 1 | 1 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 337 | 1.6 | 5 | <1 | <1 | <1 | 1 | 3 | 4 | 8 |
| 20-34 | 74 | 4.3 | 20 | <1 | 1 | 3 | 5 | 9 | 15 | 25 |
| 35-49 | 43 | 3.9 | 22 | <1 | <1 | 3 | 4 | 7 | 12 | 28 |
| 50-64 | 47 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 37 | 5.5 | 34 | <1 | 2 | 3 | 6 | 13 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 4.2 | 8 | 1 | 1 | 4 | 5 | 9 | 10 | 13 |
| 20-34 | 28 | 4.7 | 7 | 1 | 2 | 4 | 7 | 8 | 9 | 11 |
| 35-49 | 33 | 6.0 | 13 | 2 | 2 | 5 | 7 | 12 | 14 | 17 |
| 50-64 | 46 | 6.5 | 23 | 2 | 3 | 6 | 7 | 10 | 16 | 30 |
| 65+ | 39 | 11.9 | 140 | 2 | 2 | 8 | 14 | 35 | 42 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 374 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 5 | 15 |
| 20-34 | 85 | 4.0 | 10 | 1 | 2 | 3 | 4 | 8 | 9 | 20 |
| 35-49 | 79 | 4.2 | 18 | <1 | 1 | 3 | 5 | 7 | 10 | 28 |
| 50-64 | 107 | 5.5 | 45 | 1 | 2 | 3 | 5 | 14 | 19 | 35 |
| 65+ | 62 | 10.4 | 169 | 1 | 2 | 5 | 11 | 30 | 44 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 196 | 4.4 | 17 | 2 | 2 | 4 | 5 | 8 | 9 | 12 |
| B. *Operated* | 538 | 2.6 | 12 | <1 | <1 | 1 | 3 | 5 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 355 | 5.6 | 30 | 1 | 2 | 4 | 7 | 10 | 12 | 40 |
| B. *Operated* | 707 | 3.9 | 34 | <1 | 1 | 2 | 4 | 7 | 12 | 35 |
| **1. SINGLE DX** | 734 | 3.1 | 14 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 1062 | 4.5 | 33 | <1 | 1 | 3 | 5 | 9 | 12 | 36 |
| **A. NOT OPERATED** | 551 | 5.2 | 26 | 1 | 2 | 4 | 6 | 9 | 12 | 30 |
| **B. OPERATED** | 1245 | 3.3 | 25 | <1 | <1 | 2 | 3 | 6 | 10 | 29 |
| TOTAL 0-19 YRS | 1038 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 20-34 | 224 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 35-49 | 177 | 4.6 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 27 |
| 50-64 | 214 | 5.1 | 30 | 1 | 2 | 4 | 6 | 9 | 17 | 33 |
| 65+ | 143 | 9.3 | 126 | 1 | 2 | 5 | 11 | 23 | 41 | 46 |
| **GRAND TOTAL** | **1796** | **3.9** | **26** | **<1** | **<1** | **3** | **4** | **8** | **11** | **29** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.2 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 20-34 | 119 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 209 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 50-64 | 319 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 231 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.4 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 38 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 9 | 13 |
| 35-49 | 47 | 4.6 | 18 | 2 | 2 | 3 | 4 | 9 | 10 | 27 |
| 50-64 | 68 | 4.3 | 8 | 2 | 2 | 3 | 5 | 8 | 11 | 14 |
| 65+ | 39 | 5.3 | 14 | 2 | 3 | 3 | 6 | 12 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.2 | 15 | 1 | 2 | 4 | 6 | 11 | 15 | 16 |
| 20-34 | 121 | 5.3 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 16 |
| 35-49 | 228 | 5.2 | 15 | 2 | 2 | 4 | 7 | 9 | 13 | 21 |
| 50-64 | 690 | 5.7 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 989 | 6.8 | 23 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 20-34 | 17 | 6.3 | 24 | 2 | 3 | 5 | 7 | 12 | 19 | 22 |
| 35-49 | 25 | 8.1 | 38 | 2 | 3 | 6 | 10 | 18 | 24 | 24 |
| 50-64 | 46 | 8.8 | 54 | 2 | 3 | 6 | 11 | 16 | 24 | 37 |
| 65+ | 39 | 10.9 | 43 | 2 | 3 | 10 | 14 | 20 | 21 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 911 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 199 | 4.5 | 11 | 2 | 2 | 3 | 5 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2047 | 6.2 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | 131 | 8.8 | 44 | 2 | 3 | 7 | 12 | 19 | 22 | 33 |
| **1. SINGLE DX** | 1110 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 2178 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 25 |
| **A. NOT OPERATED** | 2958 | 5.6 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 330 | 6.2 | 29 | 2 | 2 | 4 | 8 | 13 | 17 | 28 |
| TOTAL 0-19 YRS | 63 | 4.4 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 20-34 | 295 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 509 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 1123 | 5.3 | 18 | 1 | 2 | 4 | 7 | 9 | 12 | 23 |
| 65+ | 1298 | 6.5 | 23 | 2 | 2 | 5 | 8 | 13 | 16 | 25 |
| **GRAND TOTAL** | **3288** | **5.6** | **19** | **1** | **2** | **4** | **7** | **11** | **14** | **23** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 209 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 322 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 7 |
| 50-64 | 455 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 65+ | 209 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | 8 | 3.0 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 65+ | 7 | 4.9 | 14 | <1 | <1 | 6 | 7 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 31 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 4 | 11 |
| 35-49 | 67 | 3.3 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 16 |
| 50-64 | 91 | 3.6 | 10 | 2 | 2 | 3 | 4 | 6 | 7 | 22 |
| 65+ | 47 | 4.1 | 19 | 2 | 2 | 3 | 4 | 6 | 13 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 1215 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.5 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 11 |
| B. *Operated* | 242 | 3.5 | 10 | 2 | 2 | 3 | 3 | 5 | 7 | 19 |
| **1. SINGLE DX** | 1220 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 262 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 18 |
| **A. NOT OPERATED** | 25 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 11 |
| **B. OPERATED** | 1457 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 26 | 2.4 | 1 | <1 | 2 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 242 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 395 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | 556 | 2.9 | 3 | 2 | 2 | 3 | 3 | 4 | 4 | 7 |
| 65+ | 263 | 3.2 | 5 | 2 | 2 | 3 | 3 | 4 | 6 | 13 |
| **GRAND TOTAL** | **1482** | **2.9** | **2** | **2** | **2** | **3** | **3** | **4** | **5** | **7** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.1 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 9 |
| 20-34 | 16 | 4.9 | 17 | <1 | <1 | 4 | 7 | 8 | 14 | 17 |
| 35-49 | 19 | 4.4 | 10 | <1 | 1 | 4 | 7 | 8 | 10 | 12 |
| 50-64 | 12 | 4.0 | 10 | <1 | <1 | 3 | 7 | 8 | 9 | 9 |
| 65+ | 16 | 6.0 | 14 | <1 | 1 | 5 | 8 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 513 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 320 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 232 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 257 | 2.6 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 65+ | 92 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 2.9 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 14 | 4.0 | 30 | <1 | 1 | 1 | 2 | 15 | 15 | 15 |
| 35-49 | 20 | 5.6 | 16 | 1 | 1 | 4 | 9 | 11 | 13 | 14 |
| 50-64 | 40 | 4.6 | 8 | <1 | 1 | 4 | 6 | 9 | 10 | 13 |
| 65+ | 41 | 6.2 | 12 | 1 | 2 | 7 | 8 | 11 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 382 | 2.3 | 6 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| 20-34 | 210 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 10 |
| 35-49 | 165 | 3.6 | 44 | 1 | 1 | 2 | 3 | 5 | 7 | 33 |
| 50-64 | 214 | 3.1 | 4 | 1 | 2 | 3 | 4 | 5 | 8 | 11 |
| 65+ | 105 | 4.0 | 15 | 1 | 2 | 3 | 4 | 8 | 15 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.1 | 12 | <1 | <1 | 3 | 7 | 8 | 11 | 16 |
| B. *Operated* | 1414 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 4.7 | 13 | <1 | 1 | 3 | 7 | 10 | 12 | 15 |
| B. *Operated* | 1076 | 2.9 | 12 | <1 | 1 | 2 | 3 | 4 | 6 | 15 |
| **1. SINGLE DX** | 1501 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 1229 | 3.2 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 240 | 4.5 | 13 | <1 | <1 | 3 | 7 | 9 | 12 | 15 |
| **B. OPERATED** | 2490 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 957 | 2.2 | 5 | <1 | <1 | 2 | 3 | 3 | 4 | 9 |
| 20-34 | 560 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 436 | 3.1 | 19 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 523 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 7 | 11 |
| 65+ | 254 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **GRAND TOTAL** | **2730** | **2.8** | **8** | **<1** | **1** | **2** | **3** | **4** | **7** | **12** |

### 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 8.1 | 26 | 2 | 3 | 7 | 12 | 15 | 15 | 27 |
| 20-34 | 18 | 10.3 | 51 | 3 | 4 | 8 | 12 | 18 | 27 | 33 |
| 35-49 | 4 | 6.3 | 3 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 50-64 | 7 | 13.4 | 177 | 2 | 3 | 9 | 15 | 37 | 42 | 42 |
| 65+ | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 10.0 | 43 | 2 | 2 | 10 | 15 | 21 | 21 | 22 |
| 20-34 | 28 | 6.8 | 17 | 2 | 2 | 5 | 9 | 14 | 16 | 16 |
| 35-49 | 26 | 8.2 | 58 | 1 | 2 | 6 | 8 | 17 | 24 | 38 |
| 50-64 | 53 | 11.4 | 141 | 2 | 4 | 7 | 14 | 21 | 35 | 73 |
| 65+ | 68 | 14.0 | 194 | 3 | 4 | 10 | 15 | 29 | 49 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 20-34 | 3 | 13.3 | 234 | 4 | 4 | 5 | 24 | 31 | 31 | 31 |
| 35-49 | 12 | 20.4 | 255 | 6 | 7 | 13 | 26 | 49 | 55 | 56 |
| 50-64 | 21 | 12.5 | 121 | 2 | 2 | 9 | 17 | 27 | 38 | 43 |
| 65+ | 10 | 22.9 | 207 | 7 | 10 | 19 | 21 | 49 | 51 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 8.9 | 42 | 2 | 3 | 8 | 12 | 15 | 18 | 39 |
| B. *Operated* | 5 | 3.6 | 9 | 2 | 2 | 2 | 4 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 11.0 | 124 | 2 | 3 | 7 | 13 | 21 | 33 | 68 |
| B. *Operated* | 48 | 16.8 | 183 | 2 | 3 | 14 | 21 | 40 | 47 | 56 |
| **1. SINGLE DX** | 93 | 8.6 | 42 | 2 | 3 | 8 | 12 | 15 | 18 | 38 |
| **2. MULTIPLE DX** | 248 | 12.1 | 140 | 2 | 3 | 8 | 15 | 22 | 38 | 64 |
| **A. NOT OPERATED** | 288 | 10.4 | 100 | 2 | 3 | 8 | 12 | 19 | 28 | 60 |
| **B. OPERATED** | 53 | 15.5 | 181 | 2 | 2 | 12 | 20 | 36 | 47 | 56 |
| TOTAL 0-19 YRS | 85 | 8.7 | 33 | 2 | 3 | 8 | 12 | 16 | 20 | 26 |
| 20-34 | 49 | 8.5 | 42 | 2 | 3 | 6 | 11 | 16 | 19 | 33 |
| 35-49 | 44 | 11.2 | 133 | 2 | 3 | 8 | 12 | 26 | 40 | 56 |
| 50-64 | 82 | 11.7 | 135 | 2 | 2 | 8 | 15 | 22 | 38 | 64 |
| 65+ | 81 | 14.9 | 198 | 3 | 4 | 11 | 18 | 33 | 49 | 70 |
| **GRAND TOTAL** | **341** | **11.2** | **115** | **2** | **3** | **8** | **14** | **21** | **33** | **57** |

### 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.4 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 12 | 3.6 | 8 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 35-49 | 35 | 5.9 | 34 | 1 | 2 | 4 | 6 | 14 | 21 | 25 |
| 50-64 | 33 | 6.3 | 20 | 2 | 2 | 5 | 9 | 14 | 16 | 18 |
| 65+ | 22 | 8.5 | 24 | 3 | 3 | 8 | 12 | 15 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.3 | 57 | 2 | 3 | 14 | 17 | 23 | 24 | 24 |
| 20-34 | 43 | 9.3 | 66 | 2 | 2 | 6 | 16 | 22 | 24 | 28 |
| 35-49 | 91 | 8.0 | 49 | 2 | 2 | 4 | 13 | 17 | 21 | 30 |
| 50-64 | 138 | 10.0 | 82 | 2 | 2 | 8 | 16 | 20 | 26 | 41 |
| 65+ | 58 | 10.2 | 81 | 2 | 2 | 7 | 16 | 23 | 27 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 11.4 | 147 | 4 | 4 | 6 | 13 | 33 | 39 | 39 |
| 20-34 | 75 | 5.9 | 23 | 2 | 2 | 3 | 7 | 10 | 12 | 32 |
| 35-49 | 194 | 6.6 | 29 | 1 | 2 | 6 | 8 | 11 | 13 | 43 |
| 50-64 | 468 | 9.1 | 57 | 2 | 3 | 7 | 11 | 17 | 22 | 50 |
| 65+ | 641 | 11.3 | 101 | 3 | 4 | 9 | 13 | 20 | 28 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 113 | 2 | 2 | 9 | 17 | 17 | 17 | 17 |
| 20-34 | 35 | 9.9 | 64 | 2 | 2 | 9 | 14 | 16 | 28 | 37 |
| 35-49 | 143 | 11.5 | 94 | 2 | 2 | 11 | 17 | 26 | 30 | 38 |
| 50-64 | 420 | 15.5 | 184 | 2 | 2 | 13 | 21 | 32 | 43 | 77 |
| 65+ | 301 | 16.5 | 199 | 2 | 2 | 13 | 22 | 35 | 47 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 6.3 | 24 | 2 | 2 | 5 | 8 | 14 | 16 | 24 |
| B. *Operated* | 336 | 9.5 | 71 | 2 | 2 | 6 | 15 | 21 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1387 | 9.6 | 75 | 2 | 3 | 8 | 12 | 17 | 24 | 50 |
| B. *Operated* | 901 | 15.0 | 173 | 2 | 2 | 12 | 21 | 31 | 42 | 70 |
| **1. SINGLE DX** | 447 | 8.7 | 61 | 2 | 2 | 5 | 14 | 19 | 23 | 33 |
| **2. MULTIPLE DX** | 2288 | 11.7 | 121 | 2 | 2 | 9 | 15 | 24 | 33 | 61 |
| **A. NOT OPERATED** | 1498 | 9.4 | 72 | 2 | 3 | 7 | 11 | 17 | 24 | 48 |
| **B. OPERATED** | 1237 | 13.5 | 151 | 2 | 2 | 12 | 19 | 28 | 37 | 61 |
| TOTAL 0-19 YRS | 26 | 9.7 | 76 | 2 | 2 | 6 | 12 | 23 | 27 | 39 |
| 20-34 | 165 | 7.5 | 46 | 2 | 2 | 5 | 10 | 16 | 21 | 36 |
| 35-49 | 463 | 8.3 | 58 | 2 | 2 | 6 | 12 | 18 | 25 | 37 |
| 50-64 | 1059 | 11.7 | 119 | 2 | 2 | 9 | 16 | 25 | 33 | 61 |
| 65+ | 1022 | 12.7 | 133 | 2 | 3 | 10 | 16 | 25 | 35 | 64 |
| **GRAND TOTAL** | **2735** | **11.2** | **112** | **2** | **2** | **8** | **15** | **23** | **31** | **57** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 33 | 4.9 | 18 | 1 | 1 | 4 | 7 | 9 | 12 | 21 |
| 20-34 | 153 | 4.9 | 8 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| 35-49 | 393 | 5.1 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| 50-64 | 490 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 65+ | 328 | 5.9 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 27 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 6.3 | 109 | 2 | 2 | 3 | 4 | 22 | 34 | 34 |
| 20-34 | 34 | 3.2 | 6 | 1 | 1 | 2 | 3 | 8 | 9 | 10 |
| 35-49 | 37 | 4.4 | 17 | 1 | 1 | 3 | 5 | 10 | 14 | 18 |
| 50-64 | 39 | 4.8 | 17 | 2 | 2 | 3 | 7 | 12 | 15 | 16 |
| 65+ | 14 | 11.5 | 72 | 3 | 3 | 9 | 16 | 21 | 31 | 34 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 62 | 5.8 | 20 | 1 | 2 | 5 | 7 | 9 | 12 | 29 |
| 20-34 | 371 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 35-49 | 1346 | 6.5 | 23 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| 50-64 | 2447 | 7.5 | 36 | 2 | 3 | 6 | 9 | 14 | 17 | 32 |
| 65+ | 3033 | 9.3 | 78 | 2 | 3 | 7 | 11 | 17 | 24 | 54 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 6.9 | 12 | 3 | 3 | 6 | 10 | 11 | 11 | 11 |
| 20-34 | 55 | 9.1 | 35 | 2 | 2 | 8 | 12 | 17 | 21 | 28 |
| 35-49 | 181 | 9.7 | 72 | 2 | 2 | 7 | 13 | 20 | 24 | 47 |
| 50-64 | 363 | 11.1 | 102 | 2 | 2 | 9 | 14 | 21 | 27 | 57 |
| 65+ | 405 | 16.9 | 231 | 3 | 4 | 12 | 21 | 35 | 55 | 93 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1397 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 12 | 18 |
| B. *Operated* | 133 | 5.1 | 30 | 1 | 2 | 3 | 6 | 11 | 16 | 34 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 7259 | 8.0 | 51 | 2 | 3 | 6 | 10 | 14 | 19 | 38 |
| B. *Operated* | 1012 | 13.0 | 154 | 2 | 3 | 10 | 16 | 26 | 36 | 75 |
| **1. SINGLE DX** | 1530 | 5.3 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 8271 | 8.6 | 67 | 2 | 3 | 7 | 10 | 16 | 22 | 46 |
| **A. NOT OPERATED** | 8656 | 7.5 | 46 | 2 | 2 | 6 | 9 | 14 | 18 | 35 |
| **B. OPERATED** | 1145 | 12.1 | 146 | 2 | 2 | 9 | 15 | 25 | 34 | 71 |
| TOTAL 0-19 YRS | 112 | 5.6 | 25 | 1 | 2 | 4 | 7 | 10 | 13 | 32 |
| 20-34 | 613 | 5.9 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 35-49 | 1957 | 6.5 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 3339 | 7.5 | 41 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 65+ | 3780 | 9.8 | 96 | 2 | 3 | 7 | 12 | 19 | 27 | 63 |
| **GRAND TOTAL** | **9801** | **8.1** | **60** | **2** | **2** | **6** | **10** | **15** | **21** | **42** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 9 | 5.6 | 14 | 1 | 1 | 5 | 6 | 12 | 14 | 14 |
| 35-49 | 55 | 6.8 | 39 | 2 | 3 | 5 | 7 | 15 | 19 | 37 |
| 50-64 | 148 | 6.8 | 26 | 2 | 2 | 6 | 8 | 12 | 14 | 28 |
| 65+ | 290 | 7.9 | 46 | 3 | 3 | 6 | 9 | 13 | 22 | 31 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 9 | 5.4 | 18 | 2 | 2 | 2 | 10 | 11 | 12 | 12 |
| 50-64 | 13 | 3.2 | 6 | 2 | 2 | 2 | 3 | 8 | 10 | 10 |
| 65+ | 7 | 6.9 | 23 | 2 | 2 | 8 | 10 | 14 | 15 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 35 | 6.7 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| 35-49 | 293 | 7.9 | 31 | 2 | 3 | 7 | 10 | 13 | 18 | 28 |
| 50-64 | 1435 | 9.2 | 44 | 3 | 3 | 8 | 12 | 17 | 21 | 33 |
| 65+ | 3948 | 11.9 | 100 | 3 | 4 | 9 | 14 | 22 | 32 | 64 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 10 | 6.1 | 11 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | 52 | 12.0 | 92 | 2 | 2 | 9 | 18 | 25 | 31 | 44 |
| 50-64 | 186 | 13.9 | 157 | 2 | 2 | 11 | 17 | 30 | 36 | 69 |
| 65+ | 417 | 19.9 | 236 | 4 | 6 | 16 | 26 | 41 | 58 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 503 | 7.4 | 39 | 2 | 3 | 6 | 9 | 13 | 19 | 31 |
| B. *Operated* | 30 | 4.7 | 15 | 2 | 2 | 3 | 6 | 10 | 12 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 5711 | 11.0 | 84 | 3 | 4 | 9 | 13 | 20 | 28 | 58 |
| B. *Operated* | 665 | 17.4 | 210 | 2 | 4 | 14 | 22 | 38 | 52 | 87 |
| **1. SINGLE DX** | 533 | 7.2 | 38 | 2 | 3 | 6 | 8 | 12 | 18 | 30 |
| **2. MULTIPLE DX** | 6376 | 11.6 | 101 | 3 | 4 | 9 | 14 | 22 | 31 | 63 |
| **A. NOT OPERATED** | 6214 | 10.7 | 81 | 3 | 4 | 8 | 13 | 20 | 27 | 56 |
| **B. OPERATED** | 695 | 16.9 | 209 | 2 | 3 | 13 | 22 | 36 | 51 | 85 |
| TOTAL 0-19 YRS | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 55 | 6.3 | 14 | 2 | 2 | 5 | 9 | 10 | 14 | 21 |
| 35-49 | 409 | 8.2 | 42 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |
| 50-64 | 1782 | 9.4 | 57 | 2 | 3 | 8 | 12 | 17 | 22 | 36 |
| 65+ | 4662 | 12.4 | 115 | 3 | 4 | 9 | 15 | 24 | 34 | 71 |
| **GRAND TOTAL** | **6909** | **11.3** | **97** | **3** | **4** | **9** | **14** | **22** | **30** | **62** |

### 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 26 | 1 | 1 | 4 | 9 | 13 | 13 | 13 |
| 20-34 | 16 | 5.1 | 26 | 1 | 2 | 3 | 7 | 11 | 18 | 21 |
| 35-49 | 14 | 7.4 | 31 | 2 | 2 | 6 | 9 | 12 | 21 | 24 |
| 50-64 | 38 | 5.6 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 47 | 10.0 | 104 | 2 | 3 | 7 | 12 | 21 | 26 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.9 | 6 | 1 | 1 | 6 | 6 | 8 | 8 | 8 |
| 20-34 | 24 | 5.3 | 49 | 1 | 2 | 3 | 5 | 9 | 18 | 36 |
| 35-49 | 49 | 8.4 | 87 | 2 | 2 | 5 | 10 | 17 | 30 | 43 |
| 50-64 | 50 | 7.6 | 39 | 2 | 2 | 6 | 10 | 16 | 21 | 35 |
| 65+ | 28 | 10.8 | 68 | 2 | 2 | 9 | 15 | 23 | 28 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.1 | 7 | 2 | 2 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 27 | 8.8 | 49 | 2 | 3 | 6 | 12 | 18 | 22 | 31 |
| 35-49 | 72 | 10.0 | 68 | 2 | 2 | 8 | 13 | 22 | 28 | 35 |
| 50-64 | 170 | 11.3 | 81 | 3 | 4 | 9 | 14 | 20 | 28 | 56 |
| 65+ | 453 | 14.7 | 198 | 3 | 4 | 11 | 18 | 30 | 48 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.6 | 100 | 1 | 1 | 3 | 9 | 25 | 31 | 31 |
| 20-34 | 63 | 14.0 | 206 | 2 | 2 | 10 | 19 | 32 | 40 | 70 |
| 35-49 | 119 | 13.7 | 150 | 2 | 2 | 10 | 18 | 30 | 37 | 58 |
| 50-64 | 181 | 15.1 | 195 | 2 | 3 | 12 | 20 | 32 | 47 | 99+ |
| 65+ | 222 | 21.9 | 299 | 3 | 4 | 17 | 31 | 48 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 7.5 | 57 | 2 | 2 | 6 | 9 | 14 | 22 | 40 |
| B. *Operated* | 159 | 7.9 | 61 | 2 | 2 | 5 | 9 | 17 | 24 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 729 | 13.1 | 155 | 2 | 4 | 10 | 16 | 26 | 36 | 92 |
| B. *Operated* | 593 | 17.1 | 238 | 2 | 3 | 13 | 24 | 38 | 52 | 98 |
| **1. SINGLE DX** | 278 | 7.7 | 59 | 2 | 2 | 6 | 9 | 16 | 23 | 39 |
| **2. MULTIPLE DX** | 1322 | 14.9 | 196 | 2 | 3 | 11 | 19 | 33 | 47 | 95 |
| **A. NOT OPERATED** | 848 | 12.3 | 145 | 2 | 3 | 9 | 15 | 25 | 35 | 87 |
| **B. OPERATED** | 752 | 15.2 | 215 | 2 | 2 | 11 | 20 | 35 | 48 | 93 |
| TOTAL 0-19 YRS | 27 | 5.6 | 35 | 1 | 1 | 4 | 6 | 11 | 16 | 31 |
| 20-34 | 130 | 10.2 | 136 | 2 | 2 | 6 | 12 | 24 | 33 | 68 |
| 35-49 | 254 | 11.2 | 113 | 2 | 2 | 8 | 15 | 26 | 34 | 53 |
| 50-64 | 439 | 11.9 | 127 | 2 | 3 | 9 | 15 | 25 | 34 | 83 |
| 65+ | 750 | 16.4 | 231 | 2 | 4 | 12 | 20 | 37 | 52 | 99 |
| **GRAND TOTAL** | **1600** | **13.7** | **180** | **2** | **3** | **10** | **17** | **30** | **41** | **89** |

### 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 14.5 | 1 | 14 | 14 | 14 | 15 | 15 | 15 | 15 |
| 20-34 | 95 | 11.8 | 24 | 3 | 5 | 12 | 15 | 18 | 20 | 25 |
| 35-49 | 999 | 12.7 | 21 | 6 | 7 | 13 | 15 | 18 | 21 | 26 |
| 50-64 | 2458 | 13.5 | 22 | 7 | 8 | 13 | 16 | 19 | 21 | 28 |
| 65+ | 2098 | 13.8 | 30 | 7 | 8 | 13 | 16 | 20 | 23 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 13.6 | 19 | 8 | 8 | 13 | 17 | 20 | 22 | 22 |
| 35-49 | 47 | 14.7 | 32 | 2 | 10 | 14 | 16 | 20 | 23 | 34 |
| 50-64 | 119 | 16.2 | 38 | 7 | 10 | 15 | 20 | 25 | 27 | 35 |
| 65+ | 71 | 18.6 | 74 | 8 | 10 | 16 | 23 | 31 | 35 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 12.8 | 31 | 4 | 6 | 12 | 16 | 21 | 24 | 24 |
| 20-34 | 118 | 12.4 | 29 | 3 | 5 | 13 | 16 | 20 | 21 | 27 |
| 35-49 | 2209 | 13.4 | 35 | 5 | 7 | 13 | 16 | 20 | 22 | 33 |
| 50-64 | 8357 | 14.7 | 43 | 6 | 8 | 14 | 17 | 21 | 25 | 38 |
| 65+ | 12904 | 16.5 | 72 | 7 | 9 | 15 | 19 | 25 | 32 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 30.0 | 156 | 20 | 20 | 26 | 39 | 44 | 44 | 44 |
| 20-34 | 31 | 16.1 | 54 | 3 | 10 | 15 | 21 | 25 | 32 | 34 |
| 35-49 | 353 | 15.7 | 79 | 2 | 8 | 14 | 19 | 24 | 31 | 52 |
| 50-64 | 1273 | 18.4 | 110 | 8 | 9 | 16 | 22 | 31 | 39 | 66 |
| 65+ | 1597 | 23.6 | 186 | 10 | 11 | 20 | 28 | 43 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5652 | 13.4 | 25 | 6 | 8 | 13 | 16 | 19 | 21 | 29 |
| B. *Operated* | 247 | 16.5 | 48 | 8 | 10 | 15 | 20 | 25 | 31 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23600 | 15.5 | 59 | 7 | 8 | 14 | 18 | 23 | 29 | 47 |
| B. *Operated* | 3257 | 20.6 | 152 | 8 | 10 | 18 | 25 | 37 | 47 | 87 |
| **1. SINGLE DX** | 5899 | 13.5 | 26 | 6 | 8 | 13 | 16 | 19 | 22 | 29 |
| **2. MULTIPLE DX** | 26857 | 16.2 | 73 | 7 | 9 | 14 | 19 | 25 | 31 | 53 |
| **A. NOT OPERATED** | 29252 | 15.1 | 53 | 7 | 8 | 14 | 18 | 22 | 27 | 45 |
| **B. OPERATED** | 3504 | 20.3 | 146 | 8 | 10 | 17 | 24 | 36 | 45 | 84 |
| TOTAL 0-19 YRS | 17 | 16.1 | 86 | 5 | 7 | 14 | 20 | 26 | 38 | 44 |
| 20-34 | 254 | 12.7 | 31 | 3 | 5 | 12 | 16 | 20 | 22 | 30 |
| 35-49 | 3608 | 13.4 | 36 | 5 | 7 | 13 | 16 | 20 | 22 | 34 |
| 50-64 | 12207 | 14.8 | 47 | 6 | 8 | 14 | 17 | 22 | 26 | 41 |
| 65+ | 16670 | 16.8 | 83 | 7 | 9 | 15 | 20 | 26 | 34 | 59 |
| **GRAND TOTAL** | **32756** | **15.7** | **66** | **7** | **9** | **14** | **18** | **24** | **30** | **50** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 53 | 4.4 | 7 | 1 | 2 | 4 | 6 | 7 | 7 | 17 |
| 35-49 | 444 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 840 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 65+ | 656 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 4.4 | 19 | 2 | 2 | 2 | 5 | 12 | 14 | 14 |
| 35-49 | 78 | 3.5 | 11 | 2 | 2 | 2 | 3 | 8 | 10 | 19 |
| 50-64 | 157 | 4.1 | 17 | 2 | 2 | 2 | 4 | 10 | 12 | 22 |
| 65+ | 49 | 6.7 | 67 | 2 | 2 | 2 | 9 | 14 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.3 | 5 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 159 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 14 | 32 |
| 35-49 | 1638 | 5.8 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 50-64 | 5203 | 6.4 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 6878 | 7.8 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 20.5 | 145 | 12 | 12 | 20 | 29 | 29 | 29 | 29 |
| 20-34 | 29 | 6.5 | 39 | 2 | 2 | 3 | 10 | 15 | 22 | 25 |
| 35-49 | 543 | 7.2 | 59 | 2 | 2 | 4 | 11 | 16 | 21 | 36 |
| 50-64 | 1671 | 8.1 | 64 | 2 | 2 | 5 | 12 | 17 | 22 | 37 |
| 65+ | 854 | 12.6 | 115 | 2 | 2 | 11 | 17 | 26 | 34 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1995 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | 291 | 4.4 | 24 | 2 | 2 | 2 | 5 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13885 | 7.0 | 29 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 3099 | 9.2 | 81 | 2 | 2 | 7 | 13 | 20 | 26 | 45 |
| **1. SINGLE DX** | 2286 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 16984 | 7.4 | 39 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 15880 | 6.8 | 27 | 2 | 2 | 6 | 8 | 12 | 16 | 26 |
| **B. OPERATED** | 3390 | 8.8 | 78 | 2 | 2 | 6 | 13 | 19 | 25 | 44 |
| TOTAL 0-19 YRS | 11 | 8.3 | 55 | 3 | 3 | 6 | 9 | 19 | 28 | 29 |
| 20-34 | 248 | 5.6 | 26 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 35-49 | 2703 | 5.8 | 24 | 2 | 2 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 7871 | 6.5 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 65+ | 8437 | 8.1 | 47 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| **GRAND TOTAL** | **19270** | **7.1** | **36** | **2** | **2** | **6** | **9** | **14** | **18** | **30** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 49 | 6.0 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 428 | 5.5 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 50-64 | 1096 | 6.1 | 14 | 2 | 3 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 927 | 6.7 | 17 | 2 | 3 | 6 | 8 | 12 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 71 | 7.8 | 33 | 2 | 2 | 6 | 11 | 14 | 21 | 26 |
| 50-64 | 192 | 7.7 | 29 | 2 | 2 | 7 | 11 | 14 | 16 | 27 |
| 65+ | 55 | 7.8 | 24 | 2 | 3 | 7 | 11 | 14 | 17 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 8.1 | 22 | 4 | 4 | 7 | 9 | 16 | 20 | 21 |
| 20-34 | 94 | 6.4 | 15 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| 35-49 | 1569 | 7.0 | 21 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 50-64 | 6100 | 7.8 | 25 | 3 | 3 | 7 | 10 | 13 | 17 | 26 |
| 65+ | 9391 | 9.2 | 40 | 3 | 4 | 8 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 10.3 | 56 | 3 | 3 | 12 | 14 | 21 | 25 | 25 |
| 35-49 | 318 | 10.8 | 63 | 2 | 2 | 10 | 15 | 21 | 25 | 38 |
| 50-64 | 1142 | 13.0 | 107 | 2 | 3 | 11 | 17 | 25 | 31 | 58 |
| 65+ | 918 | 17.3 | 144 | 3 | 5 | 15 | 22 | 32 | 41 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2501 | 6.2 | 14 | 2 | 3 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 320 | 7.7 | 29 | 2 | 2 | 7 | 11 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17173 | 8.5 | 34 | 3 | 3 | 7 | 11 | 15 | 19 | 30 |
| B. *Operated* | 2387 | 14.3 | 121 | 2 | 3 | 12 | 19 | 27 | 35 | 60 |
| **1. SINGLE DX** | 2821 | 6.4 | 16 | 2 | 3 | 5 | 8 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 19560 | 9.2 | 48 | 3 | 3 | 8 | 11 | 17 | 21 | 36 |
| **A. NOT OPERATED** | 19674 | 8.2 | 32 | 3 | 3 | 7 | 10 | 14 | 18 | 29 |
| **B. OPERATED** | 2707 | 13.6 | 115 | 2 | 3 | 11 | 18 | 26 | 34 | 59 |
| TOTAL 0-19 YRS | 20 | 8.1 | 21 | 4 | 4 | 7 | 9 | 15 | 19 | 21 |
| 20-34 | 154 | 6.4 | 16 | 2 | 3 | 5 | 8 | 12 | 14 | 23 |
| 35-49 | 2386 | 7.3 | 27 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 8530 | 8.3 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 65+ | 11291 | 9.7 | 52 | 3 | 4 | 8 | 12 | 18 | 22 | 39 |
| **GRAND TOTAL** | **22381** | **8.9** | **45** | **3** | **3** | **7** | **11** | **16** | **21** | **35** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 13 | 3.8 | 4 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 35-49 | 141 | 5.1 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 16 |
| 50-64 | 356 | 5.8 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| 65+ | 358 | 6.9 | 28 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.7 | 84 | <1 | <1 | 7 | 13 | 22 | 23 | 23 |
| 20-34 | 39 | 5.3 | 26 | 2 | 2 | 2 | 9 | 12 | 14 | 23 |
| 35-49 | 821 | 6.3 | 38 | 2 | 2 | 2 | 11 | 14 | 17 | 26 |
| 50-64 | 2121 | 6.7 | 44 | 2 | 2 | 2 | 12 | 16 | 19 | 27 |
| 65+ | 510 | 8.5 | 89 | 2 | 2 | 3 | 14 | 21 | 26 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.4 | 149 | <1 | <1 | 2 | 22 | 27 | 27 | 27 |
| 20-34 | 46 | 5.1 | 11 | 1 | 2 | 4 | 8 | 10 | 11 | 15 |
| 35-49 | 676 | 6.3 | 19 | 2 | 2 | 5 | 8 | 13 | 15 | 21 |
| 50-64 | 2746 | 7.6 | 31 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| 65+ | 5555 | 10.3 | 79 | 3 | 3 | 8 | 12 | 19 | 27 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 17 | 2 | 2 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 72 | 4.5 | 18 | 1 | 2 | 3 | 5 | 11 | 13 | 19 |
| 35-49 | 1115 | 6.8 | 54 | 2 | 2 | 3 | 11 | 15 | 20 | 41 |
| 50-64 | 3406 | 9.1 | 80 | 2 | 2 | 7 | 13 | 19 | 25 | 42 |
| 65+ | 1706 | 14.5 | 149 | 2 | 2 | 12 | 20 | 30 | 39 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 869 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 3497 | 6.9 | 49 | 2 | 2 | 2 | 12 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9028 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 23 | 45 |
| B. *Operated* | 6304 | 10.1 | 101 | 2 | 2 | 8 | 14 | 22 | 29 | 51 |
| **1. SINGLE DX** | 4366 | 6.7 | 44 | 2 | 2 | 3 | 11 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | 15332 | 9.5 | 78 | 2 | 2 | 7 | 12 | 19 | 26 | 49 |
| **A. NOT OPERATED** | 9897 | 8.9 | 59 | 2 | 3 | 7 | 11 | 16 | 22 | 44 |
| **B. OPERATED** | 9801 | 8.9 | 85 | 2 | 2 | 5 | 13 | 20 | 26 | 46 |
| TOTAL 0-19 YRS | 17 | 8.5 | 70 | <1 | <1 | 8 | 13 | 22 | 26 | 27 |
| 20-34 | 170 | 4.8 | 17 | 1 | 2 | 3 | 7 | 11 | 12 | 19 |
| 35-49 | 2753 | 6.4 | 38 | 2 | 2 | 3 | 10 | 14 | 17 | 30 |
| 50-64 | 8629 | 7.9 | 54 | 2 | 2 | 5 | 11 | 16 | 21 | 34 |
| 65+ | 8129 | 10.9 | 96 | 2 | 2 | 8 | 14 | 22 | 30 | 55 |
| **GRAND TOTAL** | **19698** | **8.9** | **72** | **2** | **2** | **7** | **12** | **18** | **24** | **44** |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 8.1 | 17 | 3 | 3 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 121 | 9.7 | 19 | 3 | 6 | 9 | 11 | 14 | 16 | 25 |
| 35-49 | 184 | 11.4 | 23 | 4 | 6 | 11 | 14 | 17 | 20 | 27 |
| 50-64 | 183 | 11.7 | 26 | 5 | 6 | 11 | 14 | 18 | 22 | 30 |
| 65+ | 188 | 12.6 | 26 | 5 | 7 | 12 | 15 | 19 | 21 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 21 | 13.6 | 32 | 4 | 5 | 14 | 16 | 21 | 24 | 26 |
| 35-49 | 33 | 12.7 | 27 | 3 | 8 | 12 | 15 | 21 | 24 | 25 |
| 50-64 | 29 | 14.6 | 58 | 4 | 5 | 14 | 20 | 25 | 27 | 28 |
| 65+ | 18 | 16.6 | 43 | 8 | 11 | 15 | 20 | 27 | 32 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.4 | 16 | 7 | 7 | 11 | 16 | 17 | 17 | 17 |
| 20-34 | 130 | 13.2 | 66 | 2 | 5 | 11 | 17 | 22 | 25 | 46 |
| 35-49 | 342 | 12.6 | 43 | 5 | 6 | 11 | 15 | 21 | 25 | 35 |
| 50-64 | 727 | 13.8 | 58 | 5 | 7 | 13 | 16 | 22 | 26 | 37 |
| 65+ | 1321 | 16.6 | 92 | 6 | 8 | 14 | 20 | 28 | 35 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 51 | 14.7 | 69 | 4 | 7 | 13 | 17 | 23 | 32 | 48 |
| 35-49 | 57 | 20.4 | 144 | 8 | 9 | 1[illegible] | 24 | 38 | 49 | 58 |
| 50-64 | 169 | 20.6 | 127 | 9 | 9 | 16 | 26 | 34 | 40 | 60 |
| 65+ | 258 | 24.2 | 239 | 9 | 10 | 20 | 32 | 45 | 60 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 685 | 11.5 | 25 | 4 | 6 | 11 | 14 | 17 | 20 | 28 |
| B. *Operated* | 101 | 14.1 | 40 | 4 | 7 | 13 | 17 | 24 | 26 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2530 | 15.1 | 77 | 6 | 7 | 13 | 18 | 25 | 31 | 53 |
| B. *Operated* | 535 | 21.6 | 185 | 8 | 10 | 18 | 27 | 40 | 49 | 83 |
| **1. SINGLE DX** | 786 | 11.8 | 28 | 4 | 6 | 11 | 14 | 18 | 22 | 29 |
| **2. MULTIPLE DX** | 3065 | 16.3 | 102 | 6 | 7 | 14 | 19 | 28 | 36 | 61 |
| **A. NOT OPERATED** | 3215 | 14.3 | 68 | 5 | 7 | 13 | 17 | 23 | 29 | 49 |
| **B. OPERATED** | 636 | 20.6 | 170 | 7 | 9 | 17 | 25 | 38 | 48 | 82 |
| TOTAL 0-19 YRS | 19 | 9.8 | 18 | 3 | 4 | 10 | 13 | 16 | 17 | 17 |
| 20-34 | 323 | 12.2 | 50 | 3 | 6 | 11 | 15 | 21 | 23 | 40 |
| 35-49 | 616 | 13.0 | 51 | 5 | 6 | 11 | 15 | 21 | 26 | 42 |
| 50-64 | 1108 | 14.5 | 71 | 5 | 7 | 13 | 17 | 24 | 30 | 42 |
| 65+ | 1785 | 17.3 | 115 | 7 | 8 | 15 | 20 | 30 | 41 | 66 |
| **GRAND TOTAL** | **3851** | **15.3** | **90** | **5** | **7** | **13** | **18** | **26** | **34** | **57** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 24.3 | 8 | 21 | 21 | 26 | 26 | 26 | 26 | 26 |
| 20-34 | 16 | 24.2 | 167 | 3 | 5 | 27 | 32 | 42 | 44 | 45 |
| 35-49 | 6 | 27.8 | 77 | 16 | 16 | 31 | 34 | 37 | 37 | 37 |
| 50-64 | 10 | 31.0 | 163 | 1 | 11 | 32 | 41 | 43 | 45 | 45 |
| 65+ | 11 | 26.9 | 156 | 6 | 7 | 30 | 35 | 43 | 43 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 35-49 | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 50-64 | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 65+ | 3 | 34.7 | 261 | 16 | 16 | 44 | 44 | 44 | 44 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 26.4 | 131 | 4 | 6 | 29 | 30 | 38 | 43 | 45 |
| 20-34 | 85 | 29.7 | 260 | 4 | 6 | 31 | 41 | 45 | 55 | 72 |
| 35-49 | 57 | 26.6 | 178 | 5 | 7 | 29 | 36 | 43 | 45 | 56 |
| 50-64 | 92 | 29.3 | 201 | 5 | 8 | 31 | 39 | 48 | 52 | 58 |
| 65+ | 121 | 34.8 | 279 | 12 | 14 | 32 | 45 | 59 | 72 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 24.0 | 91 | 13 | 13 | 29 | 30 | 30 | 30 | 30 |
| 20-34 | 31 | 40.5 | 212 | 18 | 23 | 40 | 54 | 61 | 61 | 72 |
| 35-49 | 13 | 29.4 | 277 | 6 | 8 | 29 | 41 | 71 | 94 | 99+ |
| 50-64 | 30 | 34.8 | 213 | 5 | 16 | 35 | 44 | 56 | 69 | 99+ |
| 65+ | 47 | 42.4 | 292 | 21 | 27 | 39 | 53 | 77 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 26.8 | 139 | 4 | 8 | 29 | 34 | 43 | 44 | 45 |
| B. *Operated* | 7 | 27.1 | 199 | 9 | 10 | 27 | 41 | 44 | 44 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 369 | 30.7 | 242 | 5 | 10 | 31 | 41 | 49 | 57 | 94 |
| B. *Operated* | 124 | 38.3 | 264 | 12 | 20 | 36 | 50 | 62 | 78 | 99+ |
| **1. SINGLE DX** | 53 | 26.8 | 143 | 4 | 9 | 29 | 34 | 43 | 44 | 45 |
| **2. MULTIPLE DX** | 493 | 32.6 | 258 | 6 | 11 | 32 | 43 | 54 | 64 | 99+ |
| **A. NOT OPERATED** | 415 | 30.2 | 231 | 5 | 10 | 31 | 40 | 48 | 56 | 93 |
| **B. OPERATED** | 131 | 37.7 | 265 | 10 | 18 | 36 | 49 | 61 | 77 | 99+ |
| TOTAL 0-19 YRS | 21 | 24.9 | 109 | 5 | 8 | 28 | 30 | 36 | 41 | 45 |
| 20-34 | 133 | 31.4 | 262 | 4 | 9 | 32 | 42 | 51 | 61 | 72 |
| 35-49 | 77 | 27.2 | 181 | 5 | 7 | 29 | 36 | 44 | 48 | 91 |
| 50-64 | 133 | 30.7 | 202 | 5 | 8 | 32 | 41 | 49 | 52 | 74 |
| 65+ | 182 | 36.3 | 288 | 12 | 15 | 34 | 47 | 60 | 79 | 99+ |
| **GRAND TOTAL** | **546** | **32.0** | **249** | **6** | **11** | **31** | **42** | **52** | **61** | **99+** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 8 | 8 |
| 20-34 | 66 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 35-49 | 116 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | 176 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 65+ | 121 | 4.6 | 29 | 1 | 1 | 3 | 6 | 8 | 10 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 8.7 | 133 | 2 | 2 | 2 | 17 | 22 | 22 | 22 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.8 | 20 | 1 | 1 | 3 | 6 | 12 | 14 | 18 |
| 20-34 | 61 | 4.7 | 22 | 1 | 1 | 3 | 5 | 12 | 15 | 23 |
| 35-49 | 144 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 50-64 | 447 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 13 | 25 |
| 65+ | 668 | 7.1 | 29 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 9 | 10.3 | 95 | 2 | 2 | 4 | 22 | 24 | 24 | 24 |
| 50-64 | 18 | 10.1 | 22 | 3 | 4 | 9 | 14 | 17 | 18 | 18 |
| 65+ | 54 | 14.4 | 95 | 5 | 6 | 12 | 17 | 24 | 33 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 508 | 3.4 | 11 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| B. *Operated* | 5 | 8.2 | 67 | 2 | 2 | 7 | 11 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1346 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 14 | 25 |
| B. *Operated* | 83 | 12.7 | 82 | 2 | 4 | 11 | 17 | 23 | 28 | 52 |
| **1. SINGLE DX** | 513 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1429 | 6.6 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **A. NOT OPERATED** | 1854 | 5.5 | 23 | 1 | 1 | 4 | 7 | 11 | 13 | 23 |
| **B. OPERATED** | 88 | 12.5 | 82 | 2 | 4 | 10 | 17 | 23 | 26 | 51 |
| TOTAL 0-19 YRS | 56 | 3.9 | 12 | 1 | 1 | 3 | 4 | 8 | 12 | 18 |
| 20-34 | 129 | 3.6 | 14 | 1 | 1 | 2 | 4 | 8 | 12 | 20 |
| 35-49 | 269 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 644 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 12 | 22 |
| 65+ | 844 | 7.2 | 38 | 2 | 2 | 6 | 9 | 13 | 17 | 34 |
| **GRAND TOTAL** | **1942** | **5.8** | **28** | **1** | **1** | **4** | **7** | **11** | **14** | **25** |

### 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.8 | 11 | 2 | 2 | 2 | 5 | 9 | 10 | 10 |
| 20-34 | 120 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 188 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 50-64 | 433 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 429 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 13 | 7.2 | 57 | 2 | 2 | 5 | 6 | 22 | 25 | 26 |
| 65+ | 20 | 9.3 | 166 | 1 | 2 | 6 | 9 | 16 | 39 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.3 | 16 | <1 | 1 | 3 | 6 | 10 | 14 | 14 |
| 20-34 | 116 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 442 | 5.6 | 28 | <1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 1749 | 7.0 | 43 | 1 | 2 | 5 | 8 | 14 | 17 | 33 |
| 65+ | 4837 | 9.2 | 70 | 2 | 3 | 7 | 11 | 17 | 23 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.3 | 50 | 2 | 2 | 7 | 14 | 16 | 16 | 16 |
| 20-34 | 2 | 14.0 | 288 | 2 | 2 | 14 | 26 | 26 | 26 | 26 |
| 35-49 | 39 | 9.9 | 54 | 1 | 2 | 8 | 14 | 20 | 24 | 33 |
| 50-64 | 126 | 14.5 | 135 | 2 | 4 | 12 | 18 | 25 | 40 | 61 |
| 65+ | 538 | 18.8 | 225 | 4 | 6 | 15 | 23 | 36 | 55 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1176 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 38 | 7.9 | 107 | 2 | 2 | 5 | 8 | 17 | 24 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7155 | 8.4 | 61 | 2 | 2 | 6 | 10 | 16 | 21 | 45 |
| B. *Operated* | 708 | 17.5 | 205 | 3 | 5 | 14 | 21 | 33 | 51 | 87 |
| **1. SINGLE DX** | 1214 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 7863 | 9.2 | 81 | 2 | 2 | 7 | 11 | 18 | 24 | 54 |
| **A. NOT OPERATED** | 8331 | 7.7 | 57 | 1 | 2 | 6 | 10 | 15 | 20 | 41 |
| **B. OPERATED** | 746 | 17.0 | 204 | 3 | 5 | 13 | 21 | 33 | 51 | 84 |
| TOTAL 0-19 YRS | 20 | 4.8 | 19 | <1 | 1 | 3 | 7 | 12 | 15 | 16 |
| 20-34 | 240 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 8 | 16 |
| 35-49 | 672 | 5.0 | 26 | <1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 2321 | 6.8 | 47 | 1 | 2 | 5 | 8 | 14 | 18 | 33 |
| 65+ | 5824 | 9.8 | 90 | 2 | 3 | 7 | 12 | 19 | 26 | 58 |
| **GRAND TOTAL** | **9077** | **8.5** | **75** | **1** | **2** | **6** | **10** | **17** | **23** | **51** |

### 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 3.3 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 25 |
| 20-34 | 159 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 291 | 4.4 | 11 | 1 | 1 | 4 | 5 | 8 | 11 | 18 |
| 50-64 | 477 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 459 | 6.3 | 23 | 1 | 2 | 5 | 8 | 13 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.5 | 16 | 1 | 1 | 3 | 5 | 11 | 14 | 14 |
| 20-34 | 15 | 6.8 | 44 | <1 | 2 | 5 | 7 | 15 | 23 | 26 |
| 35-49 | 42 | 7.5 | 32 | 2 | 2 | 5 | 11 | 15 | 17 | 26 |
| 50-64 | 137 | 7.2 | 18 | 2 | 2 | 7 | 9 | 12 | 14 | 26 |
| 65+ | 622 | 8.4 | 32 | 3 | 3 | 7 | 11 | 15 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 4.7 | 34 | 1 | 1 | 3 | 6 | 10 | 13 | 84 |
| 20-34 | 344 | 4.9 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 961 | 6.2 | 31 | 1 | 2 | 5 | 8 | 11 | 14 | 27 |
| 50-64 | 2634 | 7.2 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 65+ | 5734 | 9.6 | 65 | 2 | 3 | 8 | 12 | 18 | 24 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.1 | 67 | 2 | 2 | 6 | 13 | 22 | 28 | 28 |
| 20-34 | 32 | 12.4 | 112 | 2 | 4 | 11 | 14 | 21 | 32 | 57 |
| 35-49 | 142 | 10.0 | 91 | 2 | 2 | 8 | 12 | 22 | 34 | 59 |
| 50-64 | 694 | 12.2 | 84 | 3 | 4 | 10 | 15 | 23 | 30 | 51 |
| 65+ | 3791 | 14.4 | 126 | 4 | 5 | 11 | 17 | 27 | 35 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1446 | 5.0 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| B. *Operated* | 824 | 8.1 | 30 | 2 | 3 | 7 | 10 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9752 | 8.4 | 53 | 2 | 3 | 7 | 10 | 16 | 21 | 37 |
| B. *Operated* | 4669 | 13.9 | 119 | 4 | 5 | 11 | 17 | 26 | 34 | 67 |
| **1. SINGLE DX** | 2270 | 6.1 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | 14421 | 10.2 | 81 | 2 | 3 | 8 | 13 | 20 | 27 | 48 |
| **A. NOT OPERATED** | 11198 | 8.0 | 49 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| **B. OPERATED** | 5493 | 13.0 | 110 | 3 | 4 | 10 | 16 | 25 | 32 | 60 |
| TOTAL 0-19 YRS | 157 | 4.4 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 45 |
| 20-34 | 550 | 5.1 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| 35-49 | 1436 | 6.2 | 35 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| 50-64 | 3942 | 7.8 | 43 | 2 | 2 | 6 | 10 | 15 | 20 | 33 |
| 65+ | 10606 | 11.1 | 89 | 3 | 3 | 9 | 14 | 21 | 28 | 52 |
| **GRAND TOTAL** | **16691** | **9.6** | **75** | **2** | **3** | **7** | **12** | **19** | **25** | **46** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.4 | 9 | 3 | 3 | 5 | 9 | 11 | 11 | 11 |
| 20-34 | 5 | 6.6 | 16 | 1 | 1 | 8 | 9 | 11 | 11 | 11 |
| 35-49 | 35 | 9.0 | 70 | 1 | 3 | 8 | 11 | 16 | 17 | 50 |
| 50-64 | 264 | 7.9 | 57 | 2 | 3 | 6 | 9 | 13 | 18 | 35 |
| 65+ | 1326 | 9.0 | 54 | 2 | 3 | 7 | 11 | 16 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 12 | 12.5 | 97 | 2 | 2 | 10 | 15 | 27 | 36 | 38 |
| 65+ | 23 | 12.9 | 88 | 2 | 2 | 10 | 16 | 27 | 32 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 10.8 | 129 | 2 | 3 | 8 | 12 | 20 | 36 | 66 |
| 20-34 | 89 | 10.7 | 110 | 2 | 3 | 8 | 14 | 21 | 25 | 59 |
| 35-49 | 668 | 9.9 | 52 | 3 | 3 | 8 | 12 | 19 | 23 | 34 |
| 50-64 | 5301 | 10.6 | 63 | 3 | 4 | 9 | 13 | 20 | 25 | 41 |
| 65+ | 27229 | 12.7 | 109 | 3 | 4 | 10 | 15 | 24 | 33 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 20.8 | 783 | 2 | 2 | 5 | 40 | 66 | 67 | 67 |
| 20-34 | 15 | 17.1 | 182 | <1 | <1 | 13 | 25 | 32 | 45 | 49 |
| 35-49 | 119 | 14.3 | 171 | 2 | 2 | 10 | 19 | 27 | 44 | 64 |
| 50-64 | 568 | 19.2 | 221 | 2 | 5 | 16 | 24 | 41 | 58 | 99+ |
| 65+ | 2679 | 22.5 | 257 | 6 | 8 | 18 | 29 | 47 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1639 | 8.8 | 54 | 2 | 3 | 7 | 11 | 16 | 21 | 43 |
| B. *Operated* | 38 | 12.5 | 86 | 2 | 2 | 10 | 16 | 25 | 34 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33347 | 12.3 | 101 | 3 | 4 | 10 | 15 | 23 | 31 | 65 |
| B. *Operated* | 3389 | 21.7 | 252 | 5 | 7 | 18 | 28 | 46 | 62 | 99+ |
| **1. SINGLE DX** | 1677 | 8.9 | 55 | 2 | 3 | 7 | 11 | 16 | 21 | 42 |
| **2. MULTIPLE DX** | 36736 | 13.2 | 122 | 3 | 4 | 10 | 16 | 25 | 35 | 73 |
| **A. NOT OPERATED** | 34986 | 12.1 | 100 | 3 | 4 | 10 | 15 | 23 | 31 | 63 |
| **B. OPERATED** | 3427 | 21.6 | 251 | 4 | 7 | 17 | 28 | 46 | 62 | 99+ |
| TOTAL 0-19 YRS | 78 | 11.4 | 184 | 2 | 3 | 8 | 12 | 21 | 39 | 68 |
| 20-34 | 110 | 11.4 | 118 | 1 | 2 | 8 | 14 | 23 | 28 | 57 |
| 35-49 | 823 | 10.5 | 72 | 2 | 3 | 8 | 13 | 20 | 25 | 48 |
| 50-64 | 6145 | 11.3 | 84 | 3 | 4 | 9 | 14 | 21 | 28 | 53 |
| 65+ | 31257 | 13.4 | 128 | 3 | 4 | 10 | 16 | 26 | 36 | 77 |
| **GRAND TOTAL** | **38413** | **13.0** | **120** | **3** | **4** | **10** | **16** | **25** | **34** | **72** |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 5.3 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| 20-34 | 272 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |
| 35-49 | 288 | 5.4 | 23 | 1 | 2 | 4 | 6 | 9 | 13 | 30 |
| 50-64 | 290 | 6.4 | 22 | 2 | 2 | 5 | 8 | 12 | 14 | 25 |
| 65+ | 162 | 8.3 | 45 | 2 | 2 | 6 | 11 | 15 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.1 | 17 | 1 | 2 | 2 | 5 | 10 | 14 | 18 |
| 20-34 | 57 | 6.6 | 46 | 2 | 2 | 3 | 10 | 15 | 17 | 32 |
| 35-49 | 139 | 4.9 | 24 | 2 | 2 | 3 | 6 | 12 | 16 | 21 |
| 50-64 | 291 | 7.6 | 73 | 1 | 2 | 3 | 12 | 18 | 25 | 36 |
| 65+ | 148 | 8.6 | 87 | 2 | 2 | 3 | 15 | 21 | 25 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 8.0 | 96 | 1 | 2 | 4 | 8 | 18 | 37 | 45 |
| 20-34 | 384 | 7.7 | 50 | 2 | 2 | 6 | 9 | 15 | 19 | 40 |
| 35-49 | 749 | 8.0 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 40 |
| 50-64 | 1551 | 9.6 | 63 | 2 | 3 | 8 | 12 | 18 | 23 | 42 |
| 65+ | 2279 | 11.6 | 101 | 3 | 4 | 9 | 14 | 22 | 30 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 15.0 | 167 | 2 | 2 | 12 | 21 | 38 | 41 | 45 |
| 20-34 | 104 | 12.6 | 130 | 2 | 2 | 10 | 17 | 31 | 37 | 47 |
| 35-49 | 274 | 11.6 | 130 | 2 | 2 | 9 | 16 | 24 | 38 | 71 |
| 50-64 | 833 | 12.2 | 140 | 2 | 2 | 10 | 17 | 26 | 32 | 63 |
| 65+ | 776 | 16.5 | 218 | 2 | 2 | 13 | 22 | 37 | 50 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1075 | 6.0 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 28 |
| B. *Operated* | 658 | 7.1 | 63 | 2 | 2 | 3 | 11 | 17 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5026 | 10.1 | 80 | 2 | 3 | 8 | 12 | 19 | 26 | 47 |
| B. *Operated* | 2010 | 13.8 | 173 | 2 | 2 | 11 | 19 | 29 | 41 | 73 |
| **1. SINGLE DX** | 1733 | 6.4 | 40 | 2 | 2 | 4 | 8 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | 7036 | 11.2 | 109 | 2 | 3 | 8 | 14 | 23 | 31 | 59 |
| **A. NOT OPERATED** | 6101 | 9.4 | 72 | 2 | 3 | 7 | 12 | 18 | 24 | 45 |
| **B. OPERATED** | 2668 | 12.2 | 154 | 2 | 2 | 9 | 17 | 27 | 37 | 67 |
| TOTAL 0-19 YRS | 172 | 7.4 | 74 | 1 | 2 | 5 | 9 | 16 | 26 | 45 |
| 20-34 | 817 | 7.4 | 54 | 1 | 2 | 5 | 9 | 15 | 21 | 40 |
| 35-49 | 1450 | 7.9 | 60 | 2 | 2 | 6 | 10 | 16 | 22 | 43 |
| 50-64 | 2965 | 9.8 | 85 | 2 | 2 | 7 | 13 | 20 | 26 | 51 |
| 65+ | 3365 | 12.5 | 130 | 2 | 3 | 9 | 16 | 25 | 36 | 70 |
| **GRAND TOTAL** | **8769** | **10.2** | **99** | **2** | **2** | **7** | **13** | **21** | **29** | **55** |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 9 | 7.3 | 28 | 2 | 3 | 5 | 9 | 16 | 18 | 18 |
| 50-64 | 29 | 7.3 | 22 | 2 | 2 | 6 | 9 | 15 | 16 | 18 |
| 65+ | 35 | 8.2 | 66 | 1 | 2 | 5 | 12 | 17 | 28 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 9 | 4.7 | 13 | 2 | 2 | 3 | 7 | 11 | 11 | 11 |
| 50-64 | 23 | 6.2 | 75 | 2 | 2 | 3 | 6 | 15 | 25 | 41 |
| 65+ | 11 | 8.1 | 33 | 2 | 2 | 8 | 12 | 16 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 20.5 | 452 | 5 | 5 | 13 | 35 | 51 | 51 | 51 |
| 20-34 | 3 | 8.7 | 44 | 3 | 3 | 7 | 14 | 16 | 16 | 16 |
| 35-49 | 56 | 7.1 | 22 | 2 | 2 | 6 | 10 | 14 | 15 | 23 |
| 50-64 | 280 | 8.1 | 46 | 2 | 3 | 6 | 11 | 15 | 19 | 48 |
| 65+ | 970 | 12.9 | 177 | 3 | 4 | 9 | 15 | 28 | 43 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 35-49 | 37 | 7.9 | 66 | 1 | 2 | 4 | 11 | 16 | 29 | 34 |
| 50-64 | 158 | 8.1 | 68 | 1 | 2 | 5 | 12 | 17 | 23 | 46 |
| 65+ | 187 | 17.5 | 262 | 2 | 5 | 13 | 21 | 36 | 50 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 7.6 | 43 | 2 | 2 | 5 | 10 | 16 | 18 | 34 |
| B. *Operated* | 44 | 6.3 | 50 | 2 | 2 | 3 | 9 | 12 | 18 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1313 | 11.7 | 148 | 2 | 3 | 8 | 13 | 23 | 39 | 96 |
| B. *Operated* | 385 | 12.7 | 183 | 2 | 2 | 10 | 16 | 29 | 37 | 84 |
| **1. SINGLE DX** | 118 | 7.1 | 46 | 2 | 2 | 4 | 10 | 16 | 18 | 37 |
| **2. MULTIPLE DX** | 1698 | 11.9 | 156 | 2 | 3 | 8 | 14 | 24 | 38 | 92 |
| **A. NOT OPERATED** | 1387 | 11.4 | 143 | 2 | 3 | 8 | 13 | 23 | 37 | 94 |
| **B. OPERATED** | 429 | 12.0 | 173 | 2 | 2 | 9 | 15 | 27 | 36 | 83 |
| TOTAL 0-19 YRS | 5 | 20.0 | 340 | 5 | 5 | 18 | 27 | 51 | 51 | 51 |
| 20-34 | 7 | 6.6 | 33 | 1 | 1 | 3 | 11 | 15 | 16 | 16 |
| 35-49 | 111 | 7.2 | 36 | 2 | 2 | 5 | 11 | 14 | 17 | 33 |
| 50-64 | 490 | 7.9 | 53 | 2 | 2 | 6 | 11 | 16 | 20 | 46 |
| 65+ | 1203 | 13.5 | 190 | 3 | 3 | 10 | 16 | 29 | 44 | 99 |
| **GRAND TOTAL** | 1816 | 11.6 | 150 | 2 | 3 | 8 | 14 | 24 | 37 | 91 |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 5 | 13.6 | 260 | <1 | <1 | 4 | 27 | 37 | 37 | 37 |
| 35-49 | 12 | 11.6 | 67 | 1 | 2 | 13 | 19 | 40 | 89 | 99+ |
| 50-64 | 22 | 9.7 | 110 | <1 | <1 | 4 | 19 | 25 | 32 | 37 |
| 65+ | 7 | 9.3 | 58 | <1 | 1 | 8 | 13 | 22 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.3 | 86 | 2 | 2 | 15 | 19 | 20 | 20 | 20 |
| 20-34 | 24 | 17.8 | 147 | 2 | 3 | 17 | 22 | 37 | 44 | 46 |
| 35-49 | 28 | 22.6 | 123 | 4 | 9 | 22 | 27 | 41 | 43 | 46 |
| 50-64 | 47 | 22.6 | 222 | 3 | 9 | 20 | 28 | 45 | 58 | 69 |
| 65+ | 6 | 17.5 | 58 | 5 | 6 | 22 | 23 | 85 | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 20 | <1 | <1 | 6 | 9 | 12 | 12 | 12 |
| 20-34 | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 11 | 11.1 | 121 | 1 | 1 | 5 | 18 | 27 | 35 | 36 |
| 50-64 | 12 | 9.7 | 60 | 1 | 2 | 8 | 15 | 20 | 25 | 26 |
| 65+ | 37 | 25.4 | 315 | 3 | 5 | 25 | 39 | 44 | 98 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 25.3 | 409 | 7 | 7 | 22 | 42 | 50 | 51 | 51 |
| 20-34 | 17 | 19.5 | 99 | 3 | 5 | 20 | 28 | 75 | 99+ | 99+ |
| 35-49 | 45 | 30.3 | 314 | 8 | 11 | 29 | 39 | 56 | 79 | 99+ |
| 50-64 | 54 | 34.6 | 342 | 13 | 15 | 34 | 58 | 90 | 99+ | 99+ |
| 65+ | 36 | 42.5 | 401 | 14 | 16 | 41 | 62 | 74 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 10.3 | 98 | <1 | <1 | 7 | 17 | 25 | 37 | 99+ |
| B. *Operated* | 108 | 21.0 | 170 | 2 | 5 | 20 | 26 | 42 | 46 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 18.1 | 271 | 1 | 2 | 16 | 29 | 42 | 47 | 99+ |
| B. *Operated* | 158 | 33.2 | 361 | 8 | 13 | 33 | 51 | 72 | 99+ | 99+ |
| **1. SINGLE DX** | 156 | 17.7 | 171 | 1 | 2 | 17 | 24 | 37 | 45 | 97 |
| **2. MULTIPLE DX** | 225 | 28.7 | 381 | 3 | 6 | 26 | 42 | 68 | 99+ | 99+ |
| **A. NOT OPERATED** | 115 | 14.8 | 212 | <1 | 1 | 12 | 24 | 37 | 44 | 99+ |
| **B. OPERATED** | 264 | 28.2 | 319 | 5 | 10 | 24 | 40 | 63 | 80 | 99+ |
| TOTAL 0-19 YRS | 15 | 14.8 | 250 | <1 | 1 | 7 | 19 | 42 | 49 | 51 |
| 20-34 | 49 | 17.0 | 142 | 2 | 3 | 17 | 25 | 37 | 46 | 99+ |
| 35-49 | 96 | 23.5 | 259 | 2 | 4 | 22 | 33 | 46 | 58 | 99+ |
| 50-64 | 135 | 24.1 | 331 | 1 | 3 | 21 | 36 | 61 | 76 | 99+ |
| 65+ | 86 | 30.7 | 427 | 4 | 7 | 37 | 44 | 70 | 99+ | 99+ |
| **GRAND TOTAL** | 381 | 24.2 | 324 | 2 | 4 | 21 | 36 | 59 | 77 | 99+ |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 50.5 | 421 | 36 | 36 | 50 | 65 | 65 | 65 | 65 |
| 50-64 | 2 | 30.5 | 1405 | 4 | 4 | 30 | 57 | 57 | 57 | 57 |
| 65+ | 2 | 45.0 | 1456 | 18 | 18 | 45 | 72 | 72 | 72 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 25.3 | 196 | 14 | 14 | 21 | 36 | 41 | 41 | 41 |
| 35-49 | 6 | 37.5 | 512 | 1 | 3 | 42 | 53 | 63 | 64 | 64 |
| 50-64 | 3 | 76.7 | 804 | 44 | 44 | 93 | 97 | 99+ | 99+ | 99+ |
| 65+ | 3 | 50.7 | 1729 | 20 | 20 | 98 | 99+ | 99+ | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6 | 42.0 | 742 | 4 | 5 | 46 | 65 | 71 | 72 | 72 |
| B. *Operated* | 15 | 45.5 | 901 | 6 | 16 | 45 | 95 | 99+ | 99+ | 99+ |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | 21 | 44.5 | 819 | 3 | 13 | 45 | 81 | 99+ | 99+ | 99+ |
| A. NOT OPERATED | 6 | 42.0 | 742 | 4 | 5 | 46 | 65 | 71 | 72 | 72 |
| B. OPERATED | 15 | 45.5 | 901 | 6 | 16 | 45 | 95 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 25.3 | 196 | 14 | 14 | 21 | 36 | 41 | 41 | 41 |
| 35-49 | 8 | 40.8 | 462 | 1 | 8 | 42 | 58 | 65 | 65 | 65 |
| 50-64 | 5 | 58.2 | 1393 | 4 | 8 | 74 | 95 | 99+ | 99+ | 99+ |
| 65+ | 5 | 48.4 | 1239 | 18 | 18 | 72 | 99 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 21 | 44.5 | 819 | 3 | 13 | 45 | 81 | 99+ | 99+ | 99+ |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 13.8 | 195 | 4 | 4 | 8 | 23 | 34 | 34 | 34 |
| 35-49 | 8 | 7.9 | 65 | <1 | <1 | 6 | 13 | 21 | 22 | 22 |
| 50-64 | 18 | 12.2 | 157 | 1 | 1 | 8 | 18 | 34 | 42 | 43 |
| 65+ | 43 | 19.0 | 245 | 3 | 4 | 15 | 28 | 53 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.0 | 79 | 4 | 4 | 8 | 18 | 21 | 21 | 21 |
| 20-34 | 16 | 17.0 | 69 | 3 | 7 | 18 | 23 | 27 | 30 | 31 |
| 35-49 | 18 | 13.3 | 58 | 2 | 2 | 14 | 19 | 23 | 26 | 27 |
| 50-64 | 27 | 15.3 | 114 | 4 | 5 | 13 | 18 | 29 | 41 | 50 |
| 65+ | 57 | 18.3 | 158 | 6 | 9 | 14 | 22 | 34 | 59 | 97 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.3 | 34 | 1 | 1 | 7 | 12 | 14 | 14 | 14 |
| 20-34 | 6 | 25.7 | 561 | 3 | 3 | 19 | 39 | 63 | 66 | 66 |
| 35-49 | 23 | 25.7 | 451 | 5 | 8 | 17 | 36 | 59 | 69 | 86 |
| 50-64 | 91 | 18.0 | 280 | 4 | 5 | 12 | 23 | 39 | 48 | 97 |
| 65+ | 273 | 24.7 | 320 | 5 | 7 | 20 | 33 | 50 | 60 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 16.3 | 137 | 2 | 2 | 19 | 25 | 29 | 31 | 31 |
| 20-34 | 12 | 27.1 | 330 | 13 | 13 | 29 | 90 | 99+ | 99+ | 99+ |
| 35-49 | 30 | 27.7 | 442 | 2 | 8 | 24 | 40 | 63 | 90 | 99+ |
| 50-64 | 83 | 28.0 | 393 | 6 | 8 | 24 | 42 | 70 | 79 | 99+ |
| 65+ | 144 | 31.8 | 398 | 8 | 10 | 29 | 47 | 61 | 78 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 75 | 15.4 | 211 | 1 | 2 | 12 | 22 | 40 | 71 | 99+ |
| B. *Operated* | 121 | 16.5 | 121 | 4 | 6 | 14 | 20 | 29 | 37 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 397 | 23.0 | 326 | 4 | 6 | 18 | 32 | 49 | 60 | 99 |
| B. *Operated* | 277 | 29.5 | 393 | 6 | 9 | 26 | 45 | 67 | 83 | 99+ |
| 1. SINGLE DX | 196 | 16.1 | 155 | 2 | 3 | 14 | 20 | 33 | 48 | 99+ |
| 2. MULTIPLE DX | 674 | 25.7 | 364 | 5 | 7 | 21 | 36 | 55 | 75 | 99+ |
| A. NOT OPERATED | 472 | 21.8 | 315 | 3 | 5 | 17 | 30 | 48 | 61 | 99+ |
| B. OPERATED | 398 | 25.6 | 346 | 6 | 8 | 20 | 36 | 58 | 78 | 99+ |
| TOTAL 0-19 YRS | 17 | 11.4 | 106 | <1 | 1 | 8 | 21 | 26 | 29 | 31 |
| 20-34 | 38 | 21.2 | 246 | 4 | 6 | 20 | 31 | 86 | 99+ | 99+ |
| 35-49 | 79 | 21.8 | 364 | 2 | 3 | 17 | 27 | 51 | 68 | 97 |
| 50-64 | 219 | 20.9 | 322 | 3 | 5 | 16 | 29 | 48 | 72 | 99+ |
| 65+ | 517 | 25.5 | 336 | 5 | 8 | 20 | 35 | 52 | 69 | 99+ |
| GRAND TOTAL | 870 | 23.8 | 332 | 4 | 6 | 19 | 33 | 52 | 72 | 99+ |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 19.7 | 110 | 9 | 9 | 25 | 65 | 99+ | 99+ | 99+ |
| 50-64 | 33 | 30.2 | 297 | 13 | 13 | 26 | 41 | 65 | 78 | 99+ |
| 65+ | 81 | 32.1 | 333 | 11 | 14 | 28 | 44 | 70 | 96 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 44.2 | 362 | 16 | 16 | 45 | 58 | 66 | 66 | 66 |
| 35-49 | 4 | 33.8 | 500 | 11 | 11 | 33 | 52 | 58 | 58 | 58 |
| 50-64 | 7 | 35.7 | 355 | 14 | 15 | 43 | 56 | 88 | 99+ | 99+ |
| 65+ | 30 | 38.8 | 514 | 5 | 14 | 36 | 51 | 88 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 31.2 | 318 | 11 | 13 | 28 | 43 | 69 | 97 | 99+ |
| B. *Operated* | 46 | 38.5 | 451 | 10 | 14 | 37 | 52 | 82 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 163 | 33.3 | 364 | 11 | 14 | 31 | 48 | 74 | 99 | 99+ |
| **A. NOT OPERATED** | 117 | 31.2 | 318 | 11 | 13 | 28 | 43 | 69 | 97 | 99+ |
| **B. OPERATED** | 46 | 38.5 | 451 | 10 | 14 | 37 | 52 | 82 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 44.2 | 362 | 16 | 16 | 45 | 58 | 66 | 66 | 66 |
| 35-49 | 7 | 27.7 | 343 | 9 | 10 | 25 | 52 | 87 | 99+ | 99+ |
| 50-64 | 40 | 31.2 | 303 | 13 | 14 | 28 | 42 | 66 | 88 | 99+ |
| 65+ | 111 | 33.9 | 387 | 9 | 14 | 33 | 48 | 77 | 99 | 99+ |
| **GRAND TOTAL** | **163** | **33.3** | **364** | **11** | **14** | **31** | **48** | **74** | **99** | **99+** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 8 | 4.4 | 9 | 2 | 2 | 3 | 6 | 9 | 10 | 10 |
| 50-64 | 38 | 4.0 | 16 | <1 | 1 | 3 | 4 | 9 | 15 | 18 |
| 65+ | 48 | 7.5 | 116 | 2 | 2 | 4 | 7 | 15 | 20 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 4 | 10.3 | 82 | 1 | 1 | 10 | 18 | 19 | 19 | 19 |
| 35-49 | 48 | 9.4 | 74 | 2 | 2 | 8 | 12 | 17 | 25 | 45 |
| 50-64 | 487 | 8.7 | 42 | 2 | 2 | 7 | 11 | 16 | 21 | 32 |
| 65+ | 536 | 8.6 | 37 | 2 | 2 | 7 | 11 | 16 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 14.7 | 241 | 2 | 2 | 10 | 26 | 32 | 32 | 32 |
| 35-49 | 21 | 7.1 | 23 | 2 | 2 | 7 | 8 | 15 | 19 | 21 |
| 50-64 | 118 | 8.2 | 45 | 1 | 2 | 7 | 11 | 16 | 20 | 37 |
| 65+ | 369 | 11.3 | 128 | 2 | 3 | 9 | 14 | 22 | 34 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 35-49 | 71 | 12.6 | 161 | 2 | 2 | 8 | 18 | 29 | 41 | 62 |
| 50-64 | 909 | 10.2 | 75 | 2 | 2 | 8 | 13 | 19 | 24 | 49 |
| 65+ | 1285 | 12.6 | 117 | 2 | 3 | 10 | 16 | 24 | 34 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 5.9 | 68 | 1 | 2 | 3 | 7 | 11 | 17 | 55 |
| B. *Operated* | 1077 | 8.7 | 41 | 2 | 2 | 7 | 11 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 511 | 10.4 | 107 | 2 | 2 | 8 | 13 | 20 | 32 | 92 |
| B. *Operated* | 2268 | 11.6 | 103 | 2 | 2 | 9 | 15 | 22 | 30 | 56 |
| **1. SINGLE DX** | 1172 | 8.4 | 44 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 2779 | 11.4 | 104 | 2 | 2 | 9 | 14 | 22 | 30 | 60 |
| **A. NOT OPERATED** | 606 | 9.7 | 104 | 2 | 2 | 7 | 12 | 19 | 30 | 80 |
| **B. OPERATED** | 3345 | 10.7 | 85 | 2 | 2 | 8 | 14 | 21 | 25 | 50 |
| TOTAL 0-19 YRS | 3 | 6.3 | | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 10 | 10.8 | 95 | 1 | 1 | 10 | 17 | 25 | 32 | 32 |
| 35-49 | 148 | 10.4 | 110 | 2 | 2 | 7 | 13 | 22 | 33 | 49 |
| 50-64 | 1552 | 9.4 | 62 | 2 | 2 | 8 | 12 | 18 | 23 | 42 |
| 65+ | 2238 | 11.3 | 103 | 2 | 2 | 9 | 14 | 22 | 30 | 60 |
| **GRAND TOTAL** | **3951** | **10.5** | **88** | **2** | **2** | **8** | **13** | **20** | **26** | **53** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 15.0 | 128 | 7 | 7 | 15 | 23 | 23 | 23 | 23 |
| 50-64 | 18 | 20.7 | 259 | 5 | 6 | 14 | 34 | 47 | 54 | 56 |
| 65+ | 30 | 23.1 | 302 | 4 | 6 | 21 | 27 | 56 | 76 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 21.0 | 182 | 7 | 7 | 21 | 31 | 39 | 41 | 41 |
| 50-64 | 38 | 19.5 | 366 | 2 | 3 | 14 | 28 | 43 | 51 | 97 |
| 65+ | 57 | 21.0 | 360 | 3 | 5 | 17 | 29 | 59 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 21.9 | 275 | 5 | 6 | 20 | 27 | 50 | 65 | 99+ |
| B. *Operated* | 102 | 20.5 | 345 | 2 | 4 | 16 | 29 | 45 | 73 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 152 | 20.9 | 320 | 3 | 5 | 17 | 29 | 46 | 67 | 99+ |
| **A. NOT OPERATED** | 50 | 21.9 | 275 | 5 | 6 | 20 | 27 | 50 | 65 | 99+ |
| **B. OPERATED** | 102 | 20.5 | 345 | 2 | 4 | 16 | 29 | 45 | 73 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 19.7 | 159 | 7 | 7 | 21 | 30 | 37 | 41 | 41 |
| 50-64 | 56 | 19.9 | 327 | 2 | 4 | 14 | 29 | 44 | 53 | 94 |
| 65+ | 87 | 21.7 | 337 | 4 | 6 | 19 | 28 | 57 | 85 | 99+ |
| **GRAND TOTAL** | **152** | **20.9** | **320** | **3** | **5** | **17** | **29** | **46** | **67** | **99+** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.8 | 21 | 1 | 1 | 7 | 9 | 11 | 11 | 11 |
| 35-49 | 19 | 10.0 | 35 | 4 | 4 | 8 | 12 | 19 | 24 | 27 |
| 50-64 | 88 | 14.0 | 195 | 3 | 4 | 9 | 17 | 31 | 50 | 89 |
| 65+ | 238 | 14.2 | 172 | 3 | 4 | 10 | 19 | 30 | 46 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 20-34 | 6 | 13.2 | 52 | 2 | 2 | 15 | 19 | 20 | 20 | 20 |
| 35-49 | 16 | 8.1 | 17 | 3 | 4 | 7 | 10 | 15 | 17 | 18 |
| 50-64 | 23 | 12.2 | 93 | 2 | 3 | 9 | 17 | 28 | 32 | 35 |
| 65+ | 16 | 17.6 | 491 | 2 | 2 | 10 | 23 | 80 | 96 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.9 | 78 | 2 | 2 | 5 | 7 | 24 | 30 | 31 |
| 20-34 | 13 | 7.8 | 9 | 4 | 5 | 7 | 10 | 12 | 14 | 14 |
| 35-49 | 79 | 11.4 | 75 | 3 | 4 | 9 | 14 | 26 | 44 | 99+ |
| 50-64 | 626 | 15.1 | 187 | 4 | 5 | 11 | 18 | 32 | 51 | 99+ |
| 65+ | 2455 | 19.2 | 266 | 4 | 6 | 14 | 24 | 46 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.3 | 6 | 9 | 9 | 11 | 13 | 14 | 14 | 14 |
| 20-34 | 12 | 11.5 | 77 | 4 | 5 | 9 | 17 | 48 | 90 | 99+ |
| 35-49 | 29 | 15.8 | 179 | 2 | 4 | 11 | 22 | 43 | 54 | 99+ |
| 50-64 | 140 | 16.9 | 252 | 3 | 4 | 13 | 22 | 39 | 79 | 99+ |
| 65+ | 310 | 26.2 | 437 | 6 | 8 | 21 | 44 | 83 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 350 | 13.8 | 169 | 3 | 4 | 9 | 17 | 28 | 44 | 99 |
| B. *Operated* | 62 | 12.7 | 175 | 2 | 3 | 8 | 17 | 25 | 38 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3185 | 18.1 | 249 | 4 | 5 | 13 | 23 | 44 | 62 | 99+ |
| B. *Operated* | 494 | 22.5 | 381 | 4 | 6 | 17 | 32 | 74 | 99+ | 99+ |
| **1. SINGLE DX** | 412 | 13.6 | 170 | 3 | 4 | 9 | 17 | 28 | 44 | 99+ |
| **2. MULTIPLE DX** | 3679 | 18.7 | 268 | 4 | 5 | 14 | 24 | 48 | 70 | 99+ |
| **A. NOT OPERATED** | 3535 | 17.7 | 242 | 4 | 5 | 13 | 22 | 42 | 62 | 99+ |
| **B. OPERATED** | 556 | 21.4 | 367 | 3 | 5 | 16 | 30 | 68 | 99+ | 99+ |
| TOTAL 0-19 YRS | 16 | 9.1 | 65 | 2 | 2 | 6 | 12 | 21 | 28 | 31 |
| 20-34 | 36 | 9.7 | 43 | 2 | 4 | 9 | 13 | 19 | 30 | 99+ |
| 35-49 | 143 | 11.7 | 88 | 3 | 4 | 9 | 14 | 28 | 44 | 99+ |
| 50-64 | 877 | 15.2 | 196 | 4 | 5 | 11 | 18 | 33 | 53 | 99+ |
| 65+ | 3019 | 19.5 | 284 | 4 | 6 | 15 | 25 | 50 | 74 | 99+ |
| **GRAND TOTAL** | **4091** | **18.2** | **261** | **4** | **5** | **13** | **23** | **45** | **68** | **99+** |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 16.3 | 93 | 2 | 3 | 16 | 25 | 28 | 28 | 28 |
| 35-49 | 20 | 13.0 | 66 | 3 | 3 | 11 | 18 | 25 | 27 | 28 |
| 50-64 | 220 | 20.8 | 251 | 5 | 6 | 16 | 28 | 49 | 67 | 99+ |
| 65+ | 1016 | 24.6 | 324 | 6 | 8 | 20 | 35 | 58 | 91 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 6.0 | 7 | 4 | 4 | 7 | 54 | 99+ | 99+ | 99+ |
| 35-49 | 4 | 23.0 | 119 | 10 | 10 | 24 | 32 | 33 | 33 | 33 |
| 50-64 | 32 | 25.5 | 610 | 6 | 7 | 15 | 44 | 99 | 99+ | 99+ |
| 65+ | 125 | 34.5 | 450 | 10 | 13 | 32 | 49 | 76 | 98 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1262 | 23.7 | 310 | 5 | 7 | 19 | 33 | 56 | 85 | 99+ |
| B. *Operated* | 164 | 31.9 | 488 | 7 | 10 | 30 | 48 | 85 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1426 | 24.7 | 337 | 6 | 7 | 20 | 35 | 59 | 90 | 99+ |
| **A. NOT OPERATED** | 1262 | 23.7 | 310 | 5 | 7 | 19 | 33 | 56 | 85 | 99+ |
| **B. OPERATED** | 164 | 31.9 | 488 | 7 | 10 | 30 | 48 | 85 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 12.9 | 86 | 2 | 3 | 12 | 25 | 64 | 99+ | 99+ |
| 35-49 | 24 | 14.7 | 84 | 3 | 3 | 13 | 21 | 28 | 32 | 33 |
| 50-64 | 252 | 21.4 | 297 | 5 | 7 | 16 | 30 | 54 | 82 | 99+ |
| 65+ | 1141 | 25.7 | 347 | 6 | 8 | 21 | 36 | 60 | 92 | 99+ |
| **GRAND TOTAL** | **1426** | **24.7** | **337** | **6** | **7** | **20** | **35** | **59** | **90** | **99+** |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 28 | 4.5 | 11 | 1 | 2 | 4 | 5 | 7 | 14 | 15 |
| 35-49 | 127 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 389 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 974 | 6.2 | 34 | 2 | 2 | 5 | 8 | 11 | 14 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 8 | 4.8 | 15 | 2 | 2 | 3 | 6 | 11 | 13 | 13 |
| 35-49 | 39 | 6.2 | 23 | 2 | 2 | 5 | 9 | 13 | 16 | 22 |
| 50-64 | 160 | 5.5 | 14 | 2 | 2 | 4 | 7 | 12 | 14 | 15 |
| 65+ | 125 | 6.7 | 29 | 2 | 2 | 5 | 9 | 15 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.8 | 11 | 5 | 5 | 7 | 10 | 13 | 13 | 13 |
| 20-34 | 43 | 5.4 | 9 | 1 | 1 | 5 | 7 | 9 | 11 | 14 |
| 35-49 | 262 | 6.2 | 19 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 50-64 | 1657 | 7.1 | 31 | 2 | 3 | 6 | 9 | 12 | 16 | 26 |
| 65+ | 8521 | 9.9 | 94 | 2 | 3 | 7 | 12 | 19 | 26 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 13 | 10.8 | 87 | 2 | 3 | 8 | 12 | 23 | 35 | 38 |
| 35-49 | 77 | 7.2 | 44 | 2 | 2 | 5 | 9 | 14 | 21 | 34 |
| 50-64 | 539 | 9.3 | 53 | 2 | 3 | 8 | 12 | 18 | 23 | 33 |
| 65+ | 1054 | 15.7 | 196 | 3 | 4 | 12 | 19 | 33 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1523 | 5.8 | 26 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | 333 | 6.0 | 21 | 2 | 2 | 5 | 8 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10489 | 9.4 | 83 | 2 | 3 | 7 | 11 | 17 | 24 | 68 |
| B. *Operated* | 1684 | 13.3 | 153 | 2 | 3 | 10 | 16 | 27 | 40 | 99+ |
| **1. SINGLE DX** | 1856 | 5.8 | 25 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 12173 | 9.9 | 94 | 2 | 3 | 7 | 12 | 19 | 27 | 74 |
| **A. NOT OPERATED** | 12012 | 8.9 | 77 | 2 | 3 | 7 | 11 | 16 | 23 | 64 |
| **B. OPERATED** | 2017 | 12.1 | 138 | 2 | 3 | 9 | 15 | 25 | 32 | 94 |
| TOTAL 0-19 YRS | 13 | 6.7 | 13 | 1 | 3 | 5 | 10 | 11 | 13 | 13 |
| 20-34 | 92 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 30 |
| 35-49 | 505 | 6.0 | 21 | 2 | 2 | 5 | 8 | 11 | 13 | 23 |
| 50-64 | 2745 | 7.2 | 33 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 10674 | 10.1 | 102 | 2 | 3 | 7 | 12 | 19 | 28 | 81 |
| **GRAND TOTAL** | **14029** | **9.4** | **87** | **2** | **3** | **7** | **11** | **18** | **25** | **68** |

### 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.4 | 5 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 3 | 6.0 | 4 | 4 | 4 | 7 | 54 | 99+ | 99+ | 99+ |
| 35-49 | 50 | 11.7 | 111 | 2 | 2 | 9 | 16 | 22 | 29 | 61 |
| 50-64 | 216 | 11.8 | 109 | 2 | 3 | 9 | 15 | 25 | 35 | 58 |
| 65+ | 814 | 15.6 | 205 | 3 | 4 | 11 | 20 | 36 | 52 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 7.7 | 20 | 3 | 3 | 8 | 11 | 12 | 12 | 12 |
| 35-49 | 6 | 14.2 | 91 | 2 | 2 | 14 | 20 | 27 | 28 | 28 |
| 50-64 | 49 | 11.2 | 87 | 2 | 2 | 8 | 14 | 26 | 32 | 37 |
| 65+ | 55 | 14.7 | 277 | 2 | 3 | 11 | 17 | 38 | 86 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 15.9 | 338 | 2 | 3 | 6 | 24 | 46 | 59 | 59 |
| 20-34 | 27 | 9.7 | 69 | 1 | 3 | 8 | 13 | 17 | 26 | 39 |
| 35-49 | 154 | 13.3 | 107 | 3 | 4 | 10 | 17 | 29 | 39 | 98 |
| 50-64 | 1131 | 16.0 | 229 | 3 | 4 | 12 | 20 | 37 | 56 | 99+ |
| 65+ | 5798 | 20.1 | 291 | 4 | 6 | 15 | 26 | 49 | 73 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 8 | 16.9 | 52 | 5 | 7 | 16 | 22 | 27 | 28 | 28 |
| 35-49 | 45 | 20.2 | 308 | 5 | 7 | 14 | 25 | 42 | 65 | 72 |
| 50-64 | 215 | 21.0 | 295 | 5 | 7 | 17 | 27 | 57 | 81 | 99+ |
| 65+ | 735 | 29.2 | 426 | 7 | 9 | 25 | 45 | 84 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1088 | 14.6 | 183 | 2 | 4 | 10 | 19 | 33 | 47 | 99+ |
| B. *Operated* | 114 | 12.9 | 178 | 2 | 2 | 10 | 17 | 28 | 39 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7119 | 19.3 | 280 | 4 | 5 | 14 | 25 | 46 | 70 | 99+ |
| B. *Operated* | 1005 | 26.9 | 403 | 6 | 8 | 22 | 40 | 76 | 99+ | 99+ |
| **1. SINGLE DX** | 1202 | 14.4 | 183 | 2 | 3 | 10 | 19 | 33 | 46 | 99+ |
| **2. MULTIPLE DX** | 8124 | 20.2 | 301 | 4 | 6 | 15 | 27 | 49 | 77 | 99+ |
| **A. NOT OPERATED** | 8207 | 18.7 | 269 | 4 | 5 | 14 | 24 | 44 | 68 | 99+ |
| **B. OPERATED** | 1119 | 25.4 | 398 | 5 | 7 | 20 | 38 | 74 | 99+ | 99+ |
| TOTAL 0-19 YRS | 17 | 10.9 | 204 | 2 | 2 | 6 | 11 | 26 | 48 | 59 |
| 20-34 | 41 | 10.7 | 66 | 2 | 3 | 9 | 15 | 24 | 32 | 99+ |
| 35-49 | 255 | 14.2 | 149 | 2 | 4 | 10 | 18 | 31 | 40 | 72 |
| 50-64 | 1611 | 16.0 | 224 | 3 | 4 | 11 | 20 | 37 | 57 | 99+ |
| 65+ | 7402 | 20.5 | 305 | 4 | 6 | 15 | 28 | 51 | 78 | 99+ |
| **GRAND TOTAL** | **9326** | **19.5** | **290** | **4** | **5** | **14** | **26** | **48** | **74** | **99+** |

### 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 27.8 | 748 | 6 | 7 | 17 | 34 | 75 | 80 | 80 |
| 20-34 | 3 | 15.3 | 184 | 7 | 7 | 8 | 25 | 31 | 31 | 31 |
| 35-49 | 54 | 20.6 | 300 | 4 | 4 | 16 | 22 | 49 | 56 | 82 |
| 50-64 | 445 | 21.9 | 288 | 5 | 7 | 17 | 29 | 47 | 78 | 99+ |
| 65+ | 2262 | 24.0 | 323 | 5 | 7 | 20 | 34 | 56 | 84 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 20-34 | 7 | 30.3 | 473 | 7 | 8 | 25 | 44 | 64 | 68 | 68 |
| 35-49 | 22 | 29.4 | 593 | 3 | 4 | 23 | 42 | 76 | 81 | 85 |
| 50-64 | 72 | 29.4 | 379 | 6 | 9 | 26 | 48 | 73 | 99+ | 99+ |
| 65+ | 293 | 33.7 | 471 | 9 | 12 | 30 | 55 | 95 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2770 | 23.6 | 318 | 5 | 7 | 19 | 32 | 55 | 83 | 99+ |
| B. *Operated* | 395 | 32.6 | 460 | 8 | 11 | 29 | 52 | 88 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 3165 | 24.7 | 345 | 5 | 7 | 20 | 35 | 60 | 90 | 99+ |
| **A. NOT OPERATED** | 2770 | 23.6 | 318 | 5 | 7 | 19 | 32 | 55 | 83 | 99+ |
| **B. OPERATED** | 395 | 32.6 | 460 | 8 | 11 | 29 | 52 | 88 | 99+ | 99+ |
| TOTAL 0-19 YRS | 7 | 27.0 | 628 | 6 | 7 | 22 | 31 | 71 | 80 | 80 |
| 20-34 | 10 | 25.8 | 408 | 7 | 7 | 24 | 31 | 59 | 68 | 68 |
| 35-49 | 76 | 23.1 | 394 | 3 | 4 | 17 | 30 | 51 | 72 | 84 |
| 50-64 | 517 | 23.0 | 307 | 5 | 7 | 18 | 31 | 53 | 85 | 99+ |
| 65+ | 2555 | 25.1 | 350 | 6 | 8 | 20 | 36 | 62 | 91 | 99+ |
| **GRAND TOTAL** | **3165** | **24.7** | **345** | **5** | **7** | **20** | **35** | **60** | **90** | **99+** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 32 | 1 | 1 | 3 | 8 | 13 | 13 | 13 |
| 20-34 | 15 | 7.3 | 69 | <1 | 1 | 6 | 9 | 14 | 29 | 34 |
| 35-49 | 45 | 6.6 | 99 | 1 | 2 | 4 | 8 | 11 | 17 | 66 |
| 50-64 | 101 | 6.6 | 58 | 1 | 2 | 5 | 8 | 11 | 17 | 79 |
| 65+ | 260 | 8.7 | 78 | 2 | 2 | 6 | 10 | 18 | 26 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 20-34 | 15 | 20.5 | 412 | 2 | 2 | 14 | 26 | 34 | 72 | 85 |
| 35-49 | 28 | 15.0 | 241 | 2 | 2 | 7 | 24 | 32 | 41 | 67 |
| 50-64 | 81 | 7.9 | 78 | 1 | 2 | 5 | 8 | 22 | 34 | 80 |
| 65+ | 86 | 7.7 | 122 | 2 | 2 | 4 | 9 | 19 | 23 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 21.0 | 1166 | 1 | 1 | 4 | 24 | 81 | 95 | 95 |
| 20-34 | 35 | 10.3 | 297 | 2 | 2 | 5 | 7 | 21 | 61 | 79 |
| 35-49 | 144 | 10.1 | 106 | 2 | 3 | 7 | 11 | 19 | 30 | 53 |
| 50-64 | 635 | 10.9 | 132 | 2 | 3 | 8 | 13 | 21 | 36 | 80 |
| 65+ | 3659 | 14.3 | 209 | 3 | 4 | 10 | 17 | 35 | 56 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 98 | 3 | 3 | 10 | 17 | 17 | 17 | 17 |
| 20-34 | 14 | 13.0 | 60 | 4 | 5 | 11 | 19 | 24 | 29 | 31 |
| 35-49 | 52 | 19.0 | 455 | 2 | 3 | 10 | 28 | 58 | 74 | 99 |
| 50-64 | 228 | 15.0 | 265 | 2 | 2 | 11 | 19 | 35 | 59 | 99+ |
| 65+ | 503 | 19.4 | 301 | 3 | 4 | 15 | 29 | 60 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 7.9 | 75 | 1 | 2 | 6 | 9 | 16 | 24 | 64 |
| B. *Operated* | 211 | 9.8 | 155 | 2 | 2 | 5 | 12 | 26 | 34 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4480 | 13.6 | 198 | 3 | 4 | 9 | 16 | 32 | 54 | 99+ |
| B. *Operated* | 799 | 18.0 | 300 | 2 | 3 | 13 | 26 | 52 | 88 | 99+ |
| **1. SINGLE DX** | 636 | 8.5 | 102 | 1 | 2 | 6 | 9 | 19 | 30 | 68 |
| **2. MULTIPLE DX** | 5279 | 14.3 | 216 | 3 | 4 | 10 | 17 | 36 | 57 | 99+ |
| **A. NOT OPERATED** | 4905 | 13.1 | 190 | 2 | 3 | 9 | 15 | 30 | 52 | 99+ |
| **B. OPERATED** | 1010 | 16.3 | 280 | 2 | 2 | 11 | 23 | 44 | 79 | 99+ |
| TOTAL 0-19 YRS | 14 | 15.5 | 628 | 1 | 1 | 4 | 19 | 37 | 82 | 95 |
| 20-34 | 79 | 12.2 | 245 | 1 | 2 | 7 | 13 | 30 | 36 | 83 |
| 35-49 | 269 | 11.8 | 201 | 2 | 2 | 7 | 12 | 28 | 45 | 75 |
| 50-64 | 1045 | 11.2 | 156 | 2 | 2 | 7 | 13 | 26 | 38 | 98 |
| 65+ | 4508 | 14.4 | 215 | 3 | 4 | 10 | 18 | 36 | 59 | 99+ |
| **GRAND TOTAL** | **5915** | **13.7** | **207** | **2** | **3** | **9** | **16** | **34** | **55** | **99+** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 6.2 | 19 | 2 | 2 | 5 | 11 | 12 | 12 | 12 |
| 50-64 | 13 | 5.2 | 24 | 1 | 1 | 4 | 5 | 14 | 17 | 18 |
| 65+ | 32 | 6.3 | 109 | 1 | 1 | 4 | 7 | 10 | 11 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 35-49 | 29 | 9.0 | 70 | 2 | 2 | 8 | 12 | 20 | 27 | 37 |
| 50-64 | 110 | 8.5 | 44 | 1 | 2 | 8 | 13 | 17 | 21 | 31 |
| 65+ | 127 | 10.0 | 77 | 1 | 2 | 9 | 15 | 19 | 25 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 10 | 9.7 | 50 | 2 | 2 | 9 | 12 | 20 | 25 | 25 |
| 50-64 | 115 | 8.8 | 92 | 1 | 2 | 6 | 10 | 17 | 24 | 58 |
| 65+ | 669 | 12.9 | 201 | 2 | 3 | 9 | 15 | 31 | 55 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 5 | 12 | 12 | 13 | 15 | 15 | 15 | 15 |
| 20-34 | 11 | 15.0 | 271 | 2 | 2 | 8 | 19 | 46 | 48 | 48 |
| 35-49 | 83 | 15.6 | 188 | 2 | 2 | 11 | 20 | 37 | 44 | 64 |
| 50-64 | 614 | 17.8 | 292 | 2 | 3 | 13 | 22 | 41 | 68 | 99+ |
| 65+ | 1317 | 22.7 | 331 | 2 | 5 | 18 | 32 | 53 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 5.9 | 74 | 1 | 1 | 4 | 7 | 11 | 13 | 60 |
| B. *Operated* | 268 | 9.3 | 63 | 1 | 2 | 8 | 14 | 18 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 794 | 12.2 | 185 | 2 | 3 | 8 | 15 | 29 | 53 | 99+ |
| B. *Operated* | 2027 | 20.9 | 319 | 2 | 4 | 16 | 28 | 50 | 70 | 99+ |
| **1. SINGLE DX** | 320 | 8.7 | 66 | 1 | 2 | 7 | 13 | 18 | 22 | 40 |
| **2. MULTIPLE DX** | 2821 | 18.5 | 296 | 2 | 3 | 14 | 24 | 46 | 67 | 99+ |
| **A. NOT OPERATED** | 846 | 11.8 | 181 | 2 | 2 | 8 | 14 | 28 | 50 | 99+ |
| **B. OPERATED** | 2295 | 19.5 | 303 | 2 | 3 | 15 | 25 | 47 | 67 | 99+ |
| TOTAL 0-19 YRS | 2 | 13.5 | 5 | 12 | 12 | 13 | 15 | 15 | 15 | 15 |
| 20-34 | 14 | 13.0 | 229 | 2 | 2 | 7 | 17 | 44 | 47 | 48 |
| 35-49 | 128 | 13.2 | 152 | 2 | 2 | 10 | 17 | 30 | 41 | 62 |
| 50-64 | 852 | 15.2 | 246 | 2 | 2 | 12 | 18 | 33 | 54 | 99 |
| 65+ | 2145 | 18.6 | 299 | 2 | 3 | 14 | 25 | 47 | 68 | 99+ |
| **GRAND TOTAL** | **3141** | **17.5** | **281** | **2** | **3** | **13** | **22** | **43** | **63** | **99+** |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 14 | 5.6 | 16 | 2 | 3 | 4 | 6 | 11 | 15 | 16 |
| 65+ | 42 | 6.3 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 8.5 | 22 | 2 | 2 | 9 | 11 | 13 | 13 | 13 |
| 50-64 | 128 | 11.9 | 35 | 2 | 5 | 11 | 14 | 18 | 22 | 36 |
| 65+ | 286 | 14.2 | 58 | 3 | 7 | 13 | 17 | 24 | 28 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 39 | 7.1 | 50 | 1 | 1 | 4 | 9 | 17 | 24 | 32 |
| 65+ | 348 | 9.8 | 75 | 2 | 3 | 7 | 12 | 20 | 27 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 48.5 | 1985 | 17 | 17 | 48 | 80 | 80 | 80 | 80 |
| 20-34 | 8 | 26.9 | 429 | 2 | 4 | 29 | 48 | 84 | 99+ | 99+ |
| 35-49 | 13 | 21.8 | 383 | 2 | 2 | 19 | 26 | 61 | 63 | 63 |
| 50-64 | 409 | 16.9 | 145 | 4 | 8 | 14 | 19 | 28 | 41 | 80 |
| 65+ | 1047 | 19.2 | 175 | 4 | 8 | 16 | 23 | 34 | 45 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 6.0 | 16 | 2 | 2 | 5 | 9 | 12 | 15 | 19 |
| B. *Operated* | 418 | 13.5 | 52 | 2 | 6 | 13 | 16 | 22 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 389 | 9.5 | 73 | 2 | 2 | 7 | 12 | 20 | 27 | 57 |
| B. *Operated* | 1479 | 18.7 | 173 | 4 | 8 | 15 | 22 | 33 | 45 | 87 |
| **1. SINGLE DX** | 477 | 12.6 | 53 | 2 | 3 | 12 | 16 | 21 | 24 | 40 |
| **2. MULTIPLE DX** | 1868 | 16.8 | 166 | 3 | 4 | 14 | 21 | 31 | 42 | 85 |
| **A. NOT OPERATED** | 448 | 9.1 | 67 | 2 | 2 | 7 | 11 | 19 | 26 | 54 |
| **B. OPERATED** | 1897 | 17.5 | 151 | 4 | 7 | 15 | 21 | 30 | 41 | 82 |
| TOTAL 0-19 YRS | 4 | 26.8 | 1303 | 1 | 1 | 13 | 48 | 80 | 80 | 80 |
| 20-34 | 8 | 26.9 | 429 | 2 | 4 | 29 | 48 | 84 | 99+ | 99+ |
| 35-49 | 20 | 16.4 | 307 | 2 | 2 | 11 | 20 | 45 | 61 | 63 |
| 50-64 | 590 | 14.9 | 122 | 3 | 4 | 13 | 17 | 24 | 34 | 73 |
| 65+ | 1723 | 16.2 | 148 | 3 | 4 | 14 | 20 | 29 | 40 | 82 |
| **GRAND TOTAL** | 2345 | 15.9 | 146 | 3 | 4 | 13 | 19 | 28 | 40 | 80 |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 6 | 4.8 | 10 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 5 | 5.2 | 6 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 7.5 | 64 | 1 | 2 | 4 | 12 | 16 | 27 | 30 |
| 35-49 | 33 | 11.7 | 116 | 2 | 2 | 8 | 17 | 25 | 35 | 46 |
| 50-64 | 52 | 11.4 | [illegible] | 2 | 2 | 11 | 15 | 21 | 24 | 37 |
| 65+ | 63 | 10.3 | 67 | 1 | 2 | 9 | 12 | 20 | 22 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| 50-64 | 7 | 14.0 | 187 | 1 | 1 | 11 | 23 | 36 | 38 | 38 |
| 65+ | 24 | 8.8 | 56 | 1 | 2 | 8 | 11 | 21 | 27 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 15.0 | 8 | 13 | 13 | 15 | 17 | 17 | 17 | 17 |
| 20-34 | 9 | 9.2 | 39 | 1 | 2 | 8 | 12 | 19 | 22 | 22 |
| 35-49 | 27 | 17.0 | 313 | 2 | 3 | 11 | 23 | 53 | 78 | 99+ |
| 50-64 | 106 | 15.2 | 114 | 2 | 3 | 13 | 20 | 33 | 35 | 47 |
| 65+ | 184 | 18.4 | 204 | 3 | 4 | 15 | 23 | 36 | 45 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 5.0 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| B. *Operated* | 163 | 10.6 | 72 | 2 | 2 | 9 | 14 | 21 | 25 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 9.7 | 82 | 1 | 2 | 8 | 11 | 26 | 30 | 38 |
| B. *Operated* | 328 | 17.0 | 181 | 2 | 4 | 13 | 21 | 34 | 45 | 78 |
| **1. SINGLE DX** | 174 | 10.2 | 70 | 2 | 2 | 9 | 13 | 21 | 24 | 44 |
| **2. MULTIPLE DX** | 361 | 16.3 | 176 | 2 | 3 | 13 | 21 | 34 | 43 | 75 |
| **A. NOT OPERATED** | 44 | 8.5 | 67 | 1 | 2 | 7 | 10 | 21 | 28 | 38 |
| **B. OPERATED** | 491 | 14.9 | 184 | 2 | 3 | 12 | 19 | 31 | 38 | 65 |
| TOTAL 0-19 YRS | 4 | 8.3 | 64 | <1 | <1 | 7 | 15 | 17 | 17 | 17 |
| 20-34 | 22 | 8.2 | 52 | 1 | 2 | 7 | 12 | 16 | 25 | 30 |
| 35-49 | 62 | 13.8 | 204 | 2 | 2 | 10 | 17 | 31 | 51 | 97 |
| 50-64 | 171 | 13.6 | 99 | 2 | 2 | 11 | 18 | 29 | 34 | 48 |
| 65+ | 276 | 15.5 | 174 | 2 | 3 | 12 | 20 | 32 | 39 | 67 |
| **GRAND TOTAL** | 535 | 14.3 | 149 | 2 | 2 | 11 | 18 | 30 | 37 | 61 |

### 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 6 | 8.5 | 41 | 2 | 2 | 7 | 11 | 19 | 20 | 20 |
| 35-49 | 9 | 3.6 | 16 | 2 | 2 | 2 | 3 | 10 | 14 | 14 |
| 50-64 | 40 | 4.9 | 25 | 1 | 1 | 3 | 7 | 10 | 12 | 28 |
| 65+ | 59 | 5.8 | 22 | 1 | 1 | 3 | 9 | 13 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.0 | 129 | 2 | 2 | 5 | 18 | 23 | 23 | 23 |
| 20-34 | 13 | 7.8 | 38 | <1 | 2 | 6 | 11 | 19 | 20 | 20 |
| 35-49 | 127 | 8.3 | 52 | 1 | 2 | 8 | 11 | 18 | 23 | 40 |
| 50-64 | 409 | 9.8 | 44 | 2 | 2 | 10 | 13 | 18 | 22 | 31 |
| 65+ | 460 | 11.6 | 72 | 2 | 2 | 10 | 15 | 22 | 26 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 6.5 | 7 | 4 | 4 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 23 | 5.9 | 19 | 1 | 1 | 5 | 7 | 12 | 15 | 19 |
| 50-64 | 103 | 8.5 | 60 | 1 | 2 | 7 | 13 | 17 | 20 | 45 |
| 65+ | 267 | 11.2 | 116 | 1 | 2 | 9 | 14 | 22 | 33 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.2 | 27 | 2 | 2 | 9 | 10 | 15 | 16 | 16 |
| 20-34 | 27 | 12.8 | 91 | 2 | 3 | 11 | 15 | 34 | 46 | 99+ |
| 35-49 | 213 | 15.0 | 140 | 2 | 3 | 12 | 19 | 28 | 38 | 76 |
| 50-64 | 1189 | 15.2 | 154 | 2 | 4 | 12 | 18 | 29 | 42 | 96 |
| 65+ | 1991 | 18.4 | 206 | 3 | 5 | 15 | 24 | 38 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 5.5 | 24 | 1 | 1 | 3 | 9 | 12 | 15 | 23 |
| B. *Operated* | 1012 | 10.4 | 59 | 2 | 2 | 9 | 14 | 20 | 24 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 398 | 10.1 | 97 | 1 | 2 | 8 | 13 | 19 | 27 | 54 |
| B. *Operated* | 3426 | 17.0 | 186 | 2 | 4 | 14 | 21 | 35 | 49 | 99+ |
| **1. SINGLE DX** | 1128 | 9.9 | 58 | 2 | 2 | 9 | 13 | 19 | 24 | 39 |
| **2. MULTIPLE DX** | 3824 | 16.3 | 181 | 2 | 4 | 13 | 20 | 34 | 47 | 99+ |
| **A. NOT OPERATED** | 514 | 9.1 | 84 | 1 | 2 | 7 | 12 | 18 | 24 | 51 |
| **B. OPERATED** | 4438 | 15.5 | 164 | 2 | 3 | 13 | 19 | 31 | 44 | 99+ |
| TOTAL 0-19 YRS | 12 | 8.6 | 38 | 2 | 2 | 8 | 10 | 18 | 22 | 23 |
| 20-34 | 50 | 10.5 | 69 | 2 | 2 | 9 | 13 | 22 | 37 | 99 |
| 35-49 | 372 | 11.9 | 113 | 2 | 2 | 10 | 15 | 23 | 32 | 59 |
| 50-64 | 1741 | 13.3 | 128 | 2 | 2 | 11 | 17 | 24 | 36 | 78 |
| 65+ | 2777 | 16.4 | 183 | 2 | 3 | 13 | 21 | 34 | 46 | 99+ |
| **GRAND TOTAL** | 4952 | 14.9 | 160 | 2 | 3 | 12 | 19 | 30 | 43 | 96 |

### 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 5.8 | 12 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| 20-34 | 32 | 5.3 | 14 | 1 | 1 | 5 | 7 | 10 | 13 | 17 |
| 35-49 | 49 | 6.7 | 42 | 1 | 1 | 5 | 8 | 17 | 20 | 30 |
| 50-64 | 67 | 7.2 | 97 | 1 | 1 | 4 | 8 | 17 | 28 | 57 |
| 65+ | 112 | 5.9 | 31 | 1 | 1 | 4 | 8 | 13 | 15 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.7 | 21 | 1 | 1 | 2 | 3 | 12 | 16 | 17 |
| 20-34 | 52 | 6.0 | 58 | 1 | 1 | 3 | 7 | 15 | 25 | 38 |
| 35-49 | 125 | 8.4 | 103 | 1 | 2 | 5 | 10 | 20 | 30 | 54 |
| 50-64 | 316 | 9.1 | 132 | 1 | 2 | 5 | 12 | 19 | 27 | 65 |
| 65+ | 381 | 9.9 | 86 | 1 | 2 | 8 | 14 | 22 | 26 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 9.4 | 69 | 2 | 2 | 7 | 12 | 19 | 21 | 36 |
| 20-34 | 47 | 6.8 | 41 | 1 | 2 | 5 | 8 | 15 | 20 | 35 |
| 35-49 | 95 | 8.1 | 57 | 2 | 2 | 6 | 8 | 18 | 25 | 39 |
| 50-64 | 286 | 7.7 | 57 | 1 | 2 | 5 | 10 | 16 | 22 | 35 |
| 65+ | 784 | 11.5 | 124 | 2 | 3 | 8 | 14 | 25 | 32 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 11.3 | 375 | 1 | 2 | 3 | 12 | 27 | 62 | 77 |
| 20-34 | 52 | 13.8 | 294 | 1 | 2 | 6 | 19 | 36 | 66 | 99 |
| 35-49 | 201 | 12.7 | 151 | 2 | 2 | 10 | 17 | 25 | 35 | 72 |
| 50-64 | 820 | 16.6 | 278 | 2 | 2 | 12 | 20 | 38 | 58 | 98 |
| 65+ | 1736 | 19.8 | 308 | 2 | 4 | 15 | 26 | 49 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 6.2 | 41 | 1 | 1 | 4 | 8 | 13 | 17 | 31 |
| B. *Operated* | 892 | 9.0 | 103 | 1 | 2 | 6 | 12 | 20 | 27 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1248 | 10.1 | 102 | 2 | 2 | 7 | 12 | 22 | 30 | 69 |
| B. *Operated* | 2825 | 18.2 | 293 | 2 | 3 | 13 | 24 | 45 | 63 | 99+ |
| **1. SINGLE DX** | 1214 | 8.3 | 88 | 1 | 2 | 5 | 11 | 18 | 25 | 47 |
| **2. MULTIPLE DX** | 4073 | 15.7 | 248 | 2 | 2 | 11 | 20 | 37 | 57 | 99+ |
| **A. NOT OPERATED** | 1570 | 9.3 | 92 | 1 | 2 | 7 | 12 | 20 | 28 | 60 |
| **B. OPERATED** | 3717 | 16.0 | 263 | 2 | 2 | 12 | 21 | 38 | 58 | 99+ |
| TOTAL 0-19 YRS | 132 | 7.2 | 76 | 1 | 2 | 5 | 8 | 18 | 19 | 44 |
| 20-34 | 183 | 8.3 | 124 | 1 | 1 | 5 | 9 | 21 | 28 | 71 |
| 35-49 | 470 | 10.0 | 113 | 1 | 2 | 7 | 13 | 23 | 30 | 58 |
| 50-64 | 1489 | 12.9 | 213 | 2 | 2 | 9 | 16 | 30 | 46 | 87 |
| 65+ | 3013 | 15.8 | 244 | 2 | 2 | 11 | 21 | 37 | 57 | 99+ |
| **GRAND TOTAL** | 5287 | 14.0 | 221 | 2 | 2 | 10 | 18 | 32 | 50 | 99+ |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 8.2 | 27 | 1 | 3 | 8 | 10 | 14 | 20 | 25 |
| 20-34 | 493 | 8.9 | 22 | 3 | 4 | 8 | 11 | 14 | 18 | 26 |
| 35-49 | 604 | 9.3 | 24 | 3 | 4 | 8 | 12 | 15 | 18 | 25 |
| 50-64 | 752 | 9.6 | 23 | 3 | 4 | 9 | 11 | 16 | 19 | 26 |
| 65+ | 591 | 10.3 | 23 | 4 | 5 | 10 | 13 | 16 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 9.5 | 48 | 2 | 3 | 7 | 12 | 21 | 25 | 26 |
| 20-34 | 161 | 9.5 | 40 | 2 | 2 | 9 | 12 | 18 | 22 | 29 |
| 35-49 | 180 | 9.8 | 34 | 2 | 3 | 9 | 14 | 17 | 20 | 26 |
| 50-64 | 181 | 10.2 | 35 | 2 | 3 | 9 | 13 | 18 | 22 | 29 |
| 65+ | 143 | 11.1 | 62 | 2 | 3 | 10 | 15 | 19 | 23 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 8.4 | 24 | 3 | 3 | 7 | 10 | 17 | 19 | 20 |
| 20-34 | 379 | 10.5 | 45 | 3 | 4 | 9 | 13 | 17 | 21 | 39 |
| 35-49 | 824 | 10.9 | 53 | 3 | 5 | 9 | 13 | 19 | 23 | 40 |
| 50-64 | 1591 | 11.7 | 42 | 4 | 5 | 11 | 14 | 19 | 23 | 37 |
| 65+ | 2379 | 13.2 | 66 | 5 | 6 | 11 | 16 | 22 | 28 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 11.9 | 89 | 3 | 4 | 9 | 15 | 20 | 34 | 35 |
| 20-34 | 168 | 12.0 | 74 | 2 | 4 | 10 | 15 | 22 | 28 | 44 |
| 35-49 | 315 | 13.1 | 70 | 3 | 4 | 11 | 17 | 24 | 29 | 52 |
| 50-64 | 536 | 14.0 | 115 | 3 | 5 | 12 | 16 | 26 | 35 | 83 |
| 65+ | 669 | 17.9 | 162 | 5 | 6 | 14 | 21 | 33 | 45 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2498 | 9.5 | 23 | 3 | 4 | 9 | 12 | 16 | 18 | 26 |
| B. *Operated* | 685 | 10.1 | 42 | 2 | 3 | 9 | 13 | 13 | 22 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5211 | 12.1 | 56 | 4 | 5 | 11 | 15 | 20 | 25 | 43 |
| B. *Operated* | 1704 | 15.1 | 126 | 3 | 5 | 13 | 18 | 28 | 38 | 68 |
| **1. SINGLE DX** | 3183 | 9.6 | 28 | 3 | 4 | 9 | 12 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | 6915 | 12.9 | 75 | 4 | 5 | 11 | 15 | 22 | 28 | 50 |
| **A. NOT OPERATED** | 7709 | 11.3 | 47 | 4 | 5 | 10 | 14 | 19 | 23 | 39 |
| **B. OPERATED** | 2389 | 13.7 | 107 | 3 | 4 | 11 | 17 | 25 | 33 | 57 |
| TOTAL 0-19 YRS | 132 | 8.9 | 37 | 2 | 3 | 8 | 10 | 17 | 22 | 33 |
| 20-34 | 1201 | 9.9 | 40 | 3 | 4 | 9 | 12 | 17 | 21 | 34 |
| 35-49 | 1923 | 10.7 | 47 | 3 | 4 | 9 | 13 | 18 | 22 | 38 |
| 50-64 | 3060 | 11.5 | 52 | 4 | 5 | 10 | 14 | 19 | 24 | 39 |
| 65+ | 3782 | 13.5 | 81 | 4 | 6 | 11 | 16 | 23 | 30 | 55 |
| **GRAND TOTAL** | **10098** | **11.8** | **62** | **3** | **5** | **10** | **14** | **20** | **25** | **45** |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 7.3 | 75 | 1 | 2 | 4 | 7 | 20 | 30 | 32 |
| 35-49 | 18 | 10.2 | 54 | 1 | 2 | 9 | 15 | 19 | 25 | 29 |
| 50-64 | 64 | 9.7 | 44 | 2 | 3 | 8 | 14 | 18 | 20 | 32 |
| 65+ | 121 | 16.1 | 171 | 3 | 5 | 14 | 19 | 29 | 40 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 929 | 4.4 | 11 | 2 | 2 | 4 | 5 | 6 | 8 | 18 |
| 35-49 | 1298 | 4.8 | 13 | 2 | 2 | 4 | 5 | 7 | 10 | 23 |
| 50-64 | 1082 | 6.0 | 33 | 2 | 3 | 4 | 6 | 10 | 16 | 30 |
| 65+ | 368 | 11.6 | 136 | 2 | 3 | 6 | 16 | 29 | 38 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 33 | 7.8 | 77 | 1 | 1 | 4 | 13 | 22 | 27 | 32 |
| 35-49 | 73 | 10.9 | 164 | 1 | 2 | 5 | 12 | 22 | 31 | 78 |
| 50-64 | 181 | 12.7 | 102 | 3 | 4 | 10 | 16 | 24 | 34 | 69 |
| 65+ | 594 | 16.6 | 184 | 4 | 5 | 12 | 21 | 35 | 45 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.7 | 27 | <1 | <1 | 4 | 8 | 14 | 15 | 15 |
| 20-34 | 208 | 6.3 | 30 | 2 | 2 | 5 | 7 | 11 | 18 | 29 |
| 35-49 | 442 | 8.1 | 89 | 2 | 3 | 5 | 9 | 17 | 25 | 78 |
| 50-64 | 689 | 10.8 | 148 | 3 | 3 | 6 | 12 | 28 | 35 | 73 |
| 65+ | 524 | 19.2 | 247 | 3 | 4 | 15 | 28 | 43 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 13.2 | 128 | 2 | 3 | 11 | 17 | 24 | 31 | 63 |
| B. *Operated* | 3723 | 5.7 | 35 | 2 | 3 | 4 | 6 | 9 | 15 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 881 | 15.0 | 167 | 3 | 4 | 11 | 19 | 31 | 42 | 77 |
| B. *Operated* | 1869 | 12.0 | 170 | 3 | 3 | 7 | 14 | 31 | 40 | 78 |
| **1. SINGLE DX** | 3938 | 6.1 | 42 | 2 | 3 | 4 | 6 | 11 | 18 | 35 |
| **2. MULTIPLE DX** | 2750 | 13.0 | 171 | 3 | 3 | 8 | 17 | 31 | 40 | 78 |
| **A. NOT OPERATED** | 1096 | 14.7 | 160 | 2 | 4 | 11 | 18 | 30 | 40 | 77 |
| **B. OPERATED** | 5592 | 7.8 | 89 | 2 | 3 | 5 | 7 | 17 | 28 | 49 |
| TOTAL 0-19 YRS | 52 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 1182 | 4.9 | 17 | 2 | 2 | 4 | 5 | 7 | 11 | 25 |
| 35-49 | 1831 | 5.9 | 41 | 2 | 3 | 4 | 6 | 10 | 15 | 33 |
| 50-64 | 2016 | 8.4 | 86 | 2 | 3 | 5 | 9 | 17 | 28 | 48 |
| 65+ | 1607 | 16.3 | 200 | 3 | 4 | 12 | 22 | 36 | 45 | 82 |
| **GRAND TOTAL** | **6688** | **8.9** | **107** | **2** | **3** | **5** | **10** | **21** | **31** | **54** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 63 | 3.2 | 8 | <1 | 1 | 2 | 4 | 8 | 10 | 12 |
| 35-49 | 74 | 3.0 | 4 | <1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 50-64 | 80 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 68 | 4.1 | 7 | <1 | 1 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 540 | 4.5 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 645 | 4.9 | 6 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 475 | 5.1 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 65+ | 184 | 5.6 | 8 | 2 | 3 | 5 | 7 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 106 | 4.4 | 17 | 1 | 1 | 4 | 5 | 8 | 9 | 26 |
| 35-49 | 171 | 4.6 | 15 | <1 | 1 | 4 | 6 | 10 | 13 | 20 |
| 50-64 | 265 | 4.6 | 16 | 1 | 1 | 4 | 5 | 8 | 11 | 22 |
| 65+ | 382 | 7.1 | 47 | 1 | 2 | 6 | 8 | 13 | 16 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| 20-34 | 1503 | 4.9 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| 35-49 | 2230 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 50-64 | 2076 | 6.0 | 15 | 3 | 3 | 5 | 7 | 10 | 12 | 22 |
| 65+ | 937 | 7.9 | 37 | 3 | 3 | 6 | 9 | 15 | 18 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 298 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| B. *Operated* | 1877 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 936 | 5.6 | 30 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| B. *Operated* | 6808 | 5.8 | 15 | 2 | 3 | 5 | 7 | 9 | 12 | 21 |
| **1. SINGLE DX** | 2175 | 4.7 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 7744 | 5.8 | 17 | 2 | 3 | 5 | 7 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 1234 | 5.0 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| **B. OPERATED** | 8685 | 5.6 | 13 | 2 | 3 | 5 | 6 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 120 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 2212 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 35-49 | 3120 | 5.2 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | 2896 | 5.6 | 14 | 2 | 3 | 5 | 6 | 9 | 12 | 21 |
| 65+ | 1571 | 7.3 | 36 | 2 | 3 | 6 | 8 | 13 | 17 | 33 |
| **GRAND TOTAL** | 9919 | 5.5 | 15 | 2 | 3 | 5 | 6 | 9 | 12 | 20 |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.3 | 14 | <1 | 1 | 3 | 5 | 11 | 12 | 16 |
| 20-34 | 93 | 6.9 | 20 | 1 | 2 | 7 | 9 | 12 | 16 | 22 |
| 35-49 | 91 | 6.8 | 16 | 1 | 2 | 6 | 9 | 13 | 15 | 17 |
| 50-64 | 163 | 7.8 | 23 | 1 | 2 | 7 | 11 | 14 | 16 | 25 |
| 65+ | 178 | 8.7 | 38 | 1 | 2 | 8 | 11 | 17 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 3.8 | 13 | 1 | 2 | 3 | 4 | 5 | 10 | 20 |
| 20-34 | 734 | 3.1 | 9 | 2 | 2 | 2 | 3 | 4 | 8 | 15 |
| 35-49 | 294 | 4.3 | 30 | 2 | 2 | 2 | 4 | 10 | 15 | 29 |
| 50-64 | 146 | 8.4 | 40 | 1 | 2 | 6 | 13 | 18 | 20 | 25 |
| 65+ | 92 | 9.9 | 68 | 1 | 2 | 9 | 13 | 19 | 22 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 6.1 | 25 | 1 | 1 | 5 | 7 | 11 | 18 | 25 |
| 20-34 | 128 | 8.6 | 48 | 2 | 2 | 7 | 11 | 16 | 20 | 39 |
| 35-49 | 272 | 8.8 | 51 | 2 | 2 | 7 | 11 | 17 | 23 | 36 |
| 50-64 | 619 | 8.9 | 43 | 2 | 3 | 7 | 12 | 17 | 19 | 33 |
| 65+ | 1263 | 11.2 | 90 | 2 | 3 | 9 | 14 | 22 | 30 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 6.9 | 61 | 1 | 2 | 4 | 7 | 17 | 26 | 38 |
| 20-34 | 381 | 5.3 | 55 | 1 | 2 | 3 | 5 | 12 | 17 | 40 |
| 35-49 | 254 | 9.9 | 137 | 1 | 2 | 5 | 13 | 20 | 29 | 60 |
| 50-64 | 364 | 14.1 | 158 | 2 | 3 | 12 | 18 | 29 | 37 | 66 |
| 65+ | 612 | 18.0 | 229 | 2 | 4 | 14 | 23 | 39 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 559 | 7.6 | 27 | 1 | 2 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 1424 | 4.4 | 25 | 1 | 2 | 3 | 4 | 11 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2328 | 10.1 | 71 | 2 | 3 | 8 | 13 | 19 | 26 | 43 |
| B. *Operated* | 1669 | 12.7 | 179 | 2 | 2 | 9 | 17 | 29 | 41 | 76 |
| **1. SINGLE DX** | 1983 | 5.3 | 28 | 1 | 2 | 3 | 7 | 12 | 18 | 25 |
| **2. MULTIPLE DX** | 3997 | 11.2 | 118 | 2 | 2 | 8 | 14 | 23 | 32 | 61 |
| **A. NOT OPERATED** | 2887 | 9.6 | 63 | 2 | 3 | 8 | 12 | 18 | 24 | 41 |
| **B. OPERATED** | 3093 | 8.9 | 125 | 2 | 2 | 4 | 12 | 21 | 31 | 64 |
| TOTAL 0-19 YRS | 296 | 4.8 | 26 | 1 | 1 | 3 | 5 | 10 | 16 | 29 |
| 20-34 | 1336 | 4.5 | 29 | 1 | 2 | 3 | 4 | 10 | 14 | 31 |
| 35-49 | 911 | 7.5 | 70 | 1 | 2 | 5 | 10 | 16 | 22 | 45 |
| 50-64 | 1292 | 10.2 | 78 | 2 | 2 | 8 | 13 | 19 | 24 | 51 |
| 65+ | 2145 | 12.9 | 135 | 2 | 3 | 10 | 16 | 27 | 36 | 71 |
| **GRAND TOTAL** | 5980 | 9.2 | 95 | 2 | 2 | 6 | 12 | 19 | 27 | 55 |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4310 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 343 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 138 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 50-64 | 94 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 9 | 13 |
| 65+ | 77 | 5.8 | 32 | 1 | 2 | 5 | 7 | 10 | 12 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 321 | 2.4 | 5 | 1 | 1 | 2 | 2 | 4 | 7 | 14 |
| 20-34 | 176 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 38 | 4.4 | 14 | <1 | 1 | 2 | 6 | 10 | 12 | 15 |
| 50-64 | 35 | 3.3 | 4 | <1 | 2 | 3 | 5 | 6 | 6 | 11 |
| 65+ | 21 | 4.5 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4708 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 20-34 | 580 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 320 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 443 | 6.3 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 65+ | 888 | 9.0 | 53 | 3 | 3 | 7 | 11 | 17 | 22 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 4.1 | 45 | 1 | 1 | 2 | 5 | 8 | 13 | 30 |
| 20-34 | 81 | 6.2 | 98 | 1 | 1 | 4 | 6 | 13 | 19 | 63 |
| 35-49 | 61 | 6.4 | 27 | 1 | 2 | 5 | 9 | 11 | 13 | 29 |
| 50-64 | 79 | 9.5 | 85 | 1 | 2 | 6 | 13 | 22 | 31 | 42 |
| 65+ | 93 | 15.2 | 288 | 2 | 2 | 10 | 18 | 36 | 40 | 87 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4962 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 591 | 2.7 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6939 | 4.6 | 16 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| B. *Operated* | 566 | 7.2 | 111 | 1 | 1 | 4 | 8 | 16 | 26 | 58 |
| 1. SINGLE DX | 5553 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 2. MULTIPLE DX | 7505 | 4.8 | 24 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| A. NOT OPERATED | 11901 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| B. OPERATED | 1157 | 4.9 | 62 | 1 | 1 | 2 | 5 | 10 | 16 | 39 |
| TOTAL 0-19 YRS | 9591 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1180 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 557 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 651 | 6.2 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 28 |
| 65+ | 1079 | 9.2 | 75 | 2 | 3 | 7 | 11 | 17 | 24 | 54 |
| GRAND TOTAL | 13058 | 4.0 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3775 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 124 | 4.1 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 140 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 50-64 | 153 | 4.7 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 13 |
| 65+ | 227 | 6.8 | 36 | 2 | 3 | 6 | 8 | 11 | 12 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.4 | 20 | 2 | 2 | 6 | 8 | 13 | 16 | 16 |
| 20-34 | 8 | 4.9 | 5 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 35-49 | 8 | 5.1 | 25 | 2 | 2 | 3 | 7 | 13 | 15 | 15 |
| 50-64 | 23 | 7.7 | 35 | 1 | 2 | 6 | 11 | 19 | 21 | 21 |
| 65+ | 10 | 5.1 | 8 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3049 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 343 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 20 |
| 35-49 | 519 | 6.5 | 28 | 2 | 3 | 5 | 8 | 11 | 13 | 25 |
| 50-64 | 1741 | 8.3 | 37 | 3 | 3 | 7 | 10 | 15 | 18 | 31 |
| 65+ | 3915 | 10.3 | 64 | 3 | 4 | 8 | 12 | 18 | 24 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 9.9 | 44 | 3 | 4 | 8 | 12 | 18 | 25 | 32 |
| 20-34 | 37 | 8.8 | 46 | 1 | 2 | 7 | 12 | 18 | 21 | 36 |
| 35-49 | 66 | 11.1 | 174 | 2 | 2 | 8 | 12 | 21 | 34 | 73 |
| 50-64 | 166 | 12.2 | 108 | 3 | 3 | 10 | 15 | 27 | 34 | 94 |
| 65+ | 301 | 16.0 | 159 | 3 | 5 | 13 | 21 | 29 | 39 | 97 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4419 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 58 | 6.3 | 23 | 2 | 2 | 5 | 8 | 13 | 17 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 9567 | 7.8 | 44 | 2 | 3 | 6 | 10 | 14 | 19 | 34 |
| B. *Operated* | 591 | 13.7 | 141 | 2 | 4 | 11 | 17 | 28 | 37 | 90 |
| 1. SINGLE DX | 4477 | 4.1 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 2. MULTIPLE DX | 10158 | 8.2 | 51 | 2 | 3 | 6 | 10 | 15 | 20 | 39 |
| A. NOT OPERATED | 13986 | 6.6 | 35 | 2 | 2 | 5 | 8 | 12 | 17 | 30 |
| B. OPERATED | 649 | 13.1 | 134 | 2 | 3 | 10 | 16 | 27 | 36 | 85 |
| TOTAL 0-19 YRS | 6854 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 512 | 5.3 | 16 | 2 | 2 | 4 | 7 | 9 | 12 | 21 |
| 35-49 | 733 | 6.6 | 40 | 2 | 2 | 5 | 8 | 11 | 14 | 30 |
| 50-64 | 2083 | 8.3 | 43 | 2 | 3 | 7 | 10 | 15 | 19 | 35 |
| 65+ | 4453 | 10.5 | 71 | 3 | 4 | 8 | 13 | 19 | 25 | 54 |
| GRAND TOTAL | 14635 | 6.9 | 41 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 10 | 1.3 |  | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 35-49 | 2 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1174 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 2503 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 917 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 462 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 83 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 1.2 |  | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 20-34 | 48 | 1.1 |  | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 35-49 | 19 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 18 | 1.9 | 3 | <1 | <1 | 1 | 3 | 4 | 6 | 7 |
| 65+ | 6 | 1.8 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1163 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 2457 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 1094 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 707 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 5 | 8 |
| 65+ | 147 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 18 | 1.3 |  | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| B. *Operated* | 5139 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 113 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 5 |
| B. *Operated* | 5568 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 5157 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 5681 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 131 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 5 |
| **B. OPERATED** | 10707 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 2363 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 5018 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 2032 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | 1187 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 65+ | 238 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 18 |
| **GRAND TOTAL** | 10838 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 45 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 90 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 121 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 179 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 109 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 3 | 7.7 | 114 | 1 | 1 | 2 | 15 | 20 | 20 | 20 |
| 50-64 | 5 | 11.0 | 176 | <1 | <1 | 7 | 18 | 33 | 33 | 33 |
| 65+ | 9 | 3.3 | 24 | <1 | <1 | 1 | 3 | 11 | 16 | 16 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 58 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 155 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 229 | 2.8 | 2 | <1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 304 | 3.2 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 65+ | 208 | 3.6 | 13 | 1 | 2 | 3 | 4 | 5 | 7 | 25 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3 | 2.3 |  | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 544 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 25 | 5.0 | 60 | <1 | <1 | 2 | 4 | 16 | 23 | 33 |
| B. *Operated* | 954 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| **1. SINGLE DX** | 547 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 979 | 3.1 | 7 | 1 | 1 | 3 | 4 | 5 | 6 | 16 |
| **A. NOT OPERATED** | 28 | 4.7 | 54 | <1 | <1 | 2 | 4 | 15 | 21 | 33 |
| **B. OPERATED** | 1498 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 5 | 11 |
| TOTAL 0-19 YRS | 105 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 251 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 354 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 489 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 327 | 3.3 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 18 |
| **GRAND TOTAL** | 1526 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 5 | 12 |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 17 | 2.9 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13426 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 4011 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 305 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 48 | 2.4 | 1 | <1 | 2 | 2 | 3 | 3 | 4 | 8 |
| 65+ | 23 | 2.8 | 8 | <1 | 1 | 2 | 3 | 4 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| 20-34 | 58 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 35-49 | 8 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 65+ | 6 | 8.2 | 18 | 4 | 4 | 8 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6298 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 442 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 65 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 29 | 3.3 | 8 | <1 | <1 | 3 | 3 | 7 | 9 | 14 |
| 65+ | 14 | 4.5 | 24 | 1 | 1 | 2 | 6 | 13 | 15 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 8 |
| B. *Operated* | 17813 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 376 | 1.7 | 3 | <1 | <1 | 1 | 1 | 4 | 5 | 10 |
| B. *Operated* | 6848 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **1. SINGLE DX** | 17895 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 7224 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **A. NOT OPERATED** | 458 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| **B. OPERATED** | 24661 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| TOTAL 0-19 YRS | 20084 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 4528 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 380 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 83 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 8 | 12 |
| 65+ | 44 | 4.3 | 17 | 1 | 1 | 2 | 5 | 12 | 13 | 16 |
| **GRAND TOTAL** | 25119 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 536 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 282 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 135 | 3.4 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | 111 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 65+ | 44 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 523 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 1024 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 946 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 1119 | 2.3 | 4 | <1 | 1 | 2 | 2 | 3 | 5 | 12 |
| 65+ | 477 | 2.7 | 17 | 1 | 1 | 2 | 2 | 4 | 6 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 290 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 20-34 | 172 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 126 | 4.2 | 8 | <1 | 1 | 3 | 6 | 9 | 10 | 13 |
| 50-64 | 147 | 5.0 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 157 | 7.0 | 44 | 1 | 2 | 5 | 9 | 14 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 277 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 20 |
| 20-34 | 555 | 3.6 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| 35-49 | 523 | 4.1 | 30 | 1 | 1 | 3 | 4 | 7 | 10 | 32 |
| 50-64 | 716 | 4.1 | 25 | 1 | 1 | 2 | 4 | 8 | 13 | 30 |
| 65+ | 468 | 5.2 | 48 | 1 | 2 | 3 | 6 | 11 | 16 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1108 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 4089 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 892 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 2539 | 4.1 | 27 | 1 | 1 | 3 | 4 | 8 | 11 | 30 |
| **1. SINGLE DX** | 5197 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 3431 | 4.3 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |
| **A. NOT OPERATED** | 2000 | 3.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 6628 | 3.2 | 15 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| TOTAL 0-19 YRS | 1626 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 2033 | 3.2 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 1730 | 3.1 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 2093 | 3.2 | 13 | 1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 65+ | 1146 | 4.3 | 35 | 1 | 1 | 2 | 4 | 9 | 13 | 31 |
| **GRAND TOTAL** | 8628 | 3.3 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5263 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1145 | 5.8 | 9 | 2 | 3 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 911 | 6.5 | 15 | 2 | 3 | 6 | 8 | 11 | 13 | 17 |
| 50-64 | 985 | 7.3 | 16 | 3 | 3 | 7 | 9 | 12 | 15 | 20 |
| 65+ | 1656 | 9.1 | 34 | 3 | 4 | 8 | 11 | 15 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 9.2 | 146 | 2 | 2 | 6 | 11 | 15 | 17 | 69 |
| 20-34 | 34 | 10.4 | 52 | 1 | 4 | 9 | 14 | 19 | 27 | 32 |
| 35-49 | 45 | 10.6 | 66 | 1 | 2 | 9 | 14 | 23 | 26 | 42 |
| 50-64 | 151 | 10.1 | 55 | 1 | 2 | 10 | 14 | 19 | 23 | 33 |
| 65+ | 136 | 10.7 | 80 | 1 | 2 | 9 | 15 | 21 | 28 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4482 | 5.7 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 20-34 | 1149 | 8.4 | 41 | 3 | 3 | 7 | 10 | 14 | 18 | 37 |
| 35-49 | 1507 | 9.0 | 41 | 3 | 4 | 8 | 11 | 16 | 20 | 36 |
| 50-64 | 3557 | 10.4 | 49 | 3 | 4 | 9 | 13 | 18 | 23 | 39 |
| 65+ | 12956 | 13.8 | 106 | 4 | 5 | 11 | 16 | 25 | 33 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 16.6 | 211 | 4 | 5 | 13 | 20 | 30 | 54 | 80 |
| 20-34 | 112 | 18.1 | 171 | 4 | 7 | 14 | 25 | 44 | 55 | 99+ |
| 35-49 | 271 | 16.5 | 160 | 3 | 6 | 13 | 21 | 31 | 43 | 70 |
| 50-64 | 715 | 19.0 | 223 | 3 | 6 | 15 | 24 | 37 | 52 | 89 |
| 65+ | 1735 | 23.8 | 276 | 7 | 8 | 19 | 30 | 50 | 71 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9960 | 6.0 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 19 |
| B. *Operated* | 396 | 10.3 | 71 | 1 | 2 | 9 | 14 | 23 | 26 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23651 | 11.2 | 83 | 3 | 4 | 9 | 14 | 20 | 27 | 55 |
| B. *Operated* | 2923 | 21.5 | 254 | 5 | 7 | 17 | 28 | 45 | 62 | 99+ |
| **1. SINGLE DX** | 10356 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 26574 | 12.3 | 113 | 3 | 4 | 10 | 15 | 24 | 32 | 69 |
| **A. NOT OPERATED** | 33611 | 9.6 | 69 | 2 | 3 | 7 | 12 | 18 | 24 | 47 |
| **B. OPERATED** | 3319 | 20.2 | 246 | 3 | 6 | 16 | 26 | 43 | 59 | 99+ |
| TOTAL 0-19 YRS | 9865 | 5.2 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 20-34 | 2440 | 7.6 | 39 | 2 | 3 | 6 | 9 | 14 | 17 | 37 |
| 35-49 | 2734 | 9.0 | 52 | 3 | 3 | 7 | 11 | 16 | 22 | 38 |
| 50-64 | 5408 | 11.0 | 77 | 3 | 4 | 9 | 13 | 20 | 26 | 50 |
| 65+ | 16483 | 14.3 | 129 | 4 | 5 | 11 | 17 | 27 | 36 | 80 |
| **GRAND TOTAL** | **36930** | **10.6** | **94** | **2** | **3** | **8** | **13** | **20** | **28** | **59** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 105 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 56 | 4.1 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 77 | 5.1 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 22 |
| 65+ | 116 | 7.0 | 37 | 2 | 3 | 5 | 8 | 13 | 17 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 12.7 | 110 | 2 | 2 | 13 | 20 | 23 | 23 | 23 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 189 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 172 | 6.5 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| 50-64 | 330 | 7.9 | 50 | 2 | 3 | 6 | 9 | 15 | 18 | 50 |
| 65+ | 981 | 10.0 | 57 | 3 | 4 | 8 | 12 | 19 | 28 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 30 | 4 | 4 | 10 | 16 | 16 | 16 | 16 |
| 20-34 | 7 | 9.1 | 41 | 2 | 2 | 6 | 15 | 18 | 18 | 18 |
| 35-49 | 3 | 15.7 | 142 | 6 | 6 | 12 | 25 | 29 | 29 | 29 |
| 50-64 | 18 | 17.1 | 245 | 5 | 6 | 14 | 21 | 56 | 87 | 99+ |
| 65+ | 71 | 21.9 | 173 | 5 | 7 | 19 | 31 | 48 | 50 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 594 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| B. *Operated* | 5 | 8.2 | 93 | 1 | 1 | 2 | 13 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2076 | 7.8 | 45 | 2 | 2 | 6 | 9 | 15 | 20 | 38 |
| B. *Operated* | 105 | 19.4 | 180 | 5 | 6 | 16 | 26 | 41 | 50 | 84 |
| **1. SINGLE DX** | 599 | 4.4 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 2181 | 8.3 | 57 | 2 | 2 | 6 | 10 | 17 | 22 | 46 |
| **A. NOT OPERATED** | 2670 | 7.0 | 40 | 2 | 2 | 5 | 8 | 14 | 18 | 32 |
| **B. OPERATED** | 110 | 18.9 | 181 | 4 | 5 | 15 | 25 | 41 | 50 | 82 |
| TOTAL 0-19 YRS | 651 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 304 | 4.5 | 13 | 1 | 2 | 4 | 6 | 7 | 11 | 17 |
| 35-49 | 231 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 426 | 7.7 | 56 | 2 | 3 | 6 | 9 | 15 | 20 | 53 |
| 65+ | 1168 | 10.4 | 71 | 3 | 3 | 8 | 13 | 20 | 27 | 50 |
| **GRAND TOTAL** | **2780** | **7.5** | **51** | **2** | **2** | **5** | **9** | **18** | **20** | **43** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 807 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 63 | 4.2 | 8 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| 35-49 | 100 | 5.4 | 13 | 2 | 2 | 4 | 7 | 10 | 12 | 19 |
| 50-64 | 239 | 6.9 | 28 | 2 | 2 | 6 | 9 | 12 | 15 | 30 |
| 65+ | 324 | 8.0 | 40 | 2 | 3 | 6 | 10 | 15 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.6 | 11 | <1 | <1 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 14 | 4.6 | 16 | 2 | 2 | 3 | 5 | 10 | 14 | 15 |
| 35-49 | 46 | 4.6 | 26 | <1 | <1 | 3 | 5 | 11 | 19 | 23 |
| 50-64 | 61 | 3.1 | 6 | <1 | 1 | 2 | 3 | 6 | 9 | 12 |
| 65+ | 64 | 7.1 | 57 | 1 | 2 | 4 | 9 | 18 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 652 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 156 | 5.9 | 19 | 1 | 2 | 5 | 7 | 12 | 15 | 20 |
| 35-49 | 300 | 7.0 | 50 | 1 | 2 | 6 | 8 | 12 | 17 | 37 |
| 50-64 | 1108 | 8.8 | 57 | 3 | 3 | 7 | 11 | 16 | 21 | 42 |
| 65+ | 2234 | 10.5 | 81 | 3 | 4 | 8 | 13 | 19 | 25 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.6 | 23 | 2 | 3 | 5 | 8 | 13 | 19 | 20 |
| 20-34 | 37 | 6.2 | 28 | 1 | 2 | 4 | 9 | 12 | 14 | 28 |
| 35-49 | 100 | 7.7 | 84 | 1 | 2 | 5 | 9 | 14 | 24 | 86 |
| 50-64 | 231 | 9.5 | 72 | 2 | 2 | 7 | 13 | 21 | 26 | 49 |
| 65+ | 348 | 15.8 | 270 | 2 | 3 | 11 | 19 | 36 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1533 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 193 | 5.0 | 31 | <1 | 1 | 3 | 6 | 11 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4450 | 8.8 | 64 | 2 | 3 | 7 | 11 | 17 | 22 | 44 |
| B. *Operated* | 727 | 12.1 | 178 | 2 | 2 | 9 | 15 | 26 | 39 | 95 |
| **1. SINGLE DX** | 1726 | 5.0 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 5177 | 9.2 | 82 | 2 | 3 | 7 | 11 | 18 | 24 | 55 |
| **A. NOT OPERATED** | 5983 | 7.8 | 56 | 2 | 2 | 6 | 10 | 15 | 20 | 40 |
| **B. OPERATED** | 920 | 10.6 | 156 | 1 | 2 | 7 | 13 | 23 | 34 | 91 |
| TOTAL 0-19 YRS | 1478 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 270 | 5.5 | 18 | 1 | 2 | 4 | 7 | 11 | 15 | 20 |
| 35-49 | 546 | 6.6 | 48 | 1 | 2 | 5 | 8 | 12 | 17 | 39 |
| 50-64 | 1639 | 8.4 | 55 | 2 | 3 | 7 | 10 | 16 | 21 | 41 |
| 65+ | 2970 | 10.8 | 102 | 3 | 3 | 8 | 13 | 20 | 28 | 69 |
| **GRAND TOTAL** | 6903 | 8.2 | 70 | 2 | 2 | 6 | 10 | 16 | 21 | 48 |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 5.0 | 12 | 2 | 2 | 3 | 9 | 10 | 10 | 10 |
| 35-49 | 18 | 7.7 | 43 | 2 | 2 | 6 | 8 | 17 | 24 | 28 |
| 50-64 | 130 | 8.2 | 40 | 2 | 3 | 7 | 10 | 16 | 19 | 34 |
| 65+ | 202 | 10.0 | 77 | 3 | 4 | 8 | 13 | 17 | 25 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | 4 | 14.0 | 59 | 7 | 7 | 12 | 19 | 25 | 25 | 25 |
| 50-64 | 6 | 11.2 | 61 | <1 | <1 | 12 | 14 | 22 | 23 | 23 |
| 65+ | 4 | 13.8 | 171 | 1 | 1 | 14 | 25 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 9.8 | 33 | 5 | 5 | 8 | 12 | 19 | 21 | 21 |
| 35-49 | 89 | 10.3 | 76 | 2 | 3 | 8 | 13 | 18 | 27 | 48 |
| 50-64 | 666 | 11.6 | 100 | 3 | 4 | 9 | 14 | 23 | 30 | 63 |
| 65+ | 1570 | 12.6 | 116 | 3 | 4 | 10 | 15 | 25 | 36 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.3 | 31 | 3 | 3 | 7 | 12 | 16 | 16 | 16 |
| 20-34 | 20 | 18.6 | 248 | 4 | 6 | 13 | 21 | 44 | 98 | 98 |
| 35-49 | 18 | 15.4 | 113 | 4 | 6 | 14 | 19 | 26 | 41 | 50 |
| 50-64 | 92 | 18.7 | 216 | 5 | 6 | 14 | 24 | 39 | 49 | 95 |
| 65+ | 190 | 21.7 | 272 | 5 | 7 | 18 | 28 | 48 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 356 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| B. *Operated* | 17 | 12.3 | 72 | <1 | 1 | 12 | 19 | 25 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2336 | 12.2 | 110 | 3 | 4 | 9 | 15 | 24 | 34 | 74 |
| B. *Operated* | 324 | 20.1 | 246 | 5 | 6 | 16 | 25 | 44 | 56 | 99 |
| **1. SINGLE DX** | 373 | 9.3 | 62 | 2 | 3 | 7 | 12 | 17 | 24 | 45 |
| **2. MULTIPLE DX** | 2660 | 13.2 | 133 | 3 | 4 | 10 | 16 | 27 | 38 | 78 |
| **A. NOT OPERATED** | 2692 | 11.8 | 105 | 3 | 4 | 9 | 14 | 23 | 33 | 67 |
| **B. OPERATED** | 341 | 19.7 | 240 | 4 | 6 | 16 | 24 | 43 | 55 | 99 |
| TOTAL 0-19 YRS | 8 | 7.4 | 40 | 1 | 2 | 5 | 12 | 17 | 18 | 18 |
| 20-34 | 36 | 13.7 | 177 | 3 | 3 | 9 | 17 | 23 | 47 | 98 |
| 35-49 | 129 | 10.7 | 79 | 2 | 3 | 8 | 14 | 20 | 28 | 50 |
| 50-64 | 894 | 11.9 | 110 | 3 | 4 | 9 | 14 | 23 | 33 | 67 |
| 65+ | 1966 | 13.2 | 135 | 3 | 4 | 10 | 16 | 27 | 39 | 78 |
| **GRAND TOTAL** | 3033 | 12.7 | 126 | 3 | 4 | 9 | 15 | 25 | 36 | 78 |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7091 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2158 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 1906 | 5.5 | 10 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| 50-64 | 1688 | 6.3 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 19 |
| 65+ | 875 | 7.1 | 21 | 2 | 3 | 6 | 9 | 12 | 14 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.7 | 9 | 2 | 2 | 4 | 8 | 10 | 11 | 11 |
| 20-34 | 21 | 10.9 | 138 | 2 | 3 | 8 | 10 | 28 | 43 | 46 |
| 35-49 | 25 | 6.8 | 43 | <1 | 1 | 6 | 8 | 12 | 19 | 33 |
| 50-64 | 23 | 8.6 | 45 | 2 | 2 | 7 | 11 | 17 | 24 | 29 |
| 65+ | 10 | 9.5 | 25 | 5 | 5 | 8 | 13 | 17 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3108 | 4.4 | 7 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 1360 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| 35-49 | 1848 | 7.5 | 24 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| 50-64 | 3192 | 8.8 | 47 | 3 | 3 | 7 | 11 | 15 | 20 | 34 |
| 65+ | 3480 | 10.5 | 58 | 3 | 4 | 9 | 13 | 18 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 10.8 | 251 | 3 | 3 | 6 | 11 | 19 | 38 | 91 |
| 20-34 | 48 | 12.0 | 65 | 3 | 4 | 11 | 17 | 20 | 22 | 49 |
| 35-49 | 127 | 15.1 | 131 | 4 | 5 | 12 | 18 | 32 | 40 | 70 |
| 50-64 | 185 | 16.5 | 249 | 3 | 4 | 12 | 18 | 33 | 49 | 88 |
| 65+ | 195 | 18.8 | 174 | 4 | 7 | 15 | 25 | 36 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13718 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 92 | 8.3 | 59 | 2 | 2 | 7 | 10 | 15 | 22 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12988 | 7.7 | 39 | 2 | 3 | 6 | 10 | 14 | 18 | 31 |
| B. *Operated* | 591 | 16.2 | 188 | 3 | 4 | 12 | 20 | 33 | 48 | 90 |
| **1. SINGLE DX** | 13810 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 13579 | 8.1 | 49 | 2 | 3 | 6 | 10 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 26706 | 6.1 | 26 | 2 | 2 | 5 | 8 | 11 | 15 | 26 |
| **B. OPERATED** | 683 | 15.2 | 178 | 3 | 4 | 11 | 19 | 32 | 45 | 88 |
| TOTAL 0-19 YRS | 10248 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 3587 | 5.4 | 14 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |
| 35-49 | 3906 | 6.8 | 24 | 2 | 2 | 6 | 8 | 12 | 15 | 26 |
| 50-64 | 5088 | 8.2 | 47 | 2 | 3 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 4560 | 10.2 | 61 | 3 | 4 | 8 | 12 | 18 | 24 | 42 |
| **GRAND TOTAL** | **27389** | **6.4** | **32** | **2** | **2** | **5** | **8** | **12** | **16** | **29** |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.2 | 12 | 1 | 1 | 4 | 6 | 11 | 12 | 13 |
| 20-34 | 19 | 5.4 | 13 | <1 | 1 | 5 | 8 | 11 | 12 | 12 |
| 35-49 | 144 | 7.7 | 63 | 1 | 2 | 6 | 9 | 14 | 21 | 51 |
| 50-64 | 755 | 7.9 | 31 | 2 | 3 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 1295 | 9.1 | 58 | 2 | 3 | 7 | 11 | 16 | 22 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.5 | 68 | 2 | 2 | 6 | 14 | 20 | 20 | 20 |
| 20-34 | 11 | 6.0 | 17 | 2 | 2 | 4 | 10 | 12 | 12 | 12 |
| 35-49 | 21 | 4.6 | 12 | 1 | 1 | 4 | 7 | 9 | 11 | 14 |
| 50-64 | 46 | 8.2 | 61 | 1 | 1 | 7 | 10 | 20 | 26 | 32 |
| 65+ | 54 | 11.1 | 58 | 1 | 2 | 9 | 17 | 20 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 9.2 | 68 | 2 | 3 | 6 | 9 | 22 | 31 | 34 |
| 20-34 | 51 | 8.1 | 35 | 2 | 2 | 6 | 11 | 17 | 22 | 24 |
| 35-49 | 413 | 9.0 | 84 | 2 | 3 | 7 | 10 | 17 | 25 | 51 |
| 50-64 | 3180 | 10.4 | 77 | 3 | 4 | 8 | 12 | 19 | 27 | 50 |
| 65+ | 7504 | 12.2 | 108 | 3 | 4 | 9 | 15 | 23 | 32 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 18.4 | 313 | 3 | 3 | 17 | 28 | 47 | 51 | 51 |
| 20-34 | 14 | 16.0 | 210 | 2 | 3 | 11 | 24 | 41 | 43 | 43 |
| 35-49 | 80 | 14.5 | 160 | 2 | 5 | 9 | 20 | 29 | 40 | 61 |
| 50-64 | 441 | 18.6 | 269 | 3 | 5 | 14 | 23 | 41 | 63 | 99+ |
| 65+ | 933 | 21.5 | 311 | 4 | 6 | 16 | 28 | 51 | 68 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2230 | 8.6 | 49 | 2 | 3 | 7 | 10 | 15 | 20 | 38 |
| B. *Operated* | 136 | 8.6 | 53 | 1 | 2 | 7 | 12 | 18 | 24 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11179 | 11.5 | 98 | 3 | 4 | 9 | 14 | 22 | 30 | 63 |
| B. *Operated* | 1475 | 20.2 | 292 | 3 | 5 | 15 | 26 | 48 | 65 | 99+ |
| **1. SINGLE DX** | 2366 | 8.6 | 49 | 2 | 3 | 7 | 11 | 16 | 20 | 38 |
| **2. MULTIPLE DX** | 12654 | 12.5 | 129 | 3 | 4 | 9 | 15 | 25 | 35 | 79 |
| **A. NOT OPERATED** | 13409 | 11.0 | 91 | 3 | 4 | 9 | 13 | 21 | 29 | 59 |
| **B. OPERATED** | 1611 | 19.2 | 282 | 2 | 4 | 15 | 25 | 45 | 63 | 99+ |
| TOTAL 0-19 YRS | 59 | 9.1 | 89 | 2 | 2 | 6 | 10 | 20 | 31 | 49 |
| 20-34 | 95 | 8.5 | 63 | 1 | 2 | 6 | 11 | 18 | 23 | 42 |
| 35-49 | 658 | 9.2 | 91 | 2 | 3 | 7 | 10 | 19 | 26 | 56 |
| 50-64 | 4422 | 10.8 | 96 | 3 | 3 | 8 | 13 | 20 | 29 | 63 |
| 65+ | 9786 | 12.7 | 129 | 3 | 4 | 9 | 15 | 25 | 36 | 80 |
| **GRAND TOTAL** | **15020** | **11.9** | **118** | **3** | **4** | **9** | **14** | **23** | **33** | **72** |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 179 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 60 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| 50-64 | 21 | 5.8 | 8 | 3 | 3 | 4 | 7 | 9 | 12 | 13 |
| 65+ | 15 | 8.4 | 30 | 1 | 3 | 7 | 13 | 16 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 6.9 | 19 | 2 | 3 | 6 | 8 | 12 | 16 | 24 |
| 20-34 | 570 | 7.2 | 22 | 2 | 3 | 6 | 9 | 13 | 17 | 24 |
| 35-49 | 187 | 7.5 | 27 | 2 | 3 | 6 | 9 | 14 | 18 | 24 |
| 50-64 | 73 | 8.1 | 26 | 3 | 3 | 6 | 11 | 14 | 20 | 25 |
| 65+ | 46 | 8.8 | 35 | 3 | 3 | 6 | 11 | 19 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.8 | 22 | 2 | 2 | 4 | 7 | 12 | 18 | 21 |
| 20-34 | 37 | 5.8 | 25 | 2 | 2 | 4 | 7 | 11 | 16 | 27 |
| 35-49 | 21 | 4.7 | 6 | 2 | 2 | 5 | 6 | 9 | 10 | 10 |
| 50-64 | 49 | 10.8 | 159 | 3 | 4 | 7 | 12 | 17 | 21 | 88 |
| 65+ | 77 | 13.6 | 138 | 4 | 5 | 11 | 16 | 25 | 29 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 13.7 | 156 | 2 | 4 | 9 | 18 | 28 | 39 | 63 |
| 20-34 | 166 | 11.2 | 57 | 3 | 4 | 9 | 15 | 19 | 22 | 47 |
| 35-49 | 96 | 12.2 | 79 | 3 | 4 | 9 | 17 | 21 | 29 | 49 |
| 50-64 | 131 | 14.2 | 85 | 5 | 5 | 12 | 19 | 26 | 30 | 46 |
| 65+ | 212 | 18.2 | 222 | 4 | 6 | 14 | 23 | 36 | 47 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 343 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 1013 | 7.3 | 24 | 2 | 3 | 6 | 9 | 13 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 9.8 | 108 | 2 | 3 | 7 | 12 | 19 | 25 | 63 |
| B. *Operated* | 644 | 14.4 | 134 | 4 | 5 | 11 | 18 | 27 | 35 | 66 |
| **1. SINGLE DX** | 1356 | 6.7 | 21 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| **2. MULTIPLE DX** | 852 | 13.3 | 131 | 3 | 4 | 10 | 16 | 25 | 33 | 66 |
| **A. NOT OPERATED** | 551 | 6.6 | 53 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| **B. OPERATED** | 1657 | 10.1 | 78 | 3 | 3 | 7 | 12 | 20 | 25 | 45 |
| TOTAL 0-19 YRS | 268 | 7.0 | 44 | 2 | 2 | 5 | 8 | 13 | 20 | 34 |
| 20-34 | 952 | 7.3 | 30 | 2 | 3 | 6 | 9 | 14 | 19 | 27 |
| 35-49 | 364 | 8.2 | 43 | 2 | 3 | 6 | 10 | 16 | 20 | 32 |
| 50-64 | 274 | 11.3 | 85 | 3 | 4 | 9 | 14 | 21 | 27 | 40 |
| 65+ | 350 | 15.5 | 183 | 4 | 5 | 12 | 19 | 29 | 40 | 69 |
| **GRAND TOTAL** | **2208** | **9.2** | **74** | **2** | **3** | **7** | **11** | **19** | **24** | **43** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 3.9 | 12 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 20-34 | 169 | 5.5 | 32 | 1 | 1 | 4 | 6 | 11 | 18 | 33 |
| 35-49 | 166 | 5.5 | 32 | 1 | 1 | 4 | 6 | 11 | 14 | 35 |
| 50-64 | 242 | 5.7 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| 65+ | 354 | 8.2 | 60 | 1 | 2 | 6 | 10 | 16 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 6.6 | 74 | <1 | 1 | 3 | 7 | 14 | 25 | 45 |
| 20-34 | 97 | 7.4 | 43 | 1 | 1 | 6 | 11 | 15 | 19 | 32 |
| 35-49 | 145 | 8.6 | 57 | 1 | 2 | 7 | 11 | 18 | 21 | 35 |
| 50-64 | 273 | 8.7 | 65 | 1 | 2 | 7 | 12 | 18 | 24 | 37 |
| 65+ | 249 | 9.1 | 72 | 1 | 2 | 7 | 12 | 20 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 335 | 6.2 | 34 | 1 | 2 | 4 | 8 | 13 | 17 | 27 |
| 20-34 | 312 | 7.3 | 49 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| 35-49 | 468 | 8.3 | 49 | 2 | 2 | 6 | 10 | 17 | 21 | 38 |
| 50-64 | 1404 | 9.5 | 60 | 2 | 3 | 8 | 12 | 19 | 24 | 41 |
| 65+ | 4168 | 12.3 | 94 | 3 | 4 | 10 | 15 | 24 | 31 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 12.5 | 196 | 1 | 2 | 10 | 16 | 26 | 47 | 71 |
| 20-34 | 164 | 13.8 | 189 | 1 | 2 | 10 | 20 | 36 | 49 | 99+ |
| 35-49 | 319 | 15.2 | 191 | 2 | 2 | 12 | 20 | 35 | 44 | 79 |
| 50-64 | 869 | 15.9 | 205 | 2 | 3 | 12 | 21 | 33 | 46 | 84 |
| 65+ | 1382 | 18.4 | 238 | 2 | 4 | 15 | 25 | 41 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1123 | 6.1 | 37 | 1 | 1 | 5 | 7 | 12 | 17 | 29 |
| B. *Operated* | 805 | 8.5 | 64 | 1 | 2 | 7 | 12 | 18 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6687 | 10.9 | 82 | 2 | 3 | 9 | 14 | 21 | 28 | 49 |
| B. *Operated* | 2794 | 16.9 | 221 | 2 | 3 | 13 | 22 | 37 | 52 | 99+ |
| **1. SINGLE DX** | 1928 | 7.1 | 49 | 1 | 1 | 5 | 9 | 15 | 20 | 34 |
| **2. MULTIPLE DX** | 9481 | 12.7 | 131 | 2 | 3 | 9 | 16 | 26 | 36 | 70 |
| **A. NOT OPERATED** | 7810 | 10.2 | 79 | 2 | 3 | 8 | 13 | 20 | 27 | 47 |
| **B. OPERATED** | 3599 | 15.0 | 198 | 2 | 2 | 11 | 20 | 33 | 46 | 98 |
| TOTAL 0-19 YRS | 628 | 6.1 | 50 | 1 | 1 | 4 | 7 | 13 | 18 | 36 |
| 20-34 | 742 | 8.3 | 84 | 1 | 2 | 5 | 10 | 19 | 27 | 54 |
| 35-49 | 1098 | 9.9 | 101 | 1 | 2 | 7 | 13 | 21 | 29 | 56 |
| 50-64 | 2788 | 11.1 | 113 | 2 | 2 | 8 | 14 | 23 | 31 | 61 |
| 65+ | 6153 | 13.3 | 132 | 2 | 4 | 10 | 17 | 27 | 37 | 71 |
| **GRAND TOTAL** | **11409** | **11.7** | **121** | **2** | **3** | **9** | **15** | **25** | **34** | **64** |

### 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.4 | 15 | 1 | 1 | 3 | 6 | 8 | 12 | 21 |
| 20-34 | 26 | 3.2 | 11 | <1 | <1 | 2 | 5 | 7 | 9 | 15 |
| 35-49 | 14 | 3.4 | 4 | <1 | 1 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | 12 | 4.3 | 11 | <1 | <1 | 4 | 6 | 9 | 12 | 12 |
| 65+ | 10 | 3.1 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5027 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 4197 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 35-49 | 845 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 615 | 2.3 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| 65+ | 272 | 2.5 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| 20-34 | 112 | 3.2 | 20 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| 35-49 | 67 | 4.2 | 35 | <1 | <1 | 2 | 5 | 9 | 12 | 40 |
| 50-64 | 59 | 3.7 | 15 | <1 | 1 | 2 | 5 | 8 | 10 | 21 |
| 65+ | 58 | 5.4 | 29 | 1 | 1 | 4 | 7 | 13 | 21 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1733 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 2146 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 1060 | 2.5 | 9 | <1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 50-64 | 1183 | 2.7 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 65+ | 866 | 3.5 | 18 | 1 | 2 | 2 | 3 | 6 | 10 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 3.8 | 12 | <1 | <1 | 3 | 6 | 7 | 9 | 18 |
| B. *Operated* | 10956 | 1.9 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 3.4 | 19 | <1 | <1 | 2 | 4 | 7 | 10 | 26 |
| B. *Operated* | 6988 | 2.5 | 7 | <1 | 1 | 2 | 2 | 4 | 6 | 12 |
| **1. SINGLE DX** | 11069 | 1.9 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 7413 | 2.5 | 8 | <1 | 1 | 2 | 2 | 4 | 6 | 12 |
| **A. NOT OPERATED** | 538 | 3.5 | 17 | <1 | <1 | 2 | 5 | 7 | 10 | 22 |
| **B. OPERATED** | 17944 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 6940 | 1.9 | 1 | <1 | <1 | 2 | 2 | 2 | 4 | 7 |
| 20-34 | 6481 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 1986 | 2.4 | 7 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 50-64 | 1869 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 65+ | 1206 | 3.3 | 16 | 1 | 2 | 2 | 3 | 6 | 10 | 25 |
| **GRAND TOTAL** | **18482** | **2.1** | **4** | **<1** | **<1** | **2** | **2** | **3** | **4** | **9** |

### 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 37 | 3.7 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 39 | 4.4 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 9 |
| 50-64 | 24 | 4.3 | 7 | <1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 65+ | 18 | 5.0 | 4 | 2 | 3 | 4 | 7 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| 20-34 | 189 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 8 | 12 |
| 35-49 | 181 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 193 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 65+ | 131 | 4.6 | 25 | 1 | 2 | 4 | 5 | 8 | 12 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 13 |
| 20-34 | 51 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 16 | 27 |
| 35-49 | 28 | 5.5 | 14 | 1 | 1 | 5 | 6 | 12 | 13 | 16 |
| 50-64 | 54 | 8.3 | 57 | 1 | 2 | 6 | 10 | 16 | 19 | 48 |
| 65+ | 131 | 10.3 | 88 | 2 | 3 | 8 | 11 | 18 | 28 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.3 | 5 | <1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 101 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 134 | 4.3 | 10 | 1 | 2 | 3 | 5 | 9 | 10 | 14 |
| 50-64 | 179 | 4.7 | 18 | 1 | 2 | 3 | 5 | 9 | 13 | 27 |
| 65+ | 176 | 7.3 | 75 | 2 | 2 | 4 | 9 | 17 | 22 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 4.1 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 862 | 3.3 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 378 | 7.2 | 51 | 1 | 2 | 5 | 9 | 13 | 18 | 46 |
| B. *Operated* | 674 | 5.1 | 30 | 1 | 2 | 4 | 6 | 10 | 14 | 27 |
| **1. SINGLE DX** | 1073 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1052 | 5.8 | 39 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| **A. NOT OPERATED** | 589 | 6.1 | 37 | 1 | 2 | 5 | 7 | 11 | 15 | 35 |
| **B. OPERATED** | 1536 | 4.1 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 459 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 378 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 382 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 450 | 4.5 | 19 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 456 | 7.3 | 66 | 2 | 2 | 5 | 9 | 15 | 20 | 54 |
| **GRAND TOTAL** | **2125** | **4.7** | **25** | **1** | **1** | **3** | **5** | **9** | **12** | **25** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 4.1 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 20-34 | 137 | 3.7 | 10 | <1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 35-49 | 226 | 3.8 | 10 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 183 | 4.0 | 17 | <1 | 1 | 3 | 5 | 7 | 8 | 17 |
| 65+ | 188 | 4.2 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 6.8 | 102 | <1 | 1 | 2 | 8 | 15 | 37 | 46 |
| 20-34 | 74 | 6.7 | 62 | <1 | <1 | 5 | 9 | 12 | 17 | 51 |
| 35-49 | 113 | 5.3 | 24 | <1 | 1 | 4 | 7 | 12 | 14 | 25 |
| 50-64 | 202 | 5.9 | 34 | <1 | 1 | 4 | 8 | 14 | 17 | 28 |
| 65+ | 318 | 6.7 | 49 | <1 | 1 | 5 | 9 | 15 | 20 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 6.1 | 27 | 1 | 2 | 5 | 7 | 12 | 17 | 27 |
| 20-34 | 292 | 5.0 | 16 | <1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 518 | 5.7 | 16 | 1 | 2 | 5 | 7 | 11 | 14 | 18 |
| 50-64 | 764 | 6.3 | 33 | 1 | 2 | 5 | 8 | 11 | 15 | 34 |
| 65+ | 1193 | 7.8 | 45 | 2 | 2 | 6 | 9 | 15 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 12.8 | 127 | <1 | 1 | 10 | 20 | 29 | 34 | 43 |
| 20-34 | 134 | 8.0 | 43 | 1 | 2 | 6 | 10 | 17 | 23 | 29 |
| 35-49 | 288 | 9.6 | 130 | 1 | 1 | 8 | 11 | 17 | 25 | 63 |
| 50-64 | 572 | 9.5 | 88 | 1 | 2 | 7 | 12 | 20 | 28 | 39 |
| 65+ | 1083 | 12.2 | 160 | 2 | 2 | 8 | 16 | 27 | 40 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 882 | 3.9 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 18 |
| B. *Operated* | 759 | 6.3 | 46 | <1 | 1 | 4 | 9 | 14 | 18 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2912 | 6.7 | 34 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| B. *Operated* | 2116 | 10.8 | 130 | 1 | 2 | 8 | 14 | 23 | 33 | 68 |
| **1. SINGLE DX** | 1641 | 5.0 | 29 | <1 | 1 | 3 | 6 | 10 | 15 | 27 |
| **2. MULTIPLE DX** | 5028 | 8.4 | 79 | 1 | 2 | 6 | 10 | 17 | 24 | 46 |
| **A. NOT OPERATED** | 3794 | 6.1 | 30 | 1 | 2 | 5 | 7 | 12 | 15 | 27 |
| **B. OPERATED** | 2875 | 9.6 | 112 | 1 | 2 | 7 | 12 | 20 | 30 | 55 |
| TOTAL 0-19 YRS | 384 | 6.1 | 47 | <1 | 1 | 4 | 7 | 14 | 19 | 37 |
| 20-34 | 637 | 5.6 | 28 | <1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 35-49 | 1145 | 6.3 | 49 | 1 | 1 | 5 | 8 | 12 | 16 | 37 |
| 50-64 | 1721 | 7.1 | 53 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| 65+ | 2782 | 9.1 | 95 | 1 | 2 | 6 | 11 | 19 | 27 | 53 |
| **GRAND TOTAL** | **6669** | **7.6** | **69** | **1** | **2** | **5** | **9** | **16** | **22** | **44** |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.4 | 6 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 77 | 5.0 | 10 | <1 | 1 | 5 | 7 | 9 | 12 | 15 |
| 35-49 | 92 | 5.2 | 18 | <1 | 1 | 4 | 6 | 11 | 14 | 21 |
| 50-64 | 152 | 5.1 | 11 | <1 | 1 | 4 | 7 | 9 | 12 | 16 |
| 65+ | 127 | 6.4 | 15 | 1 | 2 | 5 | 8 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 21 | <1 | <1 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 32 | 7.7 | 34 | 1 | 2 | 6 | 10 | 19 | 19 | 22 |
| 35-49 | 102 | 8.0 | 59 | <1 | <1 | 7 | 11 | 16 | 22 | 72 |
| 50-64 | 135 | 9.0 | 48 | <1 | <1 | 8 | 13 | 18 | 20 | 30 |
| 65+ | 117 | 7.9 | 50 | <1 | 1 | 6 | 11 | 17 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.6 | 21 | 2 | 2 | 4 | 8 | 13 | 17 | 17 |
| 20-34 | 85 | 6.0 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 187 | 7.6 | 27 | 2 | 3 | 6 | 10 | 14 | 18 | 26 |
| 50-64 | 342 | 7.8 | 35 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| 65+ | 562 | 9.2 | 48 | 2 | 3 | 8 | 11 | 16 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.5 | 4 | 2 | 2 | 4 | 5 | 8 | 8 | 8 |
| 20-34 | 56 | 10.4 | 89 | 2 | 4 | 9 | 12 | 18 | 22 | 65 |
| 35-49 | 171 | 11.0 | 71 | 2 | 3 | 9 | 14 | 19 | 25 | 49 |
| 50-64 | 330 | 12.1 | 98 | 2 | 3 | 10 | 15 | 22 | 29 | 57 |
| 65+ | 572 | 14.6 | 145 | 2 | 4 | 11 | 18 | 29 | 38 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 465 | 5.4 | 14 | <1 | 1 | 5 | 7 | 10 | 13 | 17 |
| B. *Operated* | 389 | 8.3 | 50 | <1 | <1 | 7 | 12 | 17 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1187 | 8.3 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| B. *Operated* | 1135 | 13.1 | 119 | 2 | 4 | 10 | 16 | 25 | 35 | 63 |
| **1. SINGLE DX** | 854 | 6.7 | 32 | <1 | 1 | 5 | 9 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 2322 | 10.6 | 84 | 2 | 3 | 8 | 13 | 20 | 26 | 49 |
| **A. NOT OPERATED** | 1652 | 7.5 | 34 | 1 | 2 | 6 | 10 | 14 | 17 | 26 |
| **B. OPERATED** | 1524 | 11.8 | 106 | 1 | 2 | 10 | 15 | 23 | 31 | 55 |
| TOTAL 0-19 YRS | 37 | 4.9 | 11 | 1 | 2 | 4 | 7 | 9 | 10 | 17 |
| 20-34 | 250 | 6.9 | 37 | 1 | 2 | 6 | 9 | 13 | 17 | 25 |
| 35-49 | 552 | 8.3 | 49 | <1 | 2 | 7 | 10 | 17 | 21 | 42 |
| 50-64 | 959 | 9.0 | 61 | 1 | 2 | 7 | 12 | 17 | 21 | 42 |
| 65+ | 1378 | 11.1 | 95 | 2 | 3 | 9 | 14 | 21 | 29 | 50 |
| **GRAND TOTAL** | **3176** | **9.6** | **73** | **1** | **2** | **8** | **12** | **18** | **24** | **47** |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.6 | 7 | 3 | 3 | 5 | 8 | 10 | 11 | 11 |
| 20-34 | 32 | 5.9 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 14 |
| 35-49 | 74 | 5.5 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 113 | 6.3 | 10 | 2 | 3 | 6 | 8 | 11 | 14 | 15 |
| 65+ | 164 | 7.9 | 17 | 3 | 4 | 7 | 10 | 13 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 9.0 | 20 | 3 | 4 | 9 | 11 | 16 | 18 | 18 |
| 20-34 | 21 | 9.2 | 10 | 5 | 5 | 8 | 11 | 14 | 16 | 16 |
| 35-49 | 55 | 10.1 | 33 | 3 | 4 | 9 | 11 | 17 | 24 | 30 |
| 50-64 | 102 | 11.1 | 40 | 4 | 5 | 10 | 13 | 19 | 24 | 35 |
| 65+ | 117 | 13.8 | 94 | 4 | 5 | 11 | 17 | 24 | 32 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.9 | 11 | 1 | 1 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 55 | 6.9 | 17 | 2 | 3 | 6 | 9 | 11 | 13 | 25 |
| 35-49 | 84 | 7.6 | 30 | 3 | 3 | 6 | 9 | 14 | 16 | 35 |
| 50-64 | 282 | 9.0 | 42 | 3 | 4 | 8 | 11 | 16 | 20 | 31 |
| 65+ | 649 | 11.3 | 67 | 4 | 5 | 9 | 14 | 20 | 26 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 5 | 3 | 3 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 31 | 14.3 | 184 | 2 | 5 | 10 | 17 | 28 | 55 | 61 |
| 35-49 | 97 | 15.6 | 200 | 5 | 6 | 11 | 17 | 32 | 41 | 73 |
| 50-64 | 304 | 14.6 | 130 | 4 | 5 | 11 | 18 | 27 | 36 | 65 |
| 65+ | 692 | 17.7 | 162 | 6 | 7 | 14 | 22 | 34 | 44 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 393 | 6.8 | 13 | 3 | 3 | 6 | 8 | 11 | 14 | 20 |
| B. *Operated* | 304 | 11.8 | 59 | 4 | 5 | 10 | 14 | 20 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1079 | 10.1 | 57 | 3 | 4 | 8 | 12 | 19 | 24 | 43 |
| B. *Operated* | 1127 | 16.6 | 159 | 5 | 6 | 13 | 21 | 33 | 42 | 74 |
| **1. SINGLE DX** | 697 | 9.0 | 39 | 3 | 4 | 7 | 11 | 15 | 20 | 34 |
| **2. MULTIPLE DX** | 2206 | 13.4 | 119 | 4 | 5 | 10 | 16 | 26 | 35 | 65 |
| **A. NOT OPERATED** | 1472 | 9.2 | 47 | 3 | 4 | 7 | 11 | 16 | 21 | 37 |
| **B. OPERATED** | 1431 | 15.6 | 142 | 5 | 6 | 12 | 19 | 30 | 40 | 69 |
| TOTAL 0-19 YRS | 31 | 6.7 | 13 | 2 | 3 | 6 | 9 | 11 | 12 | 18 |
| 20-34 | 139 | 8.7 | 60 | 2 | 3 | 7 | 10 | 13 | 19 | 57 |
| 35-49 | 310 | 10.1 | 93 | 3 | 4 | 7 | 11 | 18 | 26 | 65 |
| 50-64 | 801 | 11.0 | 80 | 3 | 4 | 8 | 13 | 21 | 27 | 50 |
| 65+ | 1622 | 13.9 | 117 | 4 | 5 | 11 | 17 | 27 | 36 | 66 |
| **GRAND TOTAL** | **2903** | **12.4** | **104** | **3** | **4** | **9** | **15** | **24** | **33** | **61** |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 412 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 457 | 5.3 | 11 | 1 | 2 | 5 | 7 | 10 | 11 | 18 |
| 50-64 | 426 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 226 | 6.7 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 10 | <1 | <1 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 69 | 9.1 | 44 | <1 | 1 | 8 | 12 | 16 | 20 | 41 |
| 35-49 | 104 | 9.7 | 38 | 1 | 2 | 8 | 12 | 19 | 23 | 27 |
| 50-64 | 96 | 9.8 | 33 | 1 | 3 | 9 | 12 | 20 | 22 | 27 |
| 65+ | 52 | 11.3 | 60 | 1 | 3 | 10 | 15 | 22 | 27 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.4 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 14 |
| 20-34 | 398 | 6.1 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 665 | 6.8 | 29 | 2 | 2 | 6 | 8 | 12 | 14 | 26 |
| 50-64 | 959 | 7.1 | 22 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| 65+ | 1215 | 9.2 | 41 | 3 | 4 | 8 | 11 | 16 | 22 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.7 | 56 | <1 | 1 | 7 | 18 | 20 | 20 | 20 |
| 20-34 | 87 | 8.6 | 34 | 2 | 3 | 8 | 10 | 15 | 22 | 32 |
| 35-49 | 195 | 12.8 | 103 | 3 | 5 | 10 | 15 | 24 | 36 | 51 |
| 50-64 | 293 | 13.1 | 79 | 2 | 4 | 11 | 17 | 24 | 32 | 43 |
| 65+ | 368 | 15.2 | 143 | 3 | 5 | 12 | 19 | 29 | 39 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1647 | 5.3 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |
| B. *Operated* | 324 | 9.8 | 41 | 1 | 2 | 9 | 12 | 19 | 23 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3305 | 7.7 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 31 |
| B. *Operated* | 950 | 13.4 | 108 | 3 | 4 | 11 | 17 | 26 | 34 | 56 |
| **1. SINGLE DX** | 1971 | 6.0 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 4255 | 8.9 | 54 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| **A. NOT OPERATED** | 4952 | 6.9 | 26 | 2 | 2 | 6 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 1274 | 12.5 | 93 | 2 | 4 | 10 | 16 | 24 | 30 | 51 |
| TOTAL 0-19 YRS | 204 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 20-34 | 966 | 5.9 | 20 | 1 | 2 | 5 | 7 | 11 | 13 | 23 |
| 35-49 | 1421 | 7.4 | 40 | 2 | 2 | 6 | 9 | 13 | 18 | 35 |
| 50-64 | 1774 | 7.9 | 36 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| 65+ | 1861 | 10.1 | 67 | 3 | 4 | 8 | 12 | 19 | 26 | 48 |
| **GRAND TOTAL** | **6226** | **8.0** | **45** | **2** | **2** | **6** | **10** | **15** | **20** | **37** |

### 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.3 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 259 | 5.6 | 15 | 2 | 2 | 5 | 7 | 8 | 11 | 16 |
| 35-49 | 307 | 5.9 | 7 | 2 | 3 | 5 | 7 | 10 | 11 | 14 |
| 50-64 | 399 | 6.4 | 10 | 3 | 3 | 6 | 8 | 10 | 11 | 18 |
| 65+ | 347 | 8.0 | 34 | 3 | 3 | 7 | 9 | 13 | 14 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.0 | 8 | 3 | 4 | 8 | 10 | 12 | 13 | 13 |
| 20-34 | 92 | 9.8 | 22 | 6 | 6 | 9 | 11 | 15 | 17 | 34 |
| 35-49 | 131 | 10.5 | 19 | 5 | 6 | 9 | 13 | 17 | 19 | 24 |
| 50-64 | 169 | 11.5 | 39 | 4 | 5 | 10 | 14 | 19 | 23 | 32 |
| 65+ | 163 | 13.6 | 72 | 6 | 7 | 12 | 16 | 21 | 25 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 7.1 | 15 | 2 | 3 | 7 | 9 | 14 | 16 | 16 |
| 20-34 | 160 | 6.3 | 14 | 3 | 3 | 5 | 8 | 11 | 13 | 16 |
| 35-49 | 301 | 6.8 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 19 |
| 50-64 | 731 | 8.4 | 26 | 3 | 4 | 7 | 10 | 14 | 17 | 27 |
| 65+ | 1385 | 10.7 | 67 | 4 | 4 | 9 | 13 | 19 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 12.3 | 77 | 5 | 5 | 9 | 15 | 28 | 29 | 29 |
| 20-34 | 48 | 14.1 | 134 | 3 | 4 | 11 | 18 | 27 | 34 | 67 |
| 35-49 | 137 | 13.8 | 92 | 4 | 6 | 11 | 17 | 25 | 34 | 52 |
| 50-64 | 319 | 16.3 | 137 | 5 | 6 | 13 | 21 | 31 | 39 | 64 |
| 65+ | 692 | 20.3 | 231 | 6 | 7 | 16 | 26 | 39 | 54 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1349 | 6.5 | 17 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| B. *Operated* | 567 | 11.5 | 42 | 5 | 6 | 10 | 14 | 18 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2608 | 9.3 | 48 | 3 | 4 | 8 | 11 | 16 | 20 | 41 |
| B. *Operated* | 1202 | 18.2 | 192 | 5 | 6 | 14 | 23 | 36 | 48 | 87 |
| **1. SINGLE DX** | 1916 | 8.0 | 30 | 3 | 3 | 7 | 10 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 3810 | 12.1 | 111 | 3 | 4 | 9 | 14 | 23 | 33 | 65 |
| **A. NOT OPERATED** | 3957 | 8.3 | 39 | 3 | 4 | 7 | 10 | 14 | 18 | 35 |
| **B. OPERATED** | 1769 | 16.1 | 153 | 5 | 6 | 12 | 19 | 31 | 40 | 74 |
| TOTAL 0-19 YRS | 86 | 6.8 | 17 | 2 | 3 | 6 | 9 | 11 | 15 | 24 |
| 20-34 | 559 | 7.2 | 32 | 2 | 3 | 6 | 8 | 12 | 16 | 34 |
| 35-49 | 876 | 8.1 | 33 | 3 | 3 | 7 | 10 | 14 | 18 | 32 |
| 50-64 | 1618 | 9.8 | 58 | 3 | 4 | 8 | 11 | 18 | 23 | 44 |
| 65+ | 2587 | 13.1 | 127 | 4 | 5 | 10 | 15 | 25 | 36 | 74 |
| **GRAND TOTAL** | **5726** | **10.7** | **87** | **3** | **4** | **8** | **12** | **20** | **28** | **54** |

### 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 9 | 5.6 | 12 | 1 | 1 | 6 | 8 | 10 | 11 | 11 |
| 35-49 | 11 | 5.9 | 6 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 28 | 8.5 | 25 | 1 | 3 | 7 | 11 | 17 | 18 | 22 |
| 65+ | 25 | 11.2 | 165 | 5 | 6 | 8 | 11 | 15 | 30 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 11.0 | 60 | 1 | 1 | 10 | 14 | 24 | 26 | 26 |
| 35-49 | 39 | 15.0 | 107 | 6 | 7 | 13 | 18 | 20 | 25 | 70 |
| 50-64 | 52 | 14.6 | 59 | 6 | 7 | 13 | 18 | 24 | 31 | 43 |
| 65+ | 51 | 19.4 | 139 | 6 | 8 | 17 | 23 | 33 | 44 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 25 | 9.0 | 32 | 3 | 4 | 8 | 11 | 14 | 20 | 30 |
| 35-49 | 21 | 8.3 | 31 | 3 | 4 | 7 | 11 | 14 | 21 | 28 |
| 50-64 | 60 | 9.3 | 35 | 2 | 4 | 8 | 11 | 16 | 24 | 93 |
| 65+ | 110 | 13.2 | 115 | 5 | 6 | 11 | 16 | 22 | 28 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 23 | 20.2 | 196 | 7 | 8 | 15 | 29 | 42 | 50 | 57 |
| 35-49 | 38 | 17.4 | 114 | 4 | 7 | 15 | 22 | 26 | 36 | 61 |
| 50-64 | 117 | 18.0 | 131 | 7 | 9 | 16 | 22 | 30 | 39 | 69 |
| 65+ | 169 | 22.8 | 256 | 7 | 9 | 19 | 29 | 50 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 8.6 | 70 | 1 | 4 | 7 | 10 | 15 | 17 | 59 |
| B. *Operated* | 156 | 15.9 | 103 | 5 | 7 | 14 | 20 | 25 | 32 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 11.1 | 78 | 3 | 4 | 9 | 13 | 20 | 28 | 71 |
| B. *Operated* | 347 | 20.4 | 198 | 7 | 9 | 17 | 24 | 40 | 55 | 99+ |
| **1. SINGLE DX** | 231 | 13.5 | 104 | 4 | 5 | 11 | 17 | 24 | 28 | 70 |
| **2. MULTIPLE DX** | 565 | 16.8 | 172 | 4 | 6 | 13 | 21 | 33 | 46 | 98 |
| **A. NOT OPERATED** | 293 | 10.5 | 77 | 3 | 4 | 8 | 12 | 19 | 27 | 70 |
| **B. OPERATED** | 503 | 19.0 | 173 | 6 | 8 | 16 | 23 | 35 | 48 | 96 |
| TOTAL 0-19 YRS | 4 | 5.8 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 71 | 12.6 | 116 | 1 | 4 | 9 | 15 | 28 | 36 | 55 |
| 35-49 | 109 | 13.6 | 100 | 4 | 5 | 12 | 18 | 23 | 27 | 65 |
| 50-64 | 257 | 14.2 | 98 | 4 | 6 | 12 | 19 | 24 | 31 | 55 |
| 65+ | 355 | 18.5 | 209 | 6 | 7 | 14 | 22 | 36 | 54 | 99+ |
| **GRAND TOTAL** | **796** | **15.9** | **154** | **4** | **6** | **13** | **20** | **30** | **41** | **89** |

### 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 639 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 882 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 672 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 520 | 4.5 | 10 | <1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 303 | 5.3 | 13 | 1 | 1 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.0 | 7 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 60 | 7.3 | 86 | <1 | <1 | 5 | 7 | 17 | 23 | 58 |
| 35-49 | 74 | 6.3 | 25 | <1 | <1 | 5 | 9 | 12 | 12 | 28 |
| 50-64 | 102 | 7.3 | 39 | <1 | <1 | 6 | 11 | 15 | 20 | 27 |
| 65+ | 90 | 7.1 | 53 | <1 | <1 | 5 | 9 | 16 | 20 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 875 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 1362 | 5.1 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 1682 | 6.0 | 20 | 2 | 2 | 5 | 7 | 11 | 13 | 26 |
| 50-64 | 1980 | 6.5 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 2594 | 8.5 | 49 | 2 | 3 | 7 | 10 | 15 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.6 | 20 | <1 | 1 | 6 | 8 | 12 | 17 | 19 |
| 20-34 | 218 | 8.7 | 66 | 1 | 2 | 7 | 10 | 15 | 21 | 53 |
| 35-49 | 352 | 10.8 | 85 | 2 | 3 | 9 | 13 | 19 | 25 | 53 |
| 50-64 | 526 | 12.0 | 110 | 2 | 4 | 9 | 14 | 23 | 33 | 54 |
| 65+ | 777 | 13.7 | 136 | 2 | 4 | 11 | 17 | 27 | 39 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3016 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 342 | 6.9 | 46 | <1 | <1 | 5 | 9 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8493 | 6.5 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | 1893 | 12.0 | 113 | 2 | 3 | 10 | 14 | 23 | 33 | 69 |
| **1. SINGLE DX** | 3358 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 10386 | 7.5 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 39 |
| **A. NOT OPERATED** | 11509 | 5.8 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| **B. OPERATED** | 2235 | 11.2 | 106 | 1 | 2 | 9 | 14 | 22 | 31 | 66 |
| TOTAL 0-19 YRS | 1550 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 2522 | 5.0 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 2780 | 6.2 | 29 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| 50-64 | 3128 | 7.1 | 41 | 1 | 2 | 6 | 9 | 13 | 18 | 35 |
| 65+ | 3764 | 9.3 | 70 | 2 | 3 | 7 | 11 | 18 | 24 | 53 |
| **GRAND TOTAL** | **13744** | **6.7** | **42** | **1** | **2** | **5** | **8** | **13** | **17** | **34** |

### 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 3.4 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 19 |
| 20-34 | 119 | 4.1 | 7 | 1 | 1 | 3 | 6 | 8 | 10 | 12 |
| 35-49 | 100 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 14 |
| 50-64 | 87 | 5.2 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 28 |
| 65+ | 63 | 5.5 | 14 | 1 | 2 | 5 | 7 | 12 | 14 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.6 | 10 | 2 | 3 | 4 | 7 | 10 | 11 | 19 |
| 20-34 | 17 | 11.5 | 99 | <1 | <1 | 9 | 18 | 24 | 32 | 36 |
| 35-49 | 26 | 9.7 | 58 | 1 | 2 | 8 | 12 | 14 | 21 | 41 |
| 50-64 | 22 | 15.0 | 140 | 3 | 4 | 9 | 20 | 29 | 41 | 51 |
| 65+ | 32 | 13.2 | 97 | <1 | 1 | 12 | 17 | 27 | 30 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 4.1 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 211 | 5.6 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 29 |
| 35-49 | 239 | 6.2 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 304 | 7.1 | 46 | 1 | 2 | 6 | 8 | 14 | 19 | 35 |
| 65+ | 408 | 9.4 | 72 | 2 | 2 | 7 | 12 | 20 | 26 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 9.7 | 72 | 2 | 4 | 6 | 12 | 21 | 31 | 36 |
| 20-34 | 51 | 12.6 | 108 | 1 | 3 | 9 | 18 | 29 | 41 | 99 |
| 35-49 | 59 | 15.6 | 187 | <1 | 4 | 12 | 21 | 34 | 63 | 99+ |
| 50-64 | 153 | 17.7 | 228 | 4 | 5 | 13 | 21 | 38 | 54 | 82 |
| 65+ | 211 | 21.4 | 268 | 3 | 5 | 17 | 27 | 43 | 52 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 468 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 11 | 17 |
| B. *Operated* | 147 | 10.1 | 78 | 1 | 2 | 8 | 13 | 20 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1276 | 7.1 | 46 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| B. *Operated* | 497 | 18.1 | 231 | 3 | 4 | 14 | 24 | 39 | 53 | 90 |
| **1. SINGLE DX** | 615 | 5.7 | 34 | 1 | 1 | 4 | 7 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | 1773 | 10.2 | 122 | 1 | 2 | 7 | 12 | 23 | 33 | 62 |
| **A. NOT OPERATED** | 1744 | 6.4 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| **B. OPERATED** | 644 | 16.3 | 207 | 2 | 4 | 12 | 21 | 35 | 47 | 82 |
| TOTAL 0-19 YRS | 286 | 4.6 | 17 | 1 | 1 | 4 | 5 | 9 | 11 | 24 |
| 20-34 | 398 | 6.3 | 41 | 1 | 1 | 4 | 8 | 13 | 21 | 36 |
| 35-49 | 424 | 7.2 | 55 | 1 | 2 | 5 | 9 | 14 | 21 | 56 |
| 50-64 | 566 | 10.0 | 120 | 1 | 2 | 6 | 12 | 21 | 31 | 60 |
| 65+ | 714 | 12.8 | 158 | 2 | 3 | 9 | 16 | 28 | 38 | 66 |
| **GRAND TOTAL** | **2388** | **9.1** | **103** | **1** | **2** | **6** | **11** | **20** | **29** | **57** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 20-34 | 62 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 13 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 3 | 5.0 | 12 | 1 | 1 | 7 | 7 | 7 | 7 | 7 |
| 65+ | 3 | 5.7 | 9 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4922 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2869 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 772 | 5.4 | 10 | 3 | 3 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | 351 | 6.0 | 6 | 3 | 3 | 6 | 7 | 10 | 11 | 15 |
| 65+ | 134 | 7.4 | 9 | 4 | 5 | 7 | 9 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 34 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 12 | 15 |
| 35-49 | 10 | 3.7 | 11 | 2 | 2 | 3 | 3 | 8 | 13 | 13 |
| 50-64 | 11 | 6.4 | 23 | 3 | 3 | 4 | 7 | 15 | 16 | 16 |
| 65+ | 5 | 16.8 | 28 | 10 | 10 | 18 | 21 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 689 | 6.6 | 21 | 3 | 3 | 5 | 8 | 12 | 15 | 25 |
| 20-34 | 573 | 7.0 | 21 | 3 | 4 | 6 | 8 | 12 | 16 | 26 |
| 35-49 | 221 | 8.7 | 32 | 3 | 4 | 7 | 10 | 17 | 20 | 29 |
| 50-64 | 215 | 10.6 | 43 | 4 | 5 | 9 | 14 | 18 | 23 | 33 |
| 65+ | 152 | 12.4 | 79 | 4 | 5 | 10 | 15 | 21 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 9048 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 4.3 | 17 | 1 | 1 | 3 | 4 | 9 | 15 | 21 |
| B. *Operated* | 1850 | 7.9 | 33 | 3 | 4 | 6 | 9 | 15 | 18 | 30 |
| **1. SINGLE DX** | 9201 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1958 | 7.7 | 33 | 3 | 3 | 6 | 9 | 15 | 18 | 29 |
| **A. NOT OPERATED** | 261 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| **B. OPERATED** | 10898 | 5.2 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 5731 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 3538 | 4.9 | 7 | 2 | 3 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 1016 | 6.1 | 16 | 3 | 3 | 5 | 7 | 10 | 13 | 25 |
| 50-64 | 580 | 7.7 | 25 | 3 | 4 | 6 | 9 | 14 | 17 | 28 |
| 65+ | 294 | 10.1 | 52 | 4 | 5 | 8 | 13 | 17 | 22 | 35 |
| **GRAND TOTAL** | **11159** | **5.1** | **11** | **2** | **3** | **4** | **6** | **8** | **10** | **18** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 11.6 | 37 | 4 | 5 | 11 | 15 | 18 | 24 | 29 |
| 20-34 | 23 | 9.2 | 22 | 3 | 5 | 8 | 12 | 16 | 19 | 20 |
| 35-49 | 12 | 6.3 | 6 | 1 | 3 | 6 | 8 | 9 | 10 | 10 |
| 50-64 | 11 | 9.2 | 7 | 4 | 5 | 9 | 11 | 12 | 13 | 13 |
| 65+ | 4 | 9.5 | 12 | 6 | 6 | 9 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 934 | 8.1 | 17 | 3 | 4 | 7 | 10 | 13 | 15 | 23 |
| 20-34 | 479 | 8.0 | 15 | 3 | 4 | 7 | 10 | 12 | 15 | 21 |
| 35-49 | 314 | 9.2 | 17 | 4 | 5 | 8 | 11 | 14 | 17 | 25 |
| 50-64 | 256 | 10.7 | 29 | 5 | 6 | 9 | 12 | 16 | 20 | 34 |
| 65+ | 136 | 12.1 | 32 | 6 | 7 | 11 | 15 | 19 | 23 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 11.0 | 36 | 1 | 3 | 13 | 16 | 18 | 18 | 18 |
| 20-34 | 8 | 10.0 | 72 | <1 | 1 | 8 | 15 | 24 | 26 | 26 |
| 35-49 | 7 | 7.3 | 36 | <1 | <1 | 5 | 12 | 15 | 16 | 16 |
| 50-64 | 6 | 11.8 | 9 | 8 | 8 | 11 | 12 | 17 | 17 | 17 |
| 65+ | 7 | 10.1 | 21 | 7 | 7 | 7 | 12 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 12.4 | 55 | 4 | 5 | 10 | 15 | 22 | 26 | 39 |
| 20-34 | 267 | 11.8 | 52 | 5 | 6 | 10 | 14 | 20 | 26 | 44 |
| 35-49 | 229 | 12.9 | 55 | 5 | 7 | 11 | 15 | 21 | 27 | 40 |
| 50-64 | 306 | 14.5 | 50 | 7 | 8 | 12 | 18 | 24 | 29 | 39 |
| 65+ | 288 | 18.6 | 139 | 7 | 8 | 15 | 23 | 34 | 43 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 9.6 | 25 | 4 | 4 | 9 | 13 | 15 | 19 | 28 |
| B. *Operated* | 2119 | 8.8 | 20 | 3 | 4 | 8 | 11 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 10.1 | 35 | 1 | 2 | 11 | 13 | 18 | 19 | 26 |
| B. *Operated* | 1445 | 14.0 | 76 | 5 | 7 | 12 | 17 | 24 | 31 | 48 |
| **1. SINGLE DX** | 2197 | 8.8 | 21 | 3 | 4 | 8 | 11 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | 1482 | 13.9 | 75 | 5 | 7 | 12 | 17 | 24 | 30 | 47 |
| **A. NOT OPERATED** | 115 | 9.8 | 28 | 2 | 4 | 9 | 13 | 17 | 19 | 27 |
| **B. OPERATED** | 3564 | 10.9 | 49 | 4 | 5 | 9 | 13 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 1326 | 9.3 | 31 | 3 | 4 | 8 | 11 | 16 | 20 | 29 |
| 20-34 | 777 | 9.3 | 32 | 3 | 4 | 8 | 11 | 15 | 20 | 31 |
| 35-49 | 562 | 10.6 | 36 | 4 | 5 | 9 | 12 | 18 | 22 | 34 |
| 50-64 | 579 | 12.7 | 43 | 6 | 7 | 11 | 15 | 21 | 26 | 37 |
| 65+ | 435 | 16.3 | 112 | 7 | 7 | 13 | 20 | 29 | 38 | 74 |
| **GRAND TOTAL** | **3679** | **10.9** | **49** | **4** | **5** | **9** | **13** | **19** | **24** | **37** |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 80 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 50 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 35-49 | 16 | 3.8 | 7 | 1 | 1 | 3 | 4 | 9 | 9 | 9 |
| 50-64 | 5 | 4.4 | 8 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 65+ | 5 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 237 | 5.1 | 7 | 3 | 3 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 140 | 5.5 | 7 | 3 | 3 | 5 | 6 | 9 | 12 | 17 |
| 35-49 | 45 | 6.4 | 7 | 3 | 4 | 6 | 8 | 9 | 12 | 14 |
| 50-64 | 20 | 9.9 | 83 | 3 | 3 | 7 | 11 | 18 | 31 | 43 |
| 65+ | 8 | 8.5 | 31 | 2 | 3 | 6 | 14 | 16 | 16 | 16 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 33 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 20-34 | 29 | 3.8 | 4 | 1 | 2 | 3 | 6 | 6 | 8 | 8 |
| 35-49 | 9 | 4.7 | 11 | 1 | 1 | 4 | 6 | 10 | 12 | 12 |
| 50-64 | 8 | 5.4 | 11 | 2 | 2 | 4 | 8 | 10 | 11 | 11 |
| 65+ | 7 | 12.4 | 180 | 2 | 3 | 9 | 11 | 36 | 42 | 42 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 117 | 5.5 | 6 | 3 | 3 | 5 | 7 | 10 | 11 | 14 |
| 20-34 | 123 | 7.5 | 28 | 3 | 4 | 6 | 8 | 14 | 18 | 31 |
| 35-49 | 44 | 9.4 | 50 | 4 | 5 | 8 | 10 | 15 | 23 | 43 |
| 50-64 | 29 | 11.0 | 67 | 4 | 5 | 8 | 14 | 17 | 21 | 47 |
| 65+ | 20 | 12.4 | 42 | 4 | 5 | 12 | 15 | 23 | 25 | 26 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 156 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| B. *Operated* | 450 | 5.6 | 12 | 3 | 3 | 5 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 86 | 4.8 | 26 | 1 | 1 | 4 | 6 | 9 | 11 | 33 |
| B. *Operated* | 333 | 7.7 | 31 | 3 | 4 | 6 | 9 | 14 | 18 | 31 |
| **1. SINGLE DX** | 606 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 419 | 7.1 | 31 | 2 | 3 | 5 | 8 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 242 | 3.6 | 13 | 1 | 1 | 3 | 4 | 8 | 9 | 13 |
| **B. OPERATED** | 783 | 6.5 | 21 | 3 | 3 | 5 | 7 | 11 | 15 | 25 |
| TOTAL 0-19 YRS | 467 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 342 | 5.7 | 17 | 2 | 2 | 5 | 6 | 10 | 13 | 23 |
| 35-49 | 114 | 7.1 | 28 | 2 | 2 | 6 | 9 | 12 | 14 | 33 |
| 50-64 | 62 | 9.4 | 64 | 2 | 3 | 8 | 11 | 16 | 20 | 47 |
| 65+ | 40 | 10.8 | 61 | 2 | 4 | 9 | 14 | 20 | 25 | 42 |
| **GRAND TOTAL** | **1025** | **5.8** | **20** | **2** | **2** | **5** | **7** | **10** | **14** | **24** |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 38 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 18 | 3.4 | 7 | <1 | 1 | 3 | 5 | 6 | 10 | 12 |
| 35-49 | 15 | 2.2 | 3 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 50-64 | 14 | 3.1 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 65+ | 22 | 4.4 | 11 | <1 | 1 | 4 | 6 | 10 | 11 | 12 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4628 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3877 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3498 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 5689 | 4.4 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 3933 | 5.1 | 9 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 244 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 20-34 | 57 | 2.6 | 18 | <1 | <1 | 1 | 2 | 6 | 10 | 26 |
| 35-49 | 37 | 2.7 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 15 |
| 50-64 | 103 | 4.1 | 16 | <1 | <1 | 2 | 6 | 9 | 13 | 18 |
| 65+ | 170 | 5.3 | 30 | 1 | 1 | 3 | 7 | 12 | 15 | 32 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2064 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1154 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 1726 | 5.1 | 8 | 2 | 3 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 4166 | 5.8 | 15 | 3 | 3 | 5 | 6 | 9 | 12 | 22 |
| 65+ | 4739 | 7.8 | 47 | 3 | 3 | 6 | 9 | 14 | 18 | 37 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 107 | 2.7 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 21625 | 3.8 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 611 | 3.1 | 17 | <1 | <1 | 1 | 4 | 8 | 12 | 20 |
| B. *Operated* | 13849 | 5.7 | 26 | 1 | 2 | 5 | 7 | 10 | 14 | 25 |
| **1. SINGLE DX** | 21732 | 3.8 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 14460 | 5.6 | 26 | 1 | 2 | 5 | 7 | 10 | 13 | 25 |
| **A. NOT OPERATED** | 718 | 3.1 | 15 | <1 | <1 | 1 | 4 | 7 | 11 | 19 |
| **B. OPERATED** | 35474 | 4.6 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 6974 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 5106 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| 35-49 | 5276 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 9972 | 5.0 | 9 | 2 | 3 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 8864 | 6.5 | 32 | 2 | 3 | 5 | 7 | 11 | 15 | 30 |
| **GRAND TOTAL** | **36192** | **4.5** | **14** | **1** | **2** | **4** | **5** | **8** | **10** | **18** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 3 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 12 | 3.2 | 6 | <1 | <1 | 3 | 4 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 299 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 145 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 151 | 4.9 | 7 | 2 | 3 | 4 | 6 | 7 | 9 | 15 |
| 50-64 | 275 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 370 | 6.8 | 14 | 3 | 3 | 6 | 8 | 11 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.5 | 7 | <1 | 1 | 1 | 3 | 5 | 9 | 11 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 4.8 | 4 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 12 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 52 | 9.8 | 116 | 1 | 1 | 7 | 11 | 23 | 31 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.2 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 21 |
| 20-34 | 43 | 5.3 | 35 | 2 | 2 | 4 | 6 | 8 | 11 | 40 |
| 35-49 | 82 | 7.0 | 21 | 2 | 3 | 6 | 8 | 13 | 18 | 21 |
| 50-64 | 246 | 8.7 | 54 | 3 | 4 | 7 | 9 | 15 | 21 | 45 |
| 65+ | 798 | 11.8 | 89 | 4 | 5 | 9 | 14 | 22 | 28 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 2.7 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | 1240 | 4.8 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 7.1 | 85 | 1 | 1 | 4 | 8 | 17 | 25 | 52 |
| B. *Operated* | 1312 | 9.8 | 76 | 2 | 3 | 8 | 12 | 19 | 26 | 57 |
| **1. SINGLE DX** | 1266 | 4.8 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 1396 | 9.6 | 77 | 2 | 3 | 7 | 12 | 19 | 26 | 57 |
| **A. NOT OPERATED** | 110 | 6.1 | 70 | <1 | 1 | 4 | 7 | 15 | 22 | 45 |
| **B. OPERATED** | 2552 | 7.4 | 50 | 1 | 2 | 6 | 9 | 14 | 20 | 41 |
| TOTAL 0-19 YRS | 467 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 189 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 7 | 13 |
| 35-49 | 238 | 5.7 | 13 | 2 | 3 | 5 | 6 | 9 | 12 | 20 |
| 50-64 | 536 | 6.7 | 32 | 2 | 3 | 5 | 8 | 11 | 15 | 34 |
| 65+ | 1232 | 10.1 | 72 | 3 | 4 | 8 | 12 | 19 | 25 | 61 |
| **GRAND TOTAL** | **2662** | **7.3** | **51** | **1** | **2** | **5** | **9** | **14** | **20** | **41** |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.8 | 16 | <1 | <1 | 2 | 5 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 512 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 225 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 249 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 223 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 12 |
| 65+ | 106 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 10 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 6 | 8 |
| 20-34 | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 12 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 10 | 11 |
| 50-64 | 13 | 4.4 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 23 | 8.9 | 67 | <1 | 1 | 6 | 12 | 20 | 27 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 8 | 99+ |
| 20-34 | 103 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 187 | 6.8 | 37 | 2 | 2 | 5 | 8 | 11 | 17 | 36 |
| 50-64 | 250 | 6.9 | 16 | 2 | 3 | 6 | 9 | 13 | 16 | 20 |
| 65+ | 132 | 8.6 | 44 | 3 | 3 | 7 | 10 | 19 | 23 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 3.0 | 11 | <1 | <1 | 2 | 3 | 10 | 11 | 11 |
| B. *Operated* | 1315 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.1 | 29 | <1 | <1 | 2 | 5 | 11 | 14 | 29 |
| B. *Operated* | 751 | 6.4 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| **1. SINGLE DX** | 1329 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 838 | 6.2 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **A. NOT OPERATED** | 101 | 4.0 | 27 | <1 | <1 | 2 | 5 | 11 | 13 | 28 |
| **B. OPERATED** | 2066 | 4.5 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 632 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 335 | 3.8 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 450 | 5.0 | 19 | 2 | 2 | 4 | 6 | 8 | 11 | 23 |
| 50-64 | 487 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 18 |
| 65+ | 263 | 7.3 | 37 | 2 | 3 | 6 | 8 | 14 | 20 | 34 |
| **GRAND TOTAL** | **2167** | **4.4** | **16** | **1** | **1** | **3** | **5** | **8** | **11** | **21** |

### 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 12 | <1 | <1 | <1 | 5 | 7 | 7 | 7 |
| 20-34 | 8 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 5 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 12 | 3.5 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 13 | 4.3 | 9 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 383 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 625 | 5.5 | 6 | 2 | 3 | 5 | 7 | 9 | 10 | 13 |
| 50-64 | 789 | 6.3 | 7 | 3 | 3 | 6 | 8 | 9 | 11 | 16 |
| 65+ | 484 | 7.5 | 13 | 3 | 4 | 7 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 13 | 2.7 | 7 | <1 | <1 | 1 | 4 | 7 | 9 | 9 |
| 35-49 | 38 | 4.4 | 15 | <1 | <1 | 3 | 6 | 9 | 12 | 18 |
| 50-64 | 62 | 4.9 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 101 | 9.0 | 160 | 1 | 2 | 6 | 10 | 16 | 21 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.9 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 211 | 6.2 | 12 | 3 | 3 | 5 | 7 | 10 | 14 | 19 |
| 35-49 | 458 | 7.7 | 23 | 3 | 3 | 7 | 9 | 13 | 16 | 25 |
| 50-64 | 770 | 9.3 | 36 | 3 | 4 | 8 | 11 | 16 | 20 | 34 |
| 65+ | 765 | 11.6 | 75 | 4 | 5 | 10 | 14 | 19 | 25 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 3.8 | 6 | <1 | 1 | 3 | 5 | 8 | 8 | 10 |
| B. *Operated* | 2410 | 5.8 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 6.5 | 87 | <1 | 1 | 5 | 8 | 12 | 16 | 52 |
| B. *Operated* | 2242 | 9.4 | 47 | 3 | 4 | 8 | 11 | 16 | 20 | 37 |
| **1. SINGLE DX** | 2451 | 5.8 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 2460 | 9.1 | 52 | 3 | 3 | 8 | 11 | 16 | 20 | 38 |
| **A. NOT OPERATED** | 259 | 6.1 | 75 | <1 | 1 | 4 | 8 | 11 | 15 | 40 |
| **B. OPERATED** | 4652 | 7.5 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| TOTAL 0-19 YRS | 174 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 615 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 1126 | 6.3 | 14 | 2 | 3 | 6 | 8 | 10 | 13 | 20 |
| 50-64 | 1633 | 7.7 | 24 | 3 | 3 | 7 | 9 | 13 | 16 | 26 |
| 65+ | 1363 | 9.9 | 63 | 3 | 4 | 8 | 12 | 17 | 22 | 46 |
| **GRAND TOTAL** | **4911** | **7.5** | **33** | **2** | **3** | **6** | **9** | **13** | **16** | **29** |

### 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 9 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 36 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 112 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 172 | 4.5 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 11 |
| 65+ | 173 | 5.1 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.8 | 339 | 2 | 2 | 2 | 25 | 44 | 44 | 44 |
| 20-34 | 13 | 7.7 | 18 | 2 | 2 | 8 | 9 | 13 | 16 | 17 |
| 35-49 | 44 | 8.4 | 14 | 2 | 3 | 8 | 11 | 14 | 15 | 17 |
| 50-64 | 49 | 8.8 | 20 | 3 | 4 | 8 | 10 | 14 | 16 | 25 |
| 65+ | 50 | 13.1 | 49 | 4 | 5 | 12 | 16 | 22 | 27 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.5 | 9 | <1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 115 | 5.6 | 12 | 1 | 2 | 5 | 7 | 11 | 12 | 16 |
| 35-49 | 479 | 5.4 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 998 | 6.0 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 65+ | 1775 | 7.7 | 36 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 17.5 | 230 | 2 | 2 | 18 | 30 | 31 | 31 | 31 |
| 20-34 | 72 | 9.3 | 66 | <1 | 2 | 8 | 11 | 18 | 25 | 44 |
| 35-49 | 184 | 10.7 | 91 | 2 | 3 | 9 | 12 | 19 | 27 | 58 |
| 50-64 | 360 | 10.8 | 62 | 1 | 2 | 9 | 13 | 21 | 25 | 42 |
| 65+ | 448 | 13.1 | 109 | 2 | 3 | 11 | 17 | 26 | 31 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 497 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | 161 | 10.1 | 40 | 2 | 4 | 9 | 12 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3378 | 6.8 | 26 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| B. *Operated* | 1068 | 11.7 | 89 | 2 | 3 | 10 | 14 | 22 | 29 | 52 |
| **1. SINGLE DX** | 658 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 4446 | 8.0 | 46 | 2 | 3 | 6 | 10 | 15 | 20 | 33 |
| **A. NOT OPERATED** | 3875 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| **B. OPERATED** | 1229 | 11.5 | 83 | 2 | 3 | 10 | 14 | 22 | 28 | 49 |
| TOTAL 0-19 YRS | 24 | 8.5 | 125 | 1 | 2 | 4 | 8 | 30 | 35 | 44 |
| 20-34 | 236 | 6.6 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| 35-49 | 819 | 6.6 | 34 | 1 | 2 | 5 | 8 | 12 | 14 | 29 |
| 50-64 | 1579 | 7.0 | 29 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| 65+ | 2446 | 8.6 | 53 | 2 | 3 | 7 | 11 | 16 | 22 | 37 |
| **GRAND TOTAL** | **5104** | **7.7** | **43** | **2** | **2** | **6** | **9** | **14** | **19** | **33** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 3.6 | 8 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 3 | 16.7 | 450 | 2 | 2 | 7 | 32 | 41 | 41 | 41 |
| 50-64 | 9 | 4.6 | 13 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 7 | 3.4 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 88 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 116 | 4.2 | 10 | 1 | 2 | 4 | 5 | 6 | 8 | 17 |
| 50-64 | 138 | 4.9 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 65+ | 137 | 5.7 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 4.4 | 9 | 1 | 1 | 4 | 5 | 9 | 11 | 11 |
| 35-49 | 8 | 5.1 | 20 | <1 | <1 | 4 | 8 | 12 | 13 | 13 |
| 50-64 | 10 | 8.2 | 46 | 1 | 2 | 6 | 10 | 20 | 20 | 20 |
| 65+ | 23 | 7.9 | 44 | 1 | 2 | 6 | 10 | 18 | 22 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.4 | 22 | 2 | 3 | 6 | 9 | 15 | 17 | 17 |
| 20-34 | 39 | 5.6 | 28 | 2 | 3 | 4 | 5 | 8 | 19 | 27 |
| 35-49 | 81 | 6.4 | 23 | 2 | 3 | 5 | 7 | 12 | 14 | 31 |
| 50-64 | 94 | 7.2 | 74 | 2 | 3 | 6 | 8 | 12 | 17 | 28 |
| 65+ | 194 | 9.2 | 60 | 3 | 4 | 7 | 11 | 17 | 21 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 5.4 | 60 | <1 | 1 | 4 | 6 | 8 | 17 | 41 |
| B. *Operated* | 515 | 4.6 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 6.9 | 36 | 1 | 1 | 5 | 9 | 16 | 20 | 28 |
| B. *Operated* | 417 | 7.8 | 38 | 3 | 3 | 6 | 9 | 15 | 18 | 39 |
| **1. SINGLE DX** | 541 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 466 | 7.7 | 38 | 2 | 3 | 6 | 9 | 15 | 19 | 38 |
| **A. NOT OPERATED** | 75 | 6.4 | 44 | 1 | 1 | 5 | 8 | 13 | 20 | 38 |
| **B. OPERATED** | 932 | 6.0 | 23 | 2 | 3 | 5 | 7 | 10 | 15 | 28 |
| TOTAL 0-19 YRS | 45 | 3.3 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 142 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 26 |
| 35-49 | 208 | 5.3 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 34 |
| 50-64 | 251 | 5.9 | 15 | 2 | 3 | 5 | 7 | 10 | 12 | 21 |
| 65+ | 361 | 7.7 | 36 | 2 | 3 | 6 | 9 | 14 | 18 | 42 |
| **GRAND TOTAL** | **1007** | **6.1** | **25** | **2** | **2** | **5** | **7** | **10** | **15** | **28** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 6 | 4.5 | 16 | <1 | <1 | 3 | 9 | 10 | 10 | 10 |
| 35-49 | 11 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 9 |
| 50-64 | 29 | 4.3 | 11 | 1 | 1 | 4 | 5 | 9 | 12 | 14 |
| 65+ | 29 | 4.5 | 5 | 1 | 1 | 5 | 6 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 4.2 | 50 | 1 | 1 | 3 | 4 | 7 | 12 | 50 |
| 20-34 | 130 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 13 |
| 35-49 | 228 | 5.1 | 9 | 2 | 2 | 5 | 6 | 9 | 10 | 16 |
| 50-64 | 293 | 6.7 | 13 | 3 | 3 | 6 | 8 | 11 | 14 | 19 |
| 65+ | 401 | 9.7 | 52 | 3 | 4 | 8 | 12 | 17 | 22 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 5.8 | 27 | 3 | 3 | 4 | 7 | 15 | 15 | 15 |
| 35-49 | 19 | 6.2 | 46 | 1 | 1 | 4 | 8 | 11 | 22 | 31 |
| 50-64 | 43 | 6.9 | 30 | 1 | 2 | 6 | 8 | 16 | 19 | 23 |
| 65+ | 135 | 10.3 | 122 | 2 | 3 | 8 | 12 | 20 | 26 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.2 | 64 | 1 | 1 | 3 | 6 | 19 | 27 | 27 |
| 20-34 | 76 | 8.3 | 39 | 3 | 3 | 6 | 10 | 16 | 20 | 36 |
| 35-49 | 193 | 9.3 | 87 | 3 | 3 | 7 | 10 | 15 | 24 | 59 |
| 50-64 | 444 | 11.0 | 76 | 3 | 4 | 9 | 13 | 20 | 26 | 43 |
| 65+ | 944 | 15.8 | 165 | 5 | 6 | 12 | 19 | 29 | 40 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 1113 | 7.1 | 32 | 2 | 3 | 6 | 9 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 9.1 | 95 | 1 | 2 | 7 | 11 | 17 | 23 | 56 |
| B. *Operated* | 1666 | 13.4 | 134 | 3 | 4 | 10 | 16 | 25 | 35 | 75 |
| **1. SINGLE DX** | 1192 | 6.9 | 31 | 2 | 2 | 6 | 8 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | 1869 | 12.9 | 132 | 3 | 4 | 10 | 16 | 24 | 34 | 72 |
| **A. NOT OPERATED** | 282 | 7.7 | 76 | 1 | 1 | 5 | 9 | 14 | 20 | 53 |
| **B. OPERATED** | 2779 | 10.8 | 103 | 3 | 3 | 8 | 13 | 21 | 28 | 61 |
| TOTAL 0-19 YRS | 75 | 4.3 | 49 | 1 | 1 | 3 | 4 | 7 | 13 | 47 |
| 20-34 | 217 | 5.8 | 21 | 2 | 2 | 4 | 7 | 11 | 15 | 22 |
| 35-49 | 451 | 6.9 | 48 | 2 | 3 | 5 | 8 | 12 | 15 | 39 |
| 50-64 | 809 | 9.0 | 53 | 3 | 3 | 7 | 11 | 17 | 21 | 39 |
| 65+ | 1509 | 13.5 | 137 | 4 | 5 | 10 | 16 | 26 | 35 | 76 |
| **GRAND TOTAL** | **3061** | **10.6** | **101** | **2** | **3** | **8** | **13** | **21** | **28** | **58** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 249 | 4.9 | 13 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 320 | 5.6 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| 50-64 | 478 | 5.9 | 13 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 65+ | 582 | 7.3 | 25 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 7.5 | 15 | 3 | 3 | 7 | 9 | 13 | 15 | 20 |
| 20-34 | 151 | 11.2 | 78 | 5 | 5 | 9 | 12 | 18 | 24 | 59 |
| 35-49 | 187 | 12.4 | 48 | 6 | 7 | 11 | 15 | 19 | 22 | 44 |
| 50-64 | 251 | 13.1 | 56 | 6 | 7 | 11 | 15 | 22 | 25 | 46 |
| 65+ | 306 | 15.2 | 73 | 7 | 9 | 13 | 17 | 23 | 31 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 5.4 | 24 | 1 | 1 | 4 | 7 | 11 | 16 | 27 |
| 20-34 | 222 | 5.7 | 24 | 1 | 2 | 5 | 7 | 10 | 12 | 23 |
| 35-49 | 341 | 7.2 | 24 | 2 | 3 | 6 | 9 | 13 | 18 | 24 |
| 50-64 | 748 | 7.9 | 41 | 2 | 3 | 7 | 10 | 14 | 19 | 31 |
| 65+ | 1992 | 10.2 | 64 | 3 | 4 | 8 | 13 | 18 | 25 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 11.2 | 86 | 4 | 4 | 9 | 12 | 22 | 31 | 58 |
| 20-34 | 194 | 15.3 | 158 | 5 | 6 | 11 | 18 | 29 | 43 | 81 |
| 35-49 | 331 | 16.6 | 172 | 6 | 7 | 13 | 19 | 29 | 36 | 86 |
| 50-64 | 656 | 19.7 | 174 | 7 | 8 | 16 | 24 | 39 | 49 | 99+ |
| 65+ | 1502 | 22.9 | 220 | 8 | 10 | 19 | 29 | 44 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1774 | 6.0 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | 1001 | 12.7 | 64 | 5 | 6 | 11 | 15 | 21 | 25 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3395 | 9.0 | 54 | 2 | 3 | 7 | 11 | 16 | 21 | 39 |
| B. *Operated* | 2797 | 20.4 | 204 | 7 | 8 | 16 | 25 | 40 | 54 | 99+ |
| **1. SINGLE DX** | 2775 | 8.4 | 45 | 2 | 2 | 7 | 11 | 16 | 19 | 35 |
| **2. MULTIPLE DX** | 6192 | 14.1 | 154 | 3 | 4 | 11 | 18 | 30 | 40 | 87 |
| **A. NOT OPERATED** | 5169 | 8.0 | 43 | 2 | 2 | 6 | 10 | 15 | 19 | 34 |
| **B. OPERATED** | 3798 | 18.4 | 178 | 6 | 7 | 15 | 22 | 35 | 48 | 99+ |
| TOTAL 0-19 YRS | 457 | 7.0 | 42 | 1 | 2 | 6 | 8 | 13 | 18 | 32 |
| 20-34 | 816 | 8.7 | 80 | 1 | 2 | 7 | 10 | 16 | 23 | 55 |
| 35-49 | 1179 | 10.2 | 87 | 2 | 3 | 8 | 13 | 19 | 25 | 49 |
| 50-64 | 2133 | 11.7 | 110 | 2 | 3 | 9 | 14 | 23 | 33 | 63 |
| 65+ | 4382 | 14.5 | 152 | 3 | 4 | 11 | 18 | 30 | 41 | 90 |
| **GRAND TOTAL** | **8967** | **12.4** | **127** | **2** | **3** | **9** | **15** | **25** | **35** | **72** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5268 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2157 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 855 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 644 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 65+ | 585 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 5.3 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 188 | 6.6 | 39 | 1 | 2 | 5 | 7 | 12 | 17 | 36 |
| 35-49 | 77 | 8.0 | 41 | 2 | 2 | 6 | 10 | 15 | 19 | 34 |
| 50-64 | 67 | 7.3 | 35 | <1 | 1 | 6 | 9 | 16 | 22 | 87 |
| 65+ | 59 | 9.5 | 81 | <1 | 1 | 6 | 13 | 20 | 24 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5809 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1773 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1121 | 5.5 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 1751 | 6.3 | 27 | 2 | 2 | 5 | 8 | 11 | 15 | 26 |
| 65+ | 3582 | 8.6 | 70 | 2 | 3 | 7 | 10 | 16 | 21 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 9.1 | 141 | 2 | 3 | 6 | 9 | 15 | 44 | 76 |
| 20-34 | 221 | 8.7 | 62 | 1 | 3 | 7 | 11 | 15 | 20 | 46 |
| 35-49 | 174 | 10.6 | 71 | 3 | 4 | 9 | 13 | 18 | 21 | 38 |
| 50-64 | 257 | 11.8 | 98 | 2 | 4 | 9 | 14 | 24 | 28 | 61 |
| 65+ | 443 | 16.8 | 193 | 3 | 5 | 13 | 21 | 35 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9509 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 485 | 7.0 | 39 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14035 | 5.6 | 31 | 1 | 2 | 4 | 7 | 11 | 14 | 28 |
| B. *Operated* | 1218 | 12.6 | 137 | 2 | 4 | 9 | 15 | 25 | 39 | 85 |
| **1. SINGLE DX** | 9994 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 15254 | 6.2 | 43 | 1 | 2 | 4 | 7 | 12 | 16 | 35 |
| **A. NOT OPERATED** | 23545 | 4.7 | 22 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| **B. OPERATED** | 1703 | 11.0 | 116 | 2 | 3 | 8 | 14 | 22 | 32 | 80 |
| TOTAL 0-19 YRS | 11294 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 4339 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 2227 | 5.4 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 2719 | 6.3 | 36 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 4669 | 8.9 | 83 | 2 | 3 | 7 | 11 | 17 | 25 | 62 |
| **GRAND TOTAL** | **25248** | **5.1** | **31** | **1** | **2** | **4** | **6** | **10** | **14** | **28** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.3 | 20 | 2 | 2 | 5 | 8 | 14 | 15 | 15 |
| 20-34 | 68 | 5.8 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 459 | 5.9 | 12 | 2 | 2 | 5 | 8 | 10 | 12 | 17 |
| 50-64 | 961 | 5.7 | 11 | 1 | 2 | 5 | 8 | 10 | 12 | 15 |
| 65+ | 1331 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.7 | 41 | 4 | 4 | 6 | 13 | 16 | 16 | 16 |
| 20-34 | 47 | 10.0 | 25 | 5 | 6 | 9 | 11 | 14 | 19 | 32 |
| 35-49 | 152 | 11.7 | 30 | 5 | 6 | 11 | 14 | 19 | 22 | 31 |
| 50-64 | 312 | 13.2 | 49 | 3 | 7 | 12 | 16 | 21 | 26 | 39 |
| 65+ | 322 | 14.8 | 79 | 2 | 6 | 13 | 18 | 26 | 30 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.7 | 65 | 7 | 7 | 7 | 18 | 21 | 21 | 21 |
| 20-34 | 54 | 6.3 | 15 | 2 | 3 | 5 | 7 | 12 | 15 | 19 |
| 35-49 | 423 | 6.6 | 12 | 2 | 3 | 6 | 8 | 11 | 13 | 17 |
| 50-64 | 1670 | 7.1 | 20 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| 65+ | 5764 | 8.9 | 53 | 2 | 3 | 7 | 11 | 15 | 20 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 24.7 | 614 | 7 | 7 | 14 | 43 | 53 | 53 | 53 |
| 20-34 | 50 | 12.4 | 91 | 6 | 6 | 9 | 15 | 21 | 31 | 62 |
| 35-49 | 345 | 15.1 | 68 | 6 | 7 | 13 | 18 | 26 | 31 | 42 |
| 50-64 | 1182 | 16.7 | 126 | 4 | 7 | 14 | 20 | 28 | 36 | 66 |
| 65+ | 2139 | 19.2 | 207 | 4 | 6 | 15 | 24 | 39 | 51 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2826 | 5.9 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 18 |
| B. *Operated* | 836 | 13.3 | 58 | 3 | 6 | 12 | 16 | 23 | 28 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7914 | 8.4 | 44 | 2 | 3 | 7 | 10 | 14 | 19 | 37 |
| B. *Operated* | 3719 | 17.9 | 169 | 4 | 6 | 15 | 22 | 34 | 45 | 79 |
| **1. SINGLE DX** | 3662 | 7.6 | 35 | 1 | 2 | 6 | 10 | 14 | 18 | 29 |
| **2. MULTIPLE DX** | 11633 | 11.4 | 104 | 2 | 3 | 9 | 14 | 22 | 31 | 60 |
| **A. NOT OPERATED** | 10740 | 7.7 | 38 | 2 | 3 | 7 | 10 | 14 | 17 | 33 |
| **B. OPERATED** | 4555 | 17.1 | 152 | 4 | 6 | 14 | 21 | 31 | 42 | 75 |
| TOTAL 0-19 YRS | 16 | 11.2 | 153 | 2 | 3 | 7 | 14 | 20 | 43 | 53 |
| 20-34 | 219 | 8.3 | 40 | 2 | 3 | 7 | 10 | 15 | 18 | 33 |
| 35-49 | 1379 | 9.1 | 43 | 2 | 3 | 8 | 12 | 17 | 21 | 33 |
| 50-64 | 4125 | 10.0 | 72 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| 65+ | 9556 | 11.0 | 105 | 2 | 3 | 8 | 13 | 22 | 31 | 62 |
| **GRAND TOTAL** | **15295** | **10.5** | **90** | **2** | **3** | **8** | **13** | **20** | **28** | **55** |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.1 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 18 |
| 20-34 | 48 | 3.6 | 7 | <1 | 1 | 3 | 4 | 8 | 9 | 13 |
| 35-49 | 44 | 4.2 | 7 | 1 | 2 | 3 | 6 | 9 | 10 | 11 |
| 50-64 | 28 | 6.0 | 98 | 1 | 1 | 3 | 6 | 12 | 20 | 53 |
| 65+ | 17 | 4.6 | 10 | <1 | 1 | 4 | 7 | 9 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 1183 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 1094 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 631 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 65+ | 218 | 4.9 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.7 | 12 | <1 | 1 | 4 | 6 | 9 | 12 | 17 |
| 20-34 | 45 | 5.3 | 43 | 1 | 1 | 3 | 6 | 10 | 18 | 32 |
| 35-49 | 47 | 5.3 | 15 | <1 | 1 | 4 | 8 | 9 | 10 | 24 |
| 50-64 | 77 | 6.3 | 22 | 1 | 2 | 5 | 9 | 11 | 16 | 25 |
| 65+ | 81 | 8.8 | 78 | 1 | 2 | 6 | 11 | 16 | 22 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 4.9 | 17 | 1 | 2 | 4 | 5 | 9 | 12 | 24 |
| 20-34 | 834 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| 35-49 | 927 | 5.1 | 28 | 2 | 2 | 4 | 5 | 8 | 11 | 22 |
| 50-64 | 893 | 5.9 | 23 | 2 | 2 | 5 | 7 | 11 | 15 | 31 |
| 65+ | 492 | 9.7 | 117 | 2 | 3 | 6 | 11 | 19 | 28 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 170 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 3301 | 3.9 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 288 | 6.4 | 40 | 1 | 1 | 5 | 8 | 13 | 16 | 32 |
| B. *Operated* | 3237 | 5.9 | 38 | 2 | 2 | 4 | 6 | 10 | 15 | 32 |
| **1. SINGLE DX** | 3471 | 3.9 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 3525 | 6.0 | 38 | 2 | 2 | 4 | 6 | 11 | 15 | 32 |
| **A. NOT OPERATED** | 458 | 5.6 | 35 | 1 | 1 | 4 | 7 | 10 | 15 | 31 |
| **B. OPERATED** | 6538 | 4.9 | 23 | 1 | 2 | 4 | 5 | 8 | 11 | 24 |
| TOTAL 0-19 YRS | 337 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 2110 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 2112 | 4.4 | 16 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 1629 | 5.3 | 19 | 2 | 2 | 4 | 6 | 9 | 13 | 26 |
| 65+ | 808 | 8.2 | 89 | 2 | 2 | 5 | 10 | 16 | 23 | 58 |
| **GRAND TOTAL** | **6996** | **5.0** | **24** | **1** | **2** | **4** | **5** | **9** | **12** | **24** |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 711 | 4.5 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 28 |
| 20-34 | 1152 | 6.0 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| 35-49 | 733 | 5.9 | 25 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| 50-64 | 630 | 5.8 | 26 | 1 | 1 | 5 | 7 | 12 | 15 | 24 |
| 65+ | 741 | 5.8 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 244 | 8.6 | 58 | 1 | 2 | 7 | 11 | 18 | 24 | 36 |
| 20-34 | 705 | 9.5 | 81 | 1 | 2 | 7 | 12 | 19 | 27 | 45 |
| 35-49 | 485 | 9.1 | 80 | 1 | 2 | 7 | 12 | 19 | 26 | 39 |
| 50-64 | 517 | 8.4 | 60 | 1 | 1 | 6 | 11 | 19 | 25 | 35 |
| 65+ | 573 | 10.6 | 117 | 2 | 2 | 7 | 15 | 24 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 582 | 5.4 | 30 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 20-34 | 1078 | 7.2 | 44 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| 35-49 | 1133 | 7.1 | 33 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| 50-64 | 1529 | 7.3 | 38 | 1 | 2 | 6 | 9 | 14 | 17 | 28 |
| 65+ | 3728 | 9.3 | 79 | 2 | 3 | 7 | 11 | 18 | 25 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 11.7 | 183 | 1 | 2 | 8 | 15 | 25 | 42 | 88 |
| 20-34 | 1018 | 13.2 | 163 | 2 | 3 | 9 | 17 | 30 | 39 | 72 |
| 35-49 | 964 | 13.2 | 158 | 2 | 3 | 10 | 16 | 29 | 41 | 70 |
| 50-64 | 1411 | 14.8 | 210 | 2 | 3 | 11 | 19 | 33 | 47 | 99+ |
| 65+ | 2202 | 17.0 | 207 | 3 | 4 | 13 | 22 | 37 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3967 | 5.6 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | 2524 | 9.3 | 83 | 1 | 2 | 7 | 13 | 20 | 27 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8050 | 8.0 | 58 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| B. *Operated* | 5815 | 15.0 | 194 | 2 | 3 | 11 | 19 | 33 | 46 | 93 |
| **1. SINGLE DX** | 6491 | 7.1 | 52 | 1 | 1 | 5 | 9 | 15 | 21 | 36 |
| **2. MULTIPLE DX** | 13865 | 10.9 | 127 | 2 | 2 | 8 | 13 | 23 | 33 | 69 |
| **A. NOT OPERATED** | 12017 | 7.2 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| **B. OPERATED** | 8339 | 13.3 | 167 | 2 | 2 | 10 | 17 | 29 | 41 | 81 |
| TOTAL 0-19 YRS | 1757 | 6.3 | 56 | 1 | 1 | 4 | 7 | 13 | 18 | 42 |
| 20-34 | 3953 | 8.8 | 84 | 1 | 2 | 6 | 11 | 18 | 27 | 50 |
| 35-49 | 3315 | 8.9 | 83 | 1 | 2 | 6 | 11 | 18 | 26 | 50 |
| 50-64 | 4087 | 9.8 | 112 | 1 | 2 | 7 | 12 | 20 | 29 | 65 |
| 65+ | 7244 | 11.4 | 131 | 2 | 2 | 8 | 14 | 24 | 34 | 72 |
| **GRAND TOTAL** | **20356** | **9.7** | **106** | **1** | **2** | **7** | **12** | **21** | **29** | **60** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 33 | 8.3 | 48 | 2 | 2 | 6 | 11 | 14 | 28 | 31 |
| 35-49 | 96 | 10.6 | 59 | 3 | 3 | 8 | 14 | 22 | 27 | 37 |
| 50-64 | 125 | 10.7 | 80 | 2 | 3 | 8 | 14 | 21 | 27 | 46 |
| 65+ | 51 | 11.1 | 72 | 3 | 4 | 8 | 15 | 19 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 11 | 8.2 | 51 | 2 | 2 | 8 | 9 | 20 | 24 | 24 |
| 35-49 | 37 | 8.5 | 94 | 1 | 1 | 5 | 12 | 20 | 24 | 51 |
| 50-64 | 59 | 10.3 | 78 | 1 | 2 | 8 | 14 | 25 | 29 | 38 |
| 65+ | 26 | 13.1 | 109 | 2 | 2 | 11 | 17 | 26 | 32 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 196 | 11.9 | 91 | 3 | 4 | 9 | 15 | 25 | 30 | 50 |
| 35-49 | 590 | 13.3 | 119 | 3 | 4 | 10 | 17 | 26 | 35 | 60 |
| 50-64 | 971 | 15.3 | 162 | 3 | 5 | 11 | 20 | 30 | 43 | 69 |
| 65+ | 509 | 16.1 | 199 | 4 | 5 | 12 | 19 | 32 | 45 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 72 | 16.4 | 215 | 2 | 4 | 12 | 19 | 32 | 49 | 74 |
| 35-49 | 218 | 18.9 | 226 | 4 | 5 | 16 | 25 | 36 | 54 | 96 |
| 50-64 | 361 | 20.0 | 256 | 3 | 6 | 16 | 26 | 39 | 57 | 98 |
| 65+ | 145 | 21.3 | 205 | 4 | 6 | 19 | 30 | 43 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 308 | 10.4 | 69 | 2 | 3 | 8 | 13 | 21 | 27 | 39 |
| B. *Operated* | 134 | 10.2 | 87 | 1 | 2 | 8 | 14 | 22 | 28 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2267 | 14.6 | 154 | 3 | 4 | 11 | 18 | 29 | 40 | 68 |
| B. *Operated* | 796 | 19.6 | 236 | 3 | 5 | 16 | 26 | 39 | 56 | 99+ |
| **1. SINGLE DX** | 442 | 10.4 | 74 | 2 | 2 | 8 | 14 | 21 | 27 | 42 |
| **2. MULTIPLE DX** | 3063 | 15.9 | 180 | 3 | 4 | 12 | 20 | 32 | 44 | 77 |
| **A. NOT OPERATED** | 2575 | 14.1 | 146 | 3 | 4 | 10 | 18 | 28 | 38 | 66 |
| **B. OPERATED** | 930 | 18.3 | 225 | 2 | 4 | 15 | 24 | 38 | 52 | 99 |
| TOTAL 0-19 YRS | 5 | 5.8 | 34 | 1 | 1 | 4 | 7 | 16 | 16 | 16 |
| 20-34 | 312 | 12.4 | 119 | 2 | 4 | 9 | 15 | 25 | 32 | 62 |
| 35-49 | 941 | 14.1 | 145 | 3 | 4 | 11 | 18 | 28 | 37 | 68 |
| 50-64 | 1516 | 15.8 | 182 | 3 | 4 | 12 | 20 | 32 | 44 | 77 |
| 65+ | 731 | 16.7 | 195 | 4 | 5 | 13 | 22 | 35 | 47 | 86 |
| **GRAND TOTAL** | **3505** | **15.2** | **170** | **3** | **4** | **11** | **19** | **30** | **41** | **74** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.6 | 14 | 1 | 1 | 6 | 7 | 11 | 12 | 12 |
| 20-34 | 48 | 6.6 | 44 | 1 | 2 | 5 | 8 | 14 | 16 | 42 |
| 35-49 | 66 | 6.6 | 31 | <1 | <1 | 5 | 10 | 15 | 17 | 25 |
| 50-64 | 75 | 9.3 | 104 | 1 | 2 | 7 | 11 | 18 | 26 | 63 |
| 65+ | 78 | 8.5 | 58 | 1 | 2 | 7 | 10 | 16 | 20 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 12 |
| 20-34 | 186 | 4.0 | 27 | 1 | 1 | 2 | 5 | 9 | 11 | 33 |
| 35-49 | 150 | 4.4 | 35 | <1 | 1 | 2 | 4 | 11 | 17 | 29 |
| 50-64 | 187 | 5.5 | 60 | 1 | 1 | 2 | 6 | 14 | 24 | 38 |
| 65+ | 82 | 7.0 | 101 | 1 | 1 | 3 | 8 | 18 | 28 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.3 | 24 | 1 | 1 | 4 | 7 | 12 | 17 | 18 |
| 20-34 | 77 | 9.4 | 58 | 1 | 2 | 7 | 11 | 20 | 29 | 35 |
| 35-49 | 204 | 11.8 | 97 | 2 | 3 | 9 | 14 | 21 | 30 | 56 |
| 50-64 | 583 | 12.4 | 97 | 2 | 3 | 10 | 15 | 25 | 32 | 50 |
| 65+ | 603 | 14.0 | 129 | 3 | 4 | 11 | 18 | 27 | 38 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.3 | 91 | 1 | 1 | 5 | 13 | 25 | 30 | 31 |
| 20-34 | 110 | 10.3 | 113 | 1 | 1 | 7 | 15 | 22 | 32 | 51 |
| 35-49 | 207 | 12.8 | 213 | 1 | 2 | 8 | 16 | 31 | 42 | 72 |
| 50-64 | 418 | 14.6 | 250 | 1 | 2 | 10 | 21 | 33 | 45 | 82 |
| 65+ | 388 | 17.0 | 182 | 2 | 3 | 14 | 23 | 35 | 46 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 274 | 7.9 | 61 | 1 | 2 | 6 | 10 | 15 | 19 | 47 |
| B. *Operated* | 634 | 4.9 | 48 | 1 | 1 | 2 | 5 | 12 | 18 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1480 | 12.8 | 109 | 3 | 4 | 10 | 16 | 26 | 33 | 57 |
| B. *Operated* | 1135 | 14.6 | 209 | 1 | 2 | 11 | 20 | 32 | 44 | 72 |
| **1. SINGLE DX** | 908 | 5.8 | 54 | 1 | 1 | 3 | 7 | 13 | 19 | 38 |
| **2. MULTIPLE DX** | 2615 | 13.6 | 153 | 2 | 2 | 10 | 18 | 28 | 39 | 66 |
| **A. NOT OPERATED** | 1754 | 12.0 | 105 | 2 | 3 | 9 | 15 | 24 | 32 | 55 |
| **B. OPERATED** | 1769 | 11.1 | 173 | 1 | 1 | 6 | 16 | 27 | 38 | 67 |
| TOTAL 0-19 YRS | 61 | 5.0 | 31 | 1 | 1 | 3 | 6 | 12 | 16 | 30 |
| 20-34 | 421 | 6.9 | 64 | 1 | 1 | 4 | 9 | 15 | 22 | 41 |
| 35-49 | 627 | 9.8 | 125 | 1 | 1 | 7 | 13 | 21 | 30 | 59 |
| 50-64 | 1263 | 11.9 | 151 | 1 | 2 | 8 | 15 | 27 | 35 | 65 |
| 65+ | 1151 | 14.1 | 148 | 2 | 3 | 11 | 18 | 29 | 39 | 66 |
| **GRAND TOTAL** | **3523** | **11.6** | **139** | **1** | **2** | **8** | **15** | **26** | **35** | **61** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 5.8 | 15 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 20-34 | 193 | 6.5 | 14 | 2 | 2 | 6 | 8 | 12 | 14 | 16 |
| 35-49 | 98 | 7.0 | 20 | 2 | 3 | 6 | 9 | 13 | 14 | 24 |
| 50-64 | 104 | 8.9 | 89 | 1 | 2 | 7 | 11 | 17 | 25 | 58 |
| 65+ | 71 | 9.0 | 46 | 2 | 2 | 8 | 11 | 18 | 19 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 21.3 | 54 | 13 | 13 | 24 | 26 | 27 | 27 | 27 |
| 20-34 | 46 | 7.5 | 57 | 1 | 1 | 3 | 12 | 20 | 23 | 26 |
| 35-49 | 45 | 6.9 | 50 | 1 | 1 | 4 | 11 | 15 | 21 | 33 |
| 50-64 | 60 | 9.9 | 160 | 1 | 1 | 6 | 13 | 21 | 40 | 64 |
| 65+ | 27 | 10.7 | 73 | 1 | 2 | 10 | 18 | 23 | 25 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 6.9 | 22 | 2 | 2 | 6 | 8 | 13 | 16 | 23 |
| 20-34 | 174 | 8.6 | 69 | 2 | 3 | 7 | 11 | 15 | 21 | 33 |
| 35-49 | 230 | 10.5 | 69 | 3 | 4 | 8 | 13 | 19 | 26 | 39 |
| 50-64 | 419 | 12.8 | 109 | 3 | 4 | 9 | 16 | 28 | 36 | 64 |
| 65+ | 521 | 13.0 | 107 | 4 | 4 | 10 | 16 | 25 | 31 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.5 | 77 | 2 | 2 | 11 | 15 | 24 | 27 | 27 |
| 20-34 | 50 | 10.8 | 86 | 1 | 2 | 9 | 14 | 20 | 35 | 44 |
| 35-49 | 80 | 15.1 | 240 | 1 | 2 | 11 | 21 | 35 | 43 | 82 |
| 50-64 | 149 | 16.7 | 151 | 2 | 3 | 16 | 22 | 30 | 39 | 62 |
| 65+ | 194 | 21.8 | 330 | 3 | 6 | 16 | 29 | 46 | 62 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 532 | 7.3 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | 181 | 8.8 | 95 | 1 | 1 | 5 | 13 | 21 | 25 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1391 | 11.8 | 97 | 3 | 4 | 9 | 14 | 23 | 32 | 56 |
| B. *Operated* | 484 | 17.7 | 242 | 2 | 2 | 14 | 23 | 37 | 48 | 87 |
| **1. SINGLE DX** | 713 | 7.7 | 51 | 1 | 2 | 6 | 10 | 15 | 20 | 33 |
| **2. MULTIPLE DX** | 1875 | 13.3 | 141 | 2 | 4 | 10 | 16 | 27 | 36 | 68 |
| **A. NOT OPERATED** | 1923 | 10.5 | 84 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| **B. OPERATED** | 665 | 15.3 | 217 | 1 | 2 | 12 | 21 | 33 | 44 | 83 |
| TOTAL 0-19 YRS | 127 | 7.0 | 29 | 2 | 2 | 5 | 9 | 14 | 21 | 27 |
| 20-34 | 463 | 7.8 | 48 | 2 | 2 | 6 | 10 | 14 | 19 | 34 |
| 35-49 | 453 | 10.2 | 93 | 2 | 2 | 7 | 13 | 21 | 29 | 44 |
| 50-64 | 732 | 12.8 | 125 | 2 | 3 | 9 | 17 | 27 | 35 | 63 |
| 65+ | 813 | 14.7 | 170 | 3 | 4 | 11 | 18 | 29 | 42 | 82 |
| **GRAND TOTAL** | **2588** | **11.8** | **122** | **2** | **3** | **8** | **15** | **24** | **34** | **63** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.5 | 15 | 1 | 1 | 3 | 5 | 11 | 15 | 16 |
| 20-34 | 327 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 362 | 4.0 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 13 |
| 50-64 | 374 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 332 | 6.1 | 16 | 2 | 2 | 5 | 8 | 10 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 7.7 | 9 | 5 | 5 | 7 | 9 | 11 | 13 | 19 |
| 20-34 | 2892 | 7.7 | 7 | 5 | 5 | 7 | 9 | 11 | 13 | 17 |
| 35-49 | 3012 | 8.1 | 9 | 5 | 5 | 7 | 9 | 12 | 14 | 19 |
| 50-64 | 3272 | 8.8 | 12 | 5 | 6 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 1716 | 10.8 | 24 | 6 | 7 | 9 | 13 | 17 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.5 | 9 | 1 | 1 | 3 | 6 | 10 | 11 | 12 |
| 20-34 | 255 | 4.7 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 383 | 5.6 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 848 | 6.5 | 18 | 2 | 2 | 6 | 8 | 12 | 14 | 22 |
| 65+ | 1805 | 9.2 | 52 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 10.4 | 25 | 5 | 5 | 10 | 14 | 16 | 17 | 30 |
| 20-34 | 1555 | 9.9 | 24 | 5 | 6 | 8 | 12 | 16 | 19 | 29 |
| 35-49 | 2390 | 10.5 | 33 | 5 | 6 | 9 | 12 | 16 | 20 | 31 |
| 50-64 | 4066 | 12.0 | 43 | 6 | 7 | 10 | 14 | 19 | 24 | 37 |
| 65+ | 4758 | 16.3 | 94 | 7 | 8 | 14 | 20 | 27 | 34 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1429 | 4.6 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 11082 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3315 | 7.7 | 38 | 2 | 2 | 6 | 10 | 14 | 18 | 33 |
| B. *Operated* | 12858 | 13.0 | 64 | 6 | 7 | 11 | 16 | 22 | 27 | 46 |
| **1. SINGLE DX** | 12511 | 8.2 | 14 | 3 | 5 | 8 | 9 | 13 | 15 | 21 |
| **2. MULTIPLE DX** | 16173 | 11.9 | 64 | 4 | 5 | 10 | 15 | 21 | 26 | 44 |
| **A. NOT OPERATED** | 4744 | 6.8 | 32 | 1 | 2 | 6 | 8 | 13 | 17 | 30 |
| **B. OPERATED** | 23940 | 11.0 | 45 | 5 | 6 | 9 | 13 | 18 | 23 | 38 |
| TOTAL 0-19 YRS | 337 | 7.9 | 17 | 2 | 3 | 7 | 10 | 14 | 16 | 21 |
| 20-34 | 5029 | 8.0 | 16 | 3 | 4 | 7 | 9 | 13 | 15 | 23 |
| 35-49 | 6147 | 8.6 | 22 | 3 | 5 | 8 | 10 | 14 | 16 | 24 |
| 50-64 | 8560 | 9.9 | 32 | 4 | 5 | 9 | 12 | 16 | 20 | 31 |
| 65+ | 8611 | 13.3 | 80 | 4 | 6 | 11 | 16 | 24 | 29 | 51 |
| **GRAND TOTAL** | **28684** | **10.3** | **46** | **4** | **5** | **8** | **12** | **18** | **22** | **37** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 4.6 | 13 | 2 | 2 | 4 | 5 | 7 | 12 | 20 |
| 20-34 | 357 | 4.3 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 300 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | 277 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 65+ | 252 | 6.0 | 13 | 1 | 2 | 5 | 8 | 11 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 10.0 | 25 | 5 | 5 | 9 | 12 | 19 | 19 | 20 |
| 20-34 | 261 | 8.8 | 16 | 5 | 5 | 8 | 10 | 14 | 16 | 24 |
| 35-49 | 276 | 8.5 | 15 | 4 | 5 | 7 | 10 | 14 | 17 | 21 |
| 50-64 | 265 | 10.6 | 35 | 5 | 6 | 9 | 12 | 16 | 19 | 40 |
| 65+ | 202 | 12.2 | 35 | 6 | 7 | 11 | 14 | 19 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 9 | 22 |
| 20-34 | 252 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 295 | 6.5 | 20 | 2 | 2 | 6 | 8 | 11 | 15 | 25 |
| 50-64 | 456 | 7.0 | 25 | 2 | 2 | 6 | 9 | 12 | 15 | 26 |
| 65+ | 930 | 9.8 | 58 | 3 | 4 | 8 | 12 | 18 | 24 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 10.6 | 74 | 3 | 4 | 8 | 10 | 29 | 32 | 33 |
| 20-34 | 238 | 11.0 | 36 | 5 | 6 | 9 | 14 | 19 | 22 | 33 |
| 35-49 | 381 | 12.2 | 48 | 5 | 6 | 10 | 15 | 21 | 27 | 39 |
| 50-64 | 497 | 13.7 | 78 | 6 | 6 | 11 | 16 | 23 | 30 | 54 |
| 65+ | 705 | 19.2 | 162 | 7 | 8 | 16 | 23 | 36 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1219 | 4.9 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| B. *Operated* | 1025 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1973 | 7.9 | 41 | 2 | 3 | 6 | 10 | 14 | 20 | 36 |
| B. *Operated* | 1837 | 15.1 | 110 | 6 | 7 | 12 | 18 | 27 | 36 | 67 |
| **1. SINGLE DX** | 2244 | 7.1 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | 3810 | 11.4 | 87 | 2 | 3 | 9 | 14 | 22 | 30 | 56 |
| **A. NOT OPERATED** | 3192 | 6.7 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| **B. OPERATED** | 2862 | 13.2 | 86 | 5 | 6 | 10 | 16 | 23 | 31 | 57 |
| TOTAL 0-19 YRS | 110 | 6.6 | 30 | 2 | 2 | 5 | 8 | 11 | 19 | 32 |
| 20-34 | 1108 | 6.9 | 23 | 2 | 2 | 6 | 9 | 13 | 16 | 24 |
| 35-49 | 1252 | 8.2 | 33 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 50-64 | 1495 | 9.5 | 53 | 2 | 3 | 8 | 11 | 17 | 22 | 42 |
| 65+ | 2089 | 12.7 | 109 | 3 | 4 | 10 | 15 | 25 | 34 | 77 |
| **GRAND TOTAL** | **6054** | **9.8** | **68** | **2** | **3** | **8** | **12** | **19** | **25** | **46** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 44 | 2 | 2 | 3 | 11 | 14 | 14 | 14 |
| 20-34 | 24 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 35-49 | 39 | 4.3 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 13 |
| 50-64 | 36 | 5.9 | 14 | 2 | 2 | 5 | 7 | 10 | 15 | 17 |
| 65+ | 71 | 6.0 | 14 | 1 | 2 | 5 | 8 | 10 | 11 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.1 | 45 | 2 | 4 | 9 | 17 | 21 | 24 | 24 |
| 20-34 | 95 | 8.6 | 14 | 1 | 5 | 8 | 11 | 14 | 16 | 18 |
| 35-49 | 112 | 9.5 | 55 | 1 | 2 | 9 | 12 | 17 | 21 | 41 |
| 50-64 | 176 | 9.8 | 29 | 2 | 3 | 9 | 13 | 17 | 20 | 27 |
| 65+ | 243 | 13.4 | 71 | 2 | 3 | 13 | 18 | 24 | 27 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 19 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| 20-34 | 14 | 8.2 | 50 | 2 | 3 | 5 | 12 | 17 | 26 | 28 |
| 35-49 | 41 | 6.8 | 12 | 2 | 3 | 6 | 8 | 12 | 14 | 16 |
| 50-64 | 62 | 8.5 | 40 | 2 | 3 | 7 | 10 | 17 | 21 | 33 |
| 65+ | 233 | 9.8 | 55 | 2 | 3 | 8 | 12 | 18 | 23 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.3 | 21 | 7 | 7 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 74 | 10.8 | 35 | 2 | 5 | 10 | 13 | 16 | 19 | 37 |
| 35-49 | 102 | 14.4 | 76 | 5 | 7 | 12 | 17 | 24 | 29 | 53 |
| 50-64 | 249 | 15.6 | 62 | 4 | 7 | 15 | 19 | 25 | 32 | 43 |
| 65+ | 689 | 19.7 | 139 | 4 | 8 | 18 | 25 | 33 | 43 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 5.3 | 13 | 1 | 1 | 5 | 8 | 10 | 11 | 17 |
| B. *Operated* | 636 | 11.0 | 51 | 2 | 2 | 10 | 15 | 20 | 24 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 353 | 9.1 | 47 | 2 | 3 | 8 | 12 | 17 | 21 | 39 |
| B. *Operated* | 1117 | 17.7 | 116 | 4 | 7 | 16 | 22 | 30 | 38 | 63 |
| **1. SINGLE DX** | 809 | 9.8 | 48 | 1 | 2 | 9 | 13 | 18 | 23 | 29 |
| **2. MULTIPLE DX** | 1470 | 15.6 | 113 | 3 | 5 | 14 | 20 | 28 | 36 | 62 |
| **A. NOT OPERATED** | 526 | 7.9 | 39 | 2 | 2 | 6 | 10 | 15 | 19 | 30 |
| **B. OPERATED** | 1753 | 15.2 | 103 | 2 | 5 | 13 | 20 | 27 | 33 | 58 |
| TOTAL 0-19 YRS | 19 | 9.6 | 40 | 2 | 2 | 8 | 15 | 18 | 21 | 24 |
| 20-34 | 207 | 8.8 | 27 | 1 | 3 | 8 | 11 | 15 | 16 | 31 |
| 35-49 | 294 | 10.1 | 62 | 1 | 2 | 9 | 13 | 18 | 23 | 37 |
| 50-64 | 523 | 12.2 | 57 | 2 | 3 | 11 | 16 | 21 | 25 | 35 |
| 65+ | 1236 | 15.8 | 124 | 2 | 4 | 14 | 21 | 28 | 37 | 63 |
| **GRAND TOTAL** | **2279** | **13.5** | **98** | **2** | **3** | **12** | **18** | **25** | **30** | **55** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.6 | 10 | 3 | 4 | 7 | 9 | 12 | 13 | 13 |
| 20-34 | 25 | 5.7 | 15 | 1 | 1 | 6 | 7 | 12 | 14 | 14 |
| 35-49 | 37 | 5.6 | 12 | 1 | 1 | 5 | 8 | 11 | 12 | 12 |
| 50-64 | 55 | 7.1 | 18 | 1 | 2 | 7 | 10 | 13 | 15 | 16 |
| 65+ | 68 | 7.1 | 53 | 2 | 3 | 5 | 8 | 13 | 16 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 24 | 6.2 | 44 | 1 | 1 | 4 | 9 | 18 | 23 | 24 |
| 35-49 | 26 | 8.5 | 61 | 1 | 1 | 6 | 11 | 21 | 27 | 29 |
| 50-64 | 31 | 6.3 | 51 | 1 | 1 | 3 | 9 | 20 | 23 | 26 |
| 65+ | 45 | 12.4 | 99 | 2 | 2 | 12 | 16 | 28 | 30 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.5 | 9 | <1 | 1 | 5 | 8 | 9 | 11 | 11 |
| 20-34 | 24 | 7.8 | 35 | 2 | 3 | 6 | 10 | 17 | 21 | 25 |
| 35-49 | 62 | 6.7 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 19 |
| 50-64 | 127 | 9.8 | 76 | 2 | 3 | 8 | 12 | 17 | 23 | 47 |
| 65+ | 342 | 13.6 | 156 | 3 | 4 | 10 | 16 | 23 | 39 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 19.0 | 578 | 2 | 2 | 19 | 36 | 36 | 36 | 36 |
| 20-34 | 33 | 17.2 | 244 | 3 | 4 | 15 | 21 | 42 | 53 | 65 |
| 35-49 | 63 | 17.7 | 171 | 2 | 3 | 15 | 25 | 37 | 51 | 94 |
| 50-64 | 145 | 20.5 | 229 | 2 | 4 | 17 | 26 | 36 | 52 | 93 |
| 65+ | 319 | 22.5 | 216 | 5 | 8 | 20 | 28 | 41 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 6.7 | 29 | 1 | 2 | 6 | 9 | 12 | 14 | 26 |
| B. *Operated* | 128 | 8.9 | 74 | 1 | 1 | 6 | 12 | 22 | 26 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 566 | 11.6 | 122 | 2 | 3 | 9 | 14 | 21 | 33 | 64 |
| B. *Operated* | 562 | 21.1 | 219 | 3 | 5 | 18 | 27 | 40 | 53 | 98 |
| **1. SINGLE DX** | 320 | 7.5 | 48 | 1 | 1 | 6 | 10 | 15 | 21 | 31 |
| **2. MULTIPLE DX** | 1128 | 16.3 | 193 | 2 | 4 | 13 | 21 | 34 | 46 | 84 |
| **A. NOT OPERATED** | 758 | 10.3 | 103 | 2 | 3 | 8 | 12 | 19 | 26 | 54 |
| **B. OPERATED** | 690 | 18.8 | 214 | 2 | 3 | 16 | 25 | 37 | 50 | 92 |
| TOTAL 0-19 YRS | 22 | 7.3 | 51 | 1 | 2 | 6 | 8 | 12 | 22 | 36 |
| 20-34 | 106 | 9.9 | 120 | 1 | 1 | 6 | 14 | 22 | 28 | 59 |
| 35-49 | 188 | 10.4 | 100 | 1 | 2 | 8 | 13 | 25 | 33 | 54 |
| 50-64 | 358 | 13.4 | 162 | 1 | 2 | 10 | 17 | 28 | 38 | 79 |
| 65+ | 774 | 16.6 | 195 | 3 | 4 | 13 | 21 | 34 | 46 | 88 |
| **GRAND TOTAL** | **1448** | **14.4** | **174** | **2** | **3** | **11** | **19** | **30** | **41** | **81** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 6.0 | 10 | 2 | 3 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 563 | 7.0 | 34 | 2 | 3 | 6 | 8 | 12 | 15 | 27 |
| 35-49 | 668 | 7.5 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 34 |
| 50-64 | 438 | 7.7 | 31 | 2 | 3 | 7 | 9 | 13 | 16 | 29 |
| 65+ | 268 | 8.1 | 39 | 2 | 3 | 7 | 10 | 13 | 19 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.1 | 109 | <1 | <1 | 7 | 12 | 28 | 32 | 32 |
| 20-34 | 66 | 13.2 | 108 | 1 | 2 | 11 | 17 | 26 | 36 | 48 |
| 35-49 | 100 | 14.1 | 191 | 1 | 2 | 11 | 16 | 25 | 44 | 75 |
| 50-64 | 77 | 12.9 | 129 | 1 | 2 | 10 | 19 | 34 | 38 | 86 |
| 65+ | 46 | 13.3 | 213 | 1 | 1 | 10 | 16 | 37 | 45 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 5.8 | 12 | 2 | 3 | 5 | 7 | 9 | 11 | 22 |
| 20-34 | 750 | 8.8 | 44 | 2 | 3 | 7 | 11 | 17 | 21 | 32 |
| 35-49 | 1253 | 9.3 | 53 | 3 | 4 | 7 | 11 | 16 | 22 | 41 |
| 50-64 | 1060 | 9.9 | 59 | 3 | 4 | 8 | 12 | 18 | 23 | 39 |
| 65+ | 1013 | 11.7 | 81 | 3 | 5 | 9 | 14 | 21 | 28 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 19.9 | 222 | 2 | 5 | 16 | 31 | 42 | 49 | 50 |
| 20-34 | 190 | 18.7 | 253 | 3 | 5 | 14 | 22 | 39 | 55 | 93 |
| 35-49 | 311 | 19.9 | 266 | 3 | 5 | 15 | 25 | 47 | 56 | 79 |
| 50-64 | 358 | 20.1 | 202 | 4 | 6 | 16 | 25 | 40 | 53 | 81 |
| 65+ | 314 | 22.9 | 245 | 6 | 8 | 19 | 28 | 46 | 58 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2023 | 7.4 | 32 | 2 | 3 | 6 | 9 | 13 | 16 | 31 |
| B. *Operated* | 296 | 13.4 | 156 | 1 | 2 | 10 | 17 | 28 | 41 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4122 | 9.9 | 61 | 3 | 4 | 8 | 12 | 18 | 24 | 44 |
| B. *Operated* | 1184 | 20.6 | 240 | 4 | 6 | 17 | 26 | 44 | 56 | 93 |
| **1. SINGLE DX** | 2319 | 8.2 | 52 | 2 | 3 | 6 | 10 | 15 | 20 | 41 |
| **2. MULTIPLE DX** | 5306 | 12.3 | 120 | 3 | 4 | 9 | 15 | 24 | 33 | 63 |
| **A. NOT OPERATED** | 6145 | 9.1 | 53 | 3 | 3 | 7 | 11 | 16 | 21 | 40 |
| **B. OPERATED** | 1480 | 19.1 | 232 | 2 | 5 | 15 | 25 | 41 | 54 | 82 |
| TOTAL 0-19 YRS | 150 | 7.2 | 43 | 2 | 3 | 6 | 8 | 12 | 19 | 36 |
| 20-34 | 1569 | 9.5 | 82 | 2 | 3 | 7 | 11 | 18 | 25 | 49 |
| 35-49 | 2332 | 10.4 | 97 | 2 | 3 | 8 | 12 | 20 | 29 | 60 |
| 50-64 | 1933 | 11.4 | 100 | 3 | 4 | 8 | 14 | 23 | 30 | 58 |
| 65+ | 1641 | 13.3 | 133 | 3 | 4 | 10 | 16 | 26 | 38 | 68 |
| **GRAND TOTAL** | **7625** | **11.0** | **103** | **2** | **3** | **8** | **13** | **22** | **30** | **59** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 152 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| 35-49 | 147 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 12 |
| 50-64 | 199 | 5.6 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 364 | 6.9 | 22 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 20 | 6.9 | 25 | 1 | 1 | 6 | 10 | 14 | 16 | 18 |
| 35-49 | 25 | 7.4 | 26 | 1 | 2 | 6 | 10 | 14 | 18 | 20 |
| 50-64 | 33 | 10.5 | 57 | 2 | 3 | 9 | 14 | 17 | 20 | 42 |
| 65+ | 58 | 8.7 | 34 | 2 | 3 | 8 | 11 | 14 | 19 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 4.6 | 17 | 1 | 1 | 4 | 6 | 8 | 10 | 24 |
| 20-34 | 291 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 469 | 6.8 | 30 | 2 | 2 | 6 | 8 | 12 | 15 | 27 |
| 50-64 | 1028 | 7.9 | 38 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| 65+ | 2984 | 9.7 | 68 | 3 | 3 | 8 | 12 | 17 | 23 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 8.8 | 31 | 1 | 1 | 9 | 12 | 15 | 19 | 21 |
| 20-34 | 53 | 10.0 | 111 | 2 | 3 | 8 | 12 | 16 | 24 | 73 |
| 35-49 | 122 | 10.9 | 96 | 2 | 3 | 8 | 14 | 22 | 28 | 53 |
| 50-64 | 344 | 13.8 | 118 | 4 | 5 | 10 | 17 | 29 | 37 | 61 |
| 65+ | 785 | 15.7 | 143 | 4 | 5 | 13 | 20 | 31 | 43 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 958 | 5.6 | 16 | 1 | 2 | 5 | 7 | 10 | 14 | 21 |
| B. *Operated* | 142 | 8.5 | 36 | 2 | 2 | 7 | 11 | 15 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4876 | 8.6 | 56 | 2 | 3 | 7 | 10 | 15 | 20 | 41 |
| B. *Operated* | 1321 | 14.4 | 132 | 4 | 5 | 11 | 18 | 29 | 39 | 76 |
| **1. SINGLE DX** | 1100 | 5.9 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 6197 | 9.9 | 78 | 2 | 3 | 8 | 12 | 19 | 26 | 54 |
| **A. NOT OPERATED** | 5834 | 8.1 | 51 | 2 | 3 | 6 | 10 | 15 | 19 | 38 |
| **B. OPERATED** | 1463 | 13.9 | 126 | 3 | 5 | 11 | 17 | 28 | 38 | 74 |
| TOTAL 0-19 YRS | 223 | 4.6 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 516 | 5.5 | 29 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 35-49 | 763 | 7.0 | 40 | 1 | 2 | 6 | 8 | 13 | 17 | 32 |
| 50-64 | 1604 | 8.9 | 60 | 2 | 3 | 7 | 11 | 16 | 22 | 43 |
| 65+ | 4191 | 10.6 | 84 | 3 | 3 | 8 | 13 | 20 | 28 | 54 |
| **GRAND TOTAL** | **7297** | **9.3** | **71** | **2** | **3** | **7** | **11** | **18** | **24** | **49** |

### 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 5.0 | 12 | 2 | 2 | 4 | 5 | 10 | 12 | 18 |
| 20-34 | 12 | 7.1 | 23 | 2 | 3 | 6 | 9 | 13 | 19 | 20 |
| 35-49 | 11 | 5.7 | 11 | <1 | 1 | 5 | 9 | 10 | 10 | 10 |
| 50-64 | 13 | 8.2 | 61 | 2 | 2 | 5 | 8 | 24 | 26 | 26 |
| 65+ | 15 | 9.8 | 43 | 1 | 3 | 7 | 16 | 19 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.9 | 121 | <1 | <1 | 2 | 7 | 27 | 31 | 31 |
| 20-34 | 11 | 7.2 | 29 | 1 | 1 | 7 | 10 | 16 | 18 | 18 |
| 35-49 | 10 | 14.8 | 385 | <1 | 2 | 8 | 11 | 48 | 65 | 65 |
| 50-64 | 18 | 9.2 | 34 | 2 | 2 | 9 | 13 | 18 | 20 | 21 |
| 65+ | 14 | 13.9 | 124 | 1 | 1 | 10 | 22 | 30 | 36 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 6.6 | 27 | 2 | 2 | 5 | 8 | 13 | 21 | 25 |
| 20-34 | 31 | 10.7 | 64 | 2 | 3 | 9 | 15 | 23 | 25 | 34 |
| 35-49 | 39 | 9.9 | 63 | 3 | 3 | 8 | 12 | 18 | 27 | 41 |
| 50-64 | 58 | 12.6 | 97 | 2 | 3 | 10 | 16 | 26 | 32 | 51 |
| 65+ | 92 | 13.7 | 104 | 3 | 4 | 11 | 18 | 25 | 35 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 9 | 4 | 4 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 19 | 13.5 | 96 | 2 | 3 | 12 | 19 | 29 | 32 | 35 |
| 35-49 | 33 | 17.6 | 217 | 3 | 4 | 15 | 20 | 36 | 54 | 62 |
| 50-64 | 42 | 19.9 | 322 | 3 | 5 | 13 | 27 | 38 | 67 | 82 |
| 65+ | 39 | 22.9 | 390 | 5 | 6 | 17 | 30 | 47 | 73 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 6.3 | 25 | 2 | 2 | 5 | 8 | 11 | 19 | 25 |
| B. *Operated* | 60 | 10.6 | 123 | <1 | 1 | 8 | 13 | 23 | 31 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 270 | 11.3 | 83 | 2 | 3 | 8 | 15 | 23 | 28 | 46 |
| B. *Operated* | 136 | 19.0 | 285 | 3 | 4 | 14 | 25 | 40 | 60 | 83 |
| **1. SINGLE DX** | 176 | 7.7 | 62 | 1 | 2 | 5 | 10 | 17 | 22 | 36 |
| **2. MULTIPLE DX** | 406 | 13.9 | 164 | 2 | 3 | 10 | 18 | 28 | 37 | 69 |
| **A. NOT OPERATED** | 386 | 9.8 | 71 | 2 | 3 | 7 | 13 | 21 | 25 | 41 |
| **B. OPERATED** | 196 | 16.4 | 250 | 2 | 3 | 11 | 20 | 34 | 50 | 81 |
| TOTAL 0-19 YRS | 125 | 5.8 | 24 | 2 | 2 | 4 | 7 | 11 | 16 | 26 |
| 20-34 | 73 | 10.3 | 64 | 2 | 2 | 9 | 14 | 23 | 28 | 35 |
| 35-49 | 93 | 12.7 | 159 | 2 | 3 | 9 | 16 | 30 | 40 | 64 |
| 50-64 | 131 | 14.0 | 173 | 2 | 3 | 10 | 17 | 28 | 35 | 76 |
| 65+ | 160 | 15.6 | 185 | 3 | 4 | 12 | 19 | 30 | 41 | 78 |
| **GRAND TOTAL** | **582** | **12.0** | **141** | **2** | **3** | **9** | **15** | **26** | **34** | **64** |

### 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 7.4 | 34 | 1 | 2 | 6 | 10 | 15 | 20 | 30 |
| 20-34 | 34 | 6.5 | 34 | 1 | 2 | 5 | 8 | 15 | 21 | 26 |
| 35-49 | 16 | 6.2 | 12 | 1 | 2 | 6 | 9 | 11 | 12 | 12 |
| 50-64 | 9 | 10.4 | 27 | 2 | 3 | 11 | 14 | 17 | 18 | 18 |
| 65+ | 16 | 11.3 | 138 | 2 | 3 | 8 | 11 | 22 | 42 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 5.0 | 23 | 2 | 2 | 3 | 6 | 11 | 17 | 23 |
| 20-34 | 50 | 4.3 | 11 | 1 | 2 | 3 | 6 | 9 | 12 | 15 |
| 35-49 | 34 | 5.2 | 14 | 2 | 2 | 4 | 7 | 11 | 13 | 19 |
| 50-64 | 24 | 6.2 | 26 | 2 | 2 | 4 | 9 | 13 | 17 | 21 |
| 65+ | 12 | 9.8 | 42 | 2 | 2 | 9 | 14 | 18 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 7.7 | 32 | 1 | 2 | 7 | 10 | 16 | 21 | 25 |
| 20-34 | 22 | 6.7 | 13 | 3 | 3 | 6 | 8 | 10 | 14 | 20 |
| 35-49 | 45 | 10.1 | 50 | 2 | 3 | 8 | 14 | 20 | 25 | 31 |
| 50-64 | 58 | 11.4 | 82 | 3 | 4 | 8 | 13 | 26 | 30 | 46 |
| 65+ | 146 | 13.9 | 172 | 1 | 2 | 10 | 18 | 32 | 48 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 10.2 | 171 | 1 | 2 | 5 | 13 | 24 | 35 | 63 |
| 20-34 | 70 | 10.0 | 64 | 2 | 3 | 7 | 15 | 22 | 27 | 30 |
| 35-49 | 70 | 12.6 | 121 | 2 | 2 | 9 | 19 | 28 | 34 | 46 |
| 50-64 | 112 | 12.8 | 131 | 2 | 3 | 9 | 18 | 28 | 39 | 77 |
| 65+ | 99 | 17.9 | 242 | 1 | 3 | 15 | 24 | 40 | 52 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 7.6 | 42 | 2 | 2 | 6 | 10 | 15 | 21 | 33 |
| B. *Operated* | 163 | 5.4 | 20 | 2 | 2 | 3 | 7 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 11.3 | 109 | 1 | 2 | 8 | 14 | 23 | 31 | 60 |
| B. *Operated* | 376 | 13.4 | 155 | 2 | 2 | 9 | 19 | 29 | 40 | 70 |
| **1. SINGLE DX** | 337 | 6.5 | 33 | 2 | 2 | 5 | 8 | 13 | 18 | 24 |
| **2. MULTIPLE DX** | 715 | 12.4 | 134 | 2 | 2 | 9 | 17 | 27 | 37 | 65 |
| **A. NOT OPERATED** | 513 | 10.0 | 89 | 1 | 2 | 8 | 12 | 21 | 27 | 50 |
| **B. OPERATED** | 539 | 11.0 | 128 | 2 | 2 | 7 | 15 | 25 | 36 | 64 |
| TOTAL 0-19 YRS | 235 | 7.3 | 47 | 1 | 2 | 5 | 10 | 15 | 20 | 28 |
| 20-34 | 176 | 7.3 | 42 | 2 | 2 | 5 | 8 | 19 | 22 | 28 |
| 35-49 | 165 | 9.8 | 77 | 2 | 2 | 7 | 13 | 22 | 28 | 44 |
| 50-64 | 203 | 11.5 | 104 | 2 | 3 | 8 | 15 | 26 | 35 | 55 |
| 65+ | 273 | 15.0 | 194 | 1 | 3 | 11 | 18 | 36 | 48 | 74 |
| **GRAND TOTAL** | **1052** | **10.5** | **109** | **2** | **2** | **7** | **14** | **23** | **31** | **60** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.8 | 14 | 2 | 2 | 5 | 6 | 11 | 13 | 19 |
| 20-34 | 7 | 5.4 | 18 | 1 | 1 | 3 | 9 | 12 | 12 | 12 |
| 35-49 | 4 | 4.5 | 6 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 2 | 13.5 | 221 | 3 | 3 | 13 | 24 | 24 | 24 | 24 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.1 | 5 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 5 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 7.2 | 24 | 1 | 2 | 7 | 10 | 13 | 15 | 23 |
| 20-34 | 8 | 7.9 | 12 | 3 | 4 | 7 | 9 | 13 | 15 | 15 |
| 35-49 | 7 | 0.6 | 34 | 4 | 5 | 9 | 14 | 20 | 21 | 21 |
| 50-64 | 5 | 8.0 | 20 | 3 | 3 | 7 | 12 | 14 | 14 | 14 |
| 65+ | 18 | 15.6 | 138 | 3 | 4 | 11 | 23 | 36 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.1 | 50 | 3 | 3 | 9 | 12 | 22 | 24 | 24 |
| 20-34 | 3 | 8.7 | 2 | 7 | 7 | 9 | 10 | 10 | 10 | 10 |
| 35-49 | 12 | 11.6 | 43 | 2 | 5 | 11 | 14 | 20 | 27 | 28 |
| 50-64 | 3 | 9.3 | 140 | 2 | 2 | 3 | 18 | 23 | 23 | 23 |
| 65+ | 15 | 19.3 | 169 | 7 | 7 | 13 | 27 | 38 | 46 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 5.9 | 19 | 2 | 2 | 5 | 7 | 12 | 14 | 23 |
| B. *Operated* | 17 | 3.1 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 9.7 | 61 | 2 | 3 | 7 | 12 | 20 | 27 | 39 |
| B. *Operated* | 40 | 13.8 | 107 | 2 | 4 | 10 | 17 | 28 | 35 | 49 |
| **1. SINGLE DX** | 81 | 5.3 | 17 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 113 | 11.2 | 80 | 2 | 3 | 9 | 13 | 23 | 29 | 43 |
| **A. NOT OPERATED** | 137 | 7.9 | 45 | 2 | 2 | 6 | 10 | 15 | 22 | 39 |
| **B. OPERATED** | 57 | 10.6 | 100 | 2 | 2 | 8 | 13 | 26 | 31 | 48 |
| TOTAL 0-19 YRS | 99 | 6.4 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 24 |
| 20-34 | 23 | 6.2 | 14 | 1 | 2 | 7 | 9 | 11 | 13 | 15 |
| 35-49 | 26 | 9.2 | 39 | 2 | 3 | 8 | 13 | 16 | 22 | 28 |
| 50-64 | 12 | 8.4 | 63 | 2 | 2 | 4 | 12 | 23 | 24 | 24 |
| 65+ | 34 | 16.9 | 151 | 4 | 4 | 12 | 26 | 38 | 39 | 49 |
| **GRAND TOTAL** | 194 | 8.7 | 62 | 2 | 2 | 7 | 11 | 19 | 26 | 39 |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 20 | 2.5 | 6 | 1 | 1 | 1 | 2 | 7 | 8 | 9 |
| 35-49 | 26 | 3.9 | 46 | <1 | <1 | 1 | 2 | 12 | 21 | 30 |
| 50-64 | 63 | 4.7 | 65 | 1 | 1 | 2 | 4 | 9 | 16 | 47 |
| 65+ | 74 | 4.9 | 72 | <1 | 1 | 2 | 5 | 10 | 21 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.2 | 215 | 1 | 1 | 3 | 3 | 34 | 38 | 38 |
| 20-34 | 54 | 9.4 | 103 | 1 | 2 | 4 | 13 | 24 | 28 | 45 |
| 35-49 | 63 | 5.7 | 40 | 1 | 2 | 4 | 6 | 10 | 24 | 32 |
| 50-64 | 148 | 6.8 | 88 | <1 | <1 | 3 | 8 | 17 | 23 | 54 |
| 65+ | 109 | 7.6 | 63 | 2 | 2 | 4 | 9 | 18 | 23 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.8 | 310 | <1 | 1 | 6 | 12 | 33 | 60 | 62 |
| 20-34 | 72 | 7.3 | 85 | 1 | 1 | 4 | 9 | 16 | 18 | 50 |
| 35-49 | 131 | 4.4 | 26 | 1 | 1 | 2 | 5 | 12 | 15 | 25 |
| 50-64 | 324 | 7.1 | 78 | 1 | 1 | 4 | 9 | 16 | 23 | 44 |
| 65+ | 522 | 11.6 | 100 | 1 | 2 | 9 | 15 | 24 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 11.7 | 177 | 1 | 2 | 5 | 19 | 40 | 70 | 99+ |
| 20-34 | 194 | 12.3 | 170 | 1 | 2 | 7 | 17 | 30 | 41 | 70 |
| 35-49 | 298 | 11.9 | 146 | 1 | 2 | 8 | 17 | 30 | 38 | 58 |
| 50-64 | 701 | 11.4 | 182 | <1 | <1 | 7 | 15 | 29 | 39 | 78 |
| 65+ | 627 | 18.5 | 335 | 2 | 3 | 12 | 27 | 46 | 66 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 191 | 4.3 | 56 | <1 | 1 | 2 | 4 | 9 | 14 | 45 |
| B. *Operated* | 380 | 7.3 | 77 | <1 | 1 | 4 | 8 | 20 | 25 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1060 | 9.0 | 92 | 1 | 1 | 6 | 13 | 19 | 27 | 49 |
| B. *Operated* | 1840 | 14.0 | 237 | <1 | 1 | 9 | 19 | 35 | 48 | 92 |
| **1. SINGLE DX** | 571 | 6.3 | 72 | <1 | 1 | 3 | 7 | 16 | 23 | 43 |
| **2. MULTIPLE DX** | 2900 | 12.2 | 190 | <1 | 1 | 8 | 16 | 30 | 41 | 82 |
| **A. NOT OPERATED** | 1251 | 8.3 | 89 | 1 | 1 | 5 | 11 | 19 | 27 | 48 |
| **B. OPERATED** | 2220 | 12.8 | 216 | <1 | 1 | 8 | 17 | 32 | 45 | 85 |
| TOTAL 0-19 YRS | 45 | 9.4 | 183 | <1 | 1 | 4 | 11 | 36 | 49 | 99+ |
| 20-34 | 340 | 10.2 | 139 | 1 | 1 | 5 | 14 | 25 | 34 | 64 |
| 35-49 | 518 | 8.8 | 110 | 1 | 1 | 5 | 11 | 22 | 31 | 51 |
| 50-64 | 1236 | 9.4 | 143 | <1 | <1 | 5 | 12 | 24 | 34 | 70 |
| 65+ | 1332 | 14.1 | 226 | 1 | 2 | 9 | 18 | 34 | 47 | 92 |
| **GRAND TOTAL** | 3471 | 11.2 | 175 | <1 | 1 | 7 | 18 | 29 | 39 | 78 |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 11.4 | 128 | 2 | 2 | 6 | 22 | 26 | 26 | 26 |
| 20-34 | 4 | 5.3 | 11 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 35-49 | 5 | 7.2 | 48 | 1 | 1 | 3 | 13 | 17 | 17 | 17 |
| 50-64 | 9 | 6.3 | 11 | <1 | 1 | 7 | 8 | 11 | 12 | 12 |
| 65+ | 32 | 10.5 | 103 | <1 | 1 | 7 | 13 | 29 | 35 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 5.3 | 16 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 35-49 | 14 | 10.4 | 92 | 2 | 2 | 7 | 15 | 24 | 33 | 36 |
| 50-64 | 18 | 10.3 | 185 | <1 | 1 | 4 | 11 | 32 | 43 | 49 |
| 65+ | 14 | 19.6 | 667 | <1 | 1 | 10 | 26 | 54 | 87 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.3 | 49 | <1 | <1 | 4 | 15 | 18 | 21 | 21 |
| 20-34 | 36 | 10.4 | 231 | 1 | 1 | 5 | 10 | 28 | 35 | 82 |
| 35-49 | 39 | 8.6 | 34 | 1 | 2 | 8 | 13 | 18 | 20 | 21 |
| 50-64 | 102 | 10.3 | 74 | 1 | 2 | 8 | 14 | 23 | 27 | 39 |
| 65+ | 457 | 14.8 | 157 | 2 | 4 | 12 | 19 | 31 | 39 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.4 | 1 | <1 | <1 | <1 | <1 | 3 | 5 | 5 |
| 20-34 | 27 | 15.9 | 260 | <1 | 1 | 9 | 26 | 40 | 54 | 59 |
| 35-49 | 52 | 18.4 | 341 | 2 | 4 | 13 | 23 | 41 | 60 | 95 |
| 50-64 | 112 | 20.4 | 307 | 2 | 3 | 16 | 28 | 44 | 67 | 99+ |
| 65+ | 232 | 25.3 | 370 | 4 | 5 | 20 | 36 | 58 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 9.2 | 79 | <1 | 1 | 6 | 12 | 21 | 33 | 36 |
| B. *Operated* | 52 | 12.0 | 283 | <1 | 1 | 5 | 16 | 31 | 47 | 95 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 644 | 13.3 | 143 | 2 | 3 | 10 | 17 | 28 | 36 | 96 |
| B. *Operated* | 460 | 20.9 | 356 | <1 | 2 | 16 | 30 | 48 | 69 | 99+ |
| **1. SINGLE DX** | 107 | 10.6 | 178 | <1 | 1 | 6 | 12 | 26 | 35 | 69 |
| **2. MULTIPLE DX** | 1104 | 16.5 | 246 | 1 | 2 | 12 | 22 | 37 | 53 | 99+ |
| **A. NOT OPERATED** | 699 | 13.0 | 139 | 2 | 2 | 10 | 17 | 27 | 36 | 88 |
| **B. OPERATED** | 512 | 20.0 | 355 | <1 | 2 | 16 | 29 | 48 | 68 | 99+ |
| TOTAL 0-19 YRS | 55 | 3.4 | 30 | <1 | <1 | <1 | 3 | 6 | 19 | 26 |
| 20-34 | 70 | 12.0 | 228 | 1 | 1 | 6 | 14 | 29 | 41 | 77 |
| 35-49 | 110 | 13.4 | 207 | 2 | 3 | 9 | 17 | 31 | 41 | 76 |
| 50-64 | 241 | 14.8 | 214 | 1 | 2 | 11 | 21 | 33 | 44 | 99 |
| 65+ | 735 | 18.0 | 256 | 2 | 4 | 13 | 24 | 40 | 58 | 99+ |
| **GRAND TOTAL** | **1211** | **15.9** | **242** | **1** | **2** | **12** | **21** | **36** | **49** | **99+** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 4.8 | 7 | 2 | 2 | 4 | 6 | 7 | 8 | 16 |
| 20-34 | 294 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 35-49 | 69 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 11 |
| 50-64 | 60 | 5.4 | 6 | 2 | 3 | 5 | 7 | 8 | 10 | 14 |
| 65+ | 55 | 7.5 | 15 | 3 | 4 | 7 | 9 | 12 | 15 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.5 | 4 | 3 | 4 | 7 | 8 | 9 | 10 | 10 |
| 20-34 | 11 | 6.7 | 8 | 3 | 3 | 7 | 9 | 10 | 11 | 11 |
| 35-49 | 8 | 7.8 | 13 | 4 | 4 | 7 | 11 | 13 | 13 | 13 |
| 50-64 | 5 | 7.4 | 39 | 1 | 1 | 5 | 13 | 15 | 15 | 15 |
| 65+ | 6 | 9.3 | 14 | 4 | 4 | 10 | 12 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 5.9 | 10 | 2 | 3 | 5 | 7 | 9 | 12 | 18 |
| 20-34 | 286 | 6.1 | 9 | 2 | 3 | 6 | 8 | 10 | 12 | 17 |
| 35-49 | 176 | 7.8 | 13 | 3 | 4 | 7 | 10 | 12 | 14 | 21 |
| 50-64 | 189 | 8.5 | 28 | 3 | 4 | 7 | 10 | 15 | 17 | 26 |
| 65+ | 353 | 11.6 | 55 | 4 | 5 | 9 | 14 | 21 | 26 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 10.1 | 32 | 2 | 4 | 9 | 14 | 18 | 21 | 21 |
| 20-34 | 55 | 9.7 | 37 | 2 | 4 | 8 | 12 | 18 | 22 | 33 |
| 35-49 | 53 | 12.8 | 108 | 3 | 5 | 10 | 16 | 21 | 36 | 52 |
| 50-64 | 59 | 12.5 | 45 | 4 | 6 | 11 | 17 | 22 | 24 | 38 |
| 65+ | 104 | 18.1 | 142 | 7 | 8 | 15 | 22 | 32 | 46 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 661 | 5.2 | 8 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | 41 | 7.3 | 12 | 3 | 3 | 7 | 10 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1150 | 8.4 | 32 | 3 | 4 | 7 | 10 | 14 | 19 | 32 |
| B. *Operated* | 295 | 13.8 | 98 | 4 | 5 | 11 | 17 | 25 | 33 | 55 |
| **1. SINGLE DX** | 702 | 5.4 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 1445 | 9.5 | 50 | 3 | 4 | 8 | 11 | 17 | 23 | 39 |
| **A. NOT OPERATED** | 1811 | 7.2 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| **B. OPERATED** | 336 | 13.0 | 92 | 4 | 5 | 11 | 16 | 23 | 31 | 53 |
| TOTAL 0-19 YRS | 364 | 5.6 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 20 |
| 20-34 | 646 | 6.0 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 21 |
| 35-49 | 306 | 8.1 | 33 | 3 | 3 | 7 | 10 | 13 | 16 | 34 |
| 50-64 | 313 | 8.6 | 32 | 3 | 4 | 7 | 10 | 16 | 20 | 27 |
| 65+ | 518 | 12.4 | 77 | 4 | 5 | 10 | 15 | 23 | 29 | 53 |
| **GRAND TOTAL** | **2147** | **8.2** | **40** | **2** | **3** | **6** | **10** | **15** | **20** | **33** |

### 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 229 | 4.7 | 9 | 2 | 2 | 4 | 6 | 7 | 10 | 15 |
| 20-34 | 334 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 107 | 5.5 | 15 | 2 | 2 | 5 | 7 | 9 | 11 | 23 |
| 50-64 | 59 | 5.9 | 12 | 2 | 2 | 5 | 8 | 10 | 14 | 92 |
| 65+ | 53 | 7.8 | 30 | 2 | 3 | 6 | 9 | 14 | 21 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.3 | 19 | <1 | <1 | 5 | 7 | 9 | 15 | 20 |
| 20-34 | 62 | 7.0 | 28 | 1 | 2 | 7 | 9 | 13 | 18 | 26 |
| 35-49 | 29 | 7.8 | 39 | 1 | 2 | 7 | 10 | 16 | 18 | 27 |
| 50-64 | 27 | 6.4 | 37 | 1 | 1 | 4 | 8 | 18 | 20 | 21 |
| 65+ | 23 | 14.3 | 179 | 1 | 2 | 9 | 21 | 31 | 42 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 5.6 | 22 | 2 | 2 | 4 | 7 | 10 | 12 | 15 |
| 20-34 | 316 | 5.9 | 15 | 2 | 3 | 5 | 7 | 10 | 13 | 18 |
| 35-49 | 186 | 7.3 | 25 | 2 | 3 | 6 | 9 | 13 | 17 | 36 |
| 50-64 | 219 | 8.0 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| 65+ | 428 | 11.3 | 65 | 4 | 5 | 9 | 13 | 20 | 25 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 6.7 | 28 | <1 | 1 | 6 | 9 | 15 | 16 | 23 |
| 20-34 | 119 | 8.9 | 37 | 2 | 2 | 8 | 11 | 19 | 22 | 51 |
| 35-49 | 120 | 12.2 | 71 | 2 | 3 | 10 | 16 | 22 | 30 | 39 |
| 50-64 | 151 | 14.5 | 129 | 2 | 3 | 11 | 20 | 29 | 36 | 54 |
| 65+ | 242 | 17.2 | 187 | <1 | 3 | 14 | 23 | 38 | 48 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 782 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 178 | 7.6 | 55 | <1 | 1 | 6 | 9 | 18 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1312 | 8.2 | 41 | 2 | 3 | 7 | 10 | 14 | 20 | 39 |
| B. *Operated* | 708 | 13.2 | 126 | 1 | 2 | 10 | 18 | 27 | 37 | 59 |
| **1. SINGLE DX** | 960 | 5.6 | 20 | 1 | 2 | 5 | 7 | 10 | 13 | 26 |
| **2. MULTIPLE DX** | 2020 | 10.0 | 77 | 2 | 3 | 8 | 12 | 20 | 27 | 50 |
| **A. NOT OPERATED** | 2094 | 7.0 | 32 | 2 | 3 | 5 | 9 | 13 | 17 | 32 |
| **B. OPERATED** | 886 | 12.1 | 116 | 1 | 2 | 9 | 16 | 26 | 34 | 55 |
| TOTAL 0-19 YRS | 505 | 5.3 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 831 | 5.9 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| 35-49 | 442 | 8.2 | 42 | 2 | 2 | 6 | 10 | 16 | 21 | 34 |
| 50-64 | 456 | 9.8 | 71 | 2 | 3 | 7 | 12 | 20 | 27 | 46 |
| 65+ | 746 | 13.1 | 115 | 2 | 4 | 10 | 16 | 25 | 36 | 57 |
| **GRAND TOTAL** | **2980** | **8.5** | **63** | **2** | **2** | **6** | **10** | **17** | **23** | **45** |

### 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 427 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 526 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 331 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 65+ | 120 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 8.8 | 30 | 2 | 3 | 8 | 12 | 14 | 19 | 27 |
| 20-34 | 205 | 9.1 | 21 | 2 | 3 | 9 | 12 | 16 | 17 | 22 |
| 35-49 | 340 | 9.2 | 25 | 2 | 2 | 9 | 12 | 15 | 18 | 26 |
| 50-64 | 353 | 9.7 | 30 | 2 | 3 | 9 | 13 | 16 | 19 | 27 |
| 65+ | 158 | 10.9 | 38 | 2 | 3 | 10 | 14 | 18 | 23 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.2 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 292 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 394 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 522 | 4.5 | 12 | 1 | 2 | 3 | 6 | 9 | 11 | 19 |
| 65+ | 351 | 7.3 | 73 | 1 | 2 | 5 | 8 | 13 | 18 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 8.7 | 26 | 1 | 3 | 8 | 12 | 16 | 18 | 19 |
| 20-34 | 156 | 9.2 | 31 | 2 | 3 | 8 | 11 | 17 | 21 | 26 |
| 35-49 | 322 | 10.4 | 65 | 2 | 3 | 9 | 13 | 19 | 24 | 44 |
| 50-64 | 608 | 11.6 | 71 | 2 | 3 | 10 | 15 | 22 | 27 | 44 |
| 65+ | 496 | 14.6 | 130 | 2 | 3 | 12 | 19 | 28 | 35 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1452 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 1080 | 9.6 | 28 | 2 | 3 | 9 | 12 | 16 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1598 | 4.8 | 26 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | 1603 | 12.0 | 87 | 2 | 3 | 10 | 15 | 23 | 28 | 50 |
| **1. SINGLE DX** | 2532 | 5.7 | 26 | 1 | 1 | 4 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 3201 | 8.4 | 70 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |
| **A. NOT OPERATED** | 3050 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **B. OPERATED** | 2683 | 11.0 | 65 | 2 | 3 | 10 | 14 | 20 | 25 | 42 |
| TOTAL 0-19 YRS | 132 | 5.1 | 18 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 20-34 | 1080 | 5.1 | 21 | 1 | 1 | 3 | 7 | 11 | 14 | 21 |
| 35-49 | 1582 | 5.9 | 33 | 1 | 1 | 4 | 8 | 13 | 16 | 26 |
| 50-64 | 1814 | 7.6 | 47 | 1 | 2 | 6 | 10 | 16 | 20 | 34 |
| 65+ | 1125 | 10.6 | 102 | 2 | 2 | 8 | 14 | 22 | 28 | 53 |
| **GRAND TOTAL** | **5733** | **7.2** | **52** | **1** | **1** | **5** | **10** | **15** | **20** | **34** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1292 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1571 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1125 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 244 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 6.2 | 11 | 2 | 3 | 5 | 8 | 11 | 12 | 17 |
| 20-34 | 764 | 6.6 | 17 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| 35-49 | 953 | 6.6 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| 50-64 | 875 | 7.1 | 22 | 2 | 2 | 6 | 9 | 13 | 16 | 23 |
| 65+ | 280 | 8.0 | 28 | 2 | 2 | 7 | 11 | 15 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 3.3 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 20 |
| 20-34 | 432 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 565 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 747 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 343 | 4.9 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 6.0 | 8 | 3 | 3 | 5 | 8 | 10 | 12 | 14 |
| 20-34 | 304 | 8.0 | 29 | 2 | 3 | 7 | 10 | 15 | 18 | 27 |
| 35-49 | 457 | 8.1 | 35 | 2 | 2 | 7 | 11 | 16 | 19 | 30 |
| 50-64 | 797 | 9.8 | 48 | 2 | 3 | 8 | 13 | 18 | 22 | 32 |
| 65+ | 573 | 12.4 | 87 | 3 | 4 | 10 | 16 | 23 | 28 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4350 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 2925 | 6.9 | 20 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2136 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 2154 | 9.9 | 56 | 2 | 3 | 8 | 13 | 18 | 23 | 38 |
| **1. SINGLE DX** | 7275 | 4.3 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 4290 | 6.7 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 6486 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **B. OPERATED** | 5079 | 8.1 | 37 | 2 | 2 | 7 | 10 | 15 | 19 | 29 |
| TOTAL 0-19 YRS | 243 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 2792 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 35-49 | 3546 | 4.4 | 17 | 1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 50-64 | 3544 | 5.6 | 26 | 1 | 1 | 4 | 7 | 12 | 15 | 24 |
| 65+ | 1440 | 8.2 | 58 | 1 | 2 | 6 | 11 | 16 | 22 | 38 |
| **GRAND TOTAL** | **11565** | **5.2** | **26** | **1** | **1** | **3** | **7** | **11** | **15** | **24** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.7 | 17 | 1 | 1 | 2 | 4 | 7 | 14 | 21 |
| 20-34 | 54 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 39 | 4.7 | 13 | 1 | 1 | 3 | 7 | 10 | 12 | 15 |
| 50-64 | 48 | 3.2 | 8 | 1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 65+ | 51 | 4.9 | 12 | 1 | 2 | 4 | 7 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 5.7 | 27 | <1 | <1 | 3 | 10 | 13 | 15 | 21 |
| 20-34 | 189 | 8.1 | 40 | 1 | 1 | 8 | 11 | 16 | 21 | 29 |
| 35-49 | 150 | 6.4 | 33 | 1 | 1 | 4 | 9 | 14 | 16 | 30 |
| 50-64 | 203 | 7.6 | 51 | 1 | 2 | 6 | 10 | 16 | 23 | 30 |
| 65+ | 141 | 8.0 | 89 | 1 | 1 | 4 | 12 | 18 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 8 | 23 |
| 20-34 | 93 | 5.5 | 35 | 1 | 2 | 4 | 7 | 10 | 14 | 39 |
| 35-49 | 82 | 6.9 | 52 | 1 | 1 | 4 | 9 | 15 | 22 | 37 |
| 50-64 | 180 | 7.3 | 43 | 2 | 2 | 6 | 9 | 14 | 18 | 39 |
| 65+ | 411 | 11.1 | 114 | 2 | 3 | 9 | 14 | 20 | 32 | 90 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 8.1 | 56 | <1 | <1 | 8 | 12 | 16 | 22 | 35 |
| 20-34 | 231 | 10.2 | 66 | 1 | 2 | 8 | 15 | 20 | 26 | 38 |
| 35-49 | 311 | 10.2 | 83 | 1 | 2 | 9 | 14 | 20 | 26 | 46 |
| 50-64 | 530 | 12.0 | 123 | 2 | 2 | 9 | 16 | 26 | 32 | 57 |
| 65+ | 666 | 14.9 | 179 | 2 | 3 | 11 | 19 | 32 | 42 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| B. *Operated* | 890 | 7.1 | 47 | 1 | 1 | 5 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 820 | 8.7 | 83 | 1 | 2 | 6 | 11 | 18 | 24 | 51 |
| B. *Operated* | 1985 | 12.0 | 126 | 1 | 2 | 9 | 16 | 25 | 33 | 57 |
| **1. SINGLE DX** | 1122 | 6.5 | 41 | 1 | 1 | 4 | 9 | 14 | 18 | 28 |
| **2. MULTIPLE DX** | 2805 | 11.0 | 115 | 1 | 2 | 8 | 14 | 23 | 32 | 56 |
| **A. NOT OPERATED** | 1052 | 7.7 | 71 | 1 | 2 | 5 | 10 | 16 | 21 | 44 |
| **B. OPERATED** | 2875 | 10.5 | 106 | 1 | 2 | 8 | 14 | 22 | 30 | 51 |
| TOTAL 0-19 YRS | 548 | 6.5 | 40 | <1 | <1 | 4 | 10 | 14 | 17 | 31 |
| 20-34 | 567 | 8.1 | 52 | 1 | 1 | 6 | 11 | 17 | 22 | 35 |
| 35-49 | 582 | 8.4 | 65 | 1 | 2 | 6 | 12 | 17 | 22 | 40 |
| 50-64 | 961 | 9.7 | 94 | 2 | 2 | 7 | 12 | 22 | 28 | 50 |
| 65+ | 1269 | 12.5 | 149 | 2 | 2 | 9 | 16 | 27 | 36 | 71 |
| **GRAND TOTAL** | **3927** | **9.7** | **98** | **1** | **2** | **7** | **13** | **21** | **28** | **50** |

### 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 92 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 35-49 | 131 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 72 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 65+ | 18 | 3.7 | 6 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.0 | 67 | 1 | 1 | 4 | 15 | 20 | 21 | 21 |
| 20-34 | 56 | 7.0 | 26 | 1 | 2 | 6 | 9 | 16 | 17 | 23 |
| 35-49 | 69 | 6.4 | 27 | 1 | 2 | 4 | 9 | 12 | 15 | 31 |
| 50-64 | 108 | 6.7 | 38 | 2 | 2 | 4 | 9 | 14 | 16 | 36 |
| 65+ | 83 | 7.2 | 34 | 1 | 2 | 5 | 11 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 52 | 3.7 | 13 | 1 | 1 | 3 | 5 | 6 | 7 | 26 |
| 35-49 | 62 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 68 | 4.5 | 9 | 2 | 2 | 4 | 5 | 9 | 10 | 16 |
| 65+ | 59 | 6.5 | 37 | 2 | 2 | 5 | 7 | 11 | 17 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.4 | 9 | 2 | 2 | 3 | 4 | 10 | 11 | 11 |
| 20-34 | 56 | 8.2 | 85 | 2 | 2 | 5 | 9 | 17 | 33 | 47 |
| 35-49 | 85 | 7.8 | 35 | 1 | 2 | 7 | 10 | 15 | 19 | 30 |
| 50-64 | 229 | 8.8 | 66 | 2 | 2 | 6 | 12 | 19 | 24 | 40 |
| 65+ | 451 | 11.3 | 89 | 2 | 3 | 10 | 14 | 22 | 29 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 321 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| B. *Operated* | 324 | 6.9 | 33 | 1 | 2 | 5 | 10 | 14 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 4.6 | 17 | 1 | 2 | 4 | 5 | 8 | 10 | 26 |
| B. *Operated* | 831 | 10.0 | 78 | 2 | 2 | 8 | 13 | 19 | 26 | 47 |
| **1. SINGLE DX** | 645 | 4.8 | 23 | 1 | 1 | 3 | 6 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | 1076 | 8.7 | 69 | 2 | 2 | 6 | 12 | 18 | 24 | 44 |
| **A. NOT OPERATED** | 566 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 8 | 16 |
| **B. OPERATED** | 1155 | 9.1 | 68 | 2 | 2 | 7 | 12 | 18 | 24 | 41 |
| TOTAL 0-19 YRS | 30 | 5.0 | 25 | 1 | 1 | 3 | 6 | 12 | 18 | 21 |
| 20-34 | 256 | 4.9 | 33 | 1 | 1 | 3 | 6 | 10 | 16 | 37 |
| 35-49 | 347 | 4.9 | 22 | 1 | 1 | 3 | 7 | 10 | 14 | 24 |
| 50-64 | 477 | 6.8 | 47 | 1 | 2 | 4 | 9 | 15 | 19 | 36 |
| 65+ | 611 | 10.1 | 79 | 2 | 2 | 8 | 13 | 19 | 27 | 47 |
| **GRAND TOTAL** | **1721** | **7.3** | **56** | **1** | **2** | **5** | **10** | **16** | **20** | **37** |

### 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 91 | 3.7 | 17 | <1 | 1 | 3 | 4 | 6 | 9 | 26 |
| 35-49 | 38 | 3.3 | 3 | 1 | 1 | 4 | 4 | 6 | 6 | 7 |
| 50-64 | 36 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 10 | 12 |
| 65+ | 55 | 5.5 | 21 | 1 | 2 | 4 | 7 | 9 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 254 | 3.1 | 14 | <1 | <1 | 2 | 4 | 6 | 8 | 20 |
| 35-49 | 248 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 308 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 65+ | 388 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 12 |
| 20-34 | 120 | 4.5 | 10 | 1 | 1 | 4 | 6 | 3 | 10 | 20 |
| 35-49 | 84 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 73 |
| 50-64 | 149 | 7.2 | 43 | 2 | 2 | 6 | 8 | 14 | 18 | 35 |
| 65+ | 483 | 10.1 | 69 | 2 | 3 | 8 | 13 | 19 | 30 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 15 |
| 20-34 | 380 | 3.8 | 18 | <1 | <1 | 2 | 5 | 9 | 12 | 21 |
| 35-49 | 500 | 4.5 | 22 | <1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 50-64 | 749 | 5.7 | 40 | 1 | 1 | 3 | 7 | 12 | 19 | 31 |
| 65+ | 1344 | 8.4 | 74 | 2 | 2 | 6 | 10 | 17 | 24 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | 1378 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 936 | 7.8 | 52 | 2 | 2 | 6 | 9 | 16 | 22 | 58 |
| B. *Operated* | 3182 | 6.2 | 51 | <1 | 1 | 4 | 8 | 14 | 19 | 36 |
| **1. SINGLE DX** | 1709 | 3.5 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | 4118 | 6.6 | 51 | 1 | 1 | 4 | 8 | 14 | 20 | 38 |
| **A. NOT OPERATED** | 1267 | 6.7 | 44 | 1 | 2 | 5 | 8 | 14 | 19 | 40 |
| **B. OPERATED** | 4560 | 5.4 | 40 | <1 | 1 | 3 | 7 | 12 | 17 | 32 |
| TOTAL 0-19 YRS | 600 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 845 | 3.7 | 15 | <1 | <1 | 2 | 4 | 8 | 10 | 20 |
| 35-49 | 870 | 4.1 | 16 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 1242 | 5.2 | 33 | 1 | 1 | 3 | 6 | 11 | 15 | 30 |
| 65+ | 2270 | 8.0 | 65 | 2 | 2 | 6 | 10 | 17 | 23 | 52 |
| **GRAND TOTAL** | **5827** | **5.7** | **42** | **<1** | **1** | **4** | **7** | **12** | **17** | **38** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 3 | 6.0 | 28 | 2 | 2 | 4 | 10 | 12 | 12 | 12 |
| 35-49 | 7 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 50-64 | 3 | 4.3 | 9 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 14 | 5.3 | 20 | 1 | 2 | 4 | 6 | 12 | 16 | 17 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 749 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 20-34 | 359 | 3.1 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 267 | 3.6 | 11 | <1 | 1 | 2 | 5 | 7 | 10 | 15 |
| 50-64 | 285 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 65+ | 402 | 4.9 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 4 |
| 20-34 | 6 | 6.8 | 35 | <1 | <1 | 6 | 9 | 16 | 17 | 17 |
| 35-49 | 5 | 4.4 | 12 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 50-64 | 24 | 4.4 | 12 | <1 | 1 | 4 | 6 | 8 | 12 | 15 |
| 65+ | 85 | 6.7 | 45 | 1 | 1 | 5 | 8 | 18 | 23 | 78 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 500 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 397 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 35-49 | 413 | 4.6 | 37 | <1 | 1 | 3 | 5 | 10 | 14 | 28 |
| 50-64 | 655 | 5.0 | 26 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 65+ | 1070 | 7.7 | 65 | 2 | 2 | 5 | 9 | 16 | 23 | 42 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 36 | 3.8 | 13 | <1 | <1 | 3 | 5 | 7 | 12 | 17 |
| B. *Operated* | 2062 | 3.0 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 144 | 5.3 | 34 | <1 | 1 | 3 | 7 | 12 | 19 | 41 |
| B. *Operated* | 3035 | 5.2 | 41 | <1 | 1 | 3 | 6 | 11 | 16 | 31 |
| **1. SINGLE DX** | 2098 | 3.0 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 3179 | 5.2 | 41 | <1 | 1 | 3 | 6 | 11 | 16 | 31 |
| **A. NOT OPERATED** | 180 | 5.0 | 30 | <1 | 1 | 3 | 6 | 11 | 18 | 35 |
| **B. OPERATED** | 5097 | 4.3 | 30 | <1 | <1 | 2 | 5 | 10 | 14 | 27 |
| TOTAL 0-19 YRS | 1282 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 20-34 | 765 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 692 | 4.2 | 27 | <1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 50-64 | 967 | 4.6 | 21 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 1571 | 6.9 | 53 | 1 | 2 | 5 | 8 | 14 | 20 | 37 |
| **GRAND TOTAL** | **5277** | **4.3** | **30** | **<1** | **<1** | **2** | **5** | **10** | **14** | **27** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 621 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 289 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 147 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 178 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 316 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 16 | 21 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 500 | 2.3 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |
| 20-34 | 526 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| 35-49 | 452 | 3.3 | 14 | <1 | <1 | 2 | 4 | 8 | 11 | 18 |
| 50-64 | 553 | 3.7 | 18 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 65+ | 608 | 5.0 | 27 | 1 | 2 | 4 | 6 | 9 | 13 | 19 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 801 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 649 | 5.5 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 29 |
| 35-49 | 479 | 6.9 | 45 | 1 | 2 | 5 | 8 | 12 | 15 | 30 |
| 50-64 | 1015 | 7.7 | 36 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| 65+ | 3857 | 11.5 | 115 | 3 | 4 | 9 | 14 | 21 | 31 | 80 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 492 | 3.9 | 22 | <1 | <1 | 2 | 5 | 10 | 14 | 19 |
| 20-34 | 604 | 5.5 | 54 | <1 | 1 | 3 | 7 | 13 | 17 | 35 |
| 35-49 | 727 | 5.3 | 34 | <1 | 1 | 3 | 7 | 12 | 16 | 28 |
| 50-64 | 1322 | 7.0 | 61 | 1 | 1 | 4 | 9 | 16 | 21 | 38 |
| 65+ | 2685 | 11.3 | 131 | 2 | 2 | 8 | 15 | 24 | 36 | 80 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1551 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 2639 | 3.5 | 16 | <1 | <1 | 2 | 4 | 8 | 10 | 18 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 6801 | 9.2 | 85 | 2 | 3 | 7 | 11 | 18 | 24 | 59 |
| B. *Operated* | 5830 | 8.5 | 94 | 1 | 1 | 5 | 11 | 19 | 26 | 57 |
| **1. SINGLE DX** | 4190 | 3.8 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 12631 | 8.8 | 89 | 1 | 2 | 6 | 11 | 18 | 25 | 57 |
| **A. NOT OPERATED** | 8352 | 8.3 | 74 | 1 | 2 | 6 | 10 | 16 | 22 | 52 |
| **B. OPERATED** | 8469 | 6.8 | 75 | <1 | 1 | 4 | 9 | 16 | 22 | 49 |
| TOTAL 0-19 YRS | 2414 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 2068 | 4.6 | 27 | <1 | 1 | 3 | 6 | 9 | 13 | 27 |
| 35-49 | 1805 | 5.1 | 31 | <1 | 1 | 3 | 6 | 11 | 14 | 26 |
| 50-64 | 3068 | 6.5 | 44 | 1 | 1 | 5 | 8 | 13 | 18 | 31 |
| 65+ | 7466 | 10.7 | 114 | 2 | 2 | 8 | 13 | 21 | 31 | 74 |
| **GRAND TOTAL** | **16821** | **7.6** | **75** | **1** | **1** | **5** | **9** | **16** | **22** | **50** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 28 | 3.0 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 8 |
| 65+ | 67 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 8 | 3.9 | 18 | <1 | <1 | 2 | 4 | 11 | 14 | 14 |
| 35-49 | 154 | 4.4 | 9 | <1 | 1 | 4 | 6 | 8 | 11 | 13 |
| 50-64 | 2350 | 6.8 | 15 | 1 | 2 | 6 | 9 | 11 | 14 | 20 |
| 65+ | 4187 | 8.1 | 23 | 2 | 3 | 7 | 10 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 8 | 6.4 | 15 | 1 | 2 | 6 | 8 | 12 | 14 | 14 |
| 50-64 | 172 | 5.3 | 27 | 1 | 1 | 4 | 6 | 10 | 13 | 27 |
| 65+ | 610 | 8.5 | 95 | 1 | 2 | 6 | 10 | 19 | 28 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.8 | 24 | 4 | 4 | 7 | 11 | 17 | 17 | 17 |
| 20-34 | 23 | 5.2 | 32 | <1 | <1 | 2 | 8 | 11 | 18 | 24 |
| 35-49 | 197 | 4.7 | 18 | <1 | 1 | 3 | 7 | 10 | 12 | 20 |
| 50-64 | 3625 | 8.7 | 37 | 2 | 2 | 8 | 11 | 16 | 20 | 31 |
| 65+ | 9427 | 12.1 | 78 | 3 | 5 | 10 | 15 | 22 | 28 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 3.4 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 12 |
| B. *Operated* | 6702 | 7.5 | 20 | 2 | 2 | 7 | 9 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 793 | 7.8 | 81 | 1 | 1 | 5 | 9 | 17 | 26 | 95 |
| B. *Operated* | 13277 | 11.1 | 68 | 2 | 3 | 9 | 14 | 20 | 26 | 45 |
| **1. SINGLE DX** | 6799 | 7.5 | 20 | 2 | 2 | 7 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 14070 | 10.9 | 70 | 2 | 3 | 9 | 14 | 20 | 26 | 45 |
| **A. NOT OPERATED** | 890 | 7.3 | 74 | 1 | 1 | 5 | 9 | 16 | 25 | 81 |
| **B. OPERATED** | 19979 | 9.9 | 55 | 2 | 3 | 8 | 12 | 18 | 23 | 39 |
| TOTAL 0-19 YRS | 9 | 6.3 | 22 | 2 | 2 | 6 | 8 | 14 | 17 | 17 |
| 20-34 | 34 | 4.6 | 26 | <1 | <1 | 2 | 7 | 10 | 15 | 24 |
| 35-49 | 360 | 4.6 | 14 | <1 | 1 | 3 | 7 | 10 | 12 | 15 |
| 50-64 | 6175 | 7.9 | 29 | 1 | 2 | 7 | 10 | 14 | 17 | 27 |
| 65+ | 14291 | 10.7 | 66 | 2 | 4 | 9 | 13 | 19 | 25 | 44 |
| **GRAND TOTAL** | **20869** | **9.8** | **56** | **2** | **3** | **8** | **12** | **18** | **23** | **40** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.5 | 5 | 2 | 2 | 2 | 5 | 7 | 8 | 8 |
| 20-34 | 56 | 3.5 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 67 | 4.9 | 7 | 2 | 2 | 4 | 6 | 7 | 11 | 13 |
| 50-64 | 53 | 5.0 | 5 | 1 | 2 | 5 | 6 | 8 | 9 | 12 |
| 65+ | 30 | 4.6 | 5 | 1 | 2 | 5 | 5 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.6 | 159 | <1 | <1 | 2 | 3 | 4 | 31 | 58 |
| 20-34 | 202 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 35-49 | 219 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 169 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 14 |
| 65+ | 90 | 4.6 | 15 | <1 | 1 | 3 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.4 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 55 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 81 | 4.8 | 6 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 50-64 | 141 | 5.6 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 14 |
| 65+ | 116 | 7.3 | 32 | 2 | 3 | 6 | 8 | 13 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.5 | 13 | 1 | 1 | 2 | 4 | 9 | 13 | 14 |
| 20-34 | 162 | 2.6 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 240 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 50-64 | 338 | 5.9 | 67 | 1 | 1 | 3 | 7 | 12 | 16 | 42 |
| 65+ | 295 | 8.6 | 73 | 2 | 2 | 6 | 11 | 17 | 23 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 4.5 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| B. *Operated* | 700 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 403 | 5.8 | 15 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| B. *Operated* | 1066 | 5.5 | 50 | 1 | 1 | 3 | 7 | 12 | 16 | 35 |
| **1. SINGLE DX** | 914 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1469 | 5.6 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| **A. NOT OPERATED** | 617 | 5.3 | 12 | 2 | 2 | 5 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 1766 | 4.4 | 36 | <1 | 1 | 2 | 5 | 10 | 13 | 26 |
| TOTAL 0-19 YRS | 69 | 3.8 | 51 | <1 | 1 | 2 | 4 | 7 | 12 | 50 |
| 20-34 | 475 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 607 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 50-64 | 701 | 5.1 | 37 | 1 | 1 | 4 | 6 | 9 | 12 | 28 |
| 65+ | 531 | 7.4 | 53 | 1 | 2 | 6 | 9 | 14 | 20 | 37 |
| **GRAND TOTAL** | **2383** | **4.6** | **30** | **<1** | **1** | **3** | **6** | **9** | **13** | **25** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 173 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 190 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 50-64 | 358 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 202 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 5 | 9 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 7 | 7.4 | 51 | <1 | <1 | 5 | 9 | 20 | 22 | 22 |
| 65+ | 15 | 7.3 | 96 | 1 | 1 | 3 | 8 | 19 | 33 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 73 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 107 | 4.6 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 50-64 | 283 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 247 | 6.9 | 54 | 2 | 3 | 5 | 8 | 13 | 15 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.3 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 1218 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 3.9 | 40 | <1 | <1 | 1 | 4 | 9 | 17 | 37 |
| B. *Operated* | 983 | 4.7 | 21 | 1 | 2 | 4 | 5 | 9 | 12 | 20 |
| **1. SINGLE DX** | 1233 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 1038 | 4.6 | 22 | 1 | 1 | 4 | 5 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 70 | 3.5 | 33 | <1 | <1 | 1 | 4 | 8 | 11 | 35 |
| **B. OPERATED** | 2201 | 4.0 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 605 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 249 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 302 | 3.9 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 650 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 17 |
| 65+ | 465 | 5.6 | 35 | 2 | 2 | 4 | 6 | 11 | 13 | 27 |
| **GRAND TOTAL** | 2271 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 4.1 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 229 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 116 | 5.3 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 107 | 6.6 | 11 | 2 | 3 | 6 | 8 | 11 | 13 | 16 |
| 65+ | 56 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 4.3 | 12 | 1 | 2 | 4 | 5 | 7 | 8 | 21 |
| 20-34 | 74 | 4.8 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 28 |
| 35-49 | 50 | 4.2 | 10 | 1 | 1 | 4 | 5 | 7 | 11 | 16 |
| 50-64 | 50 | 6.8 | 24 | 2 | 3 | 5 | 8 | 13 | 18 | 23 |
| 65+ | 27 | 6.8 | 18 | 2 | 3 | 5 | 10 | 14 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.3 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 62 | 6.2 | 19 | 1 | 2 | 5 | 9 | 11 | 13 | 26 |
| 35-49 | 72 | 5.8 | 8 | 2 | 2 | 5 | 8 | 10 | 10 | 14 |
| 50-64 | 123 | 8.1 | 27 | 3 | 4 | 7 | 10 | 13 | 17 | 34 |
| 65+ | 161 | 9.1 | 32 | 3 | 4 | 7 | 11 | 16 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.3 | 12 | 2 | 2 | 4 | 7 | 10 | 12 | 16 |
| 20-34 | 49 | 5.9 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 22 |
| 35-49 | 52 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| 50-64 | 84 | 8.5 | 43 | 2 | 3 | 7 | 10 | 17 | 20 | 35 |
| 65+ | 99 | 10.4 | 50 | 2 | 2 | 9 | 14 | 20 | 26 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 646 | 5.1 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| B. *Operated* | 237 | 5.2 | 17 | 1 | 2 | 4 | 6 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 466 | 7.4 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | 308 | 8.0 | 37 | 2 | 3 | 6 | 10 | 16 | 20 | 32 |
| **1. SINGLE DX** | 883 | 5.1 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 774 | 7.7 | 30 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 1112 | 6.1 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 21 |
| **B. OPERATED** | 545 | 6.8 | 30 | 2 | 2 | 5 | 9 | 14 | 17 | 28 |
| TOTAL 0-19 YRS | 246 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 14 |
| 20-34 | 414 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 290 | 5.4 | 10 | 1 | 2 | 5 | 7 | 10 | 11 | 15 |
| 50-64 | 364 | 7.6 | 26 | 3 | 3 | 6 | 9 | 13 | 17 | 31 |
| 65+ | 343 | 8.8 | 35 | 3 | 3 | 7 | 11 | 16 | 20 | 30 |
| **GRAND TOTAL** | 1657 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 775 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 214 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 123 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 50-64 | 127 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 68 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 463 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 174 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 121 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 50-64 | 83 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 65+ | 58 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 51 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 97 | 3.0 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 50-64 | 123 | 3.3 | 8 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 65+ | 88 | 3.6 | 18 | 1 | 1 | 3 | 3 | 5 | 6 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 95 | 2.9 | 13 | <1 | 1 | 2 | 3 | 4 | 7 | 25 |
| 35-49 | 118 | 2.9 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 160 | 3.3 | 5 | 1 | 2 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 176 | 5.7 | 33 | 2 | 2 | 3 | 7 | 13 | 16 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1307 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| B. *Operated* | 899 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 519 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 690 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| **1. SINGLE DX** | 2206 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 1209 | 3.1 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| **A. NOT OPERATED** | 1826 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **B. OPERATED** | 1589 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 15 |
| TOTAL 0-19 YRS | 1539 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 534 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 459 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 493 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 390 | 4.1 | 21 | 1 | 2 | 3 | 4 | 8 | 14 | 26 |
| **GRAND TOTAL** | 3415 | 2.3 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 76 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 38 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 50-64 | 41 | 3.1 | 9 | <1 | 1 | 2 | 3 | 8 | 11 | 12 |
| 65+ | 25 | 4.9 | 5 | 2 | 2 | 5 | 7 | 8 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 637 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 532 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 15 |
| 35-49 | 324 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 339 | 4.0 | 10 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 112 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 20-34 | 31 | 4.5 | 18 | <1 | 1 | 3 | 6 | 9 | 15 | 19 |
| 35-49 | 45 | 4.0 | 16 | 1 | 1 | 2 | 5 | 8 | 12 | 23 |
| 50-64 | 63 | 3.6 | 13 | 1 | 1 | 2 | 4 | 9 | 11 | 20 |
| 65+ | 62 | 5.8 | 17 | 1 | 2 | 5 | 8 | 12 | 14 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 3.3 | 8 | 1 | 1 | 3 | 4 | 5 | 8 | 16 |
| 20-34 | 262 | 3.9 | 12 | 1 | 2 | 3 | 4 | 7 | 9 | 21 |
| 35-49 | 254 | 5.0 | 23 | 1 | 2 | 3 | 6 | 10 | 12 | 23 |
| 50-64 | 339 | 6.3 | 45 | 2 | 2 | 5 | 8 | 11 | 14 | 35 |
| 65+ | 235 | 9.4 | 147 | 2 | 2 | 6 | 10 | 20 | 37 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 3.0 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| B. *Operated* | 1944 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 243 | 4.2 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| B. *Operated* | 1302 | 5.6 | 50 | 1 | 2 | 4 | 6 | 11 | 15 | 44 |
| **1. SINGLE DX** | 2225 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 1545 | 5.4 | 45 | 1 | 2 | 3 | 6 | 10 | 14 | 39 |
| **A. NOT OPERATED** | 524 | 3.5 | 10 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| **B. OPERATED** | 3246 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| TOTAL 0-19 YRS | 992 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 901 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 661 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 10 | 19 |
| 50-64 | 782 | 4.9 | 27 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 65+ | 434 | 7.4 | 90 | 2 | 2 | 5 | 8 | 14 | 21 | 80 |
| **GRAND TOTAL** | 3770 | 4.1 | 23 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 12 | 1.8 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 1306 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 2780 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 1293 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 408 | 3.0 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 12 | 5.4 | 49 | <1 | <1 | 2 | 9 | 15 | 23 | 24 |
| 35-49 | 21 | 3.0 | 10 | <1 | <1 | 2 | 3 | 9 | 11 | 12 |
| 50-64 | 10 | 6.6 | 76 | <1 | <1 | 2 | 10 | 21 | 28 | 28 |
| 65+ | 6 | 3.5 | 4 | 2 | 2 | 3 | 4 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.9 | 2 | <1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 540 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1161 | 3.0 | 3 | 1 | 2 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 794 | 3.7 | 12 | 1 | 2 | 3 | 4 | 6 | 9 | 17 |
| 65+ | 372 | 5.2 | 56 | 2 | 2 | 3 | 5 | 10 | 15 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 5934 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 4.1 | 31 | <1 | <1 | 2 | 4 | 10 | 14 | 28 |
| B. *Operated* | 2907 | 3.5 | 13 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| **1. SINGLE DX** | 5964 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 2960 | 3.5 | 13 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 83 | 3.2 | 21 | <1 | <1 | 2 | 3 | 9 | 11 | 27 |
| **B. OPERATED** | 8841 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| TOTAL 0-19 YRS | 194 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1862 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 3974 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 2107 | 2.9 | 6 | 1 | 2 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 787 | 4.0 | 29 | 1 | 2 | 3 | 4 | 8 | 10 | 25 |
| **GRAND TOTAL** | **8924** | **2.7** | **6** | **<1** | **1** | **2** | **3** | **4** | **6** | **10** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 46 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 23 | 3.8 | 7 | <1 | <1 | 3 | 5 | 7 | 10 | 12 |
| 50-64 | 17 | 3.5 | 6 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| 65+ | 10 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 860 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 592 | 2.9 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 50-64 | 355 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 213 | 3.3 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 46 | 2.7 | 8 | <1 | <1 | 1 | 4 | 5 | 7 | 17 |
| 35-49 | 46 | 3.0 | 9 | <1 | <1 | 2 | 3 | 8 | 11 | 13 |
| 50-64 | 33 | 4.0 | 25 | <1 | <1 | 2 | 5 | 11 | 15 | 23 |
| 65+ | 45 | 5.2 | 17 | <1 | 1 | 5 | 8 | 11 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 3.9 | 8 | 2 | 2 | 3 | 4 | 8 | 11 | 16 |
| 20-34 | 311 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 17 |
| 35-49 | 363 | 4.0 | 8 | 1 | 2 | 3 | 5 | 8 | 9 | 16 |
| 50-64 | 328 | 4.9 | 21 | 2 | 2 | 3 | 5 | 10 | 14 | 24 |
| 65+ | 216 | 5.0 | 23 | 2 | 2 | 3 | 6 | 9 | 14 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 2424 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 182 | 3.6 | 14 | <1 | <1 | 2 | 5 | 9 | 11 | 17 |
| B. *Operated* | 1312 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| **1. SINGLE DX** | 2550 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1494 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **A. NOT OPERATED** | 308 | 3.7 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 3736 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 540 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 1263 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1024 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 733 | 3.9 | 13 | 1 | 2 | 3 | 4 | 7 | 10 | 19 |
| 65+ | 484 | 4.2 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| **GRAND TOTAL** | **4044** | **3.4** | **7** | **1** | **1** | **3** | **4** | **6** | **8** | **14** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 372 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 652 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 103 | 3.6 | 15 | 1 | 1 | 3 | 5 | 6 | 7 | 24 |
| 50-64 | 9 | 4.6 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 4 | 3.8 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 500 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 20-34 | 1733 | 4.8 | 9 | 1 | 1 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 423 | 6.0 | 10 | 1 | 2 | 6 | 8 | 9 | 11 | 16 |
| 50-64 | 78 | 7.2 | 10 | 2 | 2 | 7 | 8 | 10 | 13 | 17 |
| 65+ | 38 | 8.7 | 24 | 2 | 3 | 8 | 10 | 15 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 378 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 92 | 3.9 | 8 | 1 | 1 | 3 | 6 | 7 | 8 | 14 |
| 50-64 | 11 | 3.0 | 6 | <1 | <1 | 3 | 4 | 7 | 9 | 9 |
| 65+ | 8 | 6.1 | 8 | 2 | 3 | 6 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 385 | 5.3 | 8 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| 20-34 | 2460 | 6.0 | 12 | 1 | 2 | 6 | 7 | 9 | 12 | 18 |
| 35-49 | 1109 | 7.5 | 18 | 2 | 2 | 7 | 9 | 12 | 15 | 25 |
| 50-64 | 193 | 8.7 | 26 | 2 | 4 | 8 | 10 | 13 | 16 | 25 |
| 65+ | 87 | 12.9 | 90 | 6 | 7 | 10 | 14 | 25 | 35 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1140 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2772 | 5.1 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 642 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 4234 | 6.6 | 17 | 1 | 2 | 6 | 8 | 10 | 13 | 21 |
| **1. SINGLE DX** | 3912 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 4876 | 6.2 | 17 | 1 | 2 | 6 | 8 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 1782 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 7006 | 6.0 | 14 | 1 | 2 | 6 | 7 | 10 | 12 | 19 |
| TOTAL 0-19 YRS | 1410 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 5223 | 5.0 | 11 | 1 | 1 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 1727 | 6.7 | 17 | 1 | 2 | 7 | 8 | 11 | 13 | 24 |
| 50-64 | 291 | 7.9 | 22 | 2 | 3 | 7 | 9 | 12 | 15 | 22 |
| 65+ | 137 | 11.1 | 70 | 3 | 5 | 9 | 13 | 20 | 27 | 65 |
| **GRAND TOTAL** | **8788** | **5.4** | **14** | **1** | **1** | **5** | **7** | **9** | **11** | **18** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 825 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 1992 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 307 | 5.7 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 17 | 7.2 | 29 | 2 | 2 | 6 | 9 | 17 | 19 | 20 |
| 65+ | 7 | 9.6 | 88 | 3 | 3 | 6 | 10 | 26 | 30 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 20-34 | 1326 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 35-49 | 351 | 5.7 | 22 | 1 | 1 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 40 | 6.6 | 26 | 1 | 2 | 6 | 9 | 13 | 17 | 25 |
| 65+ | 14 | 7.2 | 37 | <1 | 1 | 7 | 9 | 19 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 329 | 5.6 | 10 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 20-34 | 1031 | 5.8 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 229 | 7.7 | 20 | 3 | 3 | 7 | 10 | 13 | 15 | 24 |
| 50-64 | 32 | 8.1 | 28 | 3 | 4 | 7 | 10 | 12 | 23 | 27 |
| 65+ | 18 | 10.9 | 25 | 4 | 5 | 10 | 14 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 6.5 | 16 | 1 | 2 | 6 | 8 | 12 | 14 | 18 |
| 20-34 | 2755 | 5.6 | 19 | 1 | 1 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 987 | 8.3 | 50 | 1 | 2 | 7 | 10 | 16 | 20 | 35 |
| 50-64 | 133 | 12.1 | 90 | 2 | 4 | 9 | 15 | 25 | 31 | 48 |
| 65+ | 55 | 16.2 | 164 | 2 | 3 | 13 | 26 | 35 | 44 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3148 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 1969 | 4.8 | 16 | 1 | 1 | 4 | 7 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1639 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 4210 | 6.6 | 33 | 1 | 2 | 6 | 8 | 12 | 16 | 31 |
| **1. SINGLE DX** | 5117 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 5849 | 6.5 | 28 | 1 | 2 | 6 | 8 | 12 | 15 | 28 |
| **A. NOT OPERATED** | 4787 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| **B. OPERATED** | 6179 | 6.1 | 29 | 1 | 1 | 6 | 8 | 11 | 15 | 28 |
| TOTAL 0-19 YRS | 1672 | 5.3 | 11 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 20-34 | 7104 | 5.2 | 14 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 35-49 | 1874 | 7.3 | 36 | 1 | 2 | 7 | 9 | 13 | 17 | 30 |
| 50-64 | 222 | 10.2 | 70 | 2 | 3 | 8 | 12 | 20 | 28 | 43 |
| 65+ | 94 | 13.3 | 123 | 2 | 3 | 9 | 19 | 30 | 36 | 82 |
| **GRAND TOTAL** | **10966** | **5.8** | **21** | **1** | **2** | **5** | **7** | **10** | **13** | **23** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.2 | 6 | 1 | 2 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 75 | 3.9 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 17 | 3.1 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 3.6 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 1305 | 4.2 | 8 | <1 | 1 | 3 | 7 | 8 | 8 | 11 |
| 35-49 | 584 | 5.7 | 10 | 1 | 2 | 6 | 8 | 8 | 10 | 16 |
| 50-64 | 47 | 5.6 | 12 | 1 | 1 | 7 | 8 | 9 | 10 | 13 |
| 65+ | 7 | 4.6 | 18 | 1 | 1 | 2 | 6 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 67 | 3.5 | 10 | <1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 35-49 | 32 | 5.9 | 13 | 1 | 2 | 5 | 9 | 12 | 12 | 14 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 2164 | 5.5 | 10 | 1 | 1 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 2173 | 7.4 | 15 | 2 | 2 | 7 | 8 | 11 | 13 | 21 |
| 50-64 | 308 | 7.7 | 10 | 2 | 3 | 8 | 9 | 11 | 13 | 18 |
| 65+ | 30 | 11.9 | 94 | 3 | 5 | 9 | 13 | 20 | 41 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 2008 | 4.7 | 9 | <1 | 1 | 5 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 4.2 | 12 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| B. *Operated* | 4734 | 6.5 | 14 | 1 | 2 | 7 | 8 | 10 | 12 | 19 |
| **1. SINGLE DX** | 2117 | 4.6 | 9 | <1 | 1 | 5 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 4839 | 6.5 | 14 | 1 | 2 | 7 | 8 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 214 | 4.0 | 9 | <1 | 1 | 3 | 5 | 8 | 9 | 14 |
| **B. OPERATED** | 6742 | 6.0 | 13 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 146 | 4.0 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 11 |
| 20-34 | 3611 | 5.0 | 10 | <1 | 1 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 2806 | 7.0 | 14 | 1 | 2 | 7 | 8 | 10 | 12 | 20 |
| 50-64 | 356 | 7.4 | 11 | 2 | 2 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 37 | 10.5 | 87 | 2 | 2 | 8 | 12 | 19 | 34 | 46 |
| **GRAND TOTAL** | **6956** | **5.9** | **13** | **1** | **1** | **6** | **8** | **9** | **11** | **17** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 4.8 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 245 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 237 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 9 |
| 50-64 | 92 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 30 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 8 | 3.1 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 35-49 | 4 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 5 | 6.0 | 26 | 2 | 2 | 3 | 11 | 12 | 12 | 12 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 20-34 | 580 | 3.0 | 7 | <1 | 1 | 2 | 3 | 7 | 8 | 12 |
| 35-49 | 751 | 3.8 | 21 | 1 | 1 | 2 | 5 | 8 | 9 | 16 |
| 50-64 | 281 | 3.9 | 33 | 1 | 1 | 2 | 3 | 8 | 10 | 32 |
| 65+ | 101 | 4.4 | 11 | 2 | 2 | 3 | 6 | 9 | 12 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | 624 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.0 | 10 | 1 | 1 | 3 | 5 | 10 | 11 | 12 |
| B. *Operated* | 1735 | 3.6 | 18 | <1 | 1 | 2 | 4 | 8 | 9 | 16 |
| **1. SINGLE DX** | 632 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | 1758 | 3.6 | 18 | <1 | 1 | 2 | 4 | 8 | 9 | 16 |
| **A. NOT OPERATED** | 31 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 11 | 12 |
| **B. OPERATED** | 2359 | 3.2 | 14 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 48 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 837 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 35-49 | 994 | 3.4 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 379 | 3.5 | 25 | 1 | 1 | 2 | 3 | 7 | 9 | 26 |
| 65+ | 132 | 4.0 | 10 | 1 | 2 | 3 | 5 | 9 | 11 | 15 |
| **GRAND TOTAL** | **2390** | **3.2** | **14** | **<1** | **1** | **2** | **3** | **7** | **9** | **14** |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 136 | 3.8 | 7 | 1 | 1 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 34 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 9 | 4.1 | 11 | <1 | <1 | 4 | 6 | 9 | 10 | 10 |
| 65+ | 10 | 12.1 | 294 | 2 | 2 | 6 | 11 | 36 | 60 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1221 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 538 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 169 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 41 | 3.6 | 11 | 1 | 2 | 3 | 4 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.5 | 5 | <1 | 1 | 4 | 6 | 7 | 9 | 11 |
| 20-34 | 131 | 4.5 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 53 | 5.9 | 47 | 1 | 2 | 5 | 6 | 11 | 14 | 48 |
| 50-64 | 18 | 11.2 | 127 | 2 | 3 | 8 | 11 | 29 | 42 | 46 |
| 65+ | 40 | 9.2 | 46 | 2 | 2 | 7 | 12 | 19 | 26 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 399 | 3.0 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 35-49 | 338 | 3.8 | 13 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 50-64 | 143 | 3.6 | 17 | <1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 65+ | 76 | 7.1 | 57 | 2 | 2 | 4 | 8 | 15 | 26 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 4.1 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 2107 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 286 | 5.8 | 31 | 1 | 2 | 5 | 7 | 10 | 13 | 33 |
| B. *Operated* | 1013 | 3.7 | 15 | <1 | 1 | 2 | 4 | 8 | 10 | 20 |
| **1. SINGLE DX** | 2356 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1299 | 4.2 | 20 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 535 | 5.0 | 26 | 1 | 1 | 4 | 6 | 9 | 12 | 27 |
| **B. OPERATED** | 3120 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | 299 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 1887 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 963 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 339 | 3.4 | 19 | <1 | 1 | 2 | 4 | 6 | 8 | 22 |
| 65+ | 167 | 7.0 | 61 | 2 | 2 | 4 | 9 | 13 | 22 | 39 |
| **GRAND TOTAL** | 3655 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 12 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 249 | 5.7 | 13 | <1 | 1 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 564 | 7.3 | 10 | 2 | 4 | 7 | 8 | 11 | 13 | 17 |
| 50-64 | 974 | 7.7 | 8 | 4 | 5 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 817 | 8.3 | 10 | 5 | 5 | 8 | 9 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 14 | 2.6 | 10 | <1 | <1 | 1 | 2 | 9 | 11 | 11 |
| 35-49 | 36 | 1.9 | 2 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 50-64 | 47 | 3.8 | 13 | <1 | <1 | 2 | 5 | 11 | 11 | 12 |
| 65+ | 111 | 6.3 | 61 | <1 | 1 | 4 | 8 | 13 | 20 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 763 | 6.0 | 11 | <1 | <1 | 6 | 8 | 10 | 12 | 15 |
| 35-49 | 1818 | 8.0 | 12 | 2 | 5 | 8 | 9 | 12 | 14 | 18 |
| 50-64 | 2030 | 9.0 | 16 | 5 | 6 | 8 | 10 | 13 | 16 | 25 |
| 65+ | 1872 | 10.2 | 34 | 5 | 6 | 9 | 11 | 15 | 19 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 4.2 | 12 | <1 | 1 | 3 | 6 | 10 | 13 | 13 |
| B. *Operated* | 2605 | 7.6 | 10 | 3 | 5 | 7 | 9 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 4.7 | 39 | <1 | <1 | 3 | 6 | 11 | 13 | 49 |
| B. *Operated* | 6485 | 8.7 | 21 | 2 | 5 | 8 | 10 | 13 | 16 | 26 |
| **1. SINGLE DX** | 2624 | 7.6 | 11 | 3 | 4 | 7 | 9 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | 6694 | 8.6 | 22 | 2 | 5 | 8 | 10 | 13 | 16 | 26 |
| **A. NOT OPERATED** | 228 | 4.7 | 37 | <1 | <1 | 3 | 6 | 11 | 13 | 47 |
| **B. OPERATED** | 9090 | 8.4 | 18 | 3 | 5 | 8 | 10 | 13 | 15 | 24 |
| TOTAL 0-19 YRS | 4 | 5.3 | 5 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 1027 | 5.9 | 12 | <1 | <1 | 6 | 8 | 10 | 12 | 16 |
| 35-49 | 2421 | 7.7 | 12 | 2 | 4 | 7 | 9 | 12 | 14 | 18 |
| 50-64 | 3054 | 8.5 | 14 | 4 | 5 | 8 | 10 | 13 | 15 | 24 |
| 65+ | 2812 | 9.5 | 29 | 4 | 5 | 8 | 11 | 14 | 17 | 32 |
| **GRAND TOTAL** | 9318 | 8.3 | 19 | 2 | 4 | 8 | 10 | 13 | 15 | 24 |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 8 | 1.5 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 1 | 1.0 |  | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 222 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| 35-49 | 333 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| 50-64 | 52 | 1.9 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 10 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 4.7 | 23 | 1 | 1 | 4 | 5 | 10 | 17 | 19 |
| 35-49 | 15 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 50-64 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 7 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 242 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 448 | 2.8 | 8 | <1 | 1 | 2 | 2 | 7 | 8 | 15 |
| 50-64 | 69 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 8 | 10 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 15 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 6 |
| B. *Operated* | 615 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 32 | 3.4 | 12 | <1 | <1 | 2 | 4 | 7 | 8 | 19 |
| B. *Operated* | 766 | 2.6 | 7 | <1 | 1 | 2 | 2 | 6 | 8 | 13 |
| **1. SINGLE DX** | 630 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | 798 | 2.7 | 7 | <1 | 1 | 2 | 2 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 47 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 19 |
| **B. OPERATED** | 1381 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 7 | 12 |
| TOTAL 0-19 YRS | 18 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 485 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 35-49 | 800 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 7 | 12 |
| 50-64 | 125 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 8 | 10 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **1428** | **2.3** | **5** | **<1** | **<1** | **2** | **2** | **4** | **7** | **12** |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 87 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 258 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 100 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 10 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 284 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 4603 | 1.7 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 35-49 | 6007 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 8 |
| 50-64 | 887 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 8 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 87 | 2.9 | 9 | 1 | 1 | 2 | 4 | 5 | 6 | 19 |
| 20-34 | 238 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 202 | 2.8 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 13 |
| 50-64 | 34 | 2.6 | 6 | <1 | <1 | 1 | 3 | 6 | 9 | 11 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 211 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 4239 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 7366 | 3.1 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 14 |
| 50-64 | 1048 | 2.9 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 13 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 455 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| B. *Operated* | 11781 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 561 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| B. *Operated* | 12864 | 3.0 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 14 |
| **1. SINGLE DX** | 12236 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | 13425 | 2.9 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 1016 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **B. OPERATED** | 24645 | 2.4 | 6 | <1 | <1 | 2 | 2 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 669 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 9338 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 7 | 10 |
| 35-49 | 13675 | 2.5 | 6 | <1 | <1 | 2 | 2 | 6 | 8 | 12 |
| 50-64 | 1979 | 2.4 | 6 | <1 | <1 | 2 | 2 | 5 | 8 | 12 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **25661** | **2.4** | **5** | **<1** | **<1** | **2** | **2** | **5** | **7** | **11** |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 2.3 | 3 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 50-64 | 16 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 17 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 600 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 50-64 | 2162 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 65+ | 437 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 24 | 5.0 | 16 | <1 | <1 | 5 | 7 | 11 | 12 | 15 |
| 50-64 | 57 | 2.5 | 6 | <1 | <1 | 1 | 3 | 6 | 8 | 13 |
| 65+ | 67 | 5.0 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 489 | 2.7 | 17 | <1 | 1 | 2 | 2 | 5 | 7 | 20 |
| 50-64 | 2104 | 2.7 | 9 | <1 | 1 | 2 | 2 | 4 | 8 | 16 |
| 65+ | 797 | 3.9 | 23 | 1 | 2 | 2 | 4 | 8 | 12 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 3204 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 4.1 | 13 | <1 | <1 | 3 | 6 | 9 | 11 | 23 |
| B. *Operated* | 3401 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **1. SINGLE DX** | 3246 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | 3550 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| **A. NOT OPERATED** | 191 | 3.7 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 6605 | 2.4 | 8 | <1 | 1 | 2 | 2 | 3 | 7 | 13 |
| TOTAL 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 15 | 2.9 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 35-49 | 1122 | 2.2 | 9 | <1 | <1 | 2 | 2 | 3 | 6 | 12 |
| 50-64 | 4339 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 65+ | 1318 | 3.4 | 16 | 1 | 1 | 2 | 3 | 7 | 10 | 18 |
| **GRAND TOTAL** | **6796** | **2.4** | **8** | **<1** | **1** | **2** | **2** | **4** | **7** | **14** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.4 | 4 | <1 | 1 | 2 | 3 | 3 | 7 | 11 |
| 20-34 | 115 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 6 | 19 |
| 35-49 | 49 | 2.7 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 50-64 | 16 | 3.6 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 65+ | 12 | 6.4 | 29 | 2 | 3 | 4 | 6 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 2.8 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 20-34 | 1950 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 1676 | 2.6 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 1070 | 2.4 | 6 | <1 | 1 | 2 | 2 | 5 | 7 | 11 |
| 65+ | 309 | 3.8 | 47 | 1 | 1 | 2 | 3 | 7 | 10 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.3 | 6 | 1 | 1 | 2 | 4 | 7 | 7 | 11 |
| 20-34 | 112 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 35-49 | 73 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 37 | 6.5 | 73 | <1 | 1 | 5 | 7 | 11 | 24 | 46 |
| 65+ | 87 | 9.7 | 107 | 1 | 2 | 7 | 11 | 22 | 34 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 3.4 | 7 | 1 | 1 | 2 | 5 | 7 | 9 | 13 |
| 20-34 | 1998 | 3.5 | 11 | <1 | 1 | 2 | 5 | 7 | 9 | 15 |
| 35-49 | 3269 | 3.9 | 13 | <1 | 1 | 2 | 6 | 8 | 10 | 16 |
| 50-64 | 2073 | 4.2 | 25 | 1 | 1 | 2 | 6 | 9 | 12 | 24 |
| 65+ | 772 | 7.2 | 91 | 1 | 2 | 3 | 9 | 17 | 23 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 2.9 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| B. *Operated* | 5182 | 2.7 | 9 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 340 | 5.0 | 47 | <1 | 1 | 3 | 6 | 10 | 14 | 46 |
| B. *Operated* | 8264 | 4.2 | 24 | <1 | 1 | 2 | 6 | 9 | 11 | 22 |
| **1. SINGLE DX** | 5414 | 2.7 | 9 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 8604 | 4.2 | 25 | <1 | 1 | 2 | 6 | 9 | 11 | 23 |
| **A. NOT OPERATED** | 572 | 4.2 | 33 | <1 | 1 | 3 | 5 | 8 | 12 | 34 |
| **B. OPERATED** | 13446 | 3.6 | 19 | <1 | 1 | 2 | 4 | 8 | 10 | 19 |
| TOTAL 0-19 YRS | 400 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 20-34 | 4175 | 3.1 | 10 | <1 | 1 | 2 | 3 | 7 | 8 | 13 |
| 35-49 | 5067 | 3.4 | 11 | <1 | 1 | 2 | 4 | 8 | 9 | 15 |
| 50-64 | 3196 | 3.7 | 19 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 65+ | 1180 | 6.5 | 83 | 1 | 2 | 3 | 8 | 15 | 22 | 53 |
| **GRAND TOTAL** | **14018** | **3.6** | **19** | **<1** | **1** | **2** | **4** | **8** | **10** | **20** |

## 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 2.2 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 340 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 56 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 7 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 5 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 1669 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 9 |
| 35-49 | 512 | 5.4 | 16 | <1 | 1 | 5 | 8 | 10 | 12 | 18 |
| 50-64 | 252 | 8.2 | 16 | 1 | 2 | 8 | 10 | 13 | 14 | 22 |
| 65+ | 107 | 9.2 | 22 | 2 | 4 | 9 | 11 | 17 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 2.8 | 7 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 20-34 | 265 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 65 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| 50-64 | 19 | 4.6 | 43 | <1 | 1 | 2 | 5 | 11 | 22 | 28 |
| 65+ | 25 | 9.7 | 112 | 1 | 1 | 7 | 14 | 19 | 27 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 2479 | 3.7 | 9 | <1 | 1 | 2 | 6 | 8 | 8 | 14 |
| 35-49 | 973 | 5.9 | 16 | 1 | 1 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 306 | 10.0 | 36 | 2 | 3 | 9 | 12 | 15 | 18 | 36 |
| 65+ | 194 | 11.0 | 58 | 2 | 4 | 10 | 13 | 17 | 24 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 677 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 2655 | 3.9 | 13 | <1 | 1 | 2 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 506 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| B. *Operated* | 4051 | 5.1 | 20 | <1 | 1 | 4 | 7 | 10 | 12 | 19 |
| **1. SINGLE DX** | 3332 | 3.6 | 12 | <1 | 1 | 2 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 4557 | 4.8 | 19 | <1 | 1 | 3 | 7 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 1183 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| **B. OPERATED** | 6706 | 4.6 | 17 | <1 | 1 | 3 | 7 | 9 | 12 | 18 |
| TOTAL 0-19 YRS | 615 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 4753 | 3.2 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 11 |
| 35-49 | 1606 | 5.5 | 16 | 1 | 1 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 584 | 9.0 | 29 | 2 | 2 | 9 | 11 | 14 | 17 | 27 |
| 65+ | 331 | 10.2 | 50 | 2 | 3 | 9 | 13 | 17 | 20 | 43 |
| **GRAND TOTAL** | **7889** | **4.3** | **16** | **<1** | **1** | **2** | **7** | **9** | **11** | **18** |

## 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 30 | 4.2 | 33 | <1 | <1 | 3 | 4 | 10 | 11 | 31 |
| 35-49 | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 16 |
| 20-34 | 1529 | 5.9 | 6 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 192 | 6.2 | 9 | 3 | 4 | 6 | 7 | 8 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 14 | 3.1 | 4 | <1 | <1 | 3 | 5 | 5 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 11 | 15 |
| 20-34 | 1076 | 6.6 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| 35-49 | 210 | 6.9 | 6 | 4 | 4 | 7 | 8 | 10 | 11 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 3.8 | 28 | <1 | 1 | 2 | 3 | 9 | 11 | 31 |
| B. *Operated* | 1817 | 5.9 | 6 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 3.1 | 3 | <1 | <1 | 2 | 5 | 5 | 7 | 7 |
| B. *Operated* | 1347 | 6.6 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 16 |
| **1. SINGLE DX** | 1853 | 5.9 | 6 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 1362 | 6.6 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 16 |
| **A. NOT OPERATED** | 51 | 3.6 | 21 | <1 | 1 | 2 | 4 | 6 | 11 | 31 |
| **B. OPERATED** | 3164 | 6.2 | 7 | 3 | 4 | 6 | 7 | 8 | 10 | 14 |
| TOTAL 0-19 YRS | 159 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 15 |
| 20-34 | 2649 | 6.1 | 8 | 3 | 4 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 407 | 6.5 | 8 | 3 | 4 | 6 | 8 | 9 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3215** | **6.2** | **7** | **3** | **4** | **6** | **7** | **8** | **10** | **14** |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 1.3 | 1 | <1 | 1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 209 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 28 | 1.3 | | <1 | 1 | 1 | 1 | 2 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4043 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 11087 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 35-49 | 1439 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 70 | 1.7 | 5 | <1 | <1 | <1 | 2 | 3 | 4 | 15 |
| 35-49 | 20 | 2.4 | 7 | <1 | <1 | 2 | 2 | 4 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 997 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 4 | 8 |
| 20-34 | 3991 | 1.6 | 3 | <1 | <1 | <1 | 2 | 3 | 4 | 9 |
| 35-49 | 1198 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 356 | 1.3 | 1 | <1 | 1 | 1 | 1 | 2 | 3 | 5 |
| B. *Operated* | 16569 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 14 |
| B. *Operated* | 6186 | 1.7 | 3 | <1 | <1 | <1 | 2 | 3 | 4 | 8 |
| **1. SINGLE DX** | 16925 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 6307 | 1.7 | 3 | <1 | <1 | <1 | 2 | 3 | 4 | 8 |
| **A. NOT OPERATED** | 477 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **B. OPERATED** | 22755 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 5190 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 15357 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 6 |
| 35-49 | 2685 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 23232 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 6 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **A. NOT OPERATED** | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 654 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 63 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1698 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 12167 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 1986 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 132 | 2.5 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 35-49 | 15 | 2.5 | 3 | <1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 1509 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 410 | 2.3 | 5 | <1 | 1 | 2 | 2 | 4 | 7 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 897 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 15851 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. *Operated* | 2117 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **1. SINGLE DX** | 16748 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | 2290 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **A. NOT OPERATED** | 1070 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 17968 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 2102 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 14462 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 2474 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 19038 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 275 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 35-49 | 34 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 1616 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 238 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.5 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 89 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 15 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.6 | 63 | <1 | 1 | 2 | 4 | 9 | 18 | 46 |
| 20-34 | 342 | 3.1 | 14 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 81 | 3.3 | 9 | 1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 392 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 2012 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 3.6 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| B. *Operated* | 461 | 3.3 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **1. SINGLE DX** | 2404 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 589 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 520 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| **B. OPERATED** | 2473 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 303 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 2322 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 35-49 | 368 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2993 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 1445 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 111 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 34 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 6 | 2.3 | 3 | <1 | <1 | 2 | 2 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 20-34 | 190 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 20 | 3.8 | 5 | 2 | 2 | 3 | 4 | 7 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 27 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1760 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 46 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| B. *Operated* | 29 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| **1. SINGLE DX** | 1806 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 263 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 1994 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 75 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 236 | 2.0 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1696 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 137 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2069** | **2.4** | **3** | **<1** | **1** | **2** | **3** | **4** | **5** | **8** |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.6 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 43 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 4 | 4.0 | 5 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 56 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | 9 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| **A. NOT OPERATED** | 60 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| **B. OPERATED** | 5 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| TOTAL 0-19 YRS | 8 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 52 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 5 | 3.4 | 6 | 1 | 1 | 2 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **65** | **2.4** | **2** | **<1** | **<1** | **2** | **3** | **5** | **5** | **6** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 4.0 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 892 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 86 | 4.5 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.4 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 109 | 3.8 | 7 | <1 | 1 | 3 | 4 | 8 | 10 | 14 |
| 35-49 | 11 | 6.6 | 27 | <1 | 1 | 4 | 9 | 14 | 18 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 4.5 | 8 | 1 | 2 | 3 | 7 | 8 | 10 | 14 |
| 20-34 | 229 | 4.4 | 11 | 1 | 2 | 3 | 5 | 8 | 13 | 18 |
| 35-49 | 38 | 5.0 | 11 | 1 | 2 | 4 | 6 | 10 | 12 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.1 | 15 | 1 | 1 | 4 | 9 | 10 | 13 | 14 |
| 20-34 | 52 | 5.4 | 17 | <1 | 1 | 4 | 8 | 13 | 15 | 16 |
| 35-49 | 5 | 10.2 | 104 | 2 | 2 | 7 | 14 | 28 | 28 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1169 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 147 | 3.9 | 8 | <1 | 1 | 3 | 4 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 303 | 4.5 | 11 | 1 | 2 | 3 | 6 | 8 | 12 | 17 |
| B. *Operated* | 71 | 5.7 | 23 | 1 | 1 | 4 | 8 | 13 | 15 | 25 |
| **1. SINGLE DX** | 1316 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | 374 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 13 | 17 |
| **A. NOT OPERATED** | 1472 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| **B. OPERATED** | 218 | 4.5 | 14 | <1 | 1 | 3 | 6 | 9 | 12 | 17 |
| TOTAL 0-19 YRS | 268 | 4.1 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 1282 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 140 | 5.0 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1690 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 968 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 37 | 5.0 | 10 | 2 | 3 | 4 | 5 | 8 | 12 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.0 | 5 | <1 | <1 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 5 | 5.8 | 57 | <1 | <1 | 2 | 8 | 19 | 19 | 19 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 13 | 17 |
| 20-34 | 262 | 4.5 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 35-49 | 11 | 6.0 | 23 | 1 | 1 | 5 | 8 | 13 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 22 | 2 | 2 | 6 | 10 | 13 | 13 | 13 |
| 20-34 | 11 | 4.5 | 7 | 1 | 2 | 4 | 6 | 9 | 9 | 9 |
| 35-49 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1186 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 10 | 4.9 | 28 | <1 | <1 | 3 | 5 | 13 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 330 | 4.5 | 10 | 1 | 2 | 3 | 6 | 9 | 11 | 16 |
| B. *Operated* | 17 | 5.1 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| **1. SINGLE DX** | 1196 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 347 | 4.5 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 1516 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 27 | 5.0 | 16 | <1 | 1 | 4 | 6 | 9 | 14 | 19 |
| TOTAL 0-19 YRS | 247 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1246 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 50 | 5.2 | 13 | 2 | 2 | 4 | 6 | 8 | 14 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1543 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1243 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 20-34 | 5395 | 1.2 | 2 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 324 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 205 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 1 | 4 |
| 20-34 | 824 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 50 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 11 |
| 20-34 | 369 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 35 | 2.3 | 6 | <1 | <1 | 1 | 2 | 6 | 6 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 80 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 6 | 1.5 | 2 | 1 | 1 | 1 | 1 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6962 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| B. *Operated* | 1079 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| B. *Operated* | 110 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| **1. SINGLE DX** | 8041 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | 595 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **A. NOT OPERATED** | 7447 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| **B. OPERATED** | 1189 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| TOTAL 0-19 YRS | 1553 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 20-34 | 6668 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 415 | 1.3 | 2 | <1 | <1 | <1 | 1 | 1 | 2 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 8636 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 373 | 3.6 | 16 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 49 | 4.6 | 19 | 1 | 1 | 3 | 5 | 11 | 18 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 33 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 79 | 4.4 | 24 | <1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 35-49 | 13 | 4.1 | 17 | <1 | 1 | 2 | 4 | 12 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 3.5 | 5 | <1 | <1 | 4 | 5 | 6 | 8 | 8 |
| 35-49 | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 465 | 3.6 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| B. *Operated* | 38 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 4.2 | 21 | <1 | 1 | 3 | 5 | 9 | 13 | 27 |
| B. *Operated* | 16 | 4.2 | 9 | <1 | <1 | 4 | 6 | 8 | 11 | 12 |
| **1. SINGLE DX** | 503 | 3.6 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **2. MULTIPLE DX** | 114 | 4.2 | 20 | <1 | 1 | 3 | 5 | 8 | 13 | 25 |
| **A. NOT OPERATED** | 563 | 3.7 | 16 | <1 | 1 | 3 | 4 | 7 | 11 | 21 |
| **B. OPERATED** | 54 | 3.7 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 52 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 498 | 3.7 | 16 | <1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 67 | 4.6 | 18 | 1 | 1 | 3 | 6 | 12 | 15 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 617 | 3.7 | 16 | <1 | 1 | 3 | 4 | 7 | 11 | 20 |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 575 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 47 | 2.8 | 7 | <1 | 1 | 2 | 4 | 5 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.7 | 2 | <1 | <1 | <1 | 2 | 4 | 5 | 5 |
| 20-34 | 72 | 2.5 | 8 | <1 | <1 | 2 | 3 | 4 | 7 | 18 |
| 35-49 | 6 | 3.2 | 8 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 133 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 9 | 5.3 | 17 | 1 | 2 | 3 | 7 | 12 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 20-34 | 27 | 3.3 | 8 | <1 | <1 | 3 | 4 | 8 | 9 | 11 |
| 35-49 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 726 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 89 | 2.4 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 3.1 | 11 | <1 | 1 | 2 | 4 | 5 | 8 | 14 |
| B. *Operated* | 32 | 3.5 | 8 | <1 | <1 | 3 | 4 | 8 | 9 | 11 |
| **1. SINGLE DX** | 815 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | 183 | 3.1 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 877 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **B. OPERATED** | 121 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 127 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 807 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 64 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 998 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 483 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 35-49 | 16 | 3.9 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 1.5 | 3 | <1 | <1 | <1 | 1 | 3 | 4 | 11 |
| 20-34 | 143 | 1.9 | 3 | <1 | <1 | <1 | 2 | 4 | 6 | 6 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 17 |
| 20-34 | 296 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 12 | 4.6 | 12 | 1 | 2 | 4 | 6 | 9 | 13 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.2 | 11 | <1 | <1 | 3 | 4 | 6 | 7 | 18 |
| 20-34 | 61 | 3.9 | 12 | <1 | <1 | 3 | 5 | 10 | 12 | 13 |
| 35-49 | 4 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 657 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| B. *Operated* | 217 | 1.7 | 3 | <1 | <1 | <1 | 1 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 413 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 95 | 3.7 | 12 | <1 | <1 | 3 | 5 | 9 | 12 | 16 |
| **1. SINGLE DX** | 874 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | 508 | 4.1 | 7 | <1 | 1 | 4 | 5 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 1070 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **B. OPERATED** | 312 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | 365 | 3.3 | 7 | <1 | <1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 983 | 3.5 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 34 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1382 | 3.5 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 12 |

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 5.5 | 43 | <1 | 1 | 4 | 6 | 13 | 15 | 39 |
| 20-34 | 562 | 5.0 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| 35-49 | 110 | 5.6 | 20 | 1 | 1 | 5 | 7 | 11 | 15 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.0 | 82 | <1 | 1 | 3 | 7 | 23 | 27 | 27 |
| 20-34 | 71 | 3.3 | 31 | <1 | <1 | <1 | 3 | 8 | 10 | 33 |
| 35-49 | 7 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 5.4 | 36 | 1 | 1 | 3 | 7 | 13 | 17 | 30 |
| 20-34 | 808 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 35-49 | 84 | 5.3 | 14 | 1 | 1 | 4 | 9 | 11 | 12 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.5 | 2 | <1 | <1 | 2 | 4 | 4 | 5 | 5 |
| 20-34 | 122 | 4.4 | 14 | <1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 35-49 | 13 | 4.4 | 11 | <1 | <1 | 4 | 6 | 8 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 748 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 22 |
| B. *Operated* | 85 | 3.6 | 33 | <1 | <1 | 1 | 3 | 8 | 10 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1018 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | 150 | 4.2 | 13 | <1 | <1 | 3 | 5 | 9 | 11 | 17 |
| **1. SINGLE DX** | 833 | 5.0 | 21 | <1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | 1168 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 1766 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| **B. OPERATED** | 235 | 4.0 | 20 | <1 | <1 | 3 | 5 | 9 | 11 | 27 |
| TOTAL 0-19 YRS | 224 | 5.3 | 38 | 1 | 1 | 3 | 6 | 13 | 16 | 36 |
| 20-34 | 1563 | 4.5 | 16 | <1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 35-49 | 214 | 5.3 | 17 | 1 | 1 | 4 | 7 | 11 | 13 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2001 | 4.7 | 19 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 389 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 13 |
| 20-34 | 1815 | 2.8 | 15 | <1 | <1 | 2 | 3 | 6 | 8 | 18 |
| 35-49 | 121 | 3.3 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 1138 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 115 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 768 | 3.8 | 26 | <1 | <1 | 2 | 4 | 8 | 11 | 21 |
| 35-49 | 69 | 3.7 | 22 | <1 | <1 | 3 | 4 | 7 | 10 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 3.7 | 8 | <1 | <1 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 387 | 4.1 | 20 | <1 | <1 | 3 | 5 | 9 | 11 | 23 |
| 35-49 | 42 | 4.8 | 34 | <1 | <1 | 3 | 6 | 10 | 22 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2325 | 2.7 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| B. *Operated* | 1369 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 982 | 3.7 | 23 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| B. *Operated* | 473 | 4.1 | 20 | <1 | <1 | 3 | 5 | 8 | 11 | 25 |
| **1. SINGLE DX** | 3694 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 1455 | 3.8 | 22 | <1 | <1 | 3 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 3307 | 3.0 | 16 | <1 | <1 | 2 | 4 | 6 | 9 | 18 |
| **B. OPERATED** | 1842 | 3.0 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 694 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 4108 | 3.1 | 15 | <1 | <1 | 2 | 4 | 6 | 9 | 17 |
| 35-49 | 347 | 3.5 | 15 | <1 | <1 | 2 | 4 | 7 | 10 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 5149 | 3.0 | 14 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| 20-34 | 564 | 3.7 | 4 | 2 | 3 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 55 | 3.9 | 3 | 1 | 2 | 4 | 4 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.1 | 7 | 3 | 3 | 4 | 6 | 9 | 11 | 14 |
| 20-34 | 218 | 5.2 | 14 | 2 | 3 | 4 | 6 | 8 | 12 | 21 |
| 35-49 | 24 | 5.3 | 9 | 2 | 3 | 5 | 6 | 9 | 11 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.7 | 3 | 2 | 3 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 387 | 4.4 | 26 | 2 | 3 | 4 | 4 | 6 | 8 | 39 |
| 35-49 | 45 | 5.0 | 11 | 2 | 3 | 4 | 5 | 9 | 13 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 7.5 | 83 | 2 | 3 | 4 | 7 | 16 | 29 | 44 |
| 20-34 | 807 | 6.4 | 42 | 3 | 3 | 5 | 7 | 11 | 14 | 35 |
| 35-49 | 110 | 8.3 | 53 | 3 | 3 | 5 | 9 | 17 | 25 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 703 | 3.7 | 3 | 2 | 3 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 265 | 5.2 | 13 | 2 | 3 | 4 | 6 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 489 | 4.4 | 22 | 2 | 3 | 4 | 4 | 6 | 9 | 31 |
| B. *Operated* | 985 | 6.7 | 46 | 3 | 3 | 5 | 7 | 11 | 16 | 38 |
| **1. SINGLE DX** | 968 | 4.1 | 6 | 2 | 3 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 1474 | 5.9 | 39 | 2 | 3 | 4 | 6 | 10 | 14 | 37 |
| **A. NOT OPERATED** | 1192 | 4.0 | 11 | 2 | 3 | 3 | 4 | 5 | 7 | 15 |
| **B. OPERATED** | 1250 | 6.4 | 39 | 3 | 3 | 5 | 7 | 11 | 15 | 36 |
| TOTAL 0-19 YRS | 232 | 4.9 | 29 | 2 | 3 | 3 | 5 | 7 | 13 | 41 |
| 20-34 | 1976 | 5.1 | 26 | 2 | 3 | 4 | 5 | 8 | 11 | 31 |
| 35-49 | 234 | 6.3 | 32 | 3 | 3 | 4 | 7 | 11 | 17 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2442** | **5.2** | **27** | **2** | **3** | **4** | **5** | **9** | **12** | **31** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7290 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 |
| 20-34 | 52251 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 2997 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 898 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 6841 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 366 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1155 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 87 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 3.8 | 3 | 2 | 3 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 5284 | 3.9 | 1 | 3 | 3 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 729 | 4.1 | 1 | 3 | 3 | 4 | 5 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62538 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| B. *Operated* | 8105 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1399 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 6117 | 3.9 | 1 | 3 | 3 | 4 | 4 | 5 | 6 | 7 |
| **1. SINGLE DX** | 70643 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 7516 | 3.9 | 1 | 3 | 3 | 4 | 4 | 5 | 6 | 7 |
| **A. NOT OPERATED** | 63937 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 14222 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 6 |
| TOTAL 0-19 YRS | 8449 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 6 |
| 20-34 | 65531 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 4179 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **78159** | **3.3** | **1** | **2** | **2** | **3** | **4** | **4** | **5** | **6** |

### 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 5 | 3 | 3 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 44 | 3.9 | 3 | 1 | 2 | 4 | 4 | 6 | 7 | 11 |
| 35-49 | 5 | 5.2 | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.9 | 2 | 3 | 4 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 184 | 9.6 | 123 | 4 | 5 | 7 | 8 | 16 | 26 | 71 |
| 35-49 | 25 | 9.6 | 125 | 4 | 5 | 6 | 8 | 20 | 32 | 59 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 45 | 2 | 2 | 3 | 10 | 16 | 16 | 16 |
| 20-34 | 15 | 4.9 | 9 | <1 | 2 | 4 | 7 | 10 | 11 | 11 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.3 | 8 | 2 | 2 | 5 | 8 | 9 | 10 | 10 |
| 20-34 | 270 | 9.8 | 79 | 3 | 4 | 7 | 11 | 19 | 28 | 53 |
| 35-49 | 70 | 11.0 | 90 | 4 | 5 | 8 | 10 | 28 | 37 | 45 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | 223 | 9.3 | 115 | 4 | 5 | 6 | 8 | 15 | 25 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 5.2 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 16 |
| B. *Operated* | 355 | 9.9 | 79 | 3 | 4 | 7 | 10 | 19 | 31 | 47 |
| **1. SINGLE DX** | 275 | 8.3 | 98 | 3 | 3 | 6 | 7 | 11 | 24 | 59 |
| **2. MULTIPLE DX** | 374 | 9.6 | 77 | 3 | 4 | 7 | 10 | 18 | 30 | 47 |
| **A. NOT OPERATED** | 71 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 10 | 15 |
| **B. OPERATED** | 578 | 9.7 | 93 | 4 | 4 | 7 | 9 | 18 | 28 | 56 |
| TOTAL 0-19 YRS | 36 | 5.5 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 20-34 | 513 | 9.1 | 89 | 3 | 4 | 6 | 8 | 17 | 26 | 56 |
| 35-49 | 100 | 10.4 | 95 | 4 | 5 | 7 | 9 | 21 | 36 | 52 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 649 | 9.1 | 86 | 3 | 4 | 7 | 9 | 17 | 26 | 55 |

### 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 238 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 15 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.9 | 2 | 2 | 3 | 5 | 6 | 6 | 7 | 7 |
| 20-34 | 212 | 5.1 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 18 | 5.4 | 7 | 2 | 3 | 5 | 7 | 8 | 11 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.9 | 3 | 2 | 2 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 141 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 8 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 5.3 | 12 | 2 | 2 | 4 | 6 | 9 | 13 | 20 |
| 20-34 | 471 | 5.8 | 12 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 58 | 6.9 | 47 | 2 | 3 | 6 | 7 | 9 | 11 | 43 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 285 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 254 | 5.1 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 589 | 5.8 | 15 | 2 | 3 | 5 | 7 | 9 | 11 | 19 |
| **1. SINGLE DX** | 539 | 4.1 | 4 | 1 | 2 | 4 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 760 | 5.3 | 13 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| **A. NOT OPERATED** | 456 | 3.4 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **B. OPERATED** | 843 | 5.6 | 12 | 2 | 3 | 5 | 7 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 138 | 4.5 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| 20-34 | 1062 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 99 | 5.8 | 31 | 2 | 2 | 5 | 7 | 8 | 10 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1299 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 49 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 435 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 28 | 3.4 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 13 | 4.0 | 1 | 2 | 3 | 4 | 4 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 20-34 | 230 | 3.9 | 6 | 1 | 2 | 4 | 4 | 5 | 6 | 10 |
| 35-49 | 24 | 3.9 | 5 | 2 | 2 | 4 | 4 | 5 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 56 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 510 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 14 | 3.9 | 1 | 2 | 3 | 4 | 4 | 6 | 6 | 6 |
| B. *Operated* | 277 | 3.9 | 5 | 2 | 2 | 4 | 4 | 5 | 7 | 12 |
| 1. SINGLE DX | 566 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 2. MULTIPLE DX | 291 | 3.9 | 5 | 2 | 2 | 4 | 4 | 6 | 7 | 12 |
| A. NOT OPERATED | 70 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. OPERATED | 787 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| TOTAL 0-19 YRS | 77 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 727 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 53 | 3.6 | 3 | 1 | 2 | 4 | 4 | 5 | 6 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 857 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.0 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 162 | 3.4 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 7 | 3.4 | 3 | 1 | 1 | 4 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.4 | 1 | 1 | 1 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 79 | 3.7 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 35-49 | 8 | 4.0 | 3 | 3 | 3 | 4 | 4 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.9 | 2 | 2 | 3 | 4 | 5 | 5 | 7 | 7 |
| 20-34 | 62 | 3.9 | 2 | 2 | 3 | 4 | 4 | 6 | 7 | 9 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 90 | 4.7 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 27 |
| 35-49 | 11 | 4.6 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 190 | 3.4 | 1 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | 98 | 3.7 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 77 | 3.9 | 2 | 2 | 3 | 4 | 4 | 6 | 7 | 9 |
| B. *Operated* | 107 | 4.6 | 14 | 1 | 2 | 4 | 5 | 7 | 9 | 24 |
| 1. SINGLE DX | 288 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | 184 | 4.3 | 9 | 2 | 3 | 4 | 5 | 6 | 7 | 14 |
| A. NOT OPERATED | 267 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. OPERATED | 205 | 4.2 | 9 | 1 | 2 | 4 | 5 | 6 | 7 | 16 |
| TOTAL 0-19 YRS | 52 | 3.3 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 393 | 3.8 | 5 | 1 | 2 | 3 | 4 | 6 | 6 | 12 |
| 35-49 | 27 | 4.1 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 472 | 3.8 | 5 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |

## 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 135 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 14 | 4.0 | 4 | 1 | 2 | 4 | 4 | 6 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 1 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 74 | 5.3 | 5 | 2 | 3 | 5 | 6 | 8 | 8 | 12 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.5 | 17 | <1 | 1 | 3 | 5 | 12 | 13 | 13 |
| 20-34 | 99 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 7 | 8 |
| 35-49 | 11 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 6.6 | 19 | 2 | 3 | 6 | 8 | 10 | 16 | 24 |
| 20-34 | 569 | 6.4 | 32 | 3 | 3 | 5 | 7 | 9 | 13 | 40 |
| 35-49 | 55 | 7.1 | 57 | 3 | 4 | 5 | 7 | 8 | 13 | 48 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| B. *Operated* | 81 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 667 | 6.5 | 33 | 3 | 3 | 5 | 7 | 9 | 13 | 41 |
| **1. SINGLE DX** | 241 | 4.2 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 788 | 6.1 | 30 | 3 | 3 | 5 | 7 | 9 | 12 | 38 |
| **A. NOT OPERATED** | 281 | 3.9 | 3 | 2 | 3 | 4 | 4 | 6 | 6 | 12 |
| **B. OPERATED** | 748 | 6.4 | 30 | 3 | 3 | 5 | 7 | 9 | 12 | 39 |
| TOTAL 0-19 YRS | 71 | 5.6 | 16 | 2 | 3 | 4 | 7 | 9 | 13 | 23 |
| 20-34 | 877 | 5.6 | 23 | 3 | 3 | 4 | 7 | 8 | 11 | 29 |
| 35-49 | 81 | 6.2 | 42 | 2 | 3 | 5 | 7 | 8 | 11 | 46 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1029 | 5.7 | 24 | 3 | 3 | 4 | 7 | 8 | 11 | 30 |

## 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 225 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 22 | 3.2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 5.3 | 3 | 3 | 3 | 5 | 7 | 7 | 8 | 10 |
| 20-34 | 1620 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 35-49 | 93 | 5.4 | 5 | 2 | 3 | 6 | 7 | 8 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 20 | 2 | 2 | 3 | 6 | 12 | 14 | 14 |
| 20-34 | 59 | 3.5 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 7 |
| 35-49 | 5 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 6.2 | 8 | 3 | 3 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 1648 | 5.9 | 9 | 3 | 3 | 6 | 7 | 8 | 9 | 14 |
| 35-49 | 177 | 6.0 | 7 | 3 | 3 | 6 | 7 | 8 | 10 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 1917 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | 1997 | 5.9 | 9 | 3 | 3 | 6 | 7 | 8 | 10 | 15 |
| **1. SINGLE DX** | 2184 | 5.0 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 2069 | 5.8 | 9 | 3 | 3 | 6 | 7 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 339 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| **B. OPERATED** | 3914 | 5.6 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 13 |
| TOTAL 0-19 YRS | 404 | 5.6 | 6 | 2 | 3 | 6 | 7 | 8 | 9 | 14 |
| 20-34 | 3552 | 5.4 | 7 | 3 | 3 | 5 | 7 | 7 | 8 | 12 |
| 35-49 | 297 | 5.5 | 6 | 2 | 3 | 6 | 7 | 8 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4253 | 5.4 | 6 | 2 | 3 | 5 | 7 | 7 | 8 | 13 |

## 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 298 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 6 |
| 35-49 | 18 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 4.4 | 2 | 2 | 3 | 4 | 6 | 7 | 7 | 9 |
| 20-34 | 862 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| 35-49 | 59 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.9 | 8 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 137 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 8 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 5.7 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 14 |
| 20-34 | 1986 | 5.7 | 9 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 35-49 | 211 | 6.5 | 14 | 3 | 3 | 6 | 7 | 8 | 9 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 348 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 1014 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| B. *Operated* | 2414 | 5.7 | 10 | 3 | 3 | 5 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 1362 | 4.4 | 3 | 2 | 3 | 4 | 5 | 7 | 7 | 8 |
| **2. MULTIPLE DX** | 2566 | 5.6 | 9 | 3 | 3 | 5 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 500 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 3428 | 5.4 | 8 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 349 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 14 |
| 20-34 | 3283 | 5.1 | 7 | 3 | 3 | 5 | 6 | 8 | 8 | 12 |
| 35-49 | 296 | 5.9 | 12 | 3 | 3 | 6 | 7 | 8 | 9 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 3923 | 5.2 | 8 | 3 | 3 | 5 | 6 | 8 | 8 | 13 |

## 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.9 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 8 |
| 10-34 | 75 | 4.0 | 3 | 2 | 3 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 6 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 523 | 6.3 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | 12 |
| 20-34 | 3237 | 6.1 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 9 |
| 35-49 | 142 | 6.4 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.1 | 11 | 2 | 2 | 4 | 6 | 11 | 12 | 12 |
| 20-34 | 42 | 4.8 | 3 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 631 | 6.9 | 5 | 4 | 5 | 6 | 8 | 9 | 11 | 14 |
| 20-34 | 4159 | 6.6 | 5 | 4 | 5 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 326 | 6.9 | 4 | 5 | 5 | 7 | 7 | 8 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 3.9 | 3 | 2 | 3 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 3902 | 6.2 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.8 | 4 | 3 | 3 | 4 | 6 | 8 | 8 | 12 |
| B. *Operated* | 5116 | 6.7 | 5 | 4 | 5 | 6 | 7 | 9 | 10 | 14 |
| **1. SINGLE DX** | 3996 | 6.1 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 10 |
| **2. MULTIPLE DX** | 5167 | 6.7 | 5 | 4 | 5 | 6 | 7 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 145 | 4.2 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **B. OPERATED** | 9018 | 6.5 | 4 | 4 | 5 | 6 | 7 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 1174 | 6.6 | 4 | 4 | 5 | 6 | 7 | 9 | 10 | 14 |
| 20-34 | 7513 | 6.4 | 4 | 4 | 5 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 476 | 6.7 | 4 | 4 | 5 | 7 | 7 | 8 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 9163 | 6.4 | 4 | 4 | 5 | 6 | 7 | 8 | 9 | 13 |

## 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 6 |
| 20-34 | 606 | 3.5 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 35 | 3.2 | 2 | 1 | 2 | 3 | 4 | 4 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 998 | 4.6 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 9 |
| 35-49 | 73 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 20-34 | 272 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 5 | 9 |
| 35-49 | 14 | 4.4 | 4 | 2 | 2 | 4 | 5 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 5.1 | 5 | 3 | 3 | 4 | 7 | 8 | 9 | 13 |
| 20-34 | 1825 | 5.1 | 5 | 3 | 3 | 5 | 6 | 8 | 8 | 12 |
| 35-49 | 146 | 5.7 | 5 | 3 | 3 | 5 | 7 | 8 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 713 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 1184 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 323 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| B. *Operated* | 2193 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 8 | 13 |
| **1. SINGLE DX** | 1897 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 2516 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 12 |
| **A. NOT OPERATED** | 1036 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 3377 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 444 | 4.6 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 12 |
| 20-34 | 3701 | 4.6 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 268 | 5.1 | 5 | 3 | 3 | 5 | 6 | 8 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4413** | **4.6** | **4** | **3** | **3** | **4** | **6** | **7** | **8** | **11** |

## 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 136 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 21 | 3.3 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.2 | 3 | 3 | 3 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 380 | 5.1 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 35-49 | 42 | 5.5 | 4 | 2 | 3 | 5 | 7 | 8 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.2 | | 3 | 3 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 48 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 6 | 4.5 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 5.8 | 6 | 3 | 3 | 6 | 7 | 9 | 11 | 13 |
| 20-34 | 624 | 5.8 | 8 | 3 | 3 | 6 | 7 | 8 | 10 | 17 |
| 35-49 | 103 | 6.7 | 11 | 3 | 3 | 6 | 8 | 10 | 12 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 168 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 451 | 5.2 | 4 | 3 | 3 | 5 | 7 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 787 | 5.9 | 9 | 3 | 3 | 6 | 7 | 8 | 10 | 18 |
| **1. SINGLE DX** | 619 | 4.7 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 847 | 5.8 | 9 | 3 | 3 | 6 | 7 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 228 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 1238 | 5.6 | 7 | 3 | 3 | 6 | 7 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 106 | 5.3 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 20-34 | 1188 | 5.2 | 7 | 3 | 3 | 5 | 6 | 8 | 8 | 14 |
| 35-49 | 172 | 5.9 | 9 | 3 | 3 | 6 | 7 | 8 | 11 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1466** | **5.3** | **7** | **3** | **3** | **5** | **7** | **8** | **9** | **15** |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 7 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 62 | 4.3 | 2 | 2 | 3 | 4 | 5 | 7 | 7 | 8 |
| 35-49 | 10 | 4.5 | 4 | 3 | 3 | 4 | 5 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 268 | 6.4 | 1 | 5 | 5 | 6 | 7 | 8 | 8 | 10 |
| 20-34 | 6464 | 6.4 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 9 |
| 35-49 | 413 | 6.8 | 2 | 5 | 5 | 7 | 8 | 8 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 26 | 5.2 | 8 | 2 | 3 | 5 | 6 | 9 | 10 | 15 |
| 35-49 | 6 | 5.3 | 10 | 3 | 3 | 4 | 7 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 6.6 | 5 | 4 | 5 | 6 | 7 | 8 | 9 | 15 |
| 20-34 | 5572 | 6.7 | 5 | 5 | 5 | 7 | 7 | 8 | 9 | 13 |
| 35-49 | 796 | 7.3 | 11 | 5 | 5 | 7 | 8 | 9 | 10 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 76 | 4.3 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 8 |
| B. *Operated* | 7145 | 6.4 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 5.0 | 8 | 2 | 3 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | 6501 | 6.8 | 5 | 5 | 5 | 7 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 7221 | 6.4 | 2 | 4 | 5 | 6 | 7 | 8 | 8 | 9 |
| **2. MULTIPLE DX** | 6535 | 6.8 | 5 | 5 | 5 | 7 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 110 | 4.5 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| **B. OPERATED** | 13646 | 6.6 | 4 | 5 | 5 | 6 | 7 | 8 | 9 | 11 |
| TOTAL 0-19 YRS | 407 | 6.4 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | 11 |
| 20-34 | 12124 | 6.5 | 3 | 4 | 5 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 1225 | 7.1 | 8 | 5 | 5 | 7 | 8 | 9 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **13756** | **6.6** | **4** | **4** | **5** | **6** | **7** | **8** | **9** | **11** |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1869 | 3.6 | 2 | 2 | 3 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 131 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 1043 | 4.2 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 67 | 4.3 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 4.0 | 3 | 2 | 3 | 4 | 4 | 6 | 8 | 11 |
| 20-34 | 673 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 56 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 337 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 20-34 | 2823 | 5.3 | 11 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 271 | 5.6 | 6 | 3 | 3 | 5 | 7 | 8 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2245 | 3.6 | 2 | 2 | 3 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 1220 | 4.2 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 839 | 4.1 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 3431 | 5.3 | 10 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **1. SINGLE DX** | 3465 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 4270 | 5.1 | 9 | 3 | 3 | 4 | 6 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 3084 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 10 |
| **B. OPERATED** | 4651 | 5.0 | 9 | 3 | 3 | 4 | 6 | 8 | 8 | 13 |
| TOTAL 0-19 YRS | 802 | 4.5 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 6408 | 4.5 | 7 | 3 | 3 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 525 | 4.8 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7735** | **4.5** | **6** | **2** | **3** | **4** | **5** | **7** | **8** | **12** |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 398 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 4027 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 250 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 1449 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 91 | 3.9 | 2 | 2 | 3 | 4 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 702 | 3.6 | 3 | 2 | 3 | 3 | 4 | 5 | 5 | 11 |
| 35-49 | 56 | 4.0 | 9 | 2 | 3 | 3 | 4 | 5 | 7 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 20-34 | 1772 | 3.9 | 2 | 2 | 3 | 4 | 4 | 6 | 7 | 9 |
| 35-49 | 187 | 4.5 | 15 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4675 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 1744 | 3.5 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 846 | 3.6 | 3 | 2 | 3 | 3 | 4 | 5 | 6 | 11 |
| B. *Operated* | 2138 | 4.0 | 3 | 2 | 3 | 4 | 4 | 6 | 7 | 9 |
| **1. SINGLE DX** | 6419 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 2984 | 3.9 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 5521 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 3882 | 3.7 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 869 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 7950 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 584 | 3.8 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9403** | **3.5** | **2** | **2** | **2** | **3** | **4** | **5** | **5** | **7** |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.6 | 9 | 2 | 2 | 3 | 4 | 4 | 4 | 24 |
| 20-34 | 422 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 43 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 739 | 3.1 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 6743 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 |
| 35-49 | 571 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.8 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 88 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 8 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 3.6 | 5 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| 20-34 | 2694 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 358 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 517 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 8053 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 3245 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| **1. SINGLE DX** | 8570 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 3353 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| **A. NOT OPERATED** | 625 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| **B. OPERATED** | 11298 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| TOTAL 0-19 YRS | 996 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 9947 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 980 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **11923** | **3.2** | **1** | **2** | **2** | **3** | **4** | **4** | **5** | **6** |

## 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 44 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 | 6 |
| 20-34 | 216 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 6 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 699 | 3.3 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 3351 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 114 | 3.5 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 7 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 10 | 5.4 | 10 | 3 | 3 | 4 | 8 | 10 | 12 | 12 |
| 20-34 | 46 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 261 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 20-34 | 1429 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 71 | 4.5 | 23 | 3 | 3 | 4 | 5 | 5 | 7 | 36 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 266 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 4164 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 59 | 4.0 | 3 | 2 | 2 | 4 | 4 | 6 | 8 | 12 |
| B. *Operated* | 1761 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 4430 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 1820 | 3.8 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 325 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 5925 | 3.5 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-19 YRS | 1014 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 5042 | 3.5 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 194 | 3.9 | 9 | 2 | 3 | 4 | 4 | 5 | 5 | 9 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **6250** | **3.5** | **1** | **2** | **3** | **3** | **4** | **5** | **5** | **7** |

## 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 28 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 168 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 8 | 3.0 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 271 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 1260 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 57 | 3.5 | 1 | 1 | 3 | 4 | 4 | 4 | 6 | 8 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 12 | 2.9 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 53 | 3.6 | 2 | 2 | 2 | 4 | 4 | 5 | 5 | 7 |
| 35-49 | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 118 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 11 |
| 20-34 | 852 | 4.1 | 4 | 2 | 3 | 4 | 4 | 6 | 7 | 11 |
| 35-49 | 57 | 3.9 | 2 | 2 | 3 | 4 | 4 | 6 | 6 | 9 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 204 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 1588 | 3.4 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 66 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | 1027 | 4.0 | 4 | 2 | 3 | 4 | 4 | 5 | 7 | 11 |
| **1. SINGLE DX** | 1792 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 1093 | 4.0 | 4 | 2 | 3 | 4 | 4 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 270 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 2615 | 3.6 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 429 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 2333 | 3.6 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 123 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **2885** | **3.6** | **2** | **2** | **3** | **3** | **4** | **5** | **5** | **8** |

### 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 871 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 4426 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 271 | 4.0 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1696 | 3.9 | 3 | 2 | 3 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 11243 | 3.9 | 4 | 2 | 3 | 4 | 4 | 5 | 7 | 9 |
| 35-49 | 683 | 4.3 | 6 | 2 | 3 | 4 | 5 | 6 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 3.8 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 2099 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 35-49 | 202 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1564 | 5.1 | 13 | 2 | 3 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 11336 | 5.1 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 1260 | 5.7 | 14 | 3 | 3 | 5 | 7 | 9 | 11 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5568 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| B. *Operated* | 13622 | 3.9 | 4 | 2 | 3 | 4 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2695 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 14160 | 5.2 | 13 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| **1. SINGLE DX** | 19190 | 3.8 | 4 | 2 | 3 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 16855 | 4.9 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 8263 | 3.7 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| **B. OPERATED** | 27782 | 4.6 | 9 | 2 | 3 | 4 | 5 | 7 | 8 | 16 |
| TOTAL 0-19 YRS | 4525 | 4.2 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 29104 | 4.3 | 8 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 2416 | 4.9 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **36045** | **4.3** | **8** | **2** | **3** | **4** | **5** | **7** | **8** | **15** |

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.7 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 8 |
| 20-34 | 92 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 4 | 5.5 | 6 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 10 | 5.8 | 17 | 1 | 1 | 5 | 7 | 12 | 16 | 16 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.9 | 4 | 1 | 3 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 30 | 5.7 | 10 | 2 | 3 | 5 | 6 | 9 | 13 | 17 |
| 35-49 | 5 | 7.0 | 6 | 5 | 5 | 6 | 8 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 11 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 35-49 | 1 | 42.0 | | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| B. *Operated* | 11 | 5.5 | 16 | 1 | 1 | 5 | 7 | 11 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 5.6 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 17 |
| B. *Operated* | 16 | 6.8 | 94 | 1 | 1 | 5 | 7 | 9 | 32 | 42 |
| **1. SINGLE DX** | 137 | 4.4 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 66 | 5.9 | 28 | 1 | 3 | 5 | 6 | 9 | 11 | 38 |
| **A. NOT OPERATED** | 176 | 4.7 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| **B. OPERATED** | 27 | 6.3 | 61 | 1 | 1 | 5 | 7 | 9 | 20 | 42 |
| TOTAL 0-19 YRS | 50 | 4.7 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 9 |
| 20-34 | 143 | 4.6 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 10 | 9.9 | 132 | 3 | 3 | 6 | 8 | 26 | 42 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **203** | **4.9** | **12** | **2** | **2** | **4** | **6** | **7** | **9** | **16** |

## 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 100 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 7 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 345 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 30 | 2.1 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 44 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 5 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 20-34 | 162 | 3.0 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 35-49 | 11 | 4.2 | 17 | <1 | <1 | 2 | 6 | 10 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| B. *Operated* | 425 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 198 | 3.0 | 13 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **1. SINGLE DX** | 552 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 254 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **A. NOT OPERATED** | 183 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **B. OPERATED** | 623 | 2.2 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 102 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 651 | 2.2 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 53 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **806** | **2.1** | **5** | **<1** | **1** | **2** | **2** | **4** | **5** | **9** |

## 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.9 | 12 | 1 | 2 | 3 | 7 | 11 | 13 | 14 |
| 20-34 | 80 | 4.6 | 12 | 1 | 1 | 4 | 6 | 10 | 11 | 18 |
| 35-49 | 11 | 8.0 | 43 | 3 | 3 | 4 | 12 | 18 | 23 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 3.9 | 15 | 1 | 1 | 3 | 4 | 9 | 13 | 19 |
| 20-34 | 179 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 17 |
| 35-49 | 15 | 3.7 | 7 | 1 | 2 | 3 | 5 | 6 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 61 | 6.5 | 29 | 1 | 2 | 5 | 8 | 13 | 19 | 27 |
| 35-49 | 5 | 4.2 | 17 | 1 | 1 | 2 | 3 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.1 | 30 | <1 | 1 | 3 | 5 | 10 | 20 | 23 |
| 20-34 | 115 | 4.3 | 22 | 1 | 1 | 3 | 4 | 8 | 14 | 26 |
| 35-49 | 9 | 5.8 | 37 | 1 | 1 | 3 | 7 | 17 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 5.0 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| B. *Operated* | 229 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 5.9 | 28 | <1 | 1 | 4 | 8 | 12 | 18 | 27 |
| B. *Operated* | 139 | 4.5 | 23 | 1 | 1 | 3 | 4 | 9 | 14 | 24 |
| **1. SINGLE DX** | 343 | 3.9 | 11 | 1 | 1 | 3 | 4 | 7 | 11 | 19 |
| **2. MULTIPLE DX** | 211 | 5.0 | 25 | 1 | 1 | 3 | 5 | 11 | 14 | 25 |
| **A. NOT OPERATED** | 186 | 5.4 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 368 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 11 | 20 |
| TOTAL 0-19 YRS | 79 | 4.3 | 16 | 1 | 1 | 3 | 4 | 10 | 13 | 22 |
| 20-34 | 435 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 35-49 | 40 | 5.4 | 26 | 1 | 1 | 4 | 6 | 13 | 17 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **554** | **4.3** | **17** | **1** | **1** | **3** | **5** | **9** | **13** | **21** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 802 | 4.5 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 678 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 15 |
| 35-49 | 480 | 6.0 | 19 | 2 | 2 | 5 | 7 | 11 | 13 | 23 |
| 50-64 | 479 | 6.7 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| 65+ | 412 | 8.2 | 33 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 407 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 20-34 | 516 | 5.3 | 20 | 1 | 1 | 4 | 7 | 9 | 14 | 23 |
| 35-49 | 276 | 6.4 | 45 | 1 | 2 | 5 | 8 | 12 | 16 | 39 |
| 50-64 | 211 | 8.3 | 56 | 1 | 2 | 6 | 11 | 15 | 24 | 39 |
| 65+ | 178 | 11.4 | 109 | 2 | 3 | 9 | 16 | 25 | 32 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 574 | 5.3 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 20-34 | 767 | 6.7 | 34 | 2 | 2 | 5 | 8 | 13 | 16 | 34 |
| 35-49 | 899 | 8.3 | 41 | 2 | 3 | 7 | 11 | 15 | 20 | 32 |
| 50-64 | 1440 | 9.9 | 54 | 3 | 4 | 8 | 13 | 18 | 22 | 37 |
| 65+ | 2507 | 12.7 | 105 | 4 | 5 | 10 | 15 | 24 | 32 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 221 | 7.0 | 55 | 1 | 2 | 5 | 8 | 13 | 21 | 40 |
| 20-34 | 438 | 11.0 | 116 | 2 | 3 | 8 | 14 | 23 | 31 | 56 |
| 35-49 | 444 | 13.6 | 192 | 2 | 3 | 10 | 16 | 32 | 40 | 88 |
| 50-64 | 737 | 16.1 | 222 | 3 | 4 | 11 | 20 | 33 | 49 | 85 |
| 65+ | 877 | 20.2 | 307 | 3 | 5 | 15 | 27 | 47 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2851 | 5.8 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | 1588 | 6.5 | 41 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6187 | 10.0 | 73 | 3 | 3 | 8 | 12 | 19 | 25 | 51 |
| B. *Operated* | 2717 | 15.4 | 231 | 2 | 3 | 11 | 19 | 34 | 50 | 92 |
| **1. SINGLE DX** | 4439 | 6.0 | 26 | 2 | 2 | 5 | 7 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | 8904 | 11.7 | 127 | 3 | 3 | 8 | 14 | 23 | 33 | 72 |
| **A. NOT OPERATED** | 9038 | 8.7 | 59 | 2 | 3 | 7 | 11 | 17 | 22 | 45 |
| **B. OPERATED** | 4305 | 12.1 | 180 | 2 | 2 | 8 | 15 | 28 | 40 | 83 |
| TOTAL 0-19 YRS | 2004 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 20-34 | 2399 | 6.7 | 43 | 2 | 2 | 5 | 8 | 13 | 17 | 36 |
| 35-49 | 2099 | 8.6 | 76 | 2 | 3 | 6 | 10 | 16 | 23 | 47 |
| 50-64 | 2867 | 10.8 | 103 | 3 | 3 | 8 | 13 | 21 | 28 | 59 |
| 65+ | 3974 | 13.9 | 155 | 3 | 4 | 10 | 17 | 28 | 41 | 87 |
| **GRAND TOTAL** | **13343** | **9.8** | **101** | **2** | **3** | **7** | **12** | **20** | **28** | **62** |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 319 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 167 | 4.7 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 20 |
| 35-49 | 77 | 5.1 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |
| 50-64 | 61 | 6.7 | 20 | 2 | 3 | 6 | 8 | 11 | 15 | 27 |
| 65+ | 58 | 8.3 | 40 | 2 | 2 | 6 | 9 | 16 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 3.8 | 15 | <1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 20-34 | 217 | 4.9 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 32 |
| 35-49 | 149 | 5.0 | 27 | <1 | <1 | 3 | 7 | 10 | 13 | 30 |
| 50-64 | 123 | 5.2 | 27 | <1 | 1 | 4 | 7 | 11 | 16 | 53 |
| 65+ | 93 | 8.4 | 223 | <1 | 1 | 3 | 7 | 16 | 41 | 89 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 140 | 6.1 | 25 | 2 | 2 | 5 | 7 | 10 | 15 | 26 |
| 35-49 | 115 | 7.8 | 43 | 2 | 3 | 6 | 10 | 14 | 18 | 36 |
| 50-64 | 213 | 10.5 | 99 | 2 | 3 | 8 | 12 | 18 | 27 | 56 |
| 65+ | 306 | 10.9 | 78 | 3 | 4 | 9 | 13 | 19 | 30 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 6.3 | 36 | 1 | 1 | 4 | 8 | 11 | 19 | 32 |
| 20-34 | 145 | 7.2 | 59 | 1 | 1 | 5 | 9 | 15 | 25 | 60 |
| 35-49 | 166 | 10.7 | 113 | 1 | 2 | 7 | 14 | 24 | 38 | 51 |
| 50-64 | 255 | 13.1 | 197 | 2 | 2 | 9 | 17 | 29 | 40 | 81 |
| 65+ | 262 | 15.7 | 224 | 2 | 4 | 11 | 19 | 36 | 55 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 682 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| B. *Operated* | 834 | 5.0 | 48 | <1 | 1 | 3 | 6 | 10 | 15 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1058 | 8.3 | 60 | 2 | 3 | 6 | 10 | 15 | 21 | 43 |
| B. *Operated* | 947 | 11.7 | 160 | 1 | 2 | 8 | 14 | 26 | 38 | 77 |
| **1. SINGLE DX** | 1516 | 5.1 | 32 | <1 | 1 | 4 | 6 | 9 | 13 | 28 |
| **2. MULTIPLE DX** | 2005 | 9.9 | 110 | 2 | 2 | 7 | 12 | 20 | 32 | 66 |
| **A. NOT OPERATED** | 1740 | 7.1 | 44 | 2 | 2 | 5 | 8 | 13 | 17 | 36 |
| **B. OPERATED** | 1781 | 8.6 | 118 | <1 | 1 | 5 | 10 | 20 | 30 | 67 |
| TOTAL 0-19 YRS | 974 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 669 | 5.6 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 35-49 | 507 | 7.5 | 62 | 1 | 2 | 5 | 9 | 15 | 23 | 43 |
| 50-64 | 652 | 10.2 | 125 | 2 | 2 | 7 | 12 | 21 | 32 | 70 |
| 65+ | 719 | 12.1 | 155 | 2 | 3 | 9 | 14 | 25 | 38 | 78 |
| **GRAND TOTAL** | **3521** | **7.8** | **82** | **1** | **2** | **5** | **9** | **16** | **24** | **52** |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.3 | 5 | 1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 20-34 | 26 | 3.3 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 50-64 | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1464 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2586 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 319 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 73 | 4.4 | 6 | 1 | 2 | 4 | 5 | 8 | 8 | 13 |
| 65+ | 17 | 5.4 | 23 | 2 | 2 | 4 | 5 | 11 | 18 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 20-34 | 22 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| 35-49 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 5.7 | 27 | 2 | 2 | 4 | 7 | 9 | 12 | 40 |
| 20-34 | 301 | 4.9 | 9 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 89 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 23 |
| 50-64 | 31 | 7.6 | 55 | 2 | 2 | 6 | 9 | 13 | 18 | 41 |
| 65+ | 25 | 8.5 | 106 | 1 | 2 | 6 | 11 | 17 | 27 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| B. *Operated* | 4459 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 2.4 | 13 | <1 | <1 | 1 | 2 | 4 | 7 | 23 |
| B. *Operated* | 578 | 5.5 | 21 | 2 | 2 | 4 | 6 | 9 | 12 | 23 |
| **1. SINGLE DX** | 4510 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 619 | 5.3 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| **A. NOT OPERATED** | 92 | 2.9 | 8 | <1 | <1 | 2 | 4 | 6 | 7 | 17 |
| **B. OPERATED** | 5037 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| TOTAL 0-19 YRS | 1628 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 2935 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 416 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 107 | 5.5 | 24 | 1 | 2 | 5 | 6 | 10 | 13 | 31 |
| 65+ | 43 | 7.2 | 72 | 2 | 2 | 4 | 7 | 13 | 19 | 53 |
| **GRAND TOTAL** | **5129** | **4.1** | **6** | **2** | **2** | **4** | **5** | **6** | **8** | **12** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 3 | 6.0 | 13 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 35-49 | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 564 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 454 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 460 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 65+ | 184 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 8 | 3.0 | 14 | <1 | <1 | 2 | 3 | 10 | 12 | 12 |
| 35-49 | 10 | 2.2 | 3 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 50-64 | 13 | 3.3 | 17 | <1 | <1 | 1 | 5 | 11 | 13 | 13 |
| 65+ | 6 | 8.2 | 31 | 4 | 4 | 6 | 9 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 112 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 146 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 7 | 18 |
| 50-64 | 177 | 3.4 | 20 | <1 | <1 | 2 | 4 | 7 | 10 | 25 |
| 65+ | 112 | 5.6 | 84 | <1 | <1 | 3 | 6 | 10 | 19 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.8 | 7 | <1 | <1 | 2 | 3 | 8 | 9 | 9 |
| B. *Operated* | 1931 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 3.2 | 15 | <1 | <1 | 1 | 4 | 9 | 12 | 19 |
| B. *Operated* | 573 | 3.4 | 27 | <1 | <1 | 2 | 3 | 7 | 10 | 24 |
| **1. SINGLE DX** | 1943 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 619 | 3.4 | 26 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| **A. NOT OPERATED** | 58 | 3.1 | 13 | <1 | <1 | 1 | 4 | 8 | 12 | 19 |
| **B. OPERATED** | 2504 | 2.0 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| TOTAL 0-19 YRS | 305 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 687 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 615 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 50-64 | 651 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 65+ | 304 | 3.3 | 36 | <1 | <1 | 2 | 3 | 7 | 9 | 33 |
| **GRAND TOTAL** | **2562** | **2.1** | **8** | **<1** | **<1** | **1** | **2** | **4** | **5** | **13** |

### 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 456 | 4.0 | 15 | 1 | 1 | 3 | 5 | 7 | 11 | 19 |
| 20-34 | 222 | 7.3 | 63 | 1 | 1 | 4 | 10 | 18 | 23 | 41 |
| 35-49 | 135 | 8.5 | 104 | 1 | 1 | 5 | 10 | 21 | 26 | 49 |
| 50-64 | 166 | 8.3 | 59 | 1 | 2 | 5 | 11 | 21 | 24 | 33 |
| 65+ | 215 | 12.8 | 174 | 2 | 3 | 9 | 15 | 28 | 35 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 855 | 2.4 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 16 |
| 20-34 | 1117 | 3.8 | 48 | <1 | <1 | 2 | 3 | 6 | 13 | 41 |
| 35-49 | 737 | 4.4 | 44 | <1 | <1 | 2 | 4 | 9 | 15 | 42 |
| 50-64 | 736 | 5.7 | 82 | <1 | <1 | 3 | 5 | 13 | 25 | 54 |
| 65+ | 508 | 9.0 | 153 | <1 | <1 | 3 | 13 | 25 | 35 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 5.8 | 32 | 1 | 1 | 4 | 7 | 11 | 17 | 30 |
| 20-34 | 314 | 9.1 | 105 | 1 | 1 | 6 | 11 | 20 | 28 | 56 |
| 35-49 | 349 | 10.3 | 92 | 1 | 2 | 7 | 14 | 24 | 32 | 52 |
| 50-64 | 677 | 11.8 | 97 | 2 | 3 | 9 | 16 | 23 | 30 | 61 |
| 65+ | 1607 | 16.6 | 229 | 3 | 5 | 12 | 21 | 38 | 57 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 346 | 5.9 | 92 | <1 | 1 | 2 | 5 | 15 | 24 | 46 |
| 20-34 | 676 | 9.3 | 181 | <1 | 1 | 4 | 11 | 26 | 42 | 81 |
| 35-49 | 701 | 11.3 | 213 | 1 | 1 | 5 | 14 | 30 | 46 | 87 |
| 50-64 | 1204 | 12.4 | 239 | 1 | 2 | 5 | 18 | 35 | 54 | 99+ |
| 65+ | 1580 | 21.5 | 399 | 2 | 2 | 17 | 32 | 58 | 86 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1194 | 7.3 | 78 | 1 | 1 | 4 | 9 | 18 | 24 | 42 |
| B. *Operated* | 3953 | 4.6 | 62 | <1 | <1 | 2 | 4 | 10 | 18 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3349 | 13.0 | 168 | 2 | 3 | 9 | 16 | 29 | 42 | 99+ |
| B. *Operated* | 4507 | 14.5 | 301 | 1 | 2 | 7 | 22 | 42 | 64 | 99+ |
| **1. SINGLE DX** | 5147 | 5.3 | 67 | <1 | <1 | 3 | 5 | 13 | 20 | 43 |
| **2. MULTIPLE DX** | 7856 | 13.8 | 245 | 1 | 2 | 8 | 19 | 37 | 55 | 99+ |
| **A. NOT OPERATED** | 4543 | 11.5 | 150 | 1 | 2 | 8 | 15 | 26 | 37 | 87 |
| **B. OPERATED** | 8460 | 9.9 | 213 | <1 | 1 | 3 | 12 | 30 | 46 | 99+ |
| TOTAL 0-19 YRS | 2059 | 4.0 | 30 | <1 | <1 | 2 | 4 | 8 | 13 | 29 |
| 20-34 | 2329 | 6.5 | 102 | <1 | <1 | 3 | 6 | 17 | 26 | 55 |
| 35-49 | 1922 | 8.3 | 128 | <1 | 1 | 4 | 9 | 21 | 32 | 64 |
| 50-64 | 2783 | 10.2 | 160 | 1 | 1 | 5 | 14 | 27 | 39 | 99+ |
| 65+ | 3910 | 17.4 | 302 | 1 | 2 | 12 | 24 | 45 | 67 | 99+ |
| **GRAND TOTAL** | **13003** | **10.4** | **192** | **<1** | **1** | **5** | **14** | **29** | **43** | **99+** |

### 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 11.4 | 240 | 3 | 4 | 8 | 10 | 14 | 43 | 81 |
| 20-34 | 58 | 7.2 | 29 | 2 | 2 | 5 | 10 | 16 | 18 | 29 |
| 35-49 | 60 | 10.6 | 149 | 2 | 3 | 7 | 13 | 18 | 31 | 69 |
| 50-64 | 57 | 6.4 | 39 | <1 | <1 | 6 | 8 | 14 | 20 | 30 |
| 65+ | 26 | 12.5 | 91 | 4 | 5 | 9 | 15 | 27 | 37 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 12.0 | 303 | 2 | 2 | 6 | 15 | 23 | 48 | 85 |
| 20-34 | 39 | 9.9 | 235 | 2 | 2 | 6 | 9 | 15 | 41 | 87 |
| 35-49 | 41 | 8.6 | 42 | 2 | 2 | 7 | 12 | 17 | 20 | 32 |
| 50-64 | 27 | 12.2 | 132 | 1 | 2 | 8 | 15 | 27 | 37 | 50 |
| 65+ | 19 | 16.1 | 122 | 2 | 4 | 14 | 23 | 31 | 39 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 10.0 | 98 | 3 | 3 | 6 | 11 | 26 | 35 | 48 |
| 20-34 | 148 | 10.7 | 107 | 2 | 3 | 7 | 12 | 23 | 36 | 50 |
| 35-49 | 113 | 9.7 | 65 | 2 | 3 | 7 | 11 | 19 | 26 | 40 |
| 50-64 | 174 | 11.7 | 136 | 3 | 3 | 9 | 13 | 20 | 31 | 70 |
| 65+ | 142 | 14.0 | 118 | 3 | 4 | 11 | 17 | 28 | 38 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 16.1 | 201 | 1 | 2 | 11 | 20 | 38 | 49 | 53 |
| 20-34 | 79 | 23.2 | 562 | 2 | 3 | 16 | 29 | 64 | 80 | 95 |
| 35-49 | 86 | 16.4 | 156 | 3 | 4 | 12 | 23 | 37 | 46 | 83 |
| 50-64 | 102 | 17.6 | 254 | 3 | 4 | 12 | 22 | 36 | 52 | 89 |
| 65+ | 109 | 22.8 | 339 | 5 | 6 | 17 | 28 | 46 | 73 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 226 | 9.0 | 97 | <1 | 2 | 6 | 11 | 17 | 22 | 62 |
| B. *Operated* | 150 | 11.1 | 161 | 2 | 2 | 7 | 14 | 24 | 32 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 627 | 11.5 | 111 | 3 | 3 | 8 | 13 | 24 | 34 | 52 |
| B. *Operated* | 392 | 19.8 | 322 | 3 | 4 | 14 | 25 | 43 | 62 | 92 |
| **1. SINGLE DX** | 376 | 9.8 | 123 | <1 | 2 | 7 | 12 | 19 | 30 | 67 |
| **2. MULTIPLE DX** | 1019 | 14.7 | 208 | 3 | 4 | 10 | 18 | 32 | 44 | 80 |
| **A. NOT OPERATED** | 853 | 10.8 | 108 | 2 | 3 | 8 | 13 | 21 | 32 | 52 |
| **B. OPERATED** | 542 | 17.4 | 292 | 2 | 3 | 12 | 22 | 38 | 55 | 87 |
| TOTAL 0-19 YRS | 115 | 11.6 | 184 | 2 | 3 | 7 | 13 | 28 | 36 | 82 |
| 20-34 | 324 | 13.0 | 252 | 2 | 3 | 7 | 14 | 29 | 49 | 83 |
| 35-49 | 300 | 11.7 | 113 | 2 | 3 | 8 | 14 | 25 | 36 | 57 |
| 50-64 | 360 | 12.5 | 166 | <1 | 3 | 9 | 15 | 24 | 35 | 70 |
| 65+ | 296 | 17.2 | 214 | 4 | 5 | 13 | 22 | 36 | 46 | 75 |
| **GRAND TOTAL** | **1395** | **13.4** | **190** | **2** | **3** | **9** | **16** | **29** | **42** | **78** |

### 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 23 |
| 20-34 | 73 | 8.2 | 49 | 2 | 3 | 6 | 11 | 14 | 21 | 42 |
| 35-49 | 88 | 7.1 | 34 | <1 | <1 | 6 | 10 | 15 | 17 | 30 |
| 50-64 | 182 | 7.9 | 56 | <1 | <1 | 6 | 11 | 16 | 21 | 39 |
| 65+ | 133 | 11.0 | 73 | 2 | 3 | 10 | 14 | 21 | 26 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.3 | 40 | <1 | <1 | 3 | 5 | 16 | 22 | 24 |
| 20-34 | 47 | 10.5 | 121 | 2 | 2 | 6 | 15 | 33 | 45 | 99+ |
| 35-49 | 103 | 8.5 | 80 | 2 | 2 | 5 | 11 | 20 | 25 | 46 |
| 50-64 | 282 | 12.1 | 113 | 2 | 2 | 10 | 17 | 24 | 31 | 59 |
| 65+ | 162 | 16.4 | 151 | 2 | 3 | 15 | 21 | 29 | 40 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 7.9 | 52 | 1 | 3 | 6 | 10 | 14 | 21 | 43 |
| 20-34 | 54 | 8.6 | 30 | 3 | 4 | 8 | 10 | 14 | 16 | 37 |
| 35-49 | 105 | 10.3 | 49 | 2 | 3 | 9 | 13 | 20 | 24 | 35 |
| 50-64 | 430 | 11.2 | 78 | 2 | 3 | 9 | 15 | 21 | 28 | 45 |
| 65+ | 643 | 13.6 | 129 | 3 | 4 | 11 | 17 | 27 | 38 | 97 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 20.1 | 351 | 2 | 3 | 17 | 22 | 50 | 64 | 71 |
| 20-34 | 41 | 9.7 | 79 | 2 | 2 | 9 | 13 | 16 | 27 | 45 |
| 35-49 | 112 | 11.8 | 129 | 2 | 2 | 9 | 16 | 23 | 35 | 62 |
| 50-64 | 368 | 15.0 | 196 | 2 | 3 | 11 | 21 | 32 | 50 | 99+ |
| 65+ | 384 | 18.3 | 223 | 3 | 4 | 15 | 24 | 43 | 56 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 606 | 8.1 | 51 | <1 | 1 | 6 | 11 | 16 | 21 | 35 |
| B. *Operated* | 610 | 12.3 | 124 | 2 | 2 | 9 | 17 | 25 | 36 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1305 | 12.0 | 100 | 3 | 4 | 9 | 15 | 23 | 33 | 62 |
| B. *Operated* | 922 | 15.8 | 203 | 2 | 3 | 12 | 21 | 37 | 53 | 99+ |
| 1. SINGLE DX | 1216 | 10.3 | 92 | <1 | 2 | 7 | 14 | 22 | 27 | 49 |
| 2. MULTIPLE DX | 2227 | 13.6 | 146 | 2 | 3 | 10 | 18 | 28 | 41 | 81 |
| A. NOT OPERATED | 1911 | 10.8 | 88 | 1 | 3 | 8 | 14 | 21 | 28 | 53 |
| B. OPERATED | 1532 | 14.4 | 174 | 2 | 3 | 11 | 20 | 31 | 45 | 92 |
| TOTAL 0-19 YRS | 236 | 7.7 | 67 | 1 | 2 | 5 | 9 | 16 | 22 | 47 |
| 20-34 | 215 | 9.1 | 66 | 2 | 2 | 7 | 12 | 16 | 23 | 47 |
| 35-49 | 408 | 9.6 | 78 | 1 | 2 | 7 | 12 | 19 | 24 | 45 |
| 50-64 | 1262 | 12.0 | 122 | 1 | 2 | 9 | 16 | 25 | 33 | 66 |
| 65+ | 1322 | 15.0 | 159 | 3 | 4 | 12 | 20 | 30 | 45 | 99+ |
| **GRAND TOTAL** | **3443** | **12.4** | **130** | **2** | **3** | **9** | **16** | **26** | **36** | **71** |

### 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 18 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 11 | 5.0 | 8 | 1 | 2 | 5 | 6 | 9 | 10 | 10 |
| 35-49 | 24 | 7.2 | 22 | <1 | 2 | 7 | 9 | 13 | 16 | 22 |
| 50-64 | 90 | 6.8 | 38 | 1 | 2 | 5 | 9 | 12 | 16 | 38 |
| 65+ | 207 | 8.2 | 48 | 1 | 2 | 7 | 11 | 17 | 22 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.5 | 47 | 1 | 2 | 3 | 5 | 10 | 23 | 31 |
| 20-34 | 192 | 5.0 | 26 | 1 | 1 | 3 | 6 | 12 | 16 | 24 |
| 35-49 | 312 | 6.5 | 42 | 1 | 2 | 4 | 9 | 16 | 19 | 31 |
| 50-64 | 1109 | 11.5 | 63 | 2 | 2 | 11 | 16 | 21 | 24 | 36 |
| 65+ | 1402 | 17.6 | 85 | 3 | 6 | 17 | 22 | 27 | 33 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.2 | 83 | 1 | 1 | 5 | 11 | 24 | 24 | 24 |
| 20-34 | 24 | 7.1 | 38 | 1 | 1 | 6 | 9 | 14 | 19 | 30 |
| 35-49 | 94 | 6.6 | 39 | 1 | 2 | 5 | 8 | 12 | 17 | 39 |
| 50-64 | 366 | 8.6 | 53 | 1 | 3 | 7 | 11 | 16 | 21 | 43 |
| 65+ | 1608 | 11.8 | 141 | 2 | 3 | 9 | 14 | 22 | 37 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.9 | 33 | 2 | 2 | 3 | 4 | 14 | 19 | 19 |
| 20-34 | 124 | 7.3 | 89 | 1 | 2 | 4 | 8 | 14 | 26 | 56 |
| 35-49 | 237 | 8.6 | 87 | 2 | 2 | 5 | 11 | 19 | 26 | 46 |
| 50-64 | 984 | 14.5 | 127 | 2 | 3 | 14 | 19 | 27 | 34 | 57 |
| 65+ | 1872 | 21.8 | 172 | 5 | 8 | 19 | 26 | 38 | 49 | 83 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 336 | 7.6 | 42 | 1 | 2 | 6 | 10 | 15 | 20 | 48 |
| B. *Operated* | 3033 | 13.3 | 88 | 2 | 2 | 13 | 18 | 24 | 29 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2097 | 10.9 | 122 | 2 | 3 | 8 | 13 | 21 | 32 | 85 |
| B. *Operated* | 3225 | 18.0 | 172 | 2 | 4 | 16 | 24 | 34 | 42 | 76 |
| 1. SINGLE DX | 3369 | 12.8 | 86 | 2 | 2 | 12 | 18 | 24 | 28 | 42 |
| 2. MULTIPLE DX | 5322 | 15.2 | 164 | 2 | 3 | 13 | 20 | 30 | 40 | 79 |
| A. NOT OPERATED | 2433 | 10.5 | 112 | 2 | 3 | 8 | 12 | 20 | 30 | 82 |
| B. OPERATED | 6258 | 15.7 | 136 | 2 | 3 | 15 | 21 | 29 | 37 | 62 |
| TOTAL 0-19 YRS | 35 | 5.8 | 43 | 1 | 2 | 3 | 6 | 12 | 23 | 31 |
| 20-34 | 351 | 6.0 | 49 | 1 | 1 | 4 | 7 | 12 | 18 | 36 |
| 35-49 | 667 | 7.3 | 58 | 1 | 2 | 4 | 9 | 17 | 21 | 38 |
| 50-64 | 2549 | 12.1 | 90 | 2 | 2 | 11 | 17 | 23 | 28 | 46 |
| 65+ | 5089 | 16.9 | 153 | 3 | 4 | 15 | 22 | 31 | 40 | 81 |
| **GRAND TOTAL** | **8691** | **14.3** | **135** | **2** | **3** | **12** | **19** | **27** | **36** | **68** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 8.0 | 29 | 2 | 3 | 7 | 11 | 16 | 20 | 24 |
| 20-34 | 96 | 7.5 | 35 | 1 | 2 | 5 | 9 | 16 | 20 | 28 |
| 35-49 | 54 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 56 | 8.5 | 60 | 2 | 3 | 6 | 9 | 17 | 27 | 41 |
| 65+ | 79 | 7.7 | 40 | 1 | 2 | 6 | 10 | 15 | 23 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 13.1 | 102 | 2 | 3 | 11 | 22 | 25 | 31 | 42 |
| 20-34 | 153 | 6.6 | 53 | 2 | 2 | 4 | 8 | 14 | 20 | 37 |
| 35-49 | 164 | 6.7 | 34 | 1 | 2 | 5 | 8 | 14 | 18 | 29 |
| 50-64 | 192 | 9.7 | 106 | 2 | 2 | 6 | 14 | 20 | 27 | 74 |
| 65+ | 117 | 15.8 | 121 | 2 | 3 | 16 | 21 | 28 | 35 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 12.8 | 161 | 3 | 3 | 10 | 18 | 28 | 31 | 77 |
| 20-34 | 76 | 10.8 | 110 | 2 | 2 | 7 | 14 | 26 | 33 | 56 |
| 35-49 | 95 | 8.6 | 62 | 1 | 3 | 6 | 9 | 16 | 31 | 39 |
| 50-64 | 163 | 9.7 | 86 | 2 | 3 | 7 | 12 | 20 | 26 | 45 |
| 65+ | 413 | 12.0 | 137 | 2 | 3 | 9 | 15 | 25 | 35 | 88 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 16.8 | 195 | 2 | 3 | 15 | 24 | 32 | 39 | 75 |
| 20-34 | 108 | 10.8 | 104 | 2 | 2 | 7 | 15 | 28 | 31 | 43 |
| 35-49 | 109 | 8.7 | 53 | 2 | 2 | 7 | 12 | 19 | 25 | 65 |
| 50-64 | 180 | 15.2 | 263 | 2 | 3 | 11 | 18 | 31 | 47 | 96 |
| 65+ | 190 | 23.3 | 326 | 4 | 5 | 19 | 32 | 55 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 407 | 7.6 | 35 | 2 | 2 | 6 | 10 | 16 | 20 | 29 |
| B. *Operated* | 684 | 9.6 | 90 | 2 | 2 | 6 | 14 | 21 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 820 | 11.1 | 119 | 2 | 3 | 8 | 14 | 24 | 32 | 67 |
| B. *Operated* | 640 | 15.9 | 242 | 2 | 3 | 12 | 21 | 37 | 50 | 98 |
| **1. SINGLE DX** | 1091 | 8.9 | 70 | 2 | 2 | 6 | 12 | 20 | 25 | 42 |
| **2. MULTIPLE DX** | 1460 | 13.2 | 178 | 2 | 3 | 9 | 17 | 29 | 41 | 90 |
| **A. NOT OPERATED** | 1227 | 10.0 | 94 | 2 | 3 | 7 | 12 | 21 | 28 | 54 |
| **B. OPERATED** | 1324 | 12.6 | 173 | 2 | 2 | 8 | 17 | 28 | 39 | 85 |
| TOTAL 0-19 YRS | 306 | 11.6 | 112 | 2 | 3 | 8 | 16 | 24 | 30 | 42 |
| 20-34 | 433 | 8.6 | 75 | 2 | 2 | 5 | 11 | 18 | 28 | 42 |
| 35-49 | 422 | 7.6 | 44 | 2 | 2 | 5 | 9 | 16 | 21 | 35 |
| 50-64 | 591 | 11.3 | 150 | 2 | 2 | 7 | 15 | 22 | 33 | 84 |
| 65+ | 799 | 14.8 | 196 | 2 | 3 | 11 | 19 | 32 | 47 | 92 |
| **GRAND TOTAL** | **2551** | **11.4** | **137** | **2** | **2** | **8** | **15** | **25** | **33** | **70** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 52 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 9 | 12 |
| 35-49 | 13 | 2.8 | 13 | <1 | <1 | 1 | 3 | 7 | 13 | 14 |
| 50-64 | 9 | 4.0 | 25 | <1 | <1 | 2 | 5 | 12 | 16 | 16 |
| 65+ | 5 | 8.6 | 103 | 1 | 1 | 3 | 16 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1230 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2310 | 3.6 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 1095 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 551 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 84 | 5.9 | 21 | 1 | 2 | 5 | 7 | 9 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.5 | 18 | <1 | <1 | 1 | 4 | 9 | 13 | 19 |
| 20-34 | 73 | 2.5 | 6 | <1 | <1 | 1 | 3 | 6 | 9 | 11 |
| 35-49 | 47 | 3.7 | 18 | <1 | <1 | 1 | 5 | 12 | 12 | 17 |
| 50-64 | 36 | 5.1 | 29 | 1 | 1 | 3 | 6 | 15 | 17 | 22 |
| 65+ | 27 | 7.4 | 48 | 1 | 1 | 6 | 9 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 557 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 1250 | 4.3 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 724 | 4.6 | 16 | 1 | 2 | 4 | 6 | 8 | 11 | 24 |
| 50-64 | 600 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 65+ | 170 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 3.1 | 12 | <1 | <1 | 2 | 3 | 6 | 10 | 18 |
| B. *Operated* | 5270 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 3.9 | 22 | <1 | <1 | 2 | 5 | 10 | 14 | 20 |
| B. *Operated* | 3301 | 4.5 | 15 | 1 | 2 | 3 | 6 | 8 | 11 | 20 |
| **1. SINGLE DX** | 5389 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 3517 | 4.5 | 15 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 335 | 3.6 | 18 | <1 | <1 | 2 | 4 | 9 | 13 | 19 |
| **B. OPERATED** | 8571 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 1860 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 3685 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 1879 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 1196 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 21 |
| 65+ | 286 | 6.3 | 27 | 1 | 2 | 5 | 8 | 13 | 18 | 27 |
| **GRAND TOTAL** | **8906** | **4.0** | **10** | **1** | **1** | **3** | **5** | **7** | **9** | **16** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 4.3 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 12 |
| 20-34 | 75 | 4.8 | 30 | <1 | 1 | 3 | 5 | 11 | 16 | 32 |
| 35-49 | 55 | 5.5 | 24 | <1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 55 | 5.1 | 12 | 1 | 2 | 4 | 8 | 10 | 11 | 14 |
| 65+ | 72 | 7.1 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1035 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 1553 | 4.1 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 473 | 4.2 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 50-64 | 290 | 5.0 | 30 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 65+ | 120 | 8.7 | 109 | <1 | 1 | 4 | 11 | 21 | 33 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 4.4 | 23 | <1 | 1 | 4 | 5 | 9 | 9 | 28 |
| 20-34 | 101 | 5.8 | 33 | <1 | 1 | 4 | 8 | 12 | 17 | 30 |
| 35-49 | 98 | 6.9 | 30 | <1 | 1 | 6 | 9 | 11 | 16 | 31 |
| 50-64 | 113 | 7.6 | 33 | 2 | 2 | 6 | 10 | 16 | 20 | 58 |
| 65+ | 289 | 10.8 | 115 | 2 | 3 | 8 | 13 | 20 | 28 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 365 | 5.0 | 32 | 1 | 2 | 4 | 6 | 8 | 11 | 43 |
| 20-34 | 528 | 5.0 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 279 | 6.5 | 52 | 1 | 2 | 4 | 7 | 14 | 21 | 42 |
| 50-64 | 263 | 7.9 | 93 | 1 | 2 | 5 | 9 | 18 | 27 | 60 |
| 65+ | 163 | 14.6 | 280 | 2 | 2 | 7 | 19 | 34 | 53 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 446 | 5.1 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 3471 | 4.3 | 14 | 1 | 2 | 4 | 5 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 711 | 8.1 | 70 | 1 | 1 | 6 | 10 | 16 | 21 | 52 |
| B. *Operated* | 1598 | 6.7 | 78 | 1 | 2 | 4 | 7 | 14 | 22 | 47 |
| **1. SINGLE DX** | 3917 | 4.4 | 15 | 1 | 2 | 4 | 5 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 2309 | 7.1 | 76 | 1 | 2 | 5 | 8 | 15 | 22 | 48 |
| **A. NOT OPERATED** | 1157 | 6.9 | 52 | 1 | 1 | 5 | 9 | 14 | 18 | 37 |
| **B. OPERATED** | 5069 | 5.1 | 36 | 1 | 2 | 4 | 5 | 9 | 14 | 33 |
| TOTAL 0-19 YRS | 1699 | 4.3 | 13 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 2257 | 4.4 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 21 |
| 35-49 | 905 | 5.2 | 28 | 1 | 2 | 4 | 6 | 10 | 15 | 29 |
| 50-64 | 721 | 6.5 | 54 | 1 | 2 | 4 | 8 | 14 | 20 | 46 |
| 65+ | 644 | 10.9 | 151 | 1 | 2 | 7 | 13 | 23 | 35 | 73 |
| **GRAND TOTAL** | **6226** | **5.4** | **39** | **1** | **2** | **4** | **6** | **10** | **15** | **34** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 16.0 | 200 | 6 | 6 | 16 | 26 | 26 | 26 | 26 |
| 20-34 | 11 | 11.0 | 59 | 3 | 3 | 8 | 15 | 24 | 24 | 24 |
| 35-49 | 5 | 5.8 | 7 | 3 | 3 | 5 | 7 | 10 | 10 | 10 |
| 50-64 | 7 | 10.3 | 13 | 7 | 7 | 9 | 12 | 16 | 17 | 17 |
| 65+ | 2 | 22.0 | 578 | 5 | 5 | 22 | 39 | 39 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 3 | 10.0 | 49 | 3 | 3 | 10 | 15 | 17 | 17 | 17 |
| 35-49 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 6.1 | 55 | 1 | 1 | 4 | 6 | 19 | 24 | 24 |
| 35-49 | 11 | 8.7 | 60 | 1 | 2 | 8 | 10 | 20 | 28 | 29 |
| 50-64 | 16 | 8.8 | 38 | 1 | 2 | 7 | 13 | 19 | 21 | 22 |
| 65+ | 26 | 10.2 | 41 | 2 | 3 | 8 | 16 | 20 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 15.5 | 97 | 1 | 1 | 19 | 21 | 23 | 23 | 23 |
| 50-64 | 6 | 23.8 | 368 | 2 | 3 | 17 | 38 | 53 | 55 | 55 |
| 65+ | 5 | 20.6 | 277 | 9 | 9 | 11 | 31 | 48 | 48 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 11.0 | 73 | 3 | 4 | 8 | 14 | 24 | 28 | 39 |
| B. *Operated* | 6 | 11.2 | 28 | 3 | 3 | 11 | 16 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 9.0 | 45 | 1 | 2 | 7 | 13 | 20 | 22 | 28 |
| B. *Operated* | 16 | 19.7 | 239 | 1 | 2 | 17 | 24 | 47 | 53 | 55 |
| **1. SINGLE DX** | 33 | 11.1 | 64 | 3 | 4 | 9 | 14 | 24 | 26 | 39 |
| **2. MULTIPLE DX** | 77 | 11.2 | 101 | 1 | 2 | 8 | 16 | 22 | 28 | 53 |
| **A. NOT OPERATED** | 88 | 9.6 | 54 | 2 | 3 | 8 | 13 | 21 | 24 | 35 |
| **B. OPERATED** | 22 | 17.4 | 192 | 2 | 3 | 15 | 19 | 41 | 51 | 55 |
| TOTAL 0-19 YRS | 4 | 11.8 | 91 | 6 | 6 | 7 | 17 | 26 | 26 | 26 |
| 20-34 | 22 | 9.1 | 56 | 2 | 2 | 6 | 14 | 24 | 24 | 24 |
| 35-49 | 21 | 9.5 | 57 | 1 | 2 | 8 | 13 | 21 | 26 | 29 |
| 50-64 | 29 | 12.3 | 125 | 2 | 3 | 9 | 15 | 21 | 39 | 55 |
| 65+ | 34 | 12.6 | 102 | 2 | 3 | 10 | 16 | 23 | 36 | 48 |
| **GRAND TOTAL** | **110** | **11.2** | **89** | **2** | **3** | **8** | **15** | **23** | **26** | **51** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 34 | 6.7 | 15 | 2 | 2 | 6 | 10 | 12 | 14 | 15 |
| 35-49 | 113 | 6.0 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 26 |
| 50-64 | 237 | 7.2 | 25 | 2 | 2 | 6 | 9 | 14 | 17 | 23 |
| 65+ | 222 | 8.4 | 40 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 5 | 3 | 3 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 44 | 8.3 | 62 | 1 | 2 | 6 | 12 | 18 | 29 | 99+ |
| 35-49 | 170 | 8.4 | 41 | 2 | 2 | 7 | 11 | 17 | 22 | 30 |
| 50-64 | 306 | 8.5 | 39 | 2 | 2 | 8 | 12 | 17 | 21 | 26 |
| 65+ | 94 | 11.9 | 130 | 2 | 2 | 9 | 16 | 24 | 29 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 37 | 6.2 | 16 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 35-49 | 245 | 8.7 | 65 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| 50-64 | 867 | 8.8 | 36 | 3 | 3 | 7 | 11 | 16 | 20 | 33 |
| 65+ | 1692 | 11.7 | 94 | 3 | 4 | 9 | 14 | 22 | 28 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 36 | 11.8 | 81 | 2 | 3 | 11 | 14 | 21 | 25 | 49 |
| 35-49 | 171 | 11.5 | 148 | 2 | 2 | 8 | 14 | 24 | 32 | 65 |
| 50-64 | 435 | 12.8 | 135 | 2 | 3 | 10 | 16 | 28 | 37 | 56 |
| 65+ | 420 | 18.3 | 241 | 3 | 5 | 14 | 24 | 42 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 608 | 7.4 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 27 |
| B. *Operated* | 617 | 9.0 | 56 | 2 | 2 | 8 | 12 | 18 | 23 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2842 | 10.5 | 75 | 3 | 4 | 8 | 13 | 19 | 25 | 46 |
| B. *Operated* | 1064 | 14.7 | 185 | 2 | 3 | 11 | 18 | 32 | 46 | 83 |
| **1. SINGLE DX** | 1225 | 8.2 | 44 | 2 | 2 | 7 | 11 | 16 | 21 | 32 |
| **2. MULTIPLE DX** | 3906 | 11.6 | 108 | 3 | 3 | 9 | 14 | 22 | 31 | 61 |
| **A. NOT OPERATED** | 3450 | 9.9 | 68 | 2 | 3 | 8 | 12 | 18 | 24 | 44 |
| **B. OPERATED** | 1681 | 12.6 | 145 | 2 | 2 | 10 | 16 | 26 | 39 | 76 |
| TOTAL 0-19 YRS | 8 | 4.6 | 15 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| 20-34 | 151 | 8.2 | 48 | 2 | 2 | 6 | 11 | 16 | 21 | 49 |
| 35-49 | 699 | 8.9 | 75 | 2 | 2 | 7 | 11 | 17 | 23 | 46 |
| 50-64 | 1845 | 9.5 | 62 | 2 | 3 | 8 | 12 | 18 | 24 | 40 |
| 65+ | 2428 | 12.6 | 124 | 3 | 4 | 9 | 15 | 25 | 34 | 76 |
| **GRAND TOTAL** | **5131** | **10.8** | **95** | **2** | **3** | **8** | **13** | **21** | **28** | **57** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 8.7 | 38 | 1 | 2 | 8 | 12 | 17 | 21 | 25 |
| 20-34 | 905 | 8.5 | 29 | 2 | 2 | 8 | 11 | 15 | 18 | 27 |
| 35-49 | 1259 | 9.3 | 36 | 2 | 3 | 8 | 12 | 16 | 20 | 31 |
| 50-64 | 781 | 9.8 | 34 | 2 | 3 | 9 | 13 | 17 | 20 | 30 |
| 65+ | 228 | 11.1 | 44 | 4 | 5 | 10 | 14 | 20 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 7.9 | 22 | 1 | 2 | 7 | 11 | 15 | 17 | 20 |
| 20-34 | 2107 | 9.6 | 55 | 2 | 2 | 8 | 12 | 18 | 23 | 37 |
| 35-49 | 2960 | 9.9 | 48 | 2 | 2 | 9 | 13 | 19 | 23 | 32 |
| 50-64 | 1458 | 11.5 | 74 | 2 | 2 | 10 | 15 | 21 | 27 | 42 |
| 65+ | 244 | 13.8 | 81 | 3 | 4 | 12 | 17 | 25 | 31 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.3 | 41 | 3 | 4 | 9 | 12 | 18 | 26 | 28 |
| 20-34 | 343 | 10.7 | 50 | 2 | 4 | 9 | 14 | 19 | 24 | 35 |
| 35-49 | 646 | 11.1 | 49 | 2 | 4 | 10 | 14 | 19 | 23 | 41 |
| 50-64 | 867 | 11.3 | 46 | 3 | 4 | 10 | 14 | 19 | 24 | 37 |
| 65+ | 754 | 13.2 | 61 | 4 | 5 | 12 | 17 | 24 | 29 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.4 | 44 | 1 | 2 | 7 | 12 | 19 | 24 | 25 |
| 20-34 | 531 | 13.5 | 98 | 2 | 3 | 11 | 18 | 27 | 31 | 46 |
| 35-49 | 1072 | 14.1 | 110 | 3 | 3 | 12 | 18 | 27 | 35 | 55 |
| 50-64 | 1040 | 15.1 | 109 | 3 | 5 | 12 | 20 | 28 | 35 | 54 |
| 65+ | 491 | 20.2 | 204 | 4 | 7 | 17 | 25 | 38 | 50 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3219 | 9.3 | 35 | 2 | 3 | 8 | 12 | 16 | 20 | 30 |
| B. *Operated* | 6871 | 10.3 | 58 | 2 | 2 | 9 | 13 | 20 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2623 | 11.7 | 52 | 3 | 4 | 10 | 15 | 21 | 26 | 38 |
| B. *Operated* | 3148 | 15.2 | 127 | 3 | 4 | 12 | 20 | 29 | 37 | 61 |
| **1. SINGLE DX** | 10090 | 10.0 | 50 | 2 | 2 | 9 | 13 | 18 | 23 | 35 |
| **2. MULTIPLE DX** | 5771 | 13.6 | 96 | 3 | 4 | 11 | 17 | 26 | 32 | 51 |
| **A. NOT OPERATED** | 5842 | 10.4 | 44 | 2 | 3 | 9 | 13 | 18 | 23 | 34 |
| **B. OPERATED** | 10019 | 11.8 | 85 | 2 | 3 | 10 | 15 | 23 | 29 | 46 |
| TOTAL 0-19 YRS | 175 | 8.3 | 29 | 1 | 2 | 7 | 12 | 16 | 18 | 25 |
| 20-34 | 3886 | 9.9 | 57 | 2 | 2 | 8 | 13 | 19 | 24 | 38 |
| 35-49 | 5937 | 10.7 | 60 | 2 | 3 | 9 | 14 | 20 | 25 | 40 |
| 50-64 | 4146 | 12.0 | 73 | 2 | 3 | 10 | 15 | 22 | 28 | 42 |
| 65+ | 1717 | 15.0 | 114 | 4 | 5 | 13 | 19 | 28 | 36 | 58 |
| **GRAND TOTAL** | **15861** | **11.3** | **70** | **2** | **3** | **9** | **14** | **21** | **27** | **42** |

## 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.2 | 17 | 2 | 2 | 4 | 10 | 13 | 14 | 14 |
| 20-34 | 264 | 8.1 | 23 | 2 | 2 | 8 | 10 | 14 | 17 | 23 |
| 35-49 | 398 | 8.3 | 24 | 2 | 2 | 8 | 11 | 15 | 17 | 25 |
| 50-64 | 266 | 9.4 | 38 | 2 | 3 | 8 | 12 | 17 | 23 | 33 |
| 65+ | 94 | 9.6 | 28 | 3 | 3 | 9 | 14 | 16 | 19 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.9 | 27 | 2 | 2 | 5 | 9 | 15 | 19 | 20 |
| 20-34 | 344 | 9.5 | 73 | 1 | 2 | 8 | 11 | 18 | 24 | 39 |
| 35-49 | 695 | 9.0 | 38 | 2 | 2 | 8 | 12 | 17 | 21 | 30 |
| 50-64 | 367 | 9.4 | 40 | 2 | 2 | 8 | 12 | 17 | 22 | 30 |
| 65+ | 45 | 13.0 | 147 | 2 | 3 | 11 | 16 | 22 | 35 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.1 | 31 | 4 | 5 | 11 | 14 | 20 | 22 | 22 |
| 20-34 | 130 | 9.0 | 29 | 2 | 4 | 8 | 13 | 17 | 19 | 25 |
| 35-49 | 340 | 9.4 | 40 | 2 | 3 | 8 | 12 | 18 | 22 | 32 |
| 50-64 | 423 | 10.3 | 43 | 3 | 4 | 9 | 13 | 17 | 23 | 37 |
| 65+ | 319 | 11.7 | 70 | 3 | 4 | 10 | 15 | 22 | 27 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 13.3 | 38 | 7 | 7 | 13 | 18 | 19 | 19 | 19 |
| 20-34 | 135 | 11.9 | 80 | 2 | 3 | 10 | 17 | 22 | 32 | 42 |
| 35-49 | 281 | 12.2 | 106 | 2 | 3 | 9 | 15 | 23 | 34 | 48 |
| 50-64 | 299 | 13.0 | 94 | 2 | 3 | 11 | 17 | 26 | 32 | 46 |
| 65+ | 117 | 20.0 | 222 | 3 | 7 | 15 | 27 | 41 | 52 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1041 | 8.6 | 28 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| B. *Operated* | 1465 | 9.3 | 50 | 2 | 2 | 8 | 12 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1223 | 10.3 | 48 | 3 | 4 | 9 | 13 | 19 | 23 | 34 |
| B. *Operated* | 836 | 13.5 | 120 | 2 | 3 | 11 | 17 | 28 | 36 | 54 |
| **1. SINGLE DX** | 2506 | 9.0 | 41 | 2 | 2 | 8 | 12 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 2059 | 11.6 | 80 | 3 | 3 | 9 | 14 | 22 | 29 | 46 |
| **A. NOT OPERATED** | 2264 | 9.5 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| **B. OPERATED** | 2301 | 10.8 | 80 | 2 | 2 | 9 | 14 | 21 | 28 | 44 |
| TOTAL 0-19 YRS | 48 | 8.1 | 29 | 2 | 2 | 7 | 12 | 17 | 19 | 22 |
| 20-34 | 873 | 9.4 | 54 | 2 | 2 | 8 | 12 | 17 | 22 | 39 |
| 35-49 | 1714 | 9.4 | 48 | 2 | 2 | 8 | 12 | 17 | 21 | 35 |
| 50-64 | 1355 | 10.5 | 54 | 2 | 3 | 9 | 13 | 19 | 25 | 38 |
| 65+ | 575 | 13.1 | 112 | 3 | 4 | 11 | 16 | 26 | 32 | 66 |
| **GRAND TOTAL** | **4565** | **10.2** | **60** | **2** | **3** | **9** | **13** | **19** | **24** | **40** |

## 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.9 | 6 | 2 | 3 | 6 | 8 | 9 | 10 | 10 |
| 20-34 | 116 | 7.9 | 27 | 2 | 2 | 7 | 10 | 14 | 19 | 28 |
| 35-49 | 141 | 8.4 | 28 | 2 | 3 | 7 | 10 | 14 | 19 | 31 |
| 50-64 | 60 | 8.3 | 11 | 3 | 4 | 8 | 10 | 13 | 14 | 17 |
| 65+ | 14 | 8.2 | 15 | 3 | 4 | 8 | 9 | 13 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.7 | 20 | 2 | 2 | 4 | 7 | 13 | 14 | 14 |
| 20-34 | 86 | 6.8 | 36 | 2 | 2 | 5 | 9 | 14 | 20 | 27 |
| 35-49 | 89 | 7.8 | 44 | 1 | 2 | 5 | 11 | 16 | 21 | 34 |
| 50-64 | 27 | 8.2 | 50 | 2 | 2 | 5 | 14 | 23 | 32 | 99+ |
| 65+ | 3 | 7.3 | 24 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.0 | 52 | 1 | 1 | 11 | 14 | 15 | 15 | 15 |
| 20-34 | 69 | 8.9 | 17 | 3 | 3 | 8 | 12 | 15 | 15 | 19 |
| 35-49 | 114 | 9.7 | 28 | 3 | 4 | 9 | 12 | 16 | 20 | 29 |
| 50-64 | 118 | 10.6 | 45 | 3 | 4 | 9 | 14 | 18 | 23 | 37 |
| 65+ | 79 | 10.5 | 38 | 3 | 4 | 9 | 14 | 19 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.5 | 26 | 2 | 2 | 3 | 8 | 13 | 13 | 13 |
| 20-34 | 51 | 12.4 | 106 | 2 | 3 | 10 | 14 | 23 | 29 | 67 |
| 35-49 | 67 | 12.1 | 57 | 3 | 3 | 11 | 16 | 24 | 26 | 33 |
| 50-64 | 52 | 11.2 | 50 | 3 | 3 | 10 | 16 | 21 | 25 | 27 |
| 65+ | 8 | 14.3 | 57 | 6 | 6 | 13 | 18 | 26 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 346 | 8.1 | 23 | 2 | 3 | 7 | 10 | 13 | 17 | 27 |
| B. *Operated* | 211 | 7.4 | 41 | 2 | 2 | 5 | 11 | 16 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 383 | 10.0 | 34 | 3 | 4 | 9 | 13 | 17 | 20 | 31 |
| B. *Operated* | 182 | 11.8 | 68 | 2 | 3 | 10 | 16 | 22 | 26 | 33 |
| **1. SINGLE DX** | 557 | 7.8 | 30 | 2 | 2 | 7 | 10 | 14 | 19 | 27 |
| **2. MULTIPLE DX** | 565 | 10.6 | 45 | 3 | 4 | 9 | 14 | 19 | 23 | 33 |
| **A. NOT OPERATED** | 729 | 9.1 | 30 | 3 | 4 | 8 | 11 | 16 | 19 | 30 |
| **B. OPERATED** | 393 | 9.4 | 58 | 2 | 2 | 8 | 13 | 20 | 25 | 33 |
| TOTAL 0-19 YRS | 28 | 6.1 | 15 | 2 | 2 | 5 | 8 | 12 | 14 | 15 |
| 20-34 | 322 | 8.5 | 43 | 2 | 2 | 7 | 11 | 15 | 20 | 29 |
| 35-49 | 411 | 9.2 | 38 | 2 | 3 | 8 | 12 | 17 | 22 | 32 |
| 50-64 | 257 | 9.9 | 40 | 3 | 3 | 9 | 13 | 18 | 23 | 33 |
| 65+ | 104 | 10.4 | 37 | 3 | 4 | 9 | 13 | 19 | 21 | 32 |
| **GRAND TOTAL** | **1122** | **9.2** | **40** | **2** | **3** | **8** | **12** | **17** | **22** | **31** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.8 | 137 | <1 | <1 | 3 | 14 | 29 | 29 | 29 |
| 20-34 | 111 | 8.4 | 23 | 2 | 3 | 8 | 11 | 15 | 17 | 22 |
| 35-49 | 199 | 8.5 | 26 | 2 | 3 | 7 | 11 | 15 | 19 | 26 |
| 50-64 | 139 | 8.8 | 32 | 2 | 3 | 8 | 11 | 16 | 21 | 27 |
| 65+ | 75 | 9.7 | 41 | 1 | 2 | 9 | 14 | 18 | 21 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 34 | 1 | 1 | 6 | 11 | 15 | 15 | 15 |
| 20-34 | 73 | 6.2 | 33 | 1 | 1 | 5 | 9 | 15 | 19 | 28 |
| 35-49 | 86 | 7.5 | 62 | 1 | 1 | 5 | 10 | 17 | 20 | 43 |
| 50-64 | 51 | 6.0 | 35 | 1 | 1 | 4 | 8 | 15 | 20 | 25 |
| 65+ | 16 | 9.6 | 46 | 1 | 2 | 9 | 13 | 18 | 24 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.3 | 23 | 4 | 4 | 7 | 11 | 15 | 15 | 15 |
| 20-34 | 86 | 8.6 | 26 | 3 | 3 | 8 | 11 | 15 | 16 | 30 |
| 35-49 | 165 | 8.8 | 23 | 3 | 4 | 8 | 11 | 16 | 19 | 23 |
| 50-64 | 265 | 11.1 | 72 | 3 | 4 | 9 | 13 | 20 | 29 | 41 |
| 65+ | 367 | 11.7 | 54 | 3 | 4 | 10 | 15 | 22 | 27 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 39 | 12.0 | 145 | 2 | 2 | 8 | 16 | 28 | 39 | 53 |
| 35-49 | 67 | 11.8 | 62 | 2 | 2 | 11 | 17 | 21 | 30 | 33 |
| 50-64 | 58 | 10.6 | 39 | 1 | 3 | 11 | 13 | 21 | 25 | 93 |
| 65+ | 61 | 18.0 | 121 | 2 | 5 | 17 | 27 | 34 | 39 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 529 | 8.7 | 30 | 2 | 3 | 8 | 11 | 16 | 19 | 27 |
| B. *Operated* | 232 | 6.9 | 45 | 1 | 1 | 5 | 10 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 887 | 10.7 | 52 | 3 | 4 | 9 | 13 | 19 | 25 | 40 |
| B. *Operated* | 227 | 13.1 | 94 | 2 | 3 | 11 | 18 | 27 | 32 | 48 |
| **1. SINGLE DX** | 761 | 8.2 | 35 | 1 | 2 | 7 | 11 | 16 | 20 | 27 |
| **2. MULTIPLE DX** | 1114 | 11.2 | 62 | 3 | 4 | 9 | 14 | 21 | 28 | 41 |
| **A. NOT OPERATED** | 1416 | 10.0 | 45 | 2 | 3 | 8 | 13 | 18 | 23 | 36 |
| **B. OPERATED** | 459 | 10.0 | 79 | 1 | 2 | 8 | 14 | 21 | 29 | 46 |
| TOTAL 0-19 YRS | 17 | 7.2 | 53 | <1 | 1 | 4 | 10 | 15 | 24 | 29 |
| 20-34 | 309 | 8.4 | 43 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| 35-49 | 517 | 8.9 | 37 | 2 | 2 | 8 | 12 | 17 | 20 | 31 |
| 50-64 | 513 | 9.9 | 56 | 2 | 3 | 8 | 13 | 18 | 25 | 39 |
| 65+ | 519 | 12.1 | 65 | 3 | 4 | 10 | 16 | 24 | 29 | 41 |
| **GRAND TOTAL** | **1875** | **10.0** | **53** | **2** | **3** | **8** | **13** | **18** | **24** | **38** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 5.8 | 16 | 1 | 2 | 5 | 8 | 11 | 12 | 23 |
| 20-34 | 1165 | 7.7 | 28 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| 35-49 | 1571 | 8.4 | 30 | 2 | 2 | 7 | 11 | 15 | 19 | 27 |
| 50-64 | 986 | 9.1 | 37 | 2 | 3 | 8 | 12 | 16 | 20 | 31 |
| 65+ | 360 | 9.2 | 38 | 2 | 2 | 8 | 12 | 17 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 6.1 | 28 | 1 | 2 | 4 | 8 | 15 | 17 | 24 |
| 20-34 | 777 | 6.5 | 38 | 1 | 2 | 4 | 9 | 15 | 19 | 30 |
| 35-49 | 903 | 7.9 | 52 | 1 | 2 | 6 | 11 | 17 | 22 | 35 |
| 50-64 | 580 | 8.7 | 56 | 1 | 2 | 7 | 12 | 18 | 24 | 37 |
| 65+ | 194 | 11.6 | 99 | 2 | 2 | 10 | 15 | 24 | 30 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 6.6 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 37 |
| 20-34 | 843 | 8.1 | 40 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| 35-49 | 1362 | 9.4 | 46 | 2 | 3 | 8 | 13 | 18 | 22 | 33 |
| 50-64 | 1522 | 10.0 | 45 | 2 | 3 | 9 | 13 | 18 | 22 | 34 |
| 65+ | 1462 | 11.5 | 76 | 2 | 3 | 10 | 15 | 21 | 28 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 7.4 | 37 | 1 | 2 | 6 | 9 | 16 | 21 | 26 |
| 20-34 | 427 | 10.2 | 75 | 2 | 2 | 8 | 14 | 21 | 26 | 40 |
| 35-49 | 718 | 11.7 | 106 | 2 | 2 | 9 | 16 | 26 | 33 | 51 |
| 50-64 | 781 | 12.8 | 108 | 2 | 3 | 10 | 17 | 25 | 32 | 56 |
| 65+ | 517 | 17.1 | 163 | 2 | 3 | 14 | 23 | 35 | 44 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4249 | 8.3 | 32 | 2 | 2 | 7 | 11 | 15 | 19 | 28 |
| B. *Operated* | 2521 | 7.9 | 53 | 1 | 2 | 5 | 11 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5294 | 9.9 | 54 | 2 | 3 | 8 | 13 | 18 | 23 | 38 |
| B. *Operated* | 2477 | 12.9 | 118 | 2 | 2 | 10 | 18 | 27 | 35 | 54 |
| **1. SINGLE DX** | 6770 | 8.2 | 40 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 7771 | 10.8 | 76 | 2 | 3 | 9 | 14 | 21 | 27 | 46 |
| **A. NOT OPERATED** | 9543 | 9.2 | 45 | 2 | 3 | 8 | 12 | 17 | 21 | 34 |
| **B. OPERATED** | 4998 | 10.4 | 91 | 2 | 2 | 8 | 14 | 22 | 29 | 48 |
| TOTAL 0-19 YRS | 373 | 6.2 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 20-34 | 3212 | 7.9 | 41 | 1 | 2 | 6 | 10 | 15 | 20 | 30 |
| 35-49 | 4554 | 9.1 | 53 | 2 | 2 | 8 | 12 | 18 | 23 | 37 |
| 50-64 | 3869 | 10.1 | 59 | 2 | 3 | 9 | 13 | 19 | 24 | 40 |
| 65+ | 2533 | 12.3 | 96 | 2 | 3 | 10 | 16 | 24 | 32 | 53 |
| **GRAND TOTAL** | **14541** | **9.6** | **61** | **2** | **2** | **8** | **12** | **19** | **24** | **40** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 86 | 5.1 | 16 | 1 | 1 | 4 | 7 | 10 | 11 | 22 |
| 35-49 | 124 | 4.7 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 140 | 5.3 | 12 | 1 | 2 | 5 | 7 | 10 | 13 | 17 |
| 65+ | 90 | 5.7 | 21 | 1 | 2 | 5 | 8 | 11 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 2.8 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 20-34 | 871 | 3.0 | 5 | <1 | <1 | 2 | 4 | 5 | 6 | 12 |
| 35-49 | 1102 | 3.1 | 8 | <1 | 1 | 3 | 4 | 5 | 7 | 15 |
| 50-64 | 1257 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 65+ | 385 | 3.4 | 15 | <1 | <1 | 2 | 4 | 7 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 5.0 | 27 | <1 | 1 | 3 | 6 | 11 | 14 | 31 |
| 20-34 | 75 | 5.1 | 11 | <1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 35-49 | 134 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 50-64 | 272 | 6.6 | 21 | 1 | 2 | 6 | 9 | 12 | 16 | 22 |
| 65+ | 292 | 9.1 | 45 | 2 | 3 | 7 | 11 | 18 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 3.9 | 16 | <1 | 1 | 3 | 4 | 7 | 11 | 25 |
| 20-34 | 349 | 4.2 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 559 | 4.5 | 20 | 1 | 2 | 3 | 5 | 9 | 13 | 26 |
| 50-64 | 698 | 5.1 | 27 | 1 | 2 | 3 | 6 | 10 | 14 | 29 |
| 65+ | 306 | 7.1 | 88 | 1 | 2 | 4 | 7 | 15 | 23 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 654 | 5.0 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 18 |
| B. *Operated* | 4019 | 3.0 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 855 | 7.1 | 32 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 2029 | 5.0 | 33 | 1 | 2 | 3 | 5 | 9 | 15 | 32 |
| **1. SINGLE DX** | 4673 | 3.3 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 2884 | 5.6 | 33 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| **A. NOT OPERATED** | 1509 | 6.2 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| **B. OPERATED** | 6048 | 3.7 | 17 | <1 | 1 | 3 | 4 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 817 | 3.6 | 11 | <1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 20-34 | 1381 | 3.5 | 10 | <1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 35-49 | 1919 | 3.9 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 50-64 | 2367 | 4.1 | 17 | <1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 65+ | 1073 | 6.2 | 50 | <1 | 1 | 4 | 8 | 13 | 18 | 40 |
| **GRAND TOTAL** | **7557** | **4.2** | **20** | **<1** | **1** | **3** | **5** | **8** | **12** | **23** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 3.0 | 4 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 4 | 4.0 | 13 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| 65+ | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 680 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 654 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 905 | 4.4 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 457 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 20 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 35-49 | 28 | 1.8 | 5 | <1 | <1 | 1 | 1 | 3 | 7 | 12 |
| 50-64 | 36 | 2.4 | 11 | <1 | <1 | 1 | 2 | 5 | 11 | 16 |
| 65+ | 29 | 4.1 | 20 | <1 | <1 | 2 | 6 | 13 | 15 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 678 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 880 | 4.7 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 1764 | 5.3 | 8 | 2 | 3 | 5 | 6 | 9 | 10 | 15 |
| 65+ | 1031 | 6.2 | 35 | 2 | 3 | 5 | 7 | 9 | 12 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 9 |
| B. *Operated* | 2980 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 2.5 | 11 | <1 | <1 | 1 | 3 | 6 | 13 | 44 |
| B. *Operated* | 4555 | 5.2 | 13 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| **1. SINGLE DX** | 2998 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 4671 | 5.1 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 134 | 2.5 | 10 | <1 | <1 | 1 | 3 | 6 | 12 | 29 |
| **B. OPERATED** | 7535 | 4.8 | 11 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 491 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1381 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 1565 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 2709 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 1523 | 5.7 | 28 | 2 | 2 | 5 | 7 | 9 | 12 | 29 |
| **GRAND TOTAL** | **7669** | **4.8** | **11** | **2** | **2** | **4** | **6** | **8** | **9** | **15** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 5 |
| 20-34 | 6 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| 35-49 | 5 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | 6 | 5.5 | 21 | <1 | <1 | 4 | 10 | 12 | 12 | 12 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 698 | 2.0 | 14 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1288 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 685 | 2.1 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 538 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 65+ | 156 | 3.0 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 18 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 2 |
| 35-49 | 16 | 2.1 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 50-64 | 14 | 5.1 | 18 | <1 | 1 | 4 | 8 | 11 | 13 | 14 |
| 65+ | 16 | 8.3 | 26 | 2 | 2 | 8 | 10 | 14 | 20 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 184 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 35-49 | 211 | 3.2 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 50-64 | 228 | 4.3 | 27 | 1 | 1 | 3 | 5 | 9 | 11 | 29 |
| 65+ | 120 | 5.1 | 58 | <1 | 1 | 3 | 6 | 11 | 14 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 2.5 | 9 | <1 | <1 | 1 | 3 | 7 | 11 | 12 |
| B. *Operated* | 3365 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.4 | 16 | <1 | <1 | 1 | 5 | 9 | 11 | 20 |
| B. *Operated* | 806 | 3.6 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **1. SINGLE DX** | 3387 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 888 | 3.6 | 20 | <1 | <1 | 2 | 4 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 104 | 3.2 | 15 | <1 | <1 | 1 | 4 | 9 | 11 | 18 |
| **B. OPERATED** | 4171 | 2.4 | 9 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 784 | 2.0 | 13 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1496 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 917 | 2.4 | 7 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 786 | 3.0 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 292 | 4.2 | 31 | <1 | <1 | 2 | 5 | 9 | 11 | 21 |
| **GRAND TOTAL** | **4275** | **2.4** | **9** | **<1** | **<1** | **2** | **3** | **4** | **6** | **11** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 17.6 | 107 | 3 | 5 | 16 | 24 | 30 | 33 | 51 |
| 20-34 | 45 | 11.2 | 65 | 2 | 3 | 9 | 17 | 23 | 28 | 30 |
| 35-49 | 51 | 10.1 | 43 | 2 | 3 | 9 | 14 | 18 | 21 | 30 |
| 50-64 | 45 | 14.1 | 147 | 3 | 4 | 11 | 18 | 36 | 41 | 48 |
| 65+ | 28 | 15.9 | 215 | 3 | 4 | 9 | 19 | 44 | 46 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 17.1 | 175 | 1 | 2 | 15 | 28 | 38 | 40 | 48 |
| 20-34 | 118 | 15.6 | 231 | 2 | 2 | 11 | 24 | 31 | 38 | 87 |
| 35-49 | 94 | 13.9 | 210 | <1 | 2 | 8 | 16 | 32 | 48 | 69 |
| 50-64 | 94 | 17.2 | 219 | 2 | 3 | 13 | 24 | 42 | 48 | 61 |
| 65+ | 67 | 17.5 | 278 | 2 | 4 | 11 | 23 | 45 | 59 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 19.5 | 192 | 2 | 4 | 17 | 28 | 38 | 43 | 67 |
| 20-34 | 44 | 16.9 | 196 | 2 | 3 | 13 | 23 | 38 | 45 | 60 |
| 35-49 | 71 | 19.0 | 179 | 3 | 5 | 15 | 28 | 38 | 46 | 59 |
| 50-64 | 118 | 17.8 | 183 | 3 | 4 | 15 | 24 | 34 | 41 | 68 |
| 65+ | 127 | 19.0 | 235 | 2 | 4 | 15 | 28 | 41 | 49 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 24.4 | 322 | 2 | 3 | 22 | 36 | 51 | 58 | 96 |
| 20-34 | 123 | 24.5 | 330 | 3 | 4 | 23 | 36 | 54 | 72 | 99+ |
| 35-49 | 131 | 24.9 | 346 | 4 | 7 | 22 | 33 | 49 | 95 | 99+ |
| 50-64 | 317 | 25.1 | 323 | 4 | 6 | 21 | 36 | 55 | 65 | 99+ |
| 65+ | 307 | 28.1 | 375 | 6 | 8 | 24 | 39 | 65 | 81 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 273 | 14.4 | 114 | 2 | 4 | 12 | 20 | 29 | 36 | 48 |
| B. *Operated* | 472 | 16.2 | 219 | 2 | 2 | 12 | 24 | 37 | 45 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 421 | 18.5 | 200 | 3 | 4 | 15 | 27 | 38 | 44 | 68 |
| B. *Operated* | 945 | 26.0 | 345 | 4 | 6 | 23 | 37 | 57 | 74 | 99+ |
| **1. SINGLE DX** | 745 | 15.5 | 181 | 2 | 3 | 12 | 22 | 33 | 42 | 60 |
| **2. MULTIPLE DX** | 1366 | 23.7 | 312 | 3 | 5 | 20 | 33 | 51 | 67 | 99+ |
| **A. NOT OPERATED** | 694 | 16.9 | 170 | 3 | 4 | 14 | 24 | 34 | 43 | 61 |
| **B. OPERATED** | 1417 | 22.7 | 324 | 2 | 4 | 19 | 33 | 50 | 66 | 99+ |
| TOTAL 0-19 YRS | 331 | 19.2 | 192 | 2 | 3 | 17 | 28 | 39 | 46 | 62 |
| 20-34 | 330 | 18.5 | 263 | 2 | 3 | 15 | 27 | 39 | 54 | 90 |
| 35-49 | 347 | 18.5 | 261 | 2 | 4 | 14 | 26 | 42 | 51 | 99+ |
| 50-64 | 574 | 21.5 | 280 | 3 | 4 | 16 | 31 | 47 | 59 | 89 |
| 65+ | 529 | 24.0 | 344 | 4 | 6 | 19 | 34 | 56 | 71 | 99+ |
| **GRAND TOTAL** | **2111** | **20.8** | **281** | **2** | **4** | **17** | **29** | **45** | **59** | **99+** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 6.1 | 40 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| 20-34 | 107 | 4.6 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 35-49 | 167 | 4.5 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| 50-64 | 149 | 6.1 | 19 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| 65+ | 241 | 10.6 | 65 | 2 | 3 | 9 | 13 | 19 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 926 | 5.7 | 33 | 1 | 2 | 4 | 7 | 11 | 16 | 30 |
| 20-34 | 882 | 5.4 | 30 | 1 | 2 | 4 | 6 | 10 | 12 | 26 |
| 35-49 | 390 | 6.3 | 50 | 1 | 2 | 4 | 7 | 13 | 18 | 42 |
| 50-64 | 312 | 9.0 | 105 | 2 | 2 | 5 | 11 | 19 | 28 | 62 |
| 65+ | 242 | 13.6 | 139 | 2 | 2 | 12 | 18 | 28 | 35 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 6.0 | 52 | 1 | 1 | 3 | 7 | 13 | 22 | 39 |
| 20-34 | 138 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 15 | 26 |
| 35-49 | 319 | 6.5 | 41 | 2 | 2 | 5 | 8 | 12 | 17 | 32 |
| 50-64 | 584 | 8.9 | 76 | 2 | 2 | 6 | 11 | 18 | 25 | 55 |
| 65+ | 2206 | 14.1 | 136 | 3 | 4 | 11 | 18 | 28 | 38 | 88 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 7.2 | 95 | 1 | 2 | 4 | 8 | 16 | 28 | 58 |
| 20-34 | 454 | 7.2 | 60 | 2 | 2 | 4 | 9 | 16 | 23 | 40 |
| 35-49 | 326 | 11.1 | 153 | 2 | 2 | 7 | 13 | 24 | 36 | 67 |
| 50-64 | 496 | 15.5 | 198 | 2 | 3 | 12 | 21 | 33 | 50 | 99+ |
| 65+ | 817 | 22.5 | 246 | 4 | 6 | 19 | 31 | 46 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 798 | 6.9 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 36 |
| B. *Operated* | 2752 | 6.7 | 58 | 1 | 2 | 4 | 8 | 15 | 20 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3316 | 11.9 | 120 | 2 | 3 | 9 | 15 | 24 | 34 | 72 |
| B. *Operated* | 2354 | 14.8 | 210 | 2 | 2 | 11 | 21 | 35 | 48 | 99+ |
| **1. SINGLE DX** | 3550 | 6.8 | 54 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |
| **2. MULTIPLE DX** | 5670 | 13.1 | 160 | 2 | 3 | 9 | 17 | 29 | 40 | 85 |
| **A. NOT OPERATED** | 4114 | 11.0 | 109 | 2 | 3 | 8 | 14 | 22 | 32 | 65 |
| **B. OPERATED** | 5106 | 10.5 | 144 | 2 | 2 | 6 | 14 | 25 | 36 | 72 |
| TOTAL 0-19 YRS | 1390 | 6.0 | 47 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| 20-34 | 1581 | 5.8 | 38 | 1 | 2 | 4 | 7 | 11 | 16 | 35 |
| 35-49 | 1202 | 7.4 | 76 | 1 | 2 | 5 | 8 | 15 | 22 | 48 |
| 50-64 | 1541 | 10.8 | 127 | 2 | 2 | 7 | 14 | 24 | 33 | 71 |
| 65+ | 3506 | 15.8 | 171 | 3 | 4 | 12 | 20 | 33 | 44 | 99+ |
| **GRAND TOTAL** | **9220** | **10.7** | **128** | **2** | **2** | **7** | **14** | **24** | **34** | **70** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.8 | 11 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 20-34 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 4.0 | 7 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 14.7 | 90 | 5 | 5 | 15 | 22 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 4.3 | 24 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 20-34 | 183 | 3.5 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 14 |
| 35-49 | 132 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 105 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 22 | 5.6 | 31 | 1 | 1 | 3 | 7 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 14 | 8.1 | 178 | <1 | 1 | 3 | 6 | 32 | 43 | 46 |
| 35-49 | 7 | 2.9 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 50-64 | 9 | 7.3 | 96 | <1 | <1 | 4 | 16 | 65 | 99+ | 99+ |
| 65+ | 23 | 17.5 | 466 | 2 | 3 | 11 | 23 | 58 | 99 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 5.5 | 29 | <1 | 2 | 4 | 7 | 12 | 14 | 32 |
| 20-34 | 169 | 5.3 | 35 | 1 | 2 | 4 | 5 | 10 | 16 | 31 |
| 35-49 | 131 | 5.6 | 48 | 1 | 2 | 4 | 6 | 11 | 20 | 99+ |
| 50-64 | 155 | 6.5 | 64 | 2 | 2 | 4 | 8 | 13 | 16 | 49 |
| 65+ | 64 | 10.2 | 103 | 2 | 3 | 7 | 13 | 20 | 44 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 5.5 | 32 | <1 | <1 | 4 | 7 | 12 | 19 | 24 |
| B. *Operated* | 639 | 3.8 | 14 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 10.0 | 262 | <1 | 1 | 4 | 12 | 31 | 70 | 99+ |
| B. *Operated* | 620 | 6.2 | 53 | 1 | 2 | 4 | 7 | 13 | 19 | 49 |
| **1. SINGLE DX** | 659 | 3.9 | 14 | <1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | 681 | 6.5 | 72 | 1 | 2 | 4 | 7 | 14 | 23 | 62 |
| **A. NOT OPERATED** | 81 | 8.9 | 208 | <1 | 1 | 4 | 10 | 29 | 49 | 99+ |
| **B. OPERATED** | 1259 | 5.0 | 34 | 1 | 1 | 3 | 6 | 10 | 14 | 35 |
| TOTAL 0-19 YRS | 315 | 4.6 | 25 | <1 | 1 | 3 | 6 | 9 | 11 | 23 |
| 20-34 | 368 | 4.5 | 27 | <1 | 1 | 3 | 5 | 9 | 11 | 31 |
| 35-49 | 274 | 4.4 | 27 | <1 | 1 | 3 | 5 | 9 | 12 | 50 |
| 50-64 | 271 | 5.4 | 45 | <1 | 1 | 3 | 6 | 10 | 15 | 49 |
| 65+ | 112 | 10.9 | 174 | 2 | 2 | 7 | 14 | 26 | 47 | 99+ |
| **GRAND TOTAL** | **1340** | **5.2** | **46** | **<1** | **1** | **3** | **6** | **10** | **15** | **48** |

## 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 33 | 5.9 | 24 | 1 | 2 | 4 | 8 | 11 | 16 | 25 |
| 35-49 | 48 | 8.2 | 27 | 2 | 3 | 7 | 10 | 14 | 20 | 26 |
| 50-64 | 39 | 9.0 | 30 | 1 | 3 | 9 | 11 | 16 | 18 | 29 |
| 65+ | 15 | 7.4 | 23 | 2 | 2 | 6 | 10 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 32 | 6.4 | 42 | 1 | 2 | 5 | 8 | 12 | 25 | 29 |
| 35-49 | 34 | 5.4 | 12 | 1 | 2 | 5 | 8 | 10 | 13 | 15 |
| 50-64 | 24 | 7.7 | 57 | 1 | 2 | 4 | 13 | 15 | 23 | 32 |
| 65+ | 7 | 7.1 | 66 | 2 | 2 | 5 | 7 | 21 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 24 | 10.5 | 102 | 2 | 3 | 8 | 11 | 23 | 40 | 41 |
| 35-49 | 52 | 8.2 | 23 | 2 | 3 | 7 | 10 | 15 | 20 | 23 |
| 50-64 | 74 | 8.2 | 28 | 2 | 3 | 7 | 10 | 16 | 18 | 27 |
| 65+ | 89 | 11.1 | 62 | 3 | 3 | 9 | 14 | 23 | 28 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 18 | 7.2 | 39 | 1 | 2 | 5 | 10 | 15 | 21 | 25 |
| 35-49 | 35 | 12.1 | 68 | 3 | 4 | 8 | 18 | 26 | 30 | 31 |
| 50-64 | 32 | 18.1 | 118 | 3 | 6 | 15 | 25 | 31 | 38 | 48 |
| 65+ | 14 | 20.6 | 466 | 5 | 7 | 16 | 21 | 33 | 79 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 140 | 7.6 | 27 | 1 | 2 | 7 | 10 | 15 | 17 | 26 |
| B. *Operated* | 98 | 6.4 | 36 | 1 | 2 | 5 | 8 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 9.4 | 48 | 3 | 3 | 7 | 11 | 19 | 23 | 37 |
| B. *Operated* | 99 | 14.4 | 151 | 2 | 3 | 12 | 21 | 27 | 31 | 70 |
| **1. SINGLE DX** | 238 | 7.1 | 31 | 1 | 2 | 6 | 9 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | 340 | 10.9 | 83 | 3 | 3 | 8 | 14 | 22 | 27 | 39 |
| **A. NOT OPERATED** | 381 | 8.8 | 41 | 2 | 3 | 7 | 11 | 17 | 21 | 35 |
| **B. OPERATED** | 197 | 10.4 | 109 | 2 | 2 | 7 | 14 | 24 | 28 | 43 |
| TOTAL 0-19 YRS | 8 | 3.8 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 107 | 7.3 | 51 | 2 | 2 | 5 | 9 | 15 | 25 | 40 |
| 35-49 | 169 | 8.4 | 35 | 2 | 3 | 7 | 10 | 17 | 21 | 30 |
| 50-64 | 169 | 10.2 | 63 | 2 | 2 | 9 | 14 | 22 | 27 | 38 |
| 65+ | 125 | 11.5 | 111 | 3 | 3 | 9 | 15 | 23 | 27 | 51 |
| **GRAND TOTAL** | **578** | **9.3** | **65** | **2** | **2** | **7** | **12** | **20** | **25** | **37** |

## 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 3.7 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 354 | 4.8 | 9 | 1 | 1 | 5 | 7 | 8 | 11 | 14 |
| 35-49 | 338 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 10 | 15 |
| 50-64 | 225 | 4.8 | 11 | 1 | 2 | 4 | 7 | 9 | 10 | 15 |
| 65+ | 124 | 6.1 | 19 | 1 | 2 | 5 | 8 | 12 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 715 | 4.9 | 25 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| 20-34 | 870 | 4.3 | 38 | 1 | 1 | 3 | 5 | 7 | 13 | 29 |
| 35-49 | 592 | 3.8 | 19 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 50-64 | 678 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 65+ | 401 | 4.4 | 50 | 1 | 2 | 2 | 4 | 8 | 13 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 4.3 | 12 | <1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 20-34 | 398 | 5.8 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 35-49 | 478 | 6.8 | 31 | 1 | 2 | 6 | 8 | 12 | 17 | 28 |
| 50-64 | 497 | 7.3 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 26 |
| 65+ | 594 | 9.2 | 50 | 2 | 3 | 7 | 12 | 19 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 422 | 4.7 | 32 | 1 | 2 | 3 | 5 | 9 | 16 | 33 |
| 20-34 | 691 | 4.6 | 32 | 1 | 1 | 3 | 5 | 9 | 14 | 39 |
| 35-49 | 476 | 5.5 | 34 | 1 | 2 | 4 | 7 | 11 | 16 | 30 |
| 50-64 | 610 | 6.7 | 51 | 1 | 2 | 4 | 9 | 16 | 22 | 40 |
| 65+ | 400 | 10.8 | 174 | 2 | 2 | 6 | 13 | 25 | 37 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1191 | 4.9 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| B. *Operated* | 3256 | 4.2 | 29 | 1 | 1 | 3 | 5 | 8 | 13 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2090 | 7.3 | 35 | 1 | 2 | 6 | 9 | 14 | 19 | 31 |
| B. *Operated* | 2599 | 6.2 | 63 | 1 | 2 | 3 | 7 | 14 | 21 | 44 |
| **1. SINGLE DX** | 4447 | 4.4 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **2. MULTIPLE DX** | 4689 | 6.7 | 51 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |
| **A. NOT OPERATED** | 3281 | 6.4 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| **B. OPERATED** | 5855 | 5.1 | 45 | 1 | 1 | 3 | 5 | 11 | 16 | 35 |
| TOTAL 0-19 YRS | 1410 | 4.7 | 25 | 1 | 1 | 3 | 5 | 10 | 14 | 27 |
| 20-34 | 2313 | 4.7 | 28 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| 35-49 | 1884 | 5.2 | 26 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 2010 | 5.6 | 32 | 1 | 2 | 4 | 7 | 12 | 16 | 32 |
| 65+ | 1519 | 8.1 | 86 | 2 | 2 | 5 | 10 | 18 | 24 | 52 |
| **GRAND TOTAL** | **9136** | **5.6** | **39** | **1** | **2** | **4** | **7** | **11** | **16** | **33** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 8.5 | 2 | 7 | 7 | 8 | 9 | 10 | 10 | 10 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 11 | 6.3 | 10 | 1 | 2 | 6 | 8 | 11 | 12 | 12 |
| 35-49 | 14 | 7.6 | 5 | 5 | 6 | 7 | 8 | 11 | 13 | 13 |
| 50-64 | 6 | 10.3 | 19 | 6 | 6 | 9 | 13 | 17 | 18 | 18 |
| 65+ | 6 | 8.2 | 14 | 4 | 4 | 7 | 9 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 4.0 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 6.9 | 6 | 3 | 4 | 7 | 9 | 10 | 10 | 10 |
| B. *Operated* | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 7.6 | 11 | 3 | 4 | 7 | 9 | 13 | 14 | 18 |
| B. *Operated* | 5 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| **1. SINGLE DX** | 12 | 5.7 | 7 | 2 | 3 | 5 | 8 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | 43 | 7.2 | 12 | 2 | 3 | 6 | 9 | 12 | 14 | 18 |
| **A. NOT OPERATED** | 46 | 7.5 | 10 | 3 | 4 | 7 | 9 | 12 | 14 | 18 |
| **B. OPERATED** | 9 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| TOTAL 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 20 | 6.2 | 8 | 1 | 2 | 6 | 8 | 10 | 11 | 12 |
| 35-49 | 17 | 6.9 | 7 | 3 | 4 | 6 | 8 | 11 | 12 | 13 |
| 50-64 | 8 | 8.5 | 25 | 3 | 3 | 8 | 11 | 16 | 18 | 18 |
| 65+ | 8 | 7.5 | 13 | 3 | 3 | 7 | 9 | 13 | 15 | 15 |
| **GRAND TOTAL** | 55 | 6.8 | 11 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 20-34 | 6 | 4.3 | 11 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 35-49 | 6 | 6.5 | 26 | 2 | 2 | 4 | 13 | 13 | 13 | 13 |
| 50-64 | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 8.9 | 57 | 1 | 1 | 8 | 12 | 19 | 31 | 99+ |
| 20-34 | 10 | 10.6 | 59 | <1 | <1 | 12 | 17 | 20 | 22 | 22 |
| 35-49 | 10 | 11.7 | 32 | 4 | 4 | 11 | 14 | 19 | 24 | 24 |
| 50-64 | 10 | 15.4 | 64 | 3 | 5 | 16 | 23 | 24 | 24 | 24 |
| 65+ | 2 | 20.0 | 72 | 14 | 14 | 20 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 4.7 | 42 | <1 | 1 | 3 | 5 | 10 | 15 | 32 |
| 20-34 | 12 | 11.5 | 257 | 1 | 2 | 7 | 12 | 29 | 56 | 60 |
| 35-49 | 6 | 5.5 | 6 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 4 | 7.0 | 57 | 1 | 1 | 4 | 11 | 18 | 18 | 18 |
| 65+ | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 18.5 | 410 | 2 | 3 | 10 | 26 | 57 | 73 | 96 |
| 20-34 | 16 | 17.9 | 132 | 4 | 7 | 16 | 26 | 42 | 80 | 99+ |
| 35-49 | 13 | 25.8 | 493 | 7 | 8 | 16 | 32 | 54 | 81 | 87 |
| 50-64 | 6 | 20.3 | 645 | 2 | 2 | 21 | 84 | 99+ | 99+ | 99+ |
| 65+ | 5 | 20.0 | 429 | 10 | 10 | 11 | 23 | 57 | 57 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 3.5 | 12 | <1 | 1 | 2 | 4 | 9 | 11 | 16 |
| B. *Operated* | 71 | 10.8 | 60 | 1 | 2 | 10 | 16 | 23 | 24 | 87 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 5.3 | 59 | <1 | 1 | 3 | 6 | 10 | 17 | 59 |
| B. *Operated* | 109 | 19.4 | 383 | 2 | 3 | 12 | 28 | 61 | 81 | 99+ |
| **1. SINGLE DX** | 172 | 6.5 | 44 | <1 | 1 | 4 | 10 | 17 | 22 | 37 |
| **2. MULTIPLE DX** | 262 | 11.2 | 241 | 1 | 1 | 5 | 12 | 31 | 60 | 99+ |
| **A. NOT OPERATED** | 254 | 4.6 | 41 | <1 | 1 | 3 | 5 | 10 | 14 | 25 |
| **B. OPERATED** | 180 | 16.0 | 272 | 2 | 3 | 11 | 22 | 43 | 70 | 99+ |
| TOTAL 0-19 YRS | 321 | 7.7 | 148 | <1 | 1 | 3 | 9 | 18 | 32 | 79 |
| 20-34 | 44 | 12.7 | 147 | 1 | 2 | 10 | 17 | 29 | 47 | 99+ |
| 35-49 | 35 | 15.0 | 263 | 3 | 3 | 10 | 15 | 29 | 44 | 87 |
| 50-64 | 24 | 13.6 | 206 | 2 | 2 | 10 | 23 | 64 | 99+ | 99+ |
| 65+ | 10 | 16.2 | 240 | 5 | 5 | 11 | 14 | 41 | 57 | 57 |
| **GRAND TOTAL** | 434 | 9.3 | 168 | 1 | 1 | 5 | 11 | 24 | 40 | 99+ |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 3.7 | 5 | <1 | <1 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 506 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 178 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 82 | 3.0 | 3 | <1 | 1 | 3 | 3 | 5 | 7 | 10 |
| 50-64 | 67 | 2.9 | 3 | <1 | 2 | 2 | 3 | 5 | 5 | 12 |
| 65+ | 45 | 2.8 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| 20-34 | 7 | 2.3 | 6 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 5 | 3.0 | 7 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 65+ | 8 | 6.5 | 84 | <1 | <1 | 2 | 8 | 23 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 49 | 3.6 | 6 | <1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 35-49 | 35 | 3.9 | 5 | <1 | 1 | 4 | 4 | 8 | 8 | 9 |
| 50-64 | 66 | 3.5 | 14 | 2 | 2 | 2 | 4 | 6 | 8 | 27 |
| 65+ | 86 | 3.9 | 19 | 1 | 2 | 3 | 4 | 7 | 10 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| B. *Operated* | 878 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 2.2 | 13 | <1 | <1 | 1 | 2 | 4 | 7 | 24 |
| B. *Operated* | 375 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 1033 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 445 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 225 | 1.6 | 5 | <1 | <1 | 1 | 1 | 3 | 5 | 11 |
| **B. OPERATED** | 1253 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 842 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 234 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 122 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 50-64 | 139 | 3.2 | 8 | 1 | 2 | 2 | 4 | 5 | 7 | 15 |
| 65+ | 141 | 3.7 | 17 | 1 | 2 | 3 | 4 | 6 | 9 | 28 |
| **GRAND TOTAL** | 1478 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 3.6 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 20-34 | 17 | 2.9 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 16 | 5.1 | 20 | <1 | <1 | 3 | 8 | 12 | 13 | 14 |
| 50-64 | 9 | 6.7 | 16 | 2 | 2 | 6 | 11 | 12 | 12 | 12 |
| 65+ | 6 | 3.8 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 4.8 | 27 | 1 | 1 | 2 | 8 | 11 | 14 | 26 |
| 20-34 | 89 | 5.7 | 28 | 2 | 2 | 4 | 8 | 12 | 14 | 28 |
| 35-49 | 69 | 7.7 | 41 | 2 | 2 | 5 | 11 | 16 | 20 | 31 |
| 50-64 | 48 | 5.5 | 34 | 1 | 2 | 2 | 9 | 14 | 16 | 29 |
| 65+ | 20 | 7.5 | 33 | 1 | 2 | 6 | 12 | 16 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 5.8 | 34 | 1 | 1 | 4 | 7 | 12 | 16 | 32 |
| 20-34 | 57 | 5.9 | 28 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| 35-49 | 50 | 8.8 | 177 | 1 | 2 | 6 | 10 | 15 | 18 | 93 |
| 50-64 | 38 | 10.7 | 115 | 2 | 2 | 8 | 14 | 22 | 25 | 62 |
| 65+ | 67 | 9.3 | 29 | 2 | 3 | 9 | 13 | 15 | 17 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 321 | 9.8 | 156 | 1 | 1 | 7 | 12 | 25 | 43 | 99+ |
| 20-34 | 88 | 11.4 | 259 | 2 | 2 | 5 | 12 | 30 | 44 | 88 |
| 35-49 | 75 | 9.6 | 151 | 1 | 2 | 5 | 11 | 26 | 49 | 89 |
| 50-64 | 72 | 9.0 | 67 | 2 | 2 | 6 | 12 | 22 | 26 | 36 |
| 65+ | 62 | 15.9 | 318 | 2 | 2 | 12 | 18 | 38 | 47 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 4.0 | 16 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 546 | 5.5 | 31 | 1 | 1 | 2 | 8 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 387 | 7.3 | 61 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| B. *Operated* | 618 | 10.5 | 179 | 1 | 2 | 7 | 13 | 26 | 42 | 96 |
| **1. SINGLE DX** | 644 | 5.3 | 29 | 1 | 1 | 2 | 8 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | 1005 | 9.3 | 136 | 1 | 2 | 6 | 11 | 21 | 31 | 87 |
| **A. NOT OPERATED** | 485 | 6.6 | 54 | 1 | 1 | 5 | 9 | 14 | 17 | 32 |
| **B. OPERATED** | 1164 | 8.2 | 115 | 1 | 2 | 4 | 11 | 18 | 28 | 76 |
| TOTAL 0-19 YRS | 866 | 6.8 | 81 | 1 | 1 | 3 | 9 | 16 | 24 | 66 |
| 20-34 | 251 | 7.5 | 115 | 1 | 2 | 4 | 9 | 15 | 28 | 56 |
| 35-49 | 210 | 8.5 | 111 | 1 | 2 | 5 | 10 | 18 | 27 | 72 |
| 50-64 | 167 | 8.2 | 69 | 2 | 2 | 5 | 12 | 19 | 24 | 37 |
| 65+ | 155 | 11.5 | 157 | 2 | 2 | 9 | 14 | 19 | 34 | 83 |
| **GRAND TOTAL** | 1649 | 7.7 | 98 | 1 | 2 | 4 | 10 | 17 | 25 | 62 |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 285 | 4.7 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| 20-34 | 11 | 3.7 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.2 | 8 | <1 | <1 | 1 | 2 | 6 | 9 | 14 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 173 | 4.9 | 12 | 2 | 2 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 18 | 3.9 | 10 | 2 | 2 | 3 | 4 | 7 | 12 | 15 |
| 35-49 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 301 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 2.1 | 8 | <1 | <1 | 1 | 2 | 6 | 8 | 14 |
| B. *Operated* | 195 | 4.7 | 11 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| **1. SINGLE DX** | 307 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 231 | 4.3 | 12 | <1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 42 | 2.0 | 7 | <1 | <1 | 1 | 2 | 5 | 8 | 14 |
| **B. OPERATED** | 496 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 8 | 12 |
| TOTAL 0-19 YRS | 497 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 8 | 12 |
| 20-34 | 31 | 3.7 | 8 | 2 | 2 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 7 | 3.6 | 1 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **GRAND TOTAL** | **538** | **4.5** | **8** | **1** | **2** | **4** | **6** | **8** | **8** | **13** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 11 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 7 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.7 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 7.0 | 14 | 3 | 3 | 6 | 8 | 13 | 15 | 21 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 11 | 12 |
| B. *Operated* | 245 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 4.7 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| B. *Operated* | 56 | 7.0 | 14 | 3 | 3 | 6 | 8 | 13 | 15 | 21 |
| **1. SINGLE DX** | 281 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 82 | 6.3 | 14 | 2 | 3 | 5 | 8 | 11 | 14 | 19 |
| **A. NOT OPERATED** | 62 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 13 |
| **B. OPERATED** | 301 | 5.0 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 363 | 4.8 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **363** | **4.8** | **7** | **2** | **2** | **4** | **6** | **7** | **9** | **15** |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 13 | 4.5 | 51 | 1 | 1 | 2 | 4 | 10 | 25 | 28 |
| 35-49 | 5 | 3.0 | 6 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 50-64 | 8 | 5.5 | 124 | <1 | <1 | 1 | 3 | 24 | 33 | 33 |
| 65+ | 9 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 299 | 3.8 | 21 | <1 | <1 | 2 | 5 | 9 | 12 | 28 |
| 20-34 | 86 | 4.6 | 19 | 1 | 1 | 3 | 5 | 11 | 15 | 21 |
| 35-49 | 25 | 7.3 | 166 | 1 | 2 | 2 | 9 | 13 | 27 | 66 |
| 50-64 | 28 | 4.1 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 65+ | 20 | 8.3 | 83 | 2 | 2 | 4 | 13 | 20 | 30 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 5.0 | 22 | <1 | <1 | 3 | 8 | 12 | 16 | 84 |
| 20-34 | 11 | 4.8 | 10 | <1 | 2 | 4 | 6 | 10 | 12 | 12 |
| 35-49 | 19 | 3.6 | 12 | <1 | 1 | 2 | 5 | 7 | 12 | 16 |
| 50-64 | 24 | 6.1 | 22 | 1 | 2 | 5 | 10 | 12 | 15 | 20 |
| 65+ | 63 | 7.9 | 43 | 2 | 2 | 6 | 8 | 19 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 9.6 | 175 | 1 | 1 | 5 | 9 | 25 | 38 | 75 |
| 20-34 | 76 | 7.0 | 36 | 1 | 2 | 5 | 9 | 15 | 20 | 30 |
| 35-49 | 45 | 7.8 | 127 | 1 | 2 | 5 | 11 | 13 | 17 | 75 |
| 50-64 | 67 | 11.8 | 74 | 2 | 2 | 10 | 15 | 25 | 30 | 41 |
| 65+ | 68 | 16.6 | 211 | 2 | 3 | 13 | 21 | 31 | 50 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 2.9 | 15 | <1 | <1 | 2 | 4 | 5 | 6 | 28 |
| B. *Operated* | 458 | 4.4 | 32 | <1 | <1 | 2 | 5 | 10 | 14 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 187 | 6.0 | 29 | <1 | 1 | 5 | 8 | 13 | 19 | 29 |
| B. *Operated* | 422 | 10.4 | 143 | 1 | 2 | 7 | 12 | 24 | 32 | 64 |
| **1. SINGLE DX** | 607 | 4.0 | 28 | <1 | <1 | 2 | 5 | 9 | 12 | 29 |
| **2. MULTIPLE DX** | 609 | 9.0 | 112 | 1 | 2 | 6 | 11 | 20 | 29 | 59 |
| **A. NOT OPERATED** | 336 | 4.6 | 25 | <1 | <1 | 3 | 6 | 10 | 13 | 28 |
| **B. OPERATED** | 880 | 7.3 | 94 | <1 | 1 | 4 | 9 | 16 | 26 | 52 |
| TOTAL 0-19 YRS | 649 | 5.2 | 64 | <1 | <1 | 3 | 6 | 11 | 18 | 50 |
| 20-34 | 186 | 5.6 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| 35-49 | 94 | 6.5 | 109 | 1 | 1 | 4 | 7 | 12 | 16 | 71 |
| 50-64 | 127 | 8.6 | 64 | 1 | 2 | 7 | 11 | 18 | 29 | 37 |
| 65+ | 160 | 11.3 | 139 | 2 | 2 | 7 | 14 | 26 | 31 | 59 |
| **GRAND TOTAL** | **1216** | **6.5** | **76** | **<1** | **1** | **3** | **8** | **14** | **22** | **50** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 782 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 80 | 3.8 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 16 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 663 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 66 | 4.7 | 15 | 2 | 2 | 4 | 6 | 8 | 9 | 28 |
| 35-49 | 22 | 5.2 | 6 | 2 | 2 | 5 | 7 | 9 | 9 | 10 |
| 50-64 | 7 | 4.6 | 9 | 2 | 2 | 3 | 5 | 10 | 11 | 11 |
| 65+ | 3 | 5.3 | 4 | 3 | 3 | 6 | 7 | 7 | 7 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| B. *Operated* | 882 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 9 |
| B. *Operated* | 761 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **1. SINGLE DX** | 892 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 816 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **A. NOT OPERATED** | 65 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 9 |
| **B. OPERATED** | 1643 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| TOTAL 0-19 YRS | 1506 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 147 | 4.2 | 9 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 39 | 4.5 | 4 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 50-64 | 12 | 4.6 | 8 | 2 | 2 | 4 | 5 | 10 | 11 | 11 |
| 65+ | 4 | 5.8 | 4 | 3 | 3 | 6 | 7 | 7 | 7 | 7 |
| **GRAND TOTAL** | **1708** | **3.1** | **4** | **<1** | **1** | **3** | **4** | **5** | **7** | **9** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 17 | 2.8 | 10 | <1 | <1 | 2 | 3 | 9 | 11 | 12 |
| 35-49 | 7 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 12 | 5.6 | 22 | 1 | 2 | 5 | 6 | 12 | 18 | 19 |
| 65+ | 6 | 5.3 | 8 | 3 | 3 | 4 | 5 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 465 | 4.9 | 23 | <1 | <1 | 3 | 7 | 11 | 13 | 25 |
| 20-34 | 262 | 4.3 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 21 |
| 35-49 | 80 | 5.7 | 27 | <1 | 1 | 4 | 8 | 11 | 14 | 28 |
| 50-64 | 31 | 4.9 | 20 | <1 | 1 | 3 | 7 | 10 | 13 | 21 |
| 65+ | 27 | 7.4 | 32 | 2 | 2 | 5 | 11 | 15 | 19 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 2.8 | 9 | <1 | <1 | 1 | 3 | 7 | 10 | 14 |
| 20-34 | 28 | 5.4 | 14 | 2 | 2 | 5 | 7 | 9 | 13 | 19 |
| 35-49 | 35 | 7.5 | 26 | 1 | 3 | 6 | 9 | 16 | 20 | 23 |
| 50-64 | 36 | 6.9 | 20 | 1 | 2 | 6 | 9 | 12 | 16 | 21 |
| 65+ | 43 | 10.3 | 65 | 2 | 3 | 8 | 14 | 19 | 25 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 6.3 | 44 | <1 | 1 | 4 | 9 | 14 | 18 | 32 |
| 20-34 | 266 | 5.8 | 22 | 1 | 1 | 5 | 8 | 11 | 15 | 21 |
| 35-49 | 146 | 6.6 | 27 | 1 | 2 | 6 | 9 | 13 | 15 | 26 |
| 50-64 | 114 | 7.9 | 51 | <1 | 2 | 6 | 11 | 17 | 23 | 63 |
| 65+ | 93 | 12.2 | 142 | 2 | 2 | 10 | 16 | 21 | 46 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 3.4 | 9 | <1 | <1 | 3 | 4 | 6 | 10 | 17 |
| B. *Operated* | 865 | 4.9 | 21 | <1 | 1 | 3 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 191 | 6.5 | 34 | <1 | 1 | 5 | 9 | 14 | 17 | 25 |
| B. *Operated* | 913 | 7.0 | 49 | 1 | 1 | 6 | 9 | 15 | 19 | 38 |
| **1. SINGLE DX** | 937 | 4.8 | 20 | <1 | 1 | 3 | 7 | 10 | 12 | 23 |
| **2. MULTIPLE DX** | 1104 | 6.9 | 47 | <1 | 1 | 5 | 9 | 15 | 19 | 36 |
| **A. NOT OPERATED** | 263 | 5.7 | 29 | <1 | 1 | 4 | 8 | 12 | 17 | 24 |
| **B. OPERATED** | 1778 | 6.0 | 37 | <1 | 1 | 4 | 8 | 12 | 16 | 33 |
| TOTAL 0-19 YRS | 838 | 5.2 | 30 | <1 | <1 | 3 | 8 | 11 | 15 | 26 |
| 20-34 | 573 | 5.0 | 18 | <1 | 1 | 4 | 7 | 9 | 12 | 21 |
| 35-49 | 268 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| 50-64 | 193 | 7.1 | 39 | <1 | 2 | 6 | 9 | 15 | 20 | 39 |
| 65+ | 169 | 10.7 | 103 | 2 | 2 | 8 | 15 | 20 | 26 | 66 |
| **GRAND TOTAL** | **2041** | **5.9** | **36** | **<1** | **1** | **4** | **8** | **12** | **16** | **31** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 261 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 26 | 5.8 | 8 | 2 | 3 | 5 | 7 | 10 | 11 | 14 |
| 35-49 | 14 | 5.4 | 5 | <1 | 2 | 6 | 7 | 8 | 9 | 9 |
| 50-64 | 6 | 4.8 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 5 |
| 20-34 | 4 | 9.3 | 80 | 1 | 1 | 9 | 17 | 17 | 17 | 17 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 59 | 5.1 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 18 |
| 35-49 | 30 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 30 | 5.7 | 22 | 2 | 2 | 4 | 6 | 7 | 20 | 24 |
| 65+ | 18 | 6.6 | 8 | 2 | 2 | 6 | 9 | 10 | 11 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 308 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.4 | 28 | <1 | <1 | 1 | 2 | 14 | 17 | 17 |
| B. *Operated* | 295 | 5.2 | 9 | 2 | 3 | 5 | 6 | 8 | 11 | 18 |
| **1. SINGLE DX** | 318 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 316 | 5.1 | 11 | 1 | 2 | 4 | 6 | 8 | 12 | 18 |
| **A. NOT OPERATED** | 31 | 2.7 | 20 | <1 | <1 | 1 | 2 | 8 | 17 | 17 |
| **B. OPERATED** | 603 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 445 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 89 | 5.4 | 10 | 2 | 3 | 5 | 6 | 8 | 14 | 18 |
| 35-49 | 44 | 5.3 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 36 | 5.5 | 19 | 2 | 3 | 4 | 6 | 7 | 16 | 24 |
| 65+ | 20 | 7.1 | 10 | 2 | 3 | 7 | 10 | 11 | 12 | 13 |
| **GRAND TOTAL** | **634** | **4.6** | **9** | **1** | **2** | **4** | **6** | **8** | **10** | **18** |

### 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 3.4 | 28 | <1 | <1 | 2 | 4 | 6 | 10 | 27 |
| 20-34 | 36 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 11 | 15 |
| 35-49 | 32 | 6.8 | 37 | 1 | 1 | 5 | 10 | 13 | 21 | 28 |
| 50-64 | 35 | 7.4 | 32 | 1 | 2 | 6 | 11 | 17 | 20 | 23 |
| 65+ | 23 | 9.6 | 98 | 1 | 2 | 6 | 12 | 28 | 32 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1162 | 4.7 | 23 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| 20-34 | 536 | 3.9 | 18 | <1 | 1 | 3 | 4 | 8 | 13 | 23 |
| 35-49 | 272 | 5.0 | 26 | <1 | 1 | 3 | 6 | 11 | 14 | 21 |
| 50-64 | 138 | 6.4 | 39 | 1 | 2 | 4 | 8 | 13 | 18 | 36 |
| 65+ | 46 | 8.5 | 61 | 2 | 2 | 6 | 10 | 17 | 27 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.5 | 28 | <1 | <1 | 2 | 6 | 11 | 15 | 27 |
| 20-34 | 86 | 6.4 | 47 | <1 | 1 | 5 | 9 | 14 | 19 | 82 |
| 35-49 | 45 | 8.1 | 46 | 1 | 1 | 7 | 10 | 19 | 29 | 99+ |
| 50-64 | 104 | 9.8 | 51 | 2 | 3 | 8 | 14 | 19 | 25 | 32 |
| 65+ | 122 | 10.8 | 99 | 3 | 3 | 9 | 14 | 21 | 24 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 445 | 7.5 | 85 | 1 | 2 | 5 | 8 | 16 | 24 | 57 |
| 20-34 | 263 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| 35-49 | 156 | 7.2 | 82 | 1 | 1 | 4 | 9 | 16 | 22 | 67 |
| 50-64 | 158 | 10.6 | 75 | 1 | 2 | 9 | 14 | 22 | 28 | 44 |
| 65+ | 84 | 15.1 | 262 | 2 | 2 | 11 | 16 | 34 | 41 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 338 | 4.7 | 36 | <1 | 1 | 3 | 6 | 10 | 16 | 29 |
| B. *Operated* | 2154 | 4.7 | 25 | <1 | 1 | 3 | 5 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 547 | 7.5 | 59 | <1 | 1 | 6 | 10 | 17 | 22 | 32 |
| B. *Operated* | 1106 | 7.8 | 88 | 1 | 2 | 5 | 10 | 17 | 24 | 50 |
| **1. SINGLE DX** | 2492 | 4.7 | 26 | <1 | 1 | 3 | 5 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | 1653 | 7.7 | 78 | 1 | 1 | 5 | 10 | 17 | 23 | 47 |
| **A. NOT OPERATED** | 885 | 6.4 | 52 | <1 | 1 | 4 | 9 | 15 | 21 | 32 |
| **B. OPERATED** | 3260 | 5.8 | 48 | 1 | 1 | 3 | 7 | 13 | 17 | 37 |
| TOTAL 0-19 YRS | 2009 | 5.1 | 39 | <1 | 1 | 3 | 6 | 11 | 16 | 31 |
| 20-34 | 921 | 4.5 | 22 | <1 | 1 | 3 | 5 | 10 | 14 | 23 |
| 35-49 | 505 | 6.1 | 47 | <1 | 1 | 4 | 8 | 13 | 18 | 43 |
| 50-64 | 435 | 8.8 | 57 | 1 | 2 | 7 | 12 | 19 | 24 | 38 |
| 65+ | 275 | 11.6 | 147 | 2 | 2 | 9 | 14 | 24 | 32 | 72 |
| **GRAND TOTAL** | **4145** | **5.9** | **49** | **<1** | **1** | **4** | **7** | **13** | **18** | **34** |

### 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1160 | 5.0 | 38 | 1 | 1 | 3 | 5 | 12 | 18 | 32 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.0 | 16 | <1 | 1 | 2 | 5 | 8 | 13 | 18 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 836 | 12.4 | 187 | 2 | 2 | 7 | 17 | 30 | 41 | 86 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 18.7 | 471 | 2 | 2 | 12 | 25 | 77 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1160 | 5.0 | 38 | 1 | 1 | 3 | 5 | 12 | 18 | 32 |
| B. *Operated* | 25 | 4.0 | 16 | <1 | 1 | 2 | 5 | 8 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 836 | 12.4 | 187 | 2 | 2 | 7 | 17 | 30 | 41 | 86 |
| B. *Operated* | 66 | 18.7 | 471 | 2 | 2 | 12 | 25 | 77 | 99+ | 99+ |
| **1. SINGLE DX** | 1185 | 5.0 | 37 | 1 | 1 | 3 | 5 | 12 | 18 | 32 |
| **2. MULTIPLE DX** | 902 | 12.8 | 210 | 2 | 2 | 8 | 17 | 31 | 44 | 99 |
| **A. NOT OPERATED** | 1996 | 8.1 | 113 | 1 | 1 | 4 | 10 | 21 | 30 | 60 |
| **B. OPERATED** | 91 | 14.6 | 388 | 1 | 1 | 8 | 20 | 57 | 96 | 99+ |
| TOTAL 0-19 YRS | 2087 | 8.4 | 127 | 1 | 1 | 4 | 10 | 21 | 31 | 68 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2087** | **8.4** | **127** | **1** | **1** | **4** | **10** | **21** | **31** | **68** |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1705 | 3.2 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 714 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 35-49 | 386 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 50-64 | 326 | 5.4 | 29 | 1 | 1 | 4 | 7 | 9 | 13 | 23 |
| 65+ | 210 | 5.6 | 24 | 1 | 2 | 5 | 7 | 10 | 13 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 12.6 | 328 | 2 | 2 | 5 | 8 | 49 | 49 | 49 |
| 20-34 | 23 | 8.2 | 120 | 1 | 2 | 4 | 10 | 17 | 33 | 52 |
| 35-49 | 13 | 6.9 | 28 | 2 | 2 | 6 | 8 | 17 | 19 | 19 |
| 50-64 | 17 | 8.9 | 48 | 3 | 4 | 7 | 11 | 16 | 26 | 31 |
| 65+ | 10 | 5.8 | 34 | 2 | 2 | 4 | 6 | 14 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1746 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 20-34 | 708 | 6.1 | 32 | 1 | 2 | 5 | 7 | 12 | 17 | 29 |
| 35-49 | 715 | 6.6 | 30 | 1 | 2 | 5 | 9 | 13 | 16 | 25 |
| 50-64 | 1003 | 8.1 | 51 | 2 | 2 | 7 | 9 | 15 | 20 | 36 |
| 65+ | 1164 | 10.5 | 115 | 2 | 3 | 8 | 12 | 20 | 30 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 11.7 | 182 | 1 | 2 | 7 | 15 | 35 | 60 | 99+ |
| 20-34 | 54 | 11.8 | 315 | 1 | 2 | 7 | 11 | 17 | 54 | 91 |
| 35-49 | 64 | 15.9 | 181 | 3 | 4 | 12 | 20 | 36 | 45 | 65 |
| 50-64 | 95 | 14.2 | 170 | 3 | 4 | 10 | 20 | 27 | 39 | 98 |
| 65+ | 112 | 18.8 | 248 | 4 | 5 | 15 | 25 | 63 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3341 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | 74 | 8.5 | 105 | 2 | 2 | 5 | 9 | 17 | 29 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5336 | 6.8 | 55 | 1 | 2 | 5 | 8 | 13 | 19 | 41 |
| B. *Operated* | 355 | 15.4 | 225 | 2 | 4 | 11 | 20 | 40 | 62 | 99+ |
| **1. SINGLE DX** | 3415 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 5691 | 7.3 | 70 | 1 | 2 | 5 | 9 | 15 | 21 | 51 |
| **A. NOT OPERATED** | 8677 | 5.7 | 41 | 1 | 1 | 4 | 7 | 11 | 16 | 33 |
| **B. OPERATED** | 429 | 14.2 | 210 | 2 | 3 | 10 | 18 | 35 | 54 | 99+ |
| TOTAL 0-19 YRS | 3492 | 3.7 | 17 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 20-34 | 1499 | 5.4 | 37 | 1 | 1 | 4 | 6 | 10 | 14 | 28 |
| 35-49 | 1178 | 6.4 | 38 | 1 | 2 | 5 | 8 | 13 | 16 | 32 |
| 50-64 | 1441 | 7.9 | 58 | 1 | 2 | 6 | 9 | 15 | 20 | 39 |
| 65+ | 1496 | 10.4 | 120 | 2 | 3 | 7 | 12 | 21 | 32 | 93 |
| **GRAND TOTAL** | 9106 | 6.1 | 52 | 1 | 1 | 4 | 7 | 12 | 17 | 41 |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 379 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 135 | 5.1 | 10 | 1 | 2 | 4 | 6 | 10 | 11 | 16 |
| 35-49 | 70 | 6.2 | 24 | 1 | 2 | 5 | 8 | 11 | 14 | 28 |
| 50-64 | 70 | 6.0 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 65+ | 111 | 7.8 | 86 | 2 | 2 | 6 | 10 | 13 | 18 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.9 | 60 | 1 | 1 | 7 | 13 | 20 | 26 | 28 |
| 20-34 | 20 | 11.8 | 40 | 3 | 4 | 11 | 16 | 20 | 24 | 27 |
| 35-49 | 11 | 11.7 | 68 | 4 | 4 | 7 | 17 | 24 | 28 | 28 |
| 50-64 | 21 | 16.4 | 123 | 2 | 5 | 14 | 24 | 31 | 38 | 45 |
| 65+ | 11 | 15.5 | 131 | 1 | 2 | 13 | 22 | 32 | 40 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 483 | 3.7 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 192 | 6.0 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 20 |
| 35-49 | 173 | 6.8 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 22 |
| 50-64 | 342 | 7.2 | 27 | 2 | 3 | 6 | 9 | 14 | 16 | 29 |
| 65+ | 668 | 9.7 | 75 | 3 | 3 | 7 | 12 | 18 | 25 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.7 | 69 | 1 | 2 | 7 | 12 | 13 | 29 | 35 |
| 20-34 | 38 | 16.4 | 396 | 2 | 4 | 10 | 18 | 23 | 69 | 96 |
| 35-49 | 45 | 18.4 | 172 | 5 | 7 | 15 | 22 | 28 | 39 | 71 |
| 50-64 | 85 | 12.7 | 61 | 2 | 3 | 12 | 16 | 22 | 28 | 38 |
| 65+ | 128 | 23.8 | 332 | 6 | 8 | 15 | 35 | 59 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 765 | 4.7 | 23 | 1 | 1 | 4 | 5 | 9 | 11 | 23 |
| B. *Operated* | 78 | 13.0 | 87 | 2 | 3 | 11 | 17 | 26 | 29 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1858 | 7.0 | 43 | 2 | 2 | 5 | 9 | 14 | 18 | 35 |
| B. *Operated* | 311 | 18.3 | 254 | 4 | 5 | 14 | 22 | 40 | 59 | 93 |
| **1. SINGLE DX** | 843 | 5.5 | 34 | 1 | 1 | 4 | 6 | 11 | 15 | 28 |
| **2. MULTIPLE DX** | 2169 | 8.7 | 89 | 2 | 2 | 6 | 10 | 17 | 24 | 61 |
| **A. NOT OPERATED** | 2623 | 6.4 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 389 | 17.3 | 224 | 3 | 4 | 13 | 21 | 36 | 54 | 87 |
| TOTAL 0-19 YRS | 892 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 385 | 7.0 | 64 | 2 | 2 | 5 | 8 | 14 | 18 | 28 |
| 35-49 | 299 | 8.6 | 61 | 2 | 3 | 6 | 10 | 17 | 22 | 29 |
| 50-64 | 518 | 8.3 | 42 | 2 | 3 | 6 | 10 | 16 | 22 | 34 |
| 65+ | 918 | 11.5 | 138 | 3 | 3 | 8 | 13 | 23 | 38 | 74 |
| **GRAND TOTAL** | 3012 | 7.8 | 75 | 1 | 2 | 5 | 9 | 15 | 22 | 53 |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 304 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 165 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 20 |
| 50-64 | 91 | 4.8 | 16 | 1 | 1 | 4 | 6 | 11 | 14 | 19 |
| 65+ | 33 | 4.2 | 8 | <1 | 1 | 4 | 5 | 8 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.1 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 23 | 3.7 | 2 | 1 | 2 | 4 | 4 | 6 | 7 | 7 |
| 35-49 | 19 | 7.2 | 28 | 2 | 2 | 6 | 10 | 16 | 18 | 19 |
| 50-64 | 8 | 7.0 | 10 | 2 | 3 | 6 | 10 | 11 | 11 | 11 |
| 65+ | 11 | 5.5 | 18 | 1 | 2 | 4 | 7 | 13 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 20-34 | 302 | 5.0 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 35-49 | 211 | 5.9 | 14 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| 50-64 | 178 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 181 | 8.3 | 75 | 2 | 2 | 7 | 10 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 8 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 39 | 8.0 | 53 | 1 | 2 | 7 | 10 | 18 | 32 | 99+ |
| 35-49 | 34 | 8.2 | 22 | 2 | 2 | 8 | 11 | 14 | 17 | 20 |
| 50-64 | 41 | 8.7 | 24 | 2 | 2 | 8 | 10 | 14 | 20 | 23 |
| 65+ | 34 | 15.2 | 203 | 1 | 3 | 9 | 22 | 33 | 39 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 759 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 69 | 5.4 | 15 | 2 | 2 | 4 | 7 | 11 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1013 | 5.9 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | 152 | 9.8 | 78 | 2 | 2 | 8 | 11 | 20 | 31 | 67 |
| **1. SINGLE DX** | 828 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 1165 | 6.4 | 34 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| **A. NOT OPERATED** | 1772 | 5.1 | 20 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| **B. OPERATED** | 221 | 8.4 | 62 | 2 | 2 | 7 | 10 | 17 | 24 | 48 |
| TOTAL 0-19 YRS | 319 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 20-34 | 668 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 429 | 5.6 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 318 | 6.3 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 65+ | 259 | 8.6 | 89 | 1 | 2 | 6 | 10 | 17 | 24 | 40 |
| **GRAND TOTAL** | **1993** | **5.4** | **26** | **1** | **1** | **4** | **7** | **11** | **14** | **23** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 5 | 8 |
| 20-34 | 54 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 86 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 12 |
| 50-64 | 178 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 172 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| 20-34 | 55 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 12 |
| 35-49 | 62 | 5.8 | 10 | 2 | 3 | 5 | 7 | 10 | 13 | 17 |
| 50-64 | 144 | 5.5 | 7 | 1 | 3 | 5 | 7 | 9 | 10 | 13 |
| 65+ | 129 | 5.5 | 19 | 1 | 2 | 5 | 7 | 9 | 10 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.5 | 16 | <1 | 1 | 2 | 4 | 9 | 11 | 18 |
| 20-34 | 38 | 3.9 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 83 | 4.8 | 6 | 1 | 2 | 4 | 6 | 9 | 9 | 12 |
| 50-64 | 251 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 65+ | 491 | 6.2 | 33 | 1 | 2 | 5 | 7 | 12 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.3 | 7 | <1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 20-34 | 26 | 5.8 | 8 | 2 | 2 | 5 | 8 | 10 | 11 | 13 |
| 35-49 | 57 | 6.3 | 18 | 2 | 2 | 5 | 7 | 12 | 16 | 24 |
| 50-64 | 140 | 6.9 | 25 | 2 | 3 | 6 | 8 | 13 | 15 | 30 |
| 65+ | 268 | 8.2 | 52 | 2 | 3 | 6 | 9 | 15 | 21 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 536 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 436 | 5.2 | 11 | 1 | 1 | 5 | 7 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 894 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| B. *Operated* | 506 | 7.3 | 38 | 2 | 3 | 6 | 8 | 13 | 18 | 37 |
| **1. SINGLE DX** | 972 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 1400 | 6.2 | 30 | 1 | 2 | 5 | 7 | 11 | 15 | 30 |
| **A. NOT OPERATED** | 1430 | 4.9 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 942 | 6.3 | 27 | 1 | 2 | 5 | 7 | 11 | 15 | 31 |
| TOTAL 0-19 YRS | 138 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 20-34 | 173 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 288 | 5.0 | 10 | 1 | 2 | 5 | 6 | 9 | 10 | 17 |
| 50-64 | 713 | 5.2 | 13 | 1 | 2 | 5 | 6 | 9 | 12 | 20 |
| 65+ | 1060 | 6.2 | 33 | 1 | 2 | 5 | 7 | 11 | 15 | 32 |
| **GRAND TOTAL** | **2372** | **5.5** | **22** | **1** | **2** | **5** | **7** | **10** | **13** | **24** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 10 | 11 |
| 20-34 | 25 | 3.8 | 8 | <1 | <1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 31 | 4.2 | 6 | <1 | 1 | 4 | 6 | 7 | 8 | 10 |
| 50-64 | 27 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 11 | 12 |
| 65+ | 22 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 20-34 | 287 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 35-49 | 151 | 2.9 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| 50-64 | 117 | 3.2 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 81 | 3.9 | 13 | <1 | 1 | 2 | 4 | 10 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.5 | 14 | <1 | 1 | 4 | 7 | 8 | 11 | 18 |
| 20-34 | 60 | 5.0 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 19 |
| 35-49 | 56 | 4.8 | 14 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| 50-64 | 83 | 6.9 | 99 | 1 | 2 | 4 | 7 | 14 | 19 | 65 |
| 65+ | 157 | 10.5 | 117 | 2 | 3 | 6 | 13 | 22 | 35 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.0 | 42 | 1 | 1 | 3 | 9 | 13 | 23 | 27 |
| 20-34 | 104 | 4.7 | 14 | 1 | 2 | 3 | 7 | 10 | 12 | 19 |
| 35-49 | 78 | 8.1 | 108 | <1 | 1 | 5 | 10 | 15 | 18 | 63 |
| 50-64 | 92 | 11.0 | 169 | 1 | 2 | 6 | 14 | 26 | 34 | 70 |
| 65+ | 96 | 12.1 | 295 | 1 | 2 | 6 | 13 | 38 | 57 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 853 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 402 | 7.4 | 78 | 1 | 2 | 5 | 8 | 15 | 21 | 50 |
| B. *Operated* | 405 | 8.7 | 144 | 1 | 2 | 4 | 10 | 18 | 31 | 76 |
| **1. SINGLE DX** | 995 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 807 | 8.0 | 111 | 1 | 2 | 4 | 9 | 17 | 26 | 62 |
| **A. NOT OPERATED** | 544 | 6.4 | 62 | 1 | 1 | 4 | 7 | 14 | 19 | 48 |
| **B. OPERATED** | 1258 | 4.7 | 58 | <1 | 1 | 2 | 4 | 10 | 15 | 44 |
| TOTAL 0-19 YRS | 335 | 3.0 | 11 | <1 | <1 | 2 | 3 | 7 | 9 | 17 |
| 20-34 | 476 | 3.5 | 10 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 35-49 | 316 | 4.6 | 37 | <1 | 1 | 3 | 5 | 10 | 13 | 25 |
| 50-64 | 319 | 6.4 | 88 | 1 | 1 | 3 | 7 | 14 | 24 | 54 |
| 65+ | 356 | 8.9 | 145 | 1 | 2 | 5 | 10 | 20 | 37 | 74 |
| **GRAND TOTAL** | **1802** | **5.2** | **60** | **<1** | **1** | **3** | **5** | **11** | **17** | **45** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 3 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 50-64 | 3 | 18.0 | 156 | 8 | 8 | 14 | 27 | 32 | 32 | 32 |
| 65+ | 5 | 4.6 | 7 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 8.7 | 76 | 1 | 2 | 4 | 14 | 25 | 27 | 27 |
| 20-34 | 25 | 8.0 | 83 | 1 | 2 | 3 | 16 | 20 | 29 | 29 |
| 35-49 | 19 | 9.5 | 162 | 1 | 2 | 5 | 10 | 27 | 44 | 51 |
| 50-64 | 44 | 14.2 | 207 | 2 | 2 | 8 | 22 | 35 | 42 | 65 |
| 65+ | 90 | 25.3 | 344 | 4 | 6 | 20 | 34 | 58 | 73 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 13 | 11.0 | 38 | 4 | 4 | 10 | 12 | 22 | 24 | 24 |
| 50-64 | 30 | 13.8 | 164 | 3 | 5 | 10 | 14 | 24 | 37 | 69 |
| 65+ | 114 | 15.3 | 246 | 3 | 4 | 10 | 17 | 33 | 59 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.3 | 283 | <1 | 1 | 5 | 18 | 71 | 96 | 99+ |
| 20-34 | 21 | 14.8 | 227 | 1 | 2 | 10 | 21 | 31 | 50 | 65 |
| 35-49 | 55 | 23.6 | 415 | 2 | 2 | 21 | 31 | 56 | 68 | 85 |
| 50-64 | 257 | 28.3 | 416 | 4 | 7 | 24 | 39 | 61 | 78 | 99+ |
| 65+ | 760 | 29.2 | 390 | 7 | 9 | 25 | 43 | 70 | 99 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 8.3 | 57 | 1 | 3 | 6 | 8 | 16 | 28 | 32 |
| B. *Operated* | 196 | 17.5 | 290 | 2 | 2 | 13 | 26 | 42 | 61 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 14.6 | 211 | 3 | 4 | 10 | 17 | 30 | 50 | 86 |
| B. *Operated* | 1104 | 28.2 | 400 | 5 | 8 | 24 | 41 | 65 | 89 | 99+ |
| **1. SINGLE DX** | 210 | 16.9 | 279 | 2 | 2 | 12 | 24 | 40 | 55 | 96 |
| **2. MULTIPLE DX** | 1263 | 26.5 | 397 | 4 | 7 | 21 | 38 | 64 | 86 | 99+ |
| **A. NOT OPERATED** | 173 | 14.1 | 201 | 3 | 4 | 10 | 16 | 27 | 43 | 86 |
| **B. OPERATED** | 1300 | 26.6 | 398 | 3 | 5 | 22 | 38 | 64 | 85 | 99+ |
| TOTAL 0-19 YRS | 32 | 9.4 | 135 | 1 | 2 | 5 | 14 | 27 | 53 | 99+ |
| 20-34 | 49 | 10.8 | 149 | 1 | 2 | 5 | 17 | 27 | 30 | 65 |
| 35-49 | 89 | 18.4 | 338 | 2 | 2 | 11 | 25 | 47 | 60 | 80 |
| 50-64 | 334 | 25.1 | 398 | 3 | 5 | 21 | 35 | 56 | 72 | 99+ |
| 65+ | 969 | 27.0 | 389 | 5 | 8 | 22 | 40 | 66 | 91 | 99+ |
| **GRAND TOTAL** | **1473** | **25.1** | **391** | **3** | **5** | **20** | **37** | **61** | **81** | **99+** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 512 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 1629 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 1355 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 457 | 4.4 | 26 | 1 | 2 | 4 | 5 | 7 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 32 | 3.6 | 14 | 1 | 2 | 2 | 4 | 6 | 8 | 22 |
| 35-49 | 183 | 3.6 | 8 | 2 | 2 | 2 | 4 | 8 | 11 | 15 |
| 50-64 | 228 | 3.3 | 8 | 1 | 2 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 38 | 5.5 | 91 | 2 | 2 | 3 | 5 | 8 | 10 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 573 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 2264 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 3320 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 2087 | 5.9 | 25 | 2 | 2 | 5 | 7 | 11 | 13 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 40 | 6.3 | 32 | 1 | 2 | 4 | 8 | 13 | 16 | 29 |
| 35-49 | 277 | 5.9 | 30 | 2 | 2 | 4 | 8 | 12 | 16 | 26 |
| 50-64 | 430 | 6.5 | 32 | 2 | 2 | 4 | 9 | 13 | 19 | 26 |
| 65+ | 166 | 10.8 | 106 | 2 | 2 | 8 | 14 | 22 | 27 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4023 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 483 | 3.6 | 15 | 2 | 2 | 2 | 3 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8303 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | 914 | 7.1 | 48 | 2 | 2 | 5 | 9 | 16 | 20 | 33 |
| **1. SINGLE DX** | 4506 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 9217 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| **A. NOT OPERATED** | 12326 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 1397 | 5.9 | 39 | 2 | 2 | 3 | 8 | 12 | 17 | 28 |
| TOTAL 0-19 YRS | 132 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 1157 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 4353 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| 50-64 | 5333 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 2748 | 6.0 | 33 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| **GRAND TOTAL** | 13723 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 309 | 2.9 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 20-34 | 40 | 3.4 | 11 | <1 | 1 | 2 | 5 | 7 | 9 | 19 |
| 35-49 | 36 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 21 |
| 50-64 | 38 | 5.1 | 17 | 1 | 1 | 4 | 6 | 12 | 14 | 16 |
| 65+ | 59 | 6.9 | 87 | 1 | 1 | 5 | 7 | 10 | 21 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.3 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 39 | 3.6 | 17 | 1 | 2 | 2 | 3 | 6 | 11 | 24 |
| 35-49 | 59 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 104 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 14 |
| 65+ | 88 | 4.7 | 13 | 1 | 1 | 4 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 204 | 4.8 | 45 | 1 | 1 | 3 | 5 | 11 | 16 | 46 |
| 20-34 | 75 | 4.3 | 23 | <1 | 1 | 3 | 6 | 10 | 12 | 82 |
| 35-49 | 117 | 5.7 | 19 | 1 | 2 | 4 | 7 | 11 | 13 | 24 |
| 50-64 | 319 | 7.6 | 38 | 1 | 2 | 6 | 10 | 15 | 21 | 31 |
| 65+ | 569 | 9.7 | 109 | 2 | 2 | 7 | 12 | 20 | 28 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 10.8 | 206 | 1 | 2 | 6 | 16 | 21 | 44 | 66 |
| 20-34 | 42 | 7.8 | 62 | 1 | 1 | 5 | 13 | 17 | 21 | 41 |
| 35-49 | 76 | 6.0 | 32 | 1 | 1 | 5 | 8 | 13 | 19 | 30 |
| 50-64 | 254 | 8.4 | 91 | 2 | 2 | 5 | 10 | 16 | 21 | 61 |
| 65+ | 325 | 10.9 | 158 | 1 | 2 | 7 | 13 | 23 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 482 | 3.7 | 21 | 1 | 1 | 2 | 5 | 8 | 10 | 20 |
| B. *Operated* | 301 | 4.1 | 11 | 1 | 1 | 3 | 5 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1284 | 7.7 | 72 | 1 | 2 | 5 | 10 | 16 | 21 | 49 |
| B. *Operated* | 717 | 9.3 | 119 | 1 | 2 | 6 | 11 | 20 | 28 | 61 |
| **1. SINGLE DX** | 783 | 3.9 | 17 | 1 | 1 | 2 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 2001 | 8.3 | 89 | 1 | 2 | 6 | 10 | 17 | 23 | 56 |
| **A. NOT OPERATED** | 1766 | 6.6 | 61 | 1 | 1 | 4 | 8 | 14 | 20 | 45 |
| **B. OPERATED** | 1018 | 7.8 | 93 | 1 | 2 | 5 | 9 | 16 | 22 | 51 |
| TOTAL 0-19 YRS | 544 | 3.9 | 31 | 1 | 1 | 2 | 4 | 8 | 12 | 22 |
| 20-34 | 196 | 4.7 | 30 | 1 | 1 | 3 | 5 | 11 | 16 | 36 |
| 35-49 | 288 | 5.1 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 715 | 7.2 | 54 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| 65+ | 1041 | 9.5 | 118 | 1 | 2 | 6 | 11 | 20 | 29 | 69 |
| **GRAND TOTAL** | 2784 | 7.0 | 73 | 1 | 1 | 5 | 9 | 15 | 21 | 48 |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 558 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 581 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 385 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 205 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 1.8 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 20-34 | 88 | 4.2 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 88 | 5.8 | 14 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 50-64 | 90 | 5.8 | 16 | 1 | 2 | 5 | 8 | 10 | 11 | 24 |
| 65+ | 106 | 7.5 | 41 | 2 | 2 | 6 | 10 | 14 | 19 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.2 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 282 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 353 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 441 | 4.6 | 20 | 1 | 1 | 4 | 5 | 8 | 10 | 24 |
| 65+ | 580 | 7.6 | 65 | 1 | 2 | 5 | 9 | 16 | 21 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 3.1 | 16 | <1 | <1 | 1 | 3 | 8 | 13 | 22 |
| 20-34 | 101 | 6.2 | 27 | <1 | 1 | 5 | 8 | 11 | 14 | 31 |
| 35-49 | 165 | 7.0 | 44 | 1 | 2 | 5 | 9 | 13 | 17 | 36 |
| 50-64 | 280 | 8.8 | 45 | 2 | 3 | 7 | 11 | 17 | 20 | 34 |
| 65+ | 527 | 13.5 | 133 | 3 | 4 | 11 | 17 | 26 | 39 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1834 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 494 | 4.9 | 21 | <1 | 1 | 4 | 7 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1724 | 5.2 | 33 | 1 | 1 | 4 | 6 | 10 | 15 | 29 |
| B. *Operated* | 1138 | 10.1 | 93 | 1 | 2 | 8 | 13 | 20 | 29 | 64 |
| **1. SINGLE DX** | 2328 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 2862 | 7.2 | 63 | 1 | 2 | 5 | 9 | 15 | 21 | 46 |
| **A. NOT OPERATED** | 3558 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| **B. OPERATED** | 1632 | 8.5 | 77 | 1 | 1 | 6 | 11 | 18 | 25 | 53 |
| TOTAL 0-19 YRS | 360 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 1029 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 1187 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 50-64 | 1196 | 5.0 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| 65+ | 1418 | 9.2 | 93 | 1 | 2 | 6 | 12 | 19 | 27 | 65 |
| **GRAND TOTAL** | **5190** | **5.3** | **43** | **1** | **1** | **3** | **6** | **12** | **17** | **35** |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2188 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1840 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 864 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 597 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 65+ | 443 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 316 | 4.8 | 18 | <1 | 1 | 4 | 6 | 9 | 13 | 24 |
| 35-49 | 135 | 5.8 | 36 | 1 | 1 | 4 | 7 | 11 | 18 | 32 |
| 50-64 | 61 | 6.4 | 34 | 2 | 2 | 5 | 8 | 14 | 17 | 35 |
| 65+ | 47 | 7.0 | 27 | 1 | 2 | 5 | 10 | 15 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 965 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 1198 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 812 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 50-64 | 1031 | 6.0 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 20 |
| 65+ | 1423 | 7.1 | 35 | 2 | 2 | 6 | 9 | 13 | 16 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 5.5 | 14 | <1 | 1 | 5 | 8 | 10 | 13 | 18 |
| 20-34 | 316 | 6.6 | 46 | 1 | 1 | 5 | 8 | 12 | 17 | 31 |
| 35-49 | 168 | 8.5 | 93 | 1 | 2 | 6 | 10 | 18 | 24 | 38 |
| 50-64 | 181 | 9.9 | 61 | 2 | 2 | 8 | 13 | 21 | 26 | 36 |
| 65+ | 207 | 12.8 | 138 | 3 | 4 | 10 | 15 | 25 | 37 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5932 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 727 | 5.2 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5429 | 5.3 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 972 | 8.7 | 79 | 1 | 2 | 6 | 11 | 18 | 25 | 48 |
| **1. SINGLE DX** | 6659 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 6401 | 5.8 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 11361 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 1699 | 7.2 | 58 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| TOTAL 0-19 YRS | 3421 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 3670 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1979 | 4.9 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 50-64 | 1870 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 65+ | 2120 | 7.1 | 45 | 1 | 2 | 6 | 9 | 13 | 17 | 38 |
| **GRAND TOTAL** | **13060** | **4.6** | **21** | **1** | **1** | **3** | **6** | **9** | **12** | **22** |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 20-34 | 77 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 35-49 | 77 | 4.7 | 25 | <1 | 1 | 3 | 6 | 9 | 11 | 32 |
| 50-64 | 93 | 3.8 | 17 | <1 | 1 | 2 | 4 | 8 | 10 | 25 |
| 65+ | 93 | 5.2 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.3 | 21 | 1 | 1 | 5 | 6 | 13 | 16 | 17 |
| 20-34 | 31 | 5.4 | 62 | 1 | 1 | 3 | 6 | 9 | 24 | 40 |
| 35-49 | 39 | 4.1 | 8 | <1 | 1 | 3 | 6 | 9 | 9 | 11 |
| 50-64 | 57 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 10 | 17 |
| 65+ | 39 | 6.7 | 43 | 1 | 2 | 5 | 9 | 14 | 23 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 227 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 145 | 3.9 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 35-49 | 157 | 6.5 | 48 | 1 | 1 | 5 | 8 | 14 | 19 | 31 |
| 50-64 | 329 | 7.2 | 42 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| 65+ | 709 | 8.3 | 53 | 2 | 2 | 6 | 10 | 16 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.1 | 21 | <1 | 1 | 8 | 11 | 14 | 14 | 14 |
| 20-34 | 61 | 9.0 | 139 | 1 | 2 | 6 | 10 | 18 | 37 | 63 |
| 35-49 | 76 | 9.3 | 124 | 1 | 1 | 6 | 14 | 20 | 25 | 68 |
| 50-64 | 152 | 10.4 | 103 | 1 | 2 | 8 | 13 | 21 | 38 | 67 |
| 65+ | 214 | 14.4 | 174 | 2 | 3 | 11 | 18 | 32 | 39 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 482 | 4.0 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | 179 | 5.0 | 28 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1567 | 6.8 | 43 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| B. *Operated* | 517 | 11.6 | 143 | 1 | 2 | 9 | 14 | 25 | 37 | 72 |
| **1. SINGLE DX** | 661 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| **2. MULTIPLE DX** | 2084 | 8.0 | 72 | 1 | 2 | 5 | 10 | 17 | 24 | 41 |
| **A. NOT OPERATED** | 2049 | 6.1 | 38 | 1 | 1 | 4 | 8 | 13 | 18 | 33 |
| **B. OPERATED** | 696 | 9.9 | 121 | 1 | 2 | 7 | 13 | 22 | 33 | 62 |
| TOTAL 0-19 YRS | 396 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 314 | 4.9 | 44 | 1 | 1 | 3 | 6 | 9 | 13 | 41 |
| 35-49 | 349 | 6.5 | 58 | 1 | 1 | 4 | 8 | 14 | 19 | 33 |
| 50-64 | 631 | 7.2 | 55 | 1 | 2 | 5 | 9 | 16 | 22 | 40 |
| 65+ | 1055 | 9.2 | 81 | 1 | 2 | 7 | 12 | 19 | 27 | 40 |
| **GRAND TOTAL** | 2745 | 7.1 | 62 | 1 | 1 | 5 | 9 | 15 | 21 | 39 |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 968 | 3.9 | 20 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 20-34 | 473 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 479 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 50-64 | 641 | 4.6 | 37 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 65+ | 837 | 6.2 | 60 | 1 | 2 | 4 | 7 | 11 | 17 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 3.8 | 52 | <1 | <1 | 2 | 3 | 8 | 10 | 48 |
| 20-34 | 226 | 3.2 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 35-49 | 193 | 3.2 | 9 | <1 | 1 | 2 | 3 | 7 | 10 | 15 |
| 50-64 | 211 | 4.1 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 137 | 5.7 | 33 | 1 | 1 | 4 | 7 | 13 | 17 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 914 | 5.5 | 35 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| 20-34 | 755 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 1018 | 5.6 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 50-64 | 2332 | 6.9 | 37 | 1 | 2 | 5 | 8 | 14 | 18 | 31 |
| 65+ | 5182 | 8.8 | 72 | 2 | 2 | 7 | 11 | 17 | 24 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 7.4 | 112 | 1 | 1 | 4 | 8 | 14 | 37 | 50 |
| 20-34 | 174 | 5.6 | 70 | <1 | 1 | 3 | 6 | 12 | 15 | 51 |
| 35-49 | 198 | 6.8 | 82 | 1 | 1 | 4 | 9 | 15 | 23 | 99 |
| 50-64 | 460 | 10.1 | 107 | 2 | 2 | 7 | 14 | 23 | 38 | 99+ |
| 65+ | 799 | 15.8 | 236 | 2 | 3 | 12 | 19 | 40 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3398 | 4.6 | 31 | 1 | 1 | 3 | 6 | 9 | 11 | 24 |
| B. *Operated* | 848 | 3.9 | 21 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10201 | 7.5 | 54 | 1 | 2 | 6 | 9 | 15 | 20 | 39 |
| B. *Operated* | 1702 | 11.8 | 177 | 1 | 2 | 8 | 15 | 29 | 46 | 99+ |
| **1. SINGLE DX** | 4246 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | 11903 | 8.1 | 73 | 1 | 2 | 6 | 10 | 16 | 23 | 52 |
| **A. NOT OPERATED** | 13599 | 6.7 | 49 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| **B. OPERATED** | 2550 | 9.2 | 139 | 1 | 1 | 5 | 12 | 22 | 37 | 97 |
| TOTAL 0-19 YRS | 2034 | 4.8 | 32 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| 20-34 | 1628 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 1888 | 5.1 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 3644 | 6.7 | 47 | 1 | 2 | 5 | 8 | 14 | 19 | 39 |
| 65+ | 6955 | 9.3 | 95 | 2 | 2 | 7 | 11 | 18 | 27 | 63 |
| **GRAND TOTAL** | 16149 | 7.1 | 64 | 1 | 2 | 5 | 9 | 14 | 20 | 48 |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 40 | 4.9 | 18 | 1 | 1 | 4 | 7 | 9 | 11 | 23 |
| 35-49 | 7 | 6.9 | 25 | 1 | 1 | 9 | 11 | 12 | 12 | 12 |
| 50-64 | 6 | 13.7 | 345 | 1 | 1 | 7 | 15 | 46 | 50 | 50 |
| 65+ | 9 | 5.8 | 10 | 1 | 1 | 6 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 8.0 | 52 | 2 | 2 | 6 | 9 | 12 | 28 | 36 |
| 20-34 | 18 | 9.4 | 52 | 2 | 2 | 8 | 13 | 16 | 26 | 32 |
| 35-49 | 8 | 12.1 | 126 | 2 | 2 | 8 | 19 | 30 | 34 | 34 |
| 50-64 | 2 | 14.5 | 41 | 10 | 10 | 14 | 19 | 19 | 19 | 19 |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 4.7 | 38 | 1 | 1 | 3 | 5 | 9 | 12 | 35 |
| 20-34 | 61 | 8.0 | 78 | 1 | 2 | 6 | 10 | 15 | 19 | 59 |
| 35-49 | 37 | 9.1 | 82 | 1 | 2 | 6 | 11 | 28 | 34 | 99+ |
| 50-64 | 44 | 12.1 | 162 | 1 | 2 | 8 | 19 | 29 | 46 | 99+ |
| 65+ | 31 | 12.5 | 191 | 1 | 3 | 9 | 12 | 24 | 54 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 15.7 | 347 | 2 | 3 | 8 | 22 | 56 | 78 | 99+ |
| 20-34 | 68 | 18.8 | 437 | 2 | 3 | 12 | 26 | 87 | 99+ | 99+ |
| 35-49 | 37 | 18.6 | 202 | 3 | 4 | 13 | 26 | 42 | 48 | 58 |
| 50-64 | 35 | 18.0 | 243 | 5 | 5 | 13 | 21 | 43 | 43 | 81 |
| 65+ | 19 | 24.1 | 301 | 2 | 3 | 30 | 41 | 71 | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 375 | 3.2 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| B. *Operated* | 76 | 9.0 | 58 | 2 | 2 | 7 | 11 | 17 | 30 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 407 | 7.0 | 81 | 1 | 1 | 4 | 8 | 15 | 23 | 64 |
| B. *Operated* | 258 | 17.9 | 333 | 2 | 4 | 11 | 26 | 53 | 87 | 99+ |
| 1. SINGLE DX | 451 | 4.1 | 25 | 1 | 1 | 2 | 5 | 9 | 12 | 32 |
| 2. MULTIPLE DX | 665 | 11.2 | 206 | 1 | 2 | 6 | 13 | 31 | 53 | 99+ |
| A. NOT OPERATED | 782 | 5.2 | 52 | 1 | 1 | 3 | 6 | 11 | 16 | 49 |
| B. OPERATED | 334 | 15.8 | 284 | 2 | 3 | 10 | 21 | 45 | 73 | 99+ |
| TOTAL 0-19 YRS | 692 | 5.5 | 86 | 1 | 1 | 3 | 6 | 10 | 21 | 60 |
| 20-34 | 187 | 11.4 | 224 | 1 | 2 | 8 | 13 | 33 | 67 | 99+ |
| 35-49 | 89 | 13.1 | 150 | 1 | 2 | 9 | 18 | 32 | 42 | 83 |
| 50-64 | 87 | 14.6 | 206 | 2 | 2 | 11 | 19 | 35 | 44 | 93 |
| 65+ | 61 | 15.0 | 231 | 2 | 3 | 10 | 22 | 49 | 58 | 99+ |
| GRAND TOTAL | 1116 | 8.4 | 145 | 1 | 1 | 5 | 9 | 21 | 38 | 99+ |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 64 | 5.5 | 21 | 1 | 1 | 4 | 8 | 13 | 13 | 22 |
| 35-49 | 32 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 50-64 | 16 | 6.3 | 26 | 1 | 2 | 4 | 8 | 16 | 16 | 16 |
| 65+ | 7 | 6.6 | 16 | 2 | 2 | 5 | 8 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 8.0 | 65 | 2 | 3 | 6 | 8 | 13 | 29 | 39 |
| 20-34 | 13 | 11.5 | 68 | 2 | 4 | 7 | 18 | 25 | 27 | 28 |
| 35-49 | 6 | 6.5 | 34 | 2 | 2 | 5 | 6 | 17 | 18 | 18 |
| 50-64 | 5 | 4.8 | 11 | <1 | <1 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 7 | 14.0 | 54 | 5 | 5 | 17 | 21 | 22 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 5.8 | 32 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| 20-34 | 127 | 8.1 | 52 | 1 | 2 | 6 | 11 | 17 | 27 | 33 |
| 35-49 | 56 | 10.6 | 102 | 2 | 3 | 7 | 12 | 28 | 37 | 40 |
| 50-64 | 56 | 10.4 | 98 | 1 | 3 | 8 | 12 | 22 | 25 | 62 |
| 65+ | 53 | 11.3 | 108 | 1 | 3 | 9 | 14 | 24 | 29 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 15.1 | 332 | 1 | 2 | 10 | 17 | 38 | 70 | 99 |
| 20-34 | 67 | 16.4 | 225 | 3 | 4 | 10 | 24 | 45 | 59 | 99+ |
| 35-49 | 33 | 15.1 | 271 | 3 | 4 | 10 | 22 | 51 | 96 | 99+ |
| 50-64 | 26 | 18.3 | 408 | 2 | 4 | 11 | 29 | 48 | 97 | 99+ |
| 65+ | 23 | 28.8 | 596 | 2 | 3 | 25 | 43 | 56 | 80 | 98 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 339 | 4.0 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| B. *Operated* | 57 | 9.1 | 61 | 2 | 2 | 7 | 10 | 21 | 26 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 493 | 8.0 | 65 | 1 | 2 | 6 | 10 | 17 | 25 | 38 |
| B. *Operated* | 220 | 17.3 | 337 | 2 | 3 | 11 | 25 | 45 | 72 | 99+ |
| 1. SINGLE DX | 396 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 2. MULTIPLE DX | 713 | 10.9 | 167 | 1 | 2 | 7 | 13 | 26 | 38 | 97 |
| A. NOT OPERATED | 832 | 6.4 | 47 | 1 | 1 | 4 | 8 | 13 | 21 | 35 |
| B. OPERATED | 277 | 15.6 | 291 | 2 | 3 | 10 | 22 | 41 | 66 | 99+ |
| TOTAL 0-19 YRS | 518 | 6.1 | 78 | 1 | 1 | 4 | 7 | 13 | 18 | 49 |
| 20-34 | 271 | 9.7 | 104 | 1 | 2 | 7 | 12 | 24 | 32 | 64 |
| 35-49 | 127 | 9.8 | 134 | 1 | 2 | 6 | 11 | 26 | 37 | 99+ |
| 50-64 | 103 | 11.5 | 176 | 1 | 2 | 8 | 14 | 25 | 33 | 98 |
| 65+ | 90 | 15.6 | 278 | 2 | 3 | 10 | 22 | 36 | 49 | 87 |
| GRAND TOTAL | 1109 | 8.7 | 123 | 1 | 1 | 5 | 10 | 21 | 30 | 73 |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 77 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 32 | 3.3 | 8 | <1 | <1 | 2 | 5 | 7 | 10 | 11 |
| 50-64 | 13 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 65+ | 16 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1374 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1341 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 375 | 3.2 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 50-64 | 130 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 65+ | 75 | 4.9 | 21 | 1 | 1 | 3 | 7 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 3.3 | 20 | <1 | 1 | 2 | 4 | 6 | 7 | 31 |
| 20-34 | 174 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 81 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 15 |
| 50-64 | 77 | 5.3 | 24 | 1 | 1 | 4 | 6 | 11 | 15 | 27 |
| 65+ | 166 | 9.1 | 107 | 1 | 2 | 6 | 11 | 20 | 29 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 790 | 4.8 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 20-34 | 1245 | 5.5 | 32 | 1 | 2 | 4 | 6 | 11 | 14 | 33 |
| 35-49 | 401 | 6.9 | 51 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| 50-64 | 256 | 8.0 | 67 | 2 | 2 | 5 | 10 | 16 | 24 | 48 |
| 65+ | 187 | 11.0 | 146 | 1 | 2 | 8 | 13 | 22 | 35 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 194 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| B. *Operated* | 3295 | 2.8 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 585 | 5.4 | 46 | 1 | 1 | 3 | 6 | 11 | 15 | 35 |
| B. *Operated* | 2879 | 6.0 | 46 | 1 | 1 | 4 | 7 | 12 | 17 | 36 |
| **1. SINGLE DX** | 3489 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 3464 | 5.9 | 46 | 1 | 1 | 4 | 7 | 12 | 16 | 36 |
| **A. NOT OPERATED** | 779 | 4.7 | 37 | <1 | 1 | 3 | 6 | 10 | 14 | 31 |
| **B. OPERATED** | 6174 | 4.3 | 27 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| TOTAL 0-19 YRS | 2307 | 3.0 | 12 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 2837 | 4.1 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 35-49 | 889 | 5.0 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 50-64 | 476 | 6.4 | 46 | 1 | 1 | 4 | 8 | 13 | 18 | 40 |
| 65+ | 444 | 9.0 | 111 | 1 | 2 | 6 | 11 | 19 | 29 | 57 |
| **GRAND TOTAL** | 6953 | 4.3 | 28 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 225 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 15 | 27 |
| 20-34 | 429 | 6.9 | 29 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 35-49 | 227 | 7.4 | 31 | 1 | 2 | 7 | 10 | 13 | 16 | 27 |
| 50-64 | 299 | 9.1 | 46 | 2 | 3 | 8 | 11 | 17 | 20 | 31 |
| 65+ | 510 | 11.9 | 62 | 3 | 5 | 10 | 15 | 20 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 13.6 | 96 | 2 | 3 | 11 | 19 | 29 | 32 | 38 |
| 20-34 | 51 | 15.2 | 159 | 2 | 3 | 13 | 19 | 34 | 44 | 62 |
| 35-49 | 19 | 14.2 | 121 | 1 | 4 | 12 | 17 | 35 | 38 | 40 |
| 50-64 | 16 | 20.2 | 279 | 2 | 3 | 16 | 25 | 50 | 59 | 61 |
| 65+ | 14 | 19.1 | 139 | 4 | 6 | 17 | 21 | 35 | 45 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 8.2 | 44 | 1 | 2 | 7 | 10 | 15 | 22 | 38 |
| 20-34 | 353 | 8.3 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 35-49 | 205 | 9.4 | 58 | 2 | 3 | 8 | 11 | 16 | 24 | 47 |
| 50-64 | 464 | 12.8 | 86 | 3 | 4 | 11 | 16 | 25 | 30 | 51 |
| 65+ | 2044 | 15.6 | 129 | 4 | 5 | 13 | 20 | 31 | 46 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 15.5 | 170 | 2 | 3 | 11 | 24 | 34 | 43 | 56 |
| 20-34 | 142 | 18.8 | 294 | 3 | 5 | 13 | 23 | 40 | 66 | 74 |
| 35-49 | 60 | 24.0 | 454 | 6 | 7 | 17 | 36 | 66 | 99 | 99+ |
| 50-64 | 85 | 18.2 | 149 | 4 | 6 | 16 | 24 | 37 | 48 | 85 |
| 65+ | 247 | 26.5 | 345 | 7 | 9 | 22 | 36 | 60 | 85 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1690 | 8.8 | 46 | 2 | 2 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | 133 | 15.7 | 150 | 2 | 3 | 12 | 20 | 32 | 41 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3245 | 13.6 | 112 | 3 | 4 | 11 | 17 | 27 | 36 | 64 |
| B. *Operated* | 600 | 22.1 | 313 | 4 | 6 | 17 | 29 | 48 | 70 | 99+ |
| **1. SINGLE DX** | 1823 | 9.3 | 57 | 2 | 2 | 8 | 12 | 18 | 22 | 40 |
| **2. MULTIPLE DX** | 3845 | 14.9 | 153 | 3 | 4 | 12 | 19 | 31 | 42 | 86 |
| **A. NOT OPERATED** | 4935 | 12.0 | 95 | 2 | 3 | 9 | 15 | 23 | 31 | 57 |
| **B. OPERATED** | 733 | 20.9 | 289 | 3 | 6 | 16 | 28 | 45 | 64 | 99+ |
| TOTAL 0-19 YRS | 503 | 8.7 | 66 | 1 | 2 | 7 | 10 | 19 | 26 | 42 |
| 20-34 | 975 | 9.6 | 95 | 2 | 2 | 7 | 11 | 18 | 26 | 58 |
| 35-49 | 511 | 10.4 | 120 | 2 | 2 | 8 | 12 | 19 | 32 | 84 |
| 50-64 | 864 | 12.2 | 90 | 2 | 4 | 10 | 16 | 24 | 31 | 51 |
| 65+ | 2815 | 15.9 | 149 | 4 | 5 | 13 | 20 | 32 | 42 | 97 |
| **GRAND TOTAL** | 5668 | 13.1 | 129 | 2 | 3 | 10 | 16 | 26 | 37 | 70 |

### 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 13.3 | 141 | 3 | 3 | 10 | 19 | 29 | 42 | 44 |
| 20-34 | 12 | 9.9 | 109 | 1 | 2 | 7 | 10 | 29 | 35 | 36 |
| 35-49 | 10 | 6.6 | 23 | 1 | 1 | 6 | 8 | 14 | 17 | 17 |
| 50-64 | 10 | 10.2 | 26 | 3 | 4 | 11 | 13 | 16 | 19 | 19 |
| 65+ | 13 | 11.9 | 70 | 4 | 4 | 10 | 16 | 26 | 31 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 38.0 | 650 | 16 | 16 | 31 | 55 | 74 | 74 | 74 |
| 20-34 | 7 | 17.0 | 296 | 3 | 4 | 16 | 37 | 85 | 99+ | 99+ |
| 35-49 | 4 | 26.3 | 222 | 4 | 4 | 33 | 34 | 35 | 35 | 35 |
| 50-64 | 5 | 28.0 | 1246 | 4 | 4 | 19 | 37 | 90 | 90 | 90 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 20.5 | 764 | 1 | 1 | 10 | 38 | 61 | 61 | 61 |
| 20-34 | 17 | 10.2 | 41 | 1 | 3 | 9 | 19 | 21 | 69 | 99+ |
| 35-49 | 10 | 10.6 | 37 | 2 | 3 | 9 | 16 | 19 | 19 | 19 |
| 50-64 | 16 | 15.2 | 172 | 4 | 5 | 10 | 17 | 37 | 49 | 53 |
| 65+ | 55 | 15.9 | 151 | 3 | 5 | 14 | 19 | 46 | 56 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 37.7 | 562 | 6 | 9 | 36 | 59 | 64 | 79 | 84 |
| 20-34 | 29 | 39.7 | 730 | 3 | 8 | 50 | 79 | 99+ | 99+ | 99+ |
| 35-49 | 7 | 43.0 | 211 | 26 | 26 | 43 | 53 | 63 | 65 | 65 |
| 50-64 | 7 | 53.9 | 1100 | 22 | 23 | 57 | 95 | 99 | 99+ | 99+ |
| 65+ | 11 | 40.6 | 780 | 9 | 11 | 45 | 76 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 10.5 | 77 | 2 | 3 | 8 | 13 | 23 | 30 | 43 |
| B. *Operated* | 21 | 25.1 | 537 | 3 | 4 | 21 | 35 | 79 | 94 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 14.5 | 146 | 3 | 4 | 12 | 18 | 39 | 54 | 99+ |
| B. *Operated* | 69 | 41.2 | 667 | 7 | 10 | 44 | 70 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 78 | 14.5 | 238 | 2 | 3 | 10 | 19 | 35 | 48 | 97 |
| **2. MULTIPLE DX** | 171 | 25.3 | 526 | 3 | 5 | 17 | 47 | 82 | 99+ | 99+ |
| **A. NOT OPERATED** | 159 | 13.1 | 124 | 2 | 3 | 10 | 17 | 25 | 48 | 99+ |
| **B. OPERATED** | 90 | 37.4 | 677 | 4 | 8 | 37 | 66 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 35 | 27.4 | 538 | 3 | 3 | 18 | 44 | 61 | 71 | 84 |
| 20-34 | 65 | 24.0 | 581 | 2 | 3 | 19 | 57 | 99+ | 99+ | 99+ |
| 35-49 | 31 | 18.6 | 299 | 2 | 3 | 11 | 31 | 46 | 54 | 65 |
| 50-64 | 38 | 22.7 | 643 | 4 | 5 | 13 | 23 | 82 | 96 | 99+ |
| 65+ | 80 | 18.6 | 294 | 4 | 5 | 14 | 22 | 54 | 99 | 99+ |
| **GRAND TOTAL** | 249 | 21.9 | 468 | 3 | 4 | 15 | 38 | 69 | 99+ | 99+ |

### 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.5 | 13 | 1 | 1 | 2 | 5 | 6 | 11 | 18 |
| 20-34 | 76 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 100 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 147 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 65+ | 150 | 6.6 | 34 | 1 | 2 | 5 | 8 | 13 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 5.5 | 33 | 2 | 2 | 3 | 9 | 14 | 14 | 14 |
| 50-64 | 7 | 8.4 | 54 | 2 | 2 | 6 | 9 | 21 | 24 | 24 |
| 65+ | 2 | 11.0 | 98 | 4 | 4 | 11 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 6.0 | 91 | 1 | 1 | 4 | 7 | 11 | 14 | 60 |
| 20-34 | 315 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| 35-49 | 378 | 6.1 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 27 |
| 50-64 | 608 | 7.5 | 33 | 2 | 2 | 6 | 10 | 14 | 18 | 31 |
| 65+ | 1188 | 11.2 | 119 | 2 | 3 | 8 | 13 | 21 | 34 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 14.1 | 275 | 2 | 4 | 8 | 13 | 37 | 49 | 83 |
| 20-34 | 112 | 10.5 | 103 | 2 | 2 | 7 | 11 | 26 | 35 | 49 |
| 35-49 | 114 | 12.4 | 93 | 2 | 3 | 9 | 18 | 25 | 32 | 67 |
| 50-64 | 141 | 15.1 | 211 | 2 | 4 | 10 | 18 | 33 | 49 | 77 |
| 65+ | 184 | 22.2 | 317 | 4 | 6 | 17 | 30 | 51 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 498 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| B. *Operated* | 17 | 6.9 | 39 | 2 | 2 | 4 | 9 | 17 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2585 | 8.6 | 77 | 2 | 2 | 6 | 10 | 17 | 23 | 49 |
| B. *Operated* | 584 | 15.9 | 223 | 2 | 3 | 11 | 20 | 37 | 50 | 99 |
| **1. SINGLE DX** | 515 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 3169 | 10.0 | 112 | 2 | 2 | 7 | 12 | 20 | 30 | 63 |
| **A. NOT OPERATED** | 3083 | 8.0 | 69 | 1 | 2 | 6 | 10 | 16 | 21 | 46 |
| **B. OPERATED** | 601 | 15.6 | 220 | 2 | 3 | 11 | 20 | 37 | 50 | 98 |
| TOTAL 0-19 YRS | 155 | 7.3 | 129 | 1 | 1 | 5 | 8 | 13 | 18 | 81 |
| 20-34 | 506 | 6.0 | 39 | 1 | 1 | 4 | 7 | 11 | 17 | 35 |
| 35-49 | 596 | 6.9 | 40 | 1 | 2 | 5 | 9 | 14 | 20 | 33 |
| 50-64 | 903 | 8.1 | 67 | 1 | 2 | 6 | 10 | 16 | 21 | 48 |
| 65+ | 1524 | 12.1 | 150 | 2 | 3 | 8 | 14 | 25 | 38 | 87 |
| **GRAND TOTAL** | 3684 | 9.2 | 102 | 1 | 2 | 6 | 11 | 19 | 28 | 60 |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 6.6 | 37 | 1 | 2 | 5 | 8 | 13 | 20 | 32 |
| 20-34 | 87 | 9.5 | 93 | 2 | 2 | 7 | 10 | 16 | 32 | 53 |
| 35-49 | 58 | 9.3 | 46 | 2 | 2 | 8 | 12 | 15 | 20 | 42 |
| 50-64 | 132 | 12.6 | 94 | 3 | 5 | 10 | 15 | 26 | 31 | 56 |
| 65+ | 485 | 15.0 | 87 | 4 | 5 | 13 | 19 | 27 | 32 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 20.3 | 386 | 3 | 3 | 21 | 28 | 52 | 60 | 60 |
| 20-34 | 7 | 25.9 | 341 | 3 | 4 | 21 | 43 | 49 | 50 | 50 |
| 35-49 | 8 | 23.9 | 85 | 9 | 11 | 24 | 31 | 35 | 36 | 36 |
| 50-64 | 6 | 31.2 | 137 | 18 | 19 | 29 | 36 | 49 | 51 | 51 |
| 65+ | 9 | 22.0 | 72 | 12 | 13 | 18 | 29 | 35 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 11.8 | 109 | 2 | 3 | 9 | 13 | 25 | 38 | 50 |
| 20-34 | 197 | 15.9 | 193 | 3 | 5 | 11 | 19 | 40 | 47 | 64 |
| 35-49 | 87 | 18.7 | 184 | 5 | 6 | 15 | 27 | 38 | 52 | 86 |
| 50-64 | 208 | 16.1 | 157 | 4 | 5 | 13 | 20 | 32 | 44 | 73 |
| 65+ | 1286 | 20.4 | 200 | 5 | 7 | 17 | 26 | 38 | 53 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 24.1 | 319 | 6 | 7 | 18 | 35 | 52 | 63 | 94 |
| 20-34 | 131 | 26.4 | 374 | 4 | 6 | 21 | 38 | 54 | 63 | 86 |
| 35-49 | 48 | 26.2 | 351 | 5 | 6 | 19 | 35 | 55 | 73 | 78 |
| 50-64 | 63 | 34.2 | 447 | 6 | 9 | 32 | 54 | 70 | 82 | 99+ |
| 65+ | 180 | 32.0 | 336 | 10 | 12 | 30 | 46 | 66 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 868 | 12.7 | 89 | 2 | 4 | 11 | 17 | 25 | 31 | 48 |
| B. *Operated* | 39 | 24.1 | 197 | 3 | 5 | 23 | 34 | 44 | 51 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1907 | 18.8 | 194 | 4 | 6 | 15 | 24 | 37 | 49 | 92 |
| B. *Operated* | 494 | 29.1 | 369 | 6 | 8 | 25 | 41 | 61 | 74 | 99+ |
| **1. SINGLE DX** | 907 | 13.2 | 99 | 2 | 4 | 11 | 17 | 26 | 32 | 50 |
| **2. MULTIPLE DX** | 2401 | 20.9 | 247 | 5 | 6 | 17 | 27 | 45 | 58 | 99+ |
| **A. NOT OPERATED** | 2775 | 16.9 | 169 | 3 | 5 | 14 | 22 | 32 | 45 | 80 |
| **B. OPERATED** | 533 | 28.7 | 358 | 6 | 8 | 25 | 40 | 59 | 73 | 99+ |
| TOTAL 0-19 YRS | 316 | 13.1 | 183 | 2 | 3 | 9 | 15 | 33 | 46 | 67 |
| 20-34 | 422 | 18.0 | 269 | 3 | 4 | 12 | 23 | 45 | 53 | 73 |
| 35-49 | 201 | 18.0 | 218 | 3 | 5 | 14 | 24 | 37 | 52 | 76 |
| 50-64 | 409 | 18.0 | 233 | 4 | 5 | 13 | 23 | 39 | 54 | 86 |
| 65+ | 1960 | 20.1 | 203 | 5 | 7 | 17 | 26 | 38 | 54 | 99+ |
| **GRAND TOTAL** | **3308** | **18.8** | **218** | **4** | **5** | **15** | **24** | **39** | **52** | **91** |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 4.4 | 37 | 1 | 1 | 2 | 4 | 13 | 20 | 27 |
| 20-34 | 43 | 3.2 | 7 | <1 | 1 | 3 | 5 | 6 | 9 | 13 |
| 35-49 | 29 | 5.6 | 41 | 1 | 1 | 4 | 5 | 17 | 22 | 25 |
| 50-64 | 97 | 5.1 | 37 | 1 | 1 | 3 | 5 | 12 | 18 | 32 |
| 65+ | 294 | 7.6 | 107 | 1 | 2 | 5 | 8 | 17 | 22 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 813 | 5.2 | 37 | 1 | 1 | 3 | 5 | 14 | 20 | 26 |
| 20-34 | 146 | 6.1 | 70 | 1 | 1 | 4 | 6 | 12 | 19 | 59 |
| 35-49 | 105 | 5.0 | 26 | 1 | 1 | 4 | 6 | 9 | 12 | 32 |
| 50-64 | 199 | 6.0 | 28 | 1 | 1 | 5 | 8 | 13 | 17 | 29 |
| 65+ | 355 | 8.4 | 62 | 1 | 2 | 6 | 11 | 19 | 24 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 7.2 | 49 | 1 | 1 | 4 | 11 | 18 | 21 | 32 |
| 20-34 | 53 | 5.4 | 24 | <1 | 1 | 4 | 8 | 11 | 15 | 23 |
| 35-49 | 42 | 8.0 | 103 | 1 | 1 | 5 | 9 | 15 | 28 | 54 |
| 50-64 | 166 | 9.8 | 125 | 1 | 2 | 6 | 12 | 20 | 32 | 53 |
| 65+ | 850 | 14.3 | 182 | 2 | 3 | 10 | 18 | 34 | 44 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 9.5 | 98 | 1 | 2 | 5 | 14 | 23 | 30 | 45 |
| 20-34 | 140 | 14.2 | 271 | 1 | 2 | 8 | 18 | 34 | 55 | 91 |
| 35-49 | 118 | 12.4 | 211 | 1 | 2 | 7 | 13 | 33 | 48 | 84 |
| 50-64 | 283 | 11.1 | 142 | 2 | 2 | 7 | 13 | 26 | 32 | 65 |
| 65+ | 718 | 16.4 | 220 | 2 | 3 | 12 | 22 | 40 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 622 | 6.0 | 71 | 1 | 1 | 3 | 7 | 13 | 21 | 44 |
| B. *Operated* | 1618 | 6.1 | 45 | 1 | 1 | 4 | 7 | 15 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1177 | 12.6 | 165 | 1 | 2 | 9 | 16 | 30 | 41 | 87 |
| B. *Operated* | 1495 | 13.8 | 197 | 2 | 2 | 9 | 19 | 33 | 47 | 99+ |
| **1. SINGLE DX** | 2240 | 6.0 | 52 | 1 | 1 | 4 | 7 | 14 | 20 | 33 |
| **2. MULTIPLE DX** | 2672 | 13.3 | 183 | 2 | 2 | 9 | 17 | 32 | 44 | 97 |
| **A. NOT OPERATED** | 1799 | 10.3 | 142 | 1 | 1 | 6 | 15 | 25 | 36 | 72 |
| **B. OPERATED** | 3113 | 9.8 | 133 | 1 | 1 | 6 | 13 | 24 | 34 | 70 |
| TOTAL 0-19 YRS | 1274 | 6.0 | 52 | 1 | 1 | 3 | 7 | 17 | 21 | 32 |
| 20-34 | 382 | 8.6 | 148 | 1 | 1 | 4 | 10 | 21 | 30 | 72 |
| 35-49 | 294 | 8.5 | 123 | 1 | 1 | 5 | 9 | 22 | 33 | 65 |
| 50-64 | 745 | 8.7 | 100 | 1 | 2 | 6 | 10 | 19 | 29 | 51 |
| 65+ | 2217 | 13.1 | 177 | 2 | 2 | 9 | 17 | 32 | 44 | 99+ |
| **GRAND TOTAL** | **4912** | **10.0** | **136** | **1** | **1** | **6** | **13** | **24** | **35** | **70** |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 2.2 | 9 | <1 | 1 | 1 | 3 | 4 | 5 | 16 |
| 20-34 | 34 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 21 | 2.8 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 9 |
| 50-64 | 38 | 4.0 | 27 | <1 | 1 | 2 | 4 | 10 | 12 | 30 |
| 65+ | 61 | 3.9 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2043 | 2.0 | 4 | 1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 507 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 431 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | 709 | 3.4 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 641 | 4.0 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 60 | 4.2 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 39 | 6.5 | 40 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| 50-64 | 56 | 5.9 | 47 | 1 | 1 | 4 | 6 | 12 | 22 | 35 |
| 65+ | 223 | 10.9 | 83 | 1 | 2 | 8 | 15 | 25 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 361 | 4.8 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| 20-34 | 357 | 8.1 | 66 | 1 | 2 | 6 | 10 | 16 | 24 | 55 |
| 35-49 | 245 | 7.8 | 108 | 1 | 2 | 5 | 8 | 15 | 28 | 64 |
| 50-64 | 399 | 7.5 | 79 | 1 | 2 | 5 | 8 | 15 | 23 | 48 |
| 65+ | 747 | 10.2 | 131 | 1 | 2 | 6 | 12 | 23 | 32 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 2.9 | 12 | <1 | 1 | 2 | 3 | 5 | 9 | 16 |
| B. *Operated* | 4331 | 2.9 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 444 | 7.7 | 65 | 1 | 1 | 5 | 10 | 19 | 26 | 99+ |
| B. *Operated* | 2109 | 8.1 | 93 | 1 | 2 | 5 | 9 | 18 | 27 | 57 |
| **1. SINGLE DX** | 4600 | 2.9 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 2553 | 8.1 | 88 | 1 | 1 | 5 | 10 | 18 | 27 | 62 |
| **A. NOT OPERATED** | 713 | 5.9 | 50 | 1 | 1 | 3 | 7 | 15 | 22 | 65 |
| **B. OPERATED** | 6440 | 4.6 | 43 | 1 | 1 | 3 | 5 | 10 | 15 | 36 |
| TOTAL 0-19 YRS | 2585 | 2.5 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 958 | 5.4 | 35 | 1 | 1 | 4 | 6 | 11 | 16 | 31 |
| 35-49 | 736 | 4.9 | 46 | 1 | 1 | 3 | 5 | 9 | 14 | 39 |
| 50-64 | 1202 | 4.9 | 39 | 1 | 1 | 3 | 5 | 10 | 14 | 36 |
| 65+ | 1672 | 7.7 | 88 | 1 | 1 | 5 | 9 | 18 | 25 | 69 |
| **GRAND TOTAL** | 7153 | 4.7 | 44 | 1 | 1 | 3 | 5 | 10 | 16 | 39 |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 42 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 10 | 13 |
| 35-49 | 17 | 4.4 | 18 | <1 | <1 | 3 | 6 | 8 | 14 | 18 |
| 50-64 | 10 | 5.3 | 15 | 2 | 2 | 3 | 9 | 11 | 12 | 12 |
| 65+ | 18 | 3.7 | 10 | 1 | 1 | 2 | 5 | 8 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 624 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 643 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 282 | 2.9 | 17 | <1 | 1 | 2 | 3 | 5 | 7 | 28 |
| 50-64 | 202 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 65+ | 96 | 3.3 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 20-34 | 51 | 3.8 | 9 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 28 | 4.9 | 14 | 1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 50-64 | 31 | 6.5 | 41 | 2 | 2 | 4 | 7 | 16 | 19 | 30 |
| 65+ | 100 | 11.8 | 169 | 1 | 2 | 9 | 14 | 28 | 49 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 20-34 | 321 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 35-49 | 174 | 4.4 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 50-64 | 178 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 65+ | 137 | 8.2 | 70 | 2 | 2 | 5 | 11 | 16 | 26 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 10 | 14 |
| B. *Operated* | 1847 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 7.4 | 94 | 1 | 1 | 4 | 9 | 15 | 28 | 67 |
| B. *Operated* | 1030 | 4.8 | 29 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| **1. SINGLE DX** | 1974 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 1271 | 5.3 | 42 | 1 | 1 | 3 | 6 | 11 | 16 | 34 |
| **A. NOT OPERATED** | 368 | 6.0 | 68 | 1 | 1 | 3 | 7 | 13 | 18 | 57 |
| **B. OPERATED** | 2877 | 3.3 | 16 | <1 | 1 | 2 | 4 | 6 | 10 | 20 |
| TOTAL 0-19 YRS | 915 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 1057 | 3.1 | 12 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 501 | 3.6 | 18 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 50-64 | 421 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 11 | 21 |
| 65+ | 351 | 7.6 | 90 | 1 | 1 | 4 | 10 | 16 | 29 | 58 |
| **GRAND TOTAL** | 3245 | 3.6 | 22 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 14.7 | 275 | 1 | 2 | 7 | 24 | 40 | 49 | 71 |
| 20-34 | 20 | 15.2 | 354 | 2 | 2 | 7 | 17 | 46 | 65 | 69 |
| 35-49 | 16 | 8.6 | 32 | 1 | 1 | 8 | 11 | 17 | 20 | 22 |
| 50-64 | 39 | 11.4 | 103 | 1 | 3 | 9 | 14 | 24 | 36 | 46 |
| 65+ | 207 | 16.0 | 280 | 1 | 2 | 11 | 20 | 38 | 56 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 13.3 | 122 | 3 | 4 | 10 | 16 | 25 | 37 | 58 |
| 20-34 | 55 | 14.8 | 126 | 5 | 5 | 12 | 17 | 28 | 39 | 63 |
| 35-49 | 123 | 16.0 | 143 | 6 | 7 | 13 | 18 | 28 | 38 | 74 |
| 50-64 | 645 | 16.4 | 69 | 7 | 8 | 15 | 19 | 26 | 32 | 48 |
| 65+ | 3479 | 21.6 | 149 | 9 | 11 | 19 | 26 | 38 | 49 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 21.1 | 144 | 4 | 5 | 22 | 31 | 42 | 71 | 99+ |
| 20-34 | 12 | 25.3 | 895 | 2 | 2 | 11 | 39 | 78 | 82 | 83 |
| 35-49 | 20 | 10.1 | 69 | 2 | 3 | 10 | 15 | 57 | 99+ | 99+ |
| 50-64 | 80 | 20.7 | 429 | 3 | 4 | 15 | 23 | 54 | 69 | 93 |
| 65+ | 643 | 22.2 | 363 | 3 | 5 | 17 | 32 | 56 | 85 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 26.7 | 427 | 4 | 7 | 21 | 35 | 71 | 88 | 99+ |
| 20-34 | 129 | 26.5 | 365 | 7 | 9 | 22 | 38 | 60 | 80 | 99+ |
| 35-49 | 139 | 25.2 | 314 | 8 | 10 | 20 | 32 | 60 | 78 | 99+ |
| 50-64 | 879 | 24.6 | 249 | 9 | 11 | 20 | 31 | 48 | 61 | 99+ |
| 65+ | 7927 | 28.3 | 282 | 11 | 13 | 24 | 37 | 59 | 81 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 323 | 14.9 | 252 | 1 | 2 | 10 | 19 | 36 | 48 | 87 |
| B. *Operated* | 4407 | 20.4 | 141 | 8 | 10 | 18 | 24 | 36 | 47 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 774 | 21.7 | 367 | 3 | 4 | 17 | 31 | 56 | 84 | 99+ |
| B. *Operated* | 9145 | 27.9 | 283 | 10 | 12 | 23 | 36 | 58 | 79 | 99+ |
| **1. SINGLE DX** | 4730 | 20.0 | 151 | 6 | 9 | 17 | 24 | 36 | 47 | 94 |
| **2. MULTIPLE DX** | 9919 | 27.4 | 292 | 9 | 12 | 23 | 36 | 58 | 80 | 99+ |
| **A. NOT OPERATED** | 1097 | 19.7 | 343 | 2 | 4 | 14 | 26 | 50 | 76 | 99+ |
| **B. OPERATED** | 13552 | 25.5 | 249 | 9 | 11 | 21 | 32 | 51 | 70 | 99+ |
| TOTAL 0-19 YRS | 236 | 18.2 | 275 | 3 | 4 | 13 | 25 | 43 | 56 | 99+ |
| 20-34 | 216 | 22.4 | 356 | 4 | 6 | 15 | 29 | 57 | 69 | 99+ |
| 35-49 | 298 | 19.5 | 243 | 5 | 7 | 15 | 24 | 41 | 62 | 99+ |
| 50-64 | 1643 | 20.9 | 200 | 7 | 9 | 17 | 24 | 39 | 53 | 97 |
| 65+ | 12256 | 25.9 | 260 | 9 | 11 | 22 | 33 | 53 | 73 | 99+ |
| **GRAND TOTAL** | **14649** | **25.0** | **258** | **8** | **10** | **21** | **32** | **51** | **70** | **99+** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 335 | 23.2 | 255 | 1 | 2 | 23 | 31 | 45 | 53 | 71 |
| 20-34 | 28 | 25.0 | 559 | 2 | 2 | 13 | 49 | 62 | 66 | 99+ |
| 35-49 | 15 | 19.7 | 359 | <1 | 1 | 11 | 37 | 48 | 52 | 53 |
| 50-64 | 26 | 29.1 | 704 | 1 | 2 | 30 | 54 | 90 | 99+ | 99+ |
| 65+ | 84 | 19.4 | 332 | 2 | 4 | 13 | 29 | 56 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 18.7 | 258 | 2 | 2 | 15 | 26 | 43 | 52 | 69 |
| 20-34 | 152 | 19.6 | 294 | 2 | 4 | 16 | 24 | 35 | 59 | 85 |
| 35-49 | 43 | 17.7 | 137 | 4 | 6 | 16 | 24 | 34 | 51 | 99+ |
| 50-64 | 57 | 26.3 | 473 | 6 | 8 | 20 | 38 | 67 | 90 | 99+ |
| 65+ | 199 | 24.6 | 262 | 7 | 9 | 21 | 32 | 48 | 65 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 29.6 | 314 | 4 | 8 | 28 | 40 | 57 | 66 | 99+ |
| 20-34 | 38 | 34.5 | 772 | 1 | 2 | 39 | 55 | 79 | 89 | 99+ |
| 35-49 | 23 | 22.8 | 540 | 3 | 4 | 19 | 46 | 98 | 99+ | 99+ |
| 50-64 | 53 | 33.0 | 713 | 3 | 5 | 27 | 55 | 80 | 95 | 99+ |
| 65+ | 225 | 28.8 | 561 | 3 | 5 | 23 | 52 | 78 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 30.0 | 441 | 4 | 7 | 25 | 42 | 64 | 76 | 99+ |
| 20-34 | 322 | 31.9 | 486 | 5 | 9 | 26 | 48 | 73 | 91 | 99+ |
| 35-49 | 87 | 32.5 | 602 | 3 | 8 | 25 | 59 | 89 | 99+ | 99+ |
| 50-64 | 134 | 33.4 | 549 | 4 | 9 | 28 | 51 | 82 | 94 | 99+ |
| 65+ | 514 | 32.9 | 413 | 9 | 13 | 29 | 51 | 87 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 488 | 22.9 | 314 | 1 | 2 | 22 | 32 | 50 | 60 | 99+ |
| B. *Operated* | 857 | 20.7 | 280 | 2 | 4 | 17 | 27 | 44 | 59 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 493 | 29.7 | 516 | 3 | 5 | 25 | 47 | 70 | 95 | 99+ |
| B. *Operated* | 1463 | 31.9 | 461 | 6 | 10 | 27 | 49 | 75 | 99 | 99+ |
| **1. SINGLE DX** | 1345 | 21.5 | 293 | 2 | 3 | 18 | 30 | 48 | 59 | 99+ |
| **2. MULTIPLE DX** | 1956 | 31.3 | 475 | 5 | 8 | 27 | 48 | 75 | 97 | 99+ |
| **A. NOT OPERATED** | 981 | 26.3 | 426 | 2 | 4 | 23 | 40 | 62 | 79 | 99+ |
| **B. OPERATED** | 2320 | 27.8 | 423 | 4 | 6 | 23 | 40 | 67 | 88 | 99+ |
| TOTAL 0-19 YRS | 1301 | 24.7 | 344 | 2 | 4 | 22 | 35 | 52 | 64 | 93 |
| 20-34 | 540 | 28.2 | 485 | 3 | 5 | 22 | 42 | 68 | 84 | 99+ |
| 35-49 | 168 | 26.2 | 491 | 3 | 4 | 20 | 46 | 82 | 99+ | 99+ |
| 50-64 | 270 | 31.4 | 582 | 4 | 6 | 26 | 52 | 80 | 96 | 99+ |
| 65+ | 1022 | 29.3 | 427 | 6 | 8 | 24 | 45 | 74 | 99+ | 99+ |
| **GRAND TOTAL** | **3301** | **27.3** | **425** | **3** | **5** | **23** | **40** | **65** | **85** | **99+** |

## 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 338 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 146 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 116 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 50-64 | 121 | 7.8 | 52 | 2 | 2 | 6 | 10 | 15 | 19 | 40 |
| 65+ | 149 | 11.0 | 99 | 2 | 3 | 8 | 14 | 22 | 30 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 933 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 20-34 | 640 | 8.1 | 66 | 1 | 2 | 5 | 10 | 17 | 22 | 45 |
| 35-49 | 384 | 8.3 | 58 | 2 | 2 | 6 | 11 | 17 | 22 | 37 |
| 50-64 | 340 | 10.1 | 84 | 2 | 2 | 7 | 13 | 22 | 30 | 47 |
| 65+ | 166 | 11.9 | 111 | 2 | 3 | 9 | 13 | 26 | 35 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 5.8 | 53 | 1 | 1 | 4 | 8 | 12 | 17 | 99+ |
| 20-34 | 118 | 8.6 | 130 | 1 | 2 | 5 | 10 | 17 | 32 | 58 |
| 35-49 | 79 | 11.8 | 184 | 1 | 2 | 7 | 15 | 27 | 35 | 78 |
| 50-64 | 124 | 11.8 | 113 | 2 | 3 | 8 | 15 | 26 | 37 | 50 |
| 65+ | 272 | 17.1 | 229 | 3 | 4 | 13 | 23 | 43 | 60 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 361 | 11.7 | 183 | 2 | 3 | 7 | 14 | 26 | 37 | 88 |
| 20-34 | 487 | 15.9 | 282 | 2 | 3 | 10 | 19 | 40 | 60 | 99+ |
| 35-49 | 284 | 16.5 | 251 | 3 | 4 | 11 | 22 | 43 | 57 | 99+ |
| 50-64 | 316 | 18.3 | 284 | 3 | 5 | 14 | 23 | 44 | 74 | 99+ |
| 65+ | 342 | 24.2 | 394 | 4 | 6 | 19 | 34 | 58 | 80 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 870 | 5.6 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| B. *Operated* | 2463 | 7.3 | 58 | 1 | 2 | 5 | 9 | 15 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 697 | 12.4 | 177 | 1 | 2 | 8 | 16 | 32 | 44 | 99+ |
| B. *Operated* | 1790 | 17.2 | 295 | 2 | 3 | 11 | 22 | 42 | 66 | 99+ |
| **1. SINGLE DX** | 3333 | 6.9 | 54 | 1 | 1 | 5 | 8 | 15 | 21 | 38 |
| **2. MULTIPLE DX** | 2487 | 15.8 | 266 | 2 | 3 | 10 | 21 | 39 | 60 | 99+ |
| **A. NOT OPERATED** | 1567 | 8.7 | 113 | 1 | 1 | 5 | 10 | 20 | 32 | 68 |
| **B. OPERATED** | 4253 | 11.5 | 181 | 1 | 2 | 7 | 14 | 27 | 41 | 91 |
| TOTAL 0-19 YRS | 1736 | 5.8 | 62 | 1 | 1 | 4 | 7 | 12 | 18 | 50 |
| 20-34 | 1391 | 10.5 | 159 | 1 | 2 | 6 | 12 | 23 | 37 | 83 |
| 35-49 | 863 | 11.0 | 144 | 2 | 2 | 7 | 14 | 25 | 35 | 76 |
| 50-64 | 901 | 12.9 | 170 | 2 | 3 | 9 | 16 | 28 | 41 | 99 |
| 65+ | 929 | 17.8 | 276 | 3 | 4 | 13 | 23 | 42 | 63 | 99+ |
| **GRAND TOTAL** | **5820** | **10.7** | **164** | **1** | **2** | **6** | **13** | **25** | **38** | **88** |

## 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 153 | 3.7 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 35-49 | 140 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 21 |
| 50-64 | 162 | 5.5 | 18 | 1 | 1 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 182 | 6.9 | 38 | 1 | 1 | 5 | 9 | 13 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 885 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 1212 | 5.5 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 35-49 | 852 | 6.1 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 944 | 7.7 | 43 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 65+ | 618 | 10.3 | 85 | 2 | 3 | 8 | 12 | 18 | 24 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 6.0 | 59 | 1 | 1 | 4 | 8 | 12 | 19 | 44 |
| 20-34 | 132 | 6.3 | 65 | 1 | 1 | 4 | 7 | 11 | 19 | 36 |
| 35-49 | 113 | 7.3 | 33 | 1 | 2 | 6 | 10 | 16 | 20 | 28 |
| 50-64 | 206 | 8.7 | 51 | 1 | 2 | 7 | 11 | 18 | 23 | 35 |
| 65+ | 433 | 13.1 | 184 | 2 | 3 | 9 | 16 | 27 | 44 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 7.9 | 68 | 2 | 2 | 5 | 9 | 14 | 21 | 49 |
| 20-34 | 807 | 9.1 | 95 | 2 | 3 | 6 | 10 | 17 | 28 | 56 |
| 35-49 | 521 | 10.2 | 114 | 2 | 3 | 7 | 12 | 19 | 28 | 64 |
| 50-64 | 791 | 11.7 | 122 | 3 | 4 | 9 | 14 | 23 | 34 | 62 |
| 65+ | 764 | 17.4 | 272 | 4 | 5 | 12 | 20 | 39 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 790 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 12 | 23 |
| B. *Operated* | 4511 | 6.5 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 984 | 9.9 | 119 | 1 | 2 | 7 | 12 | 21 | 29 | 70 |
| B. *Operated* | 3287 | 11.7 | 153 | 2 | 3 | 8 | 13 | 24 | 37 | 76 |
| **1. SINGLE DX** | 5301 | 6.2 | 32 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | 4271 | 11.3 | 146 | 2 | 3 | 8 | 13 | 23 | 35 | 76 |
| **A. NOT OPERATED** | 1774 | 7.6 | 82 | 1 | 1 | 5 | 9 | 16 | 23 | 53 |
| **B. OPERATED** | 7798 | 8.7 | 90 | 2 | 2 | 6 | 10 | 17 | 24 | 59 |
| TOTAL 0-19 YRS | 1542 | 5.1 | 29 | 1 | 1 | 4 | 6 | 9 | 12 | 27 |
| 20-34 | 2304 | 6.7 | 49 | 1 | 2 | 5 | 8 | 12 | 17 | 37 |
| 35-49 | 1626 | 7.4 | 53 | 1 | 2 | 6 | 9 | 14 | 18 | 42 |
| 50-64 | 2103 | 9.1 | 76 | 2 | 3 | 7 | 11 | 18 | 23 | 46 |
| 65+ | 1997 | 13.3 | 187 | 2 | 3 | 10 | 16 | 27 | 42 | 91 |
| **GRAND TOTAL** | **9572** | **8.5** | **89** | **1** | **2** | **6** | **10** | **17** | **24** | **59** |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 36 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 11 |
| 20-34 | 32 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 35-49 | 16 | 3.8 | 14 | <1 | 1 | 3 | 4 | 7 | 13 | 16 |
| 50-64 | 9 | 3.1 | 5 | <1 | <1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 19 | 7.6 | 167 | 1 | 1 | 2 | 5 | 23 | 42 | 53 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 56 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| 20-34 | 43 | 4.6 | 30 | <1 | 1 | 3 | 4 | 9 | 12 | 35 |
| 35-49 | 9 | 3.9 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| 50-64 | 4 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 7 | 10.0 | 23 | 4 | 4 | 10 | 13 | 17 | 18 | 18 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 104 | 4.3 | 31 | 1 | 1 | 3 | 5 | 8 | 10 | 34 |
| 20-34 | 135 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| 35-49 | 66 | 5.9 | 46 | 1 | 1 | 4 | 6 | 14 | 16 | 41 |
| 50-64 | 87 | 7.6 | 40 | 1 | 2 | 6 | 10 | 16 | 22 | 28 |
| 65+ | 167 | 12.0 | 159 | 1 | 3 | 9 | 15 | 28 | 46 | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 43 | 6.3 | 51 | 1 | 1 | 4 | 7 | 11 | 24 | 35 |
| 20-34 | 73 | 7.9 | 87 | 2 | 2 | 5 | 10 | 16 | 22 | 57 |
| 35-49 | 31 | 11.1 | 456 | 1 | 2 | 5 | 9 | 13 | 78 | 98 |
| 50-64 | 35 | 7.6 | 20 | 2 | 2 | 7 | 10 | 14 | 15 | 21 |
| 65+ | 32 | 24.5 | 469 | 1 | 4 | 21 | 41 | 80 | 97 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 112 | 3.6 | 35 | <1 | 1 | 2 | 4 | 7 | 10 | 38 |
| B. *Operated* | 119 | 4.0 | 16 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 559 | 7.5 | 79 | 1 | 1 | 5 | 10 | 16 | 24 | 83 |
| B. *Operated* | 214 | 10.5 | 212 | 1 | 2 | 6 | 11 | 22 | 44 | 99 |
| **1. SINGLE DX** | 231 | 3.8 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 30 |
| **2. MULTIPLE DX** | 773 | 8.4 | 117 | 1 | 1 | 5 | 10 | 19 | 29 | 94 |
| **A. NOT OPERATED** | 671 | 6.9 | 74 | 1 | 1 | 4 | 9 | 15 | 22 | 71 |
| **B. OPERATED** | 333 | 8.2 | 151 | 1 | 2 | 4 | 9 | 18 | 33 | 86 |
| TOTAL 0-19 YRS | 239 | 4.0 | 25 | 1 | 1 | 3 | 5 | 7 | 10 | 33 |
| 20-34 | 283 | 5.6 | 40 | 1 | 1 | 4 | 7 | 11 | 17 | 34 |
| 35-49 | 122 | 6.8 | 146 | 1 | 1 | 4 | 7 | 12 | 16 | 86 |
| 50-64 | 135 | 7.2 | 33 | 1 | 2 | 6 | 10 | 15 | 20 | 27 |
| 65+ | 225 | 13.4 | 219 | 1 | 2 | 9 | 17 | 40 | 69 | 99+ |
| **GRAND TOTAL** | 1004 | 7.3 | 100 | 1 | 1 | 4 | 9 | 16 | 25 | 82 |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 19 | 3.9 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 2 | 14.5 | 221 | 4 | 4 | 14 | 25 | 25 | 25 | 25 |
| 35-49 | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 50-64 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 9.3 | 4 | 7 | 7 | 10 | 11 | 11 | 11 | 11 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 11.5 | 13 | 9 | 9 | 11 | 14 | 14 | 14 | 14 |
| 20-34 | 5 | 8.2 | 85 | 1 | 1 | 2 | 16 | 21 | 21 | 21 |
| 35-49 | 1 | 16.0 |  | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 50-64 | 3 | 9.0 | 3 | 8 | 8 | 8 | 10 | 11 | 11 | 11 |
| 65+ | 2 | 29.5 | 25 | 26 | 26 | 29 | 33 | 33 | 33 | 33 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 17.3 | 551 | 4 | 4 | 7 | 18 | 59 | 64 | 64 |
| 20-34 | 8 | 12.4 | 77 | 5 | 6 | 9 | 15 | 28 | 31 | 31 |
| 35-49 | 2 | 41.0 | 2592 | 5 | 5 | 41 | 77 | 77 | 77 | 77 |
| 50-64 | 2 | 18.0 | 338 | 5 | 5 | 18 | 31 | 31 | 31 | 31 |
| 65+ | 14 | 14.7 | 206 | 2 | 3 | 11 | 16 | 32 | 51 | 57 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 7 | 24.0 | 536 | 1 | 1 | 22 | 44 | 57 | 59 | 59 |
| 20-34 | 16 | 26.9 | 720 | 2 | 3 | 14 | 35 | 78 | 84 | 86 |
| 35-49 | 6 | 29.7 | 879 | 2 | 3 | 16 | 57 | 74 | 76 | 76 |
| 50-64 | 5 | 29.6 | 242 | 19 | 19 | 23 | 37 | 56 | 56 | 56 |
| 65+ | 7 | 39.0 | 1056 | 10 | 11 | 40 | 77 | 96 | 99+ | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 29 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 12 | 25 |
| B. *Operated* | 13 | 12.8 | 92 | 1 | 2 | 11 | 17 | 27 | 32 | 33 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 32 | 16.5 | 332 | 4 | 4 | 9 | 19 | 39 | 63 | 77 |
| B. *Operated* | 41 | 29.2 | 666 | 2 | 3 | 19 | 56 | 77 | 87 | 99+ |
| **1. SINGLE DX** | 42 | 7.6 | 53 | 1 | 2 | 5 | 9 | 17 | 25 | 33 |
| **2. MULTIPLE DX** | 73 | 23.6 | 554 | 2 | 4 | 14 | 31 | 64 | 79 | 97 |
| **A. NOT OPERATED** | 61 | 11.2 | 213 | 1 | 2 | 7 | 11 | 27 | 43 | 76 |
| **B. OPERATED** | 54 | 25.3 | 574 | 2 | 2 | 16 | 33 | 67 | 84 | 99 |
| TOTAL 0-19 YRS | 34 | 10.9 | 256 | 1 | 2 | 5 | 9 | 29 | 57 | 64 |
| 20-34 | 31 | 19.4 | 462 | 2 | 2 | 10 | 26 | 48 | 79 | 86 |
| 35-49 | 11 | 26.2 | 843 | 2 | 3 | 16 | 47 | 76 | 77 | 77 |
| 50-64 | 13 | 17.2 | 234 | 3 | 4 | 11 | 25 | 36 | 52 | 56 |
| 65+ | 26 | 21.8 | 496 | 3 | 5 | 13 | 28 | 66 | 90 | 99+ |
| **GRAND TOTAL** | 115 | 17.8 | 429 | 2 | 2 | 10 | 22 | 57 | 73 | 92 |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.8 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 19 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | 8 | 2.6 | 8 | <1 | <1 | 1 | 3 | 7 | 9 | 9 |
| 50-64 | 8 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 14 | 2.4 | 4 | 1 | 1 | 2 | 2 | 4 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 338 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 35-49 | 111 | 2.9 | 6 | <1 | <1 | 3 | 4 | 5 | 7 | 15 |
| 50-64 | 74 | 2.7 | 7 | <1 | 1 | 2 | 4 | 5 | 5 | 18 |
| 65+ | 74 | 4.5 | 51 | <1 | 1 | 2 | 4 | 12 | 18 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 25 | 2 | 2 | 2 | 7 | 12 | 12 | 12 |
| 20-34 | 17 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 9 | 4.6 | 9 | <1 | 1 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | 15 | 9.9 | 217 | <1 | 1 | 5 | 11 | 20 | 49 | 59 |
| 65+ | 42 | 7.4 | 48 | 1 | 1 | 5 | 10 | 16 | 30 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.8 | 51 | <1 | 1 | 5 | 9 | 15 | 25 | 27 |
| 20-34 | 80 | 5.0 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 31 | 5.0 | 23 | 1 | 1 | 3 | 7 | 9 | 19 | 21 |
| 50-64 | 40 | 6.5 | 113 | 1 | 1 | 4 | 7 | 10 | 12 | 69 |
| 65+ | 117 | 12.2 | 204 | 1 | 1 | 6 | 18 | 35 | 47 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | 719 | 3.3 | 9 | <1 | 1 | 3 | 4 | 5 | 7 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 6.5 | 67 | 1 | 1 | 4 | 8 | 13 | 21 | 84 |
| B. *Operated* | 280 | 8.3 | 121 | 1 | 1 | 5 | 9 | 22 | 34 | 74 |
| **1. SINGLE DX** | 774 | 3.2 | 9 | <1 | 1 | 3 | 4 | 5 | 7 | 17 |
| **2. MULTIPLE DX** | 367 | 7.9 | 108 | 1 | 1 | 4 | 9 | 20 | 31 | 75 |
| **A. NOT OPERATED** | 142 | 4.8 | 46 | <1 | 1 | 3 | 5 | 11 | 16 | 62 |
| **B. OPERATED** | 999 | 4.7 | 45 | 1 | 1 | 3 | 5 | 8 | 15 | 42 |
| TOTAL 0-19 YRS | 144 | 3.5 | 9 | <1 | 1 | 3 | 4 | 5 | 7 | 18 |
| 20-34 | 454 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 159 | 3.4 | 10 | <1 | <1 | 3 | 4 | 7 | 9 | 19 |
| 50-64 | 137 | 4.5 | 65 | 1 | 1 | 3 | 5 | 8 | 12 | 60 |
| 65+ | 247 | 8.5 | 133 | 1 | 1 | 4 | 10 | 25 | 37 | 99+ |
| **GRAND TOTAL** | 1141 | 4.7 | 46 | 1 | 1 | 3 | 5 | 9 | 16 | 43 |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 8 | 19 |
| 20-34 | 37 | 3.7 | 21 | <1 | 1 | 3 | 4 | 5 | 7 | 29 |
| 35-49 | 14 | 3.9 | 5 | <1 | <1 | 4 | 5 | 6 | 8 | 8 |
| 50-64 | 14 | 2.5 | 3 | <1 | 1 | 2 | 4 | 4 | 6 | 6 |
| 65+ | 3 | 12.0 | 156 | 2 | 2 | 8 | 21 | 26 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1102 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 2047 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 1001 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 537 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 65+ | 85 | 6.1 | 62 | 1 | 2 | 5 | 7 | 8 | 11 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.7 | 26 | <1 | <1 | 2 | 7 | 13 | 15 | 19 |
| 20-34 | 47 | 3.8 | 25 | <1 | <1 | 1 | 5 | 11 | 15 | 26 |
| 35-49 | 29 | 3.4 | 19 | <1 | <1 | 2 | 4 | 8 | 10 | 22 |
| 50-64 | 23 | 3.4 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 10 |
| 65+ | 12 | 12.8 | 286 | 2 | 3 | 7 | 10 | 37 | 59 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 425 | 4.7 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 20-34 | 933 | 4.9 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 22 |
| 35-49 | 478 | 5.3 | 19 | 2 | 2 | 4 | 6 | 9 | 14 | 24 |
| 50-64 | 449 | 5.9 | 28 | 2 | 2 | 5 | 7 | 11 | 17 | 30 |
| 65+ | 122 | 9.1 | 98 | 2 | 2 | 7 | 11 | 20 | 27 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 3.7 | 17 | <1 | 1 | 3 | 5 | 6 | 8 | 27 |
| B. *Operated* | 4772 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 4.6 | 49 | <1 | <1 | 2 | 6 | 10 | 15 | 32 |
| B. *Operated* | 2407 | 5.3 | 23 | 2 | 2 | 4 | 6 | 9 | 13 | 26 |
| **1. SINGLE DX** | 4882 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 2541 | 5.3 | 25 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| **A. NOT OPERATED** | 244 | 4.2 | 34 | <1 | <1 | 3 | 5 | 8 | 12 | 26 |
| **B. OPERATED** | 7179 | 4.5 | 13 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 1592 | 4.0 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 3064 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 1522 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 9 | 20 |
| 50-64 | 1023 | 5.2 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 65+ | 222 | 8.2 | 74 | 2 | 2 | 6 | 9 | 17 | 26 | 43 |
| **GRAND TOTAL** | 7423 | 4.5 | 14 | 1 | 2 | 4 | 5 | 7 | 10 | 20 |

### 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 51 | 4.8 | 17 | <1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 20-34 | 121 | 5.9 | 32 | 1 | 2 | 5 | 6 | 9 | 13 | 39 |
| 35-49 | 84 | 5.5 | 7 | 2 | 3 | 5 | 7 | 10 | 11 | 13 |
| 50-64 | 32 | 7.3 | 38 | 1 | 2 | 6 | 10 | 12 | 22 | 31 |
| 65+ | 16 | 6.6 | 55 | 1 | 1 | 5 | 7 | 15 | 26 | 31 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 271 | 3.6 | 23 | <1 | 1 | 2 | 4 | 8 | 16 | 23 |
| 20-34 | 225 | 4.7 | 41 | <1 | 1 | 2 | 5 | 10 | 17 | 39 |
| 35-49 | 121 | 4.2 | 23 | 1 | 1 | 3 | 4 | 10 | 13 | 25 |
| 50-64 | 83 | 6.7 | 115 | <1 | 1 | 3 | 6 | 15 | 30 | 61 |
| 65+ | 54 | 7.4 | 129 | <1 | 1 | 4 | 8 | 14 | 40 | 50 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 52 | 7.8 | 55 | 2 | 2 | 7 | 8 | 12 | 16 | 43 |
| 20-34 | 212 | 7.9 | 20 | 3 | 4 | 7 | 9 | 12 | 16 | 28 |
| 35-49 | 154 | 8.6 | 61 | 3 | 4 | 7 | 9 | 13 | 17 | 58 |
| 50-64 | 78 | 9.6 | 45 | 2 | 4 | 8 | 13 | 17 | 22 | 38 |
| 65+ | 51 | 11.9 | 123 | 2 | 4 | 8 | 16 | 22 | 34 | 56 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 94 | 10.6 | 128 | 1 | 1 | 6 | 14 | 27 | 38 | 45 |
| 20-34 | 220 | 12.0 | 167 | 1 | 2 | 6 | 17 | 31 | 41 | 54 |
| 35-49 | 95 | 11.9 | 139 | 1 | 2 | 8 | 16 | 28 | 39 | 82 |
| 50-64 | 110 | 9.9 | 123 | 2 | 2 | 6 | 14 | 28 | 36 | 99+ |
| 65+ | 96 | 17.2 | 304 | 2 | 3 | 10 | 23 | 46 | 58 | 69 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 304 | 5.8 | 25 | 1 | 2 | 5 | 7 | 10 | 12 | 31 |
| B. *Operated* | 754 | 4.6 | 47 | <1 | 1 | 2 | 5 | 10 | 16 | 38 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 547 | 8.7 | 49 | 2 | 4 | 7 | 10 | 15 | 18 | 42 |
| B. *Operated* | 615 | 12.2 | 174 | 1 | 2 | 7 | 17 | 31 | 44 | 63 |
| **1. SINGLE DX** | 1058 | 5.0 | 41 | 1 | 1 | 3 | 6 | 10 | 16 | 36 |
| **2. MULTIPLE DX** | 1162 | 10.6 | 118 | 1 | 2 | 7 | 12 | 24 | 35 | 59 |
| **A. NOT OPERATED** | 851 | 7.7 | 42 | 2 | 3 | 7 | 9 | 13 | 17 | 39 |
| **B. OPERATED** | 1369 | 8.0 | 118 | 1 | 1 | 4 | 9 | 22 | 32 | 57 |
| TOTAL 0-19 YRS | 468 | 5.6 | 54 | <1 | 1 | 3 | 6 | 14 | 22 | 41 |
| 20-34 | 778 | 7.8 | 78 | 1 | 1 | 5 | 9 | 17 | 27 | 46 |
| 35-49 | 454 | 7.5 | 65 | 1 | 2 | 6 | 9 | 14 | 22 | 57 |
| 50-64 | 303 | 8.7 | 93 | 1 | 2 | 5 | 10 | 21 | 30 | 63 |
| 65+ | 217 | 12.7 | 216 | 1 | 2 | 7 | 16 | 34 | 50 | 64 |
| **GRAND TOTAL** | 2220 | 7.9 | 89 | 1 | 1 | 5 | 9 | 17 | 27 | 53 |

### 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 48 | 3.8 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 9 |
| 20-34 | 74 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 41 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 50-64 | 35 | 6.0 | 123 | 1 | 1 | 4 | 6 | 9 | 10 | 68 |
| 65+ | 36 | 8.2 | 85 | 2 | 3 | 6 | 9 | 13 | 17 | 57 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 263 | 4.3 | 7 | 1 | 1 | 4 | 6 | 7 | 9 | 12 |
| 20-34 | 448 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 100 | 5.5 | 22 | 2 | 2 | 5 | 7 | 10 | 12 | 30 |
| 50-54 | 63 | 5.6 | 10 | 1 | 2 | 5 | 8 | 10 | 12 | 17 |
| 65+ | 24 | 10.7 | 136 | 2 | 2 | 7 | 14 | 19 | 35 | 58 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 41 | 4.3 | 9 | <1 | 1 | 3 | 6 | 9 | 11 | 12 |
| 20-34 | 43 | 5.1 | 15 | <1 | 1 | 4 | 7 | 11 | 14 | 16 |
| 35-49 | 34 | 7.6 | 42 | 2 | 2 | 5 | 8 | 20 | 22 | 26 |
| 50-64 | 71 | 8.1 | 37 | 2 | 2 | 6 | 11 | 16 | 20 | 29 |
| 65+ | 101 | 11.5 | 103 | 3 | 4 | 9 | 15 | 19 | 29 | 87 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 221 | 5.1 | 10 | 1 | 2 | 5 | 7 | 9 | 10 | 16 |
| 20-34 | 384 | 5.7 | 17 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| 35-49 | 116 | 6.9 | 38 | 1 | 2 | 5 | 8 | 12 | 19 | 36 |
| 50-64 | 61 | 10.9 | 94 | 2 | 3 | 8 | 15 | 20 | 25 | 57 |
| 65+ | 42 | 11.8 | 46 | 3 | 5 | 11 | 17 | 22 | 24 | 30 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 234 | 4.5 | 39 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| B. *Operated* | 898 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 290 | 8.3 | 60 | 1 | 2 | 6 | 11 | 17 | 21 | 46 |
| B. *Operated* | 824 | 6.4 | 29 | 1 | 2 | 5 | 7 | 11 | 16 | 27 |
| **1. SINGLE DX** | 1132 | 4.7 | 19 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 1114 | 6.9 | 37 | 1 | 2 | 5 | 8 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 524 | 6.6 | 54 | 1 | 1 | 5 | 8 | 14 | 18 | 37 |
| **B. OPERATED** | 1722 | 5.5 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | 573 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 949 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 291 | 6.1 | 30 | 1 | 2 | 5 | 7 | 11 | 17 | 30 |
| 50-64 | 230 | 7.9 | 61 | 2 | 2 | 6 | 10 | 16 | 20 | 46 |
| 65+ | 203 | 10.9 | 92 | 2 | 3 | 9 | 14 | 19 | 25 | 66 |
| **GRAND TOTAL** | 2246 | 5.8 | 38 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 5.2 | 11 | 1 | 1 | 4 | 7 | 9 | 12 | 15 |
| 20-34 | 874 | 6.3 | 15 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| 35-49 | 906 | 7.2 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 20 |
| 50-64 | 465 | 7.5 | 21 | 2 | 3 | 7 | 9 | 14 | 17 | 22 |
| 65+ | 151 | 7.3 | 24 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.4 | 14 | 1 | 1 | 5 | 8 | 11 | 12 | 12 |
| 20-34 | 140 | 7.1 | 33 | 1 | 2 | 6 | 10 | 15 | 18 | 35 |
| 35-49 | 121 | 8.2 | 40 | 1 | 2 | 6 | 13 | 18 | 21 | 25 |
| 50-64 | 36 | 8.0 | 31 | 2 | 2 | 6 | 11 | 16 | 20 | 22 |
| 65+ | 5 | 11.6 | 77 | <1 | <1 | 10 | 18 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 5.6 | 12 | 1 | 2 | 5 | 7 | 9 | 13 | 18 |
| 20-34 | 731 | 8.0 | 29 | 2 | 3 | 7 | 10 | 14 | 17 | 31 |
| 35-49 | 964 | 8.7 | 28 | 3 | 3 | 8 | 11 | 15 | 19 | 28 |
| 50-64 | 857 | 8.8 | 29 | 3 | 4 | 8 | 11 | 15 | 19 | 26 |
| 65+ | 648 | 10.1 | 50 | 3 | 4 | 8 | 13 | 18 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 13.1 | 116 | 2 | 2 | 10 | 20 | 30 | 32 | 32 |
| 20-34 | 120 | 10.5 | 66 | 2 | 2 | 8 | 14 | 21 | 26 | 39 |
| 35-49 | 160 | 12.0 | 104 | 2 | 3 | 9 | 16 | 25 | 29 | 51 |
| 50-64 | 105 | 11.6 | 64 | 2 | 3 | 9 | 17 | 23 | 26 | 38 |
| 65+ | 60 | 19.4 | 224 | 6 | 8 | 15 | 23 | 40 | 57 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2517 | 6.8 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 21 |
| B. *Operated* | 311 | 7.7 | 36 | 1 | 2 | 6 | 11 | 16 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3300 | 8.8 | 33 | 2 | 3 | 8 | 11 | 15 | 19 | 29 |
| B. *Operated* | 452 | 12.5 | 107 | 2 | 3 | 10 | 17 | 25 | 32 | 52 |
| **1. SINGLE DX** | 2828 | 6.9 | 20 | 2 | 2 | 6 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 3752 | 9.2 | 43 | 2 | 3 | 8 | 12 | 16 | 21 | 33 |
| **A. NOT OPERATED** | 5817 | 7.9 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| **B. OPERATED** | 763 | 10.5 | 84 | 2 | 2 | 8 | 14 | 22 | 26 | 46 |
| TOTAL 0-19 YRS | 237 | 5.6 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 20-34 | 1865 | 7.3 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| 35-49 | 2151 | 8.3 | 31 | 2 | 3 | 7 | 11 | 15 | 18 | 28 |
| 50-64 | 1463 | 8.6 | 30 | 2 | 3 | 7 | 11 | 15 | 19 | 27 |
| 65+ | 864 | 10.2 | 65 | 3 | 4 | 8 | 13 | 19 | 24 | 46 |
| **GRAND TOTAL** | **6580** | **8.2** | **34** | **2** | **3** | **7** | **10** | **15** | **19** | **29** |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 232 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 621 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 453 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 17 |
| 50-64 | 207 | 6.6 | 16 | 2 | 2 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 57 | 5.8 | 21 | 1 | 2 | 4 | 7 | 13 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 128 | 5.4 | 22 | 1 | 2 | 4 | 7 | 11 | 17 | 23 |
| 35-49 | 102 | 6.5 | 40 | 1 | 2 | 4 | 8 | 14 | 18 | 34 |
| 50-64 | 29 | 5.2 | 12 | 1 | 2 | 5 | 7 | 11 | 12 | 13 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 312 | 4.8 | 16 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |
| 20-34 | 1358 | 6.8 | 18 | 2 | 2 | 6 | 8 | 12 | 15 | 21 |
| 35-49 | 990 | 8.1 | 29 | 2 | 3 | 7 | 10 | 14 | 17 | 30 |
| 50-64 | 624 | 8.0 | 27 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 371 | 9.4 | 55 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.7 | 7 | 5 | 5 | 9 | 10 | 12 | 12 | 12 |
| 20-34 | 142 | 8.8 | 66 | 2 | 2 | 6 | 12 | 17 | 19 | 40 |
| 35-49 | 133 | 10.3 | 71 | 2 | 2 | 8 | 12 | 21 | 28 | 39 |
| 50-64 | 74 | 10.8 | 70 | 2 | 2 | 8 | 14 | 22 | 29 | 39 |
| 65+ | 21 | 17.4 | 271 | 4 | 6 | 12 | 23 | 49 | 86 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1570 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | 263 | 5.8 | 28 | 1 | 2 | 4 | 7 | 12 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3655 | 7.4 | 27 | 2 | 3 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | 376 | 10.2 | 82 | 2 | 2 | 8 | 13 | 20 | 27 | 41 |
| **1. SINGLE DX** | 1833 | 5.5 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | 4031 | 7.7 | 33 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **A. NOT OPERATED** | 5225 | 6.9 | 24 | 1 | 2 | 6 | 8 | 13 | 16 | 26 |
| **B. OPERATED** | 639 | 8.4 | 64 | 2 | 2 | 6 | 11 | 18 | 22 | 39 |
| TOTAL 0-19 YRS | 553 | 4.4 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 2249 | 6.4 | 20 | 1 | 2 | 6 | 8 | 12 | 15 | 21 |
| 35-49 | 1678 | 7.6 | 31 | 2 | 3 | 6 | 10 | 14 | 17 | 32 |
| 50-64 | 934 | 7.8 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| 65+ | 450 | 9.3 | 64 | 2 | 3 | 7 | 11 | 19 | 28 | 53 |
| **GRAND TOTAL** | **5864** | **7.0** | **29** | **1** | **2** | **6** | **9** | **13** | **17** | **27** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 20-34 | 112 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 72 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 53 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 65+ | 53 | 4.8 | 12 | 1 | 1 | 4 | 7 | 9 | 13 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 512 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 372 | 4.0 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 16 |
| 50-64 | 332 | 4.9 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 23 |
| 65+ | 97 | 6.5 | 23 | 2 | 2 | 5 | 8 | 10 | 15 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.1 | 7 | 1 | 1 | 3 | 5 | 9 | 10 | 12 |
| 20-34 | 113 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 115 | 5.0 | 19 | 1 | 1 | 4 | 6 | 10 | 15 | 22 |
| 50-64 | 139 | 5.9 | 55 | 1 | 1 | 4 | 7 | 12 | 15 | 40 |
| 65+ | 226 | 10.1 | 85 | 2 | 2 | 8 | 13 | 19 | 27 | 69 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.6 | 51 | 1 | 1 | 3 | 5 | 7 | 9 | 46 |
| 20-34 | 129 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 13 | 21 |
| 35-49 | 99 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 13 |
| 50-64 | 151 | 7.6 | 63 | 2 | 3 | 6 | 9 | 14 | 17 | 42 |
| 65+ | 107 | 12.5 | 164 | 2 | 2 | 8 | 17 | 26 | 41 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 380 | 3.3 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| *B. Operated* | 1530 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 664 | 6.6 | 52 | 1 | 2 | 5 | 8 | 14 | 18 | 36 |
| *B. Operated* | 525 | 7.0 | 69 | 2 | 2 | 5 | 7 | 15 | 20 | 47 |
| **1. SINGLE DX** | 1910 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| **2. MULTIPLE DX** | 1189 | 6.8 | 60 | 1 | 2 | 5 | 8 | 14 | 18 | 42 |
| **A. NOT OPERATED** | 1044 | 5.4 | 39 | 1 | 1 | 4 | 7 | 12 | 15 | 31 |
| **B. OPERATED** | 2055 | 4.8 | 26 | 1 | 2 | 4 | 5 | 8 | 12 | 25 |
| TOTAL 0-19 YRS | 417 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 866 | 3.7 | 6 | <1 | 1 | 3 | 5 | 6 | 7 | 14 |
| 35-49 | 658 | 4.1 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 675 | 5.5 | 35 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| 65+ | 483 | 9.3 | 88 | 2 | 2 | 7 | 11 | 18 | 27 | 61 |
| **GRAND TOTAL** | 3099 | 5.0 | 30 | 1 | 1 | 4 | 6 | 9 | 14 | 27 |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3237 | 1.7 | 2 | 1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 997 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 304 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 7 | 15 |
| 50-64 | 166 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 65+ | 100 | 4.9 | 54 | 1 | 1 | 3 | 5 | 10 | 13 | 46 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.3 | 27 | 1 | 1 | 1 | 3 | 9 | 16 | 24 |
| 20-34 | 12 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 6 |
| 35-49 | 6 | 2.2 | 2 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 50-64 | 4 | 6.3 | 31 | 1 | 1 | 5 | 10 | 14 | 14 | 14 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3292 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 2702 | 3.8 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1046 | 4.9 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| 50-64 | 832 | 5.8 | 36 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 946 | 8.4 | 77 | 1 | 2 | 6 | 10 | 18 | 28 | 56 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 944 | 5.0 | 72 | 1 | 1 | 2 | 5 | 10 | 17 | 52 |
| 20-34 | 1089 | 5.1 | 48 | 1 | 1 | 3 | 6 | 10 | 15 | 40 |
| 35-49 | 421 | 6.4 | 103 | 1 | 1 | 4 | 6 | 13 | 20 | 65 |
| 50-64 | 301 | 8.1 | 106 | 1 | 1 | 5 | 10 | 19 | 27 | 56 |
| 65+ | 351 | 11.8 | 197 | 1 | 2 | 7 | 14 | 30 | 46 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4804 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| *B. Operated* | 46 | 3.2 | 18 | 1 | 1 | 2 | 3 | 8 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 8818 | 4.2 | 25 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| *B. Operated* | 3106 | 6.3 | 90 | 1 | 1 | 3 | 7 | 13 | 21 | 55 |
| **1. SINGLE DX** | 4850 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 11924 | 4.7 | 43 | 1 | 1 | 3 | 5 | 10 | 14 | 36 |
| **A. NOT OPERATED** | 13622 | 3.4 | 19 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| **B. OPERATED** | 3152 | 6.2 | 89 | 1 | 1 | 3 | 7 | 13 | 21 | 55 |
| TOTAL 0-19 YRS | 7496 | 2.5 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 4800 | 3.8 | 22 | 1 | 1 | 2 | 5 | 7 | 10 | 22 |
| 35-49 | 1777 | 4.9 | 42 | 1 | 1 | 3 | 6 | 10 | 14 | 36 |
| 50-64 | 1303 | 5.9 | 51 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| 65+ | 1398 | 9.0 | 109 | 1 | 2 | 6 | 11 | 19 | 31 | 63 |
| **GRAND TOTAL** | 16774 | 3.9 | 33 | 1 | 1 | 2 | 4 | 8 | 12 | 30 |

### 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 837 | 2.1 | 11 | 1 | 1 | 1 | 2 | 4 | 5 | 13 |
| 20-34 | 248 | 3.5 | 32 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 35-49 | 86 | 4.6 | 45 | 1 | 1 | 2 | 5 | 9 | 15 | 42 |
| 50-64 | 46 | 3.8 | 19 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 65+ | 64 | 8.8 | 78 | 1 | 1 | 6 | 12 | 25 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 10.9 | 117 | 1 | 2 | 7 | 14 | 25 | 30 | 54 |
| 20-34 | 35 | 16.4 | 368 | 1 | 2 | 12 | 20 | 43 | 87 | 99+ |
| 35-49 | 27 | 15.5 | 165 | 1 | 3 | 13 | 19 | 25 | 39 | 66 |
| 50-64 | 30 | 15.0 | 96 | 4 | 6 | 13 | 17 | 29 | 38 | 44 |
| 65+ | 58 | 20.3 | 345 | 5 | 7 | 13 | 30 | 58 | 93 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 875 | 3.1 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 21 |
| 20-34 | 448 | 5.1 | 49 | 1 | 1 | 3 | 6 | 10 | 16 | 46 |
| 35-49 | 233 | 6.1 | 46 | 1 | 1 | 4 | 7 | 13 | 21 | 38 |
| 50-64 | 220 | 7.4 | 56 | 1 | 1 | 5 | 10 | 16 | 23 | 36 |
| 65+ | 422 | 12.3 | 162 | 2 | 2 | 8 | 15 | 29 | 41 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 15.1 | 455 | 1 | 1 | 5 | 24 | 64 | 94 | 99+ |
| 20-34 | 258 | 16.9 | 452 | 1 | 1 | 9 | 30 | 61 | 99 | 99+ |
| 35-49 | 101 | 17.6 | 444 | 1 | 2 | 10 | 25 | 71 | 94 | 99+ |
| 50-64 | 114 | 20.2 | 326 | 1 | 2 | 16 | 35 | 65 | 99+ | 99+ |
| 65+ | 176 | 24.1 | 458 | 2 | 3 | 20 | 37 | 81 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1281 | 2.9 | 23 | 1 | 1 | 2 | 3 | 6 | 9 | 25 |
| B. *Operated* | 182 | 16.3 | 248 | 2 | 3 | 12 | 20 | 41 | 66 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2198 | 6.0 | 69 | 1 | 1 | 3 | 7 | 14 | 22 | 46 |
| B. *Operated* | 877 | 18.4 | 445 | 1 | 1 | 11 | 31 | 66 | 99+ | 99+ |
| **1. SINGLE DX** | 1463 | 4.6 | 70 | 1 | 1 | 2 | 4 | 11 | 19 | 50 |
| **2. MULTIPLE DX** | 3075 | 9.5 | 207 | 1 | 1 | 4 | 11 | 29 | 47 | 99+ |
| **A. NOT OPERATED** | 3479 | 4.9 | 54 | 1 | 1 | 2 | 5 | 11 | 18 | 42 |
| **B. OPERATED** | 1059 | 18.0 | 412 | 1 | 1 | 12 | 29 | 63 | 97 | 99+ |
| TOTAL 0-19 YRS | 1972 | 4.2 | 82 | 1 | 1 | 2 | 3 | 8 | 17 | 67 |
| 20-34 | 989 | 8.2 | 193 | 1 | 1 | 3 | 8 | 24 | 45 | 99+ |
| 35-49 | 447 | 9.0 | 169 | 1 | 1 | 5 | 10 | 24 | 39 | 99+ |
| 50-64 | 410 | 11.1 | 167 | 1 | 1 | 7 | 15 | 32 | 44 | 99+ |
| 65+ | 720 | 15.5 | 271 | 2 | 2 | 11 | 22 | 41 | 65 | 99+ |
| **GRAND TOTAL** | 4538 | 8.0 | 168 | 1 | 1 | 3 | 8 | 23 | 39 | 99+ |

### 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 40 | 3.6 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 13 | 5.2 | 30 | 1 | 1 | 3 | 5 | 17 | 17 | 17 |
| 50-64 | 10 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 65+ | 5 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 7.3 | 42 | 1 | 2 | 5 | 8 | 17 | 22 | 32 |
| 20-34 | 60 | 6.9 | 10 | 3 | 3 | 6 | 9 | 12 | 13 | 16 |
| 35-49 | 20 | 5.5 | 6 | 1 | 2 | 5 | 8 | 9 | 9 | 10 |
| 50-64 | 12 | 5.8 | 16 | <1 | 1 | 6 | 8 | 12 | 14 | 14 |
| 65+ | 7 | 8.0 | 16 | 6 | 6 | 7 | 7 | 15 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 5.2 | 20 | 1 | 1 | 3 | 8 | 10 | 15 | 20 |
| 20-34 | 90 | 6.1 | 15 | 1 | 2 | 5 | 9 | 12 | 14 | 16 |
| 35-49 | 50 | 7.1 | 25 | 2 | 2 | 6 | 9 | 14 | 19 | 20 |
| 50-64 | 57 | 6.8 | 35 | 1 | 2 | 5 | 8 | 14 | 20 | 29 |
| 65+ | 63 | 10.7 | 104 | 2 | 2 | 8 | 14 | 19 | 23 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 13.2 | 212 | 3 | 4 | 8 | 14 | 51 | 64 | 99+ |
| 20-34 | 199 | 11.1 | 106 | 3 | 4 | 8 | 13 | 21 | 33 | 57 |
| 35-49 | 87 | 15.8 | 218 | 3 | 4 | 10 | 20 | 31 | 43 | 76 |
| 50-64 | 63 | 17.3 | 369 | 4 | 5 | 11 | 18 | 27 | 67 | 98 |
| 65+ | 54 | 17.4 | 166 | 4 | 6 | 14 | 25 | 35 | 41 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| B. *Operated* | 136 | 6.8 | 19 | 2 | 3 | 6 | 8 | 11 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 7.2 | 43 | 1 | 2 | 6 | 9 | 14 | 19 | 28 |
| B. *Operated* | 485 | 13.8 | 190 | 3 | 4 | 9 | 16 | 29 | 45 | 89 |
| **1. SINGLE DX** | 228 | 5.5 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 786 | 11.3 | 144 | 2 | 3 | 8 | 13 | 23 | 35 | 73 |
| **A. NOT OPERATED** | 393 | 6.4 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| **B. OPERATED** | 621 | 12.3 | 161 | 3 | 4 | 8 | 14 | 26 | 40 | 75 |
| TOTAL 0-19 YRS | 184 | 9.0 | 123 | 1 | 2 | 6 | 9 | 19 | 42 | 99+ |
| 20-34 | 389 | 8.5 | 67 | 2 | 2 | 7 | 10 | 14 | 21 | 47 |
| 35-49 | 170 | 11.2 | 143 | 2 | 3 | 8 | 13 | 24 | 31 | 72 |
| 50-64 | 142 | 11.1 | 209 | 1 | 2 | 7 | 12 | 22 | 28 | 97 |
| 65+ | 129 | 13.0 | 137 | 2 | 3 | 9 | 16 | 29 | 35 | 67 |
| **GRAND TOTAL** | 1014 | 10.0 | 121 | 2 | 2 | 7 | 11 | 20 | 29 | 67 |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 371 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 20-34 | 17[illegible] | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 11 | 19 |
| 35-49 | 48 | 4.4 | 11 | 1 | 1 | 3 | 7 | 9 | 12 | 13 |
| 50-64 | 30 | 4.3 | 14 | 1 | 1 | 3 | 5 | 11 | 14 | 14 |
| 65+ | 19 | 6.8 | 48 | <1 | 1 | 3 | 12 | 19 | 23 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 131 | 7.8 | 19 | 2 | 4 | 7 | 9 | 12 | 17 | 25 |
| 20-34 | 132 | 9.3 | 32 | 4 | 5 | 8 | 10 | 14 | 19 | 36 |
| 35-49 | 48 | 7.6 | 13 | 1 | 3 | 7 | 10 | 13 | 15 | 16 |
| 50-64 | 20 | 9.3 | 28 | 3 | 4 | 9 | 10 | 12 | 21 | 29 |
| 65+ | 9 | 17.6 | 293 | 1 | 2 | 12 | 26 | 46 | 52 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 340 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| 20-34 | 261 | 4.8 | 18 | 1 | 1 | 4 | 7 | 10 | 11 | 16 |
| 35-49 | 103 | 4.2 | 11 | 1 | 1 | 3 | 5 | 7 | 11 | 19 |
| 50-64 | 63 | 5.9 | 19 | 1 | 1 | 5 | 8 | 12 | 15 | 20 |
| 65+ | 71 | 7.3 | 49 | 2 | 2 | 6 | 9 | 11 | 16 | 47 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 14.4 | 188 | 3 | 5 | 10 | 15 | 27 | 46 | 76 |
| 20-34 | 461 | 16.4 | 252 | 4 | 6 | 11 | 19 | 38 | 57 | 99 |
| 35-49 | 175 | 16.5 | 249 | 2 | 5 | 12 | 19 | 37 | 53 | 98 |
| 50-64 | 119 | 19.7 | 239 | 4 | 7 | 14 | 28 | 47 | 58 | 99+ |
| 65+ | 76 | 21.9 | 401 | 4 | 6 | 16 | 24 | 51 | 78 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 644 | 4.3 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| *B. Operated* | 340 | 8.7 | 32 | 2 | 4 | 7 | 10 | 13 | 18 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 838 | 4.9 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| *B. Operated* | 1104 | 16.6 | 248 | 4 | 6 | 11 | 20 | 39 | 53 | 97 |
| **1. SINGLE DX** | 984 | 5.8 | 24 | 1 | 1 | 5 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 1942 | 11.6 | 183 | 1 | 2 | 8 | 13 | 26 | 42 | 85 |
| **A. NOT OPERATED** | 1482 | 4.6 | 16 | 1 | 1 | 3 | 6 | 10 | 12 | 18 |
| **B. OPERATED** | 1444 | 14.8 | 209 | 3 | 5 | 10 | 16 | 32 | 48 | 94 |
| TOTAL 0-19 YRS | 1115 | 7.2 | 74 | 1 | 2 | 5 | 9 | 14 | 20 | 48 |
| 20-34 | 1030 | 10.4 | 155 | 1 | 2 | 7 | 11 | 22 | 36 | 82 |
| 35-49 | 374 | 10.4 | 156 | 1 | 2 | 7 | 12 | 23 | 36 | 84 |
| 50-64 | 232 | 13.1 | 180 | 1 | 2 | 9 | 15 | 33 | 47 | 99+ |
| 65+ | 175 | 14.1 | 263 | 2 | 3 | 9 | 17 | 38 | 51 | 95 |
| **GRAND TOTAL** | 2926 | 9.6 | 137 | 1 | 2 | 7 | 11 | 20 | 32 | 77 |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 20-34 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 4.8 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 106 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 42 | 3.8 | 9 | <1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 50-64 | 29 | 3.9 | 9 | 1 | 1 | 2 | 6 | 5 | 9 | 12 |
| 65+ | 16 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 20-34 | 17 | 3.1 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 35-49 | 12 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 50-64 | 6 | 4.2 | 18 | 1 | 1 | 2 | 6 | 11 | 12 | 12 |
| 65+ | 10 | 6.3 | 16 | 2 | 2 | 6 | 8 | 12 | 14 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 5.4 | 67 | 1 | 1 | 4 | 6 | 10 | 15 | 39 |
| 20-34 | 153 | 4.7 | 35 | 1 | 1 | 4 | 5 | 9 | 10 | 27 |
| 35-49 | 65 | 4.8 | 17 | 1 | 1 | 4 | 6 | 11 | 14 | 19 |
| 50-64 | 53 | 6.0 | 68 | 1 | 1 | 4 | 7 | 14 | 29 | 42 |
| 65+ | 65 | 8.1 | 42 | 1 | 2 | 6 | 12 | 20 | 22 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 30 | 3.0 | 5 | 1 | 1 | 3 | 4 | 6 | 6 | 11 |
| *B. Operated* | 396 | 3.1 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 67 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 14 |
| *B. Operated* | 515 | 5.6 | 49 | 1 | 1 | 4 | 6 | 11 | 16 | 39 |
| **1. SINGLE DX** | 426 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 582 | 5.4 | 45 | 1 | 1 | 4 | 6 | 11 | 15 | 35 |
| **A. NOT OPERATED** | 97 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 911 | 4.5 | 33 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| TOTAL 0-19 YRS | 424 | 3.9 | 34 | 1 | 1 | 2 | 5 | 8 | 11 | 22 |
| 20-34 | 280 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 123 | 4.4 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 89 | 5.6 | 46 | 1 | 1 | 4 | 6 | 11 | 14 | 40 |
| 65+ | 92 | 7.0 | 36 | 1 | 2 | 5 | 9 | 16 | 21 | 69 |
| **GRAND TOTAL** | 1008 | 4.4 | 30 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 74 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 34 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 9 | 10 |
| 50-64 | 24 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 17 | 5.5 | 52 | <1 | 1 | 3 | 7 | 13 | 24 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 343 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 218 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 14 |
| 35-49 | 90 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 50-64 | 50 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 38 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 2.8 | 14 | <1 | 1 | 2 | 4 | 5 | 6 | 12 |
| 20-34 | 244 | 3.4 | 17 | <1 | 1 | 2 | 4 | 7 | 9 | 23 |
| 35-49 | 125 | 3.9 | 15 | <1 | 1 | 3 | 5 | 7 | 10 | 23 |
| 50-64 | 83 | 5.4 | 47 | 1 | 1 | 3 | 7 | 10 | 15 | 45 |
| 65+ | 220 | 9.5 | 119 | 1 | 2 | 7 | 12 | 19 | 28 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 626 | 3.8 | 39 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 20-34 | 753 | 4.6 | 43 | 1 | 1 | 3 | 5 | 8 | 13 | 39 |
| 35-49 | 313 | 6.3 | 88 | 1 | 1 | 3 | 7 | 13 | 19 | 60 |
| 50-64 | 248 | 6.0 | 51 | 1 | 1 | 4 | 7 | 13 | 16 | 39 |
| 65+ | 347 | 10.0 | 154 | 1 | 1 | 6 | 11 | 25 | 41 | 66 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 247 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 739 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 879 | 5.1 | 51 | 1 | 1 | 3 | 6 | 11 | 16 | 38 |
| B. *Operated* | 2287 | 5.6 | 70 | 1 | 1 | 3 | 6 | 12 | 19 | 49 |
| 1. SINGLE DX | 986 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 2. MULTIPLE DX | 3166 | 5.5 | 65 | 1 | 1 | 3 | 6 | 11 | 18 | 48 |
| A. NOT OPERATED | 1126 | 4.5 | 43 | <1 | 1 | 3 | 5 | 10 | 14 | 33 |
| B. OPERATED | 3026 | 4.8 | 56 | <1 | 1 | 3 | 5 | 10 | 16 | 44 |
| TOTAL 0-19 YRS | 1274 | 3.1 | 24 | <1 | 1 | 2 | 4 | 6 | 8 | 20 |
| 20-34 | 1289 | 4.0 | 31 | <1 | 1 | 2 | 4 | 8 | 12 | 27 |
| 35-49 | 562 | 5.0 | 56 | 1 | 1 | 3 | 6 | 10 | 15 | 53 |
| 50-64 | 405 | 5.2 | 43 | 1 | 1 | 3 | 7 | 10 | 15 | 36 |
| 65+ | 622 | 9.3 | 133 | 1 | 1 | 6 | 11 | 21 | 34 | 73 |
| GRAND TOTAL | 4152 | 4.8 | 52 | <1 | 1 | 3 | 5 | 10 | 18 | 42 |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 321 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 101 | 2.8 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 50-64 | 37 | 3.0 | 31 | 1 | 1 | 2 | 3 | 4 | 7 | 35 |
| 65+ | 6 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 3.7 | 30 | <1 | 1 | 2 | 4 | 7 | 12 | 26 |
| 20-34 | 216 | 5.3 | 25 | 1 | 1 | 4 | 7 | 10 | 15 | 21 |
| 35-49 | 77 | 4.7 | 21 | <1 | 1 | 3 | 7 | 10 | 12 | 26 |
| 50-64 | 37 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 65+ | 7 | 7.9 | 113 | 1 | 1 | 3 | 8 | 27 | 31 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.6 | 13 | 1 | 1 | 3 | 4 | 9 | 12 | 83 |
| 20-34 | 205 | 4.2 | 19 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 75 | 5.5 | 70 | 1 | 1 | 4 | 6 | 9 | 14 | 57 |
| 50-64 | 41 | 6.7 | 212 | 1 | 2 | 4 | 5 | 8 | 13 | 96 |
| 65+ | 30 | 12.6 | 230 | 1 | 2 | 7 | 14 | 33 | 43 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 170 | 7.9 | 69 | 1 | 1 | 6 | 10 | 16 | 26 | 54 |
| 20-34 | 396 | 9.1 | 95 | 1 | 2 | 7 | 11 | 17 | 28 | 57 |
| 35-49 | 135 | 11.3 | 147 | 1 | 2 | 8 | 13 | 23 | 38 | 57 |
| 50-64 | 61 | 10.5 | 152 | 1 | 2 | 8 | 12 | 18 | 29 | 74 |
| 65+ | 33 | 15.7 | 199 | 2 | 3 | 10 | 18 | 42 | 46 | 58 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 606 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 526 | 4.6 | 26 | <1 | 1 | 3 | 6 | 9 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 421 | 5.2 | 65 | 1 | 1 | 3 | 6 | 10 | 15 | 50 |
| B. *Operated* | 795 | 9.6 | 109 | 1 | 2 | 7 | 11 | 19 | 31 | 58 |
| 1. SINGLE DX | 1132 | 3.6 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 2. MULTIPLE DX | 1216 | 8.1 | 98 | 1 | 1 | 5 | 9 | 16 | 27 | 58 |
| A. NOT OPERATED | 1027 | 3.7 | 32 | 1 | 1 | 2 | 4 | 7 | 10 | 28 |
| B. OPERATED | 1321 | 7.6 | 82 | 1 | 1 | 5 | 9 | 15 | 24 | 53 |
| TOTAL 0-19 YRS | 570 | 4.7 | 38 | <1 | 1 | 3 | 6 | 10 | 16 | 37 |
| 20-34 | 1138 | 5.7 | 50 | 1 | 1 | 4 | 7 | 12 | 17 | 39 |
| 35-49 | 388 | 6.7 | 82 | 1 | 1 | 4 | 8 | 14 | 20 | 53 |
| 50-64 | 176 | 6.7 | 117 | 1 | 1 | 4 | 7 | 13 | 17 | 72 |
| 65+ | 76 | 12.7 | 198 | 1 | 2 | 8 | 15 | 32 | 43 | 68 |
| GRAND TOTAL | 2348 | 5.9 | 64 | 1 | 1 | 3 | 7 | 12 | 18 | 48 |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 200 | 3.2 | 10 | <1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 35-49 | 66 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 45 | 3.8 | 11 | 1 | 1 | 3 | 5 | 6 | 6 | 23 |
| 65+ | 18 | 3.7 | 10 | <1 | <1 | 2 | 6 | 9 | 10 | 11 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1006 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1324 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 579 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 354 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 117 | 3.6 | 21 | <1 | 1 | 2 | 4 | 9 | 11 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| 20-34 | 202 | 4.4 | 53 | <1 | 1 | 3 | 5 | 7 | 10 | 31 |
| 35-49 | 85 | 5.0 | 15 | <1 | 1 | 4 | 7 | 11 | 12 | 20 |
| 50-64 | 66 | 4.9 | 20 | 1 | 1 | 4 | 5 | 9 | 14 | 26 |
| 65+ | 46 | 8.8 | 52 | 2 | 2 | 7 | 12 | 20 | 30 | 99+ |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 3.8 | 31 | 1 | 1 | 2 | 4 | 7 | 11 | 26 |
| 20-34 | 950 | 4.0 | 32 | 1 | 1 | 2 | 4 | 8 | 12 | 32 |
| 35-49 | 434 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| 50-64 | 284 | 4.6 | 45 | 1 | 1 | 3 | 5 | 10 | 14 | 40 |
| 65+ | 139 | 8.3 | 140 | 1 | 1 | 4 | 10 | 20 | 28 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 490 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| *B. Operated* | 3380 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 528 | 4.8 | 34 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| *B. Operated* | 2478 | 4.3 | 39 | 1 | 1 | 2 | 5 | 9 | 13 | 64 |
| **1. SINGLE DX** | 3870 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 3006 | 4.4 | 38 | 1 | 1 | 3 | 5 | 9 | 13 | 33 |
| **A. NOT OPERATED** | 1018 | 4.1 | 22 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| **B. OPERATED** | 5858 | 3.3 | 21 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| TOTAL 0-19 YRS | 1967 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 20-34 | 2676 | 3.3 | 20 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 35-49 | 1164 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 50-64 | 749 | 3.7 | 24 | <1 | 1 | 2 | 4 | 7 | 12 | 28 |
| 65+ | 320 | 6.4 | 82 | 1 | 1 | 3 | 8 | 15 | 22 | 60 |
| **GRAND TOTAL** | 6876 | 3.4 | 21 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 3.5 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 179 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 55 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 24 | 4.0 | 17 | 1 | 1 | 2 | 5 | 11 | 13 | 17 |
| 65+ | 11 | 4.3 | 21 | 1 | 2 | 5 | 10 | 13 | 15 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 606 | 3.8 | 19 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 20-34 | 382 | 5.6 | 62 | 1 | 1 | 4 | 6 | 11 | 20 | 37 |
| 35-49 | 148 | 5.2 | 39 | 1 | 1 | 4 | 6 | 10 | 17 | 35 |
| 50-64 | 80 | 5.9 | 36 | 1 | 1 | 4 | 6 | 15 | 18 | 30 |
| 65+ | 44 | 9.7 | 137 | 1 | 1 | 5 | 13 | 26 | 37 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 13 | 29 |
| 20-34 | 86 | 5.9 | 38 | 1 | 2 | 4 | 7 | 12 | 18 | 36 |
| 35-49 | 61 | 6.0 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 51 | 8.1 | 73 | 2 | 2 | 5 | 9 | 17 | 26 | 50 |
| 65+ | 53 | 13.2 | 188 | 3 | 4 | 10 | 15 | 18 | 25 | 78 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 8.2 | 91 | 1 | 1 | 5 | 9 | 19 | 27 | 48 |
| 20-34 | 254 | 8.9 | 116 | 1 | 2 | 6 | 10 | 19 | 31 | 66 |
| 35-49 | 111 | 12.9 | 299 | 1 | 2 | 7 | 14 | 34 | 48 | 86 |
| 50-64 | 81 | 13.9 | 246 | 2 | 3 | 8 | 16 | 38 | 47 | 74 |
| 65+ | 101 | 17.7 | 250 | 2 | 3 | 13 | 27 | 44 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 463 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| *B. Operated* | 1260 | 4.9 | 41 | 1 | 1 | 3 | 5 | 9 | 16 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 341 | 7.2 | 66 | 1 | 2 | 5 | 9 | 15 | 18 | 42 |
| *B. Operated* | 777 | 10.9 | 176 | 1 | 2 | 6 | 13 | 28 | 40 | 76 |
| **1. SINGLE DX** | 1723 | 4.5 | 33 | <1 | 1 | 3 | 5 | 8 | 14 | 32 |
| **2. MULTIPLE DX** | 1118 | 9.8 | 145 | 1 | 2 | 6 | 11 | 23 | 36 | 72 |
| **A. NOT OPERATED** | 804 | 5.1 | 36 | 1 | 1 | 4 | 6 | 11 | 15 | 26 |
| **B. OPERATED** | 2037 | 7.2 | 101 | 1 | 1 | 4 | 8 | 17 | 27 | 52 |
| TOTAL 0-19 YRS | 1120 | 4.8 | 35 | 1 | 1 | 3 | 6 | 9 | 16 | 31 |
| 20-34 | 901 | 6.1 | 67 | 1 | 1 | 4 | 7 | 12 | 20 | 45 |
| 35-49 | 375 | 7.4 | 121 | 1 | 1 | 4 | 7 | 15 | 26 | 70 |
| 50-64 | 236 | 8.9 | 128 | 1 | 2 | 5 | 10 | 18 | 33 | 65 |
| 65+ | 209 | 14.3 | 210 | 2 | 2 | 10 | 17 | 37 | 48 | 92 |
| **GRAND TOTAL** | 2841 | 6.6 | 83 | 1 | 1 | 4 | 7 | 18 | 23 | 50 |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.3 | 2 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 20-34 | 3 | 7.7 | 36 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 29 | 5.2 | 34 | 1 | 1 | 3 | 7 | 12 | 14 | 29 |
| 35-49 | 7 | 10.1 | 106 | 2 | 2 | 9 | 11 | 28 | 32 | 32 |
| 50-64 | 6 | 6.2 | 58 | <1 | <1 | 3 | 10 | 19 | 20 | 20 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.8 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 7 | 7.0 | 20 | 2 | 2 | 6 | 9 | 14 | 15 | 15 |
| 35-49 | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 50-64 | 3 | 7.3 | 14 | 3 | 3 | 9 | 10 | 10 | 16 | 10 |
| 65+ | 4 | 9.8 | 105 | 3 | 3 | 5 | 15 | 25 | 25 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 9.6 | 200 | 1 | 2 | 4 | 11 | 16 | 40 | 68 |
| 20-34 | 75 | 11.5 | 173 | 1 | 2 | 7 | 13 | 27 | 35 | 67 |
| 35-49 | 29 | 13.2 | 372 | 1 | 1 | 6 | 14 | 33 | 53 | 93 |
| 50-64 | 18 | 10.7 | 191 | 1 | 1 | 5 | 12 | 36 | 47 | 49 |
| 65+ | 12 | 11.9 | 130 | 1 | 2 | 10 | 16 | 27 | 40 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 4.0 | 14 | 1 | 1 | 2 | 5 | 10 | 14 | 14 |
| B. *Operated* | 59 | 5.2 | 38 | <1 | 1 | 3 | 7 | 11 | 17 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 6.1 | 31 | 1 | 1 | 4 | 9 | 12 | 19 | 25 |
| B. *Operated* | 165 | 11.4 | 208 | 1 | 2 | 6 | 13 | 27 | 43 | 70 |
| **1. SINGLE DX** | 70 | 5.0 | 34 | 1 | 1 | 3 | 6 | 11 | 14 | 31 |
| **2. MULTIPLE DX** | 187 | 10.8 | 190 | 1 | 1 | 6 | 12 | 27 | 41 | 69 |
| **A. NOT OPERATED** | 33 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 25 |
| **B. OPERATED** | 224 | 9.8 | 170 | 1 | 1 | 5 | 11 | 24 | 34 | 60 |
| TOTAL 0-19 YRS | 60 | 6.2 | 116 | 1 | 1 | 3 | 6 | 12 | 17 | 66 |
| 20-34 | 114 | 9.5 | 131 | 1 | 1 | 6 | 11 | 26 | 32 | 63 |
| 35-49 | 38 | 12.3 | 302 | 1 | 1 | 7 | 13 | 33 | 44 | 93 |
| 50-64 | 29 | 8.9 | 134 | 1 | 1 | 5 | 11 | 19 | 44 | 49 |
| 65+ | 16 | 11.4 | 117 | 1 | 2 | 8 | 16 | 25 | 37 | 42 |
| **GRAND TOTAL** | 257 | 9.2 | 164 | 1 | 1 | 5 | 11 | 23 | 33 | 67 |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.2 | 17 | <1 | 1 | 4 | 7 | 12 | 14 | 14 |
| 20-34 | 34 | 6.8 | 149 | 1 | 1 | 4 | 6 | 12 | 20 | 70 |
| 35-49 | 16 | 7.8 | 17 | 3 | 3 | 7 | 10 | 14 | 16 | 17 |
| 50-64 | 12 | 4.5 | 26 | <1 | 1 | 2 | 5 | 14 | 17 | 17 |
| 65+ | 11 | 9.6 | 53 | 3 | 4 | 8 | 12 | 23 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 28 |
| 20-34 | 359 | 4.1 | 29 | <1 | 1 | 3 | 4 | 8 | 11 | 29 |
| 35-49 | 156 | 4.0 | 10 | 1 | 2 | 3 | 5 | 9 | 11 | 18 |
| 50-64 | 109 | 4.5 | 21 | <1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 65+ | 44 | 6.8 | 49 | <1 | 1 | 4 | 7 | 20 | 23 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 5.2 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 17 |
| 20-34 | 54 | 9.9 | 183 | 1 | 1 | 5 | 11 | 36 | 42 | 62 |
| 35-49 | 46 | 9.7 | 142 | 1 | 2 | 7 | 11 | 18 | 26 | 71 |
| 50-64 | 48 | 9.5 | 93 | 2 | 2 | 6 | 12 | 19 | 31 | 90 |
| 65+ | 80 | 15.7 | 281 | 2 | 3 | 11 | 20 | 32 | 76 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 4.7 | 40 | 1 | 1 | 3 | 4 | 9 | 18 | 43 |
| 20-34 | 337 | 4.9 | 33 | 1 | 2 | 3 | 5 | 11 | 17 | 37 |
| 35-49 | 175 | 5.9 | 55 | 1 | 1 | 3 | 6 | 15 | 24 | 50 |
| 50-64 | 124 | 10.4 | 176 | 1 | 2 | 5 | 13 | 29 | 40 | 89 |
| 65+ | 89 | 11.2 | 126 | 2 | 2 | 7 | 17 | 26 | 80 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 6.7 | 70 | 1 | 1 | 4 | 9 | 13 | 17 | 51 |
| B. *Operated* | 855 | 4.2 | 23 | <1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 268 | 10.8 | 175 | 1 | 2 | 7 | 12 | 24 | 40 | 83 |
| B. *Operated* | 907 | 6.4 | 74 | 1 | 2 | 3 | 7 | 16 | 26 | 54 |
| **1. SINGLE DX** | 947 | 4.5 | 28 | <1 | 1 | 3 | 5 | 9 | 12 | 25 |
| **2. MULTIPLE DX** | 1175 | 7.4 | 101 | 1 | 2 | 3 | 9 | 18 | 28 | 72 |
| **A. NOT OPERATED** | 360 | 9.8 | 151 | 1 | 2 | 6 | 11 | 21 | 34 | 80 |
| **B. OPERATED** | 1762 | 5.4 | 51 | 1 | 1 | 3 | 6 | 12 | 19 | 44 |
| TOTAL 0-19 YRS | 428 | 4.4 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 20-34 | 784 | 4.9 | 48 | 1 | 1 | 3 | 5 | 10 | 15 | 43 |
| 35-49 | 393 | 5.7 | 49 | 1 | 2 | 3 | 7 | 12 | 17 | 42 |
| 50-64 | 293 | 7.8 | 106 | 1 | 2 | 4 | 9 | 18 | 30 | 55 |
| 65+ | 224 | 11.9 | 172 | 2 | 2 | 8 | 17 | 26 | 51 | 99+ |
| **GRAND TOTAL** | 2122 | 6.1 | 70 | 1 | 1 | 3 | 7 | 14 | 21 | 54 |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 4.4 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 122 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 32 | 4.0 | 3 | 1 | 2 | 4 | 5 | 6 | 6 | 8 |
| 50-64 | 19 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 65+ | 5 | 4.8 | 11 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.1 | 13 | 1 | 1 | 6 | 6 | 11 | 12 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |
| 20-34 | 98 | 4.7 | 12 | <1 | 1 | 4 | 6 | 8 | 12 | 19 |
| 35-49 | 40 | 4.1 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 13 |
| 50-64 | 23 | 5.3 | 59 | 1 | 1 | 3 | 6 | 10 | 20 | 38 |
| 65+ | 43 | 8.7 | 96 | 2 | 2 | 6 | 11 | 16 | 21 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.8 | 29 | <1 | 1 | 5 | 9 | 14 | 19 | 23 |
| 20-34 | 23 | 7.9 | 105 | 1 | 2 | 4 | 9 | 18 | 38 | 40 |
| 35-49 | 9 | 10.2 | 166 | 1 | 1 | 4 | 12 | 33 | 38 | 38 |
| 50-64 | 5 | 7.2 | 54 | 2 | 2 | 5 | 9 | 20 | 20 | 20 |
| 65+ | 9 | 12.1 | 86 | 2 | 2 | 8 | 19 | 25 | 26 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 541 | 4.2 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | 8 | 5.0 | 12 | 1 | 1 | 5 | 6 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 364 | 5.1 | 27 | 1 | 1 | 4 | 6 | 9 | 13 | 25 |
| B. *Operated* | 65 | 8.4 | 83 | 1 | 2 | 5 | 10 | 23 | 29 | 40 |
| **1. SINGLE DX** | 549 | 4.3 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 429 | 5.6 | 37 | 1 | 1 | 4 | 6 | 11 | 16 | 37 |
| **A. NOT OPERATED** | 905 | 4.6 | 13 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| **B. OPERATED** | 73 | 8.1 | 76 | 1 | 2 | 5 | 9 | 21 | 26 | 40 |
| TOTAL 0-19 YRS | 549 | 4.5 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 243 | 4.6 | 17 | 1 | 2 | 4 | 5 | 7 | 11 | 20 |
| 35-49 | 81 | 4.7 | 24 | 1 | 1 | 4 | 5 | 7 | 8 | 34 |
| 50-64 | 47 | 4.7 | 36 | 1 | 1 | 3 | 5 | 8 | 12 | 38 |
| 65+ | 58 | 8.8 | 87 | 2 | 2 | 6 | 11 | 18 | 25 | 58 |
| **GRAND TOTAL** | **978** | **4.8** | **19** | **1** | **2** | **4** | **6** | **7** | **11** | **24** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 798 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 20-34 | 495 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 230 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 50-64 | 180 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 65+ | 246 | 6.0 | 50 | 1 | 1 | 4 | 8 | 12 | 15 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 83 | 3.8 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 50 | 4.9 | 40 | <1 | 1 | 3 | 5 | 10 | 13 | 38 |
| 50-64 | 47 | 4.0 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 65+ | 44 | 8.6 | 55 | 1 | 2 | 7 | 10 | 17 | 21 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1133 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 1199 | 4.2 | 11 | <1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 35-49 | 683 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 763 | 6.1 | 34 | 1 | 1 | 5 | 8 | 12 | 15 | 32 |
| 65+ | 2084 | 10.3 | 122 | 2 | 2 | 7 | 13 | 21 | 32 | 85 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 4.5 | 19 | 1 | 1 | 3 | 5 | 10 | 16 | 24 |
| 20-34 | 225 | 6.0 | 44 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| 35-49 | 114 | 9.3 | 150 | 1 | 1 | 6 | 10 | 18 | 37 | 67 |
| 50-64 | 142 | 10.8 | 106 | 1 | 2 | 8 | 13 | 26 | 32 | 50 |
| 65+ | 267 | 18.3 | 316 | 2 | 3 | 13 | 23 | 37 | 56 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1949 | 3.1 | 13 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| B. *Operated* | 340 | 4.7 | 25 | <1 | 1 | 3 | 6 | 9 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5862 | 6.5 | 63 | 1 | 1 | 4 | 8 | 13 | 19 | 48 |
| B. *Operated* | 908 | 10.5 | 172 | 1 | 1 | 6 | 13 | 23 | 34 | 73 |
| **1. SINGLE DX** | 2289 | 3.3 | 15 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | 6770 | 7.1 | 80 | 1 | 1 | 4 | 8 | 15 | 22 | 55 |
| **A. NOT OPERATED** | 7811 | 5.7 | 53 | 1 | 1 | 3 | 7 | 12 | 17 | 39 |
| **B. OPERATED** | 1248 | 8.9 | 139 | 1 | 1 | 5 | 10 | 20 | 30 | 63 |
| TOTAL 0-19 YRS | 2207 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 2002 | 4.0 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 35-49 | 1077 | 5.3 | 37 | 1 | 1 | 4 | 7 | 10 | 13 | 28 |
| 50-64 | 1132 | 6.2 | 43 | 1 | 1 | 4 | 8 | 13 | 18 | 33 |
| 65+ | 2641 | 10.7 | 142 | 1 | 2 | 7 | 13 | 23 | 34 | 84 |
| **GRAND TOTAL** | **9059** | **6.1** | **66** | **1** | **1** | **4** | **7** | **13** | **19** | **46** |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 13 | 1 | 1 | 2 | 4 | 6 | 7 | 23 |
| 20-34 | 45 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 16 | 3.1 | 8 | 1 | 1 | 2 | 4 | 9 | 10 | 10 |
| 50-64 | 7 | 4.6 | 18 | 1 | 1 | 4 | 6 | 12 | 13 | 13 |
| 65+ | 4 | 3.5 | 11 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.4 | 22 | <1 | <1 | 3 | 6 | 10 | 16 | 20 |
| 20-34 | 61 | 7.2 | 186 | 1 | 1 | 3 | 7 | 13 | 36 | 84 |
| 35-49 | 41 | 6.7 | 70 | <1 | 1 | 3 | 9 | 15 | 23 | 42 |
| 50-64 | 22 | 8.2 | 153 | 1 | 2 | 4 | 7 | 23 | 45 | 47 |
| 65+ | 7 | 7.0 | 49 | <1 | <1 | 3 | 12 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 4.0 | 20 | 1 | 1 | 3 | 5 | 6 | 16 | 22 |
| 20-34 | 41 | 3.9 | 6 | 1 | 1 | 3 | 6 | 7 | 9 | 10 |
| 35-49 | 13 | 4.8 | 36 | 1 | 1 | 2 | 6 | 13 | 20 | 22 |
| 50-64 | 12 | 4.7 | 27 | 1 | 1 | 3 | 5 | 12 | 19 | 20 |
| 65+ | 5 | 9.0 | 76 | 2 | 2 | 4 | 15 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 6.5 | 45 | 1 | 1 | 4 | 9 | 18 | 20 | 31 |
| 20-34 | 108 | 10.3 | 187 | 1 | 1 | 5 | 13 | 23 | 39 | 69 |
| 35-49 | 57 | 10.4 | 174 | 1 | 1 | 5 | 13 | 33 | 41 | 53 |
| 50-64 | 49 | 11.2 | 248 | 1 | 1 | 5 | 12 | 28 | 39 | 76 |
| 65+ | 15 | 18.9 | 371 | 2 | 3 | 12 | 40 | 57 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| B. *Operated* | 157 | 6.8 | 117 | <1 | 1 | 3 | 7 | 14 | 28 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 4.4 | 20 | 1 | 1 | 3 | 5 | 9 | 14 | 23 |
| B. *Operated* | 279 | 10.2 | 183 | 1 | 1 | 5 | 13 | 25 | 40 | 74 |
| **1. SINGLE DX** | 270 | 5.2 | 75 | 1 | 1 | 3 | 5 | 11 | 15 | 44 |
| **2. MULTIPLE DX** | 381 | 8.7 | 146 | 1 | 1 | 4 | 9 | 22 | 34 | 66 |
| **A. NOT OPERATED** | 215 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| **B. OPERATED** | 436 | 9.0 | 162 | 1 | 1 | 4 | 10 | 22 | 37 | 69 |
| TOTAL 0-19 YRS | 148 | 4.6 | 28 | 1 | 1 | 3 | 5 | 10 | 18 | 23 |
| 20-34 | 255 | 7.2 | 134 | 1 | 1 | 3 | 7 | 17 | 25 | 61 |
| 35-49 | 127 | 7.7 | 111 | 1 | 1 | 3 | 9 | 21 | 33 | 51 |
| 50-64 | 90 | 9.1 | 181 | 1 | 1 | 4 | 9 | 24 | 38 | 73 |
| 65+ | 31 | 12.6 | 234 | 1 | 2 | 7 | 17 | 45 | 57 | 99+ |
| **GRAND TOTAL** | **651** | **7.2** | **119** | **1** | **1** | **3** | **7** | **18** | **30** | **58** |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 5 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.6 | 18 | <1 | <1 | 2 | 3 | 11 | 13 | 13 |
| 20-34 | 6 | 2.5 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| B. *Operated* | 23 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* | 15 | 3.1 | 9 | <1 | <1 | 2 | 4 | 5 | 11 | 13 |
| **1. SINGLE DX** | 48 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 19 | 2.8 | 8 | <1 | <1 | 2 | 4 | 5 | 9 | 13 |
| **A. NOT OPERATED** | 29 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| **B. OPERATED** | 38 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 40 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 3 | 13 |
| 20-34 | 16 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 5 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | 5 | 2.0 | 5 | <1 | <1 | <1 | 2 | 6 | 6 | 6 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **GRAND TOTAL** | **67** | **1.9** | **3** | **<1** | **<1** | **1** | **2** | **4** | **4** | **12** |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 565 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 20-34 | 162 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 35-49 | 150 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 50-64 | 140 | 1.8 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 15 |
| 65+ | 149 | 2.0 | 5 | 1 | 1 | 1 | 2 | 4 | 5 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 20-34 | 44 | 3.9 | 29 | <1 | 1 | 2 | 4 | 10 | 14 | 29 |
| 35-49 | 24 | 2.8 | 8 | <1 | 1 | 2 | 3 | 7 | 9 | 12 |
| 50-64 | 25 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 10 | 12 |
| 65+ | 26 | 4.8 | 26 | 1 | 1 | 3 | 6 | 13 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 54 | 2.7 | 18 | <1 | 1 | 1 | 2 | 6 | 12 | 25 |
| 35-49 | 58 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 50-64 | 111 | 3.2 | 19 | <1 | 1 | 2 | 3 | 6 | 10 | 28 |
| 65+ | 190 | 4.8 | 26 | 1 | 1 | 3 | 6 | 11 | 14 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 6.0 | 69 | <1 | <1 | 3 | 6 | 18 | 27 | 39 |
| 20-34 | 35 | 9.9 | 225 | <1 | 1 | 4 | 9 | 27 | 39 | 74 |
| 35-49 | 30 | 8.1 | 78 | 1 | 1 | 5 | 10 | 23 | 27 | 36 |
| 50-64 | 71 | 12.6 | 315 | 1 | 1 | 7 | 14 | 29 | 45 | 92 |
| 65+ | 121 | 8.3 | 99 | 1 | 2 | 5 | 10 | 18 | 27 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1166 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 221 | 3.1 | 13 | <1 | <1 | 2 | 3 | 7 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 492 | 3.6 | 18 | <1 | 1 | 2 | 4 | 7 | 11 | 27 |
| B. *Operated* | 298 | 9.2 | 161 | 1 | 1 | 5 | 11 | 22 | 32 | 75 |
| **1. SINGLE DX** | 1387 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| **2. MULTIPLE DX** | 790 | 5.7 | 80 | <1 | 1 | 3 | 6 | 13 | 20 | 43 |
| **A. NOT OPERATED** | 1658 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 14 |
| **B. OPERATED** | 519 | 6.6 | 107 | <1 | 1 | 3 | 7 | 16 | 26 | 58 |
| TOTAL 0-19 YRS | 787 | 1.9 | 7 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 295 | 3.3 | 42 | <1 | <1 | 1 | 3 | 7 | 12 | 34 |
| 35-49 | 262 | 2.7 | 15 | <1 | <1 | 1 | 3 | 6 | 8 | 24 |
| 50-64 | 347 | 4.5 | 89 | <1 | 1 | 2 | 4 | 10 | 16 | 47 |
| 65+ | 486 | 4.8 | 43 | 1 | 1 | 3 | 5 | 12 | 16 | 32 |
| **GRAND TOTAL** | **2177** | **3.3** | **35** | **<1** | **<1** | **1** | **3** | **7** | **12** | **28** |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 7.1 | 36 | 1 | 1 | 5 | 9 | 16 | 20 | 27 |
| 20-34 | 18 | 7.1 | 46 | 1 | 2 | 4 | 13 | 18 | 21 | 23 |
| 35-49 | 12 | 9.8 | 73 | 1 | 3 | 7 | 12 | 22 | 31 | 33 |
| 50-64 | 9 | 11.9 | 40 | 5 | 5 | 11 | 17 | 21 | 23 | 23 |
| 65+ | 12 | 15.6 | 236 | 2 | 2 | 10 | 24 | 38 | 51 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 13.4 | 189 | 1 | 2 | 9 | 19 | 32 | 41 | 69 |
| 20-34 | 67 | 12.6 | 164 | 1 | 2 | 9 | 17 | 31 | 36 | 59 |
| 35-49 | 27 | 15.1 | 237 | 2 | 2 | 13 | 16 | 29 | 59 | 68 |
| 50-64 | 43 | 12.6 | 123 | <1 | 2 | 9 | 16 | 26 | 30 | 59 |
| 65+ | 17 | 20.4 | 279 | 6 | 7 | 13 | 31 | 44 | 60 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 9.6 | 74 | 1 | 1 | 7 | 13 | 22 | 29 | 42 |
| 20-34 | 33 | 8.1 | 40 | 2 | 3 | 7 | 10 | 17 | 22 | 30 |
| 35-49 | 21 | 14.6 | 299 | 2 | 3 | 8 | 18 | 57 | 82 | 99+ |
| 50-64 | 25 | 15.9 | 99 | 3 | 3 | 15 | 20 | 28 | 38 | 43 |
| 65+ | 31 | 17.4 | 125 | 6 | 7 | 12 | 25 | 31 | 41 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 22.9 | 357 | 2 | 4 | 20 | 28 | 53 | 63 | 98 |
| 20-34 | 126 | 20.0 | 301 | 3 | 4 | 14 | 27 | 46 | 63 | 84 |
| 35-49 | 96 | 26.4 | 595 | 2 | 4 | 20 | 41 | 66 | 93 | 99+ |
| 50-64 | 87 | 25.3 | 360 | 4 | 5 | 20 | 36 | 59 | 71 | 99+ |
| 65+ | 74 | 33.1 | 510 | 6 | 9 | 27 | 48 | 69 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 9.0 | 74 | 1 | 2 | 7 | 12 | 19 | 26 | 44 |
| B. *Operated* | 234 | 13.7 | 182 | 1 | 2 | 10 | 18 | 30 | 41 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 12.4 | 121 | 2 | 3 | 9 | 18 | 27 | 35 | 68 |
| B. *Operated* | 488 | 24.8 | 427 | 3 | 5 | 20 | 35 | 58 | 72 | 99+ |
| **1. SINGLE DX** | 328 | 12.4 | 155 | 1 | 2 | 8 | 16 | 28 | 35 | 62 |
| **2. MULTIPLE DX** | 648 | 21.7 | 380 | 2 | 4 | 16 | 30 | 53 | 69 | 99+ |
| **A. NOT OPERATED** | 254 | 11.1 | 106 | 1 | 2 | 8 | 15 | 24 | 31 | 53 |
| **B. OPERATED** | 722 | 21.2 | 374 | 2 | 3 | 15 | 29 | 53 | 67 | 99 |
| TOTAL 0-19 YRS | 278 | 15.3 | 246 | 1 | 2 | 10 | 22 | 35 | 51 | 82 |
| 20-34 | 244 | 15.4 | 233 | 2 | 2 | 10 | 21 | 35 | 52 | 72 |
| 35-49 | 156 | 21.6 | 487 | 2 | 3 | 13 | 33 | 58 | 79 | 99+ |
| 50-64 | 164 | 19.8 | 274 | 3 | 4 | 15 | 27 | 48 | 60 | 96 |
| 65+ | 134 | 26.3 | 420 | 5 | 7 | 22 | 34 | 57 | 71 | 99 |
| **GRAND TOTAL** | **976** | **18.6** | **324** | **2** | **3** | **13** | **25** | **45** | **60** | **98** |

### 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 448 | 6.2 | 31 | 1 | 1 | 5 | 8 | 13 | 18 | 25 |
| 20-34 | 183 | 5.4 | 27 | 1 | 1 | 4 | 7 | 14 | 16 | 25 |
| 35-49 | 96 | 6.2 | 35 | <1 | 1 | 4 | 9 | 15 | 17 | 23 |
| 50-64 | 46 | 6.8 | 64 | 1 | 1 | 5 | 8 | 14 | 17 | 51 |
| 65+ | 28 | 11.9 | 142 | 1 | 2 | 8 | 17 | 38 | 47 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 8.1 | 71 | 1 | 2 | 5 | 10 | 18 | 25 | 46 |
| 20-34 | 41 | 11.3 | 98 | 2 | 3 | 8 | 16 | 28 | 34 | 37 |
| 35-49 | 36 | 9.4 | 88 | 1 | 1 | 7 | 13 | 19 | 24 | 50 |
| 50-64 | 14 | 13.5 | 146 | 1 | 3 | 11 | 17 | 27 | 43 | 48 |
| 65+ | 9 | 28.2 | 339 | 6 | 9 | 17 | 48 | 51 | 53 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 551 | 6.8 | 42 | 1 | 1 | 5 | 9 | 15 | 20 | 33 |
| 20-34 | 372 | 5.4 | 28 | 1 | 1 | 3 | 7 | 13 | 17 | 24 |
| 35-49 | 182 | 7.2 | 55 | 1 | 1 | 5 | 10 | 17 | 23 | 37 |
| 50-64 | 134 | 9.2 | 84 | 1 | 2 | 7 | 12 | 18 | 24 | 53 |
| 65+ | 112 | 18.8 | 363 | 2 | 4 | 13 | 25 | 41 | 70 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 12.3 | 138 | 1 | 2 | 9 | 16 | 23 | 39 | 57 |
| 20-34 | 145 | 12.3 | 113 | 1 | 2 | 9 | 18 | 28 | 36 | 99+ |
| 35-49 | 75 | 16.5 | 256 | 1 | 3 | 12 | 23 | 42 | 69 | 99+ |
| 50-64 | 64 | 19.0 | 238 | 3 | 4 | 16 | 26 | 48 | 69 | 99+ |
| 65+ | 56 | 33.4 | 611 | 2 | 7 | 27 | 47 | 77 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 801 | 6.3 | 38 | 1 | 1 | 4 | 8 | 15 | 18 | 30 |
| B. *Operated* | 179 | 10.5 | 116 | 1 | 2 | 7 | 14 | 23 | 36 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1351 | 7.7 | 83 | 1 | 1 | 5 | 10 | 17 | 23 | 43 |
| B. *Operated* | 489 | 16.3 | 258 | 1 | 2 | 11 | 21 | 41 | 56 | 99+ |
| **1. SINGLE DX** | 980 | 7.0 | 54 | 1 | 1 | 5 | 9 | 16 | 21 | 44 |
| **2. MULTIPLE DX** | 1840 | 10.0 | 143 | 1 | 1 | 6 | 13 | 22 | 34 | 74 |
| **A. NOT OPERATED** | 2152 | 7.2 | 66 | 1 | 1 | 5 | 9 | 16 | 22 | 42 |
| **B. OPERATED** | 668 | 14.7 | 226 | 1 | 2 | 10 | 19 | 36 | 49 | 99 |
| TOTAL 0-19 YRS | 1227 | 7.3 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 40 |
| 20-34 | 741 | 7.1 | 57 | 1 | 1 | 4 | 9 | 17 | 23 | 37 |
| 35-49 | 389 | 8.9 | 105 | 1 | 1 | 6 | 12 | 21 | 26 | 69 |
| 50-64 | 258 | 11.4 | 142 | 1 | 2 | 8 | 15 | 25 | 40 | 75 |
| 65+ | 205 | 22.2 | 452 | 2 | 4 | 15 | 32 | 53 | 78 | 99+ |
| **GRAND TOTAL** | **2820** | **9.0** | **114** | **1** | **1** | **6** | **11** | **20** | **29** | **62** |

### 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 11 | <1 | 1 | 2 | 3 | 8 | 12 | 15 |
| 20-34 | 49 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 35-49 | 25 | 6.6 | 40 | 1 | 2 | 5 | 8 | 12 | 24 | 26 |
| 50-64 | 13 | 14.2 | 497 | 1 | 1 | 7 | 15 | 37 | 75 | 84 |
| 65+ | 7 | 3.0 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 205 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| 35-49 | 68 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 12 | 15 |
| 50-64 | 47 | 6.2 | 151 | <1 | 1 | 2 | 5 | 14 | 20 | 80 |
| 65+ | 8 | 4.0 | 14 | 1 | 1 | 3 | 5 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 5.0 | 55 | 1 | 1 | 3 | 5 | 7 | 13 | 44 |
| 20-34 | 42 | 7.9 | 203 | 1 | 1 | 4 | 8 | 22 | 92 | 99+ |
| 35-49 | 45 | 9.8 | 125 | 2 | 2 | 7 | 12 | 18 | 23 | 71 |
| 50-64 | 34 | 10.6 | 151 | 1 | 2 | 7 | 10 | 29 | 30 | 65 |
| 65+ | 63 | 12.4 | 108 | 2 | 4 | 8 | 18 | 30 | 40 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.5 | 15 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 20-34 | 157 | 5.2 | 132 | 1 | 1 | 2 | 4 | 11 | 24 | 99+ |
| 35-49 | 64 | 6.2 | 151 | <1 | 1 | 3 | 5 | 12 | 21 | 76 |
| 50-64 | 39 | 7.0 | 192 | 1 | 1 | 3 | 6 | 21 | 53 | 99+ |
| 65+ | 24 | 20.9 | 627 | 1 | 2 | 15 | 33 | 73 | 83 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 5.5 | 72 | 1 | 1 | 3 | 7 | 11 | 15 | 35 |
| B. *Operated* | 436 | 3.1 | 22 | 1 | 1 | 2 | 3 | 5 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 9.3 | 129 | 1 | 2 | 6 | 11 | 24 | 32 | 99+ |
| B. *Operated* | 372 | 6.2 | 160 | 1 | 1 | 2 | 5 | 14 | 27 | 99 |
| **1. SINGLE DX** | 571 | 3.7 | 35 | 1 | 1 | 2 | 4 | 7 | 12 | 24 |
| **2. MULTIPLE DX** | 604 | 7.4 | 150 | 1 | 1 | 3 | 7 | 18 | 31 | 99+ |
| **A. NOT OPERATED** | 367 | 7.9 | 111 | 1 | 1 | 5 | 9 | 19 | 29 | 87 |
| **B. OPERATED** | 808 | 4.5 | 88 | 1 | 1 | 2 | 4 | 8 | 15 | 79 |
| TOTAL 0-19 YRS | 285 | 3.3 | 17 | 1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 20-34 | 453 | 4.3 | 71 | 1 | 1 | 2 | 4 | 8 | 14 | 97 |
| 35-49 | 202 | 6.0 | 89 | 1 | 1 | 3 | 6 | 13 | 19 | 64 |
| 50-64 | 133 | 8.3 | 198 | 1 | 1 | 4 | 8 | 19 | 30 | 87 |
| 65+ | 102 | 13.1 | 239 | 1 | 2 | 7 | 17 | 32 | 66 | 99+ |
| **GRAND TOTAL** | **1175** | **5.6** | **97** | **1** | **1** | **3** | **5** | **12** | **21** | **80** |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 277 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 220 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 23 |
| 35-49 | 97 | 3.6 | 9 | 1 | 1 | 3 | 5 | 6 | 8 | 18 |
| 50-64 | 57 | 5.2 | 28 | <1 | 1 | 3 | 7 | 12 | 18 | 25 |
| 65+ | 61 | 6.5 | 28 | 1 | 2 | 5 | 8 | 12 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 4.9 | 16 | 1 | 1 | 3 | 7 | 11 | 14 | 17 |
| 20-34 | 88 | 4.5 | 25 | 1 | 1 | 3 | 6 | 10 | 15 | 76 |
| 35-49 | 44 | 6.2 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 27 | 9.9 | 268 | <1 | <1 | 3 | 11 | 34 | 42 | 73 |
| 65+ | 11 | 9.9 | 127 | <1 | <1 | 5 | 19 | 28 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 263 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 20-34 | 297 | 4.9 | 54 | 1 | 1 | 3 | 6 | 9 | 12 | 41 |
| 35-49 | 141 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 11 | 15 |
| 50-64 | 159 | 7.2 | 72 | 1 | 2 | 5 | 9 | 13 | 24 | 52 |
| 65+ | 299 | 10.8 | 123 | 2 | 2 | 8 | 13 | 22 | 36 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 9.2 | 154 | 1 | 1 | 5 | 11 | 19 | 31 | 66 |
| 20-34 | 178 | 9.6 | 102 | 1 | 2 | 6 | 12 | 23 | 33 | 53 |
| 35-49 | 88 | 10.5 | 182 | 1 | 2 | 5 | 11 | 25 | 37 | 73 |
| 50-64 | 56 | 14.8 | 379 | 2 | 2 | 8 | 18 | 34 | 56 | 95 |
| 65+ | 63 | 22.0 | 430 | 3 | 4 | 18 | 30 | 64 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 712 | 3.5 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 22 |
| B. *Operated* | 237 | 5.8 | 57 | 1 | 1 | 4 | 7 | 13 | 17 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1159 | 6.4 | 68 | 1 | 1 | 4 | 8 | 13 | 19 | 46 |
| B. *Operated* | 473 | 11.9 | 220 | 1 | 2 | 7 | 15 | 30 | 45 | 94 |
| **1. SINGLE DX** | 949 | 4.0 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| **2. MULTIPLE DX** | 1632 | 8.0 | 118 | 1 | 1 | 4 | 9 | 18 | 29 | 69 |
| **A. NOT OPERATED** | 1871 | 5.3 | 49 | 1 | 1 | 3 | 6 | 11 | 16 | 38 |
| **B. OPERATED** | 710 | 9.9 | 173 | 1 | 1 | 5 | 11 | 24 | 36 | 88 |
| TOTAL 0-19 YRS | 695 | 4.0 | 33 | 1 | 1 | 2 | 4 | 8 | 13 | 29 |
| 20-34 | 783 | 5.5 | 55 | 1 | 1 | 3 | 6 | 11 | 19 | 47 |
| 35-49 | 370 | 6.0 | 59 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| 50-64 | 299 | 8.5 | 147 | 1 | 1 | 4 | 9 | 20 | 33 | 67 |
| 65+ | 434 | 11.8 | 173 | 2 | 2 | 8 | 15 | 26 | 38 | 96 |
| **GRAND TOTAL** | **2581** | **6.6** | **88** | **1** | **1** | **4** | **7** | **14** | **23** | **55** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1632 | 2.0 | 8 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 889 | 2.3 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 332 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 120 | 3.2 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 14 |
| 65+ | 95 | 5.5 | 30 | 1 | 1 | 4 | 6 | 10 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 4.3 | 12 | <1 | <1 | 4 | 7 | 9 | 9 | 9 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 65+ | 3 | 10.7 | 16 | 6 | 6 | 13 | 13 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1535 | 4.2 | 48 | <1 | 1 | 2 | 4 | 9 | 13 | 45 |
| 20-34 | 2368 | 5.1 | 56 | <1 | 1 | 3 | 6 | 12 | 19 | 40 |
| 35-49 | 1208 | 5.7 | 51 | 1 | 1 | 3 | 7 | 13 | 19 | 37 |
| 50-64 | 796 | 7.8 | 79 | 1 | 1 | 5 | 10 | 17 | 26 | 45 |
| 65+ | 959 | 10.0 | 95 | 1 | 2 | 7 | 12 | 20 | 29 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 14.5 | 435 | <1 | 1 | 7 | 13 | 53 | 67 | 70 |
| 20-34 | 62 | 14.2 | 187 | 2 | 3 | 12 | 20 | 29 | 38 | 99 |
| 35-49 | 55 | 16.1 | 157 | 3 | 5 | 13 | 19 | 36 | 47 | 98 |
| 50-64 | 52 | 20.0 | 325 | 3 | 4 | 15 | 27 | 48 | 70 | 99+ |
| 65+ | 104 | 20.8 | 276 | 5 | 7 | 16 | 26 | 43 | 66 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3068 | 2.3 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| B. *Operated* | 15 | 7.2 | 42 | <1 | 1 | 6 | 9 | 13 | 23 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6866 | 6.0 | 65 | 1 | 1 | 3 | 7 | 14 | 21 | 44 |
| B. *Operated* | 286 | 18.0 | 254 | 3 | 4 | 13 | 24 | 42 | 64 | 99+ |
| **1. SINGLE DX** | 3083 | 2.3 | 9 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | 7152 | 6.5 | 78 | 1 | 1 | 3 | 7 | 15 | 24 | 48 |
| **A. NOT OPERATED** | 9934 | 4.9 | 50 | <1 | 1 | 3 | 5 | 11 | 17 | 38 |
| **B. OPERATED** | 301 | 17.5 | 249 | 2 | 4 | 13 | 23 | 40 | 52 | 99+ |
| TOTAL 0-19 YRS | 3184 | 3.1 | 30 | <1 | 1 | 2 | 3 | 5 | 9 | 28 |
| 20-34 | 3325 | 4.6 | 48 | <1 | 1 | 2 | 5 | 10 | 17 | 37 |
| 35-49 | 1596 | 5.4 | 51 | 1 | 1 | 3 | 6 | 12 | 18 | 39 |
| 50-64 | 969 | 7.9 | 94 | 1 | 1 | 5 | 10 | 18 | 27 | 49 |
| 65+ | 1161 | 10.6 | 117 | 1 | 2 | 7 | 13 | 23 | 31 | 65 |
| **GRAND TOTAL** | **10235** | **5.2** | **61** | **<1** | **1** | **3** | **6** | **12** | **19** | **43** |

### 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 703 | 2.5 | 10 | <1 | 1 | 1 | 3 | 6 | 7 | 13 |
| 20-34 | 234 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 35-49 | 136 | 2.3 | 5 | <1 | 1 | 1 | 3 | 5 | 6 | 13 |
| 50-64 | 77 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 65+ | 52 | 2.4 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 3 | 6.3 | 14 | 2 | 2 | 8 | 9 | 9 | 9 | 9 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 347 | 4.2 | 38 | 1 | 1 | 2 | 5 | 9 | 13 | 23 |
| 20-34 | 309 | 3.8 | 66 | <1 | 1 | 2 | 4 | 8 | 11 | 32 |
| 35-49 | 186 | 4.8 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 54 |
| 50-64 | 173 | 5.3 | 42 | 1 | 1 | 3 | 6 | 13 | 19 | 31 |
| 65+ | 145 | 9.5 | 148 | 1 | 1 | 6 | 11 | 21 | 47 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.9 | 61 | 1 | 1 | 5 | 6 | 20 | 24 | 24 |
| 20-34 | 10 | 8.6 | 124 | 1 | 2 | 5 | 10 | 63 | 97 | 99+ |
| 35-49 | 9 | 20.6 | 302 | 3 | 3 | 13 | 32 | 48 | 50 | 50 |
| 50-64 | 10 | 23.3 | 565 | 2 | 2 | 16 | 24 | 65 | 74 | 74 |
| 65+ | 14 | 25.5 | 342 | 5 | 7 | 21 | 41 | 97 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1202 | 2.3 | 7 | <1 | 1 | 1 | 2 | 5 | 7 | 12 |
| B. *Operated* | 9 | 4.6 | 10 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1160 | 5.0 | 64 | 1 | 1 | 3 | 6 | 11 | 16 | 52 |
| B. *Operated* | 50 | 18.2 | 333 | 2 | 3 | 12 | 31 | 60 | 96 | 99+ |
| **1. SINGLE DX** | 1211 | 2.3 | 7 | <1 | 1 | 1 | 2 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 1210 | 5.6 | 81 | 1 | 1 | 3 | 6 | 12 | 20 | 63 |
| **A. NOT OPERATED** | 2362 | 3.6 | 37 | <1 | 1 | 2 | 4 | 7 | 12 | 33 |
| **B. OPERATED** | 59 | 16.1 | 307 | 1 | 2 | 10 | 24 | 52 | 84 | 99+ |
| TOTAL 0-19 YRS | 1061 | 3.1 | 20 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 556 | 3.0 | 41 | <1 | <1 | 1 | 3 | 6 | 9 | 31 |
| 35-49 | 333 | 4.2 | 43 | <1 | 1 | 2 | 4 | 9 | 13 | 45 |
| 50-64 | 260 | 5.0 | 64 | 1 | 1 | 3 | 5 | 12 | 19 | 50 |
| 65+ | 211 | 8.8 | 153 | 1 | 1 | 5 | 11 | 22 | 46 | 99+ |
| **GRAND TOTAL** | **2421** | **3.9** | **47** | **<1** | **1** | **2** | **4** | **8** | **13** | **44** |

### 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 457 | 3.1 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 20-34 | 210 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 10 | 16 |
| 35-49 | 149 | 3.0 | 13 | 1 | 1 | 2 | 3 | 7 | 10 | 21 |
| 50-64 | 119 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| 65+ | 109 | 5.7 | 48 | 1 | 1 | 4 | 6 | 13 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.6 | 146 | 2 | 2 | 9 | 24 | 31 | 33 | 33 |
| 20-34 | 10 | 15.0 | 166 | 2 | 3 | 9 | 25 | 34 | 36 | 36 |
| 35-49 | 3 | 7.3 | 44 | 3 | 3 | 9 | 57 | 99+ | 99+ | 99+ |
| 50-64 | 8 | 8.5 | 11 | 2 | 4 | 10 | 12 | 65 | 99+ | 99+ |
| 65+ | 5 | 17.0 | 269 | 3 | 3 | 15 | 24 | 44 | 44 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 410 | 4.8 | 30 | 1 | 1 | 3 | 6 | 9 | 13 | 32 |
| 20-34 | 286 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 281 | 5.4 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| 50-64 | 377 | 6.9 | 83 | 1 | 1 | 5 | 8 | 13 | 18 | 45 |
| 65+ | 808 | 9.5 | 78 | 2 | 2 | 7 | 12 | 20 | 28 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.0 | 78 | 1 | 2 | 5 | 11 | 16 | 31 | 35 |
| 20-34 | 27 | 14.3 | 346 | 1 | 2 | 9 | 21 | 34 | 94 | 99+ |
| 35-49 | 33 | 13.5 | 247 | 1 | 2 | 7 | 23 | 47 | 93 | 99+ |
| 50-64 | 53 | 15.3 | 236 | 2 | 3 | 9 | 24 | 50 | 90 | 99+ |
| 65+ | 115 | 19.2 | 248 | 4 | 6 | 15 | 26 | 59 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1044 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 21 |
| B. *Operated* | 34 | 12.8 | 125 | 2 | 2 | 10 | 23 | 36 | 83 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2162 | 6.9 | 60 | 1 | 1 | 5 | 8 | 15 | 20 | 42 |
| B. *Operated* | 242 | 16.4 | 252 | 2 | 3 | 12 | 25 | 55 | 99+ | 99+ |
| **1. SINGLE DX** | 1078 | 3.7 | 22 | 1 | 1 | 2 | 4 | 8 | 12 | 26 |
| **2. MULTIPLE DX** | 2404 | 7.8 | 87 | 1 | 1 | 5 | 10 | 18 | 26 | 76 |
| **A. NOT OPERATED** | 3206 | 5.8 | 48 | 1 | 1 | 4 | 7 | 13 | 18 | 38 |
| **B. OPERATED** | 276 | 15.9 | 237 | 2 | 3 | 12 | 24 | 50 | 99+ | 99+ |
| TOTAL 0-19 YRS | 889 | 4.0 | 23 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 20-34 | 533 | 4.3 | 41 | 1 | 1 | 2 | 5 | 9 | 14 | 33 |
| 35-49 | 466 | 5.2 | 45 | 1 | 1 | 3 | 6 | 12 | 19 | 46 |
| 50-64 | 557 | 7.1 | 90 | 1 | 1 | 4 | 8 | 14 | 23 | 75 |
| 65+ | 1037 | 10.2 | 106 | 1 | 2 | 7 | 13 | 22 | 33 | 99+ |
| **GRAND TOTAL** | **3482** | **6.6** | **71** | **1** | **1** | **4** | **8** | **15** | **22** | **62** |

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.3 | 21 | <1 | <1 | 4 | 8 | 12 | 15 | 17 |
| 20-34 | 63 | 3.1 | 10 | <1 | 1 | 2 | 4 | 8 | 12 | 13 |
| 35-49 | 34 | 4.8 | 17 | <1 | <1 | 3 | 9 | 11 | 11 | 17 |
| 50-64 | 41 | 4.7 | 18 | <1 | 1 | 3 | 6 | 10 | 15 | 19 |
| 65+ | 90 | 7.2 | 100 | 1 | 1 | 4 | 9 | 16 | 21 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 186 | 6.0 | 84 | <1 | <1 | 3 | 7 | 11 | 16 | 45 |
| 20-34 | 483 | 4.0 | 31 | <1 | <1 | 2 | 4 | 10 | 16 | 30 |
| 35-49 | 350 | 5.2 | 54 | 1 | 1 | 3 | 5 | 12 | 17 | 49 |
| 50-64 | 512 | 8.2 | 80 | 1 | 2 | 5 | 11 | 19 | 25 | 42 |
| 65+ | 1083 | 8.3 | 80 | 1 | 2 | 5 | 11 | 19 | 26 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 5.2 | 31 | 1 | 1 | 3 | 5 | 12 | 21 | 25 |
| 20-34 | 80 | 5.3 | 23 | <1 | 1 | 3 | 8 | 12 | 16 | 21 |
| 35-49 | 59 | 7.3 | 36 | 1 | 1 | 5 | 11 | 15 | 18 | 29 |
| 50-64 | 130 | 8.5 | 94 | 1 | 1 | 5 | 11 | 24 | 34 | 99+ |
| 65+ | 302 | 10.6 | 132 | 1 | 2 | 7 | 12 | 26 | 36 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 9.8 | 115 | <1 | 1 | 6 | 11 | 28 | 37 | 47 |
| 20-34 | 554 | 6.7 | 132 | <1 | 1 | 3 | 7 | 15 | 25 | 68 |
| 35-49 | 598 | 9.2 | 163 | 1 | 1 | 5 | 11 | 23 | 35 | 87 |
| 50-64 | 1138 | 12.1 | 171 | 2 | 2 | 8 | 16 | 29 | 39 | 76 |
| 65+ | 2273 | 13.9 | 215 | 2 | 2 | 9 | 18 | 33 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 262 | 5.3 | 47 | <1 | 1 | 3 | 7 | 12 | 16 | 29 |
| B. *Operated* | 2614 | 6.9 | 71 | <1 | 1 | 4 | 9 | 16 | 24 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 603 | 8.8 | 98 | 1 | 1 | 5 | 11 | 20 | 30 | 57 |
| B. *Operated* | 4808 | 11.9 | 190 | 1 | 2 | 7 | 15 | 29 | 42 | 88 |
| **1. SINGLE DX** | 2876 | 6.8 | 69 | <1 | 1 | 4 | 9 | 16 | 23 | 41 |
| **2. MULTIPLE DX** | 5411 | 11.5 | 180 | 1 | 2 | 7 | 15 | 28 | 41 | 88 |
| **A. NOT OPERATED** | 865 | 7.7 | 85 | 1 | 1 | 5 | 10 | 17 | 27 | 54 |
| **B. OPERATED** | 7422 | 10.1 | 153 | 1 | 2 | 6 | 13 | 25 | 36 | 76 |
| TOTAL 0-19 YRS | 497 | 7.8 | 96 | <1 | <1 | 4 | 9 | 18 | 29 | 47 |
| 20-34 | 1180 | 5.3 | 78 | <1 | <1 | 2 | 5 | 12 | 18 | 45 |
| 35-49 | 1041 | 7.6 | 118 | 1 | 1 | 4 | 9 | 18 | 28 | 72 |
| 50-64 | 1821 | 10.6 | 141 | 1 | 2 | 6 | 14 | 25 | 36 | 67 |
| 65+ | 3748 | 11.9 | 173 | 2 | 2 | 8 | 15 | 28 | 41 | 86 |
| **GRAND TOTAL** | **8287** | **9.9** | **147** | **1** | **1** | **5** | **12** | **24** | **35** | **73** |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 213 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 35-49 | 123 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 50-64 | 135 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 65+ | 190 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 2.0 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 8 |
| 20-34 | 198 | 3.3 | 20 | 1 | 1 | 2 | 4 | 6 | 8 | 20 |
| 35-49 | 103 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 13 | 22 |
| 50-64 | 72 | 4.6 | 23 | 1 | 1 | 3 | 6 | 10 | 12 | 29 |
| 65+ | 67 | 6.1 | 36 | 1 | 2 | 4 | 7 | 13 | 16 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.6 | 30 | 1 | 1 | 2 | 4 | 6 | 11 | 29 |
| 20-34 | 89 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 11 | 24 |
| 35-49 | 63 | 5.0 | 20 | 1 | 2 | 3 | 6 | 10 | 15 | 22 |
| 50-64 | 107 | 5.0 | 10 | 2 | 2 | 4 | 6 | 10 | 13 | 51 |
| 65+ | 231 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.4 | 11 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 20-34 | 78 | 6.5 | 69 | 1 | 1 | 4 | 7 | 14 | 27 | 46 |
| 35-49 | 59 | 6.5 | 35 | 1 | 2 | 5 | 9 | 12 | 15 | 38 |
| 50-64 | 65 | 9.8 | 154 | 1 | 2 | 5 | 13 | 17 | 29 | 75 |
| 65+ | 114 | 8.9 | 76 | 1 | 2 | 6 | 10 | 18 | 28 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 804 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| B. *Operated* | 572 | 3.6 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 516 | 5.4 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 28 |
| B. *Operated* | 336 | 7.8 | 80 | 1 | 2 | 5 | 10 | 15 | 26 | 51 |
| **1. SINGLE DX** | 1376 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 852 | 6.3 | 47 | 1 | 2 | 4 | 8 | 12 | 17 | 39 |
| **A. NOT OPERATED** | 1320 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **B. OPERATED** | 908 | 5.2 | 45 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| TOTAL 0-19 YRS | 321 | 2.4 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 578 | 3.7 | 21 | 1 | 1 | 3 | 4 | 7 | 9 | 27 |
| 35-49 | 348 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 50-64 | 379 | 5.3 | 40 | 1 | 1 | 4 | 6 | 11 | 14 | 35 |
| 65+ | 602 | 6.3 | 34 | 1 | 2 | 5 | 7 | 11 | 16 | 33 |
| **GRAND TOTAL** | **2228** | **4.6** | **27** | **1** | **1** | **3** | **5** | **9** | **12** | **27** |

### 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 13 | 5.2 | 9 | 2 | 3 | 4 | 6 | 10 | 12 | 13 |
| 2500+ | 164 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 6 | 47.8 | 68 | 39 | 39 | 46 | 49 | 62 | 63 | 63 |
| 1500-1749 | 3 | 30.3 | 57 | 25 | 25 | 27 | 36 | 39 | 39 | 39 |
| 1750-2499 | 18 | 9.7 | 38 | 3 | 3 | 8 | 15 | 18 | 23 | 25 |
| 2500+ | 76 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 1 | 76.0 | | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 2 | 32.5 | 41 | 28 | 28 | 32 | 37 | 37 | 37 | 37 |
| 1750-2499 | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 2500+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 8.9 | 134 | 2 | 3 | 4 | 8 | 22 | 41 | 56 |
| B. *Operated* | 5 | 32.8 | 714 | 7 | 7 | 28 | 47 | 76 | 76 | 76 |
| **1. SINGLE DX** | 177 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | 108 | 10.0 | 180 | 2 | 3 | 4 | 9 | 26 | 44 | 68 |
| **A. NOT OPERATED** | 280 | 5.3 | 58 | 1 | 2 | 3 | 4 | 8 | 15 | 47 |
| **B. OPERATED** | 5 | 32.8 | 714 | 7 | 7 | 28 | 47 | 76 | 76 | 76 |
| TOTAL 1-999 G | 1 | 76.0 | | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 1000-1499 | 6 | 47.8 | 68 | 39 | 39 | 46 | 49 | 62 | 63 | 63 |
| 1500-1749 | 5 | 31.2 | 40 | 25 | 25 | 28 | 37 | 39 | 39 | 39 |
| 1750-2499 | 33 | 8.0 | 31 | 3 | 3 | 7 | 10 | 16 | 19 | 25 |
| 2500+ | 240 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **GRAND TOTAL** | **285** | **5.8** | **80** | **1** | **2** | **3** | **5** | **9** | **19** | **49** |

### 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 20-34 | 20 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 9 | 12 |
| 35-49 | 8 | 3.4 | 9 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 50-64 | 7 | 3.6 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 8 | 6.5 | 79 | 1 | 1 | 2 | 8 | 22 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 770 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1131 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 483 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 451 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 65+ | 319 | 5.6 | 42 | 1 | 2 | 4 | 7 | 12 | 15 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.0 | 29 | <1 | <1 | 1 | 2 | 8 | 18 | 20 |
| 20-34 | 14 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 9 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 13 | 7.7 | 201 | <1 | <1 | 2 | 3 | 39 | 40 | 40 |
| 65+ | 14 | 6.6 | 23 | 1 | 1 | 6 | 7 | 14 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 3.5 | 15 | <1 | 1 | 2 | 4 | 5 | 6 | 28 |
| 20-34 | 248 | 4.2 | 25 | 1 | 2 | 3 | 5 | 7 | 11 | 27 |
| 35-49 | 130 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 50-64 | 160 | 5.5 | 46 | 1 | 2 | 4 | 6 | 11 | 14 | 33 |
| 65+ | 190 | 9.5 | 99 | 1 | 2 | 6 | 13 | 22 | 31 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 3.4 | 15 | <1 | <1 | 2 | 4 | 8 | 10 | 25 |
| B. *Operated* | 3154 | 3.1 | 9 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 4.1 | 57 | <1 | <1 | 1 | 3 | 9 | 18 | 40 |
| B. *Operated* | 863 | 5.6 | 48 | 1 | 2 | 3 | 6 | 12 | 17 | 37 |
| **1. SINGLE DX** | 3220 | 3.1 | 9 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 925 | 5.5 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 39 |
| **A. NOT OPERATED** | 128 | 3.8 | 36 | <1 | <1 | 2 | 3 | 8 | 12 | 39 |
| **B. OPERATED** | 4017 | 3.7 | 18 | <1 | 1 | 3 | 4 | 6 | 10 | 21 |
| TOTAL 0-19 YRS | 940 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 1413 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 630 | 3.2 | 8 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| 50-64 | 631 | 4.1 | 24 | 1 | 2 | 3 | 5 | 6 | 10 | 27 |
| 65+ | 531 | 7.1 | 65 | 1 | 2 | 4 | 9 | 15 | 22 | 55 |
| **GRAND TOTAL** | **4145** | **3.7** | **19** | **<1** | **1** | **3** | **4** | **6** | **10** | **22** |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 6.5 | 14 | 2 | 3 | 6 | 8 | 12 | 13 | 19 |
| 20-34 | 134 | 6.4 | 30 | 2 | 3 | 5 | 7 | 10 | 15 | 36 |
| 35-49 | 134 | 8.0 | 70 | 2 | 2 | 6 | 9 | 15 | 23 | 47 |
| 50-64 | 103 | 9.6 | 101 | 2 | 3 | 8 | 11 | 15 | 19 | 66 |
| 65+ | 79 | 9.4 | 54 | 2 | 4 | 8 | 11 | 17 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 8.4 | 48 | 1 | 2 | 7 | 10 | 15 | 25 | 32 |
| 20-34 | 131 | 9.1 | 77 | 1 | 2 | 6 | 11 | 21 | 27 | 46 |
| 35-49 | 104 | 10.8 | 94 | 2 | 3 | 7 | 14 | 26 | 32 | 47 |
| 50-64 | 106 | 11.8 | 110 | 2 | 3 | 9 | 15 | 24 | 36 | 53 |
| 65+ | 65 | 13.1 | 217 | 2 | 3 | 8 | 15 | 33 | 42 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.9 | 16 | 1 | 2 | 5 | 7 | 13 | 16 | 16 |
| 20-34 | 104 | 6.8 | 40 | 2 | 2 | 5 | 8 | 12 | 14 | 43 |
| 35-49 | 96 | 8.6 | 44 | 2 | 3 | 7 | 10 | 17 | 22 | 36 |
| 50-64 | 159 | 11.4 | 72 | 3 | 4 | 9 | 14 | 20 | 26 | 50 |
| 65+ | 155 | 12.1 | 103 | 3 | 4 | 10 | 13 | 23 | 32 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 11.4 | 105 | 1 | 1 | 8 | 15 | 26 | 34 | 46 |
| 20-34 | 101 | 13.6 | 198 | 2 | 3 | 9 | 17 | 32 | 46 | 66 |
| 35-49 | 99 | 15.9 | 241 | 2 | 3 | 10 | 21 | 30 | 53 | 74 |
| 50-64 | 152 | 15.3 | 147 | 3 | 4 | 12 | 21 | 38 | 47 | 99+ |
| 65+ | 184 | 19.9 | 283 | 3 | 5 | 15 | 26 | 50 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 535 | 7.9 | 56 | 2 | 3 | 6 | 9 | 14 | 19 | 39 |
| B. *Operated* | 483 | 10.5 | 104 | 2 | 3 | 7 | 13 | 23 | 32 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 570 | 9.7 | 70 | 2 | 3 | 8 | 12 | 18 | 24 | 47 |
| B. *Operated* | 575 | 16.3 | 219 | 2 | 4 | 12 | 22 | 39 | 52 | 99+ |
| **1. SINGLE DX** | 1018 | 9.1 | 80 | 2 | 3 | 6 | 11 | 18 | 26 | 45 |
| **2. MULTIPLE DX** | 1145 | 13.0 | 155 | 2 | 3 | 9 | 16 | 28 | 43 | 71 |
| **A. NOT OPERATED** | 1105 | 8.8 | 64 | 2 | 3 | 7 | 11 | 16 | 22 | 44 |
| **B. OPERATED** | 1058 | 13.7 | 174 | 2 | 3 | 9 | 18 | 31 | 45 | 81 |
| TOTAL 0-19 YRS | 257 | 7.7 | 41 | 1 | 2 | 6 | 9 | 15 | 20 | 32 |
| 20-34 | 470 | 8.8 | 88 | 2 | 2 | 6 | 10 | 18 | 28 | 48 |
| 35-49 | 433 | 10.6 | 118 | 2 | 3 | 7 | 13 | 23 | 32 | 56 |
| 50-64 | 520 | 12.3 | 111 | 3 | 4 | 9 | 15 | 24 | 38 | 60 |
| 65+ | 483 | 14.8 | 195 | 3 | 4 | 11 | 18 | 34 | 49 | 91 |
| **GRAND TOTAL** | **2163** | **11.2** | **124** | **2** | **3** | **8** | **13** | **24** | **35** | **63** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 65 | 5.7 | 18 | 1 | 1 | 4 | 8 | 11 | 14 | 21 |
| 35-49 | 62 | 6.3 | 31 | 1 | 1 | 5 | 9 | 11 | 19 | 28 |
| 50-64 | 53 | 7.9 | 45 | 2 | 2 | 6 | 10 | 15 | 25 | 32 |
| 65+ | 71 | 7.7 | 66 | 1 | 2 | 6 | 11 | 14 | 21 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.0 | 26 | <1 | 1 | 2 | 5 | 7 | 8 | 34 |
| 20-34 | 165 | 5.4 | 67 | <1 | 1 | 3 | 6 | 11 | 15 | 49 |
| 35-49 | 132 | 6.9 | 60 | 1 | 1 | 4 | 9 | 16 | 22 | 40 |
| 50-64 | 151 | 7.7 | 70 | <1 | 2 | 4 | 9 | 21 | 26 | 36 |
| 65+ | 185 | 7.9 | 92 | 1 | 1 | 4 | 10 | 20 | 25 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.8 | 22 | 1 | 1 | 3 | 8 | 11 | 15 | 20 |
| 20-34 | 106 | 5.1 | 21 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 35-49 | 114 | 8.0 | 73 | 1 | 1 | 5 | 11 | 16 | 23 | 45 |
| 50-64 | 159 | 8.4 | 42 | 1 | 2 | 7 | 11 | 17 | 21 | 31 |
| 65+ | 267 | 10.0 | 65 | 2 | 3 | 7 | 14 | 20 | 25 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 7.8 | 183 | <1 | 1 | 4 | 8 | 16 | 21 | 87 |
| 20-34 | 142 | 10.2 | 212 | 1 | 2 | 6 | 10 | 22 | 40 | 90 |
| 35-49 | 186 | 11.5 | 126 | 1 | 2 | 8 | 15 | 23 | 38 | 67 |
| 50-64 | 356 | 14.5 | 204 | 2 | 2 | 11 | 19 | 32 | 54 | 99+ |
| 65+ | 453 | 14.7 | 217 | 2 | 2 | 10 | 21 | 38 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 6.5 | 38 | 1 | 1 | 5 | 8 | 12 | 17 | 29 |
| B. *Operated* | 693 | 6.8 | 71 | 1 | 1 | 4 | 8 | 16 | 23 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 681 | 8.3 | 55 | 1 | 1 | 6 | 11 | 18 | 22 | 37 |
| B. *Operated* | 1193 | 13.3 | 201 | 1 | 2 | 9 | 18 | 32 | 48 | 99+ |
| **1. SINGLE DX** | 985 | 6.7 | 61 | 1 | 1 | 4 | 8 | 15 | 22 | 38 |
| **2. MULTIPLE DX** | 1874 | 11.5 | 153 | 1 | 2 | 8 | 15 | 26 | 39 | 90 |
| **A. NOT OPERATED** | 973 | 7.7 | 50 | 1 | 1 | 6 | 11 | 16 | 21 | 34 |
| **B. OPERATED** | 1886 | 10.9 | 163 | 1 | 2 | 6 | 15 | 26 | 40 | 89 |
| TOTAL 0-19 YRS | 192 | 5.3 | 70 | 1 | 1 | 3 | 6 | 10 | 16 | 44 |
| 20-34 | 478 | 6.8 | 98 | 1 | 1 | 4 | 8 | 13 | 20 | 56 |
| 35-49 | 494 | 8.8 | 88 | 1 | 1 | 6 | 12 | 20 | 26 | 56 |
| 50-64 | 719 | 11.2 | 138 | 1 | 2 | 8 | 15 | 25 | 35 | 89 |
| 65+ | 976 | 11.7 | 149 | 1 | 2 | 7 | 16 | 27 | 39 | 86 |
| **GRAND TOTAL** | **2859** | **9.8** | **127** | **1** | **2** | **6** | **13** | **22** | **33** | **69** |

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 8 | 4.8 | 14 | 1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 35-49 | 5 | 4.6 | 11 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | 12 | 7.0 | 69 | 1 | 2 | 4 | 6 | 21 | 29 | 30 |
| 65+ | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 9 | 24 |
| 20-34 | 15 | 8.8 | 60 | 1 | 2 | 6 | 9 | 19 | 27 | 29 |
| 35-49 | 16 | 6.7 | 29 | 1 | 1 | 6 | 8 | 13 | 19 | 22 |
| 50-64 | 19 | 8.2 | 68 | 1 | 1 | 7 | 8 | 21 | 29 | 32 |
| 65+ | 36 | 5.5 | 21 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.5 | 5 | 10 | 10 | 11 | 13 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 7.0 | 35 | 2 | 2 | 5 | 9 | 17 | 17 | 17 |
| 50-64 | 13 | 8.0 | 43 | 1 | 2 | 6 | 11 | 18 | 22 | 23 |
| 65+ | 11 | 12.4 | 120 | 3 | 3 | 8 | 24 | 54 | 93 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 3.9 | 19 | 1 | 1 | 3 | 4 | 6 | 11 | 28 |
| B. *Operated* | 4 | 3.5 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 6.0 | 34 | 1 | 1 | 4 | 8 | 12 | 20 | 30 |
| B. *Operated* | 31 | 9.6 | 67 | 2 | 2 | 7 | 15 | 25 | 33 | 99+ |
| **1. SINGLE DX** | 67 | 3.9 | 18 | 1 | 1 | 3 | 4 | 6 | 10 | 28 |
| **2. MULTIPLE DX** | 156 | 6.7 | 42 | 1 | 1 | 5 | 8 | 17 | 23 | 34 |
| **A. NOT OPERATED** | 188 | 5.3 | 30 | 1 | 1 | 3 | 7 | 10 | 17 | 30 |
| **B. OPERATED** | 35 | 8.9 | 63 | 2 | 2 | 6 | 13 | 23 | 32 | 99+ |
| TOTAL 0-19 YRS | 76 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 20-34 | 24 | 7.3 | 45 | 1 | 2 | 5 | 9 | 19 | 22 | 29 |
| 35-49 | 26 | 6.3 | 26 | 1 | 2 | 5 | 8 | 13 | 18 | 22 |
| 50-64 | 47 | 7.5 | 56 | 1 | 2 | 5 | 8 | 17 | 26 | 32 |
| 65+ | 50 | 6.9 | 48 | 1 | 1 | 5 | 9 | 18 | 29 | 99 |
| **GRAND TOTAL** | **223** | **5.9** | **36** | **1** | **1** | **4** | **7** | **13** | **20** | **33** |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 6 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| 20-34 | 6836 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 6 |
| 35-49 | 3262 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 24 | 1.6 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 4 |
| 65+ | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 145 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| 35-49 | 63 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 3951 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 2460 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 18 | 2.4 | 5 | <1 | 1 | 2 | 2 | 5 | 8 | 10 |
| 65+ | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 10142 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| B. *Operated* | 6451 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| **1. SINGLE DX** | 10158 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 6660 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 225 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **B. OPERATED** | 16593 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 38 | 2.1 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 10942 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 5791 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 42 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 10 |
| 65+ | 5 | 2.8 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| **GRAND TOTAL** | **16818** | **2.1** | **3** | **<1** | **<1** | **2** | **3** | **4** | **5** | **7** |

### 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 3 | 23.3 | | 23 | 23 | 23 | 24 | 24 | 24 | 24 |
| 1750-2499 | 920 | 4.0 | 5 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| 2500+ | 67345 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 1750-2499 | 3 | 14.7 | 104 | 3 | 3 | 19 | 21 | 22 | 22 | 22 |
| 2500+ | 31 | 6.4 | 57 | 2 | 2 | 3 | 6 | 17 | 26 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 29 | 61.5 | 428 | 22 | 40 | 74 | 98 | 99+ | 99+ | 99+ |
| 1000-1499 | 144 | 45.6 | 287 | 15 | 26 | 45 | 58 | 69 | 73 | 99+ |
| 1500-1749 | 192 | 27.1 | 117 | 13 | 14 | 25 | 33 | 42 | 46 | 58 |
| 1750-2499 | 3034 | 8.5 | 46 | 3 | 3 | 6 | 11 | 18 | 21 | 32 |
| 2500+ | 31206 | 4.6 | 7 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 15 | 67.5 | 403 | 36 | 42 | 78 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 71 | 60.7 | 248 | 38 | 41 | 60 | 76 | 96 | 99+ | 99+ |
| 1500-1749 | 48 | 43.6 | 247 | 31 | 31 | 38 | 48 | 80 | 92 | 99+ |
| 1750-2499 | 148 | 18.8 | 188 | 5 | 7 | 16 | 24 | 35 | 45 | 99+ |
| 2500+ | 569 | 9.1 | 87 | 3 | 3 | 7 | 11 | 17 | 28 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68270 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 35 | 7.8 | 79 | 2 | 2 | 4 | 7 | 22 | 30 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34605 | 5.3 | 26 | 2 | 3 | 4 | 6 | 7 | 11 | 28 |
| B. *Operated* | 851 | 18.1 | 417 | 3 | 3 | 9 | 24 | 57 | 77 | 99+ |
| **1. SINGLE DX** | 68305 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 35456 | 5.6 | 39 | 2 | 3 | 4 | 6 | 8 | 12 | 37 |
| **A. NOT OPERATED** | 102875 | 4.2 | 11 | 2 | 2 | 3 | 5 | 6 | 7 | 15 |
| **B. OPERATED** | 886 | 17.7 | 408 | 3 | 3 | 9 | 24 | 56 | 77 | 99+ |
| TOTAL 1-999 G | 46 | 61.2 | 529 | 10 | 38 | 76 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 215 | 50.6 | 324 | 24 | 29 | 52 | 64 | 77 | 92 | 99+ |
| 1500-1749 | 244 | 30.3 | 183 | 14 | 16 | 29 | 36 | 46 | 56 | 92 |
| 1750-2499 | 4105 | 7.9 | 49 | 2 | 3 | 5 | 10 | 17 | 21 | 33 |
| 2500+ | 99151 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| **GRAND TOTAL** | **103761** | **4.3** | **16** | **2** | **2** | **3** | **5** | **6** | **7** | **18** |

### 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 2 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 1750-2499 | 127 | 5.4 | 9 | 3 | 3 | 5 | 7 | 7 | 9 | 19 |
| 2500+ | 572 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 7 | 65.4 | 95 | 51 | 52 | 68 | 74 | 76 | 76 | 76 |
| 1000-1499 | 34 | 43.7 | 339 | 20 | 25 | 40 | 53 | 68 | 97 | 99+ |
| 1500-1749 | 36 | 29.4 | 104 | 15 | 15 | 30 | 35 | 41 | 53 | 56 |
| 1750-2499 | 473 | 10.2 | 44 | 3 | 4 | 8 | 14 | 21 | 23 | 30 |
| 2500+ | 360 | 6.0 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 4 | 69.8 | 392 | 46 | 48 | 84 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 14 | 46.9 | 301 | 15 | 27 | 52 | 62 | 68 | 92 | 99+ |
| 1500-1749 | 4 | 39.0 | 182 | 21 | 21 | 41 | 49 | 52 | 52 | 52 |
| 1750-2499 | 38 | 19.9 | 92 | 5 | 8 | 21 | 25 | 32 | 36 | 49 |
| 2500+ | 14 | 11.7 | 51 | 3 | 5 | 9 | 18 | 21 | 26 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 701 | 5.1 | 7 | 3 | 3 | 5 | 6 | 7 | 8 | 14 |
| B. *Operated* | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 910 | 10.9 | 128 | 3 | 4 | 7 | 12 | 23 | 32 | 62 |
| B. *Operated* | 74 | 27.2 | 388 | 5 | 7 | 22 | 44 | 64 | 87 | 99+ |
| **1. SINGLE DX** | 702 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | 984 | 12.2 | 166 | 3 | 4 | 7 | 14 | 27 | 40 | 74 |
| **A. NOT OPERATED** | 1611 | 8.4 | 84 | 3 | 3 | 6 | 8 | 17 | 25 | 54 |
| **B. OPERATED** | 75 | 27.1 | 383 | 5 | 7 | 22 | 43 | 63 | 86 | 99+ |
| TOTAL 1-999 G | 11 | 67.0 | 180 | 47 | 50 | 72 | 80 | 99+ | 99+ | 99+ |
| 1000-1499 | 48 | 44.6 | 323 | 20 | 25 | 44 | 56 | 68 | 98 | 99+ |
| 1500-1749 | 42 | 30.3 | 110 | 15 | 16 | 30 | 35 | 46 | 53 | 56 |
| 1750-2499 | 639 | 9.8 | 50 | 3 | 3 | 7 | 13 | 21 | 24 | 31 |
| 2500+ | 946 | 5.5 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **GRAND TOTAL** | **1686** | **9.3** | **112** | **3** | **3** | **6** | **8** | **20** | **30** | **63** |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 9 | 1.3 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 6 | 1.3 | 1 | <1 | <1 | <1 | <1 | 3 | 3 | 3 |
| 35-49 | 6 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | 15 | 1.0 | | <1 | <1 | <1 | <1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 180 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 3 |
| 35-49 | 227 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 50-64 | 404 | 2.2 | 7 | <1 | 1 | 2 | 2 | 2 | 4 | 11 |
| 65+ | 444 | 1.9 | 7 | 1 | 1 | 2 | 2 | 3 | 3 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.2 | 51 | <1 | <1 | <1 | 5 | 17 | 17 | 17 |
| 20-34 | 142 | 1.6 | 25 | <1 | <1 | <1 | <1 | 1 | 2 | 14 |
| 35-49 | 98 | 1.3 | 1 | <1 | <1 | <1 | 1 | 1 | 4 | 7 |
| 50-64 | 163 | 1.7 | 7 | <1 | <1 | <1 | <1 | 2 | 5 | 17 |
| 65+ | 30 | 8.0 | 184 | 1 | 1 | 4 | 8 | 23 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| B. *Operated* | 31 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 1 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1256 | 1.8 | 5 | <1 | 1 | 1 | 2 | 2 | 3 | 9 |
| B. *Operated* | 438 | 2.0 | 26 | <1 | <1 | <1 | <1 | 3 | 6 | 26 |
| **1. SINGLE DX** | 47 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | 1694 | 1.8 | 11 | <1 | <1 | 1 | 2 | 2 | 3 | 11 |
| **A. NOT OPERATED** | 1272 | 1.7 | 5 | <1 | 1 | 1 | 2 | 2 | 3 | 9 |
| **B. OPERATED** | 469 | 2.0 | 24 | <1 | <1 | <1 | <1 | 3 | 6 | 24 |
| TOTAL 0-19 YRS | 11 | 2.5 | 23 | <1 | <1 | <1 | 1 | 8 | 16 | 17 |
| 20-34 | 329 | 1.3 | 11 | <1 | <1 | <1 | 1 | 1 | 1 | 6 |
| 35-49 | 333 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 50-64 | 576 | 2.0 | 7 | <1 | <1 | 2 | 2 | 2 | 4 | 11 |
| 65+ | 492 | 2.3 | 19 | <1 | 1 | 2 | 2 | 3 | 5 | 16 |
| **GRAND TOTAL** | **1741** | **1.8** | **10** | **<1** | **<1** | **1** | **2** | **2** | **3** | **10** |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1124 | 2.9 | 13 | <1 | <1 | 2 | 3 | 5 | 9 | 17 |
| 20-34 | 992 | 2.5 | 16 | <1 | <1 | 1 | 3 | 4 | 6 | 22 |
| 35-49 | 482 | 3.0 | 21 | <1 | <1 | 2 | 3 | 5 | 8 | 22 |
| 50-64 | 748 | 3.4 | 25 | <1 | 1 | 2 | 4 | 7 | 12 | 26 |
| 65+ | 653 | 3.8 | 41 | <1 | 1 | 2 | 4 | 8 | 11 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 475 | 3.1 | 12 | <1 | <1 | 2 | 3 | 7 | 11 | 17 |
| 20-34 | 1424 | 3.1 | 14 | <1 | <1 | 2 | 3 | 7 | 9 | 15 |
| 35-49 | 933 | 3.6 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 16 |
| 50-64 | 1110 | 4.4 | 21 | <1 | 1 | 2 | 7 | 11 | 13 | 18 |
| 65+ | 1165 | 4.6 | 26 | 1 | 1 | 2 | 6 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1179 | 3.5 | 28 | <1 | <1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 1775 | 4.6 | 40 | <1 | <1 | 2 | 5 | 10 | 16 | 31 |
| 35-49 | 2280 | 4.1 | 37 | 1 | 1 | 2 | 4 | 8 | 13 | 29 |
| 50-64 | 5738 | 4.1 | 42 | 1 | 1 | 2 | 4 | 8 | 14 | 35 |
| 65+ | 5080 | 6.3 | 93 | 1 | 1 | 3 | 6 | 15 | 25 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 462 | 4.3 | 54 | <1 | 1 | 2 | 3 | 9 | 18 | 47 |
| 20-34 | 1471 | 3.8 | 30 | <1 | <1 | 2 | 4 | 8 | 12 | 32 |
| 35-49 | 2036 | 4.1 | 40 | <1 | <1 | 2 | 4 | 9 | 13 | 38 |
| 50-64 | 3013 | 5.6 | 57 | 1 | 1 | 2 | 7 | 13 | 18 | 42 |
| 65+ | 2991 | 7.3 | 93 | 1 | 1 | 3 | 10 | 17 | 25 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3999 | 3.1 | 22 | <1 | <1 | 2 | 3 | 6 | 9 | 23 |
| B. *Operated* | 5107 | 3.8 | 18 | <1 | <1 | 2 | 5 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16052 | 4.8 | 57 | 1 | 1 | 2 | 5 | 10 | 17 | 42 |
| B. *Operated* | 9973 | 5.5 | 62 | <1 | <1 | 2 | 6 | 13 | 19 | 44 |
| **1. SINGLE DX** | 9106 | 3.5 | 20 | <1 | <1 | 2 | 4 | 8 | 12 | 20 |
| **2. MULTIPLE DX** | 26025 | 5.1 | 59 | <1 | 1 | 2 | 5 | 12 | 18 | 42 |
| **A. NOT OPERATED** | 20051 | 4.4 | 51 | <1 | 1 | 2 | 5 | 9 | 16 | 39 |
| **B. OPERATED** | 15080 | 4.9 | 48 | <1 | <1 | 2 | 6 | 12 | 16 | 37 |
| TOTAL 0-19 YRS | 3240 | 3.4 | 24 | <1 | <1 | 2 | 4 | 7 | 10 | 25 |
| 20-34 | 5662 | 3.7 | 27 | <1 | <1 | 2 | 4 | 8 | 12 | 27 |
| 35-49 | 5731 | 3.9 | 33 | <1 | <1 | 2 | 4 | 9 | 13 | 27 |
| 50-64 | 10609 | 4.5 | 44 | 1 | 1 | 2 | 5 | 10 | 15 | 35 |
| 65+ | 9889 | 6.2 | 83 | 1 | 1 | 3 | 7 | 15 | 23 | 48 |
| **GRAND TOTAL** | **35131** | **4.7** | **50** | **<1** | **1** | **2** | **5** | **11** | **16** | **38** |

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
| | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease — *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis — *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer – *see Neoplasm, malignant* |
|  | Carcinoma – *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs — *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
| | Deformity, congenital — *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
| | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular – *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer — *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer — *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| | |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve – *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| | |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes – *see Diabetes mellitus* |
| | |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease – *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
| | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
| | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| | |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
|  |  |
|  | Paget's disease — *see Disease, Paget's* |
|  | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
|  | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain – *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
|  |  |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
|  | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
|  | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
|  |  |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open — *see Laceration* |
| | |
| 12 | Yellow fever |

R3850-1.4#10

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# OP LENGTH OF STAY BY OPERATION

## UNITED STATES

## Northeastern REGION

## 1981

# Length of Stay by Operation, Northeastern Region, 1981

## A Companion Volume To Length of Stay by Diagnosis, Northeastern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
  Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . . . 6
  Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 15
  Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 16
  Operation Groups 501-764 . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17
**Appendix:** ***ICD 9-CM*** **Codes for Selected Operation Groups** . . . . . . . . . . . . 83
**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

### January - December 1981

| Hospital Class (1) | Short-Term Nonfederal Hospitals U.S. Total[2] (2) | Short-Term Nonfederal Hospitals Number in Books (3) | Short-Term Nonfederal Hospitals Percent in Books (4) | Beds U.S. Total[2] (5) | Beds Number in Books (6) | Beds Percent in Books (7) |
|---|---|---|---|---|---|---|
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] ***ICD-9-CM List B: Hospital Procedure Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening*. Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| *1. Diastolic BP > 110* | | | |
| *2. Not controlled by outpatient Rx* | | | |
| *3.* | | | |
| *4.* | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| **Prostatic hyperplasia** | **2** | | **235** |
| for: Cystoscopy | | | 636 |
| **TUR** | | | **648** |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| *1. Sepsis or fever > 102°, chills* | | | |
| *2. Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.



OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| **648** | **Transurethral approach** |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7708 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7708 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 118560 | 3.3 | 15 | <1 | <1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 255304 | 3.7 | 12 | <1 | 1 | 3 | 4 | 7 | 8 | 17 |
| 35-49 | 104448 | 4.8 | 25 | <1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 50-64 | 96389 | 6.3 | 41 | 1 | 2 | 4 | 8 | 13 | 18 | 31 |
| 65+ | 87549 | 8.1 | 73 | 1 | 2 | 5 | 10 | 18 | 24 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63578 | 5.6 | 70 | <1 | 1 | 3 | 6 | 11 | 18 | 50 |
| 20-34 | 156900 | 6.0 | 49 | 1 | 1 | 4 | 7 | 11 | 16 | 39 |
| 35-49 | 126123 | 7.8 | 73 | 1 | 2 | 6 | 9 | 16 | 23 | 47 |
| 50-64 | 182406 | 10.7 | 115 | 2 | 2 | 8 | 14 | 22 | 31 | 63 |
| 65+ | 298249 | 14.6 | 182 | 2 | 3 | 11 | 19 | 31 | 45 | 94 |
| TOT. SINGLE DX | 662250 | 4.8 | 30 | <1 | 1 | 3 | 6 | 10 | 14 | 27 |
| " MULTIPLE DX | 827256 | 10.4 | 129 | 1 | 2 | 7 | 13 | 23 | 33 | 70 |
| TOTAL 0-19 YRS | 182138 | 4.1 | 35 | <1 | 1 | 3 | 4 | 8 | 12 | 31 |
| 20-34 | 412204 | 4.6 | 27 | <1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 35-49 | 230571 | 6.5 | 53 | 1 | 1 | 4 | 8 | 13 | 19 | 38 |
| 50-64 | 278795 | 9.2 | 94 | 1 | 2 | 6 | 12 | 19 | 27 | 54 |
| 65+ | 385798 | 13.1 | 165 | 2 | 2 | 9 | 17 | 28 | 40 | 85 |
| GRAND TOTAL | 1489506 | 7.9 | 93 | 1 | 1 | 5 | 9 | 18 | 26 | 56 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 14.1 | 119 | 2 | 3 | 11 | 20 | 29 | 32 | 53 |
| 20-34 | 111 | 16.4 | 158 | 4 | 5 | 14 | 19 | 31 | 45 | 69 |
| 35-49 | 142 | 18.6 | 182 | 6 | 8 | 15 | 22 | 36 | 55 | 72 |
| 50-64 | 246 | 19.5 | 179 | 7 | 9 | 17 | 23 | 32 | 52 | 76 |
| 65+ | 159 | 21.9 | 198 | 5 | 9 | 18 | 30 | 43 | 58 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 102 | 24.9 | 379 | 2 | 3 | 21 | 36 | 63 | 80 | 99+ |
| 20-34 | 110 | 26.6 | 323 | 8 | 9 | 22 | 42 | 66 | 99+ | 99+ |
| 35-49 | 142 | 30.5 | 476 | 8 | 10 | 23 | 46 | 77 | 90 | 99+ |
| 50-64 | 300 | 27.5 | 360 | 7 | 9 | 22 | 37 | 64 | 79 | 99+ |
| 65+ | 363 | 31.3 | 359 | 9 | 11 | 27 | 43 | 67 | 82 | 99+ |
| TOT. SINGLE DX | 730 | 18.9 | 179 | 4 | 7 | 15 | 23 | 34 | 52 | 74 |
| " MULTIPLE DX | 1017 | 28.9 | 378 | 7 | 10 | 24 | 42 | 67 | 85 | 99+ |
| TOTAL 0-19 YRS | 174 | 20.4 | 299 | 2 | 3 | 16 | 29 | 49 | 69 | 99+ |
| 20-34 | 221 | 21.5 | 265 | 4 | 7 | 17 | 29 | 55 | 69 | 99+ |
| 35-49 | 284 | 24.5 | 364 | 7 | 8 | 17 | 30 | 57 | 78 | 99+ |
| 50-64 | 546 | 23.9 | 294 | 7 | 9 | 19 | 30 | 53 | 71 | 99+ |
| 65+ | 522 | 28.4 | 328 | 8 | 10 | 24 | 39 | 59 | 78 | 99+ |
| GRAND TOTAL | 1747 | 24.7 | 319 | 6 | 8 | 19 | 33 | 55 | 74 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 12.0 | 83 | 3 | 4 | 9 | 14 | 28 | 35 | 41 |
| 20-34 | 60 | 19.2 | 222 | 5 | 7 | 15 | 24 | 33 | 57 | 99+ |
| 35-49 | 60 | 19.6 | 216 | 5 | 6 | 16 | 22 | 40 | 52 | 73 |
| 50-64 | 75 | 20.4 | 232 | 6 | 7 | 16 | 25 | 37 | 49 | 83 |
| 65+ | 70 | 23.0 | 387 | 7 | 8 | 16 | 27 | 66 | 72 | 97 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 25.2 | 482 | 5 | 6 | 17 | 38 | 70 | 98 | 99+ |
| 20-34 | 74 | 25.7 | 253 | 8 | 10 | 24 | 45 | 99+ | 99+ | 99+ |
| 35-49 | 70 | 25.7 | 419 | 8 | 9 | 19 | 32 | 69 | 97 | 99+ |
| 50-64 | 120 | 29.3 | 307 | 9 | 11 | 28 | 41 | 67 | 99+ | 99+ |
| 65+ | 128 | 35.8 | 508 | 10 | 12 | 34 | 54 | 90 | 99+ | 99+ |
| TOT. SINGLE DX | 321 | 19.1 | 245 | 5 | 6 | 15 | 22 | 37 | 57 | 90 |
| " MULTIPLE DX | 462 | 29.4 | 413 | 8 | 10 | 26 | 46 | 79 | 99+ | 99+ |
| TOTAL 0-19 YRS | 126 | 19.3 | 346 | 4 | 5 | 13 | 29 | 60 | 74 | 99+ |
| 20-34 | 134 | 22.8 | 248 | 6 | 8 | 20 | 33 | 66 | 99+ | 99+ |
| 35-49 | 130 | 22.9 | 333 | 5 | 8 | 18 | 27 | 52 | 78 | 99+ |
| 50-64 | 195 | 25.9 | 296 | 7 | 9 | 22 | 34 | 60 | 85 | 99+ |
| 65+ | 198 | 31.3 | 502 | 8 | 10 | 25 | 47 | 76 | 99+ | 99+ |
| GRAND TOTAL | 783 | 25.2 | 369 | 6 | 8 | 20 | 36 | 66 | 96 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 6.8 | 15 | 2 | 3 | 6 | 8 | 11 | 12 | 25 |
| 20-34 | 52 | 8.0 | 26 | 3 | 3 | 7 | 10 | 13 | 17 | 32 |
| 35-49 | 27 | 9.3 | 20 | 4 | 4 | 8 | 12 | 18 | 21 | 25 |
| 50-64 | 24 | 10.0 | 52 | 2 | 3 | 8 | 12 | 23 | 27 | 28 |
| 65+ | 10 | 10.2 | 52 | 3 | 3 | 9 | 13 | 21 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 78 | 12.3 | 122 | 3 | 4 | 9 | 16 | 28 | 40 | 88 |
| 20-34 | 49 | 14.6 | 310 | 3 | 4 | 10 | 15 | 58 | 79 | 99+ |
| 35-49 | 28 | 16.9 | 358 | 2 | 3 | 11 | 26 | 69 | 99+ | 99+ |
| 50-64 | 35 | 13.9 | 131 | 4 | 4 | 11 | 15 | 27 | 43 | 51 |
| 65+ | 12 | 21.1 | 326 | 3 | 5 | 17 | 21 | 57 | 58 | 58 |
| TOT. SINGLE DX | 220 | 7.9 | 28 | 3 | 3 | 7 | 10 | 13 | 18 | 27 |
| " MULTIPLE DX | 202 | 14.3 | 215 | 3 | 4 | 10 | 17 | 41 | 88 | 99+ |
| TOTAL 0-19 YRS | 185 | 9.1 | 68 | 3 | 3 | 7 | 10 | 17 | 27 | 58 |
| 20-34 | 101 | 11.2 | 173 | 3 | 3 | 7 | 12 | 19 | 58 | 99+ |
| 35-49 | 55 | 13.2 | 208 | 3 | 4 | 9 | 16 | 38 | 78 | 99+ |
| 50-64 | 59 | 12.3 | 102 | 3 | 4 | 10 | 14 | 26 | 38 | 50 |
| 65+ | 22 | 16.1 | 224 | 3 | 4 | 12 | 20 | 35 | 57 | 58 |
| GRAND TOTAL | 422 | 11.0 | 126 | 3 | 4 | 8 | 12 | 22 | 40 | 99+ |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 12.8 | 251 | 3 | 4 | 9 | 12 | 32 | 75 | 99+ |
| 20-34 | 17 | 15.2 | [illegible] | 7 | 8 | 13 | 19 | 29 | 30 | 30 |
| 35-49 | 13 | 19.2 | 221 | 4 | 9 | 14 | 20 | 44 | 55 | 58 |
| 50-64 | 19 | 15.7 | 47 | 6 | 7 | 15 | 22 | 25 | 26 | 26 |
| 65+ | 22 | 22.7 | 386 | 8 | 9 | 16 | 25 | 43 | 67 | 98 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 31.0 | 801 | 6 | 7 | 16 | 62 | 80 | 88 | 99 |
| 20-34 | 21 | 23.6 | 406 | 7 | 8 | 19 | 41 | 99+ | 99+ | 99+ |
| 35-49 | 22 | 25.0 | 408 | 8 | 8 | 21 | 31 | 66 | 94 | 99+ |
| 50-64 | 33 | 26.1 | 291 | 8 | 9 | 26 | 47 | 99+ | 99+ | 99+ |
| 65+ | 100 | 37.7 | 541 | 10 | 13 | 35 | 59 | 98 | 99+ | 99+ |
| TOT. SINGLE DX | 107 | 16.5 | 215 | 5 | 7 | 12 | 20 | 29 | 42 | 99 |
| " MULTIPLE DX | 235 | 31.9 | 569 | 7 | 8 | 27 | 58 | 91 | 99+ | 99+ |
| TOTAL 0-19 YRS | 95 | 24.1 | 667 | 4 | 6 | 12 | 32 | 77 | 88 | 99+ |
| 20-34 | 38 | 19.9 | 262 | 7 | 8 | 16 | 30 | 65 | 99+ | 99+ |
| 35-49 | 35 | 22.8 | 339 | 6 | 8 | 16 | 29 | 58 | 81 | 99+ |
| 50-64 | 52 | 22.3 | 225 | 7 | 8 | 21 | 37 | 99+ | 99+ | 99+ |
| 65+ | 122 | 35.0 | 544 | 9 | 11 | 29 | 53 | 88 | 99+ | 99+ |
| GRAND TOTAL | 342 | 27.1 | 509 | 6 | 8 | 21 | 41 | 83 | 99+ | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 9.9 | 106 | 2 | 3 | 7 | 11 | 21 | 26 | 62 |
| 20-34 | 48 | 15.6 | 165 | 3 | 3 | 12 | 22 | 35 | 52 | 99+ |
| 35-49 | 18 | 15.1 | 130 | 2 | 2 | 12 | 24 | 32 | 38 | 40 |
| 50-64 | 25 | 17.1 | 181 | 3 | 5 | 11 | 24 | 38 | 45 | 53 |
| 65+ | 20 | 16.0 | 104 | 3 | 5 | 14 | 18 | 26 | 30 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 171 | 16.4 | 306 | 2 | 3 | 9 | 22 | 41 | 53 | 98 |
| 20-34 | 53 | 30.6 | 705 | 4 | 5 | 24 | 52 | 66 | 93 | 99+ |
| 35-49 | 44 | 15.0 | 101 | 4 | 6 | 14 | 22 | 33 | 61 | 99+ |
| 50-64 | 46 | 20.4 | 357 | 4 | 4 | 18 | 28 | 72 | 99+ | 99+ |
| 65+ | 46 | 28.3 | 425 | 6 | 7 | 20 | 45 | 78 | 99+ | 99+ |
| TOT. SINGLE DX | 192 | 13.4 | 139 | 2 | 3 | 10 | 18 | 28 | 37 | 69 |
| " MULTIPLE DX | 360 | 20.2 | 387 | 3 | 4 | 13 | 30 | 57 | 87 | 99+ |
| TOTAL 0-19 YRS | 252 | 14.3 | 251 | 2 | 3 | 9 | 17 | 37 | 48 | 91 |
| 20-34 | 101 | 23.4 | 501 | 3 | 4 | 17 | 31 | 67 | 88 | 99+ |
| 35-49 | 62 | 15.7 | 108 | 3 | 5 | 14 | 23 | 33 | 43 | 99+ |
| 50-64 | 71 | 19.2 | 295 | 4 | 4 | 15 | 27 | 53 | 81 | 99+ |
| 65+ | 66 | 23.2 | 348 | 4 | 7 | 16 | 37 | 62 | 99+ | 99+ |
| GRAND TOTAL | 552 | 17.8 | 311 | 3 | 4 | 11 | 25 | 45 | 72 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 12.1 | 34 | 3 | 5 | 12 | 13 | 21 | 24 | 24 |
| 20-34 | 163 | 14.6 | 109 | 6 | 7 | 12 | 18 | 26 | 31 | 53 |
| 35-49 | 265 | 12.9 | 55 | 5 | 6 | 11 | 16 | 23 | 28 | 43 |
| 50-64 | 291 | 13.8 | 74 | 5 | 7 | 11 | 16 | 25 | 34 | 46 |
| 65+ | 114 | 17.6 | 116 | 7 | 8 | 14 | 22 | 31 | 37 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 18.1 | 97 | 7 | 7 | 17 | 24 | 32 | 37 | 39 |
| 20-34 | 76 | 18.4 | 232 | 6 | 7 | 13 | 22 | 35 | 50 | 82 |
| 35-49 | 223 | 18.6 | 213 | 5 | 6 | 14 | 23 | 39 | 52 | 99+ |
| 50-64 | 376 | 20.7 | 237 | 7 | 8 | 16 | 26 | 44 | 62 | 99+ |
| 65+ | 376 | 26.7 | 345 | 8 | 9 | 21 | 30 | 59 | 80 | 99+ |
| TOT. SINGLE DX | 841 | 14.2 | 82 | 6 | 7 | 11 | 17 | 25 | 32 | 47 |
| " MULTIPLE DX | 1069 | 22.2 | 279 | 7 | 8 | 17 | 29 | 48 | 69 | 99+ |
| TOTAL 0-19 YRS | 26 | 16.3 | 84 | 6 | 7 | 14 | 22 | 31 | 34 | 39 |
| 20-34 | 239 | 15.8 | 148 | 6 | 7 | 12 | 19 | 28 | 38 | 72 |
| 35-49 | 488 | 15.5 | 136 | 5 | 6 | 12 | 19 | 29 | 41 | 90 |
| 50-64 | 667 | 17.7 | 178 | 6 | 7 | 13 | 22 | 37 | 47 | 99+ |
| 65+ | 490 | 24.6 | 307 | 8 | 9 | 19 | 32 | 56 | 74 | 99+ |
| GRAND TOTAL | 1910 | 18.6 | 208 | 6 | 7 | 14 | 23 | 39 | 54 | 99+ |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 19.0 | 180 | 2 | 4 | 17 | 33 | 38 | 48 | 98 |
| 20-34 | 63 | 13.0 | 136 | 2 | 2 | 9 | 19 | 32 | 40 | 93 |
| 35-49 | 71 | 12.8 | 139 | 1 | 2 | 10 | 17 | 25 | 35 | 67 |
| 50-64 | 60 | 18.7 | 255 | 2 | 2 | 15 | 24 | 49 | 54 | 64 |
| 65+ | 29 | 14.7 | 140 | 3 | 4 | 11 | 21 | 33 | 45 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 24.8 | 349 | 5 | 7 | 19 | 33 | 50 | 64 | 78 |
| 20-34 | 68 | 22.3 | 356 | 2 | 3 | 17 | 34 | 56 | 71 | 99+ |
| 35-49 | 70 | 20.7 | 254 | 3 | 5 | 16 | 31 | 46 | 66 | 99+ |
| 50-64 | 93 | 19.9 | 256 | 3 | 3 | 16 | 28 | 40 | 90 | 98 |
| 65+ | 108 | 26.1 | 324 | 6 | 9 | 22 | 37 | 59 | 92 | 99+ |
| TOT. SINGLE DX | 275 | 15.5 | 177 | 2 | 2 | 11 | 21 | 36 | 46 | 71 |
| " MULTIPLE DX | 392 | 22.6 | 306 | 3 | 5 | 18 | 33 | 50 | 71 | 99+ |
| TOTAL 0-19 YRS | 105 | 21.9 | 271 | 4 | 5 | 18 | 33 | 46 | 60 | 88 |
| 20-34 | 131 | 17.8 | 271 | 2 | 2 | 13 | 26 | 45 | 61 | 99+ |
| 35-49 | 141 | 16.8 | 211 | 2 | 3 | 13 | 26 | 39 | 50 | 99+ |
| 50-64 | 153 | 19.4 | 254 | 2 | 3 | 16 | 27 | 41 | 53 | 94 |
| 65+ | 137 | 23.7 | 306 | 4 | 6 | 20 | 34 | 54 | 82 | 99+ |
| GRAND TOTAL | 667 | 19.8 | 267 | 2 | 3 | 16 | 28 | 45 | 60 | 99+ |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 3.6 | 12 | 1 | 1 | 2 | 4 | 9 | 13 | 16 |
| 20-34 | 221 | 3.1 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 35-49 | 255 | 3.4 | 7 | 1 | 2 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 340 | 3.9 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 22 |
| 65+ | 142 | 3.8 | 11 | <1 | 2 | 3 | 4 | 6 | 9 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 4.5 | 35 | <1 | 1 | 2 | 4 | 16 | 21 | 23 |
| 20-34 | 103 | 6.6 | 130 | 1 | 1 | 3 | 6 | 15 | 28 | 64 |
| 35-49 | 120 | 5.6 | 32 | 1 | 2 | 4 | 6 | 11 | 16 | 33 |
| 50-64 | 171 | 7.3 | 99 | 2 | 2 | 4 | 8 | 14 | 25 | 64 |
| 65+ | 104 | 10.8 | 129 | 2 | 2 | 6 | 16 | 27 | 36 | 95 |
| TOT. SINGLE DX | 1016 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| " MULTIPLE DX | 523 | 7.3 | 96 | 1 | 2 | 4 | 8 | 19 | 27 | 62 |
| TOTAL 0-19 YRS | 83 | 3.9 | 19 | <1 | 1 | 2 | 4 | 10 | 14 | 22 |
| 20-34 | 324 | 4.2 | 48 | <1 | 1 | 3 | 4 | 7 | 13 | 31 |
| 35-49 | 375 | 4.1 | 17 | 1 | 2 | 3 | 4 | 7 | 12 | 24 |
| 50-64 | 511 | 5.0 | 44 | 1 | 2 | 3 | 5 | 10 | 14 | 43 |
| 65+ | 246 | 6.7 | 73 | 1 | 2 | 3 | 7 | 18 | 26 | 44 |
| GRAND TOTAL | 1539 | 4.8 | 42 | 1 | 2 | 3 | 8 | 9 | 16 | 33 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 207 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 969 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 1330 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 1561 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 821 | 2.8 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 187 | 3.3 | 30 | 1 | 1 | 2 | 4 | 5 | 7 | 17 |
| 20-34 | 427 | 3.9 | 34 | 1 | 1 | 2 | 4 | 7 | 12 | 30 |
| 35-49 | 569 | 3.9 | 18 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| 50-64 | 900 | 4.5 | 25 | 1 | 2 | 3 | 4 | 10 | 14 | 26 |
| 65+ | 607 | 5.9 | 70 | 1 | 2 | 3 | 6 | 13 | 21 | 51 |
| TOT. SINGLE DX | 4888 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 2690 | 4.5 | 36 | 1 | 1 | 3 | 4 | 9 | 14 | 31 |
| TOTAL 0-19 YRS | 394 | 2.9 | 16 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 1396 | 2.9 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 1899 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 2461 | 3.3 | 12 | <1 | 1 | 2 | 3 | 5 | 9 | 19 |
| 65+ | 1428 | 4.2 | 35 | 1 | 1 | 3 | 4 | 8 | 13 | 32 |
| GRAND TOTAL | 7578 | 3.3 | 16 | <1 | 1 | 2 | 3 | 5 | 8 | 21 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 7.6 | 19 | 5 | 5 | 5 | 10 | 15 | 15 | 15 |
| 20-34 | 22 | 6.9 | 18 | 1 | 1 | 6 | 8 | 12 | 16 | 19 |
| 35-49 | 43 | 9.9 | 124 | 2 | 3 | 7 | 11 | 21 | 51 | 99+ |
| 50-64 | 55 | 10.5 | 43 | 3 | 4 | 9 | 13 | 22 | 25 | 96 |
| 65+ | 74 | 12.9 | 39 | 5 | 6 | 12 | 16 | 22 | 26 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 12 | 6 | 6 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 23 | 9.7 | 45 | 4 | 5 | 7 | 12 | 17 | 27 | 33 |
| 35-49 | 50 | 14.5 | 168 | 4 | 6 | 11 | 17 | 25 | 36 | 84 |
| 50-64 | 185 | 19.5 | 192 | 5 | 8 | 16 | 24 | 37 | 52 | 84 |
| 65+ | 439 | 22.6 | 257 | 7 | 8 | 18 | 29 | 44 | 63 | 99+ |
| TOT. SINGLE DX | 199 | 10.8 | 59 | 3 | 4 | 9 | 14 | 21 | 25 | 75 |
| " MULTIPLE DX | 700 | 20.7 | 235 | 6 | 8 | 16 | 25 | 41 | 57 | 95 |
| TOTAL 0-19 YRS | 8 | 8.4 | 15 | 5 | 5 | 7 | 11 | 14 | 15 | 15 |
| 20-34 | 45 | 8.3 | 34 | 1 | 4 | 7 | 10 | 14 | 20 | 33 |
| 35-49 | 93 | 12.4 | 152 | 3 | 4 | 9 | 13 | 24 | 45 | 93 |
| 50-64 | 240 | 17.5 | 172 | 4 | 6 | 14 | 22 | 34 | 50 | 91 |
| 65+ | 513 | 21.2 | 238 | 6 | 8 | 17 | 26 | 42 | 60 | 97 |
| GRAND TOTAL | 899 | 18.5 | 213 | 4 | 6 | 14 | 23 | 38 | 52 | 95 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 7.1 | 72 | 2 | 2 | 3 | 8 | 22 | 27 | 27 |
| 20-34 | 18 | 3.2 | 5 | <1 | <1 | 2 | 5 | 7 | 8 | 8 |
| 35-49 | 13 | 6.6 | 30 | <1 | <1 | 3 | 12 | 14 | 15 | 15 |
| 50-64 | 31 | 5.9 | 16 | 1 | 1 | 5 | 8 | 13 | 14 | 15 |
| 65+ | 17 | 14.7 | 234 | 1 | 2 | 9 | 27 | 41 | 44 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 7.8 | 60 | <1 | <1 | 4 | 13 | 21 | 23 | 23 |
| 20-34 | 14 | 8.1 | 93 | 2 | 2 | 6 | 7 | 17 | 35 | 40 |
| 35-49 | 27 | 10.7 | 66 | 2 | 2 | 9 | 15 | 22 | 26 | 34 |
| 50-64 | 43 | 12.4 | 152 | 1 | 2 | 9 | 18 | 28 | 37 | 65 |
| 65+ | 36 | 17.8 | 294 | 1 | 2 | 13 | 22 | 43 | 63 | 68 |
| TOT. SINGLE DX | 87 | 7.3 | 76 | <1 | 1 | 4 | 9 | 14 | 28 | 44 |
| " MULTIPLE DX | 129 | 12.8 | 169 | 1 | 2 | 9 | 18 | 28 | 38 | 66 |
| TOTAL 0-19 YRS | 17 | 7.5 | 62 | <1 | 1 | 4 | 10 | 22 | 26 | 27 |
| 20-34 | 32 | 5.4 | 48 | <1 | 1 | 4 | 6 | 8 | 13 | 40 |
| 35-49 | 40 | 9.4 | 57 | 1 | 2 | 8 | 14 | 19 | 24 | 34 |
| 50-64 | 74 | 9.7 | 105 | 1 | 1 | 7 | 12 | 19 | 29 | 58 |
| 65+ | 53 | 16.8 | 273 | 1 | 2 | 10 | 23 | 42 | 55 | 68 |
| GRAND TOTAL | 216 | 10.6 | 138 | 1 | 2 | 7 | 13 | 25 | 35 | 65 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 4.5 | 5 | 2 | 3 | 4 | 5 | 6 | 8 | 16 |
| 20-34 | 687 | 4.9 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 764 | 4.7 | 3 | 3 | 3 | 4 | 5 | 6 | 8 | 14 |
| 50-64 | 651 | 5.1 | 7 | 3 | 3 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 254 | 6.0 | 9 | 3 | 3 | 5 | 7 | 9 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 7.0 | 35 | 2 | 3 | 5 | 7 | 13 | 22 | 32 |
| 20-34 | 227 | 6.1 | 16 | 3 | 3 | 5 | 7 | 10 | 13 | 23 |
| 35-49 | 348 | 6.7 | 41 | 3 | 3 | 5 | 7 | 11 | 17 | 44 |
| 50-64 | 458 | 7.5 | 37 | 3 | 4 | 5 | 8 | 14 | 21 | 37 |
| 65+ | 318 | 12.3 | 155 | 4 | 4 | 8 | 13 | 27 | 40 | 66 |
| TOT. SINGLE DX | 2474 | 5.0 | 5 | 3 | 3 | 4 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 1395 | 8.1 | 67 | 3 | 4 | 5 | 8 | 15 | 23 | 45 |
| TOTAL 0-19 YRS | 162 | 5.2 | 15 | 2 | 3 | 4 | 5 | 8 | 12 | 24 |
| 20-34 | 914 | 5.2 | 7 | 3 | 3 | 5 | 6 | 7 | 10 | 15 |
| 35-49 | 1112 | 5.3 | 16 | 3 | 3 | 4 | 6 | 7 | 10 | 18 |
| 50-64 | 1109 | 6.1 | 21 | 3 | 3 | 5 | 6 | 10 | 14 | 28 |
| 65+ | 572 | 9.5 | 100 | 3 | 4 | 6 | 10 | 18 | 29 | 61 |
| GRAND TOTAL | 3869 | 6.1 | 30 | 3 | 3 | 5 | 6 | 10 | 14 | 31 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 197 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 140 | 3.9 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| 35-49 | 115 | 4.7 | 13 | 1 | 2 | 4 | 5 | 8 | 14 | 21 |
| 50-64 | 87 | 6.1 | 25 | 2 | 3 | 5 | 7 | 9 | 16 | 32 |
| 65+ | 40 | 8.6 | 29 | 3 | 4 | 6 | 11 | 17 | 19 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 4.8 | 15 | 2 | 2 | 4 | 5 | 12 | 15 | 16 |
| 20-34 | 75 | 10.4 | 247 | 2 | 2 | 5 | 9 | 20 | 38 | 90 |
| 35-49 | 87 | 10.6 | 73 | 2 | 3 | 8 | 15 | 25 | 26 | 40 |
| 50-64 | 177 | 11.0 | 100 | 3 | 4 | 8 | 13 | 22 | 30 | 58 |
| 65+ | 145 | 18.3 | 246 | 4 | 4 | 13 | 26 | 39 | 62 | 71 |
| TOT. SINGLE DX | 579 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| " MULTIPLE DX | 508 | 12.6 | 169 | 2 | 3 | 8 | 16 | 28 | 38 | 65 |
| TOTAL 0-19 YRS | 221 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 215 | 6.2 | 104 | 1 | 2 | 4 | 6 | 10 | 18 | 64 |
| 35-49 | 202 | 7.2 | 48 | 2 | 2 | 5 | 8 | 18 | 24 | 32 |
| 50-64 | 264 | 9.3 | 81 | 3 | 3 | 6 | 11 | 20 | 27 | 50 |
| 65+ | 185 | 16.2 | 215 | 4 | 4 | 10 | 23 | 37 | 50 | 69 |
| GRAND TOTAL | 1087 | 8.2 | 104 | 1 | 2 | 5 | 8 | 19 | 28 | 62 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 10.3 | 50 | 1 | 2 | 10 | 15 | 20 | 23 | 23 |
| 20-34 | 49 | 11.3 | 35 | 4 | 5 | 10 | 15 | 20 | 21 | 34 |
| 35-49 | 36 | 16.7 | 248 | 5 | 7 | 12 | 18 | 30 | 38 | 94 |
| 50-64 | 40 | 13.2 | 48 | 4 | 4 | 12 | 17 | 23 | 27 | 30 |
| 65+ | 14 | 17.3 | 340 | 5 | 7 | 11 | 19 | 30 | 67 | 78 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 13.0 | 110 | 2 | 2 | 9 | 19 | 29 | 36 | 36 |
| 20-34 | 44 | 15.3 | 70 | 6 | 8 | 13 | 20 | 28 | 32 | 44 |
| 35-49 | 51 | 17.1 | 148 | 6 | 7 | 14 | 20 | 27 | 37 | 77 |
| 50-64 | 75 | 20.0 | 180 | 6 | 8 | 15 | 24 | 43 | 48 | 60 |
| 65+ | 58 | 22.5 | 264 | 6 | 9 | 18 | 31 | 51 | 65 | 98 |
| TOT. SINGLE DX | 150 | 13.6 | 122 | 4 | 5 | 11 | 16 | 23 | 30 | 78 |
| " MULTIPLE DX | 238 | 18.8 | 176 | 5 | 8 | 15 | 23 | 37 | 49 | 77 |
| TOTAL 0-19 YRS | 21 | 11.6 | 77 | 2 | 2 | 9 | 17 | 22 | 29 | 36 |
| 20-34 | 93 | 13.2 | 55 | 4 | 6 | 11 | 16 | 21 | 28 | 40 |
| 35-49 | 87 | 16.9 | 187 | 6 | 7 | 13 | 20 | 29 | 37 | 88 |
| 50-64 | 115 | 17.6 | 144 | 4 | 6 | 14 | 22 | 36 | 45 | 56 |
| 65+ | 72 | 21.5 | 279 | 5 | 8 | 18 | 26 | 50 | 67 | 96 |
| GRAND TOTAL | 388 | 16.8 | 161 | 4 | 6 | 13 | 20 | 31 | 43 | 78 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 298 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 65 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 103 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 50-64 | 194 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 10 |
| 65+ | 185 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 10 | 13 |
| 20-34 | 34 | 2.8 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 87 | 3.6 | 23 | <1 | <1 | 2 | 3 | 8 | 13 | 26 |
| 50-64 | 174 | 4.5 | 56 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 65+ | 224 | 7.3 | 100 | 1 | 1 | 3 | 10 | 20 | 31 | 76 |
| TOT. SINGLE DX | 845 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| " MULTIPLE DX | 557 | 5.2 | 66 | <1 | <1 | 3 | 5 | 13 | 20 | 49 |
| TOTAL 0-19 YRS | 336 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 99 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 35-49 | 190 | 2.5 | 12 | <1 | <1 | 2 | 2 | 4 | 8 | 24 |
| 50-64 | 368 | 3.1 | 30 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 409 | 5.0 | 63 | <1 | 1 | 2 | 4 | 13 | 20 | 54 |
| GRAND TOTAL | 1402 | 3.1 | 30 | <1 | <1 | 2 | 3 | 5 | 11 | 29 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 248 | 2.1 | 15 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 133 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 326 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 471 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 656 | 2.2 | 9 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 322 | 3.6 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 20-34 | 319 | 3.8 | 23 | <1 | 1 | 2 | 5 | 8 | 11 | 23 |
| 35-49 | 447 | 3.3 | 16 | 1 | 1 | 2 | 3 | 6 | 7 | 17 |
| 50-64 | 865 | 3.6 | 22 | 1 | 2 | 3 | 4 | 5 | 8 | 22 |
| 65+ | 886 | 5.4 | 70 | 1 | 2 | 2 | 5 | 13 | 21 | 60 |
| TOT. SINGLE DX | 1834 | 2.1 | 6 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 2839 | 4.2 | 37 | 1 | 1 | 3 | 4 | 8 | 13 | 40 |
| TOTAL 0-19 YRS | 570 | 3.0 | 19 | <1 | 1 | 2 | 3 | 6 | 8 | 22 |
| 20-34 | 452 | 3.3 | 17 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 35-49 | 773 | 2.8 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 1336 | 3.1 | 15 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 1542 | 4.1 | 47 | 1 | 1 | 2 | 3 | 8 | 15 | 51 |
| GRAND TOTAL | 4673 | 3.4 | 26 | <1 | 1 | 2 | 3 | 5 | 9 | 28 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 41 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 35-49 | 23 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 43 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 6 | 9 |
| 65+ | 76 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 17 | 3.1 | 3 | 1 | 2 | 3 | 3 | 6 | 7 | 8 |
| 35-49 | 24 | 3.8 | 8 | 1 | 1 | 3 | 4 | 10 | 11 | 12 |
| 50-64 | 33 | 3.8 | 25 | 2 | 2 | 3 | 3 | 5 | 8 | 31 |
| 65+ | 139 | 3.9 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| TOT. SINGLE DX | 231 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| " MULTIPLE DX | 230 | 3.7 | 9 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| TOTAL 0-19 YRS | 65 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 58 | 3.0 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 47 | 3.2 | 5 | 1 | 1 | 3 | 3 | 5 | 10 | 12 |
| 50-64 | 76 | 3.4 | 12 | 2 | 2 | 3 | 3 | 5 | 7 | 25 |
| 65+ | 215 | 3.5 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 15 |
| GRAND TOTAL | 461 | 3.2 | 6 | 1 | 1 | 3 | 3 | 5 | 7 | 15 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 12 |
| 20-34 | 16 | 2.3 | 9 | <1 | <1 | 1 | 2 | 7 | 10 | 12 |
| 35-49 | 13 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 19 | 3.6 | 29 | <1 | <1 | 2 | 3 | 6 | 17 | 25 |
| 65+ | 21 | 2.2 | 4 | <1 | <1 | 1 | 3 | 4 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 3.0 | 6 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| 20-34 | 18 | 4.7 | 29 | 1 | 1 | 2 | 5 | 1[illegible] | 19 | 23 |
| 35-49 | 9 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 14 | 8.8 | 384 | <1 | <1 | 2 | 4 | 28 | 64 | 74 |
| 65+ | 25 | 4.9 | 14 | 1 | 2 | 3 | 7 | 12 | 13 | 14 |
| TOT. SINGLE DX | 105 | 2.2 | 9 | <1 | <1 | 1 | 2 | 3 | 7 | 18 |
| " MULTIPLE DX | 79 | 5.0 | 80 | 1 | 1 | 2 | 5 | 10 | 13 | 59 |
| TOTAL 0-19 YRS | 49 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 20-34 | 34 | 3.6 | 21 | <1 | <1 | 2 | 4 | 9 | 12 | 23 |
| 35-49 | 22 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 50-64 | 33 | 5.8 | 179 | <1 | <1 | 2 | 3 | 11 | 25 | 74 |
| 65+ | 46 | 3.7 | 12 | <1 | 1 | 2 | 5 | 10 | 12 | 14 |
| GRAND TOTAL | 184 | 3.4 | 41 | <1 | <1 | 2 | 3 | 7 | 12 | 24 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 15 | 4.3 | 15 | 1 | 2 | 2 | 5 | 10 | 14 | 16 |
| 20-34 | 27 | 4.4 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 16 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | 26 | 4.3 | 5 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 91 | 4.7 | 7 | 1 | 2 | 4 | 6 | 9 | 11 | 12 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 9.2 | 73 | 3 | 3 | 5 | 13 | 24 | 24 | 24 |
| 20-34 | 7 | 3.9 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 13 | 4.2 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 50-64 | 25 | 5.6 | 12 | 2 | 2 | 5 | 7 | 9 | 13 | 18 |
| 65+ | 130 | 6.4 | 65 | 2 | 2 | 5 | 7 | 10 | 16 | 48 |
| TOT. SINGLE DX | 175 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| " MULTIPLE DX | 180 | 6.1 | 52 | 2 | 2 | 5 | 7 | 10 | 14 | 35 |
| TOTAL 0-19 YRS | 20 | 5.6 | 32 | 1 | 2 | 4 | 6 | 13 | 20 | 24 |
| 20-34 | 34 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 29 | 3.9 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 9 |
| 50-64 | 51 | 4.9 | 9 | 1 | 2 | 5 | 6 | 8 | 9 | 18 |
| 65+ | 221 | 5.7 | 42 | 2 | 2 | 5 | 6 | 9 | 12 | 25 |
| GRAND TOTAL | 355 | 5.3 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 75 | 3.3 | 11 | <1 | <1 | 2 | 4 | 5 | 8 | 21 |
| 20-34 | 138 | 2.5 | 10 | <1 | <1 | 2 | 2 | 4 | 6 | 15 |
| 35-49 | 137 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | 141 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 6 | 12 |
| 65+ | 75 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 11 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 59 | 5.3 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 40 | 5.8 | 96 | 1 | 1 | 4 | 6 | 9 | 14 | 63 |
| 35-49 | 46 | 4.7 | 45 | 1 | 1 | 2 | 4 | 11 | 17 | 39 |
| 50-64 | 65 | 5.2 | 112 | 1 | 1 | 3 | 5 | 7 | 15 | 75 |
| 65+ | 112 | 5.3 | 55 | 1 | 1 | 3 | 6 | 10 | 16 | 44 |
| TOT. SINGLE DX | 566 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| " MULTIPLE DX | 322 | 5.2 | 63 | 1 | 1 | 3 | 6 | 10 | 15 | 44 |
| TOTAL 0-19 YRS | 134 | 4.2 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 178 | 3.2 | 31 | <1 | 1 | 2 | 3 | 6 | 8 | 29 |
| 35-49 | 183 | 2.8 | 14 | <1 | <1 | 2 | 3 | 5 | 9 | 18 |
| 50-64 | 206 | 3.2 | 39 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 65+ | 187 | 4.1 | 36 | <1 | 1 | 2 | 4 | 8 | 12 | 35 |
| GRAND TOTAL | 888 | 3.5 | 28 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 27 | 2.9 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 28 | 4.5 | 24 | 1 | 2 | 3 | 5 | 9 | 13 | 26 |
| 35-49 | 64 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 50-64 | 172 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 468 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 18 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 14 | 17 |
| 20-34 | 27 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 11 | 11 |
| 35-49 | 48 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 163 | 4.2 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 25 |
| 65+ | 448 | 4.7 | 15 | 1 | 2 | 4 | 5 | 9 | 14 | 23 |
| TOT. SINGLE DX | 759 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 704 | 4.6 | 14 | 1 | 2 | 4 | 5 | 8 | 13 | 23 |
| TOTAL 0-19 YRS | 45 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 55 | 4.5 | 15 | 2 | 2 | 4 | 5 | 8 | 11 | 25 |
| 35-49 | 112 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 335 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 916 | 4.1 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| GRAND TOTAL | 1463 | 4.0 | 10 | 1 | 2 | 3 | 4 | 7 | 10 | 18 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 27 | 3.5 | 9 | <1 | 1 | 2 | 5 | 8 | 12 | 12 |
| 20-34 | 25 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 38 | 3.4 | 6 | 1 | 1 | 3 | 4 | 8 | 10 | 11 |
| 50-64 | 141 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 360 | 3.3 | 5 | 1 | 2 | 3 | 4 | 7 | 9 | 13 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 44 | 5.1 | 22 | <1 | 1 | 4 | 7 | 11 | 13 | 26 |
| 20-34 | 33 | 5.0 | 9 | 1 | 2 | 4 | 6 | 10 | 11 | 13 |
| 35-49 | 32 | 5.3 | 23 | 1 | 1 | 4 | 6 | 10 | 20 | 21 |
| 50-64 | 135 | 4.5 | 18 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| 65+ | 338 | 6.0 | 50 | 1 | 2 | 3 | 7 | 14 | 20 | 58 |
| TOT. SINGLE DX | 591 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| " MULTIPLE DX | 582 | 5.5 | 38 | 1 | 2 | 3 | 7 | 12 | 17 | 43 |
| TOTAL 0-19 YRS | 71 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 12 | 24 |
| 20-34 | 58 | 4.2 | 8 | 1 | 1 | 4 | 5 | 9 | 10 | 13 |
| 35-49 | 70 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 10 | 21 |
| 50-64 | 276 | 3.9 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 65+ | 698 | 4.6 | 29 | 1 | 2 | 3 | 5 | 10 | 14 | 34 |
| GRAND TOTAL | 1173 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 29 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 2.6 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 17 | 3.1 | 2 | 1 | 2 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 437 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 2886 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 65+ | 10276 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 3.4 | 17 | <1 | <1 | 2 | 4 | 7 | 12 | 21 |
| 20-34 | 27 | 4.6 | 22 | <1 | 1 | 3 | 5 | 8 | 12 | 26 |
| 35-49 | 289 | 4.1 | 22 | 2 | 2 | 3 | 4 | 7 | 10 | 24 |
| 50-64 | 2507 | 4.0 | 20 | 2 | 2 | 3 | 4 | 6 | 10 | 19 |
| 65+ | 11642 | 4.5 | 26 | 2 | 2 | 3 | 4 | 7 | 12 | 28 |
| TOT. SINGLE DX | 13636 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 10 |
| " MULTIPLE DX | 14490 | 4.4 | 25 | 2 | 2 | 3 | 4 | 7 | 11 | 26 |
| TOTAL 0-19 YRS | 45 | 3.0 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 21 |
| 20-34 | 44 | 4.0 | 15 | 1 | 2 | 3 | 5 | 6 | 9 | 26 |
| 35-49 | 726 | 3.4 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 5393 | 3.5 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| 65+ | 21918 | 3.9 | 16 | 2 | 2 | 3 | 4 | 6 | 8 | 21 |
| GRAND TOTAL | 28126 | 3.8 | 15 | 2 | 2 | 3 | 4 | 5 | 8 | 19 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 48 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 188 | 2.5 | 2 | 2 | 2 | 2 | 2 | 4 | 4 | 9 |
| 50-64 | 721 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 4 | 5 |
| 65+ | 1843 | 2.6 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 11 | 11 |
| 20-34 | 34 | 3.3 | 12 | 1 | 1 | 2 | 3 | 5 | 11 | 20 |
| 35-49 | 98 | 3.9 | 47 | 2 | 2 | 3 | 4 | 5 | 8 | 42 |
| 50-64 | 391 | 3.3 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 1489 | 3.9 | 23 | 2 | 2 | 3 | 4 | 6 | 10 | 24 |
| TOT. SINGLE DX | 2872 | 2.5 | 2 | 2 | 2 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 2049 | 3.7 | 21 | 2 | 2 | 3 | 4 | 6 | 9 | 22 |
| TOTAL 0-19 YRS | 109 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 82 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 17 |
| 35-49 | 286 | 2.9 | 18 | 2 | 2 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 1112 | 2.7 | 3 | 2 | 2 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 3332 | 3.2 | 12 | 2 | 2 | 2 | 3 | 5 | 6 | 17 |
| GRAND TOTAL | 4921 | 3.0 | 10 | 2 | 2 | 2 | 3 | 4 | 6 | 14 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 2.7 | 1 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 17 | 2.5 | 1 | <1 | <1 | 2 | 3 | 3 | 6 | 7 |
| 50-64 | 132 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 578 | 2.7 | 8 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 43 | 1 | 1 | 9 | 13 | 14 | 14 | 14 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 83 | 3.5 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 449 | 3.9 | 43 | 1 | 2 | 3 | 4 | 6 | 10 | 28 |
| TOT. SINGLE DX | 736 | 2.7 | 7 | 1 | 2 | 2 | 3 | 4 | 4 | 8 |
| " MULTIPLE DX | 540 | 3.9 | 37 | 1 | 2 | 3 | 4 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 5 | 5.4 | 34 | <1 | <1 | 2 | 10 | 14 | 14 | 14 |
| 20-34 | 7 | 2.7 | 1 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 22 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 50-64 | 215 | 2.9 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 1027 | 3.3 | 24 | 1 | 2 | 2 | 3 | 5 | 6 | 17 |
| GRAND TOTAL | 1276 | 3.2 | 20 | 1 | 2 | 2 | 3 | 4 | 6 | 16 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 4.8 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| 20-34 | 121 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 9 | 19 |
| 35-49 | 141 | 5.4 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 25 |
| 50-64 | 534 | 4.9 | 7 | 1 | 2 | 5 | 7 | 8 | 10 | 13 |
| 65+ | 406 | 5.3 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 6.0 | 24 | 1 | 2 | 6 | 7 | 10 | 15 | 29 |
| 20-34 | 60 | 6.2 | 13 | 2 | 2 | 6 | 8 | 11 | [illegible] | 19 |
| 35-49 | 112 | 6.3 | 12 | 2 | 2 | 6 | 8 | 10 | 12 | 21 |
| 50-64 | 491 | 5.9 | 23 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 65+ | 549 | 6.8 | 16 | 2 | 2 | 6 | 8 | 12 | 14 | 19 |
| TOT. SINGLE DX | 1249 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| " MULTIPLE DX | 1256 | 6.3 | 19 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | 91 | 5.4 | 18 | 1 | 1 | 5 | 7 | 9 | 11 | 25 |
| 20-34 | 181 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| 35-49 | 253 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 22 |
| 50-64 | 1025 | 5.3 | 15 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 955 | 6.2 | 13 | 2 | 2 | 6 | 8 | 10 | 13 | 18 |
| GRAND TOTAL | 2505 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 29 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 17 | 5.1 | 12 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 50-64 | 65 | 4.8 | 23 | 1 | 2 | 4 | 6 | 8 | 12 | 33 |
| 65+ | 106 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 5.5 | 67 | 1 | 1 | 3 | 5 | 8 | 22 | 41 |
| 20-34 | 34 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 47 | 6.3 | 39 | 1 | 2 | 5 | 8 | 10 | 12 | 44 |
| 50-64 | 125 | 6.4 | 45 | 2 | 2 | 5 | 7 | 10 | 13 | 45 |
| 65+ | 229 | 6.1 | 84 | 2 | 2 | 4 | 6 | 11 | 16 | 85 |
| TOT. SINGLE DX | 238 | 4.2 | 12 | 1 | 2 | 3 | 5 | 7 | 10 | 15 |
| " MULTIPLE DX | 457 | 6.1 | 63 | 2 | 2 | 4 | 7 | 10 | 15 | 46 |
| TOTAL 0-19 YRS | 43 | 4.6 | 36 | 1 | 2 | 3 | 5 | 7 | 8 | 41 |
| 20-34 | 63 | 4.3 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 35-49 | 64 | 6.0 | 33 | 2 | 2 | 5 | 8 | 10 | 12 | 40 |
| 50-64 | 190 | 5.8 | 38 | 2 | 2 | 5 | 7 | 10 | 13 | 40 |
| 65+ | 335 | 5.4 | 61 | 1 | 2 | 4 | 6 | 9 | 14 | 51 |
| GRAND TOTAL | 695 | 5.4 | 46 | 1 | 2 | 4 | 6 | 9 | 12 | 42 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1851 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 319 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 110 | 2.2 | | 1 | 2 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 64 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 33 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 367 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 63 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 87 |
| 35-49 | 53 | 2.5 | | 2 | 2 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 49 | 2.9 | 4 | 1 | 2 | 2 | 3 | 5 | 9 | 11 |
| 65+ | 48 | 4.7 | 192 | 1 | 2 | 2 | 3 | 5 | 9 | 98 |
| TOT. SINGLE DX | 2377 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| " MULTIPLE DX | 580 | 2.2 | 17 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 2218 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 382 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 163 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 113 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 65+ | 81 | 3.7 | 115 | 1 | 2 | 2 | 3 | 3 | 6 | 71 |
| GRAND TOTAL | 2957 | 1.8 | 4 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 4.0 | 20 | 2 | 2 | 2 | 5 | 12 | 12 | 12 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 6.8 | 79 | <1 | <1 | 3 | 12 | 20 | 20 | 20 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| TOT. SINGLE DX | 15 | 4.0 | 28 | <1 | 1 | 2 | 4 | 12 | 18 | 20 |
| " MULTIPLE DX | 17 | 2.2 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| TOTAL 0-19 YRS | 11 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 8 | 3.4 | 13 | 1 | 1 | 2 | 3 | 10 | 12 | 12 |
| 35-49 | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 5 | 5.8 | 64 | <1 | <1 | 2 | 8 | 20 | 20 | 20 |
| 65+ | 4 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| GRAND TOTAL | 32 | 3.0 | 14 | 1 | 1 | 2 | 2 | 5 | 11 | 20 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 81 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 48 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 66 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 91 | 4.3 | 23 | 1 | 1 | 3 | 4 | 9 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 14 | 17 |
| 20-34 | 106 | 6.6 | 54 | 2 | 2 | 4 | 7 | 15 | 25 | 39 |
| 35-49 | 71 | 4.5 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| 50-64 | 83 | 6.0 | 41 | 1 | 2 | 4 | 6 | 14 | 22 | 31 |
| 65+ | 185 | 8.1 | 86 | 2 | 2 | 4 | 10 | 20 | 25 | 44 |
| TOT. SINGLE DX | 417 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 18 |
| " MULTIPLE DX | 516 | 6.5 | 54 | 1 | 2 | 4 | 7 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 202 | 3.4 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 20-34 | 187 | 5.4 | 36 | 1 | 2 | 3 | 6 | 10 | 17 | 34 |
| 35-49 | 119 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 149 | 4.9 | 26 | 1 | 2 | 3 | 5 | 9 | 14 | 29 |
| 65+ | 276 | 6.8 | 69 | 1 | 2 | 4 | 7 | 17 | 23 | 42 |
| GRAND TOTAL | 933 | 5.2 | 36 | 1 | 1 | 3 | 5 | 10 | 17 | 30 |

### 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 422 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 167 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 15 |
| 35-49 | 90 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 50-64 | 126 | 2.7 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 14 |
| 65+ | 133 | 5.0 | 27 | <1 | 1 | 3 | 6 | 11 | 15 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 196 | 3.7 | 36 | <1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 20-34 | 126 | 6.4 | 184 | <1 | <1 | 3 | 5 | 12 | 27 | 91 |
| 35-49 | 78 | 5.8 | 42 | <1 | 1 | 3 | 7 | 16 | 21 | 29 |
| 50-64 | 118 | 7.4 | 54 | <1 | 1 | 5 | 10 | 18 | 22 | 33 |
| 65+ | 214 | 9.2 | 122 | 1 | 2 | 5 | 12 | 23 | 35 | 64 |
| TOT. SINGLE DX | 938 | 2.6 | 8 | <1 | <1 | 2 | 3 | 4 | 8 | 15 |
| " MULTIPLE DX | 732 | 6.6 | 95 | <1 | 1 | 3 | 7 | 15 | 23 | 53 |
| TOTAL 0-19 YRS | 618 | 2.6 | 13 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 293 | 4.1 | 85 | <1 | <1 | 2 | 3 | 6 | 13 | 56 |
| 35-49 | 168 | 3.8 | 25 | <1 | <1 | 2 | 4 | 8 | 15 | 27 |
| 50-64 | 244 | 5.0 | 35 | <1 | 1 | 2 | 6 | 13 | 18 | 29 |
| 65+ | 347 | 7.6 | 90 | <1 | 1 | 4 | 10 | 17 | 27 | 51 |
| GRAND TOTAL | 1670 | 4.4 | 50 | <1 | <1 | 2 | 4 | 10 | 15 | 35 |

### 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 2.5 | | 2 | 2 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 235 | 2.7 | | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 360 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 7 |
| 50-64 | 477 | 2.8 | | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 65+ | 227 | 2.9 | | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 3.0 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 50 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| 35-49 | 88 | 3.4 | 5 | 2 | 2 | 3 | 3 | 5 | 6 | 16 |
| 50-64 | 129 | 3.8 | 10 | 2 | 2 | 3 | 4 | 6 | 7 | 22 |
| 65+ | 62 | 4.1 | 17 | 2 | 2 | 3 | 4 | 7 | 14 | 26 |
| TOT. SINGLE DX | 1340 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 349 | 3.6 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 18 |
| TOTAL 0-19 YRS | 61 | 2.6 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 285 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 448 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 606 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 289 | 3.2 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 14 |
| GRAND TOTAL | 1689 | 2.9 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |

### 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 410 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 289 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 203 | 2.4 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 242 | 2.4 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 65+ | 81 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 274 | 2.4 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 222 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 35-49 | 165 | 2.9 | 12 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 247 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 14 |
| 65+ | 111 | 3.1 | 5 | 1 | 2 | 3 | 3 | 4 | 9 | 14 |
| TOT. SINGLE DX | 1225 | 2.3 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| " MULTIPLE DX | 1019 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| TOTAL 0-19 YRS | 684 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 20-34 | 511 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 368 | 2.6 | 6 | 1 | 2 | 2 | 3 | 3 | 4 | 9 |
| 50-64 | 489 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 13 |
| 65+ | 192 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 6 | 13 |
| GRAND TOTAL | 2244 | 2.5 | 3 | 1 | 2 | 2 | 3 | 3 | 4 | 9 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4161 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 1 | 2 |
| 20-34 | 140 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 35-49 | 87 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 9 |
| 50-64 | 103 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 65+ | 60 | 1.7 | | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1996 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 20-34 | 79 | 2.8 | 18 | <1 | <1 | 2 | 3 | 5 | 8 | 28 |
| 35-49 | 73 | 3.3 | 14 | <1 | <1 | 2 | 3 | 11 | 13 | 81 |
| 50-64 | 80 | 3.3 | 14 | <1 | <1 | 2 | 3 | 10 | 13 | 17 |
| 65+ | 73 | 9.5 | 146 | 1 | 1 | 3 | 13 | 33 | 46 | 99+ |
| TOT. SINGLE DX | 4551 | 1.1 | | <1 | <1 | <1 | <1 | 1 | 2 | 3 |
| " MULTIPLE DX | 2301 | 2.0 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 16 |
| TOTAL 0-19 YRS | 6157 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| 20-34 | 219 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 35-49 | 160 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 10 | 20 |
| 50-64 | 183 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 9 | 16 |
| 65+ | 133 | 6.0 | 95 | <1 | 1 | 2 | 6 | 18 | 36 | 99+ |
| GRAND TOTAL | 6852 | 1.4 | 4 | <1 | <1 | <1 | 1 | 2 | 2 | 9 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 152 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 114 | 3.6 | 5 | 2 | 2 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 87 | 3.8 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 23 |
| 50-64 | 94 | 3.7 | 7 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| 65+ | 39 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 227 | 3.6 | 9 | 2 | 2 | 3 | 4 | 5 | 8 | 16 |
| 20-34 | 170 | 4.1 | 16 | 2 | 2 | 3 | 4 | 8 | 10 | 23 |
| 35-49 | 148 | 4.0 | 11 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | 187 | 4.3 | 15 | 2 | 2 | 3 | 4 | 7 | 12 | 23 |
| 65+ | 85 | 6.9 | 81 | 2 | 2 | 4 | 7 | 13 | 21 | 54 |
| TOT. SINGLE DX | 486 | 3.5 | 6 | 2 | 2 | 3 | 4 | 5 | 8 | 14 |
| " MULTIPLE DX | 817 | 4.3 | 21 | 2 | 2 | 3 | 4 | 7 | 11 | 25 |
| TOTAL 0-19 YRS | 379 | 3.4 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| 20-34 | 284 | 3.9 | 12 | 2 | 2 | 3 | 4 | 8 | 9 | 19 |
| 35-49 | 235 | 3.9 | 11 | 2 | 2 | 3 | 4 | 6 | 8 | 19 |
| 50-64 | 281 | 4.1 | 13 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |
| 65+ | 124 | 5.9 | 60 | 2 | 2 | 4 | 5 | 11 | 19 | 45 |
| GRAND TOTAL | 1303 | 4.0 | 15 | 2 | 2 | 3 | 4 | 6 | 10 | 20 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 228 | 1.8 | 2 | <1 | <1 | <1 | 2 | 3 | 4 | 10 |
| 20-34 | 96 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| 35-49 | 88 | 3.9 | 10 | 2 | 2 | 3 | 4 | 8 | 9 | 21 |
| 50-64 | 104 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 51 | 4.0 | 11 | <1 | 2 | 3 | 4 | 7 | 11 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 165 | 2.2 | 8 | <1 | <1 | 2 | 3 | 3 | 4 | 19 |
| 20-34 | 88 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 18 |
| 35-49 | 75 | 4.3 | 19 | 1 | 1 | 3 | 4 | 10 | 16 | 23 |
| 50-64 | 114 | 3.9 | 11 | 2 | 2 | 3 | 4 | 7 | 11 | 20 |
| 65+ | 39 | 9.3 | 298 | 2 | 2 | 3 | 7 | 20 | 40 | 97 |
| TOT. SINGLE DX | 567 | 2.9 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 481 | 3.7 | 37 | <1 | <1 | 3 | 3 | 6 | 10 | 24 |
| TOTAL 0-19 YRS | 393 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 20-34 | 164 | 3.4 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 19 |
| 35-49 | 163 | 4.1 | 15 | 1 | 2 | 3 | 4 | 8 | 12 | 23 |
| 50-64 | 218 | 3.7 | 8 | 2 | 2 | 3 | 4 | 6 | 10 | 15 |
| 65+ | 90 | 6.3 | 141 | 1 | 2 | 3 | 5 | 11 | 21 | 81 |
| GRAND TOTAL | 1048 | 3.3 | 21 | <1 | <1 | 3 | 3 | 5 | 9 | 21 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 557 | 2.7 | | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 1223 | 2.6 | | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 421 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 231 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 44 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 743 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 1445 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 628 | 3.2 | 11 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| 50-64 | 380 | 3.3 | 6 | 1 | 2 | 3 | 3 | 5 | 7 | 16 |
| 65+ | 98 | 4.8 | 50 | 2 | 2 | 3 | 4 | 8 | 14 | 84 |
| TOT. SINGLE DX | 2476 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| " MULTIPLE DX | 3294 | 3.0 | 6 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 1300 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 2668 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 1049 | 2.9 | 8 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 611 | 3.1 | 5 | 1 | 2 | 3 | 3 | 4 | 6 | 14 |
| 65+ | 142 | 4.3 | 36 | 2 | 2 | 3 | 4 | 7 | 10 | 69 |
| GRAND TOTAL | 5770 | 2.8 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1120 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 5 | 6 |
| 20-34 | 1957 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 718 | 2.8 | 6 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | 338 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 77 | 3.6 | 18 | 1 | 2 | 3 | 3 | 5 | 9 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 919 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 1853 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 35-49 | 801 | 3.3 | 8 | 1 | 2 | 3 | 4 | 5 | 6 | 17 |
| 50-64 | 548 | 3.8 | 16 | 1 | 2 | 3 | 4 | 6 | 9 | 23 |
| 65+ | 152 | 5.6 | 49 | 1 | 2 | 3 | 6 | 11 | 18 | 44 |
| TOT. SINGLE DX | 4210 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 4273 | 3.2 | 8 | 1 | 1 | 3 | 3 | 5 | 6 | 14 |
| TOTAL 0-19 YRS | 2039 | 2.9 | 3 | 1 | 2 | 3 | 3 | 5 | 5 | 6 |
| 20-34 | 3810 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 1519 | 3.1 | 8 | 1 | 2 | 3 | 3 | 5 | 5 | 13 |
| 50-64 | 886 | 3.4 | 12 | 1 | 2 | 3 | 3 | 5 | 7 | 21 |
| 65+ | 229 | 4.9 | 40 | 1 | 2 | 3 | 5 | 9 | 17 | 36 |
| GRAND TOTAL | 8483 | 3.0 | 5 | 1 | 2 | 3 | 3 | 5 | 5 | 10 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 188 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 201 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 325 | 3.0 | 32 | <1 | <1 | 2 | 3 | 4 | 6 | 27 |
| 65+ | 336 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 3.0 | 42 | <1 | 1 | 2 | 3 | 5 | 6 | 34 |
| 20-34 | 208 | 3.3 | 11 | <1 | 1 | 3 | 4 | 6 | 7 | 20 |
| 35-49 | 253 | 3.0 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 50-64 | 440 | 4.5 | 42 | 1 | 1 | 3 | 4 | 8 | 15 | 37 |
| 65+ | 488 | 7.1 | 133 | 1 | 2 | 3 | 7 | 15 | 22 | 80 |
| TOT. SINGLE DX | 1174 | 2.6 | 13 | <1 | <1 | 2 | 3 | 4 | 6 | 16 |
| " MULTIPLE DX | 1496 | 4.8 | 64 | 1 | 1 | 3 | 4 | 9 | 16 | 36 |
| TOTAL 0-19 YRS | 231 | 2.8 | 24 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 396 | 2.8 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 17 |
| 35-49 | 454 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 765 | 3.9 | 39 | <1 | 1 | 2 | 3 | 6 | 11 | 30 |
| 65+ | 824 | 5.4 | 87 | 1 | 1 | 3 | 5 | 11 | 17 | 47 |
| GRAND TOTAL | 2670 | 3.9 | 43 | <1 | 1 | 2 | 4 | 7 | 12 | 29 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1072 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 681 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 228 | 3.2 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 186 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| 65+ | 156 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 10 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 406 | 3.7 | 22 | <1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 20-34 | 490 | 4.4 | 27 | 1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 35-49 | 208 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 270 | 7.1 | 59 | 2 | 2 | 5 | 8 | 13 | 19 | 33 |
| 65+ | 387 | 9.0 | 95 | 2 | 3 | 6 | 10 | 15 | 29 | 55 |
| TOT. SINGLE DX | 2323 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| " MULTIPLE DX | 1761 | 5.7 | 49 | 1 | 1 | 4 | 7 | 11 | 15 | 37 |
| TOTAL 0-19 YRS | 1478 | 2.3 | 8 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 1171 | 3.2 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 436 | 4.0 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 456 | 6.2 | 39 | 1 | 2 | 5 | 7 | 11 | 14 | 30 |
| 65+ | 543 | 7.8 | 76 | 1 | 2 | 5 | 9 | 14 | 21 | 52 |
| GRAND TOTAL | 4084 | 3.9 | 26 | <1 | <1 | 2 | 5 | 8 | 11 | 24 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 2.9 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 131 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 8 | 14 |
| 35-49 | 124 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 104 | 3.9 | 15 | 2 | 2 | 3 | 4 | 5 | 7 | 27 |
| 65+ | 57 | 4.6 | 14 | 2 | 2 | 4 | 5 | 8 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 4.1 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 32 |
| 20-34 | 122 | 4.4 | 18 | 2 | 2 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 137 | 4.0 | 9 | 2 | 2 | 3 | 4 | 6 | 11 | 17 |
| 50-64 | 158 | 4.7 | 17 | 2 | 2 | 4 | 5 | 8 | 12 | 23 |
| 65+ | 72 | 5.8 | 39 | 2 | 2 | 4 | 6 | 13 | 14 | 39 |
| TOT. SINGLE DX | 447 | 3.6 | 8 | 2 | 2 | 3 | 4 | 5 | 8 | 17 |
| " MULTIPLE DX | 531 | 4.6 | 19 | 2 | 2 | 3 | 5 | 8 | 12 | 26 |
| TOTAL 0-19 YRS | 73 | 3.6 | 15 | 1 | 2 | 3 | 4 | 6 | 7 | 28 |
| 20-34 | 253 | 3.9 | 12 | 2 | 2 | 3 | 4 | 7 | 9 | 21 |
| 35-49 | 261 | 3.7 | 6 | 2 | 2 | 3 | 4 | 5 | 9 | 12 |
| 50-64 | 262 | 4.4 | 16 | 2 | 2 | 3 | 5 | 7 | 10 | 23 |
| 65+ | 129 | 5.3 | 29 | 2 | 2 | 4 | 6 | 11 | 14 | 30 |
| GRAND TOTAL | 978 | 4.1 | 14 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 3.6 | 26 | <1 | <1 | 2 | 4 | 7 | 11 | 32 |
| 20-34 | 129 | 3.5 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 111 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 50-64 | 111 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 60 | 4.2 | 7 | 1 | 2 | 3 | 6 | 7 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 60 | 5.5 | 21 | <1 | 1 | 3 | 8 | 14 | 15 | 16 |
| 20-34 | 131 | 4.4 | 28 | 1 | 1 | 3 | 4 | 8 | 11 | 38 |
| 35-49 | 163 | 5.2 | 47 | 1 | 2 | 3 | 4 | 10 | 18 | 45 |
| 50-64 | 156 | 5.6 | 46 | 1 | 1 | 3 | 5 | 13 | 18 | 38 |
| 65+ | 139 | 9.7 | 141 | 1 | 2 | 5 | 11 | 22 | 33 | 64 |
| TOT. SINGLE DX | 465 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 15 |
| " MULTIPLE DX | 649 | 6.1 | 64 | 1 | 2 | 3 | 6 | 14 | 19 | 46 |
| TOTAL 0-19 YRS | 114 | 4.6 | 24 | <1 | <1 | 3 | 6 | 12 | 15 | 23 |
| 20-34 | 260 | 3.9 | 19 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 274 | 4.6 | 32 | 1 | 2 | 3 | 4 | 9 | 13 | 37 |
| 50-64 | 267 | 4.9 | 30 | 1 | 2 | 3 | 5 | 10 | 14 | 36 |
| 65+ | 199 | 8.1 | 107 | 1 | 2 | 5 | 9 | 18 | 26 | 56 |
| GRAND TOTAL | 1114 | 5.1 | 43 | 1 | 1 | 3 | 5 | 11 | 16 | 38 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4556 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 3830 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 35-49 | 545 | 1.9 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 50-64 | 400 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 221 | 2.5 | 9 | 1 | 1 | 2 | 2 | 3 | 4 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1360 | 2.1 | 6 | <1 | 1 | 2 | 2 | 3 | 4 | 11 |
| 20-34 | 2004 | 3.5 | 34 | <1 | 1 | 2 | 2 | 8 | 14 | 34 |
| 35-49 | 971 | 4.1 | 51 | <1 | 1 | 2 | 3 | 9 | 17 | 40 |
| 50-64 | 1134 | 4.8 | 57 | 1 | 2 | 2 | 4 | 11 | 18 | 43 |
| 65+ | 1045 | 7.9 | 138 | 1 | 2 | 3 | 10 | 22 | 36 | 99+ |
| TOT. SINGLE DX | 9552 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 6514 | 4.2 | 55 | <1 | 1 | 2 | 3 | 10 | 17 | 47 |
| TOTAL 0-19 YRS | 5916 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 2 | 5 |
| 20-34 | 5834 | 2.3 | 13 | <1 | <1 | 2 | 2 | 3 | 5 | 17 |
| 35-49 | 1516 | 3.3 | 35 | <1 | 1 | 2 | 2 | 5 | 12 | 32 |
| 50-64 | 1534 | 4.1 | 45 | 1 | 1 | 2 | 3 | 8 | 16 | 38 |
| 65+ | 1266 | 7.0 | 120 | 1 | 2 | 2 | 8 | 19 | 32 | 99+ |
| GRAND TOTAL | 16066 | 2.8 | 25 | <1 | 1 | 2 | 2 | 3 | 8 | 27 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 224 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 43 | 3.4 | 105 | <1 | <1 | 2 | 2 | 3 | 5 | 69 |
| 35-49 | 11 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 50-64 | 4 | 2.3 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 65+ | 4 | 3.8 | 7 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 1.8 | 8 | <1 | 1 | 1 | 2 | 2 | 3 | 14 |
| 20-34 | 94 | 6.0 | 57 | <1 | 1 | 2 | 11 | 16 | 17 | 79 |
| 35-49 | 32 | 4.3 | 16 | <1 | <1 | 2 | 7 | 11 | 13 | 16 |
| 50-64 | 15 | 7.1 | 64 | 2 | 2 | 3 | 10 | 16 | 27 | 31 |
| 65+ | 10 | 8.9 | 57 | 2 | 2 | 7 | 10 | 21 | 26 | 26 |
| TOT. SINGLE DX | 286 | 1.7 | 17 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| " MULTIPLE DX | 298 | 3.9 | 33 | <1 | 1 | 2 | 3 | 12 | 16 | 32 |
| TOTAL 0-19 YRS | 371 | 1.5 | 3 | <1 | <1 | 1 | 2 | 2 | 2 | 6 |
| 20-34 | 137 | 5.2 | 73 | <1 | <1 | 2 | 4 | 15 | 17 | 73 |
| 35-49 | 43 | 3.9 | 13 | <1 | 1 | 2 | 6 | 10 | 12 | 16 |
| 50-64 | 19 | 6.1 | 55 | <1 | 1 | 3 | 8 | 15 | 24 | 31 |
| 65+ | 14 | 7.4 | 47 | 1 | 2 | 6 | 10 | 18 | 24 | 26 |
| GRAND TOTAL | 584 | 2.8 | 26 | <1 | <1 | 1 | 2 | 6 | 13 | 24 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 120 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 9 |
| 35-49 | 199 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 50-64 | 149 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 4 | 11 |
| 65+ | 38 | 2.9 | 2 | 1 | 2 | 3 | 3 | 6 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 173 | 2.6 | 12 | <1 | 1 | 2 | 2 | 4 | 7 | 25 |
| 20-34 | 168 | 4.0 | 59 | <1 | 1 | 2 | 3 | 7 | 15 | 46 |
| 35-49 | 130 | 3.4 | 12 | <1 | 1 | 2 | 3 | 7 | 10 | 20 |
| 50-64 | 170 | 4.0 | 28 | 1 | 1 | 2 | 4 | 7 | 14 | 27 |
| 65+ | 105 | 5.7 | 59 | 1 | 2 | 3 | 8 | 13 | 18 | 79 |
| TOT. SINGLE DX | 591 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 746 | 3.8 | 34 | <1 | 1 | 2 | 3 | 8 | 13 | 27 |
| TOTAL 0-19 YRS | 258 | 2.4 | 9 | <1 | <1 | 2 | 2 | 4 | 6 | 20 |
| 20-34 | 288 | 3.2 | 37 | <1 | <1 | 2 | 2 | 5 | 11 | 23 |
| 35-49 | 329 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 319 | 3.2 | 18 | <1 | <1 | 2 | 3 | 5 | 11 | 23 |
| 65+ | 143 | 5.0 | 46 | 1 | 2 | 3 | 6 | 11 | 16 | 64 |
| GRAND TOTAL | 1337 | 3.1 | 21 | <1 | <1 | 2 | 3 | 5 | 9 | 22 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 7 | 20 |
| 20-34 | 297 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 343 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 416 | 4.6 | 20 | 2 | 2 | 4 | 5 | 7 | 8 | 17 |
| 65+ | 332 | 5.4 | 30 | 2 | 2 | 4 | 6 | 9 | 12 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 4.2 | 9 | 1 | 2 | 4 | 5 | 6 | 9 | 19 |
| 20-34 | 88 | 5.7 | 43 | 2 | 2 | 4 | 6 | 9 | 14 | 41 |
| 35-49 | 154 | 5.4 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| 50-64 | 252 | 6.1 | 29 | 2 | 3 | 4 | 7 | 11 | 17 | 30 |
| 65+ | 350 | 9.5 | 92 | 2 | 3 | 6 | 11 | 20 | 31 | 61 |
| TOT. SINGLE DX | 1503 | 4.3 | 15 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 882 | 7.2 | 57 | 2 | 2 | 5 | 8 | 14 | 22 | 42 |
| TOTAL 0-19 YRS | 153 | 3.6 | 9 | <1 | 1 | 3 | 4 | 6 | 7 | 19 |
| 20-34 | 385 | 4.1 | 14 | 1 | 2 | 3 | 5 | 6 | 8 | 16 |
| 35-49 | 497 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 668 | 5.2 | 24 | 2 | 2 | 4 | 6 | 8 | 11 | 26 |
| 65+ | 682 | 7.5 | 67 | 2 | 2 | 5 | 8 | 14 | 23 | 57 |
| GRAND TOTAL | 2385 | 5.4 | 32 | 2 | 2 | 4 | 6 | 9 | 14 | 32 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 192 | 4.4 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 14 |
| 20-34 | 7 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 4 | 5.8 | 10 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 116 | 5.4 | 6 | 2 | 2 | 5 | 7 | 8 | 9 | 15 |
| 20-34 | 9 | 5.0 | 17 | 2 | 2 | 4 | 6 | 12 | 15 | 15 |
| 35-49 | 3 | 4.7 | | 4 | 4 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| TOT. SINGLE DX | 207 | 4.4 | 7 | 1 | 1 | 4 | 6 | 7 | 8 | 14 |
| " MULTIPLE DX | 130 | 5.4 | 8 | 2 | 2 | 5 | 7 | 8 | 9 | 16 |
| TOTAL 0-19 YRS | 308 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 8 | 14 |
| 20-34 | 16 | 4.2 | 12 | 1 | 2 | 3 | 5 | 8 | 13 | 15 |
| 35-49 | 6 | 4.2 | 1 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 5 | 5.8 | 8 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 65+ | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| GRAND TOTAL | 337 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 15 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 534 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 206 | 3.3 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| 35-49 | 189 | 3.6 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| 50-64 | 394 | 5.4 | 58 | <1 | 1 | 3 | 6 | 13 | 17 | 44 |
| 65+ | 290 | 6.2 | 79 | 1 | 2 | 3 | 7 | 13 | 19 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 395 | 3.6 | 15 | <1 | 1 | 2 | 5 | 8 | 10 | 20 |
| 20-34 | 296 | 5.1 | 48 | <1 | 1 | 3 | 6 | 10 | 14 | 44 |
| 35-49 | 224 | 8.7 | 147 | 1 | 1 | 4 | 10 | 23 | 33 | 76 |
| 50-64 | 419 | 7.8 | 78 | 1 | 1 | 4 | 11 | 19 | 25 | 44 |
| 65+ | 508 | 10.9 | 141 | 1 | 2 | 7 | 15 | 26 | 38 | 54 |
| TOT. SINGLE DX | 1613 | 4.1 | 35 | <1 | <1 | 2 | 5 | 8 | 13 | 29 |
| " MULTIPLE DX | 1842 | 7.4 | 93 | 1 | 1 | 4 | 9 | 18 | 26 | 49 |
| TOTAL 0-19 YRS | 929 | 3.0 | 9 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 502 | 4.4 | 35 | <1 | <1 | 3 | 5 | 9 | 12 | 30 |
| 35-49 | 413 | 6.4 | 93 | <1 | 1 | 3 | 7 | 15 | 25 | 51 |
| 50-64 | 813 | 6.6 | 70 | 1 | 1 | 3 | 8 | 16 | 23 | 43 |
| 65+ | 798 | 9.2 | 124 | 1 | 2 | 5 | 12 | 22 | 33 | 52 |
| GRAND TOTAL | 3455 | 5.9 | 69 | <1 | 1 | 3 | 7 | 14 | 21 | 44 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5679 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 3918 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 286 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 | 44 | 2.7 | 3 | 2 | 2 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 15 | 3.1 | 5 | 1 | 2 | 3 | 3 | 4 | 9 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 840 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 402 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 59 | 3.2 | 20 | 1 | 1 | 2 | 3 | 5 | 5 | 33 |
| 50-64 | 23 | 4.0 | 8 | 1 | 2 | 3 | 4 | 8 | 10 | 14 |
| 65+ | 8 | 20.0 | 911 | 2 | 2 | 8 | 21 | 72 | 92 | 92 |
| TOT. SINGLE DX | 9942 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 1332 | 2.4 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 6519 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 4320 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 345 | 2.4 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 67 | 3.1 | 5 | 2 | 2 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 23 | 9.0 | 361 | 1 | 2 | 3 | 6 | 18 | 49 | 92 |
| GRAND TOTAL | 11274 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7503 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 253 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 11 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 5 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4071 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 61 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | 7 | 3.3 | 4 | 2 | 2 | 2 | 4 | 7 | 7 | 7 |
| 50-64 | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 7777 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 4146 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| TOTAL 0-19 YRS | 11574 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 314 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 18 | 2.4 | 2 | <1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 50-64 | 9 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 8 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 11923 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 719 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 17 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1943 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 12 | 2.1 | | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| TOT. SINGLE DX | 738 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 1960 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 2662 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 29 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| GRAND TOTAL | 2698 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 429 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 347 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 121 | 4.0 | 22 | <1 | 1 | 3 | 4 | 9 | 12 | 24 |
| 50-64 | 146 | 4.6 | 41 | 1 | 1 | 3 | 5 | 10 | 12 | 28 |
| 65+ | 115 | 4.9 | 21 | 1 | 2 | 3 | 7 | 10 | 13 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 4.4 | 29 | <1 | 1 | 3 | 5 | 8 | 17 | 32 |
| 20-34 | 86 | 5.5 | 64 | 1 | 1 | 4 | 6 | 11 | 12 | 54 |
| 35-49 | 82 | 7.2 | 136 | 1 | 1 | 3 | 8 | 15 | 27 | 74 |
| 50-64 | 165 | 10.7 | 184 | 1 | 2 | 6 | 14 | 23 | 34 | 73 |
| 65+ | 182 | 14.0 | 326 | 2 | 2 | 8 | 16 | 38 | 57 | 82 |
| TOT. SINGLE DX | 1158 | 3.4 | 13 | 1 | 1 | 3 | 4 | 6 | 9 | 18 |
| " MULTIPLE DX | 626 | 9.4 | 188 | 1 | 2 | 4 | 11 | 20 | 35 | 79 |
| TOTAL 0-19 YRS | 540 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 7 | 18 |
| 20-34 | 433 | 3.5 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 35-49 | 203 | 5.3 | 71 | 1 | 1 | 3 | 6 | 11 | 17 | 41 |
| 50-64 | 311 | 7.9 | 127 | 1 | 2 | 4 | 10 | 18 | 27 | 67 |
| 65+ | 297 | 10.5 | 228 | 2 | 2 | 5 | 11 | 22 | 41 | 81 |
| GRAND TOTAL | 1784 | 5.5 | 83 | 1 | 1 | 3 | 5 | 11 | 18 | 53 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 73 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 20-34 | 31 | 3.1 | 3 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 35-49 | 41 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 50-64 | 68 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 10 | 16 |
| 65+ | 74 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 100 | 3.8 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 12 |
| 20-34 | 25 | 5.3 | 10 | 2 | 2 | 4 | 7 | 10 | 12 | 13 |
| 35-49 | 35 | 5.4 | 22 | 1 | 1 | 4 | 6 | 9 | 18 | 22 |
| 50-64 | 89 | 7.8 | 122 | 2 | 2 | 5 | 8 | 15 | 20 | 71 |
| 65+ | 172 | 6.9 | 36 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| **TOT. SINGLE DX** | 287 | 3.2 | 7 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |
| **" MULTIPLE DX** | 421 | 6.2 | 47 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| TOTAL 0-19 YRS | 173 | 2.9 | 6 | <1 | <1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 56 | 4.1 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 76 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 50-64 | 157 | 6.3 | 75 | 1 | 2 | 5 | 7 | 11 | 16 | 37 |
| 65+ | 246 | 6.0 | 31 | 1 | 2 | 5 | 7 | 12 | 16 | 28 |
| **GRAND TOTAL** | 708 | 5.0 | 33 | <1 | 1 | 4 | 6 | 9 | 13 | 26 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 117 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 11 |
| 20-34 | 390 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 35-49 | 654 | 2.0 | 3 | <1 | <1 | 2 | 2 | 2 | 3 | 10 |
| 50-64 | 1060 | 2.3 | 8 | <1 | 1 | 2 | 2 | 3 | 3 | 14 |
| 65+ | 507 | 2.6 | 13 | 1 | 1 | 2 | 2 | 3 | 6 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 32 | 3.0 | 28 | <1 | <1 | 2 | 2 | 4 | 12 | 30 |
| 20-34 | 105 | 3.8 | 53 | <1 | 1 | 2 | 3 | 7 | 13 | 81 |
| 35-49 | 187 | 4.0 | 28 | 1 | 1 | 2 | 4 | 8 | 13 | 28 |
| 50-64 | 550 | 4.7 | 52 | 1 | 1 | 2 | 4 | 12 | 17 | 33 |
| 65+ | 465 | 7.0 | 110 | 1 | 2 | 3 | 8 | 17 | 26 | 51 |
| **TOT. SINGLE DX** | 2728 | 2.2 | 7 | <1 | 1 | 2 | 2 | 3 | 3 | 12 |
| **" MULTIPLE DX** | 1339 | 5.3 | 71 | 1 | 1 | 2 | 5 | 13 | 21 | 45 |
| TOTAL 0-19 YRS | 149 | 2.1 | 8 | <1 | <1 | 2 | 2 | 3 | 4 | 13 |
| 20-34 | 495 | 2.2 | 13 | <1 | <1 | 2 | 2 | 3 | 4 | 13 |
| 35-49 | 841 | 2.4 | 9 | <1 | 1 | 2 | 2 | 3 | 6 | 21 |
| 50-64 | 1610 | 3.1 | 25 | 1 | 1 | 2 | 2 | 5 | 11 | 24 |
| 65+ | 972 | 4.7 | 65 | 1 | 1 | 2 | 3 | 11 | 18 | 41 |
| **GRAND TOTAL** | 4067 | 3.2 | 30 | <1 | 1 | 2 | 2 | 5 | 11 | 27 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 2.9 | 24 | 1 | 1 | 2 | 2 | 4 | 16 | 20 |
| 35-49 | 30 | 4.2 | 36 | <1 | 1 | 2 | 4 | 11 | 14 | 31 |
| 50-64 | 70 | 11.0 | 93 | 2 | 2 | 9 | 15 | 23 | 28 | 48 |
| 65+ | 54 | 13.6 | 297 | 2 | 2 | 10 | 17 | 29 | 36 | 95 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 15.5 | 25 | 12 | 12 | 15 | 19 | 19 | 19 | 19 |
| 20-34 | 5 | 11.6 | 36 | 1 | 1 | 14 | 15 | 15 | 15 | 15 |
| 35-49 | 18 | 14.9 | 178 | 1 | 2 | 13 | 27 | 36 | 37 | 38 |
| 50-64 | 60 | 16.8 | 178 | 1 | 2 | 13 | 22 | 39 | 42 | 58 |
| 65+ | 78 | 21.0 | 317 | 2 | 4 | 17 | 25 | 40 | 60 | 86 |
| **TOT. SINGLE DX** | 171 | 9.8 | 154 | 1 | 2 | 5 | 14 | 23 | 29 | 72 |
| **" MULTIPLE DX** | 163 | 18.4 | 243 | 2 | 2 | 15 | 22 | 38 | 52 | 84 |
| TOTAL 0-19 YRS | 5 | 7.8 | 56 | 2 | 2 | 4 | 14 | 19 | 19 | 19 |
| 20-34 | 19 | 5.2 | 41 | 1 | 1 | 2 | 10 | 15 | 18 | 20 |
| 35-49 | 48 | 8.2 | 114 | 1 | 1 | 2 | 11 | 28 | 35 | 38 |
| 50-64 | 130 | 13.7 | 140 | 2 | 2 | 12 | 19 | 28 | 40 | 53 |
| 65+ | 132 | 18.0 | 320 | 2 | 2 | 14 | 21 | 35 | 58 | 88 |
| **GRAND TOTAL** | 334 | 14.0 | 215 | 1 | 2 | 11 | 18 | 30 | 40 | 81 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 20-34 | | | | | | | | | | |
| 35-49 | 21 | 17.9 | 51 | 10 | 10 | 15 | 24 | 28 | 31 | 33 |
| 50-64 | 53 | 21.9 | 172 | 12 | 12 | 19 | 25 | 32 | 50 | 89 |
| 65+ | 53 | 19.5 | 91 | 11 | 12 | 16 | 22 | 35 | 46 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 20-34 | | | | | | | | | | |
| 35-49 | 30 | 24.3 | 202 | 11 | 11 | 21 | 33 | 54 | 55 | 99+ |
| 50-64 | 118 | 26.0 | 221 | 12 | 13 | 23 | 30 | 51 | 75 | 99+ |
| 65+ | 113 | 27.3 | 271 | 12 | 13 | 22 | 34 | 56 | 69 | 99+ |
| **TOT. SINGLE DX** | 128 | 20.3 | 119 | 11 | 12 | 17 | 24 | 33 | 42 | 92 |
| **" MULTIPLE DX** | 262 | 26.3 | 239 | 11 | 13 | 23 | 32 | 53 | 70 | 99+ |
| TOTAL 0-19 YRS | 2 | 27.0 | 18 | 24 | 24 | 27 | 30 | 30 | 30 | 30 |
| 20-34 | | | | | | | | | | |
| 35-49 | 51 | 21.6 | 148 | 11 | 11 | 18 | 26 | 44 | 55 | 99 |
| 50-64 | 171 | 24.7 | 209 | 12 | 13 | 21 | 29 | 48 | 67 | 99+ |
| 65+ | 166 | 24.8 | 226 | 11 | 12 | 20 | 32 | 49 | 65 | 99+ |
| **GRAND TOTAL** | 390 | 24.3 | 208 | 11 | 12 | 21 | 29 | 49 | 65 | 99+ |

### 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 51.0 | | 51 | 51 | 51 | 51 | 51 | 51 | 51 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 32.0 | 800 | 12 | 12 | 32 | 52 | 52 | 52 | 52 |
| 50-64 | 10 | 21.7 | 356 | 3 | 4 | 16 | 29 | 49 | 67 | 67 |
| 65+ | 6 | 22.2 | 187 | 4 | 4 | 27 | 31 | 36 | 37 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 59.0 | | 59 | 59 | 79 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 1 | 21.0 | | 21 | 21 | 99+ | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 6 | 30.5 | 663 | 1 | 3 | 42 | 60 | 92 | 99+ | 99+ |
| 50-64 | 31 | 28.8 | 549 | 4 | 5 | 30 | 81 | 99+ | 99+ | 99+ |
| 65+ | 50 | 43.4 | 600 | 7 | 14 | 47 | 77 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 20 | 23.4 | 334 | 2 | 3 | 20 | 32 | 51 | 59 | 67 |
| " MULTIPLE DX | 89 | 37.4 | 617 | 4 | 10 | 45 | 81 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 2 | 55.0 | 32 | 51 | 51 | 59 | 90 | 99+ | 99+ | 99+ |
| 20-34 | 2 | 11.5 | 181 | 2 | 2 | 99+ | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 8 | 30.9 | 589 | 1 | 5 | 42 | 57 | 85 | 99+ | 99+ |
| 50-64 | 41 | 27.1 | 502 | 4 | 5 | 26 | 67 | 99+ | 99+ | 99+ |
| 65+ | 56 | 41.1 | 596 | 6 | 13 | 44 | 73 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 109 | 34.8 | 592 | 4 | 7 | 38 | 70 | 99+ | 99+ | 99+ |

### 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 57 | 7.7 | 83 | 1 | 1 | 5 | 9 | 16 | 24 | 53 |
| 20-34 | 53 | 7.4 | 114 | <1 | 1 | 4 | 9 | 15 | 47 | 98 |
| 35-49 | 25 | 6.3 | 44 | 2 | 2 | 4 | 8 | 13 | 19 | 33 |
| 50-64 | 57 | 10.9 | 190 | 1 | 2 | 7 | 13 | 23 | 35 | 81 |
| 65+ | 43 | 15.2 | 432 | 1 | 2 | 7 | 18 | 66 | 76 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 24.8 | 603 | 3 | 4 | 16 | 41 | 70 | 95 | 99+ |
| 20-34 | 71 | 26.9 | 514 | 2 | 4 | 23 | 48 | 91 | 99+ | 99+ |
| 35-49 | 83 | 26.9 | 562 | 1 | 2 | 23 | 50 | 82 | 99+ | 99+ |
| 50-64 | 213 | 35.0 | 617 | 3 | 6 | 38 | 62 | 92 | 99+ | 99+ |
| 65+ | 344 | 41.3 | 690 | 3 | 6 | 46 | 69 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 235 | 9.6 | 182 | 1 | 2 | 5 | 11 | 23 | 44 | 85 |
| " MULTIPLE DX | 762 | 35.5 | 669 | 2 | 5 | 37 | 62 | 96 | 99+ | 99+ |
| TOTAL 0-19 YRS | 108 | 15.8 | 399 | 1 | 2 | 8 | 18 | 49 | 66 | 99+ |
| 20-34 | 124 | 18.6 | 435 | 1 | 2 | 10 | 35 | 60 | 99 | 99+ |
| 35-49 | 108 | 22.1 | 517 | 2 | 2 | 15 | 37 | 77 | 99+ | 99+ |
| 50-64 | 270 | 29.9 | 624 | 2 | 3 | 26 | 54 | 84 | 99+ | 99+ |
| 65+ | 387 | 38.4 | 728 | 2 | 4 | 42 | 66 | 99 | 99+ | 99+ |
| GRAND TOTAL | 997 | 29.4 | 675 | 2 | 2 | 26 | 55 | 87 | 99+ | 99+ |

### 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.4 | 29 | <1 | 1 | 5 | 9 | 16 | 16 | 16 |
| 20-34 | 114 | 6.4 | 37 | 1 | 2 | 4 | 8 | 12 | 15 | 37 |
| 35-49 | 183 | 7.2 | 44 | 1 | 2 | 5 | 9 | 16 | 20 | 31 |
| 50-64 | 500 | 9.1 | 94 | 1 | 2 | 6 | 11 | 20 | 25 | 51 |
| 65+ | 508 | 8.9 | 82 | 1 | 2 | 6 | 12 | 19 | 24 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 8.5 | 34 | 1 | 2 | 8 | 14 | 17 | 18 | 18 |
| 20-34 | 137 | 12.2 | 133 | 2 | 2 | 10 | 16 | 25 | 29 | 67 |
| 35-49 | 369 | 12.3 | 118 | 2 | 2 | 9 | 17 | 27 | 32 | 55 |
| 50-64 | 1493 | 14.4 | 159 | 2 | 3 | 11 | 18 | 30 | 40 | 67 |
| 65+ | 2363 | 16.4 | 179 | 2 | 4 | 13 | 21 | 33 | 44 | 86 |
| TOT. SINGLE DX | 1319 | 8.5 | 78 | 1 | 2 | 6 | 11 | 18 | 23 | 43 |
| " MULTIPLE DX | 4383 | 15.2 | 167 | 2 | 3 | 12 | 20 | 31 | 41 | 82 |
| TOTAL 0-19 YRS | 35 | 7.7 | 33 | 1 | 1 | 6 | 13 | 16 | 18 | 18 |
| 20-34 | 251 | 9.6 | 98 | 1 | 2 | 7 | 12 | 21 | 29 | 47 |
| 35-49 | 552 | 10.6 | 100 | 2 | 2 | 8 | 14 | 23 | 30 | 48 |
| 50-64 | 1993 | 13.1 | 148 | 2 | 2 | 10 | 17 | 27 | 37 | 64 |
| 65+ | 2871 | 15.0 | 170 | 2 | 3 | 12 | 20 | 31 | 42 | 85 |
| GRAND TOTAL | 5702 | 13.6 | 155 | 2 | 2 | 11 | 18 | 29 | 38 | 70 |

### 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 19.5 | 584 | 2 | 2 | 10 | 34 | 55 | 55 | 55 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 65+ | 2 | 12.5 | 145 | 4 | 4 | 12 | 21 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 65+ | 5 | 16.8 | 95 | 6 | 6 | 14 | 26 | 28 | 28 | 28 |
| TOT. SINGLE DX | 8 | 16.8 | 333 | 2 | 2 | 10 | 25 | 47 | 55 | 55 |
| " MULTIPLE DX | 6 | 16.5 | 77 | 6 | 7 | 15 | 27 | 86 | 99+ | 99+ |
| TOTAL 0-19 YRS | 4 | 19.5 | 584 | 2 | 2 | 14 | 66 | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 22.0 | 98 | 15 | 15 | 22 | 29 | 29 | 29 | 29 |
| 65+ | 7 | 15.6 | 92 | 4 | 4 | 14 | 25 | 28 | 28 | 28 |
| GRAND TOTAL | 14 | 16.6 | 209 | 2 | 2 | 14 | 27 | 55 | 89 | 99+ |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 16 | 15.7 | 268 | 2 | 3 | 10 | 20 | 29 | 57 | 69 |
| 20-34 | 80 | 11.8 | 30 | 3 | 6 | 11 | 15 | 19 | 20 | 32 |
| 35-49 | 133 | 11.5 | 60 | 2 | 4 | 10 | 14 | 23 | 30 | 50 |
| 50-64 | 266 | 13.8 | 116 | 2 | 4 | 12 | 17 | 24 | 28 | 61 |
| 65+ | 261 | 14.5 | 104 | 2 | 2 | 13 | 19 | 27 | 33 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 34 | 15.9 | 127 | 6 | 8 | 12 | 20 | 25 | 39 | 62 |
| 20-34 | 125 | 15.8 | 129 | 6 | 7 | 12 | 20 | 27 | 38 | 85 |
| 35-49 | 244 | 18.2 | 147 | 4 | 7 | 15 | 22 | 34 | 41 | 67 |
| 50-64 | 741 | 18.6 | 165 | 4 | 7 | 15 | 24 | 34 | 46 | 78 |
| 65+ | 920 | 20.0 | 188 | 3 | 6 | 17 | 26 | 37 | 46 | 79 |
| **TOT. SINGLE DX** | 756 | 13.5 | 98 | 2 | 3 | 11 | 18 | 24 | 30 | 56 |
| **" MULTIPLE DX** | 2064 | 19.0 | 172 | 4 | 7 | 16 | 24 | 35 | 45 | 77 |
| TOTAL 0-19 YRS | 50 | 15.8 | 168 | 3 | 6 | 11 | 20 | 26 | 42 | 69 |
| 20-34 | 205 | 14.2 | 94 | 5 | 7 | 12 | 17 | 23 | 31 | 72 |
| 35-49 | 377 | 15.8 | 127 | 2 | 5 | 13 | 20 | 30 | 39 | 64 |
| 50-64 | 1007 | 17.3 | 157 | 3 | 6 | 14 | 22 | 31 | 44 | 72 |
| 65+ | 1181 | 18.8 | 175 | 2 | 5 | 16 | 24 | 35 | 43 | 74 |
| **GRAND TOTAL** | **2820** | **17.5** | **158** | **3** | **5** | **15** | **22** | **32** | **42** | **71** |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 10.3 | 22 | 5 | 5 | 9 | 14 | 18 | 18 | 18 |
| 20-34 | 17 | 15.4 | 94 | 8 | 8 | 12 | 16 | 33 | 41 | 43 |
| 35-49 | 43 | 16.5 | 52 | 10 | 10 | 15 | 19 | 23 | 34 | 43 |
| 50-64 | 183 | 16.2 | 53 | 9 | 9 | 15 | 18 | 25 | 30 | 47 |
| 65+ | 119 | 18.7 | 81 | 9 | 10 | 16 | 22 | 29 | 37 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 17.8 | 126 | 8 | 8 | 14 | 21 | 37 | 39 | 39 |
| 20-34 | 19 | 19.3 | 214 | 8 | 10 | 13 | 18 | 49 | 54 | 54 |
| 35-49 | 92 | 18.9 | 124 | 7 | 9 | 16 | 22 | 33 | 45 | 61 |
| 50-64 | 390 | 21.0 | 127 | 9 | 11 | 18 | 25 | 34 | 43 | 98 |
| 65+ | 404 | 24.0 | 159 | 10 | 12 | 21 | 29 | 39 | 52 | 78 |
| **TOT. SINGLE DX** | 368 | 16.9 | 65 | 9 | 10 | 15 | 19 | 27 | 33 | 50 |
| **" MULTIPLE DX** | 911 | 22.0 | 146 | 9 | 11 | 19 | 27 | 36 | 47 | 79 |
| TOTAL 0-19 YRS | 12 | 14.1 | 83 | 5 | 7 | 12 | 16 | 26 | 37 | 39 |
| 20-34 | 36 | 17.4 | 158 | 8 | 9 | 12 | 17 | 42 | 51 | 54 |
| 35-49 | 135 | 18.1 | 102 | 9 | 10 | 16 | 20 | 30 | 42 | 59 |
| 50-64 | 573 | 19.4 | 109 | 9 | 10 | 17 | 23 | 32 | 40 | 78 |
| 65+ | 523 | 22.7 | 147 | 10 | 11 | 20 | 28 | 35 | 47 | 77 |
| **GRAND TOTAL** | **1279** | **20.5** | **128** | **9** | **10** | **17** | **25** | **34** | **43** | **75** |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 101 | 4.9 | 36 | 1 | 1 | 3 | 6 | 10 | 13 | 38 |
| 20-34 | 153 | 6.6 | 63 | 1 | 2 | 3 | 9 | 15 | 19 | 50 |
| 35-49 | 268 | 6.9 | 53 | 1 | 1 | 5 | 9 | 15 | 22 | 32 |
| 50-64 | 543 | 8.1 | 66 | 1 | 2 | 5 | 11 | 18 | 23 | 34 |
| 65+ | 513 | 8.7 | 78 | 1 | 2 | 6 | 11 | 19 | 28 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 99 | 11.8 | 186 | 1 | 2 | 8 | 15 | 23 | 31 | 81 |
| 20-34 | 210 | 11.6 | 143 | 2 | 2 | 8 | 14 | 25 | 38 | 52 |
| 35-49 | 487 | 11.9 | 130 | 1 | 2 | 8 | 16 | 25 | 34 | 77 |
| 50-64 | 1394 | 13.5 | 156 | 2 | 2 | 10 | 17 | 27 | 37 | 72 |
| 65+ | 2127 | 16.6 | 215 | 2 | 3 | 13 | 22 | 36 | 50 | 99+ |
| **TOT. SINGLE DX** | 1578 | 7.8 | 67 | 1 | 1 | 5 | 10 | 18 | 23 | 38 |
| **" MULTIPLE DX** | 4317 | 14.7 | 186 | 2 | 3 | 11 | 19 | 31 | 44 | 91 |
| TOTAL 0-19 YRS | 200 | 8.3 | 122 | 1 | 1 | 5 | 10 | 18 | 26 | 61 |
| 20-34 | 363 | 9.5 | 115 | 1 | 2 | 6 | 13 | 21 | 32 | 52 |
| 35-49 | 755 | 10.1 | 109 | 1 | 2 | 7 | 14 | 23 | 30 | 59 |
| 50-64 | 1937 | 12.0 | 137 | 2 | 2 | 9 | 16 | 25 | 33 | 65 |
| 65+ | 2640 | 15.1 | 199 | 2 | 3 | 11 | 20 | 33 | 46 | 99+ |
| **GRAND TOTAL** | **5895** | **12.6** | **164** | **2** | **2** | **9** | **17** | **28** | **39** | **83** |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 23 | 6.0 | 8 | 2 | 3 | 5 | 7 | 11 | 12 | 12 |
| 20-34 | 71 | 6.0 | 16 | 2 | 2 | 5 | 8 | 10 | 13 | 23 |
| 35-49 | 16 | 10.5 | 207 | 2 | 3 | 6 | 9 | 22 | 50 | 61 |
| 50-64 | 24 | 8.8 | 33 | 2 | 3 | 8 | 12 | 20 | 20 | 21 |
| 65+ | 11 | 12.7 | 141 | 2 | 3 | 10 | 14 | 31 | 43 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 22 | 15.0 | 337 | 2 | 3 | 8 | 15 | 44 | 66 | 70 |
| 20-34 | 24 | 9.3 | 64 | 3 | 4 | 7 | 10 | 18 | 26 | 41 |
| 35-49 | 25 | 13.4 | 86 | 3 | 4 | 10 | 20 | 30 | 32 | 34 |
| 50-64 | 47 | 16.0 | 139 | 4 | 5 | 13 | 22 | 31 | 48 | 99+ |
| 65+ | 73 | 20.6 | 312 | 2 | 4 | 16 | 29 | 45 | 60 | 77 |
| **TOT. SINGLE DX** | 145 | 7.5 | 51 | 2 | 3 | 6 | 9 | 13 | 20 | 45 |
| **" MULTIPLE DX** | 191 | 16.4 | 222 | 2 | 4 | 11 | 22 | 34 | 49 | 76 |
| TOTAL 0-19 YRS | 45 | 10.4 | 186 | 2 | 3 | 6 | 10 | 19 | 43 | 70 |
| 20-34 | 95 | 6.8 | 30 | 2 | 3 | 5 | 8 | 12 | 17 | 33 |
| 35-49 | 41 | 12.3 | 131 | 3 | 3 | 9 | 17 | 26 | 33 | 61 |
| 50-64 | 71 | 13.5 | 114 | 3 | 4 | 11 | 19 | 29 | 42 | 90 |
| 65+ | 84 | 19.5 | 295 | 2 | 4 | 14 | 28 | 44 | 59 | 77 |
| **GRAND TOTAL** | **336** | **12.6** | **168** | **2** | **3** | **8** | **16** | **29** | **42** | **71** |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 151 | 7.0 | 24 | 2 | 3 | 6 | 8 | 13 | 17 | 26 |
| 20-34 | 542 | 6.6 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 209 | 7.7 | 42 | 2 | 3 | 6 | 9 | 15 | 22 | 28 |
| 50-64 | 133 | 10.0 | 55 | 2 | 3 | 8 | 12 | 21 | 27 | 36 |
| 65+ | 131 | 13.1 | 82 | 3 | 4 | 11 | 18 | 23 | 34 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 185 | 15.3 | 228 | 3 | 5 | 9 | 20 | 31 | 54 | 97 |
| 20-34 | 397 | 11.9 | 126 | 3 | 4 | 8 | 14 | 22 | 36 | 75 |
| 35-49 | 328 | 14.9 | 159 | 3 | 5 | 11 | 19 | 29 | 43 | 83 |
| 50-64 | 630 | 18.8 | 217 | 4 | 6 | 15 | 24 | 38 | 50 | 83 |
| 65+ | 815 | 20.8 | 214 | 5 | 7 | 17 | 27 | 42 | 53 | 71 |
| TOT. SINGLE DX | 1166 | 8.0 | 38 | 2 | 3 | 6 | 9 | 15 | 21 | 33 |
| " MULTIPLE DX | 2355 | 17.5 | 204 | 4 | 5 | 13 | 22 | 37 | 50 | 80 |
| TOTAL 0-19 YRS | 336 | 11.6 | 154 | 3 | 3 | 8 | 13 | 25 | 34 | 89 |
| 20-34 | 939 | 8.9 | 70 | 3 | 3 | 7 | 10 | 16 | 22 | 51 |
| 35-49 | 537 | 12.1 | 126 | 3 | 4 | 9 | 15 | 25 | 34 | 62 |
| 50-64 | 763 | 17.3 | 200 | 4 | 5 | 13 | 22 | 36 | 47 | 81 |
| 65+ | 946 | 19.7 | 203 | 4 | 6 | 16 | 25 | 41 | 51 | 69 |
| GRAND TOTAL | 3521 | 14.3 | 169 | 3 | 4 | 10 | 18 | 31 | 42 | 71 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 6.1 | 28 | <1 | 1 | 5 | 8 | 11 | 13 | 32 |
| 20-34 | 161 | 7.4 | 60 | <1 | 1 | 5 | 10 | 18 | 21 | 38 |
| 35-49 | 176 | 6.5 | 32 | 1 | 1 | 4 | 9 | 15 | 19 | 25 |
| 50-64 | 261 | 8.9 | 81 | <1 | 1 | 6 | 12 | 22 | 28 | 42 |
| 65+ | 181 | 9.9 | 87 | 1 | 1 | 7 | 14 | 21 | 23 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 10.0 | 59 | 1 | 2 | 8 | 13 | 20 | 26 | 37 |
| 20-34 | 168 | 14.1 | 216 | 1 | 2 | 10 | 18 | 31 | 48 | 99 |
| 35-49 | 229 | 15.1 | 210 | 2 | 3 | 11 | 19 | 34 | 50 | 78 |
| 50-64 | 723 | 15.2 | 143 | 2 | 3 | 13 | 20 | 31 | 38 | 68 |
| 65+ | 890 | 18.4 | 211 | 3 | 4 | 15 | 24 | 38 | 49 | 82 |
| TOT. SINGLE DX | 891 | 8.0 | 64 | <1 | 1 | 5 | 11 | 19 | 23 | 41 |
| " MULTIPLE DX | 2066 | 16.3 | 188 | 2 | 3 | 13 | 21 | 33 | 43 | 79 |
| TOTAL 0-19 YRS | 168 | 7.4 | 42 | <1 | 1 | 6 | 9 | 16 | 20 | 35 |
| 20-34 | 329 | 10.8 | 151 | <1 | 1 | 8 | 14 | 23 | 35 | 95 |
| 35-49 | 405 | 11.4 | 152 | 1 | 2 | 8 | 15 | 24 | 36 | 70 |
| 50-64 | 984 | 13.5 | 135 | 2 | 2 | 11 | 19 | 29 | 36 | 57 |
| 65+ | 1071 | 16.9 | 201 | 2 | 3 | 14 | 22 | 36 | 47 | 78 |
| GRAND TOTAL | 2957 | 13.8 | 165 | 1 | 2 | 10 | 19 | 30 | 39 | 68 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 13.1 | 30 | 7 | 8 | 11 | 16 | 23 | 25 | 28 |
| 20-34 | 35 | 15.7 | 42 | 8 | 9 | 14 | 19 | 25 | 30 | 32 |
| 35-49 | 78 | 14.4 | 21 | 9 | 10 | 13 | 17 | 21 | 24 | 31 |
| 50-64 | 145 | 17.9 | 72 | 10 | 11 | 16 | 20 | 27 | 35 | 45 |
| 65+ | 75 | 18.5 | 69 | 10 | 12 | 16 | 22 | 27 | 29 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 18.4 | 157 | 8 | 9 | 12 | 23 | 38 | 43 | 69 |
| 20-34 | 40 | 22.7 | 184 | 10 | 11 | 17 | 28 | 46 | 55 | 56 |
| 35-49 | 126 | 22.4 | 156 | 11 | 11 | 19 | 27 | 45 | 53 | 69 |
| 50-64 | 431 | 22.5 | 166 | 11 | 12 | 19 | 27 | 41 | 51 | 99+ |
| 65+ | 339 | 25.2 | 209 | 11 | 12 | 20 | 32 | 48 | 58 | 84 |
| TOT. SINGLE DX | 376 | 16.5 | 57 | 9 | 10 | 15 | 19 | 26 | 29 | 43 |
| " MULTIPLE DX | 1008 | 23.1 | 182 | 10 | 11 | 19 | 28 | 44 | 54 | 86 |
| TOTAL 0-19 YRS | 115 | 16.4 | 116 | 8 | 8 | 12 | 18 | 29 | 39 | 56 |
| 20-34 | 75 | 19.4 | 129 | 9 | 10 | 16 | 22 | 34 | 48 | 56 |
| 35-49 | 204 | 19.3 | 120 | 9 | 11 | 16 | 22 | 32 | 47 | 60 |
| 50-64 | 576 | 21.3 | 147 | 10 | 11 | 17 | 26 | 37 | 48 | 88 |
| 65+ | 414 | 24.0 | 190 | 11 | 12 | 20 | 28 | 45 | 56 | 82 |
| GRAND TOTAL | 1384 | 21.3 | 157 | 10 | 11 | 18 | 26 | 39 | 51 | 80 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 16.3 | 33 | 13 | 13 | 13 | 21 | 23 | 23 | 23 |
| 20-34 | 11 | 11.9 | 16 | 8 | 8 | 11 | 13 | 18 | 23 | 23 |
| 35-49 | 284 | 13.5 | 25 | 9 | 9 | 12 | 15 | 19 | 22 | 35 |
| 50-64 | 792 | 14.1 | 25 | 9 | 10 | 13 | 16 | 21 | 25 | 31 |
| 65+ | 194 | 17.6 | 71 | 9 | 10 | 16 | 20 | 27 | 32 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 21.0 | 397 | 9 | 9 | 10 | 35 | 44 | 44 | 44 |
| 20-34 | 23 | 13.8 | 35 | 9 | 10 | 11 | 14 | 23 | 28 | 34 |
| 35-49 | 610 | 14.8 | 63 | 9 | 9 | 12 | 16 | 24 | 30 | 54 |
| 50-64 | 2394 | 16.3 | 76 | 9 | 10 | 13 | 18 | 26 | 33 | 57 |
| 65+ | 979 | 20.5 | 135 | 10 | 11 | 17 | 25 | 36 | 44 | 82 |
| TOT. SINGLE DX | 1284 | 14.5 | 34 | 9 | 9 | 13 | 16 | 22 | 26 | 35 |
| " MULTIPLE DX | 4009 | 17.1 | 93 | 9 | 10 | 14 | 20 | 28 | 36 | 61 |
| TOTAL 0-19 YRS | 6 | 18.7 | 179 | 9 | 9 | 13 | 23 | 42 | 44 | 44 |
| 20-34 | 34 | 13.2 | 30 | 9 | 9 | 11 | 14 | 23 | 25 | 34 |
| 35-49 | 894 | 14.4 | 51 | 9 | 9 | 12 | 16 | 22 | 28 | 47 |
| 50-64 | 3186 | 15.7 | 64 | 9 | 10 | 13 | 18 | 25 | 31 | 51 |
| 65+ | 1173 | 20.1 | 126 | 10 | 11 | 17 | 24 | 34 | 43 | 75 |
| GRAND TOTAL | 5293 | 16.5 | 80 | 9 | 10 | 14 | 19 | 27 | 34 | 58 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 236 | 2.5 | 6 | 1 | 1 | 2 | 2 | 4 | 7 | 15 |
| 20-34 | 153 | 3.5 | 10 | 2 | 2 | 2 | 3 | 7 | 12 | 17 |
| 35-49 | 1018 | 3.2 | 10 | 2 | 2 | 2 | 3 | 7 | 10 | 18 |
| 50-64 | 2100 | 3.3 | 12 | 2 | 2 | 2 | 3 | 7 | 10 | 20 |
| 65+ | 574 | 4.0 | 26 | 2 | 2 | 2 | 3 | 8 | 15 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 383 | 3.8 | 44 | 1 | 2 | 2 | 2 | 7 | 15 | 36 |
| 20-34 | 281 | 5.4 | 51 | 1 | 2 | 2 | 5 | 13 | 21 | 35 |
| 35-49 | 2277 | 4.8 | 30 | 2 | 2 | 2 | 5 | 12 | 17 | 28 |
| 50-64 | 5394 | 5.6 | 48 | 2 | 2 | 2 | 7 | 14 | 19 | 32 |
| 65+ | 1997 | 8.1 | 89 | 2 | 2 | 3 | 12 | 20 | 26 | 47 |
| TOT. SINGLE DX | 4081 | 3.3 | 14 | 1 | 2 | 2 | 3 | 7 | 11 | 21 |
| " MULTIPLE DX | 10332 | 5.8 | 54 | 2 | 2 | 2 | 7 | 15 | 20 | 35 |
| TOTAL 0-19 YRS | 619 | 3.3 | 31 | 1 | 1 | 2 | 2 | 6 | 10 | 28 |
| 20-34 | 434 | 4.7 | 38 | 2 | 2 | 2 | 4 | 12 | 16 | 31 |
| 35-49 | 3295 | 4.3 | 25 | 2 | 2 | 2 | 4 | 10 | 15 | 24 |
| 50-64 | 7494 | 4.9 | 40 | 2 | 2 | 2 | 5 | 12 | 17 | 30 |
| 65+ | 2571 | 7.2 | 78 | 2 | 2 | 3 | 10 | 18 | 24 | 45 |
| GRAND TOTAL | 14413 | 5.1 | 44 | 2 | 2 | 2 | 5 | 13 | 18 | 32 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 5.9 | 13 | 3 | 3 | 4 | 8 | 12 | 14 | 14 |
| 20-34 | 17 | 6.2 | 23 | 2 | 2 | 5 | 7 | 11 | 18 | 22 |
| 35-49 | 60 | 8.3 | 30 | 2 | 2 | 6 | 14 | 16 | 18 | 19 |
| 50-64 | 269 | 8.3 | 38 | 2 | 2 | 6 | 12 | 17 | 20 | 26 |
| 65+ | 1287 | 7.1 | 32 | 2 | 2 | 5 | 9 | 14 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 8.7 | 51 | 2 | 3 | 7 | 11 | 18 | 26 | 28 |
| 20-34 | 38 | 9.8 | 40 | 2 | 3 | 9 | 14 | 20 | 22 | 23 |
| 35-49 | 229 | 13.8 | 93 | 2 | 3 | 13 | 18 | 24 | 31 | 57 |
| 50-64 | 1330 | 14.5 | 87 | 3 | 4 | 13 | 19 | 27 | 32 | 51 |
| 65+ | 7246 | 15.8 | 149 | 3 | 5 | 13 | 20 | 30 | 40 | 76 |
| TOT. SINGLE DX | 1643 | 7.3 | 34 | 2 | 2 | 5 | 10 | 15 | 18 | 28 |
| " MULTIPLE DX | 8856 | 15.5 | 139 | 3 | 5 | 13 | 20 | 29 | 39 | 71 |
| TOTAL 0-19 YRS | 23 | 7.5 | 35 | 2 | 3 | 5 | 10 | 14 | 20 | 28 |
| 20-34 | 55 | 8.7 | 38 | 2 | 2 | 7 | 12 | 19 | 22 | 23 |
| 35-49 | 289 | 12.6 | 85 | 2 | 3 | 12 | 17 | 22 | 29 | 49 |
| 50-64 | 1599 | 13.4 | 85 | 3 | 4 | 12 | 18 | 25 | 31 | 49 |
| 65+ | 8533 | 14.5 | 142 | 3 | 4 | 12 | 19 | 28 | 38 | 71 |
| GRAND TOTAL | 10499 | 14.2 | 131 | 3 | 4 | 12 | 18 | 28 | 36 | 67 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 10.0 | 18 | 6 | 6 | 9 | 11 | 17 | 18 | 18 |
| 20-34 | 18 | 10.9 | 29 | 2 | 3 | 12 | 14 | 16 | 21 | 23 |
| 35-49 | 24 | 8.6 | 23 | 2 | 2 | 9 | 12 | 15 | 17 | 18 |
| 50-64 | 39 | 10.1 | 88 | 2 | 2 | 9 | 13 | 20 | 30 | 46 |
| 65+ | 24 | 13.5 | 117 | 3 | 3 | 10 | 17 | 27 | 42 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 15.3 | 114 | 6 | 8 | 10 | 18 | 26 | 42 | 48 |
| 20-34 | 38 | 18.7 | 211 | 3 | 7 | 14 | 24 | 40 | 48 | 73 |
| 35-49 | 72 | 17.8 | 211 | 2 | 3 | 13 | 24 | 40 | 46 | 78 |
| 50-64 | 165 | 18.1 | 196 | 3 | 5 | 15 | 23 | 34 | 43 | 67 |
| 65+ | 134 | 19.9 | 216 | 4 | 6 | 16 | 25 | 40 | 49 | 91 |
| TOT. SINGLE DX | 111 | 10.6 | 68 | 2 | 2 | 10 | 14 | 18 | 25 | 44 |
| " MULTIPLE DX | 424 | 18.6 | 203 | 3 | 5 | 15 | 23 | 38 | 47 | 76 |
| TOTAL 0-19 YRS | 21 | 13.8 | 91 | 6 | 7 | 10 | 17 | 24 | 36 | 48 |
| 20-34 | 56 | 16.2 | 165 | 3 | 5 | 13 | 18 | 31 | 44 | 72 |
| 35-49 | 96 | 15.5 | 179 | 2 | 2 | 12 | 20 | 31 | 44 | 70 |
| 50-64 | 204 | 16.6 | 186 | 2 | 3 | 13 | 21 | 31 | 42 | 66 |
| 65+ | 158 | 19.0 | 206 | 4 | 5 | 15 | 24 | 40 | 47 | 87 |
| GRAND TOTAL | 535 | 16.9 | 185 | 2 | 4 | 13 | 22 | 35 | 44 | 70 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 213 | 3.5 | 15 | <1 | <1 | 2 | 5 | 8 | 10 | 21 |
| 20-34 | 140 | 4.7 | 38 | <1 | 1 | 2 | 5 | 11 | 16 | 35 |
| 35-49 | 226 | 3.5 | 16 | <1 | 1 | 2 | 3 | 8 | 14 | 19 |
| 50-64 | 344 | 3.8 | 19 | <1 | 1 | 2 | 3 | 9 | 13 | 22 |
| 65+ | 277 | 6.7 | 79 | 1 | 1 | 3 | 8 | 16 | 20 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 169 | 8.6 | 77 | 1 | 1 | 6 | 11 | 20 | 28 | 46 |
| 20-34 | 200 | 12.2 | 115 | 2 | 2 | 9 | 17 | 25 | 33 | 61 |
| 35-49 | 342 | 10.6 | 85 | 1 | 2 | 9 | 14 | 22 | 32 | 47 |
| 50-64 | 955 | 12.4 | 124 | 2 | 2 | 10 | 17 | 27 | 34 | 54 |
| 65+ | 2144 | 16.8 | 200 | 2 | 3 | 13 | 22 | 35 | 49 | 91 |
| TOT. SINGLE DX | 1200 | 4.4 | 36 | <1 | 1 | 2 | 5 | 11 | 16 | 29 |
| " MULTIPLE DX | 3810 | 14.6 | 168 | 2 | 2 | 11 | 19 | 31 | 41 | 81 |
| TOTAL 0-19 YRS | 382 | 5.8 | 49 | <1 | 1 | 3 | 8 | 13 | 20 | 32 |
| 20-34 | 340 | 9.1 | 97 | 1 | 1 | 5 | 14 | 20 | 30 | 52 |
| 35-49 | 568 | 7.7 | 70 | 1 | 1 | 4 | 11 | 18 | 24 | 45 |
| 50-64 | 1299 | 10.1 | 111 | 1 | 2 | 7 | 14 | 23 | 30 | 47 |
| 65+ | 2421 | 15.7 | 197 | 2 | 2 | 12 | 21 | 33 | 47 | 87 |
| GRAND TOTAL | 5010 | 12.1 | 155 | 1 | 2 | 9 | 17 | 27 | 38 | 68 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 915 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 1264 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 1040 | 5.4 | 14 | 2 | 3 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 274 | 7.4 | 60 | 2 | 3 | 5 | 8 | 13 | 20 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.2 | 29 | 2 | 2 | 3 | 11 | 15 | 15 | 15 |
| 20-34 | 206 | 6.3 | 24 | 2 | 3 | 5 | 7 | 11 | 14 | 28 |
| 35-49 | 427 | 6.8 | 27 | 3 | 3 | 5 | 8 | 12 | 17 | 30 |
| 50-64 | 615 | 8.5 | 66 | 3 | 3 | 6 | 9 | 17 | 25 | 42 |
| 65+ | 302 | 13.5 | 180 | 3 | 3 | 9 | 17 | 32 | 40 | 67 |
| TOT. SINGLE DX | 3537 | 5.0 | 14 | 2 | 3 | 4 | 5 | 8 | 10 | 19 |
| " MULTIPLE DX | 1556 | 8.7 | 78 | 3 | 3 | 6 | 10 | 18 | 25 | 44 |
| TOTAL 0-19 YRS | 50 | 3.9 | 5 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| 20-34 | 1121 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 35-49 | 1691 | 5.2 | 13 | 2 | 3 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 1655 | 6.6 | 36 | 2 | 3 | 5 | 7 | 11 | 17 | 33 |
| 65+ | 576 | 10.6 | 133 | 3 | 3 | 6 | 12 | 23 | 36 | 54 |
| GRAND TOTAL | 5093 | 6.1 | 36 | 2 | 3 | 4 | 6 | 11 | 16 | 34 |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 12.1 | 99 | 2 | 3 | 9 | 14 | 27 | 34 | 38 |
| 20-34 | 32 | 10.3 | 99 | 2 | 2 | 5 | 17 | 22 | 35 | 38 |
| 35-49 | 136 | 11.4 | 89 | 2 | 3 | 9 | 13 | 24 | 35 | 44 |
| 50-64 | 456 | 12.4 | 48 | 3 | 5 | 12 | 15 | 20 | 24 | 36 |
| 65+ | 412 | 15.0 | 87 | 3 | 6 | 13 | 18 | 24 | 31 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 19.6 | 346 | 2 | 3 | 17 | 27 | 80 | 99+ | 99+ |
| 20-34 | 132 | 15.9 | 204 | 2 | 2 | 12 | 22 | 35 | 43 | 69 |
| 35-49 | 399 | 16.9 | 169 | 3 | 4 | 14 | 21 | 33 | 47 | 73 |
| 50-64 | 1685 | 19.5 | 224 | 5 | 8 | 15 | 23 | 38 | 53 | 95 |
| 65+ | 2245 | 23.0 | 242 | 8 | 10 | 18 | 28 | 46 | 65 | 99+ |
| TOT. SINGLE DX | 1053 | 13.2 | 73 | 3 | 4 | 12 | 16 | 23 | 28 | 46 |
| " MULTIPLE DX | 4495 | 20.9 | 234 | 5 | 8 | 17 | 26 | 43 | 60 | 99+ |
| TOTAL 0-19 YRS | 51 | 17.1 | 273 | 2 | 3 | 12 | 26 | 52 | 96 | 99+ |
| 20-34 | 164 | 14.8 | 188 | 2 | 2 | 11 | 21 | 33 | 40 | 69 |
| 35-49 | 535 | 15.5 | 155 | 2 | 3 | 12 | 20 | 32 | 41 | 66 |
| 50-64 | 2141 | 18.0 | 195 | 4 | 7 | 14 | 21 | 35 | 50 | 91 |
| 65+ | 2657 | 21.7 | 227 | 7 | 9 | 17 | 26 | 44 | 60 | 99+ |
| GRAND TOTAL | 5548 | 19.4 | 212 | 4 | 7 | 15 | 24 | 39 | 54 | 99+ |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 12.7 | 12 | 9 | 9 | 12 | 16 | 17 | 17 | 17 |
| 50-64 | 13 | 17.5 | 121 | 11 | 12 | 13 | 16 | 36 | 47 | 49 |
| 65+ | 2 | 27.0 | 72 | 21 | 21 | 27 | 33 | 33 | 33 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 20-34 | 1 | 55.0 | | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 35-49 | 3 | 11.3 | 2 | 10 | 10 | 11 | 12 | 13 | 13 | 13 |
| 50-64 | 12 | 18.6 | 87 | 11 | 12 | 14 | 23 | 34 | 39 | 40 |
| 65+ | 6 | 32.8 | 750 | 10 | 10 | 20 | 61 | 72 | 73 | 73 |
| TOT. SINGLE DX | 22 | 16.8 | 92 | 9 | 10 | 13 | 16 | 33 | 40 | 49 |
| " MULTIPLE DX | 23 | 23.2 | 317 | 10 | 11 | 14 | 28 | 56 | 65 | 73 |
| TOTAL 0-19 YRS | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 20-34 | 1 | 55.0 | | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 35-49 | 9 | 12.2 | 8 | 9 | 9 | 11 | 14 | 17 | 17 | 17 |
| 50-64 | 25 | 18.0 | 101 | 11 | 12 | 14 | 16 | 33 | 42 | 49 |
| 65+ | 8 | 31.4 | 553 | 10 | 11 | 24 | 47 | 69 | 73 | 73 |
| GRAND TOTAL | 45 | 20.0 | 213 | 10 | 10 | 14 | 22 | 40 | 56 | 73 |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 8 | 8 |
| 20-34 | 26 | 5.8 | 100 | <1 | <1 | 3 | 6 | 9 | 29 | 49 |
| 35-49 | 26 | 5.0 | 44 | <1 | <1 | 3 | 6 | 9 | 19 | 33 |
| 50-64 | 81 | 6.3 | 86 | <1 | <1 | 2 | 8 | 18 | 28 | 48 |
| 65+ | 45 | 7.9 | 102 | <1 | <1 | 3 | 11 | 23 | 28 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 3.2 | 19 | <1 | <1 | <1 | 3 | 8 | 12 | 23 |
| 20-34 | 403 | 5.1 | 42 | <1 | <1 | 3 | 7 | 12 | 17 | 30 |
| 35-49 | 535 | 7.5 | 64 | <1 | <1 | 5 | 10 | 17 | 25 | 39 |
| 50-64 | 1081 | 7.3 | 74 | <1 | <1 | 5 | 10 | 17 | 24 | 46 |
| 65+ | 804 | 11.5 | 193 | 1 | 2 | 7 | 13 | 26 | 40 | 93 |
| TOT. SINGLE DX | 192 | 6.1 | 81 | <1 | <1 | 3 | 7 | 16 | 26 | 49 |
| " MULTIPLE DX | 2885 | 8.1 | 105 | <1 | <1 | 5 | 10 | 18 | 27 | 58 |
| TOTAL 0-19 YRS | 76 | 3.0 | 17 | <1 | <1 | <1 | 3 | 8 | 11 | 22 |
| 20-34 | 429 | 5.2 | 46 | <1 | <1 | 3 | 7 | 12 | 17 | 31 |
| 35-49 | 561 | 7.4 | 63 | <1 | <1 | 5 | 9 | 17 | 25 | 39 |
| 50-64 | 1162 | 7.2 | 75 | <1 | <1 | 5 | 10 | 17 | 24 | 47 |
| 65+ | 849 | 11.3 | 189 | 1 | 2 | 7 | 13 | 26 | 40 | 92 |
| GRAND TOTAL | 3077 | 8.0 | 104 | <1 | <1 | 5 | 10 | 18 | 27 | 56 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 188 | 7.6 | 49 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| 20-34 | 241 | 8.4 | 121 | 1 | 1 | 5 | 10 | 19 | 30 | 53 |
| 35-49 | 325 | 9.5 | 92 | 1 | 2 | 7 | 12 | 22 | 28 | 45 |
| 50-64 | 978 | 10.0 | 56 | 2 | 3 | 9 | 13 | 18 | 24 | 38 |
| 65+ | 1194 | 11.6 | 63 | 2 | 4 | 10 | 15 | 21 | 26 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 721 | 18.5 | 384 | 2 | 3 | 11 | 24 | 54 | 75 | 99+ |
| 20-34 | 493 | 13.6 | 264 | 1 | 2 | 8 | 17 | 36 | 55 | 97 |
| 35-49 | 796 | 15.6 | 239 | 1 | 2 | 11 | 22 | 38 | 51 | 94 |
| 50-64 | 3040 | 15.6 | 176 | 3 | 4 | 12 | 19 | 31 | 44 | 91 |
| 65+ | 4960 | 19.2 | 221 | 4 | 6 | 15 | 24 | 40 | 55 | 99+ |
| TOT. SINGLE DX | 2926 | 10.3 | 70 | 2 | 2 | 9 | 13 | 20 | 25 | 43 |
| " MULTIPLE DX | 10010 | 17.5 | 227 | 2 | 4 | 13 | 22 | 37 | 54 | 99+ |
| TOTAL 0-19 YRS | 909 | 16.2 | 334 | 2 | 3 | 9 | 20 | 44 | 67 | 99+ |
| 20-34 | 734 | 11.9 | 223 | 1 | 2 | 6 | 14 | 31 | 45 | 86 |
| 35-49 | 1121 | 13.8 | 205 | 1 | 2 | 9 | 19 | 33 | 45 | 81 |
| 50-64 | 4018 | 14.2 | 153 | 2 | 3 | 11 | 17 | 28 | 39 | 80 |
| 65+ | 6154 | 17.7 | 200 | 3 | 5 | 14 | 22 | 36 | 50 | 98 |
| GRAND TOTAL | 12936 | 15.8 | 200 | 2 | 3 | 12 | 20 | 34 | 48 | 93 |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 512 | 3.3 | 14 | <1 | <1 | 2 | 3 | 7 | 12 | 19 |
| 20-34 | 660 | 4.0 | 18 | <1 | <1 | 2 | 4 | 10 | 13 | 22 |
| 35-49 | 410 | 5.0 | 26 | <1 | 1 | 3 | 6 | 12 | 16 | 25 |
| 50-64 | 477 | 6.1 | 39 | 1 | 1 | 4 | 8 | 13 | 17 | 29 |
| 65+ | 384 | 7.5 | 52 | 1 | 2 | 5 | 10 | 17 | 23 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 151 | 6.5 | 82 | 1 | 1 | 4 | 8 | 13 | 19 | 53 |
| 20-34 | 330 | 8.2 | 90 | 1 | 2 | 5 | 11 | 18 | 27 | 42 |
| 35-49 | 397 | 10.6 | 132 | 1 | 2 | 7 | 14 | 23 | 34 | 71 |
| 50-64 | 850 | 12.0 | 122 | 2 | 2 | 9 | 15 | 24 | 35 | 54 |
| 65+ | 1080 | 14.7 | 194 | 2 | 3 | 11 | 19 | 30 | 44 | 85 |
| TOT. SINGLE DX | 2443 | 5.0 | 31 | <1 | 1 | 3 | 6 | 12 | 16 | 27 |
| " MULTIPLE DX | 2808 | 12.1 | 152 | 2 | 2 | 9 | 16 | 25 | 36 | 69 |
| TOTAL 0-19 YRS | 663 | 4.0 | 32 | <1 | <1 | 2 | 4 | 9 | 13 | 24 |
| 20-34 | 990 | 5.4 | 47 | <1 | 1 | 3 | 7 | 13 | 18 | 31 |
| 35-49 | 807 | 7.7 | 86 | <1 | 1 | 4 | 10 | 17 | 24 | 54 |
| 50-64 | 1327 | 9.9 | 100 | 1 | 2 | 8 | 13 | 21 | 29 | 52 |
| 65+ | 1464 | 12.8 | 167 | 2 | 2 | 9 | 17 | 26 | 39 | 81 |
| GRAND TOTAL | 5251 | 8.8 | 108 | 1 | 1 | 5 | 12 | 20 | 27 | 56 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 3.8 | 11 | 1 | 1 | 2 | 4 | 10 | 12 | 13 |
| 20-34 | 40 | 6.2 | 30 | <1 | 1 | 4 | 9 | 11 | 17 | 28 |
| 35-49 | 36 | 12.1 | 209 | 1 | 3 | 9 | 12 | 21 | 38 | 82 |
| 50-64 | 86 | 10.7 | 66 | 2 | 3 | 9 | 12 | 18 | 30 | 44 |
| 65+ | 80 | 11.4 | 68 | 2 | 3 | 9 | 16 | 23 | 27 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 15 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 20-34 | 37 | 9.6 | 56 | 2 | 3 | 8 | 10 | 23 | 28 | 30 |
| 35-49 | 75 | 11.0 | 90 | 2 | 3 | 9 | 13 | 24 | 27 | 92 |
| 50-64 | 261 | 14.5 | 166 | 3 | 5 | 11 | 18 | 29 | 41 | 73 |
| 65+ | 247 | 16.5 | 189 | 3 | 6 | 12 | 20 | 35 | 57 | 99+ |
| TOT. SINGLE DX | 269 | 9.7 | 81 | 2 | 2 | 8 | 11 | 19 | 27 | 44 |
| " MULTIPLE DX | 626 | 14.5 | 163 | 3 | 4 | 11 | 18 | 29 | 45 | 87 |
| TOTAL 0-19 YRS | 33 | 4.3 | 13 | 1 | 1 | 3 | 6 | 11 | 12 | 13 |
| 20-34 | 77 | 7.8 | 45 | 1 | 2 | 6 | 10 | 18 | 26 | 30 |
| 35-49 | 111 | 11.4 | 128 | 2 | 3 | 9 | 13 | 22 | 27 | 89 |
| 50-64 | 347 | 13.6 | 144 | 3 | 4 | 10 | 16 | 25 | 37 | 67 |
| 65+ | 327 | 15.3 | 164 | 3 | 4 | 11 | 19 | 32 | 46 | 87 |
| GRAND TOTAL | 895 | 13.1 | 143 | 2 | 3 | 10 | 16 | 26 | 37 | 74 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 20-34 | 3 | 18.7 | 341 | 8 | 8 | 8 | 32 | 40 | 40 | 40 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 2 | 42.5 | 1985 | 11 | 11 | 42 | 74 | 74 | 74 | 74 |
| 35-49 | 4 | 19.0 | 712 | 4 | 4 | 6 | 33 | 59 | 59 | 59 |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| TOT. SINGLE DX | 6 | 14.5 | 179 | 2 | 3 | 11 | 16 | 38 | 40 | 40 |
| " MULTIPLE DX | 9 | 20.6 | 701 | 4 | 4 | 7 | 24 | 68 | 74 | 74 |
| TOTAL 0-19 YRS | 3 | 10.3 | 54 | 2 | 2 | 13 | 15 | 16 | 16 | 16 |
| 20-34 | 5 | 28.2 | 837 | 8 | 8 | 11 | 48 | 74 | 74 | 74 |
| 35-49 | 4 | 19.0 | 713 | 4 | 4 | 6 | 33 | 59 | 59 | 59 |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| GRAND TOTAL | 15 | 18.1 | 474 | 2 | 4 | 8 | 15 | 59 | 70 | 74 |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOT. SINGLE DX | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| " MULTIPLE DX | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| GRAND TOTAL | 3 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 360 | 9.0 | 97 | 1 | 2 | 7 | 9 | 17 | 24 | 51 |
| 20-34 | 298 | 10.0 | 74 | 2 | 3 | 8 | 11 | 19 | 25 | 39 |
| 35-49 | 227 | 11.9 | 119 | 3 | 4 | 8 | 13 | 28 | 39 | 52 |
| 50-64 | 362 | 11.5 | 104 | 2 | 3 | 9 | 14 | 23 | 36 | 52 |
| 65+ | 529 | 12.8 | 115 | 2 | 4 | 10 | 15 | 25 | 32 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 342 | 13.7 | 179 | 2 | 4 | 9 | 16 | 30 | 47 | 74 |
| 20-34 | 618 | 15.5 | 200 | 3 | 4 | 11 | 19 | 31 | 42 | 80 |
| 35-49 | 825 | 15.4 | 172 | 3 | 4 | 11 | 19 | 32 | 46 | 82 |
| 50-64 | 1803 | 16.8 | 184 | 3 | 5 | 13 | 21 | 34 | 46 | 87 |
| 65+ | 4893 | 18.2 | 204 | 4 | 6 | 14 | 23 | 38 | 51 | 99+ |
| TOT. SINGLE DX | 1776 | 11.2 | 105 | 2 | 3 | 8 | 13 | 22 | 32 | 56 |
| " MULTIPLE DX | 8481 | 17.3 | 197 | 4 | 5 | 13 | 22 | 35 | 49 | 98 |
| TOTAL 0-19 YRS | 702 | 11.3 | 142 | 1 | 2 | 8 | 13 | 24 | 35 | 72 |
| 20-34 | 916 | 13.7 | 166 | 3 | 4 | 9 | 16 | 28 | 38 | 77 |
| 35-49 | 1052 | 14.6 | 163 | 3 | 4 | 10 | 18 | 31 | 43 | 77 |
| 50-64 | 2165 | 15.9 | 175 | 3 | 4 | 12 | 20 | 33 | 45 | 83 |
| 65+ | 5422 | 17.7 | 198 | 4 | 6 | 14 | 22 | 36 | 50 | 99+ |
| GRAND TOTAL | 10257 | 16.2 | 186 | 3 | 5 | 12 | 20 | 34 | 46 | 92 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 15.2 | 507 | 1 | 2 | 6 | 14 | 49 | 74 | 87 |
| 20-34 | 22 | 10.6 | 155 | 1 | 2 | 5 | 15 | 28 | 42 | 49 |
| 35-49 | 24 | 7.2 | 24 | 1 | 2 | 6 | 10 | 14 | 17 | 20 |
| 50-64 | 35 | 14.4 | 371 | 2 | 4 | 9 | 13 | 25 | 66 | 95 |
| 65+ | 14 | 11.4 | 195 | 2 | 3 | 6 | 14 | 21 | 49 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 14.5 | 344 | 3 | 3 | 6 | 24 | 33 | 42 | 92 |
| 20-34 | 57 | 13.8 | 114 | 3 | 3 | 11 | 19 | 34 | 39 | 95 |
| 35-49 | 91 | 19.6 | 292 | 3 | 3 | 15 | 30 | 48 | 63 | 99+ |
| 50-64 | 156 | 20.2 | 304 | 3 | 4 | 14 | 32 | 48 | 61 | 98 |
| 65+ | 172 | 22.1 | 417 | 3 | 5 | 15 | 30 | 52 | 65 | 96 |
| TOT. SINGLE DX | 113 | 11.9 | 256 | 1 | 2 | 7 | 13 | 22 | 47 | 90 |
| " MULTIPLE DX | 506 | 19.7 | 327 | 3 | 4 | 13 | 29 | 47 | 58 | 99 |
| TOTAL 0-19 YRS | 48 | 14.8 | 396 | 1 | 3 | 6 | 16 | 35 | 58 | 92 |
| 20-34 | 79 | 12.9 | 126 | 2 | 3 | 9 | 18 | 33 | 39 | 85 |
| 35-49 | 115 | 17.0 | 261 | 2 | 3 | 12 | 24 | 44 | 57 | 99+ |
| 50-64 | 191 | 19.1 | 319 | 3 | 4 | 12 | 27 | 47 | 62 | 98 |
| 65+ | 186 | 21.3 | 407 | 3 | 4 | 14 | 29 | 52 | 60 | 94 |
| GRAND TOTAL | 619 | 18.2 | 322 | 3 | 3 | 12 | 25 | 45 | 56 | 98 |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 3.1 | 16 | <1 | <1 | 2 | 3 | 7 | 10 | 25 |
| 20-34 | 76 | 6.3 | 64 | <1 | 1 | 3 | 9 | 14 | 17 | 50 |
| 35-49 | 109 | 5.7 | 68 | <1 | 1 | 3 | 7 | 12 | 17 | 50 |
| 50-64 | 244 | 6.6 | 49 | 1 | 1 | 4 | 9 | 15 | 18 | 28 |
| 65+ | 362 | 7.7 | 81 | <1 | 1 | 5 | 10 | 17 | 24 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 13.5 | 231 | <1 | 1 | 7 | 23 | 34 | 50 | 52 |
| 20-34 | 142 | 8.6 | 85 | 1 | 1 | 7 | 11 | 17 | 24 | 80 |
| 35-49 | 286 | 9.8 | 145 | 1 | 1 | 6 | 12 | 20 | 35 | 63 |
| 50-64 | 783 | 11.9 | 179 | 1 | 2 | 8 | 15 | 28 | 42 | 88 |
| 65+ | 1402 | 13.5 | 194 | 2 | 2 | 9 | 18 | 31 | 44 | 81 |
| TOT. SINGLE DX | 855 | 6.7 | 65 | <1 | 1 | 4 | 9 | 15 | 20 | 40 |
| " MULTIPLE DX | 2648 | 12.4 | 182 | 1 | 2 | 8 | 16 | 28 | 42 | 81 |
| TOTAL 0-19 YRS | 99 | 6.8 | 116 | <1 | <1 | 2 | 7 | 23 | 31 | 51 |
| 20-34 | 218 | 7.8 | 79 | <1 | 1 | 5 | 10 | 16 | 22 | 66 |
| 35-49 | 395 | 8.7 | 127 | <1 | 1 | 5 | 10 | 19 | 27 | 63 |
| 50-64 | 1027 | 10.7 | 154 | 1 | 2 | 7 | 13 | 23 | 37 | 84 |
| 65+ | 1764 | 12.3 | 177 | 1 | 2 | 8 | 16 | 29 | 42 | 78 |
| GRAND TOTAL | 3503 | 11.0 | 159 | 1 | 2 | 7 | 14 | 25 | 38 | 74 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 286 | 4.7 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 10 |
| 20-34 | 4 | 7.5 | 9 | 5 | 5 | 6 | 9 | 12 | 12 | 12 |
| 35-49 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 50-64 | 7 | 11.6 | 6 | 9 | 9 | 11 | 14 | 15 | 15 | 15 |
| 65+ | 10 | 15.6 | 26 | 7 | 9 | 15 | 19 | 22 | 24 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 8.0 | 38 | 3 | 3 | 6 | 9 | 14 | 19 | 40 |
| 20-34 | 7 | 19.0 | 230 | 6 | 6 | 9 | 35 | 39 | 39 | 39 |
| 35-49 | 7 | 22.7 | 363 | 9 | 9 | 11 | 37 | 53 | 56 | 56 |
| 50-64 | 22 | 23.6 | 315 | 7 | 9 | 18 | 31 | 68 | 86 | 99+ |
| 65+ | 37 | 27.2 | 394 | 7 | 10 | 21 | 32 | 55 | 73 | 89 |
| TOT. SINGLE DX | 308 | 5.2 | 9 | 2 | 3 | 4 | 6 | 9 | 11 | 19 |
| " MULTIPLE DX | 144 | 16.6 | 264 | 3 | 4 | 11 | 21 | 38 | 55 | 90 |
| TOTAL 0-19 YRS | 357 | 5.3 | 12 | 3 | 3 | 5 | 6 | 8 | 10 | 19 |
| 20-34 | 11 | 14.8 | 175 | 5 | 5 | 8 | 23 | 38 | 39 | 39 |
| 35-49 | 8 | 21.9 | 317 | 9 | 9 | 14 | 31 | 52 | 56 | 56 |
| 50-64 | 29 | 20.7 | 265 | 7 | 9 | 15 | 27 | 50 | 78 | 99+ |
| 65+ | 47 | 24.7 | 336 | 7 | 10 | 19 | 31 | 53 | 71 | 89 |
| GRAND TOTAL | 452 | 8.8 | 118 | 3 | 3 | 5 | 9 | 18 | 31 | 70 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 20-34 | 3 | 35.3 | 576 | 9 | 9 | 41 | 52 | 56 | 56 | 56 |
| 35-49 | 7 | 8.4 | 2 | 7 | 7 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | 17 | 18.6 | 199 | 4 | 5 | 14 | 23 | 46 | 49 | 49 |
| 65+ | 47 | 17.7 | 252 | 5 | 6 | 16 | 24 | 49 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 23.6 | 348 | 5 | 6 | 21 | 38 | 88 | 99+ | 99+ |
| 20-34 | 22 | 32.2 | 827 | 5 | 8 | 21 | 59 | 98 | 99+ | 99+ |
| 35-49 | 27 | 29.9 | 613 | 7 | 9 | 22 | 38 | 91 | 99+ | 99+ |
| 50-64 | 135 | 25.6 | 393 | 6 | 8 | 19 | 39 | 60 | 97 | 99+ |
| 65+ | 512 | 29.6 | 436 | 6 | 8 | 26 | 48 | 86 | 99+ | 99+ |
| TOT. SINGLE DX | 77 | 17.2 | 238 | 2 | 6 | 13 | 23 | 45 | 74 | 99+ |
| " MULTIPLE DX | 731 | 28.7 | 444 | 6 | 8 | 24 | 46 | 85 | 99+ | 99+ |
| TOTAL 0-19 YRS | 38 | 22.1 | 351 | 3 | 6 | 18 | 33 | 80 | 99+ | 99+ |
| 20-34 | 25 | 32.6 | 773 | 6 | 8 | 22 | 56 | 98 | 99+ | 99+ |
| 35-49 | 34 | 25.5 | 562 | 7 | 7 | 18 | 34 | 79 | 99+ | 99+ |
| 50-64 | 152 | 24.8 | 375 | 6 | 8 | 18 | 37 | 59 | 94 | 99+ |
| 65+ | 559 | 28.6 | 432 | 6 | 8 | 25 | 46 | 86 | 99+ | 99+ |
| GRAND TOTAL | 808 | 27.6 | 435 | 6 | 7 | 23 | 44 | 80 | 99+ | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 5.7 | 13 | <1 | <1 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 111 | 7.0 | 50 | <1 | <1 | 6 | 9 | 14 | 22 | 40 |
| 35-49 | 202 | 6.4 | 22 | <1 | <1 | 6 | 9 | 13 | 16 | 24 |
| 50-64 | 304 | 6.9 | 38 | <1 | <1 | 6 | 10 | 14 | 17 | 26 |
| 65+ | 416 | 8.1 | 56 | <1 | 1 | 7 | 11 | 17 | 21 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 7.3 | 29 | <1 | 2 | 7 | 8 | 14 | 20 | 24 |
| 20-34 | 299 | 8.6 | 38 | 1 | 3 | 8 | 11 | 16 | 19 | 29 |
| 35-49 | 614 | 10.4 | 63 | 1 | 3 | 8 | 13 | 20 | 25 | 42 |
| 50-64 | 1326 | 11.4 | 79 | 2 | 3 | 9 | 14 | 22 | 31 | 46 |
| 65+ | 3042 | 14.6 | 130 | 3 | 5 | 12 | 18 | 28 | 38 | 73 |
| TOT. SINGLE DX | 1062 | 7.2 | 43 | <1 | <1 | 6 | 10 | 15 | 19 | 32 |
| " MULTIPLE DX | 5302 | 12.9 | 108 | 2 | 4 | 10 | 16 | 25 | 33 | 61 |
| TOTAL 0-19 YRS | 50 | 6.4 | 20 | <1 | <1 | 6 | 8 | 11 | 16 | 24 |
| 20-34 | 410 | 8.2 | 42 | <1 | 2 | 7 | 10 | 16 | 20 | 29 |
| 35-49 | 816 | 9.4 | 56 | <1 | 2 | 8 | 12 | 19 | 23 | 40 |
| 50-64 | 1630 | 10.5 | 75 | 1 | 2 | 8 | 13 | 21 | 28 | 45 |
| 65+ | 3458 | 13.8 | 126 | 2 | 4 | 11 | 17 | 27 | 36 | 69 |
| GRAND TOTAL | 6364 | 12.0 | 102 | 1 | 3 | 10 | 15 | 24 | 31 | 56 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 10 | 3 | 3 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 49 | 12.9 | 21 | 7 | 8 | 11 | 16 | 18 | 22 | 26 |
| 35-49 | 140 | 14.6 | 32 | 8 | 8 | 14 | 18 | 22 | 25 | 32 |
| 50-64 | 201 | 16.6 | 75 | 8 | 9 | 14 | 19 | 25 | 33 | 56 |
| 65+ | 180 | 19.1 | 83 | 10 | 11 | 17 | 22 | 29 | 33 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 8 | 2 | 2 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 56 | 21.0 | 254 | 8 | 9 | 15 | 27 | 56 | 73 | 99+ |
| 35-49 | 192 | 19.4 | 163 | 8 | 9 | 16 | 22 | 36 | 46 | 68 |
| 50-64 | 474 | 21.7 | 165 | 9 | 10 | 18 | 25 | 38 | 51 | 66 |
| 65+ | 808 | 27.4 | 235 | 11 | 13 | 24 | 34 | 52 | 68 | 99+ |
| TOT. SINGLE DX | 573 | 16.5 | 67 | 8 | 9 | 15 | 20 | 25 | 31 | 47 |
| " MULTIPLE DX | 1533 | 24.4 | 216 | 9 | 11 | 20 | 30 | 46 | 61 | 99+ |
| TOTAL 0-19 YRS | 6 | 6.0 | 8 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 105 | 17.2 | 161 | 8 | 9 | 14 | 19 | 33 | 57 | 99+ |
| 35-49 | 332 | 17.4 | 114 | 8 | 9 | 14 | 19 | 28 | 39 | 64 |
| 50-64 | 675 | 20.1 | 144 | 9 | 10 | 17 | 23 | 34 | 47 | 65 |
| 65+ | 988 | 25.9 | 218 | 11 | 12 | 22 | 32 | 48 | 65 | 99+ |
| GRAND TOTAL | 2106 | 22.2 | 187 | 9 | 10 | 18 | 27 | 41 | 55 | 93 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 11.3 | 44 | 7 | 7 | 8 | 16 | 19 | 19 | 19 |
| 35-49 | 5 | 31.8 | 241 | 14 | 14 | 36 | 45 | 48 | 48 | 48 |
| 50-64 | 34 | 21.3 | 60 | 12 | 13 | 20 | 23 | 33 | 36 | 47 |
| 65+ | 44 | 25.5 | 146 | 12 | 15 | 23 | 29 | 35 | 62 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 22.5 | 262 | 10 | 10 | 17 | 33 | 46 | 46 | 46 |
| 35-49 | 20 | 24.5 | 202 | 10 | 11 | 24 | 31 | 56 | 81 | 99+ |
| 50-64 | 92 | 27.8 | 194 | 13 | 15 | 25 | 34 | 49 | 55 | 99 |
| 65+ | 138 | 31.8 | 302 | 13 | 15 | 28 | 39 | 54 | 71 | 99 |
| TOT. SINGLE DX | 86 | 23.7 | 123 | 12 | 13 | 21 | 29 | 36 | 48 | 92 |
| " MULTIPLE DX | 254 | 29.6 | 259 | 12 | 14 | 26 | 37 | 51 | 64 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 17.7 | 182 | 7 | 7 | 14 | 20 | 41 | 46 | 46 |
| 35-49 | 25 | 25.9 | 210 | 10 | 11 | 24 | 36 | 50 | 72 | 99+ |
| 50-64 | 126 | 26.0 | 166 | 13 | 14 | 23 | 31 | 45 | 52 | 98 |
| 65+ | 182 | 30.3 | 271 | 13 | 15 | 26 | 37 | 51 | 70 | 99+ |
| GRAND TOTAL | 340 | 28.1 | 231 | 12 | 14 | 24 | 34 | 49 | 61 | 99+ |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 12.5 | 15 | 9 | 9 | 11 | 15 | 18 | 18 | 18 |
| 20-34 | 42 | 12.2 | 31 | 7 | 7 | 11 | 13 | 19 | 23 | 34 |
| 35-49 | 63 | 12.7 | 89 | 6 | 7 | 10 | 13 | 20 | 26 | 66 |
| 50-64 | 74 | 13.5 | 71 | 7 | 8 | 11 | 16 | 20 | 24 | 61 |
| 65+ | 43 | 18.4 | 65 | 9 | 10 | 17 | 21 | 30 | 42 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 12.0 | 43 | 6 | 6 | 11 | 17 | 19 | 19 | 19 |
| 20-34 | 24 | 14.6 | 39 | 8 | 8 | 13 | 20 | 24 | 26 | 29 |
| 35-49 | 56 | 18.7 | 220 | 8 | 8 | 12 | 22 | 40 | 56 | 71 |
| 50-64 | 93 | 19.9 | 118 | 9 | 10 | 18 | 24 | 32 | 39 | 67 |
| 65+ | 125 | 24.0 | 232 | 9 | 10 | 20 | 30 | 44 | 65 | 99+ |
| TOT. SINGLE DX | 226 | 13.9 | 71 | 7 | 7 | 12 | 17 | 22 | 26 | 70 |
| " MULTIPLE DX | 301 | 20.8 | 185 | 8 | 9 | 18 | 25 | 39 | 52 | 98 |
| TOTAL 0-19 YRS | 7 | 12.3 | 22 | 6 | 7 | 11 | 16 | 19 | 19 | 19 |
| 20-34 | 66 | 13.1 | 35 | 7 | 7 | 11 | 17 | 21 | 24 | 33 |
| 35-49 | 119 | 15.5 | 159 | 7 | 8 | 11 | 17 | 28 | 42 | 70 |
| 50-64 | 167 | 17.0 | 107 | 8 | 8 | 15 | 20 | 28 | 37 | 68 |
| 65+ | 168 | 22.5 | 195 | 9 | 10 | 19 | 27 | 42 | 62 | 99+ |
| GRAND TOTAL | 527 | 17.9 | 148 | 7 | 8 | 15 | 21 | 33 | 42 | 94 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 11.2 | 91 | 3 | 4 | 9 | 13 | 19 | 39 | 46 |
| 20-34 | 197 | 9.3 | 9 | 6 | 6 | 9 | 11 | 13 | 16 | 21 |
| 35-49 | 179 | 9.9 | 15 | 6 | 6 | 9 | 11 | 13 | 16 | 27 |
| 50-64 | 140 | 12.9 | 73 | 6 | 6 | 10 | 13 | 23 | 30 | 49 |
| 65+ | 144 | 15.9 | 124 | 7 | 8 | 12 | 18 | 27 | 40 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 50 | 20.5 | 337 | 4 | 5 | 15 | 28 | 40 | 73 | 82 |
| 20-34 | 160 | 15.8 | 151 | 6 | 7 | 11 | 19 | 34 | 41 | 82 |
| 35-49 | 274 | 16.4 | 128 | 7 | 8 | 12 | 20 | 33 | 40 | 74 |
| 50-64 | 388 | 20.8 | 236 | 7 | 8 | 16 | 24 | 40 | 56 | 83 |
| 65+ | 683 | 26.0 | 283 | 9 | 10 | 21 | 34 | 50 | 66 | 99+ |
| TOT. SINGLE DX | 706 | 11.6 | 58 | 6 | 6 | 10 | 12 | 19 | 25 | 46 |
| " MULTIPLE DX | 1555 | 21.8 | 249 | 7 | 8 | 17 | 28 | 43 | 57 | 91 |
| TOTAL 0-19 YRS | 96 | 16.0 | 239 | 3 | 5 | 11 | 19 | 35 | 45 | 80 |
| 20-34 | 357 | 12.2 | 83 | 6 | 6 | 10 | 12 | 21 | 32 | 60 |
| 35-49 | 453 | 13.9 | 94 | 6 | 7 | 11 | 15 | 26 | 36 | 67 |
| 50-64 | 528 | 18.7 | 205 | 7 | 8 | 14 | 22 | 37 | 49 | 82 |
| 65+ | 827 | 24.2 | 270 | 8 | 9 | 19 | 32 | 48 | 63 | 97 |
| GRAND TOTAL | 2261 | 18.6 | 211 | 6 | 7 | 13 | 23 | 38 | 50 | 85 |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 166 | 5.9 | 26 | <1 | 1 | 5 | 8 | 11 | 14 | 31 |
| 20-34 | 442 | 7.1 | 41 | <1 | 1 | 6 | 9 | 14 | 19 | 35 |
| 35-49 | 410 | 5.5 | 52 | <1 | 1 | 3 | 7 | 12 | 17 | 28 |
| 50-64 | 930 | 3.8 | 21 | <1 | 1 | 2 | 4 | 10 | 13 | 22 |
| 65+ | 1211 | 4.8 | 41 | 1 | 1 | 2 | 6 | 12 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 11.0 | 118 | 2 | 3 | 8 | 14 | 19 | 39 | 80 |
| 20-34 | 488 | 9.8 | 69 | 2 | 3 | 8 | 12 | 19 | 24 | 41 |
| 35-49 | 694 | 9.5 | 82 | 1 | 2 | 8 | 12 | 18 | 25 | 55 |
| 50-64 | 1837 | 10.0 | 97 | 1 | 2 | 8 | 13 | 22 | 28 | 50 |
| 65+ | 4023 | 12.6 | 152 | 2 | 2 | 10 | 17 | 27 | 37 | 76 |
| TOT. SINGLE DX | 3159 | 5.0 | 37 | <1 | 1 | 2 | 7 | 11 | 16 | 29 |
| " MULTIPLE DX | 7149 | 11.4 | 127 | 1 | 2 | 9 | 15 | 24 | 33 | 65 |
| TOTAL 0-19 YRS | 273 | 7.9 | 68 | <1 | 1 | 6 | 10 | 15 | 20 | 54 |
| 20-34 | 930 | 8.5 | 58 | 1 | 2 | 7 | 11 | 17 | 22 | 37 |
| 35-49 | 1104 | 8.0 | 75 | 1 | 1 | 6 | 10 | 16 | 22 | 51 |
| 50-64 | 2767 | 7.9 | 80 | 1 | 1 | 5 | 11 | 18 | 25 | 44 |
| 65+ | 5234 | 10.8 | 137 | 1 | 2 | 8 | 15 | 24 | 33 | 69 |
| GRAND TOTAL | 10308 | 9.5 | 108 | 1 | 1 | 7 | 12 | 21 | 29 | 57 |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 15.7 | 69 | 6 | 8 | 13 | 19 | 31 | 35 | 37 |
| 20-34 | 139 | 16.3 | 101 | 7 | 8 | 13 | 19 | 29 | 35 | 56 |
| 35-49 | 277 | 14.6 | 61 | 7 | 8 | 13 | 17 | 22 | 28 | 53 |
| 50-64 | 780 | 14.4 | 37 | 8 | 9 | 13 | 17 | 21 | 25 | 43 |
| 65+ | 1193 | 17.5 | 78 | 9 | 10 | 15 | 20 | 28 | 35 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 24.4 | 493 | 6 | 7 | 16 | 40 | 77 | 99 | 99+ |
| 20-34 | 266 | 22.5 | 268 | 8 | 9 | 17 | 27 | 47 | 58 | 92 |
| 35-49 | 575 | 18.2 | 108 | 9 | 9 | 15 | 21 | 31 | 41 | 57 |
| 50-64 | 2273 | 19.3 | 135 | 9 | 10 | 16 | 22 | 33 | 43 | 84 |
| 65+ | 5374 | 23.8 | 185 | 10 | 12 | 20 | 29 | 43 | 55 | 99+ |
| TOT. SINGLE DX | 2427 | 16.1 | 67 | 8 | 9 | 14 | 18 | 25 | 32 | 52 |
| " MULTIPLE DX | 8537 | 22.2 | 176 | 10 | 11 | 18 | 27 | 40 | 51 | 97 |
| TOTAL 0-19 YRS | 87 | 20.6 | 324 | 6 | 7 | 14 | 27 | 55 | 83 | 99+ |
| 20-34 | 405 | 20.4 | 219 | 7 | 9 | 16 | 25 | 40 | 54 | 78 |
| 35-49 | 852 | 17.0 | 96 | 8 | 9 | 14 | 20 | 29 | 37 | 54 |
| 50-64 | 3053 | 18.1 | 115 | 9 | 10 | 15 | 21 | 30 | 39 | 76 |
| 65+ | 6567 | 22.7 | 172 | 10 | 11 | 19 | 27 | 41 | 52 | 99+ |
| GRAND TOTAL | 10964 | 20.8 | 158 | 9 | 10 | 17 | 25 | 37 | 49 | 89 |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 10.9 | 59 | 5 | 6 | 8 | 12 | 17 | 25 | 43 |
| 20-34 | 42 | 16.7 | 201 | 5 | 6 | 12 | 20 | 51 | 56 | 99+ |
| 35-49 | 45 | 16.6 | 139 | 7 | 8 | 13 | 18 | 26 | 45 | 70 |
| 50-64 | 62 | 15.8 | 84 | 7 | 8 | 13 | 18 | 30 | 38 | 44 |
| 65+ | 101 | 18.8 | 169 | 9 | 10 | 15 | 22 | 29 | 37 | 91 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 18.8 | 293 | 6 | 7 | 12 | 22 | 49 | 67 | 98 |
| 20-34 | 116 | 19.0 | 227 | 7 | 8 | 13 | 24 | 36 | 46 | 87 |
| 35-49 | 147 | 20.8 | 234 | 8 | 8 | 16 | 25 | 38 | 54 | 82 |
| 50-64 | 337 | 24.5 | 266 | 9 | 10 | 20 | 30 | 55 | 65 | 99+ |
| 65+ | 611 | 26.0 | 265 | 10 | 11 | 22 | 33 | 51 | 70 | 99+ |
| TOT. SINGLE DX | 274 | 16.7 | 144 | 6 | 7 | 13 | 19 | 28 | 43 | 85 |
| " MULTIPLE DX | 1270 | 24.0 | 266 | 8 | 10 | 19 | 31 | 49 | 65 | 99+ |
| TOTAL 0-19 YRS | 83 | 16.5 | 237 | 6 | 7 | 11 | 17 | 43 | 54 | 94 |
| 20-34 | 158 | 18.4 | 221 | 7 | 7 | 13 | 24 | 38 | 53 | 90 |
| 35-49 | 192 | 19.8 | 215 | 7 | 8 | 15 | 23 | 36 | 49 | 80 |
| 50-64 | 399 | 23.1 | 248 | 9 | 10 | 18 | 28 | 47 | 62 | 99+ |
| 65+ | 712 | 25.0 | 258 | 10 | 11 | 20 | 32 | 49 | 65 | 99+ |
| GRAND TOTAL | 1544 | 22.7 | 252 | 8 | 9 | 18 | 29 | 46 | 61 | 99+ |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 8.0 | 8 | 6 | 6 | 7 | 10 | 12 | 12 | 12 |
| 20-34 | 9 | 11.8 | 17 | 5 | 7 | 11 | 15 | 18 | 19 | 19 |
| 35-49 | 13 | 14.5 | 54 | 6 | 7 | 13 | 17 | 26 | 31 | 32 |
| 50-64 | 42 | 14.0 | 61 | 7 | 8 | 11 | 16 | 26 | 32 | 37 |
| 65+ | 54 | 16.6 | 93 | 8 | 9 | 13 | 20 | 29 | 34 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 28.2 | 821 | 7 | 8 | 17 | 45 | 96 | 99 | 99+ |
| 20-34 | 19 | 21.3 | 150 | 3 | 5 | 22 | 31 | 38 | 39 | 39 |
| 35-49 | 47 | 21.3 | 165 | 7 | 8 | 20 | 27 | 39 | 43 | 64 |
| 50-64 | 152 | 23.5 | 275 | 8 | 10 | 19 | 28 | 44 | 72 | 99+ |
| 65+ | 322 | 25.4 | 206 | 10 | 11 | 22 | 32 | 49 | 58 | 99 |
| TOT. SINGLE DX | 122 | 14.8 | 72 | 7 | 8 | 12 | 17 | 26 | 32 | 51 |
| " MULTIPLE DX | 555 | 24.5 | 236 | 8 | 10 | 20 | 31 | 46 | 59 | 99+ |
| TOTAL 0-19 YRS | 19 | 23.9 | 712 | 6 | 6 | 13 | 28 | 90 | 99 | 99+ |
| 20-34 | 28 | 18.3 | 126 | 4 | 6 | 15 | 27 | 37 | 38 | 39 |
| 35-49 | 60 | 19.9 | 148 | 6 | 7 | 18 | 26 | 38 | 41 | 63 |
| 50-64 | 194 | 21.5 | 244 | 8 | 9 | 17 | 26 | 42 | 56 | 98 |
| 65+ | 376 | 24.2 | 199 | 9 | 11 | 21 | 31 | 46 | 56 | 91 |
| GRAND TOTAL | 677 | 22.8 | 220 | 8 | 10 | 19 | 29 | 43 | 56 | 99 |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 9.2 | 52 | 3 | 3 | 7 | 11 | 15 | 21 | 45 |
| 20-34 | 136 | 11.1 | 36 | 5 | 6 | 10 | 13 | 18 | 22 | 40 |
| 35-49 | 151 | 11.0 | 24 | 5 | 6 | 10 | 13 | 17 | 19 | 33 |
| 50-64 | 274 | 10.5 | 18 | 5 | 6 | 10 | 12 | 15 | 17 | 28 |
| 65+ | 345 | 12.1 | 38 | 5 | 6 | 11 | 14 | 18 | 23 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 14.4 | 288 | 3 | 5 | 9 | 16 | 31 | 47 | 99 |
| 20-34 | 209 | 13.7 | 99 | 5 | 7 | 11 | 15 | 23 | 28 | 59 |
| 35-49 | 254 | 15.7 | 128 | 6 | 7 | 12 | 18 | 28 | 40 | 53 |
| 50-64 | 631 | 16.3 | 156 | 6 | 7 | 12 | 18 | 32 | 45 | 90 |
| 65+ | 1046 | 18.6 | 174 | 7 | 8 | 15 | 21 | 35 | 48 | 76 |
| TOT. SINGLE DX | 1004 | 11.1 | 33 | 4 | 6 | 10 | 13 | 17 | 20 | 32 |
| " MULTIPLE DX | 2238 | 17.0 | 165 | 6 | 7 | 13 | 19 | 32 | 44 | 85 |
| TOTAL 0-19 YRS | 196 | 11.8 | 177 | 3 | 4 | 8 | 12 | 23 | 35 | 98 |
| 20-34 | 345 | 12.6 | 76 | 5 | 6 | 11 | 14 | 21 | 26 | 48 |
| 35-49 | 405 | 13.9 | 94 | 5 | 7 | 11 | 15 | 23 | 33 | 51 |
| 50-64 | 905 | 14.6 | 122 | 6 | 7 | 11 | 16 | 26 | 40 | 85 |
| 65+ | 1391 | 17.0 | 149 | 6 | 8 | 13 | 19 | 31 | 43 | 74 |
| GRAND TOTAL | 3242 | 15.1 | 131 | 5 | 7 | 12 | 17 | 27 | 39 | 73 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 7.0 | 16 | 4 | 4 | 6 | 7 | 14 | 15 | 15 |
| 20-34 | 18 | 16.4 | 81 | 8 | 9 | 13 | 22 | 33 | 37 | 38 |
| 35-49 | 29 | 15.5 | 90 | 7 | 8 | 14 | 19 | 25 | 42 | 47 |
| 50-64 | 68 | 21.4 | 115 | 9 | 10 | 18 | 26 | 35 | 43 | 58 |
| 65+ | 110 | 20.0 | 88 | 7 | 10 | 19 | 25 | 34 | 38 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 29.3 | 312 | 13 | 14 | 26 | 55 | 99+ | 99+ | 99+ |
| 20-34 | 49 | 27.2 | 250 | 8 | 10 | 23 | 39 | 50 | 53 | 77 |
| 35-49 | 100 | 23.8 | 246 | 8 | 9 | 18 | 31 | 45 | 62 | 90 |
| 50-64 | 375 | 25.7 | 261 | 10 | 12 | 22 | 32 | 50 | 64 | 99 |
| 65+ | 775 | 30.3 | 316 | 11 | 13 | 26 | 40 | 62 | 81 | 99+ |
| TOT. SINGLE DX | 231 | 19.2 | 101 | 6 | 9 | 17 | 24 | 33 | 39 | 49 |
| " MULTIPLE DX | 1312 | 28.4 | 298 | 10 | 12 | 24 | 37 | 57 | 75 | 99+ |
| TOTAL 0-19 YRS | 19 | 22.3 | 326 | 4 | 5 | 18 | 36 | 80 | 99+ | 99+ |
| 20-34 | 67 | 24.3 | 227 | 8 | 9 | 22 | 35 | 42 | 51 | 74 |
| 35-49 | 129 | 22.0 | 223 | 7 | 9 | 17 | 29 | 41 | 54 | 85 |
| 50-64 | 443 | 25.1 | 242 | 10 | 12 | 20 | 31 | 47 | 62 | 96 |
| 65+ | 885 | 29.0 | 300 | 11 | 12 | 24 | 38 | 59 | 78 | 99+ |
| GRAND TOTAL | 1543 | 27.0 | 279 | 9 | 11 | 23 | 35 | 53 | 72 | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6524 | 4.9 | 7 | 2 | 3 | 4 | 5 | 8 | 10 | 15 |
| 20-34 | 3703 | 5.0 | 6 | 3 | 3 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 1159 | 6.4 | 14 | 3 | 3 | 5 | 8 | 11 | 13 | 21 |
| 50-64 | 622 | 7.9 | 20 | 3 | 4 | 7 | 9 | 13 | 15 | 22 |
| 65+ | 271 | 9.6 | 26 | 4 | 5 | 8 | 12 | 15 | 19 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1342 | 7.7 | 30 | 3 | 3 | 6 | 10 | 15 | 19 | 28 |
| 20-34 | 1104 | 8.1 | 34 | 3 | 4 | 6 | 10 | 14 | 19 | 32 |
| 35-49 | 506 | 10.5 | 47 | 4 | 4 | 9 | 13 | 19 | 23 | 35 |
| 50-64 | 545 | 12.6 | 48 | 5 | 6 | 11 | 15 | 22 | 28 | 38 |
| 65+ | 459 | 16.1 | 134 | 5 | 7 | 13 | 20 | 30 | 38 | 77 |
| TOT. SINGLE DX | 12279 | 5.3 | 10 | 3 | 3 | 5 | 6 | 9 | 11 | 17 |
| " MULTIPLE DX | 3956 | 9.8 | 56 | 3 | 4 | 8 | 12 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 7866 | 5.4 | 12 | 2 | 3 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 4807 | 5.8 | 15 | 3 | 3 | 5 | 6 | 9 | 12 | 22 |
| 35-49 | 1665 | 7.7 | 28 | 3 | 3 | 6 | 9 | 13 | 18 | 28 |
| 50-64 | 1167 | 10.1 | 39 | 4 | 4 | 8 | 12 | 18 | 22 | 34 |
| 65+ | 730 | 13.7 | 104 | 5 | 5 | 11 | 16 | 26 | 33 | 66 |
| GRAND TOTAL | 16235 | 6.4 | 25 | 3 | 3 | 5 | 7 | 11 | 15 | 27 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 5.1 | 2 | 3 | 3 | 5 | 6 | 8 | 8 | 9 |
| 20-34 | 64 | 5.9 | 16 | 2 | 3 | 5 | 6 | 11 | 15 | 22 |
| 35-49 | 23 | 7.3 | 5 | 4 | 5 | 7 | 8 | 11 | 12 | 13 |
| 50-64 | 16 | 6.7 | 9 | 4 | 4 | 6 | 8 | 10 | 14 | 16 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 6.7 | 8 | 3 | 4 | 5 | 9 | 11 | 12 | 13 |
| 20-34 | 35 | 7.5 | 18 | 3 | 4 | 7 | 7 | 13 | 19 | 23 |
| 35-49 | 10 | 10.4 | 34 | 6 | 6 | 8 | 10 | 21 | 24 | 24 |
| 50-64 | 10 | 13.7 | 36 | 6 | 6 | 14 | 17 | 22 | 25 | 25 |
| 65+ | 14 | 24.3 | 178 | 7 | 7 | 22 | 30 | 43 | 54 | 57 |
| TOT. SINGLE DX | 165 | 5.9 | 9 | 3 | 3 | 5 | 7 | 9 | 12 | 18 |
| " MULTIPLE DX | 95 | 10.7 | 77 | 4 | 4 | 7 | 13 | 23 | 29 | 50 |
| TOTAL 0-19 YRS | 88 | 5.6 | 5 | 3 | 3 | 5 | 7 | 9 | 10 | 13 |
| 20-34 | 99 | 6.5 | 17 | 2 | 3 | 5 | 7 | 12 | 16 | 23 |
| 35-49 | 33 | 8.3 | 16 | 4 | 5 | 7 | 9 | 12 | 17 | 24 |
| 50-64 | 26 | 9.4 | 31 | 4 | 4 | 7 | 13 | 17 | 21 | 25 |
| 65+ | 14 | 24.3 | 178 | 7 | 7 | 22 | 30 | 43 | 54 | 57 |
| GRAND TOTAL | 260 | 7.6 | 39 | 3 | 4 | 6 | 8 | 15 | 20 | 30 |

## 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 9.6 | 33 | 3 | 3 | 10 | 13 | 15 | 24 | 27 |
| 20-34 | 24 | 10.6 | 21 | 4 | 5 | 10 | 15 | 17 | 18 | 19 |
| 35-49 | 8 | 13.0 | 19 | 8 | 8 | 13 | 16 | 19 | 20 | 20 |
| 50-64 | 11 | 12.0 | 19 | 5 | 6 | 11 | 14 | 19 | 19 | 19 |
| 65+ | 8 | 11.8 | 50 | 2 | 2 | 12 | 15 | 21 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 11.5 | 52 | 4 | 5 | 10 | 15 | 21 | 28 | 29 |
| 20-34 | 17 | 10.8 | 21 | 4 | 5 | 10 | 14 | 18 | 19 | 20 |
| 35-49 | 7 | 13.3 | 64 | 7 | 7 | 10 | 15 | 27 | 30 | 30 |
| 50-64 | 14 | 17.5 | 118 | 7 | 9 | 15 | 19 | 26 | 46 | 52 |
| 65+ | 16 | 21.3 | 111 | 10 | 10 | 17 | 29 | 33 | 43 | 48 |
| TOT. SINGLE DX | 82 | 10.8 | 28 | 3 | 4 | 10 | 14 | 18 | 20 | 26 |
| " MULTIPLE DX | 66 | 15.2 | 88 | 5 | 7 | 13 | 17 | 29 | 32 | 51 |
| TOTAL 0-19 YRS | 43 | 10.2 | 38 | 3 | 4 | 10 | 14 | 17 | 25 | 29 |
| 20-34 | 41 | 10.7 | 21 | 4 | 5 | 10 | 14 | 17 | 19 | 20 |
| 35-49 | 15 | 13.1 | 37 | 7 | 8 | 13 | 16 | 20 | 27 | 30 |
| 50-64 | 25 | 15.1 | 80 | 6 | 7 | 13 | 18 | 20 | 30 | 52 |
| 65+ | 24 | 18.1 | 109 | 2 | 9 | 15 | 23 | 32 | 37 | 48 |
| GRAND TOTAL | 148 | 12.7 | 59 | 4 | 6 | 11 | 16 | 20 | 28 | 48 |

## 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 5.3 | 16 | 1 | 1 | 4 | 8 | 10 | 14 | 20 |
| 20-34 | 245 | 5.4 | 28 | <1 | 1 | 4 | 7 | 11 | 15 | 22 |
| 35-49 | 152 | 6.0 | 41 | <1 | 2 | 4 | 8 | 13 | 15 | 24 |
| 50-64 | 337 | 5.7 | 38 | 1 | 1 | 3 | 6 | 13 | 18 | 29 |
| 65+ | 487 | 6.3 | 50 | 1 | 2 | 4 | 7 | 14 | 19 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 5.6 | 17 | <1 | 1 | 5 | 7 | 12 | 17 | 84 |
| 20-34 | 155 | 7.4 | 42 | 1 | 2 | 5 | 9 | 15 | 19 | 34 |
| 35-49 | 220 | 8.5 | 61 | 1 | 2 | 6 | 11 | 17 | 25 | 38 |
| 50-64 | 531 | 10.1 | 108 | 2 | 2 | 7 | 13 | 22 | 28 | 84 |
| 65+ | 1192 | 13.4 | 171 | 2 | 3 | 9 | 17 | 29 | 41 | 84 |
| TOT. SINGLE DX | 1331 | 5.9 | 39 | 1 | 2 | 4 | 7 | 13 | 17 | 28 |
| " MULTIPLE DX | 2167 | 11.4 | 136 | 2 | 2 | 8 | 14 | 25 | 34 | 80 |
| TOTAL 0-19 YRS | 179 | 5.4 | 17 | 1 | 1 | 4 | 8 | 11 | 14 | 20 |
| 20-34 | 400 | 6.2 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 31 |
| 35-49 | 372 | 7.5 | 55 | 1 | 2 | 5 | 10 | 15 | 20 | 38 |
| 50-64 | 868 | 8.4 | 86 | 1 | 2 | 6 | 11 | 18 | 26 | 54 |
| 65+ | 1679 | 11.3 | 147 | 2 | 2 | 8 | 14 | 25 | 35 | 76 |
| GRAND TOTAL | 3498 | 9.3 | 107 | 1 | 2 | 6 | 12 | 20 | 28 | 62 |

## 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 4.0 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 17 |
| 20-34 | 192 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 35-49 | 177 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 50-64 | 95 | 4.5 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 18 |
| 65+ | 43 | 6.4 | 31 | 2 | 2 | 5 | 8 | 13 | 15 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 88 | 5.8 | 30 | 1 | 2 | 4 | 7 | 11 | 19 | 27 |
| 35-49 | 88 | 7.9 | 79 | 2 | 2 | 5 | 10 | 18 | 24 | 51 |
| 50-64 | 100 | 9.3 | 57 | 2 | 3 | 7 | 12 | 19 | 24 | 40 |
| 65+ | 96 | 13.3 | 184 | 2 | 3 | 10 | 16 | 27 | 47 | 99+ |
| TOT. SINGLE DX | 563 | 4.1 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 386 | 9.0 | 93 | 2 | 2 | 5 | 11 | 20 | 25 | 68 |
| TOTAL 0-19 YRS | 70 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 17 |
| 20-34 | 280 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 35-49 | 265 | 5.1 | 34 | 1 | 1 | 4 | 5 | 10 | 13 | 29 |
| 50-64 | 195 | 6.9 | 39 | 2 | 2 | 5 | 8 | 15 | 20 | 33 |
| 65+ | 139 | 11.2 | 147 | 2 | 2 | 8 | 14 | 24 | 35 | 99+ |
| GRAND TOTAL | 949 | 6.1 | 49 | 1 | 2 | 4 | 7 | 12 | 18 | 37 |

## 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 10.2 | 25 | 3 | 5 | 9 | 15 | 45 | 92 | 99+ |
| 20-34 | 30 | 20.6 | 220 | 2 | 4 | 16 | 25 | 39 | 47 | 69 |
| 35-49 | 54 | 16.4 | 55 | 5 | 8 | 16 | 20 | 28 | 31 | 33 |
| 50-64 | 273 | 17.4 | 44 | 10 | 11 | 16 | 20 | 27 | 30 | 41 |
| 65+ | 347 | 20.5 | 105 | 10 | 12 | 18 | 23 | 32 | 39 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 12.1 | 27 | 7 | 8 | 11 | 12 | 21 | 24 | 25 |
| 20-34 | 53 | 19.3 | 124 | 3 | 5 | 19 | 26 | 32 | 42 | 47 |
| 35-49 | 130 | 18.8 | 68 | 9 | 11 | 17 | 22 | 28 | 34 | 50 |
| 50-64 | 586 | 22.6 | 154 | 10 | 12 | 20 | 26 | 37 | 47 | 92 |
| 65+ | 1124 | 26.9 | 223 | 12 | 13 | 23 | 33 | 48 | 65 | 99+ |
| TOT. SINGLE DX | 715 | 18.8 | 86 | 9 | 11 | 17 | 22 | 29 | 37 | 56 |
| " MULTIPLE DX | 1905 | 24.7 | 196 | 11 | 12 | 21 | 29 | 43 | 56 | 99 |
| TOTAL 0-19 YRS | 23 | 11.2 | 27 | 5 | 7 | 10 | 13 | 21 | 47 | 99+ |
| 20-34 | 83 | 19.7 | 157 | 3 | 5 | 17 | 26 | 37 | 43 | 62 |
| 35-49 | 184 | 18.1 | 66 | 8 | 9 | 17 | 22 | 28 | 32 | 49 |
| 50-64 | 859 | 20.9 | 125 | 10 | 11 | 18 | 24 | 34 | 42 | 79 |
| 65+ | 1471 | 25.4 | 203 | 11 | 13 | 21 | 30 | 44 | 58 | 99 |
| GRAND TOTAL | 2620 | 23.1 | 173 | 10 | 12 | 20 | 27 | 39 | 52 | 91 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 5.2 | 14 | <1 | <1 | 5 | 8 | 10 | 13 | 17 |
| 20-34 | 542 | 5.3 | 18 | <1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 35-49 | 623 | 5.4 | 17 | <1 | 1 | 5 | 7 | 11 | 14 | 20 |
| 50-64 | 704 | 5.5 | 23 | <1 | 1 | 5 | 7 | 11 | 14 | 22 |
| 65+ | 699 | 6.5 | 43 | <1 | 1 | 5 | 9 | 13 | 16 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 154 | 7.1 | 35 | 2 | 2 | 6 | 9 | 15 | 18 | 97 |
| 20-34 | 915 | 7.4 | 38 | 1 | 2 | 6 | 9 | 14 | 18 | 34 |
| 35-49 | 1403 | 8.5 | 47 | 1 | 3 | 7 | 11 | 16 | 20 | 33 |
| 50-64 | 2504 | 9.9 | 74 | 2 | 3 | 8 | 12 | 19 | 26 | 47 |
| 65+ | 4187 | 12.0 | 98 | 2 | 3 | 10 | 15 | 23 | 31 | 61 |
| TOT. SINGLE DX | 2699 | 5.7 | 26 | <1 | 1 | 5 | 7 | 11 | 14 | 24 |
| " MULTIPLE DX | 9163 | 10.4 | 80 | 2 | 3 | 8 | 13 | 20 | 27 | 51 |
| TOTAL 0-19 YRS | 285 | 6.2 | 27 | <1 | 1 | 5 | 8 | 13 | 16 | 44 |
| 20-34 | 1457 | 6.6 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 35-49 | 2026 | 7.6 | 40 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| 50-64 | 3208 | 8.9 | 67 | 1 | 2 | 7 | 11 | 17 | 23 | 43 |
| 65+ | 4886 | 11.2 | 95 | 1 | 3 | 9 | 14 | 22 | 29 | 59 |
| GRAND TOTAL | 11862 | 9.3 | 72 | 1 | 2 | 7 | 12 | 18 | 25 | 47 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 2.7 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 403 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 454 | 4.0 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | 257 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 21 |
| 65+ | 81 | 5.1 | 45 | 1 | 2 | 4 | 5 | 8 | 14 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 5.6 | 26 | <1 | 1 | 5 | 6 | 11 | 17 | 25 |
| 20-34 | 265 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 338 | 4.9 | 33 | 2 | 2 | 4 | 5 | 7 | 10 | 25 |
| 50-64 | 330 | 5.5 | 18 | 2 | 3 | 4 | 6 | 9 | 12 | 28 |
| 65+ | 142 | 10.1 | 186 | 2 | 3 | 5 | 10 | 19 | 42 | 96 |
| TOT. SINGLE DX | 1237 | 4.2 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| " MULTIPLE DX | 1098 | 5.7 | 45 | 2 | 2 | 4 | 6 | 9 | 13 | 34 |
| TOTAL 0-19 YRS | 65 | 3.7 | 13 | <1 | 1 | 3 | 5 | 6 | 9 | 23 |
| 20-34 | 668 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 792 | 4.4 | 18 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| 50-64 | 587 | 5.1 | 15 | 2 | 3 | 4 | 5 | 8 | 11 | 24 |
| 65+ | 223 | 8.3 | 140 | 2 | 2 | 5 | 9 | 16 | 29 | 82 |
| GRAND TOTAL | 2335 | 4.9 | 26 | 2 | 2 | 4 | 5 | 7 | 10 | 25 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 474 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 214 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 128 | 4.1 | 9 | 1 | 2 | 3 | 4 | 7 | 10 | 19 |
| 65+ | 56 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 4.3 | 14 | <1 | 1 | 4 | 5 | 7 | 15 | 18 |
| 20-34 | 363 | 4.7 | 14 | 2 | 2 | 4 | 5 | 7 | 9 | 24 |
| 35-49 | 354 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 341 | 5.3 | 15 | 2 | 3 | 4 | 6 | 9 | 11 | 26 |
| 65+ | 224 | 8.7 | 121 | 2 | 3 | 5 | 10 | 17 | 25 | 76 |
| TOT. SINGLE DX | 938 | 3.4 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| " MULTIPLE DX | 1314 | 5.5 | 33 | 2 | 2 | 4 | 6 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 98 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 837 | 3.8 | 9 | <1 | 2 | 3 | 5 | 6 | 7 | 13 |
| 35-49 | 568 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 469 | 5.0 | 14 | 2 | 2 | 4 | 5 | 8 | 11 | 24 |
| 65+ | 280 | 7.7 | 101 | 2 | 2 | 5 | 8 | 14 | 23 | 68 |
| GRAND TOTAL | 2252 | 4.6 | 22 | 1 | 2 | 4 | 5 | 7 | 10 | 24 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 4.1 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 532 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 616 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 462 | 5.1 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 65+ | 180 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 12 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| 20-34 | 1534 | 5.0 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| 35-49 | 2268 | 5.5 | 11 | 2 | 3 | 5 | 6 | 9 | 11 | 20 |
| 50-64 | 2082 | 6.2 | 25 | 3 | 3 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 983 | 8.8 | 60 | 3 | 3 | 6 | 10 | 17 | 22 | 43 |
| TOT. SINGLE DX | 1821 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 9 | 14 |
| " MULTIPLE DX | 6929 | 6.1 | 23 | 2 | 3 | 5 | 7 | 10 | 13 | 25 |
| TOTAL 0-19 YRS | 93 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 2066 | 4.9 | 7 | 2 | 3 | 4 | 6 | 7 | 9 | 15 |
| 35-49 | 2884 | 5.4 | 11 | 2 | 3 | 5 | 6 | 8 | 11 | 19 |
| 50-64 | 2544 | 6.0 | 22 | 3 | 3 | 5 | 7 | 10 | 12 | 22 |
| 65+ | 1163 | 8.3 | 54 | 3 | 3 | 6 | 10 | 16 | 21 | 42 |
| GRAND TOTAL | 8750 | 5.8 | 20 | 2 | 3 | 5 | 6 | 9 | 13 | 23 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 75 | 3.3 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 15 |
| 20-34 | 467 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 347 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 230 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 65+ | 103 | 5.3 | 15 | 1 | 2 | 4 | 6 | 10 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 5.1 | 15 | 1 | 2 | 4 | 7 | 11 | 14 | 17 |
| 20-34 | 238 | 5.2 | 28 | 1 | 2 | 4 | 6 | 9 | 11 | 32 |
| 35-49 | 262 | 6.6 | 87 | 2 | 2 | 4 | 7 | 12 | 18 | 72 |
| 50-64 | 311 | 6.6 | 39 | 1 | 2 | 5 | 8 | 14 | 17 | 40 |
| 65+ | 272 | 11.2 | 118 | 2 | 3 | 8 | 15 | 21 | 27 | 63 |
| TOT. SINGLE DX | 1222 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| " MULTIPLE DX | 1130 | 7.4 | 71 | 2 | 2 | 5 | 9 | 15 | 20 | 54 |
| TOTAL 0-19 YRS | 122 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 12 | 17 |
| 20-34 | 705 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 609 | 4.9 | 44 | 1 | 1 | 3 | 5 | 9 | 12 | 32 |
| 50-64 | 541 | 5.5 | 27 | 1 | 2 | 4 | 6 | 11 | 14 | 33 |
| 65+ | 375 | 9.6 | 97 | 2 | 3 | 6 | 13 | 20 | 24 | 56 |
| GRAND TOTAL | 2352 | 5.5 | 42 | 1 | 2 | 4 | 6 | 11 | 15 | 32 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 20-34 | 7 | 11.9 | 41 | 7 | 7 | 9 | 17 | 22 | 23 | 23 |
| 35-49 | 4 | 8.5 | 39 | 1 | 1 | 9 | 13 | 15 | 15 | 15 |
| 50-64 | 4 | 20.5 | 297 | 9 | 9 | 13 | 31 | 46 | 46 | 46 |
| 65+ | 8 | 14.8 | 95 | 1 | 1 | 16 | 21 | 27 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 43.0 | 882 | 22 | 22 | 43 | 64 | 64 | 64 | 64 |
| 20-34 | 12 | 19.5 | 378 | 6 | 7 | 12 | 29 | 74 | 95 | 99+ |
| 35-49 | 12 | 23.4 | 321 | 4 | 8 | 16 | 38 | 72 | 95 | 99+ |
| 50-64 | 22 | 26.0 | 320 | 3 | 6 | 24 | 39 | 52 | 62 | 68 |
| 65+ | 34 | 30.1 | 219 | 6 | 10 | 31 | 43 | 53 | 57 | 99+ |
| TOT. SINGLE DX | 24 | 14.2 | 102 | 1 | 2 | 12 | 19 | 24 | 34 | 46 |
| " MULTIPLE DX | 82 | 26.8 | 299 | 5 | 8 | 24 | 41 | 58 | 67 | 99+ |
| TOTAL 0-19 YRS | 3 | 36.7 | 561 | 22 | 22 | 24 | 54 | 64 | 64 | 64 |
| 20-34 | 19 | 16.7 | 259 | 6 | 7 | 11 | 20 | 59 | 83 | 99+ |
| 35-49 | 16 | 19.7 | 288 | 2 | 4 | 15 | 33 | 61 | 88 | 99+ |
| 50-64 | 26 | 25.2 | 309 | 3 | 7 | 23 | 39 | 49 | 60 | 68 |
| 65+ | 42 | 27.1 | 231 | 2 | 8 | 27 | 40 | 51 | 55 | 99+ |
| GRAND TOTAL | 106 | 23.9 | 281 | 3 | 7 | 21 | 36 | 52 | 65 | 99+ |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 6.9 | 56 | 1 | 1 | 3 | 9 | 18 | 23 | 36 |
| 20-34 | 340 | 5.2 | 38 | 1 | 1 | 2 | 7 | 12 | 17 | 34 |
| 35-49 | 331 | 5.8 | 59 | 1 | 1 | 2 | 8 | 14 | 21 | 36 |
| 50-64 | 398 | 7.2 | 96 | 1 | 1 | 3 | 9 | 18 | 25 | 60 |
| 65+ | 217 | 9.0 | 90 | 1 | 1 | 6 | 13 | 20 | 26 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 15.0 | 259 | 1 | 2 | 10 | 18 | 36 | 48 | 78 |
| 20-34 | 436 | 13.2 | 159 | 1 | 2 | 10 | 17 | 27 | 36 | 78 |
| 35-49 | 644 | 13.3 | 137 | 2 | 2 | 10 | 18 | 28 | 35 | 65 |
| 50-64 | 1241 | 13.8 | 146 | 2 | 2 | 11 | 19 | 28 | 35 | 75 |
| 65+ | 1296 | 17.6 | 192 | 2 | 3 | 15 | 24 | 35 | 43 | 83 |
| TOT. SINGLE DX | 1359 | 6.7 | 71 | 1 | 1 | 3 | 9 | 17 | 23 | 39 |
| " MULTIPLE DX | 3702 | 15.0 | 169 | 2 | 2 | 12 | 20 | 31 | 40 | 77 |
| TOTAL 0-19 YRS | 158 | 11.2 | 181 | 1 | 1 | 7 | 14 | 25 | 39 | 76 |
| 20-34 | 776 | 9.7 | 122 | 1 | 1 | 7 | 13 | 21 | 29 | 71 |
| 35-49 | 975 | 10.8 | 124 | 1 | 1 | 8 | 15 | 24 | 32 | 59 |
| 50-64 | 1639 | 12.2 | 142 | 1 | 2 | 9 | 17 | 27 | 33 | 67 |
| 65+ | 1513 | 16.4 | 187 | 2 | 2 | 13 | 22 | 34 | 42 | 80 |
| GRAND TOTAL | 5061 | 12.8 | 156 | 1 | 2 | 10 | 18 | 28 | 36 | 72 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 216 | 8.0 | 11 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| 20-34 | 3216 | 7.8 | 7 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 35-49 | 3336 | 8.2 | 10 | 5 | 5 | 8 | 9 | 12 | 14 | 20 |
| 50-64 | 3592 | 9.0 | 14 | 5 | 6 | 8 | 10 | 13 | 16 | 22 |
| 65+ | 2002 | 11.2 | 26 | 6 | 7 | 10 | 14 | 18 | 21 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 11.2 | 36 | 5 | 6 | 10 | 14 | 17 | 20 | 35 |
| 20-34 | 1907 | 10.6 | 39 | 5 | 6 | 9 | 13 | 17 | 21 | 35 |
| 35-49 | 2885 | 11.2 | 48 | 5 | 6 | 9 | 13 | 18 | 22 | 41 |
| 50-64 | 4858 | 12.9 | 60 | 6 | 7 | 11 | 15 | 21 | 27 | 47 |
| 65+ | 5978 | 17.8 | 117 | 7 | 8 | 15 | 21 | 30 | 39 | 69 |
| TOT. SINGLE DX | 12362 | 8.8 | 15 | 5 | 6 | 8 | 10 | 13 | 16 | 23 |
| " MULTIPLE DX | 15743 | 14.2 | 86 | 6 | 7 | 12 | 17 | 25 | 31 | 56 |
| TOTAL 0-19 YRS | 331 | 9.1 | 22 | 5 | 5 | 8 | 11 | 15 | 17 | 31 |
| 20-34 | 5123 | 8.9 | 22 | 5 | 5 | 8 | 10 | 14 | 17 | 26 |
| 35-49 | 6221 | 9.6 | 30 | 5 | 6 | 8 | 11 | 15 | 19 | 30 |
| 50-64 | 8450 | 11.3 | 45 | 6 | 6 | 9 | 13 | 18 | 23 | 38 |
| 65+ | 7980 | 16.1 | 103 | 7 | 8 | 13 | 20 | 28 | 36 | 64 |
| GRAND TOTAL | 28105 | 11.8 | 62 | 5 | 6 | 9 | 14 | 20 | 26 | 46 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 12.8 | 66 | 2 | 2 | 14 | 19 | 20 | 20 | 20 |
| 20-34 | 38 | 9.3 | 53 | 1 | 2 | 9 | 11 | 17 | 28 | 32 |
| 35-49 | 72 | 11.4 | 64 | 2 | 2 | 10 | 15 | 23 | 26 | 38 |
| 50-64 | 126 | 13.3 | 98 | 2 | 2 | 12 | 17 | 24 | 29 | 54 |
| 65+ | 179 | 17.2 | 125 | 2 | 3 | 16 | 24 | 31 | 38 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 14.7 | 17 | 10 | 10 | 16 | 17 | 18 | 18 | 18 |
| 20-34 | 47 | 16.1 | 155 | 2 | 3 | 14 | 21 | 32 | 47 | 54 |
| 35-49 | 122 | 17.8 | 161 | 3 | 5 | 16 | 24 | 32 | 41 | 68 |
| 50-64 | 334 | 21.3 | 193 | 5 | 8 | 18 | 27 | 38 | 52 | 90 |
| 65+ | 861 | 24.0 | 205 | 8 | 11 | 21 | 29 | 42 | 56 | 89 |
| TOT. SINGLE DX | 419 | 14.3 | 107 | 2 | 2 | 13 | 20 | 27 | 33 | 52 |
| " MULTIPLE DX | 1367 | 22.5 | 201 | 6 | 9 | 19 | 27 | 40 | 54 | 86 |
| TOTAL 0-19 YRS | 7 | 13.6 | 40 | 2 | 4 | 16 | 18 | 20 | 20 | 20 |
| 20-34 | 85 | 13.1 | 120 | 2 | 3 | 10 | 17 | 30 | 34 | 52 |
| 35-49 | 194 | 15.4 | 135 | 2 | 3 | 13 | 20 | 29 | 36 | 66 |
| 50-64 | 460 | 19.1 | 180 | 3 | 5 | 16 | 23 | 35 | 46 | 81 |
| 65+ | 1040 | 22.8 | 198 | 6 | 9 | 20 | 28 | 41 | 53 | 83 |
| GRAND TOTAL | 1786 | 20.5 | 191 | 3 | 6 | 18 | 26 | 37 | 50 | 82 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 8.0 | 27 | 1 | 1 | 9 | 11 | 15 | 18 | 18 |
| 20-34 | 97 | 9.3 | 97 | 1 | 1 | 6 | 14 | 25 | 31 | 42 |
| 35-49 | 159 | 8.7 | 127 | 1 | 1 | 6 | 11 | 17 | 23 | 68 |
| 50-64 | 184 | 10.1 | 118 | 1 | 1 | 6 | 13 | 25 | 34 | 51 |
| 65+ | 147 | 11.1 | 169 | 1 | 1 | 6 | 16 | 26 | 39 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 13.2 | 46 | 2 | 4 | 14 | 18 | 22 | 23 | 23 |
| 20-34 | 138 | 14.0 | 202 | 1 | 2 | 10 | 19 | 32 | 39 | 78 |
| 35-49 | 253 | 17.6 | 266 | 2 | 2 | 13 | 25 | 45 | 55 | 98 |
| 50-64 | 384 | 18.0 | 245 | 2 | 2 | 14 | 26 | 40 | 52 | 95 |
| 65+ | 440 | 19.5 | 255 | 2 | 3 | 15 | 27 | 45 | 55 | 89 |
| TOT. SINGLE DX | 598 | 9.8 | 128 | 1 | 1 | 6 | 13 | 24 | 34 | 56 |
| " MULTIPLE DX | 1225 | 18.0 | 249 | 2 | 2 | 14 | 25 | 41 | 53 | 89 |
| TOTAL 0-19 YRS | 21 | 10.5 | 42 | 1 | 2 | 9 | 16 | 19 | 22 | 23 |
| 20-34 | 235 | 12.1 | 164 | 1 | 1 | 8 | 17 | 29 | 38 | 63 |
| 35-49 | 412 | 14.2 | 231 | 1 | 2 | 10 | 19 | 36 | 52 | 79 |
| 50-64 | 568 | 15.5 | 218 | 1 | 2 | 11 | 23 | 35 | 47 | 79 |
| 65+ | 587 | 17.4 | 247 | 1 | 2 | 13 | 24 | 41 | 52 | 81 |
| GRAND TOTAL | 1823 | 15.3 | 224 | 1 | 2 | 11 | 21 | 37 | 49 | 78 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 319 | 4.9 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 20-34 | 891 | 5.8 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 35-49 | 755 | 5.2 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 20 |
| 50-64 | 1091 | 5.5 | 35 | <1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 65+ | 1515 | 6.1 | 39 | 1 | 1 | 4 | 8 | 12 | 16 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 280 | 6.5 | 40 | 2 | 2 | 5 | 8 | 11 | 15 | 40 |
| 20-34 | 1071 | 7.8 | 52 | 2 | 2 | 6 | 9 | 15 | 21 | 42 |
| 35-49 | 1625 | 8.1 | 48 | 2 | 2 | 6 | 10 | 16 | 20 | 33 |
| 50-64 | 3520 | 8.8 | 57 | 2 | 2 | 7 | 11 | 17 | 22 | 42 |
| 65+ | 8817 | 11.5 | 110 | 2 | 3 | 9 | 14 | 23 | 32 | 68 |
| TOT. SINGLE DX | 4571 | 5.7 | 29 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| " MULTIPLE DX | 15313 | 10.2 | 89 | 2 | 3 | 8 | 12 | 20 | 27 | 57 |
| TOTAL 0-19 YRS | 599 | 5.7 | 27 | 1 | 2 | 4 | 7 | 10 | 12 | 26 |
| 20-34 | 1962 | 6.9 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| 35-49 | 2380 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 28 |
| 50-64 | 4611 | 8.0 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 65+ | 10332 | 10.7 | 104 | 2 | 2 | 8 | 13 | 21 | 30 | 63 |
| GRAND TOTAL | 19884 | 9.1 | 79 | 1 | 2 | 7 | 11 | 18 | 25 | 52 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3908 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3752 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3301 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 5324 | 4.4 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 3949 | 5.2 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1680 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 1085 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 1598 | 5.1 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 3914 | 6.0 | 21 | 3 | 3 | 5 | 7 | 10 | 13 | 26 |
| 65+ | 5229 | 8.9 | 70 | 3 | 3 | 7 | 10 | 17 | 23 | 56 |
| TOT. SINGLE DX | 20234 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 13506 | 6.5 | 41 | 2 | 2 | 5 | 7 | 12 | 17 | 35 |
| TOTAL 0-19 YRS | 5588 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4837 | 3.9 | 4 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| 35-49 | 4899 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 9238 | 5.1 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 9178 | 7.3 | 48 | 3 | 3 | 5 | 8 | 13 | 18 | 41 |
| GRAND TOTAL | 33740 | 5.0 | 21 | 1 | 2 | 4 | 6 | 8 | 11 | 24 |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1021 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 272 | 4.2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 355 | 4.8 | 3 | 3 | 3 | 4 | 6 | 8 | 8 | 10 |
| 50-64 | 640 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 9 | 11 |
| 65+ | 359 | 5.7 | 6 | 3 | 3 | 5 | 6 | 9 | 10 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 601 | 2.4 | 35 | <1 | <1 | 1 | 2 | 3 | 6 | 49 |
| 20-34 | 123 | 4.7 | 3 | 2 | 3 | 4 | 5 | 8 | 9 | 11 |
| 35-49 | 227 | 5.6 | 7 | 3 | 3 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 555 | 6.4 | 16 | 3 | 3 | 5 | 7 | 10 | 14 | 22 |
| 65+ | 519 | 9.3 | 59 | 3 | 4 | 7 | 11 | 17 | 23 | 62 |
| TOT. SINGLE DX | 2647 | 3.7 | 6 | <1 | <1 | 4 | 5 | 7 | 8 | 10 |
| " MULTIPLE DX | 2025 | 5.8 | 38 | <1 | <1 | 5 | 7 | 11 | 15 | 38 |
| TOTAL 0-19 YRS | 1622 | 1.9 | 15 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 20-34 | 395 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 582 | 5.1 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 1195 | 5.7 | 10 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 878 | 7.8 | 41 | 3 | 4 | 6 | 9 | 13 | 19 | 43 |
| GRAND TOTAL | 4672 | 4.6 | 21 | <1 | <1 | 4 | 6 | 8 | 11 | 22 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 108 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 144 | 4.2 | 8 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | 196 | 5.1 | 5 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 65+ | 303 | 7.2 | 21 | 2 | 3 | 6 | 8 | 12 | 16 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 3.5 | 3 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 44 | 5.0 | 16 | 2 | 3 | 4 | 5 | 6 | 11 | 26 |
| 35-49 | 91 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | 147 | 7.5 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 24 |
| 65+ | 502 | 12.7 | 127 | 4 | 4 | 9 | 15 | 26 | 35 | 98 |
| TOT. SINGLE DX | 786 | 5.5 | 14 | 2 | 2 | 5 | 6 | 9 | 12 | 21 |
| " MULTIPLE DX | 792 | 10.3 | 97 | 3 | 4 | 7 | 12 | 21 | 29 | 85 |
| TOTAL 0-19 YRS | 43 | 2.5 | 2 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 152 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 18 |
| 35-49 | 235 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 343 | 6.1 | 15 | 2 | 3 | 5 | 7 | 10 | 14 | 19 |
| 65+ | 805 | 10.6 | 94 | 3 | 4 | 8 | 12 | 21 | 30 | 83 |
| GRAND TOTAL | 1578 | 7.9 | 61 | 2 | 3 | 6 | 9 | 15 | 21 | 42 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 546 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 278 | 3.6 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 332 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 319 | 4.9 | 6 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 178 | 6.6 | 52 | 2 | 2 | 5 | 8 | 10 | 14 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 3.0 | 7 | 1 | 1 | 2 | 3 | 7 | 9 | 71 |
| 20-34 | 134 | 5.6 | 20 | 1 | 2 | 4 | 6 | 10 | 12 | 26 |
| 35-49 | 261 | 6.6 | 28 | 2 | 2 | 5 | 8 | 11 | 16 | 30 |
| 50-64 | 422 | 8.3 | 42 | 3 | 3 | 7 | 10 | 16 | 18 | 34 |
| 65+ | 304 | 12.5 | 138 | 3 | 4 | 9 | 16 | 23 | 30 | 76 |
| TOT. SINGLE DX | 1653 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| " MULTIPLE DX | 1205 | 8.3 | 66 | 2 | 3 | 6 | 10 | 16 | 21 | 50 |
| TOTAL 0-19 YRS | 630 | 2.3 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 11 |
| 20-34 | 412 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 10 | 14 |
| 35-49 | 593 | 5.1 | 17 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| 50-64 | 741 | 6.8 | 30 | 2 | 3 | 5 | 8 | 13 | 16 | 26 |
| 65+ | 482 | 10.3 | 115 | 3 | 3 | 7 | 11 | 20 | 25 | 71 |
| GRAND TOTAL | 2858 | 5.7 | 39 | 1 | 2 | 4 | 7 | 11 | 16 | 29 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 418 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 719 | 5.5 | 6 | 2 | 3 | 5 | 7 | 9 | 10 | 13 |
| 50-64 | 898 | 6.5 | 9 | 3 | 3 | 6 | 8 | 10 | 11 | 17 |
| 65+ | 576 | 8.1 | 25 | 3 | 4 | 7 | 9 | 13 | 16 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 3.7 | 3 | 1 | 2 | 3 | 5 | 7 | 7 | 10 |
| 20-34 | 261 | 6.8 | 17 | 3 | 3 | 6 | 8 | 13 | 16 | 22 |
| 35-49 | 553 | 8.6 | 37 | 3 | 4 | 7 | 10 | 14 | 21 | 39 |
| 50-64 | 954 | 10.3 | 52 | 3 | 4 | 8 | 12 | 18 | 24 | 43 |
| 65+ | 1115 | 13.3 | 115 | 4 | 5 | 10 | 16 | 24 | 31 | 75 |
| TOT. SINGLE DX | 2758 | 6.0 | 13 | 2 | 3 | 5 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 2922 | 10.7 | 75 | 3 | 4 | 9 | 13 | 19 | 26 | 50 |
| TOTAL 0-19 YRS | 186 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 679 | 5.3 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 1272 | 6.8 | 22 | 2 | 3 | 6 | 8 | 11 | 14 | 29 |
| 50-64 | 1852 | 8.5 | 35 | 3 | 4 | 7 | 10 | 14 | 19 | 34 |
| 65+ | 1697 | 11.5 | 91 | 4 | 5 | 9 | 14 | 20 | 27 | 64 |
| GRAND TOTAL | 5686 | 8.4 | 51 | 2 | 3 | 7 | 10 | 15 | 20 | 38 |

### 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 5.5 | 32 | <1 | <1 | 3 | 9 | 15 | 18 | 19 |
| 20-34 | 21 | 7.0 | 10 | 2 | 2 | 8 | 9 | 11 | 13 | 14 |
| 35-49 | 49 | 8.2 | 24 | 2 | 3 | 8 | 10 | 13 | 14 | 33 |
| 50-64 | 46 | 10.1 | 40 | 3 | 4 | 9 | 13 | 15 | 22 | 40 |
| 65+ | 61 | 14.3 | 55 | 5 | 7 | 12 | 17 | 25 | 32 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 7.0 | 30 | <1 | 1 | 6 | 13 | 15 | 16 | 16 |
| 20-34 | 40 | 12.2 | 94 | 4 | 5 | 9 | 12 | 25 | 38 | 46 |
| 35-49 | 84 | 14.0 | 105 | 7 | 8 | 11 | 14 | 23 | 31 | 68 |
| 50-64 | 183 | 13.7 | 76 | 6 | 7 | 12 | 16 | 23 | 27 | 47 |
| 65+ | 207 | 19.3 | 179 | 8 | 9 | 16 | 22 | 34 | 45 | 72 |
| TOT. SINGLE DX | 194 | 10.2 | 46 | 2 | 3 | 9 | 13 | 17 | 24 | 35 |
| " MULTIPLE DX | 524 | 15.7 | 131 | 6 | 7 | 12 | 18 | 28 | 38 | 65 |
| TOTAL 0-19 YRS | 27 | 6.1 | 31 | <1 | <1 | 3 | 10 | 15 | 17 | 19 |
| 20-34 | 61 | 10.4 | 72 | 2 | 4 | 8 | 10 | 17 | 32 | 45 |
| 35-49 | 133 | 11.8 | 83 | 4 | 5 | 10 | 12 | 21 | 29 | 46 |
| 50-64 | 229 | 13.0 | 71 | 5 | 6 | 11 | 15 | 23 | 26 | 44 |
| 65+ | 268 | 18.2 | 155 | 7 | 8 | 15 | 21 | 33 | 41 | 68 |
| GRAND TOTAL | 718 | 14.2 | 114 | 4 | 6 | 12 | 17 | 25 | 34 | 62 |

### 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 179 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 20-34 | 312 | 5.1 | 30 | <1 | 1 | 4 | 6 | 9 | 13 | 24 |
| 35-49 | 267 | 7.2 | 64 | 1 | 2 | 5 | 9 | 16 | 21 | 36 |
| 50-64 | 307 | 9.2 | 73 | 1 | 2 | 6 | 12 | 20 | 27 | 40 |
| 65+ | 229 | 11.1 | 93 | 1 | 2 | 9 | 15 | 23 | 31 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 120 | 10.4 | 145 | 1 | 2 | 6 | 13 | 23 | 28 | 88 |
| 20-34 | 302 | 10.5 | 123 | 2 | 2 | 7 | 12 | 24 | 30 | 66 |
| 35-49 | 515 | 13.5 | 148 | 2 | 3 | 10 | 17 | 29 | 39 | 61 |
| 50-64 | 1195 | 15.5 | 177 | 2 | 3 | 12 | 21 | 32 | 42 | 71 |
| 65+ | 1392 | 17.8 | 201 | 2 | 4 | 15 | 23 | 34 | 47 | 84 |
| TOT. SINGLE DX | 1294 | 7.4 | 62 | 1 | 2 | 5 | 9 | 17 | 22 | 39 |
| " MULTIPLE DX | 3524 | 15.5 | 182 | 2 | 3 | 12 | 21 | 32 | 42 | 77 |
| TOTAL 0-19 YRS | 299 | 6.5 | 76 | 1 | 1 | 4 | 7 | 15 | 22 | 60 |
| 20-34 | 614 | 7.7 | 83 | 1 | 2 | 5 | 9 | 17 | 25 | 53 |
| 35-49 | 782 | 11.4 | 128 | 2 | 2 | 8 | 15 | 26 | 35 | 58 |
| 50-64 | 1502 | 14.2 | 163 | 2 | 3 | 10 | 19 | 31 | 39 | 69 |
| 65+ | 1621 | 16.9 | 192 | 2 | 4 | 14 | 22 | 33 | 45 | 82 |
| GRAND TOTAL | 4818 | 13.3 | 163 | 2 | 2 | 9 | 18 | 29 | 38 | 69 |

### 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 7.8 | 22 | 3 | 3 | 6 | 9 | 13 | 18 | 25 |
| 20-34 | 379 | 7.3 | 26 | 2 | 3 | 6 | 8 | 13 | 17 | 25 |
| 35-49 | 177 | 9.0 | 25 | 3 | 4 | 8 | 11 | 15 | 19 | 29 |
| 50-64 | 130 | 14.9 | 108 | 5 | 6 | 11 | 18 | 28 | 34 | 55 |
| 65+ | 162 | 17.0 | 124 | 4 | 6 | 15 | 20 | 32 | 39 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 13.9 | 224 | 4 | 4 | 8 | 14 | 31 | 50 | 93 |
| 20-34 | 510 | 11.0 | 108 | 3 | 4 | 8 | 12 | 25 | 32 | 79 |
| 35-49 | 325 | 16.4 | 230 | 4 | 5 | 11 | 19 | 37 | 51 | 81 |
| 50-64 | 417 | 21.3 | 241 | 6 | 8 | 17 | 27 | 43 | 56 | 90 |
| 65+ | 596 | 23.9 | 251 | 8 | 9 | 20 | 29 | 46 | 65 | 99+ |
| TOT. SINGLE DX | 1011 | 10.2 | 66 | 3 | 4 | 8 | 12 | 19 | 26 | 42 |
| " MULTIPLE DX | 2011 | 18.1 | 234 | 4 | 5 | 14 | 23 | 39 | 54 | 95 |
| TOTAL 0-19 YRS | 326 | 10.8 | 133 | 3 | 4 | 7 | 12 | 21 | 31 | 70 |
| 20-34 | 889 | 9.4 | 77 | 2 | 3 | 7 | 10 | 17 | 27 | 62 |
| 35-49 | 502 | 13.8 | 171 | 3 | 5 | 9 | 16 | 29 | 41 | 77 |
| 50-64 | 547 | 19.8 | 217 | 6 | 7 | 16 | 25 | 39 | 51 | 86 |
| 65+ | 758 | 22.4 | 232 | 7 | 9 | 18 | 27 | 42 | 60 | 99+ |
| GRAND TOTAL | 3022 | 15.4 | 192 | 3 | 5 | 11 | 19 | 33 | 45 | 84 |

### 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 376 | 3.5 | 9 | <1 | 1 | 2 | 5 | 7 | 9 | 15 |
| 20-34 | 2206 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 383 | 2.6 | 5 | <1 | <1 | 2 | 2 | 5 | 8 | 14 |
| 50-64 | 65 | 3.9 | 24 | <1 | 1 | 2 | 3 | 9 | 13 | 28 |
| 65+ | 16 | 4.3 | 13 | 1 | 2 | 3 | 6 | 9 | 13 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 242 | 4.2 | 14 | <1 | 1 | 3 | 6 | 9 | 12 | 16 |
| 20-34 | 2148 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 515 | 3.6 | 21 | <1 | 1 | 2 | 3 | 8 | 11 | 23 |
| 50-64 | 108 | 7.7 | 126 | 1 | 2 | 3 | 9 | 18 | 29 | 61 |
| 65+ | 61 | 15.5 | 302 | 2 | 2 | 11 | 19 | 34 | 54 | 92 |
| TOT. SINGLE DX | 3046 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| " MULTIPLE DX | 3074 | 3.5 | 25 | <1 | 1 | 2 | 3 | 7 | 11 | 24 |
| TOTAL 0-19 YRS | 618 | 3.8 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 4354 | 2.7 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 35-49 | 898 | 3.2 | 15 | <1 | 1 | 2 | 3 | 7 | 9 | 17 |
| 50-64 | 173 | 6.3 | 91 | 1 | 1 | 3 | 7 | 15 | 24 | 45 |
| 65+ | 77 | 13.1 | 262 | 2 | 2 | 8 | 15 | 30 | 46 | 87 |
| GRAND TOTAL | 6120 | 3.1 | 16 | <1 | 1 | 2 | 3 | 7 | 9 | 17 |

## 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 9.7 | 105 | <1 | 2 | 7 | 11 | 17 | 22 | 60 |
| 20-34 | 343 | 7.0 | 27 | 1 | 2 | 6 | 9 | 12 | 17 | 26 |
| 35-49 | 254 | 9.1 | 35 | 2 | 2 | 8 | 11 | 15 | 17 | 32 |
| 50-64 | 249 | 11.6 | 58 | 3 | 5 | 10 | 13 | 21 | 24 | 46 |
| 65+ | 242 | 14.3 | 67 | 4 | 6 | 13 | 18 | 24 | 29 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 105 | 11.4 | 171 | 2 | 3 | 8 | 12 | 23 | 33 | 80 |
| 20-34 | 729 | 8.2 | 68 | 1 | 2 | 6 | 9 | 15 | 20 | 49 |
| 35-49 | 551 | 12.8 | 157 | 1 | 2 | 9 | 15 | 28 | 38 | 84 |
| 50-64 | 647 | 17.9 | 211 | 4 | 6 | 13 | 22 | 36 | 48 | 91 |
| 65+ | 927 | 21.9 | 214 | 6 | 9 | 18 | 28 | 44 | 57 | 99+ |
| TOT. SINGLE DX | 1176 | 10.1 | 57 | 2 | 2 | 9 | 13 | 19 | 23 | 41 |
| " MULTIPLE DX | 2959 | 15.6 | 195 | 2 | 4 | 11 | 20 | 34 | 46 | 87 |
| TOTAL 0-19 YRS | 193 | 10.6 | 141 | 1 | 2 | 8 | 12 | 21 | 32 | 66 |
| 20-34 | 1072 | 7.8 | 56 | 1 | 2 | 6 | 9 | 14 | 20 | 43 |
| 35-49 | 805 | 11.6 | 122 | 1 | 2 | 9 | 14 | 22 | 32 | 59 |
| 50-64 | 896 | 16.1 | 177 | 4 | 6 | 12 | 20 | 30 | 45 | 88 |
| 65+ | 1169 | 20.3 | 193 | 6 | 8 | 17 | 26 | 40 | 52 | 99 |
| GRAND TOTAL | 4135 | 14.0 | 162 | 2 | 3 | 10 | 17 | 29 | 41 | 77 |

## 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 9.1 | 20 | 5 | 5 | 8 | 10 | 13 | 21 | 25 |
| 20-34 | 43 | 11.4 | 33 | 6 | 7 | 9 | 13 | 17 | 20 | 39 |
| 35-49 | 58 | 12.4 | 11 | 8 | 8 | 12 | 14 | 18 | 18 | 22 |
| 50-64 | 145 | 13.6 | 28 | 8 | 8 | 12 | 16 | 21 | 23 | 33 |
| 65+ | 144 | 16.3 | 77 | 8 | 9 | 14 | 19 | 27 | 30 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 13.2 | 73 | 6 | 7 | 12 | 15 | 22 | 37 | 98 |
| 20-34 | 80 | 15.7 | 136 | 7 | 7 | 11 | 18 | 26 | 44 | 66 |
| 35-49 | 153 | 16.1 | 90 | 6 | 7 | 14 | 20 | 27 | 32 | 56 |
| 50-64 | 384 | 19.0 | 120 | 8 | 9 | 17 | 21 | 32 | 42 | 70 |
| 65+ | 571 | 23.1 | 171 | 10 | 11 | 20 | 28 | 40 | 52 | 81 |
| TOT. SINGLE DX | 421 | 13.8 | 47 | 7 | 8 | 12 | 16 | 21 | 26 | 39 |
| " MULTIPLE DX | 1242 | 20.1 | 149 | 8 | 9 | 17 | 24 | 34 | 46 | 76 |
| TOTAL 0-19 YRS | 85 | 11.7 | 58 | 5 | 6 | 9 | 14 | 20 | 27 | 84 |
| 20-34 | 123 | 14.2 | 105 | 6 | 7 | 10 | 17 | 23 | 34 | 59 |
| 35-49 | 211 | 15.1 | 71 | 7 | 8 | 13 | 18 | 25 | 30 | 51 |
| 50-64 | 529 | 17.5 | 101 | 8 | 9 | 15 | 20 | 28 | 39 | 59 |
| 65+ | 715 | 21.7 | 160 | 9 | 10 | 19 | 27 | 37 | 46 | 80 |
| GRAND TOTAL | 1663 | 18.5 | 130 | 8 | 9 | 16 | 22 | 32 | 41 | 74 |

## 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 7.6 | 43 | 2 | 2 | 6 | 11 | 16 | 22 | 31 |
| 20-34 | 310 | 9.5 | 30 | 2 | 3 | 9 | 12 | 16 | 19 | 27 |
| 35-49 | 342 | 9.8 | 25 | 2 | 3 | 9 | 12 | 16 | 19 | 26 |
| 50-64 | 349 | 10.6 | 28 | 2 | 4 | 10 | 13 | 17 | 19 | 31 |
| 65+ | 173 | 11.8 | 58 | 2 | 2 | 11 | 15 | 22 | 24 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 13.2 | 85 | 2 | 3 | 12 | 17 | 26 | 33 | 45 |
| 20-34 | 285 | 14.4 | 123 | 3 | 4 | 12 | 19 | 29 | 36 | 74 |
| 35-49 | 334 | 15.4 | 124 | 3 | 5 | 13 | 19 | 29 | 41 | 58 |
| 50-64 | 637 | 16.4 | 146 | 3 | 6 | 13 | 20 | 32 | 44 | 65 |
| 65+ | 552 | 18.6 | 162 | 3 | 5 | 16 | 25 | 37 | 47 | 69 |
| TOT. SINGLE DX | 1324 | 10.0 | 35 | 2 | 2 | 9 | 13 | 17 | 21 | 29 |
| " MULTIPLE DX | 1932 | 16.3 | 142 | 3 | 5 | 13 | 21 | 32 | 44 | 64 |
| TOTAL 0-19 YRS | 274 | 10.1 | 70 | 2 | 2 | 8 | 14 | 22 | 27 | 38 |
| 20-34 | 595 | 11.8 | 81 | 2 | 3 | 10 | 15 | 22 | 29 | 54 |
| 35-49 | 676 | 12.5 | 82 | 2 | 4 | 11 | 15 | 22 | 29 | 52 |
| 50-64 | 986 | 14.4 | 112 | 3 | 5 | 12 | 17 | 27 | 37 | 59 |
| 65+ | 725 | 17.0 | 146 | 3 | 4 | 14 | 22 | 34 | 43 | 68 |
| GRAND TOTAL | 3256 | 13.7 | 108 | 2 | 3 | 11 | 17 | 26 | 35 | 57 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 9.3 | 19 | 4 | 5 | 9 | 12 | 16 | 18 | 18 |
| 20-34 | 207 | 9.9 | 17 | 4 | 6 | 9 | 12 | 15 | 18 | 24 |
| 35-49 | 275 | 10.2 | 21 | 3 | 4 | 10 | 12 | 16 | 19 | 27 |
| 50-64 | 274 | 10.9 | 31 | 4 | 6 | 10 | 13 | 17 | 20 | 37 |
| 65+ | 102 | 11.7 | 22 | 5 | 7 | 11 | 14 | 16 | 19 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 12.0 | 92 | 2 | 3 | 9 | 15 | 28 | 31 | 31 |
| 20-34 | 108 | 11.6 | 32 | 4 | 5 | 11 | 14 | 19 | 21 | 32 |
| 35-49 | 174 | 12.2 | 42 | 3 | 6 | 11 | 15 | 20 | 24 | 39 |
| 50-64 | 302 | 14.7 | 70 | 6 | 8 | 13 | 17 | 24 | 29 | 50 |
| 65+ | 271 | 17.5 | 119 | 5 | 8 | 15 | 22 | 31 | 43 | 54 |
| TOT. SINGLE DX | 871 | 10.5 | 24 | 4 | 5 | 10 | 13 | 16 | 19 | 27 |
| " MULTIPLE DX | 862 | 14.6 | 80 | 5 | 7 | 12 | 17 | 25 | 31 | 51 |
| TOTAL 0-19 YRS | 20 | 10.3 | 43 | 3 | 4 | 9 | 12 | 17 | 24 | 31 |
| 20-34 | 315 | 10.5 | 23 | 4 | 5 | 10 | 13 | 17 | 20 | 27 |
| 35-49 | 449 | 11.0 | 31 | 3 | 5 | 10 | 13 | 18 | 21 | 29 |
| 50-64 | 576 | 12.9 | 55 | 5 | 6 | 11 | 15 | 22 | 26 | 44 |
| 65+ | 373 | 15.9 | 99 | 5 | 7 | 13 | 18 | 28 | 37 | 53 |
| GRAND TOTAL | 1733 | 12.6 | 56 | 4 | 6 | 11 | 15 | 21 | 27 | 44 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 9.8 | 8 | 5 | 6 | 9 | 11 | 13 | 16 | 19 |
| 20-34 | 15 | 13.8 | 38 | 8 | 8 | 11 | 16 | 26 | 26 | 26 |
| 35-49 | 9 | 16.6 | 69 | 3 | 6 | 17 | 21 | 29 | 30 | 30 |
| 50-64 | 19 | 18.9 | 55 | 8 | 10 | 17 | 24 | 31 | 34 | 34 |
| 65+ | 20 | 20.5 | 230 | 4 | 5 | 18 | 25 | 43 | 58 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 83 | 13.4 | 45 | 7 | 8 | 11 | 16 | 21 | 30 | 38 |
| 20-34 | 44 | 16.8 | 164 | 7 | 8 | 13 | 19 | 45 | 52 | 99+ |
| 35-49 | 28 | 19.3 | 128 | 11 | 12 | 15 | 21 | 34 | 43 | 63 |
| 50-64 | 69 | 23.6 | 277 | 5 | 8 | 21 | 26 | 46 | 63 | 83 |
| 65+ | 98 | 27.4 | 251 | 9 | 11 | 24 | 34 | 52 | 64 | 93 |
| TOT. SINGLE DX | 121 | 14.0 | 78 | 5 | 7 | 11 | 17 | 26 | 30 | 57 |
| " MULTIPLE DX | 322 | 20.8 | 211 | 7 | 8 | 17 | 25 | 39 | 53 | 84 |
| TOTAL 0-19 YRS | 141 | 11.9 | 33 | 7 | 7 | 10 | 13 | 17 | 23 | 37 |
| 20-34 | 59 | 16.1 | 133 | 8 | 8 | 12 | 18 | 37 | 49 | 96 |
| 35-49 | 37 | 18.6 | 113 | 9 | 12 | 15 | 20 | 30 | 39 | 63 |
| 50-64 | 88 | 22.6 | 232 | 6 | 8 | 20 | 26 | 38 | 54 | 82 |
| 65+ | 118 | 26.3 | 253 | 7 | 10 | 23 | 33 | 52 | 62 | 90 |
| GRAND TOTAL | 443 | 19.0 | 184 | 7 | 8 | 15 | 23 | 35 | 51 | 79 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 5.0 | 24 | <1 | <1 | 3 | 8 | 13 | 14 | 23 |
| 20-34 | 255 | 5.2 | 11 | 2 | 2 | 4 | 7 | 9 | 11 | 18 |
| 35-49 | 303 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 284 | 5.4 | 15 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| 65+ | 103 | 6.6 | 21 | 1 | 2 | 6 | 9 | 14 | 15 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 8.6 | 63 | <1 | 1 | 6 | 12 | 20 | 27 | 31 |
| 20-34 | 118 | 6.2 | 17 | 2 | 2 | 5 | 8 | 13 | 15 | 21 |
| 35-49 | 150 | 7.1 | 28 | 2 | 2 | 6 | 9 | 13 | 18 | 28 |
| 50-64 | 237 | 8.4 | 54 | 2 | 2 | 7 | 10 | 16 | 21 | 34 |
| 65+ | 189 | 10.8 | 92 | 2 | 2 | 8 | 13 | 22 | 31 | 52 |
| TOT. SINGLE DX | 998 | 5.4 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| " MULTIPLE DX | 733 | 8.4 | 56 | 2 | 2 | 6 | 10 | 16 | 22 | 37 |
| TOTAL 0-19 YRS | 92 | 6.5 | 44 | <1 | <1 | 4 | 10 | 15 | 21 | 31 |
| 20-34 | 373 | 5.5 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 35-49 | 453 | 5.9 | 21 | 2 | 2 | 5 | 7 | 10 | 15 | 25 |
| 50-64 | 521 | 6.7 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 292 | 9.3 | 71 | 2 | 2 | 7 | 12 | 17 | 24 | 45 |
| GRAND TOTAL | 1731 | 6.7 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 926 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| 20-34 | 1311 | 3.6 | 12 | <1 | <1 | 2 | 5 | 8 | 10 | 18 |
| 35-49 | 1536 | 3.7 | 13 | <1 | 1 | 2 | 5 | 8 | 11 | 17 |
| 50-64 | 2175 | 3.8 | 22 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| 65+ | 2414 | 4.6 | 30 | 1 | 1 | 2 | 6 | 10 | 14 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 873 | 3.2 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 18 |
| 20-34 | 1513 | 5.9 | 53 | <1 | 1 | 3 | 8 | 13 | 18 | 34 |
| 35-49 | 2347 | 6.3 | 56 | <1 | 1 | 4 | 8 | 14 | 18 | 39 |
| 50-64 | 4807 | 7.6 | 81 | 1 | 1 | 5 | 10 | 17 | 24 | 49 |
| 65+ | 8771 | 11.7 | 158 | 1 | 2 | 8 | 15 | 27 | 39 | 90 |
| TOT. SINGLE DX | 8362 | 3.8 | 21 | <1 | 1 | 2 | 5 | 8 | 11 | 21 |
| " MULTIPLE DX | 18311 | 9.1 | 117 | 1 | 1 | 6 | 12 | 21 | 30 | 68 |
| TOTAL 0-19 YRS | 1799 | 2.7 | 13 | <1 | <1 | 1 | 3 | 6 | 9 | 16 |
| 20-34 | 2824 | 4.9 | 36 | <1 | 1 | 3 | 6 | 11 | 14 | 28 |
| 35-49 | 3883 | 5.3 | 41 | <1 | 1 | 3 | 7 | 12 | 16 | 31 |
| 50-64 | 6982 | 6.4 | 67 | 1 | 1 | 4 | 8 | 14 | 20 | 44 |
| 65+ | 11185 | 10.2 | 140 | 1 | 2 | 6 | 14 | 24 | 35 | 78 |
| GRAND TOTAL | 26673 | 7.4 | 93 | <1 | 1 | 4 | 9 | 17 | 26 | 57 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 4.4 | 11 | <1 | 1 | 3 | 7 | 10 | 12 | 13 |
| 20-34 | 80 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | 278 | 3.9 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 50-64 | 1288 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 2362 | 5.2 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 6.7 | 22 | 1 | 2 | 7 | 10 | 13 | 16 | 17 |
| 20-34 | 68 | 7.4 | 55 | 1 | 1 | 5 | 9 | 20 | 26 | 30 |
| 35-49 | 221 | 6.2 | 59 | 1 | 2 | 4 | 7 | 12 | 17 | 31 |
| 50-64 | 1316 | 6.8 | 56 | 1 | 2 | 5 | 8 | 14 | 21 | 38 |
| 65+ | 4012 | 9.8 | 113 | 2 | 2 | 7 | 12 | 20 | 29 | 61 |
| TOT. SINGLE DX | 4026 | 4.7 | 18 | | 2 | 4 | 6 | 9 | 12 | 21 |
| " MULTIPLE DX | 5632 | 8.9 | 99 | 2 | 2 | 6 | 11 | 19 | 27 | 57 |
| TOTAL 0-19 YRS | 33 | 5.5 | 17 | 1 | 1 | 4 | 9 | 11 | 13 | 17 |
| 20-34 | 148 | 4.9 | 32 | <1 | 1 | 3 | 6 | 12 | 17 | 28 |
| 35-49 | 499 | 4.9 | 35 | 1 | 1 | 3 | 5 | 10 | 13 | 27 |
| 50-64 | 2604 | 5.5 | 36 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| 65+ | 6374 | 8.1 | 84 | 2 | 2 | 5 | 9 | 17 | 24 | 53 |
| GRAND TOTAL | 9658 | 7.2 | 69 | 1 | 2 | 5 | 8 | 15 | 21 | 47 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 5.9 | 46 | 1 | 1 | 4 | 7 | 11 | 15 | 42 |
| 20-34 | 116 | 6.5 | 31 | 1 | 1 | 5 | 9 | 14 | 18 | 27 |
| 35-49 | 173 | 6.1 | 34 | 1 | 1 | 4 | 8 | 15 | 17 | 31 |
| 50-64 | 325 | 8.6 | 66 | 1 | 2 | 5 | 13 | 19 | 24 | 33 |
| 65+ | 476 | 9.3 | 83 | 2 | 2 | 6 | 13 | 20 | 25 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 9.5 | 113 | 2 | 2 | 6 | 11 | 21 | 29 | 56 |
| 20-34 | 159 | 12.8 | 268 | 1 | 2 | 7 | 14 | 34 | 57 | 99 |
| 35-49 | 201 | 11.9 | 216 | 1 | 2 | 8 | 15 | 25 | 49 | 92 |
| 50-64 | 686 | 11.9 | 144 | 2 | 2 | 8 | 16 | 27 | 36 | 67 |
| 65+ | 1635 | 15.5 | 192 | 2 | 3 | 12 | 22 | 35 | 47 | 99+ |
| TOT. SINGLE DX | 1170 | 8.1 | 66 | 1 | 2 | 5 | 11 | 18 | 23 | 38 |
| " MULTIPLE DX | 2798 | 13.9 | 187 | 2 | 2 | 10 | 18 | 32 | 44 | 99+ |
| TOTAL 0-19 YRS | 217 | 8.2 | 91 | 1 | 2 | 5 | 9 | 16 | 24 | 50 |
| 20-34 | 275 | 10.1 | 178 | 1 | 2 | 6 | 11 | 23 | 38 | 89 |
| 35-49 | 374 | 9.2 | 140 | 1 | 2 | 6 | 12 | 20 | 29 | 80 |
| 50-64 | 991 | 10.8 | 121 | 1 | 2 | 8 | 14 | 24 | 32 | 59 |
| 65+ | 2111 | 14.1 | 175 | 2 | 2 | 11 | 19 | 32 | 44 | 99+ |
| GRAND TOTAL | 3968 | 12.2 | 158 | 2 | 2 | 9 | 16 | 28 | 39 | 91 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 363 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 41 | 2.5 | 8 | <1 | <1 | 1 | 3 | 5 | 6 | 18 |
| 35-49 | 23 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 25 | 2.9 | 5 | 1 | 1 | 2 | 3 | 4 | 9 | 11 |
| 65+ | 14 | 2.8 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 187 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 49 | 3.8 | 99 | <1 | 1 | 2 | 3 | 6 | 8 | 71 |
| 35-49 | 31 | 3.4 | 7 | <1 | 1 | 2 | 5 | 8 | 9 | 10 |
| 50-64 | 42 | 4.6 | 15 | <1 | 1 | 3 | 6 | 10 | 12 | 19 |
| 65+ | 47 | 8.8 | 150 | 2 | 2 | 5 | 11 | 21 | 43 | 99+ |
| TOT. SINGLE DX | 466 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| " MULTIPLE DX | 356 | 3.5 | 42 | <1 | <1 | 2 | 3 | 8 | 10 | 38 |
| TOTAL 0-19 YRS | 550 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 90 | 3.2 | 58 | <1 | <1 | 2 | 3 | 5 | 8 | 50 |
| 35-49 | 54 | 3.0 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 10 |
| 50-64 | 67 | 4.0 | 12 | 1 | 1 | 2 | 5 | 10 | 11 | 18 |
| 65+ | 61 | 7.4 | 123 | 1 | 2 | 4 | 9 | 18 | 31 | 97 |
| GRAND TOTAL | 822 | 2.4 | 20 | <1 | <1 | 1 | 2 | 4 | 7 | 18 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 258 | 5.7 | 20 | <1 | <1 | 5 | 9 | 11 | 12 | 21 |
| 20-34 | 214 | 3.5 | 10 | <1 | <1 | 2 | 4 | 9 | 10 | 15 |
| 35-49 | 84 | 6.1 | 26 | <1 | 2 | 4 | 8 | 12 | 15 | 28 |
| 50-64 | 106 | 5.0 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 27 |
| 65+ | 123 | 5.1 | 21 | 1 | 2 | 4 | 6 | 10 | 15 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 119 | 6.7 | 28 | <1 | 1 | 6 | 9 | 13 | 16 | 27 |
| 20-34 | 114 | 7.1 | 71 | <1 | 1 | 4 | 9 | 16 | 21 | 48 |
| 35-49 | 100 | 7.8 | 120 | 1 | 2 | 5 | 9 | 15 | 20 | 68 |
| 50-64 | 148 | 7.0 | 39 | 2 | 2 | 5 | 10 | 15 | 23 | 27 |
| 65+ | 286 | 9.3 | 64 | 2 | 2 | 6 | 12 | 20 | 30 | 47 |
| TOT. SINGLE DX | 785 | 5.0 | 19 | <1 | 1 | 3 | 7 | 10 | 12 | 22 |
| " MULTIPLE DX | 767 | 7.9 | 71 | 1 | 2 | 5 | 10 | 17 | 24 | 42 |
| TOTAL 0-19 YRS | 377 | 6.0 | 23 | <1 | 1 | 5 | 9 | 11 | 13 | 23 |
| 20-34 | 328 | 4.8 | 34 | <1 | <1 | 3 | 6 | 10 | 15 | 30 |
| 35-49 | 184 | 7.0 | 78 | 1 | 2 | 5 | 9 | 14 | 17 | 37 |
| 50-64 | 254 | 6.2 | 33 | 1 | 2 | 4 | 8 | 13 | 18 | 27 |
| 65+ | 409 | 8.0 | 69 | 2 | 2 | 5 | 10 | 17 | 28 | 42 |
| GRAND TOTAL | 1552 | 6.4 | 47 | <1 | 1 | 4 | 9 | 13 | 18 | 35 |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 263 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 6 | 9 |
| 20-34 | 213 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| 35-49 | 165 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 155 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 14 |
| 65+ | 211 | 4.1 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 381 | 2.3 | 9 | <1 | <1 | 1 | 2 | 5 | 7 | 16 |
| 20-34 | 421 | 4.1 | 27 | <1 | <1 | 2 | 5 | 9 | 13 | 25 |
| 35-49 | 450 | 4.6 | 27 | <1 | 1 | 3 | 6 | 11 | 15 | 23 |
| 50-64 | 685 | 5.9 | 51 | <1 | 1 | 3 | 8 | 13 | 19 | 33 |
| 65+ | 1319 | 10.6 | 127 | 1 | 2 | 7 | 14 | 24 | 34 | 63 |
| TOT. SINGLE DX | 1007 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| " MULTIPLE DX | 3256 | 7.0 | 81 | <1 | 1 | 4 | 9 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 644 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| 20-34 | 634 | 3.7 | 21 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| 35-49 | 615 | 4.1 | 22 | <1 | 1 | 2 | 5 | 9 | 13 | 21 |
| 50-64 | 840 | 5.3 | 44 | <1 | 1 | 3 | 7 | 12 | 18 | 31 |
| 65+ | 1530 | 9.7 | 117 | 1 | 2 | 6 | 13 | 22 | 32 | 61 |
| GRAND TOTAL | 4263 | 6.0 | 67 | <1 | <1 | 3 | 7 | 15 | 21 | 42 |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 13 |
| 20-34 | 157 | 4.5 | 16 | 1 | 1 | 3 | 5 | 10 | 12 | 21 |
| 35-49 | 123 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 115 | 5.3 | 10 | 1 | 2 | 4 | 7 | 10 | 12 | 15 |
| 65+ | 152 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 3.0 | 7 | <1 | <1 | 2 | 4 | 5 | 9 | 16 |
| 20-34 | 140 | 4.8 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 39 |
| 35-49 | 137 | 6.4 | 45 | 1 | 1 | 4 | 8 | 14 | 18 | 33 |
| 50-64 | 229 | 7.4 | 50 | 2 | 2 | 5 | 9 | 16 | 19 | 36 |
| 65+ | 406 | 10.9 | 143 | 2 | 3 | 7 | 13 | 24 | 34 | 83 |
| TOT. SINGLE DX | 659 | 4.7 | 17 | <1 | 1 | 4 | 6 | 10 | 12 | 20 |
| " MULTIPLE DX | 983 | 8.0 | 90 | 1 | 2 | 5 | 10 | 18 | 26 | 56 |
| TOTAL 0-19 YRS | 183 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 20-34 | 297 | 4.6 | 24 | 1 | 1 | 3 | 5 | 10 | 13 | 27 |
| 35-49 | 260 | 5.9 | 32 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| 50-64 | 344 | 6.7 | 38 | 1 | 2 | 5 | 8 | 14 | 18 | 31 |
| 65+ | 558 | 9.5 | 116 | 2 | 2 | 6 | 11 | 20 | 29 | 71 |
| GRAND TOTAL | 1642 | 6.7 | 63 | 1 | 1 | 4 | 8 | 14 | 19 | 41 |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 42 | 7.3 | 5 | 3 | 3 | 7 | 9 | 10 | 11 | 13 |
| 35-49 | 180 | 9.0 | 12 | 5 | 6 | 8 | 10 | 13 | 16 | 22 |
| 50-64 | 175 | 9.2 | 8 | 6 | 7 | 9 | 10 | 12 | 14 | 23 |
| 65+ | 69 | 10.4 | 15 | 6 | 6 | 9 | 12 | 18 | 19 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 35 | 9.7 | 18 | 5 | 6 | 8 | 11 | 13 | 16 | 29 |
| 35-49 | 195 | 9.7 | 14 | 5 | 6 | 9 | 11 | 15 | 17 | 26 |
| 50-64 | 232 | 11.9 | 38 | 6 | 7 | 10 | 13 | 18 | 22 | 39 |
| 65+ | 149 | 13.9 | 66 | 7 | 8 | 12 | 16 | 22 | 29 | 76 |
| TOT. SINGLE DX | 467 | 9.1 | 11 | 5 | 6 | 8 | 10 | 13 | 16 | 21 |
| " MULTIPLE DX | 612 | 11.6 | 39 | 6 | 7 | 10 | 13 | 18 | 22 | 38 |
| TOTAL 0-19 YRS | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 77 | 8.4 | 13 | 3 | 5 | 8 | 10 | 12 | 13 | 26 |
| 35-49 | 375 | 9.4 | 14 | 5 | 6 | 9 | 10 | 14 | 17 | 24 |
| 50-64 | 407 | 10.8 | 27 | 6 | 7 | 9 | 12 | 16 | 20 | 35 |
| 65+ | 218 | 12.8 | 53 | 6 | 8 | 11 | 15 | 20 | 23 | 55 |
| GRAND TOTAL | 1079 | 10.5 | 29 | 6 | 6 | 9 | 12 | 16 | 20 | 32 |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 20 | 8.7 | 8 | 4 | 5 | 8 | 11 | 13 | 14 | 14 |
| 50-64 | 22 | 7.6 | 13 | 3 | 3 | 8 | 9 | 13 | 15 | 16 |
| 65+ | 19 | 8.6 | 9 | 3 | 4 | 9 | 11 | 13 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 13 | 11 | 11 | 13 | 16 | 16 | 16 | 16 |
| 20-34 | 11 | 11.6 | 70 | 3 | 5 | 10 | 14 | 23 | 33 | 34 |
| 35-49 | 37 | 10.5 | 45 | 4 | 5 | 8 | 13 | 17 | 27 | 33 |
| 50-64 | 23 | 13.0 | 100 | 5 | 6 | 10 | 14 | 22 | 33 | 53 |
| 65+ | 39 | 13.2 | 123 | 5 | 6 | 9 | 16 | 23 | 26 | 70 |
| TOT. SINGLE DX | 64 | 8.1 | 11 | 3 | 4 | 8 | 10 | 13 | 14 | 16 |
| " MULTIPLE DX | 112 | 12.1 | 85 | 5 | 6 | 9 | 15 | 22 | 26 | 59 |
| TOTAL 0-19 YRS | 2 | 13.5 | 13 | 11 | 11 | 13 | 16 | 16 | 16 | 16 |
| 20-34 | 14 | 10.1 | 64 | 3 | 3 | 8 | 10 | 18 | 30 | 34 |
| 35-49 | 57 | 9.9 | 32 | 4 | 5 | 8 | 12 | 16 | 18 | 33 |
| 50-64 | 45 | 10.4 | 64 | 3 | 4 | 8 | 12 | 16 | 22 | 53 |
| 65+ | 58 | 11.7 | 90 | 5 | 5 | 9 | 14 | 21 | 24 | 66 |
| GRAND TOTAL | 176 | 10.7 | 61 | 4 | 5 | 9 | 13 | 17 | 23 | 48 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 5.1 | 9 | <1 | <1 | 5 | 8 | 9 | 10 | 10 |
| 20-34 | 31 | 5.7 | 21 | <1 | 2 | 4 | 7 | 11 | 16 | 24 |
| 35-49 | 30 | 5.1 | 24 | 1 | 2 | 3 | 5 | 12 | 18 | 21 |
| 50-64 | 26 | 5.5 | 11 | 2 | 2 | 4 | 8 | 10 | 12 | 13 |
| 65+ | 17 | 6.8 | 37 | 1 | 2 | 4 | 11 | 15 | 20 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 3.5 | 17 | <1 | <1 | 2 | 4 | 11 | 14 | 14 |
| 20-34 | 29 | 5.8 | 15 | 1 | 1 | 5 | 8 | 12 | 13 | 15 |
| 35-49 | 57 | 7.5 | 46 | 1 | 2 | 5 | 10 | 17 | 20 | 31 |
| 50-64 | 80 | 8.2 | 70 | 1 | 2 | 6 | 10 | 19 | 23 | 47 |
| 65+ | 93 | 12.8 | 120 | 2 | 2 | 9 | 20 | 27 | 36 | 51 |
| TOT. SINGLE DX | 114 | 5.6 | 21 | 1 | 2 | 4 | 7 | 12 | 15 | 23 |
| " MULTIPLE DX | 270 | 9.2 | 82 | 1 | 2 | 6 | 12 | 21 | 27 | 49 |
| TOTAL 0-19 YRS | 21 | 4.2 | 14 | <1 | <1 | 2 | 7 | 9 | 12 | 14 |
| 20-34 | 60 | 5.8 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 87 | 6.7 | 40 | 1 | 2 | 4 | 9 | 16 | 19 | 31 |
| 50-64 | 106 | 7.5 | 57 | 1 | 2 | 5 | 9 | 18 | 20 | 40 |
| 65+ | 110 | 11.9 | 112 | 2 | 2 | 8 | 17 | 25 | 33 | 51 |
| GRAND TOTAL | 384 | 8.1 | 66 | 1 | 2 | 5 | 10 | 19 | 25 | 41 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 17 | 6.4 | 42 | <1 | <1 | 2 | 11 | 18 | 19 | 19 |
| 35-49 | 10 | 6.5 | 17 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 5 | 19.0 | 65 | 9 | 9 | 18 | 26 | 29 | 29 | 29 |
| 65+ | 4 | 33.5 | 209 | 16 | 16 | 34 | 44 | 50 | 50 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 7.0 | 14 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 19 | 13.7 | 69 | 2 | 3 | 13 | 21 | 25 | 27 | 27 |
| 35-49 | 25 | 18.6 | 438 | 1 | 2 | 12 | 19 | 30 | 81 | 90 |
| 50-64 | 33 | 20.0 | 274 | 4 | 5 | 15 | 23 | 39 | 65 | 75 |
| 65+ | 55 | 18.6 | 273 | 2 | 3 | 15 | 24 | 34 | 43 | 91 |
| TOT. SINGLE DX | 36 | 11.2 | 132 | <1 | 1 | 9 | 16 | 28 | 36 | 50 |
| " MULTIPLE DX | 137 | 17.8 | 268 | 2 | 3 | 14 | 21 | 32 | 43 | 90 |
| TOTAL 0-19 YRS | 5 | 7.0 | 14 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 36 | 10.3 | 69 | <1 | 1 | 9 | 18 | 21 | 25 | 27 |
| 35-49 | 35 | 15.1 | 345 | 1 | 2 | 11 | 17 | 22 | 66 | 90 |
| 50-64 | 38 | 19.9 | 245 | 4 | 6 | 15 | 25 | 37 | 57 | 75 |
| 65+ | 59 | 19.6 | 279 | 2 | 4 | 16 | 25 | 39 | 47 | 91 |
| GRAND TOTAL | 173 | 16.4 | 246 | 2 | 2 | 13 | 21 | 31 | 42 | 87 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 10 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 5 | 5.4 | 27 | <1 | <1 | 4 | 8 | 14 | 14 | 14 |
| 35-49 | 79 | 6.5 | 5 | 4 | 4 | 6 | 7 | 10 | 12 | 14 |
| 50-64 | 1656 | 7.4 | 9 | 4 | 5 | 7 | 8 | 11 | 13 | 19 |
| 65+ | 3739 | 8.6 | 21 | 4 | 5 | 8 | 10 | 13 | 16 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 11.8 | 97 | 4 | 5 | 8 | 13 | 29 | 34 | 34 |
| 20-34 | 10 | 13.0 | 97 | 3 | 5 | 10 | 22 | 62 | 97 | 99+ |
| 35-49 | 95 | 9.7 | 47 | 3 | 5 | 8 | 11 | 17 | 23 | 41 |
| 50-64 | 2876 | 10.8 | 58 | 5 | 5 | 9 | 12 | 18 | 24 | 47 |
| 65+ | 10031 | 14.3 | 123 | 5 | 6 | 11 | 17 | 28 | 37 | 70 |
| TOT. SINGLE DX | 5483 | 8.2 | 18 | 4 | 5 | 7 | 9 | 12 | 15 | 24 |
| " MULTIPLE DX | 13020 | 13.5 | 111 | 5 | 6 | 10 | 16 | 26 | 35 | 65 |
| TOTAL 0-19 YRS | 12 | 9.5 | 76 | 2 | 3 | 7 | 9 | 23 | 32 | 34 |
| 20-34 | 15 | 10.5 | 84 | 1 | 2 | 8 | 14 | 35 | 81 | 99+ |
| 35-49 | 174 | 8.3 | 31 | 4 | 4 | 7 | 9 | 13 | 19 | 30 |
| 50-64 | 4532 | 9.5 | 43 | 4 | 5 | 8 | 11 | 16 | 21 | 38 |
| 65+ | 13770 | 12.8 | 102 | 5 | 6 | 9 | 15 | 24 | 33 | 62 |
| GRAND TOTAL | 18503 | 11.9 | 89 | 5 | 5 | 9 | 14 | 22 | 30 | 58 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 6.3 | 10 | 4 | 4 | 5 | 9 | 10 | 10 | 10 |
| 50-64 | 290 | 12.4 | 20 | 7 | 8 | 11 | 14 | 18 | 21 | 29 |
| 65+ | 558 | 13.3 | 24 | 8 | 8 | 12 | 16 | 20 | 22 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 113 | 2 | 2 | 9 | 17 | 17 | 17 | 17 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 13.3 | 13 | 10 | 10 | 11 | 17 | 19 | 19 | 19 |
| 50-64 | 477 | 15.2 | 41 | 8 | 9 | 14 | 18 | 23 | 28 | 38 |
| 65+ | 1753 | 17.2 | 80 | 9 | 10 | 15 | 20 | 27 | 35 | 56 |
| TOT. SINGLE DX | 854 | 13.0 | 24 | 7 | 8 | 12 | 15 | 19 | 21 | 29 |
| " MULTIPLE DX | 2240 | 16.8 | 73 | 9 | 10 | 15 | 19 | 26 | 33 | 53 |
| TOTAL 0-19 YRS | 4 | 6.5 | 50 | 2 | 2 | 3 | 10 | 17 | 17 | 17 |
| 20-34 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 10 | 11.2 | 23 | 4 | 4 | 11 | 13 | 18 | 19 | 19 |
| 50-64 | 767 | 14.1 | 35 | 8 | 9 | 13 | 16 | 22 | 26 | 37 |
| 65+ | 2311 | 16.3 | 70 | 8 | 9 | 14 | 19 | 25 | 31 | 53 |
| GRAND TOTAL | 3094 | 15.7 | 62 | 8 | 9 | 14 | 18 | 24 | 30 | 49 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 51 | 3.4 | 18 | 1 | 1 | 2 | 3 | 6 | 11 | 30 |
| 50-64 | 433 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 65+ | 713 | 4.3 | 25 | 1 | 2 | 3 | 4 | 8 | 13 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 7 | 7.7 | 36 | 1 | 1 | 8 | 11 | 17 | 18 | 18 |
| 35-49 | 51 | 5.3 | 34 | 1 | 1 | 3 | 6 | 11 | 18 | 28 |
| 50-64 | 426 | 7.0 | 69 | 1 | 2 | 4 | 9 | 15 | 21 | 41 |
| 65+ | 1080 | 10.0 | 104 | 2 | 2 | 7 | 13 | 22 | 30 | 55 |
| TOT. SINGLE DX | 1207 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 11 | 27 |
| " MULTIPLE DX | 1566 | 9.0 | 95 | 2 | 2 | 5 | 12 | 20 | 27 | 52 |
| TOTAL 0-19 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 16 | 4.7 | 23 | 1 | 1 | 2 | 6 | 12 | 16 | 18 |
| 35-49 | 102 | 4.4 | 27 | 1 | 1 | 3 | 4 | 10 | 13 | 29 |
| 50-64 | 859 | 5.1 | 42 | 1 | 2 | 3 | 5 | 11 | 16 | 29 |
| 65+ | 1793 | 7.7 | 81 | 1 | 2 | 4 | 10 | 18 | 26 | 46 |
| GRAND TOTAL | 2773 | 6.8 | 68 | 1 | 2 | 4 | 8 | 16 | 23 | 43 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 122 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 137 | 3.9 | 7 | 1 | 1 | 3 | 5 | 6 | 9 | 16 |
| 35-49 | 91 | 3.4 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 93 | 4.4 | 14 | 1 | 2 | 3 | 5 | 7 | 11 | 25 |
| 65+ | 68 | 4.9 | 12 | 2 | 2 | 4 | 5 | 9 | 14 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.2 | 16 | 1 | 1 | 3 | 5 | 7 | 13 | 21 |
| 20-34 | 57 | 5.7 | 22 | 2 | 2 | 4 | 6 | 11 | 17 | 25 |
| 35-49 | 67 | 8.0 | 80 | 2 | 2 | 5 | 9 | 15 | 24 | 49 |
| 50-64 | 101 | 7.8 | 110 | 2 | 2 | 5 | 8 | 14 | 23 | 68 |
| 65+ | 122 | 10.8 | 173 | 2 | 3 | 7 | 12 | 23 | 34 | 82 |
| TOT. SINGLE DX | 511 | 3.7 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| " MULTIPLE DX | 410 | 7.9 | 102 | 2 | 2 | 5 | 8 | 15 | 23 | 61 |
| TOTAL 0-19 YRS | 185 | 3.1 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 19 |
| 20-34 | 194 | 4.4 | 12 | 1 | 2 | 4 | 5 | 7 | 11 | 21 |
| 35-49 | 158 | 5.4 | 41 | 1 | 2 | 4 | 6 | 10 | 15 | 43 |
| 50-64 | 194 | 6.2 | 68 | 2 | 2 | 4 | 6 | 11 | 15 | 57 |
| 65+ | 190 | 8.7 | 123 | 2 | 3 | 5 | 9 | 16 | 24 | 69 |
| GRAND TOTAL | 921 | 5.5 | 54 | 1 | 2 | 4 | 6 | 11 | 15 | 40 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 3.7 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 20 |
| 20-34 | 218 | 5.5 | 17 | 2 | 2 | 4 | 6 | 9 | 16 | 22 |
| 35-49 | 86 | 5.4 | 15 | 2 | 2 | 4 | 7 | 12 | 14 | 19 |
| 50-64 | 92 | 6.5 | 29 | 2 | 2 | 5 | 8 | 13 | 21 | 25 |
| 65+ | 230 | 6.9 | 47 | 2 | 2 | 5 | 8 | 13 | 19 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 4.0 | 14 | 1 | 2 | 3 | 4 | 7 | 10 | 24 |
| 20-34 | 127 | 7.2 | 51 | 2 | 2 | 5 | 8 | 17 | 27 | 35 |
| 35-49 | 78 | 7.7 | 39 | 2 | 2 | 6 | 9 | 16 | 20 | 35 |
| 50-64 | 228 | 11.4 | 158 | 2 | 3 | 7 | 15 | 24 | 30 | 76 |
| 65+ | 656 | 13.4 | 132 | 3 | 3 | 10 | 18 | 30 | 36 | 63 |
| TOT. SINGLE DX | 805 | 5.6 | 27 | 2 | 2 | 4 | 6 | 11 | 16 | 24 |
| " MULTIPLE DX | 1216 | 11.0 | 121 | 2 | 3 | 7 | 14 | 25 | 33 | 56 |
| TOTAL 0-19 YRS | 304 | 3.8 | 12 | 1 | 2 | 3 | 4 | 7 | 9 | 21 |
| 20-34 | 345 | 6.1 | 31 | 2 | 2 | 4 | 7 | 11 | 17 | 32 |
| 35-49 | 166 | 6.5 | 28 | 2 | 2 | 5 | 8 | 14 | 16 | 21 |
| 50-64 | 320 | 10.0 | 126 | 2 | 3 | 6 | 12 | 21 | 27 | 60 |
| 65+ | 886 | 11.7 | 119 | 2 | 3 | 8 | 15 | 26 | 35 | 56 |
| GRAND TOTAL | 2021 | 8.9 | 91 | 2 | 2 | 5 | 11 | 20 | 28 | 48 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 953 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 125 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 16 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 7 |
| 50-64 | 6 | 5.8 | 13 | 3 | 3 | 5 | 6 | 12 | 13 | 13 |
| 65+ | 3 | 6.7 | 6 | 4 | 4 | 7 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 631 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 48 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 22 |
| 35-49 | 5 | 4.8 | 5 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| 50-64 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| TOT. SINGLE DX | 1103 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 689 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 1584 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 173 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 21 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 8 | 5.3 | 11 | 3 | 3 | 4 | 6 | 11 | 13 | 13 |
| 65+ | 6 | 5.8 | 5 | 3 | 3 | 6 | 7 | 9 | 9 | 9 |
| GRAND TOTAL | 1792 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 199 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 224 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 1C |
| 35-49 | 63 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 26 |
| 50-64 | 27 | 4.4 | 23 | 1 | 2 | 3 | 4 | 7 | 11 | 27 |
| 65+ | 10 | 9.9 | 158 | 2 | 2 | 5 | 10 | 29 | 44 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 86 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 74 | 3.5 | 11 | <1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 35-49 | 38 | 5.8 | 18 | 2 | 2 | 4 | 9 | 12 | 15 | 18 |
| 50-64 | 22 | 7.7 | 42 | 2 | 2 | 5 | 10 | 18 | 23 | 25 |
| 65+ | 17 | 9.8 | 103 | 3 | 3 | 5 | 12 | 25 | 34 | 39 |
| TOT. SINGLE DX | 523 | 2.9 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| " MULTIPLE DX | 237 | 4.8 | 24 | 1 | 1 | 3 | 5 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 285 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 298 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 101 | 4.4 | 16 | 1 | 2 | 3 | 5 | 9 | 12 | 23 |
| 50-64 | 49 | 5.9 | 34 | 2 | 2 | 4 | 6 | 14 | 21 | 27 |
| 65+ | 27 | 9.9 | 119 | 2 | 3 | 5 | 12 | 25 | 40 | 44 |
| GRAND TOTAL | 760 | 3.5 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 22 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 210 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| 35-49 | 172 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 50-64 | 17 | 2.6 | 8 | <1 | <1 | <1 | 3 | 8 | 10 | 11 |
| 65+ | 5 | 8.8 | 22 | 3 | 3 | 9 | 11 | 16 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 51 | 3.1 | 23 | <1 | <1 | 2 | 3 | 5 | 10 | 34 |
| 35-49 | 64 | 4.4 | 102 | <1 | <1 | 2 | 4 | 10 | 11 | 71 |
| 50-64 | 23 | 4.8 | 24 | <1 | 1 | 3 | 8 | 9 | 14 | 22 |
| 65+ | 18 | 14.4 | 169 | 2 | 2 | 11 | 21 | 31 | 44 | 52 |
| TOT. SINGLE DX | 407 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |
| " MULTIPLE DX | 158 | 5.1 | 82 | <1 | <1 | 2 | 4 | 11 | 19 | 51 |
| TOTAL 0-19 YRS | 5 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 261 | 1.6 | 6 | <1 | <1 | <1 | 1 | 2 | 4 | 10 |
| 35-49 | 236 | 2.1 | 30 | <1 | <1 | 1 | 2 | 3 | 6 | 12 |
| 50-64 | 40 | 3.9 | 18 | <1 | <1 | 2 | 6 | 9 | 10 | 22 |
| 65+ | 23 | 13.2 | 140 | 2 | 2 | 9 | 17 | 29 | 39 | 52 |
| GRAND TOTAL | 565 | 2.4 | 27 | <1 | <1 | <1 | 2 | 4 | 9 | 22 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 468 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1009 | 2.8 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 594 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | 509 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 11 |
| 65+ | 197 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 299 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 416 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 275 | 4.2 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 22 |
| 50-64 | 379 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 21 |
| 65+ | 273 | 7.4 | 63 | 2 | 3 | 5 | 8 | 14 | 20 | 34 |
| TOT. SINGLE DX | 2777 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 1642 | 4.4 | 19 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 767 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1425 | 2.9 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 869 | 3.3 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 888 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 65+ | 470 | 6.0 | 41 | 2 | 3 | 4 | 6 | 11 | 14 | 31 |
| GRAND TOTAL | 4419 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 451 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 190 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 134 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 50-64 | 97 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 65+ | 62 | 3.1 | 28 | 1 | 2 | 2 | 3 | 4 | 5 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 102 | 2.6 | 11 | <1 | <1 | 2 | 2 | 5 | 8 | 22 |
| 20-34 | 84 | 3.9 | 22 | 1 | 1 | 2 | 3 | 10 | 13 | 26 |
| 35-49 | 131 | 4.0 | 13 | 1 | 1 | 2 | 4 | 9 | 11 | 19 |
| 50-64 | 184 | 4.8 | 35 | 1 | 2 | 3 | 5 | 11 | 15 | 32 |
| 65+ | 165 | 6.9 | 67 | 2 | 2 | 3 | 8 | 16 | 26 | 50 |
| TOT. SINGLE DX | 2409 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| " MULTIPLE DX | 1326 | 5.1 | 53 | 1 | 1 | 3 | 5 | 12 | 18 | 37 |
| TOTAL 0-19 YRS | 1587 | 2.6 | 27 | <1 | <1 | 2 | 2 | 3 | 8 | 27 |
| 20-34 | 583 | 2.3 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 35-49 | 526 | 2.9 | 7 | 1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 50-64 | 604 | 3.5 | 18 | 1 | 1 | 2 | 3 | 7 | 11 | 21 |
| 65+ | 435 | 5.3 | 53 | 1 | 2 | 3 | 5 | 12 | 21 | 45 |
| GRAND TOTAL | 3735 | 3.1 | 23 | <1 | <1 | 2 | 3 | 5 | 10 | 27 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 106 | 2.8 | 8 | <1 | <1 | 2 | 3 | 7 | 9 | 14 |
| 20-34 | 146 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 9 | 15 |
| 35-49 | 85 | 4.3 | 12 | <1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 50-64 | 139 | 4.7 | 6 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 65+ | 62 | 7.3 | 76 | 2 | 2 | 5 | 8 | 12 | 15 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 3.6 | 13 | <1 | <1 | 2 | 4 | 9 | 12 | 16 |
| 20-34 | 83 | 6.1 | 118 | 1 | 1 | 3 | 8 | 12 | 14 | 72 |
| 35-49 | 136 | 6.0 | 17 | 1 | 2 | 5 | 9 | 11 | 14 | 20 |
| 50-64 | 191 | 7.5 | 25 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| 65+ | 124 | 12.5 | 239 | 2 | 3 | 8 | 13 | 23 | 48 | 86 |
| TOT. SINGLE DX | 538 | 4.0 | 18 | <1 | <1 | 3 | 5 | 9 | 10 | 15 |
| " MULTIPLE DX | 582 | 7.7 | 88 | 1 | 2 | 5 | 9 | 14 | 18 | 52 |
| TOTAL 0-19 YRS | 154 | 3.0 | 10 | <1 | <1 | 2 | 3 | 7 | 10 | 16 |
| 20-34 | 229 | 3.9 | 50 | <1 | <1 | 2 | 4 | 9 | 12 | 22 |
| 35-49 | 221 | 5.3 | 16 | 1 | 1 | 4 | 8 | 11 | 13 | 19 |
| 50-64 | 330 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 186 | 10.8 | 191 | 2 | 3 | 7 | 11 | 19 | 38 | 83 |
| GRAND TOTAL | 1120 | 5.9 | 58 | <1 | 1 | 4 | 8 | 11 | 15 | 38 |

## 659 Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 330 | 6.1 | 4 | 3 | 4 | 6 | 7 | 8 | 10 | 13 |
| 20-34 | 1237 | 6.1 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 170 | 6.5 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 16 |
| 50-64 | 39 | 9.2 | 20 | 4 | 6 | 8 | 11 | 17 | 20 | 21 |
| 65+ | 18 | 13.8 | 56 | 6 | 6 | 13 | 17 | 21 | 30 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 287 | 6.6 | 7 | 4 | 4 | 6 | 7 | 9 | 12 | 17 |
| 20-34 | 1838 | 6.7 | 8 | 3 | 4 | 6 | 8 | 9 | 11 | 16 |
| 35-49 | 359 | 8.7 | 33 | 3 | 4 | 7 | 9 | 15 | 19 | 31 |
| 50-64 | 85 | 15.2 | 145 | 4 | 6 | 12 | 19 | 32 | 44 | 90 |
| 65+ | 84 | 22.4 | 210 | 7 | 9 | 18 | 29 | 46 | 53 | 60 |
| TOT. SINGLE DX | 1794 | 6.3 | 6 | 3 | 4 | 6 | 7 | 8 | 10 | 17 |
| " MULTIPLE DX | 2653 | 7.7 | 32 | 3 | 4 | 6 | 8 | 12 | 17 | 37 |
| TOTAL 0-19 YRS | 617 | 6.3 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 16 |
| 20-34 | 3075 | 6.4 | 7 | 3 | 4 | 6 | 7 | 9 | 10 | 17 |
| 35-49 | 529 | 8.0 | 26 | 3 | 4 | 7 | 8 | 13 | 18 | 29 |
| 50-64 | 124 | 13.3 | 113 | 4 | 6 | 10 | 15 | 25 | 37 | 80 |
| 65+ | 102 | 20.9 | 193 | 7 | 8 | 17 | 26 | 44 | 52 | 60 |
| GRAND TOTAL | 4447 | 7.1 | 22 | 3 | 4 | 6 | 8 | 10 | 13 | 28 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 125 | 6.8 | 4 | 4 | 4 | 7 | 8 | 10 | 11 | 14 |
| 20-34 | 770 | 6.7 | 7 | 4 | 5 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 303 | 7.1 | 8 | 4 | 5 | 7 | 8 | 10 | 12 | 20 |
| 50-64 | 62 | 9.4 | 10 | 5 | 6 | 9 | 11 | 14 | 17 | 19 |
| 65+ | 20 | 11.8 | 46 | 6 | 6 | 9 | 16 | 23 | 27 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 169 | 7.3 | 6 | 4 | 5 | 7 | 9 | 11 | 12 | 15 |
| 20-34 | 1364 | 7.5 | 12 | 4 | 5 | 7 | 8 | 11 | 13 | 24 |
| 35-49 | 757 | 8.2 | 19 | 5 | 5 | 7 | 9 | 13 | 16 | 25 |
| 50-64 | 123 | 13.2 | 96 | 5 | 6 | 10 | 17 | 24 | 36 | 84 |
| 65+ | 123 | 19.0 | 165 | 7 | 7 | 15 | 25 | 35 | 49 | 99+ |
| TOT. SINGLE DX | 1280 | 7.1 | 9 | 4 | 5 | 6 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 2536 | 8.5 | 33 | 4 | 5 | 7 | 9 | 13 | 19 | 33 |
| TOTAL 0-19 YRS | 294 | 7.1 | 6 | 4 | 5 | 7 | 8 | 11 | 12 | 15 |
| 20-34 | 2134 | 7.2 | 10 | 4 | 5 | 7 | 8 | 10 | 12 | 21 |
| 35-49 | 1060 | 7.9 | 17 | 4 | 5 | 7 | 8 | 12 | 15 | 24 |
| 50-64 | 185 | 12.0 | 71 | 5 | 6 | 10 | 14 | 22 | 26 | 64 |
| 65+ | 143 | 18.0 | 154 | 7 | 7 | 14 | 25 | 34 | 45 | 99+ |
| GRAND TOTAL | 3816 | 8.0 | 25 | 4 | 5 | 7 | 8 | 12 | 16 | 30 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 6 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 52 | 6.3 | 6 | 2 | 4 | 6 | 7 | 9 | 12 | 14 |
| 35-49 | 86 | 8.1 | 9 | 4 | 5 | 8 | 9 | 12 | 13 | 20 |
| 50-64 | 64 | 9.5 | 17 | 6 | 6 | 8 | 10 | 16 | 19 | 24 |
| 65+ | 41 | 11.7 | 149 | 6 | 6 | 9 | 11 | 16 | 21 | 84 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 9.6 | 30 | 4 | 4 | 7 | 15 | 16 | 16 | 16 |
| 20-34 | 154 | 8.0 | 11 | 5 | 5 | 7 | 9 | 11 | 15 | 19 |
| 35-49 | 353 | 9.7 | 42 | 5 | 5 | 8 | 10 | 16 | 20 | 42 |
| 50-64 | 205 | 14.0 | 73 | 6 | 6 | 12 | 17 | 25 | 30 | 48 |
| 65+ | 128 | 18.5 | 138 | 6 | 7 | 16 | 25 | 39 | 49 | 99+ |
| TOT. SINGLE DX | 248 | 8.6 | 36 | 4 | 5 | 7 | 9 | 13 | 16 | 22 |
| " MULTIPLE DX | 845 | 11.8 | 71 | 5 | 6 | 9 | 14 | 21 | 29 | 49 |
| TOTAL 0-19 YRS | 10 | 7.4 | 22 | <1 | 2 | 6 | 8 | 15 | 16 | 16 |
| 20-34 | 206 | 7.5 | 11 | 4 | 5 | 7 | 8 | 11 | 14 | 18 |
| 35-49 | 439 | 9.4 | 37 | 5 | 5 | 8 | 10 | 16 | 18 | 37 |
| 50-64 | 269 | 12.9 | 63 | 6 | 6 | 10 | 16 | 23 | 28 | 46 |
| 65+ | 169 | 16.9 | 149 | 6 | 7 | 13 | 22 | 35 | 48 | 99+ |
| GRAND TOTAL | 1093 | 11.1 | 65 | 5 | 6 | 8 | 13 | 19 | 27 | 49 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 4.0 | 22 | 1 | 1 | 2 | 5 | 9 | 11 | 29 |
| 20-34 | 195 | 3.9 | 7 | <1 | 1 | 3 | 6 | 7 | 8 | 12 |
| 35-49 | 46 | 4.6 | 17 | <1 | 1 | 3 | 7 | 9 | 14 | 18 |
| 50-64 | 7 | 6.0 | 32 | 2 | 2 | 5 | 7 | 16 | 18 | 18 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 5.0 | 12 | 1 | 2 | 4 | 7 | 10 | 13 | 16 |
| 20-34 | 479 | 4.9 | 10 | 1 | 1 | 5 | 6 | 8 | 10 | 15 |
| 35-49 | 118 | 6.6 | 25 | 1 | 2 | 6 | 8 | 11 | 16 | 31 |
| 50-64 | 13 | 13.7 | 91 | 1 | 3 | 9 | 21 | 29 | 31 | 31 |
| 65+ | 12 | 21.5 | 132 | 8 | 9 | 17 | 31 | 39 | 42 | 43 |
| TOT. SINGLE DX | 291 | 4.1 | 12 | <1 | 1 | 3 | 6 | 7 | 9 | 18 |
| " MULTIPLE DX | 670 | 5.7 | 23 | 1 | 2 | 5 | 7 | 9 | 13 | 30 |
| TOTAL 0-19 YRS | 90 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 24 |
| 20-34 | 674 | 4.6 | 10 | 1 | 1 | 5 | 6 | 8 | 9 | 15 |
| 35-49 | 164 | 6.0 | 24 | 1 | 2 | 6 | 8 | 11 | 15 | 29 |
| 50-64 | 20 | 11.0 | 82 | 1 | 2 | 8 | 18 | 25 | 30 | 31 |
| 65+ | 13 | 20.4 | 138 | 7 | 8 | 16 | 30 | 38 | 42 | 43 |
| GRAND TOTAL | 961 | 5.2 | 20 | 1 | 1 | 5 | 7 | 9 | 12 | 27 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 20-34 | 3665 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 1778 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 50-64 | 5 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2667 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 1584 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 3 | 9 |
| 50-64 | 10 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5459 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 4270 | 1.9 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 20 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| 20-34 | 6332 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 3362 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 50-64 | 15 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 9729 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 11 | 2.9 | 2 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 3034 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1302 | 2.7 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 7 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 25 | 4.5 | 6 | 1 | 1 | 4 | 5 | 8 | 10 | 13 |
| 20-34 | 5742 | 3.8 | 3 | 1 | 2 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 1869 | 3.8 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 12 | 6.5 | 31 | 2 | 2 | 4 | 9 | 16 | 18 | 18 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| TOT. SINGLE DX | 4354 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 7648 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 6 | 10 |
| TOTAL 0-19 YRS | 36 | 4.0 | 6 | <1 | 1 | 4 | 5 | 6 | 9 | 13 |
| 20-34 | 8776 | 3.4 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3171 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 19 | 5.0 | 23 | 1 | 2 | 3 | 7 | 13 | 17 | 18 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| GRAND TOTAL | 12002 | 3.4 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 110 | 6.2 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 14 |
| 20-34 | 1721 | 5.5 | 6 | 2 | 3 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 293 | 5.3 | 9 | 1 | 2 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 5 | 7.0 | 6 | 4 | 4 | 8 | 9 | 9 | 9 | 9 |
| 65+ | 3 | 10.0 | 31 | 4 | 4 | 11 | 14 | 15 | 15 | 15 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 82 | 6.9 | 11 | 3 | 4 | 6 | 7 | 10 | 14 | 22 |
| 20-34 | 1704 | 5.9 | 8 | 2 | 2 | 6 | 7 | 8 | 10 | 16 |
| 35-49 | 367 | 5.8 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 16 |
| 50-64 | 7 | 8.6 | 13 | 3 | 3 | 9 | 11 | 13 | 14 | 14 |
| 65+ | 6 | 12.0 | 82 | 2 | 2 | 11 | 16 | 26 | 27 | 27 |
| TOT. SINGLE DX | 2132 | 5.5 | 7 | 2 | 2 | 6 | 7 | 8 | 9 | 11 |
| " MULTIPLE DX | 2166 | 6.0 | 9 | 2 | 2 | 6 | 7 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 192 | 6.5 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 18 |
| 20-34 | 3425 | 5.7 | 7 | 2 | 2 | 6 | 7 | 8 | 9 | 14 |
| 35-49 | 660 | 5.6 | 9 | 1 | 2 | 6 | 7 | 8 | 10 | 15 |
| 50-64 | 12 | 7.9 | 10 | 3 | 4 | 8 | 10 | 12 | 14 | 14 |
| 65+ | 9 | 11.3 | 60 | 2 | 3 | 11 | 15 | 23 | 27 | 27 |
| GRAND TOTAL | 4298 | 5.8 | 8 | 2 | 2 | 6 | 7 | 8 | 9 | 15 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 40 | 2.1 |  | <1 | <1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 1023 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 415 | 2.7 | 14 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 139 | 2.8 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 51 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 11 | 19 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24 | 2.5 |  | 1 | 2 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 611 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 402 | 3.3 | 21 | 1 | 1 | 2 | 3 | 5 | 8 | 29 |
| 50-64 | 145 | 4.2 | 29 | 1 | 2 | 3 | 4 | 8 | 19 | 32 |
| 65+ | 63 | 7.0 | 134 | 1 | 2 | 3 | 6 | 11 | 30 | 73 |
| TOT. SINGLE DX | 1668 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| " MULTIPLE DX | 1245 | 3.3 | 19 | 1 | 1 | 2 | 3 | 5 | 7 | 24 |
| TOTAL 0-19 YRS | 64 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1634 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 817 | 3.0 | 18 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 284 | 3.5 | 17 | 1 | 1 | 3 | 3 | 5 | 10 | 26 |
| 65+ | 114 | 5.6 | 81 | 1 | 2 | 3 | 5 | 11 | 17 | 56 |
| GRAND TOTAL | 2913 | 2.9 | 11 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 48 | 1.7 |  | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 651 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 941 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 585 | 2.4 | 7 | <1 | 1 | 2 | 2 | 3 | 7 | 16 |
| 65+ | 229 | 4.1 | 28 | 1 | 1 | 2 | 4 | 9 | 11 | 21 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 53 | 2.7 | 20 | <1 | <1 | 2 | 2 | 3 | 4 | 31 |
| 20-34 | 1034 | 2.5 | 5 | <1 | 1 | 2 | 2 | 4 | 7 | 12 |
| 35-49 | 2079 | 2.6 | 11 | <1 | 1 | 2 | 2 | 4 | 7 | 15 |
| 50-64 | 1213 | 3.4 | 25 | 1 | 1 | 2 | 3 | 6 | 11 | 24 |
| 65+ | 554 | 7.4 | 101 | 2 | 2 | 3 | 9 | 17 | 26 | 65 |
| TOT. SINGLE DX | 2454 | 2.4 | 8 | <1 | 1 | 2 | 2 | 4 | 6 | 13 |
| " MULTIPLE DX | 4933 | 3.3 | 26 | <1 | 1 | 2 | 3 | 6 | 10 | 25 |
| TOTAL 0-19 YRS | 101 | 2.2 | 11 | <1 | <1 | 2 | 2 | 3 | 4 | 23 |
| 20-34 | 1685 | 2.4 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 35-49 | 3020 | 2.4 | 8 | <1 | 1 | 2 | 2 | 3 | 6 | 14 |
| 50-64 | 1798 | 3.1 | 20 | <1 | 1 | 2 | 2 | 5 | 9 | 23 |
| 65+ | 783 | 6.5 | 63 | 1 | 2 | 3 | 8 | 14 | 21 | 60 |
| GRAND TOTAL | 7387 | 3.0 | 20 | <1 | 1 | 2 | 3 | 5 | 9 | 22 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 3.0 | 1 | 1 | 1 | 3 | 3 | 5 | 6 | 7 |
| 20-34 | 642 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 82 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 181 | 4.2 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 16 |
| 35-49 | 30 | 4.0 | 5 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| TOT. SINGLE DX | 748 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| " MULTIPLE DX | 223 | 4.2 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 30 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 7 |
| 20-34 | 823 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 112 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 4 | 3.8 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| GRAND TOTAL | 971 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 4.1 | 12 | <1 | <1 | 2 | 6 | 9 | 12 | 12 |
| 20-34 | 315 | 5.9 | 7 | 1 | 1 | 6 | 8 | 9 | 10 | 12 |
| 35-49 | 163 | 5.1 | 13 | <1 | 1 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | 64 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 65+ | 25 | 4.4 | 11 | 1 | 2 | 3 | 6 | 10 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 3.5 | 5 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 477 | 6.8 | 27 | 1 | 2 | 7 | 8 | 9 | 12 | 29 |
| 35-49 | 367 | 6.2 | 45 | 1 | 2 | 6 | 8 | 10 | 13 | 26 |
| 50-64 | 148 | 4.9 | 68 | 1 | 1 | 2 | 4 | 11 | 18 | 55 |
| 65+ | 70 | 9.8 | 231 | 1 | 2 | 3 | 12 | 23 | 44 | 82 |
| TOT. SINGLE DX | 577 | 5.2 | 10 | <1 | 1 | 6 | 7 | 9 | 10 | 13 |
| " MULTIPLE DX | 1072 | 6.5 | 53 | 1 | 2 | 6 | 8 | 10 | 14 | 43 |
| TOTAL 0-19 YRS | 20 | 3.8 | 9 | <1 | <1 | 2 | 6 | 7 | 10 | 12 |
| 20-34 | 792 | 6.4 | 20 | 1 | 2 | 6 | 8 | 9 | 10 | 18 |
| 35-49 | 530 | 5.8 | 38 | <1 | 1 | 6 | 8 | 10 | 12 | 25 |
| 50-64 | 212 | 4.2 | 50 | 1 | 1 | 2 | 4 | 8 | 13 | 52 |
| 65+ | 95 | 8.3 | 178 | 1 | 2 | 3 | 10 | 17 | 38 | 76 |
| GRAND TOTAL | 1649 | 6.0 | 39 | 1 | 1 | 6 | 8 | 10 | 12 | 30 |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 7.3 | 2 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 771 | 7.4 | 5 | 5 | 6 | 7 | 8 | 9 | 11 | 16 |
| 35-49 | 2450 | 7.8 | 4 | 6 | 6 | 7 | 8 | 10 | 11 | 16 |
| 50-64 | 938 | 8.7 | 8 | 6 | 6 | 8 | 9 | 12 | 14 | 20 |
| 65+ | 400 | 10.9 | 31 | 6 | 7 | 9 | 12 | 16 | 21 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 9.3 | 20 | 5 | 6 | 8 | 9 | 14 | 23 | 23 |
| 20-34 | 2798 | 8.2 | 12 | 5 | 6 | 7 | 9 | 11 | 13 | 22 |
| 35-49 | 10907 | 8.7 | 14 | 6 | 6 | 8 | 9 | 12 | 15 | 24 |
| 50-64 | 3585 | 9.9 | 26 | 6 | 6 | 8 | 10 | 15 | 19 | 33 |
| 65+ | 1327 | 14.8 | 93 | 7 | 7 | 12 | 18 | 26 | 33 | 60 |
| TOT. SINGLE DX | 4567 | 8.2 | 9 | 6 | 6 | 8 | 9 | 11 | 13 | 20 |
| " MULTIPLE DX | 18641 | 9.3 | 25 | 6 | 6 | 8 | 10 | 13 | 17 | 30 |
| TOTAL 0-19 YRS | 32 | 8.8 | 17 | 5 | 6 | 8 | 9 | 11 | 22 | 23 |
| 20-34 | 3569 | 8.0 | 11 | 5 | 6 | 7 | 9 | 11 | 13 | 21 |
| 35-49 | 13357 | 8.5 | 13 | 6 | 6 | 8 | 9 | 11 | 14 | 23 |
| 50-64 | 4523 | 9.6 | 23 | 6 | 6 | 8 | 10 | 14 | 18 | 30 |
| 65+ | 1727 | 13.9 | 82 | 7 | 7 | 11 | 16 | 24 | 31 | 54 |
| GRAND TOTAL | 23208 | 9.1 | 22 | 6 | 6 | 8 | 9 | 13 | 17 | 29 |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 240 | 6.4 | 3 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |
| 35-49 | 377 | 7.3 | 8 | 4 | 5 | 7 | 8 | 10 | 11 | 17 |
| 50-64 | 357 | 8.4 | 8 | 5 | 6 | 8 | 9 | 11 | 14 | 20 |
| 65+ | 318 | 8.9 | 13 | 6 | 6 | 8 | 10 | 13 | 14 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 677 | 7.2 | 9 | 5 | 5 | 7 | 8 | 10 | 12 | 16 |
| 35-49 | 1689 | 8.1 | 11 | 5 | 5 | 7 | 9 | 12 | 14 | 21 |
| 50-64 | 1029 | 9.1 | 12 | 5 | 6 | 8 | 10 | 13 | 16 | 23 |
| 65+ | 918 | 11.0 | 51 | 6 | 7 | 9 | 11 | 16 | 21 | 53 |
| TOT. SINGLE DX | 1292 | 7.8 | 10 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| " MULTIPLE DX | 4313 | 8.8 | 22 | 5 | 5 | 8 | 10 | 13 | 16 | 28 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 917 | 7.0 | 8 | 4 | 5 | 6 | 8 | 9 | 11 | 15 |
| 35-49 | 2066 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 20 |
| 50-64 | 1386 | 8.9 | 12 | 5 | 6 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 1236 | 10.4 | 42 | 6 | 6 | 9 | 11 | 15 | 19 | 48 |
| GRAND TOTAL | 5605 | 8.6 | 19 | 5 | 5 | 8 | 9 | 12 | 15 | 25 |

### 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 13.6 | 30 | 6 | 8 | 12 | 17 | 22 | 23 | 23 |
| 35-49 | 17 | 15.8 | 31 | 8 | 10 | 13 | 21 | 24 | 25 | 25 |
| 50-64 | 20 | 14.9 | 47 | 7 | 8 | 11 | 19 | 25 | 29 | 30 |
| 65+ | 6 | 11.2 | 16 | 6 | 6 | 11 | 15 | 16 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 12.6 | 12 | 8 | 8 | 13 | 16 | 17 | 17 | 17 |
| 35-49 | 48 | 18.4 | 104 | 8 | 10 | 16 | 23 | 33 | 36 | 99+ |
| 50-64 | 47 | 19.8 | 198 | 8 | 9 | 14 | 23 | 35 | 60 | 67 |
| 65+ | 22 | 16.2 | 45 | 7 | 9 | 15 | 20 | 26 | 29 | 31 |
| TOT. SINGLE DX | 57 | 14.4 | 35 | 7 | 7 | 12 | 18 | 23 | 25 | 30 |
| " MULTIPLE DX | 128 | 18.0 | 123 | 8 | 9 | 15 | 20 | 30 | 37 | 74 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 25 | 13.2 | 21 | 7 | 8 | 12 | 16 | 21 | 22 | 23 |
| 35-49 | 65 | 17.7 | 86 | 8 | 10 | 16 | 23 | 30 | 34 | 95 |
| 50-64 | 67 | 18.3 | 157 | 7 | 9 | 14 | 21 | 30 | 55 | 66 |
| 65+ | 28 | 15.1 | 43 | 6 | 7 | 14 | 19 | 26 | 27 | 31 |
| GRAND TOTAL | 185 | 16.9 | 99 | 7 | 9 | 14 | 20 | 27 | 33 | 67 |

### 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 574 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 20-34 | 2495 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 35-49 | 337 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 4.2 | 135 | <1 | <1 | 2 | 3 | 6 | 8 | 80 |
| 20-34 | 488 | 2.8 | 20 | <1 | <1 | 2 | 3 | 5 | 8 | 23 |
| 35-49 | 261 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3406 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| " MULTIPLE DX | 801 | 2.7 | 23 | <1 | <1 | 2 | 2 | 5 | 7 | 18 |
| TOTAL 0-19 YRS | 626 | 1.4 | 12 | <1 | <1 | <1 | 1 | 2 | 3 | 6 |
| 20-34 | 2983 | 1.4 | 4 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 35-49 | 598 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4207 | 1.4 | 5 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |

### 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2238 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 20402 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 35-49 | 10541 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 50-64 | 3967 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 8 |
| 65+ | 825 | 3.2 | 17 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 745 | 3.1 | 18 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 9835 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 11368 | 2.6 | 10 | <1 | <1 | 2 | 2 | 4 | 8 | 15 |
| 50-64 | 4789 | 2.9 | 17 | <1 | 1 | 2 | 2 | 5 | 9 | 22 |
| 65+ | 1565 | 6.1 | 80 | 1 | 2 | 3 | 7 | 14 | 23 | 53 |
| TOT. SINGLE DX | 37973 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| " MULTIPLE DX | 28302 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 2983 | 2.1 | 7 | <1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 20-34 | 30237 | 2.0 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 21909 | 2.1 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 50-64 | 8756 | 2.4 | 10 | <1 | <1 | 2 | 2 | 3 | 7 | 17 |
| 65+ | 2390 | 5.1 | 60 | 1 | 2 | 2 | 5 | 11 | 17 | 46 |
| GRAND TOTAL | 66275 | 2.2 | 8 | <1 | <1 | 2 | 2 | 3 | 6 | 13 |

### 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1947 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 20-34 | 7098 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 35-49 | 1006 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 846 | 1.3 | 4 | <1 | <1 | <1 | <1 | 1 | 2 | 9 |
| 20-34 | 3375 | 1.7 | 6 | <1 | <1 | <1 | 1 | 3 | 4 | 13 |
| 35-49 | 860 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 10051 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| " MULTIPLE DX | 5081 | 1.7 | 6 | <1 | <1 | <1 | 1 | 3 | 4 | 12 |
| TOTAL 0-19 YRS | 2793 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 20-34 | 10473 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| 35-49 | 1866 | 1.5 | 2 | <1 | <1 | <1 | 2 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 15132 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 295 | 1.4 | | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 1968 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 332 | 1.5 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| 50-64 | 7 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 3.0 | 9 | <1 | 1 | 2 | 4 | 7 | 11 | 13 |
| 20-34 | 310 | 2.6 | 11 | <1 | 1 | 2 | 3 | 6 | 7 | 18 |
| 35-49 | 86 | 3.3 | 40 | <1 | <1 | 2 | 3 | 5 | 12 | 40 |
| 50-64 | 12 | 6.7 | 171 | <1 | <1 | 2 | 3 | 23 | 44 | 47 |
| 65+ | 5 | 8.8 | 15 | 3 | 3 | 8 | 12 | 13 | 13 | 13 |
| TOT. SINGLE DX | 2605 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| " MULTIPLE DX | 456 | 3.0 | 21 | <1 | <1 | 2 | 3 | 6 | 8 | 27 |
| TOTAL 0-19 YRS | 338 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 2278 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 418 | 1.9 | 10 | <1 | <1 | 1 | 2 | 3 | 4 | 13 |
| 50-64 | 19 | 4.9 | 111 | <1 | <1 | 2 | 3 | 9 | 32 | 47 |
| 65+ | 8 | 6.1 | 23 | 1 | 1 | 5 | 10 | 13 | 13 | 13 |
| GRAND TOTAL | 3061 | 1.6 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 28 | 5.2 | 5 | 1 | 2 | 6 | 6 | 7 | 8 | 12 |
| 35-49 | 10 | 4.8 | 8 | 1 | 1 | 5 | 7 | 8 | 9 | 9 |
| 50-64 | 12 | 8.7 | 20 | 5 | 5 | 7 | 9 | 14 | 21 | 22 |
| 65+ | 12 | 10.3 | 21 | 6 | 7 | 9 | 11 | 17 | 22 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 8.8 | 22 | 6 | 6 | 6 | 11 | 17 | 17 | 17 |
| 20-34 | 63 | 6.4 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 20 | 7.4 | 16 | <1 | 1 | 7 | 9 | 13 | 15 | 17 |
| 50-64 | 26 | 9.3 | 33 | 2 | 5 | 8 | 9 | 15 | 21 | 32 |
| 65+ | 19 | 10.9 | 28 | 6 | 7 | 9 | 12 | 17 | 24 | 29 |
| TOT. SINGLE DX | 65 | 6.7 | 16 | 1 | 2 | 6 | 8 | 10 | 13 | 23 |
| " MULTIPLE DX | 133 | 7.8 | 20 | 2 | 4 | 7 | 9 | 13 | 17 | 30 |
| TOTAL 0-19 YRS | 8 | 7.3 | 18 | 3 | 4 | 6 | 8 | 15 | 17 | 17 |
| 20-34 | 91 | 6.0 | 7 | 2 | 3 | 6 | 7 | 8 | 10 | 16 |
| 35-49 | 30 | 6.5 | 15 | 1 | 1 | 7 | 8 | 11 | 13 | 17 |
| 50-64 | 38 | 9.1 | 29 | 3 | 5 | 8 | 9 | 14 | 20 | 32 |
| 65+ | 31 | 10.7 | 25 | 6 | 7 | 9 | 12 | 16 | 23 | 29 |
| GRAND TOTAL | 198 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 16 | 26 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 3.6 | 7 | <1 | <1 | 3 | 6 | 7 | 8 | 13 |
| 20-34 | 278 | 3.7 | 9 | <1 | <1 | 2 | 6 | 8 | 8 | 10 |
| 35-49 | 59 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 50-64 | 42 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| 65+ | 40 | 4.1 | 1 | 2 | 3 | 4 | 4 | 6 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 5.8 | 20 | 1 | 1 | 5 | 8 | 11 | 15 | 20 |
| 20-34 | 218 | 4.9 | 25 | <1 | 1 | 4 | 7 | 8 | 10 | 28 |
| 35-49 | 102 | 4.5 | 16 | <1 | 1 | 3 | 6 | 8 | 11 | 23 |
| 50-64 | 68 | 5.1 | 18 | 1 | 2 | 4 | 5 | 11 | 12 | 24 |
| 65+ | 66 | 5.6 | 26 | 2 | 2 | 4 | 5 | 13 | 17 | 26 |
| TOT. SINGLE DX | 466 | 3.8 | 8 | <1 | 1 | 3 | 6 | 8 | 8 | 10 |
| " MULTIPLE DX | 478 | 5.0 | 22 | <1 | 1 | 4 | 6 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 71 | 4.4 | 13 | <1 | <1 | 4 | 6 | 8 | 10 | 19 |
| 20-34 | 496 | 4.2 | 17 | <1 | <1 | 3 | 7 | 8 | 9 | 16 |
| 35-49 | 161 | 4.2 | 13 | <1 | 1 | 3 | 6 | 8 | 10 | 23 |
| 50-64 | 110 | 4.7 | 13 | 1 | 2 | 4 | 5 | 10 | 11 | 23 |
| 65+ | 106 | 5.1 | 17 | 2 | 2 | 4 | 5 | 8 | 14 | 24 |
| GRAND TOTAL | 944 | 4.4 | 16 | <1 | 1 | 4 | 6 | 8 | 10 | 22 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 77 | 6.8 | 18 | 3 | 3 | 6 | 8 | 10 | 12 | 31 |
| 35-49 | 252 | 7.4 | 7 | 4 | 5 | 7 | 9 | 11 | 13 | 15 |
| 50-64 | 517 | 7.3 | 6 | 4 | 5 | 7 | 8 | 10 | 12 | 17 |
| 65+ | 334 | 8.1 | 7 | 4 | 5 | 8 | 9 | 11 | 13 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 172 | 7.2 | 9 | 3 | 4 | 7 | 9 | 11 | 13 | 18 |
| 35-49 | 549 | 8.2 | 11 | 4 | 5 | 8 | 10 | 12 | 14 | 20 |
| 50-64 | 816 | 9.0 | 17 | 5 | 5 | 8 | 10 | 14 | 16 | 26 |
| 65+ | 643 | 10.6 | 56 | 5 | 6 | 9 | 12 | 16 | 21 | 48 |
| TOT. SINGLE DX | 1180 | 7.5 | 8 | 4 | 5 | 7 | 9 | 11 | 12 | 17 |
| " MULTIPLE DX | 2183 | 9.1 | 28 | 4 | 5 | 8 | 10 | 14 | 17 | 26 |
| TOTAL 0-19 YRS | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 249 | 7.1 | 12 | 3 | 4 | 7 | 8 | 11 | 12 | 18 |
| 35-49 | 801 | 8.0 | 11 | 4 | 5 | 7 | 9 | 12 | 14 | 19 |
| 50-64 | 1333 | 8.[illegible] | 14 | 4 | 5 | 8 | 9 | 12 | 15 | 22 |
| 65+ | 977 | 9.7 | 41 | 5 | 6 | 8 | 11 | 14 | 18 | 42 |
| GRAND TOTAL | 3363 | 8.5 | 22 | 4 | 5 | 8 | 10 | 13 | 15 | 23 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 6 | 7 |
| 20-34 | 143 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 13 |
| 35-49 | 75 | 5.0 | 14 | 1 | 1 | 4 | 6 | 9 | 10 | 21 |
| 50-64 | 44 | 5.1 | 11 | <1 | 1 | 4 | 7 | 10 | 12 | 13 |
| 65+ | 20 | 8.8 | 13 | 3 | 4 | 8 | 10 | 14 | 17 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 4.8 | 49 | 1 | 1 | 2 | 5 | 11 | 21 | 34 |
| 20-34 | 63 | 4.2 | 12 | 1 | 1 | 3 | 5 | 9 | 10 | 20 |
| 35-49 | 62 | 6.4 | 21 | 1 | 2 | 5 | 8 | 15 | 17 | 20 |
| 50-64 | 82 | 10.5 | 137 | 2 | 2 | 7 | 11 | 21 | 34 | 69 |
| 65+ | 66 | 10.5 | 80 | 2 | 3 | 8 | 13 | 20 | 33 | 45 |
| TOT. SINGLE DX | 318 | 4.4 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| " MULTIPLE DX | 303 | 7.8 | 73 | 1 | 2 | 6 | 9 | 16 | 22 | 45 |
| TOTAL 0-19 YRS | 66 | 3.2 | 25 | <1 | 1 | 2 | 3 | 7 | 11 | 32 |
| 20-34 | 206 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 137 | 5.6 | 18 | 1 | 1 | 5 | 7 | 10 | 16 | 20 |
| 50-64 | 126 | 8.6 | 100 | 1 | 2 | 6 | 9 | 15 | 27 | 63 |
| 65+ | 86 | 10.1 | 65 | 2 | 3 | 8 | 11 | 18 | 25 | 45 |
| GRAND TOTAL | 621 | 6.1 | 45 | 1 | 1 | 5 | 8 | 11 | 17 | 34 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 3.2 | 16 | <1 | <1 | 2 | 3 | 7 | 13 | 21 |
| 20-34 | 476 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 9 | 14 |
| 35-49 | 151 | 3.8 | 30 | <1 | <1 | 2 | 4 | 7 | 10 | 35 |
| 50-64 | 130 | 4.8 | 34 | <1 | 1 | 3 | 6 | 9 | 14 | 29 |
| 65+ | 155 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 15 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 99 | 4.0 | 27 | <1 | 1 | 2 | 4 | 7 | 9 | 33 |
| 20-34 | 343 | 4.0 | 15 | <1 | 1 | 2 | 5 | 8 | 11 | 20 |
| 35-49 | 195 | 5.4 | 31 | 1 | 1 | 3 | 8 | 13 | 18 | 34 |
| 50-64 | 236 | 8.0 | 86 | 1 | 2 | 5 | 9 | 17 | 30 | 48 |
| 65+ | 338 | 10.9 | 109 | 2 | 2 | 8 | 13 | 24 | 34 | 64 |
| TOT. SINGLE DX | 1075 | 3.8 | 19 | <1 | <1 | 2 | 5 | 8 | 10 | 21 |
| " MULTIPLE DX | 1211 | 6.9 | 67 | 1 | 1 | 4 | 8 | 15 | 23 | 46 |
| TOTAL 0-19 YRS | 262 | 3.5 | 21 | <1 | <1 | 2 | 4 | 7 | 12 | 21 |
| 20-34 | 819 | 3.3 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 346 | 4.7 | 32 | <1 | 1 | 2 | 6 | 11 | 16 | 35 |
| 50-64 | 366 | 6.9 | 70 | 1 | 1 | 4 | 8 | 14 | 24 | 46 |
| 65+ | 493 | 9.4 | 86 | 2 | 2 | 7 | 11 | 18 | 28 | 50 |
| GRAND TOTAL | 2286 | 5.4 | 47 | <1 | 1 | 3 | 7 | 11 | 17 | 39 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 287 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1492 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 633 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 270 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 136 | 4.0 | 19 | 1 | 1 | 2 | 4 | 9 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 4.0 | 18 | <1 | 1 | 3 | 5 | 6 | 11 | 25 |
| 20-34 | 401 | 3.7 | 19 | <1 | 1 | 3 | 4 | 6 | 10 | 30 |
| 35-49 | 268 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 50-64 | 195 | 5.6 | 121 | <1 | 1 | 3 | 5 | 11 | 15 | 78 |
| 65+ | 170 | 9.9 | 180 | 1 | 2 | 5 | 12 | 24 | 82 | 95 |
| TOT. SINGLE DX | 2818 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 1106 | 4.9 | 65 | 1 | 1 | 3 | 5 | 10 | 15 | 53 |
| TOTAL 0-19 YRS | 359 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 1893 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 901 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 465 | 3.9 | 58 | <1 | 1 | 2 | 4 | 6 | 10 | 30 |
| 65+ | 306 | 7.3 | 117 | 1 | 2 | 3 | 8 | 16 | 27 | 75 |
| GRAND TOTAL | 3924 | 3.0 | 22 | <1 | 1 | 2 | 3 | 5 | 7 | 21 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 2.0 | | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 13 | 2.9 | 9 | <1 | <1 | 2 | 3 | 8 | 10 | 11 |
| 35-49 | 14 | 5.6 | 30 | <1 | <1 | 3 | 8 | 14 | 19 | 20 |
| 50-64 | 26 | 8.8 | 100 | 1 | 2 | 6 | 11 | 18 | 35 | 44 |
| 65+ | 33 | 9.9 | 55 | 1 | 2 | 9 | 16 | 21 | 23 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 8 | 5.0 | 15 | <1 | <1 | 4 | 8 | 11 | 11 | 11 |
| 35-49 | 13 | 10.3 | 110 | 1 | 2 | 5 | 14 | 30 | 32 | 33 |
| 50-64 | 27 | 12.4 | 77 | 2 | 3 | 11 | 19 | 25 | 26 | 31 |
| 65+ | 69 | 20.1 | 277 | 5 | 5 | 16 | 27 | 40 | 58 | 99 |
| TOT. SINGLE DX | 94 | 7.3 | 60 | <1 | 1 | 4 | 10 | 18 | 22 | 39 |
| " MULTIPLE DX | 118 | 16.1 | 218 | 2 | 3 | 12 | 22 | 34 | 42 | 97 |
| TOTAL 0-19 YRS | 9 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 21 | 3.7 | 12 | <1 | <1 | 2 | 6 | 10 | 11 | 11 |
| 35-49 | 27 | 7.9 | 72 | <1 | 1 | 5 | 10 | 20 | 30 | 33 |
| 50-64 | 53 | 10.6 | 90 | 2 | 2 | 8 | 16 | 24 | 30 | 44 |
| 65+ | 102 | 16.8 | 228 | 3 | 4 | 14 | 22 | 35 | 45 | 98 |
| GRAND TOTAL | 212 | 12.2 | 166 | 1 | 2 | 8 | 18 | 28 | 37 | 83 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 85 | 3.0 | 3 | <1 | <1 | 3 | 3 | 5 | 6 | 12 |
| 35-49 | 19 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 11 | 15 |
| 50-64 | 13 | 3.2 | 7 | <1 | <1 | 3 | 4 | 8 | 10 | 10 |
| 65+ | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 46 | 4.2 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 10 | 5.2 | 16 | 1 | 1 | 4 | 7 | 11 | 15 | 15 |
| 50-64 | 17 | 5.3 | 49 | 2 | 2 | 2 | 6 | 12 | 24 | 30 |
| 65+ | 7 | 6.6 | 65 | 2 | 2 | 3 | 8 | 21 | 24 | 24 |
| TOT. SINGLE DX | 162 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 99 | 4.4 | 18 | 1 | 1 | 3 | 6 | 8 | 12 | 27 |
| TOTAL 0-19 YRS | 62 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 131 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 29 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 15 | 15 |
| 50-64 | 30 | 4.4 | 31 | <1 | 1 | 3 | 4 | 9 | 13 | 30 |
| 65+ | 9 | 6.4 | 50 | 2 | 2 | 4 | 8 | 18 | 24 | 24 |
| GRAND TOTAL | 261 | 3.4 | 10 | <1 | 1 | 3 | 4 | 7 | 8 | 15 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 7.5 | 37 | <1 | <1 | 7 | 11 | 17 | 19 | 19 |
| 20-34 | 25 | 4.1 | 72 | <1 | <1 | 1 | 3 | 6 | 20 | 43 |
| 35-49 | 5 | 3.6 | 17 | 1 | 1 | 2 | 4 | 11 | 11 | 11 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 1.3 | | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| 20-34 | 22 | 7.9 | 62 | <1 | 1 | 4 | 12 | 21 | 24 | 26 |
| 35-49 | 5 | 11.8 | 111 | 2 | 2 | 9 | 19 | 28 | 29 | 29 |
| 50-64 | 4 | 14.3 | 275 | 1 | 1 | 9 | 25 | 38 | 38 | 38 |
| 65+ | 9 | 9.6 | 98 | 1 | 1 | 9 | 12 | 25 | 33 | 33 |
| TOT. SINGLE DX | 40 | 4.6 | 56 | <1 | <1 | 2 | 5 | 11 | 16 | 43 |
| " MULTIPLE DX | 47 | 8.4 | 87 | <1 | 1 | 4 | 12 | 22 | 30 | 38 |
| TOTAL 0-19 YRS | 14 | 4.9 | 31 | <1 | <1 | 2 | 8 | 12 | 17 | 19 |
| 20-34 | 47 | 5.9 | 70 | <1 | <1 | 2 | 6 | 17 | 23 | 43 |
| 35-49 | 11 | 8.1 | 81 | 1 | 1 | 3 | 12 | 23 | 28 | 29 |
| 50-64 | 6 | 10.3 | 202 | 1 | 1 | 4 | 13 | 35 | 38 | 38 |
| 65+ | 9 | 9.6 | 99 | 1 | 1 | 9 | 12 | 25 | 33 | 33 |
| GRAND TOTAL | 87 | 6.7 | 76 | <1 | <1 | 3 | 10 | 18 | 26 | 41 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1488 | 3.5 | 1 | 2 | 3 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 9889 | 3.6 | | 2 | 3 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 553 | 3.7 | 1 | 2 | 3 | 4 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 945 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 12 |
| 20-34 | 6697 | 4.1 | 4 | 3 | 3 | 4 | 4 | 5 | 6 | 11 |
| 35-49 | 534 | 4.4 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 11930 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 6 |
| " MULTIPLE DX | 8176 | 4.1 | 4 | 3 | 3 | 4 | 4 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 2433 | 3.6 | 2 | 2 | 3 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 16586 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 1087 | 4.0 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 20106 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 459 | 3.3 | | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 36 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 4.0 | 43 | 1 | 1 | 3 | 4 | 6 | 8 | 48 |
| 20-34 | 606 | 4.0 | 10 | 1 | 2 | 4 | 4 | 6 | 7 | 12 |
| 35-49 | 60 | 3.8 | 3 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 542 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 728 | 4.0 | 13 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 109 | 3.7 | 25 | 1 | 2 | 3 | 4 | 5 | 7 | 27 |
| 20-34 | 1065 | 3.7 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 96 | 3.7 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1270 | 3.7 | 8 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 199 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 1317 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 64 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 201 | 4.0 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 11 |
| 20-34 | 1550 | 4.1 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 80 | 4.1 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1580 | 3.6 | 1 | 2 | 3 | 3 | 4 | 5 | 5 | 7 |
| " MULTIPLE DX | 1831 | 4.1 | 2 | 3 | 3 | 4 | 5 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 400 | 3.8 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 10 |
| 20-34 | 2867 | 3.9 | 2 | 3 | 3 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 144 | 3.9 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3411 | 3.9 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8966 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 62521 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 3537 | 3.4 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1228 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 11058 | 4.0 | 6 | 2 | 3 | 4 | 4 | 5 | 6 | 11 |
| 35-49 | 1072 | 4.2 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 75024 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 13358 | 4.0 | 6 | 2 | 3 | 4 | 4 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 10194 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 73579 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 4609 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 88382 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1176 | 6.4 | 2 | 5 | 5 | 6 | 7 | 8 | 9 | 14 |
| 20-34 | 12760 | 6.4 | 4 | 5 | 5 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 813 | 6.8 | 6 | 5 | 5 | 7 | 7 | 8 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1693 | 7.2 | 9 | 5 | 5 | 7 | 8 | 10 | 12 | 19 |
| 20-34 | 17637 | 7.0 | 11 | 5 | 5 | 7 | 7 | 9 | 11 | 20 |
| 35-49 | 2162 | 7.7 | 19 | 5 | 5 | 7 | 8 | 10 | 13 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 14749 | 6.4 | 5 | 5 | 5 | 6 | 7 | 8 | 8 | 11 |
| " MULTIPLE DX | 21492 | 7.1 | 12 | 5 | 5 | 7 | 8 | 9 | 11 | 21 |
| TOTAL 0-19 YRS | 2869 | 6.9 | 7 | 5 | 5 | 6 | 7 | 9 | 11 | 17 |
| 20-34 | 30397 | 6.8 | 8 | 5 | 5 | 6 | 7 | 8 | 9 | 17 |
| 35-49 | 2975 | 7.5 | 16 | 5 | 5 | 7 | 8 | 9 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 36241 | 6.8 | 9 | 5 | 5 | 6 | 7 | 8 | 10 | 17 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 78 | 6.2 | 1 | 4 | 5 | 6 | 7 | 8 | 8 | 10 |
| 20-34 | 696 | 6.3 | 4 | 4 | 5 | 6 | 7 | 8 | 8 | 13 |
| 35-49 | 44 | 7.3 | 11 | 5 | 5 | 7 | 8 | 9 | 11 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 99 | 7.4 | 6 | 5 | 5 | 7 | 8 | 10 | 12 | 20 |
| 20-34 | 793 | 7.2 | 9 | 4 | 5 | 7 | 8 | 9 | 12 | 20 |
| 35-49 | 116 | 7.6 | 13 | 4 | 5 | 7 | 8 | 10 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 818 | 6.3 | 5 | 4 | 5 | 6 | 7 | 8 | 8 | 13 |
| " MULTIPLE DX | 1008 | 7.2 | 9 | 4 | 5 | 7 | 8 | 10 | 12 | 21 |
| TOTAL 0-19 YRS | 177 | 6.9 | 5 | 4 | 5 | 7 | 7 | 9 | 10 | 16 |
| 20-34 | 1489 | 6.8 | 7 | 4 | 5 | 6 | 7 | 9 | 10 | 18 |
| 35-49 | 160 | 7.5 | 13 | 4 | 5 | 7 | 8 | 10 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1826 | 6.8 | 8 | 4 | 5 | 6 | 7 | 9 | 10 | 19 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 51 | 5.5 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 11.4 | 142 | 3 | 3 | 7 | 8 | 33 | 40 | 40 |
| 20-34 | 42 | 6.7 | 5 | 4 | 4 | 6 | 8 | 10 | 12 | 12 |
| 35-49 | 11 | 6.8 | 1 | 4 | 5 | 7 | 8 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 56 | 5.4 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| " MULTIPLE DX | 63 | 7.5 | 27 | 4 | 4 | 7 | 8 | 10 | 12 | 38 |
| TOTAL 0-19 YRS | 14 | 9.4 | 110 | 3 | 3 | 6 | 7 | 27 | 37 | 40 |
| 20-34 | 93 | 6.1 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 12 | 6.7 | 2 | 4 | 5 | 7 | 8 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 119 | 6.5 | 17 | 3 | 4 | 6 | 7 | 9 | 11 | 30 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1459 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1612 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 125 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 109 | 3.0 | 20 | 1 | 1 | 2 | 3 | 4 | 6 | 28 |
| 20-34 | 190 | 2.9 | 8 | 1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 35-49 | 33 | 2.8 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3196 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| " MULTIPLE DX | 332 | 2.9 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| TOTAL 0-19 YRS | 1568 | 1.9 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 1802 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 158 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3528 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 3.2 | 4 | <1 | 1 | 3 | 3 | 7 | 8 | 8 |
| 20-34 | 124 | 3.2 | 18 | <1 | <1 | 1 | 3 | 9 | 13 | 21 |
| 35-49 | 25 | 2.6 | 7 | <1 | <1 | 1 | 3 | 8 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 6.2 | 36 | <1 | <1 | 4 | 9 | 17 | 18 | 18 |
| 20-34 | 372 | 1.9 | 11 | <1 | <1 | <1 | <1 | 4 | 8 | 16 |
| 35-49 | 473 | 1.3 | 4 | <1 | <1 | <1 | <1 | <1 | <1 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 167 | 3.1 | 15 | <1 | <1 | 2 | 3 | 8 | 11 | 18 |
| " MULTIPLE DX | 856 | 1.6 | 8 | <1 | <1 | <1 | <1 | <1 | 6 | 15 |
| TOTAL 0-19 YRS | 29 | 4.3 | 18 | <1 | <1 | 3 | 8 | 9 | 16 | 18 |
| 20-34 | 496 | 2.2 | 13 | <1 | <1 | <1 | <1 | 5 | 10 | 17 |
| 35-49 | 498 | 1.3 | 5 | <1 | <1 | <1 | <1 | <1 | 1 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1023 | 1.9 | 9 | <1 | <1 | <1 | <1 | 3 | 7 | 16 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 821 | 2.4 | 1 | <1 | <1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 5164 | 2.7 | 1 | <1 | <1 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 298 | 2.9 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 282 | 3.1 | 4 | <1 | <1 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 1694 | 3.5 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 162 | 3.9 | 5 | 1 | 2 | 4 | 4 | 6 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 6283 | 2.7 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 2138 | 3.5 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | 1103 | 2.6 | 3 | <1 | <1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 6858 | 2.9 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 9 |
| 35-49 | 460 | 3.3 | 4 | <1 | <1 | 3 | 4 | 5 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 8421 | 2.9 | 3 | <1 | <1 | 3 | 4 | 4 | 5 | 9 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1534 | 3.2 | | 2 | 2 | 3 | 4 | 4 | 4 | 5 |
| 20-34 | 10373 | 3.2 | | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 738 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 790 | 3.7 | 6 | 2 | 3 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 6009 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 607 | 3.9 | 5 | 2 | 2 | 4 | 4 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 12645 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 7406 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 2324 | 3.4 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 16382 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 1345 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 20051 | 3.4 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 3.1 | 8 | <1 | 1 | 3 | 4 | 4 | 8 | 16 |
| 20-34 | 47 | 4.0 | 16 | 1 | 2 | 3 | 4 | 7 | 12 | 25 |
| 35-49 | 31 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 50-64 | 56 | 4.6 | 53 | 1 | 2 | 2 | 4 | 9 | 15 | 49 |
| 65+ | 38 | 6.8 | 106 | 2 | 2 | 6 | 9 | 23 | 37 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 47 | 3.1 | 16 | 1 | 1 | 2 | 3 | 4 | 5 | 29 |
| 35-49 | 41 | 6.1 | 172 | 2 | 2 | 2 | 3 | 13 | 24 | 80 |
| 50-64 | 86 | 9.7 | 188 | 2 | 2 | 2 | 13 | 31 | 43 | 90 |
| 65+ | 74 | 11.6 | 185 | 2 | 2 | 6 | 15 | 28 | 42 | 70 |
| TOT. SINGLE DX | 216 | 4.6 | 42 | 1 | 2 | 3 | 4 | 9 | 15 | 43 |
| " MULTIPLE DX | 282 | 7.9 | 143 | 2 | 2 | 3 | 8 | 24 | 32 | 75 |
| TOTAL 0-19 YRS | 78 | 3.6 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 94 | 3.6 | 17 | 1 | 2 | 3 | 4 | 5 | 9 | 27 |
| 35-49 | 72 | 4.6 | 101 | 1 | 2 | 2 | 3 | 7 | 15 | 69 |
| 50-64 | 142 | 7.7 | 141 | 1 | 2 | 2 | 9 | 27 | 35 | 76 |
| 65+ | 112 | 10.7 | 159 | 2 | 2 | 6 | 13 | 28 | 40 | 62 |
| GRAND TOTAL | 498 | 6.5 | 102 | 1 | 2 | 3 | 6 | 16 | 28 | 53 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 170 | 4.8 | 7 | 2 | 3 | 4 | 5 | 7 | 10 | 18 |
| 20-34 | 219 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 69 | 4.1 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 11 |
| 50-64 | 30 | 5.1 | 13 | 1 | 2 | 4 | 5 | 10 | 12 | 17 |
| 65+ | 10 | 7.7 | 33 | 2 | 2 | 6 | 12 | 16 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 148 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 195 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 64 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 18 |
| 50-64 | 26 | 7.7 | 30 | 2 | 2 | 6 | 10 | 18 | 20 | 23 |
| 65+ | 21 | 8.6 | 64 | 1 | 2 | 6 | 13 | 27 | 60 | 99+ |
| TOT. SINGLE DX | 504 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| " MULTIPLE DX | 454 | 5.0 | 10 | 2 | 3 | 4 | 6 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 324 | 4.8 | 7 | 2 | 3 | 4 | 5 | 7 | 9 | 18 |
| 20-34 | 414 | 4.4 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 133 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 15 |
| 50-64 | 56 | 6.3 | 23 | 2 | 2 | 5 | 8 | 12 | 18 | 23 |
| 65+ | 31 | 8.3 | 53 | 2 | 2 | 6 | 12 | 20 | 32 | 99+ |
| GRAND TOTAL | 958 | 4.8 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 198 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 305 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 58 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 24 | 6.3 | 14 | 2 | 3 | 5 | 8 | 12 | 15 | 16 |
| 65+ | 10 | 3.1 | 4 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 238 | 6.1 | 69 | 1 | 2 | 4 | 6 | 11 | 14 | 54 |
| 20-34 | 373 | 6.1 | 47 | 1 | 2 | 5 | 7 | 10 | 15 | 38 |
| 35-49 | 95 | 9.7 | 119 | 2 | 3 | 7 | 12 | 20 | 24 | 69 |
| 50-64 | 55 | 9.4 | 71 | 2 | 2 | 6 | 12 | 19 | 26 | 91 |
| 65+ | 22 | 12.4 | 223 | 1 | 2 | 7 | 17 | 23 | 48 | 71 |
| TOT. SINGLE DX | 595 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 783 | 7.0 | 72 | 1 | 2 | 5 | 7 | 13 | 19 | 50 |
| TOTAL 0-19 YRS | 436 | 4.6 | 42 | 1 | 1 | 3 | 5 | 8 | 11 | 36 |
| 20-34 | 678 | 5.0 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 28 |
| 35-49 | 153 | 7.6 | 84 | 1 | 2 | 5 | 10 | 14 | 21 | 54 |
| 50-64 | 79 | 8.5 | 60 | 2 | 2 | 6 | 11 | 16 | 24 | 45 |
| 65+ | 32 | 9.5 | 172 | 1 | 1 | 5 | 12 | 20 | 26 | 71 |
| GRAND TOTAL | 1378 | 5.5 | 46 | 1 | 2 | 4 | 6 | 10 | 14 | 34 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 117 | 4.4 | 13 | 2 | 2 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 345 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 128 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 41 | 4.6 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 15 |
| 65+ | 25 | 8.5 | 40 | 2 | 2 | 7 | 13 | 17 | 21 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 175 | 8.2 | 66 | 2 | 2 | 6 | 10 | 15 | 18 | 56 |
| 20-34 | 444 | 8.4 | 77 | 2 | 2 | 6 | 10 | 15 | 22 | 54 |
| 35-49 | 141 | 9.5 | 105 | 2 | 3 | 7 | 11 | 17 | 27 | 74 |
| 50-64 | 88 | 10.7 | 77 | 2 | 3 | 8 | 14 | 21 | 24 | 52 |
| 65+ | 52 | 12.1 | 114 | 3 | 3 | 9 | 14 | 23 | 36 | 57 |
| **TOT. SINGLE DX** | 656 | 4.1 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| **" MULTIPLE DX** | 900 | 9.0 | 83 | 2 | 3 | 6 | 11 | 16 | 24 | 56 |
| TOTAL 0-19 YRS | 292 | 6.7 | 49 | 2 | 2 | 5 | 8 | 12 | 16 | 41 |
| 20-34 | 789 | 6.4 | 51 | 2 | 2 | 4 | 7 | 12 | 17 | 49 |
| 35-49 | 269 | 6.9 | 67 | 1 | 2 | 5 | 8 | 13 | 17 | 39 |
| 50-64 | 129 | 8.7 | 64 | 2 | 2 | 6 | 11 | 17 | 23 | 49 |
| 65+ | 77 | 10.9 | 93 | 2 | 3 | 8 | 14 | 19 | 34 | 53 |
| **GRAND TOTAL** | **1556** | **6.9** | **58** | **2** | **2** | **5** | **8** | **13** | **18** | **48** |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 18 | 4.3 | 6 | 1 | 2 | 3 | 6 | 8 | 9 | 10 |
| 20-34 | 20 | 4.2 | 6 | <1 | 1 | 4 | 7 | 8 | 8 | 9 |
| 35-49 | 23 | 4.3 | 10 | <1 | 1 | 4 | 6 | 7 | 11 | 16 |
| 50-64 | 16 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 8 |
| 65+ | 9 | 6.2 | 50 | 1 | 1 | 3 | 10 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 22 | 7.8 | 57 | 1 | 2 | 5 | 10 | 15 | 27 | 34 |
| 20-34 | 18 | 5.0 | 20 | <1 | 1 | 4 | 7 | 9 | 16 | 20 |
| 35-49 | 11 | 5.6 | 23 | 2 | 2 | 4 | 6 | 15 | 15 | 15 |
| 50-64 | 26 | 6.7 | 36 | 2 | 2 | 5 | 8 | 14 | 18 | 28 |
| 65+ | 10 | 4.9 | 33 | 2 | 2 | 3 | 5 | 13 | 21 | 21 |
| **TOT. SINGLE DX** | 86 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 9 | 19 |
| **" MULTIPLE DX** | 87 | 6.3 | 36 | 1 | 2 | 4 | 8 | 14 | 20 | 32 |
| TOTAL 0-19 YRS | 40 | 6.2 | 37 | 1 | 2 | 4 | 8 | 11 | 17 | 34 |
| 20-34 | 38 | 4.6 | 13 | <1 | 1 | 4 | 7 | 8 | 9 | 20 |
| 35-49 | 34 | 4.7 | 15 | <1 | 1 | 4 | 6 | 9 | 15 | 16 |
| 50-64 | 42 | 5.4 | 26 | 2 | 2 | 4 | 6 | 13 | 15 | 28 |
| 65+ | 19 | 5.5 | 39 | 1 | 1 | 3 | 5 | 18 | 21 | 21 |
| **GRAND TOTAL** | **173** | **5.3** | **25** | **1** | **2** | **4** | **7** | **10** | **16** | **27** |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 380 | 6.6 | 47 | 2 | 2 | 4 | 7 | 13 | 20 | 37 |
| 20-34 | 370 | 5.4 | 44 | 1 | 2 | 4 | 6 | 9 | 13 | 39 |
| 35-49 | 258 | 5.2 | 34 | 1 | 2 | 4 | 6 | 10 | 14 | 37 |
| 50-64 | 304 | 7.0 | 29 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 65+ | 111 | 10.7 | 97 | 3 | 3 | 8 | 14 | 21 | 33 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 233 | 8.8 | 86 | 2 | 3 | 5 | 10 | 20 | 29 | 48 |
| 20-34 | 273 | 8.1 | 104 | 2 | 2 | 4 | 7 | 20 | 33 | 53 |
| 35-49 | 199 | 7.8 | 100 | 1 | 2 | 5 | 8 | 20 | 29 | 66 |
| 50-64 | 310 | 9.6 | 133 | 2 | 2 | 6 | 11 | 20 | 30 | 89 |
| 65+ | 181 | 17.3 | 239 | 2 | 3 | 13 | 25 | 41 | 62 | 99+ |
| **TOT. SINGLE DX** | 1423 | 6.4 | 46 | 1 | 2 | 4 | 8 | 13 | 18 | 40 |
| **" MULTIPLE DX** | 1196 | 9.9 | 138 | 2 | 2 | 6 | 12 | 25 | 36 | 87 |
| TOTAL 0-19 YRS | 613 | 7.4 | 63 | 2 | 2 | 5 | 8 | 15 | 25 | 44 |
| 20-34 | 643 | 6.5 | 72 | 2 | 2 | 4 | 7 | 12 | 24 | 50 |
| 35-49 | 457 | 6.3 | 65 | 1 | 2 | 4 | 7 | 13 | 22 | 45 |
| 50-64 | 614 | 8.3 | 84 | 2 | 2 | 6 | 10 | 16 | 25 | 61 |
| 65+ | 292 | 14.8 | 196 | 3 | 3 | 11 | 19 | 35 | 48 | 99+ |
| **GRAND TOTAL** | **2619** | **8.0** | **91** | **2** | **2** | **5** | **9** | **17** | **29** | **59** |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 228 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 484 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 455 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 606 | 4.9 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| 65+ | 257 | 5.8 | 25 | 2 | 3 | 5 | 7 | 10 | 12 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 215 | 4.3 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 554 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 707 | 5.1 | 15 | 2 | 3 | 4 | 6 | 8 | 9 | 17 |
| 50-64 | 1450 | 5.7 | 16 | 2 | 3 | 5 | 7 | 9 | 11 | 24 |
| 65+ | 817 | 7.0 | 49 | 3 | 3 | 5 | 7 | 11 | 16 | 35 |
| **TOT. SINGLE DX** | 2030 | 4.7 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| **" MULTIPLE DX** | 3743 | 5.6 | 22 | 2 | 3 | 5 | 6 | 9 | 11 | 27 |
| TOTAL 0-19 YRS | 443 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1038 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 1162 | 4.9 | 12 | 2 | 3 | 4 | 6 | 7 | 9 | 16 |
| 50-64 | 2056 | 5.5 | 14 | 2 | 3 | 5 | 6 | 9 | 11 | 21 |
| 65+ | 1074 | 6.8 | 44 | 3 | 3 | 5 | 7 | 10 | 15 | 36 |
| **GRAND TOTAL** | **5773** | **5.3** | **17** | **2** | **3** | **5** | **6** | **8** | **10** | **23** |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1272 | 4.3 | 19 | 1 | 2 | 3 | 5 | 7 | 9 | 27 |
| 20-34 | 1484 | 5.1 | 38 | 1 | 2 | 3 | 5 | 9 | 14 | 35 |
| 35-49 | 994 | 5.4 | 36 | 1 | 2 | 4 | 6 | 10 | 15 | 35 |
| 50-64 | 831 | 6.0 | 58 | 1 | 2 | 4 | 6 | 11 | 18 | 45 |
| 65+ | 415 | 9.1 | 106 | 1 | 2 | 5 | 11 | 21 | 28 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 478 | 10.1 | 214 | 1 | 2 | 4 | 10 | 28 | 42 | 83 |
| 20-34 | 872 | 9.7 | 162 | 1 | 2 | 5 | 10 | 27 | 39 | 81 |
| 35-49 | 759 | 10.3 | 184 | 2 | 2 | 5 | 11 | 26 | 42 | 94 |
| 50-64 | 1003 | 12.0 | 193 | 2 | 2 | 6 | 15 | 30 | 44 | 87 |
| 65+ | 912 | 17.9 | 292 | 2 | 3 | 13 | 25 | 46 | 62 | 99+ |
| TOT. SINGLE DX | 4996 | 5.4 | 44 | 1 | 2 | 4 | 6 | 10 | 16 | 36 |
| " MULTIPLE DX | 4024 | 12.3 | 220 | 2 | 2 | 6 | 16 | 33 | 47 | 97 |
| TOTAL 0-19 YRS | 1750 | 5.9 | 80 | 1 | 2 | 3 | 5 | 10 | 21 | 51 |
| 20-34 | 2356 | 6.8 | 90 | 1 | 2 | 4 | 7 | 14 | 26 | 55 |
| 35-49 | 1753 | 7.5 | 106 | 2 | 2 | 4 | 8 | 16 | 29 | 68 |
| 50-64 | 1834 | 9.3 | 141 | 2 | 2 | 5 | 10 | 23 | 35 | 68 |
| 65+ | 1327 | 15.2 | 251 | 2 | 2 | 10 | 21 | 37 | 56 | 99+ |
| GRAND TOTAL | 9020 | 8.5 | 134 | 1 | 2 | 4 | 9 | 21 | 33 | 72 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 393 | 7.7 | 64 | 2 | 2 | 5 | 8 | 17 | 23 | 52 |
| 20-34 | 339 | 6.3 | 58 | 1 | 2 | 4 | 7 | 11 | 15 | 47 |
| 35-49 | 138 | 6.7 | 46 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 50-64 | 116 | 10.7 | 154 | 2 | 2 | 7 | 12 | 18 | 49 | 99+ |
| 65+ | 239 | 18.3 | 140 | 4 | 6 | 16 | 23 | 34 | 45 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 15.7 | 369 | 2 | 3 | 7 | 18 | 45 | 67 | 78 |
| 20-34 | 186 | 11.0 | 155 | 2 | 2 | 7 | 13 | 28 | 44 | 92 |
| 35-49 | 97 | 11.8 | 204 | 2 | 2 | 7 | 14 | 29 | 37 | 81 |
| 50-64 | 168 | 16.4 | 240 | 2 | 3 | 14 | 22 | 40 | 56 | 99+ |
| 65+ | 483 | 26.4 | 307 | 5 | 9 | 24 | 36 | 58 | 88 | 99+ |
| TOT. SINGLE DX | 1225 | 9.6 | 104 | 2 | 2 | 6 | 12 | 21 | 29 | 61 |
| " MULTIPLE DX | 1046 | 19.6 | 309 | 2 | 3 | 15 | 28 | 46 | 68 | 99+ |
| TOTAL 0-19 YRS | 505 | 9.5 | 142 | 2 | 2 | 5 | 10 | 21 | 31 | 68 |
| 20-34 | 525 | 8.0 | 98 | 1 | 2 | 5 | 8 | 16 | 28 | 59 |
| 35-49 | 235 | 8.8 | 118 | 1 | 2 | 5 | 10 | 18 | 27 | 61 |
| 50-64 | 284 | 14.1 | 213 | 2 | 3 | 9 | 17 | 36 | 51 | 99+ |
| 65+ | 722 | 23.7 | 266 | 5 | 8 | 21 | 31 | 50 | 74 | 99+ |
| GRAND TOTAL | 2271 | 14.2 | 223 | 2 | 3 | 9 | 20 | 35 | 50 | 99+ |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 887 | 3.4 | 29 | <1 | 1 | 2 | 4 | 5 | 7 | 28 |
| 20-34 | 1350 | 3.1 | 16 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 604 | 3.3 | 19 | <1 | 1 | 2 | 3 | 5 | 8 | 21 |
| 50-64 | 568 | 4.3 | 33 | 1 | 1 | 3 | 5 | 7 | 11 | 28 |
| 65+ | 456 | 8.3 | 111 | 1 | 2 | 5 | 10 | 18 | 29 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 228 | 4.9 | 40 | 1 | 1 | 3 | 5 | 9 | 19 | 36 |
| 20-34 | 424 | 5.6 | 63 | 1 | 2 | 3 | 5 | 10 | 18 | 47 |
| 35-49 | 254 | 7.2 | 113 | 1 | 1 | 4 | 8 | 15 | 28 | 77 |
| 50-64 | 312 | 10.7 | 223 | 2 | 2 | 5 | 11 | 30 | 51 | 96 |
| 65+ | 530 | 17.4 | 334 | 2 | 3 | 11 | 24 | 45 | 72 | 99+ |
| TOT. SINGLE DX | 3865 | 4.0 | 36 | <1 | 1 | 3 | 4 | 7 | 11 | 31 |
| " MULTIPLE DX | 1748 | 10.2 | 204 | 1 | 2 | 5 | 11 | 28 | 43 | 99 |
| TOTAL 0-19 YRS | 1115 | 3.7 | 32 | <1 | 1 | 2 | 4 | 6 | 9 | 34 |
| 20-34 | 1774 | 3.7 | 29 | <1 | 1 | 2 | 4 | 6 | 9 | 26 |
| 35-49 | 858 | 4.5 | 50 | <1 | 1 | 3 | 4 | 8 | 13 | 42 |
| 50-64 | 880 | 6.6 | 110 | 1 | 2 | 3 | 6 | 13 | 24 | 68 |
| 65+ | 986 | 13.2 | 252 | 2 | 2 | 7 | 17 | 36 | 58 | 99+ |
| GRAND TOTAL | 5613 | 5.9 | 97 | <1 | 1 | 3 | 5 | 12 | 23 | 65 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 23.8 | 279 | 4 | 5 | 20 | 37 | 50 | 56 | 62 |
| 20-34 | 17 | 25.0 | 548 | 4 | 6 | 18 | 28 | 64 | 78 | 85 |
| 35-49 | 26 | 15.7 | 68 | 5 | 7 | 14 | 18 | 28 | 33 | 40 |
| 50-64 | 82 | 16.3 | 118 | 6 | 8 | 14 | 18 | 23 | 39 | 67 |
| 65+ | 340 | 20.2 | 168 | 8 | 9 | 17 | 24 | 37 | 57 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 33.8 | 454 | 6 | 10 | 29 | 44 | 71 | 75 | 94 |
| 20-34 | 54 | 34.7 | 473 | 10 | 11 | 30 | 49 | 62 | 81 | 98 |
| 35-49 | 15 | 25.9 | 414 | 8 | 9 | 20 | 44 | 95 | 99+ | 99+ |
| 50-64 | 107 | 26.3 | 369 | 9 | 11 | 19 | 31 | 63 | 80 | 99+ |
| 65+ | 730 | 26.9 | 292 | 9 | 11 | 22 | 37 | 66 | 99+ | 99+ |
| TOT. SINGLE DX | 549 | 20.1 | 189 | 6 | 8 | 16 | 24 | 39 | 56 | 97 |
| " MULTIPLE DX | 978 | 27.7 | 330 | 9 | 11 | 23 | 38 | 65 | 90 | 99+ |
| TOTAL 0-19 YRS | 156 | 28.4 | 383 | 5 | 6 | 25 | 39 | 56 | 68 | 88 |
| 20-34 | 71 | 32.4 | 501 | 5 | 10 | 27 | 48 | 63 | 84 | 95 |
| 35-49 | 41 | 19.4 | 213 | 6 | 8 | 16 | 25 | 45 | 86 | 99+ |
| 50-64 | 189 | 21.9 | 284 | 8 | 9 | 16 | 24 | 49 | 66 | 99 |
| 65+ | 1070 | 24.8 | 263 | 9 | 11 | 20 | 32 | 59 | 80 | 99+ |
| GRAND TOTAL | 1527 | 25.0 | 292 | 8 | 10 | 20 | 33 | 57 | 76 | 99+ |

### 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 154 | 14.9 | 126 | 4 | 5 | 12 | 17 | 28 | 34 | 55 |
| 20-34 | 155 | 17.5 | 158 | 5 | 7 | 15 | 21 | 33 | 39 | 76 |
| 35-49 | 113 | 15.9 | 107 | 6 | 7 | 13 | 19 | 28 | 37 | 58 |
| 50-64 | 444 | 17.3 | 98 | 7 | 9 | 15 | 19 | 28 | 38 | 59 |
| 65+ | 1958 | 22.3 | 159 | 9 | 11 | 19 | 27 | 39 | 52 | 99+ |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 195 | 22.1 | 243 | 8 | 9 | 18 | 29 | 44 | 65 | 99+ |
| 20-34 | 268 | 28.2 | 387 | 8 | 11 | 22 | 37 | 67 | 85 | 99+ |
| 35-49 | 176 | 28.0 | 356 | 9 | 11 | 23 | 37 | 64 | 86 | 99+ |
| 50-64 | 654 | 26.2 | 289 | 9 | 11 | 21 | 33 | 52 | 67 | 99+ |
| 65+ | 4777 | 29.2 | 299 | 11 | 13 | 25 | 39 | 63 | 92 | 99+ |
| TOT. SINGLE DX | 2824 | 20.6 | 153 | 7 | 9 | 18 | 25 | 36 | 47 | 96 |
| " MULTIPLE DX | 6070 | 28.6 | 304 | 10 | 12 | 24 | 38 | 61 | 87 | 99+ |
| TOTAL 0-19 YRS | 349 | 18.9 | 205 | 5 | 7 | 15 | 23 | 37 | 51 | 99+ |
| 20-34 | 423 | 24.3 | 329 | 7 | 8 | 19 | 31 | 53 | 77 | 99+ |
| 35-49 | 289 | 23.3 | 293 | 7 | 8 | 18 | 30 | 57 | 70 | 99+ |
| 50-64 | 1098 | 22.6 | 231 | 8 | 10 | 18 | 27 | 44 | 59 | 97 |
| 65+ | 6735 | 27.2 | 269 | 10 | 12 | 23 | 35 | 56 | 80 | 99+ |
| GRAND TOTAL | 8894 | 26.1 | 270 | 9 | 11 | 22 | 34 | 54 | 76 | 99+ |

### 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 252 | 14.4 | 198 | 1 | 2 | 10 | 21 | 33 | 48 | 68 |
| 20-34 | 23 | 24.0 | 447 | 2 | 3 | 15 | 39 | 52 | 67 | 81 |
| 35-49 | 9 | 23.8 | 781 | 3 | 4 | 12 | 31 | 69 | 93 | 93 |
| 50-64 | 28 | 20.2 | 399 | 2 | 4 | 13 | 25 | 56 | 94 | 99+ |
| 65+ | 94 | 21.7 | 249 | 4 | 6 | 19 | 27 | 45 | 57 | 95 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 129 | 27.2 | 447 | 2 | 3 | 23 | 40 | 62 | 74 | 99+ |
| 20-34 | 65 | 31.0 | 552 | 4 | 8 | 26 | 46 | 67 | 75 | 91 |
| 35-49 | 32 | 36.2 | 648 | 6 | 7 | 29 | 58 | 85 | 98 | 99+ |
| 50-64 | 36 | 33.1 | 652 | 3 | 5 | 32 | 60 | 99+ | 99+ | 99+ |
| 65+ | 168 | 31.1 | 420 | 6 | 9 | 28 | 48 | 71 | 86 | 99+ |
| TOT. SINGLE DX | 406 | 17.2 | 260 | 2 | 2 | 13 | 24 | 38 | 53 | 93 |
| " MULTIPLE DX | 430 | 30.4 | 486 | 4 | 6 | 26 | 48 | 69 | 89 | 99+ |
| TOTAL 0-19 YRS | 381 | 18.7 | 318 | 2 | 2 | 14 | 26 | 44 | 61 | 89 |
| 20-34 | 88 | 29.1 | 529 | 3 | 5 | 25 | 43 | 62 | 71 | 90 |
| 35-49 | 41 | 33.4 | 685 | 6 | 7 | 27 | 58 | 85 | 95 | 99+ |
| 50-64 | 64 | 27.5 | 576 | 2 | 4 | 22 | 52 | 92 | 99+ | 99+ |
| 65+ | 262 | 27.7 | 378 | 5 | 7 | 23 | 40 | 64 | 78 | 99+ |
| GRAND TOTAL | 836 | 24.0 | 419 | 2 | 3 | 19 | 36 | 60 | 76 | 99+ |

### 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 327 | 6.3 | 65 | <1 | 1 | 3 | 8 | 17 | 20 | 36 |
| 20-34 | 312 | 4.7 | 28 | <1 | 1 | 3 | 5 | 11 | 15 | 30 |
| 35-49 | 194 | 4.4 | 24 | <1 | 1 | 3 | 5 | 9 | 15 | 31 |
| 50-64 | 257 | 4.0 | 13 | 1 | 1 | 3 | 4 | 9 | 11 | 20 |
| 65+ | 219 | 5.4 | 44 | 1 | 2 | 3 | 5 | 12 | 17 | 39 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 108 | 15.5 | 314 | 1 | 2 | 9 | 20 | 43 | 54 | 84 |
| 20-34 | 161 | 13.9 | 318 | 1 | 2 | 8 | 14 | 37 | 59 | 91 |
| 35-49 | 100 | 11.0 | 218 | 2 | 2 | 6 | 12 | 27 | 45 | 89 |
| 50-64 | 170 | 12.5 | 196 | 2 | 2 | 7 | 16 | 32 | 44 | 88 |
| 65+ | 194 | 16.0 | 299 | 2 | 2 | 10 | 21 | 43 | 61 | 99+ |
| TOT. SINGLE DX | 1309 | 5.0 | 38 | 1 | 1 | 3 | 5 | 12 | 17 | 30 |
| " MULTIPLE DX | 733 | 14.0 | 272 | 2 | 2 | 8 | 18 | 36 | 53 | 92 |
| TOTAL 0-19 YRS | 435 | 8.6 | 143 | 1 | 1 | 4 | 10 | 20 | 27 | 61 |
| 20-34 | 473 | 7.8 | 146 | <1 | 1 | 4 | 8 | 16 | 31 | 78 |
| 35-49 | 294 | 6.7 | 100 | 1 | 1 | 3 | 7 | 15 | 23 | 76 |
| 50-64 | 427 | 7.4 | 103 | 1 | 2 | 4 | 8 | 18 | 28 | 49 |
| 65+ | 413 | 10.4 | 191 | 1 | 2 | 5 | 12 | 26 | 42 | 92 |
| GRAND TOTAL | 2042 | 8.2 | 140 | 1 | 1 | 4 | 9 | 20 | 31 | 75 |

### 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1273 | 4.4 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 20 |
| 20-34 | 1543 | 5.4 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 35-49 | 947 | 6.2 | 23 | 2 | 2 | 5 | 7 | 12 | 15 | 25 |
| 50-64 | 931 | 7.9 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| 65+ | 579 | 11.1 | 98 | 2 | 4 | 9 | 13 | 21 | 28 | 56 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 533 | 8.8 | 114 | 1 | 2 | 5 | 10 | 20 | 31 | 86 |
| 20-34 | 1015 | 11.1 | 171 | 2 | 3 | 7 | 12 | 26 | 40 | 82 |
| 35-49 | 662 | 11.4 | 172 | 2 | 3 | 7 | 13 | 25 | 43 | 88 |
| 50-64 | 861 | 12.8 | 152 | 3 | 3 | 9 | 16 | 27 | 40 | 71 |
| 65+ | 892 | 18.1 | 239 | 4 | 5 | 13 | 23 | 39 | 55 | 97 |
| TOT. SINGLE DX | 5273 | 6.4 | 37 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| " MULTIPLE DX | 3963 | 12.8 | 185 | 2 | 3 | 8 | 15 | 29 | 43 | 87 |
| TOTAL 0-19 YRS | 1806 | 5.7 | 50 | 1 | 2 | 4 | 6 | 11 | 16 | 44 |
| 20-34 | 2558 | 7.7 | 90 | 1 | 2 | 5 | 8 | 15 | 24 | 59 |
| 35-49 | 1609 | 8.3 | 91 | 2 | 2 | 6 | 9 | 16 | 24 | 62 |
| 50-64 | 1792 | 10.3 | 99 | 2 | 3 | 7 | 12 | 21 | 31 | 60 |
| 65+ | 1471 | 15.3 | 196 | 3 | 4 | 11 | 19 | 33 | 46 | 81 |
| GRAND TOTAL | 9236 | 9.1 | 110 | 2 | 2 | 6 | 11 | 19 | 29 | 65 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3650 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 1165 | 4.5 | 23 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 35-49 | 790 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| 50-64 | 950 | 5.1 | 37 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| 65+ | 972 | 6.3 | 58 | 1 | 1 | 4 | 8 | 14 | 20 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 923 | 7.7 | 127 | 1 | 1 | 4 | 8 | 18 | 27 | 62 |
| 20-34 | 830 | 9.1 | 129 | 1 | 1 | 6 | 10 | 20 | 32 | 71 |
| 35-49 | 515 | 9.6 | 144 | 1 | 2 | 6 | 12 | 20 | 38 | 93 |
| 50-64 | 827 | 10.3 | 152 | 1 | 2 | 6 | 12 | 23 | 33 | 83 |
| 65+ | 1496 | 14.8 | 248 | 2 | 2 | 10 | 19 | 38 | 56 | 99+ |
| TOT. SINGLE DX | 7527 | 4.0 | 26 | 1 | 1 | 2 | 5 | 9 | 12 | 24 |
| " MULTIPLE DX | 4591 | 10.9 | 181 | 1 | 2 | 6 | 13 | 26 | 43 | 89 |
| TOTAL 0-19 YRS | 4573 | 3.7 | 38 | 1 | 1 | 2 | 4 | 7 | 12 | 28 |
| 20-34 | 1995 | 6.4 | 72 | 1 | 1 | 4 | 7 | 13 | 20 | 52 |
| 35-49 | 1305 | 6.7 | 81 | 1 | 1 | 4 | 8 | 15 | 20 | 63 |
| 50-64 | 1777 | 7.5 | 98 | 1 | 1 | 4 | 9 | 17 | 25 | 57 |
| 65+ | 2468 | 11.5 | 190 | 1 | 2 | 7 | 14 | 29 | 43 | 97 |
| GRAND TOTAL | 12118 | 6.6 | 96 | 1 | 1 | 3 | 7 | 15 | 24 | 62 |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 312 | 4.7 | 43 | <1 | <1 | 2 | 5 | 14 | 20 | 29 |
| 20-34 | 235 | 3.3 | 25 | <1 | <1 | 1 | 4 | 8 | 13 | 29 |
| 35-49 | 122 | 3.2 | 25 | <1 | <1 | 2 | 3 | 7 | 9 | 31 |
| 50-64 | 154 | 4.2 | 33 | <1 | 1 | 2 | 4 | 9 | 17 | 31 |
| 65+ | 157 | 6.2 | 78 | 1 | 1 | 2 | 7 | 17 | 27 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 10.1 | 127 | 1 | 1 | 5 | 12 | 26 | 33 | 52 |
| 20-34 | 170 | 11.0 | 158 | 1 | 1 | 6 | 14 | 26 | 41 | 54 |
| 35-49 | 101 | 11.4 | 160 | 1 | 1 | 6 | 17 | 28 | 39 | 56 |
| 50-64 | 120 | 8.4 | 120 | 1 | 1 | 4 | 10 | 21 | 33 | 53 |
| 65+ | 245 | 15.2 | 306 | 1 | 2 | 9 | 21 | 43 | 67 | 99+ |
| TOT. SINGLE DX | 980 | 4.3 | 42 | <1 | 1 | 2 | 4 | 11 | 18 | 35 |
| " MULTIPLE DX | 746 | 11.9 | 202 | 1 | 1 | 7 | 16 | 30 | 45 | 77 |
| TOTAL 0-19 YRS | 422 | 6.1 | 71 | <1 | 1 | 3 | 7 | 17 | 25 | 40 |
| 20-34 | 405 | 6.5 | 95 | <1 | 1 | 2 | 7 | 18 | 26 | 50 |
| 35-49 | 223 | 6.9 | 103 | <1 | 1 | 3 | 7 | 20 | 28 | 51 |
| 50-64 | 274 | 6.0 | 75 | <1 | 1 | 3 | 7 | 15 | 24 | 48 |
| 65+ | 402 | 11.7 | 236 | 1 | 1 | 6 | 14 | 31 | 48 | 90 |
| GRAND TOTAL | 1726 | 7.6 | 125 | <1 | 1 | 3 | 9 | 21 | 31 | 59 |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 3.8 | 15 | 1 | 1 | 3 | 4 | 6 | 10 | 19 |
| 20-34 | 237 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 89 | 4.7 | 22 | 1 | 2 | 4 | 5 | 7 | 11 | 31 |
| 50-64 | 65 | 6.3 | 22 | 1 | 2 | 5 | 8 | 14 | 17 | 21 |
| 65+ | 42 | 11.6 | 155 | 2 | 3 | 8 | 14 | 19 | 40 | 67 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 9.2 | 140 | 1 | 1 | 5 | 10 | 19 | 43 | 51 |
| 20-34 | 96 | 9.8 | 148 | 1 | 3 | 5 | 10 | 25 | 40 | 86 |
| 35-49 | 46 | 14.0 | 276 | 2 | 2 | 8 | 17 | 36 | 45 | 88 |
| 50-64 | 60 | 11.5 | 124 | 2 | 2 | 8 | 14 | 26 | 32 | 65 |
| 65+ | 61 | 25.6 | 421 | 5 | 6 | 19 | 36 | 64 | 74 | 98 |
| TOT. SINGLE DX | 580 | 5.0 | 28 | 1 | 1 | 4 | 6 | 9 | 14 | 21 |
| " MULTIPLE DX | 312 | 13.8 | 248 | 1 | 2 | 8 | 17 | 36 | 52 | 83 |
| TOTAL 0-19 YRS | 196 | 5.2 | 51 | 1 | 1 | 3 | 5 | 10 | 17 | 45 |
| 20-34 | 333 | 5.9 | 54 | 1 | 2 | 4 | 6 | 10 | 19 | 51 |
| 35-49 | 135 | 7.9 | 128 | 1 | 2 | 4 | 7 | 16 | 32 | 57 |
| 50-64 | 125 | 8.8 | 78 | 2 | 2 | 6 | 11 | 17 | 25 | 45 |
| 65+ | 103 | 19.9 | 358 | 3 | 3 | 14 | 26 | 52 | 66 | 89 |
| GRAND TOTAL | 892 | 8.1 | 122 | 1 | 2 | 4 | 8 | 18 | 31 | 67 |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 729 | 4.4 | 21 | 1 | 2 | 3 | 5 | 7 | 10 | 28 |
| 20-34 | 700 | 4.7 | 29 | 1 | 2 | 3 | 5 | 8 | 12 | 30 |
| 35-49 | 321 | 4.6 | 18 | <1 | 2 | 3 | 5 | 9 | 13 | 24 |
| 50-64 | 225 | 6.4 | 76 | <1 | 2 | 4 | 7 | 14 | 18 | 47 |
| 65+ | 124 | 13.0 | 135 | 1 | 2 | 9 | 19 | 30 | 39 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 302 | 6.1 | 59 | 1 | 2 | 4 | 6 | 14 | 25 | 43 |
| 20-34 | 390 | 6.3 | 56 | 1 | 2 | 4 | 6 | 11 | 26 | 45 |
| 35-49 | 247 | 6.7 | 66 | 2 | 2 | 4 | 7 | 13 | 20 | 64 |
| 50-64 | 221 | 11.1 | 156 | 2 | 2 | 6 | 13 | 29 | 39 | 64 |
| 65+ | 215 | 23.1 | 387 | 2 | 3 | 18 | 34 | 59 | 82 | 99+ |
| TOT. SINGLE DX | 2099 | 5.3 | 40 | 1 | 2 | 4 | 5 | 9 | 15 | 34 |
| " MULTIPLE DX | 1375 | 9.7 | 162 | 2 | 2 | 5 | 10 | 27 | 41 | 94 |
| TOTAL 0-19 YRS | 1031 | 4.9 | 33 | 1 | 2 | 3 | 5 | 8 | 15 | 32 |
| 20-34 | 1090 | 5.3 | 40 | 1 | 2 | 4 | 5 | 9 | 14 | 40 |
| 35-49 | 568 | 5.5 | 41 | 1 | 2 | 4 | 6 | 11 | 15 | 45 |
| 50-64 | 446 | 8.7 | 121 | 1 | 2 | 5 | 9 | 23 | 33 | 58 |
| 65+ | 339 | 19.4 | 318 | 2 | 3 | 15 | 29 | 47 | 65 | 99+ |
| GRAND TOTAL | 3474 | 7.0 | 93 | 1 | 2 | 4 | 7 | 16 | 28 | 59 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 9.8 | 40 | 5 | 5 | 8 | 12 | 16 | 19 | 43 |
| 20-34 | 1526 | 11.3 | 52 | 5 | 5 | 9 | 13 | 20 | 25 | 39 |
| 35-49 | 2405 | 11.4 | 42 | 4 | 5 | 10 | 14 | 20 | 24 | 34 |
| 50-64 | 1182 | 13.3 | 69 | 5 | 6 | 11 | 16 | 23 | 29 | 45 |
| 65+ | 224 | 15.7 | 83 | 6 | 7 | 13 | 19 | 28 | 34 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 17.9 | 83 | 6 | 6 | 18 | 26 | 29 | 33 | 33 |
| 20-34 | 418 | 15.6 | 131 | 5 | 6 | 12 | 19 | 29 | 40 | 67 |
| 35-49 | 876 | 16.1 | 126 | 6 | 7 | 12 | 20 | 31 | 39 | 58 |
| 50-64 | 905 | 16.9 | 120 | 6 | 7 | 14 | 21 | 31 | 38 | 64 |
| 65+ | 465 | 23.9 | 231 | 8 | 10 | 20 | 29 | 45 | 58 | 99 |
| TOT. SINGLE DX | 5414 | 12.0 | 54 | 5 | 6 | 10 | 14 | 21 | 26 | 38 |
| " MULTIPLE DX | 2675 | 17.6 | 152 | 6 | 7 | 14 | 22 | 33 | 42 | 74 |
| TOTAL 0-19 YRS | 88 | 10.9 | 52 | 5 | 6 | 8 | 13 | 19 | 25 | 44 |
| 20-34 | 1944 | 12.2 | 73 | 5 | 6 | 10 | 14 | 22 | 28 | 44 |
| 35-49 | 3281 | 12.7 | 69 | 5 | 6 | 10 | 15 | 22 | 28 | 44 |
| 50-64 | 2087 | 14.9 | 95 | 6 | 7 | 12 | 18 | 27 | 33 | 52 |
| 65+ | 689 | 21.2 | 198 | 7 | 9 | 17 | 26 | 39 | 51 | 89 |
| GRAND TOTAL | 8089 | 13.8 | 93 | 5 | 6 | 11 | 17 | 25 | 32 | 53 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 992 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2454 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 1254 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 757 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 109 | 6.0 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 444 | 4.5 | 8 | 2 | 2 | 4 | 6 | 7 | 10 | 17 |
| 20-34 | 1155 | 4.7 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 745 | 5.4 | 28 | 2 | 2 | 4 | 6 | 9 | 15 | 30 |
| 50-64 | 759 | 6.1 | 25 | 2 | 2 | 5 | 7 | 11 | 17 | 29 |
| 65+ | 230 | 8.7 | 91 | 2 | 2 | 6 | 10 | 18 | 26 | 59 |
| TOT. SINGLE DX | 5566 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| " MULTIPLE DX | 3333 | 5.4 | 25 | 2 | 2 | 4 | 6 | 9 | 14 | 27 |
| TOTAL 0-19 YRS | 1436 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 3609 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 1999 | 4.7 | 14 | 2 | 2 | 4 | 5 | 8 | 10 | 21 |
| 50-64 | 1516 | 5.5 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 25 |
| 65+ | 339 | 7.9 | 68 | 2 | 2 | 6 | 9 | 16 | 22 | 52 |
| GRAND TOTAL | 8899 | 4.7 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 20 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1473 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 2260 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 1267 | 3.2 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 50-64 | 819 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 65+ | 244 | 4.5 | 22 | <1 | 1 | 3 | 5 | 9 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 557 | 3.5 | 21 | <1 | 1 | 2 | 4 | 6 | 8 | 26 |
| 20-34 | 1096 | 3.9 | 34 | <1 | 1 | 2 | 4 | 7 | 11 | 30 |
| 35-49 | 682 | 4.4 | 23 | <1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 50-64 | 701 | 7.1 | 123 | 1 | 1 | 3 | 7 | 15 | 32 | 64 |
| 65+ | 330 | 11.0 | 185 | 2 | 2 | 5 | 13 | 30 | 39 | 67 |
| TOT. SINGLE DX | 6063 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| " MULTIPLE DX | 3366 | 5.3 | 69 | <1 | 1 | 3 | 5 | 10 | 18 | 48 |
| TOTAL 0-19 YRS | 2030 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 3356 | 3.3 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 35-49 | 1949 | 3.6 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 50-64 | 1520 | 5.3 | 70 | <1 | 1 | 3 | 5 | 10 | 18 | 50 |
| 65+ | 574 | 8.2 | 126 | 1 | 2 | 4 | 9 | 21 | 33 | 62 |
| GRAND TOTAL | 9429 | 3.9 | 32 | <1 | 1 | 2 | 4 | 7 | 11 | 32 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 161 | 14.5 | 74 | 5 | 6 | 12 | 18 | 27 | 30 | 51 |
| 20-34 | 124 | 15.1 | 138 | 5 | 7 | 12 | 16 | 27 | 37 | 75 |
| 35-49 | 140 | 13.6 | 65 | 6 | 7 | 11 | 16 | 24 | 31 | 47 |
| 50-64 | 81 | 14.4 | 143 | 6 | 7 | 11 | 15 | 27 | 33 | 80 |
| 65+ | 10 | 21.8 | 158 | 8 | 9 | 20 | 32 | 40 | 48 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 22.4 | 285 | 5 | 7 | 17 | 28 | 45 | 58 | 92 |
| 20-34 | 104 | 17.7 | 179 | 7 | 7 | 14 | 24 | 53 | 99+ | 99+ |
| 35-49 | 96 | 18.4 | 145 | 7 | 8 | 15 | 23 | 38 | 53 | 99+ |
| 50-64 | 90 | 20.4 | 282 | 5 | 7 | 17 | 24 | 39 | 71 | 95 |
| 65+ | 34 | 27.2 | 567 | 7 | 7 | 20 | 41 | 87 | 99 | 99+ |
| TOT. SINGLE DX | 516 | 14.5 | 100 | 5 | 7 | 12 | 17 | 27 | 32 | 55 |
| " MULTIPLE DX | 391 | 20.1 | 251 | 6 | 7 | 16 | 25 | 45 | 69 | 99+ |
| TOTAL 0-19 YRS | 228 | 16.8 | 148 | 5 | 6 | 13 | 20 | 30 | 37 | 61 |
| 20-34 | 228 | 16.3 | 158 | 6 | 7 | 13 | 19 | 34 | 58 | 99+ |
| 35-49 | 236 | 15.6 | 103 | 6 | 7 | 13 | 18 | 30 | 40 | 69 |
| 50-64 | 171 | 17.5 | 225 | 6 | 7 | 13 | 21 | 31 | 46 | 89 |
| 65+ | 44 | 26.0 | 474 | 7 | 8 | 20 | 34 | 75 | 98 | 99+ |
| GRAND TOTAL | 907 | 16.9 | 173 | 6 | 7 | 13 | 20 | 32 | 48 | 99+ |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 5.4 | 28 | 1 | 2 | 4 | 6 | 10 | 14 | 36 |
| 20-34 | 257 | 5.0 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| 35-49 | 232 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 50-64 | 290 | 5.5 | 37 | 1 | 1 | 4 | 6 | 11 | 16 | 31 |
| 65+ | 129 | 6.0 | 54 | <1 | 2 | 3 | 6 | 13 | 16 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 76 | 6.7 | 23 | 2 | 2 | 5 | 8 | 15 | 18 | 25 |
| 20-34 | 140 | 7.3 | 41 | 2 | 2 | 5 | 8 | 16 | 22 | 36 |
| 35-49 | 168 | 6.8 | 28 | 2 | 2 | 5 | 9 | 14 | 19 | 28 |
| 50-64 | 238 | 8.4 | 83 | 2 | 2 | 6 | 9 | 18 | 28 | 51 |
| 65+ | 147 | 10.0 | 135 | 2 | 2 | 6 | 11 | 22 | 45 | 99+ |
| TOT. SINGLE DX | 1035 | 5.3 | 29 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| " MULTIPLE DX | 769 | 8.0 | 69 | 2 | 2 | 5 | 9 | 17 | 24 | 56 |
| TOTAL 0-19 YRS | 203 | 5.9 | 27 | 2 | 2 | 5 | 7 | 10 | 16 | 30 |
| 20-34 | 397 | 5.8 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 35-49 | 400 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 528 | 6.8 | 60 | 1 | 2 | 4 | 8 | 14 | 22 | 46 |
| 65+ | 276 | 8.2 | 101 | 2 | 2 | 5 | 9 | 17 | 34 | 63 |
| GRAND TOTAL | 1804 | 6.4 | 48 | 1 | 2 | 4 | 7 | 13 | 18 | 44 |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 34 | 13.9 | 15 | 8 | 9 | 13 | 17 | 19 | 19 | 22 |
| 35-49 | 96 | 15.6 | 31 | 9 | 10 | 15 | 18 | 21 | 25 | 39 |
| 50-64 | 527 | 17.5 | 61 | 9 | 11 | 16 | 19 | 26 | 32 | 49 |
| 65+ | 976 | 19.5 | 85 | 10 | 12 | 17 | 22 | 28 | 37 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 37.3 | 535 | 9 | 10 | 38 | 52 | 69 | 71 | 71 |
| 20-34 | 42 | 18.9 | 173 | 8 | 9 | 14 | 22 | 34 | 49 | 72 |
| 35-49 | 105 | 21.6 | 142 | 10 | 12 | 18 | 25 | 41 | 46 | 66 |
| 50-64 | 574 | 21.8 | 152 | 10 | 12 | 19 | 25 | 38 | 47 | 88 |
| 65+ | 1427 | 25.6 | 209 | 11 | 13 | 21 | 31 | 46 | 60 | 99+ |
| TOT. SINGLE DX | 1634 | 18.5 | 75 | 10 | 11 | 17 | 21 | 27 | 34 | 53 |
| " MULTIPLE DX | 2154 | 24.3 | 195 | 11 | 12 | 20 | 28 | 43 | 56 | 94 |
| TOTAL 0-19 YRS | 7 | 34.1 | 517 | 9 | 10 | 35 | 49 | 67 | 71 | 71 |
| 20-34 | 76 | 16.7 | 108 | 8 | 9 | 14 | 18 | 25 | 36 | 67 |
| 35-49 | 201 | 18.7 | 98 | 10 | 11 | 16 | 21 | 29 | 43 | 53 |
| 50-64 | 1101 | 19.8 | 113 | 10 | 11 | 17 | 23 | 31 | 42 | 67 |
| 65+ | 2403 | 23.1 | 168 | 11 | 12 | 19 | 26 | 40 | 51 | 90 |
| GRAND TOTAL | 3788 | 21.8 | 151 | 10 | 12 | 18 | 25 | 38 | 48 | 83 |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 14.4 | 144 | 4 | 4 | 10 | 18 | 28 | 44 | 51 |
| 20-34 | 17 | 12.1 | 46 | 2 | 3 | 11 | 17 | 22 | 23 | 24 |
| 35-49 | 24 | 15.4 | 39 | 5 | 9 | 15 | 19 | 24 | 27 | 30 |
| 50-64 | 169 | 17.1 | 78 | 9 | 10 | 15 | 19 | 24 | 33 | 52 |
| 65+ | 1081 | 21.2 | 131 | 10 | 11 | 19 | 24 | 36 | 46 | 95 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 26.9 | 306 | 4 | 5 | 26 | 41 | 50 | 51 | 51 |
| 20-34 | 18 | 21.3 | 257 | 7 | 8 | 18 | 25 | 40 | 61 | 73 |
| 35-49 | 26 | 23.6 | 251 | 9 | 10 | 18 | 26 | 47 | 65 | 70 |
| 50-64 | 306 | 25.8 | 252 | 10 | 12 | 21 | 31 | 55 | 60 | 98 |
| 65+ | 2426 | 28.0 | 256 | 12 | 14 | 24 | 35 | 56 | 78 | 99+ |
| TOT. SINGLE DX | 1307 | 20.4 | 126 | 9 | 11 | 18 | 24 | 34 | 44 | 86 |
| " MULTIPLE DX | 2784 | 27.7 | 256 | 11 | 13 | 23 | 35 | 55 | 76 | 99+ |
| TOTAL 0-19 YRS | 24 | 18.5 | 224 | 4 | 4 | 14 | 26 | 49 | 51 | 51 |
| 20-34 | 35 | 16.9 | 172 | 3 | 6 | 15 | 21 | 28 | 40 | 73 |
| 35-49 | 50 | 19.7 | 164 | 8 | 9 | 17 | 22 | 32 | 48 | 70 |
| 50-64 | 475 | 22.7 | 208 | 9 | 11 | 18 | 27 | 44 | 57 | 91 |
| 65+ | 3507 | 25.9 | 228 | 11 | 13 | 22 | 32 | 49 | 71 | 99+ |
| GRAND TOTAL | 4091 | 25.4 | 226 | 10 | 12 | 21 | 32 | 48 | 67 | 99+ |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 453 | 5.5 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 14 |
| 20-34 | 556 | 6.3 | 19 | 3 | 3 | 6 | 7 | 10 | 12 | 25 |
| 35-49 | 138 | 8.6 | 65 | 3 | 3 | 6 | 9 | 19 | 22 | 46 |
| 50-64 | 340 | 16.5 | 61 | 5 | 7 | 16 | 21 | 26 | 30 | 46 |
| 65+ | 540 | 20.5 | 80 | 9 | 11 | 19 | 24 | 31 | 36 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 327 | 6.1 | 15 | 3 | 3 | 5 | 7 | 10 | 13 | 20 |
| 20-34 | 535 | 7.4 | 37 | 3 | 4 | 6 | 8 | 12 | 16 | 37 |
| 35-49 | 166 | 9.9 | 87 | 3 | 4 | 7 | 12 | 19 | 26 | 69 |
| 50-64 | 331 | 19.4 | 117 | 5 | 8 | 17 | 24 | 33 | 44 | 66 |
| 65+ | 733 | 24.7 | 174 | 11 | 13 | 22 | 28 | 41 | 57 | 99+ |
| TOT. SINGLE DX | 2027 | 11.8 | 85 | 3 | 4 | 8 | 17 | 24 | 29 | 45 |
| " MULTIPLE DX | 2092 | 15.3 | 163 | 3 | 4 | 12 | 21 | 31 | 41 | 72 |
| TOTAL 0-19 YRS | 780 | 5.8 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 1091 | 6.9 | 28 | 3 | 3 | 6 | 8 | 11 | 14 | 36 |
| 35-49 | 304 | 9.3 | 78 | 3 | 3 | 6 | 11 | 19 | 25 | 55 |
| 50-64 | 671 | 17.9 | 91 | 5 | 8 | 17 | 22 | 30 | 38 | 58 |
| 65+ | 1273 | 22.9 | 139 | 9 | 12 | 20 | 26 | 37 | 48 | 82 |
| GRAND TOTAL | 4119 | 13.6 | 128 | 3 | 4 | 10 | 19 | 27 | 35 | 61 |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 653 | 3.7 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 8 |
| 20-34 | 1154 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 420 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 425 | 4.9 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 187 | 6.2 | 26 | 2 | 2 | 5 | 7 | 13 | 16 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 138 | 5.3 | 53 | 2 | 2 | 4 | 6 | 8 | 11 | 57 |
| 20-34 | 334 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 35-49 | 281 | 5.8 | 25 | 2 | 2 | 4 | 6 | 11 | 17 | 31 |
| 50-64 | 443 | 7.0 | 60 | 2 | 3 | 5 | 7 | 13 | 18 | 52 |
| 65+ | 288 | 10.0 | 96 | 2 | 3 | 6 | 12 | 25 | 32 | 55 |
| TOT. SINGLE DX | 2839 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| " MULTIPLE DX | 1484 | 6.6 | 53 | 2 | 2 | 5 | 7 | 13 | 20 | 37 |
| TOTAL 0-19 YRS | 791 | 4.0 | 12 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1488 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 701 | 4.8 | 15 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| 50-64 | 868 | 6.0 | 39 | 2 | 2 | 4 | 7 | 10 | 15 | 31 |
| 65+ | 475 | 8.5 | 72 | 2 | 2 | 5 | 10 | 20 | 27 | 43 |
| GRAND TOTAL | 4323 | 5.0 | 24 | 2 | 2 | 4 | 5 | 8 | 12 | 26 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 375 | 4.0 | 22 | <1 | 1 | 2 | 5 | 9 | 13 | 24 |
| 20-34 | 400 | 3.6 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| 35-49 | 346 | 3.1 | 20 | <1 | <1 | 2 | 3 | 6 | 7 | 19 |
| 50-64 | 548 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 20 |
| 65+ | 179 | 3.7 | 26 | <1 | <1 | 2 | 3 | 8 | 12 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 198 | 9.3 | 150 | 1 | 2 | 5 | 9 | 21 | 42 | 71 |
| 20-34 | 203 | 8.0 | 145 | <1 | 1 | 4 | 9 | 16 | 27 | 89 |
| 35-49 | 198 | 8.1 | 164 | 1 | 1 | 4 | 7 | 18 | 37 | 75 |
| 50-64 | 262 | 6.9 | 74 | 1 | 1 | 3 | 8 | 17 | 26 | 35 |
| 65+ | 159 | 11.9 | 197 | <1 | 1 | 7 | 17 | 31 | 37 | 74 |
| TOT. SINGLE DX | 1848 | 3.3 | 17 | <1 | <1 | 2 | 3 | 7 | 10 | 23 |
| " MULTIPLE DX | 1020 | 8.6 | 142 | 1 | 1 | 4 | 9 | 20 | 33 | 74 |
| TOTAL 0-19 YRS | 573 | 5.8 | 73 | <1 | 1 | 3 | 6 | 13 | 20 | 50 |
| 20-34 | 603 | 5.0 | 62 | <1 | 1 | 3 | 5 | 11 | 15 | 40 |
| 35-49 | 544 | 4.9 | 79 | <1 | <1 | 3 | 4 | 9 | 17 | 53 |
| 50-64 | 810 | 4.0 | 35 | <1 | <1 | 2 | 4 | 9 | 15 | 29 |
| 65+ | 338 | 7.6 | 123 | <1 | <1 | 3 | 9 | 20 | 31 | 54 |
| GRAND TOTAL | 2868 | 5.2 | 68 | <1 | <1 | 3 | 5 | 11 | 19 | 46 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 852 | 2.4 | 22 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 20-34 | 1496 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 35-49 | 870 | 2.6 | 9 | <1 | <1 | 2 | 3 | 4 | 7 | 16 |
| 50-64 | 741 | 3.3 | 21 | <1 | <1 | 2 | 3 | 6 | 8 | 25 |
| 65+ | 234 | 4.1 | 22 | <1 | <1 | 2 | 4 | 10 | 13 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 99 | 3.9 | 14 | <1 | 1 | 3 | 4 | 8 | 10 | 23 |
| 20-34 | 266 | 5.0 | 66 | <1 | <1 | 2 | 4 | 12 | 17 | 64 |
| 35-49 | 335 | 6.8 | 80 | 1 | 2 | 3 | 8 | 19 | 30 | 50 |
| 50-64 | 473 | 8.4 | 100 | 1 | 2 | 4 | 11 | 22 | 29 | 51 |
| 65+ | 370 | 13.6 | 228 | 1 | 2 | 5 | 18 | 34 | 48 | 96 |
| TOT. SINGLE DX | 4193 | 2.6 | 14 | <1 | <1 | 2 | 3 | 4 | 6 | 17 |
| " MULTIPLE DX | 1543 | 8.4 | 126 | <1 | 1 | 4 | 10 | 22 | 31 | 63 |
| TOTAL 0-19 YRS | 951 | 2.5 | 22 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |
| 20-34 | 1762 | 2.6 | 15 | <1 | <1 | 2 | 2 | 4 | 6 | 19 |
| 35-49 | 1205 | 3.8 | 33 | <1 | <1 | 2 | 3 | 7 | 14 | 36 |
| 50-64 | 1214 | 5.3 | 58 | <1 | <1 | 3 | 5 | 13 | 21 | 40 |
| 65+ | 604 | 9.9 | 170 | <1 | 1 | 5 | 12 | 26 | 38 | 80 |
| GRAND TOTAL | 5736 | 4.2 | 50 | <1 | <1 | 2 | 3 | 9 | 16 | 39 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 6 |
| 20-34 | 79 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 160 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 502 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 324 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 18 | 1 | 2 | 6 | 10 | 12 | 13 | 13 |
| 20-34 | 29 | 4.2 | 24 | 1 | 1 | 3 | 4 | 8 | 16 | 25 |
| 35-49 | 62 | 4.5 | 33 | 1 | 1 | 3 | 4 | 9 | 19 | 31 |
| 50-64 | 248 | 3.8 | 30 | 1 | 1 | 3 | 3 | 6 | 12 | 37 |
| 65+ | 160 | 4.5 | 24 | 2 | 2 | 3 | 4 | 9 | 16 | 28 |
| TOT. SINGLE DX | 1111 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 512 | 4.2 | 29 | 1 | 2 | 3 | 4 | 8 | 14 | 31 |
| TOTAL 0-19 YRS | 59 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 11 | 13 |
| 20-34 | 108 | 3.0 | 10 | <1 | <1 | 2 | 3 | 6 | 7 | 20 |
| 35-49 | 222 | 3.0 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 25 |
| 50-64 | 750 | 3.0 | 12 | <1 | 1 | 2 | 3 | 5 | 6 | 18 |
| 65+ | 484 | 3.3 | 12 | 1 | 2 | 2 | 3 | 5 | 8 | 24 |
| GRAND TOTAL | 1623 | 3.1 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 491 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 675 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 297 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 196 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 42 | 3.8 | 25 | <1 | 1 | 3 | 4 | 8 | 9 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 315 | 2.7 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 424 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 209 | 3.9 | 39 | 1 | 1 | 3 | 4 | 6 | 9 | 40 |
| 50-64 | 136 | 3.9 | 20 | 1 | 1 | 2 | 4 | 7 | 11 | 26 |
| 65+ | 55 | 5.3 | 42 | 1 | 2 | 3 | 5 | 11 | 15 | 34 |
| TOT. SINGLE DX | 1701 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 1139 | 3.3 | 19 | 1 | 1 | 2 | 3 | 6 | 8 | 25 |
| TOTAL 0-19 YRS | 806 | 2.4 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1099 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 506 | 3.0 | 18 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 50-64 | 332 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 65+ | 97 | 4.7 | 35 | 1 | 1 | 3 | 4 | 10 | 13 | 34 |
| GRAND TOTAL | 2840 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 225 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 424 | 3.7 | 30 | <1 | 1 | 3 | 4 | 6 | 8 | 24 |
| 35-49 | 366 | 3.6 | 11 | 1 | 1 | 3 | 4 | 6 | 7 | 17 |
| 50-64 | 402 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 65+ | 151 | 5.5 | 40 | 1 | 1 | 4 | 6 | 9 | 14 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 3.9 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 20-34 | 242 | 4.6 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 36 |
| 35-49 | 234 | 6.4 | 64 | 1 | 2 | 4 | 7 | 11 | 20 | 69 |
| 50-64 | 278 | 6.7 | 64 | 2 | 2 | 5 | 8 | 13 | 21 | 45 |
| 65+ | 168 | 9.8 | 119 | 2 | 2 | 6 | 14 | 23 | 33 | 96 |
| TOT. SINGLE DX | 1568 | 3.8 | 19 | 1 | 1 | 3 | 4 | 6 | 8 | 23 |
| " MULTIPLE DX | 1029 | 6.3 | 62 | 1 | 2 | 4 | 7 | 13 | 21 | 51 |
| TOTAL 0-19 YRS | 332 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 666 | 4.0 | 30 | <1 | 1 | 3 | 4 | 7 | 10 | 33 |
| 35-49 | 600 | 4.7 | 34 | 1 | 1 | 3 | 5 | 8 | 10 | 36 |
| 50-64 | 680 | 5.2 | 36 | 1 | 2 | 4 | 6 | 9 | 14 | 34 |
| 65+ | 319 | 7.7 | 86 | 1 | 2 | 5 | 9 | 17 | 26 | 68 |
| GRAND TOTAL | 2597 | 4.8 | 38 | 1 | 1 | 3 | 5 | 9 | 14 | 35 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 460 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 515 | 4.2 | 25 | 1 | 1 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 318 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 213 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 78 | 7.2 | 35 | <1 | 1 | 6 | 10 | 16 | 19 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 272 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 29 |
| 20-34 | 221 | 6.5 | 82 | 1 | 2 | 4 | 7 | 11 | 21 | 55 |
| 35-49 | 106 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 99+ |
| 50-64 | 134 | 9.3 | 130 | 2 | 2 | 6 | 10 | 21 | 31 | 92 |
| 65+ | 97 | 13.5 | 148 | 3 | 3 | 11 | 17 | 36 | 53 | 99+ |
| TOT. SINGLE DX | 1584 | 4.2 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| " MULTIPLE DX | 830 | 7.2 | 75 | 2 | 2 | 5 | 8 | 14 | 24 | 85 |
| TOTAL 0-19 YRS | 732 | 4.2 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 736 | 4.9 | 44 | 1 | 1 | 4 | 5 | 8 | 10 | 28 |
| 35-49 | 424 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 27 |
| 50-64 | 347 | 6.5 | 61 | 1 | 2 | 5 | 7 | 11 | 19 | 48 |
| 65+ | 175 | 10.7 | 107 | 1 | 2 | 7 | 14 | 25 | 39 | 99+ |
| GRAND TOTAL | 2414 | 5.3 | 38 | 1 | 2 | 4 | 6 | 9 | 13 | 38 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 2.5 | 18 | <1 | 1 | 1 | 2 | 4 | 5 | 29 |
| 20-34 | 144 | 3.1 | 21 | <1 | 1 | 2 | 3 | 5 | 8 | 36 |
| 35-49 | 100 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 6 | 23 |
| 50-64 | 78 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 8 | 16 |
| 65+ | 44 | 3.1 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 7.0 | 145 | <1 | 1 | 2 | 7 | 18 | 38 | 57 |
| 20-34 | 99 | 7.0 | 83 | 1 | 1 | 3 | 8 | 20 | 25 | 49 |
| 35-49 | 83 | 6.5 | 73 | 1 | 1 | 3 | 6 | 17 | 26 | 44 |
| 50-64 | 91 | 10.8 | 134 | 1 | 1 | 5 | 16 | 29 | 36 | 48 |
| 65+ | 75 | 13.7 | 271 | 1 | 2 | 8 | 20 | 43 | 80 | 99+ |
| TOT. SINGLE DX | 448 | 2.8 | 15 | <1 | 1 | 2 | 3 | 5 | 7 | 22 |
| " MULTIPLE DX | 382 | 9.1 | 142 | 1 | 1 | 4 | 11 | 26 | 36 | 81 |
| TOTAL 0-19 YRS | 116 | 3.8 | 59 | <1 | 1 | 2 | 3 | 6 | 15 | 46 |
| 20-34 | 243 | 4.6 | 50 | <1 | 1 | 2 | 4 | 10 | 20 | 37 |
| 35-49 | 183 | 4.5 | 43 | 1 | 1 | 2 | 4 | 10 | 17 | 39 |
| 50-64 | 169 | 7.1 | 92 | 1 | 1 | 3 | 8 | 20 | 30 | 46 |
| 65+ | 119 | 9.8 | 199 | 1 | 1 | 5 | 11 | 29 | 57 | 99+ |
| GRAND TOTAL | 830 | 5.7 | 83 | 1 | 1 | 3 | 5 | 15 | 26 | 56 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 4 | <1 | <1 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 8 | 6.0 | 48 | 1 | 2 | 4 | 5 | 18 | 23 | 23 |
| 35-49 | 9 | 4.2 | 16 | 1 | 1 | 3 | 5 | 11 | 14 | 14 |
| 50-64 | 5 | 7.4 | 8 | 3 | 3 | 8 | 9 | 11 | 11 | 11 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 32.0 | 549 | 5 | 5 | 44 | 46 | 47 | 47 | 47 |
| 20-34 | 8 | 12.1 | 135 | 1 | 1 | 8 | 21 | 30 | 32 | 32 |
| 35-49 | 7 | 21.7 | 626 | 2 | 3 | 8 | 35 | 64 | 70 | 70 |
| 50-64 | 10 | 28.1 | 931 | 3 | 3 | 14 | 46 | 75 | 98 | 98 |
| 65+ | 14 | 23.1 | 504 | 2 | 4 | 16 | 24 | 54 | 79 | 86 |
| TOT. SINGLE DX | 28 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 15 | 23 |
| " MULTIPLE DX | 42 | 22.6 | 541 | 2 | 3 | 14 | 35 | 51 | 76 | 98 |
| TOTAL 0-19 YRS | 8 | 14.3 | 375 | <1 | 1 | 5 | 25 | 46 | 47 | 47 |
| 20-34 | 16 | 9.1 | 96 | 1 | 1 | 4 | 14 | 25 | 30 | 32 |
| 35-49 | 16 | 11.9 | 339 | 1 | 2 | 5 | 11 | 39 | 62 | 70 |
| 50-64 | 15 | 21.2 | 703 | 3 | 3 | 9 | 30 | 53 | 87 | 98 |
| 65+ | 15 | 22.1 | 482 | 2 | 4 | 16 | 22 | 50 | 77 | 86 |
| GRAND TOTAL | 70 | 15.7 | 403 | 1 | 2 | 8 | 17 | 45 | 53 | 96 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 3.2 | 10 | 1 | 1 | 2 | 3 | 6 | 11 | 17 |
| 20-34 | 33 | 9.4 | 92 | 2 | 2 | 5 | 13 | 24 | 32 | 38 |
| 35-49 | 30 | 6.2 | 65 | 1 | 1 | 3 | 6 | 18 | 26 | 35 |
| 50-64 | 37 | 12.1 | 150 | 1 | 2 | 6 | 17 | 27 | 41 | 50 |
| 65+ | 67 | 17.0 | 350 | 1 | 2 | 8 | 26 | 43 | 66 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 11.5 | 111 | 1 | 2 | 9 | 16 | 23 | 35 | 46 |
| 20-34 | 44 | 20.1 | 382 | 2 | 2 | 15 | 31 | 43 | 52 | 93 |
| 35-49 | 151 | 21.2 | 310 | 2 | 3 | 17 | 29 | 48 | 56 | 99 |
| 50-64 | 453 | 24.9 | 352 | 4 | 6 | 19 | 35 | 56 | 68 | 99+ |
| 65+ | 719 | 28.3 | 424 | 4 | 7 | 23 | 40 | 61 | 80 | 99+ |
| TOT. SINGLE DX | 198 | 11.0 | 197 | 1 | 2 | 5 | 14 | 29 | 40 | 70 |
| " MULTIPLE DX | 1391 | 25.9 | 391 | 4 | 6 | 20 | 37 | 57 | 72 | 99+ |
| TOTAL 0-19 YRS | 55 | 6.8 | 71 | 1 | 1 | 3 | 9 | 17 | 22 | 45 |
| 20-34 | 77 | 15.5 | 284 | 2 | 2 | 9 | 21 | 40 | 44 | 86 |
| 35-49 | 181 | 18.8 | 301 | 2 | 2 | 15 | 26 | 46 | 53 | 92 |
| 50-64 | 490 | 23.9 | 348 | 3 | 5 | 18 | 35 | 55 | 68 | 99+ |
| 65+ | 786 | 27.3 | 428 | 4 | 6 | 23 | 39 | 60 | 77 | 99+ |
| GRAND TOTAL | 1589 | 24.0 | 391 | 2 | 4 | 19 | 35 | 55 | 70 | 99+ |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 28.0 | 512 | 12 | 12 | 28 | 44 | 44 | 44 | 44 |
| 35-49 | 5 | 31.6 | 1215 | 8 | 8 | 14 | 46 | 92 | 92 | 92 |
| 50-64 | 14 | 34.7 | 363 | 7 | 8 | 35 | 42 | 57 | 75 | 80 |
| 65+ | 37 | 27.8 | 282 | 11 | 12 | 23 | 37 | 62 | 73 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 23.0 | 261 | 6 | 6 | 20 | 34 | 47 | 47 | 47 |
| 20-34 | 21 | 26.6 | 286 | 5 | 6 | 26 | 40 | 53 | 83 | 99+ |
| 35-49 | 51 | 38.0 | 447 | 10 | 16 | 37 | 59 | 98 | 99+ | 99+ |
| 50-64 | 299 | 38.6 | 422 | 14 | 16 | 36 | 57 | 87 | 99+ | 99+ |
| 65+ | 834 | 38.3 | 456 | 12 | 14 | 37 | 61 | 98 | 99+ | 99+ |
| TOT. SINGLE DX | 59 | 29.3 | 371 | 8 | 11 | 26 | 39 | 60 | 78 | 99 |
| " MULTIPLE DX | 1210 | 38.1 | 446 | 12 | 15 | 36 | 59 | 94 | 99+ | 99+ |
| TOTAL 0-19 YRS | 6 | 19.5 | 282 | 2 | 2 | 16 | 30 | 45 | 47 | 47 |
| 20-34 | 23 | 26.7 | 284 | 5 | 7 | 26 | 41 | 48 | 80 | 99+ |
| 35-49 | 56 | 37.4 | 499 | 9 | 13 | 36 | 58 | 95 | 99+ | 99+ |
| 50-64 | 313 | 38.5 | 419 | 13 | 16 | 36 | 56 | 81 | 99+ | 99+ |
| 65+ | 871 | 37.8 | 453 | 12 | 14 | 36 | 60 | 96 | 99+ | 99+ |
| GRAND TOTAL | 1269 | 37.7 | 446 | 12 | 14 | 36 | 58 | 92 | 99+ | 99+ |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 11.5 | 125 | 4 | 4 | 7 | 18 | 28 | 28 | 28 |
| 20-34 | 6 | 18.0 | 174 | 5 | 5 | 14 | 27 | 39 | 40 | 40 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 10 | 23.9 | 276 | 8 | 8 | 21 | 26 | 50 | 65 | 65 |
| 65+ | 52 | 23.9 | 312 | 5 | 8 | 18 | 34 | 48 | 60 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 35.3 | 1215 | 6 | 6 | 29 | 64 | 77 | 77 | 77 |
| 20-34 | 6 | 39.5 | 429 | 16 | 17 | 51 | 62 | 93 | 99+ | 99+ |
| 35-49 | 12 | 42.3 | 876 | 10 | 15 | 38 | 86 | 99+ | 99+ | 99+ |
| 50-64 | 144 | 34.5 | 450 | 10 | 12 | 32 | 60 | 99+ | 99+ | 99+ |
| 65+ | 845 | 31.6 | 448 | 9 | 12 | 28 | 52 | 97 | 99+ | 99+ |
| TOT. SINGLE DX | 73 | 22.5 | 287 | 5 | 7 | 18 | 30 | 46 | 60 | 99 |
| " MULTIPLE DX | 1011 | 32.2 | 457 | 9 | 12 | 28 | 53 | 98 | 99+ | 99+ |
| TOTAL 0-19 YRS | 8 | 23.4 | 736 | 4 | 4 | 8 | 39 | 69 | 77 | 77 |
| 20-34 | 12 | 28.8 | 401 | 5 | 7 | 27 | 53 | 70 | 94 | 99+ |
| 35-49 | 13 | 39.5 | 905 | 7 | 9 | 26 | 85 | 99+ | 99+ | 99+ |
| 50-64 | 154 | 33.8 | 444 | 10 | 12 | 29 | 57 | 99 | 99+ | 99+ |
| 65+ | 897 | 31.2 | 444 | 9 | 11 | 27 | 51 | 95 | 99+ | 99+ |
| GRAND TOTAL | 1084 | 31.6 | 451 | 9 | 11 | 27 | 53 | 95 | 99+ | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 10 | 4 | 4 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 9 | 20.2 | 163 | 5 | 6 | 19 | 34 | 37 | 38 | 38 |
| 35-49 | 4 | 13.3 | 97 | 5 | 5 | 11 | 21 | 26 | 26 | 26 |
| 50-64 | 7 | 29.3 | 196 | 10 | 13 | 30 | 32 | 51 | 56 | 56 |
| 65+ | 8 | 17.1 | 51 | 8 | 9 | 15 | 22 | 28 | 30 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 28.0 | 636 | 1 | 1 | 25 | 46 | 61 | 61 | 61 |
| 20-34 | 15 | 28.9 | 538 | 5 | 10 | 20 | 51 | 98 | 99+ | 99+ |
| 35-49 | 34 | 30.4 | 510 | 6 | 11 | 26 | 38 | 72 | 76 | 90 |
| 50-64 | 151 | 36.0 | 442 | 11 | 14 | 33 | 54 | 84 | 99+ | 99+ |
| 65+ | 249 | 34.9 | 411 | 10 | 14 | 32 | 53 | 80 | 99+ | 99+ |
| TOT. SINGLE DX | 31 | 19.2 | 152 | 5 | 5 | 17 | 29 | 34 | 38 | 56 |
| " MULTIPLE DX | 453 | 34.6 | 434 | 10 | 13 | 32 | 53 | 81 | 99+ | 99+ |
| TOTAL 0-19 YRS | 7 | 18.7 | 456 | 1 | 2 | 10 | 28 | 55 | 61 | 61 |
| 20-34 | 24 | 25.7 | 403 | 5 | 8 | 20 | 39 | 87 | 99+ | 99+ |
| 35-49 | 38 | 28.6 | 491 | 5 | 7 | 22 | 35 | 72 | 76 | 90 |
| 50-64 | 158 | 35.7 | 432 | 10 | 14 | 32 | 54 | 84 | 99+ | 99+ |
| 65+ | 257 | 34.3 | 409 | 10 | 13 | 31 | 52 | 78 | 99+ | 99+ |
| GRAND TOTAL | 484 | 33.7 | 430 | 9 | 12 | 30 | 51 | 77 | 99+ | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 3.1 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| 20-34 | 18 | 4.5 | 28 | <1 | 1 | 3 | 4 | 8 | 18 | 24 |
| 35-49 | 17 | 5.3 | 17 | 1 | 1 | 4 | 7 | 13 | 15 | 15 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 5.3 | 10 | 3 | 3 | 4 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 14.5 | 338 | 2 | 3 | 7 | 13 | 38 | 63 | 75 |
| 20-34 | 7 | 19.9 | 508 | 2 | 2 | 6 | 39 | 55 | 57 | 57 |
| 35-49 | 7 | 6.0 | 19 | 1 | 2 | 5 | 7 | 13 | 15 | 15 |
| 50-64 | 6 | 6.0 | 38 | 1 | 1 | 4 | 8 | 16 | 17 | 17 |
| 65+ | 4 | 9.3 | 66 | 2 | 2 | 7 | 15 | 20 | 20 | 20 |
| TOT. SINGLE DX | 57 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| " MULTIPLE DX | 41 | 12.2 | 250 | 1 | 2 | 6 | 13 | 32 | 51 | 75 |
| TOTAL 0-19 YRS | 34 | 8.8 | 200 | 1 | 1 | 5 | 7 | 19 | 38 | 75 |
| 20-34 | 25 | 8.8 | 197 | 1 | 1 | 3 | 7 | 24 | 49 | 57 |
| 35-49 | 24 | 5.5 | 17 | 1 | 1 | 4 | 7 | 14 | 15 | 15 |
| 50-64 | 8 | 5.0 | 31 | 1 | 1 | 2 | 7 | 14 | 17 | 17 |
| 65+ | 7 | 7.6 | 41 | 2 | 2 | 4 | 10 | 18 | 20 | 20 |
| GRAND TOTAL | 98 | 7.6 | 128 | 1 | 1 | 4 | 7 | 16 | 25 | 66 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 2.4 | 3 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 70 | 3.5 | 38 | <1 | 1 | 2 | 3 | 6 | 9 | 43 |
| 35-49 | 49 | 3.1 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 12 |
| 50-64 | 37 | 9.6 | 300 | <1 | <1 | 3 | 9 | 27 | 35 | 95 |
| 65+ | 43 | 13.0 | 135 | 1 | 2 | 9 | 18 | 28 | 40 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 4.3 | 29 | 1 | 1 | 3 | 4 | 12 | 19 | 19 |
| 20-34 | 43 | 10.0 | 217 | 1 | 2 | 4 | 12 | 41 | 74 | 99+ |
| 35-49 | 34 | 13.2 | 239 | 1 | 1 | 7 | 19 | 26 | 53 | 69 |
| 50-64 | 83 | 19.1 | 366 | 2 | 2 | 14 | 27 | 55 | 76 | 99+ |
| 65+ | 101 | 20.9 | 321 | 3 | 5 | 15 | 29 | 49 | 70 | 99+ |
| TOT. SINGLE DX | 238 | 5.9 | 99 | <1 | 1 | 2 | 6 | 13 | 25 | 47 |
| " MULTIPLE DX | 271 | 17.0 | 318 | 1 | 2 | 12 | 23 | 49 | 68 | 99+ |
| TOTAL 0-19 YRS | 49 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 7 | 19 |
| 20-34 | 113 | 6.0 | 116 | <1 | 1 | 2 | 6 | 14 | 39 | 99+ |
| 35-49 | 83 | 7.2 | 125 | 1 | 1 | 3 | 7 | 19 | 24 | 65 |
| 50-64 | 120 | 16.2 | 363 | 1 | 2 | 10 | 24 | 49 | 67 | 99+ |
| 65+ | 144 | 18.6 | 278 | 2 | 4 | 14 | 25 | 44 | 62 | 99+ |
| GRAND TOTAL | 509 | 11.8 | 246 | 1 | 1 | 6 | 16 | 33 | 52 | 99+ |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 20-34 | 7 | 4.6 | 22 | 1 | 1 | 3 | 4 | 13 | 15 | 15 |
| 35-49 | 3 | 5.7 | 22 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 50-64 | 4 | 14.0 | 274 | 3 | 3 | 8 | 25 | 38 | 38 | 38 |
| 65+ | 8 | 12.1 | 48 | 3 | 4 | 12 | 17 | 21 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 50-64 | 8 | 18.0 | 376 | <1 | 1 | 12 | 28 | 50 | 56 | 56 |
| 65+ | 9 | 15.7 | 50 | 5 | 5 | 17 | 19 | 24 | 27 | 27 |
| TOT. SINGLE DX | 23 | 10.3 | 106 | 1 | 2 | 5 | 14 | 25 | 36 | 38 |
| " MULTIPLE DX | 19 | 16.2 | 174 | 1 | 2 | 16 | 20 | 32 | 47 | 56 |
| TOTAL 0-19 YRS | 2 | 21.5 | 365 | 8 | 8 | 21 | 35 | 35 | 35 | 35 |
| 20-34 | 7 | 4.6 | 22 | 1 | 1 | 3 | 4 | 13 | 15 | 15 |
| 35-49 | 4 | 7.8 | 32 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 50-64 | 12 | 16.7 | 318 | <1 | 1 | 10 | 28 | 43 | 54 | 56 |
| 65+ | 17 | 14.0 | 50 | 4 | 5 | 17 | 18 | 22 | 26 | 27 |
| GRAND TOTAL | 42 | 13.0 | 142 | 1 | 2 | 11 | 18 | 29 | 37 | 56 |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 698 | 2.1 | | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 2873 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 4107 | 2.4 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 50-64 | 2173 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1129 | 4.0 | 15 | 1 | 2 | 3 | 5 | 9 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 119 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 979 | 3.2 | 12 | <1 | 1 | 2 | 3 | 5 | 9 | 18 |
| 35-49 | 1966 | 3.9 | 21 | 1 | 2 | 3 | 4 | 8 | 12 | 24 |
| 50-64 | 1644 | 5.8 | 59 | 2 | 2 | 3 | 6 | 12 | 17 | 43 |
| 65+ | 1513 | 10.1 | 163 | 2 | 2 | 6 | 12 | 23 | 35 | 83 |
| TOT. SINGLE DX | 10980 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| " MULTIPLE DX | 6221 | 5.8 | 71 | 1 | 2 | 3 | 6 | 13 | 19 | 53 |
| TOTAL 0-19 YRS | 817 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 3852 | 2.4 | 4 | <1 | <1 | 2 | 3 | 3 | 4 | 10 |
| 35-49 | 6073 | 2.9 | 9 | <1 | 1 | 2 | 3 | 4 | 7 | 16 |
| 50-64 | 3817 | 4.2 | 33 | 1 | 2 | 3 | 4 | 8 | 12 | 31 |
| 65+ | 2642 | 7.5 | 109 | 2 | 2 | 4 | 9 | 17 | 26 | 74 |
| GRAND TOTAL | 17201 | 3.7 | 31 | <1 | 1 | 2 | 3 | 7 | 11 | 28 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 2.7 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 72 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| 35-49 | 108 | 5.1 | 33 | 2 | 2 | 3 | 6 | 9 | 12 | 39 |
| 50-64 | 100 | 4.9 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 16 |
| 65+ | 235 | 8.4 | 52 | 3 | 3 | 7 | 10 | 14 | 19 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 4.1 | 11 | 1 | 1 | 3 | 3 | 10 | 11 | 11 |
| 20-34 | 32 | 5.4 | 23 | 2 | 2 | 4 | 5 | 13 | 17 | 22 |
| 35-49 | 60 | 7.7 | 38 | 2 | 2 | 6 | 8 | 14 | 19 | 37 |
| 50-64 | 135 | 11.1 | 121 | 2 | 3 | 7 | 12 | 29 | 38 | 71 |
| 65+ | 371 | 13.8 | 158 | 3 | 4 | 10 | 16 | 30 | 42 | 99 |
| TOT. SINGLE DX | 570 | 6.0 | 36 | 2 | 2 | 4 | 8 | 11 | 15 | 40 |
| " MULTIPLE DX | 608 | 12.0 | 136 | 2 | 3 | 8 | 14 | 26 | 37 | 90 |
| TOTAL 0-19 YRS | 65 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 11 |
| 20-34 | 104 | 4.0 | 12 | 1 | 2 | 3 | 4 | 6 | 11 | 19 |
| 35-49 | 168 | 6.0 | 37 | 2 | 2 | 4 | 7 | 12 | 16 | 38 |
| 50-64 | 235 | 8.5 | 84 | 2 | 2 | 6 | 9 | 17 | 30 | 53 |
| 65+ | 606 | 11.7 | 124 | 3 | 4 | 9 | 13 | 22 | 36 | 97 |
| GRAND TOTAL | 1178 | 9.1 | 96 | 2 | 2 | 6 | 11 | 18 | 29 | 67 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 3.9 | 7 | 1 | 1 | 3 | 4 | 8 | 10 | 10 |
| 20-34 | 111 | 8.6 | 55 | 4 | 5 | 8 | 9 | 12 | 14 | 44 |
| 35-49 | 612 | 8.3 | 9 | 4 | 5 | 8 | 9 | 12 | 14 | 18 |
| 50-64 | 1201 | 8.6 | 9 | 5 | 5 | 8 | 10 | 12 | 14 | 19 |
| 65+ | 1009 | 9.4 | 16 | 5 | 6 | 9 | 11 | 14 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 7.4 | 20 | 2 | 2 | 8 | 11 | 13 | 14 | 14 |
| 20-34 | 94 | 9.0 | 14 | 3 | 5 | 9 | 11 | 13 | 16 | 22 |
| 35-49 | 663 | 9.8 | 33 | 5 | 6 | 9 | 11 | 15 | 17 | 27 |
| 50-64 | 1414 | 11.0 | 38 | 5 | 6 | 9 | 12 | 17 | 21 | 33 |
| 65+ | 1741 | 12.7 | 58 | 6 | 7 | 11 | 15 | 21 | 25 | 43 |
| TOT. SINGLE DX | 2941 | 8.8 | 14 | 5 | 5 | 8 | 10 | 13 | 15 | 20 |
| " MULTIPLE DX | 3919 | 11.5 | 48 | 5 | 6 | 10 | 13 | 18 | 23 | 38 |
| TOTAL 0-19 YRS | 15 | 5.5 | 16 | 1 | 2 | 4 | 9 | 11 | 13 | 14 |
| 20-34 | 205 | 8.8 | 37 | 4 | 5 | 8 | 10 | 13 | 15 | 22 |
| 35-49 | 1275 | 9.0 | 23 | 5 | 5 | 8 | 10 | 13 | 16 | 25 |
| 50-64 | 2615 | 9.9 | 27 | 5 | 6 | 9 | 11 | 15 | 18 | 29 |
| 65+ | 2750 | 11.5 | 46 | 5 | 6 | 10 | 13 | 18 | 23 | 38 |
| GRAND TOTAL | 6860 | 10.3 | 35 | 5 | 6 | 9 | 12 | 16 | 20 | 33 |

### 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 310 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 823 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 494 | 3.1 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 269 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 65+ | 60 | 5.0 | 25 | 1 | 2 | 4 | 5 | 9 | 13 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 410 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 535 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 404 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 101 | 7.4 | 94 | 2 | 2 | 5 | 8 | 13 | 18 | 61 |
| TOT. SINGLE DX | 1956 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| ″ MULTIPLE DX | 1550 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 410 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 1233 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1029 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 673 | 4.3 | 8 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| 65+ | 161 | 6.5 | 70 | 2 | 2 | 4 | 8 | 12 | 17 | 43 |
| GRAND TOTAL | 3506 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |

### 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1437 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2534 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 325 | 4.1 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 78 | 4.3 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 13 |
| 65+ | 20 | 6.2 | 34 | 2 | 2 | 4 | 5 | 18 | 21 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 136 | 5.8 | 29 | 2 | 2 | 4 | 7 | 10 | 14 | 39 |
| 20-34 | 310 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 91 | 5.9 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 50-64 | 39 | 8.7 | 119 | 1 | 2 | 6 | 8 | 15 | 31 | 61 |
| 65+ | 26 | 10.1 | 121 | 2 | 3 | 6 | 12 | 30 | 60 | 99+ |
| TOT. SINGLE DX | 4394 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| ″ MULTIPLE DX | 602 | 5.9 | 32 | 2 | 2 | 4 | 7 | 10 | 14 | 41 |
| TOTAL 0-19 YRS | 1573 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 2844 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 416 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 117 | 5.8 | 48 | 1 | 2 | 4 | 6 | 10 | 13 | 48 |
| 65+ | 46 | 8.4 | 86 | 2 | 3 | 5 | 11 | 20 | 36 | 99+ |
| GRAND TOTAL | 4996 | 4.2 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |

### 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1615 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 5 | 15 |
| 20-34 | 2120 | 2.6 | 13 | <1 | <1 | 2 | 3 | 4 | 7 | 18 |
| 35-49 | 1918 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 1978 | 3.1 | 17 | <1 | <1 | 2 | 3 | 6 | 10 | 22 |
| 65+ | 1262 | 4.3 | 48 | <1 | <1 | 2 | 4 | 10 | 16 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 453 | 4.4 | 45 | <1 | 1 | 2 | 4 | 9 | 14 | 42 |
| 20-34 | 926 | 5.8 | 58 | <1 | 1 | 3 | 6 | 13 | 22 | 40 |
| 35-49 | 1183 | 7.1 | 90 | <1 | <1 | 4 | 8 | 17 | 26 | 48 |
| 50-64 | 2095 | 8.8 | 113 | <1 | 1 | 5 | 11 | 20 | 31 | 55 |
| 65+ | 2505 | 12.5 | 191 | 1 | 2 | 8 | 16 | 29 | 43 | 86 |
| TOT. SINGLE DX | 8893 | 2.9 | 18 | <1 | <1 | 2 | 3 | 5 | 9 | 22 |
| ″ MULTIPLE DX | 7162 | 9.1 | 133 | <1 | 1 | 5 | 12 | 22 | 33 | 69 |
| TOTAL 0-19 YRS | 2068 | 2.7 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |
| 20-34 | 3046 | 3.6 | 29 | <1 | <1 | 2 | 3 | 7 | 13 | 31 |
| 35-49 | 3101 | 4.3 | 46 | <1 | <1 | 2 | 4 | 9 | 15 | 37 |
| 50-64 | 4073 | 6.0 | 75 | <1 | <1 | 3 | 7 | 15 | 22 | 47 |
| 65+ | 3767 | 9.7 | 158 | <1 | 1 | 5 | 13 | 24 | 36 | 79 |
| GRAND TOTAL | 16055 | 5.7 | 79 | <1 | <1 | 2 | 6 | 14 | 22 | 49 |

### 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1807 | 4.2 | 28 | <1 | 1 | 2 | 5 | 9 | 14 | 29 |
| 20-34 | 1760 | 5.2 | 45 | <1 | 1 | 3 | 6 | 10 | 15 | 34 |
| 35-49 | 1121 | 5.7 | 53 | <1 | 1 | 3 | 7 | 12 | 17 | 40 |
| 50-64 | 1020 | 7.7 | 82 | <1 | 1 | 4 | 10 | 17 | 26 | 45 |
| 65+ | 810 | 9.1 | 120 | 1 | 1 | 5 | 11 | 20 | 34 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2291 | 6.1 | 89 | 1 | 1 | 3 | 6 | 13 | 22 | 54 |
| 20-34 | 3284 | 7.4 | 104 | 1 | 1 | 4 | 8 | 16 | 27 | 62 |
| 35-49 | 1942 | 10.9 | 189 | 1 | 1 | 6 | 13 | 27 | 40 | 84 |
| 50-64 | 2492 | 13.2 | 200 | 1 | 2 | 9 | 17 | 32 | 45 | 91 |
| 65+ | 3712 | 18.6 | 329 | 2 | 3 | 13 | 26 | 51 | 77 | 99+ |
| TOT. SINGLE DX | 6518 | 5.9 | 60 | <1 | 1 | 3 | 7 | 13 | 19 | 42 |
| ″ MULTIPLE DX | 13721 | 11.8 | 216 | 1 | 1 | 7 | 15 | 31 | 47 | 99+ |
| TOTAL 0-19 YRS | 4098 | 5.3 | 63 | <1 | 1 | 3 | 6 | 10 | 18 | 44 |
| 20-34 | 5044 | 6.6 | 85 | 1 | 1 | 4 | 7 | 14 | 23 | 53 |
| 35-49 | 3063 | 9.0 | 146 | 1 | 1 | 5 | 10 | 21 | 33 | 69 |
| 50-64 | 3512 | 11.6 | 173 | 1 | 2 | 7 | 15 | 28 | 40 | 83 |
| 65+ | 4522 | 16.9 | 306 | 2 | 2 | 12 | 23 | 46 | 70 | 99+ |
| GRAND TOTAL | 20239 | 9.9 | 173 | 1 | 1 | 5 | 12 | 25 | 40 | 88 |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 211 | 6.5 | 46 | 1 | 1 | 4 | 8 | 16 | 20 | 34 |
| 20-34 | 237 | 8.2 | 107 | 1 | 1 | 4 | 10 | 22 | 26 | 46 |
| 35-49 | 157 | 9.2 | 110 | 1 | 1 | 6 | 12 | 23 | 32 | 54 |
| 50-64 | 179 | 14.2 | 208 | 1 | 2 | 11 | 20 | 34 | 45 | 67 |
| 65+ | 211 | 18.9 | 213 | 2 | 3 | 16 | 27 | 36 | 45 | 85 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 15.2 | 229 | 1 | 2 | 10 | 21 | 35 | 48 | 99+ |
| 20-34 | 268 | 18.6 | 330 | 2 | 2 | 12 | 26 | 43 | 59 | 90 |
| 35-49 | 253 | 21.2 | 318 | 2 | 3 | 17 | 31 | 46 | 57 | 99+ |
| 50-64 | 370 | 25.7 | 382 | 3 | 4 | 22 | 36 | 60 | 75 | 99+ |
| 65+ | 610 | 30.9 | 387 | 6 | 10 | 27 | 44 | 64 | 81 | 99+ |
| TOT. SINGLE DX | 995 | 11.3 | 157 | 1 | 1 | 6 | 16 | 28 | 36 | 60 |
| " MULTIPLE DX | 1657 | 24.8 | 382 | 2 | 4 | 22 | 34 | 56 | 73 | 99+ |
| TOTAL 0-19 YRS | 367 | 10.2 | 142 | 1 | 1 | 6 | 14 | 25 | 34 | 78 |
| 20-34 | 505 | 13.7 | 252 | 1 | 2 | 8 | 20 | 32 | 47 | 84 |
| 35-49 | 410 | 16.6 | 273 | 1 | 2 | 12 | 25 | 40 | 52 | 99 |
| 50-64 | 549 | 22.0 | 354 | 2 | 3 | 18 | 33 | 51 | 70 | 99+ |
| 65+ | 821 | 27.8 | 370 | 4 | 7 | 24 | 37 | 58 | 75 | 99+ |
| GRAND TOTAL | 2652 | 19.7 | 340 | 1 | 2 | 15 | 29 | 46 | 63 | 99+ |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 3.7 | 39 | <1 | 1 | 2 | 3 | 7 | 12 | 37 |
| 20-34 | 160 | 5.5 | 75 | <1 | <1 | 2 | 5 | 13 | 24 | 39 |
| 35-49 | 93 | 5.1 | 48 | 1 | 1 | 2 | 5 | 16 | 23 | 33 |
| 50-64 | 74 | 5.4 | 47 | 1 | 1 | 3 | 7 | 14 | 20 | 38 |
| 65+ | 36 | 10.1 | 200 | <1 | 1 | 3 | 13 | 30 | 39 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 8.4 | 141 | 1 | 1 | 3 | 10 | 27 | 41 | 97 |
| 20-34 | 100 | 14.4 | 327 | 1 | 1 | 6 | 22 | 42 | 53 | 96 |
| 35-49 | 61 | 15.6 | 349 | 1 | 1 | 7 | 26 | 48 | 59 | 98 |
| 50-64 | 90 | 15.3 | 329 | 1 | 2 | 9 | 25 | 61 | 99+ | 99+ |
| 65+ | 91 | 25.9 | 534 | 2 | 4 | 21 | 44 | 85 | 99+ | 99+ |
| TOT. SINGLE DX | 478 | 5.3 | 68 | <1 | 1 | 2 | 5 | 14 | 23 | 39 |
| " MULTIPLE DX | 397 | 16.6 | 381 | 1 | 2 | 9 | 27 | 54 | 86 | 99+ |
| TOTAL 0-19 YRS | 170 | 5.2 | 77 | <1 | 1 | 2 | 4 | 13 | 26 | 57 |
| 20-34 | 260 | 8.9 | 190 | <1 | 1 | 3 | 9 | 28 | 39 | 76 |
| 35-49 | 154 | 9.3 | 193 | 1 | 1 | 3 | 11 | 27 | 45 | 85 |
| 50-64 | 164 | 10.9 | 226 | 1 | 1 | 4 | 15 | 45 | 73 | 99+ |
| 65+ | 127 | 21.4 | 489 | 1 | 2 | 14 | 38 | 64 | 99 | 99+ |
| GRAND TOTAL | 875 | 10.4 | 241 | 1 | 1 | 4 | 12 | 37 | 53 | 99+ |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 527 | 2.4 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 15 |
| 20-34 | 398 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 293 | 3.7 | 18 | <1 | 1 | 3 | 4 | 7 | 9 | 27 |
| 50-64 | 346 | 2.8 | 3 | <1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 65+ | 140 | 3.7 | 12 | <1 | 1 | 3 | 4 | 7 | 12 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 231 | 4.8 | 54 | <1 | 1 | 2 | 5 | 11 | 15 | 45 |
| 20-34 | 310 | 4.7 | 44 | <1 | 1 | 3 | 5 | 11 | 15 | 60 |
| 35-49 | 294 | 5.5 | 71 | 1 | 1 | 3 | 5 | 11 | 16 | 53 |
| 50-64 | 493 | 6.4 | 98 | 1 | 2 | 3 | 5 | 14 | 26 | 96 |
| 65+ | 470 | 16.0 | 299 | 2 | 2 | 11 | 23 | 48 | 80 | 99+ |
| TOT. SINGLE DX | 1704 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| " MULTIPLE DX | 1798 | 8.3 | 153 | 1 | 1 | 4 | 9 | 23 | 39 | 99+ |
| TOTAL 0-19 YRS | 758 | 3.1 | 22 | <1 | <1 | 2 | 3 | 6 | 10 | 19 |
| 20-34 | 708 | 3.4 | 22 | <1 | <1 | 2 | 4 | 6 | 10 | 26 |
| 35-49 | 587 | 4.6 | 46 | 1 | 1 | 3 | 5 | 9 | 12 | 39 |
| 50-64 | 839 | 4.9 | 62 | 1 | 1 | 3 | 4 | 9 | 16 | 53 |
| 65+ | 610 | 13.2 | 260 | 1 | 2 | 8 | 17 | 41 | 65 | 99+ |
| GRAND TOTAL | 3502 | 5.6 | 90 | <1 | 1 | 3 | 5 | 13 | 24 | 81 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

# *ICD-9-CM* Codes for Selected Operation Groups

*ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 |    Incidental |
| | Arteriography |
| 757 |    Aorta |
| 755 |    Cerebral |
| 756 |    Coronary |
| 757 |    Femoral |
| 755 |    Head |
| 756 |    Heart |
| 757 |    Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 |    Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 |    Hip, except total replacement |
| 722 |       Total replacement |
| 724 |    Knee |
| 699 |    Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
| | Artificial |
| 686 |    Insemination |
| 690 |    Rupture of membranes for delivery |
| | Aspiration |
| 752 |    Breast, except for biopsy |
| 742 |       Biopsy |
| 741 |    Bursa |
| 682 |    Cul-de-sac |
| 677 |    Curettage, uterus, except for termination of pregnancy |
| 674 |       Termination of pregnancy |
| 651 |    Hydrocele, except of spermatic cord |
| 656 |       Spermatic cord |
| 632 |    Kidney |
| 614 |    Liver, percutaneous, except for biopsy |
| 615 |       Biopsy |
| 537 |    Middle ear |
| 546 |    Nasal sinus |
| 663 |    Ovary |
| 752 |    Skin |
| 656 |    Spermatocele |
| 529 |    Vitreous |

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 3.2 | 8 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 20-34 | 15 | 7.5 | 89 | 1 | 1 | 2 | 11 | 15 | 31 | 37 |
| 35-49 | 14 | 4.7 | 21 | 1 | 1 | 3 | 7 | 12 | 14 | 14 |
| 50-64 | 15 | 4.4 | 17 | 1 | 1 | 3 | 6 | 10 | 14 | 16 |
| 65+ | 12 | 9.3 | 88 | 1 | 1 | 7 | 12 | 23 | 32 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 6.7 | 16 | 3 | 3 | 5 | 9 | 13 | 15 | 15 |
| 20-34 | 20 | 10.2 | 218 | 2 | 2 | 5 | 10 | 20 | 47 | 68 |
| 35-49 | 18 | 10.1 | 88 | 1 | 2 | 8 | 13 | 14 | 32 | 44 |
| 50-64 | 41 | 12.6 | 79 | 3 | 4 | 10 | 15 | 29 | 32 | 39 |
| 65+ | 90 | 14.7 | 114 | 4 | 4 | 13 | 19 | 31 | 43 | 81 |
| TOT. SINGLE DX | 69 | 5.8 | 47 | 1 | 1 | 3 | 8 | 13 | 16 | 36 |
| " MULTIPLE DX | 182 | 12.7 | 112 | 3 | 4 | 10 | 15 | 27 | 36 | 63 |
| TOTAL 0-19 YRS | 26 | 5.0 | 15 | 1 | 1 | 4 | 6 | 12 | 13 | 15 |
| 20-34 | 35 | 9.0 | 161 | 1 | 2 | 5 | 11 | 15 | 34 | 68 |
| 35-49 | 32 | 7.7 | 65 | 1 | 1 | 6 | 11 | 14 | 15 | 44 |
| 50-64 | 56 | 10.4 | 76 | 1 | 2 | 8 | 14 | 22 | 31 | 39 |
| 65+ | 102 | 14.1 | 114 | 3 | 4 | 12 | 18 | 31 | 39 | 76 |
| GRAND TOTAL | 251 | 10.8 | 104 | 1 | 2 | 8 | 14 | 22 | 34 | 54 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 5.6 | 30 | <1 | 1 | 3 | 8 | 13 | 17 | 25 |
| 20-34 | 2219 | 5.9 | 35 | 1 | 2 | 3 | 8 | 14 | 18 | 28 |
| 35-49 | 2567 | 6.3 | 37 | 1 | 2 | 4 | 9 | 14 | 18 | 29 |
| 50-64 | 1494 | 6.6 | 40 | 1 | 2 | 4 | 9 | 15 | 19 | 29 |
| 65+ | 330 | 8.0 | 69 | 1 | 2 | 5 | 10 | 19 | 24 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 9.5 | 116 | 1 | 2 | 5 | 13 | 18 | 38 | 52 |
| 20-34 | 983 | 9.1 | 76 | 2 | 2 | 6 | 12 | 20 | 25 | 40 |
| 35-49 | 1523 | 9.1 | 70 | 2 | 2 | 6 | 12 | 20 | 26 | 41 |
| 50-64 | 1589 | 10.2 | 91 | 2 | 2 | 8 | 14 | 21 | 28 | 46 |
| 65+ | 854 | 15.2 | 193 | 2 | 3 | 11 | 21 | 35 | 44 | 76 |
| TOT. SINGLE DX | 6778 | 6.3 | 39 | 1 | 2 | 4 | 9 | 15 | 18 | 29 |
| " MULTIPLE DX | 5026 | 10.5 | 105 | 2 | 2 | 7 | 14 | 23 | 30 | 51 |
| TOTAL 0-19 YRS | 245 | 6.8 | 60 | 1 | 1 | 4 | 9 | 15 | 18 | 41 |
| 20-34 | 3202 | 6.9 | 50 | 1 | 2 | 4 | 9 | 16 | 21 | 34 |
| 35-49 | 4090 | 7.4 | 52 | 1 | 2 | 5 | 10 | 16 | 21 | 34 |
| 50-64 | 3083 | 8.5 | 70 | 1 | 2 | 6 | 12 | 19 | 24 | 41 |
| 65+ | 1184 | 13.2 | 169 | 2 | 2 | 9 | 18 | 30 | 40 | 66 |
| GRAND TOTAL | 11804 | 8.1 | 71 | 1 | 2 | 5 | 11 | 18 | 24 | 41 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 5.9 | 43 | 1 | 2 | 3 | 7 | 12 | 20 | 35 |
| 20-34 | 215 | 5.5 | 26 | 2 | 2 | 3 | 7 | 14 | 17 | 24 |
| 35-49 | 267 | 6.0 | 43 | 2 | 2 | 4 | 7 | 13 | 18 | 38 |
| 50-64 | 476 | 6.4 | 47 | 2 | 2 | 4 | 8 | 14 | 20 | 37 |
| 65+ | 336 | 5.3 | 57 | 1 | 2 | 3 | 6 | 11 | 14 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 10.6 | 122 | 2 | 2 | 7 | 13 | 28 | 38 | 51 |
| 20-34 | 179 | 9.2 | 117 | 2 | 2 | 6 | 11 | 19 | 27 | 53 |
| 35-49 | 330 | 10.2 | 104 | 2 | 2 | 7 | 13 | 22 | 31 | 63 |
| 50-64 | 1137 | 9.2 | 88 | 2 | 2 | 7 | 12 | 19 | 26 | 61 |
| 65+ | 1177 | 11.3 | 130 | 2 | 2 | 8 | 14 | 24 | 34 | 67 |
| TOT. SINGLE DX | 1359 | 5.9 | 46 | 2 | 2 | 3 | 7 | 13 | 18 | 34 |
| " MULTIPLE DX | 2870 | 10.2 | 111 | 2 | 2 | 7 | 13 | 21 | 31 | 63 |
| TOTAL 0-19 YRS | 112 | 7.9 | 81 | 2 | 2 | 4 | 9 | 17 | 30 | 45 |
| 20-34 | 394 | 7.2 | 71 | 2 | 2 | 4 | 8 | 16 | 20 | 46 |
| 35-49 | 597 | 8.3 | 81 | 2 | 2 | 5 | 10 | 18 | 27 | 44 |
| 50-64 | 1613 | 8.4 | 78 | 2 | 2 | 6 | 11 | 17 | 24 | 49 |
| 65+ | 1513 | 10.0 | 120 | 2 | 2 | 7 | 12 | 21 | 32 | 65 |
| GRAND TOTAL | 4229 | 8.8 | 94 | 2 | 2 | 6 | 11 | 19 | 27 | 53 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 101 | 3.8 | 13 | 2 | 2 | 3 | 4 | 6 | 7 | 24 |
| 50-64 | 210 | 3.8 | 13 | 2 | 2 | 3 | 3 | 6 | 10 | 25 |
| 65+ | 30 | 3.8 | 6 | 2 | 2 | 3 | 4 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 2 | 10 | 10 | 11 | 12 | 12 | 12 | 12 |
| 20-34 | 20 | 3.8 | 5 | 2 | 2 | 3 | 3 | 6 | 10 | 13 |
| 35-49 | 240 | 4.7 | 17 | 2 | 2 | 3 | 5 | 10 | 13 | 21 |
| 50-64 | 759 | 4.8 | 17 | 2 | 2 | 3 | 5 | 10 | 13 | 22 |
| 65+ | 200 | 6.0 | 34 | 2 | 2 | 4 | 8 | 11 | 17 | 30 |
| TOT. SINGLE DX | 351 | 3.8 | 13 | 2 | 2 | 3 | 4 | 6 | 9 | 24 |
| " MULTIPLE DX | 1221 | 5.0 | 20 | 2 | 2 | 3 | 5 | 10 | 13 | 22 |
| TOTAL 0-19 YRS | 2 | 11.0 | 2 | 10 | 10 | 11 | 12 | 12 | 12 | 12 |
| 20-34 | 30 | 3.9 | 5 | 2 | 2 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 341 | 4.4 | 17 | 2 | 2 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 969 | 4.6 | 17 | 2 | 2 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 230 | 5.7 | 32 | 2 | 2 | 3 | 7 | 11 | 16 | 27 |
| GRAND TOTAL | 1572 | 4.7 | 19 | 2 | 2 | 3 | 5 | 9 | 13 | 22 |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 122 | 5.9 | 33 | 1 | 2 | 3 | 8 | 14 | 17 | 27 |
| 20-34 | 540 | 6.1 | 29 | 1 | 2 | 4 | 9 | 13 | 16 | 26 |
| 35-49 | 678 | 6.8 | 39 | 1 | 2 | 4 | 10 | 15 | 18 | 28 |
| 50-64 | 1010 | 5.8 | 35 | 1 | 2 | 3 | 8 | 13 | 17 | 27 |
| 65+ | 896 | 6.4 | 42 | 1 | 2 | 4 | 9 | 15 | 18 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 87 | 10.0 | 109 | 1 | 2 | 7 | 12 | 21 | 29 | 59 |
| 20-34 | 493 | 10.0 | 82 | 2 | 2 | 8 | 13 | 20 | 27 | 43 |
| 35-49 | 980 | 9.5 | 74 | 2 | 2 | 7 | 13 | 19 | 25 | 50 |
| 50-64 | 2776 | 9.7 | 87 | 2 | 2 | 7 | 13 | 20 | 25 | 53 |
| 65+ | 3783 | 12.1 | 125 | 2 | 2 | 10 | 16 | 24 | 32 | 63 |
| TOT. SINGLE DX | 3246 | 6.2 | 37 | 1 | 2 | 4 | 9 | 14 | 17 | 27 |
| " MULTIPLE DX | 8119 | 10.8 | 105 | 2 | 2 | 8 | 14 | 22 | 29 | 57 |
| TOTAL 0-19 YRS | 209 | 7.6 | 69 | 1 | 2 | 5 | 10 | 17 | 24 | 42 |
| 20-34 | 1033 | 8.0 | 58 | 1 | 2 | 6 | 11 | 16 | 22 | 35 |
| 35-49 | 1658 | 8.4 | 62 | 1 | 2 | 6 | 12 | 17 | 22 | 41 |
| 50-64 | 3786 | 8.7 | 76 | 2 | 2 | 6 | 12 | 18 | 23 | 45 |
| 65+ | 4679 | 11.0 | 114 | 2 | 2 | 8 | 15 | 22 | 30 | 60 |
| GRAND TOTAL | 11365 | 9.5 | 90 | 2 | 2 | 7 | 13 | 20 | 26 | 51 |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7612 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 11763 | 5.2 | 30 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 35-49 | 8761 | 6.2 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| 50-64 | 8291 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 19 | 32 |
| 65+ | 7270 | 9.6 | 73 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7553 | 6.2 | 54 | 1 | 2 | 4 | 7 | 12 | 17 | 41 |
| 20-34 | 13281 | 7.5 | 58 | 1 | 2 | 5 | 9 | 15 | 20 | 43 |
| 35-49 | 16584 | 8.9 | 57 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| 50-64 | 33637 | 10.5 | 79 | 2 | 3 | 8 | 13 | 20 | 26 | 50 |
| 65+ | 68764 | 13.6 | 134 | 3 | 4 | 10 | 16 | 27 | 37 | 81 |
| TOT. SINGLE DX | 43697 | 6.4 | 42 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| " MULTIPLE DX | 139819 | 11.3 | 107 | 2 | 3 | 8 | 14 | 22 | 31 | 64 |
| TOTAL 0-19 YRS | 15165 | 5.3 | 40 | 1 | 1 | 4 | 6 | 10 | 14 | 32 |
| 20-34 | 25044 | 6.4 | 47 | 1 | 2 | 5 | 8 | 13 | 17 | 36 |
| 35-49 | 25345 | 7.9 | 52 | 1 | 2 | 6 | 10 | 15 | 21 | 37 |
| 50-64 | 41928 | 9.9 | 73 | 2 | 3 | 8 | 12 | 19 | 25 | 47 |
| 65+ | 76034 | 13.2 | 130 | 3 | 4 | 10 | 16 | 26 | 36 | 77 |
| GRAND TOTAL | 183516 | 10.1 | 96 | 2 | 2 | 7 | 13 | 20 | 28 | 58 |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2677 | 6.4 | 71 | 1 | 1 | 4 | 6 | 14 | 25 | 46 |
| 20-34 | 2444 | 7.4 | 45 | 1 | 2 | 6 | 9 | 14 | 17 | 37 |
| 35-49 | 2265 | 8.1 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 30 |
| 50-64 | 2001 | 9.2 | 56 | 2 | 2 | 8 | 12 | 17 | 22 | 40 |
| 65+ | 1763 | 11.0 | 94 | 2 | 3 | 9 | 14 | 21 | 29 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2293 | 8.4 | 105 | 1 | 2 | 5 | 9 | 19 | 31 | 61 |
| 20-34 | 3169 | 8.9 | 66 | 2 | 3 | 7 | 10 | 15 | 21 | 48 |
| 35-49 | 3314 | 9.9 | 65 | 3 | 4 | 8 | 12 | 18 | 23 | 42 |
| 50-64 | 4995 | 11.4 | 84 | 3 | 4 | 9 | 14 | 21 | 28 | 54 |
| 65+ | 10068 | 15.2 | 154 | 4 | 5 | 12 | 19 | 30 | 43 | 93 |
| TOT. SINGLE DX | 11150 | 8.2 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| " MULTIPLE DX | 23839 | 12.2 | 119 | 3 | 4 | 9 | 15 | 24 | 34 | 70 |
| TOTAL 0-19 YRS | 4970 | 7.3 | 88 | 1 | 2 | 4 | 7 | 17 | 27 | 54 |
| 20-34 | 5613 | 8.2 | 58 | 2 | 3 | 7 | 10 | 15 | 20 | 44 |
| 35-49 | 5579 | 9.2 | 53 | 2 | 3 | 8 | 11 | 16 | 21 | 39 |
| 50-64 | 6996 | 10.7 | 77 | 2 | 3 | 9 | 13 | 20 | 26 | 50 |
| 65+ | 11831 | 14.6 | 148 | 3 | 5 | 11 | 18 | 29 | 41 | 89 |
| GRAND TOTAL | 34989 | 10.9 | 104 | 2 | 3 | 8 | 13 | 21 | 30 | 63 |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6287 | 4.1 | 20 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 2966 | 5.6 | 59 | 1 | 1 | 3 | 6 | 11 | 18 | 40 |
| 35-49 | 2126 | 6.7 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 32 |
| 50-64 | 2524 | 8.0 | 46 | 1 | 2 | 6 | 11 | 16 | 20 | 33 |
| 65+ | 2471 | 9.2 | 68 | 2 | 2 | 7 | 12 | 18 | 23 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6311 | 5.8 | 51 | 1 | 2 | 4 | 6 | 10 | 15 | 45 |
| 20-34 | 4006 | 7.6 | 78 | 1 | 2 | 5 | 9 | 17 | 24 | 48 |
| 35-49 | 5216 | 8.4 | 56 | 1 | 2 | 6 | 11 | 17 | 22 | 37 |
| 50-64 | 11671 | 9.9 | 72 | 2 | 3 | 8 | 13 | 19 | 25 | 46 |
| 65+ | 25101 | 12.4 | 113 | 3 | 4 | 10 | 15 | 24 | 32 | 71 |
| TOT. SINGLE DX | 16374 | 6.1 | 46 | 1 | 1 | 4 | 7 | 13 | 18 | 34 |
| " MULTIPLE DX | 52305 | 10.3 | 94 | 2 | 3 | 8 | 13 | 20 | 28 | 58 |
| TOTAL 0-19 YRS | 12598 | 4.9 | 37 | 1 | 1 | 4 | 5 | 9 | 12 | 35 |
| 20-34 | 6972 | 6.8 | 71 | 1 | 1 | 4 | 8 | 15 | 22 | 45 |
| 35-49 | 7342 | 7.9 | 54 | 1 | 2 | 6 | 10 | 16 | 21 | 36 |
| 50-64 | 14195 | 9.6 | 69 | 2 | 3 | 7 | 12 | 19 | 24 | 45 |
| 65+ | 27572 | 12.1 | 110 | 3 | 4 | 9 | 15 | 23 | 32 | 70 |
| GRAND TOTAL | 68679 | 9.3 | 86 | 1 | 2 | 7 | 12 | 19 | 26 | 53 |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
| | Cardiac |
| 573 |    Catheterization |
| 764 |    Function tests |
| |    Massage |
| 763 |        Closed |
| 575 |        Open |
| 574 |    Pacemaker insertion or replacement |
| 575 |    Revascularization, except coronary bypass |
| 572 |        Coronary bypass |
| 764 |    Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 |    Intracapsular |
| | Catheterization |
| 647 |    Bladder, except suprapubic approach |
| 638 |        Suprapubic approach |
| 581 |    Blood vessel |
| 573 |    Cardiac |
| 645 |    Ureteral |
| 647 |    Urethral, indwelling |
| 587 |    Vein, except umbilical |
| 581 |        Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 |    Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
| | Closure |
| 617 |    Cholecystostomy |
| 601 |    Colostomy |
| |    Fistula – *see Fistulectomy* |
| 596 |    Gastric anastomosis |
| 601 |    Sigmoidostomy |
| 570 |    Thoracostomy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 675 | D and C (uterus), except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 519 | Dacryocystorhinostomy |
|  | Debridement |
| 748 | Burn (skin) |
| 705 | Fracture, except of skull |
| 503 |   Skull |
| 748 | Skin (infection) (wound) |
|  | Decompression |
| 509 | Carpal tunnel |
| 502 | Cranial |
| 506 | Laminectomy |
| 506 | Spinal |
|  | Delivery |
| 690 | Artificial rupture of membranes |
| 688 | Breech extraction |
| 692 | Cesarean section, except low cervical |
| 691 |   Low cervical |
| 689 | Forceps, except low forceps |
| 687 |   Low forceps |
| 689 | Internal and combined version |
| 751 | Dermabrasion |
| 601 | Derotation, intestine |
| 580 | Dialysis, except peritoneal |
| 629 | Peritoneal |
|  | Dilation |
| 638 | Bladder (neck) |
| 635 | Ureteral meatus |
| 645 | Ureterovesical orifice |
| 641 | Urethra, urethrovesical junction |
| 675 | Dilation and curettage (D and C), uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
|  | Dislocation-reduction, except temporomandibular |
| 714 | Closed |
| 715 | Open |
| 702 | Temporomandibular (joint) |
|  | Division |
|  | Adhesions — *see Lysis, adhesions* |
| 613 | Anal sphincter |
| 726 | Fascia, exept of hand |
| 728 |   Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 | Peripheral nerve |
| 511 | Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage – *see also Incision (and drainage)* |
| 647 | Bladder, except surgical approach |
| 638 | Surgical approach (suprapubic) |
| 569 | Chest |
| 537 | Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 | Bladder |
| 567 | Bronchus |
| 619 | Colon, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 682 | Cul-de-sac, except for tubal ligation |
| 664 | Tubal ligation |
| 589 | Esophagus |
| 589 | Gastric, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 576 | Larynx |
| 628 | Peritoneum |
| 557 | Pharynx |
| 609 | Small intestine |
| 589 | Stomach, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 570 | Thorax, transpleural |
| 636 | Urethra |
| 679 | Uterus |
| 686 | Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 |    With low forceps delivery |
| 689 |    With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 |    Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 |    Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 |    Eyeball |
| 673 |    Pelvic |
|  | Examination |
| 764 |    Eye |
| 764 |    General physical |
| 764 |    Gynecologic |
| 764 |    Pelvic |
| 761 |    Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 |    Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 |    Anal fistula |
| 727 |    Baker's cyst |
| 705 |    Bone, except facial |
| 699 |       Facial, except partial |
| 698 |          Partial |
| 556 |    Branchial cleft cyst |
| 704 |    Bunion |
| 517 |    Chalazion, eyelid |
| 599 |    Colon |
| 665 |    Fallopian tubes, bilateral, except endoscopic approach |
| 664 |       Endoscopic approach |
| 670 |    Fibroid, uterine |
| 616 |    Gallbladder |
| 508 |    Ganglion, except of tendon |
| 727 |       Tendon (of hand) |
| 612 |    Hemorrhoids |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision (continued) |
| | Hydrocele |
| 679 | Round ligament |
| 656 | Spermatic cord |
| 651 | Tunica vaginalis |
| 717 | Intervertebral disc or cartilage |
| 719 | Joint, except intervertebral disc and cartilage of knee |
| 717 | Intervertebral disc |
| 718 | Knee cartilage |
| 631 | Kidney, except partial |
| 632 | Partial |
| 718 | Knee cartilage (semilunar) |
| 582 | Lymph nodes, except radical |
| 583 | Radical |
| 508 | Neuroma, peripheral nerve |
| | Ovary |
| 662 | Bilateral |
| 661 | Unilateral |
| 550 | Parotid gland |
| 746 | Pilonidal cyst or sinus |
| 515 | Pituitary gland |
| 649 | Prostate, except transurethral approach |
| 648 | Transurethral approach |
| 522 | Pterygium |
| 747 | Sebaceous cyst, except of eyelid |
| 517 | Eyelid, eyebrow |
| 718 | Semilunar cartilage, knee |
| 586 | Spleen |
| 514 | Thyroglossal duct or tract |
| 513 | Thyroid |
| 751 | Toenail |
| 552 | Tongue |
| 553 | Tonsil, except with adenoids |
| 554 | With adenoids |
| 556 | Tonsil tag |
| | Tubes and ovaries |
| 662 | Bilateral |
| 661 | Unilateral |
| 670 | Uterine fibroid |
| 577 | Varicocele, except of spermatic cord |
| 656 | Spermatic cord |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 |  Breech, for delivery |
| 547 |  Dental |
| 686 |  Menstrual |
| 547 |  Teeth |
| 689 |  Vacuum, for delivery |
| | |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 |  Hand |
| 726 | Fasciotomy, except of hand |
| 728 |  Hand |
| | Fistulectomy |
| 610 |  Anal |
| 638 |  Bladder |
| 556 |  Branchial cleft |
| 564 |  Bronchus |
| 601 |  Intestine |
| 542 |  Nasal |
| 542 |  Nasolabial |
| 546 |  Oroantral |
| 609 |  Perirectal |
| 556 |  Pharynx |
| 640 |  Rectourethral |
| 679 |  Rectouterine |
| 681 |  Rectovaginal |
| 638 |  Rectovesical |
| 609 |  Rectum |
| 562 |  Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| |  With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 |  Low forceps |
| | Formation |
| 581 |  Arteriovenous shunt for dialysis |
| 634 |  Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 |  Closed, except with internal fixation |
| 711 |   With internal fixation |
| 713 |  Open, except with internal fixation |
| 712 |   With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 | Facial bone, except closed reduction |
| 700 |  Closed reduction |
| | Femur |
| 710 |  Closed, except with internal fixation |
| 708 |   With internal fixation |
| 710 |  Open, except with internal fixation |
| 709 |   With internal fixation |
| 701 | Mandible, except closed reduction |
| 700 |  Closed reduction |
| 701 | Maxillofacial, except closed reduction |
| 700 |  Closed reduction |
| 544 | Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 | Spinal |
| | |
| 508 | Ganglionectomy, except of tendon |
| 727 | Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 | Total |
| 589 | Gastroscopy, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 |  Bone, except facial and skull |
| 702 |   Facial |
| 503 |   Skull |
| 749 |  Free, of skin |
| 552 |  Lip |
| 731 |  Muscle, except of hand |
| 729 |   Hand |
| 750 |  Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| |  Skin |
| 749 |    Free |
| 750 |    Pedicle |
| 731 |  Tendon, except of hand |
| 729 |    Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 |  Diaphragmatic |
| 624 |  Epigastric |
| 622 |  Femoral |
| 624 |  Incisional |
| |  Inguinal |
| 621 |    Bilateral |
| 620 |    Unilateral |
| 623 |  Umbilical |
| 624 |  Ventral |
| 723 | Hip replacement, except total |
| 722 |  Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 |  Radical |
| 672 |  Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 |  Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 |  Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 |  Breast |
| 740 |  Limb prosthesis |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 | Retroperitoneal abscess |
| 651 | Scrotum |
| | Sinus (nasal) – *see Sinusotomy* |
| 748 | Skin, except pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 506 | Spinal meninges |
| 726 | Tendon |
| 569 | Thorax |
| 633 | Ureter |
| 682 | Vagina |
| 683 | Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 | Intra-amniotic, for termination of pregnancy |
| 763 | Therapeutic agent (drugs) |
| 745 | Breast |
| 741 | Bursa |
| 741 | Joint |
| 741 | Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 | Cardiac pacemaker |
| 686 | Intrauterine contraceptive device |
| 679 | Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | |
| | Laceration repair (suture) – *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 | Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 | Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 | Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 | Intracapsular |
|  | Ligation |
| 665 | Fallopian tubes (bilateral), except endoscopic approach |
| 664 | Endoscopic approach |
| 612 | Hemorrhoids |
| 577 | Varicose veins |
| 655 | Vas deferens |
| 577 | Ligation and stripping, varicose veins |
|  | Lobectomy |
| 501 | Brain |
| 615 | Liver |
| 566 | Lung, except partial |
| 565 | Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
|  | Lysis, adhesions |
| 630 | Abdominal |
| 741 | Hand |
| 524 | Iris |
| 716 | Joint |
| 731 | Muscle, except of hand |
| 741 | Hand |
| 630 | Pelvis |
| 630 | Peritoneum |
| 731 | Tendon, except of hand |
| 741 | Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 | Partial |
| 699 | Mandibulotomy |
|  | Mastectomy |
| 743 | Complete |
| 743 | Simple, except extended |
| 744 | Extended |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 759 | Radiation therapy |
| | Radiography |
| 757 |   Arteries, except cerebral and coronary |
| 755 |     Cerebral |
| 756 |     Coronary |
| 758 |   Breast |
| 755 |   Cerebral |
| 755 |     Arteries |
| 753 |     Ventricles |
| 758 |   Chest |
| 758 |   Gallbladder |
| 758 |   Kidney |
| 758 |   Skeletal |
| 758 |   Spine, except myelogram |
| 754 |     Myelogram |
| 757 |   Veins |
| | Reattachment |
| 738 |   Extremity |
| 528 |   Retina |
| 731 |   Tendon, except of hand |
| 729 |     Hand |
| 530 | Recession, ocular muscle |
| | Reconstruction |
| 535 |   Ear ossicles |
| 699 |   Mandible |
| 729 |   Thumb |
| 680 | Rectocele repair |
| | Reduction |
| |   Dislocation, except temporomandibular |
| 714 |     Closed |
| 715 |     Open |
| 702 |     Temporomandibular (joint) |
| |   Fracture, except facial bone, femur, and nose |
| 713 |     Closed, except with internal fixation |
| 711 |       With internal fixation |
| 713 |     Open, except with internal fixation |
| 712 |       With internal fixation |
| 701 |     Facial bone, except closed reduction |
| 700 |       Closed reduction |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Reduction (continued)
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 619 Hemorrhoids
- Hernia — *see also Herniorrhaphy*
  - 764 Manual
- 601 Intestinal torsion
- 601 Intussusception, intestine
- 745 Mammoplasty
- 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

## OPERATION INDEX (continued)

**Group Number** **Title**

Removal (continued)
524 Iris
527 Lens
Prosthesis
745 Breast
716 Joint
697 Retained placenta, manually
764 Sutures
764 T-tube, gallbladder
764 Therapeutic device, nonoperatively
529 Vitreous
580 Renal dialysis
Repair
630 Abdominal wall
613 Anal fistula, except by excision
610 Excision
581 Aneurysm (arteriovenous)
638 Bladder, except obstetric laceration
697 Obstetric laceration
518 Blepharoptosis
581 Blood vessel
706 Bone, except facial
699 Facial
745 Breast
564 Bronchial fistula
704 Bunion
571 Cardiac septal defect
669 Cervix, except obstetric laceration
697 Obstetric laceration
570 Chest wall
551 Cleft palate
520 Conjunctiva
522 Cornea, except transplant
521 Transplant
680 Cystocele, vagina
730 Diastasis recti
534 Ear, external
518 Ectropion or entropion, eyelid
697 Episiotomy
518 Eyelid
Fistula — *see Fistulectomy*
704 Hallux valgus
729 Hand

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| | Hernia – *see Herniorrhaphy* |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| | Hydrocephalus, by ventricular shunt |
| 504 | Extracranial |
| 505 | Intracranial (ventriculostomy) |
| 601 | Intestine |
| 725 | Joint, except hip and knee |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 724 | Knee (joint) |
| | Laceration – *see also Repair, by site* |
| 697 | Obstetric |
| 562 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 568 | Lung |
| 731 | Muscle, except extraocular and of hand |
| 531 | Extraocular |
| 729 | Hand |
| 556 | Nasopharyngeal atresia |
| 542 | Nose |
| 663 | Ovary |
| 551 | Palate |
| 658 | Penis |
| 685 | Perineum, female, except obstetric laceration |
| 697 | Obstetric laceration |
| 509 | Peripheral nerve |
| 596 | Pylorus, stomach |
| 680 | Rectocele, vagina |
| 609 | Rectum |
| 528 | Retinal detachment or tear |
| 730 | Rotator-cuff (shoulder) |
| 503 | Skull |
| 507 | Spina bifida |
| 507 | Spinal meningocele |
| 596 | Stomach |
| 644 | Stress incontinence, except urethral suspension |
| 643 | Urethral suspension |
| 731 | Tendon, except of hand |
| 729 | Hand |

## OPERATION INDEX (continued)

Group Number — Title

- Repair (continued)
  - 654 Testis
  - 562 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterus, except obstetric laceration and supporting structures
    - 697 Obstetric laceration
    - 678 Supporting structures
  - 681 Vagina, except for cystocele and rectocele, and obstetric laceration
    - 680 Cystocele and rectocele
    - 697 Obstetric laceration
  - 552 Vestibular arch (mouth)
  - 685 Vulva, except obstetric laceration
    - 697 Obstetric laceration
- Replacement
  - 574 Cardiac pacemaker
  - 571 Heart valve
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 647 Urinary catheter
- Resection
  - 638 Bladder
  - 581 Blood vessel
  - 564 Bronchus
  - 599 Large intestine
  - 730 Muscle, except of hand
    - 728 Hand
  - 541 Nasal septum, submucous
  - 530 Ocular muscle
  - 660 Ovary
  - 608 Rectum (abdominoperineal) (pull-through)
  - 549 Root of tooth
  - 598 Small intestine
  - 730 Tendon, except of hand
    - 728 Hand
- 548 Restoration, tooth
- 758 Retrograde pyelogram
- Revision
  - 739 Amputation stump
  - 581 Arteriovenous shunt for dialysis
  - 596 Gastric anastomosis

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 |     Intestinal anastomosis |
| 539 |     Mastoidectomy |
| 562 |     Tracheostomy |
| 539 |     Tympanoplasty |
| 505 |     Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | |
| | Salpingectomy |
| 665 |     Bilateral |
| 666 |     Unilateral |
| | Salpingo-oophorectomy |
| 662 |     Bilateral |
| 661 |     Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 |     C.A.T. (computerized axial tomography) |
| 758 |     Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 |     Cerebral ventricles, except intracranial and revision |
| 505 |         Intracranial |
| 505 |         Revision |
| 578 |     Peripheral vessels |
| 630 |     Peritoneovenous |
| 578 |     Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 |     Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 |     Breast |
| | Sphincterotomy |
| 617 |     Ampullary (of Vater) (pancreas) |
| 613 |     Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| | Stress incontinence repair, except by |
| 644 | urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture — *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown — *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction – *see Reduction, fracture* |
| | Transfer – *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| | |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| | |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | |
| | X-ray – *see Radiography* |
| | |
| 751 | Z-plasty, skin |

R3850-1.7(14)A

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

# DX LENGTH OF STAY BY DIAGNOSIS



## UNITED STATES



## Southern REGION

## 1981



# Length of Stay by Diagnosis, Southern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
  Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
  Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . . . . . . 5
  Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17
  Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 18
  Summary of All Patients Except Newborn . . . . . . . . . . . . . . . . . . . . . . . 19
  Diagnosis Groups 1-398 . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 20
**Appendix:** ***ICD-9-CM*** **Codes for Selected Diagnosis Groups** . . . . . . . . . . . . 219
**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
West
North Central
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.*<br>*a. acute myocardial infarction*<br>*b. dissecting aortic aneurysm*<br>*c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| Cholelithiasis | 2 | | 215 |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

### DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | 129430 | 9.5 | 38 | 3 | 4 | 8 | 11 | 16 | 20 | 33 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.8 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.8 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay
# Tables

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 266520 | 3.2 | 8 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 153686 | 3.9 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 64629 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 56984 | 6.3 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 55684 | 7.3 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99416 | 3.1 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 190831 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 91823 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 83843 | 6.3 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 80698 | 7.6 | 54 | 2 | 2 | 5 | 10 | 17 | 21 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139487 | 4.8 | 26 | 1 | 2 | 4 | 5 | 8 | 12 | 27 |
| 20-34 | 98504 | 5.5 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 109081 | 6.7 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 50-64 | 178229 | 7.7 | 45 | 1 | 2 | 6 | 9 | 15 | 19 | 35 |
| 65+ | 315222 | 9.4 | 64 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58869 | 5.2 | 64 | 1 | 1 | 3 | 5 | 10 | 17 | 47 |
| 20-34 | 169582 | 5.6 | 36 | 1 | 2 | 4 | 7 | 10 | 14 | 32 |
| 35-49 | 115539 | 7.6 | 56 | 1 | 2 | 6 | 9 | 14 | 20 | 40 |
| 50-64 | 125827 | 9.8 | 91 | 2 | 2 | 7 | 12 | 20 | 27 | 52 |
| 65+ | 159304 | 12.7 | 131 | 2 | 3 | 10 | 16 | 26 | 35 | 61 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 597503 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| B. *Operated* | 546611 | 4.9 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 840523 | 7.5 | 50 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| B. *Operated* | 629121 | 8.6 | 65 | 1 | 2 | 6 | 10 | 18 | 26 | 50 |
| 1. SINGLE DX | 1144114 | 4.6 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 2. MULTIPLE DX | 1469644 | 7.9 | 65 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| A. NOT OPERATED | 1438026 | 6.2 | 40 | 1 | 2 | 4 | 7 | 13 | 17 | 32 |
| B. OPERATED | 1175732 | 6.9 | 61 | 1 | 2 | 4 | 8 | 15 | 21 | 41 |
| TOTAL 0-19 YRS | 564292 | 3.8 | 19 | 1 | 1 | 3 | 4 | 6 | 9 | 22 |
| 20-34 | 612603 | 4.6 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 381072 | 6.4 | 40 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| 50-64 | 444883 | 7.8 | 57 | 2 | 2 | 6 | 10 | 15 | 21 | 39 |
| 65+ | 610908 | 9.8 | 82 | 2 | 2 | 7 | 12 | 20 | 28 | 48 |
| GRAND TOTAL | 2613758 | 6.5 | 50 | 1 | 2 | 4 | 8 | 14 | 19 | 36 |

339 Hospitals, Southern Region, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100660 | 3.6 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 21 |
| 20-34 | 153686 | 3.9 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 35-49 | 64629 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 56984 | 6.3 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 55684 | 7.3 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99323 | 3.1 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 190831 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 91823 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 83843 | 6.3 | 35 | 1 | 2 | 4 | 8 | 13 | 17 | 28 |
| 65+ | 80698 | 7.6 | 54 | 2 | 2 | 5 | 10 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80109 | 4.6 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 20-34 | 98504 | 5.5 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 109081 | 6.7 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 50-64 | 178229 | 7.7 | 45 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| 65+ | 315222 | 9.4 | 64 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56527 | 4.6 | 42 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| 20-34 | 169582 | 5.6 | 36 | 1 | 2 | 4 | 7 | 10 | 14 | 32 |
| 35-49 | 115539 | 7.6 | 56 | 1 | 2 | 6 | 9 | 14 | 20 | 40 |
| 50-64 | 125827 | 9.8 | 91 | 2 | 2 | 7 | 12 | 20 | 27 | 52 |
| 65+ | 159304 | 12.7 | 131 | 2 | 3 | 10 | 16 | 26 | 36 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 431643 | 4.8 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| B. *Operated* | 546518 | 4.9 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 781145 | 7.6 | 51 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| B. *Operated* | 626779 | 8.5 | 84 | 1 | 2 | 6 | 10 | 18 | 25 | 49 |
| **1. SINGLE DX** | 978161 | 4.9 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | 1407924 | 8.0 | 66 | 1 | 2 | 6 | 10 | 16 | 23 | 43 |
| **A. NOT OPERATED** | 1212788 | 6.6 | 45 | 1 | 2 | 5 | 8 | 14 | 18 | 34 |
| **B. OPERATED** | 1173297 | 6.8 | 60 | 1 | 2 | 4 | 8 | 15 | 21 | 40 |
| TOTAL 0-19 YRS | 336619 | 3.8 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 20-34 | 612603 | 4.6 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| 35-49 | 381072 | 6.4 | 40 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| 50-64 | 444883 | 7.8 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |
| 65+ | 610908 | 9.8 | 82 | 2 | 2 | 7 | 12 | 20 | 26 | 48 |
| **GRAND TOTAL** | 2386085 | 6.7 | 52 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2486 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 1126 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 409 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 306 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 243 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.5 | 8 | 1 | 2 | 4 | 5 | 7 | 11 | 15 |
| 20-34 | 43 | 6.4 | 104 | 2 | 2 | 5 | 6 | 8 | 10 | 70 |
| 35-49 | 13 | 9.8 | 53 | 3 | 4 | 7 | 11 | 20 | 28 | 30 |
| 50-64 | 7 | 6.1 | 10 | 3 | 3 | 6 | 8 | 11 | 12 | 12 |
| 65+ | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2578 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 1120 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 646 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 729 | 5.6 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 1210 | 6.8 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.4 | 13 | 2 | 2 | 6 | 8 | 12 | 15 | 15 |
| 20-34 | 68 | 8.0 | 30 | 3 | 3 | 6 | 11 | 16 | 18 | 27 |
| 35-49 | 52 | 8.9 | 24 | 3 | 4 | 8 | 10 | 16 | 20 | 25 |
| 50-64 | 76 | 14.3 | 148 | 4 | 4 | 10 | 18 | 32 | 42 | 63 |
| 65+ | 79 | 13.4 | 103 | 4 | 5 | 11 | 16 | 23 | 37 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4570 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 99 | 6.1 | 57 | 2 | 2 | 5 | 7 | 10 | 12 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6283 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| B. *Operated* | 310 | 10.9 | 83 | 3 | 3 | 8 | 13 | 20 | 27 | 48 |
| **1. SINGLE DX** | 4669 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 6593 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 10853 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 409 | 9.7 | 81 | 2 | 3 | 7 | 12 | 19 | 24 | 48 |
| TOTAL 0-19 YRS | 5133 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 2357 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 1120 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 1118 | 5.8 | 29 | 2 | 2 | 4 | 7 | 11 | 15 | 25 |
| 65+ | 1534 | 6.9 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| **GRAND TOTAL** | **11262** | **4.4** | **15** | **1** | **2** | **3** | **5** | **8** | **11** | **19** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 8.7 | 131 | 1 | 2 | 5 | 10 | 18 | 38 | 52 |
| 20-34 | 57 | 9.5 | 38 | 2 | 3 | 8 | 13 | 19 | 20 | 29 |
| 35-49 | 52 | 12.0 | 93 | <1 | 3 | 10 | 15 | 24 | 30 | 52 |
| 50-64 | 58 | 10.8 | 69 | 2 | 3 | 9 | 14 | 24 | 30 | 38 |
| 65+ | 47 | 11.4 | 82 | 2 | 3 | 8 | 15 | 25 | 29 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.5 | 27 | 1 | 1 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 21 | 10.7 | 57 | 3 | 3 | 9 | 15 | 21 | 26 | 32 |
| 35-49 | 32 | 11.2 | 37 | 2 | 4 | 11 | 15 | 19 | 22 | 27 |
| 50-64 | 37 | 12.1 | 77 | 2 | 3 | 9 | 16 | 26 | 30 | 38 |
| 65+ | 48 | 13.2 | 59 | 3 | 4 | 12 | 17 | 25 | 27 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 10.0 | 35 | 4 | 4 | 8 | 14 | 19 | 21 | 21 |
| 20-34 | 38 | 11.9 | 60 | 3 | 4 | 10 | 15 | 19 | 21 | 48 |
| 35-49 | 97 | 12.7 | 129 | 2 | 3 | 10 | 17 | 24 | 29 | 68 |
| 50-64 | 114 | 13.5 | 157 | 2 | 4 | 10 | 16 | 27 | 31 | 72 |
| 65+ | 196 | 15.8 | 148 | 3 | 4 | 13 | 20 | 34 | 41 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.8 | 10 | 3 | 3 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 25 | 16.3 | 318 | 2 | 6 | 11 | 16 | 29 | 64 | 84 |
| 35-49 | 61 | 15.9 | 151 | 3 | 4 | 13 | 21 | 33 | 39 | 63 |
| 50-64 | 85 | 18.5 | 257 | 4 | 6 | 15 | 21 | 32 | 60 | 90 |
| 65+ | 142 | 18.3 | 211 | 4 | 5 | 14 | 24 | 37 | 43 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 10.7 | 74 | 2 | 3 | 8 | 14 | 20 | 29 | 45 |
| B. *Operated* | 142 | 11.9 | 57 | 2 | 3 | 11 | 16 | 22 | 27 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 453 | 14.1 | 138 | 3 | 4 | 12 | 18 | 26 | 38 | 63 |
| B. *Operated* | 317 | 17.6 | 218 | 4 | 5 | 14 | 22 | 34 | 44 | 85 |
| **1. SINGLE DX** | 376 | 11.2 | 68 | 2 | 3 | 9 | 15 | 22 | 27 | 38 |
| **2. MULTIPLE DX** | 770 | 15.6 | 174 | 3 | 4 | 13 | 19 | 30 | 40 | 70 |
| **A. NOT OPERATED** | 687 | 13.0 | 119 | 2 | 3 | 10 | 16 | 25 | 34 | 56 |
| **B. OPERATED** | 459 | 15.9 | 175 | 3 | 4 | 13 | 20 | 31 | 39 | 70 |
| TOTAL 0-19 YRS | 36 | 8.9 | 82 | 1 | 2 | 7 | 10 | 15 | 23 | 52 |
| 20-34 | 141 | 11.5 | 100 | 3 | 3 | 9 | 15 | 19 | 24 | 60 |
| 35-49 | 242 | 13.1 | 116 | 2 | 3 | 10 | 17 | 24 | 33 | 64 |
| 50-64 | 294 | 14.2 | 165 | 2 | 4 | 11 | 17 | 27 | 35 | 76 |
| 65+ | 433 | 15.9 | 156 | 3 | 4 | 13 | 20 | 32 | 40 | 58 |
| **GRAND TOTAL** | **1146** | **14.1** | **143** | **3** | **4** | **11** | **18** | **27** | **37** | **63** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 200 | 1 | 1 | 11 | 21 | 21 | 21 | 21 |
| 20-34 | 9 | 7.7 | 26 | <1 | 2 | 7 | 9 | 16 | 19 | 19 |
| 35-49 | 7 | 7.4 | 18 | 2 | 2 | 7 | 10 | 13 | 14 | 14 |
| 50-64 | 2 | 12.0 | 162 | 3 | 3 | 12 | 21 | 21 | 21 | 21 |
| 65+ | 9 | 15.7 | 751 | 1 | 1 | 6 | 13 | 60 | 87 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.0 | 24 | 1 | 1 | 6 | 6 | 14 | 15 | 15 |
| 20-34 | 9 | 8.1 | 70 | <1 | 1 | 5 | 10 | 23 | 24 | 24 |
| 35-49 | 10 | 5.3 | 14 | 2 | 2 | 4 | 7 | 11 | 14 | 14 |
| 50-64 | 11 | 14.1 | 198 | 1 | 3 | 7 | 19 | 36 | 49 | 50 |
| 65+ | 6 | 10.8 | 64 | <1 | <1 | 10 | 14 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 29.8 | 293 | 5 | 5 | 35 | 41 | 43 | 43 | 43 |
| 20-34 | 8 | 7.8 | 19 | 1 | 2 | 8 | 10 | 14 | 15 | 15 |
| 35-49 | 11 | 6.9 | 30 | <1 | 1 | 4 | 11 | 16 | 16 | 16 |
| 50-64 | 9 | 10.4 | 59 | 3 | 3 | 9 | 15 | 64 | 99+ | 99+ |
| 65+ | 11 | 14.5 | 218 | 3 | 4 | 10 | 18 | 35 | 54 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.7 | 114 | 5 | 5 | 6 | 19 | 24 | 24 | 24 |
| 20-34 | 15 | 20.3 | 360 | 4 | 6 | 15 | 20 | 60 | 67 | 69 |
| 35-49 | 12 | 14.2 | 117 | 2 | 3 | 11 | 21 | 32 | 33 | 33 |
| 50-64 | 18 | 20.3 | 234 | 5 | 6 | 16 | 33 | 44 | 50 | 53 |
| 65+ | 21 | 27.9 | 267 | 5 | 7 | 25 | 43 | 56 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 10.6 | 252 | 1 | 1 | 7 | 11 | 20 | 24 | 87 |
| B. *Operated* | 42 | 9.1 | 88 | 1 | 2 | 6 | 13 | 22 | 25 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 11.9 | 137 | 2 | 3 | 9 | 15 | 33 | 47 | 99+ |
| B. *Operated* | 69 | 21.2 | 260 | 4 | 5 | 17 | 31 | 47 | 60 | 94 |
| **1. SINGLE DX** | 71 | 9.7 | 153 | 1 | 2 | 6 | 12 | 21 | 24 | 79 |
| **2. MULTIPLE DX** | 112 | 17.6 | 232 | 3 | 4 | 13 | 25 | 43 | 56 | 99+ |
| **A. NOT OPERATED** | 72 | 11.4 | 181 | 1 | 2 | 8 | 13 | 23 | 42 | 97 |
| **B. OPERATED** | 111 | 16.6 | 228 | 2 | 3 | 12 | 23 | 42 | 53 | 81 |
| TOTAL 0-19 YRS | 15 | 14.1 | 203 | 1 | 1 | 6 | 23 | 39 | 42 | 43 |
| 20-34 | 41 | 12.4 | 185 | 1 | 3 | 8 | 15 | 22 | 42 | 69 |
| 35-49 | 40 | 8.8 | 60 | 2 | 2 | 6 | 13 | 19 | 26 | 33 |
| 50-64 | 40 | 16.0 | 187 | 3 | 4 | 10 | 25 | 42 | 51 | 99+ |
| 65+ | 47 | 20.3 | 351 | 2 | 3 | 14 | 28 | 52 | 64 | 99+ |
| **GRAND TOTAL** | **183** | **14.5** | **215** | **2** | **3** | **9** | **20** | **37** | **51** | **95** |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 253 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 124 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 8 |
| 35-49 | 36 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 9 |
| 50-64 | 20 | 4.8 | 4 | 2 | 2 | 5 | 6 | 7 | 9 | 11 |
| 65+ | 9 | 5.8 | 9 | 3 | 3 | 5 | 6 | 11 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.3 | 1 | 2 | 2 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 161 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 10 |
| 35-49 | 80 | 4.8 | 12 | 2 | 2 | 4 | 5 | 8 | 10 | 21 |
| 50-64 | 55 | 5.7 | 7 | 2 | 3 | 5 | 7 | 9 | 11 | 14 |
| 65+ | 27 | 8.1 | 16 | 4 | 5 | 6 | 10 | 13 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.6 | 5 | 2 | 2 | 3 | 4 | 7 | 10 | 11 |
| 20-34 | 12 | 7.3 | 65 | 2 | 2 | 5 | 7 | 16 | 30 | 32 |
| 35-49 | 4 | 5.8 | 11 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 2 | 19.0 | 450 | 4 | 4 | 19 | 34 | 34 | 34 | 34 |
| 65+ | 3 | 9.7 | 17 | 5 | 5 | 11 | 12 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 3.3 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| B. *Operated* | 16 | 2.3 | 1 | 2 | 2 | 2 | 2 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 698 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 38 | 6.3 | 49 | 2 | 2 | 4 | 7 | 11 | 24 | 34 |
| **1. SINGLE DX** | 458 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 736 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 1140 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **B. OPERATED** | 54 | 5.1 | 38 | 2 | 2 | 3 | 5 | 9 | 13 | 34 |
| TOTAL 0-19 YRS | 660 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 297 | 3.8 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 121 | 4.7 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 21 |
| 50-64 | 77 | 5.8 | 17 | 2 | 3 | 5 | 6 | 9 | 12 | 29 |
| 65+ | 39 | 7.7 | 15 | 3 | 4 | 6 | 10 | 13 | 16 | 18 |
| **GRAND TOTAL** | **1194** | **3.7** | **7** | **1** | **2** | **3** | **4** | **6** | **8** | **13** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 342 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 20-34 | 34 | 7.1 | 48 | 2 | 2 | 5 | 7 | 16 | 26 | 28 |
| 35-49 | 19 | 6.9 | 7 | 3 | 4 | 7 | 8 | 10 | 12 | 14 |
| 50-64 | 32 | 11.5 | 55 | 3 | 4 | 9 | 15 | 25 | 27 | 27 |
| 65+ | 82 | 10.4 | 51 | 3 | 4 | 8 | 14 | 19 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.8 | 18 | 1 | 1 | 8 | 8 | 13 | 15 | 15 |
| 20-34 | 2 | 14.0 | 98 | 7 | 7 | 14 | 21 | 21 | 21 | 21 |
| 35-49 | 5 | 15.2 | 89 | 4 | 4 | 11 | 24 | 26 | 26 | 26 |
| 50-64 | 1 | 58.0 | | 58 | 58 | 58 | 58 | 58 | 58 | 58 |
| 65+ | 4 | 28.3 | 622 | 7 | 7 | 21 | 44 | 64 | 64 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 379 | 7.2 | 24 | 2 | 3 | 6 | 9 | 13 | 15 | 28 |
| 20-34 | 100 | 11.7 | 86 | 2 | 3 | 9 | 15 | 25 | 31 | 44 |
| 35-49 | 106 | 11.5 | 68 | 3 | 4 | 9 | 15 | 23 | 25 | 45 |
| 50-64 | 256 | 12.7 | 77 | 3 | 5 | 11 | 15 | 23 | 30 | 56 |
| 65+ | 997 | 14.2 | 106 | 4 | 5 | 12 | 17 | 26 | 34 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 13.9 | 77 | 2 | 3 | 13 | 17 | 29 | 32 | 34 |
| 20-34 | 30 | 20.6 | 245 | 4 | 5 | 16 | 26 | 47 | 48 | 65 |
| 35-49 | 26 | 22.2 | 354 | 5 | 5 | 16 | 27 | 42 | 70 | 84 |
| 50-64 | 97 | 24.1 | 352 | 5 | 6 | 18 | 33 | 55 | 67 | 97 |
| 65+ | 176 | 24.4 | 270 | 8 | 9 | 20 | 33 | 49 | 61 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 509 | 7.0 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | 21 | 16.0 | 280 | 2 | 3 | 9 | 22 | 39 | 61 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1838 | 12.3 | 69 | 3 | 4 | 10 | 15 | 23 | 29 | 51 |
| B. *Operated* | 357 | 23.0 | 287 | 5 | 7 | 18 | 31 | 47 | 61 | 94 |
| **1. SINGLE DX** | 530 | 7.4 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 27 |
| **2. MULTIPLE DX** | 2195 | 14.0 | 137 | 3 | 4 | 11 | 17 | 28 | 38 | 67 |
| **A. NOT OPERATED** | 2347 | 11.1 | 80 | 3 | 3 | 9 | 14 | 21 | 28 | 46 |
| **B. OPERATED** | 378 | 22.6 | 288 | 5 | 7 | 17 | 30 | 47 | 61 | 94 |
| TOTAL 0-19 YRS | 758 | 6.8 | 23 | 2 | 2 | 6 | 9 | 12 | 15 | 27 |
| 20-34 | 166 | 12.4 | 123 | 2 | 3 | 9 | 16 | 28 | 33 | 48 |
| 35-49 | 156 | 12.8 | 127 | 3 | 4 | 9 | 15 | 24 | 31 | 66 |
| 50-64 | 386 | 15.6 | 173 | 4 | 5 | 12 | 19 | 32 | 44 | 78 |
| 65+ | 1259 | 15.4 | 141 | 4 | 6 | 12 | 18 | 29 | 39 | 69 |
| **GRAND TOTAL** | **2725** | **12.7** | **125** | **3** | **4** | **10** | **15** | **25** | **35** | **63** |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 8.2 | 23 | 2 | 3 | 8 | 11 | 14 | 17 | 22 |
| 20-34 | 70 | 6.7 | 14 | 2 | 3 | 6 | 9 | 12 | 14 | 17 |
| 35-49 | 47 | 6.9 | 16 | 2 | 3 | 6 | 10 | 13 | 14 | 16 |
| 50-64 | 28 | 9.8 | 32 | 3 | 4 | 8 | 13 | 19 | 21 | 22 |
| 65+ | 25 | 8.2 | 31 | 3 | 4 | 6 | 10 | 19 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.9 | 160 | 1 | 1 | 4 | 13 | 27 | 42 | 45 |
| 20-34 | 4 | 11.8 | 215 | 2 | 2 | 6 | 21 | 33 | 33 | 33 |
| 35-49 | 7 | 22.7 | 411 | 4 | 4 | 19 | 42 | 51 | 52 | 52 |
| 50-64 | 8 | 15.0 | 152 | 4 | 5 | 11 | 18 | 36 | 42 | 42 |
| 65+ | 12 | 12.3 | 166 | <1 | 2 | 7 | 19 | 33 | 39 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 7.4 | 23 | 2 | 2 | 6 | 11 | 14 | 16 | 21 |
| 20-34 | 60 | 6.9 | 26 | 2 | 2 | 5 | 9 | 12 | 15 | 31 |
| 35-49 | 57 | 8.8 | 122 | 3 | 3 | 6 | 10 | 14 | 28 | 74 |
| 50-64 | 99 | 9.8 | 51 | 3 | 4 | 8 | 12 | 18 | 25 | 38 |
| 65+ | 165 | 11.7 | 104 | 3 | 4 | 10 | 13 | 22 | 27 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.8 | 28 | 1 | 3 | 12 | 15 | 16 | 19 | 21 |
| 20-34 | 18 | 11.9 | 59 | 5 | 5 | 8 | 17 | 23 | 29 | 32 |
| 35-49 | 16 | 16.5 | 135 | 2 | 3 | 14 | 25 | 34 | 37 | 38 |
| 50-64 | 43 | 15.4 | 150 | 3 | 4 | 11 | 20 | 31 | 40 | 60 |
| 65+ | 47 | 21.9 | 242 | 8 | 8 | 16 | 28 | 45 | 54 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 378 | 7.9 | 22 | 2 | 3 | 7 | 11 | 14 | 17 | 22 |
| B. *Operated* | 43 | 13.8 | 204 | 1 | 2 | 9 | 20 | 40 | 45 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 566 | 9.2 | 65 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| B. *Operated* | 141 | 16.7 | 166 | 4 | 5 | 13 | 21 | 33 | 44 | 70 |
| **1. SINGLE DX** | 421 | 8.5 | 43 | 2 | 3 | 7 | 11 | 15 | 19 | 41 |
| **2. MULTIPLE DX** | 707 | 10.7 | 94 | 2 | 3 | 8 | 13 | 20 | 29 | 53 |
| **A. NOT OPERATED** | 944 | 8.7 | 48 | 2 | 3 | 7 | 11 | 15 | 19 | 33 |
| **B. OPERATED** | 184 | 16.0 | 175 | 2 | 4 | 12 | 21 | 33 | 45 | 66 |
| TOTAL 0-19 YRS | 422 | 8.0 | 27 | 2 | 2 | 8 | 11 | 15 | 16 | 22 |
| 20-34 | 152 | 7.5 | 30 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 35-49 | 127 | 9.8 | 114 | 2 | 3 | 6 | 11 | 19 | 32 | 58 |
| 50-64 | 178 | 11.4 | 81 | 3 | 4 | 9 | 14 | 22 | 31 | 44 |
| 65+ | 249 | 13.3 | 143 | 3 | 4 | 10 | 15 | 26 | 38 | 70 |
| **GRAND TOTAL** | **1128** | **9.9** | **76** | **2** | **3** | **8** | **12** | **18** | **25** | **46** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 685 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 9 | 13 |
| 20-34 | 366 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 82 | 6.4 | 18 | 2 | 2 | 6 | 7 | 11 | 17 | 21 |
| 50-64 | 11 | 6.7 | 22 | 2 | 2 | 4 | 9 | 15 | 16 | 16 |
| 65+ | 7 | 8.4 | 42 | 2 | 2 | 7 | 15 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.6 | 5 | 3 | 3 | 6 | 7 | 8 | 9 | 9 |
| 20-34 | 5 | 6.6 | 19 | 2 | 2 | 7 | 9 | 13 | 13 | 13 |
| 35-49 | 3 | 7.0 | 21 | 2 | 2 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 4.9 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 14 |
| 20-34 | 120 | 6.3 | 40 | 2 | 2 | 5 | 7 | 11 | 15 | 40 |
| 35-49 | 43 | 5.8 | 17 | 1 | 2 | 5 | 7 | 11 | 16 | 19 |
| 50-64 | 22 | 8.8 | 31 | 3 | 3 | 7 | 12 | 16 | 20 | 24 |
| 65+ | 9 | 13.3 | 151 | 7 | 7 | 8 | 14 | 33 | 45 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.7 | 19 | 4 | 4 | 7 | 13 | 15 | 15 | 15 |
| 20-34 | 6 | 10.5 | 103 | 4 | 4 | 7 | 8 | 29 | 31 | 31 |
| 35-49 | 4 | 8.3 | 33 | 3 | 3 | 7 | 12 | 16 | 16 | 16 |
| 50-64 | 4 | 11.3 | 3 | 9 | 9 | 11 | 12 | 13 | 13 | 13 |
| 65+ | 3 | 16.0 | 43 | 10 | 10 | 15 | 21 | 23 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1151 | 4.2 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| B. *Operated* | 20 | 6.8 | 14 | 2 | 2 | 7 | 9 | 12 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 428 | 5.7 | 25 | 2 | 2 | 4 | 7 | 11 | 13 | 28 |
| B. *Operated* | 23 | 10.5 | 43 | 3 | 4 | 9 | 13 | 17 | 26 | 31 |
| **1. SINGLE DX** | 1171 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 451 | 6.0 | 27 | 2 | 2 | 4 | 7 | 11 | 14 | 31 |
| **A. NOT OPERATED** | 1579 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| **B. OPERATED** | 43 | 8.7 | 32 | 2 | 3 | 8 | 11 | 15 | 19 | 31 |
| TOTAL 0-19 YRS | 935 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 497 | 5.0 | 16 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 132 | 6.3 | 18 | 2 | 2 | 5 | 8 | 11 | 17 | 20 |
| 50-64 | 39 | 8.6 | 26 | 2 | 3 | 8 | 12 | 15 | 17 | 24 |
| 65+ | 19 | 11.9 | 94 | 2 | 3 | 9 | 16 | 21 | 35 | 45 |
| **GRAND TOTAL** | **1622** | **4.8** | **14** | **1** | **2** | **4** | **6** | **9** | **11** | **17** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 100 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 32 | 5.7 | 27 | 2 | 2 | 4 | 6 | 13 | 14 | 27 |
| 50-64 | 91 | 5.9 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 65+ | 232 | 7.2 | 27 | 2 | 2 | 6 | 9 | 13 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 5.3 | 24 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| 35-49 | 8 | 4.0 | 13 | 1 | 1 | 3 | 6 | 10 | 10 | 10 |
| 50-64 | 3 | 6.3 | 4 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 17 | 11.2 | 118 | 2 | 2 | 8 | 12 | 27 | 39 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 575 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 110 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 35-49 | 72 | 7.3 | 28 | 2 | 2 | 6 | 10 | 12 | 18 | 29 |
| 50-64 | 223 | 7.5 | 33 | 2 | 3 | 6 | 9 | 14 | 20 | 33 |
| 65+ | 786 | 10.3 | 70 | 3 | 3 | 8 | 13 | 19 | 25 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 13.9 | 184 | 2 | 4 | 9 | 28 | 53 | 91 | 99+ |
| 20-34 | 13 | 11.3 | 258 | 2 | 3 | 6 | 9 | 26 | 56 | 63 |
| 35-49 | 5 | 12.6 | 44 | 6 | 6 | 12 | 16 | 23 | 23 | 23 |
| 50-64 | 21 | 12.7 | 91 | 2 | 3 | 11 | 14 | 27 | 37 | 39 |
| 65+ | 62 | 15.2 | 190 | 2 | 3 | 11 | 20 | 36 | 55 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 849 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | 35 | 8.0 | 72 | 1 | 2 | 5 | 10 | 13 | 26 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1766 | 7.5 | 47 | 2 | 2 | 5 | 9 | 15 | 19 | 35 |
| B. *Operated* | 113 | 14.0 | 169 | 2 | 3 | 10 | 18 | 36 | 51 | 99+ |
| **1. SINGLE DX** | 884 | 5.2 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 1879 | 7.9 | 57 | 2 | 2 | 6 | 10 | 15 | 21 | 41 |
| **A. NOT OPERATED** | 2615 | 6.7 | 40 | 2 | 2 | 5 | 8 | 13 | 18 | 32 |
| **B. OPERATED** | 148 | 12.6 | 152 | 2 | 2 | 9 | 14 | 32 | 41 | 99+ |
| TOTAL 0-19 YRS | 982 | 4.0 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 229 | 5.6 | 27 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 35-49 | 117 | 6.8 | 29 | 2 | 2 | 5 | 10 | 12 | 17 | 28 |
| 50-64 | 338 | 7.4 | 33 | 2 | 3 | 6 | 9 | 13 | 18 | 34 |
| 65+ | 1097 | 9.9 | 72 | 2 | 3 | 8 | 12 | 19 | 25 | 49 |
| **GRAND TOTAL** | **2763** | **7.0** | **47** | **2** | **2** | **5** | **9** | **14** | **19** | **39** |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 6.1 | 12 | 2 | 2 | 6 | 8 | 10 | 12 | 20 |
| 20-34 | 615 | 7.2 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 23 |
| 35-49 | 165 | 8.2 | 35 | 2 | 3 | 7 | 10 | 15 | 18 | 35 |
| 50-64 | 77 | 7.3 | 24 | 2 | 3 | 6 | 9 | 12 | 19 | 26 |
| 65+ | 35 | 9.0 | 39 | 2 | 4 | 7 | 10 | 18 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.3 | 6 | <1 | <1 | 3 | 3 | 8 | 8 | 8 |
| 20-34 | 22 | 6.8 | 26 | 1 | 2 | 5 | 10 | 13 | 17 | 21 |
| 35-49 | 12 | 15.6 | 158 | 1 | 2 | 10 | 23 | 34 | 42 | 43 |
| 50-64 | 10 | 10.9 | 21 | 3 | 5 | 11 | 13 | 17 | 20 | 20 |
| 65+ | 7 | 15.4 | 150 | 2 | 2 | 14 | 26 | 33 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 7.4 | 27 | 1 | 2 | 6 | 9 | 14 | 19 | 26 |
| 20-34 | 239 | 7.4 | 18 | 2 | 3 | 7 | 10 | 12 | 14 | 24 |
| 35-49 | 117 | 9.4 | 60 | 3 | 4 | 8 | 11 | 16 | 20 | 46 |
| 50-64 | 115 | 9.9 | 48 | 3 | 3 | 9 | 12 | 17 | 24 | 39 |
| 65+ | 102 | 11.2 | 53 | 4 | 5 | 9 | 14 | 20 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.3 | 33 | 9 | 9 | 9 | 17 | 19 | 19 | 19 |
| 20-34 | 29 | 9.7 | 29 | 2 | 4 | 10 | 12 | 18 | 21 | 24 |
| 35-49 | 19 | 13.8 | 127 | 2 | 3 | 11 | 18 | 28 | 40 | 48 |
| 50-64 | 18 | 12.0 | 75 | 2 | 2 | 11 | 16 | 21 | 30 | 36 |
| 65+ | 29 | 11.3 | 45 | 2 | 2 | 11 | 14 | 23 | 24 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1091 | 7.2 | 21 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| B. *Operated* | 57 | 10.1 | 80 | 1 | 2 | 8 | 13 | 22 | 30 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 650 | 8.8 | 39 | 3 | 3 | 7 | 11 | 15 | 19 | 34 |
| B. *Operated* | 98 | 11.5 | 61 | 2 | 3 | 10 | 15 | 21 | 25 | 42 |
| **1. SINGLE DX** | 1148 | 7.4 | 24 | 2 | 3 | 6 | 9 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | 748 | 9.2 | 43 | 2 | 3 | 8 | 11 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 1741 | 7.8 | 28 | 2 | 3 | 7 | 10 | 13 | 17 | 29 |
| **B. OPERATED** | 155 | 11.0 | 68 | 2 | 2 | 9 | 14 | 21 | 25 | 43 |
| TOTAL 0-19 YRS | 285 | 6.5 | 17 | 2 | 2 | 6 | 8 | 11 | 14 | 22 |
| 20-34 | 905 | 7.3 | 18 | 2 | 3 | 7 | 9 | 12 | 14 | 23 |
| 35-49 | 313 | 9.2 | 57 | 2 | 3 | 8 | 11 | 17 | 23 | 39 |
| 50-64 | 220 | 9.2 | 42 | 2 | 3 | 8 | 11 | 17 | 22 | 36 |
| 65+ | 173 | 10.9 | 53 | 3 | 4 | 9 | 14 | 20 | 24 | 39 |
| **GRAND TOTAL** | **1896** | **8.1** | **32** | **2** | **3** | **7** | **10** | **14** | **18** | **30** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 532 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 184 | 5.2 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 25 | 6.8 | 17 | 2 | 4 | 6 | 8 | 11 | 15 | 21 |
| 50-64 | 6 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 6 | 8.5 | 17 | 2 | 2 | 10 | 11 | 13 | 13 | 13 |
| 35-49 | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 464 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 129 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 14 |
| 35-49 | 26 | 7.0 | 30 | 1 | 2 | 5 | 10 | 14 | 16 | 25 |
| 50-64 | 8 | 6.0 | 4 | 2 | 3 | 6 | 7 | 8 | 9 | 9 |
| 65+ | 7 | 7.0 | 11 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.1 | 44 | 3 | 3 | 8 | 11 | 15 | 26 | 30 |
| 20-34 | 9 | 11.2 | 46 | 2 | 2 | 12 | 15 | 20 | 24 | 24 |
| 35-49 | 2 | 13.0 | 72 | 7 | 7 | 13 | 19 | 19 | 19 | 19 |
| 50-64 | 2 | 11.0 | 98 | 4 | 4 | 11 | 18 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 749 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 14 | 6.4 | 15 | 1 | 2 | 5 | 10 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 634 | 5.0 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 14 |
| B. *Operated* | 28 | 10.2 | 45 | 3 | 3 | 9 | 14 | 19 | 25 | 30 |
| **1. SINGLE DX** | 763 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 662 | 5.3 | 11 | 2 | 2 | 4 | 7 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 1383 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **B. OPERATED** | 42 | 8.9 | 37 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| TOTAL 0-19 YRS | 1017 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 20-34 | 328 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 55 | 7.2 | 24 | 2 | 2 | 6 | 10 | 14 | 18 | 25 |
| 50-64 | 16 | 5.4 | 17 | 1 | 1 | 5 | 7 | 9 | 15 | 18 |
| 65+ | 9 | 6.2 | 11 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| **GRAND TOTAL** | **1425** | **4.9** | **10** | **2** | **2** | **4** | **6** | **9** | **11** | **15** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 11 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 641 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 174 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 50-64 | 57 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 65+ | 13 | 3.0 | 2 | 2 | 2 | 2 | 3 | 5 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.9 | 29 | 1 | 1 | 3 | 7 | 12 | 19 | 20 |
| 20-34 | 13 | 3.2 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 8 | 6.6 | 22 | 2 | 2 | 5 | 10 | 14 | 15 | 15 |
| 50-64 | 4 | 13.5 | 111 | 3 | 3 | 13 | 22 | 24 | 24 | 24 |
| 65+ | 3 | 7.0 | 13 | 4 | 4 | 6 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.9 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 195 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 82 | 4.5 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 50-64 | 59 | 7.1 | 84 | 1 | 1 | 4 | 8 | 17 | 27 | 50 |
| 65+ | 21 | 7.0 | 61 | 1 | 2 | 5 | 9 | 13 | 25 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| B. *Operated* | 1186 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 5.7 | 31 | 1 | 1 | 4 | 7 | 13 | 20 | 24 |
| B. *Operated* | 421 | 4.2 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| **1. SINGLE DX** | 1204 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 461 | 4.4 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| **A. NOT OPERATED** | 58 | 4.5 | 25 | <1 | 1 | 3 | 5 | 10 | 18 | 24 |
| **B. OPERATED** | 1607 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 382 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 860 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 265 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 50-64 | 121 | 5.3 | 51 | 1 | 1 | 3 | 5 | 10 | 19 | 43 |
| 65+ | 37 | 5.6 | 39 | 2 | 2 | 4 | 6 | 11 | 14 | 37 |
| **GRAND TOTAL** | **1665** | **2.9** | **10** | **<1** | **1** | **2** | **3** | **5** | **7** | **16** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1708 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 460 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 183 | 4.4 | 9 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 139 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 65+ | 120 | 4.7 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 20-34 | 35 | 4.7 | 15 | 1 | 1 | 3 | 6 | 11 | 13 | 17 |
| 35-49 | 12 | 5.4 | 27 | 1 | 2 | 4 | 6 | 11 | 20 | 21 |
| 50-64 | 6 | 5.8 | 7 | 1 | 1 | 6 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1462 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 667 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 35-49 | 418 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 480 | 6.1 | 24 | 2 | 2 | 5 | 7 | 10 | 15 | 27 |
| 65+ | 779 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.8 | 47 | 1 | 2 | 4 | 6 | 11 | 18 | 41 |
| 20-34 | 34 | 6.4 | 18 | 2 | 2 | 5 | 9 | 11 | 21 | 99+ |
| 35-49 | 39 | 8.5 | 32 | 2 | 3 | 7 | 10 | 19 | 21 | 22 |
| 50-64 | 38 | 9.5 | 33 | 2 | 3 | 9 | 11 | 18 | 22 | 31 |
| 65+ | 47 | 14.0 | 85 | 3 | 5 | 12 | 18 | 25 | 28 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2610 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 96 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3806 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 200 | 9.0 | 54 | 2 | 3 | 7 | 11 | 20 | 24 | 47 |
| **1. SINGLE DX** | 2706 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 4006 | 5.1 | 19 | 1 | 2 | 4 | 6 | 10 | 12 | 24 |
| **A. NOT OPERATED** | 6416 | 4.3 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 296 | 7.5 | 45 | 1 | 2 | 5 | 10 | 15 | 22 | 36 |
| TOTAL 0-19 YRS | 3253 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 1196 | 4.2 | 9 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 652 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 663 | 6.0 | 23 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| 65+ | 948 | 7.1 | 30 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| **GRAND TOTAL** | **6712** | **4.4** | **14** | **1** | **2** | **3** | **5** | **8** | **11** | **20** |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 117 | 4.4 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 42 | 5.6 | 5 | 2 | 3 | 5 | 7 | 10 | 10 | 10 |
| 50-64 | 22 | 5.9 | 6 | 2 | 3 | 6 | 8 | 9 | 10 | 11 |
| 65+ | 13 | 7.5 | 9 | 4 | 4 | 7 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.2 | 17 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 5.1 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 20-34 | 49 | 5.9 | 16 | 2 | 2 | 5 | 6 | 14 | 14 | 16 |
| 35-49 | 26 | 6.5 | 12 | 2 | 3 | 5 | 8 | 11 | 14 | 17 |
| 50-64 | 44 | 8.9 | 63 | 3 | 4 | 6 | 10 | 17 | 29 | 40 |
| 65+ | 24 | 11.5 | 51 | 5 | 6 | 9 | 14 | 20 | 27 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 26.7 | 849 | 6 | 6 | 14 | 48 | 60 | 60 | 60 |
| 20-34 | 8 | 8.6 | 20 | 3 | 3 | 8 | 11 | 15 | 17 | 17 |
| 35-49 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 8 | 17.4 | 68 | 7 | 8 | 16 | 25 | 29 | 29 | 29 |
| 65+ | 4 | 26.5 | 350 | 8 | 8 | 26 | 42 | 45 | 45 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 413 | 4.7 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | 9 | 5.8 | 13 | 2 | 2 | 4 | 8 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 7.1 | 32 | 2 | 3 | 6 | 8 | 13 | 17 | 36 |
| B. *Operated* | 25 | 16.3 | 198 | 4 | 6 | 11 | 18 | 40 | 49 | 60 |
| **1. SINGLE DX** | 422 | 4.7 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 222 | 8.1 | 58 | 2 | 3 | 6 | 9 | 15 | 21 | 42 |
| **A. NOT OPERATED** | 610 | 5.5 | 15 | 2 | 2 | 5 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 34 | 13.5 | 170 | 3 | 4 | 9 | 15 | 30 | 44 | 60 |
| TOTAL 0-19 YRS | 281 | 4.8 | 16 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 174 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 16 |
| 35-49 | 71 | 5.9 | 7 | 2 | 3 | 5 | 8 | 10 | 10 | 16 |
| 50-64 | 77 | 8.7 | 55 | 3 | 3 | 6 | 10 | 17 | 27 | 39 |
| 65+ | 41 | 11.7 | 86 | 4 | 5 | 9 | 12 | 21 | 37 | 45 |
| **GRAND TOTAL** | **644** | **5.9** | **26** | **2** | **2** | **5** | **7** | **10** | **13** | **29** |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 13 | 18 |
| 20-34 | 163 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 26 | 7.5 | 32 | 2 | 3 | 5 | 9 | 16 | 21 | 23 |
| 50-64 | 10 | 6.8 | 36 | 1 | 1 | 6 | 8 | 15 | 22 | 22 |
| 65+ | 14 | 5.8 | 39 | 1 | 1 | 2 | 9 | 17 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.1 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 20-34 | 106 | 3.4 | 23 | <1 | 1 | 2 | 3 | 5 | 8 | 33 |
| 35-49 | 27 | 3.4 | 10 | 1 | 1 | 2 | 4 | 9 | 11 | 13 |
| 50-64 | 12 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 7 |
| 65+ | 9 | 9.4 | 60 | <1 | 1 | 6 | 15 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 5.8 | 22 | 1 | 2 | 5 | 7 | 9 | 12 | 30 |
| 20-34 | 170 | 5.9 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| 35-49 | 40 | 7.1 | 16 | 2 | 3 | 6 | 10 | 13 | 14 | 17 |
| 50-64 | 17 | 9.8 | 31 | 3 | 4 | 9 | 16 | 18 | 19 | 20 |
| 65+ | 39 | 9.3 | 52 | 1 | 2 | 7 | 14 | 21 | 24 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.0 | 16 | <1 | 1 | 2 | 5 | 11 | 13 | 14 |
| 20-34 | 49 | 6.0 | 39 | 1 | 2 | 4 | 8 | 11 | 18 | 34 |
| 35-49 | 23 | 4.7 | 13 | <1 | 1 | 4 | 7 | 11 | 12 | 13 |
| 50-64 | 22 | 9.0 | 70 | 2 | 2 | 5 | 12 | 22 | 27 | 33 |
| 65+ | 26 | 12.8 | 154 | 2 | 3 | 9 | 18 | 25 | 34 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 5.4 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |
| B. *Operated* | 179 | 3.6 | 21 | <1 | 1 | 2 | 4 | 7 | 12 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 353 | 6.6 | 22 | 2 | 2 | 5 | 8 | 12 | 17 | 22 |
| B. *Operated* | 135 | 7.3 | 67 | 1 | 2 | 4 | 10 | 18 | 24 | 38 |
| **1. SINGLE DX** | 505 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | 488 | 6.8 | 34 | 1 | 2 | 5 | 9 | 13 | 18 | 27 |
| **A. NOT OPERATED** | 679 | 6.0 | 18 | 2 | 2 | 5 | 7 | 11 | 15 | 22 |
| **B. OPERATED** | 314 | 5.2 | 44 | 1 | 1 | 3 | 6 | 12 | 18 | 33 |
| TOTAL 0-19 YRS | 240 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 13 | 21 |
| 20-34 | 488 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 116 | 5.9 | 20 | 1 | 2 | 4 | 9 | 12 | 15 | 21 |
| 50-64 | 61 | 7.7 | 45 | 2 | 2 | 5 | 10 | 18 | 22 | 32 |
| 65+ | 88 | 9.8 | 84 | 1 | 1 | 7 | 15 | 22 | 25 | 47 |
| **GRAND TOTAL** | **993** | **5.7** | **26** | **1** | **2** | **4** | **7** | **11** | **16** | **26** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.7 | 43 | 1 | 2 | 4 | 7 | 10 | 19 | 36 |
| 20-34 | 12 | 5.9 | 43 | 2 | 2 | 4 | 6 | 13 | 24 | 26 |
| 35-49 | 17 | 10.2 | 117 | 1 | 2 | 5 | 18 | 20 | 35 | 43 |
| 50-64 | 17 | 12.9 | 148 | 2 | 3 | 8 | 15 | 29 | 44 | 51 |
| 65+ | 11 | 10.6 | 27 | 3 | 4 | 10 | 13 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.6 | 135 | <1 | <1 | 4 | 12 | 29 | 29 | 29 |
| 20-34 | 15 | 5.2 | 18 | <1 | 1 | 4 | 8 | 12 | 14 | 15 |
| 35-49 | 21 | 13.3 | 331 | 2 | 3 | 6 | 12 | 30 | 63 | 80 |
| 50-64 | 21 | 16.4 | 399 | 2 | 2 | 10 | 21 | 37 | 64 | 87 |
| 65+ | 12 | 9.7 | 55 | 2 | 3 | 8 | 14 | 21 | 25 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 5.5 | 41 | 2 | 2 | 4 | 5 | 9 | 14 | 44 |
| 20-34 | 44 | 9.5 | 156 | 1 | 2 | 6 | 10 | 20 | 32 | 74 |
| 35-49 | 42 | 8.0 | 36 | 1 | 2 | 7 | 12 | 15 | 17 | 32 |
| 50-64 | 52 | 15.3 | 392 | 2 | 2 | 7 | 16 | 46 | 58 | 87 |
| 65+ | 71 | 11.7 | 91 | 3 | 4 | 9 | 15 | 22 | 28 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 20.9 | 659 | 1 | 1 | 10 | 26 | 67 | 75 | 75 |
| 20-34 | 22 | 16.2 | 349 | 1 | 2 | 11 | 17 | 47 | 61 | 78 |
| 35-49 | 36 | 11.9 | 152 | 2 | 2 | 8 | 15 | 23 | 32 | 68 |
| 50-64 | 38 | 12.8 | 230 | 1 | 2 | 9 | 16 | 27 | 52 | 71 |
| 65+ | 49 | 20.2 | 548 | 2 | 2 | 10 | 25 | 67 | 73 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 8.5 | 80 | 1 | 2 | 5 | 10 | 19 | 26 | 48 |
| B. *Operated* | 74 | 11.6 | 236 | 1 | 2 | 7 | 13 | 26 | 42 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 275 | 10.0 | 147 | 2 | 2 | 6 | 11 | 20 | 29 | 70 |
| B. *Operated* | 155 | 15.9 | 360 | 2 | 2 | 10 | 17 | 45 | 69 | 81 |
| **1. SINGLE DX** | 165 | 9.9 | 151 | 1 | 2 | 6 | 12 | 20 | 31 | 76 |
| **2. MULTIPLE DX** | 430 | 12.1 | 232 | 2 | 2 | 7 | 14 | 25 | 49 | 79 |
| **A. NOT OPERATED** | 366 | 9.6 | 131 | 2 | 2 | 6 | 11 | 19 | 28 | 58 |
| **B. OPERATED** | 229 | 14.5 | 323 | 1 | 2 | 9 | 16 | 35 | 65 | 81 |
| TOTAL 0-19 YRS | 115 | 7.0 | 111 | 1 | 2 | 4 | 7 | 13 | 25 | 65 |
| 20-34 | 93 | 9.9 | 176 | 1 | 2 | 6 | 11 | 19 | 37 | 76 |
| 35-49 | 116 | 10.5 | 137 | 2 | 2 | 7 | 13 | 19 | 30 | 72 |
| 50-64 | 128 | 14.4 | 308 | 1 | 2 | 8 | 16 | 32 | 55 | 87 |
| 65+ | 143 | 14.3 | 254 | 2 | 3 | 9 | 16 | 28 | 53 | 81 |
| **GRAND TOTAL** | **595** | **11.5** | **210** | **2** | **2** | **7** | **13** | **24** | **45** | **79** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 7 | 4.4 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 9 |
| 35-49 | 4 | 5.3 | 18 | 1 | 1 | 4 | 8 | 11 | 11 | 11 |
| 50-64 | 6 | 4.0 | 7 | 1 | 1 | 3 | 4 | 9 | 9 | 9 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.1 | 8 | 1 | 2 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 13 | 4.4 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.1 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 15 |
| 20-34 | 11 | 5.2 | 9 | 1 | 2 | 5 | 8 | 9 | 9 | 9 |
| 35-49 | 10 | 8.2 | 20 | 2 | 3 | 7 | 12 | 14 | 15 | 15 |
| 50-64 | 9 | 6.4 | 9 | 2 | 2 | 7 | 8 | 10 | 12 | 12 |
| 65+ | 11 | 7.5 | 19 | 3 | 4 | 7 | 10 | 14 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 6.2 | 49 | 2 | 3 | 4 | 6 | 8 | 25 | 31 |
| 20-34 | 9 | 12.2 | 96 | 2 | 3 | 9 | 21 | 27 | 29 | 29 |
| 35-49 | 5 | 6.2 | 7 | 3 | 3 | 6 | 8 | 10 | 10 | 10 |
| 50-64 | 6 | 14.8 | 37 | 8 | 8 | 13 | 21 | 23 | 23 | 23 |
| 65+ | 7 | 13.9 | 90 | 6 | 6 | 11 | 16 | 31 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 11 |
| B. *Operated* | 29 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 5.7 | 14 | 1 | 2 | 5 | 7 | 11 | 13 | 17 |
| B. *Operated* | 42 | 10.0 | 68 | 2 | 3 | 7 | 12 | 23 | 30 | 34 |
| **1. SINGLE DX** | 68 | 3.8 | 5 | 1 | 1 | 4 | 5 | 6 | 9 | 12 |
| **2. MULTIPLE DX** | 112 | 7.3 | 38 | 2 | 2 | 6 | 9 | 15 | 21 | 32 |
| **A. NOT OPERATED** | 109 | 4.9 | 12 | 1 | 1 | 4 | 7 | 9 | 12 | 16 |
| **B. OPERATED** | 71 | 7.7 | 50 | 2 | 2 | 5 | 9 | 18 | 24 | 33 |
| TOTAL 0-19 YRS | 77 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 27 |
| 20-34 | 40 | 6.4 | 34 | 2 | 2 | 5 | 7 | 11 | 22 | 29 |
| 35-49 | 21 | 7.1 | 14 | 2 | 3 | 7 | 10 | 13 | 14 | 15 |
| 50-64 | 23 | 7.7 | 34 | 1 | 2 | 7 | 10 | 16 | 22 | 23 |
| 65+ | 19 | 9.6 | 53 | 3 | 4 | 7 | 11 | 18 | 27 | 34 |
| **GRAND TOTAL** | **180** | **6.0** | **28** | **1** | **2** | **4** | **7** | **12** | **16** | **30** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.6 | 8 | 1 | 1 | 4 | 7 | 9 | 10 | 11 |
| 20-34 | 75 | 5.2 | 18 | 1 | 1 | 4 | 7 | 11 | 13 | 22 |
| 35-49 | 38 | 5.2 | 12 | 1 | 2 | 4 | 8 | 11 | 12 | 13 |
| 50-64 | 11 | 6.2 | 30 | 1 | 1 | 5 | 10 | 14 | 19 | 19 |
| 65+ | 9 | 10.9 | 36 | 3 | 3 | 9 | 16 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.5 | 9 | 1 | 2 | 3 | 7 | 9 | 11 | 12 |
| 20-34 | 245 | 5.8 | 20 | 2 | 2 | 4 | 8 | 11 | 14 | 23 |
| 35-49 | 93 | 6.8 | 114 | 2 | 2 | 4 | 8 | 11 | 19 | 67 |
| 50-64 | 39 | 6.0 | 14 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| 65+ | 11 | 9.5 | 30 | 2 | 3 | 9 | 12 | 17 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 4.2 | 8 | 1 | 2 | 3 | 5 | 8 | 8 | 16 |
| 20-34 | 153 | 6.9 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 37 |
| 35-49 | 98 | 7.5 | 35 | 2 | 2 | 6 | 8 | 18 | 22 | 27 |
| 50-64 | 60 | 9.5 | 40 | 2 | 3 | 8 | 12 | 18 | 22 | 32 |
| 65+ | 40 | 11.4 | 143 | 3 | 3 | 8 | 14 | 21 | 29 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.6 | 60 | 2 | 2 | 6 | 11 | 22 | 27 | 28 |
| 20-34 | 160 | 8.3 | 38 | 2 | 2 | 7 | 11 | 16 | 20 | 34 |
| 35-49 | 102 | 11.2 | 88 | 2 | 3 | 9 | 14 | 25 | 31 | 81 |
| 50-64 | 56 | 12.3 | 101 | 2 | 3 | 9 | 17 | 29 | 39 | 96 |
| 65+ | 27 | 16.1 | 111 | 6 | 7 | 12 | 21 | 31 | 39 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 5.5 | 18 | 1 | 1 | 4 | 8 | 11 | 14 | 20 |
| B. *Operated* | 410 | 6.1 | 41 | 2 | 2 | 4 | 8 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 7.5 | 46 | 2 | 2 | 6 | 9 | 15 | 21 | 31 |
| B. *Operated* | 359 | 10.4 | 73 | 2 | 3 | 8 | 12 | 22 | 29 | 49 |
| **1. SINGLE DX** | 563 | 5.9 | 35 | 1 | 2 | 4 | 8 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 760 | 8.9 | 61 | 2 | 2 | 7 | 11 | 19 | 24 | 40 |
| **A. NOT OPERATED** | 554 | 7.0 | 39 | 1 | 2 | 5 | 8 | 14 | 19 | 28 |
| **B. OPERATED** | 769 | 8.1 | 60 | 2 | 2 | 6 | 10 | 16 | 22 | 40 |
| TOTAL 0-19 YRS | 106 | 5.1 | 17 | 1 | 2 | 4 | 7 | 10 | 11 | 24 |
| 20-34 | 633 | 6.6 | 29 | 2 | 2 | 5 | 8 | 13 | 17 | 26 |
| 35-49 | 331 | 8.2 | 75 | 2 | 2 | 6 | 10 | 18 | 23 | 40 |
| 50-64 | 166 | 9.4 | 59 | 2 | 2 | 8 | 11 | 20 | 28 | 40 |
| 65+ | 87 | 12.6 | 111 | 3 | 4 | 9 | 15 | 22 | 30 | 64 |
| **GRAND TOTAL** | **1323** | **7.6** | **52** | **2** | **2** | **6** | **10** | **15** | **21** | **35** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 8.0 | 13 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 17.5 | 13 | 15 | 15 | 17 | 20 | 20 | 20 | 20 |
| 35-49 | 3 | 4.3 | 5 | 3 | 3 | 3 | 6 | 7 | 7 | 7 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 8 | 16.6 | 121 | 2 | 3 | 17 | 24 | 31 | 34 | 34 |
| 50-64 | 7 | 5.6 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 65+ | 7 | 14.9 | 178 | 5 | 5 | 12 | 14 | 38 | 44 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 7 | 5.7 | 6 | 3 | 3 | 5 | 7 | 10 | 10 | 10 |
| 35-49 | 7 | 9.3 | 26 | 3 | 3 | 9 | 13 | 16 | 17 | 17 |
| 50-64 | 6 | 8.3 | 14 | 3 | 3 | 8 | 10 | 14 | 14 | 14 |
| 65+ | 5 | 13.6 | 48 | 3 | 3 | 15 | 17 | 22 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 7.3 | 11 | 4 | 4 | 7 | 10 | 11 | 11 | 11 |
| B. *Operated* | 6 | 8.7 | 51 | 3 | 3 | 5 | 15 | 19 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 12.1 | 114 | 3 | 4 | 7 | 15 | 27 | 37 | 44 |
| B. *Operated* | 27 | 8.7 | 26 | 3 | 3 | 8 | 12 | 16 | 18 | 22 |
| **1. SINGLE DX** | 10 | 8.1 | 33 | 3 | 3 | 6 | 11 | 17 | 20 | 20 |
| **2. MULTIPLE DX** | 50 | 10.3 | 68 | 3 | 3 | 8 | 14 | 21 | 25 | 44 |
| **A. NOT OPERATED** | 27 | 11.4 | 101 | 3 | 4 | 7 | 14 | 25 | 35 | 44 |
| **B. OPERATED** | 33 | 8.7 | 29 | 3 | 3 | 8 | 12 | 16 | 20 | 22 |
| TOTAL 0-19 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 13 | 7.8 | 26 | 3 | 3 | 6 | 10 | 16 | 19 | 20 |
| 35-49 | 19 | 11.4 | 80 | 2 | 3 | 9 | 16 | 24 | 30 | 34 |
| 50-64 | 14 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 14 |
| 65+ | 12 | 14.3 | 115 | 3 | 4 | 13 | 16 | 29 | 42 | 44 |
| **GRAND TOTAL** | **60** | **9.9** | **62** | **3** | **3** | **7** | **13** | **20** | **24** | **43** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 4.4 | 19 | 2 | 2 | 2 | 6 | 12 | 12 | 12 |
| 35-49 | 25 | 4.6 | 11 | <1 | 1 | 4 | 6 | 11 | 11 | 12 |
| 50-64 | 80 | 6.0 | 79 | 1 | 1 | 3 | 6 | 10 | 28 | 49 |
| 65+ | 90 | 5.6 | 20 | 1 | 1 | 4 | 8 | 10 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 31 | 6.5 | 66 | 1 | 2 | 4 | 6 | 13 | 24 | 42 |
| 35-49 | 117 | 6.7 | 42 | 1 | 1 | 4 | 9 | 16 | 20 | 30 |
| 50-64 | 305 | 7.3 | 87 | 1 | 2 | 4 | 8 | 18 | 26 | 54 |
| 65+ | 386 | 6.1 | 45 | 1 | 2 | 4 | 7 | 14 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.3 | 95 | 2 | 2 | 5 | 7 | 26 | 30 | 30 |
| 20-34 | 6 | 7.8 | 53 | 3 | 3 | 5 | 9 | 21 | 22 | 22 |
| 35-49 | 54 | 7.4 | 80 | 1 | 2 | 4 | 7 | 20 | 25 | 50 |
| 50-64 | 165 | 9.3 | 117 | 1 | 2 | 6 | 11 | 24 | 31 | 58 |
| 65+ | 158 | 10.0 | 124 | 1 | 2 | 6 | 12 | 24 | 35 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.2 | 9 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 20-34 | 20 | 14.0 | 420 | 1 | 2 | 6 | 11 | 40 | 63 | 83 |
| 35-49 | 97 | 13.9 | 234 | 2 | 2 | 10 | 17 | 31 | 42 | 81 |
| 50-64 | 422 | 13.9 | 185 | 2 | 2 | 10 | 18 | 32 | 42 | 69 |
| 65+ | 506 | 12.7 | 196 | 2 | 2 | 8 | 16 | 30 | 41 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 202 | 5.6 | 42 | 1 | 1 | 4 | 7 | 10 | 14 | 40 |
| B. *Operated* | 842 | 6.6 | 61 | 1 | 2 | 4 | 8 | 16 | 22 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 390 | 9.3 | 113 | 1 | 2 | 6 | 11 | 22 | 31 | 54 |
| B. *Operated* | 1050 | 13.3 | 199 | 2 | 2 | 9 | 17 | 31 | 42 | 73 |
| **1. SINGLE DX** | 1044 | 6.4 | 57 | 1 | 2 | 4 | 7 | 14 | 21 | 42 |
| **2. MULTIPLE DX** | 1440 | 12.2 | 178 | 2 | 2 | 7 | 16 | 28 | 40 | 70 |
| **A. NOT OPERATED** | 592 | 8.0 | 92 | 1 | 2 | 5 | 9 | 19 | 27 | 49 |
| **B. OPERATED** | 1892 | 10.3 | 148 | 2 | 2 | 6 | 13 | 24 | 36 | 63 |
| TOTAL 0-19 YRS | 17 | 5.6 | 44 | 1 | 2 | 4 | 5 | 9 | 23 | 30 |
| 20-34 | 62 | 8.9 | 182 | 1 | 2 | 5 | 8 | 23 | 39 | 78 |
| 35-49 | 293 | 9.0 | 121 | 1 | 2 | 5 | 12 | 20 | 27 | 57 |
| 50-64 | 972 | 10.4 | 144 | 1 | 2 | 6 | 13 | 25 | 36 | 60 |
| 65+ | 1140 | 9.5 | 131 | 1 | 2 | 5 | 12 | 22 | 33 | 61 |
| **GRAND TOTAL** | **2484** | **9.8** | **136** | **1** | **2** | **5** | **12** | **23** | **34** | **60** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 39.0 | | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 6.4 | 36 | 2 | 2 | 5 | 7 | 16 | 21 | 21 |
| 50-64 | 50 | 8.7 | 98 | 1 | 2 | 6 | 10 | 15 | 33 | 57 |
| 65+ | 60 | 8.4 | 68 | 2 | 2 | 6 | 11 | 17 | 25 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | | | | | | | | | | |
| 35-49 | 12 | 16.2 | 41 | 8 | 8 | 15 | 19 | 27 | 28 | 28 |
| 50-64 | 82 | 16.0 | 226 | 2 | 2 | 12 | 25 | 39 | 46 | 63 |
| 65+ | 95 | 13.3 | 143 | 2 | 3 | 9 | 18 | 28 | 42 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 15 | 10.7 | 152 | 1 | 1 | 6 | 12 | 32 | 41 | 44 |
| 50-64 | 82 | 10.8 | 72 | 1 | 3 | 8 | 14 | 23 | 29 | 38 |
| 65+ | 112 | 10.9 | 153 | 1 | 2 | 7 | 13 | 24 | 31 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 25 | 29.5 | 434 | 4 | 5 | 29 | 45 | 69 | 90 | 99+ |
| 50-64 | 167 | 18.3 | 218 | 3 | 4 | 15 | 24 | 40 | 48 | 81 |
| 65+ | 162 | 19.4 | 247 | 3 | 4 | 15 | 26 | 41 | 48 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 8.6 | 84 | 2 | 2 | 6 | 10 | 17 | 31 | 51 |
| B. *Operated* | 190 | 14.6 | 172 | 2 | 2 | 11 | 20 | 32 | 43 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 10.8 | 119 | 1 | 2 | 7 | 14 | 23 | 31 | 54 |
| B. *Operated* | 356 | 19.7 | 253 | 3 | 4 | 15 | 26 | 43 | 50 | 89 |
| **1. SINGLE DX** | 310 | 12.3 | 147 | 2 | 2 | 7 | 17 | 29 | 41 | 53 |
| **2. MULTIPLE DX** | 566 | 16.4 | 221 | 2 | 3 | 12 | 23 | 36 | 47 | 84 |
| **A. NOT OPERATED** | 330 | 10.0 | 107 | 1 | 2 | 6 | 12 | 22 | 31 | 52 |
| **B. OPERATED** | 546 | 17.9 | 230 | 2 | 3 | 14 | 24 | 40 | 48 | 82 |
| TOTAL 0-19 YRS | 3 | 31.3 | 386 | 9 | 9 | 39 | 44 | 46 | 46 | 46 |
| 20-34 | 2 | 10.5 | 25 | 7 | 7 | 10 | 14 | 14 | 14 | 14 |
| 35-49 | 61 | 18.9 | 310 | 2 | 3 | 14 | 29 | 45 | 60 | 98 |
| 50-64 | 381 | 14.9 | 185 | 2 | 3 | 11 | 21 | 32 | 43 | 71 |
| 65+ | 429 | 14.3 | 191 | 2 | 3 | 10 | 19 | 31 | 43 | 65 |
| **GRAND TOTAL** | **876** | **14.9** | **198** | **2** | **3** | **11** | **20** | **33** | **44** | **72** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 15 | 9.0 | 179 | 1 | 1 | 6 | 10 | 14 | 45 | 55 |
| 50-64 | 42 | 6.6 | 38 | 1 | 1 | 5 | 9 | 13 | 19 | 33 |
| 65+ | 60 | 7.7 | 44 | 1 | 2 | 6 | 9 | 20 | 22 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 16.2 | 11 | 11 | 11 | 16 | 19 | 19 | 19 | 19 |
| 35-49 | 16 | 18.6 | 128 | 5 | 11 | 16 | 20 | 39 | 46 | 48 |
| 50-64 | 75 | 15.4 | 130 | 2 | 5 | 14 | 18 | 26 | 34 | 67 |
| 65+ | 145 | 16.0 | 113 | 2 | 3 | 15 | 21 | 30 | 34 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 22 | 3 | 3 | 5 | 10 | 12 | 12 | 12 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 25 | 10.1 | 60 | 2 | 3 | 6 | 15 | 22 | 26 | 30 |
| 50-64 | 125 | 7.4 | 51 | 1 | 1 | 5 | 9 | 18 | 23 | 38 |
| 65+ | 298 | 10.3 | 93 | 1 | 2 | 7 | 13 | 23 | 30 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 7 | 15.9 | 112 | 1 | 3 | 12 | 23 | 31 | 33 | 33 |
| 35-49 | 56 | 19.1 | 198 | 2 | 3 | 17 | 24 | 33 | 39 | 76 |
| 50-64 | 208 | 18.4 | 122 | 6 | 8 | 16 | 22 | 31 | 41 | 59 |
| 65+ | 461 | 19.5 | 151 | 5 | 7 | 17 | 25 | 34 | 44 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 7.4 | 57 | 1 | 1 | 6 | 9 | 14 | 22 | 39 |
| B. *Operated* | 241 | 16.0 | 117 | 2 | 4 | 15 | 20 | 29 | 35 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 9.4 | 80 | 1 | 2 | 7 | 13 | 22 | 27 | 46 |
| B. *Operated* | 733 | 19.1 | 145 | 4 | 7 | 17 | 24 | 33 | 43 | 63 |
| **1. SINGLE DX** | 362 | 13.1 | 113 | 1 | 2 | 11 | 18 | 27 | 33 | 52 |
| **2. MULTIPLE DX** | 1185 | 15.4 | 142 | 2 | 3 | 13 | 21 | 30 | 38 | 59 |
| **A. NOT OPERATED** | 573 | 9.0 | 76 | 1 | 2 | 6 | 12 | 21 | 26 | 45 |
| **B. OPERATED** | 974 | 18.3 | 140 | 3 | 6 | 16 | 23 | 32 | 41 | 60 |
| TOTAL 0-19 YRS | 4 | 9.8 | 53 | 3 | 3 | 8 | 15 | 19 | 19 | 19 |
| 20-34 | 17 | 12.2 | 82 | 1 | 2 | 11 | 19 | 23 | 30 | 33 |
| 35-49 | 112 | 15.7 | 171 | 1 | 3 | 14 | 21 | 30 | 40 | 71 |
| 50-64 | 450 | 13.7 | 122 | 2 | 2 | 12 | 18 | 27 | 35 | 56 |
| 65+ | 964 | 15.4 | 140 | 2 | 3 | 13 | 21 | 30 | 38 | 57 |
| **GRAND TOTAL** | **1547** | **14.9** | **136** | **2** | **3** | **13** | **20** | **29** | **37** | **57** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 5.7 | 14 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 6 | 27.2 | 695 | 5 | 6 | 12 | 60 | 62 | 62 | 62 |
| 50-64 | 8 | 23.4 | 162 | 12 | 12 | 20 | 28 | 44 | 50 | 50 |
| 65+ | 8 | 21.6 | 61 | 9 | 10 | 23 | 28 | 30 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 7.3 | 10 | 5 | 5 | 6 | 10 | 11 | 11 | 11 |
| 35-49 | 3 | 9.3 | 76 | 2 | 2 | 7 | 16 | 19 | 19 | 19 |
| 50-64 | 13 | 7.2 | 19 | 1 | 3 | 6 | 10 | 12 | 17 | 18 |
| 65+ | 13 | 6.9 | 29 | 2 | 2 | 4 | 10 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 20.5 | 41 | 16 | 16 | 20 | 25 | 25 | 25 | 25 |
| 35-49 | 15 | 12.2 | 30 | 6 | 6 | 10 | 18 | 19 | 22 | 23 |
| 50-64 | 34 | 18.9 | 124 | 9 | 10 | 16 | 22 | 28 | 42 | 65 |
| 65+ | 53 | 18.8 | 100 | 5 | 8 | 17 | 25 | 34 | 36 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.8 | 13 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| B. *Operated* | 24 | 22.6 | 240 | 8 | 9 | 16 | 28 | 51 | 61 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 7.3 | 25 | 2 | 2 | 6 | 10 | 17 | 18 | 19 |
| B. *Operated* | 104 | 17.9 | 100 | 6 | 8 | 16 | 23 | 32 | 36 | 56 |
| **1. SINGLE DX** | 28 | 20.0 | 246 | 3 | 4 | 14 | 27 | 44 | 60 | 62 |
| **2. MULTIPLE DX** | 136 | 15.4 | 102 | 4 | 5 | 13 | 20 | 28 | 35 | 50 |
| **A. NOT OPERATED** | 36 | 7.0 | 24 | 2 | 2 | 5 | 10 | 16 | 18 | 19 |
| **B. OPERATED** | 128 | 18.8 | 128 | 6 | 9 | 16 | 24 | 32 | 38 | 63 |
| TOTAL 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 7 | 10.7 | 61 | 2 | 3 | 10 | 15 | 23 | 25 | 25 |
| 35-49 | 24 | 15.6 | 223 | 4 | 6 | 11 | 18 | 27 | 61 | 62 |
| 50-64 | 55 | 16.8 | 132 | 4 | 6 | 15 | 20 | 27 | 41 | 64 |
| 65+ | 77 | 16.6 | 106 | 3 | 4 | 14 | 24 | 31 | 35 | 45 |
| **GRAND TOTAL** | **164** | **16.2** | **129** | **3** | **5** | **14** | **21** | **30** | **36** | **62** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 5.5 | 31 | 1 | 1 | 4 | 5 | 14 | 20 | 21 |
| 35-49 | 47 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 83 | 6.5 | 52 | 1 | 1 | 5 | 7 | 13 | 17 | 47 |
| 65+ | 152 | 7.4 | 57 | 1 | 2 | 5 | 8 | 15 | 27 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 17.0 | 200 | 7 | 7 | 17 | 27 | 27 | 27 | 27 |
| 20-34 | 22 | 9.3 | 20 | 3 | 4 | 9 | 11 | 16 | 19 | 19 |
| 35-49 | 108 | 12.7 | 28 | 5 | 7 | 12 | 15 | 18 | 22 | 31 |
| 50-64 | 354 | 13.4 | 56 | 4 | 7 | 12 | 16 | 19 | 24 | 38 |
| 65+ | 796 | 15.4 | 54 | 6 | 9 | 14 | 18 | 23 | 28 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 16 | 7.1 | 50 | 1 | 2 | 5 | 8 | 17 | 25 | 28 |
| 35-49 | 90 | 7.1 | 35 | 1 | 2 | 5 | 10 | 13 | 20 | 31 |
| 50-64 | 316 | 8.7 | 69 | 2 | 3 | 6 | 11 | 18 | 22 | 42 |
| 65+ | 800 | 9.7 | 76 | 2 | 3 | 7 | 12 | 20 | 27 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 15.5 | 124 | 3 | 3 | 14 | 23 | 30 | 30 | 30 |
| 20-34 | 51 | 15.2 | 90 | 6 | 7 | 12 | 20 | 30 | 35 | 47 |
| 35-49 | 216 | 15.1 | 61 | 5 | 8 | 13 | 19 | 25 | 28 | 46 |
| 50-64 | 897 | 17.2 | 102 | 6 | 9 | 15 | 20 | 28 | 36 | 56 |
| 65+ | 2440 | 19.9 | 129 | 8 | 10 | 17 | 24 | 34 | 42 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 293 | 6.6 | 48 | 1 | 2 | 5 | 7 | 13 | 20 | 35 |
| B. *Operated* | 1282 | 14.5 | 54 | 4 | 8 | 13 | 17 | 22 | 27 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1224 | 9.2 | 71 | 2 | 3 | 7 | 12 | 18 | 25 | 44 |
| B. *Operated* | 3608 | 18.9 | 120 | 7 | 9 | 17 | 23 | 32 | 39 | 65 |
| **1. SINGLE DX** | 1575 | 13.0 | 62 | 2 | 4 | 12 | 16 | 21 | 26 | 43 |
| **2. MULTIPLE DX** | 4832 | 16.4 | 125 | 3 | 5 | 15 | 21 | 29 | 37 | 60 |
| **A. NOT OPERATED** | 1517 | 8.7 | 68 | 2 | 2 | 6 | 11 | 18 | 25 | 43 |
| **B. OPERATED** | 4890 | 17.7 | 106 | 6 | 9 | 15 | 21 | 29 | 37 | 60 |
| TOTAL 0-19 YRS | 8 | 13.6 | 102 | 3 | 4 | 10 | 21 | 29 | 30 | 30 |
| 20-34 | 100 | 11.5 | 76 | 2 | 3 | 9 | 14 | 22 | 30 | 45 |
| 35-49 | 461 | 11.9 | 58 | 2 | 3 | 11 | 15 | 22 | 26 | 37 |
| 50-64 | 1650 | 14.2 | 97 | 3 | 4 | 13 | 18 | 24 | 31 | 53 |
| 65+ | 4188 | 16.7 | 121 | 3 | 5 | 15 | 21 | 30 | 37 | 60 |
| **GRAND TOTAL** | **6407** | **15.6** | **112** | **3** | **4** | **14** | **20** | **28** | **35** | **56** |

## 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 8.2 | 13 | 4 | 4 | 7 | 12 | 13 | 13 | 13 |
| 35-49 | 20 | 5.1 | 28 | 1 | 1 | 3 | 5 | 13 | 19 | 21 |
| 50-64 | 52 | 5.8 | 30 | 2 | 2 | 4 | 6 | 11 | 19 | 29 |
| 65+ | 99 | 6.6 | 47 | 1 | 1 | 5 | 8 | 13 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 25 | 10 | 10 | 13 | 17 | 17 | 17 | 17 |
| 20-34 | 13 | 14.1 | 86 | 4 | 4 | 11 | 17 | 30 | 34 | 35 |
| 35-49 | 85 | 12.7 | 36 | 2 | 4 | 12 | 15 | 21 | 24 | 29 |
| 50-64 | 296 | 14.3 | 52 | 3 | 5 | 14 | 17 | 23 | 27 | 37 |
| 65+ | 488 | 15.0 | 77 | 3 | 4 | 14 | 19 | 25 | 31 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 6.8 | 50 | 2 | 2 | 4 | 11 | 17 | 17 | 17 |
| 35-49 | 39 | 6.8 | 42 | 1 | 2 | 5 | 8 | 11 | 22 | 35 |
| 50-64 | 213 | 8.6 | 77 | 2 | 2 | 5 | 10 | 16 | 23 | 52 |
| 65+ | 385 | 10.6 | 104 | 2 | 3 | 7 | 14 | 22 | 31 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 21.0 | 79 | 10 | 10 | 23 | 26 | 33 | 33 | 33 |
| 20-34 | 17 | 15.5 | 35 | 10 | 10 | 12 | 18 | 26 | 27 | 27 |
| 35-49 | 114 | 16.2 | 118 | 2 | 3 | 14 | 23 | 31 | 35 | 50 |
| 50-64 | 487 | 18.2 | 101 | 4 | 7 | 16 | 23 | 31 | 40 | 51 |
| 65+ | 1099 | 20.3 | 153 | 4 | 7 | 18 | 25 | 36 | 45 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 178 | 6.2 | 38 | 1 | 2 | 4 | 7 | 13 | 20 | 29 |
| B. *Operated* | 884 | 14.5 | 65 | 3 | 4 | 14 | 18 | 24 | 29 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 641 | 9.7 | 92 | 2 | 3 | 6 | 11 | 20 | 29 | 53 |
| B. *Operated* | 1722 | 19.4 | 136 | 4 | 7 | 17 | 24 | 35 | 42 | 60 |
| **1. SINGLE DX** | 1062 | 13.1 | 70 | 2 | 3 | 13 | 17 | 23 | 28 | 38 |
| **2. MULTIPLE DX** | 2363 | 16.7 | 143 | 3 | 4 | 15 | 22 | 32 | 40 | 59 |
| **A. NOT OPERATED** | 819 | 8.9 | 82 | 2 | 2 | 6 | 11 | 19 | 27 | 50 |
| **B. OPERATED** | 2606 | 17.7 | 117 | 3 | 6 | 16 | 22 | 31 | 38 | 57 |
| TOTAL 0-19 YRS | 8 | 16.6 | 100 | 1 | 4 | 16 | 23 | 30 | 33 | 33 |
| 20-34 | 40 | 13.1 | 57 | 3 | 4 | 12 | 17 | 26 | 28 | 35 |
| 35-49 | 258 | 12.8 | 87 | 2 | 3 | 12 | 17 | 25 | 31 | 43 |
| 50-64 | 1048 | 14.5 | 96 | 2 | 4 | 13 | 19 | 27 | 34 | 49 |
| 65+ | 2071 | 16.6 | 140 | 3 | 4 | 15 | 22 | 31 | 39 | 60 |
| **GRAND TOTAL** | **3425** | **15.6** | **123** | **2** | **4** | **14** | **21** | **29** | **37** | **56** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 17 | 6.9 | 14 | 2 | 3 | 6 | 9 | 13 | 14 | 15 |
| 35-49 | 18 | 7.9 | 134 | <1 | 1 | 3 | 6 | 24 | 37 | 45 |
| 50-64 | 34 | 7.2 | 44 | <1 | 1 | 5 | 8 | 15 | 23 | 30 |
| 65+ | 50 | 11.5 | 192 | 2 | 2 | 8 | 12 | 26 | 35 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 25 | 10 | 10 | 13 | 17 | 17 | 17 | 17 |
| 20-34 | 10 | 13.3 | 129 | 4 | 4 | 10 | 17 | 30 | 42 | 42 |
| 35-49 | 21 | 12.2 | 38 | 4 | 6 | 11 | 15 | 19 | 25 | 31 |
| 50-64 | 60 | 14.5 | 56 | 4 | 6 | 13 | 18 | 24 | 30 | 36 |
| 65+ | 98 | 18.4 | 217 | 3 | 4 | 15 | 21 | 39 | 51 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 15 | 7.3 | 89 | 1 | 1 | 5 | 8 | 16 | 32 | 38 |
| 35-49 | 15 | 8.1 | 67 | 2 | 2 | 4 | 9 | 27 | 27 | 27 |
| 50-64 | 84 | 8.9 | 110 | 1 | 2 | 6 | 11 | 15 | 23 | 69 |
| 65+ | 177 | 11.3 | 87 | 2 | 3 | 9 | 14 | 25 | 31 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 19.0 | 8 | 17 | 17 | 19 | 21 | 21 | 21 | 21 |
| 20-34 | 23 | 19.0 | 153 | 5 | 7 | 17 | 24 | 34 | 46 | 56 |
| 35-49 | 41 | 14.6 | 75 | 4 | 6 | 13 | 17 | 30 | 32 | 39 |
| 50-64 | 149 | 18.8 | 164 | 5 | 6 | 16 | 25 | 35 | 44 | 74 |
| 65+ | 305 | 21.9 | 219 | 7 | 9 | 18 | 25 | 45 | 54 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 9.0 | 116 | 1 | 2 | 5 | 11 | 20 | 28 | 57 |
| B. *Operated* | 191 | 16.2 | 144 | 3 | 5 | 14 | 19 | 32 | 42 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 295 | 10.1 | 93 | 2 | 2 | 7 | 13 | 22 | 29 | 51 |
| B. *Operated* | 520 | 20.3 | 192 | 6 | 8 | 17 | 24 | 39 | 50 | 74 |
| **1. SINGLE DX** | 312 | 13.4 | 145 | 2 | 3 | 11 | 17 | 27 | 36 | 64 |
| **2. MULTIPLE DX** | 815 | 16.6 | 180 | 3 | 4 | 14 | 22 | 32 | 45 | 71 |
| **A. NOT OPERATED** | 416 | 9.8 | 100 | 1 | 2 | 7 | 12 | 22 | 29 | 50 |
| **B. OPERATED** | 711 | 19.2 | 182 | 5 | 7 | 16 | 23 | 36 | 50 | 71 |
| TOTAL 0-19 YRS | 10 | 8.8 | 50 | 2 | 2 | 6 | 17 | 19 | 21 | 21 |
| 20-34 | 65 | 12.3 | 123 | 2 | 2 | 9 | 16 | 29 | 39 | 54 |
| 35-49 | 95 | 11.8 | 83 | 2 | 2 | 9 | 16 | 25 | 31 | 42 |
| 50-64 | 327 | 14.3 | 139 | 2 | 3 | 12 | 19 | 29 | 36 | 71 |
| 65+ | 630 | 17.5 | 202 | 3 | 4 | 14 | 22 | 35 | 50 | 70 |
| **GRAND TOTAL** | **1127** | **15.7** | **172** | **2** | **4** | **13** | **20** | **31** | **43** | **68** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 23 | 9.7 | 77 | 3 | 4 | 5 | 13 | 22 | 32 | 35 |
| 50-64 | 68 | 6.7 | 33 | 1 | 2 | 5 | 8 | 14 | 17 | 33 |
| 65+ | 89 | 8.4 | 69 | 1 | 2 | 6 | 10 | 18 | 21 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 20-34 | 2 | 11.5 | 61 | 6 | 6 | 11 | 17 | 17 | 17 | 17 |
| 35-49 | 5 | 21.8 | 340 | 1 | 1 | 19 | 33 | 50 | 50 | 50 |
| 50-64 | 53 | 15.2 | 65 | 2 | 5 | 14 | 19 | 27 | 33 | 98 |
| 65+ | 99 | 19.9 | 91 | 7 | 9 | 19 | 25 | 30 | 37 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 35 | 6.4 | 20 | 1 | 1 | 5 | 9 | 13 | 16 | 17 |
| 50-64 | 172 | 7.2 | 33 | 1 | 2 | 5 | 10 | 15 | 19 | 27 |
| 65+ | 306 | 10.3 | 77 | 2 | 2 | 8 | 14 | 21 | 28 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 35-49 | 55 | 21.4 | 170 | 7 | 9 | 18 | 27 | 42 | 51 | 60 |
| 50-64 | 247 | 20.4 | 146 | 6 | 9 | 17 | 27 | 36 | 44 | 60 |
| 65+ | 483 | 23.0 | 180 | 7 | 10 | 20 | 28 | 40 | 51 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 182 | 7.9 | 57 | 1 | 2 | 6 | 9 | 16 | 21 | 35 |
| B. *Operated* | 160 | 18.3 | 93 | 5 | 8 | 17 | 23 | 30 | 36 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 517 | 8.9 | 61 | 1 | 2 | 7 | 12 | 19 | 25 | 42 |
| B. *Operated* | 787 | 22.1 | 169 | 7 | 9 | 19 | 27 | 39 | 48 | 68 |
| **1. SINGLE DX** | 342 | 12.8 | 101 | 2 | 3 | 10 | 19 | 27 | 31 | 51 |
| **2. MULTIPLE DX** | 1304 | 16.9 | 167 | 2 | 4 | 14 | 22 | 34 | 43 | 63 |
| **A. NOT OPERATED** | 699 | 8.7 | 60 | 1 | 2 | 6 | 11 | 18 | 24 | 39 |
| **B. OPERATED** | 947 | 21.4 | 158 | 7 | 9 | 19 | 27 | 38 | 46 | 67 |
| TOTAL 0-19 YRS | 5 | 11.4 | 126 | 2 | 2 | 5 | 20 | 28 | 28 | 28 |
| 20-34 | 6 | 8.7 | 38 | 3 | 3 | 6 | 16 | 17 | 17 | 17 |
| 35-49 | 118 | 14.7 | 159 | 1 | 3 | 12 | 19 | 31 | 46 | 57 |
| 50-64 | 540 | 13.9 | 127 | 2 | 3 | 11 | 19 | 30 | 36 | 56 |
| 65+ | 977 | 17.4 | 168 | 2 | 4 | 15 | 23 | 33 | 42 | 67 |
| **GRAND TOTAL** | **1646** | **16.0** | **156** | **2** | **3** | **13** | **22** | **32** | **41** | **62** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.3 | 39 | 4 | 4 | 13 | 17 | 18 | 18 | 18 |
| 20-34 | 14 | 3.6 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 137 | 5.0 | 33 | <1 | 1 | 3 | 6 | 12 | 14 | 31 |
| 50-64 | 555 | 6.0 | 41 | 1 | 1 | 4 | 8 | 13 | 19 | 33 |
| 65+ | 644 | 7.7 | 61 | 1 | 2 | 5 | 10 | 17 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 24.0 | 392 | 10 | 10 | 24 | 38 | 38 | 38 | 38 |
| 20-34 | 12 | 10.6 | 73 | 1 | 2 | 9 | 17 | 24 | 25 | 25 |
| 35-49 | 213 | 12.3 | 65 | 2 | 4 | 12 | 15 | 20 | 27 | 37 |
| 50-64 | 989 | 11.9 | 58 | 2 | 3 | 11 | 16 | 22 | 26 | 35 |
| 65+ | 1107 | 12.7 | 91 | 2 | 3 | 11 | 17 | 23 | 29 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 16.0 | 453 | 1 | 1 | 3 | 30 | 50 | 50 | 50 |
| 20-34 | 26 | 7.0 | 69 | 1 | 1 | 5 | 9 | 11 | 20 | 43 |
| 35-49 | 379 | 7.7 | 58 | 1 | 2 | 5 | 10 | 15 | 24 | 42 |
| 50-64 | 1746 | 8.8 | 72 | 1 | 2 | 6 | 11 | 18 | 25 | 41 |
| 65+ | 2245 | 10.4 | 88 | 2 | 2 | 8 | 14 | 22 | 30 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 12.7 | 66 | 7 | 7 | 9 | 15 | 27 | 28 | 28 |
| 20-34 | 19 | 15.1 | 108 | 3 | 4 | 13 | 22 | 25 | 37 | 47 |
| 35-49 | 427 | 13.9 | 82 | 3 | 4 | 12 | 18 | 27 | 32 | 43 |
| 50-64 | 2171 | 15.3 | 123 | 3 | 4 | 13 | 19 | 28 | 35 | 63 |
| 65+ | 2727 | 15.4 | 126 | 3 | 4 | 13 | 20 | 29 | 37 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1354 | 6.7 | 51 | 1 | 1 | 4 | 8 | 15 | 21 | 36 |
| B. *Operated* | 2323 | 12.3 | 75 | 2 | 3 | 11 | 16 | 22 | 27 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4401 | 9.5 | 80 | 1 | 2 | 7 | 12 | 20 | 27 | 44 |
| B. *Operated* | 5350 | 15.2 | 121 | 3 | 4 | 13 | 19 | 28 | 36 | 59 |
| **1. SINGLE DX** | 3677 | 10.3 | 73 | 1 | 2 | 8 | 14 | 21 | 26 | 40 |
| **2. MULTIPLE DX** | 9751 | 12.7 | 111 | 2 | 3 | 10 | 17 | 26 | 32 | 53 |
| **A. NOT OPERATED** | 5755 | 8.9 | 75 | 1 | 2 | 6 | 11 | 19 | 26 | 43 |
| **B. OPERATED** | 7673 | 14.4 | 109 | 3 | 4 | 12 | 18 | 27 | 33 | 56 |
| TOTAL 0-19 YRS | 17 | 14.9 | 180 | 1 | 2 | 11 | 19 | 36 | 46 | 50 |
| 20-34 | 71 | 9.1 | 82 | 1 | 2 | 6 | 11 | 23 | 25 | 46 |
| 35-49 | 1156 | 10.5 | 76 | 1 | 2 | 9 | 14 | 21 | 28 | 41 |
| 50-64 | 5461 | 11.7 | 98 | 2 | 2 | 9 | 16 | 23 | 29 | 51 |
| 65+ | 6723 | 12.6 | 109 | 2 | 3 | 10 | 17 | 25 | 32 | 51 |
| **GRAND TOTAL** | **13428** | **12.0** | **102** | **2** | **2** | **10** | **16** | **24** | **31** | **50** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.3 | 3 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 8 | 3.1 | 10 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 50-64 | 60 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 40 | 6.0 | 39 | 1 | 2 | 3 | 8 | 13 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 16 | 4.9 | 21 | 1 | 1 | 3 | 8 | 13 | 14 | 14 |
| 35-49 | 72 | 9.2 | 123 | 1 | 1 | 6 | 15 | 19 | 22 | 68 |
| 50-64 | 301 | 7.6 | 55 | 1 | 1 | 4 | 12 | 18 | 23 | 31 |
| 65+ | 308 | 7.1 | 67 | 1 | 1 | 3 | 11 | 17 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 5.6 | 5 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 35-49 | 12 | 6.0 | 22 | 2 | 2 | 5 | 6 | 15 | 16 | 16 |
| 50-64 | 73 | 9.3 | 76 | 1 | 2 | 6 | 11 | 21 | 29 | 45 |
| 65+ | 82 | 11.7 | 219 | 2 | 2 | 7 | 13 | 32 | 50 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 15.0 | 31 | 8 | 8 | 16 | 19 | 20 | 20 | 20 |
| 20-34 | 12 | 16.7 | 110 | 2 | 2 | 16 | 23 | 32 | 35 | 36 |
| 35-49 | 72 | 12.7 | 204 | 2 | 2 | 9 | 16 | 27 | 37 | 86 |
| 50-64 | 250 | 15.9 | 200 | 2 | 2 | 12 | 23 | 36 | 43 | 66 |
| 65+ | 296 | 14.8 | 137 | 2 | 2 | 13 | 21 | 30 | 36 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 5.3 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 26 |
| B. *Operated* | 699 | 7.5 | 67 | 1 | 1 | 3 | 12 | 18 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 10.1 | 140 | 2 | 2 | 6 | 11 | 22 | 34 | 78 |
| B. *Operated* | 634 | 15.1 | 168 | 2 | 2 | 12 | 21 | 31 | 40 | 66 |
| **1. SINGLE DX** | 811 | 7.2 | 62 | 1 | 1 | 3 | 11 | 17 | 23 | 36 |
| **2. MULTIPLE DX** | 807 | 14.0 | 166 | 2 | 2 | 10 | 20 | 30 | 39 | 70 |
| **A. NOT OPERATED** | 285 | 8.2 | 101 | 1 | 2 | 5 | 9 | 18 | 30 | 65 |
| **B. OPERATED** | 1333 | 11.1 | 129 | 1 | 2 | 8 | 16 | 25 | 33 | 52 |
| TOTAL 0-19 YRS | 7 | 10.6 | 48 | 3 | 3 | 8 | 17 | 20 | 20 | 20 |
| 20-34 | 37 | 8.6 | 75 | 1 | 1 | 6 | 14 | 22 | 28 | 36 |
| 35-49 | 164 | 10.2 | 151 | 1 | 2 | 7 | 15 | 22 | 27 | 76 |
| 50-64 | 684 | 10.6 | 124 | 1 | 2 | 7 | 15 | 25 | 33 | 52 |
| 65+ | 726 | 10.7 | 124 | 1 | 2 | 7 | 16 | 25 | 33 | 57 |
| **GRAND TOTAL** | **1618** | **10.6** | **125** | **1** | **2** | **7** | **15** | **25** | **32** | **53** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.2 | 5 | 1 | 1 | 4 | 5 | 8 | 9 | 10 |
| 20-34 | 17 | 6.1 | 85 | 1 | 1 | 4 | 6 | 9 | 30 | 41 |
| 35-49 | 11 | 3.9 | 3 | <1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | 25 | 4.9 | 11 | 1 | 1 | 4 | 6 | 11 | 12 | 13 |
| 65+ | 37 | 6.0 | 24 | 1 | 1 | 4 | 7 | 14 | 17 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.8 | 22 | 1 | 2 | 4 | 8 | 14 | 15 | 19 |
| 20-34 | 58 | 7.3 | 27 | 2 | 2 | 6 | 10 | 13 | 17 | 25 |
| 35-49 | 58 | 7.9 | 43 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| 50-64 | 86 | 9.3 | 85 | 2 | 2 | 8 | 13 | 19 | 24 | 88 |
| 65+ | 141 | 10.1 | 89 | 1 | 2 | 7 | 13 | 24 | 28 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.9 | 7 | 1 | 1 | 4 | 5 | 7 | 7 | 16 |
| 20-34 | 31 | 7.6 | 60 | 2 | 2 | 5 | 9 | 17 | 18 | 40 |
| 35-49 | 23 | 6.9 | 37 | 1 | 2 | 6 | 7 | 14 | 22 | 27 |
| 50-64 | 62 | 10.2 | 198 | 1 | 2 | 5 | 13 | 24 | 41 | 79 |
| 65+ | 99 | 9.8 | 67 | 1 | 2 | 7 | 14 | 20 | 28 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 11.1 | 57 | 2 | 3 | 11 | 15 | 24 | 27 | 28 |
| 20-34 | 20 | 9.1 | 41 | 2 | 2 | 8 | 13 | 19 | 22 | 23 |
| 35-49 | 29 | 12.2 | 142 | 1 | 2 | 10 | 15 | 30 | 45 | 47 |
| 50-64 | 87 | 16.5 | 149 | 2 | 2 | 12 | 26 | 38 | 42 | 78 |
| 65+ | 132 | 14.9 | 177 | 3 | 4 | 10 | 20 | 33 | 43 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 5.2 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 29 |
| B. *Operated* | 377 | 8.7 | 67 | 2 | 2 | 7 | 12 | 18 | 25 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 253 | 8.5 | 90 | 1 | 2 | 5 | 11 | 18 | 27 | 43 |
| B. *Operated* | 283 | 14.5 | 152 | 2 | 3 | 11 | 20 | 33 | 42 | 53 |
| **1. SINGLE DX** | 489 | 7.9 | 59 | 1 | 2 | 5 | 11 | 16 | 23 | 41 |
| **2. MULTIPLE DX** | 536 | 11.7 | 132 | 2 | 2 | 8 | 15 | 28 | 38 | 51 |
| **A. NOT OPERATED** | 365 | 7.5 | 72 | 1 | 2 | 5 | 8 | 16 | 23 | 41 |
| **B. OPERATED** | 660 | 11.2 | 111 | 2 | 2 | 8 | 14 | 25 | 36 | 50 |
| TOTAL 0-19 YRS | 109 | 5.5 | 23 | 1 | 2 | 4 | 7 | 12 | 15 | 26 |
| 20-34 | 126 | 7.5 | 45 | 2 | 2 | 5 | 10 | 16 | 19 | 40 |
| 35-49 | 121 | 8.4 | 66 | 1 | 2 | 6 | 10 | 17 | 23 | 46 |
| 50-64 | 260 | 11.5 | 140 | 2 | 2 | 8 | 15 | 29 | 39 | 80 |
| 65+ | 409 | 11.2 | 113 | 1 | 2 | 8 | 14 | 25 | 32 | 49 |
| **GRAND TOTAL** | **1025** | **9.9** | **101** | **1** | **2** | **7** | **13** | **23** | **31** | **48** |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 85 | 3 | 3 | 9 | 16 | 16 | 16 | 16 |
| 20-34 | 20 | 7.1 | 181 | 1 | 1 | 3 | 7 | 12 | 37 | 62 |
| 35-49 | 28 | 4.1 | 17 | <1 | 1 | 3 | 5 | 12 | 14 | 15 |
| 50-64 | 54 | 4.8 | 12 | 1 | 1 | 4 | 6 | 7 | 14 | 16 |
| 65+ | 32 | 4.9 | 6 | 2 | 3 | 4 | 5 | 8 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.9 | 68 | 1 | 1 | 2 | 7 | 20 | 25 | 25 |
| 20-34 | 128 | 6.1 | 18 | 1 | 2 | 5 | 9 | 11 | 13 | 21 |
| 35-49 | 175 | 5.6 | 17 | 2 | 2 | 4 | 8 | 11 | 12 | 20 |
| 50-64 | 204 | 7.1 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 26 |
| 65+ | 182 | 6.9 | 29 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 24 | 6.7 | 17 | 2 | 2 | 6 | 8 | 12 | 16 | 19 |
| 35-49 | 38 | 5.6 | 16 | 1 | 1 | 5 | 6 | 13 | 15 | 16 |
| 50-64 | 46 | 7.7 | 63 | 2 | 2 | 6 | 9 | 12 | 17 | 52 |
| 65+ | 78 | 9.1 | 59 | 2 | 3 | 6 | 11 | 18 | 22 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 46 | 8.0 | 43 | 2 | 2 | 6 | 10 | 16 | 23 | 35 |
| 35-49 | 72 | 6.6 | 23 | 1 | 2 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 119 | 9.7 | 103 | 2 | 2 | 8 | 11 | 23 | 31 | 57 |
| 65+ | 173 | 10.9 | 83 | 2 | 2 | 9 | 15 | 23 | 31 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 5.1 | 37 | 1 | 1 | 4 | 6 | 11 | 14 | 23 |
| B. *Operated* | 697 | 6.5 | 25 | 2 | 2 | 5 | 9 | 12 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 187 | 7.7 | 47 | 2 | 2 | 6 | 10 | 15 | 19 | 44 |
| B. *Operated* | 412 | 9.5 | 76 | 2 | 2 | 7 | 12 | 20 | 26 | 47 |
| **1. SINGLE DX** | 833 | 6.2 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | 599 | 8.9 | 67 | 2 | 2 | 7 | 11 | 19 | 24 | 46 |
| **A. NOT OPERATED** | 323 | 6.6 | 44 | 1 | 1 | 5 | 8 | 14 | 16 | 36 |
| **B. OPERATED** | 1109 | 7.6 | 46 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| TOTAL 0-19 YRS | 13 | 5.9 | 50 | 1 | 1 | 3 | 6 | 18 | 24 | 25 |
| 20-34 | 218 | 6.7 | 38 | 1 | 2 | 6 | 9 | 12 | 16 | 28 |
| 35-49 | 313 | 5.7 | 18 | 1 | 2 | 4 | 8 | 11 | 14 | 22 |
| 50-64 | 423 | 7.6 | 54 | 1 | 2 | 6 | 9 | 14 | 21 | 38 |
| 65+ | 465 | 8.6 | 57 | 2 | 2 | 7 | 11 | 18 | 23 | 39 |
| **GRAND TOTAL** | **1432** | **7.4** | **46** | **1** | **2** | **6** | **10** | **15** | **19** | **36** |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 7.3 | 85 | 2 | 2 | 5 | 5 | 23 | 28 | 28 |
| 50-64 | 7 | 4.9 | 8 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 65+ | 22 | 5.9 | 106 | 1 | 1 | 3 | 6 | 10 | 27 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 7 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 51 | 3.7 | 14 | <1 | 1 | 2 | 4 | 9 | 13 | 18 |
| 35-49 | 149 | 3.1 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 50-64 | 427 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 65+ | 794 | 3.7 | 14 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 11.7 | 114 | 5 | 5 | 8 | 11 | 31 | 33 | 33 |
| 50-64 | 23 | 3.8 | 6 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 78 | 9.9 | 123 | 1 | 1 | 6 | 11 | 26 | 34 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 28 | 4.0 | 18 | <1 | <1 | 2 | 5 | 9 | 13 | 19 |
| 35-49 | 106 | 4.8 | 24 | 1 | 1 | 3 | 6 | 10 | 15 | 26 |
| 50-64 | 354 | 5.2 | 43 | 1 | 1 | 3 | 5 | 11 | 19 | 37 |
| 65+ | 964 | 6.2 | 44 | 1 | 2 | 4 | 8 | 14 | 19 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 5.8 | 79 | 1 | 1 | 4 | 6 | 9 | 22 | 50 |
| B. *Operated* | 1428 | 3.6 | 13 | <1 | 1 | 2 | 4 | 7 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 8.7 | 103 | 1 | 1 | 5 | 10 | 23 | 33 | 49 |
| B. *Operated* | 1454 | 5.8 | 42 | 1 | 2 | 3 | 7 | 13 | 18 | 33 |
| **1. SINGLE DX** | 1465 | 3.6 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 1561 | 6.0 | 46 | 1 | 2 | 4 | 7 | 13 | 19 | 35 |
| **A. NOT OPERATED** | 144 | 8.0 | 98 | 1 | 1 | 5 | 9 | 19 | 32 | 51 |
| **B. OPERATED** | 2882 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| TOTAL 0-19 YRS | 10 | 3.0 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 79 | 3.8 | 15 | <1 | 1 | 2 | 4 | 9 | 13 | 19 |
| 35-49 | 268 | 4.1 | 22 | <1 | 1 | 2 | 5 | 9 | 12 | 28 |
| 50-64 | 811 | 4.3 | 27 | 1 | 1 | 2 | 4 | 9 | 14 | 29 |
| 65+ | 1858 | 5.3 | 37 | 1 | 1 | 3 | 6 | 12 | 16 | 32 |
| **GRAND TOTAL** | 3026 | 4.9 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 31 |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 19 | 3.7 | 6 | <1 | <1 | 4 | 5 | 8 | 9 | 10 |
| 35-49 | 118 | 4.1 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 50-64 | 212 | 6.8 | 66 | 1 | 2 | 4 | 8 | 15 | 22 | 34 |
| 65+ | 159 | 6.9 | 70 | 1 | 1 | 4 | 8 | 17 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 174 | 7.2 | 14 | 2 | 2 | 7 | 9 | 11 | 15 | 20 |
| 35-49 | 811 | 7.4 | 14 | 2 | 3 | 7 | 9 | 11 | 13 | 20 |
| 50-64 | 1346 | 8.2 | 17 | 2 | 4 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 1349 | 8.7 | 19 | 3 | 4 | 8 | 10 | 14 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 39 | 2 | 2 | 3 | 9 | 15 | 15 | 15 |
| 20-34 | 58 | 6.9 | 31 | 1 | 2 | 5 | 9 | 14 | 19 | 26 |
| 35-49 | 323 | 7.9 | 77 | 1 | 1 | 6 | 10 | 15 | 24 | 47 |
| 50-64 | 728 | 8.9 | 92 | 1 | 2 | 6 | 11 | 19 | 26 | 51 |
| 65+ | 840 | 10.2 | 106 | 1 | 2 | 7 | 14 | 22 | 28 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.2 | 18 | 6 | 6 | 9 | 14 | 16 | 16 | 16 |
| 20-34 | 147 | 9.3 | 31 | 3 | 5 | 8 | 10 | 15 | 20 | 36 |
| 35-49 | 746 | 9.3 | 39 | 3 | 4 | 8 | 10 | 15 | 20 | 35 |
| 50-64 | 1488 | 10.9 | 62 | 3 | 5 | 9 | 12 | 18 | 24 | 43 |
| 65+ | 1833 | 12.7 | 85 | 4 | 5 | 10 | 15 | 22 | 28 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 508 | 6.1 | 55 | 1 | 1 | 4 | 7 | 13 | 21 | 34 |
| B. *Operated* | 3686 | 8.2 | 17 | 2 | 4 | 8 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1953 | 9.2 | 95 | 1 | 2 | 6 | 12 | 20 | 27 | 54 |
| B. *Operated* | 4219 | 11.3 | 68 | 3 | 5 | 9 | 13 | 20 | 26 | 45 |
| **1. SINGLE DX** | 4194 | 7.9 | 22 | 2 | 3 | 7 | 10 | 13 | 15 | 24 |
| **2. MULTIPLE DX** | 6172 | 10.6 | 78 | 2 | 3 | 9 | 13 | 20 | 26 | 48 |
| **A. NOT OPERATED** | 2461 | 8.6 | 88 | 1 | 1 | 6 | 11 | 19 | 26 | 50 |
| **B. OPERATED** | 7905 | 9.9 | 47 | 3 | 4 | 8 | 11 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 15 | 6.5 | 22 | 2 | 2 | 5 | 8 | 15 | 16 | 16 |
| 20-34 | 398 | 7.8 | 24 | 2 | 2 | 7 | 9 | 13 | 16 | 27 |
| 35-49 | 1998 | 8.0 | 35 | 1 | 2 | 7 | 10 | 13 | 17 | 32 |
| 50-64 | 3774 | 9.3 | 54 | 2 | 3 | 8 | 11 | 16 | 21 | 38 |
| 65+ | 4181 | 10.7 | 71 | 2 | 3 | 9 | 13 | 19 | 25 | 45 |
| **GRAND TOTAL** | 10366 | 9.5 | 57 | 2 | 3 | 8 | 11 | 17 | 22 | 40 |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 74 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 147 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 172 | 3.9 | 6 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| 65+ | 127 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 10 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 227 | 6.0 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 24 |
| 35-49 | 189 | 6.8 | 30 | 2 | 2 | 5 | 9 | 14 | 16 | 29 |
| 50-64 | 168 | 6.2 | 30 | 2 | 2 | 4 | 8 | 13 | 15 | 29 |
| 65+ | 116 | 6.3 | 23 | 2 | 2 | 4 | 9 | 13 | 18 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 46 | 6.3 | 40 | 1 | 2 | 4 | 8 | 11 | 14 | 41 |
| 35-49 | 103 | 5.6 | 39 | 1 | 2 | 4 | 7 | 11 | 14 | 37 |
| 50-64 | 186 | 7.3 | 101 | 1 | 2 | 4 | 8 | 14 | 24 | 58 |
| 65+ | 163 | 9.3 | 102 | 2 | 3 | 6 | 10 | 22 | 33 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.8 | 41 | 3 | 3 | 5 | 12 | 17 | 17 | 17 |
| 20-34 | 132 | 6.9 | 29 | 2 | 2 | 6 | 8 | 12 | 18 | 29 |
| 35-49 | 231 | 11.5 | 166 | 2 | 3 | 8 | 13 | 20 | 33 | 75 |
| 50-64 | 215 | 11.0 | 89 | 2 | 3 | 9 | 14 | 20 | 30 | 51 |
| 65+ | 199 | 11.6 | 122 | 3 | 3 | 8 | 14 | 25 | 35 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 520 | 3.9 | 6 | 1 | 2 | 4 | 4 | 6 | 8 | 16 |
| B. *Operated* | 702 | 6.3 | 28 | 2 | 2 | 4 | 8 | 13 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 499 | 7.5 | 84 | 1 | 2 | 4 | 8 | 14 | 24 | 54 |
| B. *Operated* | 781 | 10.6 | 112 | 2 | 3 | 8 | 12 | 20 | 30 | 55 |
| **1. SINGLE DX** | 1222 | 5.3 | 20 | 2 | 2 | 4 | 6 | 10 | 15 | 23 |
| **2. MULTIPLE DX** | 1280 | 9.4 | 103 | 2 | 2 | 7 | 11 | 19 | 28 | 55 |
| **A. NOT OPERATED** | 1019 | 5.6 | 47 | 1 | 2 | 4 | 6 | 10 | 15 | 40 |
| **B. OPERATED** | 1483 | 8.6 | 77 | 2 | 2 | 6 | 10 | 17 | 23 | 46 |
| TOTAL 0-19 YRS | 7 | 6.1 | 25 | 3 | 3 | 4 | 6 | 15 | 17 | 17 |
| 20-34 | 479 | 5.9 | 26 | 1 | 2 | 4 | 7 | 11 | 16 | 25 |
| 35-49 | 670 | 7.5 | 82 | 2 | 2 | 4 | 9 | 15 | 19 | 51 |
| 50-64 | 741 | 7.3 | 66 | 2 | 2 | 4 | 9 | 15 | 20 | 41 |
| 65+ | 605 | 8.5 | 81 | 2 | 3 | 5 | 10 | 19 | 25 | 45 |
| **GRAND TOTAL** | **2502** | **7.4** | **67** | **2** | **2** | **5** | **9** | **15** | **20** | **41** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 25 | 3.9 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 14 |
| 50-64 | 121 | 3.8 | 8 | 1 | 2 | 3 | 4 | 5 | 8 | 19 |
| 65+ | 141 | 5.0 | 35 | 1 | 2 | 3 | 5 | 10 | 15 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 15 | 6.9 | 29 | 2 | 2 | 5 | 9 | 14 | 20 | 22 |
| 35-49 | 80 | 6.5 | 14 | 1 | 2 | 7 | 8 | 10 | 12 | 23 |
| 50-64 | 373 | 6.4 | 20 | 1 | 2 | 6 | 9 | 10 | 13 | 17 |
| 65+ | 351 | 7.6 | 32 | 2 | 2 | 8 | 10 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 12 | 8.7 | 112 | 2 | 2 | 4 | 8 | 27 | 36 | 37 |
| 50-64 | 110 | 8.8 | 155 | 1 | 1 | 4 | 10 | 20 | 31 | 68 |
| 65+ | 206 | 9.0 | 107 | 2 | 2 | 6 | 10 | 19 | 33 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | 22 | 2 | 2 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 19 | 9.0 | 56 | 3 | 4 | 7 | 10 | 17 | 28 | 35 |
| 35-49 | 134 | 8.8 | 94 | 2 | 2 | 7 | 9 | 13 | 17 | 59 |
| 50-64 | 553 | 8.7 | 40 | 2 | 2 | 8 | 10 | 14 | 19 | 30 |
| 65+ | 687 | 12.3 | 107 | 2 | 3 | 10 | 15 | 24 | 32 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 4.4 | 21 | 1 | 2 | 3 | 4 | 6 | 12 | 30 |
| B. *Operated* | 821 | 6.9 | 25 | 1 | 2 | 7 | 9 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 330 | 8.9 | 122 | 1 | 2 | 5 | 10 | 20 | 32 | 53 |
| B. *Operated* | 1396 | 10.4 | 81 | 2 | 2 | 9 | 12 | 19 | 27 | 52 |
| **1. SINGLE DX** | 1112 | 6.3 | 25 | 1 | 2 | 5 | 8 | 11 | 14 | 26 |
| **2. MULTIPLE DX** | 1726 | 10.1 | 89 | 2 | 2 | 8 | 11 | 19 | 28 | 51 |
| **A. NOT OPERATED** | 621 | 6.8 | 80 | 1 | 2 | 4 | 7 | 14 | 23 | 43 |
| **B. OPERATED** | 2217 | 9.1 | 63 | 2 | 2 | 8 | 11 | 16 | 22 | 44 |
| TOTAL 0-19 YRS | 6 | 7.0 | 10 | 2 | 2 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 39 | 7.6 | 40 | 2 | 3 | 6 | 9 | 13 | 21 | 35 |
| 35-49 | 251 | 7.6 | 63 | 2 | 2 | 7 | 9 | 12 | 15 | 48 |
| 50-64 | 1157 | 7.4 | 43 | 1 | 2 | 7 | 9 | 13 | 17 | 35 |
| 65+ | 1385 | 9.9 | 87 | 2 | 2 | 8 | 12 | 20 | 28 | 50 |
| **GRAND TOTAL** | **2838** | **8.6** | **68** | **2** | **2** | **7** | **10** | **16** | **22** | **44** |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.3 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 54 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 164 | 2.3 | 7 | 1 | 1 | 2 | 2 | 4 | 6 | 19 |
| 50-64 | 473 | 2.4 | 7 | 1 | 1 | 2 | 2 | 4 | 6 | 12 |
| 65+ | 268 | 3.6 | 27 | 1 | 1 | 2 | 3 | 8 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 8.3 | 11 | 4 | 4 | 9 | 9 | 13 | 15 | 15 |
| 20-34 | 41 | 8.6 | 16 | 3 | 4 | 8 | 11 | 13 | 17 | 20 |
| 35-49 | 68 | 9.9 | 34 | 4 | 5 | 9 | 11 | 16 | 18 | 39 |
| 50-64 | 120 | 12.7 | 82 | 5 | 6 | 11 | 14 | 22 | 27 | 51 |
| 65+ | 88 | 12.6 | 41 | 4 | 6 | 11 | 15 | 21 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 3 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 39 | 5.3 | 41 | 1 | 2 | 3 | 6 | 13 | 19 | 33 |
| 35-49 | 147 | 4.1 | 36 | 1 | 1 | 2 | 4 | 9 | 13 | 32 |
| 50-64 | 441 | 4.6 | 52 | 1 | 1 | 2 | 4 | 11 | 18 | 35 |
| 65+ | 362 | 6.5 | 57 | 1 | 1 | 3 | 8 | 15 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 52 | 2 | 2 | 6 | 13 | 16 | 16 | 16 |
| 20-34 | 34 | 9.6 | 37 | 3 | 4 | 8 | 13 | 15 | 26 | 29 |
| 35-49 | 149 | 13.2 | 80 | 6 | 6 | 11 | 16 | 21 | 26 | 70 |
| 50-64 | 318 | 14.7 | 69 | 6 | 7 | 13 | 18 | 26 | 32 | 47 |
| 65+ | 323 | 18.6 | 127 | 8 | 9 | 16 | 22 | 33 | 42 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 976 | 2.7 | 13 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| B. *Operated* | 326 | 11.5 | 53 | 4 | 6 | 10 | 13 | 19 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 993 | 5.2 | 51 | 1 | 1 | 2 | 6 | 13 | 20 | 35 |
| B. *Operated* | 827 | 15.7 | 98 | 6 | 7 | 13 | 19 | 28 | 35 | 61 |
| **1. SINGLE DX** | 1302 | 4.9 | 37 | 1 | 1 | 2 | 7 | 12 | 17 | 27 |
| **2. MULTIPLE DX** | 1820 | 10.0 | 100 | 1 | 1 | 8 | 14 | 22 | 29 | 47 |
| **A. NOT OPERATED** | 1969 | 4.0 | 34 | 1 | 1 | 2 | 4 | 9 | 15 | 30 |
| **B. OPERATED** | 1153 | 14.5 | 89 | 5 | 7 | 12 | 18 | 26 | 33 | 50 |
| TOTAL 0-19 YRS | 33 | 5.2 | 14 | 1 | 1 | 5 | 7 | 9 | 14 | 16 |
| 20-34 | 168 | 6.3 | 29 | 1 | 1 | 5 | 8 | 13 | 15 | 29 |
| 35-49 | 528 | 6.9 | 60 | 1 | 1 | 4 | 10 | 16 | 20 | 34 |
| 50-64 | 1352 | 6.9 | 69 | 1 | 1 | 3 | 10 | 17 | 23 | 40 |
| 65+ | 1041 | 10.0 | 108 | 1 | 1 | 7 | 14 | 23 | 30 | 49 |
| **GRAND TOTAL** | **3122** | **7.9** | **80** | **1** | **1** | **4** | **11** | **19** | **25** | **42** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 2.8 | 8 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 35-49 | 7 | 4.4 | 4 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 23 | 4.9 | 80 | 1 | 1 | 3 | 4 | 7 | 22 | 45 |
| 65+ | 25 | 5.8 | 15 | 2 | 2 | 5 | 7 | 11 | 15 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 8 | 6.1 | 10 | 1 | 2 | 6 | 8 | 10 | 11 | 11 |
| 35-49 | 20 | 10.2 | 173 | 1 | 2 | 5 | 12 | 31 | 45 | 47 |
| 50-64 | 42 | 5.7 | 23 | 1 | 2 | 4 | 8 | 9 | 19 | 22 |
| 65+ | 71 | 9.7 | 81 | 2 | 3 | 7 | 12 | 22 | 26 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 7 | 6.4 | 26 | 2 | 2 | 5 | 7 | 15 | 17 | 17 |
| 35-49 | 8 | 5.1 | 6 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 21 | 6.3 | 65 | 1 | 1 | 3 | 6 | 19 | 27 | 31 |
| 65+ | 57 | 8.3 | 37 | 2 | 2 | 6 | 12 | 16 | 21 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 43.3 | 358 | 30 | 30 | 35 | 57 | 65 | 65 | 65 |
| 20-34 | 13 | 15.5 | 247 | 1 | 3 | 7 | 26 | 42 | 50 | 52 |
| 35-49 | 30 | 13.8 | 250 | 2 | 2 | 8 | 13 | 40 | 53 | 65 |
| 50-64 | 64 | 17.8 | 284 | 2 | 3 | 13 | 22 | 46 | 57 | 73 |
| 65+ | 110 | 15.6 | 166 | 3 | 3 | 13 | 22 | 32 | 45 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 5.1 | 38 | 1 | 1 | 4 | 5 | 10 | 13 | 42 |
| B. *Operated* | 143 | 8.3 | 75 | 2 | 2 | 6 | 9 | 18 | 25 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 7.4 | 40 | 1 | 2 | 5 | 11 | 16 | 21 | 29 |
| B. *Operated* | 220 | 16.4 | 226 | 2 | 3 | 11 | 22 | 38 | 53 | 70 |
| **1. SINGLE DX** | 202 | 7.3 | 66 | 1 | 2 | 5 | 8 | 16 | 23 | 46 |
| **2. MULTIPLE DX** | 314 | 13.7 | 187 | 2 | 3 | 9 | 18 | 31 | 46 | 66 |
| **A. NOT OPERATED** | 153 | 6.5 | 40 | 1 | 2 | 4 | 8 | 15 | 17 | 31 |
| **B. OPERATED** | 363 | 13.2 | 182 | 2 | 2 | 8 | 17 | 31 | 45 | 65 |
| TOTAL 0-19 YRS | 6 | 23.2 | 634 | 1 | 1 | 18 | 35 | 62 | 65 | 65 |
| 20-34 | 32 | 9.6 | 130 | 1 | 1 | 6 | 9 | 26 | 38 | 52 |
| 35-49 | 65 | 10.6 | 179 | 2 | 2 | 6 | 9 | 27 | 45 | 63 |
| 50-64 | 150 | 10.8 | 183 | 1 | 2 | 5 | 14 | 25 | 45 | 64 |
| 65+ | 263 | 11.5 | 113 | 2 | 3 | 8 | 15 | 24 | 34 | 62 |
| **GRAND TOTAL** | **516** | **11.2** | **149** | **2** | **2** | **7** | **15** | **26** | **39** | **64** |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 4.3 | 16 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| 50-64 | 79 | 5.4 | 42 | 1 | 1 | 3 | 6 | 13 | 17 | 37 |
| 65+ | 263 | 6.4 | 34 | 1 | 1 | 5 | 9 | 14 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 35-49 | 24 | 9.8 | 38 | 2 | 3 | 9 | 15 | 18 | 20 | 22 |
| 50-64 | 539 | 8.3 | 38 | 2 | 2 | 7 | 10 | 17 | 20 | 30 |
| 65+ | 1974 | 8.2 | 33 | 2 | 3 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.2 | 89 | 3 | 3 | 12 | 18 | 28 | 28 | 28 |
| 20-34 | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 35-49 | 16 | 7.9 | 40 | 1 | 2 | 7 | 10 | 15 | 23 | 27 |
| 50-64 | 263 | 8.2 | 87 | 1 | 2 | 6 | 10 | 16 | 22 | 54 |
| 65+ | 1374 | 9.8 | 80 | 2 | 2 | 7 | 13 | 20 | 27 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | 22 | 4 | 4 | 8 | 12 | 15 | 15 | 15 |
| 20-34 | 5 | 8.4 | 20 | 5 | 5 | 6 | 12 | 15 | 15 | 15 |
| 35-49 | 23 | 9.8 | 79 | 2 | 3 | 7 | 13 | 24 | 31 | 34 |
| 50-64 | 635 | 11.3 | 88 | 2 | 3 | 9 | 14 | 22 | 30 | 47 |
| 65+ | 3315 | 12.0 | 89 | 3 | 4 | 9 | 15 | 22 | 29 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 350 | 6.1 | 35 | 1 | 1 | 4 | 8 | 14 | 16 | 31 |
| B. *Operated* | 2541 | 8.2 | 34 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1660 | 9.5 | 81 | 2 | 2 | 7 | 12 | 19 | 26 | 49 |
| B. *Operated* | 3982 | 11.8 | 89 | 3 | 4 | 9 | 15 | 22 | 29 | 49 |
| **1. SINGLE DX** | 2891 | 8.0 | 34 | 2 | 2 | 7 | 10 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | 5642 | 11.2 | 88 | 2 | 3 | 9 | 14 | 21 | 28 | 49 |
| **A. NOT OPERATED** | 2010 | 8.9 | 75 | 1 | 2 | 7 | 11 | 18 | 25 | 45 |
| **B. OPERATED** | 6523 | 10.4 | 70 | 2 | 3 | 8 | 13 | 19 | 25 | 45 |
| TOTAL 0-19 YRS | 11 | 11.1 | 48 | 3 | 4 | 9 | 14 | 20 | 27 | 28 |
| 20-34 | 9 | 8.0 | 17 | 3 | 4 | 6 | 11 | 14 | 15 | 15 |
| 35-49 | 71 | 8.7 | 50 | 1 | 2 | 7 | 11 | 18 | 22 | 33 |
| 50-64 | 1516 | 9.4 | 70 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |
| 65+ | 6926 | 10.3 | 72 | 2 | 3 | 8 | 13 | 19 | 25 | 45 |
| **GRAND TOTAL** | **8533** | **10.1** | **72** | **2** | **3** | **8** | **13** | **19** | **25** | **45** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 32 | 4.6 | 7 | 1 | 1 | 5 | 6 | 8 | 10 | 10 |
| 35-49 | 13 | 2.8 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 50-64 | 10 | 8.5 | 18 | 1 | 3 | 8 | 12 | 14 | 15 | 15 |
| 65+ | 3 | 6.3 | 14 | 2 | 2 | 8 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.3 | 13 | 1 | 2 | 5 | 8 | 11 | 14 | 15 |
| 20-34 | 131 | 7.3 | 22 | 3 | 3 | 6 | 9 | 14 | 17 | 24 |
| 35-49 | 32 | 7.5 | 24 | 2 | 3 | 6 | 10 | 14 | 19 | 21 |
| 50-64 | 29 | 7.6 | 18 | 2 | 2 | 7 | 10 | 13 | 15 | 19 |
| 65+ | 17 | 7.5 | 31 | 2 | 3 | 6 | 11 | 15 | 20 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.9 | 18 | 1 | 2 | 5 | 6 | 9 | 17 | 19 |
| 20-34 | 57 | 4.7 | 13 | 1 | 1 | 5 | 5 | 7 | 8 | 27 |
| 35-49 | 13 | 11.7 | 345 | 2 | 3 | 6 | 10 | 27 | 64 | 72 |
| 50-64 | 8 | 4.5 | 5 | 3 | 3 | 3 | 6 | 8 | 9 | 9 |
| 65+ | 3 | 5.0 | 12 | 1 | 1 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.8 | 37 | 4 | 4 | 10 | 15 | 15 | 15 | 15 |
| 20-34 | 37 | 7.8 | 16 | 2 | 3 | 7 | 11 | 14 | 15 | 18 |
| 35-49 | 21 | 10.0 | 85 | 2 | 2 | 7 | 13 | 24 | 31 | 37 |
| 50-64 | 27 | 13.2 | 176 | 3 | 3 | 9 | 17 | 37 | 46 | 49 |
| 65+ | 35 | 12.1 | 69 | 4 | 5 | 9 | 15 | 24 | 34 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.8 | 11 | 1 | 1 | 5 | 7 | 9 | 11 | 15 |
| B. *Operated* | 225 | 7.3 | 22 | 2 | 3 | 6 | 9 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 5.8 | 61 | 1 | 2 | 5 | 6 | 8 | 12 | 52 |
| B. *Operated* | 124 | 10.6 | 80 | 3 | 3 | 8 | 13 | 21 | 32 | 47 |
| **1. SINGLE DX** | 291 | 6.7 | 20 | 2 | 2 | 5 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 219 | 8.5 | 77 | 2 | 3 | 6 | 9 | 17 | 27 | 47 |
| **A. NOT OPERATED** | 161 | 5.4 | 40 | 1 | 1 | 5 | 6 | 9 | 11 | 27 |
| **B. OPERATED** | 349 | 8.5 | 45 | 2 | 3 | 7 | 10 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 42 | 6.0 | 16 | 1 | 2 | 5 | 8 | 12 | 15 | 19 |
| 20-34 | 257 | 6.4 | 19 | 2 | 3 | 5 | 8 | 12 | 16 | 24 |
| 35-49 | 79 | 8.1 | 93 | 1 | 2 | 6 | 9 | 16 | 22 | 62 |
| 50-64 | 74 | 9.4 | 82 | 2 | 3 | 7 | 10 | 18 | 28 | 48 |
| 65+ | 58 | 10.1 | 57 | 2 | 3 | 8 | 13 | 20 | 28 | 35 |
| **GRAND TOTAL** | **510** | **7.5** | **45** | **2** | **2** | **5** | **9** | **14** | **18** | **36** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 3.0 | 8 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 50-64 | 38 | 3.4 | 8 | 1 | 1 | 2 | 4 | 8 | 11 | 13 |
| 65+ | 93 | 6.3 | 76 | 1 | 1 | 4 | 7 | 18 | 28 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 8 | 5 | 5 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 32 | 5.4 | 28 | 1 | 2 | 5 | 6 | 8 | 17 | 29 |
| 35-49 | 149 | 5.5 | 21 | 1 | 2 | 4 | 6 | 12 | 14 | 23 |
| 50-64 | 724 | 5.7 | 29 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| 65+ | 1537 | 6.4 | 38 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| 35-49 | 7 | 10.0 | 60 | <1 | <1 | 13 | 15 | 20 | 21 | 21 |
| 50-64 | 88 | 7.0 | 63 | 1 | 2 | 4 | 8 | 18 | 25 | 39 |
| 65+ | 338 | 8.8 | 63 | 1 | 2 | 7 | 12 | 19 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.4 | 37 | 3 | 3 | 6 | 9 | 18 | 18 | 18 |
| 20-34 | 10 | 12.3 | 669 | 1 | 1 | 2 | 7 | 49 | 85 | 85 |
| 35-49 | 64 | 9.6 | 117 | 1 | 2 | 6 | 10 | 22 | 30 | 60 |
| 50-64 | 505 | 9.3 | 82 | 2 | 2 | 7 | 11 | 19 | 26 | 56 |
| 65+ | 1819 | 10.7 | 99 | 2 | 3 | 8 | 13 | 22 | 30 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 5.7 | 57 | 1 | 1 | 3 | 6 | 13 | 24 | 41 |
| B. *Operated* | 2445 | 6.1 | 34 | 2 | 2 | 4 | 7 | 12 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 435 | 8.4 | 63 | 1 | 2 | 6 | 11 | 19 | 24 | 39 |
| B. *Operated* | 2403 | 10.4 | 98 | 2 | 3 | 7 | 13 | 22 | 29 | 55 |
| **1. SINGLE DX** | 2581 | 6.1 | 36 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| **2. MULTIPLE DX** | 2838 | 10.1 | 93 | 2 | 2 | 7 | 12 | 21 | 28 | 52 |
| **A. NOT OPERATED** | 571 | 7.8 | 63 | 1 | 2 | 5 | 10 | 18 | 24 | 39 |
| **B. OPERATED** | 4848 | 8.2 | 70 | 2 | 2 | 6 | 10 | 18 | 23 | 44 |
| TOTAL 0-19 YRS | 8 | 7.1 | 24 | 3 | 3 | 5 | 8 | 16 | 18 | 18 |
| 20-34 | 45 | 7.0 | 166 | 1 | 1 | 5 | 6 | 10 | 21 | 85 |
| 35-49 | 224 | 6.8 | 53 | 1 | 2 | 4 | 8 | 14 | 22 | 34 |
| 50-64 | 1355 | 7.1 | 53 | 2 | 2 | 5 | 8 | 15 | 21 | 38 |
| 65+ | 3787 | 8.7 | 75 | 2 | 2 | 6 | 11 | 19 | 25 | 45 |
| **GRAND TOTAL** | **5419** | **8.2** | **70** | **2** | **2** | **6** | **10** | **18** | **23** | **42** |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.9 | 3 | <1 | <1 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 2 | 12.5 | 61 | 7 | 7 | 12 | 18 | 18 | 18 | 18 |
| 35-49 | 9 | 3.0 | 9 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 50-64 | 37 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 38 | 6.5 | 54 | 1 | 2 | 4 | 7 | 17 | 28 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 12.1 | 71 | 6 | 6 | 9 | 13 | 27 | 32 | 32 |
| 20-34 | 11 | 9.4 | 11 | 5 | 6 | 8 | 12 | 14 | 16 | 16 |
| 35-49 | 51 | 11.8 | 26 | 4 | 6 | 11 | 15 | 18 | 21 | 29 |
| 50-64 | 163 | 13.5 | 53 | 4 | 7 | 12 | 16 | 19 | 30 | 40 |
| 65+ | 177 | 13.1 | 54 | 2 | 4 | 12 | 16 | 22 | 26 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.1 | 6 | 2 | 3 | 4 | 6 | 9 | 9 | 9 |
| 20-34 | 16 | 6.8 | 57 | 1 | 2 | 4 | 7 | 18 | 27 | 30 |
| 35-49 | 42 | 6.3 | 35 | 1 | 1 | 5 | 7 | 15 | 21 | 25 |
| 50-64 | 108 | 8.8 | 94 | 1 | 1 | 5 | 11 | 24 | 31 | 46 |
| 65+ | 172 | 10.4 | 105 | 2 | 2 | 7 | 13 | 20 | 30 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.5 | 59 | 8 | 8 | 9 | 17 | 24 | 24 | 24 |
| 20-34 | 12 | 14.8 | 76 | 3 | 6 | 14 | 19 | 29 | 32 | 33 |
| 35-49 | 54 | 14.8 | 71 | 2 | 6 | 13 | 19 | 24 | 34 | 40 |
| 50-64 | 263 | 15.1 | 83 | 3 | 5 | 13 | 18 | 26 | 32 | 46 |
| 65+ | 432 | 16.3 | 102 | 4 | 6 | 15 | 20 | 29 | 34 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 17 | 29 |
| B. *Operated* | 410 | 13.0 | 50 | 3 | 5 | 12 | 16 | 21 | 27 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 9.1 | 90 | 1 | 2 | 6 | 11 | 19 | 28 | 49 |
| B. *Operated* | 765 | 15.7 | 93 | 3 | 6 | 14 | 20 | 27 | 33 | 48 |
| **1. SINGLE DX** | 503 | 11.4 | 56 | 2 | 2 | 11 | 15 | 19 | 26 | 36 |
| **2. MULTIPLE DX** | 1112 | 13.7 | 101 | 2 | 3 | 12 | 18 | 26 | 32 | 48 |
| **A. NOT OPERATED** | 440 | 8.2 | 81 | 1 | 1 | 5 | 10 | 18 | 27 | 48 |
| **B. OPERATED** | 1175 | 14.8 | 80 | 3 | 6 | 13 | 18 | 26 | 31 | 47 |
| TOTAL 0-19 YRS | 28 | 7.6 | 45 | <1 | 1 | 6 | 9 | 13 | 25 | 32 |
| 20-34 | 41 | 10.1 | 58 | 2 | 2 | 8 | 14 | 20 | 28 | 33 |
| 35-49 | 156 | 10.8 | 58 | 1 | 2 | 10 | 15 | 20 | 24 | 38 |
| 50-64 | 571 | 12.7 | 83 | 2 | 3 | 12 | 16 | 24 | 31 | 45 |
| 65+ | 819 | 13.9 | 98 | 2 | 3 | 12 | 18 | 26 | 31 | 49 |
| **GRAND TOTAL** | **1615** | **13.0** | **88** | **2** | **3** | **12** | **17** | **24** | **31** | **47** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 4.5 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 4 | 5.8 | 39 | 2 | 2 | 3 | 9 | 15 | 15 | 15 |
| 35-49 | 8 | 3.4 | 7 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 17 | 4.4 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 9 |
| 65+ | 18 | 3.8 | 2 | <1 | 1 | 4 | 5 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 9.8 | 104 | 5 | 5 | 5 | 11 | 28 | 28 | 28 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 10.8 | 220 | 3 | 3 | 4 | 18 | 33 | 33 | 33 |
| 65+ | 13 | 8.2 | 29 | 2 | 3 | 7 | 10 | 15 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 15.0 | 196 | 5 | 5 | 9 | 25 | 31 | 31 | 31 |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 14 | 14.0 | 169 | 2 | 3 | 8 | 24 | 36 | 41 | 43 |
| 65+ | 21 | 6.7 | 31 | 1 | 2 | 5 | 9 | 10 | 18 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 4.4 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 51 | 4.0 | 6 | <1 | 1 | 4 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 8.7 | 68 | 2 | 3 | 6 | 10 | 23 | 30 | 33 |
| B. *Operated* | 41 | 9.7 | 96 | 2 | 2 | 7 | 10 | 27 | 33 | 43 |
| **1. SINGLE DX** | 58 | 4.1 | 6 | <1 | 1 | 4 | 5 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 64 | 9.3 | 85 | 2 | 2 | 6 | 10 | 27 | 32 | 42 |
| **A. NOT OPERATED** | 30 | 7.7 | 55 | 2 | 3 | 5 | 9 | 17 | 28 | 33 |
| **B. OPERATED** | 92 | 6.5 | 54 | 1 | 2 | 5 | 7 | 11 | 26 | 40 |
| TOTAL 0-19 YRS | 8 | 7.4 | 98 | 1 | 1 | 4 | 7 | 24 | 31 | 31 |
| 20-34 | 14 | 7.1 | 47 | 2 | 2 | 5 | 6 | 16 | 25 | 28 |
| 35-49 | 11 | 3.4 | 5 | <1 | <1 | 3 | 4 | 7 | 9 | 9 |
| 50-64 | 37 | 8.7 | 103 | 2 | 2 | 5 | 8 | 26 | 34 | 43 |
| 65+ | 52 | 6.0 | 23 | 1 | 2 | 5 | 8 | 10 | 13 | 27 |
| **GRAND TOTAL** | **122** | **6.8** | **54** | **1** | **2** | **5** | **7** | **12** | **27** | **37** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.7 | 116 | <1 | 1 | 3 | 6 | 15 | 34 | 49 |
| 20-34 | 23 | 9.3 | 118 | <1 | 1 | 4 | 11 | 25 | 33 | 45 |
| 35-49 | 44 | 8.5 | 66 | 2 | 2 | 6 | 10 | 22 | 33 | 99+ |
| 50-64 | 84 | 11.5 | 152 | 1 | 2 | 7 | 15 | 30 | 38 | 53 |
| 65+ | 54 | 14.3 | 180 | 3 | 3 | 9 | 19 | 33 | 54 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 15.0 | 89 | 4 | 6 | 14 | 18 | 21 | 33 | 53 |
| 20-34 | 43 | 13.5 | 35 | 5 | 7 | 13 | 16 | 23 | 26 | 28 |
| 35-49 | 77 | 18.3 | 145 | 6 | 8 | 16 | 22 | 33 | 50 | 57 |
| 50-64 | 116 | 16.6 | 132 | 4 | 7 | 14 | 19 | 30 | 35 | 65 |
| 65+ | 85 | 21.9 | 173 | 8 | 10 | 18 | 27 | 38 | 44 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 10.1 | 199 | 1 | 2 | 6 | 9 | 26 | 47 | 66 |
| 20-34 | 26 | 7.6 | 45 | 1 | 2 | 5 | 10 | 21 | 24 | 25 |
| 35-49 | 48 | 15.1 | 246 | 2 | 3 | 9 | 20 | 36 | 51 | 77 |
| 50-64 | 89 | 11.6 | 115 | 2 | 3 | 8 | 14 | 28 | 34 | 49 |
| 65+ | 107 | 17.4 | 300 | 3 | 3 | 10 | 23 | 45 | 62 | 89 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 20.2 | 234 | 5 | 6 | 17 | 24 | 41 | 56 | 66 |
| 20-34 | 21 | 30.5 | 386 | 8 | 11 | 26 | 43 | 57 | 73 | 82 |
| 35-49 | 40 | 25.3 | 429 | 6 | 10 | 17 | 29 | 55 | 78 | 92 |
| 50-64 | 79 | 22.9 | 242 | 5 | 6 | 20 | 32 | 46 | 80 | 99+ |
| 65+ | 86 | 28.0 | 423 | 5 | 9 | 22 | 40 | 62 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 226 | 10.9 | 139 | 1 | 2 | 7 | 14 | 29 | 38 | 72 |
| B. *Operated* | 362 | 17.7 | 134 | 5 | 7 | 15 | 21 | 32 | 41 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 13.7 | 213 | 2 | 3 | 8 | 17 | 33 | 48 | 75 |
| B. *Operated* | 252 | 25.4 | 348 | 5 | 8 | 20 | 33 | 54 | 78 | 99+ |
| **1. SINGLE DX** | 588 | 15.1 | 147 | 2 | 3 | 12 | 20 | 30 | 40 | 58 |
| **2. MULTIPLE DX** | 553 | 19.0 | 308 | 2 | 3 | 14 | 26 | 46 | 62 | 99 |
| **A. NOT OPERATED** | 527 | 12.5 | 183 | 2 | 2 | 8 | 15 | 31 | 46 | 75 |
| **B. OPERATED** | 614 | 20.8 | 236 | 5 | 7 | 16 | 25 | 42 | 54 | 92 |
| TOTAL 0-19 YRS | 119 | 13.4 | 172 | 1 | 2 | 9 | 18 | 26 | 47 | 66 |
| 20-34 | 113 | 14.4 | 180 | 2 | 2 | 11 | 18 | 27 | 45 | 71 |
| 35-49 | 209 | 16.8 | 233 | 3 | 3 | 13 | 22 | 35 | 51 | 87 |
| 50-64 | 368 | 15.6 | 174 | 2 | 3 | 13 | 21 | 33 | 46 | 86 |
| 65+ | 332 | 20.8 | 302 | 3 | 5 | 16 | 28 | 46 | 62 | 99+ |
| **GRAND TOTAL** | **1141** | **17.0** | **228** | **2** | **3** | **13** | **22** | **38** | **50** | **87** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.3 | 7 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 9.0 | 169 | 1 | 1 | 2 | 18 | 24 | 24 | 24 |
| 50-64 | 4 | 16.8 | 12 | 13 | 13 | 16 | 19 | 21 | 21 | 21 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 16.0 | 402 | 2 | 3 | 10 | 14 | 48 | 68 | 68 |
| 20-34 | 6 | 11.8 | 18 | 7 | 7 | 11 | 14 | 18 | 19 | 19 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 7 | 22.9 | 425 | 2 | 4 | 16 | 52 | 87 | 99+ | 99+ |
| 65+ | 3 | 13.7 | 36 | 8 | 8 | 13 | 18 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 50-64 | 7 | 19.1 | 180 | 4 | 4 | 18 | 28 | 39 | 41 | 41 |
| 65+ | 6 | 5.5 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.0 | 49 | 3 | 3 | 14 | 15 | 16 | 16 | 16 |
| 20-34 | 7 | 10.3 | 75 | 3 | 3 | 9 | 10 | 25 | 29 | 29 |
| 35-49 | 2 | 30.5 | 1405 | 4 | 4 | 30 | 57 | 57 | 57 | 57 |
| 50-64 | 7 | 30.6 | 737 | 14 | 14 | 21 | 27 | 78 | 91 | 91 |
| 65+ | 16 | 28.1 | 412 | 6 | 8 | 23 | 45 | 68 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 8.8 | 64 | 1 | 1 | 6 | 15 | 21 | 23 | 24 |
| B. *Operated* | 26 | 16.1 | 262 | 2 | 4 | 12 | 18 | 54 | 73 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 9.4 | 108 | 2 | 2 | 5 | 11 | 25 | 35 | 41 |
| B. *Operated* | 35 | 23.7 | 442 | 3 | 5 | 18 | 29 | 64 | 84 | 99+ |
| **1. SINGLE DX** | 40 | 13.6 | 202 | 1 | 2 | 10 | 18 | 34 | 61 | 99+ |
| **2. MULTIPLE DX** | 56 | 18.3 | 361 | 2 | 3 | 13 | 24 | 54 | 68 | 99 |
| **A. NOT OPERATED** | 35 | 9.2 | 88 | 1 | 2 | 5 | 14 | 21 | 29 | 41 |
| **B. OPERATED** | 61 | 20.5 | 374 | 3 | 5 | 14 | 25 | 60 | 77 | 99+ |
| TOTAL 0-19 YRS | 20 | 10.1 | 213 | 1 | 2 | 6 | 12 | 17 | 43 | 68 |
| 20-34 | 16 | 9.9 | 44 | 2 | 3 | 9 | 11 | 18 | 26 | 29 |
| 35-49 | 9 | 11.7 | 341 | 1 | 1 | 3 | 13 | 44 | 57 | 57 |
| 50-64 | 25 | 23.0 | 365 | 4 | 5 | 18 | 28 | 55 | 93 | 99+ |
| 65+ | 26 | 20.3 | 357 | 3 | 4 | 13 | 27 | 64 | 74 | 99+ |
| **GRAND TOTAL** | **96** | **16.3** | **297** | **2** | **2** | **12** | **21** | **46** | **67** | **99+** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.8 | 7 | 2 | 2 | 5 | 6 | 7 | 10 | 12 |
| 20-34 | 19 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 25 | 3.8 | 48 | 1 | 2 | 2 | 3 | 3 | 13 | 37 |
| 50-64 | 17 | 4.7 | 36 | 1 | 1 | 3 | 4 | 7 | 20 | 27 |
| 65+ | 22 | 5.2 | 25 | 1 | 2 | 3 | 6 | 9 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.8 | 5 | 1 | 3 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 83 | 5.4 | 13 | 3 | 3 | 4 | 6 | 9 | 12 | 24 |
| 35-49 | 83 | 5.7 | 18 | 2 | 3 | 5 | 6 | 8 | 13 | 28 |
| 50-64 | 54 | 7.3 | 39 | 3 | 3 | 5 | 9 | 14 | 17 | 39 |
| 65+ | 43 | 10.5 | 157 | 3 | 4 | 8 | 12 | 17 | 21 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.4 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| 20-34 | 21 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 32 | 7.2 | 141 | 1 | 2 | 4 | 7 | 11 | 22 | 68 |
| 50-64 | 16 | 8.4 | 28 | 1 | 3 | 7 | 13 | 17 | 17 | 17 |
| 65+ | 43 | 8.7 | 57 | 1 | 2 | 7 | 13 | 16 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 10.9 | 37 | 4 | 5 | 8 | 15 | 21 | 21 | 21 |
| 20-34 | 62 | 8.1 | 53 | 3 | 3 | 6 | 9 | 13 | 24 | 41 |
| 35-49 | 84 | 8.0 | 63 | 3 | 3 | 6 | 8 | 16 | 22 | 50 |
| 50-64 | 73 | 13.0 | 166 | 3 | 4 | 8 | 16 | 28 | 44 | 66 |
| 65+ | 84 | 16.2 | 232 | 4 | 5 | 11 | 20 | 32 | 50 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 4.2 | 25 | 1 | 2 | 3 | 4 | 7 | 10 | 32 |
| B. *Operated* | 278 | 6.6 | 44 | 3 | 3 | 5 | 7 | 12 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 6.8 | 62 | 1 | 2 | 5 | 8 | 14 | 17 | 43 |
| B. *Operated* | 312 | 11.5 | 141 | 3 | 4 | 7 | 13 | 24 | 36 | 66 |
| **1. SINGLE DX** | 378 | 6.0 | 40 | 2 | 2 | 4 | 6 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | 441 | 10.1 | 122 | 2 | 3 | 7 | 12 | 21 | 31 | 64 |
| **A. NOT OPERATED** | 229 | 5.6 | 47 | 1 | 2 | 3 | 6 | 12 | 16 | 37 |
| **B. OPERATED** | 590 | 9.2 | 101 | 3 | 3 | 6 | 10 | 18 | 26 | 62 |
| TOTAL 0-19 YRS | 58 | 5.6 | 15 | 2 | 2 | 5 | 7 | 9 | 13 | 21 |
| 20-34 | 185 | 5.7 | 28 | 2 | 2 | 4 | 6 | 9 | 13 | 33 |
| 35-49 | 224 | 6.6 | 57 | 2 | 2 | 5 | 7 | 11 | 18 | 43 |
| 50-64 | 160 | 9.7 | 104 | 3 | 3 | 6 | 12 | 19 | 28 | 50 |
| 65+ | 192 | 12.0 | 167 | 2 | 3 | 8 | 15 | 23 | 35 | 77 |
| **GRAND TOTAL** | **819** | **8.2** | **88** | **2** | **2** | **5** | **9** | **17** | **24** | **54** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.4 | 64 | 1 | 2 | 4 | 5 | 16 | 28 | 34 |
| 20-34 | 29 | 6.6 | 53 | 2 | 2 | 4 | 7 | 12 | 19 | 39 |
| 35-49 | 89 | 6.9 | 48 | 1 | 1 | 5 | 8 | 15 | 18 | 41 |
| 50-64 | 311 | 6.5 | 51 | 1 | 1 | 4 | 7 | 16 | 22 | 39 |
| 65+ | 347 | 8.2 | 64 | 1 | 2 | 5 | 10 | 17 | 25 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.5 | 45 | 1 | 1 | 5 | 11 | 18 | 21 | 22 |
| 20-34 | 45 | 8.1 | 37 | 2 | 2 | 6 | 11 | 17 | 20 | 26 |
| 35-49 | 148 | 8.8 | 78 | 1 | 2 | 7 | 11 | 19 | 26 | 39 |
| 50-64 | 335 | 9.2 | 99 | 2 | 2 | 7 | 11 | 19 | 25 | 54 |
| 65+ | 501 | 9.1 | 66 | 2 | 2 | 7 | 13 | 18 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.7 | 25 | 1 | 2 | 5 | 6 | 13 | 15 | 23 |
| 20-34 | 201 | 6.1 | 36 | 1 | 2 | 5 | 7 | 12 | 17 | 47 |
| 35-49 | 537 | 7.5 | 55 | 1 | 1 | 5 | 9 | 17 | 21 | 36 |
| 50-64 | 1833 | 8.2 | 71 | 1 | 2 | 5 | 10 | 18 | 25 | 44 |
| 65+ | 2563 | 10.5 | 92 | 2 | 2 | 7 | 14 | 22 | 30 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 16.5 | 310 | 2 | 3 | 12 | 16 | 50 | 60 | 64 |
| 20-34 | 135 | 12.5 | 123 | 2 | 3 | 9 | 16 | 27 | 35 | 58 |
| 35-49 | 483 | 12.1 | 115 | 2 | 3 | 9 | 15 | 24 | 32 | 57 |
| 50-64 | 1439 | 14.2 | 137 | 2 | 3 | 11 | 18 | 28 | 37 | 64 |
| 65+ | 2134 | 14.7 | 138 | 2 | 3 | 12 | 19 | 30 | 39 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 794 | 7.3 | 57 | 1 | 2 | 5 | 9 | 16 | 23 | 38 |
| B. *Operated* | 1041 | 9.0 | 77 | 2 | 2 | 7 | 12 | 18 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5163 | 9.2 | 80 | 1 | 2 | 6 | 12 | 20 | 28 | 44 |
| B. *Operated* | 4211 | 14.2 | 136 | 2 | 3 | 11 | 18 | 29 | 38 | 63 |
| **1. SINGLE DX** | 1835 | 8.3 | 69 | 1 | 2 | 6 | 11 | 18 | 23 | 40 |
| **2. MULTIPLE DX** | 9374 | 11.4 | 111 | 2 | 2 | 8 | 15 | 24 | 32 | 52 |
| **A. NOT OPERATED** | 5957 | 8.9 | 77 | 1 | 2 | 6 | 11 | 20 | 27 | 43 |
| **B. OPERATED** | 5252 | 13.2 | 128 | 2 | 3 | 10 | 17 | 27 | 35 | 60 |
| TOTAL 0-19 YRS | 79 | 8.8 | 125 | 1 | 2 | 5 | 11 | 19 | 29 | 62 |
| 20-34 | 410 | 8.5 | 74 | 2 | 2 | 6 | 10 | 18 | 26 | 51 |
| 35-49 | 1257 | 9.4 | 85 | 1 | 2 | 7 | 12 | 20 | 27 | 48 |
| 50-64 | 3918 | 10.4 | 105 | 1 | 2 | 7 | 14 | 22 | 30 | 51 |
| 65+ | 5545 | 11.8 | 111 | 2 | 3 | 9 | 16 | 25 | 33 | 52 |
| **GRAND TOTAL** | **11209** | **10.9** | **106** | **2** | **2** | **8** | **14** | **23** | **31** | **51** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 20-34 | 96 | 3.5 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 35-49 | 54 | 3.6 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 50-64 | 34 | 4.2 | 28 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 65+ | 19 | 7.0 | 36 | 1 | 1 | 6 | 9 | 14 | 21 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 8.5 | 57 | 1 | 2 | 7 | 11 | 17 | 19 | 42 |
| 20-34 | 160 | 8.2 | 39 | 1 | 2 | 7 | 10 | 16 | 20 | 33 |
| 35-49 | 48 | 10.0 | 47 | 2 | 2 | 9 | 15 | 19 | 22 | 29 |
| 50-64 | 35 | 12.5 | 166 | 2 | 2 | 7 | 17 | 36 | 43 | 50 |
| 65+ | 37 | 9.9 | 49 | 2 | 3 | 9 | 12 | 19 | 26 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.4 | 38 | 1 | 1 | 4 | 5 | 6 | 14 | 32 |
| 20-34 | 50 | 6.4 | 40 | 1 | 1 | 5 | 7 | 12 | 21 | 37 |
| 35-49 | 48 | 4.9 | 20 | <1 | 1 | 4 | 6 | 11 | 15 | 22 |
| 50-64 | 60 | 6.3 | 32 | 1 | 1 | 4 | 9 | 15 | 18 | 22 |
| 65+ | 59 | 8.4 | 39 | 2 | 2 | 8 | 11 | 16 | 21 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.0 | 92 | 3 | 3 | 9 | 13 | 24 | 36 | 37 |
| 20-34 | 75 | 11.0 | 77 | 1 | 2 | 9 | 15 | 20 | 27 | 48 |
| 35-49 | 27 | 12.3 | 63 | 2 | 2 | 12 | 17 | 25 | 26 | 32 |
| 50-64 | 44 | 13.6 | 175 | 2 | 3 | 10 | 16 | 28 | 40 | 68 |
| 65+ | 51 | 18.8 | 251 | 3 | 8 | 14 | 22 | 35 | 69 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 221 | 3.9 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| B. *Operated* | 331 | 9.1 | 59 | 2 | 2 | 7 | 12 | 18 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 6.4 | 35 | 1 | 1 | 5 | 8 | 14 | 18 | 32 |
| B. *Operated* | 208 | 13.6 | 147 | 2 | 3 | 11 | 16 | 27 | 34 | 70 |
| **1. SINGLE DX** | 552 | 7.0 | 49 | 1 | 1 | 5 | 9 | 15 | 21 | 36 |
| **2. MULTIPLE DX** | 449 | 9.7 | 100 | 1 | 1 | 7 | 13 | 21 | 28 | 53 |
| **A. NOT OPERATED** | 462 | 5.2 | 28 | 1 | 1 | 4 | 6 | 11 | 15 | 28 |
| **B. OPERATED** | 539 | 10.9 | 97 | 2 | 2 | 8 | 14 | 22 | 29 | 50 |
| TOTAL 0-19 YRS | 104 | 6.8 | 54 | 1 | 1 | 4 | 8 | 15 | 19 | 39 |
| 20-34 | 381 | 7.3 | 47 | 1 | 1 | 5 | 9 | 16 | 21 | 33 |
| 35-49 | 177 | 7.0 | 41 | 1 | 1 | 5 | 10 | 16 | 21 | 28 |
| 50-64 | 173 | 9.0 | 108 | 1 | 1 | 5 | 11 | 21 | 28 | 50 |
| 65+ | 166 | 11.8 | 127 | 2 | 3 | 9 | 14 | 25 | 30 | 71 |
| **GRAND TOTAL** | **1001** | **8.2** | **73** | **1** | **1** | **6** | **11** | **17** | **25** | **42** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 6.6 | 27 | 1 | 1 | 4 | 9 | 15 | 17 | 18 |
| 20-34 | 10 | 7.3 | 14 | 1 | 2 | 7 | 11 | 12 | 12 | 12 |
| 35-49 | 3 | 4.7 | 22 | <1 | <1 | 3 | 8 | 10 | 10 | 10 |
| 50-64 | 29 | 5.8 | 17 | 1 | 1 | 5 | 9 | 12 | 14 | 16 |
| 65+ | 48 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 7.8 | 104 | 1 | 2 | 4 | 10 | 15 | 30 | 50 |
| 20-34 | 12 | 14.0 | 103 | 4 | 5 | 10 | 22 | 30 | 32 | 32 |
| 35-49 | 6 | 9.7 | 79 | 3 | 3 | 5 | 16 | 24 | 25 | 25 |
| 50-64 | 20 | 7.8 | 30 | 2 | 2 | 6 | 13 | 15 | 18 | 21 |
| 65+ | 40 | 8.9 | 108 | 2 | 2 | 5 | 11 | 18 | 28 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.3 | 19 | 1 | 1 | 4 | 8 | 10 | 13 | 22 |
| 20-34 | 12 | 12.3 | 202 | 1 | 1 | 8 | 15 | 30 | 50 | 53 |
| 35-49 | 11 | 4.7 | 19 | 1 | 1 | 3 | 6 | 12 | 16 | 16 |
| 50-64 | 94 | 8.1 | 57 | 1 | 1 | 6 | 10 | 16 | 19 | 41 |
| 65+ | 316 | 10.4 | 135 | 2 | 2 | 7 | 13 | 22 | 28 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 13.7 | 266 | <1 | 2 | 8 | 15 | 38 | 55 | 61 |
| 20-34 | 6 | 13.0 | 172 | 3 | 3 | 10 | 11 | 36 | 39 | 39 |
| 35-49 | 8 | 13.8 | 73 | 5 | 6 | 11 | 19 | 27 | 29 | 29 |
| 50-64 | 72 | 9.4 | 58 | 2 | 3 | 7 | 13 | 17 | 24 | 89 |
| 65+ | 157 | 14.1 | 153 | 2 | 4 | 10 | 17 | 32 | 40 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 143 | 6.4 | 27 | 1 | 1 | 5 | 9 | 14 | 16 | 29 |
| B. *Operated* | 104 | 9.1 | 90 | 2 | 2 | 6 | 12 | 18 | 28 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 483 | 9.4 | 110 | 1 | 2 | 6 | 12 | 19 | 26 | 55 |
| B. *Operated* | 258 | 12.7 | 133 | 2 | 3 | 9 | 15 | 27 | 38 | 61 |
| **1. SINGLE DX** | 247 | 7.6 | 55 | 1 | 2 | 5 | 10 | 16 | 19 | 33 |
| **2. MULTIPLE DX** | 741 | 10.5 | 120 | 1 | 2 | 7 | 13 | 23 | 31 | 61 |
| **A. NOT OPERATED** | 626 | 8.7 | 92 | 1 | 2 | 6 | 11 | 18 | 24 | 47 |
| **B. OPERATED** | 362 | 11.7 | 123 | 2 | 3 | 8 | 14 | 25 | 36 | 61 |
| TOTAL 0-19 YRS | 144 | 7.1 | 67 | 1 | 1 | 5 | 9 | 15 | 18 | 51 |
| 20-34 | 40 | 11.7 | 118 | 1 | 3 | 9 | 13 | 28 | 35 | 53 |
| 35-49 | 28 | 8.4 | 58 | 1 | 1 | 5 | 12 | 22 | 25 | 29 |
| 50-64 | 215 | 8.2 | 51 | 1 | 2 | 6 | 11 | 16 | 19 | 46 |
| 65+ | 561 | 11.0 | 134 | 2 | 2 | 7 | 14 | 24 | 32 | 61 |
| **GRAND TOTAL** | **988** | **9.8** | **105** | **1** | **2** | **7** | **12** | **21** | **29** | **57** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.0 | 28 | <1 | <1 | 4 | 6 | 11 | 17 | 23 |
| 20-34 | 39 | 7.4 | 71 | 1 | 1 | 4 | 9 | 23 | 27 | 29 |
| 35-49 | 40 | 7.3 | 54 | <1 | 1 | 5 | 9 | 18 | 23 | 34 |
| 50-64 | 107 | 7.1 | 91 | <1 | 1 | 4 | 7 | 18 | 30 | 49 |
| 65+ | 157 | 5.8 | 48 | 1 | 1 | 4 | 7 | 12 | 20 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 14.4 | 273 | 1 | 2 | 5 | 18 | 44 | 51 | 56 |
| 20-34 | 27 | 16.6 | 207 | 3 | 4 | 8 | 30 | 36 | 39 | 50 |
| 35-49 | 28 | 11.8 | 179 | 2 | 2 | 8 | 12 | 27 | 34 | 66 |
| 50-64 | 51 | 14.0 | 156 | 2 | 2 | 8 | 19 | 35 | 39 | 46 |
| 65+ | 70 | 14.8 | 221 | 2 | 3 | 10 | 21 | 33 | 50 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.2 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 11 |
| 20-34 | 36 | 8.4 | 209 | 1 | 1 | 4 | 9 | 17 | 23 | 86 |
| 35-49 | 54 | 9.4 | 106 | 1 | 2 | 7 | 9 | 18 | 25 | 68 |
| 50-64 | 107 | 8.0 | 84 | 1 | 1 | 4 | 11 | 19 | 31 | 41 |
| 65+ | 333 | 7.8 | 52 | 1 | 1 | 6 | 10 | 16 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 25.6 | 105 | 11 | 12 | 25 | 36 | 39 | 41 | 41 |
| 20-34 | 26 | 21.5 | 379 | 1 | 2 | 15 | 34 | 41 | 59 | 84 |
| 35-49 | 49 | 24.6 | 452 | 4 | 5 | 18 | 36 | 51 | 71 | 90 |
| 50-64 | 85 | 18.6 | 318 | 2 | 4 | 12 | 26 | 42 | 65 | 99 |
| 65+ | 157 | 19.3 | 339 | 3 | 4 | 13 | 24 | 43 | 56 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 378 | 6.4 | 61 | <1 | 1 | 4 | 8 | 16 | 24 | 38 |
| B. *Operated* | 194 | 14.4 | 198 | 2 | 3 | 8 | 21 | 35 | 44 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 556 | 7.9 | 71 | 1 | 1 | 5 | 10 | 16 | 25 | 41 |
| B. *Operated* | 327 | 20.3 | 348 | 3 | 4 | 14 | 28 | 43 | 59 | 93 |
| **1. SINGLE DX** | 572 | 9.1 | 122 | 1 | 1 | 5 | 10 | 25 | 34 | 50 |
| **2. MULTIPLE DX** | 883 | 12.5 | 209 | 1 | 2 | 7 | 15 | 31 | 41 | 82 |
| **A. NOT OPERATED** | 934 | 7.3 | 68 | 1 | 1 | 5 | 9 | 16 | 25 | 39 |
| **B. OPERATED** | 521 | 18.1 | 300 | 2 | 3 | 12 | 26 | 41 | 52 | 90 |
| TOTAL 0-19 YRS | 89 | 9.0 | 127 | <1 | 1 | 5 | 10 | 24 | 37 | 51 |
| 20-34 | 128 | 12.5 | 229 | 1 | 1 | 6 | 19 | 34 | 40 | 84 |
| 35-49 | 171 | 13.6 | 252 | 1 | 2 | 8 | 16 | 32 | 48 | 79 |
| 50-64 | 350 | 11.2 | 175 | 1 | 1 | 6 | 15 | 31 | 39 | 70 |
| 65+ | 717 | 10.6 | 156 | 1 | 1 | 7 | 13 | 25 | 35 | 59 |
| **GRAND TOTAL** | **1455** | **11.1** | **178** | **1** | **1** | **7** | **13** | **28** | **38** | **70** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.6 | 19 | 1 | 1 | 4 | 8 | 13 | 13 | 13 |
| 20-34 | 75 | 3.3 | 14 | 1 | 1 | 2 | 4 | 9 | 12 | 16 |
| 35-49 | 116 | 4.8 | 21 | 1 | 1 | 4 | 7 | 11 | 16 | 20 |
| 50-64 | 299 | 5.7 | 47 | 1 | 1 | 3 | 7 | 11 | 20 | 34 |
| 65+ | 402 | 6.8 | 57 | 1 | 1 | 4 | 8 | 17 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 7.7 | 36 | 1 | 1 | 6 | 11 | 17 | 19 | 21 |
| 20-34 | 68 | 10.0 | 80 | 1 | 2 | 7 | 13 | 22 | 30 | 39 |
| 35-49 | 143 | 8.4 | 62 | 1 | 2 | 6 | 12 | 17 | 21 | 31 |
| 50-64 | 358 | 8.7 | 47 | 2 | 2 | 7 | 12 | 17 | 22 | 34 |
| 65+ | 429 | 10.0 | 68 | 2 | 3 | 8 | 13 | 21 | 27 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.6 | 10 | 1 | 1 | 3 | 7 | 9 | 11 | 11 |
| 20-34 | 42 | 5.9 | 47 | <1 | 1 | 3 | 7 | 14 | 22 | 31 |
| 35-49 | 110 | 7.7 | 56 | 1 | 1 | 6 | 10 | 16 | 21 | 40 |
| 50-64 | 516 | 8.4 | 78 | 1 | 1 | 6 | 10 | 19 | 27 | 42 |
| 65+ | 992 | 9.8 | 98 | 1 | 2 | 7 | 12 | 20 | 28 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 10.3 | 64 | 3 | 4 | 7 | 11 | 25 | 25 | 25 |
| 20-34 | 41 | 14.2 | 132 | 2 | 3 | 10 | 21 | 31 | 37 | 44 |
| 35-49 | 134 | 12.8 | 106 | 2 | 4 | 10 | 16 | 23 | 31 | 56 |
| 50-64 | 407 | 14.7 | 158 | 3 | 4 | 11 | 19 | 29 | 41 | 99 |
| 65+ | 722 | 15.9 | 156 | 3 | 4 | 13 | 21 | 33 | 43 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 904 | 5.9 | 46 | 1 | 1 | 4 | 7 | 14 | 20 | 33 |
| B. *Operated* | 1019 | 9.3 | 60 | 2 | 2 | 7 | 12 | 19 | 24 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1675 | 9.1 | 88 | 1 | 1 | 7 | 12 | 19 | 27 | 43 |
| B. *Operated* | 1314 | 15.1 | 151 | 3 | 4 | 12 | 20 | 30 | 41 | 71 |
| **1. SINGLE DX** | 1923 | 7.7 | 56 | 1 | 1 | 5 | 10 | 17 | 23 | 36 |
| **2. MULTIPLE DX** | 2989 | 11.7 | 124 | 1 | 2 | 9 | 15 | 25 | 35 | 61 |
| **A. NOT OPERATED** | 2579 | 8.0 | 75 | 1 | 1 | 5 | 10 | 18 | 25 | 41 |
| **B. OPERATED** | 2333 | 12.6 | 120 | 2 | 3 | 10 | 16 | 25 | 35 | 62 |
| TOTAL 0-19 YRS | 58 | 6.9 | 33 | 1 | 1 | 6 | 9 | 15 | 19 | 25 |
| 20-34 | 226 | 7.8 | 76 | 1 | 1 | 4 | 10 | 19 | 30 | 38 |
| 35-49 | 503 | 8.6 | 71 | 1 | 1 | 6 | 12 | 17 | 22 | 41 |
| 50-64 | 1580 | 9.6 | 96 | 1 | 2 | 7 | 12 | 21 | 28 | 48 |
| 65+ | 2545 | 11.1 | 113 | 1 | 2 | 8 | 15 | 24 | 32 | 55 |
| **GRAND TOTAL** | 4912 | 10.2 | 102 | 1 | 2 | 7 | 13 | 22 | 30 | 52 |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 10 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 3.0 | 21 | 1 | 1 | 2 | 3 | 4 | 8 | 29 |
| 20-34 | 139 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 157 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 189 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 156 | 4.0 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 65+ | 3 | 3.7 | 14 | <1 | <1 | 2 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.1 | 27 | <1 | <1 | 2 | 3 | 14 | 16 | 16 |
| 20-34 | 26 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 44 | 4.8 | 9 | 1 | 2 | 4 | 6 | 10 | 11 | 14 |
| 50-64 | 105 | 4.8 | 12 | 1 | 2 | 4 | 5 | 10 | 13 | 16 |
| 65+ | 88 | 5.8 | 20 | 2 | 2 | 4 | 7 | 12 | 17 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.4 | 9 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| B. *Operated* | 683 | 3.6 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.1 | 14 | <1 | <1 | 5 | 8 | 10 | 10 | 10 |
| B. *Operated* | 274 | 4.9 | 14 | 1 | 2 | 4 | 6 | 10 | 14 | 18 |
| **1. SINGLE DX** | 688 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 282 | 4.9 | 14 | 1 | 2 | 4 | 6 | 10 | 14 | 18 |
| **A. NOT OPERATED** | 13 | 4.8 | 11 | <1 | 1 | 4 | 8 | 9 | 10 | 10 |
| **B. OPERATED** | 957 | 3.9 | 8 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 56 | 3.4 | 21 | 1 | 1 | 2 | 3 | 7 | 13 | 28 |
| 20-34 | 167 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 203 | 3.9 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 297 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| 65+ | 247 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| **GRAND TOTAL** | 970 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 22 | 2.6 | 5 | 1 | 1 | 2 | 2 | 7 | 8 | 8 |
| 35-49 | 51 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 90 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 9 | 15 |
| 65+ | 114 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 3.4 | 6 | 1 | 1 | 2 | 5 | 7 | 7 | 13 |
| 20-34 | 80 | 4.7 | 15 | <1 | 1 | 3 | 7 | 10 | 13 | 17 |
| 35-49 | 207 | 3.9 | 13 | 1 | 1 | 2 | 5 | 9 | 12 | 16 |
| 50-64 | 489 | 4.1 | 21 | 1 | 1 | 2 | 4 | 10 | 13 | 24 |
| 65+ | 567 | 5.4 | 34 | 1 | 1 | 3 | 7 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.7 | 8 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| 20-34 | 27 | 5.7 | 34 | 1 | 2 | 4 | 7 | 9 | 18 | 30 |
| 35-49 | 57 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 50-64 | 153 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 65+ | 267 | 5.4 | 33 | 1 | 2 | 4 | 6 | 11 | 13 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.7 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 14 |
| 20-34 | 96 | 7.1 | 23 | 2 | 2 | 6 | 10 | 16 | 17 | 20 |
| 35-49 | 279 | 6.7 | 28 | 1 | 2 | 5 | 10 | 13 | 17 | 25 |
| 50-64 | 735 | 6.6 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 29 |
| 65+ | 1173 | 8.4 | 59 | 1 | 2 | 6 | 12 | 19 | 24 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 8 | 13 |
| B. *Operated* | 1402 | 4.6 | 24 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 515 | 4.9 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| B. *Operated* | 2313 | 7.5 | 47 | 1 | 2 | 5 | 10 | 16 | 21 | 31 |
| **1. SINGLE DX** | 1693 | 4.3 | 22 | 1 | 1 | 2 | 5 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 2828 | 7.1 | 44 | 1 | 2 | 5 | 9 | 15 | 20 | 31 |
| **A. NOT OPERATED** | 806 | 4.2 | 19 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **B. OPERATED** | 3715 | 6.4 | 41 | 1 | 1 | 4 | 9 | 14 | 19 | 30 |
| TOTAL 0-19 YRS | 114 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 225 | 5.6 | 22 | 1 | 1 | 4 | 8 | 12 | 16 | 19 |
| 35-49 | 594 | 5.1 | 21 | 1 | 1 | 3 | 7 | 11 | 14 | 22 |
| 50-64 | 1467 | 5.3 | 29 | 1 | 1 | 3 | 7 | 12 | 15 | 25 |
| 65+ | 2121 | 7.0 | 49 | 1 | 1 | 4 | 10 | 16 | 21 | 32 |
| **GRAND TOTAL** | 4521 | 6.0 | 38 | 1 | 1 | 4 | 8 | 14 | 18 | 30 |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 7 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.3 | 9 | <1 | 1 | 2 | 2 | 3 | 7 | 18 |
| 20-34 | 56 | 2.3 | 4 | 1 | 1 | 2 | 2 | 4 | 7 | 13 |
| 35-49 | 78 | 3.9 | 15 | <1 | 1 | 2 | 5 | 9 | 9 | 21 |
| 50-64 | 91 | 5.3 | 27 | 1 | 1 | 3 | 8 | 13 | 18 | 23 |
| 65+ | 60 | 6.3 | 59 | 1 | 1 | 3 | 8 | 17 | 21 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.3 | 22 | 4 | 4 | 6 | 10 | 14 | 14 | 14 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 4.0 | 5 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 7 | 5.1 | 16 | 1 | 1 | 5 | 7 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.3 | 12 | 1 | 1 | 2 | 2 | 11 | 12 | 12 |
| 20-34 | 16 | 4.9 | 28 | <1 | 1 | 3 | 6 | 14 | 17 | 18 |
| 35-49 | 23 | 5.6 | 20 | 1 | 1 | 3 | 8 | 13 | 15 | 17 |
| 50-64 | 61 | 8.4 | 66 | 1 | 2 | 5 | 13 | 18 | 32 | 92 |
| 65+ | 71 | 11.4 | 140 | 2 | 2 | 8 | 15 | 28 | 32 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| B. *Operated* | 352 | 4.1 | 25 | 1 | 1 | 2 | 5 | 9 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 5.4 | 14 | 1 | 1 | 5 | 7 | 12 | 13 | 14 |
| B. *Operated* | 194 | 8.3 | 85 | 1 | 2 | 5 | 12 | 16 | 30 | 57 |
| **1. SINGLE DX** | 374 | 4.0 | 23 | 1 | 1 | 2 | 4 | 9 | 14 | 22 |
| **2. MULTIPLE DX** | 209 | 8.1 | 81 | 1 | 1 | 5 | 11 | 18 | 29 | 52 |
| **A. NOT OPERATED** | 37 | 3.7 | 9 | <1 | 1 | 3 | 5 | 7 | 11 | 14 |
| **B. OPERATED** | 546 | 5.6 | 50 | 1 | 1 | 2 | 7 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 98 | 2.8 | 11 | 1 | 1 | 2 | 2 | 6 | 11 | 18 |
| 20-34 | 74 | 2.9 | 10 | <1 | 1 | 2 | 2 | 6 | 11 | 17 |
| 35-49 | 107 | 4.2 | 15 | 1 | 1 | 2 | 5 | 9 | 12 | 20 |
| 50-64 | 163 | 6.3 | 42 | 1 | 1 | 3 | 9 | 14 | 19 | 38 |
| 65+ | 141 | 8.7 | 103 | 1 | 1 | 5 | 12 | 21 | 30 | 44 |
| **GRAND TOTAL** | 583 | 5.5 | 48 | 1 | 1 | 2 | 7 | 14 | 19 | 34 |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 35 | <1 | <1 | 1 | 3 | 14 | 17 | 17 |
| 20-34 | 9 | 3.7 | 11 | <1 | <1 | 3 | 4 | 9 | 12 | 12 |
| 35-49 | 14 | 3.1 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 10 |
| 50-64 | 14 | 3.4 | 19 | <1 | 1 | 2 | 3 | 6 | 15 | 18 |
| 65+ | 11 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 612 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 20-34 | 906 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 926 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 868 | 3.2 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 377 | 3.8 | 15 | 1 | 2 | 3 | 4 | 6 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.9 | 23 | <1 | <1 | 3 | 6 | 13 | 15 | 15 |
| 20-34 | 10 | 3.1 | 5 | 1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 35-49 | 20 | 4.9 | 12 | 1 | 2 | 4 | 6 | 8 | 12 | 17 |
| 50-64 | 20 | 3.6 | 9 | <1 | 1 | 3 | 4 | 6 | 10 | 14 |
| 65+ | 34 | 5.8 | 22 | 1 | 2 | 4 | 8 | 13 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 4.0 | 13 | 1 | 1 | 3 | 4 | 8 | 10 | 22 |
| 20-34 | 261 | 4.0 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 35-49 | 474 | 4.6 | 22 | 1 | 2 | 3 | 5 | 9 | 12 | 25 |
| 50-64 | 562 | 4.7 | 15 | 1 | 2 | 3 | 6 | 9 | 12 | 20 |
| 65+ | 343 | 6.0 | 34 | 2 | 2 | 4 | 7 | 13 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 3.2 | 12 | <1 | 1 | 2 | 3 | 5 | 11 | 18 |
| B. *Operated* | 3689 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 4.7 | 16 | 1 | 1 | 3 | 6 | 10 | 14 | 18 |
| B. *Operated* | 1719 | 4.8 | 22 | 1 | 2 | 3 | 6 | 9 | 13 | 24 |
| **1. SINGLE DX** | 3744 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | 1810 | 4.8 | 21 | 1 | 2 | 3 | 6 | 9 | 13 | 24 |
| **A. NOT OPERATED** | 146 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 14 | 18 |
| **B. OPERATED** | 5408 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 705 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 1186 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 35-49 | 1434 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 50-64 | 1464 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 65+ | 765 | 4.9 | 25 | 1 | 2 | 3 | 5 | 10 | 15 | 26 |
| **GRAND TOTAL** | 5554 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 9 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 9 | 4.0 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| 50-64 | 8 | 3.5 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 9 | 5.3 | 17 | 1 | 1 | 3 | 7 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 619 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 338 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 267 | 3.2 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 263 | 3.4 | 12 | <1 | 1 | 2 | 4 | 6 | 11 | 18 |
| 65+ | 140 | 4.0 | 20 | <1 | 1 | 3 | 4 | 7 | 9 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.4 | 12 | <1 | <1 | 2 | 4 | 8 | 12 | 15 |
| 20-34 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 6 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 15 | 5.0 | 16 | 1 | 1 | 3 | 7 | 13 | 13 | 13 |
| 65+ | 23 | 5.7 | 16 | 1 | 2 | 4 | 8 | 13 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 2.8 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 24 |
| 20-34 | 175 | 4.1 | 39 | <1 | 1 | 2 | 4 | 8 | 14 | 19 |
| 35-49 | 197 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 15 | 29 |
| 50-64 | 193 | 5.6 | 57 | 1 | 1 | 3 | 7 | 11 | 17 | 44 |
| 65+ | 168 | 7.6 | 98 | 1 | 2 | 4 | 8 | 17 | 30 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 3.4 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 1627 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.5 | 14 | <1 | 1 | 3 | 6 | 8 | 13 | 16 |
| B. *Operated* | 858 | 5.1 | 50 | 1 | 1 | 3 | 6 | 11 | 16 | 36 |
| **1. SINGLE DX** | 1681 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 924 | 5.1 | 47 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **A. NOT OPERATED** | 120 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 13 | 15 |
| **B. OPERATED** | 2485 | 3.7 | 25 | <1 | 1 | 2 | 4 | 7 | 11 | 25 |
| TOTAL 0-19 YRS | 782 | 2.4 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 525 | 3.3 | 18 | <1 | 1 | 2 | 3 | 6 | 10 | 18 |
| 35-49 | 479 | 3.9 | 20 | <1 | 1 | 2 | 5 | 8 | 12 | 20 |
| 50-64 | 479 | 4.4 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| 65+ | 340 | 5.9 | 61 | 1 | 1 | 4 | 7 | 12 | 18 | 43 |
| **GRAND TOTAL** | 2605 | 3.7 | 24 | <1 | 1 | 2 | 4 | 7 | 11 | 24 |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 2.0 | 2 | <1 | <1 | 1 | 2 | 5 | 5 | 5 |
| 35-49 | 5 | 2.2 | 5 | 1 | 1 | 1 | 3 | 6 | 6 | 6 |
| 50-64 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 619 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1062 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 545 | 2.4 | 16 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 231 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 65+ | 133 | 3.1 | 4 | 2 | 2 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 8 | 7.8 | 50 | 1 | 1 | 6 | 11 | 19 | 22 | 22 |
| 50-64 | 4 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 337 | 3.3 | 32 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 355 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 179 | 3.6 | 6 | 2 | 2 | 3 | 4 | 7 | 9 | 13 |
| 65+ | 118 | 4.2 | 10 | 2 | 2 | 3 | 5 | 8 | 10 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 2.1 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| B. *Operated* | 2590 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 4.5 | 26 | <1 | 1 | 3 | 5 | 11 | 16 | 22 |
| B. *Operated* | 1078 | 3.3 | 14 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| **1. SINGLE DX** | 2606 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 1100 | 3.3 | 14 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 38 | 3.4 | 17 | <1 | <1 | 2 | 4 | 9 | 11 | 22 |
| **B. OPERATED** | 3668 | 2.5 | 8 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 713 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 1408 | 2.3 | 9 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 913 | 2.7 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 417 | 3.0 | 4 | 1 | 2 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 255 | 3.6 | 7 | 2 | 2 | 3 | 4 | 7 | 9 | 17 |
| **GRAND TOTAL** | **3706** | **2.5** | **8** | **1** | **1** | **2** | **3** | **4** | **5** | **10** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 33 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 52 | 3.2 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 9 |
| 50-64 | 9 | 3.4 | 5 | <1 | <1 | 3 | 4 | 7 | 8 | 8 |
| 65+ | 4 | 6.0 | 6 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.3 | 9 | 3 | 3 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 745 | 6.0 | 6 | 1 | 2 | 6 | 7 | 9 | 9 | 13 |
| 35-49 | 1608 | 6.5 | 7 | 1 | 2 | 7 | 8 | 9 | 10 | 14 |
| 50-64 | 246 | 7.1 | 12 | 2 | 2 | 7 | 8 | 10 | 11 | 17 |
| 65+ | 25 | 6.9 | 7 | 2 | 3 | 8 | 9 | 9 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 76 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 148 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | 42 | 4.3 | 13 | 1 | 2 | 4 | 5 | 7 | 8 | 24 |
| 65+ | 21 | 7.1 | 13 | 2 | 3 | 6 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.7 | 8 | 2 | 2 | 7 | 8 | 10 | 12 | 13 |
| 20-34 | 2157 | 6.7 | 8 | 2 | 3 | 7 | 8 | 10 | 11 | 15 |
| 35-49 | 7709 | 7.4 | 9 | 2 | 5 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 1418 | 8.0 | 16 | 2 | 4 | 7 | 9 | 12 | 15 | 21 |
| 65+ | 228 | 10.5 | 36 | 2 | 6 | 9 | 13 | 19 | 22 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 3.2 | 6 | <1 | <1 | 3 | 4 | 7 | 8 | 13 |
| B. *Operated* | 2630 | 6.4 | 7 | 2 | 2 | 7 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 287 | 4.1 | 11 | 1 | 1 | 3 | 6 | 7 | 9 | 18 |
| B. *Operated* | 11528 | 7.4 | 11 | 2 | 5 | 7 | 8 | 10 | 13 | 19 |
| **1. SINGLE DX** | 2728 | 6.3 | 7 | 1 | 2 | 6 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 11815 | 7.3 | 11 | 2 | 4 | 7 | 8 | 10 | 13 | 19 |
| **A. NOT OPERATED** | 385 | 3.9 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 14158 | 7.2 | 10 | 2 | 4 | 7 | 8 | 10 | 12 | 18 |
| TOTAL 0-19 YRS | 22 | 6.6 | 8 | 2 | 3 | 7 | 8 | 10 | 11 | 13 |
| 20-34 | 3011 | 6.4 | 8 | 1 | 2 | 6 | 8 | 9 | 11 | 15 |
| 35-49 | 9517 | 7.1 | 9 | 2 | 4 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 1715 | 7.7 | 16 | 2 | 3 | 7 | 9 | 12 | 14 | 21 |
| 65+ | 278 | 9.9 | 33 | 2 | 4 | 9 | 12 | 17 | 21 | 29 |
| **GRAND TOTAL** | **14543** | **7.1** | **11** | **2** | **3** | **7** | **8** | **10** | **12** | **18** |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 25 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 41 | 5.4 | 9 | 1 | 1 | 6 | 7 | 9 | 10 | 12 |
| 50-64 | 8 | 3.8 | 8 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 65+ | 5 | 5.6 | 15 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 6.7 | 30 | 1 | 1 | 7 | 11 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 36 | 6.7 | 21 | 2 | 3 | 6 | 8 | 9 | 12 | 29 |
| 35-49 | 110 | 6.7 | 10 | 2 | 2 | 7 | 8 | 11 | 12 | 16 |
| 50-64 | 42 | 5.3 | 11 | 1 | 1 | 5 | 8 | 10 | 11 | 13 |
| 65+ | 14 | 7.1 | 21 | 2 | 2 | 7 | 10 | 14 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| B. *Operated* | 80 | 4.9 | 8 | 1 | 1 | 5 | 7 | 9 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.6 | 18 | 1 | 1 | 5 | 8 | 12 | 12 | 12 |
| B. *Operated* | 203 | 6.4 | 13 | 1 | 2 | 6 | 8 | 10 | 12 | 16 |
| **1. SINGLE DX** | 82 | 4.9 | 8 | 1 | 1 | 5 | 7 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | 208 | 6.4 | 13 | 1 | 2 | 6 | 8 | 10 | 12 | 16 |
| **A. NOT OPERATED** | 7 | 5.1 | 15 | <1 | <1 | 5 | 7 | 11 | 12 | 12 |
| **B. OPERATED** | 283 | 6.0 | 12 | 1 | 2 | 6 | 8 | 10 | 11 | 16 |
| TOTAL 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 63 | 5.7 | 15 | 1 | 2 | 6 | 7 | 8 | 10 | 27 |
| 35-49 | 151 | 6.3 | 10 | 1 | 2 | 6 | 8 | 10 | 12 | 15 |
| 50-64 | 52 | 4.9 | 10 | 1 | 1 | 5 | 7 | 9 | 10 | 13 |
| 65+ | 22 | 6.7 | 19 | 1 | 2 | 7 | 10 | 13 | 15 | 16 |
| **GRAND TOTAL** | **290** | **6.0** | **12** | **1** | **2** | **6** | **8** | **10** | **11** | **16** |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 1 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 7 | 2.7 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 10.3 | 234 | 1 | 1 | 2 | 21 | 28 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 5.9 | 3 | 4 | 4 | 6 | 7 | 8 | 8 | 13 |
| 20-34 | 376 | 5.9 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 11 |
| 35-49 | 120 | 7.2 | 8 | 4 | 5 | 7 | 8 | 10 | 11 | 18 |
| 50-64 | 89 | 8.1 | 5 | 6 | 6 | 8 | 9 | 11 | 12 | 17 |
| 65+ | 60 | 9.8 | 21 | 5 | 6 | 9 | 11 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 20-34 | 413 | 6.9 | 9 | 4 | 5 | 6 | 8 | 9 | 11 | 19 |
| 35-49 | 290 | 7.9 | 9 | 5 | 5 | 7 | 9 | 11 | 14 | 19 |
| 50-64 | 221 | 9.7 | 16 | 5 | 6 | 9 | 11 | 15 | 17 | 26 |
| 65+ | 148 | 12.5 | 32 | 7 | 7 | 11 | 15 | 19 | 24 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 4.8 | 44 | <1 | 1 | 3 | 5 | 6 | 23 | 28 |
| B. *Operated* | 758 | 6.7 | 6 | 4 | 5 | 6 | 8 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 7.6 | 61 | 3 | 3 | 3 | 11 | 21 | 21 | 21 |
| B. *Operated* | 1140 | 8.4 | 17 | 4 | 5 | 7 | 9 | 13 | 16 | 24 |
| **1. SINGLE DX** | 773 | 6.6 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 1145 | 8.4 | 17 | 4 | 5 | 7 | 9 | 13 | 16 | 24 |
| **A. NOT OPERATED** | 20 | 5.5 | 47 | <1 | 1 | 3 | 5 | 14 | 24 | 28 |
| **B. OPERATED** | 1898 | 7.7 | 13 | 4 | 5 | 7 | 9 | 12 | 14 | 22 |
| TOTAL 0-19 YRS | 184 | 5.9 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 20-34 | 798 | 6.4 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 413 | 7.7 | 9 | 5 | 5 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 311 | 9.2 | 14 | 5 | 6 | 8 | 11 | 14 | 17 | 23 |
| 65+ | 212 | 11.7 | 33 | 6 | 7 | 10 | 13 | 18 | 23 | 32 |
| **GRAND TOTAL** | **1918** | **7.7** | **14** | **4** | **5** | **7** | **9** | **12** | **14** | **22** |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 9 | 9 |
| 20-34 | 21 | 3.1 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 26 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 16 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 65+ | 10 | 4.1 | 15 | 1 | 1 | 2 | 6 | 10 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 29 | 5.4 | 30 | 1 | 2 | 5 | 6 | 8 | 11 | 31 |
| 35-49 | 16 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | 16 | 7.1 | 30 | 1 | 2 | 6 | 9 | 14 | 19 | 21 |
| 65+ | 11 | 9.2 | 51 | 2 | 2 | 8 | 13 | 19 | 25 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 85 | 3.3 | 6 | <1 | 1 | 2 | 5 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.3 | 5 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| B. *Operated* | 73 | 5.9 | 30 | 1 | 2 | 5 | 7 | 12 | 15 | 30 |
| **1. SINGLE DX** | 87 | 3.3 | 6 | <1 | 1 | 2 | 5 | 6 | 9 | 12 |
| **2. MULTIPLE DX** | 76 | 5.7 | 29 | 1 | 1 | 5 | 7 | 11 | 15 | 30 |
| **A. NOT OPERATED** | 5 | 2.4 | 4 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| **B. OPERATED** | 158 | 4.5 | 18 | <1 | 1 | 3 | 6 | 9 | 12 | 26 |
| TOTAL 0-19 YRS | 13 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 20-34 | 51 | 4.4 | 20 | <1 | 1 | 4 | 6 | 7 | 10 | 31 |
| 35-49 | 44 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 34 | 4.9 | 21 | <1 | 1 | 3 | 6 | 11 | 14 | 21 |
| 65+ | 21 | 6.8 | 39 | 1 | 2 | 5 | 9 | 14 | 20 | 26 |
| **GRAND TOTAL** | 163 | 4.4 | 18 | <1 | 1 | 3 | 6 | 8 | 12 | 25 |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 24 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 22 | 2.7 | 2 | <1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | 17 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 65+ | 16 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 9 | 3.0 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 11 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 50-64 | 11 | 5.7 | 11 | 2 | 2 | 5 | 8 | 11 | 13 | 13 |
| 65+ | 15 | 4.7 | 13 | 1 | 1 | 4 | 6 | 10 | 12 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | 87 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 47 | 4.4 | 8 | 2 | 2 | 4 | 5 | 9 | 11 | 13 |
| **1. SINGLE DX** | 88 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 47 | 4.4 | 8 | 2 | 2 | 4 | 5 | 9 | 11 | 13 |
| **A. NOT OPERATED** | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **B. OPERATED** | 134 | 3.6 | 5 | 1 | 2 | 3 | 4 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 10 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 33 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 33 | 3.0 | 1 | <1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | 28 | 4.1 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 31 | 4.5 | 10 | 1 | 1 | 3 | 6 | 10 | 12 | 13 |
| **GRAND TOTAL** | 135 | 3.6 | 5 | 1 | 2 | 3 | 4 | 7 | 8 | 13 |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 3.2 | 10 | 1 | 1 | 2 | 3 | 6 | 12 | 13 |
| 35-49 | 23 | 4.7 | 13 | 1 | 1 | 3 | 7 | 10 | 12 | 14 |
| 50-64 | 33 | 4.0 | 11 | 1 | 2 | 3 | 4 | 10 | 12 | 14 |
| 65+ | 28 | 4.7 | 15 | 2 | 2 | 3 | 5 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 9.3 | 81 | 1 | 1 | 5 | 14 | 24 | 26 | 26 |
| 35-49 | 16 | 7.9 | 33 | 2 | 2 | 7 | 11 | 15 | 20 | 22 |
| 50-64 | 23 | 8.3 | 41 | 1 | 2 | 7 | 13 | 19 | 21 | 21 |
| 65+ | 59 | 6.3 | 26 | 2 | 2 | 4 | 9 | 15 | 16 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 100 | 4.2 | 12 | 1 | 1 | 3 | 4 | 9 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| B. *Operated* | 105 | 7.2 | 34 | 2 | 2 | 5 | 10 | 15 | 21 | 25 |
| **1. SINGLE DX** | 101 | 4.1 | 12 | 1 | 1 | 3 | 4 | 9 | 13 | 15 |
| **2. MULTIPLE DX** | 107 | 7.2 | 34 | 2 | 2 | 5 | 10 | 15 | 21 | 25 |
| **A. NOT OPERATED** | 3 | 7.0 | 43 | 1 | 1 | 6 | 12 | 14 | 14 | 14 |
| **B. OPERATED** | 205 | 5.7 | 25 | 1 | 2 | 4 | 8 | 14 | 15 | 23 |
| TOTAL 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 20 | 5.3 | 41 | 1 | 1 | 3 | 5 | 14 | 20 | 26 |
| 35-49 | 40 | 5.9 | 23 | 1 | 1 | 4 | 9 | 13 | 15 | 22 |
| 50-64 | 56 | 5.8 | 28 | 1 | 2 | 3 | 8 | 14 | 17 | 21 |
| 65+ | 89 | 5.9 | 23 | 2 | 2 | 4 | 8 | 14 | 15 | 23 |
| **GRAND TOTAL** | 208 | 5.7 | 25 | 1 | 2 | 4 | 8 | 14 | 15 | 23 |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 10 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 6 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 10 | 3.4 | 7 | <1 | 1 | 3 | 3 | 8 | 10 | 10 |
| 65+ | 9 | 6.7 | 99 | 1 | 1 | 4 | 5 | 22 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 65+ | 5 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | 63 | 2.8 | 17 | 1 | 1 | 2 | 3 | 4 | 6 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 13 | 4.2 | 18 | <1 | <1 | 2 | 6 | 12 | 13 | 13 |
| **1. SINGLE DX** | 66 | 2.9 | 17 | 1 | 1 | 2 | 3 | 5 | 6 | 29 |
| **2. MULTIPLE DX** | 13 | 4.2 | 18 | <1 | <1 | 2 | 6 | 12 | 13 | 13 |
| **A. NOT OPERATED** | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| **B. OPERATED** | 76 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 10 | 28 |
| TOTAL 0-19 YRS | 32 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 12 | 3.0 | 10 | <1 | <1 | 2 | 3 | 7 | 11 | 12 |
| 35-49 | 8 | 2.8 | 7 | <1 | <1 | 2 | 2 | 7 | 9 | 9 |
| 50-64 | 13 | 4.6 | 13 | <1 | 1 | 3 | 6 | 11 | 13 | 13 |
| 65+ | 14 | 4.9 | 67 | <1 | 1 | 3 | 4 | 8 | 27 | 33 |
| **GRAND TOTAL** | 79 | 3.1 | 17 | <1 | 1 | 2 | 3 | 5 | 10 | 27 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 3.6 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 7 |
| 35-49 | 12 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 11 | 4.5 | 12 | 2 | 2 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 15 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 15.2 | 326 | 2 | 2 | 8 | 17 | 47 | 55 | 55 |
| 20-34 | 33 | 13.4 | 66 | 2 | 5 | 12 | 16 | 25 | 32 | 34 |
| 35-49 | 70 | 12.3 | 38 | 2 | 4 | 12 | 16 | 18 | 22 | 30 |
| 50-64 | 96 | 15.0 | 56 | 3 | 6 | 15 | 19 | 23 | 29 | 38 |
| 65+ | 74 | 17.0 | 179 | 3 | 3 | 14 | 23 | 30 | 36 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 13 | 8.0 | 90 | 2 | 2 | 5 | 7 | 18 | 34 | 38 |
| 50-64 | 27 | 12.5 | 352 | 1 | 1 | 6 | 10 | 41 | 60 | 80 |
| 65+ | 57 | 11.5 | 133 | 3 | 4 | 8 | 14 | 20 | 30 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.8 | 35 | 7 | 7 | 14 | 19 | 21 | 21 | 21 |
| 20-34 | 19 | 18.9 | 118 | 4 | 6 | 20 | 24 | 36 | 42 | 43 |
| 35-49 | 35 | 17.3 | 127 | 4 | 6 | 14 | 22 | 32 | 51 | 99+ |
| 50-64 | 55 | 18.6 | 217 | 2 | 4 | 16 | 22 | 40 | 54 | 69 |
| 65+ | 78 | 27.9 | 278 | 7 | 11 | 24 | 37 | 54 | 59 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.7 | 6 | 1 | 2 | 3 | 4 | 7 | 10 | 11 |
| B. *Operated* | 282 | 14.7 | 95 | 2 | 4 | 13 | 19 | 26 | 31 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 11.1 | 183 | 2 | 3 | 7 | 12 | 20 | 42 | 75 |
| B. *Operated* | 192 | 22.1 | 233 | 3 | 7 | 18 | 28 | 49 | 58 | 72 |
| **1. SINGLE DX** | 329 | 13.1 | 97 | 2 | 2 | 12 | 17 | 24 | 30 | 48 |
| **2. MULTIPLE DX** | 292 | 18.3 | 242 | 2 | 4 | 14 | 23 | 43 | 54 | 73 |
| **A. NOT OPERATED** | 147 | 8.7 | 137 | 2 | 2 | 5 | 9 | 16 | 25 | 71 |
| **B. OPERATED** | 474 | 17.7 | 163 | 3 | 6 | 15 | 22 | 34 | 48 | 63 |
| TOTAL 0-19 YRS | 17 | 12.5 | 197 | 1 | 2 | 8 | 15 | 33 | 48 | 55 |
| 20-34 | 61 | 13.7 | 95 | 2 | 3 | 11 | 20 | 26 | 33 | 43 |
| 35-49 | 130 | 12.3 | 79 | 2 | 2 | 11 | 16 | 22 | 30 | 60 |
| 50-64 | 189 | 15.1 | 151 | 2 | 3 | 13 | 19 | 26 | 39 | 66 |
| 65+ | 224 | 18.5 | 247 | 3 | 4 | 14 | 25 | 41 | 53 | 72 |
| **GRAND TOTAL** | 621 | 15.5 | 171 | 2 | 3 | 12 | 20 | 31 | 45 | 66 |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 4.0 | 13 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 257 | 3.9 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 7 |
| 35-49 | 325 | 4.2 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 233 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 65+ | 113 | 5.1 | 6 | 3 | 3 | 4 | 6 | 8 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 4.3 | 17 | <1 | <1 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | 8 | 7.4 | 37 | 2 | 3 | 5 | 11 | 17 | 18 | 18 |
| 65+ | 7 | 6.3 | 15 | 1 | 2 | 5 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 66 | 4.7 | 7 | 2 | 3 | 4 | 5 | 7 | 12 | 14 |
| 35-49 | 165 | 5.3 | 9 | 3 | 3 | 5 | 6 | 8 | 11 | 18 |
| 50-64 | 154 | 6.2 | 13 | 3 | 3 | 5 | 7 | 10 | 14 | 21 |
| 65+ | 93 | 8.1 | 34 | 3 | 4 | 6 | 11 | 18 | 19 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 3.7 | 11 | <1 | 1 | 3 | 4 | 10 | 12 | 12 |
| B. *Operated* | 974 | 4.3 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 6.3 | 22 | <1 | 1 | 5 | 8 | 14 | 17 | 18 |
| B. *Operated* | 482 | 6.0 | 16 | 3 | 3 | 5 | 6 | 10 | 15 | 22 |
| **1. SINGLE DX** | 985 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 502 | 6.0 | 16 | 3 | 3 | 5 | 6 | 11 | 15 | 21 |
| **A. NOT OPERATED** | 31 | 5.4 | 19 | <1 | 1 | 4 | 7 | 12 | 16 | 18 |
| **B. OPERATED** | 1456 | 4.8 | 8 | 3 | 3 | 4 | 5 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 50 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 331 | 4.0 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 12 |
| 35-49 | 495 | 4.6 | 5 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 397 | 5.2 | 8 | 3 | 3 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 214 | 6.4 | 20 | 3 | 3 | 5 | 7 | 12 | 16 | 24 |
| **GRAND TOTAL** | 1487 | 4.9 | 8 | 3 | 3 | 4 | 5 | 7 | 10 | 18 |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 3.9 | 4 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 5 | 7.0 | 46 | 3 | 3 | 4 | 8 | 19 | 19 | 19 |
| 50-64 | 12 | 8.3 | 49 | 3 | 3 | 6 | 9 | 17 | 27 | 29 |
| 65+ | 2 | 35.0 | 1800 | 5 | 5 | 35 | 65 | 65 | 65 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.8 | 33 | 4 | 4 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 47 | 9.1 | 13 | 4 | 4 | 9 | 11 | 14 | 16 | 19 |
| 35-49 | 39 | 10.5 | 47 | 3 | 4 | 9 | 14 | 21 | 25 | 29 |
| 50-64 | 47 | 11.4 | 37 | 4 | 5 | 9 | 16 | 21 | 22 | 24 |
| 65+ | 39 | 11.3 | 79 | 4 | 4 | 8 | 15 | 18 | 33 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 15 | 4.8 | 39 | 1 | 2 | 3 | 4 | 6 | 22 | 27 |
| 35-49 | 8 | 10.8 | 135 | 3 | 3 | 5 | 14 | 31 | 36 | 36 |
| 50-64 | 20 | 6.4 | 18 | 1 | 2 | 5 | 10 | 12 | 14 | 16 |
| 65+ | 15 | 9.5 | 30 | 3 | 4 | 9 | 12 | 15 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 22.3 | 741 | 7 | 7 | 9 | 37 | 63 | 63 | 63 |
| 20-34 | 23 | 9.0 | 40 | 2 | 3 | 8 | 10 | 21 | 23 | 27 |
| 35-49 | 42 | 11.1 | 93 | 4 | 4 | 9 | 12 | 21 | 32 | 51 |
| 50-64 | 81 | 11.3 | 56 | 3 | 4 | 9 | 16 | 21 | 27 | 34 |
| 65+ | 58 | 16.5 | 209 | 4 | 5 | 11 | 25 | 41 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 7.7 | 130 | 1 | 2 | 5 | 7 | 13 | 27 | 65 |
| B. *Operated* | 177 | 10.6 | 42 | 4 | 4 | 9 | 14 | 19 | 22 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 7.4 | 44 | 2 | 2 | 5 | 10 | 14 | 22 | 35 |
| B. *Operated* | 208 | 12.6 | 121 | 4 | 4 | 9 | 15 | 27 | 36 | 79 |
| **1. SINGLE DX** | 211 | 10.1 | 57 | 3 | 4 | 8 | 13 | 19 | 22 | 42 |
| **2. MULTIPLE DX** | 267 | 11.5 | 109 | 3 | 3 | 8 | 13 | 25 | 35 | 65 |
| **A. NOT OPERATED** | 93 | 7.5 | 74 | 1 | 2 | 5 | 9 | 14 | 23 | 53 |
| **B. OPERATED** | 385 | 11.7 | 86 | 4 | 4 | 9 | 15 | 22 | 31 | 64 |
| TOTAL 0-19 YRS | 10 | 15.2 | 299 | 4 | 4 | 10 | 15 | 39 | 63 | 63 |
| 20-34 | 100 | 7.6 | 26 | 2 | 3 | 7 | 10 | 13 | 18 | 27 |
| 35-49 | 94 | 10.6 | 73 | 3 | 4 | 8 | 13 | 21 | 26 | 48 |
| 50-64 | 160 | 10.5 | 47 | 3 | 4 | 8 | 13 | 20 | 23 | 33 |
| 65+ | 114 | 14.1 | 168 | 4 | 5 | 9 | 17 | 36 | 44 | 99+ |
| **GRAND TOTAL** | 478 | 10.9 | 86 | 3 | 4 | 8 | 13 | 21 | 29 | 64 |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 2.6 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 4 | 5.0 | 17 | <1 | <1 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 6 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 4 | 6.0 | 13 | 3 | 3 | 5 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 999 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 324 | 5.0 | 9 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 84 | 5.1 | 10 | 1 | 2 | 4 | 7 | 10 | 11 | 13 |
| 65+ | 49 | 5.7 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 2.1 | 5 | 1 | 1 | 1 | 2 | 6 | 7 | 7 |
| 35-49 | 5 | 4.2 | 6 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.8 | 7 | 1 | 1 | 3 | 4 | 8 | 10 | 10 |
| 20-34 | 635 | 5.5 | 9 | 2 | 2 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 367 | 6.8 | 11 | 2 | 3 | 7 | 8 | 10 | 12 | 16 |
| 50-64 | 114 | 7.4 | 27 | 2 | 2 | 7 | 8 | 12 | 14 | 32 |
| 65+ | 73 | 7.6 | 25 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.9 | 7 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| B. *Operated* | 1479 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | 1198 | 6.2 | 13 | 2 | 2 | 6 | 8 | 10 | 12 | 17 |
| **1. SINGLE DX** | 1500 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 1218 | 6.2 | 13 | 2 | 2 | 6 | 8 | 10 | 12 | 17 |
| **A. NOT OPERATED** | 41 | 3.5 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 11 |
| **B. OPERATED** | 2677 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| TOTAL 0-19 YRS | 33 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 1648 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 700 | 5.9 | 11 | 2 | 2 | 6 | 7 | 9 | 11 | 15 |
| 50-64 | 206 | 6.3 | 20 | 2 | 2 | 6 | 8 | 11 | 13 | 30 |
| 65+ | 131 | 6.7 | 20 | 2 | 2 | 6 | 9 | 12 | 15 | 20 |
| **GRAND TOTAL** | 2718 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 5 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 32 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 61 | 4.2 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 50-64 | 106 | 5.1 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 65+ | 125 | 5.6 | 22 | 1 | 2 | 4 | 7 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 12 | 8.3 | 24 | 3 | 3 | 8 | 11 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 34 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 14 | 19 |
| 35-49 | 72 | 7.2 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 33 |
| 50-64 | 162 | 7.9 | 43 | 2 | 2 | 6 | 10 | 16 | 19 | 35 |
| 65+ | 199 | 8.9 | 66 | 2 | 2 | 6 | 12 | 18 | 25 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | 327 | 5.0 | 17 | 1 | 2 | 4 | 7 | 10 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 6.5 | 21 | 2 | 2 | 5 | 10 | 13 | 16 | 17 |
| B. *Operated* | 468 | 8.0 | 49 | 2 | 2 | 6 | 10 | 17 | 22 | 35 |
| **1. SINGLE DX** | 340 | 4.9 | 17 | 1 | 2 | 3 | 6 | 10 | 14 | 20 |
| **2. MULTIPLE DX** | 488 | 7.9 | 48 | 2 | 2 | 6 | 10 | 17 | 20 | 35 |
| **A. NOT OPERATED** | 33 | 5.0 | 17 | 1 | 2 | 3 | 6 | 11 | 14 | 17 |
| **B. OPERATED** | 795 | 6.8 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| TOTAL 0-19 YRS | 5 | 3.2 | 5 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 69 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 139 | 5.7 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 276 | 6.7 | 34 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 65+ | 339 | 7.6 | 50 | 2 | 2 | 5 | 10 | 16 | 22 | 33 |
| **GRAND TOTAL** | **828** | **6.7** | **38** | **1** | **2** | **5** | **9** | **14** | **18** | **31** |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 20-34 | 61 | 4.9 | 27 | <1 | 1 | 3 | 7 | 8 | 11 | 32 |
| 35-49 | 64 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 82 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 65+ | 144 | 6.5 | 63 | 1 | 1 | 4 | 7 | 14 | 19 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| 20-34 | 291 | 5.5 | 84 | 1 | 1 | 3 | 6 | 11 | 15 | 41 |
| 35-49 | 276 | 5.0 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 50-64 | 373 | 5.5 | 40 | 1 | 1 | 3 | 7 | 12 | 15 | 34 |
| 65+ | 376 | 6.3 | 38 | 1 | 1 | 4 | 8 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 20-34 | 59 | 5.8 | 35 | 1 | 1 | 4 | 7 | 11 | 16 | 37 |
| 35-49 | 86 | 6.2 | 41 | 1 | 2 | 5 | 8 | 12 | 20 | 80 |
| 50-64 | 191 | 6.5 | 28 | 1 | 1 | 5 | 9 | 13 | 17 | 26 |
| 65+ | 492 | 8.3 | 72 | 1 | 2 | 6 | 11 | 16 | 21 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 7.4 | 85 | 1 | 1 | 5 | 8 | 14 | 21 | 52 |
| 20-34 | 191 | 7.8 | 68 | 2 | 2 | 6 | 8 | 13 | 21 | 46 |
| 35-49 | 256 | 7.3 | 31 | 2 | 2 | 6 | 9 | 14 | 16 | 29 |
| 50-64 | 351 | 9.0 | 68 | 2 | 2 | 7 | 11 | 19 | 24 | 36 |
| 65+ | 627 | 11.0 | 89 | 2 | 3 | 9 | 15 | 22 | 28 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 396 | 5.0 | 33 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| B. *Operated* | 1467 | 5.4 | 43 | 1 | 1 | 3 | 7 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 852 | 7.4 | 56 | 1 | 2 | 5 | 9 | 15 | 19 | 37 |
| B. *Operated* | 1472 | 9.3 | 73 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |
| **1. SINGLE DX** | 1863 | 5.3 | 41 | 1 | 1 | 3 | 6 | 11 | 15 | 29 |
| **2. MULTIPLE DX** | 2324 | 8.6 | 66 | 1 | 2 | 6 | 11 | 17 | 23 | 39 |
| **A. NOT OPERATED** | 1248 | 6.6 | 50 | 1 | 1 | 5 | 8 | 14 | 18 | 36 |
| **B. OPERATED** | 2939 | 7.4 | 62 | 1 | 2 | 5 | 9 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 267 | 4.2 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 20-34 | 602 | 6.1 | 69 | 1 | 2 | 4 | 7 | 11 | 16 | 39 |
| 35-49 | 682 | 6.0 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 997 | 6.8 | 48 | 1 | 2 | 5 | 9 | 15 | 20 | 32 |
| 65+ | 1639 | 8.7 | 74 | 1 | 2 | 6 | 12 | 18 | 23 | 40 |
| **GRAND TOTAL** | **4187** | **7.1** | **58** | **1** | **2** | **5** | **9** | **15** | **20** | **37** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 24 | 3.1 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 30 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 50-64 | 22 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 65+ | 24 | 3.3 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.6 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 297 | 4.2 | 4 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 351 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 374 | 4.7 | 3 | 3 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 159 | 6.1 | 17 | 3 | 3 | 5 | 7 | 10 | 11 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 55 | 3.8 | 6 | 1 | 1 | 4 | 4 | 6 | 8 | 15 |
| 35-49 | 62 | 5.0 | 10 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| 50-64 | 72 | 5.3 | 12 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 78 | 7.0 | 17 | 2 | 3 | 6 | 9 | 14 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.9 | 6 | 3 | 3 | 4 | 6 | 9 | 10 | 10 |
| 20-34 | 111 | 5.7 | 8 | 3 | 3 | 5 | 7 | 9 | 10 | 19 |
| 35-49 | 191 | 5.6 | 8 | 3 | 3 | 5 | 6 | 9 | 11 | 17 |
| 50-64 | 248 | 7.4 | 45 | 3 | 3 | 5 | 8 | 13 | 17 | 38 |
| 65+ | 171 | 8.9 | 48 | 3 | 4 | 7 | 11 | 15 | 24 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 1217 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 278 | 5.4 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 17 |
| B. *Operated* | 729 | 7.0 | 31 | 3 | 3 | 5 | 8 | 12 | 15 | 35 |
| **1. SINGLE DX** | 1325 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 1007 | 6.5 | 27 | 2 | 3 | 5 | 7 | 11 | 15 | 30 |
| **A. NOT OPERATED** | 386 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| **B. OPERATED** | 1946 | 5.5 | 16 | 3 | 3 | 4 | 6 | 9 | 11 | 24 |
| TOTAL 0-19 YRS | 63 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 487 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 634 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 716 | 5.6 | 20 | 3 | 3 | 5 | 6 | 9 | 12 | 26 |
| 65+ | 432 | 7.2 | 31 | 2 | 3 | 6 | 8 | 13 | 16 | 31 |
| **GRAND TOTAL** | 2332 | 5.4 | 16 | 2 | 3 | 4 | 6 | 9 | 12 | 21 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 4.9 | 68 | 1 | 1 | 3 | 5 | 8 | 9 | 60 |
| 20-34 | 200 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 162 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 103 | 5.8 | 16 | 2 | 3 | 5 | 8 | 10 | 14 | 23 |
| 65+ | 93 | 7.3 | 28 | 2 | 2 | 6 | 9 | 14 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 5.9 | 49 | 2 | 3 | 4 | 5 | 10 | 11 | 48 |
| 20-34 | 292 | 5.4 | 13 | 3 | 3 | 5 | 6 | 8 | 13 | 22 |
| 35-49 | 231 | 4.8 | 7 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |
| 50-64 | 151 | 5.1 | 10 | 3 | 3 | 4 | 6 | 8 | 11 | 13 |
| 65+ | 42 | 5.8 | 8 | 3 | 3 | 5 | 7 | 9 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 5.8 | 47 | 1 | 1 | 4 | 6 | 12 | 22 | 36 |
| 20-34 | 241 | 5.9 | 18 | 2 | 2 | 5 | 7 | 10 | 12 | 27 |
| 35-49 | 367 | 6.6 | 22 | 2 | 2 | 5 | 9 | 12 | 16 | 22 |
| 50-64 | 513 | 8.1 | 40 | 2 | 3 | 7 | 10 | 14 | 18 | 25 |
| 65+ | 573 | 9.6 | 68 | 3 | 3 | 8 | 11 | 16 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.8 | 17 | 3 | 4 | 6 | 7 | 15 | 17 | 17 |
| 20-34 | 104 | 9.3 | 91 | 3 | 3 | 7 | 9 | 19 | 26 | 55 |
| 35-49 | 150 | 7.5 | 50 | 2 | 3 | 6 | 9 | 12 | 17 | 29 |
| 50-64 | 141 | 9.6 | 85 | 3 | 3 | 6 | 11 | 20 | 29 | 44 |
| 65+ | 138 | 13.4 | 129 | 3 | 4 | 11 | 17 | 26 | 38 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 616 | 5.3 | 19 | 1 | 2 | 4 | 7 | 9 | 13 | 20 |
| B. *Operated* | 759 | 5.2 | 12 | 3 | 3 | 4 | 6 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1738 | 7.9 | 45 | 2 | 3 | 6 | 10 | 14 | 18 | 34 |
| B. *Operated* | 550 | 9.8 | 90 | 3 | 3 | 7 | 11 | 20 | 29 | 71 |
| **1. SINGLE DX** | 1375 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 2288 | 8.4 | 56 | 2 | 3 | 7 | 10 | 15 | 21 | 39 |
| **A. NOT OPERATED** | 2354 | 7.2 | 39 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| **B. OPERATED** | 1309 | 7.1 | 50 | 3 | 3 | 5 | 8 | 13 | 20 | 38 |
| TOTAL 0-19 YRS | 162 | 5.6 | 51 | 1 | 2 | 4 | 6 | 9 | 14 | 47 |
| 20-34 | 837 | 5.9 | 25 | 2 | 2 | 5 | 7 | 10 | 13 | 27 |
| 35-49 | 910 | 6.0 | 22 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 50-64 | 908 | 7.5 | 42 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 65+ | 846 | 9.8 | 74 | 3 | 3 | 8 | 12 | 18 | 25 | 48 |
| **GRAND TOTAL** | 3663 | 7.2 | 43 | 2 | 3 | 5 | 8 | 13 | 18 | 34 |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 402 | 6.6 | 24 | 2 | 3 | 6 | 8 | 10 | 13 | 23 |
| 20-34 | 415 | 6.1 | 28 | 2 | 2 | 5 | 7 | 10 | 13 | 31 |
| 35-49 | 537 | 6.3 | 13 | 2 | 3 | 6 | 8 | 11 | 12 | 19 |
| 50-64 | 620 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 14 | 18 |
| 65+ | 605 | 7.1 | 16 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 25 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| 20-34 | 4 | 6.0 | 45 | 2 | 2 | 3 | 10 | 16 | 16 | 16 |
| 35-49 | 6 | 7.7 | 21 | 3 | 3 | 7 | 10 | 14 | 15 | 15 |
| 50-64 | 15 | 12.5 | 96 | 3 | 3 | 11 | 14 | 31 | 33 | 34 |
| 65+ | 10 | 9.4 | 48 | 4 | 4 | 6 | 13 | 21 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 346 | 5.7 | 19 | 1 | 2 | 5 | 7 | 11 | 13 | 23 |
| 20-34 | 872 | 6.5 | 21 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 35-49 | 1854 | 7.4 | 23 | 2 | 3 | 6 | 9 | 12 | 16 | 22 |
| 50-64 | 3748 | 8.1 | 29 | 3 | 3 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 4762 | 9.2 | 46 | 3 | 3 | 8 | 11 | 16 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 10.7 | 237 | 1 | 2 | 7 | 11 | 43 | 75 | 99+ |
| 20-34 | 106 | 10.6 | 111 | 2 | 2 | 8 | 14 | 20 | 27 | 59 |
| 35-49 | 276 | 11.4 | 77 | 2 | 3 | 10 | 14 | 22 | 26 | 50 |
| 50-64 | 603 | 13.8 | 133 | 3 | 4 | 11 | 17 | 27 | 39 | 67 |
| 65+ | 618 | 15.3 | 150 | 3 | 4 | 12 | 19 | 30 | 41 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2579 | 6.6 | 18 | 2 | 3 | 6 | 8 | 11 | 13 | 21 |
| B. *Operated* | 38 | 9.7 | 62 | 2 | 3 | 7 | 13 | 21 | 28 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11582 | 8.2 | 35 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | 1629 | 13.7 | 133 | 2 | 3 | 11 | 17 | 27 | 38 | 69 |
| **1. SINGLE DX** | 2617 | 6.6 | 19 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 13211 | 8.9 | 50 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| **A. NOT OPERATED** | 14161 | 7.9 | 32 | 2 | 3 | 7 | 10 | 14 | 17 | 29 |
| **B. OPERATED** | 1667 | 13.6 | 132 | 2 | 3 | 11 | 17 | 27 | 37 | 68 |
| TOTAL 0-19 YRS | 777 | 6.3 | 30 | 1 | 2 | 5 | 8 | 11 | 13 | 29 |
| 20-34 | 1397 | 6.7 | 31 | 2 | 2 | 5 | 8 | 12 | 15 | 30 |
| 35-49 | 2673 | 7.6 | 28 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 50-64 | 4986 | 8.6 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 37 |
| 65+ | 5995 | 9.6 | 57 | 3 | 3 | 8 | 12 | 17 | 23 | 42 |
| **GRAND TOTAL** | 15828 | 8.5 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 600 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 475 | 5.0 | 10 | 2 | 2 | 4 | 7 | 9 | 11 | 16 |
| 35-49 | 178 | 6.7 | 16 | 2 | 2 | 6 | 8 | 12 | 15 | 19 |
| 50-64 | 171 | 8.6 | 29 | 3 | 3 | 8 | 11 | 14 | 19 | 28 |
| 65+ | 111 | 8.9 | 38 | 2 | 3 | 8 | 11 | 15 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.0 | 77 | 4 | 4 | 11 | 19 | 21 | 21 | 21 |
| 20-34 | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 14.7 | 142 | 5 | 5 | 11 | 24 | 28 | 28 | 28 |
| 50-64 | 4 | 18.0 | 85 | 9 | 9 | 16 | 25 | 30 | 30 | 30 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 383 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 20-34 | 693 | 6.0 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 35-49 | 514 | 8.0 | 26 | 2 | 3 | 7 | 10 | 13 | 17 | 27 |
| 50-64 | 482 | 10.1 | 58 | 3 | 4 | 9 | 12 | 18 | 24 | 43 |
| 65+ | 503 | 12.2 | 83 | 3 | 4 | 10 | 15 | 22 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.5 | 16 | 3 | 3 | 8 | 12 | 14 | 15 | 16 |
| 20-34 | 56 | 12.4 | 145 | 3 | 4 | 9 | 13 | 23 | 31 | 71 |
| 35-49 | 45 | 17.1 | 109 | 7 | 8 | 15 | 21 | 32 | 50 | 99+ |
| 50-64 | 45 | 17.4 | 149 | 8 | 8 | 14 | 19 | 38 | 80 | 99+ |
| 65+ | 36 | 22.2 | 356 | 6 | 9 | 16 | 28 | 41 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1535 | 5.8 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 15 | 12.9 | 75 | 3 | 4 | 11 | 19 | 28 | 29 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2575 | 8.3 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| B. *Operated* | 197 | 16.1 | 179 | 4 | 6 | 12 | 18 | 34 | 51 | 99+ |
| **1. SINGLE DX** | 1550 | 5.9 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 2772 | 8.9 | 59 | 2 | 3 | 7 | 11 | 16 | 22 | 43 |
| **A. NOT OPERATED** | 4110 | 7.4 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| **B. OPERATED** | 212 | 15.9 | 172 | 4 | 5 | 12 | 18 | 33 | 49 | 99+ |
| TOTAL 0-19 YRS | 1002 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 20-34 | 1227 | 5.9 | 22 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 35-49 | 740 | 8.2 | 34 | 2 | 3 | 7 | 10 | 15 | 18 | 33 |
| 50-64 | 702 | 10.2 | 61 | 3 | 4 | 9 | 13 | 18 | 24 | 46 |
| 65+ | 651 | 12.2 | 97 | 3 | 4 | 10 | 15 | 22 | 29 | 53 |
| **GRAND TOTAL** | 4322 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 6.2 | 17 | 2 | 2 | 5 | 8 | 10 | 13 | 23 |
| 20-34 | 324 | 5.7 | 10 | 2 | 3 | 5 | 7 | 9 | 12 | 15 |
| 35-49 | 371 | 6.6 | 11 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |
| 50-64 | 556 | 7.4 | 21 | 3 | 3 | 7 | 9 | 12 | 15 | 25 |
| 65+ | 556 | 7.5 | 26 | 3 | 3 | 7 | 9 | 13 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 19 | 5.9 | 21 | 1 | 2 | 5 | 7 | 12 | 16 | 19 |
| 35-49 | 35 | 6.2 | 42 | 1 | 1 | 5 | 7 | 11 | 23 | 30 |
| 50-64 | 83 | 6.8 | 62 | 1 | 2 | 5 | 8 | 14 | 18 | 48 |
| 65+ | 93 | 5.9 | 39 | 1 | 2 | 3 | 7 | 13 | 17 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 15 | 22 |
| 20-34 | 728 | 7.6 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 35 |
| 35-49 | 1431 | 8.0 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| 50-64 | 2957 | 8.4 | 32 | 3 | 3 | 7 | 10 | 14 | 18 | 30 |
| 65+ | 3569 | 9.7 | 45 | 3 | 4 | 8 | 12 | 17 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 11.9 | 73 | 3 | 4 | 10 | 16 | 34 | 78 | 99+ |
| 20-34 | 154 | 12.7 | 162 | 2 | 3 | 9 | 15 | 24 | 34 | 78 |
| 35-49 | 389 | 14.5 | 151 | 3 | 4 | 11 | 18 | 30 | 39 | 65 |
| 50-64 | 939 | 17.6 | 235 | 3 | 4 | 13 | 23 | 37 | 51 | 76 |
| 65+ | 1249 | 18.7 | 229 | 3 | 4 | 14 | 25 | 42 | 51 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2015 | 6.9 | 19 | 2 | 3 | 6 | 9 | 11 | 14 | 22 |
| B. *Operated* | 230 | 6.3 | 46 | 1 | 2 | 4 | 7 | 13 | 19 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8865 | 8.7 | 38 | 3 | 3 | 7 | 11 | 15 | 19 | 33 |
| B. *Operated* | 2747 | 17.4 | 218 | 3 | 4 | 13 | 22 | 38 | 50 | 77 |
| **1. SINGLE DX** | 2245 | 6.8 | 21 | 2 | 3 | 6 | 8 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | 11612 | 10.8 | 94 | 3 | 3 | 8 | 13 | 21 | 29 | 54 |
| **A. NOT OPERATED** | 10880 | 8.4 | 35 | 3 | 3 | 7 | 10 | 15 | 18 | 32 |
| **B. OPERATED** | 2977 | 16.5 | 214 | 2 | 3 | 12 | 21 | 36 | 49 | 76 |
| TOTAL 0-19 YRS | 404 | 6.1 | 21 | 1 | 2 | 5 | 8 | 11 | 16 | 26 |
| 20-34 | 1225 | 7.7 | 49 | 2 | 3 | 6 | 9 | 14 | 19 | 36 |
| 35-49 | 2226 | 8.9 | 54 | 2 | 3 | 7 | 11 | 16 | 21 | 39 |
| 50-64 | 4535 | 10.2 | 88 | 3 | 3 | 8 | 12 | 19 | 27 | 52 |
| 65+ | 5467 | 11.4 | 101 | 3 | 4 | 9 | 14 | 22 | 31 | 56 |
| **GRAND TOTAL** | 13857 | 10.1 | 84 | 3 | 3 | 8 | 12 | 19 | 27 | 51 |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 23 | 4.0 | 22 | <1 | 1 | 2 | 5 | 8 | 14 | 23 |
| 35-49 | 6 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 227 | 4.1 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 18 | 4.5 | 11 | <1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 28 | 4.0 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 10 | 4.7 | 12 | 2 | 2 | 4 | 5 | 10 | 14 | 14 |
| 50-64 | 5 | 4.8 | 7 | 2 | 2 | 5 | 6 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.0 | 7 | 1 | 1 | 3 | 6 | 7 | 9 | 14 |
| 20-34 | 483 | 4.3 | 10 | <1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 35-49 | 75 | 6.3 | 13 | 1 | 1 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 7 | 12.7 | 150 | 6 | 6 | 8 | 11 | 34 | 40 | 40 |
| 65+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 11 | 23 |
| B. *Operated* | 286 | 4.0 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | 618 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| **1. SINGLE DX** | 331 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 669 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| **A. NOT OPERATED** | 96 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| **B. OPERATED** | 904 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| TOTAL 0-19 YRS | 113 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 761 | 4.2 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 109 | 5.7 | 12 | 1 | 1 | 6 | 8 | 10 | 11 | 18 |
| 50-64 | 14 | 9.4 | 96 | 1 | 2 | 7 | 10 | 20 | 30 | 40 |
| 65+ | 3 | 6.3 | 17 | 3 | 3 | 5 | 9 | 11 | 11 | 11 |
| **GRAND TOTAL** | 1000 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 3.8 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 26 |
| 20-34 | 216 | 4.4 | 15 | 1 | 2 | 3 | 5 | 8 | 12 | 22 |
| 35-49 | 165 | 4.8 | 23 | 1 | 2 | 4 | 6 | 8 | 9 | 29 |
| 50-64 | 131 | 5.4 | 31 | 1 | 2 | 4 | 7 | 10 | 12 | 29 |
| 65+ | 134 | 5.9 | 24 | 1 | 2 | 5 | 7 | 12 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.2 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 10 |
| 20-34 | 28 | 7.9 | 135 | 2 | 2 | 5 | 8 | 11 | 17 | 65 |
| 35-49 | 33 | 8.5 | 34 | 3 | 3 | 6 | 12 | 17 | 21 | 25 |
| 50-64 | 44 | 8.6 | 47 | 2 | 3 | 6 | 11 | 17 | 22 | 37 |
| 65+ | 23 | 9.0 | 49 | 3 | 4 | 7 | 11 | 18 | 24 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 4.5 | 39 | 1 | 1 | 3 | 5 | 8 | 12 | 39 |
| 20-34 | 418 | 5.7 | 22 | 1 | 2 | 5 | 7 | 12 | 14 | 24 |
| 35-49 | 489 | 6.7 | 27 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| 50-64 | 624 | 6.9 | 32 | 2 | 2 | 5 | 8 | 14 | 18 | 28 |
| 65+ | 1233 | 7.6 | 40 | 2 | 2 | 6 | 10 | 14 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 7.7 | 65 | 2 | 2 | 5 | 9 | 15 | 28 | 35 |
| 20-34 | 73 | 11.6 | 112 | 2 | 3 | 9 | 15 | 23 | 28 | 61 |
| 35-49 | 83 | 10.4 | 63 | 2 | 3 | 8 | 14 | 20 | 26 | 41 |
| 50-64 | 133 | 12.8 | 102 | 4 | 4 | 9 | 17 | 29 | 34 | 44 |
| 65+ | 148 | 16.9 | 258 | 4 | 5 | 12 | 23 | 39 | 47 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 797 | 4.8 | 22 | 1 | 2 | 3 | 6 | 9 | 12 | 25 |
| B. *Operated* | 144 | 8.0 | 57 | 2 | 3 | 6 | 10 | 16 | 20 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2946 | 6.9 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| B. *Operated* | 454 | 13.3 | 152 | 3 | 4 | 9 | 17 | 28 | 39 | 86 |
| **1. SINGLE DX** | 941 | 5.3 | 28 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | 3400 | 7.7 | 55 | 2 | 2 | 6 | 9 | 15 | 21 | 39 |
| **A. NOT OPERATED** | 3743 | 6.4 | 32 | 1 | 2 | 5 | 8 | 12 | 17 | 29 |
| **B. OPERATED** | 598 | 12.0 | 135 | 3 | 3 | 8 | 15 | 25 | 35 | 71 |
| TOTAL 0-19 YRS | 366 | 4.4 | 30 | 1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 20-34 | 735 | 6.0 | 37 | 1 | 2 | 4 | 7 | 12 | 17 | 29 |
| 35-49 | 770 | 6.8 | 32 | 2 | 2 | 5 | 8 | 13 | 18 | 30 |
| 50-64 | 932 | 7.6 | 47 | 2 | 2 | 5 | 9 | 16 | 21 | 35 |
| 65+ | 1538 | 8.4 | 67 | 2 | 2 | 6 | 10 | 16 | 23 | 43 |
| **GRAND TOTAL** | 4341 | 7.2 | 50 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.2 | 10 | 2 | 3 | 4 | 5 | 10 | 13 | 13 |
| 20-34 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 8 | 5.6 | 18 | 2 | 2 | 4 | 9 | 12 | 13 | 13 |
| 50-64 | 12 | 7.8 | 16 | 3 | 3 | 7 | 11 | 14 | 15 | 15 |
| 65+ | 21 | 5.9 | 6 | 2 | 2 | 6 | 8 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 5 | 4 | 4 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 6 | 5.0 | 12 | <1 | <1 | 5 | 7 | 10 | 10 | 10 |
| 35-49 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 6.7 | 20 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| 65+ | 4 | 8.0 | 7 | 4 | 4 | 9 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 8.7 | 101 | 1 | 2 | 7 | 8 | 18 | 32 | 50 |
| 20-34 | 32 | 9.8 | 50 | 2 | 3 | 8 | 11 | 20 | 27 | 31 |
| 35-49 | 45 | 10.2 | 47 | 3 | 3 | 8 | 14 | 21 | 25 | 27 |
| 50-64 | 88 | 10.0 | 56 | 3 | 3 | 8 | 13 | 22 | 25 | 33 |
| 65+ | 419 | 12.6 | 109 | 3 | 4 | 10 | 15 | 23 | 34 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 16.5 | 54 | 7 | 7 | 17 | 21 | 25 | 25 | 25 |
| 20-34 | 10 | 13.8 | 150 | 3 | 5 | 9 | 17 | 33 | 45 | 45 |
| 35-49 | 14 | 9.9 | 25 | 3 | 5 | 9 | 13 | 22 | 80 | 99+ |
| 50-64 | 23 | 23.0 | 215 | 7 | 8 | 20 | 33 | 40 | 51 | 67 |
| 65+ | 81 | 20.2 | 326 | 4 | 7 | 15 | 22 | 45 | 63 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 6.0 | 11 | 2 | 2 | 5 | 8 | 11 | 13 | 15 |
| B. *Operated* | 19 | 5.4 | 12 | <1 | 1 | 4 | 9 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 615 | 11.7 | 95 | 3 | 3 | 9 | 15 | 23 | 30 | 63 |
| B. *Operated* | 132 | 19.0 | 264 | 5 | 7 | 14 | 22 | 40 | 61 | 98 |
| **1. SINGLE DX** | 72 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 13 | 15 |
| **2. MULTIPLE DX** | 747 | 13.0 | 132 | 3 | 4 | 10 | 16 | 25 | 34 | 66 |
| **A. NOT OPERATED** | 668 | 11.2 | 91 | 3 | 3 | 8 | 14 | 22 | 29 | 63 |
| **B. OPERATED** | 151 | 17.3 | 252 | 3 | 4 | 13 | 21 | 36 | 53 | 98 |
| TOTAL 0-19 YRS | 47 | 8.5 | 80 | 2 | 2 | 6 | 8 | 17 | 26 | 50 |
| 20-34 | 51 | 9.5 | 68 | 2 | 2 | 8 | 11 | 20 | 28 | 45 |
| 35-49 | 70 | 9.2 | 41 | 2 | 2 | 8 | 13 | 19 | 25 | 85 |
| 50-64 | 126 | 12.1 | 106 | 3 | 3 | 9 | 16 | 25 | 34 | 48 |
| 65+ | 525 | 13.4 | 147 | 3 | 4 | 10 | 16 | 25 | 36 | 68 |
| **GRAND TOTAL** | 819 | 12.3 | 126 | 3 | 3 | 9 | 15 | 24 | 33 | 65 |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 8.7 | 53 | 2 | 3 | 7 | 10 | 20 | 23 | 35 |
| 20-34 | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 11.4 | 103 | 2 | 3 | 9 | 14 | 22 | 27 | 62 |
| 20-34 | 34 | 8.6 | 37 | 2 | 2 | 7 | 13 | 17 | 18 | 29 |
| 35-49 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.4 | 144 | 1 | 1 | 7 | 15 | 32 | 36 | 36 |
| 20-34 | 6 | 4.2 | 16 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| 35-49 | 3 | 7.3 | 102 | 1 | 1 | 2 | 15 | 19 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 8.2 | 49 | 2 | 2 | 6 | 9 | 19 | 23 | 35 |
| B. *Operated* | 9 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 10.6 | 87 | 2 | 2 | 8 | 14 | 20 | 25 | 52 |
| B. *Operated* | 16 | 7.9 | 88 | 1 | 1 | 5 | 11 | 19 | 31 | 36 |
| **1. SINGLE DX** | 47 | 7.2 | 45 | 1 | 2 | 5 | 9 | 16 | 22 | 35 |
| **2. MULTIPLE DX** | 152 | 10.3 | 87 | 2 | 2 | 8 | 13 | 20 | 26 | 48 |
| **A. NOT OPERATED** | 174 | 10.1 | 80 | 2 | 2 | 8 | 13 | 20 | 24 | 45 |
| **B. OPERATED** | 25 | 6.1 | 62 | 1 | 1 | 3 | 7 | 16 | 23 | 36 |
| TOTAL 0-19 YRS | 141 | 10.8 | 93 | 2 | 3 | 8 | 13 | 21 | 27 | 50 |
| 20-34 | 46 | 7.3 | 34 | 1 | 2 | 6 | 10 | 15 | 17 | 29 |
| 35-49 | 12 | 4.4 | 24 | 1 | 1 | 3 | 5 | 10 | 18 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 199 | 9.6 | 79 | 2 | 2 | 7 | 13 | 20 | 24 | 42 |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.8 | 3 | 1 | 2 | 3 | 5 | 7 | 7 | 8 |
| 20-34 | 23 | 3.4 | 8 | <1 | 1 | 3 | 6 | 8 | 38 | 99+ |
| 35-49 | 21 | 7.0 | 176 | 1 | 1 | 3 | 6 | 11 | 36 | 63 |
| 50-64 | 10 | 4.4 | 10 | 1 | 1 | 3 | 6 | 9 | 12 | 12 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 8.1 | 5 | 6 | 6 | 8 | 9 | 11 | 13 | 15 |
| 20-34 | 453 | 8.8 | 19 | 5 | 6 | 8 | 10 | 12 | 14 | 21 |
| 35-49 | 240 | 9.2 | 16 | 6 | 6 | 8 | 10 | 13 | 15 | 25 |
| 50-64 | 42 | 10.1 | 15 | 7 | 7 | 9 | 11 | 15 | 19 | 24 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.6 | 16 | 1 | 2 | 4 | 5 | 9 | 11 | 24 |
| 20-34 | 104 | 5.3 | 36 | 1 | 1 | 4 | 6 | 10 | 17 | 37 |
| 35-49 | 124 | 6.7 | 35 | 1 | 2 | 5 | 8 | 12 | 21 | 29 |
| 50-64 | 138 | 7.5 | 29 | 2 | 2 | 6 | 10 | 14 | 19 | 27 |
| 65+ | 47 | 7.5 | 27 | 2 | 3 | 6 | 10 | 14 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 9.1 | 37 | 5 | 6 | 8 | 9 | 12 | 14 | 39 |
| 20-34 | 657 | 8.8 | 43 | 5 | 5 | 7 | 9 | 12 | 16 | 43 |
| 35-49 | 574 | 9.5 | 44 | 5 | 5 | 8 | 10 | 14 | 18 | 47 |
| 50-64 | 154 | 11.5 | 87 | 5 | 5 | 9 | 12 | 21 | 27 | 54 |
| 65+ | 14 | 14.0 | 185 | 2 | 2 | 10 | 19 | 37 | 39 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 4.6 | 52 | 1 | 1 | 3 | 5 | 8 | 11 | 89 |
| B. *Operated* | 765 | 9.0 | 18 | 5 | 6 | 8 | 10 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 460 | 6.5 | 32 | 1 | 2 | 5 | 8 | 13 | 19 | 27 |
| B. *Operated* | 1429 | 9.4 | 50 | 5 | 5 | 8 | 10 | 14 | 18 | 45 |
| **1. SINGLE DX** | 844 | 8.6 | 22 | 3 | 5 | 8 | 10 | 12 | 14 | 24 |
| **2. MULTIPLE DX** | 1889 | 8.7 | 47 | 3 | 4 | 7 | 10 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 539 | 6.2 | 35 | 1 | 2 | 4 | 8 | 12 | 18 | 29 |
| **B. OPERATED** | 2194 | 9.3 | 39 | 5 | 5 | 8 | 10 | 13 | 17 | 39 |
| TOTAL 0-19 YRS | 131 | 6.3 | 20 | 2 | 2 | 6 | 8 | 10 | 12 | 27 |
| 20-34 | 1237 | 8.4 | 34 | 3 | 5 | 7 | 9 | 12 | 15 | 36 |
| 35-49 | 959 | 9.0 | 40 | 3 | 5 | 8 | 10 | 14 | 17 | 38 |
| 50-64 | 344 | 9.5 | 57 | 2 | 3 | 8 | 11 | 17 | 24 | 34 |
| 65+ | 62 | 8.9 | 68 | 2 | 2 | 6 | 11 | 19 | 29 | 40 |
| **GRAND TOTAL** | 2733 | 8.7 | 39 | 3 | 4 | 8 | 10 | 13 | 17 | 37 |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 9 | 28 |
| 20-34 | 60 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 64 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 48 | 5.3 | 24 | 1 | 1 | 3 | 7 | 13 | 15 | 23 |
| 65+ | 37 | 6.1 | 30 | 1 | 2 | 4 | 8 | 13 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 20-34 | 60 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 65 | 4.5 | 11 | 1 | 2 | 3 | 5 | 10 | 12 | 14 |
| 50-64 | 62 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 12 | 19 |
| 65+ | 38 | 6.3 | 28 | 1 | 2 | 5 | 7 | 12 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 6.3 | 40 | 1 | 2 | 4 | 7 | 13 | 19 | 34 |
| 20-34 | 142 | 5.3 | 18 | 1 | 2 | 4 | 7 | 9 | 13 | 25 |
| 35-49 | 251 | 6.2 | 23 | 2 | 2 | 5 | 8 | 12 | 14 | 28 |
| 50-64 | 263 | 7.1 | 37 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| 65+ | 265 | 9.2 | 45 | 3 | 3 | 8 | 12 | 17 | 24 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 8.1 | 117 | 1 | 1 | 6 | 10 | 14 | 18 | 64 |
| 20-34 | 108 | 7.5 | 28 | 2 | 2 | 7 | 9 | 14 | 17 | 32 |
| 35-49 | 160 | 7.8 | 31 | 2 | 2 | 7 | 10 | 14 | 18 | 30 |
| 50-64 | 156 | 8.8 | 67 | 2 | 2 | 6 | 11 | 20 | 24 | 43 |
| 65+ | 102 | 13.0 | 104 | 2 | 3 | 10 | 17 | 27 | 34 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 296 | 4.9 | 19 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| B. *Operated* | 266 | 4.5 | 14 | 1 | 2 | 4 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1022 | 7.1 | 35 | 2 | 2 | 5 | 9 | 14 | 19 | 29 |
| B. *Operated* | 560 | 9.0 | 63 | 2 | 2 | 7 | 11 | 18 | 24 | 38 |
| **1. SINGLE DX** | 562 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| **2. MULTIPLE DX** | 1582 | 7.8 | 45 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| **A. NOT OPERATED** | 1318 | 6.6 | 32 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| **B. OPERATED** | 826 | 7.6 | 51 | 2 | 2 | 5 | 10 | 16 | 22 | 36 |
| TOTAL 0-19 YRS | 263 | 5.5 | 39 | 1 | 1 | 4 | 7 | 10 | 16 | 30 |
| 20-34 | 370 | 5.8 | 21 | 1 | 2 | 5 | 7 | 10 | 14 | 25 |
| 35-49 | 540 | 6.3 | 24 | 2 | 2 | 5 | 8 | 12 | 14 | 28 |
| 50-64 | 529 | 7.0 | 44 | 1 | 2 | 5 | 9 | 15 | 20 | 36 |
| 65+ | 442 | 9.6 | 60 | 2 | 3 | 7 | 12 | 20 | 25 | 39 |
| **GRAND TOTAL** | 2144 | 7.0 | 40 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 20 | 3.4 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 46 | 4.8 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 22 |
| 50-64 | 62 | 5.7 | 26 | 2 | 2 | 4 | 6 | 10 | 13 | 31 |
| 65+ | 69 | 5.6 | 9 | 2 | 2 | 5 | 7 | 10 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 9.9 | 92 | 2 | 2 | 9 | 11 | 26 | 30 | 30 |
| 50-64 | 13 | 4.4 | 12 | 1 | 1 | 3 | 6 | 8 | 13 | 14 |
| 65+ | 10 | 5.3 | 11 | 2 | 2 | 4 | 7 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 20 | 5.6 | 20 | 1 | 2 | 4 | 7 | 11 | 16 | 20 |
| 35-49 | 110 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 220 | 7.1 | 20 | 3 | 3 | 6 | 9 | 13 | 15 | 23 |
| 65+ | 373 | 7.9 | 31 | 3 | 3 | 6 | 10 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 4 | 9.0 | 77 | 3 | 3 | 5 | 14 | 22 | 22 | 22 |
| 35-49 | 15 | 10.8 | 67 | 2 | 3 | 9 | 15 | 20 | 30 | 33 |
| 50-64 | 37 | 13.6 | 152 | 3 | 3 | 8 | 16 | 36 | 42 | 43 |
| 65+ | 54 | 11.7 | 71 | 2 | 4 | 9 | 16 | 22 | 36 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 198 | 5.2 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 25 |
| B. *Operated* | 32 | 5.8 | 31 | 2 | 2 | 4 | 7 | 11 | 14 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 725 | 7.3 | 25 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | 112 | 12.0 | 96 | 2 | 3 | 9 | 16 | 27 | 39 | 65 |
| **1. SINGLE DX** | 230 | 5.3 | 17 | 2 | 2 | 4 | 6 | 10 | 12 | 28 |
| **2. MULTIPLE DX** | 837 | 7.9 | 37 | 2 | 3 | 6 | 10 | 15 | 19 | 36 |
| **A. NOT OPERATED** | 923 | 6.8 | 24 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| **B. OPERATED** | 144 | 10.6 | 88 | 2 | 2 | 8 | 14 | 22 | 35 | 47 |
| TOTAL 0-19 YRS | 5 | 3.8 | 8 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 46 | 4.8 | 18 | 1 | 2 | 3 | 6 | 8 | 14 | 22 |
| 35-49 | 178 | 6.1 | 22 | 2 | 2 | 5 | 7 | 10 | 16 | 28 |
| 50-64 | 332 | 7.5 | 40 | 2 | 3 | 6 | 9 | 14 | 17 | 37 |
| 65+ | 506 | 7.9 | 34 | 2 | 3 | 6 | 10 | 15 | 19 | 35 |
| **GRAND TOTAL** | 1067 | 7.3 | 34 | 2 | 3 | 6 | 9 | 14 | 18 | 35 |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 69 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 11 |
| 35-49 | 55 | 4.5 | 16 | <1 | 1 | 4 | 6 | 8 | 11 | 25 |
| 50-64 | 82 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 11 | 20 |
| 65+ | 221 | 7.4 | 45 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 50-64 | 5 | 4.4 | 7 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 65+ | 6 | 15.5 | 107 | 3 | 3 | 14 | 22 | 31 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 699 | 4.2 | 15 | 1 | 2 | 3 | 5 | 7 | 11 | 19 |
| 20-34 | 420 | 4.4 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 569 | 5.8 | 22 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| 50-64 | 1105 | 7.8 | 58 | 2 | 2 | 6 | 9 | 15 | 19 | 38 |
| 65+ | 4048 | 10.2 | 74 | 3 | 3 | 8 | 13 | 19 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 8.0 | 36 | 1 | 3 | 6 | 9 | 20 | 21 | 22 |
| 20-34 | 36 | 8.3 | 33 | 1 | 2 | 7 | 11 | 15 | 17 | 30 |
| 35-49 | 58 | 13.4 | 223 | 2 | 3 | 9 | 15 | 25 | 42 | 92 |
| 50-64 | 94 | 15.7 | 182 | 2 | 4 | 12 | 20 | 32 | 40 | 73 |
| 65+ | 305 | 19.3 | 231 | 4 | 6 | 15 | 25 | 36 | 53 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 525 | 5.4 | 28 | 1 | 1 | 4 | 7 | 10 | 14 | 26 |
| B. *Operated* | 15 | 9.4 | 71 | 1 | 2 | 7 | 12 | 22 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6841 | 8.5 | 63 | 2 | 2 | 6 | 11 | 16 | 22 | 42 |
| B. *Operated* | 519 | 16.7 | 211 | 3 | 4 | 13 | 21 | 34 | 44 | 95 |
| **1. SINGLE DX** | 540 | 5.6 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **2. MULTIPLE DX** | 7360 | 9.1 | 77 | 2 | 2 | 7 | 11 | 18 | 25 | 46 |
| **A. NOT OPERATED** | 7366 | 8.3 | 61 | 2 | 2 | 6 | 10 | 16 | 22 | 42 |
| **B. OPERATED** | 534 | 16.5 | 208 | 3 | 4 | 13 | 21 | 33 | 44 | 95 |
| TOTAL 0-19 YRS | 824 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 20-34 | 526 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 684 | 6.3 | 43 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| 50-64 | 1286 | 8.2 | 69 | 2 | 2 | 6 | 10 | 16 | 21 | 41 |
| 65+ | 4580 | 10.7 | 89 | 3 | 3 | 8 | 13 | 21 | 29 | 51 |
| **GRAND TOTAL** | 7900 | 8.8 | 75 | 2 | 2 | 6 | 11 | 17 | 24 | 45 |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| 20-34 | 34 | 4.5 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 35-49 | 71 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 16 |
| 50-64 | 72 | 6.0 | 8 | 2 | 3 | 6 | 8 | 10 | 12 | 14 |
| 65+ | 164 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 13 | 4.4 | 6 | 1 | 1 | 5 | 6 | 7 | 8 | 8 |
| 35-49 | 22 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 13 | 16 |
| 50-64 | 24 | 7.5 | 13 | 3 | 3 | 7 | 10 | 13 | 14 | 15 |
| 65+ | 37 | 8.1 | 29 | 3 | 4 | 7 | 9 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 12 | 15 |
| 20-34 | 130 | 4.9 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 242 | 6.0 | 22 | 2 | 2 | 5 | 7 | 11 | 16 | 24 |
| 50-64 | 383 | 6.3 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 1405 | 7.5 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.3 | 22 | 1 | 2 | 4 | 6 | 10 | 17 | 20 |
| 20-34 | 60 | 7.7 | 31 | 2 | 2 | 7 | 10 | 16 | 21 | 25 |
| 35-49 | 162 | 8.1 | 21 | 3 | 3 | 7 | 10 | 14 | 16 | 25 |
| 50-64 | 165 | 9.9 | 41 | 3 | 4 | 8 | 11 | 18 | 25 | 33 |
| 65+ | 476 | 11.1 | 45 | 4 | 5 | 9 | 14 | 20 | 25 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 389 | 5.1 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| B. *Operated* | 101 | 6.7 | 19 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2259 | 6.9 | 27 | 2 | 2 | 6 | 8 | 13 | 16 | 26 |
| B. *Operated* | 878 | 10.0 | 40 | 3 | 4 | 8 | 12 | 18 | 23 | 33 |
| **1. SINGLE DX** | 490 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 3137 | 7.8 | 32 | 2 | 3 | 6 | 9 | 14 | 18 | 28 |
| **A. NOT OPERATED** | 2648 | 6.6 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| **B. OPERATED** | 979 | 9.7 | 39 | 3 | 4 | 8 | 12 | 18 | 22 | 33 |
| TOTAL 0-19 YRS | 167 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 237 | 5.5 | 14 | 2 | 2 | 5 | 7 | 10 | 11 | 22 |
| 35-49 | 497 | 6.5 | 21 | 2 | 2 | 5 | 8 | 13 | 16 | 23 |
| 50-64 | 644 | 7.2 | 25 | 2 | 3 | 6 | 9 | 12 | 17 | 28 |
| 65+ | 2082 | 8.2 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **GRAND TOTAL** | 3627 | 7.4 | 30 | 2 | 3 | 6 | 9 | 14 | 18 | 28 |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 409 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 610 | 5.8 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 35-49 | 100 | 5.4 | 9 | 1 | 2 | 5 | 8 | 9 | 10 | 15 |
| 50-64 | 10 | 4.7 | 6 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 65+ | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.0 | 19 | 6 | 6 | 7 | 12 | 14 | 14 | 14 |
| 20-34 | 11 | 11.5 | 22 | 1 | 6 | 11 | 14 | 18 | 19 | 19 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 415 | 6.1 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 31 |
| 20-34 | 653 | 7.6 | 31 | 2 | 3 | 6 | 9 | 14 | 19 | 31 |
| 35-49 | 145 | 8.1 | 44 | 2 | 3 | 6 | 10 | 16 | 21 | 38 |
| 50-64 | 54 | 8.9 | 48 | 2 | 2 | 7 | 10 | 20 | 25 | 28 |
| 65+ | 16 | 10.9 | 108 | 3 | 5 | 7 | 13 | 19 | 38 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 8.3 | 26 | 1 | 2 | 8 | 10 | 14 | 19 | 23 |
| 20-34 | 71 | 15.9 | 173 | 2 | 3 | 13 | 22 | 31 | 46 | 93 |
| 35-49 | 20 | 19.9 | 220 | 5 | 6 | 16 | 25 | 38 | 55 | 67 |
| 50-64 | 8 | 9.4 | 98 | <1 | 1 | 7 | 11 | 26 | 32 | 32 |
| 65+ | 4 | 18.8 | 154 | 4 | 4 | 20 | 29 | 30 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1132 | 5.3 | 12 | 1 | 2 | 5 | 7 | 10 | 11 | 17 |
| B. *Operated* | 17 | 9.8 | 24 | 1 | 2 | 10 | 13 | 16 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1283 | 7.3 | 34 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | 127 | 14.8 | 158 | 2 | 3 | 11 | 21 | 30 | 43 | 75 |
| **1. SINGLE DX** | 1149 | 5.3 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 1410 | 7.9 | 49 | 2 | 2 | 6 | 9 | 16 | 22 | 36 |
| **A. NOT OPERATED** | 2415 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| **B. OPERATED** | 144 | 14.2 | 145 | 2 | 3 | 11 | 19 | 30 | 42 | 70 |
| TOTAL 0-19 YRS | 851 | 5.4 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 20-34 | 1345 | 7.2 | 36 | 2 | [illegible] | 6 | 9 | 13 | 18 | 31 |
| 35-49 | 266 | 8.0 | 56 | 2 | [illegible] | 6 | 9 | 16 | 21 | 39 |
| 50-64 | 72 | 8.4 | 48 | 2 | 2 | 7 | 10 | 19 | 26 | 31 |
| 65+ | 25 | 11.2 | 103 | 3 | 4 | 7 | 13 | 28 | 34 | 46 |
| **GRAND TOTAL** | 2559 | 6.8 | 34 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 2.3 | 9 | <1 | <1 | 1 | 3 | 5 | 7 | 17 |
| 20-34 | 69 | 4.1 | 10 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 61 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 10 | 14 |
| 50-64 | 130 | 4.7 | 16 | <1 | 1 | 3 | 7 | 10 | 13 | 19 |
| 65+ | 477 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.3 | 25 | 1 | 1 | 5 | 6 | 11 | 15 | 25 |
| 20-34 | 26 | 6.6 | 21 | 1 | 2 | 6 | 8 | 15 | 16 | 17 |
| 35-49 | 20 | 8.0 | 39 | 1 | 2 | 6 | 10 | 15 | 22 | 28 |
| 50-64 | 48 | 9.5 | 39 | 3 | 3 | 7 | 11 | 18 | 23 | 28 |
| 65+ | 131 | 9.8 | 77 | 3 | 3 | 7 | 12 | 18 | 24 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 4.5 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| 20-34 | 172 | 5.6 | 34 | 1 | 1 | 4 | 7 | 11 | 17 | 33 |
| 35-49 | 235 | 6.4 | 27 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| 50-64 | 620 | 6.4 | 32 | 1 | 1 | 5 | 8 | 13 | 18 | 29 |
| 65+ | 2277 | 7.6 | 49 | 1 | 2 | 6 | 10 | 15 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 7.1 | 79 | 1 | 2 | 5 | 9 | 12 | 17 | 57 |
| 20-34 | 77 | 8.2 | 48 | 2 | 2 | 7 | 10 | 15 | 20 | 41 |
| 35-49 | 138 | 10.7 | 75 | 2 | 3 | 9 | 13 | 19 | 24 | 45 |
| 50-64 | 290 | 11.4 | 90 | 3 | 4 | 9 | 14 | 21 | 27 | 57 |
| 65+ | 815 | 12.8 | 92 | 3 | 4 | 10 | 16 | 24 | 31 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 915 | 4.1 | 16 | <1 | 1 | 3 | 5 | 9 | 11 | 19 |
| B. *Operated* | 251 | 8.6 | 57 | 2 | 3 | 7 | 11 | 16 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3447 | 7.1 | 43 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| B. *Operated* | 1363 | 11.8 | 89 | 3 | 4 | 9 | 15 | 23 | 30 | 53 |
| **1. SINGLE DX** | 1166 | 5.0 | 29 | <1 | 1 | 3 | 7 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | 4810 | 8.4 | 61 | 1 | 2 | 7 | 11 | 17 | 22 | 40 |
| **A. NOT OPERATED** | 4362 | 6.5 | 39 | 1 | 1 | 5 | 8 | 13 | 18 | 30 |
| **B. OPERATED** | 1614 | 11.3 | 86 | 2 | 3 | 9 | 14 | 22 | 28 | 51 |
| TOTAL 0-19 YRS | 390 | 3.9 | 24 | <1 | <1 | 2 | 5 | 8 | 12 | 25 |
| 20-34 | 344 | 6.0 | 33 | 1 | 1 | 4 | 8 | 12 | 16 | 33 |
| 35-49 | 454 | 7.5 | 44 | 1 | 2 | 6 | 9 | 14 | 19 | 38 |
| 50-64 | 1088 | 7.6 | 51 | 1 | 1 | 6 | 10 | 16 | 20 | 36 |
| 65+ | 3700 | 8.4 | 63 | 1 | 2 | 6 | 11 | 17 | 23 | 40 |
| **GRAND TOTAL** | 5976 | 7.8 | 56 | 1 | 1 | 6 | 10 | 16 | 22 | 37 |

### 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.1 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 20-34 | 10 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 5 | 5.2 | 6 | 3 | 3 | 4 | 7 | 9 | 9 | 9 |
| 50-64 | 2 | 18.0 | 288 | 6 | 6 | 18 | 30 | 30 | 30 | 30 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.2 | 14 | 1 | 1 | 3 | 5 | 10 | 12 | 18 |
| 20-34 | 40 | 6.4 | 25 | 1 | 2 | 4 | 10 | 13 | 17 | 22 |
| 35-49 | 5 | 6.4 | 11 | 3 | 3 | 7 | 9 | 10 | 10 | 10 |
| 50-64 | 7 | 8.4 | 79 | 1 | 1 | 4 | 12 | 24 | 26 | 26 |
| 65+ | 7 | 7.0 | 11 | 2 | 2 | 8 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.2 | 11 | 1 | 1 | 4 | 5 | 9 | 10 | 10 |
| 20-34 | 10 | 16.1 | 111 | 3 | 3 | 13 | 20 | 33 | 36 | 36 |
| 35-49 | 4 | 16.3 | 126 | 3 | 3 | 17 | 25 | 27 | 27 | 27 |
| 50-64 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 36 | 5.0 | 23 | 1 | 1 | 4 | 6 | 8 | 9 | 30 |
| B. *Operated* | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 100 | 5.7 | 23 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| B. *Operated* | 22 | 12.8 | 105 | 1 | 2 | 11 | 20 | 28 | 32 | 36 |
| 1. SINGLE DX | 38 | 5.2 | 22 | 1 | 1 | 4 | 6 | 8 | 9 | 30 |
| 2. MULTIPLE DX | 122 | 7.0 | 45 | 1 | 2 | 4 | 10 | 15 | 23 | 32 |
| A. NOT OPERATED | 136 | 5.5 | 23 | 1 | 1 | 4 | 7 | 12 | 14 | 27 |
| B. OPERATED | 24 | 12.5 | 97 | [illegible] | 3 | 10 | 19 | 27 | 32 | 36 |
| TOTAL 0-19 YRS | 66 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| 20-34 | 62 | 7.6 | 48 | 1 | 2 | 5 | 11 | 17 | 21 | 35 |
| 35-49 | 14 | 8.8 | 58 | 3 | 3 | 6 | 10 | 24 | 26 | 27 |
| 50-64 | 10 | 11.9 | 119 | 1 | 2 | 7 | 24 | 28 | 30 | 30 |
| 65+ | 8 | 7.0 | 9 | 2 | 2 | 8 | 9 | 10 | 11 | 11 |
| GRAND TOTAL | 160 | 6.5 | 40 | 1 | 1 | 4 | 8 | 13 | 21 | 30 |

### 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| 20-34 | 52 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 29 | 4.9 | 7 | 1 | 2 | 5 | 7 | 9 | 10 | 11 |
| 50-64 | 69 | 4.9 | 27 | <1 | <1 | 4 | 6 | 9 | 12 | 33 |
| 65+ | 96 | 5.6 | 19 | 1 | 1 | 4 | 8 | 13 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 6.0 | 12 | 2 | 2 | 5 | 7 | 11 | 13 | 18 |
| 20-34 | 57 | 7.2 | 18 | 2 | 2 | 7 | 9 | 13 | 15 | 23 |
| 35-49 | 47 | 7.4 | 26 | 2 | 3 | 7 | 8 | 11 | 17 | 28 |
| 50-64 | 47 | 10.1 | 76 | 2 | 3 | 8 | 12 | 21 | 27 | 44 |
| 65+ | 81 | 8.8 | 31 | 1 | 2 | 8 | 12 | 16 | 20 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 122 | 5.2 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 116 | 5.9 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 312 | 6.0 | 26 | <1 | <1 | 5 | 8 | 13 | 16 | 22 |
| 65+ | 491 | 8.4 | 54 | 1 | 2 | 7 | 11 | 17 | 22 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 6.8 | 17 | 2 | 2 | 7 | 8 | 13 | 15 | 20 |
| 20-34 | 92 | 10.2 | 125 | 2 | 3 | 7 | 14 | 18 | 25 | 73 |
| 35-49 | 94 | 9.6 | 34 | 3 | 3 | 8 | 13 | 18 | 22 | 27 |
| 50-64 | 191 | 11.6 | 85 | 2 | 3 | 9 | 14 | 22 | 31 | 47 |
| 65+ | 335 | 13.1 | 107 | 3 | 4 | 10 | 17 | 25 | 34 | 55 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 404 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 318 | 7.7 | 31 | 2 | 3 | 7 | 9 | 14 | 18 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1184 | 6.7 | 36 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |
| B. *Operated* | 774 | 11.4 | 91 | 2 | 3 | 9 | 14 | 22 | 28 | 48 |
| 1. SINGLE DX | 722 | 6.0 | 25 | 1 | 1 | 5 | 8 | 12 | 15 | 25 |
| 2. MULTIPLE DX | 1958 | 8.6 | 63 | 1 | 2 | 7 | 11 | 18 | 23 | 41 |
| A. NOT OPERATED | 1588 | 6.2 | 32 | 1 | 1 | 5 | 8 | 13 | 17 | 29 |
| B. OPERATED | 1092 | 10.4 | 76 | 2 | 3 | 8 | 13 | 20 | 26 | 48 |
| TOTAL 0-19 YRS | 449 | 5.0 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 323 | 6.8 | 51 | 1 | 2 | 5 | 8 | 14 | 17 | 31 |
| 35-49 | 286 | 7.2 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 619 | 7.9 | 55 | <1 | 1 | 6 | 10 | 16 | 22 | 40 |
| 65+ | 1003 | 9.7 | 73 | 2 | 2 | 8 | 12 | 20 | 26 | 42 |
| GRAND TOTAL | 2680 | 7.9 | 54 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 559 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 138 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 23 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 10 | 4.2 | 7 | 2 | 2 | 3 | 5 | 8 | 11 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 426 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 139 | 4.9 | 62 | 2 | 2 | 4 | 5 | 7 | 8 | 24 |
| 35-49 | 20 | 5.6 | 16 | 3 | 3 | 5 | 6 | 7 | 14 | 22 |
| 50-64 | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 49 | 3.3 | 7 | 1 | 1 | 3 | 3 | 5 | 7 | 17 |
| 35-49 | 11 | 4.5 | 5 | 1 | 2 | 4 | 7 | 8 | 8 | 8 |
| 50-64 | 7 | 6.4 | 9 | 2 | 3 | 6 | 8 | 11 | 11 | 11 |
| 65+ | 5 | 6.0 | 19 | 1 | 1 | 6 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| 20-34 | 80 | 6.5 | 16 | 3 | 3 | 5 | 8 | 12 | 13 | 25 |
| 35-49 | 16 | 6.0 | 5 | 3 | 4 | 6 | 7 | 10 | 10 | 10 |
| 50-64 | 5 | 10.2 | 69 | 6 | 6 | 7 | 12 | 25 | 25 | 25 |
| 65+ | 2 | 35.0 | 1458 | 8 | 8 | 35 | 62 | 62 | 62 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 730 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 588 | 4.2 | 18 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 364 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| B. *Operated* | 249 | 6.0 | 30 | 2 | 3 | 5 | 7 | 9 | 13 | 26 |
| **1. SINGLE DX** | 1318 | 3.2 | 10 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 613 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 9 | 23 |
| **A. NOT OPERATED** | 1094 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **B. OPERATED** | 837 | 4.8 | 22 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 1423 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 406 | 4.2 | 28 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 70 | 4.4 | 9 | 1 | 1 | 4 | 6 | 7 | 8 | 20 |
| 50-64 | 24 | 6.2 | 22 | 2 | 3 | 5 | 7 | 11 | 15 | 25 |
| 65+ | 8 | 13.0 | 404 | 1 | 2 | 7 | 10 | 47 | 62 | 62 |
| **GRAND TOTAL** | 1931 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 4.4 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 31 | 4.4 | 9 | 1 | 1 | 4 | 6 | 7 | 8 | 16 |
| 35-49 | 18 | 4.9 | 6 | 2 | 2 | 5 | 6 | 7 | 11 | 13 |
| 50-64 | 3 | 5.7 | 10 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 5 | 6.8 | 5 | 4 | 4 | 6 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 116 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 61 | 3.8 | 8 | 1 | 1 | 3 | 4 | 9 | 11 | 12 |
| 50-64 | 35 | 3.5 | 5 | 2 | 2 | 3 | 3 | 7 | 9 | 12 |
| 65+ | 20 | 4.1 | 11 | 1 | 1 | 3 | 5 | 10 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 21 |
| 20-34 | 22 | 4.9 | 15 | 2 | 2 | 4 | 5 | 8 | 15 | 19 |
| 35-49 | 17 | 5.7 | 7 | 1 | 2 | 6 | 8 | 9 | 10 | 10 |
| 50-64 | 9 | 6.4 | 23 | 3 | 3 | 4 | 9 | 15 | 15 | 15 |
| 65+ | 20 | 7.0 | 26 | <1 | 2 | 6 | 9 | 11 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 14 |
| 20-34 | 50 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 15 | 15 |
| 35-49 | 36 | 6.4 | 62 | 1 | 2 | 4 | 7 | 14 | 21 | 43 |
| 50-64 | 34 | 7.4 | 49 | 2 | 2 | 5 | 10 | 16 | 24 | 33 |
| 65+ | 23 | 9.2 | 70 | 1 | 2 | 6 | 11 | 22 | 28 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 411 | 3.5 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 5.0 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 23 |
| B. *Operated* | 245 | 5.6 | 32 | 1 | 2 | 4 | 7 | 12 | 15 | 29 |
| **1. SINGLE DX** | 622 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 422 | 5.4 | 24 | 1 | 2 | 4 | 6 | 10 | 15 | 27 |
| **A. NOT OPERATED** | 388 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **B. OPERATED** | 656 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 544 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 219 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 132 | 4.9 | 23 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| 50-64 | 81 | 5.5 | 29 | 2 | 2 | 3 | 6 | 13 | 15 | 31 |
| 65+ | 68 | 6.9 | 38 | 1 | 2 | 5 | 9 | 12 | 21 | 29 |
| **GRAND TOTAL** | 1044 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 7.7 | 42 | <1 | 1 | 5 | 10 | 20 | 21 | 22 |
| 20-34 | 45 | 9.6 | 130 | 1 | 1 | 6 | 11 | 22 | 32 | 61 |
| 35-49 | 7 | 6.4 | 18 | 1 | 2 | 5 | 10 | 13 | 13 | 13 |
| 50-64 | 14 | 9.4 | 98 | 1 | 2 | 6 | 9 | 31 | 32 | 32 |
| 65+ | 22 | 11.6 | 341 | <1 | 1 | 7 | 12 | 17 | 47 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 12.5 | 324 | <1 | 1 | 8 | 13 | 28 | 59 | 75 |
| 20-34 | 42 | 9.7 | 83 | 1 | 2 | 7 | 12 | 21 | 31 | 42 |
| 35-49 | 25 | 9.6 | 94 | 1 | 2 | 6 | 13 | 18 | 33 | 43 |
| 50-64 | 50 | 12.3 | 48 | 2 | 4 | 12 | 16 | 21 | 26 | 32 |
| 65+ | 95 | 11.1 | 86 | 3 | 3 | 9 | 16 | 21 | 24 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 20.3 | 502 | 2 | 2 | 14 | 37 | 50 | 50 | 50 |
| 35-49 | 2 | 12.5 | 13 | 10 | 10 | 12 | 15 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | 9 | 18.1 | 169 | 5 | 6 | 16 | 24 | 40 | 45 | 45 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 103 | 9.5 | 148 | 1 | 1 | 6 | 12 | 20 | 29 | 75 |
| B. *Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 229 | 11.0 | 94 | 2 | 2 | 9 | 15 | 21 | 28 | 49 |
| B. *Operated* | 15 | 17.9 | 211 | 2 | 4 | 15 | 24 | 45 | 49 | 50 |
| 1. SINGLE DX | 104 | 9.5 | 147 | 1 | 1 | 6 | 11 | 20 | 29 | 75 |
| 2. MULTIPLE DX | 244 | 11.5 | 103 | 2 | 2 | 9 | 15 | 22 | 29 | 51 |
| A. NOT OPERATED | 332 | 10.6 | 111 | 1 | 2 | 8 | 14 | 21 | 28 | 63 |
| B. OPERATED | 16 | 17.1 | 207 | 3 | 4 | 13 | 23 | 44 | 48 | 50 |
| TOTAL 0-19 YRS | 32 | 10.2 | 192 | <1 | 1 | 7 | 12 | 23 | 28 | 75 |
| 20-34 | 91 | 10.1 | 123 | 1 | 2 | 7 | 12 | 22 | 35 | 56 |
| 35-49 | 34 | 9.1 | 74 | 1 | 2 | 6 | 13 | 18 | 28 | 43 |
| 50-64 | 64 | 11.7 | 59 | 2 | 3 | 10 | 15 | 22 | 31 | 32 |
| 65+ | 127 | 11.6 | 135 | 2 | 3 | 9 | 16 | 21 | 26 | 76 |
| GRAND TOTAL | 348 | 10.9 | 117 | 1 | 2 | 8 | 14 | 22 | 29 | 61 |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 3.1 | 18 | 1 | 1 | 2 | 3 | 5 | 11 | 41 |
| 20-34 | 148 | 5.0 | 51 | 1 | 1 | 3 | 6 | 9 | 15 | 50 |
| 35-49 | 79 | 5.5 | 21 | <1 | 1 | 4 | 8 | 13 | 15 | 19 |
| 50-64 | 157 | 9.7 | 93 | 1 | 2 | 6 | 14 | 21 | 29 | 63 |
| 65+ | 833 | 12.3 | 148 | 2 | 3 | 8 | 16 | 25 | 37 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 7.3 | 24 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| 35-49 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | 11 | 8.5 | 38 | 3 | 3 | 6 | 11 | 19 | 22 | 22 |
| 65+ | 16 | 11.4 | 62 | 2 | 3 | 10 | 14 | 23 | 30 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 6.2 | 50 | 1 | 1 | 4 | 8 | 12 | 18 | 67 |
| 20-34 | 261 | 8.2 | 60 | 1 | 2 | 6 | 11 | 17 | 25 | 36 |
| 35-49 | 205 | 10.2 | 64 | 2 | 3 | 8 | 14 | 22 | 26 | 37 |
| 50-64 | 461 | 12.7 | 125 | 2 | 3 | 10 | 17 | 26 | 34 | 77 |
| 65+ | 3915 | 12.9 | 124 | 3 | 4 | 10 | 16 | 27 | 35 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 22.0 | 637 | 8 | 8 | 12 | 26 | 67 | 67 | 67 |
| 20-34 | 13 | 8.0 | 79 | 1 | 2 | 6 | 10 | 41 | 87 | 99+ |
| 35-49 | 7 | 15.0 | 69 | 6 | 6 | 11 | 23 | 26 | 27 | 27 |
| 50-64 | 43 | 14.4 | 104 | 4 | 5 | 12 | 18 | 23 | 32 | 61 |
| 65+ | 286 | 22.2 | 262 | 4 | 7 | 18 | 29 | 49 | 63 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1347 | 9.9 | 122 | 1 | 2 | 6 | 13 | 21 | 33 | 61 |
| B. *Operated* | 33 | 9.5 | 47 | 3 | 3 | 8 | 13 | 18 | 24 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 4967 | 12.4 | 119 | 2 | 3 | 9 | 16 | 26 | 34 | 58 |
| B. *Operated* | 354 | 20.6 | 248 | 4 | 6 | 16 | 27 | 47 | 61 | 99+ |
| 1. SINGLE DX | 1380 | 9.9 | 120 | 1 | 2 | 6 | 13 | 21 | 32 | 61 |
| 2. MULTIPLE DX | 5321 | 12.9 | 131 | 2 | 3 | 10 | 17 | 27 | 36 | 63 |
| A. NOT OPERATED | 6314 | 11.8 | 120 | 2 | 3 | 9 | 15 | 25 | 34 | 58 |
| B. OPERATED | 387 | 19.6 | 240 | 3 | 5 | 15 | 26 | 45 | 59 | 99+ |
| TOTAL 0-19 YRS | 261 | 4.9 | 51 | 1 | 1 | 3 | 6 | 11 | 17 | 66 |
| 20-34 | 425 | 7.1 | 59 | 1 | 1 | 4 | 9 | 16 | 24 | 42 |
| 35-49 | 293 | 9.0 | 57 | 1 | 2 | 7 | 12 | 20 | 25 | 36 |
| 50-64 | 672 | 12.0 | 116 | 2 | 3 | 9 | 17 | 25 | 33 | 70 |
| 65+ | 5050 | 13.3 | 140 | 3 | 3 | 10 | 17 | 28 | 37 | 65 |
| GRAND TOTAL | 6701 | 12.3 | 131 | 2 | 3 | 9 | 16 | 26 | 35 | 63 |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 50-64 | 8 | 8.4 | 10 | 6 | 6 | 7 | 10 | 14 | 14 | 14 |
| 65+ | 28 | 9.1 | 27 | 3 | 4 | 8 | 12 | 18 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 16.0 | 18 | 13 | 13 | 16 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 14 | 12.6 | 87 | 3 | 5 | 9 | 16 | 30 | 34 | 35 |
| 65+ | 194 | 13.0 | 139 | 3 | 4 | 9 | 15 | 24 | 37 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 19.0 | 392 | 5 | 5 | 19 | 33 | 33 | 33 | 33 |
| 65+ | 13 | 15.5 | 130 | 5 | 5 | 11 | 23 | 31 | 41 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 9.2 | 24 | 3 | 4 | 7 | 12 | 16 | 20 | 21 |
| B. *Operated* | 2 | 16.0 | 18 | 13 | 13 | 16 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 13.0 | 135 | 3 | 4 | 9 | 15 | 24 | 36 | 63 |
| B. *Operated* | 15 | 15.9 | 141 | 5 | 5 | 11 | 26 | 33 | 40 | 43 |
| **1. SINGLE DX** | 39 | 9.5 | 25 | 3 | 4 | 8 | 13 | 18 | 20 | 21 |
| **2. MULTIPLE DX** | 223 | 13.2 | 135 | 3 | 4 | 10 | 16 | 27 | 36 | 60 |
| **A. NOT OPERATED** | 245 | 12.4 | 120 | 3 | 4 | 9 | 15 | 24 | 34 | 57 |
| **B. OPERATED** | 17 | 15.9 | 125 | 5 | 5 | 13 | 23 | 32 | 39 | 43 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 50-64 | 24 | 11.7 | 78 | 4 | 6 | 8 | 13 | 29 | 34 | 35 |
| 65+ | 237 | 12.7 | 126 | 3 | 4 | 10 | 15 | 24 | 35 | 58 |
| **GRAND TOTAL** | **262** | **12.6** | **121** | **3** | **4** | **9** | **15** | **24** | **34** | **56** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 119 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 239 | 4.3 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 133 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 65+ | 46 | 8.1 | 59 | 1 | 2 | 5 | 11 | 19 | 23 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.9 | 12 | 2 | 2 | 6 | 9 | 10 | 11 | 11 |
| 20-34 | 302 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 29 |
| 35-49 | 724 | 6.7 | 45 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 50-64 | 620 | 8.4 | 64 | 2 | 2 | 6 | 10 | 16 | 24 | 40 |
| 65+ | 274 | 9.3 | 58 | 2 | 3 | 7 | 12 | 18 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 10.6 | 26 | 3 | 4 | 9 | 14 | 18 | 20 | 20 |
| 35-49 | 32 | 12.4 | 88 | 3 | 3 | 10 | 17 | 27 | 33 | 39 |
| 50-64 | 31 | 14.4 | 83 | 4 | 5 | 11 | 20 | 30 | 33 | 35 |
| 65+ | 18 | 21.3 | 309 | 3 | 5 | 14 | 39 | 48 | 54 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 539 | 4.6 | 23 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| B. *Operated* | 3 | 6.7 | 5 | 4 | 4 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1933 | 7.5 | 51 | 2 | 2 | 5 | 9 | 15 | 21 | 36 |
| B. *Operated* | 90 | 14.7 | 133 | 3 | 4 | 11 | 18 | 33 | 39 | 54 |
| **1. SINGLE DX** | 542 | 4.6 | 22 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | 2023 | 7.8 | 57 | 2 | 2 | 6 | 10 | 16 | 22 | 39 |
| **A. NOT OPERATED** | 2472 | 6.9 | 46 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| **B. OPERATED** | 93 | 14.4 | 130 | 3 | 4 | 11 | 18 | 33 | 39 | 54 |
| TOTAL 0-19 YRS | 15 | 5.4 | 13 | 1 | 2 | 4 | 9 | 10 | 11 | 11 |
| 20-34 | 431 | 5.4 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 35-49 | 996 | 6.3 | 44 | 1 | 2 | 4 | 8 | 12 | 18 | 35 |
| 50-64 | 784 | 8.0 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 37 |
| 65+ | 339 | 9.8 | 78 | 2 | 2 | 7 | 12 | 21 | 27 | 50 |
| **GRAND TOTAL** | **2565** | **7.1** | **51** | **1** | **2** | **5** | **9** | **14** | **20** | **36** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.1 | 63 | <1 | <1 | 3 | 8 | 12 | 24 | 36 |
| 20-34 | 39 | 6.4 | 62 | 1 | 1 | 4 | 6 | 18 | 23 | 39 |
| 35-49 | 17 | 3.5 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 50-64 | 17 | 4.9 | 8 | 1 | 1 | 5 | 6 | 9 | 10 | 11 |
| 65+ | 10 | 10.1 | 89 | <1 | 1 | 7 | 16 | 24 | 32 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 7.8 | 32 | 1 | 1 | 8 | 12 | 16 | 18 | 18 |
| 20-34 | 82 | 7.1 | 37 | 1 | 2 | 5 | 9 | 14 | 23 | 27 |
| 35-49 | 30 | 9.6 | 69 | 2 | 2 | 7 | 12 | 23 | 29 | 31 |
| 50-64 | 62 | 10.0 | 65 | 2 | 3 | 8 | 13 | 19 | 29 | 38 |
| 65+ | 64 | 8.9 | 59 | 2 | 2 | 6 | 12 | 18 | 22 | 43 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 11.0 | 37 | 7 | 7 | 8 | 15 | 18 | 18 | 18 |
| 35-49 | 3 | 10.7 | 12 | 7 | 7 | 11 | 13 | 14 | 14 | 14 |
| 50-64 | 2 | 29.5 | 1013 | 7 | 7 | 29 | 52 | 52 | 52 | 52 |
| 65+ | 4 | 15.0 | 38 | 6 | 6 | 17 | 19 | 19 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 103 | 6.0 | 47 | 1 | 1 | 4 | 7 | 13 | 19 | 37 |
| *B. Operated* | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 255 | 8.6 | 53 | 1 | 2 | 6 | 11 | 18 | 24 | 35 |
| *B. Operated* | 12 | 15.3 | 159 | 6 | 6 | 12 | 18 | 29 | 49 | 52 |
| **1. SINGLE DX** | 104 | 6.1 | 48 | 1 | 1 | 4 | 7 | 13 | 19 | 37 |
| **2. MULTIPLE DX** | 267 | 8.9 | 59 | 2 | 2 | 7 | 12 | 19 | 24 | 37 |
| **A. NOT OPERATED** | 358 | 7.8 | 53 | 1 | 2 | 5 | 10 | 17 | 23 | 36 |
| **B. OPERATED** | 13 | 15.4 | 146 | 6 | 7 | 14 | 18 | 26 | 47 | 52 |
| TOTAL 0-19 YRS | 37 | 6.9 | 48 | <1 | 1 | 5 | 10 | 14 | 18 | 36 |
| 20-34 | 124 | 7.0 | 45 | 1 | 1 | 5 | 9 | 17 | 23 | 31 |
| 35-49 | 50 | 7.6 | 52 | 1 | 2 | 5 | 9 | 19 | 24 | 31 |
| 50-64 | 82 | 9.5 | 78 | 2 | 2 | 7 | 12 | 17 | 29 | 48 |
| 65+ | 78 | 9.4 | 62 | 2 | 2 | 6 | 13 | 19 | 22 | 41 |
| **GRAND TOTAL** | 371 | 8.1 | 58 | 1 | 2 | 6 | 10 | 18 | 23 | 38 |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 16.7 | 265 | 2 | 2 | 12 | 23 | 52 | 63 | 99+ |
| 20-34 | 1190 | 11.8 | 122 | 1 | 2 | 9 | 16 | 25 | 32 | 56 |
| 35-49 | 619 | 11.7 | 80 | 1 | 2 | 10 | 16 | 23 | 29 | 41 |
| 50-64 | 250 | 13.8 | 131 | 2 | 2 | 11 | 18 | 27 | 35 | 61 |
| 65+ | 44 | 13.0 | 82 | 2 | 2 | 11 | 20 | 27 | 30 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 2 | 21.0 | 8 | 19 | 19 | 21 | 23 | 23 | 23 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 21.9 | 445 | 2 | 4 | 14 | 30 | 57 | 75 | 77 |
| 20-34 | 325 | 13.8 | 174 | 1 | 2 | 11 | 18 | 27 | 39 | 71 |
| 35-49 | 276 | 12.7 | 108 | 2 | 3 | 10 | 18 | 25 | 31 | 43 |
| 50-64 | 181 | 15.9 | 114 | 3 | 5 | 13 | 21 | 33 | 38 | 49 |
| 65+ | 55 | 18.9 | 176 | 7 | 8 | 17 | 22 | 35 | 41 | 80 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 22 | 17.8 | 95 | 4 | 6 | 19 | 21 | 34 | 67 | 99+ |
| 35-49 | 16 | 20.3 | 161 | 7 | 8 | 15 | 31 | 39 | 46 | 49 |
| 50-64 | 7 | 22.7 | 175 | 7 | 7 | 20 | 34 | 41 | 42 | 42 |
| 65+ | 8 | 26.5 | 167 | 12 | 12 | 29 | 39 | 80 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2188 | 12.2 | 117 | 1 | 2 | 10 | 16 | 25 | 32 | 57 |
| *B. Operated* | 3 | 18.0 | 31 | 12 | 12 | 19 | 22 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 878 | 14.6 | 158 | 2 | 3 | 12 | 19 | 29 | 38 | 69 |
| *B. Operated* | 53 | 20.5 | 137 | 6 | 8 | 19 | 29 | 42 | 51 | 99+ |
| **1. SINGLE DX** | 2191 | 12.2 | 117 | 1 | 2 | 10 | 16 | 25 | 32 | 57 |
| **2. MULTIPLE DX** | 931 | 15.0 | 158 | 2 | 3 | 12 | 20 | 30 | 38 | 75 |
| **A. NOT OPERATED** | 3066 | 12.9 | 130 | 1 | 2 | 10 | 17 | 27 | 34 | 58 |
| **B. OPERATED** | 56 | 20.4 | 131 | 6 | 8 | 19 | 28 | 41 | 50 | 99+ |
| TOTAL 0-19 YRS | 126 | 19.4 | 327 | 2 | 3 | 12 | 25 | 53 | 73 | 99+ |
| 20-34 | 1538 | 12.3 | 133 | 1 | 2 | 10 | 16 | 26 | 33 | 56 |
| 35-49 | 913 | 12.2 | 91 | 1 | 2 | 10 | 17 | 24 | 30 | 43 |
| 50-64 | 438 | 14.8 | 126 | 2 | 3 | 12 | 20 | 29 | 37 | 52 |
| 65+ | 107 | 17.0 | 149 | 2 | 5 | 14 | 23 | 32 | 40 | 89 |
| **GRAND TOTAL** | 3122 | 13.0 | 131 | 1 | 2 | 10 | 18 | 27 | 34 | 59 |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 14.9 | 138 | 3 | 4 | 12 | 19 | 28 | 35 | 61 |
| 20-34 | 125 | 8.6 | 72 | 1 | 2 | 6 | 10 | 19 | 22 | 70 |
| 35-49 | 23 | 7.3 | 22 | 2 | 3 | 6 | 9 | 16 | 17 | 18 |
| 50-64 | 7 | 14.1 | 96 | 4 | 5 | 10 | 19 | 30 | 33 | 33 |
| 65+ | 3 | 8.7 | 6 | 6 | 6 | 9 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 30.2 | 1009 | 4 | 4 | 23 | 34 | 84 | 90 | 90 |
| 20-34 | 29 | 11.3 | 83 | 2 | 2 | 8 | 20 | 24 | 28 | 31 |
| 35-49 | 13 | 10.5 | 42 | 3 | 4 | 10 | 14 | 22 | 22 | 22 |
| 50-64 | 5 | 13.2 | 32 | 5 | 5 | 14 | 17 | 20 | 20 | 20 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-74 | 3 | 19.3 | 302 | 6 | 6 | 13 | 32 | 39 | 39 | 39 |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 9.7 | 83 | 1 | 3 | 7 | 13 | 20 | 26 | 61 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 13.4 | 187 | 2 | 2 | 10 | 20 | 25 | 31 | 88 |
| B. *Operated* | 4 | 19.3 | 202 | 6 | 6 | 16 | 29 | 39 | 39 | 39 |
| **1. SINGLE DX** | 190 | 9.7 | 83 | 1 | 3 | 7 | 13 | 20 | 26 | 61 |
| **2. MULTIPLE DX** | 58 | 13.8 | 187 | 2 | 2 | 11 | 20 | 27 | 33 | 86 |
| **A. NOT OPERATED** | 244 | 10.5 | 107 | 2 | 3 | 7 | 14 | 21 | 29 | 62 |
| **B. OPERATED** | 4 | 19.3 | 202 | 6 | 6 | 16 | 29 | 39 | 39 | 39 |
| TOTAL 0-19 YRS | 38 | 17.3 | 284 | 3 | 4 | 12 | 20 | 34 | 51 | 90 |
| 20-34 | 157 | 9.3 | 79 | 1 | 2 | 6 | 13 | 21 | 26 | 59 |
| 35-49 | 37 | 8.8 | 33 | 2 | 3 | 7 | 11 | 18 | 21 | 22 |
| 50-64 | 12 | 13.8 | 64 | 4 | 5 | 12 | 18 | 24 | 32 | 33 |
| 65+ | 4 | 9.3 | 6 | 6 | 6 | 10 | 11 | 11 | 11 | 11 |
| **GRAND TOTAL** | 248 | 10.7 | 109 | 2 | 3 | 8 | 14 | 21 | 31 | 61 |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 280 | 16.1 | 271 | 1 | 2 | 10 | 22 | 37 | 56 | 97 |
| 20-34 | 1995 | 12.3 | 151 | 1 | 2 | 9 | 16 | 27 | 37 | 62 |
| 35-49 | 1113 | 12.1 | 118 | 1 | 2 | 10 | 16 | 26 | 32 | 57 |
| 50-64 | 552 | 13.3 | 131 | 2 | 2 | 10 | 18 | 28 | 34 | 61 |
| 65+ | 99 | 13.7 | 158 | 1 | 2 | 11 | 18 | 28 | 36 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 25.0 | 1152 | <1 | <1 | 24 | 49 | 49 | 49 | 49 |
| 20-34 | 3 | 15.0 | 151 | 6 | 6 | 10 | 24 | 29 | 29 | 29 |
| 35-49 | 6 | 19.8 | 176 | 7 | 7 | 19 | 31 | 34 | 34 | 34 |
| 50-64 | 6 | 39.8 | 449 | 9 | 9 | 46 | 53 | 57 | 57 | 57 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 22.1 | 360 | 2 | 3 | 17 | 28 | 47 | 60 | 92 |
| 20-34 | 795 | 13.5 | 145 | 1 | 2 | 10 | 19 | 29 | 39 | 57 |
| 35-49 | 602 | 13.0 | 118 | 2 | 3 | 10 | 17 | 26 | 35 | 61 |
| 50-64 | 424 | 14.9 | 180 | 2 | 4 | 11 | 18 | 29 | 42 | 70 |
| 65+ | 161 | 15.8 | 126 | 3 | 4 | 14 | 21 | 33 | 37 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 36.5 | 894 | 11 | 11 | 32 | 61 | 71 | 71 | 71 |
| 20-34 | 31 | 23.3 | 201 | 4 | 6 | 23 | 29 | 37 | 62 | 64 |
| 35-49 | 40 | 21.1 | 241 | 3 | 4 | 19 | 28 | 41 | 58 | 66 |
| 50-64 | 25 | 23.7 | 327 | 5 | 6 | 22 | 31 | 52 | 63 | 68 |
| 65+ | 13 | 27.6 | 389 | 9 | 10 | 21 | 37 | 60 | 69 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4039 | 12.7 | 148 | 1 | 2 | 9 | 17 | 28 | 36 | 64 |
| B. *Operated* | 13 | 25.6 | 384 | 1 | 5 | 28 | 45 | 51 | 56 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2076 | 14.2 | 156 | 2 | 3 | 11 | 19 | 29 | 40 | 63 |
| B. *Operated* | 112 | 23.5 | 282 | 4 | 5 | 21 | 30 | 52 | 64 | 70 |
| **1. SINGLE DX** | 4052 | 12.7 | 150 | 1 | 2 | 9 | 17 | 28 | 36 | 64 |
| **2. MULTIPLE DX** | 2188 | 14.7 | 166 | 2 | 3 | 11 | 20 | 30 | 42 | 66 |
| **A. NOT OPERATED** | 6115 | 13.2 | 151 | 1 | 2 | 10 | 18 | 28 | 37 | 64 |
| **B. OPERATED** | 125 | 23.8 | 297 | 4 | 5 | 21 | 30 | 52 | 63 | 70 |
| TOTAL 0-19 YRS | 380 | 17.8 | 308 | 1 | 2 | 12 | 25 | 43 | 59 | 96 |
| 20-34 | 2824 | 12.8 | 151 | 1 | 2 | 9 | 17 | 28 | 38 | 62 |
| 35-49 | 1759 | 12.7 | 123 | 2 | 2 | 10 | 17 | 26 | 33 | 60 |
| 50-64 | 1005 | 14.3 | 152 | 2 | 3 | 11 | 19 | 29 | 38 | 66 |
| 65+ | 272 | 15.6 | 155 | 2 | 4 | 13 | 21 | 32 | 39 | 58 |
| **GRAND TOTAL** | 6240 | 13.4 | 156 | 1 | 2 | 10 | 18 | 29 | 38 | 64 |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.3 | 52 | 3 | 3 | 3 | 9 | 19 | 25 | 28 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.7 | 343 | <1 | <1 | 3 | 5 | 32 | 61 | 64 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 7.3 | 52 | 3 | 3 | 3 | 9 | 19 | 25 | 28 |
| B. *Operated* | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 8.7 | 343 | <1 | <1 | 3 | 5 | 32 | 61 | 64 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 21 | 7.2 | 49 | 3 | 3 | 3 | 9 | 19 | 25 | 28 |
| **2. MULTIPLE DX** | 11 | 8.7 | 343 | <1 | <1 | 3 | 5 | 32 | 61 | 64 |
| **A. NOT OPERATED** | 31 | 7.8 | 148 | 1 | 2 | 3 | 8 | 19 | 28 | 64 |
| **B. OPERATED** | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOTAL 0-19 YRS | 32 | 7.8 | 143 | 1 | 2 | 3 | 8 | 18 | 27 | 64 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **32** | **7.8** | **143** | **1** | **2** | **3** | **8** | **18** | **27** | **64** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 12.4 | 141 | 1 | 1 | 9 | 17 | 33 | 44 | 99+ |
| 20-34 | 654 | 12.7 | 178 | 2 | 2 | 8 | 16 | 28 | 38 | 69 |
| 35-49 | 637 | 13.1 | 131 | 2 | 3 | 10 | 17 | 27 | 35 | 57 |
| 50-64 | 600 | 15.9 | 161 | 2 | 3 | 13 | 21 | 32 | 41 | 62 |
| 65+ | 378 | 20.8 | 219 | 4 | 5 | 17 | 29 | 42 | 50 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 20-34 | 2 | 20.5 | 25 | 17 | 17 | 20 | 24 | 24 | 24 | 24 |
| 35-49 | 3 | 53.0 | 1453 | 30 | 30 | 32 | 81 | 97 | 97 | 97 |
| 50-64 | 3 | 18.3 | 25 | 13 | 13 | 19 | 22 | 23 | 23 | 23 |
| 65+ | 1 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 13.7 | 262 | 1 | 1 | 9 | 15 | 38 | 50 | 73 |
| 20-34 | 597 | 13.3 | 191 | 1 | 2 | 9 | 17 | 31 | 42 | 83 |
| 35-49 | 713 | 13.7 | 166 | 2 | 3 | 10 | 18 | 29 | 39 | 67 |
| 50-64 | 669 | 15.6 | 179 | 2 | 4 | 12 | 21 | 32 | 42 | 69 |
| 65+ | 644 | 18.6 | 205 | 4 | 5 | 15 | 25 | 38 | 47 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 38.0 | 802 | 10 | 10 | 33 | 58 | 76 | 76 | 76 |
| 20-34 | 42 | 17.8 | 352 | 3 | 4 | 12 | 23 | 44 | 63 | 85 |
| 35-49 | 63 | 21.8 | 165 | 5 | 8 | 20 | 28 | 38 | 44 | 70 |
| 50-64 | 57 | 25.9 | 285 | 7 | 8 | 22 | 34 | 47 | 64 | 84 |
| 65+ | 47 | 25.4 | 252 | 5 | 6 | 24 | 32 | 46 | 60 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2354 | 14.9 | 174 | 2 | 3 | 11 | 20 | 32 | 42 | 65 |
| B. *Operated* | 10 | 32.1 | 597 | 13 | 15 | 23 | 32 | 70 | 97 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2737 | 15.2 | 192 | 2 | 3 | 11 | 20 | 32 | 44 | 70 |
| B. *Operated* | 213 | 23.2 | 271 | 4 | 6 | 20 | 30 | 44 | 61 | 79 |
| **1. SINGLE DX** | 2364 | 15.0 | 177 | 2 | 3 | 11 | 20 | 32 | 42 | 65 |
| **2. MULTIPLE DX** | 2950 | 15.8 | 202 | 2 | 3 | 12 | 21 | 34 | 45 | 71 |
| **A. NOT OPERATED** | 5091 | 15.1 | 184 | 2 | 3 | 11 | 20 | 32 | 43 | 69 |
| **B. OPERATED** | 223 | 23.6 | 286 | 5 | 6 | 20 | 31 | 44 | 62 | 85 |
| TOTAL 0-19 YRS | 204 | 13.7 | 229 | 1 | 1 | 9 | 17 | 37 | 51 | 91 |
| 20-34 | 1295 | 13.2 | 190 | 1 | 2 | 9 | 17 | 30 | 40 | 79 |
| 35-49 | 1416 | 13.8 | 158 | 2 | 3 | 10 | 18 | 29 | 37 | 63 |
| 50-64 | 1329 | 16.2 | 179 | 2 | 3 | 13 | 21 | 33 | 42 | 66 |
| 65+ | 1070 | 19.7 | 215 | 4 | 5 | 16 | 27 | 40 | 50 | 71 |
| **GRAND TOTAL** | **5314** | **15.4** | **191** | **2** | **3** | **11** | **21** | **33** | **44** | **70** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 16.5 | 154 | 3 | 3 | 14 | 24 | 32 | 41 | 54 |
| 20-34 | 676 | 14.2 | 133 | 1 | 2 | 12 | 19 | 29 | 35 | 53 |
| 35-49 | 588 | 14.1 | 133 | 2 | 4 | 11 | 19 | 28 | 36 | 54 |
| 50-64 | 438 | 15.2 | 140 | 2 | 4 | 13 | 20 | 29 | 38 | 61 |
| 65+ | 185 | 18.3 | 141 | 3 | 5 | 17 | 24 | 30 | 38 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 20.7 | 230 | 7 | 7 | 27 | 68 | 99+ | 99+ | 99+ |
| 35-49 | 3 | 25.3 | 442 | 5 | 5 | 24 | 41 | 47 | 47 | 47 |
| 50-64 | 3 | 25.7 | 330 | 11 | 11 | 20 | 39 | 46 | 46 | 46 |
| 65+ | 3 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 16.7 | 122 | 2 | 3 | 16 | 24 | 34 | 42 | 99 |
| 20-34 | 359 | 15.1 | 157 | 2 | 3 | 12 | 20 | 32 | 42 | 61 |
| 35-49 | 397 | 14.4 | 129 | 2 | 4 | 12 | 19 | 28 | 35 | 54 |
| 50-64 | 389 | 15.6 | 135 | 3 | 4 | 13 | 20 | 31 | 36 | 60 |
| 65+ | 241 | 19.1 | 169 | 4 | 6 | 16 | 25 | 36 | 47 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 21 | 21.6 | 173 | 4 | 7 | 19 | 34 | 38 | 44 | 51 |
| 35-49 | 21 | 16.7 | 138 | 4 | 6 | 14 | 21 | 44 | 69 | 99+ |
| 50-64 | 33 | 28.8 | 465 | 8 | 11 | 21 | 37 | 54 | 86 | 99 |
| 65+ | 28 | 30.2 | 357 | 8 | 10 | 25 | 48 | 60 | 64 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1951 | 14.9 | 137 | 2 | 3 | 12 | 20 | 29 | 37 | 57 |
| B. *Operated* | 12 | 22.9 | 190 | 5 | 7 | 20 | 39 | 58 | 92 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1437 | 15.8 | 146 | 3 | 4 | 13 | 21 | 32 | 40 | 58 |
| B. *Operated* | 103 | 25.3 | 330 | 6 | 8 | 20 | 35 | 51 | 62 | 99+ |
| **1. SINGLE DX** | 1963 | 14.9 | 138 | 2 | 3 | 12 | 20 | 29 | 37 | 57 |
| **2. MULTIPLE DX** | 1540 | 16.4 | 164 | 3 | 4 | 13 | 21 | 33 | 42 | 61 |
| **A. NOT OPERATED** | 3388 | 15.2 | 141 | 2 | 4 | 13 | 20 | 30 | 38 | 57 |
| **B. OPERATED** | 115 | 25.0 | 314 | 6 | 8 | 20 | 36 | 51 | 63 | 99+ |
| TOTAL 0-19 YRS | 115 | 16.6 | 139 | 2 | 3 | 15 | 24 | 33 | 42 | 70 |
| 20-34 | 1059 | 14.7 | 143 | 2 | 3 | 12 | 20 | 31 | 38 | 58 |
| 35-49 | 1009 | 14.3 | 132 | 2 | 4 | 12 | 19 | 28 | 36 | 54 |
| 50-64 | 863 | 15.9 | 157 | 2 | 4 | 13 | 20 | 31 | 39 | 65 |
| 65+ | 457 | 19.5 | 175 | 4 | 6 | 17 | 25 | 36 | 49 | 63 |
| **GRAND TOTAL** | **3503** | **15.6** | **150** | **2** | **4** | **13** | **21** | **31** | **39** | **59** |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 11.9 | 134 | <1 | 1 | 9 | 17 | 29 | 38 | 74 |
| 20-34 | 492 | 10.1 | 94 | 1 | 1 | 8 | 14 | 20 | 26 | 57 |
| 35-49 | 282 | 10.6 | 96 | 1 | 2 | 8 | 15 | 23 | 30 | 53 |
| 50-64 | 238 | 11.8 | 105 | 1 | 2 | 9 | 16 | 26 | 32 | 54 |
| 65+ | 198 | 12.2 | 147 | 1 | 2 | 8 | 16 | 28 | 37 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 34.0 | 196 | 18 | 18 | 40 | 43 | 44 | 44 | 44 |
| 35-49 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 50-64 | 5 | 16.0 | 161 | 3 | 3 | 15 | 26 | 33 | 33 | 33 |
| 65+ | 9 | 12.2 | 94 | 4 | 4 | 10 | 14 | 29 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 11.9 | 204 | 1 | 1 | 8 | 13 | 29 | 35 | 82 |
| 20-34 | 308 | 11.3 | 139 | 1 | 2 | 8 | 14 | 26 | 32 | 58 |
| 35-49 | 274 | 11.9 | 111 | 2 | 3 | 8 | 15 | 25 | 35 | 56 |
| 50-64 | 332 | 11.8 | 118 | 2 | 3 | 9 | 15 | 23 | 31 | 57 |
| 65+ | 803 | 12.9 | 153 | 2 | 3 | 9 | 16 | 28 | 40 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 20-34 | 12 | 23.6 | 672 | 2 | 3 | 16 | 31 | 55 | 88 | 94 |
| 35-49 | 10 | 20.2 | 139 | 4 | 6 | 18 | 29 | 36 | 41 | 41 |
| 50-64 | 36 | 16.4 | 141 | 3 | 4 | 13 | 25 | 37 | 44 | 99+ |
| 65+ | 84 | 20.4 | 253 | 4 | 5 | 15 | 28 | 42 | 57 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1328 | 11.0 | 108 | 1 | 2 | 8 | 15 | 24 | 32 | 58 |
| B. *Operated* | 18 | 17.2 | 169 | 3 | 4 | 13 | 24 | 38 | 42 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1798 | 12.2 | 140 | 2 | 3 | 9 | 15 | 26 | 36 | 65 |
| B. *Operated* | 143 | 19.7 | 249 | 4 | 4 | 14 | 29 | 39 | 51 | 99+ |
| **1. SINGLE DX** | 1346 | 11.0 | 110 | 1 | 2 | 8 | 15 | 24 | 32 | 58 |
| **2. MULTIPLE DX** | 1941 | 12.8 | 152 | 2 | 3 | 9 | 16 | 28 | 38 | 67 |
| **A. NOT OPERATED** | 3126 | 11.7 | 127 | 1 | 2 | 8 | 15 | 25 | 34 | 62 |
| **B. OPERATED** | 161 | 19.4 | 239 | 4 | 4 | 14 | 29 | 39 | 48 | 99 |
| TOTAL 0-19 YRS | 200 | 12.0 | 163 | 1 | 1 | 8 | 15 | 30 | 37 | 77 |
| 20-34 | 815 | 10.8 | 124 | 1 | 2 | 8 | 14 | 23 | 30 | 59 |
| 35-49 | 567 | 11.4 | 105 | 1 | 2 | 8 | 15 | 24 | 32 | 54 |
| 50-64 | 611 | 12.1 | 115 | 1 | 2 | 9 | 16 | 26 | 33 | 55 |
| 65+ | 1094 | 13.4 | 163 | 2 | 3 | 9 | 17 | 29 | 41 | 72 |
| **GRAND TOTAL** | **3287** | **12.1** | **135** | **1** | **2** | **9** | **15** | **26** | **35** | **65** |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 4.6 | 46 | <1 | 1 | 3 | 6 | 10 | 15 | 99+ |
| 20-34 | 451 | 6.2 | 55 | 1 | 1 | 4 | 7 | 13 | 21 | 37 |
| 35-49 | 378 | 6.1 | 59 | 1 | 1 | 4 | 7 | 13 | 19 | 33 |
| 50-64 | 219 | 5.7 | 28 | 1 | 2 | 4 | 7 | 12 | 18 | 30 |
| 65+ | 90 | 5.7 | 39 | 1 | 1 | 4 | 6 | 12 | 16 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 5 | 5.8 | 9 | 1 | 1 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 4 | 7.8 | 35 | 3 | 3 | 6 | 12 | 16 | 16 | 16 |
| 50-64 | 5 | 9.2 | 61 | 2 | 2 | 8 | 13 | 22 | 22 | 22 |
| 65+ | 2 | 18.5 | 41 | 14 | 14 | 18 | 23 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 6.2 | 78 | 1 | 1 | 4 | 6 | 12 | 18 | 54 |
| 20-34 | 724 | 6.3 | 36 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| 35-49 | 731 | 6.8 | 48 | 1 | 2 | 5 | 8 | 14 | 19 | 29 |
| 50-64 | 583 | 7.1 | 51 | 1 | 2 | 5 | 8 | 14 | 23 | 35 |
| 65+ | 458 | 7.3 | 52 | 1 | 2 | 6 | 9 | 15 | 19 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.4 | 68 | 1 | 1 | 2 | 9 | 19 | 27 | 27 |
| 20-34 | 45 | 8.5 | 57 | 1 | 1 | 6 | 11 | 20 | 24 | 36 |
| 35-49 | 54 | 10.4 | 57 | 2 | 2 | 9 | 15 | 18 | 27 | 37 |
| 50-64 | 32 | 8.8 | 23 | 3 | 3 | 8 | 11 | 14 | 20 | 22 |
| 65+ | 27 | 12.1 | 51 | 4 | 5 | 10 | 15 | 23 | 25 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1251 | 5.9 | 50 | 1 | 1 | 4 | 7 | 13 | 19 | 36 |
| B. *Operated* | 18 | 8.8 | 40 | 1 | 2 | 8 | 11 | 20 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2622 | 6.8 | 48 | 1 | 2 | 5 | 8 | 14 | 20 | 33 |
| B. *Operated* | 168 | 9.6 | 51 | 1 | 2 | 8 | 12 | 20 | 23 | 36 |
| **1. SINGLE DX** | 1269 | 5.9 | 49 | 1 | 1 | 4 | 7 | 13 | 19 | 35 |
| **2. MULTIPLE DX** | 2790 | 7.0 | 48 | 1 | 2 | 5 | 8 | 14 | 20 | 34 |
| **A. NOT OPERATED** | 3873 | 6.5 | 48 | 1 | 2 | 4 | 8 | 13 | 19 | 34 |
| **B. OPERATED** | 186 | 9.5 | 50 | 1 | 2 | 8 | 12 | 20 | 23 | 35 |
| TOTAL 0-19 YRS | 251 | 5.5 | 63 | 1 | 1 | 4 | 6 | 11 | 17 | 99 |
| 20-34 | 1225 | 6.4 | 44 | 1 | 1 | 4 | 8 | 13 | 19 | 34 |
| 35-49 | 1167 | 6.7 | 52 | 1 | 2 | 5 | 8 | 14 | 19 | 31 |
| 50-64 | 839 | 6.8 | 44 | 1 | 2 | 5 | 8 | 14 | 21 | 31 |
| 65+ | 577 | 7.4 | 51 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| **GRAND TOTAL** | **4059** | **6.6** | **49** | **1** | **2** | **5** | **8** | **14** | **20** | **34** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 318 | 12.2 | 236 | 1 | 2 | 7 | 14 | 29 | 51 | 81 |
| 20-34 | 1818 | 9.0 | 96 | 1 | 1 | 6 | 12 | 20 | 28 | 55 |
| 35-49 | 1549 | 10.2 | 96 | 1 | 2 | 7 | 13 | 22 | 29 | 47 |
| 50-64 | 791 | 12.4 | 134 | 2 | 3 | 9 | 16 | 26 | 35 | 58 |
| 65+ | 339 | 14.1 | 133 | 3 | 4 | 10 | 19 | 30 | 40 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 22.7 | 130 | 5 | 7 | 27 | 32 | 35 | 35 | 35 |
| 35-49 | 12 | 14.3 | 397 | 1 | 2 | 8 | 13 | 40 | 69 | 74 |
| 50-64 | 9 | 22.7 | 249 | 5 | 7 | 17 | 40 | 45 | 45 | 45 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 364 | 13.8 | 230 | 1 | 2 | 8 | 18 | 30 | 50 | 86 |
| 20-34 | 1863 | 10.5 | 99 | 1 | 2 | 7 | 14 | 24 | 31 | 51 |
| 35-49 | 1945 | 11.2 | 101 | 2 | 3 | 8 | 15 | 24 | 31 | 47 |
| 50-64 | 1385 | 11.9 | 121 | 2 | 3 | 8 | 15 | 26 | 33 | 58 |
| 65+ | 898 | 11.7 | 109 | 3 | 3 | 9 | 14 | 22 | 30 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 8.7 | 32 | 3 | 3 | 7 | 15 | 60 | 99+ | 99+ |
| 20-34 | 117 | 18.9 | 243 | 3 | 4 | 15 | 25 | 41 | 53 | 95 |
| 35-49 | 142 | 21.7 | 304 | 4 | 6 | 17 | 28 | 46 | 61 | 82 |
| 50-64 | 106 | 21.0 | 172 | 6 | 7 | 17 | 30 | 39 | 45 | 88 |
| 65+ | 74 | 19.4 | 175 | 4 | 6 | 15 | 27 | 36 | 41 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4815 | 10.5 | 117 | 1 | 2 | 7 | 14 | 23 | 31 | 57 |
| B. *Operated* | 28 | 19.1 | 282 | 2 | 4 | 14 | 28 | 43 | 48 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6455 | 11.4 | 114 | 2 | 3 | 8 | 15 | 24 | 32 | 56 |
| B. *Operated* | 448 | 20.2 | 233 | 4 | 6 | 16 | 28 | 40 | 52 | 88 |
| **1. SINGLE DX** | 4843 | 10.5 | 118 | 1 | 2 | 7 | 14 | 23 | 31 | 57 |
| **2. MULTIPLE DX** | 6903 | 11.9 | 126 | 2 | 3 | 8 | 15 | 26 | 34 | 58 |
| **A. NOT OPERATED** | 11270 | 11.0 | 115 | 2 | 2 | 8 | 14 | 24 | 31 | 56 |
| **B. OPERATED** | 476 | 20.1 | 235 | 4 | 5 | 16 | 28 | 40 | 51 | 86 |
| TOTAL 0-19 YRS | 691 | 13.0 | 231 | 1 | 2 | 7 | 16 | 30 | 51 | 87 |
| 20-34 | 3805 | 10.0 | 106 | 1 | 2 | 7 | 13 | 22 | 30 | 55 |
| 35-49 | 3648 | 11.2 | 112 | 2 | 3 | 8 | 14 | 24 | 31 | 52 |
| 50-64 | 2291 | 12.5 | 132 | 2 | 3 | 9 | 16 | 27 | 35 | 58 |
| 65+ | 1311 | 12.8 | 122 | 3 | 4 | 10 | 16 | 26 | 35 | 54 |
| **GRAND TOTAL** | **11746** | **11.4** | **123** | **2** | **2** | **8** | **15** | **25** | **33** | **58** |

### 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 8.3 | 115 | 1 | 1 | 5 | 10 | 24 | 36 | 99+ |
| 20-34 | 606 | 7.8 | 136 | 1 | 1 | 4 | 9 | 18 | 25 | 70 |
| 35-49 | 316 | 7.3 | 83 | 1 | 1 | 4 | 9 | 16 | 23 | 42 |
| 50-64 | 123 | 8.0 | 73 | 1 | 1 | 4 | 11 | 17 | 27 | 42 |
| 65+ | 41 | 10.5 | 106 | 2 | 2 | 7 | 12 | 25 | 32 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 14.4 | 582 | 1 | 1 | 5 | 13 | 58 | 68 | 68 |
| 20-34 | 26 | 7.1 | 39 | <1 | 2 | 5 | 9 | 18 | 23 | 24 |
| 35-49 | 31 | 7.1 | 21 | 3 | 3 | 7 | 8 | 14 | 19 | 20 |
| 50-64 | 39 | 5.2 | 10 | 2 | 2 | 5 | 6 | 10 | 12 | 17 |
| 65+ | 20 | 7.0 | 25 | 1 | 2 | 5 | 8 | 17 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 9.9 | 167 | 1 | 1 | 6 | 10 | 24 | 40 | 67 |
| 20-34 | 835 | 8.9 | 108 | 1 | 1 | 6 | 11 | 21 | 26 | 53 |
| 35-49 | 546 | 8.7 | 79 | 1 | 2 | 6 | 10 | 20 | 24 | 51 |
| 50-64 | 303 | 9.5 | 104 | 1 | 2 | 6 | 12 | 21 | 28 | 48 |
| 65+ | 219 | 10.9 | 100 | 2 | 3 | 7 | 14 | 24 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 10.8 | 154 | 1 | 1 | 6 | 11 | 33 | 39 | 39 |
| 20-34 | 76 | 10.4 | 165 | <1 | <1 | 6 | 13 | 26 | 37 | 61 |
| 35-49 | 79 | 10.2 | 123 | 1 | 2 | 7 | 12 | 20 | 38 | 55 |
| 50-64 | 59 | 9.1 | 56 | 2 | 3 | 6 | 12 | 19 | 27 | 35 |
| 65+ | 31 | 13.3 | 160 | 3 | 3 | 9 | 19 | 27 | 42 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1353 | 7.9 | 113 | 1 | 1 | 4 | 9 | 19 | 27 | 69 |
| B. *Operated* | 123 | 6.9 | 53 | 2 | 2 | 5 | 7 | 14 | 18 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2170 | 9.3 | 107 | 1 | 2 | 6 | 11 | 21 | 27 | 52 |
| B. *Operated* | 255 | 10.4 | 125 | <1 | 2 | 7 | 12 | 24 | 35 | 57 |
| **1. SINGLE DX** | 1476 | 7.8 | 108 | 1 | 1 | 4 | 9 | 18 | 26 | 68 |
| **2. MULTIPLE DX** | 2425 | 9.4 | 109 | 1 | 2 | 6 | 11 | 21 | 28 | 53 |
| **A. NOT OPERATED** | 3523 | 8.7 | 110 | 1 | 1 | 5 | 10 | 20 | 27 | 56 |
| **B. OPERATED** | 378 | 9.3 | 104 | 1 | 2 | 6 | 11 | 20 | 28 | 56 |
| TOTAL 0-19 YRS | 551 | 9.2 | 146 | 1 | 1 | 5 | 10 | 24 | 38 | 83 |
| 20-34 | 1543 | 8.5 | 121 | 1 | 1 | 5 | 10 | 20 | 26 | 64 |
| 35-49 | 972 | 8.3 | 82 | 1 | 1 | 5 | 10 | 19 | 24 | 50 |
| 50-64 | 524 | 8.8 | 86 | 1 | 2 | 6 | 11 | 19 | 27 | 44 |
| 65+ | 311 | 10.8 | 103 | 2 | 3 | 7 | 14 | 23 | 31 | 53 |
| **GRAND TOTAL** | **3901** | **8.8** | **109** | **1** | **1** | **5** | **10** | **20** | **27** | **56** |

### 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 7.1 | 106 | <1 | 1 | 2 | 7 | 27 | 29 | 42 |
| 20-34 | 730 | 9.1 | 105 | 1 | 1 | 4 | 11 | 28 | 30 | 37 |
| 35-49 | 1403 | 8.0 | 84 | 1 | 2 | 4 | 8 | 25 | 28 | 38 |
| 50-64 | 1001 | 7.9 | 73 | 1 | 2 | 4 | 8 | 24 | 28 | 36 |
| 65+ | 236 | 8.5 | 78 | 1 | 2 | 5 | 9 | 27 | 28 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 16.0 | 81 | 3 | 3 | 19 | 22 | 23 | 23 | 23 |
| 50-64 | 4 | 7.8 | 32 | 2 | 2 | 7 | 12 | 15 | 15 | 15 |
| 65+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 13.7 | 228 | 1 | 1 | 6 | 26 | 37 | 44 | 56 |
| 20-34 | 1461 | 10.5 | 114 | 1 | 2 | 6 | 14 | 28 | 31 | 43 |
| 35-49 | 3167 | 9.2 | 83 | 1 | 2 | 6 | 11 | 24 | 29 | 38 |
| 50-64 | 2860 | 9.6 | 84 | 2 | 2 | 6 | 11 | 25 | 30 | 42 |
| 65+ | 1094 | 10.9 | 108 | 2 | 3 | 7 | 13 | 27 | 31 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 11.3 | 296 | 2 | 2 | 3 | 20 | 37 | 37 | 37 |
| 20-34 | 55 | 17.5 | 152 | 1 | 4 | 14 | 27 | 31 | 35 | 57 |
| 35-49 | 143 | 17.5 | 182 | 3 | 4 | 14 | 23 | 30 | 41 | 74 |
| 50-64 | 124 | 16.4 | 113 | 3 | 5 | 15 | 24 | 29 | 40 | 63 |
| 65+ | 63 | 18.5 | 166 | 3 | 6 | 16 | 25 | 30 | 46 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3449 | 8.2 | 85 | 1 | 1 | 4 | 9 | 27 | 28 | 38 |
| B. *Operated* | 10 | 10.4 | 63 | 2 | 2 | 7 | 17 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8703 | 9.8 | 94 | 1 | 2 | 6 | 12 | 27 | 30 | 42 |
| B. *Operated* | 389 | 17.3 | 153 | 3 | 4 | 15 | 25 | 30 | 41 | 65 |
| **1. SINGLE DX** | 3459 | 8.3 | 85 | 1 | 1 | 4 | 9 | 27 | 28 | 38 |
| **2. MULTIPLE DX** | 9092 | 10.2 | 99 | 1 | 2 | 6 | 13 | 27 | 30 | 43 |
| **A. NOT OPERATED** | 12152 | 9.4 | 92 | 1 | 2 | 6 | 11 | 27 | 30 | 42 |
| **B. OPERATED** | 399 | 17.1 | 152 | 3 | 4 | 15 | 24 | 30 | 41 | 65 |
| TOTAL 0-19 YRS | 204 | 11.1 | 190 | <1 | 1 | 3 | 20 | 30 | 42 | 53 |
| 20-34 | 2246 | 10.2 | 113 | 1 | 1 | 5 | 14 | 28 | 30 | 42 |
| 35-49 | 4717 | 9.1 | 89 | 1 | 2 | 5 | 11 | 25 | 29 | 41 |
| 50-64 | 3989 | 9.4 | 85 | 2 | 2 | 6 | 11 | 26 | 29 | 42 |
| 65+ | 1395 | 10.9 | 109 | 2 | 2 | 7 | 14 | 27 | 30 | 48 |
| **GRAND TOTAL** | **12551** | **9.6** | **96** | **1** | **2** | **6** | **12** | **27** | **30** | **42** |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 65 | 10.1 | 135 | 1 | 1 | 6 | 13 | 22 | 28 | 67 |
| 35-49 | 17 | 8.3 | 30 | 1 | 1 | 7 | 13 | 15 | 18 | 20 |
| 50-64 | 2 | 34.0 | 128 | 26 | 26 | 34 | 42 | 42 | 42 | 42 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 14.4 | 39 | 9 | 9 | 13 | 17 | 25 | 25 | 25 |
| 20-34 | 92 | 10.6 | 74 | 2 | 2 | 9 | 13 | 22 | 27 | 48 |
| 35-49 | 24 | 12.9 | 93 | 3 | 4 | 10 | 19 | 28 | 32 | 42 |
| 50-64 | 13 | 13.5 | 74 | 3 | 5 | 11 | 20 | 29 | 30 | 30 |
| 65+ | 6 | 8.5 | 15 | 3 | 3 | 8 | 12 | 13 | 13 | 13 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 7 | 32.0 | 285 | 15 | 15 | 31 | 48 | 55 | 56 | 56 |
| 35-49 | 1 | 12.0 |  | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 86 | 10.2 | 124 | 1 | 1 | 6 | 13 | 22 | 28 | 62 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 140 | 11.3 | 74 | 2 | 3 | 10 | 14 | 23 | 28 | 43 |
| B. *Operated* | 8 | 29.5 | 294 | 12 | 13 | 25 | 43 | 55 | 56 | 56 |
| **1. SINGLE DX** | 86 | 10.2 | 124 | 1 | 1 | 6 | 13 | 22 | 28 | 62 |
| **2. MULTIPLE DX** | 148 | 12.3 | 101 | 2 | 3 | 10 | 15 | 25 | 31 | 53 |
| **A. NOT OPERATED** | 226 | 10.9 | 93 | 1 | 2 | 9 | 14 | 23 | 28 | 48 |
| **B. OPERATED** | 8 | 29.5 | 294 | 12 | 13 | 25 | 43 | 55 | 56 | 56 |
| TOTAL 0-19 YRS | 7 | 11.6 | 49 | 4 | 4 | 11 | 14 | 23 | 25 | 25 |
| 20-34 | 164 | 11.3 | 124 | 1 | 2 | 8 | 14 | 23 | 31 | 56 |
| 35-49 | 42 | 11.0 | 69 | 1 | 3 | 9 | 15 | 20 | 28 | 42 |
| 50-64 | 15 | 16.3 | 125 | 3 | 5 | 12 | 25 | 30 | 39 | 42 |
| 65+ | 6 | 8.5 | 15 | 3 | 3 | 8 | 12 | 13 | 13 | 13 |
| **GRAND TOTAL** | **234** | **11.5** | **110** | **1** | **2** | **9** | **14** | **25** | **30** | **53** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 19 | 8.3 | 27 | 2 | 2 | 7 | 12 | 15 | 18 | 20 |
| 20-34 | 73 | 9.2 | 132 | <1 | 1 | 5 | 11 | 29 | 42 | 42 |
| 35-49 | 22 | 9.5 | 209 | <1 | <1 | 4 | 11 | 32 | 48 | 56 |
| 50-64 | 4 | 11.0 | 61 | 1 | 1 | 11 | 16 | 20 | 20 | 20 |
| 65+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 23 | 20.3 | 232 | 3 | 4 | 13 | 32 | 42 | 46 | 52 |
| 20-34 | 121 | 11.6 | 123 | 1 | 2 | 7 | 15 | 27 | 41 | 42 |
| 35-49 | 46 | 12.6 | 94 | 2 | 3 | 9 | 18 | 26 | 32 | 42 |
| 50-64 | 26 | 14.5 | 254 | 1 | 2 | 10 | 17 | 37 | 48 | 74 |
| 65+ | 21 | 14.2 | 144 | 3 | 5 | 11 | 18 | 29 | 44 | 52 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 64.0 |  | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| 20-34 | 7 | 12.0 | 75 | 1 | 2 | 10 | 18 | 26 | 27 | 27 |
| 35-49 | 1 | 21.0 |  | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 50-64 | 5 | 9.6 | 25 | 5 | 5 | 10 | 12 | 17 | 17 | 17 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 120 | 9.1 | 123 | <1 | 1 | 5 | 11 | 25 | 41 | 46 |
| B. *Operated* | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 237 | 13.2 | 148 | 1 | 2 | 9 | 18 | 31 | 42 | 52 |
| B. *Operated* | 14 | 15.5 | 246 | 2 | 4 | 10 | 20 | 31 | 57 | 64 |
| **1. SINGLE DX** | 121 | 9.0 | 123 | <1 | 1 | 5 | 11 | 24 | 41 | 46 |
| **2. MULTIPLE DX** | 251 | 13.3 | 153 | 1 | 2 | 9 | 18 | 31 | 42 | 52 |
| **A. NOT OPERATED** | 357 | 11.8 | 143 | 1 | 1 | 7 | 15 | 29 | 42 | 51 |
| **B. OPERATED** | 15 | 14.7 | 239 | 1 | 3 | 10 | 19 | 27 | 55 | 64 |
| TOTAL 0-19 YRS | 44 | 15.8 | 224 | 2 | 3 | 10 | 23 | 42 | 45 | 64 |
| 20-34 | 201 | 10.7 | 125 | 1 | 1 | 6 | 13 | 28 | 41 | 42 |
| 35-49 | 69 | 11.8 | 130 | 1 | 1 | 7 | 16 | 27 | 34 | 53 |
| 50-64 | 35 | 13.4 | 199 | 1 | 2 | 11 | 17 | 24 | 41 | 74 |
| 65+ | 23 | 13.3 | 142 | 2 | 3 | 10 | 17 | 26 | 43 | 52 |
| **GRAND TOTAL** | **372** | **11.9** | **147** | **1** | **2** | **8** | **15** | **29** | **42** | **52** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 98 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 100 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 85 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 65+ | 32 | 4.2 | 12 | <1 | 1 | 3 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 159 | 4.1 | 25 | <1 | <1 | 2 | 5 | 9 | 13 | 32 |
| 35-49 | 247 | 4.9 | 56 | 1 | 1 | 3 | 6 | 9 | 12 | 35 |
| 50-64 | 194 | 5.5 | 24 | 1 | 1 | 4 | 7 | 11 | 13 | 26 |
| 65+ | 65 | 5.8 | 26 | 1 | 2 | 4 | 8 | 11 | 15 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 73 | 1 | 1 | 2 | 11 | 19 | 19 | 19 |
| 20-34 | 5 | 9.4 | 71 | <1 | <1 | 8 | 15 | 22 | 22 | 22 |
| 35-49 | 14 | 8.3 | 89 | <1 | 1 | 7 | 8 | 21 | 33 | 36 |
| 50-64 | 11 | 8.9 | 43 | <1 | 1 | 7 | 11 | 20 | 22 | 22 |
| 65+ | 4 | 9.5 | 80 | <1 | <1 | 8 | 16 | 21 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 422 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| B. *Operated* | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 746 | 4.7 | 34 | <1 | 1 | 3 | 6 | 10 | 12 | 27 |
| B. *Operated* | 38 | 8.5 | 64 | <1 | <1 | 7 | 12 | 20 | 22 | 36 |
| **1. SINGLE DX** | 423 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 784 | 4.9 | 36 | <1 | 1 | 3 | 6 | 10 | 13 | 27 |
| **A. NOT OPERATED** | 1168 | 4.0 | 25 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 39 | 8.5 | 62 | <1 | 1 | 7 | 12 | 20 | 22 | 36 |
| TOTAL 0-19 YRS | 192 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 20-34 | 262 | 3.5 | 19 | <1 | <1 | 2 | 4 | 8 | 12 | 22 |
| 35-49 | 361 | 4.6 | 45 | 1 | 1 | 3 | 5 | 9 | 12 | 34 |
| 50-64 | 291 | 5.1 | 21 | 1 | 1 | 4 | 7 | 11 | 12 | 26 |
| 65+ | 101 | 5.4 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| **GRAND TOTAL** | **1207** | **4.1** | **27** | **<1** | **1** | **3** | **5** | **9** | **12** | **22** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.3 | 17 | <1 | 1 | 3 | 5 | 11 | 13 | 17 |
| 20-34 | 140 | 6.0 | 56 | 1 | 1 | 4 | 6 | 13 | 21 | 45 |
| 35-49 | 20 | 7.1 | 190 | 1 | 1 | 3 | 5 | 15 | 42 | 62 |
| 50-64 | 10 | 5.1 | 8 | 1 | 2 | 4 | 8 | 9 | 9 | 9 |
| 65+ | 3 | 7.0 | 3 | 5 | 5 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 8.8 | 89 | <1 | 1 | 5 | 12 | 23 | 28 | 40 |
| 20-34 | 217 | 7.4 | 45 | 1 | 1 | 5 | 10 | 18 | 23 | 30 |
| 35-49 | 60 | 7.7 | 52 | <1 | 1 | 5 | 11 | 16 | 22 | 34 |
| 50-64 | 40 | 11.1 | 81 | 2 | 3 | 8 | 14 | 23 | 28 | 45 |
| 65+ | 31 | 9.3 | 59 | 1 | 2 | 7 | 14 | 17 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 17.0 | 151 | 3 | 3 | 22 | 25 | 26 | 26 | 26 |
| 20-34 | 4 | 11.8 | 17 | 7 | 7 | 11 | 14 | 17 | 17 | 17 |
| 35-49 | 8 | 14.5 | 126 | 5 | 5 | 8 | 25 | 31 | 32 | 32 |
| 50-64 | 5 | 22.6 | 475 | 2 | 2 | 15 | 43 | 51 | 51 | 51 |
| 65+ | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 5.7 | 58 | 1 | 1 | 4 | 6 | 12 | 17 | 47 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 419 | 8.2 | 58 | 1 | 1 | 5 | 11 | 19 | 24 | 35 |
| B. *Operated* | 21 | 16.9 | 179 | 3 | 4 | 12 | 26 | 35 | 45 | 51 |
| **1. SINGLE DX** | 212 | 5.7 | 58 | 1 | 1 | 4 | 6 | 12 | 17 | 47 |
| **2. MULTIPLE DX** | 440 | 8.6 | 67 | 1 | 1 | 6 | 12 | 21 | 25 | 38 |
| **A. NOT OPERATED** | 630 | 7.3 | 60 | 1 | 1 | 5 | 9 | 17 | 23 | 37 |
| **B. OPERATED** | 22 | 16.3 | 179 | 2 | 3 | 11 | 26 | 34 | 44 | 51 |
| TOTAL 0-19 YRS | 112 | 7.5 | 71 | <1 | 1 | 4 | 10 | 22 | 26 | 39 |
| 20-34 | 361 | 6.9 | 49 | 1 | 1 | 4 | 8 | 16 | 22 | 32 |
| 35-49 | 88 | 8.2 | 91 | 1 | 1 | 5 | 10 | 21 | 30 | 51 |
| 50-64 | 55 | 11.0 | 114 | 2 | 3 | 8 | 13 | 24 | 38 | 51 |
| 65+ | 36 | 9.4 | 62 | 1 | 3 | 7 | 13 | 17 | 27 | 37 |
| **GRAND TOTAL** | **652** | **7.6** | **66** | **1** | **1** | **5** | **10** | **19** | **24** | **40** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 20-34 | 139 | 4.7 | 16 | 1 | 2 | 4 | 5 | 8 | 12 | 24 |
| 35-49 | 125 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 59 | 4.5 | 19 | 1 | 2 | 4 | 5 | 7 | 9 | 30 |
| 65+ | 41 | 5.1 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 9 | 6.7 | 54 | 1 | 1 | 4 | 8 | 19 | 25 | 25 |
| 35-49 | 10 | 5.3 | 39 | 2 | 2 | 3 | 5 | 15 | 22 | 22 |
| 50-64 | 8 | 6.1 | 11 | 4 | 4 | 5 | 7 | 12 | 13 | 13 |
| 65+ | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 4.2 | 25 | 1 | 2 | 3 | 5 | 7 | 9 | 34 |
| 20-34 | 241 | 6.0 | 57 | 2 | 2 | 4 | 7 | 11 | 14 | 30 |
| 35-49 | 295 | 5.8 | 19 | 1 | 2 | 4 | 7 | 11 | 15 | 21 |
| 50-64 | 209 | 6.6 | 27 | 2 | 2 | 5 | 8 | 11 | 19 | 26 |
| 65+ | 199 | 6.4 | 29 | 2 | 2 | 5 | 8 | 11 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 13 | 5 | 5 | 7 | 11 | 12 | 12 | 12 |
| 20-34 | 27 | 8.0 | 28 | 2 | 2 | 6 | 12 | 15 | 18 | 22 |
| 35-49 | 32 | 11.6 | 185 | 2 | 3 | 8 | 14 | 20 | 38 | 73 |
| 50-64 | 21 | 9.6 | 29 | 2 | 3 | 9 | 14 | 17 | 19 | 21 |
| 65+ | 17 | 11.4 | 72 | 1 | 2 | 11 | 15 | 23 | 30 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 480 | 4.4 | 13 | 1 | 1 | 4 | 5 | 8 | 10 | 21 |
| B. *Operated* | 36 | 5.6 | 26 | 2 | 2 | 4 | 6 | 9 | 19 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1021 | 6.0 | 33 | 2 | 2 | 4 | 7 | 11 | 16 | 28 |
| B. *Operated* | 100 | 10.1 | 85 | 2 | 3 | 8 | 13 | 18 | 22 | 56 |
| **1. SINGLE DX** | 516 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 11 | 23 |
| **2. MULTIPLE DX** | 1121 | 6.4 | 39 | 2 | 2 | 5 | 8 | 12 | 17 | 29 |
| **A. NOT OPERATED** | 1501 | 5.5 | 27 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| **B. OPERATED** | 136 | 8.9 | 73 | 2 | 2 | 6 | 12 | 18 | 22 | 45 |
| TOTAL 0-19 YRS | 203 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 8 | 19 |
| 20-34 | 416 | 5.7 | 42 | 1 | 2 | 4 | 7 | 11 | 14 | 29 |
| 35-49 | 462 | 5.8 | 31 | 1 | 2 | 4 | 7 | 11 | 15 | 22 |
| 50-64 | 297 | 6.4 | 27 | 2 | 2 | 5 | 7 | 12 | 18 | 27 |
| 65+ | 259 | 6.5 | 30 | 2 | 2 | 5 | 8 | 12 | 18 | 32 |
| **GRAND TOTAL** | **1637** | **5.8** | **31** | **1** | **2** | **4** | **7** | **11** | **15** | **27** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 629 | 12.3 | 296 | 1 | 1 | 6 | 17 | 55 | 99+ | 99+ |
| 20-34 | 702 | 5.7 | 39 | <1 | 1 | 4 | 7 | 12 | 19 | 33 |
| 35-49 | 389 | 6.3 | 50 | 1 | 1 | 4 | 8 | 12 | 17 | 34 |
| 50-64 | 119 | 7.0 | 37 | 1 | 2 | 5 | 9 | 16 | 22 | 27 |
| 65+ | 48 | 9.3 | 84 | 1 | 1 | 6 | 13 | 23 | 34 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 4.8 | 17 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 499 | 11.0 | 194 | 1 | 1 | 6 | 15 | 29 | 51 | 99+ |
| 20-34 | 919 | 6.8 | 52 | 1 | 1 | 5 | 8 | 14 | 20 | 37 |
| 35-49 | 596 | 7.5 | 54 | 1 | 1 | 5 | 10 | 17 | 22 | 35 |
| 50-64 | 288 | 8.1 | 43 | 2 | 2 | 6 | 11 | 17 | 23 | 30 |
| 65+ | 186 | 8.8 | 61 | 2 | 2 | 6 | 11 | 17 | 26 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 9.0 | 77 | 1 | 1 | 7 | 14 | 34 | 85 | 99+ |
| 20-34 | 43 | 13.7 | 185 | <1 | 1 | 12 | 18 | 30 | 35 | 73 |
| 35-49 | 25 | 14.2 | 209 | <1 | <1 | 9 | 22 | 31 | 43 | 63 |
| 50-64 | 14 | 12.6 | 62 | 6 | 6 | 9 | 14 | 26 | 31 | 32 |
| 65+ | 10 | 18.8 | 208 | 3 | 4 | 14 | 29 | 41 | 50 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1887 | 8.2 | 137 | 1 | 1 | 5 | 9 | 22 | 38 | 99+ |
| B. *Operated* | 7 | 8.0 | 80 | 1 | 1 | 6 | 9 | 24 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2488 | 8.1 | 83 | 1 | 2 | 5 | 10 | 18 | 25 | 55 |
| B. *Operated* | 105 | 13.6 | 163 | <1 | 1 | 11 | 19 | 31 | 37 | 85 |
| **1. SINGLE DX** | 1894 | 8.2 | 137 | 1 | 1 | 5 | 9 | 22 | 38 | 99+ |
| **2. MULTIPLE DX** | 2593 | 8.3 | 87 | 1 | 2 | 5 | 10 | 18 | 26 | 56 |
| **A. NOT OPERATED** | 4375 | 8.2 | 106 | 1 | 1 | 5 | 10 | 19 | 30 | 99+ |
| **B. OPERATED** | 112 | 13.2 | 159 | <1 | 1 | 10 | 19 | 30 | 36 | 83 |
| TOTAL 0-19 YRS | 1142 | 11.7 | 249 | 1 | 1 | 6 | 16 | 42 | 87 | 99+ |
| 20-34 | 1668 | 6.5 | 51 | 1 | 1 | 4 | 8 | 14 | 21 | 36 |
| 35-49 | 1011 | 7.2 | 58 | 1 | 1 | 5 | 9 | 15 | 21 | 35 |
| 50-64 | 421 | 7.9 | 43 | 1 | 2 | 6 | 10 | 17 | 23 | 30 |
| 65+ | 245 | 9.4 | 75 | 1 | 2 | 6 | 12 | 20 | 29 | 40 |
| **GRAND TOTAL** | **4487** | **8.3** | **108** | **1** | **1** | **5** | **10** | **20** | **30** | **99+** |

### 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 615 | 9.4 | 122 | 1 | 2 | 5 | 12 | 26 | 33 | 66 |
| 20-34 | 1279 | 8.7 | 83 | 1 | 2 | 6 | 11 | 20 | 27 | 42 |
| 35-49 | 918 | 9.2 | 76 | 1 | 2 | 6 | 12 | 20 | 28 | 44 |
| 50-64 | 495 | 11.5 | 116 | 1 | 2 | 8 | 14 | 25 | 32 | 54 |
| 65+ | 253 | 13.4 | 115 | 2 | 3 | 11 | 18 | 26 | 33 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.4 | 9 | 1 | 1 | 2 | 4 | 9 | 11 | 11 |
| 20-34 | 38 | 10.8 | 294 | <1 | 1 | 6 | 11 | 22 | 43 | 96 |
| 35-49 | 20 | 8.2 | 54 | 1 | 2 | 7 | 9 | 15 | 25 | 34 |
| 50-64 | 19 | 9.6 | 99 | 1 | 2 | 6 | 11 | 24 | 36 | 40 |
| 65+ | 3 | 18.0 | 675 | 3 | 3 | 3 | 37 | 48 | 48 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 582 | 10.6 | 178 | 1 | 2 | 5 | 14 | 28 | 40 | 91 |
| 20-34 | 1565 | 9.0 | 96 | 2 | 2 | 6 | 11 | 19 | 28 | 54 |
| 35-49 | 1335 | 9.0 | 74 | 2 | 2 | 6 | 11 | 19 | 26 | 44 |
| 50-64 | 991 | 9.8 | 90 | 2 | 3 | 7 | 12 | 21 | 29 | 46 |
| 65+ | 754 | 11.4 | 116 | 2 | 3 | 8 | 14 | 24 | 35 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 11.4 | 112 | 1 | 2 | 7 | 22 | 32 | 41 | 99+ |
| 20-34 | 114 | 10.7 | 80 | 2 | 2 | 8 | 15 | 21 | 27 | 47 |
| 35-49 | 116 | 14.7 | 182 | 3 | 4 | 10 | 18 | 32 | 46 | 67 |
| 50-64 | 101 | 15.6 | 177 | 4 | 5 | 11 | 18 | 36 | 44 | 70 |
| 65+ | 69 | 17.9 | 191 | 3 | 5 | 14 | 24 | 35 | 46 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3560 | 9.7 | 97 | 1 | 2 | 6 | 13 | 22 | 29 | 51 |
| B. *Operated* | 91 | 9.3 | 176 | 1 | 2 | 6 | 10 | 16 | 34 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5227 | 9.7 | 102 | 2 | 2 | 6 | 12 | 21 | 29 | 57 |
| B. *Operated* | 427 | 14.2 | 156 | 2 | 3 | 10 | 18 | 30 | 42 | 66 |
| **1. SINGLE DX** | 3651 | 9.7 | 98 | 1 | 2 | 6 | 12 | 22 | 29 | 51 |
| **2. MULTIPLE DX** | 5654 | 10.0 | 108 | 2 | 2 | 7 | 12 | 22 | 30 | 57 |
| **A. NOT OPERATED** | 8787 | 9.7 | 100 | 1 | 2 | 6 | 12 | 21 | 29 | 54 |
| **B. OPERATED** | 518 | 13.3 | 162 | 2 | 3 | 9 | 17 | 29 | 41 | 66 |
| TOTAL 0-19 YRS | 1235 | 10.0 | 148 | 1 | 2 | 5 | 13 | 27 | 36 | 77 |
| 20-34 | 2996 | 8.9 | 92 | 1 | 2 | 6 | 11 | 20 | 28 | 50 |
| 35-49 | 2389 | 9.3 | 81 | 2 | 2 | 6 | 12 | 20 | 28 | 46 |
| 50-64 | 1606 | 10.7 | 106 | 2 | 3 | 7 | 13 | 24 | 31 | 52 |
| 65+ | 1079 | 12.3 | 125 | 2 | 3 | 9 | 15 | 26 | 36 | 58 |
| **GRAND TOTAL** | **9305** | **9.9** | **104** | **2** | **2** | **6** | **12** | **22** | **30** | **56** |

### 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.4 | 13 | 1 | 2 | 4 | 8 | 12 | 13 | 13 |
| 20-34 | 14 | 7.4 | 36 | 1 | 1 | 7 | 11 | 15 | 19 | 20 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 10 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 8.3 | 145 | 1 | 2 | 4 | 8 | 15 | 32 | 70 |
| 20-34 | 107 | 10.3 | 106 | 2 | 2 | 8 | 13 | 19 | 23 | 60 |
| 35-49 | 51 | 9.7 | 53 | 1 | 2 | 9 | 13 | 17 | 22 | 42 |
| 50-64 | 25 | 8.5 | 22 | 3 | 3 | 7 | 9 | 15 | 19 | 22 |
| 65+ | 16 | 15.9 | 118 | 3 | 5 | 16 | 20 | 24 | 41 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.5 | 141 | 3 | 3 | 6 | 7 | 26 | 43 | 43 |
| 20-34 | 11 | 12.1 | 528 | <1 | 1 | 5 | 8 | 42 | 77 | 80 |
| 35-49 | 3 | 13.0 | 79 | 3 | 3 | 16 | 19 | 20 | 20 | 20 |
| 50-64 | 3 | 8.3 | 85 | 3 | 3 | 3 | 15 | 19 | 19 | 19 |
| 65+ | 1 | 57.0 | | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 5.9 | 21 | 1 | 1 | 4 | 10 | 12 | 14 | 20 |
| B. *Operated* | 6 | 11.7 | 289 | <1 | <1 | 6 | 8 | 42 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 282 | 9.8 | 103 | 1 | 2 | 7 | 12 | 19 | 27 | 49 |
| B. *Operated* | 28 | 12.5 | 333 | 1 | 2 | 6 | 12 | 36 | 59 | 80 |
| **1. SINGLE DX** | 44 | 6.7 | 56 | 1 | 1 | 4 | 9 | 12 | 16 | 46 |
| **2. MULTIPLE DX** | 310 | 10.0 | 123 | 1 | 2 | 7 | 12 | 19 | 29 | 65 |
| **A. NOT OPERATED** | 320 | 9.3 | 95 | 1 | 2 | 7 | 12 | 18 | 23 | 49 |
| **B. OPERATED** | 34 | 12.3 | 317 | 1 | 2 | 6 | 9 | 43 | 55 | 80 |
| TOTAL 0-19 YRS | 116 | 7.8 | 119 | 1 | 2 | 5 | 8 | 13 | 29 | 60 |
| 20-34 | 133 | 10.1 | 130 | 1 | 2 | 8 | 13 | 18 | 21 | 78 |
| 35-49 | 56 | 9.6 | 54 | 1 | 2 | 9 | 13 | 17 | 22 | 41 |
| 50-64 | 30 | 8.1 | 26 | 3 | 3 | 7 | 9 | 17 | 19 | 22 |
| 65+ | 19 | 19.1 | 239 | 3 | 5 | 17 | 20 | 48 | 53 | 57 |
| **GRAND TOTAL** | **354** | **9.6** | **116** | **1** | **2** | **7** | **11** | **18** | **28** | **57** |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 450 | 10.5 | 26 | 2 | 3 | 11 | 13 | 15 | 18 | 24 |
| 20-34 | 81 | 8.5 | 37 | 1 | 2 | 8 | 11 | 15 | 18 | 36 |
| 35-49 | 31 | 9.6 | 67 | 1 | 1 | 8 | 13 | 18 | 30 | 36 |
| 50-64 | 33 | 12.3 | 173 | 2 | 3 | 11 | 15 | 21 | 29 | 75 |
| 65+ | 17 | 10.8 | 43 | 2 | 2 | 10 | 16 | 19 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 13.4 | 83 | 6 | 7 | 11 | 14 | 22 | 25 | 65 |
| 20-34 | 20 | 16.5 | 276 | 2 | 2 | 13 | 21 | 35 | 56 | 72 |
| 35-49 | 33 | 11.6 | 121 | 2 | 3 | 8 | 16 | 33 | 44 | 99+ |
| 50-64 | 36 | 16.1 | 230 | 2 | 3 | 12 | 19 | 40 | 45 | 71 |
| 65+ | 7 | 15.1 | 184 | 2 | 2 | 9 | 24 | 36 | 39 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 12.1 | 41 | 2 | 4 | 12 | 15 | 18 | 22 | 33 |
| 20-34 | 59 | 10.1 | 67 | 2 | 3 | 8 | 11 | 17 | 25 | 45 |
| 35-49 | 53 | 13.6 | 103 | 2 | 3 | 12 | 16 | 30 | 36 | 43 |
| 50-64 | 58 | 13.9 | 89 | 2 | 3 | 13 | 17 | 27 | 34 | 43 |
| 65+ | 39 | 14.3 | 113 | 2 | 3 | 11 | 18 | 33 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 18.2 | 133 | 6 | 9 | 15 | 23 | 37 | 44 | 99+ |
| 20-34 | 23 | 20.1 | 280 | 2 | 3 | 14 | 30 | 46 | 52 | 60 |
| 35-49 | 34 | 15.6 | 154 | 2 | 4 | 13 | 21 | 46 | 87 | 99+ |
| 50-64 | 54 | 18.7 | 183 | 3 | 4 | 16 | 29 | 41 | 47 | 98 |
| 65+ | 21 | 22.1 | 187 | 4 | 4 | 20 | 36 | 42 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 612 | 10.3 | 38 | 2 | 3 | 11 | 13 | 16 | 18 | 30 |
| B. *Operated* | 146 | 14.2 | 157 | 2 | 3 | 11 | 18 | 31 | 41 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 579 | 12.4 | 60 | 2 | 3 | 12 | 15 | 21 | 27 | 43 |
| B. *Operated* | 236 | 18.5 | 166 | 4 | 6 | 15 | 26 | 41 | 49 | 99+ |
| **1. SINGLE DX** | 758 | 11.0 | 63 | 2 | 3 | 11 | 13 | 18 | 22 | 43 |
| **2. MULTIPLE DX** | 815 | 14.1 | 98 | 2 | 4 | 12 | 16 | 28 | 38 | 59 |
| **A. NOT OPERATED** | 1191 | 11.3 | 50 | 2 | 3 | 11 | 14 | 17 | 23 | 39 |
| **B. OPERATED** | 382 | 16.8 | 167 | 3 | 4 | 13 | 22 | 39 | 47 | 99+ |
| TOTAL 0-19 YRS | 974 | 12.1 | 51 | 2 | 4 | 11 | 14 | 18 | 23 | 43 |
| 20-34 | 183 | 11.3 | 117 | 2 | 3 | 8 | 13 | 21 | 36 | 56 |
| 35-49 | 151 | 12.8 | 113 | 2 | 3 | 11 | 16 | 32 | 39 | 99+ |
| 50-64 | 181 | 15.5 | 163 | 2 | 3 | 13 | 19 | 33 | 42 | 74 |
| 65+ | 84 | 15.6 | 135 | 2 | 4 | 14 | 21 | 37 | 39 | 82 |
| **GRAND TOTAL** | **1573** | **12.6** | **84** | **2** | **3** | **11** | **15** | **22** | **32** | **57** |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 9 | 6.0 | 21 | 2 | 2 | 5 | 8 | 14 | 15 | 15 |
| 50-64 | 79 | 8.8 | 104 | 2 | 3 | 6 | 11 | 15 | 19 | 70 |
| 65+ | 206 | 10.0 | 48 | 3 | 3 | 8 | 13 | 19 | 26 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 65+ | 5 | 6.2 | 5 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.7 | 177 | 3 | 3 | 5 | 21 | 27 | 27 | 27 |
| 20-34 | 2 | 13.5 | 313 | 1 | 1 | 13 | 26 | 26 | 26 | 26 |
| 35-49 | 20 | 9.2 | 65 | 1 | 2 | 7 | 11 | 22 | 27 | 32 |
| 50-64 | 176 | 10.5 | 75 | 2 | 3 | 8 | 13 | 24 | 31 | 43 |
| 65+ | 1081 | 12.3 | 109 | 3 | 4 | 9 | 15 | 24 | 32 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 26 | 17.8 | 399 | 3 | 4 | 9 | 22 | 54 | 65 | 81 |
| 65+ | 126 | 20.0 | 272 | 3 | 5 | 15 | 28 | 52 | 72 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 297 | 9.5 | 63 | 2 | 3 | 7 | 12 | 19 | 26 | 38 |
| B. *Operated* | 8 | 6.1 | 4 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1282 | 12.0 | 104 | 3 | 4 | 9 | 15 | 24 | 31 | 60 |
| B. *Operated* | 153 | 19.5 | 290 | 3 | 5 | 14 | 26 | 53 | 69 | 99+ |
| **1. SINGLE DX** | 305 | 9.4 | 61 | 2 | 3 | 7 | 12 | 19 | 26 | 37 |
| **2. MULTIPLE DX** | 1435 | 12.8 | 129 | 3 | 4 | 9 | 16 | 26 | 35 | 70 |
| **A. NOT OPERATED** | 1579 | 11.5 | 97 | 3 | 3 | 9 | 15 | 23 | 30 | 60 |
| **B. OPERATED** | 161 | 18.9 | 284 | 3 | 5 | 13 | 25 | 51 | 66 | 99+ |
| TOTAL 0-19 YRS | 4 | 9.0 | 147 | 1 | 1 | 4 | 16 | 27 | 27 | 27 |
| 20-34 | 5 | 7.8 | 109 | 1 | 1 | 5 | 11 | 26 | 26 | 26 |
| 35-49 | 30 | 8.2 | 51 | 2 | 2 | 6 | 11 | 18 | 23 | 32 |
| 50-64 | 283 | 10.7 | 117 | 2 | 3 | 7 | 12 | 23 | 31 | 74 |
| 65+ | 1418 | 12.6 | 120 | 3 | 4 | 9 | 16 | 25 | 34 | 68 |
| **GRAND TOTAL** | **1740** | **12.2** | **119** | **3** | **4** | **9** | **15** | **25** | **33** | **68** |

### 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.0 | 59 | 3 | 4 | 7 | 20 | 23 | 25 | 25 |
| 20-34 | 181 | 7.0 | 91 | 1 | 1 | 4 | 10 | 14 | 21 | 46 |
| 35-49 | 217 | 4.9 | 25 | 1 | 1 | 3 | 7 | 12 | 15 | 22 |
| 50-64 | 87 | 5.7 | 43 | 1 | 1 | 3 | 9 | 15 | 18 | 32 |
| 65+ | 11 | 9.0 | 31 | 1 | 3 | 8 | 12 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 26 | 8.6 | 39 | 2 | 2 | 7 | 9 | 18 | 23 | 26 |
| 35-49 | 17 | 10.2 | 29 | 2 | 3 | 9 | 15 | 17 | 19 | 20 |
| 50-64 | 10 | 8.2 | 22 | 2 | 2 | 9 | 11 | 14 | 15 | 15 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 97 | 12.8 | 214 | 1 | 2 | 8 | 14 | 31 | 44 | 77 |
| 35-49 | 154 | 10.5 | 82 | 1 | 2 | 8 | 15 | 23 | 31 | 38 |
| 50-64 | 102 | 10.3 | 62 | 1 | 2 | 9 | 13 | 20 | 24 | 43 |
| 65+ | 32 | 14.3 | 218 | 3 | 3 | 9 | 18 | 27 | 49 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 25 | 14.2 | 181 | 1 | 2 | 11 | 19 | 35 | 42 | 55 |
| 35-49 | 38 | 18.1 | 317 | 2 | 3 | 13 | 24 | 44 | 53 | 85 |
| 50-64 | 36 | 14.2 | 214 | 1 | 2 | 10 | 17 | 32 | 43 | 74 |
| 65+ | 7 | 12.3 | 107 | 1 | 1 | 10 | 18 | 28 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 506 | 6.0 | 53 | 1 | 1 | 4 | 9 | 14 | 18 | 35 |
| B. *Operated* | 56 | 9.0 | 32 | 2 | 2 | 8 | 13 | 16 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 386 | 11.3 | 122 | 1 | 2 | 9 | 14 | 24 | 32 | 52 |
| B. *Operated* | 106 | 15.5 | 235 | 2 | 2 | 11 | 19 | 35 | 45 | 79 |
| **1. SINGLE DX** | 562 | 6.3 | 52 | 1 | 1 | 4 | 9 | 15 | 18 | 34 |
| **2. MULTIPLE DX** | 492 | 12.2 | 149 | 1 | 2 | 9 | 15 | 26 | 37 | 57 |
| **A. NOT OPERATED** | 892 | 8.3 | 90 | 1 | 1 | 5 | 11 | 18 | 26 | 45 |
| **B. OPERATED** | 162 | 13.2 | 173 | 2 | 2 | 10 | 16 | 28 | 40 | 72 |
| TOTAL 0-19 YRS | 13 | 9.6 | 54 | 2 | 3 | 7 | 12 | 21 | 24 | 25 |
| 20-34 | 329 | 9.4 | 137 | 1 | 1 | 6 | 11 | 20 | 35 | 55 |
| 35-49 | 426 | 8.3 | 87 | 1 | 1 | 5 | 12 | 18 | 26 | 43 |
| 50-64 | 235 | 9.1 | 85 | 1 | 1 | 8 | 12 | 19 | 25 | 48 |
| 65+ | 51 | 12.9 | 159 | 2 | 3 | 9 | 17 | 25 | 30 | 73 |
| **GRAND TOTAL** | **1054** | **9.1** | **106** | **1** | **1** | **6** | **12** | **19** | **28** | **49** |

### 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 508 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 355 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 182 | 4.5 | 17 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 50-64 | 125 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 96 | 5.5 | 31 | 1 | 2 | 4 | 6 | 12 | 14 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 15 | 6.5 | 22 | 3 | 3 | 5 | 8 | 9 | 19 | 22 |
| 35-49 | 16 | 5.6 | 25 | 2 | 2 | 4 | 6 | 11 | 18 | 21 |
| 50-64 | 13 | 6.2 | 31 | 1 | 2 | 5 | 6 | 13 | 21 | 23 |
| 65+ | 3 | 10.0 | 63 | 4 | 4 | 7 | 16 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 436 | 4.9 | 43 | 1 | 1 | 3 | 5 | 9 | 12 | 35 |
| 20-34 | 413 | 5.7 | 21 | 1 | 2 | 4 | 7 | 12 | 15 | 22 |
| 35-49 | 409 | 6.0 | 24 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 514 | 7.2 | 37 | 1 | 2 | 6 | 9 | 15 | 19 | 33 |
| 65+ | 555 | 8.5 | 83 | 2 | 2 | 6 | 10 | 17 | 24 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.9 | 21 | 3 | 3 | 6 | 9 | 16 | 18 | 19 |
| 20-34 | 37 | 10.0 | 141 | 1 | 2 | 5 | 10 | 27 | 40 | 52 |
| 35-49 | 39 | 10.0 | 47 | 2 | 3 | 8 | 13 | 20 | 24 | 34 |
| 50-64 | 62 | 14.4 | 216 | 3 | 4 | 10 | 19 | 30 | 50 | 98 |
| 65+ | 49 | 13.7 | 155 | 3 | 3 | 11 | 16 | 28 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1266 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 11 | 18 |
| B. *Operated* | 55 | 5.8 | 25 | 2 | 2 | 4 | 7 | 11 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2327 | 6.6 | 46 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| B. *Operated* | 200 | 12.1 | 144 | 2 | 3 | 9 | 16 | 26 | 36 | 93 |
| **1. SINGLE DX** | 1321 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 2527 | 7.0 | 56 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| **A. NOT OPERATED** | 3593 | 5.7 | 35 | 1 | 1 | 4 | 7 | 11 | 16 | 28 |
| **B. OPERATED** | 255 | 10.7 | 125 | 2 | 3 | 7 | 13 | 22 | 31 | 86 |
| TOTAL 0-19 YRS | 965 | 4.1 | 25 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 820 | 5.1 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 35-49 | 646 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 714 | 7.4 | 53 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| 65+ | 703 | 8.5 | 83 | 2 | 2 | 6 | 10 | 17 | 24 | 58 |
| **GRAND TOTAL** | **3848** | **6.0** | **43** | **1** | **2** | **4** | **7** | **12** | **17** | **31** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 4.5 | 40 | 1 | 1 | 3 | 5 | 9 | 15 | 34 |
| 20-34 | 342 | 5.7 | 45 | 1 | 1 | 4 | 7 | 11 | 15 | 35 |
| 35-49 | 264 | 6.0 | 36 | 1 | 2 | 5 | 8 | 11 | 14 | 29 |
| 50-64 | 244 | 7.2 | 74 | 1 | 2 | 5 | 9 | 13 | 18 | 40 |
| 65+ | 327 | 8.0 | 70 | 1 | 2 | 6 | 10 | 15 | 22 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 5.7 | 50 | 1 | 2 | 4 | 7 | 12 | 14 | 42 |
| 20-34 | 195 | 7.5 | 71 | 2 | 2 | 5 | 9 | 15 | 21 | 36 |
| 35-49 | 197 | 7.5 | 44 | 1 | 2 | 5 | 11 | 16 | 18 | 45 |
| 50-64 | 174 | 8.6 | 77 | 2 | 2 | 5 | 12 | 18 | 21 | 51 |
| 65+ | 190 | 9.2 | 91 | 2 | 2 | 6 | 12 | 20 | 25 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 373 | 7.2 | 124 | 1 | 1 | 4 | 7 | 16 | 32 | 61 |
| 20-34 | 414 | 8.8 | 134 | 1 | 2 | 6 | 10 | 17 | 27 | 69 |
| 35-49 | 409 | 8.9 | 92 | 2 | 2 | 6 | 10 | 20 | 29 | 51 |
| 50-64 | 707 | 11.7 | 145 | 2 | 3 | 8 | 14 | 27 | 37 | 71 |
| 65+ | 1849 | 11.8 | 105 | 2 | 3 | 9 | 15 | 24 | 30 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 7.3 | 96 | 2 | 2 | 5 | 9 | 14 | 17 | 72 |
| 20-34 | 315 | 12.5 | 185 | 2 | 2 | 8 | 17 | 31 | 64 | 99+ |
| 35-49 | 297 | 11.6 | 151 | 2 | 3 | 8 | 15 | 24 | 33 | 99 |
| 50-64 | 428 | 13.7 | 174 | 2 | 3 | 10 | 19 | 31 | 48 | 99+ |
| 65+ | 638 | 17.5 | 246 | 2 | 4 | 12 | 24 | 42 | 57 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1422 | 6.3 | 55 | 1 | 1 | 4 | 8 | 12 | 17 | 37 |
| B. *Operated* | 967 | 7.6 | 67 | 1 | 2 | 5 | 10 | 16 | 21 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3752 | 10.7 | 119 | 2 | 2 | 7 | 13 | 23 | 31 | 59 |
| B. *Operated* | 1949 | 13.5 | 196 | 2 | 3 | 9 | 17 | 32 | 50 | 99+ |
| **1. SINGLE DX** | 2389 | 6.9 | 60 | 1 | 2 | 5 | 8 | 14 | 19 | 38 |
| **2. MULTIPLE DX** | 5701 | 11.7 | 147 | 2 | 2 | 8 | 14 | 26 | 37 | 76 |
| **A. NOT OPERATED** | 5174 | 9.5 | 105 | 1 | 2 | 6 | 11 | 21 | 28 | 54 |
| **B. OPERATED** | 2916 | 11.6 | 161 | 2 | 2 | 8 | 15 | 26 | 41 | 93 |
| TOTAL 0-19 YRS | 1100 | 6.3 | 85 | 1 | 1 | 4 | 7 | 13 | 21 | 56 |
| 20-34 | 1266 | 8.7 | 119 | 1 | 2 | 5 | 10 | 18 | 29 | 87 |
| 35-49 | 1167 | 8.7 | 90 | 2 | 2 | 6 | 10 | 18 | 26 | 66 |
| 50-64 | 1553 | 11.2 | 139 | 2 | 2 | 7 | 13 | 25 | 37 | 74 |
| 65+ | 3004 | 12.4 | 139 | 2 | 3 | 9 | 16 | 26 | 36 | 67 |
| **GRAND TOTAL** | **8090** | **10.2** | **126** | **2** | **2** | **7** | **12** | **23** | **32** | **69** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 295 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 669 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 447 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 20 |
| 50-64 | 128 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 31 | 4.5 | 10 | 1 | 1 | 3 | 8 | 10 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 56 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 35-49 | 42 | 4.5 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 24 | 5.8 | 14 | 2 | 2 | 4 | 9 | 12 | 13 | 14 |
| 65+ | 9 | 6.8 | 15 | 2 | 2 | 7 | 8 | 12 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 3.8 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 20-34 | 568 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 635 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 330 | 5.4 | 17 | 2 | 2 | 4 | 7 | 11 | 13 | 20 |
| 65+ | 125 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.4 | 41 | 2 | 2 | 5 | 8 | 19 | 21 | 21 |
| 20-34 | 59 | 8.4 | 63 | 3 | 3 | 6 | 10 | 13 | 22 | 52 |
| 35-49 | 66 | 7.4 | 23 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 51 | 8.2 | 23 | 2 | 3 | 7 | 11 | 16 | 18 | 20 |
| 65+ | 16 | 9.2 | 35 | 2 | 3 | 8 | 14 | 16 | 20 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1570 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 141 | 4.7 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1790 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 199 | 8.0 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 27 |
| **1. SINGLE DX** | 1711 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 1989 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 3360 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 340 | 6.6 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| TOTAL 0-19 YRS | 444 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1352 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 35-49 | 1190 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 533 | 5.4 | 16 | 2 | 2 | 4 | 7 | 11 | 13 | 19 |
| 65+ | 181 | 5.5 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **GRAND TOTAL** | **3700** | **4.7** | **14** | **1** | **2** | **4** | **6** | **9** | **11** | **19** |

### 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 15 | 3.5 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 35-49 | 23 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 50-64 | 17 | 4.5 | 24 | <1 | 1 | 3 | 6 | 9 | 16 | 20 |
| 65+ | 11 | 2.6 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 12 |
| 20-34 | 668 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 1129 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 1200 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 561 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 14 | 4.9 | 9 | <1 | 1 | 5 | 6 | 9 | 10 | 11 |
| 35-49 | 56 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 27 |
| 50-64 | 58 | 5.3 | 12 | 1 | 2 | 5 | 6 | 9 | 13 | 18 |
| 65+ | 32 | 6.5 | 26 | 1 | 2 | 5 | 9 | 13 | 17 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.9 | 10 | 1 | 1 | 2 | 3 | 6 | 11 | 13 |
| 20-34 | 169 | 3.8 | 11 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| 35-49 | 365 | 4.1 | 13 | 1 | 2 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 544 | 4.3 | 13 | 1 | 2 | 3 | 5 | 9 | 11 | 19 |
| 65+ | 323 | 4.7 | 34 | 1 | 2 | 3 | 5 | 10 | 14 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 3.7 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 3598 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 5.4 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 1415 | 4.2 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| **1. SINGLE DX** | 3665 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 1576 | 4.4 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 228 | 4.9 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 5013 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| TOTAL 0-19 YRS | 56 | 2.5 | 5 | 1 | 1 | 2 | 3 | 3 | 5 | 13 |
| 20-34 | 866 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 1573 | 3.0 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 1819 | 3.2 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 927 | 3.6 | 16 | 1 | 2 | 2 | 4 | 7 | 10 | 17 |
| **GRAND TOTAL** | 5241 | 3.1 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |

### 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 6.8 | 95 | 1 | 1 | 4 | 8 | 15 | 21 | 58 |
| 20-34 | 249 | 5.9 | 41 | 1 | 2 | 4 | 7 | 11 | 20 | 42 |
| 35-49 | 337 | 5.3 | 14 | 1 | 2 | 4 | 7 | 11 | 13 | 17 |
| 50-64 | 289 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 65+ | 231 | 6.9 | 57 | 2 | 2 | 5 | 8 | 13 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 4.4 | 39 | 1 | 2 | 3 | 4 | 8 | 13 | 36 |
| 20-34 | 767 | 4.4 | 12 | 1 | 2 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 1000 | 4.5 | 15 | 1 | 2 | 3 | 5 | 9 | 12 | 18 |
| 50-64 | 899 | 4.2 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 411 | 5.0 | 22 | 2 | 2 | 3 | 6 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 6.4 | 74 | 1 | 1 | 4 | 6 | 12 | 24 | 50 |
| 20-34 | 202 | 6.6 | 46 | 1 | 1 | 5 | 8 | 12 | 24 | 35 |
| 35-49 | 431 | 7.3 | 49 | 2 | 2 | 5 | 9 | 14 | 19 | 30 |
| 50-64 | 651 | 8.2 | 56 | 2 | 3 | 6 | 10 | 16 | 22 | 41 |
| 65+ | 758 | 8.9 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.8 | 28 | 1 | 2 | 3 | 6 | 8 | 15 | 29 |
| 20-34 | 323 | 7.0 | 99 | 2 | 2 | 4 | 7 | 14 | 20 | 77 |
| 35-49 | 498 | 8.0 | 83 | 2 | 2 | 5 | 10 | 17 | 25 | 50 |
| 50-64 | 589 | 7.7 | 76 | 2 | 2 | 5 | 9 | 16 | 22 | 45 |
| 65+ | 375 | 10.3 | 119 | 2 | 2 | 6 | 13 | 27 | 34 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1199 | 5.9 | 36 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| B. *Operated* | 3193 | 4.5 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2104 | 8.0 | 54 | 2 | 2 | 6 | 10 | 15 | 21 | 38 |
| B. *Operated* | 1825 | 8.1 | 91 | 2 | 2 | 5 | 10 | 17 | 26 | 57 |
| **1. SINGLE DX** | 4392 | 4.9 | 23 | 1 | 2 | 3 | 6 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 3929 | 8.1 | 71 | 2 | 2 | 6 | 10 | 16 | 23 | 43 |
| **A. NOT OPERATED** | 3303 | 7.3 | 48 | 1 | 2 | 5 | 9 | 14 | 20 | 36 |
| **B. OPERATED** | 5018 | 5.8 | 47 | 2 | 2 | 4 | 7 | 12 | 17 | 36 |
| TOTAL 0-19 YRS | 311 | 5.6 | 62 | 1 | 1 | 3 | 6 | 11 | 18 | 42 |
| 20-34 | 1541 | 5.5 | 41 | 1 | 2 | 4 | 6 | 10 | 15 | 35 |
| 35-49 | 2266 | 5.9 | 39 | 2 | 2 | 4 | 7 | 12 | 16 | 29 |
| 50-64 | 2428 | 6.3 | 47 | 2 | 2 | 4 | 8 | 13 | 18 | 35 |
| 65+ | 1775 | 8.0 | 64 | 2 | 2 | 6 | 10 | 17 | 23 | 41 |
| **GRAND TOTAL** | 8321 | 6.4 | 48 | 2 | 2 | 4 | 8 | 13 | 18 | 36 |

### 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 8 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 7.0 | 15 | 2 | 2 | 7 | 9 | 12 | 16 | 16 |
| 20-34 | 77 | 5.1 | 8 | 1 | 2 | 5 | 6 | 9 | 11 | 13 |
| 35-49 | 114 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 50-64 | 373 | 5.8 | 30 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| 65+ | 342 | 5.5 | 6 | 2 | 3 | 5 | 7 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 9 | 5.4 | 31 | 1 | 1 | 4 | 8 | 14 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.4 | 32 | 3 | 4 | 7 | 10 | 20 | 21 | 22 |
| 20-34 | 46 | 6.6 | 15 | 2 | 2 | 6 | 9 | 11 | 13 | 22 |
| 35-49 | 52 | 6.7 | 19 | 2 | 2 | 6 | 8 | 12 | 17 | 21 |
| 50-64 | 238 | 6.3 | 9 | 2 | 3 | 6 | 8 | 9 | 11 | 17 |
| 65+ | 265 | 7.2 | 16 | 3 | 3 | 6 | 9 | 12 | 15 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| B. *Operated* | 951 | 5.8 | 17 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 4.1 | 17 | 1 | 1 | 3 | 4 | 9 | 14 | 18 |
| B. *Operated* | 616 | 6.8 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| **1. SINGLE DX** | 963 | 5.7 | 17 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 634 | 6.7 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| **A. NOT OPERATED** | 30 | 3.7 | 12 | 1 | 1 | 3 | 4 | 8 | 9 | 18 |
| **B. OPERATED** | 1567 | 6.2 | 16 | 2 | 3 | 5 | 8 | 10 | 12 | 20 |
| TOTAL 0-19 YRS | 60 | 7.4 | 19 | 2 | 3 | 7 | 9 | 13 | 16 | 22 |
| 20-34 | 127 | 5.6 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 169 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 617 | 6.0 | 22 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 624 | 6.2 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| **GRAND TOTAL** | **1597** | **6.1** | **16** | **2** | **2** | **5** | **8** | **10** | **12** | **20** |

### 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.6 | 8 | 1 | 1 | 2 | 2 | 8 | 9 | 9 |
| 20-34 | 5 | 2.4 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 35-49 | 9 | 3.0 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 50-64 | 20 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 65+ | 52 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 6 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 13 | 3.7 | 3 | 2 | 2 | 3 | 4 | 7 | 7 | 7 |
| 35-49 | 81 | 3.4 | 14 | 1 | 2 | 3 | 3 | 6 | 8 | 25 |
| 50-64 | 289 | 3.2 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 65+ | 475 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 4 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 14 | 2.7 | 6 | <1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 65+ | 51 | 4.2 | 9 | 1 | 1 | 3 | 6 | 9 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 4.7 | 15 | 1 | 1 | 3 | 8 | 11 | 11 | 11 |
| 35-49 | 32 | 3.8 | 4 | 2 | 2 | 3 | 4 | 7 | 9 | 10 |
| 50-64 | 156 | 4.6 | 20 | 1 | 2 | 3 | 5 | 8 | 13 | 24 |
| 65+ | 364 | 4.9 | 17 | 2 | 2 | 4 | 6 | 10 | 12 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| B. *Operated* | 871 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| B. *Operated* | 562 | 4.8 | 17 | 1 | 2 | 3 | 6 | 9 | 12 | 24 |
| **1. SINGLE DX** | 964 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 637 | 4.6 | 16 | 1 | 2 | 3 | 6 | 9 | 12 | 24 |
| **A. NOT OPERATED** | 168 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| **B. OPERATED** | 1433 | 3.8 | 11 | 1 | 2 | 3 | 4 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 25 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 29 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 126 | 3.5 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 50-64 | 479 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 65+ | 942 | 3.9 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 15 |
| **GRAND TOTAL** | **1601** | **3.7** | **10** | **1** | **1** | **3** | **4** | **7** | **9** | **15** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 4.3 | 8 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 12 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | 18 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 5 | 5 |
| 20-34 | 23 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 35-49 | 29 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 8 | 8 |
| 50-64 | 122 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 11 | 16 |
| 65+ | 220 | 3.2 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 35-49 | 5 | 10.0 | 232 | 1 | 1 | 4 | 14 | 37 | 37 | 37 |
| 50-64 | 10 | 8.6 | 163 | 1 | 1 | 5 | 9 | 27 | 44 | 44 |
| 65+ | 39 | 6.4 | 103 | 1 | 2 | 4 | 6 | 12 | 15 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.3 | 13 | 1 | 1 | 4 | 4 | 10 | 12 | 12 |
| 20-34 | 19 | 3.9 | 4 | 1 | 2 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 21 | 6.0 | 47 | 1 | 2 | 3 | 7 | 16 | 23 | 29 |
| 50-64 | 77 | 4.6 | 12 | 2 | 2 | 3 | 6 | 10 | 12 | 17 |
| 65+ | 183 | 5.4 | 38 | 1 | 2 | 3 | 6 | 10 | 16 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 2.2 | 3 | <1 | 1 | 1 | 3 | 5 | 7 | 8 |
| B. *Operated* | 409 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 6.8 | 112 | 1 | 2 | 4 | 7 | 12 | 28 | 62 |
| B. *Operated* | 307 | 5.1 | 29 | 2 | 2 | 3 | 6 | 10 | 15 | 30 |
| **1. SINGLE DX** | 453 | 3.1 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 366 | 5.4 | 43 | 1 | 2 | 4 | 6 | 10 | 15 | 37 |
| **A. NOT OPERATED** | 103 | 4.9 | 70 | 1 | 1 | 3 | 5 | 9 | 12 | 53 |
| **B. OPERATED** | 716 | 4.0 | 17 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 32 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 47 | 3.4 | 4 | 1 | 1 | 2 | 5 | 7 | 7 | 9 |
| 35-49 | 59 | 4.6 | 39 | 1 | 1 | 2 | 4 | 8 | 17 | 36 |
| 50-64 | 221 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 65+ | 460 | 4.3 | 28 | 1 | 2 | 3 | 5 | 8 | 12 | 21 |
| **GRAND TOTAL** | **819** | **4.1** | **24** | **1** | **1** | **3** | **5** | **8** | **11** | **20** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 20 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 65+ | 90 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 683 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | 4086 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 14411 | 2.8 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 13 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 91 | 2.9 | 14 | <1 | 1 | 2 | 3 | 7 | 10 | 21 |
| 65+ | 365 | 3.2 | 13 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 354 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 2820 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 65+ | 11200 | 3.4 | 8 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 13 |
| B. *Operated* | 19180 | 2.7 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 469 | 3.1 | 13 | <1 | 1 | 2 | 3 | 8 | 10 | 17 |
| B. *Operated* | 14374 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| **1. SINGLE DX** | 19290 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 14843 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 579 | 3.0 | 12 | <1 | 1 | 2 | 3 | 7 | 10 | 16 |
| **B. OPERATED** | 33554 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1050 | 2.8 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 7017 | 2.9 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 26066 | 3.1 | 5 | 2 | 2 | 3 | 3 | 5 | 6 | 12 |
| **GRAND TOTAL** | **34133** | **3.0** | **4** | **2** | **2** | **3** | **3** | **4** | **6** | **11** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 2.4 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 70 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 75 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 134 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 65+ | 156 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 9 | 1.7 | 2 | 1 | 1 | 1 | 2 | 4 | 5 | 5 |
| 65+ | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 2.4 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 20-34 | 41 | 3.3 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 71 | 3.6 | 7 | 2 | 2 | 3 | 4 | 7 | 8 | 18 |
| 50-64 | 118 | 3.1 | 5 | 1 | 2 | 2 | 4 | 5 | 8 | 13 |
| 65+ | 137 | 4.1 | 19 | 1 | 2 | 3 | 4 | 9 | 11 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| B. *Operated* | 523 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 1.9 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| B. *Operated* | 422 | 3.4 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 19 |
| **1. SINGLE DX** | 530 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 439 | 3.4 | 9 | 1 | 2 | 2 | 4 | 6 | 8 | 19 |
| **A. NOT OPERATED** | 24 | 1.9 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 5 |
| **B. OPERATED** | 945 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 146 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 116 | 2.8 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 149 | 3.0 | 4 | 1 | 2 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 262 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 296 | 3.1 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| **GRAND TOTAL** | **969** | **2.8** | **5** | **1** | **1** | **2** | **3** | **4** | **6** | **11** |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 9 | 3.0 | 4 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 8 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | 15 | 4.4 | 6 | 2 | 2 | 4 | 4 | 7 | 11 | 12 |
| 65+ | 19 | 4.0 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1632 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 358 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 175 | 2.2 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 79 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 40 | 2.7 | 4 | 1 | 2 | 2 | 3 | 5 | 9 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 15 | 4.1 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 35-49 | 21 | 4.9 | 10 | 1 | 1 | 4 | 6 | 10 | 11 | 12 |
| 50-64 | 40 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 11 | 12 |
| 65+ | 38 | 5.4 | 35 | <1 | 1 | 4 | 6 | 11 | 13 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 317 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 108 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 35-49 | 66 | 2.3 | 3 | 1 | 2 | 2 | 2 | 3 | 4 | 13 |
| 50-64 | 67 | 4.0 | 9 | 1 | 2 | 3 | 5 | 9 | 11 | 14 |
| 65+ | 45 | 5.5 | 30 | 1 | 2 | 3 | 8 | 14 | 20 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 2284 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 3.7 | 14 | <1 | <1 | 3 | 5 | 8 | 11 | 14 |
| B. *Operated* | 603 | 2.5 | 5 | 1 | 1 | 2 | 2 | 3 | 7 | 14 |
| **1. SINGLE DX** | 2366 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 770 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **A. NOT OPERATED** | 249 | 3.5 | 11 | <1 | <1 | 3 | 5 | 7 | 9 | 12 |
| **B. OPERATED** | 2887 | 2.0 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 8 |
| TOTAL 0-19 YRS | 2033 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 490 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 270 | 2.5 | 5 | 1 | 1 | 2 | 2 | 4 | 6 | 12 |
| 50-64 | 201 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 65+ | 142 | 4.5 | 21 | 1 | 2 | 3 | 5 | 9 | 14 | 39 |
| **GRAND TOTAL** | **3136** | **2.1** | **3** | **1** | **1** | **2** | **2** | **3** | **4** | **9** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 235 | 2.3 | 9 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| 20-34 | 61 | 3.7 | 15 | 1 | 1 | 3 | 5 | 6 | 7 | 28 |
| 35-49 | 46 | 4.1 | 17 | <1 | <1 | 2 | 5 | 9 | 14 | 19 |
| 50-64 | 43 | 4.7 | 21 | <1 | 1 | 4 | 5 | 10 | 14 | 25 |
| 65+ | 60 | 6.8 | 33 | 1 | 2 | 5 | 8 | 14 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 311 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 20-34 | 307 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 433 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 544 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 764 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 3.8 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 46 | 4.1 | 8 | 1 | 1 | 3 | 6 | 9 | 10 | 12 |
| 35-49 | 28 | 5.2 | 10 | 1 | 2 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | 56 | 4.6 | 20 | <1 | 1 | 4 | 5 | 9 | 12 | 29 |
| 65+ | 151 | 5.9 | 24 | 1 | 1 | 5 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 133 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 20 |
| 35-49 | 196 | 3.4 | 15 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 50-64 | 421 | 3.0 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 65+ | 776 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 445 | 3.5 | 17 | <1 | <1 | 2 | 4 | 8 | 10 | 25 |
| B. *Operated* | 2359 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 434 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| B. *Operated* | 1614 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **1. SINGLE DX** | 2804 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | 2048 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 879 | 4.1 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **B. OPERATED** | 3973 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 787 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 547 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 703 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 1064 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 1751 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **GRAND TOTAL** | **4852** | **3.0** | **8** | **1** | **1** | **2** | **3** | **6** | **8** | **15** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 118 | 4.3 | 12 | 1 | 1 | 4 | 5 | 7 | 12 | 20 |
| 35-49 | 70 | 4.3 | 8 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 50-64 | 81 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 65+ | 94 | 5.0 | 15 | 1 | 2 | 4 | 7 | 9 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 3.7 | 16 | <1 | 1 | 2 | 4 | 9 | 13 | 20 |
| 20-34 | 99 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 86 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| 50-64 | 253 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 600 | 3.0 | 7 | 1 | 2 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 4.9 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 12 |
| 20-34 | 98 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 26 |
| 35-49 | 83 | 6.0 | 18 | 1 | 2 | 5 | 7 | 12 | 15 | 21 |
| 50-64 | 133 | 5.8 | 24 | 2 | 2 | 5 | 7 | 9 | 12 | 31 |
| 65+ | 209 | 6.9 | 25 | 1 | 2 | 6 | 9 | 14 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.4 | 13 | 1 | 1 | 3 | 6 | 11 | 12 | 16 |
| 20-34 | 95 | 5.3 | 33 | 1 | 2 | 4 | 6 | 9 | 15 | 35 |
| 35-49 | 112 | 5.5 | 23 | 2 | 2 | 4 | 7 | 11 | 15 | 29 |
| 50-64 | 323 | 4.6 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 702 | 4.7 | 24 | 2 | 2 | 3 | 6 | 10 | 13 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 650 | 4.3 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| B. *Operated* | 1113 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 773 | 5.8 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | 1292 | 4.8 | 21 | 1 | 2 | 3 | 6 | 10 | 12 | 21 |
| **1. SINGLE DX** | 1763 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | 2065 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 1423 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 2405 | 4.0 | 15 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 672 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 410 | 4.5 | 17 | 1 | 2 | 3 | 5 | 8 | 12 | 22 |
| 35-49 | 351 | 4.9 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 23 |
| 50-64 | 790 | 4.3 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 1605 | 4.4 | 19 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| **GRAND TOTAL** | **3828** | **4.4** | **15** | **1** | **2** | **3** | **5** | **9** | **11** | **19** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 25 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 35-49 | 21 | 2.7 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 18 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 9 |
| 65+ | 23 | 4.1 | 9 | <1 | 1 | 3 | 5 | 8 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 19 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 20 | 3.8 | 14 | 1 | 2 | 3 | 4 | 5 | 12 | 19 |
| 50-64 | 31 | 4.0 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 33 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.8 | 10 | 1 | 1 | 3 | 4 | 10 | 11 | 14 |
| 20-34 | 39 | 4.6 | 34 | 1 | 1 | 3 | 5 | 7 | 13 | 36 |
| 35-49 | 49 | 4.4 | 9 | 2 | 2 | 4 | 5 | 6 | 11 | 18 |
| 50-64 | 75 | 5.8 | 21 | 2 | 2 | 4 | 7 | 11 | 13 | 27 |
| 65+ | 94 | 7.2 | 65 | 2 | 2 | 5 | 8 | 13 | 26 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.2 | 28 | <1 | 1 | 3 | 4 | 7 | 18 | 23 |
| 20-34 | 32 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 8 | 8 |
| 35-49 | 37 | 6.2 | 35 | 2 | 2 | 4 | 7 | 13 | 23 | 25 |
| 50-64 | 51 | 5.4 | 23 | 2 | 2 | 4 | 5 | 12 | 20 | 21 |
| 65+ | 70 | 5.8 | 19 | 2 | 2 | 5 | 7 | 11 | 16 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 116 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 286 | 5.7 | 35 | 1 | 2 | 4 | 6 | 11 | 14 | 37 |
| B. *Operated* | 206 | 5.3 | 22 | 2 | 2 | 4 | 6 | 11 | 17 | 23 |
| **1. SINGLE DX** | 222 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 492 | 5.5 | 30 | 1 | 2 | 4 | 6 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 392 | 5.0 | 28 | 1 | 2 | 4 | 5 | 9 | 13 | 33 |
| **B. OPERATED** | 322 | 4.6 | 17 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| TOTAL 0-19 YRS | 77 | 3.2 | 11 | 1 | 1 | 2 | 3 | 5 | 10 | 21 |
| 20-34 | 115 | 3.8 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 24 |
| 35-49 | 127 | 4.6 | 17 | 1 | 2 | 3 | 5 | 8 | 13 | 23 |
| 50-64 | 175 | 5.1 | 18 | 2 | 2 | 4 | 6 | 10 | 13 | 21 |
| 65+ | 220 | 5.8 | 37 | 1 | 2 | 4 | 7 | 11 | 15 | 39 |
| **GRAND TOTAL** | **714** | **4.8** | **23** | **1** | **2** | **3** | **5** | **9** | **13** | **26** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 811 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 31 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 35-49 | 17 | 4.6 | 9 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 50-64 | 13 | 3.3 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 65+ | 13 | 4.1 | 4 | 1 | 2 | 4 | 6 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4832 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 247 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 193 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 178 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 71 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2389 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 81 | 4.2 | 8 | 1 | 1 | 4 | 6 | 7 | 11 | 14 |
| 35-49 | 67 | 5.4 | 10 | 2 | 3 | 5 | 6 | 9 | 12 | 17 |
| 50-64 | 64 | 6.1 | 15 | 1 | 2 | 6 | 8 | 12 | 14 | 19 |
| 65+ | 66 | 6.3 | 23 | 1 | 2 | 4 | 8 | 14 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3380 | 1.8 | 3 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| 20-34 | 323 | 3.0 | 16 | 1 | 2 | 2 | 3 | 4 | 6 | 15 |
| 35-49 | 307 | 3.1 | 23 | 2 | 2 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 264 | 3.2 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 15 |
| 65+ | 120 | 4.1 | 24 | 1 | 2 | 3 | 4 | 9 | 13 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 885 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 5521 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2667 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 4394 | 2.1 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| **1. SINGLE DX** | 6406 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 7061 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **A. NOT OPERATED** | 3552 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 9915 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| TOTAL 0-19 YRS | 11412 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 682 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 584 | 3.1 | 15 | 1 | 2 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 519 | 3.2 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 65+ | 270 | 4.2 | 19 | 1 | 1 | 3 | 4 | 9 | 14 | 20 |
| **GRAND TOTAL** | **13467** | **2.2** | **5** | **<1** | **<1** | **2** | **2** | **4** | **5** | **10** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 9 | 16 |
| 20-34 | 63 | 4.3 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 36 | 4.8 | 12 | 1 | 2 | 3 | 6 | 9 | 13 | 16 |
| 50-64 | 25 | 4.0 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 17 | 7.7 | 33 | 2 | 3 | 6 | 8 | 13 | 22 | 27 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 508 | 1.8 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 20-34 | 79 | 3.2 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 21 |
| 35-49 | 49 | 3.4 | 9 | 1 | 2 | 2 | 4 | 7 | 11 | 15 |
| 50-64 | 48 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 65+ | 29 | 5.0 | 14 | 1 | 1 | 3 | 8 | 10 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 78 | 5.6 | 19 | 2 | 3 | 5 | 6 | 9 | 12 | 29 |
| 35-49 | 57 | 5.5 | 11 | 2 | 2 | 5 | 7 | 11 | 12 | 16 |
| 50-64 | 60 | 8.1 | 63 | 2 | 3 | 6 | 10 | 15 | 17 | 53 |
| 65+ | 51 | 8.6 | 76 | 2 | 3 | 6 | 9 | 15 | 23 | 60 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 477 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 6 | 12 |
| 20-34 | 108 | 3.6 | 13 | 1 | 2 | 3 | 3 | 6 | 9 | 23 |
| 35-49 | 91 | 3.5 | 5 | 2 | 2 | 3 | 4 | 7 | 8 | 13 |
| 50-64 | 75 | 5.0 | 66 | 1 | 2 | 3 | 4 | 8 | 14 | 48 |
| 65+ | 47 | 10.2 | 112 | 1 | 2 | 5 | 15 | 27 | 32 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 225 | 4.4 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| *B. Operated* | 713 | 2.3 | 7 | <1 | <1 | 1 | 2 | 4 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 447 | 5.4 | 28 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| *B. Operated* | 798 | 3.2 | 21 | <1 | 1 | 2 | 3 | 6 | 9 | 28 |
| **1. SINGLE DX** | 938 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | 1245 | 4.0 | 25 | 1 | 1 | 3 | 4 | 8 | 11 | 27 |
| **A. NOT OPERATED** | 672 | 5.1 | 23 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| **B. OPERATED** | 1511 | 2.8 | 15 | <1 | <1 | 2 | 3 | 5 | 8 | 20 |
| TOTAL 0-19 YRS | 1270 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 328 | 4.1 | 14 | 1 | 2 | 3 | 5 | 8 | 10 | 21 |
| 35-49 | 233 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 208 | 5.3 | 47 | 1 | 2 | 3 | 6 | 10 | 14 | 45 |
| 65+ | 144 | 8.3 | 73 | 1 | 2 | 6 | 9 | 17 | 27 | 43 |
| **GRAND TOTAL** | **2183** | **3.5** | **18** | **<1** | **1** | **2** | **4** | **7** | **10** | **21** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.9 | 4 | <1 | 1 | 2 | 4 | 7 | 7 | 9 |
| 20-34 | 156 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 246 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 366 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 334 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 9 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 46 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 56 | 4.2 | 10 | 2 | 2 | 3 | 5 | 9 | 10 | 17 |
| 50-64 | 59 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 31 | 4.4 | 6 | 2 | 2 | 3 | 6 | 8 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 10 | 14 |
| 20-34 | 168 | 5.2 | 31 | 1 | 2 | 4 | 7 | 8 | 11 | 22 |
| 35-49 | 368 | 5.1 | 15 | 1 | 2 | 4 | 7 | 9 | 13 | 20 |
| 50-64 | 802 | 5.1 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 1230 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 18 | 4.1 | 6 | 2 | 2 | 3 | 5 | 6 | 10 | 12 |
| 35-49 | 30 | 5.2 | 9 | 2 | 2 | 5 | 6 | 8 | 13 | 15 |
| 50-64 | 50 | 6.9 | 35 | 2 | 2 | 6 | 9 | 13 | 16 | 37 |
| 65+ | 88 | 9.2 | 32 | 3 | 3 | 7 | 12 | 18 | 20 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1139 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| *B. Operated* | 193 | 4.1 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2611 | 5.6 | 17 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| *B. Operated* | 188 | 7.5 | 30 | 2 | 2 | 6 | 9 | 15 | 18 | 27 |
| **1. SINGLE DX** | 1332 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 2799 | 5.7 | 18 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| **A. NOT OPERATED** | 3750 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 381 | 5.8 | 21 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| TOTAL 0-19 YRS | 83 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 388 | 4.2 | 16 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 700 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 1277 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 1683 | 5.8 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **GRAND TOTAL** | **4131** | **5.1** | **15** | **1** | **2** | **4** | **6** | **9** | **12** | **20** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.9 | 5 | 2 | 2 | 3 | 3 | 3 | 6 | 13 |
| 20-34 | 171 | 2.6 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 326 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 251 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 65+ | 100 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 4 | 6.5 | 28 | 2 | 2 | 5 | 10 | 14 | 14 | 14 |
| 65+ | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 57 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 76 | 2.7 | 3 | 2 | 2 | 2 | 3 | 4 | 4 | 12 |
| 50-64 | 85 | 3.1 | 4 | 1 | 2 | 3 | 3 | 4 | 6 | 13 |
| 65+ | 42 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 1.8 | 1 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| B. *Operated* | 874 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 4.1 | 16 | <1 | <1 | 3 | 6 | 9 | 13 | 14 |
| B. *Operated* | 267 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 11 |
| **1. SINGLE DX** | 883 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 279 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 12 |
| **A. NOT OPERATED** | 21 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 14 |
| **B. OPERATED** | 1141 | 2.7 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 36 | 2.9 | 4 | 2 | 2 | 3 | 3 | 3 | 6 | 13 |
| 20-34 | 231 | 2.6 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 408 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 342 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 65+ | 145 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| **GRAND TOTAL** | **1162** | **2.7** | **2** | **2** | **2** | **2** | **3** | **4** | **5** | **9** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 6 |
| 20-34 | 36 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 35-49 | 57 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 75 | 3.4 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 65+ | 34 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 827 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 571 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 439 | 2.5 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 317 | 2.3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 65+ | 116 | 2.9 | 9 | 1 | 2 | 2 | 3 | 4 | 7 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.1 | 12 | <1 | <1 | 2 | 3 | 7 | 11 | 17 |
| 20-34 | 50 | 4.4 | 13 | <1 | 1 | 4 | 6 | 9 | 14 | 15 |
| 35-49 | 53 | 4.8 | 12 | 1 | 2 | 4 | 7 | 9 | 13 | 16 |
| 50-64 | 64 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 13 | 20 |
| 65+ | 75 | 5.8 | 28 | 1 | 2 | 5 | 7 | 9 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 561 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 457 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 411 | 3.2 | 28 | 2 | 2 | 2 | 3 | 4 | 7 | 13 |
| 50-64 | 336 | 3.0 | 3 | 2 | 2 | 2 | 3 | 4 | 7 | 11 |
| 65+ | 145 | 3.7 | 17 | 2 | 2 | 3 | 4 | 6 | 8 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 2270 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 272 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 14 | 20 |
| B. *Operated* | 1910 | 2.7 | 9 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| **1. SINGLE DX** | 2504 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 2182 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 506 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 4180 | 2.5 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 1450 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 1114 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 960 | 3.0 | 14 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 50-64 | 792 | 2.9 | 4 | 1 | 2 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 370 | 3.9 | 16 | 1 | 2 | 3 | 4 | 7 | 9 | 28 |
| **GRAND TOTAL** | **4686** | **2.7** | **6** | **1** | **1** | **2** | **3** | **4** | **5** | **12** |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 6.1 | 15 | 2 | 2 | 5 | 9 | 11 | 12 | 20 |
| 20-34 | 23 | 7.1 | 10 | 2 | 3 | 7 | 9 | 11 | 13 | 14 |
| 35-49 | 12 | 5.8 | 9 | 2 | 3 | 5 | 8 | 10 | 11 | 11 |
| 50-64 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 65+ | 4 | 22.5 | 415 | 11 | 11 | 13 | 33 | 53 | 53 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 12.8 | 28 | 6 | 6 | 13 | 16 | 20 | 20 | 20 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 22.5 | 181 | 13 | 13 | 22 | 32 | 32 | 32 | 32 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 7.8 | 27 | 2 | 2 | 7 | 11 | 13 | 21 | 24 |
| 20-34 | 21 | 6.4 | 6 | 2 | 3 | 6 | 8 | 10 | 10 | 11 |
| 35-49 | 25 | 7.3 | 23 | 2 | 3 | 6 | 9 | 12 | 18 | 24 |
| 50-64 | 38 | 6.8 | 29 | 2 | 3 | 6 | 8 | 11 | 16 | 32 |
| 65+ | 43 | 12.2 | 84 | 3 | 4 | 9 | 15 | 30 | 31 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 17 | <1 | <1 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 4 | 15.3 | 303 | 3 | 3 | 8 | 25 | 41 | 41 | 41 |
| 35-49 | 11 | 9.8 | 358 | 1 | 1 | 2 | 9 | 32 | 63 | 66 |
| 50-64 | 26 | 14.5 | 150 | 2 | 2 | 11 | 17 | 30 | 43 | 54 |
| 65+ | 8 | 14.6 | 195 | 3 | 3 | 12 | 17 | 38 | 46 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 6.9 | 34 | 2 | 2 | 6 | 9 | 11 | 14 | 34 |
| B. *Operated* | 9 | 12.3 | 95 | <1 | <1 | 13 | 16 | 27 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 166 | 8.5 | 43 | 2 | 3 | 7 | 10 | 16 | 24 | 32 |
| B. *Operated* | 52 | 13.1 | 196 | 1 | 2 | 10 | 16 | 33 | 45 | 66 |
| **1. SINGLE DX** | 119 | 7.3 | 40 | 2 | 2 | 6 | 9 | 12 | 15 | 38 |
| **2. MULTIPLE DX** | 218 | 9.6 | 83 | 2 | 2 | 7 | 11 | 19 | 30 | 49 |
| **A. NOT OPERATED** | 276 | 7.8 | 40 | 2 | 3 | 7 | 10 | 12 | 19 | 32 |
| **B. OPERATED** | 61 | 13.0 | 179 | 1 | 2 | 10 | 16 | 31 | 43 | 65 |
| TOTAL 0-19 YRS | 113 | 6.6 | 20 | 1 | 2 | 6 | 9 | 11 | 14 | 22 |
| 20-34 | 53 | 8.0 | 34 | 2 | 3 | 7 | 9 | 12 | 15 | 40 |
| 35-49 | 48 | 7.5 | 92 | 2 | 2 | 5 | 9 | 11 | 17 | 66 |
| 50-64 | 68 | 10.3 | 93 | 2 | 3 | 7 | 12 | 21 | 32 | 51 |
| 65+ | 55 | 13.3 | 122 | 3 | 4 | 10 | 16 | 30 | 38 | 53 |
| **GRAND TOTAL** | **337** | **8.8** | **69** | **2** | **2** | **7** | **10** | **16** | **25** | **47** |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 37 | 4.4 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 35-49 | 39 | 4.1 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 50-64 | 25 | 4.2 | 9 | <1 | 1 | 4 | 5 | 9 | 10 | 12 |
| 65+ | 14 | 6.1 | 27 | 1 | 2 | 4 | 7 | 15 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.3 | 42 | 1 | 1 | 2 | 2 | 16 | 19 | 19 |
| 20-34 | 40 | 7.0 | 28 | 1 | 2 | 6 | 11 | 14 | 16 | 19 |
| 35-49 | 69 | 8.2 | 35 | 2 | 2 | 9 | 12 | 16 | 20 | 24 |
| 50-64 | 87 | 9.2 | 35 | 2 | 2 | 9 | 13 | 17 | 20 | 24 |
| 65+ | 37 | 11.2 | 119 | 2 | 2 | 11 | 17 | 21 | 25 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 4.8 | 5 | 1 | 2 | 5 | 7 | 9 | 46 | 99+ |
| 20-34 | 97 | 5.8 | 39 | 1 | 2 | 4 | 7 | 10 | 12 | 42 |
| 35-49 | 182 | 5.6 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 30 |
| 50-64 | 295 | 6.9 | 27 | 2 | 2 | 6 | 9 | 13 | 15 | 28 |
| 65+ | 353 | 8.7 | 46 | 2 | 3 | 7 | 11 | 17 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.5 | 45 | 2 | 2 | 2 | 11 | 17 | 19 | 19 |
| 20-34 | 66 | 10.7 | 99 | 2 | 2 | 8 | 14 | 25 | 32 | 47 |
| 35-49 | 176 | 9.6 | 57 | 2 | 2 | 9 | 13 | 19 | 26 | 36 |
| 50-64 | 232 | 12.8 | 159 | 2 | 2 | 11 | 16 | 29 | 36 | 71 |
| 65+ | 131 | 12.7 | 119 | 2 | 2 | 11 | 17 | 25 | 36 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 240 | 8.7 | 48 | 2 | 2 | 8 | 13 | 17 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 948 | 7.2 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| B. *Operated* | 613 | 11.5 | 115 | 2 | 2 | 9 | 15 | 25 | 32 | 53 |
| **1. SINGLE DX** | 361 | 7.3 | 39 | 2 | 2 | 5 | 11 | 15 | 19 | 24 |
| **2. MULTIPLE DX** | 1561 | 8.9 | 72 | 2 | 2 | 6 | 12 | 18 | 26 | 46 |
| **A. NOT OPERATED** | 1069 | 6.9 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 33 |
| **B. OPERATED** | 853 | 10.7 | 98 | 2 | 2 | 9 | 14 | 22 | 29 | 48 |
| TOTAL 0-19 YRS | 42 | 5.0 | 17 | 1 | 2 | 4 | 7 | 11 | 19 | 99+ |
| 20-34 | 240 | 7.1 | 54 | 1 | 2 | 5 | 9 | 14 | 20 | 44 |
| 35-49 | 466 | 7.3 | 42 | 2 | 2 | 5 | 10 | 15 | 19 | 31 |
| 50-64 | 639 | 9.3 | 83 | 2 | 2 | 7 | 12 | 18 | 27 | 47 |
| 65+ | 535 | 9.8 | 71 | 2 | 2 | 7 | 13 | 20 | 26 | 44 |
| **GRAND TOTAL** | **1922** | **8.6** | **66** | **2** | **2** | **6** | **11** | **17** | **24** | **44** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 3.7 | 4 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 399 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 739 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | 725 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 495 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.0 | 6 | 2 | 2 | 3 | 5 | 7 | 10 | 11 |
| 20-34 | 46 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 63 | 4.5 | 13 | 1 | 2 | 3 | 6 | 8 | 11 | 19 |
| 50-64 | 71 | 6.0 | 16 | 2 | 2 | 5 | 9 | 11 | 12 | 20 |
| 65+ | 32 | 6.3 | 32 | 1 | 2 | 4 | 9 | 16 | 20 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 11 | 14 |
| 20-34 | 924 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 10 | 19 |
| 35-49 | 2601 | 5.6 | 21 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 50-64 | 3997 | 6.4 | 26 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 65+ | 4107 | 7.4 | 42 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.7 | 18 | 2 | 2 | 5 | 8 | 14 | 16 | 17 |
| 20-34 | 178 | 6.5 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 35-49 | 451 | 8.1 | 56 | 2 | 2 | 6 | 11 | 16 | 22 | 34 |
| 50-64 | 633 | 9.6 | 61 | 2 | 2 | 8 | 12 | 19 | 26 | 39 |
| 65+ | 502 | 10.8 | 72 | 2 | 3 | 9 | 14 | 21 | 27 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2450 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 226 | 5.0 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11739 | 6.4 | 30 | 2 | 2 | 5 | 8 | 11 | 15 | 26 |
| B. *Operated* | 1781 | 9.2 | 61 | 2 | 2 | 7 | 12 | 18 | 24 | 39 |
| **1. SINGLE DX** | 2676 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 13520 | 6.8 | 35 | 2 | 2 | 5 | 8 | 13 | 16 | 29 |
| **A. NOT OPERATED** | 14189 | 6.1 | 27 | 2 | 2 | 5 | 7 | 11 | 14 | 25 |
| **B. OPERATED** | 2007 | 8.7 | 57 | 2 | 2 | 7 | 11 | 18 | 23 | 37 |
| TOTAL 0-19 YRS | 233 | 4.2 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 1547 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 35-49 | 3854 | 5.7 | 23 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 50-64 | 5426 | 6.5 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| 65+ | 5136 | 7.5 | 43 | 2 | 3 | 6 | 9 | 14 | 18 | 34 |
| **GRAND TOTAL** | **16196** | **6.4** | **31** | **2** | **2** | **5** | **8** | **12** | **15** | **28** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 26 | 4.9 | 9 | 2 | 2 | 4 | 5 | 10 | 12 | 13 |
| 35-49 | 128 | 5.8 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 18 |
| 50-64 | 175 | 5.9 | 17 | 2 | 2 | 5 | 7 | 10 | 12 | 25 |
| 65+ | 261 | 6.7 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 4.0 | 16 | 2 | 2 | 2 | 6 | 10 | 10 | 10 |
| 35-49 | 19 | 5.8 | 26 | 1 | 1 | 3 | 10 | 14 | 16 | 17 |
| 50-64 | 32 | 6.5 | 68 | 2 | 2 | 4 | 8 | 14 | 17 | 46 |
| 65+ | 19 | 5.1 | 13 | 1 | 2 | 3 | 9 | 10 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.3 | 24 | 3 | 3 | 9 | 10 | 15 | 16 | 16 |
| 20-34 | 83 | 5.7 | 11 | 2 | 3 | 5 | 7 | 10 | 13 | 17 |
| 35-49 | 550 | 6.7 | 23 | 2 | 3 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 1843 | 8.0 | 29 | 2 | 3 | 7 | 10 | 15 | 18 | 28 |
| 65+ | 4134 | 9.3 | 55 | 3 | 3 | 7 | 12 | 17 | 23 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 12 | 6.1 | 27 | 2 | 2 | 4 | 10 | 14 | 17 | 18 |
| 35-49 | 100 | 8.5 | 62 | 2 | 2 | 6 | 11 | 19 | 21 | 42 |
| 50-64 | 319 | 11.1 | 121 | 2 | 2 | 9 | 15 | 21 | 33 | 54 |
| 65+ | 506 | 14.0 | 136 | 2 | 4 | 11 | 18 | 27 | 39 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 592 | 6.2 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | 74 | 5.8 | 40 | 2 | 2 | 3 | 9 | 12 | 14 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6616 | 8.7 | 45 | 2 | 3 | 7 | 11 | 16 | 21 | 34 |
| B. *Operated* | 940 | 12.3 | 125 | 2 | 2 | 10 | 16 | 24 | 35 | 58 |
| **1. SINGLE DX** | 666 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 7556 | 9.1 | 57 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **A. NOT OPERATED** | 7208 | 8.5 | 43 | 2 | 3 | 7 | 10 | 16 | 20 | 33 |
| **B. OPERATED** | 1014 | 11.8 | 122 | 2 | 2 | 9 | 15 | 23 | 34 | 57 |
| TOTAL 0-19 YRS | 11 | 6.9 | 17 | 2 | 2 | 7 | 9 | 13 | 16 | 16 |
| 20-34 | 125 | 5.5 | 12 | 2 | 2 | 4 | 7 | 10 | 13 | 18 |
| 35-49 | 797 | 6.7 | 27 | 2 | 2 | 5 | 9 | 12 | 16 | 24 |
| 50-64 | 2369 | 8.2 | 42 | 2 | 3 | 7 | 10 | 16 | 19 | 34 |
| 65+ | 4920 | 9.6 | 64 | 2 | 3 | 8 | 12 | 18 | 24 | 44 |
| **GRAND TOTAL** | **8222** | **8.9** | **54** | **2** | **3** | **7** | **11** | **17** | **22** | **39** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.5 | 26 | 2 | 2 | 7 | 10 | 15 | 16 | 16 |
| 20-34 | 10 | 5.6 | 7 | 3 | 3 | 5 | 6 | 10 | 11 | 11 |
| 35-49 | 26 | 6.0 | 31 | 1 | 2 | 5 | 8 | 11 | 18 | 28 |
| 50-64 | 30 | 6.8 | 22 | 2 | 2 | 6 | 8 | 13 | 14 | 24 |
| 65+ | 37 | 9.9 | 61 | 2 | 2 | 7 | 14 | 19 | 28 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.2 | 23 | 2 | 2 | 11 | 12 | 14 | 14 | 14 |
| 20-34 | 17 | 7.4 | 34 | 2 | 2 | 6 | 9 | 16 | 22 | 24 |
| 35-49 | 32 | 8.7 | 40 | 1 | 2 | 8 | 12 | 16 | 17 | 31 |
| 50-64 | 37 | 7.7 | 29 | 2 | 2 | 7 | 9 | 16 | 18 | 26 |
| 65+ | 32 | 12.7 | 97 | 2 | 2 | 10 | 18 | 28 | 35 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.1 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 20-34 | 18 | 6.3 | 23 | 2 | 3 | 4 | 7 | 15 | 18 | 19 |
| 35-49 | 87 | 6.7 | 21 | 1 | 2 | 6 | 9 | 13 | 15 | 23 |
| 50-64 | 158 | 8.1 | 34 | 2 | 2 | 7 | 10 | 16 | 21 | 31 |
| 65+ | 341 | 11.0 | 84 | 2 | 3 | 9 | 14 | 21 | 25 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.2 | 7 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 20-34 | 33 | 12.8 | 191 | 2 | 3 | 9 | 15 | 22 | 50 | 66 |
| 35-49 | 88 | 11.9 | 106 | 2 | 3 | 9 | 16 | 26 | 35 | 51 |
| 50-64 | 187 | 13.3 | 112 | 3 | 3 | 11 | 18 | 27 | 32 | 66 |
| 65+ | 165 | 18.0 | 270 | 3 | 4 | 12 | 24 | 39 | 55 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 7.6 | 38 | 2 | 2 | 6 | 9 | 15 | 19 | 31 |
| B. *Operated* | 123 | 9.3 | 53 | 2 | 2 | 8 | 12 | 18 | 25 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 616 | 9.4 | 62 | 2 | 3 | 8 | 12 | 19 | 22 | 37 |
| B. *Operated* | 479 | 14.5 | 176 | 2 | 3 | 11 | 19 | 30 | 39 | 69 |
| **1. SINGLE DX** | 232 | 8.5 | 46 | 2 | 2 | 7 | 11 | 17 | 24 | 35 |
| **2. MULTIPLE DX** | 1095 | 11.6 | 119 | 2 | 3 | 9 | 14 | 23 | 32 | 59 |
| **A. NOT OPERATED** | 725 | 9.1 | 59 | 2 | 3 | 7 | 11 | 18 | 22 | 35 |
| **B. OPERATED** | 602 | 13.4 | 155 | 2 | 3 | 10 | 17 | 29 | 36 | 64 |
| TOTAL 0-19 YRS | 29 | 5.7 | 16 | 2 | 2 | 4 | 8 | 12 | 14 | 16 |
| 20-34 | 78 | 9.2 | 102 | 2 | 3 | 6 | 11 | 17 | 22 | 62 |
| 35-49 | 233 | 8.9 | 62 | 2 | 2 | 7 | 11 | 17 | 25 | 36 |
| 50-64 | 412 | 10.3 | 76 | 2 | 3 | 8 | 13 | 22 | 27 | 49 |
| 65+ | 575 | 13.0 | 146 | 2 | 3 | 10 | 16 | 26 | 35 | 59 |
| **GRAND TOTAL** | **1327** | **11.1** | **107** | **2** | **3** | **8** | **14** | **22** | **30** | **57** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 11.6 | 11 | 8 | 8 | 10 | 14 | 16 | 16 | 16 |
| 20-34 | 81 | 11.0 | 20 | 3 | 5 | 11 | 13 | 16 | 18 | 26 |
| 35-49 | 989 | 11.3 | 16 | 5 | 6 | 11 | 13 | 16 | 18 | 22 |
| 50-64 | 2224 | 11.9 | 20 | 5 | 7 | 12 | 14 | 17 | 19 | 25 |
| 65+ | 2010 | 12.4 | 24 | 5 | 7 | 12 | 15 | 18 | 20 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 20 | 8.6 | 50 | 1 | 1 | 8 | 13 | 19 | 22 | 25 |
| 35-49 | 104 | 10.3 | 45 | 2 | 2 | 10 | 14 | 17 | 19 | 40 |
| 50-64 | 218 | 12.4 | 48 | 2 | 2 | 12 | 15 | 21 | 25 | 34 |
| 65+ | 116 | 14.4 | 48 | 2 | 7 | 14 | 17 | 22 | 28 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 14.2 | 60 | 4 | 7 | 12 | 16 | 20 | 32 | 40 |
| 20-34 | 142 | 11.1 | 24 | 3 | 5 | 11 | 14 | 18 | 20 | 31 |
| 35-49 | 1923 | 12.0 | 24 | 4 | 7 | 12 | 14 | 18 | 21 | 27 |
| 50-64 | 6356 | 13.1 | 37 | 5 | 7 | 12 | 15 | 19 | 23 | 36 |
| 65+ | 9482 | 14.3 | 50 | 6 | 7 | 13 | 17 | 22 | 27 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 39 | 12.0 | 82 | 2 | 2 | 12 | 16 | 20 | 26 | 50 |
| 35-49 | 446 | 12.9 | 96 | 2 | 2 | 12 | 17 | 23 | 29 | 47 |
| 50-64 | 1095 | 15.5 | 101 | 2 | 3 | 14 | 19 | 27 | 34 | 57 |
| 65+ | 1073 | 20.4 | 156 | 5 | 9 | 18 | 25 | 35 | 44 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5309 | 12.0 | 21 | 5 | 7 | 12 | 14 | 17 | 19 | 27 |
| B. *Operated* | 458 | 12.3 | 50 | 2 | 2 | 12 | 16 | 20 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17921 | 13.6 | 43 | 5 | 7 | 13 | 16 | 21 | 25 | 38 |
| B. *Operated* | 2653 | 17.0 | 131 | 2 | 4 | 15 | 21 | 30 | 38 | 64 |
| **1. SINGLE DX** | 5767 | 12.0 | 23 | 5 | 7 | 12 | 14 | 17 | 20 | 28 |
| **2. MULTIPLE DX** | 20574 | 14.0 | 56 | 5 | 7 | 13 | 16 | 22 | 27 | 43 |
| **A. NOT OPERATED** | 23230 | 13.2 | 39 | 5 | 7 | 12 | 15 | 20 | 24 | 35 |
| **B. OPERATED** | 3111 | 16.3 | 122 | 2 | 3 | 14 | 20 | 28 | 37 | 61 |
| TOTAL 0-19 YRS | 23 | 13.6 | 49 | 5 | 8 | 12 | 16 | 19 | 28 | 40 |
| 20-34 | 282 | 11.0 | 33 | 2 | 3 | 11 | 14 | 18 | 20 | 28 |
| 35-49 | 3462 | 11.9 | 32 | 3 | 6 | 11 | 14 | 18 | 21 | 30 |
| 50-64 | 9893 | 13.0 | 42 | 5 | 7 | 12 | 15 | 20 | 24 | 37 |
| 65+ | 12681 | 14.5 | 59 | 6 | 7 | 13 | 17 | 23 | 28 | 44 |
| **GRAND TOTAL** | **26341** | **13.6** | **49** | **5** | **7** | **13** | **16** | **21** | **26** | **40** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 36 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 341 | 4.1 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 716 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 719 | 4.9 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 19 | 2.9 | 3 | 1 | 2 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 107 | 4.4 | 14 | 2 | 2 | 3 | 6 | 8 | 10 | 23 |
| 50-64 | 243 | 5.0 | 22 | 2 | 2 | 3 | 7 | 12 | 16 | 21 |
| 65+ | 96 | 5.9 | 23 | 2 | 2 | 4 | 9 | 13 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 6.5 | 25 | 3 | 3 | 5 | 7 | 12 | 17 | 24 |
| 20-34 | 102 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 1530 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 4854 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 65+ | 6791 | 6.5 | 20 | 2 | 3 | 5 | 8 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 20-34 | 41 | 5.5 | 13 | 2 | 2 | 4 | 8 | 10 | 13 | 15 |
| 35-49 | 649 | 7.1 | 36 | 2 | 2 | 5 | 10 | 14 | 18 | 28 |
| 50-64 | 1842 | 8.1 | 49 | 2 | 2 | 6 | 11 | 17 | 21 | 33 |
| 65+ | 1083 | 10.2 | 69 | 2 | 2 | 9 | 13 | 20 | 26 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1814 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 468 | 4.9 | 20 | 2 | 2 | 3 | 7 | 11 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13299 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | 3617 | 8.5 | 53 | 2 | 2 | 7 | 12 | 17 | 22 | 35 |
| **1. SINGLE DX** | 2282 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 16916 | 6.6 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| **A. NOT OPERATED** | 15113 | 5.9 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 4085 | 8.1 | 51 | 2 | 2 | 6 | 11 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 29 | 5.9 | 23 | 2 | 2 | 4 | 6 | 12 | 14 | 24 |
| 20-34 | 198 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 2627 | 5.4 | 19 | 2 | 2 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 7655 | 6.1 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 8689 | 6.9 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |
| **GRAND TOTAL** | **19198** | **6.3** | **24** | **2** | **2** | **5** | **8** | **12** | **15** | **25** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 4.8 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 10 |
| 35-49 | 182 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 50-64 | 517 | 5.6 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 542 | 5.9 | 16 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 10.2 | 47 | 2 | 2 | 12 | 16 | 17 | 17 | 17 |
| 35-49 | 51 | 5.6 | 15 | 2 | 2 | 5 | 8 | 10 | 12 | 19 |
| 50-64 | 101 | 8.3 | 47 | 2 | 2 | 8 | 11 | 15 | 17 | 42 |
| 65+ | 51 | 9.5 | 47 | 2 | 2 | 9 | 13 | 20 | 25 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.4 | 14 | 4 | 4 | 8 | 11 | 14 | 15 | 15 |
| 20-34 | 38 | 5.5 | 17 | 1 | 2 | 5 | 7 | 8 | 11 | 26 |
| 35-49 | 680 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 19 |
| 50-64 | 2785 | 6.7 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| 65+ | 4686 | 7.6 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 13 | 6.0 | 17 | 2 | 2 | 4 | 9 | 12 | 14 | 14 |
| 35-49 | 281 | 9.1 | 35 | 2 | 2 | 9 | 12 | 16 | 19 | 29 |
| 50-64 | 935 | 10.9 | 58 | 2 | 2 | 10 | 14 | 19 | 24 | 39 |
| 65+ | 654 | 13.8 | 96 | 2 | 4 | 12 | 17 | 25 | 33 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1253 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 208 | 8.0 | 41 | 2 | 2 | 7 | 11 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8197 | 7.2 | 24 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | 1884 | 11.6 | 70 | 2 | 2 | 10 | 15 | 21 | 26 | 45 |
| **1. SINGLE DX** | 1461 | 6.0 | 19 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | 10081 | 8.0 | 35 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **A. NOT OPERATED** | 9450 | 7.0 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| **B. OPERATED** | 2092 | 11.2 | 69 | 2 | 2 | 10 | 14 | 20 | 26 | 44 |
| TOTAL 0-19 YRS | 9 | 7.7 | 17 | 2 | 3 | 7 | 10 | 13 | 15 | 15 |
| 20-34 | 68 | 5.8 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| 35-49 | 1194 | 6.6 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 4338 | 7.5 | 32 | 2 | 2 | 6 | 10 | 14 | 17 | 30 |
| 65+ | 5933 | 8.2 | 37 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| **GRAND TOTAL** | **11542** | **7.7** | **34** | **2** | **3** | **6** | **10** | **14** | **18** | **30** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 22 | 3.5 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 271 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 712 | 4.7 | 14 | 1 | 2 | 3 | 6 | 9 | 12 | 17 |
| 65+ | 610 | 5.9 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 17 | <1 | <1 | 2 | 5 | 11 | 11 | 11 |
| 20-34 | 62 | 6.6 | 29 | 2 | 2 | 5 | 9 | 13 | 18 | 25 |
| 35-49 | 1257 | 6.7 | 25 | 2 | 2 | 6 | 10 | 12 | 15 | 22 |
| 50-64 | 3258 | 7.5 | 29 | 2 | 2 | 8 | 11 | 14 | 16 | 22 |
| 65+ | 1216 | 8.8 | 41 | 2 | 2 | 9 | 13 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.7 | 37 | 1 | 2 | 4 | 9 | 15 | 20 | 26 |
| 20-34 | 97 | 5.0 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 15 |
| 35-49 | 1426 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 50-64 | 5628 | 6.9 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 12249 | 8.7 | 49 | 2 | 3 | 7 | 11 | 16 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 28 | 1 | 1 | 3 | 11 | 14 | 16 | 16 |
| 20-34 | 116 | 6.3 | 24 | 2 | 2 | 4 | 10 | 13 | 15 | 21 |
| 35-49 | 1826 | 7.2 | 40 | 2 | 2 | 5 | 11 | 15 | 18 | 28 |
| 50-64 | 5436 | 8.6 | 59 | 2 | 2 | 8 | 12 | 17 | 22 | 35 |
| 65+ | 3490 | 11.7 | 96 | 2 | 2 | 10 | 16 | 23 | 30 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1616 | 5.1 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| B. *Operated* | 5798 | 7.6 | 31 | 2 | 2 | 8 | 11 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19426 | 8.0 | 41 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| B. *Operated* | 10881 | 9.3 | 70 | 2 | 2 | 8 | 13 | 19 | 24 | 41 |
| **1. SINGLE DX** | 7414 | 7.0 | 29 | 2 | 2 | 6 | 11 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | 30307 | 8.5 | 52 | 2 | 2 | 7 | 11 | 16 | 21 | 36 |
| **A. NOT OPERATED** | 21042 | 7.7 | 40 | 2 | 2 | 6 | 10 | 14 | 19 | 32 |
| **B. OPERATED** | 16679 | 8.7 | 57 | 2 | 2 | 8 | 12 | 17 | 22 | 35 |
| TOTAL 0-19 YRS | 45 | 6.1 | 31 | 1 | 2 | 3 | 10 | 15 | 16 | 26 |
| 20-34 | 297 | 5.7 | 21 | 1 | 2 | 4 | 9 | 12 | 15 | 21 |
| 35-49 | 4780 | 6.6 | 30 | 2 | 2 | 5 | 10 | 13 | 17 | 24 |
| 50-64 | 15034 | 7.5 | 39 | 2 | 2 | 6 | 11 | 15 | 18 | 30 |
| 65+ | 17565 | 9.2 | 59 | 2 | 2 | 7 | 12 | 18 | 23 | 39 |
| **GRAND TOTAL** | **37721** | **8.2** | **48** | **2** | **2** | **7** | **11** | **16** | **20** | **34** |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.2 | 30 | 2 | 3 | 10 | 11 | 15 | 22 | 23 |
| 20-34 | 123 | 9.8 | 77 | 3 | 4 | 9 | 11 | 14 | 16 | 46 |
| 35-49 | 158 | 10.8 | 22 | 4 | 6 | 10 | 12 | 16 | 19 | 29 |
| 50-64 | 212 | 10.9 | 18 | 5 | 6 | 10 | 13 | 17 | 19 | 22 |
| 65+ | 226 | 11.5 | 27 | 5 | 6 | 11 | 14 | 17 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.0 | 21 | 5 | 5 | 11 | 13 | 14 | 14 | 14 |
| 20-34 | 30 | 10.0 | 16 | 3 | 5 | 10 | 12 | 16 | 17 | 18 |
| 35-49 | 37 | 11.8 | 23 | 4 | 7 | 12 | 14 | 18 | 21 | 24 |
| 50-64 | 37 | 10.7 | 34 | 2 | 3 | 10 | 14 | 19 | 22 | 23 |
| 65+ | 31 | 13.5 | 56 | 2 | 3 | 14 | 18 | 21 | 30 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 10.5 | 49 | 1 | 2 | 9 | 14 | 21 | 26 | 28 |
| 20-34 | 149 | 11.1 | 33 | 4 | 5 | 10 | 14 | 16 | 21 | 32 |
| 35-49 | 343 | 11.4 | 29 | 4 | 5 | 11 | 14 | 18 | 20 | 31 |
| 50-64 | 655 | 12.4 | 39 | 5 | 7 | 11 | 15 | 19 | 23 | 29 |
| 65+ | 1171 | 14.3 | 58 | 6 | 7 | 13 | 17 | 23 | 27 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 32 | 13.7 | 91 | 5 | 6 | 11 | 15 | 23 | 37 | 50 |
| 35-49 | 75 | 15.5 | 81 | 4 | 6 | 14 | 20 | 25 | 33 | 45 |
| 50-64 | 135 | 17.4 | 114 | 4 | 6 | 15 | 22 | 29 | 35 | 59 |
| 65+ | 193 | 19.1 | 120 | 8 | 9 | 17 | 23 | 32 | 40 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 731 | 10.9 | 32 | 4 | 6 | 10 | 13 | 16 | 19 | 26 |
| B. *Operated* | 138 | 11.5 | 32 | 2 | 4 | 11 | 14 | 19 | 22 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2336 | 13.1 | 48 | 5 | 7 | 12 | 16 | 21 | 25 | 38 |
| B. *Operated* | 436 | 17.5 | 112 | 5 | 7 | 15 | 22 | 30 | 38 | 57 |
| **1. SINGLE DX** | 869 | 10.9 | 32 | 4 | 5 | 10 | 13 | 17 | 19 | 27 |
| **2. MULTIPLE DX** | 2772 | 13.8 | 61 | 5 | 7 | 12 | 17 | 22 | 28 | 43 |
| **A. NOT OPERATED** | 3067 | 12.6 | 45 | 5 | 6 | 11 | 15 | 20 | 24 | 36 |
| **B. OPERATED** | 574 | 16.1 | 99 | 4 | 6 | 14 | 20 | 28 | 35 | 56 |
| TOTAL 0-19 YRS | 34 | 9.7 | 39 | 2 | 2 | 10 | 12 | 16 | 24 | 28 |
| 20-34 | 334 | 10.8 | 54 | 3 | 5 | 10 | 12 | 16 | 20 | 36 |
| 35-49 | 613 | 11.8 | 35 | 4 | 6 | 11 | 14 | 19 | 22 | 34 |
| 50-64 | 1039 | 12.7 | 48 | 5 | 6 | 11 | 15 | 20 | 24 | 34 |
| 65+ | 1621 | 14.5 | 65 | 6 | 7 | 13 | 17 | 24 | 28 | 47 |
| **GRAND TOTAL** | **3641** | **13.1** | **55** | **5** | **6** | **12** | **16** | **21** | **26** | **40** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 20-34 | 5 | 25.4 | 254 | 4 | 4 | 28 | 38 | 43 | 43 | 43 |
| 35-49 | 3 | 24.7 | 545 | 4 | 4 | 20 | 42 | 50 | 50 | 50 |
| 50-64 | 7 | 22.1 | 266 | 2 | 2 | 31 | 34 | 41 | 42 | 42 |
| 65+ | 14 | 31.0 | 702 | 3 | 4 | 24 | 53 | 78 | 83 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 65+ | 3 | 32.3 | 272 | 14 | 14 | 37 | 44 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 29.0 | 183 | 2 | 5 | 30 | 37 | 44 | 47 | 48 |
| 20-34 | 49 | 24.9 | 236 | 3 | 4 | 28 | 33 | 45 | 50 | 62 |
| 35-49 | 23 | 26.2 | 140 | 6 | 8 | 28 | 32 | 40 | 48 | 51 |
| 50-64 | 38 | 26.9 | 166 | 4 | 8 | 28 | 35 | 43 | 49 | 56 |
| 65+ | 61 | 29.6 | 193 | 5 | 9 | 29 | 41 | 44 | 48 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 14 | 27.9 | 121 | 11 | 15 | 28 | 34 | 43 | 45 | 45 |
| 35-49 | 11 | 38.2 | 178 | 16 | 21 | 41 | 45 | 55 | 64 | 65 |
| 50-64 | 21 | 34.4 | 202 | 11 | 14 | 32 | 47 | 53 | 54 | 55 |
| 65+ | 23 | 34.9 | 73 | 23 | 26 | 33 | 39 | 53 | 71 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 27.4 | 458 | 3 | 4 | 27 | 37 | 53 | 77 | 84 |
| B. *Operated* | 5 | 31.4 | 266 | 14 | 14 | 37 | 46 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 27.3 | 191 | 3 | 7 | 29 | 36 | 44 | 49 | 60 |
| B. *Operated* | 70 | 33.4 | 153 | 14 | 16 | 32 | 43 | 50 | 55 | 93 |
| **1. SINGLE DX** | 35 | 28.0 | 424 | 3 | 4 | 28 | 41 | 53 | 71 | 84 |
| **2. MULTIPLE DX** | 253 | 29.0 | 188 | 5 | 8 | 30 | 39 | 45 | 52 | 65 |
| **A. NOT OPERATED** | 213 | 27.3 | 227 | 3 | 7 | 29 | 36 | 45 | 51 | 72 |
| **B. OPERATED** | 75 | 33.3 | 157 | 14 | 16 | 32 | 43 | 49 | 55 | 91 |
| TOTAL 0-19 YRS | 14 | 27.6 | 198 | 2 | 5 | 30 | 35 | 43 | 47 | 48 |
| 20-34 | 69 | 25.3 | 208 | 3 | 6 | 28 | 34 | 44 | 49 | 61 |
| 35-49 | 37 | 29.6 | 198 | 5 | 8 | 30 | 39 | 48 | 51 | 65 |
| 50-64 | 67 | 29.0 | 200 | 4 | 8 | 30 | 38 | 48 | 53 | 56 |
| 65+ | 101 | 31.1 | 233 | 5 | 10 | 31 | 42 | 48 | 56 | 92 |
| **GRAND TOTAL** | **288** | **28.9** | **215** | **4** | **7** | **30** | **39** | **46** | **53** | **74** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 72 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 131 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 186 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 65+ | 143 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 5 | 4.0 | 8 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 50-64 | 5 | 3.4 | 4 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 65+ | 3 | 7.0 | 19 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.3 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 20-34 | 85 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 10 |
| 35-49 | 232 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 484 | 4.7 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 633 | 6.0 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 23 | 9.0 | 28 | 2 | 2 | 7 | 14 | 17 | 18 | 18 |
| 50-64 | 30 | 10.6 | 193 | 2 | 2 | 6 | 14 | 19 | 31 | 74 |
| 65+ | 45 | 13.3 | 52 | 4 | 5 | 11 | 18 | 24 | 27 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 564 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 15 | 4.1 | 9 | 2 | 2 | 3 | 6 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1463 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 18 |
| B. *Operated* | 101 | 11.3 | 90 | 2 | 2 | 9 | 16 | 20 | 26 | 53 |
| **1. SINGLE DX** | 579 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 1564 | 5.5 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 2027 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| **B. OPERATED** | 116 | 10.3 | 85 | 2 | 2 | 9 | 14 | 20 | 25 | 47 |
| TOTAL 0-19 YRS | 64 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 159 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 391 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 705 | 4.5 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 824 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| **GRAND TOTAL** | **2143** | **4.9** | **19** | **1** | **1** | **4** | **6** | **10** | **13** | **20** |

### 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.9 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 91 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 187 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 50-64 | 367 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 510 | 4.4 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 20 | 3.8 | 5 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 65+ | 17 | 5.9 | 11 | 2 | 3 | 5 | 7 | 11 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.7 | 36 | 1 | 1 | 5 | 8 | 18 | 20 | 21 |
| 20-34 | 106 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 345 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 50-64 | 1519 | 5.9 | 29 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 65+ | 4079 | 7.4 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 8.2 | 93 | 1 | 1 | 5 | 9 | 25 | 27 | 27 |
| 35-49 | 31 | 8.7 | 31 | 2 | 2 | 8 | 12 | 18 | 20 | 23 |
| 50-64 | 152 | 9.3 | 48 | 2 | 2 | 8 | 13 | 18 | 22 | 38 |
| 65+ | 436 | 14.1 | 125 | 3 | 5 | 11 | 17 | 28 | 36 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1165 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 43 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6069 | 6.8 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |
| B. *Operated* | 626 | 12.6 | 107 | 2 | 3 | 10 | 15 | 24 | 33 | 53 |
| **1. SINGLE DX** | 1208 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 6695 | 7.3 | 43 | 2 | 2 | 6 | 9 | 14 | 18 | 33 |
| **A. NOT OPERATED** | 7234 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| **B. OPERATED** | 669 | 12.1 | 104 | 2 | 3 | 9 | 15 | 24 | 33 | 53 |
| TOTAL 0-19 YRS | 32 | 4.9 | 28 | 1 | 1 | 3 | 6 | 12 | 19 | 21 |
| 20-34 | 203 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 568 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 50-64 | 2058 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| 65+ | 5042 | 7.6 | 46 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| **GRAND TOTAL** | **7903** | **6.8** | **39** | **1** | **2** | **5** | **8** | **13** | **17** | **31** |

### 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.0 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 216 | 3.7 | 9 | 1 | 1 | 3 | 5 | 6 | 9 | 15 |
| 35-49 | 286 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 50-64 | 439 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 552 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.5 | 9 | 2 | 2 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 25 | 5.8 | 17 | 2 | 2 | 5 | 7 | 12 | 16 | 18 |
| 35-49 | 62 | 5.9 | 17 | 2 | 2 | 5 | 8 | 11 | 12 | 22 |
| 50-64 | 155 | 6.4 | 22 | 2 | 2 | 5 | 9 | 13 | 15 | 21 |
| 65+ | 608 | 8.1 | 26 | 3 | 4 | 7 | 10 | 15 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 5.2 | 21 | 1 | 1 | 4 | 6 | 10 | 16 | 24 |
| 20-34 | 380 | 4.7 | 18 | 1 | 1 | 4 | 6 | 8 | 11 | 28 |
| 35-49 | 913 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 2485 | 6.3 | 25 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 4733 | 7.8 | 36 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.8 | 24 | 1 | 2 | 6 | 12 | 14 | 15 | 15 |
| 20-34 | 48 | 6.9 | 39 | 2 | 2 | 5 | 8 | 15 | 20 | 34 |
| 35-49 | 186 | 8.1 | 51 | 2 | 2 | 6 | 11 | 15 | 19 | 31 |
| 50-64 | 686 | 10.1 | 77 | 2 | 2 | 8 | 13 | 20 | 26 | 46 |
| 65+ | 2748 | 11.9 | 71 | 3 | 4 | 10 | 15 | 21 | 27 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1564 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 856 | 7.5 | 25 | 2 | 3 | 6 | 9 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8600 | 6.9 | 30 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| B. *Operated* | 3682 | 11.3 | 72 | 3 | 4 | 9 | 14 | 21 | 26 | 44 |
| **1. SINGLE DX** | 2420 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 12282 | 8.2 | 47 | 2 | 3 | 6 | 10 | 16 | 21 | 34 |
| **A. NOT OPERATED** | 10164 | 6.5 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| **B. OPERATED** | 4538 | 10.6 | 65 | 3 | 3 | 9 | 13 | 20 | 25 | 42 |
| TOTAL 0-19 YRS | 180 | 4.5 | 16 | 1 | 1 | 3 | 6 | 9 | 13 | 22 |
| 20-34 | 669 | 4.6 | 17 | 1 | 1 | 4 | 5 | 8 | 12 | 26 |
| 35-49 | 1447 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 3765 | 6.7 | 35 | 2 | 2 | 5 | 8 | 13 | 16 | 31 |
| 65+ | 8641 | 9.0 | 50 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| **GRAND TOTAL** | **14702** | **7.8** | **43** | **2** | **2** | **6** | **10** | **15** | **20** | **33** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 12 | 12 |
| 20-34 | 15 | 4.7 | 17 | 1 | 1 | 3 | 7 | 11 | 14 | 15 |
| 35-49 | 75 | 6.4 | 27 | 2 | 2 | 5 | 8 | 11 | 12 | 34 |
| 50-64 | 344 | 7.0 | 26 | 2 | 2 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 1568 | 7.5 | 30 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 17 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 5 | 7.2 | 35 | 2 | 2 | 5 | 13 | 14 | 14 | 14 |
| 50-64 | 14 | 9.4 | 24 | 2 | 3 | 10 | 12 | 16 | 16 | 16 |
| 65+ | 41 | 12.1 | 53 | 3 | 4 | 10 | 15 | 23 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 7.5 | 56 | 1 | 2 | 5 | 9 | 15 | 19 | 43 |
| 20-34 | 113 | 7.6 | 46 | 2 | 2 | 6 | 9 | 13 | 20 | 38 |
| 35-49 | 808 | 8.0 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| 50-64 | 4444 | 8.9 | 43 | 3 | 3 | 7 | 11 | 16 | 20 | 33 |
| 65+ | 18513 | 10.1 | 58 | 3 | 4 | 8 | 12 | 19 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.5 | 58 | 1 | 1 | 5 | 17 | 20 | 23 | 23 |
| 20-34 | 30 | 10.2 | 159 | <1 | <1 | 6 | 12 | 21 | 26 | 67 |
| 35-49 | 104 | 11.0 | 79 | 2 | 2 | 9 | 15 | 22 | 30 | 42 |
| 50-64 | 473 | 15.5 | 147 | 3 | 5 | 12 | 19 | 30 | 39 | 67 |
| 65+ | 1399 | 17.5 | 160 | 5 | 6 | 14 | 22 | 33 | 42 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2014 | 7.3 | 29 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | 64 | 10.8 | 45 | 2 | 3 | 10 | 14 | 19 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23995 | 9.8 | 55 | 3 | 4 | 8 | 12 | 18 | 23 | 39 |
| B. *Operated* | 2016 | 16.6 | 156 | 4 | 5 | 13 | 21 | 32 | 40 | 70 |
| **1. SINGLE DX** | 2078 | 7.5 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | 26011 | 10.3 | 66 | 3 | 4 | 8 | 13 | 19 | 25 | 43 |
| **A. NOT OPERATED** | 26009 | 9.6 | 53 | 3 | 3 | 8 | 12 | 18 | 23 | 38 |
| **B. OPERATED** | 2080 | 16.4 | 153 | 3 | 5 | 13 | 21 | 32 | 40 | 70 |
| TOTAL 0-19 YRS | 142 | 7.3 | 51 | 1 | 2 | 5 | 9 | 15 | 18 | 36 |
| 20-34 | 159 | 7.8 | 66 | 1 | 2 | 6 | 10 | 15 | 21 | 55 |
| 35-49 | 992 | 8.2 | 35 | 2 | 3 | 7 | 10 | 15 | 20 | 35 |
| 50-64 | 5275 | 9.3 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| 65+ | 21521 | 10.4 | 67 | 3 | 4 | 8 | 13 | 20 | 26 | 43 |
| **GRAND TOTAL** | **28089** | **10.1** | **64** | **3** | **3** | **8** | **12** | **19** | **25** | **42** |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.6 | 17 | 1 | 1 | 3 | 5 | 9 | 11 | 24 |
| 20-34 | 278 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 287 | 5.1 | 14 | 1 | 2 | 4 | 6 | 10 | 11 | 20 |
| 50-64 | 298 | 6.5 | 28 | 2 | 2 | 5 | 8 | 12 | 17 | 26 |
| 65+ | 212 | 6.8 | 27 | 2 | 2 | 6 | 8 | 13 | 19 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 5.9 | 48 | 2 | 2 | 3 | 9 | 13 | 16 | 42 |
| 20-34 | 88 | 6.6 | 42 | 2 | 2 | 4 | 9 | 13 | 16 | 38 |
| 35-49 | 227 | 5.8 | 31 | 2 | 2 | 3 | 9 | 13 | 17 | 21 |
| 50-64 | 357 | 6.2 | 31 | 2 | 2 | 3 | 10 | 13 | 17 | 24 |
| 65+ | 212 | 9.4 | 65 | 2 | 2 | 7 | 15 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 6.0 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 20-34 | 503 | 6.3 | 30 | 1 | 2 | 5 | 8 | 11 | 16 | 30 |
| 35-49 | 814 | 6.6 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 50-64 | 1614 | 8.0 | 42 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| 65+ | 2605 | 9.5 | 53 | 2 | 3 | 8 | 12 | 18 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 8.3 | 67 | 2 | 2 | 7 | 12 | 15 | 22 | 48 |
| 20-34 | 127 | 9.3 | 88 | 2 | 2 | 7 | 12 | 20 | 22 | 51 |
| 35-49 | 430 | 8.5 | 89 | 2 | 2 | 6 | 12 | 18 | 24 | 44 |
| 50-64 | 1045 | 9.8 | 85 | 2 | 2 | 8 | 13 | 20 | 26 | 44 |
| 65+ | 926 | 13.9 | 133 | 2 | 2 | 11 | 19 | 28 | 37 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 5.6 | 20 | 1 | 2 | 4 | 7 | 11 | 13 | 22 |
| B. *Operated* | 935 | 6.9 | 43 | 2 | 2 | 4 | 10 | 15 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5656 | 8.3 | 45 | 2 | 3 | 7 | 10 | 16 | 22 | 35 |
| B. *Operated* | 2573 | 11.0 | 108 | 2 | 2 | 8 | 15 | 23 | 31 | 51 |
| **1. SINGLE DX** | 2081 | 6.2 | 30 | 2 | 2 | 4 | 8 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | 8229 | 9.2 | 66 | 2 | 2 | 7 | 12 | 19 | 25 | 41 |
| **A. NOT OPERATED** | 6802 | 7.9 | 42 | 2 | 2 | 6 | 10 | 15 | 20 | 33 |
| **B. OPERATED** | 3508 | 9.9 | 94 | 2 | 2 | 7 | 14 | 21 | 28 | 48 |
| TOTAL 0-19 YRS | 287 | 6.0 | 34 | 1 | 2 | 4 | 8 | 12 | 15 | 33 |
| 20-34 | 996 | 6.2 | 35 | 1 | 2 | 4 | 8 | 12 | 17 | 30 |
| 35-49 | 1758 | 6.7 | 41 | 2 | 2 | 5 | 9 | 14 | 18 | 30 |
| 50-64 | 3314 | 8.3 | 55 | 2 | 2 | 6 | 11 | 16 | 22 | 37 |
| 65+ | 3955 | 10.4 | 75 | 2 | 3 | 8 | 13 | 21 | 27 | 42 |
| **GRAND TOTAL** | **10310** | **8.6** | **60** | **2** | **2** | **6** | **11** | **17** | **23** | **39** |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 10 | 4.8 | 4 | 2 | 2 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 34 | 5.1 | 12 | 1 | 1 | 5 | 7 | 8 | 9 | 20 |
| 65+ | 90 | 6.6 | 28 | 2 | 2 | 5 | 8 | 11 | 17 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 13 | 2.2 | | 2 | 2 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 46 | 4.6 | 23 | 1 | 2 | 2 | 4 | 11 | 15 | 22 |
| 65+ | 22 | 6.2 | 31 | 1 | 2 | 4 | 9 | 15 | 18 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.6 | 18 | 1 | 2 | 5 | 11 | 12 | 13 | 13 |
| 20-34 | 11 | 4.4 | 6 | 2 | 2 | 4 | 4 | 9 | 11 | 11 |
| 35-49 | 181 | 6.3 | 22 | 2 | 2 | 5 | 9 | 12 | 14 | 27 |
| 50-64 | 931 | 7.6 | 34 | 2 | 2 | 6 | 10 | 15 | 18 | 31 |
| 65+ | 3531 | 9.7 | 69 | 2 | 3 | 7 | 12 | 18 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 10 | 7.6 | 51 | 2 | 2 | 4 | 13 | 18 | 23 | 23 |
| 35-49 | 71 | 7.3 | 34 | 2 | 2 | 5 | 11 | 14 | 18 | 28 |
| 50-64 | 310 | 10.0 | 87 | 2 | 2 | 8 | 13 | 20 | 25 | 50 |
| 65+ | 584 | 13.8 | 129 | 2 | 3 | 11 | 17 | 27 | 36 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 6.1 | 22 | 2 | 2 | 5 | 7 | 10 | 15 | 27 |
| B. *Operated* | 82 | 4.7 | 23 | 2 | 2 | 2 | 5 | 11 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4666 | 9.1 | 61 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| B. *Operated* | 978 | 12.0 | 113 | 2 | 2 | 10 | 16 | 25 | 33 | 56 |
| **1. SINGLE DX** | 216 | 5.6 | 23 | 2 | 2 | 4 | 7 | 11 | 16 | 23 |
| **2. MULTIPLE DX** | 5644 | 9.6 | 71 | 2 | 3 | 7 | 12 | 18 | 25 | 45 |
| **A. NOT OPERATED** | 4800 | 9.0 | 60 | 2 | 3 | 7 | 11 | 17 | 22 | 41 |
| **B. OPERATED** | 1060 | 11.4 | 110 | 2 | 2 | 9 | 15 | 23 | 32 | 52 |
| TOTAL 0-19 YRS | 16 | 5.9 | 16 | 1 | 2 | 4 | 10 | 11 | 12 | 13 |
| 20-34 | 21 | 5.9 | 29 | 2 | 2 | 4 | 8 | 13 | 18 | 23 |
| 35-49 | 275 | 6.3 | 24 | 2 | 2 | 5 | 9 | 12 | 14 | 27 |
| 50-64 | 1321 | 8.0 | 47 | 2 | 2 | 6 | 11 | 16 | 20 | 38 |
| 65+ | 4227 | 10.1 | 78 | 2 | 3 | 8 | 12 | 20 | 26 | 49 |
| **GRAND TOTAL** | **5860** | **9.5** | **70** | **2** | **3** | **7** | **12** | **18** | **25** | **45** |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| 35-49 | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 17 | 5.6 | 78 | <1 | <1 | 2 | 6 | 15 | 28 | 35 |
| 65+ | 11 | 16.5 | 268 | 1 | 1 | 15 | 25 | 43 | 49 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 24 | 18.2 | 209 | 3 | 7 | 15 | 21 | 39 | 80 | 99+ |
| 35-49 | 45 | 15.9 | 107 | 2 | 4 | 15 | 20 | 30 | 35 | 54 |
| 50-64 | 45 | 21.9 | 207 | 6 | 9 | 19 | 27 | 36 | 53 | 74 |
| 65+ | 10 | 23.2 | 446 | 1 | 1 | 19 | 36 | 55 | 69 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 9.0 | 40 | 1 | 1 | 8 | 10 | 19 | 20 | 20 |
| 35-49 | 20 | 14.1 | 396 | <1 | 1 | 5 | 16 | 45 | 65 | 74 |
| 50-64 | 21 | 19.5 | 574 | 2 | 3 | 11 | 20 | 58 | 86 | 86 |
| 65+ | 38 | 17.1 | 259 | 1 | 2 | 11 | 29 | 36 | 48 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 33.0 | 149 | 19 | 19 | 32 | 42 | 48 | 48 | 48 |
| 20-34 | 19 | 19.2 | 144 | 2 | 5 | 17 | 26 | 35 | 44 | 50 |
| 35-49 | 46 | 27.3 | 275 | 6 | 10 | 25 | 39 | 55 | 74 | 99+ |
| 50-64 | 67 | 27.1 | 256 | 4 | 8 | 26 | 39 | 59 | 99+ | 99+ |
| 65+ | 41 | 32.4 | 487 | 10 | 13 | 28 | 48 | 80 | 90 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 7.3 | 130 | <1 | <1 | 2 | 8 | 22 | 36 | 50 |
| B. *Operated* | 126 | 18.9 | 192 | 2 | 5 | 17 | 24 | 35 | 49 | 80 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 16.1 | 347 | 1 | 1 | 9 | 20 | 36 | 60 | 86 |
| B. *Operated* | 177 | 27.7 | 308 | 6 | 11 | 25 | 39 | 58 | 88 | 99+ |
| **1. SINGLE DX** | 168 | 16.0 | 201 | 1 | 1 | 14 | 21 | 34 | 41 | 74 |
| **2. MULTIPLE DX** | 264 | 23.9 | 349 | 2 | 4 | 19 | 35 | 55 | 79 | 99+ |
| **A. NOT OPERATED** | 129 | 13.2 | 292 | <1 | 1 | 7 | 17 | 35 | 50 | 86 |
| **B. OPERATED** | 303 | 24.0 | 278 | 3 | 7 | 20 | 32 | 52 | 74 | 99+ |
| TOTAL 0-19 YRS | 10 | 15.0 | 292 | <1 | <1 | 5 | 29 | 42 | 48 | 48 |
| 20-34 | 57 | 15.4 | 172 | 1 | 2 | 14 | 20 | 33 | 46 | 98 |
| 35-49 | 115 | [illegible] | 262 | 2 | 2 | 17 | 27 | 49 | 57 | 99+ |
| 50-64 | 150 | 22.1 | 303 | 1 | 3 | 19 | 31 | 54 | 74 | 99+ |
| 65+ | 100 | 23.9 | 415 | 1 | 3 | 18 | 35 | 54 | 78 | 99+ |
| **GRAND TOTAL** | **432** | **20.8** | **306** | **1** | **2** | **17** | **30** | **49** | **72** | **99+** |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 24.5 | 841 | 4 | 4 | 24 | 45 | 45 | 45 | 45 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 3 | 15.3 | 69 | 6 | 6 | 18 | 21 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.0 | 72 | 13 | 13 | 19 | 25 | 25 | 25 | 25 |
| 35-49 | 3 | 40.0 | 571 | 19 | 19 | 35 | 58 | 66 | 66 | 66 |
| 50-64 | 8 | 50.1 | 314 | 30 | 32 | 53 | 68 | 94 | 99+ | 99+ |
| 65+ | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 17.5 | 230 | 4 | 4 | 14 | 22 | 43 | 45 | 45 |
| B. *Operated* | 14 | 41.9 | 402 | 14 | 19 | 38 | 61 | 84 | 96 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 20 | 34.6 | 467 | 5 | 8 | 34 | 53 | 73 | 91 | 99+ |
| **A. NOT OPERATED** | 6 | 17.5 | 230 | 4 | 4 | 14 | 22 | 43 | 45 | 45 |
| **B. OPERATED** | 14 | 41.9 | 402 | 14 | 19 | 38 | 61 | 84 | 96 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.0 | 72 | 13 | 13 | 19 | 25 | 25 | 25 | 25 |
| 35-49 | 5 | 33.8 | 568 | 4 | 4 | 35 | 50 | 66 | 66 | 66 |
| 50-64 | 9 | 45.7 | 453 | 10 | 20 | 48 | 63 | 92 | 99+ | 99+ |
| 65+ | 4 | 18.3 | 80 | 6 | 6 | 20 | 24 | 27 | 27 | 27 |
| **GRAND TOTAL** | **20** | **34.6** | **467** | **5** | **8** | **34** | **53** | **73** | **91** | **99+** |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.3 | 370 | 1 | 1 | 3 | 23 | 41 | 41 | 41 |
| 20-34 | 6 | 4.3 | 17 | <1 | <1 | 2 | 9 | 10 | 10 | 10 |
| 35-49 | 10 | 6.9 | 38 | 1 | 1 | 5 | 8 | 18 | 18 | 18 |
| 50-64 | 15 | 14.2 | 311 | <1 | <1 | 5 | 34 | 49 | 85 | 99+ |
| 65+ | 71 | 12.1 | 97 | 1 | 2 | 10 | 16 | 24 | 34 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 16.9 | 218 | 5 | 6 | 13 | 19 | 40 | 54 | 54 |
| 20-34 | 14 | 14.4 | 109 | 3 | 6 | 11 | 22 | 27 | 39 | 42 |
| 35-49 | 25 | 18.8 | 354 | 3 | 4 | 13 | 25 | 41 | 57 | 85 |
| 50-64 | 63 | 18.6 | 216 | 5 | 6 | 15 | 24 | 36 | 60 | 98 |
| 65+ | 86 | 16.7 | 168 | 4 | 5 | 13 | 21 | 39 | 48 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.4 | 47 | 2 | 2 | 5 | 15 | 18 | 18 | 18 |
| 20-34 | 6 | 6.3 | 13 | <1 | <1 | 6 | 7 | 12 | 12 | 12 |
| 35-49 | 36 | 15.1 | 193 | <1 | 1 | 12 | 26 | 40 | 54 | 99+ |
| 50-64 | 78 | 15.9 | 248 | 1 | 2 | 12 | 23 | 34 | 36 | 98 |
| 65+ | 219 | 16.9 | 193 | 2 | 4 | 14 | 23 | 34 | 45 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 22.3 | 396 | 5 | 7 | 16 | 26 | 57 | 65 | 65 |
| 20-34 | 20 | 23.3 | 414 | 6 | 9 | 16 | 31 | 76 | 87 | 99+ |
| 35-49 | 49 | 21.2 | 170 | 6 | 7 | 19 | 27 | 37 | 42 | 67 |
| 50-64 | 81 | 26.3 | 327 | 4 | 9 | 22 | 36 | 58 | 64 | 94 |
| 65+ | 139 | 23.9 | 227 | 9 | 10 | 20 | 32 | 48 | 61 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 11.5 | 127 | 1 | 1 | 8 | 16 | 28 | 39 | 72 |
| B. *Operated* | 197 | 17.4 | 202 | 4 | 5 | 13 | 23 | 39 | 50 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 346 | 16.1 | 201 | 1 | 3 | 13 | 22 | 34 | 47 | 99+ |
| B. *Operated* | 298 | 24.1 | 261 | 7 | 9 | 20 | 32 | 49 | 64 | 99+ |
| **1. SINGLE DX** | 303 | 15.3 | 184 | 2 | 3 | 12 | 20 | 36 | 46 | 99+ |
| **2. MULTIPLE DX** | 644 | 19.8 | 244 | 3 | 4 | 16 | 26 | 40 | 59 | 99+ |
| **A. NOT OPERATED** | 452 | 15.0 | 187 | 1 | 2 | 12 | 20 | 33 | 43 | 99 |
| **B. OPERATED** | 495 | 21.4 | 248 | 5 | 7 | 17 | 27 | 45 | 61 | 99+ |
| TOTAL 0-19 YRS | 29 | 15.9 | 255 | 2 | 2 | 11 | 18 | 44 | 55 | 65 |
| 20-34 | 46 | 15.9 | 264 | <1 | 2 | 11 | 21 | 39 | 76 | 99+ |
| 35-49 | 120 | 17.7 | 217 | 2 | 3 | 14 | 26 | 38 | 45 | 89 |
| 50-64 | 237 | 20.1 | 289 | 2 | 4 | 16 | 27 | 44 | 61 | 99+ |
| 65+ | 515 | 18.1 | 199 | 3 | 5 | 14 | 24 | 38 | 50 | 99+ |
| **GRAND TOTAL** | **947** | **18.4** | **229** | **2** | **4** | **14** | **25** | **39** | **57** | **99+** |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 38.5 | 774 | 9 | 9 | 40 | 47 | 80 | 84 | 84 |
| 50-64 | 29 | 25.9 | 375 | 6 | 8 | 21 | 36 | 45 | 74 | 85 |
| 65+ | 83 | 23.5 | 202 | 6 | 8 | 20 | 32 | 45 | 50 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.5 | 1 | 19 | 19 | 19 | 20 | 20 | 20 | 20 |
| 35-49 | 6 | 32.2 | 1018 | 10 | 11 | 27 | 79 | 99 | 99+ | 99+ |
| 50-64 | 12 | 36.3 | 411 | 11 | 14 | 33 | 48 | 66 | 77 | 79 |
| 65+ | 16 | 42.9 | 871 | 5 | 9 | 37 | 64 | 87 | 89 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 24.8 | 275 | 6 | 8 | 20 | 34 | 47 | 51 | 84 |
| B. *Operated* | 36 | 37.6 | 686 | 9 | 11 | 31 | 60 | 86 | 93 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 154 | 27.8 | 397 | 6 | 8 | 21 | 37 | 60 | 77 | 95 |
| **A. NOT OPERATED** | 118 | 24.8 | 275 | 6 | 8 | 20 | 34 | 47 | 51 | 84 |
| **B. OPERATED** | 36 | 37.6 | 686 | 9 | 11 | 31 | 60 | 86 | 93 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 19.5 | 1 | 19 | 19 | 19 | 20 | 20 | 20 | 20 |
| 35-49 | 12 | 35.3 | 826 | 9 | 10 | 32 | 56 | 96 | 99 | 99+ |
| 50-64 | 41 | 28.9 | 399 | 7 | 9 | 27 | 37 | 59 | 76 | 85 |
| 65+ | 99 | 26.6 | 354 | 6 | 8 | 20 | 35 | 51 | 65 | 89 |
| **GRAND TOTAL** | **154** | **27.8** | **397** | **6** | **8** | **21** | **37** | **60** | **77** | **95** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 9 | 7.6 | 34 | <1 | 1 | 8 | 11 | 16 | 17 | 17 |
| 50-64 | 30 | 4.6 | 35 | 1 | 2 | 3 | 5 | 9 | 14 | 32 |
| 65+ | 83 | 4.0 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 7 | 9.1 | 76 | 2 | 2 | 7 | 17 | 22 | 23 | 23 |
| 35-49 | 82 | 7.7 | 27 | 2 | 2 | 6 | 10 | 15 | 17 | 28 |
| 50-64 | 559 | 7.9 | 29 | 2 | 2 | 7 | 10 | 14 | 17 | 27 |
| 65+ | 926 | 7.8 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 2 | 11.5 | 221 | 1 | 1 | 11 | 22 | 22 | 22 | 22 |
| 35-49 | 21 | 8.5 | 288 | 1 | 2 | 3 | 7 | 12 | 44 | 81 |
| 50-64 | 106 | 7.7 | 93 | 2 | 2 | 6 | 9 | 15 | 17 | 57 |
| 65+ | 271 | 8.0 | 39 | 2 | 2 | 6 | 10 | 16 | 21 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.6 | 21 | 3 | 3 | 11 | 13 | 14 | 14 | 14 |
| 20-34 | 9 | 7.9 | 51 | 2 | 2 | 6 | 8 | 19 | 26 | 26 |
| 35-49 | 111 | 10.8 | 103 | 3 | 4 | 9 | 14 | 19 | 22 | 63 |
| 50-64 | 909 | 10.5 | 70 | 2 | 3 | 8 | 13 | 19 | 25 | 43 |
| 65+ | 1498 | 11.6 | 72 | 2 | 4 | 9 | 15 | 22 | 26 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 4.4 | 17 | 1 | 2 | 3 | 6 | 9 | 11 | 21 |
| B. *Operated* | 1576 | 7.8 | 25 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 402 | 7.9 | 66 | 2 | 2 | 6 | 10 | 15 | 21 | 35 |
| B. *Operated* | 2532 | 11.1 | 73 | 2 | 3 | 9 | 14 | 21 | 26 | 45 |
| **1. SINGLE DX** | 1700 | 7.6 | 25 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | 2934 | 10.7 | 73 | 2 | 3 | 9 | 14 | 21 | 25 | 45 |
| **A. NOT OPERATED** | 526 | 7.1 | 56 | 2 | 2 | 5 | 9 | 15 | 18 | 32 |
| **B. OPERATED** | 4108 | 9.9 | 57 | 2 | 3 | 8 | 12 | 18 | 23 | 40 |
| TOTAL 0-19 YRS | 9 | 8.7 | 13 | 3 | 4 | 9 | 11 | 14 | 14 | 14 |
| 20-34 | 20 | 8.3 | 61 | 1 | 2 | 6 | 8 | 22 | 24 | 26 |
| 35-49 | 223 | 9.3 | 90 | 2 | 2 | 7 | 12 | 17 | 20 | 55 |
| 50-64 | 1604 | 9.3 | 59 | 2 | 3 | 7 | 12 | 17 | 22 | 37 |
| 65+ | 2778 | 9.8 | 55 | 2 | 3 | 8 | 12 | 18 | 23 | 39 |
| **GRAND TOTAL** | **4634** | **9.6** | **58** | **2** | **3** | **8** | **12** | **18** | **23** | **39** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 10 | 10.5 | 107 | 2 | 2 | 8 | 13 | 25 | 37 | 37 |
| 65+ | 19 | 14.7 | 119 | 2 | 3 | 13 | 21 | 34 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 15.3 | 81 | 6 | 6 | 13 | 24 | 28 | 28 | 28 |
| 50-64 | 51 | 17.2 | 283 | 5 | 6 | 10 | 17 | 42 | 62 | 84 |
| 65+ | 71 | 14.1 | 123 | 3 | 4 | 12 | 20 | 28 | 35 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 13.2 | 115 | 2 | 2 | 12 | 15 | 34 | 37 | 37 |
| B. *Operated* | 129 | 15.4 | 184 | 3 | 5 | 12 | 19 | 29 | 48 | 87 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 158 | 15.0 | 171 | 3 | 4 | 12 | 19 | 31 | 42 | 82 |
| **A. NOT OPERATED** | 29 | 13.2 | 115 | 2 | 2 | 12 | 15 | 34 | 37 | 37 |
| **B. OPERATED** | 129 | 15.4 | 184 | 3 | 5 | 12 | 19 | 29 | 48 | 87 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 15.3 | 81 | 6 | 6 | 13 | 24 | 28 | 28 | 28 |
| 50-64 | 61 | 16.1 | 258 | 4 | 5 | 10 | 17 | 37 | 57 | 82 |
| 65+ | 90 | 14.3 | 121 | 2 | 4 | 13 | 20 | 29 | 36 | 86 |
| **GRAND TOTAL** | **158** | **15.0** | **171** | **3** | **4** | **12** | **19** | **31** | **42** | **82** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 6 | 7.3 | 20 | 3 | 3 | 5 | 13 | 13 | 13 | 13 |
| 35-49 | 33 | 7.8 | 43 | 2 | 3 | 6 | 9 | 13 | 25 | 33 |
| 50-64 | 128 | 9.7 | 81 | 2 | 3 | 7 | 13 | 19 | 28 | 64 |
| 65+ | 314 | 11.4 | 109 | 2 | 3 | 9 | 14 | 23 | 28 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 20 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 5 | 7.0 | 48 | 2 | 2 | 2 | 14 | 16 | 16 | 16 |
| 35-49 | 32 | 7.3 | 24 | 2 | 2 | 7 | 9 | 13 | 14 | 26 |
| 50-64 | 43 | 9.2 | 41 | 2 | 3 | 7 | 14 | 17 | 20 | 32 |
| 65+ | 51 | 12.4 | 220 | 2 | 2 | 8 | 14 | 22 | 59 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 11.6 | 92 | 2 | 3 | 8 | 16 | 26 | 33 | 34 |
| 20-34 | 17 | 8.6 | 108 | <1 | 1 | 6 | 10 | 17 | 36 | 45 |
| 35-49 | 124 | 10.9 | 94 | 2 | 3 | 8 | 13 | 23 | 31 | 53 |
| 50-64 | 555 | 11.9 | 106 | 3 | 4 | 9 | 14 | 24 | 34 | 56 |
| 65+ | 1989 | 14.2 | 117 | 4 | 5 | 11 | 18 | 28 | 37 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.7 | 30 | 7 | 7 | 13 | 17 | 18 | 18 | 18 |
| 20-34 | 10 | 16.6 | 278 | 2 | 2 | 10 | 25 | 44 | 54 | 54 |
| 35-49 | 45 | 15.2 | 325 | 2 | 4 | 10 | 16 | 31 | 68 | 85 |
| 50-64 | 171 | 14.6 | 203 | 2 | 3 | 11 | 18 | 38 | 53 | 99+ |
| 65+ | 297 | 18.2 | 224 | 2 | 4 | 13 | 25 | 41 | 56 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 10.6 | 96 | 2 | 3 | 8 | 13 | 21 | 28 | 58 |
| B. *Operated* | 135 | 9.8 | 107 | 2 | 2 | 7 | 13 | 18 | 22 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2697 | 13.5 | 115 | 3 | 4 | 10 | 17 | 28 | 36 | 60 |
| B. *Operated* | 526 | 16.7 | 227 | 2 | 3 | 12 | 22 | 39 | 55 | 99+ |
| **1. SINGLE DX** | 620 | 10.4 | 99 | 2 | 3 | 8 | 13 | 21 | 27 | 60 |
| **2. MULTIPLE DX** | 3223 | 14.1 | 134 | 3 | 4 | 11 | 18 | 29 | 39 | 67 |
| **A. NOT OPERATED** | 3182 | 13.1 | 113 | 3 | 4 | 10 | 16 | 26 | 35 | 60 |
| **B. OPERATED** | 661 | 15.3 | 210 | 2 | 3 | 11 | 20 | 36 | 52 | 98 |
| TOTAL 0-19 YRS | 23 | 9.3 | 65 | 1 | 2 | 7 | 13 | 20 | 27 | 34 |
| 20-34 | 38 | 10.3 | 137 | 1 | 2 | 7 | 13 | 23 | 41 | 54 |
| 35-49 | 234 | 10.8 | 127 | 2 | 3 | 8 | 12 | 22 | 31 | 67 |
| 50-64 | 897 | 12.0 | 120 | 3 | 3 | 9 | 15 | 24 | 38 | 85 |
| 65+ | 2651 | 14.3 | 133 | 3 | 4 | 11 | 18 | 29 | 38 | 65 |
| **GRAND TOTAL** | **3843** | **13.5** | **130** | **3** | **4** | **10** | **17** | **28** | **38** | **66** |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 3 | 17.7 | 14 | 15 | 15 | 16 | 20 | 22 | 22 | 22 |
| 20-34 | 6 | 16.3 | 97 | 6 | 6 | 13 | 27 | 30 | 30 | 30 |
| 35-49 | 37 | 10.4 | 36 | 2 | 4 | 9 | 12 | 20 | 22 | 26 |
| 50-64 | 190 | 16.2 | 147 | 4 | 5 | 13 | 21 | 36 | 46 | 85 |
| 65+ | 887 | 19.3 | 178 | 5 | 6 | 16 | 25 | 36 | 45 | 64 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | 8 | 4 | 4 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 6.0 | 37 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| 35-49 | 8 | 9.3 | 53 | 2 | 3 | 7 | 13 | 21 | 23 | 23 |
| 50-64 | 44 | 20.2 | 264 | 4 | 5 | 16 | 27 | 41 | 59 | 77 |
| 65+ | 96 | 24.8 | 246 | 6 | 9 | 21 | 32 | 50 | 55 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| **B.** ***Operated*** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 1123 | 18.4 | 170 | 5 | 6 | 15 | 24 | 35 | 45 | 64 |
| **B.** ***Operated*** | 154 | 22.0 | 254 | 4 | 5 | 18 | 29 | 43 | 55 | 77 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1277 | 18.9 | 181 | 4 | 6 | 16 | 24 | 37 | 46 | 66 |
| **A. NOT OPERATED** | 1123 | 18.4 | 170 | 5 | 6 | 15 | 24 | 35 | 45 | 64 |
| **B. OPERATED** | 154 | 22.0 | 254 | 4 | 5 | 18 | 29 | 43 | 55 | 77 |
| TOTAL 0-19 YRS | 6 | 12.5 | 41 | 4 | 4 | 12 | 16 | 21 | 22 | 22 |
| 20-34 | 9 | 12.9 | 96 | 2 | 2 | 13 | 17 | 29 | 30 | 30 |
| 35-49 | 45 | 10.2 | 38 | 2 | 4 | 9 | 12 | 20 | 22 | 26 |
| 50-64 | 234 | 16.9 | 170 | 4 | 5 | 13 | 22 | 37 | 46 | 80 |
| 65+ | 983 | 19.8 | 187 | 5 | 6 | 17 | 25 | 37 | 47 | 64 |
| **GRAND TOTAL** | 1277 | 18.9 | 181 | 4 | 6 | 16 | 24 | 37 | 46 | 66 |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 17 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 108 | 4.3 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 378 | 4.5 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 1038 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 7 | 3.7 | 4 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 60 | 5.1 | 13 | 1 | 2 | 4 | 7 | 10 | 11 | 18 |
| 50-64 | 243 | 5.6 | 15 | 2 | 2 | 5 | 7 | 11 | 13 | 20 |
| 65+ | 299 | 6.2 | 31 | 2 | 2 | 5 | 8 | 11 | 15 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 10 | 7.3 | 18 | 3 | 3 | 6 | 10 | 14 | 16 | 16 |
| 20-34 | 35 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 35-49 | 226 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| 50-64 | 1292 | 6.1 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 65+ | 6020 | 7.2 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| **B.** ***Operated*** | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 20-34 | 12 | 4.9 | 10 | 2 | 2 | 4 | 6 | 10 | 12 | 12 |
| 35-49 | 115 | 8.5 | 56 | 2 | 3 | 7 | 11 | 16 | 20 | 39 |
| 50-64 | 610 | 8.3 | 49 | 2 | 2 | 7 | 10 | 16 | 20 | 46 |
| 65+ | 1141 | 10.4 | 70 | 2 | 3 | 8 | 13 | 20 | 26 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 1544 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **B.** ***Operated*** | 610 | 5.8 | 23 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A.** ***Not Operated*** | 7583 | 6.9 | 30 | 2 | 2 | 6 | 8 | 13 | 16 | 27 |
| **B.** ***Operated*** | 1880 | 9.6 | 63 | 2 | 3 | 8 | 12 | 18 | 24 | 45 |
| **1. SINGLE DX** | 2154 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | 9463 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| **A. NOT OPERATED** | 9127 | 6.6 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| **B. OPERATED** | 2490 | 8.6 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 42 |
| TOTAL 0-19 YRS | 16 | 6.5 | 22 | 2 | 2 | 5 | 9 | 15 | 16 | 16 |
| 20-34 | 71 | 3.7 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 35-49 | 509 | 6.0 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 2523 | 6.4 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 8498 | 7.3 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | 11617 | 7.0 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.1 | 22 | 2 | 2 | 2 | 8 | 13 | 14 | [illegible] |
| 20-34 | 18 | 10.5 | 162 | 1 | 1 | 6 | 13 | 22 | 42 | 54 |
| 35-49 | 81 | 7.8 | 65 | 1 | 1 | 5 | 10 | 19 | 23 | 43 |
| 50-64 | 331 | 11.1 | 157 | 2 | 2 | 8 | 13 | 23 | 38 | 79 |
| 65+ | 1229 | 12.8 | 131 | 2 | 3 | 9 | 16 | 26 | 38 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 4.6 | 10 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 35-49 | 28 | 10.4 | 89 | 2 | 3 | 6 | 13 | 23 | 34 | 39 |
| 50-64 | 77 | 8.1 | 30 | 2 | 2 | 7 | 11 | 15 | 18 | 29 |
| 65+ | 112 | 13.6 | 154 | 2 | 3 | 11 | 18 | 27 | 39 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 8.4 | 19 | 1 | 2 | 8 | 12 | 13 | 14 | 18 |
| 20-34 | 32 | 7.9 | 41 | 2 | 3 | 5 | 10 | 17 | 24 | 28 |
| 35-49 | 217 | 11.8 | 115 | 2 | 3 | 9 | 14 | 24 | 30 | 54 |
| 50-64 | 1276 | 12.6 | 136 | 2 | 3 | 9 | 16 | 26 | 36 | 74 |
| 65+ | 6038 | 15.0 | 150 | 3 | 4 | 12 | 19 | 30 | 40 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 13.4 | 273 | <1 | <1 | 5 | 28 | 39 | 39 | 39 |
| 20-34 | 11 | 8.4 | 20 | 2 | 4 | 8 | 11 | 15 | 17 | 17 |
| 35-49 | 64 | 12.8 | 110 | 2 | 3 | 10 | 17 | 26 | 41 | 93 |
| 50-64 | 264 | 16.3 | 215 | 3 | 4 | 12 | 21 | 36 | 55 | 99+ |
| 65+ | 651 | 21.1 | 265 | 4 | 6 | 16 | 29 | 46 | 58 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1670 | 12.1 | 134 | 2 | 3 | 9 | 15 | 25 | 37 | 61 |
| B. *Operated* | 229 | 10.8 | 105 | 2 | 2 | 8 | 14 | 22 | 29 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7593 | 14.4 | 147 | 3 | 4 | 11 | 18 | 29 | 39 | 72 |
| B. *Operated* | 995 | 19.1 | 247 | 3 | 5 | 14 | 25 | 44 | 57 | 94 |
| **1. SINGLE DX** | 1899 | 12.0 | 131 | 2 | 3 | 9 | 15 | 25 | 36 | 63 |
| **2. MULTIPLE DX** | 8588 | 15.0 | 161 | 3 | 4 | 11 | 19 | 31 | 42 | 74 |
| **A. NOT OPERATED** | 9263 | 14.0 | 146 | 3 | 4 | 11 | 18 | 29 | 39 | 71 |
| **B. OPERATED** | 1224 | 17.6 | 231 | 3 | 4 | 13 | 23 | 40 | 53 | 87 |
| TOTAL 0-19 YRS | 49 | 7.7 | 47 | <1 | 1 | 7 | 12 | 14 | 18 | 39 |
| 20-34 | 70 | 8.2 | 66 | 2 | 2 | 6 | 10 | 17 | 24 | 49 |
| 35-49 | 390 | 11.1 | 104 | 1 | 3 | 8 | 14 | 23 | 32 | 52 |
| 50-64 | 1948 | 12.7 | 149 | 2 | 3 | 9 | 15 | 27 | 38 | 79 |
| 65+ | 8030 | 15.1 | 160 | 3 | 4 | 11 | 19 | 31 | 42 | 73 |
| **GRAND TOTAL** | **10487** | **14.4** | **157** | **3** | **4** | **11** | **18** | **30** | **41** | **73** |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 13.6 | 294 | <1 | 1 | 5 | 23 | 43 | 46 | 46 |
| 20-34 | 4 | 8.5 | 36 | 1 | 1 | 9 | 13 | 15 | 15 | 15 |
| 35-49 | 102 | 15.9 | 221 | 3 | 4 | 11 | 20 | 36 | 49 | 75 |
| 50-64 | 590 | 18.9 | 278 | 3 | 5 | 14 | 23 | 42 | 59 | 84 |
| 65+ | 2294 | 18.6 | 195 | 4 | 6 | 15 | 24 | 37 | 47 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 20-34 | 4 | 14.3 | 148 | 2 | 2 | 12 | 22 | 31 | 31 | 31 |
| 35-49 | 19 | 30.2 | 628 | 4 | 6 | 23 | 39 | 72 | 78 | 82 |
| 50-64 | 69 | 24.7 | 328 | 4 | 5 | 22 | 39 | 62 | 99+ | 99+ |
| 65+ | 210 | 25.3 | 288 | 5 | 8 | 22 | 35 | 49 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2997 | 18.5 | 212 | 4 | 5 | 15 | 23 | 37 | 49 | 83 |
| B. *Operated* | 303 | 25.3 | 315 | 4 | 6 | 22 | 36 | 54 | 73 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 3300 | 19.2 | 225 | 4 | 5 | 15 | 25 | 39 | 53 | 90 |
| **A. NOT OPERATED** | 2997 | 18.5 | 212 | 4 | 5 | 15 | 23 | 37 | 49 | 83 |
| **B. OPERATED** | 303 | 25.3 | 315 | 4 | 6 | 22 | 36 | 54 | 73 | 99+ |
| TOTAL 0-19 YRS | 8 | 15.0 | 268 | <1 | 1 | 6 | 27 | 41 | 46 | 46 |
| 20-34 | 8 | 11.4 | 88 | 1 | 1 | 11 | 14 | 26 | 31 | 31 |
| 35-49 | 121 | 18.2 | 308 | 3 | 4 | 11 | 21 | 40 | 62 | 78 |
| 50-64 | 659 | 19.5 | 286 | 3 | 5 | 14 | 25 | 44 | 62 | 98 |
| 65+ | 2504 | 19.1 | 206 | 4 | 6 | 15 | 25 | 39 | 49 | 90 |
| **GRAND TOTAL** | **3300** | **19.2** | **225** | **4** | **5** | **15** | **25** | **39** | **53** | **90** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 12 | 3 | 3 | 6 | 9 | 12 | 12 | 12 |
| 20-34 | 27 | 4.7 | 15 | 1 | 1 | 4 | 6 | 11 | 12 | 18 |
| 35-49 | 76 | 6.7 | 104 | 1 | 2 | 4 | 6 | 13 | 19 | 68 |
| 50-64 | 141 | 5.9 | 35 | 2 | 2 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 389 | 6.7 | 33 | 2 | 2 | 5 | 8 | 13 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.3 | 24 | 1 | 2 | 4 | 10 | 14 | 16 | 16 |
| 20-34 | 19 | 10.6 | 60 | 1 | 2 | 11 | 15 | 20 | 27 | 30 |
| 35-49 | 30 | 13.6 | 195 | 2 | 2 | 9 | 19 | 27 | 55 | 56 |
| 50-64 | 128 | 10.2 | 137 | 2 | 2 | 6 | 14 | 24 | 29 | 71 |
| 65+ | 181 | 6.9 | 58 | 2 | 2 | 4 | 9 | 15 | 17 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.8 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 54 | 5.4 | 25 | 2 | 2 | 4 | 6 | 9 | 15 | 31 |
| 35-49 | 230 | 8.0 | 68 | 2 | 2 | 6 | 9 | 15 | 25 | 49 |
| 50-64 | 768 | 9.5 | 105 | 2 | 3 | 6 | 11 | 19 | 28 | 54 |
| 65+ | 4341 | 10.8 | 100 | 2 | 3 | 8 | 13 | 22 | 30 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.2 | 53 | 2 | 3 | 14 | 17 | 22 | 23 | 23 |
| 20-34 | 22 | 10.5 | 59 | 2 | 3 | 8 | 14 | 22 | 28 | 33 |
| 35-49 | 78 | 15.8 | 274 | 2 | 3 | 10 | 19 | 42 | 65 | 99+ |
| 50-64 | 300 | 11.4 | 137 | 2 | 2 | 8 | 15 | 24 | 28 | 84 |
| 65+ | 723 | 13.5 | 156 | 2 | 3 | 10 | 17 | 28 | 37 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 638 | 6.5 | 41 | 2 | 2 | 5 | 8 | 12 | 17 | 37 |
| B. *Operated* | 369 | 8.8 | 99 | 2 | 2 | 5 | 12 | 18 | 24 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5403 | 10.4 | 99 | 2 | 3 | 7 | 13 | 21 | 30 | 54 |
| B. *Operated* | 1129 | 13.0 | 159 | 2 | 3 | 9 | 16 | 27 | 37 | 81 |
| **1. SINGLE DX** | 1007 | 7.3 | 63 | 2 | 2 | 5 | 9 | 15 | 21 | 48 |
| **2. MULTIPLE DX** | 6532 | 10.9 | 110 | 2 | 3 | 8 | 13 | 23 | 31 | 59 |
| **A. NOT OPERATED** | 6041 | 10.0 | 94 | 2 | 3 | 7 | 12 | 20 | 29 | 53 |
| **B. OPERATED** | 1498 | 12.0 | 148 | 2 | 2 | 9 | 15 | 26 | 35 | 73 |
| TOTAL 0-19 YRS | 32 | 6.9 | 30 | 1 | 2 | 5 | 10 | 15 | 17 | 23 |
| 20-34 | 122 | 7.0 | 40 | 1 | 2 | 5 | 9 | 15 | 19 | 32 |
| 35-49 | 414 | 9.7 | 133 | 2 | 2 | 6 | 10 | 21 | 33 | 70 |
| 50-64 | 1337 | 9.6 | 110 | 2 | 2 | 7 | 12 | 20 | 27 | 63 |
| 65+ | 5634 | 10.7 | 104 | 2 | 3 | 8 | 13 | 22 | 31 | 56 |
| **GRAND TOTAL** | **7539** | **10.4** | **105** | **2** | **3** | **7** | **13** | **21** | **30** | **57** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 5 | 2.6 | 2 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 26 | 3.3 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 65+ | 78 | 8.1 | 183 | 1 | 2 | 5 | 8 | 14 | 23 | 88 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 35 | 8.7 | 28 | 1 | 2 | 9 | 12 | 14 | 20 | 21 |
| 50-64 | 162 | 8.3 | 46 | 2 | 2 | 7 | 11 | 17 | 21 | 34 |
| 65+ | 181 | 9.9 | 75 | 2 | 2 | 8 | 13 | 21 | 23 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 20-34 | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 35-49 | 20 | 10.3 | 103 | 2 | 3 | 6 | 12 | 26 | 35 | 41 |
| 50-64 | 231 | 7.3 | 44 | 2 | 2 | 5 | 9 | 14 | 21 | 32 |
| 65+ | 1158 | 10.1 | 79 | 2 | 3 | 8 | 13 | 20 | 28 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.0 | 2 | 11 | 11 | 12 | 13 | 14 | 14 | 14 |
| 20-34 | 9 | 7.2 | 22 | 2 | 2 | 7 | 10 | 14 | 16 | 16 |
| 35-49 | 146 | 12.9 | 165 | 2 | 2 | 10 | 18 | 26 | 35 | 97 |
| 50-64 | 709 | 13.2 | 157 | 2 | 2 | 10 | 17 | 29 | 38 | 93 |
| 65+ | 1379 | 17.9 | 213 | 2 | 4 | 14 | 23 | 37 | 50 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 6.6 | 135 | 1 | 1 | 4 | 7 | 12 | 14 | 81 |
| B. *Operated* | 381 | 9.1 | 58 | 2 | 2 | 8 | 12 | 19 | 22 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1414 | 9.7 | 75 | 2 | 3 | 7 | 12 | 19 | 28 | 48 |
| B. *Operated* | 2247 | 16.1 | 197 | 2 | 3 | 12 | 20 | 34 | 46 | 83 |
| **1. SINGLE DX** | 492 | 8.5 | 76 | 2 | 2 | 6 | 11 | 18 | 22 | 41 |
| **2. MULTIPLE DX** | 3661 | 13.6 | 159 | 2 | 3 | 10 | 17 | 29 | 41 | 70 |
| **A. NOT OPERATED** | 1525 | 9.4 | 80 | 2 | 2 | 7 | 12 | 19 | 27 | 49 |
| **B. OPERATED** | 2628 | 15.0 | 183 | 2 | 2 | 12 | 19 | 32 | 45 | 79 |
| TOTAL 0-19 YRS | 9 | 8.6 | 16 | 3 | 3 | 10 | 11 | 13 | 14 | 14 |
| 20-34 | 14 | 6.1 | 19 | 1 | 2 | 6 | 9 | 12 | 15 | 16 |
| 35-49 | 206 | 11.7 | 136 | 2 | 2 | 9 | 15 | 25 | 30 | 80 |
| 50-64 | 1128 | 11.1 | 123 | 2 | 2 | 8 | 14 | 23 | 32 | 65 |
| 65+ | 2796 | 13.9 | 164 | 2 | 3 | 10 | 17 | 30 | 42 | 68 |
| **GRAND TOTAL** | **4153** | **13.0** | **152** | **2** | **2** | **10** | **17** | **28** | **38** | **68** |

### 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 25 | 3.4 | 7 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 65+ | 79 | 3.7 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 3 | 7.3 | 22 | 2 | 2 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 9 | 13.0 | 32 | 4 | 5 | 13 | 18 | 20 | 20 | 20 |
| 50-64 | 191 | 11.7 | 31 | 2 | 5 | 11 | 14 | 18 | 20 | 28 |
| 65+ | 396 | 13.3 | 39 | 2 | 4 | 13 | 16 | 21 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 35-49 | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 50-64 | 62 | 6.2 | 28 | 1 | 2 | 5 | 8 | 14 | 18 | 26 |
| 65+ | 314 | 8.3 | 76 | 1 | 2 | 6 | 10 | 16 | 23 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 24.8 | 545 | 8 | 8 | 16 | 30 | 66 | 66 | 66 |
| 20-34 | 8 | 16.6 | 246 | 2 | 2 | 13 | 20 | 43 | 51 | 51 |
| 35-49 | 21 | 14.0 | 199 | 3 | 4 | 10 | 13 | 32 | 55 | 58 |
| 50-64 | 373 | 14.4 | 89 | 3 | 6 | 12 | 17 | 24 | 32 | 59 |
| 65+ | 956 | 16.6 | 113 | 4 | 7 | 14 | 20 | 28 | 35 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 600 | 12.7 | 37 | 2 | 5 | 12 | 16 | 20 | 24 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 380 | 8.0 | 70 | 1 | 2 | 5 | 10 | 16 | 23 | 41 |
| B. *Operated* | 1363 | 16.0 | 111 | 4 | 7 | 14 | 19 | 27 | 35 | 61 |
| **1. SINGLE DX** | 705 | 11.4 | 43 | 2 | 2 | 11 | 15 | 19 | 23 | 29 |
| **2. MULTIPLE DX** | 1743 | 14.3 | 113 | 2 | 3 | 12 | 18 | 25 | 33 | 59 |
| **A. NOT OPERATED** | 485 | 7.0 | 59 | 1 | 2 | 5 | 8 | 15 | 19 | 40 |
| **B. OPERATED** | 1963 | 15.0 | 91 | 3 | 6 | 13 | 18 | 24 | 32 | 57 |
| TOTAL 0-19 YRS | 7 | 19.3 | 459 | 1 | 2 | 16 | 18 | 56 | 66 | 66 |
| 20-34 | 12 | 15.8 | 211 | 2 | 2 | 11 | 20 | 39 | 49 | 51 |
| 35-49 | 33 | 13.0 | 139 | 2 | 4 | 10 | 13 | 20 | 47 | 58 |
| 50-64 | 651 | 12.4 | 72 | 2 | 3 | 11 | 15 | 20 | 26 | 55 |
| 65+ | 1745 | 13.8 | 99 | 2 | 3 | 12 | 17 | 24 | 31 | 52 |
| **GRAND TOTAL** | 2448 | 13.4 | 94 | 2 | 3 | 12 | 17 | 24 | 30 | 55 |

### 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 9 | 9.3 | 126 | <1 | <1 | 5 | 11 | 29 | 34 | 34 |
| 65+ | 7 | 2.7 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 13 | 1 | 1 | 2 | 6 | 9 | 9 | 9 |
| 20-34 | 14 | 5.6 | 27 | 2 | 2 | 3 | 9 | 12 | 18 | 20 |
| 35-49 | 31 | 11.5 | 109 | 2 | 2 | 11 | 14 | 22 | 32 | 52 |
| 50-64 | 86 | 10.1 | 84 | 2 | 3 | 9 | 12 | 17 | 22 | 61 |
| 65+ | 83 | 11.2 | 61 | 2 | 2 | 10 | 15 | 23 | 27 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 4.8 | 35 | 1 | 1 | 2 | 7 | 15 | 15 | 15 |
| 50-64 | 14 | 8.8 | 74 | 2 | 2 | 6 | 11 | 24 | 30 | 32 |
| 65+ | 24 | 7.0 | 69 | 1 | 2 | 5 | 8 | 10 | 21 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 15 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 20-34 | 14 | 8.3 | 51 | 2 | 2 | 6 | 11 | 21 | 23 | 24 |
| 35-49 | 40 | 15.7 | 211 | 2 | 3 | 14 | 19 | 30 | 35 | 86 |
| 50-64 | 136 | 16.3 | 204 | 2 | 5 | 12 | 19 | 37 | 44 | 81 |
| 65+ | 172 | 14.5 | 104 | 3 | 4 | 12 | 18 | 30 | 36 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 5.8 | 69 | <1 | <1 | 3 | 6 | 16 | 29 | 34 |
| B. *Operated* | 218 | 10.3 | 76 | 2 | 2 | 9 | 13 | 18 | 25 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 7.3 | 65 | 1 | 2 | 5 | 9 | 13 | 26 | 43 |
| B. *Operated* | 366 | 14.9 | 152 | 2 | 3 | 12 | 18 | 32 | 39 | 63 |
| **1. SINGLE DX** | 237 | 10.0 | 76 | 2 | 2 | 8 | 13 | 18 | 25 | 42 |
| **2. MULTIPLE DX** | 409 | 14.1 | 149 | 2 | 3 | 11 | 17 | 31 | 38 | 62 |
| **A. NOT OPERATED** | 62 | 6.9 | 66 | 1 | 1 | 4 | [illegible] | 13 | 27 | 42 |
| **B. OPERATED** | 584 | 13.2 | 129 | 2 | 3 | 11 | 16 | 26 | 35 | 58 |
| TOTAL 0-19 YRS | 8 | 4.3 | 12 | 1 | 1 | 3 | 8 | 9 | 9 | 9 |
| 20-34 | 29 | 6.8 | 39 | 2 | 2 | 3 | 10 | 17 | 21 | 24 |
| 35-49 | 78 | 13.0 | 163 | 1 | 2 | 11 | 17 | 26 | 34 | 76 |
| 50-64 | 245 | 13.4 | 161 | 2 | 3 | 10 | 15 | 28 | 39 | 72 |
| 65+ | 286 | 12.6 | 93 | 2 | 3 | 10 | 16 | 25 | 33 | 45 |
| **GRAND TOTAL** | 646 | 12.6 | 126 | 2 | 2 | 10 | 15 | 25 | 35 | 54 |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 7.8 | 34 | <1 | 2 | 6 | 10 | 17 | 21 | 21 |
| 35-49 | 13 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 16 | 17 |
| 50-64 | 36 | 6.0 | 39 | 1 | 1 | 3 | 8 | 16 | 21 | 24 |
| 65+ | 57 | 6.6 | 29 | 1 | 2 | 5 | 9 | 14 | 19 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 27 | 2 | 2 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 21 | 8.4 | 28 | 1 | 2 | 8 | 11 | 16 | 18 | 21 |
| 35-49 | 161 | 9.2 | 45 | 2 | 2 | 8 | 11 | 17 | 23 | 34 |
| 50-64 | 465 | 8.9 | 31 | 2 | 2 | 9 | 12 | 14 | 17 | 23 |
| 65+ | 545 | 10.6 | 66 | 2 | 2 | 10 | 14 | 18 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 7 | 7.6 | 6 | 3 | 4 | 7 | 10 | 10 | 10 | 10 |
| 35-49 | 35 | 8.8 | 17 | 3 | 4 | 8 | 12 | 15 | 16 | 16 |
| 50-64 | 73 | 8.6 | 41 | 2 | 2 | 7 | 12 | 19 | 23 | 26 |
| 65+ | 178 | 9.4 | 66 | 2 | 2 | 8 | 13 | 19 | 23 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 12.6 | 44 | 4 | 5 | 12 | 17 | 22 | 24 | 24 |
| 20-34 | 28 | 15.8 | 232 | 2 | 2 | 11 | 17 | 35 | 46 | 75 |
| 35-49 | 213 | 12.7 | 123 | 2 | 3 | 10 | 16 | 22 | 36 | 67 |
| 50-64 | 970 | 12.9 | 91 | 2 | 3 | 11 | 16 | 23 | 29 | 48 |
| 65+ | 1301 | 16.0 | 144 | 2 | 4 | 13 | 20 | 30 | 41 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 6.4 | 30 | 1 | 1 | 5 | 9 | 14 | 19 | 23 |
| B. *Operated* | 1195 | 9.7 | 49 | 2 | 2 | 9 | 12 | 17 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 294 | 9.1 | 52 | 2 | 2 | 8 | 12 | 17 | 22 | 34 |
| B. *Operated* | 2520 | 14.5 | 125 | 2 | 3 | 12 | 18 | 27 | 36 | 67 |
| **1. SINGLE DX** | 1311 | 9.4 | 49 | 2 | 2 | 9 | 12 | 16 | 20 | 35 |
| **2. MULTIPLE DX** | 2814 | 13.9 | 120 | 2 | 3 | 12 | 17 | 26 | 35 | 64 |
| **A. NOT OPERATED** | 410 | 8.3 | 47 | 2 | 2 | 7 | 11 | 17 | 21 | 30 |
| **B. OPERATED** | 3715 | 12.9 | 105 | 2 | 3 | 11 | 16 | 24 | 32 | 55 |
| TOTAL 0-19 YRS | 13 | 10.5 | 41 | 2 | 2 | 11 | 13 | 20 | 23 | 24 |
| 20-34 | 65 | 11.4 | 126 | 2 | 2 | 9 | 13 | 21 | 32 | 70 |
| 35-49 | 422 | 10.8 | 84 | 2 | 2 | 9 | 13 | 19 | 28 | 52 |
| 50-64 | 1544 | 11.3 | 73 | 2 | 2 | 10 | 14 | 21 | 26 | 44 |
| 65+ | 2081 | 13.7 | 122 | 2 | 3 | 11 | 17 | 26 | 35 | 59 |
| **GRAND TOTAL** | **4125** | **12.5** | **101** | **2** | **3** | **11** | **16** | **23** | **32** | **54** |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 6.7 | 34 | 1 | 2 | 6 | 8 | 13 | 16 | 36 |
| 20-34 | 45 | 4.3 | 24 | 1 | 2 | 3 | 4 | 7 | 11 | 32 |
| 35-49 | 56 | 4.6 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 50-64 | 112 | 6.3 | 68 | 1 | 1 | 4 | 7 | 12 | 18 | 47 |
| 65+ | 130 | 5.5 | 25 | 1 | 1 | 4 | 7 | 11 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.6 | 86 | <1 | <1 | 6 | 13 | 24 | 30 | 32 |
| 20-34 | 56 | 6.0 | 31 | 1 | 2 | 4 | 8 | 13 | 19 | 28 |
| 35-49 | 125 | 7.2 | 36 | 2 | 2 | 6 | 9 | 12 | 15 | 38 |
| 50-64 | 386 | 8.0 | 49 | 2 | 2 | 6 | 11 | 16 | 19 | 38 |
| 65+ | 400 | 10.1 | 93 | 2 | 2 | 8 | 13 | 20 | 26 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 7.8 | 35 | 2 | 2 | 6 | 9 | 17 | 21 | 28 |
| 20-34 | 74 | 6.1 | 26 | 2 | 2 | 4 | 8 | 12 | 15 | 31 |
| 35-49 | 116 | 6.9 | 37 | 2 | 2 | 5 | 8 | 12 | 18 | 32 |
| 50-64 | 334 | 6.9 | 32 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| 65+ | 724 | 8.8 | 67 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.6 | 173 | 1 | 1 | 4 | 13 | 27 | 44 | 47 |
| 20-34 | 67 | 8.1 | 48 | 2 | 2 | 6 | 11 | 18 | 19 | 40 |
| 35-49 | 226 | 10.6 | 102 | 2 | 2 | 8 | 13 | 22 | 31 | 60 |
| 50-64 | 799 | 12.8 | 144 | 2 | 2 | 10 | 16 | 26 | 38 | 74 |
| 65+ | 1444 | 15.4 | 176 | 2 | 3 | 12 | 20 | 34 | 45 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 5.6 | 37 | 1 | 2 | 4 | 7 | 11 | 16 | 30 |
| B. *Operated* | 982 | 8.6 | 67 | 2 | 2 | 7 | 11 | 17 | 22 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1287 | 8.0 | 53 | 2 | 2 | 6 | 10 | 15 | 22 | 39 |
| B. *Operated* | 2548 | 13.9 | 160 | 2 | 3 | 11 | 18 | 30 | 41 | 72 |
| **1. SINGLE DX** | 1383 | 7.8 | 60 | 1 | 2 | 5 | 10 | 16 | 20 | 38 |
| **2. MULTIPLE DX** | 3835 | 11.9 | 132 | 2 | 2 | 9 | 15 | 26 | 36 | 62 |
| **A. NOT OPERATED** | 1688 | 7.4 | 50 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| **B. OPERATED** | 3530 | 12.5 | 139 | 2 | 2 | 9 | 16 | 26 | 38 | 64 |
| TOTAL 0-19 YRS | 124 | 7.6 | 53 | 1 | 2 | 6 | 9 | 16 | 21 | 40 |
| 20-34 | 242 | 6.3 | 34 | 2 | 2 | 4 | 8 | 13 | 18 | 32 |
| 35-49 | 523 | 8.3 | 66 | 2 | 2 | 6 | 10 | 16 | 23 | 50 |
| 50-64 | 1631 | 10.0 | 101 | 2 | 2 | 7 | 13 | 21 | 28 | 55 |
| 65+ | 2698 | 12.4 | 139 | 2 | 2 | 9 | 16 | 27 | 37 | 63 |
| **GRAND TOTAL** | **5218** | **10.8** | **116** | **2** | **2** | **8** | **14** | **23** | **32** | **59** |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 7.1 | 10 | 2 | 4 | 7 | 9 | 12 | 13 | 16 |
| 20-34 | 564 | 7.7 | 15 | 3 | 3 | 7 | 10 | 13 | 15 | 18 |
| 35-49 | 716 | 8.4 | 19 | 2 | 4 | 8 | 11 | 14 | 16 | 21 |
| 50-64 | 725 | 8.8 | 23 | 3 | 4 | 8 | 11 | 14 | 17 | 25 |
| 65+ | 617 | 9.5 | 25 | 4 | 4 | 9 | 12 | 15 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.6 | 12 | 3 | 4 | 7 | 10 | 13 | 15 | 15 |
| 20-34 | 180 | 7.5 | 23 | 2 | 2 | 7 | 10 | 14 | 16 | 20 |
| 35-49 | 192 | 7.8 | 29 | 1 | 2 | 7 | 10 | 14 | 16 | 31 |
| 50-64 | 179 | 8.5 | 25 | 2 | 3 | 8 | 11 | 15 | 18 | 25 |
| 65+ | 154 | 10.0 | 31 | 3 | 4 | 9 | 13 | 16 | 21 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 7.9 | 20 | 2 | 3 | 8 | 11 | 14 | 16 | 19 |
| 20-34 | 452 | 8.7 | 26 | 3 | 3 | 8 | 11 | 15 | 18 | 26 |
| 35-49 | 870 | 9.6 | 32 | 3 | 4 | 9 | 12 | 16 | 19 | 28 |
| 50-64 | 1404 | 10.0 | 31 | 3 | 4 | 9 | 12 | 17 | 20 | 29 |
| 65+ | 1949 | 11.3 | 43 | 4 | 5 | 10 | 14 | 19 | 23 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.5 | 35 | 1 | 2 | 10 | 15 | 18 | 18 | 18 |
| 20-34 | 169 | 10.3 | 52 | 2 | 3 | 9 | 13 | 18 | 23 | 39 |
| 35-49 | 302 | 11.3 | 64 | 3 | 4 | 10 | 14 | 21 | 24 | 36 |
| 50-64 | 435 | 12.6 | 102 | 3 | 4 | 10 | 16 | 24 | 30 | 64 |
| 65+ | 544 | 14.4 | 106 | 4 | 6 | 12 | 18 | 25 | 34 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2700 | 8.6 | 21 | 3 | 4 | 8 | 11 | 14 | 17 | 22 |
| B. *Operated* | 724 | 8.4 | 27 | 2 | 3 | 8 | 11 | 15 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4710 | 10.3 | 36 | 3 | 4 | 9 | 13 | 17 | 21 | 32 |
| B. *Operated* | 1463 | 12.7 | 91 | 3 | 4 | 11 | 16 | 23 | 30 | 55 |
| **1. SINGLE DX** | 3424 | 8.5 | 22 | 2 | 4 | 8 | 11 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | 6173 | 10.9 | 50 | 3 | 4 | 9 | 13 | 19 | 23 | 37 |
| **A. NOT OPERATED** | 7410 | 9.7 | 31 | 3 | 4 | 9 | 12 | 16 | 19 | 29 |
| **B. OPERATED** | 2187 | 11.3 | 74 | 2 | 3 | 9 | 14 | 21 | 26 | 46 |
| TOTAL 0-19 YRS | 145 | 7.6 | 16 | 2 | 3 | 7 | 10 | 13 | 15 | 18 |
| 20-34 | 1365 | 8.3 | 25 | 2 | 3 | 8 | 11 | 14 | 17 | 25 |
| 35-49 | 2080 | 9.3 | 33 | 3 | 4 | 8 | 12 | 16 | 19 | 31 |
| 50-64 | 2743 | 10.0 | 41 | 3 | 4 | 9 | 12 | 17 | 21 | 35 |
| 65+ | 3264 | 11.4 | 52 | 4 | 5 | 10 | 14 | 19 | 24 | 38 |
| **GRAND TOTAL** | 9597 | 10.0 | 42 | 3 | 4 | 9 | 12 | 17 | 21 | 34 |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 11 | 6.1 | 42 | <1 | 1 | 2 | 10 | 16 | 21 | 21 |
| 35-49 | 39 | 8.3 | 57 | 1 | 2 | 7 | 10 | 17 | 26 | 35 |
| 50-64 | 63 | 10.9 | 107 | 1 | 2 | 8 | 15 | 24 | 27 | 59 |
| 65+ | 128 | 11.2 | 80 | 1 | 1 | 9 | 15 | 23 | 32 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.6 | 5 | 1 | 2 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 579 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| 35-49 | 853 | 5.0 | 17 | 2 | 3 | 4 | 6 | 8 | 10 | 21 |
| 50-64 | 715 | 6.8 | 46 | 2 | 3 | 5 | 7 | 12 | 20 | 39 |
| 65+ | 325 | 11.4 | 95 | 3 | 3 | 8 | 16 | 25 | 30 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 17 | 9.5 | 123 | <1 | 1 | 5 | 10 | 31 | 38 | 39 |
| 35-49 | 70 | 8.9 | 41 | 1 | 2 | 7 | 12 | 17 | 21 | 31 |
| 50-64 | 160 | 11.0 | 86 | 1 | 2 | 8 | 15 | 21 | 28 | 51 |
| 65+ | 489 | 13.4 | 93 | 3 | 4 | 11 | 18 | 25 | 32 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 181 | 5.4 | 28 | <1 | 2 | 4 | 5 | 11 | 15 | 29 |
| 35-49 | 356 | 7.4 | 47 | 2 | 3 | 6 | 8 | 13 | 18 | 37 |
| 50-64 | 504 | 9.6 | 74 | 3 | 3 | 7 | 11 | 21 | 28 | 40 |
| 65+ | 363 | 18.2 | 217 | 3 | 4 | 14 | 25 | 37 | 46 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 243 | 10.3 | 82 | 1 | 2 | 8 | 14 | 23 | 27 | 48 |
| B. *Operated* | 2497 | 6.2 | 39 | 2 | 3 | 4 | 6 | 11 | 18 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 738 | 12.4 | 89 | 2 | 3 | 10 | 16 | 24 | 31 | 52 |
| B. *Operated* | 1411 | 10.7 | 119 | 2 | 3 | 7 | 13 | 25 | 36 | 56 |
| **1. SINGLE DX** | 2740 | 6.5 | 44 | 2 | 3 | 4 | 7 | 13 | 20 | 34 |
| **2. MULTIPLE DX** | 2149 | 11.3 | 109 | 2 | 3 | 8 | 14 | 25 | 32 | 53 |
| **A. NOT OPERATED** | 981 | 11.9 | 88 | 2 | 3 | 9 | 16 | 24 | 30 | 49 |
| **B. OPERATED** | 3908 | 7.8 | 72 | 2 | 3 | 5 | 8 | 17 | 25 | 44 |
| TOTAL 0-19 YRS | 36 | 3.7 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 788 | 4.7 | 17 | 2 | 2 | 4 | 5 | 7 | 10 | 26 |
| 35-49 | 1318 | 6.0 | 29 | 2 | 3 | 4 | 7 | 10 | 18 | 31 |
| 50-64 | 1442 | 8.4 | 66 | 2 | 3 | 5 | 9 | 18 | 24 | 41 |
| 65+ | 1305 | 14.0 | 134 | 3 | 3 | 11 | 19 | 29 | 36 | 59 |
| **GRAND TOTAL** | 4889 | 8.6 | 78 | 2 | 3 | 5 | 10 | 19 | 27 | 48 |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 125 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 35-49 | 160 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 103 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 65+ | 70 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.6 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 20-34 | 772 | 4.9 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 934 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 579 | 5.6 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 14 |
| 65+ | 171 | 6.1 | 9 | 3 | 3 | 5 | 7 | 10 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.0 | 2 | <1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 183 | 4.1 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 12 |
| 35-49 | 329 | 4.4 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 50-64 | 408 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 19 |
| 65+ | 375 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 10 | 19 |
| 20-34 | 2339 | 5.4 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 3310 | 5.9 | 9 | 3 | 3 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 2376 | 6.5 | 15 | 3 | 3 | 6 | 8 | 10 | 13 | 19 |
| 65+ | 1121 | 7.7 | 23 | 3 | 4 | 6 | 9 | 14 | 17 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 477 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 2500 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1312 | 4.5 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 18 |
| B. *Operated* | 9227 | 6.2 | 12 | 3 | 3 | 5 | 7 | 10 | 12 | 19 |
| **1. SINGLE DX** | 2977 | 4.9 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 10539 | 6.0 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 1789 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 11727 | 6.0 | 11 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 161 | 4.5 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 3419 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 4733 | 5.6 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 3466 | 6.0 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 65+ | 1737 | 6.8 | 21 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| **GRAND TOTAL** | 13516 | 5.7 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 18 |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.1 | 18 | <1 | 1 | 2 | 4 | 11 | 15 | 19 |
| 20-34 | 120 | 7.6 | 33 | 1 | 2 | 7 | 10 | 13 | 14 | 34 |
| 35-49 | 124 | 6.7 | 19 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| 50-64 | 187 | 7.8 | 33 | 2 | 2 | 7 | 10 | 15 | 18 | 32 |
| 65+ | 236 | 7.2 | 24 | 2 | 3 | 6 | 9 | 14 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 3.2 | 7 | 2 | 2 | 3 | 3 | 5 | 6 | 16 |
| 20-34 | 344 | 4.2 | 29 | 1 | 1 | 3 | 4 | 9 | 13 | 23 |
| 35-49 | 170 | 6.2 | 41 | 1 | 1 | 4 | 9 | 13 | 16 | 28 |
| 50-64 | 138 | 7.7 | 36 | 2 | 2 | 7 | 10 | 16 | 19 | 33 |
| 65+ | 145 | 11.4 | 82 | 2 | 2 | 10 | 14 | 22 | 25 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 4.6 | 12 | 1 | 1 | 3 | 7 | 9 | 11 | 18 |
| 20-34 | 181 | 6.8 | 48 | 1 | 2 | 5 | 9 | 14 | 17 | 42 |
| 35-49 | 367 | 7.1 | 31 | 1 | 2 | 6 | 9 | 14 | 17 | 28 |
| 50-64 | 692 | 7.3 | 24 | 2 | 2 | 6 | 9 | 14 | 17 | 24 |
| 65+ | 1539 | 8.4 | 39 | 2 | 3 | 7 | 11 | 16 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 8.0 | 211 | 2 | 2 | 4 | 6 | 15 | 27 | 80 |
| 20-34 | 377 | 5.6 | 40 | 1 | 2 | 3 | 7 | 13 | 17 | 53 |
| 35-49 | 294 | 9.6 | 93 | 2 | 2 | 7 | 12 | 19 | 28 | 48 |
| 50-64 | 356 | 13.1 | 123 | 2 | 3 | 10 | 16 | 28 | 33 | 58 |
| 65+ | 566 | 13.9 | 127 | 2 | 4 | 11 | 18 | 28 | 35 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 713 | 7.1 | 27 | 1 | 2 | 6 | 9 | 14 | 16 | 28 |
| B. *Operated* | 917 | 6.1 | 45 | 1 | 2 | 3 | 8 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2843 | 7.8 | 35 | 2 | 2 | 6 | 10 | 15 | 18 | 28 |
| B. *Operated* | 1647 | 10.9 | 114 | 2 | 2 | 8 | 14 | 23 | 32 | 58 |
| **1. SINGLE DX** | 1630 | 6.6 | 37 | 1 | 2 | 5 | 9 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | 4490 | 8.9 | 66 | 2 | 2 | 7 | 11 | 18 | 24 | 41 |
| **A. NOT OPERATED** | 3556 | 7.7 | 33 | 2 | 2 | 6 | 10 | 15 | 18 | 28 |
| **B. OPERATED** | 2564 | 9.2 | 94 | 2 | 2 | 6 | 12 | 20 | 28 | 48 |
| TOTAL 0-19 YRS | 284 | 4.6 | 51 | 1 | 2 | 3 | 5 | 8 | 14 | 26 |
| 20-34 | 1022 | 5.6 | 38 | 1 | 2 | 3 | 7 | 12 | 15 | 34 |
| 35-49 | 955 | 7.7 | 52 | 1 | 2 | 6 | 10 | 15 | 21 | 36 |
| 50-64 | 1373 | 8.9 | 58 | 2 | 2 | 7 | 11 | 17 | 23 | 38 |
| 65+ | 2486 | 9.7 | 66 | 2 | 3 | 8 | 12 | 19 | 25 | 41 |
| **GRAND TOTAL** | 6120 | 8.3 | 59 | 2 | 2 | 6 | 11 | 16 | 22 | 39 |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3807 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 660 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 278 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 10 |
| 50-64 | 213 | 4.3 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 169 | 5.5 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1068 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 529 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 96 | 3.7 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 23 |
| 50-64 | 52 | 4.3 | 17 | 1 | 2 | 3 | 5 | 7 | 10 | 25 |
| 65+ | 24 | 4.3 | 28 | 1 | 1 | 2 | 4 | 9 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5466 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1230 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 796 | 5.2 | 10 | 2 | 2 | 5 | 6 | 9 | 11 | 16 |
| 50-64 | 921 | 6.1 | 14 | 2 | 3 | 5 | 8 | 10 | 13 | 20 |
| 65+ | 1388 | 7.6 | 29 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 621 | 3.2 | 19 | 1 | 1 | 2 | 3 | 6 | 10 | 18 |
| 20-34 | 213 | 4.9 | 19 | 2 | 2 | 4 | 6 | 10 | 12 | 29 |
| 35-49 | 119 | 6.0 | 25 | 1 | 2 | 4 | 8 | 13 | 17 | 23 |
| 50-64 | 117 | 8.2 | 76 | 2 | 2 | 6 | 11 | 17 | 21 | 47 |
| 65+ | 122 | 12.3 | 105 | 2 | 2 | 9 | 16 | 26 | 34 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5127 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 1769 | 2.4 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9801 | 4.6 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| B. *Operated* | 1192 | 5.2 | 42 | 1 | 2 | 3 | 6 | 12 | 17 | 32 |
| **1. SINGLE DX** | 6896 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 10993 | 4.6 | 16 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| **A. NOT OPERATED** | 14928 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 2961 | 3.5 | 21 | 1 | 1 | 2 | 3 | 7 | 11 | 24 |
| TOTAL 0-19 YRS | 10962 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 2632 | 3.7 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 1289 | 4.9 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 1303 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 1703 | 7.7 | 35 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| **GRAND TOTAL** | 17889 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3263 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 329 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 345 | 5.1 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 50-64 | 386 | 5.8 | 9 | 2 | 3 | 5 | 7 | 10 | 11 | 16 |
| 65+ | 438 | 6.3 | 17 | 2 | 3 | 5 | 8 | 10 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.5 | 13 | <1 | 1 | 3 | 6 | 10 | 13 | 13 |
| 20-34 | 10 | 4.8 | 26 | 2 | 2 | 3 | 4 | 12 | 19 | 19 |
| 35-49 | 11 | 4.4 | 8 | <1 | 1 | 5 | 5 | 9 | 11 | 11 |
| 50-64 | 30 | 8.7 | 228 | 2 | 2 | 6 | 8 | 11 | 15 | 87 |
| 65+ | 26 | 7.1 | 39 | 2 | 2 | 5 | 10 | 12 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3312 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 709 | 5.3 | 12 | 2 | 2 | 4 | 6 | 10 | 12 | 18 |
| 35-49 | 1143 | 6.3 | 20 | 2 | 3 | 5 | 8 | 11 | 15 | 23 |
| 50-64 | 2816 | 7.4 | 27 | 3 | 3 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 5166 | 8.7 | 35 | 3 | 4 | 7 | 10 | 15 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 9.7 | 160 | 2 | 3 | 7 | 10 | 14 | 20 | 85 |
| 20-34 | 62 | 9.1 | 46 | 3 | 3 | 8 | 10 | 17 | 23 | 40 |
| 35-49 | 132 | 8.7 | 56 | 2 | 3 | 7 | 11 | 15 | 17 | 47 |
| 50-64 | 267 | 9.9 | 66 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| 65+ | 357 | 12.3 | 81 | 3 | 4 | 11 | 15 | 22 | 29 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4761 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | 88 | 6.7 | 96 | 2 | 2 | 5 | 8 | 12 | 15 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13146 | 6.9 | 27 | 2 | 3 | 6 | 9 | 12 | 16 | 25 |
| B. *Operated* | 862 | 10.7 | 76 | 2 | 3 | 9 | 14 | 19 | 25 | 48 |
| **1. SINGLE DX** | 4849 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 14008 | 7.2 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 17907 | 6.2 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| **B. OPERATED** | 950 | 10.3 | 79 | 2 | 3 | 8 | 13 | 18 | 25 | 48 |
| TOTAL 0-19 YRS | 6630 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 1110 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 1631 | 6.2 | 21 | 2 | 3 | 5 | 7 | 11 | 15 | 23 |
| 50-64 | 3499 | 7.5 | 30 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 5987 | 8.7 | 37 | 3 | 4 | 7 | 10 | 15 | 19 | 33 |
| **GRAND TOTAL** | 18857 | 6.4 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 5 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| 20-34 | 8 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 496 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1304 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 599 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 338 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 4 | 8 |
| 65+ | 75 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 18 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 22 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| 50-64 | 10 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 4 | 7.3 | 8 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 688 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 2124 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 1327 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 643 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 167 | 3.6 | 7 | 1 | 2 | 3 | 4 | 5 | 8 | 14 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.6 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | 2812 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 63 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 11 |
| B. *Operated* | 4949 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 1. SINGLE DX | 2830 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | 5012 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| A. NOT OPERATED | 81 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| B. OPERATED | 7761 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 1198 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3454 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 1952 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 992 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 10 |
| 65+ | 246 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| GRAND TOTAL | 7842 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 11 |
| 20-34 | 78 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 35-49 | 91 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 112 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 89 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 6 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 162 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 179 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | 194 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 65+ | 132 | 3.6 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 5 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 417 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 17 | 3.7 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | 729 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 1. SINGLE DX | 422 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | 746 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| A. NOT OPERATED | 22 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| B. OPERATED | 1146 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 10 |
| TOTAL 0-19 YRS | 112 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 242 | 2.7 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 274 | 2.9 | 2 | 1 | 2 | 2 | 3 | 5 | 5 | 9 |
| 50-64 | 312 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 65+ | 228 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| GRAND TOTAL | 1168 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 10 |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 44 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 10 | 15 |
| 35-49 | 6 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 14841 | 2.0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 4523 | 2.2 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 449 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 86 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 42 | 4.7 | 202 | 1 | 1 | 2 | 3 | 5 | 8 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 239 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| 20-34 | 59 | 2.7 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 15 | 4.4 | 17 | 1 | 1 | 4 | 5 | 6 | 15 | 18 |
| 50-64 | 4 | 10.5 | 143 | 1 | 1 | 6 | 17 | 28 | 28 | 28 |
| 65+ | 6 | 9.0 | 72 | 3 | 3 | 4 | 16 | 22 | 23 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 8301 | 1.9 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 738 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 139 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 40 | 3.2 | 6 | 1 | 1 | 2 | 4 | 5 | 9 | 13 |
| 65+ | 14 | 3.1 | 13 | 1 | 1 | 2 | 2 | 6 | 13 | 15 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | 136 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| *B. Operated* | 19941 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| *A. Not Operated* | 323 | 2.3 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 17 |
| *B. Operated* | 9232 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 1. SINGLE DX | 20077 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 2. MULTIPLE DX | 9555 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| A. NOT OPERATED | 459 | 2.3 | 6 | <1 | <1 | 1 | 3 | 4 | 6 | 15 |
| B. OPERATED | 29173 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| TOTAL 0-19 YRS | 23463 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 5364 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 609 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 133 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 65+ | 63 | 4.7 | 144 | 1 | 1 | 2 | 3 | 6 | 15 | 85 |
| GRAND TOTAL | 29632 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 449 | 3.0 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 339 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 183 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 18 |
| 50-64 | 135 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 65+ | 84 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 712 | 2.7 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 1178 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 971 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 861 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 441 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 463 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 371 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 372 | 5.0 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 347 | 5.8 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 65+ | 253 | 6.5 | 22 | 2 | 2 | 5 | 9 | 12 | 15 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 644 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 1025 | 3.5 | 17 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| 35-49 | 893 | 3.8 | 16 | 1 | 2 | 3 | 4 | 7 | 10 | 17 |
| 50-64 | 844 | 4.5 | 26 | 1 | 2 | 3 | 5 | 9 | 12 | 26 |
| 65+ | 430 | 5.9 | 65 | 1 | 2 | 3 | 6 | 15 | 20 | 35 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | 1190 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| *B. Operated* | 4163 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| *A. Not Operated* | 1806 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| *B. Operated* | 3836 | 4.0 | 24 | 1 | 2 | 3 | 4 | 7 | 11 | 25 |
| 1. SINGLE DX | 5353 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 2. MULTIPLE DX | 5642 | 4.3 | 20 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| A. NOT OPERATED | 2996 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| B. OPERATED | 7999 | 3.3 | 14 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-19 YRS | 2268 | 3.1 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 20-34 | 2913 | 3.3 | 9 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 2419 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 50-64 | 2187 | 3.9 | 16 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 65+ | 1208 | 4.7 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 27 |
| GRAND TOTAL | 10995 | 3.6 | 13 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7431 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1596 | 5.3 | 8 | 2 | 2 | 5 | 6 | 9 | 10 | 16 |
| 35-49 | 1129 | 6.0 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 16 |
| 50-64 | 1458 | 7.0 | 17 | 3 | 3 | 6 | 9 | 11 | 14 | 22 |
| 65+ | 2258 | 8.3 | 25 | 3 | 4 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 9.8 | 45 | 2 | 3 | 8 | 12 | 16 | 21 | 37 |
| 20-34 | 59 | 10.0 | 63 | 2 | 3 | 8 | 11 | 20 | 29 | 42 |
| 35-49 | 107 | 9.6 | 50 | 2 | 3 | 8 | 13 | 16 | 20 | 40 |
| 50-64 | 191 | 10.7 | 57 | 2 | 2 | 10 | 14 | 18 | 22 | 38 |
| 65+ | 169 | 11.3 | 45 | 3 | 4 | 10 | 14 | 20 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6512 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 1547 | 6.9 | 30 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| 35-49 | 2039 | 7.9 | 30 | 3 | 3 | 7 | 10 | 14 | 17 | 29 |
| 50-64 | 4538 | 9.2 | 39 | 3 | 4 | 8 | 11 | 16 | 20 | 33 |
| 65+ | 12652 | 11.5 | 64 | 4 | 5 | 9 | 14 | 20 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 12.7 | 121 | 3 | 3 | 9 | 15 | 25 | 34 | 43 |
| 20-34 | 171 | 14.9 | 150 | 4 | 5 | 12 | 17 | 31 | 38 | 52 |
| 35-49 | 358 | 15.6 | 155 | 4 | 5 | 12 | 20 | 29 | 43 | 68 |
| 50-64 | 790 | 16.3 | 152 | 4 | 5 | 13 | 20 | 31 | 41 | 62 |
| 65+ | 1389 | 18.5 | 160 | 5 | 7 | 15 | 23 | 33 | 44 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13872 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 573 | 10.5 | 52 | 2 | 3 | 9 | 14 | 18 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27288 | 9.1 | 50 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| B. *Operated* | 2858 | 17.0 | 157 | 4 | 5 | 14 | 21 | 32 | 42 | 64 |
| **1. SINGLE DX** | 14445 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 30146 | 9.8 | 65 | 2 | 3 | 8 | 12 | 18 | 24 | 43 |
| **A. NOT OPERATED** | 41160 | 7.9 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| **B. OPERATED** | 3431 | 15.9 | 145 | 3 | 5 | 13 | 20 | 30 | 39 | 62 |
| TOTAL 0-19 YRS | 14140 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 3373 | 6.6 | 31 | 2 | 3 | 5 | 8 | 11 | 15 | 28 |
| 35-49 | 3633 | 8.1 | 44 | 3 | 3 | 6 | 10 | 14 | 19 | 35 |
| 50-64 | 6977 | 9.6 | 54 | 3 | 4 | 8 | 12 | 17 | 22 | 38 |
| 65+ | 16468 | 11.7 | 72 | 4 | 4 | 9 | 14 | 21 | 27 | 47 |
| **GRAND TOTAL** | 44591 | 8.5 | 53 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 313 | 3.8 | 8 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 190 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 50-64 | 254 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 302 | 6.2 | 13 | 2 | 3 | 6 | 8 | 10 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 11.0 | 32 | 7 | 7 | 11 | 15 | 15 | 15 | 15 |
| 65+ | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 515 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 630 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 35-49 | 521 | 5.7 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 50-64 | 946 | 6.8 | 17 | 2 | 3 | 6 | 9 | 12 | 14 | 23 |
| 65+ | 2004 | 8.7 | 39 | 3 | 3 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.4 | 9 | 2 | 3 | 7 | 8 | 10 | 11 | 11 |
| 20-34 | 27 | 8.5 | 30 | 2 | 3 | 8 | 11 | 15 | 18 | 27 |
| 35-49 | 30 | 10.9 | 47 | 4 | 4 | 9 | 13 | 23 | 26 | 28 |
| 50-64 | 45 | 11.8 | 70 | 3 | 4 | 10 | 13 | 27 | 32 | 39 |
| 65+ | 77 | 15.7 | 79 | 5 | 6 | 14 | 20 | 29 | 34 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1379 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 10 | 7.1 | 11 | 4 | 4 | 7 | 8 | 12 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4616 | 6.9 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 187 | 12.6 | 69 | 3 | 4 | 10 | 16 | 26 | 30 | 39 |
| **1. SINGLE DX** | 1389 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 4803 | 7.1 | 30 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| **A. NOT OPERATED** | 5995 | 6.3 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 197 | 12.3 | 68 | 3 | 4 | 10 | 16 | 26 | 30 | 39 |
| TOTAL 0-19 YRS | 845 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 971 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 743 | 5.5 | 15 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| 50-64 | 1247 | 6.6 | 18 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| 65+ | 2386 | 8.6 | 39 | 3 | 3 | 7 | 10 | 16 | 20 | 33 |
| **GRAND TOTAL** | 6192 | 6.5 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1529 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 180 | 4.3 | 11 | 2 | 2 | 4 | 5 | 7 | 8 | 22 |
| 35-49 | 262 | 5.1 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 422 | 6.4 | 22 | 2 | 3 | 5 | 7 | 11 | 14 | 30 |
| 65+ | 528 | 6.8 | 19 | 2 | 3 | 6 | 9 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.0 | 3 | 1 | 2 | 5 | 5 | 6 | 7 | 7 |
| 20-34 | 42 | 5.0 | 14 | 1 | 1 | 4 | 6 | 11 | 13 | 17 |
| 35-49 | 55 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 107 | 4.3 | 14 | 1 | 2 | 3 | 7 | 11 | 13 | 16 |
| 65+ | 74 | 5.7 | 24 | 1 | 1 | 4 | 8 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1198 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 438 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 35-49 | 762 | 6.2 | 14 | 2 | 3 | 5 | 8 | 11 | 13 | 19 |
| 50-64 | 2027 | 7.7 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 65+ | 3345 | 8.8 | 39 | 3 | 3 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 7.3 | 16 | 2 | 3 | 7 | 9 | 12 | 17 | 19 |
| 20-34 | 78 | 7.4 | 28 | 2 | 2 | 6 | 11 | 15 | 17 | 26 |
| 35-49 | 185 | 7.7 | 36 | 2 | 2 | 6 | 10 | 15 | 19 | 30 |
| 50-64 | 408 | 9.2 | 73 | 2 | 2 | 7 | 11 | 19 | 23 | 52 |
| 65+ | 489 | 11.5 | 96 | 2 | 3 | 9 | 15 | 24 | 31 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2921 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 291 | 4.9 | 16 | 1 | 1 | 3 | 6 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7770 | 7.4 | 30 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| B. *Operated* | 1196 | 9.8 | 75 | 2 | 2 | 8 | 12 | 19 | 26 | 47 |
| **1. SINGLE DX** | 3212 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 8966 | 7.7 | 37 | 2 | 3 | 6 | 9 | 14 | 19 | 32 |
| **A. NOT OPERATED** | 10691 | 6.7 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| **B. OPERATED** | 1487 | 8.8 | 67 | 2 | 2 | 7 | 11 | 18 | 24 | 42 |
| TOTAL 0-19 YRS | 2776 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 738 | 5.2 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 1264 | 6.1 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 50-64 | 2964 | 7.7 | 33 | 2 | 3 | 6 | 10 | 14 | 18 | 29 |
| 65+ | 4436 | 8.8 | 44 | 2 | 3 | 7 | 11 | 16 | 21 | 34 |
| **GRAND TOTAL** | 12178 | 7.0 | 32 | 2 | 2 | 5 | 9 | 13 | 17 | 30 |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 26 | 1 | 1 | 4 | 9 | 11 | 11 | 11 |
| 20-34 | 5 | 3.0 | 4 | 1 | 1 | 2 | 5 | 5 | 5 | 5 |
| 35-49 | 23 | 5.2 | 10 | 2 | 2 | 4 | 6 | 10 | 12 | 14 |
| 50-64 | 154 | 6.9 | 31 | 2 | 2 | 5 | 9 | 13 | 16 | 29 |
| 65+ | 185 | 7.7 | 28 | 2 | 3 | 6 | 9 | 14 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 11.4 | 26 | 6 | 7 | 10 | 13 | 19 | 24 | 24 |
| 35-49 | 13 | 10.8 | 15 | 4 | 5 | 11 | 14 | 15 | 15 | 15 |
| 50-64 | 14 | 15.6 | 213 | 3 | 3 | 12 | 19 | 43 | 51 | 53 |
| 65+ | 7 | 11.3 | 124 | 2 | 2 | 6 | 18 | 30 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 10 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 12 | 5.8 | 5 | 2 | 2 | 6 | 8 | 8 | 8 | 8 |
| 35-49 | 114 | 7.9 | 32 | 2 | 3 | 6 | 10 | 16 | 21 | 28 |
| 50-64 | 700 | 8.9 | 41 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| 65+ | 1253 | 9.6 | 66 | 3 | 3 | 8 | 12 | 18 | 24 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.5 | 6 | 8 | 8 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 16 | 14.6 | 105 | 6 | 7 | 10 | 18 | 28 | 39 | 44 |
| 35-49 | 37 | 16.9 | 89 | 4 | 6 | 15 | 21 | 32 | 36 | 39 |
| 50-64 | 124 | 15.5 | 147 | 3 | 4 | 13 | 20 | 32 | 39 | 59 |
| 65+ | 162 | 17.7 | 212 | 3 | 5 | 14 | 22 | 35 | 55 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 370 | 7.1 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| B. *Operated* | 44 | 12.5 | 96 | 3 | 4 | 11 | 14 | 21 | 35 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2083 | 9.3 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| B. *Operated* | 343 | 16.6 | 168 | 3 | 5 | 13 | 21 | 33 | 42 | 79 |
| **1. SINGLE DX** | 414 | 7.7 | 38 | 2 | 2 | 6 | 10 | 14 | 20 | 31 |
| **2. MULTIPLE DX** | 2426 | 10.3 | 78 | 3 | 3 | 8 | 13 | 20 | 27 | 47 |
| **A. NOT OPERATED** | 2453 | 8.9 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| **B. OPERATED** | 387 | 16.1 | 161 | 3 | 5 | 13 | 20 | 33 | 42 | 78 |
| TOTAL 0-19 YRS | 11 | 7.5 | 15 | 1 | 2 | 8 | 11 | 12 | 13 | 13 |
| 20-34 | 43 | 10.0 | 64 | 2 | 2 | 8 | 12 | 20 | 26 | 44 |
| 35-49 | 187 | 9.6 | 54 | 2 | 3 | 7 | 13 | 20 | 25 | 36 |
| 50-64 | 992 | 9.5 | 61 | 2 | 3 | 7 | 12 | 19 | 24 | 42 |
| 65+ | 1607 | 10.2 | 83 | 3 | 3 | 8 | 12 | 20 | 26 | 55 |
| **GRAND TOTAL** | 2840 | 9.9 | 73 | 2 | 3 | 7 | 12 | 19 | 26 | 45 |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4676 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 1559 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1293 | 5.3 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 1461 | 6.1 | 16 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 947 | 6.7 | 15 | 2 | 3 | 6 | 8 | 12 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.8 | 16 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 20-34 | 15 | 5.8 | 14 | <1 | 1 | 5 | 9 | 11 | 12 | 12 |
| 35-49 | 25 | 5.8 | 10 | 1 | 1 | 7 | 8 | 10 | 11 | 11 |
| 50-64 | 20 | 9.3 | 49 | 3 | 3 | 6 | 14 | 19 | 24 | 28 |
| 65+ | 16 | 10.6 | 61 | 2 | 2 | 9 | 17 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2760 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 1272 | 5.3 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 18 |
| 35-49 | 1871 | 6.6 | 19 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| 50-64 | 3246 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 65+ | 3618 | 8.7 | 37 | 3 | 3 | 7 | 11 | 15 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 8.1 | 71 | 2 | 2 | 6 | 9 | 12 | 22 | 50 |
| 20-34 | 69 | 9.4 | 38 | 2 | 3 | 8 | 12 | 18 | 20 | 31 |
| 35-49 | 124 | 12.2 | 68 | 3 | 5 | 10 | 16 | 22 | 27 | 48 |
| 50-64 | 222 | 12.7 | 88 | 3 | 4 | 10 | 17 | 24 | 31 | 78 |
| 65+ | 177 | 16.0 | 127 | 4 | 6 | 13 | 20 | 31 | 43 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9936 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 84 | 7.6 | 33 | 1 | 2 | 7 | 10 | 15 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12767 | 6.8 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 640 | 12.8 | 94 | 3 | 4 | 10 | 17 | 25 | 32 | 59 |
| **1. SINGLE DX** | 10020 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 13407 | 7.1 | 31 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| **A. NOT OPERATED** | 22703 | 5.8 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 724 | 12.2 | 89 | 2 | 4 | 9 | 16 | 24 | 31 | 58 |
| TOTAL 0-19 YRS | 7492 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 2915 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 3313 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 4949 | 7.5 | 28 | 2 | 3 | 6 | 9 | 14 | 17 | 28 |
| 65+ | 4758 | 8.6 | 39 | 2 | 3 | 7 | 11 | 15 | 20 | 34 |
| **GRAND TOTAL** | 23427 | 6.0 | 24 | 2 | 2 | 5 | 7 | 11 | 15 | 25 |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.9 | 2 | 2 | 2 | 4 | 5 | 5 | 6 | 7 |
| 20-34 | 32 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 35-49 | 197 | 6.0 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 18 |
| 50-64 | 1031 | 7.4 | 33 | 2 | 3 | 6 | 9 | 13 | 17 | 31 |
| 65+ | 1530 | 7.9 | 40 | 2 | 3 | 7 | 10 | 15 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 7 | 1 | 1 | 2 | 3 | 8 | 8 | 8 |
| 20-34 | 9 | 9.6 | 96 | 3 | 3 | 6 | 12 | 25 | 34 | 34 |
| 35-49 | 35 | 6.6 | 50 | 2 | 2 | 4 | 8 | 14 | 20 | 38 |
| 50-64 | 79 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 18 | 31 |
| 65+ | 78 | 9.1 | 90 | 2 | 2 | 6 | 11 | 17 | 29 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 8.4 | 34 | 2 | 3 | 7 | 9 | 18 | 22 | 24 |
| 20-34 | 88 | 6.9 | 17 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| 35-49 | 804 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| 50-64 | 4687 | 8.7 | 48 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| 65+ | 8600 | 9.8 | 58 | 3 | 3 | 8 | 12 | 18 | 24 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 11.4 | 169 | 2 | 2 | 5 | 18 | 33 | 35 | 35 |
| 20-34 | 30 | 8.7 | 68 | 2 | 2 | 7 | 9 | 22 | 26 | 36 |
| 35-49 | 133 | 12.1 | 154 | 2 | 3 | 9 | 14 | 23 | 36 | 69 |
| 50-64 | 655 | 13.0 | 126 | 2 | 3 | 10 | 16 | 26 | 34 | 60 |
| 65+ | 1035 | 15.4 | 157 | 3 | 4 | 12 | 19 | 30 | 41 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2811 | 7.5 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| B. *Operated* | 207 | 7.5 | 59 | 2 | 2 | 5 | 9 | 15 | 18 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14221 | 9.3 | 53 | 2 | 3 | 7 | 11 | 17 | 23 | 37 |
| B. *Operated* | 1861 | 14.2 | 146 | 3 | 4 | 11 | 18 | 29 | 38 | 70 |
| **1. SINGLE DX** | 3018 | 7.5 | 37 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | 16082 | 9.8 | 67 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| **A. NOT OPERATED** | 17032 | 9.0 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| **B. OPERATED** | 2068 | 13.5 | 142 | 2 | 3 | 10 | 17 | 28 | 37 | 68 |
| TOTAL 0-19 YRS | 77 | 7.0 | 42 | 2 | 2 | 5 | 8 | 15 | 23 | 33 |
| 20-34 | 159 | 6.9 | 32 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |
| 35-49 | 1169 | 7.6 | 48 | 2 | 2 | 6 | 9 | 14 | 17 | 38 |
| 50-64 | 6452 | 8.9 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| 65+ | 11243 | 10.0 | 68 | 3 | 3 | 8 | 12 | 19 | 25 | 44 |
| **GRAND TOTAL** | 19100 | 9.5 | 63 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 204 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 66 | 5.6 | 137 | 1 | 1 | 4 | 5 | 8 | 11 | 83 |
| 50-64 | 30 | 5.1 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 17 |
| 65+ | 26 | 7.1 | 31 | 2 | 3 | 5 | 8 | 17 | 19 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 6.1 | 18 | 2 | 3 | 5 | 8 | 10 | 13 | 21 |
| 20-34 | 523 | 6.5 | 18 | 3 | 3 | 5 | 8 | 12 | 14 | 26 |
| 35-49 | 181 | 7.3 | 20 | 2 | 3 | 6 | 9 | 14 | 16 | 23 |
| 50-64 | 106 | 9.0 | 50 | 2 | 3 | 6 | 11 | 19 | 24 | 37 |
| 65+ | 56 | 8.8 | 55 | 3 | 3 | 6 | 11 | 19 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 42 | 5.1 | 27 | 1 | 1 | 4 | 6 | 9 | 13 | 32 |
| 35-49 | 41 | 6.2 | 18 | 1 | 2 | 5 | 8 | 13 | 15 | 18 |
| 50-64 | 69 | 8.0 | 37 | 2 | 2 | 6 | 9 | 17 | 22 | 26 |
| 65+ | 81 | 10.8 | 86 | 2 | 4 | 8 | 13 | 19 | 33 | 46 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 9.7 | 25 | 3 | 4 | 10 | 13 | 15 | 19 | 24 |
| 20-34 | 145 | 9.8 | 65 | 3 | 4 | 8 | 12 | 19 | 21 | 52 |
| 35-49 | 113 | 11.0 | 49 | 4 | 4 | 9 | 14 | 21 | 26 | 34 |
| 50-64 | 188 | 11.7 | 83 | 3 | 3 | 9 | 15 | 22 | 29 | 51 |
| 65+ | 220 | 13.5 | 97 | 4 | 5 | 10 | 17 | 27 | 34 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 398 | 4.5 | 32 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| B. *Operated* | 1009 | 7.0 | 24 | 2 | 3 | 5 | 8 | 13 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 7.8 | 51 | 1 | 2 | 6 | 10 | 15 | 20 | 43 |
| B. *Operated* | 690 | 11.7 | 78 | 3 | 4 | 9 | 15 | 23 | 29 | 49 |
| **1. SINGLE DX** | 1407 | 6.3 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | 939 | 10.7 | 74 | 2 | 3 | 8 | 13 | 21 | 27 | 45 |
| **A. NOT OPERATED** | 647 | 5.8 | 42 | 1 | 1 | 4 | 7 | 12 | 15 | 30 |
| **B. OPERATED** | 1699 | 8.9 | 51 | 3 | 3 | 7 | 11 | 17 | 23 | 37 |
| TOTAL 0-19 YRS | 255 | 5.6 | 18 | 1 | 2 | 4 | 7 | 11 | 13 | 20 |
| 20-34 | 914 | 6.4 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 35-49 | 401 | 7.9 | 51 | 2 | 3 | 6 | 10 | 15 | 19 | 29 |
| 50-64 | 393 | 9.8 | 64 | 2 | 3 | 7 | 13 | 20 | 26 | 38 |
| 65+ | 383 | 11.8 | 88 | 3 | 4 | 9 | 15 | 24 | 32 | 46 |
| **GRAND TOTAL** | 2346 | 8.0 | 51 | 2 | 3 | 6 | 10 | 16 | 21 | 36 |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 336 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 20-34 | 244 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 35-49 | 269 | 5.0 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 50-64 | 323 | 5.5 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 473 | 6.9 | 34 | 1 | 2 | 6 | 9 | 12 | 16 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 6.8 | 40 | 1 | 1 | 5 | 10 | 16 | 21 | 26 |
| 20-34 | 148 | 8.5 | 61 | 2 | 2 | 7 | 10 | 18 | 24 | 39 |
| 35-49 | 259 | 9.1 | 62 | 2 | 2 | 7 | 11 | 18 | 24 | 40 |
| 50-64 | 389 | 8.9 | 71 | 2 | 2 | 7 | 12 | 18 | 24 | 34 |
| 65+ | 359 | 9.2 | 61 | 2 | 2 | 7 | 13 | 20 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 499 | 4.8 | 21 | 1 | 1 | 4 | 6 | 8 | 13 | 24 |
| 20-34 | 450 | 5.8 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| 35-49 | 687 | 7.1 | 37 | 2 | 2 | 6 | 9 | 14 | 17 | 32 |
| 50-64 | 1863 | 8.0 | 41 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |
| 65+ | 4107 | 9.8 | 60 | 2 | 3 | 8 | 12 | 18 | 23 | 38 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 10.6 | 131 | 2 | 2 | 6 | 13 | 27 | 31 | 59 |
| 20-34 | 213 | 11.9 | 136 | 2 | 2 | 9 | 15 | 22 | 34 | 69 |
| 35-49 | 408 | 13.1 | 133 | 2 | 3 | 10 | 16 | 28 | 37 | 78 |
| 50-64 | 1031 | 12.6 | 129 | 2 | 3 | 9 | 16 | 26 | 34 | 67 |
| 65+ | 1324 | 15.1 | 153 | 3 | 4 | 12 | 20 | 30 | 39 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1645 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 1224 | 8.8 | 63 | 2 | 2 | 7 | 12 | 19 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7606 | 8.5 | 51 | 2 | 3 | 7 | 11 | 16 | 21 | 36 |
| B. *Operated* | 3058 | 13.6 | 142 | 2 | 3 | 11 | 18 | 28 | 36 | 66 |
| **1. SINGLE DX** | 2869 | 6.8 | 42 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| **2. MULTIPLE DX** | 10664 | 10.0 | 82 | 2 | 3 | 7 | 13 | 20 | 26 | 48 |
| **A. NOT OPERATED** | 9251 | 8.0 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| **B. OPERATED** | 4282 | 12.3 | 124 | 2 | 3 | 9 | 16 | 25 | 33 | 58 |
| TOTAL 0-19 YRS | 986 | 5.1 | 30 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| 20-34 | 1055 | 7.1 | 57 | 1 | 2 | 5 | 9 | 15 | 20 | 39 |
| 35-49 | 1623 | 8.6 | 70 | 2 | 2 | 6 | 10 | 17 | 23 | 43 |
| 50-64 | 3606 | 9.2 | 73 | 2 | 2 | 7 | 12 | 18 | 24 | 45 |
| 65+ | 6263 | 10.7 | 83 | 2 | 3 | 8 | 13 | 21 | 27 | 47 |
| **GRAND TOTAL** | 13533 | 9.3 | 76 | 2 | 2 | 7 | 12 | 19 | 25 | 44 |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 72 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 35-49 | 39 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| 50-64 | 22 | 4.3 | 42 | <1 | 1 | 2 | 4 | 6 | 19 | 32 |
| 65+ | 19 | 6.9 | 44 | 1 | 1 | 5 | 8 | 18 | 23 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2687 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 2313 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 886 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 519 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 184 | 3.4 | 40 | 1 | 2 | 3 | 4 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 115 | 3.8 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 84 | 4.1 | 10 | <1 | 1 | 3 | 6 | 8 | 11 | 14 |
| 50-64 | 93 | 5.4 | 21 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 65+ | 73 | 6.1 | 23 | 1 | 2 | 5 | 7 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1262 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 1433 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 980 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 970 | 3.6 | 16 | 1 | 2 | 2 | 4 | 6 | 10 | 21 |
| 65+ | 546 | 4.2 | 19 | 1 | 2 | 3 | 4 | 9 | 12 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| B. *Operated* | 6389 | 2.3 | 4 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 457 | 4.3 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| B. *Operated* | 5191 | 3.1 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **1. SINGLE DX** | 6807 | 2.4 | 4 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 5648 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 675 | 4.3 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 21 |
| **B. OPERATED** | 11780 | 2.7 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 4107 | 2.2 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 3933 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 1989 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 1604 | 3.5 | 13 | 1 | 2 | 2 | 4 | 6 | 9 | 19 |
| 65+ | 822 | 4.3 | 26 | 1 | 2 | 3 | 4 | 8 | 12 | 25 |
| **GRAND TOTAL** | 12485 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 53 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 22 | 5.0 | 7 | 1 | 2 | 4 | 7 | 8 | 11 | 13 |
| 50-64 | 37 | 3.8 | 6 | 1 | 2 | 4 | 4 | 5 | 10 | 12 |
| 65+ | 37 | 4.8 | 14 | 1 | 1 | 4 | 6 | 9 | 10 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 194 | 3.1 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 173 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | 248 | 3.5 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| 65+ | 201 | 3.8 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 57 | 4.9 | 10 | 1 | 2 | 4 | 7 | 10 | 11 | 17 |
| 35-49 | 46 | 6.2 | 15 | 2 | 2 | 5 | 8 | 10 | 14 | 21 |
| 50-64 | 71 | 6.4 | 20 | 1 | 2 | 6 | 8 | 12 | 14 | 22 |
| 65+ | 127 | 8.3 | 29 | 2 | 3 | 7 | 10 | 16 | 20 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 20-34 | 117 | 4.4 | 16 | 1 | 2 | 4 | 5 | 8 | 10 | 24 |
| 35-49 | 139 | 4.4 | 11 | 1 | 2 | 3 | 5 | 8 | 13 | 17 |
| 50-64 | 210 | 5.1 | 30 | 2 | 2 | 4 | 5 | 10 | 13 | 27 |
| 65+ | 174 | 7.3 | 70 | 2 | 2 | 4 | 8 | 16 | 22 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 1013 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 463 | 6.0 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 710 | 5.2 | 33 | 1 | 2 | 4 | 5 | 10 | 15 | 30 |
| **1. SINGLE DX** | 1257 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1173 | 5.5 | 27 | 2 | 2 | 4 | 7 | 11 | 14 | 26 |
| **A. NOT OPERATED** | 707 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| **B. OPERATED** | 1723 | 4.1 | 18 | 1 | 2 | 3 | 4 | 7 | 11 | 21 |
| TOTAL 0-19 YRS | 524 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 421 | 3.7 | 8 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| 35-49 | 380 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 566 | 4.5 | 18 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 539 | 6.0 | 37 | 1 | 2 | 4 | 7 | 13 | 17 | 30 |
| **GRAND TOTAL** | 2430 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 303 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 399 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 50-64 | 322 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 255 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.3 | 10 | <1 | 1 | 3 | 7 | 9 | 11 | 13 |
| 20-34 | 142 | 6.2 | 28 | 1 | 2 | 4 | 8 | 13 | 16 | 27 |
| 35-49 | 185 | 7.0 | 35 | 1 | 2 | 6 | 9 | 13 | 19 | 34 |
| 50-64 | 238 | 6.0 | 37 | 1 | 1 | 4 | 8 | 12 | 16 | 29 |
| 65+ | 281 | 5.7 | 23 | 1 | 1 | 4 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.5 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 20-34 | 694 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 1255 | 5.3 | 19 | 2 | 2 | 4 | 7 | 9 | 12 | 25 |
| 50-64 | 1517 | 5.6 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 1735 | 6.7 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 8.7 | 143 | 1 | 1 | 5 | 8 | 23 | 36 | 56 |
| 20-34 | 307 | 8.1 | 50 | 2 | 2 | 7 | 10 | 16 | 22 | 36 |
| 35-49 | 599 | 8.1 | 41 | 2 | 3 | 7 | 10 | 15 | 20 | 32 |
| 50-64 | 924 | 8.7 | 63 | 2 | 2 | 7 | 11 | 17 | 24 | 43 |
| 65+ | 1036 | 10.7 | 116 | 2 | 2 | 8 | 13 | 22 | 30 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1473 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 901 | 6.1 | 30 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5391 | 5.8 | 20 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | 2916 | 9.2 | 78 | 2 | 2 | 7 | 11 | 18 | 25 | 53 |
| **1. SINGLE DX** | 2374 | 4.7 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 8307 | 7.0 | 43 | 2 | 2 | 5 | 8 | 13 | 18 | 35 |
| **A. NOT OPERATED** | 6864 | 5.3 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| **B. OPERATED** | 3817 | 8.5 | 69 | 2 | 2 | 6 | 10 | 17 | 23 | 46 |
| TOTAL 0-19 YRS | 489 | 4.4 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 20-34 | 1446 | 5.4 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| 35-49 | 2438 | 5.9 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 3001 | 6.4 | 33 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 3307 | 7.7 | 59 | 2 | 2 | 6 | 9 | 15 | 21 | 42 |
| **GRAND TOTAL** | 10681 | 6.5 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.6 | 12 | 1 | 2 | 4 | 5 | 7 | 12 | 18 |
| 20-34 | 203 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 14 |
| 35-49 | 236 | 5.0 | 12 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |
| 50-64 | 290 | 5.4 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| 65+ | 222 | 6.7 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 73 | 8.6 | 28 | 3 | 3 | 8 | 11 | 16 | 18 | 27 |
| 35-49 | 188 | 8.6 | 32 | 2 | 3 | 7 | 11 | 16 | 19 | 28 |
| 50-64 | 210 | 9.1 | 68 | 2 | 3 | 8 | 11 | 16 | 21 | 31 |
| 65+ | 152 | [illegible] | 75 | 2 | 2 | 7 | 11 | 17 | 22 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.0 | 7 | 2 | 2 | 5 | 6 | 8 | 9 | 15 |
| 20-34 | 224 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 506 | 6.4 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 634 | 6.7 | 17 | 2 | 3 | 6 | 9 | 12 | 15 | 21 |
| 65+ | 977 | 8.5 | 34 | 2 | 3 | 7 | 10 | 15 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.5 | 6 | 2 | 2 | 4 | 5 | 9 | 9 | 9 |
| 20-34 | 93 | 9.0 | 54 | 3 | 3 | 7 | 10 | 18 | 20 | 46 |
| 35-49 | 325 | 9.8 | 41 | 2 | 3 | 9 | 13 | 18 | 22 | 29 |
| 50-64 | 514 | 10.3 | 58 | 2 | 4 | 9 | 13 | 20 | 24 | 41 |
| 65+ | 655 | 11.9 | 83 | 3 | 4 | 9 | 15 | 22 | 29 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 992 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 627 | 8.9 | 54 | 2 | 3 | 8 | 11 | 16 | 21 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2370 | 7.2 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | 1593 | 10.8 | 65 | 3 | 4 | 9 | 13 | 21 | 25 | 40 |
| **1. SINGLE DX** | 1619 | 6.8 | 34 | 1 | 2 | 5 | 9 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | 3963 | 8.6 | 45 | 2 | 3 | 7 | 11 | 16 | 21 | 34 |
| **A. NOT OPERATED** | 3362 | 6.6 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| **B. OPERATED** | 2220 | 10.2 | 63 | 2 | 3 | 8 | 13 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 80 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 20-34 | 593 | 6.1 | 23 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 1255 | 7.3 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 27 |
| 50-64 | 1648 | 7.9 | 39 | 2 | 3 | 6 | 10 | 14 | 19 | 28 |
| 65+ | 2006 | 9.4 | 56 | 2 | 3 | 7 | 11 | 18 | 24 | 37 |
| **GRAND TOTAL** | 5582 | 8.1 | 42 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.4 | 2 | <1 | <1 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 45 | 4.8 | 11 | 1 | 2 | 4 | 6 | 8 | 9 | 21 |
| 35-49 | 82 | 5.4 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 116 | 6.3 | 11 | 2 | 3 | 6 | 7 | 11 | 12 | 20 |
| 65+ | 126 | 7.7 | 20 | 2 | 3 | 7 | 10 | 14 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 35 | 8.4 | 17 | 3 | 5 | 7 | 10 | 14 | 19 | 21 |
| 35-49 | 67 | 9.3 | 31 | 4 | 4 | 7 | 12 | 17 | 18 | 33 |
| 50-64 | 109 | 10.9 | 40 | 4 | 4 | 10 | 14 | 19 | 24 | 33 |
| 65+ | 138 | 11.7 | 51 | 3 | 5 | 10 | 15 | 20 | 24 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 10 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| 20-34 | 45 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 11 | 18 |
| 35-49 | 117 | 6.2 | 9 | 3 | 3 | 6 | 7 | 10 | 12 | 17 |
| 50-64 | 231 | 7.7 | 21 | 3 | 4 | 7 | 9 | 13 | 16 | 28 |
| 65+ | 562 | 9.6 | 43 | 3 | 4 | 8 | 12 | 17 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.6 | 4 | 6 | 6 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 38 | 12.8 | 185 | 3 | 4 | 9 | 15 | 26 | 29 | 81 |
| 35-49 | 117 | 10.9 | 53 | 2 | 3 | 9 | 13 | 22 | 28 | 34 |
| 50-64 | 235 | 13.1 | 85 | 4 | 5 | 10 | 17 | 24 | 31 | 45 |
| 65+ | 442 | 14.0 | 111 | 4 | 5 | 11 | 17 | 25 | 34 | 62 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 379 | 6.3 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| B. *Operated* | 350 | 10.6 | 41 | 4 | 4 | 9 | 14 | 19 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 960 | 8.5 | 34 | 3 | 4 | 7 | 10 | 15 | 19 | 29 |
| B. *Operated* | 837 | 13.2 | 99 | 4 | 5 | 10 | 16 | 25 | 31 | 53 |
| 1. SINGLE DX | 729 | 8.4 | 32 | 2 | 3 | 7 | 11 | 15 | 19 | 30 |
| 2. MULTIPLE DX | 1797 | 10.7 | 70 | 3 | 4 | 8 | 13 | 20 | 26 | 45 |
| A. NOT OPERATED | 1339 | 7.9 | 29 | 3 | 3 | 7 | 9 | 14 | 18 | 27 |
| B. OPERATED | 1187 | 12.5 | 83 | 4 | 5 | 10 | 15 | 23 | 30 | 47 |
| TOTAL 0-19 YRS | 21 | 4.8 | 9 | <1 | 1 | 4 | 6 | 10 | 12 | 11 |
| 20-34 | 163 | 7.7 | 62 | 2 | 3 | 6 | 9 | 13 | 20 | 30 |
| 35-49 | 383 | 8.0 | 31 | 2 | 3 | 7 | 10 | 14 | 18 | 32 |
| 50-64 | 691 | 9.8 | 51 | 3 | 4 | 8 | 12 | 19 | 24 | 37 |
| 65+ | 1268 | 11.2 | 70 | 3 | 4 | 9 | 14 | 20 | 25 | 47 |
| GRAND TOTAL | 2526 | 10.0 | 60 | 3 | 4 | 8 | 12 | 19 | 24 | 41 |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 1077 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 1136 | 4.4 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 690 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 430 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 7.8 | 23 | 2 | 2 | 7 | 12 | 14 | 18 | 20 |
| 20-34 | 128 | 9.6 | 35 | 3 | 4 | 8 | 11 | 20 | 23 | 28 |
| 35-49 | 189 | 9.8 | 31 | 3 | 4 | 9 | 12 | 15 | 18 | 33 |
| 50-64 | 143 | 10.5 | 39 | 3 | 4 | 9 | 13 | 17 | 22 | 33 |
| 65+ | 66 | 10.9 | 113 | 2 | 3 | 8 | 15 | 20 | 29 | 62 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 10 | 26 |
| 20-34 | 1044 | 5.3 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| 35-49 | 1661 | 5.7 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 50-64 | 1886 | 6.2 | 18 | 2 | 3 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 1895 | 7.7 | 28 | 3 | 3 | 6 | 9 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.4 | 41 | 2 | 3 | 5 | 10 | 15 | 24 | 26 |
| 20-34 | 188 | 9.8 | 46 | 2 | 3 | 8 | 13 | 17 | 19 | 40 |
| 35-49 | 410 | 10.4 | 48 | 3 | 4 | 9 | 13 | 18 | 23 | 37 |
| 50-64 | 476 | 10.7 | 59 | 3 | 4 | 9 | 13 | 19 | 24 | 50 |
| 65+ | 418 | 12.7 | 83 | 3 | 4 | 10 | 17 | 24 | 29 | 58 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 3627 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| B. *Operated* | 544 | 10.0 | 44 | 3 | 4 | 9 | 12 | 17 | 22 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6663 | 6.3 | 20 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| B. *Operated* | 1506 | 11.0 | 62 | 3 | 4 | 9 | 14 | 20 | 25 | 48 |
| 1. SINGLE DX | 4171 | 5.2 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 2. MULTIPLE DX | 8169 | 7.2 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| A. NOT OPERATED | 10290 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. OPERATED | 2050 | 10.8 | 57 | 3 | 4 | 9 | 13 | 20 | 24 | 42 |
| TOTAL 0-19 YRS | 503 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 20-34 | 2437 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 35-49 | 3396 | 6.1 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 3195 | 6.8 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 65+ | 2809 | 8.1 | 40 | 2 | 3 | 7 | 10 | 15 | 21 | 32 |
| GRAND TOTAL | 12340 | 6.8 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |

## 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 317 | 4.9 | 5 | 2 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 384 | 5.3 | 8 | 2 | 3 | 5 | 7 | 8 | 10 | 16 |
| 50-64 | 393 | 5.5 | 6 | 2 | 3 | 5 | 7 | 9 | 10 | 13 |
| 65+ | 367 | 6.7 | 11 | 3 | 3 | 6 | 8 | 11 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 7.0 | 10 | 1 | 2 | 7 | 9 | 11 | 12 | 13 |
| 20-34 | 154 | 8.7 | 29 | 4 | 5 | 8 | 10 | 13 | 18 | 23 |
| 35-49 | 150 | 9.0 | 17 | 5 | 5 | 8 | 11 | 14 | 15 | 27 |
| 50-64 | 160 | 11.2 | 47 | 5 | 6 | 10 | 13 | 17 | 26 | 45 |
| 65+ | 154 | 12.0 | 38 | 4 | 6 | 10 | 15 | 21 | 25 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 7 | 18 |
| 20-34 | 196 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 35-49 | 363 | 6.4 | 10 | 2 | 3 | 6 | 8 | 10 | 12 | 17 |
| 50-64 | 644 | 7.0 | 16 | 3 | 3 | 6 | 9 | 11 | 14 | 21 |
| 65+ | 1013 | 9.4 | 37 | 3 | 4 | 8 | 11 | 16 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.0 | 17 | 9 | 9 | 12 | 18 | 18 | 18 | 18 |
| 20-34 | 67 | 11.4 | 43 | 5 | 6 | 10 | 13 | 18 | 26 | 36 |
| 35-49 | 152 | 13.4 | 105 | 4 | 6 | 10 | 14 | 25 | 34 | 62 |
| 50-64 | 258 | 14.0 | 108 | 4 | 6 | 11 | 16 | 24 | 30 | 63 |
| 65+ | 466 | 17.6 | 163 | 5 | 7 | 14 | 22 | 33 | 45 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1528 | 5.5 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| B. *Operated* | 639 | 10.1 | 34 | 4 | 5 | 9 | 12 | 16 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2257 | 7.8 | 26 | 3 | 3 | 7 | 9 | 14 | 17 | 27 |
| B. *Operated* | 949 | 15.5 | 134 | 5 | 6 | 12 | 18 | 28 | 37 | 70 |
| **1. SINGLE DX** | 2167 | 6.9 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | 3206 | 10.1 | 70 | 3 | 4 | 8 | 12 | 18 | 25 | 46 |
| **A. NOT OPERATED** | 3785 | 6.9 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| **B. OPERATED** | 1588 | 13.3 | 101 | 5 | 6 | 10 | 15 | 24 | 32 | 61 |
| TOTAL 0-19 YRS | 135 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 20-34 | 734 | 6.5 | 20 | 2 | 3 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 1049 | 7.4 | 31 | 2 | 3 | 6 | 9 | 12 | 15 | 32 |
| 50-64 | 1455 | 8.3 | 43 | 3 | 3 | 7 | 10 | 14 | 18 | 35 |
| 65+ | 2000 | 11.0 | 76 | 3 | 4 | 9 | 13 | 20 | 26 | 47 |
| **GRAND TOTAL** | **5373** | **8.8** | **52** | **3** | **3** | **7** | **10** | **16** | **22** | **39** |

## 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 17 | 8.9 | 48 | 3 | 4 | 6 | 10 | 16 | 26 | 31 |
| 35-49 | 25 | 8.0 | 26 | 3 | 4 | 6 | 10 | 12 | 17 | 28 |
| 50-64 | 32 | 6.6 | 13 | 2 | 3 | 6 | 8 | 11 | 14 | 18 |
| 65+ | 32 | 8.4 | 20 | 3 | 4 | 8 | 11 | 13 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 9 | 13.8 | 57 | 4 | 5 | 13 | 20 | 24 | 25 | 25 |
| 35-49 | 54 | 14.6 | 90 | 4 | 6 | 12 | 19 | 26 | 27 | 53 |
| 50-64 | 55 | 14.3 | 54 | 6 | 6 | 13 | 18 | 24 | 28 | 37 |
| 65+ | 54 | 16.2 | 113 | 7 | 8 | 13 | 19 | 25 | 41 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 23 | 5.8 | 11 | 1 | 2 | 6 | 8 | 11 | 12 | 14 |
| 35-49 | 34 | 8.3 | 17 | 3 | 5 | 7 | 10 | 15 | 18 | 21 |
| 50-64 | 67 | 9.1 | 45 | 3 | 4 | 7 | 10 | 14 | 24 | 40 |
| 65+ | 96 | 11.2 | 61 | 2 | 4 | 9 | 16 | 22 | 26 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 20-34 | 21 | 16.5 | 138 | 6 | 8 | 12 | 20 | 32 | 42 | 52 |
| 35-49 | 72 | 16.7 | 125 | 4 | 6 | 13 | 22 | 34 | 40 | 54 |
| 50-64 | 100 | 19.0 | 158 | 7 | 8 | 16 | 23 | 35 | 54 | 99+ |
| 65+ | 156 | 20.9 | 241 | 6 | 8 | 16 | 25 | 39 | 55 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 7.7 | 23 | 3 | 4 | 6 | 9 | 12 | 16 | 29 |
| B. *Operated* | 173 | 14.9 | 83 | 5 | 7 | 13 | 19 | 24 | 29 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 221 | 9.5 | 46 | 2 | 4 | 8 | 11 | 18 | 23 | 35 |
| B. *Operated* | 350 | 19.3 | 188 | 5 | 8 | 15 | 24 | 37 | 49 | 82 |
| **1. SINGLE DX** | 283 | 12.1 | 72 | 4 | 4 | 10 | 15 | 22 | 26 | 48 |
| **2. MULTIPLE DX** | 571 | 15.5 | 156 | 4 | 5 | 12 | 19 | 30 | 40 | 73 |
| **A. NOT OPERATED** | 331 | 8.9 | 39 | 2 | 4 | 7 | 11 | 17 | 22 | 31 |
| **B. OPERATED** | 523 | 17.8 | 158 | 5 | 7 | 14 | 22 | 33 | 45 | 76 |
| TOTAL 0-19 YRS | 7 | 9.3 | 94 | 3 | 3 | 6 | 8 | 26 | 31 | 31 |
| 20-34 | 70 | 10.8 | 81 | 2 | 3 | 8 | 13 | 23 | 31 | 48 |
| 35-49 | 185 | 13.4 | 94 | 4 | 5 | 10 | 17 | 26 | 34 | 51 |
| 50-64 | 254 | 13.8 | 110 | 4 | 5 | 11 | 17 | 27 | 35 | 81 |
| 65+ | 338 | 16.2 | 171 | 4 | 5 | 12 | 20 | 30 | 43 | 71 |
| **GRAND TOTAL** | **854** | **14.4** | **130** | **4** | **5** | **11** | **18** | **28** | **37** | **63** |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 841 | 2.9 | 6 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 20-34 | 1582 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1159 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 793 | 4.2 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 468 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 9 |
| 20-34 | 104 | 6.6 | 21 | 2 | 2 | 5 | 8 | 13 | 14 | 25 |
| 35-49 | 147 | 7.2 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| 50-64 | 145 | 8.3 | 50 | 1 | 2 | 7 | 10 | 16 | 21 | 34 |
| 65+ | 79 | 7.6 | 44 | 1 | 2 | 6 | 9 | 15 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1075 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 2506 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 35-49 | 3091 | 5.2 | 12 | 2 | 2 | 4 | 7 | 9 | 11 | 17 |
| 50-64 | 2970 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 3125 | 6.9 | 25 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 7.3 | 76 | 1 | 2 | 5 | 7 | 11 | 14 | 50 |
| 20-34 | 436 | 7.7 | 36 | 2 | 3 | 6 | 10 | 14 | 17 | 31 |
| 35-49 | 700 | 9.4 | 55 | 2 | 3 | 8 | 12 | 17 | 22 | 42 |
| 50-64 | 701 | 9.7 | 58 | 3 | 3 | 8 | 11 | 19 | 23 | 35 |
| 65+ | 673 | 11.2 | 77 | 3 | 4 | 9 | 14 | 20 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4843 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 495 | 7.3 | 38 | 1 | 2 | 6 | 9 | 14 | 20 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12767 | 5.4 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 2564 | 9.6 | 60 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| **1. SINGLE DX** | 5338 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 15331 | 6.1 | 26 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 17610 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 3059 | 9.3 | 57 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| TOTAL 0-19 YRS | 1990 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 4628 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 5097 | 5.6 | 20 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 4609 | 6.1 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| 65+ | 4345 | 7.3 | 35 | 2 | 3 | 6 | 9 | 13 | 17 | 31 |
| **GRAND TOTAL** | **20669** | **5.6** | **23** | **1** | **2** | **4** | **7** | **10** | **14** | **23** |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 466 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 429 | 4.2 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 285 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 167 | 4.9 | 12 | 1 | 1 | 4 | 6 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 42 | 8.5 | 31 | <1 | 1 | 8 | 11 | 16 | 18 | 27 |
| 35-49 | 60 | 11.0 | 80 | 1 | 2 | 9 | 14 | 19 | 29 | 48 |
| 50-64 | 52 | 16.1 | 131 | 5 | 6 | 14 | 19 | 30 | 38 | 59 |
| 65+ | 38 | 14.5 | 67 | 2 | 5 | 13 | 19 | 27 | 29 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 268 | 3.8 | 6 | 1 | 2 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 723 | 4.7 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 810 | 5.3 | 16 | 2 | 2 | 4 | 6 | 10 | 12 | 19 |
| 50-64 | 768 | 5.5 | 15 | 2 | 2 | 4 | 7 | 10 | 13 | 20 |
| 65+ | 740 | 7.1 | 31 | 2 | 3 | 6 | 9 | 13 | 19 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 8.4 | 53 | 2 | 3 | 6 | 12 | 18 | 23 | 37 |
| 20-34 | 109 | 10.5 | 84 | 2 | 3 | 8 | 14 | 20 | 31 | 47 |
| 35-49 | 211 | 13.8 | 166 | 3 | 4 | 10 | 16 | 26 | 42 | 74 |
| 50-64 | 223 | 15.9 | 158 | 3 | 4 | 14 | 20 | 31 | 40 | 73 |
| 65+ | 240 | 16.9 | 154 | 3 | 5 | 14 | 21 | 32 | 44 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1643 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 301 | 9.6 | 73 | 2 | 2 | 7 | 13 | 19 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3309 | 5.5 | 18 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 821 | 14.6 | 150 | 3 | 4 | 11 | 18 | 29 | 41 | 68 |
| **1. SINGLE DX** | 1944 | 4.8 | 23 | 1 | 1 | 3 | 6 | 9 | 14 | 26 |
| **2. MULTIPLE DX** | 4130 | 7.3 | 58 | 2 | 2 | 5 | 8 | 15 | 21 | 41 |
| **A. NOT OPERATED** | 4952 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 1122 | 13.2 | 134 | 2 | 3 | 10 | 17 | 27 | 36 | 60 |
| TOTAL 0-19 YRS | 711 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 20-34 | 1340 | 4.9 | 20 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 35-49 | 1510 | 6.4 | 49 | 1 | 2 | 4 | 7 | 12 | 17 | 39 |
| 50-64 | 1328 | 7.5 | 61 | 2 | 2 | 5 | 9 | 15 | 21 | 40 |
| 65+ | 1185 | 9.0 | 72 | 2 | 3 | 6 | 11 | 19 | 24 | 45 |
| **GRAND TOTAL** | **6074** | **6.5** | **48** | **1** | **2** | **4** | **8** | **13** | **18** | **37** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 14 |
| 20-34 | 26 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 10 | 3.2 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 5 | 5.6 | 24 | 2 | 2 | 3 | 8 | 14 | 14 | 14 |
| 65+ | 4 | 3.0 | 7 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4412 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2846 | 3.9 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 11 |
| 35-49 | 830 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 362 | 5.5 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 19 |
| 65+ | 146 | 6.6 | 19 | 3 | 3 | 6 | 7 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 20-34 | 8 | 5.6 | 98 | 1 | 1 | 2 | 3 | 22 | 30 | 30 |
| 35-49 | 4 | 6.0 | 18 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 10.2 | 46 | 1 | 1 | 10 | 13 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 620 | 5.4 | 14 | 2 | 3 | 4 | 6 | 10 | 13 | 18 |
| 20-34 | 538 | 5.5 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 223 | 7.4 | 28 | 3 | 3 | 6 | 9 | 13 | 17 | 32 |
| 50-64 | 153 | 9.1 | 36 | 3 | 3 | 8 | 11 | 17 | 21 | 32 |
| 65+ | 119 | 11.9 | 54 | 4 | 4 | 11 | 15 | 20 | 28 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 8596 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 5.1 | 38 | 1 | 1 | 2 | 6 | 11 | 19 | 30 |
| B. *Operated* | 1653 | 6.5 | 23 | 2 | 3 | 5 | 8 | 12 | 16 | 27 |
| **1. SINGLE DX** | 8679 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1686 | 6.5 | 23 | 2 | 3 | 5 | 8 | 12 | 16 | 27 |
| **A. NOT OPERATED** | 116 | 3.6 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 23 |
| **B. OPERATED** | 10249 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 5084 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 3418 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 1067 | 5.1 | 12 | 2 | 3 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 522 | 6.5 | 20 | 3 | 3 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 274 | 8.9 | 42 | 3 | 3 | 7 | 11 | 17 | 20 | 36 |
| **GRAND TOTAL** | **10365** | **4.3** | **8** | **2** | **2** | **4** | **5** | **7** | **9** | **16** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.5 | 10 | 1 | 2 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 12 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 12 |
| 35-49 | 10 | 8.5 | 11 | 4 | 4 | 9 | 10 | 13 | 14 | 14 |
| 50-64 | 5 | 7.8 | 26 | <1 | <1 | 8 | 10 | 15 | 15 | 15 |
| 65+ | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 922 | 7.1 | 16 | 2 | 3 | 6 | 9 | 12 | 15 | 21 |
| 20-34 | 499 | 6.9 | 19 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| 35-49 | 274 | 8.2 | 21 | 3 | 3 | 7 | 10 | 13 | 16 | 28 |
| 50-64 | 251 | 10.1 | 28 | 4 | 5 | 9 | 11 | 17 | 20 | 28 |
| 65+ | 138 | 11.6 | 41 | 5 | 5 | 10 | 13 | 21 | 25 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 7 | 7.1 | 21 | 1 | 2 | 5 | 11 | 13 | 14 | 14 |
| 35-49 | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| 50-64 | 7 | 9.3 | 6 | 6 | 6 | 8 | 11 | 13 | 13 | 13 |
| 65+ | 7 | 14.1 | 121 | 2 | 3 | 8 | 21 | 32 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 349 | 11.1 | 35 | 4 | 5 | 10 | 14 | 19 | 22 | 31 |
| 20-34 | 213 | 10.1 | 25 | 4 | 5 | 9 | 13 | 17 | 20 | 25 |
| 35-49 | 183 | 12.3 | 42 | 5 | 6 | 11 | 15 | 20 | 26 | 34 |
| 50-64 | 249 | 14.2 | 88 | 6 | 7 | 12 | 16 | 24 | 32 | 56 |
| 65+ | 256 | 18.3 | 193 | 6 | 8 | 14 | 22 | 34 | 46 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 6.7 | 13 | 1 | 2 | 7 | 9 | 12 | 13 | 15 |
| B. *Operated* | 2084 | 7.9 | 23 | 2 | 3 | 7 | 10 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 9.9 | 49 | 2 | 4 | 8 | 12 | 17 | 26 | 34 |
| B. *Operated* | 1250 | 13.2 | 85 | 5 | 6 | 11 | 16 | 23 | 30 | 56 |
| **1. SINGLE DX** | 2131 | 7.8 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 1274 | 13.1 | 85 | 4 | 6 | 11 | 15 | 22 | 30 | 55 |
| **A. NOT OPERATED** | 71 | 7.8 | 27 | 1 | 2 | 8 | 10 | 13 | 15 | 31 |
| **B. OPERATED** | 3334 | 9.8 | 53 | 3 | 3 | 8 | 12 | 17 | 22 | 36 |
| TOTAL 0-19 YRS | 1290 | 8.2 | 24 | 2 | 3 | 7 | 10 | 15 | 17 | 25 |
| 20-34 | 731 | 7.8 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 35-49 | 469 | 9.8 | 33 | 3 | 4 | 9 | 12 | 16 | 20 | 31 |
| 50-64 | 512 | 12.0 | 61 | 5 | 6 | 10 | 14 | 20 | 25 | 48 |
| 65+ | 403 | 15.9 | 148 | 5 | 6 | 12 | 19 | 28 | 36 | 71 |
| **GRAND TOTAL** | **3405** | **9.8** | **52** | **3** | **3** | **8** | **12** | **17** | **22** | **36** |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 74 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 18 | 3.8 | 5 | 2 | 2 | 3 | 4 | 7 | 9 | 11 |
| 50-64 | 7 | 4.6 | 2 | 2 | 2 | 5 | 5 | 6 | 6 | 6 |
| 65+ | 4 | 3.3 | 5 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 653 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 412 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 131 | 5.3 | 14 | 2 | 2 | 4 | 6 | 10 | 12 | 21 |
| 50-64 | 52 | 7.6 | 20 | 2 | 3 | 7 | 9 | 13 | 16 | 28 |
| 65+ | 17 | 6.8 | 10 | 2 | 3 | 6 | 10 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.0 | 32 | 1 | 1 | 3 | 4 | 8 | 8 | 38 |
| 20-34 | 22 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 18 | 4.4 | 8 | 1 | 1 | 4 | 5 | 8 | 11 | 13 |
| 50-64 | 9 | 6.8 | 17 | 2 | 2 | 7 | 8 | 13 | 16 | 16 |
| 65+ | 5 | 5.0 | 9 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 265 | 5.1 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 16 |
| 20-34 | 226 | 6.2 | 18 | 2 | 3 | 5 | 7 | 11 | 12 | 24 |
| 35-49 | 93 | 7.9 | 26 | 3 | 3 | 7 | 10 | 14 | 18 | 30 |
| 50-64 | 44 | 9.4 | 25 | 4 | 5 | 8 | 11 | 17 | 20 | 24 |
| 65+ | 27 | 13.4 | 59 | 3 | 5 | 13 | 19 | 24 | 29 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 1265 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 9 | 28 |
| B. *Operated* | 655 | 6.5 | 21 | 2 | 3 | 5 | 8 | 12 | 16 | 28 |
| **1. SINGLE DX** | 1474 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 752 | 6.2 | 22 | 2 | 3 | 5 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 306 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 1920 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| TOTAL 0-19 YRS | 1067 | 4.0 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 734 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 260 | 6.1 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 112 | 8.0 | 22 | 3 | 3 | 7 | 9 | 15 | 17 | 26 |
| 65+ | 53 | 9.7 | 49 | 2 | 3 | 7 | 13 | 20 | 24 | 32 |
| **GRAND TOTAL** | **2226** | **4.8** | **13** | **1** | **2** | **4** | **6** | **8** | **11** | **19** |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 22 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 18 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 35 | 4.1 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 25 |
| 65+ | 32 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3708 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3481 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 3288 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 4634 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 3607 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 20-34 | 12 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 31 | 3.5 | 7 | <1 | 1 | 2 | 5 | 8 | 9 | 10 |
| 50-64 | 96 | 3.8 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 65+ | 142 | 6.0 | 48 | 1 | 1 | 4 | 7 | 11 | 16 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1936 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1085 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1596 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | 2915 | 6.0 | 13 | 3 | 3 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 3386 | 7.6 | 28 | 3 | 3 | 6 | 9 | 13 | 17 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | 18718 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 3.9 | 23 | <1 | <1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 10918 | 5.6 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **1. SINGLE DX** | 18871 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 11319 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 554 | 3.6 | 19 | <1 | <1 | 2 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 29636 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 5810 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4600 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 4933 | 4.5 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 7680 | 5.1 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 65+ | 7167 | 6.4 | 18 | 3 | 3 | 5 | 7 | 10 | 14 | 22 |
| **GRAND TOTAL** | **30190** | **4.6** | **11** | **1** | **2** | **4** | **5** | **8** | **10** | **16** |

### 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 10 | 3.4 | 20 | <1 | <1 | 1 | 2 | 11 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 20-34 | 111 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 80 | 4.7 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 22 |
| 50-64 | 157 | 5.3 | 6 | 2 | 3 | 5 | 7 | 8 | 11 | 13 |
| 65+ | 285 | 6.9 | 16 | 3 | 3 | 6 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.7 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 10 | 6.9 | 64 | 2 | 2 | 4 | 6 | 20 | 28 | 28 |
| 65+ | 30 | 8.0 | 104 | 1 | 1 | 4 | 10 | 21 | 32 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 3.2 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 20-34 | 34 | 6.3 | 44 | 2 | 3 | 4 | 8 | 10 | 20 | 37 |
| 35-49 | 33 | 7.3 | 13 | 3 | 3 | 7 | 10 | 14 | 14 | 14 |
| 50-64 | 118 | 8.3 | 32 | 3 | 4 | 7 | 10 | 15 | 18 | 32 |
| 65+ | 335 | 11.5 | 83 | 4 | 4 | 9 | 14 | 20 | 27 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 2.1 | 9 | <1 | <1 | 1 | 2 | 4 | 10 | 14 |
| B. *Operated* | 823 | 5.0 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 7.0 | 82 | 1 | 1 | 4 | 7 | 18 | 29 | 45 |
| B. *Operated* | 642 | 8.8 | 64 | 2 | 2 | 7 | 11 | 17 | 22 | 44 |
| **1. SINGLE DX** | 847 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 689 | 8.7 | 65 | 2 | 2 | 7 | 11 | 17 | 23 | 44 |
| **A. NOT OPERATED** | 71 | 5.4 | 62 | <1 | <1 | 2 | 5 | 14 | 24 | 42 |
| **B. OPERATED** | 1465 | 6.7 | 38 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| TOTAL 0-19 YRS | 325 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 149 | 4.6 | 13 | 2 | 3 | 4 | 5 | 7 | 8 | 22 |
| 35-49 | 113 | 5.5 | 12 | 2 | 3 | 5 | 6 | 9 | 13 | 19 |
| 50-64 | 289 | 6.5 | 21 | 2 | 3 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 660 | 9.2 | 59 | 3 | 3 | 7 | 11 | 16 | 22 | 44 |
| **GRAND TOTAL** | **1536** | **6.6** | **39** | **1** | **2** | **5** | **8** | **13** | **17** | **31** |

### 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 4.7 | 30 | 1 | 1 | 2 | 9 | 11 | 11 | 11 |
| 50-64 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 8.3 | 30 | 3 | 3 | 8 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1077 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 288 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 8 |
| 35-49 | 268 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 204 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 98 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.3 | 25 | <1 | <1 | 1 | 2 | 4 | 6 | 36 |
| 20-34 | 8 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 35-49 | 13 | 3.0 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 50-64 | 17 | 5.4 | 10 | 1 | 2 | 5 | 7 | 11 | 12 | 12 |
| 65+ | 17 | 6.4 | 20 | 1 | 2 | 5 | 8 | 15 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 251 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 169 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 215 | 5.9 | 14 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 220 | 6.9 | 22 | 2 | 3 | 6 | 8 | 12 | 16 | 27 |
| 65+ | 151 | 9.2 | 41 | 3 | 4 | 7 | 11 | 16 | 26 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.3 | 15 | <1 | <1 | 2 | 3 | 10 | 13 | 14 |
| B. *Operated* | 1935 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 3.6 | 20 | <1 | <1 | 2 | 5 | 7 | 10 | 25 |
| B. *Operated* | 1006 | 5.7 | 20 | 2 | 2 | 4 | 7 | 10 | 13 | 27 |
| **1. SINGLE DX** | 1954 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 1112 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 27 |
| **A. NOT OPERATED** | 125 | 3.5 | 19 | <1 | <1 | 2 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 2941 | 4.0 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 18 |
| TOTAL 0-19 YRS | 1388 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 466 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 499 | 4.7 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 444 | 5.8 | 16 | 2 | 3 | 5 | 7 | 10 | 12 | 23 |
| 65+ | 269 | 7.7 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| **GRAND TOTAL** | **3066** | **3.9** | **12** | **1** | **1** | **3** | **5** | **7** | **10** | **18** |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 12 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 12 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 9 | 5.2 | 10 | 2 | 2 | 6 | 7 | 10 | 11 | 11 |
| 65+ | 18 | 4.6 | 8 | 1 | 1 | 4 | 6 | 7 | 11 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 432 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 625 | 5.8 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 19 |
| 50-64 | 812 | 6.5 | 19 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 540 | 7.5 | 14 | 3 | 4 | 7 | 9 | 12 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 16 | 3.3 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 43 | 4.7 | 22 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| 50-64 | 60 | 5.1 | 9 | 1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 65+ | 87 | 6.1 | 31 | 1 | 2 | 5 | 8 | 12 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 253 | 6.7 | 28 | 2 | 3 | 5 | 8 | 11 | 15 | 32 |
| 35-49 | 530 | 8.3 | 25 | 3 | 4 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 756 | 9.5 | 41 | 3 | 4 | 8 | 11 | 16 | 20 | 34 |
| 65+ | 700 | 10.4 | 53 | 3 | 4 | 9 | 13 | 17 | 21 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 2556 | 6.0 | 14 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 12 | 26 |
| B. *Operated* | 2285 | 9.0 | 41 | 3 | 4 | 8 | 11 | 15 | 19 | 33 |
| **1. SINGLE DX** | 2610 | 5.9 | 14 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| **2. MULTIPLE DX** | 2493 | 8.7 | 40 | 2 | 3 | 8 | 11 | 15 | 19 | 32 |
| **A. NOT OPERATED** | 262 | 4.9 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| **B. OPERATED** | 4841 | 7.4 | 29 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| TOTAL 0-19 YRS | 198 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 713 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 10 | 20 |
| 35-49 | 1210 | 6.8 | 18 | 2 | 3 | 6 | 8 | 11 | 15 | 23 |
| 50-64 | 1637 | 7.8 | 32 | 3 | 3 | 7 | 9 | 13 | 16 | 26 |
| 65+ | 1345 | 8.9 | 38 | 3 | 4 | 8 | 11 | 15 | 18 | 30 |
| **GRAND TOTAL** | **5103** | **7.3** | **29** | **2** | **3** | **6** | **9** | **13** | **16** | **25** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.4 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 121 | 3.8 | 8 | 1 | 2 | 3 | 5 | 6 | 8 | 17 |
| 35-49 | 313 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 359 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 268 | 4.8 | 36 | 2 | 2 | 4 | 6 | 8 | 9 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 7 | 8 |
| 20-34 | 42 | 7.4 | 14 | 2 | 3 | 7 | 10 | 12 | 15 | 18 |
| 35-49 | 82 | 8.8 | 23 | 2 | 4 | 8 | 10 | 15 | 16 | 28 |
| 50-64 | 101 | 8.7 | 22 | 2 | 3 | 9 | 11 | 14 | 16 | 26 |
| 65+ | 57 | 8.9 | 32 | 1 | 2 | 8 | 12 | 18 | 20 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 4.5 | 9 | 1 | 1 | 4 | 6 | 7 | 9 | 17 |
| 20-34 | 454 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 1449 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 2316 | 5.1 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 2888 | 6.1 | 15 | 2 | 3 | 5 | 7 | 11 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 9.5 | 67 | 1 | 2 | 8 | 11 | 22 | 28 | 31 |
| 20-34 | 197 | 9.0 | 36 | 2 | 4 | 8 | 11 | 15 | 21 | 35 |
| 35-49 | 564 | 9.4 | 43 | 3 | 4 | 8 | 11 | 16 | 19 | 28 |
| 50-64 | 764 | 9.5 | 35 | 2 | 3 | 8 | 12 | 17 | 20 | 32 |
| 65+ | 658 | 10.9 | 68 | 2 | 3 | 9 | 13 | 20 | 25 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1068 | 4.0 | 13 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 298 | 8.3 | 24 | 2 | 2 | 8 | 11 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7138 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 2203 | 9.8 | 48 | 2 | 3 | 9 | 12 | 17 | 21 | 35 |
| **1. SINGLE DX** | 1366 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 9341 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **A. NOT OPERATED** | 8206 | 5.3 | 13 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| **B. OPERATED** | 2501 | 9.6 | 45 | 2 | 3 | 8 | 12 | 17 | 21 | 33 |
| TOTAL 0-19 YRS | 74 | 5.4 | 29 | 1 | 2 | 4 | 6 | 10 | 18 | 30 |
| 20-34 | 814 | 5.6 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| 35-49 | 2408 | 6.0 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 50-64 | 3540 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 3871 | 6.8 | 30 | 2 | 3 | 5 | 8 | 12 | 16 | 27 |
| **GRAND TOTAL** | **10707** | **6.3** | **24** | **2** | **2** | **5** | **8** | **12** | **15** | **25** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 3.0 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 6 |
| 35-49 | 6 | 5.2 | 7 | 2 | 2 | 5 | 5 | 10 | 10 | 10 |
| 50-64 | 8 | 3.8 | 10 | <1 | <1 | 3 | 4 | 9 | 11 | 11 |
| 65+ | 4 | 3.8 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 2.7 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 79 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 94 | 5.1 | 6 | 2 | 3 | 4 | 6 | 8 | 11 | 14 |
| 50-64 | 155 | 5.3 | 10 | 2 | 3 | 5 | 6 | 8 | 12 | 20 |
| 65+ | 145 | 6.0 | 10 | 3 | 3 | 5 | 7 | 10 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 6 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 14 | 5.3 | 18 | <1 | 1 | 4 | 7 | 14 | 14 | 14 |
| 50-64 | 19 | 5.7 | 15 | 2 | 2 | 5 | 7 | 11 | 14 | 17 |
| 65+ | 28 | 6.6 | 22 | 1 | 1 | 6 | 9 | 13 | 16 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 32 | 6.4 | 11 | 3 | 3 | 5 | 8 | 12 | 14 | 16 |
| 35-49 | 69 | 6.3 | 17 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| 50-64 | 100 | 8.4 | 22 | 3 | 4 | 7 | 10 | 15 | 19 | 23 |
| 65+ | 144 | 9.9 | 77 | 3 | 4 | 8 | 12 | 16 | 21 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 3.8 | 6 | <1 | 2 | 3 | 5 | 6 | 10 | 11 |
| B. *Operated* | 509 | 5.1 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 71 | 5.5 | 18 | 1 | 1 | 4 | 7 | 12 | 14 | 18 |
| B. *Operated* | 364 | 8.1 | 44 | 2 | 3 | 7 | 10 | 15 | 17 | 26 |
| **1. SINGLE DX** | 537 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 435 | 7.7 | 41 | 2 | 3 | 6 | 9 | 15 | 17 | 25 |
| **A. NOT OPERATED** | 99 | 5.1 | 15 | 1 | 1 | 4 | 6 | 11 | 14 | 18 |
| **B. OPERATED** | 873 | 6.4 | 26 | 2 | 3 | 5 | 8 | 12 | 15 | 22 |
| TOTAL 0-19 YRS | 59 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 8 |
| 20-34 | 127 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 35-49 | 183 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 13 | 16 |
| 50-64 | 282 | 6.4 | 17 | 2 | 3 | 5 | 8 | 12 | 15 | 22 |
| 65+ | 321 | 7.8 | 44 | 3 | 3 | 6 | 9 | 14 | 17 | 27 |
| **GRAND TOTAL** | **972** | **6.2** | **25** | **2** | **2** | **5** | **7** | **12** | **15** | **22** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.5 | 10 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 35-49 | 8 | 3.5 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 50-64 | 12 | 5.0 | 7 | 2 | 2 | 4 | 7 | 9 | 10 | 10 |
| 65+ | 16 | 5.9 | 19 | <1 | 1 | 5 | 8 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 114 | 5.1 | 20 | 2 | 2 | 4 | 6 | 9 | 12 | 25 |
| 35-49 | 178 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 203 | 6.1 | 10 | 3 | 3 | 5 | 8 | 10 | 11 | 18 |
| 65+ | 264 | 8.9 | 33 | 3 | 4 | 8 | 11 | 16 | 19 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 11 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 20-34 | 4 | 7.8 | 32 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 35-49 | 11 | 4.4 | 8 | 1 | 1 | 4 | 6 | 9 | 11 | 11 |
| 50-64 | 31 | 5.7 | 39 | 1 | 1 | 4 | 6 | 11 | 16 | 34 |
| 65+ | 79 | 7.1 | 52 | 2 | 2 | 6 | 9 | 10 | 14 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.6 | 59 | 2 | 2 | 5 | 9 | 17 | 28 | 31 |
| 20-34 | 62 | 6.3 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 154 | 8.1 | 35 | 2 | 3 | 6 | 10 | 14 | 24 | 31 |
| 50-64 | 290 | 10.4 | 72 | 3 | 4 | 8 | 12 | 19 | 27 | 42 |
| 65+ | 462 | 14.4 | 121 | 4 | 5 | 11 | 17 | 28 | 36 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 4.9 | 12 | 1 | 1 | 4 | 7 | 9 | 12 | 15 |
| B. *Operated* | 829 | 6.4 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 6.5 | 43 | 1 | 2 | 5 | 8 | 11 | 14 | 44 |
| B. *Operated* | 982 | 11.6 | 93 | 3 | 4 | 9 | 14 | 23 | 30 | 49 |
| **1. SINGLE DX** | 869 | 6.4 | 21 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| **2. MULTIPLE DX** | 1111 | 11.0 | 90 | 3 | 3 | 9 | 13 | 22 | 29 | 49 |
| **A. NOT OPERATED** | 169 | 6.1 | 36 | 1 | 2 | 5 | 8 | 10 | 14 | 40 |
| **B. OPERATED** | 1811 | 9.2 | 67 | 2 | 3 | 7 | 11 | 18 | 25 | 44 |
| TOTAL 0-19 YRS | 88 | 3.5 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 20-34 | 184 | 5.5 | 19 | 2 | 2 | 4 | 7 | 11 | 12 | 21 |
| 35-49 | 351 | 6.5 | 23 | 2 | 2 | 5 | 8 | 11 | 16 | 26 |
| 50-64 | 536 | 8.4 | 49 | 3 | 3 | 7 | 10 | 15 | 20 | 35 |
| 65+ | 821 | 11.8 | 93 | 3 | 4 | 9 | 15 | 23 | 30 | 51 |
| **GRAND TOTAL** | **1980** | **9.0** | **65** | **2** | **3** | **7** | **11** | **17** | **24** | **44** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 3.2 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 254 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 383 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 487 | 5.8 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 574 | 6.3 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 8.7 | 75 | 3 | 3 | 7 | 9 | 15 | 18 | 55 |
| 20-34 | 215 | 10.0 | 31 | 4 | 5 | 9 | 12 | 16 | 19 | 31 |
| 35-49 | 256 | 12.0 | 44 | 5 | 6 | 10 | 14 | 18 | 23 | 45 |
| 50-64 | 302 | 12.0 | 37 | 6 | 7 | 10 | 14 | 20 | 24 | 34 |
| 65+ | 368 | 14.3 | 61 | 6 | 7 | 13 | 17 | 23 | 28 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 5.1 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 29 |
| 20-34 | 206 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 35-49 | 330 | 6.1 | 18 | 2 | 2 | 5 | 7 | 10 | 15 | 25 |
| 50-64 | 697 | 7.5 | 33 | 2 | 3 | 6 | 9 | 13 | 16 | 34 |
| 65+ | 1448 | 9.2 | 53 | 2 | 3 | 7 | 12 | 17 | 21 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 10.1 | 40 | 4 | 5 | 9 | 12 | 17 | 21 | 38 |
| 20-34 | 246 | 12.7 | 56 | 5 | 6 | 11 | 15 | 23 | 30 | 45 |
| 35-49 | 378 | 15.0 | 85 | 6 | 7 | 12 | 18 | 27 | 32 | 56 |
| 50-64 | 664 | 18.1 | 155 | 6 | 8 | 14 | 21 | 34 | 45 | 74 |
| 65+ | 1175 | 19.2 | 157 | 7 | 8 | 16 | 23 | 35 | 44 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1804 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| B. *Operated* | 1266 | 12.0 | 51 | 5 | 6 | 10 | 14 | 20 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2757 | 8.0 | 42 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| B. *Operated* | 2572 | 17.3 | 138 | 6 | 7 | 14 | 21 | 32 | 42 | 68 |
| **1. SINGLE DX** | 3070 | 8.1 | 41 | 2 | 2 | 7 | 10 | 16 | 20 | 31 |
| **2. MULTIPLE DX** | 5329 | 12.5 | 110 | 3 | 4 | 10 | 16 | 25 | 32 | 57 |
| **A. NOT OPERATED** | 4561 | 7.0 | 33 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| **B. OPERATED** | 3838 | 15.5 | 116 | 6 | 7 | 13 | 18 | 28 | 37 | 61 |
| TOTAL 0-19 YRS | 416 | 7.0 | 46 | 1 | 2 | 6 | 9 | 13 | 17 | 34 |
| 20-34 | 921 | 8.2 | 39 | 2 | 3 | 7 | 10 | 15 | 21 | 34 |
| 35-49 | 1347 | 9.4 | 58 | 2 | 3 | 8 | 12 | 18 | 24 | 40 |
| 50-64 | 2150 | 11.0 | 94 | 2 | 3 | 8 | 13 | 21 | 30 | 52 |
| 65+ | 3565 | 12.6 | 108 | 3 | 4 | 10 | 16 | 24 | 32 | 55 |
| **GRAND TOTAL** | **8399** | **10.9** | **89** | **2** | **3** | **8** | **14** | **21** | **28** | **50** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6013 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2866 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1394 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 1058 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 999 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 10 | 15 |
| 20-34 | 195 | 5.5 | 10 | 1 | 2 | 5 | 7 | 10 | 11 | 18 |
| 35-49 | 100 | 6.7 | 24 | 1 | 2 | 5 | 8 | 12 | 17 | 28 |
| 50-64 | 75 | 6.2 | 21 | 1 | 1 | 5 | 8 | 12 | 14 | 23 |
| 65+ | 47 | 8.1 | 36 | 2 | 2 | 6 | 11 | 16 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7268 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 2995 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 2227 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 2832 | 5.7 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 5068 | 7.0 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 6.2 | 15 | 2 | 3 | 5 | 8 | 11 | 15 | 20 |
| 20-34 | 277 | 7.6 | 28 | 2 | 3 | 6 | 9 | 12 | 19 | 28 |
| 35-49 | 248 | 8.9 | 53 | 2 | 3 | 8 | 10 | 17 | 20 | 39 |
| 50-64 | 307 | 10.5 | 59 | 3 | 4 | 8 | 13 | 21 | 27 | 36 |
| 65+ | 431 | 12.9 | 89 | 4 | 4 | 10 | 16 | 23 | 33 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12330 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 534 | 5.8 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20390 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 1422 | 9.9 | 62 | 2 | 3 | 8 | 12 | 19 | 24 | 41 |
| **1. SINGLE DX** | 12864 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 21812 | 5.3 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 32720 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 1956 | 8.8 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| TOTAL 0-19 YRS | 13557 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 6333 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 3969 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 4272 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| 65+ | 6545 | 7.0 | 33 | 2 | 2 | 5 | 9 | 13 | 17 | 30 |
| **GRAND TOTAL** | **34676** | **4.6** | **16** | **1** | **2** | **4** | **6** | **9** | **11** | **21** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.3 | 7 | 3 | 3 | 4 | 7 | 10 | 10 | 10 |
| 20-34 | 71 | 4.8 | 5 | 2 | 2 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 520 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 1110 | 5.2 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 1529 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.4 | 24 | 2 | 2 | 5 | 8 | 14 | 18 | 18 |
| 20-34 | 38 | 10.1 | 24 | 4 | 4 | 10 | 13 | 17 | 21 | 22 |
| 35-49 | 112 | 11.0 | 23 | 4 | 5 | 10 | 14 | 17 | 20 | 26 |
| 50-64 | 308 | 12.2 | 35 | 3 | 5 | 12 | 15 | 19 | 23 | 30 |
| 65+ | 288 | 13.2 | 48 | 3 | 6 | 12 | 15 | 22 | 25 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 6.5 | 37 | <1 | 2 | 4 | 8 | 15 | 22 | 24 |
| 20-34 | 100 | 5.3 | 9 | 2 | 2 | 4 | 7 | 10 | 12 | 14 |
| 35-49 | 633 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| 50-64 | 2376 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 5912 | 7.0 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.7 | 29 | 4 | 4 | 9 | 16 | 18 | 18 | 18 |
| 20-34 | 42 | 9.7 | 16 | 3 | 4 | 9 | 12 | 16 | 16 | 20 |
| 35-49 | 279 | 12.8 | 64 | 3 | 5 | 11 | 16 | 22 | 27 | 49 |
| 50-64 | 915 | 13.9 | 100 | 3 | 4 | 12 | 17 | 24 | 30 | 58 |
| 65+ | 1525 | 14.7 | 102 | 3 | 5 | 13 | 19 | 27 | 33 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3236 | 5.2 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 755 | 12.3 | 39 | 3 | 5 | 12 | 15 | 20 | 24 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9036 | 6.6 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | 2767 | 14.2 | 97 | 3 | 5 | 12 | 18 | 25 | 32 | 53 |
| **1. SINGLE DX** | 3991 | 6.5 | 25 | 2 | 2 | 5 | 8 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 11803 | 8.4 | 51 | 2 | 3 | 6 | 10 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 12272 | 6.2 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **B. OPERATED** | 3522 | 13.8 | 85 | 3 | 5 | 12 | 17 | 24 | 30 | 50 |
| TOTAL 0-19 YRS | 36 | 7.0 | 28 | 2 | 2 | 5 | 9 | 16 | 18 | 24 |
| 20-34 | 251 | 6.6 | 16 | 2 | 3 | 5 | 8 | 12 | 15 | 20 |
| 35-49 | 1544 | 7.0 | 30 | 2 | 2 | 5 | 9 | 14 | 17 | 27 |
| 50-64 | 4709 | 7.6 | 45 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| 65+ | 9254 | 8.2 | 48 | 2 | 3 | 6 | 10 | 16 | 21 | 34 |
| **GRAND TOTAL** | **15794** | **7.9** | **45** | **2** | **2** | **6** | **10** | **15** | **20** | **33** |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 83 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 64 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 29 | 3.8 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 9 |
| 65+ | 21 | 5.5 | 16 | 2 | 3 | 4 | 6 | 12 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 239 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 1390 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 1157 | 3.9 | 8 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 634 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 65+ | 208 | 5.5 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 100 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 12 |
| 35-49 | 85 | 5.5 | 17 | 1 | 1 | 5 | 7 | 11 | 15 | 21 |
| 50-64 | 93 | 4.9 | 15 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| 65+ | 86 | 7.1 | 45 | 2 | 2 | 5 | 9 | 13 | 19 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 20-34 | 1075 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 1201 | 5.3 | 20 | 2 | 2 | 4 | 6 | 9 | 11 | 23 |
| 50-64 | 863 | 6.3 | 43 | 2 | 3 | 5 | 7 | 11 | 15 | 33 |
| 65+ | 446 | 8.4 | 62 | 3 | 3 | 6 | 10 | 15 | 25 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 3628 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 3711 | 5.7 | 28 | 2 | 2 | 4 | 6 | 9 | 13 | 29 |
| **1. SINGLE DX** | 3866 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 4105 | 5.6 | 28 | 2 | 2 | 4 | 6 | 10 | 13 | 28 |
| **A. NOT OPERATED** | 632 | 4.5 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| **B. OPERATED** | 7339 | 4.8 | 19 | 2 | 2 | 4 | 5 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 436 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 2648 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 2507 | 4.6 | 14 | 2 | 2 | 4 | 5 | 8 | 10 | 19 |
| 50-64 | 1619 | 5.4 | 27 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| 65+ | 761 | 7.4 | 49 | 2 | 3 | 5 | 9 | 14 | 20 | 40 |
| **GRAND TOTAL** | **7971** | **4.8** | **18** | **1** | **2** | **4** | **5** | **8** | **11** | **21** |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 913 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 1926 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 1388 | 4.4 | 14 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 929 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 813 | 5.0 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 5.9 | 40 | 1 | 1 | 4 | 7 | 13 | 18 | 30 |
| 20-34 | 780 | 7.2 | 36 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| 35-49 | 616 | 7.9 | 53 | 1 | 2 | 6 | 10 | 16 | 21 | 35 |
| 50-64 | 513 | 9.2 | 68 | 1 | 2 | 7 | 12 | 17 | 23 | 45 |
| 65+ | 426 | 9.8 | 108 | 1 | 2 | 7 | 12 | 20 | 26 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 732 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 2171 | 5.2 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 35-49 | 2438 | 5.4 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 2718 | 6.0 | 23 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| 65+ | 4143 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 8.3 | 45 | 2 | 2 | 6 | 10 | 17 | 23 | 34 |
| 20-34 | 1298 | 9.4 | 77 | 2 | 3 | 7 | 12 | 18 | 27 | 49 |
| 35-49 | 1334 | 10.0 | 84 | 2 | 3 | 8 | 12 | 19 | 26 | 44 |
| 50-64 | 1558 | 11.8 | 131 | 2 | 3 | 8 | 14 | 25 | 35 | 73 |
| 65+ | 1821 | 13.9 | 145 | 3 | 4 | 10 | 18 | 28 | 39 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5969 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| B. *Operated* | 2618 | 8.0 | 60 | 1 | 2 | 6 | 10 | 16 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12202 | 6.0 | 25 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| B. *Operated* | 6280 | 11.4 | 114 | 2 | 3 | 8 | 14 | 23 | 32 | 60 |
| **1. SINGLE DX** | 8587 | 5.5 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **2. MULTIPLE DX** | 18482 | 7.8 | 62 | 2 | 2 | 5 | 9 | 16 | 22 | 42 |
| **A. NOT OPERATED** | 18171 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 8898 | 10.4 | 100 | 2 | 2 | 8 | 13 | 21 | 29 | 54 |
| TOTAL 0-19 YRS | 2197 | 4.6 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| 20-34 | 6175 | 6.1 | 34 | 1 | 2 | 4 | 7 | 12 | 16 | 31 |
| 35-49 | 5776 | 6.5 | 40 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| 50-64 | 5718 | 7.6 | 62 | 2 | 2 | 5 | 9 | 15 | 21 | 43 |
| 65+ | 7203 | 8.7 | 76 | 2 | 2 | 6 | 10 | 18 | 24 | 46 |
| **GRAND TOTAL** | **27069** | **7.1** | **53** | **1** | **2** | **5** | **8** | **14** | **20** | **38** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 39 | 7.1 | 20 | 1 | 2 | 6 | 10 | 13 | 17 | 19 |
| 35-49 | 95 | 8.5 | 53 | 2 | 3 | 6 | 10 | 17 | 27 | 38 |
| 50-64 | 88 | 8.4 | 60 | 2 | 3 | 6 | 9 | 17 | 24 | 45 |
| 65+ | 43 | 13.3 | 138 | 4 | 5 | 10 | 15 | 23 | 39 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 10.3 | 53 | 1 | 3 | 8 | 12 | 22 | 26 | 26 |
| 35-49 | 18 | 8.6 | 41 | 1 | 2 | 8 | 11 | 20 | 23 | 23 |
| 50-64 | 25 | 9.2 | 68 | 1 | 2 | 7 | 14 | 22 | 26 | 28 |
| 65+ | 8 | 6.4 | 21 | 1 | 1 | 8 | 12 | 65 | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 10 | 3 | 3 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 135 | 10.5 | 68 | 3 | 3 | 8 | 13 | 23 | 27 | 38 |
| 35-49 | 558 | 12.5 | 101 | 3 | 3 | 9 | 16 | 28 | 34 | 49 |
| 50-64 | 710 | 12.9 | 123 | 3 | 3 | 9 | 16 | 28 | 35 | 59 |
| 65+ | 263 | 13.0 | 109 | 3 | 4 | 10 | 16 | 25 | 35 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 32 | 17.9 | 269 | 2 | 4 | 10 | 27 | 44 | 57 | 57 |
| 35-49 | 164 | 18.8 | 263 | 3 | 5 | 13 | 27 | 40 | 50 | 95 |
| 50-64 | 238 | 17.6 | 198 | 3 | 4 | 13 | 23 | 36 | 43 | 70 |
| 65+ | 91 | 17.2 | 124 | 4 | 6 | 15 | 23 | 33 | 37 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 9.0 | 67 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| B. *Operated* | 61 | 8.8 | 51 | 1 | 2 | 8 | 12 | 22 | 25 | 91 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1669 | 12.6 | 109 | 3 | 3 | 9 | 16 | 27 | 35 | 50 |
| B. *Operated* | 525 | 17.9 | 209 | 3 | 5 | 13 | 24 | 36 | 46 | 75 |
| **1. SINGLE DX** | 327 | 9.0 | 64 | 2 | 2 | 7 | 11 | 19 | 25 | 47 |
| **2. MULTIPLE DX** | 2194 | 13.9 | 138 | 3 | 4 | 10 | 18 | 29 | 37 | 58 |
| **A. NOT OPERATED** | 1935 | 12.1 | 105 | 3 | 3 | 9 | 15 | 27 | 34 | 50 |
| **B. OPERATED** | 586 | 17.0 | 200 | 3 | 4 | 12 | 23 | 36 | 45 | 76 |
| TOTAL 0-19 YRS | 4 | 6.3 | 8 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 216 | 11.0 | 97 | 2 | 3 | 8 | 13 | 24 | 29 | 57 |
| 35-49 | 835 | 13.2 | 135 | 2 | 3 | 10 | 16 | 28 | 36 | 53 |
| 50-64 | 1061 | 13.5 | 140 | 3 | 3 | 10 | 17 | 28 | 37 | 61 |
| 65+ | 405 | 13.9 | 117 | 3 | 4 | 11 | 17 | 28 | 36 | 67 |
| **GRAND TOTAL** | **2521** | **13.2** | **131** | **3** | **3** | **10** | **17** | **28** | **36** | **57** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.2 | 10 | <1 | <1 | 2 | 3 | 9 | 11 | 11 |
| 20-34 | 45 | 6.2 | 19 | 1 | 2 | 5 | 9 | 13 | 16 | 16 |
| 35-49 | 57 | 6.8 | 21 | 2 | 2 | 6 | 9 | 13 | 16 | 21 |
| 50-64 | 77 | 7.5 | 42 | 1 | 2 | 6 | 9 | 15 | 20 | 31 |
| 65+ | 58 | 10.4 | 92 | 2 | 2 | 7 | 11 | 22 | 31 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 119 | 3.4 | 12 | 1 | 1 | 2 | 3 | 7 | 12 | 19 |
| 35-49 | 102 | 4.8 | 23 | 1 | 2 | 3 | 6 | 12 | 16 | 21 |
| 50-64 | 117 | 5.7 | 30 | 1 | 1 | 4 | 8 | 13 | 17 | 27 |
| 65+ | 59 | 7.9 | 45 | 2 | 2 | 6 | 10 | 18 | 21 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 25 | 2 | 2 | 5 | 7 | 13 | 19 | 20 |
| 20-34 | 66 | 7.8 | 46 | 1 | 1 | 6 | 10 | 19 | 21 | 30 |
| 35-49 | 241 | 9.7 | 60 | 2 | 3 | 7 | 11 | 19 | 26 | 41 |
| 50-64 | 511 | 10.6 | 79 | 2 | 3 | 8 | 14 | 21 | 26 | 44 |
| 65+ | 520 | 12.0 | 83 | 3 | 3 | 10 | 15 | 23 | 31 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.1 | 120 | 1 | 2 | 6 | 13 | 27 | 38 | 42 |
| 20-34 | 100 | 7.4 | 59 | 1 | 2 | 5 | 9 | 17 | 21 | 43 |
| 35-49 | 189 | 11.3 | 116 | 2 | 2 | 8 | 15 | 27 | 33 | 54 |
| 50-64 | 338 | 11.7 | 96 | 2 | 2 | 9 | 16 | 24 | 31 | 48 |
| 65+ | 298 | 14.9 | 150 | 2 | 3 | 12 | 19 | 33 | 41 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 246 | 7.6 | 46 | 1 | 2 | 6 | 9 | 16 | 20 | 33 |
| B. *Operated* | 406 | 5.0 | 26 | 1 | 1 | 3 | 7 | 12 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1351 | 10.8 | 76 | 2 | 3 | 8 | 14 | 21 | 28 | 43 |
| B. *Operated* | 942 | 12.1 | 118 | 2 | 2 | 9 | 16 | 26 | 35 | 52 |
| **1. SINGLE DX** | 652 | 6.0 | 35 | 1 | 2 | 4 | 8 | 14 | 18 | 29 |
| **2. MULTIPLE DX** | 2293 | 11.4 | 94 | 2 | 3 | 9 | 15 | 23 | 31 | 46 |
| **A. NOT OPERATED** | 1597 | 10.3 | 73 | 2 | 3 | 8 | 13 | 21 | 27 | 42 |
| **B. OPERATED** | 1348 | 10.0 | 101 | 2 | 2 | 7 | 14 | 22 | 30 | 49 |
| TOTAL 0-19 YRS | 48 | 6.4 | 59 | 1 | 1 | 4 | 7 | 14 | 21 | 42 |
| 20-34 | 330 | 5.9 | 38 | 1 | 1 | 3 | 8 | 14 | 19 | 29 |
| 35-49 | 589 | 9.1 | 73 | 2 | 2 | 7 | 11 | 20 | 27 | 43 |
| 50-64 | 1043 | 10.2 | 80 | 2 | 2 | 8 | 14 | 21 | 27 | 43 |
| 65+ | 935 | 12.6 | 106 | 2 | 3 | 10 | 16 | 26 | 34 | 49 |
| **GRAND TOTAL** | **2945** | **10.2** | **86** | **2** | **2** | **8** | **14** | **21** | **29** | **43** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 5.3 | 14 | 1 | 2 | 4 | 7 | 9 | 13 | 21 |
| 20-34 | 293 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 35-49 | 125 | 6.3 | 24 | 2 | 2 | 5 | 7 | 12 | 16 | 27 |
| 50-64 | 111 | 6.8 | 18 | 2 | 2 | 6 | 9 | 12 | 16 | 21 |
| 65+ | 71 | 8.1 | 28 | 2 | 2 | 7 | 10 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.6 | 14 | 2 | 2 | 7 | 9 | 12 | 13 | 13 |
| 20-34 | 70 | 5.8 | 27 | 1 | 2 | 4 | 9 | 11 | 16 | 26 |
| 35-49 | 53 | 7.5 | 52 | 1 | 1 | 5 | 10 | 19 | 21 | 37 |
| 50-64 | 51 | 10.3 | 87 | 1 | 2 | 7 | 15 | 25 | 29 | 42 |
| 65+ | 37 | 11.7 | 78 | 1 | 2 | 11 | 17 | 22 | 29 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 6.2 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 17 |
| 20-34 | 201 | 6.9 | 34 | 2 | 2 | 6 | 8 | 12 | 15 | 33 |
| 35-49 | 227 | 9.6 | 71 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| 50-64 | 412 | 10.6 | 85 | 3 | 3 | 8 | 14 | 19 | 27 | 50 |
| 65+ | 363 | 11.5 | 100 | 3 | 4 | 8 | 14 | 22 | 29 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 10.2 | 40 | 2 | 2 | 12 | 13 | 19 | 22 | 22 |
| 20-34 | 59 | 14.7 | 149 | 2 | 3 | 11 | 17 | 35 | 42 | 54 |
| 35-49 | 92 | 14.0 | 227 | 2 | 3 | 9 | 18 | 36 | 45 | 99 |
| 50-64 | 143 | 14.5 | 136 | 2 | 3 | 11 | 20 | 30 | 42 | 99+ |
| 65+ | 158 | 14.8 | 116 | 2 | 3 | 13 | 19 | 29 | 34 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 699 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| B. *Operated* | 222 | 8.3 | 59 | 1 | 2 | 6 | 11 | 19 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1259 | 9.9 | 78 | 2 | 3 | 7 | 12 | 19 | 25 | 50 |
| B. *Operated* | 461 | 14.4 | 146 | 2 | 3 | 11 | 19 | 31 | 39 | 72 |
| **1. SINGLE DX** | 921 | 6.9 | 30 | 2 | 2 | 6 | 8 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | 1720 | 11.1 | 100 | 2 | 3 | 8 | 14 | 22 | 31 | 54 |
| **A. NOT OPERATED** | 1958 | 8.7 | 60 | 2 | 3 | 7 | 10 | 17 | 22 | 45 |
| **B. OPERATED** | 683 | 12.4 | 126 | 2 | 2 | 10 | 17 | 27 | 36 | 57 |
| TOTAL 0-19 YRS | 175 | 5.9 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 20-34 | 623 | 7.3 | 43 | 2 | 2 | 6 | 9 | 13 | 17 | 41 |
| 35-49 | 497 | 9.4 | 92 | 2 | 2 | 7 | 12 | 20 | 30 | 53 |
| 50-64 | 717 | 10.8 | 90 | 2 | 3 | 8 | 14 | 21 | 29 | 52 |
| 65+ | 629 | 11.9 | 98 | 2 | 3 | 9 | 15 | 23 | 31 | 51 |
| **GRAND TOTAL** | **2641** | **9.6** | **80** | **2** | **2** | **7** | **12** | **20** | **27** | **48** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 399 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 365 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 413 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 438 | 5.4 | 14 | 2 | 2 | 5 | 7 | 9 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 7.1 | 7 | 4 | 5 | 7 | 8 | 11 | 12 | 14 |
| 20-34 | 3658 | 7.3 | 8 | 4 | 5 | 7 | 8 | 11 | 12 | 17 |
| 35-49 | 3180 | 7.7 | 9 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 3270 | 8.6 | 11 | 5 | 5 | 8 | 10 | 13 | 15 | 20 |
| 65+ | 2085 | 10.5 | 26 | 5 | 6 | 9 | 12 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 4.1 | 5 | 1 | 1 | 3 | 6 | 7 | 9 | 9 |
| 20-34 | 354 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 13 |
| 35-49 | 490 | 5.0 | 14 | 1 | 2 | 4 | 6 | 8 | 12 | 19 |
| 50-64 | 898 | 5.5 | 17 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 1991 | 7.3 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 9.2 | 16 | 4 | 5 | 8 | 11 | 14 | 16 | 23 |
| 20-34 | 2203 | 9.1 | 23 | 5 | 5 | 8 | 11 | 14 | 17 | 25 |
| 35-49 | 2749 | 10.0 | 26 | 5 | 6 | 9 | 12 | 15 | 19 | 27 |
| 50-64 | 4019 | 11.3 | 37 | 5 | 6 | 10 | 13 | 18 | 22 | 32 |
| 65+ | 4605 | 14.7 | 68 | 6 | 7 | 13 | 17 | 24 | 30 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1671 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 12560 | 8.3 | 13 | 4 | 5 | 7 | 10 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3764 | 6.2 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| B. *Operated* | 13753 | 11.8 | 48 | 5 | 6 | 10 | 14 | 19 | 24 | 38 |
| **1. SINGLE DX** | 14231 | 7.8 | 14 | 3 | 4 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | 17517 | 10.6 | 47 | 3 | 4 | 9 | 13 | 18 | 23 | 36 |
| **A. NOT OPERATED** | 5435 | 5.6 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 26313 | 10.1 | 34 | 5 | 5 | 9 | 12 | 16 | 20 | 32 |
| TOTAL 0-19 YRS | 631 | 7.2 | 12 | 2 | 3 | 7 | 9 | 12 | 13 | 19 |
| 20-34 | 6614 | 7.5 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 20 |
| 35-49 | 6784 | 8.2 | 20 | 3 | 4 | 7 | 10 | 13 | 16 | 23 |
| 50-64 | 8600 | 9.3 | 29 | 3 | 4 | 8 | 11 | 15 | 19 | 29 |
| 65+ | 9119 | 11.7 | 58 | 3 | 5 | 10 | 15 | 20 | 25 | 40 |
| **GRAND TOTAL** | **31748** | **9.3** | **35** | **3** | **4** | **8** | **11** | **16** | **19** | **31** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 7 | 9 |
| 20-34 | 321 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 320 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 257 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 228 | 5.8 | 13 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 7.6 | 12 | 4 | 5 | 7 | 9 | 12 | 16 | 19 |
| 20-34 | 483 | 8.2 | 15 | 4 | 5 | 7 | 9 | 13 | 16 | 23 |
| 35-49 | 517 | 8.8 | 16 | 5 | 5 | 8 | 10 | 13 | 16 | 22 |
| 50-64 | 363 | 9.9 | 20 | 5 | 6 | 9 | 11 | 15 | 19 | 27 |
| 65+ | 284 | 11.5 | 27 | 5 | 6 | 10 | 14 | 19 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 4.3 | 8 | 1 | 1 | 3 | 6 | 9 | 10 | 11 |
| 20-34 | 292 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 330 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| 50-64 | 509 | 5.9 | 16 | 2 | 2 | 5 | 8 | 10 | 12 | 23 |
| 65+ | 954 | 8.0 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 9.4 | 21 | 4 | 5 | 8 | 11 | 14 | 19 | 25 |
| 20-34 | 565 | 10.3 | 44 | 4 | 5 | 9 | 12 | 17 | 21 | 35 |
| 35-49 | 712 | 10.5 | 27 | 5 | 5 | 10 | 13 | 17 | 20 | 29 |
| 50-64 | 819 | 12.4 | 53 | 6 | 6 | 10 | 15 | 21 | 26 | 38 |
| 65+ | 878 | 15.8 | 86 | 6 | 8 | 14 | 19 | 26 | 32 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1178 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 1692 | 9.3 | 20 | 5 | 5 | 8 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2122 | 6.7 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | 2998 | 12.5 | 60 | 5 | 6 | 11 | 15 | 21 | 26 | 44 |
| **1. SINGLE DX** | 2870 | 7.3 | 20 | 2 | 2 | 7 | 9 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | 5120 | 10.1 | 53 | 3 | 3 | 9 | 13 | 18 | 23 | 36 |
| **A. NOT OPERATED** | 3300 | 5.9 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 4690 | 11.4 | 48 | 5 | 6 | 10 | 14 | 19 | 24 | 36 |
| TOTAL 0-19 YRS | 158 | 5.9 | 14 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 20-34 | 1661 | 7.4 | 29 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| 35-49 | 1879 | 8.1 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 1948 | 9.2 | 42 | 2 | 3 | 8 | 11 | 16 | 21 | 32 |
| 65+ | 2344 | 11.2 | 65 | 3 | 4 | 9 | 14 | 20 | 26 | 43 |
| **GRAND TOTAL** | **7990** | **9.1** | **43** | **2** | **3** | **8** | **11** | **16** | **21** | **33** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 21 | 4.2 | 10 | 1 | 1 | 4 | 5 | 7 | 11 | 15 |
| 35-49 | 27 | 4.0 | 9 | 1 | 1 | 3 | 4 | 9 | 12 | 13 |
| 50-64 | 24 | 5.1 | 12 | 1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 65+ | 49 | 5.7 | 20 | 2 | 2 | 4 | 8 | 10 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 10.1 | 11 | 6 | 6 | 9 | 13 | 15 | 17 | 17 |
| 20-34 | 97 | 9.7 | 27 | 3 | 4 | 9 | 12 | 15 | 19 | 30 |
| 35-49 | 80 | 10.0 | 27 | 4 | 5 | 9 | 12 | 16 | 23 | 26 |
| 50-64 | 111 | 10.8 | 35 | 3 | 5 | 10 | 13 | 20 | 23 | 28 |
| 65+ | 176 | 13.4 | 37 | 4 | 6 | 13 | 17 | 22 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 19 | 3.8 | 8 | 1 | 2 | 3 | 5 | 6 | 10 | 14 |
| 35-49 | 31 | 4.9 | 15 | 1 | 2 | 4 | 7 | 10 | 14 | 17 |
| 50-64 | 60 | 5.8 | 15 | 1 | 2 | 5 | 8 | 11 | 14 | 17 |
| 65+ | 157 | 7.8 | 28 | 2 | 3 | 7 | 10 | 13 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.7 | 15 | 5 | 5 | 9 | 12 | 16 | 18 | 18 |
| 20-34 | 90 | 11.9 | 49 | 5 | 6 | 10 | 14 | 19 | 31 | 38 |
| 35-49 | 89 | 13.3 | 120 | 5 | 6 | 11 | 15 | 22 | 31 | 97 |
| 50-64 | 171 | 14.3 | 78 | 7 | 8 | 12 | 17 | 24 | 32 | 48 |
| 65+ | 393 | 17.4 | 83 | 6 | 8 | 16 | 21 | 28 | 34 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 4.9 | 14 | 1 | 1 | 4 | 6 | 9 | 13 | 18 |
| B. *Operated* | 474 | 11.4 | 34 | 3 | 5 | 10 | 14 | 20 | 23 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 6.7 | 24 | 2 | 2 | 6 | 9 | 12 | 15 | 22 |
| B. *Operated* | 757 | 15.5 | 86 | 6 | 7 | 13 | 19 | 26 | 33 | 50 |
| **1. SINGLE DX** | 598 | 10.0 | 37 | 2 | 3 | 9 | 13 | 19 | 23 | 28 |
| **2. MULTIPLE DX** | 1026 | 13.2 | 84 | 3 | 4 | 11 | 17 | 23 | 31 | 46 |
| **A. NOT OPERATED** | 393 | 6.1 | 21 | 1 | 2 | 5 | 8 | 12 | 14 | 21 |
| **B. OPERATED** | 1231 | 13.9 | 70 | 5 | 6 | 12 | 17 | 23 | 29 | 44 |
| TOTAL 0-19 YRS | 29 | 8.9 | 16 | 3 | 4 | 8 | 11 | 15 | 17 | 18 |
| 20-34 | 227 | 9.6 | 40 | 2 | 3 | 9 | 12 | 16 | 20 | 35 |
| 35-49 | 227 | 9.9 | 72 | 2 | 3 | 8 | 13 | 18 | 23 | 56 |
| 50-64 | 365 | 11.3 | 62 | 2 | 3 | 10 | 14 | 20 | 26 | 38 |
| 65+ | 775 | 13.8 | 76 | 3 | 4 | 13 | 18 | 24 | 29 | 44 |
| **GRAND TOTAL** | **1624** | **12.0** | **69** | **2** | **3** | **10** | **15** | **22** | **27** | **41** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 31 | 5.5 | 11 | 1 | 2 | 4 | 8 | 11 | 11 | 12 |
| 35-49 | 28 | 5.6 | 12 | 1 | 2 | 5 | 8 | 10 | 11 | 16 |
| 50-64 | 44 | 5.2 | 10 | 1 | 2 | 4 | 7 | 10 | 12 | 14 |
| 65+ | 80 | 6.1 | 19 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 29 | 1 | 1 | 5 | 12 | 13 | 13 | 13 |
| 20-34 | 25 | 10.7 | 58 | 2 | 2 | 10 | 14 | 24 | 27 | 30 |
| 35-49 | 22 | 9.6 | 23 | 2 | 3 | 9 | 13 | 14 | 18 | 23 |
| 50-64 | 30 | 14.6 | 204 | 2 | 4 | 10 | 19 | 25 | 45 | 74 |
| 65+ | 30 | 17.1 | 109 | 2 | 5 | 16 | 21 | 26 | 45 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.3 | 51 | 2 | 2 | 9 | 14 | 21 | 22 | 22 |
| 20-34 | 27 | 6.6 | 18 | 2 | 2 | 6 | 9 | 11 | 17 | 18 |
| 35-49 | 51 | 6.7 | 30 | 1 | 2 | 5 | 10 | 14 | 19 | 27 |
| 50-64 | 110 | 7.0 | 20 | 2 | 2 | 6 | 9 | 13 | 14 | 23 |
| 65+ | 248 | 9.0 | 30 | 3 | 3 | 8 | 11 | 16 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 41 | 12.9 | 96 | 2 | 3 | 10 | 18 | 22 | 33 | 48 |
| 35-49 | 69 | 12.7 | 68 | 2 | 3 | 11 | 16 | 21 | 23 | 47 |
| 50-64 | 131 | 17.3 | 137 | 4 | 5 | 15 | 21 | 30 | 45 | 61 |
| 65+ | 243 | 20.5 | 169 | 6 | 8 | 17 | 26 | 38 | 46 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 5.6 | 14 | 1 | 2 | 4 | 8 | 11 | 12 | 20 |
| B. *Operated* | 112 | 13.1 | 110 | 2 | 3 | 11 | 16 | 23 | 29 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 8.1 | 28 | 2 | 3 | 7 | 11 | 15 | 18 | 29 |
| B. *Operated* | 485 | 17.9 | 148 | 4 | 6 | 15 | 22 | 33 | 44 | 64 |
| **1. SINGLE DX** | 300 | 8.4 | 63 | 2 | 2 | 6 | 11 | 17 | 22 | 45 |
| **2. MULTIPLE DX** | 927 | 13.2 | 115 | 2 | 3 | 10 | 17 | 25 | 34 | 55 |
| **A. NOT OPERATED** | 630 | 7.4 | 25 | 2 | 2 | 6 | 10 | 13 | 17 | 26 |
| **B. OPERATED** | 597 | 17.0 | 145 | 3 | 5 | 14 | 21 | 31 | 43 | 64 |
| TOTAL 0-19 YRS | 17 | 7.0 | 36 | 1 | 1 | 5 | 11 | 14 | 19 | 22 |
| 20-34 | 124 | 9.3 | 59 | 2 | 2 | 7 | 12 | 18 | 23 | 44 |
| 35-49 | 170 | 9.3 | 50 | 2 | 2 | 8 | 13 | 18 | 21 | 39 |
| 50-64 | 315 | 11.8 | 112 | 2 | 3 | 9 | 15 | 22 | 29 | 56 |
| 65+ | 601 | 13.7 | 125 | 2 | 4 | 10 | 17 | 28 | 36 | 57 |
| **GRAND TOTAL** | **1227** | **12.0** | **106** | **2** | **3** | **9** | **15** | **24** | **31** | **52** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 5.9 | 10 | 1 | 2 | 5 | 8 | 10 | 12 | 16 |
| 20-34 | 708 | 6.5 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 26 |
| 35-49 | 747 | 6.7 | 22 | 2 | 3 | 6 | 8 | 12 | 15 | 28 |
| 50-64 | 462 | 7.0 | 24 | 2 | 3 | 6 | 8 | 13 | 16 | 26 |
| 65+ | 331 | 7.5 | 22 | 2 | 3 | 6 | 10 | 13 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.5 | 42 | 3 | 3 | 9 | 11 | 15 | 26 | 29 |
| 20-34 | 82 | 12.2 | 101 | 2 | 2 | 9 | 15 | 29 | 33 | 44 |
| 35-49 | 96 | 15.2 | 155 | 1 | 2 | 12 | 20 | 33 | 46 | 54 |
| 50-64 | 72 | 13.7 | 147 | 1 | 2 | 11 | 18 | 25 | 37 | 72 |
| 65+ | 43 | 14.3 | 125 | 2 | 3 | 11 | 18 | 27 | 41 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 6.6 | 22 | 2 | 2 | 6 | 9 | 11 | 15 | 26 |
| 20-34 | 954 | 7.3 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 24 |
| 35-49 | 1552 | 7.9 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 1248 | 8.9 | 40 | 3 | 4 | 7 | 11 | 16 | 21 | 35 |
| 65+ | 1152 | 9.9 | 48 | 3 | 4 | 8 | 12 | 18 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 11.5 | 70 | 3 | 3 | 9 | 15 | 27 | 28 | 28 |
| 20-34 | 173 | 18.4 | 192 | 4 | 6 | 14 | 23 | 40 | 47 | 71 |
| 35-49 | 277 | 20.3 | 277 | 3 | 5 | 16 | 24 | 42 | 59 | 83 |
| 50-64 | 339 | 17.6 | 168 | 4 | 6 | 15 | 21 | 35 | 44 | 99+ |
| 65+ | 300 | 21.3 | 245 | 6 | 8 | 17 | 26 | 42 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2330 | 6.8 | 22 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| B. *Operated* | 307 | 13.6 | 130 | 2 | 2 | 11 | 18 | 28 | 38 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4979 | 8.5 | 36 | 3 | 3 | 7 | 10 | 15 | 19 | 31 |
| B. *Operated* | 1104 | 19.3 | 221 | 5 | 6 | 16 | 24 | 39 | 54 | 98 |
| **1. SINGLE DX** | 2637 | 7.6 | 39 | 2 | 3 | 6 | 9 | 14 | 18 | 34 |
| **2. MULTIPLE DX** | 6083 | 10.4 | 87 | 3 | 4 | 8 | 12 | 20 | 27 | 55 |
| **A. NOT OPERATED** | 7309 | 7.9 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| **B. OPERATED** | 1411 | 18.1 | 207 | 3 | 5 | 14 | 23 | 37 | 48 | 90 |
| TOTAL 0-19 YRS | 184 | 6.9 | 24 | 2 | 2 | 6 | 9 | 12 | 16 | 28 |
| 20-34 | 1917 | 8.2 | 54 | 2 | 3 | 6 | 9 | 15 | 21 | 42 |
| 35-49 | 2672 | 9.1 | 72 | 2 | 3 | 7 | 11 | 17 | 23 | 49 |
| 50-64 | 2121 | 10.1 | 73 | 2 | 3 | 8 | 12 | 19 | 25 | 45 |
| 65+ | 1826 | 11.4 | 98 | 3 | 4 | 9 | 14 | 22 | 28 | 56 |
| **GRAND TOTAL** | **8720** | **9.6** | **74** | **2** | **3** | **7** | **11** | **18** | **25** | **47** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 214 | 4.3 | 13 | 1 | 1 | 4 | 5 | 7 | 8 | 22 |
| 35-49 | 210 | 4.3 | 6 | 1 | 2 | 4 | 6 | 8 | 8 | 11 |
| 50-64 | 292 | 5.0 | 14 | 1 | 2 | 4 | 7 | 9 | 11 | 27 |
| 65+ | 457 | 6.7 | 31 | 1 | 2 | 6 | 8 | 13 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.9 | 24 | 1 | 1 | 4 | 8 | 14 | 15 | 15 |
| 20-34 | 16 | 7.3 | 41 | <1 | 1 | 5 | 12 | 15 | 20 | 22 |
| 35-49 | 23 | 8.3 | 18 | 3 | 4 | 9 | 11 | 13 | 17 | 18 |
| 50-64 | 35 | 7.4 | 30 | 1 | 1 | 7 | 10 | 14 | 18 | 24 |
| 65+ | 52 | 9.0 | 29 | 1 | 3 | 9 | 11 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 23 |
| 20-34 | 503 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 14 |
| 35-49 | 867 | 6.1 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 50-64 | 1409 | 7.0 | 27 | 2 | 3 | 6 | 8 | 12 | 16 | 28 |
| 65+ | 3296 | 8.4 | 43 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 7.7 | 29 | 2 | 3 | 7 | 9 | 13 | 21 | 25 |
| 20-34 | 86 | 8.4 | 41 | 2 | 3 | 7 | 10 | 17 | 20 | 36 |
| 35-49 | 165 | 11.4 | 120 | 3 | 4 | 9 | 13 | 19 | 24 | 69 |
| 50-64 | 394 | 12.2 | 97 | 3 | 4 | 10 | 15 | 23 | 33 | 68 |
| 65+ | 827 | 13.9 | 127 | 3 | 5 | 10 | 17 | 28 | 38 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1307 | 5.2 | 19 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| B. *Operated* | 133 | 8.1 | 28 | 1 | 2 | 8 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6256 | 7.3 | 34 | 2 | 3 | 6 | 9 | 13 | 17 | 31 |
| B. *Operated* | 1494 | 12.8 | 114 | 3 | 4 | 10 | 16 | 25 | 34 | 62 |
| **1. SINGLE DX** | 1440 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 7750 | 8.4 | 54 | 2 | 3 | 7 | 10 | 16 | 21 | 39 |
| **A. NOT OPERATED** | 7563 | 7.0 | 32 | 2 | 2 | 6 | 8 | 13 | 16 | 30 |
| **B. OPERATED** | 1627 | 12.4 | 109 | 3 | 4 | 9 | 15 | 23 | 33 | 61 |
| TOTAL 0-19 YRS | 344 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 20-34 | 819 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 1265 | 6.5 | 34 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 50-64 | 2130 | 7.7 | 44 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| 65+ | 4632 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| **GRAND TOTAL** | **9190** | **7.9** | **50** | **2** | **2** | **6** | **9** | **15** | **20** | **38** |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 19 |
| 20-34 | 12 | 5.8 | 12 | 2 | 2 | 5 | 8 | 12 | 12 | 12 |
| 35-49 | 11 | 5.2 | 7 | 1 | 2 | 5 | 7 | 9 | 11 | 11 |
| 50-64 | 24 | 12.0 | 94 | 2 | 3 | 8 | 19 | 24 | 32 | 40 |
| 65+ | 11 | 9.0 | 104 | 3 | 3 | 5 | 8 | 26 | 36 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 20-34 | 9 | 7.3 | 13 | 4 | 4 | 6 | 11 | 12 | 13 | 13 |
| 35-49 | 8 | 10.0 | 87 | 2 | 2 | 7 | 11 | 26 | 31 | 31 |
| 50-64 | 8 | 22.6 | 583 | 5 | 6 | 13 | 27 | 65 | 77 | 77 |
| 65+ | 6 | 8.8 | 18 | 3 | 3 | 8 | 10 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 5.0 | 13 | 2 | 2 | 4 | 6 | 9 | 14 | 20 |
| 20-34 | 31 | 7.8 | 29 | 2 | 3 | 6 | 10 | 16 | 18 | 24 |
| 35-49 | 37 | 8.3 | 41 | 2 | 3 | 7 | 10 | 16 | 24 | 30 |
| 50-64 | 60 | 9.9 | 91 | 3 | 3 | 8 | 11 | 18 | 23 | 63 |
| 65+ | 71 | 10.6 | 60 | 2 | 3 | 9 | 14 | 20 | 27 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.4 | 11 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 20-34 | 22 | 9.1 | 17 | 3 | 5 | 8 | 12 | 14 | 17 | 19 |
| 35-49 | 25 | 18.3 | 194 | 5 | 6 | 15 | 20 | 36 | 46 | 69 |
| 50-64 | 41 | 13.5 | 100 | 3 | 4 | 11 | 16 | 30 | 35 | 42 |
| 65+ | 33 | 16.7 | 185 | 3 | 4 | 13 | 25 | 33 | 50 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 6.3 | 38 | 2 | 2 | 4 | 7 | 11 | 21 | 37 |
| B. *Operated* | 33 | 12.0 | 193 | 2 | 3 | 8 | 13 | 19 | 37 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 8.2 | 52 | 2 | 2 | 6 | 10 | 16 | 22 | 33 |
| B. *Operated* | 126 | 14.2 | 133 | 3 | 4 | 11 | 18 | 28 | 37 | 57 |
| **1. SINGLE DX** | 168 | 7.4 | 73 | 2 | 2 | 5 | 8 | 14 | 22 | 40 |
| **2. MULTIPLE DX** | 407 | 10.1 | 84 | 2 | 3 | 7 | 13 | 21 | 27 | 49 |
| **A. NOT OPERATED** | 416 | 7.6 | 48 | 2 | 2 | 5 | 9 | 16 | 21 | 35 |
| **B. OPERATED** | 159 | 13.7 | 145 | 3 | 4 | 11 | 16 | 28 | 37 | 68 |
| TOTAL 0-19 YRS | 166 | 4.7 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 21 |
| 20-34 | 74 | 7.8 | 21 | 2 | 3 | 7 | 11 | 15 | 16 | 23 |
| 35-49 | 81 | 11.1 | 110 | 2 | 3 | 7 | 14 | 23 | 32 | 60 |
| 50-64 | 133 | 12.2 | 128 | 3 | 3 | 9 | 14 | 24 | 34 | 69 |
| 65+ | 121 | 12.0 | 102 | 2 | 3 | 9 | 15 | 26 | 32 | 52 |
| **GRAND TOTAL** | **575** | **9.3** | **82** | **2** | **3** | **7** | **11** | **19** | **27** | **46** |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 6.2 | 15 | 2 | 2 | 5 | 8 | 12 | 15 | 18 |
| 20-34 | 21 | 6.1 | 15 | 1 | 2 | 5 | 9 | 11 | 13 | 16 |
| 35-49 | 18 | 6.0 | 22 | 2 | 2 | 4 | 10 | 12 | 16 | 18 |
| 50-64 | 20 | 7.2 | 29 | 1 | 2 | 5 | 10 | 15 | 19 | 21 |
| 65+ | 24 | 7.9 | 18 | 2 | 3 | 7 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 5.3 | 25 | 2 | 2 | 3 | 6 | 12 | 18 | 22 |
| 20-34 | 59 | 4.9 | 25 | 1 | 1 | 3 | 7 | 11 | 16 | 26 |
| 35-49 | 32 | 6.9 | 41 | 2 | 2 | 5 | 9 | 14 | 24 | 27 |
| 50-64 | 23 | 6.0 | 27 | 2 | 2 | 4 | 7 | 14 | 18 | 23 |
| 65+ | 11 | 9.1 | 82 | 1 | 1 | 7 | 12 | 23 | 31 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 18 | 20 |
| 20-34 | 53 | 6.7 | 30 | 1 | 2 | 5 | 9 | 11 | 14 | 33 |
| 35-49 | 54 | 8.1 | 30 | 2 | 3 | 7 | 11 | 16 | 20 | 24 |
| 50-64 | 99 | 9.5 | 86 | 3 | 3 | 7 | 11 | 17 | 25 | 58 |
| 65+ | 172 | 11.1 | 91 | 2 | 3 | 9 | 14 | 21 | 25 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 8.4 | 28 | 2 | 2 | 8 | 12 | 15 | 16 | 19 |
| 20-34 | 64 | 7.2 | 26 | 2 | 2 | 6 | 9 | 14 | 19 | 23 |
| 35-49 | 71 | 8.9 | 57 | 2 | 2 | 6 | 11 | 20 | 23 | 37 |
| 50-64 | 93 | 13.0 | 158 | 2 | 3 | 9 | 15 | 28 | 42 | 64 |
| 65+ | 97 | 16.9 | 200 | 2 | 4 | 13 | 21 | 34 | 51 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 6.5 | 17 | 2 | 2 | 5 | 9 | 13 | 15 | 18 |
| B. *Operated* | 179 | 5.8 | 32 | 1 | 2 | 3 | 7 | 13 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 453 | 9.1 | 67 | 2 | 3 | 7 | 11 | 17 | 23 | 39 |
| B. *Operated* | 356 | 11.8 | 127 | 2 | 3 | 9 | 15 | 23 | 33 | 57 |
| **1. SINGLE DX** | 371 | 6.2 | 24 | 2 | 2 | 4 | 8 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | 809 | 10.3 | 95 | 2 | 3 | 7 | 13 | 20 | 26 | 54 |
| **A. NOT OPERATED** | 645 | 8.3 | 54 | 2 | 3 | 6 | 10 | 16 | 20 | 36 |
| **B. OPERATED** | 535 | 9.8 | 103 | 2 | 2 | 7 | 13 | 21 | 27 | 53 |
| TOTAL 0-19 YRS | 269 | 6.3 | 20 | 2 | 2 | 5 | 8 | 13 | 16 | 20 |
| 20-34 | 197 | 6.3 | 26 | 1 | 2 | 5 | 9 | 11 | 17 | 25 |
| 35-49 | 175 | 8.0 | 43 | 2 | 2 | 6 | 10 | 17 | 22 | 30 |
| 50-64 | 235 | 10.3 | 109 | 2 | 3 | 7 | 13 | 21 | 28 | 54 |
| 65+ | 304 | 12.6 | 128 | 2 | 3 | 10 | 15 | 24 | 32 | 66 |
| **GRAND TOTAL** | **1180** | **9.0** | **77** | **2** | **2** | **7** | **11** | **18** | **23** | **49** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 20-34 | 5 | 5.0 | 7 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 7 | 7.1 | 39 | 2 | 2 | 6 | 9 | 18 | 20 | 20 |
| 50-64 | 6 | 7.8 | 66 | 3 | 3 | 4 | 8 | 22 | 24 | 24 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 4 | 6.3 | 17 | 1 | 1 | 6 | 9 | 11 | 11 | 11 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 7.9 | 26 | 2 | 3 | 7 | 10 | 13 | 19 | 26 |
| 20-34 | 10 | 6.5 | 8 | 3 | 3 | 6 | 8 | 10 | 12 | 12 |
| 35-49 | 5 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 9 | 9.3 | 64 | <1 | 2 | 7 | 13 | 23 | 27 | 27 |
| 65+ | 14 | 8.9 | 45 | 2 | 3 | 6 | 13 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.3 | 22 | 1 | 2 | 7 | 9 | 15 | 16 | 16 |
| 20-34 | 13 | 9.5 | 19 | 3 | 4 | 10 | 13 | 15 | 16 | 16 |
| 35-49 | 9 | 7.3 | 16 | 2 | 3 | 7 | 9 | 14 | 15 | 15 |
| 50-64 | 8 | 7.0 | 21 | 2 | 2 | 6 | 10 | 14 | 15 | 15 |
| 65+ | 10 | 9.6 | 46 | 2 | 2 | 9 | 13 | 20 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | 15 | 4.9 | 8 | 1 | 2 | 5 | 7 | 7 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 99 | 7.9 | 29 | 2 | 3 | 6 | 10 | 14 | 21 | 27 |
| B. *Operated* | 53 | 8.2 | 24 | 2 | 2 | 8 | 11 | 15 | 16 | 23 |
| **1. SINGLE DX** | 103 | 5.3 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 152 | 8.0 | 27 | 2 | 3 | 7 | 11 | 15 | 18 | 26 |
| **A. NOT OPERATED** | 187 | 6.7 | 24 | 2 | 2 | 5 | 8 | 12 | 18 | 26 |
| **B. OPERATED** | 68 | 7.5 | 22 | 2 | 2 | 7 | 10 | 15 | 16 | 22 |
| TOTAL 0-19 YRS | 151 | 6.3 | 19 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 20-34 | 32 | 7.4 | 15 | 2 | 3 | 7 | 10 | 13 | 14 | 16 |
| 35-49 | 23 | 6.3 | 20 | 2 | 2 | 5 | 8 | 13 | 17 | 20 |
| 50-64 | 23 | 8.1 | 46 | 1 | 2 | 5 | 10 | 18 | 25 | 27 |
| 65+ | 26 | 9.0 | 41 | 2 | 2 | 7 | 13 | 21 | 22 | 23 |
| **GRAND TOTAL** | **255** | **6.9** | **24** | **2** | **2** | **6** | **9** | **13** | **17** | **25** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 62 | <1 | <1 | 1 | 9 | 17 | 17 | 17 |
| 20-34 | 15 | 4.8 | 13 | <1 | <1 | 4 | 7 | 10 | 12 | 13 |
| 35-49 | 19 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 11 |
| 50-64 | 42 | 7.0 | 142 | 1 | 1 | 3 | 6 | 12 | 43 | 54 |
| 65+ | 50 | 7.4 | 57 | 1 | 1 | 4 | 10 | 20 | 25 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.6 | 72 | <1 | <1 | 2 | 6 | 17 | 28 | 33 |
| 20-34 | 48 | 10.7 | 200 | <1 | <1 | 4 | 14 | 30 | 49 | 56 |
| 35-49 | 80 | 6.6 | 80 | 1 | 2 | 4 | 6 | 15 | 21 | 48 |
| 50-64 | 136 | 6.6 | 44 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| 65+ | 87 | 8.6 | 110 | 1 | 2 | 5 | 10 | 18 | 32 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 7.5 | 52 | 1 | 1 | 4 | 14 | 21 | 22 | 23 |
| 20-34 | 83 | 6.3 | 33 | <1 | 1 | 5 | 9 | 13 | 15 | 33 |
| 35-49 | 172 | 6.4 | 32 | 1 | 1 | 5 | 9 | 15 | 18 | 27 |
| 50-64 | 370 | 7.6 | 67 | 1 | 1 | 5 | 9 | 17 | 27 | 43 |
| 65+ | 607 | 9.8 | 78 | 1 | 2 | 7 | 13 | 21 | 30 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 7.6 | 39 | <1 | 1 | 6 | 12 | 17 | 20 | 23 |
| 20-34 | 242 | 9.0 | 109 | <1 | <1 | 5 | 11 | 24 | 33 | 52 |
| 35-49 | 329 | 11.8 | 168 | 2 | 2 | 8 | 15 | 26 | 37 | 64 |
| 50-64 | 675 | 12.4 | 152 | 2 | 2 | 8 | 16 | 28 | 38 | 66 |
| 65+ | 581 | 13.7 | 168 | 2 | 3 | 10 | 18 | 30 | 41 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 130 | 6.2 | 73 | 1 | 1 | 3 | 7 | 13 | 22 | 48 |
| B. *Operated* | 369 | 7.6 | 90 | 1 | 1 | 4 | 8 | 17 | 27 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1261 | 8.4 | 67 | 1 | 1 | 6 | 11 | 18 | 26 | 39 |
| B. *Operated* | 1871 | 12.1 | 154 | 1 | 2 | 8 | 16 | 28 | 38 | 66 |
| **1. SINGLE DX** | 499 | 7.2 | 86 | 1 | 1 | 4 | 8 | 17 | 26 | 50 |
| **2. MULTIPLE DX** | 3132 | 10.6 | 122 | 1 | 2 | 7 | 14 | 24 | 33 | 57 |
| **A. NOT OPERATED** | 1391 | 8.2 | 68 | 1 | 1 | 6 | 10 | 18 | 26 | 40 |
| **B. OPERATED** | 2240 | 11.4 | 146 | 1 | 2 | 7 | 15 | 27 | 37 | 64 |
| TOTAL 0-19 YRS | 95 | 7.1 | 49 | <1 | 1 | 4 | 11 | 19 | 22 | 29 |
| 20-34 | 388 | 8.5 | 102 | <1 | <1 | 5 | 10 | 21 | 32 | 52 |
| 35-49 | 600 | 9.2 | 120 | 1 | 2 | 5 | 12 | 20 | 30 | 54 |
| 50-64 | 1223 | 10.1 | 120 | 1 | 2 | 6 | 13 | 24 | 32 | 54 |
| 65+ | 1325 | 11.3 | 123 | 1 | 2 | 8 | 15 | 25 | 34 | 60 |
| **GRAND TOTAL** | **3631** | **10.2** | **119** | **1** | **2** | **7** | **13** | **23** | **32** | **56** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 13 | 1 | 1 | 4 | 5 | 10 | 13 | 13 |
| 20-34 | 8 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 13 | 5.3 | 21 | 1 | 1 | 4 | 8 | 12 | 15 | 16 |
| 50-64 | 37 | 4.2 | 19 | 1 | 1 | 2 | 6 | 11 | 13 | 20 |
| 65+ | 42 | 7.5 | 48 | <1 | 1 | 6 | 12 | 17 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.4 | 18 | 1 | 1 | 2 | 8 | 10 | 10 | 10 |
| 20-34 | 13 | 9.3 | 102 | <1 | <1 | 6 | 12 | 23 | 34 | 37 |
| 35-49 | 6 | 5.0 | 29 | <1 | <1 | 3 | 7 | 14 | 15 | 15 |
| 50-64 | 29 | 6.2 | 44 | <1 | 1 | 2 | 9 | 17 | 20 | 25 |
| 65+ | 23 | 9.5 | 80 | <1 | 1 | 8 | 13 | 23 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.5 | 28 | 1 | 2 | 3 | 7 | 14 | 19 | 21 |
| 20-34 | 32 | 6.5 | 21 | 1 | 2 | 5 | 8 | 14 | 15 | 21 |
| 35-49 | 72 | 7.9 | 44 | 2 | 2 | 6 | 11 | 16 | 19 | 37 |
| 50-64 | 177 | 9.6 | 71 | 1 | 2 | 8 | 12 | 19 | 24 | 39 |
| 65+ | 561 | 13.5 | 137 | 2 | 4 | 10 | 16 | 28 | 35 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 13.6 | 91 | 3 | 4 | 12 | 17 | 28 | 35 | 35 |
| 20-34 | 33 | 14.0 | 150 | 2 | 2 | 10 | 22 | 31 | 39 | 52 |
| 35-49 | 52 | 15.2 | 182 | 2 | 2 | 12 | 22 | 36 | 49 | 99 |
| 50-64 | 140 | 15.1 | 120 | 2 | 4 | 15 | 21 | 28 | 34 | 73 |
| 65+ | 222 | 20.2 | 244 | 3 | 5 | 16 | 27 | 41 | 56 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 5.6 | 31 | 1 | 1 | 3 | 8 | 14 | 17 | 25 |
| B. *Operated* | 76 | 7.5 | 63 | <1 | 1 | 4 | 10 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 861 | 11.8 | 115 | 2 | 3 | 9 | 14 | 24 | 32 | 58 |
| B. *Operated* | 456 | 17.5 | 195 | 2 | 4 | 15 | 24 | 35 | 49 | 90 |
| **1. SINGLE DX** | 185 | 6.4 | 45 | <1 | 1 | 3 | 9 | 15 | 20 | 32 |
| **2. MULTIPLE DX** | 1317 | 13.8 | 150 | 2 | 3 | 10 | 18 | 29 | 38 | 69 |
| **A. NOT OPERATED** | 970 | 11.1 | 109 | 1 | 2 | 9 | 14 | 23 | 31 | 55 |
| **B. OPERATED** | 532 | 16.0 | 188 | 2 | 2 | 13 | 22 | 34 | 45 | 87 |
| TOTAL 0-19 YRS | 42 | 6.9 | 47 | 1 | 1 | 4 | 9 | 16 | 19 | 35 |
| 20-34 | 86 | 9.5 | 94 | 1 | 2 | 6 | 12 | 23 | 31 | 48 |
| 35-49 | 143 | 10.2 | 105 | 1 | 2 | 7 | 15 | 23 | 33 | 62 |
| 50-64 | 383 | 10.8 | 95 | 1 | 2 | 8 | 15 | 23 | 29 | 51 |
| 65+ | 848 | 14.8 | 170 | 2 | 3 | 11 | 19 | 32 | 41 | 72 |
| **GRAND TOTAL** | **1502** | **12.8** | **143** | **1** | **2** | **10** | **17** | **28** | **36** | **66** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 274 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 11 |
| 20-34 | 491 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 9 |
| 35-49 | 152 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 10 | 12 |
| 50-64 | 89 | 5.4 | 7 | 2 | 3 | 5 | 6 | 8 | 12 | 15 |
| 65+ | 97 | 6.5 | 11 | 2 | 3 | 6 | 8 | 11 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 5.4 | 5 | 2 | 3 | 5 | 7 | 9 | 10 | 11 |
| 20-34 | 32 | 5.8 | 5 | 2 | 3 | 6 | 7 | 9 | 10 | 10 |
| 35-49 | 12 | 7.6 | 9 | 4 | 4 | 7 | 9 | 12 | 13 | 13 |
| 50-64 | 8 | 7.5 | 8 | 4 | 4 | 7 | 10 | 11 | 12 | 12 |
| 65+ | 10 | 7.9 | 12 | 1 | 3 | 9 | 11 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 4.5 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 446 | 5.0 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 35-49 | 259 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 18 |
| 50-64 | 341 | 7.2 | 15 | 3 | 4 | 7 | 8 | 12 | 13 | 21 |
| 65+ | 644 | 9.0 | 30 | 3 | 4 | 8 | 11 | 15 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 6.7 | 22 | 2 | 3 | 5 | 8 | 12 | 20 | 23 |
| 20-34 | 87 | 7.6 | 27 | 3 | 3 | 7 | 9 | 11 | 16 | 32 |
| 35-49 | 63 | 10.6 | 40 | 4 | 5 | 9 | 13 | 19 | 23 | 34 |
| 50-64 | 90 | 12.0 | 64 | 3 | 5 | 10 | 14 | 20 | 32 | 45 |
| 65+ | 129 | 14.0 | 94 | 5 | 6 | 11 | 17 | 23 | 30 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1103 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| B. *Operated* | 89 | 6.3 | 7 | 2 | 3 | 6 | 8 | 10 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1938 | 6.8 | 19 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| B. *Operated* | 428 | 10.8 | 64 | 3 | 4 | 8 | 13 | 20 | 27 | 44 |
| **1. SINGLE DX** | 1192 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 2366 | 7.6 | 29 | 2 | 3 | 6 | 9 | 13 | 18 | 29 |
| **A. NOT OPERATED** | 3041 | 6.0 | 15 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 517 | 10.0 | 57 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |
| TOTAL 0-19 YRS | 608 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 15 |
| 20-34 | 1056 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 486 | 6.6 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 25 |
| 50-64 | 528 | 7.7 | 26 | 3 | 3 | 7 | 9 | 13 | 17 | 30 |
| 65+ | 880 | 9.4 | 41 | 3 | 4 | 8 | 11 | 17 | 21 | 33 |
| **GRAND TOTAL** | **3558** | **6.6** | **23** | **2** | **3** | **5** | **8** | **12** | **15** | **26** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 349 | 4.3 | 20 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 652 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 210 | 4.9 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 133 | 5.1 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| 65+ | 114 | 6.3 | 22 | 2 | 2 | 5 | 7 | 11 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 4.7 | 15 | 1 | 1 | 4 | 6 | 10 | 11 | 20 |
| 20-34 | 77 | 5.9 | 12 | 2 | 2 | 5 | 8 | 11 | 13 | 16 |
| 35-49 | 50 | 7.3 | 28 | 1 | 2 | 6 | 9 | 14 | 19 | 25 |
| 50-64 | 39 | 7.4 | 50 | 2 | 2 | 5 | 9 | 21 | 24 | 28 |
| 65+ | 32 | 10.7 | 47 | 2 | 2 | 10 | 13 | 20 | 27 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 661 | 5.3 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 23 |
| 35-49 | 303 | 6.6 | 30 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |
| 50-64 | 425 | 7.4 | 33 | 2 | 3 | 6 | 9 | 12 | 16 | 28 |
| 65+ | 720 | 9.2 | 41 | 3 | 4 | 8 | 11 | 17 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 6.5 | 22 | 1 | 2 | 6 | 8 | 12 | 13 | 29 |
| 20-34 | 215 | 8.4 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 42 |
| 35-49 | 189 | 10.2 | 48 | 2 | 3 | 9 | 13 | 20 | 24 | 37 |
| 50-64 | 253 | 11.4 | 74 | 2 | 4 | 9 | 15 | 20 | 27 | 73 |
| 65+ | 269 | 14.4 | 127 | 3 | 4 | 12 | 17 | 28 | 37 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1458 | 4.7 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| B. *Operated* | 248 | 6.8 | 29 | 1 | 2 | 5 | 9 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2415 | 6.9 | 30 | 2 | 3 | 6 | 8 | 12 | 16 | 29 |
| B. *Operated* | 1023 | 10.9 | 78 | 2 | 3 | 9 | 14 | 21 | 28 | 52 |
| **1. SINGLE DX** | 1706 | 5.0 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 3438 | 8.1 | 47 | 2 | 3 | 6 | 10 | 15 | 21 | 36 |
| **A. NOT OPERATED** | 3873 | 6.1 | 24 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| **B. OPERATED** | 1271 | 10.1 | 71 | 2 | 2 | 8 | 13 | 20 | 26 | 49 |
| TOTAL 0-19 YRS | 802 | 4.8 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 1605 | 5.4 | 16 | 2 | 2 | 5 | 6 | 9 | 11 | 20 |
| 35-49 | 752 | 7.1 | 32 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| 50-64 | 850 | 8.2 | 48 | 2 | 3 | 6 | 10 | 16 | 20 | 35 |
| 65+ | 1135 | 10.2 | 66 | 3 | 3 | 8 | 12 | 20 | 27 | 43 |
| **GRAND TOTAL** | **5144** | **7.1** | **38** | **2** | **2** | **5** | **8** | **13** | **18** | **33** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 549 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 575 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 341 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 133 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 6.8 | 16 | 2 | 2 | 7 | 9 | 13 | 15 | 18 |
| 20-34 | 367 | 7.9 | 19 | 2 | 3 | 8 | 10 | 13 | 15 | 22 |
| 35-49 | 466 | 8.1 | 20 | 2 | 2 | 8 | 10 | 12 | 15 | 25 |
| 50-64 | 433 | 8.8 | 24 | 2 | 3 | 8 | 10 | 13 | 16 | 30 |
| 65+ | 211 | 9.7 | 26 | 2 | 3 | 9 | 12 | 16 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 340 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 430 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 50-64 | 463 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 351 | 5.5 | 17 | 1 | 2 | 4 | 7 | 11 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 10.0 | 69 | 1 | 3 | 8 | 12 | 17 | 22 | 47 |
| 20-34 | 318 | 9.7 | 79 | 2 | 2 | 8 | 11 | 16 | 23 | 58 |
| 35-49 | 456 | 9.6 | 49 | 2 | 3 | 8 | 12 | 17 | 22 | 36 |
| 50-64 | 649 | 10.0 | 45 | 2 | 3 | 9 | 13 | 17 | 22 | 33 |
| 65+ | 556 | 12.9 | 107 | 2 | 3 | 11 | 16 | 23 | 28 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1670 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 1524 | 8.4 | 22 | 2 | 3 | 8 | 10 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1623 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 2013 | 10.6 | 70 | 2 | 3 | 9 | 13 | 19 | 24 | 42 |
| **1. SINGLE DX** | 3194 | 5.3 | 21 | 1 | 1 | 4 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | 3636 | 7.7 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 33 |
| **A. NOT OPERATED** | 3293 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 3537 | 9.7 | 51 | 2 | 3 | 9 | 12 | 17 | 21 | 38 |
| TOTAL 0-19 YRS | 192 | 5.0 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 21 |
| 20-34 | 1574 | 5.3 | 32 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 35-49 | 1927 | 5.7 | 28 | 1 | 1 | 4 | 8 | 11 | 15 | 24 |
| 50-64 | 1886 | 6.9 | 34 | 1 | 1 | 6 | 9 | 14 | 17 | 28 |
| 65+ | 1251 | 9.3 | 71 | 1 | 2 | 7 | 12 | 18 | 23 | 42 |
| **GRAND TOTAL** | **6830** | **6.6** | **40** | **1** | **1** | **5** | **9** | **13** | **17** | **29** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 330 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 2667 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 2808 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 1500 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 486 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 12 |
| 20-34 | 1803 | 5.7 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 2124 | 5.8 | 13 | 2 | 2 | 5 | 8 | 11 | 12 | 16 |
| 50-64 | 1599 | 6.7 | 17 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| 65+ | 577 | 7.5 | 26 | 2 | 2 | 7 | 9 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 3.3 | 17 | 1 | 1 | 3 | 4 | 5 | 6 | 30 |
| 20-34 | 609 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 840 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 50-64 | 826 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 448 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 7.9 | 38 | 2 | 2 | 6 | 10 | 17 | 20 | 28 |
| 20-34 | 561 | 7.1 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| 35-49 | 898 | 7.4 | 21 | 2 | 3 | 6 | 9 | 14 | 16 | 22 |
| 50-64 | 1081 | 8.3 | 28 | 2 | 3 | 7 | 11 | 15 | 18 | 27 |
| 65+ | 770 | 10.6 | 51 | 3 | 4 | 9 | 13 | 20 | 24 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7791 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 6302 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2783 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 3364 | 8.4 | 33 | 2 | 3 | 7 | 11 | 15 | 19 | 28 |
| **1. SINGLE DX** | 14093 | 4.0 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 6147 | 6.0 | 28 | 1 | 1 | 4 | 8 | 12 | 16 | 26 |
| **A. NOT OPERATED** | 10574 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 9666 | 6.9 | 23 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| TOTAL 0-19 YRS | 643 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 20-34 | 5640 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 6670 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 5006 | 5.2 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 21 |
| 65+ | 2281 | 6.8 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| **GRAND TOTAL** | **20240** | **4.6** | **18** | **1** | **1** | **3** | **6** | **10** | **12** | **20** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.3 | 9 | <1 | 1 | 1 | 3 | 4 | 7 | 19 |
| 20-34 | 73 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 10 | 19 |
| 35-49 | 63 | 3.2 | 6 | 1 | 1 | 2 | 5 | 6 | 8 | 13 |
| 50-64 | 73 | 4.4 | 20 | 1 | 1 | 3 | 5 | 10 | 12 | 25 |
| 65+ | 65 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 19 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 380 | 5.9 | 25 | 1 | 1 | 6 | 9 | 11 | 13 | 25 |
| 20-34 | 218 | 7.3 | 28 | 1 | 2 | 7 | 10 | 14 | 18 | 24 |
| 35-49 | 172 | 6.7 | 37 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| 50-64 | 220 | 7.1 | 33 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| 65+ | 182 | 7.5 | 45 | 1 | 2 | 5 | 10 | 17 | 19 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.7 | 19 | 1 | 1 | 3 | 6 | 10 | 12 | 23 |
| 20-34 | 112 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 101 | 5.2 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 50-64 | 249 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 464 | 10.1 | 84 | 2 | 3 | 7 | 12 | 20 | 27 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 412 | 7.0 | 37 | 1 | 1 | 6 | 10 | 14 | 17 | 27 |
| 20-34 | 330 | 9.1 | 54 | 2 | 2 | 8 | 11 | 17 | 21 | 42 |
| 35-49 | 343 | 9.2 | 63 | 2 | 2 | 8 | 12 | 19 | 23 | 32 |
| 50-64 | 552 | 10.2 | 76 | 2 | 2 | 9 | 14 | 20 | 24 | 50 |
| 65+ | 672 | 11.8 | 101 | 2 | 3 | 9 | 15 | 24 | 31 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 3.7 | 15 | 1 | 1 | 2 | 5 | 7 | 10 | 23 |
| B. *Operated* | 1172 | 6.7 | 32 | 1 | 1 | 6 | 9 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 997 | 7.7 | 57 | 1 | 2 | 6 | 9 | 16 | 22 | 42 |
| B. *Operated* | 2309 | 9.8 | 74 | 1 | 2 | 8 | 13 | 20 | 24 | 44 |
| **1. SINGLE DX** | 1489 | 6.1 | 30 | 1 | 1 | 4 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 3306 | 9.2 | 70 | 1 | 2 | 7 | 12 | 18 | 24 | 44 |
| **A. NOT OPERATED** | 1314 | 6.7 | 49 | 1 | 1 | 5 | 8 | 14 | 20 | 35 |
| **B. OPERATED** | 3481 | 8.8 | 62 | 1 | 2 | 7 | 11 | 17 | 23 | 39 |
| TOTAL 0-19 YRS | 906 | 6.1 | 30 | 1 | 1 | 5 | 9 | 12 | 16 | 26 |
| 20-34 | 733 | 7.4 | 40 | 1 | 2 | 6 | 10 | 14 | 18 | 27 |
| 35-49 | 679 | 7.4 | 49 | 1 | 2 | 6 | 10 | 15 | 21 | 30 |
| 50-64 | 1094 | 8.3 | 57 | 1 | 2 | 7 | 11 | 17 | 21 | 36 |
| 65+ | 1383 | 10.3 | 87 | 2 | 2 | 8 | 13 | 22 | 28 | 50 |
| **GRAND TOTAL** | **4795** | **8.2** | **59** | **1** | **2** | **7** | **11** | **17** | **22** | **39** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.5 | 2 | <1 | 1 | 2 | 4 | 4 | 5 | 6 |
| 20-34 | 178 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 196 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 90 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 41 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.5 | 6 | <1 | 1 | 5 | 6 | 8 | 10 | 11 |
| 20-34 | 107 | 5.6 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| 35-49 | 143 | 6.3 | 19 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| 50-64 | 114 | 5.7 | 20 | 1 | 2 | 5 | 8 | 11 | 12 | 24 |
| 65+ | 104 | 6.1 | 21 | 2 | 2 | 5 | 9 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 67 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 77 | 3.4 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 13 |
| 50-64 | 91 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 57 | 5.2 | 19 | 1 | 2 | 4 | 6 | 10 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 6.8 | 15 | 2 | 2 | 7 | 9 | 12 | 15 | 15 |
| 20-34 | 75 | 6.5 | 16 | 2 | 2 | 6 | 9 | 13 | 15 | 17 |
| 35-49 | 89 | 8.1 | 62 | 2 | 2 | 6 | 10 | 17 | 22 | 40 |
| 50-64 | 167 | 7.9 | 36 | 2 | 2 | 7 | 10 | 13 | 17 | 34 |
| 65+ | 320 | 9.0 | 42 | 2 | 3 | 8 | 12 | 16 | 20 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 529 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 487 | 5.9 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 295 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| B. *Operated* | 673 | 8.2 | 40 | 2 | 2 | 7 | 11 | 15 | 19 | 38 |
| **1. SINGLE DX** | 1016 | 4.0 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 968 | 6.8 | 35 | 1 | 2 | 5 | 9 | 14 | 17 | 33 |
| **A. NOT OPERATED** | 824 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **B. OPERATED** | 1160 | 7.3 | 32 | 2 | 2 | 6 | 10 | 14 | 16 | 31 |
| TOTAL 0-19 YRS | 68 | 4.5 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| 20-34 | 427 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 505 | 4.5 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 50-64 | 462 | 5.4 | 25 | 1 | 1 | 4 | 8 | 11 | 13 | 29 |
| 65+ | 522 | 7.5 | 36 | 2 | 2 | 6 | 10 | 15 | 18 | 31 |
| **GRAND TOTAL** | **1984** | **5.4** | **26** | **1** | **1** | **4** | **7** | **11** | **14** | **26** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 137 | 3.3 | 10 | 1 | 1 | 3 | 4 | 5 | 7 | 17 |
| 35-49 | 70 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 48 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 65+ | 82 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 267 | 2.4 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 475 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 376 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 382 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 65+ | 421 | 4.6 | 16 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 9 | 13 |
| 20-34 | 222 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 165 | 5.5 | 37 | 1 | 2 | 4 | 6 | 9 | 12 | 27 |
| 50-64 | 205 | 6.1 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| 65+ | 549 | 8.0 | 40 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 400 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 786 | 4.5 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 35-49 | 756 | 5.3 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 854 | 5.0 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 65+ | 1191 | 7.3 | 45 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 464 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 1921 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1268 | 6.3 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 29 |
| B. *Operated* | 3987 | 5.4 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| **1. SINGLE DX** | 2385 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 5255 | 5.6 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 1732 | 5.6 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| **B. OPERATED** | 5908 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | 921 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1620 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 1367 | 4.7 | 18 | 1 | 2 | 3 | 6 | 9 | [illegible] | 19 |
| 50-64 | 1489 | 4.8 | 18 | 1 | 2 | 4 | 6 | 9 | 14 | 21 |
| 65+ | 2243 | 6.9 | 38 | 2 | 2 | 5 | 8 | 14 | 18 | 34 |
| **GRAND TOTAL** | **7640** | **4.9** | **23** | **1** | **1** | **4** | **6** | **10** | **13** | **24** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 6 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 12 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 6 | 6 |
| 35-49 | 8 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | 9 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 23 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1289 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 496 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 35-49 | 392 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 366 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 444 | 4.6 | 13 | 1 | 2 | 3 | 6 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 25 | 3.8 | 10 | 1 | 1 | 3 | 5 | 6 | 11 | 16 |
| 35-49 | 18 | 4.8 | 17 | 1 | 1 | 4 | 5 | 11 | 15 | 16 |
| 50-64 | 23 | 5.0 | 9 | 1 | 2 | 5 | 7 | 10 | 10 | 10 |
| 65+ | 85 | 5.8 | 33 | 2 | 2 | 4 | 7 | 9 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1030 | 2.2 | 4 | 1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 752 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 35-49 | 661 | 4.6 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| 50-64 | 804 | 5.3 | 23 | 1 | 2 | 4 | 7 | 11 | 15 | 23 |
| 65+ | 1245 | 7.6 | 45 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.2 | 5 | <1 | 1 | 2 | 5 | 6 | 7 | 8 |
| B. *Operated* | 2987 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 175 | 4.8 | 22 | 1 | 1 | 4 | 6 | 9 | 13 | 28 |
| B. *Operated* | 4492 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **1. SINGLE DX** | 3045 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 4667 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **A. NOT OPERATED** | 233 | 4.4 | 18 | 1 | 1 | 4 | 5 | 8 | 10 | 22 |
| **B. OPERATED** | 7479 | 4.1 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 2349 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 1285 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 35-49 | 1079 | 4.2 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 50-64 | 1202 | 4.9 | 19 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| 65+ | 1797 | 6.7 | 38 | 2 | 2 | 5 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | **7712** | **4.1** | **20** | **1** | **1** | **3** | **5** | **9** | **12** | **22** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 946 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 618 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 319 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 311 | 4.2 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 634 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1008 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 828 | 2.9 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 723 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 50-64 | 799 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 807 | 4.7 | 17 | 1 | 2 | 3 | 6 | 10 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1230 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 1450 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 35-49 | 1070 | 6.0 | 22 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| 50-64 | 1754 | 6.9 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| 65+ | 6300 | 9.4 | 53 | 3 | 3 | 8 | 12 | 17 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1320 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 20-34 | 1475 | 4.8 | 31 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 35-49 | 1456 | 5.2 | 32 | 1 | 1 | 4 | 6 | 11 | 14 | 26 |
| 50-64 | 1888 | 6.3 | 38 | 1 | 2 | 4 | 8 | 13 | 17 | 32 |
| 65+ | 3347 | 9.5 | 80 | 2 | 2 | 7 | 12 | 19 | 25 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2828 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 4165 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11804 | 7.6 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| B. *Operated* | 9486 | 6.6 | 53 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| **1. SINGLE DX** | 6993 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 21290 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| **A. NOT OPERATED** | 14632 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 17 | 31 |
| **B. OPERATED** | 13651 | 5.6 | 42 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| TOTAL 0-19 YRS | 4504 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 4371 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 35-49 | 3568 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| 50-64 | 4752 | 6.0 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| 65+ | 11088 | 8.9 | 58 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **GRAND TOTAL** | **28283** | **6.3** | **39** | **1** | **2** | **4** | **8** | **13** | **17** | **31** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 4 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 49 | 3.8 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 65+ | 59 | 3.9 | 11 | <1 | 1 | 3 | 4 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.3 | 4 | 1 | 2 | 6 | 6 | 7 | 8 | 8 |
| 20-34 | 23 | 4.1 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 10 |
| 35-49 | 202 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 2515 | 5.9 | 11 | 2 | 2 | 6 | 7 | 9 | 12 | 16 |
| 65+ | 4510 | 7.1 | 15 | 2 | 3 | 7 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 8.0 | 35 | 3 | 3 | 6 | 12 | 16 | 16 | 16 |
| 35-49 | 16 | 5.3 | 12 | 2 | 2 | 5 | 6 | 7 | 14 | 17 |
| 50-64 | 147 | 4.3 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 65+ | 553 | 6.9 | 45 | 1 | 2 | 5 | 8 | 13 | 20 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.3 | 53 | 2 | 2 | 7 | 10 | 16 | 26 | 29 |
| 20-34 | 36 | 5.9 | 30 | <1 | 1 | 4 | 8 | 13 | 16 | 24 |
| 35-49 | 257 | 5.6 | 19 | 1 | 2 | 4 | 7 | 12 | 14 | 23 |
| 50-64 | 3217 | 7.6 | 25 | 2 | 3 | 7 | 9 | 13 | 17 | 25 |
| 65+ | 8368 | 9.9 | 45 | 3 | 4 | 8 | 12 | 18 | 22 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| B. *Operated* | 7260 | 6.6 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 722 | 6.4 | 38 | 1 | 2 | 5 | 7 | 13 | 17 | 33 |
| B. *Operated* | 11893 | 9.1 | 41 | 2 | 3 | 8 | 11 | 16 | 21 | 33 |
| **1. SINGLE DX** | 7379 | 6.5 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | 12615 | 9.0 | 41 | 2 | 3 | 8 | 11 | 16 | 21 | 33 |
| **A. NOT OPERATED** | 841 | 6.0 | 34 | 1 | 2 | 4 | 7 | 12 | 16 | 32 |
| **B. OPERATED** | 19153 | 8.2 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| TOTAL 0-19 YRS | 28 | 6.7 | 32 | 2 | 2 | 6 | 8 | 13 | 17 | 29 |
| 20-34 | 69 | 5.1 | 21 | 1 | 1 | 3 | 7 | 12 | 16 | 23 |
| 35-49 | 479 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 50-64 | 5928 | 6.7 | 19 | 2 | 2 | 6 | 8 | 11 | 14 | 22 |
| 65+ | 13490 | 8.8 | 37 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| **GRAND TOTAL** | **19994** | **8.1** | **32** | **2** | **3** | **7** | **10** | **14** | **18** | **29** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 20-34 | 112 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 120 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 121 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 65+ | 58 | 4.3 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 11 |
| 20-34 | 287 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 309 | 2.7 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 50-64 | 195 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 65+ | 97 | 5.9 | 45 | 1 | 2 | 4 | 7 | 13 | 15 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 135 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 22 |
| 35-49 | 220 | 5.1 | 8 | 2 | 2 | 5 | 6 | 9 | 10 | 14 |
| 50-64 | 270 | 5.5 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 246 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 4.1 | 33 | 1 | 1 | 3 | 5 | 7 | 9 | 33 |
| 20-34 | 292 | 3.4 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 35-49 | 482 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 512 | 5.3 | 18 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| 65+ | 364 | 7.9 | 42 | 2 | 2 | 6 | 10 | 15 | 18 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 432 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 915 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 885 | 5.4 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| B. *Operated* | 1682 | 5.1 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 25 |
| **1. SINGLE DX** | 1347 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 2567 | 5.2 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 1317 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| **B. OPERATED** | 2597 | 4.4 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 94 | 3.4 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 20-34 | 826 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 1131 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 50-64 | 1098 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 765 | 6.9 | 32 | 2 | 2 | 6 | 8 | 13 | 16 | 32 |
| **GRAND TOTAL** | **3914** | **4.6** | **16** | **1** | **1** | **4** | **6** | **9** | **11** | **19** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 5 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 363 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 145 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 174 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 276 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 156 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.8 | 15 | <1 | <1 | 2 | 3 | 5 | 11 | 19 |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 6 | 10.8 | 173 | 3 | 3 | 5 | 11 | 34 | 37 | 37 |
| 65+ | 12 | 4.8 | 21 | 1 | 1 | 3 | 7 | 11 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 20-34 | 75 | 3.9 | 5 | 2 | 2 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 73 | 4.7 | 7 | 2 | 2 | 4 | 6 | 7 | 10 | 15 |
| 50-64 | 213 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 65+ | 188 | 6.9 | 23 | 2 | 3 | 5 | 8 | 14 | 17 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | 1114 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 4.4 | 39 | <1 | <1 | 3 | 4 | 8 | 17 | 37 |
| B. *Operated* | 859 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| **1. SINGLE DX** | 1135 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 904 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 66 | 3.7 | 28 | <1 | <1 | 2 | 4 | 6 | 12 | 34 |
| **B. OPERATED** | 1973 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| TOTAL 0-19 YRS | 704 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 225 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 253 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 500 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 357 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 14 | 25 |
| **GRAND TOTAL** | **2039** | **3.9** | **8** | **1** | **2** | **3** | **5** | **7** | **8** | **16** |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 11 | 13 |
| 20-34 | 329 | 4.6 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| 35-49 | 156 | 5.3 | 6 | 2 | 3 | 5 | 7 | 8 | 9 | 14 |
| 50-64 | 126 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 65+ | 89 | 6.2 | 9 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 20-34 | 100 | 4.1 | 5 | 2 | 2 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 101 | 4.6 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 14 |
| 50-64 | 82 | 5.3 | 14 | 1 | 2 | 4 | 6 | 10 | 14 | 19 |
| 65+ | 49 | 5.5 | 15 | 2 | 2 | 4 | 7 | 13 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 5.2 | 9 | 2 | 3 | 4 | 7 | 10 | 11 | 15 |
| 20-34 | 100 | 5.9 | 23 | 2 | 3 | 5 | 7 | 10 | 12 | 30 |
| 35-49 | 107 | 6.6 | 18 | 3 | 3 | 6 | 8 | 10 | 12 | 27 |
| 50-64 | 138 | 6.5 | 10 | 2 | 3 | 6 | 9 | 11 | 13 | 14 |
| 65+ | 163 | 8.4 | 37 | 3 | 3 | 7 | 10 | 15 | 19 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.8 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 20-34 | 85 | 5.4 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| 35-49 | 86 | 6.3 | 23 | 2 | 2 | 5 | 8 | 12 | 14 | 29 |
| 50-64 | 124 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 141 | 9.8 | 48 | 3 | 3 | 8 | 13 | 18 | 24 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 840 | 5.0 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| B. *Operated* | 376 | 4.7 | 10 | 2 | 2 | 4 | 5 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 551 | 6.9 | 23 | 2 | 3 | 6 | 8 | 12 | 14 | 26 |
| B. *Operated* | 474 | 7.4 | 32 | 2 | 2 | 6 | 10 | 14 | 18 | 29 |
| **1. SINGLE DX** | 1216 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 1025 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| **A. NOT OPERATED** | 1391 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| **B. OPERATED** | 850 | 6.2 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 265 | 4.6 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| 20-34 | 614 | 4.8 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 450 | 5.7 | 13 | 2 | 2 | 5 | 7 | 9 | 11 | 20 |
| 50-64 | 470 | 6.4 | 15 | 2 | 3 | 5 | 8 | 11 | 14 | 20 |
| 65+ | 442 | 8.1 | 35 | 2 | 3 | 7 | 10 | 15 | 18 | 34 |
| **GRAND TOTAL** | **2241** | **5.9** | **18** | **2** | **2** | **5** | **7** | **11** | **14** | **23** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 9 |
| 20-34 | 72 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 35-49 | 31 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 10 |
| 50-64 | 9 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 7 | 3.9 | 24 | 1 | 1 | 2 | 3 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1813 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 703 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 260 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 115 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 65+ | 66 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 28 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 15 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 50-64 | 12 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 8 | 8 |
| 65+ | 11 | 3.7 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 466 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 413 | 2.4 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 35-49 | 281 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| 50-64 | 207 | 3.4 | 12 | 1 | 2 | 2 | 4 | 7 | 9 | 18 |
| 65+ | 184 | 4.5 | 16 | 2 | 2 | 3 | 5 | 9 | 12 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 285 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| B. *Operated* | 2957 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 1551 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **1. SINGLE DX** | 3242 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 1710 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 444 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **B. OPERATED** | 4508 | 2.3 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| TOTAL 0-19 YRS | 2538 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1216 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 587 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 343 | 2.9 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 65+ | 268 | 4.0 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 20 |
| **GRAND TOTAL** | **4952** | **2.2** | **3** | **<1** | **1** | **2** | **2** | **3** | **4** | **10** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 2.0 | 2 | <1 | <1 | 2 | 3 | 3 | 5 | 7 |
| 20-34 | 63 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 20 |
| 35-49 | 47 | 3.1 | 8 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 50-64 | 49 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 65+ | 17 | 4.0 | 14 | 1 | 1 | 2 | 5 | 8 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 716 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 702 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 435 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 50-64 | 365 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 144 | 4.5 | 17 | 2 | 2 | 4 | 5 | 7 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.7 | 9 | 1 | 1 | 2 | 5 | 8 | 11 | 12 |
| 20-34 | 53 | 4.4 | 21 | <1 | 1 | 3 | 6 | 8 | 11 | 30 |
| 35-49 | 56 | 5.0 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 54 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 12 | 14 |
| 65+ | 62 | 6.6 | 31 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 3.1 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 401 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 336 | 4.7 | 29 | 1 | 2 | 3 | 5 | 9 | 13 | 31 |
| 50-64 | 433 | 6.0 | 37 | 2 | 2 | 5 | 7 | 11 | 15 | 46 |
| 65+ | 267 | 8.2 | 93 | 2 | 2 | 5 | 8 | 18 | 27 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 239 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| B. *Operated* | 2362 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 255 | 4.9 | 19 | 1 | 1 | 4 | 6 | 11 | 12 | 28 |
| B. *Operated* | 1708 | 5.0 | 35 | 1 | 2 | 3 | 6 | 9 | 14 | 35 |
| **1. SINGLE DX** | 2601 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 1963 | 5.0 | 33 | 1 | 2 | 3 | 6 | 9 | 13 | 32 |
| **A. NOT OPERATED** | 494 | 3.8 | 14 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 4070 | 3.8 | 19 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| TOTAL 0-19 YRS | 1080 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 1219 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 874 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| 50-64 | 901 | 4.8 | 22 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 65+ | 490 | 6.7 | 63 | 2 | 2 | 5 | 7 | 13 | 21 | 40 |
| **GRAND TOTAL** | **4564** | **3.8** | **18** | **1** | **1** | **3** | **4** | **7** | **10** | **21** |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 24 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 7 |
| 35-49 | 40 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 19 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 5 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 1520 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 3448 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 1416 | 2.6 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 525 | 2.9 | 3 | 2 | 2 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 27 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 54 | 3.9 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 50-64 | 26 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 8 |
| 65+ | 11 | 5.7 | 18 | 1 | 1 | 4 | 10 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 683 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 1732 | 3.7 | 9 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 951 | 4.1 | 8 | 2 | 2 | 3 | 5 | 8 | 10 | 15 |
| 65+ | 473 | 4.9 | 20 | 2 | 2 | 3 | 5 | 9 | 12 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 7123 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 3886 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **1. SINGLE DX** | 7215 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 4006 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 212 | 3.4 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 11009 | 3.0 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 267 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 2254 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 5274 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 2412 | 3.2 | 7 | 1 | 2 | 2 | 4 | 6 | 8 | 12 |
| 65+ | 1014 | 3.9 | 12 | 2 | 2 | 3 | 4 | 7 | 10 | 21 |
| **GRAND TOTAL** | **11221** | **3.0** | **6** | **1** | **2** | **2** | **3** | **5** | **7** | **12** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.1 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 94 | 3.2 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 46 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 11 |
| 50-64 | 21 | 2.6 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 65+ | 19 | 4.1 | 6 | 1 | 2 | 3 | 5 | 7 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 529 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 20-34 | 1006 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 731 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 50-64 | 492 | 3.2 | 4 | 1 | 2 | 2 | 4 | 6 | 8 | 10 |
| 65+ | 268 | 3.3 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.5 | 8 | <1 | <1 | 3 | 4 | 8 | 10 | 11 |
| 20-34 | 59 | 4.4 | 24 | 1 | 1 | 3 | 5 | 8 | 9 | 31 |
| 35-49 | 65 | 5.1 | 20 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| 50-64 | 40 | 6.7 | 45 | <1 | <1 | 4 | 9 | 17 | 23 | 27 |
| 65+ | 47 | 5.3 | 13 | <1 | <1 | 5 | 7 | 10 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 418 | 4.1 | 13 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 502 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 50-64 | 410 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 65+ | 270 | 5.2 | 22 | 2 | 2 | 3 | 6 | 10 | 16 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 3026 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 5.1 | 23 | <1 | 1 | 4 | 7 | 11 | 15 | 25 |
| B. *Operated* | 1688 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| **1. SINGLE DX** | 3242 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 1916 | 4.5 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 444 | 4.1 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **B. OPERATED** | 4714 | 3.5 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 670 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 1577 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 1344 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 963 | 4.0 | 11 | 1 | 2 | 3 | 5 | 8 | 9 | 19 |
| 65+ | 604 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **GRAND TOTAL** | **5158** | **3.6** | **8** | **1** | **1** | **3** | **4** | **6** | **8** | **15** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 535 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 124 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 50-64 | 12 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 438 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1725 | 5.0 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 460 | 6.2 | 9 | 2 | 3 | 6 | 8 | 9 | 11 | 16 |
| 50-64 | 70 | 7.6 | 8 | 2 | 4 | 7 | 9 | 11 | 12 | 16 |
| 65+ | 34 | 10.8 | 21 | 4 | 5 | 10 | 13 | 17 | 19 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 20-34 | 378 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 109 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 15 | 4.7 | 16 | 1 | 2 | 3 | 5 | 11 | 15 | 16 |
| 65+ | 8 | 6.1 | 63 | 1 | 1 | 4 | 6 | 20 | 25 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 333 | 5.5 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 2774 | 6.2 | 11 | 2 | 2 | 6 | 8 | 10 | 12 | 18 |
| 35-49 | 1240 | 8.0 | 19 | 3 | 4 | 7 | 9 | 13 | 15 | 24 |
| 50-64 | 171 | 9.1 | 27 | 5 | 6 | 8 | 10 | 15 | 19 | 34 |
| 65+ | 58 | 14.9 | 121 | 6 | 7 | 11 | 16 | 29 | 40 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 907 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2727 | 5.3 | 8 | 1 | 2 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | 4576 | 6.9 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| **1. SINGLE DX** | 3634 | 4.6 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 5190 | 6.5 | 17 | 2 | 2 | 6 | 8 | 11 | 13 | 21 |
| **A. NOT OPERATED** | 1521 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 7303 | 6.3 | 14 | 2 | 2 | 6 | 8 | 10 | 13 | 19 |
| TOTAL 0-19 YRS | 1109 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 20-34 | 5412 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 1933 | 7.0 | 17 | 2 | 3 | 7 | 8 | 11 | 14 | 22 |
| 50-64 | 268 | 8.2 | 22 | 2 | 4 | 7 | 9 | 13 | 16 | 26 |
| 65+ | 102 | 12.6 | 89 | 4 | 5 | 10 | 16 | 22 | 31 | 54 |
| **GRAND TOTAL** | **8824** | **5.7** | **14** | **1** | **2** | **5** | **7** | **10** | **12** | **18** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1122 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 2640 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 11 |
| 35-49 | 313 | 5.5 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 22 | 5.8 | 44 | 1 | 2 | 5 | 7 | 8 | 18 | 34 |
| 65+ | 10 | 4.7 | 7 | 2 | 2 | 4 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 335 | 5.4 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 1677 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 427 | 6.7 | 18 | 1 | 2 | 6 | 8 | 11 | 15 | 20 |
| 50-64 | 72 | 7.3 | 31 | 1 | 2 | 7 | 10 | 13 | 16 | 32 |
| 65+ | 13 | 7.5 | 19 | 1 | 2 | 7 | 9 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 577 | 5.0 | 13 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 20-34 | 1698 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 10 | 17 |
| 35-49 | 301 | 6.3 | 11 | 2 | 3 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 39 | 8.0 | 19 | 3 | 3 | 8 | 11 | 13 | 17 | 21 |
| 65+ | 23 | 6.9 | 17 | 3 | 3 | 6 | 8 | 13 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 462 | 6.5 | 13 | 2 | 2 | 6 | 8 | 11 | 12 | 20 |
| 20-34 | 4428 | 6.0 | 13 | 1 | 2 | 6 | 8 | 10 | 12 | 18 |
| 35-49 | 1325 | 7.6 | 16 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| 50-64 | 197 | 10.3 | 58 | 3 | 5 | 8 | 12 | 19 | 24 | 41 |
| 65+ | 57 | 15.1 | 176 | 5 | 6 | 11 | 17 | 30 | 39 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4107 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 12 |
| B. *Operated* | 2524 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2638 | 5.5 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 6469 | 6.6 | 18 | 1 | 2 | 6 | 8 | 11 | 14 | 20 |
| **1. SINGLE DX** | 6631 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 9107 | 6.3 | 16 | 1 | 2 | 6 | 8 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 6745 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **B. OPERATED** | 8993 | 6.3 | 17 | 1 | 2 | 6 | 8 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | 2496 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 10443 | 5.4 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 2366 | 7.0 | 15 | 2 | 2 | 7 | 9 | 12 | 14 | 20 |
| 50-64 | 330 | 9.1 | 48 | 2 | 3 | 8 | 11 | 16 | 21 | 38 |
| 65+ | 103 | 11.3 | 122 | 3 | 3 | 8 | 13 | 19 | 32 | 69 |
| **GRAND TOTAL** | **15738** | **5.7** | **13** | **1** | **2** | **5** | **7** | **10** | **12** | **18** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 82 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 14 | 4.5 | 7 | 1 | 2 | 4 | 7 | 8 | 10 | 10 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 3.1 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 1652 | 4.6 | 8 | <1 | 1 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 623 | 6.1 | 7 | 2 | 2 | 6 | 7 | 8 | 10 | 14 |
| 50-64 | 48 | 6.1 | 8 | 1 | 2 | 6 | 8 | 9 | 11 | 16 |
| 65+ | 3 | 7.3 | 26 | 3 | 3 | 6 | 11 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.5 | 3 | 1 | 1 | 4 | 4 | 6 | 7 | 7 |
| 20-34 | 86 | 4.6 | 14 | 1 | 1 | 3 | 7 | 9 | 12 | 18 |
| 35-49 | 36 | 4.4 | 14 | <1 | 1 | 3 | 6 | 10 | 11 | 18 |
| 50-64 | 4 | 9.8 | 58 | 2 | 2 | 8 | 15 | 20 | 20 | 20 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 4.2 | 9 | <1 | 1 | 4 | 6 | 7 | 9 | 15 |
| 20-34 | 4099 | 5.8 | 11 | 1 | 1 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 3169 | 7.2 | 9 | 2 | 5 | 7 | 8 | 10 | 12 | 17 |
| 50-64 | 363 | 7.9 | 14 | 4 | 5 | 7 | 9 | 11 | 13 | 21 |
| 65+ | 36 | 9.3 | 16 | 3 | 5 | 8 | 11 | 16 | 16 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 3.6 | 6 | 1 | 1 | 3 | 5 | 5 | 7 | 13 |
| B. *Operated* | 2387 | 5.0 | 8 | 1 | 1 | 5 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 4.6 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 7744 | 6.5 | 11 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| **1. SINGLE DX** | 2498 | 4.9 | 8 | 1 | 1 | 5 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 7888 | 6.4 | 11 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| **A. NOT OPERATED** | 255 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 10131 | 6.1 | 10 | 1 | 2 | 6 | 8 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 169 | 3.7 | 6 | 1 | 1 | 3 | 6 | 7 | 8 | 9 |
| 20-34 | 5919 | 5.4 | 10 | 1 | 1 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 3842 | 7.0 | 9 | 2 | 4 | 7 | 8 | 10 | 11 | 17 |
| 50-64 | 416 | 7.7 | 14 | 2 | 5 | 7 | 9 | 11 | 13 | 21 |
| 65+ | 40 | 9.1 | 17 | 3 | 4 | 8 | 11 | 16 | 16 | 19 |
| **GRAND TOTAL** | **10386** | **6.1** | **10** | **1** | **2** | **6** | **8** | **9** | **11** | **17** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 271 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 142 | 3.5 | 5 | 1 | 1 | 2 | 5 | 7 | 8 | 9 |
| 50-64 | 52 | 2.9 | 4 | 1 | 2 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 17 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.7 | 10 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 25 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 7 | 5.1 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 10 |
| 50-64 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 5 | 7.4 | 3 | 5 | 5 | 7 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 2.9 | 4 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 997 | 4.9 | 10 | 1 | 2 | 5 | 7 | 8 | 10 | 14 |
| 35-49 | 836 | 5.6 | 10 | 1 | 2 | 6 | 8 | 9 | 11 | 14 |
| 50-64 | 215 | 5.5 | 14 | 1 | 2 | 5 | 8 | 10 | 13 | 16 |
| 65+ | 99 | 6.7 | 21 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.7 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| B. *Operated* | 498 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 4.7 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 2181 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| **1. SINGLE DX** | 512 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | 2228 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| **A. NOT OPERATED** | 61 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **B. OPERATED** | 2679 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| TOTAL 0-19 YRS | 60 | 2.9 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 20-34 | 1302 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 987 | 5.3 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 14 |
| 50-64 | 270 | 5.0 | 13 | 1 | 2 | 3 | 7 | 10 | 12 | 15 |
| 65+ | 121 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **GRAND TOTAL** | **2740** | **4.9** | **10** | **1** | **2** | **4** | **7** | **9** | **11** | **14** |

### 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 216 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 31 | 4.7 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 50-64 | 8 | 5.9 | 11 | 1 | 1 | 6 | 8 | 10 | 10 | 10 |
| 65+ | 10 | 4.3 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 925 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 366 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 111 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 30 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 215 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 69 | 5.6 | 16 | 1 | 1 | 5 | 7 | 10 | 12 | 23 |
| 50-64 | 35 | 7.5 | 18 | 3 | 3 | 7 | 9 | 14 | 16 | 20 |
| 65+ | 41 | 8.5 | 25 | 2 | 3 | 7 | 12 | 16 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 20-34 | 573 | 4.1 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 297 | 5.2 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 108 | 6.2 | 59 | 1 | 2 | 4 | 8 | 13 | 17 | 82 |
| 65+ | 60 | 7.8 | 37 | 2 | 2 | 7 | 10 | 14 | 22 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 362 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 1592 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 433 | 5.4 | 12 | 2 | 2 | 4 | 6 | 9 | 13 | 18 |
| B. *Operated* | 1136 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| **1. SINGLE DX** | 1954 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1569 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 795 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 2728 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 428 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 1929 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 763 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 262 | 4.9 | 32 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 65+ | 141 | 6.8 | 28 | 2 | 2 | 5 | 9 | 14 | 17 | 42 |
| **GRAND TOTAL** | 3523 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |

### 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 4.1 | 7 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 13 | 2.3 | 5 | <1 | <1 | 1 | 2 | 7 | 7 | 7 |
| 50-64 | 14 | 3.7 | 7 | <1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 65+ | 11 | 6.1 | 17 | 2 | 2 | 5 | 7 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.8 | 15 | <1 | 1 | 4 | 7 | 11 | 12 | 12 |
| 20-34 | 706 | 6.0 | 4 | 3 | 4 | 6 | 7 | 8 | 10 | 12 |
| 35-49 | 878 | 6.9 | 6 | 3 | 4 | 7 | 8 | 10 | 11 | 15 |
| 50-64 | 946 | 7.7 | 7 | 4 | 5 | 7 | 9 | 11 | 13 | 16 |
| 65+ | 723 | 8.1 | 10 | 4 | 5 | 8 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 35 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 35-49 | 45 | 4.2 | 8 | <1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 50-64 | 75 | 5.0 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 24 |
| 65+ | 93 | 6.2 | 27 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.8 | 40 | 2 | 3 | 6 | 12 | 16 | 23 | 25 |
| 20-34 | 2207 | 6.8 | 7 | 4 | 5 | 6 | 8 | 10 | 11 | 17 |
| 35-49 | 3268 | 7.8 | 11 | 4 | 5 | 7 | 9 | 11 | 13 | 20 |
| 50-64 | 2367 | 8.8 | 13 | 5 | 5 | 8 | 10 | 13 | 16 | 22 |
| 65+ | 1838 | 10.0 | 26 | 5 | 6 | 9 | 11 | 15 | 19 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 4.0 | 10 | <1 | <1 | 3 | 7 | 8 | 9 | 14 |
| B. *Operated* | 3265 | 7.2 | 8 | 4 | 4 | 7 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 248 | 5.0 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 26 |
| B. *Operated* | 9695 | 8.2 | 15 | 4 | 5 | 7 | 9 | 12 | 15 | 23 |
| **1. SINGLE DX** | 3311 | 7.2 | 8 | 4 | 4 | 7 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 9943 | 8.2 | 15 | 4 | 5 | 7 | 9 | 12 | 15 | 23 |
| **A. NOT OPERATED** | 294 | 4.9 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 12960 | 8.0 | 13 | 4 | 5 | 7 | 9 | 12 | 14 | 21 |
| TOTAL 0-19 YRS | 27 | 7.0 | 32 | 1 | 1 | 5 | 11 | 14 | 17 | 25 |
| 20-34 | 2956 | 6.6 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 15 |
| 35-49 | 4204 | 7.6 | 11 | 4 | 5 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 3402 | 8.4 | 12 | 4 | 5 | 8 | 10 | 12 | 15 | 21 |
| 65+ | 2665 | 9.4 | 23 | 4 | 5 | 8 | 11 | 14 | 18 | 26 |
| **GRAND TOTAL** | 13254 | 7.9 | 14 | 4 | 5 | 7 | 9 | 12 | 14 | 21 |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 4.0 | 24 | 1 | 1 | 2 | 6 | 13 | 14 | 14 |
| 35-49 | 4 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 194 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| 35-49 | 172 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 50-64 | 17 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 16 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 35-49 | 9 | 3.1 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.3 | 5 | 1 | 2 | 2 | 3 | 8 | 9 | 9 |
| 20-34 | 327 | 3.7 | 9 | <1 | 1 | 2 | 6 | 8 | 9 | 13 |
| 35-49 | 337 | 3.8 | 8 | <1 | 1 | 2 | 6 | 8 | 9 | 10 |
| 50-64 | 36 | 3.7 | 10 | <1 | 1 | 2 | 5 | 9 | 10 | 12 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 3.2 | 15 | <1 | <1 | 2 | 3 | 9 | 13 | 14 |
| B. *Operated* | 399 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| B. *Operated* | 719 | 3.7 | 8 | <1 | 1 | 2 | 6 | 8 | 9 | 12 |
| **1. SINGLE DX** | 411 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | 754 | 3.7 | 8 | <1 | 1 | 2 | 6 | 8 | 9 | 12 |
| **A. NOT OPERATED** | 47 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| **B. OPERATED** | 1118 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 43 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 20-34 | 544 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 522 | 3.2 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 10 |
| 50-64 | 56 | 3.0 | 7 | 1 | 1 | 2 | 3 | 8 | 10 | 12 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1165 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 266 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 87 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 502 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 5159 | 2.4 | 4 | <1 | 1 | 2 | 2 | 5 | 6 | 9 |
| 35-49 | 3842 | 2.4 | 4 | <1 | <1 | 2 | 2 | 6 | 7 | 9 |
| 50-64 | 455 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 9 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 387 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 223 | 3.5 | 15 | <1 | 1 | 2 | 5 | 8 | 9 | 20 |
| 50-64 | 20 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 417 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 7271 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 7914 | 4.9 | 11 | 1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 790 | 4.9 | 18 | 1 | 1 | 3 | 7 | 9 | 11 | 20 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 467 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 9958 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 748 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 16392 | 4.6 | 11 | 1 | 1 | 4 | 7 | 8 | 10 | 14 |
| **1. SINGLE DX** | 10425 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 17140 | 4.5 | 11 | 1 | 1 | 4 | 7 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 1215 | 2.8 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 26350 | 3.7 | 9 | <1 | 1 | 2 | 6 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 1145 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 13083 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 12 |
| 35-49 | 12066 | 4.1 | 10 | <1 | 1 | 2 | 6 | 8 | 9 | 14 |
| 50-64 | 1271 | 3.8 | 14 | <1 | 1 | 2 | 6 | 8 | 10 | 14 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 27565 | 3.7 | 9 | <1 | 1 | 2 | 6 | 8 | 9 | 13 |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 15 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 18 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 65+ | 12 | 4.3 | 24 | <1 | 1 | 2 | 6 | 10 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 2.2 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 398 | 1.9 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 8 |
| 50-64 | 1364 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 401 | 2.4 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 3.8 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 52 | 4.3 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 10 |
| 50-64 | 65 | 4.3 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 13 |
| 65+ | 59 | 5.4 | 18 | 1 | 2 | 4 | 7 | 11 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 5.9 | 10 | 2 | 2 | 6 | 7 | 11 | 12 | 12 |
| 35-49 | 384 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 50-64 | 1684 | 3.8 | 12 | 1 | 1 | 2 | 5 | 8 | 10 | 16 |
| 65+ | 667 | 4.6 | 17 | 1 | 2 | 3 | 6 | 10 | 13 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 18 |
| B. *Operated* | 2173 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 4.6 | 11 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| B. *Operated* | 2743 | 3.9 | 13 | 1 | 1 | 2 | 5 | 9 | 11 | 17 |
| **1. SINGLE DX** | 2220 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | 2928 | 4.0 | 13 | 1 | 1 | 2 | 5 | 9 | 11 | 17 |
| **A. NOT OPERATED** | 232 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 4916 | 3.1 | 9 | 1 | 1 | 2 | 3 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 27 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 849 | 2.7 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 50-64 | 3131 | 3.1 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 65+ | 1139 | 3.9 | 13 | 1 | 2 | 2 | 4 | 9 | 11 | 17 |
| **GRAND TOTAL** | **5148** | **3.2** | **10** | **1** | **1** | **2** | **3** | **7** | **9** | **15** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 2.7 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 23 |
| 20-34 | 164 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 49 | 3.8 | 21 | 1 | 1 | 3 | 4 | 7 | 9 | 31 |
| 50-64 | 18 | 4.0 | 9 | <1 | 1 | 3 | 6 | 8 | 10 | 12 |
| 65+ | 12 | 3.8 | 13 | <1 | <1 | 2 | 6 | 9 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 2503 | 3.2 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 1323 | 3.6 | 10 | <1 | 1 | 2 | 5 | 8 | 9 | 15 |
| 50-64 | 772 | 3.2 | 8 | 1 | 1 | 2 | 3 | 7 | 9 | 13 |
| 65+ | 295 | 3.7 | 12 | 1 | 1 | 2 | 4 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.0 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 179 | 3.1 | 6 | <1 | 1 | 2 | 5 | 6 | 8 | 11 |
| 35-49 | 90 | 4.6 | 26 | 1 | 1 | 3 | 6 | 10 | 12 | 30 |
| 50-64 | 49 | 5.6 | 24 | 1 | 1 | 4 | 8 | 13 | 16 | 19 |
| 65+ | 77 | 7.6 | 86 | 1 | 1 | 5 | 8 | 16 | 20 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 206 | 4.4 | 31 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 20-34 | 2977 | 4.7 | 9 | 1 | 1 | 5 | 6 | 8 | 10 | 14 |
| 35-49 | 2843 | 5.6 | 14 | 1 | 2 | 6 | 7 | 9 | 11 | 17 |
| 50-64 | 1489 | 5.4 | 21 | 1 | 2 | 4 | 8 | 10 | 12 | 22 |
| 65+ | 658 | 7.4 | 54 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 2.8 | 9 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| B. *Operated* | 5112 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 4.4 | 28 | <1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 8173 | 5.3 | 18 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |
| **1. SINGLE DX** | 5412 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 8621 | 5.3 | 18 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 748 | 3.8 | 21 | <1 | 1 | 2 | 5 | 8 | 11 | 20 |
| **B. OPERATED** | 13285 | 4.6 | 15 | 1 | 1 | 3 | 6 | 9 | 10 | 18 |
| TOTAL 0-19 YRS | 535 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 5823 | 3.9 | 8 | 1 | 1 | 3 | 6 | 7 | 9 | 13 |
| 35-49 | 4305 | 4.9 | 14 | 1 | 1 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 2328 | 4.7 | 18 | 1 | 1 | 3 | 7 | 9 | 12 | 21 |
| 65+ | 1042 | 6.3 | 47 | 1 | 2 | 4 | 8 | 13 | 18 | 33 |
| **GRAND TOTAL** | **14033** | **4.5** | **15** | **1** | **1** | **3** | **6** | **8** | **10** | **18** |

## 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 414 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 75 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 50-64 | 27 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| 65+ | 16 | 4.0 | 8 | <1 | 2 | 3 | 4 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 185 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 1829 | 3.4 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 11 |
| 35-49 | 719 | 6.5 | 12 | 1 | 2 | 7 | 9 | 10 | 12 | 16 |
| 50-64 | 443 | 8.4 | 12 | 2 | 4 | 8 | 10 | 12 | 14 | 20 |
| 65+ | 217 | 9.4 | 17 | 2 | 4 | 9 | 12 | 14 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 448 | 3.2 | 8 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 128 | 3.8 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 46 | 4.7 | 24 | 1 | 1 | 4 | 6 | 9 | 10 | 32 |
| 65+ | 38 | 6.0 | 27 | 1 | 2 | 4 | 7 | 12 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 237 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 9 | 12 |
| 20-34 | 4848 | 5.0 | 10 | <1 | 1 | 5 | 7 | 8 | 10 | 14 |
| 35-49 | 2184 | 7.1 | 13 | 2 | 2 | 7 | 8 | 11 | 13 | 19 |
| 50-64 | 661 | 9.3 | 21 | 2 | 4 | 9 | 11 | 14 | 18 | 27 |
| 65+ | 331 | 10.4 | 34 | 2 | 3 | 9 | 13 | 17 | 22 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 751 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 3393 | 5.1 | 14 | <1 | 1 | 5 | 8 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 812 | 3.4 | 9 | <1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | 8261 | 6.1 | 15 | 1 | 2 | 6 | 8 | 10 | 12 | 20 |
| **1. SINGLE DX** | 4144 | 4.6 | 13 | <1 | 1 | 3 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 9073 | 5.8 | 15 | 1 | 1 | 6 | 8 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 1563 | 3.0 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **B. OPERATED** | 11654 | 5.8 | 15 | 1 | 1 | 6 | 8 | 10 | 12 | 18 |
| TOTAL 0-19 YRS | 793 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 7539 | 4.3 | 9 | <1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 3106 | 6.7 | 13 | 1 | 2 | 7 | 8 | 10 | 13 | 18 |
| 50-64 | 1177 | 8.6 | 18 | 2 | 3 | 8 | 10 | 13 | 16 | 25 |
| 65+ | 602 | 9.6 | 29 | 2 | 3 | 9 | 12 | 16 | 19 | 26 |
| **GRAND TOTAL** | **13217** | **5.4** | **15** | **1** | **1** | **5** | **8** | **10** | **12** | **18** |

## 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 28 | 2.5 | 4 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| 35-49 | 2 | 10.5 | 181 | 1 | 1 | 10 | 20 | 20 | 20 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 5.4 | 3 | 3 | 4 | 5 | 6 | 7 | 9 | 10 |
| 20-34 | 1510 | 5.4 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 135 | 5.8 | 3 | 4 | 4 | 5 | 7 | 8 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 9 | 2.1 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 5.6 | 3 | 3 | 4 | 5 | 7 | 8 | 9 | 11 |
| 20-34 | 1147 | 5.9 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| 35-49 | 165 | 6.2 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 3.0 | 13 | <1 | <1 | 1 | 4 | 6 | 7 | 20 |
| B. *Operated* | 1753 | 5.4 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| B. *Operated* | 1393 | 5.9 | 5 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 1785 | 5.3 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1407 | 5.9 | 5 | 3 | 4 | 6 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 46 | 2.7 | 10 | <1 | <1 | 1 | 4 | 6 | 7 | 20 |
| **B. OPERATED** | 3146 | 5.6 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| TOTAL 0-19 YRS | 196 | 5.4 | 3 | 2 | 4 | 5 | 6 | 8 | 9 | 10 |
| 20-34 | 2694 | 5.5 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 302 | 6.0 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3192** | **5.6** | **4** | **3** | **4** | **5** | **6** | **8** | **9** | **13** |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 20-34 | 36 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 706 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1390 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 146 | 1.8 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 25 | 2.7 | 8 | <1 | <1 | 2 | 3 | 9 | 10 | 10 |
| 35-49 | 7 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 558 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| 20-34 | 1651 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 427 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| B. *Operated* | 2242 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 10 |
| B. *Operated* | 2636 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **1. SINGLE DX** | 2299 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 2678 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **A. NOT OPERATED** | 99 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 10 |
| **B. OPERATED** | 4878 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 1293 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 3102 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 582 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4977 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 4 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| **1. SINGLE DX** | 6 | 3.0 | 4 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| **A. NOT OPERATED** | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| **B. OPERATED** | 7 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 3.4 | 3 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 9 | 3.0 | 3 | 1 | 1 | 4 | 4 | 5 | 5 | 5 |

### 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 344 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 914 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 58 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2090 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 9663 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 1021 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 20-34 | 181 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 26 | 3.1 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 350 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1665 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 310 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1316 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 12774 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 261 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 2325 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **1. SINGLE DX** | 14090 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 2586 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 1577 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 15099 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 2838 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 12423 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 1415 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **16676** | **1.7** | **2** | **<1** | **<1** | **1** | **2** | **3** | **4** | **7** |

### 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 8 | 11 |
| 20-34 | 172 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 17 | 3.2 | 6 | <1 | 1 | 2 | 5 | 6 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 221 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 20-34 | 1673 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 142 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 59 | 3.9 | 15 | 1 | 1 | 3 | 5 | 8 | 9 | 25 |
| 35-49 | 5 | 2.4 | 5 | 1 | 1 | 1 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.5 | 9 | 1 | 1 | 3 | 4 | 9 | 10 | 15 |
| 20-34 | 434 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 73 | 3.5 | 19 | <1 | <1 | 2 | 5 | 8 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 242 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 2036 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 22 |
| B. *Operated* | 562 | 3.0 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 2278 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 640 | 3.1 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 320 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **B. OPERATED** | 2598 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 343 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 2338 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 237 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2918** | **2.2** | **4** | **<1** | **<1** | **2** | **2** | **4** | **6** | **10** |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 249 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 1303 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 81 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.4 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 26 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 219 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 12 | 3.2 | 3 | 2 | 2 | 2 | 4 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.1 | 72 | 1 | 1 | 3 | 5 | 21 | 25 | 25 |
| 20-34 | 19 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1633 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| *B. Operated* | 35 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 273 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| *B. Operated* | 30 | 4.3 | 23 | 1 | 1 | 3 | 4 | 8 | 15 | 25 |
| **1. SINGLE DX** | 1668 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 303 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 1906 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **B. OPERATED** | 65 | 3.5 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 305 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 1567 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 99 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1971** | **2.6** | **3** | **1** | **1** | **2** | **3** | **5** | **6** | **9** |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 61 | 2.8 | 17 | 1 | 1 | 2 | 3 | 5 | 6 | 29 |
| 35-49 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 23 | 3.1 | 6 | <1 | 1 | 3 | 4 | 5 | 8 | 13 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 79 | 2.7 | 13 | 1 | 1 | 2 | 3 | 4 | 5 | 25 |
| *B. Operated* | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 30 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 5 | 13 |
| *B. Operated* | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| **1. SINGLE DX** | 81 | 2.7 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 25 |
| **2. MULTIPLE DX** | 33 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 5 | 13 |
| **A. NOT OPERATED** | 109 | 2.7 | 11 | 1 | 1 | 2 | 3 | 4 | 5 | 21 |
| **B. OPERATED** | 5 | 4.0 | 8 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| TOTAL 0-19 YRS | 21 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 89 | 3.0 | 13 | 1 | 1 | 2 | 3 | 5 | 7 | 25 |
| 35-49 | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **114** | **2.8** | **11** | **1** | **1** | **2** | **3** | **5** | **5** | **20** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 20-34 | 1355 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 87 | 4.1 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.3 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 84 | 5.4 | 36 | <1 | 1 | 3 | 6 | 10 | 21 | 30 |
| 35-49 | 6 | 2.7 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 20-34 | 336 | 4.6 | 16 | 1 | 2 | 4 | 5 | 9 | 11 | 17 |
| 35-49 | 39 | 4.6 | 17 | 2 | 2 | 3 | 6 | 7 | 8 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 8 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 45 | 4.8 | 21 | <1 | 1 | 4 | 6 | 10 | 15 | 21 |
| 35-49 | 7 | 11.0 | 44 | 2 | 3 | 13 | 15 | 20 | 21 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1797 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | 108 | 5.0 | 29 | 1 | 1 | 3 | 6 | 9 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 4.6 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 58 | 5.4 | 26 | <1 | 1 | 4 | 7 | 14 | 17 | 21 |
| **1. SINGLE DX** | 1905 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | 500 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 2239 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 166 | 5.2 | 28 | <1 | 1 | 4 | 6 | 10 | 18 | 29 |
| TOTAL 0-19 YRS | 446 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 20-34 | 1820 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 139 | 4.6 | 17 | 1 | 2 | 3 | 5 | 7 | 13 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2405** | **4.1** | **12** | **1** | **1** | **3** | **5** | **7** | **10** | **19** |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 332 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1356 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 20 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 3.3 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 20-34 | 522 | 4.2 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 11 | 3.9 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.8 | 5 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 20-34 | 22 | 7.0 | 17 | 2 | 3 | 6 | 8 | 15 | 15 | 15 |
| 35-49 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1708 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 4 | 4.0 | 22 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 639 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 29 | 6.8 | 21 | 2 | 2 | 6 | 8 | 15 | 16 | 20 |
| **1. SINGLE DX** | 1712 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 668 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 2347 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 33 | 6.5 | 22 | 2 | 2 | 6 | 8 | 15 | 15 | 20 |
| TOTAL 0-19 YRS | 445 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 1902 | 3.9 | 8 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 33 | 3.9 | 11 | 1 | 1 | 4 | 5 | 6 | 7 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2380** | **3.8** | **7** | **1** | **2** | **3** | **4** | **6** | **8** | **14** |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1561 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 5146 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 227 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 1.7 | 3 | <1 | <1 | 1 | 1 | 4 | 6 | 8 |
| 20-34 | 253 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 35-49 | 9 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 502 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| 35-49 | 30 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.2 | 3 | <1 | <1 | 1 | 4 | 5 | 6 | 6 |
| 20-34 | 52 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6934 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 331 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 698 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 13 |
| B. *Operated* | 62 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 11 |
| **1. SINGLE DX** | 7265 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 760 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **A. NOT OPERATED** | 7632 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| **B. OPERATED** | 393 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 9 |
| TOTAL 0-19 YRS | 1806 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 5953 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 35-49 | 266 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **8025** | **1.4** | **2** | **<1** | **<1** | **1** | **1** | **2** | **3** | **7** |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 12 | 19 |
| 20-34 | 464 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 28 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 21 | 5.6 | 38 | 1 | 2 | 4 | 5 | 10 | 21 | 30 |
| 35-49 | 3 | 8.0 | 37 | 4 | 4 | 5 | 12 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.0 | 26 | 1 | 2 | 4 | 5 | 7 | 18 | 23 |
| 20-34 | 114 | 4.9 | 34 | 1 | 1 | 3 | 5 | 10 | 14 | 34 |
| 35-49 | 12 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 11 | 10.1 | 152 | 2 | 2 | 5 | 8 | 31 | 42 | 43 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 26 | 5.7 | 35 | 1 | 2 | 4 | 5 | 12 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 142 | 4.8 | 30 | 1 | 1 | 3 | 5 | 10 | 13 | 31 |
| B. *Operated* | 12 | 9.7 | 140 | 2 | 3 | 5 | 8 | 29 | 41 | 43 |
| **1. SINGLE DX** | 576 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 154 | 5.2 | 40 | 1 | 1 | 3 | 5 | 10 | 15 | 40 |
| **A. NOT OPERATED** | 692 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| **B. OPERATED** | 38 | 6.9 | 69 | 1 | 2 | 4 | 7 | 14 | 27 | 43 |
| TOTAL 0-19 YRS | 77 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 12 | 22 |
| 20-34 | 610 | 3.8 | 18 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 35-49 | 43 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **730** | **3.8** | **17** | **1** | **1** | **3** | **4** | **7** | **10** | **23** |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 560 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 26 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 34 | 2.7 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 10 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 8 | 8 |
| 20-34 | 104 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 35-49 | 7 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 18 | 3.4 | 13 | <1 | 1 | 2 | 6 | 8 | 12 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 735 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | 43 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 143 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| B. *Operated* | 20 | 3.3 | 12 | <1 | 1 | 2 | 5 | 8 | 11 | 14 |
| **1. SINGLE DX** | 778 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 163 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| **A. NOT OPERATED** | 878 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **B. OPERATED** | 63 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| TOTAL 0-19 YRS | 191 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 716 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 34 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 941 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 384 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 20-34 | 812 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 21 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 36 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 14 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 334 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 644 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 15 | 3.9 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.4 | 9 | 1 | 1 | 4 | 5 | 9 | 11 | 12 |
| 20-34 | 43 | 4.9 | 14 | 1 | 2 | 4 | 7 | 10 | 14 | 15 |
| 35-49 | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1217 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 52 | 3.6 | 7 | 1 | 1 | 3 | 5 | 6 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 993 | 3.9 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| B. *Operated* | 58 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 13 | 15 |
| **1. SINGLE DX** | 1269 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 1051 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **A. NOT OPERATED** | 2210 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **B. OPERATED** | 110 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 11 | 15 |
| TOTAL 0-19 YRS | 746 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 1535 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 39 | 3.8 | 5 | <1 | 1 | 3 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2320 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.7 | 16 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 20-34 | 549 | 4.5 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| 35-49 | 51 | 5.5 | 18 | 2 | 2 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 40 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 35-49 | 4 | 10.3 | 93 | 1 | 1 | 8 | 17 | 23 | 23 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 20-34 | 907 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 92 | 6.2 | 31 | 1 | 2 | 4 | 8 | 12 | 19 | 29 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.6 | 22 | <1 | 1 | 3 | 6 | 10 | 15 | 22 |
| 20-34 | 90 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 15 | 25 |
| 35-49 | 9 | 3.8 | 6 | 2 | 2 | 2 | 5 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 693 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 48 | 4.5 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1214 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | 123 | 5.1 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **1. SINGLE DX** | 741 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | 1337 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 1907 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| **B. OPERATED** | 171 | 4.9 | 19 | 1 | 1 | 3 | 6 | 10 | 12 | 24 |
| TOTAL 0-19 YRS | 336 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| 20-34 | 1586 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 35-49 | 156 | 5.9 | 27 | 1 | 2 | 4 | 8 | 11 | 18 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2078** | **4.5** | **15** | **1** | **1** | **3** | **6** | **9** | **11** | **21** |

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 670 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 2356 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 132 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 863 | 3.1 | 7 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 39 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 282 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 1012 | 3.5 | 13 | <1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 35-49 | 46 | 3.5 | 4 | <1 | <1 | 3 | 5 | 7 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.3 | 10 | <1 | 1 | 4 | 6 | 9 | 11 | 12 |
| 20-34 | 302 | 4.1 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 38 | 3.5 | 12 | <1 | <1 | 2 | 4 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3158 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| B. *Operated* | 1023 | 3.2 | 7 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1340 | 3.5 | 12 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| B. *Operated* | 391 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **1. SINGLE DX** | 4181 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 1731 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 10 | 18 |
| **A. NOT OPERATED** | 4498 | 2.9 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| **B. OPERATED** | 1414 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 1124 | 2.9 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 4533 | 3.1 | 11 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 255 | 3.1 | 7 | <1 | <1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **5912** | **3.0** | **11** | **<1** | **<1** | **2** | **4** | **6** | **8** | **16** |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 449 | 3.1 | 8 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 35-49 | 24 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 5.8 | 89 | 2 | 3 | 3 | 5 | 8 | 14 | 65 |
| 20-34 | 234 | 5.0 | 33 | 2 | 2 | 4 | 5 | 7 | 10 | 27 |
| 35-49 | 8 | 4.0 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 3.5 | 11 | 2 | 2 | 3 | 3 | 5 | 7 | 23 |
| 20-34 | 401 | 3.7 | 27 | 1 | 2 | 3 | 4 | 5 | 6 | 37 |
| 35-49 | 22 | 5.7 | 25 | 2 | 2 | 4 | 8 | 13 | 18 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 5.9 | 46 | 2 | 2 | 3 | 6 | 13 | 19 | 41 |
| 20-34 | 869 | 6.1 | 39 | 2 | 3 | 4 | 6 | 11 | 17 | 45 |
| 35-49 | 89 | 6.5 | 43 | 2 | 3 | 5 | 6 | 11 | 25 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 631 | 3.0 | 6 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| B. *Operated* | 288 | 5.1 | 41 | 2 | 2 | 4 | 5 | 7 | 10 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 568 | 3.8 | 23 | 1 | 2 | 3 | 4 | 5 | 7 | 31 |
| B. *Operated* | 1084 | 6.1 | 40 | 2 | 2 | 4 | 6 | 11 | 18 | 41 |
| **1. SINGLE DX** | 919 | 3.7 | 18 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 1652 | 5.3 | 36 | 2 | 2 | 4 | 5 | 9 | 14 | 39 |
| **A. NOT OPERATED** | 1199 | 3.4 | 14 | 2 | 2 | 3 | 3 | 4 | 6 | 19 |
| **B. OPERATED** | 1372 | 5.9 | 41 | 2 | 2 | 4 | 6 | 10 | 15 | 41 |
| TOTAL 0-19 YRS | 475 | 4.1 | 26 | 2 | 2 | 3 | 4 | 6 | 8 | 31 |
| 20-34 | 1953 | 4.8 | 30 | 2 | 2 | 3 | 5 | 8 | 11 | 36 |
| 35-49 | 143 | 5.6 | 32 | 2 | 2 | 4 | 6 | 9 | 16 | 32 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2571 | 4.7 | 30 | 2 | 2 | 3 | 5 | 7 | 11 | 34 |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12348 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 48171 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 1811 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1668 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 7772 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 334 | 3.2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 521 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 1759 | 3.2 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 98 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 9477 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 965 | 3.6 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62330 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 9774 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2378 | 3.2 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 10735 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **1. SINGLE DX** | 72104 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 13113 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| **A. NOT OPERATED** | 64708 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 20509 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 14830 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 67179 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 3208 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 85217 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |

## 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.6 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 46 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| 35-49 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 7.0 | 36 | 3 | 3 | 5 | 6 | 14 | 22 | 29 |
| 20-34 | 225 | 7.3 | 71 | 3 | 3 | 5 | 7 | 9 | 22 | 50 |
| 35-49 | 26 | 7.3 | 33 | 3 | 4 | 6 | 7 | 13 | 23 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 28 | 2 | 2 | 3 | 8 | 15 | 16 | 16 |
| 20-34 | 46 | 4.2 | 8 | 1 | 2 | 3 | 5 | 9 | 9 | 15 |
| 35-49 | 5 | 4.4 | 24 | <1 | <1 | 2 | 6 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.8 | 24 | 2 | 3 | 6 | 7 | 13 | 20 | 25 |
| 20-34 | 396 | 7.8 | 58 | 3 | 3 | 6 | 7 | 14 | 23 | 42 |
| 35-49 | 56 | 8.0 | 32 | 3 | 4 | 6 | 8 | 16 | 21 | 33 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 2.9 | 3 | 1 | 2 | 3 | 3 | 5 | 7 | 11 |
| B. *Operated* | 272 | 7.3 | 65 | 3 | 3 | 5 | 7 | 10 | 22 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 4.4 | 11 | 1 | 2 | 3 | 5 | 9 | 12 | 16 |
| B. *Operated* | 491 | 7.8 | 52 | 3 | 3 | 6 | 8 | 14 | 22 | 38 |
| **1. SINGLE DX** | 330 | 6.5 | 57 | 2 | 3 | 5 | 6 | 9 | 16 | 41 |
| **2. MULTIPLE DX** | 549 | 7.4 | 49 | 2 | 3 | 6 | 7 | 14 | 22 | 37 |
| **A. NOT OPERATED** | 116 | 3.7 | 8 | 1 | 2 | 3 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 763 | 7.6 | 57 | 3 | 3 | 6 | 7 | 13 | 22 | 40 |
| TOTAL 0-19 YRS | 73 | 6.4 | 26 | 2 | 2 | 5 | 7 | 12 | 17 | 28 |
| 20-34 | 713 | 7.1 | 57 | 2 | 3 | 5 | 7 | 11 | 22 | 41 |
| 35-49 | 93 | 7.4 | 32 | 2 | 3 | 6 | 8 | 14 | 21 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 879 | 7.1 | 52 | 2 | 3 | 5 | 7 | 12 | 21 | 38 |

## 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 184 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 13 |
| 35-49 | 14 | 3.0 | 2 | 1 | 2 | 3 | 3 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 235 | 4.5 | 4 | 2 | 2 | 5 | 5 | 7 | 7 | 9 |
| 35-49 | 10 | 5.4 | 2 | 4 | 4 | 5 | 6 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 20-34 | 148 | 3.3 | 10 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 8 | 3.0 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 508 | 5.3 | 13 | 2 | 2 | 5 | 6 | 8 | 11 | 22 |
| 35-49 | 49 | 6.2 | 8 | 3 | 3 | 6 | 8 | 10 | 11 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| B. *Operated* | 289 | 4.5 | 4 | 2 | 2 | 5 | 5 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 206 | 3.2 | 9 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| B. *Operated* | 646 | 5.3 | 12 | 2 | 2 | 5 | 6 | 8 | 11 | 21 |
| **1. SINGLE DX** | 538 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 852 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 455 | 3.0 | 5 | 1 | 2 | 3 | 3 | 4 | 6 | 11 |
| **B. OPERATED** | 935 | 5.0 | 10 | 2 | 2 | 5 | 6 | 7 | 10 | 16 |
| TOTAL 0-19 YRS | 234 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 1075 | 4.5 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 81 | 5.3 | 7 | 2 | 2 | 5 | 6 | 9 | 10 | [illegible] |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1390 | 4.4 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |

### 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 35 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| 20-34 | 423 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 16 | 3.5 | 6 | 2 | 2 | 3 | 4 | 6 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 3.1 | 7 | 1 | 1 | 3 | 3 | 5 | 10 | 12 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 286 | 3.5 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 26 | 4.5 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 522 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 3.1 | 6 | 1 | 1 | 3 | 3 | 4 | 10 | 12 |
| B. *Operated* | 347 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| **1. SINGLE DX** | 566 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 363 | 3.4 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 60 | 2.9 | 3 | 1 | 1 | 3 | 4 | 4 | 6 | 11 |
| **B. OPERATED** | 869 | 3.1 | 4 | 1 | 2 | 3 | 4 | 4 | 6 | 10 |
| TOTAL 0-19 YRS | 125 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 758 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 46 | 4.0 | 11 | 1 | 2 | 3 | 4 | 7 | 8 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 929 | 3.1 | 4 | 1 | 2 | 3 | 4 | 4 | 6 | 11 |

### 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 144 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 7 | 2.6 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.0 | 12 | 2 | 2 | 3 | 4 | 6 | 10 | 20 |
| 20-34 | 95 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 5 | 17 |
| 35-49 | 7 | 3.1 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 58 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3 | 5.7 | 22 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.0 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 20-34 | 133 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 8 |
| 35-49 | 11 | 4.0 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 127 | 3.4 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 166 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| **1. SINGLE DX** | 328 | 3.0 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 248 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 8 |
| **A. NOT OPERATED** | 283 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 293 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 118 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 430 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 28 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 576 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |

## 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 23 | 4.7 | 25 | 2 | 2 | 3 | 5 | 7 | 16 | 26 |
| 20-34 | 124 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 86 | 5.3 | 52 | 2 | 3 | 4 | 5 | 7 | 9 | 52 |
| 35-49 | 7 | 6.1 | 14 | 2 | 2 | 6 | 8 | 12 | 13 | 13 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 26 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 113 | 5.0 | 77 | 2 | 2 | 3 | 5 | 7 | 10 | 47 |
| 35-49 | 7 | 6.6 | 24 | 3 | 3 | 4 | 10 | 14 | 15 | 15 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 96 | 5.3 | 11 | 2 | 2 | 5 | 6 | 9 | 14 | 17 |
| 20-34 | 635 | 5.8 | 20 | 2 | 3 | 5 | 6 | 9 | 12 | 26 |
| 35-49 | 49 | 6.6 | 31 | 2 | 2 | 6 | 7 | 13 | 17 | 29 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 150 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 107 | 5.1 | 43 | 2 | 3 | 4 | 5 | 7 | 9 | 48 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 146 | 4.8 | 62 | 1 | 2 | 3 | 5 | 7 | 11 | 24 |
| B. *Operated* | 780 | 5.8 | 20 | 2 | 3 | 5 | 6 | 9 | 13 | 27 |
| **1. SINGLE DX** | 257 | 4.2 | 21 | 2 | 2 | 3 | 4 | 6 | 7 | 25 |
| **2. MULTIPLE DX** | 926 | 5.6 | 26 | 2 | 2 | 5 | 6 | 9 | 12 | 26 |
| **A. NOT OPERATED** | 296 | 4.2 | 33 | 2 | 2 | 3 | 4 | 6 | 8 | 19 |
| **B. OPERATED** | 887 | 5.7 | 23 | 2 | 3 | 5 | 6 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 159 | 4.8 | 11 | 2 | 2 | 4 | 5 | 8 | 11 | 17 |
| 20-34 | 958 | 5.3 | 28 | 2 | 3 | 4 | 6 | 8 | 11 | 26 |
| 35-49 | 66 | 6.4 | 27 | 2 | 2 | 5 | 7 | 13 | 15 | 29 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | 1183 | 5.3 | 26 | 2 | 2 | 4 | 6 | 8 | 11 | 26 |

## 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 47 | 2.7 | 1 | 1 | 2 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 242 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 7 | 2.7 |  | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 374 | 4.5 | 2 | 2 | 3 | 5 | 5 | 6 | 7 | 8 |
| 20-34 | 2027 | 4.7 | 3 | 2 | 3 | 5 | 6 | 6 | 7 | 9 |
| 35-49 | 77 | 4.8 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 17 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 23 | 2.8 | 1 | 2 | 2 | 2 | 4 | 4 | 5 | 5 |
| 20-34 | 74 | 3.5 | 10 | 1 | 1 | 3 | 4 | 5 | 7 | 20 |
| 35-49 | 7 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 339 | 5.6 | 7 | 2 | 3 | 5 | 6 | 9 | 10 | 16 |
| 20-34 | 2284 | 5.3 | 8 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 207 | 5.8 | 10 | 3 | 3 | 5 | 7 | 8 | 10 | 22 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 296 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 2478 | 4.7 | 3 | 2 | 3 | 5 | 6 | 6 | 7 | 9 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 104 | 3.2 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 19 |
| B. *Operated* | 2830 | 5.4 | 8 | 2 | 3 | 5 | 6 | 7 | 9 | 15 |
| **1. SINGLE DX** | 2774 | 4.5 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 2934 | 5.3 | 8 | 2 | 3 | 5 | 6 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 400 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| **B. OPERATED** | 5308 | 5.0 | 6 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 783 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 8 | 12 |
| 20-34 | 4627 | 4.9 | 6 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 298 | 5.4 | 9 | 2 | 3 | 5 | 6 | 8 | 9 | 21 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | 5708 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |

## 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 298 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 16 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 1372 | 4.1 | 8 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 62 | 4.6 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.9 | 1 | <1 | 1 | 3 | 4 | 4 | 4 | 6 |
| 20-34 | 145 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 7 | 3.9 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 472 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 2571 | 4.7 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 217 | 5.4 | 9 | 3 | 3 | 5 | 6 | 8 | 9 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 391 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 1707 | 4.0 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 184 | 3.3 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| B. *Operated* | 3260 | 4.7 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 2098 | 3.8 | 6 | 2 | 2 | 3 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 3444 | 4.7 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 575 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 4967 | 4.5 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 854 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 4386 | 4.4 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 302 | 5.1 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 5542 | 4.4 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |

## 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 44 | 3.9 | 5 | 1 | 2 | 3 | 5 | 6 | 6 | 13 |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 948 | 5.6 | 6 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 20-34 | 3484 | 5.4 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 9 |
| 35-49 | 102 | 5.6 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.9 | 2 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 20 | 4.3 | 3 | 2 | 2 | 4 | 6 | 6 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1136 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 11 | 14 |
| 20-34 | 4558 | 5.9 | 6 | 4 | 4 | 6 | 6 | 8 | 9 | 13 |
| 35-49 | 226 | 6.2 | 7 | 4 | 4 | 6 | 7 | 8 | 10 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.7 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 4534 | 5.4 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 4.2 | 3 | 2 | 2 | 5 | 5 | 6 | 6 | 7 |
| B. *Operated* | 5920 | 6.0 | 6 | 4 | 4 | 5 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 4592 | 5.4 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 5949 | 6.0 | 6 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 87 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 12 |
| **B. OPERATED** | 10454 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 9 | 12 |
| TOTAL 0-19 YRS | 2104 | 5.9 | 6 | 4 | 4 | 5 | 7 | 8 | 10 | 14 |
| 20-34 | 8106 | 5.7 | 4 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 331 | 6.0 | 5 | 4 | 4 | 6 | 6 | 8 | 9 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 10541 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 9 | 12 |

## 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 367 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 10 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 4.3 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 740 | 4.4 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 9 |
| 35-49 | 25 | 5.1 | 2 | 2 | 3 | 5 | 6 | 7 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 190 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 6 | 4.0 | 10 | 2 | 2 | 3 | 5 | 9 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 313 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 1517 | 4.7 | 12 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 103 | 5.7 | 13 | 2 | 3 | 5 | 7 | 8 | 9 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 488 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 922 | 4.4 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 243 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 1933 | 4.7 | 11 | 2 | 3 | 4 | 6 | 7 | 8 | 14 |
| 1. SINGLE DX | 1410 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 2. MULTIPLE DX | 2176 | 4.6 | 10 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| A. NOT OPERATED | 731 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. OPERATED | 2855 | 4.6 | 8 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 628 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 2814 | 4.3 | 8 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 144 | 5.3 | 10 | 2 | 2 | 5 | 6 | 8 | 9 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3586 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |

## 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.9 | 1 | 2 | 2 | 3 | 3 | 5 | 5 | 5 |
| 20-34 | 90 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 11 | 3.2 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 380 | 4.7 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 25 | 4.6 | 4 | 2 | 3 | 4 | 6 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 20-34 | 58 | 3.9 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 35-49 | 6 | 3.3 | 2 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 18 |
| 20-34 | 910 | 5.5 | 10 | 2 | 3 | 5 | 6 | 8 | 9 | 18 |
| 35-49 | 78 | 5.9 | 5 | 3 | 3 | 6 | 7 | 9 | 11 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 116 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 465 | 4.7 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 80 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| B. *Operated* | 1090 | 5.6 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| 1. SINGLE DX | 581 | 4.4 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 10 |
| 2. MULTIPLE DX | 1170 | 5.5 | 9 | 2 | 3 | 5 | 6 | 8 | 9 | 18 |
| A. NOT OPERATED | 196 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. OPERATED | 1555 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 193 | 4.9 | 7 | 2 | 2 | 5 | 6 | 8 | 9 | 16 |
| 20-34 | 1438 | 5.1 | 8 | 2 | 3 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 120 | 5.3 | 5 | 2 | 3 | 5 | 7 | 8 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1751 | 5.1 | 8 | 2 | 3 | 5 | 6 | 7 | 9 | 15 |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 3 | 1 | 1 | 2 | 5 | 5 | 5 | 5 |
| 20-34 | 43 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 517 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 9 |
| 20-34 | 4968 | 5.6 | 2 | 4 | 4 | 6 | 6 | 7 | 8 | 9 |
| 35-49 | 179 | 5.8 | 1 | 4 | 4 | 6 | 6 | 7 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 20 | 5.0 | 7 | 2 | 2 | 5 | 6 | 7 | 11 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 5.9 | 5 | 4 | 4 | 6 | 6 | 8 | 9 | 12 |
| 20-34 | 6353 | 5.9 | 5 | 4 | 4 | 6 | 6 | 7 | 8 | 13 |
| 35-49 | 455 | 6.3 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 49 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| B. *Operated* | 5664 | 5.6 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 21 | 4.9 | 7 | 2 | 2 | 4 | 6 | 7 | 11 | 14 |
| B. *Operated* | 7203 | 6.0 | 5 | 4 | 4 | 6 | 6 | 8 | 8 | 14 |
| 1. SINGLE DX | 5713 | 5.6 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 9 |
| 2. MULTIPLE DX | 7224 | 6.0 | 5 | 4 | 4 | 6 | 6 | 8 | 8 | 14 |
| A. NOT OPERATED | 70 | 4.0 | 5 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| B. OPERATED | 12867 | 5.8 | 4 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 919 | 5.5 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 11384 | 5.8 | 4 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |
| 35-49 | 634 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 12937 | 5.8 | 4 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 268 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 20-34 | 1138 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 42 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 788 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 43 | 4.2 | 3 | 2 | 2 | 4 | 6 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 3.5 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 594 | 3.9 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 27 | 4.1 | 4 | 2 | 2 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 459 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 2477 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 35-49 | 187 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1448 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| B. *Operated* | 987 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 783 | 3.8 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 16 |
| B. *Operated* | 3123 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 1. SINGLE DX | 2435 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 3906 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| A. NOT OPERATED | 2231 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. OPERATED | 4110 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 1045 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 4997 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 299 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 6341 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 637 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 2603 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 105 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 3.0 | 1 | 2 | 2 | 3 | 3 | 5 | 6 | 6 |
| 20-34 | 1245 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 49 | 3.2 | 2 | 2 | 2 | 3 | 3 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 540 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 13 | 2.9 | | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2183 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 143 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3345 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 1503 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 692 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 2605 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 4848 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 3297 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 4037 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 4108 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 1264 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 6571 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 310 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 8145 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 20-34 | 498 | 2.6 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 18 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1304 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 5461 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 301 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 6 | 8 |
| 20-34 | 118 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 524 | 3.1 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 2990 | 3.3 | 6 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 35-49 | 243 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 670 | 2.6 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 7066 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 8 |
| B. *Operated* | 3757 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **1. SINGLE DX** | 7736 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 3921 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **A. NOT OPERATED** | 834 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| **B. OPERATED** | 10823 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 2024 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 9067 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 566 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 11657 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |

### 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 311 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 7 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1309 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 4150 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 87 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.9 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 7 |
| 20-34 | 89 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 853 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 2668 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 90 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 429 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 5546 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| B. *Operated* | 3611 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 5975 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 3745 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 563 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 9157 | 3.2 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 2317 | 3.1 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 7218 | 3.3 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 185 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 9720 | 3.2 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |

### 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 256 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| 35-49 | 3 | 2.3 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 458 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 1560 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 57 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.8 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 79 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 5 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 288 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 6 | 7 |
| 20-34 | 1173 | 3.5 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 61 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 338 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| B. *Operated* | 2075 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 3.2 | 3 | 2 | 2 | 3 | 3 | 4 | 6 | 11 |
| B. *Operated* | 1522 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 2413 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 1628 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 444 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 9 | 10 |
| **B. OPERATED** | 3597 | 3.2 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 847 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 3068 | 3.2 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 126 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4041 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |

## 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1628 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 4808 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 215 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5144 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 21943 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 800 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 830 | 3.5 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 2361 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 159 | 3.8 | 11 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3371 | 4.6 | 12 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 17222 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 1372 | 5.3 | 21 | 2 | 3 | 4 | 6 | 8 | 12 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6651 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 27887 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 3350 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| B. *Operated* | 21965 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 1. SINGLE DX | 34538 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 25315 | 4.5 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| A. NOT OPERATED | 10001 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| B. OPERATED | 49852 | 4.0 | 8 | 2 | 2 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 10973 | 3.7 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 46334 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 2546 | 4.5 | 14 | 2 | 2 | 4 | 5 | 7 | 10 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 59853 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 7 | 14 |

## 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.7 | 18 | 2 | 2 | 4 | 5 | 6 | 7 | 31 |
| 20-34 | 121 | 4.1 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 16 |
| 35-49 | 5 | 3.4 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 8 | 7.5 | 45 | 2 | 2 | 5 | 8 | 19 | 23 | 23 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.5 | 3 | 1 | 2 | 5 | 6 | 7 | 8 | 8 |
| 20-34 | 62 | 4.8 | 9 | 2 | 3 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.7 | 16 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 20-34 | 15 | 4.1 | 7 | <1 | 1 | 3 | 6 | 7 | 9 | 10 |
| 35-49 | 2 | 19.5 | 113 | 12 | 12 | 19 | 27 | 27 | 27 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 171 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 20 |
| B. *Operated* | 17 | 5.4 | 26 | 1 | 2 | 4 | 6 | 9 | 18 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 82 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 16 |
| B. *Operated* | 24 | 5.8 | 32 | 1 | 2 | 4 | 7 | 12 | 17 | 27 |
| 1. SINGLE DX | 188 | 4.4 | 11 | 2 | 2 | 4 | 5 | 7 | 8 | 23 |
| 2. MULTIPLE DX | 106 | 5.0 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 21 |
| A. NOT OPERATED | 253 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| B. OPERATED | 41 | 5.7 | 29 | 1 | 2 | 4 | 7 | 11 | 17 | 27 |
| TOTAL 0-19 YRS | 78 | 4.7 | 13 | 2 | 2 | 4 | 5 | 7 | 8 | 26 |
| 20-34 | 206 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 19 |
| 35-49 | 10 | 7.5 | 63 | 1 | 1 | 4 | 12 | 20 | 27 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 294 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 10 | 23 |

### 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 86 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 6 | 3.0 | 1 | 2 | 2 | 3 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 343 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 35-49 | 16 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 54 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.2 | 57 | 1 | 1 | 2 | 4 | 7 | 12 | 42 |
| 20-34 | 170 | 2.9 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 12 |
| 35-49 | 15 | 4.1 | 7 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| B. *Operated* | 414 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 214 | 3.2 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| **1. SINGLE DX** | 528 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 279 | 3.1 | 11 | 1 | 1 | 2 | 3 | 6 | 9 | 12 |
| **A. NOT OPERATED** | 179 | 2.1 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **B. OPERATED** | 628 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 114 | 2.4 | 16 | 1 | 1 | 2 | 2 | 4 | 5 | 21 |
| 20-34 | 653 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 40 | 2.8 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **807** | **2.3** | **5** | **<1** | **1** | **2** | **3** | **4** | **6** | **10** |

### 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.5 | 7 | <1 | 1 | 3 | 4 | 8 | 9 | 10 |
| 20-34 | 101 | 5.2 | 71 | 1 | 1 | 3 | 6 | 10 | 14 | 50 |
| 35-49 | 5 | 4.0 | 4 | 2 | 2 | 3 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 9 | 9 |
| 20-34 | 119 | 3.8 | 11 | 1 | 1 | 3 | 4 | 8 | 10 | 21 |
| 35-49 | 4 | 6.8 | 31 | <1 | <1 | 7 | 11 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.6 | 8 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| 20-34 | 52 | 4.1 | 7 | 1 | 1 | 4 | 5 | 8 | 11 | 12 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.6 | 28 | <1 | 2 | 3 | 5 | 8 | 18 | 23 |
| 20-34 | 80 | 5.7 | 74 | 1 | 1 | 4 | 6 | 11 | 20 | 90 |
| 35-49 | 7 | 8.3 | 48 | 2 | 2 | 5 | 14 | 18 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 131 | 4.9 | 56 | 1 | 1 | 3 | 6 | 9 | 11 | 34 |
| B. *Operated* | 152 | 3.8 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 4.2 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 12 |
| B. *Operated* | 103 | 5.7 | 65 | 1 | 1 | 4 | 6 | 12 | 20 | 83 |
| **1. SINGLE DX** | 283 | 4.3 | 32 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 167 | 5.1 | 43 | 1 | 1 | 4 | 5 | 10 | 14 | 62 |
| **A. NOT OPERATED** | 195 | 4.6 | 40 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| **B. OPERATED** | 255 | 4.5 | 33 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 81 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 9 | 19 |
| 20-34 | 352 | 4.7 | 42 | 1 | 1 | 3 | 5 | 9 | 11 | 28 |
| 35-49 | 17 | 6.4 | 28 | 1 | 2 | 4 | 11 | 14 | 17 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **450** | **4.6** | **36** | **1** | **1** | **3** | **5** | **9** | **11** | **23** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 735 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 638 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 471 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 50-64 | 349 | 6.8 | 20 | 2 | 3 | 6 | 8 | 12 | 16 | 26 |
| 65+ | 355 | 6.9 | 19 | 2 | 3 | 6 | 8 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 409 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 484 | 6.0 | 28 | 1 | 2 | 4 | 7 | 11 | 16 | 28 |
| 35-49 | 288 | 7.0 | 36 | 2 | 2 | 5 | 9 | 15 | 20 | 27 |
| 50-64 | 209 | 8.2 | 69 | 2 | 3 | 6 | 10 | 15 | 22 | 38 |
| 65+ | 163 | 9.3 | 42 | 2 | 3 | 7 | 12 | 19 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 624 | 4.8 | 9 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 20-34 | 660 | 6.1 | 23 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 35-49 | 725 | 6.8 | 24 | 2 | 3 | 6 | 8 | 12 | 14 | 26 |
| 50-64 | 1124 | 8.5 | 44 | 3 | 3 | 7 | 10 | 15 | 19 | 37 |
| 65+ | 1789 | 10.1 | 57 | 3 | 4 | 8 | 12 | 18 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 6.4 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 20-34 | 418 | 9.4 | 97 | 2 | 2 | 7 | 11 | 18 | 29 | 54 |
| 35-49 | 408 | 11.3 | 147 | 3 | 3 | 8 | 13 | 22 | 31 | 73 |
| 50-64 | 562 | 15.0 | 210 | 3 | 4 | 10 | 19 | 31 | 47 | 87 |
| 65+ | 574 | 16.4 | 190 | 4 | 5 | 12 | 20 | 32 | 44 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2548 | 5.3 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 1553 | 6.4 | 34 | 1 | 2 | 5 | 8 | 13 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4922 | 8.0 | 42 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| B. *Operated* | 2226 | 12.6 | 162 | 2 | 3 | 9 | 16 | 26 | 37 | 68 |
| **1. SINGLE DX** | 4101 | 5.7 | 21 | 2 | 2 | 4 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | 7148 | 9.5 | 84 | 2 | 3 | 7 | 11 | 18 | 25 | 51 |
| **A. NOT OPERATED** | 7470 | 7.1 | 34 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| **B. OPERATED** | 3779 | 10.1 | 119 | 2 | 2 | 7 | 12 | 21 | 30 | 61 |
| TOTAL 0-19 YRS | 2032 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 20-34 | 2200 | 6.3 | 36 | 2 | 2 | 5 | 7 | 12 | 16 | 33 |
| 35-49 | 1892 | 7.5 | 53 | 2 | 3 | 6 | 9 | 14 | 19 | 36 |
| 50-64 | 2244 | 9.8 | 93 | 3 | 3 | 7 | 11 | 19 | 26 | 58 |
| 65+ | 2881 | 10.9 | 86 | 3 | 4 | 8 | 13 | 20 | 27 | 53 |
| **GRAND TOTAL** | **11249** | **8.1** | **64** | **2** | **3** | **6** | **10** | **16** | **21** | **43** |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 147 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 67 | 6.3 | 49 | 2 | 2 | 5 | 7 | 11 | 15 | 46 |
| 50-64 | 57 | 6.2 | 19 | 2 | 3 | 5 | 7 | 10 | 16 | 24 |
| 65+ | 52 | 7.5 | 33 | 2 | 2 | 6 | 10 | 15 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 4.3 | 15 | 1 | 1 | 3 | 6 | 8 | 12 | 20 |
| 20-34 | 234 | 4.7 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 35-49 | 139 | 5.9 | 33 | 1 | 2 | 4 | 8 | 11 | 17 | 32 |
| 50-64 | 108 | 6.6 | 69 | 1 | 1 | 4 | 7 | 18 | 24 | 47 |
| 65+ | 85 | 6.2 | 50 | 1 | 2 | 4 | 7 | 12 | 17 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 274 | 4.8 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 20-34 | 188 | 6.1 | 29 | 2 | 2 | 5 | 7 | 11 | 13 | 31 |
| 35-49 | 156 | 7.1 | 34 | 3 | 3 | 5 | 8 | 13 | 21 | 31 |
| 50-64 | 209 | 9.3 | 39 | 3 | 3 | 8 | 12 | 16 | 21 | 33 |
| 65+ | 287 | 10.4 | 66 | 2 | 4 | 9 | 12 | 19 | 24 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 5.9 | 17 | 1 | 2 | 5 | 8 | 12 | 14 | 19 |
| 20-34 | 157 | 7.0 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 40 |
| 35-49 | 168 | 9.1 | 82 | 2 | 2 | 6 | 12 | 18 | 25 | 45 |
| 50-64 | 206 | 12.3 | 125 | 2 | 3 | 9 | 16 | 26 | 33 | 59 |
| 65+ | 215 | 13.4 | 122 | 2 | 3 | 10 | 18 | 29 | 36 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 556 | 5.0 | 16 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| B. *Operated* | 769 | 5.3 | 31 | 1 | 1 | 4 | 6 | 10 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1114 | 7.6 | 42 | 2 | 3 | 6 | 9 | 14 | 19 | 31 |
| B. *Operated* | 857 | 10.1 | 95 | 2 | 2 | 7 | 13 | 22 | 29 | 49 |
| **1. SINGLE DX** | 1325 | 5.2 | 25 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| **2. MULTIPLE DX** | 1971 | 8.7 | 67 | 2 | 2 | 6 | 11 | 17 | 24 | 43 |
| **A. NOT OPERATED** | 1670 | 6.8 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| **B. OPERATED** | 1626 | 7.8 | 71 | 1 | 2 | 5 | 9 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 821 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 20-34 | 726 | 5.6 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 31 |
| 35-49 | 530 | 7.3 | 52 | 2 | 2 | 5 | 8 | 14 | 22 | 38 |
| 50-64 | 580 | 9.6 | 78 | 2 | 3 | 7 | 12 | 19 | 26 | 47 |
| 65+ | 639 | 10.6 | 86 | 2 | 3 | 8 | 13 | 22 | 29 | 50 |
| **GRAND TOTAL** | **3296** | **7.3** | **53** | **1** | **2** | **5** | **9** | **15** | **21** | **39** |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 30 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 35-49 | 4 | 5.3 | 11 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 909 | 3.8 | 12 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1690 | 3.9 | 5 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 218 | 4.0 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 68 | 5.4 | 34 | 2 | 2 | 4 | 6 | 9 | 12 | 40 |
| 65+ | 16 | 5.3 | 5 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 49 | <1 | <1 | 1 | 8 | 15 | 15 | 15 |
| 20-34 | 12 | 4.4 | 14 | <1 | 1 | 3 | 6 | 11 | 12 | 12 |
| 35-49 | 6 | 4.5 | 9 | 2 | 2 | 4 | 5 | 10 | 10 | 10 |
| 50-64 | 3 | 9.3 | 162 | 1 | 1 | 3 | 19 | 24 | 24 | 24 |
| 65+ | 3 | 7.0 | 3 | 6 | 6 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 12 | 17 |
| 20-34 | 284 | 5.2 | 12 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| 35-49 | 91 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 27 |
| 50-64 | 37 | 6.8 | 34 | 2 | 3 | 5 | 7 | 15 | 19 | 30 |
| 65+ | 7 | 7.7 | 22 | 4 | 4 | 6 | 12 | 15 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 2901 | 3.9 | 8 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 5.3 | 28 | <1 | 1 | 4 | 7 | 11 | 16 | 24 |
| B. *Operated* | 521 | 5.4 | 14 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| **1. SINGLE DX** | 2962 | 3.9 | 8 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 549 | 5.4 | 15 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| **A. NOT OPERATED** | 89 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **B. OPERATED** | 3422 | 4.1 | 9 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 1039 | 3.9 | 12 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| 20-34 | 2016 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 319 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 110 | 6.0 | 36 | 2 | 2 | 4 | 6 | 11 | 18 | 36 |
| 65+ | 27 | 6.0 | 11 | 2 | 2 | 6 | 7 | 9 | 14 | 15 |
| **GRAND TOTAL** | **3511** | **4.1** | **9** | **2** | **2** | **4** | **5** | **7** | **8** | **14** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.2 | 7 | <1 | <1 | <1 | 2 | 7 | 7 | 7 |
| 20-34 | 6 | 2.0 | 2 | <1 | <1 | 1 | 2 | 5 | 5 | 5 |
| 35-49 | 5 | 2.4 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| 65+ | 3 | 4.3 | 9 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 290 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| 20-34 | 325 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 35-49 | 214 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 153 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 65+ | 91 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.9 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 8 | 4.9 | 8 | 1 | 2 | 5 | 6 | 9 | 10 | 10 |
| 35-49 | 6 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 6 | 3.0 | 4 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 9 | 6.6 | 10 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 137 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 35-49 | 148 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 50-64 | 144 | 4.4 | 16 | 1 | 1 | 3 | 6 | 9 | 13 | 21 |
| 65+ | 99 | 5.3 | 30 | 1 | 2 | 4 | 6 | 11 | 19 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 2.6 | 5 | <1 | <1 | 2 | 3 | 7 | 7 | 7 |
| B. *Operated* | 1073 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 4.1 | 8 | 1 | 1 | 4 | 5 | 9 | 10 | 11 |
| B. *Operated* | 570 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **1. SINGLE DX** | 1096 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 606 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 59 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 11 |
| **B. OPERATED** | 1643 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| TOTAL 0-19 YRS | 344 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| 20-34 | 476 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 373 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 50-64 | 307 | 3.5 | 11 | <1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 65+ | 202 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| **GRAND TOTAL** | **1702** | **2.8** | **7** | **<1** | **1** | **2** | **3** | **5** | **8** | **14** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 421 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 20-34 | 313 | 5.9 | 36 | 1 | 2 | 4 | 6 | 13 | 20 | 29 |
| 35-49 | 270 | 7.8 | 58 | 1 | 2 | 5 | 10 | 19 | 24 | 36 |
| 50-64 | 251 | 9.1 | 86 | 1 | 2 | 6 | 12 | 23 | 30 | 40 |
| 65+ | 288 | 11.0 | 96 | 2 | 3 | 8 | 14 | 23 | 28 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1016 | 2.8 | 17 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 20-34 | 1200 | 5.3 | 71 | <1 | 1 | 3 | 5 | 10 | 17 | 46 |
| 35-49 | 886 | 6.1 | 94 | 1 | 1 | 3 | 6 | 13 | 24 | 49 |
| 50-64 | 856 | 5.3 | 55 | 1 | 1 | 3 | 5 | 12 | 20 | 40 |
| 65+ | 699 | 9.3 | 135 | 1 | 1 | 4 | 13 | 24 | 32 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 437 | 4.6 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 20-34 | 443 | 7.6 | 84 | 1 | 2 | 5 | 8 | 15 | 27 | 45 |
| 35-49 | 500 | 8.5 | 55 | 2 | 3 | 6 | 10 | 17 | 27 | 40 |
| 50-64 | 696 | 10.1 | 91 | 2 | 3 | 7 | 13 | 21 | 28 | 56 |
| 65+ | 1652 | 12.8 | 129 | 3 | 4 | 10 | 16 | 25 | 35 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 336 | 5.7 | 75 | 1 | 1 | 3 | 5 | 13 | 24 | 45 |
| 20-34 | 794 | 10.9 | 210 | 1 | 2 | 5 | 13 | 30 | 45 | 91 |
| 35-49 | 885 | 10.1 | 169 | 1 | 2 | 5 | 11 | 27 | 41 | 93 |
| 50-64 | 1161 | 10.6 | 191 | 1 | 2 | 5 | 13 | 27 | 40 | 84 |
| 65+ | 1515 | 18.3 | 312 | 2 | 3 | 13 | 25 | 43 | 60 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1543 | 7.1 | 59 | 1 | 2 | 4 | 8 | 17 | 24 | 36 |
| B. *Operated* | 4657 | 5.5 | 74 | 1 | 1 | 3 | 5 | 12 | 22 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3728 | 10.1 | 102 | 2 | 2 | 7 | 13 | 21 | 29 | 55 |
| B. *Operated* | 4691 | 12.7 | 237 | 1 | 2 | 6 | 17 | 33 | 48 | 91 |
| **1. SINGLE DX** | 6200 | 5.9 | 71 | 1 | 1 | 3 | 6 | 14 | 22 | 42 |
| **2. MULTIPLE DX** | 8419 | 11.6 | 179 | 2 | 2 | 7 | 14 | 28 | 40 | 81 |
| **A. NOT OPERATED** | 5271 | 9.3 | 91 | 1 | 2 | 6 | 12 | 20 | 28 | 50 |
| **B. OPERATED** | 9348 | 9.1 | 169 | 1 | 1 | 4 | 10 | 25 | 37 | 76 |
| TOTAL 0-19 YRS | 2210 | 3.8 | 27 | <1 | 1 | 2 | 4 | 7 | 10 | 28 |
| 20-34 | 2750 | 7.3 | 115 | 1 | 2 | 4 | 7 | 18 | 29 | 64 |
| 35-49 | 2541 | 8.2 | 112 | 1 | 2 | 4 | 9 | 20 | 31 | 61 |
| 50-64 | 2964 | 8.8 | 124 | 1 | 2 | 5 | 11 | 21 | 31 | 66 |
| 65+ | 4154 | 14.1 | 206 | 2 | 2 | 10 | 18 | 32 | 45 | 83 |
| **GRAND TOTAL** | **14619** | **9.2** | **141** | **1** | **2** | **5** | **11** | **23** | **33** | **68** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.0 | 21 | 2 | 2 | 6 | 9 | 15 | 17 | 18 |
| 20-34 | 75 | 7.1 | 48 | 2 | 2 | 6 | 8 | 10 | 13 | 48 |
| 35-49 | 77 | 7.4 | 34 | 2 | 2 | 6 | 9 | 16 | 18 | 30 |
| 50-64 | 66 | 6.4 | 32 | 1 | 2 | 5 | 8 | 14 | 15 | 35 |
| 65+ | 35 | 7.7 | 14 | 2 | 3 | 8 | 10 | 12 | 15 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 11.4 | 248 | 1 | 2 | 7 | 9 | 32 | 55 | 59 |
| 20-34 | 39 | 9.6 | 47 | 2 | 2 | 9 | 13 | 18 | 22 | 33 |
| 35-49 | 29 | 7.3 | 26 | 1 | 2 | 6 | 11 | 15 | 16 | 17 |
| 50-64 | 31 | 10.0 | 99 | 2 | 2 | 6 | 14 | 20 | 31 | 47 |
| 65+ | 17 | 8.7 | 48 | 1 | 2 | 8 | 11 | 16 | 25 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 10.0 | 91 | 2 | 3 | 7 | 11 | 20 | 28 | 52 |
| 20-34 | 155 | 9.0 | 89 | 2 | 2 | 6 | 10 | 21 | 30 | 66 |
| 35-49 | 208 | 10.4 | 119 | 2 | 3 | 7 | 12 | 19 | 32 | 64 |
| 50-64 | 204 | 9.2 | 74 | 2 | 3 | 7 | 11 | 18 | 21 | 47 |
| 65+ | 191 | 12.5 | 130 | 3 | 3 | 9 | 14 | 26 | 34 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 17.1 | 223 | 3 | 5 | 10 | 28 | 34 | 50 | 62 |
| 20-34 | 80 | 15.1 | 193 | 3 | 4 | 13 | 21 | 29 | 42 | 95 |
| 35-49 | 104 | 14.3 | 125 | 3 | 4 | 11 | 19 | 33 | 40 | 78 |
| 50-64 | 115 | 14.6 | 140 | 3 | 4 | 11 | 17 | 31 | 42 | 60 |
| 65+ | 98 | 18.1 | 227 | 3 | 3 | 15 | 24 | 32 | 51 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 277 | 7.1 | 33 | 2 | 2 | 6 | 9 | 13 | 16 | 32 |
| B. *Operated* | 128 | 9.2 | 72 | 2 | 2 | 7 | 13 | 17 | 21 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 795 | 10.3 | 104 | 2 | 3 | 7 | 12 | 19 | 29 | 58 |
| B. *Operated* | 416 | 15.6 | 171 | 3 | 4 | 12 | 21 | 32 | 42 | 75 |
| **1. SINGLE DX** | 405 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 18 | 35 |
| **2. MULTIPLE DX** | 1211 | 12.1 | 133 | 2 | 3 | 9 | 15 | 26 | 35 | 67 |
| **A. NOT OPERATED** | 1072 | 9.5 | 88 | 2 | 3 | 7 | 11 | 18 | 27 | 56 |
| **B. OPERATED** | 544 | 14.1 | 155 | 3 | 3 | 10 | 18 | 30 | 39 | 69 |
| TOTAL 0-19 YRS | 92 | 10.8 | 128 | 2 | 3 | 7 | 12 | 24 | 31 | 61 |
| 20-34 | 349 | 10.1 | 107 | 2 | 2 | 7 | 13 | 23 | 30 | 71 |
| 35-49 | 418 | 10.6 | 104 | 2 | 3 | 8 | 13 | 22 | 33 | 58 |
| 50-64 | 416 | 10.3 | 95 | 2 | 3 | 7 | 12 | 20 | 28 | 50 |
| 65+ | 341 | 13.4 | 152 | 3 | 3 | 10 | 16 | 28 | 35 | 61 |
| **GRAND TOTAL** | **1616** | **11.0** | **115** | **2** | **3** | **8** | **14** | **23** | **32** | **59** |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 5.3 | 13 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| 20-34 | 82 | 6.8 | 19 | 2 | 2 | 6 | 9 | 11 | 14 | 25 |
| 35-49 | 159 | 7.1 | 26 | 2 | 3 | 6 | 8 | 13 | 17 | 28 |
| 50-64 | 300 | 7.9 | 32 | 2 | 3 | 6 | 9 | 15 | 18 | 30 |
| 65+ | 190 | 8.8 | 27 | 3 | 4 | 8 | 11 | 16 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.1 | 71 | 1 | 1 | 3 | 7 | 12 | 22 | 42 |
| 20-34 | 71 | 9.2 | 105 | 2 | 2 | 5 | 12 | 23 | 38 | 44 |
| 35-49 | 177 | 8.8 | 72 | 2 | 3 | 6 | 10 | 18 | 21 | 39 |
| 50-64 | 379 | 11.0 | 70 | 2 | 3 | 9 | 16 | 21 | 25 | 34 |
| 65+ | 202 | 14.8 | 91 | 3 | 4 | 14 | 20 | 27 | 31 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 7.5 | 46 | 2 | 3 | 5 | 8 | 17 | 25 | 33 |
| 20-34 | 77 | 7.4 | 24 | 2 | 3 | 6 | 10 | 14 | 20 | 79 |
| 35-49 | 267 | 8.1 | 36 | 2 | 3 | 7 | 10 | 15 | 20 | 28 |
| 50-64 | 767 | 9.6 | 69 | 3 | 3 | 7 | 12 | 17 | 22 | 42 |
| 65+ | 985 | 10.4 | 63 | 3 | 4 | 8 | 13 | 19 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 9.9 | 58 | 2 | 3 | 7 | 16 | 21 | 25 | 29 |
| 20-34 | 70 | 13.3 | 227 | 2 | 2 | 7 | 15 | 32 | 41 | 74 |
| 35-49 | 181 | 11.2 | 134 | 2 | 3 | 8 | 14 | 23 | 30 | 98 |
| 50-64 | 478 | 12.3 | 146 | 2 | 3 | 9 | 16 | 24 | 39 | 69 |
| 65+ | 385 | 16.3 | 196 | 3 | 4 | 12 | 22 | 36 | 49 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 821 | 7.5 | 27 | 2 | 3 | 6 | 10 | 14 | 17 | 29 |
| B. *Operated* | 853 | 11.2 | 83 | 2 | 3 | 9 | 16 | 22 | 28 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2146 | 9.7 | 61 | 3 | 3 | 8 | 12 | 18 | 22 | 41 |
| B. *Operated* | 1133 | 13.5 | 168 | 2 | 3 | 9 | 17 | 29 | 42 | 81 |
| **1. SINGLE DX** | 1674 | 9.4 | 59 | 2 | 3 | 7 | 12 | 19 | 24 | 34 |
| **2. MULTIPLE DX** | 3279 | 11.0 | 101 | 3 | 3 | 8 | 14 | 21 | 29 | 57 |
| **A. NOT OPERATED** | 2967 | 9.1 | 52 | 2 | 3 | 7 | 11 | 17 | 21 | 37 |
| **B. OPERATED** | 1986 | 12.5 | 133 | 2 | 3 | 9 | 17 | 25 | 33 | 71 |
| TOTAL 0-19 YRS | 183 | 6.5 | 36 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| 20-34 | 300 | 9.0 | 94 | 2 | 2 | 6 | 10 | 20 | 28 | 60 |
| 35-49 | 784 | 8.8 | 67 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| 50-64 | 1924 | 10.3 | 85 | 2 | 3 | 8 | 13 | 20 | 25 | 49 |
| 65+ | 1762 | 12.0 | 99 | 3 | 4 | 9 | 15 | 23 | 30 | 56 |
| **GRAND TOTAL** | **4953** | **10.4** | **88** | **2** | **3** | **8** | **13** | **20** | **27** | **52** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.1 | 38 | <1 | 1 | 4 | 11 | 18 | 18 | 18 |
| 20-34 | 21 | 5.0 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| 35-49 | 63 | 5.5 | 35 | 1 | 1 | 4 | 7 | 10 | 11 | 41 |
| 50-64 | 189 | 6.1 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 65+ | 345 | 6.9 | 29 | 1 | 2 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.4 | 68 | 2 | 2 | 4 | 10 | 23 | 27 | 27 |
| 20-34 | 201 | 5.6 | 36 | 1 | 2 | 4 | 7 | 10 | 18 | 32 |
| 35-49 | 383 | 6.5 | 35 | 1 | 2 | 4 | 9 | 14 | 17 | 27 |
| 50-64 | 1198 | 10.7 | 50 | 2 | 2 | 10 | 15 | 19 | 23 | 31 |
| 65+ | 1957 | 15.6 | 54 | 4 | 7 | 15 | 19 | 24 | 29 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.4 | 7 | 1 | 2 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 33 | 7.1 | 131 | 1 | 2 | 4 | 6 | 15 | 23 | 65 |
| 35-49 | 244 | 6.6 | 19 | 2 | 2 | 5 | 9 | 12 | 15 | 21 |
| 50-64 | 827 | 7.0 | 28 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 65+ | 2328 | 8.4 | 39 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.1 | 30 | 2 | 2 | 4 | 7 | 12 | 20 | 22 |
| 20-34 | 153 | 6.0 | 35 | 1 | 2 | 4 | 7 | 14 | 17 | 34 |
| 35-49 | 276 | 8.3 | 48 | 2 | 2 | 6 | 11 | 17 | 24 | 34 |
| 50-64 | 945 | 11.6 | 91 | 2 | 2 | 10 | 16 | 23 | 29 | 50 |
| 65+ | 1650 | 17.7 | 120 | 3 | 5 | 16 | 22 | 31 | 38 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 629 | 6.5 | 26 | 1 | 2 | 5 | 8 | 13 | 16 | 25 |
| B. *Operated* | 3758 | 12.5 | 62 | 2 | 3 | 12 | 17 | 22 | 26 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3442 | 8.0 | 36 | 2 | 3 | 6 | 10 | 15 | 18 | 30 |
| B. *Operated* | 3038 | 14.3 | 115 | 2 | 3 | 13 | 19 | 28 | 34 | 51 |
| **1. SINGLE DX** | 4387 | 11.6 | 61 | 2 | 2 | 11 | 16 | 21 | 25 | 36 |
| **2. MULTIPLE DX** | 6480 | 10.9 | 83 | 2 | 3 | 8 | 15 | 22 | 28 | 46 |
| **A. NOT OPERATED** | 4071 | 7.7 | 35 | 2 | 3 | 6 | 10 | 15 | 18 | 29 |
| **B. OPERATED** | 6796 | 13.3 | 87 | 2 | 3 | 13 | 18 | 24 | 30 | 45 |
| TOTAL 0-19 YRS | 54 | 6.6 | 39 | 2 | 2 | 4 | 7 | 17 | 21 | 27 |
| 20-34 | 408 | 5.8 | 41 | 1 | 2 | 4 | 7 | 12 | 17 | 36 |
| 35-49 | 966 | 7.0 | 35 | 1 | 2 | 5 | 9 | 14 | 17 | 30 |
| 50-64 | 3159 | 9.7 | 59 | 2 | 2 | 8 | 14 | 19 | 23 | 35 |
| 65+ | 6280 | 13.0 | 82 | 3 | 3 | 12 | 17 | 24 | 30 | 44 |
| **GRAND TOTAL** | **10867** | **11.2** | **75** | **2** | **3** | **9** | **16** | **22** | **27** | **42** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 6.5 | 27 | 1 | 2 | 5 | 9 | 14 | 18 | 23 |
| 20-34 | 121 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 93 | 6.2 | 24 | 1 | 2 | 5 | 8 | 11 | 12 | 30 |
| 50-64 | 100 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 15 | 21 |
| 65+ | 126 | 7.0 | 43 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 10.4 | 66 | 2 | 3 | 8 | 15 | 22 | 25 | 38 |
| 20-34 | 229 | 6.2 | 35 | 2 | 2 | 4 | 8 | 12 | 15 | 31 |
| 35-49 | 220 | 6.4 | 44 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| 50-64 | 219 | 9.4 | 57 | 2 | 2 | 7 | 13 | 19 | 25 | 37 |
| 65+ | 194 | 15.0 | 91 | 3 | 4 | 14 | 19 | 25 | 33 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 9.2 | 61 | 3 | 3 | 7 | 12 | 17 | 22 | 46 |
| 20-34 | 119 | 7.0 | 41 | 2 | 2 | 5 | 8 | 14 | 18 | 35 |
| 35-49 | 154 | 7.0 | 24 | 2 | 2 | 6 | 9 | 12 | 15 | 28 |
| 50-64 | 287 | 7.9 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 36 |
| 65+ | 535 | 9.0 | 43 | 2 | 3 | 7 | 11 | 17 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 15.0 | 86 | 2 | 2 | 15 | 22 | 28 | 30 | 33 |
| 20-34 | 133 | 9.2 | 100 | 2 | 2 | 6 | 11 | 20 | 29 | 51 |
| 35-49 | 132 | 9.8 | 79 | 2 | 2 | 6 | 13 | 22 | 28 | 58 |
| 50-64 | 224 | 12.6 | 165 | 2 | 3 | 9 | 15 | 25 | 39 | 83 |
| 65+ | 242 | 18.5 | 186 | 3 | 5 | 17 | 23 | 36 | 50 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 563 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 951 | 9.2 | 67 | 2 | 2 | 6 | 13 | 19 | 24 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1174 | 8.3 | 41 | 2 | 3 | 7 | 10 | 16 | 21 | 33 |
| B. *Operated* | 787 | 13.6 | 153 | 2 | 3 | 10 | 19 | 28 | 38 | 68 |
| **1. SINGLE DX** | 1514 | 8.2 | 54 | 2 | 2 | 6 | 11 | 17 | 21 | 37 |
| **2. MULTIPLE DX** | 1961 | 10.4 | 93 | 2 | 3 | 7 | 13 | 21 | 28 | 51 |
| **A. NOT OPERATED** | 1737 | 7.7 | 37 | 2 | 2 | 6 | 10 | 15 | 20 | 31 |
| **B. OPERATED** | 1738 | 11.2 | 111 | 2 | 2 | 8 | 15 | 23 | 31 | 55 |
| TOTAL 0-19 YRS | 347 | 9.5 | 62 | 2 | 2 | 7 | 14 | 21 | 26 | 33 |
| 20-34 | 602 | 7.0 | 48 | 2 | 2 | 5 | 8 | 13 | 18 | 34 |
| 35-49 | 599 | 7.3 | 45 | 2 | 2 | 5 | 9 | 14 | 18 | 40 |
| 50-64 | 830 | 9.4 | 80 | 2 | 3 | 7 | 12 | 19 | 25 | 45 |
| 65+ | 1097 | 11.9 | 101 | 2 | 3 | 9 | 16 | 23 | 31 | 53 |
| **GRAND TOTAL** | **3475** | **9.4** | **77** | **2** | **2** | **7** | **12** | **20** | **25** | **46** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| 20-34 | 41 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 35-49 | 19 | 3.3 | 14 | <1 | <1 | 2 | 4 | 9 | 12 | 15 |
| 50-64 | 11 | 3.5 | 10 | <1 | <1 | 3 | 5 | 9 | 11 | 11 |
| 65+ | 6 | 6.5 | 19 | <1 | <1 | 6 | 7 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 864 | 3.2 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| 20-34 | 1870 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 901 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 388 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 107 | 5.8 | 42 | 2 | 2 | 4 | 6 | 13 | 17 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 44 | 3.2 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 11 |
| 35-49 | 22 | 6.6 | 131 | 1 | 1 | 3 | 6 | 12 | 35 | 54 |
| 50-64 | 16 | 6.5 | 67 | 1 | 1 | 4 | 8 | 10 | 28 | 35 |
| 65+ | 19 | 8.6 | 36 | 1 | 2 | 8 | 11 | 17 | 22 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 455 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 1131 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 761 | 4.3 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 575 | 5.0 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 65+ | 231 | 6.0 | 50 | 2 | 2 | 4 | 7 | 11 | 15 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| B. *Operated* | 4130 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 5.0 | 45 | <1 | 1 | 3 | 6 | 10 | 14 | 41 |
| B. *Operated* | 3153 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| **1. SINGLE DX** | 4242 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 3273 | 4.4 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 232 | 3.8 | 28 | <1 | 1 | 2 | 5 | 8 | 11 | 28 |
| **B. OPERATED** | 7283 | 3.9 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 1373 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 3086 | 3.6 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 1703 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 990 | 4.7 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 363 | 6.1 | 47 | 2 | 2 | 4 | 7 | 12 | 16 | 42 |
| **GRAND TOTAL** | **7515** | **3.9** | **9** | **1** | **2** | **3** | **5** | **7** | **9** | **15** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 160 | 3.9 | 10 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 104 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 85 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 65+ | 122 | 6.6 | 26 | 1 | 1 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 922 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 1445 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 529 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 301 | 6.3 | 44 | 1 | 2 | 4 | 7 | 14 | 20 | 40 |
| 65+ | 169 | 9.8 | 96 | 2 | 2 | 7 | 12 | 20 | 29 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 19 |
| 20-34 | 161 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 27 |
| 35-49 | 182 | 6.2 | 46 | 1 | 2 | 4 | 7 | 11 | 17 | 38 |
| 50-64 | 210 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 16 | 20 |
| 65+ | 301 | 8.4 | 42 | 2 | 2 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 275 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 20-34 | 589 | 5.4 | 55 | 2 | 2 | 4 | 6 | 9 | 12 | 29 |
| 35-49 | 370 | 6.6 | 56 | 2 | 2 | 4 | 8 | 14 | 18 | 40 |
| 50-64 | 284 | 8.2 | 58 | 2 | 2 | 5 | 11 | 19 | 23 | 37 |
| 65+ | 209 | 12.7 | 115 | 2 | 3 | 11 | 18 | 26 | 34 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 652 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| B. *Operated* | 3366 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 998 | 6.5 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| B. *Operated* | 1727 | 6.8 | 63 | 2 | 2 | 4 | 8 | 15 | 21 | 41 |
| **1. SINGLE DX** | 4018 | 4.5 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 2725 | 6.7 | 52 | 2 | 2 | 4 | 8 | 14 | 19 | 36 |
| **A. NOT OPERATED** | 1650 | 5.8 | 27 | 1 | 2 | 4 | 7 | 12 | 15 | 25 |
| **B. OPERATED** | 5093 | 5.2 | 34 | 1 | 2 | 4 | 6 | 10 | 16 | 31 |
| TOTAL 0-19 YRS | 1522 | 3.9 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 2355 | 4.4 | 21 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 1185 | 5.3 | 31 | 1 | 2 | 4 | 6 | 10 | 15 | 29 |
| 50-64 | 880 | 6.9 | 42 | 2 | 2 | 5 | 9 | 15 | 20 | 35 |
| 65+ | 801 | 9.5 | 74 | 2 | 2 | 7 | 12 | 20 | 25 | 50 |
| **GRAND TOTAL** | **6743** | **5.4** | **32** | **1** | **2** | **4** | **6** | **11** | **15** | **29** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 9 | 6.2 | 9 | 1 | 2 | 6 | 8 | 11 | 11 | 11 |
| 35-49 | 9 | 6.4 | 8 | 3 | 3 | 6 | 8 | 11 | 12 | 12 |
| 50-64 | 8 | 7.8 | 23 | 2 | 2 | 7 | 10 | 15 | 17 | 17 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 5 | 10.2 | 45 | 2 | 2 | 11 | 16 | 18 | 18 | 18 |
| 35-49 | 5 | 7.4 | 23 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| 50-64 | 5 | 8.0 | 22 | 3 | 3 | 6 | 13 | 13 | 13 | 13 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 13 | 6.0 | 18 | 1 | 2 | 4 | 8 | 12 | 15 | 16 |
| 35-49 | 23 | 6.0 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 17 |
| 50-64 | 21 | 9.7 | 170 | 2 | 2 | 5 | 10 | 16 | 38 | 63 |
| 65+ | 23 | 11.6 | 156 | 3 | 4 | 10 | 14 | 23 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 2 | 9.0 | 72 | 3 | 3 | 9 | 15 | 15 | 15 | 15 |
| 35-49 | 5 | 29.0 | 372 | 3 | 3 | 35 | 43 | 51 | 51 | 51 |
| 50-64 | 7 | 24.7 | 237 | 2 | 5 | 25 | 28 | 48 | 53 | 53 |
| 65+ | 8 | 14.5 | 55 | 7 | 7 | 13 | 21 | 25 | 25 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 6.8 | 12 | 2 | 3 | 6 | 8 | 12 | 13 | 17 |
| B. *Operated* | 16 | 8.8 | 26 | 2 | 2 | 9 | 13 | 15 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 8.4 | 97 | 2 | 3 | 6 | 10 | 16 | 18 | 89 |
| B. *Operated* | 23 | 20.2 | 202 | 2 | 3 | 17 | 27 | 42 | 52 | 53 |
| **1. SINGLE DX** | 44 | 7.5 | 17 | 2 | 3 | 7 | 11 | 13 | 16 | 18 |
| **2. MULTIPLE DX** | 104 | 11.0 | 143 | 2 | 3 | 7 | 14 | 25 | 43 | 81 |
| **A. NOT OPERATED** | 109 | 8.0 | 75 | 2 | 3 | 6 | 10 | 15 | 17 | 79 |
| **B. OPERATED** | 39 | 15.5 | 160 | 2 | 3 | 13 | 20 | 32 | 46 | 53 |
| TOTAL 0-19 YRS | 4 | 9.5 | 12 | 6 | 6 | 9 | 12 | 13 | 13 | 13 |
| 20-34 | 29 | 7.0 | 22 | 1 | 2 | 5 | 10 | 15 | 16 | 18 |
| 35-49 | 42 | 9.0 | 102 | 2 | 3 | 6 | 9 | 16 | 37 | 51 |
| 50-64 | 41 | 11.5 | 164 | 2 | 3 | 7 | 14 | 26 | 39 | 63 |
| 65+ | 32 | 12.2 | 125 | 3 | 4 | 10 | 14 | 24 | 59 | 99+ |
| **GRAND TOTAL** | **148** | **10.0** | **108** | **2** | **3** | **7** | **12** | **18** | **29** | **65** |

### 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 37 | 5.2 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 13 |
| 35-49 | 163 | 5.7 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 50-64 | 330 | 6.5 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 328 | 6.8 | 19 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 78 | 7.4 | 30 | 2 | 2 | 6 | 9 | 16 | 18 | 27 |
| 35-49 | 407 | 7.8 | 36 | 2 | 2 | 7 | 10 | 13 | 18 | 25 |
| 50-64 | 474 | 8.9 | 46 | 2 | 2 | 8 | 11 | 15 | 20 | 38 |
| 65+ | 180 | 12.1 | 87 | 2 | 3 | 10 | 16 | 24 | 30 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 52 | 6.9 | 24 | 1 | 2 | 6 | 9 | 15 | 18 | 20 |
| 35-49 | 416 | 6.6 | 22 | 2 | 2 | 5 | 8 | 13 | 15 | 26 |
| 50-64 | 1200 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 65+ | 1884 | 8.2 | 37 | 3 | 3 | 7 | 10 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 13 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 77 | 10.6 | 130 | 3 | 3 | 8 | 12 | 18 | 30 | 75 |
| 35-49 | 314 | 9.6 | 46 | 2 | 3 | 8 | 13 | 18 | 20 | 38 |
| 50-64 | 637 | 10.5 | 54 | 2 | 3 | 9 | 14 | 21 | 25 | 36 |
| 65+ | 494 | 13.7 | 109 | 3 | 4 | 11 | 18 | 25 | 35 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 860 | 6.4 | 16 | 2 | 2 | 5 | 8 | 12 | 13 | 21 |
| B. *Operated* | 1140 | 8.9 | 50 | 2 | 2 | 8 | 11 | 17 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3554 | 7.6 | 32 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | 1526 | 11.4 | 77 | 2 | 3 | 9 | 15 | 21 | 26 | 50 |
| **1. SINGLE DX** | 2000 | 7.8 | 37 | 2 | 2 | 7 | 10 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 5080 | 8.8 | 48 | 2 | 3 | 7 | 11 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 4414 | 7.4 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| **B. OPERATED** | 2666 | 10.3 | 67 | 2 | 3 | 8 | 13 | 19 | 25 | 44 |
| TOTAL 0-19 YRS | 9 | 5.9 | 9 | 2 | 2 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 244 | 8.0 | 60 | 2 | 2 | 6 | 9 | 15 | 19 | 34 |
| 35-49 | 1300 | 7.6 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 25 |
| 50-64 | 2641 | 8.2 | 38 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 65+ | 2886 | 9.3 | 56 | 2 | 3 | 7 | 11 | 18 | 22 | 41 |
| **GRAND TOTAL** | **7080** | **8.5** | **45** | **2** | **3** | **7** | **11** | **16** | **20** | **35** |

### 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 7.2 | 42 | 1 | 1 | 6 | 9 | 16 | 21 | 31 |
| 20-34 | 773 | 7.4 | 25 | 2 | 2 | 7 | 10 | 13 | 16 | 22 |
| 35-49 | 1212 | 7.6 | 23 | 2 | 2 | 7 | 10 | 13 | 16 | 23 |
| 50-64 | 804 | 7.8 | 23 | 2 | 2 | 7 | 10 | 14 | 17 | 25 |
| 65+ | 241 | 9.5 | 37 | 2 | 3 | 8 | 12 | 16 | 19 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 8.9 | 31 | 2 | 3 | 8 | 12 | 17 | 22 | 26 |
| 20-34 | 3055 | 9.2 | 29 | 2 | 3 | 8 | 12 | 16 | 20 | 26 |
| 35-49 | 4818 | 9.7 | 31 | 2 | 3 | 9 | 12 | 17 | 20 | 27 |
| 50-64 | 2332 | 10.8 | 39 | 2 | 4 | 10 | 14 | 19 | 22 | 31 |
| 65+ | 510 | 12.5 | 45 | 3 | 5 | 11 | 16 | 21 | 25 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 9.8 | 78 | 3 | 3 | 5 | 15 | 24 | 30 | 30 |
| 20-34 | 260 | 8.4 | 30 | 2 | 3 | 7 | 11 | 15 | 19 | 26 |
| 35-49 | 715 | 8.6 | 39 | 2 | 3 | 8 | 11 | 15 | 18 | 35 |
| 50-64 | 822 | 9.1 | 35 | 2 | 3 | 8 | 11 | 16 | 20 | 29 |
| 65+ | 702 | 9.8 | 45 | 3 | 4 | 8 | 12 | 17 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 10.6 | 73 | 1 | 2 | 8 | 14 | 27 | 30 | 31 |
| 20-34 | 626 | 11.8 | 59 | 3 | 4 | 10 | 15 | 21 | 25 | 36 |
| 35-49 | 1435 | 12.1 | 61 | 3 | 4 | 11 | 15 | 21 | 26 | 38 |
| 50-64 | 1233 | 13.7 | 76 | 3 | 5 | 12 | 17 | 24 | 30 | 43 |
| 65+ | 541 | 16.7 | 112 | 4 | 6 | 15 | 22 | 29 | 34 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3068 | 7.8 | 25 | 2 | 2 | 7 | 10 | 14 | 16 | 24 |
| B. *Operated* | 10829 | 9.9 | 34 | 2 | 3 | 9 | 13 | 17 | 21 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2508 | 9.1 | 39 | 2 | 3 | 8 | 11 | 16 | 20 | 31 |
| B. *Operated* | 3858 | 13.2 | 75 | 3 | 4 | 11 | 17 | 24 | 29 | 43 |
| **1. SINGLE DX** | 13897 | 9.4 | 33 | 2 | 3 | 8 | 12 | 17 | 20 | 28 |
| **2. MULTIPLE DX** | 6366 | 11.6 | 65 | 3 | 4 | 10 | 15 | 21 | 26 | 40 |
| **A. NOT OPERATED** | 5576 | 8.4 | 32 | 2 | 3 | 7 | 11 | 15 | 18 | 28 |
| **B. OPERATED** | 14687 | 10.7 | 47 | 2 | 3 | 9 | 14 | 19 | 23 | 34 |
| TOTAL 0-19 YRS | 184 | 8.8 | 41 | 2 | 2 | 7 | 11 | 17 | 23 | 31 |
| 20-34 | 4714 | 9.2 | 34 | 2 | 3 | 8 | 12 | 17 | 20 | 29 |
| 35-49 | 8180 | 9.7 | 38 | 2 | 3 | 9 | 12 | 17 | 20 | 30 |
| 50-64 | 5191 | 10.7 | 48 | 2 | 3 | 9 | 14 | 19 | 24 | 35 |
| 65+ | 1994 | 12.3 | 71 | 3 | 4 | 10 | 16 | 22 | 27 | 41 |
| **GRAND TOTAL** | **20263** | **10.1** | **44** | **2** | **3** | **9** | **13** | **18** | **22** | **33** |

## 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.3 | 6 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 242 | 7.0 | 19 | 1 | 2 | 6 | 10 | 14 | 16 | 21 |
| 35-49 | 435 | 7.6 | 19 | 2 | 3 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 282 | 7.3 | 16 | 2 | 3 | 7 | 10 | 13 | 15 | 19 |
| 65+ | 92 | 8.0 | 21 | 3 | 3 | 7 | 10 | 13 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 7.1 | 13 | 3 | 3 | 5 | 10 | 12 | 14 | 15 |
| 20-34 | 594 | 8.4 | 20 | 2 | 3 | 8 | 11 | 14 | 17 | 22 |
| 35-49 | 1304 | 9.2 | 30 | 3 | 4 | 8 | 11 | 16 | 19 | 27 |
| 50-64 | 708 | 9.8 | 39 | 3 | 4 | 9 | 12 | 16 | 20 | 30 |
| 65+ | 87 | 11.2 | 34 | 3 | 5 | 10 | 15 | 20 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.0 | 5 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 122 | 8.4 | 38 | 2 | 3 | 7 | 11 | 15 | 19 | 31 |
| 35-49 | 407 | 7.8 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 50-64 | 485 | 8.2 | 23 | 3 | 3 | 7 | 11 | 15 | 17 | 23 |
| 65+ | 411 | 8.6 | 30 | 2 | 3 | 7 | 11 | 16 | 20 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 17 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 154 | 11.1 | 51 | 2 | 3 | 9 | 15 | 21 | 24 | 32 |
| 35-49 | 489 | 11.3 | 60 | 3 | 4 | 10 | 14 | 20 | 23 | 39 |
| 50-64 | 494 | 11.8 | 73 | 3 | 4 | 10 | 15 | 21 | 26 | 46 |
| 65+ | 152 | 14.2 | 126 | 3 | 5 | 12 | 17 | 25 | 28 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1061 | 7.4 | 19 | 2 | 3 | 7 | 10 | 13 | 16 | 22 |
| B. *Operated* | 2710 | 9.2 | 31 | 2 | 3 | 8 | 11 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1432 | 8.2 | 28 | 2 | 3 | 7 | 10 | 15 | 18 | 25 |
| B. *Operated* | 1292 | 11.8 | 72 | 3 | 4 | 10 | 15 | 21 | 26 | 42 |
| **1. SINGLE DX** | 3771 | 8.7 | 28 | 2 | 3 | 8 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | 2724 | 9.9 | 52 | 2 | 3 | 8 | 13 | 18 | 22 | 33 |
| **A. NOT OPERATED** | 2493 | 7.9 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| **B. OPERATED** | 4002 | 10.1 | 46 | 3 | 4 | 9 | 13 | 17 | 21 | 32 |
| TOTAL 0-19 YRS | 37 | 5.8 | 10 | 2 | 2 | 5 | 7 | 11 | 12 | 15 |
| 20-34 | 1112 | 8.5 | 28 | 2 | 3 | 8 | 11 | 15 | 18 | 24 |
| 35-49 | 2635 | 9.1 | 35 | 2 | 3 | 8 | 11 | 16 | 19 | 28 |
| 50-64 | 1969 | 9.5 | 43 | 2 | 3 | 8 | 12 | 16 | 20 | 32 |
| 65+ | 742 | 10.0 | 54 | 3 | 3 | 9 | 13 | 19 | 24 | 31 |
| **GRAND TOTAL** | **6495** | **9.2** | **38** | **2** | **3** | **8** | **12** | **16** | **20** | **29** |

## 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.1 | 9 | 2 | 3 | 6 | 8 | 11 | 11 | 11 |
| 20-34 | 205 | 7.0 | 23 | 2 | 2 | 6 | 9 | 13 | 15 | 24 |
| 35-49 | 246 | 7.6 | 21 | 2 | 3 | 7 | 10 | 13 | 14 | 20 |
| 50-64 | 110 | 6.6 | 11 | 2 | 3 | 6 | 9 | 12 | 13 | 14 |
| 65+ | 23 | 8.0 | 14 | 3 | 4 | 7 | 10 | 14 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.7 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 15 |
| 20-34 | 231 | 6.7 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| 35-49 | 236 | 7.4 | 30 | 2 | 2 | 6 | 10 | 14 | 19 | 25 |
| 50-64 | 77 | 9.6 | 49 | 2 | 3 | 8 | 13 | 17 | 23 | 36 |
| 65+ | 8 | 13.6 | 102 | 1 | 2 | 10 | 23 | 27 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.1 | 3 | 2 | 2 | 3 | 3 | 6 | 7 | 7 |
| 20-34 | 98 | 7.4 | 29 | 2 | 2 | 6 | 10 | 15 | 17 | 31 |
| 35-49 | 195 | 8.1 | 26 | 2 | 3 | 7 | 10 | 16 | 18 | 25 |
| 50-64 | 153 | 8.2 | 19 | 2 | 3 | 8 | 11 | 14 | 16 | 22 |
| 65+ | 99 | 10.1 | 38 | 3 | 3 | 8 | 13 | 18 | 23 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.0 | 30 | 2 | 2 | 10 | 13 | 17 | 17 | 17 |
| 20-34 | 98 | 10.3 | 57 | 2 | 2 | 8 | 15 | 22 | 25 | 33 |
| 35-49 | 124 | 9.9 | 51 | 2 | 3 | 8 | 13 | 19 | 21 | 39 |
| 50-64 | 70 | 11.7 | 49 | 2 | 3 | 11 | 17 | 21 | 25 | 28 |
| 65+ | 18 | 12.9 | 115 | 3 | 4 | 9 | 17 | 27 | 39 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 598 | 7.2 | 19 | 2 | 3 | 6 | 9 | 13 | 14 | 20 |
| B. *Operated* | 564 | 7.5 | 31 | 2 | 2 | 6 | 10 | 14 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 553 | 8.3 | 28 | 2 | 3 | 7 | 11 | 15 | 18 | 28 |
| B. *Operated* | 315 | 10.6 | 56 | 2 | 3 | 9 | 15 | 20 | 25 | 35 |
| **1. SINGLE DX** | 1162 | 7.3 | 25 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 868 | 9.1 | 39 | 2 | 3 | 8 | 12 | 17 | 21 | 31 |
| **A. NOT OPERATED** | 1151 | 7.7 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| **B. OPERATED** | 879 | 8.6 | 42 | 2 | 2 | 7 | 12 | 17 | 21 | 32 |
| TOTAL 0-19 YRS | 39 | 5.9 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 17 |
| 20-34 | 632 | 7.5 | 30 | 2 | 2 | 6 | 10 | 15 | 18 | 28 |
| 35-49 | 801 | 8.0 | 30 | 2 | 3 | 7 | 10 | 15 | 18 | 30 |
| 50-64 | 410 | 8.6 | 30 | 2 | 3 | 8 | 11 | 16 | 19 | 28 |
| 65+ | 148 | 10.3 | 48 | 3 | 3 | 8 | 13 | 19 | 24 | 32 |
| **GRAND TOTAL** | **2030** | **8.1** | **32** | **2** | **3** | **7** | **10** | **15** | **19** | **29** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 81 | 7.0 | 13 | 2 | 3 | 7 | 9 | 11 | 13 | 21 |
| 35-49 | 120 | 7.1 | 21 | 2 | 2 | 6 | 10 | 12 | 13 | 27 |
| 50-64 | 120 | 7.4 | 16 | 2 | 3 | 7 | 10 | 12 | 15 | 20 |
| 65+ | 82 | 7.7 | 24 | 2 | 3 | 7 | 10 | 14 | 18 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 13 | 4 | 4 | 6 | 10 | 11 | 11 | 11 |
| 20-34 | 53 | 7.0 | 29 | 2 | 2 | 6 | 10 | 13 | 18 | 29 |
| 35-49 | 65 | 8.5 | 29 | 2 | 2 | 8 | 12 | 16 | 18 | 23 |
| 50-64 | 29 | 10.6 | 99 | 1 | 3 | 7 | 14 | 22 | 34 | 44 |
| 65+ | 14 | 13.2 | 51 | 3 | 3 | 13 | 18 | 24 | 27 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.2 | 41 | 3 | 3 | 5 | 11 | 19 | 20 | 20 |
| 20-34 | 56 | 7.7 | 27 | 3 | 3 | 7 | 9 | 14 | 21 | 25 |
| 35-49 | 118 | 8.1 | 25 | 3 | 3 | 7 | 10 | 15 | 18 | 27 |
| 50-64 | 197 | 8.5 | 36 | 3 | 4 | 7 | 10 | 14 | 18 | 29 |
| 65+ | 225 | 9.7 | 34 | 3 | 4 | 8 | 12 | 16 | 23 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 20-34 | 41 | 9.5 | 36 | 2 | 2 | 9 | 15 | 18 | 20 | 22 |
| 35-49 | 52 | 9.1 | 35 | 2 | 3 | 8 | 13 | 17 | 20 | 25 |
| 50-64 | 54 | 11.5 | 64 | 2 | 3 | 10 | 16 | 21 | 25 | 40 |
| 65+ | 53 | 14.2 | 56 | 5 | 5 | 13 | 19 | 22 | 27 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 405 | 7.2 | 18 | 2 | 3 | 7 | 9 | 12 | 15 | 22 |
| B. *Operated* | 164 | 8.8 | 45 | 2 | 2 | 8 | 12 | 17 | 20 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 602 | 8.8 | 33 | 3 | 4 | 7 | 11 | 15 | 20 | 29 |
| B. *Operated* | 202 | 11.2 | 52 | 2 | 3 | 10 | 15 | 21 | 24 | 37 |
| **1. SINGLE DX** | 569 | 7.7 | 27 | 2 | 2 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | 804 | 9.4 | 38 | 3 | 4 | 8 | 12 | 17 | 21 | 30 |
| **A. NOT OPERATED** | 1007 | 8.2 | 27 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| **B. OPERATED** | 366 | 10.1 | 50 | 2 | 3 | 9 | 14 | 19 | 23 | 35 |
| TOTAL 0-19 YRS | 13 | 7.2 | 26 | 2 | 3 | 5 | 11 | 14 | 19 | 20 |
| 20-34 | 231 | 7.6 | 25 | 2 | 2 | 7 | 10 | 15 | 18 | 23 |
| 35-49 | 355 | 8.0 | 26 | 2 | 3 | 7 | 11 | 15 | 17 | 25 |
| 50-64 | 400 | 8.8 | 39 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| 65+ | 374 | 10.0 | 39 | 3 | 4 | 9 | 13 | 19 | 23 | 30 |
| **GRAND TOTAL** | **1373** | **8.7** | **34** | **2** | **3** | **7** | **11** | **16** | **20** | **29** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 1307 | 6.3 | 17 | 2 | 2 | 5 | 8 | 12 | 14 | 20 |
| 35-49 | 1790 | 6.7 | 22 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 50-64 | 1020 | 7.3 | 25 | 2 | 2 | 6 | 9 | 14 | 18 | 25 |
| 65+ | 477 | 8.1 | 32 | 2 | 2 | 7 | 10 | 15 | 20 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 4.6 | 13 | 2 | 2 | 3 | 6 | 10 | 11 | 19 |
| 20-34 | 1372 | 6.5 | 27 | 2 | 2 | 5 | 9 | 13 | 16 | 26 |
| 35-49 | 1725 | 7.4 | 31 | 2 | 2 | 6 | 10 | 14 | 18 | 25 |
| 50-64 | 954 | 8.5 | 37 | 2 | 2 | 8 | 11 | 16 | 20 | 30 |
| 65+ | 279 | 11.6 | 65 | 2 | 3 | 10 | 15 | 22 | 28 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 12 | 19 |
| 20-34 | 1020 | 6.8 | 25 | 1 | 2 | 6 | 9 | 13 | 16 | 25 |
| 35-49 | 1763 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| 50-64 | 1635 | 7.8 | 31 | 2 | 3 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 1461 | 9.0 | 44 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 7.2 | 26 | 2 | 2 | 6 | 11 | 14 | 18 | 20 |
| 20-34 | 887 | 8.4 | 46 | 2 | 2 | 7 | 11 | 17 | 22 | 35 |
| 35-49 | 1435 | 9.2 | 54 | 2 | 3 | 7 | 12 | 18 | 23 | 33 |
| 50-64 | 1044 | 10.9 | 70 | 2 | 3 | 9 | 15 | 20 | 25 | 41 |
| 65+ | 499 | 14.3 | 99 | 3 | 4 | 12 | 20 | 29 | 34 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4758 | 6.8 | 22 | 2 | 2 | 6 | 9 | 12 | 16 | 24 |
| B. *Operated* | 4429 | 7.6 | 34 | 2 | 2 | 6 | 10 | 15 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5993 | 7.8 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| B. *Operated* | 3913 | 10.1 | 65 | 2 | 3 | 8 | 13 | 20 | 25 | 39 |
| **1. SINGLE DX** | 9187 | 7.2 | 28 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | 9906 | 8.7 | 46 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| **A. NOT OPERATED** | 10751 | 7.4 | 28 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| **B. OPERATED** | 8342 | 8.8 | 50 | 2 | 2 | 7 | 11 | 17 | 22 | 34 |
| TOTAL 0-19 YRS | 425 | 4.6 | 14 | 1 | 2 | 3 | 6 | 10 | 12 | 19 |
| 20-34 | 4586 | 6.9 | 28 | 2 | 2 | 5 | 9 | 13 | 17 | 27 |
| 35-49 | 6713 | 7.7 | 33 | 2 | 2 | 6 | 10 | 15 | 19 | 28 |
| 50-64 | 4653 | 8.5 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 31 |
| 65+ | 2716 | 10.1 | 59 | 2 | 3 | 8 | 13 | 19 | 25 | 38 |
| **GRAND TOTAL** | **19093** | **8.0** | **38** | **2** | **2** | **6** | **10** | **15** | **20** | **31** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 3.7 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 20-34 | 144 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 177 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 10 | 19 |
| 50-64 | 185 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| 65+ | 124 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 283 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 5 | 12 |
| 20-34 | 820 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 1310 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 1243 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 366 | 3.9 | 15 | <1 | 1 | 3 | 5 | 7 | 10 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.9 | 9 | 2 | 2 | 4 | 7 | 8 | 11 | 15 |
| 20-34 | 106 | 5.8 | 32 | 1 | 2 | 5 | 7 | 11 | 14 | 34 |
| 35-49 | 231 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 356 | 7.0 | 40 | 2 | 2 | 6 | 9 | 13 | 17 | 35 |
| 65+ | 412 | 8.0 | 32 | 2 | 3 | 6 | 10 | 14 | 18 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 359 | 4.9 | 47 | 1 | 2 | 3 | 5 | 9 | 14 | 26 |
| 35-49 | 597 | 4.8 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 50-64 | 777 | 5.4 | 24 | 2 | 2 | 4 | 6 | 11 | 15 | 27 |
| 65+ | 342 | 7.5 | 57 | 2 | 2 | 5 | 9 | 17 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 778 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 4022 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1157 | 7.0 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. *Operated* | 2162 | 5.4 | 31 | 2 | 2 | 4 | 6 | 11 | 15 | 28 |
| **1. SINGLE DX** | 4800 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | 3319 | 6.0 | 31 | 2 | 2 | 4 | 7 | 12 | 15 | 27 |
| **A. NOT OPERATED** | 1935 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 14 | 24 |
| **B. OPERATED** | 6184 | 4.1 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 570 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 20-34 | 1429 | 3.9 | 19 | 1 | 2 | 3 | 4 | 7 | 9 | 19 |
| 35-49 | 2315 | 4.1 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 2561 | 4.7 | 19 | 1 | 2 | 3 | 6 | 9 | 12 | 22 |
| 65+ | 1244 | 6.5 | 35 | 1 | 2 | 5 | 8 | 14 | 18 | 29 |
| **GRAND TOTAL** | **8119** | **4.6** | **19** | **1** | **2** | **3** | **5** | **9** | **12** | **22** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 5 | 2.8 | 4 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 50-64 | 8 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 11 |
| 65+ | 8 | 3.4 | 11 | <1 | <1 | 2 | 4 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 11 |
| 20-34 | 440 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 535 | 4.1 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 675 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 379 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 2.8 | 13 | 1 | 1 | 1 | 3 | 9 | 10 | 10 |
| 35-49 | 9 | 3.8 | 20 | 1 | 1 | 2 | 4 | 11 | 15 | 15 |
| 50-64 | 13 | 4.5 | 23 | <1 | <1 | 3 | 6 | 13 | 15 | 16 |
| 65+ | 10 | 5.1 | 44 | <1 | <1 | 3 | 4 | 16 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 453 | 4.4 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 655 | 4.7 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 1258 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 65+ | 830 | 6.2 | 19 | 2 | 3 | 5 | 7 | 10 | 13 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 3.5 | 8 | <1 | <1 | 3 | 5 | 8 | 11 | 11 |
| B. *Operated* | 2216 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 4.1 | 24 | <1 | 1 | 2 | 4 | 11 | 15 | 22 |
| B. *Operated* | 3311 | 5.2 | 10 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| **1. SINGLE DX** | 2241 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 3351 | 5.2 | 10 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| **A. NOT OPERATED** | 65 | 3.8 | 18 | <1 | 1 | 2 | 4 | 11 | 13 | 21 |
| **B. OPERATED** | 5527 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| TOTAL 0-19 YRS | 305 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 902 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 1204 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 1954 | 4.9 | 6 | 2 | 3 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 1227 | 5.8 | 15 | 2 | 3 | 5 | 7 | 10 | 13 | 22 |
| **GRAND TOTAL** | **5592** | **4.8** | **8** | **2** | **2** | **4** | **6** | **8** | **10** | **15** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 26 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 12 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 10 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 5 |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 822 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 1553 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 809 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 518 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 177 | 3.4 | 10 | 1 | 2 | 2 | 4 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.9 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 8 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | 16 | 3.3 | 7 | <1 | 1 | 2 | 5 | 6 | 10 | 11 |
| 50-64 | 15 | 4.9 | 13 | <1 | <1 | 3 | 8 | 9 | 12 | 13 |
| 65+ | 14 | 6.1 | 14 | 3 | 3 | 5 | 7 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 267 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 306 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 303 | 4.2 | 14 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| 65+ | 141 | 5.7 | 56 | 1 | 2 | 3 | 6 | 13 | 16 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| B. *Operated* | 3879 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 3.8 | 10 | <1 | <1 | 3 | 5 | 8 | 12 | 14 |
| B. *Operated* | 1110 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| **1. SINGLE DX** | 3940 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 1174 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| **A. NOT OPERATED** | 125 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **B. OPERATED** | 4989 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 937 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1854 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 1143 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 846 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 334 | 4.5 | 31 | 1 | 2 | 3 | 5 | 9 | 14 | 21 |
| **GRAND TOTAL** | **5114** | **2.6** | **5** | **<1** | **1** | **2** | **3** | **4** | **6** | **12** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 14.3 | 109 | 2 | 4 | 12 | 21 | 26 | 34 | 52 |
| 20-34 | 51 | 9.7 | 78 | 1 | 2 | 8 | 12 | 20 | 29 | 43 |
| 35-49 | 36 | 8.8 | 65 | 1 | 2 | 7 | 10 | 18 | 23 | 42 |
| 50-64 | 32 | 10.9 | 171 | 1 | 2 | 6 | 13 | 22 | 50 | 55 |
| 65+ | 26 | 13.4 | 65 | 3 | 4 | 13 | 21 | 24 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 14.3 | 129 | 3 | 4 | 11 | 19 | 28 | 38 | 57 |
| 20-34 | 154 | 13.6 | 129 | 2 | 3 | 10 | 17 | 33 | 37 | 54 |
| 35-49 | 114 | 11.7 | 135 | 2 | 2 | 7 | 16 | 30 | 40 | 51 |
| 50-64 | 119 | 15.9 | 181 | 3 | 3 | 12 | 21 | 38 | 43 | 59 |
| 65+ | 79 | 16.7 | 212 | 3 | 4 | 12 | 21 | 37 | 45 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 16.6 | 87 | 2 | 5 | 16 | 22 | 29 | 35 | 41 |
| 20-34 | 43 | 12.1 | 115 | 1 | 2 | 9 | 17 | 22 | 35 | 52 |
| 35-49 | 50 | 11.0 | 135 | 1 | 2 | 7 | 12 | 27 | 35 | 62 |
| 50-64 | 90 | 16.4 | 255 | 2 | 3 | 10 | 22 | 33 | 51 | 83 |
| 65+ | 88 | 15.0 | 106 | 4 | 5 | 13 | 19 | 31 | 39 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 16.4 | 117 | 2 | 3 | 14 | 23 | 31 | 36 | 41 |
| 20-34 | 109 | 18.3 | 231 | 2 | 4 | 14 | 25 | 46 | 53 | 99+ |
| 35-49 | 144 | 19.8 | 238 | 4 | 6 | 15 | 28 | 43 | 57 | 99+ |
| 50-64 | 203 | 19.4 | 217 | 3 | 3 | 16 | 27 | 43 | 52 | 85 |
| 65+ | 204 | 20.6 | 234 | 4 | 6 | 17 | 27 | 47 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 12.0 | 103 | 2 | 2 | 9 | 17 | 23 | 31 | 53 |
| B. *Operated* | 555 | 14.3 | 155 | 2 | 3 | 10 | 18 | 33 | 41 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 315 | 14.6 | 154 | 2 | 3 | 11 | 20 | 31 | 40 | 55 |
| B. *Operated* | 721 | 19.4 | 220 | 3 | 4 | 15 | 27 | 43 | 54 | 99+ |
| **1. SINGLE DX** | 793 | 13.6 | 140 | 2 | 3 | 10 | 18 | 30 | 40 | 57 |
| **2. MULTIPLE DX** | 1036 | 17.9 | 205 | 3 | 4 | 14 | 25 | 40 | 51 | 92 |
| **A. NOT OPERATED** | 553 | 13.5 | 134 | 2 | 3 | 10 | 19 | 28 | 37 | 53 |
| **B. OPERATED** | 1276 | 17.2 | 198 | 3 | 4 | 13 | 23 | 38 | 48 | 73 |
| TOTAL 0-19 YRS | 287 | 15.1 | 114 | 2 | 3 | 14 | 22 | 29 | 36 | 49 |
| 20-34 | 357 | 14.3 | 159 | 2 | 2 | 10 | 18 | 36 | 43 | 57 |
| 35-49 | 344 | 14.7 | 189 | 2 | 3 | 10 | 19 | 35 | 44 | 74 |
| 50-64 | 444 | 17.3 | 216 | 2 | 3 | 13 | 25 | 40 | 50 | 65 |
| 65+ | 397 | 18.1 | 196 | 3 | 5 | 15 | 24 | 38 | 49 | 74 |
| **GRAND TOTAL** | **1829** | **16.1** | **181** | **2** | **3** | **12** | **22** | **35** | **45** | **66** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 5.0 | 43 | 1 | 1 | 3 | 6 | 10 | 15 | 46 |
| 20-34 | 169 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 35-49 | 245 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 179 | 5.6 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 65+ | 333 | 8.3 | 37 | 2 | 3 | 7 | 11 | 16 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 823 | 4.7 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 25 |
| 20-34 | 977 | 5.3 | 30 | 2 | 2 | 4 | 6 | 10 | 13 | 28 |
| 35-49 | 554 | 6.8 | 43 | 2 | 2 | 5 | 9 | 13 | 17 | 32 |
| 50-64 | 487 | 8.7 | 44 | 2 | 2 | 7 | 12 | 17 | 20 | 30 |
| 65+ | 370 | 12.8 | 90 | 2 | 3 | 12 | 17 | 24 | 31 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 5.7 | 54 | <1 | 1 | 4 | 6 | 12 | 17 | 43 |
| 20-34 | 259 | 5.1 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 27 |
| 35-49 | 447 | 5.6 | 17 | 2 | 2 | 4 | 7 | 10 | 12 | 24 |
| 50-64 | 761 | 7.4 | 45 | 2 | 2 | 6 | 9 | 14 | 20 | 32 |
| 65+ | 2385 | 10.5 | 52 | 3 | 4 | 9 | 13 | 19 | 24 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 5.4 | 36 | 2 | 2 | 4 | 6 | 10 | 15 | 29 |
| 20-34 | 498 | 6.6 | 48 | 2 | 2 | 4 | 8 | 13 | 20 | 39 |
| 35-49 | 391 | 9.9 | 120 | 2 | 2 | 6 | 13 | 20 | 25 | 70 |
| 50-64 | 568 | 12.0 | 111 | 2 | 3 | 9 | 16 | 25 | 33 | 59 |
| 65+ | 783 | 17.8 | 156 | 3 | 5 | 15 | 23 | 33 | 41 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1060 | 5.8 | 27 | 1 | 2 | 4 | 7 | 12 | 15 | 25 |
| B. *Operated* | 3211 | 6.8 | 45 | 2 | 2 | 4 | 8 | 15 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3923 | 8.9 | 49 | 2 | 3 | 7 | 11 | 18 | 22 | 34 |
| B. *Operated* | 2473 | 11.8 | 128 | 2 | 2 | 8 | 16 | 26 | 34 | 60 |
| **1. SINGLE DX** | 4271 | 6.6 | 41 | 1 | 2 | 4 | 8 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 6396 | 10.0 | 81 | 2 | 3 | 7 | 13 | 21 | 27 | 46 |
| **A. NOT OPERATED** | 4983 | 8.2 | 46 | 2 | 2 | 6 | 11 | 16 | 21 | 33 |
| **B. OPERATED** | 5684 | 9.0 | 87 | 2 | 2 | 6 | 11 | 20 | 27 | 46 |
| TOTAL 0-19 YRS | 1261 | 4.9 | 27 | 1 | 2 | 3 | 6 | 9 | 13 | 28 |
| 20-34 | 1903 | 5.5 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| 35-49 | 1637 | 6.9 | 53 | 2 | 2 | 5 | 8 | 13 | 18 | 32 |
| 50-64 | 1995 | 8.9 | 66 | 2 | 2 | 7 | 11 | 18 | 24 | 46 |
| 65+ | 3871 | 12.0 | 85 | 3 | 3 | 10 | 15 | 23 | 29 | 46 |
| **GRAND TOTAL** | **10667** | **8.6** | **68** | **2** | **2** | **6** | **11** | **18** | **24** | **41** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 5 | 4.4 | 15 | <1 | <1 | 2 | 8 | 10 | 10 | 10 |
| 50-64 | 2 | 13.0 | 288 | <1 | <1 | 12 | 25 | 25 | 25 | 25 |
| 65+ | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 175 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 108 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 95 | 5.3 | 25 | <1 | 1 | 4 | 6 | 11 | 16 | 26 |
| 65+ | 40 | 8.3 | 49 | 2 | 2 | 5 | 13 | 19 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.2 | 80 | <1 | <1 | 2 | 16 | 20 | 21 | 21 |
| 20-34 | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 9 | 8.2 | 29 | 1 | 2 | 7 | 11 | 16 | 19 | 19 |
| 50-64 | 13 | 7.0 | 13 | 2 | 3 | 7 | 9 | 11 | 14 | 15 |
| 65+ | 20 | 10.3 | 59 | 2 | 3 | 8 | 12 | 19 | 27 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 158 | 6.0 | 57 | 2 | 2 | 4 | 7 | 12 | 16 | 30 |
| 35-49 | 112 | 6.3 | 44 | 2 | 2 | 4 | 8 | 12 | 15 | 40 |
| 50-64 | 134 | 6.9 | 31 | 2 | 3 | 6 | 8 | 12 | 19 | 57 |
| 65+ | 94 | 10.3 | 55 | 2 | 2 | 8 | 14 | 21 | 25 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.7 | 31 | <1 | <1 | 2 | 3 | 8 | 17 | 25 |
| B. *Operated* | 607 | 4.3 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 8.1 | 43 | 1 | 1 | 7 | 11 | 18 | 19 | 35 |
| B. *Operated* | 604 | 6.7 | 43 | 2 | 2 | 5 | 8 | 13 | 19 | 31 |
| **1. SINGLE DX** | 627 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | 656 | 6.5 | 43 | 2 | 2 | 5 | 8 | 13 | 19 | 32 |
| **A. NOT OPERATED** | 72 | 6.9 | 43 | <1 | <1 | 5 | 10 | 17 | 19 | 33 |
| **B. OPERATED** | 1211 | 5.5 | 30 | 1 | 2 | 4 | 6 | 11 | 15 | 26 |
| TOTAL 0-19 YRS | 304 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 15 |
| 20-34 | 344 | 4.7 | 32 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 234 | 5.1 | 27 | 1 | 2 | 4 | 6 | 10 | 13 | 29 |
| 50-64 | 244 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 19 | 31 |
| 65+ | 157 | 9.6 | 54 | 2 | 2 | 8 | 14 | 20 | 24 | 35 |
| **GRAND TOTAL** | **1283** | **5.6** | **30** | **1** | **2** | **4** | **7** | **11** | **16** | **26** |

## 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 13 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 43 | 6.1 | 13 | 1 | 2 | 5 | 8 | 10 | 12 | 19 |
| 35-49 | 76 | 5.8 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 18 |
| 50-64 | 48 | 6.4 | 15 | 2 | 2 | 5 | 9 | 11 | 12 | 22 |
| 65+ | 28 | 6.4 | 15 | 2 | 2 | 5 | 9 | 11 | 15 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.5 | 61 | 6 | 6 | 11 | 17 | 17 | 17 | 17 |
| 20-34 | 42 | 6.1 | 20 | 1 | 2 | 5 | 8 | 13 | 14 | 21 |
| 35-49 | 57 | 6.8 | 26 | 2 | 2 | 6 | 10 | 13 | 16 | 26 |
| 50-64 | 28 | 9.0 | 45 | 2 | 3 | 7 | 14 | 15 | 18 | 33 |
| 65+ | 13 | 13.0 | 50 | 3 | 4 | 12 | 17 | 23 | 27 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 33 | 7.4 | 56 | 2 | 3 | 5 | 8 | 12 | 15 | 45 |
| 35-49 | 69 | 7.6 | 46 | 1 | 2 | 6 | 10 | 13 | 21 | 37 |
| 50-64 | 113 | 7.7 | 24 | 2 | 2 | 7 | 11 | 15 | 16 | 23 |
| 65+ | 113 | 9.0 | 50 | 2 | 3 | 7 | 12 | 15 | 21 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 15 | 10.5 | 69 | 2 | 2 | 10 | 13 | 23 | 30 | 32 |
| 35-49 | 50 | 9.2 | 26 | 2 | 3 | 8 | 12 | 18 | 19 | 23 |
| 50-64 | 38 | 9.1 | 33 | 2 | 3 | 8 | 13 | 18 | 25 | 99+ |
| 65+ | 33 | 11.0 | 42 | 2 | 3 | 10 | 14 | 18 | 22 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 6.1 | 13 | 2 | 2 | 5 | 8 | 11 | 12 | 19 |
| B. *Operated* | 142 | 7.7 | 33 | 2 | 2 | 6 | 11 | 15 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 330 | 8.1 | 41 | 2 | 2 | 7 | 10 | 15 | 17 | 39 |
| B. *Operated* | 137 | 9.8 | 36 | 2 | 3 | 9 | 13 | 18 | 23 | 40 |
| **1. SINGLE DX** | 342 | 6.8 | 22 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 467 | 8.6 | 40 | 2 | 3 | 7 | 11 | 15 | 19 | 37 |
| **A. NOT OPERATED** | 530 | 7.3 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 33 |
| **B. OPERATED** | 279 | 8.7 | 36 | 2 | 2 | 7 | 12 | 16 | 21 | 32 |
| TOTAL 0-19 YRS | 10 | 8.0 | 28 | 2 | 2 | 6 | 12 | 16 | 17 | 17 |
| 20-34 | 133 | 6.9 | 33 | 2 | 2 | 5 | 9 | 12 | 15 | 34 |
| 35-49 | 252 | 7.2 | 28 | 2 | 2 | 6 | 9 | 13 | 18 | 27 |
| 50-64 | 227 | 7.8 | 27 | 2 | 2 | 7 | 11 | 15 | 17 | 31 |
| 65+ | 187 | 9.2 | 45 | 2 | 3 | 8 | 12 | 16 | 22 | 40 |
| **GRAND TOTAL** | **809** | **7.8** | **33** | **2** | **2** | **7** | **10** | **14** | **17** | **32** |

## 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 438 | 4.4 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 35-49 | 451 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 296 | 5.0 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 19 |
| 65+ | 201 | 5.9 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 569 | 4.9 | 26 | 1 | 1 | 3 | 5 | 14 | 17 | 22 |
| 20-34 | 904 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 644 | 4.7 | 20 | 1 | 2 | 3 | 5 | 10 | 13 | 22 |
| 50-64 | 629 | 4.3 | 18 | 2 | 2 | 3 | 5 | 8 | 12 | 19 |
| 65+ | 323 | 5.0 | 43 | 2 | 2 | 3 | 5 | 9 | 15 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 188 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 20-34 | 548 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| 35-49 | 899 | 6.4 | 29 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 936 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 16 | 23 |
| 65+ | 891 | 7.9 | 37 | 2 | 3 | 6 | 10 | 15 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 316 | 4.6 | 33 | 1 | 1 | 3 | 4 | 9 | 16 | 32 |
| 20-34 | 798 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| 35-49 | 761 | 6.8 | 63 | 1 | 2 | 4 | 8 | 13 | 18 | 43 |
| 50-64 | 711 | 7.7 | 63 | 2 | 2 | 5 | 10 | 16 | 22 | 35 |
| 65+ | 441 | 8.9 | 67 | 2 | 2 | 6 | 12 | 19 | 25 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1558 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 3069 | 4.6 | 23 | 1 | 2 | 3 | 5 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3462 | 6.5 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| B. *Operated* | 3027 | 6.6 | 52 | 1 | 2 | 4 | 8 | 14 | 19 | 37 |
| **1. SINGLE DX** | 4627 | 4.6 | 20 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | 6489 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 5020 | 6.0 | 23 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| **B. OPERATED** | 6096 | 5.6 | 39 | 1 | 2 | 3 | 6 | 12 | 17 | 31 |
| TOTAL 0-19 YRS | 1245 | 4.5 | 23 | 1 | 1 | 3 | 5 | 11 | 15 | 22 |
| 20-34 | 2688 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 35-49 | 2755 | 5.9 | 35 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| 50-64 | 2572 | 6.1 | 32 | 2 | 2 | 4 | 8 | 13 | 17 | 26 |
| 65+ | 1856 | 7.4 | 45 | 2 | 2 | 5 | 9 | 15 | 20 | 35 |
| **GRAND TOTAL** | **11116** | **5.8** | **32** | **1** | **2** | **4** | **7** | **12** | **16** | **28** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 6.0 | 15 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 35-49 | 6 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 3.9 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 10 | 6.2 | 18 | 2 | 2 | 5 | 10 | 12 | 13 | 13 |
| 50-64 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 19 | 7.8 | 61 | 2 | 2 | 4 | 9 | 23 | 28 | 28 |
| 35-49 | 34 | 6.0 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| 50-64 | 27 | 7.1 | 28 | 2 | 2 | 5 | 9 | 15 | 18 | 25 |
| 65+ | 8 | 11.6 | 40 | 4 | 4 | 11 | 16 | 20 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 13 | 6.8 | 11 | 2 | 3 | 6 | 9 | 12 | 13 | 13 |
| 35-49 | 15 | 8.9 | 42 | 2 | 3 | 7 | 10 | 19 | 23 | 24 |
| 50-64 | 7 | 8.6 | 59 | 2 | 2 | 5 | 16 | 19 | 19 | 19 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 5.1 | 7 | 2 | 2 | 5 | 6 | 9 | 11 | 11 |
| B. *Operated* | 28 | 4.6 | 11 | 1 | 2 | 3 | 6 | 10 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 7.1 | 29 | 2 | 3 | 5 | 8 | 15 | 18 | 28 |
| B. *Operated* | 36 | 8.1 | 31 | 2 | 2 | 6 | 10 | 18 | 19 | 24 |
| **1. SINGLE DX** | 41 | 4.7 | 9 | 1 | 2 | 4 | 6 | 10 | 11 | 13 |
| **2. MULTIPLE DX** | 129 | 7.3 | 30 | 2 | 2 | 6 | 9 | 16 | 19 | 28 |
| **A. NOT OPERATED** | 106 | 6.8 | 27 | 2 | 3 | 5 | 8 | 12 | 17 | 28 |
| **B. OPERATED** | 64 | 6.5 | 25 | 2 | 2 | 5 | 9 | 13 | 18 | 23 |
| TOTAL 0-19 YRS | 6 | 4.5 | 4 | 2 | 2 | 4 | 5 | 8 | 8 | 8 |
| 20-34 | 52 | 6.3 | 30 | 2 | 2 | 5 | 8 | 11 | 15 | 28 |
| 35-49 | 65 | 6.5 | 18 | 2 | 3 | 6 | 7 | 11 | 18 | 23 |
| 50-64 | 38 | 7.1 | 31 | 2 | 2 | 5 | 9 | 16 | 19 | 25 |
| 65+ | 9 | 10.4 | 48 | 1 | 2 | 10 | 16 | 20 | 22 | 22 |
| **GRAND TOTAL** | **170** | **6.7** | **26** | **2** | **2** | **5** | **9** | **12** | **18** | **27** |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 13 | 96 |
| 20-34 | 5 | 4.4 | 14 | 2 | 2 | 3 | 6 | 11 | 11 | 11 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 5 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 6 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 7.0 | 15 | 2 | 2 | 7 | 10 | 13 | 14 | 16 |
| 20-34 | 22 | 9.8 | 26 | 2 | 3 | 9 | 12 | 18 | 20 | 21 |
| 35-49 | 10 | 8.8 | 46 | 3 | 3 | 6 | 11 | 20 | 23 | 23 |
| 50-64 | 3 | 11.7 | 4 | 10 | 10 | 11 | 13 | 14 | 14 | 14 |
| 65+ | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 5.3 | 25 | 1 | 1 | 3 | 7 | 13 | 17 | 21 |
| 20-34 | 14 | 6.6 | 58 | 1 | 1 | 5 | 6 | 14 | 27 | 31 |
| 35-49 | 5 | 3.4 | 7 | 2 | 2 | 2 | 4 | 8 | 8 | 8 |
| 50-64 | 13 | 6.5 | 13 | 1 | 3 | 5 | 9 | 11 | 14 | 15 |
| 65+ | 28 | 7.3 | 60 | <1 | 1 | 5 | 11 | 16 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 11.3 | 176 | 2 | 2 | 7 | 12 | 28 | 38 | 72 |
| 20-34 | 25 | 16.8 | 367 | 2 | 3 | 9 | 20 | 49 | 67 | 68 |
| 35-49 | 16 | 10.0 | 47 | 2 | 2 | 9 | 14 | 19 | 25 | 27 |
| 50-64 | 8 | 14.8 | 75 | <1 | 1 | 18 | 21 | 23 | 24 | 24 |
| 65+ | 6 | 17.8 | 251 | 4 | 4 | 10 | 36 | 40 | 40 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 71 | 3.2 | 13 | <1 | 1 | 2 | 4 | 7 | 12 | 83 |
| B. *Operated* | 104 | 8.0 | 21 | 2 | 3 | 8 | 11 | 14 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 5.8 | 33 | 1 | 1 | 4 | 7 | 13 | 17 | 30 |
| B. *Operated* | 162 | 12.4 | 192 | 2 | 2 | 8 | 14 | 28 | 40 | 68 |
| **1. SINGLE DX** | 175 | 6.0 | 23 | 1 | 1 | 4 | 9 | 13 | 15 | 24 |
| **2. MULTIPLE DX** | 318 | 9.2 | 124 | 1 | 1 | 5 | 11 | 21 | 31 | 67 |
| **A. NOT OPERATED** | 227 | 5.0 | 28 | 1 | 1 | 3 | 6 | 12 | 17 | 32 |
| **B. OPERATED** | 266 | 10.7 | 129 | 2 | 2 | 8 | 12 | 22 | 32 | 67 |
| TOTAL 0-19 YRS | 324 | 7.2 | 80 | 1 | 1 | 4 | 9 | 15 | 24 | 59 |
| 20-34 | 66 | 11.4 | 177 | 2 | 2 | 9 | 12 | 22 | 42 | 68 |
| 35-49 | 32 | 8.6 | 42 | 2 | 2 | 7 | 12 | 18 | 23 | 27 |
| 50-64 | 29 | 8.8 | 43 | 1 | 2 | 6 | 12 | 20 | 22 | 24 |
| 65+ | 42 | 8.2 | 90 | <1 | 1 | 5 | 11 | 18 | 36 | 40 |
| **GRAND TOTAL** | **493** | **8.1** | **91** | **1** | **1** | **5** | **10** | **17** | **25** | **62** |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 1.5 | 6 | <1 | 1 | 1 | 1 | 2 | 2 | 17 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 471 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 135 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 85 | 3.1 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 15 |
| 50-64 | 180 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 9 |
| 65+ | 146 | 2.8 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 1.8 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| 20-34 | 5 | 4.2 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 7 | 4.1 | 14 | 1 | 1 | 4 | 5 | 11 | 12 | 12 |
| 65+ | 4 | 5.3 | 23 | 1 | 1 | 4 | 8 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 2.9 | 21 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 53 | 3.7 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 42 | 3.3 | 4 | 1 | 1 | 3 | 3 | 6 | 8 | 10 |
| 50-64 | 137 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 8 | 17 |
| 65+ | 174 | 3.0 | 4 | 2 | 2 | 2 | 3 | 5 | 7 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 1.5 | 6 | <1 | 1 | 1 | 1 | 2 | 2 | 17 |
| B. *Operated* | 1017 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 2.9 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| B. *Operated* | 556 | 3.1 | 9 | 1 | 2 | 2 | 3 | 5 | 7 | 13 |
| **1. SINGLE DX** | 1114 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 601 | 3.1 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **A. NOT OPERATED** | 142 | 2.0 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| **B. OPERATED** | 1573 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 744 | 2.2 | 6 | 1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 20-34 | 193 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 129 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 325 | 3.0 | 5 | 1 | 2 | 2 | 3 | 4 | 7 | 13 |
| 65+ | 324 | 3.0 | 3 | 2 | 2 | 2 | 3 | 5 | 6 | 12 |
| **GRAND TOTAL** | **1715** | **2.6** | **5** | **1** | **1** | **2** | **3** | **4** | **5** | **10** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.2 | 6 | <1 | 1 | 2 | 4 | 5 | 10 | 11 |
| 20-34 | 33 | 3.1 | 5 | 1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 35-49 | 15 | 4.3 | 10 | 2 | 2 | 3 | 5 | 9 | 12 | 13 |
| 50-64 | 13 | 3.5 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 65+ | 7 | 6.1 | 32 | 1 | 1 | 5 | 9 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 4.7 | 15 | 1 | 2 | 2 | 8 | 10 | 11 | 15 |
| 20-34 | 117 | 6.3 | 27 | 2 | 2 | 4 | 9 | 14 | 17 | 23 |
| 35-49 | 75 | 6.7 | 36 | 2 | 2 | 7 | 10 | 13 | 15 | 36 |
| 50-64 | 60 | 7.3 | 42 | 2 | 2 | 5 | 11 | 14 | 17 | 35 |
| 65+ | 15 | 6.0 | 42 | <1 | 2 | 3 | 6 | 20 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 5.4 | 46 | 1 | 1 | 3 | 6 | 10 | 17 | 39 |
| 20-34 | 73 | 5.9 | 35 | 2 | 2 | 4 | 7 | 11 | 15 | 38 |
| 35-49 | 65 | 7.3 | 57 | 2 | 2 | 6 | 9 | 13 | 18 | 49 |
| 50-64 | 58 | 7.7 | 33 | 2 | 2 | 6 | 10 | 16 | 19 | 28 |
| 65+ | 82 | 6.8 | 41 | 2 | 2 | 5 | 8 | 11 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 6.5 | 78 | 1 | 2 | 2 | 9 | 14 | 20 | 41 |
| 20-34 | 101 | 9.0 | 109 | 2 | 2 | 6 | 11 | 21 | 27 | 57 |
| 35-49 | 90 | 8.6 | 77 | 2 | 2 | 8 | 12 | 19 | 24 | 85 |
| 50-64 | 91 | 9.3 | 74 | 2 | 2 | 6 | 12 | 22 | 26 | 40 |
| 65+ | 47 | 9.6 | 65 | 2 | 2 | 6 | 14 | 19 | 28 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 123 | 3.5 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 531 | 5.7 | 25 | 1 | 2 | 3 | 9 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 479 | 6.2 | 44 | 1 | 2 | 4 | 7 | 12 | 17 | 39 |
| B. *Operated* | 684 | 7.7 | 82 | 1 | 2 | 4 | 10 | 16 | 25 | 45 |
| **1. SINGLE DX** | 654 | 5.3 | 22 | 1 | 2 | 3 | 8 | 11 | 13 | 23 |
| **2. MULTIPLE DX** | 1163 | 7.1 | 67 | 1 | 2 | 4 | 9 | 15 | 24 | 42 |
| **A. NOT OPERATED** | 602 | 5.7 | 38 | 1 | 1 | 4 | 7 | 11 | 16 | 34 |
| **B. OPERATED** | 1215 | 6.8 | 58 | 1 | 2 | 3 | 9 | 14 | 20 | 38 |
| TOTAL 0-19 YRS | 875 | 5.5 | 48 | 1 | 1 | 2 | 8 | 11 | 15 | 36 |
| 20-34 | 324 | 6.7 | 55 | 2 | 2 | 4 | 9 | 14 | 19 | 41 |
| 35-49 | 245 | 7.4 | 56 | 2 | 2 | 6 | 10 | 14 | 21 | 53 |
| 50-64 | 222 | 8.0 | 52 | 2 | 2 | 6 | 10 | 16 | 24 | 35 |
| 65+ | 151 | 7.6 | 49 | 2 | 2 | 5 | 10 | 16 | 24 | 36 |
| **GRAND TOTAL** | **1817** | **6.4** | **52** | **1** | **2** | **4** | **9** | **13** | **19** | **36** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 352 | 4.1 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 9 |
| 20-34 | 10 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 7 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.3 | 42 | <1 | <1 | 1 | 3 | 5 | 16 | 32 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 4.7 | 17 | 2 | 2 | 4 | 5 | 7 | 8 | 20 |
| 20-34 | 17 | 4.4 | 6 | 2 | 2 | 5 | 5 | 7 | 10 | 11 |
| 35-49 | 6 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 372 | 4.0 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 3.3 | 42 | <1 | <1 | 1 | 3 | 5 | 16 | 32 |
| B. *Operated* | 215 | 4.6 | 15 | 2 | 2 | 4 | 5 | 7 | 8 | 19 |
| **1. SINGLE DX** | 377 | 4.0 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 238 | 4.5 | 18 | 1 | 2 | 4 | 5 | 7 | 8 | 21 |
| **A. NOT OPERATED** | 28 | 3.0 | 34 | <1 | <1 | 1 | 3 | 5 | 9 | 32 |
| **B. OPERATED** | 587 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 570 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 27 | 3.9 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 13 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 5.0 | 13 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| **GRAND TOTAL** | **615** | **4.2** | **9** | **1** | **2** | **4** | **5** | **7** | **8** | **11** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 4.5 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.9 | 23 | 2 | 2 | 3 | 5 | 12 | 18 | 18 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 5.8 | 10 | 2 | 3 | 5 | 7 | 10 | 11 | 16 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.4 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | 258 | 4.5 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 4.9 | 23 | 2 | 2 | 3 | 5 | 12 | 18 | 18 |
| B. *Operated* | 51 | 5.8 | 10 | 2 | 3 | 5 | 7 | 10 | 11 | 16 |
| **1. SINGLE DX** | 272 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 61 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| **A. NOT OPERATED** | 24 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 10 | 18 |
| **B. OPERATED** | 309 | 4.7 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 15 |
| TOTAL 0-19 YRS | 333 | 4.6 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **333** | **4.6** | **10** | **2** | **2** | **4** | **5** | **8** | **10** | **16** |

### 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 2.5 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 17 | 3.8 | 11 | 1 | 1 | 4 | 5 | 7 | 12 | 14 |
| 35-49 | 12 | 4.3 | 14 | 1 | 1 | 3 | 4 | 12 | 13 | 13 |
| 50-64 | 7 | 4.9 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 10 | 4.3 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 249 | 4.3 | 33 | <1 | 1 | 2 | 5 | 9 | 13 | 34 |
| 20-34 | 92 | 4.2 | 11 | <1 | 1 | 3 | 5 | 9 | 10 | 15 |
| 35-49 | 36 | 5.9 | 38 | <1 | 1 | 4 | 9 | 12 | 14 | 34 |
| 50-64 | 32 | 5.4 | 19 | 1 | 2 | 4 | 8 | 12 | 15 | 17 |
| 65+ | 28 | 7.2 | 28 | 2 | 2 | 6 | 10 | 14 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 6.8 | 178 | 1 | 1 | 4 | 7 | 12 | 17 | 92 |
| 20-34 | 21 | 5.1 | 20 | 2 | 2 | 4 | 5 | 8 | 15 | 23 |
| 35-49 | 31 | 5.0 | 16 | 1 | 1 | 4 | 8 | 11 | 15 | 16 |
| 50-64 | 46 | 5.9 | 23 | 1 | 2 | 5 | 8 | 10 | 15 | 26 |
| 65+ | 72 | 6.5 | 26 | 1 | 2 | 5 | 9 | 13 | 18 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 7.3 | 74 | 1 | 2 | 4 | 9 | 16 | 24 | 53 |
| 20-34 | 91 | 8.7 | 55 | 1 | 2 | 7 | 11 | 18 | 22 | 41 |
| 35-49 | 64 | 9.1 | 55 | 2 | 2 | 7 | 11 | 20 | 26 | 37 |
| 50-64 | 58 | 10.5 | 71 | 2 | 3 | 9 | 14 | 21 | 28 | 39 |
| 65+ | 83 | 15.5 | 188 | 2 | 3 | 11 | 20 | 33 | 49 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 437 | 4.7 | 28 | <1 | 1 | 3 | 6 | 10 | 13 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 6.1 | 64 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| B. *Operated* | 455 | 9.7 | 96 | 2 | 2 | 7 | 12 | 21 | 30 | 52 |
| **1. SINGLE DX** | 587 | 4.3 | 23 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **2. MULTIPLE DX** | 687 | 8.5 | 88 | 1 | 2 | 6 | 10 | 19 | 25 | 51 |
| **A. NOT OPERATED** | 382 | 4.9 | 44 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| **B. OPERATED** | 892 | 7.3 | 69 | 1 | 1 | 4 | 9 | 16 | 22 | 49 |
| TOTAL 0-19 YRS | 574 | 5.1 | 58 | 1 | 1 | 3 | 6 | 10 | 16 | 49 |
| 20-34 | 221 | 6.1 | 34 | 1 | 1 | 4 | 8 | 12 | 18 | 30 |
| 35-49 | 143 | 7.0 | 42 | 1 | 2 | 5 | 9 | 14 | 20 | 34 |
| 50-64 | 143 | 7.6 | 46 | 2 | 2 | 6 | 10 | 15 | 21 | 39 |
| 65+ | 193 | 10.3 | 115 | 1 | 2 | 7 | 14 | 21 | 31 | 54 |
| **GRAND TOTAL** | 1274 | 6.6 | 62 | 1 | 1 | 4 | 8 | 14 | 21 | 41 |

### 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 604 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 88 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 8 | 10 |
| 35-49 | 19 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 6 | 4.0 | 4 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 8 | 10 |
| 20-34 | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 502 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 66 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 35-49 | 29 | 4.0 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 11 |
| 50-64 | 10 | 5.3 | 5 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| B. *Operated* | 717 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 10 |
| B. *Operated* | 610 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| **1. SINGLE DX** | 729 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 636 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| **A. NOT OPERATED** | 38 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 10 |
| **B. OPERATED** | 1327 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| TOTAL 0-19 YRS | 1137 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 159 | 3.9 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 10 |
| 35-49 | 49 | 3.9 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 16 | 4.8 | 5 | 2 | 3 | 4 | 7 | 8 | 8 | 8 |
| 65+ | 4 | 3.0 | 4 | 2 | 2 | 2 | 4 | 6 | 6 | 6 |
| **GRAND TOTAL** | 1365 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 19 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 14 | 3.6 | 7 | <1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 17 | 3.7 | 11 | 1 | 1 | 3 | 4 | 6 | 12 | 15 |
| 65+ | 13 | 5.1 | 31 | 1 | 1 | 2 | 6 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 526 | 5.3 | 18 | 1 | 1 | 4 | 8 | 11 | 13 | 18 |
| 20-34 | 214 | 4.5 | 25 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 35-49 | 78 | 4.6 | 9 | 1 | 1 | 4 | 7 | 8 | 9 | 13 |
| 50-64 | 54 | 5.6 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 37 | 6.3 | 34 | 1 | 2 | 4 | 10 | 14 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.6 | 118 | <1 | 1 | 2 | 4 | 9 | 10 | 69 |
| 20-34 | 52 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 51 | 5.3 | 10 | 1 | 2 | 5 | 7 | 8 | 13 | 16 |
| 50-64 | 52 | 7.5 | 47 | 1 | 2 | 5 | 10 | 18 | 22 | 33 |
| 65+ | 55 | 7.0 | 18 | 2 | 3 | 6 | 9 | 11 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 359 | 5.0 | 24 | 1 | 1 | 3 | 7 | 11 | 13 | 21 |
| 20-34 | 318 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 35-49 | 155 | 8.7 | 66 | 1 | 2 | 7 | 11 | 17 | 24 | 39 |
| 50-64 | 126 | 8.8 | 59 | <1 | 1 | 8 | 12 | 18 | 22 | 36 |
| 65+ | 114 | 9.2 | 71 | 1 | 2 | 6 | 13 | 21 | 26 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| B. *Operated* | 909 | 5.1 | 20 | 1 | 1 | 4 | 8 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 5.7 | 37 | 1 | 1 | 4 | 7 | 10 | 17 | 28 |
| B. *Operated* | 1072 | 6.5 | 40 | 1 | 1 | 5 | 8 | 13 | 18 | 30 |
| **1. SINGLE DX** | 999 | 4.9 | 19 | 1 | 1 | 3 | 7 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | 1321 | 6.4 | 39 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 339 | 5.1 | 31 | 1 | 1 | 4 | 6 | 9 | 15 | 23 |
| **B. OPERATED** | 1981 | 5.9 | 31 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 951 | 5.1 | 24 | 1 | 1 | 3 | 7 | 11 | 13 | 19 |
| 20-34 | 603 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 298 | 6.8 | 43 | 1 | 2 | 5 | 8 | 14 | 18 | 28 |
| 50-64 | 249 | 7.5 | 47 | <1 | 2 | 6 | 10 | 16 | 20 | 30 |
| 65+ | 219 | 7.9 | 50 | 2 | 2 | 6 | 10 | 18 | 23 | 30 |
| **GRAND TOTAL** | **2320** | **5.7** | **31** | **1** | **1** | **4** | **8** | **12** | **15** | **26** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 25 | 6.0 | 14 | 2 | 3 | 4 | 7 | 14 | 15 | 16 |
| 35-49 | 10 | 5.9 | 9 | 2 | 3 | 5 | 7 | 11 | 12 | 12 |
| 50-64 | 7 | 4.4 | 9 | <1 | <1 | 4 | 6 | 9 | 10 | 10 |
| 65+ | 5 | 3.2 | 4 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.7 | 2 | <1 | <1 | <1 | 2 | 4 | 5 | 5 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 4.7 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| 20-34 | 50 | 5.4 | 5 | 3 | 3 | 5 | 6 | 9 | 9 | 11 |
| 35-49 | 36 | 5.6 | 7 | 2 | 2 | 5 | 7 | 10 | 10 | 14 |
| 50-64 | 50 | 5.0 | 8 | 2 | 2 | 4 | 5 | 9 | 11 | 16 |
| 65+ | 19 | 7.4 | 92 | 2 | 2 | 6 | 7 | 9 | 30 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| B. *Operated* | 299 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | 259 | 5.2 | 13 | 2 | 2 | 5 | 6 | 9 | 10 | 16 |
| **1. SINGLE DX** | 313 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 275 | 5.0 | 13 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| **A. NOT OPERATED** | 30 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| **B. OPERATED** | 558 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 379 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 77 | 5.5 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 16 |
| 35-49 | 47 | 5.5 | 8 | 2 | 2 | 5 | 7 | 10 | 11 | 14 |
| 50-64 | 61 | 4.7 | 8 | 1 | 2 | 4 | 5 | 9 | 10 | 16 |
| 65+ | 24 | 6.5 | 76 | 1 | 2 | 5 | 7 | 8 | 21 | 46 |
| **GRAND TOTAL** | **588** | **4.4** | **9** | **1** | **2** | **4** | **5** | **7** | **9** | **14** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 177 | 2.7 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 24 |
| 20-34 | 55 | 4.6 | 12 | 1 | 2 | 3 | 6 | 10 | 12 | 17 |
| 35-49 | 53 | 6.5 | 21 | 1 | 2 | 6 | 8 | 12 | 14 | 27 |
| 50-64 | 46 | 7.1 | 26 | 1 | 2 | 6 | 10 | 12 | 18 | 28 |
| 65+ | 21 | 7.0 | 23 | 2 | 3 | 6 | 10 | 11 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1033 | 4.3 | 18 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 20-34 | 481 | 4.2 | 21 | <1 | <1 | 3 | 5 | 9 | 11 | 21 |
| 35-49 | 300 | 5.6 | 32 | 1 | 1 | 3 | 8 | 13 | 15 | 34 |
| 50-64 | 198 | 7.2 | 38 | 2 | 2 | 5 | 10 | 15 | 19 | 40 |
| 65+ | 71 | 8.5 | 50 | 2 | 2 | 6 | 11 | 19 | 24 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 4.6 | 22 | <1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 20-34 | 95 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 35-49 | 116 | 7.2 | 25 | 1 | 2 | 5 | 9 | 15 | 19 | 24 |
| 50-64 | 124 | 7.6 | 27 | 2 | 3 | 6 | 10 | 13 | 16 | 28 |
| 65+ | 111 | 9.0 | 68 | 3 | 3 | 7 | 11 | 18 | 21 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 331 | 6.6 | 60 | 1 | 2 | 4 | 7 | 15 | 24 | 49 |
| 20-34 | 253 | 6.0 | 33 | 1 | 2 | 4 | 8 | 13 | 17 | 31 |
| 35-49 | 238 | 8.6 | 51 | 2 | 2 | 7 | 12 | 19 | 21 | 30 |
| 50-64 | 213 | 9.6 | 64 | 2 | 2 | 8 | 13 | 19 | 24 | 41 |
| 65+ | 119 | 12.3 | 154 | 2 | 2 | 9 | 15 | 27 | 32 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 352 | 4.4 | 18 | <1 | 1 | 3 | 6 | 10 | 12 | 25 |
| B. *Operated* | 2083 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 637 | 6.7 | 34 | 1 | 2 | 5 | 8 | 13 | 18 | 26 |
| B. *Operated* | 1154 | 8.0 | 66 | 1 | 2 | 5 | 10 | 18 | 24 | 40 |
| **1. SINGLE DX** | 2435 | 4.8 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 1791 | 7.5 | 55 | 1 | 2 | 5 | 10 | 16 | 22 | 37 |
| **A. NOT OPERATED** | 989 | 5.9 | 29 | 1 | 1 | 4 | 8 | 12 | 16 | 25 |
| **B. OPERATED** | 3237 | 6.0 | 42 | 1 | 1 | 4 | 8 | 13 | 18 | 32 |
| TOTAL 0-19 YRS | 1732 | 4.6 | 27 | 1 | 1 | 3 | 6 | 9 | 14 | 28 |
| 20-34 | 884 | 5.0 | 25 | <1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 35-49 | 707 | 6.9 | 38 | 1 | 2 | 5 | 9 | 15 | 19 | 29 |
| 50-64 | 581 | 8.1 | 45 | 2 | 2 | 6 | 11 | 16 | 21 | 36 |
| 65+ | 322 | 10.0 | 95 | 2 | 3 | 7 | 12 | 21 | 27 | 56 |
| **GRAND TOTAL** | 4226 | 6.0 | 39 | 1 | 1 | 4 | 8 | 13 | 18 | 31 |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1088 | 4.9 | 36 | 1 | 1 | 3 | 5 | 12 | 18 | 29 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 11.1 | 176 | 2 | 2 | 6 | 13 | 27 | 39 | 63 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 781 | 10.3 | 127 | 1 | 2 | 6 | 14 | 25 | 34 | 62 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 19.1 | 405 | 2 | 3 | 12 | 28 | 50 | 78 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1088 | 4.9 | 36 | 1 | 1 | 3 | 5 | 12 | 18 | 29 |
| B. *Operated* | 30 | 11.1 | 176 | 2 | 2 | 6 | 13 | 27 | 39 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 781 | 10.3 | 127 | 1 | 2 | 6 | 14 | 25 | 34 | 62 |
| B. *Operated* | 80 | 19.1 | 405 | 2 | 3 | 12 | 28 | 50 | 78 | 99+ |
| **1. SINGLE DX** | 1118 | 5.1 | 40 | 1 | 1 | 3 | 5 | 13 | 19 | 30 |
| **2. MULTIPLE DX** | 861 | 11.1 | 159 | 1 | 2 | 7 | 15 | 28 | 39 | 71 |
| **A. NOT OPERATED** | 1869 | 7.2 | 81 | 1 | 2 | 3 | 8 | 18 | 26 | 45 |
| **B. OPERATED** | 110 | 16.9 | 353 | 2 | 2 | 11 | 21 | 47 | 63 | 99+ |
| TOTAL 0-19 YRS | 1979 | 7.7 | 101 | 1 | 2 | 4 | 9 | 20 | 28 | 53 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1979 | 7.7 | 101 | 1 | 2 | 4 | 9 | 20 | 28 | 53 |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1791 | 3.0 | 9 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 807 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 469 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | 326 | 4.7 | 16 | 1 | 2 | 4 | 6 | 8 | 12 | 21 |
| 65+ | 276 | 5.0 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.3 | 36 | 2 | 2 | 3 | 5 | 10 | 19 | 29 |
| 20-34 | 31 | 5.1 | 10 | 2 | 2 | 4 | 7 | 9 | 10 | 15 |
| 35-49 | 22 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 10 | 14 |
| 50-64 | 25 | 5.9 | 15 | 1 | 2 | 5 | 9 | 11 | 14 | 15 |
| 65+ | 15 | 8.9 | 34 | 3 | 3 | 6 | 10 | 21 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1986 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 886 | 5.2 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| 35-49 | 891 | 5.8 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 1122 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 1327 | 8.3 | 58 | 2 | 3 | 6 | 10 | 15 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 8.3 | 96 | 1 | 2 | 5 | 10 | 18 | 26 | 52 |
| 20-34 | 83 | 9.2 | 82 | 2 | 2 | 7 | 10 | 17 | 21 | 58 |
| 35-49 | 97 | 10.0 | 59 | 2 | 3 | 9 | 13 | 19 | 22 | 46 |
| 50-64 | 97 | 12.5 | 85 | 3 | 4 | 10 | 16 | 25 | 32 | 44 |
| 65+ | 108 | 16.3 | 253 | 5 | 6 | 11 | 18 | 38 | 52 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3669 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| B. *Operated* | 114 | 5.7 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6212 | 5.7 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 430 | 11.8 | 129 | 2 | 3 | 8 | 14 | 22 | 34 | 61 |
| **1. SINGLE DX** | 3783 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 6642 | 6.1 | 38 | 1 | 2 | 4 | 7 | 12 | 16 | 32 |
| **A. NOT OPERATED** | 9881 | 4.9 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| **B. OPERATED** | 544 | 10.5 | 113 | 2 | 2 | 7 | 13 | 20 | 29 | 53 |
| TOTAL 0-19 YRS | 3843 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 1807 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 1479 | 5.5 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 1570 | 6.4 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| 65+ | 1726 | 8.3 | 69 | 2 | 3 | 6 | 10 | 15 | 21 | 42 |
| **GRAND TOTAL** | **10425** | **5.2** | **30** | **1** | **1** | **4** | **6** | **10** | **14** | **28** |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 753 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 218 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| 35-49 | 116 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| 50-64 | 140 | 5.8 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 174 | 6.3 | 22 | 2 | 2 | 5 | 7 | 12 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.0 | 8 | 1 | 2 | 5 | 7 | 8 | 11 | 12 |
| 20-34 | 25 | 9.6 | 33 | 3 | 3 | 8 | 14 | 15 | 20 | 28 |
| 35-49 | 15 | 12.7 | 215 | 1 | 3 | 10 | 14 | 17 | 51 | 63 |
| 50-64 | 19 | 10.8 | 49 | 2 | 3 | 10 | 15 | 19 | 25 | 29 |
| 65+ | 16 | 8.7 | 26 | 2 | 2 | 7 | 12 | 17 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1132 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 392 | 5.3 | 16 | 1 | 2 | 4 | 7 | 9 | 13 | 25 |
| 35-49 | 296 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 14 | 19 |
| 50-64 | 514 | 7.0 | 27 | 2 | 3 | 6 | 8 | 13 | 16 | 28 |
| 65+ | 1001 | 8.3 | 46 | 2 | 3 | 7 | 10 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 6.9 | 25 | 1 | 2 | 6 | 9 | 16 | 17 | 21 |
| 20-34 | 58 | 9.3 | 43 | 3 | 3 | 8 | 11 | 14 | 19 | 40 |
| 35-49 | 53 | 10.6 | 61 | 3 | 4 | 9 | 12 | 22 | 30 | 34 |
| 50-64 | 93 | 13.8 | 124 | 3 | 4 | 11 | 16 | 28 | 40 | 57 |
| 65+ | 165 | 15.2 | 179 | 4 | 5 | 11 | 18 | 30 | 37 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1401 | 4.1 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 89 | 9.5 | 64 | 2 | 3 | 8 | 13 | 16 | 20 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3335 | 5.9 | 28 | 2 | 2 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 405 | 12.7 | 125 | 3 | 4 | 10 | 15 | 25 | 34 | 56 |
| **1. SINGLE DX** | 1490 | 4.5 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 3740 | 6.7 | 43 | 2 | 2 | 5 | 8 | 13 | 17 | 34 |
| **A. NOT OPERATED** | 4736 | 5.4 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| **B. OPERATED** | 494 | 12.1 | 115 | 3 | 4 | 10 | 14 | 22 | 32 | 56 |
| TOTAL 0-19 YRS | 1935 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 693 | 5.5 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 35-49 | 480 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 15 | 33 |
| 50-64 | 766 | 7.7 | 43 | 2 | 3 | 6 | 9 | 14 | 19 | 40 |
| 65+ | 1356 | 8.9 | 64 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| **GRAND TOTAL** | **5230** | **6.0** | **36** | **1** | **2** | **4** | **7** | **12** | **15** | **30** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 505 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 1156 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 642 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 50-64 | 262 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 109 | 3.8 | 6 | 1 | 2 | 3 | 4 | 7 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.0 | 3 | 1 | 2 | 3 | 3 | 5 | 7 | 8 |
| 20-34 | 99 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 92 | 5.9 | 17 | 2 | 2 | 4 | 8 | 13 | 15 | 18 |
| 50-64 | 53 | 5.8 | 12 | 2 | 2 | 5 | 9 | 10 | 13 | 14 |
| 65+ | 23 | 6.1 | 24 | 1 | 2 | 4 | 9 | 14 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 440 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 1254 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 1057 | 5.6 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 701 | 6.0 | 22 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 65+ | 468 | 6.6 | 22 | 2 | 2 | 6 | 8 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.9 | 9 | 2 | 3 | 6 | 7 | 9 | 13 | 15 |
| 20-34 | 127 | 7.6 | 22 | 2 | 3 | 7 | 10 | 15 | 16 | 23 |
| 35-49 | 157 | 9.1 | 36 | 2 | 3 | 8 | 12 | 17 | 23 | 27 |
| 50-64 | 119 | 7.4 | 24 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| 65+ | 78 | 8.6 | 21 | 2 | 3 | 8 | 12 | 15 | 17 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2674 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 284 | 5.4 | 14 | 2 | 2 | 4 | 7 | 11 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3920 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 503 | 8.1 | 27 | 2 | 3 | 7 | 10 | 15 | 18 | 25 |
| **1. SINGLE DX** | 2958 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 4423 | 5.6 | 18 | 2 | 2 | 4 | 7 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 6594 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 787 | 7.1 | 24 | 2 | 2 | 6 | 9 | 14 | 16 | 24 |
| TOTAL 0-19 YRS | 984 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 2636 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 16 |
| 35-49 | 1948 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 1135 | 5.8 | 19 | 2 | 2 | 5 | 7 | 11 | 14 | 21 |
| 65+ | 678 | 6.4 | 21 | 2 | 2 | 5 | 8 | 12 | 14 | 22 |
| **GRAND TOTAL** | **7381** | **5.0** | **15** | **1** | **2** | **4** | **6** | **9** | **12** | **19** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 82 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 150 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 201 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 65+ | 231 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.2 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| 20-34 | 57 | 5.1 | 7 | 2 | 2 | 4 | 7 | 9 | 10 | 12 |
| 35-49 | 91 | 4.9 | 5 | 2 | 2 | 5 | 6 | 8 | 9 | 11 |
| 50-64 | 146 | 5.3 | 8 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 65+ | 121 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 60 | 4.2 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| 35-49 | 162 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 50-64 | 378 | 4.8 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 65+ | 519 | 6.0 | 35 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.7 | 2 | <1 | 1 | 3 | 4 | 4 | 6 | 7 |
| 20-34 | 39 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 72 | 6.5 | 9 | 2 | 3 | 6 | 8 | 11 | 12 | 13 |
| 50-64 | 165 | 7.1 | 24 | 2 | 3 | 6 | 8 | 13 | 16 | 26 |
| 65+ | 194 | 7.2 | 25 | 2 | 3 | 6 | 9 | 13 | 15 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 692 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 446 | 5.0 | 9 | 1 | 2 | 5 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1179 | 5.2 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 488 | 6.7 | 21 | 2 | 3 | 5 | 8 | 12 | 15 | 22 |
| **1. SINGLE DX** | 1138 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 1667 | 5.6 | 21 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |
| **A. NOT OPERATED** | 1871 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| **B. OPERATED** | 934 | 5.9 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| TOTAL 0-19 YRS | 137 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 238 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 475 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | 890 | 5.2 | 11 | 1 | 2 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 1065 | 5.7 | 26 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| **GRAND TOTAL** | **2805** | **5.1** | **16** | **1** | **2** | **4** | **6** | **9** | **11** | **19** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 3.5 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 20-34 | 76 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 11 |
| 35-49 | 32 | 4.0 | 8 | <1 | 1 | 4 | 5 | 6 | 8 | 16 |
| 50-64 | 45 | 4.2 | 16 | 1 | 1 | 3 | 4 | 10 | 11 | 23 |
| 65+ | 45 | 4.9 | 15 | 1 | 2 | 3 | 7 | 10 | 13 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 232 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 145 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 120 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 76 | 4.0 | 13 | <1 | 2 | 3 | 5 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 135 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 132 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 12 | 18 |
| 50-64 | 199 | 6.1 | 55 | 1 | 1 | 4 | 7 | 13 | 16 | 28 |
| 65+ | 308 | 7.8 | 50 | 1 | 2 | 6 | 10 | 17 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 4.1 | 18 | 1 | 1 | 3 | 4 | 9 | 13 | 22 |
| 20-34 | 115 | 4.5 | 10 | 1 | 2 | 3 | 6 | 9 | 12 | 14 |
| 35-49 | 101 | 5.3 | 21 | 2 | 2 | 4 | 6 | 11 | 14 | 26 |
| 50-64 | 145 | 7.5 | 69 | 1 | 2 | 5 | 9 | 15 | 22 | 53 |
| 65+ | 114 | 13.1 | 207 | 2 | 2 | 7 | 18 | 36 | 44 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 276 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 867 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 861 | 5.9 | 37 | 1 | 2 | 4 | 7 | 12 | 17 | 28 |
| B. *Operated* | 549 | 7.2 | 80 | 1 | 2 | 4 | 8 | 15 | 24 | 53 |
| **1. SINGLE DX** | 1143 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 1410 | 6.4 | 54 | 1 | 2 | 4 | 7 | 13 | 19 | 39 |
| **A. NOT OPERATED** | 1137 | 5.4 | 31 | 1 | 2 | 4 | 6 | 11 | 15 | 26 |
| **B. OPERATED** | 1416 | 4.5 | 38 | 1 | 1 | 3 | 5 | 9 | 14 | 36 |
| TOTAL 0-19 YRS | 533 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 558 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 410 | 4.1 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 509 | 5.7 | 46 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| 65+ | 543 | 8.2 | 83 | 1 | 2 | 5 | 10 | 18 | 25 | 51 |
| **GRAND TOTAL** | **2553** | **4.9** | **35** | **1** | **1** | **3** | **5** | **10** | **14** | **29** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.0 | 50 | 8 | 8 | 13 | 18 | 18 | 18 | 18 |
| 20-34 | 4 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 35-49 | 4 | 12.0 | 115 | 5 | 5 | 7 | 18 | 28 | 28 | 28 |
| 50-64 | 8 | 10.3 | 30 | 4 | 5 | 10 | 12 | 19 | 22 | 22 |
| 65+ | 24 | 9.2 | 76 | 1 | 2 | 7 | 12 | 16 | 34 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 7.2 | 220 | <1 | 1 | 3 | 6 | 11 | 32 | 75 |
| 20-34 | 52 | 5.7 | 26 | 1 | 1 | 4 | 8 | 14 | 18 | 21 |
| 35-49 | 44 | 12.1 | 174 | 2 | 2 | 9 | 14 | 23 | 34 | 77 |
| 50-64 | 93 | 16.3 | 148 | 2 | 4 | 14 | 22 | 31 | 38 | 64 |
| 65+ | 255 | 16.9 | 159 | 3 | 5 | 14 | 22 | 32 | 42 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 72 | 5 | 5 | 11 | 17 | 17 | 17 | 17 |
| 20-34 | 3 | 9.3 | 36 | 3 | 3 | 10 | 14 | 15 | 15 | 15 |
| 35-49 | 12 | 19.9 | 264 | 1 | 4 | 12 | 37 | 45 | 46 | 46 |
| 50-64 | 32 | 9.1 | 44 | 2 | 3 | 7 | 11 | 19 | 24 | 29 |
| 65+ | 154 | 12.9 | 167 | 3 | 4 | 9 | 15 | 25 | 32 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.3 | 66 | <1 | 1 | 3 | 5 | 19 | 27 | 31 |
| 20-34 | 44 | 13.7 | 119 | 2 | 2 | 11 | 22 | 27 | 33 | 45 |
| 35-49 | 103 | 18.5 | 236 | 3 | 4 | 14 | 26 | 45 | 49 | 93 |
| 50-64 | 369 | 22.4 | 249 | 5 | 7 | 18 | 30 | 44 | 57 | 96 |
| 65+ | 1024 | 23.6 | 279 | 6 | 8 | 19 | 30 | 46 | 60 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 9.4 | 61 | 1 | 3 | 7 | 11 | 19 | 30 | 35 |
| B. *Operated* | 468 | 14.6 | 161 | 2 | 2 | 11 | 19 | 30 | 40 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 12.7 | 154 | 2 | 3 | 9 | 15 | 26 | 36 | 76 |
| B. *Operated* | 1559 | 22.5 | 269 | 4 | 7 | 18 | 29 | 45 | 58 | 91 |
| **1. SINGLE DX** | 510 | 14.1 | 155 | 2 | 2 | 11 | 18 | 30 | 38 | 62 |
| **2. MULTIPLE DX** | 1762 | 21.3 | 265 | 4 | 6 | 17 | 28 | 43 | 56 | 89 |
| **A. NOT OPERATED** | 245 | 12.1 | 139 | 2 | 3 | 9 | 14 | 25 | 33 | 70 |
| **B. OPERATED** | 2027 | 20.6 | 255 | 3 | 5 | 16 | 28 | 42 | 55 | 87 |
| TOTAL 0-19 YRS | 47 | 7.2 | 141 | 1 | 1 | 3 | 7 | 16 | 23 | 75 |
| 20-34 | 103 | 9.2 | 80 | 1 | 1 | 6 | 13 | 23 | 26 | 43 |
| 35-49 | 163 | 16.7 | 224 | 2 | 3 | 12 | 23 | 40 | 47 | 86 |
| 50-64 | 502 | 20.2 | 229 | 4 | 6 | 16 | 28 | 41 | 51 | 86 |
| 65+ | 1457 | 21.0 | 259 | 4 | 6 | 16 | 28 | 42 | 56 | 88 |
| **GRAND TOTAL** | **2272** | **19.7** | **249** | **3** | **5** | **16** | **26** | **41** | **53** | **86** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 9 |
| 20-34 | 782 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1936 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 50-64 | 1585 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 663 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 101 | 3.5 | 6 | 1 | 2 | 2 | 4 | 7 | 8 | 13 |
| 35-49 | 556 | 3.2 | 5 | 2 | 2 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 614 | 3.4 | 9 | 2 | 2 | 2 | 4 | 7 | 9 | 14 |
| 65+ | 120 | 4.9 | 28 | 2 | 2 | 3 | 5 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 20-34 | 1412 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 4481 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 5524 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 3856 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.5 | 86 | 1 | 2 | 5 | 11 | 25 | 31 | 32 |
| 20-34 | 155 | 5.8 | 18 | 2 | 2 | 4 | 8 | 12 | 14 | 21 |
| 35-49 | 804 | 5.9 | 21 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| 50-64 | 1200 | 6.1 | 27 | 2 | 2 | 4 | 8 | 12 | 16 | 25 |
| 65+ | 400 | 9.0 | 61 | 2 | 2 | 7 | 12 | 19 | 21 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5091 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 1397 | 3.5 | 9 | 2 | 2 | 2 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15416 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 2571 | 6.5 | 32 | 2 | 2 | 5 | 9 | 13 | 17 | 25 |
| **1. SINGLE DX** | 6488 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 17987 | 5.3 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| **A. NOT OPERATED** | 20507 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 3968 | 5.4 | 26 | 2 | 2 | 3 | 7 | 11 | 15 | 24 |
| TOTAL 0-19 YRS | 286 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 20-34 | 2450 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 7777 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 8923 | 4.9 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 5039 | 5.9 | 22 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| **GRAND TOTAL** | **24475** | **4.8** | **14** | **1** | **2** | **4** | **6** | **9** | **11** | **19** |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 259 | 3.9 | 34 | 1 | 1 | 2 | 4 | 8 | 10 | 34 |
| 20-34 | 69 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 81 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 50-64 | 92 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 65+ | 109 | 5.2 | 42 | 1 | 1 | 3 | 6 | 11 | 17 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.7 | 28 | 1 | 1 | 2 | 4 | 9 | 13 | 27 |
| 20-34 | 44 | 4.8 | 14 | 1 | 1 | 3 | 7 | 10 | 13 | 15 |
| 35-49 | 107 | 4.4 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 50-64 | 179 | 4.4 | 13 | 1 | 1 | 3 | 6 | 10 | 11 | 20 |
| 65+ | 140 | 4.8 | 12 | 1 | 2 | 4 | 6 | 10 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 282 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 171 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 268 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 581 | 6.8 | 45 | 2 | 2 | 5 | 8 | 14 | 17 | 35 |
| 65+ | 1003 | 7.4 | 31 | 2 | 2 | 6 | 9 | 15 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 10.0 | 213 | <1 | 1 | 5 | 9 | 25 | 39 | 71 |
| 20-34 | 84 | 6.6 | 24 | 1 | 2 | 5 | 9 | 14 | 16 | 21 |
| 35-49 | 181 | 7.2 | 48 | 1 | 2 | 5 | 9 | 15 | 20 | 42 |
| 50-64 | 417 | 7.3 | 47 | 1 | 2 | 6 | 8 | 14 | 18 | 33 |
| 65+ | 470 | 9.2 | 74 | 2 | 2 | 7 | 12 | 18 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 610 | 4.0 | 25 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| B. *Operated* | 497 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2305 | 6.3 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| B. *Operated* | 1179 | 8.0 | 61 | 2 | 2 | 6 | 10 | 16 | 21 | 41 |
| **1. SINGLE DX** | 1107 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | 3484 | 6.9 | 42 | 1 | 2 | 5 | 8 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 2915 | 5.8 | 31 | 1 | 1 | 4 | 7 | 12 | 16 | 26 |
| **B. OPERATED** | 1676 | 7.0 | 49 | 1 | 2 | 5 | 9 | 14 | 19 | 34 |
| TOTAL 0-19 YRS | 595 | 4.3 | 33 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |
| 20-34 | 368 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| 35-49 | 637 | 5.4 | 27 | 1 | 1 | 4 | 7 | 10 | 13 | 24 |
| 50-64 | 1269 | 6.4 | 40 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| 65+ | 1722 | 7.5 | 43 | 2 | 2 | 6 | 9 | 15 | 20 | 32 |
| **GRAND TOTAL** | **4591** | **6.3** | **38** | **1** | **2** | **5** | **8** | **13** | **17** | **30** |

### 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 20-34 | 386 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 356 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | 260 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 171 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 302 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 10 |
| 20-34 | 105 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 35-49 | 115 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 10 | 24 |
| 50-64 | 91 | 6.6 | 23 | 1 | 2 | 6 | 9 | 14 | 15 | 22 |
| 65+ | 98 | 7.0 | 21 | 1 | 2 | 6 | 10 | 14 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 310 | 3.2 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 348 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 25 |
| 50-64 | 395 | 4.5 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 65+ | 739 | 6.8 | 44 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 278 | 2.5 | 7 | 1 | 1 | 2 | 2 | 5 | 7 | 16 |
| 20-34 | 147 | 5.9 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 35-49 | 195 | 7.3 | 38 | 1 | 2 | 6 | 9 | 15 | 18 | 31 |
| 50-64 | 315 | 8.5 | 27 | 2 | 3 | 8 | 11 | 14 | 16 | 30 |
| 65+ | 731 | 10.8 | 61 | 2 | 4 | 9 | 14 | 20 | 25 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1292 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 711 | 4.0 | 14 | 1 | 1 | 2 | 5 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1901 | 5.0 | 25 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| B. *Operated* | 1666 | 8.1 | 48 | 1 | 2 | 7 | 11 | 16 | 21 | 34 |
| **1. SINGLE DX** | 2003 | 3.0 | 8 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | 3567 | 6.5 | 38 | 1 | 2 | 5 | 9 | 13 | 18 | 31 |
| **A. NOT OPERATED** | 3193 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **B. OPERATED** | 2377 | 6.9 | 41 | 1 | 1 | 5 | 9 | 14 | 18 | 32 |
| TOTAL 0-19 YRS | 808 | 2.2 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 13 |
| 20-34 | 948 | 3.4 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 35-49 | 1014 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 50-64 | 1061 | 5.3 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 65+ | 1739 | 8.2 | 52 | 1 | 2 | 6 | 11 | 16 | 21 | 35 |
| **GRAND TOTAL** | **5570** | **5.2** | **30** | **1** | **1** | **3** | **7** | **11** | **15** | **27** |

### 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2686 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2981 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 1735 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 50-64 | 1145 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 837 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 371 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 612 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 307 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 50-64 | 202 | 6.2 | 21 | 1 | 2 | 6 | 8 | 12 | 15 | 23 |
| 65+ | 86 | 7.3 | 23 | 2 | 2 | 6 | 9 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1637 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 3159 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 2592 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 2537 | 5.6 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 2888 | 6.5 | 27 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 5.2 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 860 | 6.7 | 23 | 1 | 2 | 6 | 8 | 12 | 16 | 22 |
| 35-49 | 618 | 8.4 | 42 | 2 | 3 | 7 | 11 | 16 | 20 | 34 |
| 50-64 | 512 | 9.2 | 41 | 2 | 3 | 8 | 12 | 17 | 21 | 34 |
| 65+ | 439 | 11.4 | 70 | 3 | 4 | 9 | 14 | 21 | 27 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9384 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 1578 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12813 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| B. *Operated* | 2679 | 8.2 | 41 | 2 | 2 | 7 | 10 | 15 | 20 | 33 |
| **1. SINGLE DX** | 10962 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 15492 | 5.6 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 22197 | 4.4 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 4257 | 7.0 | 33 | 2 | 2 | 5 | 9 | 14 | 18 | 29 |
| TOTAL 0-19 YRS | 4944 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 7612 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 5252 | 5.1 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 50-64 | 4396 | 5.7 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| 65+ | 4250 | 6.6 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| **GRAND TOTAL** | **26454** | **4.8** | **18** | **1** | **1** | **4** | **6** | **9** | **12** | **21** |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 201 | 3.9 | 21 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 172 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 9 | 17 |
| 50-64 | 155 | 4.5 | 17 | 1 | 1 | 3 | 5 | 10 | 11 | 21 |
| 65+ | 203 | 5.2 | 29 | 1 | 1 | 4 | 6 | 11 | 14 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.5 | 17 | <1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 65 | 5.6 | 42 | 1 | 1 | 3 | 6 | 10 | 14 | 43 |
| 35-49 | 79 | 5.9 | 31 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| 50-64 | 54 | 5.6 | 31 | 1 | 1 | 3 | 8 | 12 | 17 | 30 |
| 65+ | 63 | 6.4 | 24 | 1 | 2 | 5 | 11 | 14 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 582 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 20-34 | 458 | 4.7 | 17 | 1 | 2 | 4 | 6 | 8 | 12 | 23 |
| 35-49 | 537 | 6.0 | 28 | 1 | 2 | 4 | 8 | 12 | 16 | 24 |
| 50-64 | 786 | 6.4 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 1477 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 7.7 | 45 | 1 | 2 | 5 | 10 | 17 | 21 | 34 |
| 20-34 | 188 | 7.2 | 31 | 2 | 2 | 6 | 8 | 13 | 17 | 34 |
| 35-49 | 229 | 8.9 | 52 | 2 | 3 | 7 | 10 | 16 | 20 | 42 |
| 50-64 | 244 | 9.8 | 72 | 2 | 2 | 8 | 12 | 22 | 27 | 41 |
| 65+ | 289 | 12.3 | 115 | 2 | 3 | 10 | 16 | 25 | 32 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1025 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 286 | 5.7 | 31 | 1 | 1 | 4 | 8 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3840 | 6.1 | 29 | 1 | 2 | 5 | 7 | 12 | 16 | 28 |
| B. *Operated* | 1009 | 9.7 | 74 | 2 | 2 | 7 | 12 | 19 | 26 | 42 |
| **1. SINGLE DX** | 1311 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 4849 | 6.8 | 41 | 1 | 2 | 5 | 8 | 14 | 18 | 34 |
| **A. NOT OPERATED** | 4865 | 5.6 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 1295 | 8.8 | 67 | 2 | 2 | 7 | 11 | 17 | 24 | 39 |
| TOTAL 0-19 YRS | 960 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| 20-34 | 912 | 5.1 | 24 | 1 | 1 | 4 | 6 | 9 | 13 | 26 |
| 35-49 | 1017 | 6.2 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 50-64 | 1239 | 6.8 | 38 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 2032 | 7.9 | 51 | 2 | 2 | 6 | 10 | 15 | 21 | 38 |
| **GRAND TOTAL** | **6160** | **6.3** | **37** | **1** | **2** | **5** | **8** | **13** | **17** | **32** |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2050 | 4.2 | 35 | 1 | 1 | 3 | 4 | 8 | 12 | 35 |
| 20-34 | 2065 | 4.5 | 37 | <1 | 1 | 3 | 5 | 8 | 12 | 30 |
| 35-49 | 1654 | 5.6 | 58 | 1 | 1 | 4 | 6 | 10 | 15 | 45 |
| 50-64 | 1873 | 6.4 | 56 | 1 | 2 | 4 | 7 | 13 | 19 | 37 |
| 65+ | 1903 | 6.9 | 53 | 1 | 2 | 5 | 8 | 14 | 20 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 20-34 | 382 | 4.2 | 37 | 1 | 1 | 2 | 5 | 8 | 11 | 34 |
| 35-49 | 342 | 4.4 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 50-64 | 397 | 5.3 | 35 | 1 | 2 | 3 | 6 | 11 | 16 | 23 |
| 65+ | 289 | 6.9 | 60 | 1 | 2 | 4 | 9 | 15 | 19 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1665 | 5.1 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| 20-34 | 1724 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 11 | 17 |
| 35-49 | 2232 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 3987 | 6.3 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 65+ | 8426 | 7.6 | 43 | 2 | 3 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 6.7 | 80 | 1 | 1 | 4 | 8 | 14 | 22 | 39 |
| 20-34 | 426 | 6.3 | 48 | 1 | 2 | 4 | 8 | 12 | 17 | 39 |
| 35-49 | 500 | 7.0 | 63 | 1 | 2 | 5 | 9 | 14 | 18 | 49 |
| 50-64 | 779 | 9.2 | 102 | 2 | 2 | 6 | 11 | 20 | 30 | 71 |
| 65+ | 1179 | 11.7 | 125 | 2 | 3 | 9 | 15 | 23 | 32 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9545 | 5.5 | 49 | 1 | 1 | 3 | 6 | 11 | 16 | 38 |
| B. *Operated* | 1590 | 4.9 | 35 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18034 | 6.5 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 29 |
| B. *Operated* | 3043 | 9.3 | 100 | 2 | 2 | 6 | 11 | 20 | 28 | 57 |
| **1. SINGLE DX** | 11135 | 5.4 | 47 | 1 | 1 | 3 | 6 | 11 | 16 | 37 |
| **2. MULTIPLE DX** | 21077 | 6.9 | 44 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |
| **A. NOT OPERATED** | 27579 | 6.1 | 39 | 1 | 2 | 4 | 7 | 12 | 16 | 31 |
| **B. OPERATED** | 4633 | 7.8 | 82 | 1 | 2 | 5 | 10 | 17 | 23 | 49 |
| TOTAL 0-19 YRS | 4054 | 4.6 | 33 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 20-34 | 4597 | 4.6 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| 35-49 | 4728 | 5.5 | 38 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 7036 | 6.6 | 46 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 11797 | 7.9 | 54 | 2 | 2 | 6 | 10 | 15 | 21 | 37 |
| **GRAND TOTAL** | **32212** | **6.4** | **46** | **1** | **2** | **4** | **8** | **12** | **18** | **34** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 375 | 2.3 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 53 | 4.2 | 13 | 1 | 1 | 3 | 5 | 11 | 13 | 15 |
| 35-49 | 26 | 4.2 | 7 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 50-64 | 8 | 6.3 | 34 | 1 | 1 | 4 | 9 | 16 | 18 | 18 |
| 65+ | 8 | 8.0 | 70 | <1 | <1 | 5 | 14 | 21 | 22 | 22 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 60 | 6.1 | 17 | 2 | 2 | 6 | 8 | 10 | 14 | 23 |
| 20-34 | 39 | 10.6 | 95 | 2 | 3 | 7 | 12 | 25 | 35 | 45 |
| 35-49 | 17 | 7.9 | 28 | 3 | 3 | 7 | 10 | 14 | 20 | 24 |
| 50-64 | 7 | 14.6 | 278 | 5 | 5 | 9 | 11 | 44 | 52 | 52 |
| 65+ | 5 | 14.6 | 214 | 1 | 1 | 9 | 24 | 38 | 38 | 38 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 216 | 3.5 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 20-34 | 92 | 6.0 | 25 | 1 | 1 | 4 | 8 | 13 | 16 | 24 |
| 35-49 | 45 | 6.4 | 28 | 1 | 1 | 5 | 8 | 14 | 18 | 26 |
| 50-64 | 39 | 8.8 | 84 | 1 | 1 | 5 | 11 | 24 | 31 | 37 |
| 65+ | 35 | 13.3 | 173 | 2 | 2 | 11 | 21 | 29 | 32 | 65 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 97 | 13.2 | 202 | 1 | 3 | 9 | 17 | 30 | 68 | 99+ |
| 20-34 | 113 | 17.7 | 362 | 2 | 3 | 12 | 21 | 53 | 80 | 99+ |
| 35-49 | 46 | 12.7 | 106 | 3 | 4 | 9 | 15 | 28 | 39 | 44 |
| 50-64 | 20 | 12.5 | 153 | 1 | 2 | 12 | 20 | 66 | 99+ | 99+ |
| 65+ | 17 | 31.2 | 532 | 3 | 7 | 24 | 51 | 59 | 74 | 82 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 470 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| B. *Operated* | 128 | 8.5 | 67 | 2 | 3 | 6 | 10 | 15 | 25 | 47 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 427 | 5.6 | 43 | 1 | 1 | 3 | 6 | 13 | 18 | 31 |
| B. *Operated* | 293 | 15.8 | 280 | 2 | 3 | 10 | 20 | 44 | 73 | 99+ |
| **1. SINGLE DX** | 598 | 4.0 | 26 | 1 | 1 | 2 | 5 | 8 | 11 | 26 |
| **2. MULTIPLE DX** | 720 | 9.8 | 165 | 1 | 1 | 5 | 12 | 24 | 40 | 99+ |
| **A. NOT OPERATED** | 897 | 4.1 | 26 | 1 | 1 | 2 | 5 | 9 | 14 | 26 |
| **B. OPERATED** | 421 | 13.6 | 227 | 2 | 3 | 9 | 16 | 37 | 54 | 99+ |
| TOTAL 0-19 YRS | 748 | 4.3 | 45 | 1 | 1 | 2 | 5 | 9 | 15 | 37 |
| 20-34 | 297 | 10.7 | 192 | 1 | 2 | 6 | 12 | 26 | 44 | 94 |
| 35-49 | 134 | 8.3 | 61 | 1 | 2 | 6 | 10 | 18 | 26 | 43 |
| 50-64 | 74 | 10.1 | 115 | 1 | 1 | 6 | 12 | 30 | 47 | 99+ |
| 65+ | 65 | 17.4 | 317 | 1 | 2 | 11 | 24 | 42 | 56 | 79 |
| **GRAND TOTAL** | **1318** | **7.2** | **110** | **1** | **1** | **4** | **8** | **17** | **27** | **79** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 142 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 70 | 4.3 | 9 | 1 | 1 | 3 | 5 | 10 | 11 | 13 |
| 35-49 | 17 | 3.5 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 8 |
| 50-64 | 12 | 5.5 | 19 | 1 | 1 | 4 | 8 | 12 | 15 | 15 |
| 65+ | 8 | 9.6 | 52 | 1 | 2 | 11 | 13 | 20 | 23 | 23 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 21 | 5.0 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 13 |
| 20-34 | 28 | 7.7 | 195 | 2 | 2 | 4 | 8 | 10 | 18 | 77 |
| 35-49 | 10 | 4.9 | 8 | 1 | 1 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | 5 | 6.8 | 41 | 2 | 2 | 3 | 12 | 16 | 16 | 16 |
| 65+ | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 124 | 6.1 | 63 | 1 | 1 | 3 | 7 | 14 | 19 | 42 |
| 20-34 | 113 | 6.3 | 23 | 1 | 2 | 4 | 8 | 14 | 17 | 19 |
| 35-49 | 42 | 5.7 | 20 | <1 | 1 | 5 | 8 | 12 | 15 | 21 |
| 50-64 | 26 | 9.1 | 57 | 2 | 3 | 7 | 11 | 22 | 26 | 29 |
| 65+ | 31 | 14.1 | 130 | 2 | 3 | 12 | 18 | 32 | 34 | 52 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 48 | 8.0 | 122 | 1 | 2 | 5 | 8 | 20 | 51 | 99+ |
| 20-34 | 97 | 16.2 | 293 | 2 | 2 | 11 | 21 | 47 | 56 | 94 |
| 35-49 | 35 | 13.1 | 136 | 2 | 3 | 8 | 20 | 38 | 45 | 99+ |
| 50-64 | 20 | 26.9 | 299 | 4 | 8 | 22 | 38 | 55 | 59 | 60 |
| 65+ | 16 | 18.5 | 164 | 3 | 5 | 14 | 28 | 36 | 41 | 43 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 249 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| B. *Operated* | 66 | 6.3 | 89 | 2 | 2 | 4 | 8 | 10 | 12 | 67 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 336 | 7.1 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 35 |
| B. *Operated* | 216 | 15.0 | 243 | 2 | 2 | 9 | 21 | 41 | 54 | 99+ |
| **1. SINGLE DX** | 315 | 4.3 | 28 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 552 | 10.2 | 143 | 1 | 2 | 6 | 12 | 24 | 37 | 63 |
| **A. NOT OPERATED** | 585 | 5.7 | 39 | 1 | 1 | 4 | 7 | 12 | 17 | 39 |
| **B. OPERATED** | 282 | 13.0 | 220 | 2 | 2 | 8 | 16 | 37 | 51 | 96 |
| TOTAL 0-19 YRS | 335 | 5.0 | 47 | 1 | 1 | 3 | 6 | 9 | 16 | 52 |
| 20-34 | 308 | 9.1 | 143 | 1 | 2 | 5 | 11 | 19 | 32 | 72 |
| 35-49 | 104 | 7.8 | 69 | 1 | 2 | 5 | 9 | 20 | 25 | 71 |
| 50-64 | 63 | 13.9 | 203 | 2 | 2 | 9 | 18 | 36 | 49 | 80 |
| 65+ | 57 | 14.5 | 130 | 2 | 3 | 12 | 19 | 33 | 36 | 51 |
| **GRAND TOTAL** | **867** | **8.0** | **109** | **1** | **1** | **4** | **9** | **18** | **29** | **59** |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 96 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 28 | 2.4 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| 50-64 | 20 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 65+ | 12 | 7.1 | 24 | 1 | 2 | 6 | 9 | 13 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1065 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 1346 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 394 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 50-64 | 123 | 3.8 | 14 | 1 | 1 | 3 | 4 | 6 | 12 | 19 |
| 65+ | 64 | 5.3 | 24 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 178 | 3.2 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 82 | 3.5 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 50-64 | 52 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 15 | 22 |
| 65+ | 128 | 6.6 | 27 | 1 | 2 | 5 | 8 | 12 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 696 | 4.7 | 34 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 20-34 | 1281 | 5.3 | 36 | 1 | 2 | 4 | 6 | 10 | 14 | 33 |
| 35-49 | 480 | 6.4 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| 50-64 | 213 | 6.8 | 47 | 1 | 2 | 5 | 8 | 14 | 19 | 39 |
| 65+ | 152 | 10.7 | 134 | 2 | 2 | 8 | 14 | 22 | 35 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| B. *Operated* | 2992 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 525 | 4.2 | 15 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 2822 | 5.7 | 43 | 1 | 2 | 4 | 7 | 11 | 16 | 35 |
| **1. SINGLE DX** | 3212 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 3347 | 5.5 | 39 | 1 | 1 | 4 | 7 | 11 | 15 | 32 |
| **A. NOT OPERATED** | 745 | 3.7 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **B. OPERATED** | 5814 | 4.3 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| TOTAL 0-19 YRS | 1910 | 3.2 | 15 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 2901 | 4.0 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 984 | 4.9 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 29 |
| 50-64 | 408 | 5.4 | 33 | 1 | 1 | 4 | 6 | 12 | 16 | 26 |
| 65+ | 356 | 8.1 | 77 | 1 | 2 | 6 | 10 | 17 | 23 | 46 |
| **GRAND TOTAL** | **6559** | **4.2** | **25** | **1** | **1** | **3** | **5** | **8** | **12** | **25** |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 229 | 5.1 | 23 | 1 | 1 | 4 | 7 | 9 | 10 | 24 |
| 20-34 | 516 | 5.8 | 24 | 1 | 2 | 5 | 7 | 10 | 13 | 31 |
| 35-49 | 261 | 6.6 | 23 | 1 | 2 | 5 | 9 | 12 | 15 | 28 |
| 50-64 | 321 | 8.6 | 41 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| 65+ | 557 | 10.3 | 31 | 3 | 4 | 9 | 14 | 18 | 21 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 15.7 | 96 | 2 | 4 | 15 | 21 | 28 | 36 | 42 |
| 20-34 | 82 | 15.1 | 200 | 2 | 3 | 11 | 19 | 34 | 51 | 63 |
| 35-49 | 48 | 15.3 | 189 | 3 | 4 | 14 | 17 | 25 | 35 | 90 |
| 50-64 | 24 | 12.2 | 153 | 1 | 2 | 10 | 17 | 20 | 34 | 61 |
| 65+ | 20 | 23.2 | 322 | 7 | 8 | 16 | 29 | 54 | 60 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 6.1 | 26 | 1 | 2 | 5 | 7 | 12 | 17 | 27 |
| 20-34 | 413 | 7.3 | 39 | 2 | 2 | 6 | 9 | 13 | 19 | 33 |
| 35-49 | 286 | 9.6 | 65 | 2 | 3 | 8 | 12 | 18 | 23 | 44 |
| 50-64 | 452 | 11.2 | 84 | 3 | 4 | 9 | 13 | 21 | 28 | 48 |
| 65+ | 1826 | 12.8 | 60 | 4 | 5 | 11 | 16 | 22 | 28 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 14.2 | 175 | 3 | 4 | 11 | 17 | 30 | 60 | 99+ |
| 20-34 | 205 | 17.1 | 256 | 2 | 4 | 12 | 22 | 39 | 50 | 84 |
| 35-49 | 117 | 17.0 | 187 | 3 | 4 | 13 | 23 | 40 | 45 | 88 |
| 50-64 | 103 | 19.9 | 279 | 4 | 5 | 15 | 25 | 43 | 55 | 88 |
| 65+ | 169 | 22.7 | 253 | 5 | 7 | 19 | 29 | 40 | 51 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1884 | 7.6 | 33 | 2 | 2 | 6 | 10 | 15 | 18 | 28 |
| B. *Operated* | 204 | 15.7 | 192 | 2 | 3 | 13 | 19 | 31 | 49 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3153 | 11.2 | 64 | 3 | 3 | 9 | 14 | 21 | 26 | 40 |
| B. *Operated* | 672 | 18.6 | 244 | 3 | 5 | 14 | 24 | 40 | 50 | 86 |
| **1. SINGLE DX** | 2088 | 8.4 | 54 | 2 | 2 | 7 | 11 | 16 | 20 | 38 |
| **2. MULTIPLE DX** | 3825 | 12.5 | 104 | 3 | 4 | 10 | 16 | 24 | 31 | 52 |
| **A. NOT OPERATED** | 5037 | 9.9 | 56 | 2 | 3 | 8 | 13 | 19 | 24 | 35 |
| **B. OPERATED** | 876 | 17.9 | 233 | 3 | 4 | 14 | 23 | 38 | 50 | 83 |
| TOTAL 0-19 YRS | 513 | 7.4 | 65 | 1 | 2 | 5 | 8 | 16 | 22 | 56 |
| 20-34 | 1216 | 8.8 | 99 | 1 | 2 | 6 | 10 | 18 | 28 | 57 |
| 35-49 | 712 | 10.1 | 92 | 2 | 3 | 8 | 13 | 20 | 28 | 47 |
| 50-64 | 900 | 11.3 | 103 | 2 | 3 | 9 | 14 | 22 | 29 | 53 |
| 65+ | 2572 | 13.0 | 77 | 4 | 5 | 11 | 16 | 23 | 29 | 46 |
| **GRAND TOTAL** | **5913** | **11.1** | **90** | **2** | **3** | **9** | **14** | **21** | **28** | **49** |

## 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.1 | 5 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 26 | 11.7 | 359 | 1 | 1 | 5 | 8 | 34 | 54 | 88 |
| 35-49 | 15 | 6.5 | 33 | 1 | 1 | 4 | 13 | 18 | 75 | 99+ |
| 50-64 | 7 | 10.6 | 139 | 1 | 1 | 6 | 18 | 30 | 32 | 32 |
| 65+ | 14 | 9.4 | 7 | 7 | 7 | 9 | 10 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 29.3 | 412 | 8 | 9 | 22 | 49 | 57 | 68 | 70 |
| 20-34 | 23 | 24.7 | 312 | 4 | 5 | 22 | 41 | 51 | 54 | 59 |
| 35-49 | 5 | 14.4 | 98 | 6 | 6 | 11 | 21 | 30 | 30 | 30 |
| 50-64 | 5 | 26.4 | 125 | 9 | 9 | 27 | 32 | 40 | 40 | 40 |
| 65+ | 2 | 68.5 | 1301 | 43 | 43 | 68 | 94 | 94 | 94 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.4 | 15 | 1 | 2 | 9 | 11 | 12 | 12 | 12 |
| 20-34 | 23 | 13.4 | 517 | 1 | 2 | 5 | 11 | 62 | 97 | 99+ |
| 35-49 | 15 | 10.1 | 141 | 2 | 2 | 9 | 9 | 22 | 42 | 49 |
| 50-64 | 12 | 11.5 | 59 | 3 | 4 | 11 | 13 | 20 | 31 | 33 |
| 65+ | 40 | 13.3 | 79 | 4 | 5 | 11 | 16 | 26 | 31 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 38.9 | 551 | 5 | 11 | 39 | 53 | 78 | 99 | 99+ |
| 20-34 | 48 | 34.1 | 578 | 4 | 7 | 30 | 52 | 79 | 97 | 99+ |
| 35-49 | 21 | 39.6 | 551 | 4 | 5 | 41 | 63 | 75 | 86 | 99+ |
| 50-64 | 15 | 42.9 | 722 | 6 | 8 | 41 | 72 | 87 | 96 | 99+ |
| 65+ | 11 | 29.8 | 473 | 5 | 9 | 22 | 38 | 62 | 81 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 8.8 | 156 | 1 | 1 | 6 | 10 | 19 | 35 | 97 |
| B. *Operated* | 47 | 26.8 | 392 | 5 | 7 | 22 | 41 | 51 | 61 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 12.3 | 182 | 2 | 3 | 9 | 13 | 29 | 41 | 98 |
| B. *Operated* | 125 | 36.8 | 571 | 5 | 8 | 34 | 56 | 79 | 97 | 99+ |
| **1. SINGLE DX** | 119 | 15.9 | 324 | 1 | 2 | 9 | 22 | 45 | 51 | 96 |
| **2. MULTIPLE DX** | 222 | 26.1 | 548 | 3 | 4 | 19 | 40 | 69 | 85 | 99+ |
| **A. NOT OPERATED** | 169 | 10.8 | 172 | 1 | 2 | 8 | 12 | 24 | 35 | 99 |
| **B. OPERATED** | 172 | 34.1 | 539 | 5 | 7 | 30 | 51 | 73 | 92 | 99+ |
| TOTAL 0-19 YRS | 59 | 27.3 | 570 | 1 | 2 | 21 | 46 | 61 | 83 | 99+ |
| 20-34 | 120 | 23.5 | 553 | 1 | 2 | 15 | 38 | 63 | 83 | 99+ |
| 35-49 | 56 | 20.6 | 477 | 2 | 2 | 11 | 35 | 68 | 76 | 99+ |
| 50-64 | 39 | 25.3 | 541 | 2 | 4 | 21 | 36 | 72 | 86 | 99+ |
| 65+ | 67 | 16.8 | 268 | 4 | 5 | 11 | 19 | 36 | 45 | 92 |
| **GRAND TOTAL** | **341** | **22.6** | **492** | **2** | **3** | **13** | **35** | **59** | **80** | **99+** |

## 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 94 | 3.5 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 108 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 134 | 5.1 | 14 | 1 | 1 | 4 | 7 | 10 | 14 | 17 |
| 65+ | 166 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 17 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 5 | 7.2 | 81 | 1 | 1 | 3 | 10 | 23 | 23 | 23 |
| 35-49 | 7 | 9.1 | 32 | 2 | 3 | 8 | 11 | 18 | 20 | 20 |
| 50-64 | 3 | 5.0 | 12 | 3 | 3 | 3 | 8 | 9 | 9 | 9 |
| 65+ | 4 | 6.3 | 15 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 4.7 | 29 | 1 | 1 | 3 | 6 | 9 | 14 | 34 |
| 20-34 | 310 | 4.8 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 28 |
| 35-49 | 412 | 6.1 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 24 |
| 50-64 | 586 | 7.1 | 25 | 2 | 2 | 6 | 9 | 12 | 15 | 26 |
| 65+ | 1132 | 9.4 | 50 | 2 | 3 | 8 | 12 | 18 | 23 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 10.9 | 212 | 2 | 2 | 6 | 11 | 24 | 33 | 88 |
| 20-34 | 162 | 11.0 | 95 | 2 | 3 | 8 | 12 | 24 | 34 | 53 |
| 35-49 | 149 | 11.5 | 71 | 3 | 3 | 8 | 15 | 24 | 30 | 40 |
| 50-64 | 163 | 12.8 | 115 | 3 | 4 | 11 | 16 | 23 | 31 | 63 |
| 65+ | 169 | 15.7 | 156 | 3 | 4 | 13 | 21 | 33 | 43 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 528 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 23 | 6.8 | 31 | 1 | 2 | 5 | 9 | 14 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2529 | 7.6 | 38 | 2 | 2 | 6 | 10 | 14 | 19 | 31 |
| B. *Operated* | 691 | 12.7 | 121 | 3 | 3 | 9 | 16 | 26 | 35 | 60 |
| **1. SINGLE DX** | 551 | 4.8 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | 3220 | 8.7 | 60 | 2 | 2 | 7 | 11 | 17 | 23 | 40 |
| **A. NOT OPERATED** | 3057 | 7.1 | 35 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| **B. OPERATED** | 714 | 12.5 | 119 | 2 | 3 | 9 | 16 | 26 | 35 | 57 |
| TOTAL 0-19 YRS | 167 | 6.0 | 86 | 1 | 1 | 3 | 7 | 12 | 19 | 50 |
| 20-34 | 571 | 6.3 | 47 | 1 | 2 | 5 | 7 | 12 | 20 | 39 |
| 35-49 | 676 | 6.9 | 35 | 1 | 2 | 5 | 8 | 13 | 19 | 31 |
| 50-64 | 886 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |
| 65+ | 1471 | 9.8 | 65 | 2 | 3 | 8 | 12 | 19 | 25 | 41 |
| **GRAND TOTAL** | **3771** | **8.1** | **55** | **2** | **2** | **6** | **10** | **16** | **22** | **38** |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 6.5 | 40 | 1 | 2 | 5 | 8 | 13 | 17 | 39 |
| 20-34 | 129 | 10.0 | 115 | 2 | 3 | 7 | 10 | 18 | 29 | 61 |
| 35-49 | 60 | 10.0 | 52 | 2 | 3 | 8 | 13 | 20 | 22 | 37 |
| 50-64 | 106 | 9.8 | 62 | 2 | 3 | 8 | 12 | 19 | 22 | 44 |
| 65+ | 441 | 12.3 | 65 | 3 | 4 | 11 | 16 | 22 | 26 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 20.8 | 1112 | 2 | 2 | 9 | 28 | 80 | 80 | 80 |
| 20-34 | 10 | 23.6 | 273 | 2 | 4 | 25 | 35 | 45 | 46 | 46 |
| 35-49 | 7 | 31.0 | 211 | 12 | 13 | 37 | 43 | 46 | 47 | 47 |
| 50-64 | 4 | 35.5 | 752 | 9 | 9 | 32 | 58 | 68 | 68 | 68 |
| 65+ | 8 | 16.3 | 18 | 8 | 9 | 17 | 19 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 9.4 | 70 | 2 | 3 | 7 | 11 | 20 | 26 | 46 |
| 20-34 | 199 | 11.6 | 117 | 2 | 3 | 8 | 14 | 25 | 38 | 56 |
| 35-49 | 126 | 14.1 | 99 | 3 | 4 | 12 | 19 | 28 | 37 | 59 |
| 50-64 | 187 | 14.4 | 132 | 3 | 4 | 11 | 18 | 27 | 39 | 57 |
| 65+ | 937 | 15.7 | 106 | 4 | 6 | 14 | 20 | 28 | 34 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 19.7 | 263 | 3 | 5 | 15 | 26 | 45 | 55 | 71 |
| 20-34 | 118 | 23.3 | 302 | 5 | 7 | 19 | 32 | 49 | 63 | 92 |
| 35-49 | 61 | 26.0 | 360 | 4 | 6 | 19 | 39 | 54 | 61 | 76 |
| 50-64 | 57 | 29.4 | 445 | 5 | 8 | 22 | 41 | 61 | 71 | 86 |
| 65+ | 114 | 24.8 | 284 | 6 | 7 | 22 | 30 | 46 | 55 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 845 | 10.8 | 72 | 2 | 3 | 9 | 14 | 20 | 25 | 42 |
| B. *Operated* | 34 | 24.4 | 362 | 2 | 6 | 18 | 37 | 47 | 64 | 80 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1553 | 14.5 | 111 | 3 | 4 | 12 | 18 | 27 | 36 | 54 |
| B. *Operated* | 412 | 24.4 | 324 | 4 | 7 | 20 | 32 | 51 | 63 | 87 |
| **1. SINGLE DX** | 879 | 11.3 | 89 | 2 | 3 | 9 | 14 | 21 | 27 | 48 |
| **2. MULTIPLE DX** | 1965 | 16.5 | 172 | 3 | 5 | 13 | 21 | 32 | 44 | 66 |
| **A. NOT OPERATED** | 2398 | 13.2 | 100 | 3 | 4 | 11 | 17 | 25 | 32 | 49 |
| **B. OPERATED** | 446 | 24.4 | 326 | 4 | 7 | 20 | 33 | 50 | 63 | 87 |
| TOTAL 0-19 YRS | 280 | 10.8 | 142 | 2 | 2 | 7 | 13 | 23 | 35 | 62 |
| 20-34 | 456 | 14.4 | 197 | 2 | 3 | 9 | 17 | 35 | 46 | 67 |
| 35-49 | 254 | 16.4 | 192 | 3 | 4 | 12 | 21 | 38 | 47 | 68 |
| 50-64 | 354 | 15.7 | 211 | 3 | 4 | 11 | 19 | 35 | 48 | 74 |
| 65+ | 1500 | 15.4 | 116 | 4 | 5 | 13 | 19 | 28 | 34 | 58 |
| **GRAND TOTAL** | **2844** | **14.9** | **152** | **3** | **4** | **12** | **19** | **29** | **40** | **64** |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 3.5 | 22 | <1 | 1 | 2 | 3 | 9 | 16 | 24 |
| 20-34 | 66 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 35-49 | 45 | 4.0 | 38 | <1 | 1 | 2 | 3 | 7 | 14 | 35 |
| 50-64 | 101 | 5.0 | 27 | 1 | 1 | 3 | 6 | 9 | 16 | 30 |
| 65+ | 309 | 6.8 | 55 | 1 | 1 | 5 | 8 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1037 | 4.0 | 22 | 1 | 1 | 2 | 4 | 9 | 16 | 23 |
| 20-34 | 192 | 4.9 | 26 | 1 | 1 | 4 | 5 | 8 | 16 | 29 |
| 35-49 | 118 | 5.4 | 31 | 1 | 1 | 4 | 7 | 9 | 11 | 39 |
| 50-64 | 186 | 6.7 | 37 | 1 | 2 | 5 | 7 | 13 | 21 | 30 |
| 65+ | 297 | 7.6 | 46 | 1 | 2 | 6 | 9 | 15 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 4.3 | 16 | <1 | 1 | 3 | 6 | 8 | 11 | 24 |
| 20-34 | 64 | 5.7 | 24 | 1 | 2 | 4 | 6 | 12 | 14 | 30 |
| 35-49 | 53 | 6.8 | 43 | 1 | 1 | 5 | 8 | 15 | 20 | 37 |
| 50-64 | 146 | 8.2 | 63 | 2 | 2 | 6 | 9 | 17 | 23 | 44 |
| 65+ | 654 | 10.8 | 77 | 2 | 3 | 8 | 14 | 21 | 28 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 305 | 6.3 | 47 | 1 | 2 | 4 | 8 | 15 | 21 | 35 |
| 20-34 | 209 | 10.9 | 106 | 2 | 3 | 8 | 14 | 22 | 30 | 60 |
| 35-49 | 116 | 9.8 | 86 | 1 | 2 | 7 | 12 | 19 | 27 | 48 |
| 50-64 | 180 | 10.1 | 87 | 2 | 3 | 7 | 14 | 24 | 29 | 85 |
| 65+ | 476 | 15.3 | 169 | 2 | 4 | 11 | 20 | 31 | 42 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 692 | 5.2 | 39 | 1 | 1 | 3 | 6 | 11 | 16 | 28 |
| B. *Operated* | 1830 | 5.0 | 30 | 1 | 1 | 3 | 6 | 11 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 988 | 9.4 | 70 | 2 | 2 | 7 | 12 | 20 | 26 | 41 |
| B. *Operated* | 1286 | 11.2 | 123 | 2 | 2 | 8 | 15 | 25 | 32 | 60 |
| **1. SINGLE DX** | 2522 | 5.1 | 33 | 1 | 1 | 3 | 6 | 11 | 16 | 27 |
| **2. MULTIPLE DX** | 2274 | 10.4 | 101 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **A. NOT OPERATED** | 1680 | 7.6 | 61 | 1 | 1 | 5 | 10 | 17 | 23 | 38 |
| **B. OPERATED** | 3116 | 7.6 | 78 | 1 | 1 | 4 | 9 | 18 | 25 | 45 |
| TOTAL 0-19 YRS | 1584 | 4.4 | 28 | 1 | 1 | 2 | 4 | 10 | 16 | 26 |
| 20-34 | 531 | 7.1 | 64 | 1 | 2 | 5 | 8 | 16 | 23 | 48 |
| 35-49 | 332 | 7.0 | 58 | 1 | 1 | 5 | 8 | 14 | 21 | 36 |
| 50-64 | 613 | 7.8 | 59 | 1 | 2 | 5 | 9 | 18 | 25 | 44 |
| 65+ | 1736 | 10.7 | 103 | 2 | 2 | 8 | 14 | 22 | 30 | 52 |
| **GRAND TOTAL** | **4796** | **7.6** | **72** | **1** | **1** | **5** | **9** | **18** | **24** | **43** |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 20-34 | 43 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 24 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | 38 | 3.3 | 8 | <1 | 1 | 3 | 4 | 8 | 10 | 13 |
| 65+ | 87 | 6.1 | 60 | 1 | 1 | 4 | 8 | 13 | 16 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1617 | 2.1 | 6 | 1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 613 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 345 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 458 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 65+ | 537 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 75 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 57 | 3.6 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 50-64 | 93 | 7.0 | 39 | 1 | 1 | 5 | 10 | 15 | 22 | 29 |
| 65+ | 208 | 9.1 | 80 | 1 | 2 | 7 | 12 | 21 | 27 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 391 | 4.4 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 32 |
| 20-34 | 430 | 7.4 | 74 | 1 | 2 | 5 | 8 | 15 | 26 | 54 |
| 35-49 | 255 | 7.5 | 67 | 1 | 2 | 5 | 9 | 15 | 24 | 42 |
| 50-64 | 348 | 7.0 | 50 | 1 | 2 | 5 | 9 | 14 | 20 | 38 |
| 65+ | 517 | 9.4 | 82 | 2 | 2 | 7 | 12 | 22 | 28 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 294 | 3.6 | 24 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| B. *Operated* | 3570 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 507 | 6.4 | 50 | 1 | 1 | 4 | 8 | 14 | 21 | 37 |
| B. *Operated* | 1941 | 7.3 | 65 | 1 | 2 | 5 | 9 | 16 | 24 | 42 |
| **1. SINGLE DX** | 3864 | 3.0 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 2448 | 7.1 | 62 | 1 | 1 | 5 | 9 | 15 | 23 | 41 |
| **A. NOT OPERATED** | 801 | 5.4 | 42 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| **B. OPERATED** | 5511 | 4.5 | 32 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| TOTAL 0-19 YRS | 2184 | 2.6 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 1161 | 5.1 | 35 | 1 | 1 | 4 | 6 | 9 | 14 | 32 |
| 35-49 | 681 | 5.0 | 33 | 1 | 1 | 3 | 6 | 10 | 14 | 33 |
| 50-64 | 937 | 5.1 | 29 | 1 | 1 | 4 | 6 | 10 | 15 | 31 |
| 65+ | 1349 | 7.1 | 58 | 1 | 2 | 5 | 8 | 15 | 23 | 39 |
| **GRAND TOTAL** | 6312 | 4.6 | 34 | 1 | 1 | 3 | 5 | 10 | 14 | 31 |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 1.9 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 5 |
| 20-34 | 39 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 14 | 2.5 | 3 | <1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 50-64 | 22 | 3.5 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 65+ | 17 | 4.9 | 39 | <1 | <1 | 3 | 6 | 10 | 21 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 493 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 4 | 12 |
| 20-34 | 711 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 291 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 165 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 65+ | 119 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 20-34 | 55 | 4.2 | 42 | <1 | 1 | 3 | 5 | 8 | 10 | 45 |
| 35-49 | 39 | 5.0 | 28 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| 50-64 | 32 | 6.5 | 17 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| 65+ | 73 | 8.3 | 67 | 1 | 2 | 6 | 11 | 16 | 22 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 3.9 | 31 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| 20-34 | 408 | 4.6 | 49 | 1 | 1 | 3 | 5 | 8 | 12 | 33 |
| 35-49 | 207 | 4.8 | 31 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| 50-64 | 136 | 5.8 | 44 | 1 | 1 | 3 | 7 | 11 | 18 | 38 |
| 65+ | 120 | 8.3 | 91 | 1 | 1 | 5 | 10 | 19 | 23 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 1779 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 5.9 | 42 | 1 | 1 | 4 | 7 | 12 | 15 | 34 |
| B. *Operated* | 1072 | 5.1 | 47 | 1 | 1 | 3 | 6 | 10 | 16 | 38 |
| **1. SINGLE DX** | 1899 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 1302 | 5.2 | 47 | 1 | 1 | 3 | 6 | 10 | 15 | 37 |
| **A. NOT OPERATED** | 350 | 4.9 | 33 | 1 | 1 | 3 | 6 | 10 | 14 | 30 |
| **B. OPERATED** | 2851 | 3.5 | 22 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 753 | 2.7 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 1213 | 3.2 | 21 | 1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 35-49 | 551 | 3.6 | 17 | 1 | 1 | 2 | 4 | 6 | 10 | 27 |
| 50-64 | 355 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 30 |
| 65+ | 329 | 6.5 | 59 | 1 | 1 | 4 | 8 | 14 | 20 | 43 |
| **GRAND TOTAL** | 3201 | 3.6 | 23 | 1 | 1 | 2 | 4 | 7 | 10 | 24 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 17.5 | 255 | 1 | 2 | 16 | 24 | 37 | 52 | 65 |
| 20-34 | 16 | 14.1 | 298 | 1 | 2 | 6 | 20 | 41 | 57 | 63 |
| 35-49 | 17 | 13.4 | 465 | 1 | 2 | 5 | 13 | 29 | 69 | 90 |
| 50-64 | 61 | 11.9 | 192 | 1 | 2 | 8 | 16 | 23 | 36 | 87 |
| 65+ | 284 | 11.2 | 96 | 1 | 1 | 9 | 16 | 23 | 29 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 12.3 | 111 | 3 | 3 | 8 | 16 | 24 | 31 | 57 |
| 20-34 | 81 | 14.4 | 150 | 4 | 6 | 10 | 16 | 24 | 45 | 63 |
| 35-49 | 143 | 11.7 | 52 | 4 | 5 | 10 | 15 | 20 | 28 | 37 |
| 50-64 | 633 | 13.9 | 57 | 6 | 7 | 13 | 16 | 21 | 26 | 43 |
| 65+ | 4197 | 17.1 | 66 | 8 | 9 | 16 | 20 | 26 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 19.7 | 201 | 1 | 2 | 20 | 33 | 37 | 44 | 44 |
| 20-34 | 22 | 27.0 | 661 | 3 | 4 | 13 | 61 | 65 | 69 | 69 |
| 35-49 | 24 | 15.8 | 323 | 1 | 2 | 9 | 18 | 45 | 55 | 71 |
| 50-64 | 77 | 14.1 | 200 | 1 | 2 | 10 | 19 | 30 | 48 | 93 |
| 65+ | 525 | 17.0 | 220 | 2 | 4 | 13 | 22 | 38 | 51 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 18.3 | 213 | 3 | 4 | 15 | 22 | 37 | 42 | 81 |
| 20-34 | 155 | 22.7 | 346 | 5 | 7 | 18 | 26 | 55 | 77 | 99+ |
| 35-49 | 186 | 19.5 | 212 | 6 | 7 | 16 | 24 | 35 | 47 | 92 |
| 50-64 | 706 | 18.8 | 139 | 7 | 8 | 16 | 23 | 32 | 45 | 78 |
| 65+ | 5965 | 21.3 | 133 | 9 | 11 | 18 | 25 | 35 | 44 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 429 | 12.3 | 153 | 1 | 1 | 9 | 17 | 25 | 34 | 64 |
| B. *Operated* | 5143 | 16.4 | 68 | 7 | 8 | 15 | 19 | 25 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 672 | 17.0 | 238 | 2 | 3 | 13 | 22 | 39 | 52 | 98 |
| B. *Operated* | 7092 | 21.0 | 142 | 9 | 10 | 18 | 25 | 35 | 45 | 76 |
| **1. SINGLE DX** | 5572 | 16.1 | 76 | 5 | 8 | 15 | 19 | 25 | 31 | 48 |
| **2. MULTIPLE DX** | 7764 | 20.6 | 151 | 7 | 10 | 18 | 25 | 36 | 46 | 77 |
| **A. NOT OPERATED** | 1101 | 15.2 | 210 | 1 | 2 | 11 | 20 | 33 | 48 | 88 |
| **B. OPERATED** | 12235 | 19.1 | 116 | 8 | 9 | 16 | 22 | 32 | 40 | 65 |
| TOTAL 0-19 YRS | 244 | 16.1 | 189 | 2 | 3 | 13 | 21 | 35 | 41 | 64 |
| 20-34 | 274 | 20.1 | 326 | 4 | 5 | 14 | 24 | 51 | 64 | 98 |
| 35-49 | 370 | 16.0 | 180 | 3 | 5 | 12 | 20 | 30 | 41 | 86 |
| 50-64 | 1477 | 16.2 | 115 | 5 | 7 | 14 | 19 | 28 | 36 | 67 |
| 65+ | 10971 | 19.2 | 116 | 8 | 9 | 17 | 23 | 32 | 40 | 64 |
| **GRAND TOTAL** | **13336** | **18.7** | **125** | **7** | **9** | **16** | **22** | **32** | **40** | **66** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 17.8 | 163 | 1 | 2 | 18 | 25 | 35 | 41 | 53 |
| 20-34 | 62 | 22.2 | 493 | 2 | 2 | 9 | 39 | 58 | 65 | 82 |
| 35-49 | 34 | 20.4 | 328 | 2 | 3 | 13 | 37 | 49 | 52 | 57 |
| 50-64 | 37 | 25.7 | 462 | 1 | 3 | 18 | 45 | 60 | 81 | 99+ |
| 65+ | 124 | 19.8 | 368 | 2 | 3 | 12 | 28 | 48 | 66 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 519 | 15.2 | 172 | 2 | 2 | 12 | 22 | 32 | 42 | 54 |
| 20-34 | 202 | 17.1 | 231 | 3 | 4 | 13 | 21 | 35 | 50 | 87 |
| 35-49 | 78 | 17.0 | 229 | 3 | 5 | 12 | 20 | 29 | 58 | 77 |
| 50-64 | 97 | 20.2 | 283 | 3 | 5 | 16 | 24 | 45 | 65 | 76 |
| 65+ | 329 | 19.6 | 153 | 7 | 9 | 16 | 24 | 35 | 49 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 23.6 | 203 | 3 | 4 | 24 | 31 | 43 | 48 | 61 |
| 20-34 | 58 | 29.9 | 651 | 2 | 2 | 23 | 50 | 70 | 79 | 91 |
| 35-49 | 29 | 31.8 | 726 | 4 | 5 | 24 | 47 | 72 | 88 | 95 |
| 50-64 | 56 | 25.2 | 510 | 3 | 4 | 18 | 41 | 66 | 73 | 83 |
| 65+ | 219 | 25.4 | 580 | 2 | 4 | 17 | 37 | 68 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 435 | 24.1 | 262 | 3 | 5 | 22 | 33 | 48 | 56 | 93 |
| 20-34 | 404 | 27.5 | 345 | 5 | 8 | 22 | 38 | 57 | 67 | 99+ |
| 35-49 | 124 | 27.8 | 410 | 4 | 7 | 24 | 39 | 61 | 86 | 99+ |
| 50-64 | 160 | 27.3 | 412 | 6 | 8 | 21 | 37 | 62 | 75 | 99+ |
| 65+ | 491 | 25.9 | 293 | 8 | 10 | 21 | 33 | 53 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 668 | 19.2 | 259 | 2 | 2 | 16 | 27 | 43 | 30 | 75 |
| B. *Operated* | 1225 | 17.2 | 192 | 2 | 3 | 14 | 22 | 34 | 46 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 25.7 | 481 | 2 | 4 | 19 | 37 | 60 | 75 | 97 |
| B. *Operated* | 1614 | 26.1 | 320 | 5 | 8 | 22 | 35 | 54 | 68 | 99+ |
| **1. SINGLE DX** | 1893 | 17.9 | 217 | 2 | 3 | 15 | 24 | 37 | 49 | 71 |
| **2. MULTIPLE DX** | 2124 | 26.0 | 358 | 4 | 6 | 21 | 36 | 55 | 69 | 99+ |
| **A. NOT OPERATED** | 1178 | 22.0 | 365 | 2 | 3 | 18 | 31 | 49 | 63 | 90 |
| **B. OPERATED** | 2839 | 22.3 | 284 | 3 | 5 | 18 | 29 | 48 | 60 | 96 |
| TOTAL 0-19 YRS | 1513 | 19.3 | 213 | 2 | 3 | 18 | 28 | 40 | 48 | 67 |
| 20-34 | 726 | 24.4 | 372 | 3 | 5 | 19 | 35 | 54 | 65 | 94 |
| 35-49 | 265 | 24.1 | 406 | 3 | 5 | 18 | 35 | 58 | 73 | 99+ |
| 50-64 | 350 | 24.8 | 403 | 4 | 6 | 18 | 33 | 59 | 72 | 99 |
| 65+ | 1163 | 23.4 | 323 | 5 | 7 | 18 | 29 | 51 | 68 | 99+ |
| **GRAND TOTAL** | **4017** | **22.2** | **308** | **2** | **4** | **18** | **30** | **48** | **61** | **94** |

### 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 2.9 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 241 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 35-49 | 131 | 5.6 | 45 | 1 | 1 | 4 | 6 | 10 | 15 | 42 |
| 50-64 | 145 | 8.3 | 93 | 2 | 2 | 5 | 10 | 15 | 23 | 49 |
| 65+ | 158 | 10.1 | 64 | 2 | 3 | 8 | 13 | 20 | 29 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 727 | 4.8 | 31 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 20-34 | 587 | 6.9 | 42 | 1 | 2 | 5 | 8 | 12 | 17 | 33 |
| 35-49 | 406 | 7.8 | 37 | 2 | 3 | 6 | 10 | 15 | 20 | 31 |
| 50-64 | 340 | 9.9 | 84 | 2 | 3 | 7 | 12 | 18 | 28 | 49 |
| 65+ | 172 | 12.2 | 91 | 3 | 4 | 10 | 16 | 23 | 28 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 4.2 | 9 | 1 | 2 | 3 | 5 | 9 | 10 | 16 |
| 20-34 | 116 | 6.0 | 34 | 1 | 2 | 4 | 7 | 12 | 14 | 36 |
| 35-49 | 84 | 5.7 | 26 | 1 | 1 | 5 | 7 | 11 | 19 | 26 |
| 50-64 | 131 | 10.9 | 121 | 2 | 2 | 8 | 13 | 22 | 29 | 62 |
| 65+ | 236 | 13.0 | 110 | 3 | 4 | 10 | 17 | 27 | 33 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 11.5 | 173 | 2 | 2 | 7 | 14 | 25 | 44 | 83 |
| 20-34 | 514 | 14.0 | 202 | 3 | 3 | 9 | 17 | 32 | 53 | 99+ |
| 35-49 | 302 | 14.7 | 234 | 3 | 4 | 10 | 17 | 31 | 51 | 91 |
| 50-64 | 288 | 16.8 | 242 | 3 | 4 | 12 | 21 | 38 | 55 | 94 |
| 65+ | 266 | 18.0 | 208 | 4 | 5 | 14 | 23 | 37 | 56 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 971 | 5.6 | 43 | 1 | 1 | 4 | 6 | 12 | 16 | 34 |
| B. *Operated* | 2232 | 7.2 | 52 | 1 | 2 | 5 | 9 | 14 | 19 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 654 | 9.2 | 87 | 2 | 2 | 6 | 12 | 20 | 27 | 47 |
| B. *Operated* | 1664 | 14.8 | 215 | 3 | 4 | 10 | 18 | 33 | 53 | 98 |
| **1. SINGLE DX** | 3203 | 6.7 | 50 | 1 | 2 | 5 | 8 | 13 | 18 | 36 |
| **2. MULTIPLE DX** | 2318 | 13.2 | 185 | 2 | 3 | 9 | 16 | 29 | 45 | 84 |
| **A. NOT OPERATED** | 1625 | 7.0 | 64 | 1 | 1 | 4 | 9 | 15 | 23 | 38 |
| **B. OPERATED** | 3896 | 10.5 | 136 | 2 | 2 | 7 | 12 | 22 | 33 | 71 |
| TOTAL 0-19 YRS | 1404 | 5.8 | 63 | 1 | 1 | 4 | 6 | 11 | 18 | 52 |
| 20-34 | 1458 | 8.9 | 109 | 1 | 2 | 6 | 10 | 18 | 28 | 65 |
| 35-49 | 923 | 9.6 | 115 | 2 | 2 | 6 | 11 | 19 | 28 | 68 |
| 50-64 | 904 | 12.0 | 152 | 2 | 3 | 8 | 14 | 25 | 37 | 75 |
| 65+ | 832 | 13.9 | 137 | 3 | 4 | 11 | 18 | 27 | 37 | 69 |
| **GRAND TOTAL** | 5521 | 9.5 | 117 | 1 | 2 | 6 | 11 | 20 | 29 | 66 |

### 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 3.2 | 19 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 20-34 | 205 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 161 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 196 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 65+ | 209 | 6.6 | 26 | 1 | 2 | 5 | 9 | 13 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 837 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1298 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 874 | 5.6 | 17 | 2 | 2 | 5 | 7 | 9 | 11 | 21 |
| 50-64 | 925 | 6.3 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| 65+ | 601 | 8.6 | 36 | 3 | 3 | 7 | 11 | 16 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 170 | 5.3 | 21 | 1 | 2 | 4 | 6 | 11 | 15 | 28 |
| 35-49 | 126 | 6.8 | 50 | 1 | 2 | 4 | 8 | 13 | 23 | 37 |
| 50-64 | 197 | 6.9 | 41 | 1 | 1 | 5 | 9 | 13 | 16 | 34 |
| 65+ | 361 | 9.2 | 46 | 2 | 3 | 8 | 12 | 17 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 7.7 | 102 | 2 | 2 | 5 | 8 | 13 | 28 | 54 |
| 20-34 | 864 | 7.9 | 61 | 2 | 3 | 6 | 9 | 15 | 21 | 47 |
| 35-49 | 543 | 8.2 | 64 | 2 | 3 | 6 | 9 | 15 | 21 | 46 |
| 50-64 | 633 | 10.2 | 91 | 3 | 3 | 7 | 12 | 19 | 27 | 53 |
| 65+ | 941 | 12.6 | 105 | 3 | 4 | 10 | 15 | 23 | 33 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 927 | 4.5 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| B. *Operated* | 4535 | 5.7 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 940 | 7.2 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| B. *Operated* | 2976 | 9.3 | 84 | 2 | 3 | 7 | 11 | 18 | 26 | 50 |
| **1. SINGLE DX** | 5462 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 3916 | 8.8 | 75 | 2 | 3 | 6 | 11 | 17 | 23 | 46 |
| **A. NOT OPERATED** | 1867 | 5.9 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| **B. OPERATED** | 7511 | 7.1 | 47 | 2 | 2 | 5 | 8 | 13 | 18 | 36 |
| TOTAL 0-19 YRS | 1474 | 4.9 | 38 | 1 | 1 | 4 | 5 | 9 | 12 | 33 |
| 20-34 | 2537 | 6.0 | 31 | 1 | 2 | 5 | 7 | 11 | 14 | 31 |
| 35-49 | 1704 | 6.3 | 35 | 2 | 2 | 5 | 8 | 11 | 15 | 31 |
| 50-64 | 1951 | 7.5 | 45 | 2 | 3 | 6 | 9 | 13 | 17 | 34 |
| 65+ | 1712 | 9.8 | 63 | 2 | 3 | 8 | 12 | 18 | 23 | 41 |
| **GRAND TOTAL** | 9378 | 6.9 | 44 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 1.9 | 2 | 1 | 1 | 1 | 2 | 4 | 6 | 6 |
| 20-34 | 40 | 3.7 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 19 | 3.4 | 13 | <1 | 1 | 2 | 4 | 8 | 13 | 15 |
| 50-64 | 13 | 4.9 | 23 | 1 | 1 | 2 | 7 | 13 | 14 | 14 |
| 65+ | 34 | 6.7 | 30 | 2 | 2 | 5 | 9 | 14 | 20 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 6 | 9 |
| 20-34 | 59 | 3.8 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 29 |
| 35-49 | 15 | 4.7 | 8 | 1 | 2 | 4 | 7 | 9 | 10 | 11 |
| 50-64 | 8 | 4.1 | 12 | 1 | 1 | 3 | 4 | 10 | 12 | 12 |
| 65+ | 6 | 4.7 | 11 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 4.5 | 19 | 1 | 1 | 3 | 6 | 8 | 12 | 24 |
| 20-34 | 150 | 4.8 | 33 | 1 | 1 | 3 | 6 | 9 | 10 | 30 |
| 35-49 | 77 | 5.8 | 51 | 1 | 1 | 5 | 7 | 9 | 13 | 49 |
| 50-64 | 108 | 7.9 | 35 | 2 | 2 | 6 | 11 | 16 | 21 | 26 |
| 65+ | 172 | 9.5 | 68 | 1 | 3 | 7 | 12 | 19 | 24 | 48 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 7.2 | 52 | 1 | 1 | 5 | 9 | 18 | 22 | 99+ |
| 20-34 | 84 | 7.8 | 113 | 1 | 2 | 5 | 9 | 13 | 23 | 68 |
| 35-49 | 41 | 8.2 | 73 | 1 | 2 | 5 | 11 | 20 | 26 | 43 |
| 50-64 | 31 | 14.8 | 190 | 2 | 4 | 11 | 19 | 32 | 43 | 66 |
| 65+ | 43 | 16.3 | 153 | 2 | 4 | 12 | 26 | 35 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 140 | 4.1 | 17 | 1 | 1 | 2 | 5 | 10 | 13 | 22 |
| *B. Operated* | 153 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 619 | 6.7 | 47 | 1 | 2 | 5 | 8 | 14 | 20 | 31 |
| *B. Operated* | 248 | 10.1 | 123 | 1 | 2 | 6 | 12 | 25 | 35 | 81 |
| **1. SINGLE DX** | 293 | 3.8 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 867 | 7.7 | 71 | 1 | 2 | 5 | 9 | 17 | 24 | 47 |
| **A. NOT OPERATED** | 759 | 6.2 | 43 | 1 | 1 | 4 | 8 | 13 | 19 | 30 |
| **B. OPERATED** | 401 | 7.6 | 89 | 1 | 2 | 4 | 9 | 19 | 29 | 56 |
| TOTAL 0-19 YRS | 260 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 13 | 25 |
| 20-34 | 333 | 5.3 | 50 | 1 | 1 | 3 | 6 | 10 | 12 | 34 |
| 35-49 | 152 | 6.0 | 50 | 1 | 1 | 4 | 7 | 12 | 17 | 43 |
| 50-64 | 160 | 8.8 | 71 | 1 | 2 | 6 | 12 | 19 | 23 | 43 |
| 65+ | 255 | 10.2 | 84 | 2 | 2 | 7 | 13 | 24 | 30 | 50 |
| **GRAND TOTAL** | 1160 | 6.7 | 59 | 1 | 1 | 4 | 8 | 14 | 21 | 43 |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.3 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 6 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 2 | 10.0 | 72 | 4 | 4 | 10 | 16 | 16 | 16 | 16 |
| 50-64 | 4 | 12.0 | 93 | 4 | 4 | 9 | 18 | 26 | 26 | 26 |
| 65+ | 4 | 7.0 | 13 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.8 | 114 | 2 | 2 | 7 | 13 | 29 | 31 | 31 |
| 20-34 | 6 | 6.2 | 23 | 1 | 1 | 5 | 12 | 12 | 12 | 12 |
| 35-49 | 3 | 7.3 | 20 | 3 | 3 | 7 | 11 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.0 | 8 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 20-34 | 5 | 14.2 | 454 | 2 | 2 | 5 | 20 | 52 | 52 | 52 |
| 35-49 | 5 | 4.6 | 11 | 1 | 1 | 4 | 6 | 10 | 10 | 10 |
| 50-64 | 10 | 8.8 | 157 | 2 | 2 | 4 | 10 | 27 | 43 | 43 |
| 65+ | 4 | 23.0 | 286 | 11 | 11 | 16 | 33 | 48 | 48 | 48 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 20.8 | 500 | 4 | 5 | 13 | 23 | 59 | 73 | 73 |
| 20-34 | 13 | 19.2 | 163 | 5 | 7 | 18 | 23 | 59 | 91 | 99+ |
| 35-49 | 7 | 36.7 | 1017 | 7 | 8 | 28 | 52 | 87 | 95 | 95 |
| 50-64 | 6 | 28.2 | 798 | 6 | 7 | 14 | 44 | 75 | 79 | 79 |
| 65+ | 5 | 26.2 | 453 | 6 | 6 | 21 | 39 | 60 | 60 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 28 | 5.1 | 30 | <1 | 1 | 3 | 7 | 10 | 17 | 26 |
| *B. Operated* | 15 | 8.3 | 57 | 1 | 2 | 6 | 12 | 13 | 26 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 30 | 9.9 | 183 | 2 | 2 | 4 | 10 | 30 | 48 | 52 |
| *B. Operated* | 39 | 24.9 | 499 | 5 | 6 | 16 | 32 | 66 | 87 | 99+ |
| **1. SINGLE DX** | 43 | 6.2 | 41 | <1 | 1 | 4 | 9 | 12 | 19 | 31 |
| **2. MULTIPLE DX** | 69 | 18.4 | 413 | 2 | 2 | 12 | 21 | 52 | 73 | 99 |
| **A. NOT OPERATED** | 58 | 7.6 | 114 | 1 | 1 | 4 | 9 | 16 | 36 | 52 |
| **B. OPERATED** | 54 | 20.3 | 430 | 3 | 4 | 13 | 25 | 54 | 77 | 99+ |
| TOTAL 0-19 YRS | 32 | 8.8 | 193 | <1 | 1 | 4 | 9 | 22 | 30 | 73 |
| 20-34 | 30 | 12.6 | 181 | 1 | 2 | 7 | 18 | 40 | 54 | 99+ |
| 35-49 | 17 | 18.9 | 629 | 2 | 3 | 10 | 19 | 53 | 80 | 95 |
| 50-64 | 20 | 15.3 | 376 | 2 | 2 | 9 | 14 | 43 | 61 | 79 |
| 65+ | 13 | 19.3 | 301 | 3 | 5 | 12 | 24 | 50 | 58 | 60 |
| **GRAND TOTAL** | 112 | 13.7 | 304 | 1 | 2 | 7 | 15 | 43 | 54 | 97 |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 15 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 6 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 6 | 2.3 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 9 | 5.3 | 24 | 1 | 1 | 3 | 7 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 149 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 465 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 126 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 50-64 | 70 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 65+ | 61 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 24 | 3.8 | 11 | 1 | 1 | 2 | 5 | 10 | 11 | 12 |
| 35-49 | 9 | 4.9 | 18 | 1 | 1 | 3 | 6 | 12 | 13 | 13 |
| 50-64 | 14 | 6.0 | 9 | 1 | 2 | 6 | 8 | 10 | 12 | 12 |
| 65+ | 28 | 7.9 | 68 | 1 | 2 | 5 | 10 | 21 | 28 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.0 | 6 | 1 | 2 | 3 | 4 | 7 | 10 | 12 |
| 20-34 | 100 | 4.6 | 12 | 1 | 1 | 4 | 5 | 9 | 11 | 20 |
| 35-49 | 39 | 5.6 | 107 | 1 | 1 | 4 | 5 | 7 | 10 | 67 |
| 50-64 | 45 | 6.1 | 52 | 1 | 1 | 4 | 7 | 11 | 13 | 47 |
| 65+ | 72 | 8.2 | 59 | 1 | 1 | 5 | 11 | 21 | 24 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 2.6 | 9 | <1 | <1 | 1 | 3 | 5 | 9 | 15 |
| B. *Operated* | 871 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 5.6 | 34 | 1 | 1 | 4 | 8 | 12 | 13 | 33 |
| B. *Operated* | 278 | 5.9 | 45 | 1 | 1 | 4 | 7 | 11 | 17 | 34 |
| **1. SINGLE DX** | 910 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 358 | 5.8 | 42 | 1 | 1 | 4 | 7 | 11 | 17 | 34 |
| **A. NOT OPERATED** | 119 | 4.6 | 27 | 1 | 1 | 3 | 5 | 11 | 13 | 29 |
| **B. OPERATED** | 1149 | 3.9 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 179 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 20-34 | 604 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 180 | 3.7 | 27 | 1 | 1 | 3 | 4 | 5 | 8 | 13 |
| 50-64 | 135 | 4.5 | 22 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |
| 65+ | 170 | 6.1 | 45 | 1 | 1 | 4 | 7 | 14 | 22 | 34 |
| **GRAND TOTAL** | 1268 | 3.9 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.8 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 51 | 2.9 | 10 | <1 | <1 | 2 | 4 | 6 | 9 | 19 |
| 35-49 | 20 | 2.5 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| 50-64 | 13 | 3.7 | 4 | 1 | 1 | 3 | 6 | 6 | 7 | 7 |
| 65+ | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1064 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2161 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 988 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 434 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 115 | 6.5 | 29 | 2 | 2 | 5 | 7 | 14 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 3 | <1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 20-34 | 21 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 35-49 | 18 | 2.9 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 50-64 | 17 | 6.4 | 27 | 1 | 2 | 5 | 7 | 16 | 19 | 20 |
| 65+ | 8 | 8.0 | 105 | 1 | 2 | 5 | 6 | 25 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 444 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 976 | 4.9 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 568 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 50-64 | 471 | 5.8 | 31 | 2 | 2 | 5 | 7 | 10 | 13 | 30 |
| 65+ | 188 | 7.0 | 45 | 2 | 2 | 5 | 8 | 15 | 19 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 2.9 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 4762 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 4.1 | 22 | <1 | 1 | 3 | 5 | 7 | 9 | 29 |
| B. *Operated* | 2647 | 5.1 | 19 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| **1. SINGLE DX** | 4880 | 4.1 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 2725 | 5.1 | 19 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| **A. NOT OPERATED** | 196 | 3.4 | 13 | <1 | <1 | 2 | 5 | 6 | 7 | 20 |
| **B. OPERATED** | 7409 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 1553 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 3209 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1594 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 935 | 5.2 | 20 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 65+ | 314 | 6.8 | 40 | 2 | 2 | 5 | 8 | 14 | 19 | 32 |
| **GRAND TOTAL** | 7605 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.7 | 14 | <1 | 1 | 3 | 4 | 7 | 12 | 20 |
| 20-34 | 60 | 7.2 | 52 | 1 | 1 | 4 | 10 | 16 | 25 | 30 |
| 35-49 | 33 | 5.8 | 21 | 1 | 1 | 5 | 8 | 11 | 15 | 20 |
| 50-64 | 32 | 5.9 | 31 | 1 | 1 | 4 | 7 | 15 | 20 | 23 |
| 65+ | 15 | 7.6 | 112 | <1 | <1 | 5 | 9 | 11 | 36 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 4.0 | 44 | 1 | 1 | 2 | 4 | 9 | 14 | 40 |
| 20-34 | 328 | 5.3 | 24 | 1 | 1 | 4 | 7 | 12 | 14 | 24 |
| 35-49 | 195 | 7.3 | 36 | 1 | 1 | 6 | 10 | 16 | 19 | 28 |
| 50-64 | 113 | 6.1 | 24 | 1 | 1 | 5 | 9 | 12 | 15 | 25 |
| 65+ | 62 | 8.3 | 123 | 2 | 2 | 5 | 10 | 16 | 23 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 8.3 | 91 | 1 | 2 | 5 | 11 | 14 | 37 | 42 |
| 20-34 | 59 | 7.9 | 80 | <1 | 1 | 5 | 9 | 19 | 26 | 43 |
| 35-49 | 38 | 7.6 | 51 | 1 | 1 | 5 | 10 | 17 | 26 | 31 |
| 50-64 | 50 | 8.1 | 36 | 1 | 1 | 6 | 12 | 16 | 20 | 27 |
| 65+ | 39 | 10.4 | 73 | 1 | 2 | 10 | 13 | 20 | 22 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 9.3 | 180 | 1 | 1 | 5 | 10 | 18 | 41 | 72 |
| 20-34 | 245 | 9.8 | 114 | 1 | 2 | 6 | 13 | 22 | 34 | 92 |
| 35-49 | 146 | 12.7 | 225 | 2 | 2 | 8 | 16 | 30 | 44 | 96 |
| 50-64 | 109 | 11.0 | 115 | 2 | 2 | 8 | 14 | 24 | 31 | 56 |
| 65+ | 74 | 14.1 | 167 | 1 | 2 | 11 | 20 | 28 | 48 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 6.0 | 40 | 1 | 1 | 4 | 8 | 13 | 20 | 29 |
| B. *Operated* | 926 | 5.7 | 40 | 1 | 1 | 4 | 8 | 13 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 8.4 | 65 | 1 | 1 | 6 | 11 | 18 | 22 | 42 |
| B. *Operated* | 692 | 11.0 | 157 | 1 | 2 | 7 | 14 | 25 | 38 | 81 |
| **1. SINGLE DX** | 1105 | 5.8 | 40 | 1 | 1 | 4 | 8 | 13 | 17 | 30 |
| **2. MULTIPLE DX** | 912 | 10.3 | 136 | 1 | 2 | 7 | 13 | 22 | 35 | 63 |
| **A. NOT OPERATED** | 399 | 7.3 | 55 | 1 | 1 | 5 | 10 | 15 | 21 | 42 |
| **B. OPERATED** | 1618 | 8.0 | 96 | 1 | 1 | 5 | 10 | 18 | 25 | 51 |
| TOTAL 0-19 YRS | 419 | 5.8 | 89 | 1 | 1 | 3 | 6 | 13 | 20 | 47 |
| 20-34 | 692 | 7.3 | 67 | 1 | 1 | 5 | 9 | 17 | 22 | 44 |
| 35-49 | 412 | 9.1 | 110 | 1 | 1 | 7 | 11 | 20 | 28 | 56 |
| 50-64 | 304 | 8.1 | 64 | 1 | 1 | 6 | 11 | 16 | 23 | 40 |
| 65+ | 190 | 10.9 | 134 | 1 | 2 | 8 | 14 | 22 | 31 | 57 |
| **GRAND TOTAL** | 2017 | 7.8 | 88 | 1 | 1 | 5 | 10 | 18 | 24 | 48 |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 61 | 3.1 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 28 | 3.8 | 5 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 25 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 65+ | 26 | 5.8 | 10 | 2 | 2 | 5 | 9 | 11 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 3.8 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 437 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 108 | 4.5 | 8 | 1 | 2 | 4 | 6 | 7 | 11 | 14 |
| 50-64 | 43 | 5.7 | 15 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 65+ | 16 | 7.6 | 17 | 2 | 3 | 7 | 10 | 13 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 57 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 36 | 5.4 | 14 | 1 | 2 | 4 | 6 | 9 | 14 | 19 |
| 50-64 | 51 | 6.0 | 13 | 2 | 2 | 5 | 9 | 11 | 13 | 16 |
| 65+ | 89 | 8.0 | 27 | 2 | 2 | 7 | 11 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 270 | 5.0 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 20-34 | 407 | 5.5 | 16 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| 35-49 | 123 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 62 | 7.3 | 38 | 2 | 2 | 6 | 8 | 13 | 18 | 38 |
| 65+ | 26 | 12.6 | 143 | 2 | 3 | 9 | 16 | 19 | 32 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 189 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | 905 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 260 | 5.8 | 19 | 1 | 2 | 4 | 8 | 11 | 14 | 23 |
| B. *Operated* | 888 | 5.8 | 21 | 2 | 2 | 5 | 7 | 10 | 14 | 24 |
| **1. SINGLE DX** | 1094 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 1148 | 5.8 | 21 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| **A. NOT OPERATED** | 449 | 4.9 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| **B. OPERATED** | 1793 | 5.0 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| TOTAL 0-19 YRS | 647 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 962 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 295 | 5.3 | 15 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| 50-64 | 181 | 6.1 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 65+ | 157 | 8.4 | 45 | 2 | 3 | 7 | 11 | 16 | 18 | 30 |
| **GRAND TOTAL** | 2242 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| 20-34 | 1435 | 6.4 | 18 | 2 | 2 | 6 | 8 | 11 | 13 | 18 |
| 35-49 | 1415 | 6.6 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| 50-64 | 630 | 6.7 | 14 | 2 | 3 | 6 | 8 | 12 | 14 | 20 |
| 65+ | 187 | 6.9 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.2 | 12 | 2 | 2 | 6 | 8 | 10 | 13 | 15 |
| 20-34 | 408 | 7.9 | 30 | 2 | 2 | 7 | 11 | 15 | 17 | 25 |
| 35-49 | 354 | 8.0 | 26 | 2 | 3 | 7 | 11 | 15 | 19 | 23 |
| 50-64 | 87 | 8.7 | 26 | 3 | 3 | 8 | 11 | 16 | 18 | 24 |
| 65+ | 7 | 8.1 | 25 | 3 | 3 | 7 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 5.7 | 14 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| 20-34 | 940 | 7.2 | 21 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| 35-49 | 1298 | 7.7 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 24 |
| 50-64 | 1040 | 8.0 | 25 | 3 | 3 | 7 | 10 | 14 | 17 | 24 |
| 65+ | 698 | 9.4 | 45 | 3 | 3 | 8 | 12 | 16 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.9 | 27 | 2 | 3 | 6 | 10 | 17 | 19 | 19 |
| 20-34 | 229 | 9.9 | 30 | 2 | 3 | 9 | 13 | 18 | 20 | 23 |
| 35-49 | 283 | 11.2 | 58 | 3 | 4 | 9 | 14 | 20 | 27 | 40 |
| 50-64 | 162 | 11.1 | 41 | 3 | 4 | 10 | 14 | 19 | 25 | 31 |
| 65+ | 51 | 13.2 | 55 | 4 | 5 | 13 | 17 | 20 | 24 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3807 | 6.5 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 19 |
| B. *Operated* | 876 | 8.0 | 28 | 2 | 3 | 7 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4060 | 7.9 | 27 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| B. *Operated* | 739 | 10.9 | 45 | 3 | 4 | 10 | 14 | 19 | 23 | 34 |
| **1. SINGLE DX** | 4683 | 6.8 | 18 | 2 | 3 | 6 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | 4799 | 8.4 | 31 | 2 | 3 | 7 | 10 | 15 | 19 | 28 |
| **A. NOT OPERATED** | 7867 | 7.2 | 22 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 1615 | 9.3 | 38 | 2 | 3 | 8 | 12 | 17 | 20 | 30 |
| TOTAL 0-19 YRS | 258 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| 20-34 | 3012 | 7.1 | 23 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| 35-49 | 3350 | 7.6 | 24 | 2 | 3 | 7 | 9 | 13 | 17 | 25 |
| 50-64 | 1919 | 7.9 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 65+ | 943 | 9.1 | 42 | 2 | 3 | 8 | 11 | 16 | 20 | 34 |
| **GRAND TOTAL** | 9482 | 7.6 | 25 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 272 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 11 | 13 |
| 20-34 | 1248 | 5.9 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 18 |
| 35-49 | 960 | 6.6 | 18 | 2 | 2 | 6 | 8 | 11 | 14 | 22 |
| 50-64 | 400 | 6.5 | 17 | 1 | 2 | 6 | 8 | 12 | 15 | 21 |
| 65+ | 147 | 6.9 | 18 | 2 | 2 | 6 | 9 | 13 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.0 | 16 | 2 | 2 | 4 | 8 | 13 | 14 | 15 |
| 20-34 | 375 | 6.5 | 22 | 2 | 2 | 5 | 9 | 13 | 17 | 23 |
| 35-49 | 304 | 7.6 | 30 | 2 | 2 | 6 | 10 | 15 | 18 | 27 |
| 50-64 | 87 | 7.5 | 28 | 2 | 2 | 6 | 9 | 15 | 17 | 28 |
| 65+ | 9 | 8.9 | 15 | 4 | 5 | 9 | 12 | 14 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 4.4 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 20-34 | 1275 | 6.7 | 22 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| 35-49 | 1282 | 7.3 | 24 | 2 | 3 | 6 | 9 | 13 | 17 | 25 |
| 50-64 | 821 | 7.4 | 23 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 591 | 8.1 | 26 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.3 | 10 | <1 | 1 | 5 | 7 | 10 | 11 | 11 |
| 20-34 | 235 | 9.7 | 45 | 2 | 3 | 8 | 12 | 18 | 23 | 35 |
| 35-49 | 250 | 10.0 | 45 | 2 | 3 | 8 | 14 | 18 | 20 | 36 |
| 50-64 | 131 | 9.9 | 38 | 2 | 3 | 9 | 13 | 17 | 20 | 32 |
| 65+ | 46 | 12.1 | 81 | 3 | 4 | 11 | 14 | 19 | 26 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3027 | 6.0 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 19 |
| B. *Operated* | 799 | 7.1 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4188 | 7.1 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | 671 | 10.0 | 46 | 2 | 3 | 9 | 13 | 18 | 22 | 36 |
| **1. SINGLE DX** | 3826 | 6.3 | 19 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | 4859 | 7.5 | 28 | 2 | 2 | 6 | 10 | 14 | 17 | 26 |
| **A. NOT OPERATED** | 7215 | 6.7 | 21 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| **B. OPERATED** | 1470 | 8.4 | 37 | 2 | 2 | 7 | 11 | 16 | 19 | 31 |
| TOTAL 0-19 YRS | 524 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 20-34 | 3133 | 6.6 | 22 | 1 | 2 | 5 | 9 | 12 | 15 | 23 |
| 35-49 | 2796 | 7.4 | 25 | 2 | 2 | 6 | 9 | 13 | 17 | 25 |
| 50-64 | 1439 | 7.4 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 65+ | 793 | 8.1 | 29 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| **GRAND TOTAL** | 8685 | 6.9 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 24 |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 137 | 3.4 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 12 |
| 35-49 | 96 | 4.3 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 50-64 | 64 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 78 | 5.5 | 21 | 1 | 2 | 4 | 8 | 13 | 16 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 188 | 3.0 | 8 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 422 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 319 | 3.8 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 266 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 65+ | 103 | 6.2 | 15 | 2 | 3 | 5 | 7 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 14 | 93 |
| 20-34 | 150 | 4.1 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 130 | 5.2 | 20 | 1 | 1 | 4 | 6 | 10 | 15 | 21 |
| 50-64 | 137 | 6.2 | 20 | 2 | 2 | 5 | 8 | 12 | 17 | 21 |
| 65+ | 228 | 7.8 | 30 | 2 | 3 | 6 | 10 | 19 | 21 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 136 | 4.7 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 24 |
| 35-49 | 112 | 5.1 | 15 | 2 | 2 | 4 | 6 | 8 | 12 | 23 |
| 50-64 | 156 | 7.1 | 38 | 2 | 3 | 5 | 8 | 15 | 20 | 33 |
| 65+ | 88 | 9.4 | 83 | 2 | 2 | 7 | 10 | 20 | 28 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 466 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 1298 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 702 | 5.9 | 23 | 1 | 2 | 4 | 7 | 12 | 16 | 24 |
| B. *Operated* | 563 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| **1. SINGLE DX** | 1764 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 1265 | 5.9 | 28 | 1 | 2 | 4 | 7 | 12 | 16 | 27 |
| **A. NOT OPERATED** | 1168 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| **B. OPERATED** | 1861 | 4.6 | 16 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 407 | 3.1 | 7 | 1 | 1 | 3 | 4 | 5 | 6 | 15 |
| 20-34 | 845 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 657 | 4.3 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 623 | 5.7 | 20 | 2 | 2 | 5 | 7 | 10 | 15 | 21 |
| 65+ | 497 | 7.4 | 36 | 2 | 2 | 6 | 9 | 15 | 18 | 28 |
| **GRAND TOTAL** | 3029 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1988 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 678 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 182 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 77 | 3.1 | 24 | 1 | 1 | 2 | 3 | 6 | 7 | 33 |
| 65+ | 65 | 4.2 | 25 | 1 | 1 | 2 | 5 | 5 | 11 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 13 | 11.2 | 518 | <1 | <1 | 2 | 8 | 35 | 75 | 84 |
| 35-49 | 3 | 5.3 | 14 | <1 | <1 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1661 | 2.5 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 1411 | 3.4 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 35-49 | 528 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 50-64 | 391 | 5.1 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| 65+ | 479 | 7.7 | 61 | 1 | 1 | 5 | 11 | 17 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 386 | 4.5 | 40 | 1 | 1 | 2 | 5 | 10 | 16 | 43 |
| 20-34 | 434 | 5.9 | 94 | 1 | 1 | 3 | 6 | 12 | 27 | 52 |
| 35-49 | 170 | 5.9 | 51 | 1 | 1 | 4 | 7 | 12 | 19 | 54 |
| 50-64 | 110 | 8.5 | 130 | 1 | 1 | 4 | 9 | 24 | 32 | 59 |
| 65+ | 129 | 8.5 | 75 | 1 | 2 | 6 | 10 | 21 | 31 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2990 | 1.9 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| B. *Operated* | 36 | 6.0 | 199 | <1 | 1 | 2 | 6 | 11 | 20 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4470 | 3.8 | 23 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |
| B. *Operated* | 1229 | 6.0 | 74 | 1 | 1 | 3 | 7 | 14 | 24 | 52 |
| **1. SINGLE DX** | 3026 | 2.0 | 6 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 5699 | 4.3 | 35 | 1 | 1 | 2 | 5 | 9 | 14 | 30 |
| **A. NOT OPERATED** | 7460 | 3.1 | 16 | 1 | 1 | 2 | 3 | 6 | 9 | 20 |
| **B. OPERATED** | 1265 | 6.0 | 77 | 1 | 1 | 3 | 7 | 14 | 24 | 54 |
| TOTAL 0-19 YRS | 4052 | 2.3 | 10 | 1 | 1 | 1 | 2 | 4 | 6 | 15 |
| 20-34 | 2536 | 3.6 | 30 | 1 | 1 | 2 | 4 | 7 | 10 | 28 |
| 35-49 | 883 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 50-64 | 579 | 5.5 | 47 | 1 | 1 | 4 | 6 | 11 | 17 | 38 |
| 65+ | 675 | 7.5 | 61 | 1 | 1 | 5 | 10 | 18 | 23 | 37 |
| **GRAND TOTAL** | 8725 | 3.5 | 26 | 1 | 1 | 2 | 4 | 7 | 11 | 27 |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 693 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 16 |
| 20-34 | 296 | 3.6 | 42 | <1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 35-49 | 95 | 3.9 | 25 | 1 | 1 | 2 | 5 | 8 | 12 | 32 |
| 50-64 | 36 | 4.2 | 21 | <1 | 1 | 2 | 5 | 12 | 13 | 22 |
| 65+ | 53 | 5.3 | 31 | 1 | 1 | 4 | 7 | 10 | 20 | 29 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 11.5 | 131 | 2 | 3 | 9 | 13 | 21 | 26 | 73 |
| 20-34 | 53 | 13.2 | 162 | 3 | 5 | 9 | 15 | 23 | 44 | 70 |
| 35-49 | 37 | 14.8 | 302 | 2 | 3 | 10 | 17 | 27 | [illegible] | 81 |
| 50-64 | 41 | 17.3 | 278 | 6 | 7 | 11 | 18 | 41 | 50 | 93 |
| 65+ | 65 | 17.2 | 196 | 5 | 6 | 12 | 22 | [illegible] | 49 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 728 | 3.7 | 36 | 1 | 1 | 2 | 4 | 8 | 13 | 39 |
| 20-34 | 551 | 6.0 | 68 | 1 | 1 | 3 | 7 | 13 | 22 | 47 |
| 35-49 | 245 | 5.8 | 63 | <1 | 1 | 3 | 7 | 15 | 19 | 60 |
| 50-64 | 158 | 7.3 | 74 | 1 | 1 | 5 | 9 | 15 | 30 | 99+ |
| 65+ | 306 | 8.8 | 107 | 1 | 1 | 6 | 11 | 21 | 28 | 64 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 21.7 | 566 | 1 | 1 | 12 | 36 | 66 | 85 | 99+ |
| 20-34 | 248 | 20.2 | 462 | 1 | 2 | 13 | 35 | 68 | 99+ | 99+ |
| 35-49 | 127 | 14.9 | 248 | 1 | 2 | 11 | 25 | 55 | 99+ | 99+ |
| 50-64 | 89 | 20.4 | 368 | 2 | 3 | 16 | 28 | 56 | 76 | 99+ |
| 65+ | 169 | 23.2 | 330 | 3 | 4 | 20 | 32 | 51 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1173 | 2.8 | 21 | <1 | 1 | 1 | 3 | 6 | 9 | 22 |
| *B. Operated* | 247 | 14.9 | 206 | 3 | 5 | 10 | 17 | 32 | 46 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1988 | 5.7 | 65 | 1 | 1 | 3 | 7 | 13 | 21 | 55 |
| *B. Operated* | 849 | 20.4 | 425 | 1 | 2 | 14 | 32 | 61 | 90 | 99+ |
| **1. SINGLE DX** | 1420 | 4.9 | 74 | 1 | 1 | 2 | 5 | 12 | 19 | 47 |
| **2. MULTIPLE DX** | 2837 | 10.1 | 218 | 1 | 1 | 4 | 12 | 30 | 51 | 99+ |
| **A. NOT OPERATED** | 3161 | 4.6 | 51 | 1 | 1 | 2 | 5 | 11 | 16 | 45 |
| **B. OPERATED** | 1096 | 19.2 | 381 | 1 | 2 | 12 | 26 | 56 | 83 | 99+ |
| TOTAL 0-19 YRS | 1688 | 5.6 | 136 | 1 | 1 | 2 | 4 | 13 | 29 | 81 |
| 20-34 | 1148 | 8.8 | 190 | 1 | 1 | 4 | 9 | 24 | 48 | 99+ |
| 35-49 | 504 | 8.4 | 140 | 1 | 1 | 4 | 11 | 24 | 42 | 99+ |
| 50-64 | 324 | 11.8 | 214 | 1 | 1 | 7 | 14 | 31 | 55 | 99+ |
| 65+ | 593 | 13.5 | 219 | 1 | 2 | 8 | 19 | 34 | 47 | 93 |
| **GRAND TOTAL** | 4257 | 8.4 | 176 | 1 | 1 | 3 | 9 | 24 | 41 | 99+ |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 62 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | 23 | 4.7 | 11 | <1 | 1 | 4 | 6 | 10 | 12 | 13 |
| 50-64 | 18 | 5.2 | 20 | 1 | 2 | 4 | 6 | 9 | 16 | 21 |
| 65+ | 4 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 6.2 | 21 | 1 | 2 | 5 | 9 | 11 | 15 | 23 |
| 20-34 | 117 | 6.3 | 12 | 2 | 3 | 5 | 8 | 10 | 12 | 19 |
| 35-49 | 38 | 5.6 | 6 | 2 | 3 | 5 | 7 | 9 | 11 | 13 |
| 50-64 | 24 | 6.4 | 15 | 1 | 2 | 5 | 9 | 13 | 14 | 14 |
| 65+ | 7 | 8.4 | 60 | 2 | 2 | 4 | 13 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 5.0 | 46 | 1 | 1 | 4 | 6 | 8 | 10 | 47 |
| 20-34 | 110 | 6.0 | 35 | 1 | 2 | 5 | 7 | 10 | 13 | 35 |
| 35-49 | 67 | 7.5 | 87 | 2 | 2 | 6 | 8 | 13 | 19 | 33 |
| 50-64 | 43 | 8.9 | 198 | 1 | 2 | 6 | 12 | 12 | 19 | 94 |
| 65+ | 67 | 8.3 | 49 | 2 | 3 | 6 | 9 | 16 | 21 | 38 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 10.4 | 61 | 4 | 4 | 8 | 12 | 17 | 27 | 45 |
| 20-34 | 261 | 11.4 | 110 | 3 | 4 | 8 | 13 | 25 | 35 | 55 |
| 35-49 | 119 | 11.4 | 93 | 4 | 4 | 9 | 14 | 22 | 32 | 77 |
| 50-64 | 92 | 15.1 | 191 | 3 | 4 | 11 | 16 | 38 | 47 | 66 |
| 65+ | 57 | 15.0 | 219 | 3 | 4 | 10 | 17 | 35 | 42 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 146 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| *B. Operated* | 217 | 6.2 | 14 | 2 | 3 | 5 | 8 | 11 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 336 | 7.0 | 71 | 1 | 2 | 5 | 8 | 12 | 18 | 43 |
| *B. Operated* | 618 | 12.2 | 124 | 3 | 4 | 9 | 14 | 25 | 38 | 58 |
| **1. SINGLE DX** | 363 | 5.3 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 954 | 10.3 | 111 | 2 | 3 | 7 | 12 | 20 | 33 | 56 |
| **A. NOT OPERATED** | 482 | 6.0 | 54 | 1 | 2 | 4 | 7 | 11 | 15 | 38 |
| **B. OPERATED** | 835 | 10.6 | 102 | 3 | 4 | 8 | 12 | 21 | 33 | 55 |
| TOTAL 0-19 YRS | 208 | 7.2 | 50 | 1 | 2 | 5 | 9 | 14 | 18 | 43 |
| 20-34 | 550 | 8.4 | 71 | 2 | 2 | 6 | 9 | 15 | 27 | 42 |
| 35-49 | 247 | 8.8 | 77 | 2 | 3 | 6 | 11 | 16 | 22 | 67 |
| 50-64 | 177 | 11.4 | 166 | 2 | 3 | 8 | 12 | 22 | 41 | 67 |
| 65+ | 135 | 11.0 | 131 | 2 | 3 | 7 | 14 | 24 | 39 | 53 |
| **GRAND TOTAL** | 1317 | 8.9 | 89 | 2 | 2 | 6 | 10 | 17 | 27 | 50 |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 208 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 146 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 35-49 | 32 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 50-64 | 22 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 16 |
| 65+ | 11 | 4.1 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 7.0 | 11 | 2 | 3 | 7 | 8 | 12 | 13 | 18 |
| 20-34 | 194 | 8.3 | 35 | 3 | 4 | 7 | 9 | 13 | 22 | 30 |
| 35-49 | 66 | 8.1 | 25 | 3 | 4 | 7 | 10 | 16 | 20 | 27 |
| 50-64 | 25 | 9.3 | 20 | 4 | 6 | 8 | 10 | 15 | 20 | 22 |
| 65+ | 8 | 9.8 | 77 | 2 | 2 | 7 | 12 | 24 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 219 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 192 | 4.6 | 18 | 1 | 1 | 3 | 5 | 10 | 12 | 23 |
| 35-49 | 83 | 4.4 | 16 | 1 | 1 | 4 | 6 | 8 | 11 | 25 |
| 50-64 | 33 | 6.7 | 36 | 1 | 2 | 5 | 8 | 14 | 18 | 30 |
| 65+ | 50 | 7.0 | 38 | 1 | 2 | 6 | 8 | 13 | 23 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 307 | 13.6 | 157 | 4 | 5 | 9 | 15 | 31 | 41 | 72 |
| 20-34 | 601 | 13.4 | 132 | 4 | 5 | 10 | 15 | 26 | 38 | 89 |
| 35-49 | 244 | 13.8 | 139 | 4 | 6 | 10 | 16 | 27 | 37 | 76 |
| 50-64 | 130 | 17.4 | 218 | 6 | 7 | 13 | 22 | 34 | 57 | 98 |
| 65+ | 68 | 21.0 | 213 | 4 | 8 | 16 | 29 | 36 | 54 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 419 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| *B. Operated* | 446 | 7.9 | 25 | 2 | 4 | 7 | 9 | 13 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 577 | 4.7 | 19 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| *B. Operated* | 1350 | 14.3 | 155 | 4 | 5 | 10 | 16 | 30 | 40 | 76 |
| **1. SINGLE DX** | 865 | 5.7 | 22 | 1 | 1 | 5 | 8 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 1927 | 11.4 | 133 | 1 | 2 | 8 | 14 | 25 | 35 | 69 |
| **A. NOT OPERATED** | 996 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 1796 | 12.7 | 130 | 4 | 5 | 9 | 14 | 26 | 35 | 70 |
| TOTAL 0-19 YRS | 887 | 7.6 | 81 | 1 | 1 | 5 | 9 | 15 | 24 | 52 |
| 20-34 | 1133 | 9.7 | 97 | 1 | 2 | 7 | 11 | 19 | 28 | 57 |
| 35-49 | 425 | 10.3 | 105 | 1 | 2 | 8 | 12 | 21 | 29 | 63 |
| 50-64 | 210 | 13.3 | 172 | 2 | 3 | 9 | 15 | 30 | 36 | 81 |
| 65+ | 137 | 13.9 | 175 | 2 | 2 | 9 | 20 | 32 | 36 | 63 |
| **GRAND TOTAL** | 2792 | 9.6 | 106 | 1 | 2 | 7 | 11 | 20 | 30 | 62 |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 16 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 3 | 4.0 | 7 | <1 | <1 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 255 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 152 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 12 |
| 35-49 | 79 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 29 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 65+ | 23 | 3.4 | 10 | <1 | 1 | 2 | 4 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.3 | 9 | <1 | 1 | 2 | 4 | 9 | 10 | 11 |
| 20-34 | 20 | 4.3 | 13 | <1 | 1 | 4 | 5 | 6 | 12 | 18 |
| 35-49 | 12 | 4.4 | 8 | 1 | 1 | 4 | 5 | 9 | 11 | 11 |
| 50-64 | 5 | 6.6 | 12 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 65+ | 7 | 6.7 | 20 | 2 | 2 | 6 | 8 | 14 | 16 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 237 | 5.3 | 30 | 1 | 1 | 4 | 6 | 11 | 16 | 24 |
| 35-49 | 108 | 5.1 | 13 | 1 | 1 | 4 | 7 | 10 | 11 | 19 |
| 50-64 | 74 | 6.1 | 56 | 1 | 2 | 4 | 6 | 12 | 14 | 48 |
| 65+ | 46 | 5.8 | 21 | 2 | 2 | 5 | 7 | 11 | 12 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 48 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| *B. Operated* | 538 | 3.4 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 71 | 4.3 | 12 | 1 | 1 | 4 | 5 | 10 | 11 | 18 |
| *B. Operated* | 693 | 4.9 | 24 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| **1. SINGLE DX** | 586 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 764 | 4.8 | 23 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| **A. NOT OPERATED** | 119 | 3.6 | 9 | <1 | 1 | 3 | 5 | 6 | 10 | 17 |
| **B. OPERATED** | 1231 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| TOTAL 0-19 YRS | 534 | 3.4 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 425 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 203 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 111 | 5.3 | 41 | 1 | 1 | 4 | 6 | 9 | 12 | 45 |
| 65+ | 77 | 5.1 | 18 | 1 | 1 | 4 | 7 | 11 | 12 | 25 |
| **GRAND TOTAL** | 1350 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 20-34 | 122 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 49 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 50-64 | 26 | 3.3 | 33 | <1 | 1 | 2 | 3 | 5 | 12 | 30 |
| 65+ | 35 | 3.3 | 9 | 1 | 1 | 2 | 4 | 8 | 12 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 385 | 2.2 | 11 | 1 | 1 | 1 | 2 | 4 | 6 | 21 |
| 20-34 | 254 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 35-49 | 104 | 4.0 | 22 | 1 | 1 | 2 | 4 | 7 | 15 | 25 |
| 50-64 | 56 | 3.8 | 64 | 1 | 1 | 2 | 3 | 6 | 10 | 57 |
| 65+ | 33 | 3.9 | 24 | <1 | 1 | 2 | 5 | 9 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 2.9 | 15 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 413 | 3.4 | 31 | <1 | 1 | 2 | 4 | 5 | 9 | 15 |
| 35-49 | 208 | 4.1 | 26 | <1 | 1 | 3 | 5 | 9 | 10 | 23 |
| 50-64 | 165 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 11 | 27 |
| 65+ | 307 | 5.8 | 27 | 1 | 1 | 4 | 8 | 12 | 16 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 595 | 3.7 | 22 | 1 | 1 | 2 | 4 | 8 | 11 | 33 |
| 20-34 | 883 | 5.0 | 42 | <1 | 1 | 3 | 6 | 10 | 15 | 36 |
| 35-49 | 399 | 5.7 | 47 | 1 | 1 | 4 | 7 | 11 | 19 | 49 |
| 50-64 | 258 | 6.0 | 52 | 1 | 1 | 4 | 8 | 12 | 19 | 44 |
| 65+ | 282 | 7.0 | 60 | 1 | 1 | 5 | 10 | 15 | 19 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 341 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| *B. Operated* | 832 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1341 | 4.1 | 26 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| *B. Operated* | 2417 | 5.2 | 42 | 1 | 1 | 3 | 6 | 11 | 15 | 38 |
| **1. SINGLE DX** | 1173 | 2.8 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| **2. MULTIPLE DX** | 3758 | 4.8 | 37 | 1 | 1 | 3 | 6 | 10 | 14 | 34 |
| **A. NOT OPERATED** | 1682 | 3.8 | 22 | <1 | 1 | 2 | 5 | 8 | 11 | 21 |
| **B. OPERATED** | 3249 | 4.6 | 36 | 1 | 1 | 3 | 5 | 10 | 14 | 34 |
| TOTAL 0-19 YRS | 1337 | 3.0 | 16 | 1 | 1 | 2 | 3 | 6 | 9 | 23 |
| 20-34 | 1672 | 4.2 | 32 | <1 | 1 | 3 | 5 | 8 | 12 | 29 |
| 35-49 | 760 | 4.8 | 36 | <1 | 1 | 3 | 6 | 10 | 14 | 41 |
| 50-64 | 505 | 5.1 | 41 | 1 | 1 | 3 | 6 | 10 | 15 | 38 |
| 65+ | 657 | 6.1 | 41 | 1 | 1 | 4 | 6 | 13 | 16 | 31 |
| **GRAND TOTAL** | 4931 | 4.3 | 32 | <1 | 1 | 3 | 5 | 9 | 13 | 30 |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 2.7 | 51 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 378 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 148 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 36 | 3.3 | 11 | <1 | 1 | 2 | 3 | 9 | 10 | 15 |
| 65+ | 17 | 3.9 | 17 | 1 | 1 | 2 | 5 | 11 | 14 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 4.1 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| 20-34 | 405 | 5.4 | 27 | 1 | 1 | 4 | 7 | 10 | 15 | 28 |
| 35-49 | 134 | 5.2 | 16 | 1 | 1 | 4 | 7 | 11 | 13 | 20 |
| 50-64 | 52 | 6.1 | 41 | 1 | 1 | 4 | 7 | 13 | 23 | 30 |
| 65+ | 19 | 6.8 | 34 | 1 | 2 | 4 | 9 | 15 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 3.1 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 23 |
| 20-34 | 286 | 3.5 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 35-49 | 111 | 4.0 | 22 | <1 | 1 | 3 | 4 | 8 | 13 | 26 |
| 50-64 | 66 | 5.8 | 22 | 1 | 2 | 4 | 9 | 13 | 14 | 20 |
| 65+ | 30 | 7.4 | 27 | 2 | 2 | 6 | 9 | 13 | 21 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 205 | 7.2 | 59 | 1 | 1 | 5 | 8 | 14 | 20 | 40 |
| 20-34 | 789 | 9.0 | 87 | 1 | 2 | 7 | 10 | 17 | 22 | 56 |
| 35-49 | 313 | 9.7 | 75 | 1 | 2 | 8 | 12 | 20 | 28 | 56 |
| 50-64 | 106 | 11.7 | 116 | 1 | 2 | 8 | 15 | 29 | 35 | 52 |
| 65+ | 50 | 13.6 | 171 | 1 | 2 | 9 | 19 | 32 | 45 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 741 | 2.6 | 16 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| *B. Operated* | 855 | 5.1 | 24 | 1 | 1 | 4 | 8 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 596 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| *B. Operated* | 1463 | 9.2 | 87 | 1 | 2 | 7 | 11 | 18 | 27 | 55 |
| **1. SINGLE DX** | 1596 | 3.9 | 22 | <1 | 1 | 2 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 2059 | 7.7 | 72 | 1 | 1 | 6 | 9 | 16 | 22 | 54 |
| **A. NOT OPERATED** | 1337 | 3.2 | 17 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| **B. OPERATED** | 2318 | 7.7 | 68 | 1 | 1 | 6 | 9 | 15 | 22 | 49 |
| TOTAL 0-19 YRS | 715 | 4.5 | 40 | <1 | 1 | 3 | 5 | 9 | 13 | 35 |
| 20-34 | 1858 | 6.0 | 53 | 1 | 1 | 4 | 7 | 12 | 18 | 48 |
| 35-49 | 706 | 6.5 | 50 | 1 | 1 | 4 | 9 | 13 | 20 | 39 |
| 50-64 | 260 | 7.9 | 73 | 1 | 1 | 5 | 10 | 17 | 27 | 42 |
| 65+ | 116 | 9.5 | 102 | 1 | 1 | 7 | 11 | 21 | 28 | 52 |
| **GRAND TOTAL** | 3655 | 6.1 | 54 | 1 | 1 | 4 | 8 | 12 | 18 | 41 |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 16 |
| 20-34 | 225 | 2.9 | 10 | <1 | <1 | 2 | 4 | 5 | 6 | 15 |
| 35-49 | 87 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 50-64 | 39 | 4.7 | 21 | <1 | <1 | 3 | 6 | 12 | 14 | 21 |
| 65+ | 15 | 6.9 | 71 | 2 | 2 | 5 | 7 | 10 | 30 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 834 | 2.5 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 1379 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 35-49 | 523 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 50-64 | 324 | 3.0 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 65+ | 114 | 3.6 | 18 | 1 | 1 | 2 | 4 | 8 | 14 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 3.0 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 223 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 35-49 | 92 | 4.2 | 24 | <1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 50-64 | 72 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 65+ | 62 | 7.2 | 47 | 1 | 2 | 5 | 9 | 16 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 569 | 3.6 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 20-34 | 1083 | 4.3 | 28 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 446 | 4.5 | 33 | 1 | 1 | 3 | 5 | 9 | 16 | 31 |
| 50-64 | 314 | 5.3 | 36 | 1 | 1 | 4 | 6 | 10 | 17 | 33 |
| 65+ | 152 | 7.5 | 87 | 1 | 1 | 4 | 9 | 17 | 30 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 509 | 3.2 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| B. *Operated* | 3174 | 2.8 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 542 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| B. *Operated* | 2564 | 4.5 | 31 | 1 | 1 | 3 | 5 | 9 | 14 | 31 |
| **1. SINGLE DX** | 3683 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **2. MULTIPLE DX** | 3106 | 4.4 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **A. NOT OPERATED** | 1051 | 3.8 | 15 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| **B. OPERATED** | 5738 | 3.5 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| TOTAL 0-19 YRS | 1639 | 3.0 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 20-34 | 2910 | 3.5 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 35-49 | 1148 | 3.5 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 50-64 | 749 | 4.2 | 23 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| 65+ | 343 | 6.1 | 59 | 1 | 1 | 4 | 7 | 15 | 21 | 41 |
| **GRAND TOTAL** | 6789 | 3.6 | 19 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 280 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 124 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 45 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 43 | 5.7 | 25 | 1 | 1 | 4 | 7 | 14 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 641 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| 20-34 | 594 | 5.2 | 37 | 1 | 1 | 4 | 6 | 10 | 16 | 28 |
| 35-49 | 215 | 5.6 | 60 | 1 | 1 | 3 | 6 | 10 | 15 | 43 |
| 50-64 | 111 | 6.9 | 63 | 1 | 1 | 4 | 9 | 14 | 23 | 42 |
| 65+ | 55 | 11.6 | 134 | 2 | 2 | 9 | 14 | 25 | 33 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 4.4 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 20-34 | 195 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 84 | 7.4 | 81 | 2 | 2 | 5 | 9 | 14 | 16 | 60 |
| 50-64 | 91 | 6.4 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 65+ | 98 | 8.6 | 43 | 2 | 2 | 7 | 11 | 18 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 294 | 8.7 | 143 | 1 | 2 | 5 | 8 | 21 | 33 | 62 |
| 20-34 | 384 | 10.7 | 186 | 1 | 2 | 6 | 12 | 26 | 41 | 96 |
| 35-49 | 172 | 11.3 | 186 | 2 | 2 | 6 | 13 | 30 | 44 | 74 |
| 50-64 | 140 | 12.5 | 186 | 1 | 2 | 7 | 17 | 33 | 45 | 61 |
| 65+ | 117 | 16.9 | 328 | 2 | 2 | 10 | 20 | 41 | 55 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 689 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 1616 | 5.2 | 40 | 1 | 1 | 3 | 6 | 10 | 16 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 558 | 6.0 | 33 | 1 | 2 | 4 | 8 | 12 | 15 | 26 |
| B. *Operated* | 1107 | 11.1 | 194 | 1 | 2 | 6 | 13 | 29 | 43 | 90 |
| **1. SINGLE DX** | 2305 | 4.6 | 31 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | 1665 | 9.4 | 146 | 1 | 2 | 5 | 10 | 22 | 36 | 70 |
| **A. NOT OPERATED** | 1247 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 2723 | 7.6 | 112 | 1 | 1 | 4 | 8 | 17 | 28 | 61 |
| TOTAL 0-19 YRS | 1222 | 5.0 | 51 | 1 | 1 | 3 | 5 | 9 | 16 | 39 |
| 20-34 | 1453 | 6.2 | 76 | 1 | 1 | 4 | 7 | 13 | 19 | 51 |
| 35-49 | 595 | 7.1 | 97 | 1 | 1 | 4 | 8 | 14 | 25 | 63 |
| 50-64 | 387 | 8.3 | 102 | 1 | 1 | 5 | 9 | 20 | 31 | 49 |
| 65+ | 313 | 11.6 | 180 | 2 | 2 | 7 | 14 | 26 | 39 | 74 |
| **GRAND TOTAL** | 3970 | 6.6 | 85 | 1 | 1 | 4 | 7 | 14 | 23 | 52 |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 20-34 | 10 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 5 | 5.0 | 13 | 2 | 2 | 4 | 6 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.7 | 7 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 33 | 4.5 | 13 | 1 | 1 | 3 | 7 | 10 | 13 | 14 |
| 35-49 | 13 | 7.2 | 71 | 1 | 2 | 4 | 8 | 16 | 30 | 33 |
| 50-64 | 11 | 4.9 | 11 | 1 | 1 | 5 | 6 | 9 | 13 | 13 |
| 65+ | 2 | 13.0 | 200 | 3 | 3 | 13 | 23 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 8 | 2.3 | 6 | <1 | <1 | 1 | 2 | 6 | 8 | 8 |
| 35-49 | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| 50-64 | 9 | 15.8 | 448 | 1 | 1 | 6 | 20 | 53 | 63 | 63 |
| 65+ | 15 | 13.0 | 117 | 1 | 2 | 10 | 20 | 32 | 34 | 35 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 14.9 | 560 | 1 | 1 | 6 | 12 | 63 | 95 | 99+ |
| 20-34 | 89 | 14.7 | 308 | 1 | 2 | 7 | 18 | 41 | 55 | 79 |
| 35-49 | 25 | 13.0 | 387 | 1 | 2 | 5 | 10 | 34 | 72 | 74 |
| 50-64 | 15 | 10.0 | 159 | 1 | 1 | 6 | 12 | 44 | 83 | 99+ |
| 65+ | 5 | 9.0 | 67 | 3 | 3 | 7 | 23 | 92 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 27 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| *B. Operated* | 75 | 5.3 | 25 | 1 | 1 | 4 | 7 | 10 | 13 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 43 | 8.8 | 163 | <1 | 1 | 4 | 10 | 25 | 36 | 63 |
| *B. Operated* | 168 | 13.9 | 346 | 1 | 2 | 6 | 15 | 42 | 68 | 99+ |
| **1. SINGLE DX** | 102 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 28 |
| **2. MULTIPLE DX** | 211 | 12.9 | 312 | 1 | 1 | 6 | 14 | 40 | 63 | 99+ |
| **A. NOT OPERATED** | 70 | 6.4 | 110 | <1 | 1 | 2 | 6 | 16 | 32 | 58 |
| **B. OPERATED** | 243 | 11.3 | 262 | 1 | 1 | 6 | 12 | 33 | 56 | 99+ |
| TOTAL 0-19 YRS | 67 | 9.1 | 318 | 1 | 1 | 4 | 8 | 18 | 66 | 99 |
| 20-34 | 140 | 10.7 | 227 | 1 | 1 | 5 | 11 | 31 | 47 | 70 |
| 35-49 | 47 | 9.7 | 236 | 1 | 1 | 5 | 9 | 26 | 40 | 74 |
| 50-64 | 35 | 9.9 | 191 | 1 | 1 | 5 | 9 | 38 | 58 | 99+ |
| 65+ | 24 | 11.4 | 100 | 1 | 2 | 8 | 21 | 32 | 51 | 99+ |
| **GRAND TOTAL** | 313 | 10.2 | 232 | 1 | 1 | 5 | 11 | 30 | 49 | 97 |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.6 | [illegible] | 1 | 1 | 2 | 6 | 7 | 8 | 17 |
| 20-34 | 66 | 4.7 | 17 | <1 | 1 | 4 | 6 | 9 | 11 | 24 |
| 35-49 | 24 | 5.1 | 14 | 1 | 1 | 4 | 7 | 9 | 15 | 15 |
| 50-64 | 31 | 6.4 | 20 | <1 | 1 | 6 | 8 | 12 | 17 | 19 |
| 65+ | 36 | 13.3 | 100 | 2 | 3 | 12 | 16 | 34 | 41 | 99+ |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 3.8 | 14 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 20-34 | 422 | 4.0 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| 35-49 | 226 | 5.4 | 48 | 1 | 2 | 3 | 7 | 9 | 13 | 52 |
| 50-64 | 149 | 6.6 | 50 | 1 | 2 | 4 | 8 | 13 | 21 | 39 |
| 65+ | 57 | 8.1 | 53 | 1 | 2 | 5 | 12 | 20 | 24 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 8.3 | 182 | 1 | 1 | 4 | 10 | 19 | 32 | 81 |
| 20-34 | 104 | 7.6 | 70 | 1 | 2 | 5 | 9 | 19 | 32 | 67 |
| 35-49 | 71 | 7.3 | 56 | 1 | 2 | 5 | 9 | 15 | 26 | 88 |
| 50-64 | 82 | 9.8 | 57 | 2 | 3 | 7 | 14 | 23 | 27 | 78 |
| 65+ | 156 | 15.4 | 130 | 3 | 4 | 12 | 21 | 30 | 37 | 53 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 5.0 | 37 | 1 | 1 | 3 | 5 | 11 | 18 | 52 |
| 20-34 | 293 | 6.7 | 78 | 1 | 2 | 3 | 8 | 14 | 22 | 48 |
| 35-49 | 159 | 7.4 | 65 | 2 | 2 | 5 | 9 | 16 | 24 | 96 |
| 50-64 | 137 | 11.5 | 144 | 2 | 2 | 7 | 16 | 28 | 35 | 90 |
| 65+ | 101 | 15.4 | 155 | 2 | 3 | 13 | 22 | 32 | 45 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 186 | 6.5 | 43 | 1 | 1 | 5 | 8 | 15 | 18 | 40 |
| *B. Operated* | 1087 | 4.8 | 30 | 1 | 1 | 3 | 5 | 10 | 13 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 459 | 10.7 | 108 | 1 | 2 | 7 | 14 | 25 | 34 | 74 |
| *B. Operated* | 824 | 8.4 | 99 | 1 | 2 | 5 | 10 | 21 | 31 | 64 |
| **1. SINGLE DX** | 1273 | 5.1 | 33 | 1 | 1 | 3 | 6 | 11 | 15 | 33 |
| **2. MULTIPLE DX** | 1283 | 9.2 | 104 | 1 | 2 | 5 | 11 | 23 | 32 | 65 |
| **A. NOT OPERATED** | 645 | 9.5 | 93 | 1 | 2 | 6 | 12 | 23 | 31 | 54 |
| **B. OPERATED** | 1911 | 6.4 | 63 | 1 | 2 | 4 | 7 | 14 | 22 | 46 |
| TOTAL 0-19 YRS | 442 | 4.6 | 40 | 1 | 1 | 3 | 5 | 10 | 14 | 35 |
| 20-34 | 885 | 5.4 | 45 | 1 | 1 | 3 | 6 | 11 | 16 | 38 |
| 35-49 | 480 | 6.3 | 54 | 1 | 2 | 4 | 8 | 12 | 18 | 57 |
| 50-64 | 399 | 8.9 | 96 | 2 | 2 | 6 | 12 | 21 | 29 | 46 |
| 65+ | 350 | 14.0 | 128 | 2 | 3 | 11 | 19 | 30 | 37 | 63 |
| **GRAND TOTAL** | 2556 | 7.2 | 73 | 1 | 2 | 4 | 8 | 17 | 25 | 46 |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 306 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 143 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 19 |
| 35-49 | 44 | 5.3 | 55 | 1 | 2 | 4 | 6 | 6 | 9 | 52 |
| 50-64 | 15 | 4.3 | 6 | 2 | 2 | 4 | 5 | 5 | 10 | 12 |
| 65+ | 13 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 7.8 | 16 | 2 | 3 | 7 | 11 | 13 | 15 | 15 |
| 20-34 | 4 | 7.0 | 3 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 35-49 | 4 | 5.8 | 10 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 20-34 | 112 | 3.7 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 13 |
| 35-49 | 53 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 50-64 | 37 | 5.0 | 18 | 1 | 2 | 4 | 6 | 8 | 9 | 27 |
| 65+ | 35 | 11.0 | 155 | 2 | 3 | 6 | 12 | 32 | 38 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.9 | 13 | 1 | 1 | 4 | 7 | 9 | 10 | 19 |
| 20-34 | 34 | 7.0 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 29 |
| 35-49 | 14 | 7.6 | 46 | 3 | 3 | 4 | 10 | 21 | 22 | 22 |
| 50-64 | 6 | 8.5 | 90 | 2 | 2 | 4 | 10 | 25 | 27 | 27 |
| 65+ | 13 | 7.2 | 30 | 1 | 3 | 5 | 8 | 16 | 20 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| B. *Operated* | 26 | 6.4 | 13 | 2 | 2 | 6 | 9 | 11 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 382 | 4.8 | 25 | 1 | 1 | 4 | 6 | 8 | 11 | 30 |
| B. *Operated* | 105 | 6.4 | 29 | 1 | 2 | 5 | 8 | 13 | 19 | 28 |
| **1. SINGLE DX** | 547 | 4.5 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 487 | 5.1 | 27 | 1 | 1 | 4 | 6 | 9 | 13 | 28 |
| **A. NOT OPERATED** | 903 | 4.6 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 20 |
| **B. OPERATED** | 131 | 6.4 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| TOTAL 0-19 YRS | 501 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 293 | 4.4 | 11 | 1 | 1 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 115 | 4.9 | 31 | 1 | 1 | 4 | 6 | 9 | 11 | 32 |
| 50-64 | 59 | 5.1 | 22 | 2 | 2 | 4 | 5 | 8 | 11 | 27 |
| 65+ | 66 | 8.4 | 97 | 1 | 2 | 5 | 8 | 21 | 33 | 52 |
| **GRAND TOTAL** | 1034 | 4.8 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 743 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 702 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 35-49 | 335 | 3.7 | 15 | 1 | 1 | 3 | 4 | 8 | 11 | 17 |
| 50-64 | 241 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 65+ | 355 | 5.3 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 3.2 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 141 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 27 |
| 35-49 | 72 | 4.6 | 15 | 1 | 1 | 3 | 6 | 10 | 15 | 16 |
| 50-64 | 52 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 15 | 25 |
| 65+ | 45 | 5.8 | 22 | 1 | 2 | 4 | 7 | 12 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1123 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 1586 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 899 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 874 | 5.6 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 65+ | 2163 | 7.9 | 45 | 2 | 2 | 6 | 10 | 15 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 186 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 20-34 | 301 | 6.0 | 56 | 1 | 1 | 4 | 7 | 12 | 17 | 44 |
| 35-49 | 166 | 8.2 | 56 | 2 | 2 | 5 | 11 | 18 | 25 | 36 |
| 50-64 | 168 | 9.2 | 60 | 1 | 2 | 7 | 13 | 19 | 23 | 38 |
| 65+ | 232 | 12.5 | 100 | 2 | 3 | 10 | 17 | 23 | 28 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2376 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 427 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6645 | 5.2 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* | 1053 | 7.9 | 67 | 1 | 2 | 5 | 11 | 18 | 23 | 38 |
| **1. SINGLE DX** | 2803 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | 7698 | 5.6 | 34 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| **A. NOT OPERATED** | 9021 | 4.7 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| **B. OPERATED** | 1480 | 6.9 | 55 | 1 | 1 | 4 | 9 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 2169 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 2730 | 3.7 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 1472 | 4.8 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 50-64 | 1335 | 5.8 | 30 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| 65+ | 2795 | 7.9 | 48 | 1 | 2 | 6 | 10 | 16 | 20 | 34 |
| **GRAND TOTAL** | 10501 | 5.0 | 28 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 11 |
| 20-34 | 54 | 3.2 | 10 | 1 | 1 | 2 | 4 | 5 | 10 | 18 |
| 35-49 | 14 | 2.6 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 50-64 | 9 | 4.6 | 21 | 1 | 1 | 2 | 7 | 12 | 14 | 14 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 8.4 | 139 | 1 | 1 | 4 | 8 | 24 | 43 | 45 |
| 20-34 | 68 | 5.5 | 67 | 1 | 1 | 3 | 6 | 14 | 16 | 45 |
| 35-49 | 24 | 6.6 | 49 | 1 | 1 | 5 | 8 | 12 | 20 | 35 |
| 50-64 | 16 | 7.2 | 133 | 1 | 1 | 3 | 6 | 15 | 38 | 48 |
| 65+ | 5 | 6.4 | 19 | 2 | 2 | 6 | 9 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.3 | 7 | <1 | 1 | 2 | 5 | 6 | 8 | 12 |
| 20-34 | 46 | 4.8 | 20 | 1 | 1 | 4 | 5 | 10 | 17 | 22 |
| 35-49 | 21 | 4.7 | 26 | 1 | 1 | 3 | 4 | 15 | 17 | 18 |
| 50-64 | 11 | 6.5 | 38 | 1 | 1 | 3 | 10 | 17 | 18 | 18 |
| 65+ | 8 | 7.3 | 29 | 2 | 2 | 5 | 10 | 16 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 8.9 | 71 | 1 | 1 | 6 | 14 | 21 | 26 | 36 |
| 20-34 | 102 | 8.3 | 121 | 1 | 1 | 5 | 8 | 22 | 34 | 55 |
| 35-49 | 57 | 9.7 | 109 | 1 | 1 | 5 | 13 | 28 | 39 | 95 |
| 50-64 | 29 | 10.6 | 208 | 1 | 1 | 5 | 13 | 28 | 46 | 64 |
| 65+ | 11 | 8.6 | 72 | <1 | 1 | 5 | 14 | 23 | 26 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| B. *Operated* | 140 | 6.5 | 83 | 1 | 1 | 3 | 7 | 14 | 25 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 4.8 | 21 | 1 | 1 | 3 | 5 | 11 | 17 | 20 |
| B. *Operated* | 241 | 9.0 | 116 | 1 | 1 | 5 | 12 | 23 | 36 | 64 |
| **1. SINGLE DX** | 265 | 4.9 | 50 | 1 | 1 | 3 | 5 | 10 | 15 | 45 |
| **2. MULTIPLE DX** | 352 | 7.7 | 90 | 1 | 1 | 4 | 9 | 18 | 29 | 45 |
| **A. NOT OPERATED** | 236 | 3.9 | 15 | 1 | 1 | 3 | 4 | 8 | 13 | 18 |
| **B. OPERATED** | 381 | 8.1 | 105 | 1 | 1 | 4 | 9 | 21 | 34 | 47 |
| TOTAL 0-19 YRS | 142 | 5.8 | 57 | 1 | 1 | 3 | 6 | 14 | 21 | 43 |
| 20-34 | 270 | 6.0 | 71 | 1 | 1 | 3 | 6 | 13 | 22 | 45 |
| 35-49 | 116 | 7.3 | 75 | 1 | 1 | 4 | 9 | 17 | 33 | 61 |
| 50-64 | 65 | 8.2 | 136 | 1 | 1 | 3 | 10 | 18 | 35 | 62 |
| 65+ | 24 | 7.7 | 45 | 1 | 2 | 5 | 11 | 18 | 22 | 26 |
| **GRAND TOTAL** | 617 | 6.5 | 75 | 1 | 1 | 3 | 7 | 15 | 24 | 45 |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 7 | 8 |
| 20-34 | 7 | 10.0 | 506 | 1 | 1 | 1 | 3 | 49 | 61 | 61 |
| 35-49 | 6 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.1 | 7 | <1 | <1 | 1 | 2 | 5 | 9 | 10 |
| 20-34 | 11 | 2.7 | 3 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 6 | 4.2 | 22 | 1 | 1 | 2 | 6 | 12 | 13 | 13 |
| 50-64 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 3.4 | 9 | 1 | 1 | 3 | 3 | 9 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 8 | 2.6 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 3.4 | 92 | <1 | <1 | 1 | 2 | 4 | 7 | 61 |
| B. *Operated* | 32 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 9 | 10 |
| B. *Operated* | 14 | 2.6 | 5 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| **1. SINGLE DX** | 71 | 3.1 | 54 | <1 | <1 | 1 | 3 | 6 | 8 | 51 |
| **2. MULTIPLE DX** | 26 | 2.6 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 10 |
| **A. NOT OPERATED** | 51 | 3.2 | 71 | <1 | <1 | 1 | 3 | 4 | 8 | 60 |
| **B. OPERATED** | 46 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| TOTAL 0-19 YRS | 44 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 10 |
| 20-34 | 33 | 4.4 | 108 | <1 | 1 | 2 | 3 | 8 | 10 | 61 |
| 35-49 | 13 | 3.4 | 13 | <1 | <1 | 2 | 4 | 9 | 12 | 13 |
| 50-64 | 5 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **GRAND TOTAL** | 97 | 3.0 | 41 | <1 | <1 | 2 | 3 | 6 | 8 | 38 |

### 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 553 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 113 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 111 | 1.8 | 4 | <1 | 1 | 1 | 2 | 3 | 4 | 12 |
| 50-64 | 164 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 8 | 11 |
| 65+ | 133 | 2.1 | 5 | 1 | 1 | 1 | 2 | 4 | 6 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 2.2 | 5 | <1 | 1 | 1 | 3 | 4 | 7 | 12 |
| 20-34 | 37 | 2.8 | 6 | <1 | 1 | 1 | 5 | 7 | 8 | 10 |
| 35-49 | 32 | 3.1 | 9 | <1 | <1 | 2 | 4 | 7 | 11 | 14 |
| 50-64 | 27 | 3.9 | 27 | <1 | 1 | 2 | 4 | 9 | 15 | 25 |
| 65+ | 36 | 4.0 | 18 | 1 | 1 | 2 | 5 | 11 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 45 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 12 | 18 |
| 35-49 | 54 | 3.8 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 97 | 3.9 | 15 | 1 | 1 | 3 | 5 | 10 | 12 | 20 |
| 65+ | 198 | 4.4 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.1 | 25 | <1 | 1 | 2 | 4 | 8 | 16 | 26 |
| 20-34 | 30 | 4.5 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 12 |
| 35-49 | 45 | 6.6 | 31 | 1 | 1 | 5 | 11 | 15 | 17 | 24 |
| 50-64 | 64 | 6.7 | 48 | 1 | 1 | 5 | 9 | 14 | 16 | 41 |
| 65+ | 92 | 9.0 | 125 | 1 | 2 | 5 | 12 | 19 | 31 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1074 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 248 | 2.8 | 10 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 503 | 3.7 | 12 | 1 | 1 | 2 | 5 | 8 | 11 | 16 |
| B. *Operated* | 279 | 6.8 | 65 | 1 | 1 | 4 | 9 | 15 | 19 | 41 |
| **1. SINGLE DX** | 1322 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| **2. MULTIPLE DX** | 782 | 4.9 | 33 | 1 | 1 | 3 | 6 | 11 | 14 | 26 |
| **A. NOT OPERATED** | 1577 | 2.3 | 6 | <1 | 1 | 1 | 2 | 5 | 8 | 14 |
| **B. OPERATED** | 527 | 4.9 | 43 | 1 | 1 | 3 | 6 | 12 | 15 | 31 |
| TOTAL 0-19 YRS | 826 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 225 | 2.6 | 7 | <1 | 1 | 1 | 3 | 6 | 8 | 12 |
| 35-49 | 242 | 3.3 | 14 | <1 | 1 | 2 | 4 | 8 | 12 | 19 |
| 50-64 | 352 | 3.5 | 19 | <1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 65+ | 459 | 4.6 | 39 | 1 | 1 | 2 | 6 | 11 | 14 | 31 |
| **GRAND TOTAL** | 2104 | 3.0 | 17 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |

### 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 6.9 | 32 | 1 | 1 | 5 | 9 | 18 | 20 | 26 |
| 20-34 | 39 | 6.9 | 22 | 1 | 2 | 6 | 10 | 14 | 15 | 21 |
| 35-49 | 17 | 9.4 | 47 | 1 | 2 | 9 | 13 | 21 | 23 | 23 |
| 50-64 | 15 | 11.9 | 61 | 2 | 4 | 11 | 17 | 23 | 27 | 28 |
| 65+ | 8 | 24.9 | 279 | 7 | 7 | 21 | 39 | 48 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 13.8 | 140 | 1 | 2 | 10 | 20 | 33 | 39 | 78 |
| 20-34 | 117 | 13.1 | 193 | 2 | 2 | 8 | 17 | 34 | 44 | 86 |
| 35-49 | 62 | 15.5 | 259 | 2 | 2 | 9 | 21 | 44 | 50 | 69 |
| 50-64 | 48 | 20.8 | 310 | 3 | 5 | 14 | 29 | 47 | 52 | 81 |
| 65+ | 34 | 23.2 | 316 | 5 | 6 | 18 | 34 | 50 | 52 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 8.5 | 70 | 1 | 2 | 6 | 12 | 20 | 29 | 42 |
| 20-34 | 68 | 9.3 | 62 | 1 | 1 | 7 | 15 | 19 | 22 | 38 |
| 35-49 | 35 | 10.6 | 81 | 1 | 1 | 8 | 15 | 23 | 28 | 38 |
| 50-64 | 32 | 16.9 | 183 | 3 | 4 | 13 | 23 | 36 | 45 | 59 |
| 65+ | 26 | 14.5 | 127 | 2 | 3 | 11 | 19 | 32 | 35 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 19.6 | 221 | 3 | 4 | 15 | 28 | 43 | 56 | 99+ |
| 20-34 | 174 | 24.5 | 328 | 3 | 5 | 21 | 34 | 51 | 63 | 99+ |
| 35-49 | 115 | 25.5 | 437 | 3 | 4 | 21 | 38 | 63 | 96 | 99+ |
| 50-64 | 97 | 28.1 | 398 | 4 | 6 | 24 | 45 | 60 | 70 | 99+ |
| 65+ | 104 | 31.2 | 425 | 7 | 9 | 28 | 47 | 69 | 95 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 8.9 | 66 | 1 | 2 | 7 | 12 | 19 | 23 | 47 |
| B. *Operated* | 366 | 15.7 | 225 | 2 | 2 | 10 | 22 | 38 | 48 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 229 | 11.0 | 98 | 1 | 2 | 8 | 15 | 24 | 31 | 45 |
| B. *Operated* | 605 | 25.5 | 367 | 4 | 5 | 21 | 39 | 58 | 74 | 99+ |
| **1. SINGLE DX** | 495 | 13.9 | 192 | 2 | 2 | 9 | 18 | 34 | 46 | 76 |
| **2. MULTIPLE DX** | 834 | 21.5 | 335 | 2 | 3 | 17 | 32 | 51 | 63 | 99+ |
| **A. NOT OPERATED** | 358 | 10.3 | 87 | 1 | 2 | 8 | 14 | 22 | 29 | 46 |
| **B. OPERATED** | 971 | 21.8 | 336 | 2 | 4 | 17 | 33 | 51 | 64 | 99+ |
| TOTAL 0-19 YRS | 338 | 13.8 | 160 | 1 | 2 | 10 | 19 | 34 | 42 | 68 |
| 20-34 | 398 | 16.8 | 261 | 2 | 3 | 12 | 23 | 42 | 54 | 96 |
| 35-49 | 229 | 19.3 | 345 | 2 | 3 | 14 | 29 | 48 | 68 | 99+ |
| 50-64 | 192 | 23.1 | 341 | 3 | 5 | 17 | 35 | 53 | 61 | 95 |
| 65+ | 172 | 26.8 | 385 | 5 | 7 | 23 | 39 | 58 | 81 | 99+ |
| **GRAND TOTAL** | 1329 | 18.7 | 295 | 2 | 3 | 13 | 27 | 46 | 60 | 99+ |

### 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 380 | 6.1 | 30 | 1 | 1 | 5 | 8 | 13 | 17 | 26 |
| 20-34 | 306 | 6.3 | 46 | 1 | 1 | 4 | 8 | 15 | 18 | 36 |
| 35-49 | 125 | 6.3 | 37 | 1 | 1 | 4 | 8 | 15 | 18 | 28 |
| 50-64 | 60 | 10.1 | 58 | 1 | 2 | 8 | 14 | 22 | 26 | 32 |
| 65+ | 35 | 10.3 | 70 | <1 | 2 | 9 | 14 | 21 | 27 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 10.7 | 91 | 1 | 2 | 9 | 12 | 24 | 35 | 44 |
| 20-34 | 91 | 11.7 | 137 | 1 | 2 | 8 | 15 | 28 | 35 | 55 |
| 35-49 | 32 | 11.1 | 93 | <1 | 2 | 9 | 13 | 25 | 32 | 43 |
| 50-64 | 23 | 16.2 | 144 | 2 | 3 | 13 | 25 | 35 | 38 | 41 |
| 65+ | 14 | 16.3 | 126 | 2 | 5 | 13 | 29 | 33 | 37 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 613 | 7.0 | 41 | 1 | 1 | 5 | 9 | 15 | 20 | 31 |
| 20-34 | 550 | 6.6 | 36 | 1 | 1 | 5 | 10 | 14 | 18 | 30 |
| 35-49 | 290 | 8.5 | 55 | 1 | 1 | 7 | 12 | 18 | 24 | 32 |
| 50-64 | 180 | 9.4 | 85 | 1 | 2 | 6 | 12 | 23 | 29 | 46 |
| 65+ | 165 | 12.9 | 99 | 2 | 3 | 11 | 17 | 23 | 29 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 126 | 11.9 | 109 | 2 | 2 | 9 | 17 | 27 | 34 | 47 |
| 20-34 | 170 | 13.5 | 133 | 2 | 3 | 10 | 18 | 30 | 38 | 60 |
| 35-49 | 104 | 17.9 | 241 | 1 | 3 | 15 | 22 | 42 | 57 | 84 |
| 50-64 | 64 | 21.9 | 279 | 2 | 3 | 22 | 33 | 45 | 59 | 95 |
| 65+ | 77 | 30.1 | 433 | 4 | 9 | 25 | 42 | 67 | 73 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 906 | 6.6 | 41 | 1 | 1 | 5 | 9 | 15 | 19 | 30 |
| B. *Operated* | 251 | 11.9 | 116 | 1 | 2 | 9 | 14 | 29 | 35 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1798 | 7.9 | 55 | 1 | 1 | 6 | 11 | 17 | 23 | 33 |
| B. *Operated* | 541 | 17.3 | 243 | 2 | 3 | 13 | 24 | 39 | 52 | 75 |
| **1. SINGLE DX** | 1157 | 7.8 | 62 | 1 | 1 | 5 | 10 | 17 | 24 | 38 |
| **2. MULTIPLE DX** | 2339 | 10.1 | 114 | 1 | 2 | 7 | 13 | 23 | 31 | 56 |
| **A. NOT OPERATED** | 2704 | 7.5 | 50 | 1 | 1 | 5 | 10 | 16 | 22 | 33 |
| **B. OPERATED** | 792 | 15.6 | 209 | 2 | 3 | 11 | 22 | 36 | 48 | 73 |
| TOTAL 0-19 YRS | 1210 | 7.5 | 51 | 1 | 1 | 5 | 10 | 16 | 22 | 36 |
| 20-34 | 1117 | 8.0 | 69 | 1 | 1 | 5 | 10 | 17 | 25 | 43 |
| 35-49 | 551 | 9.9 | 104 | 1 | 1 | 7 | 13 | 21 | 30 | 56 |
| 50-64 | 327 | 12.5 | 145 | 2 | 2 | 8 | 18 | 30 | 38 | 59 |
| 65+ | 291 | 17.3 | 243 | 2 | 3 | 13 | 22 | 37 | 51 | 77 |
| **GRAND TOTAL** | 3496 | 9.3 | 98 | 1 | 1 | 6 | 12 | 21 | 29 | 51 |

### 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 3.7 | 17 | 1 | 1 | 2 | 5 | 6 | 8 | 25 |
| 20-34 | 53 | 4.2 | 11 | <1 | 1 | 3 | 6 | 8 | 12 | 15 |
| 35-49 | 30 | 4.8 | 19 | <1 | <1 | 3 | 9 | 10 | 11 | 18 |
| 50-64 | 15 | 9.1 | 296 | 1 | 1 | 4 | 8 | 11 | 55 | 70 |
| 65+ | 13 | 10.2 | 64 | 3 | 3 | 8 | 16 | 19 | 28 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 3.9 | 39 | 1 | 1 | 2 | 4 | 7 | 10 | 42 |
| 20-34 | 163 | 4.0 | 23 | 1 | 1 | 2 | 4 | 8 | 13 | 24 |
| 35-49 | 54 | 3.8 | 8 | 1 | 1 | 3 | 4 | 8 | 11 | 14 |
| 50-64 | 49 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 13 | 9.3 | 198 | 2 | 2 | 3 | 10 | 26 | 48 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.1 | 17 | 1 | 1 | 4 | 7 | 11 | 14 | 16 |
| 20-34 | 56 | 7.2 | 112 | 1 | 1 | 4 | 8 | 14 | 19 | 69 |
| 35-49 | 43 | 5.7 | 10 | 1 | 2 | 5 | 8 | 10 | 11 | 13 |
| 50-64 | 35 | 7.6 | 38 | 1 | 2 | 6 | 10 | 14 | 23 | 26 |
| 65+ | 43 | 13.0 | 244 | 3 | 4 | 9 | 14 | 21 | 72 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 5.6 | 62 | 1 | 1 | 3 | 5 | 14 | 23 | 43 |
| 20-34 | 150 | 7.5 | 134 | 1 | 1 | 3 | 7 | 22 | 49 | 99 |
| 35-49 | 79 | 8.9 | 206 | 1 | 2 | 4 | 9 | 18 | 48 | 93 |
| 50-64 | 51 | 7.6 | 68 | 1 | 1 | 5 | 12 | 34 | 99+ | 99+ |
| 65+ | 22 | 13.3 | 120 | 1 | 2 | 8 | 23 | 29 | 34 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 5.2 | 50 | <1 | 1 | 3 | 6 | 10 | 15 | 31 |
| B. *Operated* | 366 | 4.0 | 29 | 1 | 1 | 2 | 4 | 7 | 12 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 8.0 | 102 | 1 | 2 | 6 | 10 | 14 | 21 | 81 |
| B. *Operated* | 364 | 7.8 | 129 | 1 | 1 | 4 | 8 | 23 | 39 | 99+ |
| **1. SINGLE DX** | 514 | 4.3 | 35 | 1 | 1 | 3 | 4 | 9 | 13 | 27 |
| **2. MULTIPLE DX** | 561 | 7.9 | 119 | 1 | 1 | 4 | 9 | 19 | 34 | 99+ |
| **A. NOT OPERATED** | 345 | 6.8 | 81 | 1 | 1 | 4 | 8 | 13 | 18 | 70 |
| **B. OPERATED** | 730 | 5.9 | 82 | 1 | 1 | 3 | 6 | 14 | 25 | 80 |
| TOTAL 0-19 YRS | 206 | 4.5 | 40 | 1 | 1 | 2 | 5 | 8 | 14 | 38 |
| 20-34 | 422 | 5.7 | 75 | 1 | 1 | 3 | 6 | 12 | 22 | 57 |
| 35-49 | 208 | 6.3 | 90 | 1 | 1 | 4 | 7 | 11 | 16 | 76 |
| 50-64 | 150 | 6.2 | 66 | 1 | 1 | 4 | 7 | 14 | 30 | 99+ |
| 65+ | 91 | 12.1 | 179 | 2 | 3 | 8 | 16 | 25 | 35 | 96 |
| **GRAND TOTAL** | 1075 | 6.2 | 82 | 1 | 1 | 3 | 7 | 14 | 23 | 74 |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 316 | 4.0 | 42 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 35-49 | 130 | 4.1 | 17 | 1 | 1 | 3 | 6 | 8 | 9 | 21 |
| 50-64 | 64 | 5.0 | 16 | 1 | 1 | 4 | 6 | 10 | 15 | 19 |
| 65+ | 73 | 5.9 | 27 | 1 | 1 | 5 | 8 | 12 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 4.8 | 27 | 1 | 1 | 3 | 6 | 10 | 19 | 25 |
| 20-34 | 213 | 5.5 | 42 | 1 | 1 | 3 | 6 | 11 | 16 | 39 |
| 35-49 | 103 | 5.3 | 31 | 1 | 1 | 3 | 6 | 11 | 17 | 30 |
| 50-64 | 50 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 99 |
| 65+ | 21 | 5.3 | 58 | <1 | 1 | 2 | 9 | 19 | 25 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 20-34 | 420 | 4.4 | 23 | 1 | 1 | 3 | 5 | 10 | 12 | 26 |
| 35-49 | 249 | 5.7 | 21 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| 50-64 | 222 | 6.1 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| 65+ | 315 | 8.8 | 59 | 2 | 3 | 7 | 11 | 16 | 22 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 7.7 | 91 | 1 | 1 | 5 | 10 | 17 | 19 | 56 |
| 20-34 | 240 | 8.8 | 105 | 1 | 2 | 6 | 11 | 18 | 28 | 52 |
| 35-49 | 117 | 9.9 | 105 | 1 | 2 | 6 | 13 | 24 | 34 | 68 |
| 50-64 | 99 | 10.9 | 128 | 1 | 2 | 7 | 16 | 24 | 35 | 52 |
| 65+ | 77 | 16.5 | 376 | 1 | 2 | 10 | 18 | 46 | 77 | 96 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 854 | 3.7 | 2[illegible] | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| B. *Operated* | 510 | 5.1 | 3[illegible] | 1 | 1 | 3 | 6 | 11 | 17 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1444 | 5.8 | 31 | 1 | 1 | 4 | 7 | 12 | 16 | 29 |
| B. *Operated* | 672 | 10.0 | 14[illegible] | 1 | 2 | 6 | 13 | 21 | 34 | 73 |
| 1. SINGLE DX | 1364 | 4.2 | 28 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 2. MULTIPLE DX | 2116 | 7.0 | 71 | 1 | 1 | 4 | 9 | 15 | 21 | 49 |
| A. NOT OPERATED | 2298 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| B. OPERATED | 1182 | 7.9 | 101 | 1 | 1 | 4 | 10 | 18 | 26 | 56 |
| TOTAL 0-19 YRS | 771 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 13 | 23 |
| 20-34 | 1189 | 5.4 | 51 | 1 | 1 | 3 | 6 | 11 | 15 | 39 |
| 35-49 | 599 | 6.1 | 42 | 1 | 1 | 4 | 7 | 13 | 18 | 36 |
| 50-64 | 435 | 6.8 | 51 | 1 | 1 | 5 | 8 | 15 | 20 | 46 |
| 65+ | 486 | 9.4 | 115 | 1 | 2 | 7 | 11 | 18 | 28 | 77 |
| GRAND TOTAL | 3480 | 5.5 | 56 | 1 | 1 | 4 | 7 | 13 | 18 | 42 |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1531 | 1.9 | 4 | <1 | 1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 1090 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 375 | 2.8 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 185 | 3.8 | 27 | 1 | 1 | 3 | 5 | 7 | 9 | 32 |
| 65+ | 165 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 19 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 11 | 2.1 | 9 | <1 | <1 | 1 | 2 | 4 | 11 | 11 |
| 50-64 | 8 | 18.5 | 429 | 2 | 2 | 12 | 24 | 53 | 65 | 65 |
| 65+ | 5 | 5.8 | 20 | 2 | 2 | 4 | 8 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1278 | 3.5 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 20-34 | 2191 | 4.3 | 24 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |
| 35-49 | 1277 | 4.9 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| 50-64 | 796 | 6.5 | 33 | 1 | 1 | 5 | 8 | 13 | 17 | 31 |
| 65+ | 1370 | 8.0 | 42 | 2 | 3 | 6 | 10 | 15 | 19 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.3 | 7 | <1 | 1 | 4 | 7 | 8 | 9 | 10 |
| 20-34 | 114 | 8.5 | 128 | <1 | <1 | 4 | 11 | 25 | 39 | 51 |
| 35-49 | 79 | 8.1 | 145 | <1 | <1 | 4 | 9 | 19 | 33 | 69 |
| 50-64 | 51 | 9.9 | 36 | 2 | 3 | 8 | 14 | 18 | 19 | 31 |
| 65+ | 109 | 14.1 | 122 | 4 | 5 | 12 | 17 | 23 | 42 | 61 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 3346 | 2.4 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 47 | 5.6 | 107 | <1 | <1 | 2 | 6 | 13 | 23 | 65 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 6912 | 5.3 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| B. *Operated* | 376 | 10.0 | 117 | <1 | 1 | 7 | 13 | 21 | 31 | 53 |
| 1. SINGLE DX | 3393 | 2.5 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 2. MULTIPLE DX | 7288 | 5.5 | 37 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| A. NOT OPERATED | 10258 | 4.3 | 25 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| B. OPERATED | 423 | 9.5 | 118 | <1 | 1 | 7 | 12 | 21 | 31 | 55 |
| TOTAL 0-19 YRS | 2836 | 2.6 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 3414 | 3.8 | 23 | <1 | 1 | 2 | 4 | 8 | 12 | 27 |
| 35-49 | 1742 | 4.6 | 31 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| 50-64 | 1040 | 6.3 | 38 | 1 | 1 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 1649 | 8.0 | 48 | 2 | 2 | 6 | 10 | 15 | 19 | 40 |
| GRAND TOTAL | 10681 | 4.5 | 30 | 1 | 1 | 3 | 5 | 10 | 14 | 27 |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 929 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 511 | 2.1 | 4 | 1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 35-49 | 246 | 2.3 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 50-64 | 158 | 2.4 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 80 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.8 | 6 | 1 | 1 | 3 | 6 | 8 | 8 | 9 |
| 20-34 | 25 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 15 | 15 |
| 35-49 | 11 | 4.8 | 7 | 2 | 2 | 5 | 6 | 9 | 11 | 11 |
| 50-64 | 3 | 5.7 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 65+ | 4 | 14.3 | 274 | 1 | 1 | 9 | 26 | 37 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 413 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 357 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 251 | 3.8 | 20 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 50-64 | 226 | 4.9 | 37 | 1 | 1 | 3 | 6 | 10 | 16 | 42 |
| 65+ | 140 | 5.8 | 34 | 1 | 1 | 4 | 7 | 14 | 17 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.8 | 81 | <1 | 1 | 5 | 8 | 19 | 32 | 35 |
| 20-34 | 24 | 7.1 | 31 | 1 | 2 | 5 | 10 | 16 | 18 | 20 |
| 35-49 | 21 | 19.8 | 617 | 2 | 4 | 8 | 19 | 79 | 93 | 99+ |
| 50-64 | 15 | 16.5 | 488 | 1 | 2 | 5 | 23 | 63 | 67 | 68 |
| 65+ | 12 | 25.2 | 668 | 3 | 4 | 15 | 35 | 60 | 89 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1924 | 2.0 | 3 | 1 | 1 | 1 | 2 | 4 | 5 | 10 |
| B. *Operated* | 69 | 5.0 | 27 | 1 | 1 | 4 | 6 | 9 | 15 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1387 | 3.6 | 18 | 1 | 1 | 2 | 4 | 7 | 10 | 22 |
| B. *Operated* | 85 | 14.5 | 382 | 1 | 2 | 7 | 16 | 44 | 69 | 98 |
| **1. SINGLE DX** | 1993 | 2.1 | 4 | 1 | 1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 1472 | 4.2 | 45 | 1 | 1 | 2 | 4 | 8 | 13 | 40 |
| **A. NOT OPERATED** | 3311 | 2.7 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **B. OPERATED** | 154 | 10.3 | 244 | 1 | 1 | 5 | 9 | 26 | 45 | 94 |
| TOTAL 0-19 YRS | 1381 | 2.1 | 4 | 1 | 1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 917 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 529 | 3.8 | 47 | 1 | 1 | 2 | 4 | 7 | 10 | 46 |
| 50-64 | 402 | 4.4 | 47 | 1 | 1 | 2 | 4 | 9 | 14 | 42 |
| 65+ | 236 | 5.8 | 80 | 1 | 1 | 3 | 6 | 13 | 17 | 43 |
| **GRAND TOTAL** | **3465** | **3.0** | **23** | **1** | **1** | **2** | **3** | **6** | **8** | **20** |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 306 | 2.5 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 35-49 | 158 | 3.4 | 39 | 1 | 1 | 2 | 4 | 5 | 9 | 20 |
| 50-64 | 137 | 4.2 | 39 | 1 | 1 | 3 | 5 | 8 | 11 | 41 |
| 65+ | 149 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 12 | 5.4 | 43 | 1 | 1 | 3 | 6 | 13 | 23 | 25 |
| 35-49 | 7 | 29.6 | 979 | 3 | 4 | 22 | 40 | 82 | 92 | 92 |
| 50-64 | 10 | 8.4 | 35 | 2 | 2 | 8 | 10 | 18 | 21 | 21 |
| 65+ | 9 | 29.0 | 1130 | <1 | 1 | 12 | 44 | 85 | 99 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 285 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 20-34 | 359 | 4.0 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| 35-49 | 360 | 4.6 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 50-64 | 524 | 5.7 | 27 | 1 | 1 | 4 | 8 | 11 | 16 | 22 |
| 65+ | 913 | 8.0 | 55 | 2 | 2 | 6 | 10 | 15 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 17.2 | 597 | 2 | 2 | 11 | 18 | 48 | 85 | 88 |
| 20-34 | 28 | 7.9 | 168 | 1 | 1 | 4 | 7 | 37 | 55 | 99+ |
| 35-49 | 46 | 12.8 | 274 | 1 | 1 | 7 | 16 | 25 | 45 | 82 |
| 50-64 | 69 | 12.3 | 147 | 1 | 2 | 8 | 17 | 28 | 37 | 61 |
| 65+ | 87 | 14.5 | 155 | 3 | 4 | 11 | 18 | 28 | 49 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1154 | 3.0 | 16 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| B. *Operated* | 42 | 15.0 | 515 | 1 | 1 | 6 | 15 | 39 | 76 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2441 | 5.9 | 35 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| B. *Operated* | 241 | 12.9 | 197 | 1 | 2 | 8 | 17 | 27 | 47 | 89 |
| **1. SINGLE DX** | 1196 | 3.4 | 38 | 1 | 1 | 2 | 4 | 6 | 8 | 28 |
| **2. MULTIPLE DX** | 2682 | 6.5 | 54 | 1 | 1 | 4 | 8 | 14 | 18 | 38 |
| **A. NOT OPERATED** | 3595 | 5.0 | 31 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **B. OPERATED** | 283 | 13.2 | 243 | 1 | 2 | 8 | 17 | 28 | 49 | 97 |
| TOTAL 0-19 YRS | 704 | 3.0 | 18 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 705 | 3.5 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 35-49 | 571 | 5.3 | 66 | 1 | 1 | 3 | 6 | 10 | 16 | 36 |
| 50-64 | 740 | 6.1 | 44 | 1 | 1 | 4 | 8 | 12 | 17 | 37 |
| 65+ | 1158 | 8.2 | 73 | 2 | 2 | 6 | 10 | 16 | 21 | 47 |
| **GRAND TOTAL** | **3878** | **5.6** | **51** | **1** | **1** | **3** | **7** | **11** | **16** | **37** |

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.9 | 17 | <1 | 1 | 3 | 4 | 8 | 15 | 20 |
| 20-34 | 53 | 3.2 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| 35-49 | 52 | 6.4 | 40 | <1 | 1 | 5 | 9 | 15 | 19 | 29 |
| 50-64 | 47 | 6.5 | 38 | 1 | 2 | 5 | 7 | 14 | 17 | 36 |
| 65+ | 114 | 6.3 | 44 | 1 | 1 | 5 | 8 | 12 | 21 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 5.2 | 23 | <1 | 1 | 3 | 7 | 11 | 14 | 24 |
| 20-34 | 482 | 5.0 | 41 | <1 | 1 | 3 | 6 | 11 | 16 | 30 |
| 35-49 | 429 | 6.8 | 71 | 1 | 1 | 4 | 8 | 15 | 20 | 44 |
| 50-64 | 647 | 8.3 | 75 | 1 | 2 | 5 | 12 | 18 | 22 | 45 |
| 65+ | 1058 | 9.6 | 89 | 1 | 2 | 6 | 14 | 21 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.1 | 23 | 1 | 1 | 2 | 4 | 12 | 18 | 95 |
| 20-34 | 101 | 5.5 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 35-49 | 86 | 6.2 | 29 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| 50-64 | 117 | 8.6 | 112 | 1 | 1 | 5 | 10 | 21 | 24 | 57 |
| 65+ | 223 | 9.0 | 71 | 1 | 2 | 6 | 11 | 22 | 28 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 232 | 10.1 | 150 | 1 | 2 | 5 | 12 | 25 | 36 | 61 |
| 20-34 | 499 | 7.8 | 107 | 1 | 1 | 4 | 9 | 19 | 27 | 63 |
| 35-49 | 574 | 9.1 | 127 | 1 | 2 | 5 | 11 | 19 | 28 | 59 |
| 50-64 | 1035 | 10.5 | 140 | 2 | 2 | 7 | 13 | 23 | 30 | 70 |
| 65+ | 1550 | 13.0 | 175 | 2 | 2 | 9 | 17 | 29 | 43 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 5.4 | 33 | <1 | 1 | 4 | 7 | 12 | 18 | 36 |
| B. *Operated* | 2924 | 7.7 | 72 | 1 | 1 | 4 | 10 | 18 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 582 | 7.4 | 62 | 1 | 1 | 5 | 9 | 16 | 23 | 42 |
| B. *Operated* | 3890 | 10.9 | 152 | 1 | 2 | 7 | 14 | 25 | 35 | 69 |
| **1. SINGLE DX** | 3246 | 7.5 | 68 | 1 | 1 | 4 | 10 | 17 | 23 | 40 |
| **2. MULTIPLE DX** | 4472 | 10.5 | 142 | 1 | 2 | 7 | 14 | 24 | 33 | 66 |
| **A. NOT OPERATED** | 904 | 6.7 | 53 | 1 | 1 | 4 | 8 | 15 | 21 | 38 |
| **B. OPERATED** | 6814 | 9.5 | 120 | 1 | 2 | 6 | 13 | 22 | 29 | 59 |
| TOTAL 0-19 YRS | 651 | 6.7 | 74 | <1 | 1 | 4 | 8 | 15 | 23 | 44 |
| 20-34 | 1135 | 6.2 | 69 | 1 | 1 | 3 | 7 | 14 | 22 | 41 |
| 35-49 | 1141 | 7.9 | 96 | 1 | 2 | 5 | 10 | 17 | 24 | 56 |
| 50-64 | 1846 | 9.5 | 114 | 1 | 2 | 6 | 12 | 21 | 27 | 60 |
| 65+ | 2945 | 11.2 | 135 | 1 | 2 | 7 | 15 | 25 | 34 | 62 |
| **GRAND TOTAL** | **7718** | **9.2** | **113** | **1** | **2** | **6** | **12** | **21** | **28** | **58** |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 20-34 | 356 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 157 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | 183 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 65+ | 233 | 4.7 | 17 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 344 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 155 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 79 | 4.7 | 18 | 1 | 1 | 3 | 5 | 11 | 14 | 21 |
| 65+ | 85 | 5.8 | 21 | 1 | 2 | 4 | 6 | 14 | 17 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.5 | 9 | <1 | 1 | 2 | 4 | 8 | 9 | 12 |
| 20-34 | 106 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 61 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | 101 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 65+ | 190 | 5.8 | 24 | 1 | 2 | 5 | 7 | 10 | 13 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.1 | 13 | <1 | 1 | 2 | 3 | 7 | 13 | 16 |
| 20-34 | 90 | 5.1 | 34 | 1 | 1 | 3 | 6 | 10 | 14 | 35 |
| 35-49 | 53 | 7.2 | 48 | 1 | 1 | 5 | 9 | 16 | 24 | 32 |
| 50-64 | 59 | 8.5 | 62 | 1 | 2 | 6 | 10 | 18 | 26 | 38 |
| 65+ | 96 | 8.9 | 78 | 2 | 3 | 6 | 10 | 18 | 30 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 3.2 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 859 | 3.3 | 10 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 484 | 4.6 | 16 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |
| B. *Operated* | 324 | 7.0 | 56 | 1 | 1 | 5 | 8 | 15 | 21 | 39 |
| **1. SINGLE DX** | 2005 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | 808 | 5.6 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| **A. NOT OPERATED** | 1630 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 1183 | 4.3 | 26 | 1 | 1 | 3 | 5 | 9 | 14 | 27 |
| TOTAL 0-19 YRS | 465 | 2.2 | 6 | <1 | 1 | 1 | 2 | 4 | 6 | 12 |
| 20-34 | 896 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 426 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 50-64 | 422 | 4.9 | 20 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| 65+ | 604 | 5.8 | 31 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |
| **GRAND TOTAL** | **2813** | **3.9** | **17** | **1** | **1** | **3** | **5** | **8** | **11** | **20** |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 5.4 | 11 | 2 | 2 | 5 | 7 | 10 | 11 | 18 |
| 20-34 | 224 | 5.7 | 30 | 2 | 2 | 5 | 7 | 9 | 12 | 31 |
| 35-49 | 157 | 7.3 | 33 | 2 | 2 | 5 | 9 | 15 | 19 | 24 |
| 50-64 | 113 | 9.4 | 63 | 2 | 3 | 7 | 12 | 23 | 26 | 63 |
| 65+ | 102 | 8.7 | 41 | 2 | 3 | 7 | 11 | 18 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 6.6 | 26 | 1 | 1 | 6 | 9 | 13 | 16 | 26 |
| 20-34 | 161 | 8.4 | 58 | 1 | 2 | 6 | 11 | 19 | 26 | 35 |
| 35-49 | 141 | 9.7 | 75 | 2 | 2 | 7 | 15 | 19 | 25 | 46 |
| 50-64 | 117 | 10.7 | 115 | 2 | 2 | 7 | 13 | 24 | 30 | 53 |
| 65+ | 98 | 11.4 | 77 | 2 | 2 | 10 | 15 | 21 | 27 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 20-34 | 118 | 6.9 | 30 | 2 | 2 | 6 | 8 | 11 | 18 | 33 |
| 35-49 | 116 | 8.6 | 43 | 2 | 2 | 7 | 11 | 16 | 23 | 34 |
| 50-64 | 126 | 10.8 | 71 | 3 | 4 | 8 | 14 | 21 | 25 | 49 |
| 65+ | 157 | 11.7 | 92 | 2 | 3 | 9 | 15 | 22 | 28 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 8.7 | 57 | <1 | 1 | 8 | 11 | 20 | 23 | 36 |
| 20-34 | 111 | 10.7 | 86 | 2 | 3 | 8 | 13 | 24 | 35 | 44 |
| 35-49 | 134 | 13.7 | 106 | 2 | 4 | 11 | 20 | 27 | 31 | 51 |
| 50-64 | 172 | 16.2 | 229 | 3 | 4 | 12 | 21 | 36 | 59 | 99+ |
| 65+ | 159 | 19.1 | 219 | 3 | 4 | 16 | 25 | 43 | 55 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 680 | 7.1 | 38 | 2 | 2 | 5 | 8 | 14 | 19 | 34 |
| B. *Operated* | 592 | 9.4 | 74 | 2 | 2 | 7 | 12 | 20 | 26 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 548 | 9.4 | 63 | 2 | 3 | 7 | 12 | 18 | 24 | 40 |
| B. *Operated* | 614 | 15.0 | 173 | 2 | 3 | 11 | 21 | 33 | 45 | 87 |
| **1. SINGLE DX** | 1272 | 8.2 | 56 | 2 | 2 | 6 | 10 | 17 | 23 | 40 |
| **2. MULTIPLE DX** | 1162 | 12.4 | 129 | 2 | 3 | 9 | 16 | 26 | 35 | 63 |
| **A. NOT OPERATED** | 1228 | 8.1 | 50 | 2 | 2 | 6 | 10 | 16 | 23 | 37 |
| **B. OPERATED** | 1206 | 12.2 | 132 | 2 | 3 | 9 | 16 | 26 | 36 | 62 |
| TOTAL 0-19 YRS | 228 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 20-34 | 614 | 7.5 | 50 | 2 | 2 | 6 | 8 | 14 | 23 | 37 |
| 35-49 | 548 | 9.8 | 70 | 2 | 2 | 7 | 13 | 21 | 26 | 44 |
| 50-64 | 528 | 12.2 | 138 | 2 | 3 | 9 | 15 | 26 | 35 | 97 |
| 65+ | 516 | 13.4 | 134 | 2 | 3 | 10 | 17 | 27 | 38 | 59 |
| **GRAND TOTAL** | **2434** | **10.2** | **95** | **2** | **2** | **7** | **13** | **22** | **30** | **54** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.9 | 33 | 1 | 1 | 2 | 5 | 7 | 13 | 32 |
| 20-34 | 110 | 5.1 | 17 | 1 | 1 | 4 | 6 | 11 | 14 | 21 |
| 35-49 | 72 | 6.4 | 79 | 1 | 2 | 4 | 7 | 12 | 16 | 61 |
| 50-64 | 82 | 7.0 | 30 | 1 | 2 | 5 | 10 | 13 | 19 | 28 |
| 65+ | 89 | 7.4 | 42 | 1 | 2 | 6 | 10 | 16 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 4.8 | 36 | <1 | 1 | 3 | 5 | 10 | 13 | 38 |
| 20-34 | 225 | 6.4 | 56 | 1 | 1 | 4 | 7 | 15 | 21 | 39 |
| 35-49 | 217 | 7.4 | 81 | 1 | 2 | 5 | 9 | 15 | 22 | 39 |
| 50-64 | 206 | 7.4 | 72 | 1 | 1 | 5 | 9 | 16 | 25 | 47 |
| 65+ | 188 | 9.4 | 113 | 1 | 2 | 6 | 12 | 22 | 31 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 4.0 | 28 | 1 | 1 | 3 | 5 | 7 | 10 | 35 |
| 20-34 | 138 | 5.7 | 25 | 1 | 1 | 4 | 7 | 12 | 14 | 26 |
| 35-49 | 136 | 6.6 | 26 | 1 | 2 | 6 | 8 | 13 | 17 | 24 |
| 50-64 | 152 | 7.5 | 40 | 1 | 2 | 6 | 9 | 14 | 20 | 33 |
| 65+ | 240 | 11.0 | 110 | 2 | 3 | 8 | 14 | 22 | 32 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 8.6 | 64 | <1 | 1 | 6 | 13 | 19 | 28 | 33 |
| 20-34 | 220 | 9.3 | 87 | 1 | 2 | 7 | 11 | 18 | 27 | 62 |
| 35-49 | 282 | 11.9 | 128 | 2 | 2 | 8 | 14 | 26 | 37 | 54 |
| 50-64 | 354 | 12.4 | 162 | 1 | 2 | 9 | 16 | 26 | 34 | 69 |
| 65+ | 422 | 14.7 | 173 | 2 | 2 | 11 | 20 | 32 | 45 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 387 | 6.2 | 39 | 1 | 1 | 4 | 8 | 12 | 16 | 31 |
| B. *Operated* | 920 | 7.3 | 76 | 1 | 1 | 4 | 9 | 17 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 728 | 7.8 | 62 | 1 | 2 | 6 | 10 | 16 | 22 | 38 |
| B. *Operated* | 1319 | 12.4 | 146 | 2 | 2 | 9 | 16 | 27 | 37 | 62 |
| **1. SINGLE DX** | 1307 | 7.0 | 66 | 1 | 1 | 4 | 8 | 15 | 22 | 42 |
| **2. MULTIPLE DX** | 2047 | 10.8 | 121 | 1 | 2 | 7 | 14 | 24 | 33 | 58 |
| **A. NOT OPERATED** | 1115 | 7.3 | 55 | 1 | 2 | 5 | 9 | 15 | 21 | 37 |
| **B. OPERATED** | 2239 | 10.3 | 124 | 1 | 2 | 7 | 13 | 24 | 32 | 58 |
| TOTAL 0-19 YRS | 221 | 5.2 | 41 | 1 | 1 | 3 | 6 | 12 | 17 | 34 |
| 20-34 | 693 | 7.0 | 56 | 1 | 2 | 5 | 8 | 14 | 21 | 42 |
| 35-49 | 707 | 8.9 | 94 | 1 | 2 | 6 | 11 | 19 | 26 | 50 |
| 50-64 | 794 | 9.6 | 108 | 1 | 2 | 7 | 12 | 22 | 30 | 54 |
| 65+ | 939 | 12.0 | 139 | 2 | 2 | 8 | 16 | 26 | 37 | 63 |
| **GRAND TOTAL** | **3354** | **9.3** | **103** | **1** | **2** | **6** | **11** | **21** | **29** | **54** |

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 9 | 9 |
| 20-34 | 18 | 3.9 | 8 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| 35-49 | 10 | 5.8 | 13 | 1 | 2 | 5 | 7 | 11 | 14 | 14 |
| 50-64 | 4 | 3.8 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 3 | 4.7 | 1 | 4 | 4 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.8 | 20 | 2 | 2 | 6 | 8 | 13 | 13 | 13 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.7 | 7 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 14 | 5.0 | 1 | 3 | 3 | 5 | 6 | 6 | 7 | 7 |
| 35-49 | 17 | 4.4 | 14 | 1 | 1 | 3 | 5 | 12 | 13 | 13 |
| 50-64 | 22 | 7.7 | 30 | 2 | 3 | 6 | 9 | 15 | 22 | 23 |
| 65+ | 31 | 4.7 | 14 | 1 | 1 | 3 | 6 | 11 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 5 | 7.2 | 36 | 1 | 1 | 4 | 13 | 15 | 15 | 15 |
| 50-64 | 9 | 10.6 | 260 | 1 | 1 | 6 | 8 | 35 | 53 | 53 |
| 65+ | 9 | 10.0 | 27 | 2 | 4 | 8 | 15 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 3.7 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 14 |
| B. *Operated* | 8 | 5.5 | 14 | 2 | 2 | 5 | 7 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 5.2 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 26 | 8.7 | 105 | 1 | 1 | 6 | 11 | 17 | 24 | 53 |
| **1. SINGLE DX** | 73 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| **2. MULTIPLE DX** | 127 | 5.9 | 36 | 1 | 1 | 4 | 7 | 12 | 15 | 30 |
| **A. NOT OPERATED** | 166 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 34 | 8.0 | 85 | 1 | 1 | 6 | 9 | 15 | 17 | 53 |
| TOTAL 0-19 YRS | 47 | 3.1 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 40 | 4.4 | 7 | 1 | 1 | 4 | 5 | 7 | 11 | 13 |
| 35-49 | 33 | 5.2 | 16 | 1 | 1 | 4 | 7 | 13 | 14 | 15 |
| 50-64 | 37 | 7.8 | 81 | 1 | 2 | 6 | 8 | 12 | 23 | 53 |
| 65+ | 43 | 5.8 | 20 | 1 | 1 | 4 | 8 | 13 | 16 | 17 |
| **GRAND TOTAL** | **200** | **5.2** | **27** | **1** | **1** | **4** | **6** | **10** | **13** | **22** |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 35 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 4 |
| 35-49 | 11 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 8051 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 2494 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 32 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 65+ | 7 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 79 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| 35-49 | 32 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 4617 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 1750 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 21 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 12 |
| 65+ | 6 | 6.5 | 123 | 1 | 1 | 2 | 4 | 26 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 4 |
| B. *Operated* | 10704 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| B. *Operated* | 6464 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 10751 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 6580 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 163 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 5 |
| **B. OPERATED** | 17168 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 195 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 12782 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 4287 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 54 | 2.2 | 3 | <1 | <1 | 2 | 3 | 3 | 4 | 12 |
| 65+ | 13 | 4.0 | 57 | <1 | <1 | 2 | 3 | 9 | 25 | 29 |
| **GRAND TOTAL** | **17331** | **2.0** | **2** | **<1** | **<1** | **2** | **2** | **3** | **4** | **7** |

## 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 4 | 36.5 | 203 | 21 | 21 | 35 | 47 | 54 | 54 | 54 |
| 1500-1749 | 10 | 18.1 | 54 | 8 | 8 | 19 | 26 | 27 | 27 | 27 |
| 1750-2499 | 3666 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 2500+ | 160040 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 3 | 43.0 | 228 | 29 | 29 | 41 | 54 | 59 | 59 | 59 |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 6 | 9.5 | 31 | 2 | 2 | 10 | 14 | 16 | 16 | 16 |
| 2500+ | 82 | 4.2 | 12 | 1 | 2 | 4 | 5 | 6 | 7 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 38 | 49.7 | 623 | 7 | 10 | 56 | 75 | 94 | 99+ | 99+ |
| 1000-1499 | 308 | 38.3 | 201 | 14 | 22 | 37 | 47 | 59 | 64 | 85 |
| 1500-1749 | 489 | 23.7 | 81 | 11 | 14 | 23 | 28 | 34 | 38 | 56 |
| 1750-2499 | 6853 | 7.8 | 41 | 2 | 2 | 6 | 11 | 16 | 20 | 30 |
| 2500+ | 49785 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 58 | 66.0 | 649 | 15 | 22 | 82 | 97 | 99+ | 99+ | 99+ |
| 1000-1499 | 235 | 48.0 | 306 | 24 | 29 | 47 | 61 | 74 | 89 | 99+ |
| 1500-1749 | 163 | 33.0 | 168 | 16 | 21 | 31 | 40 | 55 | 65 | 99+ |
| 1750-2499 | 534 | 17.1 | 178 | 2 | 5 | 14 | 21 | 30 | 42 | 79 |
| 2500+ | 1167 | 8.5 | 87 | 1 | 2 | 6 | 10 | 16 | 25 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163720 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 91 | 5.8 | 67 | 2 | 2 | 4 | 5 | 8 | 16 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57473 | 4.9 | 23 | 2 | 2 | 4 | 5 | 8 | 11 | 27 |
| B. *Operated* | 2157 | 18.3 | 380 | 2 | 3 | 11 | 26 | 51 | 69 | 99+ |
| **1. SINGLE DX** | 163811 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 59630 | 5.4 | 42 | 2 | 2 | 4 | 5 | 8 | 14 | 37 |
| **A. NOT OPERATED** | 221193 | 3.6 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 14 |
| **B. OPERATED** | 2248 | 17.8 | 373 | 2 | 3 | 10 | 25 | 50 | 68 | 99+ |
| TOTAL 1-999 G | 96 | 59.6 | 696 | 10 | 18 | 73 | 92 | 99+ | 99+ | 99+ |
| 1000-1499 | 550 | 42.4 | 268 | 18 | 24 | 41 | 53 | 66 | 74 | 99+ |
| 1500-1749 | 662 | 25.9 | 119 | 11 | 15 | 24 | 31 | 39 | 47 | 79 |
| 1750-2499 | 11059 | 6.9 | 45 | 2 | 2 | 4 | 9 | 15 | 19 | 30 |
| 2500+ | 211074 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | **223441** | **3.7** | **14** | **2** | **2** | **3** | **4** | **6** | **7** | **17** |

## 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 2 | 21.5 | 25 | 18 | 18 | 21 | 25 | 25 | 25 | 25 |
| 1500-1749 | 7 | 17.7 | 5 | 13 | 14 | 19 | 19 | 19 | 19 | 19 |
| 1750-2499 | 408 | 5.0 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 2500+ | 1284 | 4.4 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 2 | 19.5 | 221 | 9 | 9 | 19 | 30 | 30 | 30 | 30 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 5 | 51.6 | 577 | 9 | 9 | 62 | 63 | 67 | 67 | 67 |
| 1000-1499 | 65 | 36.1 | 169 | 15 | 22 | 35 | 44 | 51 | 56 | 76 |
| 1500-1749 | 100 | 23.4 | 85 | 10 | 13 | 22 | 27 | 35 | 42 | 55 |
| 1750-2499 | 941 | 9.8 | 43 | 3 | 4 | 8 | 14 | 18 | 21 | 31 |
| 2500+ | 566 | 5.5 | 8 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 10 | 59.8 | 178 | 43 | 43 | 67 | 85 | 99+ | 99+ | 99+ |
| 1000-1499 | 42 | 48.9 | 297 | 24 | 29 | 46 | 61 | 79 | 85 | 99+ |
| 1500-1749 | 35 | 32.9 | 216 | 14 | 19 | 30 | 40 | 44 | 56 | 93 |
| 1750-2499 | 62 | 16.0 | 117 | 1 | 5 | 15 | 20 | 28 | 32 | 67 |
| 2500+ | 22 | 13.0 | 389 | 2 | 3 | 7 | 12 | 24 | 53 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1701 | 4.6 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| B. *Operated* | 2 | 19.5 | 221 | 9 | 9 | 19 | 30 | 30 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1677 | 10.3 | 89 | 3 | 3 | 7 | 13 | 21 | 28 | 51 |
| B. *Operated* | 171 | 29.7 | 465 | 4 | 6 | 26 | 43 | 63 | 80 | 99+ |
| **1. SINGLE DX** | 1703 | 4.6 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 1848 | 12.1 | 155 | 3 | 3 | 7 | 15 | 26 | 40 | 67 |
| **A. NOT OPERATED** | 3378 | 7.4 | 55 | 2 | 3 | 5 | 8 | 16 | 21 | 41 |
| **B. OPERATED** | 173 | 29.6 | 462 | 4 | 6 | 26 | 43 | 63 | 80 | 99+ |
| TOTAL 1-999 G | 15 | 57.1 | 296 | 22 | 43 | 62 | 79 | 99+ | 99+ | 99+ |
| 1000-1499 | 109 | 40.7 | 259 | 18 | 23 | 39 | 51 | 62 | 78 | 91 |
| 1500-1749 | 142 | 25.5 | 132 | 11 | 14 | 23 | 29 | 40 | 45 | 62 |
| 1750-2499 | 1413 | 8.7 | 44 | 2 | 3 | 6 | 12 | 18 | 20 | 31 |
| 2500+ | 1872 | 4.8 | 10 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| **GRAND TOTAL** | **3551** | **8.5** | **98** | **2** | **3** | **5** | **9** | **18** | **27** | **57** |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 1500-1749 | 2 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 1750-2499 | 35 | 3.8 | 13 | 1 | 1 | 3 | 4 | 5 | 12 | 20 |
| 2500+ | 401 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 1 | 78.0 | | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 1000-1499 | 3 | 22.7 | 196 | 7 | 7 | 27 | 32 | 34 | 34 | 34 |
| 1500-1749 | 13 | 22.3 | 129 | 7 | 9 | 22 | 35 | 36 | 40 | 41 |
| 1750-2499 | 68 | 9.3 | 40 | 2 | 2 | 8 | 14 | 19 | 20 | 25 |
| 2500+ | 143 | 3.9 | 4 | 1 | 2 | 3 | 5 | 7 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 1 | 59.0 | | 59 | 59 | 79 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 2 | 38.5 | 113 | 31 | 31 | 38 | 46 | 46 | 46 | 46 |
| 1500-1749 | 1 | 53.0 | | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 1750-2499 | 4 | 13.0 | 49 | 7 | 7 | 11 | 18 | 22 | 22 | 22 |
| 2500+ | 6 | 15.8 | 229 | 6 | 6 | 11 | 14 | 43 | 46 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 439 | 3.1 | 15 | 1 | 1 | 3 | 3 | 4 | 5 | 21 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 7.2 | 69 | 2 | 2 | 4 | 7 | 16 | 22 | 37 |
| B. *Operated* | 14 | 24.0 | 367 | 6 | 6 | 15 | 46 | 59 | 90 | 99+ |
| **1. SINGLE DX** | 439 | 3.1 | 15 | 1 | 1 | 3 | 3 | 4 | 5 | 21 |
| **2. MULTIPLE DX** | 242 | 8.1 | 100 | 2 | 2 | 5 | 8 | 19 | 28 | 60 |
| **A. NOT OPERATED** | 667 | 4.5 | 37 | 1 | 2 | 3 | 4 | 7 | 15 | 35 |
| **B. OPERATED** | 14 | 24.0 | 367 | 6 | 6 | 15 | 46 | 59 | 90 | 99+ |
| TOTAL 1-999 G | 2 | 68.5 | 181 | 59 | 59 | 78 | 94 | 99+ | 99+ | 99+ |
| 1000-1499 | 6 | 30.0 | 167 | 7 | 9 | 32 | 35 | 45 | 46 | 46 |
| 1500-1749 | 16 | 26.9 | 206 | 8 | 9 | 23 | 38 | 44 | 50 | 53 |
| 1750-2499 | 107 | 7.6 | 38 | 1 | 2 | 5 | 13 | 18 | 20 | 24 |
| 2500+ | 550 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **GRAND TOTAL** | **681** | **4.9** | **51** | **1** | **2** | **3** | **4** | **8** | **16** | **44** |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.5 | 21 | <1 | <1 | 2 | 4 | 9 | 16 | 17 |
| 20-34 | 19 | 2.4 | 4 | 1 | 1 | 2 | 2 | 4 | 7 | 10 |
| 35-49 | 4 | 5.0 | 13 | 1 | 1 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | 4 | 3.5 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 8 | 2.8 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 646 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 979 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 473 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 50-64 | 387 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 65+ | 312 | 5.5 | 24 | 1 | 2 | 4 | 7 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.3 | 6 | <1 | <1 | 1 | 2 | 6 | 8 | 8 |
| 20-34 | 10 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 35-49 | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 5 | 13.2 | 500 | 2 | 2 | 2 | 18 | 53 | 53 | 53 |
| 65+ | 4 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 3.4 | 17 | 1 | 1 | 2 | 4 | 5 | 7 | 28 |
| 20-34 | 150 | 4.6 | 29 | 1 | 1 | 3 | 5 | 10 | 18 | 28 |
| 35-49 | 93 | 5.7 | 30 | 1 | 2 | 4 | 7 | 14 | 15 | 32 |
| 50-64 | 121 | 7.3 | 74 | 1 | 2 | 4 | 9 | 18 | 25 | 44 |
| 65+ | 139 | 10.2 | 114 | 2 | 2 | 7 | 14 | 20 | 28 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.0 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 2797 | 3.2 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 4.0 | 86 | <1 | <1 | 2 | 3 | 6 | 8 | 53 |
| B. *Operated* | 588 | 6.5 | 62 | 1 | 2 | 4 | 8 | 15 | 21 | 38 |
| **1. SINGLE DX** | 2844 | 3.2 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | 619 | 6.4 | 64 | 1 | 1 | 4 | 7 | 15 | 21 | 38 |
| **A. NOT OPERATED** | 78 | 3.4 | 39 | <1 | 1 | 2 | 4 | 7 | 8 | 43 |
| **B. OPERATED** | 3385 | 3.7 | 19 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| TOTAL 0-19 YRS | 751 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 1158 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 19 |
| 35-49 | 574 | 3.5 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 50-64 | 517 | 4.5 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 65+ | 463 | 6.9 | 56 | 1 | 2 | 4 | 9 | 15 | 18 | 38 |
| **GRAND TOTAL** | **3463** | **3.7** | **20** | **1** | **1** | **2** | **4** | **7** | **11** | **23** |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| | |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
| | Cancer – *see Neoplasm, malignant* |
| | Carcinoma – *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs – *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 12 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 3 | 3 |
| 65+ | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 3 | 9.3 | 14 | 5 | 5 | 11 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 27 | 2.0 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 8 |
| 50-64 | 450 | 1.2 | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 6 |
| 65+ | 299 | 1.2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 8 | 3.8 | 5 | <1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 35-49 | 20 | 3.9 | 27 | <1 | <1 | <1 | 5 | 11 | 16 | 20 |
| 50-64 | 14 | 10.8 | 489 | 1 | 1 | 5 | 8 | 17 | 71 | 87 |
| 65+ | 14 | 5.9 | 32 | 1 | 1 | 4 | 9 | 12 | 19 | 21 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 17 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 3 | 3 |
| B. *Operated* | 9 | 6.7 | 12 | 2 | 2 | 6 | 9 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 832 | 1.2 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 5 |
| B. *Operated* | 57 | 6.0 | 139 | <1 | <1 | 3 | 7 | 10 | 18 | 82 |
| 1. SINGLE DX | 26 | 3.2 | 11 | 1 | 1 | 2 | 5 | 9 | 11 | 12 |
| 2. MULTIPLE DX | 889 | 1.6 | 11 | 1 | 1 | 1 | 1 | 2 | 3 | 10 |
| A. NOT OPERATED | 849 | 1.2 | 1 | 1 | 1 | 1 | 1 | 2 | 2 | 5 |
| B. OPERATED | 66 | 6.1 | 121 | <1 | <1 | 4 | 8 | 11 | 14 | 76 |
| TOTAL 0-19 YRS | 56 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 11 | 3.8 | 5 | <1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 35-49 | 50 | 2.9 | 13 | <1 | <1 | 2 | 2 | 8 | 9 | 20 |
| 50-64 | 479 | 1.5 | 17 | 1 | 1 | 1 | 1 | 1 | 3 | 9 |
| 65+ | 319 | 1.4 | 4 | 1 | 1 | 1 | 1 | 1 | 4 | 12 |
| GRAND TOTAL | 915 | 1.6 | 12 | 1 | 1 | 1 | 1 | 2 | 4 | 11 |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1179 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 1632 | 2.4 | 9 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 35-49 | 761 | 3.1 | 23 | <1 | 1 | 2 | 3 | 6 | 8 | 26 |
| 50-64 | 1061 | 3.3 | 26 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| 65+ | 882 | 5.0 | 83 | 1 | 1 | 2 | 5 | 11 | 24 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 589 | 3.2 | 25 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |
| 20-34 | 2727 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 35-49 | 1282 | 3.8 | 18 | <1 | 1 | 2 | 4 | 9 | 11 | 18 |
| 50-64 | 915 | 4.7 | 27 | 1 | 1 | 3 | 6 | 11 | 13 | 22 |
| 65+ | 864 | 4.9 | 29 | 1 | 1 | 3 | 7 | 12 | 14 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 758 | 4.6 | 59 | <1 | 1 | 2 | 5 | 8 | 16 | 43 |
| 20-34 | 1558 | 3.9 | 37 | <1 | 1 | 2 | 4 | 7 | 10 | 33 |
| 35-49 | 1571 | 4.5 | 64 | 1 | 1 | 2 | 5 | 8 | 13 | 49 |
| 50-64 | 3411 | 4.4 | 48 | 1 | 1 | 2 | 4 | 9 | 15 | 40 |
| 65+ | 3274 | 6.3 | 92 | 1 | 1 | 3 | 6 | 15 | 26 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 304 | 6.8 | 150 | 1 | 1 | 3 | 6 | 16 | 36 | 99+ |
| 20-34 | 2373 | 4.0 | 55 | <1 | <1 | 2 | 4 | 7 | 12 | 35 |
| 35-49 | 1480 | 6.0 | 102 | <1 | 1 | 3 | 6 | 12 | 20 | 65 |
| 50-64 | 1475 | 7.5 | 113 | 1 | 1 | 4 | 9 | 16 | 28 | 67 |
| 65+ | 1719 | 8.3 | 132 | 1 | 1 | 4 | 10 | 19 | 30 | 70 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 5515 | 3.1 | 27 | <1 | 1 | 2 | 3 | 6 | 9 | 27 |
| B. *Operated* | 6377 | 3.7 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 10572 | 4.9 | 64 | 1 | 1 | 2 | 5 | 10 | 17 | 48 |
| B. *Operated* | 7351 | 6.2 | 101 | <1 | 1 | 3 | 7 | 14 | 22 | 66 |
| 1. SINGLE DX | 11892 | 3.4 | 22 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 2. MULTIPLE DX | 17923 | 5.5 | 80 | 1 | 1 | 3 | 5 | 12 | 19 | 56 |
| A. NOT OPERATED | 16087 | 4.3 | 52 | 1 | 1 | 2 | 4 | 8 | 15 | 45 |
| B. OPERATED | 13728 | 5.0 | 64 | <1 | 1 | 2 | 5 | 11 | 16 | 45 |
| TOTAL 0-19 YRS | 2830 | 3.7 | 42 | <1 | 1 | 2 | 4 | 7 | 11 | 36 |
| 20-34 | 8290 | 3.3 | 28 | <1 | <1 | 2 | 4 | 6 | 9 | 24 |
| 35-49 | 5094 | 4.6 | 58 | <1 | 1 | 2 | 5 | 9 | 13 | 41 |
| 50-64 | 6862 | 4.9 | 58 | 1 | 1 | 2 | 5 | 11 | 16 | 45 |
| 65+ | 6739 | 6.5 | 94 | 1 | 1 | 3 | 7 | 15 | 25 | 70 |
| GRAND TOTAL | 29815 | 4.7 | 58 | <1 | 1 | 2 | 5 | 10 | 15 | 45 |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
|  |  |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
|  | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
|  | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular — *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer — *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve – *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes – *see Diabetes mellitus* |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| | |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
|  | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
|  | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
|  | Paget's disease – *see Disease, Paget's* |
|  | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
|  | Peptic ulcer – *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma – *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve – *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer – *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
| | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| | |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
|  | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
|  | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open — *see Laceration* |
| | |
| 12 | Yellow fever |

R3850-1.8(4)

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# OP LENGTH OF STAY BY OPERATION



## UNITED STATES



## Southern REGION

## 1981

# Length of Stay by Operation, Southern Region, 1981

## A Companion Volume To Length of Stay by Diagnosis, Southern Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . 1

Source of the Data. . . . . . . . . . 1

Data Quality. . . . . . . . . . 2

Coverage . . . . . . . . . . 3

Organization of Length of Stay Tables. . . . . . . . . . 5

Definition of Multiple Diagnosis Patients . . . . . . . . . . 5

Definition of Operated Patients . . . . . . . . . . 6

Explanation of Statistics. . . . . . . . . . 6

Defining the Extended Stay Case . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . 15

Summary of All Patients. . . . . . . . . . 16

Operation Groups 501-764. . . . . . . . . . 17

**Appendix: *ICD-9-CM* Codes for Selected Operation Groups** . . . . . . . . . . 83

**Index to Length of Stay Tables** . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
North Central
Northeast
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| *1. Diastolic BP > 110* | | | |
| *2. Not controlled by outpatient Rx* | | | |
| *3.* | | | |
| *4.* | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| **Prostatic hyperplasia** | **2** | | **235** |
| for: Cystoscopy | | | 636 |
| TUR | | | 648 |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| *1. Sepsis or fever > 102°, chills* | | | |
| *2. Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

### OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 616 | Pancreatotomy |
|  | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
|  | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
|  | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7706 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7706 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

## 339 Hospitals, Southern Region, 1981, by Operation

### SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 142482 | 3.2 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 20-34 | 279420 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 118584 | 5.2 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 50-64 | 106572 | 6.3 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| 65+ | 103547 | 7.6 | 52 | 2 | 2 | 5 | 10 | 16 | 21 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 91055 | 5.2 | 53 | 1 | 1 | 3 | 5 | 10 | 16 | 43 |
| 20-34 | 215630 | 5.6 | 34 | 1 | 2 | 4 | 7 | 10 | 14 | 31 |
| 35-49 | 167164 | 7.4 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| 50-64 | 211303 | 9.1 | 74 | 2 | 2 | 7 | 11 | 18 | 24 | 46 |
| 65+ | 313044 | 11.4 | 101 | 2 | 3 | 9 | 14 | 23 | 30 | 54 |
| TOT. SINGLE DX | 750605 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| " MULTIPLE DX | 998196 | 8.4 | 74 | 2 | 2 | 6 | 10 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 233537 | 4.0 | 29 | 1 | 1 | 3 | 4 | 7 | 11 | 29 |
| 20-34 | 495050 | 4.6 | 23 | 1 | 2 | 3 | 5 | 8 | 11 | 24 |
| 35-49 | 285748 | 6.5 | 40 | 1 | 2 | 5 | 8 | 12 | 17 | 32 |
| 50-64 | 317875 | 8.2 | 62 | 2 | 2 | 6 | 10 | 16 | 22 | 41 |
| 65+ | 416591 | 10.4 | 92 | 2 | 2 | 8 | 13 | 21 | 28 | 50 |
| GRAND TOTAL | 1748801 | 6.9 | 56 | 1 | 2 | 5 | 8 | 14 | 20 | 39 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 10.5 | 96 | 2 | 2 | 8 | 14 | 19 | 20 | 55 |
| 20-34 | 98 | 13.1 | 103 | 3 | 5 | 11 | 16 | 24 | 33 | 86 |
| 35-49 | 134 | 15.8 | 128 | 3 | 6 | 13 | 18 | 26 | 47 | 57 |
| 50-64 | 187 | 17.0 | 127 | 6 | 8 | 15 | 19 | 26 | 39 | 81 |
| 65+ | 183 | 19.8 | 175 | 5 | 8 | 15 | 23 | 39 | 48 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 95 | 22.9 | 371 | 3 | 5 | 17 | 27 | 56 | 67 | 81 |
| 20-34 | 108 | 23.3 | 284 | 4 | 7 | 18 | 32 | 53 | 67 | 99+ |
| 35-49 | 116 | 21.2 | 262 | 6 | 9 | 16 | 25 | 47 | 56 | 95 |
| 50-64 | 212 | 25.8 | 277 | 8 | 9 | 21 | 35 | 50 | 61 | 99 |
| 65+ | 298 | 27.5 | 349 | 8 | 10 | 22 | 36 | 56 | 72 | 99+ |
| TOT. SINGLE DX | 683 | 16.2 | 141 | 3 | 5 | 13 | 20 | 31 | 43 | 68 |
| " MULTIPLE DX | 829 | 25.1 | 317 | 6 | 9 | 20 | 34 | 53 | 65 | 99+ |
| TOTAL 0-19 YRS | 176 | 17.2 | 283 | 2 | 3 | 12 | 20 | 41 | 60 | 78 |
| 20-34 | 206 | 18.5 | 223 | 4 | 6 | 14 | 23 | 44 | 61 | 99+ |
| 35-49 | 250 | 18.3 | 197 | 4 | 7 | 15 | 22 | 34 | 50 | 83 |
| 50-64 | 399 | 21.7 | 226 | 7 | 9 | 17 | 26 | 44 | 58 | 93 |
| 65+ | 481 | 24.6 | 297 | 7 | 9 | 20 | 33 | 50 | 60 | 97 |
| GRAND TOTAL | 1512 | 21.1 | 257 | 5 | 7 | 16 | 26 | 46 | 59 | 93 |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 10.8 | 64 | 3 | 4 | 9 | 13 | 20 | 26 | 46 |
| 20-34 | 80 | 14.3 | 112 | 4 | 6 | 11 | 18 | 25 | 33 | 63 |
| 35-49 | 97 | 17.2 | 238 | 4 | 5 | 13 | 18 | 34 | 57 | 93 |
| 50-64 | 151 | 18.6 | 175 | 6 | 7 | 15 | 23 | 36 | 50 | 85 |
| 65+ | 133 | 18.1 | 225 | 6 | 7 | 13 | 22 | 37 | 59 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 25.1 | 414 | 7 | 8 | 17 | 35 | 62 | 75 | 97 |
| 20-34 | 70 | 21.3 | 248 | 3 | 7 | 19 | 26 | 52 | 98 | 99+ |
| 35-49 | 116 | 19.9 | 196 | 5 | 8 | 17 | 29 | 44 | 99+ | 99+ |
| 50-64 | 175 | 24.7 | 264 | 8 | 10 | 22 | 34 | 53 | 67 | 99+ |
| 65+ | 194 | 29.2 | 327 | 10 | 11 | 25 | 39 | 61 | 80 | 99+ |
| TOT. SINGLE DX | 550 | 16.3 | 178 | 4 | 6 | 13 | 19 | 30 | 44 | 85 |
| " MULTIPLE DX | 624 | 24.9 | 296 | 7 | 9 | 20 | 34 | 57 | 82 | 99+ |
| TOTAL 0-19 YRS | 158 | 17.1 | 266 | 4 | 5 | 10 | 20 | 38 | 59 | 86 |
| 20-34 | 150 | 17.6 | 186 | 4 | 6 | 14 | 23 | 40 | 54 | 99+ |
| 35-49 | 213 | 18.7 | 216 | 4 | 6 | 15 | 24 | 40 | 84 | 99+ |
| 50-64 | 326 | 21.9 | 232 | 7 | 9 | 17 | 27 | 44 | 60 | 99+ |
| 65+ | 327 | 24.7 | 315 | 8 | 9 | 19 | 32 | 56 | 78 | 99+ |
| GRAND TOTAL | 1174 | 20.9 | 259 | 5 | 7 | 16 | 27 | 47 | 65 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 6.5 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 24 |
| 20-34 | 69 | 8.4 | 107 | 2 | 3 | 6 | 9 | 12 | 27 | 70 |
| 35-49 | 46 | 8.1 | 40 | 2 | 3 | 6 | 11 | 18 | 22 | 32 |
| 50-64 | 19 | 9.5 | 116 | 2 | 3 | 6 | 11 | 12 | 34 | 52 |
| 65+ | 6 | 8.0 | 8 | 5 | 5 | 7 | 11 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 10.1 | 71 | 3 | 3 | 8 | 12 | 23 | 34 | 99+ |
| 20-34 | 73 | 11.5 | 125 | 3 | 3 | 8 | 12 | 24 | 38 | 63 |
| 35-49 | 36 | 11.9 | 93 | 4 | 5 | 9 | 13 | 21 | 35 | 51 |
| 50-64 | 22 | 12.5 | 110 | 3 | 4 | 9 | 13 | 25 | 43 | 44 |
| 65+ | 12 | 17.8 | 259 | 6 | 7 | 10 | 23 | 46 | 54 | 55 |
| TOT. SINGLE DX | 290 | 7.5 | 48 | 2 | 3 | 6 | 9 | 12 | 17 | 37 |
| " MULTIPLE DX | 224 | 11.5 | 107 | 3 | 4 | 8 | 12 | 24 | 40 | 76 |
| TOTAL 0-19 YRS | 231 | 7.8 | 38 | 2 | 3 | 6 | 9 | 13 | 23 | 60 |
| 20-34 | 142 | 10.0 | 118 | 3 | 3 | 7 | 11 | 20 | 28 | 69 |
| 35-49 | 82 | 9.7 | 67 | 3 | 3 | 7 | 11 | 19 | 23 | 47 |
| 50-64 | 41 | 11.1 | 113 | 2 | 3 | 9 | 12 | 16 | 43 | 52 |
| 65+ | 18 | 14.6 | 193 | 5 | 6 | 9 | 12 | 39 | 50 | 55 |
| GRAND TOTAL | 514 | 9.2 | 78 | 2 | 3 | 7 | 10 | 17 | 27 | 53 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 8.4 | 39 | 3 | 4 | 8 | 10 | 13 | 14 | 41 |
| 20-34 | 21 | 12.8 | 72 | 5 | 6 | 11 | 13 | 24 | 34 | 40 |
| 35-49 | 10 | 10.7 | 20 | 3 | 5 | 10 | 15 | 17 | 18 | 18 |
| 50-64 | 19 | 23.0 | 253 | 7 | 8 | 19 | 27 | 44 | 63 | 72 |
| 65+ | 39 | 17.3 | 90 | 6 | 8 | 16 | 21 | 26 | 39 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 22.4 | 547 | 4 | 5 | 12 | 35 | 74 | 96 | 99+ |
| 20-34 | 20 | 16.8 | 262 | 5 | 6 | 12 | 17 | 36 | 61 | 71 |
| 35-49 | 12 | 26.1 | 464 | 9 | 10 | 23 | 33 | 90 | 98 | 99+ |
| 50-64 | 42 | 28.1 | 440 | 8 | 9 | 23 | 41 | 91 | 99+ | 99+ |
| 65+ | 75 | 27.4 | 205 | 9 | 10 | 25 | 36 | 52 | 58 | 91 |
| TOT. SINGLE DX | 179 | 12.5 | 99 | 3 | 4 | 10 | 15 | 22 | 30 | 58 |
| " MULTIPLE DX | 238 | 24.7 | 398 | 5 | 7 | 19 | 35 | 60 | 91 | 99+ |
| TOTAL 0-19 YRS | 179 | 15.4 | 339 | 3 | 4 | 12 | 14 | 47 | 74 | 99+ |
| 20-34 | 41 | 14.7 | 165 | 5 | 6 | 12 | 16 | 25 | 45 | 71 |
| 35-49 | 32 | 19.1 | 313 | 6 | 8 | 14 | 27 | 46 | 92 | 99+ |
| 50-64 | 61 | 26.5 | 383 | 8 | 9 | 21 | 35 | 65 | 98 | 99+ |
| 65+ | 114 | 23.9 | 188 | 8 | 9 | 20 | 32 | 44 | 55 | 77 |
| GRAND TOTAL | 417 | 19.5 | 305 | 4 | 5 | 13 | 26 | 49 | 70 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 186 | 8.5 | 65 | 2 | 2 | 6 | 11 | 20 | 26 | 40 |
| 20-34 | 49 | 17.9 | 324 | 3 | 3 | 11 | 21 | 48 | 58 | 84 |
| 35-49 | 21 | 9.8 | 53 | 3 | 3 | 8 | 13 | 19 | 25 | 33 |
| 50-64 | 16 | 13.5 | 121 | 2 | 3 | 11 | 16 | 21 | 41 | 49 |
| 65+ | 22 | 19.3 | 390 | 4 | 4 | 15 | 21 | 35 | 68 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 201 | 16.4 | 346 | 2 | 3 | 9 | 22 | 50 | 79 | 99+ |
| 20-34 | 62 | 23.5 | 435 | 3 | 4 | 15 | 39 | 64 | 97 | 99+ |
| 35-49 | 29 | 18.3 | 274 | 3 | 4 | 14 | 34 | 81 | 99+ | 99+ |
| 50-64 | 36 | 20.0 | 302 | 3 | 4 | 14 | 37 | 59 | 85 | 99+ |
| 65+ | 37 | 22.8 | 206 | 6 | 9 | 20 | 28 | 40 | 47 | 81 |
| TOT. SINGLE DX | 294 | 11.3 | 150 | 2 | 2 | 8 | 13 | 24 | 33 | 62 |
| " MULTIPLE DX | 365 | 18.8 | 343 | 2 | 3 | 13 | 28 | 54 | 83 | 99+ |
| TOTAL 0-19 YRS | 387 | 12.6 | 227 | 2 | 2 | 7 | 16 | 34 | 53 | 99+ |
| 20-34 | 111 | 21.0 | 391 | 3 | 4 | 14 | 30 | 55 | 75 | 99+ |
| 35-49 | 50 | 14.8 | 197 | 3 | 3 | 10 | 19 | 45 | 96 | 99+ |
| 50-64 | 52 | 18.0 | 253 | 3 | 4 | 13 | 23 | 52 | 62 | 99+ |
| 65+ | 59 | 21.5 | 273 | 4 | 8 | 18 | 27 | 40 | 50 | 93 |
| GRAND TOTAL | 659 | 15.4 | 270 | 2 | 3 | 10 | 20 | 42 | 59 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 11.2 | 61 | 3 | 4 | 9 | 12 | 24 | 28 | 36 |
| 20-34 | 359 | 11.1 | 58 | 5 | 6 | 9 | 13 | 18 | 23 | 32 |
| 35-49 | 712 | 11.5 | 49 | 5 | 6 | 10 | 14 | 18 | 21 | 37 |
| 50-64 | 582 | 12.4 | 42 | 6 | 7 | 11 | 15 | 20 | 24 | 43 |
| 65+ | 213 | 16.8 | 105 | 7 | 8 | 14 | 19 | 28 | 39 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 20.2 | 149 | 5 | 8 | 22 | 27 | 32 | 45 | 52 |
| 20-34 | 165 | 18.5 | 220 | 6 | 7 | 14 | 22 | 43 | 57 | 99+ |
| 35-49 | 392 | 15.7 | 106 | 5 | 7 | 13 | 19 | 27 | 36 | 60 |
| 50-64 | 523 | 16.9 | 113 | 7 | 8 | 14 | 20 | 30 | 41 | 73 |
| 65+ | 356 | 21.8 | 154 | 8 | 9 | 20 | 27 | 38 | 47 | 99+ |
| TOT. SINGLE DX | 1892 | 12.3 | 58 | 5 | 6 | 10 | 14 | 20 | 25 | 42 |
| " MULTIPLE DX | 1453 | 18.0 | 139 | 6 | 8 | 15 | 22 | 33 | 43 | 85 |
| TOTAL 0-19 YRS | 43 | 14.7 | 113 | 4 | 5 | 11 | 23 | 30 | 33 | 52 |
| 20-34 | 524 | 13.4 | 121 | 5 | 6 | 10 | 16 | 25 | 32 | 81 |
| 35-49 | 1104 | 13.0 | 73 | 5 | 6 | 11 | 15 | 22 | 27 | 52 |
| 50-64 | 1105 | 14.5 | 81 | 6 | 7 | 12 | 17 | 25 | 32 | 52 |
| 65+ | 569 | 19.9 | 142 | 8 | 9 | 17 | 25 | 35 | 42 | 92 |
| GRAND TOTAL | 3345 | 14.8 | 101 | 6 | 7 | 12 | 18 | 26 | 35 | 66 |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 9.9 | 131 | 2 | 2 | 7 | 14 | 18 | 25 | 68 |
| 20-34 | 105 | 10.2 | 124 | 2 | 2 | 8 | 12 | 23 | 37 | 56 |
| 35-49 | 115 | 7.5 | 37 | 2 | 2 | 6 | 10 | 16 | 18 | 29 |
| 50-64 | 79 | 11.5 | 133 | 1 | 2 | 9 | 14 | 24 | 41 | 54 |
| 65+ | 36 | 13.6 | 107 | 3 | 4 | 11 | 16 | 29 | 31 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 20.6 | 241 | 5 | 5 | 16 | 28 | 57 | 59 | 99+ |
| 20-34 | 109 | 16.5 | 241 | 2 | 2 | 12 | 23 | 35 | 49 | 81 |
| 35-49 | 132 | 13.8 | 281 | 2 | 2 | 8 | 15 | 28 | 53 | 88 |
| 50-64 | 129 | 14.6 | 220 | 2 | 3 | 11 | 18 | 30 | 54 | 99+ |
| 65+ | 96 | 21.5 | 282 | 4 | 5 | 17 | 26 | 46 | 60 | 74 |
| TOT. SINGLE DX | 374 | 9.9 | 101 | 2 | 2 | 8 | 13 | 20 | 30 | 53 |
| " MULTIPLE DX | 528 | 16.8 | 261 | 2 | 3 | 12 | 22 | 38 | 57 | 88 |
| TOTAL 0-19 YRS | 101 | 16.5 | 225 | 2 | 3 | 13 | 21 | 44 | 59 | 99+ |
| 20-34 | 214 | 13.4 | 193 | 2 | 2 | 9 | 17 | 33 | 39 | 68 |
| 35-49 | 247 | 10.8 | 177 | 2 | 2 | 8 | 13 | 24 | 30 | 80 |
| 50-64 | 208 | 13.4 | 189 | 2 | 2 | 10 | 17 | 28 | 48 | 90 |
| 65+ | 132 | 19.3 | 246 | 3 | 5 | 15 | 25 | 41 | 54 | 73 |
| GRAND TOTAL | 902 | 13.9 | 206 | 2 | 2 | 10 | 18 | 30 | 49 | 81 |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 57 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 307 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 35-49 | 458 | 3.2 | 5 | 1 | 2 | 3 | 3 | 5 | 8 | 15 |
| 50-64 | 564 | 3.4 | 7 | 1 | 2 | 3 | 3 | 6 | 8 | 16 |
| 65+ | 263 | 4.5 | 24 | 2 | 2 | 3 | 4 | 9 | 13 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 155 | 4.4 | 20 | 1 | 2 | 3 | 5 | 9 | 14 | 23 |
| 35-49 | 207 | 6.3 | 89 | 2 | 2 | 3 | 6 | 13 | 19 | 56 |
| 50-64 | 299 | 5.6 | 34 | 2 | 2 | 3 | 6 | 12 | 16 | 32 |
| 65+ | 183 | 6.8 | 50 | 2 | 2 | 4 | 8 | 18 | 23 | 35 |
| TOT. SINGLE DX | 1649 | 3.4 | 9 | 1 | 2 | 3 | 4 | 6 | 9 | 16 |
| " MULTIPLE DX | 880 | 5.7 | 48 | 2 | 2 | 3 | 6 | 12 | 18 | 35 |
| TOTAL 0-19 YRS | 93 | 3.0 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 462 | 3.5 | 11 | 1 | 1 | 3 | 4 | 6 | 9 | 18 |
| 35-49 | 665 | 4.1 | 33 | 1 | 2 | 3 | 4 | 7 | 11 | 22 |
| 50-64 | 863 | 4.1 | 18 | 2 | 2 | 3 | 4 | 8 | 12 | 23 |
| 65+ | 446 | 5.4 | 36 | 2 | 2 | 3 | 6 | 11 | 18 | 33 |
| GRAND TOTAL | 2529 | 4.2 | 24 | 1 | 2 | 3 | 4 | 8 | 12 | 25 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 154 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 1041 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 35-49 | 1430 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 1443 | 2.9 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 659 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 3.6 | 10 | 1 | 1 | 3 | 4 | 8 | 9 | 16 |
| 20-34 | 457 | 4.4 | 20 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| 35-49 | 614 | 5.2 | 28 | 1 | 2 | 3 | 6 | 11 | 15 | 27 |
| 50-64 | 718 | 5.2 | 27 | 2 | 2 | 3 | 6 | 11 | 15 | 26 |
| 65+ | 421 | 5.7 | 51 | 2 | 2 | 3 | 6 | 13 | 17 | 31 |
| TOT. SINGLE DX | 4727 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 2336 | 5.0 | 30 | 1 | 2 | 3 | 6 | 11 | 15 | 26 |
| TOTAL 0-19 YRS | 280 | 3.0 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 20-34 | 1498 | 3.2 | 11 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 35-49 | 2044 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 50-64 | 2161 | 3.6 | 15 | 1 | 1 | 2 | 4 | 7 | 11 | 21 |
| 65+ | 1080 | 4.1 | 26 | 1 | 2 | 3 | 4 | 8 | 12 | 23 |
| GRAND TOTAL | 7063 | 3.6 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 9.0 | 59 | 2 | 2 | 6 | 12 | 22 | 22 | 22 |
| 20-34 | 53 | 8.4 | 36 | 2 | 4 | 7 | 9 | 15 | 20 | 34 |
| 35-49 | 60 | 9.4 | 43 | 2 | 3 | 7 | 12 | 20 | 24 | 31 |
| 50-64 | 63 | 11.0 | 44 | 3 | 4 | 9 | 13 | 20 | 28 | 31 |
| 65+ | 49 | 11.0 | 81 | 3 | 4 | 9 | 12 | 19 | 32 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 45 | 7.7 | 20 | 3 | 4 | 6 | 9 | 14 | 17 | 24 |
| 35-49 | 44 | 12.9 | 81 | 2 | 5 | 10 | 18 | 24 | 32 | 41 |
| 50-64 | 112 | 16.1 | 192 | 3 | 5 | 13 | 20 | 31 | 50 | 96 |
| 65+ | 287 | 17.6 | 130 | 6 | 8 | 15 | 21 | 30 | 41 | 63 |
| TOT. SINGLE DX | 230 | 10.0 | 51 | 2 | 4 | 8 | 12 | 19 | 26 | 36 |
| " MULTIPLE DX | 489 | 15.9 | 138 | 4 | 6 | 13 | 20 | 29 | 41 | 63 |
| TOTAL 0-19 YRS | 6 | 8.7 | 48 | 2 | 2 | 7 | 9 | 21 | 22 | 22 |
| 20-34 | 98 | 8.1 | 29 | 2 | 4 | 6 | 9 | 15 | 19 | 31 |
| 35-49 | 104 | 10.9 | 62 | 2 | 3 | 8 | 14 | 22 | 27 | 38 |
| 50-64 | 175 | 14.3 | 144 | 3 | 5 | 11 | 16 | 27 | 43 | 85 |
| 65+ | 336 | 16.7 | 128 | 5 | 7 | 14 | 20 | 29 | 41 | 62 |
| GRAND TOTAL | 719 | 14.0 | 118 | 3 | 5 | 11 | 17 | 27 | 33 | 60 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 4.9 | 56 | <1 | 1 | 2 | 3 | 15 | 26 | 27 |
| 20-34 | 48 | 6.0 | 14 | 1 | 2 | 5 | 9 | 12 | 12 | 16 |
| 35-49 | 44 | 6.5 | 72 | 1 | 1 | 4 | 6 | 13 | 24 | 51 |
| 50-64 | 42 | 6.1 | 23 | 1 | 1 | 5 | 9 | 12 | 16 | 22 |
| 65+ | 29 | 7.9 | 36 | 2 | 2 | 6 | 12 | 17 | 20 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 5.0 | 79 | <1 | <1 | 2 | 3 | 20 | 27 | 27 |
| 20-34 | 27 | 9.9 | 69 | 1 | 2 | 9 | 14 | 17 | 23 | 41 |
| 35-49 | 44 | 12.3 | 117 | 2 | 4 | 10 | 13 | 21 | 38 | 55 |
| 50-64 | 55 | 9.7 | 39 | 2 | 2 | 8 | 12 | 19 | 24 | 26 |
| 65+ | 45 | 10.3 | 69 | 2 | 2 | 9 | 13 | 28 | 29 | 33 |
| TOT. SINGLE DX | 174 | 6.4 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 27 |
| " MULTIPLE DX | 179 | 10.3 | 73 | 2 | 2 | 9 | 13 | 20 | 28 | 47 |
| TOTAL 0-19 YRS | 19 | 4.9 | 62 | <1 | 1 | 2 | 3 | 19 | 27 | 27 |
| 20-34 | 75 | 7.4 | 37 | 1 | 2 | 6 | 11 | 14 | 17 | 36 |
| 35-49 | 88 | 9.4 | 103 | 1 | 2 | 6 | 11 | 17 | 30 | 53 |
| 50-64 | 97 | 8.1 | 35 | 1 | 2 | 7 | 11 | 16 | 22 | 26 |
| 65+ | 74 | 9.4 | 57 | 2 | 2 | 7 | 13 | 20 | 28 | 33 |
| GRAND TOTAL | 353 | 8.4 | 59 | 1 | 2 | 6 | 11 | 16 | 24 | 41 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 128 | 4.5 | 18 | 2 | 3 | 4 | 5 | 6 | 8 | 20 |
| 20-34 | 915 | 4.6 | 6 | 2 | 3 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 958 | 4.5 | 4 | 3 | 3 | 4 | 5 | 6 | 8 | 13 |
| 50-64 | 799 | 4.8 | 5 | 3 | 3 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 334 | 6.2 | 31 | 3 | 3 | 5 | 7 | 10 | 13 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 6.4 | 10 | 3 | 3 | 6 | 7 | 11 | 14 | 17 |
| 20-34 | 304 | 6.5 | 25 | 3 | 3 | 5 | 7 | 10 | 17 | 30 |
| 35-49 | 512 | 5.8 | 12 | 3 | 3 | 5 | 7 | 10 | 12 | 19 |
| 50-64 | 540 | 7.5 | 43 | 3 | 3 | 5 | 8 | 14 | 18 | 36 |
| 65+ | 393 | 10.2 | 66 | 3 | 4 | 7 | 13 | 20 | 26 | 46 |
| TOT. SINGLE DX | 3134 | 4.8 | 9 | 3 | 3 | 4 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 1780 | 7.4 | 39 | 3 | 3 | 5 | 8 | 14 | 18 | 36 |
| TOTAL 0-19 YRS | 159 | 4.8 | 17 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |
| 20-34 | 1219 | 5.1 | 12 | 3 | 3 | 4 | 5 | 7 | 10 | 21 |
| 35-49 | 1470 | 5.0 | 7 | 3 | 3 | 4 | 5 | 7 | 10 | 17 |
| 50-64 | 1339 | 5.9 | 23 | 3 | 3 | 5 | 6 | 9 | 13 | 29 |
| 65+ | 727 | 8.4 | 54 | 3 | 4 | 6 | 10 | 15 | 22 | 40 |
| GRAND TOTAL | 4914 | 5.7 | 21 | 3 | 3 | 4 | 6 | 9 | 13 | 26 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 189 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 12 |
| 20-34 | 136 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 122 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 10 | 21 |
| 50-64 | 103 | 5.4 | 11 | 2 | 3 | 4 | 6 | 9 | 13 | 18 |
| 65+ | 65 | 6.9 | 24 | 2 | 3 | 6 | 8 | 13 | 16 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 6.6 | 37 | 1 | 2 | 4 | 9 | 17 | 21 | 24 |
| 20-34 | 59 | 7.5 | 55 | 2 | 3 | 6 | 8 | 12 | 28 | 95 |
| 35-49 | 107 | 9.5 | 71 | 2 | 3 | 7 | 11 | 19 | 25 | 48 |
| 50-64 | 167 | 10.1 | 69 | 3 | 4 | 7 | 12 | 20 | 28 | 39 |
| 65+ | 150 | 13.6 | 154 | 4 | 4 | 9 | 18 | 32 | 42 | 64 |
| TOT. SINGLE DX | 615 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 18 |
| " MULTIPLE DX | 509 | 10.5 | 96 | 3 | 3 | 7 | 12 | 23 | 32 | 61 |
| TOTAL 0-19 YRS | 215 | 3.2 | 10 | 1 | 1 | 2 | 3 | 4 | 8 | 21 |
| 20-34 | 195 | 4.6 | 23 | 1 | 2 | 3 | 5 | 8 | 11 | 44 |
| 35-49 | 229 | 6.8 | 45 | 2 | 2 | 5 | 7 | 14 | 20 | 29 |
| 50-64 | 270 | 8.3 | 52 | 3 | 3 | 6 | 9 | 18 | 23 | 35 |
| 65+ | 215 | 11.6 | 124 | 3 | 4 | 7 | 13 | 27 | 36 | 63 |
| GRAND TOTAL | 1124 | 7.0 | 59 | 2 | 2 | 5 | 8 | 15 | 23 | 42 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 12.7 | 14 | 7 | 7 | 15 | 15 | 17 | 17 | 17 |
| 20-34 | 58 | 10.2 | 15 | 6 | 6 | 10 | 12 | 15 | 18 | 26 |
| 35-49 | 41 | 12.9 | 45 | 4 | 6 | 12 | 15 | 23 | 26 | 33 |
| 50-64 | 37 | 13.6 | 52 | 7 | 8 | 12 | 16 | 21 | 28 | 45 |
| 65+ | 17 | 18.8 | 129 | 7 | 9 | 15 | 25 | 39 | 43 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 23.1 | 335 | 7 | 8 | 18 | 29 | 54 | 63 | 63 |
| 20-34 | 27 | 17.1 | 166 | 6 | 7 | 11 | 21 | 34 | 48 | 62 |
| 35-49 | 35 | 16.0 | 122 | 7 | 8 | 12 | 20 | 28 | 45 | 51 |
| 50-64 | 58 | 15.9 | 68 | 6 | 8 | 15 | 19 | 27 | 36 | 38 |
| 65+ | 43 | 22.6 | 341 | 4 | 6 | 15 | 32 | 43 | 64 | 89 |
| TOT. SINGLE DX | 160 | 12.8 | 49 | 6 | 7 | 11 | 15 | 21 | 26 | 44 |
| " MULTIPLE DX | 171 | 18.1 | 180 | 6 | 7 | 14 | 22 | 37 | 44 | 65 |
| TOTAL 0-19 YRS | 15 | 18.3 | 202 | 7 | 7 | 15 | 19 | 33 | 55 | 63 |
| 20-34 | 85 | 12.4 | 72 | 6 | 6 | 10 | 13 | 21 | 27 | 55 |
| 35-49 | 76 | 14.3 | 82 | 6 | 7 | 12 | 16 | 25 | 31 | 49 |
| 50-64 | 95 | 15.1 | 63 | 7 | 8 | 13 | 19 | 24 | 34 | 42 |
| 65+ | 60 | 21.5 | 281 | 5 | 6 | 15 | 29 | 41 | 55 | 87 |
| GRAND TOTAL | 331 | 15.5 | 124 | 6 | 7 | 12 | 18 | 27 | 38 | 63 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 201 | 1.5 |  | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 50 | 1.9 |  | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | 67 | 2.6 | 10 | <1 | <1 | 2 | 2 | 4 | 7 | 23 |
| 50-64 | 137 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 165 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 31 | 2.9 | 12 | <1 | 1 | 2 | 2 | 6 | 12 | 17 |
| 20-34 | 28 | 3.3 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 55 | 6.0 | 35 | <1 | 1 | 4 | 8 | 14 | 20 | 29 |
| 50-64 | 99 | 6.2 | 50 | 1 | 2 | 3 | 7 | 14 | 21 | 39 |
| 65+ | 193 | 5.6 | 49 | 1 | 1 | 3 | 7 | 12 | 16 | 46 |
| TOT. SINGLE DX | 620 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 406 | 5.4 | 43 | 1 | 1 | 3 | 7 | 12 | 17 | 38 |
| TOTAL 0-19 YRS | 232 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 10 |
| 20-34 | 78 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 122 | 4.1 | 25 | <1 | 1 | 2 | 5 | 9 | 15 | 27 |
| 50-64 | 236 | 3.9 | 26 | <1 | 1 | 2 | 4 | 8 | 12 | 30 |
| 65+ | 358 | 4.1 | 30 | 1 | 1 | 2 | 4 | 9 | 12 | 27 |
| GRAND TOTAL | 1026 | 3.4 | 21 | <1 | 1 | 2 | 3 | 7 | 11 | 25 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 316 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 133 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 11 |
| 35-49 | 212 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 50-64 | 290 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 458 | 2.3 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 222 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 9 | 22 |
| 20-34 | 281 | 3.8 | 25 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |
| 35-49 | 224 | 3.8 | 29 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 50-64 | 372 | 3.5 | 20 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 65+ | 500 | 4.5 | 42 | 1 | 1 | 2 | 4 | 11 | 16 | 35 |
| TOT. SINGLE DX | 1409 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 1599 | 3.9 | 30 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |
| TOTAL 0-19 YRS | 538 | 2.4 | 9 | <1 | 1 | 2 | 2 | 4 | 5 | 14 |
| 20-34 | 414 | 3.3 | 19 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 35-49 | 436 | 3.1 | 18 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| 50-64 | 662 | 2.9 | 13 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 65+ | 958 | 3.5 | 26 | 1 | 1 | 2 | 3 | 6 | 11 | 28 |
| GRAND TOTAL | 3008 | 3.1 | 18 | <1 | 1 | 2 | 3 | 5 | 8 | 21 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 69 | 1.9 |  | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 56 | 2.3 |  | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 58 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 78 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 14 |
| 65+ | 93 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 7 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24 | 3.6 | 19 | 1 | 1 | 2 | 4 | 8 | 13 | 22 |
| 20-34 | 32 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 19 | 26 |
| 35-49 | 27 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 11 | 11 |
| 50-64 | 48 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 7 | 12 |
| 65+ | 97 | 3.5 | 4 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| TOT. SINGLE DX | 354 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| " MULTIPLE DX | 228 | 3.6 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 20 |
| TOTAL 0-19 YRS | 93 | 2.4 | 6 | 1 | 1 | 2 | 2 | 4 | 5 | 16 |
| 20-34 | 88 | 3.1 | 13 | 1 | 1 | 2 | 3 | 4 | 7 | 24 |
| 35-49 | 85 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 126 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 6 | 13 |
| 65+ | 190 | 3.1 | 3 | 2 | 2 | 3 | 3 | 5 | 7 | 10 |
| GRAND TOTAL | 582 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 1.5 |  | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 12 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | 8 | 3.1 | 13 | <1 | <1 | 2 | 3 | 9 | 12 | 12 |
| 50-64 | 14 | 3.4 | 11 | <1 | <1 | 2 | 5 | 10 | 11 | 11 |
| 65+ | 21 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 16 | 2.8 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 5 | 3.8 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 35-49 | 10 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 50-64 | 11 | 3.3 | 7 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 65+ | 21 | 4.1 | 17 | 1 | 2 | 2 | 5 | 9 | 14 | 19 |
| TOT. SINGLE DX | 77 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| " MULTIPLE DX | 63 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 38 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 20-34 | 17 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 18 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 10 | 12 |
| 50-64 | 25 | 3.4 | 9 | <1 | 1 | 2 | 4 | 10 | 10 | 11 |
| 65+ | 42 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| GRAND TOTAL | 140 | 2.7 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 5.1 | 5 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 39 | 4.8 | 14 | 2 | 2 | 4 | 6 | 7 | 9 | 29 |
| 35-49 | 28 | 3.5 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 36 | 4.2 | 9 | 1 | 2 | 4 | 5 | 6 | 8 | 19 |
| 65+ | 108 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 4.0 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 21 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 19 | 7.4 | 92 | 1 | 2 | 5 | 6 | 22 | 34 | 37 |
| 50-64 | 42 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 181 | 4.8 | 12 | 2 | 2 | 4 | 5 | 8 | 10 | 24 |
| TOT. SINGLE DX | 227 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 19 |
| " MULTIPLE DX | 271 | 4.9 | 16 | 2 | 2 | 4 | 6 | 8 | 10 | 25 |
| TOTAL 0-19 YRS | 24 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 9 | 9 |
| 20-34 | 60 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 23 |
| 35-49 | 47 | 5.1 | 42 | 1 | 2 | 4 | 5 | 8 | 12 | 37 |
| 50-64 | 78 | 4.6 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 65+ | 289 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 23 |
| GRAND TOTAL | 498 | 4.5 | 13 | 2 | 2 | 4 | 5 | 7 | 9 | 24 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 104 | 4.2 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 20-34 | 154 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 35-49 | 189 | 2.6 | 4 | 1 | 1 | 2 | 2 | 5 | 7 | 12 |
| 50-64 | 141 | 2.2 | 8 | <1 | 1 | 2 | 2 | 3 | 4 | 15 |
| 65+ | 123 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| 20-34 | 88 | 5.5 | 34 | 1 | 2 | 4 | 6 | 10 | 15 | 36 |
| 35-49 | 92 | 4.6 | 11 | 1 | 2 | 3 | 6 | 11 | 11 | 14 |
| 50-64 | 89 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 65+ | 123 | 4.3 | 10 | 1 | 1 | 3 | 5 | 10 | 12 | 28 |
| TOT. SINGLE DX | 711 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| " MULTIPLE DX | 414 | 4.6 | 10 | 1 | 2 | 3 | 6 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 166 | 4.5 | 11 | 1 | 1 | 4 | 5 | 8 | 11 | 18 |
| 20-34 | 242 | 3.8 | 20 | 1 | 1 | 2 | 5 | 7 | 10 | 24 |
| 35-49 | 241 | 3.0 | 7 | 1 | 1 | 2 | 3 | 6 | 10 | 12 |
| 50-64 | 230 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 65+ | 246 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| GRAND TOTAL | 1125 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 2.6 | 1 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 34 | 3.2 | 3 | 1 | 2 | 2 | 4 | 6 | 7 | 8 |
| 35-49 | 66 | 3.7 | 16 | 1 | 2 | 3 | 3 | 6 | 9 | 28 |
| 50-64 | 237 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 65+ | 400 | 3.2 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 6.6 | 147 | 1 | 1 | 3 | 6 | 12 | 36 | 55 |
| 20-34 | 23 | 4.5 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 10 |
| 35-49 | 39 | 4.5 | 14 | 1 | 2 | 3 | 5 | 7 | 16 | 18 |
| 50-64 | 145 | 4.5 | 12 | 2 | 2 | 3 | 5 | 7 | 11 | 21 |
| 65+ | 303 | 5.2 | 23 | 2 | 2 | 3 | 6 | 10 | 14 | 29 |
| TOT. SINGLE DX | 775 | 3.3 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 529 | 4.9 | 23 | 2 | 2 | 3 | 6 | 9 | 12 | 25 |
| TOTAL 0-19 YRS | 57 | 3.9 | 52 | 1 | 1 | 2 | 3 | 6 | 10 | 52 |
| 20-34 | 57 | 3.7 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 10 |
| 35-49 | 105 | 4.0 | 16 | 1 | 2 | 3 | 4 | 8 | 9 | 24 |
| 50-64 | 382 | 3.9 | 9 | 2 | 2 | 3 | 4 | 7 | 10 | 18 |
| 65+ | 703 | 4.1 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| GRAND TOTAL | 1304 | 4.0 | 14 | 1 | 2 | 3 | 4 | 8 | 10 | 18 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 4.5 | 12 | 1 | 1 | 3 | 5 | 11 | 12 | 15 |
| 20-34 | 54 | 3.4 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | 73 | 2.7 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 8 |
| 50-64 | 200 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 65+ | 338 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 4.7 | 13 | 1 | 1 | 3 | 8 | 10 | 12 | 14 |
| 20-34 | 53 | 6.1 | 29 | 1 | 2 | 4 | 7 | 13 | 17 | 29 |
| 35-49 | 53 | 5.8 | 22 | 2 | 2 | 4 | 7 | 10 | 12 | 29 |
| 50-64 | 135 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 13 | 21 |
| 65+ | 240 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 14 | 23 |
| TOT. SINGLE DX | 716 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 528 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| TOTAL 0-19 YRS | 98 | 4.6 | 13 | 1 | 1 | 3 | 6 | 11 | 12 | 15 |
| 20-34 | 107 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| 35-49 | 126 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 50-64 | 335 | 3.7 | 12 | 1 | 1 | 2 | 4 | 8 | 10 | 16 |
| 65+ | 578 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| GRAND TOTAL | 1244 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |

### 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 2.8 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 31 | 2.6 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 400 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 2452 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 8639 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 3.7 | 4 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 20-34 | 16 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 253 | 4.3 | 17 | 2 | 2 | 3 | 4 | 7 | 10 | 19 |
| 50-64 | 1795 | 3.7 | 10 | 2 | 2 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 7134 | 4.0 | 13 | 2 | 2 | 3 | 4 | 7 | 9 | 21 |
| TOT. SINGLE DX | 11550 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 9213 | 4.0 | 13 | 2 | 2 | 3 | 4 | 6 | 9 | 20 |
| TOTAL 0-19 YRS | 43 | 3.1 | 4 | 1 | 2 | 3 | 3 | 5 | 8 | 10 |
| 20-34 | 47 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 653 | 3.4 | 9 | 2 | 2 | 3 | 4 | 5 | 8 | 16 |
| 50-64 | 4247 | 3.3 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 15773 | 3.4 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| GRAND TOTAL | 20763 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |

### 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 102 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 63 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 402 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 1833 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 5727 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 48 | 2.8 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 230 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 7 | 16 |
| 50-64 | 1346 | 3.0 | 7 | 1 | 2 | 2 | 3 | 4 | 6 | 16 |
| 65+ | 4585 | 3.0 | 6 | 2 | 2 | 2 | 3 | 5 | 7 | 15 |
| TOT. SINGLE DX | 8127 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| " MULTIPLE DX | 6279 | 3.0 | 7 | 1 | 2 | 2 | 3 | 4 | 7 | 15 |
| TOTAL 0-19 YRS | 172 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 111 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 632 | 2.6 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | 3179 | 2.6 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 65+ | 10312 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| GRAND TOTAL | 14406 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |

### 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 8 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 31 | 2.3 | | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 273 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 65+ | 894 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 18 | 3.2 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 10 |
| 50-64 | 141 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 564 | 3.5 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| TOT. SINGLE DX | 1210 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 729 | 3.4 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 6 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 12 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 35-49 | 49 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 8 | 10 |
| 50-64 | 414 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 1458 | 3.0 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| GRAND TOTAL | 1939 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |

### 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 6.5 | 14 | 1 | 2 | 6 | 8 | 12 | 15 | 16 |
| 20-34 | 88 | 4.8 | 7 | 1 | 2 | 4 | 6 | 9 | 11 | 12 |
| 35-49 | 119 | 5.9 | 17 | 1 | 2 | 5 | 7 | 10 | 15 | 23 |
| 50-64 | 379 | 5.7 | 28 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 65+ | 347 | 5.5 | 6 | 2 | 2 | 5 | 7 | 8 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 6.6 | 25 | 2 | 3 | 5 | 7 | 14 | 21 | 22 |
| 20-34 | 75 | 6.2 | 18 | 1 | 2 | 5 | 8 | 12 | 16 | 21 |
| 35-49 | 74 | 7.1 | 24 | 2 | 2 | 6 | 8 | 13 | 19 | 25 |
| 50-64 | 279 | 6.3 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 304 | 6.9 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| TOT. SINGLE DX | 986 | 5.6 | 17 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| " MULTIPLE DX | 755 | 6.6 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| TOTAL 0-19 YRS | 76 | 6.6 | 18 | 2 | 2 | 6 | 8 | 12 | 16 | 21 |
| 20-34 | 163 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| 35-49 | 193 | 6.4 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 50-64 | 658 | 5.9 | 22 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 65+ | 651 | 6.1 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| GRAND TOTAL | 1741 | 6.0 | 17 | 2 | 2 | 5 | 8 | 10 | 12 | 20 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 4.4 | 25 | <1 | <1 | 3 | 5 | 10 | 17 | 21 |
| 20-34 | 23 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 24 | 4.0 | 13 | <1 | 1 | 3 | 5 | 10 | 13 | 15 |
| 50-64 | 52 | 5.1 | 30 | 1 | 1 | 3 | 6 | 11 | 21 | 26 |
| 65+ | 115 | 3.4 | 6 | 1 | 2 | 2 | 4 | 6 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 8.1 | 307 | <1 | 1 | 3 | 7 | 11 | 42 | 88 |
| 20-34 | 39 | 6.1 | 18 | 2 | 2 | 5 | 7 | 11 | 16 | 22 |
| 35-49 | 33 | 5.6 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 12 |
| 50-64 | 88 | 5.6 | 21 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 65+ | 167 | 5.4 | 19 | 1 | 2 | 4 | 7 | 12 | 14 | 20 |
| TOT. SINGLE DX | 232 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| " MULTIPLE DX | 352 | 5.7 | 39 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| TOTAL 0-19 YRS | 43 | 6.6 | 189 | <1 | 1 | 3 | 6 | 11 | 23 | 88 |
| 20-34 | 62 | 5.2 | 14 | 1 | 2 | 5 | 6 | 8 | 11 | 22 |
| 35-49 | 57 | 4.9 | 10 | 1 | 2 | 5 | 6 | 10 | 11 | 15 |
| 50-64 | 140 | 5.4 | 24 | 1 | 2 | 4 | 6 | 11 | 16 | 26 |
| 65+ | 282 | 4.6 | 15 | 1 | 2 | 3 | 5 | 10 | 13 | 17 |
| GRAND TOTAL | 584 | 5.0 | 30 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1607 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 350 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 169 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 78 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 37 | 2.2 | | 1 | 2 | 2 | 2 | 4 | 4 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 315 | 2.0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 114 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 72 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 44 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 33 | 3.3 | 14 | 1 | 1 | 2 | 3 | 5 | 12 | 21 |
| TOT. SINGLE DX | 2241 | 1.9 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 578 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 1922 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 464 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 241 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 122 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 70 | 2.7 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 83 |
| GRAND TOTAL | 2819 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 2.2 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| 35-49 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| TOT. SINGLE DX | 21 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 12 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| TOTAL 0-19 YRS | 18 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 2.1 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| 35-49 | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| GRAND TOTAL | 33 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 149 | 2.9 | 6 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 20-34 | 148 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 92 | 3.7 | 13 | 1 | 1 | 3 | 4 | 6 | 10 | 20 |
| 50-64 | 96 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 141 | 3.8 | 13 | 1 | 1 | 3 | 4 | 6 | 10 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 92 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 9 | 24 |
| 20-34 | 131 | 6.0 | 37 | 1 | 2 | 4 | 7 | 12 | 17 | 37 |
| 35-49 | 88 | 5.7 | 36 | 1 | 2 | 4 | 6 | 10 | 21 | 34 |
| 50-64 | 103 | 5.9 | 42 | 1 | 2 | 4 | 6 | 12 | 20 | 35 |
| 65+ | 203 | 7.4 | 87 | 1 | 2 | 4 | 9 | 14 | 27 | 60 |
| TOT. SINGLE DX | 626 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| " MULTIPLE DX | 617 | 6.1 | 52 | 1 | 2 | 4 | 7 | 12 | 20 | 41 |
| TOTAL 0-19 YRS | 241 | 3.3 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 279 | 4.5 | 22 | 1 | 2 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 180 | 4.7 | 25 | 1 | 2 | 3 | 5 | 9 | 17 | 26 |
| 50-64 | 199 | 4.8 | 26 | 1 | 2 | 3 | 6 | 9 | 13 | 28 |
| 65+ | 344 | 5.9 | 60 | 1 | 2 | 4 | 6 | 12 | 18 | 44 |
| GRAND TOTAL | 1243 | 4.7 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 36 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | | | | | | | | | | |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 379 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 20-34 | 130 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 72 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 11 | 12 |
| 50-64 | 112 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 16 |
| 65+ | 170 | 3.6 | 11 | 1 | 1 | 2 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 221 | 3.4 | 14 | 1 | 1 | 2 | 3 | 6 | 11 | 23 |
| 20-34 | 111 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| 35-49 | 85 | 7.2 | 111 | 1 | 1 | 3 | 8 | 17 | 29 | 61 |
| 50-64 | 130 | 6.1 | 44 | 1 | 2 | 4 | 8 | 12 | 18 | 40 |
| 65+ | 227 | 7.9 | 86 | 1 | 2 | 5 | 9 | 16 | 26 | 43 |
| **TOT. SINGLE DX** | 863 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 13 |
| **" MULTIPLE DX** | 774 | 5.8 | 56 | 1 | 1 | 3 | 7 | 12 | 19 | 38 |
| TOTAL 0-19 YRS | 600 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 20-34 | 241 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 27 |
| 35-49 | 157 | 5.2 | 68 | <1 | 1 | 2 | 5 | 12 | 20 | 32 |
| 50-64 | 242 | 4.4 | 30 | 1 | 1 | 2 | 5 | 10 | 13 | 30 |
| 65+ | 397 | 6.0 | 59 | 1 | 1 | 4 | 7 | 13 | 20 | 41 |
| **GRAND TOTAL** | **1637** | **4.1** | **32** | **1** | **1** | **2** | **4** | **9** | **13** | **29** |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 52 | 2.5 | | 2 | 2 | 2 | 3 | 3 | 3 | 6 |
| 20-34 | 217 | 2.5 | | 2 | 2 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 371 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 263 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 65+ | 109 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 35 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 90 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 132 | 2.7 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 12 |
| 50-64 | 141 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 9 | 21 |
| 65+ | 61 | 3.1 | 3 | 2 | 2 | 3 | 3 | 4 | 8 | 10 |
| **TOT. SINGLE DX** | 1012 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 7 |
| **" MULTIPLE DX** | 459 | 2.8 | 3 | 2 | 2 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 87 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 3 | 5 |
| 20-34 | 307 | 2.6 | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 503 | 2.6 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 404 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 65+ | 170 | 2.8 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 10 |
| **GRAND TOTAL** | **1471** | **2.7** | **2** | **2** | **2** | **2** | **3** | **4** | **5** | **9** |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 698 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 539 | 2.2 | | 1 | 2 | 2 | 3 | 3 | 3 | 5 |
| 35-49 | 363 | 2.3 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 309 | 2.2 | | 1 | 2 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 95 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 493 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 408 | 2.6 | 4 | 1 | 2 | 2 | 3 | 3 | 4 | 12 |
| 35-49 | 334 | 2.8 | 10 | 2 | 2 | 2 | 3 | 3 | 5 | 13 |
| 50-64 | 260 | 2.9 | 7 | 2 | 2 | 2 | 3 | 4 | 5 | 19 |
| 65+ | 110 | 3.2 | 17 | 2 | 2 | 2 | 3 | 4 | 7 | 26 |
| **TOT. SINGLE DX** | 2004 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **" MULTIPLE DX** | 1605 | 2.6 | 6 | 1 | 2 | 2 | 3 | 3 | 4 | 11 |
| TOTAL 0-19 YRS | 1191 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 947 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 697 | 2.5 | 5 | 1 | 2 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 569 | 2.5 | 4 | 1 | 2 | 2 | 3 | 3 | 4 | 11 |
| 65+ | 205 | 2.9 | 10 | 2 | 2 | 2 | 3 | 4 | 5 | 11 |
| **GRAND TOTAL** | **3609** | **2.3** | **3** | **1** | **2** | **2** | **3** | **3** | **4** | **7** |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4376 | 1.2 | | <1 | <1 | 1 | 1 | 1 | 2 | 4 |
| 20-34 | 82 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 35-49 | 76 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 12 |
| 50-64 | 78 | 1.8 | | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 65+ | 47 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2251 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 20-34 | 78 | 2.7 | 8 | 1 | 1 | 2 | 2 | 5 | 11 | 15 |
| 35-49 | 80 | 4.4 | 89 | 1 | 1 | 2 | 3 | 8 | 13 | 63 |
| 50-64 | 85 | 4.4 | 30 | 1 | 1 | 2 | 4 | 10 | 14 | 31 |
| 65+ | 63 | 7.4 | 72 | 1 | 1 | 3 | 10 | 22 | 28 | 33 |
| TOT. SINGLE DX | 4659 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 2557 | 2.3 | 12 | <1 | <1 | 2 | 2 | 4 | 7 | 15 |
| TOTAL 0-19 YRS | 6627 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 20-34 | 160 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 7 | 14 |
| 35-49 | 156 | 3.4 | 49 | <1 | 1 | 2 | 3 | 4 | 10 | 21 |
| 50-64 | 163 | 3.1 | 18 | <1 | 1 | 2 | 3 | 6 | 10 | 27 |
| 65+ | 110 | 5.1 | 49 | 1 | 1 | 2 | 4 | 14 | 22 | 32 |
| GRAND TOTAL | 7216 | 1.6 | 5 | <1 | <1 | 1 | 2 | 2 | 3 | 11 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 194 | 2.8 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 185 | 2.9 | 3 | 2 | 2 | 3 | 3 | 4 | 6 | 8 |
| 35-49 | 147 | 3.3 | 5 | 2 | 2 | 3 | 3 | 5 | 7 | 15 |
| 50-64 | 98 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 31 | 5.3 | 15 | 2 | 2 | 3 | 6 | 13 | 14 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 323 | 3.0 | 6 | 2 | 2 | 2 | 3 | 4 | 6 | 15 |
| 20-34 | 288 | 3.5 | 17 | 2 | 2 | 3 | 3 | 5 | 7 | 18 |
| 35-49 | 265 | 3.4 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 218 | 3.7 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 65+ | 102 | 5.3 | 30 | 2 | 2 | 4 | 5 | 13 | 18 | 30 |
| TOT. SINGLE DX | 655 | 3.1 | 4 | 2 | 2 | 3 | 3 | 5 | 6 | 13 |
| " MULTIPLE DX | 1196 | 3.5 | 11 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| TOTAL 0-19 YRS | 517 | 2.9 | 5 | 2 | 2 | 2 | 3 | 4 | 5 | 14 |
| 20-34 | 473 | 3.3 | 12 | 2 | 2 | 3 | 3 | 5 | 6 | 14 |
| 35-49 | 412 | 3.4 | 5 | 2 | 2 | 3 | 3 | 5 | 7 | 13 |
| 50-64 | 316 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 8 | 14 |
| 65+ | 133 | 5.3 | 27 | 2 | 2 | 4 | 5 | 13 | 17 | 29 |
| GRAND TOTAL | 1851 | 3.4 | 9 | 2 | 2 | 3 | 3 | 5 | 7 | 16 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 206 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 20-34 | 95 | 3.1 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 16 |
| 35-49 | 109 | 3.2 | 5 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 84 | 3.2 | 3 | 1 | 2 | 3 | 3 | 6 | 8 | 11 |
| 65+ | 31 | 2.9 | 2 | 1 | 2 | 3 | 3 | 5 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 158 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 17 |
| 20-34 | 88 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 7 | 16 |
| 35-49 | 74 | 3.2 | 5 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 80 | 3.5 | 7 | 1 | 2 | 2 | 4 | 7 | 9 | 14 |
| 65+ | 30 | 5.6 | 40 | 2 | 2 | 3 | 6 | 14 | 21 | 30 |
| TOT. SINGLE DX | 525 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 430 | 3.2 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 18 |
| TOTAL 0-19 YRS | 364 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 20-34 | 183 | 3.0 | 6 | 1 | 2 | 2 | 3 | 5 | 6 | 17 |
| 35-49 | 183 | 3.2 | 6 | 1 | 2 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 164 | 3.3 | 5 | 1 | 2 | 2 | 4 | 7 | 8 | 13 |
| 65+ | 61 | 4.2 | 23 | 1 | 2 | 3 | 4 | 7 | 14 | 29 |
| GRAND TOTAL | 955 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 2.7 | 1 | 1 | 2 | 2 | 3 | 5 | 5 | 6 |
| 20-34 | 313 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 164 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 94 | 3.1 | 6 | 1 | 2 | 3 | 3 | 4 | 7 | 18 |
| 65+ | 20 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 236 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 687 | 3.0 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 9 |
| 35-49 | 369 | 3.2 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 50-64 | 198 | 3.7 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 65+ | 55 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 24 |
| TOT. SINGLE DX | 708 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 1545 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 353 | 2.8 | 1 | 1 | 2 | 3 | 3 | 5 | 5 | 6 |
| 20-34 | 1000 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 533 | 3.1 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 292 | 3.5 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 65+ | 75 | 4.1 | 12 | 1 | 2 | 3 | 4 | 8 | 11 | 22 |
| GRAND TOTAL | 2253 | 3.0 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 730 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1621 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 717 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 343 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 65+ | 114 | 3.1 | 6 | 1 | 1 | 3 | 3 | 4 | 8 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 880 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 2439 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| 35-49 | 1509 | 3.1 | 4 | 1 | 2 | 3 | 3 | 5 | 6 | 12 |
| 50-64 | 725 | 3.6 | 8 | 2 | 2 | 3 | 4 | 6 | 9 | 16 |
| 65+ | 222 | 4.8 | 57 | 2 | 2 | 3 | 5 | 8 | 12 | 31 |
| TOT. SINGLE DX | 3525 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 5775 | 3.0 | 7 | 1 | 2 | 3 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 1610 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 4060 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 2226 | 2.9 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| 50-64 | 1068 | 3.3 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 65+ | 336 | 4.2 | 41 | 1 | 2 | 3 | 4 | 7 | 11 | 25 |
| GRAND TOTAL | 9300 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 120 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 143 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 35-49 | 158 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 50-64 | 287 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 284 | 3.2 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 138 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 254 | 3.5 | 21 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 277 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 10 | 18 |
| 50-64 | 385 | 4.6 | 28 | 1 | 2 | 3 | 5 | 9 | 13 | 19 |
| 65+ | 434 | 6.6 | 48 | 2 | 2 | 4 | 8 | 15 | 19 | 33 |
| TOT. SINGLE DX | 992 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 1488 | 4.7 | 29 | 1 | 2 | 3 | 5 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 258 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 397 | 3.1 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 435 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 50-64 | 672 | 3.8 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 65+ | 718 | 5.2 | 37 | 1 | 2 | 3 | 6 | 11 | 16 | 32 |
| GRAND TOTAL | 2480 | 3.9 | 21 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 671 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 504 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 200 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 50-64 | 167 | 4.6 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 11 |
| 65+ | 130 | 4.9 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 237 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 378 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 35-49 | 176 | 5.3 | 16 | 1 | 1 | 4 | 7 | 11 | 13 | 19 |
| 50-64 | 202 | 6.1 | 17 | 1 | 2 | 5 | 7 | 12 | 16 | 21 |
| 65+ | 223 | 7.8 | 48 | 2 | 2 | 6 | 9 | 14 | 19 | 43 |
| TOT. SINGLE DX | 1672 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| " MULTIPLE DX | 1216 | 4.9 | 21 | 1 | 1 | 4 | 6 | 10 | 14 | 21 |
| TOTAL 0-19 YRS | 908 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 20-34 | 882 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 376 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 50-64 | 369 | 5.4 | 12 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 353 | 6.7 | 37 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| GRAND TOTAL | 2888 | 3.6 | 13 | <1 | 1 | 2 | 5 | 7 | 10 | 18 |

### 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 201 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 200 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 168 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 84 | 3.8 | 10 | 2 | 2 | 3 | 4 | 5 | 10 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 3.4 | 4 | 2 | 2 | 3 | 4 | 6 | 9 | 91 |
| 20-34 | 215 | 4.8 | 32 | 2 | 2 | 3 | 5 | 8 | 13 | 27 |
| 35-49 | 237 | 4.7 | 20 | 2 | 2 | 3 | 5 | 9 | 13 | 23 |
| 50-64 | 200 | 5.3 | 22 | 2 | 2 | 4 | 6 | 10 | 14 | 27 |
| 65+ | 105 | 5.9 | 27 | 2 | 2 | 4 | 6 | 14 | 18 | 26 |
| TOT. SINGLE DX | 702 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| " MULTIPLE DX | 816 | 5.0 | 24 | 2 | 2 | 3 | 5 | 9 | 14 | 27 |
| TOTAL 0-19 YRS | 108 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 48 |
| 20-34 | 416 | 4.0 | 20 | 1 | 2 | 3 | 4 | 7 | 10 | 18 |
| 35-49 | 437 | 4.1 | 13 | 2 | 2 | 3 | 4 | 7 | 11 | 19 |
| 50-64 | 368 | 4.5 | 14 | 2 | 2 | 3 | 5 | 8 | 11 | 25 |
| 65+ | 189 | 5.0 | 21 | 2 | 2 | 3 | 5 | 11 | 14 | 24 |
| **GRAND TOTAL** | **1518** | **4.2** | **16** | **2** | **2** | **3** | **4** | **7** | **11** | **21** |

### 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 105 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 20-34 | 178 | 3.9 | 21 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 136 | 3.9 | 50 | 1 | 1 | 2 | 3 | 7 | 12 | 26 |
| 50-64 | 119 | 4.1 | 12 | 1 | 2 | 3 | 5 | 8 | 13 | 18 |
| 65+ | 73 | 5.1 | 26 | 1 | 1 | 3 | 6 | 12 | 17 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 4.5 | 24 | <1 | 1 | 2 | 6 | 11 | 15 | 24 |
| 20-34 | 197 | 5.2 | 22 | 2 | 2 | 3 | 6 | 11 | 16 | 22 |
| 35-49 | 184 | 6.1 | 38 | 2 | 2 | 4 | 8 | 12 | 16 | 34 |
| 50-64 | 193 | 6.5 | 38 | 2 | 2 | 4 | 9 | 13 | 18 | 36 |
| 65+ | 122 | 7.5 | 35 | 2 | 2 | 6 | 10 | 14 | 17 | 33 |
| TOT. SINGLE DX | 611 | 3.9 | 24 | 1 | 1 | 3 | 4 | 8 | 12 | 18 |
| " MULTIPLE DX | 806 | 6.0 | 33 | 1 | 2 | 4 | 8 | 13 | 17 | 31 |
| TOTAL 0-19 YRS | 215 | 3.8 | 16 | <1 | 1 | 2 | 4 | 8 | 13 | 21 |
| 20-34 | 375 | 4.6 | 22 | 1 | 2 | 3 | 5 | 9 | 14 | 21 |
| 35-49 | 320 | 5.2 | 45 | 1 | 2 | 3 | 6 | 10 | 16 | 31 |
| 50-64 | 312 | 5.6 | 30 | 1 | 2 | 3 | 7 | 12 | 17 | 29 |
| 65+ | 195 | 6.6 | 33 | 2 | 2 | 5 | 9 | 14 | 17 | 32 |
| **GRAND TOTAL** | **1417** | **5.1** | **30** | **1** | **2** | **3** | **6** | **11** | **15** | **26** |

### 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2073 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 1658 | 1.9 | 3 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 35-49 | 418 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 15 |
| 50-64 | 253 | 3.2 | 24 | 1 | 1 | 2 | 3 | 4 | 7 | 39 |
| 65+ | 95 | 3.2 | 22 | 1 | 2 | 2 | 3 | 5 | 7 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 810 | 2.6 | 20 | 1 | 1 | 2 | 2 | 3 | 6 | 15 |
| 20-34 | 1189 | 3.9 | 44 | 1 | 1 | 2 | 3 | 7 | 13 | 37 |
| 35-49 | 831 | 4.5 | 35 | 1 | 2 | 2 | 4 | 11 | 17 | 31 |
| 50-64 | 917 | 4.9 | 34 | 1 | 2 | 3 | 5 | 11 | 16 | 33 |
| 65+ | 644 | 7.4 | 81 | 2 | 2 | 4 | 9 | 18 | 26 | 56 |
| TOT. SINGLE DX | 4497 | 2.0 | 4 | 1 | 1 | 2 | 2 | 2 | 3 | 6 |
| " MULTIPLE DX | 4391 | 4.5 | 44 | 1 | 1 | 2 | 4 | 10 | 16 | 35 |
| TOTAL 0-19 YRS | 2883 | 2.0 | 7 | 1 | 1 | 2 | 2 | 2 | 3 | 8 |
| 20-34 | 2847 | 2.8 | 21 | 1 | 1 | 2 | 2 | 4 | 6 | 23 |
| 35-49 | 1249 | 3.7 | 26 | 1 | 1 | 2 | 3 | 8 | 14 | 27 |
| 50-64 | 1170 | 4.5 | 33 | 1 | 2 | 2 | 4 | 10 | 15 | 34 |
| 65+ | 739 | 6.9 | 76 | 2 | 2 | 3 | 8 | 17 | 24 | 45 |
| **GRAND TOTAL** | **8888** | **3.2** | **25** | **1** | **1** | **2** | **2** | **5** | **11** | **27** |

### 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 310 | 1.2 | 3 | <1 | 1 | 1 | 1 | 2 | 2 | 5 |
| 20-34 | 45 | 2.4 | 7 | <1 | <1 | 1 | 2 | 5 | 8 | 16 |
| 35-49 | 16 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 13 | 2.6 | 1 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 193 | 1.7 | 12 | <1 | 1 | 1 | 2 | 2 | 4 | 7 |
| 20-34 | 36 | 5.1 | 28 | 1 | 1 | 3 | 8 | 12 | 22 | 99+ |
| 35-49 | 14 | 6.7 | 29 | 1 | 2 | 5 | 10 | 14 | 19 | 20 |
| 50-64 | 8 | 3.4 | 7 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 65+ | 4 | 6.0 | 54 | 2 | 2 | 3 | 10 | 17 | 17 | 17 |
| TOT. SINGLE DX | 385 | 1.4 | 4 | <1 | 1 | 1 | 1 | 2 | 3 | 8 |
| " MULTIPLE DX | 255 | 2.5 | 19 | <1 | 1 | 1 | 2 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 503 | 1.4 | 7 | <1 | 1 | 1 | 1 | 2 | 2 | 6 |
| 20-34 | 81 | 3.6 | 18 | <1 | <1 | 2 | 4 | 10 | 14 | 75 |
| 35-49 | 30 | 4.1 | 20 | 1 | 1 | 2 | 5 | 10 | 13 | 20 |
| 50-64 | 21 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 65+ | 5 | 5.2 | 44 | 2 | 2 | 2 | 6 | 17 | 17 | 17 |
| **GRAND TOTAL** | **640** | **1.9** | **10** | **<1** | **1** | **1** | **2** | **3** | **5** | **17** |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 2.2 | 2 | <1 | 1 | 2 | 2 | 4 | 6 | 8 |
| 20-34 | 110 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 228 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 180 | 3.1 | 5 | 2 | 2 | 2 | 4 | 5 | 6 | 14 |
| 65+ | 65 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 77 | 3.2 | 11 | 1 | 1 | 2 | 3 | 5 | 10 | 21 |
| 35-49 | 143 | 3.5 | 14 | 1 | 2 | 2 | 3 | 7 | 9 | 15 |
| 50-64 | 147 | 4.9 | 36 | 1 | 2 | 3 | 5 | 8 | 15 | 35 |
| 65+ | 98 | 5.7 | 27 | 1 | 2 | 4 | 6 | 12 | 18 | 26 |
| TOT. SINGLE DX | 647 | 2.9 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 9 |
| " MULTIPLE DX | 565 | 4.1 | 22 | 1 | 2 | 3 | 4 | 8 | 11 | 25 |
| TOTAL 0-19 YRS | 164 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 187 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 371 | 3.0 | 9 | 1 | 2 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 327 | 3.9 | 20 | 1 | 2 | 3 | 4 | 6 | 9 | 26 |
| 65+ | 163 | 4.7 | 19 | 2 | 2 | 3 | 5 | 10 | 13 | 23 |
| GRAND TOTAL | 1212 | 3.4 | 13 | 1 | 2 | 2 | 4 | 6 | 8 | 21 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 11 |
| 20-34 | 304 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 316 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| 50-64 | 375 | 4.0 | 6 | 2 | 2 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 318 | 4.6 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 4.0 | 8 | 1 | 2 | 3 | 4 | 6 | 12 | 15 |
| 20-34 | 107 | 4.0 | 4 | 2 | 2 | 4 | 4 | 7 | 8 | 12 |
| 35-49 | 148 | 5.3 | 37 | 2 | 2 | 4 | 5 | 9 | 10 | 39 |
| 50-64 | 245 | 5.5 | 13 | 2 | 2 | 4 | 7 | 10 | 13 | 18 |
| 65+ | 250 | 7.9 | 50 | 3 | 3 | 6 | 10 | 16 | 21 | 59 |
| TOT. SINGLE DX | 1424 | 3.9 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 793 | 5.9 | 30 | 2 | 2 | 4 | 7 | 11 | 15 | 36 |
| TOTAL 0-19 YRS | 154 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 411 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 464 | 4.3 | 16 | 2 | 2 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | 620 | 4.6 | 10 | 2 | 2 | 4 | 5 | 8 | 11 | 17 |
| 65+ | 568 | 6.1 | 30 | 2 | 3 | 4 | 7 | 12 | 16 | 35 |
| GRAND TOTAL | 2217 | 4.6 | 16 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 254 | 3.7 | 2 | 1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 8 | 4.3 | 2 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 6 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 3 | 5.0 | 19 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 147 | 4.5 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 12 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 4 | 5.0 | | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 6 | 6.3 | 10 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| 65+ | 4 | 4.5 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| TOT. SINGLE DX | 274 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| " MULTIPLE DX | 173 | 4.6 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| TOTAL 0-19 YRS | 401 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 20 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 10 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 9 | 5.3 | 9 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 65+ | 7 | 4.7 | 9 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| GRAND TOTAL | 447 | 4.1 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 527 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 165 | 3.9 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 187 | 3.9 | 14 | 1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 50-64 | 308 | 4.0 | 24 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| 65+ | 393 | 4.2 | 31 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 318 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| 20-34 | 246 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 35-49 | 243 | 5.9 | 40 | 1 | 2 | 4 | 8 | 13 | 16 | 32 |
| 50-64 | 434 | 7.7 | 78 | 2 | 2 | 4 | 9 | 18 | 23 | 42 |
| 65+ | 516 | 8.7 | 100 | 2 | 2 | 5 | 11 | 18 | 31 | 51 |
| TOT. SINGLE DX | 1580 | 3.6 | 18 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| " MULTIPLE DX | 1757 | 6.6 | 62 | 1 | 2 | 4 | 8 | 15 | 20 | 43 |
| TOTAL 0-19 YRS | 845 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 411 | 4.2 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| 35-49 | 430 | 5.0 | 30 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 50-64 | 742 | 6.1 | 59 | 1 | 2 | 3 | 7 | 14 | 20 | 37 |
| 65+ | 909 | 6.8 | 75 | 1 | 2 | 4 | 8 | 15 | 21 | 46 |
| GRAND TOTAL | 3337 | 5.2 | 44 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |

### 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5813 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 4513 | 2.2 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 480 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 81 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 19 |
| 65+ | 28 | 2.6 | 1 | 1 | 2 | 2 | 3 | 5 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 954 | 2.4 | 8 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 706 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 152 | 3.5 | 12 | 1 | 2 | 2 | 3 | 6 | 12 | 17 |
| 50-64 | 49 | 6.3 | 135 | 2 | 2 | 3 | 5 | 10 | 24 | 69 |
| 65+ | 17 | 7.7 | 169 | 2 | 2 | 3 | 5 | 17 | 42 | 55 |
| TOT. SINGLE DX | 10915 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 1878 | 2.8 | 12 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 6767 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 5219 | 2.3 | 2 | 1 | 2 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 632 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 130 | 4.1 | 58 | 1 | 2 | 2 | 4 | 6 | 10 | 52 |
| 65+ | 45 | 4.6 | 69 | 1 | 2 | 3 | 4 | 5 | 16 | 55 |
| GRAND TOTAL | 12793 | 2.2 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |

### 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9882 | 1.9 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 613 | 2.3 | | 1 | 2 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 34 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 11 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 12 | 10.3 | 697 | 1 | 1 | 2 | 4 | 34 | 85 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6383 | 2.0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 163 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 13 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 6 | 6 |
| 50-64 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 10552 | 2.0 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 6566 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| TOTAL 0-19 YRS | 16265 | 2.0 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 776 | 2.3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 47 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 14 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 16 | 8.3 | 526 | 1 | 2 | 2 | 2 | 8 | 68 | 94 |
| GRAND TOTAL | 17118 | 2.0 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |

### 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1091 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 33 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3062 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 19 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 3.3 | 7 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 4 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| TOT. SINGLE DX | 1128 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 3092 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 4153 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 52 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 6 | 2.0 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 5 | 3.2 | 5 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 4 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| GRAND TOTAL | 4220 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |

### 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 472 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 351 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 136 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 132 | 4.4 | 35 | 1 | 1 | 2 | 4 | 8 | 17 | 27 |
| 65+ | 87 | 4.7 | 14 | 1 | 2 | 3 | 6 | 10 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 136 | 3.6 | 24 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| 20-34 | 123 | 7.6 | 167 | 1 | 2 | 3 | 6 | 19 | 33 | 73 |
| 35-49 | 72 | 5.5 | 70 | 1 | 1 | 3 | 6 | 11 | 16 | 56 |
| 50-64 | 93 | 9.2 | 114 | 2 | 2 | 5 | 11 | 19 | 32 | 60 |
| 65+ | 129 | 10.9 | 169 | 2 | 2 | 6 | 14 | 21 | 40 | 75 |
| TOT. SINGLE DX | 1178 | 2.9 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| " MULTIPLE DX | 553 | 7.4 | 118 | 1 | 2 | 4 | 7 | 16 | 26 | 66 |
| TOTAL 0-19 YRS | 608 | 2.6 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 474 | 3.9 | 51 | 1 | 1 | 2 | 4 | 6 | 9 | 37 |
| 35-49 | 208 | 3.9 | 31 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 50-64 | 225 | 6.4 | 73 | 1 | 2 | 3 | 7 | 15 | 20 | 47 |
| 65+ | 216 | 8.4 | 116 | 2 | 2 | 4 | 10 | 18 | 29 | 57 |
| GRAND TOTAL | 1731 | 4.3 | 48 | 1 | 1 | 2 | 4 | 8 | 14 | 38 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 13 |
| 20-34 | 42 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 46 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 65 | 4.6 | 28 | 1 | 1 | 4 | 5 | 7 | 11 | 32 |
| 65+ | 76 | 5.1 | 24 | 1 | 2 | 4 | 6 | 8 | 10 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 108 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 18 | 4.4 | 15 | <1 | 1 | 3 | 6 | 10 | 14 | 15 |
| 35-49 | 35 | 4.4 | 6 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 50-64 | 78 | 7.2 | 126 | 2 | 2 | 5 | 6 | 13 | 22 | 76 |
| 65+ | 91 | 7.1 | 43 | 2 | 2 | 5 | 9 | 14 | 15 | 41 |
| TOT. SINGLE DX | 297 | 3.8 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 27 |
| " MULTIPLE DX | 330 | 5.5 | 47 | 1 | 2 | 4 | 6 | 10 | 14 | 34 |
| TOTAL 0-19 YRS | 176 | 2.9 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 60 | 3.6 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 35-49 | 81 | 4.1 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 15 |
| 50-64 | 143 | 6.0 | 83 | 1 | 2 | 4 | 6 | 9 | 18 | 37 |
| 65+ | 167 | 6.1 | 36 | 1 | 2 | 4 | 8 | 12 | 15 | 37 |
| GRAND TOTAL | 627 | 4.7 | 33 | 1 | 1 | 3 | 5 | 8 | 12 | 29 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 1.8 | 3 | <1 | <1 | 2 | 2 | 2 | 2 | 12 |
| 20-34 | 245 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 35-49 | 406 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 50-64 | 578 | 2.4 | 5 | 1 | 1 | 2 | 2 | 3 | 5 | 15 |
| 65+ | 372 | 2.5 | 9 | 1 | 1 | 2 | 2 | 4 | 6 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 94 | 3.5 | 17 | 1 | 1 | 2 | 4 | 6 | 12 | 67 |
| 35-49 | 200 | 3.9 | 22 | 1 | 1 | 2 | 4 | 8 | 11 | 28 |
| 50-64 | 400 | 4.8 | 36 | 1 | 1 | 2 | 5 | 11 | 19 | 34 |
| 65+ | 288 | 5.8 | 70 | 1 | 2 | 3 | 6 | 14 | 21 | 38 |
| TOT. SINGLE DX | 1713 | 2.2 | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 13 |
| " MULTIPLE DX | 1013 | 4.7 | 41 | 1 | 1 | 2 | 5 | 11 | 18 | 32 |
| TOTAL 0-19 YRS | 143 | 1.8 | 3 | <1 | <1 | 2 | 2 | 2 | 3 | 9 |
| 20-34 | 339 | 2.3 | 6 | 1 | 1 | 2 | 2 | 3 | 5 | 19 |
| 35-49 | 606 | 2.7 | 10 | 1 | 1 | 2 | 2 | 4 | 7 | 16 |
| 50-64 | 978 | 3.4 | 20 | 1 | 1 | 2 | 3 | 7 | 12 | 26 |
| 65+ | 660 | 4.0 | 39 | 1 | 1 | 2 | 3 | 8 | 14 | 30 |
| GRAND TOTAL | 2726 | 3.1 | 20 | 1 | 1 | 2 | 3 | 5 | 10 | 25 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 3.0 | 12 | 1 | 1 | 2 | 2 | 9 | 11 | 11 |
| 20-34 | 8 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 20 | 8.2 | 65 | <1 | 1 | 2 | 16 | 20 | 21 | 22 |
| 50-64 | 58 | 7.9 | 40 | 2 | 2 | 7 | 12 | 16 | 21 | 26 |
| 65+ | 42 | 10.4 | 33 | 1 | 2 | 11 | 15 | 17 | 18 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 5.8 | 32 | 1 | 1 | 2 | 11 | 13 | 13 | 13 |
| 20-34 | 6 | 6.3 | 50 | 1 | 1 | 3 | 8 | 19 | 20 | 20 |
| 35-49 | 11 | 12.0 | 59 | 1 | 2 | 12 | 16 | 23 | 25 | 25 |
| 50-64 | 35 | 12.1 | 102 | 2 | 2 | 10 | 17 | 24 | 36 | 43 |
| 65+ | 47 | 16.5 | 87 | 2 | 3 | 15 | 25 | 30 | 32 | 35 |
| TOT. SINGLE DX | 138 | 8.0 | 42 | 1 | 1 | 8 | 13 | 17 | 20 | 26 |
| " MULTIPLE DX | 104 | 13.4 | 93 | 2 | 2 | 12 | 19 | 26 | 31 | 41 |
| TOTAL 0-19 YRS | 15 | 3.9 | 19 | 1 | 1 | 2 | 7 | 11 | 13 | 13 |
| 20-34 | 14 | 4.1 | 26 | <1 | <1 | 2 | 4 | 9 | 18 | 20 |
| 35-49 | 31 | 9.5 | 65 | 1 | 1 | 11 | 16 | 21 | 22 | 25 |
| 50-64 | 93 | 9.5 | 67 | 2 | 2 | 8 | 13 | 20 | 25 | 42 |
| 65+ | 89 | 13.6 | 71 | 2 | 2 | 13 | 17 | 26 | 30 | 35 |
| GRAND TOTAL | 242 | 10.4 | 71 | 1 | 2 | 9 | 15 | 22 | 26 | 36 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 13 | 17.1 | 20 | 11 | 12 | 16 | 21 | 24 | 24 | 24 |
| 50-64 | 50 | 17.3 | 87 | 9 | 9 | 14 | 19 | 28 | 40 | 50 |
| 65+ | 52 | 17.6 | 61 | 9 | 10 | 15 | 22 | 29 | 36 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 35-49 | 9 | 30.1 | 730 | 14 | 14 | 21 | 30 | 76 | 98 | 98 |
| 50-64 | 88 | 26.0 | 228 | 10 | 11 | 23 | 33 | 43 | 61 | 73 |
| 65+ | 85 | 24.5 | 149 | 11 | 13 | 21 | 32 | 44 | 54 | 99+ |
| TOT. SINGLE DX | 117 | 17.3 | 69 | 9 | 10 | 15 | 22 | 27 | 36 | 48 |
| " MULTIPLE DX | 183 | 25.5 | 212 | 11 | 12 | 22 | 32 | 44 | 61 | 99 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 20.0 | 72 | 14 | 14 | 20 | 26 | 26 | 26 | 26 |
| 35-49 | 22 | 22.4 | 333 | 12 | 13 | 17 | 23 | 31 | 65 | 98 |
| 50-64 | 138 | 22.8 | 194 | 9 | 11 | 18 | 28 | 40 | 56 | 73 |
| 65+ | 137 | 21.9 | 127 | 11 | 11 | 19 | 27 | 40 | 45 | 99+ |
| GRAND TOTAL | 300 | 22.3 | 172 | 10 | 11 | 18 | 26 | 40 | 51 | 85 |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 40.0 | 2178 | 7 | 7 | 40 | 73 | 73 | 73 | 73 |
| 20-34 | 3 | 7.0 | 25 | 2 | 2 | 9 | 56 | 99+ | 99+ | 99+ |
| 35-49 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 4 | 18.0 | 30 | 12 | 12 | 17 | 22 | 25 | 25 | 25 |
| 65+ | 2 | 14.0 | 98 | 7 | 7 | 14 | 21 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 22.8 | 136 | 3 | 3 | 26 | 29 | 34 | 34 | 34 |
| 35-49 | 5 | 32.4 | 461 | 10 | 10 | 41 | 47 | 58 | 58 | 58 |
| 50-64 | 26 | 28.8 | 610 | 2 | 3 | 28 | 56 | 79 | 99+ | 99+ |
| 65+ | 28 | 31.8 | 409 | 9 | 13 | 30 | 47 | 84 | 99+ | 99+ |
| TOT. SINGLE DX | 13 | 16.5 | 333 | 3 | 6 | 12 | 21 | 76 | 95 | 99+ |
| " MULTIPLE DX | 64 | 29.9 | 462 | 3 | 7 | 29 | 48 | 75 | 99+ | 99+ |
| TOTAL 0-19 YRS | 2 | 40.0 | 2178 | 7 | 7 | 40 | 73 | 73 | 73 | 73 |
| 20-34 | 8 | 16.9 | 152 | 2 | 2 | 24 | 29 | 74 | 99+ | 99+ |
| 35-49 | 7 | 25.1 | 461 | 6 | 6 | 10 | 42 | 55 | 58 | 58 |
| 50-64 | 30 | 27.4 | 544 | 2 | 3 | 23 | 53 | 77 | 98 | 99+ |
| 65+ | 30 | 30.6 | 405 | 7 | 11 | 29 | 45 | 80 | 99 | 99+ |
| GRAND TOTAL | 77 | 27.7 | 461 | 3 | 6 | 24 | 47 | 75 | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 11.0 | 251 | 1 | 1 | 5 | 9 | 31 | 54 | 70 |
| 20-34 | 24 | 7.5 | 37 | 1 | 2 | 7 | 10 | 22 | 42 | 99+ |
| 35-49 | 21 | 9.5 | 41 | 2 | 3 | 7 | 13 | 20 | 23 | 24 |
| 50-64 | 68 | 13.1 | 459 | 2 | 2 | 5 | 13 | 34 | 72 | 98 |
| 65+ | 38 | 8.2 | 71 | 1 | 2 | 5 | 13 | 21 | 34 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 75 | 24.8 | 669 | 1 | 2 | 15 | 46 | 84 | 95 | 99+ |
| 20-34 | 89 | 30.7 | 636 | 3 | 4 | 26 | 54 | 83 | 99+ | 99+ |
| 35-49 | 64 | 32.0 | 522 | 3 | 6 | 30 | 51 | 79 | 99+ | 99+ |
| 50-64 | 215 | 27.5 | 530 | 2 | 3 | 22 | 45 | 77 | 99+ | 99+ |
| 65+ | 221 | 33.4 | 504 | 2 | 5 | 32 | 50 | 74 | 92 | 99+ |
| TOT. SINGLE DX | 190 | 10.6 | 241 | 1 | 2 | 5 | 12 | 23 | 51 | 99+ |
| " MULTIPLE DX | 664 | 30.0 | 557 | 2 | 4 | 28 | 49 | 78 | 99+ | 99+ |
| TOTAL 0-19 YRS | 114 | 20.1 | 566 | 1 | 1 | 9 | 36 | 69 | 88 | 99+ |
| 20-34 | 113 | 25.8 | 599 | 2 | 3 | 17 | 45 | 81 | 99+ | 99+ |
| 35-49 | 85 | 26.4 | 497 | 3 | 4 | 22 | 43 | 70 | 89 | 99+ |
| 50-64 | 283 | 24.0 | 549 | 2 | 2 | 17 | 41 | 70 | 89 | 99+ |
| 65+ | 259 | 29.7 | 520 | 2 | 3 | 29 | 46 | 72 | 91 | 99+ |
| GRAND TOTAL | 854 | 25.7 | 552 | 2 | 2 | 20 | 44 | 71 | 89 | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 6.1 | 19 | 1 | 2 | 5 | 10 | 11 | 14 | 19 |
| 20-34 | 132 | 6.4 | 31 | 2 | 2 | 5 | 8 | 11 | 21 | 27 |
| 35-49 | 215 | 7.1 | 28 | 1 | 2 | 6 | 9 | 16 | 17 | 23 |
| 50-64 | 544 | 8.3 | 42 | 2 | 2 | 7 | 11 | 17 | 21 | 30 |
| 65+ | 593 | 9.5 | 76 | 2 | 2 | 7 | 13 | 19 | 24 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 10.1 | 79 | 2 | 3 | 8 | 11 | 28 | 30 | 31 |
| 20-34 | 182 | 9.8 | 74 | 2 | 2 | 8 | 13 | 19 | 24 | 46 |
| 35-49 | 431 | 10.6 | 75 | 2 | 3 | 8 | 13 | 20 | 28 | 41 |
| 50-64 | 1408 | 11.7 | 93 | 2 | 3 | 9 | 15 | 22 | 29 | 52 |
| 65+ | 1982 | 13.5 | 111 | 3 | 4 | 11 | 17 | 27 | 34 | 55 |
| TOT. SINGLE DX | 1511 | 8.4 | 54 | 2 | 2 | 6 | 11 | 17 | 22 | 35 |
| " MULTIPLE DX | 4021 | 12.3 | 101 | 2 | 3 | 10 | 16 | 24 | 32 | 53 |
| TOTAL 0-19 YRS | 45 | 7.7 | 46 | 1 | 2 | 5 | 10 | 13 | 26 | 31 |
| 20-34 | 314 | 8.4 | 59 | 2 | 2 | 6 | 10 | 18 | 23 | 42 |
| 35-49 | 646 | 9.4 | 62 | 2 | 2 | 8 | 12 | 19 | 24 | 40 |
| 50-64 | 1952 | 10.7 | 82 | 2 | 2 | 9 | 14 | 21 | 27 | 47 |
| 65+ | 2575 | 12.6 | 106 | 2 | 3 | 10 | 16 | 25 | 32 | 54 |
| GRAND TOTAL | 5532 | 11.3 | 91 | 2 | 3 | 9 | 15 | 22 | 29 | 49 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 10.5 | 145 | 2 | 2 | 10 | 19 | 19 | 19 | 19 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 76.0 | | 76 | 76 | 76 | 76 | 76 | 76 | 76 |
| 65+ | 3 | 17.7 | 226 | 8 | 8 | 10 | 29 | 35 | 35 | 35 |
| TOT. SINGLE DX | 3 | 9.0 | 79 | 2 | 2 | 6 | 16 | 19 | 19 | 19 |
| " MULTIPLE DX | 5 | 26.0 | 947 | 1 | 1 | 10 | 45 | 76 | 76 | 76 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 32.3 | 1502 | 2 | 2 | 19 | 62 | 76 | 76 | 76 |
| 65+ | 3 | 17.7 | 226 | 8 | 8 | 10 | 29 | 35 | 35 | 35 |
| GRAND TOTAL | 8 | 19.6 | 641 | 1 | 1 | 9 | 27 | 64 | 76 | 76 |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 11.5 | 77 | 4 | 5 | 9 | 11 | 20 | 33 | 42 |
| 20-34 | 101 | 11.1 | 60 | 2 | 4 | 9 | 14 | 20 | 30 | 37 |
| 35-49 | 191 | 10.7 | 58 | 3 | 3 | 9 | 13 | 18 | 27 | 32 |
| 50-64 | 369 | 12.9 | 76 | 3 | 4 | 12 | 16 | 23 | 27 | 44 |
| 65+ | 375 | 12.2 | 63 | 2 | 3 | 11 | 16 | 21 | 26 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 15.1 | 71 | 7 | 8 | 12 | 18 | 29 | 32 | 33 |
| 20-34 | 112 | 12.4 | 91 | 3 | 4 | 10 | 16 | 19 | 24 | 58 |
| 35-49 | 232 | 15.2 | 102 | 4 | 6 | 13 | 18 | 29 | 35 | 54 |
| 50-64 | 726 | 15.7 | 107 | 3 | 5 | 14 | 20 | 28 | 35 | 56 |
| 65+ | 928 | 16.3 | 139 | 3 | 4 | 15 | 21 | 29 | 35 | 69 |
| TOT. SINGLE DX | 1054 | 12.0 | 68 | 2 | 3 | 10 | 16 | 22 | 27 | 41 |
| " MULTIPLE DX | 2013 | 15.7 | 121 | 3 | 5 | 14 | 20 | 28 | 35 | 62 |
| TOTAL 0-19 YRS | 33 | 13.1 | 76 | 5 | 6 | 10 | 14 | 29 | 32 | 42 |
| 20-34 | 213 | 11.8 | 77 | 3 | 4 | 9 | 16 | 20 | 26 | 45 |
| 35-49 | 423 | 13.1 | 88 | 3 | 5 | 11 | 16 | 25 | 30 | 48 |
| 50-64 | 1095 | 14.8 | 99 | 3 | 5 | 13 | 19 | 26 | 33 | 53 |
| 65+ | 1303 | 15.1 | 121 | 3 | 4 | 13 | 19 | 27 | 35 | 60 |
| GRAND TOTAL | 3067 | 14.5 | 106 | 3 | 4 | 12 | 13 | 26 | 33 | 53 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 21.0 | 242 | 10 | 10 | 21 | 32 | 32 | 32 | 32 |
| 20-34 | 13 | 13.5 | 24 | 6 | 8 | 13 | 15 | 21 | 24 | 25 |
| 35-49 | 76 | 14.2 | 35 | 7 | 7 | 13 | 17 | 21 | 26 | 37 |
| 50-64 | 240 | 15.1 | 36 | 8 | 8 | 14 | 18 | 23 | 27 | 33 |
| 65+ | 195 | 16.8 | 48 | 9 | 10 | 15 | 20 | 26 | 31 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 19.0 | 49 | 11 | 11 | 18 | 25 | 28 | 28 | 28 |
| 20-34 | 16 | 17.8 | 84 | 6 | 7 | 14 | 24 | 33 | 35 | 36 |
| 35-49 | 92 | 18.7 | 96 | 8 | 9 | 17 | 22 | 33 | 38 | 51 |
| 50-64 | 385 | 18.7 | 99 | 9 | 10 | 17 | 22 | 29 | 34 | 66 |
| 65+ | 350 | 21.4 | 135 | 10 | 11 | 18 | 25 | 35 | 45 | 81 |
| TOT. SINGLE DX | 526 | 15.6 | 42 | 8 | 9 | 15 | 19 | 24 | 28 | 37 |
| " MULTIPLE DX | 848 | 19.8 | 115 | 9 | 10 | 18 | 23 | 31 | 38 | 69 |
| TOTAL 0-19 YRS | 7 | 19.6 | 74 | 10 | 10 | 18 | 27 | 31 | 32 | 32 |
| 20-34 | 29 | 15.9 | 61 | 6 | 8 | 13 | 20 | 27 | 34 | 36 |
| 35-49 | 168 | 16.7 | 73 | 7 | 8 | 15 | 20 | 29 | 34 | 48 |
| 50-64 | 625 | 17.3 | 78 | 8 | 9 | 16 | 20 | 27 | 31 | 47 |
| 65+ | 545 | 19.7 | 109 | 9 | 10 | 18 | 23 | 32 | 39 | 67 |
| GRAND TOTAL | 1374 | 18.2 | 91 | 8 | 9 | 16 | 22 | 29 | 34 | 59 |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 181 | 4.5 | 23 | 1 | 1 | 2 | 6 | 11 | 14 | 22 |
| 20-34 | 226 | 6.4 | 58 | 1 | 1 | 5 | 8 | 13 | 17 | 35 |
| 35-49 | 365 | 6.8 | 58 | 1 | 2 | 5 | 9 | 15 | 19 | 31 |
| 50-64 | 746 | 7.2 | 45 | 1 | 2 | 5 | 10 | 16 | 21 | 31 |
| 65+ | 711 | 8.3 | 48 | 2 | 2 | 6 | 11 | 17 | 22 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 10.6 | 118 | 1 | 2 | 7 | 14 | 25 | 36 | 53 |
| 20-34 | 350 | 9.6 | 101 | 1 | 2 | 7 | 12 | 19 | 28 | 56 |
| 35-49 | 779 | 10.4 | 108 | 2 | 2 | 8 | 13 | 22 | 29 | 60 |
| 50-64 | 1988 | 11.4 | 92 | 2 | 3 | 9 | 15 | 23 | 30 | 49 |
| 65+ | 2511 | 13.2 | 119 | 2 | 3 | 10 | 17 | 26 | 34 | 59 |
| TOT. SINGLE DX | 2229 | 7.2 | 49 | 1 | 2 | 5 | 10 | 16 | 21 | 32 |
| " MULTIPLE DX | 5778 | 11.9 | 109 | 2 | 3 | 9 | 15 | 24 | 32 | 55 |
| TOTAL 0-19 YRS | 331 | 7.2 | 76 | 1 | 1 | 4 | 9 | 16 | 25 | 43 |
| 20-34 | 576 | 8.3 | 87 | 1 | 2 | 6 | 10 | 16 | 24 | 47 |
| 35-49 | 1144 | 9.3 | 95 | 2 | 2 | 6 | 11 | 20 | 26 | 53 |
| 50-64 | 2734 | 10.2 | 83 | 2 | 2 | 8 | 14 | 21 | 28 | 46 |
| 65+ | 3222 | 12.1 | 108 | 2 | 3 | 9 | 16 | 25 | 32 | 54 |
| GRAND TOTAL | 8007 | 10.6 | 97 | 2 | 2 | 8 | 14 | 22 | 29 | 50 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 6.3 | 20 | 1 | 2 | 5 | 9 | 11 | 16 | 20 |
| 20-34 | 74 | 6.0 | 22 | 2 | 3 | 5 | 7 | 9 | 16 | 28 |
| 35-49 | 33 | 8.0 | 27 | 2 | 3 | 7 | 11 | 16 | 19 | 23 |
| 50-64 | 21 | 10.6 | 47 | 3 | 4 | 10 | 14 | 19 | 23 | 28 |
| 65+ | 20 | 12.0 | 33 | 3 | 4 | 11 | 15 | 18 | 23 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 11.0 | 106 | 1 | 3 | 7 | 13 | 24 | 36 | 46 |
| 20-34 | 59 | 10.1 | 95 | 3 | 3 | 7 | 10 | 23 | 35 | 48 |
| 35-49 | 38 | 12.9 | 193 | 4 | 4 | 9 | 14 | 22 | 37 | 82 |
| 50-64 | 71 | 16.2 | 206 | 3 | 5 | 11 | 19 | 34 | 40 | 75 |
| 65+ | 74 | 13.2 | 78 | 2 | 4 | 10 | 16 | 28 | 32 | 39 |
| TOT. SINGLE DX | 172 | 7.7 | 32 | 2 | 3 | 6 | 10 | 16 | 19 | 28 |
| " MULTIPLE DX | 267 | 13.0 | 138 | 3 | 4 | 9 | 16 | 29 | 36 | 61 |
| TOTAL 0-19 YRS | 49 | 8.7 | 68 | 1 | 2 | 7 | 10 | 18 | 24 | 46 |
| 20-34 | 133 | 7.8 | 59 | 2 | 3 | 6 | 8 | 15 | 25 | 43 |
| 35-49 | 71 | 10.6 | 121 | 3 | 3 | 8 | 12 | 19 | 24 | 73 |
| 50-64 | 92 | 14.9 | 175 | 3 | 4 | 11 | 19 | 31 | 38 | 72 |
| 65+ | 94 | 12.9 | 69 | 2 | 4 | 10 | 16 | 27 | 32 | 39 |
| GRAND TOTAL | 439 | 10.9 | 103 | 2 | 3 | 8 | 13 | 23 | 32 | 50 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 174 | 6.4 | 21 | 2 | 3 | 5 | 8 | 11 | 15 | 25 |
| 20-34 | 575 | 6.5 | 32 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |
| 35-49 | 219 | 8.1 | 42 | 3 | 3 | 6 | 10 | 15 | 19 | 38 |
| 50-64 | 222 | 11.2 | 70 | 3 | 4 | 9 | 14 | 21 | 26 | 41 |
| 65+ | 160 | 13.3 | 86 | 3 | 4 | 11 | 19 | 26 | 32 | 40 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 258 | 14.3 | 255 | 3 | 4 | 9 | 15 | 36 | 46 | 94 |
| 20-34 | 534 | 10.4 | 105 | 3 | 3 | 7 | 12 | 20 | 33 | 60 |
| 35-49 | 413 | 13.1 | 107 | 3 | 4 | 10 | 17 | 25 | 34 | 67 |
| 50-64 | 700 | 14.9 | 145 | 3 | 4 | 12 | 19 | 30 | 38 | 68 |
| 65+ | 780 | 16.6 | 145 | 4 | 5 | 13 | 22 | 30 | 41 | 62 |
| TOT. SINGLE DX | 1350 | 8.3 | 51 | 3 | 3 | 6 | 10 | 16 | 21 | 37 |
| " MULTIPLE DX | 2685 | 14.2 | 147 | 3 | 4 | 11 | 18 | 28 | 39 | 70 |
| TOTAL 0-19 YRS | 432 | 11.1 | 176 | 3 | 3 | 7 | 12 | 22 | 38 | 82 |
| 20-34 | 1109 | 8.4 | 71 | 3 | 3 | 6 | 10 | 15 | 23 | 50 |
| 35-49 | 632 | 11.4 | 90 | 3 | 4 | 9 | 15 | 23 | 31 | 55 |
| 50-64 | 922 | 14.0 | 130 | 3 | 4 | 11 | 18 | 27 | 36 | 62 |
| 65+ | 940 | 16.0 | 137 | 4 | 5 | 13 | 21 | 30 | 39 | 59 |
| GRAND TOTAL | 4035 | 12.2 | 122 | 3 | 4 | 9 | 15 | 25 | 34 | 59 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 179 | 5.6 | 12 | 1 | 2 | 6 | 6 | 8 | 10 | 20 |
| 20-34 | 188 | 7.1 | 41 | 1 | 2 | 5 | 10 | 14 | 16 | 37 |
| 35-49 | 170 | 7.2 | 38 | 1 | 2 | 5 | 10 | 14 | 17 | 36 |
| 50-64 | 210 | 8.5 | 45 | 2 | 2 | 7 | 11 | 18 | 22 | 33 |
| 65+ | 210 | 10.5 | 89 | 2 | 2 | 9 | 14 | 22 | 30 | 56 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 62 | 10.3 | 100 | 1 | 2 | 8 | 13 | 20 | 26 | 63 |
| 20-34 | 161 | 10.8 | 58 | 2 | 3 | 9 | 14 | 20 | 26 | 35 |
| 35-49 | 259 | 11.5 | 104 | 2 | 3 | 9 | 15 | 27 | 31 | 64 |
| 50-64 | 500 | 13.4 | 129 | 2 | 3 | 10 | 16 | 27 | 36 | 62 |
| 65+ | 619 | 15.0 | 132 | 3 | 4 | 12 | 20 | 30 | 37 | 55 |
| TOT. SINGLE DX | 957 | 7.9 | 50 | 1 | 2 | 6 | 10 | 15 | 21 | 38 |
| " MULTIPLE DX | 1601 | 13.3 | 121 | 2 | 3 | 10 | 17 | 28 | 34 | 59 |
| TOTAL 0-19 YRS | 241 | 6.8 | 39 | 1 | 2 | 6 | 7 | 12 | 17 | 30 |
| 20-34 | 349 | 8.8 | 53 | 1 | 2 | 8 | 12 | 17 | 21 | 36 |
| 35-49 | 429 | 9.8 | 83 | 2 | 2 | 7 | 13 | 22 | 28 | 39 |
| 50-64 | 710 | 11.9 | 109 | 2 | 3 | 9 | 15 | 24 | 32 | 57 |
| 65+ | 829 | 13.9 | 125 | 2 | 3 | 11 | 18 | 29 | 37 | 54 |
| GRAND TOTAL | 2558 | 11.3 | 101 | 2 | 2 | 9 | 15 | 24 | 31 | 50 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 53 | 9.5 | 5 | 7 | 8 | 9 | 10 | 12 | 15 | 19 |
| 20-34 | 67 | 11.5 | 18 | 7 | 8 | 10 | 14 | 17 | 18 | 30 |
| 35-49 | 99 | 13.0 | 97 | 7 | 8 | 11 | 14 | 18 | 22 | 69 |
| 50-64 | 142 | 13.2 | 23 | 9 | 9 | 12 | 15 | 19 | 22 | 32 |
| 65+ | 91 | 17.5 | 68 | 10 | 10 | 15 | 19 | 26 | 34 | 56 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 64 | 11.3 | 23 | 7 | 8 | 10 | 12 | 16 | 19 | 34 |
| 20-34 | 73 | 20.3 | 212 | 8 | 9 | 14 | 25 | 45 | 48 | 70 |
| 35-49 | 157 | 18.0 | 167 | 8 | 9 | 14 | 19 | 28 | 42 | 83 |
| 50-64 | 326 | 19.7 | 149 | 9 | 10 | 16 | 23 | 33 | 50 | 67 |
| 65+ | 273 | 21.1 | 127 | 10 | 11 | 18 | 25 | 36 | 45 | 78 |
| TOT. SINGLE DX | 452 | 13.3 | 51 | 8 | 8 | 12 | 15 | 20 | 24 | 38 |
| " MULTIPLE DX | 893 | 19.3 | 148 | 9 | 9 | 16 | 23 | 33 | 47 | 73 |
| TOTAL 0-19 YRS | 117 | 10.4 | 16 | 7 | 8 | 9 | 11 | 15 | 17 | 28 |
| 20-34 | 140 | 16.1 | 138 | 7 | 8 | 12 | 17 | 30 | 46 | 65 |
| 35-49 | 256 | 16.1 | 146 | 8 | 8 | 13 | 17 | 25 | 34 | 83 |
| 50-64 | 468 | 17.7 | 120 | 9 | 9 | 14 | 20 | 30 | 42 | 66 |
| 65+ | 364 | 20.2 | 115 | 10 | 11 | 18 | 23 | 34 | 43 | 74 |
| GRAND TOTAL | 1345 | 17.3 | 123 | 8 | 9 | 14 | 19 | 30 | 40 | 67 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 11.0 |  | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 28 | 11.2 | 15 | 7 | 7 | 11 | 13 | 17 | 20 | 22 |
| 35-49 | 619 | 11.1 | 15 | 8 | 8 | 10 | 12 | 16 | 19 | 27 |
| 50-64 | 1825 | 11.8 | 14 | 8 | 8 | 11 | 13 | 16 | 19 | 25 |
| 65+ | 718 | 13.0 | 20 | 8 | 9 | 12 | 15 | 19 | 22 | 28 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 13.0 | 9 | 10 | 10 | 13 | 15 | 16 | 16 | 16 |
| 20-34 | 58 | 11.4 | 12 | 8 | 8 | 10 | 14 | 16 | 19 | 23 |
| 35-49 | 1011 | 13.1 | 33 | 8 | 8 | 12 | 15 | 20 | 24 | 35 |
| 50-64 | 3257 | 14.8 | 57 | 8 | 9 | 13 | 17 | 23 | 29 | 46 |
| 65+ | 1745 | 17.6 | 90 | 9 | 10 | 15 | 20 | 30 | 36 | 56 |
| TOT. SINGLE DX | 3191 | 11.9 | 17 | 8 | 8 | 11 | 13 | 17 | 20 | 27 |
| " MULTIPLE DX | 6074 | 15.3 | 65 | 8 | 9 | 13 | 17 | 24 | 31 | 49 |
| TOTAL 0-19 YRS | 4 | 12.5 | 7 | 10 | 10 | 12 | 14 | 16 | 16 | 16 |
| 20-34 | 86 | 11.4 | 13 | 7 | 8 | 10 | 13 | 16 | 20 | 23 |
| 35-49 | 1630 | 12.4 | 27 | 8 | 8 | 11 | 14 | 18 | 22 | 32 |
| 50-64 | 5082 | 13.7 | 44 | 8 | 8 | 12 | 16 | 21 | 25 | 40 |
| 65+ | 2463 | 16.3 | 74 | 9 | 9 | 14 | 19 | 27 | 34 | 52 |
| GRAND TOTAL | 9265 | 14.1 | 51 | 8 | 8 | 12 | 16 | 22 | 27 | 43 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 198 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 20-34 | 276 | 3.4 | 8 | 1 | 2 | 2 | 4 | 6 | 9 | 18 |
| 35-49 | 1637 | 3.4 | 9 | 2 | 2 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 2836 | 3.5 | 10 | 2 | 2 | 2 | 3 | 7 | 10 | 17 |
| 65+ | 915 | 4.2 | 16 | 2 | 2 | 2 | 4 | 10 | 13 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 288 | 4.0 | 46 | 1 | 1 | 2 | 3 | 8 | 15 | 29 |
| 20-34 | 418 | 5.8 | 49 | 2 | 2 | 3 | 7 | 13 | 18 | 35 |
| 35-49 | 3268 | 5.1 | 25 | 2 | 2 | 3 | 7 | 11 | 15 | 25 |
| 50-64 | 7302 | 5.5 | 27 | 2 | 2 | 3 | 7 | 12 | 16 | 25 |
| 65+ | 3071 | 7.1 | 58 | 2 | 2 | 4 | 9 | 15 | 20 | 38 |
| TOT. SINGLE DX | 5862 | 3.5 | 11 | 2 | 2 | 2 | 4 | 7 | 10 | 18 |
| " MULTIPLE DX | 14347 | 5.7 | 35 | 2 | 2 | 3 | 8 | 13 | 16 | 27 |
| TOTAL 0-19 YRS | 486 | 3.2 | 29 | 1 | 1 | 2 | 2 | 4 | 9 | 27 |
| 20-34 | 694 | 4.8 | 35 | 2 | 2 | 3 | 5 | 10 | 15 | 27 |
| 35-49 | 4905 | 4.6 | 21 | 2 | 2 | 3 | 6 | 10 | 13 | 22 |
| 50-64 | 10138 | 4.9 | 24 | 2 | 2 | 3 | 6 | 11 | 15 | 24 |
| 65+ | 3986 | 6.4 | 50 | 2 | 2 | 4 | 9 | 14 | 19 | 33 |
| GRAND TOTAL | 20209 | 5.1 | 29 | 2 | 2 | 3 | 6 | 11 | 15 | 25 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.6 | 4 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 22 | 9.9 | 79 | 2 | 3 | 8 | 13 | 18 | 28 | 43 |
| 35-49 | 58 | 8.2 | 32 | 2 | 4 | 7 | 9 | 14 | 18 | 35 |
| 50-64 | 232 | 7.6 | 31 | 2 | 2 | 6 | 10 | 15 | 19 | 26 |
| 65+ | 1095 | 7.6 | 33 | 2 | 2 | 6 | 9 | 15 | 18 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 10.2 | 29 | 2 | 3 | 12 | 13 | 16 | 20 | 21 |
| 20-34 | 35 | 10.0 | 190 | 2 | 2 | 7 | 11 | 15 | 21 | 84 |
| 35-49 | 188 | 13.2 | 71 | 3 | 4 | 12 | 17 | 21 | 25 | 44 |
| 50-64 | 986 | 12.6 | 62 | 3 | 4 | 11 | 16 | 22 | 27 | 40 |
| 65+ | 5060 | 13.2 | 87 | 3 | 4 | 11 | 17 | 24 | 30 | 48 |
| TOT. SINGLE DX | 1412 | 7.7 | 34 | 2 | 2 | 6 | 10 | 15 | 18 | 30 |
| " MULTIPLE DX | 6282 | 13.1 | 84 | 3 | 4 | 11 | 17 | 24 | 29 | 47 |
| TOTAL 0-19 YRS | 18 | 9.2 | 25 | 2 | 3 | 8 | 12 | 14 | 19 | 21 |
| 20-34 | 57 | 9.9 | 146 | 2 | 2 | 7 | 11 | 17 | 21 | 81 |
| 35-49 | 246 | 12.0 | 67 | 3 | 4 | 10 | 16 | 21 | 23 | 44 |
| 50-64 | 1218 | 11.6 | 61 | 3 | 4 | 10 | 15 | 21 | 25 | 39 |
| 65+ | 6155 | 12.2 | 82 | 3 | 4 | 10 | 15 | 23 | 28 | 46 |
| GRAND TOTAL | 7694 | 12.1 | 79 | 3 | 4 | 10 | 15 | 23 | 28 | 45 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 11.8 | 107 | 1 | 1 | 10 | 15 | 22 | 38 | 42 |
| 20-34 | 24 | 7.6 | 10 | 2 | 3 | 7 | 9 | 13 | 14 | 15 |
| 35-49 | 40 | 8.2 | 21 | 3 | 3 | 7 | 10 | 16 | 18 | 19 |
| 50-64 | 61 | 9.5 | 27 | 2 | 3 | 9 | 13 | 16 | 17 | 26 |
| 65+ | 28 | 10.1 | 43 | 3 | 3 | 8 | 15 | 19 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 12.0 | 32 | 4 | 6 | 11 | 14 | 18 | 25 | 29 |
| 20-34 | 53 | 15.3 | 204 | 5 | 6 | 11 | 17 | 22 | 59 | 74 |
| 35-49 | 104 | 15.1 | 97 | 3 | 5 | 13 | 20 | 29 | 37 | 48 |
| 50-64 | 210 | 15.5 | 162 | 3 | 4 | 12 | 18 | 29 | 42 | 68 |
| 65+ | 130 | 18.5 | 168 | 3 | 5 | 15 | 25 | 37 | 44 | 60 |
| TOT. SINGLE DX | 167 | 9.2 | 33 | 2 | 3 | 9 | 12 | 17 | 19 | 27 |
| " MULTIPLE DX | 519 | 16.0 | 151 | 3 | 5 | 13 | 20 | 31 | 42 | 63 |
| TOTAL 0-19 YRS | 36 | 11.9 | 59 | 1 | 3 | 11 | 14 | 20 | 27 | 42 |
| 20-34 | 77 | 12.9 | 156 | 3 | 5 | 10 | 14 | 21 | 36 | 71 |
| 35-49 | 144 | 13.2 | 86 | 3 | 4 | 11 | 17 | 24 | 32 | 47 |
| 50-64 | 271 | 14.2 | 138 | 2 | 4 | 11 | 16 | 26 | 40 | 63 |
| 65+ | 158 | 17.0 | 157 | 3 | 5 | 14 | 22 | 35 | 40 | 54 |
| GRAND TOTAL | 686 | 14.4 | 131 | 3 | 4 | 11 | 17 | 27 | 39 | 61 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 209 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 10 | 16 |
| 20-34 | 210 | 3.7 | 19 | <1 | 1 | 2 | 4 | 8 | 10 | 25 |
| 35-49 | 339 | 3.7 | 23 | 1 | 1 | 2 | 3 | 9 | 15 | 26 |
| 50-64 | 525 | 4.3 | 38 | 1 | 1 | 2 | 4 | 10 | 18 | 34 |
| 65+ | 480 | 5.9 | 72 | 1 | 1 | 2 | 7 | 15 | 22 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 7.5 | 71 | 1 | 1 | 5 | 10 | 16 | 21 | 79 |
| 20-34 | 253 | 10.7 | 121 | 1 | 2 | 8 | 14 | 22 | 31 | 59 |
| 35-49 | 461 | 9.0 | 73 | 1 | 2 | 7 | 12 | 19 | 28 | 39 |
| 50-64 | 1014 | 10.7 | 119 | 1 | 2 | 8 | 14 | 23 | 34 | 61 |
| 65+ | 1823 | 14.0 | 128 | 2 | 3 | 11 | 19 | 29 | 35 | 58 |
| TOT. SINGLE DX | 1763 | 4.4 | 41 | 1 | 1 | 2 | 4 | 10 | 17 | 31 |
| " MULTIPLE DX | 3759 | 11.9 | 121 | 2 | 2 | 9 | 16 | 25 | 34 | 58 |
| TOTAL 0-19 YRS | 417 | 5.2 | 48 | 1 | 1 | 2 | 7 | 13 | 16 | 45 |
| 20-34 | 463 | 7.5 | 87 | 1 | 1 | 4 | 10 | 17 | 25 | 55 |
| 35-49 | 800 | 6.8 | 59 | 1 | 1 | 3 | 9 | 16 | 22 | 36 |
| 50-64 | 1539 | 8.5 | 101 | 1 | 1 | 5 | 11 | 20 | 28 | 52 |
| 65+ | 2303 | 12.3 | 128 | 2 | 2 | 9 | 17 | 27 | 34 | 55 |
| GRAND TOTAL | 5522 | 9.5 | 108 | 1 | 1 | 6 | 13 | 22 | 30 | 50 |

### 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 3.9 | 4 | 2 | 2 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 565 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 832 | 4.7 | 11 | 2 | 3 | 4 | 5 | 8 | 9 | 16 |
| 50-64 | 646 | 5.7 | 21 | 2 | 3 | 5 | 6 | 9 | 12 | 25 |
| 65+ | 204 | 7.1 | 27 | 2 | 3 | 5 | 9 | 12 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 151 | 5.4 | 19 | 2 | 2 | 4 | 6 | 9 | 13 | 25 |
| 35-49 | 347 | 6.6 | 19 | 2 | 3 | 5 | 8 | 12 | 14 | 25 |
| 50-64 | 422 | 7.9 | 41 | 3 | 3 | 6 | 9 | 15 | 21 | 33 |
| 65+ | 169 | 12.6 | 102 | 3 | 3 | 9 | 17 | 29 | 35 | 44 |
| TOT. SINGLE DX | 2268 | 5.0 | 14 | 2 | 3 | 4 | 6 | 8 | 10 | 21 |
| " MULTIPLE DX | 1093 | 7.9 | 45 | 2 | 3 | 6 | 9 | 15 | 21 | 37 |
| TOTAL 0-19 YRS | 25 | 3.9 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 716 | 4.4 | 7 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 1179 | 5.3 | 14 | 2 | 3 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 1068 | 6.6 | 30 | 2 | 3 | 5 | 7 | 11 | 18 | 30 |
| 65+ | 373 | 9.6 | 69 | 3 | 3 | 7 | 12 | 21 | 29 | 41 |
| GRAND TOTAL | 3361 | 6.0 | 26 | 2 | 3 | 4 | 7 | 10 | 15 | 29 |

### 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 9.5 | 28 | 1 | 2 | 10 | 13 | 16 | 18 | 18 |
| 20-34 | 56 | 7.1 | 52 | <1 | 1 | 5 | 10 | 13 | 18 | 45 |
| 35-49 | 169 | 9.6 | 44 | 2 | 3 | 10 | 12 | 15 | 18 | 42 |
| 50-64 | 547 | 11.2 | 32 | 3 | 6 | 10 | 13 | 18 | 21 | 33 |
| 65+ | 514 | 13.3 | 70 | 4 | 6 | 11 | 15 | 21 | 28 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 11.9 | 55 | 3 | 4 | 11 | 15 | 25 | 30 | 99+ |
| 20-34 | 153 | 12.6 | 128 | 2 | 2 | 10 | 16 | 30 | 40 | 55 |
| 35-49 | 423 | 15.4 | 150 | 3 | 4 | 12 | 18 | 31 | 47 | 60 |
| 50-64 | 1525 | 16.2 | 144 | 4 | 6 | 13 | 19 | 29 | 40 | 72 |
| 65+ | 1748 | 19.0 | 166 | 6 | 8 | 16 | 23 | 35 | 45 | 81 |
| TOT. SINGLE DX | 1297 | 11.6 | 53 | 2 | 4 | 10 | 14 | 19 | 23 | 42 |
| " MULTIPLE DX | 3896 | 17.2 | 156 | 4 | 6 | 14 | 21 | 32 | 44 | 75 |
| TOTAL 0-19 YRS | 58 | 11.4 | 50 | 2 | 3 | 11 | 15 | 23 | 28 | 94 |
| 20-34 | 209 | 11.1 | 114 | 1 | 2 | 8 | 14 | 27 | 35 | 53 |
| 35-49 | 592 | 13.7 | 127 | 2 | 3 | 11 | 17 | 25 | 39 | 56 |
| 50-64 | 2072 | 14.8 | 120 | 4 | 6 | 12 | 18 | 26 | 35 | 66 |
| 65+ | 2262 | 17.7 | 150 | 5 | 7 | 14 | 21 | 33 | 44 | 76 |
| GRAND TOTAL | 5193 | 15.8 | 136 | 3 | 6 | 13 | 19 | 29 | 39 | 67 |

### 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 3 | 9.0 | 1 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | 6 | 15.3 | 24 | 9 | 9 | 16 | 17 | 22 | 23 | 23 |
| 65+ | 5 | 18.0 | 153 | 8 | 8 | 12 | 27 | 37 | 37 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 3 | 24.0 | 399 | 7 | 7 | 19 | 39 | 46 | 46 | 46 |
| 35-49 | 3 | 10.7 | 9 | 8 | 8 | 10 | 13 | 14 | 14 | 14 |
| 50-64 | 30 | 15.1 | 138 | 8 | 8 | 10 | 19 | 22 | 34 | 68 |
| 65+ | 15 | 14.3 | 36 | 8 | 9 | 13 | 17 | 22 | 27 | 29 |
| TOT. SINGLE DX | 15 | 14.9 | 64 | 8 | 8 | 12 | 17 | 24 | 34 | 37 |
| " MULTIPLE DX | 52 | 15.0 | 111 | 8 | 8 | 11 | 19 | 23 | 33 | 68 |
| TOTAL 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 4 | 21.5 | 291 | 7 | 7 | 16 | 32 | 46 | 46 | 46 |
| 35-49 | 6 | 9.8 | 5 | 8 | 8 | 9 | 10 | 14 | 14 | 14 |
| 50-64 | 36 | 15.1 | 118 | 8 | 8 | 11 | 19 | 23 | 31 | 68 |
| 65+ | 20 | 15.3 | 62 | 8 | 8 | 12 | 19 | 26 | 33 | 37 |
| GRAND TOTAL | 67 | 15.0 | 99 | 8 | 8 | 11 | 18 | 23 | 34 | 64 |

### 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 2.1 | 7 | <1 | <1 | 1 | 2 | 6 | 10 | 10 |
| 20-34 | 11 | 9.1 | 65 | <1 | 1 | 7 | 12 | 21 | 29 | 30 |
| 35-49 | 26 | 6.6 | 77 | 1 | 2 | 4 | 6 | 14 | 24 | 45 |
| 50-64 | 58 | 5.8 | 28 | 1 | 1 | 4 | 7 | 13 | 17 | 28 |
| 65+ | 39 | 7.5 | 30 | 1 | 2 | 6 | 10 | 14 | 19 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 7.4 | 54 | <1 | <1 | 5 | 11 | 17 | 19 | 35 |
| 20-34 | 292 | 6.0 | 43 | <1 | <1 | 4 | 7 | 14 | 19 | 37 |
| 35-49 | 393 | 7.0 | 45 | 1 | 2 | 5 | 9 | 15 | 19 | 34 |
| 50-64 | 785 | 8.0 | 71 | 1 | 2 | 6 | 9 | 15 | 22 | 44 |
| 65+ | 619 | 9.0 | 74 | 2 | 2 | 7 | 11 | 19 | 24 | 51 |
| TOT. SINGLE DX | 145 | 6.4 | 40 | 1 | 1 | 5 | 8 | 14 | 18 | 31 |
| " MULTIPLE DX | 2123 | 7.8 | 64 | 1 | 2 | 5 | 10 | 16 | 21 | 40 |
| TOTAL 0-19 YRS | 45 | 6.1 | 48 | <1 | <1 | 3 | 9 | 16 | 18 | 35 |
| 20-34 | 303 | 6.1 | 44 | <1 | <1 | 4 | 8 | 14 | 19 | 37 |
| 35-49 | 419 | 7.0 | 47 | 1 | 2 | 5 | 9 | 15 | 19 | 34 |
| 50-64 | 843 | 7.8 | 69 | 1 | 2 | 6 | 9 | 15 | 21 | 44 |
| 65+ | 658 | 8.9 | 72 | 2 | 2 | 7 | 11 | 18 | 24 | 51 |
| GRAND TOTAL | 2268 | 7.7 | 63 | 1 | 2 | 5 | 9 | 16 | 21 | 40 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 252 | 7.8 | 59 | 1 | 1 | 6 | 10 | 14 | 21 | 41 |
| 20-34 | 326 | 6.9 | 63 | 1 | 1 | 5 | 9 | 16 | 20 | 32 |
| 35-49 | 397 | 9.1 | 63 | 2 | 2 | 7 | 11 | 19 | 24 | 40 |
| 50-64 | 1295 | 9.4 | 46 | 2 | 3 | 8 | 12 | 17 | 21 | 31 |
| 65+ | 1824 | 10.7 | 55 | 2 | 4 | 9 | 14 | 19 | 23 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1800 | 19.5 | 370 | 1 | 3 | 12 | 29 | 51 | 68 | 99+ |
| 20-34 | 575 | 11.8 | 168 | 1 | 2 | 7 | 15 | 26 | 41 | 72 |
| 35-49 | 967 | 13.5 | 205 | 2 | 2 | 9 | 17 | 30 | 45 | 82 |
| 50-64 | 3297 | 13.6 | 132 | 2 | 4 | 11 | 17 | 27 | 36 | 74 |
| 65+ | 4986 | 15.7 | 135 | 4 | 5 | 13 | 19 | 29 | 39 | 65 |
| TOT. SINGLE DX | 4094 | 9.7 | 56 | 2 | 3 | 8 | 12 | 18 | 22 | 38 |
| " MULTIPLE DX | 11625 | 15.3 | 183 | 2 | 4 | 12 | 19 | 32 | 44 | 83 |
| TOTAL 0-19 YRS | 2052 | 18.1 | 347 | 1 | 3 | 11 | 25 | 49 | 65 | 99+ |
| 20-34 | 901 | 10.0 | 136 | 1 | 2 | 6 | 13 | 21 | 33 | 67 |
| 35-49 | 1364 | 12.2 | 168 | 2 | 2 | 8 | 15 | 27 | 38 | 71 |
| 50-64 | 4592 | 12.4 | 112 | 2 | 3 | 10 | 15 | 24 | 32 | 63 |
| 65+ | 6810 | 14.3 | 119 | 3 | 5 | 12 | 18 | 26 | 35 | 62 |
| GRAND TOTAL | 15719 | 13.8 | 156 | 2 | 3 | 10 | 17 | 28 | 39 | 75 |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 579 | 3.0 | 7 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 20-34 | 592 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 14 | 24 |
| 35-49 | 384 | 5.1 | 29 | 1 | 2 | 3 | 6 | 11 | 14 | 23 |
| 50-64 | 458 | 6.4 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 28 |
| 65+ | 371 | 7.4 | 34 | 2 | 2 | 6 | 10 | 15 | 20 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 188 | 5.2 | 23 | 1 | 1 | 3 | 7 | 11 | 14 | 28 |
| 20-34 | 314 | 6.7 | 27 | 2 | 2 | 5 | 9 | 13 | 17 | 26 |
| 35-49 | 392 | 8.0 | 49 | 2 | 2 | 6 | 11 | 16 | 22 | 35 |
| 50-64 | 730 | 10.5 | 91 | 2 | 2 | 8 | 13 | 21 | 29 | 48 |
| 65+ | 900 | 11.9 | 90 | 2 | 3 | 9 | 15 | 24 | 29 | 56 |
| TOT. SINGLE DX | 2384 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| " MULTIPLE DX | 2524 | 9.7 | 76 | 2 | 2 | 7 | 13 | 20 | 26 | 44 |
| TOTAL 0-19 YRS | 767 | 3.6 | 13 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 20-34 | 906 | 5.4 | 24 | 1 | 2 | 3 | 7 | 11 | 15 | 25 |
| 35-49 | 776 | 6.6 | 42 | 1 | 2 | 4 | 9 | 14 | 19 | 31 |
| 50-64 | 1188 | 8.9 | 73 | 2 | 2 | 7 | 11 | 18 | 26 | 44 |
| 65+ | 1271 | 10.5 | 78 | 2 | 2 | 8 | 14 | 22 | 27 | 47 |
| GRAND TOTAL | 4908 | 7.5 | 57 | 1 | 2 | 5 | 10 | 16 | 22 | 36 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 42 | 7.0 | 22 | 2 | 2 | 6 | 9 | 16 | 17 | 18 |
| 35-49 | 39 | 10.1 | 161 | 2 | 2 | 8 | 12 | 16 | 19 | 81 |
| 50-64 | 76 | 10.8 | 81 | 3 | 3 | 8 | 13 | 21 | 26 | 53 |
| 65+ | 77 | 10.9 | 51 | 4 | 4 | 9 | 14 | 21 | 28 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 5.4 | 32 | 1 | 1 | 3 | 8 | 15 | 15 | 15 |
| 20-34 | 31 | 9.3 | 121 | 2 | 3 | 7 | 10 | 14 | 16 | 65 |
| 35-49 | 55 | 13.4 | 150 | 2 | 4 | 9 | 16 | 24 | 29 | 73 |
| 50-64 | 180 | 14.6 | 152 | 4 | 5 | 10 | 17 | 31 | 40 | 58 |
| 65+ | 210 | 14.4 | 160 | 4 | 5 | 10 | 17 | 28 | 36 | 77 |
| TOT. SINGLE DX | 252 | 9.5 | 74 | 2 | 3 | 8 | 12 | 18 | 23 | 38 |
| " MULTIPLE DX | 461 | 13.9 | 154 | 3 | 4 | 10 | 16 | 29 | 37 | 68 |
| TOTAL 0-19 YRS | 23 | 3.1 | 9 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 20-34 | 73 | 8.0 | 64 | 2 | 2 | 6 | 10 | 15 | 16 | 54 |
| 35-49 | 94 | 12.0 | 156 | 2 | 3 | 9 | 15 | 22 | 27 | 78 |
| 50-64 | 256 | 13.4 | 134 | 3 | 4 | 9 | 16 | 30 | 36 | 59 |
| 65+ | 287 | 13.4 | 133 | 4 | 5 | 10 | 16 | 26 | 35 | 66 |
| GRAND TOTAL | 733 | 12.4 | 131 | 2 | 3 | 9 | 15 | 25 | 35 | 61 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 73.0 | | 73 | 73 | 73 | 73 | 73 | 73 | 73 |
| 20-34 | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 9.5 | 111 | 2 | 2 | 5 | 16 | 25 | 25 | 25 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOT. SINGLE DX | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| " MULTIPLE DX | 8 | 18.3 | 553 | 2 | 3 | 8 | 22 | 59 | 73 | 73 |
| TOTAL 0-19 YRS | 1 | 73.0 | | 73 | 73 | 73 | 73 | 73 | 73 | 73 |
| 20-34 | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 35-49 | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 50-64 | 4 | 9.5 | 111 | 2 | 2 | 5 | 16 | 25 | 25 | 25 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| GRAND TOTAL | 10 | 17.0 | 437 | 2 | 3 | 9 | 20 | 49 | 73 | 73 |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| " MULTIPLE DX | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3 | 5.0 | 19 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 245 | 7.4 | 46 | 2 | 3 | 6 | 8 | 13 | 18 | 44 |
| 20-34 | 286 | 8.5 | 50 | 2 | 3 | 6 | 10 | 16 | 23 | 37 |
| 35-49 | 239 | 8.7 | 57 | 2 | 2 | 7 | 10 | 17 | 23 | 36 |
| 50-64 | 411 | 9.2 | 63 | 2 | 2 | 7 | 11 | 19 | 27 | 44 |
| 65+ | 612 | 10.3 | 75 | 2 | 3 | 8 | 13 | 20 | 27 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 299 | 11.4 | 122 | 2 | 3 | 8 | 13 | 23 | 36 | 75 |
| 20-34 | 578 | 11.9 | 138 | 3 | 4 | 9 | 13 | 23 | 34 | 75 |
| 35-49 | 717 | 12.4 | 108 | 3 | 4 | 9 | 15 | 24 | 31 | 64 |
| 50-64 | 1628 | 12.7 | 108 | 3 | 4 | 10 | 16 | 24 | 32 | 59 |
| 65+ | 3742 | 13.9 | 118 | 3 | 5 | 11 | 17 | 26 | 35 | 59 |
| TOT. SINGLE DX | 1793 | 9.2 | 63 | 2 | 3 | 7 | 11 | 18 | 25 | 43 |
| " MULTIPLE DX | 6964 | 13.2 | 117 | 3 | 4 | 10 | 16 | 25 | 34 | 61 |
| TOTAL 0-19 YRS | 544 | 9.6 | 92 | 2 | 3 | 7 | 11 | 18 | 28 | 56 |
| 20-34 | 864 | 10.8 | 112 | 3 | 3 | 8 | 12 | 20 | 32 | 61 |
| 35-49 | 956 | 11.5 | 98 | 2 | 4 | 8 | 14 | 22 | 30 | 59 |
| 50-64 | 2039 | 12.0 | 101 | 3 | 4 | 9 | 15 | 23 | 31 | 55 |
| 65+ | 4354 | 13.4 | 114 | 3 | 4 | 10 | 16 | 25 | 34 | 57 |
| GRAND TOTAL | 8757 | 12.3 | 109 | 3 | 4 | 9 | 15 | 24 | 32 | 57 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 12.2 | 261 | 2 | 2 | 5 | 14 | 41 | 44 | 44 |
| 20-34 | 20 | 14.3 | 295 | 1 | 2 | 9 | 18 | 30 | 54 | 76 |
| 35-49 | 16 | 9.1 | 45 | 1 | 1 | 8 | 15 | 17 | 21 | 23 |
| 50-64 | 28 | 12.0 | 76 | 3 | 3 | 9 | 15 | 27 | 32 | 37 |
| 65+ | 36 | 16.4 | 317 | 2 | 2 | 11 | 19 | 38 | 64 | 77 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 20.6 | 506 | 2 | 3 | 13 | 30 | 68 | 83 | 99+ |
| 20-34 | 63 | 17.7 | 253 | 3 | 3 | 12 | 24 | 46 | 53 | 97 |
| 35-49 | 100 | 16.9 | 287 | 2 | 3 | 13 | 19 | 32 | 57 | 91 |
| 50-64 | 161 | 16.4 | 185 | 3 | 4 | 12 | 20 | 34 | 45 | 69 |
| 65+ | 268 | 20.2 | 240 | 3 | 5 | 17 | 27 | 42 | 52 | 96 |
| TOT. SINGLE DX | 106 | 13.5 | 205 | 2 | 2 | 9 | 16 | 30 | 39 | 76 |
| " MULTIPLE DX | 651 | 18.5 | 261 | 3 | 4 | 14 | 24 | 40 | 56 | 92 |
| TOTAL 0-19 YRS | 65 | 19.9 | 486 | 2 | 3 | 13 | 28 | 63 | 82 | 99+ |
| 20-34 | 83 | 16.9 | 262 | 2 | 3 | 11 | 24 | 42 | 53 | 94 |
| 35-49 | 116 | 15.8 | 261 | 2 | 3 | 13 | 18 | 30 | 53 | 91 |
| 50-64 | 189 | 15.7 | 171 | 3 | 4 | 12 | 19 | 33 | 44 | 68 |
| 65+ | 304 | 19.8 | 250 | 3 | 4 | 16 | 26 | 41 | 52 | 94 |
| GRAND TOTAL | 757 | 17.8 | 256 | 3 | 4 | 13 | 23 | 38 | 54 | 90 |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 4.1 | 11 | <1 | 1 | 3 | 6 | 10 | 11 | 13 |
| 20-34 | 117 | 5.0 | 17 | 1 | 1 | 3 | 7 | 11 | 13 | 20 |
| 35-49 | 170 | 7.1 | 45 | 1 | 1 | 5 | 9 | 16 | 22 | 30 |
| 50-64 | 248 | 8.0 | 106 | 1 | 1 | 4 | 9 | 19 | 31 | 50 |
| 65+ | 312 | 7.1 | 59 | 1 | 1 | 5 | 9 | 16 | 20 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 8.9 | 95 | 1 | 1 | 6 | 12 | 16 | 27 | 54 |
| 20-34 | 233 | 7.9 | 64 | 1 | 2 | 6 | 9 | 16 | 23 | 40 |
| 35-49 | 437 | 8.8 | 68 | 2 | 2 | 7 | 10 | 18 | 26 | 46 |
| 50-64 | 842 | 9.8 | 101 | 2 | 2 | 7 | 12 | 22 | 30 | 51 |
| 65+ | 1108 | 11.6 | 127 | 2 | 3 | 9 | 14 | 24 | 33 | 59 |
| TOT. SINGLE DX | 889 | 6.9 | 63 | 1 | 1 | 4 | 9 | 15 | 21 | 41 |
| " MULTIPLE DX | 2668 | 10.2 | 105 | 2 | 2 | 7 | 12 | 22 | 30 | 50 |
| TOTAL 0-19 YRS | 90 | 6.6 | 61 | <1 | 1 | 4 | 9 | 14 | 16 | 46 |
| 20-34 | 350 | 6.9 | 51 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| 35-49 | 607 | 8.3 | 62 | 1 | 2 | 6 | 10 | 18 | 25 | 45 |
| 50-64 | 1090 | 9.4 | 103 | 1 | 2 | 6 | 12 | 21 | 30 | 50 |
| 65+ | 1420 | 10.6 | 116 | 2 | 2 | 8 | 13 | 22 | 31 | 53 |
| GRAND TOTAL | 3557 | 9.4 | 97 | 1 | 2 | 6 | 11 | 20 | 29 | 48 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 355 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 4 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 7 | 11.6 | 35 | 7 | 7 | 9 | 13 | 22 | 24 | 24 |
| 50-64 | 6 | 34.7 | 330 | 7 | 9 | 38 | 49 | 52 | 52 | 52 |
| 65+ | 12 | 16.8 | 85 | 4 | 5 | 14 | 27 | 28 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 7.2 | 55 | 2 | 3 | 5 | 8 | 11 | 17 | 44 |
| 20-34 | 7 | 12.3 | 67 | 6 | 6 | 11 | 12 | 26 | 30 | 30 |
| 35-49 | 13 | 14.2 | 23 | 7 | 9 | 12 | 18 | 19 | 23 | 24 |
| 50-64 | 17 | 18.6 | 133 | 8 | 9 | 14 | 20 | 41 | 47 | 48 |
| 65+ | 29 | 17.8 | 89 | 7 | 8 | 15 | 22 | 33 | 38 | 41 |
| TOT. SINGLE DX | 384 | 5.4 | 34 | 2 | 2 | 4 | 5 | 8 | 13 | 36 |
| " MULTIPLE DX | 133 | 11.9 | 93 | 3 | 3 | 9 | 15 | 24 | 34 | 45 |
| TOTAL 0-19 YRS | 422 | 4.8 | 17 | 2 | 2 | 4 | 5 | 8 | 10 | 20 |
| 20-34 | 11 | 10.0 | 51 | 5 | 5 | 7 | 11 | 19 | 29 | 30 |
| 35-49 | 20 | 13.3 | 27 | 7 | 8 | 12 | 17 | 21 | 24 | 24 |
| 50-64 | 23 | 22.8 | 224 | 8 | 9 | 19 | 27 | 49 | 50 | 52 |
| 65+ | 41 | 17.5 | 86 | 6 | 7 | 14 | 23 | 30 | 36 | 41 |
| GRAND TOTAL | 517 | 7.1 | 57 | 2 | 2 | 4 | 8 | 14 | 23 | 44 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 6.6 | 24 | 1 | 2 | 4 | 9 | 15 | 16 | 16 |
| 20-34 | 7 | 7.1 | 14 | 3 | 3 | 9 | 9 | 12 | 13 | 13 |
| 35-49 | 13 | 20.6 | 252 | 6 | 6 | 13 | 36 | 44 | 49 | 50 |
| 50-64 | 14 | 9.0 | 22 | 3 | 4 | 8 | 11 | 14 | 19 | 21 |
| 65+ | 51 | 18.1 | 212 | 5 | 6 | 14 | 23 | 43 | 74 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 18.3 | 263 | 5 | 6 | 14 | 20 | 36 | 44 | 88 |
| 20-34 | 13 | 24.5 | 758 | 3 | 5 | 13 | 69 | 99+ | 99+ | 99+ |
| 35-49 | 28 | 26.4 | 398 | 4 | 6 | 21 | 34 | 65 | 67 | 69 |
| 50-64 | 111 | 23.8 | 326 | 6 | 7 | 17 | 33 | 56 | 66 | 99+ |
| 65+ | 333 | 26.0 | 321 | 6 | 8 | 21 | 35 | 57 | 71 | 99+ |
| TOT. SINGLE DX | 92 | 15.3 | 181 | 3 | 4 | 11 | 20 | 40 | 48 | 99+ |
| " MULTIPLE DX | 517 | 25.0 | 335 | 5 | 7 | 19 | 34 | 57 | 72 | 99+ |
| TOTAL 0-19 YRS | 39 | 16.2 | 239 | 4 | 4 | 13 | 19 | 33 | 43 | 88 |
| 20-34 | 20 | 18.5 | 556 | 2 | 3 | 10 | 28 | 89 | 99+ | 99+ |
| 35-49 | 41 | 24.6 | 352 | 5 | 6 | 18 | 35 | 56 | 66 | 69 |
| 50-64 | 125 | 22.2 | 314 | 5 | 7 | 16 | 31 | 55 | 64 | 99+ |
| 65+ | 384 | 24.9 | 314 | 6 | 7 | 20 | 35 | 56 | 72 | 99+ |
| GRAND TOTAL | 609 | 23.6 | 323 | 5 | 7 | 18 | 32 | 55 | 70 | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 4.7 | 7 | 1 | 1 | 5 | 6 | 9 | 11 | 11 |
| 20-34 | 134 | 5.9 | 11 | 1 | 2 | 5 | 8 | 11 | 13 | 15 |
| 35-49 | 222 | 6.3 | 20 | 1 | 2 | 5 | 8 | 11 | 16 | 24 |
| 50-64 | 259 | 7.4 | 47 | 1 | 2 | 6 | 9 | 12 | 16 | 43 |
| 65+ | 281 | 7.8 | 28 | 1 | 2 | 7 | 9 | 14 | 17 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 6.4 | 10 | 3 | 3 | 5 | 8 | 11 | 13 | 16 |
| 20-34 | 377 | 7.6 | 35 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 35-49 | 771 | 8.5 | 41 | 2 | 3 | 7 | 10 | 15 | 21 | 35 |
| 50-64 | 1246 | 9.4 | 46 | 3 | 3 | 8 | 11 | 17 | 22 | 35 |
| 65+ | 1870 | 11.4 | 71 | 3 | 4 | 9 | 14 | 22 | 27 | 45 |
| TOT. SINGLE DX | 917 | 6.9 | 30 | 1 | 2 | 6 | 9 | 12 | 16 | 25 |
| " MULTIPLE DX | 4301 | 9.9 | 57 | 3 | 3 | 8 | 12 | 19 | 24 | 40 |
| TOTAL 0-19 YRS | 58 | 5.8 | 10 | 2 | 2 | 5 | 7 | 11 | 11 | 16 |
| 20-34 | 511 | 7.2 | 30 | 2 | 3 | 6 | 9 | 13 | 15 | 26 |
| 35-49 | 993 | 8.0 | 38 | 2 | 3 | 7 | 10 | 14 | 20 | 34 |
| 50-64 | 1505 | 9.0 | 47 | 2 | 3 | 8 | 11 | 16 | 22 | 35 |
| 65+ | 2151 | 11.0 | 67 | 3 | 4 | 9 | 14 | 21 | 26 | 45 |
| GRAND TOTAL | 5218 | 9.4 | 54 | 2 | 3 | 8 | 11 | 18 | 23 | 38 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 7.5 | 6 | 3 | 5 | 7 | 9 | 11 | 13 | 13 |
| 20-34 | 101 | 11.4 | 20 | 6 | 7 | 10 | 14 | 17 | 21 | 26 |
| 35-49 | 190 | 13.2 | 50 | 7 | 8 | 11 | 15 | 21 | 27 | 45 |
| 50-64 | 227 | 14.6 | 80 | 7 | 8 | 13 | 16 | 23 | 27 | 49 |
| 65+ | 177 | 18.3 | 105 | 8 | 10 | 16 | 21 | 28 | 40 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 15.7 | 51 | 5 | 6 | 15 | 21 | 25 | 26 | 26 |
| 20-34 | 77 | 15.1 | 89 | 7 | 8 | 12 | 19 | 24 | 36 | 55 |
| 35-49 | 267 | 17.1 | 108 | 7 | 8 | 14 | 20 | 30 | 40 | 61 |
| 50-64 | 400 | 19.3 | 120 | 9 | 10 | 17 | 23 | 31 | 39 | 68 |
| 65+ | 515 | 23.5 | 213 | 10 | 11 | 20 | 27 | 44 | 59 | 83 |
| TOT. SINGLE DX | 706 | 14.6 | 75 | 7 | 8 | 13 | 17 | 23 | 28 | 49 |
| " MULTIPLE DX | 1266 | 20.2 | 162 | 8 | 9 | 17 | 24 | 35 | 47 | 71 |
| TOTAL 0-19 YRS | 18 | 10.7 | 39 | 4 | 5 | 8 | 13 | 21 | 24 | 26 |
| 20-34 | 178 | 13.0 | 53 | 6 | 7 | 11 | 15 | 20 | 25 | 48 |
| 35-49 | 457 | 15.5 | 88 | 7 | 8 | 13 | 17 | 28 | 34 | 53 |
| 50-64 | 627 | 17.6 | 111 | 8 | 9 | 15 | 21 | 29 | 37 | 65 |
| 65+ | 692 | 22.2 | 190 | 9 | 10 | 18 | 25 | 40 | 54 | 79 |
| GRAND TOTAL | 1972 | 18.2 | 138 | 8 | 9 | 15 | 21 | 31 | 42 | 69 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 16.0 | 9 | 13 | 13 | 16 | 18 | 19 | 19 | 19 |
| 35-49 | 7 | 18.1 | 27 | 8 | 9 | 20 | 21 | 23 | 24 | 24 |
| 50-64 | 22 | 20.6 | 52 | 10 | 12 | 18 | 25 | 32 | 34 | 36 |
| 65+ | 23 | 21.0 | 51 | 11 | 13 | 19 | 27 | 31 | 34 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 35-49 | 18 | 28.2 | 379 | 7 | 9 | 24 | 33 | 63 | 73 | 75 |
| 50-64 | 49 | 24.0 | 197 | 10 | 13 | 18 | 28 | 46 | 56 | 65 |
| 65+ | 59 | 27.3 | 211 | 13 | 14 | 23 | 30 | 43 | 67 | 77 |
| TOT. SINGLE DX | 55 | 20.2 | 47 | 10 | 13 | 19 | 24 | 30 | 33 | 37 |
| " MULTIPLE DX | 127 | 26.1 | 227 | 11 | 13 | 22 | 29 | 44 | 65 | 76 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 17.5 | 15 | 13 | 13 | 17 | 20 | 22 | 22 | 22 |
| 35-49 | 25 | 25.4 | 297 | 7 | 9 | 20 | 29 | 46 | 72 | 75 |
| 50-64 | 71 | 23.0 | 154 | 10 | 12 | 18 | 27 | 40 | 55 | 65 |
| 65+ | 82 | 25.6 | 174 | 12 | 14 | 22 | 28 | 40 | 53 | 76 |
| GRAND TOTAL | 182 | 24.4 | 179 | 11 | 13 | 21 | 28 | 40 | 55 | 74 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 8.0 | 10 | 5 | 5 | 7 | 11 | 13 | 14 | 14 |
| 20-34 | 106 | 11.8 | 51 | 6 | 7 | 9 | 13 | 21 | 23 | 41 |
| 35-49 | 144 | 12.1 | 36 | 7 | 7 | 10 | 14 | 18 | 23 | 36 |
| 50-64 | 123 | 13.1 | 46 | 7 | 7 | 11 | 14 | 20 | 28 | 45 |
| 65+ | 51 | 15.0 | 73 | 6 | 7 | 12 | 18 | 25 | 32 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 11.6 | 12 | 7 | 8 | 11 | 13 | 17 | 18 | 18 |
| 20-34 | 82 | 13.4 | 60 | 6 | 8 | 11 | 15 | 22 | 31 | 46 |
| 35-49 | 185 | 14.0 | 55 | 7 | 7 | 12 | 16 | 23 | 31 | 45 |
| 50-64 | 225 | 16.8 | 109 | 8 | 8 | 14 | 20 | 28 | 36 | 68 |
| 65+ | 172 | 22.2 | 164 | 9 | 10 | 19 | 27 | 38 | 47 | 73 |
| TOT. SINGLE DX | 435 | 12.5 | 48 | 6 | 7 | 11 | 15 | 21 | 24 | 44 |
| " MULTIPLE DX | 671 | 17.0 | 112 | 7 | 8 | 14 | 20 | 30 | 38 | 62 |
| TOTAL 0-19 YRS | 18 | 9.4 | 14 | 5 | 5 | 9 | 12 | 14 | 16 | 18 |
| 20-34 | 188 | 12.5 | 56 | 6 | 7 | 10 | 15 | 21 | 25 | 46 |
| 35-49 | 329 | 13.2 | 48 | 7 | 7 | 11 | 15 | 22 | 26 | 43 |
| 50-64 | 348 | 15.5 | 90 | 7 | 8 | 13 | 18 | 26 | 32 | 62 |
| 65+ | 223 | 20.6 | 152 | 8 | 9 | 17 | 25 | 37 | 46 | 71 |
| GRAND TOTAL | 1106 | 15.2 | 92 | 7 | 7 | 12 | 18 | 26 | 34 | 53 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 7.4 | 11 | 2 | 3 | 7 | 8 | 11 | 13 | 21 |
| 20-34 | 551 | 8.8 | 22 | 5 | 6 | 8 | 10 | 12 | 15 | 25 |
| 35-49 | 410 | 10.0 | 29 | 5 | 6 | 9 | 11 | 15 | 20 | 31 |
| 50-64 | 202 | 11.0 | 24 | 6 | 7 | 10 | 13 | 17 | 21 | 31 |
| 65+ | 170 | 14.4 | 60 | 6 | 7 | 13 | 17 | 26 | 30 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 11.5 | 103 | 4 | 5 | 8 | 10 | 25 | 39 | 91 |
| 20-34 | 869 | 9.9 | 49 | 5 | 5 | 8 | 10 | 16 | 21 | 44 |
| 35-49 | 929 | 11.8 | 83 | 5 | 6 | 9 | 12 | 21 | 29 | 54 |
| 50-64 | 543 | 15.5 | 118 | 6 | 7 | 12 | 19 | 27 | 35 | 71 |
| 65+ | 451 | 20.6 | 194 | 7 | 9 | 16 | 25 | 38 | 53 | 87 |
| TOT. SINGLE DX | 1392 | 10.1 | 32 | 5 | 6 | 9 | 11 | 16 | 21 | 32 |
| " MULTIPLE DX | 2861 | 13.3 | 111 | 5 | 6 | 10 | 15 | 25 | 33 | 64 |
| TOTAL 0-19 YRS | 128 | 9.6 | 65 | 3 | 4 | 8 | 9 | 15 | 26 | 65 |
| 20-34 | 1420 | 9.5 | 39 | 5 | 5 | 8 | 10 | 14 | 18 | 38 |
| 35-49 | 1339 | 11.2 | 67 | 5 | 6 | 9 | 12 | 18 | 26 | 49 |
| 50-64 | 745 | 14.3 | 97 | 6 | 7 | 11 | 17 | 25 | 32 | 65 |
| 65+ | 621 | 18.9 | 165 | 7 | 8 | 15 | 23 | 32 | 47 | 70 |
| GRAND TOTAL | 4253 | 12.2 | 87 | 5 | 6 | 9 | 14 | 22 | 29 | 56 |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 20-34 | 344 | 5.5 | 13 | 1 | 1 | 5 | 7 | 11 | 12 | 16 |
| 35-49 | 385 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 50-64 | 555 | 4.6 | 26 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 65+ | 567 | 5.2 | 26 | 1 | 1 | 3 | 7 | 13 | 16 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 6.8 | 26 | 1 | 2 | 5 | 9 | 13 | 16 | 28 |
| 20-34 | 497 | 7.5 | 33 | 2 | 3 | 6 | 9 | 14 | 19 | 32 |
| 35-49 | 817 | 8.2 | 58 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 50-64 | 1499 | 7.9 | 46 | 1 | 2 | 7 | 10 | 15 | 20 | 33 |
| 65+ | 2295 | 10.0 | 76 | 2 | 2 | 8 | 13 | 20 | 27 | 44 |
| TOT. SINGLE DX | 1988 | 5.1 | 22 | 1 | 1 | 3 | 7 | 11 | 15 | 22 |
| " MULTIPLE DX | 5237 | 8.8 | 61 | 2 | 2 | 7 | 11 | 18 | 23 | 39 |
| TOTAL 0-19 YRS | 266 | 6.1 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| 20-34 | 841 | 6.7 | 27 | 1 | 2 | 6 | 8 | 12 | 15 | 25 |
| 35-49 | 1202 | 7.2 | 48 | 1 | 2 | 6 | 9 | 14 | 19 | 35 |
| 50-64 | 2054 | 7.0 | 43 | 1 | 1 | 5 | 9 | 14 | 19 | 32 |
| 65+ | 2862 | 9.1 | 70 | 1 | 2 | 7 | 12 | 19 | 25 | 42 |
| GRAND TOTAL | 7225 | 7.8 | 53 | 1 | 2 | 6 | 10 | 16 | 21 | 36 |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 10.5 | 82 | 5 | 5 | 8 | 12 | 15 | 37 | 46 |
| 20-34 | 48 | 13.0 | 45 | 6 | 7 | 11 | 15 | 20 | 26 | 40 |
| 35-49 | 59 | 12.3 | 44 | 6 | 7 | 10 | 13 | 20 | 31 | 33 |
| 50-64 | 64 | 15.8 | 145 | 6 | 8 | 13 | 16 | 31 | 40 | 73 |
| 65+ | 82 | 17.0 | 134 | 6 | 7 | 15 | 20 | 28 | 40 | 69 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 20.0 | 400 | 6 | 7 | 13 | 26 | 71 | 98 | 99+ |
| 20-34 | 138 | 14.3 | 72 | 7 | 7 | 12 | 17 | 25 | 34 | 62 |
| 35-49 | 139 | 18.2 | 229 | 6 | 7 | 14 | 21 | 34 | 57 | 99+ |
| 50-64 | 249 | 21.5 | 225 | 7 | 8 | 17 | 27 | 45 | 57 | 99+ |
| 65+ | 396 | 21.4 | 170 | 8 | 10 | 18 | 26 | 39 | 51 | 92 |
| TOT. SINGLE DX | 286 | 14.3 | 101 | 6 | 7 | 11 | 16 | 23 | 34 | 57 |
| " MULTIPLE DX | 973 | 19.9 | 196 | 7 | 8 | 16 | 24 | 40 | 54 | 99+ |
| TOTAL 0-19 YRS | 84 | 16.3 | 294 | 5 | 6 | 10 | 18 | 48 | 90 | 99+ |
| 20-34 | 186 | 14.0 | 65 | 6 | 7 | 12 | 17 | 23 | 32 | 55 |
| 35-49 | 198 | 16.4 | 181 | 6 | 7 | 13 | 19 | 31 | 47 | 99 |
| 50-64 | 313 | 20.3 | 214 | 7 | 8 | 16 | 26 | 44 | 54 | 99+ |
| 65+ | 478 | 20.7 | 166 | 8 | 9 | 17 | 25 | 37 | 50 | 82 |
| GRAND TOTAL | 1259 | 18.6 | 180 | 7 | 8 | 15 | 22 | 37 | 50 | 99+ |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 15.4 | 102 | 7 | 7 | 12 | 20 | 27 | 36 | 52 |
| 20-34 | 145 | 13.6 | 52 | 6 | 7 | 12 | 15 | 23 | 32 | 39 |
| 35-49 | 270 | 13.5 | 34 | 8 | 9 | 12 | 16 | 20 | 23 | 41 |
| 50-64 | 671 | 13.8 | 36 | 8 | 9 | 13 | 16 | 19 | 24 | 38 |
| 65+ | 1108 | 15.8 | 50 | 9 | 10 | 14 | 18 | 23 | 27 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 19.0 | 251 | 6 | 7 | 14 | 22 | 48 | 70 | 99+ |
| 20-34 | 235 | 16.9 | 125 | 7 | 8 | 13 | 18 | 31 | 42 | 65 |
| 35-49 | 465 | 16.6 | 96 | 8 | 9 | 14 | 19 | 27 | 34 | 71 |
| 50-64 | 1451 | 18.1 | 108 | 9 | 10 | 15 | 21 | 29 | 39 | 63 |
| 65+ | 3241 | 21.1 | 131 | 10 | 11 | 18 | 25 | 35 | 44 | 70 |
| TOT. SINGLE DX | 2229 | 14.8 | 46 | 8 | 9 | 13 | 17 | 22 | 26 | 42 |
| " MULTIPLE DX | 5457 | 19.7 | 126 | 9 | 10 | 17 | 23 | 33 | 43 | 70 |
| TOTAL 0-19 YRS | 100 | 17.8 | 201 | 7 | 7 | 13 | 21 | 44 | 58 | 99+ |
| 20-34 | 380 | 15.6 | 100 | 7 | 8 | 13 | 17 | 30 | 37 | 62 |
| 35-49 | 735 | 15.5 | 76 | 8 | 9 | 13 | 18 | 24 | 31 | 54 |
| 50-64 | 2122 | 16.8 | 90 | 9 | 10 | 14 | 19 | 27 | 35 | 59 |
| 65+ | 4349 | 19.7 | 116 | 9 | 11 | 17 | 23 | 32 | 41 | 67 |
| GRAND TOTAL | 7686 | 18.3 | 108 | 9 | 10 | 15 | 21 | 30 | 39 | 65 |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 8.6 | 17 | 3 | 3 | 9 | 12 | 14 | 14 | 14 |
| 20-34 | 17 | 11.2 | 72 | 4 | 4 | 9 | 11 | 18 | 33 | 41 |
| 35-49 | 16 | 9.4 | 18 | 3 | 5 | 9 | 11 | 13 | 19 | 22 |
| 50-64 | 20 | 12.0 | 31 | 3 | 5 | 11 | 14 | 20 | 23 | 26 |
| 65+ | 31 | 20.3 | 89 | 6 | 10 | 20 | 28 | 32 | 35 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 19.9 | 585 | 3 | 6 | 12 | 16 | 38 | 85 | 99 |
| 20-34 | 32 | 15.3 | 57 | 6 | 8 | 13 | 23 | 28 | 32 | 99+ |
| 35-49 | 51 | 21.7 | 147 | 9 | 9 | 20 | 28 | 39 | 45 | 62 |
| 50-64 | 129 | 17.8 | 160 | 7 | 8 | 14 | 21 | 35 | 43 | 88 |
| 65+ | 204 | 22.6 | 206 | 9 | 10 | 19 | 26 | 38 | 55 | 84 |
| TOT. SINGLE DX | 91 | 13.9 | 75 | 4 | 5 | 12 | 17 | 28 | 32 | 43 |
| " MULTIPLE DX | 430 | 20.4 | 191 | 8 | 9 | 16 | 25 | 36 | 46 | 88 |
| TOTAL 0-19 YRS | 21 | 16.1 | 415 | 3 | 4 | 11 | 14 | 31 | 62 | 99 |
| 20-34 | 49 | 13.9 | 65 | 4 | 6 | 11 | 17 | 27 | 33 | 99+ |
| 35-49 | 67 | 18.8 | 144 | 6 | 8 | 13 | 25 | 35 | 43 | 60 |
| 50-64 | 149 | 17.0 | 147 | 6 | 8 | 14 | 20 | 31 | 41 | 85 |
| 65+ | 235 | 22.3 | 191 | 9 | 10 | 19 | 27 | 37 | 47 | 83 |
| GRAND TOTAL | 521 | 19.3 | 177 | 7 | 8 | 15 | 24 | 35 | 43 | 85 |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 7.6 | 15 | 3 | 4 | 7 | 9 | 11 | 13 | 29 |
| 20-34 | 228 | 9.7 | 18 | 5 | 5 | 9 | 11 | 13 | 16 | 27 |
| 35-49 | 177 | 10.3 | 29 | 4 | 6 | 10 | 12 | 15 | 17 | 24 |
| 50-64 | 201 | 11.8 | 48 | 5 | 7 | 10 | 13 | 19 | 24 | 39 |
| 65+ | 252 | 11.7 | 39 | 3 | 6 | 11 | 14 | 18 | 24 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 132 | 14.4 | 183 | 4 | 5 | 11 | 18 | 26 | 35 | 91 |
| 20-34 | 303 | 12.9 | 103 | 5 | 6 | 10 | 14 | 23 | 30 | 72 |
| 35-49 | 299 | 14.8 | 123 | 5 | 7 | 11 | 17 | 26 | 35 | 78 |
| 50-64 | 380 | 16.3 | 150 | 6 | 7 | 13 | 18 | 27 | 43 | 68 |
| 65+ | 616 | 17.4 | 136 | 7 | 8 | 14 | 20 | 33 | 44 | 66 |
| TOT. SINGLE DX | 981 | 10.5 | 33 | 4 | 5 | 10 | 12 | 16 | 20 | 33 |
| " MULTIPLE DX | 1730 | 15.7 | 138 | 6 | 7 | 12 | 18 | 29 | 40 | 69 |
| TOTAL 0-19 YRS | 255 | 11.1 | 114 | 3 | 4 | 8 | 12 | 20 | 27 | 61 |
| 20-34 | 531 | 11.5 | 70 | 5 | 6 | 10 | 12 | 18 | 25 | 53 |
| 35-49 | 476 | 13.1 | 93 | 5 | 6 | 11 | 14 | 21 | 30 | 62 |
| 50-64 | 581 | 14.7 | 120 | 6 | 7 | 12 | 16 | 26 | 35 | 65 |
| 65+ | 868 | 15.8 | 115 | 6 | 7 | 13 | 18 | 29 | 40 | 59 |
| GRAND TOTAL | 2711 | 13.8 | 106 | 5 | 6 | 11 | 16 | 24 | 33 | 62 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 12.3 | 25 | 5 | 6 | 12 | 15 | 19 | 22 | 22 |
| 20-34 | 15 | 11.1 | 47 | 3 | 3 | 10 | 15 | 22 | 25 | 26 |
| 35-49 | 25 | 12.0 | 16 | 4 | 6 | 12 | 14 | 18 | 19 | 20 |
| 50-64 | 44 | 17.9 | 148 | 5 | 7 | 15 | 22 | 30 | 40 | 70 |
| 65+ | 77 | 18.1 | 84 | 7 | 8 | 16 | 24 | 31 | 33 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 16.0 | 211 | 5 | 6 | 11 | 20 | 52 | 75 | 99+ |
| 20-34 | 39 | 15.9 | 76 | 3 | 5 | 15 | 20 | 25 | 31 | 45 |
| 35-49 | 76 | 21.3 | 211 | 6 | 8 | 19 | 25 | 47 | 55 | 91 |
| 50-64 | 206 | 22.9 | 186 | 9 | 10 | 20 | 28 | 42 | 52 | 92 |
| 65+ | 388 | 24.8 | 194 | 9 | 11 | 22 | 32 | 44 | 53 | 71 |
| TOT. SINGLE DX | 173 | 16.2 | 91 | 5 | 7 | 14 | 20 | 28 | 32 | 48 |
| " MULTIPLE DX | 731 | 23.2 | 194 | 8 | 10 | 20 | 28 | 43 | 53 | 79 |
| TOTAL 0-19 YRS | 34 | 14.7 | 146 | 5 | 6 | 11 | 16 | 28 | 59 | 99+ |
| 20-34 | 54 | 14.6 | 72 | 3 | 4 | 13 | 20 | 25 | 26 | 45 |
| 35-49 | 101 | 19.0 | 179 | 5 | 7 | 14 | 23 | 43 | 54 | 83 |
| 50-64 | 250 | 22.1 | 183 | 8 | 10 | 19 | 27 | 40 | 50 | 86 |
| 65+ | 465 | 23.7 | 183 | 8 | 10 | 21 | 30 | 42 | 51 | 70 |
| GRAND TOTAL | 904 | 21.8 | 181 | 7 | 9 | 19 | 27 | 41 | 50 | 73 |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6661 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 4163 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 1299 | 5.3 | 9 | 2 | 3 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 658 | 7.1 | 19 | 3 | 3 | 6 | 9 | 12 | 15 | 24 |
| 65+ | 290 | 8.4 | 29 | 3 | 3 | 7 | 10 | 15 | 21 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1535 | 6.3 | 22 | 2 | 3 | 5 | 7 | 12 | 16 | 24 |
| 20-34 | 1235 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| 35-49 | 508 | 9.1 | 41 | 3 | 3 | 7 | 11 | 16 | 19 | 35 |
| 50-64 | 445 | 11.4 | 54 | 3 | 4 | 10 | 15 | 20 | 25 | 37 |
| 65+ | 392 | 14.9 | 113 | 5 | 6 | 12 | 18 | 26 | 34 | 63 |
| TOT. SINGLE DX | 13071 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 16 |
| " MULTIPLE DX | 4115 | 8.0 | 43 | 2 | 3 | 6 | 10 | 15 | 20 | 33 |
| TOTAL 0-19 YRS | 8196 | 4.5 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 17 |
| 20-34 | 5398 | 4.8 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 1807 | 6.3 | 22 | 2 | 3 | 5 | 8 | 12 | 15 | 26 |
| 50-64 | 1103 | 8.9 | 38 | 3 | 3 | 7 | 11 | 16 | 20 | 32 |
| 65+ | 682 | 12.1 | 88 | 3 | 4 | 10 | 15 | 23 | 29 | 53 |
| GRAND TOTAL | 17186 | 5.4 | 19 | 2 | 2 | 4 | 6 | 10 | 13 | 23 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 4.6 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 19 |
| 20-34 | 89 | 5.4 | 9 | 2 | 3 | 5 | 6 | 9 | 11 | 17 |
| 35-49 | 15 | 6.4 | 5 | 3 | 4 | 7 | 8 | 10 | 10 | 10 |
| 50-64 | 3 | 7.7 | 2 | 6 | 6 | 8 | 9 | 9 | 9 | 9 |
| 65+ | 8 | 14.6 | 81 | 8 | 8 | 12 | 15 | 30 | 36 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 6.5 | 14 | 2 | 3 | 5 | 8 | 12 | 14 | 19 |
| 20-34 | 49 | 7.6 | 28 | 3 | 3 | 7 | 8 | 13 | 15 | 35 |
| 35-49 | 22 | 8.6 | 35 | 3 | 4 | 7 | 10 | 15 | 24 | 29 |
| 50-64 | 15 | 17.4 | 247 | 5 | 5 | 12 | 22 | 40 | 57 | 63 |
| 65+ | 14 | 19.0 | 147 | 6 | 6 | 15 | 25 | 38 | 43 | 44 |
| TOT. SINGLE DX | 205 | 5.6 | 14 | 2 | 3 | 4 | 7 | 10 | 12 | 19 |
| " MULTIPLE DX | 137 | 9.7 | 79 | 3 | 4 | 7 | 11 | 20 | 28 | 46 |
| TOTAL 0-19 YRS | 127 | 5.2 | 10 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 138 | 6.2 | 17 | 2 | 3 | 5 | 7 | 11 | 14 | 22 |
| 35-49 | 37 | 7.7 | 24 | 3 | 4 | 7 | 9 | 10 | 18 | 29 |
| 50-64 | 18 | 15.8 | 218 | 5 | 5 | 10 | 21 | 35 | 54 | 63 |
| 65+ | 22 | 17.4 | 123 | 6 | 7 | 14 | 21 | 36 | 40 | 44 |
| GRAND TOTAL | 342 | 7.2 | 44 | 2 | 3 | 5 | 8 | 13 | 18 | 37 |

### 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 9.7 | 31 | 2 | 3 | 8 | 13 | 16 | 20 | 24 |
| 20-34 | 20 | 9.3 | 21 | 2 | 3 | 9 | 13 | 15 | 17 | 19 |
| 35-49 | 11 | 13.0 | 70 | 5 | 6 | 10 | 14 | 29 | 30 | 30 |
| 50-64 | 11 | 11.2 | 21 | 3 | 5 | 10 | 15 | 17 | 18 | 18 |
| 65+ | 5 | 16.0 | 76 | 8 | 8 | 11 | 25 | 26 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 12.0 | 16 | 7 | 7 | 11 | 15 | 18 | 18 | 18 |
| 20-34 | 12 | 12.6 | 13 | 6 | 7 | 13 | 15 | 17 | 18 | 18 |
| 35-49 | 10 | 16.3 | 70 | 8 | 8 | 14 | 25 | 29 | 30 | 30 |
| 50-64 | 14 | 16.1 | 98 | 3 | 4 | 16 | 23 | 32 | 33 | 33 |
| 65+ | 7 | 17.9 | 43 | 5 | 8 | 18 | 20 | 26 | 27 | 27 |
| TOT. SINGLE DX | 80 | 10.7 | 37 | 3 | 4 | 10 | 14 | 18 | 24 | 29 |
| " MULTIPLE DX | 52 | 14.9 | 53 | 4 | 7 | 14 | 18 | 26 | 30 | 33 |
| TOTAL 0-19 YRS | 42 | 10.2 | 29 | 3 | 4 | 9 | 14 | 17 | 19 | 24 |
| 20-34 | 32 | 10.5 | 20 | 3 | 5 | 10 | 14 | 16 | 18 | 19 |
| 35-49 | 21 | 14.6 | 70 | 6 | 7 | 12 | 18 | 29 | 30 | 30 |
| 50-64 | 25 | 14.0 | 68 | 3 | 4 | 14 | 18 | 25 | 32 | 33 |
| 65+ | 12 | 17.1 | 52 | 5 | 7 | 18 | 23 | 26 | 27 | 27 |
| GRAND TOTAL | 132 | 12.3 | 47 | 3 | 4 | 11 | 16 | 22 | 27 | 32 |

### 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 3.6 | 12 | <1 | 1 | 2 | 4 | 8 | 12 | 18 |
| 20-34 | 175 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 35-49 | 143 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 50-64 | 178 | 5.5 | 21 | 1 | 1 | 4 | 7 | 12 | 16 | 23 |
| 65+ | 275 | 6.5 | 58 | 1 | 2 | 5 | 8 | 12 | 17 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 5.1 | 18 | 1 | 2 | 4 | 7 | 8 | 16 | 22 |
| 20-34 | 185 | 6.7 | 27 | 2 | 2 | 5 | 9 | 12 | 16 | 28 |
| 35-49 | 242 | 6.9 | 28 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| 50-64 | 407 | 8.7 | 83 | 2 | 2 | 6 | 10 | 17 | 29 | 50 |
| 65+ | 735 | 10.6 | 86 | 2 | 3 | 8 | 13 | 21 | 27 | 48 |
| TOT. SINGLE DX | 897 | 5.2 | 31 | 1 | 1 | 4 | 6 | 11 | 14 | 25 |
| " MULTIPLE DX | 1635 | 8.9 | 71 | 2 | 2 | 7 | 11 | 17 | 24 | 43 |
| TOTAL 0-19 YRS | 192 | 4.1 | 15 | <1 | 1 | 3 | 5 | 8 | 13 | 20 |
| 20-34 | 360 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| 35-49 | 385 | 6.0 | 26 | 1 | 2 | 5 | 7 | 12 | 15 | 26 |
| 50-64 | 585 | 7.7 | 67 | 1 | 2 | 5 | 9 | 15 | 20 | 47 |
| 65+ | 1010 | 9.5 | 82 | 2 | 2 | 7 | 12 | 19 | 25 | 43 |
| GRAND TOTAL | 2532 | 7.6 | 60 | 1 | 2 | 5 | 9 | 15 | 21 | 39 |

### 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 20-34 | 416 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 287 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 50-64 | 156 | 4.4 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 22 |
| 65+ | 44 | 6.9 | 40 | 2 | 3 | 5 | 8 | 15 | 19 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 5.0 | 31 | 1 | 1 | 4 | 6 | 9 | 9 | 36 |
| 20-34 | 177 | 5.5 | 50 | 1 | 2 | 4 | 6 | 11 | 15 | 41 |
| 35-49 | 164 | 5.9 | 29 | 2 | 2 | 4 | 7 | 12 | 15 | 27 |
| 50-64 | 169 | 8.0 | 71 | 2 | 2 | 5 | 9 | 16 | 22 | 40 |
| 65+ | 87 | 11.7 | 178 | 3 | 3 | 8 | 13 | 21 | 30 | 85 |
| TOT. SINGLE DX | 992 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| " MULTIPLE DX | 636 | 7.1 | 71 | 2 | 2 | 5 | 8 | 14 | 19 | 44 |
| TOTAL 0-19 YRS | 128 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 20-34 | 593 | 4.0 | 20 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 451 | 4.5 | 16 | 1 | 2 | 4 | 5 | 9 | 12 | 20 |
| 50-64 | 325 | 6.3 | 46 | 2 | 2 | 4 | 7 | 12 | 18 | 35 |
| 65+ | 131 | 10.1 | 137 | 3 | 3 | 7 | 12 | 18 | 26 | 79 |
| GRAND TOTAL | 1628 | 5.1 | 36 | 1 | 2 | 4 | 6 | 9 | 14 | 30 |

### 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 9.7 | 26 | 1 | 4 | 10 | 10 | 16 | 22 | 22 |
| 20-34 | 27 | 11.5 | 65 | 1 | 2 | 11 | 16 | 23 | 29 | 30 |
| 35-49 | 67 | 13.7 | 46 | 2 | 4 | 13 | 17 | 23 | 28 | 33 |
| 50-64 | 165 | 16.2 | 57 | 6 | 10 | 15 | 19 | 24 | 29 | 50 |
| 65+ | 213 | 17.6 | 62 | 9 | 10 | 16 | 21 | 26 | 30 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 16.3 | 29 | 7 | 8 | 16 | 20 | 23 | 23 | 23 |
| 20-34 | 40 | 16.9 | 167 | 2 | 4 | 15 | 21 | 33 | 56 | 99+ |
| 35-49 | 73 | 18.3 | 155 | 3 | 5 | 16 | 23 | 31 | 36 | 96 |
| 50-64 | 248 | 20.8 | 114 | 8 | 10 | 18 | 25 | 35 | 40 | 58 |
| 65+ | 505 | 23.0 | 137 | 10 | 12 | 20 | 27 | 38 | 48 | 68 |
| TOT. SINGLE DX | 482 | 16.1 | 62 | 4 | 9 | 15 | 20 | 25 | 29 | 38 |
| " MULTIPLE DX | 872 | 21.7 | 136 | 8 | 11 | 19 | 26 | 36 | 45 | 71 |
| TOTAL 0-19 YRS | 16 | 12.2 | 37 | 3 | 7 | 10 | 16 | 22 | 23 | 23 |
| 20-34 | 67 | 14.7 | 132 | 1 | 3 | 13 | 19 | 28 | 40 | 95 |
| 35-49 | 140 | 16.1 | 108 | 3 | 5 | 14 | 21 | 27 | 33 | 86 |
| 50-64 | 413 | 19.0 | 96 | 7 | 10 | 17 | 23 | 30 | 37 | 56 |
| 65+ | 718 | 21.4 | 122 | 9 | 11 | 19 | 25 | 35 | 43 | 66 |
| GRAND TOTAL | 1354 | 19.7 | 117 | 6 | 10 | 17 | 24 | 32 | 39 | 65 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 290 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 9 | 20 |
| 20-34 | 1222 | 5.4 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 35-49 | 1269 | 5.6 | 23 | 1 | 2 | 4 | 7 | 9 | 13 | 24 |
| 50-64 | 1138 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 23 |
| 65+ | 926 | 6.8 | 27 | 1 | 2 | 5 | 9 | 13 | 17 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 353 | 5.7 | 25 | 2 | 2 | 5 | 7 | 10 | 12 | 22 |
| 20-34 | 2430 | 6.7 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 35-49 | 3798 | 7.6 | 36 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| 50-64 | 4698 | 8.3 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| 65+ | 5773 | 10.2 | 69 | 2 | 3 | 8 | 12 | 19 | 26 | 46 |
| TOT. SINGLE DX | 4845 | 5.7 | 21 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| " MULTIPLE DX | 17052 | 8.5 | 49 | 2 | 3 | 7 | 10 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 643 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 20-34 | 3652 | 6.3 | 25 | 2 | 2 | 5 | 8 | 11 | 15 | 24 |
| 35-49 | 5067 | 7.1 | 34 | 2 | 2 | 6 | 8 | 13 | 17 | 28 |
| 50-64 | 5836 | 7.8 | 37 | 2 | 3 | 6 | 10 | 14 | 19 | 32 |
| 65+ | 6699 | 9.7 | 65 | 2 | 3 | 8 | 12 | 18 | 24 | 44 |
| GRAND TOTAL | 21897 | 7.9 | 44 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 350 | 4.0 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 358 | 4.1 | 9 | 2 | 2 | 4 | 4 | 6 | 8 | 13 |
| 50-64 | 220 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 77 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 4.4 | 11 | <1 | 1 | 4 | 6 | 7 | 12 | 18 |
| 20-34 | 291 | 4.4 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 335 | 5.1 | 10 | 2 | 3 | 4 | 6 | 8 | 11 | 20 |
| 50-64 | 250 | 5.1 | 8 | 2 | 3 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 127 | 7.4 | 29 | 3 | 3 | 6 | 10 | 14 | 17 | 29 |
| TOT. SINGLE DX | 1060 | 4.0 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 1041 | 5.2 | 12 | 2 | 3 | 4 | 6 | 8 | 11 | 19 |
| TOTAL 0-19 YRS | 93 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 20-34 | 641 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 693 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 470 | 4.7 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 13 |
| 65+ | 204 | 6.2 | 23 | 2 | 3 | 5 | 7 | 12 | 15 | 26 |
| GRAND TOTAL | 2101 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 448 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 288 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 10 |
| 50-64 | 139 | 4.5 | 19 | 2 | 2 | 4 | 5 | 7 | 8 | 32 |
| 65+ | 53 | 4.8 | 11 | 2 | 2 | 4 | 6 | 9 | 10 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 4.1 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 434 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 446 | 5.1 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| 50-64 | 323 | 6.2 | 20 | 2 | 3 | 5 | 7 | 10 | 14 | 23 |
| 65+ | 245 | 8.2 | 51 | 3 | 3 | 6 | 10 | 14 | 21 | 51 |
| TOT. SINGLE DX | 996 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| " MULTIPLE DX | 1481 | 5.7 | 21 | 2 | 3 | 5 | 6 | 10 | 12 | 25 |
| TOTAL 0-19 YRS | 101 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 882 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 734 | 4.7 | 9 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| 50-64 | 462 | 5.7 | 21 | 2 | 3 | 5 | 7 | 9 | 12 | 24 |
| 65+ | 298 | 7.6 | 46 | 2 | 3 | 5 | 9 | 13 | 20 | 43 |
| GRAND TOTAL | 2477 | 4.9 | 16 | 2 | 2 | 4 | 6 | 8 | 10 | 21 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 4.7 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 11 |
| 20-34 | 718 | 4.9 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 873 | 5.2 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 543 | 5.6 | 5 | 3 | 3 | 5 | 7 | 9 | 10 | 14 |
| 65+ | 165 | 6.0 | 8 | 3 | 3 | 5 | 7 | 9 | 12 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 86 | 4.9 | 4 | 3 | 3 | 5 | 6 | 7 | 9 | 14 |
| 20-34 | 2320 | 5.5 | 6 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| 35-49 | 3328 | 6.1 | 11 | 3 | 3 | 5 | 7 | 9 | 11 | 19 |
| 50-64 | 2418 | 6.7 | 17 | 3 | 3 | 6 | 8 | 11 | 13 | 22 |
| 65+ | 1142 | 8.1 | 28 | 3 | 4 | 7 | 10 | 14 | 19 | 32 |
| TOT. SINGLE DX | 2342 | 5.2 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| " MULTIPLE DX | 9294 | 6.3 | 14 | 3 | 3 | 5 | 7 | 10 | 12 | 21 |
| TOTAL 0-19 YRS | 129 | 4.8 | 4 | 3 | 3 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 3038 | 5.3 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 4201 | 5.9 | 10 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 2961 | 6.5 | 15 | 3 | 3 | 6 | 8 | 10 | 13 | 21 |
| 65+ | 1307 | 7.9 | 26 | 3 | 4 | 6 | 9 | 14 | 18 | 30 |
| GRAND TOTAL | 11636 | 6.1 | 13 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 387 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 270 | 3.8 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 153 | 4.6 | 12 | 1 | 2 | 4 | 6 | 7 | 10 | 26 |
| 65+ | 89 | 5.9 | 30 | 2 | 2 | 4 | 7 | 11 | 13 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 5.6 | 18 | 1 | 2 | 4 | 7 | 13 | 14 | 20 |
| 20-34 | 221 | 5.2 | 32 | 1 | 2 | 4 | 6 | 8 | 12 | 34 |
| 35-49 | 238 | 6.4 | 54 | 1 | 2 | 5 | 7 | 11 | 15 | 38 |
| 50-64 | 219 | 8.7 | 90 | 2 | 3 | 6 | 10 | 17 | 28 | 60 |
| 65+ | 219 | 10.6 | 87 | 2 | 3 | 7 | 13 | 25 | 30 | 52 |
| TOT. SINGLE DX | 988 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 948 | 7.6 | 67 | 2 | 2 | 5 | 9 | 15 | 24 | 43 |
| TOTAL 0-19 YRS | 140 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 20-34 | 608 | 4.2 | 16 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 508 | 5.1 | 31 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| 50-64 | 372 | 7.0 | 62 | 2 | 2 | 5 | 7 | 13 | 19 | 42 |
| 65+ | 308 | 9.3 | 75 | 2 | 3 | 6 | 11 | 21 | 28 | 47 |
| GRAND TOTAL | 1936 | 5.8 | 41 | 1 | 2 | 4 | 6 | 11 | 15 | 32 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 10.0 | 13 | 6 | 6 | 11 | 12 | 13 | 13 | 13 |
| 20-34 | 10 | 7.5 | 9 | 2 | 3 | 8 | 10 | 11 | 12 | 12 |
| 35-49 | 8 | 8.4 | 62 | 1 | 1 | 6 | 14 | 21 | 21 | 21 |
| 50-64 | 7 | 10.4 | 29 | 4 | 4 | 9 | 15 | 18 | 19 | 19 |
| 65+ | 6 | 14.2 | 116 | <1 | <1 | 17 | 21 | 26 | 27 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 11.9 | 27 | 4 | 5 | 11 | 16 | 19 | 19 | 19 |
| 20-34 | 27 | 19.1 | 240 | 4 | 5 | 14 | 29 | 40 | 55 | 57 |
| 35-49 | 17 | 17.1 | 196 | 5 | 5 | 13 | 22 | 37 | 51 | 57 |
| 50-64 | 17 | 20.9 | 366 | 4 | 5 | 15 | 26 | 38 | 67 | 82 |
| 65+ | 25 | 22.4 | 335 | 4 | 9 | 17 | 27 | 35 | 57 | 96 |
| TOT. SINGLE DX | 34 | 9.7 | 45 | 1 | 2 | 8 | 13 | 21 | 21 | 27 |
| " MULTIPLE DX | 93 | 19.4 | 264 | 4 | 5 | 15 | 25 | 38 | 53 | 90 |
| TOTAL 0-19 YRS | 10 | 11.3 | 22 | 4 | 5 | 11 | 14 | 18 | 19 | 19 |
| 20-34 | 37 | 16.0 | 204 | 3 | 4 | 10 | 22 | 38 | 50 | 57 |
| 35-49 | 25 | 14.3 | 166 | 2 | 2 | 8 | 21 | 27 | 43 | 57 |
| 50-64 | 24 | 17.8 | 286 | 4 | 5 | 13 | 24 | 33 | 52 | 82 |
| 65+ | 31 | 20.8 | 299 | 2 | 4 | 17 | 25 | 34 | 44 | 96 |
| GRAND TOTAL | 127 | 16.8 | 223 | 3 | 4 | 12 | 22 | 34 | 41 | 85 |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 5.9 | 17 | 1 | 2 | 5 | 9 | 12 | 14 | 17 |
| 20-34 | 316 | 5.2 | 28 | 1 | 1 | 2 | 7 | 12 | 16 | 24 |
| 35-49 | 255 | 5.9 | 43 | 1 | 1 | 3 | 8 | 14 | 18 | 30 |
| 50-64 | 309 | 7.3 | 55 | 1 | 2 | 4 | 10 | 17 | 24 | 34 |
| 65+ | 212 | 10.0 | 85 | 1 | 2 | 8 | 14 | 19 | 24 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 98 | 15.0 | 258 | 2 | 2 | 9 | 17 | 41 | 57 | 87 |
| 20-34 | 432 | 10.9 | 110 | 2 | 2 | 8 | 14 | 23 | 34 | 55 |
| 35-49 | 640 | 11.1 | 106 | 2 | 2 | 8 | 14 | 23 | 29 | 51 |
| 50-64 | 1112 | 12.4 | 94 | 2 | 3 | 10 | 16 | 24 | 32 | 49 |
| 65+ | 1086 | 14.1 | 110 | 2 | 4 | 12 | 19 | 28 | 33 | 51 |
| TOT. SINGLE DX | 1147 | 6.8 | 52 | 1 | 2 | 4 | 9 | 16 | 20 | 33 |
| " MULTIPLE DX | 3368 | 12.6 | 110 | 2 | 3 | 10 | 16 | 26 | 33 | 54 |
| TOTAL 0-19 YRS | 153 | 11.7 | 190 | 1 | 2 | 8 | 13 | 30 | 48 | 73 |
| 20-34 | 748 | 8.5 | 84 | 1 | 2 | 6 | 11 | 18 | 28 | 44 |
| 35-49 | 895 | 9.6 | 94 | 1 | 2 | 7 | 13 | 21 | 26 | 45 |
| 50-64 | 1421 | 11.3 | 90 | 2 | 2 | 9 | 15 | 23 | 30 | 46 |
| 65+ | 1298 | 13.5 | 108 | 2 | 3 | 11 | 18 | 27 | 33 | 51 |
| GRAND TOTAL | 4515 | 11.1 | 102 | 2 | 2 | 9 | 15 | 23 | 31 | 51 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 417 | 7.3 | 7 | 4 | 5 | 7 | 9 | 11 | 13 | 16 |
| 20-34 | 4182 | 7.4 | 9 | 4 | 5 | 7 | 8 | 11 | 13 | 18 |
| 35-49 | 3688 | 7.9 | 10 | 4 | 5 | 7 | 9 | 12 | 14 | 19 |
| 50-64 | 3668 | 8.8 | 12 | 5 | 5 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 2420 | 10.8 | 28 | 5 | 6 | 9 | 13 | 17 | 20 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 226 | 9.6 | 19 | 5 | 5 | 9 | 12 | 14 | 18 | 24 |
| 20-34 | 2908 | 9.8 | 35 | 5 | 5 | 8 | 11 | 15 | 19 | 33 |
| 35-49 | 3626 | 10.7 | 37 | 5 | 6 | 9 | 13 | 17 | 20 | 34 |
| 50-64 | 5109 | 12.1 | 48 | 6 | 6 | 10 | 14 | 20 | 24 | 38 |
| 65+ | 5879 | 15.8 | 83 | 7 | 8 | 14 | 19 | 26 | 32 | 54 |
| TOT. SINGLE DX | 14375 | 8.5 | 15 | 5 | 5 | 8 | 10 | 13 | 15 | 22 |
| " MULTIPLE DX | 17748 | 12.6 | 61 | 5 | 6 | 11 | 15 | 21 | 26 | 45 |
| TOTAL 0-19 YRS | 643 | 8.1 | 13 | 4 | 5 | 7 | 10 | 13 | 14 | 23 |
| 20-34 | 7090 | 8.4 | 21 | 4 | 5 | 7 | 10 | 13 | 16 | 25 |
| 35-49 | 7314 | 9.3 | 26 | 5 | 5 | 8 | 11 | 14 | 18 | 28 |
| 50-64 | 8777 | 10.7 | 36 | 5 | 6 | 9 | 12 | 17 | 21 | 33 |
| 65+ | 8299 | 14.4 | 72 | 6 | 7 | 12 | 17 | 24 | 29 | 51 |
| GRAND TOTAL | 32123 | 10.8 | 45 | 5 | 5 | 9 | 13 | 18 | 22 | 37 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 15.5 | 112 | 2 | 2 | 14 | 23 | 31 | 34 | 34 |
| 20-34 | 50 | 10.2 | 54 | 2 | 3 | 9 | 13 | 19 | 30 | 30 |
| 35-49 | 77 | 11.1 | 73 | 2 | 3 | 9 | 13 | 21 | 25 | 49 |
| 50-64 | 88 | 11.6 | 52 | 2 | 3 | 10 | 15 | 22 | 26 | 33 |
| 65+ | 168 | 16.0 | 73 | 4 | 5 | 15 | 21 | 25 | 33 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 7.1 | 23 | 3 | 3 | 5 | 10 | 15 | 16 | 16 |
| 20-34 | 51 | 11.5 | 100 | 2 | 3 | 9 | 15 | 21 | 33 | 48 |
| 35-49 | 114 | 15.1 | 152 | 4 | 6 | 12 | 18 | 27 | 32 | 32 |
| 50-64 | 235 | 18.3 | 157 | 4 | 6 | 15 | 22 | 32 | 42 | 77 |
| 65+ | 527 | 21.5 | 151 | 9 | 11 | 18 | 25 | 37 | 46 | 75 |
| TOT. SINGLE DX | 393 | 13.3 | 73 | 2 | 4 | 12 | 18 | 24 | 29 | 42 |
| " MULTIPLE DX | 934 | 19.3 | 159 | 4 | 8 | 17 | 23 | 34 | 44 | 74 |
| TOTAL 0-19 YRS | 17 | 12.1 | 90 | 2 | 3 | 10 | 16 | 28 | 32 | 34 |
| 20-34 | 101 | 10.8 | 77 | 2 | 3 | 9 | 13 | 21 | 30 | 48 |
| 35-49 | 191 | 13.5 | 124 | 3 | 4 | 11 | 16 | 24 | 31 | 67 |
| 50-64 | 323 | 16.5 | 138 | 3 | 5 | 14 | 21 | 30 | 38 | 66 |
| 65+ | 695 | 20.2 | 138 | 7 | 10 | 18 | 24 | 34 | 44 | 72 |
| GRAND TOTAL | 1327 | 17.5 | 141 | 3 | 6 | 15 | 22 | 31 | 39 | 69 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.4 | 12 | 1 | 2 | 6 | 10 | 11 | 12 | 12 |
| 20-34 | 76 | 8.4 | 70 | 1 | 2 | 6 | 10 | 21 | 27 | 41 |
| 35-49 | 107 | 11.5 | 139 | 1 | 2 | 8 | 17 | 23 | 29 | 61 |
| 50-64 | 119 | 11.7 | 129 | 1 | 2 | 9 | 17 | 25 | 38 | 82 |
| 65+ | 84 | 15.1 | 152 | 2 | 2 | 12 | 21 | 29 | 44 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 11.2 | 222 | 2 | 2 | 5 | 10 | 38 | 41 | 41 |
| 20-34 | 110 | 13.7 | 198 | 2 | 2 | 9 | 17 | 38 | 54 | 76 |
| 35-49 | 200 | 17.2 | 268 | 2 | 3 | 12 | 21 | 41 | 51 | 81 |
| 50-64 | 291 | 16.4 | 191 | 2 | 3 | 12 | 21 | 35 | 45 | 64 |
| 65+ | 315 | 19.4 | 232 | 3 | 6 | 15 | 25 | 37 | 49 | 78 |
| TOT. SINGLE DX | 400 | 11.5 | 126 | 1 | 2 | 8 | 16 | 24 | 35 | 61 |
| " MULTIPLE DX | 922 | 17.2 | 226 | 2 | 3 | 12 | 22 | 38 | 48 | 75 |
| TOTAL 0-19 YRS | 20 | 7.8 | 72 | 1 | 2 | 6 | 10 | 11 | 26 | 41 |
| 20-34 | 186 | 11.5 | 152 | 2 | 2 | 8 | 14 | 30 | 42 | 61 |
| 35-49 | 307 | 15.2 | 230 | 2 | 2 | 11 | 19 | 35 | 50 | 71 |
| 50-64 | 410 | 15.0 | 177 | 2 | 2 | 11 | 20 | 34 | 44 | 69 |
| 65+ | 399 | 18.5 | 218 | 3 | 5 | 14 | 24 | 37 | 47 | 76 |
| GRAND TOTAL | 1322 | 15.5 | 202 | 2 | 3 | 11 | 20 | 35 | 45 | 68 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 457 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 1450 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1525 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 1645 | 4.9 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 1724 | 6.0 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 389 | 5.4 | 28 | 2 | 2 | 4 | 6 | 9 | 14 | 24 |
| 20-34 | 2379 | 5.8 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 35-49 | 3640 | 6.4 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 5968 | 7.1 | 38 | 2 | 2 | 5 | 9 | 13 | 17 | 33 |
| 65+ | 9977 | 8.8 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 40 |
| TOT. SINGLE DX | 6801 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| " MULTIPLE DX | 22353 | 7.5 | 44 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 846 | 4.7 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 20-34 | 3829 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 35-49 | 5165 | 5.9 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| 50-64 | 7613 | 6.6 | 34 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 65+ | 11701 | 8.4 | 54 | 2 | 2 | 6 | 10 | 16 | 22 | 39 |
| GRAND TOTAL | 29154 | 6.9 | 39 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3307 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3275 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 35-49 | 2893 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 4060 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 65+ | 3397 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1680 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 20-34 | 1025 | 4.7 | 7 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| 35-49 | 1379 | 5.4 | 12 | 2 | 3 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 2630 | 6.4 | 18 | 3 | 3 | 5 | 7 | 11 | 14 | 25 |
| 65+ | 3359 | 8.2 | 41 | 3 | 3 | 7 | 10 | 14 | 19 | 34 |
| TOT. SINGLE DX | 16932 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| " MULTIPLE DX | 10073 | 6.1 | 26 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| TOTAL 0-19 YRS | 4987 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 4300 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 4272 | 4.6 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 50-64 | 6690 | 5.2 | 10 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| 65+ | 6756 | 6.7 | 26 | 3 | 3 | 5 | 8 | 11 | 15 | 26 |
| GRAND TOTAL | 27005 | 4.8 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 616 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 311 | 4.3 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 447 | 4.7 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 712 | 5.1 | 8 | 2 | 3 | 5 | 6 | 8 | 8 | 10 |
| 65+ | 480 | 6.0 | 8 | 3 | 3 | 5 | 7 | 9 | 12 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 469 | 3.1 | 57 | <1 | <1 | 2 | 3 | 4 | 7 | 42 |
| 20-34 | 116 | 5.4 | 13 | 3 | 3 | 5 | 6 | 9 | 10 | 22 |
| 35-49 | 267 | 5.7 | 7 | 3 | 3 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 478 | 6.6 | 16 | 3 | 3 | 6 | 8 | 10 | 14 | 22 |
| 65+ | 494 | 8.9 | 45 | 3 | 4 | 7 | 10 | 16 | 20 | 39 |
| TOT. SINGLE DX | 2566 | 4.3 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| " MULTIPLE DX | 1824 | 6.1 | 38 | 1 | 1 | 5 | 7 | 11 | 15 | 27 |
| TOTAL 0-19 YRS | 1085 | 2.4 | 26 | <1 | 1 | 2 | 2 | 4 | 5 | 14 |
| 20-34 | 427 | 4.6 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 714 | 5.1 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | 1190 | 5.7 | 12 | 3 | 3 | 5 | 7 | 8 | 10 | 19 |
| 65+ | 974 | 7.5 | 29 | 3 | 4 | 6 | 8 | 13 | 16 | 26 |
| GRAND TOTAL | 4390 | 5.1 | 21 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 3.0 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 75 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 112 | 4.4 | 2 | 2 | 3 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 172 | 4.9 | 5 | 2 | 3 | 4 | 6 | 7 | 9 | 16 |
| 65+ | 209 | 6.8 | 23 | 3 | 3 | 6 | 8 | 11 | 15 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 3.4 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 26 | 6.6 | 24 | 2 | 3 | 5 | 7 | 13 | 18 | 25 |
| 35-49 | 58 | 5.3 | 12 | 1 | 2 | 5 | 6 | 9 | 10 | 24 |
| 50-64 | 98 | 7.9 | 30 | 3 | 3 | 6 | 9 | 16 | 20 | 31 |
| 65+ | 232 | 10.3 | 45 | 3 | 4 | 8 | 13 | 19 | 24 | 34 |
| TOT. SINGLE DX | 593 | 5.3 | 12 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| " MULTIPLE DX | 419 | 8.7 | 39 | 3 | 3 | 7 | 11 | 16 | 21 | 32 |
| TOTAL 0-19 YRS | 30 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 101 | 4.9 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 20 |
| 35-49 | 170 | 4.7 | 6 | 2 | 3 | 4 | 5 | 7 | 9 | 11 |
| 50-64 | 270 | 6.0 | 17 | 3 | 3 | 5 | 7 | 9 | 15 | 23 |
| 65+ | 441 | 8.6 | 38 | 3 | 4 | 7 | 10 | 16 | 21 | 32 |
| GRAND TOTAL | 1012 | 6.7 | 26 | 2 | 3 | 5 | 8 | 12 | 16 | 29 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1132 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 339 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 9 |
| 35-49 | 337 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 269 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 148 | 6.2 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 275 | 3.3 | 16 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 20-34 | 194 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 281 | 6.3 | 19 | 2 | 3 | 5 | 8 | 11 | 13 | 26 |
| 50-64 | 317 | 7.7 | 28 | 3 | 3 | 6 | 9 | 14 | 20 | 29 |
| 65+ | 264 | 11.0 | 66 | 4 | 4 | 9 | 13 | 20 | 29 | 44 |
| TOT. SINGLE DX | 2225 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| " MULTIPLE DX | 1331 | 6.8 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 32 |
| TOTAL 0-19 YRS | 1407 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 533 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 618 | 5.1 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 50-64 | 586 | 6.4 | 21 | 2 | 3 | 5 | 8 | 11 | 15 | 27 |
| 65+ | 412 | 9.2 | 53 | 3 | 3 | 7 | 11 | 17 | 26 | 36 |
| GRAND TOTAL | 3556 | 4.6 | 19 | 1 | 2 | 3 | 5 | 9 | 12 | 25 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 157 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 466 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 674 | 5.8 | 10 | 2 | 3 | 5 | 7 | 9 | 11 | 19 |
| 50-64 | 880 | 6.5 | 18 | 3 | 3 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 606 | 7.7 | 15 | 3 | 4 | 7 | 9 | 12 | 16 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 3.1 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 15 |
| 20-34 | 289 | 6.7 | 29 | 2 | 3 | 6 | 8 | 10 | 13 | 33 |
| 35-49 | 581 | 8.6 | 33 | 3 | 4 | 7 | 10 | 14 | 19 | 35 |
| 50-64 | 900 | 9.8 | 39 | 3 | 4 | 8 | 12 | 16 | 20 | 35 |
| 65+ | 864 | 11.2 | 60 | 4 | 5 | 9 | 14 | 19 | 23 | 39 |
| TOT. SINGLE DX | 2783 | 6.0 | 15 | 2 | 2 | 5 | 8 | 10 | 12 | 19 |
| " MULTIPLE DX | 2687 | 9.5 | 46 | 3 | 4 | 8 | 11 | 17 | 21 | 36 |
| TOTAL 0-19 YRS | 210 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 755 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 10 | 21 |
| 35-49 | 1255 | 7.1 | 23 | 2 | 3 | 6 | 8 | 12 | 15 | 25 |
| 50-64 | 1780 | 8.2 | 32 | 3 | 4 | 7 | 10 | 14 | 17 | 28 |
| 65+ | 1470 | 9.7 | 44 | 3 | 4 | 8 | 11 | 17 | 21 | 32 |
| GRAND TOTAL | 5470 | 7.7 | 33 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |

## 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 66 | 6.3 | 12 | 2 | 3 | 5 | 8 | 12 | 14 | 18 |
| 35-49 | 90 | 7.7 | 16 | 3 | 3 | 7 | 9 | 13 | 15 | 24 |
| 50-64 | 109 | 8.6 | 16 | 3 | 4 | 8 | 10 | 14 | 16 | 21 |
| 65+ | 80 | 9.5 | 25 | 3 | 4 | 8 | 12 | 18 | 20 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 8.3 | 90 | 1 | 1 | 4 | 10 | 24 | 32 | 38 |
| 20-34 | 107 | 10.7 | 42 | 5 | 6 | 9 | 13 | 17 | 21 | 38 |
| 35-49 | 245 | 11.5 | 48 | 5 | 6 | 10 | 13 | 18 | 22 | 29 |
| 50-64 | 296 | 12.5 | 44 | 5 | 6 | 11 | 15 | 20 | 25 | 38 |
| 65+ | 281 | 16.4 | 96 | 7 | 8 | 14 | 20 | 27 | 35 | 53 |
| TOT. SINGLE DX | 375 | 7.7 | 20 | 2 | 3 | 7 | 10 | 14 | 16 | 22 |
| " MULTIPLE DX | 957 | 13.1 | 67 | 5 | 6 | 11 | 16 | 22 | 28 | 43 |
| TOTAL 0-19 YRS | 58 | 5.3 | 53 | <1 | 1 | 2 | 5 | 11 | 23 | 37 |
| 20-34 | 173 | 9.1 | 35 | 3 | 3 | 8 | 11 | 14 | 18 | 36 |
| 35-49 | 335 | 10.4 | 43 | 4 | 5 | 9 | 12 | 17 | 20 | 27 |
| 50-64 | 405 | 11.5 | 40 | 4 | 5 | 10 | 14 | 19 | 22 | 35 |
| 65+ | 361 | 14.9 | 89 | 5 | 6 | 13 | 18 | 25 | 33 | 50 |
| GRAND TOTAL | 1332 | 11.5 | 60 | 3 | 4 | 10 | 14 | 20 | 25 | 40 |

## 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 20-34 | 422 | 5.3 | 34 | 1 | 2 | 4 | 6 | 11 | 15 | 20 |
| 35-49 | 324 | 7.0 | 44 | 1 | 2 | 5 | 9 | 15 | 19 | 31 |
| 50-64 | 311 | 9.0 | 88 | 1 | 2 | 7 | 11 | 18 | 25 | 53 |
| 65+ | 258 | 10.5 | 79 | 2 | 3 | 9 | 13 | 19 | 24 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 6.6 | 57 | 1 | 2 | 5 | 8 | 13 | 18 | 66 |
| 20-34 | 384 | 8.8 | 71 | 1 | 2 | 7 | 10 | 18 | 27 | 47 |
| 35-49 | 520 | 11.7 | 121 | 2 | 3 | 9 | 14 | 24 | 32 | 54 |
| 50-64 | 841 | 13.6 | 144 | 2 | 3 | 10 | 17 | 28 | 36 | 63 |
| 65+ | 988 | 15.4 | 137 | 3 | 4 | 13 | 20 | 30 | 42 | 62 |
| TOT. SINGLE DX | 1523 | 7.1 | 57 | 1 | 2 | 5 | 9 | 15 | 19 | 38 |
| " MULTIPLE DX | 2856 | 12.9 | 131 | 2 | 3 | 10 | 17 | 27 | 36 | 61 |
| TOTAL 0-19 YRS | 331 | 4.9 | 31 | 1 | 1 | 3 | 6 | 9 | 15 | 30 |
| 20-34 | 806 | 7.0 | 55 | 1 | 2 | 5 | 9 | 14 | 19 | 42 |
| 35-49 | 844 | 9.9 | 97 | 2 | 2 | 7 | 12 | 20 | 29 | 43 |
| 50-64 | 1152 | 12.4 | 133 | 2 | 2 | 9 | 16 | 26 | 35 | 61 |
| 65+ | 1246 | 14.4 | 129 | 2 | 4 | 12 | 18 | 28 | 40 | 61 |
| GRAND TOTAL | 4379 | 10.9 | 113 | 2 | 2 | 8 | 14 | 23 | 31 | 54 |

## 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 337 | 6.0 | 19 | 2 | 3 | 5 | 7 | 10 | 12 | 24 |
| 20-34 | 990 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 13 | 21 |
| 35-49 | 392 | 9.0 | 40 | 3 | 4 | 8 | 11 | 15 | 19 | 40 |
| 50-64 | 287 | 12.1 | 51 | 4 | 5 | 10 | 15 | 22 | 29 | 37 |
| 65+ | 250 | 14.5 | 67 | 5 | 7 | 12 | 18 | 25 | 31 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 371 | 9.6 | 59 | 3 | 4 | 7 | 11 | 19 | 27 | 46 |
| 20-34 | 1714 | 8.7 | 50 | 3 | 4 | 7 | 9 | 15 | 21 | 40 |
| 35-49 | 876 | 11.7 | 81 | 4 | 5 | 9 | 14 | 22 | 29 | 50 |
| 50-64 | 754 | 16.8 | 148 | 6 | 6 | 13 | 21 | 32 | 46 | 72 |
| 65+ | 868 | 21.7 | 196 | 7 | 9 | 18 | 27 | 41 | 52 | 86 |
| TOT. SINGLE DX | 2256 | 8.5 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| " MULTIPLE DX | 4583 | 13.2 | 126 | 4 | 5 | 9 | 16 | 27 | 36 | 63 |
| TOTAL 0-19 YRS | 708 | 7.9 | 44 | 2 | 3 | 6 | 9 | 15 | 21 | 39 |
| 20-34 | 2704 | 7.9 | 40 | 2 | 3 | 6 | 9 | 13 | 18 | 36 |
| 35-49 | 1268 | 10.9 | 70 | 4 | 5 | 8 | 13 | 20 | 27 | 46 |
| 50-64 | 1041 | 15.5 | 126 | 5 | 6 | 12 | 19 | 30 | 40 | 67 |
| 65+ | 1118 | 20.1 | 177 | 7 | 8 | 16 | 25 | 38 | 49 | 77 |
| GRAND TOTAL | 6839 | 11.6 | 102 | 3 | 4 | 8 | 14 | 23 | 32 | 56 |

## 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 441 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 20-34 | 2198 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 316 | 3.1 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 50-64 | 71 | 3.7 | 14 | 1 | 1 | 2 | 4 | 10 | 13 | 18 |
| 65+ | 29 | 4.4 | 13 | 1 | 1 | 3 | 6 | 10 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 366 | 4.4 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 20-34 | 2700 | 3.6 | 11 | <1 | 1 | 2 | 5 | 7 | 10 | 17 |
| 35-49 | 456 | 5.0 | 21 | <1 | 1 | 3 | 7 | 11 | 14 | 23 |
| 50-64 | 125 | 8.8 | 76 | 1 | 2 | 6 | 11 | 21 | 25 | 41 |
| 65+ | 61 | 11.6 | 66 | 2 | 3 | 11 | 15 | 24 | 32 | 92 |
| TOT. SINGLE DX | 3055 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 3708 | 4.2 | 18 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 807 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 4898 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 772 | 4.2 | 16 | <1 | 1 | 3 | 6 | 9 | 11 | 20 |
| 50-64 | 196 | 7.0 | 60 | 1 | 1 | 4 | 9 | 17 | 23 | 38 |
| 65+ | 90 | 9.3 | 60 | 2 | 2 | 7 | 14 | 21 | 30 | 74 |
| GRAND TOTAL | 6763 | 3.6 | 13 | <1 | 1 | 2 | 5 | 8 | 10 | 19 |

## 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 106 | 7.6 | 73 | 1 | 1 | 6 | 9 | 12 | 16 | 48 |
| 20-34 | 481 | 6.7 | 21 | 2 | 2 | 6 | 9 | 12 | 15 | 24 |
| 35-49 | 357 | 9.7 | 43 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| 50-64 | 325 | 10.6 | 51 | 3 | 5 | 9 | 13 | 17 | 21 | 37 |
| 65+ | 270 | 13.1 | 39 | 6 | 7 | 12 | 16 | 21 | 26 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 9.4 | 98 | 2 | 3 | 7 | 11 | 18 | 24 | 77 |
| 20-34 | 1092 | 7.7 | 39 | 2 | 2 | 6 | 9 | 13 | 18 | 33 |
| 35-49 | 762 | 12.3 | 94 | 3 | 4 | 10 | 15 | 23 | 30 | 53 |
| 50-64 | 703 | 17.0 | 164 | 5 | 6 | 13 | 20 | 33 | 43 | 73 |
| 65+ | 874 | 19.4 | 177 | 6 | 8 | 16 | 24 | 37 | 46 | 77 |
| TOT. SINGLE DX | 1539 | 9.4 | 45 | 2 | 3 | 8 | 12 | 17 | 20 | 31 |
| " MULTIPLE DX | 3573 | 13.4 | 134 | 3 | 4 | 10 | 17 | 27 | 37 | 65 |
| TOTAL 0-19 YRS | 248 | 8.6 | 88 | 1 | 2 | 7 | 10 | 16 | 20 | 75 |
| 20-34 | 1573 | 7.4 | 34 | 2 | 2 | 6 | 9 | 13 | 16 | 31 |
| 35-49 | 1119 | 11.5 | 80 | 3 | 4 | 9 | 14 | 21 | 27 | 50 |
| 50-64 | 1028 | 14.9 | 137 | 4 | 5 | 12 | 18 | 28 | 40 | 65 |
| 65+ | 1144 | 17.9 | 152 | 6 | 8 | 15 | 21 | 33 | 43 | 72 |
| GRAND TOTAL | 5112 | 12.2 | 111 | 2 | 4 | 9 | 15 | 24 | 32 | 58 |

## 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 8.9 | 5 | 5 | 6 | 9 | 10 | 12 | 13 | 14 |
| 20-34 | 55 | 9.2 | 10 | 5 | 6 | 8 | 11 | 13 | 16 | 21 |
| 35-49 | 74 | 11.3 | 18 | 5 | 6 | 11 | 14 | 16 | 18 | 28 |
| 50-64 | 162 | 13.1 | 30 | 8 | 8 | 12 | 14 | 18 | 25 | 37 |
| 65+ | 171 | 14.2 | 36 | 8 | 9 | 13 | 16 | 23 | 27 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 57 | 9.9 | 32 | 5 | 6 | 9 | 10 | 15 | 22 | 38 |
| 20-34 | 153 | 13.4 | 99 | 6 | 7 | 10 | 15 | 23 | 28 | 71 |
| 35-49 | 174 | 14.8 | 110 | 7 | 7 | 12 | 16 | 24 | 34 | 70 |
| 50-64 | 409 | 16.7 | 106 | 8 | 8 | 14 | 19 | 30 | 39 | 76 |
| 65+ | 496 | 18.6 | 97 | 8 | 10 | 16 | 22 | 30 | 37 | 58 |
| TOT. SINGLE DX | 488 | 12.6 | 30 | 7 | 7 | 11 | 14 | 18 | 24 | 33 |
| " MULTIPLE DX | 1289 | 16.5 | 104 | 7 | 8 | 14 | 20 | 28 | 36 | 67 |
| TOTAL 0-19 YRS | 83 | 9.6 | 24 | 5 | 6 | 9 | 10 | 14 | 18 | 34 |
| 20-34 | 208 | 12.3 | 79 | 6 | 7 | 10 | 13 | 21 | 27 | 66 |
| 35-49 | 248 | 13.7 | 85 | 6 | 7 | 11 | 15 | 21 | 28 | 68 |
| 50-64 | 571 | 15.7 | 87 | 8 | 8 | 13 | 17 | 27 | 36 | 65 |
| 65+ | 667 | 17.5 | 85 | 8 | 9 | 15 | 21 | 28 | 34 | 54 |
| GRAND TOTAL | 1777 | 15.4 | 87 | 7 | 8 | 13 | 18 | 26 | 33 | 56 |

## 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 176 | 7.8 | 29 | 2 | 2 | 7 | 11 | 14 | 17 | 29 |
| 20-34 | 431 | 9.0 | 39 | 2 | 3 | 8 | 10 | 13 | 18 | 37 |
| 35-49 | 462 | 9.3 | 26 | 3 | 5 | 9 | 11 | 14 | 17 | 30 |
| 50-64 | 459 | 3.8 | 31 | 2 | 4 | 9 | 11 | 15 | 18 | 34 |
| 65+ | 236 | 10.4 | 39 | 2 | 2 | 10 | 13 | 17 | 22 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 11.4 | 77 | 3 | 3 | 10 | 14 | 20 | 26 | 47 |
| 20-34 | 374 | 12.1 | 106 | 3 | 4 | 9 | 14 | 21 | 31 | 68 |
| 35-49 | 412 | 12.9 | 118 | 3 | 5 | 10 | 15 | 22 | 28 | 71 |
| 50-64 | 596 | 12.9 | 56 | 3 | 5 | 11 | 16 | 21 | 27 | 42 |
| 65+ | 539 | 15.6 | 112 | 4 | 6 | 13 | 20 | 28 | 36 | 61 |
| TOT. SINGLE DX | 1764 | 9.3 | 33 | 2 | 3 | 9 | 11 | 15 | 18 | 34 |
| " MULTIPLE DX | 2071 | 13.4 | 96 | 3 | 5 | 11 | 16 | 23 | 31 | 61 |
| TOTAL 0-19 YRS | 326 | 9.5 | 55 | 2 | 3 | 8 | 12 | 16 | 23 | 41 |
| 20-34 | 805 | 10.4 | 73 | 3 | 3 | 9 | 12 | 18 | 25 | 53 |
| 35-49 | 874 | 11.0 | 73 | 3 | 5 | 9 | 12 | 17 | 23 | 50 |
| 50-64 | 1055 | 11.5 | 48 | 3 | 5 | 10 | 14 | 19 | 25 | 39 |
| 65+ | 775 | 14.1 | 96 | 2 | 4 | 11 | 18 | 26 | 32 | 57 |
| GRAND TOTAL | 3835 | 11.5 | 71 | 3 | 4 | 10 | 14 | 20 | 26 | 49 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 7.6 | 10 | 2 | 4 | 8 | 10 | 11 | 12 | 18 |
| 20-34 | 475 | 8.6 | 14 | 3 | 5 | 8 | 10 | 13 | 15 | 19 |
| 35-49 | 640 | 8.8 | 13 | 4 | 5 | 8 | 11 | 13 | 15 | 22 |
| 50-64 | 550 | 9.5 | 17 | 4 | 5 | 9 | 11 | 14 | 17 | 25 |
| 65+ | 210 | 9.8 | 13 | 5 | 6 | 9 | 12 | 15 | 17 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 10.2 | 45 | 3 | 3 | 9 | 13 | 19 | 27 | 28 |
| 20-34 | 217 | 9.9 | 27 | 4 | 5 | 9 | 12 | 16 | 19 | 31 |
| 35-49 | 338 | 10.9 | 33 | 5 | 6 | 10 | 13 | 17 | 21 | 32 |
| 50-64 | 463 | 11.0 | 30 | 5 | 6 | 10 | 12 | 17 | 21 | 33 |
| 65+ | 350 | 13.9 | 80 | 4 | 6 | 12 | 16 | 23 | 28 | 46 |
| TOT. SINGLE DX | 1922 | 9.0 | 15 | 4 | 5 | 8 | 11 | 14 | 16 | 22 |
| " MULTIPLE DX | 1390 | 11.5 | 45 | 4 | 6 | 10 | 14 | 19 | 24 | 34 |
| TOTAL 0-19 YRS | 69 | 8.4 | 22 | 2 | 4 | 8 | 10 | 13 | 16 | 28 |
| 20-34 | 692 | 9.0 | 19 | 4 | 5 | 8 | 11 | 14 | 16 | 25 |
| 35-49 | 978 | 9.5 | 22 | 4 | 5 | 9 | 11 | 15 | 17 | 26 |
| 50-64 | 1013 | 10.2 | 24 | 5 | 5 | 9 | 12 | 16 | 19 | 28 |
| 65+ | 560 | 12.3 | 59 | 4 | 6 | 11 | 14 | 21 | 25 | 35 |
| GRAND TOTAL | 3312 | 10.1 | 29 | 4 | 5 | 9 | 12 | 16 | 19 | 30 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 137 | 9.0 | 9 | 5 | 6 | 8 | 10 | 12 | 15 | 19 |
| 20-34 | 31 | 12.0 | 30 | 6 | 6 | 11 | 14 | 21 | 22 | 27 |
| 35-49 | 11 | 12.7 | 30 | 4 | 6 | 12 | 16 | 20 | 24 | 24 |
| 50-64 | 31 | 14.9 | 48 | 6 | 7 | 14 | 19 | 26 | 29 | 33 |
| 65+ | 28 | 14.7 | 61 | 6 | 7 | 14 | 18 | 21 | 28 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 12.2 | 54 | 5 | 7 | 11 | 14 | 17 | 26 | 47 |
| 20-34 | 52 | 16.5 | 195 | 6 | 8 | 14 | 19 | 25 | 48 | 99+ |
| 35-49 | 35 | 17.3 | 110 | 8 | 10 | 13 | 23 | 33 | 51 | 99+ |
| 50-64 | 40 | 18.8 | 136 | 7 | 9 | 15 | 23 | 32 | 36 | 70 |
| 65+ | 64 | 23.8 | 177 | 7 | 11 | 20 | 33 | 43 | 48 | 60 |
| TOT. SINGLE DX | 238 | 11.0 | 30 | 5 | 6 | 9 | 12 | 18 | 22 | 29 |
| " MULTIPLE DX | 317 | 16.6 | 136 | 6 | 8 | 13 | 20 | 32 | 41 | 79 |
| TOTAL 0-19 YRS | 263 | 10.5 | 33 | 5 | 6 | 9 | 12 | 15 | 17 | 34 |
| 20-34 | 83 | 14.8 | 137 | 6 | 7 | 12 | 18 | 23 | 27 | 99+ |
| 35-49 | 46 | 16.2 | 94 | 8 | 9 | 13 | 20 | 32 | 45 | 99+ |
| 50-64 | 71 | 17.1 | 101 | 7 | 8 | 14 | 21 | 30 | 33 | 63 |
| 65+ | 92 | 21.1 | 159 | 6 | 8 | 17 | 26 | 40 | 45 | 59 |
| GRAND TOTAL | 555 | 14.2 | 98 | 6 | 7 | 11 | 16 | 26 | 34 | 61 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 116 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 19 |
| 20-34 | 798 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 888 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 583 | 5.0 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 198 | 6.2 | 19 | 2 | 2 | 5 | 8 | 10 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 7.2 | 45 | 1 | 1 | 5 | 11 | 16 | 19 | 35 |
| 20-34 | 240 | 5.9 | 13 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| 35-49 | 336 | 6.5 | 20 | 2 | 2 | 5 | 8 | 13 | 17 | 22 |
| 50-64 | 375 | 7.1 | 30 | 2 | 3 | 6 | 9 | 13 | 18 | 28 |
| 65+ | 278 | 9.8 | 62 | 2 | 3 | 8 | 13 | 19 | 27 | 52 |
| TOT. SINGLE DX | 2583 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| " MULTIPLE DX | 1296 | 7.3 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 183 | 5.3 | 26 | 1 | 1 | 4 | 6 | 12 | 15 | 26 |
| 20-34 | 1038 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 1224 | 5.0 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 958 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 476 | 8.3 | 48 | 2 | 3 | 6 | 10 | 17 | 22 | 42 |
| GRAND TOTAL | 3879 | 5.6 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2035 | 2.2 | 5 | 1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 20-34 | 2246 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 2233 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 2573 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| 65+ | 2718 | 4.9 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2021 | 3.0 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 20-34 | 2908 | 5.5 | 35 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 35-49 | 3617 | 6.1 | 39 | 1 | 2 | 4 | 8 | 12 | 17 | 28 |
| 50-64 | 5525 | 7.0 | 52 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| 65+ | 9036 | 9.7 | 86 | 2 | 2 | 7 | 12 | 20 | 26 | 50 |
| TOT. SINGLE DX | 11805 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| " MULTIPLE DX | 23107 | 7.4 | 63 | 1 | 2 | 5 | 9 | 15 | 21 | 41 |
| TOTAL 0-19 YRS | 4056 | 2.6 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 5154 | 4.6 | 25 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 35-49 | 5850 | 5.2 | 30 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 8098 | 6.1 | 43 | 1 | 1 | 4 | 8 | 12 | 17 | 34 |
| 65+ | 11754 | 8.6 | 76 | 1 | 2 | 6 | 11 | 18 | 24 | 46 |
| GRAND TOTAL | 34912 | 6.2 | 49 | 1 | 1 | 4 | 8 | 13 | 18 | 36 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 20-34 | 112 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |
| 35-49 | 238 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 765 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 9 | 17 |
| 65+ | 1508 | 5.2 | 22 | 2 | 2 | 4 | 6 | 9 | 12 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 4.3 | 10 | 1 | 1 | 3 | 6 | 11 | 12 | 13 |
| 20-34 | 175 | 6.0 | 43 | 2 | 2 | 4 | 7 | 11 | 15 | 36 |
| 35-49 | 308 | 5.7 | 34 | 2 | 2 | 4 | 7 | 11 | 14 | 31 |
| 50-64 | 772 | 6.7 | 38 | 2 | 2 | 5 | 8 | 13 | 18 | 36 |
| 65+ | 2127 | 8.7 | 66 | 2 | 3 | 6 | 10 | 17 | 23 | 44 |
| TOT. SINGLE DX | 2644 | 4.8 | 18 | 2 | 2 | 4 | 6 | 8 | 11 | 21 |
| " MULTIPLE DX | 3425 | 7.8 | 57 | 2 | 2 | 6 | 9 | 16 | 21 | 40 |
| TOTAL 0-19 YRS | 64 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 12 | 13 |
| 20-34 | 287 | 5.0 | 30 | 1 | 2 | 4 | 5 | 10 | 13 | 25 |
| 35-49 | 546 | 5.1 | 24 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| 50-64 | 1537 | 5.6 | 27 | 2 | 2 | 4 | 6 | 10 | 15 | 30 |
| 65+ | 3635 | 7.3 | 51 | 2 | 2 | 5 | 9 | 14 | 20 | 39 |
| GRAND TOTAL | 6069 | 6.5 | 42 | 2 | 2 | 5 | 8 | 13 | 17 | 35 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 5.2 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 20-34 | 153 | 6.8 | 21 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| 35-49 | 168 | 7.2 | 30 | 1 | 2 | 6 | 10 | 13 | 17 | 29 |
| 50-64 | 295 | 7.3 | 33 | 1 | 2 | 5 | 11 | 15 | 19 | 24 |
| 65+ | 453 | 8.5 | 55 | 2 | 2 | 6 | 12 | 18 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 10.9 | 143 | 2 | 2 | 8 | 12 | 22 | 44 | 86 |
| 20-34 | 221 | 9.8 | 98 | 2 | 2 | 7 | 12 | 19 | 28 | 58 |
| 35-49 | 294 | 10.5 | 125 | 2 | 2 | 8 | 13 | 20 | 27 | 67 |
| 50-64 | 583 | 10.8 | 115 | 2 | 2 | 8 | 13 | 23 | 31 | 60 |
| 65+ | 1242 | 13.1 | 132 | 2 | 3 | 10 | 17 | 26 | 35 | 60 |
| TOT. SINGLE DX | 1136 | 7.6 | 40 | 1 | 2 | 6 | 10 | 16 | 20 | 28 |
| " MULTIPLE DX | 2464 | 11.8 | 127 | 2 | 3 | 9 | 15 | 24 | 33 | 61 |
| TOTAL 0-19 YRS | 191 | 8.9 | 108 | 1 | 2 | 6 | 10 | 19 | 25 | 70 |
| 20-34 | 374 | 8.6 | 69 | 2 | 2 | 6 | 11 | 16 | 23 | 44 |
| 35-49 | 462 | 9.3 | 93 | 2 | 2 | 7 | 12 | 17 | 23 | 52 |
| 50-64 | 878 | 9.6 | 90 | 2 | 2 | 7 | 12 | 19 | 25 | 53 |
| 65+ | 1695 | 11.9 | 116 | 2 | 3 | 9 | 16 | 24 | 32 | 58 |
| GRAND TOTAL | 3600 | 10.5 | 103 | 2 | 2 | 8 | 14 | 22 | 28 | 56 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 359 | 1.6 | | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 24 | 2.0 | | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 29 | 2.7 | 8 | <1 | <1 | 2 | 2 | 7 | 10 | 13 |
| 50-64 | 31 | 3.9 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 10 |
| 65+ | 17 | 3.9 | 6 | <1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 251 | 2.2 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 20-34 | 73 | 3.6 | 13 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 35-49 | 68 | 4.7 | 14 | 1 | 2 | 3 | 6 | 11 | 12 | 20 |
| 50-64 | 54 | 4.7 | 19 | 1 | 2 | 3 | 6 | 10 | 12 | 26 |
| 65+ | 49 | 5.3 | 21 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |
| TOT. SINGLE DX | 460 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| " MULTIPLE DX | 495 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| TOTAL 0-19 YRS | 610 | 1.8 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 97 | 3.2 | 11 | 1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 35-49 | 97 | 4.1 | 13 | <1 | 1 | 3 | 5 | 10 | 12 | 18 |
| 50-64 | 85 | 4.4 | 14 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| 65+ | 66 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 24 |
| GRAND TOTAL | 955 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 328 | 6.2 | 16 | 1 | 2 | 6 | 9 | 11 | 13 | 16 |
| 20-34 | 203 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| 35-49 | 136 | 5.6 | 18 | 1 | 2 | 5 | 8 | 10 | 13 | 26 |
| 50-64 | 156 | 5.7 | 21 | 2 | 2 | 4 | 8 | 11 | 13 | 22 |
| 65+ | 152 | 5.6 | 20 | 2 | 2 | 4 | 7 | 10 | 15 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 192 | 5.3 | 16 | 1 | 1 | 4 | 8 | 11 | 13 | 20 |
| 20-34 | 161 | 5.2 | 18 | 1 | 2 | 4 | 8 | 11 | 14 | 20 |
| 35-49 | 156 | 7.0 | 35 | 2 | 2 | 5 | 9 | 14 | 18 | 33 |
| 50-64 | 184 | 7.2 | 42 | 2 | 2 | 5 | 9 | 14 | 19 | 36 |
| 65+ | 278 | 8.5 | 79 | 2 | 2 | 6 | 10 | 17 | 23 | 52 |
| TOT. SINGLE DX | 975 | 5.6 | 18 | 1 | 2 | 4 | 8 | 11 | 13 | 17 |
| " MULTIPLE DX | 971 | 6.8 | 44 | 2 | 2 | 5 | 9 | 14 | 18 | 30 |
| TOTAL 0-19 YRS | 520 | 5.9 | 17 | 1 | 2 | 5 | 9 | 11 | 13 | 17 |
| 20-34 | 364 | 4.8 | 16 | 1 | 2 | 3 | 7 | 10 | 13 | 16 |
| 35-49 | 292 | 6.3 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| 50-64 | 340 | 6.5 | 33 | 2 | 2 | 5 | 9 | 12 | 17 | 24 |
| 65+ | 430 | 7.5 | 60 | 2 | 2 | 5 | 9 | 15 | 21 | 36 |
| GRAND TOTAL | 1946 | 6.2 | 31 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 400 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 287 | 3.0 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 219 | 3.2 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 50-64 | 215 | 3.8 | 11 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 65+ | 221 | 4.8 | 20 | 1 | 2 | 3 | 6 | 9 | 12 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 685 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 784 | 4.8 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 35-49 | 792 | 6.4 | 42 | 1 | 2 | 5 | 8 | 13 | 18 | 36 |
| 50-64 | 871 | 7.0 | 49 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 65+ | 1571 | 9.6 | 80 | 2 | 2 | 7 | 12 | 19 | 25 | 48 |
| TOT. SINGLE DX | 1342 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 4703 | 6.7 | 53 | 1 | 1 | 5 | 9 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 1085 | 2.3 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 20-34 | 1071 | 4.3 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 35-49 | 1011 | 5.7 | 36 | 1 | 2 | 4 | 7 | 11 | 15 | 33 |
| 50-64 | 1086 | 6.4 | 44 | 1 | 2 | 4 | 8 | 13 | 17 | 32 |
| 65+ | 1792 | 9.0 | 76 | 2 | 2 | 7 | 11 | 18 | 24 | 47 |
| GRAND TOTAL | 6045 | 5.9 | 45 | 1 | 1 | 4 | 8 | 13 | 17 | 33 |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 263 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 277 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 215 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 14 |
| 50-64 | 176 | 4.7 | 12 | 1 | 2 | 4 | 5 | 8 | 13 | 18 |
| 65+ | 137 | 5.7 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 288 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 401 | 4.1 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 35-49 | 287 | 4.9 | 24 | 1 | 2 | 3 | 6 | 11 | 14 | 24 |
| 50-64 | 312 | 6.6 | 52 | 1 | 2 | 4 | 8 | 13 | 17 | 37 |
| 65+ | 406 | 8.3 | 44 | 2 | 3 | 7 | 11 | 15 | 19 | 33 |
| TOT. SINGLE DX | 1068 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| " MULTIPLE DX | 1694 | 5.5 | 33 | 1 | 2 | 3 | 7 | 12 | 15 | 30 |
| TOTAL 0-19 YRS | 551 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| 20-34 | 678 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 17 |
| 35-49 | 502 | 4.8 | 18 | 1 | 2 | 3 | 6 | 10 | 13 | 20 |
| 50-64 | 488 | 5.9 | 39 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| 65+ | 543 | 7.6 | 39 | 2 | 2 | 6 | 10 | 14 | 18 | 30 |
| GRAND TOTAL | 2762 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 12 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 83 | 8.1 | 11 | 4 | 5 | 8 | 9 | 12 | 15 | 22 |
| 35-49 | 289 | 8.7 | 8 | 5 | 6 | 8 | 10 | 12 | 14 | 18 |
| 50-64 | 290 | 9.2 | 9 | 5 | 6 | 9 | 10 | 13 | 15 | 21 |
| 65+ | 144 | 10.2 | 11 | 6 | 7 | 10 | 12 | 14 | 17 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 18.5 | 85 | 12 | 12 | 18 | 25 | 25 | 25 | 25 |
| 20-34 | 83 | 8.2 | 8 | 5 | 5 | 8 | 10 | 11 | 14 | 17 |
| 35-49 | 390 | 10.3 | 25 | 6 | 6 | 9 | 12 | 16 | 19 | 27 |
| 50-64 | 409 | 10.8 | 17 | 6 | 7 | 10 | 13 | 16 | 20 | 25 |
| 65+ | 205 | 13.0 | 45 | 7 | 8 | 11 | 16 | 20 | 24 | 40 |
| TOT. SINGLE DX | 809 | 9.1 | 10 | 5 | 6 | 9 | 10 | 13 | 15 | 20 |
| " MULTIPLE DX | 1089 | 10.9 | 27 | 6 | 7 | 9 | 13 | 16 | 20 | 29 |
| TOTAL 0-19 YRS | 5 | 10.6 | 79 | 2 | 2 | 9 | 15 | 25 | 25 | 25 |
| 20-34 | 166 | 8.2 | 10 | 5 | 5 | 8 | 9 | 11 | 14 | 19 |
| 35-49 | 679 | 9.6 | 19 | 5 | 6 | 9 | 11 | 15 | 17 | 26 |
| 50-64 | 699 | 10.2 | 15 | 6 | 7 | 9 | 12 | 15 | 18 | 24 |
| 65+ | 349 | 11.8 | 33 | 6 | 7 | 10 | 14 | 18 | 21 | 34 |
| GRAND TOTAL | 1898 | 10.1 | 20 | 5 | 6 | 9 | 11 | 15 | 18 | 26 |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 7.5 | 7 | 5 | 5 | 7 | 8 | 12 | 14 | 14 |
| 35-49 | 54 | 8.5 | 5 | 5 | 6 | 8 | 9 | 11 | 13 | 17 |
| 50-64 | 75 | 8.8 | 6 | 5 | 6 | 9 | 10 | 11 | 13 | 19 |
| 65+ | 37 | 9.4 | 12 | 3 | 5 | 10 | 12 | 14 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 13 | 11.0 | 14 | 5 | 6 | 11 | 13 | 15 | 18 | 19 |
| 35-49 | 77 | 9.8 | 16 | 6 | 6 | 9 | 11 | 16 | 18 | 26 |
| 50-64 | 70 | 11.0 | 21 | 7 | 7 | 9 | 13 | 17 | 21 | 28 |
| 65+ | 58 | 11.9 | 38 | 4 | 5 | 10 | 14 | 23 | 25 | 30 |
| TOT. SINGLE DX | 177 | 8.8 | 7 | 4 | 6 | 9 | 10 | 12 | 14 | 17 |
| " MULTIPLE DX | 220 | 10.8 | 25 | 6 | 6 | 9 | 13 | 18 | 21 | 28 |
| TOTAL 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 24 | 9.4 | 14 | 5 | 5 | 8 | 12 | 14 | 16 | 19 |
| 35-49 | 131 | 9.3 | 13 | 6 | 6 | 9 | 10 | 14 | 17 | 21 |
| 50-64 | 145 | 9.9 | 15 | 6 | 7 | 9 | 11 | 14 | 18 | 28 |
| 65+ | 95 | 10.9 | 30 | 3 | 5 | 10 | 13 | 17 | 24 | 28 |
| GRAND TOTAL | 397 | 9.9 | 18 | 5 | 6 | 9 | 11 | 15 | 18 | 27 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 16 | 5.0 | 12 | 2 | 2 | 4 | 6 | 8 | 14 | 16 |
| 35-49 | 17 | 6.7 | 9 | 3 | 3 | 7 | 9 | 11 | 13 | 13 |
| 50-64 | 21 | 6.0 | 23 | 1 | 2 | 4 | 7 | 14 | 17 | 19 |
| 65+ | 14 | 6.1 | 25 | 1 | 2 | 5 | 9 | 12 | 18 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 4.1 | 12 | 1 | 1 | 3 | 6 | 8 | 12 | 14 |
| 20-34 | 24 | 5.5 | 20 | 1 | 1 | 4 | 7 | 13 | 15 | 19 |
| 35-49 | 26 | 9.5 | 32 | 2 | 3 | 8 | 13 | 19 | 19 | 19 |
| 50-64 | 40 | 8.8 | 120 | 2 | 2 | 5 | 12 | 20 | 22 | 65 |
| 65+ | 47 | 10.4 | 57 | 2 | 3 | 8 | 15 | 18 | 24 | 42 |
| TOT. SINGLE DX | 77 | 5.6 | 17 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| " MULTIPLE DX | 154 | 8.4 | 62 | 1 | 2 | 6 | 12 | 17 | 20 | 41 |
| TOTAL 0-19 YRS | 26 | 3.6 | 9 | 1 | 1 | 2 | 6 | 7 | 9 | 14 |
| 20-34 | 40 | 5.3 | 17 | 1 | 2 | 4 | 7 | 11 | 15 | 19 |
| 35-49 | 43 | 8.4 | 25 | 2 | 3 | 7 | 12 | 17 | 19 | 19 |
| 50-64 | 61 | 7.8 | 88 | 2 | 2 | 4 | 11 | 17 | 21 | 60 |
| 65+ | 61 | 9.4 | 53 | 2 | 2 | 7 | 12 | 18 | 22 | 40 |
| GRAND TOTAL | 231 | 7.4 | 49 | 1 | 2 | 5 | 10 | 16 | 19 | 30 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 12 | 7.1 | 30 | 1 | 2 | 7 | 9 | 13 | 21 | 22 |
| 35-49 | 9 | 8.2 | 26 | 2 | 2 | 8 | 11 | 16 | 18 | 18 |
| 50-64 | 4 | 22.0 | 74 | 12 | 12 | 21 | 27 | 33 | 33 | 33 |
| 65+ | 8 | 9.5 | 24 | 5 | 5 | 8 | 14 | 17 | 17 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 14 | 1 | 1 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 12 | 13.3 | 63 | 3 | 5 | 11 | 16 | 27 | 30 | 30 |
| 35-49 | 15 | 14.1 | 96 | 4 | 4 | 11 | 15 | 31 | 35 | 37 |
| 50-64 | 16 | 15.3 | 30 | 7 | 9 | 17 | 20 | 22 | 23 | 23 |
| 65+ | 30 | 16.5 | 170 | <1 | 2 | 17 | 23 | 27 | 29 | 66 |
| TOT. SINGLE DX | 35 | 9.4 | 51 | 2 | 2 | 8 | 12 | 21 | 22 | 33 |
| " MULTIPLE DX | 78 | 14.6 | 104 | 2 | 4 | 12 | 21 | 26 | 30 | 58 |
| TOTAL 0-19 YRS | 7 | 5.6 | 12 | 1 | 1 | 5 | 8 | 10 | 11 | 11 |
| 20-34 | 24 | 10.2 | 55 | 2 | 2 | 8 | 13 | 22 | 27 | 30 |
| 35-49 | 24 | 11.9 | 76 | 2 | 4 | 10 | 13 | 27 | 33 | 37 |
| 50-64 | 20 | 16.6 | 44 | 8 | 9 | 18 | 21 | 23 | 28 | 33 |
| 65+ | 38 | 15.0 | 147 | 1 | 3 | 12 | 23 | 25 | 29 | 66 |
| GRAND TOTAL | 113 | 13.0 | 93 | 2 | 3 | 10 | 19 | 24 | 29 | 48 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 6.2 | 9 | 2 | 2 | 6 | 8 | 11 | 13 | 13 |
| 20-34 | 19 | 6.5 | 22 | 2 | 3 | 6 | 7 | 10 | 18 | 24 |
| 35-49 | 115 | 6.3 | 7 | 3 | 4 | 6 | 8 | 10 | 12 | 16 |
| 50-64 | 1840 | 6.8 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 4309 | 7.8 | 14 | 4 | 5 | 7 | 9 | 12 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 12.3 | 92 | 4 | 4 | 8 | 15 | 29 | 32 | 33 |
| 20-34 | 22 | 10.1 | 50 | 3 | 4 | 8 | 13 | 17 | 25 | 35 |
| 35-49 | 156 | 8.0 | 18 | 4 | 4 | 7 | 10 | 13 | 16 | 26 |
| 50-64 | 2821 | 9.3 | 39 | 4 | 5 | 8 | 11 | 16 | 20 | 35 |
| 65+ | 9232 | 11.5 | 62 | 5 | 5 | 9 | 14 | 21 | 26 | 43 |
| TOT. SINGLE DX | 6293 | 7.5 | 13 | 4 | 4 | 7 | 9 | 11 | 14 | 20 |
| " MULTIPLE DX | 12245 | 11.0 | 58 | 4 | 5 | 9 | 13 | 19 | 25 | 41 |
| TOTAL 0-19 YRS | 24 | 9.8 | 65 | 3 | 4 | 7 | 11 | 24 | 30 | 33 |
| 20-34 | 41 | 8.4 | 40 | 3 | 3 | 7 | 9 | 16 | 21 | 35 |
| 35-49 | 271 | 7.3 | 14 | 3 | 4 | 6 | 8 | 12 | 14 | 24 |
| 50-64 | 4661 | 8.3 | 29 | 4 | 4 | 7 | 9 | 13 | 17 | 30 |
| 65+ | 13541 | 10.3 | 50 | 4 | 5 | 8 | 12 | 18 | 23 | 38 |
| GRAND TOTAL | 18538 | 9.8 | 45 | 4 | 5 | 8 | 11 | 17 | 22 | 36 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 8 | 13.0 | 32 | 3 | 4 | 13 | 16 | 20 | 22 | 22 |
| 50-64 | 253 | 11.8 | 25 | 6 | 7 | 10 | 15 | 18 | 21 | 31 |
| 65+ | 445 | 12.7 | 31 | 6 | 7 | 11 | 16 | 19 | 23 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 9.0 | 66 | 3 | 3 | 6 | 12 | 23 | 23 | 23 |
| 20-34 | 4 | 5.0 | 16 | 2 | 2 | 3 | 7 | 11 | 11 | 11 |
| 35-49 | 7 | 13.4 | 126 | 3 | 3 | 10 | 20 | 32 | 34 | 34 |
| 50-64 | 284 | 13.3 | 44 | 6 | 7 | 11 | 16 | 21 | 25 | 40 |
| 65+ | 906 | 15.1 | 59 | 7 | 8 | 13 | 18 | 24 | 29 | 46 |
| TOT. SINGLE DX | 711 | 12.3 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 29 |
| " MULTIPLE DX | 1206 | 14.6 | 57 | 6 | 8 | 13 | 18 | 23 | 29 | 45 |
| TOTAL 0-19 YRS | 8 | 7.3 | 45 | 2 | 2 | 5 | 8 | [illegible] | 23 | 23 |
| 20-34 | 6 | 4.5 | 12 | 2 | 2 | 3 | 5 | 10 | 11 | 11 |
| 35-49 | 15 | 13.2 | 70 | 3 | 3 | 12 | 16 | 23 | 31 | 34 |
| 50-64 | 537 | 12.6 | 36 | 6 | 7 | 11 | 15 | 20 | 24 | 35 |
| 65+ | 1351 | 14.3 | 52 | 7 | 8 | 13 | 17 | 22 | 28 | 42 |
| GRAND TOTAL | 1917 | 13.7 | 48 | 6 | 7 | 12 | 17 | 22 | 26 | 40 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 19 | 3.5 | 5 | <1 | 1 | 2 | 5 | 7 | 9 | 10 |
| 35-49 | 78 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 7 | 18 |
| 50-64 | 504 | 3.1 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 773 | 4.1 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 11.1 | 129 | 2 | 2 | 8 | 13 | 31 | 35 | 35 |
| 20-34 | 19 | 4.5 | 4 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 76 | 4.4 | 10 | 1 | 2 | 3 | 5 | 10 | 11 | 16 |
| 50-64 | 484 | 5.8 | 32 | 2 | 2 | 4 | 7 | 12 | 15 | 28 |
| 65+ | 1142 | 8.5 | 66 | 2 | 2 | 6 | 11 | 18 | 23 | 38 |
| TOT. SINGLE DX | 1377 | 3.7 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 17 |
| " MULTIPLE DX | 1728 | 7.5 | 56 | 2 | 2 | 5 | 10 | 15 | 21 | 35 |
| TOTAL 0-19 YRS | 10 | 9.0 | 100 | 2 | 2 | 6 | 9 | 25 | 35 | 35 |
| 20-34 | 38 | 4.0 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 154 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 11 | 17 |
| 50-64 | 988 | 4.4 | 20 | 1 | 2 | 3 | 5 | 9 | 12 | 24 |
| 65+ | 1915 | 6.7 | 50 | 2 | 2 | 4 | 8 | 14 | 20 | 34 |
| GRAND TOTAL | 3105 | 5.8 | 39 | 1 | 2 | 4 | 7 | 12 | 17 | 31 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 20-34 | 158 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 100 | 4.7 | 28 | 1 | 1 | 3 | 5 | 7 | 13 | 33 |
| 50-64 | 81 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 65+ | 54 | 6.1 | 34 | 2 | 2 | 5 | 7 | 11 | 13 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 3.4 | 13 | 1 | 1 | 3 | 4 | 5 | 8 | 25 |
| 20-34 | 63 | 5.5 | 22 | 2 | 2 | 4 | 6 | 12 | 18 | 23 |
| 35-49 | 65 | 6.3 | 63 | 1 | 2 | 4 | 7 | 13 | 14 | 53 |
| 50-64 | 104 | 8.0 | 72 | 2 | 3 | 5 | 9 | 16 | 30 | 71 |
| 65+ | 92 | 13.6 | 232 | 3 | 3 | 8 | 15 | 30 | 48 | 79 |
| TOT. SINGLE DX | 516 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| " MULTIPLE DX | 412 | 7.6 | 98 | 1 | 2 | 4 | 8 | 15 | 25 | 59 |
| TOTAL 0-19 YRS | 211 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 221 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 19 |
| 35-49 | 165 | 5.3 | 42 | 1 | 2 | 4 | 6 | 10 | 14 | 38 |
| 50-64 | 185 | 6.5 | 48 | 2 | 2 | 4 | 7 | 13 | 18 | 47 |
| 65+ | 146 | 10.8 | 172 | 2 | 3 | 6 | 13 | 21 | 41 | 72 |
| GRAND TOTAL | 928 | 5.6 | 55 | 1 | 2 | 4 | 6 | 11 | 16 | 45 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 204 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 219 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 14 | 23 |
| 35-49 | 87 | 5.4 | 13 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 116 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 17 |
| 65+ | 249 | 6.3 | 25 | 2 | 2 | 4 | 8 | 13 | 17 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 171 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| 20-34 | 124 | 5.0 | 7 | 2 | 2 | 4 | 6 | 9 | 11 | 13 |
| 35-49 | 94 | 6.6 | 43 | 2 | 2 | 4 | 7 | 13 | 23 | 35 |
| 50-64 | 191 | 9.8 | 91 | 2 | 3 | 7 | 12 | 20 | 26 | 35 |
| 65+ | 526 | 10.6 | 88 | 2 | 3 | 8 | 13 | 21 | 28 | 52 |
| TOT. SINGLE DX | 875 | 5.2 | 16 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| " MULTIPLE DX | 1106 | 8.4 | 71 | 2 | 2 | 5 | 10 | 18 | 25 | 41 |
| TOTAL 0-19 YRS | 375 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 343 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 181 | 6.0 | 30 | 2 | 2 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 307 | 8.3 | 65 | 2 | 3 | 6 | 10 | 16 | 21 | 33 |
| 65+ | 775 | 9.2 | 72 | 2 | 3 | 6 | 12 | 19 | 26 | 49 |
| GRAND TOTAL | 1981 | 7.0 | 49 | 2 | 2 | 5 | 8 | 14 | 20 | 34 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 712 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 108 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 9 |
| 35-49 | 9 | 3.4 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 429 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 29 | 3.6 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 35-49 | 3 | 7.0 | 3 | 5 | 5 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 18.5 | 545 | 2 | 2 | 18 | 35 | 35 | 35 | 35 |
| TOT. SINGLE DX | 831 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 465 | 3.5 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 1141 | 3.1 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 137 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 12 | 4.3 | 5 | 1 | 2 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 4 | 4.5 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 2 | 18.5 | 545 | 2 | 2 | 18 | 35 | 35 | 35 | 35 |
| GRAND TOTAL | 1296 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 174 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 177 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 50 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 50-64 | 27 | 3.7 | 3 | 1 | 2 | 3 | 5 | 7 | 7 | 8 |
| 65+ | 10 | 7.4 | 52 | 1 | 1 | 4 | 9 | 20 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 4.3 | 54 | 1 | 1 | 3 | 5 | 6 | 9 | 53 |
| 20-34 | 62 | 3.7 | 6 | 1 | 2 | 3 | 4 | 6 | 9 | 15 |
| 35-49 | 22 | 4.6 | 7 | 1 | 2 | 4 | 6 | 7 | 10 | 14 |
| 50-64 | 18 | 5.6 | 25 | 1 | 2 | 4 | 7 | 10 | 18 | 23 |
| 65+ | 11 | 9.4 | 128 | 1 | 3 | 5 | 11 | 24 | 40 | 42 |
| TOT. SINGLE DX | 438 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| " MULTIPLE DX | 167 | 4.6 | 33 | 1 | 2 | 3 | 5 | 7 | 11 | 39 |
| TOTAL 0-19 YRS | 228 | 3.0 | 16 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 239 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 35-49 | 72 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 45 | 4.4 | 13 | 1 | 2 | 3 | 6 | 8 | 10 | 23 |
| 65+ | 21 | 8.4 | 89 | 1 | 2 | 5 | 10 | 20 | 30 | 42 |
| GRAND TOTAL | 605 | 3.3 | 13 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 193 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 113 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 6 |
| 50-64 | 16 | 3.4 | 18 | <1 | <1 | 2 | 4 | 8 | 14 | 17 |
| 65+ | 9 | 10.3 | 44 | 5 | 5 | 7 | 17 | 20 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 103 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 18 |
| 35-49 | 79 | 3.4 | 9 | 1 | 1 | 2 | 3 | 8 | 10 | 16 |
| 50-64 | 29 | 6.7 | 45 | 1 | 2 | 5 | 9 | 12 | 16 | 36 |
| 65+ | 37 | 12.8 | 92 | 5 | 6 | 9 | 15 | 23 | 33 | 52 |
| TOT. SINGLE DX | 333 | 1.7 | 5 | <1 | <1 | 1 | 2 | 2 | 5 | 17 |
| " MULTIPLE DX | 249 | 4.8 | 37 | 1 | 1 | 2 | 6 | 10 | 16 | 35 |
| TOTAL 0-19 YRS | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 296 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 192 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 7 | 13 |
| 50-64 | 45 | 5.6 | 38 | <1 | 1 | 4 | 7 | 11 | 15 | 36 |
| 65+ | 46 | 12.3 | 83 | 5 | 5 | 9 | 16 | 22 | 30 | 52 |
| GRAND TOTAL | 582 | 3.0 | 21 | <1 | <1 | 2 | 3 | 7 | 10 | 22 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 542 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 607 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 491 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 432 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 184 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 323 | 3.1 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 20-34 | 412 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 253 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 11 | 16 |
| 50-64 | 336 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 65+ | 242 | 6.9 | 29 | 2 | 3 | 5 | 8 | 14 | 17 | 27 |
| TOT. SINGLE DX | 2256 | 3.1 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 1566 | 4.3 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| TOTAL 0-19 YRS | 865 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1019 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 744 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | 768 | 4.2 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 426 | 5.7 | 21 | 2 | 2 | 4 | 6 | 11 | 15 | 25 |
| GRAND TOTAL | 3822 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1934 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 915 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 375 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 50-64 | 176 | 2.4 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 65+ | 97 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 576 | 2.6 | 7 | 1 | 1 | 2 | 2 | 5 | 7 | 16 |
| 20-34 | 590 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 426 | 3.6 | 10 | 1 | 2 | 2 | 4 | 8 | 10 | 19 |
| 50-64 | 316 | 3.8 | 14 | 1 | 2 | 2 | 5 | 8 | 10 | 16 |
| 65+ | 287 | 6.5 | 61 | 2 | 2 | 4 | 8 | 15 | 20 | 32 |
| TOT. SINGLE DX | 3780 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 7 |
| " MULTIPLE DX | 2341 | 3.6 | 18 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 2705 | 2.1 | 4 | <1 | 1 | 2 | 2 | 3 | 3 | 9 |
| 20-34 | 1621 | 2.4 | 4 | 1 | 1 | 2 | 2 | 3 | 5 | 12 |
| 35-49 | 861 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 50-64 | 521 | 3.3 | 12 | 1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 65+ | 413 | 5.6 | 50 | 1 | 2 | 3 | 7 | 12 | 19 | 31 |
| GRAND TOTAL | 6121 | 2.6 | 9 | 1 | 1 | 2 | 2 | 4 | 7 | 15 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 3.0 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 20-34 | 112 | 3.2 | 10 | <1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 35-49 | 104 | 4.6 | 9 | 2 | 2 | 4 | 7 | 8 | 10 | 17 |
| 50-64 | 175 | 5.3 | 9 | 2 | 2 | 5 | 7 | 8 | 11 | 16 |
| 65+ | 85 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 11 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 4.4 | 10 | 1 | 1 | 3 | 6 | 10 | 11 | 14 |
| 20-34 | 116 | 6.7 | 69 | 1 | 2 | 5 | 8 | 11 | 18 | 57 |
| 35-49 | 127 | 7.7 | 68 | 2 | 2 | 5 | 8 | 13 | 21 | 47 |
| 50-64 | 237 | 6.8 | 21 | 2 | 3 | 6 | 8 | 11 | 15 | 21 |
| 65+ | 149 | 8.8 | 70 | 2 | 3 | 6 | 9 | 18 | 31 | 39 |
| TOT. SINGLE DX | 576 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| " MULTIPLE DX | 711 | 7.1 | 48 | 2 | 2 | 5 | 8 | 12 | 18 | 39 |
| TOTAL 0-19 YRS | 182 | 3.6 | 11 | <1 | 1 | 2 | 5 | 9 | 10 | 15 |
| 20-34 | 228 | 5.0 | 44 | 1 | 1 | 3 | 6 | 10 | 13 | 35 |
| 35-49 | 231 | 6.4 | 44 | 2 | 2 | 5 | 7 | 11 | 16 | 38 |
| 50-64 | 412 | 6.2 | 16 | 2 | 3 | 5 | 8 | 10 | 13 | 19 |
| 65+ | 234 | 7.5 | 51 | 2 | 3 | 5 | 8 | 14 | 23 | 38 |
| GRAND TOTAL | 1287 | 5.9 | 33 | 1 | 2 | 5 | 7 | 10 | 14 | 35 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 242 | 5.5 | 4 | 3 | 3 | 5 | 6 | 8 | 10 | 13 |
| 20-34 | 928 | 5.6 | 3 | 3 | 4 | 6 | 6 | 8 | 9 | 12 |
| 35-49 | 134 | 6.5 | 7 | 2 | 4 | 6 | 8 | 10 | 12 | 15 |
| 50-64 | 30 | 8.4 | 21 | 3 | 4 | 8 | 9 | 14 | 17 | 25 |
| 65+ | 25 | 11.6 | 30 | 5 | 6 | 11 | 14 | 18 | 24 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 218 | 6.2 | 7 | 2 | 3 | 6 | 8 | 10 | 12 | 14 |
| 20-34 | 1313 | 6.4 | 8 | 3 | 4 | 6 | 7 | 9 | 11 | 17 |
| 35-49 | 251 | 8.0 | 17 | 3 | 4 | 7 | 10 | 13 | 16 | 23 |
| 50-64 | 59 | 10.5 | 28 | 2 | 6 | 10 | 12 | 17 | 22 | 29 |
| 65+ | 56 | 17.5 | 131 | 6 | 8 | 14 | 20 | 31 | 38 | 63 |
| TOT. SINGLE DX | 1359 | 5.9 | 6 | 3 | 3 | 6 | 7 | 8 | 10 | 14 |
| " MULTIPLE DX | 1897 | 7.0 | 18 | 3 | 4 | 6 | 8 | 11 | 14 | 24 |
| TOTAL 0-19 YRS | 460 | 5.8 | 6 | 3 | 3 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 2241 | 6.1 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 385 | 7.5 | 14 | 3 | 4 | 7 | 9 | 12 | 15 | 22 |
| 50-64 | 89 | 9.8 | 27 | 2 | 4 | 9 | 12 | 16 | 20 | 28 |
| 65+ | 81 | 15.7 | 107 | 5 | 6 | 13 | 19 | 26 | 33 | 63 |
| GRAND TOTAL | 3256 | 6.5 | 13 | 3 | 4 | 6 | 7 | 10 | 12 | 20 |

### 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 155 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 20-34 | 1041 | 6.3 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 341 | 6.8 | 6 | 4 | 4 | 6 | 8 | 10 | 11 | 16 |
| 50-64 | 68 | 10.0 | 30 | 5 | 5 | 8 | 12 | 17 | 23 | 34 |
| 65+ | 37 | 11.0 | 20 | 4 | 6 | 10 | 14 | 18 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 194 | 6.7 | 5 | 4 | 4 | 6 | 8 | 9 | 11 | 14 |
| 20-34 | 1950 | 7.1 | 10 | 4 | 5 | 6 | 8 | 10 | 13 | 19 |
| 35-49 | 798 | 8.1 | 15 | 4 | 5 | 7 | 9 | 13 | 15 | 25 |
| 50-64 | 137 | 11.0 | 37 | 5 | 6 | 9 | 13 | 17 | 21 | 38 |
| 65+ | 103 | 16.7 | 121 | 7 | 7 | 14 | 19 | 27 | 43 | 63 |
| TOT. SINGLE DX | 1642 | 6.6 | 7 | 4 | 4 | 6 | 7 | 9 | 12 | 17 |
| " MULTIPLE DX | 3182 | 7.8 | 20 | 4 | 5 | 7 | 9 | 12 | 15 | 24 |
| TOTAL 0-19 YRS | 349 | 6.4 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 20-34 | 2991 | 6.8 | 9 | 4 | 4 | 6 | 7 | 10 | 12 | 18 |
| 35-49 | 1139 | 7.7 | 13 | 4 | 5 | 7 | 9 | 12 | 14 | 22 |
| 50-64 | 205 | 10.7 | 35 | 5 | 6 | 9 | 12 | 17 | 21 | 36 |
| 65+ | 140 | 15.2 | 101 | 6 | 7 | 13 | 18 | 24 | 36 | 62 |
| GRAND TOTAL | 4824 | 7.4 | 16 | 4 | 5 | 6 | 8 | 11 | 14 | 22 |

### 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 1 | 5 | 5 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 162 | 6.6 | 4 | 4 | 5 | 6 | 8 | 9 | 11 | 13 |
| 35-49 | 221 | 7.4 | 10 | 5 | 5 | 7 | 8 | 10 | 12 | 17 |
| 50-64 | 100 | 9.7 | 56 | 5 | 6 | 8 | 11 | 13 | 16 | 49 |
| 65+ | 51 | 10.9 | 26 | 6 | 7 | 9 | 12 | 15 | 23 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 6.6 | 5 | 4 | 4 | 7 | 7 | 10 | 12 | 13 |
| 20-34 | 508 | 7.7 | 11 | 5 | 5 | 7 | 8 | 12 | 14 | 20 |
| 35-49 | 704 | 9.0 | 29 | 5 | 5 | 8 | 10 | 14 | 18 | 31 |
| 50-64 | 258 | 11.2 | 37 | 6 | 6 | 9 | 13 | 18 | 24 | 38 |
| 65+ | 115 | 16.5 | 91 | 7 | 8 | 13 | 19 | 31 | 38 | 49 |
| TOT. SINGLE DX | 537 | 7.9 | 21 | 4 | 5 | 7 | 9 | 12 | 13 | 23 |
| " MULTIPLE DX | 1598 | 9.5 | 34 | 5 | 5 | 8 | 11 | 15 | 19 | 37 |
| TOTAL 0-19 YRS | 16 | 6.4 | 5 | 4 | 4 | 6 | 7 | 9 | 12 | 13 |
| 20-34 | 670 | 7.4 | 10 | 4 | 5 | 7 | 8 | 11 | 13 | 19 |
| 35-49 | 925 | 8.6 | 25 | 5 | 5 | 7 | 9 | 13 | 16 | 29 |
| 50-64 | 358 | 10.7 | 43 | 5 | 6 | 9 | 12 | 17 | 22 | 38 |
| 65+ | 166 | 14.8 | 78 | 6 | 8 | 12 | 17 | 27 | 33 | 47 |
| GRAND TOTAL | 2135 | 9.1 | 31 | 5 | 5 | 8 | 10 | 14 | 18 | 33 |

### 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 172 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 12 | 13 |
| 35-49 | 28 | 5.4 | 15 | 1 | 1 | 5 | 8 | 10 | 12 | 17 |
| 50-64 | 4 | 8.5 | 17 | 3 | 3 | 9 | 11 | 13 | 13 | 13 |
| 65+ | 4 | 11.8 | 51 | 2 | 2 | 13 | 17 | 18 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 9 | 12 |
| 20-34 | 397 | 5.5 | 10 | 1 | 2 | 5 | 7 | 8 | 10 | 18 |
| 35-49 | 60 | 6.9 | 30 | 1 | 2 | 6 | 9 | 13 | 18 | 31 |
| 50-64 | 5 | 8.2 | 19 | 3 | 3 | 8 | 10 | 15 | 15 | 15 |
| 65+ | 4 | 13.0 | 16 | 9 | 9 | 13 | 16 | 17 | 17 | 17 |
| TOT. SINGLE DX | 257 | 4.8 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 16 |
| " MULTIPLE DX | 507 | 5.7 | 13 | 1 | 2 | 5 | 7 | 9 | 11 | 20 |
| TOTAL 0-19 YRS | 90 | 4.6 | 7 | 1 | 2 | 4 | 6 | 7 | 8 | 15 |
| 20-34 | 569 | 5.2 | 10 | 1 | 2 | 5 | 7 | 8 | 11 | 16 |
| 35-49 | 88 | 6.4 | 26 | 1 | 1 | 5 | 8 | 12 | 16 | 28 |
| 50-64 | 9 | 8.3 | 17 | 3 | 3 | 8 | 11 | 14 | 15 | 15 |
| 65+ | 8 | 12.4 | 29 | 2 | 4 | 13 | 17 | 18 | 18 | 18 |
| GRAND TOTAL | 764 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 18 |

### 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 1.7 | | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 5427 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 1704 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | 15 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 45 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 4 | 19 |
| 20-34 | 3510 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 1374 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 10 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 7210 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 4939 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 109 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| 20-34 | 8937 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 35-49 | 3078 | 1.7 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 25 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 6 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 12149 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 3.0 | 4 | <1 | 1 | 3 | 3 | 5 | 7 | 13 |
| 20-34 | 3558 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 940 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 9 | 4.1 | 5 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 4789 | 3.4 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1079 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 12 | 6.2 | 19 | 1 | 1 | 6 | 8 | 13 | 16 | 16 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 4571 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 5964 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 148 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 8347 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 2019 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 50-64 | 21 | 5.3 | 14 | 1 | 1 | 4 | 7 | 10 | 14 | 16 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 10535 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 5.5 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 1640 | 4.9 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 197 | 4.4 | 6 | <1 | <1 | 5 | 6 | 7 | 9 | 10 |
| 50-64 | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 122 | 6.0 | 7 | 2 | 3 | 6 | 7 | 9 | 11 | 15 |
| 20-34 | 1577 | 5.3 | 7 | 1 | 2 | 5 | 6 | 8 | 9 | 14 |
| 35-49 | 235 | 5.5 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 11 | 12.2 | 40 | 2 | 4 | 12 | 17 | 21 | 23 | 23 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 1949 | 4.9 | 5 | 1 | 2 | 5 | 6 | 7 | 8 | 10 |
| " MULTIPLE DX | 1946 | 5.4 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| TOTAL 0-19 YRS | 229 | 5.7 | 6 | 2 | 3 | 5 | 7 | 9 | 10 | 13 |
| 20-34 | 3217 | 5.1 | 6 | 1 | 2 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 432 | 5.0 | 8 | <1 | 1 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | 14 | 10.9 | 39 | 2 | 3 | 9 | 16 | 19 | 22 | 23 |
| 65+ | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| GRAND TOTAL | 3895 | 5.2 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1218 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 331 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 108 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 49 | 3.8 | 8 | 1 | 2 | 3 | 4 | 7 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 658 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 296 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 50-64 | 145 | 4.0 | 16 | 1 | 1 | 3 | 4 | 8 | 10 | 25 |
| 65+ | 67 | 5.1 | 15 | 2 | 2 | 4 | 6 | 11 | 13 | 21 |
| TOT. SINGLE DX | 1773 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 1209 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 16 |
| TOTAL 0-19 YRS | 110 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1876 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 627 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | 253 | 3.4 | 11 | 1 | 1 | 3 | 3 | 6 | 9 | 20 |
| 65+ | 116 | 4.6 | 13 | 2 | 2 | 3 | 5 | 10 | 13 | 18 |
| GRAND TOTAL | 2982 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 328 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 4 | 12 |
| 35-49 | 274 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 228 | 3.5 | 9 | 1 | 1 | 2 | 4 | 8 | 9 | 18 |
| 65+ | 159 | 4.7 | 16 | 1 | 2 | 3 | 7 | 9 | 12 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 3.6 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 636 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 35-49 | 666 | 3.3 | 12 | <1 | 1 | 2 | 3 | 7 | 9 | 20 |
| 50-64 | 442 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| 65+ | 359 | 8.2 | 61 | 2 | 2 | 6 | 10 | 16 | 23 | 41 |
| TOT. SINGLE DX | 1019 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| " MULTIPLE DX | 2141 | 4.3 | 25 | 1 | 1 | 2 | 5 | 9 | 13 | 25 |
| TOTAL 0-19 YRS | 68 | 2.9 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 20-34 | 964 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 940 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 50-64 | 670 | 4.2 | 17 | 1 | 1 | 3 | 5 | 9 | 13 | 19 |
| 65+ | 518 | 7.1 | 50 | 2 | 2 | 5 | 9 | 14 | 20 | 37 |
| GRAND TOTAL | 3160 | 3.9 | 20 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |

### 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 3.7 | 2 | 2 | 2 | 4 | 4 | 6 | 7 | 8 |
| 20-34 | 664 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 44 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 4.2 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 186 | 4.2 | 6 | 2 | 2 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 23 | 3.5 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | 6 | 8.2 | 47 | 1 | 1 | 7 | 9 | 20 | 21 | 21 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| TOT. SINGLE DX | 759 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 240 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| TOTAL 0-19 YRS | 73 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 8 |
| 20-34 | 850 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 67 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 50-64 | 7 | 7.6 | 42 | 1 | 2 | 5 | 9 | 19 | 21 | 21 |
| 65+ | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| GRAND TOTAL | 999 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |

### 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 5.0 | 8 | 1 | 1 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 324 | 5.4 | 5 | 1 | 2 | 6 | 7 | 8 | 9 | 11 |
| 35-49 | 71 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 21 |
| 50-64 | 19 | 5.5 | 42 | 1 | 2 | 2 | 7 | 13 | 22 | 28 |
| 65+ | 15 | 3.5 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 6.2 | 16 | 1 | 2 | 6 | 8 | 10 | 16 | 18 |
| 20-34 | 486 | 6.3 | 11 | 2 | 2 | 6 | 8 | 9 | 12 | 20 |
| 35-49 | 153 | 6.3 | 21 | 1 | 2 | 6 | 8 | 11 | 14 | 27 |
| 50-64 | 63 | 6.8 | 60 | 1 | 1 | 4 | 8 | 16 | 21 | 46 |
| 65+ | 56 | 9.1 | 101 | 1 | 2 | 5 | 12 | 22 | 37 | 97 |
| TOT. SINGLE DX | 437 | 5.3 | 8 | 1 | 2 | 6 | 7 | 8 | 9 | 13 |
| " MULTIPLE DX | 773 | 6.6 | 24 | 1 | 2 | 6 | 8 | 11 | 15 | 27 |
| TOTAL 0-19 YRS | 23 | 5.8 | 14 | 1 | 2 | 6 | 7 | 10 | 13 | 18 |
| 20-34 | 810 | 6.0 | 9 | 1 | 2 | 6 | 7 | 9 | 10 | 17 |
| 35-49 | 224 | 6.0 | 19 | 1 | 2 | 6 | 8 | 10 | 13 | 25 |
| 50-64 | 82 | 6.5 | 56 | 1 | 1 | 4 | 8 | 15 | 21 | 42 |
| 65+ | 71 | 7.9 | 86 | 1 | 2 | 4 | 10 | 20 | 29 | 90 |
| GRAND TOTAL | 1210 | 6.1 | 19 | 1 | 2 | 6 | 7 | 10 | 12 | 24 |

### 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 7.4 | 4 | 5 | 5 | 7 | 9 | 10 | 11 | 15 |
| 20-34 | 2137 | 7.1 | 4 | 5 | 5 | 7 | 8 | 9 | 11 | 16 |
| 35-49 | 2585 | 7.3 | 5 | 5 | 5 | 7 | 8 | 9 | 11 | 16 |
| 50-64 | 713 | 8.3 | 10 | 5 | 6 | 8 | 9 | 11 | 14 | 23 |
| 65+ | 327 | 10.1 | 15 | 6 | 7 | 9 | 11 | 15 | 17 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 7.1 | 3 | 5 | 5 | 7 | 8 | 9 | 10 | 16 |
| 20-34 | 9627 | 7.5 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| 35-49 | 15402 | 8.0 | 9 | 5 | 6 | 7 | 9 | 11 | 13 | 19 |
| 50-64 | 3542 | 9.1 | 17 | 6 | 6 | 8 | 10 | 13 | 16 | 27 |
| 65+ | 1237 | 12.4 | 50 | 6 | 7 | 10 | 14 | 20 | 25 | 42 |
| TOT. SINGLE DX | 5796 | 7.5 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 29915 | 8.1 | 13 | 5 | 6 | 7 | 9 | 11 | 14 | 22 |
| TOTAL 0-19 YRS | 141 | 7.2 | 4 | 5 | 5 | 7 | 8 | 9 | 11 | 15 |
| 20-34 | 11764 | 7.5 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 17 |
| 35-49 | 17987 | 7.9 | 9 | 5 | 6 | 7 | 8 | 10 | 13 | 18 |
| 50-64 | 4255 | 9.0 | 16 | 6 | 6 | 8 | 10 | 13 | 16 | 26 |
| 65+ | 1564 | 11.9 | 44 | 6 | 7 | 10 | 14 | 19 | 24 | 40 |
| GRAND TOTAL | 35711 | 8.0 | 12 | 5 | 6 | 7 | 9 | 11 | 14 | 21 |

### 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 6.2 | 5 | 4 | 4 | 5 | 7 | 10 | 11 | 11 |
| 20-34 | 1516 | 5.9 | 2 | 4 | 4 | 6 | 6 | 8 | 9 | 11 |
| 35-49 | 1108 | 6.4 | 5 | 4 | 5 | 6 | 7 | 9 | 10 | 13 |
| 50-64 | 341 | 7.8 | 5 | 5 | 5 | 7 | 9 | 11 | 12 | 15 |
| 65+ | 279 | 8.5 | 8 | 5 | 6 | 8 | 10 | 11 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 5.8 | 6 | 3 | 4 | 5 | 6 | 10 | 12 | 12 |
| 20-34 | 4650 | 6.4 | 4 | 4 | 5 | 6 | 7 | 9 | 10 | 14 |
| 35-49 | 5669 | 7.0 | 8 | 4 | 5 | 6 | 8 | 10 | 11 | 17 |
| 50-64 | 1483 | 8.4 | 9 | 5 | 5 | 8 | 9 | 12 | 14 | 19 |
| 65+ | 978 | 9.9 | 19 | 6 | 6 | 9 | 11 | 15 | 18 | 27 |
| TOT. SINGLE DX | 3253 | 6.5 | 5 | 4 | 5 | 6 | 7 | 9 | 10 | 14 |
| " MULTIPLE DX | 12792 | 7.2 | 9 | 4 | 5 | 6 | 8 | 10 | 12 | 18 |
| TOTAL 0-19 YRS | 21 | 6.0 | 6 | 3 | 4 | 5 | 6 | 10 | 11 | 12 |
| 20-34 | 6166 | 6.3 | 4 | 4 | 5 | 6 | 7 | 8 | 10 | 13 |
| 35-49 | 6777 | 6.9 | 8 | 4 | 5 | 6 | 8 | 9 | 11 | 17 |
| 50-64 | 1824 | 8.3 | 9 | 5 | 5 | 8 | 9 | 12 | 14 | 18 |
| 65+ | 1257 | 9.6 | 17 | 6 | 6 | 9 | 11 | 14 | 17 | 28 |
| GRAND TOTAL | 16045 | 7.0 | 8 | 4 | 5 | 6 | 8 | 10 | 12 | 18 |

## 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 29 | 13.3 | 54 | 8 | 8 | 11 | 15 | 18 | 25 | 46 |
| 35-49 | 31 | 12.8 | 24 | 8 | 8 | 12 | 15 | 18 | 25 | 29 |
| 50-64 | 26 | 14.0 | 41 | 7 | 8 | 11 | 17 | 25 | 27 | 29 |
| 65+ | 11 | 19.9 | 118 | 10 | 10 | 18 | 23 | 37 | 45 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 19.3 | 214 | 6 | 6 | 17 | 30 | 35 | 35 | 35 |
| 20-34 | 21 | 12.6 | 35 | 7 | 8 | 9 | 15 | 23 | 24 | 24 |
| 35-49 | 39 | 16.5 | 291 | 6 | 8 | 11 | 14 | 26 | 60 | 93 |
| 50-64 | 35 | 17.9 | 148 | 7 | 9 | 15 | 19 | 37 | 46 | 60 |
| 65+ | 15 | 25.5 | 357 | 12 | 12 | 20 | 23 | 40 | 75 | 87 |
| TOT. SINGLE DX | 98 | 14.0 | 51 | 7 | 8 | 12 | 16 | 24 | 28 | 46 |
| " MULTIPLE DX | 113 | 17.5 | 212 | 7 | 8 | 13 | 18 | 32 | 47 | 89 |
| TOTAL 0-19 YRS | 4 | 16.0 | 187 | 6 | 6 | 12 | 26 | 35 | 35 | 35 |
| 20-34 | 50 | 13.0 | 46 | 8 | 8 | 10 | 15 | 23 | 24 | 46 |
| 35-49 | 70 | 14.8 | 174 | 7 | 8 | 12 | 15 | 19 | 31 | 87 |
| 50-64 | 61 | 16.2 | 106 | 7 | 8 | 13 | 18 | 29 | 39 | 59 |
| 65+ | 26 | 23.2 | 256 | 10 | 11 | 19 | 23 | 40 | 54 | 87 |
| GRAND TOTAL | 211 | 15.9 | 140 | 7 | 8 | 12 | 17 | 25 | 40 | 74 |

## 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 217 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 20-34 | 648 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 72 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 11 | 15 |
| 20-34 | 542 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 35-49 | 114 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 937 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| " MULTIPLE DX | 746 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| TOTAL 0-19 YRS | 307 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| 20-34 | 1190 | 2.1 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 35-49 | 186 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1683 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |

## 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2912 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 17997 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 6142 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 2428 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 689 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1191 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 11997 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 7584 | 3.0 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 15 |
| 50-64 | 3082 | 3.7 | 18 | 1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 65+ | 1180 | 5.5 | 37 | 1 | 2 | 3 | 6 | 12 | 17 | 29 |
| TOT. SINGLE DX | 30168 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 25034 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 4103 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 29994 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 35-49 | 13726 | 2.5 | 6 | <1 | 1 | 2 | 2 | 5 | 7 | 13 |
| 50-64 | 5510 | 3.0 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 65+ | 1869 | 4.5 | 27 | 1 | 2 | 3 | 5 | 10 | 14 | 26 |
| GRAND TOTAL | 55202 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |

## 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 178 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 676 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 35-49 | 69 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 205 | 2.0 | 12 | <1 | <1 | <1 | 2 | 5 | 6 | 13 |
| 20-34 | 907 | 2.3 | 14 | <1 | <1 | 1 | 2 | 4 | 6 | 17 |
| 35-49 | 263 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 923 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| " MULTIPLE DX | 1375 | 2.2 | 12 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 383 | 1.8 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 1583 | 2.0 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 35-49 | 332 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2298 | 2.0 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 343 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 1535 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 159 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 422 | 2.4 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 75 | 4.0 | 36 | <1 | <1 | 2 | 4 | 7 | 21 | 28 |
| 50-64 | 10 | 7.7 | 79 | 2 | 2 | 3 | 9 | 22 | 30 | 30 |
| 65+ | 6 | 12.2 | 222 | 3 | 3 | 7 | 10 | 39 | 42 | 42 |
| TOT. SINGLE DX | 2039 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| " MULTIPLE DX | 574 | 2.8 | 17 | <1 | <1 | 2 | 3 | 6 | 7 | 26 |
| TOTAL 0-19 YRS | 404 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 1957 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 234 | 2.4 | 13 | <1 | <1 | 1 | 2 | 4 | 5 | 23 |
| 50-64 | 12 | 6.7 | 71 | <1 | 1 | 3 | 8 | 19 | 28 | 30 |
| 65+ | 6 | 12.2 | 222 | 3 | 3 | 7 | 10 | 39 | 42 | 42 |
| GRAND TOTAL | 2613 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 39 | 5.3 | 3 | 1 | 2 | 6 | 7 | 7 | 8 | 8 |
| 35-49 | 6 | 3.8 | 12 | 2 | 2 | 3 | 3 | 10 | 11 | 11 |
| 50-64 | 5 | 6.0 | 1 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 5.7 | 3 | 3 | 3 | 5 | 6 | 9 | 10 | 10 |
| 20-34 | 116 | 6.4 | 15 | 3 | 3 | 6 | 7 | 9 | 11 | 25 |
| 35-49 | 12 | 4.8 | 10 | <1 | <1 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 8 | 9.4 | 5 | 6 | 6 | 10 | 11 | 12 | 12 | 12 |
| 65+ | 5 | 23.6 | 368 | 8 | 8 | 13 | 41 | 50 | 50 | 50 |
| TOT. SINGLE DX | 53 | 5.4 | 5 | 2 | 2 | 6 | 7 | 7 | 8 | 12 |
| " MULTIPLE DX | 159 | 6.9 | 31 | 2 | 3 | 6 | 8 | 10 | 12 | 38 |
| TOTAL 0-19 YRS | 20 | 5.7 | 3 | 3 | 4 | 5 | 7 | 9 | 9 | 10 |
| 20-34 | 155 | 6.1 | 12 | 2 | 3 | 6 | 7 | 8 | 10 | 20 |
| 35-49 | 18 | 4.4 | 11 | <1 | <1 | 4 | 7 | 9 | 10 | 11 |
| 50-64 | 13 | 8.1 | 7 | 4 | 5 | 7 | 11 | 11 | 12 | 12 |
| 65+ | 6 | 21.7 | 317 | 8 | 8 | 12 | 38 | 49 | 50 | 50 |
| GRAND TOTAL | 212 | 6.5 | 25 | 2 | 3 | 6 | 7 | 10 | 11 | 37 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 158 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 10 |
| 35-49 | 32 | 4.2 | 9 | <1 | 1 | 3 | 5 | 9 | 9 | 16 |
| 50-64 | 40 | 4.4 | 6 | 2 | 2 | 4 | 5 | 6 | 11 | 15 |
| 65+ | 17 | 4.8 | 7 | 3 | 3 | 4 | 5 | 7 | 12 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 3.7 | 7 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| 20-34 | 175 | 4.4 | 16 | <1 | 1 | 4 | 6 | 8 | 11 | 24 |
| 35-49 | 32 | 6.1 | 31 | <1 | 1 | 4 | 7 | 17 | 18 | 22 |
| 50-64 | 22 | 7.4 | 72 | 1 | 1 | 4 | 10 | 15 | 27 | 39 |
| 65+ | 24 | 9.6 | 116 | 3 | 3 | 5 | 9 | 32 | 38 | 40 |
| TOT. SINGLE DX | 289 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 272 | 5.2 | 33 | <1 | 1 | 4 | 6 | 10 | 15 | 36 |
| TOTAL 0-19 YRS | 61 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 333 | 3.6 | 11 | <1 | 1 | 2 | 5 | 7 | 9 | 17 |
| 35-49 | 64 | 5.1 | 21 | <1 | 1 | 4 | 6 | 10 | 17 | 21 |
| 50-64 | 62 | 5.5 | 32 | 1 | 2 | 4 | 5 | 11 | 14 | 37 |
| 65+ | 41 | 7.6 | 75 | 3 | 3 | 5 | 6 | 14 | 34 | 40 |
| GRAND TOTAL | 561 | 4.2 | 20 | <1 | 1 | 3 | 5 | 8 | 11 | 26 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 131 | 5.4 | 4 | 2 | 2 | 5 | 7 | 8 | 9 | 11 |
| 35-49 | 346 | 7.0 | 7 | 3 | 4 | 7 | 8 | 10 | 12 | 16 |
| 50-64 | 518 | 7.3 | 7 | 4 | 4 | 7 | 8 | 10 | 12 | 17 |
| 65+ | 304 | 7.8 | 11 | 4 | 5 | 7 | 9 | 13 | 14 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 11.2 | 24 | 3 | 3 | 12 | 14 | 16 | 16 | 16 |
| 20-34 | 184 | 7.2 | 13 | 3 | 4 | 7 | 9 | 11 | 15 | 22 |
| 35-49 | 623 | 8.7 | 16 | 4 | 5 | 8 | 10 | 14 | 17 | 24 |
| 50-64 | 804 | 9.0 | 16 | 5 | 5 | 8 | 10 | 14 | 17 | 23 |
| 65+ | 570 | 10.1 | 33 | 5 | 6 | 9 | 12 | 16 | 19 | 29 |
| TOT. SINGLE DX | 1300 | 7.1 | 9 | 4 | 4 | 7 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 2186 | 9.1 | 21 | 4 | 5 | 8 | 10 | 14 | 17 | 24 |
| TOTAL 0-19 YRS | 6 | 10.2 | 26 | 3 | 3 | 11 | 14 | 16 | 16 | 16 |
| 20-34 | 315 | 6.5 | 11 | 2 | 3 | 6 | 8 | 10 | 12 | 19 |
| 35-49 | 969 | 8.1 | 14 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| 50-64 | 1322 | 8.3 | 14 | 4 | 5 | 7 | 10 | 13 | 16 | 21 |
| 65+ | 874 | 9.3 | 27 | 4 | 5 | 8 | 11 | 14 | 18 | 25 |
| GRAND TOTAL | 3486 | 8.3 | 17 | 4 | 5 | 7 | 10 | 13 | 16 | 22 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 3.0 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 20-34 | 207 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 86 | 4.5 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 18 |
| 50-64 | 57 | 6.5 | 11 | 1 | 2 | 7 | 9 | 11 | 12 | 16 |
| 65+ | 27 | 7.1 | 26 | 1 | 2 | 6 | 8 | 14 | 18 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 5.7 | 143 | <1 | 1 | 2 | 6 | 8 | 15 | 72 |
| 20-34 | 91 | 5.8 | 28 | 1 | 2 | 5 | 7 | 10 | 13 | 32 |
| 35-49 | 79 | 6.5 | 21 | 2 | 2 | 5 | 8 | 13 | 16 | 24 |
| 50-64 | 53 | 9.8 | 33 | 3 | 4 | 8 | 12 | 19 | 21 | 26 |
| 65+ | 54 | 11.9 | 127 | 2 | 4 | 9 | 15 | 21 | 28 | 76 |
| TOT. SINGLE DX | 429 | 4.3 | 11 | 1 | 1 | 3 | 6 | 9 | 10 | 16 |
| " MULTIPLE DX | 312 | 7.7 | 62 | 1 | 2 | 6 | 9 | 16 | 21 | 35 |
| TOTAL 0-19 YRS | 87 | 4.1 | 63 | 1 | 1 | 2 | 4 | 7 | 10 | 51 |
| 20-34 | 298 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 10 | 19 |
| 35-49 | 165 | 5.5 | 19 | 1 | 1 | 4 | 7 | 12 | 14 | 21 |
| 50-64 | 110 | 8.1 | 25 | 2 | 2 | 7 | 10 | 16 | 18 | 25 |
| 65+ | 81 | 10.3 | 99 | 2 | 3 | 8 | 12 | 18 | 24 | 64 |
| GRAND TOTAL | 741 | 5.8 | 35 | 1 | 1 | 4 | 7 | 11 | 16 | 25 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 158 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 468 | 3.6 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 16 |
| 35-49 | 188 | 4.4 | 43 | 1 | 1 | 3 | 5 | 9 | 14 | 22 |
| 50-64 | 118 | 5.3 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| 65+ | 141 | 6.2 | 13 | 2 | 2 | 6 | 8 | 11 | 14 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 138 | 5.5 | 42 | 1 | 1 | 3 | 5 | 10 | 18 | 32 |
| 20-34 | 402 | 5.1 | 30 | 1 | 1 | 4 | 6 | 10 | 12 | 31 |
| 35-49 | 196 | 6.2 | 33 | <1 | 1 | 4 | 8 | 13 | 17 | 29 |
| 50-64 | 218 | 7.5 | 45 | 2 | 2 | 6 | 9 | 14 | 20 | 38 |
| 65+ | 231 | 10.0 | 80 | 2 | 3 | 7 | 12 | 22 | 30 | 49 |
| TOT. SINGLE DX | 1073 | 4.2 | 19 | <1 | 1 | 3 | 6 | 9 | 11 | 20 |
| " MULTIPLE DX | 1185 | 6.7 | 48 | 1 | 2 | 5 | 8 | 13 | 20 | 38 |
| TOTAL 0-19 YRS | 296 | 4.4 | 28 | <1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 20-34 | 870 | 4.3 | 20 | <1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 35-49 | 384 | 5.3 | 39 | 1 | 1 | 4 | 7 | 11 | 16 | 26 |
| 50-64 | 336 | 6.7 | 39 | 1 | 2 | 5 | 8 | 13 | 19 | 34 |
| 65+ | 372 | 8.5 | 58 | 2 | 2 | 7 | 10 | 16 | 24 | 44 |
| GRAND TOTAL | 2258 | 5.5 | 36 | 1 | 1 | 4 | 7 | 11 | 16 | 31 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 246 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 20-34 | 1052 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 434 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 211 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 65+ | 98 | 3.7 | 6 | 1 | 2 | 3 | 4 | 8 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 92 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 10 | 16 |
| 20-34 | 376 | 4.1 | 18 | 1 | 1 | 3 | 5 | 7 | 11 | 26 |
| 35-49 | 230 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 25 |
| 50-64 | 186 | 7.3 | 73 | 1 | 2 | 5 | 9 | 15 | 21 | 65 |
| 65+ | 136 | 8.1 | 59 | 2 | 2 | 6 | 11 | 17 | 20 | 70 |
| TOT. SINGLE DX | 2041 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| " MULTIPLE DX | 1020 | 5.4 | 37 | 1 | 1 | 3 | 6 | 12 | 16 | 32 |
| TOTAL 0-19 YRS | 338 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 1428 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 664 | 3.4 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 397 | 5.0 | 42 | 1 | 1 | 3 | 6 | 11 | 15 | 38 |
| 65+ | 234 | 6.3 | 42 | 1 | 2 | 4 | 8 | 14 | 18 | 37 |
| GRAND TOTAL | 3061 | 3.5 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 20 | 4.0 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 14 |
| 35-49 | 26 | 8.6 | 143 | <1 | 1 | 4 | 8 | 20 | 44 | 47 |
| 50-64 | 31 | 5.6 | 10 | 3 | 3 | 5 | 8 | 9 | 11 | 17 |
| 65+ | 36 | 12.2 | 124 | 2 | 2 | 8 | 16 | 26 | 39 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 15 | 10.9 | 193 | 1 | 3 | 4 | 11 | 27 | 46 | 52 |
| 35-49 | 18 | 10.7 | 99 | 1 | 1 | 7 | 17 | 25 | 32 | 36 |
| 50-64 | 38 | 15.8 | 317 | 2 | 3 | 8 | 18 | 53 | 59 | 64 |
| 65+ | 42 | 20.2 | 246 | 4 | 6 | 17 | 25 | 41 | 57 | 68 |
| TOT. SINGLE DX | 115 | 8.0 | 84 | 1 | 2 | 5 | 9 | 17 | 25 | 47 |
| " MULTIPLE DX | 114 | 15.9 | 248 | 2 | 3 | 9 | 23 | 39 | 54 | 65 |
| TOTAL 0-19 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 35 | 6.9 | 97 | 1 | 2 | 4 | 6 | 14 | 27 | 52 |
| 35-49 | 44 | 9.4 | 124 | <1 | 1 | 5 | 14 | 21 | 38 | 47 |
| 50-64 | 69 | 11.2 | 204 | 3 | 3 | 6 | 10 | 25 | 55 | 64 |
| 65+ | 78 | 16.5 | 204 | 2 | 3 | 13 | 23 | 38 | 47 | 67 |
| GRAND TOTAL | 229 | 11.9 | 181 | 2 | 2 | 7 | 16 | 27 | 45 | 63 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 91 | 3.4 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 35-49 | 25 | 3.2 | 9 | <1 | 1 | 2 | 3 | 10 | 10 | 11 |
| 50-64 | 23 | 5.5 | 60 | 1 | 1 | 3 | 6 | 9 | 21 | 39 |
| 65+ | 6 | 12.8 | 341 | 2 | 2 | 5 | 11 | 46 | 50 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 45 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 21 | 4.9 | 7 | <1 | 1 | 5 | 7 | 8 | 9 | 9 |
| 50-64 | 23 | 11.7 | 344 | 1 | 2 | 6 | 10 | 24 | 53 | 89 |
| 65+ | 7 | 11.0 | 26 | 4 | 5 | 10 | 14 | 19 | 20 | 20 |
| TOT. SINGLE DX | 204 | 3.5 | 22 | <1 | 1 | 2 | 4 | 7 | 9 | 24 |
| " MULTIPLE DX | 111 | 5.8 | 88 | 1 | 1 | 4 | 7 | 10 | 15 | 55 |
| TOTAL 0-19 YRS | 74 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 136 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 35-49 | 46 | 3.9 | 9 | <1 | 1 | 3 | 7 | 8 | 10 | 11 |
| 50-64 | 46 | 8.6 | 208 | 1 | 2 | 4 | 8 | 19 | 35 | 89 |
| 65+ | 13 | 11.8 | 156 | 2 | 3 | 9 | 12 | 26 | 45 | 50 |
| GRAND TOTAL | 315 | 4.3 | 46 | <1 | 1 | 3 | 5 | 8 | 10 | 36 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 21 | 4.2 | 26 | <1 | 1 | 2 | 4 | 14 | 17 | 19 |
| 35-49 | 11 | 3.8 | 12 | <1 | 1 | 2 | 5 | 10 | 12 | 12 |
| 50-64 | 7 | 6.0 | 72 | 1 | 1 | 3 | 5 | 21 | 25 | 25 |
| 65+ | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 5.1 | 19 | <1 | <1 | 3 | 8 | 12 | 14 | 14 |
| 20-34 | 24 | 5.4 | 82 | 1 | 1 | 2 | 6 | 11 | 23 | 45 |
| 35-49 | 16 | 5.4 | 24 | <1 | 2 | 3 | 9 | 11 | 16 | 18 |
| 50-64 | 7 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 11 |
| 65+ | 9 | 4.0 | 7 | 1 | 1 | 4 | 5 | 8 | 10 | 10 |
| TOT. SINGLE DX | 61 | 3.4 | 20 | <1 | 1 | 2 | 3 | 7 | 14 | 24 |
| " MULTIPLE DX | 66 | 5.2 | 39 | 1 | 1 | 3 | 7 | 10 | 13 | 41 |
| TOTAL 0-19 YRS | 29 | 2.7 | 10 | <1 | <1 | 2 | 5 | 7 | 10 | 14 |
| 20-34 | 45 | 4.9 | 55 | 1 | 1 | 2 | 5 | 13 | 17 | 45 |
| 35-49 | 27 | 4.8 | 19 | <1 | 1 | 2 | 8 | 11 | 13 | 18 |
| 50-64 | 14 | 5.7 | 38 | 1 | 2 | 4 | 7 | 12 | 22 | 25 |
| 65+ | 12 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| GRAND TOTAL | 127 | 4.3 | 31 | <1 | 1 | 2 | 5 | 10 | 13 | 30 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4713 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 20046 | 3.3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 663 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2345 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 11776 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 695 | 4.0 | 3 | 2 | 2 | 4 | 4 | 6 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 25422 | 3.3 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| " MULTIPLE DX | 14816 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 7058 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 20-34 | 31822 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 1358 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 40238 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 8 |
| 20-34 | 445 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 28 | 3.0 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 10 |
| 20-34 | 587 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 43 | 3.6 | 2 | 1 | 2 | 3 | 5 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 541 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 741 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 179 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 1032 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 71 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1282 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 591 | 3.1 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 2922 | 3.2 | 4 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 95 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 497 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 2682 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 143 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3608 | 3.2 | 4 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| " MULTIPLE DX | 3322 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 1088 | 3.3 | 5 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| 20-34 | 5604 | 3.5 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 238 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 6930 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17986 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 69765 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 2626 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3528 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 20-34 | 21679 | 3.6 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 1674 | 3.8 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 90377 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 26881 | 3.6 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 21514 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 91444 | 3.1 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 4300 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 117258 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2141 | 5.6 | 6 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 20-34 | 11991 | 5.6 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 487 | 5.9 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3122 | 6.5 | 9 | 4 | 4 | 6 | 7 | 9 | 11 | 19 |
| 20-34 | 19803 | 6.3 | 11 | 4 | 4 | 6 | 7 | 8 | 10 | 20 |
| 35-49 | 1598 | 6.9 | 18 | 4 | 4 | 6 | 7 | 9 | 12 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 14619 | 5.6 | 4 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| " MULTIPLE DX | 24523 | 6.4 | 12 | 4 | 4 | 6 | 7 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 5263 | 6.1 | 9 | 4 | 4 | 6 | 7 | 8 | 10 | 17 |
| 20-34 | 31794 | 6.0 | 9 | 4 | 4 | 6 | 6 | 8 | 9 | 17 |
| 35-49 | 2085 | 6.7 | 15 | 4 | 4 | 6 | 7 | 9 | 11 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 39142 | 6.1 | 9 | 4 | 4 | 6 | 6 | 8 | 9 | 17 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 234 | 5.6 | 3 | 3 | 4 | 5 | 6 | 7 | 9 | 14 |
| 20-34 | 869 | 5.6 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 31 | 5.7 | 2 | 4 | 4 | 6 | 6 | 7 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 207 | 6.2 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 13 |
| 20-34 | 1155 | 6.6 | 15 | 4 | 4 | 6 | 7 | 9 | 11 | 23 |
| 35-49 | 120 | 6.8 | 10 | 4 | 4 | 6 | 7 | 10 | 14 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1134 | 5.6 | 4 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| " MULTIPLE DX | 1482 | 6.5 | 13 | 4 | 4 | 6 | 7 | 9 | 11 | 22 |
| TOTAL 0-19 YRS | 441 | 5.9 | 4 | 4 | 4 | 5 | 7 | 8 | 10 | 14 |
| 20-34 | 2024 | 6.1 | 11 | 4 | 4 | 6 | 7 | 8 | 10 | 18 |
| 35-49 | 151 | 6.6 | 9 | 4 | 4 | 6 | 7 | 9 | 13 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2616 | 6.1 | 9 | 4 | 4 | 6 | 7 | 8 | 10 | 17 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 34 | 5.4 | 3 | 3 | 3 | 5 | 6 | 7 | 10 | 11 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 32 | 8.2 | 71 | 4 | 4 | 6 | 7 | 9 | 30 | 46 |
| 35-49 | 5 | 7.6 | 7 | 5 | 5 | 7 | 9 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 35 | 5.4 | 3 | 3 | 3 | 5 | 6 | 7 | 9 | 11 |
| " MULTIPLE DX | 39 | 8.0 | 59 | 4 | 4 | 6 | 7 | 10 | 23 | 46 |
| TOTAL 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 66 | 6.7 | 37 | 3 | 4 | 6 | 7 | 8 | 11 | 44 |
| 35-49 | 6 | 7.3 | 6 | 5 | 5 | 7 | 8 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 74 | 6.8 | 34 | 3 | 4 | 6 | 7 | 8 | 11 | 43 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 359 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 385 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 24 | 2.3 | | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 308 | 2.4 | 3 | 1 | 2 | 2 | 2 | 3 | 4 | 14 |
| 20-34 | 300 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 16 |
| 35-49 | 26 | 2.4 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 768 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| " MULTIPLE DX | 634 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 15 |
| TOTAL 0-19 YRS | 667 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 685 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 50 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1402 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 3.6 | 10 | <1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 20-34 | 142 | 4.4 | 23 | <1 | 1 | 3 | 6 | 8 | 11 | 30 |
| 35-49 | 9 | 3.1 | 12 | <1 | <1 | 2 | 3 | 9 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.4 | 23 | 1 | 2 | 4 | 10 | 13 | 17 | 18 |
| 20-34 | 102 | 6.1 | 31 | <1 | 1 | 4 | 7 | 13 | 21 | 24 |
| 35-49 | 11 | 5.8 | 18 | 2 | 2 | 4 | 6 | 14 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 190 | 4.2 | 20 | <1 | 1 | 3 | 6 | 8 | 11 | 27 |
| " MULTIPLE DX | 127 | 6.1 | 29 | 1 | 1 | 4 | 7 | 13 | 20 | 24 |
| TOTAL 0-19 YRS | 53 | 4.4 | 15 | 1 | 1 | 3 | 6 | 10 | 12 | 18 |
| 20-34 | 244 | 5.1 | 27 | <1 | 1 | 4 | 6 | 10 | 19 | 25 |
| 35-49 | 20 | 4.6 | 17 | <1 | <1 | 3 | 6 | 12 | 14 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 317 | 4.9 | 24 | <1 | 1 | 3 | 6 | 10 | 15 | 24 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 319 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1405 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 52 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 5 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 454 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 35 | 3.5 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1776 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 571 | 3.6 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 401 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1859 | 2.8 | 5 | <1 | 1 | 3 | 3 | 4 | 6 | 10 |
| 35-49 | 87 | 3.0 | 5 | <1 | <1 | 3 | 4 | 5 | 6 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2347 | 2.8 | 4 | <1 | 1 | 3 | 3 | 5 | 6 | 10 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1939 | 2.8 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 6747 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 311 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1320 | 3.3 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 4915 | 3.3 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 337 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 8997 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 6572 | 3.3 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 3259 | 3.0 | 4 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 11662 | 3.0 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 648 | 3.1 | 3 | 1 | 2 | 3 | 4 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 15569 | 3.0 | 4 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 3.1 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 20-34 | 84 | 3.8 | 8 | 2 | 2 | 3 | 4 | 6 | 8 | 19 |
| 35-49 | 64 | 4.1 | 19 | 1 | 1 | 3 | 4 | 8 | 10 | 30 |
| 50-64 | 62 | 6.9 | 71 | 2 | 2 | 4 | 8 | 15 | 23 | 51 |
| 65+ | 45 | 6.9 | 34 | 1 | 2 | 4 | 11 | 17 | 18 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 4.9 | 21 | <1 | 1 | 4 | 5 | 12 | 14 | 22 |
| 20-34 | 65 | 4.8 | 29 | 2 | 2 | 3 | 4 | 8 | 17 | 32 |
| 35-49 | 69 | 6.4 | 67 | 2 | 2 | 3 | 7 | 16 | 24 | 44 |
| 50-64 | 107 | 8.1 | 74 | 2 | 2 | 4 | 11 | 20 | 24 | 45 |
| 65+ | 83 | 10.8 | 160 | 2 | 2 | 5 | 14 | 25 | 33 | 72 |
| TOT. SINGLE DX | 302 | 4.8 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 26 |
| " MULTIPLE DX | 354 | 7.5 | 84 | 2 | 2 | 4 | 9 | 19 | 25 | 42 |
| TOTAL 0-19 YRS | 77 | 3.8 | 12 | <1 | 1 | 3 | 4 | 8 | 11 | 20 |
| 20-34 | 149 | 4.2 | 18 | 2 | 2 | 3 | 4 | 7 | 9 | 23 |
| 35-49 | 133 | 5.3 | 45 | 1 | 2 | 3 | 6 | 9 | 19 | 40 |
| 50-64 | 169 | 7.7 | 73 | 2 | 2 | 4 | 9 | 19 | 24 | 48 |
| 65+ | 128 | 9.4 | 119 | 2 | 2 | 5 | 13 | 22 | 27 | 51 |
| GRAND TOTAL | 656 | 6.3 | 61 | 2 | 2 | 3 | 7 | 15 | 22 | 41 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 222 | 4.1 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 518 | 4.0 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 196 | 4.2 | 10 | 1 | 2 | 4 | 5 | 6 | 7 | 21 |
| 50-64 | 63 | 4.3 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 65+ | 15 | 5.1 | 5 | 2 | 3 | 4 | 7 | 9 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 240 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 324 | 4.7 | 11 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 135 | 5.0 | 9 | 2 | 3 | 4 | 6 | 9 | 10 | 18 |
| 50-64 | 45 | 8.2 | 206 | 2 | 2 | 4 | 8 | 19 | 39 | 99+ |
| 65+ | 19 | 14.4 | 472 | 1 | 2 | 6 | 11 | 56 | 71 | 73 |
| TOT. SINGLE DX | 1014 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| " MULTIPLE DX | 763 | 5.2 | 34 | 2 | 3 | 4 | 5 | 8 | 10 | 25 |
| TOTAL 0-19 YRS | 462 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 842 | 4.3 | 6 | 2 | 3 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 331 | 4.5 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50 64 | 108 | 6.0 | 91 | 2 | 2 | 4 | 6 | 9 | 17 | 97 |
| 65+ | 34 | 10.3 | 282 | 2 | 2 | 5 | 7 | 23 | 63 | 73 |
| GRAND TOTAL | 1777 | 4.6 | 17 | 2 | 3 | 4 | 5 | 7 | 8 | 15 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 203 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 314 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 82 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 24 | 2.8 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 65+ | 14 | 5.1 | 13 | 1 | 2 | 4 | 8 | 9 | 13 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 5.5 | 49 | 1 | 2 | 3 | 6 | 10 | 17 | 44 |
| 20-34 | 343 | 5.9 | 47 | 1 | 2 | 4 | 7 | 11 | 15 | 36 |
| 35-49 | 110 | 7.3 | 64 | 2 | 2 | 5 | 8 | 14 | 19 | 45 |
| 50-64 | 35 | 8.9 | 106 | 2 | 3 | 6 | 9 | 22 | 26 | 55 |
| 65+ | 24 | 7.8 | 45 | 1 | 3 | 7 | 9 | 14 | 21 | 34 |
| TOT. SINGLE DX | 637 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| " MULTIPLE DX | 720 | 6.2 | 54 | 1 | 2 | 4 | 7 | 12 | 18 | 38 |
| TOTAL 0-19 YRS | 411 | 4.1 | 28 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 20-34 | 657 | 4.5 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 31 |
| 35-49 | 192 | 5.8 | 43 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| 50-64 | 59 | 6.5 | 72 | 1 | 2 | 4 | 7 | 14 | 23 | 52 |
| 65+ | 38 | 6.8 | 35 | 1 | 2 | 5 | 8 | 13 | 15 | 34 |
| GRAND TOTAL | 1357 | 4.7 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 9 | 12 |
| 20-34 | 494 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 191 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 50-64 | 62 | 4.8 | 23 | 1 | 2 | 3 | 5 | 11 | 13 | 30 |
| 65+ | 20 | 6.2 | 12 | 2 | 3 | 5 | 10 | 11 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 237 | 7.4 | 76 | 2 | 2 | 5 | 8 | 13 | 17 | 41 |
| 20-34 | 573 | 8.1 | 89 | 2 | 2 | 5 | 9 | 15 | 24 | 55 |
| 35-49 | 244 | 8.0 | 77 | 2 | 2 | 6 | 9 | 15 | 24 | 42 |
| 50-64 | 129 | 9.9 | 98 | 2 | 2 | 6 | 12 | 20 | 28 | 53 |
| 65+ | 58 | 13.1 | 216 | 3 | 3 | 9 | 14 | 26 | 38 | 89 |
| TOT. SINGLE DX | 935 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 10 | 14 |
| " MULTIPLE DX | 1241 | 8.4 | 92 | 2 | 2 | 6 | 10 | 16 | 25 | 51 |
| TOTAL 0-19 YRS | 405 | 5.8 | 50 | 2 | 2 | 4 | 7 | 11 | 13 | 32 |
| 20-34 | 1067 | 6.0 | 57 | 1 | 2 | 4 | 7 | 12 | 16 | 45 |
| 35-49 | 435 | 6.3 | 54 | 2 | 2 | 5 | 7 | 11 | 16 | 33 |
| 50-64 | 191 | 8.2 | 80 | 2 | 2 | 5 | 10 | 18 | 26 | 48 |
| 65+ | 78 | 11.3 | 172 | 3 | 3 | 8 | 12 | 20 | 35 | 82 |
| GRAND TOTAL | 2176 | 6.4 | 62 | 2 | 2 | 4 | 7 | 12 | 17 | 44 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 12 | 12 |
| 20-34 | 30 | 5.2 | 16 | <1 | 1 | 4 | 6 | 12 | 15 | 16 |
| 35-49 | 13 | 5.2 | 7 | 1 | 2 | 5 | 6 | 10 | 12 | 12 |
| 50-64 | 14 | 9.0 | 206 | 1 | 3 | 4 | 9 | 16 | 49 | 58 |
| 65+ | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 8.0 | 71 | 3 | 3 | 5 | 7 | 23 | 25 | 25 |
| 20-34 | 18 | 10.3 | 179 | 2 | 3 | 7 | 8 | 15 | 43 | 62 |
| 35-49 | 26 | 6.5 | 31 | 1 | 2 | 5 | 8 | 16 | 19 | 24 |
| 50-64 | 6 | 4.8 | 9 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 10 | 5.0 | 7 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| TOT. SINGLE DX | 73 | 5.6 | 50 | 1 | 2 | 4 | 6 | 10 | 14 | 48 |
| " MULTIPLE DX | 66 | 7.3 | 70 | 1 | 2 | 5 | 8 | 14 | 19 | 56 |
| TOTAL 0-19 YRS | 18 | 5.7 | 31 | 1 | 2 | 4 | 7 | 11 | 20 | 25 |
| 20-34 | 48 | 7.1 | 81 | 1 | 2 | 5 | 7 | 14 | 15 | 62 |
| 35-49 | 39 | 6.1 | 23 | 1 | 2 | 5 | 7 | 13 | 17 | 24 |
| 50-64 | 20 | 7.8 | 148 | 1 | 2 | 4 | 8 | 10 | 34 | 58 |
| 65+ | 14 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| GRAND TOTAL | 139 | 6.4 | 60 | 1 | 2 | 5 | 7 | 12 | 16 | 58 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 322 | 5.3 | 21 | 1 | 2 | 4 | 6 | 11 | 16 | 25 |
| 20-34 | 357 | 6.2 | 49 | 2 | 2 | 4 | 6 | 12 | 17 | 39 |
| 35-49 | 242 | 5.6 | 23 | 2 | 2 | 4 | 7 | 10 | 16 | 22 |
| 50-64 | 271 | 7.0 | 46 | 2 | 2 | 5 | 9 | 13 | 17 | 44 |
| 65+ | 137 | 10.8 | 81 | 2 | 3 | 8 | 14 | 23 | 27 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 166 | 7.6 | 68 | 2 | 2 | 5 | 9 | 15 | 31 | 50 |
| 20-34 | 243 | 7.0 | 55 | 2 | 2 | 5 | 8 | 15 | 22 | 42 |
| 35-49 | 223 | 8.5 | 124 | 2 | 2 | 5 | 9 | 16 | 26 | 76 |
| 50-64 | 249 | 9.0 | 78 | 2 | 3 | 6 | 11 | 18 | 29 | 53 |
| 65+ | 145 | 14.7 | 120 | 2 | 4 | 11 | 21 | 30 | 40 | 61 |
| TOT. SINGLE DX | 1329 | 6.5 | 43 | 2 | 2 | 4 | 8 | 14 | 19 | 37 |
| " MULTIPLE DX | 1026 | 9.0 | 93 | 2 | 2 | 6 | 11 | 20 | 29 | 53 |
| TOTAL 0-19 YRS | 488 | 6.1 | 39 | 2 | 2 | 4 | 7 | 13 | 18 | 38 |
| 20-34 | 600 | 6.5 | 52 | 2 | 2 | 4 | 7 | 14 | 20 | 40 |
| 35-49 | 465 | 7.0 | 74 | 2 | 2 | 5 | 8 | 14 | 19 | 36 |
| 50-64 | 520 | 8.0 | 62 | 2 | 3 | 6 | 9 | 15 | 22 | 48 |
| 65+ | 282 | 12.8 | 105 | 2 | 3 | 10 | 18 | 25 | 36 | 55 |
| GRAND TOTAL | 2355 | 7.6 | 66 | 2 | 2 | 5 | 9 | 16 | 23 | 45 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 145 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 325 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 425 | 4.4 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 485 | 4.8 | 7 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| 65+ | 237 | 5.5 | 11 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 114 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 388 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 558 | 5.2 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 21 |
| 50-64 | 1097 | 5.6 | 14 | 3 | 3 | 5 | 6 | 9 | 10 | 22 |
| 65+ | 665 | 7.2 | 37 | 3 | 3 | 5 | 8 | 13 | 17 | 34 |
| TOT. SINGLE DX | 1617 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| " MULTIPLE DX | 2822 | 5.7 | 18 | 2 | 3 | 5 | 6 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 259 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 713 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 983 | 4.8 | 9 | 2 | 3 | 4 | 6 | 7 | 9 | 20 |
| 50-64 | 1582 | 5.3 | 13 | 2 | 3 | 5 | 6 | 8 | 10 | 20 |
| 65+ | 902 | 6.7 | 31 | 3 | 3 | 5 | 7 | 11 | 16 | 31 |
| GRAND TOTAL | 4439 | 5.3 | 14 | 2 | 3 | 4 | 6 | 8 | 10 | 21 |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1167 | 4.0 | 24 | 1 | 2 | 3 | 4 | 6 | 10 | 28 |
| 20-34 | 1680 | 4.8 | 37 | 1 | 2 | 3 | 5 | 8 | 12 | 34 |
| 35-49 | 1161 | 5.4 | 46 | 2 | 2 | 4 | 6 | 10 | 14 | 38 |
| 50-64 | 941 | 6.2 | 49 | 2 | 2 | 4 | 7 | 12 | 17 | 38 |
| 65+ | 565 | 8.3 | 79 | 2 | 2 | 5 | 10 | 18 | 24 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 441 | 7.5 | 97 | 2 | 2 | 4 | 7 | 17 | 29 | 58 |
| 20-34 | 1059 | 8.8 | 157 | 1 | 2 | 4 | 9 | 19 | 37 | 67 |
| 35-49 | 932 | 9.0 | 125 | 2 | 2 | 5 | 10 | 22 | 32 | 68 |
| 50-64 | 1144 | 10.5 | 164 | 2 | 2 | 6 | 12 | 24 | 36 | 69 |
| 65+ | 897 | 14.3 | 188 | 2 | 3 | 10 | 19 | 32 | 41 | 73 |
| TOT. SINGLE DX | 5514 | 5.4 | 45 | 1 | 2 | 3 | 6 | 10 | 15 | 36 |
| " MULTIPLE DX | 4473 | 10.3 | 158 | 2 | 2 | 5 | 12 | 25 | 36 | 68 |
| TOTAL 0-19 YRS | 1608 | 5.0 | 47 | 1 | 2 | 3 | 5 | 9 | 15 | 38 |
| 20-34 | 2739 | 6.4 | 88 | 1 | 2 | 4 | 6 | 12 | 20 | 52 |
| 35-49 | 2093 | 7.0 | 85 | 2 | 2 | 4 | 7 | 15 | 24 | 52 |
| 50-64 | 2085 | 8.6 | 117 | 2 | 2 | 5 | 10 | 19 | 30 | 61 |
| 65+ | 1462 | 12.0 | 155 | 2 | 2 | 8 | 15 | 27 | 36 | 67 |
| GRAND TOTAL | 9987 | 7.6 | 101 | 2 | 2 | 4 | 8 | 17 | 27 | 56 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 374 | 6.2 | 50 | 2 | 2 | 4 | 7 | 11 | 20 | 36 |
| 20-34 | 345 | 5.5 | 34 | 2 | 2 | 4 | 6 | 9 | 13 | 35 |
| 35-49 | 169 | 7.0 | 64 | 1 | 2 | 5 | 8 | 12 | 19 | 54 |
| 50-64 | 165 | 9.6 | 80 | 2 | 2 | 8 | 13 | 16 | 21 | 58 |
| 65+ | 283 | 13.7 | 63 | 3 | 5 | 13 | 17 | 23 | 28 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 104 | 8.9 | 90 | 2 | 2 | 6 | 10 | 19 | 28 | 51 |
| 20-34 | 183 | 12.8 | 228 | 2 | 2 | 7 | 15 | 34 | 49 | 88 |
| 35-49 | 122 | 11.6 | 133 | 2 | 2 | 8 | 14 | 27 | 34 | 58 |
| 50-64 | 153 | 12.9 | 109 | 2 | 3 | 10 | 17 | 25 | 36 | 50 |
| 65+ | 392 | 18.8 | 164 | 5 | 7 | 15 | 24 | 35 | 47 | 84 |
| TOT. SINGLE DX | 1336 | 8.1 | 65 | 2 | 2 | 5 | 10 | 17 | 22 | 41 |
| " MULTIPLE DX | 954 | 14.7 | 168 | 2 | 3 | 11 | 20 | 30 | 42 | 74 |
| TOTAL 0-19 YRS | 478 | 6.8 | 60 | 2 | 2 | 4 | 7 | 14 | 22 | 40 |
| 20-34 | 528 | 8.0 | 114 | 2 | 2 | 5 | 8 | 16 | 31 | 55 |
| 35-49 | 291 | 8.9 | 98 | 2 | 2 | 6 | 10 | 19 | 27 | 54 |
| 50-64 | 318 | 11.1 | 97 | 2 | 3 | 9 | 14 | 22 | 27 | 53 |
| 65+ | 675 | 16.7 | 128 | 4 | 6 | 14 | 21 | 30 | 40 | 68 |
| GRAND TOTAL | 2290 | 10.9 | 118 | 2 | 2 | 7 | 14 | 24 | 32 | 57 |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 756 | 3.0 | 15 | <1 | 1 | 2 | 3 | 5 | 6 | 24 |
| 20-34 | 1179 | 3.1 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 35-49 | 591 | 3.6 | 26 | 1 | 1 | 3 | 4 | 8 | 9 | 23 |
| 50-64 | 535 | 4.5 | 25 | 1 | 1 | 3 | 5 | 10 | 14 | 26 |
| 65+ | 501 | 7.6 | 70 | 1 | 2 | 5 | 10 | 16 | 24 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 143 | 6.2 | 97 | 1 | 1 | 3 | 5 | 11 | 27 | 61 |
| 20-34 | 277 | 5.6 | 38 | 1 | 1 | 3 | 6 | 12 | 17 | 35 |
| 35-49 | 209 | 9.0 | 134 | 1 | 2 | 5 | 11 | 19 | 32 | 54 |
| 50-64 | 270 | 10.7 | 156 | 2 | 2 | 6 | 15 | 25 | 33 | 63 |
| 65+ | 424 | 14.8 | 173 | 2 | 3 | 12 | 20 | 32 | 43 | 65 |
| TOT. SINGLE DX | 3562 | 4.0 | 27 | 1 | 1 | 3 | 4 | 7 | 12 | 27 |
| " MULTIPLE DX | 1323 | 10.2 | 140 | 1 | 2 | 5 | 14 | 25 | 34 | 62 |
| TOTAL 0-19 YRS | 899 | 3.5 | 30 | <1 | 1 | 2 | 3 | 5 | 8 | 33 |
| 20-34 | 1456 | 3.6 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 35-49 | 800 | 5.0 | 60 | 1 | 1 | 3 | 5 | 10 | 15 | 42 |
| 50-64 | 805 | 6.6 | 78 | 1 | 2 | 4 | 7 | 16 | 24 | 53 |
| 65+ | 925 | 10.9 | 131 | 2 | 2 | 7 | 14 | 25 | 33 | 59 |
| GRAND TOTAL | 4885 | 5.7 | 65 | 1 | 1 | 3 | 5 | 13 | 21 | 43 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 108 | 16.4 | 221 | 2 | 3 | 12 | 25 | 37 | 48 | 65 |
| 20-34 | 42 | 14.3 | 105 | 4 | 6 | 11 | 18 | 30 | 38 | 49 |
| 35-49 | 26 | 13.4 | 76 | 4 | 5 | 11 | 16 | 26 | 30 | 37 |
| 50-64 | 84 | 13.8 | 52 | 5 | 6 | 13 | 16 | 21 | 26 | 47 |
| 65+ | 356 | 17.5 | 89 | 7 | 9 | 15 | 21 | 29 | 36 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 24.1 | 218 | 4 | 7 | 23 | 34 | 45 | 49 | 93 |
| 20-34 | 63 | 25.8 | 303 | 9 | 11 | 21 | 32 | 57 | 79 | 99+ |
| 35-49 | 31 | 20.2 | 193 | 6 | 7 | 18 | 24 | 41 | 47 | 61 |
| 50-64 | 80 | 23.0 | 230 | 6 | 8 | 21 | 28 | 43 | 60 | 68 |
| 65+ | 531 | 21.1 | 139 | 9 | 11 | 18 | 25 | 37 | 46 | 80 |
| TOT. SINGLE DX | 616 | 16.5 | 110 | 4 | 6 | 14 | 20 | 29 | 37 | 52 |
| " MULTIPLE DX | 777 | 21.9 | 172 | 8 | 10 | 19 | 26 | 40 | 52 | 92 |
| TOTAL 0-19 YRS | 180 | 19.5 | 233 | 2 | 3 | 17 | 29 | 40 | 49 | 76 |
| 20-34 | 105 | 21.2 | 254 | 6 | 7 | 17 | 26 | 48 | 59 | 99+ |
| 35-49 | 57 | 17.1 | 149 | 5 | 6 | 15 | 23 | 36 | 43 | 60 |
| 50-64 | 164 | 18.3 | 160 | 6 | 7 | 14 | 23 | 32 | 46 | 64 |
| 65+ | 887 | 19.7 | 122 | 8 | 10 | 17 | 23 | 33 | 42 | 73 |
| GRAND TOTAL | 1393 | 19.5 | 152 | 6 | 8 | 15 | 24 | 36 | 46 | 75 |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 185 | 12.9 | 108 | 3 | 4 | 10 | 16 | 22 | 36 | 56 |
| 20-34 | 179 | 14.5 | 101 | 4 | 6 | 12 | 17 | 25 | 34 | 56 |
| 35-49 | 148 | 12.8 | 51 | 5 | 6 | 11 | 16 | 21 | 27 | 41 |
| 50-64 | 433 | 14.4 | 76 | 6 | 7 | 13 | 16 | 23 | 28 | 59 |
| 65+ | 2323 | 17.4 | 75 | 8 | 9 | 16 | 20 | 27 | 33 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 216 | 22.2 | 252 | 5 | 7 | 18 | 27 | 44 | 56 | 91 |
| 20-34 | 339 | 23.8 | 256 | 7 | 9 | 20 | 29 | 44 | 60 | 93 |
| 35-49 | 207 | 21.5 | 198 | 7 | 9 | 18 | 27 | 39 | 52 | 95 |
| 50-64 | 541 | 19.9 | 178 | 7 | 8 | 16 | 24 | 37 | 50 | 99+ |
| 65+ | 3442 | 22.0 | 152 | 9 | 11 | 19 | 26 | 37 | 47 | 77 |
| TOT. SINGLE DX | 3268 | 16.4 | 80 | 6 | 8 | 15 | 19 | 26 | 33 | 52 |
| " MULTIPLE DX | 4745 | 21.8 | 170 | 8 | 10 | 18 | 26 | 38 | 49 | 83 |
| TOTAL 0-19 YRS | 401 | 17.9 | 207 | 4 | 5 | 14 | 22 | 38 | 49 | 78 |
| 20-34 | 518 | 20.6 | 223 | 6 | 7 | 17 | 25 | 41 | 53 | 87 |
| 35-49 | 355 | 17.9 | 156 | 6 | 7 | 15 | 22 | 33 | 41 | 90 |
| 50-64 | 974 | 17.4 | 140 | 7 | 8 | 14 | 20 | 30 | 42 | 77 |
| 65+ | 5765 | 20.1 | 126 | 9 | 10 | 17 | 24 | 33 | 42 | 68 |
| GRAND TOTAL | 8013 | 19.6 | 140 | 7 | 9 | 17 | 23 | 34 | 43 | 72 |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 281 | 12.3 | 149 | 1 | 2 | 7 | 18 | 30 | 37 | 51 |
| 20-34 | 35 | 20.9 | 485 | 2 | 4 | 13 | 28 | 50 | 77 | 92 |
| 35-49 | 22 | 16.7 | 208 | 2 | 4 | 11 | 24 | 32 | 46 | 65 |
| 50-64 | 21 | 19.4 | 386 | 2 | 2 | 14 | 26 | 45 | 62 | 82 |
| 65+ | 79 | 16.5 | 118 | 3 | 5 | 15 | 19 | 28 | 41 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 19.9 | 269 | 2 | 3 | 18 | 30 | 48 | 55 | 99+ |
| 20-34 | 71 | 22.2 | 224 | 4 | 6 | 18 | 34 | 45 | 49 | 65 |
| 35-49 | 33 | 23.2 | 292 | 2 | 2 | 22 | 37 | 49 | 61 | 99+ |
| 50-64 | 33 | 28.9 | 385 | 8 | 11 | 22 | 40 | 62 | 69 | 75 |
| 65+ | 135 | 22.2 | 217 | 7 | 8 | 18 | 28 | 42 | 57 | 84 |
| TOT. SINGLE DX | 438 | 14.3 | 191 | 1 | 2 | 11 | 20 | 31 | 42 | 66 |
| " MULTIPLE DX | 403 | 22.1 | 258 | 3 | 5 | 18 | 31 | 44 | 57 | 89 |
| TOTAL 0-19 YRS | 412 | 14.7 | 199 | 1 | 2 | 10 | 21 | 33 | 44 | 69 |
| 20-34 | 106 | 21.8 | 307 | 3 | 4 | 17 | 29 | 46 | 52 | 87 |
| 35-49 | 55 | 20.6 | 265 | 2 | 4 | 16 | 32 | 47 | 60 | 98 |
| 50-64 | 54 | 25.2 | 400 | 3 | 4 | 19 | 34 | 60 | 68 | 82 |
| 65+ | 214 | 20.1 | 188 | 5 | 7 | 17 | 25 | 40 | 49 | 75 |
| GRAND TOTAL | 841 | 18.0 | 238 | 2 | 3 | 15 | 25 | 40 | 50 | 76 |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 373 | 4.4 | 28 | 1 | 1 | 2 | 4 | 11 | 17 | 25 |
| 20-34 | 341 | 4.5 | 21 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| 35-49 | 220 | 4.9 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 50-64 | 208 | 5.4 | 36 | 1 | 2 | 4 | 6 | 10 | 14 | 33 |
| 65+ | 225 | 6.5 | 29 | 1 | 2 | 5 | 9 | 14 | 17 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 125 | 9.3 | 116 | 1 | 2 | 5 | 11 | 19 | 31 | 55 |
| 20-34 | 219 | 12.2 | 236 | 1 | 2 | 6 | 14 | 33 | 47 | 69 |
| 35-49 | 119 | 8.3 | 55 | 1 | 2 | 7 | 10 | 17 | 22 | 39 |
| 50-64 | 131 | 10.4 | 172 | 2 | 2 | 7 | 12 | 21 | 44 | 99+ |
| 65+ | 162 | 14.1 | 151 | 3 | 3 | 12 | 19 | 26 | 37 | 88 |
| TOT. SINGLE DX | 1367 | 5.0 | 28 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |
| " MULTIPLE DX | 756 | 11.2 | 162 | 1 | 2 | 7 | 14 | 25 | 40 | 79 |
| TOTAL 0-19 YRS | 498 | 5.6 | 55 | 1 | 1 | 3 | 6 | 15 | 20 | 40 |
| 20-34 | 560 | 7.5 | 119 | 1 | 1 | 4 | 7 | 16 | 28 | 58 |
| 35-49 | 339 | 6.1 | 38 | 1 | 1 | 4 | 8 | 13 | 18 | 33 |
| 50-64 | 339 | 7.3 | 94 | 1 | 2 | 5 | 8 | 15 | 20 | 81 |
| 65+ | 387 | 9.7 | 94 | 2 | 2 | 7 | 14 | 20 | 25 | 50 |
| GRAND TOTAL | 2123 | 7.2 | 84 | 1 | 1 | 4 | 8 | 16 | 23 | 52 |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1547 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 1964 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| 35-49 | 1074 | 5.7 | 21 | 2 | 2 | 5 | 7 | 10 | 12 | 23 |
| 50-64 | 1055 | 6.7 | 26 | 2 | 3 | 5 | 8 | 12 | 15 | 29 |
| 65+ | 702 | 9.3 | 59 | 2 | 3 | 7 | 12 | 18 | 22 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 631 | 8.3 | 128 | 1 | 2 | 5 | 8 | 18 | 30 | 61 |
| 20-34 | 1254 | 9.3 | 126 | 2 | 2 | 6 | 11 | 19 | 30 | 76 |
| 35-49 | 717 | 10.4 | 149 | 2 | 3 | 7 | 11 | 21 | 35 | 78 |
| 50-64 | 742 | 11.2 | 105 | 2 | 3 | 8 | 14 | 22 | 30 | 60 |
| 65+ | 806 | 15.1 | 154 | 3 | 4 | 11 | 19 | 30 | 40 | 78 |
| TOT. SINGLE DX | 6342 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 28 |
| " MULTIPLE DX | 4150 | 10.8 | 137 | 2 | 3 | 7 | 13 | 23 | 33 | 70 |
| TOTAL 0-19 YRS | 2178 | 5.2 | 51 | 1 | 2 | 3 | 5 | 9 | 13 | 45 |
| 20-34 | 3218 | 6.5 | 63 | 1 | 2 | 4 | 7 | 12 | 18 | 53 |
| 35-49 | 1791 | 7.6 | 78 | 2 | 2 | 5 | 8 | 14 | 21 | 54 |
| 50-64 | 1797 | 8.5 | 64 | 2 | 3 | 6 | 10 | 16 | 22 | 45 |
| 65+ | 1508 | 12.4 | 118 | 3 | 4 | 9 | 16 | 24 | 32 | 60 |
| GRAND TOTAL | 10492 | 7.6 | 76 | 1 | 2 | 5 | 9 | 15 | 22 | 51 |

### 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2698 | 2.7 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 20-34 | 943 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 580 | 4.9 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 609 | 5.1 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| 65+ | 682 | 5.8 | 28 | 1 | 1 | 4 | 7 | 12 | 17 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 786 | 6.1 | 66 | 1 | 1 | 3 | 6 | 16 | 23 | 42 |
| 20-34 | 704 | 8.3 | 88 | 1 | 2 | 5 | 10 | 18 | 29 | 54 |
| 35-49 | 436 | 8.9 | 108 | 1 | 2 | 6 | 11 | 18 | 28 | 64 |
| 50-64 | 567 | 9.5 | 106 | 2 | 2 | 6 | 12 | 20 | 31 | 70 |
| 65+ | 865 | 11.9 | 144 | 2 | 2 | 8 | 15 | 26 | 37 | 70 |
| TOT. SINGLE DX | 5512 | 3.8 | 18 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| " MULTIPLE DX | 3358 | 9.0 | 108 | 1 | 2 | 6 | 11 | 20 | 30 | 62 |
| TOTAL 0-19 YRS | 3484 | 3.5 | 25 | 1 | 1 | 2 | 3 | 7 | 12 | 28 |
| 20-34 | 1647 | 5.8 | 52 | 1 | 1 | 4 | 7 | 12 | 18 | 41 |
| 35-49 | 1016 | 6.6 | 64 | 1 | 1 | 4 | 8 | 13 | 19 | 45 |
| 50-64 | 1176 | 7.2 | 70 | 1 | 1 | 5 | 9 | 15 | 22 | 54 |
| 65+ | 1547 | 9.2 | 103 | 1 | 2 | 6 | 12 | 20 | 28 | 56 |
| GRAND TOTAL | 8870 | 5.8 | 58 | 1 | 1 | 3 | 7 | 13 | 19 | 41 |

### 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 273 | 4.1 | 28 | 1 | 1 | 2 | 4 | 10 | 15 | 25 |
| 20-34 | 248 | 3.3 | 11 | <1 | 1 | 2 | 4 | 6 | 10 | 19 |
| 35-49 | 120 | 4.0 | 33 | <1 | 1 | 2 | 4 | 8 | 14 | 39 |
| 50-64 | 150 | 4.9 | 64 | 1 | 1 | 3 | 5 | 8 | 15 | 49 |
| 65+ | 164 | 6.9 | 88 | 1 | 1 | 4 | 9 | 15 | 23 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 7.4 | 63 | 1 | 1 | 4 | 9 | 20 | 24 | 37 |
| 20-34 | 179 | 10.1 | 143 | 1 | 1 | 6 | 12 | 22 | 43 | 58 |
| 35-49 | 106 | 13.8 | 331 | 1 | 1 | 7 | 16 | 34 | 54 | 96 |
| 50-64 | 126 | 8.9 | 113 | 1 | 2 | 6 | 11 | 20 | 29 | 58 |
| 65+ | 174 | 12.1 | 199 | 1 | 2 | 8 | 16 | 24 | 35 | 80 |
| TOT. SINGLE DX | 955 | 4.5 | 42 | 1 | 1 | 2 | 5 | 10 | 15 | 33 |
| " MULTIPLE DX | 700 | 10.5 | 171 | 1 | 1 | 6 | 13 | 23 | 35 | 66 |
| TOTAL 0-19 YRS | 388 | 5.1 | 41 | 1 | 1 | 2 | 6 | 14 | 18 | 31 |
| 20-34 | 427 | 6.2 | 78 | 1 | 1 | 3 | 7 | 14 | 21 | 49 |
| 35-49 | 226 | 8.6 | 196 | 1 | 1 | 3 | 8 | 21 | 36 | 73 |
| 50-64 | 276 | 6.8 | 91 | 1 | 1 | 4 | 7 | 14 | 23 | 54 |
| 65+ | 338 | 9.6 | 152 | 1 | 1 | 5 | 12 | 21 | 30 | 76 |
| GRAND TOTAL | 1655 | 7.0 | 105 | 1 | 1 | 3 | 8 | 16 | 24 | 55 |

### 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 179 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 20-34 | 335 | 4.3 | 20 | 1 | 2 | 3 | 5 | 7 | 8 | 17 |
| 35-49 | 128 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | 73 | 6.1 | 19 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 75 | 10.9 | 79 | 2 | 3 | 8 | 14 | 22 | 27 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 9.3 | 129 | 2 | 2 | 5 | 10 | 25 | 34 | 61 |
| 20-34 | 143 | 7.9 | 78 | 2 | 2 | 5 | 8 | 15 | 28 | 48 |
| 35-49 | 61 | 8.3 | 40 | 2 | 3 | 6 | 10 | 15 | 22 | 35 |
| 50-64 | 55 | 13.2 | 178 | 2 | 3 | 9 | 14 | 28 | 49 | 65 |
| 65+ | 87 | 17.7 | 164 | 4 | 4 | 15 | 25 | 33 | 45 | 65 |
| TOT. SINGLE DX | 790 | 5.0 | 25 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| " MULTIPLE DX | 411 | 11.0 | 126 | 2 | 3 | 7 | 13 | 26 | 35 | 54 |
| TOTAL 0-19 YRS | 244 | 5.2 | 45 | 1 | 2 | 3 | 5 | 9 | 16 | 39 |
| 20-34 | 478 | 5.4 | 41 | 1 | 2 | 4 | 6 | 9 | 13 | 38 |
| 35-49 | 189 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 13 | 25 |
| 50-64 | 128 | 9.2 | 99 | 2 | 2 | 6 | 10 | 17 | 28 | 55 |
| 65+ | 162 | 14.5 | 136 | 3 | 4 | 11 | 18 | 30 | 35 | 53 |
| GRAND TOTAL | 1201 | 7.0 | 67 | 1 | 2 | 4 | 7 | 15 | 24 | 46 |

### 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 708 | 4.6 | 17 | 1 | 2 | 3 | 5 | 8 | 13 | 23 |
| 20-34 | 933 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| 35-49 | 474 | 4.9 | 26 | 2 | 2 | 4 | 6 | 8 | 11 | 33 |
| 50-64 | 269 | 6.8 | 57 | 2 | 2 | 4 | 8 | 14 | 20 | 44 |
| 65+ | 202 | 13.2 | 150 | 2 | 2 | 9 | 18 | 28 | 38 | 97 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 322 | 6.6 | 58 | 2 | 2 | 4 | 6 | 16 | 22 | 33 |
| 20-34 | 490 | 6.1 | 73 | 2 | 2 | 4 | 6 | 10 | 14 | 64 |
| 35-49 | 306 | 7.9 | 84 | 2 | 2 | 5 | 8 | 16 | 25 | 53 |
| 50-64 | 297 | 11.5 | 190 | 2 | 3 | 7 | 13 | 26 | 41 | 84 |
| 65+ | 250 | 19.1 | 275 | 3 | 4 | 15 | 25 | 41 | 58 | 86 |
| TOT. SINGLE DX | 2586 | 5.4 | 38 | 1 | 2 | 4 | 6 | 10 | 16 | 34 |
| " MULTIPLE DX | 1665 | 9.4 | 143 | 2 | 2 | 5 | 10 | 22 | 32 | 66 |
| TOTAL 0-19 YRS | 1030 | 5.2 | 31 | 2 | 2 | 4 | 5 | 10 | 17 | 28 |
| 20-34 | 1423 | 4.9 | 35 | 1 | 2 | 4 | 5 | 8 | 11 | 29 |
| 35-49 | 780 | 6.1 | 51 | 2 | 2 | 4 | 6 | 11 | 18 | 39 |
| 50-64 | 566 | 9.2 | 132 | 2 | 2 | 5 | 10 | 20 | 30 | 64 |
| 65+ | 452 | 16.4 | 228 | 2 | 3 | 13 | 23 | 36 | 46 | 77 |
| GRAND TOTAL | 4251 | 7.0 | 83 | 2 | 2 | 4 | 7 | 15 | 24 | 49 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 10.8 | 51 | 4 | 5 | 9 | 13 | 20 | 23 | 42 |
| 20-34 | 2369 | 10.3 | 24 | 5 | 5 | 9 | 12 | 17 | 20 | 26 |
| 35-49 | 4300 | 10.7 | 29 | 5 | 6 | 9 | 13 | 17 | 21 | 28 |
| 50-64 | 2217 | 11.8 | 37 | 5 | 6 | 10 | 14 | 20 | 23 | 33 |
| 65+ | 483 | 13.5 | 42 | 6 | 7 | 12 | 17 | 22 | 26 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 12.8 | 136 | 2 | 2 | 9 | 15 | 32 | 46 | 99+ |
| 20-34 | 521 | 13.4 | 69 | 5 | 6 | 11 | 17 | 23 | 30 | 41 |
| 35-49 | 1336 | 13.7 | 77 | 5 | 6 | 12 | 16 | 23 | 29 | 51 |
| 50-64 | 1262 | 15.6 | 87 | 6 | 7 | 13 | 19 | 26 | 33 | 48 |
| 65+ | 593 | 19.8 | 121 | 8 | 9 | 17 | 25 | 33 | 42 | 58 |
| TOT. SINGLE DX | 9458 | 11.0 | 32 | 5 | 6 | 10 | 13 | 18 | 21 | 29 |
| " MULTIPLE DX | 3745 | 15.3 | 92 | 6 | 7 | 13 | 19 | 26 | 33 | 52 |
| TOTAL 0-19 YRS | 122 | 11.3 | 74 | 2 | 3 | 9 | 14 | 22 | 29 | 65 |
| 20-34 | 2890 | 10.8 | 34 | 5 | 5 | 9 | 13 | 18 | 22 | 32 |
| 35-49 | 5636 | 11.4 | 43 | 5 | 6 | 10 | 14 | 19 | 23 | 35 |
| 50-64 | 3479 | 13.2 | 59 | 5 | 6 | 11 | 16 | 22 | 27 | 42 |
| 65+ | 1076 | 17.0 | 95 | 7 | 8 | 15 | 21 | 29 | 35 | 54 |
| GRAND TOTAL | 13203 | 12.2 | 52 | 5 | 6 | 10 | 15 | 21 | 25 | 39 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 861 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2253 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1150 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 564 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 154 | 6.7 | 45 | 2 | 2 | 5 | 8 | 14 | 17 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 432 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 1195 | 4.7 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 35-49 | 830 | 4.8 | 19 | 2 | 2 | 4 | 6 | 8 | 11 | 27 |
| 50-64 | 782 | 5.8 | 29 | 2 | 2 | 4 | 7 | 11 | 13 | 30 |
| 65+ | 356 | 6.9 | 51 | 2 | 2 | 5 | 8 | 15 | 21 | 35 |
| TOT. SINGLE DX | 4982 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| " MULTIPLE DX | 3595 | 5.1 | 21 | 2 | 2 | 4 | 6 | 9 | 12 | 26 |
| TOTAL 0-19 YRS | 1293 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 3448 | 4.1 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 1980 | 4.4 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 50-64 | 1346 | 5.3 | 21 | 2 | 2 | 4 | 6 | 10 | 12 | 24 |
| 65+ | 510 | 6.9 | 49 | 2 | 2 | 5 | 8 | 15 | 20 | 34 |
| GRAND TOTAL | 8577 | 4.5 | 13 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1218 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 2078 | 3.1 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 1186 | 3.7 | 14 | 1 | 2 | 3 | 4 | 6 | 9 | 17 |
| 50-64 | 676 | 4.1 | 18 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 65+ | 283 | 6.2 | 52 | 1 | 3 | 4 | 7 | 15 | 20 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 482 | 3.7 | 13 | 1 | 2 | 3 | 4 | 6 | 9 | 22 |
| 20-34 | 991 | 4.3 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 29 |
| 35-49 | 693 | 5.3 | 49 | 1 | 2 | 3 | 5 | 10 | 15 | 41 |
| 50-64 | 716 | 6.2 | 58 | 2 | 3 | 4 | 7 | 14 | 20 | 38 |
| 65+ | 383 | 10.5 | 141 | 2 | 3 | 6 | 13 | 28 | 35 | 58 |
| TOT. SINGLE DX | 5441 | 3.5 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| " MULTIPLE DX | 3265 | 5.6 | 54 | 1 | 2 | 3 | 6 | 12 | 18 | 40 |
| TOTAL 0-19 YRS | 1700 | 3.1 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 20-34 | 3069 | 3.5 | 13 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 35-49 | 1879 | 4.3 | 28 | 1 | 2 | 3 | 5 | 8 | 11 | 26 |
| 50-64 | 1392 | 5.2 | 40 | 2 | 2 | 3 | 5 | 10 | 16 | 33 |
| 65+ | 666 | 8.7 | 108 | 2 | 3 | 5 | 10 | 20 | 31 | 53 |
| GRAND TOTAL | 8706 | 4.2 | 29 | 1 | 2 | 3 | 4 | 8 | 12 | 28 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 133 | 14.6 | 44 | 7 | 7 | 14 | 17 | 19 | 22 | 53 |
| 20-34 | 201 | 12.7 | 73 | 5 | 6 | 10 | 15 | 21 | 30 | 49 |
| 35-49 | 313 | 11.2 | 36 | 5 | 6 | 10 | 14 | 18 | 23 | 36 |
| 50-64 | 193 | 12.6 | 76 | 5 | 6 | 10 | 14 | 22 | 30 | 54 |
| 65+ | 28 | 17.0 | 150 | 5 | 7 | 14 | 21 | 30 | 38 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 87 | 20.4 | 240 | 6 | 7 | 15 | 24 | 39 | 54 | 87 |
| 20-34 | 167 | 19.3 | 284 | 5 | 6 | 12 | 24 | 42 | 72 | 99+ |
| 35-49 | 210 | 15.3 | 105 | 6 | 7 | 12 | 18 | 28 | 40 | 64 |
| 50-64 | 134 | 18.4 | 149 | 5 | 8 | 16 | 22 | 37 | 47 | 91 |
| 65+ | 57 | 23.2 | 263 | 7 | 8 | 17 | 30 | 51 | 56 | 99 |
| TOT. SINGLE DX | 868 | 12.6 | 60 | 5 | 6 | 11 | 15 | 20 | 26 | 45 |
| " MULTIPLE DX | 655 | 18.3 | 196 | 6 | 7 | 14 | 21 | 37 | 51 | 99+ |
| TOTAL 0-19 YRS | 220 | 16.9 | 129 | 6 | 7 | 15 | 18 | 26 | 38 | 62 |
| 20-34 | 368 | 15.7 | 179 | 5 | 6 | 11 | 18 | 33 | 45 | 59 |
| 35-49 | 523 | 12.8 | 68 | 5 | 6 | 11 | 15 | 21 | 30 | 51 |
| 50-64 | 327 | 15.0 | 114 | 5 | 6 | 12 | 17 | 26 | 37 | 61 |
| 65+ | 85 | 21.2 | 233 | 6 | 8 | 16 | 29 | 48 | 57 | 94 |
| GRAND TOTAL | 1523 | 15.1 | 127 | 5 | 6 | 12 | 17 | 27 | 38 | 70 |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 299 | 5.4 | 23 | 1 | 2 | 4 | 7 | 9 | 12 | 25 |
| 35-49 | 248 | 5.6 | 26 | 2 | 2 | 5 | 7 | 9 | 12 | 29 |
| 50-64 | 334 | 5.8 | 34 | 2 | 2 | 4 | 7 | 11 | 15 | 37 |
| 65+ | 146 | 8.9 | 66 | 2 | 2 | 6 | 14 | 22 | 26 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 5.8 | 27 | 2 | 2 | 5 | 6 | 8 | 10 | 36 |
| 20-34 | 188 | 7.4 | 72 | 2 | 2 | 5 | 8 | 15 | 18 | 45 |
| 35-49 | 177 | 6.8 | 49 | 2 | 2 | 5 | 8 | 13 | 15 | 64 |
| 50-64 | 228 | 8.6 | 104 | 2 | 2 | 6 | 9 | 16 | 25 | 58 |
| 65+ | 189 | 10.6 | 94 | 2 | 2 | 7 | 14 | 23 | 32 | 45 |
| TOT. SINGLE DX | 1145 | 5.9 | 33 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| " MULTIPLE DX | 864 | 8.1 | 79 | 2 | 2 | 5 | 9 | 16 | 23 | 51 |
| TOTAL 0-19 YRS | 200 | 4.9 | 16 | 2 | 2 | 4 | 6 | 8 | 10 | 23 |
| 20-34 | 487 | 6.1 | 43 | 1 | 2 | 5 | 7 | 11 | 16 | 38 |
| 35-49 | 425 | 6.1 | 36 | 2 | 2 | 5 | 7 | 11 | 14 | 38 |
| 50-64 | 562 | 7.0 | 65 | 2 | 2 | 5 | 8 | 12 | 18 | 54 |
| 65+ | 335 | 9.9 | 83 | 2 | 2 | 6 | 14 | 23 | 29 | 44 |
| GRAND TOTAL | 2009 | 6.9 | 54 | 2 | 2 | 5 | 8 | 13 | 19 | 43 |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 25.3 | 152 | 15 | 15 | 22 | 34 | 42 | 42 | 42 |
| 20-34 | 63 | 12.8 | 38 | 6 | 8 | 12 | 14 | 20 | 26 | 38 |
| 35-49 | 152 | 13.7 | 38 | 8 | 9 | 12 | 15 | 19 | 29 | 41 |
| 50-64 | 595 | 15.2 | 42 | 8 | 9 | 14 | 17 | 22 | 26 | 44 |
| 65+ | 1175 | 16.9 | 47 | 9 | 10 | 16 | 19 | 24 | 29 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 29.3 | 569 | 8 | 8 | 24 | 48 | 60 | 60 | 60 |
| 20-34 | 50 | 16.9 | 74 | 8 | 8 | 15 | 22 | 28 | 30 | 47 |
| 35-49 | 132 | 18.6 | 139 | 7 | 9 | 15 | 21 | 35 | 40 | 64 |
| 50-64 | 396 | 18.1 | 79 | 9 | 10 | 16 | 21 | 30 | 38 | 79 |
| 65+ | 1057 | 22.3 | 138 | 11 | 12 | 19 | 26 | 35 | 49 | 82 |
| TOT. SINGLE DX | 1989 | 16.0 | 47 | 8 | 10 | 15 | 18 | 23 | 28 | 41 |
| " MULTIPLE DX | 1639 | 20.9 | 127 | 9 | 11 | 18 | 25 | 34 | 46 | 81 |
| TOTAL 0-19 YRS | 8 | 27.3 | 314 | 8 | 9 | 22 | 39 | 55 | 60 | 60 |
| 20-34 | 113 | 14.6 | 58 | 7 | 8 | 12 | 17 | 26 | 29 | 43 |
| 35-49 | 284 | 16.0 | 91 | 8 | 9 | 13 | 18 | 29 | 36 | 46 |
| 50-64 | 991 | 16.3 | 59 | 8 | 9 | 15 | 19 | 25 | 31 | 56 |
| 65+ | 2232 | 19.5 | 98 | 10 | 11 | 17 | 22 | 30 | 38 | 63 |
| GRAND TOTAL | 3628 | 18.2 | 89 | 9 | 10 | 16 | 21 | 29 | 36 | 60 |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 14.3 | 134 | 4 | 4 | 10 | 19 | 31 | 41 | 45 |
| 20-34 | 28 | 14.5 | 81 | 2 | 4 | 11 | 22 | 27 | 29 | 38 |
| 35-49 | 53 | 12.9 | 34 | 4 | 6 | 13 | 16 | 21 | 23 | 29 |
| 50-64 | 243 | 14.6 | 38 | 7 | 8 | 13 | 17 | 23 | 27 | 35 |
| 65+ | 1502 | 16.7 | 50 | 8 | 9 | 15 | 19 | 25 | 30 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 9.7 | 67 | 2 | 2 | 6 | 16 | 23 | 24 | 24 |
| 20-34 | 21 | 20.2 | 212 | 4 | 6 | 14 | 34 | 40 | 46 | 53 |
| 35-49 | 51 | 17.5 | 164 | 4 | 7 | 14 | 22 | 30 | 38 | 84 |
| 50-64 | 278 | 19.3 | 151 | 7 | 9 | 16 | 23 | 35 | 50 | 99+ |
| 65+ | 2111 | 21.7 | 138 | 10 | 11 | 18 | 26 | 37 | 48 | 78 |
| TOT. SINGLE DX | 1842 | 16.2 | 50 | 7 | 9 | 15 | 19 | 25 | 30 | 42 |
| " MULTIPLE DX | 2468 | 21.3 | 142 | 9 | 11 | 18 | 25 | 37 | 48 | 63 |
| TOTAL 0-19 YRS | 23 | 12.9 | 115 | 3 | 4 | 8 | 18 | 26 | 37 | 45 |
| 20-34 | 49 | 16.9 | 143 | 3 | 5 | 13 | 23 | 37 | 40 | 53 |
| 35-49 | 104 | 15.2 | 102 | 4 | 7 | 13 | 18 | 25 | 30 | 61 |
| 50-64 | 521 | 17.1 | 104 | 7 | 9 | 14 | 20 | 28 | 37 | 97 |
| 65+ | 3613 | 19.6 | 108 | 9 | 11 | 17 | 23 | 32 | 40 | 63 |
| GRAND TOTAL | 4310 | 19.1 | 109 | 8 | 10 | 17 | 22 | 31 | 40 | 64 |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 465 | 4.6 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 12 |
| 20-34 | 621 | 5.5 | 24 | 2 | 2 | 5 | 6 | 9 | 12 | 28 |
| 35-49 | 234 | 7.5 | 32 | 2 | 2 | 6 | 10 | 16 | 20 | 27 |
| 50-64 | 477 | 14.2 | 54 | 3 | 5 | 14 | 18 | 23 | 26 | 35 |
| 65+ | 984 | 17.9 | 53 | 8 | 10 | 17 | 21 | 27 | 32 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 315 | 5.6 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 20-34 | 541 | 6.8 | 45 | 2 | 3 | 5 | 7 | 11 | 16 | 36 |
| 35-49 | 226 | 9.1 | 121 | 2 | 2 | 6 | 11 | 19 | 24 | 89 |
| 50-64 | 350 | 17.4 | 139 | 3 | 5 | 16 | 21 | 31 | 42 | 57 |
| 65+ | 734 | 20.6 | 116 | 7 | 10 | 18 | 25 | 35 | 43 | 69 |
| TOT. SINGLE DX | 2781 | 11.4 | 70 | 2 | 3 | 9 | 16 | 23 | 26 | 37 |
| " MULTIPLE DX | 2166 | 13.3 | 129 | 2 | 3 | 10 | 18 | 27 | 35 | 58 |
| TOTAL 0-19 YRS | 780 | 5.0 | 8 | 2 | 2 | 5 | 6 | 8 | 9 | 15 |
| 20-34 | 1162 | 6.1 | 35 | 2 | 2 | 5 | 7 | 10 | 13 | 34 |
| 35-49 | 460 | 8.3 | 77 | 2 | 2 | 6 | 10 | 17 | 23 | 42 |
| 50-64 | 827 | 15.6 | 93 | 3 | 5 | 15 | 19 | 26 | 32 | 50 |
| 65+ | 1718 | 19.1 | 82 | 8 | 10 | 17 | 23 | 30 | 36 | 52 |
| GRAND TOTAL | 4947 | 12.2 | 97 | 2 | 3 | 10 | 17 | 24 | 30 | 46 |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 506 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 963 | 3.8 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 411 | 4.0 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 365 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 190 | 7.6 | 34 | 2 | 2 | 6 | 10 | 15 | 18 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 113 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 286 | 5.0 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 228 | 5.8 | 22 | 2 | 2 | 4 | 7 | 11 | 16 | 28 |
| 50-64 | 327 | 7.1 | 40 | 2 | 3 | 5 | 9 | 13 | 18 | 31 |
| 65+ | 196 | 10.7 | 83 | 2 | 3 | 8 | 14 | 21 | 28 | 51 |
| TOT. SINGLE DX | 2435 | 4.3 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| " MULTIPLE DX | 1150 | 6.6 | 38 | 2 | 2 | 5 | 8 | 13 | 18 | 31 |
| TOTAL 0-19 YRS | 619 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 1249 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 639 | 4.6 | 12 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |
| 50-64 | 692 | 6.1 | 27 | 2 | 2 | 5 | 7 | 11 | 14 | 29 |
| 65+ | 386 | 9.2 | 62 | 2 | 3 | 7 | 12 | 18 | 24 | 42 |
| GRAND TOTAL | 3585 | 5.0 | 19 | 2 | 2 | 4 | 5 | 9 | 12 | 23 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 372 | 3.9 | 24 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 20-34 | 426 | 3.9 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 386 | 3.5 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 50-64 | 390 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| 65+ | 120 | 3.2 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 6.2 | 63 | 2 | 2 | 4 | 6 | 11 | 21 | 44 |
| 20-34 | 199 | 6.2 | 55 | 1 | 2 | 4 | 7 | 13 | 21 | 46 |
| 35-49 | 208 | 6.9 | 68 | 2 | 2 | 4 | 7 | 15 | 22 | 49 |
| 50-64 | 252 | 7.3 | 55 | 1 | 2 | 4 | 9 | 19 | 23 | 37 |
| 65+ | 121 | 10.2 | 90 | 2 | 2 | 7 | 13 | 28 | 33 | 63 |
| TOT. SINGLE DX | 1694 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| " MULTIPLE DX | 943 | 7.2 | 66 | 1 | 2 | 4 | 8 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 535 | 4.6 | 37 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| 20-34 | 625 | 4.6 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 35-49 | 594 | 4.7 | 34 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| 50-64 | 642 | 4.6 | 33 | <1 | 1 | 2 | 5 | 10 | 17 | 32 |
| 65+ | 241 | 6.7 | 62 | <1 | 1 | 3 | 8 | 16 | 28 | 39 |
| GRAND TOTAL | 2637 | 4.8 | 36 | <1 | 1 | 3 | 5 | 10 | 16 | 33 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 928 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 1676 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 965 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 698 | 3.1 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 65+ | 280 | 4.8 | 31 | 1 | 1 | 3 | 5 | 10 | 13 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 139 | 3.4 | 12 | <1 | 1 | 2 | 3 | 7 | 9 | 23 |
| 20-34 | 366 | 4.5 | 30 | 1 | 2 | 3 | 5 | 9 | 15 | 30 |
| 35-49 | 455 | 5.3 | 32 | 1 | 2 | 3 | 6 | 13 | 17 | 32 |
| 50-64 | 482 | 7.2 | 72 | 1 | 2 | 4 | 9 | 16 | 23 | 40 |
| 65+ | 308 | 9.6 | 96 | 2 | 2 | 6 | 13 | 21 | 31 | 55 |
| TOT. SINGLE DX | 4547 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 1750 | 6.3 | 56 | 1 | 2 | 3 | 7 | 14 | 21 | 38 |
| TOTAL 0-19 YRS | 1067 | 2.3 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 2042 | 2.6 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 35-49 | 1420 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 50-64 | 1180 | 4.8 | 39 | 1 | 1 | 3 | 5 | 10 | 16 | 34 |
| 65+ | 588 | 7.3 | 71 | 1 | 2 | 4 | 9 | 16 | 25 | 42 |
| GRAND TOTAL | 6297 | 3.6 | 22 | <1 | 1 | 2 | 3 | 7 | 11 | 24 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 2.6 | 3 | <1 | 1 | 2 | 2 | 5 | 7 | 8 |
| 20-34 | 66 | 3.3 | 12 | 1 | 1 | 2 | 3 | 5 | 10 | 23 |
| 35-49 | 107 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 292 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 192 | 3.2 | 8 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 31 | 4.3 | 15 | 1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 35-49 | 56 | 3.8 | 10 | 1 | 2 | 3 | 4 | 9 | 11 | 16 |
| 50-64 | 156 | 4.9 | 30 | 2 | 2 | 3 | 5 | 9 | 15 | 29 |
| 65+ | 120 | 5.4 | 30 | 1 | 2 | 3 | 6 | 13 | 17 | 28 |
| TOT. SINGLE DX | 691 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 372 | 4.8 | 26 | 1 | 2 | 3 | 5 | 9 | 15 | 27 |
| TOTAL 0-19 YRS | 43 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 97 | 3.6 | 13 | 1 | 1 | 3 | 4 | 6 | 11 | 23 |
| 35-49 | 163 | 3.1 | 7 | 1 | 1 | 2 | 3 | 5 | 9 | 16 |
| 50-64 | 448 | 3.4 | 13 | 1 | 2 | 2 | 4 | 5 | 8 | 20 |
| 65+ | 312 | 4.0 | 18 | 1 | 2 | 3 | 4 | 8 | 12 | 26 |
| GRAND TOTAL | 1063 | 3.5 | 13 | 1 | 2 | 2 | 4 | 6 | 9 | 21 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 355 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 616 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 259 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 10 |
| 50-64 | 161 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 38 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 225 | 3.3 | 43 | 1 | 1 | 2 | 3 | 5 | 7 | 36 |
| 20-34 | 445 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 156 | 3.1 | 8 | 1 | 1 | 2 | 3 | 6 | 7 | 20 |
| 50-64 | 107 | 4.3 | 22 | 1 | 1 | 3 | 5 | 7 | 11 | 30 |
| 65+ | 46 | 5.3 | 28 | 1 | 2 | 3 | 7 | 12 | 20 | 23 |
| TOT. SINGLE DX | 1429 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 979 | 3.4 | 18 | 1 | 1 | 2 | 4 | 6 | 8 | 20 |
| TOTAL 0-19 YRS | 580 | 2.8 | 20 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 20-34 | 1061 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 415 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 268 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 7 | 21 |
| 65+ | 84 | 4.0 | 19 | 1 | 1 | 3 | 4 | 8 | 13 | 23 |
| GRAND TOTAL | 2408 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 238 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 386 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 402 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 408 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 163 | 5.4 | 19 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 4.9 | 47 | 1 | 1 | 3 | 5 | 10 | 16 | 38 |
| 20-34 | 278 | 5.3 | 44 | 1 | 2 | 4 | 6 | 9 | 12 | 40 |
| 35-49 | 241 | 5.2 | 26 | 1 | 2 | 4 | 6 | 9 | 14 | 33 |
| 50-64 | 292 | 7.1 | 93 | 2 | 2 | 4 | 7 | 14 | 21 | 49 |
| 65+ | 150 | 9.7 | 114 | 2 | 2 | 6 | 11 | 25 | 30 | 53 |
| TOT. SINGLE DX | 1597 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| " MULTIPLE DX | 1084 | 6.3 | 66 | 1 | 2 | 4 | 7 | 12 | 18 | 46 |
| TOTAL 0-19 YRS | 361 | 3.4 | 20 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 664 | 4.1 | 23 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 35-49 | 643 | 4.1 | 14 | 1 | 2 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 700 | 5.4 | 47 | 1 | 2 | 4 | 6 | 10 | 14 | 37 |
| 65+ | 313 | 7.5 | 69 | 2 | 2 | 5 | 8 | 16 | 25 | 44 |
| GRAND TOTAL | 2681 | 4.8 | 34 | 1 | 1 | 3 | 5 | 8 | 13 | 30 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 508 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 6 | 11 |
| 20-34 | 503 | 3.8 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 303 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 50-64 | 179 | 4.8 | 33 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| 65+ | 75 | 7.3 | 36 | 1 | 2 | 6 | 9 | 15 | 25 | 81 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 287 | 4.6 | 27 | 1 | 2 | 3 | 5 | 8 | 10 | 29 |
| 20-34 | 220 | 6.2 | 70 | 1 | 2 | 4 | 6 | 11 | 22 | 59 |
| 35-49 | 123 | 5.7 | 79 | 1 | 2 | 4 | 6 | 10 | 13 | 42 |
| 50-64 | 106 | 6.7 | 40 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| 65+ | 54 | 11.4 | 64 | 2 | 4 | 9 | 17 | 23 | 31 | 97 |
| TOT. SINGLE DX | 1568 | 3.9 | 14 | 1 | 1 | 3 | 5 | 6 | 8 | 19 |
| " MULTIPLE DX | 790 | 6.0 | 54 | 1 | 2 | 4 | 7 | 11 | 18 | 41 |
| TOTAL 0-19 YRS | 795 | 3.8 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 723 | 4.5 | 32 | 1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 35-49 | 426 | 4.2 | 28 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 50-64 | 285 | 5.5 | 37 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| 65+ | 129 | 9.0 | 52 | 2 | 2 | 7 | 13 | 20 | 27 | 99+ |
| GRAND TOTAL | 2358 | 4.6 | 28 | 1 | 2 | 3 | 5 | 8 | 12 | 27 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 75 | 4.0 | 99 | 1 | 1 | 2 | 3 | 8 | 11 | 67 |
| 20-34 | 167 | 2.8 | 11 | 1 | 1 | 2 | 3 | 5 | 6 | 20 |
| 35-49 | 109 | 3.4 | 15 | <1 | 1 | 2 | 3 | 8 | 12 | 21 |
| 50-64 | 101 | 3.2 | 11 | 1 | 1 | 2 | 4 | 6 | 7 | 21 |
| 65+ | 46 | 4.0 | 17 | 1 | 1 | 2 | 5 | 12 | 14 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 4.1 | 25 | 1 | 1 | 2 | 4 | 10 | 14 | 26 |
| 20-34 | 103 | 5.6 | 47 | 1 | 1 | 3 | 6 | 12 | 19 | 40 |
| 35-49 | 81 | 8.1 | 202 | 1 | 2 | 4 | 7 | 16 | 47 | 99 |
| 50-64 | 84 | 7.6 | 104 | 1 | 1 | 4 | 8 | 17 | 26 | 52 |
| 65+ | 66 | 8.4 | 81 | 1 | 2 | 4 | 11 | 22 | 28 | 40 |
| TOT. SINGLE DX | 498 | 3.3 | 26 | 1 | 1 | 2 | 3 | 6 | 10 | 23 |
| " MULTIPLE DX | 371 | 6.9 | 99 | 1 | 1 | 4 | 7 | 17 | 25 | 53 |
| TOTAL 0-19 YRS | 112 | 4.1 | 74 | 1 | 1 | 2 | 3 | 9 | 12 | 56 |
| 20-34 | 270 | 3.8 | 27 | 1 | 1 | 2 | 4 | 7 | 11 | 34 |
| 35-49 | 190 | 5.4 | 100 | 1 | 1 | 3 | 5 | 12 | 17 | 83 |
| 50-64 | 185 | 5.2 | 58 | 1 | 1 | 3 | 5 | 10 | 18 | 50 |
| 65+ | 112 | 6.6 | 60 | 1 | 1 | 3 | 8 | 18 | 24 | 35 |
| GRAND TOTAL | 869 | 4.8 | 61 | 1 | 1 | 3 | 5 | 10 | 17 | 45 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 5.2 | 36 | 1 | 1 | 3 | 6 | 15 | 20 | 20 |
| 20-34 | 17 | 5.2 | 18 | 1 | 1 | 3 | 9 | 12 | 13 | 14 |
| 35-49 | 6 | 8.5 | 52 | 2 | 2 | 7 | 9 | 21 | 22 | 22 |
| 50-64 | 9 | 7.9 | 62 | 2 | 2 | 5 | 8 | 21 | 27 | 27 |
| 65+ | 4 | 28.3 | 453 | 13 | 13 | 20 | 42 | 59 | 59 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 14.3 | 183 | 2 | 2 | 12 | 22 | 35 | 36 | 36 |
| 20-34 | 13 | 14.5 | 193 | 2 | 3 | 6 | 23 | 34 | 45 | 48 |
| 35-49 | 6 | 8.7 | 22 | 3 | 3 | 9 | 11 | 15 | 16 | 16 |
| 50-64 | 10 | 16.1 | 81 | 4 | 5 | 15 | 25 | 28 | 30 | 30 |
| 65+ | 20 | 18.5 | 206 | 3 | 5 | 14 | 32 | 50 | 75 | 99+ |
| TOT. SINGLE DX | 45 | 8.2 | 103 | 1 | 1 | 5 | 10 | 20 | 26 | 59 |
| " MULTIPLE DX | 55 | 15.6 | 157 | 2 | 3 | 12 | 22 | 35 | 48 | 97 |
| TOTAL 0-19 YRS | 15 | 8.9 | 107 | 1 | 1 | 4 | 15 | 22 | 32 | 36 |
| 20-34 | 30 | 9.3 | 112 | 1 | 1 | 5 | 12 | 23 | 30 | 48 |
| 35-49 | 12 | 8.6 | 34 | 2 | 3 | 9 | 10 | 18 | 21 | 22 |
| 50-64 | 19 | 12.2 | 86 | 2 | 3 | 9 | 20 | 27 | 29 | 30 |
| 65+ | 24 | 20.1 | 243 | 3 | 7 | 15 | 32 | 54 | 69 | 99+ |
| GRAND TOTAL | 100 | 12.3 | 145 | 1 | 2 | 9 | 17 | 30 | 41 | 79 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 59 | 5.2 | 14 | 1 | 1 | 4 | 7 | 11 | 12 | 17 |
| 35-49 | 63 | 10.6 | 194 | 2 | 2 | 5 | 12 | 26 | 32 | 85 |
| 50-64 | 75 | 10.7 | 118 | 2 | 2 | 7 | 12 | 25 | 30 | 57 |
| 65+ | 129 | 11.2 | 171 | 2 | 2 | 8 | 13 | 23 | 34 | 72 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 5.1 | 28 | 1 | 1 | 3 | 6 | 11 | 20 | 24 |
| 20-34 | 59 | 15.7 | 270 | 1 | 2 | 9 | 20 | 36 | 55 | 78 |
| 35-49 | 149 | 18.7 | 289 | 2 | 3 | 15 | 24 | 42 | 52 | 84 |
| 50-64 | 333 | 17.0 | 198 | 3 | 4 | 13 | 23 | 36 | 43 | 67 |
| 65+ | 605 | 18.7 | 204 | 3 | 5 | 15 | 24 | 37 | 50 | 83 |
| TOT. SINGLE DX | 389 | 8.9 | 123 | 1 | 2 | 5 | 10 | 20 | 28 | 60 |
| " MULTIPLE DX | 1176 | 17.7 | 217 | 3 | 4 | 14 | 23 | 37 | 48 | 80 |
| TOTAL 0-19 YRS | 93 | 4.4 | 16 | 1 | 1 | 3 | 6 | 8 | 14 | 22 |
| 20-34 | 118 | 10.5 | 169 | 1 | 2 | 6 | 12 | 26 | 36 | 69 |
| 35-49 | 212 | 16.3 | 274 | 2 | 3 | 12 | 21 | 36 | 46 | 87 |
| 50-64 | 408 | 15.8 | 190 | 3 | 3 | 12 | 21 | 33 | 42 | 65 |
| 65+ | 734 | 17.4 | 207 | 3 | 4 | 14 | 23 | 36 | 49 | 80 |
| GRAND TOTAL | 1565 | 15.5 | 208 | 2 | 3 | 11 | 21 | 34 | 46 | 77 |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 12.0 | 40 | 6 | 6 | 10 | 16 | 21 | 21 | 21 |
| 20-34 | 21 | 18.5 | 114 | 6 | 8 | 15 | 28 | 36 | 38 | 39 |
| 35-49 | 12 | 29.7 | 347 | 12 | 13 | 26 | 35 | 61 | 72 | 74 |
| 50-64 | 35 | 24.0 | 220 | 8 | 9 | 19 | 28 | 51 | 57 | 61 |
| 65+ | 112 | 20.9 | 187 | 8 | 9 | 17 | 25 | 39 | 47 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 26.2 | 296 | 5 | 6 | 24 | 40 | 51 | 53 | 53 |
| 20-34 | 43 | 28.9 | 432 | 6 | 9 | 21 | 43 | 64 | 73 | 79 |
| 35-49 | 81 | 26.1 | 375 | 8 | 11 | 19 | 36 | 59 | 99 | 99+ |
| 50-64 | 395 | 25.9 | 221 | 8 | 10 | 23 | 33 | 49 | 58 | 97 |
| 65+ | 937 | 28.3 | 336 | 8 | 10 | 24 | 37 | 55 | 69 | 92 |
| TOT. SINGLE DX | 184 | 21.6 | 197 | 8 | 9 | 17 | 26 | 40 | 54 | 74 |
| " MULTIPLE DX | 1465 | 27.6 | 310 | 8 | 10 | 23 | 35 | 53 | 66 | 99 |
| TOTAL 0-19 YRS | 13 | 21.8 | 254 | 5 | 6 | 21 | 31 | 49 | 52 | 53 |
| 20-34 | 64 | 25.5 | 349 | 6 | 9 | 18 | 35 | 54 | 69 | 78 |
| 35-49 | 93 | 26.5 | 369 | 8 | 11 | 20 | 36 | 58 | 96 | 99+ |
| 50-64 | 430 | 25.8 | 221 | 8 | 10 | 22 | 33 | 49 | 58 | 96 |
| 65+ | 1049 | 27.5 | 325 | 8 | 10 | 23 | 35 | 52 | 67 | 91 |
| GRAND TOTAL | 1649 | 26.9 | 301 | 8 | 10 | 22 | 35 | 52 | 64 | 95 |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 10.7 | 14 | 8 | 8 | 9 | 13 | 15 | 15 | 15 |
| 20-34 | 4 | 12.8 | 3 | 11 | 11 | 12 | 14 | 15 | 15 | 15 |
| 35-49 | 12 | 14.9 | 56 | 5 | 7 | 14 | 24 | 42 | 89 | 99+ |
| 50-64 | 27 | 16.7 | 136 | 5 | 6 | 14 | 21 | 35 | 40 | 52 |
| 65+ | 126 | 17.6 | 146 | 6 | 7 | 15 | 21 | 33 | 49 | 78 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 21.4 | 506 | 5 | 5 | 13 | 26 | 61 | 71 | 71 |
| 20-34 | 13 | 40.4 | 449 | 18 | 19 | 45 | 62 | 99+ | 99+ | 99+ |
| 35-49 | 30 | 17.8 | 72 | 7 | 9 | 15 | 27 | 30 | 32 | 34 |
| 50-64 | 250 | 25.5 | 275 | 8 | 10 | 22 | 33 | 53 | 71 | 99+ |
| 65+ | 1062 | 24.6 | 269 | 7 | 9 | 20 | 32 | 49 | 60 | 93 |
| TOT. SINGLE DX | 172 | 17.1 | 134 | 6 | 7 | 14 | 21 | 32 | 47 | 93 |
| " MULTIPLE DX | 1363 | 24.8 | 272 | 7 | 9 | 20 | 32 | 50 | 64 | 99+ |
| TOTAL 0-19 YRS | 11 | 18.5 | 383 | 5 | 6 | 12 | 15 | 51 | 69 | 71 |
| 20-34 | 17 | 33.9 | 483 | 11 | 12 | 26 | 62 | 92 | 99+ | 99+ |
| 35-49 | 42 | 17.0 | 68 | 7 | 8 | 15 | 26 | 30 | 33 | 99+ |
| 50-64 | 277 | 24.6 | 268 | 7 | 9 | 21 | 32 | 51 | 69 | 99+ |
| 65+ | 1188 | 23.9 | 261 | 7 | 8 | 19 | 31 | 47 | 59 | 92 |
| GRAND TOTAL | 1535 | 23.9 | 262 | 7 | 9 | 19 | 31 | 49 | 62 | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 8 | 8.3 | 40 | 1 | 2 | 6 | 12 | 18 | 19 | 19 |
| 20-34 | 10 | 7.8 | 42 | 3 | 3 | 5 | 9 | 18 | 24 | 24 |
| 35-49 | 10 | 19.3 | 95 | 3 | 4 | 20 | 27 | 30 | 31 | 31 |
| 50-64 | 16 | 17.4 | 163 | 2 | 3 | 13 | 28 | 35 | 41 | 43 |
| 65+ | 22 | 17.3 | 113 | 3 | 4 | 15 | 24 | 33 | 38 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 8 | 39.6 | 1083 | 2 | 2 | 42 | 64 | 83 | 90 | 90 |
| 20-34 | 13 | 27.1 | 712 | 4 | 8 | 15 | 45 | 97 | 99 | 99+ |
| 35-49 | 35 | 30.0 | 389 | 6 | 8 | 25 | 44 | 55 | 74 | 85 |
| 50-64 | 112 | 30.2 | 351 | 8 | 9 | 28 | 43 | 63 | 85 | 99+ |
| 65+ | 174 | 30.3 | 313 | 7 | 11 | 26 | 40 | 56 | 68 | 85 |
| **TOT. SINGLE DX** | 66 | 15.1 | 117 | 3 | 3 | 12 | 24 | 31 | 36 | 43 |
| **" MULTIPLE DX** | 342 | 30.3 | 362 | 7 | 9 | 27 | 42 | 59 | 77 | 99+ |
| TOTAL 0-19 YRS | 16 | 23.9 | 787 | 1 | 2 | 8 | 42 | 66 | 83 | 90 |
| 20-34 | 23 | 18.7 | 501 | 3 | 3 | 13 | 24 | 67 | 98 | 99+ |
| 35-49 | 45 | 27.6 | 341 | 5 | 7 | 25 | 33 | 51 | 67 | 85 |
| 50-64 | 128 | 28.6 | 344 | 6 | 9 | 26 | 40 | 59 | 81 | 99+ |
| 65+ | 196 | 28.8 | 307 | 7 | 10 | 26 | 39 | 56 | 62 | 85 |
| **GRAND TOTAL** | 408 | 27.8 | 354 | 4 | 8 | 25 | 38 | 56 | 73 | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 20 | 4.3 | 20 | <1 | 1 | 3 | 5 | 12 | 16 | 16 |
| 20-34 | 20 | 7.1 | 27 | 1 | 2 | 7 | 10 | 12 | 18 | 23 |
| 35-49 | 6 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | 3 | 13.0 | 181 | 2 | 2 | 9 | 23 | 28 | 28 | 28 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 13 | 6.9 | 67 | 1 | 1 | 3 | 10 | 19 | 27 | 29 |
| 20-34 | 10 | 8.2 | 47 | 2 | 2 | 7 | 10 | 18 | 26 | 26 |
| 35-49 | 8 | 13.9 | 128 | 3 | 4 | 11 | 20 | 33 | 35 | 35 |
| 50-64 | 5 | 8.6 | 119 | 2 | 2 | 4 | 11 | 28 | 28 | 28 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **TOT. SINGLE DX** | 49 | 5.8 | 33 | 1 | 1 | 4 | 8 | 13 | 17 | 28 |
| **" MULTIPLE DX** | 37 | 9.0 | 80 | 1 | 2 | 6 | 11 | 27 | 29 | 35 |
| TOTAL 0-19 YRS | 33 | 5.3 | 39 | 1 | 1 | 3 | 6 | 16 | 17 | 29 |
| 20-34 | 30 | 7.5 | 33 | 1 | 2 | 7 | 10 | 12 | 23 | 26 |
| 35-49 | 14 | 9.3 | 101 | 1 | 1 | 5 | 12 | 28 | 33 | 35 |
| 50-64 | 8 | 10.3 | 125 | 2 | 2 | 5 | 18 | 28 | 28 | 28 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **GRAND TOTAL** | 86 | 7.2 | 55 | 1 | 1 | 5 | 9 | 16 | 27 | 33 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 38 | 3.4 | 26 | 1 | 1 | 2 | 3 | 6 | 13 | 29 |
| 20-34 | 115 | 5.1 | 54 | 1 | 1 | 3 | 5 | 10 | 20 | 46 |
| 35-49 | 53 | 6.4 | 170 | 1 | 1 | 3 | 6 | 11 | 17 | 93 |
| 50-64 | 64 | 7.7 | 108 | 1 | 1 | 3 | 7 | 20 | 34 | 49 |
| 65+ | 53 | 12.2 | 149 | 1 | 2 | 8 | 15 | 25 | 32 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 11 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 27 | 8.4 | 272 | 1 | 2 | 3 | 8 | 16 | 28 | 88 |
| 35-49 | 43 | 10.0 | 117 | 1 | 2 | 8 | 13 | 26 | 39 | 99+ |
| 50-64 | 77 | 12.4 | 118 | 2 | 2 | 10 | 16 | 26 | 30 | 60 |
| 65+ | 119 | 17.1 | 183 | 3 | 4 | 14 | 21 | 39 | 48 | 99+ |
| **TOT. SINGLE DX** | 323 | 6.8 | 103 | 1 | 1 | 3 | 7 | 17 | 23 | 50 |
| **" MULTIPLE DX** | 277 | 13.3 | 170 | 2 | 2 | 10 | 18 | 29 | 43 | 96 |
| TOTAL 0-19 YRS | 49 | 3.2 | 21 | 1 | 1 | 2 | 3 | 5 | 8 | 29 |
| 20-34 | 142 | 5.7 | 96 | 1 | 1 | 3 | 5 | 11 | 19 | 54 |
| 35-49 | 96 | 8.0 | 148 | 1 | 1 | 4 | 10 | 18 | 26 | 98 |
| 50-64 | 141 | 10.3 | 119 | 1 | 2 | 7 | 13 | 25 | 30 | 50 |
| 65+ | 172 | 15.6 | 177 | 3 | 3 | 13 | 20 | 34 | 48 | 95 |
| **GRAND TOTAL** | 600 | 9.8 | 144 | 1 | 1 | 5 | 13 | 23 | 33 | 75 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 28.2 | 775 | 3 | 3 | 18 | 58 | 58 | 58 | 58 |
| 20-34 | 14 | 5.1 | 26 | 2 | 2 | 3 | 7 | 10 | 19 | 21 |
| 35-49 | 11 | 6.3 | 19 | 2 | 2 | 6 | 8 | 13 | 17 | 17 |
| 50-64 | 13 | 8.0 | 41 | 2 | 3 | 6 | 12 | 17 | 22 | 23 |
| 65+ | 8 | 9.8 | 30 | 3 | 3 | 9 | 15 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 15.5 | 365 | 2 | 2 | 15 | 29 | 29 | 29 | 29 |
| 20-34 | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 10 | 9.1 | 56 | 1 | 2 | 7 | 15 | 20 | 25 | 25 |
| 65+ | 6 | 21.5 | 188 | 2 | 3 | 21 | 34 | 38 | 38 | 38 |
| **TOT. SINGLE DX** | 51 | 9.1 | 130 | 2 | 2 | 6 | 10 | 17 | 23 | 58 |
| **" MULTIPLE DX** | 23 | 11.8 | 127 | 1 | 2 | 6 | 17 | 30 | 35 | 38 |
| TOTAL 0-19 YRS | 7 | 24.6 | 616 | 2 | 2 | 18 | 51 | 58 | 58 | 58 |
| 20-34 | 17 | 5.0 | 21 | 2 | 2 | 3 | 6 | 9 | 17 | 21 |
| 35-49 | 13 | 5.8 | 17 | 2 | 2 | 5 | 7 | 11 | 16 | 17 |
| 50-64 | 23 | 8.5 | 46 | 2 | 2 | 6 | 14 | 18 | 24 | 25 |
| 65+ | 14 | 14.8 | 125 | 2 | 3 | 13 | 17 | 34 | 37 | 38 |
| **GRAND TOTAL** | 74 | 9.9 | 129 | 2 | 2 | 6 | 15 | 23 | 33 | 58 |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1001 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 3056 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 4482 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 2352 | 3.1 | 7 | 1 | 2 | 2 | 3 | 5 | 8 | 13 |
| 65+ | 1176 | 4.0 | 13 | 2 | 2 | 3 | 4 | 8 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 167 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1218 | 3.3 | 15 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 2410 | 4.0 | 14 | 1 | 2 | 3 | 4 | 8 | 11 | 20 |
| 50-64 | 1726 | 5.1 | 23 | 2 | 2 | 3 | 6 | 10 | 14 | 23 |
| 65+ | 1270 | 7.5 | 63 | 2 | 2 | 5 | 10 | 16 | 21 | 40 |
| TOT. SINGLE DX | 12067 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 6791 | 4.8 | 28 | 1 | 2 | 3 | 5 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 1168 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 4274 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 6892 | 3.0 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 50-64 | 4078 | 3.9 | 15 | 1 | 2 | 3 | 4 | 8 | 11 | 19 |
| 65+ | 2446 | 5.8 | 43 | 2 | 2 | 3 | 7 | 12 | 17 | 32 |
| GRAND TOTAL | 18858 | 3.4 | 15 | 1 | 1 | 2 | 3 | 7 | 10 | 19 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 97 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 126 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 50-64 | 134 | 5.7 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 15 |
| 65+ | 180 | 7.4 | 17 | 2 | 2 | 7 | 10 | 13 | 15 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 3.4 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 30 | 6.0 | 26 | 2 | 2 | 4 | 7 | 12 | 16 | 26 |
| 35-49 | 112 | 7.2 | 82 | 2 | 2 | 5 | 8 | 11 | 17 | 62 |
| 50-64 | 189 | 7.4 | 26 | 2 | 3 | 6 | 9 | 13 | 19 | 26 |
| 65+ | 302 | 11.5 | 77 | 2 | 3 | 9 | 15 | 22 | 28 | 40 |
| TOT. SINGLE DX | 626 | 5.1 | 14 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| " MULTIPLE DX | 650 | 9.1 | 65 | 2 | 3 | 7 | 11 | 18 | 24 | 37 |
| TOTAL 0-19 YRS | 106 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 127 | 4.0 | 11 | 1 | 2 | 3 | 5 | 7 | 11 | 18 |
| 35-49 | 238 | 5.7 | 45 | 2 | 2 | 4 | 7 | 10 | 12 | 30 |
| 50-64 | 323 | 6.7 | 22 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| 65+ | 482 | 10.0 | 59 | 2 | 3 | 8 | 13 | 18 | 25 | 36 |
| GRAND TOTAL | 1276 | 7.1 | 44 | 2 | 2 | 5 | 9 | 14 | 18 | 31 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 4.7 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 107 | 8.3 | 11 | 4 | 5 | 8 | 9 | 13 | 15 | 21 |
| 35-49 | 573 | 8.0 | 14 | 4 | 5 | 8 | 9 | 11 | 13 | 22 |
| 50-64 | 939 | 8.6 | 12 | 4 | 5 | 8 | 10 | 12 | 15 | 21 |
| 65+ | 928 | 9.2 | 14 | 5 | 5 | 8 | 11 | 14 | 16 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 10.3 | 26 | 6 | 6 | 9 | 14 | 16 | 16 | 16 |
| 20-34 | 86 | 8.8 | 13 | 4 | 5 | 8 | 10 | 14 | 15 | 22 |
| 35-49 | 495 | 9.0 | 18 | 4 | 5 | 8 | 10 | 14 | 16 | 27 |
| 50-64 | 935 | 10.3 | 34 | 5 | 6 | 9 | 12 | 16 | 20 | 35 |
| 65+ | 1121 | 12.3 | 47 | 6 | 7 | 10 | 14 | 20 | 25 | 34 |
| TOT. SINGLE DX | 2554 | 8.6 | 14 | 4 | 5 | 8 | 10 | 13 | 15 | 21 |
| " MULTIPLE DX | 2640 | 10.9 | 38 | 5 | 6 | 9 | 13 | 17 | 22 | 34 |
| TOTAL 0-19 YRS | 10 | 6.4 | 15 | 2 | 2 | 6 | 7 | 12 | 16 | 16 |
| 20-34 | 193 | 8.5 | 12 | 4 | 5 | 8 | 10 | 14 | 15 | 22 |
| 35-49 | 1068 | 8.5 | 17 | 4 | 5 | 8 | 10 | 12 | 15 | 24 |
| 50-64 | 1874 | 9.5 | 24 | 5 | 5 | 8 | 11 | 14 | 18 | 28 |
| 65+ | 2049 | 10.9 | 35 | 5 | 6 | 9 | 13 | 17 | 21 | 31 |
| GRAND TOTAL | 5194 | 9.8 | 27 | 5 | 5 | 9 | 11 | 15 | 19 | 29 |

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

# *ICD-9-CM* Codes for Selected Operation Groups

*ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 331 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 909 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 822 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 345 | 4.4 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 65+ | 87 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 74 | 4.1 | 12 | 2 | 2 | 3 | 5 | 7 | 8 | 25 |
| 20-34 | 489 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 35-49 | 792 | 5.1 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 432 | 5.7 | 22 | 2 | 2 | 5 | 7 | 10 | 13 | 27 |
| 65+ | 119 | 6.8 | 42 | 2 | 2 | 5 | 8 | 14 | 19 | 35 |
| TOT. SINGLE DX | 2494 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 1906 | 5.2 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| TOTAL 0-19 YRS | 405 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 1398 | 3.9 | 9 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 35-49 | 1614 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 9 | 16 |
| 50-64 | 777 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 65+ | 206 | 5.7 | 33 | 1 | 2 | 4 | 7 | 10 | 17 | 27 |
| GRAND TOTAL | 4400 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 9 | 17 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 858 | 3.7 | 12 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 1621 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 204 | 3.8 | 2 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 66 | 5.3 | 34 | 2 | 2 | 4 | 6 | 9 | 13 | 41 |
| 65+ | 16 | 5.8 | 12 | 2 | 2 | 5 | 7 | 9 | 14 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 17 |
| 20-34 | 267 | 5.3 | 12 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| 35-49 | 98 | 6.3 | 42 | 2 | 2 | 5 | 7 | 9 | 17 | 43 |
| 50-64 | 44 | 9.0 | 83 | 2 | 3 | 5 | 12 | 20 | 26 | 49 |
| 65+ | 11 | 8.8 | 20 | 3 | 3 | 9 | 13 | 15 | 15 | 15 |
| TOT. SINGLE DX | 2765 | 3.9 | 8 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 520 | 5.8 | 25 | 2 | 2 | 5 | 7 | 9 | 14 | 26 |
| TOTAL 0-19 YRS | 958 | 3.9 | 12 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 1888 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 302 | 4.6 | 17 | 2 | 2 | 4 | 5 | 7 | 9 | 20 |
| 50-64 | 110 | 6.8 | 57 | 2 | 2 | 5 | 7 | 15 | 20 | 47 |
| 65+ | 27 | 7.0 | 17 | 2 | 3 | 6 | 9 | 15 | 15 | 16 |
| GRAND TOTAL | 3285 | 4.2 | 11 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1428 | 2.4 | 10 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 1839 | 3.3 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 35-49 | 1511 | 3.7 | 25 | <1 | 1 | 2 | 4 | 7 | 10 | 28 |
| 50-64 | 1400 | 3.9 | 18 | <1 | 1 | 3 | 4 | 8 | 11 | 25 |
| 65+ | 1069 | 5.3 | 38 | 1 | 1 | 3 | 6 | 12 | 18 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 477 | 3.8 | 19 | 1 | 1 | 2 | 4 | 8 | 11 | 29 |
| 20-34 | 1218 | 7.2 | 91 | 1 | 2 | 4 | 8 | 15 | 25 | 64 |
| 35-49 | 1602 | 7.1 | 60 | 1 | 2 | 5 | 9 | 14 | 22 | 44 |
| 50-64 | 2262 | 8.4 | 83 | 2 | 2 | 6 | 10 | 17 | 24 | 47 |
| 65+ | 2734 | 10.5 | 115 | 2 | 2 | 7 | 13 | 21 | 31 | 56 |
| TOT. SINGLE DX | 7247 | 3.6 | 21 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| " MULTIPLE DX | 8293 | 8.4 | 90 | 1 | 2 | 6 | 10 | 18 | 26 | 52 |
| TOTAL 0-19 YRS | 1905 | 2.7 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 3057 | 4.8 | 48 | 1 | 1 | 3 | 5 | 10 | 15 | 35 |
| 35-49 | 3113 | 5.4 | 46 | 1 | 1 | 3 | 6 | 11 | 16 | 36 |
| 50-64 | 3662 | 6.7 | 64 | 1 | 2 | 4 | 8 | 15 | 21 | 40 |
| 65+ | 3803 | 9.0 | 99 | 1 | 2 | 6 | 11 | 19 | 28 | 53 |
| GRAND TOTAL | 15540 | 6.2 | 63 | 1 | 1 | 3 | 7 | 14 | 20 | 41 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1656 | 4.3 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 20-34 | 2084 | 5.7 | 51 | 1 | 1 | 4 | 7 | 12 | 18 | 37 |
| 35-49 | 1173 | 6.5 | 63 | 1 | 1 | 4 | 8 | 14 | 21 | 45 |
| 50-64 | 910 | 8.2 | 94 | 1 | 2 | 5 | 10 | 20 | 26 | 49 |
| 65+ | 846 | 9.7 | 123 | 1 | 2 | 6 | 13 | 23 | 31 | 60 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1912 | 6.1 | 70 | 1 | 1 | 3 | 7 | 13 | 22 | 41 |
| 20-34 | 3079 | 7.8 | 117 | 1 | 1 | 4 | 9 | 19 | 31 | 66 |
| 35-49 | 1962 | 10.2 | 146 | 1 | 2 | 6 | 12 | 25 | 36 | 82 |
| 50-64 | 2042 | 13.7 | 231 | 1 | 2 | 8 | 18 | 34 | 48 | 83 |
| 65+ | 2759 | 16.2 | 258 | 2 | 3 | 11 | 21 | 38 | 54 | 92 |
| TOT. SINGLE DX | 6669 | 6.4 | 65 | 1 | 1 | 4 | 7 | 14 | 22 | 43 |
| " MULTIPLE DX | 11754 | 10.9 | 182 | 1 | 1 | 6 | 13 | 27 | 41 | 79 |
| TOTAL 0-19 YRS | 3568 | 5.2 | 51 | 1 | 1 | 3 | 6 | 11 | 18 | 36 |
| 20-34 | 5163 | 7.0 | 92 | 1 | 1 | 4 | 8 | 16 | 25 | 56 |
| 35-49 | 3135 | 8.9 | 119 | 1 | 1 | 5 | 10 | 21 | 31 | 64 |
| 50-64 | 2952 | 12.0 | 195 | 1 | 2 | 7 | 15 | 29 | 42 | 75 |
| 65+ | 3605 | 14.7 | 234 | 2 | 2 | 10 | 19 | 34 | 51 | 84 |
| GRAND TOTAL | 18423 | 9.3 | 144 | 1 | 1 | 5 | 11 | 23 | 34 | 70 |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 305 | 8.4 | 83 | 1 | 1 | 5 | 10 | 21 | 29 | 44 |
| 20-34 | 406 | 9.9 | 140 | 1 | 2 | 6 | 11 | 24 | 34 | 60 |
| 35-49 | 242 | 11.0 | 125 | 1 | 2 | 8 | 15 | 27 | 35 | 51 |
| 50-64 | 225 | 12.2 | 148 | 1 | 2 | 9 | 16 | 26 | 39 | 61 |
| 65+ | 282 | 15.7 | 152 | 2 | 2 | 13 | 22 | 31 | 39 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 17.1 | 217 | 2 | 3 | 12 | 27 | 41 | 46 | 74 |
| 20-34 | 322 | 18.1 | 228 | 2 | 3 | 14 | 27 | 41 | 54 | 99+ |
| 35-49 | 251 | 19.3 | 289 | 2 | 3 | 14 | 29 | 47 | 60 | 99+ |
| 50-64 | 345 | 20.0 | 267 | 3 | 4 | 16 | 28 | 45 | 60 | 99+ |
| 65+ | 505 | 26.0 | 335 | 4 | 7 | 22 | 35 | 54 | 66 | 97 |
| TOT. SINGLE DX | 1460 | 11.2 | 136 | 1 | 2 | 8 | 15 | 26 | 35 | 55 |
| " MULTIPLE DX | 1600 | 21.1 | 290 | 2 | 4 | 17 | 30 | 46 | 60 | 99+ |
| TOTAL 0-19 YRS | 482 | 11.6 | 150 | 1 | 1 | 7 | 16 | 30 | 41 | 56 |
| 20-34 | 728 | 13.5 | 196 | 1 | 2 | 8 | 19 | 33 | 46 | 80 |
| 35-49 | 493 | 15.2 | 226 | 1 | 2 | 10 | 22 | 36 | 51 | 86 |
| 50-64 | 570 | 16.9 | 235 | 2 | 3 | 13 | 24 | 40 | 53 | 92 |
| 65+ | 787 | 22.3 | 294 | 3 | 5 | 18 | 30 | 46 | 62 | 92 |
| GRAND TOTAL | 3060 | 16.4 | 241 | 1 | 2 | 11 | 24 | 38 | 51 | 85 |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 83 | 3.8 | 35 | <1 | 1 | 2 | 4 | 7 | 10 | 39 |
| 20-34 | 156 | 6.1 | 96 | 1 | 1 | 3 | 6 | 15 | 23 | 58 |
| 35-49 | 92 | 7.9 | 201 | 1 | 1 | 3 | 7 | 16 | 31 | 83 |
| 50-64 | 55 | 7.6 | 80 | 1 | 2 | 4 | 9 | 18 | 29 | 41 |
| 65+ | 44 | 11.5 | 299 | 1 | 2 | 5 | 10 | 41 | 43 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 10.2 | 198 | 1 | 1 | 4 | 16 | 29 | 40 | 62 |
| 20-34 | 98 | 15.5 | 307 | 2 | 2 | 10 | 23 | 44 | 89 | 99+ |
| 35-49 | 59 | 12.0 | 172 | 1 | 2 | 7 | 18 | 34 | 56 | 99+ |
| 50-64 | 62 | 14.5 | 293 | <1 | 1 | 7 | 19 | 41 | 56 | 69 |
| 65+ | 79 | 20.2 | 287 | 2 | 3 | 19 | 29 | 44 | 52 | 77 |
| TOT. SINGLE DX | 430 | 6.8 | 129 | 1 | 1 | 3 | 7 | 16 | 25 | 60 |
| " MULTIPLE DX | 324 | 15.4 | 274 | 1 | 2 | 9 | 23 | 40 | 59 | 99+ |
| TOTAL 0-19 YRS | 109 | 5.3 | 81 | <1 | 1 | 2 | 4 | 12 | 24 | 51 |
| 20-34 | 254 | 9.7 | 198 | 1 | 1 | 4 | 12 | 27 | 44 | 99+ |
| 35-49 | 151 | 9.5 | 193 | 1 | 1 | 4 | 11 | 28 | 42 | 99+ |
| 50-64 | 117 | 11.2 | 204 | 1 | 1 | 5 | 14 | 32 | 45 | 63 |
| 65+ | 123 | 17.1 | 307 | 2 | 2 | 10 | 26 | 42 | 50 | 86 |
| GRAND TOTAL | 754 | 10.5 | 209 | 1 | 1 | 4 | 13 | 30 | 43 | 94 |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 641 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 18 |
| 20-34 | 437 | 3.1 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 323 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 50-64 | 402 | 3.1 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 65+ | 189 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 7 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 203 | 3.7 | 20 | 1 | 1 | 2 | 4 | 8 | 10 | 23 |
| 20-34 | 310 | 5.9 | 54 | 1 | 2 | 3 | 7 | 12 | 20 | 43 |
| 35-49 | 386 | 5.7 | 35 | 1 | 2 | 4 | 6 | 12 | 17 | 27 |
| 50-64 | 560 | 6.6 | 73 | 1 | 2 | 4 | 7 | 14 | 20 | 47 |
| 65+ | 447 | 8.4 | 52 | 2 | 2 | 6 | 11 | 17 | 23 | 33 |
| TOT. SINGLE DX | 1992 | 3.0 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| " MULTIPLE DX | 1906 | 6.4 | 54 | 1 | 2 | 4 | 8 | 14 | 19 | 39 |
| TOTAL 0-19 YRS | 844 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 20-34 | 747 | 4.3 | 29 | <1 | 1 | 3 | 5 | 8 | 12 | 29 |
| 35-49 | 709 | 4.6 | 24 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| 50-64 | 962 | 5.1 | 49 | 1 | 1 | 3 | 5 | 11 | 16 | 35 |
| 65+ | 636 | 6.9 | 45 | 1 | 2 | 5 | 9 | 15 | 20 | 29 |
| GRAND TOTAL | 3898 | 4.7 | 33 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 27 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 38 | 5.6 | 20 | 1 | 2 | 4 | 6 | 11 | 14 | 25 |
| 35-49 | 43 | 5.6 | 52 | 1 | 1 | 4 | 7 | 10 | 13 | 46 |
| 50-64 | 38 | 4.9 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 21 |
| 65+ | 43 | 5.5 | 27 | 1 | 1 | 5 | 7 | 9 | 14 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 38 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 15 |
| 20-34 | 41 | 4.7 | 9 | 1 | 2 | 4 | 7 | 9 | 10 | 13 |
| 35-49 | 68 | 7.8 | 40 | 2 | 2 | 5 | 10 | 16 | 23 | 30 |
| 50-64 | 66 | 8.4 | 32 | 2 | 2 | 8 | 10 | 14 | 17 | 36 |
| 65+ | 113 | 11.0 | 120 | 2 | 3 | 8 | 13 | 20 | 32 | 61 |
| **TOT. SINGLE DX** | 189 | 5.0 | 27 | 1 | 1 | 4 | 6 | 9 | 12 | 27 |
| **" MULTIPLE DX** | 326 | 8.2 | 65 | 2 | 2 | 6 | 10 | 15 | 20 | 46 |
| TOTAL 0-19 YRS | 65 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 79 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 22 |
| 35-49 | 111 | 6.9 | 46 | 1 | 2 | 5 | 9 | 14 | 15 | 36 |
| 50-64 | 104 | 7.1 | 30 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 65+ | 156 | 9.5 | 100 | 2 | 2 | 7 | 11 | 19 | 28 | 59 |
| **GRAND TOTAL** | **515** | **7.1** | **53** | **1** | **2** | **5** | **9** | **14** | **19** | **40** |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 242 | 5.1 | 21 | 2 | 2 | 3 | 7 | 10 | 13 | 23 |
| 20-34 | 3590 | 6.3 | 24 | 2 | 2 | 5 | 9 | 13 | 16 | 23 |
| 35-49 | 4224 | 6.4 | 23 | 2 | 2 | 5 | 9 | 13 | 16 | 23 |
| 50-64 | 2062 | 6.8 | 32 | 2 | 2 | 5 | 9 | 14 | 17 | 26 |
| 65+ | 470 | 8.6 | 50 | 2 | 2 | 7 | 11 | 16 | 21 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 130 | 6.4 | 22 | 2 | 2 | 5 | 9 | 13 | 17 | 22 |
| 20-34 | 1649 | 7.9 | 35 | 2 | 2 | 6 | 10 | 16 | 20 | 27 |
| 35-49 | 2633 | 8.3 | 43 | 2 | 2 | 7 | 11 | 16 | 20 | 33 |
| 50-64 | 2148 | 9.3 | 57 | 2 | 2 | 7 | 12 | 19 | 23 | 37 |
| 65+ | 951 | 11.5 | 98 | 2 | 3 | 9 | 15 | 23 | 28 | 54 |
| **TOT. SINGLE DX** | 10588 | 6.5 | 27 | 2 | 2 | 5 | 9 | 13 | 16 | 24 |
| **" MULTIPLE DX** | 7511 | 8.9 | 54 | 2 | 2 | 7 | 12 | 17 | 22 | 36 |
| TOTAL 0-19 YRS | 372 | 5.6 | 22 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| 20-34 | 5239 | 6.8 | 29 | 2 | 2 | 5 | 9 | 14 | 17 | 25 |
| 35-49 | 6857 | 7.1 | 32 | 2 | 2 | 5 | 9 | 14 | 18 | 28 |
| 50-64 | 4210 | 8.1 | 47 | 2 | 2 | 6 | 11 | 16 | 21 | 33 |
| 65+ | 1421 | 10.6 | 84 | 2 | 3 | 8 | 14 | 21 | 26 | 49 |
| **GRAND TOTAL** | **18099** | **7.5** | **39** | **2** | **2** | **6** | **10** | **15** | **19** | **30** |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 82 | 4.6 | 19 | 1 | 2 | 3 | 5 | 8 | 10 | 27 |
| 20-34 | 296 | 5.7 | 49 | 2 | 2 | 4 | 7 | 11 | 15 | 22 |
| 35-49 | 390 | 5.2 | 23 | 2 | 2 | 4 | 6 | 11 | 15 | 26 |
| 50-64 | 772 | 5.7 | 35 | 2 | 2 | 4 | 7 | 12 | 16 | 31 |
| 65+ | 766 | 5.4 | 24 | 2 | 2 | 4 | 6 | 11 | 15 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 60 | 9.9 | 107 | 2 | 2 | 7 | 13 | 25 | 39 | 95 |
| 20-34 | 250 | 8.7 | 106 | 2 | 2 | 5 | 10 | 18 | 29 | 61 |
| 35-49 | 526 | 8.8 | 89 | 2 | 2 | 6 | 10 | 18 | 23 | 49 |
| 50-64 | 1420 | 8.0 | 66 | 2 | 2 | 6 | 10 | 16 | 23 | 49 |
| 65+ | 1939 | 8.9 | 77 | 2 | 2 | 7 | 11 | 17 | 25 | 47 |
| **TOT. SINGLE DX** | 2306 | 5.5 | 31 | 2 | 2 | 4 | 6 | 11 | 15 | 28 |
| **" MULTIPLE DX** | 4195 | 8.6 | 78 | 2 | 2 | 6 | 10 | 17 | 25 | 49 |
| TOTAL 0-19 YRS | 142 | 6.8 | 63 | 1 | 2 | 4 | 7 | 16 | 25 | 55 |
| 20-34 | 546 | 7.0 | 78 | 2 | 2 | 4 | 8 | 14 | 20 | 50 |
| 35-49 | 916 | 7.3 | 64 | 2 | 2 | 5 | 9 | 15 | 20 | 41 |
| 50-64 | 2192 | 7.2 | 57 | 2 | 2 | 5 | 9 | 14 | 21 | 41 |
| 65+ | 2705 | 7.9 | 65 | 2 | 2 | 6 | 10 | 16 | 22 | 41 |
| **GRAND TOTAL** | **6501** | **7.5** | **63** | **2** | **2** | **5** | **9** | **15** | **21** | **43** |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 12 | 4.0 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 93 | 3.4 | 5 | 2 | 2 | 2 | 4 | 7 | 8 | 13 |
| 50-64 | 148 | 3.6 | 9 | 2 | 2 | 2 | 3 | 8 | 11 | 15 |
| 65+ | 30 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 10 | 6.0 | 38 | 2 | 2 | 3 | 8 | 17 | 19 | 19 |
| 35-49 | 139 | 5.8 | 32 | 2 | 2 | 3 | 6 | 13 | 18 | 41 |
| 50-64 | 287 | 5.8 | 22 | 2 | 2 | 4 | 8 | 12 | 15 | 23 |
| 65+ | 71 | 5.0 | 9 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| **TOT. SINGLE DX** | 285 | 3.5 | 7 | 2 | 2 | 2 | 4 | 7 | 9 | 14 |
| **" MULTIPLE DX** | 508 | 5.7 | 23 | 2 | 2 | 4 | 8 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 22 | 4.9 | 20 | 2 | 2 | 3 | 5 | 11 | 17 | 19 |
| 35-49 | 232 | 4.8 | 23 | 2 | 2 | 3 | 6 | 10 | 15 | 28 |
| 50-64 | 435 | 5.1 | 19 | 2 | 2 | 3 | 7 | 11 | 14 | 21 |
| 65+ | 101 | 4.4 | 8 | 2 | 2 | 3 | 5 | 9 | 10 | 13 |
| **GRAND TOTAL** | **793** | **4.9** | **19** | **2** | **2** | **3** | **7** | **11** | **14** | **22** |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 145 | 5.1 | 44 | 1 | 1 | 3 | 5 | 11 | 14 | 29 |
| 20-34 | 688 | 5.6 | 28 | 1 | 2 | 4 | 8 | 11 | 13 | 27 |
| 35-49 | 751 | 5.6 | 20 | 1 | 2 | 4 | 8 | 11 | 13 | 24 |
| 50-64 | 1102 | 5.3 | 23 | 2 | 2 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 1024 | 6.4 | 38 | 2 | 2 | 4 | 9 | 14 | 18 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 7.4 | 72 | 2 | 2 | 5 | 8 | 16 | 24 | 46 |
| 20-34 | 627 | 7.7 | 50 | 1 | 2 | 6 | 10 | 15 | 19 | 37 |
| 35-49 | 1272 | 7.6 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 32 |
| 50-64 | 2752 | 7.5 | 47 | 2 | 2 | 5 | 10 | 16 | 21 | 35 |
| 65+ | 3495 | 9.5 | 79 | 2 | 2 | 7 | 12 | 19 | 25 | 45 |
| TOT. SINGLE DX | 3710 | 5.7 | 29 | 1 | 2 | 4 | 8 | 12 | 15 | 26 |
| " MULTIPLE DX | 8257 | 8.4 | 63 | 2 | 2 | 6 | 11 | 17 | 22 | 40 |
| TOTAL 0-19 YRS | 256 | 6.1 | 58 | 1 | 2 | 4 | 7 | 14 | 16 | 46 |
| 20-34 | 1315 | 6.6 | 40 | 1 | 2 | 5 | 9 | 13 | 17 | 33 |
| 35-49 | 2023 | 6.8 | 38 | 2 | 2 | 5 | 9 | 14 | 17 | 30 |
| 50-64 | 3854 | 6.9 | 42 | 2 | 2 | 5 | 9 | 14 | 19 | 32 |
| 65+ | 4519 | 8.8 | 72 | 2 | 2 | 7 | 11 | 18 | 23 | 43 |
| GRAND TOTAL | 11967 | 7.5 | 54 | 2 | 2 | 5 | 10 | 16 | 20 | 36 |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13843 | 3.6 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 20-34 | 21219 | 4.5 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 16194 | 5.1 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 13951 | 5.9 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 65+ | 13413 | 7.3 | 43 | 2 | 2 | 5 | 9 | 14 | 19 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13887 | 5.1 | 35 | 1 | 1 | 4 | 6 | 9 | 14 | 33 |
| 20-34 | 25873 | 5.8 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 35-49 | 32213 | 6.8 | 33 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 50-64 | 50558 | 7.9 | 46 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| 65+ | 87832 | 9.8 | 66 | 2 | 3 | 8 | 12 | 19 | 25 | 44 |
| TOT. SINGLE DX | 78620 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| " MULTIPLE DX | 210363 | 8.1 | 54 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| TOTAL 0-19 YRS | 27730 | 4.4 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 20-34 | 47092 | 5.2 | 28 | 1 | 2 | 4 | 6 | 10 | 13 | 28 |
| 35-49 | 48407 | 6.2 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 50-64 | 64509 | 7.5 | 44 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| 65+ | 101245 | 9.5 | 64 | 2 | 3 | 7 | 12 | 18 | 24 | 43 |
| GRAND TOTAL | 288983 | 7.3 | 48 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3632 | 6.5 | 67 | 1 | 2 | 4 | 6 | 14 | 24 | 44 |
| 20-34 | 3391 | 7.6 | 63 | 1 | 2 | 6 | 9 | 14 | 20 | 46 |
| 35-49 | 3460 | 7.9 | 41 | 2 | 3 | 6 | 10 | 14 | 19 | 35 |
| 50-64 | 3156 | 8.6 | 59 | 2 | 3 | 7 | 10 | 15 | 21 | 43 |
| 65+ | 2956 | 10.0 | 75 | 2 | 3 | 8 | 12 | 19 | 25 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3305 | 8.2 | 120 | 1 | 2 | 4 | 8 | 19 | 31 | 62 |
| 20-34 | 3334 | 8.9 | 84 | 2 | 3 | 6 | 10 | 17 | 25 | 55 |
| 35-49 | 4754 | 9.2 | 63 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| 50-64 | 8576 | 10.1 | 72 | 3 | 3 | 8 | 12 | 19 | 25 | 45 |
| 65+ | 16848 | 12.2 | 94 | 3 | 4 | 10 | 15 | 23 | 30 | 55 |
| TOT. SINGLE DX | 16595 | 8.0 | 62 | 2 | 2 | 6 | 10 | 15 | 22 | 44 |
| " MULTIPLE DX | 36817 | 10.6 | 89 | 2 | 3 | 8 | 13 | 21 | 28 | 53 |
| TOTAL 0-19 YRS | 6937 | 7.3 | 93 | 1 | 2 | 4 | 7 | 17 | 27 | 53 |
| 20-34 | 6725 | 8.2 | 74 | 2 | 2 | 6 | 10 | 15 | 22 | 51 |
| 35-49 | 8214 | 8.7 | 55 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| 50-64 | 11732 | 9.7 | 69 | 2 | 3 | 8 | 12 | 18 | 24 | 45 |
| 65+ | 19804 | 11.8 | 93 | 3 | 4 | 9 | 14 | 22 | 29 | 54 |
| GRAND TOTAL | 53412 | 9.8 | 82 | 2 | 3 | 7 | 12 | 19 | 26 | 50 |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10342 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 6100 | 4.8 | 23 | 1 | 1 | 4 | 6 | 8 | 11 | 26 |
| 35-49 | 4047 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 28 |
| 50-64 | 4478 | 7.0 | 36 | 2 | 2 | 5 | 9 | 14 | 17 | 32 |
| 65+ | 4947 | 8.1 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13291 | 5.1 | 27 | 1 | 2 | 4 | 6 | 9 | 12 | 28 |
| 20-34 | 8363 | 5.6 | 28 | 1 | 2 | 4 | 7 | 10 | 14 | 27 |
| 35-49 | 10367 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 17 | 30 |
| 50-64 | 20277 | 8.3 | 47 | 2 | 3 | 7 | 10 | 16 | 20 | 35 |
| 65+ | 38689 | 10.1 | 66 | 3 | 3 | 8 | 13 | 19 | 25 | 43 |
| TOT. SINGLE DX | 29914 | 5.5 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| " MULTIPLE DX | 90987 | 8.2 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 23633 | 4.6 | 20 | 1 | 2 | 4 | 5 | 8 | 11 | 23 |
| 20-34 | 14463 | 5.3 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 26 |
| 35-49 | 14414 | 6.7 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 29 |
| 50-64 | 24755 | 8.1 | 45 | 2 | 3 | 6 | 10 | 15 | 20 | 35 |
| 65+ | 43636 | 9.9 | 65 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| GRAND TOTAL | 120901 | 7.6 | 48 | 2 | 2 | 6 | 9 | 15 | 20 | 35 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
| | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
| | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 | Incidental |
| | Arteriography |
| 757 | Aorta |
| 755 | Cerebral |
| 756 | Coronary |
| 757 | Femoral |
| 755 | Head |
| 756 | Heart |
| 757 | Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 | Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 699 | Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
| | Artificial |
| 686 | Insemination |
| 690 | Rupture of membranes for delivery |
| | Aspiration |
| 752 | Breast, except for biopsy |
| 742 | Biopsy |
| 741 | Bursa |
| 682 | Cul-de-sac |
| 677 | Curettage, uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 651 | Hydrocele, except of spermatic cord |
| 656 | Spermatic cord |
| 632 | Kidney |
| 614 | Liver, percutaneous, except for biopsy |
| 615 | Biopsy |
| 537 | Middle ear |
| 546 | Nasal sinus |
| 663 | Ovary |
| 752 | Skin |
| 656 | Spermatocele |
| 529 | Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
| | Cardiac |
| 573 |    Catheterization |
| 764 |    Function tests |
| |    Massage |
| 763 |        Closed |
| 575 |        Open |
| 574 |    Pacemaker insertion or replacement |
| 575 |    Revascularization, except coronary bypass |
| 572 |        Coronary bypass |
| 764 |    Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 |    Intracapsular |
| | Catheterization |
| 647 |    Bladder, except suprapubic approach |
| 638 |        Suprapubic approach |
| 581 |    Blood vessel |
| 573 |    Cardiac |
| 645 |    Ureteral |
| 647 |    Urethral, indwelling |
| 587 |    Vein, except umbilical |
| 581 |        Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 |    Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
| | Closure |
| 617 |    Cholecystostomy |
| 601 |    Colostomy |
| |    Fistula — *see Fistulectomy* |
| 596 |    Gastric anastomosis |
| 601 |    Sigmoidostomy |
| 570 |    Thoracostomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
|  | Closure (continued) |
| 635 |   Ureterostomy |
| 640 |   Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 |   Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 |   Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 |   Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
|  | Control of hemorrhage |
| 638 |   Bladder |
| 581 |   Blood vessel |
| 569 |   Chest |
| 627 |   Laparotomy site |
| 544 |   Nose, except by anterior packing |
| 557 |     Anterior packing |
| 569 |   Pleura |
| 581 |   Postoperative, not elsewhere classified |
| 650 |   Prostate |
| 590 |   Stomach |
| 556 |   Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 |   Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 675 | D and C (uterus), except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 519 | Dacryocystorhinostomy |
| | Debridement |
| 748 | Burn (skin) |
| 705 | Fracture, except of skull |
| 503 | Skull |
| 748 | Skin (infection) (wound) |
| | Decompression |
| 509 | Carpal tunnel |
| 502 | Cranial |
| 506 | Laminectomy |
| 506 | Spinal |
| | Delivery |
| 690 | Artificial rupture of membranes |
| 688 | Breech extraction |
| 692 | Cesarean section, except low cervical |
| 691 | Low cervical |
| 689 | Forceps, except low forceps |
| 687 | Low forceps |
| 689 | Internal and combined version |
| 751 | Dermabrasion |
| 601 | Derotation, intestine |
| 580 | Dialysis, except peritoneal |
| 629 | Peritoneal |
| | Dilation |
| 638 | Bladder (neck) |
| 635 | Ureteral meatus |
| 645 | Ureterovesical orifice |
| 641 | Urethra, urethrovesical junction |
| 675 | Dilation and curettage (D and C), uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| | Dislocation-reduction, except temporomandibular |
| 714 | Closed |
| 715 | Open |
| 702 | Temporomandibular (joint) |
| | Division |
| | Adhesions — *see Lysis, adhesions* |
| 613 | Anal sphincter |
| 726 | Fascia, exept of hand |
| 728 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 |   Peripheral nerve |
| 511 |   Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage – *see also Incision (and drainage)* |
| 647 |   Bladder, except surgical approach |
| 638 |     Surgical approach (suprapubic) |
| 569 |   Chest |
| 537 |   Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| | |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 |   Bladder |
| 567 |   Bronchus |
| 619 |   Colon, except surgical approach |
| 609 |     Surgical approach (transabdominal) |
| 682 |   Cul-de-sac, except for tubal ligation |
| 664 |     Tubal ligation |
| 589 |   Esophagus |
| 589 |   Gastric, except surgical approach |
| 596 |     Surgical approach (transabdominal) |
| 576 |   Larynx |
| 628 |   Peritoneum |
| 557 |   Pharynx |
| 609 |   Small intestine |
| 589 |   Stomach, except surgical approach |
| 596 |     Surgical approach (transabdominal) |
| 570 |   Thorax, transpleural |
| 636 |   Urethra |
| 679 |   Uterus |
| 686 |   Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 | With low forceps delivery |
| 689 | With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 | Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 | Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 | Eyeball |
| 673 | Pelvic |
|  | Examination |
| 764 | Eye |
| 764 | General physical |
| 764 | Gynecologic |
| 764 | Pelvic |
| 761 | Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 | Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 | Anal fistula |
| 727 | Baker's cyst |
| 705 | Bone, except facial |
| 699 | Facial, except partial |
| 698 | Partial |
| 556 | Branchial cleft cyst |
| 704 | Bunion |
| 517 | Chalazion, eyelid |
| 599 | Colon |
| 665 | Fallopian tubes, bilateral, except endoscopic approach |
| 664 | Endoscopic approach |
| 670 | Fibroid, uterine |
| 616 | Gallbladder |
| 508 | Ganglion, except of tendon |
| 727 | Tendon (of hand) |
| 612 | Hemorrhoids |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Excision (continued)
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 With adenoids
  - 556 Tonsil tag
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 | Breech, for delivery |
| 547 | Dental |
| 686 | Menstrual |
| 547 | Teeth |
| 689 | Vacuum, for delivery |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 | Hand |
| 726 | Fasciotomy, except of hand |
| 728 | Hand |
| | Fistulectomy |
| 610 | Anal |
| 638 | Bladder |
| 556 | Branchial cleft |
| 564 | Bronchus |
| 601 | Intestine |
| 542 | Nasal |
| 542 | Nasolabial |
| 546 | Oroantral |
| 609 | Perirectal |
| 556 | Pharynx |
| 640 | Rectourethral |
| 679 | Rectouterine |
| 681 | Rectovaginal |
| 638 | Rectovesical |
| 609 | Rectum |
| 562 | Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| | With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 | Low forceps |
| | Formation |
| 581 | Arteriovenous shunt for dialysis |
| 634 | Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 |   Facial bone, except closed reduction |
| 700 |     Closed reduction |
| |   Femur |
| 710 |     Closed, except with internal fixation |
| 708 |       With internal fixation |
| 710 |     Open, except with internal fixation |
| 709 |       With internal fixation |
| 701 |   Mandible, except closed reduction |
| 700 |     Closed reduction |
| 701 |   Maxillofacial, except closed reduction |
| 700 |     Closed reduction |
| 544 |   Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 |   Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 |   Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 |   Total |
| 589 | Gastroscopy, except surgical approach |
| 596 |   Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 |   Bone, except facial and skull |
| 702 |     Facial |
| 503 |     Skull |
| 749 |   Free, of skin |
| 552 |   Lip |
| 731 |   Muscle, except of hand |
| 729 |     Hand |
| 750 |   Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| | Skin |
| 749 |  Free |
| 750 |  Pedicle |
| 731 | Tendon, except of hand |
| 729 |  Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 | Diaphragmatic |
| 624 | Epigastric |
| 622 | Femoral |
| 624 | Incisional |
| | Inguinal |
| 621 |  Bilateral |
| 620 |  Unilateral |
| 623 | Umbilical |
| 624 | Ventral |
| 723 | Hip replacement, except total |
| 722 | Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 | Radical |
| 672 | Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 | Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 | Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 | Breast |
| 740 | Limb prosthesis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 |    Retroperitoneal abscess |
| 651 |    Scrotum |
| |    Sinus (nasal) – *see Sinusotomy* |
| 748 |    Skin, except pilonidal cyst or sinus |
| 746 |        Pilonidal cyst or sinus |
| 506 |    Spinal meninges |
| 726 |    Tendon |
| 569 |    Thorax |
| 633 |    Ureter |
| 682 |    Vagina |
| 683 |    Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 |    Intra-amniotic, for termination of pregnancy |
| 763 |    Therapeutic agent (drugs) |
| 745 |        Breast |
| 741 |        Bursa |
| 741 |        Joint |
| 741 |        Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 |    Cardiac pacemaker |
| 686 |    Intrauterine contraceptive device |
| 679 |    Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | |
| | Laceration repair (suture) – *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 |    Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 |    Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 |    Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 |   Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 |   Intracapsular |
| | Ligation |
| 665 |   Fallopian tubes (bilateral), except endoscopic approach |
| 664 |     Endoscopic approach |
| 612 |   Hemorrhoids |
| 577 |   Varicose veins |
| 655 |   Vas deferens |
| 577 | Ligation and stripping, varicose veins |
| | Lobectomy |
| 501 |   Brain |
| 615 |   Liver |
| 566 |   Lung, except partial |
| 565 |     Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
| | Lysis, adhesions |
| 630 |   Abdominal |
| 741 |   Hand |
| 524 |   Iris |
| 716 |   Joint |
| 731 |   Muscle, except of hand |
| 741 |     Hand |
| 630 |   Pelvis |
| 630 |   Peritoneum |
| 731 |   Tendon, except of hand |
| 741 |     Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 |   Partial |
| 699 | Mandibulotomy |
| | Mastectomy |
| 743 |   Complete |
| 743 |   Simple, except extended |
| 744 |     Extended |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
|  | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
|  | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
|  | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 759 | Radiation therapy |
| | Radiography |
| 757 | Arteries, except cerebral and coronary |
| 755 |  Cerebral |
| 756 |  Coronary |
| 758 | Breast |
| 755 | Cerebral |
| 755 |  Arteries |
| 753 |  Ventricles |
| 758 | Chest |
| 758 | Gallbladder |
| 758 | Kidney |
| 758 | Skeletal |
| 758 | Spine, except myelogram |
| 754 |  Myelogram |
| 757 | Veins |
| | Reattachment |
| 738 | Extremity |
| 528 | Retina |
| 731 | Tendon, except of hand |
| 729 |  Hand |
| 530 | Recession, ocular muscle |
| | Reconstruction |
| 535 | Ear ossicles |
| 699 | Mandible |
| 729 | Thumb |
| 680 | Rectocele repair |
| | Reduction |
| | Dislocation, except temporomandibular |
| 714 |  Closed |
| 715 |  Open |
| 702 |  Temporomandibular (joint) |
| | Fracture, except facial bone, femur, and nose |
| 713 |  Closed, except with internal fixation |
| 711 |  With internal fixation |
| 713 |  Open, except with internal fixation |
| 712 |  With internal fixation |
| 701 |  Facial bone, except closed reduction |
| 700 |  Closed reduction |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Reduction (continued) |
| | 　　Femur |
| 710 | 　　　Closed, except with internal fixation |
| 708 | 　　　　With internal fixation |
| 710 | 　　　Open, except with internal fixation |
| 709 | 　　　　With internal fixation |
| 701 | 　　Mandible, except closed reduction |
| 700 | 　　　Closed reduction |
| 701 | 　　Maxillofacial, except closed reduction |
| 700 | 　　　Closed reduction |
| 544 | 　　Nose |
| 619 | 　Hemorrhoids |
| | 　Hernia – *see also Herniorrhaphy* |
| 764 | 　　Manual |
| 601 | 　Intestinal torsion |
| 601 | 　Intussusception, intestine |
| 745 | 　Mammoplasty |
| 601 | 　Volvulus, intestine |
| | Release |
| | 　Adhesions – *see Lysis, adhesions* |
| 728 | 　Dupuytren's contracture |
| 749 | 　Scar contracture, skin |
| 642 | 　Urethral stricture |
| | Removal |
| | 　Calculus |
| 617 | 　　Biliary tract |
| 638 | 　　Bladder |
| 632 | 　　Kidney, except transurethral approach |
| 635 | 　　　Transurethral approach |
| 519 | 　　Lacrimal tract (by incision) |
| 533 | 　　　Without incision |
| 633 | 　　Ureter, except transurethral approach |
| 635 | 　　　Transurethral approach |
| 764 | 　Catheter, nonoperatively |
| 764 | 　Cholecystotomy tube |
| 693 | 　Ectopic fetus |
| 707 | 　Fixation device, internal |
| | 　Foreign body |
| 762 | 　　Bronchus, except with incision |
| 563 | 　　　With incision |
| 532 | 　　Eye, except as below |
| 524 | 　　　Anterior chamber |
| 520 | 　　　Conjunctiva |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Removal (continued) |
| 524 |       Iris |
| 527 |       Lens |
| |   Prosthesis |
| 745 |     Breast |
| 716 |     Joint |
| 697 |   Retained placenta, manually |
| 764 |   Sutures |
| 764 |   T-tube, gallbladder |
| 764 |   Therapeutic device, nonoperatively |
| 529 |   Vitreous |
| 580 | Renal dialysis |
| | Repair |
| 630 |   Abdominal wall |
| 613 |   Anal fistula, except by excision |
| 610 |     Excision |
| 581 |   Aneurysm (arteriovenous) |
| 638 |   Bladder, except obstetric laceration |
| 697 |     Obstetric laceration |
| 518 |   Blepharoptosis |
| 581 |   Blood vessel |
| 706 |   Bone, except facial |
| 699 |     Facial |
| 745 |   Breast |
| 564 |   Bronchial fistula |
| 704 |   Bunion |
| 571 |   Cardiac septal defect |
| 669 |   Cervix, except obstetric laceration |
| 697 |     Obstetric laceration |
| 570 |   Chest wall |
| 551 |   Cleft palate |
| 520 |   Conjunctiva |
| 522 |   Cornea, except transplant |
| 521 |     Transplant |
| 680 |   Cystocele, vagina |
| 730 |   Diastasis recti |
| 534 |   Ear, external |
| 518 |   Ectropion or entropion, eyelid |
| 697 |   Episiotomy |
| 518 |   Eyelid |
| |   Fistula – *see Fistulectomy* |
| 704 |   Hallux valgus |
| 729 |   Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| |   Hernia – *see Herniorrhaphy* |
| 723 |   Hip, except total replacement |
| 722 |     Total replacement |
| |   Hydrocephalus, by ventricular shunt |
| 504 |     Extracranial |
| 505 |     Intracranial (ventriculostomy) |
| 601 |   Intestine |
| 725 |   Joint, except hip and knee |
| 723 |     Hip, except total replacement |
| 722 |       Total replacement |
| 724 |     Knee |
| 724 |   Knee (joint) |
| |   Laceration – *see also Repair, by site* |
| 697 |     Obstetric |
| 562 |   Larynx |
| 552 |   Lip |
| 615 |   Liver |
| 568 |   Lung |
| 731 |   Muscle, except extraocular and of hand |
| 531 |     Extraocular |
| 729 |     Hand |
| 556 |   Nasopharyngeal atresia |
| 542 |   Nose |
| 663 |   Ovary |
| 551 |   Palate |
| 658 |   Penis |
| 685 |   Perineum, female, except obstetric laceration |
| 697 |     Obstetric laceration |
| 509 |   Peripheral nerve |
| 596 |   Pylorus, stomach |
| 680 |   Rectocele, vagina |
| 609 |   Rectum |
| 528 |   Retinal detachment or tear |
| 730 |   Rotator-cuff (shoulder) |
| 503 |   Skull |
| 507 |   Spina bifida |
| 507 |   Spinal meningocele |
| 596 |   Stomach |
| 644 |   Stress incontinence, except urethral suspension |
| 643 |     Urethral suspension |
| 731 |   Tendon, except of hand |
| 729 |     Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |  Testis |
| 562 |  Trachea |
| 635 |  Ureter |
| 640 |  Urethra |
| 679 |  Uterus, except obstetric laceration and supporting structures |
| 697 |   Obstetric laceration |
| 678 |   Supporting structures |
| 681 |  Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |   Cystocele and rectocele |
| 697 |   Obstetric laceration |
| 552 |  Vestibular arch (mouth) |
| 685 |  Vulva, except obstetric laceration |
| 697 |   Obstetric laceration |
| | Replacement |
| 574 |  Cardiac pacemaker |
| 571 |  Heart valve |
| 725 |  Joint, except hip and knee |
| 723 |   Hip, except total replacement |
| 722 |    Total replacement |
| 724 |   Knee |
| 647 |  Urinary catheter |
| | Resection |
| 638 |  Bladder |
| 581 |  Blood vessel |
| 564 |  Bronchus |
| 599 |  Large intestine |
| 730 |  Muscle, except of hand |
| 728 |   Hand |
| 541 |  Nasal septum, submucous |
| 530 |  Ocular muscle |
| 660 |  Ovary |
| 608 |  Rectum (abdominoperineal) (pull-through) |
| 549 |  Root of tooth |
| 598 |  Small intestine |
| 730 |  Tendon, except of hand |
| 728 |   Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |  Amputation stump |
| 581 |  Arteriovenous shunt for dialysis |
| 596 |  Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 | Intestinal anastomosis |
| 539 | Mastoidectomy |
| 562 | *Tracheostomy* |
| 539 | Tympanoplasty |
| 505 | Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | Salpingectomy |
| 665 | Bilateral |
| 666 | Unilateral |
| | Salpingo-oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 | C.A.T. (computerized axial tomography) |
| 758 | Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 | Cerebral ventricles, except intracranial and revision |
| 505 | Intracranial |
| 505 | Revision |
| 578 | Peripheral vessels |
| 630 | Peritoneovenous |
| 578 | Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 | Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 | Breast |
| | Sphincterotomy |
| 617 | Ampullary (of Vater) (pancreas) |
| 613 | Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
|  | Sphincterotomy (continued) |
| 638 |  Bladder neck |
|  | Spinal |
| 720 |  Fusion |
| 512 |  Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 |  Foot |
| 724 |  Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| 644 | Stress incontinence repair, except by urethral suspension |
| 643 |  Urethral suspension |
|  | Stress test |
| 764 |  Cardiac |
| 764 |  Fetal |
| 764 |  Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
|  | Suspension |
| 643 |  Urethra, except with bladder neck |
| 644 |   With bladder neck |
| 644 |  Urethrovesical |
|  | Suture – *see also Repair, by site* |
| 730 |  Muscle, except of hand |
| 729 |   Hand |
| 748 |  Skin |
| 730 |  Tendon, except of hand |
| 729 |   Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| 554 | T and A |
|  | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 |  Hand |
| 726 | Tenotomy, except of hand |
| 728 |  Hand |
|  | Termination of pregnancy |
| 676 |  Aspiration curettage |
| 674 |  Dilation and curettage |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
|  | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
|  |  |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
|  |  |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
|  |  |
|  | X-ray — *see Radiography* |
|  |  |
| 751 | Z-plasty, skin |

R3850-1.9(1)
D

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# DX LENGTH OF STAY BY DIAGNOSIS



## UNITED STATES

## WESTERN REGION



## 1981

# Length of Stay by Diagnosis, Western Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . 1

Source of the Data. . . . . . . . . . 1

Data Quality. . . . . . . . . . 2

Coverage . . . . . . . . . . 3

Organization of Length of Stay Tables. . . . . . . . . . 5

Definition of Multiple Diagnosis Patients . . . . . . . . . . 5

Definition of Operated Patients . . . . . . . . . . 5

Explanation of Statistics. . . . . . . . . . 6

Defining the Extended Stay Case . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . 17

Summary of All Patients. . . . . . . . . . 18

Summary of All Patients Except Newborn . . . . . . . . . . 19

Diagnosis Groups 1-398 . . . . . . . . . . 20

**Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups** . . . . . . . . . . 219

**Index to Length of Stay Tables** . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

### January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study expiains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

### Definition of Operated Patients

Operated patients are patients who had at least one UHDDS[3] Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.* | | | |
| *a. acute myocardial infarction* | | | |
| *b. dissecting aortic aneurysm* | | | |
| *c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

### DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | **129430** | **9.5** | **38** | **3** | **4** | **8** | **11** | **16** | **20** | **33** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47-years-old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

281 Hospitals, Western Region, January–December 1981

**SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 192691 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 109883 | 3.0 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 35-49 | 31822 | 4.6 | 27 | 1 | 1 | 3 | 5 | 10 | 14 | 27 |
| 50-64 | 26562 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 65+ | 27324 | 5.8 | 32 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 69199 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 137853 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 57929 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 54611 | 4.7 | 22 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 52450 | 5.7 | 35 | 1 | 1 | 3 | 7 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 106121 | 4.0 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 26 |
| 20-34 | 64187 | 5.0 | 38 | 1 | 1 | 3 | 5 | 10 | 17 | 31 |
| 35-49 | 55159 | 6.1 | 42 | 1 | 1 | 4 | 7 | 13 | 20 | 31 |
| 50-64 | 93219 | 6.6 | 43 | 1 | 2 | 5 | 8 | 13 | 19 | 32 |
| 65+ | 187042 | 7.9 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 43072 | 5.1 | 70 | <1 | 1 | 3 | 5 | 10 | 18 | 49 |
| 20-34 | 122417 | 4.9 | 35 | 1 | 1 | 4 | 6 | 8 | 12 | 32 |
| 35-49 | 74132 | 6.5 | 52 | 1 | 1 | 5 | 8 | 12 | 18 | 39 |
| 50-64 | 89572 | 8.2 | 82 | 1 | 2 | 6 | 10 | 17 | 24 | 51 |
| 65+ | 118096 | 10.8 | 117 | 2 | 2 | 8 | 14 | 23 | 32 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 388282 | 3.3 | 15 | 1 | 1 | 2 | 3 | 6 | 9 | 20 |
| **B. *Operated*** | 372042 | 3.8 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 505728 | 6.3 | 44 | 1 | 1 | 4 | 8 | 13 | 19 | 33 |
| **B. *Operated*** | 447289 | 7.4 | 78 | 1 | 1 | 5 | 9 | 16 | 23 | 49 |
| **1. SINGLE DX** | 760324 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **2. MULTIPLE DX** | 953017 | 6.8 | 60 | 1 | 1 | 4 | 8 | 14 | 21 | 41 |
| **A. NOT OPERATED** | 894010 | 5.0 | 34 | 1 | 1 | 3 | 6 | 11 | 15 | 29 |
| **B. OPERATED** | 819331 | 5.8 | 53 | <1 | 1 | 3 | 7 | 12 | 18 | 38 |
| **TOTAL** 0-19 YRS | 411083 | 3.2 | 19 | <1 | 1 | 2 | 4 | 5 | 8 | 21 |
| 20-34 | 434340 | 3.9 | 22 | <1 | 1 | 3 | 4 | 7 | 10 | 25 |
| 35-49 | 219042 | 5.5 | 37 | 1 | 1 | 4 | 7 | 11 | 16 | 30 |
| 50-64 | 263964 | 6.6 | 52 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| 65+ | 384912 | 8.4 | 72 | 1 | 2 | 6 | 11 | 17 | 24 | 44 |
| **GRAND TOTAL** | 1713341 | 5.4 | 43 | 1 | 1 | 3 | 6 | 11 | 17 | 33 |

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55522 | 3.1 | 19 | <1 | 1 | 2 | 3 | 5 | 8 | 22 |
| 20-34 | 109883 | 3.0 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 35-49 | 31822 | 4.6 | 27 | 1 | 1 | 3 | 5 | 10 | 14 | 27 |
| 50-64 | 26562 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 65+ | 27324 | 5.8 | 32 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69135 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 137853 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 57929 | 4.0 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 54611 | 4.7 | 22 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 52450 | 5.7 | 35 | 1 | 1 | 3 | 7 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46280 | 4.2 | 37 | 1 | 1 | 3 | 4 | 8 | 12 | 32 |
| 20-34 | 64187 | 5.0 | 38 | 1 | 1 | 3 | 5 | 10 | 17 | 31 |
| 35-49 | 55159 | 6.1 | 42 | 1 | 1 | 4 | 7 | 13 | 20 | 31 |
| 50-64 | 93219 | 6.6 | 43 | 1 | 2 | 5 | 8 | 13 | 19 | 32 |
| 65+ | 187042 | 7.9 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40617 | 4.5 | 47 | <1 | 1 | 2 | 5 | 9 | 14 | 38 |
| 20-34 | 122417 | 4.9 | 35 | 1 | 1 | 4 | 6 | 8 | 12 | 32 |
| 35-49 | 74132 | 6.5 | 52 | 1 | 1 | 5 | 8 | 12 | 18 | 39 |
| 50-64 | 89572 | 8.2 | 83 | 1 | 2 | 6 | 10 | 17 | 24 | 51 |
| 65+ | 118096 | 10.8 | 117 | 2 | 2 | 8 | 14 | 23 | 32 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251113 | 3.8 | 21 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| B. *Operated* | 371978 | 3.8 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 445887 | 6.6 | 47 | 1 | 1 | 5 | 8 | 14 | 19 | 34 |
| B. *Operated* | 444834 | 7.4 | 76 | 1 | 1 | 5 | 9 | 16 | 23 | 48 |
| **1. SINGLE DX** | 623091 | 3.8 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 890721 | 7.0 | 62 | 1 | 1 | 5 | 8 | 15 | 21 | 41 |
| **A. NOT OPERATED** | 697000 | 5.6 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| **B. OPERATED** | 816812 | 5.7 | 52 | <1 | 1 | 3 | 7 | 12 | 18 | 38 |
| TOTAL 0-19 YRS | 211554 | 3.5 | 26 | <1 | 1 | 2 | 4 | 6 | 10 | 26 |
| 20-34 | 434340 | 3.9 | 22 | <1 | 1 | 3 | 4 | 7 | 10 | 25 |
| 35-49 | 219042 | 5.5 | 37 | 1 | 1 | 4 | 7 | 11 | 16 | 30 |
| 50-64 | 263964 | 6.6 | 62 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| 65+ | 384912 | 8.4 | 72 | 1 | 2 | 6 | 11 | 17 | 24 | 44 |
| **GRAND TOTAL** | 1513812 | 5.7 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1228 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 649 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 274 | 3.5 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 182 | 3.5 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 65+ | 154 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 6.9 | 45 | 2 | 2 | 5 | 7 | 10 | 27 | 32 |
| 20-34 | 30 | 7.0 | 36 | 2 | 2 | 5 | 8 | 15 | 21 | 28 |
| 35-49 | 9 | 6.0 | 16 | 1 | 1 | 5 | 9 | 12 | 13 | 13 |
| 50-64 | 4 | 3.5 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 6 | 5.8 | 7 | 4 | 4 | 5 | 6 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1468 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 613 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 374 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 453 | 4.5 | 25 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 65+ | 816 | 5.5 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 8.0 | 59 | 2 | 2 | 5 | 10 | 16 | 27 | 39 |
| 20-34 | 48 | 6.9 | 48 | 2 | 3 | 6 | 8 | 11 | 14 | 48 |
| 35-49 | 21 | 8.2 | 20 | 2 | 3 | 8 | 12 | 15 | 16 | 16 |
| 50-64 | 35 | 10.6 | 238 | 2 | 3 | 8 | 10 | 17 | 22 | 95 |
| 65+ | 37 | 14.7 | 196 | 5 | 6 | 12 | 16 | 24 | 37 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2487 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 78 | 6.6 | 33 | 2 | 2 | 5 | 8 | 11 | 19 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3724 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| B. *Operated* | 185 | 9.6 | 119 | 2 | 3 | 7 | 11 | 16 | 23 | 72 |
| **1. SINGLE DX** | 2565 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 3909 | 4.3 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 6211 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **B. OPERATED** | 263 | 8.7 | 95 | 2 | 3 | 6 | 10 | 16 | 22 | 47 |
| TOTAL 0-19 YRS | 2769 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 1340 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 678 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 50-64 | 674 | 4.5 | 33 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 65+ | 1013 | 5.6 | 31 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| **GRAND TOTAL** | 6474 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 25 | 11.7 | 79 | 1 | 2 | 11 | 16 | 22 | 30 | 36 |
| 35-49 | 18 | 10.9 | 93 | 1 | 2 | 7 | 17 | 28 | 30 | 30 |
| 50-64 | 18 | 11.1 | 102 | 3 | 3 | 8 | 12 | 29 | 37 | 38 |
| 65+ | 15 | 10.0 | 48 | 2 | 2 | 8 | 14 | 20 | 25 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 15 | 8.6 | 37 | 2 | 3 | 7 | 11 | 21 | 22 | 22 |
| 35-49 | 14 | 10.2 | 41 | 1 | 3 | 11 | 14 | 17 | 24 | 26 |
| 50-64 | 18 | 10.2 | 86 | 1 | 2 | 9 | 11 | 22 | 32 | 38 |
| 65+ | 15 | 10.9 | 108 | 2 | 4 | 8 | 11 | 24 | 39 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 10.7 | 105 | 2 | 2 | 5 | 18 | 27 | 28 | 28 |
| 20-34 | 20 | 11.1 | 39 | 3 | 3 | 10 | 15 | 16 | 23 | 30 |
| 35-49 | 30 | 13.6 | 116 | 1 | 3 | 12 | 17 | 30 | 35 | 42 |
| 50-64 | 50 | 17.8 | 358 | 2 | 3 | 12 | 26 | 48 | 64 | 99+ |
| 65+ | 67 | 11.3 | 92 | 3 | 3 | 9 | 14 | 26 | 30 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 50 | 4 | 4 | 9 | 14 | 14 | 14 | 14 |
| 20-34 | 22 | 10.3 | 53 | 1 | 2 | 9 | 17 | 20 | 24 | 25 |
| 35-49 | 9 | 17.6 | 314 | 6 | 7 | 11 | 16 | 47 | 63 | 63 |
| 50-64 | 45 | 18.8 | 201 | 4 | 6 | 16 | 24 | 36 | 53 | 71 |
| 65+ | 36 | 23.6 | 457 | 3 | 4 | 19 | 37 | 62 | 72 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 10.3 | 75 | 2 | 2 | 7 | 15 | 22 | 29 | 37 |
| B. *Operated* | 67 | 9.5 | 65 | 2 | 2 | 7 | 11 | 21 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 13.5 | 171 | 2 | 3 | 10 | 16 | 29 | 39 | 89 |
| B. *Operated* | 114 | 18.4 | 275 | 3 | 4 | 14 | 24 | 45 | 62 | 86 |
| **1. SINGLE DX** | 152 | 10.0 | 70 | 2 | 2 | 7 | 14 | 21 | 28 | 38 |
| **2. MULTIPLE DX** | 291 | 15.4 | 217 | 2 | 3 | 11 | 20 | 32 | 51 | 90 |
| **A. NOT OPERATED** | 262 | 12.5 | 142 | 2 | 3 | 9 | 16 | 28 | 33 | 64 |
| **B. OPERATED** | 181 | 15.1 | 215 | 2 | 3 | 10 | 19 | 34 | 51 | 77 |
| TOTAL 0-19 YRS | 26 | 7.0 | 52 | 1 | 2 | 4 | 7 | 18 | 27 | 28 |
| 20-34 | 82 | 10.6 | 54 | 2 | 2 | 9 | 16 | 21 | 24 | 34 |
| 35-49 | 71 | 12.7 | 120 | 1 | 3 | 11 | 16 | 27 | 32 | 59 |
| 50-64 | 131 | 16.2 | 240 | 2 | 3 | 11 | 23 | 37 | 52 | 99 |
| 65+ | 133 | 14.5 | 215 | 3 | 4 | 9 | 17 | 32 | 50 | 82 |
| **GRAND TOTAL** | 443 | 13.5 | 173 | 2 | 3 | 10 | 17 | 29 | 42 | 74 |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 20-34 | 2 | [illegible] | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 35-49 | 3 | 6.3 | 33 | 3 | 3 | 3 | 11 | 13 | 13 | 13 |
| 50-64 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 13.7 | 134 | 3 | 3 | 12 | 22 | 26 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 20-34 | 13 | 7.9 | 88 | 1 | 1 | 6 | 9 | 18 | 33 | 36 |
| 35-49 | 8 | 6.6 | 62 | <1 | <1 | 4 | 7 | 20 | 25 | 25 |
| 50-64 | 6 | 4.0 | 11 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 5 | 10.8 | 97 | 3 | 3 | 4 | 21 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 12.6 | 216 | <1 | <1 | 3 | 25 | 34 | 34 | 34 |
| 20-34 | 6 | 11.8 | 34 | 6 | 6 | 10 | 12 | 22 | 23 | 23 |
| 35-49 | 7 | 10.7 | 26 | 5 | 5 | 8 | 16 | 18 | 18 | 18 |
| 50-64 | 8 | 18.3 | 226 | 5 | 6 | 11 | 30 | 42 | 44 | 44 |
| 65+ | 16 | 15.2 | 267 | 2 | 3 | 10 | 17 | 43 | 57 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 20 | 17.3 | 141 | 1 | 2 | 16 | 26 | 34 | 37 | 41 |
| 35-49 | 9 | 6.1 | 4 | 3 | 3 | 7 | 7 | 9 | 9 | 9 |
| 50-64 | 21 | 21.4 | 241 | 3 | 5 | 18 | 30 | 43 | 53 | 58 |
| 65+ | 12 | 19.9 | 168 | 3 | 9 | 15 | 33 | 56 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 10.7 | 76 | 3 | 3 | 8 | 17 | 25 | 26 | 26 |
| B. *Operated* | 43 | 6.1 | 55 | <1 | 1 | 4 | 7 | 15 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 14.2 | 172 | 2 | 3 | 10 | 17 | 35 | 45 | 62 |
| B. *Operated* | 63 | 17.4 | 178 | 2 | 3 | 14 | 27 | 38 | 46 | 94 |
| **1. SINGLE DX** | 55 | 7.1 | 62 | <1 | 1 | 4 | 9 | 21 | 25 | 35 |
| **2. MULTIPLE DX** | 105 | 16.2 | 176 | 2 | 3 | 12 | 22 | 38 | 45 | 79 |
| **A. NOT OPERATED** | 54 | 13.4 | 151 | 3 | 3 | 10 | 17 | 27 | 43 | 61 |
| **B. OPERATED** | 106 | 12.8 | 158 | 1 | 1 | 8 | 19 | 34 | 39 | 76 |
| TOTAL 0-19 YRS | 18 | 6.8 | 87 | <1 | <1 | 3 | 9 | 22 | 29 | 34 |
| 20-34 | 41 | 13.5 | 118 | 1 | 2 | 11 | 19 | 33 | 35 | 41 |
| 35-49 | 27 | 7.5 | 30 | 1 | 2 | 7 | 8 | 16 | 19 | 25 |
| 50-64 | 38 | 16.6 | 227 | 2 | 3 | 10 | 27 | 38 | 47 | 58 |
| 65+ | 36 | 16.0 | 196 | 2 | 3 | 12 | 21 | 43 | 56 | 99+ |
| **GRAND TOTAL** | 160 | 13.1 | 155 | 1 | 2 | 9 | 18 | 33 | 40 | 62 |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 56 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 12 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | 9 | 4.1 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 99 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 29 | 4.3 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 11 |
| 50-64 | 26 | 4.1 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| 65+ | 19 | 6.0 | 11 | 2 | 2 | 5 | 8 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.4 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 20-34 | 4 | 3.8 | 5 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 2 | 10.0 | 72 | 4 | 4 | 10 | 16 | 16 | 16 | 16 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 21 | 1.5 | | <1 | 1 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 351 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 16 | 4.5 | 19 | 1 | 1 | 3 | 6 | 12 | 15 | 16 |
| **1. SINGLE DX** | 198 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 367 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 528 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **B. OPERATED** | 37 | 2.8 | 10 | 1 | 1 | 2 | 3 | 6 | 11 | 16 |
| TOTAL 0-19 YRS | 303 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 161 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 43 | 4.2 | 8 | 2 | 2 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 36 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 65+ | 22 | 6.1 | 12 | 2 | 2 | 5 | 8 | 12 | 13 | 14 |
| **GRAND TOTAL** | 565 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 4.6 | 12 | 1 | 2 | 3 | 6 | 10 | 11 | 18 |
| 20-34 | 16 | 6.3 | 46 | 1 | 1 | 4 | 7 | 13 | 24 | 29 |
| 35-49 | 10 | 6.9 | 7 | 3 | 3 | 7 | 9 | 10 | 11 | 11 |
| 50-64 | 15 | 7.4 | 18 | 2 | 4 | 7 | 9 | 13 | 17 | 18 |
| 65+ | 39 | 10.3 | 42 | 3 | 3 | 9 | 12 | 20 | 23 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.1 | 33 | 2 | 3 | 10 | 11 | 19 | 21 | 21 |
| 20-34 | 2 | 16.5 | 221 | 6 | 6 | 16 | 27 | 27 | 27 | 27 |
| 35-49 | 3 | 8.3 | 9 | 5 | 5 | 9 | 10 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 26.0 | 128 | 18 | 18 | 26 | 34 | 34 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 6.9 | 31 | 2 | 2 | 5 | 8 | 14 | 20 | 28 |
| 20-34 | 78 | 9.9 | 91 | 2 | 3 | 7 | 11 | 19 | 39 | 45 |
| 35-49 | 55 | 8.3 | 53 | 1 | 3 | 7 | 10 | 14 | 22 | 45 |
| 50-64 | 206 | 10.8 | 48 | 3 | 4 | 9 | 14 | 19 | 24 | 37 |
| 65+ | 653 | 12.4 | 62 | 4 | 5 | 10 | 15 | 23 | 29 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 13.7 | 146 | 2 | 4 | 10 | 15 | 31 | 41 | 59 |
| 20-34 | 14 | 20.6 | 132 | 8 | 9 | 18 | 26 | 35 | 45 | 48 |
| 35-49 | 26 | 19.0 | 323 | 3 | 6 | 17 | 24 | 31 | 97 | 99+ |
| 50-64 | 69 | 18.0 | 144 | 4 | 6 | 15 | 25 | 37 | 48 | 90 |
| 65+ | 144 | 23.5 | 344 | 6 | 8 | 17 | 32 | 57 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 5.9 | 23 | 1 | 2 | 4 | 8 | 12 | 15 | 25 |
| B. *Operated* | 14 | 12.9 | 81 | 3 | 5 | 10 | 18 | 28 | 33 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1190 | 10.9 | 71 | 3 | 4 | 9 | 13 | 20 | 27 | 45 |
| B. *Operated* | 293 | 20.3 | 268 | 5 | 6 | 15 | 26 | 48 | 59 | 99+ |
| **1. SINGLE DX** | 258 | 6.2 | 29 | 1 | 2 | 4 | 8 | 12 | 18 | 29 |
| **2. MULTIPLE DX** | 1483 | 12.7 | 124 | 3 | 4 | 10 | 15 | 25 | 34 | 67 |
| **A. NOT OPERATED** | 1434 | 10.0 | 66 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| **B. OPERATED** | 307 | 20.0 | 261 | 5 | 6 | 15 | 26 | 48 | 59 | 99+ |
| TOTAL 0-19 YRS | 409 | 6.7 | 41 | 1 | 2 | 5 | 8 | 13 | 19 | 31 |
| 20-34 | 110 | 10.8 | 105 | 2 | 3 | 8 | 13 | 25 | 34 | 46 |
| 35-49 | 94 | 11.1 | 143 | 3 | 3 | 8 | 12 | 23 | 31 | 99 |
| 50-64 | 290 | 12.3 | 79 | 3 | 4 | 10 | 16 | 24 | 33 | 49 |
| 65+ | 838 | 14.3 | 143 | 4 | 5 | 11 | 17 | 27 | 37 | 74 |
| **GRAND TOTAL** | 1741 | 11.8 | 115 | 2 | 3 | 9 | 14 | 23 | 33 | 62 |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 5.8 | 18 | 1 | 1 | 4 | 9 | 12 | 13 | 16 |
| 20-34 | 56 | 5.1 | 12 | 1 | 2 | 4 | 6 | 10 | 11 | 21 |
| 35-49 | 23 | 9.4 | 105 | 2 | 2 | 6 | 10 | 19 | 34 | 47 |
| 50-64 | 24 | 7.4 | 46 | 2 | 3 | 5 | 8 | 14 | 23 | 33 |
| 65+ | 20 | 8.6 | 52 | 2 | 2 | 8 | 13 | 20 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 10.8 | 22 | 1 | 4 | 11 | 14 | 16 | 16 | 16 |
| 20-34 | 6 | 9.8 | 95 | 2 | 2 | 7 | 12 | 26 | 28 | 28 |
| 35-49 | 6 | 13.3 | 63 | 7 | 7 | 11 | 19 | 24 | 25 | 25 |
| 50-64 | 9 | 8.3 | 45 | 1 | 1 | 8 | 12 | 18 | 22 | 22 |
| 65+ | 8 | 7.4 | 29 | 1 | 1 | 8 | 11 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 7.1 | 24 | 1 | 2 | 6 | 11 | 13 | 15 | 24 |
| 20-34 | 50 | 6.3 | 19 | 1 | 2 | 5 | 9 | 11 | 16 | 22 |
| 35-49 | 48 | 7.2 | 31 | 2 | 2 | 6 | 8 | 13 | 19 | 30 |
| 50-64 | 68 | 9.9 | 37 | 3 | 3 | 9 | 12 | 20 | 22 | 31 |
| 65+ | 69 | 11.6 | 78 | 3 | 4 | 8 | 15 | 26 | 31 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.7 | 50 | 1 | 1 | 8 | 12 | 19 | 23 | 24 |
| 20-34 | 21 | 17.3 | 199 | 3 | 5 | 14 | 22 | 42 | 46 | 47 |
| 35-49 | 16 | 17.1 | 98 | 2 | 3 | 17 | 24 | 29 | 34 | 36 |
| 50-64 | 18 | 13.5 | 100 | 2 | 3 | 10 | 25 | 30 | 69 | 99+ |
| 65+ | 30 | 15.8 | 171 | 2 | 6 | 12 | 23 | 26 | 28 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | 37 | 9.7 | 45 | 1 | 1 | 10 | 12 | 18 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 8.5 | 41 | 2 | 3 | 7 | 11 | 16 | 22 | 32 |
| B. *Operated* | 97 | 15.0 | 139 | 2 | 3 | 12 | 23 | 29 | 38 | 67 |
| **1. SINGLE DX** | 306 | 6.7 | 33 | 1 | 2 | 5 | 10 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 436 | 9.9 | 70 | 2 | 3 | 7 | 12 | 22 | 27 | 41 |
| **A. NOT OPERATED** | 608 | 7.5 | 37 | 1 | 2 | 6 | 10 | 14 | 20 | 31 |
| **B. OPERATED** | 134 | 13.6 | 118 | 2 | 2 | 11 | 19 | 28 | 35 | 76 |
| TOTAL 0-19 YRS | 270 | 6.6 | 22 | 1 | 2 | 5 | 10 | 12 | 15 | 23 |
| 20-34 | 133 | 7.7 | 64 | 1 | 2 | 5 | 9 | 15 | 22 | 45 |
| 35-49 | 93 | 9.8 | 73 | 2 | 3 | 7 | 13 | 23 | 28 | 42 |
| 50-64 | 119 | 9.8 | 51 | 2 | 3 | 8 | 13 | 22 | 27 | 53 |
| 65+ | 127 | 11.8 | 96 | 2 | 3 | 8 | 17 | 24 | 28 | 45 |
| **GRAND TOTAL** | 742 | 8.6 | 57 | 1 | 2 | 7 | 11 | 18 | 24 | 36 |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 531 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 487 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 58 | 4.6 | 18 | 2 | 2 | 3 | 5 | 8 | 16 | 21 |
| 50-64 | 23 | 4.8 | 6 | 1 | 2 | 5 | 5 | 7 | 9 | 12 |
| 65+ | 4 | 3.3 | 6 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.9 | 15 | 2 | 2 | 4 | 6 | 12 | 13 | 13 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 4.1 | 8 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 170 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| 35-49 | 41 | 6.3 | 27 | 2 | 2 | 5 | 7 | 13 | 17 | 29 |
| 50-64 | 17 | 8.9 | 127 | 1 | 2 | 5 | 11 | 14 | 37 | 50 |
| 65+ | 16 | 16.1 | 318 | 2 | 3 | 12 | 18 | 29 | 62 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.7 | 73 | 3 | 3 | 4 | 6 | 23 | 25 | 25 |
| 20-34 | 7 | 9.4 | 15 | 5 | 5 | 10 | 14 | 74 | 99+ | 99+ |
| 35-49 | 6 | 7.2 | 11 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| 50-64 | 5 | 8.8 | 21 | 3 | 3 | 11 | 12 | 14 | 14 | 14 |
| 65+ | 3 | 9.0 | 31 | 3 | 3 | 10 | 13 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1103 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 9 | 4.8 | 13 | 2 | 2 | 4 | 6 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 437 | 5.1 | 31 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| B. *Operated* | 27 | 8.4 | 26 | 3 | 3 | 7 | 12 | 15 | 32 | 99+ |
| **1. SINGLE DX** | 1112 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 464 | 5.3 | 31 | 1 | 2 | 4 | 6 | 10 | 13 | 28 |
| **A. NOT OPERATED** | 1540 | 3.9 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 15 |
| **B. OPERATED** | 36 | 7.5 | 25 | 2 | 2 | 6 | 11 | 14 | 21 | 99+ |
| TOTAL 0-19 YRS | 737 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 665 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 106 | 5.4 | 22 | 2 | 2 | 4 | 6 | 11 | 16 | 25 |
| 50-64 | 45 | 6.8 | 55 | 2 | 2 | 5 | 7 | 12 | 14 | 50 |
| 65+ | 23 | 12.9 | 247 | 2 | 2 | 10 | 14 | 26 | 46 | 76 |
| **GRAND TOTAL** | 1576 | 3.9 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 39 | 3.5 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 19 | 5.1 | 46 | 1 | 1 | 3 | 6 | 9 | 21 | 31 |
| 50-64 | 42 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 15 |
| 65+ | 110 | 6.6 | 44 | 1 | 2 | 5 | 9 | 12 | 14 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 21.3 | 1064 | 2 | 2 | 31 | 79 | 99+ | 99+ | 99+ |
| 20-34 | 5 | 4.8 | 10 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 4 | 7.8 | 65 | 1 | 1 | 5 | 13 | 19 | 19 | 19 |
| 65+ | 13 | 7.5 | 51 | 1 | 1 | 7 | 11 | 16 | 24 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 282 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 16 |
| 20-34 | 76 | 5.2 | 10 | 1 | 2 | 5 | 7 | 9 | 13 | 15 |
| 35-49 | 30 | 6.3 | 16 | 2 | 2 | 5 | 8 | 12 | 14 | 16 |
| 50-64 | 139 | 7.3 | 39 | 2 | 2 | 5 | 9 | 14 | 19 | 30 |
| 65+ | 516 | 9.6 | 82 | 2 | 3 | 7 | 11 | 20 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 18.0 | 384 | 1 | 2 | 10 | 21 | 44 | 69 | 76 |
| 20-34 | 14 | 8.9 | 67 | 1 | 3 | 8 | 11 | 14 | 30 | 35 |
| 35-49 | 8 | 16.1 | 416 | 2 | 3 | 7 | 20 | 52 | 63 | 63 |
| 50-64 | 15 | 14.4 | 386 | 2 | 2 | 7 | 19 | 67 | 91 | 99+ |
| 65+ | 44 | 14.4 | 130 | 3 | 4 | 10 | 21 | 26 | 36 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 342 | 4.6 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| B. *Operated* | 26 | 8.4 | 144 | 1 | 1 | 4 | 10 | 25 | 68 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1043 | 7.2 | 56 | 1 | 2 | 5 | 9 | 15 | 20 | 44 |
| B. *Operated* | 95 | 14.3 | 217 | 2 | 3 | 9 | 19 | 34 | 58 | 89 |
| **1. SINGLE DX** | 368 | 4.9 | 32 | 1 | 1 | 3 | 6 | 10 | 13 | 31 |
| **2. MULTIPLE DX** | 1138 | 7.8 | 73 | 1 | 2 | 5 | 9 | 16 | 23 | 46 |
| **A. NOT OPERATED** | 1385 | 6.6 | 49 | 1 | 2 | 5 | 8 | 13 | 19 | 39 |
| **B. OPERATED** | 121 | 13.0 | 206 | 1 | 2 | 8 | 15 | 31 | 60 | 99+ |
| TOTAL 0-19 YRS | 431 | 4.0 | 33 | 1 | 1 | 3 | 4 | 7 | 10 | 29 |
| 20-34 | 134 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 58 | 7.1 | 87 | 1 | 1 | 5 | 8 | 14 | 22 | 60 |
| 50-64 | 200 | 7.3 | 62 | 2 | 2 | 5 | 9 | 14 | 19 | 59 |
| 65+ | 683 | 9.4 | 81 | 2 | 3 | 7 | 11 | 20 | 26 | 46 |
| **GRAND TOTAL** | 1506 | 7.1 | 65 | 1 | 2 | 5 | 8 | 14 | 21 | 46 |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 4.9 | 11 | 1 | 2 | 4 | 7 | 8 | 9 | 19 |
| 20-34 | 267 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 11 | 20 |
| 35-49 | 88 | 7.2 | 16 | 2 | 3 | 7 | 10 | 12 | 14 | 22 |
| 50-64 | 38 | 5.8 | 14 | 2 | 2 | 5 | 7 | 12 | 15 | 16 |
| 65+ | 22 | 5.7 | 14 | 1 | 2 | 5 | 8 | 10 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 17 | 3.3 | 8 | <1 | 1 | 3 | 4 | 8 | 9 | 10 |
| 35-49 | 9 | 3.4 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 10 |
| 50-64 | 4 | 8.0 | 22 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| 65+ | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 5.6 | 43 | 1 | 2 | 4 | 6 | 8 | 10 | 46 |
| 20-34 | 172 | 6.8 | 25 | 2 | 2 | 6 | 8 | 13 | 17 | 27 |
| 35-49 | 80 | 6.9 | 18 | 2 | 3 | 6 | 9 | 13 | 16 | 20 |
| 50-64 | 64 | 7.8 | 31 | 1 | 2 | 7 | 10 | 14 | 18 | 27 |
| 65+ | 63 | 10.6 | 68 | 3 | 4 | 8 | 14 | 19 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 24.3 | 467 | 4 | 4 | 21 | 42 | 50 | 50 | 50 |
| 20-34 | 15 | 7.7 | 38 | 1 | 1 | 8 | 13 | 16 | 18 | 19 |
| 35-49 | 17 | 7.3 | 26 | 1 | 1 | 7 | 10 | 16 | 18 | 18 |
| 50-64 | 19 | 8.7 | 89 | 1 | 1 | 8 | 11 | 14 | 30 | 43 |
| 65+ | 18 | 16.1 | 214 | 2 | 3 | 11 | 24 | 37 | 47 | 54 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 518 | 5.7 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 33 | 4.1 | 11 | 1 | 1 | 3 | 7 | 10 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 425 | 7.4 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | 73 | 10.9 | 128 | 1 | 1 | 8 | 13 | 25 | 37 | 53 |
| 1. SINGLE DX | 551 | 5.6 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| 2. MULTIPLE DX | 498 | 7.9 | 50 | 1 | 2 | 6 | 10 | 15 | 20 | 42 |
| A. NOT OPERATED | 943 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| B. OPERATED | 106 | 8.7 | 101 | 1 | 1 | 6 | 11 | 18 | 34 | 53 |
| TOTAL 0-19 YRS | 154 | 5.6 | 29 | 1 | 2 | 4 | 7 | 9 | 10 | 46 |
| 20-34 | 471 | 6.0 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 35-49 | 194 | 6.9 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 20 |
| 50-64 | 125 | 7.4 | 34 | 1 | 2 | 6 | 10 | 13 | 19 | 32 |
| 65+ | 105 | 10.4 | 90 | 2 | 3 | 8 | 13 | 22 | 31 | 49 |
| GRAND TOTAL | 1049 | 6.7 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 73 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 4 | 4.0 | 13 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 6 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 235 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 86 | 4.7 | 11 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| 35-49 | 13 | 5.8 | 24 | 2 | 3 | 4 | 6 | 10 | 19 | 21 |
| 50-64 | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.9 | 17 | 1 | 2 | 7 | 10 | 14 | 15 | 19 |
| 20-34 | 5 | 11.8 | 93 | 4 | 4 | 7 | 17 | 28 | 28 | 28 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 12.0 | 8 | 10 | 10 | 12 | 14 | 14 | 14 | 14 |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 260 | 3.6 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| B. *Operated* | 6 | 7.2 | 27 | 1 | 1 | 6 | 11 | 15 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 339 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 10 | 13 |
| B. *Operated* | 16 | 9.5 | 38 | 2 | 4 | 8 | 12 | 15 | 24 | 28 |
| 1. SINGLE DX | 266 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 11 |
| 2. MULTIPLE DX | 355 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |
| A. NOT OPERATED | 599 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| B. OPERATED | 22 | 8.9 | 35 | 1 | 2 | 8 | 11 | 15 | 20 | 28 |
| TOTAL 0-19 YRS | 428 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 166 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 18 | 5.4 | 19 | 1 | 2 | 4 | 6 | 8 | 16 | 21 |
| 50-64 | 6 | 7.5 | 24 | 2 | 2 | 7 | 11 | 14 | 14 | 14 |
| 65+ | 3 | 8.7 | 21 | 6 | 6 | 6 | 12 | 14 | 14 | 14 |
| GRAND TOTAL | 621 | 4.1 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 14 |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 342 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 72 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 34 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 3.0 | 7 | 1 | 1 | 2 | 3 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 7 | 9 |
| 20-34 | 103 | 3.1 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 35-49 | 40 | 3.6 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 50-64 | 19 | 4.4 | 26 | 1 | 1 | 3 | 5 | 8 | 17 | 24 |
| 65+ | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 568 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.6 | 5 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| B. *Operated* | 183 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 20 |
| **1. SINGLE DX** | 574 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 191 | 3.2 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **A. NOT OPERATED** | 14 | 2.1 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 8 |
| **B. OPERATED** | 751 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 134 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 454 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 35-49 | 114 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 54 | 3.0 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 23 |
| 65+ | 9 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| **GRAND TOTAL** | **765** | **2.2** | **4** | **<1** | **<1** | **2** | **2** | **4** | **5** | **10** |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 639 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 241 | 3.3 | 10 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 114 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 13 |
| 50-64 | 77 | 4.3 | 10 | 1 | 1 | 3 | 6 | 9 | 12 | 15 |
| 65+ | 76 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 8 | 10 |
| 20-34 | 12 | 5.0 | 19 | 1 | 2 | 4 | 6 | 11 | 16 | 17 |
| 35-49 | 4 | 5.3 | 12 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 4 | 9.8 | 65 | 2 | 2 | 8 | 15 | 21 | 21 | 21 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 717 | 3.0 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 468 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 8 | 17 |
| 35-49 | 218 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 14 |
| 50-64 | 289 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 65+ | 431 | 6.2 | 40 | 2 | 2 | 5 | 7 | 11 | 16 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 5.7 | 63 | 1 | 2 | 4 | 6 | 11 | 14 | 47 |
| 20-34 | 35 | 11.3 | 260 | 1 | 3 | 7 | 12 | 25 | 31 | 94 |
| 35-49 | 31 | 10.8 | 182 | 2 | 2 | 6 | 16 | 20 | 23 | 74 |
| 50-64 | 21 | 7.9 | 29 | 1 | 2 | 6 | 11 | 16 | 18 | 19 |
| 65+ | 33 | 11.6 | 96 | 2 | 4 | 8 | 15 | 25 | 36 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1147 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 53 | 4.2 | 14 | <1 | 1 | 3 | 4 | 9 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2123 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | 154 | 9.6 | 137 | 1 | 2 | 6 | 11 | 18 | 25 | 73 |
| **1. SINGLE DX** | 1200 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 2277 | 4.5 | 27 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **A. NOT OPERATED** | 3270 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **B. OPERATED** | 207 | 8.2 | 111 | 1 | 2 | 5 | 9 | 18 | 23 | 59 |
| TOTAL 0-19 YRS | 1423 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 756 | 4.0 | 25 | 1 | 1 | 3 | 4 | 7 | 10 | 25 |
| 35-49 | 367 | 4.7 | 26 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 50-64 | 391 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 540 | 6.2 | 41 | 1 | 2 | 4 | 7 | 11 | 16 | 38 |
| **GRAND TOTAL** | **3477** | **4.0** | **20** | **1** | **1** | **3** | **5** | **7** | **10** | **21** |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.9 | 11 | 1 | 1 | 3 | 4 | 7 | 12 | 15 |
| 20-34 | 22 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 16 | 4.6 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 9 | 5.0 | 9 | 2 | 2 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 20 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 10 | 6.6 | 11 | 1 | 2 | 7 | 8 | 11 | 13 | 13 |
| 50-64 | 10 | 7.5 | 7 | 3 | 3 | 8 | 9 | 11 | 12 | 12 |
| 65+ | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 50-64 | 2 | 14.5 | 25 | 11 | 11 | 14 | 18 | 18 | 18 | 18 |
| 65+ | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 3.9 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 5.0 | 8 | 1 | 2 | 4 | 7 | 9 | 9 | 13 |
| B. *Operated* | 6 | 10.5 | 19 | 6 | 6 | 10 | 12 | 17 | 18 | 18 |
| **1. SINGLE DX** | 67 | 3.9 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 56 | 5.6 | 12 | 1 | 2 | 4 | 8 | 9 | 12 | 18 |
| **A. NOT OPERATED** | 116 | 4.4 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 14 |
| **B. OPERATED** | 7 | 9.9 | 18 | 6 | 6 | 9 | 12 | 17 | 18 | 18 |
| TOTAL 0-19 YRS | 24 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 20-34 | 42 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 27 | 5.6 | 11 | 2 | 2 | 5 | 8 | 11 | 12 | 13 |
| 50-64 | 21 | 7.1 | 16 | 2 | 3 | 7 | 9 | 12 | 15 | 18 |
| 65+ | 9 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| **GRAND TOTAL** | **123** | **4.7** | **10** | **1** | **2** | **4** | **7** | **9** | **11** | **16** |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 4.8 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 20-34 | 124 | 4.7 | 7 | 2 | 2 | 4 | 5 | 8 | 11 | 14 |
| 35-49 | 27 | 4.4 | 4 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 8 | 5.0 | 19 | 1 | 1 | 3 | 7 | 12 | 14 | 14 |
| 65+ | 6 | 6.0 | 12 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.8 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 51 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 10 | 10 |
| 35-49 | 11 | 5.5 | 30 | <1 | <1 | 3 | 9 | 14 | 17 | 17 |
| 50-64 | 7 | 4.0 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.2 | 15 | 1 | 2 | 4 | 6 | 10 | 11 | 24 |
| 20-34 | 110 | 5.2 | 13 | 2 | 2 | 5 | 6 | 9 | 10 | 23 |
| 35-49 | 24 | 5.4 | 16 | 1 | 2 | 5 | 7 | 11 | 15 | 17 |
| 50-64 | 15 | 7.1 | 35 | 1 | 1 | 5 | 11 | 15 | 20 | 22 |
| 65+ | 17 | 9.2 | 67 | 1 | 2 | 8 | 11 | 19 | 29 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.8 | 6 | <1 | 1 | 4 | 7 | 8 | 9 | 9 |
| 20-34 | 27 | 6.1 | 119 | 1 | 1 | 3 | 6 | 13 | 22 | 57 |
| 35-49 | 10 | 7.1 | 90 | 1 | 1 | 4 | 7 | 21 | 33 | 33 |
| 50-64 | 6 | 7.5 | 22 | 1 | 1 | 7 | 10 | 14 | 15 | 15 |
| 65+ | 10 | 11.9 | 65 | 2 | 2 | 11 | 20 | 21 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 229 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 90 | 3.5 | 10 | <1 | <1 | 2 | 5 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 5.7 | 20 | 1 | 2 | 5 | 7 | 10 | 14 | 24 |
| B. *Operated* | 66 | 7.0 | 77 | 1 | 1 | 4 | 7 | 16 | 21 | 53 |
| **1. SINGLE DX** | 319 | 4.4 | 8 | 1 | 1 | 4 | 6 | 9 | 10 | 13 |
| **2. MULTIPLE DX** | 282 | 6.0 | 34 | 1 | 2 | 5 | 7 | 11 | 17 | 30 |
| **A. NOT OPERATED** | 445 | 5.2 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| **B. OPERATED** | 156 | 5.0 | 41 | <1 | 1 | 3 | 6 | 10 | 16 | 32 |
| TOTAL 0-19 YRS | 146 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 312 | 4.8 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| 35-49 | 72 | 5.3 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 36 | 6.1 | 24 | 1 | 1 | 5 | 9 | 14 | 15 | 22 |
| 65+ | 35 | 9.3 | 56 | 1 | 2 | 8 | 12 | 20 | 22 | 34 |
| **GRAND TOTAL** | **601** | **5.2** | **21** | **1** | **2** | **4** | **6** | **9** | **12** | **22** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.4 | 3 | <1 | 1 | 3 | 5 | 5 | 6 | 7 |
| 20-34 | 24 | 10.0 | 217 | 2 | 2 | 5 | 9 | 30 | 42 | 69 |
| 35-49 | 17 | 7.4 | 57 | 1 | 2 | 5 | 8 | 12 | 26 | 34 |
| 50-64 | 11 | 7.3 | 29 | 2 | 2 | 5 | 10 | 17 | 17 | 17 |
| 65+ | 9 | 5.9 | 13 | 3 | 3 | 4 | 7 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 26.0 | 1251 | 1 | 1 | 12 | 48 | 78 | 78 | 78 |
| 20-34 | 61 | 3.1 | 60 | 1 | 1 | 1 | 1 | 6 | 12 | 45 |
| 35-49 | 38 | 10.8 | 121 | <1 | 1 | 8 | 11 | 32 | 35 | 42 |
| 50-64 | 47 | 6.3 | 170 | <1 | 1 | 2 | 8 | 11 | 15 | 88 |
| 65+ | 29 | 14.2 | 173 | 3 | 5 | 10 | 12 | 39 | 45 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.1 | 15 | 1 | 2 | 4 | 6 | 12 | 15 | 15 |
| 20-34 | 34 | 6.7 | 95 | 1 | 2 | 5 | 7 | 8 | 13 | 60 |
| 35-49 | 32 | 9.1 | 210 | 1 | 2 | 5 | 9 | 17 | 30 | 81 |
| 50-64 | 46 | 11.1 | 243 | 2 | 2 | 7 | 10 | 18 | 51 | 80 |
| 65+ | 79 | 10.7 | 54 | 3 | 4 | 8 | 13 | 21 | 25 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.3 | 40 | 5 | 5 | 12 | 17 | 20 | 20 | 20 |
| 20-34 | 27 | 17.6 | 380 | 3 | 4 | 10 | 20 | 41 | 51 | 93 |
| 35-49 | 38 | 11.9 | 271 | 2 | 3 | 8 | 12 | 23 | 74 | 99+ |
| 50-64 | 65 | 13.2 | 119 | 2 | 3 | 10 | 16 | 34 | 40 | 91 |
| 65+ | 46 | 20.2 | 336 | 2 | 4 | 13 | 31 | 42 | 53 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 7.0 | 87 | 1 | 2 | 4 | 7 | 12 | 24 | 58 |
| B. *Operated* | 179 | 7.9 | 161 | 1 | 1 | 3 | 9 | 17 | 35 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 9.2 | 120 | 2 | 2 | 7 | 10 | 16 | 25 | 71 |
| B. *Operated* | 180 | 15.4 | 250 | 2 | 3 | 10 | 18 | 39 | 44 | 99+ |
| **1. SINGLE DX** | 259 | 7.6 | 138 | 1 | 1 | 4 | 9 | 14 | 33 | 68 |
| **2. MULTIPLE DX** | 399 | 12.0 | 188 | 2 | 3 | 8 | 13 | 27 | 42 | 90 |
| **A. NOT OPERATED** | 299 | 8.6 | 112 | 2 | 2 | 6 | 9 | 16 | 25 | 68 |
| **B. OPERATED** | 359 | 11.6 | 219 | 1 | 1 | 8 | 13 | 33 | 42 | 92 |
| TOTAL 0-19 YRS | 55 | 6.5 | 115 | 1 | 1 | 4 | 6 | 14 | 17 | 75 |
| 20-34 | 146 | 7.8 | 177 | 1 | 1 | 4 | 8 | 15 | 39 | 70 |
| 35-49 | 125 | 10.3 | 179 | 1 | 2 | 7 | 10 | 24 | 35 | 99 |
| 50-64 | 169 | 10.3 | 167 | 1 | 1 | 7 | 12 | 24 | 39 | 86 |
| 65+ | 163 | 13.7 | 170 | 3 | 4 | 10 | 15 | 34 | 42 | 66 |
| **GRAND TOTAL** | **658** | **10.3** | **172** | **1** | **1** | **7** | **11** | **23** | **39** | **81** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 6 | 6.7 | 3 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.1 | 6 | <1 | <1 | 3 | 4 | 7 | 8 | 8 |
| 20-34 | 6 | 4.8 | 18 | <1 | <1 | 4 | 5 | 12 | 13 | 13 |
| 35-49 | 5 | 4.4 | 14 | <1 | <1 | 4 | 7 | 10 | 10 | 10 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.5 | 6 | <1 | <1 | 2 | 5 | 7 | 8 | 8 |
| 20-34 | 14 | 5.9 | 29 | 1 | 2 | 4 | 6 | 10 | 20 | 23 |
| 35-49 | 5 | 7.0 | 33 | 2 | 2 | 4 | 12 | 15 | 15 | 15 |
| 50-64 | 5 | 8.8 | 37 | 1 | 1 | 9 | 11 | 18 | 18 | 18 |
| 65+ | 4 | 7.0 | 11 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.0 | 14 | <1 | <1 | 3 | 4 | 10 | 13 | 13 |
| 20-34 | 7 | 8.7 | 153 | <1 | <1 | 4 | 9 | 31 | 36 | 36 |
| 35-49 | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 11.0 | 8 | 9 | 9 | 11 | 13 | 13 | 13 | 13 |
| 65+ | 3 | 19.0 | 67 | 12 | 12 | 17 | 25 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 4.4 | 6 | <1 | 2 | 4 | 7 | 8 | 8 | 8 |
| B. *Operated* | 20 | 3.8 | 11 | <1 | <1 | 3 | 5 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 6.1 | 24 | 1 | 2 | 5 | 8 | 11 | 17 | 23 |
| B. *Operated* | 23 | 8.2 | 78 | <1 | 1 | 4 | 11 | 19 | 31 | 36 |
| **1. SINGLE DX** | 36 | 4.1 | 9 | <1 | <1 | 3 | 6 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 59 | 6.9 | 45 | <1 | 1 | 5 | 9 | 14 | 21 | 35 |
| **A. NOT OPERATED** | 52 | 5.6 | 19 | 1 | 2 | 4 | 8 | 10 | 15 | 23 |
| **B. OPERATED** | 43 | 6.1 | 51 | <1 | <1 | 4 | 8 | 13 | 21 | 36 |
| TOTAL 0-19 YRS | 32 | 3.4 | 7 | <1 | <1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 33 | 6.5 | 45 | <1 | 2 | 4 | 8 | 11 | 21 | 36 |
| 35-49 | 14 | 5.4 | 17 | <1 | 1 | 5 | 6 | 11 | 14 | 15 |
| 50-64 | 8 | 8.4 | 32 | <1 | <1 | 9 | 11 | 16 | 18 | 18 |
| 65+ | 8 | 10.8 | 75 | 1 | 2 | 9 | 14 | 25 | 28 | 28 |
| **GRAND TOTAL** | **95** | **5.8** | **33** | **<1** | **1** | **4** | **8** | **12** | **16** | **32** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.5 | 5 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 14 | 4.1 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 10 | 5.9 | 25 | <1 | 1 | 5 | 11 | 49 | 96 | 99+ |
| 50-64 | 6 | 7.8 | 45 | 2 | 2 | 5 | 11 | 19 | 20 | 20 |
| 65+ | 3 | 9.3 | 16 | 5 | 5 | 10 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 20-34 | 39 | 3.7 | 16 | <1 | <1 | 2 | 5 | 9 | 12 | 20 |
| 35-49 | 25 | 4.4 | 11 | 1 | 1 | 3 | 8 | 10 | 10 | 11 |
| 50-64 | 14 | 5.5 | 25 | <1 | 1 | 3 | 9 | 11 | 17 | 19 |
| 65+ | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 4.0 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 11 |
| 20-34 | 33 | 5.3 | 28 | 1 | 1 | 4 | 6 | 11 | 13 | 28 |
| 35-49 | 42 | 7.0 | 26 | 1 | 2 | 5 | 9 | 16 | 17 | 21 |
| 50-64 | 24 | 7.5 | 34 | 2 | 3 | 5 | 9 | 14 | 20 | 28 |
| 65+ | 33 | 8.3 | 46 | 2 | 3 | 6 | 10 | 17 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 14.5 | 194 | 4 | 4 | 8 | 21 | 38 | 40 | 40 |
| 20-34 | 34 | 8.4 | 212 | 1 | 2 | 4 | 8 | 12 | 35 | 81 |
| 35-49 | 28 | 8.1 | 250 | 1 | 1 | 4 | 7 | 12 | 26 | 86 |
| 50-64 | 32 | 8.5 | 77 | 2 | 2 | 5 | 9 | 21 | 33 | 36 |
| 65+ | 13 | 11.2 | 50 | 3 | 3 | 11 | 15 | 21 | 26 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 5.4 | 15 | 1 | 2 | 5 | 7 | 12 | 15 | 99+ |
| B. *Operated* | 84 | 4.2 | 15 | <1 | 1 | 3 | 6 | 10 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 6.5 | 31 | 1 | 2 | 5 | 9 | 14 | 16 | 28 |
| B. *Operated* | 113 | 9.0 | 161 | 1 | 2 | 5 | 10 | 19 | 33 | 83 |
| **1. SINGLE DX** | 132 | 4.6 | 16 | <1 | 1 | 3 | 6 | 10 | 12 | 34 |
| **2. MULTIPLE DX** | 268 | 7.6 | 87 | 1 | 2 | 5 | 9 | 16 | 20 | 40 |
| **A. NOT OPERATED** | 203 | 6.2 | 27 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| **B. OPERATED** | 197 | 7.0 | 104 | 1 | 1 | 4 | 8 | 13 | 20 | 62 |
| TOTAL 0-19 YRS | 47 | 5.5 | 38 | 1 | 2 | 4 | 6 | 8 | 12 | 40 |
| 20-34 | 120 | 5.5 | 76 | 1 | 1 | 3 | 6 | 10 | 13 | 52 |
| 35-49 | 105 | 6.6 | 82 | 1 | 1 | 5 | 9 | 12 | 17 | 92 |
| 50-64 | 76 | 7.6 | 51 | 1 | 2 | 5 | 9 | 18 | 23 | 35 |
| 65+ | 52 | 8.8 | 45 | 2 | 3 | 7 | 13 | 17 | 19 | 35 |
| **GRAND TOTAL** | **400** | **6.6** | **65** | **1** | **1** | **5** | **8** | **13** | **19** | **39** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | 3 | 6.7 | 25 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 65+ | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 6.0 | 14 | 1 | 1 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 3 | 8.3 | 89 | 1 | 1 | 5 | 15 | 19 | 19 | 19 |
| 50-64 | 4 | 14.8 | 224 | 2 | 2 | 11 | 26 | 35 | 35 | 35 |
| 65+ | 12 | 6.8 | 27 | 2 | 2 | 5 | 9 | 14 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 10 | 4 | 4 | 6 | 9 | 11 | 11 | 11 |
| 20-34 | 5 | 9.8 | 89 | 3 | 3 | 5 | 14 | 26 | 26 | 26 |
| 35-49 | 4 | 21.0 | 643 | 7 | 7 | 9 | 34 | 59 | 59 | 59 |
| 50-64 | 4 | 9.0 | 77 | <1 | <1 | 7 | 16 | 20 | 20 | 20 |
| 65+ | 4 | 21.0 | 321 | 5 | 5 | 16 | 33 | 46 | 46 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 12 | 4.2 | 10 | <1 | 1 | 4 | 6 | 8 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 7.6 | 62 | 1 | 1 | 5 | 10 | 19 | 24 | 35 |
| B. *Operated* | 21 | 13.3 | 214 | 2 | 3 | 9 | 14 | 34 | 52 | 59 |
| **1. SINGLE DX** | 14 | 3.9 | 9 | <1 | 1 | 3 | 5 | 7 | 11 | 12 |
| **2. MULTIPLE DX** | 46 | 10.2 | 137 | 1 | 1 | 6 | 12 | 21 | 37 | 59 |
| **A. NOT OPERATED** | 27 | 7.3 | 60 | 1 | 1 | 5 | 9 | 19 | 22 | 35 |
| **B. OPERATED** | 33 | 10.0 | 158 | <1 | 1 | 5 | 11 | 22 | 43 | 59 |
| TOTAL 0-19 YRS | 9 | 4.8 | 11 | 1 | 1 | 5 | 7 | 9 | 11 | 11 |
| 20-34 | 11 | 7.5 | 45 | 1 | 2 | 5 | 9 | 17 | 25 | 26 |
| 35-49 | 9 | 12.3 | 339 | <1 | <1 | 7 | 12 | 43 | 59 | 59 |
| 50-64 | 12 | 9.8 | 103 | <1 | 1 | 5 | 15 | 24 | 33 | 35 |
| 65+ | 19 | 9.1 | 113 | 1 | 2 | 5 | 11 | 21 | 35 | 46 |
| **GRAND TOTAL** | **60** | **8.8** | **114** | **1** | **1** | **5** | **10** | **20** | **30** | **58** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 17 | 7.3 | 76 | 1 | 1 | 4 | 7 | 22 | 30 | 33 |
| 50-64 | 40 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 65+ | 32 | 5.4 | 27 | 1 | 2 | 4 | 6 | 8 | 10 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 11 | 3 | 3 | 4 | 7 | 10 | 10 | 10 |
| 20-34 | 26 | 4.3 | 7 | 1 | 1 | 4 | 5 | 7 | 10 | 12 |
| 35-49 | 78 | 4.6 | 28 | <1 | 1 | 3 | 5 | 9 | 16 | 30 |
| 50-64 | 201 | 5.9 | 55 | <1 | 1 | 3 | 7 | 16 | 22 | 37 |
| 65+ | 218 | 4.7 | 34 | <1 | 1 | 3 | 6 | 10 | 14 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 4.3 | 21 | 1 | 1 | 2 | 7 | 12 | 13 | 13 |
| 35-49 | 33 | 6.7 | 26 | <1 | 1 | 6 | 8 | 16 | 17 | 17 |
| 50-64 | 138 | 7.6 | 57 | 1 | 2 | 6 | 9 | 16 | 25 | 38 |
| 65+ | 121 | 7.3 | 46 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 18 | <1 | <1 | 4 | 10 | 10 | 10 | 10 |
| 20-34 | 12 | 11.0 | 74 | 1 | 2 | 8 | 16 | 25 | 28 | 29 |
| 35-49 | 63 | 11.8 | 223 | 1 | 2 | 6 | 18 | 27 | 55 | 97 |
| 50-64 | 295 | 11.2 | 178 | 1 | 2 | 6 | 14 | 27 | 42 | 71 |
| 65+ | 352 | 11.8 | 148 | 2 | 2 | 8 | 16 | 25 | 40 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 4.8 | 26 | 1 | 1 | 4 | 5 | 8 | 11 | 32 |
| B. *Operated* | 527 | 5.1 | 40 | <1 | 1 | 3 | 6 | 12 | 17 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 7.3 | 48 | 1 | 2 | 5 | 9 | 16 | 19 | 35 |
| B. *Operated* | 728 | 11.5 | 164 | 1 | 2 | 7 | 15 | 26 | 41 | 74 |
| **1. SINGLE DX** | 625 | 5.1 | 38 | <1 | 1 | 3 | 6 | 11 | 17 | 36 |
| **2. MULTIPLE DX** | 1028 | 10.3 | 134 | 1 | 2 | 6 | 13 | 23 | 32 | 69 |
| **A. NOT OPERATED** | 398 | 6.7 | 44 | 1 | 2 | 5 | 8 | 15 | 19 | 33 |
| **B. OPERATED** | 1255 | 8.8 | 122 | 1 | 1 | 5 | 11 | 22 | 30 | 67 |
| TOTAL 0-19 YRS | 17 | 3.9 | 10 | <1 | 1 | 3 | 5 | 10 | 10 | 10 |
| 20-34 | 48 | 5.9 | 33 | 1 | 1 | 4 | 7 | 13 | 18 | 29 |
| 35-49 | 191 | 7.6 | 104 | 1 | 1 | 4 | 8 | 20 | 26 | 74 |
| 50-64 | 674 | 8.4 | 113 | 1 | 1 | 5 | 11 | 20 | 29 | 60 |
| 65+ | 723 | 8.6 | 101 | 1 | 2 | 5 | 11 | 22 | 28 | 57 |
| **GRAND TOTAL** | **1653** | **8.3** | **104** | **1** | **1** | **5** | **10** | **20** | **28** | **58** |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 13 | 7.3 | 58 | 1 | 1 | 5 | 7 | 21 | 26 | 27 |
| 65+ | 25 | 5.9 | 18 | 1 | 2 | 5 | 8 | 12 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 24.8 | 1139 | 3 | 3 | 10 | 44 | 75 | 75 | 75 |
| 50-64 | 21 | 3.9 | 22 | <1 | <1 | 2 | 5 | 11 | 15 | 19 |
| 65+ | 39 | 10.4 | 144 | 1 | 2 | 6 | 13 | 21 | 31 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 25.0 | 251 | 14 | 14 | 19 | 35 | 48 | 48 | 48 |
| 50-64 | 62 | 8.2 | 49 | 1 | 2 | 6 | 10 | 17 | 21 | 36 |
| 65+ | 88 | 9.0 | 95 | 2 | 3 | 6 | 10 | 15 | 21 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 15.5 | 181 | 6 | 6 | 15 | 25 | 25 | 25 | 25 |
| 35-49 | 11 | 18.7 | 315 | 2 | 3 | 11 | 23 | 48 | 60 | 61 |
| 50-64 | 80 | 20.6 | 232 | 3 | 5 | 17 | 26 | 43 | 55 | 67 |
| 65+ | 144 | 14.6 | 141 | 2 | 3 | 12 | 20 | 29 | 39 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.4 | 30 | 1 | 1 | 5 | 8 | 14 | 18 | 27 |
| B. *Operated* | 66 | 9.0 | 169 | 1 | 1 | 5 | 11 | 21 | 29 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 9.1 | 85 | 2 | 3 | 6 | 10 | 16 | 23 | 50 |
| B. *Operated* | 237 | 16.8 | 185 | 2 | 3 | 14 | 23 | 35 | 45 | 65 |
| **1. SINGLE DX** | 105 | 8.0 | 118 | 1 | 1 | 5 | 9 | 19 | 23 | 69 |
| **2. MULTIPLE DX** | 392 | 13.8 | 160 | 2 | 3 | 10 | 18 | 29 | 40 | 62 |
| **A. NOT OPERATED** | 194 | 8.6 | 75 | 1 | 2 | 6 | 10 | 16 | 22 | 49 |
| **B. OPERATED** | 303 | 15.1 | 192 | 1 | 2 | 11 | 21 | 33 | 44 | 65 |
| TOTAL 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 10.3 | 97 | 5 | 5 | 6 | 15 | 25 | 25 | 25 |
| 35-49 | 20 | 20.7 | 404 | 2 | 3 | 13 | 23 | 54 | 68 | 75 |
| 50-64 | 176 | 13.3 | 175 | 1 | 2 | 8 | 19 | 29 | 42 | 64 |
| 65+ | 296 | 11.7 | 126 | 2 | 2 | 8 | 16 | 25 | 34 | 61 |
| **GRAND TOTAL** | **497** | **12.6** | **156** | **1** | **2** | **8** | **17** | **27** | **39** | **64** |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 4 | 3.8 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 35-49 | 16 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 50-64 | 15 | 4.9 | 52 | <1 | 1 | 2 | 5 | 17 | 24 | 26 |
| 65+ | 41 | 8.1 | 87 | 1 | 2 | 5 | 7 | 22 | 27 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 9.7 | 2 | 8 | 8 | 10 | 11 | 11 | 11 | 11 |
| 35-49 | 15 | 13.5 | 92 | 2 | 3 | 12 | 15 | 32 | 35 | 36 |
| 50-64 | 50 | 11.9 | 59 | 1 | 2 | 10 | 16 | 21 | 24 | 37 |
| 65+ | 96 | 12.4 | 130 | 2 | 3 | 10 | 15 | 19 | 23 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 21 | 5.1 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 14 |
| 50-64 | 71 | 7.6 | 63 | 1 | 2 | 4 | 10 | 16 | 28 | 37 |
| 65+ | 176 | 7.2 | 43 | 1 | 1 | 6 | 10 | 14 | 17 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 8 | 18.8 | 254 | 7 | 7 | 14 | 20 | 46 | 56 | 56 |
| 35-49 | 57 | 15.7 | 83 | 5 | 8 | 13 | 18 | 27 | 33 | 49 |
| 50-64 | 200 | 17.5 | 183 | 4 | 7 | 14 | 21 | 30 | 42 | 78 |
| 65+ | 453 | 18.4 | 183 | 4 | 6 | 15 | 23 | 35 | 47 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 6.3 | 63 | 1 | 1 | 4 | 6 | 18 | 28 | 41 |
| B. *Operated* | 164 | 12.3 | 102 | 2 | 3 | 10 | 15 | 21 | 25 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 269 | 7.1 | 46 | 1 | 1 | 5 | 10 | 15 | 17 | 36 |
| B. *Operated* | 719 | 17.9 | 175 | 4 | 7 | 15 | 22 | 33 | 46 | 79 |
| **1. SINGLE DX** | 241 | 10.4 | 97 | 1 | 2 | 9 | 13 | 20 | 25 | 58 |
| **2. MULTIPLE DX** | 988 | 15.0 | 163 | 2 | 3 | 12 | 19 | 29 | 39 | 75 |
| **A. NOT OPERATED** | 346 | 6.9 | 50 | 1 | 1 | 5 | 9 | 15 | 19 | 37 |
| **B. OPERATED** | 883 | 16.9 | 166 | 3 | 6 | 13 | 21 | 31 | 42 | 78 |
| TOTAL 0-19 YRS | 2 | 16.0 | 8 | 14 | 14 | 16 | 18 | 18 | 18 | 18 |
| 20-34 | 16 | 12.4 | 168 | 1 | 2 | 9 | 14 | 22 | 46 | 56 |
| 35-49 | 109 | 11.5 | 87 | 1 | 1 | 10 | 15 | 23 | 32 | 47 |
| 50-64 | 336 | 14.0 | 153 | 1 | 3 | 11 | 19 | 26 | 37 | 71 |
| 65+ | 766 | 14.5 | 162 | 2 | 3 | 11 | 19 | 29 | 39 | 77 |
| **GRAND TOTAL** | **1229** | **14.1** | **153** | **1** | **3** | **11** | **18** | **27** | **37** | **71** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 4 | 10.5 | 7 | 8 | 8 | 10 | 12 | 14 | 14 | 14 |
| 65+ | 4 | 20.3 | 124 | 10 | 10 | 17 | 27 | 36 | 36 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 4 | 8.3 | 73 | 1 | 1 | 6 | 14 | 20 | 20 | 20 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 9 | 7.9 | 23 | 3 | 3 | 7 | 11 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 35-49 | 7 | 9.9 | 6 | 7 | 7 | 10 | 11 | 13 | 14 | 14 |
| 50-64 | 31 | 15.3 | 175 | 4 | 7 | 10 | 15 | 34 | 50 | 60 |
| 65+ | 44 | 18.8 | 195 | 7 | 8 | 15 | 22 | 44 | 52 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | 9 | 14.3 | 83 | 6 | 7 | 11 | 17 | 29 | 36 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 7.5 | 30 | 1 | 3 | 5 | 11 | 16 | 19 | 20 |
| B. *Operated* | 83 | 16.7 | 174 | 6 | 8 | 12 | 20 | 32 | 48 | 64 |
| **1. SINGLE DX** | 11 | 12.5 | 84 | 2 | 4 | 10 | 15 | 26 | 35 | 36 |
| **2. MULTIPLE DX** | 98 | 15.3 | 162 | 3 | 5 | 11 | 19 | 25 | 47 | 64 |
| **A. NOT OPERATED** | 17 | 7.1 | 28 | 1 | 2 | 5 | 10 | 15 | 19 | 20 |
| **B. OPERATED** | 92 | 16.5 | 164 | 6 | 8 | 12 | 20 | 32 | 47 | 64 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.5 | 61 | 4 | 4 | 9 | 15 | 15 | 15 | 15 |
| 35-49 | 13 | 8.8 | 23 | 1 | 3 | 8 | 11 | 15 | 19 | 20 |
| 50-64 | 36 | 14.5 | 155 | 4 | 7 | 10 | 15 | 29 | 48 | 60 |
| 65+ | 58 | 16.9 | 177 | 3 | 5 | 13 | 21 | 33 | 47 | 65 |
| **GRAND TOTAL** | **109** | **15.0** | **154** | **3** | **5** | **11** | **17** | **25** | **46** | **64** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 21 | 4.2 | 5 | <1 | 1 | 4 | 6 | 7 | 8 | 9 |
| 65+ | 47 | 5.9 | 17 | 1 | 2 | 4 | 8 | 12 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 9.4 | 18 | <1 | 2 | 9 | 13 | 14 | 14 | 14 |
| 35-49 | 57 | 9.2 | 15 | 2 | 4 | 9 | 11 | 14 | 17 | 18 |
| 50-64 | 223 | 10.5 | 25 | 5 | 6 | 10 | 12 | 15 | 20 | 31 |
| 65+ | 414 | 12.0 | 30 | 5 | 8 | 11 | 14 | 18 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 10 | 3.6 | 14 | <1 | <1 | 2 | 5 | 9 | 13 | 13 |
| 35-49 | 28 | 8.5 | 53 | 1 | 2 | 5 | 13 | 19 | 23 | 28 |
| 50-64 | 146 | 7.0 | 56 | 1 | 1 | 5 | 9 | 14 | 23 | 36 |
| 65+ | 356 | 8.9 | 85 | 2 | 2 | 6 | 11 | 18 | 26 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 16.8 | 155 | 6 | 6 | 17 | 22 | 37 | 37 | 37 |
| 20-34 | 30 | 14.0 | 90 | 3 | 6 | 13 | 16 | 21 | 40 | 47 |
| 35-49 | 117 | 12.4 | 52 | 4 | 7 | 11 | 14 | 21 | 27 | 42 |
| 50-64 | 641 | 14.5 | 106 | 6 | 8 | 12 | 16 | 24 | 30 | 64 |
| 65+ | 1822 | 16.4 | 95 | 6 | 8 | 14 | 20 | 28 | 34 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 5.3 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 702 | 11.3 | 28 | 4 | 7 | 10 | 13 | 17 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 541 | 8.3 | 75 | 1 | 2 | 5 | 10 | 17 | 24 | 42 |
| B. *Operated* | 2615 | 15.7 | 97 | 6 | 8 | 13 | 19 | 27 | 33 | 59 |
| **1. SINGLE DX** | 772 | 10.7 | 30 | 2 | 5 | 10 | 13 | 16 | 20 | 33 |
| **2. MULTIPLE DX** | 3156 | 14.4 | 101 | 3 | 5 | 12 | 18 | 26 | 32 | 57 |
| **A. NOT OPERATED** | 611 | 7.9 | 69 | 1 | 2 | 5 | 10 | 16 | 23 | 40 |
| **B. OPERATED** | 3317 | 14.8 | 86 | 6 | 8 | 12 | 17 | 25 | 31 | 56 |
| TOTAL 0-19 YRS | 6 | 14.3 | 161 | 2 | 2 | 12 | 17 | 35 | 37 | 37 |
| 20-34 | [illegible] | 10.9 | 79 | <1 | 1 | 9 | 14 | 18 | 23 | 47 |
| 35-49 | [illegible] | 10.9 | 45 | 2 | 4 | 10 | 13 | 18 | 23 | 33 |
| 50-64 | 1031 | 12.3 | 88 | 2 | 4 | 10 | 14 | 22 | 26 | 56 |
| 65+ | 2639 | 14.5 | 91 | 3 | 5 | 12 | 18 | 26 | 32 | 55 |
| **GRAND TOTAL** | 3928 | 13.7 | 89 | 3 | 5 | 12 | 17 | 24 | 31 | 55 |

## 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 5.0 | 3 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 15 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 17 | 19 |
| 65+ | 31 | 4.1 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.0 | 13 | 8 | 8 | 10 | 14 | 15 | 15 | 15 |
| 20-34 | 10 | 10.7 | 118 | 1 | 1 | 9 | 10 | 26 | 40 | 40 |
| 35-49 | 46 | 9.8 | 25 | 2 | 3 | 10 | 13 | 16 | 17 | 25 |
| 50-64 | 182 | 11.0 | 37 | 2 | 3 | 11 | 14 | 17 | 23 | 32 |
| 65+ | 309 | 12.5 | 52 | 2 | 3 | 12 | 16 | 20 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 6.6 | 15 | 1 | 1 | 7 | 10 | 11 | 11 | 11 |
| 35-49 | 19 | 8.8 | 60 | <1 | 1 | 6 | 12 | 19 | 25 | 30 |
| 50-64 | 118 | 8.1 | 72 | 1 | 2 | 5 | 10 | 18 | 25 | 45 |
| 65+ | 275 | 8.3 | 66 | 2 | 2 | 6 | 10 | 17 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 19 | 12.5 | 59 | 2 | 4 | 11 | 14 | 27 | 30 | 30 |
| 35-49 | 88 | 15.7 | 83 | 5 | 6 | 13 | 20 | 29 | 31 | 48 |
| 50-64 | 463 | 15.2 | 78 | 5 | 7 | 13 | 18 | 26 | 31 | 53 |
| 65+ | 983 | 17.2 | 133 | 3 | 6 | 15 | 22 | 31 | 39 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 4.6 | 10 | 1 | 1 | 4 | 6 | 7 | 11 | 19 |
| B. *Operated* | 550 | 11.7 | 46 | 2 | 3 | 11 | 15 | 19 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 419 | 8.3 | 66 | 1 | 2 | 6 | 10 | 17 | 25 | 44 |
| B. *Operated* | 1555 | 16.4 | 114 | 4 | 6 | 14 | 20 | 30 | 36 | 61 |
| **1. SINGLE DX** | 602 | 11.1 | 47 | 2 | 3 | 11 | 15 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | 1974 | 14.7 | 115 | 2 | 4 | 13 | 19 | 28 | 34 | 57 |
| **A. NOT OPERATED** | 471 | 7.9 | 61 | 1 | 2 | 5 | 10 | 17 | 23 | 40 |
| **B. OPERATED** | 2105 | 15.2 | 101 | 3 | 5 | 13 | 19 | 27 | 33 | 56 |
| TOTAL 0-19 YRS | 5 | 9.0 | 27 | 1 | 1 | 10 | 12 | 15 | 15 | 15 |
| 20-34 | 36 | 10.9 | 68 | 1 | 2 | 10 | 13 | 22 | 30 | 40 |
| 35-49 | 159 | 12.7 | 71 | 2 | 4 | 11 | 17 | 25 | 30 | 42 |
| 50-64 | 778 | 13.0 | 75 | 2 | 3 | 12 | 16 | 23 | 29 | 48 |
| 65+ | 1598 | 14.5 | 117 | 2 | 3 | 13 | 18 | 27 | 34 | 58 |
| **GRAND TOTAL** | 2576 | 13.9 | 101 | 2 | 3 | 12 | 17 | 26 | 32 | 54 |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.4 | 8 | 2 | 2 | 5 | 6 | 10 | 10 | 10 |
| 35-49 | 12 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 10 | 10 |
| 50-64 | 10 | 4.4 | 14 | 1 | 1 | 3 | 8 | 10 | 11 | 11 |
| 65+ | 25 | 6.6 | 34 | 1 | 1 | 5 | 9 | 14 | 18 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 10.4 | 64 | 1 | 2 | 9 | 18 | 22 | 22 | 22 |
| 20-34 | 12 | 8.3 | 15 | 1 | 2 | 8 | 11 | 13 | 14 | 14 |
| 35-49 | 22 | 11.5 | 50 | 2 | 3 | 11 | 15 | 20 | 27 | 31 |
| 50-64 | 36 | 12.4 | 92 | 2 | 2 | 11 | 16 | 26 | 34 | 42 |
| 65+ | 44 | 12.0 | 103 | 1 | 2 | 9 | 14 | 26 | 32 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.0 | 20 | 1 | 1 | 3 | 7 | 12 | 15 | 16 |
| 20-34 | 7 | 5.0 | 5 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 14 | 4.9 | 9 | 1 | 1 | 5 | 5 | 7 | 12 | 14 |
| 50-64 | 65 | 8.0 | 34 | 1 | 2 | 6 | 11 | 17 | 20 | 24 |
| 65+ | 114 | 8.4 | 56 | 2 | 2 | 6 | 10 | 17 | 21 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 12.7 | 29 | 8 | 8 | 10 | 18 | 21 | 21 | 21 |
| 20-34 | 17 | 16.1 | 172 | 3 | 5 | 11 | 19 | 38 | 49 | 53 |
| 35-49 | 30 | 16.1 | 155 | 3 | 4 | 13 | 25 | 39 | 48 | 99+ |
| 50-64 | 135 | 17.1 | 262 | 2 | 3 | 12 | 19 | 35 | 57 | 78 |
| 65+ | 244 | 18.7 | 196 | 3 | 6 | 15 | 22 | 36 | 49 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 5.7 | 21 | 1 | 1 | 5 | 7 | 11 | 14 | 26 |
| B. *Operated* | 123 | 11.5 | 78 | 2 | 2 | 10 | 15 | 22 | 31 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 213 | 7.7 | 43 | 1 | 2 | 6 | 10 | 16 | 20 | 33 |
| B. *Operated* | 432 | 17.8 | 210 | 3 | 4 | 14 | 21 | 36 | 50 | 75 |
| **1. SINGLE DX** | 175 | 9.8 | 68 | 1 | 2 | 8 | 13 | 18 | 27 | 40 |
| **2. MULTIPLE DX** | 645 | 14.5 | 178 | 2 | 3 | 11 | 19 | 29 | 42 | 72 |
| **A. NOT OPERATED** | 265 | 7.3 | 40 | 1 | 2 | 5 | 10 | 15 | 20 | 28 |
| **B. OPERATED** | 555 | 16.4 | 188 | 2 | 3 | 13 | 20 | 32 | 48 | 74 |
| TOTAL 0-19 YRS | 28 | 8.4 | 44 | 1 | 2 | 7 | 11 | 20 | 21 | 22 |
| 20-34 | 41 | 10.6 | 98 | 2 | 3 | 9 | 12 | 19 | 32 | 53 |
| 35-49 | 78 | 11.1 | 97 | 2 | 3 | 7 | 15 | 27 | 35 | 85 |
| 50-64 | 246 | 13.5 | 184 | 1 | 2 | 10 | 17 | 26 | 40 | 72 |
| 65+ | 427 | 14.6 | 164 | 2 | 3 | 12 | 19 | 30 | 38 | 67 |
| **GRAND TOTAL** | **820** | **13.5** | **158** | **2** | **3** | **10** | **17** | **27** | **38** | **70** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 9.3 | 1 | 8 | 8 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 23 | 6.7 | 26 | 1 | 2 | 5 | 8 | 14 | 18 | 21 |
| 65+ | 48 | 6.6 | 44 | 1 | 1 | 5 | 8 | 15 | 24 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 1 | 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 10 | 12.0 | 68 | 1 | 3 | 9 | 18 | 24 | 26 | 26 |
| 50-64 | 33 | 11.2 | 57 | 1 | 2 | 9 | 15 | 22 | 26 | 33 |
| 65+ | 55 | 14.1 | 169 | 1 | 2 | 11 | 17 | 28 | 45 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 6 | 7.7 | 93 | 1 | 1 | 4 | 7 | 25 | 27 | 27 |
| 35-49 | 31 | 5.9 | 52 | 1 | 2 | 4 | 6 | 10 | 15 | 41 |
| 50-64 | 129 | 7.1 | 76 | 1 | 2 | 5 | 8 | 14 | 20 | 46 |
| 65+ | 231 | 9.1 | 84 | 1 | 1 | 7 | 12 | 20 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 15.8 | 97 | 3 | 3 | 16 | 22 | 27 | 27 | 27 |
| 35-49 | 42 | 17.7 | 193 | 3 | 5 | 14 | 22 | 32 | 56 | 62 |
| 50-64 | 206 | 17.4 | 138 | 5 | 7 | 15 | 22 | 32 | 42 | 94 |
| 55+ | 407 | 18.9 | 135 | 5 | 8 | 16 | 24 | 33 | 44 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 6.7 | 37 | 1 | 1 | 5 | 8 | 14 | 20 | 28 |
| B. *Operated* | 100 | 12.9 | 119 | 1 | 2 | 10 | 16 | 25 | 31 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 399 | 8.1 | 79 | 1 | 2 | 5 | 10 | 17 | 23 | 39 |
| B. *Operated* | 659 | 18.3 | 139 | 5 | 7 | 16 | 23 | 33 | 44 | 67 |
| **1. SINGLE DX** | 174 | 10.3 | 93 | 1 | 1 | 8 | 14 | 22 | 28 | 54 |
| **2. MULTIPLE DX** | 1058 | 14.5 | 141 | 2 | 3 | 12 | 20 | 29 | 38 | 64 |
| **A. NOT OPERATED** | 473 | 7.9 | 73 | 1 | 1 | 5 | 10 | 17 | 22 | 37 |
| **B. OPERATED** | 759 | 17.6 | 140 | 4 | 7 | 15 | 22 | 32 | 43 | 67 |
| TOTAL 0-19 YRS | 4 | 10.3 | 10 | 6 | 6 | 11 | 12 | 13 | 13 | 13 |
| 20-34 | 10 | 10.9 | 102 | 1 | 2 | 6 | 17 | 27 | 27 | 27 |
| 35-49 | 86 | 12.5 | 149 | 2 | 2 | 9 | 16 | 27 | 37 | 61 |
| 50-64 | 391 | 12.8 | 128 | 2 | 3 | 10 | 17 | 26 | 35 | 73 |
| 65+ | 741 | 14.7 | 139 | 1 | 3 | 12 | 20 | 29 | 38 | 63 |
| **GRAND TOTAL** | **1232** | **13.9** | **136** | **1** | **3** | **11** | **19** | **28** | **37** | **63** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 30 | 5.7 | 30 | 1 | 1 | 3 | 8 | 12 | 21 | 22 |
| 50-64 | 136 | 5.4 | 28 | 1 | 1 | 4 | 7 | 11 | 16 | 27 |
| 65+ | 176 | 5.6 | 27 | 1 | 1 | 4 | 8 | 13 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 8.8 | 25 | 1 | 2 | 8 | 12 | 16 | 17 | 17 |
| 35-49 | 100 | 8.5 | 50 | 1 | 1 | 8 | 11 | 16 | 22 | 39 |
| 50-64 | 482 | 8.3 | 52 | 1 | 1 | 7 | 11 | 16 | 20 | 35 |
| 65+ | 501 | 8.3 | 52 | 1 | 1 | 7 | 12 | 17 | 22 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.5 | 70 | 1 | 1 | 2 | 10 | 18 | 18 | 18 |
| 20-34 | 10 | 7.7 | 59 | 2 | 2 | 5 | 6 | 22 | 22 | 22 |
| 35-49 | 170 | 7.9 | 66 | 1 | 2 | 5 | 10 | 18 | 21 | 42 |
| 50-64 | 888 | 8.1 | 62 | 1 | 2 | 6 | 10 | 18 | 25 | 38 |
| 65+ | 1444 | 9.1 | 73 | 1 | 2 | 7 | 11 | 19 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 8 | 3 | 3 | 3 | 7 | 8 | 8 | 8 |
| 20-34 | 18 | 16.4 | 420 | 3 | 5 | 11 | 16 | 24 | 67 | 95 |
| 35-49 | 305 | 11.6 | 90 | 2 | 2 | 9 | 16 | 25 | 32 | 46 |
| 50-64 | 1433 | 11.7 | 100 | 2 | 3 | 9 | 15 | 23 | 31 | 51 |
| 65+ | 1853 | 12.8 | 109 | 2 | 3 | 10 | 17 | 25 | 31 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 343 | 5.5 | 28 | 1 | 1 | 4 | 8 | 12 | 16 | 25 |
| B. *Operated* | 1095 | 8.3 | 52 | 1 | 1 | 7 | 11 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2516 | 8.7 | 69 | 1 | 2 | 6 | 11 | 18 | 25 | 43 |
| B. *Operated* | 3612 | 12.3 | 106 | 2 | 3 | 10 | 16 | 24 | 31 | 51 |
| **1. SINGLE DX** | 1438 | 7.6 | 47 | 1 | 1 | 6 | 11 | 16 | 20 | 32 |
| **2. MULTIPLE DX** | 6128 | 10.8 | 94 | 1 | 2 | 8 | 14 | 23 | 29 | 46 |
| **A. NOT OPERATED** | 2859 | 8.3 | 65 | 1 | 2 | 6 | 10 | 18 | 24 | 41 |
| **B. OPERATED** | 4707 | 11.4 | 96 | 1 | 2 | 9 | 15 | 23 | 30 | 47 |
| TOTAL 0-19 YRS | 7 | 5.1 | 38 | 1 | 1 | 3 | 7 | 16 | 18 | 18 |
| 20-34 | 41 | 11.7 | 217 | 2 | 2 | 9 | 16 | 22 | 23 | 95 |
| 35-49 | 605 | 9.8 | 77 | 1 | 2 | 8 | 13 | 20 | 27 | 44 |
| 50-64 | 2939 | 9.8 | 81 | 1 | 2 | 8 | 13 | 20 | 27 | 44 |
| 65+ | 3974 | 10.6 | 90 | 1 | 2 | 8 | 14 | 22 | 29 | 46 |
| **GRAND TOTAL** | **7566** | **10.2** | **86** | **1** | **2** | **8** | **13** | **22** | **28** | **45** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 9.8 | 33 | 3 | 3 | 10 | 14 | 15 | 15 | 15 |
| 50-64 | 19 | 7.1 | 76 | <1 | <1 | 2 | 8 | 22 | 28 | 32 |
| 65+ | 16 | 7.1 | 60 | <1 | 1 | 4 | 10 | 13 | 26 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 12 | <1 | <1 | 1 | 4 | 8 | 8 | 8 |
| 20-34 | 13 | 6.4 | 16 | 1 | 2 | 5 | 9 | 12 | 14 | 14 |
| 35-49 | 39 | 6.3 | 45 | <1 | <1 | 2 | 10 | 17 | 21 | 25 |
| 50-64 | 179 | 6.0 | 77 | <1 | <1 | 2 | 9 | 14 | 18 | 30 |
| 65+ | 173 | 5.5 | 46 | <1 | 1 | 2 | 8 | 14 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 6 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 8 | 5.5 | 26 | <1 | <1 | 4 | 6 | 14 | 17 | 17 |
| 50-64 | 28 | 8.1 | 48 | 1 | 1 | 6 | 13 | 18 | 21 | 25 |
| 65+ | 67 | 9.6 | 97 | 1 | 2 | 6 | 12 | 23 | 29 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 24.6 | 920 | 3 | 3 | 13 | 33 | 78 | 78 | 78 |
| 20-34 | 9 | 13.7 | 118 | <1 | 1 | 10 | 26 | 28 | 28 | 28 |
| 35-49 | 28 | 13.1 | 186 | 1 | 2 | 11 | 18 | 22 | 35 | 70 |
| 50-64 | 162 | 11.2 | 115 | 1 | 1 | 8 | 16 | 27 | 36 | 57 |
| 65+ | 214 | 11.3 | 122 | 1 | 2 | 8 | 16 | 26 | 35 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 7.4 | 63 | <1 | <1 | 5 | 11 | 17 | 28 | 32 |
| B. *Operated* | 408 | 5.8 | 58 | <1 | 1 | 2 | 9 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 8.5 | 75 | 1 | 1 | 6 | 12 | 21 | 24 | 47 |
| B. *Operated* | 418 | 11.6 | 132 | 1 | 1 | 9 | 16 | 27 | 35 | 59 |
| **1. SINGLE DX** | 447 | 5.9 | 58 | <1 | 1 | 2 | 9 | 15 | 19 | 31 |
| **2. MULTIPLE DX** | 528 | 10.9 | 122 | 1 | 1 | 8 | 15 | 26 | 33 | 54 |
| **A. NOT OPERATED** | 149 | 8.2 | 72 | 1 | 1 | 6 | 12 | 20 | 24 | 43 |
| **B. OPERATED** | 826 | 8.7 | 104 | <1 | 1 | 5 | 12 | 22 | 28 | 45 |
| TOTAL 0-19 YRS | 10 | 13.8 | 543 | <1 | <1 | 6 | 13 | 48 | 78 | 78 |
| 20-34 | 28 | 8.1 | 59 | 1 | 1 | 5 | 10 | 23 | 27 | 28 |
| 35-49 | 79 | 8.8 | 101 | <1 | 1 | 5 | 13 | 19 | 24 | 59 |
| 50-64 | 388 | 8.4 | 96 | <1 | 1 | 5 | 12 | 21 | 28 | 43 |
| 65+ | 470 | 8.8 | 95 | 1 | 1 | 5 | 12 | 22 | 29 | 44 |
| **GRAND TOTAL** | **975** | **8.7** | **99** | **<1** | **1** | **5** | **12** | **22** | **28** | **44** |

### 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.5 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 20-34 | 10 | 3.1 | 3 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 8 | 3.5 | 8 | 1 | 1 | 2 | 6 | 7 | 8 | 8 |
| 50-64 | 9 | 6.6 | 12 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| 65+ | 7 | 5.7 | 20 | 1 | 1 | 5 | 6 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 7.4 | 50 | 1 | 1 | 5 | 10 | 16 | 27 | 29 |
| 20-34 | 46 | 5.8 | 17 | 2 | 2 | 5 | 7 | 10 | 14 | 21 |
| 35-49 | 49 | 6.4 | 63 | 1 | 1 | 5 | 8 | 10 | 15 | 53 |
| 50-64 | 65 | 8.5 | 88 | 1 | 1 | 6 | 11 | 17 | 26 | 55 |
| 65+ | 83 | 9.4 | 186 | 1 | 1 | 5 | 11 | 18 | 32 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.2 | 7 | 1 | 1 | 2 | 5 | 7 | 8 | 10 |
| 20-34 | 33 | 6.0 | 23 | 1 | 1 | 4 | 8 | 13 | 17 | 20 |
| 35-49 | 13 | 3.1 | 9 | 1 | 1 | 2 | 4 | 7 | 11 | 12 |
| 50-64 | 34 | 8.8 | 75 | 1 | 2 | 6 | 12 | 15 | 24 | 46 |
| 65+ | 44 | 7.7 | 53 | 1 | 2 | 6 | 9 | 15 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 9.7 | 80 | 1 | 2 | 7 | 15 | 20 | 23 | 43 |
| 20-34 | 32 | 12.4 | 160 | 1 | 2 | 9 | 13 | 33 | 42 | 52 |
| 35-49 | 33 | 11.2 | 80 | 2 | 3 | 10 | 15 | 22 | 30 | 39 |
| 50-64 | 60 | 14.7 | 219 | 1 | 2 | 10 | 19 | 30 | 42 | 82 |
| 65+ | 115 | 13.4 | 174 | 1 | 2 | 11 | 18 | 30 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 288 | 7.8 | 95 | 1 | 1 | 5 | 9 | 16 | 21 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 6.2 | 42 | 1 | 1 | 5 | 8 | 13 | 17 | 36 |
| B. *Operated* | 271 | 12.9 | 160 | 1 | 2 | 9 | 17 | 29 | 39 | 82 |
| **1. SINGLE DX** | 339 | 7.2 | 84 | 1 | 1 | 5 | 9 | 15 | 20 | 60 |
| **2. MULTIPLE DX** | 428 | 10.4 | 127 | 1 | 2 | 7 | 13 | 24 | 33 | 68 |
| **A. NOT OPERATED** | 208 | 5.7 | 35 | 1 | 1 | 4 | 7 | 12 | 15 | 33 |
| **B. OPERATED** | 559 | 10.3 | 133 | 1 | 2 | 7 | 13 | 23 | 31 | 70 |
| TOTAL 0-19 YRS | 126 | 6.2 | 47 | 1 | 1 | 4 | 8 | 15 | 20 | 32 |
| 20-34 | 121 | 7.4 | 64 | 1 | 2 | 5 | 9 | 14 | 20 | 46 |
| 35-49 | 103 | 7.3 | 65 | 1 | 1 | 5 | 10 | 15 | 21 | 46 |
| 50-64 | 168 | 10.7 | 136 | 1 | 2 | 7 | 14 | 26 | 30 | 59 |
| 65+ | 249 | 10.8 | 157 | 1 | 2 | 7 | 13 | 24 | 37 | 81 |
| **GRAND TOTAL** | **767** | **9.0** | **111** | **1** | **1** | **6** | **11** | **19** | **29** | **63** |

### 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 4.3 | 16 | 2 | 2 | 2 | 7 | 9 | 9 | 9 |
| 35-49 | 3 | 4.7 | 1 | 4 | 4 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | 7 | 8.9 | 157 | 1 | 1 | 4 | 10 | 31 | 36 | 36 |
| 65+ | 10 | 4.7 | 39 | 1 | 1 | 3 | 3 | 14 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 16 | <1 | <1 | 3 | 9 | 10 | 10 | 10 |
| 20-34 | 96 | 4.0 | 8 | <1 | 1 | 3 | 6 | 7 | 9 | 14 |
| 35-49 | 116 | 4.7 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 15 |
| 50-64 | 112 | 4.6 | 20 | <1 | 1 | 3 | 6 | 9 | 13 | 27 |
| 65+ | 85 | 5.3 | 17 | 1 | 1 | 4 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 7.4 | 16 | 1 | 2 | 8 | 11 | 12 | 12 | 12 |
| 35-49 | 20 | 4.2 | 16 | <1 | 1 | 2 | 6 | 11 | 13 | 13 |
| 50-64 | 22 | 7.6 | 145 | 1 | 2 | 4 | 6 | 14 | 35 | 58 |
| 65+ | 20 | 7.4 | 35 | 2 | 2 | 5 | 10 | 17 | 20 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 44 | 6.0 | 34 | 1 | 1 | 4 | 8 | 12 | 20 | 30 |
| 35-49 | 68 | 7.1 | 36 | 1 | 2 | 6 | 9 | 14 | 21 | 29 |
| 50-64 | 72 | 7.6 | 60 | 1 | 2 | 5 | 10 | 15 | 23 | 42 |
| 65+ | 87 | 8.7 | 55 | 2 | 2 | 6 | 12 | 19 | 28 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 5.9 | 64 | 1 | 2 | 3 | 6 | 14 | 27 | 36 |
| B. *Operated* | 415 | 4.7 | 14 | 1 | 1 | 4 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 6.6 | 60 | 1 | 1 | 4 | 8 | 12 | 18 | 50 |
| B. *Operated* | 271 | 7.6 | 49 | 1 | 2 | 5 | 9 | 16 | 23 | 34 |
| **1. SINGLE DX** | 438 | 4.7 | 16 | 1 | 1 | 4 | 7 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | 345 | 7.4 | 51 | 1 | 2 | 5 | 9 | 15 | 22 | 35 |
| **A. NOT OPERATED** | 97 | 6.4 | 60 | 1 | 1 | 4 | 8 | 12 | 19 | 48 |
| **B. OPERATED** | 686 | 5.8 | 29 | 1 | 1 | 4 | 8 | 11 | 16 | 30 |
| TOTAL 0-19 YRS | 6 | 4.7 | 16 | <1 | <1 | 3 | 9 | 10 | 10 | 10 |
| 20-34 | 155 | 4.9 | 17 | <1 | 1 | 4 | 7 | 10 | 12 | 21 |
| 35-49 | 207 | 5.4 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 27 |
| 50-64 | 213 | 6.1 | 52 | 1 | 1 | 4 | 7 | 13 | 20 | 39 |
| 65+ | 202 | 7.0 | 38 | 1 | 2 | 5 | 9 | 15 | 21 | 33 |
| **GRAND TOTAL** | **783** | **5.9** | **33** | **1** | **1** | **4** | **8** | **12** | **16** | **30** |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 10.0 | 144 | 4 | 4 | 4 | 16 | 28 | 28 | 28 |
| 65+ | 10 | 6.6 | 55 | <1 | <1 | 4 | 8 | 20 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 35 | 3.6 | 20 | <1 | <1 | 2 | 5 | 7 | 16 | 18 |
| 35-49 | 116 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 14 |
| 50-64 | 235 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 7 | 9 |
| 65+ | 402 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 3 | 3.3 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 14 | 4.4 | 15 | <1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 19 | 6.6 | 56 | <1 | 1 | 3 | 9 | 21 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 20 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 49 | 4.6 | 92 | <1 | <1 | 2 | 4 | 9 | 15 | 64 |
| 50-64 | 150 | 3.8 | 28 | <1 | <1 | 2 | 4 | 7 | 10 | 28 |
| 65+ | 386 | 5.7 | 68 | <1 | 1 | 3 | 7 | 11 | 20 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 6.9 | 68 | <1 | <1 | 4 | 6 | 21 | 26 | 28 |
| B. *Operated* | 790 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 5.5 | 34 | <1 | 1 | 3 | 7 | 11 | 21 | 25 |
| B. *Operated* | 609 | 5.0 | 58 | <1 | 1 | 3 | 5 | 10 | 19 | 42 |
| **1. SINGLE DX** | 806 | 2.6 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| **2. MULTIPLE DX** | 647 | 5.1 | 57 | <1 | 1 | 3 | 5 | 10 | 19 | 41 |
| **A. NOT OPERATED** | 54 | 5.9 | 44 | <1 | <1 | 4 | 7 | 18 | 23 | 28 |
| **B. OPERATED** | 1399 | 3.6 | 31 | <1 | <1 | 2 | 4 | 8 | 11 | 27 |
| TOTAL 0-19 YRS | 7 | 3.4 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 20-34 | 56 | 3.4 | 14 | <1 | <1 | 2 | 4 | 6 | 13 | 18 |
| 35-49 | 170 | 3.0 | 31 | <1 | <1 | 2 | 3 | 5 | 9 | 22 |
| 50-64 | 403 | 3.0 | 16 | <1 | <1 | 2 | 3 | 6 | 9 | 24 |
| 65+ | 817 | 4.2 | 40 | <1 | <1 | 2 | 4 | 9 | 13 | 31 |
| **GRAND TOTAL** | **1453** | **3.7** | **31** | **<1** | **<1** | **2** | **4** | **8** | **11** | **27** |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 18 | 3.9 | 21 | <1 | 1 | 3 | 4 | 6 | 15 | 21 |
| 50-64 | 37 | 4.6 | 42 | <1 | 1 | 2 | 4 | 12 | 24 | 26 |
| 65+ | 48 | 5.3 | 20 | 1 | 1 | 4 | 7 | 14 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 133 | 4.8 | 7 | <1 | <1 | 5 | 7 | 8 | 9 | 10 |
| 35-49 | 635 | 5.3 | 10 | <1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 925 | 5.7 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 14 |
| 65+ | 917 | 6.5 | 15 | 1 | 2 | 6 | 8 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.7 | 176 | 5 | 5 | 5 | 22 | 28 | 28 | 28 |
| 20-34 | 22 | 4.6 | 12 | 2 | 2 | 3 | 6 | 11 | 13 | 14 |
| 35-49 | 123 | 7.5 | 62 | 1 | 1 | 5 | 9 | 16 | 29 | 39 |
| 50-64 | 324 | 7.7 | 67 | 1 | 1 | 5 | 10 | 17 | 20 | 43 |
| 65+ | 393 | 9.3 | 78 | 1 | 2 | 7 | 12 | 19 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 93 | 7.8 | 59 | 1 | 2 | 6 | 8 | 15 | 27 | 42 |
| 35-49 | 563 | 6.8 | 33 | 1 | 2 | 6 | 8 | 11 | 14 | 31 |
| 50-64 | 1150 | 7.5 | 38 | 2 | 3 | 6 | 9 | 12 | 16 | 39 |
| 65+ | 1435 | 8.9 | 49 | 2 | 4 | 7 | 10 | 15 | 21 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 4.7 | 27 | <1 | 1 | 3 | 6 | 11 | 17 | 25 |
| B. *Operated* | 2612 | 5.8 | 11 | 1 | 2 | 6 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 865 | 8.3 | 71 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |
| B. *Operated* | 3242 | 8.0 | 43 | 2 | 3 | 7 | 9 | 14 | 18 | 38 |
| **1. SINGLE DX** | 2718 | 5.8 | 12 | 1 | 2 | 6 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 4107 | 8.1 | 49 | 1 | 2 | 7 | 9 | 15 | 20 | 39 |
| **A. NOT OPERATED** | 971 | 7.9 | 68 | 1 | 1 | 5 | 10 | 17 | 23 | 41 |
| **B. OPERATED** | 5854 | 7.0 | 30 | 1 | 2 | 6 | 8 | 11 | 15 | 30 |
| TOTAL 0-19 YRS | 6 | 8.5 | 98 | 2 | 2 | 5 | 9 | 26 | 28 | 28 |
| 20-34 | 251 | 5.9 | 29 | <1 | 1 | 5 | 7 | 9 | 12 | 34 |
| 35-49 | 1339 | 6.1 | 25 | 1 | 2 | 5 | 7 | 10 | 13 | 28 |
| 50-64 | 2436 | 6.8 | 31 | 1 | 2 | 6 | 8 | 11 | 15 | 31 |
| 65+ | 2793 | 8.1 | 43 | 2 | 3 | 7 | 9 | 14 | 19 | 35 |
| **GRAND TOTAL** | **6825** | **7.2** | **36** | **1** | **2** | **6** | **8** | **12** | **16** | **32** |

### 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 19 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 35-49 | 43 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | 40 | 3.1 | 5 | 1 | 1 | 3 | 4 | 4 | 5 | 15 |
| 65+ | 34 | 4.7 | 26 | 1 | 2 | 3 | 5 | 8 | 9 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 92 | 4.1 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 13 |
| 35-49 | 88 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 50-64 | 79 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 65+ | 67 | 4.4 | 14 | 1 | 1 | 3 | 5 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 2.8 | 9 | <1 | <1 | 2 | 3 | 9 | 11 | 11 |
| 35-49 | 35 | 7.0 | 54 | 1 | 1 | 5 | 9 | 17 | 20 | 36 |
| 50-64 | 48 | 5.0 | 26 | 1 | 1 | 4 | 5 | 12 | 19 | 99+ |
| 65+ | 71 | 7.9 | 93 | 1 | 2 | 5 | 9 | 19 | 29 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 67 | 6.4 | 30 | <1 | 1 | 5 | 8 | 15 | 20 | 24 |
| 35-49 | 113 | 9.8 | 85 | 1 | 2 | 7 | 12 | 21 | 28 | 51 |
| 50-64 | 89 | 10.4 | 84 | 1 | 2 | 7 | 14 | 21 | 29 | 42 |
| 65+ | 88 | 9.6 | 143 | 1 | 2 | 6 | 11 | 22 | 45 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 3.5 | 9 | 1 | 2 | 3 | 4 | 5 | 7 | 17 |
| B. *Operated* | 328 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 6.5 | 61 | 1 | 1 | 4 | 7 | 16 | 22 | 57 |
| B. *Operated* | 358 | 9.2 | 90 | 1 | 2 | 6 | 12 | 20 | 27 | 49 |
| **1. SINGLE DX** | 465 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 525 | 8.4 | 82 | 1 | 1 | 6 | 10 | 19 | 26 | 50 |
| **A. NOT OPERATED** | 304 | 5.1 | 39 | 1 | 1 | 3 | 5 | 10 | 18 | 35 |
| **B. OPERATED** | 686 | 7.0 | 60 | 1 | 1 | 5 | 9 | 14 | 21 | 44 |
| TOTAL 0-19 YRS | 4 | 5.8 | 12 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| 20-34 | 191 | 4.7 | 18 | <1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 35-49 | 279 | 6.9 | 55 | 1 | 1 | 5 | 8 | 14 | 21 | 40 |
| 50-64 | 256 | 6.4 | 48 | 1 | 1 | 4 | 8 | 15 | 21 | 42 |
| 65+ | 260 | 7.1 | 85 | 1 | 2 | 4 | 8 | 15 | 25 | 55 |
| **GRAND TOTAL** | **990** | **6.4** | **54** | **1** | **1** | **4** | **8** | **14** | **20** | **42** |

### 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 48 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 65+ | 56 | 6.6 | 108 | 1 | 2 | 4 | 5 | 15 | 26 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 5.5 | 11 | 1 | 2 | 5 | 6 | 9 | 13 | 14 |
| 35-49 | 70 | 5.0 | 8 | <1 | <1 | 5 | 6 | 9 | 10 | 12 |
| 50-64 | 301 | 5.3 | 9 | <1 | 1 | 6 | 7 | 8 | 10 | 14 |
| 65+ | 324 | 5.6 | 35 | <1 | 1 | 6 | 7 | 9 | 12 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 17 | 4.1 | 10 | 1 | 1 | 4 | 4 | 6 | 12 | 15 |
| 50-64 | 71 | 4.5 | 30 | 1 | 1 | 3 | 4 | 8 | 15 | 31 |
| 65+ | 96 | 7.7 | 51 | 1 | 1 | 6 | 10 | 20 | 25 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 15 | 4.7 | 7 | <1 | <1 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 118 | 7.1 | 19 | 1 | 3 | 6 | 8 | 11 | 15 | 28 |
| 50-64 | 554 | 7.1 | 30 | 1 | 2 | 6 | 8 | 11 | 15 | 31 |
| 65+ | 638 | 8.4 | 39 | 1 | 2 | 7 | 10 | 15 | 18 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 4.9 | 59 | 1 | 2 | 3 | 4 | 7 | 15 | 53 |
| B. *Operated* | 708 | 5.4 | 20 | <1 | 1 | 6 | 7 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 187 | 6.1 | 41 | 1 | 1 | 4 | 7 | 15 | 21 | 34 |
| B. *Operated* | 1327 | 7.7 | 34 | 1 | 2 | 7 | 9 | 13 | 17 | 33 |
| **1. SINGLE DX** | 817 | 5.4 | 26 | <1 | 1 | 5 | 7 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | 1514 | 7.5 | 35 | 1 | 2 | 7 | 9 | 13 | 17 | 33 |
| **A. NOT OPERATED** | 296 | 5.7 | 48 | 1 | 1 | 4 | 6 | 13 | 21 | 45 |
| **B. OPERATED** | 2035 | 6.9 | 30 | <1 | 1 | 6 | 8 | 12 | 15 | 28 |
| TOTAL 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 34 | 4.7 | 8 | <1 | 1 | 5 | 6 | 8 | 8 | 14 |
| 35-49 | 207 | 6.1 | 15 | <1 | 1 | 6 | 7 | 10 | 12 | 24 |
| 50-64 | 974 | 6.2 | 24 | <1 | 1 | 6 | 7 | 10 | 13 | 25 |
| 65+ | 1114 | 7.5 | 43 | 1 | 1 | 7 | 9 | 14 | 18 | 36 |
| **GRAND TOTAL** | **2331** | **6.8** | **33** | **1** | **1** | **6** | **8** | **12** | **15** | **31** |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 7 | 4 | 4 | 5 | 8 | 10 | 10 | 10 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 37 | 2.2 | 3 | 1 | 1 | 2 | 3 | 6 | 6 | 7 |
| 50-64 | 107 | 2.6 | 12 | <1 | 1 | 2 | 3 | 5 | 6 | 21 |
| 65+ | 88 | 2.5 | 6 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 31 | 3 | 3 | 7 | 12 | 14 | 14 | 14 |
| 20-34 | 23 | 6.3 | 4 | 3 | 4 | 6 | 7 | 9 | 10 | 10 |
| 35-49 | 29 | 7.5 | 9 | 2 | 3 | 7 | 9 | 11 | 12 | 15 |
| 50-64 | 56 | 8.7 | 11 | 4 | 5 | 8 | 11 | 13 | 16 | 18 |
| 65+ | 32 | 12.1 | 104 | 2 | 3 | 8 | 13 | 29 | 35 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 20 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 90 | 4.0 | 45 | 1 | 1 | 2 | 4 | 9 | 13 | 42 |
| 50-64 | 211 | 4.7 | 41 | 1 | 1 | 2 | 5 | 11 | 17 | 32 |
| 65+ | 208 | 6.0 | 67 | 1 | 1 | 3 | 8 | 12 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.0 | 2 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 39 | 6.8 | 4 | 4 | 5 | 6 | 8 | 10 | 11 | 13 |
| 35-49 | 119 | 10.2 | 36 | 5 | 5 | 8 | 12 | 19 | 23 | 33 |
| 50-64 | 270 | 12.3 | 98 | 5 | 5 | 9 | 14 | 23 | 30 | 56 |
| 65+ | 289 | 15.9 | 127 | 5 | 7 | 14 | 18 | 30 | 38 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 237 | 2.5 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 143 | 8.8 | 34 | 2 | 4 | 7 | 10 | 13 | 18 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 531 | 5.0 | 51 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| B. *Operated* | 725 | 13.1 | 100 | 5 | 5 | 10 | 16 | 24 | 31 | 58 |
| **1. SINGLE DX** | 380 | 4.9 | 27 | 1 | 1 | 3 | 7 | 10 | 13 | 29 |
| **2. MULTIPLE DX** | 1256 | 9.7 | 95 | 1 | 1 | 7 | 12 | 20 | 28 | 50 |
| **A. NOT OPERATED** | 768 | 4.3 | 39 | 1 | 1 | 2 | 5 | 9 | 14 | 30 |
| **B. OPERATED** | 868 | 12.4 | 92 | 5 | 5 | 9 | 15 | 23 | 30 | 55 |
| TOTAL 0-19 YRS | 17 | 6.4 | 9 | 2 | 3 | 6 | 8 | 10 | 13 | 14 |
| 20-34 | 83 | 5.8 | 6 | 1 | 2 | 6 | 7 | 9 | 10 | 12 |
| 35-49 | 275 | 6.8 | 42 | 1 | 1 | 6 | 9 | 13 | 19 | 29 |
| 50-64 | 644 | 7.9 | 73 | 1 | 1 | 6 | 10 | 16 | 24 | 44 |
| 65+ | 617 | 10.5 | 118 | 1 | 1 | 8 | 14 | 23 | 30 | 57 |
| **GRAND TOTAL** | **1636** | **8.6** | **83** | **1** | **1** | **7** | **11** | **18** | **26** | **45** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 65+ | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 18.0 | 277 | 2 | 2 | 15 | 30 | 40 | 40 | 40 |
| 35-49 | 11 | 7.2 | 43 | <1 | <1 | 6 | 9 | 19 | 19 | 19 |
| 50-64 | 16 | 12.6 | 80 | 1 | 3 | 11 | 16 | 29 | 30 | 30 |
| 65+ | 41 | 5.4 | 64 | 1 | 2 | 3 | 6 | 10 | 13 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 4.3 | 16 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 35-49 | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 8 | 6.4 | 16 | 3 | 3 | 5 | 9 | 13 | 14 | 14 |
| 65+ | 27 | 7.1 | 65 | 1 | 1 | 5 | 8 | 16 | 24 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 8.9 | 32 | 2 | 4 | 7 | 10 | 18 | 22 | 22 |
| 35-49 | 13 | 13.2 | 203 | 2 | 2 | 8 | 13 | 34 | 49 | 52 |
| 50-64 | 48 | 7.8 | 44 | 1 | 2 | 6 | 10 | 13 | 19 | 39 |
| 65+ | 74 | 12.8 | 153 | 1 | 2 | 10 | 17 | 28 | 37 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.4 | 8 | <1 | <1 | 3 | 4 | 8 | 10 | 10 |
| B. *Operated* | 73 | 7.9 | 84 | 1 | 1 | 5 | 10 | 19 | 28 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 6.4 | 44 | 1 | 1 | 5 | 8 | 14 | 17 | 39 |
| B. *Operated* | 144 | 10.9 | 117 | 2 | 2 | 8 | 13 | 24 | 30 | 53 |
| **1. SINGLE DX** | 83 | 7.3 | 77 | 1 | 1 | 4 | 9 | 17 | 26 | 47 |
| **2. MULTIPLE DX** | 188 | 9.9 | 103 | 1 | 2 | 7 | 11 | 21 | 29 | 49 |
| **A. NOT OPERATED** | 54 | 5.9 | 39 | 1 | 1 | 4 | 7 | 11 | 16 | 38 |
| **B. OPERATED** | 217 | 9.9 | 108 | 1 | 2 | 7 | 12 | 22 | 29 | 51 |
| TOTAL 0-19 YRS | 3 | 4.0 | 7 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 18 | 9.5 | 94 | 1 | 2 | 7 | 10 | 22 | 33 | 40 |
| 35-49 | 29 | 9.2 | 117 | <1 | 1 | 6 | 9 | 23 | 30 | 52 |
| 50-64 | 75 | 8.5 | 51 | 1 | 2 | 7 | 11 | 16 | 25 | 37 |
| 65+ | 146 | 9.4 | 119 | 1 | 2 | 6 | 11 | 21 | 30 | 52 |
| **GRAND TOTAL** | **271** | **9.1** | **96** | **1** | **2** | **6** | **11** | **20** | **29** | **50** |

### 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 23 | 3.4 | 11 | <1 | 1 | 2 | 5 | 7 | 11 | 15 |
| 65+ | 65 | 6.5 | 52 | 1 | 2 | 5 | 7 | 11 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 3.1 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 354 | 5.9 | 23 | <1 | 1 | 5 | 8 | 13 | 14 | 21 |
| 65+ | 1007 | 5.6 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 22.7 | 646 | 7 | 7 | 9 | 41 | 52 | 52 | 52 |
| 50-64 | 111 | 7.0 | 34 | 1 | 1 | 6 | 10 | 15 | 19 | 24 |
| 65+ | 778 | 8.1 | 69 | 1 | 2 | 6 | 10 | 17 | 24 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 23.7 | 952 | 2 | 2 | 10 | 47 | 59 | 59 | 59 |
| 35-49 | 8 | 5.4 | 23 | 1 | 1 | 4 | 7 | 13 | 15 | 15 |
| 50-64 | 532 | 7.7 | 36 | 1 | 2 | 6 | 10 | 16 | 20 | 28 |
| 65+ | 2602 | 8.8 | 58 | 2 | 3 | 7 | 11 | 17 | 23 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 5.7 | 42 | 1 | 1 | 4 | 6 | 10 | 15 | 38 |
| B. *Operated* | 1372 | 5.6 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 892 | 8.1 | 66 | 1 | 2 | 6 | 10 | 17 | 23 | 42 |
| B. *Operated* | 3147 | 8.6 | 55 | 2 | 3 | 6 | 10 | 17 | 23 | 36 |
| **1. SINGLE DX** | 1461 | 5.6 | 18 | 1 | 1 | 5 | 7 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | 4039 | 8.5 | 57 | 2 | 2 | 6 | 10 | 17 | 23 | 38 |
| **A. NOT OPERATED** | 981 | 7.8 | 65 | 1 | 1 | 5 | 10 | 16 | 23 | 42 |
| **B. OPERATED** | 4519 | 7.7 | 45 | 1 | 2 | 6 | 9 | 15 | 20 | 34 |
| TOTAL 0-19 YRS | 4 | 6.8 | 3 | 5 | 5 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 3 | 23.7 | 952 | 2 | 2 | 10 | 47 | 59 | 59 | 59 |
| 35-49 | 21 | 6.9 | 119 | 1 | 1 | 4 | 6 | 12 | 32 | 52 |
| 50-64 | 1020 | 6.9 | 32 | 1 | 1 | 5 | 9 | 14 | 18 | 26 |
| 65+ | 4452 | 7.9 | 51 | 1 | 2 | 6 | 10 | 15 | 21 | 36 |
| **GRAND TOTAL** | **5500** | **7.7** | **49** | **1** | **2** | **6** | **9** | **15** | **21** | **35** |

### 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 22 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.3 | 6 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 141 | 3.5 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 11 |
| 35-49 | 45 | 3.6 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 17 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 10 | 3.5 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 3 | 3 | 3 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 68 | 4.6 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 12 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 10 | 7.8 | 38 | <1 | 1 | 6 | 9 | 18 | 20 | 20 |
| 65+ | 3 | 6.3 | 1 | 5 | 5 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.2 | 17 | 3 | 3 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 81 | 8.7 | 58 | 1 | 2 | 8 | 11 | 17 | 22 | 42 |
| 35-49 | 22 | 6.3 | 20 | 2 | 2 | 5 | 8 | 12 | 18 | 19 |
| 50-64 | 16 | 5.9 | 16 | 1 | 1 | 6 | 9 | 11 | 13 | 14 |
| 65+ | 23 | 7.7 | 38 | 1 | 1 | 7 | 13 | 17 | 19 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | 225 | 3.6 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 4.8 | 9 | 1 | 2 | 5 | 6 | 7 | 10 | 19 |
| B. *Operated* | 148 | 7.9 | 44 | 1 | 2 | 7 | 10 | 16 | 19 | 39 |
| **1. SINGLE DX** | 252 | 3.6 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | 244 | 6.7 | 32 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| **A. NOT OPERATED** | 123 | 4.6 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 18 |
| **B. OPERATED** | 373 | 5.3 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 23 | 5.5 | 13 | 1 | 2 | 6 | 7 | 12 | 13 | 13 |
| 20-34 | 312 | 5.1 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 35-49 | 81 | 4.3 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| 50-64 | 44 | 5.6 | 17 | 1 | 1 | 5 | 8 | 10 | 15 | 20 |
| 65+ | 36 | 6.4 | 29 | <1 | 1 | 5 | 9 | 16 | 18 | 20 |
| **GRAND TOTAL** | **496** | **5.1** | **21** | **1** | **1** | **4** | **7** | **10** | **13** | **21** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 9 | 2.3 | 4 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| 65+ | 30 | 5.1 | 19 | 1 | 1 | 4 | 6 | 12 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 19 | 3.5 | 11 | <1 | 1 | 2 | 4 | 8 | 12 | 14 |
| 35-49 | 90 | 3.3 | 11 | 1 | 1 | 2 | 4 | 5 | 10 | 19 |
| 50-64 | 507 | 3.9 | 15 | 1 | 1 | 3 | 4 | 8 | 12 | 19 |
| 65+ | 1139 | 4.7 | 21 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 14 | 5.4 | 32 | 1 | 1 | 3 | 8 | 16 | 17 | 17 |
| 50-64 | 57 | 6.0 | 40 | <1 | 1 | 4 | 7 | 14 | 24 | 27 |
| 65+ | 201 | 7.9 | 74 | 1 | 1 | 5 | 10 | 16 | 25 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 6 | 5.8 | 41 | <1 | <1 | 2 | 14 | 14 | 14 | 14 |
| 35-49 | 69 | 7.1 | 68 | 1 | 2 | 4 | 9 | 14 | 22 | 45 |
| 50-64 | 494 | 7.7 | 86 | 1 | 2 | 4 | 9 | 17 | 23 | 46 |
| 65+ | 1643 | 8.4 | 73 | 2 | 2 | 5 | 10 | 18 | 25 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 4.2 | 16 | 1 | 1 | 3 | 5 | 10 | 14 | 19 |
| B. *Operated* | 1757 | 4.4 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 273 | 7.3 | 65 | 1 | 1 | 5 | 9 | 16 | 24 | 49 |
| B. *Operated* | 2216 | 8.2 | 75 | 1 | 2 | 5 | 10 | 18 | 25 | 45 |
| **1. SINGLE DX** | 1801 | 4.4 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | 2489 | 8.1 | 74 | 1 | 2 | 5 | 10 | 18 | 25 | 45 |
| **A. NOT OPERATED** | 317 | 6.9 | 59 | 1 | 1 | 5 | 8 | 15 | 21 | 47 |
| **B. OPERATED** | 3973 | 6.5 | 54 | 1 | 2 | 4 | 8 | 14 | 20 | 38 |
| TOTAL 0-19 YRS | 8 | 3.8 | 12 | 1 | 1 | 2 | 5 | 9 | 11 | 11 |
| 20-34 | 25 | 4.0 | 18 | <1 | 1 | 2 | 4 | 14 | 14 | 14 |
| 35-49 | 177 | 4.9 | 38 | 1 | 1 | 3 | 5 | 12 | 15 | 39 |
| 50-64 | 1067 | 5.8 | 53 | 1 | 1 | 3 | 6 | 13 | 18 | 35 |
| 65+ | 3013 | 6.9 | 56 | 1 | 2 | 4 | 8 | 15 | 21 | 39 |
| **GRAND TOTAL** | **4290** | **6.5** | **54** | **1** | **2** | **4** | **8** | **15** | **20** | **38** |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 16 | 2 | 2 | 4 | 8 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 6 | 11.5 | 377 | 1 | 1 | 4 | 6 | 46 | 51 | 51 |
| 65+ | 11 | 4.8 | 9 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.3 | 62 | 2 | 4 | 9 | 14 | 23 | 31 | 31 |
| 20-34 | 6 | 12.0 | 28 | 4 | 4 | 14 | 16 | 17 | 17 | 17 |
| 35-49 | 46 | 8.4 | 21 | 1 | 2 | 8 | 10 | 15 | 16 | 20 |
| 50-64 | 106 | 9.1 | 39 | 1 | 2 | 8 | 12 | 16 | 21 | 32 |
| 65+ | 108 | 9.9 | 46 | 2 | 2 | 9 | 13 | 16 | 20 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.3 | 7 | 1 | 1 | 4 | 5 | 8 | 11 | 11 |
| 20-34 | 5 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 12 | 4.7 | 20 | <1 | 1 | 3 | 6 | 11 | 16 | 17 |
| 50-64 | 54 | 8.5 | 48 | 1 | 2 | 6 | 12 | 19 | 22 | 28 |
| 65+ | 115 | 8.6 | 61 | 1 | 2 | 7 | 11 | 19 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 13.7 | 227 | 2 | 4 | 10 | 15 | 19 | 53 | 65 |
| 20-34 | 15 | 11.2 | 60 | 3 | 5 | 9 | 11 | 25 | 30 | 32 |
| 35-49 | 64 | 10.4 | 44 | 2 | 2 | 10 | 13 | 16 | 21 | 42 |
| 50-64 | 171 | 11.3 | 56 | 2 | 3 | 10 | 13 | 19 | 25 | 42 |
| 65+ | 352 | 13.6 | 122 | 2 | 4 | 11 | 16 | 24 | 31 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 6.7 | 102 | 1 | 1 | 4 | 8 | 10 | 25 | 51 |
| B. *Operated* | 276 | 9.4 | 39 | 1 | 2 | 9 | 13 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 196 | 7.9 | 52 | 1 | 2 | 6 | 11 | 19 | 22 | 28 |
| B. *Operated* | 617 | 12.6 | 98 | 2 | 3 | 10 | 15 | 22 | 28 | 57 |
| **1. SINGLE DX** | 299 | 9.2 | 44 | 1 | 2 | 8 | 12 | 16 | 20 | 37 |
| **2. MULTIPLE DX** | 813 | 11.5 | 91 | 2 | 3 | 10 | 14 | 21 | 27 | 54 |
| **A. NOT OPERATED** | 219 | 7.8 | 57 | 1 | 2 | 5 | 10 | 18 | 22 | 35 |
| **B. OPERATED** | 893 | 11.6 | 82 | 2 | 3 | 10 | 14 | 20 | 27 | 47 |
| TOTAL 0-19 YRS | 39 | 9.8 | 118 | 1 | 2 | 7 | 11 | 16 | 26 | 65 |
| 20-34 | 26 | 9.9 | 50 | 2 | 3 | 9 | 13 | 17 | 26 | 32 |
| 35-49 | 124 | 9.0 | 35 | 1 | 2 | 9 | 12 | 15 | 18 | 29 |
| 50-64 | 337 | 10.2 | 55 | 1 | 2 | 9 | 13 | 19 | 22 | 40 |
| 65+ | 586 | 11.8 | 100 | 2 | 3 | 10 | 15 | 22 | 28 | 56 |
| **GRAND TOTAL** | **1112** | **10.9** | **79** | **2** | **2** | **9** | **13** | **20** | **25** | **46** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 7 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 12 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 18 | 2.9 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 6 |
| 65+ | 19 | 4.2 | 11 | 1 | 1 | 3 | 5 | 10 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 3 | 8.0 | 39 | 3 | 3 | 6 | 13 | 15 | 15 | 15 |
| 50-64 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 65+ | 11 | 7.7 | 132 | 1 | 1 | 6 | 7 | 23 | 39 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.6 | 56 | <1 | <1 | 1 | 6 | 18 | 18 | 18 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 7 | 5.1 | 15 | 2 | 2 | 3 | 8 | 11 | 12 | 12 |
| 65+ | 14 | 10.1 | 115 | <1 | 1 | 6 | 14 | 28 | 31 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 57 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 6.8 | 88 | <1 | 1 | 4 | 7 | 14 | 31 | 41 |
| B. *Operated* | 28 | 7.3 | 76 | <1 | <1 | 3 | 9 | 24 | 28 | 32 |
| **1. SINGLE DX** | 63 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 46 | 7.1 | 79 | <1 | 1 | 3 | 8 | 18 | 29 | 41 |
| **A. NOT OPERATED** | 24 | 5.3 | 71 | <1 | 1 | 2 | 6 | 11 | 23 | 41 |
| **B. OPERATED** | 85 | 4.7 | 31 | 1 | 1 | 3 | 5 | 9 | 15 | 31 |
| TOTAL 0-19 YRS | 16 | 2.9 | 19 | <1 | <1 | 1 | 3 | 7 | 15 | 18 |
| 20-34 | 5 | 3.0 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 16 | 4.0 | 11 | 1 | 1 | 3 | 5 | 6 | 12 | 15 |
| 50-64 | 28 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 65+ | 44 | 7.0 | 77 | 1 | 1 | 4 | 7 | 15 | 29 | 41 |
| **GRAND TOTAL** | **109** | **4.9** | **40** | **1** | **1** | **3** | **5** | **10** | **15** | **36** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.3 | 8 | <1 | 1 | 3 | 4 | 7 | 10 | 11 |
| 20-34 | 17 | 5.5 | 14 | 2 | 2 | 4 | 7 | 10 | 14 | 16 |
| 35-49 | 33 | 9.5 | 57 | 2 | 2 | 8 | 12 | 21 | 25 | 32 |
| 50-64 | 39 | 7.3 | 36 | 1 | 1 | 5 | 9 | 17 | 21 | 25 |
| 65+ | 25 | 10.4 | 163 | 2 | 2 | 7 | 10 | 20 | 40 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 12.5 | 121 | 1 | 3 | 10 | 15 | 24 | 32 | 58 |
| 20-34 | 54 | 11.8 | 103 | 4 | 5 | 9 | 13 | 18 | 25 | 71 |
| 35-49 | 59 | 11.8 | 36 | 3 | 4 | 11 | 15 | 20 | 23 | 29 |
| 50-64 | 86 | 13.5 | 111 | 2 | 4 | 12 | 17 | 21 | 44 | 86 |
| 65+ | 63 | 13.9 | 98 | 2 | 4 | 12 | 18 | 24 | 31 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 6.3 | 59 | 1 | 1 | 4 | 7 | 15 | 25 | 33 |
| 20-34 | 40 | 8.2 | 84 | 1 | 2 | 4 | 11 | 20 | 29 | 42 |
| 35-49 | 55 | 7.9 | 47 | 1 | 2 | 7 | 10 | 15 | 19 | 41 |
| 50-64 | 92 | 11.6 | 179 | 1 | 2 | 9 | 13 | 24 | 42 | 72 |
| 65+ | 93 | 11.6 | 104 | 2 | 3 | 8 | 15 | 25 | 30 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 18.9 | 262 | 2 | 4 | 16 | 23 | 41 | 76 | 99+ |
| 20-34 | 46 | 20.3 | 244 | 4 | 6 | 16 | 25 | 42 | 53 | 79 |
| 35-49 | 42 | 15.3 | 265 | 1 | 2 | 10 | 20 | 28 | 44 | 94 |
| 50-64 | 80 | 22.1 | 292 | 3 | 6 | 18 | 31 | 46 | 70 | 99+ |
| 65+ | 75 | 22.4 | 329 | 6 | 8 | 18 | 25 | 51 | 74 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 130 | 7.7 | 63 | 1 | 1 | 6 | 9 | 16 | 21 | 38 |
| B. *Operated* | 295 | 12.8 | 92 | 2 | 4 | 11 | 16 | 21 | 27 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 10.1 | 113 | 1 | 2 | 7 | 13 | 23 | 31 | 56 |
| B. *Operated* | 275 | 20.5 | 289 | 3 | 5 | 16 | 26 | 43 | 67 | 99+ |
| **1. SINGLE DX** | 425 | 11.3 | 89 | 2 | 2 | 9 | 14 | 21 | 25 | 62 |
| **2. MULTIPLE DX** | 575 | 15.1 | 224 | 2 | 3 | 11 | 20 | 33 | 46 | 91 |
| **A. NOT OPERATED** | 430 | 9.4 | 99 | 1 | 2 | 7 | 12 | 20 | 29 | 51 |
| **B. OPERATED** | 570 | 16.5 | 201 | 2 | 5 | 13 | 20 | 31 | 50 | 93 |
| TOTAL 0-19 YRS | 101 | 11.8 | 167 | 1 | 1 | 9 | 16 | 26 | 34 | 89 |
| 20-34 | 157 | 12.7 | 156 | 2 | 3 | 9 | 15 | 25 | 36 | 72 |
| 35-49 | 189 | 11.0 | 100 | 2 | 2 | 9 | 14 | 21 | 26 | 44 |
| 50-64 | 297 | 14.4 | 195 | 2 | 3 | 10 | 18 | 32 | 47 | 94 |
| 65+ | 256 | 15.2 | 194 | 2 | 4 | 12 | 20 | 29 | 38 | 90 |
| **GRAND TOTAL** | **1000** | **13.4** | **170** | **2** | **3** | **10** | **17** | **27** | **40** | **78** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.7 | 8 | 11 | 11 | 11 | 15 | 16 | 16 | 16 |
| 20-34 | 4 | 22.5 | 406 | 6 | 6 | 17 | 37 | 50 | 50 | 50 |
| 35-49 | 6 | 17.0 | 438 | 2 | 3 | 10 | 13 | 54 | 59 | 59 |
| 50-64 | 4 | 11.3 | 66 | 2 | 2 | 11 | 17 | 21 | 21 | 21 |
| 65+ | 2 | 17.5 | 313 | 5 | 5 | 17 | 30 | 30 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 3 | 6.3 | 17 | 3 | 3 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 5 | 7.0 | 58 | 1 | 1 | 6 | 10 | 20 | 20 | 20 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 17.5 | 1 | 17 | 17 | 17 | 18 | 18 | 18 | 18 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 50 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 7 | 13.4 | 139 | 2 | 3 | 9 | 21 | 33 | 35 | 35 |
| 50-64 | 6 | 17.8 | 40 | 8 | 9 | 18 | 21 | 26 | 27 | 27 |
| 65+ | 11 | 22.6 | 495 | 4 | 5 | 12 | 31 | 62 | 70 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| B. *Operated* | 19 | 16.3 | 235 | 2 | 3 | 11 | 20 | 42 | 55 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 6.0 | 32 | 1 | 1 | 4 | 6 | 15 | 20 | 20 |
| B. *Operated* | 27 | 18.0 | 256 | 2 | 4 | 14 | 25 | 50 | 74 | 99+ |
| **1. SINGLE DX** | 21 | 15.7 | 216 | 2 | 4 | 11 | 17 | 38 | 54 | 59 |
| **2. MULTIPLE DX** | 37 | 14.8 | 222 | 1 | 2 | 11 | 20 | 34 | 65 | 99+ |
| **A. NOT OPERATED** | 12 | 6.7 | 31 | 1 | 2 | 5 | 9 | 15 | 19 | 20 |
| **B. OPERATED** | 46 | 17.3 | 243 | 2 | 4 | 13 | 23 | 47 | 61 | 99+ |
| TOTAL 0-19 YRS | 5 | 14.6 | 11 | 11 | 11 | 16 | 17 | 18 | 18 | 18 |
| 20-34 | 6 | 15.8 | 351 | 1 | 2 | 9 | 44 | 90 | 99+ | 99+ |
| 35-49 | 16 | 13.4 | 219 | 2 | 2 | 9 | 13 | 34 | 52 | 59 |
| 50-64 | 15 | 12.5 | 69 | 1 | 2 | 14 | 20 | 21 | 26 | 27 |
| 65+ | 16 | 19.1 | 392 | 3 | 4 | 12 | 28 | 54 | 66 | 71 |
| **GRAND TOTAL** | **58** | **15.1** | **216** | **2** | **2** | **11** | **20** | **34** | **58** | **97** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 54 | 2 | 2 | 3 | 10 | 17 | 17 | 17 |
| 20-34 | 21 | 1.7 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 16 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 9 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 8 | 6.0 | 29 | 1 | 1 | 5 | 8 | 15 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.6 | 26 | 1 | 1 | 4 | 7 | 11 | 19 | 23 |
| 20-34 | 92 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 9 | 15 |
| 35-49 | 73 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 49 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 11 | 13 |
| 65+ | 36 | 5.4 | 16 | 2 | 3 | 4 | 5 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.0 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 17 | 6.1 | 203 | 1 | 1 | 2 | 3 | 6 | 42 | 61 |
| 35-49 | 20 | 7.9 | 140 | <1 | 1 | 3 | 11 | 18 | 37 | 52 |
| 50-64 | 27 | 4.3 | 18 | 1 | 1 | 3 | 5 | 8 | 17 | 18 |
| 65+ | 30 | 7.1 | 43 | 2 | 2 | 5 | 10 | 15 | 15 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 8.2 | 108 | 2 | 2 | 5 | 6 | 18 | 36 | 47 |
| 20-34 | 80 | 5.5 | 13 | 2 | 2 | 5 | 6 | 10 | 11 | 24 |
| 35-49 | 69 | 5.7 | 17 | 2 | 3 | 4 | 6 | 12 | 15 | 22 |
| 50-64 | 59 | 9.0 | 140 | 2 | 3 | 5 | 11 | 16 | 19 | 81 |
| 65+ | 66 | 12.4 | 152 | 3 | 4 | 8 | 14 | 30 | 46 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 2.9 | 10 | 1 | 1 | 2 | 3 | 5 | 9 | 17 |
| B. *Operated* | 271 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 5.9 | 73 | 1 | 1 | 3 | 7 | 12 | 17 | 56 |
| B. *Operated* | 298 | 8.0 | 84 | 2 | 3 | 5 | 9 | 15 | 24 | 51 |
| **1. SINGLE DX** | 329 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | 409 | 7.4 | 81 | 1 | 2 | 5 | 8 | 14 | 20 | 51 |
| **A. NOT OPERATED** | 169 | 4.9 | 53 | 1 | 1 | 3 | 5 | 11 | 15 | 49 |
| **B. OPERATED** | 569 | 6.3 | 51 | 2 | 2 | 4 | 6 | 11 | 16 | 43 |
| TOTAL 0-19 YRS | 66 | 6.2 | 53 | 1 | 1 | 4 | 6 | 10 | 18 | 45 |
| 20-34 | 210 | 4.6 | 24 | 1 | 2 | 4 | 5 | 8 | 10 | 23 |
| 35-49 | 178 | 4.9 | 25 | 1 | 2 | 4 | 5 | 9 | 13 | 23 |
| 50-64 | 144 | 6.2 | 68 | 1 | 2 | 4 | 6 | 13 | 16 | 39 |
| 65+ | 140 | 9.1 | 96 | 2 | 3 | 5 | 11 | 17 | 30 | 52 |
| **GRAND TOTAL** | **738** | **6.0** | **51** | **1** | **2** | **4** | **6** | **11** | **16** | **45** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.2 | 5 | 1 | 1 | 1 | 3 | 6 | 6 | 6 |
| 20-34 | 13 | 4.5 | 17 | 1 | 1 | 4 | 7 | 12 | 12 | 12 |
| 35-49 | 32 | 6.6 | 92 | 1 | 1 | 4 | 6 | 13 | 28 | 48 |
| 50-64 | 65 | 6.6 | 50 | 1 | 1 | 4 | 8 | 13 | 23 | 36 |
| 65+ | 109 | 7.2 | 55 | 1 | 2 | 5 | 8 | 16 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.0 | 21 | 2 | 2 | 7 | 11 | 14 | 14 | 14 |
| 20-34 | 32 | 8.1 | 251 | 1 | 2 | 5 | 8 | 11 | 14 | 93 |
| 35-49 | 73 | 5.1 | 19 | <1 | 1 | 3 | 8 | 11 | 14 | 18 |
| 50-64 | 172 | 6.6 | 42 | <1 | 1 | 4 | 9 | 15 | 18 | 33 |
| 65+ | 199 | 7.3 | 51 | <1 | 1 | 5 | 9 | 18 | 23 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 4.0 | 15 | <1 | 1 | 3 | 5 | 10 | 12 | 20 |
| 20-34 | 152 | 5.9 | 43 | 1 | 1 | 4 | 7 | 11 | 19 | 39 |
| 35-49 | 480 | 7.3 | 69 | 1 | 1 | 5 | 9 | 16 | 22 | 48 |
| 50-64 | 1524 | 8.4 | 68 | 1 | 1 | 6 | 11 | 18 | 24 | 41 |
| 65+ | 2330 | 9.6 | 85 | 1 | 2 | 7 | 12 | 21 | 29 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 10.9 | 200 | 3 | 4 | 7 | 9 | 14 | 51 | 71 |
| 20-34 | 188 | 9.5 | 118 | 1 | 2 | 7 | 11 | 20 | 29 | 56 |
| 35-49 | 537 | 10.4 | 119 | 1 | 2 | 8 | 13 | 21 | 30 | 61 |
| 50-64 | 1524 | 12.1 | 135 | 1 | 2 | 9 | 16 | 26 | 36 | 62 |
| 65+ | 1967 | 12.3 | 118 | 2 | 2 | 10 | 16 | 27 | 35 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 6.6 | 55 | 1 | 1 | 4 | 8 | 14 | 23 | 39 |
| B. *Operated* | 485 | 6.8 | 56 | <1 | 1 | 4 | 9 | 15 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4543 | 8.8 | 76 | 1 | 2 | 6 | 11 | 19 | 26 | 44 |
| B. *Operated* | 4248 | 11.9 | 125 | 1 | 2 | 9 | 15 | 26 | 34 | 57 |
| **1. SINGLE DX** | 713 | 6.7 | 55 | 1 | 1 | 4 | 9 | 15 | 20 | 33 |
| **2. MULTIPLE DX** | 8791 | 10.3 | 102 | 1 | 2 | 7 | 13 | 22 | 30 | 51 |
| **A. NOT OPERATED** | 4771 | 8.7 | 75 | 1 | 2 | 6 | 11 | 19 | 26 | 44 |
| **B. OPERATED** | 4733 | 11.4 | 121 | 1 | 2 | 8 | 15 | 25 | 33 | 57 |
| TOTAL 0-19 YRS | 107 | 6.2 | 79 | 1 | 1 | 4 | 8 | 12 | 14 | 62 |
| 20-34 | 385 | 7.8 | 98 | 1 | 1 | 5 | 8 | 17 | 25 | 54 |
| 35-49 | 1122 | 8.6 | 93 | 1 | 1 | 6 | 11 | 18 | 26 | 48 |
| 50-64 | 3285 | 10.0 | 101 | 1 | 2 | 7 | 13 | 22 | 29 | 52 |
| 65+ | 4605 | 10.6 | 99 | 1 | 2 | 8 | 14 | 23 | 31 | 49 |
| **GRAND TOTAL** | **9504** | **10.0** | **100** | **1** | **2** | **7** | **13** | **22** | **30** | **50** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 37 | 3.3 | 8 | <1 | 1 | 2 | 5 | 7 | 10 | 12 |
| 35-49 | 10 | 3.1 | 9 | 1 | 1 | 2 | 4 | 8 | 11 | 11 |
| 50-64 | 6 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | 19 | 6.3 | 71 | <1 | <1 | 2 | 7 | 18 | 27 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 6.0 | 30 | 1 | 1 | 6 | 7 | 10 | 13 | 35 |
| 20-34 | 139 | 5.9 | 19 | 1 | 1 | 6 | 8 | 10 | 15 | 23 |
| 35-49 | 54 | 5.9 | 30 | 1 | 1 | 5 | 8 | 11 | 13 | 34 |
| 50-64 | 25 | 5.8 | 33 | <1 | <1 | 4 | 8 | 11 | 19 | 26 |
| 65+ | 23 | 7.2 | 25 | 1 | 2 | 6 | 10 | 16 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.3 | 35 | 1 | 1 | 3 | 7 | 13 | 20 | 22 |
| 20-34 | 69 | 5.2 | 38 | <1 | 1 | 4 | 6 | 10 | 14 | 34 |
| 35-49 | 14 | 5.6 | 33 | 1 | 1 | 4 | 9 | 16 | 18 | 19 |
| 50-64 | 18 | 5.3 | 28 | <1 | <1 | 3 | 7 | 13 | 17 | 19 |
| 65+ | 27 | 9.5 | 112 | <1 | 1 | 7 | 12 | 22 | 33 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.8 | 20 | 1 | 2 | 7 | 7 | 10 | 16 | 23 |
| 20-34 | 86 | 9.8 | 78 | 1 | 2 | 8 | 11 | 21 | 29 | 42 |
| 35-49 | 19 | 9.2 | 27 | 2 | 3 | 8 | 11 | 18 | 20 | 20 |
| 50-64 | 31 | 14.4 | 188 | 4 | 5 | 11 | 15 | 29 | 50 | 66 |
| 65+ | 44 | 19.0 | 202 | 2 | 4 | 16 | 24 | 38 | 49 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 100 | 3.5 | 20 | <1 | 1 | 2 | 4 | 7 | 11 | 26 |
| B. *Operated* | 289 | 6.0 | 24 | 1 | 1 | 5 | 8 | 11 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 141 | 6.1 | 51 | <1 | 1 | 4 | 7 | 13 | 19 | 36 |
| B. *Operated* | 201 | 12.1 | 126 | 1 | 2 | 8 | 15 | 25 | 37 | 59 |
| **1. SINGLE DX** | 389 | 5.4 | 24 | <1 | 1 | 4 | 7 | 10 | 15 | 26 |
| **2. MULTIPLE DX** | 342 | 9.6 | 104 | 1 | 1 | 7 | 11 | 21 | 32 | 51 |
| **A. NOT OPERATED** | 241 | 5.0 | 40 | <1 | 1 | 3 | 6 | 11 | 16 | 34 |
| **B. OPERATED** | 490 | 8.5 | 75 | 1 | 2 | 7 | 10 | 17 | 25 | 45 |
| TOTAL 0-19 YRS | 110 | 5.0 | 25 | 1 | 1 | 4 | 7 | 10 | 11 | 28 |
| 20-34 | 331 | 6.5 | 41 | 1 | 1 | 5 | 8 | 12 | 19 | 35 |
| 35-49 | 97 | 6.2 | 30 | 1 | 1 | 5 | 8 | 12 | 17 | 28 |
| 50-64 | 80 | 8.9 | 107 | <1 | 1 | 7 | 11 | 17 | 25 | 61 |
| 65+ | 113 | 12.2 | 151 | <1 | 1 | 9 | 17 | 28 | 38 | 58 |
| **GRAND TOTAL** | **731** | **7.4** | **66** | **1** | **1** | **5** | **9** | **16** | **22** | **42** |

### 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 5.5 | 42 | 1 | 1 | 3 | 7 | 16 | 21 | 27 |
| 20-34 | 9 | 4.1 | 9 | <1 | <1 | 4 | 6 | 9 | 10 | 10 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 8 | 3.6 | 22 | 1 | 1 | 2 | 3 | 12 | 15 | 15 |
| 65+ | 32 | 4.2 | 14 | <1 | <1 | 3 | 6 | 11 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 7.5 | 121 | <1 | 1 | 4 | 9 | 14 | 24 | 63 |
| 20-34 | 7 | 18.7 | 146 | 4 | 4 | 27 | 28 | 30 | 30 | 30 |
| 35-49 | 3 | 6.7 | 41 | 2 | 2 | 4 | 11 | 14 | 14 | 14 |
| 50-64 | 6 | 8.5 | 26 | 3 | 3 | 7 | 13 | 16 | 16 | 16 |
| 65+ | 18 | 5.7 | 50 | <1 | 1 | 4 | 7 | 9 | 23 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 5.3 | 32 | <1 | 1 | 4 | 7 | 10 | 17 | 33 |
| 20-34 | 13 | 7.4 | 39 | 1 | 2 | 6 | 10 | 19 | 21 | 21 |
| 35-49 | 13 | 4.4 | 16 | 1 | 1 | 4 | 5 | 11 | 14 | 15 |
| 50-64 | 43 | 9.1 | 80 | 1 | 1 | 7 | 12 | 21 | 25 | 47 |
| 65+ | 192 | 7.2 | 39 | 1 | 1 | 5 | 10 | 14 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 12.3 | 107 | 3 | 4 | 10 | 14 | 29 | 31 | 51 |
| 20-34 | 13 | 24.3 | 570 | 2 | 2 | 17 | 27 | 58 | 65 | 91 |
| 35-49 | 13 | 19.9 | 249 | 2 | 4 | 13 | 38 | 41 | 43 | 43 |
| 50-64 | 32 | 17.1 | 349 | 2 | 3 | 9 | 24 | 42 | 59 | 81 |
| 65+ | 74 | 11.0 | 84 | 2 | 3 | 8 | 14 | 20 | 30 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 4.8 | 27 | <1 | 1 | 3 | 6 | 11 | 16 | 27 |
| B. *Operated* | 71 | 8.2 | 103 | <1 | 1 | 4 | 10 | 21 | 29 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 321 | 7.0 | 43 | 1 | 1 | 5 | 9 | 15 | 21 | 32 |
| B. *Operated* | 171 | 14.1 | 199 | 2 | 3 | 10 | 17 | 31 | 41 | 77 |
| **1. SINGLE DX** | 165 | 6.2 | 62 | <1 | 1 | 4 | 7 | 14 | 26 | 32 |
| **2. MULTIPLE DX** | 492 | 9.5 | 108 | 1 | 2 | 6 | 11 | 21 | 29 | 51 |
| **A. NOT OPERATED** | 415 | 6.5 | 40 | 1 | 1 | 4 | 8 | 14 | 20 | 30 |
| **B. OPERATED** | 242 | 12.4 | 177 | 2 | 2 | 8 | 15 | 29 | 39 | 64 |
| TOTAL 0-19 YRS | 180 | 7.3 | 75 | <1 | 1 | 4 | 9 | 16 | 26 | 46 |
| 20-34 | 42 | 13.8 | 274 | 1 | 2 | 8 | 21 | 29 | 40 | 91 |
| 35-49 | 30 | 11.4 | 171 | 1 | 1 | 5 | 14 | 38 | 41 | 43 |
| 50-64 | 89 | 11.5 | 185 | 1 | 2 | 7 | 14 | 25 | 38 | 73 |
| 65+ | 316 | 7.7 | 51 | 1 | 1 | 6 | 10 | 16 | 22 | 35 |
| **GRAND TOTAL** | **657** | **8.7** | **99** | **1** | **1** | **6** | **11** | **20** | **28** | **51** |

### 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.1 | 12 | <1 | <1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 19 | 4.7 | 26 | <1 | <1 | 3 | 7 | 9 | 16 | 22 |
| 35-49 | 25 | 7.5 | 57 | <1 | <1 | 5 | 11 | 22 | 23 | 23 |
| 50-64 | 30 | 8.4 | 73 | <1 | 1 | 6 | 10 | 24 | 28 | 30 |
| 65+ | 87 | 5.2 | 79 | <1 | <1 | 2 | 5 | 13 | 18 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 30.6 | 658 | 7 | 7 | 29 | 47 | 69 | 69 | 69 |
| 20-34 | 14 | 15.8 | 480 | 1 | 1 | 7 | 29 | 40 | 71 | 80 |
| 35-49 | 22 | 16.6 | 247 | 1 | 2 | 12 | 25 | 40 | 54 | 55 |
| 50-64 | 28 | 16.6 | 210 | 1 | 2 | 9 | 29 | 36 | 43 | 48 |
| 65+ | 31 | 14.9 | 282 | 1 | 2 | 8 | 28 | 40 | 49 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.6 | 29 | <1 | 1 | 4 | 7 | 13 | 16 | 25 |
| 20-34 | 40 | 8.5 | 106 | 1 | 1 | 4 | 11 | 19 | 29 | 53 |
| 35-49 | 40 | 11.6 | 117 | <1 | 1 | 7 | 16 | 30 | 33 | 38 |
| 50-64 | 95 | 8.6 | 77 | 1 | 1 | 6 | 11 | 22 | 29 | 39 |
| 65+ | 221 | 6.4 | 68 | 1 | 1 | 4 | 8 | 14 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 15.2 | 177 | 2 | 3 | 11 | 23 | 36 | 44 | 47 |
| 20-34 | 27 | 26.7 | 384 | 6 | 7 | 26 | 34 | 56 | 62 | 85 |
| 35-49 | 44 | 26.8 | 328 | 2 | 3 | 26 | 38 | 54 | 63 | 66 |
| 50-64 | 70 | 23.5 | 268 | 3 | 4 | 25 | 34 | 44 | 51 | 65 |
| 65+ | 135 | 15.3 | 247 | 2 | 3 | 10 | 21 | 39 | 52 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 191 | 5.8 | 61 | <1 | <1 | 3 | 7 | 14 | 22 | 31 |
| B. *Operated* | 100 | 16.7 | 296 | 1 | 2 | 9 | 29 | 38 | 51 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 431 | 7.5 | 77 | 1 | 1 | 4 | 9 | 18 | 28 | 38 |
| B. *Operated* | 302 | 19.9 | 291 | 2 | 3 | 14 | 31 | 45 | 56 | 73 |
| **1. SINGLE DX** | 291 | 9.5 | 168 | <1 | 1 | 5 | 10 | 28 | 36 | 66 |
| **2. MULTIPLE DX** | 733 | 12.6 | 202 | 1 | 1 | 7 | 17 | 33 | 43 | 65 |
| **A. NOT OPERATED** | 622 | 7.0 | 72 | <1 | 1 | 4 | 8 | 17 | 25 | 37 |
| **B. OPERATED** | 402 | 19.1 | 294 | 2 | 3 | 13 | 30 | 43 | 54 | 73 |
| TOTAL 0-19 YRS | 96 | 9.0 | 135 | <1 | 1 | 5 | 11 | 25 | 35 | 59 |
| 20-34 | 100 | 13.7 | 283 | <1 | 1 | 7 | 18 | 34 | 54 | 82 |
| 35-49 | 131 | 16.8 | 253 | <1 | 1 | 11 | 26 | 39 | 53 | 65 |
| 50-64 | 223 | 14.3 | 198 | 1 | 1 | 8 | 25 | 35 | 42 | 57 |
| 65+ | 474 | 9.3 | 153 | 1 | 1 | 5 | 11 | 25 | 36 | 67 |
| **GRAND TOTAL** | **1024** | **11.7** | **194** | **1** | **1** | **6** | **15** | **31** | **41** | **65** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.4 | 61 | 1 | 1 | 6 | 16 | 21 | 22 | 22 |
| 20-34 | 22 | 8.0 | 49 | 1 | 2 | 7 | 10 | 18 | 23 | 30 |
| 35-49 | 48 | 3.7 | 15 | <1 | 1 | 2 | 4 | 11 | 13 | 15 |
| 50-64 | 126 | 5.2 | 60 | 1 | 1 | 3 | 5 | 12 | 17 | 37 |
| 65+ | 161 | 6.8 | 66 | 1 | 1 | 4 | 9 | 14 | 21 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.3 | 33 | 1 | 1 | 4 | 9 | 12 | 19 | 25 |
| 20-34 | 59 | 5.4 | 28 | <1 | <1 | 3 | 7 | 14 | 17 | 24 |
| 35-49 | 73 | 6.2 | 29 | <1 | 1 | 5 | 8 | 12 | 19 | 25 |
| 50-64 | 162 | 6.4 | 34 | <1 | 1 | 5 | 9 | 15 | 18 | 27 |
| 65+ | 212 | 8.7 | 64 | 1 | 2 | 7 | 12 | 19 | 27 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 23 | 7.8 | 57 | 2 | 2 | 5 | 8 | 22 | 26 | 31 |
| 35-49 | 116 | 6.8 | 67 | 1 | 1 | 4 | 8 | 15 | 22 | 49 |
| 50-64 | 317 | 7.2 | 50 | 1 | 1 | 5 | 10 | 15 | 21 | 38 |
| 65+ | 667 | 7.9 | 61 | 1 | 1 | 6 | 10 | 18 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 17.1 | 403 | 2 | 3 | 7 | 27 | 50 | 64 | 68 |
| 20-34 | 41 | 12.1 | 177 | 1 | 2 | 7 | 17 | 28 | 35 | 71 |
| 35-49 | 96 | 11.1 | 95 | 1 | 2 | 9 | 14 | 23 | 45 | 99+ |
| 50-64 | 342 | 12.6 | 143 | 2 | 3 | 9 | 16 | 26 | 38 | 82 |
| 65+ | 522 | 15.3 | 184 | 2 | 3 | 12 | 19 | 31 | 43 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 369 | 6.0 | 58 | 1 | 1 | 4 | 7 | 14 | 20 | 40 |
| B. *Operated* | 532 | 7.2 | 46 | <1 | 1 | 5 | 10 | 16 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1144 | 7.5 | 58 | 1 | 1 | 5 | 10 | 16 | 23 | 41 |
| B. *Operated* | 1015 | 13.9 | 167 | 2 | 3 | 11 | 18 | 30 | 41 | 74 |
| **1. SINGLE DX** | 901 | 6.7 | 51 | 1 | 1 | 4 | 9 | 15 | 20 | 32 |
| **2. MULTIPLE DX** | 2159 | 10.5 | 119 | 1 | 2 | 7 | 14 | 23 | 32 | 62 |
| **A. NOT OPERATED** | 1513 | 7.1 | 58 | 1 | 1 | 5 | 9 | 16 | 23 | 41 |
| **B. OPERATED** | 1547 | 11.6 | 135 | 1 | 2 | 8 | 15 | 25 | 33 | 66 |
| TOTAL 0-19 YRS | 73 | 8.0 | 119 | 1 | 1 | 4 | 9 | 21 | 27 | 63 |
| 20-34 | 145 | 8.1 | 84 | <1 | 1 | 5 | 10 | 18 | 25 | 39 |
| 35-49 | 333 | 7.4 | 65 | 1 | 1 | 5 | 10 | 16 | 23 | 48 |
| 50-64 | 947 | 8.7 | 91 | 1 | 1 | 6 | 11 | 19 | 27 | 49 |
| 65+ | 1562 | 10.4 | 115 | 1 | 1 | 7 | 14 | 23 | 31 | 57 |
| **GRAND TOTAL** | 3060 | 9.4 | 102 | 1 | 1 | 6 | 12 | 21 | 29 | 56 |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 104 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 135 | 2.8 | 2 | <1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 50-64 | 164 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 65+ | 109 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.0 | 48 | <1 | <1 | 2 | 12 | 17 | 17 | 17 |
| 20-34 | 25 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 34 | 3.9 | 6 | 1 | 2 | 4 | 4 | 6 | 10 | 12 |
| 50-64 | 68 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 76 | 4.4 | 9 | 1 | 2 | 4 | 5 | 9 | 12 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | 563 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 210 | 3.9 | 8 | 1 | 1 | 3 | 4 | 6 | 11 | 15 |
| **1. SINGLE DX** | 569 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 212 | 3.9 | 8 | 1 | 1 | 3 | 4 | 6 | 11 | 15 |
| **A. NOT OPERATED** | 8 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **B. OPERATED** | 773 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 58 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| 20-34 | 129 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 9 |
| 35-49 | 170 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 5 | 10 |
| 50-64 | 236 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| 65+ | 188 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| **GRAND TOTAL** | 781 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |

### 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 2.4 | 3 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 25 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 7 |
| 65+ | 15 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.0 | 13 | <1 | <1 | 2 | 7 | 10 | 11 | 11 |
| 20-34 | 38 | 6.5 | 46 | <1 | 1 | 4 | 9 | 12 | 22 | 33 |
| 35-49 | 88 | 4.0 | 9 | <1 | <1 | 3 | 6 | 9 | 9 | 12 |
| 50-64 | 191 | 3.9 | 13 | <1 | 1 | 2 | 6 | 9 | 11 | 16 |
| 65+ | 248 | 4.7 | 29 | <1 | 1 | 2 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 10 | 5.3 | 9 | <1 | 1 | 5 | 7 | 10 | 12 | 12 |
| 35-49 | 15 | 3.2 | 5 | <1 | <1 | 2 | 5 | 6 | 8 | 8 |
| 50-64 | 42 | 3.6 | 11 | <1 | <1 | 2 | 5 | 8 | 11 | 15 |
| 65+ | 103 | 4.5 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.2 | 19 | <1 | <1 | 2 | 7 | 10 | 15 | 15 |
| 20-34 | 31 | 8.3 | 71 | 1 | 1 | 6 | 11 | 16 | 20 | 43 |
| 35-49 | 81 | 5.5 | 33 | <1 | 1 | 4 | 8 | 12 | 17 | 31 |
| 50-64 | 265 | 5.9 | 25 | 1 | 1 | 4 | 9 | 12 | 16 | 22 |
| 65+ | 546 | 7.3 | 50 | 1 | 1 | 5 | 10 | 15 | 21 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 585 | 4.4 | 22 | <1 | 1 | 2 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 4.2 | 11 | <1 | 1 | 4 | 5 | 8 | 11 | 15 |
| B. *Operated* | 934 | 6.7 | 42 | 1 | 1 | 5 | 10 | 14 | 19 | 31 |
| **1. SINGLE DX** | 635 | 4.2 | 21 | <1 | <1 | 2 | 6 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 1108 | 6.3 | 38 | 1 | 1 | 4 | 9 | 14 | 17 | 31 |
| **A. NOT OPERATED** | 224 | 3.7 | 10 | <1 | <1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 1519 | 5.8 | 35 | <1 | 1 | 3 | 9 | 13 | 16 | 30 |
| TOTAL 0-19 YRS | 37 | 3.8 | 13 | <1 | <1 | 2 | 6 | 9 | 11 | 15 |
| 20-34 | 86 | 6.7 | 49 | <1 | 1 | 5 | 9 | 15 | 17 | 39 |
| 35-49 | 185 | 4.6 | 20 | <1 | 1 | 3 | 7 | 9 | 12 | 19 |
| 50-64 | 523 | 4.8 | 20 | <1 | 1 | 3 | 7 | 11 | 14 | 20 |
| 65+ | 912 | 6.2 | 41 | 1 | 1 | 4 | 9 | 14 | 17 | 31 |
| **GRAND TOTAL** | 1743 | 5.6 | 33 | <1 | 1 | 3 | 8 | 12 | 16 | 29 |

### 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 8 | 10 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 20-34 | 43 | 2.9 | 8 | <1 | <1 | 2 | 5 | 6 | 9 | 13 |
| 35-49 | 53 | 2.7 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 66 | 3.6 | 11 | <1 | <1 | 2 | 6 | 8 | 10 | 14 |
| 65+ | 40 | 3.7 | 22 | <1 | <1 | 2 | 4 | 9 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 20-34 | 15 | 5.3 | 62 | <1 | <1 | 2 | 4 | 21 | 25 | 27 |
| 35-49 | 23 | 7.0 | 64 | <1 | 1 | 4 | 9 | 20 | 24 | 32 |
| 50-64 | 48 | 5.2 | 27 | <1 | 1 | 4 | 7 | 11 | 13 | 29 |
| 65+ | 57 | 7.5 | 45 | 1 | 2 | 6 | 9 | 16 | 21 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.2 | 4 | <1 | 1 | 2 | 2 | 3 | 7 | 10 |
| B. *Operated* | 300 | 2.7 | 9 | <1 | <1 | 1 | 3 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.0 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | 176 | 5.8 | 38 | <1 | 1 | 4 | 8 | 13 | 19 | 31 |
| **1. SINGLE DX** | 318 | 2.7 | 9 | <1 | <1 | 1 | 3 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 181 | 5.7 | 38 | <1 | 1 | 4 | 8 | 12 | 18 | 31 |
| **A. NOT OPERATED** | 23 | 2.3 | 5 | <1 | 1 | 2 | 2 | 4 | 9 | 10 |
| **B. OPERATED** | 476 | 3.9 | 22 | <1 | <1 | 2 | 5 | 9 | 13 | 24 |
| TOTAL 0-19 YRS | 146 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 10 |
| 20-34 | 59 | 3.5 | 22 | <1 | <1 | 2 | 4 | 7 | 13 | 26 |
| 35-49 | 76 | 4.0 | 27 | <1 | <1 | 2 | 5 | 9 | 13 | 29 |
| 50-64 | 117 | 4.2 | 18 | <1 | <1 | 2 | 6 | 10 | 12 | 19 |
| 65+ | 101 | 5.8 | 38 | <1 | 1 | 3 | 8 | 14 | 18 | 30 |
| **GRAND TOTAL** | 499 | 3.8 | 21 | <1 | <1 | 2 | 5 | 9 | 12 | 24 |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 8 | 4.1 | 25 | <1 | <1 | 2 | 5 | 13 | 15 | 15 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | 12 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 8 | 8 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 499 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 567 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 560 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 491 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 211 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 20-34 | 7 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 35-49 | 8 | 5.0 | 44 | <1 | <1 | 2 | 6 | 17 | 20 | 20 |
| 50-64 | 12 | 3.1 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 65+ | 10 | 3.7 | 20 | <1 | <1 | 2 | 4 | 10 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 7 | 20 |
| 20-34 | 170 | 3.6 | 28 | <1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 35-49 | 214 | 4.4 | 27 | <1 | 1 | 3 | 5 | 10 | 14 | 27 |
| 50-64 | 285 | 3.8 | 17 | <1 | 1 | 3 | 4 | 7 | 11 | 26 |
| 65+ | 173 | 5.6 | 40 | 1 | 1 | 3 | 6 | 14 | 19 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 2.8 | 10 | <1 | <1 | 2 | 3 | 7 | 10 | 15 |
| B. *Operated* | 2328 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 3.3 | 14 | <1 | <1 | 2 | 4 | 6 | 11 | 20 |
| B. *Operated* | 917 | 4.2 | 25 | <1 | 1 | 3 | 5 | 9 | 13 | 28 |
| **1. SINGLE DX** | 2354 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 961 | 4.2 | 25 | <1 | 1 | 3 | 4 | 9 | 13 | 28 |
| **A. NOT OPERATED** | 70 | 3.1 | 13 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| **B. OPERATED** | 3245 | 2.9 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-19 YRS | 584 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 752 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 784 | 2.9 | 12 | <1 | <1 | 2 | 3 | 6 | 8 | 18 |
| 50-64 | 800 | 3.0 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 65+ | 395 | 4.0 | 22 | <1 | 1 | 3 | 4 | 9 | 14 | 29 |
| **GRAND TOTAL** | 3315 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 12.0 | 32 | 8 | 8 | 12 | 16 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 438 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 206 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 35-49 | 125 | 3.0 | 10 | <1 | <1 | 2 | 3 | 8 | 9 | 17 |
| 50-64 | 108 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| 65+ | 78 | 3.3 | 21 | <1 | <1 | 2 | 3 | 5 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.0 | 18 | 2 | 2 | 5 | 11 | 74 | 99+ | 99+ |
| 20-34 | 4 | 3.0 | 11 | <1 | <1 | 1 | 5 | 8 | 8 | 8 |
| 35-49 | 3 | 8.7 | 32 | 4 | 4 | 7 | 13 | 15 | 15 | 15 |
| 50-64 | 3 | 7.0 | 43 | 1 | 1 | 6 | 12 | 14 | 14 | 14 |
| 65+ | 7 | 9.0 | 27 | 1 | 2 | 10 | 13 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 4.0 | 59 | <1 | <1 | 2 | 4 | 9 | 13 | 48 |
| 20-34 | 72 | 3.8 | 10 | <1 | 1 | 3 | 5 | 9 | 12 | 13 |
| 35-49 | 72 | 3.7 | 16 | <1 | <1 | 2 | 4 | 9 | 11 | 22 |
| 50-64 | 81 | 6.2 | 103 | <1 | <1 | 3 | 7 | 12 | 20 | 61 |
| 65+ | 75 | 8.4 | 142 | <1 | <1 | 4 | 8 | 23 | 30 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 3.7 | 18 | <1 | <1 | 2 | 4 | 9 | 14 | 16 |
| B. *Operated* | 955 | 2.3 | 7 | <1 | <1 | 1 | 3 | 4 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 6.8 | 24 | <1 | 1 | 6 | 12 | 15 | 37 | 99+ |
| B. *Operated* | 388 | 5.2 | 70 | <1 | <1 | 3 | 6 | 11 | 17 | 60 |
| **1. SINGLE DX** | 970 | 2.3 | 7 | <1 | <1 | 1 | 3 | 4 | 7 | 16 |
| **2. MULTIPLE DX** | 412 | 5.3 | 67 | <1 | <1 | 3 | 6 | 12 | 17 | 61 |
| **A. NOT OPERATED** | 39 | 5.6 | 24 | <1 | <1 | 4 | 9 | 15 | 16 | 99+ |
| **B. OPERATED** | 1343 | 3.2 | 27 | <1 | <1 | 2 | 3 | 7 | 10 | 23 |
| TOTAL 0-19 YRS | 541 | 2.3 | 13 | <1 | <1 | 1 | 2 | 4 | 7 | 15 |
| 20-34 | 285 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 201 | 3.4 | 13 | <1 | <1 | 2 | 4 | 8 | 10 | 18 |
| 50-64 | 193 | 4.3 | 51 | <1 | <1 | 2 | 4 | 9 | 14 | 48 |
| 65+ | 162 | 6.0 | 84 | <1 | <1 | 3 | 6 | 16 | 23 | 57 |
| **GRAND TOTAL** | 1382 | 3.2 | 27 | <1 | <1 | 2 | 3 | 7 | 11 | 24 |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 6 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 320 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 189 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 50-64 | 133 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 9 |
| 65+ | 53 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 100 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 146 | 2.3 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 88 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 65+ | 50 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| B. *Operated* | 824 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 404 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **1. SINGLE DX** | 834 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 406 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 12 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| **B. OPERATED** | 1228 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 150 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 424 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 35-49 | 341 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 50-64 | 221 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 65+ | 104 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| **GRAND TOTAL** | 1240 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 11 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 16 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 6 | 3.5 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.2 | 4 | <1 | <1 | 5 | 5 | 6 | 6 | 6 |
| 20-34 | 308 | 4.9 | 5 | <1 | 1 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 967 | 5.4 | 4 | 1 | 2 | 6 | 6 | 7 | 8 | 10 |
| 50-64 | 178 | 5.4 | 5 | 1 | 2 | 6 | 7 | 8 | 8 | 11 |
| 65+ | 14 | 4.5 | 8 | <1 | 1 | 5 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 21 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 35-49 | 59 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 50-64 | 22 | 3.0 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 9 |
| 65+ | 5 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.3 | 7 | <1 | <1 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 967 | 5.5 | 6 | 1 | 2 | 6 | 6 | 8 | 9 | 12 |
| 35-49 | 4909 | 6.1 | 6 | 2 | 4 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 1062 | 6.5 | 12 | 1 | 4 | 6 | 7 | 9 | 11 | 21 |
| 65+ | 145 | 8.2 | 38 | 2 | 4 | 7 | 9 | 13 | 17 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 1472 | 5.3 | 4 | <1 | 2 | 6 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | 7089 | 6.1 | 8 | 2 | 4 | 6 | 7 | 8 | 10 | 15 |
| **1. SINGLE DX** | 1506 | 5.2 | 4 | <1 | 1 | 6 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 7197 | 6.1 | 8 | 1 | 4 | 6 | 7 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 142 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| **B. OPERATED** | 8561 | 6.0 | 7 | 1 | 4 | 6 | 7 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 13 | 4.2 | 4 | <1 | <1 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 1307 | 5.3 | 6 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 5951 | 6.0 | 6 | 1 | 4 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 1268 | 6.3 | 11 | 1 | 2 | 6 | 7 | 9 | 10 | 18 |
| 65+ | 164 | 7.7 | 36 | 1 | 2 | 7 | 8 | 12 | 16 | 33 |
| **GRAND TOTAL** | 8703 | 5.9 | 7 | 1 | 3 | 6 | 7 | 8 | 9 | 14 |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 30 | 2.3 | 4 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| 35-49 | 24 | 4.0 | 7 | <1 | 1 | 4 | 6 | 7 | 9 | 10 |
| 50-64 | 14 | 2.1 | 3 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 65+ | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 42 | 3.5 | 7 | <1 | <1 | 3 | 6 | 7 | 8 | 10 |
| 35-49 | 106 | 5.1 | 8 | 1 | 1 | 6 | 6 | 7 | 9 | 16 |
| 50-64 | 52 | 4.6 | 11 | <1 | 1 | 5 | 6 | 9 | 11 | 14 |
| 65+ | 11 | 5.8 | 13 | <1 | 1 | 6 | 9 | 11 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 72 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* | 212 | 4.7 | 9 | <1 | 1 | 5 | 6 | 8 | 9 | 13 |
| **1. SINGLE DX** | 73 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 215 | 4.7 | 9 | <1 | 1 | 5 | 6 | 8 | 9 | 13 |
| **A. NOT OPERATED** | 4 | 1.8 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| **B. OPERATED** | 284 | 4.2 | 9 | <1 | 1 | 5 | 6 | 7 | 9 | 13 |
| TOTAL 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 73 | 3.0 | 6 | <1 | <1 | 1 | 5 | 6 | 8 | 10 |
| 35-49 | 131 | 4.9 | 8 | <1 | 1 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 67 | 4.0 | 10 | <1 | <1 | 4 | 6 | 7 | 10 | 14 |
| 65+ | 15 | 5.0 | 11 | <1 | 2 | 4 | 8 | 10 | 11 | 12 |
| **GRAND TOTAL** | **288** | **4.2** | **9** | **<1** | **1** | **5** | **6** | **7** | **9** | **13** |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 9.5 | 61 | 4 | 4 | 9 | 15 | 15 | 15 | 15 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 85 | 5.2 | 2 | 4 | 4 | 5 | 6 | 6 | 8 | 10 |
| 20-34 | 316 | 5.0 | 2 | 3 | 4 | 5 | 5 | 6 | 7 | 10 |
| 35-49 | 100 | 5.6 | 3 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | 68 | 7.0 | 5 | 4 | 5 | 7 | 8 | 10 | 11 | 15 |
| 65+ | 37 | 8.0 | 8 | 4 | 5 | 7 | 10 | 13 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 3 | 9.7 | 16 | 6 | 6 | 9 | 13 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 5.2 | 3 | 3 | 3 | 5 | 6 | 8 | 8 | 12 |
| 20-34 | 329 | 5.4 | 6 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 252 | 6.1 | 3 | 4 | 4 | 6 | 7 | 8 | 10 | 11 |
| 50-64 | 175 | 7.4 | 7 | 5 | 5 | 7 | 8 | 10 | 13 | 17 |
| 65+ | 120 | 11.1 | 43 | 6 | 6 | 10 | 13 | 18 | 25 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 6.0 | 37 | 2 | 2 | 3 | 9 | 15 | 15 | 15 |
| B. *Operated* | 606 | 5.5 | 3 | 4 | 4 | 5 | 6 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 9.4 | 9 | 6 | 6 | 9 | 11 | 14 | 14 | 14 |
| B. *Operated* | 946 | 6.7 | 13 | 3 | 4 | 6 | 7 | 10 | 13 | 21 |
| **1. SINGLE DX** | 610 | 5.5 | 3 | 4 | 4 | 5 | 6 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 951 | 6.7 | 13 | 3 | 4 | 6 | 7 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 9 | 7.9 | 21 | 2 | 2 | 8 | 11 | 15 | 15 | 15 |
| **B. OPERATED** | 1552 | 6.2 | 10 | 3 | 4 | 6 | 7 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 156 | 5.2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 647 | 5.2 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 353 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 11 |
| 50-64 | 245 | 7.3 | 6 | 5 | 5 | 7 | 8 | 10 | 13 | 17 |
| 65+ | 160 | 10.4 | 36 | 6 | 6 | 8 | 12 | 16 | 21 | 39 |
| **GRAND TOTAL** | **1561** | **6.2** | **10** | **3** | **4** | **6** | **7** | **9** | **11** | **19** |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 12 | 3.0 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 14 | 2.7 | 13 | <1 | <1 | 1 | 2 | 7 | 12 | 14 |
| 50-64 | 12 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 9 | 4.2 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 18 | 4.1 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 20 | 4.7 | 27 | <1 | <1 | 5 | 6 | 8 | 16 | 24 |
| 50-64 | 10 | 5.5 | 12 | <1 | 1 | 6 | 8 | 10 | 12 | 12 |
| 65+ | 2 | 10.0 | 2 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 49 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 50 | 4.9 | 16 | <1 | <1 | 5 | 6 | 9 | 11 | 24 |
| **1. SINGLE DX** | 49 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 52 | 4.7 | 16 | <1 | 1 | 4 | 6 | 8 | 11 | 24 |
| **A. NOT OPERATED** | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 99 | 3.8 | 12 | <1 | <1 | 2 | 6 | 8 | 9 | 19 |
| TOTAL 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 31 | 3.6 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 34 | 3.9 | 22 | <1 | <1 | 2 | 6 | 7 | 13 | 24 |
| 50-64 | 22 | 3.4 | 9 | <1 | <1 | 2 | 6 | 8 | 10 | 12 |
| 65+ | 12 | 5.0 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| **GRAND TOTAL** | **101** | **3.8** | **12** | **<1** | **<1** | **2** | **6** | **8** | **9** | **19** |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 21 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 13 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 | 13 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 65+ | 9 | 2.6 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 65 | 2 | 2 | 2 | 13 | 16 | 16 | 16 |
| 20-34 | 7 | 4.4 | 13 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| 35-49 | 7 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 6 | 4.5 | 8 | 2 | 2 | 4 | 6 | 9 | 9 | 9 |
| 65+ | 13 | 3.5 | 6 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 61 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 36 | 3.9 | 11 | 1 | 1 | 3 | 5 | 9 | 10 | 16 |
| **1. SINGLE DX** | 62 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 37 | 3.8 | 11 | 1 | 1 | 2 | 5 | 9 | 10 | 16 |
| **A. NOT OPERATED** | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 97 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| TOTAL 0-19 YRS | 8 | 3.1 | 27 | <1 | <1 | 1 | 2 | 12 | 16 | 16 |
| 20-34 | 28 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 9 | 10 |
| 35-49 | 20 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 19 | 3.6 | 7 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 65+ | 24 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 8 |
| **GRAND TOTAL** | **99** | **2.9** | **6** | **<1** | **1** | **2** | **3** | **6** | **9** | **14** |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 3.7 | 17 | <1 | <1 | 2 | 6 | 10 | 11 | 11 |
| 35-49 | 8 | 3.6 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 10 |
| 50-64 | 29 | 3.0 | 9 | 1 | 1 | 2 | 3 | 8 | 9 | 14 |
| 65+ | 38 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-34 | 5 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 11 | 6.6 | 12 | 1 | 2 | 7 | 10 | 11 | 12 | 12 |
| 50-64 | 23 | 4.8 | 16 | 1 | 1 | 3 | 8 | 11 | 13 | 15 |
| 65+ | 36 | 5.9 | 78 | 1 | 2 | 3 | 5 | 11 | 33 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 81 | 3.0 | 8 | <1 | 1 | 2 | 3 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 8.7 | 14 | 6 | 6 | 7 | 11 | 13 | 13 | 13 |
| B. *Operated* | 77 | 5.4 | 44 | 1 | 1 | 3 | 7 | 11 | 14 | 36 |
| **1. SINGLE DX** | 84 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 10 | 14 |
| **2. MULTIPLE DX** | 80 | 5.5 | 43 | 1 | 1 | 3 | 7 | 11 | 14 | 36 |
| **A. NOT OPERATED** | 6 | 5.3 | 19 | 1 | 1 | 4 | 7 | 12 | 13 | 13 |
| **B. OPERATED** | 158 | 4.2 | 27 | 1 | 1 | 2 | 5 | 10 | 11 | 35 |
| TOTAL 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 20-24 | 12 | 3.3 | 10 | <1 | <1 | 2 | 5 | 8 | 11 | 11 |
| 35-49 | 20 | 5.3 | 12 | 1 | 1 | 4 | 8 | 11 | 11 | 12 |
| 50-64 | 53 | 3.9 | 14 | 1 | 1 | 2 | 5 | 10 | 13 | 15 |
| 65+ | 77 | 4.2 | 42 | 1 | 1 | 2 | 4 | 7 | 13 | 36 |
| **GRAND TOTAL** | 164 | 4.2 | 26 | 1 | 1 | 2 | 5 | 10 | 12 | 34 |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 11 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 7 | 2.3 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 5 | 4.8 | 8 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | 41 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 10 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| **1. SINGLE DX** | 43 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 11 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| **A. NOT OPERATED** | 3 | 4.7 | 16 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| **B. OPERATED** | 51 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 19 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 13 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 6 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 8 | 3.1 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 9 |
| 65+ | 8 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| **GRAND TOTAL** | 54 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 5 | 3.4 | 11 | <1 | <1 | 3 | 5 | 9 | 9 | 9 |
| 35-49 | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 50-64 | 10 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 7 | 6.7 | 17 | 2 | 2 | 6 | 8 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.0 | 19 | 2 | 2 | 7 | 10 | 12 | 13 | 13 |
| 20-34 | 44 | 11.2 | 34 | 1 | 5 | 10 | 14 | 17 | 22 | 29 |
| 35-49 | 63 | 11.2 | 59 | 2 | 3 | 10 | 13 | 17 | 30 | 43 |
| 50-64 | 97 | 10.9 | 82 | 1 | 2 | 9 | 13 | 17 | 23 | 55 |
| 65+ | 55 | 12.0 | 57 | 2 | 3 | 11 | 14 | 23 | 29 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 7.7 | 81 | <1 | <1 | 4 | 10 | 23 | 25 | 25 |
| 50-64 | 13 | 6.1 | 27 | 1 | 1 | 5 | 9 | 13 | 18 | 19 |
| 65+ | 44 | 8.9 | 91 | 2 | 3 | 6 | 10 | 18 | 29 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 14.1 | 189 | 1 | 2 | 11 | 16 | 36 | 48 | 48 |
| 20-34 | 39 | 13.1 | 56 | 4 | 7 | 11 | 16 | 27 | 33 | 99+ |
| 35-49 | 70 | 14.9 | 93 | 2 | 6 | 13 | 17 | 29 | 36 | 53 |
| 50-64 | 131 | 18.1 | 236 | 3 | 6 | 13 | 20 | 37 | 54 | 73 |
| 65+ | 110 | 21.6 | 288 | 5 | 7 | 16 | 30 | 46 | 71 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 27 | 4.1 | 11 | 1 | 1 | 3 | 6 | 9 | 10 | 15 |
| B. *Operated* | 267 | 11.1 | 62 | 2 | 2 | 10 | 13 | 18 | 27 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 65 | 8.0 | 75 | 1 | 2 | 5 | 9 | 18 | 23 | 46 |
| B. *Operated* | 359 | 17.9 | 210 | 3 | 7 | 13 | 22 | 37 | 52 | 89 |
| 1. SINGLE DX | 294 | 10.5 | 61 | 1 | 2 | 9 | 13 | 17 | 25 | 43 |
| 2. MULTIPLE DX | 424 | 16.4 | 202 | 3 | 4 | 12 | 19 | 36 | 48 | 85 |
| A. NOT OPERATED | 92 | 6.9 | 59 | 1 | 1 | 4 | 8 | 16 | 19 | 46 |
| B. OPERATED | 626 | 15.0 | 158 | 2 | 4 | 11 | 17 | 31 | 45 | 74 |
| TOTAL 0-19 YRS | 21 | 9.5 | 101 | 1 | 2 | 9 | 11 | 17 | 31 | 48 |
| 20-34 | 88 | 11.6 | 47 | 1 | 4 | 10 | 14 | 21 | 28 | 75 |
| 35-49 | 142 | 12.7 | 81 | 2 | 3 | 11 | 15 | 24 | 32 | 46 |
| 50-64 | 251 | 14.1 | 177 | 2 | 3 | 11 | 16 | 28 | 45 | 71 |
| 65+ | 216 | 16.1 | 212 | 3 | 3 | 12 | 19 | 37 | 47 | 93 |
| GRAND TOTAL | 718 | 14.0 | 153 | 2 | 3 | 11 | 16 | 29 | 41 | 73 |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 204 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 202 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 9 |
| 50-64 | 161 | 3.7 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| 65+ | 71 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 5.5 | 41 | 1 | 1 | 5 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 79 | 4.4 | 15 | 2 | 3 | 3 | 4 | 6 | 9 | 26 |
| 35-49 | 109 | 4.3 | 6 | 2 | 3 | 4 | 5 | 6 | 7 | 16 |
| 50-64 | 104 | 4.6 | 10 | 3 | 3 | 4 | 5 | 6 | 7 | 23 |
| 65+ | 67 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 21 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 665 | 3.6 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.4 | 14 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| B. *Operated* | 366 | 4.6 | 10 | 2 | 3 | 4 | 5 | 6 | 8 | 25 |
| 1. SINGLE DX | 668 | 3.6 | 2 | 2 | 2 | 4 | 4 | 5 | 5 | 8 |
| 2. MULTIPLE DX | 371 | 4.6 | 10 | 2 | 3 | 4 | 5 | 6 | 8 | 25 |
| A. NOT OPERATED | 8 | 3.6 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| B. OPERATED | 1031 | 4.0 | 5 | 2 | 2 | 4 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 34 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 284 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 5 | 12 |
| 35-49 | 313 | 3.9 | 3 | 2 | 3 | 4 | 4 | 5 | 6 | 10 |
| 50-64 | 268 | 4.1 | 5 | 2 | 3 | 4 | 4 | 5 | 6 | 16 |
| 65+ | 140 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| GRAND TOTAL | 1039 | 4.0 | 5 | 2 | 2 | 4 | 4 | 5 | 6 | 11 |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 4 | 5.0 | 10 | <1 | <1 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 12 | 12 |
| 20-34 | 51 | 7.3 | 11 | 1 | 4 | 7 | 8 | 11 | 14 | 20 |
| 35-49 | 41 | 6.9 | 12 | 2 | 3 | 6 | 9 | 11 | 12 | 18 |
| 50-64 | 63 | 7.8 | 53 | 2 | 3 | 6 | 10 | 14 | 15 | 51 |
| 65+ | 30 | 7.4 | 17 | 4 | 4 | 6 | 8 | 12 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 3.9 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 35-49 | 9 | 3.4 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 12 | 7.3 | 17 | 3 | 3 | 6 | 10 | 14 | 15 | 15 |
| 65+ | 15 | 8.5 | 31 | 1 | 3 | 5 | 11 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | 19 | 5 | 5 | 7 | 11 | 15 | 15 | 15 |
| 20-34 | 30 | 7.8 | 18 | 3 | 3 | 7 | 10 | 13 | 14 | 22 |
| 35-49 | 41 | 8.7 | 74 | 2 | 3 | 7 | 10 | 16 | 22 | 53 |
| 50-64 | 87 | 10.2 | 111 | 3 | 3 | 7 | 12 | 21 | 25 | 64 |
| 65+ | 50 | 12.8 | 131 | 3 | 3 | 9 | 17 | 36 | 45 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| B. *Operated* | 196 | 7.3 | 25 | 3 | 3 | 7 | 9 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 6.2 | 21 | 1 | 1 | 5 | 8 | 13 | 16 | 19 |
| B. *Operated* | 212 | 10.1 | 95 | 3 | 3 | 7 | 12 | 21 | 28 | 64 |
| **1. SINGLE DX** | 210 | 7.1 | 25 | 2 | 3 | 6 | 8 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | 257 | 9.4 | 85 | 2 | 3 | 7 | 11 | 20 | 25 | 52 |
| **A. NOT OPERATED** | 59 | 5.5 | 19 | 1 | 1 | 4 | 7 | 12 | 15 | 19 |
| **B. OPERATED** | 408 | 8.8 | 64 | 3 | 3 | 7 | 10 | 16 | 22 | 49 |
| TOTAL 0-19 YRS | 18 | 6.1 | 11 | 2 | 3 | 6 | 7 | 11 | 14 | 15 |
| 20-34 | 94 | 6.9 | 15 | 1 | 2 | 7 | 8 | 12 | 14 | 21 |
| 35-49 | 95 | 7.3 | 40 | 2 | 2 | 6 | 8 | 11 | 17 | 40 |
| 50-64 | 162 | 9.0 | 83 | 3 | 3 | 7 | 11 | 16 | 22 | 53 |
| 65+ | 98 | 10.2 | 84 | 3 | 3 | 7 | 12 | 21 | 37 | 73 |
| **GRAND TOTAL** | **467** | **8.4** | **59** | **2** | **3** | **7** | **10** | **15** | **21** | **46** |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 3.3 | 2 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 6 | 6 |
| 20-34 | 605 | 3.1 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 9 |
| 35-49 | 211 | 3.8 | 6 | <1 | 1 | 4 | 6 | 7 | 7 | 10 |
| 50-64 | 58 | 4.3 | 9 | <1 | <1 | 4 | 6 | 9 | 10 | 11 |
| 65+ | 25 | 3.9 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 431 | 4.2 | 7 | <1 | 1 | 5 | 6 | 7 | 9 | 11 |
| 35-49 | 311 | 5.3 | 6 | 1 | 1 | 6 | 7 | 8 | 9 | 13 |
| 50-64 | 72 | 6.4 | 50 | 1 | 1 | 6 | 7 | 9 | 11 | 49 |
| 65+ | 32 | 8.6 | 54 | 1 | 2 | 7 | 12 | 16 | 24 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.6 | 2 | 1 | 1 | 4 | 4 | 5 | 5 | 5 |
| B. *Operated* | 911 | 3.4 | 6 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| B. *Operated* | 849 | 5.0 | 13 | 1 | 1 | 5 | 6 | 8 | 10 | 15 |
| **1. SINGLE DX** | 916 | 3.4 | 6 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 858 | 4.9 | 13 | 1 | 1 | 5 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 14 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| **B. OPERATED** | 1760 | 4.1 | 10 | <1 | 1 | 4 | 6 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 15 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 5 | 6 |
| 20-34 | 1042 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 35-49 | 523 | 4.7 | 7 | <1 | 1 | 5 | 6 | 7 | 9 | 12 |
| 50-64 | 132 | 5.6 | 32 | <1 | 1 | 5 | 7 | 9 | 10 | 33 |
| 65+ | 62 | 6.3 | 37 | 1 | 1 | 5 | 8 | 14 | 16 | 34 |
| **GRAND TOTAL** | **1774** | **4.1** | **10** | **<1** | **1** | **4** | **6** | **7** | **8** | **13** |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 50-64 | 3 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 27 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 48 | 4.7 | 15 | <1 | <1 | 3 | 7 | 10 | 12 | 18 |
| 50-64 | 87 | 3.6 | 6 | <1 | <1 | 3 | 6 | 7 | 8 | 11 |
| 65+ | 92 | 5.0 | 31 | <1 | 1 | 3 | 6 | 11 | 14 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 5 | 5.2 | 12 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 65+ | 5 | 7.8 | 89 | 1 | 1 | 3 | 12 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 22 | 4.3 | 9 | <1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 35-49 | 61 | 5.8 | 32 | <1 | 1 | 4 | 7 | 13 | 16 | 33 |
| 50-64 | 117 | 6.2 | 26 | <1 | 1 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 166 | 7.2 | 39 | 1 | 2 | 5 | 10 | 15 | 20 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 6.6 | 26 | <1 | <1 | 6 | 10 | 14 | 14 | 14 |
| B. *Operated* | 255 | 4.2 | 17 | <1 | <1 | 3 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 6.2 | 43 | 1 | 1 | 3 | 8 | 16 | 23 | 24 |
| B. *Operated* | 369 | 6.4 | 32 | 1 | 1 | 5 | 9 | 13 | 17 | 30 |
| **1. SINGLE DX** | 260 | 4.2 | 17 | <1 | <1 | 3 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 380 | 6.4 | 32 | 1 | 1 | 5 | 9 | 13 | 17 | 30 |
| **A. NOT OPERATED** | 16 | 6.3 | 36 | <1 | 1 | 4 | 8 | 14 | 21 | 24 |
| **B. OPERATED** | 624 | 5.5 | 27 | <1 | 1 | 4 | 7 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 49 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 111 | 5.4 | 25 | <1 | 1 | 4 | 7 | 11 | 14 | 27 |
| 50-64 | 212 | 5.1 | 19 | <1 | 1 | 4 | 7 | 10 | 12 | 22 |
| 65+ | 264 | 6.4 | 38 | 1 | 1 | 4 | 9 | 14 | 18 | 30 |
| **GRAND TOTAL** | **640** | **5.5** | **27** | **<1** | **1** | **4** | **7** | **12** | **15** | **26** |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.4 | 16 | 1 | 1 | 2 | 3 | 10 | 14 | 15 |
| 20-34 | 25 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 22 | 5.8 | 115 | <1 | 1 | 2 | 4 | 14 | 33 | 49 |
| 50-64 | 47 | 3.4 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 13 |
| 65+ | 61 | 3.2 | 10 | <1 | <1 | 2 | 4 | 8 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.7 | 9 | <1 | 1 | 2 | 5 | 8 | 10 | 15 |
| 20-34 | 179 | 4.1 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 29 |
| 35-49 | 173 | 3.5 | 11 | <1 | 1 | 2 | 5 | 7 | 9 | 18 |
| 50-64 | 243 | 4.1 | 17 | <1 | 1 | 3 | 5 | 9 | 13 | 20 |
| 65+ | 264 | 4.0 | 15 | <1 | 1 | 2 | 5 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.9 | 23 | <1 | <1 | 3 | 5 | 7 | 16 | 22 |
| 20-34 | 39 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 49 | 4.2 | 19 | <1 | 1 | 3 | 6 | 10 | 12 | 22 |
| 50-64 | 88 | 5.6 | 88 | 1 | 1 | 3 | 6 | 8 | 14 | 63 |
| 65+ | 292 | 6.6 | 40 | 1 | 1 | 5 | 9 | 13 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 7.2 | 44 | <1 | 1 | 5 | 10 | 17 | 24 | 27 |
| 20-34 | 134 | 7.1 | 76 | 1 | 1 | 5 | 8 | 13 | 21 | 45 |
| 35-49 | 163 | 6.9 | 48 | 1 | 1 | 6 | 8 | 12 | 19 | 45 |
| 50-64 | 253 | 6.2 | 44 | 1 | 1 | 4 | 8 | 12 | 16 | 41 |
| 65+ | 416 | 8.7 | 103 | 1 | 2 | 6 | 10 | 18 | 27 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 3.6 | 23 | <1 | <1 | 2 | 4 | 7 | 12 | 20 |
| B. *Operated* | 970 | 3.9 | 15 | <1 | 1 | 2 | 5 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 487 | 5.8 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| B. *Operated* | 1005 | 7.5 | 74 | 1 | 1 | 5 | 9 | 15 | 24 | 47 |
| **1. SINGLE DX** | 1143 | 3.9 | 16 | <1 | 1 | 2 | 5 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 1492 | 6.9 | 65 | 1 | 1 | 5 | 8 | 14 | 22 | 42 |
| **A. NOT OPERATED** | 660 | 5.2 | 40 | <1 | 1 | 3 | 7 | 11 | 15 | 31 |
| **B. OPERATED** | 1975 | 5.8 | 48 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| TOTAL 0-19 YRS | 187 | 4.4 | 20 | <1 | 1 | 3 | 6 | 10 | 12 | 24 |
| 20-34 | 377 | 5.0 | 39 | <1 | 1 | 4 | 6 | 10 | 13 | 30 |
| 35-49 | 407 | 5.1 | 35 | <1 | 1 | 4 | 7 | 10 | 13 | 39 |
| 50-64 | 631 | 5.1 | 38 | 1 | 1 | 3 | 6 | 11 | 14 | 32 |
| 65+ | 1033 | 6.6 | 62 | 1 | 1 | 4 | 8 | 14 | 20 | 39 |
| **GRAND TOTAL** | **2635** | **5.6** | **46** | **1** | **1** | **4** | **7** | **11** | **17** | **36** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 5 | 4.6 | 10 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 142 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 6 |
| 35-49 | 176 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 185 | 4.0 | 3 | 2 | 3 | 4 | 4 | 6 | 6 | 9 |
| 65+ | 81 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 3.0 | 8 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 35-49 | 10 | 2.8 | 3 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 50-64 | 12 | 3.4 | 13 | 1 | 1 | 2 | 4 | 8 | 13 | 14 |
| 65+ | 18 | 5.7 | 15 | 1 | 2 | 4 | 8 | 12 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 58 | 4.1 | 6 | 2 | 2 | 4 | 4 | 5 | 10 | 15 |
| 35-49 | 87 | 4.3 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 17 |
| 50-64 | 98 | 5.2 | 11 | 2 | 3 | 4 | 5 | 10 | 12 | 18 |
| 65+ | 76 | 6.1 | 22 | 2 | 3 | 5 | 7 | 11 | 15 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| B. *Operated* | 597 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 3.9 | 12 | 1 | 1 | 3 | 5 | 9 | 13 | 15 |
| B. *Operated* | 323 | 4.9 | 11 | 2 | 3 | 4 | 5 | 8 | 12 | 18 |
| **1. SINGLE DX** | 608 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 374 | 4.8 | 12 | 2 | 2 | 4 | 5 | 8 | 12 | 18 |
| **A. NOT OPERATED** | 62 | 3.8 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| **B. OPERATED** | 920 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| TOTAL 0-19 YRS | 20 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 209 | 3.7 | 3 | 2 | 2 | 4 | 4 | 5 | 5 | 12 |
| 35-49 | 276 | 3.7 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| 50-64 | 297 | 4.3 | 6 | 2 | 3 | 4 | 5 | 6 | 9 | 17 |
| 65+ | 180 | 5.3 | 13 | 2 | 3 | 4 | 6 | 9 | 11 | 22 |
| **GRAND TOTAL** | 982 | 4.2 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 46 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 29 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 20 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 22 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.9 | 2 | 2 | 2 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 147 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 98 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 77 | 4.2 | 4 | 3 | 3 | 4 | 5 | 6 | 8 | 14 |
| 65+ | 19 | 4.2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.4 | 141 | 1 | 1 | 3 | 6 | 8 | 35 | 53 |
| 20-34 | 66 | 5.1 | 14 | 1 | 2 | 4 | 7 | 10 | 11 | 22 |
| 35-49 | 83 | 7.2 | 72 | 2 | 2 | 5 | 8 | 11 | 19 | 55 |
| 50-64 | 150 | 7.0 | 73 | 2 | 2 | 5 | 8 | 12 | 18 | 31 |
| 65+ | 227 | 9.5 | 71 | 2 | 3 | 7 | 12 | 20 | 25 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 6.0 | 6 | 4 | 4 | 5 | 7 | 10 | 12 | 12 |
| 20-34 | 74 | 5.8 | 24 | 2 | 3 | 4 | 6 | 10 | 15 | 29 |
| 35-49 | 68 | 6.0 | 16 | 3 | 3 | 5 | 6 | 12 | 15 | 23 |
| 50-64 | 87 | 6.7 | 58 | 2 | 3 | 4 | 7 | 14 | 17 | 48 |
| 65+ | 62 | 12.4 | 167 | 3 | 3 | 7 | 14 | 30 | 41 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| B. *Operated* | 362 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 544 | 7.8 | 69 | 2 | 2 | 6 | 9 | 15 | 23 | 40 |
| B. *Operated* | 303 | 7.5 | 66 | 2 | 3 | 5 | 8 | 15 | 21 | 51 |
| **1. SINGLE DX** | 499 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 847 | 7.7 | 68 | 2 | 2 | 5 | 9 | 15 | 22 | 45 |
| **A. NOT OPERATED** | 681 | 7.0 | 59 | 1 | 2 | 5 | 8 | 13 | 21 | 37 |
| **B. OPERATED** | 665 | 5.6 | 35 | 2 | 3 | 4 | 5 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 71 | 4.6 | 38 | 1 | 1 | 3 | 5 | 7 | 9 | 44 |
| 20-34 | 333 | 4.7 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 22 |
| 35-49 | 278 | 5.2 | 29 | 2 | 2 | 4 | 6 | 9 | 12 | 26 |
| 50-64 | 334 | 6.1 | 50 | 2 | 3 | 4 | 6 | 11 | 16 | 26 |
| 65+ | 330 | 9.4 | 85 | 2 | 3 | 6 | 11 | 21 | 27 | 51 |
| **GRAND TOTAL** | 1346 | 6.3 | 47 | 2 | 2 | 4 | 7 | 12 | 18 | 35 |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 252 | 5.3 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 20-34 | 147 | 4.4 | 9 | 1 | 2 | 4 | 6 | 7 | 8 | 16 |
| 35-49 | 130 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 178 | 5.3 | 13 | 2 | 2 | 5 | 7 | 9 | 10 | 21 |
| 65+ | 150 | 6.2 | 13 | 2 | 3 | 5 | 7 | 11 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 20-34 | 300 | 5.4 | 36 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 435 | 5.7 | 21 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 951 | 6.4 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 27 |
| 65+ | 1386 | 7.7 | 50 | 2 | 3 | 6 | 9 | 14 | 19 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.4 | 3 | 3 | 3 | 6 | 6 | 7 | 8 | 8 |
| 20-34 | 25 | 11.2 | 105 | 2 | 4 | 8 | 13 | 19 | 39 | 45 |
| 35-49 | 48 | 10.0 | 96 | 2 | 2 | 7 | 14 | 18 | 21 | 58 |
| 50-64 | 105 | 11.4 | 105 | 2 | 3 | 9 | 14 | 23 | 28 | 60 |
| 65+ | 139 | 13.7 | 136 | 2 | 4 | 12 | 16 | 30 | 42 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 857 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 6 | 5.5 | 9 | 2 | 2 | 5 | 6 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3227 | 6.7 | 36 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| B. *Operated* | 327 | 12.0 | 116 | 2 | 3 | 9 | 15 | 23 | 37 | 71 |
| **1. SINGLE DX** | 863 | 5.2 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 3554 | 7.2 | 45 | 2 | 2 | 6 | 8 | 13 | 18 | 39 |
| **A. NOT OPERATED** | 4084 | 6.4 | 31 | 2 | 2 | 5 | 8 | 11 | 15 | 29 |
| **B. OPERATED** | 333 | 11.9 | 115 | 2 | 3 | 9 | 15 | 23 | 37 | 71 |
| TOTAL 0-19 YRS | 419 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 472 | 5.4 | 33 | 1 | 2 | 4 | 7 | 9 | 12 | 24 |
| 35-49 | 615 | 5.8 | 25 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| 50-64 | 1235 | 6.7 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| 65+ | 1676 | 8.1 | 56 | 2 | 3 | 6 | 10 | 15 | 21 | 48 |
| **GRAND TOTAL** | **4417** | **6.8** | **39** | **2** | **2** | **5** | **8** | **12** | **17** | **34** |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 493 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 338 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 116 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 80 | 5.5 | 17 | 1 | 2 | 5 | 7 | 9 | 12 | 27 |
| 65+ | 60 | 7.4 | 22 | 2 | 2 | 7 | 9 | 13 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 8 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 35-49 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 22.0 | 200 | 12 | 12 | 22 | 32 | 32 | 32 | 32 |
| 65+ | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 4.4 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 20-34 | 532 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 333 | 6.6 | 39 | 2 | 2 | 5 | 8 | 11 | 15 | 27 |
| 50-64 | 342 | 7.6 | 28 | 2 | 3 | 6 | 10 | 13 | 16 | 28 |
| 65+ | 406 | 10.5 | 67 | 3 | 4 | 8 | 12 | 20 | 27 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.8 | 44 | 1 | 1 | 6 | 7 | 17 | 23 | 23 |
| 20-34 | 38 | 11.5 | 84 | 3 | 4 | 10 | 14 | 23 | 44 | 99+ |
| 35-49 | 31 | 13.7 | 149 | 5 | 5 | 10 | 19 | 27 | 63 | 99+ |
| 50-64 | 41 | 19.5 | 310 | 4 | 5 | 13 | 24 | 38 | 66 | 80 |
| 65+ | 40 | 21.4 | 205 | 5 | 6 | 18 | 29 | 43 | 46 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1087 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 13 | 10.0 | 82 | 2 | 3 | 8 | 10 | 27 | 31 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1988 | 6.7 | 36 | 1 | 2 | 5 | 8 | 13 | 16 | 32 |
| B. *Operated* | 159 | 16.2 | 200 | 3 | 5 | 12 | 21 | 40 | 47 | 98 |
| **1. SINGLE DX** | 1100 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 2147 | 7.4 | 54 | 2 | 2 | 5 | 9 | 14 | 20 | 41 |
| **A. NOT OPERATED** | 3075 | 5.8 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 28 |
| **B. OPERATED** | 172 | 15.8 | 194 | 3 | 5 | 11 | 20 | 37 | 47 | 95 |
| TOTAL 0-19 YRS | 882 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 20-34 | 911 | 4.7 | 16 | 1 | 2 | 3 | 6 | 9 | 12 | 19 |
| 35-49 | 482 | 6.6 | 42 | 2 | 2 | 5 | 8 | 11 | 16 | 35 |
| 50-64 | 465 | 8.4 | 65 | 2 | 3 | 6 | 10 | 14 | 22 | 39 |
| 65+ | 507 | 11.0 | 83 | 3 | 4 | 8 | 13 | 22 | 31 | 48 |
| **GRAND TOTAL** | **3247** | **6.3** | **41** | **1** | **2** | **5** | **8** | **12** | **16** | **36** |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 169 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| 35-49 | 171 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 50-64 | 196 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| 65+ | 209 | 6.1 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 3 | 2 | 2 | 2 | 3 | 6 | 6 | 6 |
| 20-34 | 29 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 12 | 14 |
| 35-49 | 28 | 5.8 | 18 | 1 | 1 | 5 | 9 | 12 | 15 | 15 |
| 50-64 | 54 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 19 | 29 |
| 65+ | 38 | 6.7 | 99 | 1 | 1 | 3 | 6 | 14 | 33 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 4.7 | 14 | <1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 20-34 | 494 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| 35-49 | 716 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 16 | 22 |
| 50-64 | 1391 | 7.3 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 34 |
| 65+ | 2039 | 8.2 | 36 | 2 | 3 | 7 | 10 | 15 | 19 | 35 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 10.0 | 167 | 2 | 3 | 5 | 12 | 27 | 45 | 50 |
| 20-34 | 249 | 9.6 | 93 | 2 | 3 | 6 | 12 | 20 | 26 | 51 |
| 35-49 | 315 | 11.6 | 183 | 1 | 2 | 7 | 14 | 27 | 33 | 77 |
| 50-64 | 633 | 15.1 | 236 | 1 | 2 | 10 | 20 | 38 | 51 | 80 |
| 65+ | 762 | 17.7 | 245 | 2 | 3 | 14 | 24 | 40 | 52 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 890 | 5.3 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| *B. Operated* | 154 | 5.3 | 40 | 1 | 1 | 3 | 6 | 11 | 15 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4752 | 7.3 | 33 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| *B. Operated* | 1973 | 14.8 | 221 | 2 | 3 | 10 | 19 | 35 | 49 | 80 |
| **1. SINGLE DX** | 1044 | 5.3 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 6725 | 9.5 | 100 | 2 | 3 | 6 | 11 | 19 | 29 | 57 |
| **A. NOT OPERATED** | 5642 | 7.0 | 30 | 2 | 2 | 6 | 8 | 13 | 16 | 29 |
| **B. OPERATED** | 2127 | 14.2 | 214 | 2 | 2 | 9 | 18 | 33 | 48 | 78 |
| TOTAL 0-19 YRS | 276 | 4.8 | 20 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |
| 20-34 | 941 | 6.4 | 40 | 1 | 2 | 5 | 7 | 13 | 17 | 32 |
| 35-49 | 1230 | 7.6 | 65 | 2 | 2 | 5 | 9 | 15 | 20 | 45 |
| 50-64 | 2274 | 9.3 | 104 | 2 | 3 | 6 | 10 | 19 | 29 | 59 |
| 65+ | 3048 | 10.4 | 106 | 2 | 3 | 7 | 12 | 21 | 30 | 59 |
| **GRAND TOTAL** | **7769** | **9.0** | **90** | **2** | **2** | **6** | **10** | **18** | **27** | **54** |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 2.2 | 2 | <1 | <1 | 1 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.0 | 4 | <1 | 1 | 3 | 5 | 5 | 6 | 7 |
| 20-34 | 88 | 4.1 | 5 | <1 | 1 | 5 | 6 | 6 | 7 | 10 |
| 35-49 | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 3.5 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 35-49 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.1 | 3 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 146 | 4.8 | 8 | 1 | 1 | 5 | 6 | 7 | 8 | 18 |
| 35-49 | 24 | 6.0 | 4 | 1 | 3 | 6 | 7 | 8 | 10 | 10 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 9.5 | 145 | <1 | <1 | 9 | 18 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 11 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| *B. Operated* | 109 | 3.9 | 5 | <1 | 1 | 5 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 12 | 3.3 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| *B. Operated* | 192 | 4.9 | 8 | 1 | 1 | 5 | 6 | 7 | 8 | 18 |
| **1. SINGLE DX** | 120 | 3.8 | 5 | <1 | <1 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 204 | 4.8 | 8 | <1 | 1 | 5 | 6 | 7 | 8 | 18 |
| **A. NOT OPERATED** | 23 | 2.9 | 2 | <1 | <1 | 3 | 4 | 5 | 6 | 7 |
| **B. OPERATED** | 301 | 4.5 | 7 | <1 | 1 | 5 | 6 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 40 | 3.5 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 248 | 4.4 | 7 | <1 | 1 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 31 | 5.3 | 6 | <1 | 2 | 6 | 7 | 8 | 10 | 10 |
| 50-64 | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 65+ | 2 | 9.5 | 145 | <1 | <1 | 9 | 18 | 18 | 18 | 18 |
| **GRAND TOTAL** | **324** | **4.4** | **7** | **<1** | **1** | **5** | **6** | **7** | **8** | **13** |

### 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 77 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 62 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 13 | 25 |
| 50-64 | 59 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 65+ | 59 | 5.2 | 21 | 1 | 1 | 4 | 7 | 11 | 16 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.3 | 9 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 14 | 5.4 | 33 | <1 | 1 | 4 | 6 | 10 | 21 | 24 |
| 35-49 | 25 | 5.8 | 18 | 3 | 3 | 4 | 8 | 10 | 13 | 23 |
| 50-64 | 23 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 65+ | 8 | 7.5 | 16 | 3 | 3 | 6 | 10 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 155 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 19 |
| 35-49 | 202 | 4.5 | 18 | 1 | 1 | 4 | 5 | 8 | 12 | 27 |
| 50-64 | 344 | 5.8 | 41 | 1 | 1 | 4 | 7 | 12 | 16 | 36 |
| 65+ | 660 | 6.5 | 35 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.2 | 13 | 2 | 2 | 5 | 9 | 11 | 14 | 14 |
| 20-34 | 42 | 7.4 | 38 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| 35-49 | 53 | 10.1 | 139 | 1 | 2 | 5 | 11 | 24 | 45 | 51 |
| 50-64 | 80 | 11.0 | 213 | 2 | 3 | 6 | 12 | 22 | 36 | 86 |
| 65+ | 93 | 13.1 | 160 | 3 | 4 | 9 | 16 | 28 | 37 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 332 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| B. *Operated* | 81 | 5.4 | 15 | 1 | 2 | 4 | 7 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1470 | 5.5 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| B. *Operated* | 279 | 10.8 | 150 | 2 | 2 | 7 | 13 | 24 | 34 | 71 |
| **1. SINGLE DX** | 413 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **2. MULTIPLE DX** | 1749 | 6.4 | 54 | 1 | 1 | 4 | 7 | 13 | 18 | 36 |
| **A. NOT OPERATED** | 1802 | 5.2 | 28 | 1 | 1 | 4 | 6 | 11 | 15 | 28 |
| **B. OPERATED** | 360 | 9.6 | 125 | 2 | 2 | 6 | 11 | 21 | 30 | 51 |
| TOTAL 0-19 YRS | 206 | 2.8 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 20-34 | 288 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 35-49 | 342 | 5.5 | 41 | 1 | 1 | 4 | 6 | 10 | 15 | 35 |
| 50-64 | 506 | 6.3 | 67 | 1 | 1 | 4 | 7 | 13 | 18 | 43 |
| 65+ | 820 | 7.2 | 53 | 1 | 2 | 5 | 8 | 15 | 22 | 35 |
| **GRAND TOTAL** | 2162 | 5.9 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |

### 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 4 | 5.5 | 27 | <1 | <1 | 4 | 9 | 13 | 13 | 13 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 8 | 8.4 | 38 | 2 | 2 | 7 | 12 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 50-64 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.6 | 28 | 1 | 2 | 6 | 10 | 16 | 20 | 21 |
| 20-34 | 13 | 9.2 | 39 | 1 | 2 | 7 | 15 | 19 | 21 | 21 |
| 35-49 | 21 | 6.0 | 27 | 1 | 2 | 4 | 7 | 11 | 18 | 24 |
| 50-64 | 65 | 10.7 | 238 | 2 | 3 | 8 | 11 | 18 | 44 | 99 |
| 65+ | 308 | 10.9 | 89 | 3 | 3 | 8 | 13 | 21 | 29 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.8 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 24 | 8.0 | 89 | 4 | 5 | 6 | 7 | 9 | 64 | 99+ |
| 35-49 | 34 | 11.3 | 81 | 6 | 6 | 7 | 11 | 28 | 33 | 37 |
| 50-64 | 28 | 14.3 | 143 | 2 | 3 | 9 | 19 | 31 | 42 | 48 |
| 65+ | 33 | 20.5 | 363 | 2 | 3 | 20 | 30 | 94 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 6.4 | 26 | <1 | 1 | 5 | 8 | 15 | 18 | 19 |
| B. *Operated* | 8 | 5.6 | 53 | <1 | 1 | 3 | 5 | 18 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 427 | 10.4 | 105 | 2 | 3 | 8 | 13 | 19 | 27 | 74 |
| B. *Operated* | 124 | 13.6 | 187 | 3 | 5 | 8 | 20 | 33 | 52 | 99+ |
| **1. SINGLE DX** | 26 | 6.2 | 32 | <1 | 1 | 4 | 7 | 16 | 20 | 23 |
| **2. MULTIPLE DX** | 551 | 11.1 | 125 | 2 | 3 | 8 | 13 | 23 | 33 | 99 |
| **A. NOT OPERATED** | 445 | 10.2 | 102 | 2 | 3 | 8 | 13 | 19 | 27 | 71 |
| **B. OPERATED** | 132 | 13.1 | 182 | 2 | 4 | 7 | 20 | 33 | 52 | 99+ |
| TOTAL 0-19 YRS | 32 | 6.3 | 22 | 1 | 2 | 5 | 8 | 11 | 18 | 21 |
| 20-34 | 41 | 8.1 | 66 | 2 | 4 | 6 | 8 | 17 | 33 | 99+ |
| 35-49 | 56 | 9.6 | 68 | 2 | 3 | 6 | 10 | 23 | 31 | 37 |
| 50-64 | 97 | 11.5 | 203 | 2 | 3 | 8 | 13 | 25 | 38 | 98 |
| 65+ | 351 | 11.7 | 121 | 2 | 3 | 9 | 14 | 25 | 31 | 99 |
| **GRAND TOTAL** | 577 | 10.9 | 122 | 2 | 3 | 8 | 13 | 23 | 32 | 98 |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 9.2 | 20 | 2 | 3 | 10 | 11 | 15 | 16 | 25 |
| 20-34 | 11 | 9.5 | 26 | 4 | 4 | 9 | 13 | 17 | 20 | 20 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 1 | 13 | 13 | 13 | 14 | 14 | 14 | 14 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 8.1 | 23 | 1 | 2 | 9 | 12 | 14 | 16 | 19 |
| 20-34 | 36 | 9.0 | 25 | 2 | 3 | 8 | 13 | 17 | 18 | 21 |
| 35-49 | 3 | 9.0 | 1 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 23.5 | 222 | 1 | 2 | 24 | 30 | 44 | 46 | 46 |
| 20-34 | 6 | 13.5 | 160 | 2 | 2 | 7 | 27 | 31 | 32 | 32 |
| 35-49 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 9.3 | 20 | 2 | 3 | 10 | 11 | 15 | 16 | 24 |
| B. *Operated* | 4 | 8.5 | 38 | 1 | 1 | 9 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 8.5 | 23 | 2 | 2 | 8 | 12 | 15 | 17 | 20 |
| B. *Operated* | 16 | 14.2 | 207 | <1 | 1 | 7 | 26 | 32 | 42 | 46 |
| **1. SINGLE DX** | 69 | 9.2 | 21 | 2 | 3 | 10 | 12 | 15 | 16 | 24 |
| **2. MULTIPLE DX** | 110 | 9.3 | 52 | 1 | 2 | 8 | 13 | 17 | 24 | 38 |
| **A. NOT OPERATED** | 159 | 8.8 | 22 | 2 | 3 | 9 | 12 | 15 | 17 | 21 |
| **B. OPERATED** | 20 | 13.1 | 175 | <1 | 1 | 7 | 24 | 31 | 39 | 46 |
| TOTAL 0-19 YRS | 116 | 9.5 | 41 | 1 | 2 | 10 | 12 | 15 | 18 | 35 |
| 20-34 | 54 | 9.5 | 40 | 2 | 3 | 8 | 13 | 17 | 21 | 32 |
| 35-49 | 9 | 5.1 | 19 | <1 | <1 | 6 | 8 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 179 | 9.3 | 40 | 1 | 2 | 9 | 12 | 16 | 20 | 31 |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 5 | 10.0 | 113 | 1 | 1 | 5 | 21 | 22 | 22 | 22 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.9 | 8 | 5 | 5 | 7 | 9 | 12 | 13 | 13 |
| 20-34 | 206 | 7.2 | 4 | 5 | 5 | 7 | 8 | 9 | 10 | 16 |
| 35-49 | 160 | 7.9 | 13 | 5 | 5 | 7 | 9 | 10 | 11 | 31 |
| 50-64 | 28 | 7.3 | 2 | 5 | 5 | 7 | 8 | 9 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.0 | 97 | <1 | <1 | 7 | 16 | 24 | 24 | 24 |
| 20-34 | 28 | 3.9 | 45 | 1 | 1 | 3 | 4 | 7 | 40 | 99+ |
| 35-49 | 48 | 4.5 | 17 | 1 | 1 | 4 | 6 | 8 | 10 | 24 |
| 50-64 | 28 | 6.9 | 34 | <1 | 1 | 4 | 10 | 16 | 20 | 20 |
| 65+ | 19 | 8.7 | 26 | 1 | 2 | 8 | 13 | 16 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.5 | 1 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 235 | 10.3 | 91 | 5 | 6 | 8 | 10 | 16 | 22 | 62 |
| 35-49 | 326 | 10.5 | 77 | 5 | 6 | 8 | 10 | 15 | 25 | 53 |
| 50-64 | 108 | 10.5 | 66 | 6 | 6 | 9 | 11 | 15 | 21 | 54 |
| 65+ | 4 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 6.1 | 54 | 1 | 1 | 3 | 5 | 21 | 22 | 22 |
| B. *Operated* | 402 | 7.5 | 8 | 5 | 5 | 7 | 8 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 5.7 | 33 | 1 | 1 | 4 | 7 | 15 | 18 | 51 |
| B. *Operated* | 679 | 10.4 | 79 | 5 | 6 | 8 | 10 | 16 | 22 | 57 |
| **1. SINGLE DX** | 414 | 7.4 | 9 | 5 | 5 | 7 | 8 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 806 | 9.7 | 75 | 2 | 4 | 8 | 10 | 15 | 21 | 56 |
| **A. NOT OPERATED** | 139 | 5.7 | 34 | 1 | 1 | 4 | 7 | 15 | 20 | 43 |
| **B. OPERATED** | 1081 | 9.3 | 54 | 5 | 6 | 8 | 9 | 13 | 18 | 51 |
| TOTAL 0-19 YRS | 24 | 7.1 | 20 | 1 | 3 | 7 | 8 | 11 | 16 | 26 |
| 20-34 | 474 | 8.6 | 54 | 4 | 5 | 7 | 9 | 12 | 17 | 55 |
| 35-49 | 535 | 9.2 | 56 | 3 | 5 | 8 | 9 | 13 | 20 | 50 |
| 50-64 | 164 | 9.3 | 52 | 2 | 5 | 8 | 10 | 14 | 19 | 34 |
| 65+ | 23 | 8.2 | 23 | 2 | 3 | 8 | 12 | 15 | 17 | 18 |
| **GRAND TOTAL** | 1220 | 8.9 | 53 | 3 | 5 | 8 | 9 | 13 | 18 | 50 |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.9 | 30 | <1 | <1 | 2 | 4 | 8 | 17 | 28 |
| 20-34 | 101 | 2.0 | 10 | <1 | <1 | <1 | 1 | 3 | 5 | 20 |
| 35-49 | 53 | 1.7 | 2 | <1 | <1 | <1 | 2 | 4 | 6 | 7 |
| 50-64 | 86 | 2.7 | 24 | <1 | <1 | <1 | 2 | 6 | 9 | 31 |
| 65+ | 34 | 3.2 | 9 | <1 | <1 | 2 | 4 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.5 | 5 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 26 | 4.2 | 22 | <1 | 1 | 3 | 5 | 8 | 15 | 23 |
| 35-49 | 44 | 3.8 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 34 | 4.1 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 65+ | 23 | 9.4 | 76 | 1 | 2 | 8 | 12 | 16 | 26 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 15 | 19 |
| 20-34 | 87 | 4.5 | 17 | 1 | 1 | 4 | 5 | 9 | 12 | 24 |
| 35-49 | 93 | 7.7 | 130 | 1 | 1 | 4 | 8 | 15 | 27 | 69 |
| 50-64 | 144 | 7.5 | 43 | 1 | 2 | 6 | 9 | 15 | 20 | 28 |
| 65+ | 214 | 8.2 | 69 | 1 | 2 | 6 | 10 | 18 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 14.4 | 207 | 1 | 2 | 10 | 17 | 42 | 45 | 45 |
| 20-34 | 56 | 6.6 | 72 | 1 | 2 | 5 | 7 | 13 | 15 | 60 |
| 35-49 | 93 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 44 |
| 50-64 | 112 | 8.8 | 90 | 1 | 1 | 6 | 11 | 18 | 27 | 48 |
| 65+ | 87 | 13.0 | 165 | 1 | 2 | 10 | 15 | 29 | 39 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 329 | 2.6 | 16 | <1 | <1 | <1 | 3 | 6 | 8 | 26 |
| B. *Operated* | 147 | 4.8 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 611 | 7.0 | 61 | 1 | 2 | 4 | 8 | 14 | 20 | 47 |
| B. *Operated* | 360 | 9.5 | 106 | 1 | 2 | 6 | 12 | 20 | 29 | 55 |
| **1. SINGLE DX** | 476 | 3.2 | 19 | <1 | <1 | 1 | 4 | 7 | 10 | 25 |
| **2. MULTIPLE DX** | 971 | 7.9 | 79 | 1 | 2 | 5 | 9 | 16 | 24 | 50 |
| **A. NOT OPERATED** | 940 | 5.4 | 49 | <1 | <1 | 3 | 7 | 11 | 17 | 34 |
| **B. OPERATED** | 507 | 8.1 | 87 | 1 | 1 | 5 | 10 | 17 | 25 | 48 |
| TOTAL 0-19 YRS | 160 | 4.8 | 40 | <1 | 1 | 3 | 5 | 10 | 17 | 40 |
| 20-34 | 270 | 4.0 | 29 | <1 | <1 | 3 | 5 | 8 | 12 | 27 |
| 35-49 | 283 | 6.1 | 70 | <1 | <1 | 4 | 7 | 12 | 17 | 50 |
| 50-64 | 376 | 6.5 | 55 | <1 | <1 | 5 | 8 | 14 | 19 | 31 |
| 65+ | 358 | 9.0 | 94 | 1 | 2 | 6 | 11 | 20 | 28 | 52 |
| **GRAND TOTAL** | **1447** | **6.4** | **64** | **<1** | **<1** | **4** | **8** | **14** | **20** | **43** |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 18 | 3.7 | 8 | <1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 50-64 | 19 | 4.2 | 10 | 1 | 2 | 3 | 5 | 8 | 12 | 14 |
| 65+ | 41 | 3.9 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 5 | 4.6 | 13 | <1 | <1 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 8 | 5.8 | 15 | 1 | 2 | 5 | 8 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 20-34 | 11 | 4.2 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 33 | 4.1 | 6 | 2 | 2 | 3 | 5 | 7 | 9 | 12 |
| 50-64 | 57 | 5.1 | 19 | 1 | 2 | 4 | 7 | 9 | 13 | 27 |
| 65+ | 192 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 13 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 35-49 | 10 | 3.8 | 8 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 18 | 6.6 | 23 | 2 | 2 | 5 | 10 | 15 | 17 | 17 |
| 65+ | 40 | 9.8 | 83 | 2 | 2 | 7 | 15 | 20 | 28 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 19 | 4.7 | 10 | <1 | 1 | 4 | 6 | 10 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 294 | 5.8 | 21 | 2 | 2 | 5 | 7 | 10 | 13 | 28 |
| B. *Operated* | 71 | 7.9 | 59 | 2 | 2 | 5 | 10 | 17 | 21 | 42 |
| **1. SINGLE DX** | 107 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 365 | 6.2 | 29 | 2 | 2 | 5 | 8 | 11 | 16 | 30 |
| **A. NOT OPERATED** | 382 | 5.3 | 18 | 2 | 2 | 4 | 7 | 10 | 12 | 27 |
| **B. OPERATED** | 90 | 7.2 | 50 | 1 | 2 | 5 | 9 | 16 | 19 | 40 |
| TOTAL 0-19 YRS | 4 | 9.5 | 188 | 2 | 2 | 3 | 17 | 30 | 30 | 30 |
| 20-34 | 24 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 64 | 3.9 | 6 | 1 | 2 | 3 | 5 | 8 | 9 | 12 |
| 50-64 | 99 | 5.2 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| 65+ | 281 | 6.4 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| **GRAND TOTAL** | **472** | **5.7** | **24** | **2** | **2** | **4** | **7** | **10** | **14** | **28** |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.9 | 20 | 1 | 1 | 2 | 3 | 4 | 5 | 32 |
| 20-34 | 29 | 3.7 | 10 | 1 | 1 | 3 | 4 | 9 | 10 | 14 |
| 35-49 | 26 | 2.7 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 41 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 116 | 5.7 | 35 | 1 | 2 | 4 | 7 | 10 | 14 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 47.0 | | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 368 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 230 | 3.8 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 30 |
| 35-49 | 332 | 4.7 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 50-64 | 729 | 5.8 | 40 | 1 | 2 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 2657 | 8.1 | 60 | 2 | 3 | 6 | 10 | 16 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.2 | 89 | 3 | 3 | 5 | 9 | 25 | 34 | 36 |
| 20-34 | 22 | 7.3 | 59 | 1 | 1 | 4 | 11 | 19 | 24 | 27 |
| 35-49 | 32 | 8.3 | 39 | 1 | 2 | 7 | 12 | 18 | 21 | 22 |
| 50-64 | 59 | 11.8 | 161 | 1 | 2 | 7 | 14 | 29 | 42 | 63 |
| 65+ | 174 | 18.3 | 247 | 3 | 5 | 13 | 24 | 40 | 53 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 283 | 4.1 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 27 |
| B. *Operated* | 5 | 19.0 | 262 | 9 | 9 | 10 | 26 | 47 | 47 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4316 | 6.8 | 50 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| B. *Operated* | 301 | 14.7 | 204 | 2 | 2 | 11 | 19 | 33 | 44 | 80 |
| **1. SINGLE DX** | 288 | 4.4 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 35 |
| **2. MULTIPLE DX** | 4617 | 7.3 | 64 | 1 | 2 | 5 | 9 | 15 | 20 | 41 |
| **A. NOT OPERATED** | 4599 | 6.7 | 48 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| **B. OPERATED** | 306 | 14.8 | 205 | 2 | 2 | 11 | 19 | 33 | 45 | 80 |
| TOTAL 0-19 YRS | 455 | 3.5 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 20-34 | 281 | 4.1 | 20 | 1 | 1 | 3 | 4 | 9 | 12 | 28 |
| 35-49 | 391 | 5.0 | 24 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 50-64 | 830 | 6.1 | 49 | 1 | 2 | 4 | 7 | 12 | 16 | 38 |
| 65+ | 2948 | 8.6 | 76 | 2 | 3 | 6 | 10 | 17 | 23 | 50 |
| **GRAND TOTAL** | **4905** | **7.2** | **62** | **1** | **2** | **5** | **8** | **14** | **20** | **41** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.9 | 4 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 14 | 3.8 | 7 | 1 | 1 | 3 | 5 | 6 | 10 | 11 |
| 35-49 | 17 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 7 |
| 50-64 | 28 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 9 |
| 65+ | 78 | 3.7 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 6 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 20-34 | 4 | 5.3 | 44 | 1 | 1 | 3 | 9 | 15 | 15 | 15 |
| 35-49 | 4 | 2.5 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 9 | 3.8 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 8 | 4.6 | 14 | 2 | 2 | 3 | 6 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 20-34 | 39 | 4.3 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 11 |
| 35-49 | 116 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 175 | 5.2 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 65+ | 765 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.6 | 15 | <1 | <1 | 4 | 6 | 10 | 14 | 14 |
| 20-34 | 14 | 7.4 | 30 | 1 | 2 | 6 | 8 | 16 | 20 | 21 |
| 35-49 | 56 | 8.9 | 83 | 1 | 2 | 7 | 11 | 17 | 23 | 57 |
| 50-64 | 72 | 9.4 | 111 | 1 | 2 | 6 | 10 | 24 | 36 | 91 |
| 65+ | 232 | 11.3 | 100 | 3 | 4 | 9 | 14 | 21 | 29 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 30 | 4.0 | 12 | 1 | 1 | 3 | 6 | 8 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1133 | 5.7 | 22 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| B. *Operated* | 384 | 10.3 | 96 | 1 | 3 | 8 | 13 | 21 | 29 | 73 |
| **1. SINGLE DX** | 183 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | 1517 | 6.8 | 44 | 1 | 2 | 5 | 8 | 13 | 19 | 34 |
| **A. NOT OPERATED** | 1286 | 5.4 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 414 | 9.8 | 93 | 1 | 2 | 8 | 12 | 20 | 28 | 66 |
| TOTAL 0-19 YRS | 69 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 71 | 4.9 | 14 | 1 | 1 | 4 | 7 | 9 | 12 | 20 |
| 35-49 | 193 | 5.0 | 36 | 1 | 1 | 3 | 6 | 10 | 13 | 28 |
| 50-64 | 284 | 6.0 | 42 | 1 | 1 | 5 | 7 | 11 | 16 | 43 |
| 65+ | 1083 | 7.1 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 33 |
| **GRAND TOTAL** | **1700** | **6.5** | **42** | **1** | **1** | **5** | **8** | **13** | **18** | **33** |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 20-34 | 169 | 5.6 | 14 | 1 | 2 | 5 | 8 | 10 | 14 | 18 |
| 35-49 | 43 | 5.8 | 31 | 1 | 1 | 4 | 6 | 13 | 20 | 26 |
| 50-64 | 7 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 5.1 | 11 | 1 | 2 | 4 | 7 | 11 | 12 | 15 |
| 20-34 | 146 | 6.1 | 23 | 1 | 2 | 5 | 7 | 11 | 17 | 24 |
| 35-49 | 49 | 7.9 | 39 | 2 | 3 | 6 | 9 | 16 | 19 | 36 |
| 50-64 | 12 | 8.0 | 67 | 1 | 2 | 6 | 9 | 17 | 30 | 32 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 15.6 | 208 | 4 | 5 | 9 | 18 | 43 | 50 | 52 |
| 35-49 | 5 | 10.6 | 65 | 4 | 4 | 7 | 15 | 24 | 24 | 24 |
| 50-64 | 3 | 26.0 | 871 | 7 | 7 | 11 | 48 | 60 | 60 | 60 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 303 | 5.2 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| B. *Operated* | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 272 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| B. *Operated* | 23 | 15.9 | 244 | 4 | 5 | 9 | 18 | 45 | 55 | 60 |
| **1. SINGLE DX** | 305 | 5.2 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 295 | 7.0 | 48 | 1 | 2 | 5 | 8 | 12 | 18 | 40 |
| **A. NOT OPERATED** | 575 | 5.7 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 22 |
| **B. OPERATED** | 25 | 15.2 | 230 | 4 | 5 | 8 | 15 | 43 | 54 | 60 |
| TOTAL 0-19 YRS | 147 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 20-34 | 332 | 6.3 | 30 | 1 | 2 | 5 | 8 | 11 | 17 | 29 |
| 35-49 | 97 | 7.1 | 37 | 1 | 2 | 5 | 9 | 14 | 20 | 31 |
| 50-64 | 22 | 9.0 | 172 | 1 | 2 | 5 | 9 | 17 | 43 | 60 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| **GRAND TOTAL** | **600** | **6.1** | **32** | **1** | **2** | **5** | **7** | **11** | **16** | **30** |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 10 |
| 20-34 | 47 | 3.5 | 7 | <1 | <1 | 3 | 5 | 5 | 10 | 14 |
| 35-49 | 31 | 2.6 | 8 | <1 | <1 | 1 | 3 | 6 | 9 | 13 |
| 50-64 | 53 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 65+ | 283 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.0 | 6 | 1 | 1 | 4 | 6 | 6 | 7 | 13 |
| 20-34 | 14 | 6.1 | 10 | 3 | 3 | 5 | 8 | 11 | 13 | 13 |
| 35-49 | 9 | 9.3 | 122 | 3 | 3 | 6 | 9 | 27 | 38 | 38 |
| 50-64 | 19 | 5.4 | 16 | <1 | 1 | 3 | 8 | 12 | 13 | 14 |
| 65+ | 52 | 5.6 | 21 | 1 | 1 | 4 | 7 | 14 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 3.5 | 13 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 20-34 | 97 | 3.9 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 35-49 | 135 | 4.5 | 21 | <1 | 1 | 3 | 6 | 10 | 15 | 23 |
| 50-64 | 363 | 4.2 | 19 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 1415 | 5.3 | 34 | <1 | 1 | 3 | 7 | 12 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 4.8 | 9 | 1 | 1 | 5 | 6 | 9 | 10 | 11 |
| 20-34 | 50 | 6.9 | 40 | 1 | 1 | 5 | 9 | 17 | 24 | 99 |
| 35-49 | 57 | 7.2 | 33 | 1 | 2 | 6 | 9 | 14 | 17 | 33 |
| 50-64 | 116 | 9.5 | 68 | 2 | 2 | 7 | 11 | 20 | 25 | 44 |
| 65+ | 409 | 11.1 | 92 | 3 | 3 | 8 | 14 | 22 | 29 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 491 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| B. *Operated* | 129 | 5.5 | 23 | 1 | 1 | 4 | 6 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2115 | 4.9 | 28 | <1 | 1 | 3 | 7 | 11 | 15 | 26 |
| B. *Operated* | 659 | 9.9 | 78 | 2 | 3 | 8 | 12 | 20 | 27 | 51 |
| **1. SINGLE DX** | 620 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 2774 | 6.1 | 45 | <1 | 1 | 4 | 8 | 13 | 15 | 31 |
| **A. NOT OPERATED** | 2606 | 4.5 | 25 | <1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **B. OPERATED** | 788 | 9.2 | 72 | 1 | 2 | 7 | 11 | 18 | 25 | 49 |
| TOTAL 0-19 YRS | 244 | 3.4 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 20-34 | 208 | 4.7 | 18 | <1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 35-49 | 232 | 5.1 | 28 | <1 | <1 | 4 | 7 | 11 | 15 | 27 |
| 50-64 | 551 | 5.3 | 33 | <1 | 1 | 3 | 7 | 11 | 17 | 29 |
| 65+ | 2159 | 6.0 | 48 | <1 | 1 | 4 | 8 | 13 | 18 | 31 |
| **GRAND TOTAL** | **3394** | **5.5** | **40** | **<1** | **1** | **4** | **7** | **12** | **17** | **30** |

## 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 6 | 6.7 | 30 | <1 | <1 | 4 | 13 | 14 | 14 | 14 |
| 35-49 | 8 | 2.6 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.7 | 16 | 1 | 1 | 3 | 6 | 13 | 14 | 14 |
| 20-34 | 21 | 6.5 | 48 | 1 | 1 | 5 | 7 | 15 | 24 | 30 |
| 35-49 | 5 | 3.4 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 20-34 | 3 | 4.7 | 1 | 4 | 4 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 3.1 | 10 | <1 | <1 | 2 | 4 | 6 | 13 | 14 |
| B. *Operated* | 2 | 21.0 | 200 | 11 | 11 | 21 | 31 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 5.3 | 29 | 1 | 1 | 4 | 6 | 12 | 15 | 30 |
| B. *Operated* | 7 | 6.4 | 10 | 4 | 4 | 6 | 7 | 12 | 13 | 13 |
| **1. SINGLE DX** | 31 | 4.3 | 36 | <1 | <1 | 2 | 4 | 12 | 14 | 31 |
| **2. MULTIPLE DX** | 51 | 5.5 | 26 | 1 | 2 | 4 | 6 | 12 | 14 | 30 |
| **A. NOT OPERATED** | 73 | 4.4 | 23 | <1 | 1 | 3 | 5 | 11 | 14 | 27 |
| **B. OPERATED** | 9 | 9.7 | 74 | 4 | 4 | 6 | 11 | 24 | 31 | 31 |
| TOTAL 0-19 YRS | 30 | 3.6 | 14 | <1 | <1 | 2 | 5 | 10 | 13 | 14 |
| 20-34 | 31 | 6.5 | 38 | 1 | 1 | 5 | 8 | 13 | 19 | 30 |
| 35-49 | 16 | 5.1 | 51 | 1 | 2 | 3 | 5 | 7 | 24 | 31 |
| 50-64 | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| **GRAND TOTAL** | 82 | 5.0 | 30 | <1 | 1 | 3 | 5 | 12 | 14 | 31 |

## 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 34 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 11 | 14 |
| 35-49 | 19 | 4.4 | 7 | <1 | 1 | 5 | 6 | 7 | 10 | 12 |
| 50-64 | 28 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 65+ | 56 | 2.8 | 12 | <1 | <1 | 1 | 4 | 7 | 10 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 4.1 | 5 | 1 | 1 | 4 | 6 | 7 | 9 | 10 |
| 20-34 | 59 | 6.7 | 20 | 1 | 2 | 6 | 7 | 13 | 17 | 24 |
| 35-49 | 31 | 7.7 | 27 | 2 | 3 | 6 | 10 | 16 | 18 | 24 |
| 50-64 | 38 | 7.6 | 128 | 1 | 2 | 5 | 7 | 12 | 16 | 72 |
| 65+ | 22 | 6.8 | 29 | 1 | 2 | 5 | 8 | 16 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 3.8 | 9 | <1 | 1 | 3 | 5 | 9 | 10 | 18 |
| 20-34 | 71 | 4.6 | 16 | 1 | 1 | 4 | 5 | 9 | 13 | 23 |
| 35-49 | 87 | 5.7 | 20 | 1 | 1 | 4 | 8 | 12 | 15 | 22 |
| 50-64 | 210 | 6.0 | 42 | 1 | 1 | 5 | 8 | 11 | 13 | 29 |
| 65+ | 424 | 6.5 | 38 | 1 | 1 | 5 | 9 | 13 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 6.1 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 38 |
| 20-34 | 61 | 7.9 | 49 | 1 | 2 | 6 | 10 | 16 | 18 | 40 |
| 35-49 | 59 | 9.5 | 85 | 1 | 2 | 6 | 12 | 22 | 33 | 42 |
| 50-64 | 138 | 10.5 | 92 | 2 | 2 | 7 | 14 | 21 | 27 | 57 |
| 65+ | 193 | 12.9 | 143 | 3 | 4 | 9 | 15 | 26 | 38 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 239 | 3.3 | 8 | <1 | <1 | 3 | 4 | 6 | 9 | 13 |
| B. *Operated* | 217 | 6.2 | 38 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 915 | 5.8 | 32 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| B. *Operated* | 486 | 10.7 | 107 | 2 | 3 | 7 | 14 | 23 | 29 | 57 |
| **1. SINGLE DX** | 456 | 4.7 | 24 | <1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 1401 | 7.5 | 63 | 1 | 1 | 5 | 9 | 15 | 21 | 42 |
| **A. NOT OPERATED** | 1154 | 5.3 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 703 | 9.3 | 89 | 2 | 2 | 6 | 11 | 19 | 26 | 57 |
| TOTAL 0-19 YRS | 327 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 20-34 | 225 | 5.9 | 27 | 1 | 1 | 5 | 7 | 13 | 16 | 26 |
| 35-49 | 196 | 7.1 | 42 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| 50-64 | 414 | 7.5 | 69 | 1 | 2 | 5 | 9 | 15 | 20 | 54 |
| 65+ | 695 | 8.0 | 75 | 1 | 1 | 6 | 10 | 16 | 22 | 47 |
| **GRAND TOTAL** | 1857 | 6.8 | 55 | 1 | 1 | 5 | 8 | 14 | 19 | 41 |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 322 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 78 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 17 | 2.5 | 6 | 1 | 1 | 2 | 2 | 6 | 9 | 10 |
| 50-64 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 333 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 126 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 15 | 3.9 | 2 | 2 | 2 | 4 | 5 | 5 | 7 | 7 |
| 50-64 | 7 | 5.7 | 10 | 2 | 2 | 5 | 8 | 10 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 37 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 9 | 2.7 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |
| 20-34 | 61 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| 35-49 | 6 | 8.0 | 14 | 4 | 4 | 7 | 12 | 13 | 13 | 13 |
| 50-64 | 5 | 6.4 | 9 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 420 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 481 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 193 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| **1. SINGLE DX** | 901 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | 381 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **A. NOT OPERATED** | 608 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **B. OPERATED** | 674 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 913 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 9 |
| 20-34 | 302 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 35-49 | 47 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 17 | 4.9 | 9 | 1 | 2 | 4 | 7 | 10 | 11 | 11 |
| 65+ | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| **GRAND TOTAL** | 1282 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 9 |
| 20-34 | 11 | 2.4 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 35-49 | 4 | 2.8 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 20-34 | 72 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 27 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 19 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 7 | 2.4 | 7 | <1 | <1 | 1 | 3 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 12 | 4.2 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 35-49 | 6 | 4.5 | 3 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 7 | 6.1 | 28 | 3 | 3 | 4 | 6 | 16 | 18 | 18 |
| 65+ | 7 | 3.9 | 12 | 1 | 1 | 3 | 5 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.2 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 8 |
| 20-34 | 21 | 6.6 | 96 | <1 | <1 | 3 | 7 | 19 | 34 | 39 |
| 35-49 | 15 | 3.4 | 12 | <1 | <1 | 3 | 3 | 6 | 13 | 15 |
| 50-64 | 18 | 4.3 | 14 | <1 | 1 | 3 | 6 | 11 | 12 | 12 |
| 65+ | 24 | 5.8 | 15 | 1 | 2 | 5 | 8 | 12 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| B. *Operated* | 200 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 4.0 | 7 | 1 | 1 | 4 | 5 | 6 | 8 | 16 |
| B. *Operated* | 107 | 4.7 | 28 | <1 | 1 | 3 | 6 | 10 | 12 | 34 |
| **1. SINGLE DX** | 285 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 193 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **A. NOT OPERATED** | 171 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **B. OPERATED** | 307 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 10 | 14 |
| TOTAL 0-19 YRS | 224 | 3.2 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 116 | 3.3 | 22 | <1 | <1 | 2 | 3 | 6 | 8 | 33 |
| 35-49 | 52 | 2.9 | 6 | <1 | <1 | 2 | 4 | 6 | 6 | 15 |
| 50-64 | 45 | 3.7 | 12 | <1 | 1 | 3 | 4 | 8 | 12 | 18 |
| 65+ | 41 | 4.7 | 14 | <1 | 1 | 4 | 7 | 11 | 12 | 13 |
| **GRAND TOTAL** | 478 | 3.4 | 11 | <1 | <1 | 3 | 4 | 7 | 8 | 13 |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 18 | 5.9 | 37 | <1 | 1 | 4 | 7 | 17 | 19 | 20 |
| 35-49 | 6 | 6.2 | 15 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 50-64 | 8 | 4.1 | 8 | <1 | <1 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 13 | 10.9 | 100 | 2 | 3 | 7 | 19 | 25 | 32 | 34 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 13.5 | 313 | 1 | 1 | 13 | 26 | 26 | 26 | 26 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.6 | 68 | 1 | 1 | 6 | 10 | 22 | 29 | 29 |
| 20-34 | 24 | 6.0 | 19 | 1 | 1 | 5 | 8 | 14 | 15 | 15 |
| 35-49 | 16 | 5.3 | 20 | <1 | <1 | 4 | 6 | 13 | 15 | 16 |
| 50-64 | 41 | 11.0 | 101 | 2 | 3 | 8 | 12 | 22 | 35 | 47 |
| 65+ | 89 | 8.0 | 52 | 1 | 2 | 6 | 10 | 18 | 21 | 36 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 3 | 26.0 | 525 | 6 | 6 | 21 | 43 | 51 | 51 | 51 |
| 50-64 | 5 | 10.0 | 18 | 6 | 6 | 8 | 14 | 15 | 15 | 15 |
| 65+ | 6 | 11.5 | 22 | 4 | 4 | 12 | 13 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 47 | 7.0 | 50 | 1 | 1 | 5 | 7 | 18 | 22 | 34 |
| *B. Operated* | 3 | 13.7 | 196 | 1 | 1 | 14 | 23 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 180 | 8.2 | 59 | 1 | 2 | 6 | 10 | 18 | 22 | 43 |
| *B. Operated* | 15 | 13.7 | 129 | 4 | 6 | 12 | 15 | 21 | 43 | 51 |
| **1. SINGLE DX** | 50 | 7.4 | 56 | 1 | 1 | 5 | 9 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | 195 | 8.6 | 66 | 1 | 2 | 6 | 11 | 18 | 22 | 46 |
| **A. NOT OPERATED** | 227 | 7.9 | 57 | 1 | 1 | 6 | 10 | 18 | 22 | 41 |
| **B. OPERATED** | 18 | 13.7 | 124 | 2 | 5 | 12 | 15 | 24 | 41 | 51 |
| TOTAL 0-19 YRS | 12 | 7.8 | 61 | 1 | 1 | 6 | 9 | 19 | 28 | 29 |
| 20-34 | 44 | 6.3 | 27 | <1 | 1 | 5 | 9 | 15 | 16 | 20 |
| 35-49 | 25 | 8.0 | 106 | <1 | 1 | 5 | 9 | 16 | 28 | 51 |
| 50-64 | 56 | 10.0 | 87 | 1 | 2 | 8 | 12 | 22 | 26 | 47 |
| 65+ | 108 | 8.5 | 57 | 1 | 2 | 6 | 10 | 20 | 22 | 37 |
| **GRAND TOTAL** | 245 | 8.4 | 64 | 1 | 2 | 6 | 10 | 18 | 22 | 45 |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 2.2 | 19 | 1 | 1 | 1 | 2 | 3 | 4 | 28 |
| 20-34 | 73 | 4.8 | 40 | <1 | <1 | 3 | 5 | 11 | 17 | 36 |
| 35-49 | 32 | 5.3 | 47 | 1 | 1 | 3 | 5 | 14 | 26 | 27 |
| 50-64 | 61 | 8.7 | 102 | 1 | 2 | 6 | 12 | 17 | 24 | 59 |
| 65+ | 319 | 9.0 | 88 | 1 | 2 | 6 | 11 | 19 | 27 | 54 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 3 | 6.3 | 16 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 65+ | 6 | 5.3 | 8 | 2 | 2 | 5 | 6 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 5.4 | 178 | <1 | 1 | 2 | 4 | 10 | 44 | 99+ |
| 20-34 | 153 | 7.7 | 76 | 1 | 1 | 5 | 9 | 19 | 28 | 38 |
| 35-49 | 93 | 8.8 | 84 | 1 | 1 | 5 | 14 | 23 | 31 | 73 |
| 50-64 | 205 | 10.3 | 135 | 1 | 2 | 7 | 12 | 23 | 32 | 75 |
| 65+ | 1872 | 10.1 | 78 | 2 | 3 | 7 | 13 | 21 | 28 | 60 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 24.1 | 713 | <1 | 1 | 21 | 37 | 53 | 89 | 99 |
| 35-49 | 8 | 12.0 | 179 | 2 | 2 | 7 | 15 | 35 | 42 | 42 |
| 50-64 | 17 | 10.5 | 62 | 1 | 2 | 9 | 15 | 23 | 27 | 28 |
| 65+ | 125 | 18.8 | 203 | 4 | 5 | 15 | 29 | 40 | 52 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 575 | 7.2 | 77 | 1 | 1 | 4 | 9 | 16 | 24 | 47 |
| *B. Operated* | 12 | 5.3 | 11 | <1 | 1 | 5 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2394 | 9.8 | 87 | 2 | 2 | 7 | 12 | 21 | 28 | 64 |
| *B. Operated* | 165 | 18.0 | 236 | 2 | 4 | 14 | 27 | 39 | 48 | 99+ |
| **1. SINGLE DX** | 587 | 7.1 | 76 | 1 | 1 | 4 | 9 | 16 | 24 | 47 |
| **2. MULTIPLE DX** | 2559 | 10.3 | 100 | 2 | 2 | 7 | 13 | 22 | 32 | 71 |
| **A. NOT OPERATED** | 2969 | 9.3 | 86 | 1 | 2 | 7 | 12 | 20 | 28 | 60 |
| **B. OPERATED** | 177 | 17.1 | 231 | 2 | 3 | 12 | 26 | 39 | 46 | 99+ |
| TOTAL 0-19 YRS | 163 | 3.6 | 90 | <1 | 1 | 2 | 3 | 5 | 10 | 99 |
| 20-34 | 241 | 7.7 | 117 | 1 | 1 | 4 | 9 | 21 | 28 | 49 |
| 35-49 | 134 | 8.2 | 82 | 1 | 1 | 4 | 11 | 23 | 29 | 51 |
| 50-64 | 286 | 9.9 | 122 | 1 | 2 | 7 | 12 | 22 | 29 | 68 |
| 65+ | 2322 | 10.4 | 90 | 2 | 3 | 8 | 13 | 22 | 30 | 64 |
| **GRAND TOTAL** | 3146 | 9.7 | 97 | 1 | 2 | 7 | 12 | 22 | 29 | 64 |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | 14 | 10.7 | 118 | 1 | 4 | 9 | 11 | 15 | 40 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 22.5 | 313 | 10 | 10 | 22 | 35 | 35 | 35 | 35 |
| 50-64 | 9 | 11.0 | 58 | 5 | 5 | 8 | 14 | 23 | 29 | 29 |
| 65+ | 81 | 11.4 | 73 | 2 | 3 | 11 | 14 | 19 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 8 | 20.9 | 73 | 2 | 8 | 23 | 28 | 72 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 10.8 | 110 | 1 | 4 | 9 | 11 | 18 | 39 | 47 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 11.6 | 75 | 3 | 3 | 10 | 14 | 22 | 29 | 47 |
| B. *Operated* | 8 | 20.9 | 73 | 2 | 8 | 23 | 28 | 72 | 99+ | 99+ |
| **1. SINGLE DX** | 16 | 10.8 | 110 | 1 | 4 | 9 | 11 | 18 | 39 | 47 |
| **2. MULTIPLE DX** | 100 | 12.4 | 81 | 2 | 3 | 11 | 15 | 25 | 32 | 73 |
| **A. NOT OPERATED** | 108 | 11.5 | 80 | 3 | 3 | 9 | 14 | 20 | 30 | 47 |
| **B. OPERATED** | 8 | 20.9 | 73 | 2 | 8 | 23 | 28 | 72 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 22.5 | 313 | 10 | 10 | 22 | 35 | 35 | 35 | 35 |
| 50-64 | 10 | 11.8 | 58 | 5 | 5 | 8 | 15 | 24 | 29 | 29 |
| 65+ | 103 | 12.1 | 84 | 2 | 3 | 11 | 15 | 24 | 32 | 72 |
| **GRAND TOTAL** | 116 | 12.2 | 84 | 2 | 3 | 10 | 15 | 25 | 33 | 65 |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 20-34 | 89 | 4.5 | 35 | <1 | 1 | 2 | 5 | 8 | 23 | 26 |
| 35-49 | 121 | 4.6 | 39 | 1 | 1 | 3 | 4 | 8 | 24 | 29 |
| 50-64 | 73 | 4.6 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| 65+ | 37 | 8.6 | 83 | 1 | 2 | 5 | 11 | 25 | 31 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.8 | 138 | <1 | 1 | 6 | 27 | 28 | 28 | 28 |
| 20-34 | 286 | 8.7 | 103 | 1 | 1 | 4 | 10 | 26 | 29 | 44 |
| 35-49 | 541 | 7.6 | 81 | 1 | 1 | 4 | 8 | 23 | 27 | 34 |
| 50-64 | 515 | 8.9 | 90 | 1 | 2 | 5 | 10 | 23 | 28 | 40 |
| 65+ | 222 | 9.7 | 91 | 2 | 3 | 7 | 12 | 21 | 26 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 7 | 16.3 | 88 | 5 | 6 | 12 | 25 | 29 | 29 | 29 |
| 35-49 | 15 | 15.4 | 250 | <1 | 1 | 11 | 18 | 46 | 53 | 55 |
| 50-64 | 21 | 22.1 | 289 | 4 | 5 | 16 | 32 | 46 | 55 | 64 |
| 65+ | 19 | 21.4 | 496 | 3 | 4 | 12 | 28 | 47 | 73 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 5.0 | 39 | 1 | 1 | 3 | 5 | 10 | 23 | 29 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1575 | 8.5 | 90 | 1 | 2 | 5 | 10 | 24 | 28 | 39 |
| B. *Operated* | 63 | 19.3 | 317 | 2 | 4 | 12 | 28 | 45 | 51 | 89 |
| **1. SINGLE DX** | 325 | 5.0 | 39 | 1 | 1 | 3 | 5 | 10 | 23 | 29 |
| **2. MULTIPLE DX** | 1638 | 9.0 | 103 | 1 | 2 | 5 | 10 | 25 | 28 | 46 |
| **A. NOT OPERATED** | 1899 | 7.9 | 83 | 1 | 1 | 4 | 9 | 23 | 27 | 36 |
| **B. OPERATED** | 64 | 19.1 | 315 | 2 | 4 | 12 | 28 | 45 | 51 | 89 |
| TOTAL 0-19 YRS | 16 | 10.1 | 126 | <1 | <1 | 5 | 22 | 28 | 28 | 28 |
| 20-34 | 382 | 7.8 | 91 | 1 | 1 | 3 | 9 | 25 | 28 | 36 |
| 35-49 | 677 | 7.2 | 80 | 1 | 1 | 4 | 7 | 22 | 27 | 36 |
| 50-64 | 610 | 8.8 | 96 | 1 | 2 | 5 | 10 | 23 | 28 | 45 |
| 65+ | 278 | 10.3 | 124 | 2 | 3 | 7 | 13 | 22 | 28 | 53 |
| **GRAND TOTAL** | 1963 | 8.3 | 94 | 1 | 2 | 4 | 9 | 23 | 28 | 43 |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.6 | 16 | <1 | 1 | 2 | 5 | 8 | 13 | 17 |
| 20-34 | 32 | 4.8 | 22 | <1 | 1 | 3 | 6 | 13 | 14 | 20 |
| 35-49 | 10 | 3.7 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 50-64 | 9 | 11.0 | 79 | 2 | 2 | 8 | 19 | 25 | 27 | 27 |
| 65+ | 9 | 4.9 | 10 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 8.0 | 203 | 1 | 1 | 3 | 7 | 16 | 40 | 70 |
| 20-34 | 107 | 5.9 | 41 | 1 | 1 | 4 | 7 | 13 | 18 | 38 |
| 35-49 | 58 | 5.7 | 25 | 1 | 1 | 4 | 7 | 13 | 18 | 22 |
| 50-64 | 46 | 7.5 | 30 | 1 | 3 | 6 | 10 | 15 | 19 | 29 |
| 65+ | 62 | 8.8 | 55 | 2 | 3 | 6 | 11 | 20 | 25 | 37 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 20-34 | 4 | 11.8 | 55 | 4 | 4 | 11 | 17 | 21 | 21 | 21 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 4 | 13.8 | 250 | 2 | 2 | 8 | 25 | 36 | 36 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 80 | 5.1 | 27 | 1 | 1 | 3 | 7 | 12 | 17 | 25 |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 301 | 6.9 | 55 | 1 | 1 | 5 | 8 | 15 | 20 | 37 |
| *B. Operated* | 12 | 10.9 | 97 | 2 | 3 | 7 | 14 | 25 | 34 | 36 |
| **1. SINGLE DX** | 80 | 5.1 | 27 | 1 | 1 | 3 | 7 | 12 | 17 | 25 |
| **2. MULTIPLE DX** | 313 | 7.1 | 57 | 1 | 2 | 5 | 8 | 15 | 21 | 37 |
| **A. NOT OPERATED** | 381 | 6.5 | 50 | 1 | 1 | 4 | 8 | 14 | 20 | 36 |
| **B. OPERATED** | 12 | 10.9 | 97 | 2 | 3 | 7 | 14 | 25 | 34 | 36 |
| TOTAL 0-19 YRS | 50 | 6.3 | 124 | 1 | 1 | 3 | 7 | 15 | 17 | 70 |
| 20-34 | 143 | 5.8 | 38 | 1 | 1 | 4 | 7 | 14 | 18 | 35 |
| 35-49 | 68 | 5.4 | 23 | 1 | 1 | 4 | 7 | 11 | 17 | 22 |
| 50-64 | 57 | 8.0 | 37 | 1 | 2 | 6 | 10 | 18 | 21 | 29 |
| 65+ | 75 | 8.6 | 60 | 2 | 2 | 6 | 10 | 19 | 25 | 37 |
| **GRAND TOTAL** | **393** | **6.6** | **51** | **1** | **1** | **4** | **8** | **14** | **20** | **37** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 17.2 | 323 | 2 | 2 | 12 | 23 | 42 | 68 | 95 |
| 20-34 | 985 | 10.9 | 96 | 1 | 2 | 8 | 15 | 21 | 27 | 47 |
| 35-49 | 432 | 10.3 | 60 | 2 | 2 | 8 | 15 | 21 | 25 | 37 |
| 50-64 | 145 | 11.7 | 8[illegible] | 2 | 3 | 9 | 15 | 22 | 29 | 48 |
| 65+ | 37 | 10.6 | 53 | 2 | 3 | 7 | 16 | 22 | 26 | 28 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 22.0 | 98 | 15 | 15 | 22 | 29 | 29 | 29 | 29 |
| 35-49 | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 15.9 | 304 | 1 | 2 | 9 | 19 | 36 | 53 | 89 |
| 20-34 | 492 | 11.6 | 107 | 1 | 2 | 9 | 15 | 24 | 30 | 49 |
| 35-49 | 252 | 12.0 | 107 | 2 | 3 | 10 | 15 | 25 | 28 | 46 |
| 50-64 | 159 | 12.1 | 73 | 2 | 3 | 9 | 17 | 23 | 30 | 43 |
| 65+ | 60 | 13.7 | 112 | 3 | 3 | 11 | 18 | 29 | 33 | 54 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 22 | 22.8 | 321 | 9 | 12 | 17 | 23 | 39 | 64 | 92 |
| 35-49 | 13 | 14.8 | 85 | 2 | 4 | 13 | 22 | 29 | 31 | 31 |
| 50-64 | 6 | 24.0 | 112 | 7 | 8 | 24 | 27 | 39 | 40 | 40 |
| 65+ | 2 | 19.0 | 8 | 17 | 17 | 19 | 21 | 21 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1705 | 11.2 | 101 | 1 | 2 | 9 | 15 | 22 | 28 | 52 |
| *B. Operated* | 3 | 23.7 | 57 | 15 | 15 | 27 | 28 | 29 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1021 | 12.2 | 114 | 2 | 3 | 9 | 16 | 25 | 30 | 55 |
| *B. Operated* | 43 | 20.3 | 213 | 5 | 7 | 17 | 24 | 32 | 42 | 92 |
| **1. SINGLE DX** | 1708 | 11.2 | 101 | 1 | 2 | 9 | 15 | 22 | 28 | 52 |
| **2. MULTIPLE DX** | 1064 | 12.5 | 120 | 2 | 3 | 10 | 16 | 26 | 31 | 56 |
| **A. NOT OPERATED** | 2726 | 11.6 | 106 | 2 | 2 | 9 | 15 | 23 | 29 | 52 |
| **B. OPERATED** | 46 | 20.6 | 202 | 6 | 7 | 17 | 25 | 31 | 41 | 92 |
| TOTAL 0-19 YRS | 164 | 16.7 | 315 | 2 | 2 | 12 | 22 | 38 | 59 | 92 |
| 20-34 | 1501 | 11.3 | 105 | 1 | 2 | 9 | 15 | 22 | 28 | 49 |
| 35-49 | 698 | 11.1 | 78 | 2 | 2 | 9 | 15 | 23 | 28 | 39 |
| 50-64 | 310 | 12.1 | 79 | 2 | 3 | 10 | 17 | 23 | 31 | 45 |
| 65+ | 99 | 12.6 | 90 | 3 | 3 | 10 | 18 | 27 | 30 | 48 |
| **GRAND TOTAL** | **2772** | **11.7** | **109** | **2** | **2** | **9** | **16** | **23** | **30** | **53** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 14.2 | 250 | 1 | 2 | 6 | 18 | 44 | 46 | 67 |
| 20-34 | 86 | 11.5 | 81 | 2 | 3 | 9 | 14 | 24 | 32 | 42 |
| 35-49 | 31 | 10.9 | 66 | 2 | 3 | 8 | 13 | 23 | 32 | 33 |
| 50-64 | 6 | 14.8 | 104 | 3 | 3 | 13 | 20 | 30 | 31 | 31 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 17.0 | 214 | 3 | 4 | 13 | 19 | 43 | 52 | 54 |
| 20-34 | 38 | 11.2 | 72 | 1 | 2 | 8 | 17 | 23 | 29 | 32 |
| 35-49 | 16 | 9.2 | 50 | 2 | 3 | 7 | 13 | 19 | 25 | 27 |
| 50-64 | 5 | 16.0 | 13 | 13 | 13 | 15 | 17 | 22 | 22 | 22 |
| 65+ | 6 | 9.0 | 60 | 1 | 1 | 8 | 12 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 12.1 | 116 | 2 | 3 | 9 | 14 | 26 | 33 | 47 |
| B. *Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 12.5 | 105 | 2 | 3 | 11 | 16 | 23 | 33 | 53 |
| B. *Operated* | 3 | 7.7 | 24 | 2 | 2 | 10 | 11 | 11 | 11 | 11 |
| **1. SINGLE DX** | 159 | 12.1 | 115 | 2 | 3 | 9 | 14 | 26 | 33 | 47 |
| **2. MULTIPLE DX** | 89 | 12.4 | 103 | 2 | 3 | 11 | 16 | 23 | 32 | 52 |
| **A. NOT OPERATED** | 244 | 12.3 | 112 | 2 | 3 | 9 | 15 | 25 | 33 | 50 |
| **B. OPERATED** | 4 | 7.3 | 17 | 2 | 2 | 8 | 10 | 11 | 11 | 11 |
| TOTAL 0-19 YRS | 56 | 15.4 | 235 | 2 | 3 | 12 | 18 | 43 | 49 | 66 |
| 20-34 | 127 | 11.3 | 77 | 2 | 2 | 9 | 14 | 24 | 32 | 38 |
| 35-49 | 47 | 10.3 | 60 | 2 | 3 | 8 | 13 | 22 | 28 | 33 |
| 50-64 | 12 | 15.0 | 54 | 3 | 6 | 14 | 19 | 25 | 30 | 31 |
| 65+ | 6 | 9.0 | 60 | 1 | 1 | 8 | 12 | 21 | 22 | 22 |
| **GRAND TOTAL** | 248 | 12.2 | 111 | 2 | 3 | 9 | 15 | 25 | 33 | 50 |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 16.2 | 237 | 2 | 3 | 11 | 20 | 39 | 46 | 84 |
| 20-34 | 1285 | 11.3 | 112 | 1 | 2 | 8 | 15 | 24 | 31 | 55 |
| 35-49 | 569 | 10.8 | 78 | 1 | 2 | 9 | 14 | 21 | 28 | 46 |
| 50-64 | 241 | 13.4 | 124 | 2 | 3 | 11 | 18 | 28 | 36 | 49 |
| 65+ | 47 | 13.9 | 134 | 2 | 2 | 10 | 21 | 33 | 39 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 35-49 | 1 | 50.0 | | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 17.3 | 324 | 1 | 2 | 12 | 24 | 38 | 56 | 88 |
| 20-34 | 831 | 12.3 | 117 | 1 | 2 | 9 | 16 | 26 | 34 | 52 |
| 35-49 | 438 | 11.7 | 87 | 2 | 3 | 9 | 17 | 25 | 30 | 46 |
| 50-64 | 268 | 13.3 | 129 | 2 | 3 | 10 | 17 | 28 | 35 | 61 |
| 65+ | 72 | 14.8 | 178 | 3 | 4 | 11 | 18 | 30 | 35 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 35.9 | 602 | 14 | 16 | 26 | 42 | 79 | 87 | 87 |
| 20-34 | 21 | 25.6 | 368 | 2 | 2 | 24 | 38 | 49 | 67 | 74 |
| 35-49 | 19 | 25.8 | 294 | 7 | 9 | 24 | 32 | 44 | 64 | 77 |
| 50-64 | 11 | 14.2 | 118 | 4 | 5 | 10 | 20 | 30 | 39 | 40 |
| 65+ | 3 | 16.3 | 72 | 10 | 10 | 13 | 23 | 26 | 26 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2324 | 11.9 | 117 | 1 | 2 | 9 | 16 | 25 | 33 | 54 |
| B. *Operated* | 2 | 34.5 | 481 | 19 | 19 | 34 | 50 | 50 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1731 | 12.8 | 130 | 2 | 3 | 9 | 17 | 27 | 34 | 57 |
| B. *Operated* | 61 | 24.3 | 332 | 3 | 7 | 23 | 33 | 42 | 67 | 86 |
| **1. SINGLE DX** | 2326 | 11.9 | 117 | 1 | 2 | 9 | 16 | 25 | 33 | 54 |
| **2. MULTIPLE DX** | 1792 | 13.2 | 141 | 2 | 3 | 10 | 17 | 28 | 35 | 62 |
| **A. NOT OPERATED** | 4055 | 12.3 | 123 | 1 | 2 | 9 | 16 | 26 | 34 | 55 |
| **B. OPERATED** | 63 | 24.7 | 332 | 3 | 7 | 23 | 33 | 46 | 66 | 86 |
| TOTAL 0-19 YRS | 311 | 17.1 | 285 | 2 | 2 | 12 | 23 | 39 | 50 | 87 |
| 20-34 | 2138 | 11.9 | 118 | 1 | 2 | 9 | 16 | 25 | 33 | 55 |
| 35-49 | 1027 | 11.5 | 91 | 2 | 3 | 9 | 15 | 24 | 30 | 48 |
| 50-64 | 520 | 13.4 | 126 | 2 | 3 | 10 | 18 | 28 | 36 | 54 |
| 65+ | 122 | 14.5 | 157 | 2 | 3 | 11 | 19 | 30 | 38 | 64 |
| **GRAND TOTAL** | 4118 | 12.4 | 128 | 1 | 2 | 9 | 16 | 26 | 34 | 56 |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 42.8 | 1295 | 1 | 8 | 93 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 43.0 | 1132 | 5 | 7 | 44 | 86 | 98 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 42.8 | 1295 | 1 | 8 | 93 | 99+ | 99+ | 99+ | 99+ |
| B. *Operated* | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 43.0 | 1132 | 5 | 7 | 44 | 86 | 98 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 6 | 37.0 | 1238 | 1 | 4 | 76 | 99+ | 99+ | 99+ | 99+ |
| **2. MULTIPLE DX** | 6 | 43.0 | 1132 | 5 | 7 | 44 | 86 | 98 | 99+ | 99+ |
| **A. NOT OPERATED** | 11 | 42.9 | 1084 | 2 | 6 | 68 | 99+ | 99+ | 99+ | 99+ |
| **B. OPERATED** | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| TOTAL 0-19 YRS | 12 | 40.0 | 1087 | 2 | 6 | 60 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **12** | **40.0** | **1087** | **2** | **6** | **60** | **99+** | **99+** | **99+** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 12.3 | 158 | 1 | 1 | 9 | 16 | 34 | 44 | 90 |
| 20-34 | 499 | 10.7 | 97 | 1 | 2 | 8 | 14 | 25 | 31 | 49 |
| 35-49 | 442 | 10.9 | 105 | 1 | 2 | 8 | 14 | 24 | 33 | 66 |
| 50-64 | 341 | 13.3 | 135 | 2 | 3 | 10 | 17 | 27 | 41 | 53 |
| 65+ | 247 | 17.1 | 159 | 2 | 4 | 14 | 23 | 32 | 40 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 1 | 89.0 | | 89 | 89 | 89 | 89 | 89 | 89 | 89 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 16.5 | 362 | 1 | 2 | 8 | 22 | 56 | 65 | 99+ |
| 20-34 | 720 | 11.6 | 122 | 1 | 2 | 8 | 16 | 27 | 35 | 59 |
| 35-49 | 595 | 12.0 | 117 | 1 | 2 | 9 | 17 | 25 | 32 | 50 |
| 50-64 | 465 | 13.2 | 147 | 2 | 3 | 10 | 18 | 27 | 32 | 73 |
| 65+ | 438 | 16.2 | 190 | 3 | 4 | 12 | 22 | 35 | 43 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 33.8 | 1070 | 1 | 1 | 27 | 54 | 79 | 79 | 79 |
| 20-34 | 20 | 18.1 | 177 | 3 | 6 | 13 | 29 | 45 | 75 | 99+ |
| 35-49 | 27 | 28.0 | 421 | 5 | 6 | 24 | 32 | 47 | 84 | 93 |
| 50-64 | 27 | 25.1 | 366 | 6 | 7 | 16 | 34 | 60 | 67 | 70 |
| 65+ | 28 | 34.6 | 341 | 8 | 12 | 31 | 52 | 59 | 65 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1600 | 12.4 | 124 | 1 | 2 | 9 | 16 | 27 | 35 | 55 |
| B. *Operated* | 3 | 39.0 | 1879 | 12 | 12 | 16 | 71 | 89 | 89 | 89 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2337 | 13.1 | 154 | 1 | 3 | 9 | 18 | 29 | 38 | 63 |
| B. *Operated* | 106 | 27.3 | 379 | 5 | 8 | 22 | 38 | 59 | 67 | 96 |
| **1. SINGLE DX** | 1603 | 12.4 | 128 | 1 | 2 | 9 | 16 | 27 | 36 | 55 |
| **2. MULTIPLE DX** | 2443 | 13.7 | 172 | 1 | 3 | 10 | 18 | 30 | 41 | 70 |
| **A. NOT OPERATED** | 3937 | 12.8 | 142 | 1 | 2 | 9 | 17 | 28 | 37 | 62 |
| **B. OPERATED** | 109 | 27.7 | 406 | 5 | 8 | 22 | 38 | 59 | 70 | 96 |
| TOTAL 0-19 YRS | 194 | 15.3 | 307 | 1 | 2 | 8 | 21 | 45 | 62 | 99+ |
| 20-34 | 1239 | 11.3 | 114 | 1 | 2 | 8 | 15 | 27 | 34 | 54 |
| 35-49 | 1065 | 12.0 | 126 | 1 | 2 | 9 | 16 | 25 | 35 | 57 |
| 50-64 | 834 | 13.6 | 153 | 2 | 3 | 10 | 18 | 28 | 40 | 63 |
| 65+ | 714 | 17.3 | 204 | 3 | 4 | 14 | 23 | 36 | 48 | 68 |
| **GRAND TOTAL** | **4046** | **13.2** | **155** | **1** | **2** | **10** | **17** | **29** | **39** | **68** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 16.7 | 265 | 3 | 3 | 11 | 21 | 40 | 57 | 99 |
| 20-34 | 596 | 12.3 | 117 | 1 | 2 | 9 | 16 | 26 | 34 | 55 |
| 35-49 | 399 | 11.6 | 88 | 1 | 2 | 9 | 16 | 24 | 29 | 46 |
| 50-64 | 283 | 13.4 | 124 | 2 | 3 | 10 | 18 | 27 | 36 | 55 |
| 65+ | 101 | 14.5 | 126 | 3 | 4 | 12 | 19 | 27 | 35 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 16.6 | 261 | 3 | 4 | 14 | 22 | 33 | 41 | 87 |
| 20-34 | 470 | 12.1 | 111 | 1 | 2 | 9 | 17 | 25 | 32 | 54 |
| 35-49 | 414 | 10.9 | 87 | 1 | 2 | 8 | 14 | 23 | 30 | 51 |
| 50-64 | 314 | 13.9 | 155 | 2 | 3 | 11 | 18 | 29 | 41 | 60 |
| 65+ | 147 | 16.3 | 195 | 3 | 4 | 13 | 21 | 32 | 44 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 59.0 | | 59 | 59 | 59 | 59 | 59 | 59 | 59 |
| 20-34 | 18 | 19.6 | 247 | 7 | 8 | 13 | 25 | 36 | 57 | 71 |
| 35-49 | 17 | 18.8 | 165 | 5 | 6 | 16 | 22 | 35 | 49 | 56 |
| 50-64 | 15 | 23.1 | 169 | 6 | 8 | 20 | 33 | 42 | 48 | 50 |
| 65+ | 13 | 28.5 | 555 | 11 | 11 | 17 | 29 | 78 | 80 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1437 | 12.6 | 118 | 2 | 3 | 10 | 17 | 26 | 35 | 59 |
| B. *Operated* | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1392 | 12.7 | 131 | 2 | 3 | 10 | 17 | 26 | 35 | 59 |
| B. *Operated* | 64 | 22.6 | 287 | 6 | 8 | 17 | 29 | 43 | 63 | 80 |
| **1. SINGLE DX** | 1438 | 12.6 | 118 | 2 | 3 | 10 | 17 | 26 | 34 | 59 |
| **2. MULTIPLE DX** | 1456 | 13.2 | 141 | 2 | 3 | 10 | 17 | 28 | 36 | 60 |
| **A. NOT OPERATED** | 2829 | 12.7 | 124 | 2 | 3 | 10 | 17 | 26 | 35 | 59 |
| **B. OPERATED** | 65 | 22.5 | 283 | 6 | 8 | 16 | 28 | 42 | 62 | 80 |
| TOTAL 0-19 YRS | 106 | 17.0 | 275 | 3 | 3 | 12 | 21 | 36 | 60 | 95 |
| 20-34 | 1084 | 12.3 | 117 | 1 | 2 | 9 | 16 | 26 | 34 | 55 |
| 35-49 | 831 | 11.4 | 90 | 1 | 2 | 9 | 16 | 23 | 30 | 51 |
| 50-64 | 612 | 13.9 | 143 | 2 | 3 | 10 | 18 | 29 | 39 | 59 |
| 65+ | 261 | 16.2 | 192 | 3 | 4 | 13 | 20 | 32 | 42 | 83 |
| **GRAND TOTAL** | 2894 | 12.9 | 130 | 2 | 3 | 10 | 17 | 27 | 35 | 60 |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 10.8 | 104 | 1 | 1 | 8 | 15 | 29 | 35 | 93 |
| 20-34 | 267 | 8.3 | 65 | 1 | 2 | 6 | 11 | 17 | 25 | 38 |
| 35-49 | 154 | 8.0 | 46 | 1 | 1 | 6 | 11 | 17 | 19 | 30 |
| 50-64 | 105 | 8.4 | 65 | 1 | 1 | 5 | 12 | 22 | 26 | 33 |
| 65+ | 107 | 9.4 | 91 | <1 | 1 | 6 | 11 | 22 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 13.0 | 162 | 4 | 4 | 13 | 22 | 22 | 22 | 22 |
| 35-49 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 12.6 | 126 | 2 | 3 | 9 | 16 | 32 | 50 | 99+ |
| 20-34 | 272 | 10.2 | 118 | 1 | 1 | 6 | 14 | 23 | 29 | 52 |
| 35-49 | 183 | 10.8 | 122 | 1 | 2 | 8 | 13 | 24 | 35 | 59 |
| 50-64 | 202 | 12.1 | 130 | 1 | 3 | 8 | 16 | 28 | 35 | 55 |
| 65+ | 449 | 10.2 | 88 | 1 | 2 | 7 | 13 | 22 | 29 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 20-34 | 14 | 14.9 | 82 | 4 | 5 | 13 | 23 | 28 | 29 | 29 |
| 35-49 | 10 | 12.3 | 233 | 1 | 1 | 5 | 17 | 35 | 52 | 52 |
| 50-64 | 11 | 11.7 | 120 | 1 | 2 | 9 | 15 | 27 | 39 | 40 |
| 65+ | 39 | 14.2 | 63 | 3 | 5 | 12 | 19 | 25 | 30 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 713 | 8.6 | 68 | 1 | 1 | 6 | 11 | 19 | 27 | 39 |
| B. *Operated* | 5 | 13.6 | 55 | 4 | 4 | 12 | 20 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1164 | 10.7 | 110 | 1 | 2 | 7 | 14 | 24 | 31 | 55 |
| B. *Operated* | 76 | 13.6 | 93 | 2 | 4 | 11 | 18 | 26 | 30 | 49 |
| **1. SINGLE DX** | 718 | 8.6 | 68 | 1 | 1 | 6 | 11 | 20 | 27 | 39 |
| **2. MULTIPLE DX** | 1240 | 10.9 | 109 | 1 | 2 | 8 | 14 | 24 | 31 | 53 |
| **A. NOT OPERATED** | 1877 | 9.9 | 95 | 1 | 2 | 7 | 13 | 22 | 29 | 52 |
| **B. OPERATED** | 81 | 13.6 | 89 | 2 | 4 | 11 | 18 | 25 | 30 | 48 |
| TOTAL 0-19 YRS | 120 | 11.7 | 113 | 1 | 2 | 9 | 15 | 29 | 39 | 99+ |
| 20-34 | 575 | 9.3 | 92 | 1 | 1 | 6 | 12 | 22 | 28 | 48 |
| 35-49 | 348 | 9.6 | 93 | 1 | 2 | 7 | 12 | 20 | 28 | 52 |
| 50-64 | 319 | 10.8 | 110 | 1 | 2 | 7 | 14 | 26 | 32 | 52 |
| 65+ | 596 | 10.3 | 87 | 1 | 2 | 8 | 13 | 22 | 29 | 47 |
| **GRAND TOTAL** | 1958 | 10.1 | 95 | 1 | 2 | 7 | 13 | 23 | 29 | 52 |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 12.3 | 353 | <1 | 1 | 3 | 9 | 51 | 54 | 56 |
| 20-34 | 155 | 4.3 | 40 | <1 | 1 | 2 | 5 | 9 | 13 | 43 |
| 35-49 | 124 | 3.8 | 26 | <1 | 1 | 2 | 4 | 7 | 11 | 30 |
| 50-64 | 57 | 3.4 | 9 | 1 | 1 | 2 | 5 | 6 | 10 | 17 |
| 65+ | 44 | 4.6 | 16 | 1 | 1 | 3 | 5 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 9.1 | 219 | 1 | 1 | 2 | 6 | 34 | 49 | 56 |
| 20-34 | 295 | 5.2 | 39 | 1 | 1 | 3 | 5 | 12 | 16 | 35 |
| 35-49 | 292 | 5.4 | 43 | 1 | 1 | 3 | 6 | 12 | 18 | 35 |
| 50-64 | 236 | 4.5 | 22 | 1 | 1 | 3 | 5 | 10 | 14 | 23 |
| 65+ | 220 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 9.1 | 76 | <1 | 1 | 5 | 15 | 23 | 26 | 26 |
| 35-49 | 11 | 5.7 | 17 | 1 | 1 | 3 | 9 | 12 | 12 | 12 |
| 50-64 | 8 | 6.0 | 20 | 2 | 2 | 5 | 8 | 13 | 15 | 15 |
| 65+ | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 420 | 4.8 | 64 | <1 | 1 | 2 | 5 | 9 | 15 | 52 |
| B. *Operated* | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1095 | 5.2 | 41 | 1 | 1 | 3 | 5 | 11 | 16 | 35 |
| B. *Operated* | 31 | 6.6 | 31 | 1 | 2 | 5 | 9 | 14 | 16 | 26 |
| **1. SINGLE DX** | 421 | 4.9 | 66 | <1 | 1 | 2 | 5 | 9 | 16 | 52 |
| **2. MULTIPLE DX** | 1126 | 5.2 | 41 | 1 | 1 | 3 | 6 | 12 | 16 | 35 |
| **A. NOT OPERATED** | 1515 | 5.1 | 48 | 1 | 1 | 3 | 5 | 11 | 16 | 42 |
| **B. OPERATED** | 32 | 7.3 | 47 | 1 | 2 | 5 | 9 | 15 | 25 | 30 |
| TOTAL 0-19 YRS | 92 | 10.5 | 277 | 1 | 1 | 3 | 7 | 44 | 52 | 56 |
| 20-34 | 459 | 5.0 | 41 | <1 | 1 | 3 | 5 | 11 | 16 | 35 |
| 35-49 | 427 | 4.9 | 38 | 1 | 1 | 3 | 5 | 11 | 16 | 31 |
| 50-64 | 301 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| 65+ | 268 | 4.7 | 19 | 1 | 1 | 3 | 6 | 9 | 14 | 23 |
| **GRAND TOTAL** | 1547 | 5.1 | 48 | 1 | 1 | 3 | 6 | 11 | 16 | 42 |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 25.1 | 657 | 1 | 1 | 14 | 46 | 61 | 81 | 92 |
| 20-34 | 493 | 7.3 | 52 | 1 | 1 | 5 | 9 | 17 | 22 | 37 |
| 35-49 | 399 | 8.9 | 103 | 1 | 1 | 5 | 11 | 21 | 30 | 45 |
| 50-64 | 169 | 8.8 | 88 | 1 | 2 | 6 | 12 | 19 | 24 | 31 |
| 65+ | 71 | 12.5 | 103 | 2 | 3 | 10 | 15 | 25 | 34 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 15.3 | 144 | 3 | 3 | 16 | 24 | 27 | 27 | 27 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 24.0 | 592 | 2 | 2 | 12 | 45 | 62 | 80 | 99+ |
| 20-34 | 919 | 9.0 | 80 | 1 | 2 | 6 | 12 | 21 | 27 | 44 |
| 35-49 | 630 | 9.3 | 82 | 1 | 2 | 7 | 12 | 22 | 27 | 42 |
| 50-64 | 398 | 9.1 | 92 | 1 | 2 | 6 | 11 | 19 | 28 | 55 |
| 65+ | 304 | 9.7 | 76 | 2 | 3 | 7 | 12 | 20 | 30 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 33.8 | 493 | 4 | 4 | 34 | 49 | 65 | 70 | 70 |
| 20-34 | 39 | 19.1 | 327 | 3 | 5 | 14 | 28 | 55 | 95 | 99+ |
| 35-49 | 37 | 18.8 | 336 | 2 | 2 | 13 | 25 | 48 | 64 | 71 |
| 50-64 | 19 | 14.7 | 187 | 1 | 2 | 12 | 16 | 35 | 50 | 86 |
| 65+ | 13 | 16.2 | 99 | 3 | 5 | 15 | 27 | 41 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1287 | 10.4 | 179 | 1 | 1 | 6 | 12 | 24 | 38 | 69 |
| B. *Operated* | 5 | 15.0 | 94 | 3 | 3 | 16 | 22 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2458 | 10.4 | 142 | 1 | 2 | 7 | 13 | 24 | 34 | 62 |
| B. *Operated* | 118 | 19.2 | 309 | 2 | 3 | 14 | 30 | 50 | 67 | 99+ |
| **1. SINGLE DX** | 1292 | 10.4 | 179 | 1 | 1 | 6 | 12 | 24 | 38 | 69 |
| **2. MULTIPLE DX** | 2576 | 10.8 | 153 | 1 | 2 | 7 | 13 | 25 | 37 | 66 |
| **A. NOT OPERATED** | 3745 | 10.4 | 154 | 1 | 2 | 6 | 13 | 24 | 35 | 63 |
| **B. OPERATED** | 123 | 19.0 | 300 | 2 | 3 | 14 | 27 | 49 | 68 | 99+ |
| TOTAL 0-19 YRS | 372 | 24.7 | 616 | 1 | 2 | 14 | 48 | 61 | 79 | 99 |
| 20-34 | 1454 | 8.7 | 81 | 1 | 1 | 6 | 11 | 20 | 27 | 46 |
| 35-49 | 1066 | 9.5 | 101 | 1 | 2 | 6 | 12 | 22 | 29 | 49 |
| 50-64 | 587 | 9.2 | 94 | 1 | 2 | 6 | 12 | 19 | 26 | 55 |
| 65+ | 389 | 10.4 | 84 | 2 | 3 | 6 | 13 | 22 | 31 | 46 |
| **GRAND TOTAL** | 3868 | 10.7 | 161 | 1 | 2 | 6 | 13 | 25 | 37 | 68 |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 7.9 | 144 | <1 | 1 | 3 | 9 | 19 | 31 | 61 |
| 20-34 | 415 | 6.5 | 56 | <1 | 1 | 4 | 9 | 16 | 22 | 37 |
| 35-49 | 182 | 6.7 | 53 | 1 | 1 | 4 | 8 | 16 | 24 | 44 |
| 50-64 | 65 | 6.1 | 88 | <1 | 1 | 3 | 7 | 12 | 31 | 47 |
| 65+ | 22 | 6.3 | 95 | 1 | 1 | 3 | 7 | 13 | 27 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 9 | 3 | 3 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 60 | 9.1 | 41 | 3 | 4 | 9 | 9 | 10 | 11 | 51 |
| 35-49 | 29 | 7.4 | 7 | 2 | 2 | 9 | 9 | 9 | 10 | 10 |
| 50-64 | 17 | 3.8 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 13 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 9.7 | 201 | 1 | 1 | 5 | 10 | 28 | 56 | 99+ |
| 20-34 | 886 | 8.2 | 107 | 1 | 1 | 5 | 10 | 20 | 29 | 52 |
| 35-49 | 418 | 7.1 | 74 | 1 | 1 | 5 | 8 | 16 | 23 | 47 |
| 50-64 | 188 | 7.5 | 73 | 1 | 1 | 5 | 10 | 16 | 20 | 66 |
| 65+ | 129 | 8.3 | 55 | 1 | 2 | 6 | 10 | 19 | 26 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 28 | <1 | <1 | 2 | 8 | 13 | 14 | 14 |
| 20-34 | 64 | 10.9 | 122 | 1 | 2 | 9 | 11 | 31 | 48 | 99+ |
| 35-49 | 33 | 10.3 | 74 | 2 | 3 | 9 | 12 | 24 | 28 | 34 |
| 50-64 | 34 | 7.6 | 134 | 1 | 1 | 4 | 7 | 11 | 39 | 57 |
| 65+ | 19 | 7.6 | 70 | 2 | 3 | 5 | 8 | 17 | 29 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 813 | 6.7 | 76 | 1 | 1 | 4 | 8 | 16 | 23 | 49 |
| B. *Operated* | 123 | 7.2 | 28 | 1 | 2 | 9 | 9 | 9 | 10 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1820 | 8.1 | 103 | 1 | 1 | 5 | 9 | 19 | 28 | 56 |
| B. *Operated* | 156 | 9.4 | 106 | 1 | 2 | 6 | 10 | 25 | 36 | 96 |
| **1. SINGLE DX** | 936 | 6.8 | 70 | 1 | 1 | 4 | 9 | 15 | 22 | 49 |
| **2. MULTIPLE DX** | 1976 | 8.2 | 103 | 1 | 1 | 5 | 9 | 19 | 28 | 57 |
| **A. NOT OPERATED** | 2633 | 7.6 | 95 | 1 | 1 | 4 | 9 | 18 | 26 | 55 |
| **B. OPERATED** | 279 | 8.4 | 72 | 1 | 2 | 9 | 9 | 14 | 26 | 56 |
| TOTAL 0-19 YRS | 338 | 8.9 | 182 | <1 | 1 | 4 | 9 | 23 | 52 | 99+ |
| 20-34 | 1425 | 7.9 | 91 | 1 | 1 | 5 | 10 | 19 | 26 | 50 |
| 35-49 | 662 | 7.1 | 66 | 1 | 1 | 5 | 9 | 15 | 24 | 46 |
| 50-64 | 304 | 7.0 | 79 | 1 | 1 | 4 | 9 | 14 | 20 | 59 |
| 65+ | 183 | 7.6 | 59 | 1 | 2 | 5 | 9 | 16 | 24 | 40 |
| **GRAND TOTAL** | 2912 | 7.7 | 93 | 1 | 1 | 5 | 9 | 18 | 26 | 55 |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 7.2 | 104 | <1 | <1 | 1 | 7 | 26 | 29 | 31 |
| 20-34 | 602 | 14.4 | 118 | 1 | 1 | 20 | 24 | 28 | 30 | 32 |
| 35-49 | 744 | 12.2 | 107 | 1 | 2 | 7 | 22 | 26 | 29 | 31 |
| 50-64 | 492 | 11.6 | 105 | 1 | 1 | 6 | 21 | 26 | 29 | 31 |
| 65+ | 160 | 10.9 | 91 | 1 | 2 | 5 | 21 | 24 | 27 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 22.2 | 7 | 21 | 21 | 21 | 23 | 27 | 27 | 27 |
| 35-49 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 50-64 | 2 | 26.5 | 61 | 21 | 21 | 26 | 32 | 32 | 32 | 32 |
| 65+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 14.8 | 182 | <1 | 1 | 14 | 26 | 31 | 37 | 52 |
| 20-34 | 1545 | 13.5 | 131 | 1 | 1 | 6 | 24 | 29 | 31 | 37 |
| 35-49 | 2284 | 13.1 | 116 | 1 | 2 | 8 | 23 | 28 | 30 | 34 |
| 50-64 | 2140 | 13.0 | 111 | 1 | 2 | 8 | 23 | 28 | 30 | 34 |
| 65+ | 1132 | 12.4 | 87 | 2 | 2 | 9 | 21 | 25 | 28 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 22.0 | 882 | 1 | 1 | 22 | 43 | 43 | 43 | 43 |
| 20-34 | 57 | 20.3 | 146 | 1 | 2 | 23 | 28 | 34 | 37 | 91 |
| 35-49 | 81 | 17.2 | 104 | 2 | 4 | 19 | 25 | 29 | 32 | 41 |
| 50-64 | 77 | 18.9 | 171 | 1 | 2 | 21 | 27 | 34 | 42 | 89 |
| 65+ | 46 | 17.8 | 114 | 2 | 5 | 18 | 25 | 31 | 36 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2087 | 12.4 | 111 | 1 | 1 | 7 | 22 | 27 | 29 | 32 |
| B. *Operated* | 9 | 22.9 | 16 | 21 | 21 | 21 | 23 | 30 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7233 | 13.1 | 115 | 1 | 2 | 8 | 23 | 28 | 30 | 35 |
| B. *Operated* | 263 | 18.5 | 137 | 1 | 3 | 21 | 26 | 31 | 37 | 49 |
| **1. SINGLE DX** | 2096 | 12.4 | 111 | 1 | 1 | 7 | 22 | 27 | 29 | 32 |
| **2. MULTIPLE DX** | 7496 | 13.3 | 116 | 1 | 2 | 9 | 23 | 28 | 30 | 36 |
| **A. NOT OPERATED** | 9320 | 12.9 | 114 | 1 | 2 | 8 | 23 | 28 | 30 | 35 |
| **B. OPERATED** | 272 | 18.7 | 133 | 1 | 3 | 21 | 26 | 31 | 37 | 49 |
| TOTAL 0-19 YRS | 223 | 11.8 | 168 | <1 | <1 | 3 | 23 | 30 | 32 | 46 |
| 20-34 | 2209 | 13.9 | 129 | 1 | 1 | 11 | 24 | 29 | 30 | 37 |
| 35-49 | 3110 | 13.0 | 114 | 1 | 2 | 8 | 23 | 28 | 30 | 34 |
| 50-64 | 2711 | 12.9 | 113 | 1 | 2 | 8 | 23 | 28 | 30 | 35 |
| 65+ | 1339 | 12.4 | 90 | 2 | 2 | 9 | 21 | 25 | 28 | 35 |
| **GRAND TOTAL** | 9592 | 13.1 | 115 | 1 | 2 | 8 | 23 | 28 | 30 | 35 |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 20-34 | 27 | 10.4 | 96 | 1 | 1 | 7 | 13 | 29 | 30 | 30 |
| 35-49 | 11 | 14.7 | 249 | 1 | 2 | 8 | 21 | 38 | 54 | 55 |
| 50-64 | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 39 | 1 | 1 | 4 | 11 | 13 | 13 | 13 |
| 20-34 | 79 | 13.4 | 124 | 1 | 1 | 7 | 25 | 29 | 30 | 36 |
| 35-49 | 26 | 15.2 | 119 | 2 | 3 | 14 | 28 | 28 | 29 | 29 |
| 50-64 | 8 | 17.1 | 242 | 2 | 2 | 16 | 27 | 38 | 43 | 43 |
| 65+ | 11 | 17.5 | 152 | 3 | 4 | 14 | 25 | 37 | 38 | 38 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 19.0 | 120 | 4 | 4 | 18 | 27 | 32 | 33 | 33 |
| 35-49 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 50-64 | 2 | 11.5 | 181 | 2 | 2 | 11 | 21 | 21 | 21 | 21 |
| 65+ | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 43 | 11.3 | 129 | 1 | 1 | 7 | 18 | 28 | 30 | 55 |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 127 | 14.2 | 130 | 1 | 2 | 9 | 26 | 28 | 30 | 39 |
| *B. Operated* | 12 | 17.3 | 122 | 2 | 3 | 18 | 27 | 32 | 33 | 33 |
| **1. SINGLE DX** | 43 | 11.3 | 129 | 1 | 1 | 7 | 18 | 28 | 30 | 55 |
| **2. MULTIPLE DX** | 139 | 14.5 | 130 | 1 | 2 | 10 | 26 | 29 | 31 | 39 |
| **A. NOT OPERATED** | 170 | 13.5 | 131 | 1 | 2 | 8 | 25 | 28 | 30 | 42 |
| **B. OPERATED** | 12 | 17.3 | 122 | 2 | 3 | 18 | 27 | 32 | 33 | 33 |
| TOTAL 0-19 YRS | 4 | 9.8 | 82 | 1 | 1 | 8 | 17 | 21 | 21 | 21 |
| 20-34 | 113 | 12.1 | 119 | 1 | 1 | 7 | 25 | 29 | 30 | 34 |
| 35-49 | 38 | 15.5 | 156 | 1 | 1 | 10 | 27 | 28 | 31 | 55 |
| 50-64 | 13 | 13.7 | 183 | 2 | 2 | 9 | 26 | 30 | 41 | 43 |
| 65+ | 14 | 16.3 | 141 | 3 | 3 | 13 | 24 | 36 | 38 | 38 |
| **GRAND TOTAL** | 182 | 13.7 | 131 | 1 | 2 | 9 | 26 | 29 | 31 | 41 |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 18.4 | 185 | 2 | 2 | 24 | 30 | 33 | 35 | 35 |
| 20-34 | 44 | 15.9 | 151 | 1 | 1 | 15 | 27 | 32 | 34 | 41 |
| 35-49 | 13 | 7.4 | 84 | <1 | 1 | 4 | 8 | 24 | 29 | 30 |
| 50-64 | 4 | 6.5 | 10 | 4 | 4 | 5 | 8 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 21.6 | 343 | 2 | 4 | 18 | 31 | 39 | 55 | 82 |
| 20-34 | 127 | 14.4 | 122 | 1 | 2 | 11 | 25 | 29 | 31 | 34 |
| 35-49 | 56 | 17.0 | 127 | 1 | 4 | 19 | 26 | 28 | 34 | 50 |
| 50-64 | 25 | 12.9 | 121 | 3 | 4 | 8 | 20 | 30 | 38 | 42 |
| 65+ | 24 | 13.3 | 70 | 3 | 3 | 13 | 20 | 23 | 28 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 22.0 | 62 | 11 | 11 | 24 | 27 | 29 | 29 | 29 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 38.0 | | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 73 | 14.3 | 149 | 1 | 1 | 8 | 27 | 31 | 33 | 40 |
| *B. Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 255 | 15.4 | 141 | 2 | 2 | 12 | 25 | 30 | 33 | 42 |
| *B. Operated* | 5 | 25.2 | 98 | 11 | 11 | 26 | 31 | 38 | 38 | 38 |
| **1. SINGLE DX** | 74 | 14.1 | 149 | 1 | 1 | 8 | 27 | 31 | 33 | 40 |
| **2. MULTIPLE DX** | 260 | 15.6 | 142 | 2 | 2 | 12 | 26 | 30 | 33 | 42 |
| **A. NOT OPERATED** | 328 | 15.1 | 143 | 1 | 2 | 11 | 26 | 30 | 33 | 41 |
| **B. OPERATED** | 6 | 21.5 | 160 | 3 | 4 | 24 | 29 | 37 | 38 | 38 |
| TOTAL 0-19 YRS | 35 | 20.5 | 284 | 2 | 3 | 24 | 31 | 35 | 40 | 82 |
| 20-34 | 176 | 14.9 | 129 | 1 | 2 | 12 | 26 | 29 | 31 | 37 |
| 35-49 | 69 | 15.2 | 132 | 1 | 2 | 12 | 26 | 28 | 33 | 49 |
| 50-64 | 30 | 12.9 | 129 | 3 | 4 | 8 | 20 | 33 | 38 | 42 |
| 65+ | 24 | 13.3 | 70 | 3 | 3 | 13 | 20 | 23 | 28 | 32 |
| **GRAND TOTAL** | 334 | 15.2 | 143 | 1 | 2 | 12 | 26 | 30 | 33 | 41 |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 4 |
| 20-34 | 69 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 7 |
| 35-49 | 32 | 3.2 | 38 | <1 | <1 | 1 | 2 | 4 | 24 | 27 |
| 50-64 | 22 | 3.6 | 27 | <1 | <1 | 2 | 4 | 7 | 15 | 25 |
| 65+ | 12 | 4.8 | 85 | <1 | <1 | 3 | 3 | 13 | 31 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 1.8 | 10 | <1 | <1 | 1 | 2 | 2 | 4 | 20 |
| 20-34 | 165 | 3.4 | 37 | <1 | <1 | 1 | 2 | 7 | 20 | 30 |
| 35-49 | 84 | 5.2 | 58 | <1 | 1 | 2 | 5 | 14 | 29 | 31 |
| 50-64 | 76 | 3.7 | 21 | <1 | <1 | 2 | 4 | 7 | 13 | 26 |
| 65+ | 56 | 4.6 | 22 | <1 | 1 | 3 | 6 | 12 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 10 | 2.5 | 12 | <1 | <1 | 1 | 2 | 7 | 12 | 12 |
| 35-49 | 3 | 4.7 | 16 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 50-64 | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 1.9 | 13 | <1 | <1 | 1 | 1 | 3 | 4 | 26 |
| B. *Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 475 | 3.6 | 32 | <1 | <1 | 2 | 3 | 7 | 15 | 30 |
| B. *Operated* | 21 | 2.9 | 9 | <1 | <1 | 2 | 3 | 7 | 10 | 12 |
| **1. SINGLE DX** | 250 | 1.8 | 12 | <1 | <1 | 1 | 1 | 3 | 4 | 26 |
| **2. MULTIPLE DX** | 496 | 3.6 | 31 | <1 | <1 | 2 | 3 | 7 | 15 | 30 |
| **A. NOT OPERATED** | 724 | 3.0 | 26 | <1 | <1 | 1 | 3 | 5 | 11 | 29 |
| **B. OPERATED** | 22 | 2.8 | 9 | <1 | <1 | 2 | 3 | 7 | 10 | 12 |
| TOTAL 0-19 YRS | 212 | 1.4 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| 20-34 | 244 | 2.8 | 27 | <1 | <1 | 1 | 2 | 5 | 11 | 30 |
| 35-49 | 119 | 4.7 | 52 | <1 | 1 | 2 | 4 | 11 | 28 | 30 |
| 50-64 | 101 | 3.6 | 21 | <1 | <1 | 2 | 4 | 7 | 12 | 26 |
| 65+ | 70 | 4.6 | 31 | <1 | <1 | 3 | 5 | 11 | 16 | 31 |
| **GRAND TOTAL** | **746** | **3.0** | **25** | **<1** | **<1** | **1** | **3** | **6** | **11** | **29** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.7 | 79 | <1 | <1 | 1 | 3 | 20 | 30 | 31 |
| 20-34 | 53 | 7.9 | 117 | <1 | <1 | 3 | 6 | 28 | 30 | 46 |
| 35-49 | 13 | 8.9 | 84 | <1 | 1 | 4 | 20 | 22 | 25 | 26 |
| 50-64 | 4 | 7.3 | 50 | 1 | 1 | 6 | 13 | 16 | 16 | 16 |
| 65+ | 4 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 13.2 | 408 | <1 | 1 | 3 | 26 | 29 | 67 | 84 |
| 20-34 | 173 | 8.7 | 100 | 1 | 1 | 4 | 11 | 28 | 30 | 38 |
| 35-49 | 50 | 10.7 | 119 | 1 | 1 | 4 | 22 | 28 | 28 | 33 |
| 50-64 | 27 | 10.9 | 117 | 1 | 1 | 8 | 14 | 26 | 32 | 47 |
| 65+ | 22 | 9.3 | 39 | 3 | 4 | 7 | 10 | 19 | 24 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 16.8 | 493 | 4 | 4 | 6 | 28 | 50 | 50 | 50 |
| 35-49 | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 6.7 | 95 | <1 | 1 | 2 | 5 | 26 | 30 | 37 |
| B. *Operated* | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 305 | 9.8 | 133 | 1 | 1 | 4 | 14 | 28 | 30 | 45 |
| B. *Operated* | 7 | 15.6 | 349 | 3 | 3 | 6 | 27 | 47 | 50 | 50 |
| **1. SINGLE DX** | 115 | 6.9 | 97 | <1 | 1 | 2 | 5 | 27 | 30 | 36 |
| **2. MULTIPLE DX** | 312 | 9.9 | 138 | 1 | 1 | 5 | 14 | 28 | 30 | 48 |
| **A. NOT OPERATED** | 419 | 8.9 | 124 | 1 | 1 | 4 | 12 | 28 | 30 | 44 |
| **B. OPERATED** | 8 | 17.0 | 315 | 3 | 3 | 6 | 30 | 45 | 50 | 50 |
| TOTAL 0-19 YRS | 73 | 8.5 | 242 | <1 | <1 | 2 | 4 | 29 | 31 | 81 |
| 20-34 | 231 | 8.7 | 110 | 1 | 1 | 4 | 11 | 28 | 30 | 44 |
| 35-49 | 64 | 10.7 | 118 | 1 | 1 | 4 | 21 | 28 | 29 | 34 |
| 50-64 | 32 | 10.2 | 106 | 1 | 1 | 7 | 13 | 23 | 29 | 47 |
| 65+ | 27 | 8.2 | 37 | 2 | 3 | 7 | 9 | 17 | 22 | 29 |
| **GRAND TOTAL** | **427** | **9.1** | **128** | **1** | **1** | **4** | **13** | **28** | **30** | **46** |

### 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.1 | 7 | 1 | 1 | 3 | 3 | 5 | 6 | 15 |
| 20-34 | 57 | 4.1 | 26 | 1 | 1 | 2 | 5 | 8 | 10 | 34 |
| 35-49 | 39 | 3.9 | 22 | <1 | 1 | 2 | 5 | 7 | 15 | 23 |
| 50-64 | 23 | 4.8 | 24 | <1 | 1 | 3 | 6 | 11 | 15 | 22 |
| 65+ | 12 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 5 | 7.8 | 21 | 1 | 1 | 7 | 11 | 13 | 13 | 13 |
| 35-49 | 2 | 8.0 | 98 | <1 | <1 | 7 | 15 | 15 | 15 | 15 |
| 50-64 | 3 | 10.0 | 61 | 5 | 5 | 6 | 16 | 19 | 19 | 19 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 117 | 4.2 | 19 | 1 | 1 | 3 | 4 | 10 | 15 | 22 |
| 35-49 | 110 | 4.2 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 50-64 | 97 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 65+ | 96 | 5.6 | 27 | 1 | 2 | 4 | 6 | 11 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 12 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 6 | 13.7 | 68 | 4 | 4 | 14 | 18 | 25 | 26 | 26 |
| 35-49 | 14 | 6.4 | 19 | 2 | 2 | 5 | 8 | 15 | 16 | 16 |
| 50-64 | 8 | 13.6 | 293 | 1 | 2 | 7 | 17 | 43 | 53 | 53 |
| 65+ | 5 | 11.0 | 41 | 5 | 5 | 9 | 16 | 20 | 20 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 3.9 | 19 | 1 | 1 | 3 | 4 | 8 | 11 | 23 |
| B. *Operated* | 12 | 8.5 | 30 | <1 | 1 | 7 | 12 | 16 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| B. *Operated* | 37 | 9.8 | 90 | 2 | 2 | 7 | 15 | 19 | 24 | 53 |
| **1. SINGLE DX** | 172 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| **2. MULTIPLE DX** | 485 | 4.8 | 25 | 1 | 1 | 3 | 5 | 10 | 15 | 25 |
| **A. NOT OPERATED** | 608 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| **B. OPERATED** | 49 | 9.5 | 75 | 1 | 2 | 7 | 13 | 18 | 20 | 53 |
| TOTAL 0-19 YRS | 62 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 185 | 4.5 | 25 | 1 | 1 | 3 | 5 | 11 | 16 | 25 |
| 35-49 | 165 | 4.4 | 15 | 1 | 1 | 3 | 6 | 8 | 11 | 23 |
| 50-64 | 131 | 5.0 | 38 | 1 | 1 | 3 | 5 | 10 | 17 | 34 |
| 65+ | 114 | 5.5 | 27 | 1 | 2 | 4 | 6 | 11 | 19 | 26 |
| **GRAND TOTAL** | **657** | **4.6** | **24** | **1** | **1** | **3** | **5** | **10** | **15** | **24** |

### 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 5.6 | 44 | <1 | 1 | 3 | 7 | 14 | 17 | 31 |
| 20-34 | 260 | 3.9 | 18 | <1 | 1 | 2 | 5 | 9 | 12 | 23 |
| 35-49 | 170 | 4.3 | 23 | <1 | 1 | 3 | 5 | 9 | 13 | 22 |
| 50-64 | 54 | 3.4 | 12 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 65+ | 30 | 9.5 | 96 | <1 | 1 | 6 | 11 | 27 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 269 | 9.0 | 171 | 1 | 1 | 4 | 10 | 24 | 38 | 67 |
| 20-34 | 711 | 5.4 | 41 | <1 | 1 | 3 | 7 | 12 | 18 | 33 |
| 35-49 | 420 | 5.9 | 57 | 1 | 1 | 3 | 7 | 13 | 19 | 50 |
| 50-64 | 199 | 5.7 | 41 | 1 | 1 | 3 | 6 | 14 | 21 | 32 |
| 65+ | 111 | 6.9 | 41 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 10.2 | 115 | 1 | 1 | 5 | 19 | 23 | 33 | 36 |
| 35-49 | 16 | 11.9 | 179 | 1 | 2 | 7 | 12 | 36 | 47 | 50 |
| 50-64 | 3 | 14.3 | 358 | <1 | <1 | 6 | 28 | 36 | 36 | 36 |
| 65+ | 4 | 10.8 | 12 | 8 | 8 | 10 | 13 | 15 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 681 | 4.6 | 30 | <1 | 1 | 3 | 6 | 10 | 15 | 28 |
| B. *Operated* | 4 | 5.0 | 38 | 1 | 1 | 3 | 9 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1710 | 6.2 | 67 | 1 | 1 | 3 | 7 | 14 | 21 | 42 |
| B. *Operated* | 40 | 10.7 | 133 | <1 | 1 | 7 | 13 | 29 | 38 | 50 |
| **1. SINGLE DX** | 685 | 4.6 | 30 | <1 | 1 | 3 | 6 | 10 | 15 | 28 |
| **2. MULTIPLE DX** | 1750 | 6.3 | 69 | 1 | 1 | 3 | 7 | 14 | 22 | 42 |
| **A. NOT OPERATED** | 2391 | 5.8 | 57 | <1 | 1 | 3 | 7 | 13 | 19 | 39 |
| **B. OPERATED** | 44 | 10.2 | 126 | <1 | 1 | 6 | 13 | 23 | 37 | 50 |
| TOTAL 0-19 YRS | 440 | 7.6 | 124 | 1 | 1 | 3 | 8 | 18 | 30 | 59 |
| 20-34 | 986 | 5.1 | 37 | <1 | 1 | 3 | 6 | 11 | 17 | 31 |
| 35-49 | 607 | 5.6 | 52 | 1 | 1 | 3 | 7 | 12 | 17 | 47 |
| 50-64 | 257 | 5.3 | 39 | 1 | 1 | 3 | 6 | 12 | 20 | 35 |
| 65+ | 145 | 7.5 | 52 | 1 | 2 | 5 | 10 | 16 | 25 | 34 |
| **GRAND TOTAL** | **2435** | **5.8** | **59** | **<1** | **1** | **3** | **7** | **13** | **20** | **40** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 263 | 14.4 | 368 | 1 | 1 | 5 | 22 | 48 | 64 | 99+ |
| 20-34 | 407 | 6.8 | 68 | 1 | 1 | 4 | 8 | 15 | 23 | 49 |
| 35-49 | 219 | 8.1 | 103 | 1 | 1 | 4 | 10 | 19 | 28 | 60 |
| 50-64 | 107 | 7.3 | 42 | 1 | 1 | 5 | 10 | 18 | 20 | 61 |
| 65+ | 61 | 10.1 | 124 | 1 | 2 | 6 | 13 | 24 | 30 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.3 | 6 | 1 | 1 | 1 | 3 | 6 | 7 | 7 |
| 20-34 | 9 | 10.8 | 198 | 1 | 2 | 7 | 9 | 34 | 47 | 47 |
| 35-49 | 11 | 7.6 | 109 | 1 | 1 | 4 | 7 | 25 | 34 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | 5 | 18.6 | 412 | 2 | 2 | 8 | 33 | 50 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 15.7 | 426 | 1 | 2 | 6 | 24 | 54 | 77 | 99+ |
| 20-34 | 735 | 7.7 | 80 | 1 | 1 | 4 | 9 | 19 | 26 | 51 |
| 35-49 | 504 | 8.8 | 98 | 1 | 2 | 5 | 11 | 22 | 28 | 47 |
| 50-64 | 412 | 9.0 | 84 | 1 | 2 | 6 | 12 | 21 | 28 | 47 |
| 65+ | 365 | 8.8 | 72 | 2 | 2 | 6 | 10 | 19 | 27 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 28.3 | 556 | 3 | 4 | 23 | 49 | 64 | 65 | 65 |
| 20-34 | 52 | 15.3 | 277 | 1 | 2 | 11 | 21 | 43 | 60 | 99+ |
| 35-49 | 31 | 12.7 | 116 | 1 | 3 | 10 | 16 | 27 | 42 | 43 |
| 50-64 | 27 | 19.1 | 407 | 2 | 3 | 12 | 25 | 44 | 75 | 77 |
| 65+ | 29 | 16.1 | 265 | 1 | 1 | 9 | 30 | 38 | 56 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1057 | 9.2 | 159 | 1 | 1 | 5 | 11 | 23 | 39 | 82 |
| B. *Operated* | 33 | 8.8 | 164 | 1 | 1 | 4 | 8 | 29 | 45 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2373 | 9.6 | 142 | 1 | 2 | 5 | 11 | 24 | 35 | 76 |
| B. *Operated* | 155 | 16.9 | 304 | 1 | 2 | 10 | 22 | 43 | 60 | 81 |
| **1. SINGLE DX** | 1090 | 9.2 | 159 | 1 | 1 | 5 | 10 | 24 | 40 | 82 |
| **2. MULTIPLE DX** | 2528 | 10.0 | 155 | 1 | 2 | 5 | 12 | 25 | 37 | 77 |
| **A. NOT OPERATED** | 3430 | 9.5 | 147 | 1 | 1 | 5 | 11 | 24 | 36 | 80 |
| **B. OPERATED** | 188 | 15.5 | 288 | 1 | 2 | 9 | 20 | 42 | 56 | 79 |
| TOTAL 0-19 YRS | 644 | 15.3 | 405 | 1 | 1 | 6 | 23 | 51 | 73 | 99+ |
| 20-34 | 1203 | 7.8 | 88 | 1 | 1 | 4 | 9 | 19 | 27 | 55 |
| 35-49 | 765 | 8.8 | 100 | 1 | 2 | 5 | 11 | 21 | 28 | 51 |
| 50-64 | 546 | 9.2 | 96 | 1 | 2 | 6 | 12 | 21 | 28 | 50 |
| 65+ | 460 | 9.6 | 97 | 2 | 2 | 7 | 11 | 22 | 30 | 55 |
| **GRAND TOTAL** | **3618** | **9.8** | **156** | **1** | **1** | **5** | **11** | **25** | **37** | **80** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.0 | 467 | <1 | <1 | 2 | 5 | 50 | 55 | 55 |
| 20-34 | 7 | 6.1 | 68 | 1 | 1 | 3 | 7 | 21 | 24 | 24 |
| 35-49 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.9 | 77 | 1 | 1 | 3 | 8 | 18 | 29 | 35 |
| 20-34 | 39 | 9.9 | 258 | 1 | 1 | 4 | 8 | 26 | 47 | 82 |
| 35-49 | 13 | 7.6 | 82 | 1 | 2 | 4 | 11 | 19 | 31 | 34 |
| 50-64 | 8 | 9.8 | 115 | 3 | 3 | 5 | 11 | 28 | 35 | 35 |
| 65+ | 5 | 9.4 | 53 | 4 | 4 | 7 | 12 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 5 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 5 | 9.4 | 121 | <1 | <1 | 5 | 16 | 27 | 27 | 27 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 7.2 | 182 | <1 | 1 | 3 | 5 | 21 | 44 | 55 |
| B. *Operated* | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 8.7 | 154 | 1 | 1 | 4 | 9 | 23 | 35 | 68 |
| B. *Operated* | 16 | 5.7 | 42 | <1 | <1 | 4 | 6 | 12 | 23 | 27 |
| **1. SINGLE DX** | 18 | 7.2 | 171 | <1 | 1 | 3 | 7 | 19 | 43 | 55 |
| **2. MULTIPLE DX** | 107 | 8.2 | 138 | 1 | 1 | 4 | 8 | 21 | 34 | 63 |
| **A. NOT OPERATED** | 108 | 8.5 | 157 | 1 | 1 | 4 | 8 | 23 | 35 | 66 |
| **B. OPERATED** | 17 | 5.8 | 40 | <1 | <1 | 5 | 7 | 12 | 22 | 27 |
| TOTAL 0-19 YRS | 42 | 7.0 | 109 | <1 | 1 | 4 | 7 | 17 | 31 | 55 |
| 20-34 | 51 | 9.3 | 215 | 1 | 1 | 4 | 8 | 25 | 45 | 82 |
| 35-49 | 16 | 6.6 | 70 | 1 | 1 | 3 | 9 | 15 | 28 | 34 |
| 50-64 | 10 | 8.7 | 96 | 2 | 2 | 5 | 9 | 24 | 35 | 35 |
| 65+ | 6 | 8.2 | 52 | 2 | 2 | 6 | 9 | 21 | 22 | 22 |
| **GRAND TOTAL** | **125** | **8.1** | **142** | **1** | **1** | **4** | **8** | **22** | **34** | **62** |

### 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 323 | 10.1 | 19 | 2 | 3 | 11 | 12 | 14 | 17 | 22 |
| 20-34 | 52 | 7.6 | 56 | 2 | 2 | 5 | 9 | 16 | 29 | 34 |
| 35-49 | 25 | 8.3 | 33 | 2 | 3 | 7 | 10 | 14 | 19 | 29 |
| 50-64 | 13 | 14.0 | 183 | 1 | 2 | 16 | 17 | 27 | 48 | 53 |
| 65+ | 5 | 28.4 | 415 | 12 | 12 | 16 | 46 | 57 | 57 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 13.3 | 55 | 5 | 6 | 11 | 15 | 22 | 25 | 42 |
| 20-34 | 20 | 7.7 | 56 | 2 | 2 | 6 | 9 | 18 | 26 | 31 |
| 35-49 | 26 | 9.6 | 47 | 1 | 1 | 8 | 16 | 20 | 20 | 21 |
| 50-64 | 20 | 8.3 | 56 | 1 | 1 | 5 | 13 | 20 | 23 | 25 |
| 65+ | 6 | 17.8 | 120 | 1 | 2 | 20 | 27 | 28 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 311 | 11.6 | 33 | 2 | 4 | 11 | 14 | 17 | 21 | 34 |
| 20-34 | 48 | 10.8 | 72 | 1 | 1 | 9 | 15 | 23 | 30 | 32 |
| 35-49 | 49 | 11.1 | 56 | 2 | 3 | 11 | 15 | 20 | 26 | 99+ |
| 50-64 | 58 | 11.9 | 115 | 1 | 3 | 10 | 14 | 26 | 36 | 58 |
| 65+ | 35 | 14.3 | 128 | 2 | 4 | 12 | 19 | 24 | 39 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 19.6 | 197 | 5 | 9 | 17 | 23 | 39 | 45 | 76 |
| 20-34 | 34 | 21.0 | 273 | 1 | 3 | 18 | 28 | 38 | 53 | 78 |
| 35-49 | 44 | 22.6 | 443 | 1 | 3 | 15 | 35 | 56 | 74 | 99+ |
| 50-64 | 47 | 18.3 | 347 | 2 | 2 | 13 | 23 | 45 | 77 | 99+ |
| 65+ | 36 | 28.2 | 466 | 2 | 2 | 21 | 45 | 66 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 418 | 10.1 | 38 | 2 | 2 | 11 | 12 | 15 | 18 | 32 |
| B. *Operated* | 102 | 10.5 | 63 | 1 | 2 | 10 | 15 | 22 | 26 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 501 | 11.7 | 55 | 1 | 3 | 11 | 15 | 20 | 24 | 42 |
| B. *Operated* | 227 | 21.5 | 334 | 2 | 3 | 17 | 28 | 50 | 67 | 99+ |
| **1. SINGLE DX** | 520 | 10.1 | 43 | 2 | 2 | 10 | 12 | 16 | 21 | 32 |
| **2. MULTIPLE DX** | 728 | 14.7 | 162 | 2 | 3 | 12 | 17 | 29 | 43 | 77 |
| **A. NOT OPERATED** | 919 | 10.9 | 48 | 2 | 3 | 11 | 13 | 17 | 22 | 41 |
| **B. OPERATED** | 329 | 18.1 | 275 | 2 | 2 | 14 | 23 | 42 | 58 | 97 |
| TOTAL 0-19 YRS | 730 | 11.7 | 49 | 2 | 4 | 11 | 14 | 18 | 22 | 41 |
| 20-34 | 154 | 11.6 | 134 | 1 | 2 | 8 | 15 | 28 | 32 | 54 |
| 35-49 | 144 | 13.9 | 200 | 1 | 3 | 11 | 17 | 31 | 51 | 99+ |
| 50-64 | 138 | 13.7 | 201 | 1 | 2 | 11 | 17 | 35 | 45 | 89 |
| 65+ | 82 | 21.5 | 329 | 2 | 3 | 16 | 28 | 55 | 65 | 90 |
| **GRAND TOTAL** | **1248** | **12.8** | **118** | **2** | **3** | **11** | **15** | **22** | **35** | **67** |

### 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 39 | 9.4 | 67 | 2 | 2 | 7 | 13 | 21 | 30 | 33 |
| 65+ | 113 | 9.9 | 57 | 2 | 3 | 8 | 14 | 19 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 10.5 | 120 | 1 | 1 | 7 | 18 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 10.5 | 61 | 5 | 5 | 10 | 16 | 16 | 16 | 16 |
| 35-49 | 11 | 11.6 | 115 | 1 | 2 | 6 | 21 | 29 | 29 | 29 |
| 50-64 | 106 | 11.4 | 91 | 3 | 3 | 9 | 13 | 23 | 32 | 53 |
| 65+ | 580 | 10.6 | 68 | 2 | 3 | 8 | 14 | 21 | 26 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 8 | 13.1 | 122 | 4 | 5 | 8 | 30 | 72 | 99+ | 99+ |
| 65+ | 60 | 21.0 | 306 | 4 | 6 | 15 | 25 | 53 | 64 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 9.7 | 58 | 2 | 3 | 8 | 13 | 19 | 23 | 33 |
| B. *Operated* | 4 | 10.5 | 120 | 1 | 1 | 7 | 18 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 699 | 10.7 | 72 | 2 | 3 | 8 | 14 | 21 | 28 | 46+ |
| B. *Operated* | 68 | 20.1 | 288 | 4 | 5 | 15 | 25 | 53 | 66 | 99+ |
| **1. SINGLE DX** | 159 | 9.7 | 59 | 2 | 3 | 8 | 13 | 19 | 25 | 33 |
| **2. MULTIPLE DX** | 767 | 11.5 | 98 | 2 | 3 | 9 | 14 | 23 | 30 | 59 |
| **A. NOT OPERATED** | 854 | 10.5 | 70 | 2 | 3 | 8 | 14 | 21 | 27 | 45 |
| **B. OPERATED** | 72 | 19.6 | 282 | 4 | 5 | 14 | 25 | 53 | 65 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| 35-49 | 13 | 10.9 | 99 | 1 | 2 | 6 | 16 | 29 | 29 | 29 |
| 50-64 | 153 | 11.0 | 86 | 2 | 3 | 8 | 13 | 25 | 32 | 59 |
| 65+ | 757 | 11.3 | 93 | 2 | 3 | 9 | 14 | 22 | 29 | 54 |
| **GRAND TOTAL** | **926** | **11.2** | **92** | **2** | **3** | **9** | **14** | **22** | **30** | **55** |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 102 | 8.2 | 71 | 1 | 1 | 6 | 12 | 16 | 22 | 45 |
| 35-49 | 104 | 8.8 | 84 | 1 | 2 | 7 | 11 | 17 | 24 | 54 |
| 50-64 | 36 | 8.7 | 62 | 1 | 2 | 7 | 12 | 15 | 19 | 44 |
| 65+ | 7 | 11.9 | 162 | 1 | 2 | 9 | 13 | 34 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 21 | 4.1 | 14 | 1 | 1 | 2 | 6 | 10 | 12 | 13 |
| 35-49 | 22 | 4.3 | 26 | 1 | 1 | 3 | 6 | 8 | 15 | 24 |
| 50-64 | 14 | 7.6 | 62 | 1 | 1 | 4 | 13 | 16 | 26 | 29 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 30.3 | 1497 | 7 | 7 | 9 | 58 | 75 | 75 | 75 |
| 20-34 | 106 | 9.6 | 86 | 1 | 1 | 8 | 11 | 23 | 34 | 70 |
| 35-49 | 165 | 11.2 | 139 | 1 | 3 | 8 | 14 | 21 | 28 | 71 |
| 50-64 | 127 | 11.8 | 130 | 2 | 3 | 8 | 15 | 27 | 37 | 84 |
| 65+ | 39 | 8.5 | 25 | 2 | 2 | 7 | 12 | 15 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 13.0 | 48 | 5 | 5 | 17 | 17 | 17 | 17 | 17 |
| 20-34 | 28 | 20.4 | 418 | 1 | 4 | 14 | 30 | 44 | 65 | 88 |
| 35-49 | 40 | 15.2 | 348 | 2 | 3 | 8 | 18 | 29 | 74 | 76 |
| 50-64 | 31 | 14.5 | 191 | 2 | 3 | 10 | 18 | 47 | 49 | 99+ |
| 65+ | 13 | 19.5 | 449 | 1 | 2 | 13 | 25 | 42 | 74 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 8.6 | 76 | 1 | 1 | 7 | 11 | 16 | 23 | 44 |
| B. *Operated* | 60 | 4.9 | 30 | 1 | 1 | 2 | 7 | 12 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 440 | 10.9 | 123 | 1 | 2 | 8 | 14 | 23 | 32 | 75 |
| B. *Operated* | 115 | 16.7 | 323 | 2 | 3 | 10 | 20 | 42 | 70 | 92 |
| **1. SINGLE DX** | 311 | 7.9 | 70 | 1 | 1 | 6 | 11 | 15 | 22 | 42 |
| **2. MULTIPLE DX** | 555 | 12.1 | 169 | 1 | 2 | 8 | 14 | 26 | 37 | 81 |
| **A. NOT OPERATED** | 691 | 10.1 | 107 | 1 | 2 | 8 | 13 | 21 | 29 | 70 |
| **B. OPERATED** | 175 | 12.6 | 254 | 1 | 1 | 7 | 16 | 31 | 48 | 86 |
| TOTAL 0-19 YRS | 10 | 14.3 | 485 | 1 | 2 | 6 | 17 | 46 | 75 | 75 |
| 20-34 | 257 | 9.8 | 125 | 1 | 1 | 7 | 12 | 22 | 33 | 63 |
| 35-49 | 331 | 10.5 | 145 | 1 | 2 | 7 | 13 | 20 | 27 | 74 |
| 50-64 | 208 | 11.4 | 125 | 2 | 2 | 8 | 14 | 27 | 38 | 88 |
| 65+ | 60 | 11.1 | 146 | 1 | 2 | 9 | 13 | 22 | 31 | 77 |
| **GRAND TOTAL** | **866** | **10.6** | **137** | **1** | **2** | **7** | **13** | **22** | **32** | **75** |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 250 | 2.7 | 20 | 1 | 1 | 2 | 3 | 4 | 6 | 22 |
| 20-34 | 240 | 2.9 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 35-49 | 103 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 8 | 13 |
| 50-64 | 88 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 65+ | 85 | 3.6 | 9 | 1 | 1 | 3 | 4 | 8 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 4.6 | 17 | 1 | 1 | 4 | 6 | 11 | 14 | 15 |
| 35-49 | 3 | 5.3 | 33 | 2 | 2 | 2 | 10 | 12 | 12 | 12 |
| 50-64 | 3 | 10.7 | 160 | 1 | 1 | 6 | 20 | 25 | 25 | 25 |
| 65+ | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 336 | 3.6 | 15 | 1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 20-34 | 371 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 35-49 | 280 | 4.7 | 36 | 1 | 1 | 3 | 5 | 10 | 14 | 31 |
| 50-64 | 350 | 5.6 | 35 | 1 | 2 | 4 | 6 | 11 | 17 | 30 |
| 65+ | 442 | 7.2 | 56 | 1 | 2 | 5 | 8 | 16 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.9 | 22 | 1 | 2 | 5 | 8 | 11 | 17 | 19 |
| 20-34 | 46 | 8.9 | 87 | 1 | 2 | 6 | 11 | 21 | 28 | 50 |
| 35-49 | 22 | 11.1 | 145 | 2 | 3 | 5 | 13 | 33 | 41 | 45 |
| 50-64 | 35 | 12.6 | 123 | 3 | 4 | 7 | 19 | 27 | 30 | 53 |
| 65+ | 34 | 16.0 | 150 | 2 | 2 | 15 | 24 | 31 | 37 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 766 | 3.0 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| B. *Operated* | 21 | 5.7 | 34 | 1 | 1 | 4 | 7 | 13 | 19 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1779 | 5.2 | 34 | 1 | 1 | 3 | 6 | 10 | 16 | 33 |
| B. *Operated* | 151 | 11.4 | 119 | 2 | 2 | 7 | 16 | 27 | 31 | 53 |
| **1. SINGLE DX** | 787 | 3.1 | 13 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 1930 | 5.7 | 43 | 1 | 1 | 4 | 7 | 12 | 17 | 35 |
| **A. NOT OPERATED** | 2545 | 4.5 | 28 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **B. OPERATED** | 172 | 10.7 | 112 | 1 | 2 | 7 | 15 | 26 | 31 | 52 |
| TOTAL 0-19 YRS | 600 | 3.3 | 17 | 1 | 1 | 2 | 3 | 7 | 9 | 19 |
| 20-34 | 669 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 35-49 | 408 | 4.7 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 35 |
| 50-64 | 476 | 5.8 | 41 | 1 | 1 | 4 | 7 | 12 | 19 | 30 |
| 65+ | 564 | 7.2 | 61 | 1 | 2 | 4 | 8 | 16 | 24 | 38 |
| **GRAND TOTAL** | **2717** | **4.9** | **36** | **1** | **1** | **3** | **6** | **10** | **16** | **33** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.2 | 8 | <1 | 1 | 2 | 4 | 8 | 9 | 13 |
| 20-34 | 198 | 3.9 | 12 | 1 | 1 | 3 | 4 | 9 | 12 | 22 |
| 35-49 | 118 | 4.8 | 49 | 1 | 1 | 3 | 5 | 8 | 14 | 99+ |
| 50-64 | 96 | 5.0 | 31 | 1 | 1 | 3 | 6 | 10 | 16 | 32 |
| 65+ | 195 | 5.9 | 22 | 1 | 2 | 4 | 8 | 13 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 17 | 26 |
| 20-34 | 179 | 6.0 | 53 | <1 | 1 | 3 | 7 | 14 | 19 | 41 |
| 35-49 | 146 | 5.0 | 24 | 1 | 1 | 3 | 7 | 11 | 15 | 24 |
| 50-64 | 155 | 5.8 | 34 | 1 | 1 | 4 | 8 | 13 | 16 | 26 |
| 65+ | 151 | 10.3 | 121 | 1 | 1 | 7 | 14 | 27 | 34 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 6.2 | 59 | 1 | 1 | 4 | 7 | 17 | 24 | 99+ |
| 20-34 | 284 | 8.5 | 187 | 1 | 1 | 4 | 10 | 18 | 43 | 99+ |
| 35-49 | 256 | 9.2 | 152 | 1 | 1 | 5 | 9 | 27 | 41 | 72 |
| 50-64 | 412 | 9.5 | 140 | 1 | 2 | 6 | 10 | 23 | 38 | 96 |
| 65+ | 1135 | 10.8 | 112 | 2 | 3 | 8 | 13 | 23 | 33 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 8.8 | 151 | 1 | 2 | 5 | 9 | 18 | 32 | 94 |
| 20-34 | 248 | 11.4 | 228 | 1 | 2 | 7 | 14 | 27 | 46 | 99+ |
| 35-49 | 198 | 10.0 | 121 | 1 | 1 | 7 | 12 | 22 | 30 | 56 |
| 50-64 | 281 | 13.7 | 231 | 1 | 2 | 9 | 18 | 37 | 61 | 99+ |
| 65+ | 459 | 16.7 | 248 | 2 | 3 | 11 | 22 | 38 | 50 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 734 | 4.6 | 23 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| B. *Operated* | 781 | 6.5 | 56 | 1 | 1 | 4 | 8 | 15 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2309 | 9.6 | 128 | 1 | 2 | 6 | 11 | 22 | 34 | 87 |
| B. *Operated* | 1416 | 12.9 | 216 | 1 | 2 | 8 | 17 | 33 | 45 | 94 |
| **1. SINGLE DX** | 1515 | 5.6 | 41 | 1 | 1 | 3 | 7 | 12 | 17 | 35 |
| **2. MULTIPLE DX** | 3725 | 10.9 | 164 | 1 | 2 | 7 | 13 | 25 | 39 | 91 |
| **A. NOT OPERATED** | 3043 | 8.4 | 107 | 1 | 2 | 5 | 10 | 19 | 31 | 72 |
| **B. OPERATED** | 2197 | 10.7 | 169 | 1 | 2 | 6 | 13 | 26 | 39 | 80 |
| TOTAL 0-19 YRS | 729 | 6.4 | 77 | 1 | 1 | 4 | 8 | 14 | 24 | 74 |
| 20-34 | 909 | 7.8 | 141 | 1 | 1 | 4 | 9 | 17 | 33 | 99+ |
| 35-49 | 718 | 7.8 | 106 | 1 | 1 | 4 | 9 | 19 | 29 | 69 |
| 50-64 | 944 | 9.7 | 148 | 1 | 2 | 6 | 11 | 23 | 39 | 99 |
| 65+ | 1940 | 11.6 | 146 | 2 | 2 | 8 | 14 | 26 | 37 | 63 |
| **GRAND TOTAL** | **5240** | **9.4** | **134** | **1** | **2** | **6** | **11** | **22** | **34** | **77** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 336 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 35-49 | 218 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 89 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 65+ | 24 | 3.9 | 8 | <1 | 1 | 3 | 5 | 7 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 72 | 1 | 1 | 7 | 13 | 13 | 13 | 13 |
| 20-34 | 27 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 25 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 50-64 | 12 | 2.8 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 5 |
| 65+ | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 10 | 13 |
| 20-34 | 311 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 35-49 | 259 | 4.7 | 24 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 50-64 | 193 | 4.6 | 20 | 1 | 2 | 3 | 5 | 8 | 12 | 25 |
| 65+ | 58 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 12 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 27 | 8.4 | 108 | 1 | 2 | 5 | 9 | 21 | 39 | 43 |
| 35-49 | 35 | 8.5 | 87 | 2 | 2 | 4 | 12 | 18 | 26 | 47 |
| 50-64 | 19 | 5.3 | 25 | 1 | 2 | 4 | 6 | 8 | 17 | 24 |
| 65+ | 3 | 11.0 | 9 | 8 | 8 | 11 | 13 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 768 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 70 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 885 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| B. *Operated* | 85 | 7.8 | 77 | 1 | 2 | 4 | 10 | 16 | 25 | 46 |
| **1. SINGLE DX** | 838 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 970 | 4.7 | 25 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| **A. NOT OPERATED** | 1653 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| **B. OPERATED** | 155 | 5.7 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 43 |
| TOTAL 0-19 YRS | 168 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 20-34 | 701 | 3.8 | 16 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| 35-49 | 537 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 50-64 | 313 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 65+ | 89 | 4.3 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 15 |
| **GRAND TOTAL** | **1808** | **3.9** | **16** | **1** | **1** | **3** | **5** | **7** | **11** | **22** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 2.5 | 6 | <1 | <1 | 2 | 3 | 7 | 7 | 7 |
| 35-49 | 7 | 3.1 | 10 | <1 | <1 | 2 | 3 | 9 | 10 | 10 |
| 50-64 | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 619 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 811 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 834 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 488 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 10 | 3.3 | 7 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| 35-49 | 16 | 2.9 | 8 | <1 | <1 | 1 | 5 | 7 | 9 | 10 |
| 50-64 | 16 | 3.4 | 6 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 65+ | 15 | 3.1 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 201 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 312 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 441 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 321 | 3.3 | 11 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 10 |
| B. *Operated* | 2789 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 9 | 11 |
| B. *Operated* | 1289 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **1. SINGLE DX** | 2807 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 1347 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **A. NOT OPERATED** | 76 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 11 |
| **B. OPERATED** | 4078 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 52 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 836 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 1146 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1295 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 825 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| **GRAND TOTAL** | **4154** | **2.2** | **4** | **<1** | **<1** | **2** | **3** | **4** | **5** | **10** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.7 | 94 | 1 | 1 | 4 | 7 | 13 | 23 | 58 |
| 20-34 | 136 | 5.4 | 29 | 1 | 1 | 4 | 7 | 13 | 18 | 40 |
| 35-49 | 127 | 6.2 | 44 | 1 | 1 | 4 | 7 | 15 | 20 | 36 |
| 50-64 | 138 | 5.4 | 41 | 1 | 1 | 4 | 6 | 10 | 14 | 39 |
| 65+ | 107 | 6.4 | 40 | 1 | 1 | 4 | 8 | 15 | 18 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 19 |
| 20-34 | 709 | 3.3 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 751 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 50-64 | 659 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 65+ | 269 | 3.8 | 15 | <1 | 1 | 3 | 4 | 8 | 10 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 8.8 | 134 | 1 | 1 | 4 | 9 | 30 | 37 | 47 |
| 20-34 | 143 | 7.3 | 91 | 1 | 1 | 5 | 9 | 15 | 21 | 57 |
| 35-49 | 203 | 6.0 | 31 | 1 | 1 | 5 | 7 | 13 | 17 | 40 |
| 50-64 | 303 | 7.1 | 56 | 1 | 2 | 5 | 8 | 16 | 20 | 40 |
| 65+ | 465 | 8.2 | 71 | 1 | 2 | 6 | 10 | 18 | 22 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 20-34 | 365 | 5.2 | 39 | 1 | 1 | 3 | 6 | 9 | 13 | 42 |
| 35-49 | 428 | 5.8 | 48 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| 50-64 | 462 | 6.8 | 100 | 1 | 1 | 4 | 7 | 14 | 24 | 71 |
| 65+ | 318 | 9.1 | 116 | 2 | 2 | 5 | 11 | 23 | 34 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 5.9 | 42 | 1 | 1 | 4 | 7 | 13 | 18 | 35 |
| B. *Operated* | 2503 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 7.5 | 65 | 1 | 2 | 5 | 9 | 16 | 21 | 48 |
| B. *Operated* | 1634 | 6.5 | 75 | 1 | 2 | 4 | 7 | 13 | 23 | 52 |
| **1. SINGLE DX** | 3053 | 3.8 | 18 | <1 | 1 | 3 | 4 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | 2780 | 6.9 | 71 | 1 | 2 | 4 | 8 | 14 | 22 | 51 |
| **A. NOT OPERATED** | 1696 | 6.9 | 58 | 1 | 1 | 5 | 8 | 15 | 20 | 46 |
| **B. OPERATED** | 4137 | 4.6 | 39 | <1 | 1 | 3 | 5 | 9 | 13 | 36 |
| TOTAL 0-19 YRS | 250 | 4.7 | 43 | 1 | 1 | 3 | 5 | 8 | 13 | 37 |
| 20-34 | 1353 | 4.4 | 29 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 35-49 | 1509 | 4.7 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 50-64 | 1562 | 5.2 | 50 | 1 | 1 | 3 | 6 | 10 | 16 | 43 |
| 65+ | 1159 | 7.3 | 72 | 1 | 2 | 4 | 9 | 16 | 24 | 51 |
| **GRAND TOTAL** | **5833** | **5.3** | **45** | **1** | **1** | **3** | **6** | **11** | **16** | **40** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 13 | <1 | <1 | 1 | 4 | 9 | 10 | 10 |
| 20-34 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 65+ | 3 | 5.3 | 6 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 4.7 | 5 | 2 | 3 | 4 | 5 | 8 | 10 | 11 |
| 20-34 | 121 | 4.9 | 9 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 172 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 11 | 16 |
| 50-64 | 505 | 4.9 | 9 | 2 | 2 | 4 | 6 | 7 | 11 | 16 |
| 65+ | 436 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | 9 | 2.4 | 4 | 1 | 1 | 1 | 4 | 5 | 6 | 6 |
| 65+ | 17 | 2.9 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 6.1 | 17 | 2 | 2 | 5 | 8 | 10 | 15 | 22 |
| 20-34 | 101 | 5.3 | 10 | 1 | 2 | 5 | 6 | 9 | 12 | 17 |
| 35-49 | 126 | 5.4 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 17 |
| 50-64 | 449 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 518 | 5.7 | 13 | 2 | 3 | 5 | 7 | 10 | 13 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 3.5 | 10 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| B. *Operated* | 1292 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 2.6 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 1241 | 5.5 | 11 | 2 | 3 | 5 | 6 | 9 | 12 | 19 |
| **1. SINGLE DX** | 1307 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 1274 | 5.4 | 11 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| **A. NOT OPERATED** | 48 | 2.9 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 10 |
| **B. OPERATED** | 2533 | 5.2 | 9 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |
| TOTAL 0-19 YRS | 115 | 5.0 | 11 | 1 | 2 | 4 | 6 | 9 | 10 | 19 |
| 20-34 | 225 | 5.1 | 9 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 302 | 5.2 | 8 | 2 | 3 | 5 | 6 | 8 | 11 | 17 |
| 50-64 | 965 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 974 | 5.2 | 10 | 2 | 3 | 4 | 6 | 8 | 11 | 17 |
| **GRAND TOTAL** | **2581** | **5.1** | **9** | **2** | **2** | **4** | **6** | **8** | **11** | **17** |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 6 | 3.2 | 23 | <1 | <1 | 1 | 2 | 12 | 13 | 13 |
| 65+ | 17 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.6 | 6 | <1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 28 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 7 | 7 |
| 35-49 | 42 | 3.3 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 14 |
| 50-64 | 168 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 65+ | 276 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 10 | 3.2 | 9 | 1 | 1 | 2 | 4 | 8 | 11 | 11 |
| 65+ | 22 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 16 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 17 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 103 | 3.8 | 16 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 65+ | 223 | 3.7 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 7 | 13 |
| B. *Operated* | 525 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.4 | 8 | 1 | 1 | 2 | 5 | 8 | 10 | 11 |
| B. *Operated* | 364 | 3.6 | 11 | 1 | 2 | 3 | 4 | 7 | 9 | 20 |
| **1. SINGLE DX** | 551 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 399 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| **A. NOT OPERATED** | 61 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 10 | 13 |
| **B. OPERATED** | 889 | 3.1 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 16 | 3.1 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 46 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 7 |
| 35-49 | 63 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 287 | 3.1 | 10 | 1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 65+ | 538 | 3.1 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **GRAND TOTAL** | **950** | **3.1** | **7** | **1** | **1** | **2** | **3** | **6** | **8** | **15** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 7 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 8 | 3.6 | 10 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.1 | 4 | 1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 20-34 | 19 | 3.7 | 13 | 1 | 1 | 3 | 5 | 7 | 12 | 17 |
| 35-49 | 26 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 92 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| 65+ | 200 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 6 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 5 |
| 65+ | 26 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.9 | 10 | 2 | 2 | 3 | 4 | 9 | 12 | 12 |
| 20-34 | 15 | 4.7 | 19 | 1 | 2 | 3 | 6 | 8 | 16 | 19 |
| 35-49 | 28 | 4.2 | 24 | 1 | 1 | 3 | 4 | 8 | 13 | 26 |
| 50-64 | 52 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 17 |
| 65+ | 168 | 4.4 | 20 | 1 | 2 | 3 | 5 | 8 | 14 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 11 |
| B. *Operated* | 348 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 3.4 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| B. *Operated* | 272 | 4.2 | 17 | 1 | 1 | 3 | 4 | 8 | 13 | 24 |
| **1. SINGLE DX** | 368 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 311 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| **A. NOT OPERATED** | 59 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 11 |
| **B. OPERATED** | 620 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| TOTAL 0-19 YRS | 25 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 37 | 4.0 | 15 | 1 | 1 | 3 | 5 | 7 | 14 | 19 |
| 35-49 | 58 | 3.4 | 13 | 1 | 1 | 3 | 4 | 5 | 8 | 25 |
| 50-64 | 157 | 3.1 | 6 | 1 | 1 | 3 | 3 | 5 | 7 | 17 |
| 65+ | 402 | 3.5 | 11 | 1 | 1 | 3 | 4 | 6 | 10 | 19 |
| **GRAND TOTAL** | **679** | **3.4** | **10** | **1** | **1** | **3** | **4** | **6** | **9** | **19** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 5 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 65+ | 23 | 2.1 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 423 | 2.3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 3061 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 10167 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 4.9 | 66 | 1 | 1 | 1 | 5 | 19 | 24 | 24 |
| 50-64 | 65 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 65+ | 213 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 271 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 14 |
| 50-64 | 1983 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 8737 | 2.9 | 6 | 1 | 2 | 2 | 3 | 4 | 6 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | 13651 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 286 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| B. *Operated* | 10991 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| **1. SINGLE DX** | 13680 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 11277 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| **A. NOT OPERATED** | 315 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| **B. OPERATED** | 24642 | 2.6 | 3 | 1 | 2 | 2 | 3 | 4 | 4 | 9 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 703 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 50-64 | 5114 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 19140 | 2.6 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | **24957** | **2.6** | **4** | **1** | **2** | **2** | **3** | **4** | **4** | **9** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 59 | 2.4 | 4 | 1 | 1 | 2 | 3 | 3 | 5 | 14 |
| 35-49 | 63 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 109 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 153 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 7 |
| 20-34 | 51 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 48 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 50-64 | 98 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 200 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 453 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 450 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **1. SINGLE DX** | 455 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 460 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **A. NOT OPERATED** | 12 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 903 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| TOTAL 0-19 YRS | 126 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 112 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 114 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 207 | 2.3 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 11 |
| 65+ | 356 | 2.3 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **GRAND TOTAL** | **915** | **2.3** | **2** | **<1** | **1** | **2** | **3** | **4** | **4** | **8** |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 9 | 2.8 | 7 | 1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 35-49 | 7 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 6 | 4.0 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 11 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1171 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 199 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 35-49 | 107 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 50-64 | 72 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 65+ | 30 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 4 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 4 |
| 20-34 | 12 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | 16 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 13 | 15 |
| 50-64 | 12 | 5.0 | 33 | 1 | 1 | 4 | 6 | 11 | 20 | 22 |
| 65+ | 31 | 4.8 | 24 | 1 | 1 | 4 | 5 | 10 | 19 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 238 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 20-34 | 81 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 52 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 11 |
| 50-64 | 44 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| 65+ | 39 | 3.4 | 12 | 1 | 2 | 2 | 3 | 6 | 9 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 1579 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 3.4 | 16 | <1 | <1 | 2 | 4 | 6 | 12 | 22 |
| B. *Operated* | 454 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| **1. SINGLE DX** | 1633 | 1.6 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | 551 | 2.3 | 6 | <1 | <1 | 2 | 2 | 4 | 5 | 15 |
| **A. NOT OPERATED** | 151 | 3.1 | 12 | <1 | <1 | 2 | 4 | 6 | 7 | 22 |
| **B. OPERATED** | 2033 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| TOTAL 0-19 YRS | 1456 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 301 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 182 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 50-64 | 134 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 21 |
| 65+ | 111 | 3.5 | 13 | 1 | 1 | 2 | 4 | 6 | 11 | 21 |
| **GRAND TOTAL** | **2184** | **1.8** | **3** | **<1** | **<1** | **2** | **2** | **2** | **3** | **7** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 1.6 | 2 | <1 | <1 | <1 | 2 | 4 | 5 | 7 |
| 20-34 | 32 | 3.4 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 11 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 11 | 11 |
| 50-64 | 23 | 5.1 | 16 | <1 | 1 | 4 | 7 | 9 | 13 | 18 |
| 65+ | 41 | 5.7 | 21 | 1 | 1 | 5 | 7 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 200 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 193 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 6 |
| 50-64 | 328 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 65+ | 496 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 21 | 4.6 | 20 | <1 | 1 | 3 | 5 | 11 | 16 | 18 |
| 35-49 | 22 | 4.3 | 15 | <1 | 1 | 3 | 7 | 11 | 13 | 14 |
| 50-64 | 45 | 4.8 | 21 | 1 | 1 | 4 | 6 | 10 | 13 | 26 |
| 65+ | 83 | 5.5 | 17 | <1 | 1 | 5 | 8 | 11 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 97 | 3.2 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 26 |
| 35-49 | 123 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 15 |
| 50-64 | 261 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 65+ | 574 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 254 | 2.9 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | 1369 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 4.3 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 1115 | 3.1 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **1. SINGLE DX** | 1623 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1381 | 3.4 | 10 | <1 | 1 | 3 | 4 | 6 | 9 | 15 |
| **A. NOT OPERATED** | 520 | 3.6 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 17 |
| **B. OPERATED** | 2484 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 454 | 2.1 | 3 | <1 | <1 | 1 | 3 | 4 | 6 | 9 |
| 20-34 | 350 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 35-49 | 349 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 657 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 1194 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **GRAND TOTAL** | **3004** | **2.8** | **7** | **<1** | **<1** | **2** | **3** | **5** | **7** | **14** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 3.3 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 58 | 4.1 | 11 | 1 | 1 | 4 | 5 | 6 | 8 | 23 |
| 35-49 | 28 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 50-64 | 31 | 4.6 | 53 | 1 | 1 | 3 | 4 | 8 | 10 | 42 |
| 65+ | 38 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.4 | 22 | <1 | 1 | 2 | 5 | 12 | 15 | 22 |
| 20-34 | 55 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 61 | 2.9 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 50-64 | 261 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 664 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 241 | 4.0 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 15 |
| 20-34 | 51 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 48 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 15 |
| 50-64 | 71 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 65+ | 115 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.1 | 60 | 1 | 1 | 3 | 6 | 10 | 13 | 53 |
| 20-34 | 102 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 130 | 4.9 | 22 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 50-64 | 320 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 65+ | 737 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 415 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 1084 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 526 | 4.2 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 1357 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **1. SINGLE DX** | 1499 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | 1883 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **A. NOT OPERATED** | 941 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 2441 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 612 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 266 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 35-49 | 267 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 683 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 1554 | 3.3 | 10 | 1 | 1 | 2 | 3 | 6 | 9 | 16 |
| **GRAND TOTAL** | **3382** | **3.5** | **11** | **1** | **1** | **3** | **4** | **6** | **9** | **15** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 16 | 2.3 | 3 | <1 | <1 | 2 | 3 | 3 | 7 | 8 |
| 35-49 | 7 | 2.0 | 2 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | 11 | 2.3 |  | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 16 | 3.9 | 12 | 1 | 1 | 3 | 4 | 6 | 13 | 16 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 2.4 | 8 | <1 | <1 | 1 | 2 | 4 | 10 | 12 |
| 20-34 | 13 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 35-49 | 9 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 23 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 65+ | 21 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 16 | 2.2 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 16 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 13 |
| 35-49 | 15 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 6 |
| 50-64 | 24 | 4.8 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 13 |
| 65+ | 40 | 5.2 | 13 | 2 | 2 | 4 | 8 | 10 | 12 | 17 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 20-34 | 20 | 3.7 | 5 | 2 | 2 | 3 | 5 | 6 | 9 | 11 |
| 35-49 | 20 | 4.3 | 21 | 1 | 1 | 2 | 4 | 11 | 16 | 20 |
| 50-64 | 24 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 65+ | 54 | 4.3 | 79 | 1 | 2 | 2 | 4 | 6 | 8 | 65 |
| SUBTOTALS: |  |  |  |  |  |  |  |  |  |  |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 59 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. *Operated* | 80 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 111 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 15 |
| B. *Operated* | 132 | 3.7 | 37 | 1 | 1 | 2 | 4 | 6 | 8 | 28 |
| 1. SINGLE DX | 139 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 2. MULTIPLE DX | 243 | 3.9 | 25 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| A. NOT OPERATED | 170 | 3.6 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 15 |
| B. OPERATED | 212 | 3.2 | 25 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| TOTAL 0-19 YRS | 53 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 20-34 | 65 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 35-49 | 51 | 3.2 | 10 | 1 | 1 | 2 | 4 | 5 | 11 | 20 |
| 50-64 | 82 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 65+ | 131 | 4.2 | 39 | 1 | 2 | 3 | 4 | 8 | 10 | 26 |
| GRAND TOTAL | 382 | 3.4 | 18 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 290 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 20-34 | 6 | 2.7 | 4 | 1 | 1 | 2 | 5 | 5 | 5 | 5 |
| 35-49 | 8 | 4.4 | 13 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 50-64 | 5 | 4.6 | 8 | 2 | 2 | 5 | 6 | 9 | 9 | 9 |
| 65+ | 4 | 4.0 | 13 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3564 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 20-34 | 349 | 1.8 |  | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 35-49 | 340 | 1.9 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 298 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 114 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 983 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 20-34 | 45 | 3.3 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 21 | 5.5 | 13 | 1 | 1 | 5 | 7 | 11 | 13 | 15 |
| 50-64 | 25 | 3.7 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 65+ | 30 | 6.6 | 64 | 2 | 2 | 5 | 8 | 11 | 16 | 45 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2389 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 265 | 2.3 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 35-49 | 220 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 50-64 | 251 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 65+ | 96 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| SUBTOTALS: |  |  |  |  |  |  |  |  |  |  |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 313 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 4665 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1104 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 3221 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 1. SINGLE DX | 4978 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 5 |
| 2. MULTIPLE DX | 4325 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| A. NOT OPERATED | 1417 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. OPERATED | 7886 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 7226 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 665 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 589 | 2.3 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 50-64 | 579 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 65+ | 244 | 2.7 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| GRAND TOTAL | 9303 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 27 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 19 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 11 | 14 |
| 50-64 | 11 | 5.2 | 29 | 2 | 2 | 4 | 5 | 12 | 20 | 21 |
| 65+ | 5 | 5.6 | 23 | 2 | 2 | 4 | 7 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| 20-34 | 49 | 2.3 | 4 | <1 | 1 | 2 | 3 | 3 | 7 | 11 |
| 35-49 | 28 | 2.8 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 18 |
| 50-64 | 30 | 3.2 | 16 | 1 | 1 | 2 | 3 | 5 | 11 | 22 |
| 65+ | 15 | 3.9 | 9 | <1 | 1 | 3 | 5 | 7 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 20-34 | 38 | 5.2 | 13 | 2 | 2 | 4 | 7 | 9 | 11 | 20 |
| 35-49 | 36 | 4.7 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 15 |
| 50-64 | 21 | 5.7 | 12 | 1 | 2 | 5 | 8 | 11 | 12 | 12 |
| 65+ | 29 | 9.9 | 61 | 2 | 2 | 8 | 13 | 20 | 30 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 2.1 | 9 | <1 | <1 | 1 | 2 | 3 | 6 | 15 |
| 20-34 | 79 | 3.2 | 13 | 1 | 1 | 2 | 3 | 6 | 10 | 22 |
| 35-49 | 59 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 11 | 23 |
| 50-64 | 58 | 5.8 | 85 | 1 | 2 | 3 | 6 | 13 | 19 | 60 |
| 65+ | 34 | 9.1 | 130 | 2 | 2 | 5 | 13 | 22 | 30 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 17 |
| B. *Operated* | 432 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 206 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 13 | 26 |
| B. *Operated* | 494 | 3.3 | 31 | <1 | <1 | 2 | 3 | 6 | 11 | 28 |
| **1. SINGLE DX** | 539 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | 700 | 3.9 | 29 | <1 | <1 | 2 | 4 | 9 | 12 | 28 |
| **A. NOT OPERATED** | 313 | 4.7 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 21 |
| **B. OPERATED** | 926 | 2.6 | 19 | <1 | <1 | 1 | 2 | 5 | 8 | 22 |
| TOTAL 0-19 YRS | 701 | 2.0 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 20-34 | 193 | 3.4 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 142 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 50-64 | 120 | 5.1 | 50 | 1 | 2 | 3 | 5 | 11 | 14 | 40 |
| 65+ | 83 | 8.2 | 81 | 1 | 2 | 5 | 11 | 16 | 27 | 50 |
| **GRAND TOTAL** | **1239** | **3.1** | **19** | **<1** | **<1** | **2** | **3** | **6** | **10** | **22** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.5 | 3 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 20-34 | 82 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 118 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 50-64 | 180 | 3.0 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 230 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.0 | 2 | 2 | 2 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 63 | 3.6 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 116 | 3.8 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 117 | 3.4 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 9 |
| 65+ | 39 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 77 | 3.3 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 10 |
| 35-49 | 171 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 50-64 | 379 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 782 | 4.6 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 8 |
| 20-34 | 42 | 5.5 | 17 | 2 | 2 | 4 | 7 | 11 | 12 | 24 |
| 35-49 | 47 | 5.1 | 18 | 2 | 2 | 4 | 6 | 11 | 13 | 25 |
| 50-64 | 79 | 6.4 | 35 | 1 | 2 | 5 | 8 | 14 | 19 | 28 |
| 65+ | 49 | 6.9 | 23 | 2 | 2 | 6 | 9 | 15 | 17 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 622 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 346 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1414 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 233 | 5.8 | 24 | 1 | 2 | 4 | 8 | 13 | 15 | 26 |
| **1. SINGLE DX** | 968 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 1647 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 17 |
| **A. NOT OPERATED** | 2036 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 579 | 4.5 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 44 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 264 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 35-49 | 452 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 755 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 65+ | 1100 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| **GRAND TOTAL** | **2615** | **4.0** | **11** | **1** | **1** | **3** | **5** | **8** | **9** | **16** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 204 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 332 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 327 | 1.8 | 4 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 132 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 44 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 74 | 2.5 | 6 | 1 | 1 | 2 | 3 | 3 | 4 | 17 |
| 50-64 | 78 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 42 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 1025 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.3 | 16 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| B. *Operated* | 242 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **1. SINGLE DX** | 1034 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 245 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| **A. NOT OPERATED** | 12 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 8 |
| **B. OPERATED** | 1267 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| TOTAL 0-19 YRS | 34 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 251 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 409 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 407 | 1.9 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 178 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **GRAND TOTAL** | **1279** | **1.9** | **2** | **1** | **1** | **2** | **2** | **3** | **3** | **5** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 22 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 20 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 26 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 65+ | 12 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 513 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 408 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 295 | 1.8 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 261 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 89 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 27 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 10 |
| 35-49 | 27 | 3.7 | 13 | <1 | <1 | 3 | 4 | 8 | 11 | 17 |
| 50-64 | 35 | 5.4 | 30 | <1 | 1 | 4 | 7 | 13 | 17 | 26 |
| 65+ | 29 | 4.3 | 16 | 1 | 1 | 4 | 5 | 9 | 11 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 2.0 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 308 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 5 | 11 |
| 35-49 | 236 | 2.4 | 16 | <1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 50-64 | 226 | 2.5 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 16 |
| 65+ | 88 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| B. *Operated* | 1566 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 3.9 | 16 | <1 | <1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 1225 | 2.3 | 7 | <1 | 1 | 2 | 3 | 3 | 4 | 11 |
| **1. SINGLE DX** | 1653 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 1361 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| **A. NOT OPERATED** | 223 | 3.4 | 11 | <1 | <1 | 2 | 4 | 6 | 10 | 19 |
| **B. OPERATED** | 2791 | 2.0 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 905 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 765 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 578 | 2.2 | 8 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 50-64 | 548 | 2.4 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 65+ | 218 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **GRAND TOTAL** | **3014** | **2.1** | **4** | **<1** | **1** | **2** | **2** | **3** | **4** | **10** |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.9 | 17 | 1 | 2 | 4 | 6 | 8 | 10 | 25 |
| 20-34 | 17 | 4.5 | 6 | 1 | 2 | 4 | 5 | 6 | 10 | 12 |
| 35-49 | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 5 | 5.2 | 7 | 3 | 3 | 4 | 7 | 9 | 9 | 9 |
| 65+ | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 200 | <1 | <1 | 10 | 21 | 21 | 21 | 21 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 8.7 | 27 | 3 | 3 | 8 | 12 | 17 | 18 | 18 |
| 20-34 | 9 | 6.8 | 45 | 1 | 2 | 5 | 6 | 17 | 24 | 24 |
| 35-49 | 13 | 7.5 | 93 | 1 | 1 | 5 | 8 | 16 | 34 | 38 |
| 50-64 | 20 | 7.5 | 21 | 3 | 3 | 6 | 9 | 15 | 17 | 19 |
| 65+ | 30 | 8.3 | 66 | 1 | 2 | 6 | 10 | 18 | 32 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.7 | 6 | 12 | 12 | 15 | 16 | 17 | 17 | 17 |
| 20-34 | 4 | 16.0 | 561 | 1 | 1 | 6 | 30 | 51 | 51 | 51 |
| 35-49 | 10 | 10.1 | 171 | 2 | 2 | 3 | 15 | 29 | 43 | 43 |
| 50-64 | 9 | 10.6 | 101 | 1 | 1 | 5 | 20 | 25 | 27 | 27 |
| 65+ | 8 | 20.6 | 151 | 3 | 5 | 21 | 30 | 35 | 37 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 23 |
| B. *Operated* | 4 | 8.0 | 81 | <1 | <1 | 5 | 14 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 8.0 | 47 | 1 | 3 | 6 | 10 | 17 | 22 | 36 |
| B. *Operated* | 34 | 13.8 | 173 | 1 | 2 | 11 | 20 | 31 | 42 | 51 |
| **1. SINGLE DX** | 68 | 5.0 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 24 |
| **2. MULTIPLE DX** | 128 | 9.5 | 86 | 1 | 2 | 6 | 12 | 21 | 30 | 45 |
| **A. NOT OPERATED** | 158 | 6.7 | 35 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| **B. OPERATED** | 38 | 13.2 | 164 | 1 | 2 | 11 | 20 | 30 | 41 | 51 |
| TOTAL 0-19 YRS | 65 | 6.8 | 29 | 1 | 2 | 5 | 9 | 17 | 18 | 24 |
| 20-34 | 30 | 6.7 | 88 | 1 | 1 | 5 | 6 | 11 | 24 | 51 |
| 35-49 | 25 | 8.4 | 113 | 1 | 2 | 5 | 9 | 16 | 39 | 43 |
| 50-64 | 35 | 7.9 | 39 | 2 | 3 | 5 | 9 | 19 | 21 | 27 |
| 65+ | 41 | 10.3 | 102 | 2 | 2 | 6 | 12 | 30 | 33 | 37 |
| **GRAND TOTAL** | **196** | **7.9** | **66** | **1** | **2** | **5** | **10** | **17** | **26** | **41** |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 10 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 35-49 | 10 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | 13 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 65+ | 20 | 6.5 | 12 | 1 | 2 | 6 | 9 | 11 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 24 | 1 | 1 | 8 | 9 | 13 | 13 | 13 |
| 20-34 | 43 | 6.3 | 22 | 1 | 2 | 4 | 11 | 12 | 15 | 17 |
| 35-49 | 83 | 5.3 | 25 | 1 | 1 | 2 | 9 | 12 | 14 | 21 |
| 50-64 | 105 | 5.8 | 27 | 1 | 1 | 2 | 10 | 13 | 15 | 23 |
| 65+ | 39 | 7.6 | 53 | 1 | 2 | 3 | 13 | 18 | 23 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.1 | 85 | <1 | <1 | 4 | 7 | 22 | 31 | 31 |
| 20-34 | 31 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 16 | 19 |
| 35-49 | 106 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 50-64 | 194 | 6.3 | 32 | 1 | 2 | 5 | 8 | 14 | 17 | 38 |
| 65+ | 341 | 8.7 | 48 | 2 | 3 | 7 | 11 | 16 | 22 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.4 | 40 | 2 | 2 | 8 | 12 | 18 | 20 | 21 |
| 20-34 | 66 | 7.8 | 60 | 1 | 2 | 8 | 12 | 15 | 18 | 92 |
| 35-49 | 212 | 9.3 | 71 | 2 | 2 | 8 | 13 | 19 | 23 | 44 |
| 50-64 | 404 | 10.0 | 68 | 2 | 2 | 9 | 15 | 20 | 25 | 36 |
| 65+ | 325 | 12.1 | 159 | 2 | 2 | 9 | 16 | 26 | 40 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 13 |
| B. *Operated* | 275 | 6.0 | 29 | 1 | 2 | 2 | 10 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 682 | 7.1 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| B. *Operated* | 1022 | 10.3 | 98 | 2 | 2 | 9 | 15 | 21 | 26 | 52 |
| **1. SINGLE DX** | 332 | 5.7 | 26 | 1 | 1 | 3 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 1704 | 9.1 | 77 | 1 | 2 | 6 | 13 | 19 | 25 | 49 |
| **A. NOT OPERATED** | 739 | 6.9 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 1297 | 9.4 | 87 | 1 | 2 | 8 | 14 | 20 | 25 | 51 |
| TOTAL 0-19 YRS | 34 | 7.0 | 47 | <1 | 1 | 4 | 11 | 15 | 20 | 31 |
| 20-34 | 150 | 6.4 | 38 | 1 | 2 | 4 | 10 | 13 | 16 | 53 |
| 35-49 | 411 | 7.0 | 50 | 1 | 2 | 4 | 11 | 16 | 20 | 26 |
| 50-64 | 716 | 8.3 | 55 | 1 | 2 | 6 | 12 | 18 | 22 | 35 |
| 65+ | 725 | 10.1 | 100 | 2 | 2 | 8 | 14 | 21 | 27 | 52 |
| **GRAND TOTAL** | **2036** | **8.5** | **70** | **1** | **2** | **6** | **12** | **18** | **23** | **46** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |
| 20-34 | 81 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 189 | 3.6 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 240 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 65+ | 143 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.7 | 10 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| 20-34 | 26 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 33 | 3.0 | 7 | 1 | 1 | 2 | 3 | 6 | 10 | 13 |
| 50-64 | 28 | 3.8 | 5 | 1 | 1 | 3 | 5 | 8 | 8 | 9 |
| 65+ | 12 | 3.3 | 9 | 1 | 1 | 2 | 6 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.6 | 7 | 1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 20-34 | 206 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 628 | 4.3 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | 1222 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 65+ | 1664 | 6.0 | 28 | 2 | 2 | 5 | 7 | 11 | 15 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.2 | 33 | 1 | 2 | 6 | 10 | 16 | 20 | 21 |
| 20-34 | 53 | 5.6 | 22 | 1 | 1 | 4 | 7 | 13 | 17 | 21 |
| 35-49 | 111 | 6.2 | 49 | 1 | 1 | 4 | 8 | 13 | 18 | 39 |
| 50-64 | 198 | 6.7 | 53 | 1 | 1 | 5 | 9 | 15 | 17 | 52 |
| 65+ | 162 | 9.4 | 75 | 2 | 2 | 8 | 12 | 17 | 27 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 666 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| B. *Operated* | 109 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3746 | 5.2 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| B. *Operated* | 537 | 7.3 | 57 | 1 | 2 | 5 | 9 | 15 | 20 | 45 |
| **1. SINGLE DX** | 775 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 4283 | 5.4 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| **A. NOT OPERATED** | 4412 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 646 | 6.6 | 51 | 1 | 1 | 5 | 9 | 15 | 18 | 42 |
| TOTAL 0-19 YRS | 62 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 20-34 | 366 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 961 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 1688 | 4.8 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 65+ | 1981 | 6.1 | 32 | 1 | 2 | 5 | 7 | 12 | 16 | 30 |
| **GRAND TOTAL** | **5058** | **5.2** | **23** | **1** | **2** | **4** | **6** | **10** | **14** | **25** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 5 | 3.2 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 18 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | 52 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 10 | 15 |
| 65+ | 98 | 5.8 | 23 | 1 | 2 | 5 | 7 | 11 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 2.7 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 14 | 3.8 | 6 | 1 | 2 | 2 | 6 | 7 | 9 | 9 |
| 65+ | 9 | 3.2 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 134 | 2 | 2 | 4 | 18 | 23 | 23 | 23 |
| 20-34 | 15 | 5.2 | 13 | 1 | 2 | 5 | 6 | 13 | 13 | 13 |
| 35-49 | 122 | 5.4 | 11 | 2 | 2 | 5 | 7 | 9 | 12 | 19 |
| 50-64 | 462 | 6.2 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 1509 | 7.7 | 41 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 7.2 | 22 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 35-49 | 32 | 5.6 | 19 | 1 | 2 | 4 | 8 | 12 | 15 | 16 |
| 50-64 | 127 | 8.0 | 98 | 1 | 2 | 4 | 11 | 16 | 28 | 55 |
| 65+ | 158 | 14.0 | 166 | 2 | 3 | 11 | 17 | 26 | 39 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| B. *Operated* | 29 | 3.4 | 5 | 1 | 2 | 2 | 5 | 7 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2111 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | 323 | 10.7 | 133 | 2 | 2 | 7 | 13 | 21 | 32 | 61 |
| **1. SINGLE DX** | 203 | 4.8 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | 2434 | 7.7 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| **A. NOT OPERATED** | 2285 | 7.0 | 34 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| **B. OPERATED** | 352 | 10.1 | 126 | 2 | 2 | 7 | 13 | 20 | 31 | 56 |
| TOTAL 0-19 YRS | 4 | 8.0 | 101 | 2 | 2 | 3 | 13 | 23 | 23 | 23 |
| 20-34 | 26 | 5.3 | 14 | 1 | 2 | 4 | 6 | 13 | 13 | 14 |
| 35-49 | 178 | 5.2 | 12 | 2 | 2 | 4 | 7 | 10 | 12 | 18 |
| 50-64 | 655 | 6.4 | 34 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 65+ | 1774 | 8.1 | 55 | 2 | 3 | 6 | 10 | 16 | 20 | 35 |
| **GRAND TOTAL** | **2637** | **7.4** | **47** | **2** | **2** | **6** | **9** | **14** | **19** | **34** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 6 | 3.3 | 3 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 13 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | 10 | 6.8 | 101 | 1 | 1 | 3 | 9 | 22 | 34 | 34 |
| 65+ | 14 | 6.5 | 12 | 2 | 3 | 6 | 7 | 12 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 20-34 | 11 | 7.1 | 76 | 1 | 1 | 3 | 8 | 22 | 28 | 29 |
| 35-49 | 18 | 6.0 | 28 | 1 | 2 | 3 | 9 | 14 | 17 | 19 |
| 50-64 | 29 | 3.9 | 8 | <1 | 1 | 3 | 6 | 9 | 10 | 11 |
| 65+ | 25 | 5.1 | 34 | <1 | <1 | 3 | 6 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.7 | 12 | 1 | 2 | 4 | 5 | 11 | 12 | 13 |
| 20-34 | 18 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 10 |
| 35-49 | 34 | 4.7 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 11 |
| 50-64 | 75 | 6.2 | 22 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 65+ | 188 | 9.7 | 50 | 2 | 2 | 8 | 13 | 19 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 18.6 | 610 | 3 | 3 | 10 | 23 | 38 | 85 | 98 |
| 20-34 | 62 | 8.1 | 161 | <1 | 1 | 5 | 9 | 14 | 24 | 87 |
| 35-49 | 70 | 9.2 | 78 | 1 | 2 | 7 | 12 | 20 | 27 | 46 |
| 50-64 | 149 | 9.6 | 67 | 1 | 2 | 7 | 14 | 21 | 27 | 37 |
| 65+ | 133 | 13.4 | 161 | 2 | 2 | 9 | 17 | 33 | 43 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 5.0 | 27 | 1 | 1 | 4 | 6 | 10 | 11 | 34 |
| B. *Operated* | 89 | 5.0 | 28 | <1 | 1 | 3 | 6 | 11 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 7.8 | 40 | 1 | 2 | 6 | 10 | 17 | 19 | 29 |
| B. *Operated* | 428 | 10.8 | 133 | 1 | 2 | 8 | 14 | 23 | 32 | 56 |
| **1. SINGLE DX** | 138 | 5.0 | 27 | 1 | 1 | 3 | 6 | 11 | 14 | 30 |
| **2. MULTIPLE DX** | 759 | 9.5 | 95 | 1 | 2 | 7 | 12 | 20 | 27 | 49 |
| **A. NOT OPERATED** | 380 | 7.4 | 39 | 1 | 2 | 6 | 10 | 16 | 19 | 32 |
| **B. OPERATED** | 517 | 9.8 | 120 | 1 | 2 | 7 | 12 | 22 | 29 | 51 |
| TOTAL 0-19 YRS | 42 | 8.7 | 249 | 1 | 1 | 4 | 9 | 18 | 29 | 98 |
| 20-34 | 97 | 6.9 | 115 | <1 | 1 | 4 | 8 | 14 | 22 | 64 |
| 35-49 | 135 | 7.1 | 51 | 1 | 2 | 5 | 9 | 14 | 21 | 37 |
| 50-64 | 263 | 7.9 | 53 | 1 | 2 | 6 | 10 | 17 | 23 | 36 |
| 65+ | 360 | 10.6 | 94 | 2 | 2 | 8 | 14 | 21 | 30 | 49 |
| **GRAND TOTAL** | **897** | **8.8** | **87** | **1** | **2** | **6** | **11** | **18** | **26** | **46** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 27 | 1 | 1 | 5 | 8 | 15 | 15 | 15 |
| 20-34 | 45 | 7.8 | 11 | 2 | 3 | 8 | 9 | 11 | 13 | 18 |
| 35-49 | 475 | 9.0 | 13 | 3 | 4 | 9 | 11 | 13 | 15 | 19 |
| 50-64 | 1179 | 9.4 | 14 | 4 | 5 | 9 | 11 | 14 | 15 | 21 |
| 65+ | 1005 | 10.1 | 15 | 4 | 6 | 10 | 12 | 15 | 17 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 8.8 | 150 | 1 | 1 | 4 | 9 | 28 | 40 | 40 |
| 35-49 | 48 | 8.8 | 30 | 1 | 2 | 9 | 12 | 15 | 17 | 24 |
| 50-64 | 92 | 11.0 | 44 | 2 | 2 | 10 | 14 | 19 | 20 | 39 |
| 65+ | 58 | 13.5 | 51 | 2 | 2 | 13 | 17 | 22 | 27 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 9.7 | 8 | 4 | 5 | 10 | 12 | 13 | 14 | 14 |
| 20-34 | 97 | 9.5 | 14 | 3 | 5 | 9 | 12 | 14 | 16 | 20 |
| 35-49 | 1195 | 9.7 | 24 | 3 | 5 | 9 | 12 | 14 | 17 | 23 |
| 50-64 | 4061 | 10.5 | 24 | 4 | 5 | 10 | 13 | 15 | 18 | 27 |
| 65+ | 6088 | 11.8 | 40 | 4 | 6 | 11 | 14 | 18 | 23 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.7 | 310 | 2 | 2 | 3 | 25 | 33 | 33 | 33 |
| 20-34 | 20 | 11.9 | 122 | 2 | 2 | 11 | 14 | 29 | 40 | 41 |
| 35-49 | 292 | 12.5 | 62 | 2 | 2 | 12 | 16 | 22 | 27 | 36 |
| 50-64 | 924 | 13.7 | 86 | 2 | 3 | 12 | 17 | 24 | 31 | 54 |
| 65+ | 934 | 18.0 | 121 | 6 | 9 | 15 | 21 | 32 | 40 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2709 | 9.6 | 14 | 3 | 5 | 9 | 12 | 14 | 16 | 21 |
| B. *Operated* | 207 | 11.1 | 50 | 2 | 2 | 11 | 14 | 19 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11453 | 11.1 | 33 | 4 | 6 | 10 | 13 | 17 | 21 | 32 |
| B. *Operated* | 2173 | 15.4 | 104 | 2 | 5 | 14 | 19 | 27 | 35 | 54 |
| **1. SINGLE DX** | 2916 | 9.7 | 17 | 3 | 5 | 9 | 12 | 14 | 16 | 22 |
| **2. MULTIPLE DX** | 13626 | 11.8 | 47 | 4 | 6 | 11 | 14 | 19 | 23 | 39 |
| **A. NOT OPERATED** | 14162 | 10.8 | 30 | 4 | 5 | 10 | 13 | 16 | 20 | 30 |
| **B. OPERATED** | 2380 | 15.0 | 100 | 2 | 4 | 13 | 19 | 27 | 35 | 53 |
| TOTAL 0-19 YRS | 20 | 9.3 | 48 | 1 | 2 | 9 | 12 | 14 | 24 | 33 |
| 20-34 | 171 | 9.3 | 33 | 2 | 3 | 9 | 11 | 14 | 17 | 40 |
| 35-49 | 2010 | 9.9 | 28 | 3 | 4 | 10 | 12 | 15 | 18 | 27 |
| 50-64 | 6256 | 10.8 | 33 | 3 | 5 | 10 | 13 | 16 | 20 | 32 |
| 65+ | 8085 | 12.3 | 51 | 4 | 6 | 11 | 14 | 20 | 25 | 40 |
| **GRAND TOTAL** | **16542** | **11.4** | **42** | **3** | **5** | **10** | **14** | **18** | **22** | **36** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 22 | 3.0 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 9 |
| 35-49 | 238 | 3.6 | 21 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 492 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 464 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 2.7 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 49 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 50-64 | 141 | 3.9 | 16 | 1 | 1 | 2 | 5 | 8 | 13 | 20 |
| 65+ | 40 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.5 | 9 | 1 | 1 | 4 | 5 | 9 | 11 | 11 |
| 20-34 | 81 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 797 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 2892 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 65+ | 4713 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 26 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| 20-34 | 39 | 4.6 | 16 | 1 | 1 | 2 | 7 | 12 | 13 | 15 |
| 35-49 | 580 | 5.8 | 36 | 1 | 1 | 3 | 9 | 12 | 15 | 27 |
| 50-64 | 2214 | 6.4 | 40 | 1 | 2 | 3 | 10 | 14 | 17 | 29 |
| 65+ | 1328 | 8.3 | 69 | 1 | 2 | 6 | 12 | 18 | 24 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1218 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 237 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8493 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 4164 | 6.9 | 50 | 1 | 2 | 4 | 10 | 15 | 19 | 33 |
| **1. SINGLE DX** | 1455 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | 12657 | 5.3 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 9711 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 4401 | 6.7 | 48 | 1 | 2 | 4 | 10 | 15 | 19 | 32 |
| TOTAL 0-19 YRS | 15 | 4.8 | 11 | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| 20-34 | 149 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 35-49 | 1664 | 4.4 | 21 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 50-64 | 5739 | 4.9 | 22 | 1 | 2 | 3 | 6 | 11 | 14 | 22 |
| 65+ | 6545 | 5.5 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| **GRAND TOTAL** | **14112** | **5.1** | **24** | **1** | **2** | **4** | **6** | **11** | **14** | **24** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 2.8 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 82 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 237 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 65+ | 249 | 4.6 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 40 | 6.6 | 19 | 2 | 2 | 6 | 9 | 13 | 13 | 15 |
| 50-64 | 107 | 6.2 | 23 | 1 | 1 | 5 | 9 | 13 | 14 | 21 |
| 65+ | 67 | 7.4 | 29 | 1 | 2 | 7 | 10 | 16 | 19 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.8 | 14 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 16 | 5.1 | 18 | 1 | 2 | 4 | 6 | 8 | 16 | 19 |
| 35-49 | 369 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 50-64 | 1360 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 2347 | 6.0 | 18 | 2 | 2 | 5 | 7 | 11 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 11 | 8.1 | 14 | 2 | 3 | 9 | 11 | 12 | 14 | 14 |
| 35-49 | 286 | 8.6 | 31 | 2 | 2 | 9 | 12 | 15 | 17 | 25 |
| 50-64 | 1012 | 9.9 | 49 | 2 | 2 | 9 | 13 | 18 | 22 | 32 |
| 65+ | 741 | 12.3 | 77 | 2 | 2 | 11 | 16 | 22 | 27 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 576 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 215 | 6.6 | 24 | 1 | 2 | 6 | 10 | 14 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4097 | 5.5 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 2051 | 10.6 | 58 | 2 | 2 | 10 | 14 | 20 | 23 | 37 |
| **1. SINGLE DX** | 791 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | 6148 | 7.2 | 36 | 2 | 2 | 5 | 10 | 15 | 18 | 28 |
| **A. NOT OPERATED** | 4673 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| **B. OPERATED** | 2266 | 10.2 | 56 | 2 | 2 | 9 | 14 | 19 | 23 | 35 |
| TOTAL 0-19 YRS | 6 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 20-34 | 36 | 5.6 | 16 | 1 | 2 | 4 | 8 | 11 | 13 | 19 |
| 35-49 | 777 | 5.9 | 21 | 1 | 2 | 4 | 8 | 12 | 15 | 21 |
| 50-64 | 2716 | 6.7 | 32 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| 65+ | 3404 | 7.3 | 38 | 2 | 2 | 5 | 9 | 15 | 19 | 29 |
| **GRAND TOTAL** | **6939** | **6.9** | **34** | **2** | **2** | **5** | **9** | **14** | **18** | **28** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 78 | 3.6 | 10 | <1 | 1 | 3 | 4 | 7 | 11 | 17 |
| 50-64 | 191 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 65+ | 214 | 4.6 | 30 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 118 | 1 | 1 | 2 | 12 | 23 | 23 | 23 |
| 20-34 | 25 | 3.5 | 13 | 1 | 1 | 2 | 3 | 11 | 12 | 14 |
| 35-49 | 581 | 4.6 | 19 | 1 | 1 | 2 | 8 | 11 | 13 | 19 |
| 50-64 | 1816 | 5.1 | 22 | 1 | 1 | 2 | 9 | 11 | 14 | 20 |
| 65+ | 868 | 6.2 | 34 | 1 | 1 | 2 | 10 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.3 | 8 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 27 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 490 | 4.2 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 50-64 | 1965 | 4.9 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 4581 | 6.7 | 31 | 2 | 2 | 5 | 8 | 13 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 161 | 2 | 2 | 2 | 19 | 24 | 24 | 24 |
| 20-34 | 88 | 5.8 | 31 | 1 | 2 | 3 | 9 | 12 | 14 | 30 |
| 35-49 | 1552 | 6.2 | 36 | 1 | 2 | 3 | 9 | 13 | 16 | 27 |
| 50-54 | 5219 | 7.3 | 50 | 1 | 2 | 5 | 11 | 15 | 18 | 31 |
| 65+ | 3216 | 9.8 | 89 | 1 | 2 | 8 | 14 | 20 | 26 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 486 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| B. *Operated* | 3294 | 5.3 | 25 | 1 | 1 | 2 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7072 | 6.0 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 10078 | 7.9 | 62 | 1 | 2 | 6 | 11 | 16 | 21 | 37 |
| **1. SINGLE DX** | 3780 | 5.1 | 24 | 1 | 1 | 2 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 17150 | 7.1 | 48 | 1 | 2 | 5 | 10 | 15 | 19 | 33 |
| **A. NOT OPERATED** | 7558 | 5.9 | 26 | 1 | 2 | 5 | 7 | 12 | 15 | 25 |
| **B. OPERATED** | 13372 | 7.3 | 54 | 1 | 2 | 4 | 11 | 15 | 19 | 34 |
| TOTAL 0-19 YRS | 16 | 6.4 | 52 | 1 | 1 | 3 | 8 | 22 | 24 | 24 |
| 20-34 | 143 | 4.9 | 24 | 1 | 1 | 2 | 8 | 11 | 13 | 19 |
| 35-49 | 2701 | 5.4 | 28 | 1 | 1 | 3 | 8 | 12 | 14 | 22 |
| 50-64 | 9191 | 6.3 | 38 | 1 | 2 | 4 | 10 | 13 | 17 | 26 |
| 65+ | 8879 | 7.7 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 36 |
| **GRAND TOTAL** | **20930** | **6.8** | **44** | **1** | **2** | **4** | **10** | **14** | **18** | **31** |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.7 | 10 | 5 | 5 | 8 | 11 | 14 | 14 | 14 |
| 20-34 | 69 | 7.7 | 10 | 2 | 4 | 8 | 10 | 12 | 13 | 16 |
| 35-49 | 121 | 8.3 | 12 | 2 | 4 | 8 | 10 | 13 | 15 | 20 |
| 50-64 | 120 | 9.0 | 12 | 4 | 5 | 9 | 11 | 13 | 15 | 20 |
| 65+ | 107 | 9.5 | 16 | 5 | 6 | 9 | 11 | 14 | 19 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 9.3 | 15 | 2 | 4 | 9 | 12 | 14 | 16 | 16 |
| 35-49 | 15 | 12.1 | 88 | 3 | 5 | 11 | 12 | 15 | 37 | 44 |
| 50-64 | 22 | 10.4 | 27 | 4 | 6 | 10 | 11 | 17 | 24 | 25 |
| 65+ | 12 | 10.3 | 23 | 3 | 5 | 10 | 12 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 6 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 99 | 8.6 | 16 | 2 | 4 | 9 | 11 | 14 | 16 | 20 |
| 35-49 | 194 | 9.8 | 26 | 3 | 5 | 9 | 12 | 15 | 19 | 32 |
| 50-64 | 400 | 11.0 | 53 | 4 | 5 | 10 | 12 | 17 | 23 | 41 |
| 65+ | 700 | 11.8 | 50 | 4 | 6 | 10 | 14 | 19 | 23 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.3 | 25 | 7 | 7 | 13 | 16 | 17 | 17 | 17 |
| 20-34 | 37 | 14.2 | 73 | 5 | 6 | 12 | 17 | 25 | 35 | 39 |
| 35-49 | 64 | 12.1 | 41 | 1 | 6 | 11 | 15 | 22 | 24 | 32 |
| 50-64 | 121 | 13.3 | 66 | 5 | 6 | 11 | 16 | 22 | 28 | 46 |
| 65+ | 172 | 15.8 | 90 | 5 | 8 | 13 | 18 | 32 | 38 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 424 | 8.7 | 13 | 3 | 5 | 8 | 10 | 13 | 16 | 21 |
| B. *Operated* | 59 | 10.6 | 39 | 3 | 5 | 10 | 12 | 16 | 22 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1399 | 11.0 | 46 | 4 | 5 | 10 | 13 | 17 | 22 | 37 |
| B. *Operated* | 397 | 14.3 | 74 | 5 | 7 | 12 | 17 | 25 | 34 | 45 |
| **1. SINGLE DX** | 483 | 8.9 | 17 | 3 | 5 | 8 | 11 | 13 | 16 | 22 |
| **2. MULTIPLE DX** | 1796 | 11.8 | 54 | 4 | 5 | 10 | 14 | 19 | 25 | 40 |
| **A. NOT OPERATED** | 1823 | 10.5 | 39 | 4 | 5 | 9 | 12 | 17 | 20 | 34 |
| **B. OPERATED** | 456 | 13.8 | 71 | 5 | 6 | 12 | 16 | 24 | 33 | 44 |
| TOTAL 0-19 YRS | 16 | 8.6 | 14 | 4 | 5 | 8 | 11 | 14 | 16 | 17 |
| 20-34 | 215 | 9.3 | 29 | 2 | 4 | 8 | 11 | 15 | 18 | 34 |
| 35-49 | 394 | 9.8 | 28 | 3 | 5 | 9 | 12 | 15 | 19 | 31 |
| 50-64 | 663 | 11.0 | 49 | 4 | 5 | 10 | 12 | 18 | 23 | 43 |
| 65+ | 991 | 12.2 | 56 | 5 | 6 | 11 | 14 | 20 | 25 | 41 |
| **GRAND TOTAL** | **2279** | **11.2** | **47** | **4** | **5** | **10** | **13** | **18** | **23** | **39** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 5 | 22.6 | 182 | 4 | 4 | 22 | 35 | 37 | 37 | 37 |
| 35-49 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 50-64 | 2 | 32.5 | 221 | 22 | 22 | 32 | 43 | 43 | 43 | 43 |
| 65+ | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 56.0 | | 56 | 56 | 56 | 56 | 56 | 56 | 56 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 19.3 | 235 | 2 | 2 | 15 | 28 | 44 | 45 | 45 |
| 20-34 | 41 | 24.1 | 170 | 4 | 8 | 23 | 32 | 41 | 48 | 56 |
| 35-49 | 33 | 23.1 | 181 | 5 | 6 | 23 | 29 | 42 | 51 | 56 |
| 50-64 | 34 | 24.6 | 218 | 5 | 7 | 25 | 34 | 47 | 48 | 58 |
| 65+ | 61 | 28.5 | 188 | 6 | 13 | 30 | 35 | 44 | 48 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 20-34 | 19 | 39.8 | 509 | 7 | 16 | 35 | 46 | 74 | 93 | 98 |
| 35-49 | 17 | 39.2 | 505 | 9 | 12 | 40 | 53 | 62 | 81 | 91 |
| 50-64 | 23 | 33.7 | 375 | 6 | 10 | 35 | 43 | 66 | 92 | 99+ |
| 65+ | 25 | 38.4 | 343 | 8 | 15 | 37 | 50 | 60 | 73 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 19.6 | 183 | 4 | 4 | 16 | 31 | 39 | 43 | 43 |
| B. *Operated* | 1 | 56.0 | | 56 | 56 | 56 | 56 | 56 | 56 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 180 | 25.2 | 194 | 5 | 6 | 27 | 33 | 44 | 48 | 58 |
| B. *Operated* | 86 | 37.5 | 403 | 8 | 14 | 36 | 49 | 62 | 88 | 99 |
| **1. SINGLE DX** | 12 | 22.7 | 277 | 4 | 4 | 19 | 35 | 47 | 55 | 56 |
| **2. MULTIPLE DX** | 266 | 29.2 | 294 | 5 | 9 | 29 | 40 | 52 | 58 | 91 |
| **A. NOT OPERATED** | 191 | 24.9 | 194 | 4 | 6 | 25 | 33 | 43 | 48 | 58 |
| **B. OPERATED** | 87 | 37.8 | 402 | 8 | 14 | 36 | 50 | 62 | 88 | 99 |
| TOTAL 0-19 YRS | 14 | 21.3 | 221 | 2 | 3 | 16 | 36 | 44 | 45 | 45 |
| 20-34 | 65 | 28.6 | 314 | 4 | 10 | 29 | 35 | 46 | 55 | 96 |
| 35-49 | 51 | 28.3 | 339 | 5 | 7 | 24 | 40 | 54 | 60 | 91 |
| 50-64 | 60 | 28.9 | 298 | 6 | 8 | 28 | 42 | 50 | 61 | 99 |
| 65+ | 88 | 30.7 | 261 | 5 | 10 | 30 | 42 | 49 | 58 | 76 |
| **GRAND TOTAL** | 278 | 28.9 | 294 | 5 | 8 | 29 | 40 | 51 | 58 | 96 |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 30 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 35-49 | 73 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 50-64 | 127 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 82 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 7 | 5.0 | 21 | 2 | 2 | 4 | 5 | 13 | 15 | 15 |
| 65+ | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.9 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 56 | 2.8 | 4 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 99 | 3.0 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 50-64 | 322 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 537 | 4.6 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 35-49 | 10 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 50-64 | 27 | 3.9 | 8 | 1 | 1 | 2 | 6 | 9 | 9 | 10 |
| 65+ | 22 | 10.3 | 36 | 3 | 4 | 9 | 12 | 16 | 22 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 336 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 11 | 5.5 | 17 | 1 | 1 | 5 | 8 | 11 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1029 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 62 | 6.2 | 26 | 1 | 2 | 6 | 9 | 11 | 15 | 29 |
| **1. SINGLE DX** | 347 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1091 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **A. NOT OPERATED** | 1365 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 73 | 6.1 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 28 |
| TOTAL 0-19 YRS | 40 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 88 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 184 | 2.6 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 483 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 643 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| **GRAND TOTAL** | 1438 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |

### 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 67 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 35-49 | 147 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | 321 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| 65+ | 401 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 11 | 3.5 | 9 | 1 | 1 | 2 | 4 | 9 | 9 | 9 |
| 65+ | 18 | 4.0 | 12 | <1 | 1 | 3 | 4 | 7 | 13 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.5 | 10 | 1 | 1 | 2 | 4 | 8 | 12 | 12 |
| 20-34 | 96 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 262 | 3.3 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 1204 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 65+ | 3186 | 5.6 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 20-34 | 9 | 9.3 | 237 | 1 | 1 | 5 | 6 | 33 | 50 | 50 |
| 35-49 | 29 | 4.9 | 13 | 1 | 1 | 4 | 6 | 10 | 11 | 18 |
| 50-64 | 107 | 7.7 | 86 | 2 | 2 | 5 | 10 | 15 | 20 | 50 |
| 65+ | 294 | 10.9 | 80 | 2 | 2 | 9 | 14 | 21 | 29 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 937 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 34 | 3.7 | 9 | 1 | 1 | 3 | 4 | 8 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4759 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| B. *Operated* | 441 | 9.7 | 83 | 2 | 2 | 7 | 12 | 20 | 25 | 51 |
| **1. SINGLE DX** | 971 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 5200 | 5.4 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 5696 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| **B. OPERATED** | 475 | 9.3 | 80 | 1 | 2 | 7 | 12 | 19 | 25 | 49 |
| TOTAL 0-19 YRS | 15 | 4.1 | 15 | 1 | 1 | 3 | 5 | 12 | 13 | 14 |
| 20-34 | 173 | 2.5 | 17 | <1 | <1 | 1 | 3 | 5 | 6 | 12 |
| 35-49 | 441 | 2.9 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 1643 | 3.9 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 65+ | 3899 | 5.8 | 31 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| **GRAND TOTAL** | **6171** | **5.0** | **27** | **1** | **1** | **3** | **6** | **10** | **14** | **25** |

### 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 2.8 | 7 | 1 | 1 | 2 | 3 | 7 | 8 | 13 |
| 20-34 | 100 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 124 | 2.8 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 50-64 | 262 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 65+ | 308 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.8 | 4 | <1 | <1 | 3 | 3 | 6 | 7 | 7 |
| 20-34 | 7 | 4.0 | 12 | 1 | 1 | 4 | 5 | 10 | 11 | 11 |
| 35-49 | 32 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 8 | 8 |
| 50-64 | 107 | 4.4 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 12 |
| 65+ | 424 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 65 | 4.4 | 21 | <1 | 1 | 2 | 5 | 11 | 13 | 25 |
| 20-34 | 182 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 472 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 50-64 | 1426 | 4.7 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 21 |
| 65+ | 3376 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 13.1 | 364 | 1 | 2 | 4 | 15 | 35 | 64 | 74 |
| 20-34 | 27 | 7.3 | 79 | 1 | 1 | 4 | 9 | 21 | 47 | 99+ |
| 35-49 | 124 | 6.4 | 30 | 1 | 2 | 5 | 8 | 13 | 16 | 31 |
| 50-64 | 554 | 8.0 | 59 | 2 | 2 | 6 | 10 | 16 | 23 | 50 |
| 65+ | 2245 | 9.4 | 62 | 2 | 3 | 7 | 11 | 18 | 23 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 834 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 579 | 5.2 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5521 | 5.3 | 22 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| B. *Operated* | 2965 | 9.0 | 62 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| **1. SINGLE DX** | 1413 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 8486 | 6.6 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| **A. NOT OPERATED** | 6355 | 5.0 | 21 | 1 | 1 | 4 | 6 | 10 | 14 | 22 |
| **B. OPERATED** | 3544 | 8.4 | 56 | 2 | 2 | 6 | 10 | 16 | 21 | 41 |
| TOTAL 0-19 YRS | 129 | 4.8 | 62 | 1 | 1 | 2 | 5 | 10 | 14 | 43 |
| 20-34 | 316 | 3.4 | 14 | 1 | 1 | 2 | 4 | 6 | 10 | 20 |
| 35-49 | 752 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 50-64 | 2349 | 5.3 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 28 |
| 65+ | 6353 | 6.9 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| **GRAND TOTAL** | **9899** | **6.2** | **36** | **1** | **2** | **5** | **8** | **12** | **17** | **31** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.7 | 7 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 5 | 8.0 | 9 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 23 | 6.5 | 75 | <1 | 1 | 4 | 6 | 20 | 27 | 38 |
| 50-64 | 135 | 5.2 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 65+ | 786 | 6.0 | 23 | 1 | 2 | 5 | 8 | 12 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 15.5 | 365 | 2 | 2 | 15 | 29 | 29 | 29 | 29 |
| 35-49 | 5 | 8.0 | 166 | 2 | 2 | 2 | 10 | 31 | 31 | 31 |
| 50-64 | 4 | 6.5 | 17 | 2 | 2 | 7 | 10 | 10 | 10 | 10 |
| 65+ | 7 | 8.6 | 21 | 2 | 3 | 8 | 11 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 7.1 | 105 | 1 | 1 | 5 | 7 | 12 | 18 | 65 |
| 20-34 | 49 | 8.9 | 71 | 1 | 2 | 7 | 11 | 16 | 27 | 40 |
| 35-49 | 358 | 6.6 | 32 | 1 | 2 | 6 | 9 | 12 | 15 | 23 |
| 50-64 | 2496 | 7.4 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| 65+ | 12344 | 8.4 | 44 | 2 | 3 | 7 | 10 | 16 | 20 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 8.1 | 59 | 1 | 2 | 6 | 10 | 20 | 25 | 31 |
| 20-34 | 27 | 12.0 | 215 | 2 | 2 | 7 | 11 | 30 | 54 | 61 |
| 35-49 | 66 | 10.4 | 64 | 2 | 2 | 8 | 13 | 22 | 27 | 35 |
| 50-64 | 330 | 13.2 | 145 | 2 | 2 | 10 | 17 | 27 | 35 | 63 |
| 65+ | 1158 | 15.2 | 124 | 4 | 5 | 12 | 20 | 29 | 36 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 955 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 21 | 7.7 | 73 | 1 | 1 | 4 | 10 | 21 | 30 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15328 | 8.2 | 43 | 2 | 3 | 7 | 10 | 15 | 20 | 32 |
| B. *Operated* | 1602 | 14.5 | 128 | 3 | 4 | 11 | 19 | 28 | 35 | 62 |
| **1. SINGLE DX** | 976 | 6.0 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | 16930 | 8.8 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| **A. NOT OPERATED** | 16283 | 8.0 | 42 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |
| **B. OPERATED** | 1623 | 14.4 | 128 | 2 | 4 | 11 | 18 | 28 | 35 | 62 |
| TOTAL 0-19 YRS | 111 | 7.0 | 89 | 1 | 1 | 5 | 8 | 13 | 21 | 64 |
| 20-34 | 83 | 10.0 | 117 | 1 | 2 | 7 | 11 | 21 | 34 | 58 |
| 35-49 | 452 | 7.2 | 42 | 1 | 2 | 6 | 9 | 13 | 19 | 28 |
| 50-64 | 2965 | 7.9 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 35 |
| 65+ | 14295 | 8.8 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| **GRAND TOTAL** | **17906** | **8.6** | **53** | **2** | **3** | **7** | **11** | **17** | **22** | **37** |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.8 | 14 | 1 | 1 | 3 | 4 | 8 | 14 | 17 |
| 20-34 | 154 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 161 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 162 | 4.6 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| 65+ | 113 | 5.7 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 3.0 | 11 | 1 | 1 | 2 | 2 | 8 | 11 | 15 |
| 20-34 | 61 | 4.1 | 11 | 1 | 1 | 2 | 6 | 9 | 10 | 15 |
| 35-49 | 138 | 5.1 | 25 | 1 | 1 | 2 | 8 | 13 | 17 | 20 |
| 50-64 | 261 | 4.6 | 21 | 1 | 1 | 2 | 7 | 11 | 14 | 21 |
| 65+ | 159 | 5.4 | 32 | 1 | 1 | 2 | 8 | 13 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 5.7 | 32 | 1 | 1 | 4 | 8 | 14 | 15 | 30 |
| 20-34 | 249 | 5.6 | 31 | 1 | 2 | 4 | 6 | 11 | 16 | 30 |
| 35-49 | 472 | 5.7 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 1023 | 6.6 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 65+ | 1636 | 8.0 | 52 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 5.0 | 36 | 1 | 1 | 2 | 7 | 13 | 18 | 28 |
| 20-34 | 129 | 7.4 | 85 | 1 | 2 | 4 | 9 | 17 | 28 | 49 |
| 35-49 | 350 | 6.2 | 44 | 1 | 2 | 3 | 9 | 14 | 17 | 34 |
| 50-64 | 1058 | 7.7 | 71 | 1 | 2 | 4 | 11 | 17 | 23 | 37 |
| 65+ | 1020 | 10.7 | 97 | 2 | 2 | 8 | 15 | 23 | 29 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 626 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| B. *Operated* | 654 | 4.8 | 23 | 1 | 1 | 2 | 7 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3434 | 7.1 | 43 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| B. *Operated* | 2603 | 8.6 | 80 | 1 | 2 | 5 | 12 | 19 | 25 | 43 |
| **1. SINGLE DX** | 1280 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 6037 | 7.7 | 60 | 1 | 2 | 5 | 10 | 16 | 22 | 36 |
| **A. NOT OPERATED** | 4060 | 6.6 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| **B. OPERATED** | 3257 | 7.8 | 71 | 1 | 2 | 4 | 11 | 18 | 23 | 37 |
| TOTAL 0-19 YRS | 171 | 4.5 | 26 | 1 | 1 | 2 | 5 | 11 | 15 | 27 |
| 20-34 | 593 | 5.4 | 37 | 1 | 1 | 4 | 6 | 10 | 15 | 31 |
| 35-49 | 1121 | 5.5 | 31 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| 50-64 | 2504 | 6.7 | 48 | 1 | 2 | 4 | 9 | 14 | 19 | 34 |
| 65+ | 2928 | 8.7 | 67 | 2 | 2 | 6 | 12 | 18 | 24 | 40 |
| **GRAND TOTAL** | **7317** | **7.2** | **54** | **1** | **2** | **5** | **9** | **15** | **21** | **35** |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 9.3 | 108 | 1 | 1 | 6 | 17 | 21 | 21 | 21 |
| 50-64 | 10 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 19 | 5.6 | 21 | <1 | 1 | 4 | 8 | 11 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 6.3 | 26 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 50-64 | 18 | 4.9 | 24 | 1 | 1 | 2 | 9 | 11 | 15 | 18 |
| 65+ | 14 | 6.9 | 36 | 1 | 2 | 4 | 11 | 15 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 6.2 | 18 | 1 | 1 | 5 | 10 | 11 | 11 | 11 |
| 35-49 | 36 | 4.6 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 24 |
| 50-64 | 194 | 5.4 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 65+ | 841 | 7.8 | 53 | 2 | 2 | 6 | 9 | 15 | 20 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 33 | 4.9 | 26 | 1 | 1 | 2 | 7 | 11 | 17 | 23 |
| 50-64 | 131 | 6.8 | 68 | 1 | 2 | 3 | 10 | 14 | 19 | 52 |
| 65+ | 154 | 11.4 | 95 | 2 | 2 | 9 | 15 | 25 | 33 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 4.9 | 23 | <1 | 1 | 4 | 6 | 10 | 18 | 21 |
| B. *Operated* | 38 | 5.6 | 27 | 1 | 1 | 2 | 10 | 12 | 17 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1077 | 7.2 | 48 | 2 | 2 | 5 | 9 | 14 | 19 | 36 |
| B. *Operated* | 319 | 8.8 | 83 | 1 | 2 | 6 | 12 | 21 | 27 | 42 |
| **1. SINGLE DX** | 71 | 5.3 | 25 | 1 | 1 | 3 | 9 | 12 | 18 | 21 |
| **2. MULTIPLE DX** | 1396 | 7.6 | 56 | 2 | 2 | 5 | 9 | 15 | 22 | 39 |
| **A. NOT OPERATED** | 1110 | 7.2 | 47 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| **B. OPERATED** | 357 | 8.5 | 78 | 1 | 2 | 5 | 12 | 20 | 26 | 41 |
| TOTAL 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 4.8 | 14 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| 35-49 | 76 | 5.0 | 24 | 1 | 2 | 3 | 6 | 10 | 16 | 24 |
| 50-64 | 353 | 5.8 | 42 | 1 | 2 | 4 | 7 | 12 | 16 | 28 |
| 65+ | 1028 | 8.3 | 60 | 2 | 2 | 6 | 10 | 17 | 24 | 40 |
| **GRAND TOTAL** | 1467 | 7.5 | 55 | 1 | 2 | 5 | 9 | 15 | 22 | 38 |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 3.7 | 9 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 11 | 5.6 | 50 | <1 | <1 | 2 | 11 | 18 | 19 | 19 |
| 65+ | 3 | 9.7 | 137 | 1 | 1 | 5 | 18 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 20 | 11.2 | 47 | 1 | 2 | 11 | 16 | 21 | 22 | 22 |
| 35-49 | 34 | 20.8 | 425 | 2 | 2 | 17 | 23 | 34 | 77 | 99 |
| 50-64 | 32 | 16.1 | 242 | 1 | 3 | 13 | 19 | 25 | 42 | 87 |
| 65+ | 9 | 22.1 | 116 | 7 | 9 | 24 | 31 | 36 | 39 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| 20-34 | 2 | 16.0 | 8 | 14 | 14 | 16 | 18 | 18 | 18 | 18 |
| 35-49 | 3 | 22.3 | 421 | 5 | 5 | 17 | 38 | 45 | 45 | 45 |
| 50-64 | 9 | 14.3 | 237 | <1 | 2 | 6 | 18 | 41 | 49 | 49 |
| 65+ | 27 | 18.1 | 292 | 1 | 2 | 13 | 23 | 44 | 52 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 23.2 | 208 | 12 | 12 | 15 | 34 | 45 | 45 | 45 |
| 20-34 | 19 | 17.1 | 131 | 4 | 5 | 15 | 24 | 27 | 41 | 52 |
| 35-49 | 37 | 24.2 | 339 | 4 | 7 | 19 | 39 | 57 | 91 | 99+ |
| 50-64 | 60 | 30.4 | 467 | 7 | 10 | 24 | 47 | 72 | 89 | 99+ |
| 65+ | 45 | 30.1 | 376 | 6 | 10 | 24 | 42 | 61 | 66 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 5.3 | 45 | <1 | <1 | 3 | 5 | 18 | 21 | 23 |
| B. *Operated* | 97 | 17.3 | 258 | 1 | 3 | 14 | 22 | 31 | 37 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 17.0 | 256 | 1 | 3 | 13 | 19 | 45 | 48 | 72 |
| B. *Operated* | 166 | 27.2 | 381 | 5 | 8 | 22 | 38 | 58 | 80 | 99+ |
| **1. SINGLE DX** | 118 | 15.1 | 240 | 1 | 1 | 13 | 20 | 29 | 34 | 92 |
| **2. MULTIPLE DX** | 209 | 25.1 | 371 | 4 | 6 | 19 | 37 | 55 | 73 | 99+ |
| **A. NOT OPERATED** | 64 | 13.2 | 215 | <1 | 1 | 8 | 18 | 38 | 46 | 69 |
| **B. OPERATED** | 263 | 23.5 | 357 | 3 | 6 | 19 | 30 | 54 | 73 | 99+ |
| TOTAL 0-19 YRS | 11 | 15.4 | 156 | 3 | 3 | 13 | 15 | 37 | 44 | 45 |
| 20-34 | 44 | 13.4 | 91 | 1 | 3 | 13 | 19 | 24 | 26 | 52 |
| 35-49 | 76 | 22.0 | 376 | 1 | 3 | 18 | 29 | 54 | 85 | 99+ |
| 50-64 | 112 | 22.6 | 416 | 1 | 3 | 16 | 29 | 55 | 79 | 99+ |
| 65+ | 84 | 24.7 | 344 | 2 | 5 | 21 | 34 | 51 | 63 | 83 |
| **GRAND TOTAL** | 327 | 21.5 | 346 | 1 | 3 | 17 | 26 | 49 | 67 | 99+ |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 52.7 | 1108 | 31 | 31 | 63 | 95 | 99+ | 99+ | 99+ |
| 35-49 | 3 | 46.7 | 692 | 23 | 23 | 42 | 67 | 75 | 75 | 75 |
| 50-64 | 9 | 59.8 | 1012 | 2 | 22 | 78 | 96 | 99+ | 99+ | 99+ |
| 65+ | 3 | 46.0 | 481 | 22 | 22 | 58 | 82 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 18.0 | 52 | 10 | 10 | 20 | 23 | 24 | 24 | 24 |
| B. *Operated* | 18 | 54.1 | 783 | 14 | 23 | 65 | 96 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 21 | 49.0 | 839 | 8 | 20 | 53 | 92 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 3 | 18.0 | 52 | 10 | 10 | 20 | 23 | 24 | 24 | 24 |
| **B. OPERATED** | 18 | 54.1 | 783 | 14 | 23 | 65 | 96 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 52.7 | 1108 | 31 | 31 | 63 | 95 | 99+ | 99+ | 99+ |
| 35-49 | 4 | 41.0 | 590 | 23 | 23 | 33 | 58 | 75 | 75 | 75 |
| 50-64 | 10 | 54.8 | 1147 | 1 | 7 | 66 | 95 | 99+ | 99+ | 99+ |
| 65+ | 4 | 39.5 | 490 | 20 | 20 | 51 | 74 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **21** | **49.0** | **839** | **8** | **20** | **53** | **92** | **99+** | **99+** | **99+** |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 19.5 | 61 | 14 | 14 | 19 | 25 | 25 | 25 | 25 |
| 20-34 | 4 | 2.3 | 6 | <1 | <1 | 1 | 4 | 6 | 6 | 6 |
| 35-49 | 5 | 7.6 | 48 | 2 | 2 | 3 | 14 | 17 | 17 | 17 |
| 50-64 | 13 | 6.5 | 48 | <1 | <1 | 4 | 11 | 17 | 22 | 23 |
| 65+ | 33 | 10.9 | 86 | 2 | 2 | 8 | 15 | 23 | 34 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 10.3 | 53 | 2 | 3 | 9 | 14 | 21 | 24 | 24 |
| 20-34 | 9 | 18.6 | 821 | 1 | 1 | 8 | 16 | 64 | 93 | 93 |
| 35-49 | 18 | 11.7 | 55 | 3 | 4 | 10 | 17 | 25 | 26 | 26 |
| 50-64 | 40 | 14.0 | 172 | 1 | 5 | 10 | 14 | 24 | 40 | 75 |
| 65+ | 57 | 11.1 | 46 | 4 | 5 | 9 | 14 | 20 | 25 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.8 | 36 | 1 | 1 | 3 | 10 | 15 | 16 | 16 |
| 20-34 | 7 | 13.4 | 340 | 3 | 3 | 4 | 16 | 46 | 53 | 53 |
| 35-49 | 16 | 11.6 | 81 | 2 | 2 | 10 | 20 | 32 | 77 | 99+ |
| 50-64 | 58 | 15.4 | 247 | 2 | 3 | 11 | 20 | 36 | 50 | 74 |
| 65+ | 176 | 16.4 | 229 | 3 | 4 | 12 | 20 | 32 | 44 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 14.6 | 91 | 4 | 5 | 13 | 18 | 30 | 36 | 38 |
| 20-34 | 15 | 20.2 | 508 | 3 | 5 | 14 | 20 | 33 | 80 | 96 |
| 35-49 | 27 | 21.1 | 589 | 2 | 4 | 15 | 29 | 96 | 99+ | 99+ |
| 50-64 | 69 | 20.3 | 232 | 5 | 6 | 16 | 27 | 46 | 73 | 99+ |
| 65+ | 156 | 24.6 | 326 | 7 | 8 | 20 | 34 | 60 | 79 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 9.3 | 75 | 1 | 1 | 6 | 13 | 23 | 25 | 38 |
| B. *Operated* | 132 | 12.5 | 135 | 2 | 4 | 10 | 14 | 23 | 26 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 263 | 15.6 | 224 | 2 | 3 | 11 | 20 | 32 | 46 | 93 |
| B. *Operated* | 284 | 22.4 | 327 | 5 | 6 | 17 | 30 | 55 | 85 | 99+ |
| **1. SINGLE DX** | 189 | 11.6 | 119 | 1 | 2 | 9 | 14 | 23 | 26 | 64 |
| **2. MULTIPLE DX** | 547 | 19.1 | 288 | 3 | 4 | 15 | 24 | 45 | 71 | 99+ |
| **A. NOT OPERATED** | 320 | 14.5 | 203 | 2 | 3 | 11 | 19 | 30 | 44 | 84 |
| **B. OPERATED** | 416 | 19.3 | 287 | 4 | 6 | 14 | 25 | 46 | 75 | 99+ |
| TOTAL 0-19 YRS | 33 | 12.2 | 79 | 1 | 3 | 11 | 16 | 25 | 30 | 38 |
| 20-34 | 35 | 16.4 | 496 | 1 | 1 | 10 | 19 | 33 | 83 | 96 |
| 35-49 | 66 | 15.2 | 297 | 2 | 3 | 12 | 20 | 51 | 99+ | 99+ |
| 50-64 | 180 | 16.3 | 222 | 1 | 4 | 12 | 20 | 37 | 51 | 92 |
| 65+ | 422 | 18.3 | 256 | 3 | 5 | 14 | 23 | 41 | 59 | 99+ |
| **GRAND TOTAL** | **736** | **17.2** | **255** | **2** | **4** | **13** | **22** | **38** | **59** | **99+** |

### 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 35-49 | 5 | 8.4 | 47 | 1 | 1 | 8 | 12 | 19 | 19 | 19 |
| 50-64 | 9 | 10.9 | 23 | 3 | 4 | 10 | 15 | 17 | 17 | 17 |
| 65+ | 70 | 21.4 | 180 | 4 | 6 | 19 | 28 | 39 | 47 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 6 | 37.8 | 1192 | 3 | 4 | 31 | 57 | 89 | 93 | 93 |
| 35-49 | 11 | 24.9 | 270 | 6 | 7 | 21 | 32 | 52 | 57 | 58 |
| 50-64 | 18 | 25.8 | 474 | 5 | 7 | 20 | 46 | 90 | 99+ | 99+ |
| 65+ | 36 | 32.3 | 418 | 13 | 14 | 26 | 40 | 68 | 77 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 19.3 | 172 | 4 | 5 | 17 | 26 | 37 | 45 | 62 |
| B. *Operated* | 72 | 29.8 | 459 | 7 | 9 | 25 | 43 | 70 | 87 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 158 | 24.1 | 329 | 4 | 7 | 19 | 31 | 52 | 69 | 99 |
| **A. NOT OPERATED** | 86 | 19.3 | 172 | 4 | 5 | 17 | 26 | 37 | 45 | 62 |
| **B. OPERATED** | 72 | 29.8 | 459 | 7 | 9 | 25 | 43 | 70 | 87 | 99+ |
| TOTAL 0-19 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 8 | 30.6 | 1034 | 3 | 4 | 13 | 52 | 82 | 93 | 93 |
| 35-49 | 16 | 19.8 | 255 | 2 | 4 | 18 | 26 | 47 | 55 | 58 |
| 50-64 | 27 | 20.9 | 368 | 3 | 6 | 15 | 29 | 76 | 99+ | 99+ |
| 65+ | 106 | 25.1 | 285 | 5 | 7 | 22 | 31 | 47 | 60 | 83 |
| **GRAND TOTAL** | **158** | **24.1** | **329** | **4** | **7** | **19** | **31** | **52** | **69** | **99** |

### 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 5.3 | 44 | <1 | <1 | 2 | 10 | 13 | 13 | 13 |
| 35-49 | 6 | 4.0 | 10 | 1 | 1 | 3 | 8 | 8 | 8 | 8 |
| 50-64 | 19 | 4.9 | 62 | <1 | 1 | 3 | 4 | 9 | 24 | 36 |
| 65+ | 23 | 4.6 | 16 | 1 | 1 | 3 | 6 | 11 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 8 | 6.3 | 52 | 1 | 1 | 4 | 7 | 18 | 23 | 23 |
| 35-49 | 47 | 4.2 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 12 |
| 50-64 | 411 | 4.8 | 14 | 1 | 1 | 4 | 6 | 9 | 13 | 20 |
| 65+ | 790 | 5.5 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 3.3 | 3 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 5 | 5.2 | 9 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 50-64 | 61 | 5.9 | 55 | 1 | 1 | 4 | 7 | 10 | 16 | 45 |
| 65+ | 168 | 6.2 | 31 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 9 | 6.1 | 35 | 2 | 2 | 3 | 8 | 16 | 19 | 19 |
| 35-49 | 104 | 6.9 | 35 | 1 | 2 | 5 | 9 | 13 | 17 | 33 |
| 50-64 | 935 | 6.9 | 43 | 1 | 2 | 5 | 8 | 14 | 18 | 34 |
| 65+ | 1922 | 7.7 | 49 | 1 | 2 | 6 | 10 | 15 | 21 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.7 | 32 | 1 | 1 | 3 | 5 | 10 | 14 | 36 |
| B. *Operated* | 1257 | 5.2 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 240 | 6.0 | 36 | 1 | 1 | 4 | 8 | 13 | 17 | 33 |
| B. *Operated* | 2971 | 7.4 | 47 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| **1. SINGLE DX** | 1308 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 3211 | 7.3 | 46 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 291 | 5.8 | 35 | 1 | 1 | 4 | 7 | 12 | 16 | 34 |
| **B. OPERATED** | 4228 | 6.7 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 31 |
| TOTAL 0-19 YRS | 2 | 10.5 | 61 | 5 | 5 | 10 | 16 | 16 | 16 | 16 |
| 20-34 | 26 | 5.4 | 31 | <1 | 1 | 3 | 6 | 13 | 20 | 23 |
| 35-49 | 162 | 6.0 | 28 | 1 | 1 | 5 | 8 | 12 | 15 | 25 |
| 50-64 | 1426 | 6.2 | 36 | 1 | 2 | 5 | 7 | 13 | 17 | 31 |
| 65+ | 2903 | 7.0 | 40 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| **GRAND TOTAL** | **4519** | **6.7** | **39** | **1** | **2** | **5** | **8** | **13** | **18** | **32** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 50-64 | 7 | 12.7 | 97 | 3 | 3 | 13 | 19 | 26 | 28 | 28 |
| 65+ | 25 | 15.0 | 170 | 3 | 3 | 12 | 14 | 38 | 49 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 35-49 | 7 | 17.6 | 381 | 2 | 2 | 13 | 16 | 51 | 60 | 60 |
| 50-64 | 49 | 11.2 | 133 | 2 | 2 | 8 | 12 | 31 | 37 | 52 |
| 65+ | 85 | 15.4 | 154 | 2 | 2 | 12 | 23 | 37 | 41 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 14.7 | 148 | 3 | 3 | 12 | 18 | 30 | 47 | 50 |
| B. *Operated* | 142 | 14.2 | 161 | 2 | 2 | 10 | 21 | 35 | 40 | 53 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 175 | 14.3 | 158 | 2 | 2 | 11 | 21 | 35 | 41 | 52 |
| **A. NOT OPERATED** | 33 | 14.7 | 148 | 3 | 3 | 12 | 18 | 30 | 47 | 50 |
| **B. OPERATED** | 142 | 14.2 | 161 | 2 | 2 | 10 | 21 | 35 | 40 | 53 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 35-49 | 8 | 18.1 | 329 | 2 | 3 | 14 | 19 | 49 | 60 | 60 |
| 50-64 | 56 | 11.4 | 127 | 2 | 2 | 8 | 14 | 28 | 37 | 51 |
| 65+ | 110 | 15.3 | 156 | 2 | 2 | 12 | 22 | 37 | 41 | 50 |
| **GRAND TOTAL** | **175** | **14.3** | **158** | **2** | **2** | **11** | **21** | **35** | **41** | **52** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 3 | 7.0 | 4 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 35-49 | 13 | 8.7 | 151 | 1 | 2 | 5 | 7 | 24 | 43 | 47 |
| 50-64 | 65 | 6.4 | 23 | 2 | 2 | 6 | 8 | 12 | 14 | 29 |
| 65+ | 147 | 9.2 | 69 | 2 | 3 | 7 | 11 | 17 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.5 | 42 | 1 | 1 | 3 | 9 | 15 | 15 | 15 |
| 20-34 | 4 | 8.0 | 89 | 2 | 2 | 4 | 13 | 22 | 22 | 22 |
| 35-49 | 16 | 11.9 | 205 | 2 | 2 | 7 | 14 | 42 | 46 | 47 |
| 50-64 | 27 | 8.0 | 52 | 2 | 2 | 5 | 10 | 19 | 27 | 28 |
| 65+ | 29 | 8.6 | 114 | 2 | 2 | 5 | 11 | 14 | 17 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.3 | 71 | 2 | 2 | 6 | 10 | 23 | 27 | 27 |
| 20-34 | 11 | 6.0 | 7 | 2 | 3 | 5 | 7 | 10 | 12 | 12 |
| 35-49 | 57 | 10.9 | 143 | 1 | 2 | 8 | 11 | 24 | 40 | 57 |
| 50-64 | 374 | 10.0 | 95 | 2 | 3 | 7 | 12 | 20 | 33 | 56 |
| 65+ | 1406 | 12.4 | 130 | 3 | 3 | 9 | 15 | 25 | 34 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 20-34 | 6 | 10.3 | 111 | 2 | 2 | 6 | 16 | 28 | 29 | 29 |
| 35-49 | 25 | 21.5 | 572 | 2 | 2 | 9 | 34 | 68 | 74 | 78 |
| 50-64 | 107 | 13.5 | 228 | 2 | 2 | 8 | 16 | 35 | 47 | 75 |
| 65+ | 183 | 16.3 | 217 | 2 | 3 | 11 | 21 | 38 | 52 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 231 | 8.3 | 60 | 2 | 2 | 7 | 10 | 15 | 22 | 39 |
| B. *Operated* | 80 | 8.9 | 104 | 2 | 2 | 5 | 11 | 17 | 27 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1856 | 11.8 | 123 | 2 | 3 | 9 | 14 | 24 | 34 | 63 |
| B. *Operated* | 322 | 15.8 | 250 | 2 | 2 | 10 | 20 | 39 | 53 | 81 |
| **1. SINGLE DX** | 311 | 8.4 | 71 | 2 | 2 | 6 | 10 | 16 | 26 | 47 |
| **2. MULTIPLE DX** | 2178 | 12.4 | 144 | 2 | 3 | 9 | 15 | 26 | 38 | 68 |
| **A. NOT OPERATED** | 2087 | 11.4 | 117 | 2 | 3 | 8 | 14 | 23 | 34 | 61 |
| **B. OPERATED** | 402 | 14.4 | 228 | 2 | 2 | 9 | 18 | 37 | 49 | 75 |
| TOTAL 0-19 YRS | 16 | 9.0 | 143 | 1 | 2 | 4 | 10 | 26 | 40 | 46 |
| 20-34 | 24 | 7.5 | 42 | 2 | 2 | 5 | 8 | 17 | 24 | 29 |
| 35-49 | 111 | 13.2 | 263 | 2 | 2 | 8 | 14 | 39 | 55 | 75 |
| 50-64 | 573 | 10.2 | 113 | 2 | 2 | 7 | 12 | 22 | 34 | 57 |
| 65+ | 1765 | 12.5 | 136 | 2 | 3 | 9 | 15 | 26 | 37 | 67 |
| **GRAND TOTAL** | **2489** | **11.9** | **136** | **2** | **3** | **8** | **14** | **25** | **37** | **66** |

### 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.8 | 31 | 5 | 5 | 6 | 12 | 17 | 17 | 17 |
| 20-34 | 5 | 21.0 | 392 | 4 | 4 | 12 | 31 | 54 | 54 | 54 |
| 35-49 | 20 | 12.4 | 67 | 2 | 3 | 10 | 17 | 23 | 29 | 34 |
| 50-64 | 154 | 14.6 | 172 | 4 | 4 | 11 | 17 | 32 | 42 | 73 |
| 65+ | 603 | 16.7 | 182 | 4 | 5 | 13 | 21 | 37 | 46 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 10 | 20.8 | 283 | 2 | 3 | 17 | 34 | 47 | 50 | 50 |
| 50-64 | 36 | 15.8 | 185 | 2 | 3 | 13 | 25 | 52 | 99+ | 99+ |
| 65+ | 61 | 27.3 | 384 | 6 | 9 | 22 | 39 | 66 | 72 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 786 | 16.2 | 178 | 4 | 5 | 12 | 20 | 35 | 46 | 66 |
| B. *Operated* | 108 | 22.6 | 333 | 2 | 4 | 17 | 33 | 58 | 77 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 894 | 16.9 | 201 | 3 | 5 | 12 | 21 | 38 | 51 | 77 |
| **A. NOT OPERATED** | 786 | 16.2 | 178 | 4 | 5 | 12 | 20 | 35 | 46 | 66 |
| **B. OPERATED** | 108 | 22.6 | 333 | 2 | 4 | 17 | 33 | 58 | 77 | 99+ |
| TOTAL 0-19 YRS | 4 | 8.8 | 31 | 5 | 5 | 6 | 12 | 17 | 17 | 17 |
| 20-34 | 6 | 17.8 | 374 | 2 | 2 | 11 | 24 | 51 | 54 | 54 |
| 35-49 | 30 | 15.2 | 148 | 2 | 3 | 11 | 20 | 34 | 44 | 50 |
| 50-64 | 190 | 14.8 | 174 | 3 | 4 | 11 | 19 | 33 | 49 | 99+ |
| 65+ | 664 | 17.7 | 210 | 4 | 5 | 13 | 22 | 39 | 52 | 74 |
| **GRAND TOTAL** | **894** | **16.9** | **201** | **3** | **5** | **12** | **21** | **38** | **51** | **77** |

### 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 20 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 57 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 189 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 65+ | 598 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 4.0 | 5 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 53 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 8 | 11 |
| 50-64 | 160 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 65+ | 209 | 3.4 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.6 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 23 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 35-49 | 145 | 4.2 | 11 | 1 | 1 | 3 | 5 | 7 | 11 | 17 |
| 50-64 | 760 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 3571 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 10.0 | 21 | 7 | 7 | 9 | 11 | 18 | 18 | 18 |
| 35-49 | 67 | 5.9 | 17 | 2 | 2 | 4 | 8 | 12 | 14 | 19 |
| 50-64 | 430 | 6.3 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| 65+ | 771 | 8.1 | 65 | 2 | 2 | 6 | 10 | 16 | 24 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 864 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | 429 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4507 | 5.2 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| B. *Operated* | 1273 | 7.3 | 53 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| **1. SINGLE DX** | 1293 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 5780 | 5.7 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 5371 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 1702 | 6.3 | 44 | 1 | 2 | 4 | 8 | 13 | 18 | 34 |
| TOTAL 0-19 YRS | 11 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 52 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 322 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 50-64 | 1539 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 65+ | 5149 | 5.6 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **GRAND TOTAL** | **7073** | **5.3** | **26** | **1** | **2** | **4** | **6** | **10** | **14** | **26** |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.8 | 54 | 1 | 1 | 4 | 8 | 20 | 21 | 21 |
| 20-34 | 9 | 6.7 | 24 | 1 | 1 | 6 | 9 | 14 | 16 | 16 |
| 35-49 | 34 | 5.6 | 78 | 1 | 1 | 4 | 6 | 7 | 9 | 54 |
| 50-64 | 148 | 7.0 | 44 | 1 | 2 | 5 | 9 | 14 | 16 | 38 |
| 65+ | 643 | 9.1 | 81 | 2 | 2 | 7 | 11 | 18 | 24 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 35-49 | 16 | 7.9 | 29 | 2 | 2 | 7 | 11 | 16 | 19 | 20 |
| 50-64 | 38 | 5.1 | 26 | 1 | 1 | 3 | 7 | 8 | 18 | 24 |
| 65+ | 53 | 10.8 | 238 | 1 | 2 | 6 | 12 | 26 | 41 | 87 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.6 | 72 | 2 | 2 | 12 | 17 | 21 | 21 | 21 |
| 20-34 | 16 | 9.7 | 168 | 1 | 1 | 5 | 12 | 20 | 43 | 53 |
| 35-49 | 100 | 9.4 | 69 | 2 | 2 | 7 | 12 | 19 | 27 | 43 |
| 50-64 | 717 | 10.6 | 111 | 2 | 3 | 7 | 13 | 22 | 31 | 55 |
| 65+ | 3768 | 11.8 | 101 | 3 | 3 | 9 | 15 | 24 | 31 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | 13 | 12.7 | 194 | 2 | 2 | 7 | 18 | 31 | 47 | 51 |
| 35-49 | 43 | 15.0 | 299 | 2 | 3 | 8 | 17 | 48 | 68 | 99+ |
| 50-64 | 171 | 12.8 | 145 | 2 | 3 | 9 | 16 | 24 | 40 | 82 |
| 65+ | 492 | 18.6 | 246 | 3 | 4 | 14 | 26 | 41 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 840 | 8.5 | 74 | 1 | 2 | 6 | 11 | 17 | 23 | 47 |
| B. *Operated* | 111 | 8.2 | 133 | 1 | 2 | 5 | 8 | 18 | 25 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4606 | 11.5 | 102 | 2 | 3 | 9 | 14 | 23 | 31 | 53 |
| B. *Operated* | 721 | 16.9 | 230 | 2 | 3 | 12 | 23 | 39 | 53 | 99+ |
| **1. SINGLE DX** | 951 | 8.5 | 81 | 1 | 2 | 6 | 10 | 17 | 23 | 48 |
| **2. MULTIPLE DX** | 5327 | 12.2 | 123 | 2 | 3 | 9 | 15 | 25 | 34 | 61 |
| **A. NOT OPERATED** | 5446 | 11.1 | 99 | 2 | 3 | 8 | 14 | 22 | 30 | 52 |
| **B. OPERATED** | 832 | 15.7 | 225 | 2 | 3 | 11 | 21 | 37 | 51 | 99+ |
| TOTAL 0-19 YRS | 13 | 8.2 | 55 | 1 | 1 | 5 | 13 | 21 | 21 | 21 |
| 20-34 | 42 | 9.4 | 131 | 1 | 1 | 6 | 11 | 20 | 36 | 53 |
| 35-49 | 193 | 9.9 | 126 | 1 | 2 | 6 | 11 | 20 | 37 | 69 |
| 50-64 | 1074 | 10.2 | 108 | 2 | 2 | 7 | 12 | 21 | 30 | 54 |
| 65+ | 4956 | 12.1 | 120 | 2 | 3 | 9 | 15 | 25 | 33 | 61 |
| **GRAND TOTAL** | **6278** | **11.7** | **118** | **2** | **3** | **8** | **14** | **24** | **32** | **60** |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 15.8 | 91 | 5 | 5 | 15 | 21 | 30 | 31 | 31 |
| 20-34 | 6 | 21.2 | 1220 | 2 | 2 | 8 | 13 | 84 | 92 | 92 |
| 35-49 | 34 | 15.3 | 213 | 1 | 3 | 12 | 21 | 37 | 45 | 67 |
| 50-64 | 256 | 14.1 | 193 | 3 | 3 | 9 | 18 | 36 | 47 | 99 |
| 65+ | 1434 | 16.2 | 192 | 3 | 4 | 12 | 21 | 35 | 46 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 52.0 | | 52 | 52 | 52 | 52 | 52 | 52 | 52 |
| 20-34 | 3 | 20.3 | 146 | 11 | 11 | 16 | 29 | 34 | 34 | 34 |
| 35-49 | 17 | 18.4 | 235 | 2 | 4 | 14 | 31 | 51 | 81 | 99+ |
| 50-64 | 42 | 24.0 | 508 | 2 | 3 | 18 | 34 | 74 | 81 | 99+ |
| 65+ | 140 | 27.2 | 345 | 5 | 8 | 26 | 38 | 59 | 71 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1736 | 15.9 | 195 | 3 | 4 | 12 | 21 | 35 | 46 | 77 |
| B. *Operated* | 203 | 25.8 | 371 | 4 | 6 | 21 | 37 | 59 | 78 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1939 | 16.9 | 223 | 3 | 4 | 12 | 22 | 38 | 49 | 88 |
| **A. NOT OPERATED** | 1736 | 15.9 | 195 | 3 | 4 | 12 | 21 | 35 | 46 | 77 |
| **B. OPERATED** | 203 | 25.8 | 371 | 4 | 6 | 21 | 37 | 59 | 78 | 99+ |
| TOTAL 0-19 YRS | 7 | 21.0 | 263 | 5 | 6 | 18 | 28 | 48 | 52 | 52 |
| 20-34 | 9 | 20.9 | 799 | 2 | 3 | 11 | 20 | 69 | 92 | 92 |
| 35-49 | 51 | 16.4 | 218 | 2 | 3 | 12 | 22 | 43 | 52 | 99 |
| 50-64 | 298 | 15.4 | 248 | 3 | 3 | 10 | 20 | 39 | 52 | 99+ |
| 65+ | 1574 | 17.2 | 215 | 3 | 5 | 13 | 22 | 38 | 49 | 82 |
| **GRAND TOTAL** | **1939** | **16.9** | **223** | **3** | **4** | **12** | **22** | **38** | **49** | **88** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 14.0 | 823 | 2 | 2 | 3 | 5 | 64 | 79 | 79 |
| 35-49 | 32 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 50 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 65+ | 148 | 5.4 | 29 | 1 | 2 | 4 | 7 | 10 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.5 | 90 | 2 | 2 | 9 | 18 | 21 | 21 | 21 |
| 20-34 | 15 | 9.4 | 57 | 2 | 2 | 8 | 17 | 20 | 21 | 22 |
| 35-49 | 32 | 5.3 | 61 | 1 | 1 | 2 | 5 | 10 | 27 | 37 |
| 50-64 | 67 | 4.9 | 18 | 1 | 1 | 3 | 7 | 11 | 14 | 18 |
| 65+ | 66 | 3.9 | 18 | 1 | 1 | 2 | 4 | 10 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.1 | 141 | 1 | 2 | 4 | 7 | 18 | 41 | 47 |
| 20-34 | 32 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 108 | 6.9 | 103 | 1 | 2 | 4 | 7 | 12 | 18 | 61 |
| 50-64 | 317 | 7.3 | 62 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| 65+ | 1770 | 8.1 | 64 | 2 | 2 | 6 | 10 | 16 | 22 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 23.0 | 387 | 2 | 2 | 26 | 37 | 41 | 41 | 41 |
| 20-34 | 20 | 13.4 | 146 | 2 | 2 | 10 | 16 | 29 | 42 | 52 |
| 35-49 | 57 | 14.4 | 478 | 1 | 2 | 6 | 11 | 48 | 71 | 91 |
| 50-64 | 184 | 10.0 | 194 | 1 | 2 | 6 | 11 | 20 | 31 | 96 |
| 65+ | 321 | 11.1 | 168 | 1 | 2 | 7 | 13 | 28 | 42 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 237 | 5.1 | 45 | 1 | 1 | 4 | 6 | 8 | 13 | 31 |
| B. *Operated* | 184 | 5.1 | 32 | 1 | 1 | 2 | 7 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2241 | 7.9 | 65 | 2 | 2 | 6 | 9 | 16 | 22 | 45 |
| B. *Operated* | 585 | 11.2 | 207 | 1 | 2 | 7 | 13 | 26 | 42 | 82 |
| **1. SINGLE DX** | 421 | 5.1 | 39 | 1 | 1 | 3 | 6 | 10 | 16 | 28 |
| **2. MULTIPLE DX** | 2826 | 8.6 | 97 | 2 | 2 | 6 | 10 | 17 | 25 | 55 |
| **A. NOT OPERATED** | 2478 | 7.6 | 64 | 2 | 2 | 5 | 9 | 15 | 21 | 45 |
| **B. OPERATED** | 769 | 9.7 | 172 | 1 | 2 | 6 | 11 | 21 | 35 | 72 |
| TOTAL 0-19 YRS | 21 | 10.7 | 171 | 1 | 2 | 5 | 15 | 32 | 44 | 47 |
| 20-34 | 74 | 8.6 | 137 | 2 | 2 | 5 | 9 | 18 | 24 | 72 |
| 35-49 | 229 | 8.0 | 190 | 1 | 1 | 4 | 7 | 14 | 36 | 84 |
| 50-64 | 618 | 7.5 | 95 | 1 | 2 | 5 | 9 | 15 | 21 | 64 |
| 65+ | 2305 | 8.2 | 77 | 2 | 2 | 6 | 10 | 17 | 24 | 50 |
| **GRAND TOTAL** | **3247** | **8.1** | **90** | **1** | **2** | **5** | **9** | **16** | **24** | **54** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 17 | 4.9 | 50 | 1 | 1 | 2 | 5 | 10 | 23 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 34 | 4.2 | 16 | 1 | 1 | 2 | 6 | 11 | 12 | 16 |
| 50-64 | 155 | 5.1 | 19 | 1 | 1 | 3 | 9 | 11 | 13 | 17 |
| 65+ | 160 | 5.7 | 30 | 1 | 1 | 3 | 9 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 3.0 | 7 | <1 | <1 | 2 | 3 | 8 | 8 | 8 |
| 50-64 | 55 | 4.7 | 15 | 1 | 1 | 4 | 7 | 9 | 11 | 21 |
| 65+ | 470 | 7.6 | 49 | 2 | 2 | 6 | 9 | 15 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 56 | 2 | 2 | 4 | 9 | 20 | 20 | 20 |
| 20-34 | 13 | 4.8 | 11 | <1 | 1 | 4 | 8 | 9 | 10 | 10 |
| 35-49 | 97 | 7.8 | 45 | 1 | 1 | 7 | 10 | 14 | 22 | 34 |
| 50-64 | 679 | 9.6 | 114 | 1 | 1 | 8 | 12 | 19 | 33 | 59 |
| 65+ | 1087 | 13.2 | 177 | 1 | 2 | 10 | 17 | 30 | 44 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.3 | 38 | 1 | 1 | 2 | 4 | 9 | 18 | 30 |
| B. *Operated* | 353 | 5.3 | 24 | 1 | 1 | 3 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 533 | 7.3 | 47 | 1 | 2 | 5 | 9 | 14 | 23 | 39 |
| B. *Operated* | 1881 | 11.6 | 150 | 1 | 2 | 9 | 15 | 26 | 38 | 66 |
| **1. SINGLE DX** | 376 | 5.2 | 25 | 1 | 1 | 3 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 2414 | 10.6 | 130 | 1 | 2 | 8 | 13 | 24 | 35 | 64 |
| **A. NOT OPERATED** | 556 | 7.2 | 46 | 1 | 2 | 5 | 9 | 14 | 23 | 39 |
| **B. OPERATED** | 2234 | 10.6 | 135 | 1 | 1 | 8 | 13 | 23 | 35 | 62 |
| TOTAL 0-19 YRS | 7 | 9.1 | 118 | <1 | <1 | 4 | 16 | 27 | 29 | 29 |
| 20-34 | 17 | 4.2 | 9 | <1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 35-49 | 137 | 6.7 | 39 | 1 | 1 | 5 | 9 | 13 | 16 | 33 |
| 50-64 | 895 | 8.5 | 95 | 1 | 1 | 7 | 11 | 17 | 27 | 54 |
| 65+ | 1734 | 10.9 | 136 | 1 | 2 | 8 | 14 | 25 | 37 | 66 |
| **GRAND TOTAL** | **2790** | **9.9** | **119** | **1** | **1** | **7** | **12** | **22** | **33** | **61** |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 4.5 | 14 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 65+ | 24 | 4.7 | 20 | <1 | 1 | 3 | 6 | 11 | 16 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 6 | 6.2 | 19 | 2 | 2 | 5 | 10 | 12 | 12 | 12 |
| 50-64 | 77 | 8.4 | 16 | 1 | 2 | 9 | 10 | 13 | 15 | 19 |
| 65+ | 193 | 10.0 | 55 | 1 | 2 | 10 | 12 | 17 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 20 | 4.8 | 19 | <1 | 1 | 3 | 7 | 11 | 15 | 16 |
| 65+ | 177 | 6.1 | 33 | 1 | 1 | 4 | 8 | 13 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 20-34 | 4 | 15.5 | 137 | 2 | 2 | 16 | 25 | 28 | 28 | 28 |
| 35-49 | 11 | 12.9 | 298 | 1 | 3 | 9 | 11 | 33 | 61 | 64 |
| 50-64 | 351 | 12.0 | 113 | 1 | 2 | 10 | 13 | 20 | 29 | 67 |
| 65+ | 1029 | 14.1 | 109 | 2 | 3 | 12 | 16 | 25 | 33 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.5 | 18 | <1 | 1 | 3 | 5 | 10 | 15 | 18 |
| B. *Operated* | 277 | 9.4 | 44 | 1 | 2 | 10 | 11 | 15 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 5.8 | 31 | 1 | 1 | 4 | 8 | 13 | 15 | 31 |
| B. *Operated* | 1397 | 13.6 | 112 | 2 | 3 | 11 | 16 | 24 | 33 | 60 |
| **1. SINGLE DX** | 307 | 8.9 | 44 | 1 | 2 | 9 | 11 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | 1598 | 12.6 | 109 | 1 | 2 | 11 | 15 | 22 | 32 | 57 |
| **A. NOT OPERATED** | 231 | 5.7 | 29 | 1 | 1 | 4 | 8 | 12 | 15 | 31 |
| **B. OPERATED** | 1674 | 12.9 | 103 | 2 | 2 | 11 | 15 | 22 | 31 | 57 |
| TOTAL 0-19 YRS | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| 20-34 | 7 | 11.0 | 102 | 2 | 2 | 8 | 19 | 27 | 28 | 28 |
| 35-49 | 21 | 8.8 | 177 | <1 | 1 | 6 | 10 | 12 | 35 | 64 |
| 50-64 | 452 | 11.0 | 95 | 1 | 2 | 10 | 12 | 18 | 25 | 53 |
| 65+ | 1423 | 12.4 | 100 | 1 | 2 | 11 | 15 | 22 | 31 | 52 |
| **GRAND TOTAL** | **1905** | **12.0** | **100** | **1** | **2** | **10** | **15** | **22** | **30** | **53** |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 5.3 | 38 | <1 | <1 | 3 | 9 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 26 | 1 | 1 | 4 | 9 | 11 | 11 | 11 |
| 20-34 | 10 | 6.8 | 16 | 2 | 2 | 6 | 10 | 13 | 15 | 15 |
| 35-49 | 16 | 7.3 | 24 | <1 | 1 | 7 | 11 | 14 | 15 | 16 |
| 50-64 | 44 | 7.1 | 14 | 2 | 2 | 7 | 9 | 12 | 14 | 18 |
| 65+ | 51 | 8.4 | 39 | 1 | 2 | 9 | 12 | 16 | 21 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 11.5 | 221 | 1 | 1 | 11 | 22 | 22 | 22 | 22 |
| 50-64 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 18 | 5.0 | 13 | 1 | 1 | 4 | 8 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 14 | 2 | 2 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 15 | 11.9 | 225 | 1 | 2 | 9 | 12 | 26 | 52 | 61 |
| 35-49 | 30 | 14.6 | 223 | 2 | 2 | 10 | 19 | 37 | 54 | 60 |
| 50-64 | 110 | 9.5 | 67 | 1 | 2 | 8 | 13 | 21 | 26 | 40 |
| 65+ | 168 | 13.0 | 188 | 1 | 2 | 9 | 16 | 27 | 43 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 4.0 | 26 | <1 | <1 | 2 | 5 | 13 | 14 | 14 |
| B. *Operated* | 124 | 7.6 | 26 | 1 | 2 | 8 | 11 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 5.1 | 26 | 1 | 1 | 3 | 8 | 11 | 15 | 22 |
| B. *Operated* | 327 | 11.9 | 152 | 1 | 2 | 9 | 14 | 25 | 34 | 64 |
| **1. SINGLE DX** | 130 | 7.4 | 26 | 1 | 2 | 7 | 11 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | 350 | 11.4 | 147 | 1 | 2 | 8 | 13 | 24 | 33 | 64 |
| **A. NOT OPERATED** | 29 | 4.9 | 25 | 1 | 1 | 3 | 7 | 12 | 14 | 22 |
| **B. OPERATED** | 451 | 10.7 | 121 | 1 | 2 | 8 | 13 | 21 | 30 | 61 |
| TOTAL 0-19 YRS | 7 | 5.6 | 16 | 1 | 1 | 4 | 9 | 11 | 11 | 11 |
| 20-34 | 25 | 9.8 | 144 | 1 | 2 | 7 | 11 | 15 | 35 | 61 |
| 35-49 | 49 | 11.8 | 161 | 1 | 1 | 8 | 13 | 26 | 42 | 60 |
| 50-64 | 158 | 8.6 | 53 | 1 | 2 | 7 | 11 | 18 | 24 | 33 |
| 65+ | 241 | 11.3 | 148 | 1 | 2 | 9 | 13 | 23 | 31 | 66 |
| **GRAND TOTAL** | **480** | **10.3** | **117** | **1** | **2** | **8** | **12** | **21** | **30** | **61** |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 6 | 6.7 | 7 | 3 | 3 | 7 | 9 | 9 | 9 | 9 |
| 35-49 | 13 | 5.3 | 26 | <1 | 1 | 4 | 6 | 13 | 18 | 19 |
| 50-64 | 28 | 5.4 | 35 | <1 | <1 | 2 | 8 | 12 | 16 | 27 |
| 65+ | 27 | 5.7 | 19 | 1 | 1 | 5 | 8 | 12 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 23 | 5.6 | 17 | 1 | 1 | 4 | 9 | 11 | 13 | 14 |
| 35-49 | 99 | 5.7 | 20 | 1 | 1 | 5 | 9 | 12 | 13 | 21 |
| 50-64 | 341 | 6.4 | 23 | 1 | 1 | 6 | 9 | 12 | 14 | 21 |
| 65+ | 339 | 7.1 | 28 | 1 | 1 | 7 | 10 | 14 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 10 | 6.5 | 18 | <1 | 1 | 6 | 9 | 13 | 15 | 15 |
| 35-49 | 20 | 4.9 | 15 | <1 | <1 | 3 | 8 | 10 | 12 | 15 |
| 50-64 | 55 | 5.6 | 17 | 1 | 1 | 5 | 7 | 11 | 13 | 21 |
| 65+ | 140 | 8.0 | 33 | 1 | 1 | 8 | 11 | 16 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 15.9 | 281 | 2 | 2 | 10 | 21 | 45 | 51 | 51 |
| 20-34 | 26 | 12.4 | 154 | 1 | 2 | 8 | 17 | 30 | 42 | 48 |
| 35-49 | 158 | 10.5 | 114 | 1 | 2 | 8 | 13 | 21 | 27 | 66 |
| 50-64 | 767 | 10.1 | 110 | 1 | 2 | 9 | 13 | 18 | 28 | 72 |
| 65+ | 1218 | 12.8 | 137 | 1 | 2 | 10 | 16 | 26 | 35 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 76 | 5.6 | 24 | <1 | 1 | 5 | 8 | 12 | 14 | 25 |
| B. *Operated* | 805 | 6.5 | 25 | 1 | 1 | 6 | 9 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 7.0 | 28 | 1 | 1 | 6 | 10 | 14 | 18 | 24 |
| B. *Operated* | 2177 | 11.7 | 128 | 1 | 2 | 9 | 14 | 23 | 32 | 67 |
| **1. SINGLE DX** | 881 | 6.5 | 25 | 1 | 1 | 6 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 2405 | 11.2 | 121 | 1 | 2 | 9 | 14 | 22 | 31 | 65 |
| **A. NOT OPERATED** | 304 | 6.7 | 27 | 1 | 1 | 6 | 9 | 13 | 17 | 25 |
| **B. OPERATED** | 2982 | 10.3 | 105 | 1 | 2 | 9 | 13 | 20 | 28 | 60 |
| TOTAL 0-19 YRS | 16 | 9.8 | 173 | 1 | 1 | 5 | 10 | 29 | 45 | 51 |
| 20-34 | 65 | 8.5 | 79 | 1 | 1 | 6 | 10 | 17 | 29 | 47 |
| 35-49 | 290 | 8.2 | 77 | 1 | 1 | 7 | 11 | 17 | 22 | 45 |
| 50-64 | 1191 | 8.7 | 83 | 1 | 1 | 8 | 11 | 16 | 22 | 51 |
| 65+ | 1724 | 11.2 | 112 | 1 | 2 | 9 | 14 | 21 | 30 | 60 |
| **GRAND TOTAL** | **3286** | **10.0** | **99** | **1** | **1** | **8** | **13** | **19** | **27** | **57** |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.3 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 15 |
| 20-34 | 21 | 4.4 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 35-49 | 26 | 4.7 | 15 | 1 | 1 | 3 | 8 | 11 | 12 | 14 |
| 50-64 | 28 | 3.3 | 10 | <1 | <1 | 2 | 5 | 7 | 8 | 15 |
| 65+ | 52 | 4.3 | 12 | <1 | 1 | 3 | 5 | 9 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.3 | 37 | 1 | 1 | 3 | 8 | 14 | 20 | 21 |
| 20-34 | 23 | 4.4 | 20 | 1 | 1 | 2 | 6 | 10 | 14 | 20 |
| 35-49 | 90 | 5.0 | 92 | 1 | 1 | 2 | 5 | 11 | 14 | 61 |
| 50-64 | 207 | 4.7 | 27 | 1 | 1 | 2 | 7 | 10 | 13 | 24 |
| 65+ | 223 | 4.9 | 31 | 1 | 1 | 2 | 6 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.7 | 15 | 1 | 2 | 5 | 7 | 9 | 13 | 19 |
| 20-34 | 49 | 5.8 | 46 | 1 | 1 | 3 | 7 | 10 | 22 | 39 |
| 35-49 | 70 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 50-64 | 142 | 5.2 | 28 | 1 | 1 | 4 | 6 | 11 | 15 | 30 |
| 65+ | 309 | 8.2 | 72 | 1 | 2 | 6 | 10 | 18 | 25 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.4 | 31 | <1 | 1 | 3 | 9 | 14 | 17 | 19 |
| 20-34 | 58 | 8.5 | 101 | 1 | 1 | 5 | 10 | 22 | 30 | 51 |
| 35-49 | 137 | 7.9 | 59 | 1 | 2 | 5 | 11 | 16 | 21 | 52 |
| 50-64 | 487 | 8.4 | 103 | 1 | 1 | 5 | 11 | 17 | 25 | 65 |
| 65+ | 771 | 11.9 | 174 | 1 | 2 | 8 | 15 | 28 | 40 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 162 | 4.4 | 11 | <1 | 1 | 3 | 6 | 9 | 11 | 15 |
| B. *Operated* | 555 | 4.8 | 39 | 1 | 1 | 2 | 7 | 11 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 593 | 6.8 | 52 | 1 | 1 | 5 | 8 | 14 | 20 | 33 |
| B. *Operated* | 1470 | 10.2 | 138 | 1 | 2 | 7 | 13 | 23 | 34 | 73 |
| **1. SINGLE DX** | 717 | 4.7 | 33 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 2063 | 9.2 | 116 | 1 | 2 | 6 | 12 | 20 | 30 | 61 |
| **A. NOT OPERATED** | 755 | 6.3 | 44 | 1 | 1 | 4 | 8 | 13 | 19 | 32 |
| **B. OPERATED** | 2025 | 8.7 | 117 | 1 | 1 | 5 | 11 | 19 | 30 | 62 |
| TOTAL 0-19 YRS | 87 | 5.4 | 19 | 1 | 1 | 4 | 8 | 10 | 14 | 20 |
| 20-34 | 151 | 6.4 | 60 | 1 | 1 | 4 | 8 | 14 | 24 | 39 |
| 35-49 | 323 | 6.1 | 56 | 1 | 1 | 4 | 9 | 13 | 16 | 40 |
| 50-64 | 864 | 6.8 | 72 | 1 | 1 | 4 | 9 | 15 | 20 | 49 |
| 65+ | 1355 | 9.6 | 129 | 1 | 2 | 6 | 12 | 23 | 31 | 68 |
| **GRAND TOTAL** | **2780** | **8.1** | **98** | **1** | **1** | **5** | **10** | **18** | **26** | **52** |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.5 | 18 | 1 | 2 | 7 | 8 | 14 | 15 | 17 |
| 20-34 | 229 | 6.7 | 16 | 2 | 2 | 6 | 9 | 11 | 13 | 19 |
| 35-49 | 294 | 6.9 | 12 | 2 | 3 | 6 | 9 | 11 | 13 | 17 |
| 50-64 | 322 | 7.5 | 15 | 2 | 3 | 7 | 9 | 12 | 14 | 19 |
| 65+ | 316 | 7.7 | 14 | 3 | 3 | 7 | 10 | 12 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.6 | 12 | <1 | 1 | 5 | 9 | 11 | 11 | 11 |
| 20-34 | 111 | 6.2 | 10 | 1 | 2 | 6 | 8 | 10 | 12 | 15 |
| 35-49 | 125 | 6.6 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 17 |
| 50-64 | 127 | 7.0 | 18 | 1 | 2 | 7 | 10 | 12 | 15 | 19 |
| 65+ | 130 | 7.9 | 21 | 2 | 3 | 8 | 10 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.6 | 23 | 1 | 2 | 5 | 12 | 14 | 14 | 14 |
| 20-34 | 222 | 7.6 | 18 | 2 | 3 | 7 | 10 | 13 | 16 | 21 |
| 35-49 | 394 | 8.5 | 20 | 3 | 3 | 8 | 11 | 14 | 17 | 24 |
| 50-64 | 715 | 8.5 | 27 | 3 | 4 | 8 | 10 | 14 | 16 | 28 |
| 65+ | 1071 | 9.6 | 32 | 3 | 4 | 8 | 12 | 16 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.2 | 50 | 5 | 5 | 8 | 13 | 21 | 27 | 28 |
| 20-34 | 114 | 9.8 | 59 | 2 | 3 | 8 | 12 | 18 | 23 | 44 |
| 35-49 | 189 | 9.6 | 47 | 2 | 3 | 9 | 12 | 17 | 21 | 53 |
| 50-64 | 351 | 11.2 | 93 | 3 | 4 | 9 | 13 | 20 | 28 | 66 |
| 65+ | 467 | 11.5 | 59 | 3 | 4 | 10 | 14 | 20 | 25 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1186 | 7.2 | 14 | 2 | 3 | 7 | 9 | 12 | 14 | 18 |
| B. *Operated* | 507 | 6.9 | 17 | 1 | 2 | 7 | 9 | 12 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2420 | 8.9 | 28 | 3 | 4 | 8 | 11 | 15 | 18 | 28 |
| B. *Operated* | 1132 | 10.9 | 68 | 2 | 4 | 9 | 13 | 19 | 26 | 49 |
| **1. SINGLE DX** | 1693 | 7.1 | 15 | 2 | 3 | 7 | 9 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | 3552 | 9.5 | 41 | 3 | 4 | 8 | 11 | 16 | 20 | 34 |
| **A. NOT OPERATED** | 3606 | 8.3 | 24 | 3 | 3 | 7 | 10 | 14 | 17 | 26 |
| **B. OPERATED** | 1639 | 9.7 | 55 | 2 | 3 | 8 | 12 | 17 | 22 | 37 |
| TOTAL 0-19 YRS | 68 | 6.9 | 24 | 1 | 2 | 6 | 9 | 14 | 15 | 26 |
| 20-34 | 676 | 7.4 | 24 | 2 | 2 | 7 | 9 | 12 | 15 | 26 |
| 35-49 | 1002 | 8.0 | 23 | 2 | 3 | 7 | 10 | 14 | 16 | 24 |
| 50-64 | 1515 | 8.8 | 41 | 2 | 3 | 8 | 10 | 14 | 18 | 33 |
| 65+ | 1984 | 9.6 | 36 | 3 | 4 | 8 | 12 | 16 | 21 | 32 |
| **GRAND TOTAL** | 5245 | 8.8 | 34 | 2 | 3 | 8 | 11 | 15 | 18 | 31 |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 3.8 | 9 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| 35-49 | 17 | 9.1 | 68 | 1 | 2 | 7 | 12 | 23 | 26 | 27 |
| 50-64 | 27 | 9.3 | 29 | 2 | 2 | 8 | 13 | 15 | 22 | 22 |
| 65+ | 51 | 10.3 | 58 | 1 | 2 | 8 | 15 | 22 | 25 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.8 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 505 | 3.4 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 35-49 | 669 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | 505 | 4.8 | 27 | 1 | 2 | 4 | 5 | 8 | 12 | 29 |
| 65+ | 169 | 8.1 | 71 | 2 | 2 | 5 | 9 | 18 | 25 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 8.6 | 118 | <1 | <1 | 5 | 11 | 28 | 34 | 35 |
| 35-49 | 35 | 6.6 | 29 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| 50-64 | 68 | 7.5 | 33 | 1 | 2 | 6 | 10 | 16 | 18 | 27 |
| 65+ | 290 | 11.3 | 70 | 2 | 3 | 9 | 15 | 22 | 28 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 119 | 5.4 | 39 | 2 | 2 | 4 | 5 | 8 | 15 | 37 |
| 35-49 | 235 | 5.3 | 22 | 1 | 2 | 4 | 6 | 9 | 14 | 27 |
| 50-64 | 284 | 7.0 | 69 | 2 | 2 | 4 | 7 | 15 | 23 | 55 |
| 65+ | 249 | 17.6 | 281 | 3 | 3 | 12 | 25 | 46 | 56 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 9.4 | 50 | 1 | 2 | 7 | 14 | 21 | 24 | 29 |
| B. *Operated* | 1869 | 4.3 | 20 | 1 | 2 | 3 | 4 | 6 | 10 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 405 | 10.2 | 65 | 2 | 3 | 8 | 14 | 20 | 26 | 35 |
| B. *Operated* | 891 | 9.3 | 139 | 2 | 2 | 5 | 9 | 23 | 38 | 59 |
| **1. SINGLE DX** | 1970 | 4.6 | 23 | 1 | 2 | 3 | 5 | 7 | 13 | 26 |
| **2. MULTIPLE DX** | 1296 | 9.6 | 116 | 2 | 2 | 5 | 11 | 22 | 31 | 58 |
| **A. NOT OPERATED** | 506 | 10.0 | 62 | 2 | 2 | 8 | 14 | 20 | 25 | 34 |
| **B. OPERATED** | 2760 | 5.9 | 64 | 1 | 2 | 4 | 5 | 11 | 20 | 49 |
| TOTAL 0-19 YRS | 25 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 20-34 | 642 | 3.9 | 16 | 1 | 2 | 3 | 4 | 5 | 7 | 26 |
| 35-49 | 956 | 4.3 | 14 | 1 | 2 | 3 | 5 | 7 | 10 | 23 |
| 50-64 | 884 | 5.8 | 42 | 2 | 2 | 4 | 6 | 11 | 17 | 38 |
| 65+ | 759 | 12.6 | 152 | 2 | 3 | 8 | 16 | 27 | 40 | 60 |
| **GRAND TOTAL** | 3266 | 6.6 | 66 | 1 | 2 | 4 | 6 | 14 | 22 | 48 |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 38 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 32 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 50-64 | 38 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 65+ | 24 | 3.1 | 7 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.5 | 5 | <1 | 1 | 3 | 4 | 5 | 8 | 11 |
| 20-34 | 254 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 9 |
| 35-49 | 380 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 286 | 4.4 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 65+ | 112 | 4.5 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 52 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 87 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 50-64 | 102 | 4.3 | 14 | <1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 65+ | 174 | 4.5 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 820 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 1400 | 4.9 | 5 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 1196 | 5.0 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 575 | 6.3 | 20 | 2 | 3 | 5 | 7 | 11 | 15 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX *** | | | | | | | | | | |
| A. *Not Operated* | 137 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 1051 | 4.3 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 416 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| B. *Operated* | 4023 | 5.0 | 8 | 2 | 3 | 4 | 6 | 8 | 9 | 15 |
| **1. SINGLE DX** | 1188 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 7 | 10 |
| **2. MULTIPLE DX** | 4439 | 4.9 | 8 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |
| **A. NOT OPERATED** | 553 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 18 |
| **B. OPERATED** | 5074 | 4.9 | 7 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 57 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 1164 | 4.3 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 1899 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 50-64 | 1622 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 885 | 5.6 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **GRAND TOTAL** | 5627 | 4.8 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 4.0 | 9 | 1 | 1 | 3 | 7 | 8 | 10 | 11 |
| 20-34 | 77 | 5.6 | 15 | 1 | 1 | 5 | 8 | 11 | 13 | 17 |
| 35-49 | 74 | 5.2 | 9 | 1 | 1 | 5 | 7 | 9 | 11 | 14 |
| 50-64 | 94 | 5.2 | 9 | 1 | 1 | 5 | 7 | 9 | 10 | 12 |
| 65+ | 145 | 6.3 | 17 | 1 | 1 | 6 | 9 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.0 | 15 | <1 | 1 | 2 | 3 | 7 | 12 | 23 |
| 20-34 | 215 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 9 | 15 |
| 35-49 | 78 | 5.0 | 23 | 1 | 1 | 4 | 7 | 11 | 13 | 27 |
| 50-64 | 85 | 6.7 | 30 | 1 | 2 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 93 | 7.8 | 91 | 1 | 1 | 5 | 11 | 15 | 21 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 3.9 | 15 | 1 | 1 | 2 | 5 | 9 | 15 | 17 |
| 20-34 | 130 | 6.0 | 55 | 1 | 1 | 4 | 7 | 12 | 15 | 35 |
| 35-49 | 228 | 6.5 | 19 | 1 | 2 | 6 | 9 | 12 | 14 | 24 |
| 50-64 | 461 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 1064 | 7.4 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.5 | 27 | <1 | 1 | 5 | 7 | 13 | 17 | 23 |
| 20-34 | 226 | 5.0 | 29 | 1 | 1 | 3 | 7 | 11 | 16 | 30 |
| 35-49 | 183 | 9.5 | 119 | 1 | 2 | 7 | 12 | 22 | 25 | 66 |
| 50-64 | 283 | 10.7 | 90 | 2 | 2 | 9 | 13 | 21 | 26 | 53 |
| 65+ | 395 | 12.5 | 109 | 2 | 3 | 10 | 15 | 24 | 32 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 5.6 | 13 | 1 | 1 | 5 | 8 | 10 | 11 | 17 |
| B. *Operated* | 537 | 4.6 | 33 | <1 | 1 | 3 | 6 | 11 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1918 | 6.9 | 38 | 1 | 2 | 5 | 9 | 13 | 17 | 31 |
| B. *Operated* | 1124 | 9.8 | 95 | 1 | 2 | 8 | 13 | 21 | 25 | 54 |
| **1. SINGLE DX** | 946 | 5.1 | 25 | 1 | 1 | 3 | 7 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | 3042 | 8.0 | 61 | 1 | 2 | 6 | 10 | 16 | 22 | 41 |
| **A. NOT OPERATED** | 2327 | 6.7 | 34 | 1 | 2 | 5 | 9 | 12 | 16 | 29 |
| **B. OPERATED** | 1661 | 8.2 | 81 | 1 | 1 | 6 | 11 | 18 | 24 | 49 |
| TOTAL 0-19 YRS | 157 | 3.9 | 18 | 1 | 1 | 2 | 5 | 9 | 13 | 23 |
| 20-34 | 648 | 4.6 | 27 | <1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 35-49 | 563 | 7.1 | 54 | 1 | 1 | 6 | 9 | 14 | 19 | 30 |
| 50-64 | 923 | 7.6 | 47 | 1 | 2 | 6 | 10 | 15 | 20 | 33 |
| 65+ | 1697 | 8.5 | 66 | 2 | 2 | 7 | 10 | 17 | 23 | 46 |
| **GRAND TOTAL** | 3988 | 7.3 | 54 | 1 | 1 | 5 | 9 | 15 | 20 | 34 |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2079 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 269 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 106 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 50-64 | 68 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 11 |
| 65+ | 67 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 440 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 165 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 36 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 11 |
| 50-64 | 26 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 7 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2271 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 450 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 286 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 335 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| 65+ | 651 | 6.4 | 18 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 213 | 2.9 | 17 | 1 | 1 | 2 | 3 | 5 | 8 | 31 |
| 20-34 | 95 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 20 |
| 35-49 | 48 | 5.2 | 38 | 1 | 1 | 3 | 6 | 8 | 23 | 28 |
| 50-64 | 51 | 5.8 | 46 | 1 | 1 | 4 | 7 | 12 | 21 | 34 |
| 65+ | 54 | 12.2 | 223 | 1 | 2 | 8 | 14 | 27 | 44 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2589 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 674 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3993 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 461 | 4.7 | 53 | 1 | 1 | 2 | 5 | 9 | 16 | 34 |
| **1. SINGLE DX** | 3263 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 4454 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **A. NOT OPERATED** | 6582 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 1135 | 3.2 | 25 | 1 | 1 | 2 | 3 | 6 | 9 | 27 |
| TOTAL 0-19 YRS | 5003 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 979 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 476 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 50-64 | 480 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 10 | 21 |
| 65+ | 779 | 6.5 | 34 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| **GRAND TOTAL** | 7717 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1600 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 103 | 3.7 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 96 | 4.6 | 14 | 2 | 2 | 4 | 6 | 7 | 9 | 25 |
| 50-64 | 153 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| 65+ | 211 | 5.2 | 11 | 2 | 2 | 4 | 7 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 4 | 4.3 | 15 | 2 | 2 | 3 | 6 | 10 | 10 | 10 |
| 35-49 | 8 | 8.3 | 24 | 3 | 3 | 8 | 12 | 15 | 15 | 15 |
| 50-64 | 4 | 5.8 | 32 | <1 | <1 | 4 | 9 | 14 | 14 | 14 |
| 65+ | 10 | 3.7 | 3 | <1 | 1 | 4 | 5 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1591 | 3.9 | 10 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 332 | 4.9 | 14 | 2 | 2 | 4 | 6 | 10 | 12 | 19 |
| 35-49 | 398 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 12 | 19 |
| 50-64 | 1276 | 6.3 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 2970 | 7.6 | 29 | 2 | 3 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 12.5 | 284 | 2 | 3 | 8 | 13 | 20 | 40 | 90 |
| 20-34 | 18 | 6.4 | 28 | <1 | <1 | 5 | 10 | 14 | 17 | 19 |
| 35-49 | 33 | 9.0 | 79 | 1 | 2 | 7 | 10 | 16 | 23 | 50 |
| 50-64 | 89 | 9.5 | 58 | 2 | 2 | 7 | 14 | 22 | 28 | 31 |
| 65+ | 146 | 13.1 | 159 | 2 | 3 | 9 | 16 | 25 | 35 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2163 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 34 | 5.3 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6567 | 6.2 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | 314 | 11.2 | 129 | 2 | 2 | 8 | 14 | 22 | 31 | 70 |
| **1. SINGLE DX** | 2197 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 6881 | 6.4 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| **A. NOT OPERATED** | 8730 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| **B. OPERATED** | 348 | 10.6 | 120 | 2 | 2 | 7 | 13 | 21 | 30 | 68 |
| TOTAL 0-19 YRS | 3227 | 3.5 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 457 | 4.7 | 13 | 1 | 2 | 4 | 5 | 9 | 12 | 18 |
| 35-49 | 535 | 5.4 | 17 | 2 | 2 | 4 | 7 | 10 | 12 | 21 |
| 50-64 | 1522 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| 65+ | 3337 | 7.7 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 30 |
| **GRAND TOTAL** | 9078 | 5.7 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 5 | 1.2 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 383 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 955 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 461 | 1.7 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 210 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 65+ | 66 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 23 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 14 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 15 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 4 | 4 |
| 65+ | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 570 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 1516 | 2.1 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 875 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 459 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 65+ | 117 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 2 |
| B. *Operated* | 2075 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| B. *Operated* | 3537 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **1. SINGLE DX** | 2094 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 3604 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **A. NOT OPERATED** | 86 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **B. OPERATED** | 5612 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| TOTAL 0-19 YRS | 968 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 2503 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 1355 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 686 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 186 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| **GRAND TOTAL** | **5698** | **2.0** | **2** | **1** | **1** | **2** | **2** | **3** | **4** | **5** |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 52 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 35-49 | 69 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 76 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 65+ | 49 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 1.8 | 4 | <1 | <1 | 1 | 1 | 6 | 6 | 6 |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 5 |
| 20-34 | 146 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 148 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 158 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 65+ | 94 | 3.2 | 10 | 1 | 1 | 2 | 3 | 6 | 10 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 286 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.0 | 5 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| B. *Operated* | 595 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **1. SINGLE DX** | 289 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 607 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **A. NOT OPERATED** | 15 | 1.8 | 4 | <1 | <1 | 1 | 1 | 6 | 7 | 7 |
| **B. OPERATED** | 881 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 89 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 200 | 2.1 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 35-49 | 223 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 237 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 147 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **GRAND TOTAL** | **896** | **2.3** | **3** | **<1** | **1** | **2** | **3** | **4** | **5** | **8** |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 18 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11466 | 1.5 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 3126 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 303 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 42 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 27 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 20-34 | 31 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 8 | 8 |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4969 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 574 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 35-49 | 83 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | 30 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 65+ | 14 | 8.9 | 536 | <1 | 1 | 2 | 3 | 16 | 73 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | 14964 | 1.6 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| B. *Operated* | 5670 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **1. SINGLE DX** | 15053 | 1.6 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 3 |
| **2. MULTIPLE DX** | 5867 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **A. NOT OPERATED** | 286 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| **B. OPERATED** | 20634 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| TOTAL 0-19 YRS | 16665 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 3749 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 389 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 50-64 | 75 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 65+ | 42 | 4.4 | 183 | <1 | <1 | 2 | 3 | 6 | 9 | 89 |
| **GRAND TOTAL** | 20920 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 274 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 176 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 83 | 2.9 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 50-64 | 50 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 65+ | 31 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 339 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| 20-34 | 629 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 509 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 489 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 240 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 205 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 20-34 | 143 | 3.3 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 113 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 141 | 4.6 | 20 | <1 | 1 | 4 | 5 | 9 | 12 | 27 |
| 65+ | 136 | 4.8 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 351 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 657 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 565 | 2.8 | 15 | 1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 50-64 | 603 | 3.3 | 21 | 1 | 1 | 2 | 3 | 6 | 10 | 25 |
| 65+ | 299 | 4.0 | 25 | 1 | 1 | 2 | 4 | 8 | 13 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 2206 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 738 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 2475 | 2.9 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| **1. SINGLE DX** | 2820 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 3213 | 3.1 | 13 | 1 | 1 | 2 | 3 | 6 | 8 | 18 |
| **A. NOT OPERATED** | 1352 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 4681 | 2.5 | 9 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| TOTAL 0-19 YRS | 1169 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 1605 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 1270 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 50-64 | 1283 | 2.9 | 14 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 65+ | 706 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **GRAND TOTAL** | 6033 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 3316 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 895 | 4.4 | 14 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 680 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 50-64 | 753 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 1256 | 7.1 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 34 | 5.3 | 18 | 1 | 1 | 5 | 7 | 12 | 15 | 16 |
| 20-34 | 30 | 6.6 | 32 | <1 | 1 | 6 | 8 | 11 | 19 | 28 |
| 35-49 | 32 | 10.9 | 120 | 1 | 2 | 9 | 14 | 19 | 24 | 60 |
| 50-64 | 55 | 9.7 | 74 | 1 | 2 | 8 | 12 | 21 | 25 | 43 |
| 65+ | 58 | 10.7 | 68 | 1 | 1 | 10 | 15 | 21 | 23 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 3618 | 4.5 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 16 |
| 20-34 | 952 | 5.6 | 17 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 35-49 | 1112 | 6.3 | 19 | 2 | 3 | 5 | 8 | 11 | 14 | 29 |
| 50-64 | 2723 | 7.9 | 37 | 2 | 3 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 8894 | 9.8 | 50 | 3 | 4 | 8 | 12 | 18 | 23 | 38 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 101 | 12.0 | 104 | 2 | 3 | 10 | 15 | 22 | 29 | 56 |
| 20-34 | 111 | 13.9 | 193 | 3 | 4 | 10 | 17 | 29 | 52 | 99+ |
| 35-49 | 155 | 14.8 | 156 | 4 | 4 | 11 | 19 | 29 | 39 | 66 |
| 50-64 | 393 | 15.1 | 183 | 3 | 4 | 11 | 19 | 32 | 43 | 93 |
| 65+ | 1004 | 17.8 | 176 | 4 | 6 | 14 | 23 | 36 | 48 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 6900 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| **B. *Operated*** | 209 | 9.0 | 68 | 1 | 1 | 7 | 12 | 18 | 22 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 17299 | 7.9 | 41 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| **B. *Operated*** | 1764 | 16.4 | 176 | 3 | 5 | 13 | 21 | 35 | 46 | 80 |
| **1. SINGLE DX** | 7109 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 19063 | 8.7 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 42 |
| **A. NOT OPERATED** | 24199 | 7.0 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 31 |
| **B. OPERATED** | 1973 | 15.6 | 169 | 3 | 4 | 12 | 20 | 33 | 45 | 77 |
| TOTAL 0-19 YRS | 7069 | 4.3 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 1988 | 5.6 | 30 | 2 | 2 | 4 | 6 | 10 | 13 | 25 |
| 35-49 | 1979 | 6.5 | 34 | 2 | 2 | 5 | 8 | 12 | 16 | 33 |
| 50-64 | 3924 | 8.2 | 53 | 2 | 3 | 6 | 10 | 15 | 20 | 42 |
| 65+ | 11212 | 10.2 | 65 | 3 | 4 | 8 | 12 | 19 | 25 | 44 |
| **GRAND TOTAL** | **26172** | **7.7** | **50** | **2** | **2** | **6** | **9** | **15** | **20** | **38** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 183 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 165 | 3.1 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 96 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 96 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 65+ | 182 | 4.5 | 10 | 2 | 2 | 4 | 6 | 7 | 10 | 20 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-19 YRS | 265 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 290 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 219 | 4.5 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| 50-64 | 428 | 5.5 | 18 | 1 | 2 | 4 | 7 | 11 | 13 | 19 |
| 65+ | 1161 | 7.2 | 28 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| **B. *Operated*** | | | | | | | | | | |
| 0-19 YRS | 9 | 4.8 | 1 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 7 | 4.6 | 20 | 1 | 1 | 3 | 7 | 12 | 13 | 13 |
| 35-49 | 14 | 11.5 | 96 | 3 | 3 | 8 | 16 | 20 | 36 | 40 |
| 50-64 | 16 | 16.7 | 270 | 3 | 3 | 12 | 20 | 27 | 58 | 72 |
| 65+ | 38 | 14.1 | 100 | 5 | 6 | 12 | 19 | 31 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 722 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **B. *Operated*** | 5 | 4.6 | 16 | 2 | 2 | 2 | 7 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | 2363 | 5.8 | 22 | 1 | 2 | 4 | 7 | 11 | 15 | 24 |
| **B. *Operated*** | 84 | 12.4 | 126 | 3 | 3 | 9 | 16 | 24 | 38 | 90 |
| **1. SINGLE DX** | 727 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 2447 | 6.0 | 27 | 1 | 2 | 5 | 7 | 12 | 15 | 27 |
| **A. NOT OPERATED** | 3085 | 5.2 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 23 |
| **B. OPERATED** | 89 | 11.9 | 123 | 2 | 3 | 9 | 16 | 24 | 38 | 89 |
| TOTAL 0-19 YRS | 459 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 464 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 329 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 541 | 5.6 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| 65+ | 1381 | 7.1 | 30 | 2 | 2 | 6 | 8 | 14 | 17 | 30 |
| **GRAND TOTAL** | **3174** | **5.4** | **23** | **1** | **2** | **4** | **7** | **10** | **14** | **25** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 346 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 78 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 7 | 14 |
| 35-49 | 80 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 177 | 5.3 | 14 | 1 | 2 | 5 | 6 | 9 | 13 | 22 |
| 65+ | 294 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 17 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 10 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 20-34 | 6 | 3.7 | 11 | <1 | <1 | 2 | 5 | 9 | 10 | 10 |
| 35-49 | 19 | 3.8 | 34 | <1 | <1 | 2 | 4 | 6 | 18 | 27 |
| 50-64 | 36 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 8 | 11 |
| 65+ | 26 | 3.5 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 13 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 347 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 20-34 | 174 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 11 | 14 |
| 35-49 | 259 | 5.3 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 819 | 6.6 | 23 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |
| 65+ | 1883 | 7.7 | 32 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 16.8 | 1063 | 1 | 1 | 6 | 9 | 71 | 97 | 97 |
| 20-34 | 15 | 7.9 | 72 | <1 | <1 | 4 | 13 | 15 | 28 | 33 |
| 35-49 | 43 | 7.1 | 72 | <1 | 1 | 4 | 9 | 14 | 25 | 44 |
| 50-64 | 125 | 8.7 | 53 | 1 | 1 | 7 | 11 | 20 | 24 | 32 |
| 65+ | 171 | 13.1 | 155 | 1 | 2 | 9 | 18 | 29 | 38 | 61 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 975 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 97 | 3.0 | 12 | <1 | <1 | 2 | 3 | 6 | 10 | 20 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3482 | 6.7 | 27 | 2 | 2 | 5 | 8 | 13 | 16 | 27 |
| B. *Operated* | 362 | 10.7 | 130 | 1 | 2 | 7 | 13 | 27 | 34 | 55 |
| **1. SINGLE DX** | 1072 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 3844 | 7.0 | 38 | 2 | 2 | 5 | 9 | 13 | 18 | 33 |
| **A. NOT OPERATED** | 4457 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| **B. OPERATED** | 459 | 9.1 | 115 | <1 | 1 | 6 | 11 | 23 | 30 | 48 |
| TOTAL 0-19 YRS | 711 | 3.1 | 17 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 273 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 15 |
| 35-49 | 401 | 5.3 | 25 | 1 | 2 | 4 | 6 | 10 | 13 | 28 |
| 50-64 | 1157 | 6.5 | 26 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| 65+ | 2374 | 7.8 | 41 | 2 | 3 | 6 | 9 | 14 | 19 | 35 |
| **GRAND TOTAL** | **4916** | **6.4** | **34** | **1** | **2** | **5** | **8** | **12** | **16** | **30** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 10 | 7.7 | 39 | 3 | 3 | 6 | 7 | 18 | 24 | 24 |
| 50-64 | 68 | 6.6 | 26 | 1 | 1 | 6 | 9 | 11 | 15 | 30 |
| 65+ | 146 | 7.2 | 37 | 1 | 2 | 5 | 9 | 14 | 19 | 29 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 5 | 9.2 | 21 | 6 | 6 | 6 | 13 | 16 | 16 | 16 |
| 35-49 | 7 | 7.0 | 26 | 2 | 2 | 6 | 8 | 15 | 17 | 17 |
| 50-64 | 6 | 7.7 | 18 | 2 | 2 | 7 | 8 | 14 | 15 | 15 |
| 65+ | 1 | 22.0 |  | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 5 | 9.4 | 49 | 3 | 3 | 5 | 16 | 18 | 18 | 18 |
| 20-34 | 8 | 4.6 | 8 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 34 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 385 | 8.5 | 42 | 2 | 2 | 7 | 11 | 17 | 24 | 32 |
| 65+ | 935 | 8.9 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 16 | 11.4 | 66 | 3 | 4 | 10 | 14 | 17 | 31 | 37 |
| 35-49 | 15 | 13.7 | 144 | 2 | 4 | 12 | 15 | 22 | 44 | 52 |
| 50-64 | 56 | 14.7 | 144 | 3 | 4 | 10 | 20 | 28 | 43 | 58 |
| 65+ | 86 | 17.9 | 245 | 4 | 6 | 13 | 23 | 44 | 51 | 95 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 226 | 7.0 | 33 | 1 | 2 | 5 | 8 | 14 | 18 | 30 |
| B. *Operated* | 20 | 8.2 | 31 | 1 | 2 | 7 | 10 | 16 | 19 | 22 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1367 | 8.7 | 48 | 2 | 3 | 7 | 11 | 17 | 22 | 33 |
| B. *Operated* | 174 | 15.9 | 188 | 3 | 5 | 12 | 19 | 33 | 48 | 83 |
| **1. SINGLE DX** | 246 | 7.1 | 33 | 1 | 2 | 6 | 8 | 14 | 18 | 29 |
| **2. MULTIPLE DX** | 1541 | 9.5 | 69 | 2 | 3 | 7 | 12 | 18 | 25 | 48 |
| **A. NOT OPERATED** | 1593 | 8.4 | 46 | 2 | 3 | 7 | 11 | 16 | 22 | 32 |
| **B. OPERATED** | 194 | 15.1 | 177 | 2 | 4 | 11 | 17 | 32 | 48 | 81 |
| TOTAL 0-19 YRS | 7 | 8.1 | 43 | 1 | 1 | 5 | 14 | 18 | 18 | 18 |
| 20-34 | 31 | 8.8 | 48 | 2 | 2 | 8 | 12 | 16 | 17 | 37 |
| 35-49 | 66 | 7.8 | 55 | 2 | 2 | 6 | 9 | 15 | 20 | 47 |
| 50-64 | 515 | 8.9 | 55 | 2 | 2 | 7 | 11 | 18 | 26 | 34 |
| 65+ | 1168 | 9.4 | 70 | 2 | 3 | 7 | 12 | 18 | 25 | 48 |
| **GRAND TOTAL** | **1787** | **9.1** | **65** | **2** | **3** | **7** | **11** | **18** | **25** | **46** |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3796 | 2.8 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 20-34 | 1135 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 962 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 1106 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 799 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 12 | 6.1 | 18 | <1 | 1 | 5 | 9 | 12 | 14 | 14 |
| 35-49 | 13 | 6.8 | 21 | 1 | 1 | 6 | 9 | 14 | 16 | 16 |
| 50-64 | 13 | 7.5 | 32 | <1 | 1 | 6 | 10 | 17 | 19 | 20 |
| 65+ | 7 | 11.0 | 99 | 1 | 2 | 9 | 11 | 28 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2005 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 980 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 35-49 | 1144 | 5.6 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 50-64 | 2045 | 6.4 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 65+ | 2559 | 7.4 | 32 | 2 | 3 | 6 | 9 | 13 | 18 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 10.2 | 90 | 2 | 3 | 6 | 13 | 19 | 33 | 42 |
| 20-34 | 33 | 7.9 | 33 | 1 | 2 | 6 | 11 | 18 | 20 | 21 |
| 35-49 | 57 | 13.2 | 193 | 2 | 3 | 9 | 15 | 26 | 39 | 72 |
| 50-64 | 130 | 13.3 | 153 | 2 | 3 | 10 | 16 | 29 | 36 | 60 |
| 65+ | 124 | 14.7 | 118 | 4 | 5 | 12 | 18 | 31 | 33 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7798 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 52 | 6.8 | 34 | <1 | 1 | 6 | 10 | 14 | 16 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8733 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 362 | 13.1 | 136 | 2 | 3 | 10 | 16 | 27 | 34 | 72 |
| **1. SINGLE DX** | 7850 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 9095 | 6.0 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 16531 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **B. OPERATED** | 414 | 12.3 | 127 | 2 | 3 | 10 | 15 | 26 | 33 | 70 |
| TOTAL 0-19 YRS | 5826 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 2160 | 4.1 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 2176 | 5.3 | 23 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| 50-64 | 3294 | 6.2 | 29 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 3489 | 7.3 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **GRAND TOTAL** | 16945 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.6 | 23 | 2 | 2 | 3 | 5 | 10 | 17 | 21 |
| 20-34 | 9 | 2.8 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 72 | 5.8 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 50-64 | 479 | 6.4 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 852 | 6.8 | 32 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 14 | 6.2 | 24 | <1 | 1 | 5 | 10 | 14 | 16 | 17 |
| 50-64 | 25 | 6.4 | 47 | <1 | 1 | 4 | 9 | 13 | 24 | 30 |
| 65+ | 23 | 8.4 | 57 | 1 | 2 | 7 | 12 | 18 | 24 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 5.3 | 15 | 1 | 1 | 4 | 6 | 12 | 14 | 14 |
| 20-34 | 46 | 6.5 | 19 | 1 | 2 | 6 | 7 | 12 | 14 | 25 |
| 35-49 | 262 | 7.5 | 41 | 2 | 2 | 6 | 9 | 15 | 22 | 36 |
| 50-64 | 2335 | 8.0 | 47 | 2 | 3 | 6 | 10 | 16 | 21 | 35 |
| 65+ | 5457 | 8.5 | 47 | 2 | 3 | 7 | 10 | 16 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.0 | 145 | 1 | 1 | 7 | 31 | 93 | 99+ | 99+ |
| 20-34 | 16 | 7.5 | 39 | <1 | <1 | 6 | 11 | 15 | 21 | 24 |
| 35-49 | 48 | 11.4 | 134 | 3 | 3 | 9 | 13 | 25 | 33 | 70 |
| 50-64 | 239 | 13.3 | 213 | 2 | 2 | 9 | 17 | 28 | 43 | 94 |
| 65+ | 490 | 15.0 | 142 | 2 | 4 | 12 | 20 | 30 | 40 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1429 | 6.6 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | 66 | 6.8 | 44 | 1 | 1 | 5 | 9 | 15 | 20 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8128 | 8.3 | 46 | 2 | 3 | 6 | 10 | 16 | 21 | 35 |
| B. *Operated* | 798 | 14.1 | 162 | 2 | 3 | 11 | 18 | 29 | 41 | 73 |
| **1. SINGLE DX** | 1495 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| **2. MULTIPLE DX** | 8926 | 8.8 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 40 |
| **A. NOT OPERATED** | 9557 | 8.1 | 45 | 2 | 3 | 6 | 10 | 15 | 21 | 34 |
| **B. OPERATED** | 864 | 13.5 | 157 | 2 | 3 | 10 | 18 | 28 | 40 | 73 |
| TOTAL 0-19 YRS | 51 | 5.4 | 30 | 1 | 1 | 4 | 6 | 13 | 20 | 99 |
| 20-34 | 74 | 6.1 | 22 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 35-49 | 396 | 7.6 | 50 | 2 | 2 | 5 | 9 | 15 | 22 | 38 |
| 50-64 | 3078 | 8.2 | 60 | 2 | 2 | 6 | 10 | 16 | 22 | 40 |
| 65+ | 6822 | 8.8 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| **GRAND TOTAL** | 10421 | 8.5 | 56 | 2 | 3 | 6 | 10 | 17 | 22 | 38 |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.4 | 12 | 1 | 1 | 3 | 4 | 6 | 7 | 21 |
| 20-34 | 102 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 42 | 3.9 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 50-64 | 18 | 5.7 | 24 | 1 | 1 | 4 | 6 | 14 | 17 | 18 |
| 65+ | 10 | 5.9 | 9 | 3 | 3 | 5 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 5.6 | 10 | 2 | 2 | 5 | 7 | 9 | 13 | 17 |
| 20-34 | 355 | 6.2 | 19 | 2 | 2 | 5 | 8 | 12 | 15 | 21 |
| 35-49 | 118 | 6.0 | 11 | 2 | 3 | 5 | 8 | 10 | 13 | 18 |
| 50-64 | 57 | 7.0 | 21 | 2 | 3 | 5 | 10 | 13 | 17 | 22 |
| 65+ | 31 | 6.7 | 24 | 2 | 3 | 5 | 10 | 15 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.8 | 2 | 1 | 1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 28 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 14 | 15 |
| 35-49 | 13 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 50-64 | 20 | 5.4 | 12 | 1 | 2 | 4 | 6 | 11 | 13 | 14 |
| 65+ | 51 | 9.2 | 68 | 2 | 3 | 7 | 10 | 18 | 29 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 9.2 | 49 | 3 | 3 | 7 | 11 | 16 | 22 | 38 |
| 20-34 | 125 | 8.9 | 31 | 3 | 4 | 7 | 11 | 16 | 20 | 30 |
| 35-49 | 64 | 8.1 | 51 | 2 | 3 | 6 | 11 | 14 | 20 | 45 |
| 50-64 | 123 | 10.3 | 60 | 3 | 4 | 8 | 13 | 21 | 27 | 38 |
| 65+ | 187 | 13.0 | 91 | 3 | 4 | 10 | 17 | 27 | 33 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 642 | 6.2 | 17 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 6.5 | 40 | 1 | 1 | 5 | 8 | 12 | 17 | 36 |
| B. *Operated* | 537 | 10.6 | 65 | 3 | 4 | 8 | 13 | 21 | 27 | 41 |
| **1. SINGLE DX** | 850 | 5.6 | 16 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 658 | 9.8 | 63 | 2 | 3 | 7 | 12 | 20 | 27 | 41 |
| **A. NOT OPERATED** | 329 | 4.9 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| **B. OPERATED** | 1179 | 8.2 | 44 | 2 | 3 | 6 | 10 | 16 | 21 | 34 |
| TOTAL 0-19 YRS | 164 | 5.7 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 20-34 | 610 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 16 | 22 |
| 35-49 | 237 | 6.1 | 23 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 218 | 8.6 | 46 | 2 | 3 | 6 | 11 | 17 | 23 | 32 |
| 65+ | 279 | 11.4 | 82 | 3 | 3 | 8 | 15 | 24 | 31 | 45 |
| **GRAND TOTAL** | 1508 | 7.5 | 41 | 2 | 2 | 6 | 9 | 15 | 20 | 33 |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 143 | 3.5 | 10 | 1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 35-49 | 130 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 161 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 12 | 15 |
| 65+ | 225 | 5.7 | 24 | 1 | 1 | 4 | 7 | 12 | 14 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 5.9 | 43 | <1 | <1 | 4 | 8 | 16 | 21 | 28 |
| 20-34 | 85 | 5.5 | 23 | 1 | 1 | 4 | 8 | 11 | 14 | 25 |
| 35-49 | 122 | 6.6 | 42 | <1 | 1 | 5 | 8 | 16 | 18 | 31 |
| 50-64 | 221 | 5.7 | 27 | 1 | 1 | 4 | 8 | 11 | 19 | 29 |
| 65+ | 200 | 5.6 | 32 | <1 | 1 | 3 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 271 | 5.0 | 31 | 1 | 1 | 3 | 6 | 10 | 15 | 42 |
| 20-34 | 255 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 15 | 21 |
| 35-49 | 375 | 5.5 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 851 | 6.5 | 32 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| 65+ | 2149 | 8.6 | 58 | 2 | 2 | 6 | 11 | 17 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 11.5 | 338 | 1 | 1 | 6 | 10 | 31 | 45 | 91 |
| 20-34 | 145 | 11.0 | 177 | <1 | 1 | 7 | 14 | 28 | 46 | 79 |
| 35-49 | 233 | 11.6 | 168 | 1 | 2 | 8 | 14 | 26 | 35 | 93 |
| 50-64 | 583 | 11.2 | 143 | 1 | 2 | 7 | 15 | 26 | 35 | 68 |
| 65+ | 851 | 11.9 | 126 | 1 | 2 | 9 | 15 | 26 | 34 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 798 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 19 |
| B. *Operated* | 677 | 5.8 | 32 | <1 | 1 | 4 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3901 | 7.3 | 46 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| B. *Operated* | 1895 | 11.5 | 149 | 1 | 2 | 8 | 15 | 26 | 35 | 68 |
| **1. SINGLE DX** | 1475 | 5.0 | 23 | 1 | 1 | 3 | 7 | 11 | 14 | 25 |
| **2. MULTIPLE DX** | 5796 | 8.7 | 84 | 1 | 2 | 6 | 11 | 18 | 26 | 49 |
| **A. NOT OPERATED** | 4699 | 6.8 | 42 | 1 | 2 | 5 | 9 | 14 | 19 | 33 |
| **B. OPERATED** | 2572 | 10.0 | 125 | 1 | 1 | 7 | 13 | 22 | 32 | 58 |
| TOTAL 0-19 YRS | 542 | 5.5 | 79 | 1 | 1 | 3 | 6 | 11 | 18 | 53 |
| 20-34 | 628 | 6.0 | 62 | 1 | 1 | 4 | 7 | 13 | 21 | 48 |
| 35-49 | 860 | 7.1 | 69 | 1 | 1 | 5 | 8 | 15 | 21 | 45 |
| 50-64 | 1816 | 7.7 | 71 | 1 | 1 | 5 | 9 | 16 | 22 | 47 |
| 65+ | 3425 | 9.0 | 76 | 1 | 2 | 7 | 12 | 18 | 25 | 45 |
| **GRAND TOTAL** | 7271 | 7.9 | 74 | 1 | 2 | 5 | 10 | 17 | 24 | 47 |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 25 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 14 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 13 | 14 |
| 50-64 | 10 | 3.9 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 6 | 2.7 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 919 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 6 |
| 20-34 | 765 | 2.7 | 2 | <1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 324 | 2.8 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 194 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 11 |
| 65+ | 94 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 54 | 4.4 | 22 | <1 | <1 | 3 | 5 | 9 | 14 | 26 |
| 35-49 | 31 | 2.5 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 7 |
| 50-64 | 37 | 4.8 | 16 | <1 | 1 | 4 | 6 | 11 | 13 | 18 |
| 65+ | 55 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 485 | 2.7 | 5 | <1 | <1 | 2 | 4 | 5 | 6 | 11 |
| 20-34 | 504 | 3.2 | 6 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 326 | 3.5 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 50-64 | 327 | 3.4 | 17 | 1 | 1 | 2 | 3 | 6 | 9 | 23 |
| 65+ | 269 | 3.9 | 18 | 1 | 1 | 2 | 4 | 8 | 13 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 3.2 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 2296 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 237 | 3.8 | 16 | <1 | 1 | 3 | 4 | 7 | 12 | 20 |
| B. *Operated* | 1911 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **1. SINGLE DX** | 2365 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 2148 | 3.3 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **A. NOT OPERATED** | 306 | 3.7 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 19 |
| **B. OPERATED** | 4207 | 2.8 | 6 | <1 | <1 | 2 | 4 | 5 | 6 | 14 |
| TOTAL 0-19 YRS | 1478 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 1348 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 695 | 3.2 | 8 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 50-64 | 568 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 65+ | 424 | 3.7 | 16 | 1 | 1 | 2 | 4 | 7 | 13 | 22 |
| **GRAND TOTAL** | 4513 | 2.9 | 7 | <1 | <1 | 2 | 4 | 5 | 7 | 15 |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 35 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 23 | 3.5 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 7 |
| 50-64 | 23 | 3.7 | 3 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | 16 | 9.3 | 112 | 1 | 1 | 5 | 10 | 33 | 35 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 150 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 102 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 136 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 65+ | 105 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 39 | 4.4 | 10 | 1 | 2 | 3 | 4 | 8 | 14 | 15 |
| 35-49 | 25 | 5.3 | 23 | 1 | 2 | 4 | 5 | 9 | 18 | 23 |
| 50-64 | 46 | 6.6 | 22 | 1 | 1 | 5 | 10 | 15 | 16 | 17 |
| 65+ | 95 | 7.4 | 28 | 1 | 2 | 6 | 10 | 15 | 19 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.6 | 21 | <1 | 1 | 2 | 4 | 6 | 12 | 28 |
| 20-34 | 71 | 4.6 | 22 | 1 | 1 | 3 | 5 | 10 | 13 | 29 |
| 35-49 | 102 | 4.4 | 24 | 1 | 1 | 3 | 4 | 8 | 15 | 28 |
| 50-64 | 116 | 3.9 | 22 | 1 | 1 | 3 | 5 | 7 | 9 | 28 |
| 65+ | 127 | 5.1 | 21 | 1 | 2 | 4 | 6 | 11 | 14 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 3.9 | 17 | 1 | 1 | 3 | 4 | 6 | 7 | 35 |
| B. *Operated* | 603 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 282 | 5.7 | 20 | 1 | 2 | 4 | 7 | 11 | 16 | 23 |
| B. *Operated* | 469 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **1. SINGLE DX** | 754 | 2.9 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 751 | 4.9 | 22 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| **A. NOT OPERATED** | 433 | 5.1 | 20 | 1 | 2 | 4 | 6 | 10 | 15 | 23 |
| **B. OPERATED** | 1072 | 3.5 | 14 | <1 | 1 | 2 | 4 | 6 | 9 | 21 |
| TOTAL 0-19 YRS | 294 | 3.0 | 7 | <1 | <1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 295 | 3.5 | 12 | <1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 35-49 | 252 | 3.6 | 14 | 1 | 1 | 3 | 4 | 8 | 10 | 23 |
| 50-64 | 321 | 3.8 | 15 | 1 | 1 | 3 | 4 | 6 | 10 | 18 |
| 65+ | 343 | 5.3 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **GRAND TOTAL** | 1505 | 3.9 | 16 | <1 | 1 | 3 | 4 | 7 | 11 | 21 |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 3.0 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 20-34 | 87 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 112 | 2.9 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 137 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 65+ | 111 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 9 | 17 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.3 | 15 | <1 | <1 | 1 | 5 | 7 | 13 | 17 |
| 20-34 | 82 | 5.3 | 12 | <1 | 1 | 6 | 8 | 9 | 10 | 17 |
| 35-49 | 71 | 4.7 | 13 | <1 | <1 | 4 | 8 | 10 | 12 | 12 |
| 50-64 | 118 | 4.8 | 19 | <1 | 1 | 3 | 7 | 10 | 12 | 21 |
| 65+ | 128 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 11 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 4.5 | 16 | 1 | 1 | 3 | 5 | 10 | 13 | 20 |
| 20-34 | 255 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 35-49 | 372 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 553 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 865 | 5.5 | 21 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 6.7 | 40 | <1 | 1 | 6 | 8 | 18 | 21 | 27 |
| 20-34 | 130 | 8.3 | 87 | 1 | 2 | 6 | 9 | 16 | 24 | 65 |
| 35-49 | 238 | 8.1 | 82 | 1 | 1 | 6 | 10 | 15 | 21 | 64 |
| 50-64 | 400 | 8.7 | 101 | 1 | 1 | 6 | 10 | 17 | 26 | 64 |
| 65+ | 672 | 9.8 | 114 | 1 | 2 | 7 | 12 | 22 | 29 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 544 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| *B. Operated* | 429 | 4.9 | 18 | <1 | 1 | 4 | 7 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2179 | 4.7 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| *B. Operated* | 1486 | 9.0 | 101 | 1 | 1 | 6 | 11 | 20 | 26 | 64 |
| **1. SINGLE DX** | 973 | 3.8 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 3665 | 6.5 | 55 | 1 | 1 | 4 | 8 | 13 | 19 | 37 |
| **A. NOT OPERATED** | 2723 | 4.4 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| **B. OPERATED** | 1915 | 8.1 | 85 | 1 | 1 | 6 | 10 | 17 | 24 | 55 |
| TOTAL 0-19 YRS | 307 | 4.2 | 17 | <1 | 1 | 3 | 5 | 8 | 13 | 21 |
| 20-34 | 554 | 4.9 | 30 | <1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 35-49 | 793 | 5.3 | 36 | 1 | 1 | 4 | 7 | 10 | 14 | 27 |
| 50-64 | 1208 | 5.6 | 46 | 1 | 1 | 4 | 7 | 11 | 15 | 34 |
| 65+ | 1776 | 7.0 | 61 | 1 | 1 | 5 | 9 | 15 | 21 | 40 |
| **GRAND TOTAL** | 4638 | 5.9 | 47 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 44 | 3.9 | 4 | 1 | 2 | 3 | 5 | 6 | 9 | 10 |
| 35-49 | 85 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 50-64 | 71 | 4.2 | 8 | 1 | 2 | 4 | 5 | 8 | 11 | 13 |
| 65+ | 74 | 4.3 | 5 | <1 | 1 | 4 | 6 | 8 | 8 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| 20-34 | 23 | 6.4 | 10 | 2 | 3 | 6 | 8 | 10 | 13 | 16 |
| 35-49 | 69 | 7.7 | 41 | <1 | 2 | 7 | 9 | 11 | 14 | 43 |
| 50-64 | 69 | 6.8 | 13 | <1 | 1 | 7 | 9 | 11 | 13 | 17 |
| 65+ | 65 | 7.1 | 20 | 1 | 2 | 7 | 9 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 9 | 10 |
| 20-34 | 73 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| 35-49 | 130 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 226 | 5.8 | 19 | 1 | 2 | 5 | 7 | 10 | 15 | 23 |
| 65+ | 408 | 6.9 | 24 | 2 | 3 | 6 | 8 | 12 | 16 | 27 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.3 | 12 | <1 | <1 | 4 | 9 | 10 | 10 | 10 |
| 20-34 | 29 | 9.5 | 28 | 3 | 4 | 9 | 13 | 16 | 18 | 24 |
| 35-49 | 122 | 9.4 | 58 | 1 | 2 | 8 | 12 | 16 | 20 | 43 |
| 50-64 | 220 | 8.9 | 32 | 1 | 3 | 8 | 11 | 16 | 22 | 27 |
| 65+ | 280 | 10.1 | 78 | 2 | 3 | 8 | 12 | 21 | 29 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 283 | 4.1 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| *B. Operated* | 229 | 7.1 | 23 | <1 | 2 | 7 | 9 | 11 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 853 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| *B. Operated* | 657 | 9.5 | 56 | 2 | 3 | 8 | 12 | 17 | 25 | 40 |
| **1. SINGLE DX** | 512 | 5.4 | 16 | 1 | 2 | 5 | 7 | 10 | 11 | 19 |
| **2. MULTIPLE DX** | 1510 | 7.6 | 39 | 2 | 2 | 6 | 9 | 14 | 20 | 31 |
| **A. NOT OPERATED** | 1136 | 5.6 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 24 |
| **B. OPERATED** | 886 | 8.9 | 49 | 1 | 3 | 8 | 11 | 16 | 23 | 36 |
| TOTAL 0-19 YRS | 34 | 4.4 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 20-34 | 169 | 5.6 | 16 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| 35-49 | 406 | 6.5 | 34 | 1 | 2 | 5 | 8 | 12 | 15 | 28 |
| 50-64 | 586 | 6.9 | 25 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| 65+ | 827 | 7.8 | 44 | 2 | 2 | 6 | 9 | 14 | 21 | 35 |
| **GRAND TOTAL** | 2022 | 7.0 | 34 | 1 | 2 | 6 | 9 | 13 | 17 | 30 |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 30 | 4.9 | 4 | 2 | 2 | 5 | 7 | 8 | 8 | 9 |
| 35-49 | 61 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 107 | 4.6 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 108 | 5.9 | 10 | 2 | 2 | 5 | 8 | 10 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.8 | 3 | 3 | 3 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 19 | 7.0 | 11 | 3 | 3 | 6 | 9 | 10 | 13 | 16 |
| 35-49 | 49 | 7.4 | 11 | 2 | 3 | 7 | 9 | 12 | 13 | 17 |
| 50-64 | 87 | 8.4 | 31 | 2 | 3 | 8 | 11 | 14 | 18 | 32 |
| 65+ | 88 | 9.0 | 24 | 3 | 4 | 8 | 12 | 15 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.4 | 96 | 1 | 2 | 4 | 5 | 10 | 33 | 40 |
| 20-34 | 39 | 5.6 | 14 | 1 | 2 | 5 | 7 | 9 | 13 | 21 |
| 35-49 | 104 | 5.0 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 50-64 | 261 | 5.8 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 491 | 7.7 | 28 | 2 | 3 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 2 | 3 | 3 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 28 | 9.7 | 259 | 2 | 2 | 7 | 9 | 13 | 22 | 90 |
| 35-49 | 94 | 12.8 | 110 | 3 | 4 | 10 | 16 | 27 | 35 | 54 |
| 50-64 | 223 | 11.2 | 73 | 3 | 4 | 9 | 13 | 21 | 29 | 51 |
| 65+ | 436 | 13.4 | 131 | 3 | 4 | 10 | 18 | 25 | 35 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 313 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 249 | 8.2 | 23 | 3 | 3 | 8 | 11 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 909 | 6.7 | 23 | 2 | 3 | 6 | 8 | 12 | 16 | 26 |
| B. *Operated* | 785 | 12.5 | 117 | 3 | 4 | 10 | 15 | 24 | 34 | 68 |
| **1. SINGLE DX** | 562 | 6.4 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| **2. MULTIPLE DX** | 1694 | 9.4 | 75 | 2 | 3 | 7 | 11 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 1222 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| **B. OPERATED** | 1034 | 11.5 | 98 | 3 | 4 | 9 | 14 | 21 | 30 | 62 |
| TOTAL 0-19 YRS | 31 | 5.1 | 45 | 2 | 2 | 4 | 6 | 7 | 7 | 40 |
| 20-34 | 116 | 6.6 | 72 | 2 | 3 | 5 | 8 | 10 | 13 | 44 |
| 35-49 | 308 | 7.6 | 52 | 2 | 3 | 5 | 9 | 15 | 19 | 40 |
| 50-64 | 678 | 7.7 | 41 | 2 | 3 | 6 | 10 | 14 | 19 | 40 |
| 65+ | 1123 | 9.8 | 74 | 2 | 3 | 7 | 12 | 19 | 24 | 50 |
| **GRAND TOTAL** | 2256 | 8.7 | 62 | 2 | 3 | 6 | 11 | 17 | 22 | 42 |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 251 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 226 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | 152 | 4.0 | 6 | <1 | 1 | 4 | 5 | 7 | 10 | 11 |
| 65+ | 117 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 3 | 4 | 4 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 53 | 8.3 | 17 | 2 | 4 | 8 | 9 | 13 | 15 | 24 |
| 35-49 | 98 | 8.1 | 12 | 2 | 5 | 8 | 9 | 12 | 16 | 19 |
| 50-64 | 47 | 8.9 | 14 | 2 | 4 | 9 | 10 | 14 | 18 | 21 |
| 65+ | 22 | 8.9 | 39 | 2 | 3 | 7 | 13 | 17 | 22 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 20-34 | 324 | 4.3 | 9 | 1 | 2 | 3 | 5 | 8 | 11 | 14 |
| 35-49 | 380 | 4.8 | 14 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 50-64 | 485 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 634 | 6.4 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.5 | 55 | 2 | 2 | 5 | 14 | 20 | 21 | 21 |
| 20-34 | 67 | 10.3 | 117 | 2 | 3 | 8 | 11 | 16 | 23 | 64 |
| 35-49 | 135 | 10.2 | 65 | 3 | 5 | 8 | 10 | 16 | 22 | 46 |
| 50-64 | 153 | 10.5 | 49 | 3 | 4 | 9 | 13 | 17 | 23 | 34 |
| 65+ | 167 | 12.4 | 140 | 2 | 4 | 9 | 15 | 26 | 33 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 810 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| B. *Operated* | 223 | 8.4 | 16 | 2 | 4 | 8 | 10 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1878 | 5.2 | 15 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| B. *Operated* | 528 | 11.0 | 91 | 3 | 4 | 8 | 13 | 19 | 28 | 55 |
| **1. SINGLE DX** | 1033 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 2406 | 6.5 | 38 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| **A. NOT OPERATED** | 2688 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 751 | 10.2 | 70 | 3 | 4 | 8 | 12 | 17 | 24 | 50 |
| TOTAL 0-19 YRS | 128 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 695 | 4.8 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 35-49 | 839 | 5.7 | 25 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| 50-64 | 837 | 5.9 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 65+ | 940 | 7.2 | 49 | 2 | 2 | 5 | 8 | 14 | 19 | 33 |
| **GRAND TOTAL** | 3439 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |

## 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 20-34 | 185 | 3.5 | 3 | 1 | 2 | 3 | 5 | 6 | 6 | 9 |
| 35-49 | 227 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 259 | 4.5 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 11 |
| 65+ | 224 | 5.4 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.9 | 2 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 65 | 8.2 | 17 | 3 | 4 | 8 | 10 | 13 | 18 | 24 |
| 35-49 | 104 | 8.4 | 11 | 4 | 5 | 8 | 10 | 13 | 15 | 19 |
| 50-64 | 99 | 9.1 | 13 | 4 | 5 | 8 | 11 | 14 | 16 | 22 |
| 65+ | 85 | 10.5 | 29 | 4 | 4 | 10 | 13 | 17 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.0 | 5 | 1 | 1 | 4 | 5 | 8 | 8 | 8 |
| 20-34 | 165 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 12 | 18 |
| 35-49 | 265 | 5.3 | 11 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 50-64 | 471 | 5.8 | 20 | 2 | 3 | 5 | 7 | 10 | 12 | 21 |
| 65+ | 803 | 7.3 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.8 | 43 | 2 | 3 | 6 | 8 | 19 | 23 | 23 |
| 20-34 | 71 | 10.5 | 52 | 3 | 3 | 8 | 12 | 18 | 29 | 35 |
| 35-49 | 126 | 12.4 | 139 | 3 | 4 | 10 | 13 | 21 | 28 | 71 |
| 50-64 | 225 | 12.0 | 83 | 4 | 5 | 10 | 14 | 20 | 25 | 62 |
| 65+ | 422 | 16.4 | 161 | 5 | 6 | 13 | 19 | 32 | 42 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 927 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| B. *Operated* | 360 | 9.0 | 17 | 4 | 5 | 8 | 11 | 14 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1729 | 6.3 | 22 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |
| B. *Operated* | 852 | 14.1 | 132 | 4 | 5 | 11 | 16 | 26 | 35 | 72 |
| **1. SINGLE DX** | 1287 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 2581 | 8.8 | 72 | 2 | 3 | 7 | 11 | 16 | 23 | 48 |
| **A. NOT OPERATED** | 2656 | 5.6 | 17 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 1212 | 12.6 | 103 | 4 | 5 | 10 | 14 | 22 | 30 | 64 |
| TOTAL 0-19 YRS | 72 | 4.7 | 10 | 1 | 2 | 4 | 7 | 8 | 9 | 20 |
| 20-34 | 486 | 5.5 | 21 | 1 | 2 | 4 | 7 | 11 | 13 | 27 |
| 35-49 | 722 | 6.5 | 40 | 2 | 2 | 5 | 8 | 11 | 15 | 26 |
| 50-64 | 1054 | 7.1 | 37 | 2 | 3 | 5 | 9 | 13 | 16 | 27 |
| 65+ | 1534 | 9.7 | 79 | 2 | 3 | 7 | 12 | 18 | 26 | 51 |
| **GRAND TOTAL** | 3868 | 7.8 | 55 | 2 | 3 | 6 | 9 | 14 | 19 | 39 |

## 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 8 | 3.5 | 2 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 12 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 14 | 5.1 | 9 | 1 | 2 | 5 | 7 | 10 | 12 | 12 |
| 65+ | 20 | 5.0 | 8 | <1 | 2 | 4 | 7 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 13 | 8.5 | 10 | 4 | 5 | 9 | 10 | 12 | 15 | 16 |
| 35-49 | 29 | 12.3 | 29 | 4 | 6 | 11 | 16 | 20 | 23 | 24 |
| 50-64 | 33 | 11.8 | 24 | 4 | 6 | 10 | 14 | 19 | 21 | 24 |
| 65+ | 31 | 15.5 | 102 | 4 | 6 | 13 | 18 | 35 | 38 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 5.5 | 10 | 3 | 3 | 5 | 7 | 11 | 12 | 12 |
| 35-49 | 13 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 50-64 | 29 | 6.6 | 16 | 2 | 2 | 5 | 8 | 12 | 13 | 19 |
| 65+ | 72 | 8.9 | 24 | 3 | 3 | 9 | 11 | 14 | 17 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.5 | 61 | 8 | 8 | 13 | 19 | 19 | 19 | 19 |
| 20-34 | 11 | 16.4 | 154 | 2 | 5 | 11 | 22 | 34 | 46 | 47 |
| 35-49 | 50 | 18.0 | 257 | 5 | 6 | 14 | 22 | 35 | 47 | 91 |
| 50-64 | 86 | 19.3 | 288 | 4 | 6 | 13 | 22 | 41 | 56 | 87 |
| 65+ | 146 | 19.1 | 202 | 6 | 8 | 14 | 22 | 35 | 52 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 4.6 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| B. *Operated* | 107 | 12.6 | 50 | 4 | 6 | 11 | 15 | 21 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 122 | 7.7 | 22 | 3 | 3 | 7 | 10 | 13 | 15 | 26 |
| B. *Operated* | 295 | 18.8 | 232 | 6 | 7 | 14 | 22 | 39 | 50 | 76 |
| **1. SINGLE DX** | 162 | 9.9 | 50 | 2 | 3 | 9 | 13 | 18 | 23 | 38 |
| **2. MULTIPLE DX** | 417 | 15.6 | 196 | 3 | 4 | 12 | 18 | 29 | 47 | 74 |
| **A. NOT OPERATED** | 177 | 6.7 | 19 | 2 | 3 | 6 | 9 | 12 | 13 | 22 |
| **B. OPERATED** | 402 | 17.2 | 191 | 5 | 7 | 13 | 20 | 33 | 47 | 74 |
| TOTAL 0-19 YRS | 4 | 9.3 | 55 | <1 | <1 | 8 | 14 | 19 | 19 | 19 |
| 20-34 | 40 | 9.1 | 69 | 2 | 3 | 7 | 10 | 18 | 24 | 47 |
| 35-49 | 104 | 13.1 | 162 | 2 | 3 | 10 | 16 | 24 | 32 | 76 |
| 50-64 | 162 | 14.3 | 193 | 3 | 3 | 10 | 17 | 28 | 42 | 74 |
| 65+ | 269 | 14.9 | 154 | 3 | 4 | 12 | 17 | 29 | 39 | 64 |
| **GRAND TOTAL** | 579 | 14.0 | 162 | 3 | 3 | 10 | 16 | 27 | 39 | 70 |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 203 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 444 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 304 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 208 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 131 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.0 | 10 | <1 | <1 | 4 | 5 | 9 | 9 | 9 |
| 20-34 | 37 | 3.8 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 12 |
| 35-49 | 37 | 4.5 | 10 | <1 | <1 | 4 | 7 | 9 | 11 | 12 |
| 50-64 | 51 | 5.3 | 33 | <1 | <1 | 4 | 7 | 11 | 15 | 35 |
| 65+ | 32 | 6.9 | 58 | <1 | <1 | 4 | 9 | 18 | 23 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 305 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 20-34 | 924 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 35-49 | 1091 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| 50-64 | 1190 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 65+ | 1463 | 5.9 | 20 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.0 | 27 | 2 | 3 | 4 | 6 | 12 | 20 | 22 |
| 20-34 | 131 | 6.0 | 21 | 1 | 2 | 5 | 8 | 12 | 18 | 22 |
| 35-49 | 203 | 6.9 | 25 | <1 | 1 | 6 | 9 | 13 | 16 | 27 |
| 50-64 | 309 | 8.1 | 58 | <1 | 2 | 6 | 10 | 16 | 20 | 35 |
| 65+ | 391 | 9.5 | 71 | 2 | 3 | 7 | 12 | 18 | 24 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1290 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| B. *Operated* | 162 | 5.0 | 27 | <1 | <1 | 4 | 7 | 10 | 14 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4973 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 1047 | 8.1 | 53 | 1 | 2 | 6 | 10 | 16 | 20 | 33 |
| **1. SINGLE DX** | 1452 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 6020 | 5.3 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 6263 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 1209 | 7.7 | 51 | <1 | 2 | 6 | 10 | 15 | 20 | 33 |
| TOTAL 0-19 YRS | 526 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 1536 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 35-49 | 1635 | 4.5 | 13 | 1 | 1 | 4 | 5 | 9 | 11 | 19 |
| 50-64 | 1758 | 5.1 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| 65+ | 2017 | 6.4 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| **GRAND TOTAL** | **7472** | **4.8** | **20** | **1** | **1** | **4** | **6** | **9** | **13** | **22** |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 20-34 | 116 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 102 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 50-64 | 89 | 4.1 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 65+ | 68 | 3.9 | 13 | 1 | 1 | 3 | 5 | 8 | 16 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.5 | 15 | 1 | 2 | 3 | 5 | 8 | 12 | 23 |
| 20-34 | 20 | 9.9 | 41 | <1 | 2 | 9 | 13 | 18 | 23 | 27 |
| 35-49 | 18 | 12.5 | 84 | 2 | 3 | 10 | 14 | 29 | 32 | 34 |
| 50-64 | 24 | 8.3 | 17 | 1 | 2 | 8 | 10 | 14 | 17 | 17 |
| 65+ | 14 | 8.8 | 33 | <1 | 1 | 9 | 14 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.9 | 26 | 1 | 1 | 3 | 4 | 6 | 12 | 33 |
| 20-34 | 158 | 4.6 | 38 | 1 | 1 | 3 | 5 | 9 | 11 | 48 |
| 35-49 | 188 | 5.1 | 30 | 1 | 1 | 4 | 6 | 9 | 15 | 26 |
| 50-64 | 258 | 5.0 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| 65+ | 346 | 5.7 | 26 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.4 | 52 | 2 | 2 | 6 | 8 | 18 | 26 | 27 |
| 20-34 | 40 | 12.9 | 87 | 2 | 3 | 11 | 15 | 24 | 32 | 46 |
| 35-49 | 77 | 12.1 | 151 | 1 | 3 | 9 | 15 | 22 | 26 | 79 |
| 50-64 | 116 | 15.3 | 183 | 2 | 3 | 12 | 19 | 27 | 46 | 69 |
| 65+ | 167 | 17.1 | 202 | 3 | 5 | 13 | 22 | 34 | 42 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 429 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 122 | 7.8 | 39 | 1 | 2 | 7 | 11 | 15 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1020 | 5.1 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| B. *Operated* | 411 | 15.0 | 176 | 2 | 3 | 12 | 18 | 28 | 40 | 74 |
| **1. SINGLE DX** | 551 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | 1431 | 7.9 | 89 | 1 | 2 | 5 | 10 | 17 | 24 | 50 |
| **A. NOT OPERATED** | 1449 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| **B. OPERATED** | 533 | 13.3 | 157 | 2 | 2 | 10 | 16 | 27 | 37 | 61 |
| TOTAL 0-19 YRS | 181 | 3.8 | 19 | 1 | 1 | 3 | 4 | 7 | 11 | 26 |
| 20-34 | 334 | 5.4 | 42 | 1 | 1 | 3 | 7 | 11 | 15 | 38 |
| 35-49 | 385 | 6.4 | 61 | 1 | 1 | 4 | 7 | 14 | 19 | 37 |
| 50-64 | 487 | 7.4 | 75 | 1 | 2 | 5 | 9 | 16 | 22 | 49 |
| 65+ | 595 | 8.8 | 101 | 1 | 2 | 6 | 11 | 18 | 27 | 58 |
| **GRAND TOTAL** | **1982** | **6.9** | **72** | **1** | **1** | **4** | **8** | **15** | **22** | **47** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 1.9 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 20-34 | 28 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 9 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3846 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 3049 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 839 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 306 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| 65+ | 101 | 5.1 | 5 | 2 | 3 | 5 | 6 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.8 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 14 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 4 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 6 | 6.5 | 14 | 1 | 1 | 7 | 8 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 592 | 4.5 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| 20-34 | 643 | 4.6 | 7 | 2 | 3 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 222 | 6.2 | 21 | 2 | 3 | 5 | 7 | 10 | 15 | 25 |
| 50-64 | 155 | 6.4 | 22 | 3 | 3 | 5 | 7 | 10 | 13 | 24 |
| 65+ | 88 | 8.8 | 35 | 3 | 4 | 7 | 10 | 19 | 21 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 8141 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.1 | 7 | 1 | 1 | 2 | 5 | 6 | 8 | 12 |
| B. *Operated* | 1700 | 5.2 | 13 | 2 | 3 | 4 | 6 | 9 | 12 | 20 |
| **1. SINGLE DX** | 8196 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 1735 | 5.1 | 13 | 2 | 3 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 90 | 2.6 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 11 |
| **B. OPERATED** | 9841 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 4464 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 3734 | 3.7 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 1074 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 464 | 5.2 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 20 |
| 65+ | 195 | 6.8 | 22 | 3 | 3 | 5 | 8 | 12 | 18 | 27 |
| **GRAND TOTAL** | 9931 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.9 | 13 | <1 | 1 | 5 | 8 | 11 | 13 | 13 |
| 20-34 | 6 | 4.7 | 7 | <1 | <1 | 4 | 6 | 9 | 9 | 9 |
| 35-49 | 4 | 9.3 | 2 | 6 | 6 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 6 | 5.8 | 4 | 4 | 4 | 7 | 7 | 10 | 10 | 10 |
| 65+ | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 813 | 6.6 | 9 | 3 | 3 | 6 | 8 | 10 | 12 | 16 |
| 20-34 | 511 | 6.2 | 8 | 3 | 3 | 6 | 8 | 10 | 11 | 15 |
| 35-49 | 265 | 7.0 | 10 | 3 | 4 | 7 | 8 | 11 | 13 | 17 |
| 50-64 | 186 | 8.1 | 15 | 3 | 4 | 8 | 10 | 12 | 14 | 22 |
| 65+ | 99 | 9.6 | 34 | 5 | 5 | 8 | 11 | 15 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 3 | 12.0 | 39 | 7 | 7 | 10 | 17 | 19 | 19 | 19 |
| 50-64 | 6 | 4.5 | 10 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| 65+ | 8 | 10.8 | 44 | 3 | 4 | 9 | 14 | 22 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 9.5 | 35 | 3 | 4 | 8 | 12 | 16 | 20 | 28 |
| 20-34 | 294 | 9.6 | 41 | 4 | 4 | 8 | 11 | 15 | 21 | 40 |
| 35-49 | 184 | 11.3 | 70 | 4 | 5 | 9 | 13 | 18 | 28 | 49 |
| 50-64 | 228 | 11.7 | 51 | 4 | 6 | 10 | 13 | 20 | 24 | 42 |
| 65+ | 192 | 14.5 | 97 | 5 | 6 | 12 | 17 | 28 | 32 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 6.0 | 9 | <1 | 1 | 6 | 8 | 10 | 11 | 13 |
| B. *Operated* | 1874 | 6.9 | 11 | 3 | 3 | 6 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 8.6 | 32 | <1 | 2 | 8 | 10 | 17 | 21 | 24 |
| B. *Operated* | 1268 | 10.9 | 57 | 4 | 5 | 9 | 13 | 19 | 24 | 43 |
| **1. SINGLE DX** | 1905 | 6.8 | 11 | 3 | 3 | 6 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | 1289 | 10.9 | 56 | 4 | 5 | 9 | 13 | 19 | 24 | 43 |
| **A. NOT OPERATED** | 52 | 7.0 | 20 | <1 | 1 | 6 | 9 | 12 | 16 | 24 |
| **B. OPERATED** | 3142 | 8.5 | 34 | 3 | 4 | 7 | 10 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 1198 | 7.5 | 19 | 3 | 3 | 7 | 9 | 12 | 18 | 21 |
| 20-34 | 813 | 7.4 | 22 | 3 | 3 | 7 | 9 | 12 | 18 | 26 |
| 35-49 | 456 | 8.8 | 38 | 3 | 4 | 7 | 10 | 14 | 18 | 33 |
| 50-64 | 426 | 9.9 | 38 | 4 | 4 | 9 | 12 | 15 | 21 | 33 |
| 65+ | 301 | 12.7 | 80 | 5 | 6 | 10 | 15 | 22 | 28 | 48 |
| **GRAND TOTAL** | 3194 | 8.5 | 33 | 3 | 4 | 7 | 10 | 14 | 18 | 31 |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 41 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 18 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 4 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 284 | 3.7 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 246 | 4.2 | 37 | 2 | 2 | 4 | 4 | 6 | 7 | 11 |
| 35-49 | 50 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 10 |
| 50-64 | 33 | 5.0 | 5 | 2 | 2 | 5 | 6 | 8 | 9 | 10 |
| 65+ | 8 | 6.0 | 3 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 20-34 | 18 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 7 | 3.7 | 9 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 50-64 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 65+ | 5 | 5.4 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 22 |
| 20-34 | 159 | 5.1 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| 35-49 | 53 | 7.7 | 110 | 2 | 3 | 5 | 7 | 12 | 15 | 72 |
| 50-64 | 38 | 8.7 | 29 | 4 | 4 | 7 | 11 | 13 | 20 | 30 |
| 65+ | 20 | 10.4 | 159 | 3 | 4 | 7 | 10 | 15 | 39 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 106 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| *B. Operated* | 621 | 4.0 | 17 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 50 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| *B. Operated* | 429 | 5.8 | 35 | 2 | 3 | 4 | 6 | 10 | 12 | 31 |
| **1. SINGLE DX** | 727 | 3.8 | 15 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 479 | 5.5 | 32 | 2 | 2 | 4 | 6 | 9 | 11 | 30 |
| **A. NOT OPERATED** | 156 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 1050 | 4.7 | 25 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| TOTAL 0-19 YRS | 498 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 464 | 4.3 | 25 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 128 | 5.4 | 51 | 1 | 2 | 4 | 6 | 9 | 11 | 45 |
| 50-64 | 79 | 6.6 | 20 | 2 | 2 | 6 | 9 | 11 | 13 | 28 |
| 65+ | 37 | 8.1 | 92 | 3 | 3 | 6 | 8 | 11 | 15 | 62 |
| **GRAND TOTAL** | 1206 | 4.5 | 23 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.8 | 185 | <1 | <1 | 1 | 1 | 11 | 43 | 50 |
| 20-34 | 12 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 9 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | 8 | 1.9 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 11 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2266 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 2663 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 2265 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 3501 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 2786 | 3.7 | 3 | 1 | 2 | 4 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 1.4 | 1 | <1 | <1 | <1 | 1 | 2 | 4 | 7 |
| 20-34 | 21 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 8 |
| 35-49 | 23 | 2.3 | 8 | <1 | <1 | 1 | 2 | 3 | 6 | 17 |
| 50-64 | 40 | 2.3 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 8 |
| 65+ | 91 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 8 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1084 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 809 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1018 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 2223 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 65+ | 2904 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 11 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 53 | 2.7 | 45 | <1 | <1 | 1 | 2 | 4 | 5 | 49 |
| *B. Operated* | 13481 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 237 | 2.4 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 12 |
| *B. Operated* | 8038 | 4.1 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| **1. SINGLE DX** | 13534 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | 8275 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 290 | 2.4 | 13 | <1 | <1 | 1 | 3 | 5 | 7 | 13 |
| **B. OPERATED** | 21519 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 3425 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 3505 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 3315 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 5772 | 3.6 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 65+ | 5792 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| **GRAND TOTAL** | 21809 | 3.4 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 20-34 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 65+ | 9 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 20-34 | 90 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 60 | 3.5 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 7 |
| 50-64 | 100 | 4.1 | 6 | 2 | 2 | 3 | 5 | 7 | 10 | 13 |
| 65+ | 198 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.3 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 7.0 | 28 | 3 | 3 | 5 | 11 | 13 | 13 | 13 |
| 50-64 | 5 | 9.2 | 278 | 1 | 1 | 2 | 12 | 39 | 39 | 39 |
| 65+ | 14 | 5.4 | 33 | <1 | 1 | 3 | 7 | 15 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 40 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 21 | 3.8 | 4 | <1 | 1 | 4 | 4 | 6 | 8 | 10 |
| 50-64 | 98 | 7.0 | 54 | 2 | 2 | 5 | 7 | 13 | 20 | 46 |
| 65+ | 296 | 8.4 | 71 | 2 | 3 | 6 | 10 | 15 | 22 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 2.0 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| B. *Operated* | 630 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 5.5 | 63 | 1 | 1 | 3 | 5 | 14 | 21 | 39 |
| B. *Operated* | 583 | 6.3 | 52 | 1 | 1 | 4 | 7 | 12 | 18 | 38 |
| **1. SINGLE DX** | 657 | 3.5 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 17 |
| **2. MULTIPLE DX** | 612 | 6.3 | 53 | 1 | 1 | 4 | 7 | 12 | 18 | 39 |
| **A. NOT OPERATED** | 56 | 3.8 | 37 | <1 | 1 | 2 | 4 | 9 | 14 | 38 |
| **B. OPERATED** | 1213 | 4.9 | 31 | 1 | 1 | 4 | 6 | 9 | 13 | 28 |
| TOTAL 0-19 YRS | 327 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 134 | 3.4 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 86 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 6 | 12 |
| 50-64 | 205 | 5.6 | 36 | 2 | 2 | 4 | 6 | 10 | 14 | 42 |
| 65+ | 517 | 7.0 | 49 | 2 | 2 | 5 | 8 | 13 | 18 | 37 |
| **GRAND TOTAL** | 1269 | 4.9 | 32 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 315 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 160 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 219 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 145 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 65+ | 55 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 8 | 8 |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 7 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 11 | 2.8 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 65+ | 11 | 5.3 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 2.0 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |
| 20-34 | 98 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 137 | 3.8 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 170 | 4.4 | 28 | 1 | 2 | 3 | 5 | 8 | 9 | 20 |
| 65+ | 117 | 6.7 | 35 | 2 | 2 | 5 | 7 | 12 | 21 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 894 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 3.2 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| B. *Operated* | 584 | 4.3 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| **1. SINGLE DX** | 902 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 626 | 4.2 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| **A. NOT OPERATED** | 50 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| **B. OPERATED** | 1478 | 3.1 | 10 | <1 | 1 | 2 | 4 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 391 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 260 | 2.9 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 364 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 328 | 3.6 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 185 | 5.7 | 26 | 2 | 2 | 5 | 6 | 9 | 17 | 31 |
| **GRAND TOTAL** | 1528 | 3.1 | 10 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 5 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 6 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 3 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 299 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 9 |
| 35-49 | 400 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 511 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 12 |
| 65+ | 375 | 5.3 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 15 | 4.1 | 13 | <1 | <1 | 3 | 7 | 10 | 11 | 11 |
| 50-64 | 36 | 4.3 | 15 | <1 | <1 | 3 | 6 | 11 | 12 | 15 |
| 65+ | 50 | 4.5 | 23 | <1 | 1 | 3 | 5 | 11 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 20-34 | 160 | 5.6 | 18 | 1 | 2 | 5 | 7 | 9 | 13 | 30 |
| 35-49 | 339 | 6.1 | 15 | 2 | 3 | 5 | 7 | 10 | 14 | 22 |
| 50-64 | 546 | 6.6 | 19 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| 65+ | 522 | 7.8 | 23 | 3 | 3 | 7 | 10 | 13 | 16 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 3.4 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | 1659 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 4.3 | 18 | <1 | <1 | 3 | 6 | 11 | 14 | 21 |
| B. *Operated* | 1592 | 6.7 | 20 | 2 | 3 | 6 | 8 | 11 | 15 | 25 |
| **1. SINGLE DX** | 1675 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1699 | 6.6 | 20 | 2 | 2 | 6 | 8 | 11 | 15 | 24 |
| **A. NOT OPERATED** | 123 | 4.2 | 16 | <1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **B. OPERATED** | 3251 | 5.5 | 14 | 1 | 2 | 5 | 7 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 99 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 467 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 20 |
| 35-49 | 759 | 5.1 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| 50-64 | 1099 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 950 | 6.6 | 18 | 2 | 3 | 6 | 8 | 11 | 14 | 24 |
| **GRAND TOTAL** | **3374** | **5.5** | **14** | **1** | **2** | **5** | **7** | **9** | **12** | **22** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 9 | 3.4 | 9 | 1 | 1 | 3 | 4 | 8 | 11 | 11 |
| 35-49 | 49 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 50-64 | 58 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 65+ | 58 | 3.4 | 14 | <1 | 1 | 3 | 4 | 6 | 7 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 7 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 26 | 6.1 | 7 | 2 | 2 | 6 | 8 | 9 | 10 | 12 |
| 35-49 | 39 | 6.8 | 11 | 2 | 4 | 6 | 8 | 11 | 14 | 18 |
| 50-64 | 53 | 7.8 | 9 | 3 | 4 | 7 | 9 | 12 | 13 | 15 |
| 65+ | 22 | 9.7 | 28 | 2 | 3 | 9 | 13 | 18 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.7 | 3 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 61 | 4.4 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| 35-49 | 219 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 403 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| 65+ | 764 | 5.4 | 22 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.3 | 56 | 7 | 7 | 13 | 23 | 85 | 99+ | 99+ |
| 20-34 | 71 | 7.6 | 22 | 2 | 3 | 7 | 9 | 12 | 14 | 32 |
| 35-49 | 205 | 9.0 | 45 | 3 | 4 | 8 | 10 | 13 | 15 | 44 |
| 50-64 | 301 | 8.7 | 26 | 2 | 3 | 8 | 10 | 15 | 19 | 28 |
| 65+ | 265 | 10.7 | 85 | 2 | 3 | 9 | 13 | 18 | 26 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 3.1 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 144 | 7.4 | 13 | 2 | 3 | 7 | 9 | 12 | 15 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1453 | 4.8 | 15 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| B. *Operated* | 848 | 9.3 | 50 | 2 | 3 | 8 | 11 | 16 | 20 | 41 |
| **1. SINGLE DX** | 321 | 5.0 | 14 | 1 | 1 | 4 | 7 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 2301 | 6.5 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| **A. NOT OPERATED** | 1630 | 4.6 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| **B. OPERATED** | 992 | 9.1 | 45 | 2 | 3 | 8 | 10 | 15 | 19 | 35 |
| TOTAL 0-19 YRS | 19 | 6.8 | 39 | 1 | 1 | 5 | 8 | 22 | 62 | 99+ |
| 20-34 | 167 | 6.0 | 16 | 1 | 2 | 6 | 8 | 10 | 12 | 18 |
| 35-49 | 512 | 6.1 | 29 | 1 | 2 | 5 | 8 | 10 | 13 | 22 |
| 50-64 | 815 | 6.0 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 1109 | 6.6 | 43 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| **GRAND TOTAL** | **2622** | **6.3** | **31** | **1** | **2** | **5** | **8** | **12** | **15** | **26** |

### 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 4 | 5.5 | 7 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 71 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 89 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 87 | 4.0 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 65+ | 109 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 10 | 3.7 | 8 | 1 | 1 | 3 | 4 | 8 | 10 | 10 |
| 50-64 | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| 65+ | 16 | 4.2 | 14 | 1 | 2 | 3 | 5 | 8 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.3 | 7 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 39 | 4.4 | 14 | 2 | 2 | 4 | 5 | 7 | 11 | 24 |
| 35-49 | 41 | 5.2 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| 50-64 | 72 | 4.8 | 9 | 2 | 2 | 4 | 5 | 9 | 11 | 17 |
| 65+ | 109 | 6.6 | 25 | 2 | 2 | 5 | 7 | 12 | 16 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.8 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| B. *Operated* | 373 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 270 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| **1. SINGLE DX** | 383 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 303 | 5.3 | 16 | 1 | 2 | 4 | 7 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 43 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| **B. OPERATED** | 643 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 27 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 20-34 | 115 | 3.6 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 16 |
| 35-49 | 144 | 4.1 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 11 |
| 50-64 | 163 | 4.3 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 65+ | 237 | 5.2 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| **GRAND TOTAL** | **686** | **4.4** | **11** | **1** | **2** | **4** | **5** | **8** | **10** | **17** |

### 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 9 | 2.7 | 3 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 11 | 4.2 | 8 | 1 | 1 | 4 | 5 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 5 |
| 20-34 | 80 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| 35-49 | 122 | 4.3 | 12 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 50-64 | 154 | 4.6 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 65+ | 201 | 6.5 | 17 | 2 | 2 | 6 | 9 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 8.9 | 139 | <1 | <1 | 4 | 11 | 30 | 34 | 34 |
| 35-49 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 13 | 3.6 | 4 | 1 | 1 | 3 | 6 | 6 | 7 | 7 |
| 65+ | 56 | 6.0 | 26 | 1 | 2 | 4 | 8 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.3 | 122 | 1 | 1 | 5 | 10 | 29 | 31 | 31 |
| 20-34 | 49 | 5.2 | 12 | 2 | 2 | 4 | 6 | 10 | 12 | 20 |
| 35-49 | 106 | 7.1 | 74 | 2 | 3 | 5 | 7 | 11 | 16 | 60 |
| 50-64 | 191 | 7.9 | 33 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 357 | 11.9 | 102 | 3 | 4 | 9 | 14 | 23 | 30 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.4 | 6 | <1 | <1 | 3 | 5 | 7 | 9 | 9 |
| B. *Operated* | 581 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 5.6 | 32 | 1 | 1 | 4 | 7 | 11 | 14 | 32 |
| B. *Operated* | 709 | 9.6 | 79 | 2 | 3 | 7 | 12 | 19 | 25 | 51 |
| **1. SINGLE DX** | 602 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | 790 | 9.2 | 75 | 2 | 3 | 7 | 11 | 18 | 25 | 49 |
| **A. NOT OPERATED** | 102 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 13 | 30 |
| **B. OPERATED** | 1290 | 7.5 | 55 | 2 | 2 | 5 | 9 | 14 | 21 | 40 |
| TOTAL 0-19 YRS | 31 | 3.3 | 30 | <1 | <1 | 2 | 3 | 6 | 10 | 31 |
| 20-34 | 136 | 4.2 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 233 | 5.5 | 42 | 1 | 2 | 4 | 6 | 9 | 12 | 39 |
| 50-64 | 367 | 6.2 | 24 | 2 | 2 | 5 | 8 | 12 | 14 | 25 |
| 65+ | 625 | 9.5 | 74 | 2 | 3 | 7 | 12 | 18 | 25 | 48 |
| **GRAND TOTAL** | **1392** | **7.3** | **53** | **1** | **2** | **5** | **9** | **14** | **20** | **38** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 2.5 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| 20-34 | 199 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 35-49 | 262 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 50-64 | 419 | 4.1 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 65+ | 447 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 121 | 6.2 | 12 | 2 | 3 | 6 | 7 | 9 | 11 | 20 |
| 20-34 | 158 | 9.7 | 33 | 4 | 5 | 8 | 11 | 17 | 23 | 30 |
| 35-49 | 182 | 9.5 | 25 | 4 | 5 | 8 | 11 | 15 | 18 | 32 |
| 50-64 | 216 | 10.8 | 23 | 5 | 6 | 10 | 13 | 17 | 19 | 33 |
| 65+ | 244 | 12.6 | 50 | 6 | 7 | 11 | 14 | 20 | 26 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 20-34 | 166 | 5.1 | 21 | 1 | 1 | 4 | 6 | 9 | 11 | 28 |
| 35-49 | 283 | 5.5 | 26 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 607 | 5.9 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 65+ | 1363 | 7.3 | 41 | 2 | 2 | 6 | 9 | 14 | 18 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 9.2 | 57 | 3 | 3 | 7 | 11 | 16 | 27 | 68 |
| 20-34 | 212 | 11.4 | 63 | 4 | 5 | 9 | 13 | 19 | 29 | 48 |
| 35-49 | 261 | 11.9 | 50 | 5 | 5 | 10 | 14 | 21 | 29 | 36 |
| 50-64 | 507 | 16.6 | 177 | 6 | 7 | 12 | 19 | 32 | 49 | 90 |
| 65+ | 1034 | 17.9 | 145 | 7 | 8 | 14 | 21 | 33 | 42 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1435 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 921 | 10.2 | 34 | 4 | 5 | 9 | 12 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2495 | 6.5 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| B. *Operated* | 2129 | 15.7 | 136 | 5 | 6 | 12 | 19 | 30 | 40 | 66 |
| **1. SINGLE DX** | 2356 | 6.5 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | 4624 | 10.8 | 102 | 2 | 3 | 8 | 13 | 22 | 31 | 56 |
| **A. NOT OPERATED** | 3930 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| **B. OPERATED** | 3050 | 14.1 | 112 | 5 | 6 | 11 | 16 | 26 | 36 | 59 |
| TOTAL 0-19 YRS | 420 | 5.7 | 29 | 1 | 1 | 5 | 7 | 11 | 14 | 35 |
| 20-34 | 735 | 7.5 | 42 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| 35-49 | 988 | 7.6 | 38 | 1 | 2 | 6 | 10 | 14 | 19 | 32 |
| 50-64 | 1749 | 9.2 | 91 | 2 | 2 | 7 | 11 | 18 | 26 | 58 |
| 65+ | 3088 | 10.9 | 100 | 2 | 3 | 8 | 14 | 22 | 30 | 54 |
| **GRAND TOTAL** | **6980** | **9.3** | **81** | **1** | **2** | **7** | **11** | **19** | **26** | **49** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2495 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1348 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 573 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 444 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 65+ | 479 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 4.6 | 28 | 1 | 2 | 3 | 4 | 7 | 13 | 35 |
| 20-34 | 102 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 40 | 5.4 | 16 | <1 | 1 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 39 | 5.2 | 13 | <1 | <1 | 4 | 7 | 11 | 13 | 14 |
| 65+ | 21 | 7.7 | 9 | 3 | 4 | 8 | 9 | 11 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3492 | 3.7 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 20 |
| 20-34 | 1479 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 35-49 | 957 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 50-64 | 1305 | 4.4 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 65+ | 2766 | 5.6 | 24 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 11.0 | 194 | 2 | 2 | 5 | 9 | 36 | 40 | 65 |
| 20-34 | 131 | 6.7 | 65 | 1 | 2 | 4 | 8 | 10 | 17 | 46 |
| 35-49 | 101 | 8.8 | 73 | 2 | 3 | 7 | 9 | 14 | 26 | 46 |
| 50-64 | 145 | 10.6 | 110 | 2 | 3 | 7 | 13 | 22 | 31 | 56 |
| 65+ | 281 | 13.4 | 158 | 3 | 4 | 9 | 16 | 28 | 45 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5339 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 264 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9999 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | 759 | 10.8 | 132 | 2 | 3 | 7 | 12 | 24 | 38 | 60 |
| **1. SINGLE DX** | 5603 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 10758 | 4.7 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 29 |
| **A. NOT OPERATED** | 15338 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 1023 | 9.3 | 108 | 2 | 2 | 6 | 10 | 19 | 32 | 56 |
| TOTAL 0-19 YRS | 6150 | 3.4 | 15 | 1 | 1 | 3 | 4 | 6 | 7 | 20 |
| 20-34 | 3060 | 3.0 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 35-49 | 1671 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 1933 | 4.5 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 65+ | 3547 | 6.0 | 38 | 1 | 2 | 4 | 7 | 11 | 16 | 34 |
| **GRAND TOTAL** | **16361** | **4.1** | **20** | **1** | **1** | **3** | **5** | **7** | **10** | **23** |

### 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 43 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| 35-49 | 217 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 421 | 4.5 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 65+ | 556 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 39 | 7.7 | 16 | 3 | 4 | 7 | 8 | 12 | 17 | 23 |
| 35-49 | 89 | 9.5 | 12 | 5 | 6 | 9 | 11 | 13 | 15 | 23 |
| 50-64 | 206 | 11.0 | 29 | 5 | 6 | 10 | 13 | 17 | 20 | 34 |
| 65+ | 142 | 11.6 | 24 | 4 | 6 | 11 | 14 | 17 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 19 | 4.9 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 12 |
| 35-49 | 225 | 5.1 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 50-64 | 750 | 5.4 | 17 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 2402 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.6 | 14 | 6 | 6 | 10 | 13 | 16 | 16 | 16 |
| 20-34 | 44 | 11.8 | 72 | 5 | 5 | 10 | 14 | 17 | 21 | 59 |
| 35-49 | 183 | 11.8 | 46 | 5 | 7 | 10 | 13 | 18 | 22 | 45 |
| 50-64 | 581 | 13.4 | 71 | 4 | 7 | 11 | 16 | 22 | 29 | 57 |
| 65+ | 795 | 15.3 | 100 | 4 | 6 | 13 | 19 | 27 | 34 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1239 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| B. *Operated* | 479 | 10.6 | 24 | 4 | 6 | 10 | 12 | 16 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3399 | 6.0 | 18 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| B. *Operated* | 1608 | 14.1 | 84 | 4 | 6 | 12 | 17 | 25 | 31 | 58 |
| **1. SINGLE DX** | 1718 | 6.3 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 5007 | 8.6 | 53 | 2 | 3 | 7 | 11 | 17 | 21 | 39 |
| **A. NOT OPERATED** | 4638 | 5.6 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 20 |
| **B. OPERATED** | 2087 | 13.3 | 73 | 4 | 6 | 11 | 16 | 22 | 29 | 52 |
| TOTAL 0-19 YRS | 13 | 6.6 | 18 | <1 | 2 | 6 | 9 | 13 | 15 | 16 |
| 20-34 | 145 | 7.5 | 38 | 2 | 2 | 7 | 9 | 13 | 17 | 25 |
| 35-49 | 714 | 7.2 | 28 | 2 | 2 | 6 | 10 | 13 | 16 | 26 |
| 50-64 | 1958 | 8.2 | 47 | 2 | 2 | 7 | 10 | 15 | 19 | 36 |
| 65+ | 3895 | 8.1 | 49 | 2 | 2 | 6 | 10 | 16 | 21 | 35 |
| **GRAND TOTAL** | **6725** | **8.0** | **46** | **2** | **2** | **6** | **10** | **15** | **20** | **34** |

### 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 31 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 23 | 3.3 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 19 | 3.9 | 22 | <1 | <1 | 3 | 4 | 7 | 15 | 22 |
| 65+ | 5 | 6.8 | 17 | 3 | 3 | 7 | 9 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.8 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 10 |
| 20-34 | 791 | 2.9 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 35-49 | 661 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 391 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 15 |
| 65+ | 129 | 4.0 | 18 | 1 | 1 | 3 | 4 | 7 | 9 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 24 | 4.6 | 18 | 1 | 2 | 3 | 6 | 7 | 12 | 22 |
| 35-49 | 38 | 4.1 | 7 | <1 | 1 | 3 | 6 | 8 | 10 | 11 |
| 50-64 | 35 | 5.1 | 32 | 1 | 1 | 4 | 6 | 9 | 15 | 31 |
| 65+ | 46 | 6.2 | 35 | 1 | 1 | 4 | 8 | 11 | 20 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.7 | 16 | 1 | 1 | 3 | 5 | 7 | 7 | 28 |
| 20-34 | 579 | 3.9 | 20 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 619 | 4.1 | 21 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 547 | 4.6 | 25 | 1 | 2 | 4 | 5 | 8 | 10 | 26 |
| 65+ | 293 | 6.5 | 37 | 2 | 2 | 4 | 8 | 14 | 20 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 3.4 | 10 | <1 | 1 | 3 | 4 | 6 | 9 | 19 |
| B. *Operated* | 2081 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 154 | 4.9 | 23 | 1 | 1 | 4 | 6 | 9 | 11 | 28 |
| B. *Operated* | 2090 | 4.5 | 24 | 1 | 2 | 3 | 5 | 8 | 10 | 23 |
| **1. SINGLE DX** | 2162 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 2244 | 4.5 | 24 | 1 | 2 | 3 | 5 | 8 | 11 | 23 |
| **A. NOT OPERATED** | 235 | 4.4 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **B. OPERATED** | 4171 | 3.8 | 15 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| TOTAL 0-19 YRS | 175 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 1425 | 3.3 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 1341 | 3.6 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 992 | 4.1 | 18 | 1 | 2 | 3 | 4 | 7 | 9 | 22 |
| 65+ | 473 | 5.8 | 32 | 1 | 2 | 4 | 7 | 12 | 19 | 31 |
| **GRAND TOTAL** | **4406** | **3.8** | **15** | **1** | **1** | **3** | **4** | **6** | **9** | **20** |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 3.3 | 20 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 634 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 436 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 50-64 | 352 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 65+ | 421 | 3.6 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 5.6 | 35 | <1 | 1 | 4 | 8 | 12 | 14 | 33 |
| 20-34 | 383 | 6.9 | 51 | 1 | 1 | 5 | 9 | 12 | 17 | 35 |
| 35-49 | 272 | 7.4 | 70 | 1 | 2 | 6 | 9 | 14 | 19 | 48 |
| 50-64 | 277 | 6.9 | 34 | 1 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 254 | 7.9 | 52 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 234 | 4.0 | 25 | 1 | 1 | 3 | 4 | 7 | 9 | 29 |
| 20-34 | 788 | 5.3 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 27 |
| 35-49 | 771 | 5.2 | 20 | 1 | 2 | 4 | 7 | 9 | 13 | 22 |
| 50-64 | 999 | 5.3 | 21 | 1 | 2 | 4 | 7 | 9 | 13 | 23 |
| 65+ | 2346 | 6.1 | 31 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 9.0 | 70 | 1 | 2 | 6 | 12 | 21 | 26 | 42 |
| 20-34 | 739 | 9.7 | 97 | 1 | 2 | 7 | 11 | 21 | 33 | 57 |
| 35-49 | 665 | 10.4 | 120 | 2 | 3 | 7 | 12 | 20 | 30 | 65 |
| 50-64 | 794 | 11.1 | 104 | 2 | 3 | 8 | 14 | 23 | 32 | 59 |
| 65+ | 1144 | 13.6 | 155 | 2 | 3 | 10 | 17 | 28 | 39 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2090 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | 1294 | 7.1 | 50 | 1 | 1 | 5 | 9 | 13 | 19 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5138 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | 3504 | 11.4 | 123 | 2 | 3 | 8 | 14 | 24 | 34 | 63 |
| **1. SINGLE DX** | 3384 | 5.2 | 31 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| **2. MULTIPLE DX** | 8642 | 7.9 | 73 | 1 | 2 | 5 | 9 | 16 | 24 | 49 |
| **A. NOT OPERATED** | 7228 | 5.2 | 24 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| **B. OPERATED** | 4798 | 10.2 | 107 | 1 | 2 | 7 | 12 | 21 | 30 | 58 |
| TOTAL 0-19 YRS | 751 | 5.1 | 39 | 1 | 1 | 3 | 6 | 11 | 15 | 31 |
| 20-34 | 2544 | 6.6 | 50 | 1 | 2 | 5 | 8 | 13 | 18 | 39 |
| 35-49 | 2144 | 6.9 | 62 | 1 | 2 | 5 | 8 | 13 | 19 | 42 |
| 50-64 | 2422 | 7.2 | 58 | 1 | 2 | 5 | 9 | 15 | 21 | 39 |
| 65+ | 4165 | 8.0 | 77 | 1 | 2 | 5 | 10 | 17 | 24 | 50 |
| **GRAND TOTAL** | **12026** | **7.2** | **63** | **1** | **2** | **5** | **9** | **15** | **21** | **42** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 20-34 | 26 | 5.0 | 12 | 2 | 2 | 4 | 6 | 10 | 14 | 15 |
| 35-49 | 50 | 5.9 | 27 | 2 | 2 | 4 | 7 | 13 | 18 | 24 |
| 50-64 | 51 | 8.5 | 58 | 2 | 2 | 5 | 11 | 22 | 26 | 30 |
| 65+ | 16 | 7.4 | 32 | 2 | 2 | 6 | 9 | 17 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 4.6 | 23 | 1 | 1 | 2 | 8 | 12 | 12 | 12 |
| 35-49 | 14 | 5.1 | 20 | 1 | 1 | 4 | 9 | 11 | 14 | 15 |
| 50-64 | 32 | 5.6 | 45 | 1 | 1 | 3 | 8 | 14 | 20 | 29 |
| 65+ | 12 | 5.1 | 25 | <1 | <1 | 3 | 8 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 23.0 | 181 | 3 | 5 | 23 | 28 | 35 | 51 | 55 |
| 20-34 | 178 | 12.6 | 96 | 2 | 3 | 9 | 23 | 28 | 30 | 34 |
| 35-49 | 487 | 11.8 | 98 | 2 | 3 | 8 | 18 | 26 | 29 | 43 |
| 50-64 | 740 | 11.0 | 74 | 2 | 3 | 8 | 15 | 23 | 28 | 42 |
| 65+ | 357 | 11.9 | 98 | 3 | 4 | 9 | 16 | 21 | 28 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 41 | 15.5 | 148 | 2 | 2 | 13 | 27 | 33 | 38 | 41 |
| 35-49 | 125 | 13.5 | 172 | 1 | 2 | 10 | 20 | 30 | 41 | 99+ |
| 50-64 | 181 | 15.2 | 174 | 1 | 2 | 12 | 19 | 33 | 37 | 69 |
| 65+ | 80 | 16.4 | 184 | 2 | 3 | 13 | 22 | 31 | 43 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 7.0 | 42 | 2 | 2 | 5 | 9 | 16 | 23 | 30 |
| B. *Operated* | 63 | 5.3 | 33 | 1 | 1 | 3 | 8 | 12 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1775 | 11.6 | 90 | 2 | 3 | 8 | 17 | 25 | 29 | 42 |
| B. *Operated* | 428 | 14.9 | 172 | 1 | 2 | 12 | 21 | 32 | 40 | 88 |
| **1. SINGLE DX** | 207 | 6.5 | 39 | 1 | 1 | 4 | 9 | 15 | 21 | 30 |
| **2. MULTIPLE DX** | 2203 | 12.3 | 107 | 2 | 3 | 9 | 18 | 26 | 31 | 48 |
| **A. NOT OPERATED** | 1919 | 11.3 | 88 | 2 | 3 | 8 | 16 | 25 | 28 | 41 |
| **B. OPERATED** | 491 | 13.7 | 165 | 1 | 2 | 10 | 19 | 30 | 37 | 83 |
| TOTAL 0-19 YRS | 15 | 22.5 | 182 | 3 | 5 | 23 | 29 | 32 | 49 | 55 |
| 20-34 | 250 | 12.1 | 102 | 2 | 2 | 8 | 21 | 28 | 31 | 36 |
| 35-49 | 676 | 11.5 | 108 | 2 | 2 | 8 | 17 | 26 | 30 | 52 |
| 50-64 | 1004 | 11.4 | 95 | 2 | 3 | 8 | 16 | 24 | 30 | 45 |
| 65+ | 465 | 12.4 | 114 | 3 | 3 | 9 | 17 | 24 | 30 | 50 |
| **GRAND TOTAL** | **2410** | **11.8** | **104** | **2** | **3** | **8** | **17** | **26** | **30** | **47** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 14 | 3.6 | 8 | <1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 35-49 | 16 | 6.3 | 33 | 1 | 1 | 5 | 9 | 14 | 19 | 21 |
| 50-64 | 25 | 4.2 | 8 | 1 | 2 | 3 | 5 | 6 | 12 | 13 |
| 65+ | 16 | 5.8 | 42 | 1 | 1 | 3 | 6 | 15 | 22 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.6 | 9 | <1 | <1 | 1 | 3 | 6 | 10 | 12 |
| 20-34 | 106 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 91 | 2.8 | 18 | 1 | 1 | 1 | 2 | 5 | 9 | 22 |
| 50-64 | 88 | 3.8 | 96 | <1 | 1 | 2 | 3 | 8 | 10 | 63 |
| 65+ | 40 | 4.1 | 34 | <1 | 1 | 1 | 4 | 13 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 36 | 5.4 | 17 | 1 | 2 | 4 | 7 | 9 | 10 | 24 |
| 35-49 | 106 | 6.8 | 26 | 2 | 2 | 6 | 9 | 12 | 15 | 30 |
| 50-64 | 226 | 8.3 | 44 | 2 | 2 | 7 | 11 | 18 | 21 | 35 |
| 65+ | 225 | 9.8 | 43 | 2 | 3 | 8 | 13 | 20 | 23 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.9 | 19 | 2 | 2 | 5 | 10 | 12 | 14 | 14 |
| 20-34 | 78 | 6.4 | 130 | <1 | 1 | 3 | 8 | 15 | 20 | 73 |
| 35-49 | 117 | 6.7 | 66 | <1 | 1 | 3 | 9 | 16 | 20 | 45 |
| 50-64 | 200 | 7.4 | 84 | 1 | 1 | 4 | 10 | 17 | 25 | 51 |
| 65+ | 156 | 10.5 | 109 | 1 | 1 | 8 | 14 | 19 | 32 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 4.8 | 21 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| B. *Operated* | 340 | 2.8 | 35 | <1 | 1 | 1 | 2 | 6 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 604 | 8.3 | 41 | 2 | 2 | 7 | 10 | 16 | 21 | 32 |
| B. *Operated* | 562 | 7.9 | 95 | 1 | 1 | 4 | 11 | 18 | 24 | 50 |
| **1. SINGLE DX** | 414 | 3.2 | 33 | <1 | 1 | 2 | 3 | 7 | 11 | 22 |
| **2. MULTIPLE DX** | 1166 | 8.1 | 67 | 1 | 1 | 6 | 11 | 17 | 22 | 41 |
| **A. NOT OPERATED** | 678 | 7.9 | 40 | 1 | 2 | 6 | 10 | 16 | 21 | 32 |
| **B. OPERATED** | 902 | 6.0 | 78 | <1 | 1 | 2 | 8 | 15 | 20 | 45 |
| TOTAL 0-19 YRS | 40 | 3.5 | 12 | <1 | 1 | 2 | 4 | 9 | 11 | 14 |
| 20-34 | 234 | 3.9 | 52 | <1 | 1 | 2 | 4 | 9 | 13 | 24 |
| 35-49 | 330 | 5.7 | 41 | 1 | 1 | 4 | 7 | 13 | 17 | 36 |
| 50-64 | 539 | 7.0 | 68 | 1 | 1 | 4 | 9 | 16 | 22 | 38 |
| 65+ | 437 | 9.4 | 69 | 1 | 1 | 7 | 13 | 19 | 24 | 36 |
| **GRAND TOTAL** | **1580** | **6.8** | **63** | **1** | **1** | **4** | **9** | **16** | **20** | **35** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 11 | 14 |
| 20-34 | 105 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 46 | 5.7 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 26 |
| 50-64 | 44 | 5.3 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 13 |
| 65+ | 33 | 7.4 | 16 | 3 | 3 | 6 | 8 | 14 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 27 | 1 | 1 | 2 | 2 | 13 | 14 | 14 |
| 20-34 | 32 | 6.2 | 107 | 1 | 1 | 2 | 7 | 14 | 19 | 56 |
| 35-49 | 29 | 5.3 | 36 | <1 | <1 | 2 | 7 | 17 | 19 | 20 |
| 50-64 | 27 | 5.0 | 35 | 1 | 1 | 2 | 6 | 15 | 20 | 21 |
| 65+ | 24 | 7.1 | 53 | 1 | 1 | 4 | 11 | 17 | 23 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.7 | 25 | 1 | 1 | 3 | 6 | 7 | 20 | 22 |
| 20-34 | 118 | 6.2 | 42 | 2 | 2 | 5 | 7 | 11 | 17 | 38 |
| 35-49 | 153 | 8.4 | 72 | 1 | 2 | 6 | 10 | 16 | 19 | 59 |
| 50-64 | 292 | 8.7 | 49 | 2 | 3 | 7 | 11 | 18 | 24 | 39 |
| 65+ | 262 | 9.7 | 69 | 2 | 3 | 7 | 12 | 19 | 26 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 11.2 | 109 | 2 | 2 | 8 | 17 | 28 | 34 | 34 |
| 20-34 | 46 | 10.7 | 60 | 1 | 2 | 10 | 15 | 20 | 25 | 35 |
| 35-49 | 60 | 10.7 | 107 | 1 | 1 | 8 | 16 | 23 | 27 | 50 |
| 50-64 | 113 | 12.7 | 115 | 1 | 1 | 11 | 19 | 28 | 35 | 45 |
| 65+ | 106 | 13.8 | 139 | 1 | 2 | 12 | 19 | 30 | 35 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 5.1 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| B. *Operated* | 118 | 5.7 | 57 | 1 | 1 | 2 | 7 | 14 | 20 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 853 | 8.5 | 59 | 2 | 2 | 6 | 10 | 17 | 23 | 39 |
| B. *Operated* | 334 | 12.4 | 114 | 1 | 1 | 10 | 18 | 26 | 34 | 48 |
| **1. SINGLE DX** | 376 | 5.3 | 26 | 1 | 1 | 4 | 7 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 1187 | 9.6 | 77 | 1 | 2 | 7 | 12 | 21 | 27 | 43 |
| **A. NOT OPERATED** | 1111 | 7.7 | 50 | 2 | 2 | 6 | 9 | 15 | 21 | 37 |
| **B. OPERATED** | 452 | 10.7 | 108 | 1 | 1 | 8 | 15 | 23 | 31 | 47 |
| TOTAL 0-19 YRS | 73 | 5.1 | 32 | 1 | 1 | 3 | 5 | 12 | 19 | 31 |
| 20-34 | 301 | 6.3 | 43 | 1 | 1 | 4 | 7 | 13 | 18 | 34 |
| 35-49 | 288 | 8.1 | 70 | 1 | 1 | 6 | 10 | 18 | 22 | 49 |
| 50-64 | 476 | 9.1 | 65 | 1 | 2 | 7 | 12 | 21 | 27 | 40 |
| 65+ | 425 | 10.4 | 86 | 2 | 2 | 8 | 13 | 21 | 29 | 43 |
| **GRAND TOTAL** | **1563** | **8.6** | **68** | **1** | **2** | **6** | **11** | **19** | **24** | **40** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 2.7 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 191 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 185 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 184 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 170 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 181 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |
| 20-34 | 2145 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 1927 | 6.4 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | 1823 | 7.0 | 6 | 4 | 5 | 6 | 8 | 9 | 11 | 16 |
| 65+ | 1044 | 8.3 | 12 | 5 | 5 | 8 | 9 | 12 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.6 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 153 | 3.4 | 20 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 196 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 361 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 837 | 6.1 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 7.9 | 20 | 4 | 5 | 7 | 9 | 13 | 15 | 30 |
| 20-34 | 1468 | 7.5 | 14 | 4 | 5 | 7 | 8 | 11 | 13 | 20 |
| 35-49 | 1808 | 8.0 | 18 | 4 | 5 | 7 | 9 | 12 | 14 | 23 |
| 50-64 | 2682 | 8.9 | 26 | 5 | 5 | 8 | 10 | 14 | 17 | 28 |
| 65+ | 2852 | 12.3 | 60 | 5 | 6 | 10 | 14 | 21 | 27 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 7120 | 6.7 | 6 | 4 | 5 | 6 | 8 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1572 | 5.1 | 19 | 1 | 1 | 4 | 6 | 16 | 13 | 20 |
| B. *Operated* | 8909 | 9.6 | 37 | 5 | 5 | 8 | 11 | 16 | 20 | 34 |
| **1. SINGLE DX** | 7881 | 6.4 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 10481 | 8.9 | 37 | 3 | 4 | 7 | 10 | 15 | 19 | 33 |
| **A. NOT OPERATED** | 2333 | 4.4 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 16029 | 8.3 | 25 | 4 | 5 | 7 | 9 | 13 | 17 | 29 |
| TOTAL 0-19 YRS | 336 | 6.1 | 11 | 2 | 3 | 6 | 7 | 9 | 11 | 18 |
| 20-34 | 3957 | 6.3 | 10 | 2 | 4 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 4116 | 6.8 | 12 | 3 | 4 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 5050 | 7.7 | 19 | 3 | 4 | 7 | 9 | 12 | 15 | 24 |
| 65+ | 4903 | 10.1 | 49 | 3 | 4 | 8 | 12 | 17 | 22 | 38 |
| **GRAND TOTAL** | **18362** | **7.8** | **26** | **3** | **4** | **7** | **9** | **13** | **16** | **28** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 7 |
| 20-34 | 141 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 121 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 123 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 65+ | 108 | 4.1 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.0 | 4 | 1 | 3 | 7 | 7 | 7 | 8 | 9 |
| 20-34 | 219 | 7.0 | 11 | 4 | 4 | 6 | 8 | 11 | 13 | 17 |
| 35-49 | 197 | 7.1 | 12 | 4 | 5 | 6 | 8 | 11 | 12 | 20 |
| 50-64 | 176 | 7.7 | 11 | 4 | 5 | 7 | 9 | 11 | 13 | 20 |
| 65+ | 123 | 9.6 | 20 | 4 | 5 | 8 | 12 | 15 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 136 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 135 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 50-64 | 194 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| 65+ | 386 | 6.6 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.4 | 14 | 3 | 4 | 6 | 8 | 12 | 16 | 17 |
| 20-34 | 287 | 8.1 | 17 | 4 | 5 | 7 | 9 | 13 | 15 | 26 |
| 35-49 | 367 | 8.4 | 13 | 4 | 5 | 7 | 10 | 13 | 16 | 20 |
| 50-64 | 389 | 10.2 | 44 | 5 | 5 | 8 | 11 | 17 | 21 | 37 |
| 65+ | 451 | 13.6 | 74 | 6 | 7 | 11 | 16 | 22 | 30 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 512 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 740 | 7.6 | 13 | 4 | 5 | 7 | 9 | 12 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 863 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 1508 | 10.4 | 45 | 5 | 5 | 8 | 12 | 17 | 22 | 39 |
| **1. SINGLE DX** | 1252 | 5.8 | 14 | 1 | 2 | 6 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 2371 | 8.5 | 41 | 2 | 3 | 7 | 11 | 15 | 20 | 33 |
| **A. NOT OPERATED** | 1375 | 4.5 | 14 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| **B. OPERATED** | 2248 | 9.5 | 36 | 4 | 5 | 8 | 11 | 15 | 20 | 35 |
| TOTAL 0-19 YRS | 70 | 4.8 | 9 | 1 | 1 | 5 | 7 | 8 | 9 | 16 |
| 20-34 | 783 | 6.0 | 16 | 1 | 2 | 6 | 7 | 10 | 13 | 19 |
| 35-49 | 820 | 6.6 | 15 | 1 | 2 | 6 | 8 | 12 | 14 | 19 |
| 50-64 | 882 | 7.6 | 32 | 2 | 2 | 7 | 9 | 13 | 17 | 30 |
| 65+ | 1068 | 9.7 | 56 | 2 | 3 | 8 | 12 | 18 | 23 | 40 |
| **GRAND TOTAL** | **3623** | **7.6** | **33** | **2** | **2** | **6** | **9** | **14** | **17** | **30** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 18 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 35 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 28 | 4.0 | 10 | 1 | 1 | 2 | 6 | 9 | 10 | 12 |
| 65+ | 35 | 3.8 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 7.7 | 9 | 5 | 5 | 6 | 10 | 12 | 12 | 12 |
| 20-34 | 111 | 8.1 | 11 | 4 | 5 | 7 | 10 | 12 | 14 | 20 |
| 35-49 | 108 | 7.5 | 16 | 2 | 4 | 7 | 8 | 12 | 15 | 23 |
| 50-64 | 97 | 9.0 | 19 | 3 | 5 | 8 | 11 | 16 | 17 | 21 |
| 65+ | 120 | 10.9 | 33 | 2 | 4 | 10 | 13 | 18 | 22 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 15 | 4.7 | 14 | <1 | <1 | 3 | 7 | 9 | 13 | 14 |
| 35-49 | 32 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 50-64 | 51 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| 65+ | 104 | 6.6 | 27 | 1 | 2 | 6 | 8 | 12 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.8 | 8 | 6 | 6 | 7 | 9 | 12 | 12 | 12 |
| 20-34 | 85 | 9.0 | 27 | 4 | 5 | 8 | 10 | 16 | 18 | 33 |
| 35-49 | 125 | 10.8 | 85 | 5 | 6 | 8 | 11 | 18 | 23 | 56 |
| 50-64 | 169 | 11.5 | 66 | 4 | 5 | 9 | 14 | 19 | 28 | 44 |
| 65+ | 396 | 15.4 | 77 | 6 | 7 | 13 | 19 | 27 | 34 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| B. *Operated* | 443 | 8.9 | 21 | 3 | 5 | 8 | 11 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 208 | 5.3 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 22 |
| B. *Operated* | 779 | 13.1 | 76 | 4 | 6 | 11 | 16 | 23 | 29 | 46 |
| **1. SINGLE DX** | 561 | 7.8 | 23 | 1 | 2 | 7 | 10 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | 987 | 11.4 | 74 | 2 | 3 | 9 | 14 | 21 | 27 | 43 |
| **A. NOT OPERATED** | 326 | 4.7 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| **B. OPERATED** | 1222 | 11.6 | 60 | 4 | 5 | 9 | 14 | 20 | 26 | 40 |
| TOTAL 0-19 YRS | 19 | 6.1 | 11 | 1 | 2 | 6 | 8 | 11 | 12 | 12 |
| 20-34 | 229 | 7.8 | 20 | 1 | 3 | 7 | 9 | 13 | 16 | 23 |
| 35-49 | 300 | 8.0 | 50 | 1 | 2 | 7 | 9 | 14 | 18 | 37 |
| 50-64 | 345 | 9.1 | 48 | 2 | 2 | 8 | 11 | 16 | 20 | 38 |
| 65+ | 655 | 12.5 | 72 | 2 | 4 | 11 | 16 | 22 | 29 | 39 |
| **GRAND TOTAL** | **1548** | **10.1** | **59** | **2** | **3** | **8** | **13** | **19** | **24** | **39** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 39 | <1 | <1 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 8 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 9 |
| 35-49 | 26 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 50-64 | 28 | 4.6 | 11 | 1 | 2 | 3 | 5 | 10 | 12 | 14 |
| 65+ | 46 | 5.2 | 10 | 1 | 1 | 5 | 7 | 10 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 15 | 7.0 | 16 | 1 | 1 | 8 | 10 | 11 | 13 | 13 |
| 35-49 | 12 | 8.5 | 24 | 1 | 2 | 8 | 13 | 15 | 16 | 16 |
| 50-64 | 22 | 9.6 | 68 | 1 | 2 | 8 | 11 | 16 | 29 | 40 |
| 65+ | 22 | 12.3 | 89 | 1 | 4 | 9 | 19 | 25 | 31 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.4 | 32 | 1 | 1 | 12 | 14 | 15 | 15 | 15 |
| 20-34 | 32 | 5.3 | 19 | 1 | 1 | 4 | 7 | 11 | 12 | 20 |
| 35-49 | 33 | 6.0 | 16 | 2 | 2 | 5 | 7 | 14 | 15 | 16 |
| 50-64 | 79 | 6.7 | 29 | 1 | 2 | 6 | 9 | 11 | 16 | 32 |
| 65+ | 187 | 7.3 | 29 | 2 | 3 | 6 | 9 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.9 | 24 | 5 | 5 | 12 | 15 | 18 | 19 | 19 |
| 20-34 | 29 | 12.2 | 131 | 2 | 3 | 10 | 13 | 23 | 28 | 63 |
| 35-49 | 42 | 14.3 | 248 | 2 | 2 | 11 | 15 | 31 | 63 | 99+ |
| 50-64 | 95 | 12.6 | 92 | 2 | 2 | 10 | 16 | 26 | 31 | 48 |
| 65+ | 182 | 17.5 | 124 | 3 | 6 | 16 | 22 | 31 | 36 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 111 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 12 | 14 |
| B. *Operated* | 72 | 9.8 | 58 | 1 | 1 | 8 | 12 | 20 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 338 | 6.9 | 27 | 2 | 2 | 6 | 9 | 12 | 16 | 29 |
| B. *Operated* | 355 | 15.3 | 133 | 2 | 3 | 13 | 20 | 29 | 36 | 63 |
| **1. SINGLE DX** | 183 | 6.6 | 35 | 1 | 1 | 5 | 9 | 13 | 17 | 34 |
| **2. MULTIPLE DX** | 693 | 11.2 | 99 | 2 | 2 | 9 | 15 | 23 | 30 | 54 |
| **A. NOT OPERATED** | 449 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 427 | 14.4 | 124 | 2 | 3 | 12 | 19 | 27 | 35 | 63 |
| TOTAL 0-19 YRS | 18 | 10.6 | 30 | <1 | 1 | 12 | 15 | 17 | 19 | 19 |
| 20-34 | 84 | 7.9 | 65 | 1 | 1 | 7 | 10 | 13 | 21 | 50 |
| 35-49 | 113 | 8.6 | 120 | 1 | 2 | 6 | 12 | 16 | 28 | 97 |
| 50-64 | 224 | 9.2 | 66 | 1 | 2 | 8 | 12 | 19 | 26 | 38 |
| 65+ | 437 | 11.6 | 96 | 2 | 3 | 9 | 16 | 24 | 31 | 49 |
| **GRAND TOTAL** | **876** | **10.2** | **89** | **1** | **2** | **8** | **13** | **21** | **28** | **47** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 5.5 | 13 | 1 | 1 | 5 | 7 | 11 | 13 | 17 |
| 20-34 | 400 | 5.1 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 388 | 5.7 | 15 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 50-64 | 298 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 17 |
| 65+ | 167 | 5.8 | 9 | 2 | 3 | 5 | 8 | 10 | 12 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 13.5 | 102 | 1 | 1 | 14 | 21 | 25 | 25 | 25 |
| 20-34 | 31 | 12.5 | 168 | 2 | 3 | 8 | 14 | 31 | 47 | 53 |
| 35-49 | 46 | 12.0 | 280 | 1 | 1 | 7 | 12 | 27 | 39 | 89 |
| 50-64 | 42 | 12.7 | 151 | 1 | 2 | 10 | 16 | 28 | 33 | 68 |
| 65+ | 18 | 10.9 | 59 | 1 | 2 | 9 | 14 | 24 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 6.7 | 48 | 2 | 2 | 4 | 8 | 15 | 18 | 41 |
| 20-34 | 604 | 6.4 | 18 | 2 | 2 | 6 | 8 | 12 | 14 | 23 |
| 35-49 | 964 | 6.9 | 22 | 2 | 3 | 6 | 9 | 12 | 16 | 24 |
| 50-64 | 756 | 7.3 | 33 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| 65+ | 659 | 8.0 | 36 | 2 | 3 | 6 | 10 | 14 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 22.8 | 489 | 5 | 9 | 15 | 30 | 43 | 77 | 92 |
| 20-34 | 92 | 18.5 | 201 | 2 | 5 | 15 | 23 | 42 | 52 | 58 |
| 35-49 | 163 | 18.4 | 261 | 2 | 3 | 14 | 25 | 40 | 58 | 89 |
| 50-64 | 215 | 16.9 | 204 | 3 | 6 | 13 | 20 | 32 | 47 | 83 |
| 65+ | 164 | 19.0 | 246 | 3 | 6 | 14 | 22 | 40 | 56 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1317 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 141 | 12.2 | 180 | 1 | 2 | 9 | 14 | 26 | 33 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3032 | 7.1 | 27 | 2 | 3 | 6 | 9 | 13 | 16 | 26 |
| B. *Operated* | 650 | 18.2 | 235 | 2 | 5 | 14 | 22 | 39 | 52 | 90 |
| **1. SINGLE DX** | 1458 | 6.1 | 33 | 1 | 2 | 5 | 7 | 11 | 14 | 29 |
| **2. MULTIPLE DX** | 3682 | 9.1 | 82 | 2 | 3 | 7 | 11 | 17 | 24 | 52 |
| **A. NOT OPERATED** | 4349 | 6.6 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 791 | 17.1 | 230 | 2 | 4 | 13 | 21 | 37 | 51 | 89 |
| TOTAL 0-19 YRS | 133 | 8.3 | 113 | 1 | 2 | 5 | 9 | 17 | 23 | 51 |
| 20-34 | 1127 | 7.1 | 49 | 2 | 2 | 5 | 8 | 13 | 18 | 43 |
| 35-49 | 1561 | 7.9 | 66 | 2 | 2 | 6 | 9 | 15 | 21 | 43 |
| 50-64 | 1311 | 8.7 | 75 | 2 | 2 | 6 | 10 | 16 | 22 | 51 |
| 65+ | 1008 | 9.5 | 84 | 2 | 3 | 7 | 11 | 18 | 25 | 55 |
| **GRAND TOTAL** | **5140** | **8.2** | **70** | **2** | **2** | **6** | **10** | **15** | **22** | **48** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.6 | 13 | 1 | 1 | 2 | 3 | 4 | 5 | 26 |
| 20-34 | 125 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 130 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 50-64 | 190 | 4.2 | 14 | 1 | 1 | 4 | 5 | 7 | 9 | 18 |
| 65+ | 312 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 9 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 12 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 17 | 5.5 | 20 | <1 | 1 | 5 | 7 | 13 | 16 | 17 |
| 50-64 | 29 | 7.1 | 33 | 1 | 1 | 5 | 10 | 15 | 22 | 23 |
| 65+ | 34 | 7.3 | 47 | 1 | 3 | 5 | 7 | 14 | 26 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 321 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 510 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 50-64 | 918 | 5.5 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 2439 | 6.7 | 29 | 2 | 2 | 5 | 8 | 13 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 11.6 | 70 | 1 | 3 | 9 | 18 | 24 | 25 | 25 |
| 20-34 | 46 | 7.5 | 36 | 1 | 2 | 6 | 10 | 14 | 20 | 32 |
| 35-49 | 104 | 9.2 | 82 | 2 | 3 | 7 | 11 | 16 | 30 | 81 |
| 50-64 | 244 | 9.9 | 67 | 2 | 3 | 8 | 13 | 18 | 23 | 44 |
| 65+ | 582 | 11.4 | 98 | 3 | 3 | 9 | 15 | 23 | 31 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 824 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| B. *Operated* | 95 | 6.3 | 33 | 1 | 2 | 5 | 7 | 12 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4289 | 5.9 | 24 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| B. *Operated* | 988 | 10.6 | 86 | 2 | 3 | 8 | 13 | 21 | 29 | 56 |
| **1. SINGLE DX** | 919 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **2. MULTIPLE DX** | 5277 | 6.8 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 34 |
| **A. NOT OPERATED** | 5113 | 5.6 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| **B. OPERATED** | 1083 | 10.2 | 83 | 2 | 3 | 8 | 13 | 20 | 28 | 55 |
| TOTAL 0-19 YRS | 183 | 3.7 | 17 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 20-34 | 504 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 761 | 5.4 | 27 | 1 | 2 | 4 | 7 | 10 | 14 | 28 |
| 50-64 | 1381 | 6.1 | 29 | 1 | 2 | 5 | 7 | 12 | 16 | 28 |
| 65+ | 3367 | 7.3 | 44 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| **GRAND TOTAL** | **6196** | **6.4** | **36** | **1** | **2** | **5** | **8** | **13** | **17** | **32** |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.8 | 4 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 6 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 7 | 6.0 | 27 | 2 | 2 | 4 | 9 | 15 | 16 | 16 |
| 65+ | 9 | 5.8 | 28 | <1 | <1 | 3 | 10 | 14 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.0 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 20-34 | 4 | 10.0 | 1 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| 35-49 | 6 | 12.8 | 255 | 2 | 2 | 7 | 14 | 41 | 44 | 44 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 5 | 9.4 | 77 | 1 | 1 | 5 | 17 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 6.2 | 35 | 1 | 2 | 4 | 8 | 15 | 21 | 26 |
| 20-34 | 22 | 6.3 | 14 | 2 | 3 | 6 | 7 | 11 | 14 | 18 |
| 35-49 | 25 | 6.7 | 32 | 1 | 2 | 6 | 8 | 10 | 20 | 28 |
| 50-64 | 48 | 10.6 | 110 | 1 | 3 | 7 | 13 | 25 | 31 | 58 |
| 65+ | 59 | 8.4 | 43 | 3 | 3 | 6 | 11 | 16 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 20.8 | 1485 | <1 | <1 | 6 | 11 | 90 | 99 | 99+ |
| 20-34 | 12 | 9.6 | 33 | 3 | 4 | 9 | 13 | 19 | 20 | 20 |
| 35-49 | 12 | 9.9 | 72 | 2 | 2 | 9 | 10 | 18 | 33 | 35 |
| 50-64 | 31 | 13.6 | 86 | 2 | 3 | 12 | 18 | 29 | 32 | 32 |
| 65+ | 33 | 17.5 | 200 | 3 | 5 | 13 | 23 | 34 | 55 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.7 | 11 | 1 | 1 | 3 | 4 | 8 | 11 | 16 |
| B. *Operated* | 23 | 8.3 | 90 | 1 | 1 | 5 | 10 | 16 | 30 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 8.2 | 56 | 1 | 2 | 6 | 10 | 17 | 24 | 35 |
| B. *Operated* | 94 | 14.4 | 201 | 2 | 3 | 10 | 18 | 29 | 34 | 81 |
| **1. SINGLE DX** | 81 | 5.0 | 37 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| **2. MULTIPLE DX** | 275 | 10.3 | 114 | 2 | 2 | 7 | 12 | 23 | 30 | 57 |
| **A. NOT OPERATED** | 239 | 7.1 | 49 | 1 | 2 | 5 | 9 | 15 | 20 | 34 |
| **B. OPERATED** | 117 | 13.2 | 184 | 2 | 2 | 10 | 17 | 28 | 34 | 72 |
| TOTAL 0-19 YRS | 73 | 5.6 | 142 | 1 | 1 | 3 | 5 | 9 | 16 | 82 |
| 20-34 | 44 | 7.2 | 20 | 2 | 3 | 6 | 10 | 13 | 18 | 20 |
| 35-49 | 46 | 8.1 | 70 | 1 | 2 | 6 | 10 | 14 | 29 | 44 |
| 50-64 | 87 | 11.2 | 97 | 2 | 2 | 8 | 14 | 25 | 31 | 49 |
| 65+ | 106 | 11.0 | 110 | 2 | 3 | 8 | 15 | 23 | 31 | 57 |
| **GRAND TOTAL** | **356** | **9.1** | **101** | **1** | **2** | **6** | **11** | **19** | **28** | **55** |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 5.4 | 14 | 1 | 1 | 5 | 7 | 11 | 14 | 15 |
| 20-34 | 12 | 4.0 | 9 | 1 | 1 | 3 | 5 | 9 | 11 | 11 |
| 35-49 | 12 | 4.6 | 40 | <1 | <1 | 3 | 5 | 11 | 22 | 24 |
| 50-64 | 7 | 4.1 | 16 | <1 | <1 | 1 | 8 | 9 | 9 | 9 |
| 65+ | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.4 | 10 | 2 | 2 | 2 | 3 | 6 | 10 | 17 |
| 20-34 | 41 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 8 |
| 35-49 | 33 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 9 | 14 |
| 50-64 | 34 | 2.9 | 4 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 65+ | 13 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 6.0 | 27 | 2 | 2 | 4 | 7 | 13 | 17 | 27 |
| 20-34 | 42 | 5.7 | 50 | 1 | 1 | 5 | 6 | 9 | 16 | 44 |
| 35-49 | 49 | 6.9 | 29 | 1 | 2 | 6 | 8 | 13 | 18 | 27 |
| 50-64 | 45 | 6.9 | 20 | 2 | 3 | 5 | 9 | 14 | 16 | 22 |
| 65+ | 58 | 7.8 | 39 | 1 | 2 | 6 | 10 | 17 | 21 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 7.5 | 127 | 1 | 1 | 3 | 8 | 17 | 43 | 46 |
| 20-34 | 92 | 7.1 | 44 | 1 | 2 | 4 | 10 | 16 | 22 | 31 |
| 35-49 | 85 | 7.4 | 40 | 1 | 2 | 6 | 10 | 16 | 20 | 28 |
| 50-64 | 81 | 10.0 | 84 | 1 | 2 | 6 | 15 | 25 | 29 | 37 |
| 65+ | 81 | 12.8 | 146 | 1 | 2 | 11 | 15 | 29 | 35 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 4.9 | 17 | <1 | 1 | 4 | 7 | 10 | 14 | 20 |
| B. *Operated* | 155 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 6.7 | 33 | 1 | 2 | 5 | 8 | 14 | 18 | 27 |
| B. *Operated* | 382 | 9.0 | 87 | 1 | 2 | 6 | 12 | 21 | 28 | 45 |
| **1. SINGLE DX** | 246 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 627 | 8.1 | 67 | 1 | 2 | 5 | 11 | 18 | 24 | 42 |
| **A. NOT OPERATED** | 336 | 6.2 | 29 | 1 | 1 | 5 | 8 | 13 | 17 | 27 |
| **B. OPERATED** | 537 | 7.3 | 71 | 1 | 1 | 4 | 9 | 18 | 24 | 42 |
| TOTAL 0-19 YRS | 185 | 5.7 | 44 | 1 | 2 | 3 | 6 | 12 | 16 | 44 |
| 20-34 | 187 | 5.7 | 37 | 1 | 1 | 3 | 8 | 12 | 18 | 32 |
| 35-49 | 179 | 6.2 | 33 | 1 | 1 | 5 | 8 | 14 | 19 | 27 |
| 50-64 | 167 | 7.5 | 55 | 1 | 1 | 5 | 9 | 18 | 25 | 35 |
| 65+ | 155 | 9.9 | 102 | 1 | 2 | 7 | 14 | 22 | 31 | 49 |
| **GRAND TOTAL** | **873** | **6.9** | **55** | **1** | **1** | **4** | **8** | **15** | **22** | **36** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 5.2 | 12 | 2 | 2 | 4 | 7 | 11 | 12 | 15 |
| 20-34 | 5 | 3.2 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 51 | 1 | 1 | 4 | 11 | 17 | 17 | 17 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 5 | 9.4 | 46 | 5 | 5 | 6 | 13 | 21 | 21 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 10.3 | 64 | 2 | 2 | 11 | 16 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 6.2 | 13 | 2 | 2 | 6 | 8 | 11 | 14 | 17 |
| 20-34 | 8 | 5.9 | 18 | 2 | 2 | 4 | 9 | 12 | 13 | 13 |
| 35-49 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 65+ | 12 | 10.3 | 112 | 1 | 2 | 5 | 16 | 23 | 36 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 13.8 | 48 | 6 | 6 | 12 | 17 | 25 | 26 | 26 |
| 20-34 | 15 | 8.1 | 101 | <1 | <1 | 6 | 11 | 13 | 34 | 41 |
| 35-49 | 6 | 5.8 | 35 | 2 | 2 | 3 | 10 | 15 | 16 | 16 |
| 50-64 | 11 | 11.1 | 128 | 3 | 3 | 7 | 14 | 27 | 41 | 42 |
| 65+ | 12 | 16.3 | 118 | 3 | 6 | 12 | 26 | 32 | 37 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 5.0 | 11 | 2 | 2 | 4 | 6 | 11 | 12 | 15 |
| B. *Operated* | 13 | 8.5 | 42 | 1 | 2 | 6 | 12 | 19 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 7.0 | 37 | 2 | 2 | 5 | 9 | 14 | 17 | 37 |
| B. *Operated* | 50 | 11.1 | 104 | <1 | 2 | 10 | 13 | 27 | 38 | 42 |
| **1. SINGLE DX** | 58 | 5.8 | 19 | 2 | 2 | 5 | 7 | 12 | 16 | 21 |
| **2. MULTIPLE DX** | 105 | 9.0 | 72 | 1 | 2 | 6 | 11 | 17 | 27 | 41 |
| **A. NOT OPERATED** | 100 | 6.1 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| **B. OPERATED** | 63 | 10.6 | 91 | 1 | 2 | 8 | 13 | 26 | 32 | 42 |
| TOTAL 0-19 YRS | 76 | 6.4 | 21 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| 20-34 | 29 | 6.5 | 58 | <1 | 1 | 4 | 8 | 12 | 15 | 41 |
| 35-49 | 17 | 6.2 | 29 | 2 | 2 | 5 | 8 | 15 | 19 | 21 |
| 50-64 | 14 | 10.5 | 105 | 3 | 3 | 7 | 14 | 19 | 37 | 42 |
| 65+ | 27 | 13.0 | 112 | 2 | 2 | 11 | 17 | 29 | 38 | 38 |
| **GRAND TOTAL** | **163** | **7.8** | **56** | **1** | **2** | **5** | **11** | **16** | **23** | **41** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 8 | 4.4 | 19 | <1 | <1 | 3 | 6 | 12 | 13 | 13 |
| 50-64 | 12 | 5.7 | 21 | <1 | 1 | 5 | 7 | 12 | 17 | 18 |
| 65+ | 18 | 5.1 | 18 | 1 | 1 | 4 | 6 | 13 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.9 | 42 | 1 | 1 | 5 | 9 | 18 | 21 | 23 |
| 20-34 | 48 | 7.8 | 54 | 1 | 1 | 3 | 14 | 20 | 22 | 25 |
| 35-49 | 60 | 6.2 | 47 | 1 | 1 | 3 | 8 | 18 | 21 | 27 |
| 50-64 | 78 | 4.6 | 28 | 1 | 1 | 3 | 5 | 11 | 18 | 28 |
| 65+ | 80 | 5.1 | 35 | 1 | 1 | 3 | 6 | 12 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.9 | 6 | <1 | <1 | 2 | 5 | 6 | 8 | 8 |
| 20-34 | 46 | 3.8 | 10 | <1 | <1 | 4 | 5 | 6 | 9 | 17 |
| 35-49 | 39 | 4.3 | 20 | <1 | 1 | 3 | 5 | 8 | 15 | 22 |
| 50-64 | 106 | 7.5 | 52 | 1 | 1 | 5 | 10 | 18 | 22 | 33 |
| 65+ | 235 | 8.8 | 72 | 2 | 2 | 7 | 11 | 17 | 23 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 8.9 | 71 | 1 | 1 | 6 | 12 | 25 | 26 | 27 |
| 20-34 | 184 | 10.3 | 150 | 1 | 1 | 6 | 14 | 22 | 30 | 65 |
| 35-49 | 219 | 10.6 | 107 | 1 | 2 | 7 | 16 | 24 | 31 | 58 |
| 50-64 | 306 | 11.8 | 159 | 1 | 2 | 8 | 16 | 26 | 39 | 81 |
| 65+ | 328 | 12.3 | 170 | 1 | 2 | 8 | 17 | 28 | 40 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 4.5 | 17 | <1 | 1 | 3 | 6 | 9 | 15 | 18 |
| B. *Operated* | 284 | 5.8 | 40 | 1 | 1 | 3 | 7 | 17 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 441 | 7.4 | 58 | 1 | 1 | 5 | 10 | 16 | 21 | 42 |
| B. *Operated* | 1063 | 11.4 | 148 | 1 | 2 | 7 | 16 | 26 | 36 | 74 |
| **1. SINGLE DX** | 330 | 5.6 | 37 | 1 | 1 | 3 | 6 | 16 | 19 | 26 |
| **2. MULTIPLE DX** | 1504 | 10.2 | 125 | 1 | 1 | 6 | 14 | 23 | 31 | 71 |
| **A. NOT OPERATED** | 487 | 7.1 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 41 |
| **B. OPERATED** | 1347 | 10.2 | 131 | 1 | 1 | 6 | 14 | 24 | 31 | 71 |
| TOTAL 0-19 YRS | 63 | 6.4 | 48 | <1 | 1 | 4 | 8 | 17 | 25 | 27 |
| 20-34 | 282 | 8.7 | 115 | 1 | 1 | 5 | 12 | 20 | 26 | 61 |
| 35-49 | 326 | 8.9 | 90 | 1 | 1 | 5 | 13 | 22 | 28 | 48 |
| 50-64 | 502 | 9.6 | 121 | 1 | 1 | 6 | 13 | 22 | 29 | 65 |
| 65+ | 661 | 10.0 | 121 | 1 | 2 | 7 | 13 | 23 | 32 | 77 |
| **GRAND TOTAL** | **1834** | **9.4** | **112** | **1** | **1** | **6** | **13** | **22** | **29** | **63** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.8 | 96 | 2 | 2 | 4 | 20 | 21 | 21 | 21 |
| 20-34 | 4 | 3.3 | 4 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 3 | 8.7 | 52 | 4 | 4 | 5 | 14 | 17 | 17 | 17 |
| 50-64 | 7 | 4.3 | 18 | <1 | <1 | 2 | 7 | 11 | 12 | 12 |
| 65+ | 21 | 8.5 | 48 | 1 | 2 | 7 | 10 | 19 | 26 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 4 | 8.5 | 58 | 2 | 2 | 6 | 14 | 19 | 19 | 19 |
| 35-49 | 6 | 6.5 | 51 | 1 | 1 | 5 | 7 | 19 | 20 | 20 |
| 50-64 | 7 | 3.9 | 4 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 65+ | 13 | 5.2 | 27 | <1 | 1 | 3 | 7 | 13 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.0 | 19 | <1 | <1 | 4 | 7 | 12 | 13 | 13 |
| 20-34 | 14 | 4.6 | 12 | <1 | 1 | 4 | 5 | 9 | 13 | 14 |
| 35-49 | 14 | 6.6 | 7 | 2 | 3 | 7 | 8 | 10 | 11 | 11 |
| 50-64 | 60 | 8.2 | 36 | 1 | 2 | 7 | 10 | 15 | 24 | 27 |
| 65+ | 288 | 11.5 | 129 | 2 | 3 | 8 | 14 | 23 | 32 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 15.7 | 216 | 3 | 3 | 9 | 26 | 39 | 46 | 46 |
| 20-34 | 33 | 13.4 | 245 | 1 | 2 | 9 | 16 | 36 | 74 | 99+ |
| 35-49 | 41 | 14.3 | 194 | 2 | 3 | 10 | 22 | 37 | 53 | 99+ |
| 50-64 | 81 | 16.5 | 199 | 3 | 4 | 13 | 21 | 34 | 46 | 67 |
| 65+ | 142 | 19.2 | 225 | 3 | 5 | 15 | 25 | 36 | 50 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 7.4 | 45 | 1 | 1 | 6 | 9 | 18 | 23 | 28 |
| B. *Operated* | 31 | 5.7 | 29 | 1 | 1 | 4 | 7 | 15 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 384 | 10.4 | 107 | 1 | 2 | 8 | 13 | 22 | 30 | 50 |
| B. *Operated* | 306 | 17.1 | 218 | 2 | 4 | 13 | 23 | 36 | 49 | 81 |
| **1. SINGLE DX** | 71 | 6.7 | 38 | 1 | 1 | 5 | 9 | 18 | 20 | 27 |
| **2. MULTIPLE DX** | 690 | 13.4 | 167 | 2 | 3 | 9 | 17 | 29 | 38 | 76 |
| **A. NOT OPERATED** | 424 | 10.2 | 102 | 1 | 2 | 7 | 13 | 21 | 28 | 49 |
| **B. OPERATED** | 337 | 16.0 | 211 | 2 | 3 | 12 | 21 | 35 | 48 | 81 |
| TOTAL 0-19 YRS | 23 | 10.4 | 124 | <1 | 1 | 6 | 13 | 26 | 35 | 46 |
| 20-34 | 55 | 10.1 | 170 | 1 | 2 | 6 | 13 | 23 | 39 | 99 |
| 35-49 | 64 | 11.6 | 143 | 2 | 2 | 8 | 16 | 26 | 40 | 96 |
| 50-64 | 155 | 12.1 | 140 | 1 | 2 | 8 | 15 | 27 | 35 | 63 |
| 65+ | 464 | 13.6 | 166 | 2 | 3 | 10 | 18 | 29 | 37 | 69 |
| **GRAND TOTAL** | **761** | **12.8** | **159** | **2** | **2** | **9** | **16** | **28** | **37** | **71** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 198 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 295 | 3.9 | 8 | 2 | 2 | 3 | 5 | 6 | 7 | 16 |
| 35-49 | 67 | 4.0 | 6 | 2 | 2 | 3 | 5 | 6 | 7 | 17 |
| 50-64 | 56 | 4.6 | 4 | 2 | 2 | 5 | 6 | 7 | 8 | 10 |
| 65+ | 39 | 6.1 | 27 | 2 | 3 | 6 | 7 | 9 | 10 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.2 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 12 | 4.7 | 2 | 3 | 3 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 3 | 10.3 | 10 | 8 | 8 | 9 | 13 | 14 | 14 | 14 |
| 65+ | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 218 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 411 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 156 | 5.5 | 14 | 2 | 2 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 200 | 6.5 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| 65+ | 362 | 8.4 | 35 | 2 | 3 | 7 | 10 | 15 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.3 | 17 | 2 | 2 | 6 | 8 | 11 | 17 | 19 |
| 20-34 | 49 | 9.5 | 101 | 2 | 4 | 7 | 11 | 16 | 21 | 61 |
| 35-49 | 27 | 8.0 | 17 | 3 | 4 | 7 | 9 | 15 | 16 | 17 |
| 50-64 | 36 | 12.7 | 109 | 4 | 4 | 11 | 15 | 18 | 38 | 54 |
| 65+ | 53 | 19.3 | 320 | 4 | 5 | 13 | 27 | 47 | 66 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 655 | 4.0 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| B. *Operated* | 30 | 5.3 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1347 | 5.9 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | 190 | 12.2 | 161 | 2 | 4 | 8 | 14 | 26 | 38 | 67 |
| **1. SINGLE DX** | 685 | 4.0 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 1537 | 6.7 | 40 | 2 | 2 | 5 | 8 | 12 | 16 | 34 |
| **A. NOT OPERATED** | 2002 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 220 | 11.3 | 146 | 3 | 4 | 8 | 12 | 20 | 35 | 66 |
| TOTAL 0-19 YRS | 451 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 20-34 | 767 | 4.6 | 14 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 253 | 5.3 | 13 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| 50-64 | 295 | 6.9 | 29 | 2 | 3 | 6 | 8 | 12 | 16 | 32 |
| 65+ | 456 | 9.5 | 80 | 3 | 3 | 7 | 11 | 17 | 26 | 63 |
| **GRAND TOTAL** | **2222** | **5.9** | **32** | **2** | **2** | **4** | **7** | **11** | **14** | **30** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 283 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 76 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 12 |
| 50-64 | 45 | 5.7 | 28 | 2 | 3 | 4 | 6 | 10 | 15 | 32 |
| 65+ | 52 | 5.0 | 6 | 1 | 2 | 4 | 7 | 9 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.6 | 11 | <1 | 1 | 5 | 8 | 11 | 11 | 11 |
| 20-34 | 20 | 5.9 | 11 | 1 | 2 | 5 | 7 | 9 | 13 | 16 |
| 35-49 | 12 | 5.1 | 32 | <1 | <1 | 4 | 5 | 11 | 20 | 22 |
| 50-64 | 14 | 6.7 | 56 | 1 | 1 | 4 | 7 | 18 | 26 | 28 |
| 65+ | 9 | 10.0 | 38 | 3 | 3 | 8 | 16 | 19 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 10 | 13 |
| 20-34 | 373 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 137 | 5.5 | 10 | 2 | 3 | 5 | 7 | 9 | 13 | 16 |
| 50-64 | 171 | 6.9 | 33 | 2 | 3 | 6 | 8 | 12 | 16 | 29 |
| 65+ | 313 | 8.2 | 43 | 3 | 3 | 6 | 10 | 15 | 20 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 6.5 | 24 | <1 | <1 | 6 | 9 | 13 | 17 | 20 |
| 20-34 | 79 | 9.3 | 79 | 2 | 3 | 7 | 11 | 17 | 25 | 55 |
| 35-49 | 51 | 10.3 | 57 | 2 | 2 | 9 | 14 | 18 | 28 | 40 |
| 50-64 | 79 | 11.8 | 142 | 2 | 3 | 9 | 13 | 24 | 31 | 73 |
| 65+ | 110 | 14.4 | 149 | 3 | 4 | 11 | 18 | 28 | 40 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 649 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 10 |
| B. *Operated* | 68 | 6.4 | 28 | <1 | 1 | 5 | 8 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1196 | 5.8 | 23 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| B. *Operated* | 380 | 11.0 | 107 | 2 | 2 | 8 | 14 | 23 | 29 | 77 |
| **1. SINGLE DX** | 717 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 1576 | 7.1 | 48 | 2 | 2 | 5 | 8 | 14 | 19 | 40 |
| **A. NOT OPERATED** | 1845 | 5.1 | 18 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| **B. OPERATED** | 448 | 10.3 | 98 | 1 | 2 | 8 | 13 | 20 | 28 | 74 |
| TOTAL 0-19 YRS | 469 | 4.1 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 755 | 4.6 | 15 | 2 | 2 | 4 | 5 | 8 | 10 | 19 |
| 35-49 | 276 | 6.0 | 22 | 2 | 2 | 5 | 7 | 12 | 15 | 26 |
| 50-64 | 309 | 8.0 | 66 | 2 | 3 | 6 | 9 | 15 | 24 | 45 |
| 65+ | 484 | 9.3 | 72 | 2 | 3 | 7 | 11 | 18 | 25 | 67 |
| **GRAND TOTAL** | **2293** | **6.1** | **37** | **2** | **2** | **4** | **7** | **12** | **16** | **32** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.9 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 225 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 300 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 50-64 | 189 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 5 | 6 |
| 65+ | 76 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.5 | 5 | 4 | 5 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 124 | 7.2 | 9 | 2 | 4 | 7 | 9 | 10 | 12 | 17 |
| 35-49 | 183 | 7.3 | 9 | 1 | 3 | 7 | 9 | 11 | 12 | 16 |
| 50-64 | 153 | 7.7 | 9 | 2 | 3 | 8 | 9 | 12 | 12 | 13 |
| 65+ | 68 | 8.7 | 21 | 2 | 2 | 8 | 10 | 15 | 16 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 20-34 | 149 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 35-49 | 211 | 3.0 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 50-64 | 230 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 65+ | 149 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 15.5 | 158 | 1 | 5 | 10 | 19 | 39 | 42 | 44 |
| 20-34 | 136 | 9.2 | 44 | 2 | 3 | 8 | 10 | 16 | 22 | 38 |
| 35-49 | 187 | 9.5 | 55 | 2 | 2 | 8 | 11 | 15 | 22 | 49 |
| 50-64 | 232 | 9.6 | 47 | 2 | 3 | 8 | 11 | 15 | 21 | 37 |
| 65+ | 238 | 11.3 | 75 | 2 | 3 | 9 | 14 | 21 | 28 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 816 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 541 | 7.6 | 11 | 2 | 3 | 8 | 9 | 11 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 759 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| B. *Operated* | 813 | 10.2 | 60 | 2 | 3 | 8 | 12 | 17 | 24 | 41 |
| **1. SINGLE DX** | 1357 | 4.1 | 13 | <1 | 1 | 2 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 1572 | 6.9 | 47 | 1 | 1 | 5 | 9 | 14 | 18 | 38 |
| **A. NOT OPERATED** | 1575 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **B. OPERATED** | 1354 | 9.1 | 42 | 2 | 3 | 8 | 10 | 15 | 19 | 38 |
| TOTAL 0-19 YRS | 79 | 6.7 | 71 | 1 | 1 | 4 | 9 | 11 | 25 | 43 |
| 20-34 | 634 | 4.6 | 22 | 1 | 1 | 3 | 7 | 9 | 12 | 24 |
| 35-49 | 881 | 4.9 | 26 | <1 | 1 | 3 | 8 | 10 | 12 | 23 |
| 50-64 | 804 | 5.6 | 28 | 1 | 1 | 4 | 8 | 11 | 13 | 25 |
| 65+ | 531 | 7.8 | 54 | 1 | 1 | 7 | 10 | 15 | 21 | 38 |
| **GRAND TOTAL** | **2929** | **5.6** | **33** | **1** | **1** | **4** | **8** | **11** | **15** | **29** |

### 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 20-34 | 980 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 1172 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 806 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 249 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 4.4 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 20-34 | 573 | 5.1 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 14 |
| 35-49 | 641 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 544 | 5.9 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 17 |
| 65+ | 217 | 6.0 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 20-34 | 303 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 410 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 421 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 284 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.8 | 9 | 2 | 2 | 5 | 8 | 11 | 12 | 12 |
| 20-34 | 271 | 6.5 | 23 | 1 | 2 | 6 | 8 | 11 | 14 | 19 |
| 35-49 | 303 | 7.2 | 22 | 2 | 2 | 6 | 9 | 14 | 17 | 23 |
| 50-64 | 475 | 7.5 | 32 | 2 | 2 | 7 | 9 | 13 | 16 | 23 |
| 65+ | 397 | 9.2 | 41 | 2 | 3 | 8 | 11 | 17 | 24 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3285 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| B. *Operated* | 2022 | 5.5 | 11 | 1 | 2 | 5 | 8 | 10 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1439 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 1475 | 7.7 | 31 | 2 | 2 | 7 | 10 | 14 | 17 | 27 |
| **1. SINGLE DX** | 5307 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 2914 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 4724 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 3497 | 6.4 | 21 | 1 | 2 | 6 | 8 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | 175 | 3.3 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 20-34 | 2127 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 2526 | 3.4 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 50-64 | 2246 | 4.2 | 16 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 65+ | 1147 | 5.6 | 28 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| **GRAND TOTAL** | **8221** | **3.9** | **15** | **1** | **1** | **3** | **5** | **9** | **11** | **18** |

### 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 20-34 | 33 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 31 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 31 | 2.2 | 3 | 1 | 1 | 1 | 3 | 5 | 6 | 6 |
| 65+ | 36 | 5.4 | 26 | 1 | 1 | 4 | 7 | 11 | 14 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 222 | 6.1 | 16 | <1 | <1 | 6 | 8 | 11 | 13 | 18 |
| 20-34 | 133 | 5.8 | 17 | 1 | 1 | 6 | 8 | 11 | 13 | 18 |
| 35-49 | 81 | 5.4 | 16 | <1 | 1 | 5 | 7 | 11 | 13 | 18 |
| 50-64 | 106 | 4.5 | 17 | <1 | 1 | 3 | 7 | 8 | 11 | 20 |
| 65+ | 88 | 5.8 | 35 | 1 | 1 | 4 | 8 | 13 | 18 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.7 | 19 | <1 | 1 | 3 | 4 | 6 | 9 | 29 |
| 20-34 | 71 | 4.1 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 35-49 | 63 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 31 |
| 50-64 | 96 | 5.3 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 205 | 8.3 | 79 | 1 | 2 | 6 | 10 | 18 | 22 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 275 | 6.3 | 26 | <1 | <1 | 6 | 9 | 11 | 14 | 29 |
| 20-34 | 229 | 7.8 | 29 | 1 | 2 | 8 | 10 | 14 | 17 | 26 |
| 35-49 | 211 | 9.1 | 55 | 1 | 2 | 8 | 12 | 17 | 23 | 40 |
| 50-64 | 308 | 8.5 | 63 | 1 | 2 | 7 | 11 | 16 | 21 | 49 |
| 65+ | 366 | 10.5 | 123 | 1 | 2 | 8 | 14 | 22 | 30 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 3.0 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| B. *Operated* | 630 | 5.6 | 19 | <1 | 1 | 5 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 497 | 6.0 | 47 | 1 | 1 | 4 | 7 | 13 | 18 | 32 |
| B. *Operated* | 1389 | 8.6 | 66 | 1 | 1 | 7 | 11 | 16 | 22 | 42 |
| **1. SINGLE DX** | 780 | 5.1 | 19 | <1 | 1 | 4 | 8 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 1886 | 7.9 | 63 | 1 | 1 | 6 | 10 | 16 | 22 | 40 |
| **A. NOT OPERATED** | 647 | 5.3 | 40 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| **B. OPERATED** | 2019 | 7.7 | 54 | 1 | 1 | 7 | 10 | 15 | 20 | 35 |
| TOTAL 0-19 YRS | 578 | 5.9 | 22 | <1 | <1 | 6 | 8 | 11 | 13 | 19 |
| 20-34 | 466 | 6.3 | 24 | 1 | 1 | 5 | 9 | 12 | 16 | 22 |
| 35-49 | 386 | 7.0 | 44 | 1 | 1 | 5 | 9 | 15 | 18 | 35 |
| 50-64 | 541 | 6.8 | 47 | 1 | 1 | 5 | 9 | 14 | 19 | 32 |
| 65+ | 695 | 9.0 | 97 | 1 | 2 | 6 | 11 | 20 | 26 | 46 |
| **GRAND TOTAL** | **2666** | **7.1** | **51** | **1** | **1** | **6** | **9** | **14** | **19** | **34** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 81 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 70 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 50-64 | 42 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 29 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 21 | 4.4 | 10 | <1 | 1 | 4 | 6 | 9 | 10 | 12 |
| 35-49 | 42 | 5.1 | 9 | <1 | 1 | 5 | 8 | 9 | 10 | 12 |
| 50-64 | 60 | 4.1 | 13 | <1 | 1 | 2 | 6 | 8 | 11 | 19 |
| 65+ | 56 | 4.3 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 29 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 36 | 2.5 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 50-64 | 41 | 4.1 | 25 | 1 | 1 | 2 | 5 | 9 | 14 | 28 |
| 65+ | 41 | 5.8 | 55 | 1 | 1 | 4 | 6 | 9 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 36 | 7.4 | 86 | 1 | 2 | 5 | 7 | 16 | 32 | 44 |
| 35-49 | 33 | 6.6 | 34 | 1 | 1 | 5 | 8 | 14 | 19 | 27 |
| 50-64 | 92 | 6.6 | 34 | 1 | 2 | 5 | 8 | 13 | 20 | 31 |
| 65+ | 166 | 8.0 | 45 | 2 | 2 | 6 | 10 | 16 | 20 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 184 | 4.4 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 3.9 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 34 |
| B. *Operated* | 332 | 7.3 | 45 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| **1. SINGLE DX** | 416 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 482 | 6.2 | 41 | 1 | 1 | 4 | 8 | 13 | 19 | 35 |
| **A. NOT OPERATED** | 382 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **B. OPERATED** | 516 | 6.3 | 34 | 1 | 2 | 5 | 8 | 12 | 17 | 33 |
| TOTAL 0-19 YRS | 23 | 2.4 | 1 | <1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 167 | 3.5 | 25 | <1 | 1 | 2 | 4 | 7 | 9 | 35 |
| 35-49 | 181 | 3.7 | 13 | <1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 50-64 | 235 | 4.7 | 24 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 65+ | 292 | 6.4 | 39 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| **GRAND TOTAL** | **898** | **4.8** | **28** | **1** | **1** | **3** | **6** | **10** | **14** | **28** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 34 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 24 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 7 |
| 50-64 | 30 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 65+ | 36 | 4.7 | 12 | 1 | 1 | 3 | 7 | 9 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 57 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 76 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 15 |
| 50-64 | 123 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 65+ | 191 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 3.2 | 14 | 1 | 1 | 3 | 4 | 5 | 6 | 26 |
| 20-34 | 81 | 3.8 | 17 | 1 | 1 | 3 | 4 | 8 | 12 | 25 |
| 35-49 | 68 | 4.7 | 11 | 1 | 1 | 4 | 6 | 10 | 11 | 15 |
| 50-64 | 83 | 4.3 | 6 | 1 | 2 | 4 | 6 | 9 | 9 | 11 |
| 65+ | 298 | 6.6 | 20 | 2 | 2 | 5 | 8 | 13 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 20-34 | 170 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 10 | 14 |
| 35-49 | 182 | 4.0 | 18 | 1 | 1 | 2 | 5 | 8 | 12 | 19 |
| 50-64 | 263 | 4.4 | 48 | <1 | 1 | 3 | 5 | 9 | 11 | 25 |
| 65+ | 503 | 6.3 | 38 | 1 | 2 | 4 | 8 | 14 | 19 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 2.9 | 5 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| B. *Operated* | 496 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 576 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| B. *Operated* | 1233 | 4.8 | 32 | <1 | 1 | 3 | 6 | 10 | 15 | 27 |
| **1. SINGLE DX** | 645 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | 1809 | 5.0 | 27 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 725 | 4.9 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| **B. OPERATED** | 1729 | 4.2 | 25 | <1 | 1 | 3 | 5 | 9 | 13 | 23 |
| TOTAL 0-19 YRS | 235 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 342 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 35-49 | 350 | 3.7 | 13 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 50-64 | 499 | 3.8 | 28 | <1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 65+ | 1028 | 5.8 | 28 | 1 | 2 | 4 | 7 | 12 | 16 | 28 |
| **GRAND TOTAL** | **2454** | **4.4** | **23** | **1** | **1** | **3** | **5** | **9** | **13** | **23** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 6 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 9 | 3.2 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 349 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| 20-34 | 231 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 151 | 2.1 | 7 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | 159 | 2.8 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 14 |
| 65+ | 181 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 1.2 |  | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 20-34 | 12 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 35-49 | 5 | 2.8 | 12 | <1 | <1 | 1 | 4 | 9 | 9 | 9 |
| 50-64 | 9 | 4.9 | 25 | 1 | 1 | 3 | 7 | 13 | 17 | 17 |
| 65+ | 36 | 4.7 | 10 | 1 | 2 | 4 | 6 | 11 | 12 | 13 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 334 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 302 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 35-49 | 244 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 50-64 | 314 | 3.4 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 65+ | 518 | 5.4 | 33 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 22 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | 1071 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 71 | 3.7 | 11 | <1 | <1 | 3 | 4 | 8 | 11 | 16 |
| B. *Operated* | 1712 | 3.5 | 18 | <1 | <1 | 2 | 4 | 8 | 10 | 21 |
| **1. SINGLE DX** | 1093 | 2.2 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | 1783 | 3.5 | 18 | <1 | <1 | 2 | 4 | 8 | 10 | 21 |
| **A. NOT OPERATED** | 93 | 3.5 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 15 |
| **B. OPERATED** | 2783 | 3.0 | 14 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| TOTAL 0-19 YRS | 696 | 1.6 | 5 | <1 | <1 | 1 | 1 | 2 | 4 | 10 |
| 20-34 | 551 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 401 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 484 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 65+ | 744 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| **GRAND TOTAL** | **2876** | **3.0** | **13** | **<1** | **<1** | **2** | **4** | **6** | **9** | **17** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 237 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 131 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 73 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 50-64 | 98 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 65+ | 208 | 4.3 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 218 | 2.2 | 10 | <1 | <1 | 1 | 2 | 5 | 8 | 11 |
| 20-34 | 245 | 2.9 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 229 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 288 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 65+ | 364 | 3.7 | 17 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 474 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 531 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 35-49 | 381 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 671 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| 65+ | 2720 | 7.7 | 44 | 2 | 3 | 6 | 9 | 14 | 19 | 35 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 351 | 2.5 | 6 | <1 | <1 | 1 | 3 | 7 | 9 | 12 |
| 20-34 | 379 | 4.4 | 41 | <1 | <1 | 2 | 5 | 11 | 13 | 24 |
| 35-49 | 414 | 4.6 | 24 | <1 | <1 | 3 | 6 | 10 | 12 | 27 |
| 50-64 | 796 | 6.1 | 63 | 1 | 1 | 4 | 8 | 12 | 18 | 40 |
| 65+ | 1589 | 7.8 | 57 | 1 | 2 | 5 | 10 | 16 | 23 | 38 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 747 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 1344 | 2.9 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 4777 | 6.5 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| B. *Operated* | 3529 | 6.2 | 51 | <1 | 1 | 4 | 8 | 13 | 19 | 35 |
| **1. SINGLE DX** | 2091 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 8306 | 6.3 | 42 | 1 | 1 | 5 | 8 | 13 | 17 | 33 |
| **A. NOT OPERATED** | 5524 | 6.0 | 32 | 1 | 2 | 5 | 7 | 12 | 16 | 29 |
| **B. OPERATED** | 4873 | 5.3 | 42 | <1 | 1 | 3 | 6 | 11 | 16 | 32 |
| TOTAL 0-19 YRS | 1280 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 12 |
| 20-34 | 1286 | 3.8 | 20 | <1 | 1 | 3 | 5 | 7 | 11 | 21 |
| 35-49 | 1097 | 4.1 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 50-64 | 1853 | 5.4 | 39 | 1 | 1 | 4 | 7 | 11 | 15 | 31 |
| 65+ | 4881 | 7.3 | 47 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| **GRAND TOTAL** | **10397** | **5.7** | **37** | **<1** | **1** | **4** | **7** | **12** | **16** | **31** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 12 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 65+ | 30 | 2.9 | 4 | <1 | 1 | 3 | 4 | 6 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.3 | 6 | <1 | 1 | 6 | 6 | 8 | 9 | 9 |
| 20-34 | 6 | 4.0 | 10 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| 35-49 | 83 | 3.0 | 4 | <1 | <1 | 2 | 5 | 5 | 6 | 8 |
| 50-64 | 1497 | 4.7 | 5 | 1 | 2 | 5 | 6 | 7 | 9 | 11 |
| 65+ | 2564 | 5.4 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 3.4 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 72 | 3.9 | 21 | <1 | 1 | 2 | 5 | 8 | 12 | 28 |
| 65+ | 277 | 5.8 | 70 | <1 | 1 | 4 | 7 | 12 | 15 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.1 | 35 | <1 | 1 | 5 | 6 | 16 | 19 | 19 |
| 20-34 | 8 | 5.1 | 43 | <1 | 1 | 3 | 4 | 16 | 21 | 21 |
| 35-49 | 117 | 4.8 | 13 | 1 | 1 | 4 | 6 | 7 | 10 | 21 |
| 50-64 | 2067 | 6.1 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 5725 | 7.7 | 29 | 2 | 4 | 6 | 9 | 14 | 17 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| B. *Operated* | 4157 | 5.1 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 354 | 5.4 | 60 | <1 | 1 | 3 | 6 | 11 | 15 | 41 |
| B. *Operated* | 7924 | 7.2 | 26 | 2 | 3 | 6 | 8 | 13 | 16 | 26 |
| **1. SINGLE DX** | 4201 | 5.1 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 8278 | 7.2 | 27 | 2 | 3 | 6 | 8 | 13 | 16 | 26 |
| **A. NOT OPERATED** | 398 | 5.1 | 54 | <1 | 1 | 3 | 6 | 11 | 14 | 39 |
| **B. OPERATED** | 12081 | 6.5 | 20 | 2 | 3 | 5 | 8 | 11 | 15 | 23 |
| TOTAL 0-19 YRS | 14 | 5.7 | 19 | <1 | <1 | 5 | 6 | 10 | 17 | 19 |
| 20-34 | 15 | 4.4 | 26 | <1 | <1 | 3 | 5 | 9 | 18 | 21 |
| 35-49 | 206 | 4.0 | 9 | <1 | 1 | 4 | 5 | 7 | 9 | 20 |
| 50-64 | 3648 | 5.5 | 12 | 1 | 2 | 5 | 6 | 9 | 11 | 19 |
| 65+ | 8596 | 6.9 | 25 | 2 | 3 | 6 | 8 | 12 | 15 | 26 |
| **GRAND TOTAL** | **12479** | **6.5** | **22** | **2** | **2** | **5** | **8** | **11** | **15** | **23** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.0 | 23 | <1 | <1 | 2 | 4 | 13 | 15 | 15 |
| 20-34 | 21 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 34 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 50-64 | 39 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 65+ | 26 | 3.5 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 20-34 | 24 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 35-49 | 30 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 9 |
| 50-64 | 48 | 2.5 | 7 | <1 | <1 | 2 | 2 | 6 | 8 | 14 |
| 65+ | 40 | 3.3 | 7 | 1 | 1 | 2 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 37 | 3.9 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 11 |
| 35-49 | 42 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 50-64 | 96 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 65+ | 115 | 5.3 | 17 | 2 | 2 | 5 | 6 | 9 | 12 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.4 | 46 | <1 | <1 | 2 | 7 | 17 | 22 | 22 |
| 20-34 | 47 | 2.7 | 11 | <1 | <1 | 1 | 3 | 6 | 9 | 21 |
| 35-49 | 67 | 3.7 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 50-64 | 151 | 4.8 | 30 | 1 | 1 | 4 | 6 | 8 | 13 | 35 |
| 65+ | 181 | 6.5 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 147 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 295 | 4.5 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| B. *Operated* | 457 | 5.1 | 25 | <1 | 1 | 4 | 6 | 10 | 14 | 22 |
| **1. SINGLE DX** | 276 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 752 | 4.9 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 424 | 4.1 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 604 | 4.5 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 21 |
| TOTAL 0-19 YRS | 30 | 3.8 | 25 | <1 | <1 | 2 | 2 | 11 | 15 | 22 |
| 20-34 | 129 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| 35-49 | 173 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 50-64 | 334 | 4.2 | 18 | <1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 65+ | 362 | 5.5 | 20 | 1 | 2 | 5 | 7 | 10 | 14 | 21 |
| **GRAND TOTAL** | **1028** | **4.4** | **16** | **<1** | **1** | **3** | **5** | **8** | **10** | **20** |

### 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.4 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 97 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 88 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | 200 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 108 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 5 | 6.6 | 8 | 3 | 3 | 6 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 55 | 3.3 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 52 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 141 | 3.9 | 18 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| 65+ | 139 | 4.5 | 14 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 733 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 3.0 | 8 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| B. *Operated* | 602 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 742 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 620 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 27 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 10 |
| **B. OPERATED** | 1335 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 470 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 154 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 141 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | 344 | 3.0 | 9 | 1 | 1 | 3 | 3 | 5 | 6 | 13 |
| 65+ | 253 | 3.8 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| **GRAND TOTAL** | **1362** | **2.6** | **6** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

### 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 20-34 | 100 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 35-49 | 61 | 4.1 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 11 |
| 50-64 | 37 | 4.8 | 11 | 1 | 2 | 4 | 5 | 8 | 12 | 19 |
| 65+ | 28 | 5.5 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 74 | 3.3 | 5 | 1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 35-49 | 47 | 2.7 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 7 |
| 50-64 | 34 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 31 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.1 | 6 | <1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 20-34 | 56 | 4.9 | 11 | 1 | 1 | 4 | 6 | 10 | 12 | 16 |
| 35-49 | 38 | 5.0 | 14 | 1 | 2 | 4 | 6 | 7 | 12 | 22 |
| 50-64 | 54 | 6.0 | 34 | 2 | 2 | 5 | 7 | 9 | 10 | 43 |
| 65+ | 108 | 6.2 | 10 | 2 | 3 | 6 | 8 | 10 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.1 | 8 | 1 | 1 | 2 | 4 | 7 | 11 | 12 |
| 20-34 | 40 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 42 | 4.6 | 11 | 1 | 2 | 3 | 5 | 10 | 12 | 14 |
| 50-64 | 60 | 6.3 | 34 | 1 | 1 | 5 | 8 | 11 | 17 | 32 |
| 65+ | 62 | 9.3 | 87 | 1 | 2 | 6 | 12 | 19 | 24 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 274 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | 215 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 272 | 5.6 | 16 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| B. *Operated* | 236 | 6.0 | 40 | 1 | 1 | 4 | 7 | 12 | 18 | 34 |
| **1. SINGLE DX** | 489 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | 508 | 5.8 | 27 | 1 | 2 | 5 | 7 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 546 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 16 |
| **B. OPERATED** | 451 | 4.6 | 25 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| TOTAL 0-19 YRS | 125 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 20-34 | 270 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 35-49 | 188 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 50-64 | 185 | 5.4 | 25 | 1 | 2 | 4 | 6 | 9 | 12 | 31 |
| 65+ | 229 | 6.7 | 32 | 2 | 2 | 5 | 8 | 11 | 18 | 31 |
| **GRAND TOTAL** | **997** | **4.8** | **18** | **1** | **1** | **4** | **6** | **9** | **11** | **20** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 3 |
| 20-34 | 10 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 35-49 | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | 7 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 416 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 20-34 | 103 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 60 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | 44 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 65+ | 22 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 5 | 3.8 | 9 | 1 | 1 | 2 | 7 | 7 | 7 | 7 |
| 35-49 | 4 | 2.5 | 6 | <1 | <1 | 1 | 4 | 6 | 6 | 6 |
| 50-64 | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 10 | 2.6 | 3 | 1 | 1 | 2 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 83 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 51 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 58 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 50-64 | 55 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 65+ | 67 | 3.4 | 14 | <1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| B. *Operated* | 645 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| B. *Operated* | 314 | 2.1 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| **1. SINGLE DX** | 694 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 360 | 2.1 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| **A. NOT OPERATED** | 95 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| **B. OPERATED** | 959 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| TOTAL 0-19 YRS | 543 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 169 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 35-49 | 128 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 111 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 65+ | 103 | 2.9 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 19 |
| **GRAND TOTAL** | **1054** | **1.6** | **2** | **<1** | **<1** | **1** | **2** | **2** | **3** | **7** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 23 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 8 |
| 35-49 | 21 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 14 | 3.6 | 28 | <1 | <1 | 2 | 3 | 8 | 18 | 21 |
| 65+ | 4 | 3.5 | 10 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 393 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 358 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 207 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 50-64 | 216 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 114 | 3.1 | 4 | 1 | 1 | 3 | 3 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 21 | 4.2 | 25 | <1 | <1 | 2 | 5 | 12 | 17 | 20 |
| 35-49 | 17 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 11 | 12 |
| 50-64 | 21 | 5.3 | 17 | 1 | 1 | 4 | 7 | 9 | 15 | 19 |
| 65+ | 27 | 6.1 | 43 | 1 | 1 | 4 | 8 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 20-34 | 205 | 2.9 | 29 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 188 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 32 |
| 50-64 | 313 | 3.9 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 27 |
| 65+ | 198 | 4.9 | 22 | 1 | 2 | 3 | 5 | 10 | 14 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 17 |
| B. *Operated* | 1288 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| B. *Operated* | 1050 | 3.6 | 20 | <1 | 1 | 3 | 4 | 7 | 10 | 25 |
| **1. SINGLE DX** | 1370 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1157 | 3.7 | 20 | <1 | 1 | 3 | 4 | 7 | 10 | 25 |
| **A. NOT OPERATED** | 189 | 3.8 | 17 | <1 | 1 | 2 | 5 | 8 | 12 | 21 |
| **B. OPERATED** | 2338 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-19 YRS | 580 | 2.0 | 3 | <1 | 1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 607 | 2.4 | 12 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 433 | 3.0 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 50-64 | 564 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 21 |
| 65+ | 343 | 4.4 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| **GRAND TOTAL** | **2527** | **2.9** | **12** | **<1** | **1** | **2** | **3** | **5** | **8** | **15** |

### 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 10 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 615 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 1335 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 7 |
| 50-64 | 722 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 271 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 15 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 6 | 2.8 | 5 | <1 | <1 | 2 | 3 | 7 | 7 | 7 |
| 65+ | 7 | 2.7 | 9 | <1 | <1 | 1 | 3 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 253 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 732 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 50-64 | 492 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 65+ | 246 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| B. *Operated* | 2997 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 2.2 | 4 | <1 | <1 | 2 | 2 | 5 | 7 | 9 |
| B. *Operated* | 1742 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **1. SINGLE DX** | 3017 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 1774 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 52 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| **B. OPERATED** | 4739 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| TOTAL 0-19 YRS | 74 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 877 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| 35-49 | 2092 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 1220 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 65+ | 528 | 2.7 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **GRAND TOTAL** | **4791** | **2.3** | **3** | **<1** | **<1** | **2** | **3** | **4** | **6** | **9** |

### 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 38 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 15 |
| 35-49 | 20 | 5.0 | 26 | 1 | 1 | 3 | 5 | 13 | 18 | 20 |
| 50-64 | 7 | 5.0 | 13 | 1 | 1 | 5 | 7 | 10 | 11 | 11 |
| 65+ | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 220 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 513 | 2.7 | 4 | <1 | <1 | 2 | 4 | 4 | 5 | 9 |
| 35-49 | 300 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 7 |
| 50-64 | 327 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 65+ | 132 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 24 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 21 | 2.8 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 9 |
| 50-64 | 26 | 3.9 | 13 | <1 | <1 | 2 | 6 | 11 | 11 | 12 |
| 65+ | 26 | 4.1 | 25 | <1 | <1 | 2 | 5 | 9 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 279 | 3.2 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 291 | 3.4 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 261 | 3.8 | 13 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 65+ | 154 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.7 | 11 | 1 | 1 | 3 | 4 | 6 | 10 | 19 |
| B. *Operated* | 1492 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 3.3 | 13 | <1 | <1 | 2 | 4 | 8 | 11 | 18 |
| B. *Operated* | 1043 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **1. SINGLE DX** | 1574 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | 1146 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 185 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **B. OPERATED** | 2535 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-19 YRS | 297 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 854 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 5 | 11 |
| 35-49 | 632 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 621 | 3.2 | 8 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 316 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| **GRAND TOTAL** | **2720** | **3.0** | **6** | **<1** | **1** | **2** | **4** | **5** | **6** | **11** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 20-34 | 370 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 35-49 | 66 | 2.2 | 3 | 1 | 1 | 2 | 2 | 4 | 7 | 9 |
| 50-64 | 6 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 312 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 1177 | 4.0 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 264 | 5.1 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | 48 | 6.1 | 7 | 2 | 3 | 6 | 7 | 8 | 9 | 20 |
| 65+ | 15 | 6.7 | 9 | 3 | 5 | 6 | 7 | 9 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 236 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 60 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 50-64 | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 4 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 4.5 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 10 |
| 20-34 | 1898 | 4.9 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 711 | 6.4 | 15 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| 50-64 | 117 | 6.9 | 9 | 4 | 5 | 6 | 8 | 10 | 12 | 20 |
| 65+ | 66 | 9.9 | 26 | 5 | 6 | 8 | 11 | 17 | 21 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 583 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 8 |
| B. *Operated* | 1816 | 4.2 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 372 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 3102 | 5.4 | 9 | 1 | 2 | 5 | 6 | 8 | 10 | 15 |
| **1. SINGLE DX** | 2399 | 3.6 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 3474 | 5.1 | 9 | 1 | 2 | 5 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 955 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **B. OPERATED** | 4918 | 4.9 | 8 | 1 | 2 | 5 | 6 | 8 | 9 | 14 |
| TOTAL 0-19 YRS | 830 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 3681 | 4.2 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 1101 | 5.7 | 13 | 1 | 2 | 6 | 7 | 8 | 10 | 15 |
| 50-64 | 175 | 6.4 | 9 | 2 | 4 | 6 | 7 | 9 | 11 | 20 |
| 65+ | 86 | 9.0 | 24 | 5 | 5 | 8 | 10 | 15 | 19 | 27 |
| **GRAND TOTAL** | **5873** | **4.5** | **8** | **1** | **1** | **5** | **6** | **7** | **9** | **14** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 534 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 1252 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 154 | 4.5 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 11 |
| 50-64 | 14 | 4.5 | 2 | 3 | 3 | 4 | 6 | 6 | 8 | 8 |
| 65+ | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 4.8 | 12 | <1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 949 | 4.4 | 9 | <1 | <1 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 221 | 5.5 | 11 | <1 | 1 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 38 | 6.7 | 13 | 1 | 2 | 6 | 9 | 10 | 12 | 21 |
| 65+ | 9 | 7.6 | 69 | 1 | 2 | 5 | 8 | 22 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 20-34 | 885 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 35-49 | 120 | 5.1 | 7 | 1 | 2 | 5 | 7 | 9 | 10 | 12 |
| 50-64 | 15 | 8.9 | 34 | 3 | 4 | 7 | 11 | 18 | 22 | 23 |
| 65+ | 12 | 7.9 | 37 | 2 | 2 | 7 | 11 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 308 | 5.7 | 13 | 1 | 2 | 5 | 7 | 10 | 11 | 15 |
| 20-34 | 2632 | 5.5 | 12 | <1 | 1 | 5 | 7 | 9 | 11 | 18 |
| 35-49 | 770 | 6.7 | 14 | 1 | 3 | 6 | 8 | 11 | 13 | 23 |
| 50-64 | 104 | 8.3 | 27 | 2 | 5 | 7 | 9 | 15 | 23 | 61 |
| 65+ | 47 | 14.7 | 152 | 2 | 5 | 10 | 20 | 35 | 43 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1957 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 1400 | 4.7 | 11 | <1 | 1 | 5 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1324 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 3861 | 5.9 | 16 | 1 | 1 | 6 | 7 | 10 | 12 | 21 |
| **1. SINGLE DX** | 3357 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 5185 | 5.6 | 14 | 1 | 2 | 5 | 7 | 9 | 11 | 20 |
| **A. NOT OPERATED** | 3281 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| **B. OPERATED** | 5261 | 5.6 | 15 | <1 | 1 | 5 | 7 | 9 | 11 | 20 |
| TOTAL 0-19 YRS | 1317 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 5718 | 4.9 | 10 | 1 | 1 | 5 | 6 | 8 | 10 | 16 |
| 35-49 | 1265 | 6.1 | 12 | 1 | 2 | 6 | 7 | 10 | 12 | 18 |
| 50-64 | 171 | 7.7 | 24 | 2 | 3 | 6 | 9 | 15 | 18 | 28 |
| 65+ | 71 | 12.3 | 126 | 2 | 3 | 8 | 17 | 28 | 42 | 50 |
| **GRAND TOTAL** | **8542** | **5.1** | **12** | **1** | **1** | **5** | **6** | **9** | **11** | **18** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 43 | 3.1 | 4 | <1 | 1 | 3 | 3 | 7 | 8 | 9 |
| 35-49 | 11 | 3.2 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 8 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.6 | 5 | <1 | <1 | 1 | 5 | 6 | 6 | 7 |
| 20-34 | 730 | 4.1 | 5 | <1 | <1 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 373 | 5.2 | 5 | <1 | 1 | 6 | 6 | 7 | 8 | 11 |
| 50-64 | 28 | 5.1 | 8 | <1 | 1 | 5 | 6 | 8 | 11 | 12 |
| 65+ | 6 | 2.2 | 4 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 10 | 3 | 3 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 52 | 3.4 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 35-49 | 20 | 6.0 | 74 | <1 | 1 | 4 | 6 | 9 | 25 | 41 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.4 | 7 | <1 | 1 | 4 | 6 | 7 | 8 | 15 |
| 20-34 | 2354 | 5.3 | 6 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 2451 | 6.3 | 6 | 3 | 4 | 6 | 7 | 8 | 10 | 15 |
| 50-64 | 283 | 6.6 | 5 | 4 | 5 | 6 | 7 | 9 | 10 | 15 |
| 65+ | 40 | 6.9 | 11 | 2 | 3 | 6 | 9 | 11 | 13 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| B. *Operated* | 1163 | 4.4 | 6 | <1 | <1 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 4.1 | 24 | <1 | 1 | 3 | 6 | 7 | 9 | 33 |
| B. *Operated* | 5168 | 5.8 | 6 | 1 | 3 | 6 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 1223 | 4.3 | 6 | <1 | <1 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 5245 | 5.8 | 7 | 1 | 3 | 6 | 7 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 137 | 3.7 | 15 | <1 | 1 | 3 | 4 | 7 | 8 | 14 |
| **B. OPERATED** | 6331 | 5.6 | 7 | 1 | 2 | 6 | 7 | 8 | 9 | 13 |
| TOTAL 0-19 YRS | 73 | 3.8 | 7 | <1 | <1 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 3179 | 5.0 | 6 | <1 | 1 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 2855 | 6.1 | 7 | 2 | 4 | 6 | 7 | 8 | 9 | 15 |
| 50-64 | 314 | 6.4 | 5 | 2 | 4 | 6 | 7 | 9 | 11 | 15 |
| 65+ | 47 | 6.2 | 13 | <1 | 2 | 6 | 8 | 10 | 13 | 18 |
| **GRAND TOTAL** | **6468** | **5.5** | **7** | **1** | **2** | **6** | **7** | **8** | **9** | **13** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 100 | 2.6 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 8 |
| 35-49 | 59 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 50-64 | 26 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 7 | 7 |
| 65+ | 18 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 7 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.6 | 4 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 372 | 4.8 | 9 | <1 | 1 | 5 | 6 | 8 | 9 | 15 |
| 35-49 | 401 | 5.3 | 8 | <1 | 1 | 6 | 7 | 8 | 9 | 14 |
| 50-64 | 115 | 3.9 | 9 | <1 | <1 | 3 | 6 | 8 | 9 | 11 |
| 65+ | 34 | 4.7 | 9 | 1 | 1 | 5 | 7 | 8 | 9 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | 204 | 2.5 | 4 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 3.0 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | 933 | 4.9 | 8 | <1 | 1 | 5 | 7 | 8 | 9 | 14 |
| **1. SINGLE DX** | 209 | 2.5 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | 944 | 4.8 | 8 | <1 | 1 | 5 | 6 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 16 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| **B. OPERATED** | 1137 | 4.4 | 8 | <1 | 1 | 5 | 6 | 8 | 8 | 13 |
| TOTAL 0-19 YRS | 15 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 20-34 | 483 | 4.3 | 8 | <1 | 1 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 462 | 5.0 | 8 | <1 | 1 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 141 | 3.5 | 8 | <1 | <1 | 2 | 6 | 7 | 9 | 11 |
| 65+ | 52 | 3.6 | 8 | <1 | 1 | 2 | 6 | 8 | 9 | 12 |
| **GRAND TOTAL** | **1153** | **4.4** | **8** | **<1** | **1** | **5** | **6** | **7** | **8** | **13** |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 96 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 18 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 10 |
| 50-64 | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 401 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 146 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 54 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 65+ | 17 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 120 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 28 | 4.0 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 7 | 8.7 | 29 | 3 | 3 | 8 | 11 | 18 | 19 | 19 |
| 65+ | 23 | 8.2 | 32 | 1 | 2 | 7 | 10 | 20 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.4 | 10 | <1 | <1 | 2 | 4 | 8 | 11 | 14 |
| 20-34 | 301 | 3.8 | 11 | <1 | <1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 161 | 3.8 | 14 | <1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 50-64 | 60 | 5.9 | 154 | <1 | 1 | 3 | 7 | 11 | 15 | 87 |
| 65+ | 35 | 5.7 | 30 | 1 | 1 | 4 | 8 | 12 | 18 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 3.5 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 663 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 217 | 4.7 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 593 | 4.1 | 28 | <1 | 1 | 3 | 6 | 8 | 10 | 18 |
| **1. SINGLE DX** | 811 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 810 | 4.3 | 24 | <1 | 1 | 3 | 6 | 8 | 10 | 20 |
| **A. NOT OPERATED** | 365 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 20 |
| **B. OPERATED** | 1256 | 2.8 | 15 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 148 | 2.9 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 20-34 | 918 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 11 |
| 35-49 | 353 | 3.0 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 125 | 4.2 | 81 | <1 | <1 | 2 | 4 | 8 | 12 | 39 |
| 65+ | 77 | 5.6 | 28 | <1 | 1 | 4 | 8 | 12 | 19 | 23 |
| **GRAND TOTAL** | 1621 | 3.2 | 14 | <1 | <1 | 2 | 4 | 7 | 8 | 15 |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.6 | 6 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 251 | 5.4 | 3 | 2 | 3 | 5 | 6 | 8 | 8 | 10 |
| 35-49 | 441 | 5.7 | 5 | 2 | 3 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 584 | 6.3 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| 65+ | 525 | 6.9 | 7 | 4 | 4 | 6 | 8 | 10 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 35-49 | 21 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 50-64 | 35 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 8 | 13 |
| 65+ | 53 | 3.5 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.0 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 20-34 | 1061 | 6.1 | 8 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 1983 | 6.5 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | 1599 | 7.2 | 8 | 4 | 5 | 7 | 8 | 10 | 12 | 18 |
| 65+ | 1241 | 8.0 | 14 | 4 | 5 | 7 | 9 | 12 | 14 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| B. *Operated* | 1810 | 6.2 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 5890 | 6.9 | 9 | 4 | 4 | 6 | 8 | 10 | 12 | 17 |
| **1. SINGLE DX** | 1819 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 6011 | 6.8 | 9 | 4 | 4 | 6 | 8 | 10 | 12 | 17 |
| **A. NOT OPERATED** | 130 | 2.8 | 7 | <1 | <1 | 1 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 7700 | 6.8 | 8 | 4 | 4 | 6 | 8 | 10 | 11 | 17 |
| TOTAL 0-19 YRS | 16 | 4.6 | 7 | <1 | 1 | 5 | 6 | 8 | 9 | 10 |
| 20-34 | 1325 | 5.9 | 7 | 3 | 4 | 6 | 7 | 8 | 9 | 11 |
| 35-49 | 2448 | 6.3 | 5 | 3 | 4 | 6 | 7 | 9 | 10 | 13 |
| 50-64 | 2219 | 6.9 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 17 |
| 65+ | 1822 | 7.6 | 12 | 3 | 4 | 7 | 9 | 11 | 13 | 21 |
| **GRAND TOTAL** | 7830 | 6.7 | 8 | 3 | 4 | 6 | 8 | 10 | 11 | 17 |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| 20-34 | 86 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| 35-49 | 130 | 1.6 | 2 | <1 | <1 | 1 | 1 | 4 | 5 | 7 |
| 50-64 | 13 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 2.7 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 6 | 5.8 | 57 | 1 | 1 | 3 | 5 | 19 | 21 | 21 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 133 | 3.3 | 8 | <1 | <1 | 2 | 6 | 7 | 8 | 14 |
| 35-49 | 173 | 3.7 | 8 | <1 | <1 | 3 | 6 | 7 | 8 | 13 |
| 50-64 | 21 | 4.4 | 9 | <1 | <1 | 5 | 7 | 8 | 9 | 11 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| B. *Operated* | 236 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 3.9 | 26 | 1 | 1 | 2 | 4 | 8 | 18 | 21 |
| B. *Operated* | 333 | 3.5 | 8 | <1 | <1 | 2 | 6 | 7 | 8 | 13 |
| **1. SINGLE DX** | 241 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 348 | 3.6 | 9 | <1 | <1 | 2 | 6 | 7 | 8 | 14 |
| **A. NOT OPERATED** | 20 | 3.6 | 20 | 1 | 1 | 2 | 4 | 7 | 14 | 21 |
| **B. OPERATED** | 569 | 2.7 | 7 | <1 | <1 | 1 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 14 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 229 | 2.5 | 6 | <1 | <1 | 1 | 4 | 6 | 7 | 12 |
| 35-49 | 310 | 2.8 | 8 | <1 | <1 | 1 | 5 | 6 | 7 | 12 |
| 50-64 | 36 | 3.4 | 8 | <1 | <1 | 2 | 6 | 7 | 8 | 11 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **589** | **2.7** | **7** | **<1** | **<1** | **1** | **4** | **6** | **7** | **11** |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 88 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 39 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 50-64 | 5 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 20-34 | 1570 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 35-49 | 1730 | 1.9 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| 50-64 | 215 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 5 | 7 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.2 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 15 |
| 20-34 | 115 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 101 | 2.2 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 12 |
| 50-64 | 15 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2506 | 3.7 | 8 | <1 | <1 | 3 | 6 | 7 | 8 | 11 |
| 35-49 | 3722 | 4.2 | 9 | <1 | <1 | 5 | 6 | 7 | 8 | 12 |
| 50-64 | 447 | 3.6 | 7 | <1 | <1 | 2 | 6 | 7 | 8 | 12 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| B. *Operated* | 3657 | 1.8 | 3 | <1 | <1 | 1 | 2 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 2.2 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 11 |
| B. *Operated* | 6808 | 3.9 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 3821 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 7 |
| **2. MULTIPLE DX** | 7092 | 3.9 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 448 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| **B. OPERATED** | 10465 | 3.2 | 8 | <1 | <1 | 2 | 5 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 360 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 4279 | 2.9 | 7 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| 35-49 | 5592 | 3.4 | 8 | <1 | <1 | 2 | 6 | 7 | 8 | 11 |
| 50-64 | 682 | 2.9 | 6 | <1 | <1 | 2 | 5 | 7 | 8 | 10 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **10913** | **3.1** | **7** | **<1** | **<1** | **2** | **5** | **7** | **8** | **11** |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 1.3 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| 50-64 | 7 | 2.6 | 7 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 65+ | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 184 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 50-64 | 655 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| 65+ | 219 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 4.4 | 9 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 14 | 3.6 | 8 | <1 | <1 | 3 | 4 | 8 | 10 | 11 |
| 50-64 | 21 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 65+ | 23 | 4.3 | 57 | <1 | 1 | 2 | 4 | 7 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 6 | 5.3 | 6 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 35-49 | 179 | 2.7 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| 50-64 | 746 | 2.7 | 7 | <1 | <1 | 1 | 3 | 7 | 8 | 13 |
| 65+ | 379 | 2.8 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 1.8 | 3 | <1 | <1 | 1 | 2 | 5 | 7 | 7 |
| B. *Operated* | 1059 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 3.6 | 24 | <1 | <1 | 2 | 4 | 7 | 10 | 34 |
| B. *Operated* | 1312 | 2.7 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| **1. SINGLE DX** | 1076 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 6 |
| **2. MULTIPLE DX** | 1375 | 2.8 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 80 | 3.2 | 20 | <1 | <1 | 2 | 4 | 7 | 9 | 29 |
| **B. OPERATED** | 2371 | 2.1 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| TOTAL 0-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 12 | 4.6 | 8 | 1 | 1 | 5 | 7 | 8 | 9 | 9 |
| 35-49 | 384 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| 50-64 | 1429 | 2.0 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| 65+ | 624 | 2.4 | 7 | <1 | <1 | 2 | 2 | 5 | 7 | 11 |
| **GRAND TOTAL** | **2451** | **2.2** | **5** | **<1** | **<1** | **1** | **2** | **5** | **7** | **10** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 59 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 21 | 2.8 | 10 | <1 | 1 | 2 | 3 | 6 | 11 | 15 |
| 50-64 | 8 | 3.5 | 7 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 65+ | 8 | 2.4 | 5 | <1 | <1 | 1 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| 20-34 | 1237 | 2.6 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 853 | 2.6 | 7 | <1 | <1 | 1 | 3 | 6 | 7 | 14 |
| 50-64 | 515 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 10 |
| 65+ | 175 | 2.8 | 13 | <1 | <1 | 2 | 3 | 6 | 9 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.9 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 76 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 52 | 3.0 | 14 | <1 | 1 | 2 | 4 | 5 | 7 | 26 |
| 50-64 | 23 | 4.8 | 17 | <1 | 1 | 4 | 8 | 11 | 13 | 14 |
| 65+ | 35 | 4.9 | 15 | <1 | 1 | 4 | 7 | 11 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 3.6 | 6 | <1 | <1 | 3 | 5 | 7 | 7 | 10 |
| 20-34 | 1667 | 4.0 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 12 |
| 35-49 | 1806 | 4.4 | 10 | <1 | <1 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | 1162 | 4.7 | 16 | <1 | <1 | 5 | 7 | 8 | 10 | 21 |
| 65+ | 376 | 6.3 | 71 | <1 | 1 | 4 | 8 | 13 | 21 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 2887 | 2.6 | 6 | <1 | <1 | 1 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 3.2 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 15 |
| B. *Operated* | 5116 | 4.4 | 15 | <1 | <1 | 4 | 6 | 8 | 9 | 17 |
| **1. SINGLE DX** | 3005 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 5326 | 4.4 | 15 | <1 | <1 | 4 | 6 | 8 | 9 | 17 |
| **A. NOT OPERATED** | 328 | 3.0 | 8 | <1 | <1 | 2 | 4 | 6 | 9 | 14 |
| **B. OPERATED** | 8003 | 3.8 | 13 | <1 | <1 | 2 | 6 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 258 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 3039 | 3.3 | 7 | <1 | <1 | 2 | 5 | 6 | 8 | 11 |
| 35-49 | 2732 | 3.8 | 10 | <1 | <1 | 3 | 6 | 7 | 8 | 14 |
| 50-64 | 1708 | 4.0 | 14 | <1 | <1 | 3 | 6 | 8 | 9 | 17 |
| 65+ | 594 | 5.2 | 52 | <1 | <1 | 2 | 7 | 11 | 15 | 33 |
| **GRAND TOTAL** | **8331** | **3.7** | **13** | **<1** | **<1** | **2** | **6** | **7** | **9** | **15** |

### 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 204 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| 35-49 | 33 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 5 | 7 |
| 50-64 | 6 | 5.3 | 35 | <1 | <1 | 2 | 13 | 13 | 13 | 13 |
| 65+ | 12 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 1002 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 9 |
| 35-49 | 446 | 5.1 | 8 | <1 | 1 | 5 | 7 | 8 | 10 | 14 |
| 50-64 | 310 | 7.0 | 8 | 2 | 4 | 7 | 8 | 10 | 11 | 15 |
| 65+ | 198 | 7.6 | 16 | 2 | 4 | 7 | 9 | 11 | 12 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 245 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 59 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 50-64 | 19 | 3.1 | 5 | 1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 65+ | 18 | 5.7 | 18 | <1 | 1 | 4 | 8 | 12 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 2383 | 4.4 | 10 | <1 | <1 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 1436 | 6.0 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 15 |
| 50-64 | 531 | 7.7 | 14 | 4 | 5 | 7 | 9 | 11 | 14 | 23 |
| 65+ | 310 | 9.1 | 32 | 3 | 5 | 8 | 10 | 14 | 18 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 362 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| B. *Operated* | 2046 | 4.4 | 11 | <1 | <1 | 4 | 7 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 423 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 4769 | 5.5 | 13 | <1 | 1 | 6 | 7 | 9 | 11 | 17 |
| **1. SINGLE DX** | 2408 | 4.0 | 10 | <1 | <1 | 3 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 5192 | 5.3 | 13 | <1 | 1 | 5 | 7 | 9 | 10 | 17 |
| **A. NOT OPERATED** | 785 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **B. OPERATED** | 6815 | 5.2 | 13 | <1 | <1 | 5 | 7 | 9 | 10 | 16 |
| TOTAL 0-19 YRS | 388 | 2.1 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| 20-34 | 3834 | 3.7 | 8 | <1 | <1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 1974 | 5.6 | 8 | <1 | 1 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | 866 | 7.3 | 12 | 2 | 4 | 7 | 8 | 10 | 13 | 21 |
| 65+ | 538 | 8.3 | 26 | 2 | 4 | 8 | 10 | 12 | 15 | 30 |
| **GRAND TOTAL** | **7600** | **4.9** | **12** | **<1** | **<1** | **5** | **7** | **8** | **10** | **15** |

### 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 17 | 1.9 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 4.2 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 8 |
| 20-34 | 1383 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 134 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 10 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 4.7 | 3 | 2 | 3 | 5 | 5 | 7 | 8 | 10 |
| 20-34 | 1307 | 4.7 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 160 | 5.4 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 1633 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | 1563 | 4.7 | 3 | 3 | 3 | 5 | 5 | 7 | 8 | 11 |
| **1. SINGLE DX** | 1653 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 1577 | 4.7 | 3 | 3 | 3 | 5 | 5 | 7 | 8 | 11 |
| **A. NOT OPERATED** | 34 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **B. OPERATED** | 3196 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| TOTAL 0-19 YRS | 215 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 2717 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 298 | 4.9 | 4 | 3 | 3 | 5 | 5 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3230** | **4.5** | **2** | **2** | **3** | **4** | **5** | **6** | **7** | **10** |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 90 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 15 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 936 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 1656 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 35-49 | 192 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 23 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 35-49 | 7 | 2.0 | 5 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 211 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 6 |
| 20-34 | 906 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 296 | 2.0 | 15 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| B. *Operated* | 2784 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 1.9 | 3 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| B. *Operated* | 1413 | 1.8 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **1. SINGLE DX** | 2947 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | 1451 | 1.8 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **A. NOT OPERATED** | 201 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| **B. OPERATED** | 4197 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| TOTAL 0-19 YRS | 1213 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 2675 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 510 | 1.7 | 9 | <1 | <1 | 1 | 1 | 3 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4398 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| **1. SINGLE DX** | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | 6 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| TOTAL 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 3 | 2.7 | 8 | <1 | <1 | 1 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 6 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 615 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 52 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 935 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 5170 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 35-49 | 726 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 20-34 | 137 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 17 | 1.5 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 909 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 35-49 | 194 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 812 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| B. *Operated* | 6831 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 4 | 8 |
| B. *Operated* | 1238 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| **1. SINGLE DX** | 7643 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 1431 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 1005 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| **B. OPERATED** | 8069 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| TOTAL 0-19 YRS | 1254 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 6831 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 989 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9074** | **1.4** | **1** | **<1** | **<1** | **1** | **1** | **2** | **3** | **5** |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 184 | 2.3 | 8 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 21 | 1.6 | 1 | <1 | 1 | 1 | 2 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 998 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 146 | 1.4 | 8 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.8 | 3 | 1 | 1 | 3 | 4 | 4 | 7 | 8 |
| 20-34 | 47 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.2 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 20-34 | 290 | 2.6 | 9 | <1 | <1 | 1 | 3 | 6 | 9 | 15 |
| 35-49 | 52 | 3.1 | 16 | <1 | <1 | 2 | 4 | 6 | 7 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 265 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1261 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| B. *Operated* | 382 | 2.7 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| **1. SINGLE DX** | 1526 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 450 | 2.6 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 333 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **B. OPERATED** | 1643 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| TOTAL 0-19 YRS | 235 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1519 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 222 | 1.8 | 10 | <1 | <1 | 1 | 2 | 3 | 4 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1976** | **1.8** | **4** | **<1** | **<1** | **1** | **2** | **3** | **5** | **9** |

### 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 482 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 36 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.2 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 15 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 7 |
| 20-34 | 103 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 3 | 2.7 | 8 | <1 | <1 | 1 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 13 | 3.2 | 2 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 608 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 22 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 15 | 3.1 | 2 | <1 | 1 | 3 | 5 | 5 | 5 | 5 |
| **1. SINGLE DX** | 630 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 135 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 728 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 37 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| TOTAL 0-19 YRS | 111 | 1.8 | 2 | <1 | 1 | 1 | 2 | 4 | 4 | 7 |
| 20-34 | 613 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 41 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **765** | **1.9** | **2** | **<1** | **1** | **2** | **2** | **3** | **4** | **7** |

### 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 56 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 7 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| B. *Operated* | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| B. *Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 75 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 17 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| **A. NOT OPERATED** | 87 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 8 |
| **B. OPERATED** | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| TOTAL 0-19 YRS | 16 | 1.7 | 2 | 1 | 1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 74 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **92** | **2.0** | **2** | **<1** | **<1** | **1** | **3** | **4** | **4** | **8** |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 3.2 | 11 | <1 | 1 | 3 | 4 | 5 | 7 | 21 |
| 20-34 | 634 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 64 | 3.9 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.3 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 67 | 3.2 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 8 | 7.0 | 32 | <1 | <1 | 5 | 12 | 14 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 10 | 14 |
| 20-34 | 178 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 43 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 72 | 3.8 | 11 | <1 | <1 | 3 | 6 | 8 | 10 | 16 |
| 35-49 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 833 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| B. *Operated* | 85 | 3.5 | 11 | <1 | <1 | 3 | 4 | 7 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 255 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 86 | 3.5 | 10 | <1 | <1 | 2 | 4 | 8 | 9 | 16 |
| **1. SINGLE DX** | 918 | 3.0 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 341 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 1088 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **B. OPERATED** | 171 | 3.5 | 10 | <1 | <1 | 2 | 4 | 7 | 12 | 15 |
| TOTAL 0-19 YRS | 190 | 3.2 | 9 | <1 | 1 | 3 | 4 | 5 | 7 | 18 |
| 20-34 | 951 | 3.0 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 35-49 | 118 | 4.1 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1259** | **3.1** | **7** | **<1** | **1** | **2** | **4** | **6** | **8** | **14** |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 954 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 18 | 3.8 | 5 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 8 | 6.4 | 36 | 1 | 1 | 4 | 11 | 15 | 16 | 16 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 20-34 | 329 | 3.8 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 7 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 15 | 3.5 | 7 | 1 | 1 | 3 | 4 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1188 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | 9 | 5.9 | 34 | 1 | 1 | 2 | 10 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| B. *Operated* | 16 | 3.5 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| **1. SINGLE DX** | 1197 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 425 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 1597 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 25 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 14 | 16 |
| TOTAL 0-19 YRS | 291 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 1306 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 25 | 3.9 | 5 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1622** | **3.5** | **8** | **1** | **1** | **3** | **4** | **6** | **8** | **14** |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 948 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 20-34 | 4120 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 237 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 1.2 | | <1 | <1 | <1 | 1 | 1 | 3 | 4 |
| 20-34 | 355 | 1.2 | | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 35-49 | 21 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 20-34 | 354 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 35-49 | 27 | 1.9 | 12 | <1 | <1 | <1 | 1 | 2 | 6 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 49 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 35-49 | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5305 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| B. *Operated* | 448 | 1.2 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 463 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| B. *Operated* | 62 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 4 | 11 |
| **1. SINGLE DX** | 5753 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **2. MULTIPLE DX** | 525 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| **A. NOT OPERATED** | 5768 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **B. OPERATED** | 510 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| TOTAL 0-19 YRS | 1112 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 20-34 | 4878 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 35-49 | 288 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **6278** | **1.2** | **1** | **<1** | **<1** | **<1** | **1** | **1** | **2** | **4** |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.0 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 373 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 57 | 3.2 | 26 | <1 | <1 | 2 | 3 | 6 | 9 | 35 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.0 | 16 | <1 | <1 | 1 | 4 | 10 | 10 | 10 |
| 20-34 | 40 | 2.5 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 6 |
| 35-49 | 6 | 4.5 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.0 | 7 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 20-34 | 103 | 3.3 | 8 | <1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 35-49 | 21 | 5.6 | 112 | 1 | 1 | 3 | 5 | 7 | 27 | 51 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 16 | 5.3 | 25 | <1 | 1 | 4 | 6 | 14 | 17 | 18 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 458 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| B. *Operated* | 51 | 2.8 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 3.7 | 24 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| B. *Operated* | 18 | 5.3 | 24 | <1 | 1 | 4 | 6 | 13 | 16 | 18 |
| **1. SINGLE DX** | 509 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | 152 | 3.9 | 25 | 1 | 1 | 3 | 4 | 7 | 12 | 18 |
| **A. NOT OPERATED** | 592 | 3.0 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **B. OPERATED** | 69 | 3.4 | 10 | <1 | 1 | 3 | 4 | 6 | 10 | 17 |
| TOTAL 0-19 YRS | 44 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 10 | 10 |
| 20-34 | 532 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 7 | 16 |
| 35-49 | 85 | 4.0 | 46 | <1 | 1 | 2 | 4 | 7 | 9 | 46 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **661** | **3.1** | **13** | **<1** | **1** | **2** | **4** | **6** | **8** | **16** |

### 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 368 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 33 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.3 | 8 | <1 | <1 | 1 | 2 | 7 | 8 | 8 |
| 20-34 | 37 | 2.3 | 14 | <1 | <1 | 1 | 2 | 5 | 9 | 21 |
| 35-49 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 120 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 19 | 3.6 | 21 | <1 | 1 | 2 | 3 | 9 | 16 | 19 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 473 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 46 | 2.3 | 12 | <1 | <1 | 1 | 2 | 6 | 8 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 15 |
| B. *Operated* | 23 | 3.9 | 18 | <1 | 1 | 3 | 4 | 7 | 15 | 19 |
| **1. SINGLE DX** | 519 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 167 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 617 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **B. OPERATED** | 69 | 2.8 | 14 | <1 | <1 | 1 | 3 | 6 | 10 | 21 |
| TOTAL 0-19 YRS | 102 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 544 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 35-49 | 40 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **686** | **1.9** | **4** | **<1** | **<1** | **1** | **2** | **4** | **5** | **12** |

### 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 3.5 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 357 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 13 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.1 | 5 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 25 | 3.4 | 12 | 1 | 1 | 2 | 4 | 6 | 11 | 17 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 371 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 9 | 4.2 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.0 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 20-34 | 28 | 5.3 | 23 | 1 | 1 | 4 | 7 | 13 | 15 | 20 |
| 35-49 | 3 | 5.7 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 567 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 33 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 563 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| B. *Operated* | 41 | 5.0 | 17 | 1 | 1 | 4 | 6 | 11 | 13 | 20 |
| **1. SINGLE DX** | 600 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 604 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 12 |
| **A. NOT OPERATED** | 1130 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **B. OPERATED** | 74 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 13 | 19 |
| TOTAL 0-19 YRS | 398 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 781 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 25 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1204** | **3.3** | **4** | **<1** | **1** | **3** | **4** | **6** | **7** | **11** |

### 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 3.7 | 15 | <1 | 1 | 2 | 4 | 9 | 12 | 18 |
| 20-34 | 217 | 3.9 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 36 | 4.4 | 9 | 1 | 2 | 3 | 6 | 8 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.4 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| 20-34 | 18 | 4.3 | 34 | <1 | <1 | 2 | 4 | 10 | 20 | 25 |
| 35-49 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 3.5 | 9 | <1 | <1 | 3 | 4 | 7 | 10 | 16 |
| 20-34 | 513 | 3.7 | 18 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 64 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 9 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 3.9 | 11 | <1 | <1 | 3 | 7 | 8 | 11 | 12 |
| 20-34 | 72 | 4.9 | 25 | 1 | 1 | 4 | 6 | 9 | 14 | 29 |
| 35-49 | 5 | 5.4 | 19 | 1 | 1 | 7 | 8 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 296 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 28 | 4.0 | 25 | <1 | <1 | 2 | 5 | 8 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 659 | 3.7 | 17 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 93 | 4.8 | 22 | <1 | 1 | 4 | 6 | 9 | 12 | 28 |
| **1. SINGLE DX** | 324 | 3.9 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 752 | 3.8 | 17 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 955 | 3.8 | 14 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **B. OPERATED** | 121 | 4.6 | 22 | <1 | 1 | 3 | 6 | 9 | 12 | 27 |
| TOTAL 0-19 YRS | 149 | 3.5 | 10 | <1 | <1 | 2 | 4 | 8 | 11 | 16 |
| 20-34 | 820 | 3.8 | 17 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 35-49 | 107 | 4.4 | 12 | 1 | 1 | 3 | 6 | 8 | 9 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1076 | 3.9 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |

### 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 565 | 2.1 | 5 | <1 | <1 | 1 | 3 | 4 | 5 | 10 |
| 20-34 | 2300 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 5 | 15 |
| 35-49 | 134 | 2.6 | 11 | <1 | <1 | 1 | 3 | 6 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 12 |
| 20-34 | 1020 | 2.2 | 6 | <1 | <1 | 1 | 3 | 4 | 5 | 11 |
| 35-49 | 50 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 880 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 10 | 17 |
| 35-49 | 50 | 2.3 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 3.1 | 14 | <1 | <1 | 2 | 3 | 6 | 12 | 22 |
| 20-34 | 481 | 3.4 | 21 | <1 | <1 | 2 | 4 | 7 | 9 | 22 |
| 35-49 | 38 | 4.3 | 51 | <1 | <1 | 2 | 4 | 8 | 13 | 43 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2999 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| B. *Operated* | 1193 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1110 | 2.7 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| B. *Operated* | 594 | 3.4 | 22 | <1 | <1 | 2 | 4 | 7 | 10 | 22 |
| **1. SINGLE DX** | 4192 | 2.2 | 7 | <1 | <1 | 1 | 3 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | 1704 | 3.0 | 14 | <1 | <1 | 2 | 3 | 6 | 9 | 19 |
| **A. NOT OPERATED** | 4109 | 2.3 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 15 |
| **B. OPERATED** | 1787 | 2.6 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| TOTAL 0-19 YRS | 943 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 6 | 11 |
| 20-34 | 4681 | 2.4 | 10 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| 35-49 | 272 | 2.6 | 14 | <1 | <1 | 1 | 3 | 5 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 5896 | 2.4 | 9 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |

### 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 304 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 31 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 5 | 6 |
| 20-34 | 187 | 3.8 | 15 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| 35-49 | 15 | 4.0 | 4 | 2 | 2 | 3 | 6 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 2.9 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 328 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 19 |
| 35-49 | 23 | 4.4 | 72 | <1 | 1 | 3 | 3 | 5 | 20 | 43 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 4.7 | 33 | 1 | 2 | 3 | 5 | 7 | 14 | 37 |
| 20-34 | 794 | 5.4 | 44 | 2 | 2 | 4 | 6 | 9 | 14 | 38 |
| 35-49 | 103 | 6.0 | 36 | 2 | 2 | 5 | 7 | 9 | 18 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 390 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| B. *Operated* | 236 | 3.7 | 13 | 1 | 2 | 3 | 4 | 6 | 7 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 413 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 5 | 19 |
| B. *Operated* | 988 | 5.4 | 42 | 2 | 2 | 4 | 6 | 8 | 15 | 38 |
| **1. SINGLE DX** | 626 | 3.0 | 6 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 1401 | 4.7 | 33 | 1 | 2 | 3 | 5 | 7 | 12 | 33 |
| **A. NOT OPERATED** | 803 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **B. OPERATED** | 1224 | 5.1 | 37 | 2 | 2 | 4 | 5 | 8 | 13 | 37 |
| TOTAL 0-19 YRS | 242 | 3.4 | 14 | 1 | 2 | 3 | 4 | 5 | 6 | 21 |
| 20-34 | 1613 | 4.2 | 26 | 1 | 2 | 3 | 4 | 7 | 10 | 31 |
| 35-49 | 172 | 5.1 | 33 | 2 | 2 | 4 | 6 | 7 | 12 | 39 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 2027 | 4.1 | 26 | 1 | 2 | 3 | 4 | 7 | 9 | 31 |

### 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7050 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 44703 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 35-49 | 2214 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1849 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 9468 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 485 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 274 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 1352 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 76 | 2.5 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 4838 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 672 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53967 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| B. *Operated* | 11802 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1702 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 5671 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| **1. SINGLE DX** | 65769 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 7373 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| **A. NOT OPERATED** | 55669 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| **B. OPERATED** | 17473 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| TOTAL 0-19 YRS | 9334 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 60361 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 3447 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 73142 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |

## 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI- ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 34 | 2.9 | 7 | 1 | 1 | 2 | 3 | 4 | 9 | 15 |
| 35-49 | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.1 | 5 | 2 | 3 | 5 | 7 | 8 | 9 | 9 |
| 20-34 | 183 | 7.4 | 74 | 2 | 3 | 5 | 6 | 12 | 27 | 48 |
| 35-49 | 13 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 41 | 4.0 | 31 | 1 | 1 | 2 | 4 | 5 | 16 | 32 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.6 | 17 | 1 | 2 | 4 | 6 | 10 | 16 | 18 |
| 20-34 | 359 | 7.9 | 79 | 2 | 3 | 5 | 7 | 13 | 26 | 50 |
| 35-49 | 78 | 7.4 | 47 | 3 | 4 | 5 | 7 | 12 | 22 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| B. *Operated* | 208 | 7.0 | 67 | 2 | 3 | 5 | 6 | 11 | 26 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 3.9 | 29 | 1 | 2 | 2 | 4 | 5 | 14 | 32 |
| B. *Operated* | 451 | 7.8 | 71 | 3 | 3 | 5 | 7 | 13 | 25 | 47 |
| **1. SINGLE DX** | 252 | 6.3 | 59 | 1 | 2 | 4 | 6 | 9 | 23 | 45 |
| **2. MULTIPLE DX** | 496 | 7.4 | 69 | 2 | 3 | 5 | 7 | 12 | 24 | 45 |
| **A. NOT OPERATED** | 89 | 3.4 | 18 | 1 | 1 | 2 | 3 | 5 | 10 | 28 |
| **B. OPERATED** | 659 | 7.5 | 70 | 2 | 3 | 5 | 7 | 12 | 25 | 47 |
| TOTAL 0-19 YRS | 33 | 4.7 | 11 | 1 | 2 | 4 | 5 | 9 | 9 | 18 |
| 20-34 | 617 | 7.2 | 72 | 2 | 2 | 5 | 6 | 12 | 25 | 48 |
| 35-49 | 98 | 6.7 | 40 | 2 | 3 | 5 | 6 | 10 | 17 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **748** | **7.0** | **65** | **2** | **2** | **5** | **6** | **11** | **23** | **45** |

## 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI- ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 164 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 10 |
| 20-34 | 158 | 3.7 | 10 | 1 | 1 | 3 | 5 | 5 | 6 | 16 |
| 35-49 | 9 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 147 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 8 |
| 35-49 | 10 | 2.4 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 5.3 | 56 | 2 | 2 | 4 | 5 | 8 | 11 | 52 |
| 20-34 | 481 | 4.1 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 40 | 4.3 | 13 | 1 | 2 | 4 | 5 | 6 | 7 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 201 | 3.6 | 9 | 1 | 1 | 3 | 5 | 5 | 6 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 2.7 | 2 | <1 | 1 | 3 | 3 | 4 | 6 | 8 |
| B. *Operated* | 591 | 4.3 | 15 | 1 | 2 | 4 | 5 | 7 | 8 | 18 |
| **1. SINGLE DX** | 394 | 2.9 | 6 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| **2. MULTIPLE DX** | 777 | 3.9 | 12 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 379 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **B. OPERATED** | 792 | 4.1 | 13 | 1 | 2 | 4 | 5 | 6 | 8 | 17 |
| TOTAL 0-19 YRS | 151 | 4.0 | 29 | 1 | 1 | 3 | 4 | 6 | 9 | 34 |
| 20-34 | 950 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 70 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 6 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1171** | **3.6** | **10** | **1** | **1** | **3** | **4** | **6** | **7** | **13** |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 58 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 77 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 508 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 20 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 22 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 43 | 3.0 | 12 | <1 | 1 | 2 | 3 | 4 | 5 | 24 |
| 20-34 | 341 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 30 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 7 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 64 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| B. *Operated* | 605 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 25 | 2.4 |  | 1 | 2 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | 414 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| **1. SINGLE DX** | 669 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 439 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 89 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| **B. OPERATED** | 1019 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 128 | 2.4 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 20-34 | 929 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 51 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | 1108 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 48 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 293 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 10 | 2.7 |  | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 31 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 146 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 9 | 3.0 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 30 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 147 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 7 | 2.9 | 1 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 44 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 218 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 13 | 3.9 | 3 | 1 | 2 | 4 | 5 | 6 | 8 | 8 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 351 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 186 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 184 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 275 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 537 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 459 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| **A. NOT OPERATED** | 535 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 461 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 153 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 804 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 39 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | 996 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |

### 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | 126 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.0 | 6 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 70 | 4.9 | 62 | 2 | 2 | 3 | 5 | 6 | 7 | 56 |
| 35-49 | 7 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.6 | 5 | 2 | 2 | 3 | 4 | 8 | 9 | 9 |
| 20-34 | 126 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 8 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 648 | 4.8 | 26 | 2 | 2 | 4 | 5 | 7 | 8 | 23 |
| 35-49 | 54 | 5.3 | 28 | 1 | 2 | 4 | 6 | 8 | 9 | 39 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 140 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 87 | 4.7 | 51 | 2 | 2 | 3 | 5 | 7 | 8 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 147 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 757 | 4.8 | 25 | 2 | 2 | 4 | 5 | 7 | 8 | 23 |
| **1. SINGLE DX** | 227 | 3.5 | 21 | 1 | 2 | 3 | 4 | 5 | 6 | 17 |
| **2. MULTIPLE DX** | 904 | 4.6 | 22 | 2 | 2 | 4 | 5 | 7 | 8 | 19 |
| **A. NOT OPERATED** | 287 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| **B. OPERATED** | 844 | 4.8 | 28 | 2 | 2 | 4 | 5 | 7 | 8 | 25 |
| TOTAL 0-19 YRS | 87 | 4.1 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| 20-34 | 970 | 4.4 | 23 | 2 | 2 | 4 | 5 | 6 | 8 | 20 |
| 35-49 | 74 | 4.6 | 22 | 1 | 2 | 4 | 5 | 8 | 8 | 33 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1131** | **4.4** | **22** | **2** | **2** | **4** | **5** | **7** | **8** | **19** |

### 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 210 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 11 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 215 | 4.2 | 5 | 2 | 3 | 4 | 5 | 5 | 6 | 9 |
| 20-34 | 1670 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 73 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 98 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 10 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 235 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 20-34 | 1893 | 4.6 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 35-49 | 178 | 4.8 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 1958 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 2306 | 4.6 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **1. SINGLE DX** | 2196 | 3.9 | 3 | 1 | 2 | 4 | 5 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 2424 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 356 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 4264 | 4.4 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 477 | 4.3 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 20-34 | 3871 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 272 | 4.4 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4620** | **4.2** | **4** | **2** | **2** | **4** | **5** | **6** | **7** | **11** |

## 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 639 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 32 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 241 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 5 | 6 |
| 20-34 | 1850 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 95 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 352 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 20 | 2.7 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 497 | 3.5 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 3624 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 301 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 752 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 2186 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 411 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 4422 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 6 | 10 |
| **1. SINGLE DX** | 2938 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 6 |
| **2. MULTIPLE DX** | 4833 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 1163 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 6608 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 858 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 6465 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 448 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7771** | **3.3** | **3** | **1** | **2** | **3** | **4** | **5** | **6** | **9** |

## 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 2 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 31 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 422 | 4.7 | 11 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 2076 | 4.6 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| 35-49 | 86 | 4.8 | 1 | 3 | 4 | 5 | 5 | 6 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 41 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 738 | 5.2 | 4 | 3 | 4 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 3968 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 251 | 5.1 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 2.7 | 1 | 1 | 1 | 2 | 4 | 4 | 5 | 5 |
| B. *Operated* | 2584 | 4.7 | 3 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 4957 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **1. SINGLE DX** | 2623 | 4.6 | 3 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 5003 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 85 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 7541 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 1168 | 5.0 | 7 | 3 | 3 | 5 | 5 | 7 | 8 | 13 |
| 20-34 | 6116 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| 35-49 | 342 | 5.0 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7626** | **4.9** | **3** | **3** | **3** | **5** | **5** | **6** | **7** | **11** |

### 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 677 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 44 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 3.3 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| 20-34 | 1150 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 57 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 425 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 18 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 394 | 3.9 | 10 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 2587 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 6 | 10 |
| 35-49 | 201 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 845 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| B. *Operated* | 1403 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 3182 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **1. SINGLE DX** | 2248 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 3692 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 6 | 9 |
| **A. NOT OPERATED** | 1355 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **B. OPERATED** | 4585 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 6 | 9 |
| TOTAL 0-19 YRS | 781 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 6 | 10 |
| 20-34 | 4839 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 320 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 5940 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |

### 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 85 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 35-49 | 11 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 3.6 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 6 |
| 20-34 | 358 | 3.8 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 30 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 59 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 5.3 | 30 | 1 | 2 | 5 | 6 | 7 | 9 | 39 |
| 20-34 | 629 | 5.0 | 36 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 69 | 4.8 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| B. *Operated* | 437 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | 775 | 5.0 | 33 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| **1. SINGLE DX** | 545 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | 838 | 4.8 | 31 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| **A. NOT OPERATED** | 171 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **B. OPERATED** | 1212 | 4.6 | 22 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| TOTAL 0-19 YRS | 141 | 4.4 | 18 | 1 | 2 | 4 | 5 | 6 | 7 | 19 |
| 20-34 | 1131 | 4.3 | 22 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |
| 35-49 | 111 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1383 | 4.3 | 20 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 95 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 9 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 328 | 4.6 | 2 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| 20-34 | 5513 | 4.7 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 7 |
| 35-49 | 274 | 5.0 | 2 | 3 | 4 | 5 | 6 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 36 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 5 | 3.4 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 5994 | 5.0 | 4 | 3 | 3 | 5 | 6 | 6 | 7 | 11 |
| 35-49 | 658 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 114 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 6115 | 4.7 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 43 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 6864 | 5.0 | 4 | 3 | 3 | 5 | 6 | 6 | 7 | 11 |
| 1. SINGLE DX | 6229 | 4.6 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 8 |
| 2. MULTIPLE DX | 6907 | 5.0 | 4 | 3 | 3 | 5 | 6 | 6 | 7 | 11 |
| A. NOT OPERATED | 157 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. OPERATED | 12979 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 9 |
| TOTAL 0-19 YRS | 552 | 4.7 | 2 | 3 | 3 | 5 | 5 | 6 | 7 | 9 |
| 20-34 | 11638 | 4.8 | 3 | 2 | 3 | 5 | 5 | 6 | 7 | 9 |
| 35-49 | 946 | 5.3 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 13136 | 4.8 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 9 |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 1213 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 49 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 932 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 45 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 730 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| 35-49 | 50 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 397 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 16 |
| 20-34 | 2961 | 3.7 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 280 | 4.3 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1423 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 1118 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 891 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| B. *Operated* | 3638 | 3.8 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 1. SINGLE DX | 2541 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | 4529 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| A. NOT OPERATED | 2314 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. OPERATED | 4756 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 810 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 5836 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 424 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 7070 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 494 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 20-34 | 4355 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 255 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 310 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 1908 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 109 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 994 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 57 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 2.8 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 20-34 | 2454 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 213 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5104 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | 2327 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1196 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| B. *Operated* | 2925 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 7431 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 4121 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| **A. NOT OPERATED** | 6300 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 5252 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 1207 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 9711 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 35-49 | 634 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **11552** | **2.4** | **1** | **1** | **1** | **2** | **3** | **4** | **4** | **5** |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 6 |
| 20-34 | 798 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 35-49 | 44 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1019 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 8155 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 35-49 | 582 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 253 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 10 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 389 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 20-34 | 3848 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 406 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 953 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 3 | 5 |
| B. *Operated* | 9756 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| B. *Operated* | 4643 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **1. SINGLE DX** | 10709 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | 4927 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **A. NOT OPERATED** | 1237 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 14399 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| TOTAL 0-19 YRS | 1540 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 13054 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 1042 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **15636** | **2.2** | **1** | **1** | **1** | **2** | **3** | **3** | **4** | **5** |

## 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 349 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 35-49 | 21 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1004 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 20-34 | 4041 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 108 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.0 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 103 | 2.7 | 13 | 1 | 1 | 2 | 3 | 4 | 4 | 20 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 820 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 2707 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 107 | 3.9 | 75 | 1 | 2 | 3 | 4 | 5 | 7 | 46 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 433 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 5153 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| B. *Operated* | 3634 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| **1. SINGLE DX** | 5586 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 3762 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| **A. NOT OPERATED** | 561 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **B. OPERATED** | 8787 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 1910 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 7200 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 238 | 3.1 | 35 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9348** | **2.5** | **2** | **1** | **1** | **2** | **3** | **4** | **4** | **6** |

## 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 2.6 | 12 | 1 | 1 | 2 | 3 | 3 | 4 | 26 |
| 20-34 | 284 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 7 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 328 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1374 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 49 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 11 |
| 20-34 | 88 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 248 | 2.9 | 19 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 20-34 | 1102 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 51 | 3.2 | 2 | 2 | 2 | 3 | 3 | 5 | 5 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 355 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 1751 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| B. *Operated* | 1401 | 2.8 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 2106 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 1513 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 467 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **B. OPERATED** | 3152 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| TOTAL 0-19 YRS | 662 | 2.6 | 10 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 2848 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 109 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3619** | **2.5** | **3** | **1** | **1** | **2** | **3** | **4** | **4** | **6** |

## 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 962 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 5292 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 344 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2211 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 10976 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 626 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 530 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 20-34 | 2852 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 201 | 3.5 | 15 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2190 | 3.6 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 12808 | 3.7 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 1214 | 4.3 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6598 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 13813 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3583 | 2.8 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 16212 | 3.8 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 20411 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 19795 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| **A. NOT OPERATED** | 10181 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 30025 | 3.3 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 5893 | 3.0 | 4 | 1 | 1 | 3 | 3 | 5 | 6 | 11 |
| 20-34 | 31928 | 3.1 | 6 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 35-49 | 2385 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 40206 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |

## 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 128 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 7 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 8 |
| 20-34 | 15 | 4.2 | 6 | 2 | 2 | 3 | 5 | 7 | 10 | 11 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.4 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 72 | 4.5 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 20 |
| 35-49 | 5 | 3.2 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.6 | 4 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 32 | 6.0 | 21 | 1 | 1 | 5 | 8 | 12 | 17 | 19 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 19 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 4.2 | 9 | 2 | 2 | 4 | 5 | 6 | 9 | 19 |
| B. *Operated* | 40 | 5.6 | 18 | 1 | 1 | 4 | 8 | 11 | 15 | 19 |
| **1. SINGLE DX** | 198 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 135 | 4.6 | 12 | 1 | 2 | 4 | 5 | 8 | 12 | 19 |
| **A. NOT OPERATED** | 274 | 3.6 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| **B. OPERATED** | 59 | 5.1 | 15 | 1 | 1 | 4 | 7 | 11 | 12 | 19 |
| TOTAL 0-19 YRS | 73 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 247 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 13 | 3.6 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 333 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |

### 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 78 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 35-49 | 5 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 8 |
| 20-34 | 290 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 18 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 41 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 146 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 7 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 338 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | 175 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **1. SINGLE DX** | 434 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 223 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 144 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 513 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 71 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 555 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 31 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 657 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |

### 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 12 | 13 |
| 20-34 | 91 | 4.9 | 10 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| 35-49 | 5 | 4.8 | 13 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 152 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 10 | 13 |
| 35-49 | 11 | 3.6 | 13 | <1 | <1 | 2 | 4 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.9 | 3 | <1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 78 | 4.5 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 18 |
| 35-49 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 6.2 | 47 | 2 | 2 | 5 | 6 | 16 | 28 | 28 |
| 20-34 | 99 | 3.9 | 20 | <1 | 1 | 2 | 5 | 8 | 18 | 24 |
| 35-49 | 11 | 5.1 | 22 | 1 | 2 | 3 | 6 | 12 | 17 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 4.9 | 10 | 2 | 2 | 4 | 7 | 10 | 11 | 14 |
| B. *Operated* | 186 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| B. *Operated* | 120 | 4.2 | 22 | <1 | 1 | 3 | 5 | 8 | 18 | 24 |
| **1. SINGLE DX** | 294 | 3.6 | 9 | <1 | 1 | 3 | 4 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 215 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 13 | 23 |
| **A. NOT OPERATED** | 203 | 4.6 | 11 | 1 | 2 | 3 | 6 | 10 | 11 | 16 |
| **B. OPERATED** | 306 | 3.3 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 59 | 3.8 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 20-34 | 420 | 3.8 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 30 | 4.3 | 15 | 1 | 1 | 3 | 5 | 10 | 11 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 509 | 3.8 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 491 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 20-34 | 472 | 4.2 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 274 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 227 | 5.4 | 16 | 2 | 2 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 189 | 6.2 | 15 | 2 | 2 | 5 | 8 | 12 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 227 | 4.6 | 15 | <1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 218 | 5.4 | 43 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| 35-49 | 132 | 5.9 | 23 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 50-64 | 121 | 6.6 | 28 | 1 | 2 | 5 | 9 | 15 | 17 | 27 |
| 65+ | 86 | 8.1 | 44 | 1 | 2 | 7 | 10 | 18 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 464 | 4.3 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 20-34 | 513 | 5.3 | 21 | 2 | 2 | 4 | 6 | 10 | 13 | 21 |
| 35-49 | 552 | 6.2 | 35 | 2 | 2 | 5 | 8 | 11 | 14 | 28 |
| 50-64 | 689 | 7.3 | 32 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 65+ | 1053 | 8.7 | 41 | 3 | 3 | 7 | 11 | 16 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 5.8 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| 20-34 | 310 | 8.4 | 57 | 2 | 2 | 6 | 11 | 19 | 26 | 37 |
| 35-49 | 259 | 10.6 | 109 | 2 | 2 | 7 | 13 | 22 | 30 | 63 |
| 50-64 | 319 | 13.9 | 190 | 2 | 3 | 9 | 17 | 27 | 45 | 74 |
| 65+ | 399 | 15.2 | 186 | 3 | 4 | 11 | 19 | 32 | 50 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1653 | 4.6 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 784 | 5.7 | 30 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3271 | 6.8 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 1488 | 11.4 | 137 | 2 | 3 | 8 | 14 | 25 | 34 | 67 |
| **1. SINGLE DX** | 2437 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 4759 | 8.3 | 70 | 2 | 2 | 6 | 10 | 16 | 23 | 49 |
| **A. NOT OPERATED** | 4924 | 6.1 | 26 | 2 | 2 | 5 | 7 | 11 | 15 | 25 |
| **B. OPERATED** | 2272 | 9.4 | 108 | 1 | 2 | 6 | 11 | 21 | 29 | 60 |
| TOTAL 0-19 YRS | 1383 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 19 |
| 20-34 | 1513 | 5.6 | 29 | 1 | 2 | 4 | 6 | 10 | 15 | 27 |
| 35-49 | 1217 | 6.7 | 48 | 2 | 2 | 5 | 8 | 12 | 18 | 33 |
| 50-64 | 1356 | 8.5 | 75 | 2 | 3 | 6 | 10 | 16 | 23 | 53 |
| 65+ | 1727 | 9.9 | 81 | 2 | 3 | 7 | 12 | 19 | 26 | 59 |
| **GRAND TOTAL** | 7196 | 7.1 | 54 | 2 | 2 | 5 | 8 | 14 | 20 | 39 |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 101 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 62 | 4.2 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 40 | 4.9 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 65+ | 27 | 6.3 | 38 | 2 | 2 | 5 | 7 | 10 | 15 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.6 | 12 | <1 | 1 | 2 | 5 | 8 | 11 | 16 |
| 20-34 | 108 | 3.9 | 13 | <1 | <1 | 3 | 5 | 7 | 10 | 21 |
| 35-49 | 78 | 4.2 | 22 | <1 | <1 | 3 | 5 | 8 | 15 | 27 |
| 50-64 | 42 | 4.1 | 41 | <1 | <1 | 2 | 4 | 8 | 10 | 41 |
| 65+ | 40 | 6.8 | 81 | <1 | <1 | 4 | 8 | 18 | 31 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 4.5 | 24 | 1 | 2 | 3 | 5 | 8 | 12 | 22 |
| 20-34 | 122 | 5.0 | 13 | 2 | 2 | 4 | 6 | 10 | 13 | 20 |
| 35-49 | 87 | 7.0 | 48 | 2 | 2 | 4 | 8 | 14 | 24 | 37 |
| 50-64 | 133 | 7.0 | 26 | 2 | 3 | 6 | 8 | 12 | 17 | 28 |
| 65+ | 179 | 8.6 | 37 | 2 | 3 | 7 | 11 | 16 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 5.1 | 16 | <1 | 1 | 4 | 7 | 11 | 14 | 18 |
| 20-34 | 150 | 6.8 | 43 | 1 | 2 | 5 | 8 | 14 | 18 | 38 |
| 35-49 | 121 | 7.3 | 50 | 1 | 2 | 5 | 9 | 14 | 19 | 39 |
| 50-64 | 123 | 9.8 | 130 | 1 | 2 | 6 | 13 | 21 | 24 | 61 |
| 65+ | 135 | 14.6 | 208 | 2 | 2 | 10 | 20 | 32 | 48 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 342 | 4.1 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | 395 | 4.2 | 25 | <1 | <1 | 3 | 5 | 8 | 12 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 673 | 6.5 | 31 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| B. *Operated* | 617 | 8.9 | 104 | 1 | 2 | 6 | 11 | 20 | 27 | 56 |
| **1. SINGLE DX** | 737 | 4.1 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **2. MULTIPLE DX** | 1290 | 7.7 | 68 | 1 | 2 | 5 | 9 | 16 | 22 | 44 |
| **A. NOT OPERATED** | 1015 | 5.7 | 25 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| **B. OPERATED** | 1012 | 7.1 | 78 | <1 | 1 | 4 | 8 | 16 | 23 | 46 |
| TOTAL 0-19 YRS | 479 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 481 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 35-49 | 348 | 6.0 | 37 | 1 | 1 | 4 | 7 | 12 | 16 | 32 |
| 50-64 | 338 | 7.4 | 68 | 1 | 2 | 5 | 8 | 16 | 20 | 42 |
| 65+ | 381 | 10.4 | 112 | 1 | 2 | 7 | 13 | 23 | 31 | 60 |
| **GRAND TOTAL** | 2027 | 6.4 | 52 | 1 | 1 | 4 | 7 | 14 | 18 | 40 |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 480 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 854 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 148 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 27 | 2.7 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 6 |
| 65+ | 6 | 2.8 | 1 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 12 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 35-49 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 20-34 | 134 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 35-49 | 45 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 10 | 12 |
| 50-64 | 18 | 9.3 | 170 | 1 | 2 | 4 | 16 | 41 | 80 | 99+ |
| 65+ | 5 | 7.0 | 24 | 3 | 3 | 5 | 11 | 14 | 14 | 14 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 16 | 2.8 | 2 | <1 | 1 | 3 | 3 | 5 | 6 | 6 |
| B. *Operated* | 1515 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 20 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| B. *Operated* | 264 | 4.2 | 18 | 1 | 2 | 3 | 5 | 7 | 10 | 19 |
| 1. SINGLE DX | 1531 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 284 | 4.1 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| A. NOT OPERATED | 36 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. OPERATED | 1779 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 550 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 1009 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 197 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 46 | 5.3 | 76 | 1 | 1 | 3 | [illegible] | 16 | 25 | 99+ |
| 65+ | 13 | 4.7 | 13 | <1 | 2 | 3 | 5 | 11 | 13 | 14 |
| GRAND TOTAL | 1815 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 6 |
| 20-34 | 132 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 79 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 50-64 | 63 | 2.2 | 28 | <1 | <1 | 1 | 2 | 3 | 4 | 38 |
| 65+ | 39 | 2.2 | 23 | <1 | <1 | 1 | 2 | 3 | 3 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 20-34 | 43 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 6 |
| 35-49 | 39 | 3.2 | 11 | <1 | <1 | 2 | 4 | 6 | 9 | 19 |
| 50-64 | 50 | 4.5 | 67 | <1 | <1 | 2 | 4 | 8 | 21 | 92 |
| 65+ | 43 | 4.2 | 86 | <1 | 1 | 2 | 3 | 6 | 8 | 62 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 11 | 2.6 | 14 | <1 | <1 | 2 | 2 | 7 | 13 | 14 |
| B. *Operated* | 431 | 1.6 | 7 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 12 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| B. *Operated* | 195 | 3.4 | 39 | <1 | <1 | 2 | 3 | 6 | 7 | 39 |
| 1. SINGLE DX | 442 | 1.7 | 7 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 2. MULTIPLE DX | 207 | 3.3 | 37 | <1 | <1 | 2 | 3 | 6 | 7 | 35 |
| A. NOT OPERATED | 23 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 8 | 14 |
| B. OPERATED | 626 | 2.2 | 18 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |
| TOTAL 0-19 YRS | 140 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| 20-34 | 180 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 35-49 | 123 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 13 |
| 50-64 | 119 | 3.2 | 45 | <1 | <1 | 1 | 2 | 5 | 11 | 46 |
| 65+ | 87 | 3.2 | 53 | <1 | <1 | 2 | 3 | 5 | 6 | 90 |
| GRAND TOTAL | 649 | 2.2 | 17 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 21 |
| 20-34 | 145 | 4.8 | 32 | <1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 35-49 | 91 | 5.0 | 19 | 1 | 1 | 4 | 6 | 11 | 15 | 20 |
| 50-64 | 65 | 5.0 | 25 | 1 | 1 | 4 | 6 | 10 | 18 | 26 |
| 65+ | 126 | 8.5 | 88 | 1 | 2 | 6 | 10 | 17 | 20 | 60 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 429 | 2.5 | 12 | <1 | <1 | 2 | 2 | 5 | 9 | 16 |
| 20-34 | 566 | 3.7 | 30 | <1 | <1 | 2 | 4 | 8 | 11 | 24 |
| 35-49 | 434 | 3.6 | 25 | <1 | <1 | 2 | 4 | 8 | 12 | 25 |
| 50-64 | 411 | 4.1 | 38 | <1 | <1 | 2 | 4 | 10 | 16 | 37 |
| 65+ | 277 | 8.1 | 151 | <1 | <1 | 3 | 9 | 22 | 35 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 20-34 | 259 | 6.6 | 53 | 1 | 1 | 4 | 9 | 14 | 22 | 57 |
| 35-49 | 221 | 6.6 | 34 | 1 | 2 | 5 | 8 | 14 | 18 | 25 |
| 50-64 | 335 | 8.2 | 57 | 1 | 2 | 6 | 10 | 19 | 23 | 37 |
| 65+ | 846 | 11.9 | 138 | 2 | 3 | 8 | 15 | 25 | 35 | 78 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 233 | 5.4 | 82 | <1 | <1 | 2 | 5 | 11 | 25 | 50 |
| 20-34 | 519 | 9.4 | 215 | <1 | 1 | 4 | 10 | 26 | 50 | 92 |
| 35-49 | 547 | 8.7 | 170 | <1 | 1 | 4 | 9 | 23 | 38 | 77 |
| 50-64 | 905 | 10.0 | 178 | <1 | 1 | 4 | 13 | 30 | 43 | 89 |
| 65+ | 863 | 18.9 | 350 | 1 | 2 | 13 | 26 | 49 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 589 | 5.3 | 38 | 1 | 1 | 4 | 6 | 11 | 16 | 28 |
| *B. Operated* | 2117 | 4.1 | 46 | <1 | <1 | 2 | 4 | 9 | 15 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1871 | 9.0 | 94 | 1 | 2 | 6 | 11 | 21 | 27 | 56 |
| *B. Operated* | 2767 | 12.0 | 252 | 1 | 1 | 5 | 16 | 34 | 50 | 90 |
| **1. SINGLE DX** | 2706 | 4.4 | 44 | <1 | <1 | 2 | 4 | 10 | 15 | 37 |
| **2. MULTIPLE DX** | 4638 | 10.8 | 190 | 1 | 1 | 6 | 13 | 27 | 42 | 84 |
| **A. NOT OPERATED** | 2460 | 8.1 | 83 | 1 | 2 | 5 | 10 | 18 | 24 | 53 |
| **B. OPERATED** | 4884 | 8.6 | 178 | <1 | <1 | 3 | 9 | 24 | 39 | 77 |
| TOTAL 0-19 YRS | 1034 | 3.6 | 29 | <1 | <1 | 2 | 4 | 7 | 11 | 31 |
| 20-34 | 1489 | 6.3 | 105 | <1 | <1 | 3 | 6 | 15 | 24 | 69 |
| 35-49 | 1293 | 6.4 | 92 | <1 | 1 | 3 | 7 | 15 | 22 | 49 |
| 50-64 | 1416 | 7.6 | 108 | <1 | 1 | 4 | 9 | 21 | 30 | 62 |
| 65+ | 2112 | 14.1 | 241 | 1 | 2 | 9 | 18 | 35 | 50 | 86 |
| **GRAND TOTAL** | 7344 | 8.4 | 146 | <1 | 1 | 4 | 10 | 22 | 34 | 72 |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.4 | 8 | 3 | 3 | 6 | 8 | 11 | 11 | 11 |
| 20-34 | 29 | 6.1 | 21 | 1 | 2 | 5 | 7 | 14 | 17 | 19 |
| 35-49 | 31 | 5.5 | 22 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 30 | 6.1 | 22 | 1 | 2 | 4 | 9 | 13 | 19 | 20 |
| 65+ | 13 | 9.3 | 96 | 2 | 2 | 5 | 11 | 27 | 31 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.6 | 74 | 1 | 1 | 3 | 4 | 17 | 30 | 31 |
| 20-34 | 21 | 6.1 | 23 | 1 | 2 | 4 | 10 | 14 | 15 | 16 |
| 35-49 | 18 | 7.1 | 125 | <1 | 1 | 3 | 8 | 14 | 35 | 48 |
| 50-64 | 17 | 6.6 | 87 | 1 | 1 | 4 | 8 | 19 | 32 | 38 |
| 65+ | 9 | 7.3 | 33 | <1 | 1 | 5 | 11 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 8.4 | 74 | 2 | 2 | 6 | 9 | 18 | 25 | 46 |
| 20-34 | 110 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 37 |
| 35-49 | 105 | 8.2 | 63 | 2 | 2 | 6 | 9 | 15 | 22 | 45 |
| 50-64 | 133 | 8.3 | 50 | 2 | 3 | 6 | 11 | 16 | 19 | 40 |
| 65+ | 100 | 9.7 | 63 | 2 | 3 | 8 | 12 | 19 | 27 | 41 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 10.7 | 136 | 1 | 1 | 6 | 15 | 32 | 38 | 39 |
| 20-34 | 76 | 14.4 | 283 | <1 | <1 | 8 | 21 | 38 | 62 | 72 |
| 35-49 | 73 | 15.1 | 215 | 2 | 2 | 11 | 19 | 30 | 53 | 68 |
| 50-64 | 72 | 13.3 | 195 | 2 | 2 | 10 | 18 | 30 | 37 | 66 |
| 65+ | 58 | 16.8 | 153 | 3 | 4 | 14 | 22 | 36 | 43 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 119 | 6.3 | 28 | 1 | 2 | 5 | 8 | 13 | 18 | 28 |
| *B. Operated* | 76 | 6.5 | 67 | 1 | 1 | 4 | 8 | 15 | 20 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 479 | 8.4 | 54 | 2 | 2 | 6 | 10 | 16 | 22 | 42 |
| *B. Operated* | 300 | 14.5 | 200 | 1 | 2 | 10 | 20 | 33 | 43 | 67 |
| **1. SINGLE DX** | 195 | 6.4 | 43 | 1 | 1 | 4 | 8 | 14 | 18 | 35 |
| **2. MULTIPLE DX** | 779 | 10.7 | 119 | 2 | 2 | 7 | 13 | 23 | 34 | 56 |
| **A. NOT OPERATED** | 598 | 8.0 | 90 | 2 | 2 | 6 | 9 | 15 | 21 | 39 |
| **B. OPERATED** | 376 | 12.9 | 184 | 1 | 2 | 9 | 17 | 31 | 42 | 64 |
| TOTAL 0-19 YRS | 79 | 8.2 | 78 | 1 | 2 | 6 | 9 | 17 | 30 | 44 |
| 20-34 | 236 | 9.4 | 125 | <1 | 2 | 6 | 11 | 21 | 34 | 61 |
| 35-49 | 227 | 10.0 | 123 | 1 | 2 | 7 | 12 | 22 | 30 | 57 |
| 50-64 | 252 | 9.4 | 85 | 2 | 2 | 7 | 12 | 20 | 26 | 48 |
| 65+ | 180 | 11.9 | 104 | 2 | 3 | 9 | 15 | 25 | 33 | 45 |
| **GRAND TOTAL** | 974 | 9.9 | 107 | 1 | 2 | 7 | 12 | 22 | 32 | 56 |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 5.4 | 20 | 1 | 2 | 4 | 6 | 10 | 15 | 25 |
| 20-34 | 38 | 4.9 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 35-49 | 56 | 8.5 | 70 | 1 | 2 | 7 | 11 | 17 | 23 | 51 |
| 50-64 | 110 | 6.9 | 26 | 1 | 2 | 6 | 9 | 15 | 17 | 23 |
| 65+ | 85 | 8.6 | 70 | 2 | 3 | 6 | 10 | 14 | 25 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 6.7 | 31 | 1 | 1 | 4 | 10 | 15 | 18 | 21 |
| 20-34 | 52 | 8.8 | 47 | 2 | 2 | 6 | 14 | 19 | 21 | 26 |
| 35-49 | 124 | 7.4 | 48 | 1 | 2 | 4 | 10 | 15 | 20 | 38 |
| 50-64 | 319 | 8.6 | 59 | 2 | 2 | 6 | 12 | 19 | 24 | 34 |
| 65+ | 201 | 10.7 | 72 | 2 | 2 | 9 | 15 | 23 | 27 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 7.6 | 47 | 1 | 2 | 5 | 10 | 18 | 25 | 27 |
| 20-34 | 55 | 7.3 | 51 | 1 | 2 | 4 | 8 | 18 | 23 | 34 |
| 35-49 | 104 | 7.8 | 33 | 2 | 3 | 6 | 10 | 15 | 19 | 29 |
| 50-64 | 352 | 8.4 | 52 | 1 | 2 | 6 | 11 | 18 | 23 | 37 |
| 65+ | 495 | 9.1 | 55 | 2 | 3 | 7 | 11 | 17 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 8.5 | 78 | <1 | 2 | 5 | 12 | 21 | 31 | 33 |
| 20-34 | 37 | 8.2 | 74 | 2 | 2 | 5 | 10 | 21 | 32 | 36 |
| 35-49 | 135 | 10.9 | 152 | 1 | 2 | 6 | 14 | 25 | 38 | 81 |
| 50-64 | 391 | 10.2 | 118 | 2 | 2 | 6 | 13 | 22 | 31 | 61 |
| 65+ | 357 | 14.1 | 177 | 2 | 3 | 11 | 17 | 29 | 42 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 342 | 7.1 | 43 | 1 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | 718 | 8.9 | 60 | 2 | 2 | 6 | 13 | 20 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1039 | 8.6 | 51 | 2 | 2 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | 933 | 11.7 | 146 | 2 | 2 | 8 | 15 | 25 | 35 | 72 |
| **1. SINGLE DX** | 1060 | 8.4 | 55 | 2 | 2 | 6 | 12 | 18 | 23 | 33 |
| **2. MULTIPLE DX** | 1972 | 10.1 | 99 | 2 | 2 | 7 | 13 | 21 | 30 | 62 |
| **A. NOT OPERATED** | 1381 | 8.3 | 49 | 1 | 2 | 6 | 10 | 17 | 22 | 38 |
| **B. OPERATED** | 1651 | 10.5 | 111 | 2 | 2 | 7 | 14 | 22 | 30 | 63 |
| TOTAL 0-19 YRS | 121 | 6.5 | 36 | 1 | 1 | 5 | 8 | 15 | 19 | 29 |
| 20-34 | 182 | 7.4 | 47 | 2 | 2 | 5 | 9 | 18 | 21 | 35 |
| 35-49 | 419 | 8.8 | 83 | 1 | 2 | 6 | 11 | 19 | 25 | 50 |
| 50-64 | 1172 | 8.9 | 74 | 2 | 2 | 6 | 12 | 19 | 24 | 43 |
| 65+ | 1138 | 10.9 | 102 | 2 | 3 | 8 | 14 | 22 | 30 | 64 |
| **GRAND TOTAL** | **3032** | **9.5** | **84** | **2** | **2** | **7** | **12** | **20** | **26** | **48** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 10 | 4.6 | 11 | 1 | 1 | 4 | 8 | 9 | 10 | 10 |
| 35-49 | 13 | 6.1 | 36 | 1 | 1 | 3 | 8 | 13 | 21 | 23 |
| 50-64 | 51 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 9 | 16 |
| 65+ | 112 | 6.4 | 30 | 1 | 2 | 5 | 8 | 12 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 9.9 | 78 | <1 | 1 | 5 | 16 | 23 | 26 | 29 |
| 20-34 | 193 | 4.3 | 20 | 1 | 1 | 3 | 5 | 10 | 14 | 21 |
| 35-49 | 316 | 5.3 | 29 | 1 | 1 | 3 | 7 | 12 | 15 | 20 |
| 50-64 | 1237 | 8.8 | 38 | 1 | 2 | 8 | 13 | 17 | 20 | 27 |
| 65+ | 1772 | 12.9 | 39 | 3 | 5 | 13 | 16 | 20 | 23 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 6.4 | 20 | 1 | 2 | 6 | 9 | 13 | 18 | 18 |
| 35-49 | 43 | 6.9 | 32 | 1 | 2 | 5 | 10 | 16 | 19 | 23 |
| 50-64 | 220 | 5.9 | 25 | 1 | 1 | 4 | 8 | 12 | 16 | 26 |
| 65+ | 910 | 7.8 | 57 | 1 | 2 | 6 | 10 | 16 | 21 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.8 | 91 | <1 | <1 | 2 | 4 | 17 | 29 | 42 |
| 20-34 | 141 | 4.5 | 18 | 1 | 1 | 3 | 5 | 10 | 14 | 21 |
| 35-49 | 271 | 6.3 | 36 | 1 | 1 | 4 | 9 | 14 | 19 | 28 |
| 50-64 | 1072 | 10.1 | 63 | 1 | 2 | 9 | 14 | 20 | 24 | 36 |
| 65+ | 2091 | 15.6 | 91 | 2 | 5 | 14 | 19 | 26 | 33 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 5.8 | 24 | 1 | 1 | 5 | 8 | 11 | 13 | 24 |
| B. *Operated* | 3537 | 10.3 | 45 | 1 | 2 | 10 | 15 | 18 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1184 | 7.4 | 50 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| B. *Operated* | 3596 | 12.8 | 89 | 2 | 2 | 12 | 17 | 23 | 29 | 48 |
| **1. SINGLE DX** | 3725 | 10.1 | 45 | 1 | 2 | 10 | 14 | 18 | 22 | 29 |
| **2. MULTIPLE DX** | 4780 | 11.5 | 84 | 1 | 2 | 10 | 16 | 22 | 28 | 45 |
| **A. NOT OPERATED** | 1372 | 7.2 | 47 | 1 | 2 | 5 | 9 | 15 | 19 | 32 |
| **B. OPERATED** | 7133 | 11.6 | 69 | 1 | 2 | 11 | 16 | 21 | 25 | 39 |
| TOTAL 0-19 YRS | 42 | 7.6 | 84 | <1 | 1 | 1 | 10 | 21 | 25 | 42 |
| 20-34 | 355 | 4.5 | 19 | 1 | 1 | 3 | 5 | 10 | 14 | 20 |
| 35-49 | 643 | 5.9 | 32 | 1 | 1 | 4 | 8 | 13 | 17 | 27 |
| 50-64 | 2580 | 9.0 | 48 | 1 | 2 | 8 | 13 | 17 | 22 | 31 |
| 65+ | 4885 | 13.0 | 73 | 2 | 3 | 12 | 17 | 23 | 28 | 44 |
| **GRAND TOTAL** | **8505** | **10.9** | **68** | **1** | **2** | **10** | **15** | **20** | **25** | **38** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 7.1 | 40 | 1 | 1 | 5 | 10 | 15 | 19 | 31 |
| 20-34 | 57 | 6.1 | 22 | 1 | 2 | 5 | 8 | 13 | 17 | 19 |
| 35-49 | 33 | 4.7 | 11 | <1 | 1 | 4 | 6 | 11 | 11 | 12 |
| 50-64 | 33 | 5.8 | 29 | 1 | 2 | 4 | 6 | 13 | 20 | 24 |
| 65+ | 56 | 6.8 | 23 | 1 | 2 | 6 | 9 | 13 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 9.2 | 55 | 1 | 2 | 8 | 13 | 18 | 25 | 32 |
| 20-34 | 213 | 5.2 | 37 | 1 | 1 | 4 | 6 | 10 | 16 | 39 |
| 35-49 | 190 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 28 |
| 50-64 | 212 | 7.7 | 59 | 1 | 2 | 5 | 10 | 17 | 22 | 45 |
| 65+ | 122 | 12.6 | 100 | 3 | 3 | 11 | 17 | 21 | 28 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 8.9 | 46 | 2 | 2 | 7 | 14 | 20 | 21 | 30 |
| 20-34 | 65 | 5.8 | 18 | 1 | 2 | 4 | 7 | 12 | 15 | 20 |
| 35-49 | 54 | 7.0 | 44 | 2 | 2 | 5 | 10 | 14 | 18 | 36 |
| 50-64 | 92 | 7.8 | 42 | 1 | 2 | 6 | 10 | 16 | 23 | 32 |
| 65+ | 232 | 7.9 | 38 | 2 | 2 | 6 | 10 | 15 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 12.7 | 107 | 2 | 2 | 11 | 19 | 25 | 34 | 51 |
| 20-34 | 147 | 7.7 | 84 | 2 | 2 | 4 | 9 | 17 | 22 | 56 |
| 35-49 | 134 | 9.4 | 132 | 1 | 1 | 5 | 12 | 26 | 34 | 57 |
| 50-64 | 197 | 11.2 | 171 | 1 | 2 | 6 | 15 | 26 | 36 | 69 |
| 65+ | 200 | 15.3 | 187 | 2 | 3 | 12 | 21 | 33 | 39 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 261 | 6.3 | 27 | 1 | 2 | 5 | 8 | 13 | 17 | 26 |
| B. *Operated* | 825 | 7.4 | 57 | 1 | 2 | 5 | 10 | 16 | 20 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 507 | 7.6 | 39 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| B. *Operated* | 756 | 11.4 | 152 | 1 | 2 | 7 | 15 | 27 | 35 | 62 |
| **1. SINGLE DX** | 1086 | 7.1 | 50 | 1 | 2 | 5 | 9 | 16 | 19 | 36 |
| **2. MULTIPLE DX** | 1263 | 9.9 | 110 | 1 | 2 | 6 | 13 | 22 | 31 | 55 |
| **A. NOT OPERATED** | 768 | 7.2 | 35 | 1 | 2 | 6 | 9 | 15 | 19 | 30 |
| **B. OPERATED** | 1581 | 9.3 | 106 | 1 | 2 | 5 | 13 | 21 | 30 | 53 |
| TOTAL 0-19 YRS | 312 | 9.5 | 66 | 1 | 2 | 7 | 14 | 20 | 25 | 35 |
| 20-34 | 482 | 6.1 | 48 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| 35-49 | 411 | 6.8 | 63 | 1 | 1 | 4 | 8 | 13 | 21 | 43 |
| 50-64 | 534 | 8.9 | 98 | 1 | 2 | 5 | 12 | 19 | 26 | 52 |
| 65+ | 610 | 11.2 | 110 | 2 | 3 | 8 | 14 | 24 | 31 | 56 |
| **GRAND TOTAL** | **2349** | **8.6** | **84** | **1** | **2** | **5** | **11** | **19** | **26** | **47** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 4 |
| 20-34 | 27 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 7 |
| 35-49 | 9 | 2.2 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 50-64 | 7 | 3.0 | 10 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| 65+ | 7 | 5.0 | 22 | 1 | 1 | 4 | 5 | 13 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1098 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 2653 | 2.8 | 6 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 1172 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 50-64 | 604 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 142 | [illegible] | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 37 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 35-49 | 24 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 30 | 3.0 | 14 | <1 | <1 | 2 | 3 | 8 | 9 | 19 |
| 65+ | 13 | 4.8 | 13 | <1 | 1 | 5 | 6 | 10 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 692 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 20-34 | 1831 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 1051 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 849 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 65+ | 347 | 4.7 | 19 | 1 | 2 | 3 | 6 | 10 | 13 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 14 |
| B. *Operated* | 5669 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 2.3 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| B. *Operated* | 4770 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 5733 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 4891 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 185 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 10439 | 3.1 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 1821 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 4548 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 2256 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 1490 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 65+ | 509 | 4.5 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **GRAND TOTAL** | **10624** | **3.1** | **7** | **<1** | **1** | **3** | **4** | **6** | **7** | **12** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 104 | 3.5 | 9 | <1 | <1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 55 | 5.1 | 31 | <1 | 1 | 4 | 5 | 11 | 18 | 31 |
| 50-64 | 50 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 75 | 5.0 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1344 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 2120 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 610 | 3.5 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 247 | 4.0 | 19 | 1 | 1 | 3 | 5 | 7 | 11 | 23 |
| 65+ | 134 | 6.0 | 41 | <1 | 1 | 4 | 9 | 14 | 17 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 3.8 | 14 | <1 | 1 | 3 | 5 | 7 | 12 | 20 |
| 20-34 | 125 | 5.4 | 49 | <1 | 1 | 3 | 6 | 11 | 16 | 45 |
| 35-49 | 100 | 7.0 | 75 | 1 | 1 | 4 | 9 | 15 | 20 | 48 |
| 50-64 | 133 | 5.5 | 21 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 252 | 7.2 | 34 | 1 | 2 | 6 | 9 | 14 | 21 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 515 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 20-34 | 939 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 425 | 5.2 | 48 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| 50-64 | 298 | 6.4 | 63 | 1 | 1 | 4 | 7 | 14 | 19 | 44 |
| 65+ | 210 | 10.2 | 115 | 1 | 2 | 7 | 15 | 22 | 28 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 379 | 3.8 | 14 | <1 | 1 | 3 | 4 | 8 | 11 | 21 |
| B. *Operated* | 4455 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 705 | 6.1 | 39 | 1 | 1 | 4 | 8 | 13 | 18 | 28 |
| B. *Operated* | 2387 | 5.0 | 37 | 1 | 1 | 3 | 5 | 9 | 15 | 29 |
| **1. SINGLE DX** | 4834 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 3092 | 5.2 | 37 | 1 | 1 | 3 | 6 | 11 | 16 | 29 |
| **A. NOT OPERATED** | 1084 | 5.3 | 31 | 1 | 1 | 4 | 7 | 11 | 16 | 27 |
| **B. OPERATED** | 6842 | 3.9 | 18 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 2049 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 20-34 | 3288 | 3.7 | 10 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 35-49 | 1190 | 4.5 | 30 | <1 | 1 | 3 | 5 | 8 | 12 | 28 |
| 50-64 | 728 | 5.2 | 38 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| 65+ | 671 | 7.7 | 62 | 1 | 1 | 5 | 10 | 17 | 23 | 36 |
| **GRAND TOTAL** | **7926** | **4.1** | **20** | **1** | **1** | **3** | **5** | **7** | **11** | **22** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 22 | 4 | 4 | 11 | 12 | 13 | 13 | 13 |
| 20-34 | 13 | 5.2 | 36 | 1 | 1 | 3 | 6 | 11 | 22 | 24 |
| 35-49 | 8 | 8.5 | 41 | 1 | 1 | 9 | 12 | 18 | 20 | 20 |
| 50-64 | 4 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.0 | 128 | 1 | 1 | 9 | 17 | 17 | 17 | 17 |
| 35-49 | 3 | 8.0 | 28 | 2 | 2 | 10 | 11 | 12 | 12 | 12 |
| 50-64 | 2 | 14.0 | 162 | 5 | 5 | 14 | 23 | 23 | 23 | 23 |
| 65+ | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 8.6 | 113 | 1 | 1 | 6 | 8 | 27 | 32 | 32 |
| 35-49 | 19 | 6.2 | 18 | 1 | 2 | 7 | 8 | 11 | 15 | 19 |
| 50-64 | 14 | 7.5 | 39 | 1 | 2 | 6 | 9 | 21 | 21 | 21 |
| 65+ | 15 | 11.9 | 36 | 5 | 6 | 11 | 17 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 3 | 8.0 | 7 | 5 | 5 | 9 | 10 | 10 | 10 | 10 |
| 35-49 | 10 | 9.1 | 15 | 3 | 4 | 8 | 12 | 14 | 15 | 15 |
| 50-64 | 13 | 24.3 | 437 | 7 | 8 | 15 | 33 | 62 | 68 | 70 |
| 65+ | 3 | 11.0 | 13 | 8 | 8 | 10 | 14 | 15 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 6.5 | 31 | 1 | 2 | 5 | 9 | 13 | 20 | 24 |
| B. *Operated* | 8 | 11.9 | 84 | 1 | 1 | 11 | 20 | 24 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 8.4 | 42 | 1 | 2 | 7 | 10 | 21 | 21 | 31 |
| B. *Operated* | 30 | 15.5 | 251 | 3 | 5 | 10 | 15 | 37 | 60 | 70 |
| **1. SINGLE DX** | 37 | 7.7 | 46 | 1 | 2 | 5 | 10 | 19 | 24 | 25 |
| **2. MULTIPLE DX** | 85 | 10.9 | 126 | 2 | 3 | 8 | 12 | 21 | 30 | 66 |
| **A. NOT OPERATED** | 84 | 7.8 | 39 | 1 | 2 | 6 | 10 | 19 | 21 | 29 |
| **B. OPERATED** | 38 | 14.7 | 215 | 1 | 3 | 11 | 15 | 28 | 54 | 70 |
| TOTAL 0-19 YRS | 4 | 7.3 | 32 | <1 | <1 | 7 | 12 | 13 | 13 | 13 |
| 20-34 | 25 | 6.8 | 55 | 1 | 1 | 5 | 8 | 17 | 26 | 32 |
| 35-49 | 40 | 7.5 | 22 | 1 | 2 | 7 | 10 | 13 | 17 | 20 |
| 50-64 | 33 | 14.2 | 257 | 2 | 3 | 9 | 17 | 32 | 58 | 70 |
| 65+ | 20 | 12.1 | 40 | 4 | 5 | 10 | 16 | 22 | 23 | 25 |
| **GRAND TOTAL** | **122** | **9.9** | **103** | **1** | **2** | **7** | **12** | **21** | **24** | **63** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 20-34 | 15 | 7.1 | 25 | 1 | 1 | 7 | 10 | 16 | 17 | 17 |
| 35-49 | 54 | 5.6 | 15 | 1 | 1 | 4 | 9 | 11 | 12 | 18 |
| 50-64 | 109 | 5.5 | 15 | 1 | 1 | 5 | 7 | 11 | 14 | 18 |
| 65+ | 140 | 6.8 | 27 | 1 | 2 | 5 | 9 | 14 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 28 | 1 | 1 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 48 | 5.7 | 22 | 1 | 1 | 4 | 9 | 11 | 16 | 19 |
| 35-49 | 227 | 6.4 | 32 | 1 | 1 | 5 | 9 | 13 | 16 | 28 |
| 50-64 | 335 | 6.0 | 27 | 1 | 1 | 5 | 9 | 11 | 14 | 25 |
| 65+ | 138 | 7.3 | 58 | 1 | 1 | 5 | 10 | 14 | 20 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 24 | 9.3 | 336 | 1 | 2 | 4 | 7 | 13 | 46 | 92 |
| 35-49 | 145 | 6.0 | 18 | 1 | 2 | 5 | 8 | 12 | 15 | 20 |
| 50-64 | 356 | 6.6 | 28 | 1 | 2 | 5 | 8 | 13 | 18 | 25 |
| 65+ | 827 | 7.6 | 30 | 2 | 3 | 6 | 9 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.3 | 13 | 5 | 5 | 9 | 11 | 15 | 15 | 15 |
| 20-34 | 51 | 8.3 | 78 | 1 | 1 | 6 | 12 | 18 | 21 | 42 |
| 35-49 | 225 | 8.2 | 72 | 1 | 2 | 6 | 10 | 17 | 24 | 45 |
| 50-64 | 411 | 8.4 | 67 | 1 | 1 | 7 | 11 | 16 | 21 | 42 |
| 65+ | 348 | 13.0 | 158 | 2 | 2 | 10 | 17 | 26 | 37 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 320 | 6.2 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 751 | 6.3 | 34 | 1 | 1 | 5 | 9 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1353 | 7.2 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 26 |
| B. *Operated* | 1041 | 9.9 | 103 | 1 | 2 | 8 | 12 | 20 | 27 | 47 |
| **1. SINGLE DX** | 1071 | 6.3 | 30 | 1 | 1 | 5 | 9 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | 2394 | 8.4 | 66 | 1 | 2 | 6 | 10 | 16 | 22 | 42 |
| **A. NOT OPERATED** | 1673 | 7.0 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 26 |
| **B. OPERATED** | 1792 | 8.4 | 77 | 1 | 1 | 6 | 11 | 17 | 23 | 43 |
| TOTAL 0-19 YRS | 12 | 7.8 | 17 | 1 | 1 | 9 | 10 | 12 | 15 | 15 |
| 20-34 | 138 | 7.4 | 97 | 1 | 1 | 5 | 9 | 16 | 18 | 48 |
| 35-49 | 651 | 6.9 | 42 | 1 | 1 | 5 | 9 | 14 | 18 | 32 |
| 50-64 | 1211 | 7.0 | 41 | 1 | 1 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 1453 | 8.8 | 69 | 2 | 2 | 7 | 11 | 17 | 22 | 42 |
| **GRAND TOTAL** | **3465** | **7.7** | **56** | **1** | **2** | **6** | **10** | **15** | **20** | **38** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 7.6 | 17 | 2 | 2 | 8 | 10 | 14 | 15 | 15 |
| 20-34 | 627 | 6.5 | 15 | 1 | 2 | 6 | 8 | 11 | 14 | 21 |
| 35-49 | 871 | 6.7 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 19 |
| 50-64 | 550 | 6.6 | 17 | 1 | 2 | 6 | 9 | 11 | 14 | 20 |
| 65+ | 181 | 8.0 | 31 | 2 | 2 | 7 | 11 | 14 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 6.1 | 21 | 1 | 1 | 6 | 8 | 11 | 14 | 24 |
| 20-34 | 2637 | 7.1 | 32 | 1 | 1 | 6 | 9 | 14 | 17 | 26 |
| 35-49 | 3525 | 7.4 | 29 | 1 | 1 | 7 | 10 | 14 | 17 | 25 |
| 50-64 | 1781 | 7.5 | 32 | 1 | 1 | 7 | 10 | 14 | 18 | 26 |
| 65+ | 369 | 9.8 | 53 | 1 | 1 | 9 | 14 | 19 | 23 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 7.8 | 72 | <1 | 1 | 6 | 10 | 11 | 29 | 37 |
| 20-34 | 330 | 7.1 | 22 | 1 | 2 | 6 | 9 | 14 | 17 | 25 |
| 35-49 | 569 | 7.4 | 32 | 1 | 2 | 6 | 9 | 14 | 19 | 29 |
| 50-64 | 579 | 7.7 | 23 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| 65+ | 527 | 8.5 | 30 | 2 | 3 | 7 | 11 | 15 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.9 | 31 | 1 | 1 | 9 | 12 | 16 | 19 | 22 |
| 20-34 | 778 | 9.4 | 63 | 1 | 2 | 8 | 12 | 18 | 22 | 34 |
| 35-49 | 1420 | 10.1 | 57 | 1 | 2 | 9 | 13 | 19 | 25 | 37 |
| 50-64 | 1218 | 10.5 | 72 | 1 | 2 | 9 | 14 | 19 | 27 | 43 |
| 65+ | 601 | 12.4 | 84 | 1 | 2 | 11 | 17 | 24 | 30 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2262 | 6.8 | 18 | 1 | 2 | 6 | 9 | 12 | 14 | 20 |
| B. *Operated* | 8432 | 7.4 | 32 | 1 | 1 | 7 | 10 | 14 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2021 | 7.7 | 28 | 2 | 2 | 7 | 10 | 14 | 18 | 26 |
| B. *Operated* | 4040 | 10.4 | 67 | 1 | 2 | 9 | 14 | 20 | 26 | 39 |
| **1. SINGLE DX** | 10694 | 7.3 | 29 | 1 | 1 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | 6061 | 9.5 | 56 | 1 | 2 | 8 | 12 | 18 | 23 | 36 |
| **A. NOT OPERATED** | 4283 | 7.2 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 12472 | 8.4 | 45 | 1 | 1 | 7 | 11 | 16 | 21 | 32 |
| TOTAL 0-19 YRS | 192 | 6.8 | 26 | 1 | 1 | 6 | 9 | 12 | 15 | 27 |
| 20-34 | 4372 | 7.4 | 35 | 1 | 1 | 7 | 10 | 14 | 18 | 27 |
| 35-49 | 6385 | 7.9 | 35 | 1 | 2 | 7 | 10 | 15 | 19 | 29 |
| 50-64 | 4128 | 8.3 | 42 | 1 | 2 | 7 | 11 | 15 | 20 | 30 |
| 65+ | 1678 | 10.1 | 58 | 1 | 2 | 8 | 13 | 20 | 24 | 37 |
| **GRAND TOTAL** | **16755** | **8.1** | **40** | **1** | **2** | **7** | **11** | **15** | **19** | **30** |

## 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.0 | 10 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| 20-34 | 101 | 6.1 | 20 | 1 | 1 | 5 | 8 | 12 | 14 | 22 |
| 35-49 | 199 | 5.8 | 13 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| 50-64 | 143 | 6.1 | 16 | 1 | 2 | 6 | 8 | 11 | 13 | 19 |
| 65+ | 52 | 7.0 | 33 | 2 | 3 | 6 | 8 | 11 | 15 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.8 | 44 | <1 | <1 | 3 | 15 | 51 | 96 | 99+ |
| 20-34 | 372 | 5.8 | 22 | 1 | 1 | 5 | 8 | 11 | 15 | 22 |
| 35-49 | 720 | 5.9 | 18 | 1 | 1 | 5 | 8 | 11 | 14 | 22 |
| 50-64 | 461 | 6.2 | 21 | 1 | 1 | 5 | 8 | 12 | 15 | 20 |
| 65+ | 86 | 7.4 | 44 | 1 | 1 | 6 | 9 | 13 | 21 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.2 | 28 | 3 | 3 | 5 | 10 | 16 | 16 | 16 |
| 20-34 | 80 | 6.9 | 25 | 1 | 1 | 6 | 8 | 16 | 19 | 21 |
| 35-49 | 170 | 8.0 | 61 | 2 | 3 | 6 | 9 | 13 | 18 | 51 |
| 50-64 | 217 | 6.9 | 26 | 1 | 2 | 6 | 9 | 14 | 19 | 26 |
| 65+ | 208 | 8.0 | 36 | 2 | 2 | 7 | 10 | 15 | 21 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.0 | 82 | 4 | 4 | 6 | 12 | 26 | 26 | 26 |
| 20-34 | 127 | 7.5 | 42 | 1 | 1 | 6 | 10 | 16 | 19 | 34 |
| 35-49 | 449 | 7.3 | 29 | 1 | 2 | 6 | 9 | 14 | 18 | 28 |
| 50-64 | 397 | 7.4 | 40 | 1 | 1 | 6 | 9 | 14 | 18 | 34 |
| 65+ | 92 | 10.2 | 60 | 2 | 2 | 8 | 14 | 20 | 23 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 500 | 6.1 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| B. *Operated* | 1649 | 6.0 | 21 | 1 | 1 | 5 | 8 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 680 | 7.5 | 38 | 1 | 2 | 6 | 9 | 15 | 19 | 27 |
| B. *Operated* | 1070 | 7.6 | 38 | 1 | 1 | 6 | 10 | 15 | 18 | 33 |
| **1. SINGLE DX** | 2149 | 6.0 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 1750 | 7.6 | 38 | 1 | 2 | 6 | 10 | 15 | 19 | 31 |
| **A. NOT OPERATED** | 1180 | 6.9 | 30 | 1 | 2 | 6 | 8 | 13 | 16 | 26 |
| **B. OPERATED** | 2719 | 6.6 | 29 | 1 | 1 | 6 | 9 | 13 | 17 | 27 |
| TOTAL 0-19 YRS | 25 | 7.2 | 39 | 1 | 1 | 6 | 9 | 18 | 41 | 99+ |
| 20-34 | 680 | 6.3 | 26 | 1 | 1 | 5 | 8 | 12 | 16 | 24 |
| 35-49 | 1538 | 6.5 | 26 | 1 | 1 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 1218 | 6.7 | 28 | 1 | 1 | 6 | 9 | 13 | 17 | 27 |
| 65+ | 438 | 8.2 | 43 | 1 | 2 | 7 | 11 | 16 | 21 | 35 |
| **GRAND TOTAL** | **3899** | **6.7** | **29** | **1** | **1** | **6** | **9** | **13** | **16** | **27** |

## 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.9 | 9 | 2 | 2 | 6 | 7 | 10 | 12 | 12 |
| 20-34 | 105 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 12 | 22 |
| 35-49 | 107 | 7.0 | 14 | 2 | 2 | 7 | 9 | 12 | 13 | 19 |
| 50-64 | 51 | 5.9 | 13 | 2 | 2 | 5 | 8 | 10 | 12 | 17 |
| 65+ | 21 | 7.3 | 7 | 3 | 4 | 7 | 9 | 11 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 7 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 93 | 4.6 | 22 | 1 | 1 | 2 | 7 | 12 | 14 | 20 |
| 35-49 | 128 | 6.1 | 36 | 1 | 1 | 3 | 9 | 15 | 18 | 26 |
| 50-64 | 35 | 6.9 | 31 | 2 | 2 | 5 | 11 | 16 | 17 | 20 |
| 65+ | 5 | 5.2 | 16 | 1 | 1 | 3 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 7.4 | 15 | 3 | 3 | 6 | 9 | 13 | 15 | 15 |
| 20-34 | 89 | 7.0 | 27 | 2 | 2 | 6 | 9 | 12 | 19 | 29 |
| 35-49 | 139 | 8.3 | 27 | 3 | 3 | 7 | 11 | 16 | 19 | 26 |
| 50-64 | 100 | 8.5 | 77 | 2 | 3 | 7 | 10 | 16 | 19 | 52 |
| 65+ | 70 | 8.1 | 26 | 2 | 3 | 7 | 11 | 14 | 15 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.6 | 19 | 2 | 2 | 4 | 8 | 13 | 13 | 13 |
| 20-34 | 76 | 8.4 | 32 | 1 | 2 | 8 | 13 | 16 | 18 | 21 |
| 35-49 | 78 | 8.1 | 61 | 1 | 2 | 6 | 11 | 17 | 22 | 44 |
| 50-64 | 45 | 11.6 | 112 | 1 | 1 | 10 | 15 | 26 | 33 | 48 |
| 65+ | 4 | 11.0 | 49 | 4 | 4 | 11 | 17 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 293 | 6.5 | 14 | 1 | 2 | 6 | 9 | 11 | 12 | 18 |
| B. *Operated* | 265 | 5.7 | 30 | 1 | 1 | 3 | 9 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 406 | 8.0 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 27 |
| B. *Operated* | 208 | 9.0 | 61 | 1 | 2 | 7 | 13 | 18 | 22 | 43 |
| **1. SINGLE DX** | 558 | 6.1 | 22 | 1 | 1 | 5 | 9 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 614 | 8.3 | 47 | 2 | 2 | 7 | 11 | 16 | 19 | 31 |
| **A. NOT OPERATED** | 699 | 7.4 | 29 | 2 | 3 | 7 | 9 | 13 | 17 | 25 |
| **B. OPERATED** | 473 | 7.1 | 46 | 1 | 1 | 5 | 11 | 16 | 19 | 30 |
| TOTAL 0-19 YRS | 26 | 6.3 | 12 | 2 | 2 | 6 | 8 | 12 | 13 | 15 |
| 20-34 | 363 | 6.4 | 25 | 1 | 1 | 5 | 9 | 14 | 16 | 23 |
| 35-49 | 452 | 7.3 | 33 | 1 | 2 | 6 | 10 | 15 | 18 | 26 |
| 50-64 | 231 | 8.3 | 66 | 2 | 2 | 7 | 10 | 17 | 20 | 42 |
| 65+ | 100 | 7.9 | 22 | 2 | 3 | 7 | 10 | 14 | 16 | 25 |
| **GRAND TOTAL** | **1172** | **7.3** | **36** | **1** | **2** | **6** | **10** | **15** | **18** | **26** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 58 | 7.4 | 31 | 2 | 3 | 6 | 8 | 13 | 21 | 31 |
| 35-49 | 72 | 6.8 | 33 | 1 | 2 | 5 | 9 | 11 | 16 | 35 |
| 50-64 | 64 | 7.1 | 15 | 2 | 3 | 7 | 9 | 12 | 14 | 19 |
| 65+ | 34 | 6.8 | 22 | 1 | 2 | 5 | 10 | 14 | 16 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 20-34 | 51 | 4.5 | 17 | 1 | 1 | 3 | 7 | 11 | 12 | 18 |
| 35-49 | 56 | 5.3 | 34 | 1 | 1 | 2 | 9 | 12 | 17 | 28 |
| 50-64 | 29 | 4.2 | 19 | 1 | 1 | 2 | 7 | 11 | 15 | 15 |
| 65+ | 11 | 5.6 | 38 | <1 | <1 | 4 | 7 | 15 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 38 | 6.4 | 19 | 1 | 2 | 5 | 8 | 12 | 13 | 23 |
| 35-49 | 69 | 6.9 | 19 | 2 | 2 | 6 | 9 | 11 | 14 | 26 |
| 50-64 | 83 | 7.8 | 21 | 3 | 3 | 6 | 10 | 16 | 19 | 19 |
| 65+ | 125 | 8.5 | 34 | 3 | 3 | 7 | 11 | 15 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 25 | 8.2 | 48 | 1 | 2 | 6 | 11 | 20 | 23 | 28 |
| 35-49 | 46 | 7.2 | 38 | 1 | 1 | 6 | 10 | 16 | 20 | 26 |
| 50-64 | 34 | 6.4 | 29 | 1 | 1 | 4 | 11 | 14 | 14 | 23 |
| 65+ | 20 | 13.9 | 42 | 3 | 5 | 14 | 18 | 22 | 24 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 7.1 | 25 | 2 | 2 | 6 | 9 | 12 | 16 | 27 |
| B. *Operated* | 150 | 4.8 | 25 | 1 | 1 | 2 | 7 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 318 | 7.7 | 26 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| B. *Operated* | 125 | 8.3 | 44 | 1 | 1 | 7 | 12 | 17 | 22 | 27 |
| **1. SINGLE DX** | 380 | 6.2 | 26 | 1 | 1 | 5 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | 443 | 7.8 | 31 | 1 | 2 | 6 | 10 | 15 | 19 | 28 |
| **A. NOT OPERATED** | 548 | 7.4 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **B. OPERATED** | 275 | 6.4 | 36 | 1 | 1 | 4 | 10 | 15 | 19 | 26 |
| TOTAL 0-19 YRS | 8 | 4.1 | 13 | 1 | 1 | 2 | 8 | 9 | 9 | 9 |
| 20-34 | 172 | 6.4 | 28 | 1 | 1 | 5 | 8 | 12 | 18 | 27 |
| 35-49 | 243 | 6.6 | 31 | 1 | 1 | 5 | 9 | 12 | 17 | 28 |
| 50-64 | 210 | 6.9 | 21 | 1 | 1 | 6 | 9 | 14 | 16 | 20 |
| 65+ | 190 | 8.6 | 37 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| **GRAND TOTAL** | **823** | **7.1** | **30** | **1** | **1** | **6** | **10** | **14** | **18** | **27** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 20-34 | 777 | 5.9 | 20 | 1 | 1 | 5 | 8 | 11 | 14 | 21 |
| 35-49 | 899 | 6.5 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 50-64 | 568 | 6.5 | 28 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 65+ | 259 | 6.6 | 27 | 1 | 2 | 5 | 9 | 13 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.8 | 18 | <1 | 1 | 2 | 5 | 9 | 11 | 24 |
| 20-34 | 726 | 4.4 | 18 | 1 | 1 | 3 | 7 | 10 | 13 | 19 |
| 35-49 | 928 | 5.1 | 25 | 1 | 1 | 3 | 7 | 12 | 16 | 22 |
| 50-64 | 679 | 6.3 | 30 | 1 | 1 | 5 | 9 | 13 | 17 | 25 |
| 65+ | 336 | 8.2 | 48 | 1 | 1 | 8 | 12 | 16 | 21 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 4.4 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 26 |
| 20-34 | 790 | 7.4 | 42 | 1 | 2 | 6 | 9 | 15 | 19 | 35 |
| 35-49 | 1225 | 7.7 | 39 | 1 | 2 | 6 | 10 | 16 | 19 | 32 |
| 50-64 | 976 | 7.7 | 37 | 1 | 2 | 6 | 10 | 16 | 19 | 32 |
| 65+ | 1075 | 7.9 | 43 | 2 | 2 | 6 | 10 | 15 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 4.7 | 16 | <1 | 1 | 3 | 7 | 10 | 10 | 18 |
| 20-34 | 582 | 6.7 | 53 | 1 | 1 | 5 | 9 | 14 | 18 | 34 |
| 35-49 | 837 | 7.8 | 71 | 1 | 1 | 6 | 10 | 16 | 21 | 43 |
| 50-64 | 834 | 8.6 | 54 | 1 | 2 | 7 | 12 | 17 | 21 | 38 |
| 65+ | 683 | 13.3 | 106 | 1 | 3 | 11 | 18 | 26 | 32 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2563 | 6.3 | 24 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| B. *Operated* | 2727 | 5.6 | 29 | 1 | 1 | 3 | 8 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4140 | 7.6 | 40 | 1 | 2 | 6 | 10 | 16 | 19 | 32 |
| B. *Operated* | 2970 | 9.0 | 76 | 1 | 1 | 7 | 12 | 19 | 25 | 44 |
| **1. SINGLE DX** | 5290 | 5.9 | 26 | 1 | 1 | 5 | 8 | 12 | 16 | 24 |
| **2. MULTIPLE DX** | 7110 | 8.2 | 55 | 1 | 2 | 6 | 11 | 17 | 21 | 37 |
| **A. NOT OPERATED** | 6703 | 7.1 | 34 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| **B. OPERATED** | 5697 | 7.4 | 56 | 1 | 1 | 5 | 10 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 226 | 4.2 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 20-34 | 2875 | 6.1 | 33 | 1 | 1 | 5 | 8 | 13 | 17 | 26 |
| 35-49 | 3889 | 6.8 | 40 | 1 | 1 | 5 | 9 | 14 | 18 | 32 |
| 50-64 | 3057 | 7.4 | 39 | 1 | 2 | 6 | 10 | 15 | 19 | 32 |
| 65+ | 2353 | 9.4 | 67 | 1 | 2 | 8 | 12 | 19 | 24 | 40 |
| **GRAND TOTAL** | **12400** | **7.2** | **44** | **1** | **1** | **6** | **9** | **15** | **19** | **32** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.5 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 25 |
| 20-34 | 89 | 3.7 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 15 |
| 35-49 | 67 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 70 | 4.1 | 8 | <1 | 1 | 3 | 5 | 9 | 10 | 13 |
| 65+ | 65 | 4.5 | 15 | <1 | 1 | 3 | 6 | 9 | 13 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 316 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 772 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 882 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 873 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 65+ | 262 | 2.8 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.6 | 5 | <1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 20-34 | 81 | 4.7 | 12 | <1 | 1 | 4 | 6 | 9 | 12 | 16 |
| 35-49 | 114 | 5.3 | 21 | 1 | 1 | 4 | 7 | 10 | 12 | 27 |
| 50-64 | 189 | 5.4 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 19 |
| 65+ | 212 | 6.9 | 28 | 1 | 2 | 5 | 9 | 14 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 103 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 16 |
| 20-34 | 372 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 506 | 3.7 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 20 |
| 50-64 | 584 | 4.1 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 65+ | 315 | 5.0 | 33 | <1 | 1 | 3 | 5 | 11 | 15 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 379 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 3105 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 630 | 5.7 | 21 | 1 | 1 | 4 | 7 | 12 | 15 | 23 |
| B. *Operated* | 1880 | 3.9 | 16 | <1 | 1 | 3 | 5 | 7 | 10 | 21 |
| **1. SINGLE DX** | 3484 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 2510 | 4.3 | 18 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 1009 | 5.0 | 18 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| **B. OPERATED** | 4985 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 541 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 20-34 | 1314 | 3.0 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 1569 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 50-64 | 1716 | 3.4 | 10 | <1 | <1 | 3 | 4 | 7 | 10 | 15 |
| 65+ | 854 | 4.8 | 24 | <1 | <1 | 3 | 6 | 11 | 14 | 24 |
| **GRAND TOTAL** | **5994** | **3.4** | **11** | **<1** | **<1** | **2** | **4** | **6** | **9** | **17** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 461 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 452 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 619 | 3.2 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 353 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 6 | 3.8 | 48 | <1 | <1 | 1 | 1 | 16 | 18 | 18 |
| 35-49 | 7 | 2.6 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 27 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 65+ | 26 | 2.3 | 6 | <1 | <1 | 1 | 3 | 6 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 9 |
| 20-34 | 526 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 795 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 50-64 | 1482 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 65+ | 984 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 2116 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 2.2 | 7 | <1 | <1 | 1 | 2 | 5 | 7 | 17 |
| B. *Operated* | 3986 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| **1. SINGLE DX** | 2122 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 4053 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 73 | 2.1 | 7 | <1 | <1 | 1 | 2 | 5 | 6 | 16 |
| **B. OPERATED** | 6102 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 431 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 995 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1256 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 2128 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 65+ | 1365 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| **GRAND TOTAL** | **6175** | **3.7** | **4** | **1** | **2** | **3** | **5** | **6** | **7** | **11** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.8 | 3 | <1 | <1 | <1 | 2 | 5 | 5 | 5 |
| 20-34 | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 3 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 322 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 759 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 390 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | 269 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 6 |
| 65+ | 106 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 8 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 35-49 | 12 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| 50-64 | 5 | 3.4 | 11 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| 65+ | 7 | 4.4 | 5 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 133 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 133 | 2.9 | 6 | <1 | <1 | 2 | 4 | 5 | 8 | 13 |
| 50-64 | 133 | 3.0 | 5 | <1 | <1 | 3 | 4 | 5 | 6 | 12 |
| 65+ | 105 | 3.8 | 18 | <1 | 1 | 3 | 4 | 9 | 10 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | 1846 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 8 |
| B. *Operated* | 542 | 2.9 | 7 | <1 | <1 | 2 | 4 | 5 | 7 | 15 |
| **1. SINGLE DX** | 1863 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 578 | 2.9 | 7 | <1 | <1 | 2 | 4 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 53 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 8 |
| **B. OPERATED** | 2388 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 369 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 903 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 539 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | 410 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 8 |
| 65+ | 220 | 3.2 | 11 | <1 | <1 | 2 | 4 | 6 | 9 | 17 |
| **GRAND TOTAL** | **2441** | **2.0** | **3** | **<1** | **<1** | **1** | **2** | **4** | **5** | **9** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 14.4 | 79 | 2 | 4 | 13 | 21 | 27 | 31 | 40 |
| 20-34 | 33 | 9.1 | 74 | 1 | 2 | 5 | 13 | 23 | 28 | 32 |
| 35-49 | 21 | 8.4 | 59 | <1 | 1 | 7 | 13 | 17 | 26 | 32 |
| 50-64 | 20 | 11.0 | 61 | 2 | 2 | 9 | 16 | 23 | 27 | 28 |
| 65+ | 23 | 13.4 | 48 | 2 | 4 | 15 | 19 | 22 | 23 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 13.7 | 113 | 1 | 3 | 11 | 21 | 26 | 35 | 45 |
| 20-34 | 79 | 11.6 | 123 | 1 | 2 | 8 | 15 | 28 | 34 | 51 |
| 35-49 | 83 | 11.8 | 143 | 1 | 1 | 9 | 15 | 28 | 36 | 60 |
| 50-64 | 61 | 10.5 | 107 | 2 | 2 | 7 | 15 | 22 | 39 | 44 |
| 65+ | 49 | 13.1 | 162 | 2 | 2 | 9 | 18 | 30 | 40 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 16.3 | 127 | 1 | 2 | 15 | 24 | 30 | 34 | 48 |
| 20-34 | 36 | 13.4 | 117 | 2 | 3 | 10 | 20 | 28 | 37 | 43 |
| 35-49 | 32 | 15.5 | 190 | 2 | 3 | 11 | 20 | 39 | 43 | 54 |
| 50-64 | 49 | 15.5 | 125 | 4 | 5 | 12 | 19 | 32 | 39 | 56 |
| 65+ | 60 | 14.4 | 132 | 2 | 3 | 11 | 21 | 31 | 42 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 20.8 | 168 | 3 | 5 | 20 | 28 | 39 | 46 | 61 |
| 20-34 | 117 | 20.5 | 353 | 2 | 3 | 13 | 31 | 47 | 53 | 85 |
| 35-49 | 103 | 19.3 | 321 | 2 | 3 | 14 | 28 | 41 | 59 | 97 |
| 50-64 | 173 | 21.9 | 330 | 2 | 4 | 16 | 30 | 48 | 61 | 79 |
| 65+ | 160 | 23.4 | 312 | 3 | 5 | 19 | 32 | 53 | 59 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 198 | 12.4 | 75 | 2 | 2 | 11 | 18 | 25 | 29 | 37 |
| B. *Operated* | 374 | 12.2 | 127 | 1 | 2 | 9 | 17 | 28 | 37 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 222 | 15.0 | 134 | 2 | 3 | 12 | 22 | 30 | 41 | 55 |
| B. *Operated* | 631 | 21.5 | 309 | 2 | 4 | 16 | 30 | 47 | 58 | 81 |
| **1. SINGLE DX** | 572 | 12.3 | 109 | 1 | 2 | 9 | 17 | 26 | 32 | 45 |
| **2. MULTIPLE DX** | 853 | 19.8 | 271 | 2 | 3 | 15 | 28 | 43 | 54 | 79 |
| **A. NOT OPERATED** | 420 | 13.8 | 108 | 2 | 3 | 11 | 20 | 28 | 33 | 50 |
| **B. OPERATED** | 1005 | 18.0 | 261 | 2 | 3 | 13 | 25 | 41 | 53 | 74 |
| TOTAL 0-19 YRS | 326 | 16.0 | 124 | 2 | 3 | 14 | 23 | 30 | 39 | 47 |
| 20-34 | 265 | 15.5 | 238 | 2 | 2 | 10 | 23 | 36 | 46 | 76 |
| 35-49 | 239 | 15.2 | 232 | 1 | 2 | 10 | 21 | 37 | 47 | 81 |
| 50-64 | 303 | 17.9 | 257 | 2 | 3 | 13 | 23 | 42 | 50 | 72 |
| 65+ | 292 | 19.0 | 251 | 2 | 4 | 15 | 26 | 42 | 54 | 68 |
| **GRAND TOTAL** | **1425** | **16.8** | **219** | **2** | **3** | **13** | **23** | **38** | **47** | **70** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 5.2 | 35 | <1 | 1 | 3 | 7 | 12 | 16 | 32 |
| 20-34 | 87 | 3.3 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 78 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 78 | 4.5 | 21 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| 65+ | 184 | 7.8 | 31 | 2 | 2 | 7 | 11 | 16 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 832 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 1055 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 35-49 | 496 | 5.2 | 23 | 1 | 1 | 4 | 6 | 10 | 15 | 24 |
| 50-64 | 341 | 6.5 | 37 | 1 | 2 | 5 | 9 | 13 | 16 | 29 |
| 65+ | 242 | 9.5 | 52 | 1 | 2 | 8 | 14 | 18 | 23 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 6.1 | 92 | <1 | <1 | 3 | 5 | 19 | 27 | 48 |
| 20-34 | 93 | 3.8 | 18 | <1 | <1 | 3 | 4 | 7 | 11 | 26 |
| 35-49 | 199 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 25 |
| 50-64 | 392 | 6.5 | 29 | 1 | 2 | 5 | 8 | 14 | 17 | 26 |
| 65+ | 1902 | 9.7 | 57 | 2 | 3 | 8 | 12 | 18 | 23 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 276 | 4.8 | 38 | 1 | 1 | 3 | 5 | 10 | 15 | 38 |
| 20-34 | 561 | 5.6 | 39 | 1 | 1 | 4 | 7 | 11 | 16 | 34 |
| 35-49 | 421 | 7.4 | 70 | 1 | 2 | 5 | 9 | 16 | 23 | 37 |
| 50-64 | 491 | 11.1 | 125 | 1 | 2 | 8 | 15 | 22 | 31 | 64 |
| 65+ | 688 | 16.0 | 148 | 2 | 4 | 14 | 20 | 31 | 39 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 500 | 5.5 | 26 | 1 | 1 | 4 | 8 | 12 | 16 | 24 |
| B. *Operated* | 2966 | 4.8 | 23 | 1 | 1 | 3 | 6 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2625 | 8.6 | 53 | 2 | 2 | 7 | 11 | 17 | 22 | 35 |
| B. *Operated* | 2437 | 9.8 | 111 | 1 | 2 | 6 | 14 | 21 | 30 | 60 |
| **1. SINGLE DX** | 3466 | 4.9 | 24 | 1 | 1 | 3 | 6 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 5062 | 9.2 | 81 | 1 | 2 | 7 | 12 | 19 | 25 | 48 |
| **A. NOT OPERATED** | 3125 | 8.1 | 50 | 1 | 2 | 6 | 11 | 16 | 21 | 34 |
| **B. OPERATED** | 5403 | 7.1 | 69 | 1 | 1 | 4 | 9 | 16 | 22 | 42 |
| TOTAL 0-19 YRS | 1220 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 20-34 | 1796 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| 35-49 | 1194 | 5.8 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 33 |
| 50-64 | 1302 | 8.1 | 72 | 1 | 2 | 5 | 11 | 17 | 22 | 41 |
| 65+ | 3016 | 11.0 | 83 | 2 | 3 | 9 | 14 | 21 | 27 | 49 |
| **GRAND TOTAL** | **8528** | **7.5** | **62** | **1** | **1** | **5** | **10** | **16** | **21** | **38** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 3.5 | 8 | <1 | 1 | 3 | 5 | 6 | 7 | 19 |
| 20-34 | 132 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 73 | 2.8 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 50-64 | 72 | 4.3 | 14 | <1 | 1 | 3 | 6 | 10 | 13 | 16 |
| 65+ | 40 | 5.1 | 13 | <1 | 1 | 4 | 8 | 11 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 20-34 | 4 | 6.8 | 22 | <1 | <1 | 7 | 10 | 11 | 11 | 11 |
| 35-49 | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 50-64 | 12 | 3.6 | 26 | <1 | <1 | 2 | 4 | 10 | 18 | 19 |
| 65+ | 11 | 13.7 | 331 | <1 | <1 | 7 | 15 | 46 | 57 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 4.6 | 49 | 1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 20-34 | 180 | 4.8 | 29 | <1 | 1 | 3 | 6 | 9 | 13 | 34 |
| 35-49 | 117 | 4.6 | 23 | 1 | 1 | 4 | 5 | 7 | 14 | 28 |
| 50-64 | 125 | 5.5 | 37 | 1 | 2 | 4 | 7 | 10 | 13 | 30 |
| 65+ | 69 | 8.7 | 48 | 1 | 2 | 6 | 14 | 18 | 22 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 510 | 3.5 | 8 | <1 | <1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.6 | 122 | <1 | <1 | 2 | 7 | 15 | 29 | 58 |
| B. *Operated* | 631 | 5.3 | 37 | 1 | 1 | 4 | 6 | 10 | 16 | 29 |
| **1. SINGLE DX** | 518 | 3.5 | 8 | <1 | <1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 670 | 5.4 | 42 | 1 | 1 | 4 | 6 | 10 | 16 | 32 |
| **A. NOT OPERATED** | 47 | 5.9 | 104 | <1 | <1 | 2 | 6 | 14 | 22 | 58 |
| **B. OPERATED** | 1141 | 4.5 | 25 | <1 | 1 | 3 | 5 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 345 | 3.9 | 25 | <1 | 1 | 3 | 5 | 6 | 8 | 21 |
| 20-34 | 317 | 4.0 | 20 | <1 | <1 | 3 | 5 | 8 | 10 | 27 |
| 35-49 | 194 | 4.0 | 17 | <1 | 1 | 3 | 5 | 7 | 11 | 24 |
| 50-64 | 211 | 5.0 | 29 | <1 | 1 | 4 | 6 | 10 | 13 | 19 |
| 65+ | 121 | 7.9 | 65 | 1 | 1 | 6 | 11 | 16 | 22 | 44 |
| **GRAND TOTAL** | **1188** | **4.5** | **28** | **<1** | **1** | **3** | **5** | **9** | **13** | **25** |

## 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 15 | 6.3 | 29 | 1 | 2 | 6 | 7 | 11 | 20 | 23 |
| 35-49 | 32 | 6.5 | 18 | 1 | 2 | 6 | 8 | 12 | 17 | 18 |
| 50-64 | 29 | 5.5 | 18 | 1 | 1 | 5 | 7 | 11 | 13 | 20 |
| 65+ | 14 | 6.1 | 11 | 2 | 3 | 5 | 8 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 17 | 4.8 | 18 | 1 | 1 | 3 | 6 | 12 | 13 | 13 |
| 35-49 | 37 | 4.5 | 16 | 1 | 1 | 3 | 7 | 11 | 13 | 17 |
| 50-64 | 30 | 6.7 | 47 | 1 | 1 | 6 | 8 | 12 | 17 | 36 |
| 65+ | 13 | 8.5 | 53 | 1 | 2 | 6 | 14 | 20 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 22 | 7.4 | 35 | 1 | 2 | 5 | 11 | 19 | 20 | 21 |
| 35-49 | 35 | 6.1 | 23 | 1 | 1 | 5 | 9 | 12 | 14 | 22 |
| 50-64 | 58 | 6.7 | 21 | 2 | 2 | 5 | 9 | 12 | 16 | 25 |
| 65+ | 74 | 8.1 | 48 | 2 | 2 | 6 | 11 | 16 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 20 | 9.3 | 77 | 1 | 1 | 7 | 12 | 21 | 31 | 35 |
| 35-49 | 36 | 9.1 | 88 | 1 | 1 | 7 | 12 | 19 | 42 | 99+ |
| 50-64 | 42 | 6.7 | 24 | 1 | 1 | 7 | 9 | 11 | 15 | 25 |
| 65+ | 15 | 13.1 | 74 | 1 | 3 | 10 | 21 | 25 | 27 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 6.0 | 18 | 1 | 2 | 6 | 7 | 11 | 16 | 22 |
| B. *Operated* | 99 | 5.7 | 32 | 1 | 1 | 4 | 8 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 7.2 | 34 | 1 | 2 | 5 | 10 | 14 | 19 | 31 |
| B. *Operated* | 114 | 8.8 | 62 | 1 | 1 | 7 | 11 | 19 | 25 | 70 |
| **1. SINGLE DX** | 190 | 5.9 | 25 | 1 | 1 | 5 | 8 | 12 | 16 | 23 |
| **2. MULTIPLE DX** | 304 | 7.8 | 45 | 1 | 2 | 6 | 10 | 15 | 22 | 36 |
| **A. NOT OPERATED** | 281 | 6.8 | 29 | 1 | 2 | 5 | 9 | 12 | 18 | 25 |
| **B. OPERATED** | 213 | 7.4 | 50 | 1 | 1 | 6 | 10 | 15 | 22 | 42 |
| TOTAL 0-19 YRS | 5 | 3.0 | 7 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 74 | 7.1 | 42 | 1 | 2 | 5 | 10 | 14 | 21 | 33 |
| 35-49 | 140 | 6.6 | 39 | 1 | 1 | 5 | 9 | 13 | 17 | 58 |
| 50-64 | 159 | 6.5 | 26 | 1 | 1 | 6 | 9 | 12 | 16 | 26 |
| 65+ | 116 | 8.6 | 50 | 2 | 2 | 7 | 12 | 19 | 23 | 35 |
| **GRAND TOTAL** | **494** | **7.0** | **38** | **1** | **1** | **6** | **9** | **14** | **19** | **35** |

## 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 2.7 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 20-34 | 200 | 4.4 | 18 | 1 | 1 | 3 | 6 | 9 | 11 | 25 |
| 35-49 | 195 | 4.7 | 13 | 1 | 1 | 4 | 6 | 10 | 11 | 17 |
| 50-64 | 140 | 4.5 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 13 |
| 65+ | 95 | 4.8 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 461 | 4.1 | 17 | <1 | <1 | 2 | 6 | 10 | 12 | 19 |
| 20-34 | 683 | 3.5 | 13 | <1 | 1 | 2 | 4 | 9 | 11 | 17 |
| 35-49 | 481 | 3.5 | 17 | <1 | 1 | 2 | 4 | 8 | 12 | 18 |
| 50-64 | 580 | 3.1 | 8 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 65+ | 341 | 3.1 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 3.8 | 17 | <1 | 1 | 2 | 4 | 8 | 14 | 19 |
| 20-34 | 289 | 5.5 | 37 | 1 | 1 | 4 | 6 | 11 | 18 | 32 |
| 35-49 | 352 | 5.9 | 33 | 1 | 1 | 4 | 7 | 12 | 18 | 27 |
| 50-64 | 389 | 6.0 | 36 | 1 | 1 | 4 | 7 | 13 | 19 | 32 |
| 65+ | 528 | 6.7 | 29 | 1 | 2 | 5 | 9 | 14 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 298 | 4.3 | 31 | <1 | 1 | 3 | 4 | 10 | 16 | 32 |
| 20-34 | 648 | 4.6 | 27 | 1 | 1 | 3 | 5 | 11 | 15 | 28 |
| 35-49 | 490 | 5.0 | 29 | 1 | 1 | 3 | 6 | 11 | 15 | 27 |
| 50-64 | 572 | 5.5 | 47 | 1 | 1 | 3 | 6 | 11 | 17 | 39 |
| 65+ | 421 | 6.2 | 55 | 1 | 1 | 3 | 8 | 14 | 20 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 705 | 4.4 | 13 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| B. *Operated* | 2546 | 3.5 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1635 | 6.0 | 33 | 1 | 1 | 4 | 8 | 12 | 18 | 30 |
| B. *Operated* | 2429 | 5.1 | 38 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| **1. SINGLE DX** | 3251 | 3.7 | 14 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 4064 | 5.5 | 36 | 1 | 1 | 3 | 7 | 12 | 17 | 32 |
| **A. NOT OPERATED** | 2340 | 5.5 | 27 | 1 | 1 | 4 | 7 | 11 | 16 | 27 |
| **B. OPERATED** | 4975 | 4.3 | 26 | <1 | 1 | 3 | 5 | 10 | 13 | 27 |
| TOTAL 0-19 YRS | 911 | 4.0 | 21 | <1 | 1 | 2 | 5 | 10 | 12 | 23 |
| 20-34 | 1820 | 4.3 | 23 | 1 | 1 | 3 | 5 | 10 | 13 | 26 |
| 35-49 | 1518 | 4.7 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| 50-64 | 1681 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| 65+ | 1385 | 5.5 | 34 | 1 | 1 | 3 | 7 | 12 | 16 | 31 |
| **GRAND TOTAL** | **7315** | **4.7** | **27** | **1** | **1** | **3** | **6** | **10** | **14** | **27** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 5.2 | 9 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 35-49 | 15 | 5.3 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 11 |
| 50-64 | 5 | 6.0 | 13 | 3 | 3 | 5 | 7 | 12 | 12 | 12 |
| 65+ | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 6.0 | 13 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| 35-49 | 3 | 12.0 | 19 | 7 | 7 | 14 | 15 | 15 | 15 | 15 |
| 50-64 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 12 | 4.4 | 10 | <1 | 1 | 4 | 6 | 10 | 11 | 11 |
| 35-49 | 14 | 5.1 | 9 | <1 | 1 | 5 | 8 | 9 | 10 | 10 |
| 50-64 | 16 | 6.1 | 7 | 3 | 3 | 6 | 7 | 8 | 12 | 14 |
| 65+ | 10 | 6.9 | 13 | <1 | 1 | 8 | 9 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 3 | 9.7 | 156 | 1 | 1 | 4 | 19 | 24 | 24 | 24 |
| 35-49 | 9 | 5.8 | 15 | 1 | 1 | 6 | 8 | 11 | 12 | 12 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 5.5 | 6 | 2 | 3 | 5 | 7 | 9 | 11 | 12 |
| B. *Operated* | 9 | 7.9 | 20 | 2 | 3 | 7 | 11 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 5.6 | 10 | <1 | 1 | 6 | 8 | 9 | 11 | 14 |
| B. *Operated* | 15 | 6.1 | 36 | 1 | 1 | 4 | 8 | 12 | 21 | 24 |
| **1. SINGLE DX** | 37 | 6.1 | 10 | 2 | 3 | 5 | 7 | 11 | 13 | 15 |
| **2. MULTIPLE DX** | 69 | 5.7 | 15 | 1 | 1 | 6 | 8 | 10 | 12 | 22 |
| **A. NOT OPERATED** | 82 | 5.5 | 8 | 1 | 2 | 5 | 7 | 9 | 11 | 13 |
| **B. OPERATED** | 24 | 6.8 | 29 | 1 | 1 | 6 | 9 | 14 | 18 | 24 |
| TOTAL 0-19 YRS | 4 | 4.3 | 11 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 25 | 5.5 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 35-49 | 41 | 5.9 | 12 | 1 | 2 | 6 | 8 | 11 | 13 | 15 |
| 50-64 | 24 | 5.9 | 7 | 3 | 3 | 6 | 7 | 9 | 13 | 14 |
| 65+ | 12 | 6.8 | 11 | <1 | 2 | 7 | 9 | 11 | 12 | 12 |
| **GRAND TOTAL** | **106** | **5.8** | **13** | **1** | **2** | **6** | **8** | **10** | **12** | **19** |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 5 | 5 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 7.5 | 61 | 1 | 1 | 5 | 8 | 17 | 21 | 41 |
| 20-34 | 16 | 7.9 | 50 | 1 | 1 | 5 | 12 | 21 | 23 | 23 |
| 35-49 | 5 | 8.6 | 15 | 5 | 5 | 7 | 10 | 15 | 15 | 15 |
| 50-64 | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.6 | 48 | <1 | 1 | 3 | 7 | 17 | 23 | 32 |
| 20-34 | 8 | 4.5 | 19 | 2 | 2 | 3 | 4 | 12 | 15 | 15 |
| 35-49 | 2 | 15.5 | 265 | 4 | 4 | 15 | 27 | 27 | 27 | 27 |
| 50-64 | 3 | 12.7 | 90 | 3 | 3 | 13 | 20 | 22 | 22 | 22 |
| 65+ | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 12.1 | 189 | 2 | 2 | 8 | 15 | 27 | 36 | 81 |
| 20-34 | 10 | 11.8 | 37 | 1 | 3 | 12 | 17 | 19 | 20 | 20 |
| 35-49 | 16 | 6.8 | 66 | <1 | 1 | 4 | 8 | 15 | 28 | 33 |
| 50-64 | 7 | 10.4 | 22 | 3 | 4 | 12 | 13 | 16 | 17 | 17 |
| 65+ | 4 | 18.8 | 161 | 6 | 6 | 17 | 26 | 35 | 35 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.7 | 2 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | 72 | 7.7 | 52 | 1 | 1 | 6 | 10 | 17 | 22 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 6.0 | 51 | <1 | 1 | 3 | 7 | 18 | 25 | 31 |
| B. *Operated* | 110 | 11.4 | 148 | 1 | 2 | 8 | 15 | 22 | 34 | 68 |
| **1. SINGLE DX** | 90 | 6.7 | 46 | 1 | 1 | 5 | 8 | 15 | 20 | 37 |
| **2. MULTIPLE DX** | 183 | 9.3 | 116 | 1 | 1 | 6 | 12 | 20 | 30 | 51 |
| **A. NOT OPERATED** | 91 | 5.4 | 43 | <1 | 1 | 3 | 6 | 15 | 22 | 30 |
| **B. OPERATED** | 182 | 9.9 | 113 | 1 | 2 | 7 | 13 | 20 | 30 | 51 |
| TOTAL 0-19 YRS | 193 | 8.3 | 111 | 1 | 1 | 5 | 9 | 19 | 29 | 51 |
| 20-34 | 35 | 8.1 | 43 | 1 | 2 | 6 | 14 | 17 | 21 | 23 |
| 35-49 | 24 | 7.9 | 63 | 1 | 1 | 6 | 9 | 17 | 29 | 33 |
| 50-64 | 14 | 9.2 | 39 | 2 | 2 | 10 | 13 | 17 | 21 | 22 |
| 65+ | 7 | 13.6 | 128 | 2 | 3 | 9 | 19 | 32 | 35 | 35 |
| **GRAND TOTAL** | **273** | **8.4** | **94** | **1** | **1** | **5** | **11** | **19** | **26** | **45** |

### 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 2 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 465 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 113 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 69 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 50-64 | 99 | 2.4 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 12 |
| 65+ | 142 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 20-34 | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 53 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 56 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 50-64 | 161 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 318 | 2.9 | 3 | 2 | 2 | 2 | 3 | 4 | 6 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 1 | 3 |
| B. *Operated* | 888 | 2.2 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| B. *Operated* | 727 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **1. SINGLE DX** | 1032 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | 772 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **A. NOT OPERATED** | 189 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **B. OPERATED** | 1615 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 776 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 170 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 126 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 267 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 465 | 2.9 | 3 | 2 | 2 | 2 | 3 | 4 | 5 | 10 |
| **GRAND TOTAL** | **1804** | **2.3** | **3** | **<1** | **<1** | **2** | **3** | **4** | **5** | **9** |

### 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 6 | 2.2 | 4 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 35-49 | 9 | 3.6 | 11 | <1 | <1 | 2 | 5 | 9 | 10 | 10 |
| 50-64 | 5 | 5.0 | 10 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 560 | 4.0 | 12 | 1 | 1 | 2 | 7 | 8 | 10 | 16 |
| 20-34 | 99 | 5.2 | 19 | <1 | 1 | 3 | 8 | 11 | 13 | 20 |
| 35-49 | 72 | 5.0 | 22 | 1 | 1 | 2 | 9 | 11 | 14 | 22 |
| 50-64 | 40 | 6.1 | 41 | 1 | 1 | 5 | 8 | 11 | 12 | 39 |
| 65+ | 12 | 3.8 | 9 | 1 | 1 | 2 | 5 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 141 | 4.9 | 70 | <1 | <1 | 2 | 5 | 10 | 16 | 38 |
| 20-34 | 50 | 5.2 | 39 | 1 | 1 | 3 | 6 | 11 | 14 | 41 |
| 35-49 | 16 | 5.8 | 18 | 1 | 1 | 5 | 8 | 12 | 15 | 16 |
| 50-64 | 21 | 6.5 | 47 | 1 | 2 | 4 | 9 | 14 | 22 | 31 |
| 65+ | 42 | 5.8 | 19 | <1 | 1 | 5 | 8 | 13 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 6.0 | 70 | 1 | 1 | 3 | 8 | 11 | 16 | 53 |
| 20-34 | 118 | 8.1 | 111 | 1 | 1 | 4 | 10 | 17 | 31 | 57 |
| 35-49 | 86 | 8.0 | 83 | 1 | 2 | 5 | 10 | 23 | 34 | 79 |
| 50-64 | 82 | 8.4 | 64 | 1 | 2 | 7 | 12 | 18 | 25 | 36 |
| 65+ | 44 | 10.7 | 66 | 1 | 2 | 11 | 17 | 22 | 25 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 10 |
| B. *Operated* | 783 | 4.3 | 15 | 1 | 1 | 2 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 270 | 5.2 | 51 | <1 | 1 | 3 | 6 | 11 | 16 | 33 |
| B. *Operated* | 1001 | 6.8 | 77 | 1 | 1 | 3 | 9 | 14 | 21 | 53 |
| **1. SINGLE DX** | 822 | 4.2 | 15 | 1 | 1 | 2 | 7 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 1271 | 6.5 | 72 | 1 | 1 | 3 | 8 | 13 | 19 | 46 |
| **A. NOT OPERATED** | 309 | 4.9 | 46 | <1 | 1 | 3 | 6 | 10 | 15 | 32 |
| **B. OPERATED** | 1784 | 5.7 | 51 | 1 | 1 | 3 | 8 | 11 | 16 | 39 |
| TOTAL 0-19 YRS | 1387 | 5.0 | 47 | 1 | 1 | 2 | 7 | 10 | 12 | 31 |
| 20-34 | 273 | 6.4 | 64 | 1 | 1 | 3 | 8 | 12 | 18 | 49 |
| 35-49 | 183 | 6.4 | 52 | 1 | 1 | 3 | 9 | 13 | 24 | 42 |
| 50-64 | 148 | 7.4 | 54 | 1 | 2 | 5 | 10 | 15 | 22 | 37 |
| 65+ | 102 | 7.6 | 45 | 1 | 1 | 5 | 12 | 18 | 21 | 27 |
| **GRAND TOTAL** | **2093** | **5.6** | **51** | **1** | **1** | **3** | **8** | **11** | **16** | **38** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 355 | 3.8 | 3 | 1 | 2 | 3 | 5 | 6 | 8 | 8 |
| 20-34 | 13 | 3.2 | 4 | <1 | <1 | 3 | 4 | 7 | 7 | 7 |
| 35-49 | 4 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 1.6 | 5 | <1 | <1 | 1 | 1 | 1 | 8 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 205 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 8 | 21 |
| 20-34 | 12 | 3.9 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 373 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 1.6 | 5 | <1 | <1 | 1 | 1 | 1 | 8 | 11 |
| B. *Operated* | 218 | 4.4 | 11 | 1 | 2 | 4 | 5 | 7 | 8 | 19 |
| **1. SINGLE DX** | 376 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 243 | 4.1 | 11 | <1 | 1 | 4 | 5 | 7 | 8 | 16 |
| **A. NOT OPERATED** | 28 | 1.6 | 5 | <1 | <1 | 1 | 1 | 2 | 7 | 11 |
| **B. OPERATED** | 591 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| TOTAL 0-19 YRS | 588 | 3.9 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 25 | 3.6 | 4 | <1 | <1 | 3 | 5 | 7 | 7 | 8 |
| 35-49 | 5 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **619** | **3.9** | **6** | **1** | **1** | **4** | **5** | **7** | **8** | **10** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 4.6 | 10 | 2 | 3 | 4 | 5 | 7 | 11 | 20 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 279 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 69 | 4.6 | 10 | 2 | 3 | 4 | 5 | 7 | 11 | 20 |
| **1. SINGLE DX** | 291 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 72 | 4.5 | 10 | 2 | 2 | 4 | 5 | 7 | 11 | 20 |
| **A. NOT OPERATED** | 15 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| **B. OPERATED** | 348 | 3.6 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 363 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **363** | **3.5** | **4** | **1** | **2** | **3** | **4** | **5** | **7** | **11** |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 1.9 | 2 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 3 | 4.7 | 30 | <1 | <1 | 2 | 9 | 11 | 11 | 11 |
| 35-49 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 4.3 | 33 | <1 | <1 | <1 | 8 | 11 | 11 | 11 |
| 65+ | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 4.1 | 14 | <1 | <1 | 3 | 6 | 9 | 12 | 17 |
| 20-34 | 59 | 4.3 | 11 | <1 | <1 | 3 | 6 | 9 | 11 | 14 |
| 35-49 | 24 | 3.5 | 8 | <1 | <1 | 2 | 6 | 7 | 9 | 11 |
| 50-64 | 21 | 4.3 | 9 | <1 | <1 | 4 | 7 | 9 | 10 | 10 |
| 65+ | 8 | 3.3 | 13 | <1 | <1 | 2 | 5 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.5 | 28 | <1 | 1 | 3 | 5 | 9 | 15 | 30 |
| 20-34 | 10 | 5.4 | 8 | 2 | 2 | 5 | 8 | 10 | 11 | 11 |
| 35-49 | 6 | 4.5 | 7 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | 7 | 4.3 | 5 | 3 | 3 | 4 | 4 | 8 | 9 | 9 |
| 65+ | 26 | 7.1 | 28 | 1 | 1 | 6 | 10 | 15 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 9.2 | 154 | 1 | 1 | 6 | 10 | 20 | 28 | 78 |
| 20-34 | 63 | 6.9 | 19 | 1 | 2 | 6 | 9 | 12 | 14 | 24 |
| 35-49 | 32 | 8.2 | 53 | <1 | 2 | 7 | 9 | 12 | 15 | 44 |
| 50-64 | 35 | 9.0 | 75 | <1 | 1 | 8 | 11 | 18 | 27 | 44 |
| 65+ | 41 | 13.2 | 77 | 2 | 3 | 11 | 17 | 26 | 29 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 2.2 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| B. *Operated* | 286 | 4.1 | 13 | <1 | <1 | 3 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 5.3 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 25 |
| B. *Operated* | 337 | 9.1 | 104 | 1 | 2 | 7 | 10 | 18 | 26 | 64 |
| **1. SINGLE DX** | 353 | 3.7 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 15 |
| **2. MULTIPLE DX** | 429 | 8.3 | 89 | 1 | 1 | 6 | 10 | 17 | 24 | 48 |
| **A. NOT OPERATED** | 159 | 4.0 | 18 | <1 | <1 | 3 | 5 | 9 | 12 | 19 |
| **B. OPERATED** | 623 | 6.8 | 68 | <1 | 1 | 5 | 9 | 13 | 19 | 42 |
| TOTAL 0-19 YRS | 438 | 5.8 | 74 | <1 | <1 | 3 | 7 | 11 | 18 | 38 |
| 20-34 | 135 | 5.6 | 16 | <1 | 1 | 5 | 8 | 11 | 12 | 21 |
| 35-49 | 65 | 5.9 | 35 | <1 | 1 | 6 | 8 | 11 | 12 | 40 |
| 50-64 | 66 | 6.8 | 49 | <1 | <1 | 5 | 9 | 12 | 18 | 42 |
| 65+ | 78 | 9.7 | 66 | 1 | 1 | 8 | 14 | 19 | 27 | 38 |
| **GRAND TOTAL** | **782** | **6.2** | **59** | **<1** | **1** | **4** | **8** | **12** | **18** | **33** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 590 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 47 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 428 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 57 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 16 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 10 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 652 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 513 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 663 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 527 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 25 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| **B. OPERATED** | 1165 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| TOTAL 0-19 YRS | 1040 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 107 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 27 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 14 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| **GRAND TOTAL** | **1190** | **2.2** | **2** | **<1** | **1** | **2** | **3** | **4** | **4** | **7** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 6 | 7 |
| 20-34 | 8 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 35-49 | 5 | 6.2 | 70 | <1 | <1 | 3 | 8 | 21 | 21 | 21 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 433 | 4.2 | 13 | <1 | <1 | 3 | 6 | 9 | 11 | 16 |
| 20-34 | 169 | 3.6 | 8 | <1 | <1 | 3 | 5 | 8 | 9 | 14 |
| 35-49 | 36 | 3.5 | 8 | <1 | 1 | 3 | 6 | 7 | 8 | 13 |
| 50-64 | 25 | 4.0 | 11 | <1 | <1 | 2 | 6 | 8 | 11 | 12 |
| 65+ | 7 | 5.1 | 18 | <1 | <1 | 5 | 8 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 1.9 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 7 |
| 20-34 | 23 | 4.0 | 9 | <1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 35-49 | 21 | 4.9 | 16 | 2 | 2 | 3 | 5 | 11 | 15 | 18 |
| 50-64 | 18 | 5.2 | 22 | 1 | 1 | 4 | 7 | 12 | 17 | 19 |
| 65+ | 14 | 8.1 | 109 | 2 | 2 | 5 | 7 | 18 | 37 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 346 | 4.5 | 17 | <1 | 1 | 3 | 7 | 10 | 13 | 17 |
| 20-34 | 222 | 5.6 | 22 | 1 | 1 | 5 | 7 | 10 | 13 | 25 |
| 35-49 | 93 | 6.2 | 24 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 50-64 | 86 | 7.1 | 37 | 1 | 1 | 5 | 10 | 15 | 20 | 29 |
| 65+ | 40 | 8.7 | 84 | 1 | 1 | 6 | 10 | 23 | 28 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 2.7 | 14 | <1 | <1 | 1 | 3 | 5 | 7 | 21 |
| B. *Operated* | 670 | 4.0 | 11 | <1 | <1 | 3 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 4.2 | 25 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| B. *Operated* | 787 | 5.5 | 26 | <1 | 1 | 4 | 7 | 12 | 15 | 25 |
| **1. SINGLE DX** | 703 | 4.0 | 12 | <1 | <1 | 3 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 899 | 5.4 | 26 | <1 | 1 | 4 | 7 | 11 | 15 | 25 |
| **A. NOT OPERATED** | 145 | 3.9 | 23 | <1 | <1 | 2 | 5 | 7 | 11 | 22 |
| **B. OPERATED** | 1457 | 4.8 | 20 | <1 | 1 | 4 | 7 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | 830 | 4.2 | 14 | <1 | <1 | 3 | 6 | 9 | 12 | 17 |
| 20-34 | 422 | 4.7 | 16 | <1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 155 | 5.4 | 21 | <1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 131 | 6.2 | 31 | 1 | 1 | 4 | 8 | 13 | 17 | 26 |
| 65+ | 64 | 7.9 | 79 | 1 | 1 | 5 | 9 | 21 | 27 | 42 |
| **GRAND TOTAL** | **1602** | **4.8** | **20** | **<1** | **1** | **4** | **6** | **10** | **13** | **23** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 20-34 | 16 | 4.9 | 8 | <1 | 1 | 5 | 6 | 10 | 11 | 11 |
| 35-49 | 7 | 2.4 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | 5 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 52 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 40 | 3.8 | 2 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 48 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 27 | 4.7 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 308 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 345 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **1. SINGLE DX** | 312 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 360 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **A. NOT OPERATED** | 19 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 653 | 3.6 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| TOTAL 0-19 YRS | 473 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 71 | 3.9 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 11 |
| 35-49 | 47 | 3.6 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| 50-64 | 53 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 28 | 4.6 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| **GRAND TOTAL** | **672** | **3.5** | **4** | **1** | **1** | **3** | **4** | **6** | **7** | **11** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 3.7 | 47 | <1 | <1 | 1 | 3 | 10 | 15 | 40 |
| 20-34 | 31 | 4.1 | 6 | <1 | 1 | 3 | 6 | 8 | 8 | 10 |
| 35-49 | 24 | 6.0 | 27 | 1 | 1 | 4 | 8 | 12 | 17 | 23 |
| 50-64 | 18 | 5.0 | 18 | <1 | 1 | 4 | 7 | 11 | 13 | 14 |
| 65+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 957 | 3.6 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 403 | 3.9 | 17 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 207 | 4.0 | 20 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 125 | 5.0 | 25 | <1 | 1 | 3 | 7 | 12 | 17 | 23 |
| 65+ | 41 | 5.1 | 21 | 1 | 1 | 3 | 6 | 13 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 3.9 | 25 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 63 | 5.7 | 24 | <1 | 1 | 4 | 8 | 11 | 16 | 24 |
| 35-49 | 59 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 16 | 18 |
| 50-64 | 40 | 5.4 | 28 | <1 | 1 | 4 | 8 | 12 | 13 | 29 |
| 65+ | 54 | 7.5 | 22 | 2 | 2 | 7 | 10 | 14 | 18 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 375 | 5.5 | 52 | 1 | 1 | 4 | 6 | 11 | 15 | 49 |
| 20-34 | 208 | 5.8 | 31 | 1 | 1 | 4 | 9 | 14 | 16 | 31 |
| 35-49 | 196 | 7.7 | 84 | 1 | 1 | 5 | 10 | 15 | 19 | 52 |
| 50-64 | 205 | 8.0 | 38 | 2 | 2 | 6 | 11 | 16 | 20 | 29 |
| 65+ | 80 | 10.3 | 101 | 1 | 2 | 8 | 13 | 21 | 31 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 4.2 | 33 | <1 | <1 | 2 | 5 | 10 | 13 | 33 |
| B. *Operated* | 1733 | 3.8 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 350 | 5.3 | 25 | <1 | 1 | 4 | 7 | 11 | 14 | 22 |
| B. *Operated* | 1064 | 6.8 | 56 | 1 | 1 | 4 | 9 | 14 | 19 | 48 |
| **1. SINGLE DX** | 1910 | 3.9 | 18 | <1 | 1 | 2 | 5 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | 1414 | 6.4 | 49 | 1 | 1 | 4 | 8 | 14 | 18 | 42 |
| **A. NOT OPERATED** | 527 | 4.9 | 28 | <1 | 1 | 3 | 7 | 11 | 14 | 26 |
| **B. OPERATED** | 2797 | 5.0 | 33 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| TOTAL 0-19 YRS | 1567 | 4.1 | 26 | <1 | 1 | 3 | 5 | 8 | 12 | 26 |
| 20-34 | 705 | 4.6 | 22 | <1 | 1 | 3 | 6 | 10 | 14 | 22 |
| 35-49 | 486 | 5.8 | 48 | 1 | 1 | 4 | 8 | 12 | 16 | 34 |
| 50-64 | 388 | 6.6 | 34 | 1 | 1 | 5 | 9 | 14 | 19 | 26 |
| 65+ | 178 | 8.1 | 61 | 1 | 2 | 6 | 11 | 17 | 21 | 55 |
| **GRAND TOTAL** | **3324** | **5.0** | **33** | **<1** | **1** | **3** | **6** | **11** | **15** | **28** |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2709 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 16 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 5.3 | 52 | <1 | 1 | 3 | 4 | 9 | 26 | 35 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1106 | 6.6 | 95 | 1 | 1 | 3 | 6 | 18 | 28 | 45 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 12.9 | 268 | 1 | 2 | 6 | 16 | 37 | 57 | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2709 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 16 |
| B. *Operated* | 40 | 5.3 | 52 | <1 | 1 | 3 | 4 | 9 | 26 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1106 | 6.6 | 95 | 1 | 1 | 3 | 6 | 18 | 28 | 45 |
| B. *Operated* | 124 | 12.9 | 268 | 1 | 2 | 6 | 16 | 37 | 57 | 99+ |
| **1. SINGLE DX** | 2749 | 2.8 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 17 |
| **2. MULTIPLE DX** | 1230 | 7.3 | 116 | 1 | 1 | 3 | 7 | 20 | 32 | 57 |
| **A. NOT OPERATED** | 3815 | 3.9 | 37 | 1 | 1 | 2 | 3 | 6 | 13 | 35 |
| **B. OPERATED** | 164 | 11.0 | 226 | 1 | 1 | 4 | 13 | 33 | 48 | 99 |
| TOTAL 0-19 YRS | 3979 | 4.2 | 47 | 1 | 1 | 2 | 3 | 7 | 15 | 39 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3979** | **4.2** | **47** | **1** | **1** | **2** | **3** | **7** | **15** | **39** |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 858 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 402 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 183 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 50-64 | 164 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 65+ | 138 | 3.7 | 10 | 1 | 1 | 3 | 5 | 6 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.5 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 20-34 | 19 | 4.5 | 15 | 1 | 1 | 3 | 6 | 10 | 13 | 16 |
| 35-49 | 8 | 3.3 | 8 | <1 | <1 | 2 | 3 | 8 | 10 | 10 |
| 50-64 | 9 | 3.7 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 7 |
| 65+ | 3 | 3.7 | 6 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1008 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 504 | 4.4 | 34 | 1 | 1 | 3 | 5 | 9 | 12 | 27 |
| 35-49 | 508 | 4.4 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 50-64 | 598 | 4.6 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |
| 65+ | 785 | 6.3 | 39 | 1 | 2 | 5 | 8 | 11 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 6.4 | 37 | 1 | 2 | 5 | 6 | 17 | 20 | 26 |
| 20-34 | 44 | 5.8 | 27 | 1 | 1 | 4 | 8 | 12 | 17 | 24 |
| 35-49 | 50 | 7.1 | 85 | 1 | 1 | 5 | 9 | 15 | 22 | 59 |
| 50-64 | 45 | 10.4 | 106 | 2 | 3 | 7 | 11 | 28 | 34 | 44 |
| 65+ | 63 | 13.3 | 151 | 1 | 2 | 9 | 17 | 28 | 40 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1745 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 47 | 3.9 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3403 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| B. *Operated* | 228 | 9.1 | 98 | 1 | 2 | 6 | 11 | 22 | 28 | 54 |
| **1. SINGLE DX** | 1792 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 3631 | 4.7 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 5148 | 3.8 | 18 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| **B. OPERATED** | 275 | 8.2 | 87 | 1 | 2 | 5 | 10 | 19 | 27 | 50 |
| TOTAL 0-19 YRS | 1900 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 969 | 3.7 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 35-49 | 749 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 50-64 | 816 | 4.6 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 27 |
| 65+ | 989 | 6.3 | 46 | 1 | 2 | 4 | 8 | 12 | 17 | 34 |
| **GRAND TOTAL** | **5423** | **4.0** | **23** | **1** | **1** | **3** | **5** | **8** | **11** | **24** |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 266 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 78 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 40 | 4.1 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 10 |
| 50-64 | 47 | 4.0 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 65+ | 76 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.6 | 6 | 3 | 3 | 3 | 7 | 8 | 8 | 8 |
| 20-34 | 9 | 6.3 | 12 | 1 | 1 | 7 | 9 | 10 | 11 | 11 |
| 35-49 | 6 | 4.8 | 14 | 2 | 2 | 3 | 6 | 11 | 12 | 12 |
| 50-64 | 4 | 8.0 | 8 | 4 | 4 | 9 | 10 | 10 | 10 | 10 |
| 65+ | 8 | 10.6 | 39 | 2 | 3 | 10 | 16 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 442 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 225 | 4.4 | 11 | 1 | 2 | 4 | 5 | 8 | 11 | 16 |
| 35-49 | 186 | 5.4 | 16 | 1 | 2 | 4 | 6 | 11 | 12 | 21 |
| 50-64 | 317 | 6.0 | 24 | 2 | 2 | 4 | 8 | 12 | 16 | 24 |
| 65+ | 576 | 7.0 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 7.4 | 39 | 1 | 2 | 5 | 8 | 18 | 22 | 23 |
| 20-34 | 34 | 8.6 | 56 | 2 | 2 | 7 | 10 | 18 | 22 | 37 |
| 35-49 | 31 | 9.4 | 52 | 3 | 3 | 7 | 12 | 23 | 28 | 28 |
| 50-64 | 76 | 11.4 | 83 | 2 | 3 | 10 | 14 | 26 | 33 | 43 |
| 65+ | 73 | 16.1 | 201 | 2 | 3 | 12 | 19 | 40 | 44 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 507 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| B. *Operated* | 34 | 6.9 | 21 | 1 | 2 | 6 | 9 | 12 | 17 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1746 | 5.3 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| B. *Operated* | 242 | 11.7 | 115 | 2 | 3 | 8 | 14 | 26 | 37 | 50 |
| **1. SINGLE DX** | 541 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 1988 | 6.1 | 38 | 1 | 2 | 4 | 7 | 12 | 16 | 35 |
| **A. NOT OPERATED** | 2253 | 4.9 | 19 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| **B. OPERATED** | 276 | 11.1 | 106 | 2 | 3 | 8 | 14 | 24 | 37 | 49 |
| TOTAL 0-19 YRS | 743 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 16 |
| 20-34 | 346 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 35-49 | 263 | 5.6 | 21 | 1 | 2 | 4 | 7 | 11 | 13 | 27 |
| 50-64 | 444 | 6.7 | 37 | 2 | 2 | 5 | 8 | 13 | 18 | 34 |
| 65+ | 733 | 7.7 | 56 | 2 | 2 | 6 | 9 | 14 | 20 | 41 |
| **GRAND TOTAL** | **2529** | **5.6** | **33** | **1** | **1** | **4** | **7** | **11** | **15** | **32** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 314 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 174 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 102 | 3.4 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| 65+ | 44 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 7 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 3.1 | 7 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 20-34 | 44 | 3.4 | 8 | 1 | 1 | 2 | 4 | 8 | 11 | 12 |
| 35-49 | 34 | 4.0 | 22 | 2 | 2 | 2 | 4 | 7 | 10 | 28 |
| 50-64 | 23 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 65+ | 8 | 4.4 | 23 | 1 | 1 | 3 | 4 | 12 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 7 | 16 |
| 20-34 | 425 | 4.4 | 14 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| 35-49 | 347 | 5.4 | 28 | 1 | 1 | 4 | 6 | 11 | 18 | 29 |
| 50-64 | 314 | 5.2 | 21 | 1 | 2 | 4 | 6 | 10 | 14 | 23 |
| 65+ | 217 | 5.7 | 28 | 1 | 2 | 4 | 7 | 11 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 20 | 1 | 1 | 3 | 9 | 12 | 12 | 12 |
| 20-34 | 50 | 5.9 | 42 | 2 | 2 | 4 | 7 | 9 | 20 | 37 |
| 35-49 | 46 | 6.5 | 60 | 1 | 1 | 4 | 8 | 13 | 27 | 36 |
| 50-64 | 49 | 8.1 | 37 | 2 | 2 | 7 | 11 | 18 | 22 | 25 |
| 65+ | 34 | 9.4 | 43 | 2 | 3 | 8 | 11 | 15 | 18 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 742 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 116 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1435 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| B. *Operated* | 185 | 7.2 | 46 | 1 | 2 | 5 | 9 | 15 | 22 | 37 |
| **1. SINGLE DX** | 858 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1620 | 5.2 | 25 | 1 | 1 | 4 | 6 | 11 | 15 | 27 |
| **A. NOT OPERATED** | 2177 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| **B. OPERATED** | 301 | 5.8 | 36 | 1 | 1 | 4 | 8 | 12 | 17 | 32 |
| TOTAL 0-19 YRS | 253 | 2.7 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 20-34 | 833 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 601 | 4.8 | 25 | 1 | 1 | 3 | 6 | 10 | 15 | 28 |
| 50-64 | 488 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 65+ | 303 | 5.8 | 28 | 1 | 2 | 4 | 7 | 12 | 16 | 29 |
| **GRAND TOTAL** | **2478** | **4.5** | **20** | **1** | **1** | **3** | **5** | **9** | **12** | **25** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.1 | 21 | <1 | <1 | 2 | 3 | 5 | 14 | 22 |
| 20-34 | 43 | 3.2 | 3 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 49 | 3.6 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 126 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 13 |
| 65+ | 115 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 1.7 | 2 | <1 | <1 | <1 | 2 | 4 | 4 | 7 |
| 20-34 | 39 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 7 |
| 35-49 | 48 | 3.8 | 5 | <1 | <1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 79 | 4.5 | 8 | <1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 60 | 4.1 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 2.6 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 9 |
| 20-34 | 26 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 67 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | 169 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 65+ | 367 | 4.4 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 2.5 | 6 | <1 | <1 | 1 | 3 | 5 | 9 | 10 |
| 20-34 | 29 | 4.8 | 16 | 1 | 1 | 4 | 6 | 8 | 10 | 22 |
| 35-49 | 48 | 5.2 | 5 | 2 | 2 | 5 | 6 | 9 | 9 | 11 |
| 50-64 | 120 | 5.5 | 14 | 1 | 2 | 4 | 7 | 9 | 13 | 22 |
| 65+ | 169 | 6.2 | 29 | 1 | 2 | 5 | 7 | 12 | 16 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 354 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | 259 | 3.7 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 675 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| B. *Operated* | 381 | 5.6 | 20 | 1 | 2 | 5 | 7 | 10 | 14 | 26 |
| **1. SINGLE DX** | 613 | 3.5 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 1056 | 4.6 | 15 | 1 | 1 | 4 | 6 | 9 | 10 | 21 |
| **A. NOT OPERATED** | 1029 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 640 | 4.8 | 15 | <1 | 1 | 4 | 6 | 9 | 11 | 23 |
| TOTAL 0-19 YRS | 115 | 2.4 | 7 | <1 | <1 | 1 | 3 | 4 | 7 | 14 |
| 20-34 | 137 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 212 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 494 | 4.3 | 10 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 711 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| **GRAND TOTAL** | **1669** | **4.2** | **12** | **1** | **1** | **3** | **5** | **8** | **9** | **18** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.7 | 112 | <1 | 1 | 3 | 4 | 5 | 18 | 56 |
| 20-34 | 23 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 35-49 | 16 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 22 | 2.9 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 10 |
| 65+ | 9 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 8 |
| 20-34 | 164 | 2.3 | 6 | <1 | <1 | 2 | 2 | 4 | 5 | 16 |
| 35-49 | 78 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 72 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 19 |
| 65+ | 33 | 2.8 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 58 | 4.0 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 35-49 | 54 | 3.6 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 18 |
| 50-64 | 81 | 4.8 | 47 | <1 | 1 | 3 | 6 | 10 | 16 | 41 |
| 65+ | 178 | 6.1 | 43 | 1 | 1 | 4 | 8 | 12 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 2.8 | 7 | <1 | <1 | 2 | 4 | 8 | 9 | 10 |
| 20-34 | 59 | 3.5 | 9 | <1 | 1 | 2 | 4 | 9 | 10 | 14 |
| 35-49 | 56 | 4.4 | 21 | 1 | 1 | 3 | 5 | 10 | 16 | 20 |
| 50-64 | 92 | 5.9 | 77 | <1 | 1 | 3 | 6 | 13 | 25 | 50 |
| 65+ | 73 | 6.5 | 46 | 1 | 1 | 4 | 9 | 16 | 21 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 3.3 | 33 | <1 | 1 | 2 | 3 | 5 | 8 | 35 |
| B. *Operated* | 489 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 412 | 4.9 | 32 | 1 | 1 | 3 | 6 | 11 | 13 | 33 |
| B. *Operated* | 309 | 5.0 | 41 | 1 | 1 | 3 | 6 | 12 | 17 | 30 |
| **1. SINGLE DX** | 585 | 2.3 | 9 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 721 | 5.0 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 31 |
| **A. NOT OPERATED** | 508 | 4.6 | 33 | 1 | 1 | 3 | 5 | 10 | 12 | 33 |
| **B. OPERATED** | 798 | 3.3 | 21 | <1 | <1 | 2 | 3 | 7 | 10 | 23 |
| TOTAL 0-19 YRS | 238 | 2.4 | 15 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 20-34 | 304 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 204 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |
| 50-64 | 267 | 4.4 | 45 | <1 | 1 | 2 | 4 | 9 | 14 | 31 |
| 65+ | 293 | 5.7 | 40 | 1 | 1 | 3 | 7 | 13 | 18 | 35 |
| **GRAND TOTAL** | **1306** | **3.8** | **26** | **<1** | **1** | **2** | **4** | **8** | **12** | **26** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 65+ | 3 | 15.3 | 210 | 1 | 1 | 15 | 26 | 30 | 30 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.2 | 63 | 1 | 1 | 4 | 12 | 19 | 25 | 26 |
| 20-34 | 28 | 6.9 | 77 | 1 | 1 | 4 | 8 | 16 | 21 | 44 |
| 35-49 | 15 | 10.3 | 115 | <1 | 1 | 4 | 18 | 28 | 29 | 29 |
| 50-64 | 20 | 13.3 | 138 | 2 | 2 | 10 | 18 | 32 | 36 | 39 |
| 65+ | 53 | 12.9 | 122 | 1 | 2 | 11 | 16 | 27 | 40 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 8.5 | 34 | 3 | 3 | 8 | 13 | 14 | 14 | 14 |
| 35-49 | 7 | 12.0 | 6 | 9 | 9 | 11 | 14 | 16 | 16 | 16 |
| 50-64 | 20 | 11.7 | 65 | 2 | 3 | 10 | 15 | 25 | 27 | 29 |
| 65+ | 76 | 12.1 | 137 | 2 | 3 | 8 | 13 | 27 | 35 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 14.7 | 190 | 1 | 3 | 7 | 27 | 36 | 40 | 41 |
| 20-34 | 29 | 10.6 | 160 | 1 | 1 | 5 | 20 | 40 | 98 | 99+ |
| 35-49 | 46 | 13.9 | 197 | <1 | 1 | 10 | 18 | 33 | 36 | 74 |
| 50-64 | 123 | 17.5 | 260 | 2 | 3 | 13 | 25 | 47 | 62 | 99+ |
| 65+ | 400 | 21.7 | 346 | 4 | 6 | 15 | 27 | 46 | 71 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 13.2 | 116 | 1 | 1 | 12 | 19 | 30 | 30 | 30 |
| B. *Operated* | 127 | 10.8 | 113 | 1 | 1 | 7 | 15 | 26 | 32 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 11.7 | 110 | 2 | 3 | 9 | 14 | 26 | 29 | 55 |
| B. *Operated* | 610 | 19.6 | 315 | 2 | 4 | 14 | 26 | 44 | 69 | 99+ |
| **1. SINGLE DX** | 132 | 10.9 | 112 | 1 | 1 | 8 | 15 | 27 | 31 | 45 |
| **2. MULTIPLE DX** | 719 | 18.4 | 291 | 2 | 3 | 14 | 24 | 41 | 62 | 99+ |
| **A. NOT OPERATED** | 114 | 11.8 | 110 | 2 | 3 | 9 | 14 | 26 | 30 | 53 |
| **B. OPERATED** | 737 | 18.1 | 291 | 2 | 3 | 14 | 24 | 41 | 60 | 99+ |
| TOTAL 0-19 YRS | 25 | 10.4 | 133 | 1 | 1 | 6 | 14 | 28 | 36 | 41 |
| 20-34 | 61 | 8.7 | 114 | 1 | 1 | 5 | 14 | 23 | 50 | 99+ |
| 35-49 | 68 | 12.9 | 159 | <1 | 1 | 10 | 17 | 29 | 34 | 67 |
| 50-64 | 165 | 16.2 | 222 | 2 | 3 | 12 | 22 | 38 | 57 | 99+ |
| 65+ | 532 | 19.4 | 308 | 3 | 5 | 14 | 25 | 42 | 63 | 95 |
| **GRAND TOTAL** | **851** | **17.2** | **271** | **2** | **3** | **13** | **23** | **39** | **57** | **97** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 335 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 1237 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 1205 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 65+ | 476 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 57 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 35-49 | 308 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 350 | 2.6 | 4 | 1 | 1 | 2 | 2 | 5 | 6 | 13 |
| 65+ | 88 | 2.6 | 3 | 1 | 1 | 2 | 3 | 6 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 20-34 | 572 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 35-49 | 2157 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 3465 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 2787 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.0 | 14 | 1 | 1 | 2 | 3 | 9 | 12 | 12 |
| 20-34 | 59 | 4.2 | 18 | 1 | 1 | 2 | 6 | 8 | 11 | 24 |
| 35-49 | 502 | 3.9 | 16 | 1 | 1 | 2 | 5 | 8 | 10 | 22 |
| 50-64 | 1003 | 4.1 | 16 | 1 | 1 | 2 | 5 | 9 | 12 | 20 |
| 65+ | 381 | 5.3 | 28 | 1 | 2 | 3 | 7 | 11 | 16 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3285 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 806 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9023 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 1953 | 4.3 | 19 | 1 | 1 | 2 | 5 | 9 | 12 | 24 |
| **1. SINGLE DX** | 4091 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 10976 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 12308 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 2759 | 3.8 | 15 | 1 | 1 | 2 | 5 | 8 | 11 | 20 |
| TOTAL 0-19 YRS | 85 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 1023 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 4204 | 3.0 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 50-64 | 6023 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 65+ | 3732 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| **GRAND TOTAL** | **15067** | **3.4** | **8** | **1** | **1** | **3** | **4** | **6** | **8** | **15** |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 2.6 | 7 | 1 | 1 | 2 | 3 | 4 | 8 | 12 |
| 20-34 | 27 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 6 |
| 35-49 | 38 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 37 | 3.6 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 13 |
| 65+ | 55 | 4.0 | 22 | 1 | 1 | 2 | 5 | 8 | 13 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 8.6 | 236 | <1 | 1 | 2 | 8 | 23 | 51 | 63 |
| 20-34 | 31 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 41 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 99+ |
| 50-64 | 102 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 65+ | 84 | 3.4 | 10 | <1 | 1 | 2 | 4 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 4.0 | 23 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 20-34 | 86 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 35-49 | 132 | 4.7 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 31 |
| 50-64 | 319 | 5.6 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| 65+ | 648 | 6.4 | 33 | 1 | 2 | 5 | 8 | 13 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.7 | 23 | 1 | 1 | 4 | 8 | 12 | 16 | 21 |
| 20-34 | 28 | 5.4 | 18 | 1 | 2 | 4 | 7 | 11 | 15 | 17 |
| 35-49 | 87 | 4.7 | 14 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| 50-64 | 203 | 6.1 | 55 | 1 | 1 | 4 | 7 | 13 | 20 | 45 |
| 65+ | 259 | 7.8 | 85 | 1 | 1 | 5 | 10 | 17 | 24 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| B. *Operated* | 279 | 3.4 | 25 | <1 | <1 | 2 | 4 | 7 | 9 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1411 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | 601 | 6.6 | 60 | 1 | 1 | 4 | 8 | 14 | 21 | 42 |
| **1. SINGLE DX** | 626 | 3.1 | 16 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 2012 | 5.8 | 38 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| **A. NOT OPERATED** | 1758 | 5.0 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| **B. OPERATED** | 880 | 5.6 | 51 | <1 | 1 | 4 | 7 | 12 | 17 | 42 |
| TOTAL 0-19 YRS | 461 | 3.7 | 27 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 20-34 | 172 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 298 | 4.1 | 18 | <1 | 1 | 3 | 5 | 9 | 11 | 28 |
| 50-64 | 661 | 5.2 | 30 | 1 | 1 | 4 | 6 | 11 | 14 | 28 |
| 65+ | 1046 | 6.4 | 45 | 1 | 2 | 4 | 8 | 14 | 18 | 33 |
| **GRAND TOTAL** | **2638** | **5.2** | **34** | **1** | **1** | **3** | **6** | **11** | **15** | **29** |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 93 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 117 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 50-64 | 67 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 70 | 3.1 | 7 | 1 | 1 | 2 | 3 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 11 |
| 20-34 | 28 | 3.8 | 12 | <1 | <1 | 3 | 5 | 9 | 12 | 13 |
| 35-49 | 31 | 6.0 | 13 | 1 | 2 | 6 | 8 | 10 | 11 | 18 |
| 50-64 | 33 | 4.1 | 11 | <1 | 1 | 2 | 6 | 9 | 11 | 13 |
| 65+ | 43 | 5.8 | 15 | <1 | 1 | 5 | 8 | 10 | 15 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 102 | 3.8 | 39 | 1 | 1 | 2 | 4 | 7 | 9 | 39 |
| 35-49 | 108 | 3.0 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 50-64 | 155 | 3.5 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 65+ | 408 | 6.4 | 47 | 1 | 2 | 4 | 8 | 13 | 17 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 2.5 | 11 | <1 | <1 | 1 | 2 | 6 | 10 | 17 |
| 20-34 | 50 | 6.7 | 59 | <1 | 1 | 4 | 8 | 15 | 21 | 45 |
| 35-49 | 54 | 5.5 | 19 | 1 | 1 | 5 | 8 | 12 | 14 | 20 |
| 50-64 | 115 | 6.9 | 23 | 2 | 2 | 6 | 9 | 11 | 14 | 28 |
| 65+ | 340 | 9.2 | 40 | 2 | 2 | 8 | 12 | 18 | 21 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 368 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| B. *Operated* | 188 | 4.0 | 13 | <1 | <1 | 2 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 792 | 5.0 | 35 | 1 | 1 | 3 | 6 | 11 | 14 | 33 |
| B. *Operated* | 659 | 7.3 | 38 | <1 | 1 | 6 | 10 | 15 | 19 | 31 |
| **1. SINGLE DX** | 556 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 9 | 13 |
| **2. MULTIPLE DX** | 1451 | 6.0 | 38 | 1 | 1 | 4 | 8 | 13 | 18 | 32 |
| **A. NOT OPERATED** | 1160 | 4.1 | 26 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| **B. OPERATED** | 847 | 6.6 | 34 | <1 | 1 | 5 | 9 | 14 | 18 | 28 |
| TOTAL 0-19 YRS | 193 | 2.1 | 7 | <1 | <1 | 1 | 2 | 5 | 7 | 15 |
| 20-34 | 273 | 3.6 | 29 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 35-49 | 310 | 3.3 | 10 | 1 | 1 | 2 | 4 | 8 | 11 | 16 |
| 50-64 | 370 | 4.4 | 17 | <1 | 1 | 3 | 6 | 9 | 11 | 22 |
| 65+ | 861 | 7.2 | 43 | 1 | 2 | 5 | 10 | 15 | 19 | 35 |
| **GRAND TOTAL** | 2007 | 5.1 | 31 | <1 | 1 | 3 | 7 | 11 | 15 | 27 |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1250 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 20-34 | 1592 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 835 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 50-64 | 544 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 393 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 3.3 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 316 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 35-49 | 129 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 10 | 15 |
| 50-64 | 69 | 4.9 | 22 | <1 | 1 | 4 | 6 | 9 | 13 | 27 |
| 65+ | 41 | 5.4 | 30 | 1 | 1 | 4 | 6 | 12 | 16 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 738 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 1462 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 1101 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 1174 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 65+ | 1741 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 20 |
| 20-34 | 376 | 6.2 | 34 | 1 | 1 | 5 | 8 | 12 | 15 | 34 |
| 35-49 | 200 | 6.8 | 32 | 1 | 2 | 6 | 9 | 13 | 16 | 21 |
| 50-64 | 196 | 7.8 | 41 | 1 | 2 | 6 | 9 | 15 | 20 | 34 |
| 65+ | 209 | 9.6 | 52 | 2 | 3 | 8 | 13 | 18 | 24 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4614 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 762 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6216 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 1118 | 7.0 | 38 | 1 | 2 | 5 | 9 | 14 | 18 | 33 |
| **1. SINGLE DX** | 5376 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 7334 | 4.5 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **A. NOT OPERATED** | 10830 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **B. OPERATED** | 1880 | 5.7 | 28 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| TOTAL 0-19 YRS | 2332 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 3746 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 35-49 | 2265 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 50-64 | 1983 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 65+ | 2384 | 5.4 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| **GRAND TOTAL** | 12710 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 9 |
| 20-34 | 89 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 64 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 50-64 | 62 | 2.9 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 65+ | 92 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 7 |
| 20-34 | 42 | 4.4 | 19 | <1 | <1 | 4 | 6 | 8 | 10 | 26 |
| 35-49 | 25 | 4.1 | 17 | <1 | <1 | 2 | 6 | 11 | 14 | 14 |
| 50-64 | 35 | 4.0 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 65+ | 31 | 4.6 | 22 | <1 | 1 | 2 | 7 | 12 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 3.2 | 19 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 272 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 274 | 5.2 | 26 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| 50-64 | 413 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 12 | 23 |
| 65+ | 945 | 6.0 | 24 | 1 | 2 | 5 | 7 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.7 | 34 | 1 | 1 | 4 | 7 | 14 | 21 | 23 |
| 20-34 | 96 | 6.1 | 34 | 1 | 1 | 4 | 8 | 13 | 22 | 27 |
| 35-49 | 90 | 8.8 | 114 | 1 | 2 | 6 | 9 | 20 | 27 | 63 |
| 50-64 | 129 | 8.7 | 68 | 1 | 1 | 7 | 11 | 19 | 26 | 36 |
| 65+ | 199 | 10.2 | 105 | 1 | 2 | 8 | 12 | 21 | 34 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 416 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 144 | 4.2 | 16 | <1 | 1 | 3 | 6 | 8 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2197 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 22 |
| B. *Operated* | 543 | 8.6 | 83 | 1 | 1 | 6 | 11 | 19 | 25 | 43 |
| **1. SINGLE DX** | 560 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 2740 | 5.8 | 36 | 1 | 1 | 4 | 7 | 12 | 16 | 28 |
| **A. NOT OPERATED** | 2613 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| **B. OPERATED** | 687 | 7.7 | 72 | 1 | 1 | 6 | 10 | 16 | 23 | 40 |
| TOTAL 0-19 YRS | 442 | 3.2 | 16 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 499 | 3.8 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 35-49 | 453 | 5.5 | 44 | 1 | 1 | 4 | 7 | 11 | 17 | 30 |
| 50-64 | 639 | 5.6 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 65+ | 1267 | 6.4 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 35 |
| **GRAND TOTAL** | **3300** | **5.3** | **33** | **1** | **1** | **4** | **7** | **11** | **15** | **27** |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 698 | 3.8 | 33 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 20-34 | 387 | 3.0 | 10 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 350 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 463 | 3.3 | 11 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| 65+ | 699 | 4.0 | 18 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 3.0 | 10 | <1 | <1 | 2 | 3 | 7 | 12 | 14 |
| 20-34 | 198 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| 35-49 | 188 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 215 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 7 | 12 |
| 65+ | 139 | 3.5 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 874 | 5.0 | 42 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| 20-34 | 745 | 3.8 | 17 | 1 | 1 | 3 | 4 | 7 | 11 | 21 |
| 35-49 | 935 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 1996 | 5.0 | 28 | 1 | 1 | 3 | 6 | 10 | 15 | 26 |
| 65+ | 5555 | 6.1 | 35 | 1 | 2 | 5 | 7 | 12 | 16 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 6.9 | 78 | 1 | 1 | 4 | 8 | 20 | 37 | 99+ |
| 20-34 | 193 | 6.1 | 88 | <1 | 1 | 3 | 6 | 13 | 24 | 57 |
| 35-49 | 251 | 5.4 | 60 | 1 | 1 | 3 | 7 | 11 | 15 | 26 |
| 50-64 | 434 | 8.0 | 134 | 1 | 1 | 4 | 9 | 16 | 29 | 63 |
| 65+ | 725 | 10.2 | 115 | 1 | 2 | 7 | 13 | 21 | 30 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2597 | 3.5 | 19 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| B. *Operated* | 818 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10105 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 1681 | 8.3 | 110 | 1 | 1 | 5 | 10 | 18 | 27 | 60 |
| **1. SINGLE DX** | 3415 | 3.4 | 16 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | 11786 | 5.9 | 44 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| **A. NOT OPERATED** | 12702 | 5.1 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **B. OPERATED** | 2499 | 6.5 | 83 | <1 | 1 | 3 | 8 | 15 | 22 | 49 |
| TOTAL 0-19 YRS | 1728 | 4.5 | 39 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| 20-34 | 1523 | 3.7 | 24 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 1724 | 4.0 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 50-64 | 3108 | 5.0 | 41 | 1 | 1 | 3 | 6 | 10 | 15 | 31 |
| 65+ | 7118 | 6.3 | 43 | 1 | 2 | 4 | 8 | 13 | 17 | 34 |
| **GRAND TOTAL** | **15201** | **5.3** | **39** | **1** | **1** | **3** | **6** | **11** | **16** | **31** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 2.2 | 6 | 1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 42 | 3.3 | 16 | <1 | 1 | 2 | 4 | 6 | 10 | 23 |
| 35-49 | 12 | 4.2 | 9 | <1 | <1 | 4 | 6 | 8 | 10 | 10 |
| 50-64 | 9 | 4.4 | 24 | 1 | 1 | 2 | 8 | 12 | 15 | 15 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 4.2 | 8 | 2 | 2 | 3 | 5 | 8 | 10 | 13 |
| 20-34 | 29 | 6.6 | 13 | 2 | 2 | 6 | 8 | 12 | 14 | 15 |
| 35-49 | 6 | 8.5 | 44 | 1 | 1 | 7 | 16 | 17 | 17 | 17 |
| 50-64 | 11 | 8.7 | 30 | 2 | 2 | 9 | 11 | 17 | 20 | 20 |
| 65+ | 1 | 49.0 | | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 243 | 3.3 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 20-34 | 88 | 6.7 | 40 | 1 | 1 | 5 | 9 | 15 | 22 | 29 |
| 35-49 | 35 | 5.3 | 18 | 1 | 1 | 4 | 8 | 10 | 16 | 18 |
| 50-64 | 22 | 4.8 | 7 | 1 | 2 | 5 | 6 | 8 | 11 | 13 |
| 65+ | 29 | 10.4 | 113 | 1 | 2 | 6 | 16 | 24 | 29 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 13.2 | 247 | 1 | 2 | 8 | 19 | 39 | 70 | 99+ |
| 20-34 | 126 | 14.2 | 270 | 2 | 2 | 9 | 16 | 37 | 62 | 99+ |
| 35-49 | 42 | 19.7 | 443 | 2 | 2 | 14 | 38 | 80 | 99+ | 99+ |
| 50-64 | 31 | 21.7 | 352 | 1 | 2 | 16 | 38 | 51 | 71 | 99+ |
| 65+ | 22 | 21.3 | 645 | 3 | 5 | 10 | 15 | 72 | 79 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 385 | 2.4 | 8 | 1 | 1 | 2 | 2 | 5 | 7 | 15 |
| B. *Operated* | 95 | 6.2 | 36 | 2 | 2 | 4 | 8 | 12 | 15 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 417 | 4.8 | 29 | 1 | 1 | 3 | 6 | 11 | 16 | 26 |
| B. *Operated* | 340 | 15.7 | 321 | 2 | 2 | 9 | 22 | 44 | 79 | 99+ |
| **1. SINGLE DX** | 480 | 3.2 | 15 | 1 | 1 | 2 | 4 | 7 | 11 | 17 |
| **2. MULTIPLE DX** | 757 | 9.7 | 189 | 1 | 1 | 5 | 11 | 27 | 44 | 99+ |
| **A. NOT OPERATED** | 802 | 3.6 | 20 | 1 | 1 | 2 | 4 | 8 | 12 | 24 |
| **B. OPERATED** | 435 | 13.6 | 274 | 2 | 2 | 8 | 17 | 40 | 67 | 99+ |
| TOTAL 0-19 YRS | 730 | 4.5 | 62 | 1 | 1 | 2 | 4 | 10 | 17 | 64 |
| 20-34 | 285 | 9.5 | 154 | 1 | 1 | 6 | 11 | 24 | 35 | 98 |
| 35-49 | 95 | 11.7 | 255 | 1 | 1 | 6 | 15 | 43 | 70 | 99+ |
| 50-64 | 73 | 12.5 | 220 | 1 | 2 | 7 | 15 | 39 | 46 | 93 |
| 65+ | 54 | 15.2 | 372 | 1 | 2 | 8 | 16 | 46 | 67 | 87 |
| **GRAND TOTAL** | **1237** | **7.1** | **132** | **1** | **1** | **3** | **8** | **17** | **32** | **92** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 59 | 3.2 | 7 | <1 | 1 | 2 | 4 | 8 | 8 | 11 |
| 35-49 | 20 | 3.5 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 50-64 | 9 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 65+ | 3 | 9.0 | 21 | 4 | 4 | 10 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 8.6 | 160 | 1 | 1 | 6 | 9 | 14 | 29 | 66 |
| 20-34 | 14 | 5.1 | 12 | 2 | 2 | 4 | 7 | 10 | 12 | 13 |
| 35-49 | 4 | 5.0 | 7 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | 4 | 8.0 | 27 | 3 | 3 | 8 | 12 | 13 | 13 | 13 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 205 | 4.5 | 29 | 1 | 1 | 3 | 5 | 10 | 16 | 26 |
| 20-34 | 153 | 5.8 | 45 | 1 | 1 | 4 | 7 | 11 | 14 | 44 |
| 35-49 | 67 | 7.3 | 95 | 1 | 1 | 4 | 9 | 14 | 18 | 66 |
| 50-64 | 37 | 8.6 | 74 | 1 | 2 | 5 | 12 | 20 | 25 | 43 |
| 65+ | 25 | 8.4 | 80 | 1 | 2 | 5 | 8 | 17 | 25 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 12.8 | 144 | 2 | 3 | 9 | 16 | 26 | 38 | 64 |
| 20-34 | 99 | 14.9 | 275 | 2 | 3 | 9 | 19 | 47 | 62 | 99+ |
| 35-49 | 35 | 17.5 | 490 | 1 | 2 | 11 | 17 | 48 | 82 | 85 |
| 50-64 | 21 | 16.8 | 422 | 1 | 2 | 11 | 17 | 39 | 70 | 90 |
| 65+ | 12 | 20.3 | 194 | 6 | 7 | 20 | 32 | 59 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 48 | 7.2 | 90 | 1 | 2 | 5 | 8 | 13 | 14 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 487 | 5.8 | 51 | 1 | 1 | 4 | 7 | 12 | 17 | 43 |
| B. *Operated* | 247 | 15.0 | 271 | 2 | 3 | 10 | 18 | 38 | 53 | 99+ |
| **1. SINGLE DX** | 293 | 3.5 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | 734 | 8.9 | 143 | 1 | 1 | 5 | 11 | 20 | 31 | 79 |
| **A. NOT OPERATED** | 732 | 4.8 | 37 | 1 | 1 | 3 | 6 | 11 | 15 | 28 |
| **B. OPERATED** | 295 | 13.7 | 249 | 2 | 2 | 9 | 15 | 32 | 52 | 95 |
| TOTAL 0-19 YRS | 464 | 5.5 | 60 | 1 | 1 | 3 | 6 | 13 | 19 | 44 |
| 20-34 | 325 | 8.1 | 127 | 1 | 1 | 5 | 9 | 17 | 31 | 78 |
| 35-49 | 126 | 9.4 | 212 | 1 | 1 | 5 | 11 | 17 | 27 | 83 |
| 50-64 | 71 | 10.3 | 181 | 1 | 2 | 5 | 13 | 21 | 29 | 82 |
| 65+ | 41 | 11.9 | 133 | 2 | 3 | 8 | 17 | 33 | 46 | 99+ |
| **GRAND TOTAL** | **1027** | **7.4** | **114** | **1** | **1** | **4** | **8** | **16** | **24** | **72** |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 38 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 7 |
| 35-49 | 15 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 50-64 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 6 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 709 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 963 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 269 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 94 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 42 | 4.3 | 23 | 1 | 1 | 3 | 4 | 7 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 1.9 | 2 | <1 | 1 | 1 | 3 | 4 | 5 | 6 |
| 20-34 | 134 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 35-49 | 55 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 50-64 | 35 | 3.3 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 99+ |
| 65+ | 85 | 6.6 | 99 | 1 | 1 | 4 | 8 | 13 | 16 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 491 | 3.4 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 20-34 | 965 | 4.3 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 340 | 5.1 | 45 | 1 | 1 | 3 | 6 | 11 | 13 | 31 |
| 50-64 | 156 | 6.1 | 40 | 1 | 1 | 4 | 8 | 12 | 18 | 32 |
| 65+ | 115 | 11.1 | 153 | 1 | 2 | 7 | 14 | 25 | 34 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 2077 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 372 | 3.4 | 28 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| B. *Operated* | 2067 | 4.7 | 33 | 1 | 1 | 3 | 5 | 10 | 14 | 29 |
| **1. SINGLE DX** | 2164 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 2439 | 4.5 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 459 | 3.1 | 24 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| **B. OPERATED** | 4144 | 3.5 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| TOTAL 0-19 YRS | 1287 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 20-34 | 2100 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 35-49 | 679 | 3.9 | 26 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 50-64 | 289 | 4.6 | 26 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| 65+ | 248 | 8.2 | 116 | 1 | 1 | 5 | 10 | 17 | 25 | 58 |
| **GRAND TOTAL** | **4603** | **3.4** | **20** | **<1** | **1** | **2** | **4** | **7** | **10** | **22** |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 20-34 | 346 | 5.2 | 17 | 1 | 1 | 4 | 7 | 10 | 12 | 23 |
| 35-49 | 158 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 169 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 14 | 28 |
| 65+ | 272 | 7.8 | 21 | 2 | 3 | 7 | 10 | 13 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 12.2 | 80 | 4 | 4 | 9 | 17 | 27 | 30 | 36 |
| 20-34 | 79 | 11.9 | 119 | 1 | 3 | 11 | 15 | 22 | 25 | 69 |
| 35-49 | 16 | 13.0 | 104 | 5 | 6 | 11 | 14 | 20 | 40 | 48 |
| 50-64 | 17 | 13.6 | 274 | 1 | 2 | 10 | 16 | 19 | 55 | 74 |
| 65+ | 15 | 15.5 | 168 | 1 | 2 | 12 | 23 | 30 | 44 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 4.7 | 20 | 1 | 1 | 3 | 5 | 10 | 14 | 20 |
| 20-34 | 385 | 6.1 | 29 | 1 | 2 | 5 | 7 | 11 | 16 | 31 |
| 35-49 | 227 | 6.3 | 22 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 50-64 | 315 | 8.6 | 40 | 2 | 3 | 7 | 11 | 18 | 21 | 31 |
| 65+ | 1467 | 10.5 | 48 | 3 | 4 | 9 | 13 | 19 | 22 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 12.2 | 216 | 2 | 3 | 8 | 14 | 21 | 33 | 90 |
| 20-34 | 207 | 14.1 | 157 | 2 | 4 | 10 | 18 | 29 | 42 | 63 |
| 35-49 | 91 | 14.8 | 228 | 1 | 3 | 10 | 18 | 35 | 47 | 80 |
| 50-64 | 81 | 17.2 | 197 | 3 | 4 | 14 | 23 | 40 | 48 | 92 |
| 65+ | 124 | 18.6 | 218 | 4 | 6 | 14 | 23 | 36 | 54 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1108 | 5.7 | 19 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| B. *Operated* | 163 | 12.6 | 127 | 2 | 4 | 11 | 15 | 24 | 29 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2551 | 8.9 | 45 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| B. *Operated* | 576 | 15.4 | 198 | 2 | 3 | 11 | 19 | 34 | 46 | 73 |
| **1. SINGLE DX** | 1271 | 6.6 | 38 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| **2. MULTIPLE DX** | 3127 | 10.1 | 79 | 2 | 3 | 8 | 13 | 19 | 25 | 49 |
| **A. NOT OPERATED** | 3659 | 7.9 | 39 | 1 | 2 | 6 | 10 | 15 | 20 | 31 |
| **B. OPERATED** | 739 | 14.8 | 183 | 2 | 3 | 11 | 19 | 30 | 43 | 74 |
| TOTAL 0-19 YRS | 429 | 6.3 | 66 | 1 | 1 | 4 | 7 | 14 | 19 | 35 |
| 20-34 | 1017 | 7.9 | 71 | 1 | 2 | 5 | 9 | 16 | 24 | 44 |
| 35-49 | 492 | 7.6 | 73 | 1 | 2 | 5 | 9 | 15 | 20 | 48 |
| 50-64 | 582 | 9.3 | 75 | 2 | 2 | 7 | 12 | 19 | 25 | 48 |
| 65+ | 1878 | 10.7 | 62 | 3 | 4 | 9 | 13 | 19 | 24 | 47 |
| **GRAND TOTAL** | **4398** | **9.1** | **70** | **1** | **2** | **7** | **11** | **18** | **23** | **45** |

## 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 12 | 10.9 | 157 | 1 | 2 | 6 | 14 | 31 | 41 | 43 |
| 35-49 | 9 | 6.2 | 14 | 1 | 2 | 6 | 7 | 12 | 14 | 14 |
| 50-64 | 6 | 11.5 | 76 | 3 | 3 | 9 | 13 | 26 | 28 | 28 |
| 65+ | 8 | 12.8 | 34 | 7 | 7 | 11 | 17 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 31.3 | 681 | 8 | 9 | 23 | 41 | 75 | 85 | 85 |
| 20-34 | 25 | 19.0 | 151 | 7 | 8 | 14 | 29 | 33 | 40 | 59 |
| 35-49 | 8 | 17.1 | 200 | 1 | 2 | 10 | 32 | 36 | 36 | 36 |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 25.3 | 432 | <1 | <1 | 25 | 41 | 49 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 18.8 | 751 | 1 | 2 | 3 | 26 | 67 | 79 | 79 |
| 20-34 | 24 | 11.0 | 135 | 2 | 2 | 7 | 13 | 25 | 39 | 53 |
| 35-49 | 15 | 18.1 | 473 | 2 | 4 | 9 | 21 | 44 | 75 | 86 |
| 50-64 | 13 | 13.2 | 95 | 2 | 4 | 9 | 15 | 32 | 34 | 34 |
| 65+ | 33 | 14.6 | 141 | 5 | 5 | 11 | 17 | 32 | 42 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 26.8 | 282 | 9 | 12 | 25 | 30 | 57 | 86 | 99+ |
| 20-34 | 48 | 36.5 | 752 | 7 | 10 | 31 | 72 | 99+ | 99+ | 99+ |
| 35-49 | 24 | 35.6 | 808 | 6 | 8 | 30 | 66 | 95 | 99+ | 99+ |
| 50-64 | 10 | 31.0 | 421 | 8 | 10 | 29 | 63 | 99+ | 99+ | 99+ |
| 65+ | 10 | 29.9 | 590 | 5 | 7 | 25 | 89 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 10.1 | 77 | 1 | 2 | 7 | 12 | 22 | 27 | 43 |
| B. *Operated* | 46 | 21.6 | 289 | 4 | 8 | 15 | 33 | 36 | 59 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 14.4 | 237 | 2 | 3 | 9 | 16 | 33 | 49 | 83 |
| B. *Operated* | 118 | 33.2 | 615 | 8 | 10 | 28 | 64 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 82 | 16.5 | 227 | 2 | 3 | 11 | 23 | 34 | 45 | 77 |
| **2. MULTIPLE DX** | 212 | 24.9 | 533 | 3 | 5 | 17 | 39 | 84 | 99+ | 99+ |
| **A. NOT OPERATED** | 130 | 13.2 | 196 | 2 | 3 | 9 | 15 | 29 | 44 | 80 |
| **B. OPERATED** | 164 | 29.9 | 548 | 7 | 9 | 25 | 49 | 90 | 99+ | 99+ |
| TOTAL 0-19 YRS | 45 | 25.6 | 448 | 3 | 3 | 20 | 31 | 61 | 83 | 99+ |
| 20-34 | 109 | 24.1 | 537 | 2 | 4 | 15 | 33 | 80 | 99 | 99+ |
| 35-49 | 56 | 23.6 | 613 | 2 | 4 | 13 | 35 | 74 | 95 | 99+ |
| 50-64 | 29 | 19.0 | 269 | 3 | 5 | 14 | 30 | 61 | 98 | 99+ |
| 65+ | 55 | 17.9 | 251 | 4 | 5 | 14 | 22 | 49 | 94 | 99+ |
| **GRAND TOTAL** | **294** | **22.5** | **460** | **3** | **5** | **15** | **33** | **73** | **95** | **99+** |

## 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 52 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 72 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 7 | 13 |
| 50-64 | 80 | 3.3 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 65+ | 91 | 4.2 | 6 | 1 | 1 | 4 | 6 | 7 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 5.8 | 36 | 1 | 1 | 4 | 7 | 16 | 17 | 17 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 4.5 | 9 | <1 | <1 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 2 | 21.5 | 25 | 18 | 18 | 21 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 263 | 4.1 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 266 | 5.3 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 50-64 | 390 | 5.9 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| 65+ | 811 | 7.7 | 37 | 2 | 2 | 6 | 10 | 15 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 8.9 | 183 | 1 | 2 | 6 | 8 | 15 | 21 | 76 |
| 20-34 | 123 | 9.5 | 104 | 2 | 3 | 5 | 12 | 19 | 30 | 57 |
| 35-49 | 109 | 8.4 | 70 | 2 | 2 | 6 | 10 | 16 | 27 | 47 |
| 50-64 | 102 | 13.1 | 182 | 2 | 3 | 9 | 17 | 32 | 47 | 88 |
| 65+ | 115 | 15.1 | 157 | 2 | 4 | 12 | 19 | 28 | 49 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 316 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 14 | 7.2 | 56 | <1 | 1 | 5 | 7 | 19 | 24 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1791 | 6.3 | 29 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| B. *Operated* | 478 | 11.3 | 136 | 2 | 3 | 8 | 14 | 24 | 35 | 65 |
| **1. SINGLE DX** | 330 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | 2269 | 7.3 | 56 | 1 | 2 | 5 | 9 | 14 | 19 | 41 |
| **A. NOT OPERATED** | 2107 | 5.8 | 27 | 1 | 1 | 5 | 7 | 12 | 15 | 26 |
| **B. OPERATED** | 492 | 11.2 | 134 | 2 | 3 | 7 | 14 | 24 | 35 | 64 |
| TOTAL 0-19 YRS | 111 | 4.8 | 57 | 1 | 1 | 3 | 6 | 8 | 12 | 41 |
| 20-34 | 444 | 5.4 | 44 | 1 | 1 | 4 | 6 | 11 | 15 | 32 |
| 35-49 | 449 | 5.7 | 34 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| 50-64 | 576 | 6.8 | 57 | 1 | 1 | 5 | 8 | 13 | 19 | 44 |
| 65+ | 1019 | 8.3 | 55 | 1 | 2 | 6 | 10 | 16 | 21 | 43 |
| **GRAND TOTAL** | **2599** | **6.8** | **52** | **1** | **1** | **5** | **8** | **14** | **19** | **37** |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 5.9 | 37 | 1 | 1 | 4 | 8 | 12 | 18 | 35 |
| 20-34 | 71 | 6.3 | 24 | 1 | 2 | 5 | 9 | 11 | 16 | 27 |
| 35-49 | 37 | 8.1 | 41 | 1 | 2 | 7 | 10 | 15 | 16 | 37 |
| 50-64 | 68 | 9.1 | 103 | 1 | 2 | 7 | 10 | 16 | 28 | 63 |
| 65+ | 239 | 9.9 | 38 | 3 | 4 | 9 | 13 | 17 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.8 | 104 | 2 | 2 | 9 | 20 | 26 | 27 | 27 |
| 20-34 | 5 | 16.6 | 185 | 5 | 5 | 13 | 21 | 40 | 40 | 40 |
| 35-49 | 3 | 17.7 | 44 | 10 | 10 | 21 | 22 | 22 | 22 | 22 |
| 50-64 | 5 | 12.0 | 49 | 3 | 3 | 11 | 19 | 19 | 19 | 19 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 9.4 | 130 | 2 | 2 | 6 | 10 | 16 | 31 | 70 |
| 20-34 | 188 | 10.0 | 86 | 2 | 3 | 7 | 13 | 21 | 27 | 42 |
| 35-49 | 103 | 12.2 | 103 | 2 | 3 | 9 | 16 | 29 | 31 | 48 |
| 50-64 | 135 | 13.5 | 116 | 3 | 5 | 11 | 16 | 24 | 33 | 58 |
| 65+ | 853 | 13.1 | 83 | 3 | 4 | 11 | 16 | 24 | 32 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 17.5 | 216 | 2 | 3 | 13 | 26 | 39 | 51 | 57 |
| 20-34 | 118 | 24.6 | 357 | 4 | 5 | 21 | 38 | 53 | 64 | 99+ |
| 35-49 | 43 | 27.0 | 374 | 7 | 8 | 21 | 40 | 49 | 83 | 99+ |
| 50-64 | 67 | 24.6 | 374 | 4 | 6 | 18 | 35 | 52 | 71 | 99 |
| 65+ | 95 | 24.9 | 364 | 5 | 7 | 20 | 29 | 55 | 72 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 490 | 8.5 | 47 | 1 | 2 | 7 | 11 | 16 | 20 | 38 |
| B. *Operated* | 19 | 14.1 | 93 | 2 | 3 | 13 | 20 | 25 | 34 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1378 | 12.4 | 93 | 3 | 4 | 10 | 16 | 24 | 31 | 50 |
| B. *Operated* | 383 | 23.8 | 346 | 4 | 5 | 19 | 34 | 51 | 64 | 98 |
| **1. SINGLE DX** | 509 | 8.7 | 50 | 1 | 2 | 7 | 11 | 16 | 21 | 39 |
| **2. MULTIPLE DX** | 1761 | 14.9 | 170 | 3 | 4 | 11 | 18 | 31 | 41 | 78 |
| **A. NOT OPERATED** | 1868 | 11.4 | 84 | 2 | 3 | 9 | 15 | 22 | 29 | 46 |
| **B. OPERATED** | 402 | 23.4 | 338 | 4 | 5 | 19 | 33 | 50 | 62 | 97 |
| TOTAL 0-19 YRS | 240 | 10.4 | 140 | 1 | 2 | 6 | 12 | 25 | 34 | 58 |
| 20-34 | 382 | 13.9 | 212 | 2 | 3 | 9 | 17 | 36 | 46 | 80 |
| 35-49 | 186 | 14.9 | 198 | 2 | 3 | 10 | 19 | 34 | 45 | 89 |
| 50-64 | 275 | 15.1 | 205 | 2 | 4 | 11 | 18 | 34 | 46 | 87 |
| 65+ | 1187 | 13.4 | 109 | 3 | 4 | 11 | 16 | 24 | 32 | 58 |
| **GRAND TOTAL** | **2270** | **13.5** | **150** | **2** | **3** | **10** | **16** | **28** | **39** | **69** |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 3.3 | 18 | <1 | 1 | 2 | 3 | 10 | 14 | 18 |
| 20-34 | 33 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 29 | 3.6 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 22 |
| 50-64 | 67 | 3.6 | 11 | 1 | 1 | 3 | 5 | 6 | 10 | 18 |
| 65+ | 197 | 4.6 | 13 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 916 | 3.6 | 19 | 1 | 1 | 2 | 4 | 10 | 14 | 21 |
| 20-34 | 131 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 9 | 24 |
| 35-49 | 98 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 9 | 16 |
| 50-64 | 112 | 4.6 | 19 | 1 | 1 | 4 | 5 | 9 | 13 | 25 |
| 65+ | 183 | 6.4 | 42 | 1 | 2 | 5 | 8 | 12 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 3.3 | 10 | 1 | 1 | 2 | 5 | 8 | 11 | 13 |
| 20-34 | 37 | 5.5 | 19 | 1 | 1 | 4 | 7 | 14 | 17 | 99+ |
| 35-49 | 34 | 4.4 | 14 | 1 | 1 | 3 | 6 | 10 | 14 | 16 |
| 50-64 | 131 | 7.5 | 84 | 1 | 2 | 5 | 9 | 14 | 24 | 47 |
| 65+ | 570 | 8.8 | 59 | 2 | 2 | 7 | 11 | 17 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 242 | 6.5 | 49 | 1 | 1 | 4 | 8 | 16 | 21 | 32 |
| 20-34 | 125 | 9.2 | 93 | 1 | 2 | 6 | 11 | 24 | 30 | 70 |
| 35-49 | 87 | 7.9 | 82 | 1 | 1 | 6 | 9 | 14 | 20 | 53 |
| 50-64 | 148 | 10.4 | 125 | 1 | 2 | 7 | 12 | 21 | 40 | 53 |
| 65+ | 320 | 13.3 | 136 | 2 | 3 | 9 | 18 | 30 | 39 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 468 | 3.9 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| B. *Operated* | 1440 | 4.2 | 22 | 1 | 1 | 2 | 5 | 9 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 822 | 7.9 | 59 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| B. *Operated* | 922 | 10.0 | 108 | 1 | 2 | 7 | 13 | 22 | 33 | 53 |
| **1. SINGLE DX** | 1908 | 4.1 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | 1744 | 9.0 | 86 | 1 | 2 | 6 | 11 | 19 | 28 | 50 |
| **A. NOT OPERATED** | 1290 | 6.4 | 47 | 1 | 1 | 4 | 8 | 14 | 19 | 37 |
| **B. OPERATED** | 2362 | 6.4 | 63 | 1 | 1 | 4 | 8 | 15 | 21 | 41 |
| TOTAL 0-19 YRS | 1350 | 4.1 | 25 | 1 | 1 | 2 | 4 | 11 | 15 | 23 |
| 20-34 | 326 | 6.1 | 51 | 1 | 1 | 4 | 7 | 14 | 23 | 50 |
| 35-49 | 248 | 5.5 | 39 | 1 | 1 | 4 | 6 | 10 | 14 | 39 |
| 50-64 | 458 | 7.2 | 77 | 1 | 1 | 5 | 8 | 15 | 21 | 49 |
| 65+ | 1270 | 9.0 | 78 | 1 | 2 | 6 | 11 | 19 | 27 | 46 |
| **GRAND TOTAL** | **3652** | **6.4** | **57** | **1** | **1** | **4** | **8** | **14** | **20** | **40** |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 5 |
| 20-34 | 26 | 2.5 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 6 |
| 35-49 | 15 | 1.7 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 25 | 2.6 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 65+ | 47 | 3.3 | 10 | <1 | 1 | 2 | 4 | 10 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1620 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 626 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 325 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 441 | 2.5 | 6 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 65+ | 419 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 2.1 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 57 | 3.6 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 35-49 | 39 | 4.1 | 11 | <1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 50-64 | 45 | 4.3 | 25 | 1 | 1 | 2 | 4 | 11 | 16 | 23 |
| 65+ | 176 | 7.4 | 37 | 1 | 2 | 6 | 9 | 15 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 345 | 3.4 | 23 | 1 | 1 | 2 | 4 | 7 | 11 | 17 |
| 20-34 | 415 | 5.5 | 35 | 1 | 1 | 4 | 6 | 11 | 17 | 27 |
| 35-49 | 238 | 5.6 | 34 | 1 | 1 | 4 | 7 | 11 | 19 | 31 |
| 50-64 | 268 | 5.3 | 56 | 1 | 1 | 4 | 6 | 10 | 14 | 33 |
| 65+ | 449 | 6.7 | 60 | 1 | 1 | 4 | 8 | 14 | 21 | 39 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 190 | 2.2 | 4 | <1 | 1 | 1 | 2 | 5 | 6 | 11 |
| B. *Operated* | 3431 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 377 | 5.3 | 28 | 1 | 1 | 4 | 7 | 11 | 16 | 23 |
| B. *Operated* | 1715 | 5.4 | 43 | 1 | 1 | 4 | 6 | 11 | 16 | 33 |
| 1. SINGLE DX | 3621 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | 2092 | 5.4 | 41 | 1 | 1 | 4 | 6 | 11 | 16 | 33 |
| A. NOT OPERATED | 567 | 4.2 | 22 | 1 | 1 | 2 | 6 | 10 | 13 | 22 |
| B. OPERATED | 5146 | 3.3 | 19 | 1 | 1 | 2 | 4 | 6 | 10 | 21 |
| TOTAL 0-19 YRS | 2102 | 1.9 | 6 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 20-34 | 1124 | 3.8 | 18 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| 35-49 | 617 | 3.8 | 18 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| 50-64 | 779 | 3.5 | 26 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 65+ | 1091 | 5.3 | 37 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| GRAND TOTAL | 5713 | 3.4 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 20-34 | 28 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 8 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | 8 | 2.1 | 4 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 65+ | 16 | 3.8 | 7 | <1 | 1 | 3 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 577 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 810 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 260 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 50-64 | 117 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 65+ | 52 | 2.2 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.7 | 15 | <1 | <1 | 2 | 2 | 4 | 11 | 19 |
| 20-34 | 45 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 11 | 3.5 | 2 | 1 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 16 | 8.0 | 67 | 1 | 1 | 4 | 12 | 16 | 27 | 32 |
| 65+ | 68 | 8.5 | 82 | 1 | 2 | 5 | 10 | 18 | 34 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 2.6 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 20-34 | 404 | 3.2 | 16 | <1 | 1 | 2 | 3 | 6 | 9 | 21 |
| 35-49 | 169 | 3.1 | 14 | 1 | 1 | 2 | 4 | 7 | 8 | 17 |
| 50-64 | 109 | 3.8 | 67 | <1 | 1 | 2 | 3 | 6 | 10 | 61 |
| 65+ | 102 | 5.0 | 38 | 1 | 1 | 3 | 6 | 10 | 15 | 34 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 81 | 2.5 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 9 |
| B. *Operated* | 1816 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 161 | 5.8 | 51 | 1 | 1 | 3 | 7 | 13 | 18 | 39 |
| B. *Operated* | 948 | 3.3 | 22 | <1 | 1 | 2 | 4 | 7 | 9 | 25 |
| 1. SINGLE DX | 1897 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | 1109 | 3.7 | 27 | <1 | 1 | 2 | 4 | 7 | 10 | 32 |
| A. NOT OPERATED | 242 | 4.7 | 38 | <1 | 1 | 3 | 5 | 10 | 16 | 35 |
| B. OPERATED | 2764 | 2.3 | 10 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 783 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 1287 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 448 | 2.4 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 250 | 3.2 | 37 | <1 | 1 | 2 | 3 | 5 | 10 | 32 |
| 65+ | 238 | 5.3 | 46 | 1 | 1 | 3 | 7 | 11 | 17 | 37 |
| GRAND TOTAL | 3006 | 2.5 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 15.3 | 172 | 1 | 2 | 14 | 28 | 31 | 36 | 47 |
| 20-34 | 5 | 13.4 | 622 | <1 | <1 | 3 | 17 | 58 | 58 | 58 |
| 35-49 | 12 | 15.5 | 480 | <1 | <1 | 5 | 25 | 52 | 61 | 63 |
| 50-64 | 26 | 7.1 | 97 | 1 | 1 | 5 | 8 | 12 | 22 | 52 |
| 65+ | 136 | 8.8 | 51 | 1 | 1 | 8 | 12 | 18 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 10.2 | 56 | 3 | 3 | 9 | 13 | 16 | 21 | 42 |
| 20-34 | 64 | 12.2 | 130 | 3 | 4 | 9 | 13 | 23 | 37 | 57 |
| 35-49 | 92 | 10.8 | 62 | 4 | 5 | 9 | 12 | 17 | 21 | 53 |
| 50-64 | 362 | 11.6 | 41 | 5 | 6 | 10 | 14 | 18 | 22 | 35 |
| 65+ | 2263 | 14.6 | 54 | 7 | 8 | 13 | 17 | 22 | 27 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 19.2 | 301 | 2 | 2 | 17 | 33 | 44 | 51 | 55 |
| 20-34 | 16 | 8.6 | 158 | 1 | 2 | 4 | 8 | 23 | 43 | 51 |
| 35-49 | 15 | 10.4 | 160 | <1 | 2 | 6 | 12 | 16 | 44 | 53 |
| 50-64 | 42 | 13.4 | 172 | 1 | 2 | 8 | 17 | 43 | 44 | 49 |
| 65+ | 403 | 12.9 | 112 | 2 | 3 | 10 | 17 | 26 | 33 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 17.5 | 187 | 2 | 4 | 13 | 24 | 38 | 43 | 64 |
| 20-34 | 131 | 19.1 | 253 | 4 | 6 | 15 | 26 | 45 | 74 | 99+ |
| 35-49 | 125 | 16.2 | 163 | 4 | 5 | 13 | 19 | 30 | 49 | 82 |
| 50-64 | 579 | 17.4 | 157 | 7 | 8 | 14 | 20 | 30 | 41 | 91 |
| 65+ | 5229 | 18.3 | 104 | 8 | 9 | 16 | 21 | 30 | 38 | 64 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 209 | 10.0 | 114 | 1 | 1 | 7 | 12 | 22 | 30 | 56 |
| B. *Operated* | 2850 | 13.9 | 56 | 6 | 7 | 13 | 16 | 21 | 26 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 494 | 12.9 | 127 | 1 | 3 | 10 | 17 | 28 | 37 | 55 |
| B. *Operated* | 6120 | 18.2 | 114 | 7 | 9 | 16 | 21 | 31 | 38 | 68 |
| 1. SINGLE DX | 3059 | 13.7 | 61 | 5 | 6 | 12 | 16 | 21 | 26 | 47 |
| 2. MULTIPLE DX | 6614 | 17.8 | 117 | 6 | 8 | 15 | 21 | 31 | 38 | 67 |
| A. NOT OPERATED | 703 | 12.1 | 125 | 1 | 2 | 9 | 16 | 26 | 36 | 55 |
| B. OPERATED | 8970 | 16.8 | 100 | 7 | 8 | 15 | 20 | 28 | 36 | 61 |
| TOTAL 0-19 YRS | 173 | 14.4 | 153 | 2 | 3 | 11 | 20 | 33 | 41 | 54 |
| 20-34 | 216 | 16.2 | 228 | 3 | 4 | 11 | 19 | 40 | 56 | 99+ |
| 35-49 | 244 | 13.8 | 145 | 4 | 5 | 11 | 15 | 26 | 46 | 67 |
| 50-64 | 1009 | 14.9 | 123 | 5 | 6 | 12 | 17 | 26 | 34 | 67 |
| 65+ | 8031 | 16.8 | 94 | 7 | 8 | 15 | 20 | 28 | 35 | 59 |
| GRAND TOTAL | 9673 | 16.5 | 103 | 6 | 7 | 14 | 20 | 28 | 36 | 60 |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 354 | 16.9 | 134 | 1 | 2 | 17 | 24 | 31 | 37 | 48 |
| 20-34 | 27 | 19.3 | 555 | 1 | 1 | 7 | 35 | 52 | 73 | 86 |
| 35-49 | 8 | 12.4 | 293 | <1 | 1 | 4 | 21 | 41 | 42 | 42 |
| 50-64 | 15 | 24.1 | 391 | 3 | 5 | 19 | 46 | 51 | 56 | 58 |
| 65+ | 68 | 19.1 | 227 | 4 | 5 | 14 | 26 | 43 | 54 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 333 | 13.8 | 153 | 1 | 2 | 11 | 20 | 29 | 35 | 59 |
| 20-34 | 135 | 12.2 | 93 | 1 | 3 | 10 | 17 | 22 | 34 | 48 |
| 35-49 | 40 | 14.4 | 284 | 2 | 2 | 10 | 14 | 29 | 52 | 88 |
| 50-64 | 43 | 20.3 | 364 | 3 | 4 | 16 | 23 | 33 | 68 | 92 |
| 65+ | 121 | 16.4 | 82 | 5 | 7 | 14 | 21 | 28 | 33 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 17.7 | 175 | 1 | 2 | 18 | 24 | 35 | 42 | 69 |
| 20-34 | 38 | 20.2 | 324 | 1 | 2 | 16 | 35 | 50 | 61 | 99+ |
| 35-49 | 20 | 15.4 | 363 | 1 | 1 | 8 | 24 | 47 | 58 | 68 |
| 50-64 | 45 | 22.8 | 387 | 3 | 6 | 16 | 30 | 50 | 60 | 95 |
| 65+ | 150 | 22.1 | 370 | 4 | 5 | 16 | 28 | 54 | 68 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 22.3 | 222 | 2 | 4 | 19 | 32 | 44 | 48 | 63 |
| 20-34 | 341 | 21.3 | 269 | 2 | 4 | 17 | 27 | 48 | 60 | 84 |
| 35-49 | 97 | 24.7 | 435 | 3 | 5 | 18 | 36 | 60 | 86 | 99+ |
| 50-64 | 108 | 24.1 | 395 | 5 | 8 | 19 | 32 | 61 | 90 | 99+ |
| 65+ | 330 | 24.8 | 307 | 7 | 9 | 20 | 33 | 53 | 71 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 472 | 17.5 | 182 | 1 | 2 | 17 | 25 | 34 | 42 | 57 |
| B. *Operated* | 672 | 14.4 | 152 | 2 | 2 | 12 | 20 | 28 | 35 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 400 | 20.0 | 297 | 2 | 2 | 17 | 27 | 46 | 58 | 89 |
| B. *Operated* | 1177 | 23.1 | 294 | 3 | 6 | 19 | 31 | 49 | 63 | 99+ |
| 1. SINGLE DX | 1144 | 15.7 | 166 | 1 | 2 | 13 | 22 | 31 | 40 | 59 |
| 2. MULTIPLE DX | 1577 | 22.3 | 297 | 2 | 4 | 18 | 30 | 49 | 62 | 99+ |
| A. NOT OPERATED | 872 | 18.7 | 236 | 1 | 2 | 17 | 26 | 40 | 51 | 71 |
| B. OPERATED | 1849 | 19.9 | 260 | 2 | 4 | 16 | 26 | 43 | 56 | 99+ |
| TOTAL 0-19 YRS | 1138 | 17.5 | 178 | 1 | 2 | 16 | 24 | 35 | 42 | 59 |
| 20-34 | 541 | 18.8 | 256 | 2 | 3 | 15 | 25 | 43 | 56 | 93 |
| 35-49 | 165 | 20.5 | 403 | 2 | 3 | 13 | 28 | 55 | 71 | 99+ |
| 50-64 | 211 | 23.0 | 384 | 4 | 6 | 17 | 30 | 55 | 80 | 99+ |
| 65+ | 669 | 22.1 | 282 | 5 | 7 | 18 | 29 | 49 | 63 | 99+ |
| GRAND TOTAL | 2721 | 19.5 | 252 | 2 | 3 | 16 | 26 | 42 | 54 | 94 |

### 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 217 | 2.3 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 147 | 3.3 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 13 |
| 35-49 | 80 | 3.8 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 50-64 | 76 | 5.1 | 13 | 1 | 1 | 4 | 7 | 11 | 13 | 14 |
| 65+ | 86 | 8.3 | 52 | 2 | 2 | 6 | 10 | 17 | 22 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 599 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 556 | 6.0 | 32 | 1 | 2 | 5 | 7 | 11 | 15 | 38 |
| 35-49 | 264 | 5.6 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 50-64 | 195 | 7.7 | 48 | 1 | 2 | 6 | 9 | 12 | 18 | 42 |
| 65+ | 116 | 10.7 | 71 | 3 | 4 | 9 | 13 | 19 | 30 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 20-34 | 86 | 4.8 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| 35-49 | 67 | 5.5 | 24 | 1 | 2 | 4 | 7 | 12 | 13 | 29 |
| 50-64 | 98 | 8.5 | 80 | 1 | 2 | 6 | 11 | 16 | 23 | 56 |
| 65+ | 194 | 10.2 | 50 | 2 | 3 | 8 | 14 | 19 | 24 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 326 | 9.3 | 147 | 1 | 2 | 6 | 10 | 20 | 32 | 77 |
| 20-34 | 516 | 13.1 | 209 | 2 | 3 | 8 | 16 | 32 | 50 | 82 |
| 35-49 | 216 | 13.1 | 191 | 2 | 3 | 9 | 15 | 28 | 40 | 77 |
| 50-64 | 186 | 14.8 | 227 | 2 | 4 | 10 | 17 | 34 | 61 | 95 |
| 65+ | 178 | 15.4 | 192 | 3 | 4 | 12 | 18 | 32 | 39 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 606 | 3.9 | 17 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| B. *Operated* | 1730 | 5.7 | 30 | 1 | 1 | 4 | 7 | 11 | 14 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 525 | 7.5 | 47 | 1 | 2 | 5 | 10 | 16 | 19 | 32 |
| B. *Operated* | 1422 | 12.7 | 196 | 2 | 3 | 8 | 15 | 29 | 42 | 83 |
| **1. SINGLE DX** | 2336 | 5.2 | 27 | 1 | 1 | 4 | 6 | 11 | 14 | 30 |
| **2. MULTIPLE DX** | 1947 | 11.3 | 161 | 1 | 2 | 7 | 14 | 24 | 37 | 75 |
| **A. NOT OPERATED** | 1131 | 5.6 | 34 | 1 | 1 | 4 | 7 | 13 | 16 | 27 |
| **B. OPERATED** | 3152 | 8.9 | 117 | 1 | 2 | 5 | 10 | 18 | 30 | 63 |
| TOTAL 0-19 YRS | 1222 | 5.0 | 52 | 1 | 1 | 3 | 6 | 10 | 15 | 39 |
| 20-34 | 1305 | 8.4 | 113 | 1 | 2 | 5 | 9 | 18 | 31 | 62 |
| 35-49 | 627 | 8.0 | 91 | 1 | 2 | 5 | 9 | 16 | 24 | 48 |
| 50-64 | 555 | 9.9 | 122 | 1 | 2 | 7 | 12 | 18 | 30 | 71 |
| 65+ | 574 | 11.7 | 105 | 2 | 3 | 9 | 15 | 23 | 32 | 48 |
| **GRAND TOTAL** | **4283** | **8.0** | **97** | **1** | **1** | **5** | **9** | **16** | **25** | **57** |

### 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 92 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 5 | 12 |
| 20-34 | 147 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 7 | 17 |
| 35-49 | 80 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 50-64 | 96 | 3.9 | 9 | <1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 65+ | 127 | 5.3 | 15 | 1 | 2 | 4 | 7 | 11 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 775 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 1253 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 761 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 621 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 65+ | 400 | 6.8 | 22 | 2 | 3 | 6 | 8 | 11 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 166 | 4.3 | 10 | 1 | 1 | 3 | 6 | 9 | 9 | 16 |
| 35-49 | 92 | 5.4 | 23 | 1 | 1 | 4 | 7 | 13 | 15 | 24 |
| 50-64 | 134 | 6.5 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 25 |
| 65+ | 289 | 7.8 | 37 | 2 | 2 | 6 | 10 | 15 | 18 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 337 | 5.9 | 39 | 1 | 2 | 4 | 6 | 10 | 16 | 40 |
| 20-34 | 822 | 6.5 | 74 | 1 | 2 | 4 | 7 | 11 | 17 | 52 |
| 35-49 | 446 | 6.8 | 52 | 2 | 2 | 5 | 8 | 13 | 18 | 44 |
| 50-64 | 488 | 7.8 | 49 | 2 | 3 | 6 | 9 | 14 | 20 | 38 |
| 65+ | 479 | 11.6 | 97 | 3 | 4 | 9 | 14 | 23 | 33 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 542 | 3.8 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 3810 | 4.4 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 6.0 | 27 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| B. *Operated* | 2572 | 7.7 | 69 | 2 | 2 | 5 | 9 | 15 | 23 | 46 |
| **1. SINGLE DX** | 4352 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 3333 | 7.3 | 60 | 1 | 2 | 5 | 8 | 14 | 20 | 44 |
| **A. NOT OPERATED** | 1303 | 5.1 | 21 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 6382 | 5.7 | 36 | 1 | 2 | 4 | 7 | 10 | 14 | 34 |
| TOTAL 0-19 YRS | 1284 | 3.8 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 20-34 | 2388 | 4.8 | 32 | 1 | 1 | 4 | 5 | 8 | 11 | 32 |
| 35-49 | 1379 | 5.3 | 25 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 50-64 | 1339 | 6.3 | 29 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| 65+ | 1295 | 8.6 | 58 | 2 | 3 | 7 | 10 | 16 | 23 | 43 |
| **GRAND TOTAL** | **7685** | **5.6** | **34** | **1** | **2** | **4** | **7** | **10** | **14** | **33** |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.4 | 13 | <1 | 1 | 1 | 2 | 4 | 8 | 19 |
| 20-34 | 24 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 3 | 3 |
| 35-49 | 15 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 6 |
| 50-64 | 7 | 4.6 | 14 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| 65+ | 12 | 4.7 | 13 | 1 | 1 | 3 | 7 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 2.8 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 20-34 | 45 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 16 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 50-64 | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 3.5 | 19 | 1 | 1 | 2 | 4 | 7 | 10 | 26 |
| 20-34 | 155 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| 35-49 | 78 | 4.6 | 28 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| 50-64 | 61 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 13 |
| 65+ | 122 | 8.0 | 41 | 1 | 2 | 6 | 11 | 17 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.5 | 100 | 1 | 1 | 4 | 6 | 10 | 46 | 99+ |
| 20-34 | 75 | 7.0 | 131 | 1 | 1 | 3 | 7 | 12 | 27 | 70 |
| 35-49 | 33 | 7.2 | 121 | 2 | 2 | 4 | 7 | 12 | 27 | 61 |
| 50-64 | 24 | 6.9 | 64 | 1 | 2 | 4 | 9 | 13 | 23 | 39 |
| 65+ | 21 | 13.6 | 199 | 2 | 3 | 10 | 20 | 25 | 43 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 2.5 | 8 | <1 | 1 | 2 | 2 | 5 | 9 | 17 |
| B. *Operated* | 107 | 2.8 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 502 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |
| B. *Operated* | 188 | 7.5 | 125 | 1 | 1 | 4 | 8 | 15 | 29 | 73 |
| **1. SINGLE DX** | 190 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| **2. MULTIPLE DX** | 690 | 5.6 | 54 | 1 | 1 | 3 | 6 | 12 | 18 | 41 |
| **A. NOT OPERATED** | 585 | 4.6 | 24 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| **B. OPERATED** | 295 | 5.8 | 86 | 1 | 1 | 3 | 5 | 12 | 19 | 63 |
| TOTAL 0-19 YRS | 185 | 3.6 | 31 | 1 | 1 | 2 | 4 | 7 | 10 | 49 |
| 20-34 | 299 | 4.2 | 42 | 1 | 1 | 3 | 5 | 8 | 11 | 36 |
| 35-49 | 142 | 4.7 | 46 | 1 | 1 | 3 | 5 | 10 | 13 | 38 |
| 50-64 | 96 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 28 |
| 65+ | 158 | 8.4 | 63 | 1 | 2 | 6 | 11 | 19 | 23 | 34 |
| **GRAND TOTAL** | **880** | **5.0** | **45** | **1** | **1** | **3** | **5** | **11** | **15** | **35** |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.7 | 14 | <1 | <1 | 2 | 5 | 10 | 12 | 12 |
| 20-34 | 9 | 2.4 | 9 | <1 | <1 | 1 | 2 | 7 | 10 | 10 |
| 35-49 | 3 | 6.0 | 61 | 1 | 1 | 2 | 12 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 18 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 6 | 12.0 | 337 | 1 | 1 | 6 | 8 | 45 | 49 | 49 |
| 35-49 | 4 | 5.0 | 25 | <1 | <1 | 3 | 8 | 12 | 12 | 12 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| 20-34 | 15 | 7.7 | 47 | 1 | 2 | 4 | 12 | 19 | 23 | 24 |
| 35-49 | 9 | 7.2 | 62 | 1 | 1 | 4 | 9 | 21 | 24 | 24 |
| 50-64 | 6 | 14.2 | 266 | 3 | 3 | 9 | 10 | 43 | 47 | 47 |
| 65+ | 5 | 8.2 | 18 | 3 | 3 | 7 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 23.0 | 445 | 3 | 5 | 16 | 34 | 59 | 66 | 67 |
| 20-34 | 19 | 18.3 | 480 | 5 | 6 | 12 | 26 | 99 | 99+ | 99+ |
| 35-49 | 5 | 15.8 | 96 | 5 | 5 | 15 | 22 | 30 | 30 | 30 |
| 50-64 | 3 | 40.3 | 1221 | 11 | 11 | 31 | 67 | 79 | 79 | 79 |
| 65+ | 2 | 21.5 | 481 | 6 | 6 | 21 | 37 | 37 | 37 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.5 | 17 | <1 | <1 | 2 | 4 | 11 | 13 | 15 |
| B. *Operated* | 17 | 7.4 | 127 | <1 | 1 | 4 | 8 | 12 | 36 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 7.3 | 66 | 1 | 2 | 4 | 9 | 16 | 24 | 47 |
| B. *Operated* | 40 | 21.1 | 457 | 5 | 6 | 14 | 30 | 71 | 99 | 99+ |
| **1. SINGLE DX** | 38 | 5.2 | 68 | <1 | 1 | 2 | 7 | 11 | 14 | 49 |
| **2. MULTIPLE DX** | 88 | 13.5 | 289 | 2 | 2 | 8 | 16 | 38 | 67 | 99+ |
| **A. NOT OPERATED** | 69 | 6.1 | 54 | 1 | 1 | 3 | 8 | 13 | 19 | 43 |
| **B. OPERATED** | 57 | 17.0 | 395 | 1 | 2 | 11 | 22 | 52 | 90 | 99+ |
| TOTAL 0-19 YRS | 37 | 9.4 | 211 | 1 | 1 | 3 | 10 | 17 | 49 | 67 |
| 20-34 | 49 | 11.3 | 268 | 1 | 1 | 7 | 13 | 34 | 96 | 99+ |
| 35-49 | 21 | 8.7 | 71 | <1 | 1 | 5 | 15 | 22 | 27 | 30 |
| 50-64 | 11 | 19.6 | 568 | 2 | 3 | 10 | 26 | 60 | 77 | 79 |
| 65+ | 8 | 10.9 | 125 | 3 | 3 | 7 | 12 | 30 | 37 | 37 |
| **GRAND TOTAL** | **126** | **11.0** | **236** | **1** | **1** | **6** | **13** | **29** | **49** | **99+** |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 11 | 1.9 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 6 | 2.7 | 8 | <1 | <1 | 1 | 4 | 8 | 8 | 8 |
| 50-64 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 65+ | 7 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 20-34 | 510 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 118 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 47 | 2.8 | 7 | <1 | 1 | 2 | 3 | 4 | 7 | 17 |
| 65+ | 45 | 2.7 | 10 | <1 | 1 | 1 | 3 | 8 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 20-34 | 29 | 2.2 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 11 |
| 35-49 | 12 | 3.3 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 50-64 | 12 | 5.3 | 26 | 1 | 1 | 3 | 6 | 15 | 16 | 16 |
| 65+ | 19 | 6.1 | 18 | 1 | 1 | 5 | 9 | 12 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.2 | 19 | 1 | 2 | 3 | 4 | 7 | 18 | 18 |
| 20-34 | 108 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 47 | 3.7 | 15 | 1 | 1 | 2 | 4 | 9 | 15 | 18 |
| 50-64 | 46 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 11 | 26 |
| 65+ | 54 | 4.4 | 13 | 1 | 1 | 3 | 5 | 10 | 12 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| B. *Operated* | 853 | 2.7 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 3.8 | 13 | <1 | 1 | 2 | 5 | 9 | 12 | 16 |
| B. *Operated* | 280 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 10 | 18 |
| **1. SINGLE DX** | 883 | 2.6 | 3 | <1 | 1 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 366 | 4.0 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 116 | 3.4 | 11 | <1 | <1 | 2 | 4 | 9 | 11 | 16 |
| **B. OPERATED** | 1133 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | 175 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 16 |
| 20-34 | 658 | 2.8 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 183 | 2.8 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 50-64 | 108 | 4.0 | 16 | <1 | 1 | 3 | 5 | 10 | 11 | 21 |
| 65+ | 125 | 3.9 | 14 | 1 | 1 | 2 | 5 | 9 | 12 | 17 |
| **GRAND TOTAL** | **1249** | **3.0** | **6** | **1** | **1** | **3** | **4** | **5** | **7** | **14** |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 27 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 35-49 | 5 | 2.8 | 4 | 1 | 1 | 2 | 5 | 5 | 5 | 5 |
| 50-64 | 6 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 8.4 | 127 | 1 | 1 | 3 | 13 | 28 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 837 | 2.9 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 20-34 | 1968 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 773 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 445 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 65+ | 88 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 33 | 2.8 | 9 | <1 | <1 | 1 | 4 | 6 | 11 | 12 |
| 35-49 | 9 | 2.3 | 3 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| 50-64 | 16 | 3.1 | 5 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 474 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 1222 | 3.7 | 9 | <1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 561 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | 486 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 65+ | 167 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 12 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 2.7 | 14 | <1 | <1 | 2 | 3 | 5 | 5 | 26 |
| B. *Operated* | 4111 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 2.5 | 6 | <1 | <1 | 1 | 4 | 5 | 7 | 12 |
| B. *Operated* | 2910 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **1. SINGLE DX** | 4169 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 2989 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 8 | 15 |
| **A. NOT OPERATED** | 137 | 2.6 | 9 | <1 | <1 | 1 | 4 | 5 | 7 | 14 |
| **B. OPERATED** | 7021 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 1346 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 20-34 | 3250 | 3.2 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 1348 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 953 | 3.7 | 8 | <1 | 1 | 3 | 5 | 6 | 8 | 15 |
| 65+ | 261 | 4.6 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| **GRAND TOTAL** | **7158** | **3.3** | **6** | **<1** | **1** | **3** | **4** | **6** | **7** | **12** |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 4.0 | 24 | <1 | 1 | 3 | 4 | 8 | 13 | 25 |
| 20-34 | 40 | 3.7 | 10 | <1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 35-49 | 7 | 9.4 | 44 | 2 | 2 | 9 | 12 | 20 | 22 | 22 |
| 50-64 | 8 | 6.5 | 33 | <1 | <1 | 5 | 11 | 15 | 16 | 16 |
| 65+ | 11 | 8.5 | 48 | 1 | 2 | 7 | 10 | 18 | 26 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 187 | 3.1 | 15 | <1 | 1 | 2 | 3 | 8 | 12 | 19 |
| 20-34 | 225 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 12 | 19 |
| 35-49 | 87 | 3.8 | 22 | <1 | 1 | 2 | 5 | 10 | 12 | 27 |
| 50-64 | 65 | 3.8 | 12 | <1 | 1 | 2 | 5 | 9 | 10 | 17 |
| 65+ | 54 | 4.1 | 13 | <1 | 1 | 3 | 6 | 9 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 7.8 | 119 | : | 1 | 3 | 9 | 29 | 34 | 40 |
| 20-34 | 43 | 8.5 | 116 | 1 | 1 | 5 | 9 | 19 | 37 | 49 |
| 35-49 | 19 | 7.1 | 63 | <1 | 1 | 4 | 8 | 15 | 27 | 35 |
| 50-64 | 21 | 6.7 | 35 | 1 | 1 | 5 | 9 | 13 | 19 | 26 |
| 65+ | 29 | 8.7 | 104 | 1 | 1 | 6 | 10 | 23 | 28 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 7.1 | 85 | 1 | 1 | 4 | 8 | 15 | 22 | 55 |
| 20-34 | 187 | 9.2 | 163 | 1 | 1 | 5 | 11 | 20 | 31 | 74 |
| 35-49 | 76 | 7.6 | 61 | 1 | 1 | 5 | 11 | 20 | 22 | 38 |
| 50-64 | 85 | 8.7 | 128 | 1 | 1 | 4 | 10 | 28 | 41 | 82 |
| 65+ | 81 | 12.1 | 195 | 1 | 2 | 6 | 16 | 34 | 46 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 5.0 | 26 | 1 | 1 | 3 | 7 | 11 | 14 | 26 |
| B. *Operated* | 618 | 3.5 | 16 | <1 | 1 | 2 | 4 | 8 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 7.9 | 92 | 1 | 1 | 5 | 9 | 19 | 30 | 49 |
| B. *Operated* | 526 | 8.9 | 135 | 1 | 1 | 5 | 11 | 21 | 35 | 63 |
| **1. SINGLE DX** | 710 | 3.7 | 17 | <1 | 1 | 2 | 4 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 663 | 8.7 | 126 | 1 | 1 | 5 | 10 | 21 | 32 | 54 |
| **A. NOT OPERATED** | 229 | 6.8 | 67 | 1 | 1 | 4 | 8 | 14 | 26 | 48 |
| **B. OPERATED** | 1144 | 6.0 | 78 | 1 | 1 | 3 | 7 | 14 | 21 | 48 |
| TOTAL 0-19 YRS | 335 | 4.7 | 47 | <1 | 1 | 2 | 5 | 11 | 16 | 38 |
| 20-34 | 495 | 6.1 | 87 | 1 | 1 | 3 | 7 | 14 | 20 | 49 |
| 35-49 | 189 | 5.9 | 46 | <1 | 1 | 3 | 7 | 15 | 21 | 33 |
| 50-64 | 179 | 6.6 | 75 | 1 | 1 | 4 | 8 | 15 | 27 | 49 |
| 65+ | 175 | 8.9 | 125 | 1 | 1 | 5 | 10 | 22 | 35 | 51 |
| **GRAND TOTAL** | 1373 | 6.1 | 76 | 1 | 1 | 3 | 7 | 14 | 21 | 48 |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 52 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 35-49 | 33 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 13 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 5 | 5 |
| 65+ | 19 | 5.1 | 17 | 1 | 1 | 4 | 7 | 10 | 15 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 410 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 772 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 151 | 3.7 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 41 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 65+ | 10 | 5.3 | 13 | 2 | 2 | 4 | 6 | 11 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.6 | 18 | <1 | 1 | 3 | 7 | 12 | 13 | 13 |
| 20-34 | 53 | 3.6 | 8 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 35-49 | 25 | 4.2 | 6 | 1 | 2 | 3 | 7 | 8 | 27 | 99+ |
| 50-64 | 36 | 4.9 | 15 | 1 | 1 | 4 | 7 | 9 | 15 | 17 |
| 65+ | 94 | 6.9 | 33 | 1 | 2 | 5 | 9 | 12 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 362 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 20-34 | 756 | 4.3 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 212 | 5.0 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 50-64 | 72 | 4.8 | 12 | <1 | 1 | 4 | 6 | 10 | 12 | 15 |
| 65+ | 29 | 11.1 | 164 | 1 | 2 | 6 | 14 | 23 | 33 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 1384 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 222 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 28 |
| B. *Operated* | 1431 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| **1. SINGLE DX** | 1534 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1653 | 4.7 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 372 | 4.2 | 17 | <1 | 1 | 3 | 6 | 9 | 11 | 26 |
| **B. OPERATED** | 2815 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 819 | 3.7 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 20-34 | 1633 | 3.7 | 6 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 35-49 | 421 | 4.3 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| 50-64 | 162 | 4.4 | 11 | <1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 65+ | 152 | 7.4 | 57 | 1 | 2 | 5 | 9 | 14 | 20 | 34 |
| **GRAND TOTAL** | 3187 | 4.0 | 9 | <1 | 1 | 4 | 5 | 7 | 9 | 15 |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 16 |
| 20-34 | 697 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 35-49 | 611 | 5.7 | 16 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| 50-64 | 347 | 6.0 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 124 | 6.2 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.3 | 13 | 1 | 1 | 2 | 4 | 9 | 12 | 12 |
| 20-34 | 128 | 7.2 | 35 | 1 | 1 | 6 | 10 | 15 | 16 | 30 |
| 35-49 | 96 | 5.8 | 27 | 1 | 1 | 4 | 8 | 13 | 16 | 23 |
| 50-64 | 25 | 7.7 | 61 | 1 | 1 | 5 | 11 | 16 | 22 | 35 |
| 65+ | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.8 | 28 | 1 | 2 | 5 | 7 | 10 | 13 | 35 |
| 20-34 | 498 | 6.5 | 19 | 2 | 2 | 6 | 8 | 11 | 14 | 20 |
| 35-49 | 608 | 7.2 | 19 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| 50-64 | 471 | 6.9 | 22 | 2 | 3 | 6 | 9 | 12 | 14 | 27 |
| 65+ | 531 | 7.8 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 3.6 | 2 | 3 | 3 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 96 | 8.5 | 60 | 1 | 2 | 7 | 10 | 17 | 23 | 44 |
| 35-49 | 106 | 7.9 | 30 | 2 | 2 | 7 | 10 | 15 | 17 | 27 |
| 50-64 | 59 | 12.1 | 81 | 2 | 3 | 9 | 16 | 24 | 28 | 50 |
| 65+ | 32 | 14.1 | 87 | 4 | 6 | 10 | 16 | 29 | 38 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1834 | 5.7 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 261 | 6.5 | 34 | 1 | 1 | 5 | 10 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2158 | 7.1 | 22 | 2 | 3 | 6 | 9 | 12 | 15 | 25 |
| B. *Operated* | 298 | 9.5 | 60 | 1 | 2 | 8 | 12 | 18 | 24 | 41 |
| **1. SINGLE DX** | 2095 | 5.8 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 2456 | 7.4 | 27 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| **A. NOT OPERATED** | 3992 | 6.4 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **B. OPERATED** | 559 | 8.1 | 50 | 1 | 1 | 7 | 11 | 16 | 22 | 35 |
| TOTAL 0-19 YRS | 120 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 20-34 | 1419 | 6.2 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 35-49 | 1421 | 6.5 | 20 | 2 | 2 | 6 | 8 | 11 | 14 | 21 |
| 50-64 | 902 | 6.9 | 26 | 2 | 2 | 6 | 8 | 12 | 16 | 28 |
| 65+ | 689 | 7.8 | 32 | 2 | 2 | 7 | 10 | 14 | 18 | 30 |
| **GRAND TOTAL** | **4551** | **6.6** | **23** | **1** | **2** | **6** | **8** | **12** | **15** | **24** |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 2.6 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 12 |
| 20-34 | 549 | 4.8 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 420 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 16 |
| 50-64 | 166 | 5.3 | 11 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 78 | 6.1 | 20 | 1 | 1 | 5 | 10 | 12 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 152 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 35-49 | 98 | 5.0 | 23 | 1 | 1 | 3 | 7 | 12 | 15 | 23 |
| 50-64 | 19 | 5.1 | 9 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 65+ | 2 | 10.0 | 2 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 3.7 | 14 | <1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 20-34 | 774 | 5.6 | 21 | 1 | 1 | 4 | 7 | 11 | 13 | 23 |
| 35-49 | 628 | 6.5 | 19 | 1 | 2 | 5 | 9 | 12 | 14 | 21 |
| 50-64 | 470 | 6.2 | 18 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 65+ | 449 | 7.0 | 20 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.9 | 21 | 1 | 1 | 4 | 10 | 12 | 14 | 14 |
| 20-34 | 132 | 6.9 | 32 | 1 | 2 | 5 | 10 | 14 | 17 | 24 |
| 35-49 | 141 | 7.4 | 43 | 1 | 2 | 5 | 10 | 16 | 19 | 35 |
| 50-64 | 59 | 9.0 | 49 | 1 | 2 | 8 | 13 | 20 | 22 | 33 |
| 65+ | 29 | 11.3 | 62 | 2 | 3 | 11 | 15 | 20 | 23 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1367 | 4.8 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| B. *Operated* | 274 | 4.7 | 19 | 1 | 1 | 3 | 7 | 11 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2471 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| B. *Operated* | 376 | 7.7 | 42 | 1 | 2 | 6 | 11 | 16 | 20 | 35 |
| **1. SINGLE DX** | 1641 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | 2847 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| **A. NOT OPERATED** | 3838 | 5.6 | 17 | 1 | 1 | 5 | 8 | 11 | 13 | 20 |
| **B. OPERATED** | 650 | 6.5 | 34 | 1 | 1 | 4 | 9 | 14 | 18 | 27 |
| TOTAL 0-19 YRS | 322 | 3.2 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 20-34 | 1607 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 20 |
| 35-49 | 1287 | 6.1 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| 50-64 | 714 | 6.2 | 20 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 65+ | 558 | 7.1 | 23 | 2 | 2 | 6 | 10 | 13 | 16 | 23 |
| **GRAND TOTAL** | **4488** | **5.7** | **20** | **1** | **1** | **5** | **8** | **11** | **14** | **22** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.4 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 63 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 35-49 | 42 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 51 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 65+ | 44 | 4.6 | 23 | 1 | 1 | 3 | 6 | 7 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 192 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 547 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 35-49 | 338 | 3.1 | [illegible] | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 382 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| 65+ | 110 | 5.2 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 108 | 3.2 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 66 | 4.3 | 21 | 1 | 1 | 3 | 6 | 9 | 9 | 31 |
| 50-64 | 92 | 4.6 | 12 | 1 | 1 | 3 | 6 | 9 | 13 | 16 |
| 65+ | 207 | 6.7 | 47 | 1 | 2 | 4 | 8 | 14 | 18 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.3 | 13 | 1 | 1 | 3 | 4 | 5 | 7 | 26 |
| 20-34 | 139 | 4.2 | 23 | 1 | 1 | 3 | 5 | 7 | 9 | 34 |
| 35-49 | 132 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 50-64 | 190 | 5.4 | 14 | 2 | 2 | 4 | 7 | 9 | 12 | 21 |
| 65+ | 134 | 6.7 | 27 | 2 | 3 | 6 | 8 | 11 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 15 |
| B. *Operated* | 1569 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 5.0 | 28 | 1 | 1 | 3 | 6 | 11 | 14 | 34 |
| B. *Operated* | 651 | 4.9 | 18 | 1 | 2 | 4 | 6 | 8 | 11 | 22 |
| **1. SINGLE DX** | 1820 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1161 | 4.9 | 22 | 1 | 1 | 4 | 6 | 9 | 13 | 29 |
| **A. NOT OPERATED** | 761 | 4.3 | 22 | <1 | 1 | 3 | 5 | 9 | 13 | 28 |
| **B. OPERATED** | 2220 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| TOTAL 0-19 YRS | 336 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 857 | 2.9 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 578 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 715 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 15 |
| 65+ | 495 | 6.3 | 32 | 1 | 2 | 5 | 7 | 11 | 16 | 37 |
| **GRAND TOTAL** | **2981** | **3.8** | **12** | **1** | **1** | **3** | **5** | **7** | **9** | **17** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1595 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 514 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 120 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 56 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 65+ | 37 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| 20-34 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1691 | 2.1 | 5 | 1 | 1 | 1 | 2 | 4 | 6 | 11 |
| 20-34 | 1424 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 506 | 3.3 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 50-64 | 345 | 3.6 | 13 | 1 | 1 | 2 | 4 | 8 | 11 | 18 |
| 65+ | 415 | 5.2 | 27 | 1 | 1 | 4 | 7 | 11 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 404 | 4.6 | 56 | <1 | 1 | 2 | 5 | 11 | 17 | 40 |
| 20-34 | 519 | 5.4 | 68 | <1 | 1 | 2 | 6 | 13 | 21 | 47 |
| 35-49 | 150 | 6.4 | 110 | <1 | 1 | 3 | 7 | 16 | 24 | 96 |
| 50-64 | 113 | 7.2 | 180 | 1 | 1 | 4 | 8 | 12 | 17 | 82 |
| 65+ | 103 | 8.8 | 151 | 1 | 1 | 4 | 10 | 24 | 37 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2322 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 12 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4381 | 2.8 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| B. *Operated* | 1289 | 5.7 | 87 | <1 | 1 | 3 | 6 | 13 | 22 | 54 |
| **1. SINGLE DX** | 2334 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 5670 | 3.5 | 29 | <1 | 1 | 2 | 4 | 7 | 11 | 26 |
| **A. NOT OPERATED** | 6703 | 2.4 | 7 | <1 | 1 | 1 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 1301 | 5.7 | 86 | <1 | 1 | 3 | 6 | 13 | 22 | 53 |
| TOTAL 0-19 YRS | 3695 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 15 |
| 20-34 | 2462 | 3.0 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 35-49 | 778 | 3.7 | 30 | <1 | 1 | 2 | 4 | 7 | 11 | 25 |
| 50-64 | 514 | 4.3 | 51 | 1 | 1 | 2 | 5 | 9 | 11 | 29 |
| 65+ | 555 | 5.7 | 51 | 1 | 1 | 3 | 7 | 12 | 17 | 38 |
| **GRAND TOTAL** | **8004** | **2.9** | **22** | **<1** | **1** | **2** | **3** | **6** | **9** | **22** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 379 | 2.0 | 8 | <1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 20-34 | 130 | 3.6 | 62 | <1 | <1 | 2 | 3 | 8 | 10 | 34 |
| 35-49 | 54 | 6.3 | 198 | <1 | 1 | 3 | 5 | 8 | 21 | 77 |
| 50-64 | 17 | 4.2 | 24 | <1 | 1 | 2 | 5 | 13 | 16 | 17 |
| 65+ | 33 | 6.1 | 35 | 1 | 1 | 4 | 9 | 15 | 20 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 11.8 | 278 | 2 | 3 | 7 | 10 | 20 | 58 | 80 |
| 20-34 | 28 | 11.8 | 112 | 2 | 4 | 9 | 13 | 22 | 31 | 55 |
| 35-49 | 27 | 9.9 | 37 | 2 | 4 | 8 | 10 | 20 | 24 | 28 |
| 50-64 | 20 | 10.8 | 51 | 2 | 4 | 9 | 13 | 17 | 27 | 35 |
| 65+ | 35 | 12.5 | 124 | 1 | 3 | 10 | 14 | 26 | 29 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 463 | 4.0 | 58 | 1 | 1 | 2 | 4 | 8 | 17 | 34 |
| 20-34 | 376 | 5.0 | 61 | <1 | 1 | [illegible] | 5 | 12 | 19 | 48 |
| 35-49 | 127 | 5.3 | 29 | 1 | 1 | [illegible] | 7 | 11 | 18 | 25 |
| 50-64 | 114 | 7.0 | 97 | 1 | 1 | 4 | 8 | 17 | 23 | 53 |
| 65+ | 214 | 7.3 | 47 | 1 | 1 | 5 | 10 | 17 | 21 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 197 | 16.7 | 430 | 1 | 1 | 9 | 24 | 54 | 78 | 99+ |
| 20-34 | 248 | 19.9 | 467 | 1 | 1 | 12 | 31 | 59 | 85 | 99+ |
| 35-49 | 75 | 17.5 | 357 | 1 | 2 | 11 | 26 | 66 | 89 | 99+ |
| 50-64 | 93 | 20.6 | 426 | 1 | 2 | 14 | 30 | 56 | 73 | 99+ |
| 65+ | 124 | 18.8 | 319 | 2 | 3 | 14 | 27 | 55 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 613 | 3.0 | 40 | <1 | 1 | 1 | 3 | 6 | 9 | 25 |
| B. *Operated* | 147 | 11.5 | 132 | 2 | 3 | 9 | 13 | 22 | 28 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1294 | 5.2 | 59 | 1 | 1 | 3 | 6 | 12 | 20 | 39 |
| B. *Operated* | 737 | 18.7 | 416 | 1 | 2 | 12 | 28 | 56 | 82 | 99+ |
| **1. SINGLE DX** | 760 | 4.7 | 69 | <1 | 1 | 2 | 5 | 10 | 17 | 35 |
| **2. MULTIPLE DX** | 2031 | 10.1 | 230 | 1 | 1 | 4 | 12 | 29 | 50 | 99+ |
| **A. NOT OPERATED** | 1907 | 4.5 | 54 | <1 | 1 | 2 | 5 | 10 | 18 | 34 |
| **B. OPERATED** | 884 | 17.5 | 376 | 1 | 2 | 11 | 25 | 54 | 76 | 99+ |
| TOTAL 0-19 YRS | 1076 | 5.9 | 145 | 1 | 1 | 2 | 5 | 15 | 28 | 80 |
| 20-34 | 782 | 9.8 | 241 | <1 | 1 | 4 | 11 | 29 | 49 | 99+ |
| 35-49 | 283 | 9.1 | 174 | 1 | 1 | 5 | 10 | 23 | 45 | 99+ |
| 50-64 | 244 | 12.3 | 256 | 1 | 1 | 7 | 14 | 35 | 46 | 94 |
| 65+ | 406 | 11.2 | 163 | 1 | 2 | 7 | 14 | 27 | 50 | 99+ |
| **GRAND TOTAL** | 2791 | 8.6 | 192 | 1 | 1 | 3 | 9 | 23 | 42 | 95 |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.8 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 11 |
| 20-34 | 59 | 3.2 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 10 |
| 35-49 | 19 | 3.5 | 4 | 1 | 1 | 4 | 4 | 7 | 8 | 8 |
| 50-64 | 5 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 7 | 4.7 | 11 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 5.7 | 19 | 1 | 2 | 4 | 7 | 10 | 16 | 22 |
| 20-34 | 69 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| 35-49 | 28 | 5.8 | 17 | 1 | 2 | 4 | 8 | 11 | 17 | 17 |
| 50-64 | 15 | 5.7 | 28 | 1 | 2 | 4 | 7 | 8 | 19 | 23 |
| 65+ | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 121 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 35-49 | 81 | 5.1 | 17 | 1 | 1 | 4 | 6 | 11 | 13 | 21 |
| 50-64 | 63 | 6.1 | 19 | 1 | 2 | 5 | 8 | 12 | 16 | 22 |
| 65+ | 55 | 7.5 | 44 | 1 | 2 | 6 | 10 | 12 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 9.6 | 83 | 1 | 3 | 7 | 12 | 20 | 26 | 54 |
| 20-34 | 245 | 8.4 | 31 | 2 | 3 | 7 | 11 | 15 | 18 | 26 |
| 35-49 | 122 | 8.8 | 63 | 2 | 3 | 6 | 11 | 17 | 22 | 49 |
| 50-64 | 59 | 13.0 | 244 | 2 | 3 | 8 | 12 | 37 | 49 | 74 |
| 65+ | 43 | 15.1 | 269 | 3 | 4 | 9 | 21 | 36 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 3.3. | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | 151 | 5.5 | 16 | 1 | 2 | 4 | 7 | 10 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 378 | 5.0 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | 566 | 9.7 | 90 | 2 | 3 | 7 | 11 | 18 | 25 | 56 |
| **1. SINGLE DX** | 269 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 944 | 7.8 | 67 | 1 | 2 | 6 | 9 | 15 | 21 | 48 |
| **A. NOT OPERATED** | 496 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 717 | 8.8 | 78 | 2 | 3 | 6 | 10 | 17 | 23 | 52 |
| TOTAL 0-19 YRS | 218 | 6.6 | 51 | 1 | 1 | 4 | 8 | 15 | 20 | 37 |
| 20-34 | 494 | 6.3 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 24 |
| 35-49 | 250 | 6.9 | 42 | 1 | 2 | 5 | 9 | 13 | 18 | 34 |
| 50-64 | 142 | 8.9 | 124 | 1 | 2 | 6 | 9 | 16 | 29 | 69 |
| 65+ | 109 | 10.2 | 144 | 2 | 2 | 7 | 11 | 23 | 35 | 85 |
| **GRAND TOTAL** | 1213 | 7.1 | 57 | 1 | 2 | 5 | 9 | 14 | 19 | 43 |

### 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 14 |
| 20-34 | 129 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 35-49 | 30 | 2.9 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 8 | 3.5 | 9 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 65+ | 7 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 119 | 6.3 | 11 | 2 | 3 | 6 | 8 | 9 | 12 | 21 |
| 20-34 | 150 | 6.5 | 14 | 1 | 3 | 6 | 8 | 10 | 12 | 21 |
| 35-49 | 33 | 6.5 | 21 | 1 | 2 | 6 | 8 | 12 | 16 | 23 |
| 50-64 | 11 | 8.0 | 9 | 3 | 4 | 8 | 10 | 12 | 13 | 13 |
| 65+ | 9 | 7.4 | 13 | 2 | 2 | 8 | 10 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 173 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 11 | 21 |
| 20-34 | 204 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 35-49 | 62 | 3.7 | 15 | 1 | 1 | 2 | 5 | 7 | 10 | 24 |
| 50-64 | 24 | 5.8 | 26 | <1 | 1 | 5 | 7 | 14 | 17 | 23 |
| 65+ | 35 | 6.8 | 28 | 1 | 2 | 5 | 9 | 16 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 356 | 11.9 | 142 | 3 | 5 | 8 | 12 | 24 | 36 | 67 |
| 20-34 | 482 | 13.2 | 163 | 3 | 5 | 9 | 14 | 30 | 40 | 75 |
| 35-49 | 193 | 13.5 | 119 | 5 | 6 | 11 | 15 | 26 | 38 | 72 |
| 50-64 | 81 | 16.8 | 240 | 4 | 5 | 11 | 18 | 43 | 54 | 73 |
| 65+ | 57 | 18.5 | 212 | 6 | 7 | 13 | 21 | 39 | 57 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 335 | 3.2 | 8 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| B. *Operated* | 322 | 6.5 | 13 | 2 | 3 | 5 | 8 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 498 | 4.2 | 16 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| B. *Operated* | 1169 | 13.4 | 159 | 4 | 5 | 9 | 14 | 28 | 42 | 72 |
| **1. SINGLE DX** | 657 | 4.8 | 13 | 1 | 1 | 4 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 1667 | 10.6 | 134 | 1 | 2 | 7 | 12 | 22 | 35 | 66 |
| **A. NOT OPERATED** | 833 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **B. OPERATED** | 1491 | 11.9 | 136 | 3 | 4 | 8 | 13 | 24 | 36 | 68 |
| TOTAL 0-19 YRS | 809 | 7.7 | 84 | 1 | 1 | 5 | 9 | 15 | 23 | 54 |
| 20-34 | 965 | 8.9 | 107 | 1 | 1 | 6 | 10 | 18 | 30 | 57 |
| 35-49 | 318 | 9.9 | 99 | 1 | 2 | 8 | 12 | 20 | 29 | 56 |
| 50-64 | 124 | 13.0 | 190 | 1 | 3 | 9 | 15 | 25 | 48 | 68 |
| 65+ | 108 | 12.7 | 160 | 1 | 2 | 10 | 16 | 25 | 40 | 64 |
| **GRAND TOTAL** | **2324** | **9.0** | **107** | **1** | **1** | **6** | **10** | **18** | **29** | **59** |

### 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 5 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 50-64 | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 65+ | 2 | 25.5 | 925 | 4 | 4 | 25 | 47 | 47 | 47 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 172 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 108 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 36 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 50-64 | 28 | 2.1 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 17 | 3.5 | 20 | 1 | 1 | 2 | 3 | 10 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.1 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 26 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 35-49 | 11 | 3.7 | 7 | <1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 50-64 | 6 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 65+ | 6 | 3.3 | 1 | 3 | 3 | 3 | 3 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 160 | 4.2 | 31 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 20-34 | 145 | 4.7 | 31 | 1 | 1 | 3 | 5 | 9 | 11 | 31 |
| 35-49 | 63 | 5.4 | 64 | 1 | 1 | 3 | 6 | 9 | 17 | 54 |
| 50-64 | 29 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 12 | 15 |
| 65+ | 39 | 4.6 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 6.8 | 166 | <1 | <1 | 3 | 3 | 25 | 44 | 47 |
| B. *Operated* | 361 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 2.9 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 8 |
| B. *Operated* | 436 | 4.6 | 33 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **1. SINGLE DX** | 381 | 2.8 | 13 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 503 | 4.3 | 29 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **A. NOT OPERATED** | 87 | 3.8 | 42 | <1 | 1 | 2 | 4 | 6 | 8 | 45 |
| **B. OPERATED** | 797 | 3.7 | 21 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 359 | 3.3 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 284 | 3.6 | 18 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 35-49 | 113 | 4.5 | 39 | 1 | 1 | 3 | 5 | 8 | 10 | 35 |
| 50-64 | 64 | 3.7 | 29 | 1 | 1 | 3 | 4 | 6 | 10 | 37 |
| 65+ | 64 | 4.9 | 40 | 1 | 1 | 3 | 6 | 9 | 12 | 43 |
| **GRAND TOTAL** | **884** | **3.7** | **23** | **1** | **1** | **3** | **4** | **7** | **9** | **19** |

### 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 54 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| 35-49 | 25 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 50-64 | 7 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 65+ | 11 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 2.5 | 40 | <1 | <1 | 1 | 2 | 4 | 7 | 27 |
| 20-34 | 145 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 56 | 2.5 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 25 | 4.8 | 50 | <1 | 1 | 2 | 5 | 11 | 17 | 36 |
| 65+ | 13 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 2.4 | 14 | <1 | <1 | 1 | 3 | 4 | 6 | 14 |
| 20-34 | 258 | 2.8 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 21 |
| 35-49 | 100 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 100 | 4.1 | 11 | <1 | 1 | 3 | 5 | 7 | 12 | 17 |
| 65+ | 190 | 4.8 | 20 | 1 | 1 | 3 | 7 | 11 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 416 | 3.2 | 29 | <1 | 1 | 2 | 3 | 6 | 9 | 40 |
| 20-34 | 603 | 3.9 | 19 | <1 | 1 | 2 | 5 | 8 | 12 | 24 |
| 35-49 | 203 | 4.8 | 46 | <1 | 1 | 2 | 6 | 10 | 18 | 31 |
| 50-64 | 147 | 5.1 | 46 | 1 | 1 | 3 | 6 | 10 | 15 | 35 |
| 65+ | 232 | 6.3 | 54 | 1 | 1 | 4 | 8 | 13 | 18 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 2.1 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 10 |
| B. *Operated* | 470 | 2.6 | 25 | <1 | <1 | 1 | 2 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 811 | 3.3 | 14 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | 1601 | 4.3 | 33 | <1 | 1 | 2 | 5 | 9 | 14 | 30 |
| **1. SINGLE DX** | 628 | 2.5 | 20 | <1 | <1 | 1 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 2412 | 4.0 | 27 | <1 | 1 | 2 | 5 | 9 | 13 | 27 |
| **A. NOT OPERATED** | 969 | 3.1 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| **B. OPERATED** | 2071 | 3.9 | 32 | <1 | 1 | 2 | 4 | 8 | 13 | 29 |
| TOTAL 0-19 YRS | 871 | 2.8 | 27 | <1 | <1 | 1 | 3 | 5 | 7 | 28 |
| 20-34 | 1060 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| 35-49 | 384 | 3.7 | 28 | <1 | 1 | 2 | 4 | 8 | 12 | 28 |
| 50-64 | 279 | 4.7 | 33 | 1 | 1 | 3 | 6 | 10 | 14 | 34 |
| 65+ | 446 | 5.5 | 38 | 1 | 1 | 3 | 7 | 12 | 16 | 30 |
| **GRAND TOTAL** | **3040** | **3.7** | **26** | **<1** | **1** | **2** | **4** | **8** | **12** | **26** |

### 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| 20-34 | 188 | 2.2 | 11 | <1 | <1 | 1 | 2 | 4 | 5 | 19 |
| 35-49 | 47 | 2.9 | 36 | <1 | 1 | 2 | 3 | 4 | 6 | 42 |
| 50-64 | 13 | 2.3 | 13 | <1 | <1 | 1 | 2 | 5 | 12 | 14 |
| 65+ | 5 | 2.8 | 9 | <1 | <1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 135 | 2.8 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 173 | 4.5 | 41 | 1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 35-49 | 65 | 4.3 | 15 | <1 | 1 | 4 | 6 | 7 | 8 | 25 |
| 50-64 | 16 | 3.9 | 10 | <1 | <1 | 3 | 6 | 8 | 11 | 12 |
| 65+ | 10 | 4.2 | 31 | 1 | 1 | 2 | 3 | 14 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 146 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 36 | 3.8 | 8 | <1 | 1 | 3 | 5 | 9 | 10 | 11 |
| 50-64 | 25 | 4.0 | 6 | <1 | 1 | 4 | 5 | 9 | 9 | 10 |
| 65+ | 22 | 4.3 | 10 | 1 | 1 | 3 | 7 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 7.5 | 109 | 1 | 1 | 5 | 8 | 13 | 24 | 58 |
| 20-34 | 338 | 7.5 | 64 | 1 | 1 | 6 | 9 | 14 | 19 | 39 |
| 35-49 | 115 | 9.0 | 68 | 1 | 2 | 7 | 11 | 15 | 25 | 48 |
| 50-64 | 42 | 7.9 | 57 | 1 | 2 | 6 | 10 | 14 | 26 | 37 |
| 65+ | 33 | 11.0 | 240 | 2 | 2 | 6 | 10 | 30 | 59 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 341 | 2.2 | 12 | <1 | <1 | 1 | 2 | 4 | 5 | 15 |
| B. *Operated* | 399 | 3.9 | 24 | <1 | 1 | 3 | 5 | 7 | 10 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 297 | 3.0 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| B. *Operated* | 681 | 7.9 | 83 | 1 | 1 | 6 | 9 | 14 | 22 | 56 |
| **1. SINGLE DX** | 740 | 3.1 | 19 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| **2. MULTIPLE DX** | 978 | 6.4 | 65 | 1 | 1 | 5 | 8 | 12 | 18 | 42 |
| **A. NOT OPERATED** | 638 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **B. OPERATED** | 1080 | 6.4 | 65 | 1 | 1 | 5 | 8 | 12 | 18 | 42 |
| TOTAL 0-19 YRS | 444 | 4.1 | 46 | <1 | 1 | 2 | 5 | 8 | 12 | 30 |
| 20-34 | 845 | 4.9 | 42 | <1 | 1 | 3 | 6 | 10 | 13 | 32 |
| 35-49 | 263 | 6.0 | 48 | 1 | 1 | 4 | 7 | 12 | 18 | 42 |
| 50-64 | 96 | 5.5 | 34 | 1 | 1 | 4 | 7 | 11 | 14 | 35 |
| 65+ | 70 | 7.3 | 131 | 1 | 1 | 4 | 8 | 12 | 27 | 64 |
| **GRAND TOTAL** | **1718** | **5.0** | **48** | **<1** | **1** | **3** | **6** | **10** | **14** | **35** |

### 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 141 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | 56 | 3.7 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 14 |
| 50-64 | 21 | 3.8 | 11 | 1 | 1 | 4 | 4 | 6 | 11 | 17 |
| 65+ | 8 | 4.0 | 11 | 1 | 1 | 3 | 6 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 705 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 1051 | 2.4 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 35-49 | 387 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 215 | 2.6 | 13 | <1 | 1 | 2 | 3 | 4 | 8 | 16 |
| 65+ | 85 | 2.8 | 26 | <1 | 1 | 1 | 2 | 5 | 7 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| 20-34 | 179 | 3.5 | 27 | <1 | <1 | 2 | 4 | 6 | 8 | 36 |
| 35-49 | 66 | 4.3 | 26 | <1 | 1 | 3 | 5 | 8 | 10 | 34 |
| 50-64 | 36 | 4.2 | 13 | 1 | 1 | 3 | 5 | 10 | 13 | 15 |
| 65+ | 59 | 6.5 | 49 | 1 | 1 | 5 | 8 | 13 | 16 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 555 | 3.3 | 32 | <1 | 1 | 2 | 3 | 6 | 10 | 33 |
| 20-34 | 936 | 3.5 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 27 |
| 35-49 | 374 | 4.6 | 61 | <1 | 1 | 2 | 4 | 9 | 18 | 55 |
| 50-64 | 202 | 4.2 | 40 | <1 | 1 | 2 | 4 | 9 | 14 | 37 |
| 65+ | 119 | 4.4 | 40 | <1 | 1 | 2 | 4 | 10 | 18 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 304 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| B. *Operated* | 2443 | 2.3 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 4.0 | 27 | <1 | 1 | 3 | 4 | 8 | 11 | 34 |
| B. *Operated* | 2186 | 3.8 | 33 | <1 | 1 | 2 | 4 | 7 | 12 | 33 |
| **1. SINGLE DX** | 2747 | 2.4 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 2587 | 3.8 | 32 | <1 | 1 | 2 | 4 | 7 | 11 | 33 |
| **A. NOT OPERATED** | 705 | 3.6 | 18 | <1 | 1 | 3 | 4 | 7 | 9 | 21 |
| **B. OPERATED** | 4629 | 3.0 | 21 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 1399 | 2.6 | 15 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 2307 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 21 |
| 35-49 | 883 | 3.6 | 32 | <1 | 1 | 2 | 4 | 7 | 11 | 29 |
| 50-64 | 474 | 3.5 | 25 | <1 | 1 | 2 | 4 | 7 | 11 | 25 |
| 65+ | 271 | 4.4 | 38 | <1 | 1 | 2 | 5 | 10 | 15 | 39 |
| **GRAND TOTAL** | 5334 | 3.1 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |

### 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 3.0 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 20-34 | 122 | 3.8 | 19 | <1 | 1 | 2 | 4 | 8 | 13 | 23 |
| 35-49 | 32 | 3.8 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 15 |
| 50-64 | 13 | 4.9 | 17 | <1 | 1 | 4 | 8 | 11 | 13 | 13 |
| 65+ | 7 | 9.4 | 248 | 1 | 1 | 4 | 5 | 37 | 45 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 422 | 3.8 | 33 | <1 | <1 | 2 | 4 | 7 | 12 | 38 |
| 20-34 | 355 | 4.3 | 43 | <1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 35-49 | 111 | 3.8 | 14 | <1 | 1 | 2 | 5 | 8 | 11 | 19 |
| 50-64 | 68 | 4.4 | 34 | <1 | 1 | 3 | 5 | 9 | 17 | 32 |
| 65+ | 35 | 7.6 | 28 | 1 | 1 | 7 | 11 | 14 | 17 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 78 | 5.1 | 96 | 1 | 1 | 3 | 5 | 9 | 15 | 66 |
| 35-49 | 41 | 5.9 | 21 | 1 | 1 | 4 | 8 | 11 | 17 | 20 |
| 50-64 | 46 | 5.7 | 22 | 1 | 2 | 4 | 8 | 12 | 17 | 22 |
| 65+ | 56 | 7.8 | 32 | 2 | 2 | 6 | 11 | 18 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 5.5 | 41 | 1 | 1 | 3 | 7 | 12 | 19 | 29 |
| 20-34 | 272 | 8.6 | 127 | 1 | 1 | 5 | 9 | 21 | 32 | 69 |
| 35-49 | 92 | 9.6 | 139 | 1 | 1 | 6 | 11 | 24 | 31 | 67 |
| 50-64 | 80 | 10.0 | 135 | 1 | 2 | 7 | 12 | 21 | 32 | 91 |
| 65+ | 68 | 13.0 | 178 | 1 | 2 | 7 | 19 | 32 | 43 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 283 | 3.7 | 20 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| B. *Operated* | 991 | 4.1 | 35 | <1 | 1 | 2 | 5 | 8 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 5.5 | 42 | 1 | 1 | 4 | 7 | 11 | 16 | 22 |
| B. *Operated* | 742 | 8.3 | 112 | 1 | 1 | 5 | 9 | 19 | 29 | 66 |
| **1. SINGLE DX** | 1274 | 4.0 | 31 | <1 | 1 | 2 | 4 | 8 | 13 | 24 |
| **2. MULTIPLE DX** | 1034 | 7.5 | 94 | 1 | 1 | 4 | 8 | 18 | 25 | 61 |
| **A. NOT OPERATED** | 575 | 4.6 | 32 | 1 | 1 | 3 | 5 | 10 | 14 | 22 |
| **B. OPERATED** | 1733 | 5.9 | 72 | <1 | 1 | 3 | 6 | 13 | 22 | 49 |
| TOTAL 0-19 YRS | 832 | 4.1 | 31 | <1 | 1 | 3 | 4 | 8 | 13 | 27 |
| 20-34 | 827 | 5.7 | 76 | 1 | 1 | 3 | 6 | 12 | 20 | 53 |
| 35-49 | 276 | 6.0 | 63 | 1 | 1 | 4 | 7 | 13 | 19 | 38 |
| 50-64 | 207 | 6.9 | 75 | 1 | 1 | 4 | 9 | 15 | 22 | 68 |
| 65+ | 166 | 10.0 | 104 | 1 | 2 | 7 | 13 | 22 | 31 | 48 |
| **GRAND TOTAL** | 2308 | 5.6 | 62 | <1 | 1 | 3 | 6 | 12 | 19 | 48 |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.3 | 10 | 1 | 1 | 2 | 4 | 9 | 10 | 10 |
| 20-34 | 23 | 5.5 | 20 | <1 | 1 | 5 | 8 | 14 | 15 | 16 |
| 35-49 | 4 | 3.5 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 3 | 2.7 | 8 | 1 | 1 | 1 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.7 | 8 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 10 | 3.6 | 10 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| 35-49 | 6 | 4.3 | 21 | 1 | 1 | 2 | 8 | 12 | 12 | 12 |
| 50-64 | 6 | 6.2 | 38 | 1 | 1 | 5 | 6 | 17 | 18 | 18 |
| 65+ | 7 | 4.3 | 5 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 10.9 | 256 | 1 | 2 | 4 | 11 | 31 | 53 | 69 |
| 20-34 | 98 | 8.3 | 110 | <1 | 1 | 5 | 11 | 18 | 26 | 63 |
| 35-49 | 31 | 15.4 | 382 | 1 | 2 | 9 | 19 | 59 | 83 | 99+ |
| 50-64 | 15 | 13.5 | 462 | <1 | 1 | 7 | 13 | 39 | 72 | 83 |
| 65+ | 6 | 8.2 | 54 | <1 | 1 | 9 | 18 | 84 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 3.1 | 10 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| B. *Operated* | 41 | 4.5 | 16 | <1 | 1 | 3 | 6 | 9 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 12 | 18 |
| B. *Operated* | 182 | 10.4 | 211 | 1 | 1 | 6 | 12 | 24 | 56 | 95 |
| **1. SINGLE DX** | 49 | 4.2 | 15 | 1 | 1 | 3 | 6 | 8 | 14 | 16 |
| **2. MULTIPLE DX** | 220 | 9.3 | 182 | 1 | 1 | 5 | 11 | 23 | 39 | 89 |
| **A. NOT OPERATED** | 46 | 4.1 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 223 | 9.3 | 180 | 1 | 1 | 5 | 11 | 23 | 39 | 89 |
| TOTAL 0-19 YRS | 53 | 7.9 | 170 | 1 | 1 | 3 | 8 | 18 | 38 | 69 |
| 20-34 | 132 | 7.4 | 88 | 1 | 1 | 5 | 9 | 15 | 24 | 61 |
| 35-49 | 41 | 12.6 | 314 | 1 | 1 | 7 | 12 | 38 | 72 | 99+ |
| 50-64 | 27 | 9.3 | 282 | <1 | 1 | 3 | 10 | 17 | 46 | 83 |
| 65+ | 16 | 5.7 | 25 | <1 | <1 | 5 | 8 | 19 | 72 | 99+ |
| **GRAND TOTAL** | **269** | **8.4** | **155** | **1** | **1** | **5** | **10** | **18** | **32** | **85** |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 4.5 | 45 | 1 | 1 | 2 | 3 | 14 | 23 | 24 |
| 20-34 | 18 | 4.4 | 10 | <1 | <1 | 5 | 7 | 11 | 61 | 99+ |
| 35-49 | 10 | 7.8 | 40 | 1 | 1 | 6 | 10 | 18 | 21 | 21 |
| 50-64 | 9 | 3.6 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 9 |
| 65+ | 13 | 9.4 | 52 | 1 | 3 | 6 | 11 | 21 | 27 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 214 | 3.8 | 22 | <1 | 1 | 2 | 4 | 7 | 13 | 27 |
| 20-34 | 360 | 3.9 | 17 | <1 | 1 | 3 | 5 | 7 | 10 | 25 |
| 35-49 | 166 | 4.2 | 32 | 1 | 1 | 3 | 4 | 8 | 12 | 35 |
| 50-64 | 81 | 5.4 | 70 | 1 | 1 | 3 | 6 | 10 | 13 | 56 |
| 65+ | 35 | 6.5 | 42 | 1 | 2 | 5 | 8 | 16 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.4 | 26 | 1 | 1 | 4 | 6 | 12 | 18 | 21 |
| 20-34 | 81 | 8.9 | 168 | 1 | 1 | 6 | 10 | 19 | 40 | 99 |
| 35-49 | 66 | 8.2 | 39 | 1 | 1 | 6 | 13 | 18 | 19 | 21 |
| 50-64 | 55 | 7.5 | 42 | 2 | 2 | 5 | 9 | 18 | 22 | 24 |
| 65+ | 48 | 10.7 | 179 | 2 | 3 | 7 | 12 | 20 | 23 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 4.3 | 50 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 20-34 | 372 | 5.9 | 74 | 1 | 1 | 3 | 6 | 12 | 19 | 47 |
| 35-49 | 233 | 6.0 | 59 | 1 | 1 | 4 | 7 | 12 | 19 | 50 |
| 50-64 | 173 | 7.2 | 55 | 1 | 2 | 4 | 10 | 16 | 18 | 33 |
| 65+ | 75 | 12.7 | 184 | 2 | 2 | 9 | 15 | 37 | 40 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 5.9 | 33 | <1 | 1 | 5 | 7 | 14 | 22 | 91 |
| B. *Operated* | 856 | 4.2 | 28 | <1 | 1 | 3 | 5 | 8 | 12 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 274 | 8.4 | 102 | 1 | 1 | 6 | 12 | 18 | 22 | 79 |
| B. *Operated* | 999 | 6.4 | 75 | 1 | 1 | 3 | 7 | 14 | 19 | 47 |
| **1. SINGLE DX** | 917 | 4.3 | 28 | <1 | 1 | 3 | 5 | 8 | 13 | 30 |
| **2. MULTIPLE DX** | 1273 | 6.9 | 82 | 1 | 1 | 4 | 8 | 15 | 21 | 48 |
| **A. NOT OPERATED** | 335 | 8.0 | 90 | 1 | 1 | 5 | 11 | 18 | 22 | 92 |
| **B. OPERATED** | 1855 | 5.4 | 54 | 1 | 1 | 3 | 6 | 11 | 17 | 39 |
| TOTAL 0-19 YRS | 395 | 4.1 | 33 | <1 | 1 | 2 | 4 | 8 | 13 | 27 |
| 20-34 | 831 | 5.3 | 59 | 1 | 1 | 3 | 6 | 10 | 18 | 43 |
| 35-49 | 475 | 5.7 | 48 | 1 | 1 | 3 | 7 | 13 | 19 | 38 |
| 50-64 | 318 | 6.7 | 56 | 1 | 1 | 4 | 9 | 16 | 18 | 31 |
| 65+ | 171 | 10.6 | 147 | 2 | 2 | 7 | 13 | 21 | 37 | 66 |
| **GRAND TOTAL** | **2190** | **5.8** | **61** | **1** | **1** | **3** | **6** | **13** | **19** | **40** |

### 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 4.1 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 13 |
| 20-34 | 93 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 36 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 8 | 4.1 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 65+ | 6 | 2.8 | 3 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 4.4 | 10 | 2 | 2 | 2 | 7 | 9 | 10 | 10 |
| 20-34 | 4 | 5.0 | 23 | 2 | 2 | 3 | 8 | 12 | 12 | 12 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 78 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 35-49 | 31 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 18 | 4.2 | 14 | <1 | 1 | 3 | 5 | 7 | 13 | 17 |
| 65+ | 21 | 4.3 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.6 | 10 | 1 | 1 | 4 | 6 | 10 | 12 | 13 |
| 20-34 | 20 | 4.7 | 9 | <1 | 1 | 4 | 5 | 9 | 11 | 12 |
| 35-49 | 8 | 4.9 | 14 | <1 | <1 | 4 | 7 | 11 | 12 | 12 |
| 50-64 | 6 | 4.8 | 10 | <1 | <1 | 4 | 8 | 9 | 9 | 9 |
| 65+ | 15 | 5.1 | 37 | <1 | 1 | 5 | 7 | 8 | 21 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 353 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 19 | 3.8 | 10 | 1 | 1 | 2 | 6 | 9 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 78 | 4.8 | 14 | <1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **1. SINGLE DX** | 372 | 3.8 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 359 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 634 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **B. OPERATED** | 97 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| TOTAL 0-19 YRS | 381 | 4.0 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 195 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 77 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 50-64 | 35 | 4.1 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 65+ | 43 | 4.3 | 17 | 1 | 1 | 3 | 6 | 8 | 9 | 25 |
| **GRAND TOTAL** | 731 | 3.8 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |

### 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 389 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 385 | 2.2 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 160 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 50-64 | 122 | 3.4 | 13 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 65+ | 195 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 3.2 | 46 | <1 | <1 | 2 | 3 | 5 | 8 | 47 |
| 20-34 | 80 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 14 |
| 35-49 | 32 | 3.3 | 22 | <1 | 1 | 2 | 3 | 6 | 12 | 25 |
| 50-64 | 28 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 19 | 6.5 | 80 | 1 | 1 | 5 | 6 | 16 | 23 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 735 | 2.1 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 997 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 503 | 3.5 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 459 | 4.3 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| 65+ | 1490 | 6.7 | 41 | 1 | 2 | 5 | 8 | 13 | 18 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 3.5 | 10 | 1 | 1 | 2 | 5 | 9 | 10 | 14 |
| 20-34 | 182 | 5.1 | 55 | 1 | 1 | 3 | 5 | 10 | 17 | 48 |
| 35-49 | 96 | 5.4 | 46 | 1 | 1 | 3 | 7 | 10 | 16 | 42 |
| 50-64 | 84 | 8.4 | 78 | 1 | 1 | 6 | 11 | 17 | 27 | 48 |
| 65+ | 124 | 13.4 | 271 | 2 | 2 | 8 | 15 | 30 | 48 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1251 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 233 | 3.4 | 25 | <1 | 1 | 2 | 4 | 8 | 9 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4184 | 4.2 | 24 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| B. *Operated* | 585 | 7.1 | 107 | 1 | 1 | 4 | 8 | 15 | 23 | 58 |
| **1. SINGLE DX** | 1484 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 4769 | 4.6 | 35 | <1 | 1 | 3 | 6 | 10 | 14 | 27 |
| **A. NOT OPERATED** | 5435 | 3.9 | 20 | <1 | 1 | 2 | 5 | 8 | 12 | 21 |
| **B. OPERATED** | 818 | 6.1 | 86 | 1 | 1 | 3 | 7 | 13 | 19 | 58 |
| TOTAL 0-19 YRS | 1297 | 2.1 | 7 | <1 | 1 | 1 | 2 | 4 | 6 | 11 |
| 20-34 | 1644 | 2.8 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 791 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 50-64 | 693 | 4.6 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 23 |
| 65+ | 1828 | 6.9 | 58 | 1 | 2 | 5 | 8 | 14 | 18 | 34 |
| **GRAND TOTAL** | 6253 | 4.1 | 29 | <1 | 1 | 2 | 5 | 9 | 12 | 23 |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 2.4 | 7 | 1 | 1 | 1 | 3 | 6 | 7 | 16 |
| 20-34 | 35 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 6 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 10 | 10 |
| 50-64 | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 5.3 | 24 | 2 | 2 | 3 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.5 | 64 | 1 | 1 | 4 | 6 | 23 | 24 | 24 |
| 20-34 | 48 | 5.0 | 48 | <1 | 1 | 2 | 6 | 13 | 15 | 42 |
| 35-49 | 17 | 4.9 | 22 | <1 | <1 | 3 | 8 | 10 | 16 | 19 |
| 50-64 | 11 | 7.4 | 195 | <1 | <1 | 2 | 4 | 28 | 46 | 48 |
| 65+ | 4 | 8.5 | 154 | 1 | 1 | 3 | 15 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 12 | 16 |
| 20-34 | 32 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 35-49 | 11 | 7.7 | 66 | 2 | 2 | 5 | 9 | 19 | 29 | 30 |
| 50-64 | 9 | 4.7 | 14 | <1 | 1 | 4 | 5 | 11 | 14 | 14 |
| 65+ | 9 | 6.3 | 28 | 1 | 1 | 6 | 7 | 14 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 10.8 | 273 | 1 | 1 | 5 | 14 | 25 | 39 | 99 |
| 20-34 | 106 | 8.7 | 115 | 1 | 1 | 5 | 10 | 24 | 31 | 55 |
| 35-49 | 40 | 8.4 | 64 | <1 | 1 | 6 | 11 | 18 | 22 | 42 |
| 50-64 | 21 | 12.3 | 185 | 1 | 1 | 5 | 17 | 33 | 44 | 52 |
| 65+ | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 97 | 5.6 | 64 | <1 | 1 | 3 | 6 | 14 | 22 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| B. *Operated* | 216 | 9.5 | 147 | 1 | 1 | 5 | 12 | 23 | 37 | 55 |
| **1. SINGLE DX** | 192 | 4.2 | 37 | <1 | 1 | 2 | 4 | 10 | 15 | 36 |
| **2. MULTIPLE DX** | 299 | 8.1 | 117 | 1 | 1 | 4 | 10 | 20 | 29 | 52 |
| **A. NOT OPERATED** | 178 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| **B. OPERATED** | 313 | 8.3 | 125 | 1 | 1 | 4 | 10 | 20 | 29 | 51 |
| TOTAL 0-19 YRS | 132 | 6.2 | 124 | 1 | 1 | 3 | 5 | 16 | 24 | 52 |
| 20-34 | 221 | 6.1 | 74 | 1 | 1 | 3 | 7 | 14 | 24 | 45 |
| 35-49 | 74 | 7.1 | 52 | <1 | 1 | 5 | 9 | 17 | 20 | 39 |
| 50-64 | 47 | 8.4 | 140 | <1 | 1 | 3 | 12 | 20 | 39 | 52 |
| 65+ | 17 | 7.6 | 63 | 1 | 1 | 5 | 8 | 22 | 26 | 27 |
| **GRAND TOTAL** | 491 | 6.5 | 90 | 1 | 1 | 3 | 7 | 16 | 24 | 46 |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 1.4 | 1 | <1 | <1 | <1 | 1 | 3 | 5 | 5 |
| 20-34 | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 20-34 | 5 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 6 | 2.3 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 4.0 | 6 | 2 | 2 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| B. *Operated* | 25 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 12 | 3.3 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| **1. SINGLE DX** | 41 | 1.8 | 2 | <1 | <1 | 1 | 2 | 5 | 5 | 6 |
| **2. MULTIPLE DX** | 24 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 7 | 8 |
| **A. NOT OPERATED** | 28 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| **B. OPERATED** | 37 | 2.5 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 8 |
| TOTAL 0-19 YRS | 37 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 8 |
| 20-34 | 18 | 2.1 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 5 | 3.6 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **GRAND TOTAL** | 65 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 8 |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 85 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 35-49 | 85 | 1.8 | 8 | <1 | <1 | 1 | 2 | 3 | 4 | 19 |
| 50-64 | 80 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 9 |
| 65+ | 78 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 32 | 3.4 | 27 | <1 | <1 | 2 | 3 | 7 | 20 | 22 |
| 35-49 | 15 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 50-64 | 19 | 3.2 | 10 | <1 | <1 | 2 | 3 | 9 | 11 | 11 |
| 65+ | 16 | 2.6 | 18 | 1 | 1 | 1 | 2 | 7 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| 20-34 | 39 | 2.6 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 12 |
| 35-49 | 39 | 2.8 | 9 | <1 | <1 | 2 | 3 | 7 | 10 | 14 |
| 50-64 | 68 | 3.0 | 38 | <1 | <1 | 1 | 3 | 6 | 8 | 43 |
| 65+ | 141 | 3.5 | 23 | <1 | 1 | 2 | 4 | 7 | 9 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.3 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 11 |
| 20-34 | 33 | 8.7 | 117 | 1 | 1 | 6 | 10 | 16 | 27 | 59 |
| 35-49 | 31 | 6.1 | 44 | <1 | <1 | 4 | 9 | 16 | 22 | 25 |
| 50-64 | 46 | 6.0 | 40 | <1 | 1 | 2 | 9 | 15 | 19 | 27 |
| 65+ | 65 | 7.3 | 116 | <1 | 1 | 3 | 7 | 19 | 27 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 742 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| B. *Operated* | 224 | 2.2 | 9 | <1 | <1 | 1 | 2 | 5 | 7 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 368 | 3.0 | 19 | <1 | 1 | 2 | 3 | 6 | 8 | 24 |
| B. *Operated* | 219 | 6.1 | 71 | <1 | <1 | 3 | 8 | 15 | 23 | 44 |
| **1. SINGLE DX** | 966 | 1.6 | 4 | <1 | <1 | 1 | 1 | 2 | 4 | 10 |
| **2. MULTIPLE DX** | 587 | 4.1 | 40 | <1 | 1 | 2 | 5 | 9 | 14 | 32 |
| **A. NOT OPERATED** | 1110 | 1.9 | 8 | <1 | <1 | 1 | 2 | 3 | 6 | 11 |
| **B. OPERATED** | 443 | 4.1 | 43 | <1 | <1 | 2 | 4 | 10 | 16 | 28 |
| TOTAL 0-19 YRS | 681 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| 20-34 | 189 | 3.3 | 33 | <1 | <1 | 1 | 3 | 8 | 11 | 26 |
| 35-49 | 170 | 2.8 | 16 | <1 | <1 | 1 | 2 | 7 | 10 | 23 |
| 50-64 | 213 | 3.1 | 25 | <1 | <1 | 1 | 3 | 8 | 11 | 24 |
| 65+ | 300 | 3.8 | 41 | <1 | 1 | 2 | 3 | 8 | 15 | 33 |
| **GRAND TOTAL** | 1553 | 2.5 | 19 | <1 | <1 | 1 | 2 | 6 | 9 | 23 |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.9 | 22 | 1 | 1 | 6 | 10 | 12 | 16 | 18 |
| 20-34 | 22 | 4.3 | 23 | <1 | <1 | 2 | 5 | 14 | 15 | 17 |
| 35-49 | 6 | 8.6 | 16 | 3 | 3 | 9 | 10 | 15 | 15 | 15 |
| 50-64 | 6 | 9.3 | 103 | 1 | 1 | 6 | 19 | 23 | 24 | 24 |
| 65+ | 4 | 18.8 | 83 | 6 | 6 | 21 | 25 | 27 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 7.8 | 63 | 1 | 1 | 5 | 9 | 17 | 24 | 41 |
| 20-34 | 62 | 10.2 | 115 | 1 | 2 | 8 | 13 | 23 | 27 | 64 |
| 35-49 | 18 | 10.2 | 39 | 2 | 3 | 11 | 14 | 17 | 22 | 25 |
| 50-64 | 19 | 13.9 | 327 | <1 | 1 | 6 | 18 | 39 | 55 | 68 |
| 65+ | 9 | 14.0 | 272 | 1 | 1 | 6 | 22 | 41 | 52 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 7.7 | 79 | 1 | 1 | 6 | 10 | 14 | 27 | 99 |
| 20-34 | 57 | 7.2 | 66 | 1 | 1 | 5 | 10 | 17 | 29 | 96 |
| 35-49 | 23 | 7.3 | 38 | 1 | 1 | 5 | 12 | 17 | 19 | 22 |
| 50-64 | 21 | 8.1 | 47 | 1 | 2 | 5 | 13 | 17 | 21 | 24 |
| 65+ | 14 | 14.2 | 121 | 2 | 3 | 10 | 25 | 33 | 35 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 19.8 | 297 | 2 | 3 | 14 | 30 | 43 | 55 | 78 |
| 20-34 | 104 | 20.8 | 356 | 1 | 3 | 15 | 28 | 48 | 64 | 91 |
| 35-49 | 50 | 23.8 | 343 | 3 | 4 | 22 | 36 | 55 | 82 | 99+ |
| 50-64 | 51 | 23.2 | 375 | 1 | 5 | 17 | 33 | 51 | 71 | 99+ |
| 65+ | 46 | 26.4 | 347 | 4 | 6 | 25 | 35 | 49 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 7.2 | 45 | 1 | 1 | 5 | 10 | 18 | 22 | 27 |
| B. *Operated* | 177 | 9.9 | 118 | 1 | 1 | 7 | 12 | 23 | 32 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 166 | 8.1 | 70 | 1 | 1 | 6 | 11 | 18 | 28 | 92 |
| B. *Operated* | 359 | 22.0 | 339 | 2 | 4 | 16 | 32 | 48 | 64 | 99+ |
| **1. SINGLE DX** | 233 | 9.2 | 102 | 1 | 1 | 7 | 12 | 21 | 27 | 55 |
| **2. MULTIPLE DX** | 525 | 17.6 | 296 | 1 | 2 | 12 | 26 | 43 | 57 | 99+ |
| **A. NOT OPERATED** | 222 | 7.9 | 64 | 1 | 1 | 6 | 11 | 18 | 25 | 68 |
| **B. OPERATED** | 536 | 18.0 | 298 | 1 | 2 | 12 | 26 | 43 | 56 | 97 |
| TOTAL 0-19 YRS | 246 | 13.0 | 201 | 1 | 2 | 8 | 16 | 33 | 43 | 74 |
| 20-34 | 245 | 13.5 | 239 | 1 | 1 | 8 | 17 | 35 | 49 | 84 |
| 35-49 | 97 | 16.4 | 250 | 2 | 3 | 12 | 24 | 38 | 57 | 99+ |
| 50-64 | 97 | 17.3 | 315 | 1 | 1 | 11 | 25 | 42 | 61 | 97 |
| 65+ | 73 | 22.1 | 305 | 2 | 5 | 19 | 32 | 45 | 54 | 99 |
| **GRAND TOTAL** | 758 | 15.0 | 251 | 1 | 2 | 10 | 22 | 37 | 51 | 96 |

## 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 166 | 3.9 | 14 | 1 | 1 | 2 | 5 | 9 | 12 | 17 |
| 20-34 | 110 | 4.3 | 25 | <1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 35-49 | 56 | 4.2 | 31 | <1 | 1 | 2 | 5 | 8 | 14 | 35 |
| 50-64 | 21 | 4.8 | 16 | <1 | 1 | 4 | 6 | 12 | 13 | 15 |
| 65+ | 17 | 7.5 | 66 | 1 | 1 | 4 | 13 | 17 | 25 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 6.9 | 44 | 1 | 1 | 5 | 8 | 19 | 21 | 25 |
| 20-34 | 34 | 7.1 | 54 | 1 | 2 | 4 | 9 | 15 | 22 | 36 |
| 35-49 | 12 | 11.2 | 96 | 2 | 2 | 7 | 18 | 25 | 33 | 34 |
| 50-64 | 12 | 7.7 | 58 | <1 | <1 | 7 | 13 | 19 | 22 | 22 |
| 65+ | 6 | 11.5 | 118 | <1 | <1 | 7 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 406 | 4.5 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 20-34 | 287 | 5.0 | 49 | 1 | 1 | 3 | 7 | 11 | 14 | 19 |
| 35-49 | 131 | 4.4 | 25 | 1 | 1 | 3 | 5 | 11 | 14 | 24 |
| 50-64 | 100 | 6.8 | 50 | 1 | 1 | 4 | 9 | 15 | 20 | 37 |
| 65+ | 99 | 12.3 | 172 | 1 | 2 | 8 | 15 | 30 | 37 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 12.2 | 244 | 1 | 1 | 8 | 15 | 27 | 40 | 89 |
| 20-34 | 85 | 14.7 | 158 | 2 | 3 | 10 | 23 | 32 | 41 | 51 |
| 35-49 | 51 | 16.1 | 188 | 2 | 3 | 13 | 22 | 28 | 49 | 62 |
| 50-64 | 35 | 18.9 | 297 | 2 | 4 | 15 | 24 | 41 | 63 | 77 |
| 65+ | 29 | 25.2 | 471 | 5 | 5 | 17 | 38 | 53 | 59 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 370 | 4.2 | 23 | <1 | 1 | 3 | 6 | 10 | 12 | 18 |
| B. *Operated* | 97 | 7.9 | 60 | <1 | 1 | 5 | 10 | 20 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1023 | 5.6 | 51 | 1 | 1 | 3 | 7 | 12 | 16 | 34 |
| B. *Operated* | 290 | 15.7 | 249 | 1 | 2 | 11 | 21 | 35 | 47 | 84 |
| **1. SINGLE DX** | 467 | 5.0 | 32 | <1 | 1 | 3 | 6 | 12 | 17 | 29 |
| **2. MULTIPLE DX** | 1313 | 7.8 | 112 | 1 | 1 | 4 | 9 | 17 | 20 | 55 |
| **A. NOT OPERATED** | 1393 | 5.2 | 44 | 1 | 1 | 3 | 7 | 12 | 15 | 33 |
| **B. OPERATED** | 387 | 13.8 | 213 | 1 | 2 | 9 | 18 | 32 | 42 | 74 |
| TOTAL 0-19 YRS | 695 | 5.4 | 54 | 1 | 1 | 3 | 7 | 12 | 16 | 33 |
| 20-34 | 516 | 6.6 | 75 | 1 | 1 | 4 | 8 | 15 | 23 | 44 |
| 35-49 | 250 | 7.1 | 85 | 1 | 1 | 4 | 8 | 17 | 24 | 49 |
| 50-64 | 168 | 9.1 | 121 | 1 | 1 | 6 | 12 | 20 | 28 | 65 |
| 65+ | 151 | 14.2 | 243 | 1 | 2 | 9 | 17 | 35 | 51 | 69 |
| **GRAND TOTAL** | 1780 | 7.1 | 93 | 1 | 1 | 4 | 8 | 16 | 24 | 50 |

## 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 27 | 3.7 | 17 | 1 | 1 | 2 | 5 | 9 | 14 | 17 |
| 35-49 | 15 | 6.5 | 22 | 1 | 2 | 5 | 9 | 15 | 16 | 17 |
| 50-64 | 13 | 5.2 | 23 | 1 | 1 | 4 | 7 | 14 | 16 | 16 |
| 65+ | 4 | 21.0 | 865 | 2 | 2 | 9 | 40 | 64 | 64 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 167 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 65 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 27 | 3.3 | 23 | <1 | <1 | 2 | 3 | 8 | 13 | 24 |
| 65+ | 7 | 3.1 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.9 | 34 | <1 | 1 | 2 | 4 | 8 | 18 | 28 |
| 20-34 | 55 | 5.0 | 30 | <1 | 1 | 4 | 7 | 9 | 12 | 37 |
| 35-49 | 23 | 7.4 | 69 | <1 | 1 | 5 | 7 | 20 | 28 | 36 |
| 50-64 | 21 | 8.8 | 118 | 1 | 2 | 6 | 10 | 16 | 32 | 52 |
| 65+ | 31 | 8.8 | 48 | 1 | 2 | 7 | 10 | 16 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 3.3 | 33 | <1 | 1 | 2 | 2 | 6 | 9 | 35 |
| 20-34 | 154 | 5.2 | 101 | <1 | 1 | 2 | 5 | 11 | 18 | 48 |
| 35-49 | 47 | 5.4 | 107 | <1 | 1 | 2 | 6 | 10 | 19 | 69 |
| 50-64 | 34 | 7.6 | 151 | <1 | <1 | 3 | 9 | 18 | 53 | 99+ |
| 65+ | 17 | 20.8 | 260 | 1 | 2 | 16 | 35 | 41 | 47 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 4.9 | 61 | 1 | 1 | 2 | 6 | 10 | 16 | 49 |
| B. *Operated* | 341 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 6.4 | 54 | 1 | 1 | 5 | 7 | 13 | 19 | 38 |
| B. *Operated* | 307 | 6.0 | 117 | <1 | 1 | 2 | 5 | 15 | 29 | 61 |
| **1. SINGLE DX** | 423 | 2.8 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| **2. MULTIPLE DX** | 465 | 6.1 | 95 | <1 | 1 | 3 | 6 | 14 | 25 | 52 |
| **A. NOT OPERATED** | 240 | 5.9 | 56 | 1 | 1 | 4 | 7 | 12 | 17 | 39 |
| **B. OPERATED** | 648 | 4.0 | 61 | <1 | <1 | 2 | 3 | 7 | 14 | 48 |
| TOTAL 0-19 YRS | 181 | 2.7 | 17 | <1 | 1 | 2 | 3 | 4 | 7 | 27 |
| 20-34 | 403 | 3.8 | 47 | <1 | <1 | 2 | 4 | 7 | 11 | 34 |
| 35-49 | 150 | 4.4 | 51 | <1 | <1 | 2 | 5 | 9 | 15 | 36 |
| 50-64 | 95 | 6.3 | 92 | <1 | <1 | 3 | 7 | 16 | 22 | 79 |
| 65+ | 59 | 12.4 | 185 | 1 | 2 | 8 | 14 | 36 | 41 | 63 |
| **GRAND TOTAL** | 888 | 4.5 | 60 | <1 | <1 | 2 | 4 | 9 | 16 | 47 |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 2.1 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 20-34 | 172 | 2.8 | 12 | <1 | <1 | 2 | 3 | 6 | 7 | 16 |
| 35-49 | 66 | 3.3 | 14 | <1 | 1 | 2 | 4 | 6 | 12 | 20 |
| 50-64 | 38 | 3.1 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 65+ | 30 | 3.9 | 12 | 1 | 1 | 3 | 5 | 10 | 12 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 3.3 | 11 | <1 | 1 | 2 | 4 | 8 | 12 | 15 |
| 20-34 | 113 | 3.8 | 19 | <1 | 1 | 2 | 4 | 9 | 11 | 23 |
| 35-49 | 39 | 5.2 | 26 | 1 | 1 | 3 | 7 | 14 | 16 | 22 |
| 50-64 | 27 | 4.0 | 25 | <1 | 1 | 2 | 5 | 11 | 18 | 19 |
| 65+ | 8 | 6.5 | 163 | 1 | 1 | 2 | 3 | 28 | 38 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 3.1 | 13 | 1 | 1 | 2 | 4 | 7 | 8 | 22 |
| 20-34 | 262 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| 35-49 | 102 | 4.7 | 18 | 1 | 1 | 3 | 6 | 11 | 12 | 21 |
| 50-64 | 97 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 27 |
| 65+ | 197 | 6.5 | 29 | 1 | 1 | 5 | 9 | 13 | 17 | 27 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 7.4 | 58 | 1 | 1 | 5 | 10 | 19 | 25 | 34 |
| 20-34 | 149 | 8.8 | 172 | 1 | 1 | 4 | 9 | 20 | 37 | 64 |
| 35-49 | 56 | 9.5 | 126 | 1 | 1 | 6 | 12 | 25 | 46 | 97 |
| 50-64 | 42 | 12.1 | 305 | 1 | 2 | 7 | 15 | 37 | 66 | 99+ |
| 65+ | 39 | 17.7 | 320 | 2 | 4 | 10 | 23 | 41 | 48 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 488 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| *B. Operated* | 265 | 4.0 | 23 | <1 | 1 | 2 | 4 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 808 | 4.5 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| *B. Operated* | 345 | 10.1 | 185 | 1 | 1 | 6 | 11 | 26 | 40 | 93 |
| **1. SINGLE DX** | 753 | 3.2 | 14 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | 1153 | 6.2 | 77 | 1 | 1 | 3 | 7 | 13 | 22 | 50 |
| **A. NOT OPERATED** | 1296 | 3.8 | 17 | 1 | 1 | 2 | 5 | 8 | 12 | 23 |
| **B. OPERATED** | 610 | 7.4 | 123 | 1 | 1 | 3 | 8 | 17 | 30 | 61 |
| TOTAL 0-19 YRS | 469 | 3.3 | 18 | 1 | 1 | 2 | 3 | 7 | 11 | 23 |
| 20-34 | 696 | 4.5 | 54 | <1 | 1 | 2 | 5 | 9 | 13 | 38 |
| 35-49 | 263 | 5.4 | 45 | 1 | 1 | 3 | 7 | 13 | 16 | 48 |
| 50-64 | 204 | 6.0 | 87 | 1 | 1 | 4 | 7 | 11 | 22 | 70 |
| 65+ | 274 | 7.8 | 88 | 1 | 1 | 5 | 10 | 15 | 24 | 44 |
| **GRAND TOTAL** | 1906 | 5.0 | 54 | 1 | 1 | 3 | 6 | 11 | 16 | 39 |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1100 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 667 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 35-49 | 254 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 120 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 81 | 4.0 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 4 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 20-34 | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 5.3 | 34 | 1 | 1 | 3 | 10 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1196 | 3.2 | 36 | <1 | 1 | 2 | 3 | 5 | 10 | 30 |
| 20-34 | 2234 | 3.4 | 24 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 1243 | 3.8 | 27 | <1 | 1 | 2 | 4 | 8 | 12 | 28 |
| 50-64 | 742 | 5.2 | 34 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| 65+ | 1086 | 6.5 | 30 | 1 | 2 | 5 | 8 | 13 | 16 | 30 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 8.3 | 74 | 1 | 1 | 4 | 11 | 25 | 25 | 25 |
| 20-34 | 58 | 10.5 | 165 | 1 | 1 | 6 | 16 | 27 | 47 | 97 |
| 35-49 | 43 | 11.7 | 198 | 1 | 2 | 7 | 13 | 21 | 41 | 73 |
| 50-64 | 50 | 12.3 | 94 | 2 | 3 | 10 | 17 | 22 | 33 | 50 |
| 65+ | 77 | 15.4 | 147 | 3 | 4 | 12 | 19 | 32 | 45 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2222 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| *B. Operated* | 12 | 3.2 | 10 | 1 | 1 | 2 | 4 | 7 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 6501 | 4.2 | 31 | <1 | 1 | 2 | 5 | 9 | 13 | 29 |
| *B. Operated* | 242 | 12.5 | 148 | 1 | 2 | 8 | 17 | 26 | 39 | 68 |
| **1. SINGLE DX** | 2234 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | 6743 | 4.5 | 37 | <1 | 1 | 3 | 5 | 10 | 15 | 31 |
| **A. NOT OPERATED** | 8723 | 3.6 | 25 | <1 | 1 | 2 | 4 | 8 | 11 | 27 |
| **B. OPERATED** | 254 | 12.1 | 145 | 1 | 2 | 8 | 16 | 26 | 38 | 68 |
| TOTAL 0-19 YRS | 2314 | 2.4 | 21 | <1 | <1 | 1 | 2 | 4 | 6 | 20 |
| 20-34 | 2962 | 3.2 | 24 | <1 | <1 | 2 | 3 | 6 | 10 | 28 |
| 35-49 | 1540 | 3.7 | 30 | <1 | 1 | 2 | 4 | 8 | 12 | 28 |
| 50-64 | 914 | 5.2 | 37 | 1 | 1 | 3 | 6 | 12 | 17 | 34 |
| 65+ | 1247 | 6.9 | 41 | 1 | 2 | 5 | 8 | 14 | 18 | 35 |
| **GRAND TOTAL** | 8977 | 3.8 | 30 | <1 | 1 | 2 | 4 | 8 | 13 | 29 |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 467 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 291 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 102 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 50-64 | 60 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 9 |
| 65+ | 27 | 3.0 | 13 | <1 | 1 | 1 | 3 | 11 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.8 | 29 | 1 | 1 | 4 | 9 | 14 | 15 | 15 |
| 20-34 | 9 | 5.3 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 35-49 | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 232 | 2.8 | 47 | <1 | 1 | 1 | 3 | 5 | 7 | 24 |
| 20-34 | 282 | 2.8 | 16 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| 35-49 | 147 | 2.9 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | 125 | 3.7 | 18 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 65+ | 107 | 5.0 | 23 | 1 | 1 | 3 | 6 | 12 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 19.5 | 615 | <1 | 1 | 11 | 29 | 59 | 80 | 82 |
| 20-34 | 21 | 8.7 | 141 | 1 | 2 | 5 | 9 | 21 | 41 | 50 |
| 35-49 | 17 | 16.3 | 194 | 1 | 2 | 13 | 24 | 40 | 42 | 43 |
| 50-64 | 11 | 7.6 | 55 | 1 | 2 | 5 | 8 | 20 | 26 | 27 |
| 65+ | 11 | 23.1 | 261 | 7 | 8 | 17 | 33 | 47 | 59 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 947 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| B. *Operated* | 20 | 4.8 | 15 | 1 | 1 | 3 | 7 | 10 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 893 | 3.2 | 25 | <1 | 1 | 2 | 3 | 6 | 10 | 21 |
| B. *Operated* | 71 | 14.3 | 251 | 1 | 2 | 8 | 18 | 38 | 44 | 77 |
| **1. SINGLE DX** | 967 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| **2. MULTIPLE DX** | 964 | 4.0 | 49 | <1 | 1 | 2 | 4 | 8 | 14 | 39 |
| **A. NOT OPERATED** | 1840 | 2.4 | 15 | <1 | 1 | 1 | 2 | 5 | 7 | 16 |
| **B. OPERATED** | 91 | 12.2 | 214 | 1 | 1 | 7 | 15 | 35 | 43 | 73 |
| TOTAL 0-19 YRS | 716 | 2.2 | 32 | <1 | <1 | 1 | 2 | 3 | 5 | 16 |
| 20-34 | 603 | 2.6 | 17 | <1 | <1 | 1 | 3 | 5 | 8 | 17 |
| 35-49 | 269 | 3.3 | 29 | <1 | 1 | 2 | 3 | 6 | 11 | 36 |
| 50-64 | 197 | 3.3 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 65+ | 146 | 6.0 | 62 | 1 | 1 | 3 | 7 | 15 | 18 | 40 |
| **GRAND TOTAL** | 1931 | 2.9 | 28 | <1 | 1 | 1 | 3 | 5 | 9 | 25 |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 266 | 1.5 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 7 |
| 20-34 | 168 | 2.2 | 8 | <1 | 1 | 1 | 2 | 4 | 7 | 18 |
| 35-49 | 100 | 2.7 | 14 | 1 | 1 | 2 | 3 | 4 | 10 | 22 |
| 50-64 | 77 | 2.5 | 14 | <1 | 1 | 2 | 3 | 5 | 6 | 26 |
| 65+ | 67 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 15.0 | 133 | 2 | 2 | 19 | 23 | 24 | 24 | 24 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 15.5 | 662 | 1 | 1 | 3 | 29 | 54 | 54 | 54 |
| 50-64 | 3 | 11.0 | 151 | 2 | 2 | 6 | 20 | 25 | 25 | 25 |
| 65+ | 5 | 9.6 | 82 | 2 | 2 | 8 | 13 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 2.9 | 17 | 1 | 1 | 2 | 3 | 6 | 8 | 20 |
| 20-34 | 259 | 3.6 | 30 | 1 | 1 | 2 | 4 | 7 | 11 | 38 |
| 35-49 | 227 | 3.6 | 19 | 1 | 1 | 2 | 4 | 7 | 12 | 27 |
| 50-64 | 290 | 4.1 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 65+ | 569 | 6.5 | 54 | 1 | 2 | 5 | 8 | 13 | 17 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.9 | 145 | 1 | 1 | 4 | 16 | 44 | 86 | 99+ |
| 20-34 | 25 | 5.2 | 118 | <1 | 1 | 2 | 5 | 7 | 21 | 56 |
| 35-49 | 30 | 11.1 | 245 | 1 | 1 | 5 | 11 | 27 | 34 | 80 |
| 50-64 | 43 | 10.9 | 81 | 1 | 2 | 9 | 16 | 27 | 30 | 99+ |
| 65+ | 61 | 16.1 | 213 | 2 | 3 | 13 | 22 | 44 | 50 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 678 | 2.1 | 7 | <1 | 1 | 1 | 2 | 4 | 6 | 13 |
| B. *Operated* | 17 | 11.2 | 200 | 1 | 1 | 5 | 20 | 25 | 44 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1575 | 4.6 | 35 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| B. *Operated* | 173 | 11.9 | 176 | 1 | 1 | 7 | 17 | 30 | 45 | 99+ |
| **1. SINGLE DX** | 695 | 2.4 | 13 | <1 | 1 | 1 | 2 | 4 | 7 | 20 |
| **2. MULTIPLE DX** | 1748 | 5.4 | 54 | 1 | 1 | 3 | 6 | 12 | 17 | 39 |
| **A. NOT OPERATED** | 2253 | 3.9 | 28 | 1 | 1 | 2 | 5 | 8 | 12 | 27 |
| **B. OPERATED** | 190 | 11.8 | 177 | 1 | 1 | 7 | 17 | 30 | 46 | 99+ |
| TOTAL 0-19 YRS | 513 | 2.5 | 15 | 1 | 1 | 1 | 2 | 5 | 7 | 24 |
| 20-34 | 454 | 3.2 | 27 | <1 | 1 | 2 | 3 | 6 | 10 | 29 |
| 35-49 | 361 | 4.1 | 47 | 1 | 1 | 2 | 4 | 8 | 13 | 34 |
| 50-64 | 413 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 15 | 32 |
| 65+ | 702 | 7.0 | 72 | 1 | 1 | 5 | 8 | 15 | 21 | 45 |
| **GRAND TOTAL** | 2443 | 4.5 | 44 | 1 | 1 | 2 | 5 | 10 | 15 | 36 |

### 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.5 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 80 | 4.0 | 27 | <1 | <1 | 2 | 5 | 9 | 15 | 26 |
| 35-49 | 30 | 5.0 | 30 | <1 | <1 | 3 | 6 | 13 | 19 | 21 |
| 50-64 | 52 | 5.2 | 22 | 1 | 1 | 4 | 6 | 12 | 17 | 22 |
| 65+ | 73 | 4.9 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 17 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 240 | 5.3 | 58 | <1 | <1 | 3 | 5 | 10 | 16 | 43 |
| 20-34 | 418 | 4.3 | 26 | <1 | <1 | 2 | 5 | 10 | 15 | 29 |
| 35-49 | 387 | 5.5 | 32 | 1 | 1 | 4 | 7 | 13 | 17 | 29 |
| 50-64 | 551 | 7.0 | 59 | 1 | 1 | 4 | 10 | 16 | 19 | 34 |
| 65+ | 1027 | 7.7 | 74 | 1 | 1 | 5 | 11 | 16 | 21 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 5.6 | 42 | <1 | 1 | 2 | 7 | 15 | 23 | 24 |
| 20-34 | 93 | 5.0 | 19 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 35-49 | 75 | 6.1 | 25 | 1 | 1 | 5 | 8 | 12 | 17 | 24 |
| 50-64 | 133 | 7.6 | 106 | 1 | 1 | 4 | 8 | 15 | 23 | 56 |
| 65+ | 244 | 8.0 | 97 | 1 | 1 | 5 | 10 | 16 | 25 | 42 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 286 | 7.8 | 88 | <1 | 1 | 5 | 9 | 16 | 21 | 47 |
| 20-34 | 624 | 7.9 | 92 | <1 | 1 | 4 | 9 | 18 | 27 | 47 |
| 35-49 | 667 | 7.6 | 104 | 1 | 1 | 5 | 9 | 17 | 26 | 60 |
| 50-64 | 1264 | 9.7 | 111 | 1 | 2 | 6 | 12 | 23 | 30 | 59 |
| 65+ | 1976 | 10.9 | 151 | 1 | 2 | 6 | 15 | 26 | 36 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 259 | 4.6 | 21 | <1 | 1 | 3 | 6 | 11 | 14 | 22 |
| *B. Operated* | 2623 | 6.4 | 57 | <1 | 1 | 4 | 9 | 15 | 19 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 586 | 7.0 | 75 | 1 | 1 | 4 | 9 | 15 | 21 | 39 |
| *B. Operated* | 4817 | 9.5 | 125 | 1 | 1 | 6 | 12 | 22 | 32 | 60 |
| **1. SINGLE DX** | 2882 | 6.3 | 54 | <1 | 1 | 4 | 8 | 15 | 19 | 34 |
| **2. MULTIPLE DX** | 5403 | 9.2 | 120 | 1 | 1 | 5 | 12 | 21 | 30 | 59 |
| **A. NOT OPERATED** | 845 | 6.3 | 60 | 1 | 1 | 4 | 8 | 13 | 19 | 35 |
| **B. OPERATED** | 7440 | 8.4 | 103 | 1 | 1 | 5 | 11 | 19 | 28 | 54 |
| TOTAL 0-19 YRS | 591 | 6.3 | 71 | <1 | 1 | 4 | 7 | 14 | 19 | 42 |
| 20-34 | 1215 | 5.9 | 61 | <1 | 1 | 3 | 7 | 14 | 20 | 39 |
| 35-49 | 1159 | 6.9 | 74 | 1 | 1 | 4 | 8 | 15 | 22 | 44 |
| 50-64 | 2000 | 8.7 | 96 | 1 | 1 | 5 | 11 | 19 | 26 | 54 |
| 65+ | 3320 | 9.5 | 123 | 1 | 1 | 6 | 13 | 22 | 30 | 61 |
| **GRAND TOTAL** | 8285 | 8.2 | 99 | 1 | 1 | 5 | 10 | 19 | 27 | 53 |

### 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 190 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 120 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 125 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 185 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 228 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 35-49 | 125 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 50-64 | 87 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 65+ | 78 | 5.1 | 17 | 1 | 1 | 4 | 7 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 91 | 3.5 | 10 | 1 | 1 | 2 | 5 | 7 | 11 | 15 |
| 35-49 | 64 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 50-64 | 103 | 4.5 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 29 |
| 65+ | 197 | 4.8 | 19 | 1 | 1 | 4 | 6 | 9 | 13 | 32 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.5 | 12 | <1 | 1 | 2 | 5 | 10 | 11 | 13 |
| 20-34 | 106 | 3.7 | 18 | <1 | 1 | 2 | 4 | 9 | 14 | 22 |
| 35-49 | 66 | 5.8 | 34 | 1 | 1 | 4 | 8 | 10 | 19 | 33 |
| 50-64 | 75 | 7.8 | 81 | 1 | 1 | 5 | 11 | 15 | 23 | 54 |
| 65+ | 117 | 9.6 | 86 | 1 | 2 | 7 | 11 | 25 | 30 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 737 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| *B. Operated* | 701 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 487 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| *B. Operated* | 393 | 6.6 | 58 | 1 | 1 | 4 | 8 | 16 | 23 | 36 |
| **1. SINGLE DX** | 1438 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 880 | 5.2 | 36 | 1 | 1 | 3 | 6 | 11 | 17 | 34 |
| **A. NOT OPERATED** | 1224 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **B. OPERATED** | 1094 | 4.2 | 30 | <1 | 1 | 2 | 5 | 10 | 14 | 28 |
| TOTAL 0-19 YRS | 361 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 615 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 35-49 | 375 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 50-64 | 390 | 4.6 | 29 | 1 | 1 | 3 | 5 | 10 | 13 | 29 |
| 65+ | 577 | 5.4 | 33 | 1 | 1 | 4 | 6 | 10 | 17 | 34 |
| **GRAND TOTAL** | 2318 | 3.7 | 19 | <1 | 1 | 2 | 4 | 8 | 11 | 23 |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| 20-34 | 153 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| 35-49 | 106 | 7.1 | 29 | 2 | 2 | 5 | 10 | 14 | 18 | 27 |
| 50-64 | 97 | 6.6 | 18 | 2 | 3 | 5 | 9 | 13 | 15 | 19 |
| 65+ | 73 | 8.4 | 47 | 1 | 2 | 6 | 11 | 15 | 21 | 41 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 79 | 7.1 | 31 | 1 | 2 | 6 | 9 | 12 | 14 | 35 |
| 20-34 | 143 | 7.5 | 49 | 1 | 2 | 5 | 9 | 15 | 19 | 37 |
| 35-49 | 106 | 8.3 | 52 | 1 | 2 | 6 | 11 | 18 | 20 | 41 |
| 50-64 | 108 | 7.9 | 54 | 1 | 1 | 5 | 10 | 16 | 20 | 37 |
| 65+ | 72 | 9.7 | 76 | 1 | 2 | 7 | 13 | 21 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 6.1 | 22 | 2 | 2 | 5 | 7 | 13 | 15 | 27 |
| 20-34 | 140 | 6.2 | 16 | 2 | 2 | 5 | 8 | 12 | 16 | 18 |
| 35-49 | 136 | 6.4 | 23 | 2 | 2 | 5 | 8 | 11 | 16 | 29 |
| 50-64 | 176 | 8.8 | 61 | 2 | 3 | 7 | 11 | 18 | 25 | 46 |
| 65+ | 191 | 10.3 | 67 | 3 | 4 | 8 | 13 | 19 | 25 | 45 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 9.6 | 62 | 2 | 2 | 8 | 12 | 18 | 22 | 47 |
| 20-34 | 135 | 10.5 | 109 | 1 | 2 | 8 | 12 | 21 | 32 | 66 |
| 35-49 | 136 | 14.0 | 154 | 1 | 2 | 10 | 21 | 33 | 41 | 64 |
| 50-64 | 189 | 14.4 | 235 | 2 | 3 | 9 | 17 | 38 | 52 | 74 |
| 65+ | 165 | 17.5 | 245 | 3 | 3 | 13 | 23 | 41 | 49 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 507 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| *B. Operated* | 508 | 8.0 | 52 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 690 | 8.0 | 46 | 2 | 3 | 6 | 10 | 16 | 21 | 35 |
| *B. Operated* | 683 | 13.9 | 188 | 2 | 3 | 10 | 17 | 34 | 45 | 73 |
| **1. SINGLE DX** | 1015 | 7.1 | 38 | 1 | 2 | 5 | 9 | 14 | 19 | 32 |
| **2. MULTIPLE DX** | 1373 | 11.0 | 125 | 2 | 3 | 7 | 13 | 24 | 36 | 62 |
| **A. NOT OPERATED** | 1197 | 7.3 | 37 | 2 | 2 | 5 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 1191 | 11.4 | 138 | 1 | 2 | 8 | 14 | 25 | 39 | 64 |
| TOTAL 0-19 YRS | 262 | 6.9 | 33 | 1 | 2 | 6 | 9 | 13 | 16 | 29 |
| 20-34 | 571 | 7.2 | 49 | 1 | 2 | 5 | 9 | 14 | 17 | 36 |
| 35-49 | 484 | 9.1 | 77 | 2 | 2 | 6 | 11 | 20 | 27 | 49 |
| 50-64 | 570 | 10.1 | 119 | 2 | 2 | 7 | 12 | 22 | 31 | 60 |
| 65+ | 501 | 12.3 | 137 | 2 | 3 | 9 | 15 | 25 | 39 | 63 |
| **GRAND TOTAL** | 2388 | 9.3 | 92 | 2 | 2 | 6 | 11 | 19 | 27 | 52 |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.4 | 32 | 1 | 1 | 2 | 4 | 13 | 18 | 27 |
| 20-34 | 93 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 20 |
| 35-49 | 75 | 5.4 | 35 | 1 | 1 | 4 | 6 | 11 | 16 | 36 |
| 50-64 | 63 | 5.9 | 28 | 1 | 1 | 4 | 7 | 13 | 19 | 22 |
| 65+ | 73 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 16 | 23 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 3.4 | 17 | <1 | <1 | 2 | 4 | 10 | 12 | 20 |
| 20-34 | 186 | 4.9 | 26 | <1 | 1 | 3 | 7 | 9 | 12 | 30 |
| 35-49 | 160 | 5.6 | 30 | <1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 162 | 4.9 | 24 | <1 | <1 | 3 | 7 | 12 | 14 | 21 |
| 65+ | 152 | 5.8 | 44 | 1 | 1 | 3 | 7 | 13 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 3.2 | 9 | 1 | 1 | 2 | 4 | 5 | 8 | 20 |
| 20-34 | 166 | 4.3 | 16 | 1 | 1 | 3 | 6 | 10 | 11 | 22 |
| 35-49 | 151 | 5.6 | 38 | 1 | 1 | 4 | 7 | 11 | 16 | 31 |
| 50-64 | 191 | 5.5 | 23 | 1 | 1 | 4 | 8 | 12 | 15 | 22 |
| 65+ | 244 | 7.5 | 43 | 1 | 2 | 6 | 10 | 14 | 18 | 39 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 8.5 | 98 | 1 | 1 | 5 | 10 | 21 | 26 | 53 |
| 20-34 | 253 | 7.8 | 71 | 1 | 1 | 6 | 10 | 16 | 22 | 54 |
| 35-49 | 265 | 10.2 | 119 | 1 | 2 | 8 | 12 | 21 | 32 | 86 |
| 50-64 | 407 | 10.7 | 170 | 1 | 2 | 7 | 13 | 23 | 32 | 79 |
| 65+ | 495 | 12.8 | 200 | 1 | 2 | 8 | 17 | 28 | 43 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 343 | 5.1 | 25 | 1 | 1 | 3 | 6 | 10 | 16 | 24 |
| *B. Operated* | 731 | 5.1 | 30 | <1 | 1 | 3 | 7 | 11 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 815 | 5.7 | 31 | 1 | 1 | 4 | 8 | 12 | 15 | 28 |
| *B. Operated* | 1480 | 10.8 | 154 | 1 | 2 | 7 | 13 | 23 | 38 | 71 |
| **1. SINGLE DX** | 1074 | 5.1 | 28 | <1 | 1 | 3 | 7 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | 2295 | 9.0 | 116 | 1 | 1 | 6 | 11 | 19 | 28 | 64 |
| **A. NOT OPERATED** | 1156 | 5.5 | 29 | 1 | 1 | 4 | 7 | 12 | 15 | 25 |
| **B. OPERATED** | 2211 | 8.9 | 120 | 1 | 1 | 6 | 11 | 20 | 29 | 64 |
| TOTAL 0-19 YRS | 233 | 4.8 | 43 | <1 | 1 | 3 | 5 | 12 | 19 | 30 |
| 20-34 | 698 | 5.7 | 41 | 1 | 1 | 4 | 7 | 11 | 16 | 38 |
| 35-49 | 651 | 7.5 | 74 | 1 | 1 | 5 | 9 | 15 | 23 | 50 |
| 50-64 | 823 | 8.0 | 103 | 1 | 1 | 5 | 10 | 16 | 24 | 67 |
| 65+ | 964 | 9.6 | 132 | 1 | 2 | 6 | 12 | 22 | 32 | 63 |
| **GRAND TOTAL** | 3369 | 7.7 | 91 | 1 | 1 | 5 | 9 | 17 | 24 | 55 |

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.2 | 10 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 20-34 | 15 | 3.7 | 12 | 1 | 1 | 2 | 4 | 9 | 13 | 14 |
| 35-49 | 9 | 4.0 | 5 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 50-64 | 6 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 6 | 4.8 | 18 | 1 | 1 | 4 | 7 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 4 | 3.0 | 11 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.7 | 29 | <1 | <1 | 1 | 4 | 12 | 18 | 19 |
| 20-34 | 17 | 3.4 | 4 | 1 | 1 | 3 | 5 | 5 | 7 | 8 |
| 35-49 | 22 | 4.3 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 28 | 4.4 | 14 | 1 | 1 | 3 | 6 | 11 | 12 | 13 |
| 65+ | 39 | 4.7 | 20 | 1 | 1 | 4 | 6 | 10 | 16 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 6 | 11.8 | 29 | 2 | 3 | 12 | 16 | 17 | 17 | 17 |
| 35-49 | 11 | 10.6 | 70 | 2 | 3 | 8 | 14 | 25 | 27 | 27 |
| 50-64 | 9 | 6.3 | 20 | 1 | 1 | 9 | 11 | 56 | 99+ | 99+ |
| 65+ | 15 | 8.3 | 25 | 3 | 3 | 8 | 12 | 16 | 17 | 17 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 48 | 3.6 | 9 | 1 | 1 | 3 | 4 | 8 | 11 | 14 |
| B. *Operated* | 10 | 2.9 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 117 | 4.2 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| B. *Operated* | 42 | 9.1 | 37 | 2 | 2 | 9 | 13 | 17 | 25 | 99+ |
| 1. SINGLE DX | 58 | 3.5 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 14 |
| 2. MULTIPLE DX | 159 | 5.5 | 25 | 1 | 1 | 4 | 8 | 13 | 16 | 27 |
| A. NOT OPERATED | 165 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| B. OPERATED | 52 | 7.9 | 37 | 1 | 2 | 8 | 12 | 16 | 23 | 98 |
| TOTAL 0-19 YRS | 26 | 3.7 | 19 | <1 | 1 | 2 | 3 | 11 | 13 | 19 |
| 20-34 | 39 | 4.8 | 19 | 1 | 1 | 3 | 5 | 13 | 15 | 17 |
| 35-49 | 43 | 5.9 | 30 | 1 | 1 | 4 | 8 | 11 | 18 | 27 |
| 50-64 | 47 | 4.4 | 14 | 1 | 1 | 3 | 7 | 11 | 12 | 99+ |
| 65+ | 62 | 5.5 | 23 | 1 | 1 | 4 | 8 | 13 | 16 | 19 |
| GRAND TOTAL | 217 | 5.0 | 21 | 1 | 1 | 3 | 7 | 12 | 15 | 25 |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 3964 | 1.4 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 1749 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 50-64 | 14 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 25 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 35-49 | 23 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 6 | 7 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.6 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 1543 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 35-49 | 880 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 50-64 | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 13 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 5763 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 52 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| B. *Operated* | 2453 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 1. SINGLE DX | 5776 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 2. MULTIPLE DX | 2505 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| A. NOT OPERATED | 65 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| B. OPERATED | 8216 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| TOTAL 0-19 YRS | 60 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 9 |
| 20-34 | 5544 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 35-49 | 2656 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 18 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 65+ | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 8281 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |

## 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 1 | 91.0 | | 91 | 91 | 91 | 91 | 91 | 91 | 91 |
| 1000-1499 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1500-1749 | 4 | 17.3 | 30 | 12 | 12 | 16 | 21 | 25 | 25 | 25 |
| 1750-2499 | 2190 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 2500+ | 133227 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 5 | 10.0 | 34 | 3 | 3 | 12 | 14 | 17 | 17 | 17 |
| 2500+ | 55 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 11 | 55.3 | 1005 | 8 | 13 | 73 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 167 | 37.5 | 277 | 15 | 19 | 35 | 46 | 61 | 73 | 99 |
| 1500-1749 | 260 | 23.3 | 113 | 9 | 12 | 22 | 28 | 36 | 43 | 64 |
| 1750-2499 | 4666 | 6.5 | 34 | 1 | 2 | 5 | 8 | 14 | 18 | 27 |
| 2500+ | 52903 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 28 | 73.6 | 526 | 22 | 54 | 86 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 186 | 47.7 | 352 | 21 | 27 | 46 | 61 | 90 | 99+ | 99+ |
| 1500-1749 | 140 | 29.2 | 155 | 13 | 16 | 27 | 36 | 43 | 55 | 90 |
| 1750-2499 | 507 | 15.5 | 151 | 2 | 4 | 13 | 19 | 29 | 38 | 71 |
| 2500+ | 1391 | 7.3 | 63 | 1 | 2 | 5 | 8 | 14 | 21 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135423 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | 60 | 3.4 | 9 | 1 | 1 | 2 | 3 | 6 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58007 | 3.8 | 14 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| B. *Operated* | 2252 | 14.7 | 298 | 2 | 2 | 8 | 18 | 41 | 59 | 99+ |
| **1. SINGLE DX** | 135483 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 60259 | 4.2 | 29 | 1 | 2 | 3 | 5 | 6 | 9 | 29 |
| **A. NOT OPERATED** | 193430 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 5 | 10 |
| **B. OPERATED** | 2312 | 14.4 | 294 | 1 | 2 | 8 | 18 | 40 | 59 | 99+ |
| TOTAL 1-999 G | 40 | 69.0 | 702 | 13 | 30 | 85 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 354 | 42.8 | 343 | 18 | 22 | 40 | 56 | 77 | 96 | 99+ |
| 1500-1749 | 404 | 25.3 | 135 | 10 | 13 | 24 | 31 | 40 | 47 | 68 |
| 1750-2499 | 7368 | 6.0 | 42 | 1 | 2 | 4 | 7 | 18 | 18 | 31 |
| 2500+ | 187576 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **GRAND TOTAL** | 195742 | 2.9 | 11 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 2 | 26.0 | 32 | 22 | 22 | 26 | 30 | 30 | 30 | 30 |
| 1750-2499 | 281 | 3.9 | 5 | 2 | 2 | 4 | 5 | 6 | 6 | 13 |
| 2500+ | 1107 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1750-2499 | 3 | 7.7 | 5 | 5 | 5 | 9 | 9 | 9 | 9 | 9 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 2 | 47.0 | 512 | 31 | 31 | 47 | 63 | 63 | 63 | 63 |
| 1000-1499 | 37 | 36.8 | 191 | 17 | 21 | 35 | 43 | 53 | 71 | 72 |
| 1500-1749 | 103 | 22.9 | 62 | 12 | 15 | 22 | 27 | 33 | 39 | 50 |
| 1730-2499 | 779 | 7.7 | 36 | 2 | 3 | 6 | 10 | 15 | 19 | 30 |
| 2500+ | 731 | 4.7 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 19 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 11 | 77.1 | 215 | 46 | 55 | 83 | 90 | 99+ | 99+ | 99+ |
| 1000-1499 | 43 | 44.7 | 193 | 25 | 30 | 45 | 54 | 68 | 92 | 99+ |
| 1500-1749 | 37 | 32.5 | 243 | 14 | 17 | 28 | 37 | 55 | 56 | 92 |
| 1750-2499 | 66 | 18.3 | 225 | 3 | 3 | 16 | 21 | 34 | 42 | 86 |
| 2500+ | 30 | 7.9 | 29 | 3 | 3 | 6 | 8 | 17 | 17 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1390 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| B. *Operated* | 4 | 10.8 | 42 | 5 | 5 | 9 | 15 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1652 | 8.0 | 68 | 2 | 3 | 5 | 8 | 18 | 25 | 42 |
| B. *Operated* | 187 | 29.0 | 494 | 3 | 5 | 24 | 43 | 65 | 86 | 99+ |
| **1. SINGLE DX** | 1394 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1839 | 10.2 | 151 | 2 | 3 | 5 | 11 | 25 | 35 | 71 |
| **A. NOT OPERATED** | 3042 | 6.1 | 43 | 2 | 2 | 4 | 6 | 12 | 19 | 33 |
| **B. OPERATED** | 191 | 28.6 | 491 | 3 | 5 | 23 | 43 | 64 | 86 | 99+ |
| TOTAL 1-999 G | 13 | 72.5 | 350 | 34 | 44 | 81 | 88 | 99+ | 99+ | 99+ |
| 1000-1499 | 80 | 41.0 | 206 | 20 | 23 | 39 | 49 | 65 | 72 | 99+ |
| 1500-1749 | 143 | 25.4 | 125 | 13 | 15 | 23 | 30 | 37 | 47 | 58 |
| 1750-2499 | 1129 | 7.4 | 49 | 2 | 2 | 5 | 9 | 16 | 19 | 33 |
| 2500+ | 1868 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| **GRAND TOTAL** | 3233 | 7.4 | 98 | 2 | 2 | 4 | 6 | 16 | 27 | 55 |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

# *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 16 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 2500+ | 340 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 38.0 | | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 1500-1749 | 5 | 17.4 | 18 | 11 | 11 | 18 | 19 | 23 | 23 | 23 |
| 1750-2499 | 37 | 6.4 | 37 | <1 | 1 | 4 | 9 | 14 | 19 | 28 |
| 2500+ | 139 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 5 | 52.6 | 681 | 29 | 29 | 47 | 62 | 97 | 97 | 97 |
| 1500-1749 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 1750-2499 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 2500+ | 8 | 6.3 | 14 | 1 | 1 | 8 | 9 | 10 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 356 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 182 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| B. *Operated* | 16 | 21.5 | 667 | 1 | 2 | 9 | 34 | 50 | 83 | 97 |
| **1. SINGLE DX** | 356 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 198 | 5.8 | 95 | 1 | 1 | 3 | 5 | 11 | 19 | 49 |
| **A. NOT OPERATED** | 538 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| **B. OPERATED** | 16 | 21.5 | 667 | 1 | 2 | 9 | 34 | 50 | 83 | 97 |
| TOTAL 1-999 G | | | | | | | | | | |
| 1000-1499 | 6 | 50.2 | 581 | 29 | 30 | 43 | 50 | 92 | 97 | 97 |
| 1500-1749 | 6 | 17.7 | 15 | 11 | 12 | 18 | 19 | 23 | 23 | 23 |
| 1750-2499 | 55 | 5.3 | 28 | 1 | 1 | 3 | 7 | 12 | 16 | 28 |
| 2500+ | 487 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | **554** | **3.4** | **38** | **1** | **1** | **2** | **3** | **5** | **9** | **29** |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 24 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 35-49 | 10 | 3.7 | 18 | <1 | <1 | <1 | 8 | 10 | 12 | 12 |
| 50-64 | 6 | 2.0 | 4 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 65+ | 4 | 5.5 | 33 | 2 | 2 | 3 | 9 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 684 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 1212 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 504 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 340 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 275 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 50-64 | 11 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 7 |
| 65+ | 4 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 122 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| 20-34 | 215 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 35-49 | 124 | 3.2 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 50-64 | 123 | 5.1 | 32 | <1 | 1 | 3 | 6 | 11 | 15 | 33 |
| 65+ | 132 | 7.3 | 52 | 1 | 2 | 5 | 8 | 17 | 24 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 2.3 | 7 | <1 | <1 | <1 | 2 | 5 | 8 | 14 |
| B. *Operated* | 3015 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 716 | 4.2 | 22 | <1 | 1 | 3 | 5 | 9 | 12 | 26 |
| **1. SINGLE DX** | 3077 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 752 | 4.1 | 21 | <1 | 1 | 3 | 5 | 8 | 12 | 25 |
| **A. NOT OPERATED** | 98 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 13 |
| **B. OPERATED** | 3731 | 2.7 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| TOTAL 0-19 YRS | 830 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 1460 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 644 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 480 | 3.2 | 13 | <1 | <1 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 415 | 4.8 | 29 | <1 | 1 | 3 | 6 | 10 | 15 | 29 |
| **GRAND TOTAL** | **3829** | **2.7** | **8** | **<1** | **<1** | **2** | **3** | **5** | **7** | **13** |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 2.0 | 3 | <1 | <1 | <1 | 3 | 4 | 4 | 4 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 21 | 2.5 | 2 | 1 | 1 | 2 | 2 | 5 | 6 | 7 |
| 50-64 | 15 | 1.1 | | <1 | 1 | 1 | 1 | 1 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.6 | 7 | <1 | <1 | 1 | 3 | 7 | 9 | 9 |
| 20-34 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 8 | 5.5 | 48 | <1 | <1 | 4 | 13 | 68 | 99+ | 99+ |
| 50-64 | 20 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 65+ | 10 | 5.6 | 12 | <1 | 1 | 6 | 7 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 7 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 7 |
| B. *Operated* | 48 | 3.8 | 15 | <1 | <1 | 2 | 6 | 10 | 12 | 99+ |
| **1. SINGLE DX** | 7 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | 89 | 2.9 | 9 | <1 | <1 | 2 | 4 | 7 | 10 | 68 |
| **A. NOT OPERATED** | 41 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 7 |
| **B. OPERATED** | 55 | 3.5 | 13 | <1 | <1 | 2 | 5 | 9 | 11 | 95 |
| TOTAL 0-19 YRS | 13 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 9 |
| 20-34 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 32 | 3.2 | 14 | <1 | 1 | 2 | 4 | 8 | 19 | 99+ |
| 50-64 | 37 | 2.0 | 3 | <1 | <1 | 1 | 2 | 6 | 6 | 8 |
| 65+ | 11 | 5.3 | 12 | <1 | 1 | 6 | 7 | 11 | 11 | 11 |
| **GRAND TOTAL** | **96** | **2.8** | **9** | **<1** | **<1** | **2** | **3** | **6** | **10** | **63** |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 744 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| 20-34 | 1307 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 429 | 2.2 | 13 | <1 | <1 | 1 | 2 | 4 | 6 | 18 |
| 50-64 | 542 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 419 | 3.5 | 19 | <1 | <1 | 2 | 4 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 393 | 2.7 | 10 | <1 | <1 | 1 | 3 | 7 | 10 | 16 |
| 20-34 | 1320 | 3.0 | 12 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| 35-49 | 913 | 3.3 | 13 | <1 | <1 | 2 | 4 | 8 | 9 | 15 |
| 50-64 | 721 | 3.9 | 26 | <1 | 1 | 2 | 5 | 9 | 11 | 18 |
| 65+ | 606 | 4.1 | 25 | <1 | 1 | 2 | 6 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1079 | 3.4 | 25 | <1 | <1 | 2 | 4 | 6 | 11 | 28 |
| 20-34 | 1622 | 5.4 | 60 | <1 | 1 | 2 | 5 | 19 | 21 | 31 |
| 35-49 | 1722 | 5.6 | 59 | 1 | 1 | 2 | 5 | 19 | 21 | 31 |
| 50-64 | 3727 | 4.7 | 45 | 1 | 1 | 2 | 5 | 10 | 21 | 35 |
| 65+ | 3644 | 6.2 | 76 | 1 | 1 | 3 | 6 | 15 | 23 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 5.0 | 50 | <1 | 1 | 3 | 6 | 11 | 13 | 44 |
| 20-34 | 1231 | 4.3 | 43 | <1 | <1 | 2 | 5 | 9 | 13 | 42 |
| 35-49 | 1137 | 4.8 | 31 | <1 | 1 | 3 | 6 | 10 | 14 | 29 |
| 50-64 | 1624 | 5.9 | 60 | 1 | 1 | 3 | 7 | 12 | 18 | 42 |
| 65+ | 1439 | 7.2 | 83 | 1 | 1 | 4 | 9 | 15 | 23 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3441 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| B. *Operated* | 3953 | 3.4 | 17 | <1 | <1 | 2 | 4 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11794 | 5.3 | 58 | 1 | 1 | 3 | 5 | 14 | 21 | 38 |
| B. *Operated* | 5798 | 5.6 | 57 | <1 | 1 | 3 | 7 | 12 | 17 | 43 |
| **1. SINGLE DX** | 7394 | 2.8 | 13 | <1 | <1 | 2 | 3 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 17592 | 5.4 | 57 | <1 | 1 | 3 | 6 | 13 | 21 | 39 |
| **A. NOT OPERATED** | 15235 | 4.6 | 48 | <1 | 1 | 2 | 5 | 11 | 20 | 34 |
| **B. OPERATED** | 9751 | 4.7 | 42 | <1 | 1 | 2 | 6 | 10 | 14 | 34 |
| TOTAL 0-19 YRS | 2583 | 3.2 | 22 | <1 | <1 | 2 | 3 | 7 | 10 | 25 |
| 20-34 | 5480 | 3.7 | 33 | <1 | <1 | 2 | 4 | 8 | 16 | 26 |
| 35-49 | 4201 | 4.5 | 38 | <1 | 1 | 2 | 5 | 11 | 19 | 29 |
| 50-64 | 6614 | 4.7 | 44 | 1 | 1 | 2 | 5 | 10 | 18 | 35 |
| 65+ | 6108 | 6.1 | 69 | 1 | 1 | 3 | 7 | 14 | 22 | 46 |
| **GRAND TOTAL** | **24986** | **4.6** | **46** | **<1** | **1** | **2** | **5** | **11** | **19** | **34** |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer — *see Neoplasm, malignant* |
|  | Carcinoma — *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs – *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
|  | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
|  | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular — *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer — *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| | |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| | |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve — *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| | |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes — *see Diabetes mellitus* |
| | |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema. |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
|  | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
|  | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
|  | Paget's disease — *see Disease, Paget's* |
|  | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
|  | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
| | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
| | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
| | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
|  | Wound, open — *see Laceration* |
| 12 | Yellow fever |

R3850-1100W

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# OP LENGTH OF STAY BY OPERATION



## UNITED STATES WESTERN REGION



## 1981



# Length of Stay by Operation, Western Region, 1981

## A Companion Volume To Length of Stay by Diagnosis, Western Region, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . 1

Source of the Data. . . . . . . . . . . 1

Data Quality. . . . . . . . . . . 2

Coverage . . . . . . . . . . 3

Organization of Length of Stay Tables. . . . . . . . . . 5

Definition of Multiple Diagnosis Patients . . . . . . . . . . 5

Definition of Operated Patients . . . . . . . . . . 6

Explanation of Statistics. . . . . . . . . . 6

Defining the Extended Stay Case . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . 15

Summary of All Patients. . . . . . . . . . 16

Operation Groups 501-764 . . . . . . . . . . 17

**Appendix: *ICD-9-CM* Codes for Selected Operation Groups** . . . . . . . . . . 83

**Index to Length of Stay Tables** . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York.

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


West
North Central
Northeast
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South

** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1981

| Hospital Class (1) | Short-Term Nonfederal Hospitals U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | Beds U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
|---|---|---|---|---|---|---|
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one UHDDS Class 1 procedure. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

Operated patients are patients with an *ICD-9-CM* procedure code that fell into a UHDDS category containing at least one Class 1 procedure. Class 1 procedures are defined as those procedures that carry an operative or anesthetic risk, require highly trained personnel, or require special facilities or equipment. The following *ICD-9-CM List B* codes contain a mixture of Class 1 and 2-4 procedures: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in the *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the correct day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR] or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| *1. Diastolic BP > 110* | | | |
| *2. Not controlled by outpatient Rx* | | | |
| *3.* | | | |
| *4.* | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| Prostatic hyperplasia | 2 | | 235 |
| for: Cystoscopy | | | 636 |
| TUR | | | 648 |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| *1. Sepsis or fever > 102°, chills* | | | |
| *2. Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

### OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
|  | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
|  | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| **648** | **Transurethral approach** |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
|  | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** INDEX TO PROCEDURES

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasia** 96.22
- **Proctectomy** (partial) (*see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** (*see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

281 Hospitals, Western Region, 1981, by Operation

**SUMMARY OF ALL PATIENTS IN OPERATION GROUPS**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 91300 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 208409 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 70757 | 4.1 | 17 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 50-64 | 64218 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 62635 | 5.8 | 35 | 1 | 1 | 4 | 8 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 60631 | 4.9 | 61 | <1 | 1 | 3 | 5 | 10 | 16 | 45 |
| 20-34 | 150172 | 4.9 | 34 | 1 | 1 | 4 | 5 | 9 | 13 | 31 |
| 35-49 | 96581 | 6.5 | 49 | 1 | 1 | 5 | 8 | 12 | 18 | 37 |
| 50-64 | 129175 | 7.9 | 71 | 1 | 2 | 6 | 10 | 16 | 23 | 46 |
| 65+ | 204239 | 10.0 | 94 | 2 | 2 | 7 | 13 | 21 | 28 | 52 |
| **TOT. SINGLE DX** | 497319 | 3.7 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **" MULTIPLE DX** | 640798 | 7.4 | 70 | 1 | 2 | 5 | 9 | 16 | 22 | 45 |
| TOTAL 0-19 YRS | 151931 | 3.6 | 32 | <1 | 1 | 2 | 4 | 7 | 10 | 30 |
| 20-34 | 358581 | 3.8 | 20 | 1 | 1 | 3 | 4 | 7 | 9 | 22 |
| 35-49 | 167338 | 5.4 | 37 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 193393 | 6.9 | 57 | 1 | 1 | 5 | 9 | 14 | 20 | 40 |
| 65+ | 266874 | 9.0 | 83 | 1 | 2 | 6 | 12 | 19 | 26 | 49 |
| **GRAND TOTAL** | 1138117 | 5.7 | 50 | 1 | 1 | 4 | 7 | 12 | 18 | 36 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 9.8 | 47 | 1 | 2 | 9 | 13 | 18 | 23 | 33 |
| 20-34 | 158 | 8.7 | 89 | 1 | 1 | 7 | 12 | 19 | 24 | 53 |
| 35-49 | 128 | 12.3 | 103 | 3 | 5 | 10 | 14 | 21 | 24 | 57 |
| 50-64 | 179 | 12.7 | 112 | 1 | 2 | 11 | 16 | 21 | 34 | 63 |
| 65+ | 133 | 13.3 | 77 | 3 | 5 | 11 | 16 | 24 | 30 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 18.3 | 354 | 1 | 3 | 14 | 23 | 55 | 90 | 99+ |
| 20-34 | 118 | 22.9 | 399 | 4 | 7 | 16 | 29 | 62 | 93 | 99+ |
| 35-49 | 140 | 21.4 | 395 | 4 | 5 | 15 | 26 | 57 | 84 | 99+ |
| 50-64 | 274 | 22.3 | 268 | 5 | 8 | 17 | 31 | 48 | 67 | 99+ |
| 65+ | 323 | 25.0 | 316 | 7 | 9 | 19 | 33 | 53 | 73 | 99+ |
| TOT. SINGLE DX | 687 | 11.4 | 93 | 1 | 1 | 10 | 14 | 21 | 26 | 57 |
| " MULTIPLE DX | 965 | 22.7 | 332 | 4 | 7 | 17 | 30 | 53 | 76 | 99+ |
| TOTAL 0-19 YRS | 199 | 14.5 | 235 | 1 | 2 | 11 | 18 | 33 | 61 | 99+ |
| 20-34 | 276 | 14.8 | 271 | 1 | 1 | 11 | 18 | 35 | 58 | 99+ |
| 35-49 | 268 | 17.1 | 276 | 4 | 5 | 12 | 19 | 33 | 58 | 99+ |
| 50-64 | 453 | 18.5 | 229 | 2 | 6 | 14 | 23 | 43 | 60 | 99+ |
| 65+ | 456 | 21.6 | 275 | 6 | 8 | 17 | 27 | 48 | 67 | 99+ |
| GRAND TOTAL | 1652 | 18.0 | 263 | 1 | 4 | 13 | 23 | 42 | 62 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 9.6 | 86 | 3 | 3 | 7 | 9 | 21 | 27 | 55 |
| 20-34 | 62 | 10.0 | 26 | 4 | 4 | 9 | 13 | 17 | 21 | 25 |
| 35-49 | 65 | 13.4 | 144 | 4 | 5 | 10 | 16 | 26 | 31 | 80 |
| 50-64 | 88 | 15.1 | 173 | 4 | 7 | 12 | 16 | 27 | 41 | 82 |
| 65+ | 69 | 15.0 | 160 | 5 | 6 | 11 | 16 | 27 | 44 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 21.3 | 402 | 4 | 5 | 15 | 32 | 64 | 87 | 99+ |
| 20-34 | 119 | 23.0 | 448 | 5 | 6 | 15 | 33 | 63 | 91 | 99+ |
| 35-49 | 69 | 20.2 | 249 | 5 | 7 | 17 | 29 | 51 | 97 | 99+ |
| 50-64 | 132 | 23.6 | 347 | 7 | 8 | 17 | 33 | 54 | 78 | 99+ |
| 65+ | 174 | 23.4 | 339 | 6 | 7 | 19 | 29 | 59 | 79 | 99+ |
| TOT. SINGLE DX | 350 | 12.8 | 128 | 4 | 5 | 10 | 15 | 23 | 30 | 75 |
| " MULTIPLE DX | 587 | 22.6 | 361 | 5 | 7 | 17 | 31 | 58 | 82 | 99+ |
| TOTAL 0-19 YRS | 159 | 16.4 | 303 | 3 | 5 | 9 | 23 | 42 | 78 | 99+ |
| 20-34 | 181 | 18.6 | 341 | 4 | 6 | 12 | 23 | 42 | 81 | 99+ |
| 35-49 | 134 | 16.9 | 209 | 5 | 6 | 12 | 24 | 39 | 65 | 99+ |
| 50-64 | 220 | 20.2 | 294 | 6 | 7 | 14 | 24 | 45 | 70 | 99+ |
| 65+ | 243 | 21.0 | 302 | 6 | 7 | 16 | 26 | 49 | 72 | 99+ |
| GRAND TOTAL | 937 | 19.0 | 296 | 4 | 6 | 13 | 24 | 45 | 73 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 5.4 | 38 | 2 | 2 | 4 | 6 | 8 | 10 | 32 |
| 20-34 | 79 | 5.6 | 6 | 2 | 3 | 5 | 7 | 8 | 11 | 13 |
| 35-49 | 33 | 5.9 | 18 | 2 | 3 | 5 | 7 | 11 | 15 | 22 |
| 50-64 | 20 | 10.4 | 104 | 3 | 4 | 8 | 12 | 14 | 33 | 51 |
| 65+ | 8 | 6.8 | 2 | 4 | 4 | 7 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 9.6 | 115 | 3 | 3 | 7 | 10 | 21 | 28 | 82 |
| 20-34 | 86 | 10.1 | 90 | 2 | 3 | 7 | 11 | 19 | 32 | 49 |
| 35-49 | 38 | 13.2 | 270 | 2 | 3 | 6 | 15 | 42 | 65 | 99+ |
| 50-64 | 35 | 10.1 | 133 | 2 | 3 | 6 | 10 | 37 | 40 | 44 |
| 65+ | 14 | 17.1 | 346 | 3 | 4 | 9 | 15 | 43 | 62 | 67 |
| TOT. SINGLE DX | 252 | 6.0 | 31 | 2 | 3 | 5 | 7 | 10 | 12 | 22 |
| " MULTIPLE DX | 284 | 10.6 | 143 | 2 | 3 | 7 | 11 | 24 | 40 | 77 |
| TOTAL 0-19 YRS | 223 | 7.5 | 81 | 2 | 3 | 5 | 8 | 12 | 21 | 67 |
| 20-34 | 165 | 7.9 | 55 | 2 | 3 | 6 | 9 | 14 | 20 | 42 |
| 35-49 | 71 | 9.8 | 165 | 2 | 3 | 5 | 10 | 25 | 44 | 96 |
| 50-64 | 55 | 10.2 | 120 | 2 | 3 | 7 | 11 | 16 | 40 | 51 |
| 65+ | 22 | 13.3 | 241 | 3 | 4 | 8 | 13 | 39 | 51 | 67 |
| GRAND TOTAL | 536 | 8.4 | 96 | 2 | 3 | 6 | 8 | 14 | 29 | 66 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 7.0 | 20 | 2 | 3 | 6 | 8 | 11 | 16 | 30 |
| 20-34 | 16 | 10.1 | 47 | 4 | 4 | 9 | 10 | 16 | 28 | 33 |
| 35-49 | 11 | 7.3 | 6 | 5 | 5 | 7 | 9 | 11 | 13 | 13 |
| 50-64 | 21 | 12.9 | 228 | 3 | 5 | 9 | 14 | 20 | 47 | 75 |
| 65+ | 47 | 17.3 | 153 | 5 | 7 | 13 | 23 | 35 | 49 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 17.7 | 441 | 3 | 4 | 9 | 20 | 39 | 79 | 93 |
| 20-34 | 27 | 13.7 | 294 | 4 | 5 | 9 | 17 | 29 | 94 | 99+ |
| 35-49 | 25 | 18.1 | 396 | 4 | 5 | 10 | 20 | 55 | 85 | 99+ |
| 50-64 | 52 | 26.5 | 469 | 5 | 6 | 23 | 41 | 74 | 97 | 99+ |
| 65+ | 134 | 27.4 | 278 | 8 | 9 | 24 | 36 | 50 | 65 | 75 |
| TOT. SINGLE DX | 146 | 11.5 | 112 | 3 | 4 | 8 | 13 | 24 | 33 | 51 |
| " MULTIPLE DX | 327 | 22.8 | 385 | 4 | 6 | 16 | 33 | 52 | 73 | 99+ |
| TOTAL 0-19 YRS | 140 | 13.8 | 313 | 3 | 4 | 8 | 13 | 31 | 54 | 90 |
| 20-34 | 43 | 12.3 | 202 | 4 | 5 | 9 | 13 | 20 | 52 | 99+ |
| 35-49 | 36 | 14.8 | 299 | 4 | 5 | 8 | 15 | 48 | 72 | 99+ |
| 50-64 | 73 | 22.6 | 434 | 4 | 6 | 14 | 39 | 62 | 90 | 99+ |
| 65+ | 181 | 24.8 | 264 | 7 | 8 | 22 | 34 | 49 | 61 | 71 |
| GRAND TOTAL | 473 | 19.3 | 327 | 4 | 5 | 12 | 27 | 46 | 64 | 98 |

### 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 116 | 7.1 | 45 | 2 | 2 | 5 | 8 | 15 | 23 | 36 |
| 20-34 | 51 | 11.5 | 112 | 1 | 2 | 8 | 13 | 25 | 31 | 59 |
| 35-49 | 22 | 10.6 | 144 | 1 | 2 | 6 | 14 | 30 | 38 | 48 |
| 50-64 | 16 | 10.1 | 48 | 2 | 3 | 8 | 14 | 20 | 25 | 27 |
| 65+ | 16 | 13.4 | 127 | 3 | 3 | 9 | 19 | 29 | 39 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 184 | 11.7 | 197 | 2 | 3 | 7 | 14 | 24 | 41 | 88 |
| 20-34 | 78 | 21.2 | 407 | 2 | 3 | 15 | 29 | 48 | 76 | 98 |
| 35-49 | 58 | 17.2 | 272 | 3 | 4 | 11 | 22 | 38 | 55 | 82 |
| 50-64 | 63 | 20.5 | 287 | 3 | 5 | 15 | 26 | 40 | 55 | 83 |
| 65+ | 69 | 20.1 | 220 | 3 | 4 | 17 | 31 | 45 | 49 | 91 |
| TOT. SINGLE DX | 221 | 9.1 | 80 | 2 | 2 | 6 | 11 | 21 | 29 | 44 |
| " MULTIPLE DX | 452 | 16.5 | 275 | 2 | 3 | 11 | 22 | 40 | 53 | 90 |
| TOTAL 0-19 YRS | 300 | 9.9 | 143 | 2 | 3 | 6 | 11 | 21 | 33 | 80 |
| 20-34 | 129 | 17.3 | 312 | 2 | 3 | 11 | 24 | 43 | 59 | 94 |
| 35-49 | 80 | 15.4 | 244 | 2 | 3 | 10 | 19 | 30 | 47 | 80 |
| 50-64 | 79 | 18.4 | 255 | 3 | 4 | 14 | 25 | 39 | 52 | 81 |
| 65+ | 85 | 18.8 | 208 | 3 | 4 | 15 | 30 | 43 | 49 | 84 |
| GRAND TOTAL | 673 | 14.1 | 223 | 2 | 3 | 8 | 18 | 33 | 47 | 83 |

### 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 12.5 | 154 | 4 | 5 | 9 | 15 | 39 | 80 | 99+ |
| 20-34 | 215 | 9.9 | 33 | 4 | 5 | 9 | 12 | 17 | 22 | 30 |
| 35-49 | 337 | 10.0 | 30 | 4 | 5 | 9 | 12 | 17 | 20 | 30 |
| 50-64 | 369 | 10.0 | 29 | 4 | 5 | 9 | 12 | 17 | 21 | 30 |
| 65+ | 232 | 12.8 | 64 | 5 | 6 | 11 | 15 | 21 | 28 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 35 | 17.9 | 175 | 5 | 6 | 15 | 20 | 36 | 44 | 67 |
| 20-34 | 168 | 13.0 | 105 | 5 | 6 | 10 | 14 | 24 | 32 | 52 |
| 35-49 | 368 | 14.1 | 162 | 5 | 5 | 10 | 16 | 25 | 33 | 78 |
| 50-64 | 520 | 14.7 | 132 | 6 | 7 | 11 | 16 | 27 | 37 | 71 |
| 65+ | 488 | 18.3 | 149 | 7 | 8 | 15 | 23 | 34 | 44 | 75 |
| TOT. SINGLE DX | 1172 | 10.6 | 41 | 4 | 5 | 9 | 12 | 18 | 22 | 39 |
| " MULTIPLE DX | 1579 | 15.6 | 146 | 5 | 6 | 12 | 18 | 29 | 40 | 74 |
| TOTAL 0-19 YRS | 54 | 16.0 | 172 | 5 | 6 | 13 | 18 | 36 | 57 | 98 |
| 20-34 | 383 | 11.3 | 67 | 4 | 5 | 9 | 13 | 19 | 27 | 44 |
| 35-49 | 705 | 12.1 | 104 | 4 | 5 | 9 | 14 | 20 | 27 | 61 |
| 50-64 | 889 | 12.7 | 95 | 5 | 6 | 10 | 14 | 21 | 29 | 57 |
| 65+ | 720 | 16.5 | 128 | 6 | 7 | 13 | 21 | 31 | 41 | 69 |
| GRAND TOTAL | 2751 | 13.4 | 107 | 5 | 6 | 10 | 16 | 25 | 33 | 62 |

### 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 14.0 | 256 | 2 | 3 | 8 | 16 | 31 | 40 | 85 |
| 20-34 | 96 | 8.5 | 90 | 1 | 1 | 5 | 10 | 22 | 32 | 45 |
| 35-49 | 101 | 7.0 | 61 | 1 | 1 | 4 | 9 | 15 | 17 | 45 |
| 50-64 | 86 | 6.6 | 54 | 1 | 1 | 4 | 9 | 15 | 23 | 39 |
| 65+ | 44 | 9.5 | 70 | 1 | 1 | 8 | 12 | 24 | 29 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 14.3 | 93 | 3 | 5 | 12 | 18 | 29 | 34 | 46 |
| 20-34 | 111 | 16.0 | 282 | 1 | 2 | 10 | 21 | 40 | 52 | 80 |
| 35-49 | 88 | 12.8 | 249 | 1 | 2 | 8 | 15 | 30 | 55 | 98 |
| 50-64 | 118 | 16.0 | 248 | 2 | 3 | 12 | 19 | 39 | 57 | 88 |
| 65+ | 74 | 19.6 | 323 | 2 | 5 | 13 | 23 | 43 | 56 | 83 |
| TOT. SINGLE DX | 360 | 8.2 | 90 | 1 | 1 | 5 | 10 | 18 | 28 | 45 |
| " MULTIPLE DX | 458 | 15.7 | 249 | 2 | 3 | 11 | 19 | 36 | 52 | 84 |
| TOTAL 0-19 YRS | 100 | 14.2 | 145 | 3 | 4 | 11 | 18 | 30 | 35 | 66 |
| 20-34 | 207 | 12.5 | 206 | 1 | 2 | 8 | 15 | 33 | 43 | 67 |
| 35-49 | 189 | 9.7 | 157 | 1 | 1 | 6 | 12 | 19 | 32 | 86 |
| 50-64 | 204 | 12.0 | 188 | 1 | 2 | 8 | 15 | 27 | 44 | 77 |
| 65+ | 118 | 15.8 | 252 | 2 | 2 | 11 | 19 | 36 | 50 | 81 |
| GRAND TOTAL | 818 | 12.4 | 192 | 1 | 2 | 8 | 15 | 29 | 42 | 78 |

### 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 10 |
| 20-34 | 285 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| 35-49 | 347 | 3.2 | 11 | <1 | <1 | 2 | 3 | 7 | 9 | 24 |
| 50-64 | 355 | 3.1 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| 65+ | 140 | 3.4 | 10 | <1 | 1 | 2 | 4 | 8 | 9 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 4.7 | 17 | <1 | 1 | 4 | 6 | 9 | 17 | 18 |
| 20-34 | 150 | 5.3 | 35 | <1 | 1 | 3 | 6 | 12 | 17 | 30 |
| 35-49 | 179 | 6.2 | 48 | 1 | 1 | 3 | 9 | 14 | 19 | 51 |
| 50-64 | 250 | 6.4 | 33 | <1 | 1 | 4 | 9 | 15 | 17 | 28 |
| 65+ | 158 | 7.5 | 57 | 2 | 2 | 4 | 9 | 16 | 24 | 38 |
| TOT. SINGLE DX | 1173 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 14 |
| " MULTIPLE DX | 770 | 6.3 | 42 | 1 | 1 | 4 | 8 | 14 | 20 | 32 |
| TOTAL 0-19 YRS | 79 | 3.4 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 20-34 | 435 | 3.6 | 18 | <1 | <1 | 2 | 4 | 8 | 11 | 25 |
| 35-49 | 526 | 4.2 | 26 | <1 | 1 | 2 | 5 | 10 | 14 | 27 |
| 50-64 | 605 | 4.5 | 21 | <1 | 1 | 3 | 5 | 10 | 14 | 23 |
| 65+ | 298 | 5.6 | 40 | <1 | 1 | 3 | 7 | 12 | 20 | 35 |
| GRAND TOTAL | 1943 | 4.3 | 24 | <1 | 1 | 3 | 5 | 10 | 14 | 26 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 175 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 1060 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 1113 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 1097 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 582 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 2.4 | 5 | 1 | 1 | 2 | 2 | 4 | 6 | 14 |
| 20-34 | 538 | 3.1 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 35-49 | 535 | 3.5 | 16 | <1 | 1 | 2 | 4 | 6 | 10 | 24 |
| 50-64 | 656 | 3.6 | 24 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| 65+ | 446 | 4.3 | 26 | 1 | 1 | 3 | 4 | 10 | 13 | 30 |
| TOT. SINGLE DX | 4027 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 2331 | 3.5 | 19 | <1 | 1 | 2 | 4 | 7 | 11 | 22 |
| TOTAL 0-19 YRS | 331 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 20-34 | 1598 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 1648 | 2.6 | 8 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 50-64 | 1753 | 2.8 | 12 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 65+ | 1028 | 3.2 | 14 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |
| GRAND TOTAL | 6358 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.6 | 15 | 2 | 2 | 7 | 9 | 12 | 12 | 12 |
| 20-34 | 32 | 5.2 | 9 | 1 | 2 | 5 | 6 | 9 | 12 | 16 |
| 35-49 | 24 | 7.0 | 56 | 1 | 2 | 5 | 8 | 12 | 23 | 38 |
| 50-64 | 28 | 7.7 | 38 | 2 | 3 | 6 | 10 | 15 | 20 | 30 |
| 65+ | 25 | 8.0 | 15 | 3 | 4 | 7 | 10 | 15 | 16 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 9.3 | 110 | 4 | 4 | 4 | 15 | 25 | 25 | 25 |
| 20-34 | 42 | 6.0 | 5 | 2 | 3 | 6 | 7 | 9 | 10 | 13 |
| 35-49 | 32 | 13.1 | 136 | 4 | 5 | 10 | 16 | 22 | 23 | 68 |
| 50-64 | 60 | 11.8 | 116 | 2 | 4 | 9 | 13 | 23 | 37 | 59 |
| 65+ | 123 | 15.3 | 155 | 5 | 6 | 11 | 17 | 29 | 43 | 68 |
| TOT. SINGLE DX | 114 | 6.9 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 33 |
| " MULTIPLE DX | 261 | 12.6 | 129 | 4 | 4 | 9 | 15 | 24 | 34 | 64 |
| TOTAL 0-19 YRS | 9 | 7.8 | 51 | 2 | 3 | 4 | 9 | 20 | 25 | 25 |
| 20-34 | 74 | 5.6 | 7 | 1 | 3 | 5 | 6 | 9 | 12 | 15 |
| 35-49 | 56 | 10.5 | 110 | 2 | 3 | 7 | 12 | 22 | 23 | 66 |
| 50-64 | 88 | 10.5 | 95 | 2 | 3 | 8 | 12 | 20 | 31 | 55 |
| 65+ | 148 | 14.1 | 139 | 5 | 6 | 10 | 16 | 27 | 36 | 65 |
| GRAND TOTAL | 375 | 10.9 | 105 | 3 | 4 | 8 | 12 | 21 | 29 | 60 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 54 | <1 | <1 | 1 | 7 | 18 | 18 | 18 |
| 20-34 | 17 | 5.1 | 22 | 1 | 1 | 3 | 7 | 11 | 17 | 19 |
| 35-49 | 22 | 6.0 | 19 | 1 | 1 | 5 | 10 | 12 | 14 | 15 |
| 50-64 | 21 | 6.9 | 31 | 1 | 2 | 6 | 8 | 15 | 20 | 24 |
| 65+ | 9 | 4.1 | 15 | 1 | 1 | 2 | 5 | 11 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 8 | 1 | 1 | 1 | 5 | 6 | 6 | 6 |
| 20-34 | 18 | 6.4 | 48 | <1 | 1 | 3 | 9 | 20 | 21 | 21 |
| 35-49 | 26 | 8.5 | 182 | 1 | 1 | 4 | 9 | 23 | 35 | 66 |
| 50-64 | 32 | 9.3 | 256 | 1 | 1 | 5 | 9 | 16 | 41 | 86 |
| 65+ | 39 | 11.7 | 132 | 1 | 2 | 10 | 15 | 24 | 27 | 65 |
| TOT. SINGLE DX | 74 | 5.7 | 25 | 1 | 1 | 4 | 8 | 13 | 16 | 23 |
| " MULTIPLE DX | 118 | 9.3 | 161 | 1 | 1 | 5 | 10 | 22 | 26 | 72 |
| TOTAL 0-19 YRS | 8 | 4.1 | 35 | <1 | <1 | 1 | 5 | 14 | 18 | 18 |
| 20-34 | 35 | 5.8 | 35 | 1 | 1 | 3 | 7 | 18 | 20 | 21 |
| 35-49 | 48 | 7.4 | 107 | 1 | 1 | 4 | 10 | 14 | 24 | 66 |
| 50-64 | 53 | 8.4 | 166 | 1 | 1 | 5 | 8 | 15 | 23 | 85 |
| 65+ | 48 | 10.3 | 119 | 1 | 1 | 8 | 14 | 24 | 26 | 65 |
| GRAND TOTAL | 192 | 7.9 | 111 | 1 | 1 | 5 | 10 | 17 | 24 | 66 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 75 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 572 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| 35-49 | 534 | 3.7 | 1 | 2 | 2 | 4 | 4 | 5 | 6 | 9 |
| 50-64 | 463 | 4.0 | 2 | 2 | 3 | 4 | 4 | 5 | 6 | 11 |
| 65+ | 199 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 4.8 | 3 | 2 | 3 | 5 | 5 | 7 | 9 | 10 |
| 20-34 | 267 | 5.1 | 18 | 2 | 3 | 4 | 5 | 9 | 11 | 29 |
| 35-49 | 316 | 4.6 | 7 | 2 | 3 | 4 | 5 | 6 | 8 | 18 |
| 50-64 | 289 | 5.1 | 12 | 3 | 3 | 4 | 5 | 8 | 11 | 19 |
| 65+ | 222 | 7.2 | 53 | 3 | 3 | 5 | 8 | 11 | 19 | 46 |
| TOT. SINGLE DX | 1643 | 3.8 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| " MULTIPLE DX | 1130 | 5.4 | 21 | 2 | 3 | 4 | 5 | 8 | 11 | 30 |
| TOTAL 0-19 YRS | 111 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 839 | 4.2 | 8 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 35-49 | 850 | 4.0 | 4 | 2 | 3 | 4 | 4 | 6 | 7 | 14 |
| 50-64 | 752 | 4.4 | 7 | 3 | 3 | 4 | 5 | 6 | 8 | 16 |
| 65+ | 421 | 5.9 | 31 | 3 | 3 | 4 | 6 | 10 | 12 | 35 |
| GRAND TOTAL | 2973 | 4.4 | 10 | 2 | 3 | 4 | 5 | 6 | 8 | 17 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 119 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 97 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 11 |
| 50-64 | 85 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 47 | 5.3 | 15 | 1 | 2 | 5 | 6 | 8 | 14 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 4.7 | 74 | <1 | <1 | 3 | 5 | 6 | 13 | 47 |
| 20-34 | 62 | 6.4 | 33 | 2 | 3 | 5 | 8 | 10 | 15 | 37 |
| 35-49 | 76 | 6.4 | 29 | 2 | 3 | 5 | 7 | 13 | 24 | 81 |
| 50-64 | 129 | 6.2 | 40 | 2 | 3 | 5 | 6 | 11 | 15 | 38 |
| 65+ | 108 | 8.9 | 71 | 2 | 3 | 6 | 10 | 17 | 28 | 45 |
| TOT. SINGLE DX | 490 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| " MULTIPLE DX | 402 | 6.9 | 49 | 2 | 2 | 5 | 8 | 13 | 20 | 45 |
| TOTAL 0-19 YRS | 169 | 2.6 | 14 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 181 | 3.8 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 35-49 | 173 | 4.6 | 17 | 1 | 2 | 4 | 5 | 8 | 12 | 29 |
| 50-64 | 214 | 5.2 | 27 | 1 | 2 | 4 | 6 | 8 | 11 | 23 |
| 65+ | 155 | 7.8 | 57 | 2 | 3 | 5 | 9 | 15 | 24 | 44 |
| GRAND TOTAL | 892 | 4.7 | 28 | 1 | 1 | 4 | 5 | 8 | 13 | 31 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.8 | 2 | 5 | 5 | 7 | 7 | 9 | 10 | 10 |
| 20-34 | 57 | 8.2 | 11 | 5 | 5 | 7 | 9 | 14 | 15 | 20 |
| 35-49 | 31 | 8.2 | 14 | 3 | 5 | 8 | 10 | 11 | 12 | 23 |
| 50-64 | 36 | 9.9 | 11 | 5 | 6 | 9 | 13 | 15 | 15 | 15 |
| 65+ | 16 | 11.8 | 25 | 4 | 6 | 11 | 14 | 20 | 21 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 11.9 | 62 | 4 | 5 | 8 | 17 | 22 | 29 | 32 |
| 20-34 | 49 | 12.0 | 98 | 4 | 4 | 9 | 14 | 23 | 32 | 57 |
| 35-49 | 42 | 12.9 | 49 | 4 | 5 | 11 | 17 | 21 | 25 | 39 |
| 50-64 | 76 | 17.3 | 237 | 6 | 7 | 13 | 19 | 29 | 45 | 85 |
| 65+ | 40 | 16.2 | 103 | 7 | 7 | 14 | 18 | 25 | 45 | 50 |
| TOT. SINGLE DX | 154 | 8.8 | 14 | 5 | 5 | 8 | 11 | 14 | 15 | 22 |
| " MULTIPLE DX | 223 | 14.7 | 139 | 5 | 6 | 11 | 17 | 24 | 33 | 77 |
| TOTAL 0-19 YRS | 30 | 9.5 | 40 | 5 | 5 | 7 | 10 | 18 | 22 | 32 |
| 20-34 | 106 | 9.9 | 55 | 4 | 5 | 8 | 11 | 16 | 22 | 46 |
| 35-49 | 73 | 10.9 | 29 | 4 | 5 | 9 | 12 | 20 | 23 | 36 |
| 50-64 | 112 | 14.9 | 176 | 6 | 6 | 11 | 16 | 24 | 32 | 85 |
| 65+ | 56 | 14.9 | 84 | 6 | 7 | 13 | 17 | 22 | 39 | 50 |
| GRAND TOTAL | 377 | 12.3 | 96 | 5 | 6 | 10 | 14 | 21 | 27 | 55 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 20-34 | 20 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 35-49 | 31 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 48 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 65+ | 72 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 7 | 8 |
| 20-34 | 12 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 35-49 | 15 | 2.0 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 9 |
| 50-64 | 38 | 4.6 | 43 | <1 | <1 | 2 | 4 | 16 | 22 | 28 |
| 65+ | 79 | 5.9 | 81 | <1 | <1 | 2 | 7 | 12 | 21 | 55 |
| TOT. SINGLE DX | 282 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| " MULTIPLE DX | 163 | 4.9 | 53 | <1 | <1 | 2 | 5 | 9 | 19 | 38 |
| TOTAL 0-19 YRS | 130 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| 20-34 | 32 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 35-49 | 46 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 50-64 | 86 | 3.0 | 22 | <1 | <1 | 2 | 3 | 5 | 11 | 26 |
| 65+ | 151 | 3.9 | 47 | <1 | <1 | 2 | 4 | 8 | 12 | 59 |
| GRAND TOTAL | 445 | 2.6 | 22 | <1 | <1 | 1 | 2 | 5 | 8 | 23 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 67 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| 35-49 | 63 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 3 | 15 |
| 50-64 | 189 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 65+ | 261 | 1.7 | | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 166 | 3.4 | 30 | <1 | <1 | 2 | 3 | 7 | 13 | 25 |
| 20-34 | 198 | 4.1 | 47 | 1 | 1 | 2 | 5 | 7 | 12 | 45 |
| 35-49 | 146 | 3.6 | 34 | <1 | <1 | 2 | 3 | 7 | 20 | 25 |
| 50-64 | 189 | 3.3 | 32 | <1 | <1 | 2 | 3 | 6 | 10 | 25 |
| 65+ | 306 | 4.8 | 62 | <1 | 1 | 2 | 5 | 11 | 18 | 37 |
| TOT. SINGLE DX | 757 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 1005 | 4.0 | 44 | <1 | 1 | 2 | 4 | 8 | 14 | 35 |
| TOTAL 0-19 YRS | 343 | 2.5 | 16 | <1 | <1 | 1 | 2 | 5 | 7 | 21 |
| 20-34 | 265 | 3.5 | 37 | <1 | 1 | 2 | 4 | 6 | 9 | 35 |
| 35-49 | 209 | 3.1 | 26 | <1 | <1 | 2 | 3 | 6 | 11 | 24 |
| 50-64 | 378 | 2.5 | 17 | <1 | <1 | 2 | 2 | 4 | 6 | 19 |
| 65+ | 567 | 3.4 | 36 | <1 | <1 | 2 | 3 | 6 | 11 | 33 |
| GRAND TOTAL | 1762 | 3.0 | 27 | <1 | <1 | 2 | 3 | 5 | 9 | 26 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 20-34 | 36 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 34 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 56 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 65+ | 70 | 3.2 | 29 | 1 | 1 | 2 | 3 | 4 | 5 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 27 | 2.7 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 19 | 2.2 | | <1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 38 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 82 | 3.4 | 8 | 1 | 1 | 2 | 3 | 7 | 10 | 15 |
| TOT. SINGLE DX | 249 | 2.4 | 9 | <1 | 1 | 2 | 3 | 3 | 4 | 9 |
| " MULTIPLE DX | 190 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-19 YRS | 77 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 63 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 53 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 4 |
| 50-64 | 94 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 65+ | 152 | 3.3 | 18 | 1 | 1 | 2 | 3 | 6 | 9 | 15 |
| GRAND TOTAL | 439 | 2.6 | 8 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 20-34 | 14 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 4 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 50-64 | 14 | 2.1 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 65+ | 12 | 3.3 | 7 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 2.4 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 9 | 6.1 | 38 | <1 | <1 | 4 | 7 | 17 | 20 | 20 |
| 35-49 | 4 | 2.5 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 50-64 | 10 | 3.5 | 8 | <1 | <1 | 3 | 4 | 8 | 10 | 10 |
| 65+ | 18 | 4.7 | 41 | 1 | 1 | 2 | 4 | 14 | 22 | 28 |
| TOT. SINGLE DX | 63 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| " MULTIPLE DX | 52 | 4.1 | 24 | <1 | 1 | 2 | 5 | 8 | 16 | 26 |
| TOTAL 0-19 YRS | 30 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 20-34 | 23 | 3.3 | 20 | <1 | <1 | 2 | 4 | 7 | 15 | 20 |
| 35-49 | 8 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 24 | 2.7 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| 65+ | 30 | 4.2 | 28 | 1 | 1 | 2 | 4 | 8 | 17 | 28 |
| GRAND TOTAL | 115 | 2.9 | 13 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| 20-34 | 67 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 40 | 3.4 | 2 | 1 | 1 | 3 | 5 | 5 | 5 | 7 |
| 50-64 | 59 | 3.7 | 4 | 1 | 2 | 4 | 5 | 5 | 5 | 15 |
| 65+ | 133 | 3.7 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 4.9 | 16 | 1 | 1 | 4 | 5 | 14 | 14 | 14 |
| 20-34 | 30 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 6 | 17 |
| 35-49 | 33 | 5.1 | 22 | 2 | 2 | 4 | 5 | 10 | 13 | 27 |
| 50-64 | 78 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 65+ | 261 | 4.7 | 20 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| TOT. SINGLE DX | 321 | 3.6 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 15 |
| " MULTIPLE DX | 416 | 4.6 | 17 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| TOTAL 0-19 YRS | 36 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 14 | 14 |
| 20-34 | 97 | 3.7 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 35-49 | 73 | 4.1 | 12 | 1 | 2 | 4 | 5 | 6 | 10 | 24 |
| 50-64 | 137 | 4.0 | 4 | 2 | 2 | 4 | 5 | 5 | 6 | 13 |
| 65+ | 394 | 4.4 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| GRAND TOTAL | 737 | 4.2 | 12 | 1 | 2 | 4 | 5 | 6 | 8 | 15 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 90 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 110 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 81 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 69 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 65+ | 64 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 5.3 | 63 | 1 | 2 | 3 | 5 | 9 | 12 | 56 |
| 20-34 | 67 | 5.0 | 57 | 1 | 2 | 3 | 5 | 9 | 15 | 50 |
| 35-49 | 29 | 4.6 | 9 | 1 | 1 | 4 | 7 | 9 | 10 | 12 |
| 50-64 | 44 | 3.3 | 8 | <1 | <1 | 2 | 4 | 6 | 10 | 14 |
| 65+ | 86 | 3.7 | 13 | 1 | 1 | 2 | 4 | 9 | 13 | 18 |
| TOT. SINGLE DX | 414 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| " MULTIPLE DX | 289 | 4.4 | 34 | 1 | 1 | 3 | 5 | 9 | 12 | 27 |
| TOTAL 0-19 YRS | 153 | 3.8 | 30 | 1 | 1 | 3 | 4 | 6 | 9 | 22 |
| 20-34 | 177 | 3.0 | 25 | <1 | <1 | 2 | 3 | 5 | 8 | 27 |
| 35-49 | 110 | 2.5 | 5 | <1 | <1 | 1 | 3 | 6 | 8 | 11 |
| 50-64 | 113 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 65+ | 180 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 11 | 15 |
| GRAND TOTAL | 703 | 3.0 | 16 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 76 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 20-34 | 49 | 3.0 | 2 | 1 | 1 | 3 | 3 | 6 | 7 | 9 |
| 35-49 | 47 | 3.2 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 50-64 | 152 | 3.3 | 8 | 1 | 2 | 3 | 3 | 6 | 9 | 20 |
| 65+ | 335 | 2.8 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 3.6 | 12 | 1 | 2 | 3 | 3 | 5 | 14 | 16 |
| 20-34 | 32 | 4.5 | 18 | 1 | 1 | 3 | 5 | 7 | 18 | 20 |
| 35-49 | 35 | 3.5 | 18 | <1 | 1 | 3 | 3 | 4 | 10 | 26 |
| 50-64 | 104 | 4.1 | 40 | 1 | 2 | 2 | 4 | 7 | 11 | 40 |
| 65+ | 252 | 4.3 | 19 | 1 | 2 | 3 | 5 | 8 | 13 | 24 |
| TOT. SINGLE DX | 659 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| " MULTIPLE DX | 447 | 4.2 | 24 | 1 | 2 | 3 | 4 | 7 | 13 | 26 |
| TOTAL 0-19 YRS | 100 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 20-34 | 81 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 20 |
| 35-49 | 82 | 3.3 | 11 | 1 | 1 | 3 | 3 | 6 | 8 | 22 |
| 50-64 | 256 | 3.7 | 21 | 1 | 2 | 3 | 3 | 6 | 9 | 25 |
| 65+ | 587 | 3.4 | 11 | 1 | 1 | 3 | 3 | 6 | 9 | 20 |
| GRAND TOTAL | 1106 | 3.5 | 13 | 1 | 1 | 3 | 3 | 6 | 9 | 20 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 4.1 | 20 | <1 | <1 | 2 | 6 | 8 | 14 | 22 |
| 20-34 | 40 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 38 | 3.1 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 50-64 | 143 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 65+ | 191 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 4.7 | 11 | <1 | 1 | 4 | 6 | 11 | 12 | 12 |
| 20-34 | 36 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 11 | 17 |
| 35-49 | 28 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 50-64 | 98 | 3.6 | 9 | <1 | 1 | 2 | 4 | 9 | 10 | 18 |
| 65+ | 206 | 3.7 | 26 | 1 | 1 | 2 | 4 | 7 | [illegible] | 29 |
| TOT. SINGLE DX | 444 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 407 | 3.8 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 71 | 4.4 | 15 | <1 | 1 | 3 | 6 | 10 | 12 | 20 |
| 20-34 | 76 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 66 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 50-64 | 241 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 65+ | 397 | 3.2 | 16 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| GRAND TOTAL | 851 | 3.2 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 2.8 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 26 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 234 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 1743 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 5422 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 3.2 | 6 | 1 | 2 | 3 | 3 | 5 | 9 | 14 |
| 20-34 | 23 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 6 | 6 |
| 35-49 | 166 | 3.1 | 2 | 1 | 2 | 3 | 3 | 4 | 7 | 12 |
| 50-64 | 1344 | 2.9 | [illegible] | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 5206 | 3.2 | [illegible] | 2 | 2 | 3 | 3 | 5 | 7 | 16 |
| TOT. SINGLE DX | 7446 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 6765 | 3.2 | 9 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 47 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 20-34 | 49 | 2.8 | 2 | 1 | 2 | 2 | 3 | 5 | 5 | 10 |
| 35-49 | 400 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 3087 | 2.7 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 65+ | 10628 | 2.9 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| GRAND TOTAL | 14211 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 91 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 57 | 2.9 | 27 | 1 | 1 | 2 | 2 | 3 | 5 | 37 |
| 35-49 | 294 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 1463 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 4883 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 20-34 | 50 | 2.3 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 35-49 | 202 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 944 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 4102 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| TOT. SINGLE DX | 6788 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 5365 | 2.7 | 6 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| TOTAL 0-19 YRS | 158 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 12 |
| 20-34 | 107 | 2.6 | 15 | 1 | 1 | 2 | 2 | 4 | 5 | 25 |
| 35-49 | 496 | 2.4 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 50-64 | 2407 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 8985 | 2.4 | 3 | 1 | 2 | 2 | 3 | 3 | 4 | 8 |
| GRAND TOTAL | 12153 | 2.4 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 14 | 2.4 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 30 | 2.3 | 2 | 1 | 1 | 2 | 2 | 3 | 7 | 8 |
| 50-64 | 235 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 716 | 2.4 | 13 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 19 | 4.3 | 32 | 1 | 1 | 2 | 4 | 12 | 20 | 23 |
| 50-64 | 141 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 528 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 7 | 15 |
| TOT. SINGLE DX | 1000 | 2.4 | 10 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 697 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| TOTAL 0-19 YRS | 8 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 20 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 49 | 3.0 | 14 | 1 | 1 | 2 | 3 | 6 | 8 | 23 |
| 50-64 | 376 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 65+ | 1244 | 2.6 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| GRAND TOTAL | 1697 | 2.5 | 8 | 1 | 1 | 2 | 3 | 3 | 4 | 11 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.5 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 133 | 5.1 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 175 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| 50-64 | 509 | 4.8 | 8 | 2 | 2 | 4 | 6 | 7 | 10 | 16 |
| 65+ | 430 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 13 | 22 |
| 20-34 | 131 | 5.7 | 12 | 2 | 2 | 5 | 7 | 9 | 13 | 20 |
| 35-49 | 146 | 5.4 | 8 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| 50-64 | 497 | 5.2 | 8 | 2 | 2 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 536 | 5.6 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 19 |
| TOT. SINGLE DX | 1310 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| " MULTIPLE DX | 1369 | 5.4 | 11 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| TOTAL 0-19 YRS | 122 | 5.1 | 9 | 2 | 2 | 5 | 6 | 9 | 10 | 18 |
| 20-34 | 264 | 5.4 | 11 | 2 | 2 | 5 | 6 | 9 | 12 | 19 |
| 35-49 | 321 | 5.2 | 8 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |
| 50-64 | 1006 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 966 | 5.2 | 10 | 2 | 3 | 5 | 6 | 8 | 11 | 18 |
| GRAND TOTAL | 2679 | 5.1 | 9 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 8 | 10 |
| 20-34 | 30 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 14 |
| 35-49 | 28 | 5.0 | 12 | 1 | 2 | 4 | 6 | 7 | 15 | 15 |
| 50-64 | 87 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 65+ | 141 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 4.3 | 16 | <1 | 1 | 3 | 5 | 11 | 13 | 18 |
| 20-34 | 99 | 5.0 | 5 | 2 | 3 | 4 | 6 | 9 | 10 | 12 |
| 35-49 | 117 | 5.2 | 15 | 1 | 1 | 4 | 6 | 10 | 15 | 20 |
| 50-64 | 168 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 65+ | 284 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| TOT. SINGLE DX | 308 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 697 | 4.5 | 11 | 1 | 1 | 4 | 5 | 8 | 11 | 18 |
| TOTAL 0-19 YRS | 51 | 3.7 | 12 | <1 | 1 | 3 | 4 | 8 | 13 | 18 |
| 20-34 | 129 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 145 | 5.1 | 15 | 1 | 1 | 4 | 6 | 9 | 15 | 20 |
| 50-64 | 255 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 65+ | 425 | 3.9 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| GRAND TOTAL | 1005 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1170 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 199 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 35-49 | 104 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 50-64 | 72 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 27 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 250 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 5 |
| 20-34 | 81 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 55 | 2.2 | | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 39 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 39 | 2.5 | 2 | 1 | 2 | 2 | 3 | 3 | 7 | 8 |
| TOT. SINGLE DX | 1572 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 464 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 7 |
| TOTAL 0-19 YRS | 1420 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 280 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 159 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 111 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 66 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |
| GRAND TOTAL | 2036 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| " MULTIPLE DX | 6 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| TOTAL 0-19 YRS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| GRAND TOTAL | 16 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 66 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 51 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 72 | 3.5 | 11 | 1 | 1 | 3 | 3 | 6 | 8 | 23 |
| 65+ | 88 | 3.7 | 10 | 1 | 2 | 3 | 4 | 7 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 4.5 | 15 | 1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 20-34 | 74 | 4.8 | 25 | 1 | 2 | 3 | 5 | 10 | 12 | 29 |
| 35-49 | 54 | 5.3 | 66 | 1 | 2 | 3 | 6 | 11 | 11 | 57 |
| 50-64 | 77 | 4.6 | 17 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| 65+ | 137 | 6.1 | 56 | 1 | 2 | 3 | 7 | 13 | 27 | 34 |
| TOT. SINGLE DX | 366 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 8 | 14 |
| " MULTIPLE DX | 404 | 5.2 | 38 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| TOTAL 0-19 YRS | 151 | 3.6 | 10 | 1 | 1 | 2 | 4 | 8 | 11 | 15 |
| 20-34 | 140 | 3.7 | 15 | 1 | 1 | 3 | 4 | 6 | 10 | 27 |
| 35-49 | 105 | 4.1 | 37 | 1 | 1 | 3 | 4 | 7 | 11 | 37 |
| 50-64 | 149 | 4.1 | 15 | 1 | 1 | 3 | 4 | 9 | 12 | 19 |
| 65+ | 225 | 5.2 | 39 | 1 | 2 | 3 | 5 | 9 | 18 | 32 |
| GRAND TOTAL | 770 | 4.2 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 219 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 104 | 1.8 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 12 |
| 35-49 | 33 | 2.5 | 18 | <1 | <1 | 1 | 2 | 3 | 13 | 22 |
| 50-64 | 67 | 2.0 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 11 |
| 65+ | 83 | 2.3 | 11 | <1 | <1 | 1 | 2 | 4 | 7 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 162 | 3.0 | 14 | <1 | 1 | 2 | 3 | 5 | 9 | 91 |
| 20-34 | 86 | 6.0 | 130 | 1 | 1 | 3 | 5 | 16 | 22 | 98 |
| 35-49 | 45 | 4.2 | 22 | <1 | 1 | 2 | 5 | 10 | 16 | 19 |
| 50-64 | 69 | 6.2 | 65 | 1 | 1 | 3 | 7 | 14 | 27 | 40 |
| 65+ | 103 | 8.2 | 139 | 1 | 1 | 4 | 9 | 24 | 33 | 65 |
| TOT. SINGLE DX | 506 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| " MULTIPLE DX | 465 | 5.3 | 76 | <1 | 1 | 3 | 5 | 13 | 21 | 73 |
| TOTAL 0-19 YRS | 381 | 2.2 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 18 |
| 20-34 | 190 | 3.7 | 65 | <1 | <1 | 2 | 3 | 6 | 16 | 68 |
| 35-49 | 78 | 3.5 | 21 | <1 | <1 | 2 | 3 | 10 | 15 | 21 |
| 50-64 | 136 | 4.1 | 39 | <1 | <1 | 2 | 4 | 10 | 14 | 35 |
| 65+ | 186 | 5.6 | 91 | <1 | <1 | 2 | 5 | 12 | 27 | 49 |
| GRAND TOTAL | 971 | 3.5 | 42 | <1 | <1 | 2 | 3 | 7 | 13 | 36 |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 219 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 347 | 1.7 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 355 | 1.8 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 65+ | 145 | 1.7 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 2.5 | 3 | 1 | 1 | 2 | 3 | 3 | 6 | 10 |
| 20-34 | 80 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 107 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 99 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 55 | 2.6 | 5 | 1 | 1 | 2 | 3 | 3 | 5 | 16 |
| TOT. SINGLE DX | 1119 | 1.8 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 363 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 75 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 20-34 | 299 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 454 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 454 | 1.9 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 200 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| GRAND TOTAL | 1482 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 556 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 486 | 1.7 | | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 373 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 50-64 | 288 | 1.8 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 65+ | 112 | 1.8 | | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 398 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 281 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 35-49 | 245 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | 263 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 65+ | 93 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| TOT. SINGLE DX | 1815 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 1280 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| TOTAL 0-19 YRS | 954 | 1.8 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 767 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 618 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 551 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 205 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 6 |
| GRAND TOTAL | 3095 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3211 | 1.0 | | <1 | <1 | <1 | <1 | 1 | 1 | 2 |
| 20-34 | 59 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| 35-49 | 50 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 7 | 18 |
| 50-64 | 58 | 1.8 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 13 |
| 65+ | 24 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1767 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 9 |
| 20-34 | 71 | 2.8 | 18 | <1 | <1 | 1 | 2 | 6 | 11 | 27 |
| 35-49 | 37 | 3.9 | 48 | <1 | <1 | 1 | 3 | 9 | 21 | 34 |
| 50-64 | 57 | 2.4 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| 65+ | 27 | 4.9 | 63 | <1 | <1 | 2 | 4 | 13 | 24 | 37 |
| TOT. SINGLE DX | 3402 | 1.1 | 1 | <1 | <1 | <1 | <1 | 1 | 1 | 3 |
| " MULTIPLE DX | 1959 | 1.6 | 5 | <1 | <1 | 1 | 1 | 2 | 4 | 12 |
| TOTAL 0-19 YRS | 4978 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 6 |
| 20-34 | 130 | 2.2 | 12 | <1 | <1 | 1 | 2 | 4 | 6 | 20 |
| 35-49 | 87 | 2.9 | 26 | <1 | <1 | 1 | 2 | 7 | 10 | 31 |
| 50-64 | 115 | 2.1 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 13 |
| 65+ | 51 | 3.6 | 37 | <1 | <1 | 2 | 3 | 8 | 14 | 37 |
| GRAND TOTAL | 5361 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 2 | 8 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 130 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 6 | 9 |
| 20-34 | 96 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 90 | 2.4 | 4 | 1 | 1 | 2 | 3 | 3 | 5 | 14 |
| 50-64 | 82 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 8 | 10 |
| 65+ | 30 | 3.4 | 9 | 2 | 2 | 2 | 3 | 5 | 13 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 154 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 20-34 | 203 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 129 | 3.2 | 17 | 1 | 1 | 2 | 3 | 5 | 9 | 30 |
| 50-64 | 149 | 4.2 | 37 | 1 | 1 | 3 | 4 | 8 | 13 | 23 |
| 65+ | 56 | 5.3 | 24 | 1 | 2 | 4 | 6 | 11 | 14 | 25 |
| TOT. SINGLE DX | 428 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 691 | 3.4 | 17 | 1 | 1 | 2 | 3 | 6 | 10 | 22 |
| TOTAL 0-19 YRS | 284 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 20-34 | 299 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 219 | 2.9 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 21 |
| 50-64 | 231 | 3.7 | 26 | 1 | 1 | 3 | 3 | 6 | 10 | 22 |
| 65+ | 86 | 4.6 | 20 | 1 | 2 | 3 | 5 | 10 | 15 | 24 |
| GRAND TOTAL | 1119 | 3.1 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 236 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 9 |
| 20-34 | 196 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 255 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 213 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 65+ | 72 | 2.6 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 148 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 16 |
| 20-34 | 114 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 18 |
| 35-49 | 121 | 3.4 | 13 | 1 | 1 | 2 | 3 | 6 | 9 | 24 |
| 50-64 | 94 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 14 |
| 65+ | 49 | 6.3 | 171 | <1 | 1 | 3 | 4 | 14 | 19 | 89 |
| TOT. SINGLE DX | 972 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 526 | 3.3 | 24 | <1 | 1 | 2 | 3 | 6 | 8 | 22 |
| TOTAL 0-19 YRS | 384 | 2.0 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 20-34 | 310 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 376 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 50-64 | 307 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 121 | 4.1 | 75 | 1 | 1 | 2 | 4 | 7 | 13 | 43 |
| GRAND TOTAL | 1498 | 2.5 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 1.6 | | 1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 179 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 91 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 14 |
| 50-64 | 38 | 1.7 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 22 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 419 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 35-49 | 228 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 116 | 2.8 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 65+ | 37 | 3.3 | 15 | 1 | 1 | 2 | 3 | 5 | 9 | 24 |
| TOT. SINGLE DX | 394 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 927 | 2.3 | 4 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| TOTAL 0-19 YRS | 191 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 598 | 2.0 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 319 | 2.2 | 3 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 154 | 2.5 | 8 | <1 | 1 | 2 | 3 | 3 | 5 | 9 |
| 65+ | 59 | 2.7 | 11 | <1 | <1 | 2 | 3 | 5 | 6 | 23 |
| GRAND TOTAL | 1321 | 2.1 | 3 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 542 | 1.7 | | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1130 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 512 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 247 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 71 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 712 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 1636 | 2.2 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 908 | 2.3 | 6 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 526 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 65+ | 177 | 3.7 | 22 | 1 | 1 | 3 | 4 | 6 | 9 | 28 |
| TOT. SINGLE DX | 2502 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 3959 | 2.3 | 6 | 1 | 1 | 2 | 3 | 4 | 4 | 10 |
| TOTAL 0-19 YRS | 1254 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 2766 | 2.0 | 4 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 1420 | 2.1 | 5 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 50-64 | 773 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 65+ | 248 | 3.2 | 17 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| GRAND TOTAL | 6461 | 2.1 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 8 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 94 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 20-34 | 125 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 139 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 177 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 172 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 2.4 | 6 | <1 | <1 | 2 | 3 | 3 | 5 | 17 |
| 20-34 | 272 | 2.3 | 5 | <1 | 1 | 2 | 3 | 3 | 4 | 12 |
| 35-49 | 218 | 2.7 | 9 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 236 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 65+ | 236 | 5.8 | 88 | <1 | 1 | 3 | 6 | 13 | 19 | 44 |
| TOT. SINGLE DX | 707 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 1073 | 3.3 | 27 | <1 | 1 | 2 | 3 | 5 | 10 | 24 |
| TOTAL 0-19 YRS | 205 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 13 |
| 20-34 | 397 | 2.1 | 5 | <1 | <1 | 2 | 3 | 3 | 4 | 10 |
| 35-49 | 357 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 5 | 16 |
| 50-64 | 413 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 65+ | 408 | 4.1 | 56 | <1 | <1 | 2 | 4 | 9 | 14 | 38 |
| GRAND TOTAL | 1780 | 2.7 | 17 | <1 | <1 | 2 | 3 | 4 | 7 | 17 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 416 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 339 | 1.9 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 107 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 97 | 3.7 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 65+ | 64 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 195 | 2.9 | 28 | <1 | 1 | 2 | 3 | 5 | 8 | 37 |
| 20-34 | 274 | 3.7 | 19 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |
| 35-49 | 118 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 9 | 27 |
| 50-64 | 163 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 65+ | 190 | 6.6 | 47 | 1 | 2 | 5 | 7 | 13 | 20 | 36 |
| TOT. SINGLE DX | 1023 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 8 |
| " MULTIPLE DX | 940 | 4.4 | 27 | 1 | 1 | 3 | 5 | 9 | 12 | 30 |
| TOTAL 0-19 YRS | 611 | 1.9 | 10 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 20-34 | 613 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 225 | 3.3 | 11 | <1 | 1 | 2 | 4 | 7 | 8 | 18 |
| 50-64 | 260 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 20 |
| 65+ | 254 | 5.9 | 38 | 1 | 1 | 4 | 6 | 11 | 17 | 35 |
| GRAND TOTAL | 1963 | 3.2 | 16 | <1 | <1 | 2 | 4 | 6 | 9 | 21 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 6 | 5 |
| 20-34 | 117 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 118 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 50-64 | 109 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 65+ | 46 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 20-34 | 138 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 157 | 3.5 | 13 | 1 | 1 | 3 | 3 | 5 | 8 | 25 |
| 50-64 | 181 | 3.6 | 14 | 1 | 1 | 3 | 4 | 6 | 12 | 23 |
| 65+ | 86 | 4.5 | 30 | 1 | 2 | 3 | 5 | 9 | 13 | 35 |
| TOT. SINGLE DX | 424 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 598 | 3.5 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| TOTAL 0-19 YRS | 70 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 255 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 275 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 5 | 18 |
| 50-64 | 290 | 3.2 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 65+ | 132 | 3.8 | 21 | 1 | 1 | 3 | 4 | 6 | 11 | 26 |
| GRAND TOTAL | 1022 | 3.0 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 18 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 3.1 | 11 | <1 | <1 | 1 | 4 | 8 | 10 | 16 |
| 20-34 | 117 | 2.8 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 35-49 | 86 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 78 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 7 | 15 |
| 65+ | 44 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 104 | 3.9 | 41 | <1 | <1 | 2 | 4 | 7 | 12 | 42 |
| 20-34 | 199 | 3.2 | 20 | 1 | 1 | 2 | 3 | 6 | 8 | 27 |
| 35-49 | 168 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 18 |
| 50-64 | 165 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 14 | 30 |
| 65+ | 84 | 5.1 | 29 | 1 | 1 | 3 | 7 | 11 | 17 | 77 |
| TOT. SINGLE DX | 397 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| " MULTIPLE DX | 720 | 3.7 | 24 | 1 | 1 | 2 | 4 | 7 | 11 | 32 |
| TOTAL 0-19 YRS | 176 | 3.6 | 29 | <1 | <1 | 2 | 4 | 8 | 11 | 31 |
| 20-34 | 316 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 35-49 | 254 | 3.0 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 50-64 | 243 | 3.8 | 20 | 1 | 1 | 2 | 4 | 7 | 12 | 23 |
| 65+ | 128 | 4.6 | 22 | 1 | 1 | 3 | 6 | 10 | 15 | 40 |
| GRAND TOTAL | 1117 | 3.4 | 18 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 290 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 227 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 84 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 66 | 2.6 | 15 | 1 | 1 | 2 | 2 | 4 | 7 | 25 |
| 65+ | 52 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 176 | 2.3 | 10 | <1 | <1 | 2 | 2 | 4 | 6 | 24 |
| 20-34 | 196 | 5.3 | 94 | <1 | 1 | 2 | 4 | 14 | 25 | 71 |
| 35-49 | 172 | 5.8 | 91 | 1 | 1 | 2 | 5 | 14 | 31 | 90 |
| 50-64 | 224 | 4.2 | 35 | 1 | 1 | 2 | 4 | 9 | 13 | 43 |
| 65+ | 269 | 5.2 | 34 | 1 | 1 | 3 | 6 | 14 | 20 | 40 |
| TOT. SINGLE DX | 719 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| " MULTIPLE DX | 1037 | 4.6 | 53 | <1 | 1 | 2 | 4 | 11 | 18 | 44 |
| TOTAL 0-19 YRS | 466 | 1.7 | 4 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 20-34 | 423 | 3.3 | 48 | <1 | <1 | 2 | 2 | 5 | 13 | 39 |
| 35-49 | 256 | 4.5 | 65 | <1 | 1 | 2 | 3 | 11 | 18 | 48 |
| 50-64 | 290 | 3.8 | 32 | 1 | 1 | 2 | 3 | 8 | 13 | 38 |
| 65+ | 321 | 4.7 | 30 | 1 | 1 | 3 | 5 | 13 | 17 | 38 |
| GRAND TOTAL | 1756 | 3.4 | 34 | <1 | <1 | 2 | 3 | 8 | 13 | 33 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 301 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 2 |
| 20-34 | 40 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 11 |
| 35-49 | 9 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 65+ | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 2.0 | 15 | <1 | <1 | 1 | 1 | 2 | 6 | 29 |
| 20-34 | 47 | 2.0 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 13 |
| 35-49 | 9 | 3.2 | 31 | <1 | <1 | 1 | 2 | 12 | 18 | 18 |
| 50-64 | 8 | 2.3 | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 7 |
| 65+ | 5 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| TOT. SINGLE DX | 358 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| " MULTIPLE DX | 192 | 2.1 | 13 | <1 | <1 | 1 | 2 | 3 | 6 | 24 |
| TOTAL 0-19 YRS | 424 | 1.3 | 5 | <1 | <1 | <1 | 1 | 1 | 2 | 9 |
| 20-34 | 87 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 12 |
| 35-49 | 18 | 2.2 | 16 | <1 | <1 | 1 | 1 | 3 | 12 | 18 |
| 50-64 | 12 | 2.1 | 3 | 1 | 1 | 2 | 2 | 4 | 7 | 7 |
| 65+ | 9 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| GRAND TOTAL | 550 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 11 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 20-34 | 48 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 103 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 7 | 10 |
| 50-64 | 87 | 3.1 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 65+ | 29 | 3.5 | 7 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 7 | 10 |
| 20-34 | 61 | 3.3 | 9 | <1 | 1 | 2 | 4 | 8 | 9 | 16 |
| 35-49 | 80 | 3.1 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 23 |
| 50-64 | 83 | 4.2 | 46 | 1 | 1 | 3 | 5 | 6 | 8 | 46 |
| 65+ | 35 | 6.2 | 82 | 1 | 2 | 4 | 6 | 14 | 20 | 52 |
| TOT. SINGLE DX | 307 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 301 | 3.7 | 29 | 1 | 1 | 2 | 4 | 7 | 9 | 25 |
| TOTAL 0-19 YRS | 82 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 20-34 | 109 | 2.9 | 7 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 183 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 50-64 | 170 | 3.6 | 24 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 64 | 5.0 | 50 | 1 | 2 | 3 | 5 | 9 | 14 | 48 |
| GRAND TOTAL | 608 | 3.2 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (1C) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 94 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 248 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 225 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 50-64 | 288 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 209 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 14 | 18 |
| 20-34 | 78 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| 35-49 | 120 | 4.1 | 20 | 1 | 1 | 3 | 4 | 6 | 11 | 31 |
| 50-64 | 167 | 4.1 | 13 | 1 | 2 | 3 | 4 | 6 | 8 | 20 |
| 65+ | 227 | 5.8 | 19 | 2 | 2 | 4 | 7 | 12 | 15 | 22 |
| TOT. SINGLE DX | 1064 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 619 | 4.6 | 17 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| TOTAL 0-19 YRS | 121 | 2.7 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 14 |
| 20-34 | 326 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 345 | 3.3 | 9 | 1 | 1 | 3 | 4 | 5 | 6 | 16 |
| 50-64 | 455 | 3.5 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 65+ | 436 | 4.7 | 14 | 1 | 2 | 4 | 5 | 9 | 13 | 21 |
| GRAND TOTAL | 1683 | 3.6 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 208 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 9 |
| 20-34 | 11 | 3.7 | 4 | <1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 146 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 12 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 219 | 3.6 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| " MULTIPLE DX | 164 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 354 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 23 | 4.0 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 383 | 3.8 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 402 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 124 | 3.1 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 114 | 3.5 | 14 | <1 | <1 | 2 | 4 | 9 | 10 | 20 |
| 50-64 | 202 | 3.4 | 17 | <1 | <1 | 2 | 3 | 8 | 11 | 23 |
| 65+ | 223 | 3.6 | 15 | <1 | <1 | 2 | 4 | 8 | 10 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 262 | 3.7 | 24 | <1 | 1 | 2 | 5 | 7 | 9 | 28 |
| 20-34 | 171 | 4.4 | 24 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| 35-49 | 118 | 5.8 | 74 | <1 | 1 | 3 | 6 | 11 | 18 | 56 |
| 50-64 | 267 | 7.9 | [illegible] | 1 | 1 | 4 | 9 | 17 | 28 | 62 |
| 65+ | 319 | 8.8 | 92 | 1 | 1 | 5 | 12 | 22 | 27 | 41 |
| TOT. SINGLE DX | 1065 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| " MULTIPLE DX | 1137 | 6.5 | 78 | 1 | 1 | 3 | 7 | 15 | 24 | 44 |
| TOTAL 0-19 YRS | 664 | 3.2 | 13 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 20-34 | 295 | 3.8 | 18 | <1 | 1 | 2 | 5 | 8 | 12 | 22 |
| 35-49 | 232 | 4.7 | 46 | <1 | <1 | 3 | 6 | 10 | 12 | 29 |
| 50-64 | 469 | 6.0 | 86 | <1 | 1 | 3 | 6 | 13 | 22 | 47 |
| 65+ | 542 | 6.7 | 67 | <1 | 1 | 3 | 8 | 16 | 24 | 35 |
| GRAND TOTAL | 2202 | 4.9 | 48 | <1 | <1 | 3 | 5 | 10 | 16 | 34 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4784 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 20-34 | 3130 | 1.7 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 35-49 | 322 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 38 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 65+ | 15 | 2.7 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 983 | 1.7 | | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 576 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 9 |
| 35-49 | 90 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 20 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 65+ | 11 | 4.6 | 36 | 1 | 1 | 3 | 5 | 13 | 21 | 22 |
| TOT. SINGLE DX | 8289 | 1.7 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| " MULTIPLE DX | 1680 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 5767 | 1.6 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 3706 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 412 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 50-64 | 58 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 65+ | 26 | 3.5 | 19 | <1 | 1 | 2 | 3 | 7 | 12 | 22 |
| GRAND TOTAL | 9969 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6902 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 175 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 6 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 9 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3710 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 20-34 | 67 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 2.3 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 7095 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 3785 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| TOTAL 0-19 YRS | 10612 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 242 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 8 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 6 | 1.8 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 12 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 10880 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 603 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 10 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1163 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 20-34 | 6 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 35-49 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 614 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| " MULTIPLE DX | 1171 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| TOTAL 0-19 YRS | 1766 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 16 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 4 |
| 35-49 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| GRAND TOTAL | 1785 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 355 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 7 |
| 20-34 | 233 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 35-49 | 93 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 6 | 19 |
| 50-64 | 91 | 3.3 | 16 | <1 | <1 | 2 | 3 | 7 | 9 | 25 |
| 65+ | 64 | 3.6 | 10 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 87 | 3.7 | 37 | <1 | <1 | 2 | 4 | 7 | 9 | 41 |
| 20-34 | 74 | 3.5 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 35-49 | 55 | 5.6 | 124 | 1 | 1 | 3 | 5 | 11 | 31 | 99 |
| 50-64 | 110 | 6.3 | 93 | 1 | 1 | 2 | 6 | 18 | 30 | 51 |
| 65+ | 92 | 7.8 | 91 | 1 | 2 | 4 | 10 | 21 | 31 | 81 |
| TOT. SINGLE DX | 836 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| " MULTIPLE DX | 418 | 5.5 | 73 | <1 | 1 | 3 | 5 | 13 | 24 | 55 |
| TOTAL 0-19 YRS | 442 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 307 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 35-49 | 148 | 3.7 | 53 | <1 | <1 | 2 | 3 | 6 | 11 | 76 |
| 50-64 | 201 | 5.0 | 61 | <1 | 1 | 2 | 5 | 9 | 23 | 43 |
| 65+ | 156 | 6.1 | 62 | 1 | 1 | 3 | 7 | 15 | 23 | 55 |
| GRAND TOTAL | 1254 | 3.4 | 30 | <1 | 1 | 2 | 3 | 6 | 10 | 32 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 40 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 20-34 | 20 | 3.3 | 5 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 35-49 | 20 | 2.6 | 2 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | 37 | 4.1 | 14 | <1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 65+ | 31 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 60 | 4.3 | 38 | <1 | 1 | 3 | 5 | 7 | 9 | 45 |
| 20-34 | 17 | 4.7 | 37 | <1 | 1 | 2 | 5 | 11 | 21 | 26 |
| 35-49 | 22 | 4.2 | 23 | <1 | 1 | 3 | 5 | 7 | 14 | 24 |
| 50-64 | 51 | 3.6 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 65+ | 87 | 4.7 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| **TOT. SINGLE DX** | 148 | 2.7 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| **" MULTIPLE DX** | 237 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| TOTAL 0-19 YRS | 100 | 3.1 | 26 | <1 | <1 | 2 | 3 | 5 | 8 | 29 |
| 20-34 | 37 | 3.9 | 20 | <1 | 1 | 2 | 5 | 7 | 10 | 26 |
| 35-49 | 42 | 3.5 | 14 | <1 | <1 | 2 | 4 | 6 | 7 | 24 |
| 50-64 | 88 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 65+ | 118 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **GRAND TOTAL** | **385** | **3.7** | **16** | **<1** | **<1** | **3** | **5** | **7** | **9** | **20** |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 108 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 8 |
| 20-34 | 136 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 8 |
| 35-49 | 212 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 50-64 | 350 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 65+ | 224 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 28 | 3.7 | 68 | <1 | 1 | 2 | 2 | 5 | 17 | 44 |
| 20-34 | 44 | 3.0 | 17 | <1 | 1 | 2 | 3 | 5 | 8 | 27 |
| 35-49 | 111 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| 50-64 | 231 | 2.9 | 16 | <1 | 1 | 2 | 2 | 5 | 10 | 21 |
| 65+ | 203 | 3.6 | 28 | 1 | 1 | 2 | 3 | 7 | 13 | 30 |
| **TOT. SINGLE DX** | 1030 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| **" MULTIPLE DX** | 617 | 3.0 | 21 | <1 | 1 | 2 | 2 | 5 | 9 | 26 |
| TOTAL 0-19 YRS | 136 | 1.9 | 16 | <1 | <1 | 1 | 2 | 2 | 3 | 18 |
| 20-34 | 180 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 35-49 | 323 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 50-64 | 581 | 2.1 | 7 | <1 | <1 | 2 | 2 | 3 | 5 | 16 |
| 65+ | 427 | 2.6 | 15 | <1 | 1 | 2 | 2 | 4 | 7 | 22 |
| **GRAND TOTAL** | **1647** | **2.1** | **9** | **<1** | **<1** | **1** | **2** | **3** | **5** | **15** |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 7 | 2.4 | 11 | <1 | <1 | 1 | 2 | 8 | 10 | 10 |
| 35-49 | 8 | 9.5 | 67 | 1 | 1 | 7 | 14 | 23 | 25 | 25 |
| 50-64 | 33 | 6.4 | 36 | <1 | <1 | 4 | 10 | 15 | 17 | 24 |
| 65+ | 20 | 6.5 | 53 | <1 | 1 | 4 | 9 | 16 | 24 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 13 | 5.8 | 71 | <1 | 1 | 2 | 5 | 17 | 28 | 31 |
| 20-34 | 8 | 13.4 | 56 | 5 | 6 | 11 | 18 | 25 | 27 | 27 |
| 35-49 | 11 | 8.9 | 79 | 2 | 2 | 5 | 11 | 24 | 30 | 31 |
| 50-64 | 29 | 13.9 | 190 | 1 | 2 | 9 | 17 | 30 | 38 | 65 |
| 65+ | 37 | 12.8 | 329 | 1 | 2 | 7 | 19 | 27 | 46 | 97 |
| **TOT. SINGLE DX** | 74 | 6.0 | 42 | <1 | <1 | 3 | 10 | 15 | 20 | 28 |
| **" MULTIPLE DX** | 98 | 11.8 | 206 | 1 | 2 | 8 | 15 | 28 | 35 | 82 |
| TOTAL 0-19 YRS | 19 | 4.3 | 53 | <1 | <1 | 2 | 3 | 12 | 23 | 31 |
| 20-34 | 15 | 8.3 | 65 | <1 | 1 | 8 | 12 | 22 | 26 | 27 |
| 35-49 | 19 | 9.2 | 71 | 1 | 2 | 6 | 11 | 23 | 28 | 31 |
| 50-64 | 62 | 9.9 | 120 | <1 | 1 | 8 | 14 | 23 | 30 | 62 |
| 65+ | 57 | 10.6 | 239 | <1 | 1 | 5 | 12 | 23 | 34 | 94 |
| **GRAND TOTAL** | **172** | **9.3** | **143** | **<1** | **1** | **5** | **12** | **23** | **29** | **62** |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 5 | 9.8 | 5 | 6 | 6 | 10 | 11 | 12 | 12 | 12 |
| 50-64 | 29 | 14.3 | 49 | 5 | 8 | 13 | 17 | 21 | 31 | 37 |
| 65+ | 22 | 15.7 | 51 | 9 | 10 | 13 | 17 | 25 | 32 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 22.6 | 387 | 10 | 10 | 19 | 35 | 88 | 99+ | 99+ |
| 50-64 | 52 | 19.6 | 131 | 8 | 10 | 15 | 26 | 44 | 57 | 99+ |
| 65+ | 63 | 21.3 | 115 | 10 | 10 | 19 | 24 | 40 | 45 | 58 |
| **TOT. SINGLE DX** | 57 | 14.4 | 47 | 6 | 9 | 13 | 16 | 23 | 30 | 39 |
| **" MULTIPLE DX** | 123 | 20.7 | 137 | 9 | 10 | 18 | 25 | 41 | 53 | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 13 | 17.7 | 270 | 7 | 9 | 12 | 20 | 73 | 94 | 99+ |
| 50-64 | 81 | 17.7 | 108 | 8 | 9 | 15 | 21 | 36 | 46 | 99+ |
| 65+ | 85 | 19.9 | 104 | 10 | 10 | 17 | 23 | 36 | 41 | 57 |
| **GRAND TOTAL** | **180** | **18.7** | **117** | **9** | **10** | **15** | **22** | **36** | **45** | **99+** |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 4 | 5.3 | 23 | 1 | 1 | 4 | 8 | 12 | 12 | 12 |
| 50-64 | 5 | 12.4 | 126 | 3 | 3 | 7 | 20 | 30 | 30 | 30 |
| 65+ | 2 | 18.0 | 242 | 7 | 7 | 18 | 29 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 3 | 54.0 | 21 | 50 | 50 | 56 | 79 | 99+ | 99+ | 99+ |
| 35-49 | 10 | 19.2 | 407 | 1 | 3 | 12 | 43 | 77 | 98 | 99+ |
| 50-64 | 19 | 31.7 | 562 | 2 | 3 | 30 | 53 | 74 | 88 | 99+ |
| 65+ | 16 | 30.9 | 666 | 10 | 12 | 21 | 54 | 99 | 99+ | 99+ |
| TOT. SINGLE DX | 13 | 10.6 | 88 | 1 | 2 | 7 | 13 | 29 | 30 | 30 |
| " MULTIPLE DX | 49 | 29.9 | 564 | 3 | 5 | 23 | 54 | 96 | 99+ | 99+ |
| TOTAL 0-19 YRS | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 20-34 | 4 | 42.5 | 543 | 8 | 8 | 53 | 69 | 99+ | 99+ | 99+ |
| 35-49 | 14 | 15.2 | 330 | 1 | 1 | 12 | 17 | 61 | 90 | 99+ |
| 50-64 | 24 | 27.7 | 526 | 3 | 3 | 24 | 47 | 72 | 82 | 99+ |
| 65+ | 18 | 29.4 | 620 | 8 | 10 | 21 | 51 | 98 | 99+ | 99+ |
| GRAND TOTAL | 62 | 25.8 | 524 | 3 | 4 | 19 | 50 | 79 | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 10.6 | 347 | 1 | 1 | 4 | 8 | 31 | 63 | 80 |
| 20-34 | 29 | 6.6 | 85 | <1 | 1 | 3 | 8 | 15 | 19 | 48 |
| 35-49 | 15 | 13.9 | 394 | 1 | 1 | 4 | 21 | 49 | 61 | 65 |
| 50-64 | 23 | 6.3 | 44 | <1 | 1 | 4 | 8 | 16 | 21 | 29 |
| 65+ | 35 | 7.5 | 142 | <1 | 1 | 3 | 10 | 26 | 52 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 19.8 | 518 | 1 | 2 | 12 | 31 | 67 | 79 | 99+ |
| 20-34 | 63 | 27.2 | 743 | 1 | 2 | 18 | 46 | 86 | 99+ | 99+ |
| 35-49 | 71 | 24.1 | 645 | <1 | 2 | 12 | 47 | 74 | 87 | 99+ |
| 50-64 | 143 | 31.0 | 619 | 1 | 2 | 28 | 52 | 77 | 99+ | 99+ |
| 65+ | 151 | 31.7 | 592 | 2 | 3 | 31 | 50 | 73 | 94 | 99+ |
| TOT. SINGLE DX | 132 | 8.5 | 188 | 1 | 1 | 3 | 8 | 22 | 47 | 83 |
| " MULTIPLE DX | 513 | 28.0 | 628 | 1 | 2 | 23 | 47 | 75 | 96 | 99+ |
| TOTAL 0-19 YRS | 115 | 17.4 | 487 | 1 | 1 | 8 | 25 | 64 | 76 | 99+ |
| 20-34 | 92 | 20.7 | 625 | 1 | 1 | 10 | 32 | 82 | 96 | 99+ |
| 35-49 | 86 | 22.3 | 612 | 1 | 1 | 11 | 44 | 72 | 79 | 99+ |
| 50-64 | 166 | 27.6 | 612 | 1 | 2 | 25 | 49 | 73 | 98 | 99+ |
| 65+ | 186 | 27.1 | 596 | 1 | 2 | 23 | 45 | 69 | 92 | 99+ |
| GRAND TOTAL | 645 | 24.0 | 599 | 1 | 1 | 17 | 41 | 72 | 91 | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 3.5 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 20-34 | 50 | 5.0 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 23 |
| 35-49 | 104 | 5.2 | 49 | <1 | <1 | 3 | 6 | 12 | 18 | 42 |
| 50-64 | 258 | 4.6 | 24 | <1 | 1 | 3 | 6 | 11 | 14 | 21 |
| 65+ | 295 | 5.5 | 33 | <1 | 1 | 3 | 7 | 14 | 18 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 17.4 | 499 | 1 | 2 | 9 | 21 | 39 | 75 | 90 |
| 20-34 | 83 | 9.3 | 150 | <1 | 1 | 6 | 12 | 18 | 28 | 77 |
| 35-49 | 209 | 8.5 | 55 | 1 | 2 | 7 | 11 | 17 | 22 | 38 |
| 50-64 | 760 | 9.4 | 83 | 1 | 2 | 7 | 13 | 20 | 27 | 44 |
| 65+ | 1338 | 11.3 | 114 | 2 | 2 | 8 | 15 | 24 | 33 | 56 |
| TOT. SINGLE DX | 726 | 5.0 | 31 | <1 | 1 | 3 | 7 | 12 | 16 | 25 |
| " MULTIPLE DX | 2406 | 10.4 | 105 | 1 | 2 | 8 | 14 | 22 | 30 | 50 |
| TOTAL 0-19 YRS | 35 | 9.9 | 274 | 1 | 1 | 5 | 9 | 24 | 38 | 90 |
| 20-34 | 133 | 7.6 | 104 | <1 | 1 | 5 | 9 | 15 | 23 | 51 |
| 35-49 | 313 | 7.4 | 56 | <1 | 1 | 5 | 10 | 16 | 20 | 38 |
| 50-64 | 1018 | 8.2 | 73 | 1 | 1 | 5 | 11 | 19 | 24 | 42 |
| 65+ | 1633 | 10.2 | 105 | 1 | 2 | 7 | 14 | 23 | 31 | 51 |
| GRAND TOTAL | 3132 | 9.2 | 93 | 1 | 1 | 6 | 12 | 20 | 27 | 47 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 35-49 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 17.3 | 204 | 5 | 5 | 14 | 28 | 33 | 33 | 33 |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 3 | 10.3 | 74 | 1 | 1 | 12 | 16 | 18 | 18 | 18 |
| " MULTIPLE DX | 5 | 14.6 | 152 | 2 | 2 | 14 | 22 | 33 | 33 | 33 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 35-49 | 4 | 16.0 | 143 | 5 | 5 | 13 | 23 | 33 | 33 | 33 |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 8 | 13.0 | 113 | 1 | 1 | 13 | 18 | 29 | 33 | 33 |

### 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 19 | 9.1 | 29 | 4 | 5 | 7 | 12 | 18 | 20 | 21 |
| 20-34 | 62 | 9.0 | 23 | 2 | 4 | 8 | 12 | 16 | 19 | 21 |
| 35-49 | 111 | 8.0 | 38 | 1 | 2 | 7 | 9 | 14 | 18 | 36 |
| 50-64 | 252 | 8.3 | 41 | 1 | 1 | 7 | 10 | 14 | 19 | 37 |
| 65+ | 209 | 7.9 | 38 | 1 | 1 | 8 | 11 | 16 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 42 | 15.9 | 254 | 4 | 5 | 11 | 21 | 32 | 59 | 99+ |
| 20-34 | 116 | 12.4 | 89 | 3 | 5 | 10 | 15 | 26 | 33 | 68 |
| 35-49 | 184 | 10.5 | 46 | 2 | 3 | 9 | 13 | 19 | 26 | 34 |
| 50-64 | 588 | 11.6 | 87 | 1 | 3 | 9 | 15 | 23 | 28 | 49 |
| 65+ | 747 | 13.2 | 118 | 1 | 2 | 11 | 17 | 27 | 34 | 58 |
| **TOT. SINGLE DX** | 653 | 8.2 | 38 | 1 | 1 | 7 | 10 | 16 | 19 | 32 |
| **" MULTIPLE DX** | 1677 | 12.4 | 102 | 1 | 3 | 10 | 16 | 25 | 32 | 51 |
| TOTAL 0-19 YRS | 61 | 13.8 | 193 | 4 | 5 | 9 | 18 | 29 | 38 | 99+ |
| 20-34 | 178 | 11.2 | 69 | 3 | 4 | 9 | 14 | 21 | 29 | 52 |
| 35-49 | 295 | 9.6 | 45 | 2 | 3 | 8 | 12 | 17 | 24 | 34 |
| 50-64 | 840 | 10.6 | 76 | 1 | 2 | 9 | 13 | 21 | 26 | 47 |
| 65+ | 956 | 12.0 | 105 | 1 | 2 | 10 | 16 | 24 | 32 | 49 |
| **GRAND TOTAL** | **2330** | **11.2** | **87** | **1** | **2** | **9** | **14** | **22** | **29** | **48** |

### 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 3 | 11.7 | 32 | 7 | 7 | 10 | 16 | 18 | 18 | 18 |
| 20-34 | 10 | 13.7 | 151 | 5 | 5 | 10 | 11 | 34 | 46 | 46 |
| 35-49 | 42 | 11.4 | 28 | 6 | 7 | 10 | 14 | 16 | 19 | 37 |
| 50-64 | 133 | 11.5 | 47 | 6 | 6 | 10 | 13 | 17 | 20 | 50 |
| 65+ | 111 | 12.3 | 26 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 3 | 24.7 | 386 | 10 | 10 | 32 | 73 | 99+ | 99+ | 99+ |
| 20-34 | 32 | 17.4 | 299 | 6 | 7 | 10 | 21 | 35 | 43 | 95 |
| 35-49 | 79 | 16.8 | 184 | 6 | 7 | 13 | 20 | 35 | 47 | 98 |
| 50-64 | 340 | 14.6 | 101 | 7 | 7 | 12 | 17 | 23 | 33 | 66 |
| 65+ | 361 | 16.1 | 80 | 8 | 8 | 14 | 19 | 26 | 34 | 44 |
| **TOT. SINGLE DX** | 299 | 11.9 | 40 | 6 | 7 | 10 | 14 | 18 | 21 | 42 |
| **" MULTIPLE DX** | 815 | 15.6 | 109 | 7 | 8 | 13 | 18 | 25 | 36 | 69 |
| TOTAL 0-19 YRS | 6 | 18.2 | 218 | 7 | 8 | 17 | 40 | 89 | 99+ | 99+ |
| 20-34 | 42 | 16.5 | 262 | 5 | 6 | 10 | 21 | 35 | 45 | 95 |
| 35-49 | 121 | 14.9 | 136 | 6 | 7 | 11 | 16 | 25 | 41 | 96 |
| 50-64 | 473 | 13.7 | 89 | 6 | 7 | 11 | 15 | 22 | 27 | 65 |
| 65+ | 472 | 15.2 | 70 | 7 | 8 | 13 | 18 | 24 | 33 | 44 |
| **GRAND TOTAL** | **1114** | **14.6** | **93** | **7** | **8** | **12** | **17** | **24** | **33** | **64** |

### 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 146 | 3.0 | 16 | <1 | 1 | 2 | 3 | 6 | 10 | 23 |
| 20-34 | 75 | 5.0 | 33 | <1 | <1 | 2 | 6 | 12 | 18 | 28 |
| 35-49 | 116 | 5.1 | 32 | <1 | <1 | 3 | 7 | 14 | 19 | 51 |
| 50-64 | 258 | 4.5 | 26 | <1 | 1 | 2 | 6 | 11 | 15 | 28 |
| 65+ | 255 | 5.4 | 34 | <1 | 1 | 3 | 7 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 88 | 10.1 | 185 | 1 | 1 | 5 | 11 | 29 | 43 | 92 |
| 20-34 | 172 | 9.9 | 100 | 1 | 2 | 7 | 12 | 21 | 29 | 64 |
| 35-49 | 263 | 9.0 | 108 | 1 | 1 | 6 | 11 | 19 | 30 | 99 |
| 50-64 | 714 | 10.1 | 107 | 1 | 2 | 7 | 13 | 22 | 30 | 51 |
| 65+ | 1229 | 12.7 | 129 | 2 | 2 | 10 | 16 | 27 | 37 | 59 |
| **TOT. SINGLE DX** | 850 | 4.6 | 29 | <1 | <1 | 2 | 6 | 12 | 16 | 28 |
| **" MULTIPLE DX** | 2466 | 11.3 | 123 | 1 | 2 | 8 | 15 | 24 | 34 | 61 |
| TOTAL 0-19 YRS | 234 | 5.7 | 91 | <1 | 1 | 2 | 6 | 16 | 27 | 57 |
| 20-34 | 247 | 8.4 | 85 | <1 | 1 | 5 | 11 | 19 | 28 | 52 |
| 35-49 | 379 | 7.8 | 88 | <1 | 1 | 5 | 10 | 17 | 25 | 99 |
| 50-64 | 972 | 8.6 | 92 | 1 | 1 | 6 | 11 | 20 | 28 | 47 |
| 65+ | 1484 | 11.4 | 121 | 1 | 2 | 8 | 15 | 25 | 33 | 57 |
| **GRAND TOTAL** | **3316** | **9.6** | **107** | **1** | **1** | **6** | **13** | **22** | **30** | **55** |

### 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 19 | 5.3 | 23 | 1 | 1 | 4 | 8 | 14 | 17 | 17 |
| 20-34 | 54 | 5.9 | 22 | 1 | 2 | 4 | 7 | 14 | 16 | 23 |
| 35-49 | 22 | 6.9 | 15 | 2 | 3 | 5 | 10 | 13 | 14 | 15 |
| 50-64 | 20 | 7.7 | 20 | 1 | 2 | 7 | 11 | 14 | 16 | 17 |
| 65+ | 9 | 6.4 | 37 | <1 | <1 | 3 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 22 | 12.2 | 196 | 2 | 3 | 7 | 15 | 30 | 50 | 58 |
| 20-34 | 42 | 11.9 | 234 | 2 | 3 | 7 | 11 | 23 | 47 | 84 |
| 35-49 | 37 | 8.9 | 49 | 2 | 3 | 6 | 11 | 20 | 23 | 35 |
| 50-64 | 47 | 9.7 | 86 | 1 | 2 | 7 | 13 | 19 | 23 | 50 |
| 65+ | 78 | 13.5 | 180 | 1 | 2 | 10 | 17 | 26 | 40 | 75 |
| **TOT. SINGLE DX** | 124 | 6.3 | 22 | 1 | 1 | 5 | 9 | 14 | 16 | 19 |
| **" MULTIPLE DX** | 226 | 11.5 | 152 | 1 | 3 | 8 | 14 | 22 | 39 | 72 |
| TOTAL 0-19 YRS | 41 | 9.0 | 126 | 1 | 1 | 6 | 10 | 17 | 33 | 58 |
| 20-34 | 96 | 8.5 | 123 | 1 | 2 | 5 | 10 | 15 | 22 | 70 |
| 35-49 | 59 | 8.2 | 37 | 2 | 3 | 6 | 11 | 15 | 21 | 34 |
| 50-64 | 67 | 9.1 | 67 | 1 | 2 | 7 | 12 | 17 | 19 | 48 |
| 65+ | 87 | 12.8 | 170 | 1 | 1 | 10 | 16 | 25 | 39 | 74 |
| **GRAND TOTAL** | **350** | **9.7** | **112** | **1** | **2** | **6** | **12** | **18** | **25** | **58** |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 106 | 5.8 | 20 | 2 | 2 | 4 | 7 | 10 | 15 | 26 |
| 20-34 | 349 | 5.5 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 17 |
| 35-49 | 145 | 6.4 | 25 | 2 | 3 | 5 | 8 | 11 | 14 | 24 |
| 50-64 | 114 | 8.7 | 83 | 2 | 3 | 7 | 10 | 15 | 21 | 50 |
| 65+ | 74 | 8.9 | 53 | 2 | 2 | 6 | 11 | 19 | 24 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 223 | 11.3 | 168 | 2 | 3 | 7 | 13 | 25 | 41 | 92 |
| 20-34 | 348 | 9.1 | 72 | 2 | 3 | 7 | 11 | 17 | 25 | 53 |
| 35-49 | 256 | 10.2 | 68 | 2 | 3 | 8 | 13 | 20 | 25 | 50 |
| 50-64 | 474 | 12.7 | 122 | 3 | 4 | 9 | 16 | 27 | 35 | 67 |
| 65+ | 633 | 14.1 | 120 | 3 | 4 | 10 | 18 | 30 | 38 | 50 |
| TOT. SINGLE DX | 788 | 6.5 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| " MULTIPLE DX | 1934 | 12.0 | 114 | 3 | 3 | 9 | 15 | 26 | 35 | 56 |
| TOTAL 0-19 YRS | 329 | 9.5 | 127 | 2 | 3 | 6 | 10 | 18 | 31 | 86 |
| 20-34 | 697 | 7.3 | 47 | 2 | 2 | 5 | 9 | 14 | 18 | 38 |
| 35-49 | 401 | 8.8 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| 50-64 | 588 | 11.9 | 118 | 3 | 3 | 9 | 15 | 26 | 33 | 66 |
| 65+ | 707 | 13.5 | 116 | 3 | 4 | 10 | 17 | 28 | 36 | 50 |
| GRAND TOTAL | 2722 | 10.4 | 97 | 2 | 3 | 7 | 13 | 22 | 30 | 52 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 5.8 | 11 | 1 | 2 | 6 | 8 | 9 | 11 | 18 |
| 20-34 | 118 | 6.3 | 28 | <1 | 1 | 5 | 9 | 13 | 16 | 27 |
| 35-49 | 100 | 6.1 | 30 | 1 | 1 | 5 | 8 | 14 | 17 | 28 |
| 50-64 | 135 | 6.7 | 43 | 1 | 1 | 4 | 9 | 15 | 21 | 32 |
| 65+ | 106 | 8.0 | 62 | 1 | 2 | 5 | 11 | 17 | 22 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 10.2 | 73 | 2 | 3 | 8 | 12 | 20 | 25 | 50 |
| 20-34 | 113 | 10.0 | 102 | 1 | 2 | 7 | 12 | 24 | 37 | 72 |
| 35-49 | 162 | 10.7 | 103 | 1 | 2 | 8 | 13 | 24 | 38 | 99+ |
| 50-64 | 353 | 10.3 | 118 | 1 | 2 | 7 | 13 | 23 | 32 | 67 |
| 65+ | 452 | 11.8 | 103 | 2 | 3 | 10 | 16 | 24 | 31 | 49 |
| TOT. SINGLE DX | 529 | 6.6 | 37 | 1 | 1 | 5 | 8 | 14 | 18 | 31 |
| " MULTIPLE DX | 1124 | 10.9 | 107 | 1 | 2 | 8 | 14 | 23 | 32 | 62 |
| TOTAL 0-19 YRS | 114 | 7.5 | 39 | 1 | 2 | 6 | 8 | 14 | 18 | 38 |
| 20-34 | 231 | 8.1 | 68 | 1 | 1 | 6 | 10 | 17 | 26 | 51 |
| 35-49 | 262 | 9.0 | 80 | 1 | 2 | 7 | 12 | 19 | 30 | 94 |
| 50-64 | 488 | 9.3 | 100 | 1 | 2 | 6 | 12 | 21 | 29 | 57 |
| 65+ | 558 | 11.1 | 98 | 2 | 2 | 9 | 15 | 22 | 30 | 49 |
| GRAND TOTAL | 1653 | 9.5 | 89 | 1 | 2 | 7 | 12 | 21 | 29 | 52 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (2) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 123 | 8.5 | 10 | 5 | 6 | 8 | 10 | 12 | 15 | 21 |
| 20-34 | 41 | 10.0 | 7 | 7 | 7 | 10 | 11 | 14 | 16 | 17 |
| 35-49 | 63 | 11.3 | 11 | 8 | 8 | 11 | 13 | 16 | 19 | 21 |
| 50-64 | 99 | 11.2 | 12 | 7 | 8 | 10 | 13 | 16 | 19 | 23 |
| 65+ | 48 | 13.8 | 22 | 8 | 9 | 13 | 15 | 21 | 24 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 198 | 11.0 | 101 | 5 | 7 | 8 | 10 | 17 | 21 | 74 |
| 20-34 | 97 | 14.9 | 101 | 6 | 8 | 12 | 16 | 28 | 43 | 78 |
| 35-49 | 197 | 16.0 | 119 | 8 | 9 | 13 | 18 | 25 | 38 | 66 |
| 50-64 | 511 | 16.2 | 83 | 9 | 9 | 14 | 19 | 25 | 33 | 57 |
| 65+ | 453 | 19.5 | 126 | 9 | 10 | 16 | 23 | 34 | 45 | 68 |
| TOT. SINGLE DX | 374 | 10.5 | 15 | 6 | 7 | 10 | 12 | 16 | 18 | 23 |
| " MULTIPLE DX | 1456 | 16.4 | 112 | 7 | 8 | 13 | 19 | 28 | 39 | 65 |
| TOTAL 0-19 YRS | 321 | 10.0 | 68 | 5 | 6 | 8 | 10 | 15 | 18 | 60 |
| 20-34 | 138 | 13.4 | 78 | 7 | 7 | 11 | 14 | 25 | 36 | 59 |
| 35-49 | 260 | 14.9 | 97 | 8 | 9 | 12 | 16 | 23 | 27 | 61 |
| 50-64 | 610 | 15.4 | 76 | 8 | 9 | 13 | 17 | 24 | 31 | 55 |
| 65+ | 501 | 19.0 | 119 | 9 | 10 | 16 | 22 | 33 | 44 | 67 |
| GRAND TOTAL | 1830 | 15.2 | 98 | 7 | 8 | 12 | 17 | 25 | 34 | 59 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 20-34 | 6 | 8.7 | 4 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 35-49 | 184 | 10.6 | 11 | 7 | 7 | 10 | 12 | 14 | 18 | 23 |
| 50-64 | 664 | 10.8 | 11 | 7 | 8 | 10 | 12 | 15 | 18 | 23 |
| 65+ | 333 | 12.5 | 18 | 8 | 8 | 11 | 15 | 17 | 20 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | 44 | 12.3 | 46 | 7 | 8 | 10 | 13 | 18 | 27 | 40 |
| 35-49 | 917 | 12.0 | 34 | 7 | 8 | 10 | 13 | 17 | 22 | 33 |
| 50-64 | 3641 | 13.3 | 48 | 8 | 8 | 11 | 15 | 20 | 25 | 44 |
| 65+ | 2183 | 16.4 | 81 | 8 | 9 | 14 | 19 | 27 | 33 | 53 |
| TOT. SINGLE DX | 1188 | 11.3 | 14 | 7 | 8 | 10 | 13 | 16 | 18 | 25 |
| " MULTIPLE DX | 6786 | 14.1 | 59 | 8 | 8 | 12 | 16 | 22 | 28 | 45 |
| TOTAL 0-19 YRS | 2 | 17.0 | 72 | 11 | 11 | 17 | 23 | 23 | 23 | 23 |
| 20-34 | 50 | 11.8 | 42 | 6 | 7 | 10 | 12 | 17 | 22 | 40 |
| 35-49 | 1101 | 11.8 | 31 | 7 | 8 | 10 | 13 | 17 | 21 | 33 |
| 50-64 | 4305 | 12.9 | 43 | 8 | 8 | 11 | 14 | 19 | 24 | 40 |
| 65+ | 2516 | 15.8 | 75 | 8 | 9 | 13 | 18 | 25 | 33 | 49 |
| GRAND TOTAL | 7974 | 13.7 | 54 | 8 | 8 | 12 | 15 | 21 | 27 | 43 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 345 | 1.6 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 7 |
| 20-34 | 186 | 3.1 | 15 | 1 | 1 | 2 | 3 | 6 | 8 | 24 |
| 35-49 | 1038 | 2.7 | 6 | 1 | 1 | 2 | 2 | 5 | 7 | 14 |
| 50-64 | 2128 | 2.7 | 6 | 1 | 1 | 2 | 2 | 5 | 7 | 14 |
| 65+ | 885 | 3.1 | 9 | 1 | 1 | 2 | 3 | 6 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 420 | 2.9 | 21 | 1 | 1 | 2 | 2 | 5 | 11 | 28 |
| 20-34 | 338 | 3.6 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 35-49 | 2705 | 3.9 | 21 | 1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 50-64 | 7548 | 3.9 | 19 | 1 | 1 | 2 | 4 | 9 | 12 | 22 |
| 65+ | 4165 | 5.5 | 42 | 1 | 2 | 2 | 7 | 13 | 18 | 34 |
| TOT. SINGLE DX | 4582 | 2.7 | 8 | 1 | 1 | 2 | 2 | 5 | 7 | 14 |
| " MULTIPLE DX | 15176 | 4.3 | 27 | 1 | 1 | 2 | 5 | 10 | 14 | 25 |
| TOTAL 0-19 YRS | 765 | 2.3 | 13 | 1 | 1 | 2 | 2 | 3 | 7 | 23 |
| 20-34 | 524 | 3.4 | 19 | 1 | 1 | 2 | 3 | 7 | 9 | 25 |
| 35-49 | 3743 | 3.5 | 18 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| 50-64 | 9676 | 3.6 | 17 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 65+ | 5050 | 5.1 | 38 | 1 | 2 | 2 | 6 | 12 | 17 | 32 |
| GRAND TOTAL | 19758 | 3.9 | 23 | 1 | 1 | 2 | 4 | 9 | 13 | 24 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 2.9 | 1 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 13 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 40 | 6.3 | 36 | 1 | 2 | 4 | 8 | 16 | 21 | 24 |
| 50-64 | 169 | 5.6 | 20 | 1 | 1 | 4 | 8 | 12 | 16 | 20 |
| 65+ | 853 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 7.8 | 66 | 1 | 2 | 5 | 9 | 18 | 29 | 33 |
| 20-34 | 35 | 8.9 | 102 | 2 | 2 | 5 | 11 | 15 | 32 | 49 |
| 35-49 | 153 | 10.0 | 46 | 3 | 3 | 9 | 13 | 17 | 21 | 35 |
| 50-64 | 811 | 9.9 | 57 | 2 | 3 | 8 | 13 | 18 | 23 | 34 |
| 65+ | 4107 | 10.3 | 71 | 2 | 3 | 8 | 13 | 20 | 26 | 44 |
| TOT. SINGLE DX | 1085 | 5.1 | 20 | 1 | 1 | 4 | 6 | 11 | 14 | 22 |
| " MULTIPLE DX | 5121 | 10.2 | 69 | 2 | 3 | 8 | 13 | 19 | 25 | 43 |
| TOTAL 0-19 YRS | 25 | 5.8 | 45 | 1 | 2 | 4 | 6 | 10 | 22 | 33 |
| 20-34 | 48 | 7.4 | 81 | 2 | 2 | 4 | 8 | 15 | 30 | 49 |
| 35-49 | 193 | 9.2 | 46 | 2 | 3 | 8 | 13 | 17 | 21 | 34 |
| 50-64 | 980 | 9.2 | 54 | 2 | 2 | 7 | 13 | 18 | 22 | 33 |
| 65+ | 4960 | 9.4 | 67 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |
| GRAND TOTAL | 6206 | 9.3 | 64 | 2 | 2 | 7 | 12 | 18 | 24 | 41 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 9.4 | 69 | 2 | 5 | 7 | 10 | 12 | 30 | 40 |
| 20-34 | 17 | 6.9 | 9 | 1 | 3 | 7 | 8 | 11 | 13 | 13 |
| 35-49 | 17 | 6.4 | 21 | 1 | 1 | 5 | 8 | 12 | 17 | 19 |
| 50-64 | 26 | 7.3 | 33 | 1 | 2 | 5 | 9 | 15 | 22 | 24 |
| 65+ | 22 | 7.5 | 48 | 1 | 2 | 5 | 8 | 17 | 24 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 11.7 | 96 | 1 | 2 | 8 | 19 | 23 | 25 | 46 |
| 20-34 | 42 | 12.9 | 82 | 3 | 5 | 11 | 15 | 26 | 34 | 44 |
| 35-49 | 87 | 11.6 | 84 | 2 | 2 | 9 | 15 | 26 | 31 | 44 |
| 50-64 | 174 | 11.9 | 88 | 2 | 3 | 10 | 15 | 25 | 30 | 47 |
| 65+ | 119 | 12.9 | 81 | 2 | 3 | 11 | 20 | 26 | 29 | 61 |
| TOT. SINGLE DX | 99 | 7.5 | 36 | 1 | 2 | 6 | 9 | 13 | 20 | 35 |
| " MULTIPLE DX | 451 | 12.2 | 85 | 2 | 3 | 10 | 16 | 25 | 30 | 46 |
| TOTAL 0-19 YRS | 46 | 10.8 | 86 | 1 | 2 | 8 | 12 | 23 | 27 | 46 |
| 20-34 | 59 | 11.2 | 69 | 2 | 5 | 8 | 13 | 21 | 30 | 44 |
| 35-49 | 104 | 10.7 | 77 | 2 | 2 | 9 | 14 | 23 | 30 | 42 |
| 50-64 | 200 | 11.3 | 83 | 2 | 3 | 10 | 14 | 23 | 28 | 44 |
| 65+ | 141 | 12.1 | 80 | 1 | 2 | 10 | 19 | 25 | 29 | 49 |
| GRAND TOTAL | 550 | 11.3 | 80 | 2 | 3 | 9 | 14 | 24 | 29 | 44 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 151 | 2.7 | 10 | <1 | <1 | 1 | 3 | 6 | 8 | 15 |
| 20-34 | 108 | 3.4 | 21 | <1 | <1 | 2 | 4 | 8 | 11 | 28 |
| 35-49 | 133 | 3.2 | 17 | <1 | <1 | 1 | 3 | 9 | 14 | 19 |
| 50-64 | 221 | 3.1 | 15 | <1 | <1 | 2 | 3 | 8 | 13 | 21 |
| 65+ | 194 | 5.3 | 50 | <1 | 1 | 2 | 7 | 14 | 17 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 223 | 6.8 | 118 | <1 | 1 | 4 | 7 | 14 | 22 | 98 |
| 20-34 | 184 | 7.6 | 80 | <1 | 1 | 6 | 10 | 16 | 21 | 70 |
| 35-49 | 263 | 8.8 | 86 | 1 | 1 | 6 | 12 | 21 | 27 | 40 |
| 50-64 | 659 | 8.9 | 74 | 1 | 1 | 7 | 12 | 18 | 25 | 48 |
| 65+ | 1465 | 11.2 | 86 | 1 | 2 | 9 | 15 | 24 | 30 | 45 |
| TOT. SINGLE DX | 807 | 3.6 | 25 | <1 | <1 | 2 | 4 | 9 | 14 | 25 |
| " MULTIPLE DX | 2794 | 9.8 | 88 | 1 | 2 | 7 | 13 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 374 | 5.2 | 78 | <1 | <1 | 3 | 6 | 11 | 16 | 71 |
| 20-34 | 292 | 6.1 | 63 | <1 | <1 | 4 | 8 | 15 | 19 | 42 |
| 35-49 | 396 | 6.9 | 70 | <1 | 1 | 4 | 9 | 16 | 23 | 38 |
| 50-64 | 880 | 7.5 | 66 | <1 | 1 | 5 | 10 | 16 | 23 | 45 |
| 65+ | 1659 | 10.5 | 86 | 1 | 2 | 8 | 14 | 23 | 29 | 44 |
| GRAND TOTAL | 3601 | 8.5 | 81 | <1 | 1 | 6 | 12 | 19 | 26 | 44 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 20-34 | 498 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 652 | 3.7 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 50-64 | 479 | 4.3 | 20 | 1 | 2 | 4 | 5 | 6 | 8 | 24 |
| 65+ | 126 | 5.1 | 32 | 2 | 2 | 4 | 6 | 8 | 10 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 3.7 | 8 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 116 | 4.3 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 224 | 4.7 | 12 | 1 | 2 | 4 | 5 | 8 | 10 | 22 |
| 50-64 | 283 | 5.9 | 38 | 2 | 2 | 4 | 6 | 10 | 14 | 40 |
| 65+ | 129 | 8.1 | 56 | 3 | 3 | 5 | 9 | 16 | 23 | 43 |
| TOT. SINGLE DX | 1774 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| " MULTIPLE DX | 759 | 5.7 | 30 | 2 | 2 | 4 | 6 | 10 | 14 | 31 |
| TOTAL 0-19 YRS | 26 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 20-34 | 614 | 3.6 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 876 | 3.9 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 50-64 | 762 | 4.9 | 28 | 2 | 2 | 4 | 5 | 8 | 11 | 31 |
| 65+ | 255 | 6.7 | 47 | 2 | 2 | 5 | 7 | 14 | 18 | 40 |
| GRAND TOTAL | 2533 | 4.4 | 18 | 1 | 2 | 4 | 5 | 7 | 9 | 22 |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 5.2 | 12 | 1 | 1 | 5 | 7 | 8 | 12 | 17 |
| 20-34 | 34 | 5.5 | 58 | 1 | 2 | 3 | 6 | 9 | 17 | 44 |
| 35-49 | 98 | 6.9 | 22 | 1 | 1 | 6 | 9 | 13 | 15 | 23 |
| 50-64 | 326 | 8.2 | 15 | 2 | 3 | 8 | 10 | 13 | 15 | 20 |
| 65+ | 314 | 10.2 | 47 | 2 | 4 | 9 | 13 | 17 | 19 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 13.7 | 206 | 2 | 4 | 10 | 14 | 31 | 41 | 86 |
| 20-34 | 131 | 12.5 | 145 | 2 | 3 | 9 | 16 | 26 | 36 | 62 |
| 35-49 | 287 | 11.9 | 74 | 2 | 4 | 9 | 15 | 24 | 29 | 39 |
| 50-64 | 1133 | 13.4 | 103 | 3 | 5 | 11 | 15 | 24 | 34 | 55 |
| 65+ | 1437 | 15.8 | 148 | 4 | 6 | 13 | 18 | 28 | 40 | 75 |
| TOT. SINGLE DX | 792 | 8.6 | 33 | 2 | 2 | 8 | 11 | 14 | 18 | 26 |
| " MULTIPLE DX | 3041 | 14.3 | 127 | 3 | 5 | 11 | 17 | 26 | 36 | 66 |
| TOTAL 0-19 YRS | 73 | 11.4 | 167 | 2 | 2 | 8 | 12 | 25 | 39 | 78 |
| 20-34 | 165 | 11.1 | 135 | 2 | 2 | 8 | 14 | 24 | 36 | 61 |
| 35-49 | 385 | 10.6 | 66 | 2 | 2 | 9 | 13 | 22 | 27 | 38 |
| 50-64 | 1459 | 12.2 | 89 | 3 | 5 | 10 | 14 | 22 | 31 | 52 |
| 65+ | 1751 | 14.8 | 135 | 4 | 5 | 12 | 17 | 26 | 36 | 71 |
| GRAND TOTAL | 3833 | 13.2 | 113 | 3 | 4 | 10 | 16 | 24 | 33 | 61 |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 14.0 | 19 | 11 | 11 | 12 | 17 | 19 | 19 | 19 |
| 50-64 | 3 | 20.7 | 30 | 17 | 17 | 18 | 25 | 27 | 27 | 27 |
| 65+ | 2 | 12.5 | 13 | 10 | 10 | 12 | 15 | 15 | 15 | 15 |
| TOT. SINGLE DX | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| " MULTIPLE DX | 8 | 16.1 | 30 | 10 | 10 | 16 | 18 | 25 | 27 | 27 |
| TOTAL 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 12.8 | 19 | 9 | 9 | 11 | 15 | 19 | 19 | 19 |
| 50-64 | 3 | 20.7 | 30 | 17 | 17 | 18 | 25 | 27 | 27 | 27 |
| 65+ | 2 | 12.5 | 13 | 10 | 10 | 12 | 15 | 15 | 15 | 15 |
| GRAND TOTAL | 10 | 14.6 | 34 | 8 | 8 | 13 | 18 | 23 | 27 | 27 |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 6.9 | 26 | 2 | 2 | 6 | 10 | 15 | 16 | 16 |
| 20-34 | 16 | 3.6 | 8 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 35-49 | 26 | 3.3 | 11 | <1 | <1 | 2 | 5 | 7 | 12 | 14 |
| 50-64 | 24 | 4.3 | 69 | <1 | <1 | 2 | 4 | 6 | 20 | 42 |
| 65+ | 38 | 4.6 | 48 | <1 | <1 | 2 | 3 | 13 | 26 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 6.0 | 62 | <1 | <1 | 3 | 6 | 16 | 25 | 37 |
| 20-34 | 337 | 5.3 | 25 | <1 | 1 | 4 | 7 | 11 | 14 | 24 |
| 35-49 | 327 | 5.9 | 52 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| 50-64 | 628 | 6.9 | 46 | 1 | 2 | 5 | 8 | 14 | 18 | 37 |
| 65+ | 581 | 9.1 | 98 | 1 | 2 | 6 | 11 | 19 | 28 | 53 |
| TOT. SINGLE DX | 111 | 4.2 | 37 | <1 | <1 | 2 | 4 | 9 | 15 | 33 |
| " MULTIPLE DX | 1913 | 7.1 | 62 | 1 | 2 | 5 | 8 | 15 | 21 | 41 |
| TOTAL 0-19 YRS | 47 | 6.1 | 57 | <1 | 1 | 3 | 7 | 15 | 22 | 37 |
| 20-34 | 353 | 5.2 | 25 | <1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 35-49 | 353 | 5.7 | 50 | 1 | 1 | 4 | 7 | 11 | 15 | 29 |
| 50-64 | 652 | 6.8 | 47 | 1 | 1 | 5 | 8 | 14 | 18 | 42 |
| 65+ | 619 | 8.8 | 96 | 1 | 2 | 6 | 10 | 19 | 28 | 53 |
| GRAND TOTAL | 2024 | 6.9 | 61 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 227 | 6.1 | 21 | 1 | 1 | 5 | 8 | 11 | 16 | 22 |
| 20-34 | 203 | 5.4 | 25 | <1 | 1 | 3 | 7 | 13 | 16 | 21 |
| 35-49 | 245 | 7.5 | 97 | 1 | 1 | 4 | 9 | 16 | 24 | 55 |
| 50-64 | 707 | 6.8 | 23 | 1 | 2 | 6 | 9 | 13 | 16 | 24 |
| 65+ | 1048 | 7.8 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1793 | 15.7 | 294 | 2 | 3 | 9 | 20 | 40 | 56 | 96 |
| 20-34 | 594 | 9.8 | 141 | 1 | 1 | 6 | 11 | 23 | 33 | 62 |
| 35-49 | 743 | 11.2 | 162 | 1 | 2 | 8 | 13 | 25 | 39 | 83 |
| 50-64 | 2839 | 11.5 | 144 | 2 | 3 | 8 | 13 | 24 | 34 | 75 |
| 65+ | 4676 | 12.8 | 124 | 3 | 4 | 10 | 16 | 26 | 36 | 62 |
| **TOT. SINGLE DX** | 2430 | 7.1 | 35 | 1 | 2 | 6 | 9 | 14 | 17 | 29 |
| **" MULTIPLE DX** | 10645 | 12.7 | 165 | 2 | 3 | 9 | 15 | 27 | 40 | 74 |
| TOTAL 0-19 YRS | 2020 | 14.6 | 273 | 1 | 3 | 8 | 17 | 38 | 55 | 95 |
| 20-34 | 797 | 8.7 | 116 | 1 | 1 | 6 | 10 | 20 | 29 | 60 |
| 35-49 | 988 | 10.3 | 149 | 1 | 2 | 7 | 12 | 23 | 37 | 76 |
| 50-64 | 3546 | 10.5 | 124 | 2 | 3 | 8 | 12 | 21 | 31 | 72 |
| 65+ | 5724 | 11.9 | 111 | 2 | 3 | 9 | 14 | 24 | 33 | 59 |
| **GRAND TOTAL** | **13075** | **11.6** | **145** | **2** | **3** | **8** | **14** | **25** | **36** | **71** |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 314 | 2.4 | 6 | <1 | <1 | 2 | 2 | 5 | 8 | 13 |
| 20-34 | 391 | 2.8 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 35-49 | 226 | 3.5 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| 50-64 | 275 | 4.2 | 17 | <1 | <1 | 2 | 6 | 9 | 13 | 21 |
| 65+ | 240 | 6.0 | 36 | <1 | 1 | 4 | 8 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 106 | 4.9 | 58 | <1 | 1 | 3 | 5 | 10 | 17 | 77 |
| 20-34 | 199 | 6.0 | 40 | <1 | 1 | 4 | 8 | 14 | 19 | 36 |
| 35-49 | 228 | 6.5 | 55 | 1 | 1 | 4 | 8 | 14 | 20 | 37 |
| 50-64 | 524 | 7.9 | 67 | 1 | 1 | 5 | 10 | 17 | 24 | 42 |
| 65+ | 579 | 10.0 | 103 | 1 | 2 | 7 | 12 | 21 | 29 | 60 |
| **TOT. SINGLE DX** | 1446 | 3.6 | 17 | <1 | <1 | 2 | 4 | 8 | 11 | 21 |
| **" MULTIPLE DX** | 1636 | 8.0 | 77 | 1 | 1 | 5 | 10 | 17 | 25 | 47 |
| TOTAL 0-19 YRS | 420 | 3.1 | 21 | <1 | <1 | 2 | 3 | 7 | 10 | 19 |
| 20-34 | 590 | 3.9 | 20 | <1 | <1 | 2 | 4 | 8 | 12 | 22 |
| 35-49 | 454 | 5.0 | 38 | <1 | <1 | 3 | 6 | 11 | 15 | 34 |
| 50-64 | 799 | 6.6 | 53 | <1 | 1 | 4 | 9 | 15 | 19 | 38 |
| 65+ | 819 | 8.8 | 88 | 1 | 2 | 6 | 11 | 19 | 26 | 52 |
| **GRAND TOTAL** | **3082** | **6.0** | **54** | **<1** | **1** | **3** | **8** | **13** | **19** | **38** |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 15 | 4.1 | 12 | <1 | <1 | 3 | 7 | 8 | 12 | 13 |
| 20-34 | 35 | 5.9 | 8 | 1 | 2 | 7 | 8 | 10 | 10 | 11 |
| 35-49 | 35 | 6.1 | 36 | 1 | 2 | 5 | 8 | 9 | 17 | 34 |
| 50-64 | 53 | 9.7 | 167 | 2 | 2 | 7 | 13 | 16 | 28 | 88 |
| 65+ | 41 | 9.0 | 169 | 1 | 2 | 6 | 9 | 14 | 27 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 12 | 8.1 | 17 | 1 | 2 | 8 | 11 | 14 | 15 | 15 |
| 20-34 | 80 | 8.2 | 18 | 2 | 3 | 8 | 10 | 13 | 15 | 25 |
| 35-49 | 62 | 8.0 | 37 | 2 | 3 | 6 | 9 | 14 | 22 | 36 |
| 50-64 | 165 | 10.4 | 78 | 3 | 4 | 7 | 12 | 21 | 28 | 55 |
| 65+ | 143 | 11.4 | 125 | 2 | 3 | 8 | 12 | 26 | 32 | 81 |
| **TOT. SINGLE DX** | 179 | 7.6 | 100 | 1 | 2 | 5 | 8 | 13 | 18 | 68 |
| **" MULTIPLE DX** | 462 | 10.0 | 77 | 2 | 3 | 8 | 11 | 20 | 28 | 55 |
| TOTAL 0-19 YRS | 27 | 5.9 | 18 | <1 | <1 | 5 | 8 | 13 | 14 | 15 |
| 20-34 | 115 | 7.5 | 17 | 2 | 3 | 8 | 10 | 11 | 14 | 21 |
| 35-49 | 97 | 7.3 | 37 | 2 | 2 | 5 | 8 | 13 | 21 | 36 |
| 50-64 | 218 | 10.2 | 100 | 3 | 3 | 7 | 12 | 20 | 29 | 59 |
| 65+ | 184 | 10.9 | 136 | 2 | 3 | 7 | 11 | 25 | 32 | 81 |
| **GRAND TOTAL** | **641** | **9.3** | **85** | **2** | **3** | **7** | **10** | **17** | **26** | **56** |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 50-64 | 2 | 17.5 | 365 | 4 | 4 | 17 | 31 | 31 | 31 | 31 |
| 65+ | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| **TOT. SINGLE DX** | 6 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| **" MULTIPLE DX** | 7 | 9.6 | 107 | 1 | 1 | 6 | 12 | 27 | 31 | 31 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 6.3 | 14 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| 50-64 | 3 | 13.3 | 234 | 4 | 4 | 5 | 24 | 31 | 31 | 31 |
| 65+ | 4 | 5.0 | 23 | 2 | 2 | 3 | 8 | 12 | 12 | 12 |
| **GRAND TOTAL** | **13** | **7.0** | **63** | **1** | **2** | **5** | **7** | **16** | **28** | **31** |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | 2 | 20.5 | 545 | 4 | 4 | 20 | 37 | 37 | 37 | 37 |
| TOTAL 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2 | 20.5 | 545 | 4 | 4 | 20 | 37 | 37 | 37 | 37 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 225 | 6.0 | 66 | 1 | 2 | 5 | 7 | 9 | 11 | 64 |
| 20-34 | 207 | 7.7 | 37 | 2 | 2 | 6 | 8 | 15 | 23 | 30 |
| 35-49 | 113 | 8.1 | 51 | 1 | 2 | 6 | 10 | 16 | 23 | 37 |
| 50-64 | 144 | 7.8 | 77 | 1 | 2 | 6 | 9 | 13 | 17 | 49 |
| 65+ | 213 | 8.5 | 66 | 1 | 2 | 6 | 10 | 18 | 23 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 313 | 10.0 | 104 | 2 | 3 | 7 | 11 | 21 | 32 | 63 |
| 20-34 | 437 | 12.2 | 170 | 2 | 3 | 8 | 13 | 27 | 40 | 96 |
| 35-49 | 428 | 13.3 | 179 | 2 | 3 | 9 | 16 | 29 | 41 | 75 |
| 50-64 | 857 | 12.1 | 130 | 2 | 3 | 8 | 15 | 26 | 35 | 65 |
| 65+ | 2034 | 12.7 | 117 | 3 | 4 | 10 | 16 | 25 | 35 | 62 |
| TOT. SINGLE DX | 902 | 7.5 | 60 | 1 | 2 | 6 | 8 | 14 | 21 | 39 |
| " MULTIPLE DX | 4069 | 12.4 | 132 | 2 | 3 | 9 | 15 | 26 | 36 | 68 |
| TOTAL 0-19 YRS | 538 | 8.3 | 92 | 1 | 2 | 6 | 9 | 16 | 24 | 64 |
| 20-34 | 644 | 10.8 | 132 | 2 | 3 | 7 | 12 | 23 | 32 | 85 |
| 35-49 | 541 | 12.2 | 157 | 2 | 3 | 8 | 15 | 27 | 39 | 66 |
| 50-64 | 1001 | 11.5 | 125 | 2 | 3 | 8 | 14 | 26 | 35 | 63 |
| 65+ | 2247 | 12.3 | 114 | 2 | 3 | 9 | 15 | 25 | 33 | 62 |
| GRAND TOTAL | 4971 | 11.5 | 122 | 2 | 3 | 8 | 14 | 24 | 34 | 65 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 9.4 | 138 | 1 | 1 | 4 | 12 | 26 | 33 | 59 |
| 20-34 | 21 | 13.4 | 437 | <1 | 1 | 5 | 12 | 49 | 65 | 80 |
| 35-49 | 20 | 8.6 | 94 | 1 | 1 | 5 | 9 | 25 | 31 | 35 |
| 50-64 | 33 | 10.0 | 116 | <1 | <1 | 5 | 17 | 29 | 30 | 32 |
| 65+ | 18 | 11.0 | 293 | <1 | 1 | 4 | 13 | 38 | 56 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 16.7 | 444 | 1 | 2 | 9 | 24 | 52 | 78 | 99+ |
| 20-34 | 76 | 18.2 | 389 | 1 | 2 | 10 | 27 | 46 | 53 | 94 |
| 35-49 | 89 | 11.9 | 92 | 1 | 2 | 10 | 18 | 26 | 40 | 99+ |
| 50-64 | 199 | 15.3 | 214 | 1 | 2 | 11 | 23 | 34 | 47 | 90 |
| 65+ | 222 | 18.2 | 256 | 2 | 4 | 14 | 23 | 42 | 55 | 74 |
| TOT. SINGLE DX | 132 | 10.3 | 191 | <1 | 1 | 5 | 13 | 28 | 37 | 67 |
| " MULTIPLE DX | 675 | 16.3 | 265 | 1 | 2 | 11 | 22 | 40 | 53 | 98 |
| TOTAL 0-19 YRS | 129 | 14.4 | 359 | 1 | 2 | 7 | 17 | 39 | 71 | 99+ |
| 20-34 | 97 | 17.2 | 399 | 1 | 2 | 8 | 23 | 47 | 53 | 93 |
| 35-49 | 109 | 11.3 | 93 | 1 | 1 | 9 | 17 | 26 | 35 | 99+ |
| 50-64 | 232 | 14.5 | 204 | 1 | 2 | 10 | 22 | 32 | 46 | 84 |
| 65+ | 240 | 17.7 | 262 | 2 | 3 | 13 | 23 | 42 | 55 | 73 |
| GRAND TOTAL | 807 | 15.3 | 258 | 1 | 2 | 10 | 21 | 37 | 52 | 92 |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 3.0 | 13 | <1 | <1 | 2 | 3 | 7 | 13 | 17 |
| 20-34 | 60 | 3.3 | 6 | <1 | 1 | 2 | 5 | 7 | 9 | 11 |
| 35-49 | 54 | 4.8 | 26 | <1 | <1 | 3 | 7 | 10 | 13 | 31 |
| 50-64 | 106 | 4.8 | 46 | <1 | 1 | 2 | 5 | 12 | 19 | 38 |
| 65+ | 135 | 6.7 | 90 | 1 | 1 | 4 | 8 | 13 | 26 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 9.3 | 148 | <1 | 1 | 2 | 17 | 22 | 36 | 51 |
| 20-34 | 108 | 8.4 | 72 | 1 | 2 | 5 | 10 | 21 | 24 | 47 |
| 35-49 | 158 | 10.5 | 209 | 1 | 1 | 6 | 12 | 21 | 43 | 74 |
| 50-64 | 428 | 10.1 | 138 | 1 | 2 | 7 | 12 | 22 | 29 | 74 |
| 65+ | 728 | 11.0 | 132 | 1 | 2 | 8 | 13 | 24 | 34 | 65 |
| TOT. SINGLE DX | 385 | 5.1 | 52 | <1 | 1 | 3 | 6 | 10 | 17 | 34 |
| " MULTIPLE DX | 1448 | 10.5 | 139 | 1 | 2 | 7 | 13 | 22 | 32 | 66 |
| TOTAL 0-19 YRS | 56 | 5.9 | 85 | <1 | <1 | 2 | 6 | 18 | 22 | 50 |
| 20-34 | 168 | 6.5 | 55 | <1 | 1 | 4 | 8 | 15 | 22 | 41 |
| 35-49 | 212 | 9.1 | 169 | 1 | 1 | 5 | 10 | 16 | 32 | 72 |
| 50-64 | 534 | 9.0 | 125 | 1 | 1 | 6 | 11 | 21 | 27 | 72 |
| 65+ | 863 | 10.4 | 129 | 1 | 2 | 7 | 12 | 22 | 32 | 65 |
| GRAND TOTAL | 1833 | 9.3 | 125 | 1 | 1 | 6 | 11 | 21 | 29 | 65 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 320 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 50-64 | 4 | 8.8 | 17 | 4 | 4 | 8 | 11 | 14 | 14 | 14 |
| 65+ | 3 | 12.7 | 56 | 4 | 4 | 17 | 17 | 17 | 17 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 4.8 | 15 | 2 | 2 | 4 | 5 | 8 | 13 | 23 |
| 20-34 | 14 | 17.1 | 327 | 5 | 5 | 10 | 15 | 51 | 61 | 64 |
| 35-49 | 7 | 11.9 | 59 | 7 | 7 | 10 | 11 | 25 | 29 | 29 |
| 50-64 | 18 | 20.0 | 379 | 5 | 7 | 13 | 16 | 51 | 71 | 80 |
| 65+ | 26 | 21.3 | 351 | 4 | 8 | 15 | 23 | 43 | 66 | 90 |
| TOT. SINGLE DX | 331 | 3.5 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| " MULTIPLE DX | 145 | 11.2 | 200 | 2 | 3 | 6 | 13 | 23 | 39 | 80 |
| TOTAL 0-19 YRS | 400 | 3.6 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 13 |
| 20-34 | 16 | 15.7 | 300 | 4 | 5 | 9 | 14 | 48 | 60 | 64 |
| 35-49 | 9 | 11.1 | 47 | 7 | 7 | 9 | 10 | 22 | 29 | 29 |
| 50-64 | 22 | 18.0 | 329 | 5 | 6 | 12 | 16 | 44 | 66 | 80 |
| 65+ | 29 | 20.4 | 325 | 4 | 6 | 15 | 23 | 40 | 61 | 90 |
| GRAND TOTAL | 476 | 5.9 | 76 | 2 | 2 | 4 | 5 | 11 | 17 | 55 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 17.3 | 538 | 2 | 3 | 8 | 18 | 58 | 72 | 72 |
| 20-34 | 6 | 13.5 | 64 | 2 | 3 | 13 | 22 | 22 | 22 | 22 |
| 35-49 | 6 | 22.0 | 707 | 5 | 5 | 12 | 21 | 70 | 75 | 75 |
| 50-64 | 5 | 13.4 | 109 | 4 | 4 | 9 | 23 | 27 | 27 | 27 |
| 65+ | 15 | 16.2 | 144 | 4 | 8 | 12 | 21 | 38 | 45 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 22.4 | 366 | 2 | 4 | 24 | 49 | 99+ | 99+ | 99+ |
| 20-34 | 17 | 29.6 | 797 | 2 | 4 | 22 | 39 | 96 | 99+ | 99+ |
| 35-49 | 20 | 17.5 | 111 | 5 | 7 | 12 | 26 | 32 | 38 | 42 |
| 50-64 | 73 | 23.3 | 359 | 3 | 6 | 18 | 34 | 69 | 91 | 99+ |
| 65+ | 185 | 24.8 | 267 | 6 | 8 | 22 | 37 | 53 | 78 | 99+ |
| TOT. SINGLE DX | 40 | 16.5 | 266 | 3 | 4 | 11 | 22 | 32 | 59 | 75 |
| " MULTIPLE DX | 322 | 24.0 | 315 | 5 | 6 | 21 | 36 | 60 | 99+ | 99+ |
| TOTAL 0-19 YRS | 35 | 21.3 | 396 | 2 | 4 | 18 | 41 | 89 | 99+ | 99+ |
| 20-34 | 23 | 25.4 | 647 | 2 | 2 | 21 | 36 | 90 | 99 | 99+ |
| 35-49 | 26 | 18.5 | 230 | 5 | 5 | 12 | 25 | 34 | 49 | 75 |
| 50-64 | 78 | 22.7 | 348 | 3 | 5 | 18 | 33 | 66 | 85 | 99+ |
| 65+ | 200 | 24.1 | 263 | 6 | 8 | 22 | 36 | 51 | 75 | 99+ |
| GRAND TOTAL | 362 | 23.2 | 314 | 4 | 6 | 21 | 35 | 58 | 94 | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 4.3 | 5 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 54 | 4.2 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 11 |
| 35-49 | 75 | 4.7 | 5 | <1 | 1 | 4 | 7 | 8 | 9 | 11 |
| 50-64 | 116 | 6.4 | 34 | <1 | 1 | 5 | 8 | 12 | 14 | 36 |
| 65+ | 157 | 6.5 | 18 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 6.6 | 18 | 3 | 3 | 6 | 8 | 11 | 16 | 22 |
| 20-34 | 178 | 7.4 | 53 | 2 | 3 | 5 | 8 | 13 | 18 | 47 |
| 35-49 | 344 | 8.0 | 43 | 2 | 3 | 7 | 9 | 14 | 18 | 35 |
| 50-64 | 685 | 8.2 | 52 | 2 | 3 | 6 | 10 | 16 | 21 | 40 |
| 65+ | 1306 | 10.6 | 89 | 2 | 3 | 8 | 13 | 21 | 29 | 54 |
| TOT. SINGLE DX | 414 | 5.8 | 19 | <1 | 2 | 5 | 7 | 11 | 13 | 23 |
| " MULTIPLE DX | 2537 | 9.4 | 72 | 2 | 3 | 7 | 11 | 18 | 24 | 47 |
| TOTAL 0-19 YRS | 36 | 5.8 | 15 | 2 | 3 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 232 | 6.7 | 44 | 1 | 2 | 5 | 8 | 11 | 15 | 44 |
| 35-49 | 419 | 7.4 | 38 | 1 | 2 | 6 | 9 | 13 | 17 | 32 |
| 50-64 | 801 | 7.9 | 50 | 2 | 3 | 6 | 10 | 15 | 20 | 38 |
| 65+ | 1463 | 10.2 | 84 | 2 | 3 | 8 | 12 | 20 | 28 | 52 |
| GRAND TOTAL | 2951 | 8.9 | 66 | 2 | 3 | 7 | 11 | 17 | 23 | 44 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 20-34 | 43 | 8.1 | 19 | 1 | 3 | 8 | 10 | 11 | 18 | 24 |
| 35-49 | 114 | 10.2 | 25 | 6 | 6 | 9 | 11 | 16 | 20 | 31 |
| 50-64 | 114 | 11.4 | 20 | 7 | 7 | 10 | 13 | 18 | 21 | 28 |
| 65+ | 98 | 14.2 | 93 | 8 | 8 | 12 | 16 | 20 | 26 | 72 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 13.2 | 29 | 7 | 7 | 15 | 17 | 19 | 19 | 19 |
| 20-34 | 46 | 11.6 | 46 | 6 | 7 | 10 | 14 | 18 | 24 | 44 |
| 35-49 | 190 | 16.0 | 154 | 7 | 8 | 12 | 17 | 27 | 41 | 72 |
| 50-64 | 343 | 16.2 | 142 | 7 | 8 | 13 | 18 | 26 | 41 | 79 |
| 65+ | 500 | 21.6 | 224 | 8 | 9 | 16 | 26 | 42 | 57 | 89 |
| TOT. SINGLE DX | 371 | 11.4 | 45 | 6 | 7 | 10 | 13 | 18 | 21 | 31 |
| " MULTIPLE DX | 1084 | 18.5 | 187 | 7 | 8 | 14 | 21 | 34 | 49 | 86 |
| TOTAL 0-19 YRS | 7 | 12.9 | 20 | 7 | 7 | 13 | 16 | 19 | 19 | 19 |
| 20-34 | 89 | 9.9 | 36 | 2 | 5 | 9 | 11 | 17 | 22 | 36 |
| 35-49 | 304 | 13.8 | 114 | 6 | 7 | 11 | 15 | 23 | 31 | 67 |
| 50-64 | 457 | 15.0 | 117 | 7 | 8 | 12 | 17 | 25 | 32 | 70 |
| 65+ | 598 | 20.4 | 210 | 8 | 9 | 16 | 24 | 40 | 56 | 86 |
| GRAND TOTAL | 1455 | 16.7 | 160 | 7 | 8 | 13 | 19 | 29 | 43 | 78 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 16.2 | 104 | 9 | 9 | 12 | 18 | 34 | 36 | 36 |
| 50-64 | 11 | 15.6 | 26 | 10 | 10 | 14 | 20 | 23 | 24 | 24 |
| 65+ | 14 | 18.1 | 137 | 9 | 11 | 15 | 18 | 26 | 50 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 18.0 | 28 | 12 | 12 | 17 | 21 | 25 | 25 | 25 |
| 35-49 | 9 | 23.1 | 442 | 11 | 11 | 16 | 22 | 56 | 78 | 78 |
| 50-64 | 43 | 23.1 | 255 | 10 | 11 | 20 | 24 | 41 | 59 | 91 |
| 65+ | 72 | 24.8 | 137 | 11 | 12 | 22 | 31 | 43 | 53 | 92 |
| TOT. SINGLE DX | 31 | 16.9 | 87 | 9 | 10 | 14 | 19 | 23 | 35 | 57 |
| " MULTIPLE DX | 128 | 23.9 | 192 | 11 | 12 | 21 | 27 | 41 | 54 | 93 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 18.0 | 29 | 12 | 12 | 17 | 21 | 25 | 25 | 25 |
| 35-49 | 15 | 20.3 | 303 | 9 | 10 | 15 | 21 | 36 | 67 | 78 |
| 50-64 | 54 | 21.6 | 216 | 10 | 10 | 19 | 22 | 30 | 52 | 90 |
| 65+ | 86 | 23.7 | 142 | 11 | 12 | 21 | 29 | 42 | 54 | 87 |
| GRAND TOTAL | 159 | 22.5 | 178 | 10 | 11 | 19 | 26 | 39 | 53 | 90 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 63 | 9.4 | 14 | 5 | 6 | 9 | 10 | 15 | 18 | 24 |
| 35-49 | 91 | 9.5 | 10 | 6 | 6 | 9 | 11 | 13 | 16 | 21 |
| 50-64 | 71 | 11.0 | 19 | 6 | 7 | 9 | 13 | 17 | 21 | 25 |
| 65+ | 45 | 14.2 | 59 | 7 | 7 | 13 | 15 | 24 | 35 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 25.0 | 441 | 11 | 11 | 17 | 31 | 62 | 62 | 62 |
| 20-34 | 66 | 13.5 | 113 | 6 | 7 | 10 | 15 | 20 | 33 | 64 |
| 35-49 | 142 | 12.5 | 84 | 6 | 6 | 10 | 14 | 21 | 26 | 65 |
| 50-64 | 164 | 14.1 | 65 | 7 | 7 | 12 | 17 | 24 | 30 | 47 |
| 65+ | 158 | 19.0 | 170 | 8 | 9 | 14 | 22 | 35 | 53 | 80 |
| TOT. SINGLE DX | 273 | 10.7 | 25 | 6 | 6 | 9 | 12 | 16 | 21 | 33 |
| " MULTIPLE DX | 535 | 15.1 | 117 | 6 | 7 | 12 | 17 | 26 | 36 | 65 |
| TOTAL 0-19 YRS | 8 | 18.4 | 336 | 7 | 7 | 12 | 19 | 50 | 62 | 62 |
| 20-34 | 129 | 11.5 | 69 | 6 | 6 | 9 | 12 | 18 | 24 | 57 |
| 35-49 | 233 | 11.3 | 58 | 6 | 6 | 9 | 13 | 18 | 22 | 52 |
| 50-64 | 235 | 13.2 | 53 | 6 | 7 | 11 | 15 | 22 | 27 | 45 |
| 65+ | 203 | 17.9 | 149 | 7 | 9 | 14 | 21 | 33 | 49 | 73 |
| GRAND TOTAL | 808 | 13.6 | 90 | 6 | 7 | 11 | 15 | 22 | 31 | 61 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 6.8 | 4 | 3 | 4 | 7 | 8 | 9 | 11 | 13 |
| 20-34 | 261 | 7.4 | 5 | 5 | 5 | 7 | 8 | 10 | 11 | 17 |
| 35-49 | 261 | 8.4 | 19 | 5 | 5 | 8 | 9 | 11 | 13 | 33 |
| 50-64 | 139 | 9.1 | 18 | 5 | 6 | 8 | 10 | 13 | 16 | 33 |
| 65+ | 77 | 12.6 | 74 | 4 | 6 | 11 | 14 | 20 | 32 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 11.6 | 119 | 4 | 5 | 8 | 13 | 23 | 41 | 55 |
| 20-34 | 383 | 10.9 | 111 | 5 | 6 | 8 | 10 | 17 | 25 | 62 |
| 35-49 | 623 | 11.3 | 88 | 6 | 6 | 9 | 11 | 18 | 27 | 57 |
| 50-64 | 448 | 12.7 | 60 | 6 | 7 | 10 | 15 | 22 | 29 | 56 |
| 65+ | 424 | 19.9 | 200 | 7 | 8 | 16 | 25 | 39 | 51 | 83 |
| TOT. SINGLE DX | 768 | 8.5 | 22 | 5 | 5 | 8 | 9 | 12 | 15 | 32 |
| " MULTIPLE DX | 1944 | 13.4 | 124 | 6 | 6 | 9 | 15 | 25 | 36 | 72 |
| TOTAL 0-19 YRS | 96 | 10.1 | 88 | 3 | 5 | 7 | 10 | 18 | 26 | 55 |
| 20-34 | 644 | 9.5 | 72 | 5 | 5 | 8 | 9 | 14 | 21 | 56 |
| 35-49 | 884 | 10.4 | 70 | 5 | 6 | 8 | 11 | 16 | 22 | 52 |
| 50-64 | 587 | 11.8 | 53 | 6 | 6 | 9 | 13 | 20 | 28 | 47 |
| 65+ | 501 | 18.7 | 188 | 7 | 8 | 15 | 23 | 36 | 50 | 81 |
| GRAND TOTAL | 2712 | 12.0 | 100 | 5 | 6 | 9 | 13 | 22 | 31 | 61 |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 44 | 4.6 | 21 | <1 | 1 | 3 | 7 | 8 | 14 | 25 |
| 20-34 | 128 | 5.7 | 18 | 1 | 1 | 5 | 8 | 10 | 14 | 23 |
| 35-49 | 142 | 4.5 | 13 | <1 | <1 | 4 | 7 | 9 | 11 | 17 |
| 50-64 | 251 | 4.1 | 15 | <1 | 1 | 2 | 6 | 9 | 11 | 25 |
| 65+ | 293 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 83 | 7.9 | 53 | 1 | 2 | 6 | 9 | 15 | 26 | 38 |
| 20-34 | 239 | 8.1 | 61 | 1 | 2 | 6 | 9 | 16 | 21 | 41 |
| 35-49 | 278 | 7.3 | 47 | 1 | 1 | 6 | 9 | 13 | 19 | 35 |
| 50-64 | 649 | 8.0 | 65 | 1 | 1 | 6 | 10 | 17 | 23 | 42 |
| 65+ | 1297 | 9.8 | 84 | 1 | 2 | 7 | 13 | 21 | 27 | 46 |
| **TOT. SINGLE DX** | 858 | 4.5 | 17 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| **" MULTIPLE DX** | 2546 | 8.8 | 73 | 1 | 2 | 7 | 11 | 18 | 25 | 44 |
| TOTAL 0-19 YRS | 127 | 6.8 | 45 | 1 | 1 | 6 | 8 | 12 | 24 | 36 |
| 20-34 | 367 | 7.2 | 48 | 1 | 2 | 6 | 9 | 15 | 20 | 34 |
| 35-49 | 420 | 6.4 | 38 | <1 | 1 | 5 | 8 | 12 | 17 | 27 |
| 50-64 | 900 | 6.9 | 54 | 1 | 1 | 5 | 9 | 14 | 21 | 38 |
| 65+ | 1590 | 8.8 | 77 | 1 | 1 | 7 | 12 | 18 | 25 | 45 |
| **GRAND TOTAL** | **3404** | **7.7** | **63** | **1** | **1** | **6** | **10** | **16** | **23** | **39** |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 16 | 10.1 | 39 | 4 | 4 | 9 | 10 | 16 | 26 | 31 |
| 20-34 | 36 | 11.6 | 43 | 4 | 6 | 10 | 13 | 20 | 23 | 39 |
| 35-49 | 31 | 11.6 | 94 | 6 | 6 | 8 | 12 | 17 | 36 | 53 |
| 50-64 | 41 | 12.6 | 54 | 6 | 6 | 11 | 13 | 21 | 27 | 45 |
| 65+ | 73 | 14.3 | 73 | 6 | 7 | 12 | 16 | 25 | 29 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 64 | 15.6 | 225 | 4 | 5 | 11 | 21 | 34 | 72 | 99+ |
| 20-34 | 99 | 15.7 | 137 | 6 | 7 | 11 | 17 | 34 | 43 | 57 |
| 35-49 | 110 | 15.0 | 96 | 6 | 7 | 12 | 17 | 30 | 39 | 49 |
| 50-64 | 209 | 18.6 | 214 | 7 | 8 | 13 | 21 | 40 | 56 | 79 |
| 65+ | 358 | 19.3 | 187 | 8 | 8 | 15 | 23 | 36 | 50 | 96 |
| **TOT. SINGLE DX** | 197 | 12.7 | 65 | 6 | 7 | 10 | 14 | 21 | 28 | 49 |
| **" MULTIPLE DX** | 840 | 17.9 | 182 | 6 | 8 | 13 | 21 | 35 | 49 | 90 |
| TOTAL 0-19 YRS | 80 | 14.5 | 192 | 4 | 5 | 11 | 16 | 30 | 58 | 99+ |
| 20-34 | 135 | 14.6 | 115 | 6 | 7 | 10 | 16 | 31 | 39 | 55 |
| 35-49 | 141 | 14.3 | 97 | 6 | 7 | 11 | 16 | 30 | 38 | 50 |
| 50-64 | 250 | 17.6 | 192 | 6 | 7 | 12 | 20 | 35 | 48 | 75 |
| 65+ | 431 | 18.5 | 172 | 7 | 8 | 15 | 22 | 34 | 49 | 93 |
| **GRAND TOTAL** | **1037** | **16.9** | **163** | **6** | **7** | **13** | **20** | **32** | **46** | **84** |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 33 | 10.5 | 62 | 5 | 5 | 9 | 11 | 14 | 32 | 43 |
| 20-34 | 99 | 11.7 | 87 | 5 | 7 | 9 | 12 | 20 | 30 | 61 |
| 35-49 | 157 | 10.8 | 35 | 6 | 6 | 10 | 12 | 15 | 17 | 49 |
| 50-64 | 474 | 11.2 | 20 | 7 | 8 | 10 | 12 | 16 | 20 | 30 |
| 65+ | 613 | 12.7 | 25 | 7 | 8 | 11 | 14 | 18 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 54 | 15.5 | 222 | 4 | 6 | 12 | 18 | 27 | 56 | 99+ |
| 20-34 | 199 | 15.7 | 130 | 6 | 7 | 12 | 17 | 33 | 41 | 69 |
| 35-49 | 362 | 14.7 | 131 | 7 | 7 | 11 | 16 | 27 | 40 | 64 |
| 50-64 | 1272 | 14.3 | 75 | 7 | 8 | 12 | 16 | 23 | 29 | 57 |
| 65+ | 2662 | 17.6 | 109 | 8 | 9 | 15 | 21 | 30 | 39 | 61 |
| **TOT. SINGLE DX** | 1376 | 11.8 | 31 | 6 | 7 | 11 | 13 | 17 | 21 | 34 |
| **" MULTIPLE DX** | 4549 | 16.3 | 107 | 7 | 8 | 13 | 19 | 28 | 37 | 61 |
| TOTAL 0-19 YRS | 87 | 13.6 | 166 | 5 | 6 | 10 | 15 | 26 | 43 | 98 |
| 20-34 | 298 | 14.4 | 120 | 6 | 7 | 11 | 15 | 29 | 40 | 69 |
| 35-49 | 519 | 13.5 | 106 | 6 | 7 | 11 | 14 | 23 | 32 | 60 |
| 50-64 | 1746 | 13.4 | 62 | 7 | 8 | 11 | 15 | 21 | 27 | 52 |
| 65+ | 3275 | 16.7 | 98 | 8 | 9 | 14 | 20 | 28 | 36 | 60 |
| **GRAND TOTAL** | **5925** | **15.3** | **93** | **7** | **8** | **12** | **17** | **26** | **34** | **58** |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 8 | 5.6 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 11 | 9.0 | 12 | 4 | 5 | 9 | 11 | 14 | 17 | 17 |
| 35-49 | 9 | 11.0 | 12 | 6 | 6 | 11 | 14 | 16 | 16 | 16 |
| 50-64 | 17 | 9.8 | 12 | 6 | 6 | 10 | 11 | 15 | 17 | 18 |
| 65+ | 29 | 12.3 | 62 | 5 | 7 | 10 | 13 | 20 | 30 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 14 | 14.1 | 138 | 4 | 4 | 11 | 16 | 33 | 44 | 47 |
| 20-34 | 31 | 12.6 | 64 | 4 | 5 | 9 | 17 | 23 | 30 | 35 |
| 35-49 | 28 | 17.3 | 223 | 6 | 7 | 12 | 19 | 33 | 52 | 74 |
| 50-64 | 79 | 15.0 | 56 | 6 | 7 | 13 | 19 | 26 | 33 | 99+ |
| 65+ | 153 | 20.9 | 183 | 7 | 9 | 16 | 26 | 39 | 47 | 74 |
| **TOT. SINGLE DX** | 74 | 10.4 | 35 | 4 | 6 | 9 | 12 | 16 | 18 | 40 |
| **" MULTIPLE DX** | 305 | 17.9 | 149 | 6 | 7 | 14 | 23 | 33 | 44 | 75 |
| TOTAL 0-19 YRS | 22 | 11.0 | 105 | 3 | 3 | 8 | 12 | 22 | 37 | 47 |
| 20-34 | 42 | 11.6 | 53 | 4 | 5 | 9 | 15 | 23 | 26 | 35 |
| 35-49 | 37 | 15.8 | 178 | 6 | 6 | 12 | 16 | 29 | 44 | 74 |
| 50-64 | 96 | 14.1 | 53 | 6 | 7 | 12 | 18 | 26 | 31 | 99+ |
| 65+ | 182 | 19.5 | 174 | 7 | 8 | 15 | 25 | 38 | 45 | 72 |
| **GRAND TOTAL** | **379** | **16.4** | **135** | **5** | **7** | **13** | **20** | **31** | **41** | **74** |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 5.8 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 16 |
| 20-34 | 164 | 8.6 | 19 | 4 | 5 | 8 | 10 | 12 | 16 | 31 |
| 35-49 | 136 | 8.4 | 24 | 3 | 4 | 8 | 10 | 11 | 14 | 37 |
| 50-64 | 168 | 9.2 | 16 | 4 | 5 | 9 | 11 | 13 | 16 | 24 |
| 65+ | 179 | 10.4 | 30 | 4 | 6 | 9 | 12 | 15 | 20 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 130 | 10.1 | 62 | 3 | 3 | 8 | 12 | 19 | 26 | 41 |
| 20-34 | 245 | 12.4 | 102 | 4 | 6 | 10 | 14 | 22 | 37 | 74 |
| 35-49 | 248 | 11.8 | 50 | 5 | 6 | 10 | 13 | 21 | 28 | 44 |
| 50-64 | 384 | 13.6 | 128 | 5 | 6 | 10 | 15 | 22 | 39 | 88 |
| 65+ | 608 | 16.1 | 142 | 6 | 7 | 12 | 19 | 30 | 40 | 73 |
| TOT. SINGLE DX | 740 | 8.8 | 23 | 3 | 4 | 8 | 10 | 13 | 16 | 31 |
| " MULTIPLE DX | 1615 | 13.8 | 116 | 5 | 6 | 11 | 15 | 25 | 36 | 74 |
| TOTAL 0-19 YRS | 223 | 8.3 | 44 | 2 | 3 | 7 | 9 | 16 | 20 | 31 |
| 20-34 | 409 | 10.9 | 72 | 4 | 5 | 9 | 12 | 18 | 29 | 49 |
| 35-49 | 384 | 10.6 | 44 | 4 | 6 | 9 | 11 | 16 | 24 | 43 |
| 50-64 | 552 | 12.3 | 99 | 5 | 6 | 10 | 13 | 20 | 32 | 76 |
| 65+ | 787 | 14.8 | 122 | 5 | 7 | 11 | 16 | 27 | 38 | 69 |
| GRAND TOTAL | 2355 | 12.2 | 92 | 4 | 5 | 10 | 13 | 21 | 31 | 64 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 3 | 4 | 4 | 7 | 9 | 91 | 99+ | 99+ |
| 20-34 | 12 | 15.2 | 278 | 6 | 7 | 10 | 13 | 33 | 62 | 67 |
| 35-49 | 13 | 17.5 | 480 | 3 | 6 | 12 | 15 | 34 | 79 | 89 |
| 50-64 | 26 | 15.2 | 51 | 5 | 10 | 13 | 18 | 23 | 33 | 37 |
| 65+ | 43 | 14.8 | 63 | 6 | 8 | 12 | 19 | 29 | 34 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 20.1 | 147 | 7 | 8 | 19 | 33 | 66 | 99+ | 99+ |
| 20-34 | 27 | 28.4 | 571 | 7 | 8 | 21 | 47 | 87 | 99+ | 99+ |
| 35-49 | 61 | 19.5 | 174 | 7 | 9 | 16 | 23 | 39 | 48 | 73 |
| 50-64 | 195 | 18.0 | 128 | 7 | 8 | 15 | 23 | 33 | 41 | 99+ |
| 65+ | 281 | 21.8 | 174 | 8 | 10 | 18 | 27 | 40 | 58 | 99+ |
| TOT. SINGLE DX | 99 | 14.9 | 135 | 5 | 7 | 12 | 17 | 25 | 35 | 94 |
| " MULTIPLE DX | 584 | 20.5 | 181 | 7 | 9 | 17 | 26 | 39 | 55 | 99+ |
| TOTAL 0-19 YRS | 25 | 17.3 | 148 | 6 | 6 | 14 | 31 | 85 | 99+ | 99+ |
| 20-34 | 39 | 24.4 | 510 | 7 | 7 | 15 | 35 | 77 | 95 | 99+ |
| 35-49 | 74 | 19.2 | 223 | 7 | 8 | 15 | 23 | 37 | 48 | 86 |
| 50-64 | 221 | 17.6 | 120 | 7 | 8 | 15 | 22 | 32 | 40 | 99+ |
| 65+ | 324 | 20.8 | 165 | 8 | 9 | 18 | 26 | 38 | 49 | 99+ |
| GRAND TOTAL | 683 | 19.7 | 178 | 7 | 8 | 16 | 25 | 38 | 52 | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5427 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 8 | 12 |
| 20-34 | 4127 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 1209 | 4.6 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 13 |
| 50-64 | 525 | 5.7 | 10 | 2 | 3 | 5 | 7 | 10 | 11 | 20 |
| 65+ | 205 | 7.1 | 23 | 3 | 3 | 6 | 8 | 11 | 14 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1384 | 5.7 | 19 | 2 | 3 | 4 | 7 | 11 | 14 | 22 |
| 20-34 | 1312 | 5.8 | 18 | 2 | 3 | 5 | 7 | 10 | 12 | 23 |
| 35-49 | 489 | 8.1 | 48 | 3 | 3 | 6 | 9 | 15 | 18 | 35 |
| 50-64 | 431 | 9.2 | 41 | 3 | 4 | 8 | 11 | 15 | 21 | 33 |
| 65+ | 300 | 12.3 | 77 | 4 | 4 | 10 | 15 | 22 | 28 | 54 |
| TOT. SINGLE DX | 11493 | 4.1 | 7 | 2 | 2 | 3 | 5 | 7 | 8 | 12 |
| " MULTIPLE DX | 3916 | 6.9 | 34 | 2 | 3 | 5 | 8 | 13 | 17 | 29 |
| TOTAL 0-19 YRS | 6811 | 4.2 | 8 | 2 | 2 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 5439 | 4.3 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 1698 | 5.6 | 20 | 2 | 3 | 4 | 6 | 10 | 12 | 22 |
| 50-64 | 956 | 7.3 | 28 | 3 | 3 | 6 | 9 | 13 | 15 | 29 |
| 65+ | 505 | 10.2 | 62 | 3 | 4 | 8 | 13 | 19 | 25 | 48 |
| GRAND TOTAL | 15409 | 4.8 | 15 | 2 | 2 | 4 | 5 | 8 | 11 | 20 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 54 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 8 | 5.6 | 3 | 4 | 4 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 8 | 5.3 | 6 | 3 | 3 | 4 | 7 | 9 | 10 | 10 |
| 65+ | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 6.2 | 70 | 3 | 3 | 4 | 6 | 7 | 10 | 49 |
| 20-34 | 45 | 5.2 | 6 | 3 | 3 | 4 | 6 | 8 | 10 | 15 |
| 35-49 | 16 | 8.9 | 48 | 1 | 2 | 7 | 10 | 20 | 24 | 26 |
| 50-64 | 6 | 5.0 | 5 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 5 | 12.8 | 64 | 5 | 5 | 8 | 21 | 22 | 22 | 22 |
| TOT. SINGLE DX | 143 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| " MULTIPLE DX | 101 | 6.5 | 36 | 2 | 3 | 5 | 7 | 10 | 19 | 37 |
| TOTAL 0-19 YRS | 100 | 4.4 | 23 | 2 | 2 | 4 | 5 | 6 | 7 | 30 |
| 20-34 | 99 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| 35-49 | 24 | 7.8 | 35 | 2 | 3 | 6 | 9 | 19 | 22 | 26 |
| 50-64 | 14 | 5.1 | 6 | 2 | 3 | 5 | 7 | 8 | 10 | 10 |
| 65+ | 7 | 11.4 | 49 | 5 | 5 | 8 | 18 | 22 | 22 | 22 |
| GRAND TOTAL | 244 | 5.1 | 19 | 2 | 2 | 4 | 6 | 8 | 10 | 22 |

## 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 7.1 | 21 | 2 | 2 | 7 | 9 | 12 | 16 | 20 |
| 20-34 | 14 | 6.7 | 9 | 2 | 3 | 6 | 8 | 11 | 13 | 13 |
| 35-49 | 6 | 8.7 | 29 | 4 | 4 | 7 | 13 | 17 | 17 | 17 |
| 50-64 | 6 | 9.0 | 35 | 3 | 3 | 8 | 10 | 19 | 20 | 20 |
| 65+ | 5 | 11.2 | 26 | 5 | 5 | 12 | 15 | 17 | 17 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 10.8 | 17 | 6 | 7 | 10 | 12 | 17 | 20 | 21 |
| 20-34 | 8 | 7.5 | 34 | 2 | 2 | 6 | 10 | 17 | 19 | 19 |
| 35-49 | 8 | 13.0 | 21 | 7 | 8 | 12 | 15 | 20 | 22 | 22 |
| 50-64 | 7 | 12.0 | 35 | 6 | 6 | 10 | 15 | 22 | 23 | 23 |
| 65+ | 8 | 12.6 | 135 | 6 | 6 | 8 | 11 | 33 | 41 | 41 |
| TOT. SINGLE DX | 51 | 7.8 | 21 | 2 | 3 | 7 | 10 | 14 | 17 | 20 |
| " MULTIPLE DX | 43 | 11.1 | 45 | 3 | 6 | 9 | 13 | 19 | 22 | 41 |
| TOTAL 0-19 YRS | 32 | 8.4 | 23 | 2 | 2 | 8 | 11 | 14 | 20 | 21 |
| 20-34 | 22 | 7.0 | 17 | 2 | 2 | 6 | 9 | 12 | 15 | 19 |
| 35-49 | 14 | 11.1 | 28 | 4 | 4 | 11 | 14 | 17 | 21 | 22 |
| 50-64 | 13 | 10.6 | 35 | 3 | 5 | 9 | 12 | 21 | 23 | 23 |
| 65+ | 13 | 12.1 | 88 | 5 | 6 | 9 | 13 | 22 | 37 | 41 |
| **GRAND TOTAL** | **94** | **9.3** | **34** | **2** | **3** | **8** | **12** | **17** | **20** | **33** |

## 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 3.0 | 14 | <1 | <1 | 2 | 3 | 5 | 9 | 25 |
| 20-34 | 108 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 35-49 | 62 | 3.7 | 8 | 1 | 1 | 3 | 4 | 8 | 11 | 14 |
| 50-64 | 110 | 3.7 | 18 | <1 | 1 | 3 | 4 | 7 | 10 | 28 |
| 65+ | 164 | 4.4 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 10.0 | 243 | <1 | 1 | 4 | 7 | 34 | 57 | 59 |
| 20-34 | 90 | 5.6 | 67 | 1 | 1 | 3 | 6 | 10 | 20 | 52 |
| 35-49 | 83 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 30 |
| 50-64 | 174 | 6.9 | 51 | 1 | 1 | 5 | 9 | 15 | 20 | 27 |
| 65+ | 465 | 8.6 | 76 | 2 | 2 | 6 | 11 | 18 | 25 | 45 |
| TOT. SINGLE DX | 505 | 3.7 | 13 | <1 | 1 | 3 | 4 | 8 | 10 | 17 |
| " MULTIPLE DX | 841 | 7.7 | 72 | 1 | 2 | 5 | 10 | 16 | 23 | 46 |
| TOTAL 0-19 YRS | 90 | 5.2 | 97 | <1 | 1 | 3 | 4 | 9 | 26 | 58 |
| 20-34 | 198 | 4.3 | 36 | <1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 35-49 | 145 | 5.2 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 19 |
| 50-64 | 284 | 5.6 | 41 | 1 | 1 | 4 | 7 | 12 | 17 | 27 |
| 65+ | 629 | 7.5 | 63 | 1 | 2 | 5 | 10 | 15 | 21 | 41 |
| **GRAND TOTAL** | **1346** | **6.2** | **53** | **1** | **1** | **4** | **8** | **13** | **19** | **36** |

## 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 4.1 | 9 | <1 | 1 | 3 | 6 | 9 | 10 | 11 |
| 20-34 | 158 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 112 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 67 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 10 | 14 |
| 65+ | 24 | 5.5 | 26 | 1 | 1 | 4 | 7 | 10 | 17 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 3.2 | 6 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 20-34 | 87 | 4.6 | 71 | 1 | 1 | 3 | 5 | 8 | 15 | 90 |
| 35-49 | 78 | 5.8 | 104 | 1 | 1 | 3 | 6 | 10 | 16 | 68 |
| 50-64 | 65 | 6.4 | 48 | 1 | 2 | 4 | 7 | 11 | 26 | 35 |
| 65+ | 46 | 9.9 | 96 | 2 | 2 | 7 | 12 | 21 | 29 | 48 |
| TOT. SINGLE DX | 385 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| " MULTIPLE DX | 293 | 6.1 | 78 | 1 | 1 | 3 | 7 | 12 | 19 | 63 |
| TOTAL 0-19 YRS | 41 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 20-34 | 245 | 3.5 | 28 | 1 | 1 | 3 | 4 | 6 | 8 | 24 |
| 35-49 | 190 | 4.2 | 47 | 1 | 1 | 3 | 4 | 9 | 10 | 18 |
| 50-64 | 132 | 4.9 | 30 | 1 | 1 | 3 | 6 | 9 | 13 | 34 |
| 65+ | 70 | 8.4 | 76 | 1 | 2 | 6 | 11 | 18 | 24 | 47 |
| **GRAND TOTAL** | **678** | **4.5** | **39** | **1** | **1** | **3** | **5** | **9** | **12** | **32** |

## 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 7.7 | 39 | <1 | 1 | 7 | 12 | 14 | 20 | 24 |
| 20-34 | 22 | 13.3 | 125 | 3 | 6 | 10 | 14 | 21 | 42 | 56 |
| 35-49 | 40 | 11.0 | 23 | 3 | 6 | 10 | 13 | 16 | 21 | 25 |
| 50-64 | 112 | 12.7 | 25 | 7 | 8 | 12 | 15 | 18 | 23 | 32 |
| 65+ | 165 | 14.5 | 38 | 7 | 9 | 14 | 17 | 21 | 24 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 11.2 | 40 | 1 | 4 | 10 | 15 | 18 | 23 | 31 |
| 20-34 | 43 | 17.0 | 206 | 5 | 7 | 13 | 19 | 30 | 35 | 92 |
| 35-49 | 78 | 16.7 | 173 | 6 | 8 | 13 | 20 | 25 | 39 | 82 |
| 50-64 | 288 | 16.6 | 88 | 9 | 10 | 14 | 19 | 26 | 31 | 67 |
| 65+ | 558 | 19.7 | 130 | 9 | 10 | 17 | 23 | 33 | 43 | 77 |
| TOT. SINGLE DX | 357 | 13.1 | 41 | 4 | 7 | 12 | 15 | 19 | 24 | 36 |
| " MULTIPLE DX | 990 | 18.2 | 126 | 8 | 9 | 15 | 21 | 31 | 40 | 78 |
| TOTAL 0-19 YRS | 41 | 9.7 | 42 | <1 | 1 | 10 | 13 | 17 | 21 | 31 |
| 20-34 | 65 | 15.7 | 180 | 4 | 7 | 12 | 16 | 30 | 35 | 87 |
| 35-49 | 118 | 14.8 | 130 | 5 | 7 | 12 | 17 | 23 | 30 | 80 |
| 50-64 | 400 | 15.5 | 73 | 8 | 9 | 13 | 17 | 24 | 29 | 64 |
| 65+ | 723 | 18.5 | 114 | 8 | 10 | 16 | 22 | 31 | 40 | 64 |
| **GRAND TOTAL** | **1347** | **16.9** | **108** | **7** | **9** | **14** | **20** | **29** | **36** | **65** |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 20-34 | 401 | 4.4 | 14 | <1 | <1 | 4 | 5 | 8 | 10 | 20 |
| 35-49 | 404 | 4.6 | 13 | <1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 50-64 | 423 | 4.9 | 13 | <1 | <1 | 4 | 6 | 9 | 12 | 16 |
| 65+ | 362 | 5.6 | 19 | <1 | 1 | 5 | 7 | 10 | 13 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 155 | 6.3 | 70 | 1 | 1 | 4 | 7 | 11 | 17 | 52 |
| 20-34 | 886 | 6.1 | 35 | 1 | 2 | 5 | 7 | 11 | 15 | 34 |
| 35-49 | 1357 | 6.9 | 33 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |
| 50-64 | 1986 | 7.4 | 42 | 1 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 3126 | 9.4 | 63 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| TOT. SINGLE DX | 1679 | 4.8 | 15 | <1 | 1 | 4 | 6 | 9 | 11 | 21 |
| " MULTIPLE DX | 7510 | 8.0 | 51 | 2 | 2 | 6 | 10 | 15 | 21 | 37 |
| TOTAL 0-19 YRS | 244 | 5.3 | 49 | 1 | 1 | 4 | 6 | 9 | 13 | 42 |
| 20-34 | 1287 | 5.6 | 29 | 1 | 2 | 4 | 7 | 10 | 14 | 30 |
| 35-49 | 1761 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 50-64 | 2409 | 6.9 | 39 | 1 | 2 | 5 | 9 | 13 | 17 | 30 |
| 65+ | 3488 | 9.0 | 61 | 2 | 3 | 7 | 11 | 18 | 24 | 42 |
| GRAND TOTAL | 9189 | 7.4 | 46 | 1 | 2 | 6 | 9 | 14 | 19 | 35 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 343 | 3.0 | 5 | 1 | 1 | 3 | 3 | 5 | 5 | 9 |
| 35-49 | 299 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 180 | 3.0 | 4 | 1 | 1 | 3 | 4 | 4 | 5 | 10 |
| 65+ | 52 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 205 | 3.9 | 14 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 35-49 | 260 | 4.0 | 7 | 2 | 2 | 3 | 5 | 6 | 8 | 17 |
| 50-64 | 206 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 9 | 13 |
| 65+ | 90 | 5.6 | 34 | 2 | 2 | 4 | 5 | 9 | 20 | 31 |
| TOT. SINGLE DX | 915 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| " MULTIPLE DX | 779 | 4.2 | 12 | 1 | 2 | 3 | 5 | 6 | 9 | 20 |
| TOTAL 0-19 YRS | 59 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 548 | 3.3 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 559 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 50-64 | 386 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 65+ | 142 | 4.7 | 25 | 1 | 2 | 3 | 5 | 8 | 14 | 31 |
| GRAND TOTAL | 1694 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 2.9 | 24 | <1 | <1 | 2 | 3 | 4 | 6 | 31 |
| 20-34 | 289 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 136 | 2.7 | 2 | <1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 97 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 35 | 4.3 | 6 | <1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 2.5 | 1 | <1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 20-34 | 162 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 195 | 4.0 | 10 | 1 | 2 | 3 | 5 | 6 | 9 | 17 |
| 50-64 | 158 | 4.7 | 19 | 1 | 2 | 4 | 5 | 7 | 11 | 25 |
| 65+ | 114 | 5.7 | 18 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| TOT. SINGLE DX | 593 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| " MULTIPLE DX | 646 | 4.3 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 21 |
| TOTAL 0-19 YRS | 53 | 2.8 | 17 | <1 | 1 | 2 | 3 | 4 | 5 | 30 |
| 20-34 | 451 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 331 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 255 | 4.0 | 13 | 1 | 1 | 4 | 4 | 6 | 8 | 23 |
| 65+ | 149 | 5.4 | 16 | 2 | 2 | 4 | 6 | 10 | 14 | 22 |
| GRAND TOTAL | 1239 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 3.9 | 5 | 2 | 2 | 3 | 5 | 5 | 10 | 11 |
| 20-34 | 251 | 4.2 | 2 | 2 | 2 | 4 | 5 | 7 | 7 | 9 |
| 35-49 | 368 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 272 | 4.4 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 65+ | 102 | 4.6 | 3 | 2 | 2 | 5 | 6 | 7 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 830 | 4.6 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 1406 | 5.0 | 6 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| 50-64 | 1196 | 5.1 | 10 | 2 | 3 | 4 | 6 | 8 | 9 | 18 |
| 65+ | 577 | 6.9 | 39 | 3 | 3 | 5 | 8 | 12 | 16 | 33 |
| TOT. SINGLE DX | 1008 | 4.3 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 10 |
| " MULTIPLE DX | 4041 | 5.2 | 13 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 47 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1081 | 4.5 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 1774 | 4.8 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 1468 | 5.0 | 9 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |
| 65+ | 679 | 6.6 | 35 | 2 | 3 | 5 | 7 | 12 | 15 | 31 |
| GRAND TOTAL | 5049 | 5.0 | 11 | 2 | 3 | 4 | 6 | 8 | 9 | 16 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 3.0 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 20-34 | 236 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 189 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 50-64 | 110 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 65+ | 70 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 11 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 5.7 | 27 | 2 | 2 | 4 | 7 | 10 | 14 | 28 |
| 20-34 | 203 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 35-49 | 206 | 5.1 | 73 | 1 | 1 | 3 | 5 | 8 | 11 | 53 |
| 50-64 | 193 | 5.4 | 44 | 1 | 2 | 4 | 6 | 9 | 17 | 49 |
| 65+ | 188 | 7.2 | 52 | 2 | 2 | 5 | 8 | 14 | 20 | 41 |
| TOT. SINGLE DX | 646 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| " MULTIPLE DX | 816 | 5.4 | 46 | 1 | 1 | 4 | 6 | 10 | 15 | 40 |
| TOTAL 0-19 YRS | 67 | 4.1 | 15 | <1 | 1 | 3 | 5 | 8 | 9 | 25 |
| 20-34 | 439 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 35-49 | 395 | 4.1 | 41 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| 50-64 | 303 | 4.6 | 31 | 1 | 1 | 3 | 5 | 8 | 11 | 41 |
| 65+ | 258 | 6.4 | 44 | 1 | 2 | 4 | 7 | 12 | 18 | 40 |
| GRAND TOTAL | 1462 | 4.4 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 11.4 | 66 | 3 | 4 | 8 | 16 | 25 | 28 | 28 |
| 35-49 | 13 | 8.5 | 55 | <1 | 1 | 4 | 14 | 20 | 21 | 21 |
| 50-64 | 8 | 11.9 | 70 | 1 | 1 | 14 | 19 | 21 | 21 | 21 |
| 65+ | 4 | 12.0 | 185 | <1 | <1 | 9 | 23 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 19.2 | 321 | 4 | 4 | 17 | 21 | 47 | 64 | 64 |
| 20-34 | 19 | 13.2 | 69 | 6 | 7 | 13 | 14 | 18 | 33 | 44 |
| 35-49 | 10 | 20.7 | 366 | 1 | 1 | 17 | 38 | 48 | 51 | 51 |
| 50-64 | 24 | 18.2 | 136 | 2 | 2 | 18 | 27 | 35 | 37 | 41 |
| 65+ | 16 | 23.5 | 396 | 3 | 6 | 16 | 30 | 61 | 69 | 72 |
| TOT. SINGLE DX | 34 | 10.5 | 70 | <1 | 1 | 9 | 18 | 21 | 27 | 29 |
| " MULTIPLE DX | 79 | 18.5 | 224 | 2 | 4 | 14 | 25 | 40 | 48 | 70 |
| TOTAL 0-19 YRS | 10 | 19.2 | 322 | 4 | 4 | 17 | 21 | 47 | 64 | 64 |
| 20-34 | 28 | 12.6 | 66 | 5 | 6 | 11 | 14 | 20 | 30 | 44 |
| 35-49 | 23 | 13.8 | 218 | <1 | 1 | 9 | 21 | 39 | 47 | 51 |
| 50-64 | 32 | 16.6 | 125 | 1 | 2 | 17 | 24 | 32 | 36 | 41 |
| 65+ | 20 | 21.2 | 364 | <1 | 1 | 16 | 27 | 52 | 67 | 72 |
| GRAND TOTAL | 113 | 16.1 | 191 | 1 | 2 | 13 | 20 | 34 | 44 | 67 |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 5.1 | 24 | <1 | 1 | 3 | 8 | 12 | 16 | 22 |
| 20-34 | 220 | 3.5 | 33 | <1 | 1 | 1 | 3 | 9 | 12 | 30 |
| 35-49 | 183 | 3.9 | 28 | <1 | 1 | 2 | 5 | 10 | 14 | 19 |
| 50-64 | 209 | 4.1 | 30 | 1 | 1 | 2 | 5 | 10 | 15 | 28 |
| 65+ | 144 | 5.5 | 37 | <1 | 1 | 2 | 8 | 14 | 20 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 13.4 | 213 | 2 | 2 | 8 | 15 | 31 | 47 | 75 |
| 20-34 | 322 | 10.2 | 133 | 1 | 1 | 7 | 13 | 23 | 34 | 56 |
| 35-49 | 413 | 8.9 | 108 | 1 | 1 | 6 | 12 | 19 | 27 | 55 |
| 50-64 | 758 | 9.5 | 114 | 1 | 1 | 7 | 13 | 20 | 26 | 59 |
| 65+ | 734 | 10.9 | 94 | 1 | 1 | 9 | 14 | 22 | 29 | 54 |
| TOT. SINGLE DX | 797 | 4.2 | 32 | <1 | 1 | 2 | 5 | 11 | 15 | 26 |
| " MULTIPLE DX | 2315 | 10.1 | 114 | 1 | 1 | 7 | 13 | 21 | 29 | 56 |
| TOTAL 0-19 YRS | 129 | 10.7 | 168 | 1 | 1 | 7 | 13 | 23 | 36 | 70 |
| 20-34 | 542 | 7.5 | 104 | 1 | 1 | 4 | 9 | 18 | 27 | 55 |
| 35-49 | 596 | 7.4 | 89 | 1 | 1 | 4 | 10 | 16 | 24 | 51 |
| 50-64 | 967 | 8.3 | 101 | 1 | 1 | 5 | 11 | 19 | 24 | 48 |
| 65+ | 878 | 10.0 | 89 | 1 | 1 | 8 | 13 | 21 | 26 | 52 |
| GRAND TOTAL | 3112 | 8.6 | 100 | 1 | 1 | 6 | 12 | 19 | 26 | 52 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 205 | 6.2 | 4 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 20-34 | 2457 | 6.3 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 35-49 | 2213 | 6.5 | 5 | 4 | 5 | 6 | 7 | 9 | 10 | 15 |
| 50-64 | 2050 | 7.1 | 6 | 4 | 5 | 7 | 8 | 10 | 12 | 17 |
| 65+ | 1217 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 8.7 | 34 | 4 | 5 | 7 | 10 | 14 | 18 | 38 |
| 20-34 | 1879 | 7.9 | 19 | 4 | 5 | 7 | 9 | 12 | 15 | 25 |
| 35-49 | 2326 | 8.5 | 31 | 4 | 5 | 7 | 9 | 13 | 16 | 28 |
| 50-64 | 3299 | 9.5 | 31 | 5 | 5 | 8 | 11 | 15 | 19 | 31 |
| 65+ | 3708 | 13.3 | 76 | 6 | 6 | 11 | 16 | 23 | 30 | 50 |
| TOT. SINGLE DX | 8142 | 6.9 | 7 | 4 | 5 | 6 | 8 | 10 | 12 | 17 |
| " MULTIPLE DX | 11338 | 10.3 | 49 | 5 | 5 | 8 | 12 | 17 | 22 | 41 |
| TOTAL 0-19 YRS | 331 | 7.1 | 17 | 4 | 4 | 6 | 8 | 11 | 14 | 23 |
| 20-34 | 4336 | 7.0 | 12 | 4 | 4 | 6 | 8 | 10 | 12 | 19 |
| 35-49 | 4539 | 7.6 | 19 | 4 | 5 | 7 | 8 | 11 | 14 | 22 |
| 50-64 | 5349 | 8.6 | 23 | 5 | 5 | 7 | 9 | 14 | 17 | 27 |
| 65+ | 4925 | 12.2 | 65 | 5 | 6 | 10 | 14 | 21 | 27 | 47 |
| GRAND TOTAL | 19480 | 8.9 | 34 | 4 | 5 | 7 | 10 | 14 | 19 | 34 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.0 | 56 | 1 | 1 | 4 | 11 | 18 | 18 | 18 |
| 20-34 | 26 | 8.0 | 13 | 1 | 2 | 9 | 11 | 12 | 13 | 13 |
| 35-49 | 37 | 8.9 | 33 | 1 | 2 | 8 | 13 | 17 | 19 | 25 |
| 50-64 | 58 | 9.4 | 30 | 2 | 4 | 8 | 11 | 16 | 20 | 29 |
| 65+ | 95 | 12.0 | 61 | 1 | 2 | 11 | 16 | 24 | 29 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 15.0 | 102 | 6 | 6 | 13 | 23 | 28 | 28 | 28 |
| 20-34 | 36 | 15.5 | 222 | 1 | 3 | 9 | 22 | 35 | 51 | 63 |
| 35-49 | 68 | 15.5 | 103 | 7 | 8 | 12 | 17 | 29 | 41 | 53 |
| 50-64 | 213 | 16.0 | 166 | 2 | 4 | 12 | 20 | 31 | 45 | 63 |
| 65+ | 468 | 17.6 | 96 | 7 | 8 | 16 | 21 | 29 | 35 | 56 |
| TOT. SINGLE DX | 220 | 10.3 | 45 | 1 | 2 | 9 | 13 | 18 | 25 | 32 |
| " MULTIPLE DX | 789 | 16.9 | 122 | 4 | 7 | 14 | 21 | 29 | 39 | 60 |
| TOTAL 0-19 YRS | 8 | 11.0 | 87 | 1 | 2 | 7 | 18 | 25 | 28 | 28 |
| 20-34 | 62 | 12.4 | 147 | 1 | 3 | 9 | 12 | 27 | 39 | 62 |
| 35-49 | 105 | 13.2 | 88 | 2 | 5 | 10 | 15 | 26 | 31 | 50 |
| 50-64 | 271 | 14.6 | 144 | 2 | 4 | 11 | 17 | 27 | 39 | 62 |
| 65+ | 563 | 16.7 | 95 | 5 | 7 | 15 | 20 | 28 | 34 | 55 |
| GRAND TOTAL | 1009 | 15.5 | 112 | 3 | 5 | 13 | 19 | 28 | 35 | 57 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 10.5 | 61 | 1 | 1 | 9 | 12 | 24 | 27 | 27 |
| 20-34 | 33 | 10.3 | 129 | 1 | 2 | 6 | 11 | 27 | 42 | 47 |
| 35-49 | 54 | 7.3 | 127 | 1 | 1 | 3 | 8 | 22 | 27 | 70 |
| 50-64 | 52 | 8.2 | 55 | 1 | 1 | 7 | 11 | 18 | 22 | 33 |
| 65+ | 58 | 11.2 | 144 | 1 | 1 | 7 | 16 | 26 | 29 | 64 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 23.5 | 586 | 7 | 7 | 12 | 34 | 53 | 85 | 92 |
| 20-34 | 62 | 16.3 | 227 | 1 | 2 | 12 | 21 | 41 | 49 | 60 |
| 35-49 | 131 | 13.6 | 185 | 1 | 1 | 11 | 19 | 31 | 50 | 99+ |
| 50-64 | 175 | 17.1 | 293 | 1 | 2 | 12 | 21 | 43 | 56 | 88 |
| 65+ | 204 | 17.5 | 227 | 2 | 3 | 14 | 24 | 37 | 52 | 94 |
| TOT. SINGLE DX | 209 | 9.3 | 112 | 1 | 1 | 6 | 11 | 22 | 28 | 56 |
| " MULTIPLE DX | 585 | 16.5 | 247 | 1 | 2 | 12 | 22 | 38 | 52 | 91 |
| TOTAL 0-19 YRS | 25 | 17.2 | 365 | 1 | 5 | 11 | 19 | 41 | 55 | 92 |
| 20-34 | 95 | 14.2 | 200 | 1 | 2 | 9 | 19 | 38 | 48 | 58 |
| 35-49 | 185 | 11.8 | 176 | 1 | 1 | 8 | 17 | 28 | 41 | 90 |
| 50-64 | 227 | 15.1 | 252 | 1 | 1 | 11 | 19 | 36 | 50 | 87 |
| 65+ | 262 | 16.1 | 215 | 1 | 2 | 13 | 22 | 36 | 49 | 87 |
| GRAND TOTAL | 794 | 14.6 | 221 | 1 | 2 | 10 | 19 | 34 | 48 | 87 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PEPCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 20-34 | 446 | 4.5 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 360 | 4.9 | 20 | <1 | 1 | 4 | 6 | 10 | 13 | 21 |
| 50-64 | 413 | 4.3 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 65+ | 462 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 15 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 125 | 6.9 | 79 | 1 | 2 | 4 | 6 | 15 | 29 | 45 |
| 20-34 | 706 | 6.1 | 43 | 1 | 2 | 4 | 7 | 11 | 17 | 33 |
| 35-49 | 882 | 6.4 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| 50-64 | 1546 | 7.1 | 46 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| 65+ | 3702 | 8.3 | 52 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| TOT. SINGLE DX | 1807 | 4.7 | 18 | <1 | 1 | 4 | 6 | 9 | 12 | 21 |
| " MULTIPLE DX | 6961 | 7.6 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| TOTAL 0-19 YRS | 251 | 5.4 | 48 | 1 | 1 | 3 | 6 | 10 | 16 | 38 |
| 20-34 | 1152 | 5.5 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 35-49 | 1242 | 6.0 | 29 | 1 | 1 | 5 | 7 | 11 | 16 | 30 |
| 50-64 | 1959 | 6.5 | 41 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| 65+ | 4164 | 8.0 | 51 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| GRAND TOTAL | 8768 | 7.0 | 44 | 1 | 2 | 5 | 9 | 14 | 18 | 35 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2095 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 2513 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 6 |
| 35-49 | 2003 | 3.0 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 3031 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| 65+ | 2611 | 3.7 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1023 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 760 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 864 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 1947 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| 65+ | 2778 | 5.8 | 28 | 2 | 2 | 4 | 6 | 10 | 13 | 30 |
| TOT. SINGLE DX | 12253 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| " MULTIPLE DX | 7372 | 4.4 | 17 | 1 | 1 | 4 | 5 | 8 | 10 | 21 |
| TOTAL 0-19 YRS | 3118 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 3273 | 3.0 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| 35-49 | 2867 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 4978 | 3.6 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 65+ | 5389 | 4.8 | 18 | 2 | 2 | 4 | 5 | 8 | 11 | 22 |
| GRAND TOTAL | 19625 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 360 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 246 | 3.3 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| 35-49 | 321 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 567 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 8 |
| 65+ | 367 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 235 | 2.6 | 23 | <1 | <1 | 1 | 2 | 4 | 7 | 36 |
| 20-34 | 103 | 3.6 | 1 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| 35-49 | 172 | 4.1 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 50-64 | 405 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 65+ | 485 | 5.9 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 22 |
| TOT. SINGLE DX | 1861 | 3.3 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 1400 | 4.6 | 13 | 1 | 1 | 4 | 5 | 8 | 10 | 20 |
| TOTAL 0-19 YRS | 595 | 1.9 | 10 | <1 | <1 | 1 | 2 | 3 | 4 | 17 |
| 20-34 | 349 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 493 | 3.7 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 9 |
| 50-64 | 972 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 65+ | 852 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| GRAND TOTAL | 3261 | 3.8 | 8 | <1 | 1 | 3 | 5 | 6 | 8 | 14 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 2.3 | | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 76 | 3.0 | 1 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 94 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 112 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 65+ | 177 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 37 | 3.9 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 20 |
| 35-49 | 45 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 10 | 11 |
| 50-64 | 79 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| 65+ | 203 | 9.2 | 79 | 2 | 3 | 6 | 10 | 20 | 29 | 43 |
| TOT. SINGLE DX | 472 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| " MULTIPLE DX | 366 | 7.2 | 53 | 2 | 3 | 5 | 8 | 14 | 22 | 39 |
| TOTAL 0-19 YRS | 15 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 113 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 139 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 191 | 4.2 | 8 | 2 | 2 | 4 | 5 | 8 | 9 | 17 |
| 65+ | 380 | 7.1 | 51 | 2 | 2 | 5 | 8 | 13 | 21 | 38 |
| GRAND TOTAL | 838 | 5.3 | 29 | 1 | 2 | 4 | 6 | 9 | 13 | 32 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 333 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 20-34 | 203 | 2.7 | 1 | 1 | 1 | 2 | 4 | 4 | 5 | 8 |
| 35-49 | 279 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 195 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 90 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 76 | 4.1 | 51 | <1 | <1 | 2 | 3 | 10 | 21 | 39 |
| 20-34 | 120 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 178 | 4.1 | 13 | 1 | 2 | 3 | 5 | 7 | 8 | 24 |
| 50-64 | 231 | 5.1 | 29 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| 65+ | 183 | 7.9 | 56 | 2 | 3 | 6 | 9 | 17 | 23 | 45 |
| TOT. SINGLE DX | 1100 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 788 | 5.2 | 33 | 1 | 1 | 4 | 6 | 9 | 14 | 29 |
| TOTAL 0-19 YRS | 409 | 2.0 | 11 | <1 | <1 | 1 | 2 | 3 | 4 | 20 |
| 20-34 | 323 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 457 | 3.4 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 426 | 4.1 | 18 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| 65+ | 273 | 6.7 | 44 | 2 | 2 | 5 | 7 | 13 | 20 | 32 |
| GRAND TOTAL | 1888 | 3.7 | 18 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 323 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 434 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 561 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 65+ | 426 | 5.4 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 3.0 | 4 | <1 | <1 | 3 | 4 | 6 | 8 | 9 |
| 20-34 | 191 | 5.5 | 15 | 2 | 2 | 5 | 7 | 9 | 12 | 29 |
| 35-49 | 386 | 6.2 | 14 | 2 | 3 | 5 | 7 | 10 | 14 | 20 |
| 50-64 | 644 | 6.9 | 20 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 65+ | 629 | 8.6 | 39 | 3 | 3 | 7 | 11 | 15 | 19 | 33 |
| TOT. SINGLE DX | 1824 | 4.4 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| " MULTIPLE DX | 1877 | 7.1 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| TOTAL 0-19 YRS | 107 | 2.5 | 3 | <1 | <1 | 2 | 4 | 4 | 6 | 9 |
| 20-34 | 514 | 4.2 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 820 | 5.2 | 12 | 2 | 2 | 5 | 6 | 9 | 11 | 20 |
| 50-64 | 1205 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| 65+ | 1055 | 7.3 | 29 | 2 | 3 | 6 | 9 | 12 | 17 | 28 |
| GRAND TOTAL | 3701 | 5.8 | 19 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |

## 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 3.3 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 20-34 | 25 | 6.4 | 11 | 1 | 2 | 7 | 8 | 9 | 13 | 17 |
| 35-49 | 38 | 6.9 | 6 | 3 | 4 | 7 | 8 | 9 | 13 | 14 |
| 50-64 | 61 | 7.2 | 9 | 3 | 4 | 7 | 9 | 12 | 13 | 15 |
| 65+ | 34 | 8.5 | 28 | 2 | 3 | 8 | 10 | 15 | 20 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 13.4 | 400 | <1 | 1 | 7 | 16 | 54 | 96 | 99+ |
| 20-34 | 43 | 8.6 | 30 | 2 | 4 | 7 | 11 | 13 | 17 | 36 |
| 35-49 | 112 | 10.0 | 71 | 4 | 5 | 8 | 11 | 15 | 21 | 79 |
| 50-64 | 188 | 10.4 | 35 | 6 | 6 | 9 | 11 | 17 | 22 | 38 |
| 65+ | 160 | 13.2 | 96 | 4 | 5 | 11 | 15 | 24 | 31 | 64 |
| TOT. SINGLE DX | 169 | 7.0 | 14 | 2 | 3 | 7 | 8 | 12 | 14 | 20 |
| " MULTIPLE DX | 523 | 11.1 | 77 | 4 | 5 | 9 | 12 | 19 | 28 | 64 |
| TOTAL 0-19 YRS | 31 | 9.8 | 279 | <1 | 1 | 6 | 10 | 25 | 86 | 99+ |
| 20-34 | 68 | 7.8 | 25 | 2 | 3 | 7 | 9 | 13 | 16 | 33 |
| 35-49 | 150 | 9.2 | 57 | 4 | 5 | 8 | 9 | 13 | 17 | 66 |
| 50-64 | 249 | 9.6 | 31 | 4 | 5 | 8 | 11 | 15 | 19 | 34 |
| 65+ | 194 | 12.4 | 87 | 3 | 4 | 10 | 14 | 22 | 30 | 63 |
| GRAND TOTAL | 692 | 10.1 | 64 | 3 | 4 | 8 | 12 | 17 | 24 | 61 |

## 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 4.1 | 28 | <1 | <1 | 3 | 5 | 8 | 10 | 32 |
| 20-34 | 249 | 4.7 | 43 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 177 | 5.5 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| 50-64 | 190 | 6.6 | 27 | <1 | 1 | 5 | 9 | 14 | 17 | 31 |
| 65+ | 170 | 8.7 | 68 | 1 | 2 | 6 | 10 | 20 | 27 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 6.5 | 46 | 1 | 1 | 5 | 8 | 15 | 19 | 38 |
| 20-34 | 311 | 8.9 | 118 | 1 | 2 | 6 | 10 | 17 | 28 | 63 |
| 35-49 | 365 | 10.9 | 115 | 2 | 2 | 8 | 14 | 23 | 33 | 55 |
| 50-64 | 744 | 10.8 | 89 | 2 | 3 | 8 | 13 | 22 | 29 | 52 |
| 65+ | 846 | 12.4 | 108 | 1 | 2 | 10 | 16 | 24 | 32 | 53 |
| TOT. SINGLE DX | 917 | 5.9 | 41 | 1 | 1 | 4 | 7 | 12 | 17 | 31 |
| " MULTIPLE DX | 2354 | 11.0 | 104 | 1 | 2 | 8 | 14 | 23 | 30 | 53 |
| TOTAL 0-19 YRS | 219 | 5.0 | 37 | <1 | 1 | 3 | 6 | 10 | 16 | 33 |
| 20-34 | 560 | 7.0 | 89 | 1 | 1 | 5 | 8 | 13 | 20 | 51 |
| 35-49 | 542 | 9.1 | 91 | 1 | 2 | 6 | 11 | 20 | 27 | 53 |
| 50-64 | 934 | 9.9 | 80 | 1 | 2 | 7 | 13 | 20 | 28 | 52 |
| 65+ | 1016 | 11.8 | 103 | 1 | 2 | 9 | 16 | 24 | 31 | 51 |
| GRAND TOTAL | 3271 | 9.5 | 92 | 1 | 2 | 7 | 12 | 20 | 28 | 51 |

## 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 220 | 5.3 | 10 | 1 | 2 | 4 | 6 | 10 | 12 | 17 |
| 20-34 | 466 | 6.0 | 29 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| 35-49 | 183 | 7.2 | 23 | 2 | 3 | 6 | 8 | 13 | 15 | 30 |
| 50-64 | 140 | 9.0 | 32 | 2 | 4 | 8 | 11 | 17 | 19 | 29 |
| 65+ | 117 | 11.5 | 71 | 3 | 5 | 9 | 13 | 21 | 30 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 246 | 9.4 | 112 | 2 | 3 | 7 | 10 | 19 | 31 | 81 |
| 20-34 | 709 | 8.5 | 57 | 3 | 4 | 6 | 10 | 16 | 22 | 41 |
| 35-49 | 322 | 12.4 | 121 | 4 | 4 | 9 | 13 | 27 | 37 | 56 |
| 50-64 | 386 | 16.4 | 210 | 4 | 6 | 12 | 19 | 33 | 52 | 83 |
| 65+ | 511 | 18.8 | 198 | 5 | 7 | 15 | 22 | 37 | 48 | 83 |
| TOT. SINGLE DX | 1126 | 7.0 | 33 | 2 | 2 | 6 | 8 | 13 | 16 | 30 |
| " MULTIPLE DX | 2174 | 13.0 | 151 | 3 | 4 | 9 | 16 | 27 | 38 | 74 |
| TOTAL 0-19 YRS | 466 | 7.5 | 69 | 2 | 3 | 5 | 8 | 12 | 21 | 52 |
| 20-34 | 1175 | 7.5 | 48 | 2 | 3 | 6 | 8 | 14 | 20 | 34 |
| 35-49 | 505 | 10.5 | 92 | 3 | 4 | 7 | 12 | 21 | 31 | 51 |
| 50-64 | 526 | 14.4 | 174 | 4 | 5 | 10 | 17 | 27 | 42 | 82 |
| 65+ | 628 | 17.4 | 183 | 5 | 6 | 13 | 21 | 34 | 46 | 81 |
| GRAND TOTAL | 3300 | 11.0 | 119 | 2 | 3 | 8 | 13 | 22 | 32 | 61 |

## 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 276 | 2.5 | 7 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 1456 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 35-49 | 217 | 2.0 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 12 |
| 50-64 | 38 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 11 |
| 65+ | 22 | 3.3 | 33 | <1 | 1 | 2 | 2 | 8 | 21 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 230 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 1628 | 2.6 | 8 | <1 | <1 | 1 | 3 | 6 | 8 | 13 |
| 35-49 | 278 | 3.6 | 25 | <1 | <1 | 2 | 4 | 8 | 12 | 28 |
| 50-64 | 76 | 5.6 | 44 | <1 | 1 | 2 | 7 | 13 | 20 | 32 |
| 65+ | 57 | 7.4 | 116 | 1 | 1 | 3 | 10 | 17 | 20 | 70 |
| TOT. SINGLE DX | 2009 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| " MULTIPLE DX | 2269 | 3.0 | 15 | <1 | <1 | 2 | 4 | 7 | 9 | 19 |
| TOTAL 0-19 YRS | 506 | 3.0 | 9 | <1 | <1 | 2 | 4 | 7 | 8 | 13 |
| 20-34 | 3084 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 7 | 12 |
| 35-49 | 495 | 2.9 | 17 | <1 | <1 | 1 | 3 | 6 | 9 | 22 |
| 50-64 | 114 | 4.4 | 34 | <1 | 1 | 2 | 5 | 11 | 17 | 30 |
| 65+ | 79 | 6.2 | 96 | 1 | 1 | 2 | 9 | 17 | 20 | 59 |
| GRAND TOTAL | 4278 | 2.6 | 11 | <1 | <1 | 1 | 3 | 6 | 8 | 16 |

## 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 89 | 5.9 | 11 | 1 | 2 | 6 | 8 | 10 | 12 | 16 |
| 20-34 | 341 | 6.1 | 18 | <1 | 1 | 5 | 8 | 11 | 13 | 26 |
| 35-49 | 230 | 8.0 | 28 | 1 | 2 | 7 | 10 | 14 | 18 | 25 |
| 50-64 | 205 | 10.8 | 77 | 4 | 5 | 9 | 13 | 17 | 20 | 56 |
| 65+ | 186 | 10.9 | 30 | 4 | 5 | 10 | 13 | 18 | 21 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 10.1 | 113 | 1 | 3 | 7 | 10 | 20 | 30 | 61 |
| 20-34 | 725 | 6.9 | 49 | 1 | 2 | 5 | 7 | 12 | 17 | 48 |
| 35-49 | 405 | 9.6 | 51 | 2 | 3 | 8 | 11 | 18 | 22 | 39 |
| 50-64 | 533 | 14.6 | 162 | 4 | 5 | 11 | 17 | 28 | 41 | 86 |
| 65+ | 673 | 17.1 | 174 | 5 | 7 | 13 | 20 | 31 | 47 | 75 |
| TOT. SINGLE DX | 1051 | 8.3 | 38 | 1 | 3 | 7 | 10 | 14 | 18 | 27 |
| " MULTIPLE DX | 2465 | 12.0 | 129 | 2 | 3 | 9 | 14 | 24 | 33 | 70 |
| TOTAL 0-19 YRS | 218 | 8.4 | 76 | 1 | 2 | 6 | 9 | 15 | 24 | 51 |
| 20-34 | 1066 | 6.7 | 40 | 1 | 2 | 5 | 8 | 11 | 15 | 33 |
| 35-49 | 635 | 9.0 | 44 | 2 | 3 | 8 | 11 | 17 | 21 | 34 |
| 50-64 | 738 | 13.5 | 141 | 4 | 5 | 10 | 15 | 25 | 36 | 72 |
| 65+ | 859 | 15.8 | 150 | 5 | 7 | 12 | 18 | 28 | 41 | 72 |
| GRAND TOTAL | 3516 | 10.9 | 104 | 2 | 3 | 8 | 13 | 21 | 29 | 62 |

## 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 7.6 | 8 | 4 | 5 | 7 | 9 | 11 | 14 | 17 |
| 20-34 | 57 | 9.1 | 17 | 5 | 5 | 8 | 10 | 14 | 16 | 30 |
| 35-49 | 69 | 9.3 | 10 | 6 | 6 | 8 | 10 | 14 | 16 | 20 |
| 50-64 | 97 | 10.9 | 27 | 6 | 6 | 9 | 12 | 18 | 21 | 33 |
| 65+ | 103 | 11.8 | 35 | 7 | 7 | 10 | 13 | 17 | 21 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 10.6 | 109 | 3 | 4 | 8 | 11 | 19 | 22 | 63 |
| 20-34 | 122 | 12.7 | 150 | 5 | 6 | 9 | 12 | 28 | 36 | 70 |
| 35-49 | 124 | 13.0 | 68 | 7 | 7 | 10 | 15 | 23 | 29 | 47 |
| 50-64 | 244 | 13.2 | 58 | 6 | 7 | 11 | 15 | 23 | 29 | 48 |
| 65+ | 377 | 16.1 | 144 | 7 | 8 | 12 | 18 | 27 | 34 | 83 |
| TOT. SINGLE DX | 353 | 10.3 | 25 | 5 | 6 | 9 | 12 | 16 | 19 | 31 |
| " MULTIPLE DX | 936 | 14.1 | 113 | 6 | 7 | 11 | 16 | 25 | 32 | 62 |
| TOTAL 0-19 YRS | 96 | 9.7 | 82 | 3 | 4 | 8 | 10 | 17 | 20 | 60 |
| 20-34 | 179 | 11.6 | 111 | 5 | 6 | 8 | 12 | 18 | 32 | 57 |
| 35-49 | 193 | 11.7 | 51 | 6 | 7 | 9 | 13 | 19 | 26 | 44 |
| 50-64 | 341 | 12.5 | 51 | 6 | 7 | 10 | 14 | 21 | 27 | 47 |
| 65+ | 480 | 15.1 | 124 | 7 | 8 | 12 | 17 | 25 | 32 | 74 |
| GRAND TOTAL | 1289 | 13.0 | 92 | 6 | 7 | 10 | 15 | 22 | 29 | 55 |

## 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 6.8 | 28 | 2 | 2 | 6 | 9 | 15 | 17 | 25 |
| 20-34 | 245 | 7.4 | 20 | 2 | 2 | 7 | 9 | 13 | 17 | 24 |
| 35-49 | 228 | 7.4 | 16 | 2 | 2 | 7 | 9 | 11 | 16 | 23 |
| 50-64 | 214 | 7.3 | 19 | 1 | 2 | 7 | 9 | 12 | 13 | 23 |
| 65+ | 92 | 8.2 | 24 | 1 | 2 | 8 | 10 | 15 | 17 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 161 | 9.5 | 69 | 1 | 2 | 8 | 12 | 17 | 26 | 45 |
| 20-34 | 357 | 12.3 | 130 | 2 | 2 | 9 | 15 | 25 | 34 | 64 |
| 35-49 | 334 | 11.9 | 87 | 2 | 3 | 10 | 15 | 23 | 28 | 59 |
| 50-64 | 384 | 12.3 | 112 | 2 | 3 | 10 | 14 | 24 | 30 | 64 |
| 65+ | 341 | 12.9 | 101 | 2 | 3 | 10 | 16 | 25 | 35 | 47 |
| TOT. SINGLE DX | 891 | 7.4 | 21 | 1 | 2 | 7 | 9 | 12 | 16 | 24 |
| " MULTIPLE DX | 1577 | 12.1 | 105 | 2 | 2 | 9 | 15 | 24 | 31 | 59 |
| TOTAL 0-19 YRS | 273 | 8.4 | 54 | 2 | 2 | 7 | 10 | 16 | 23 | 41 |
| 20-34 | 602 | 10.3 | 91 | 2 | 2 | 8 | 12 | 20 | 26 | 50 |
| 35-49 | 562 | 10.1 | 64 | 2 | 2 | 8 | 12 | 19 | 25 | 46 |
| 50-64 | 598 | 10.5 | 85 | 1 | 2 | 8 | 12 | 20 | 27 | 58 |
| 65+ | 433 | 11.9 | 89 | 1 | 2 | 10 | 14 | 23 | 31 | 47 |
| GRAND TOTAL | 2468 | 10.4 | 80 | 2 | 2 | 8 | 13 | 20 | 26 | 46 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 6.4 | 14 | <1 | 1 | 7 | 8 | 10 | 14 | 17 |
| 20-34 | 216 | 7.1 | 9 | 2 | 3 | 7 | 9 | 11 | 13 | 16 |
| 35-49 | 259 | 7.3 | 10 | 3 | 3 | 7 | 9 | 11 | 13 | 16 |
| 50-64 | 237 | 7.8 | 9 | 4 | 5 | 8 | 9 | 12 | 13 | 18 |
| 65+ | 82 | 8.9 | 20 | 3 | 4 | 8 | 11 | 15 | 19 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.1 | 16 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 124 | 8.8 | 39 | 2 | 3 | 8 | 11 | 14 | 17 | 62 |
| 35-49 | 164 | 9.9 | 38 | 2 | 4 | 9 | 12 | 17 | 20 | 31 |
| 50-64 | 231 | 10.4 | 63 | 3 | 4 | 9 | 12 | 18 | 22 | 46 |
| 65+ | 231 | 12.4 | 75 | 3 | 6 | 10 | 15 | 23 | 25 | 43 |
| TOT. SINGLE DX | 813 | 7.6 | 11 | 2 | 4 | 7 | 9 | 12 | 14 | 18 |
| " MULTIPLE DX | 764 | 10.6 | 59 | 2 | 4 | 9 | 12 | 18 | 24 | 46 |
| TOTAL 0-19 YRS | 33 | 6.3 | 15 | <1 | 1 | 6 | 8 | 11 | 12 | 17 |
| 20-34 | 340 | 7.7 | 21 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| 35-49 | 423 | 8.3 | 23 | 2 | 4 | 8 | 10 | 13 | 16 | 27 |
| 50-64 | 468 | 9.1 | 37 | 3 | 5 | 8 | 10 | 14 | 18 | 30 |
| 65+ | 313 | 11.5 | 63 | 3 | 5 | 10 | 14 | 21 | 25 | 40 |
| GRAND TOTAL | 1577 | 9.0 | 36 | 2 | 4 | 8 | 11 | 15 | 19 | 31 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 114 | 7.8 | 7 | 4 | 5 | 8 | 9 | 10 | 12 | 20 |
| 20-34 | 22 | 8.6 | 15 | 4 | 5 | 8 | 10 | 15 | 18 | 19 |
| 35-49 | 14 | 8.4 | 12 | 2 | 4 | 8 | 11 | 13 | 15 | 16 |
| 50-64 | 10 | 9.7 | 38 | 2 | 2 | 9 | 14 | 19 | 20 | 20 |
| 65+ | 13 | 11.2 | 59 | 2 | 2 | 12 | 14 | 22 | 27 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 159 | 8.6 | 10 | 4 | 5 | 8 | 10 | 13 | 15 | 18 |
| 20-34 | 42 | 10.2 | 23 | 5 | 6 | 9 | 11 | 17 | 23 | 24 |
| 35-49 | 34 | 16.2 | 90 | 8 | 8 | 12 | 19 | 35 | 36 | 40 |
| 50-64 | 53 | 18.0 | 183 | 4 | 8 | 15 | 20 | 33 | 40 | 85 |
| 65+ | 69 | 17.4 | 107 | 4 | 7 | 15 | 24 | 31 | 34 | 60 |
| TOT. SINGLE DX | 173 | 8.3 | 15 | 3 | 5 | 8 | 9 | 13 | 16 | 22 |
| " MULTIPLE DX | 357 | 12.6 | 81 | 4 | 6 | 10 | 15 | 24 | 31 | 40 |
| TOTAL 0-19 YRS | 273 | 8.3 | 9 | 4 | 5 | 8 | 9 | 12 | 14 | 19 |
| 20-34 | 64 | 9.7 | 21 | 5 | 6 | 8 | 11 | 16 | 20 | 24 |
| 35-49 | 48 | 13.9 | 80 | 4 | 7 | 11 | 16 | 30 | 35 | 40 |
| 50-64 | 63 | 16.7 | 169 | 3 | 5 | 13 | 19 | 31 | 40 | 80 |
| 65+ | 82 | 16.5 | 104 | 2 | 5 | 14 | 21 | 29 | 33 | 57 |
| GRAND TOTAL | 530 | 11.2 | 63 | 4 | 5 | 9 | 13 | 20 | 27 | 40 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 45 | 4.0 | 13 | <1 | <1 | 3 | 5 | 10 | 11 | 15 |
| 20-34 | 254 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 284 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 219 | 4.3 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 65+ | 91 | 4.8 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 7.5 | 56 | 1 | 2 | 5 | 9 | 16 | 27 | 33 |
| 20-34 | 133 | 5.6 | 23 | 1 | 2 | 5 | 7 | 9 | 12 | 30 |
| 35-49 | 128 | 6.5 | 31 | 2 | 2 | 5 | 8 | 11 | 14 | 30 |
| 50-64 | 198 | 6.2 | 32 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| 65+ | 196 | 8.8 | 67 | 2 | 2 | 6 | 11 | 18 | 24 | 45 |
| TOT. SINGLE DX | 893 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| " MULTIPLE DX | 697 | 6.9 | 43 | 2 | 2 | 5 | 8 | 13 | 18 | 34 |
| TOTAL 0-19 YRS | 87 | 5.7 | 37 | <1 | 1 | 4 | 8 | 12 | 16 | 33 |
| 20-34 | 387 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 9 | 19 |
| 35-49 | 412 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 50-64 | 417 | 5.2 | 22 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 65+ | 287 | 7.5 | 56 | 1 | 2 | 5 | 10 | 15 | 22 | 37 |
| GRAND TOTAL | 1590 | 5.3 | 26 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 376 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 12 |
| 20-34 | 391 | 3.2 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 416 | 3.1 | 10 | <1 | <1 | 2 | 4 | 7 | 9 | 18 |
| 50-64 | 536 | 3.0 | 8 | <1 | <1 | 2 | 4 | 6 | 9 | 13 |
| 65+ | 642 | 3.8 | 17 | <1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 507 | 2.5 | 7 | <1 | <1 | 1 | 3 | 6 | 8 | 13 |
| 20-34 | 699 | 5.4 | 48 | <1 | 1 | 3 | 6 | 12 | 18 | 44 |
| 35-49 | 703 | 5.2 | 36 | <1 | 1 | 3 | 7 | 10 | 15 | 33 |
| 50-64 | 1309 | 6.5 | 62 | <1 | 1 | 4 | 8 | 14 | 20 | 44 |
| 65+ | 2519 | 8.8 | 76 | 1 | 2 | 6 | 11 | 19 | 26 | 44 |
| TOT. SINGLE DX | 2361 | 3.1 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| " MULTIPLE DX | 5737 | 6.9 | 63 | <1 | 1 | 4 | 9 | 15 | 21 | 41 |
| TOTAL 0-19 YRS | 883 | 2.2 | 6 | <1 | <1 | 1 | 2 | 5 | 7 | 12 |
| 20-34 | 1090 | 4.6 | 35 | <1 | 1 | 3 | 5 | 10 | 15 | 33 |
| 35-49 | 1119 | 4.4 | 28 | <1 | <1 | 3 | 6 | 9 | 13 | 25 |
| 50-64 | 1845 | 5.5 | 49 | <1 | 1 | 3 | 7 | 12 | 17 | 37 |
| 65+ | 3161 | 7.8 | 69 | 1 | 1 | 5 | 10 | 17 | 24 | 41 |
| GRAND TOTAL | 8098 | 5.8 | 51 | <1 | 1 | 3 | 7 | 13 | 19 | 35 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 3.2 | 11 | <1 | <1 | 1 | 5 | 9 | 11 | 11 |
| 20-34 | 37 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 35-49 | 132 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 50-64 | 555 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 65+ | 1244 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 3.5 | 6 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 68 | 4.6 | 25 | <1 | 1 | 3 | 6 | 9 | 14 | 31 |
| 35-49 | 185 | 5.0 | 32 | <1 | 1 | 3 | 6 | 10 | 17 | 27 |
| 50-64 | 681 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 28 |
| 65+ | 2058 | 6.5 | 49 | 1 | 2 | 4 | 7 | 13 | 19 | 36 |
| TOT. SINGLE DX | 1978 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 3011 | 5.9 | 43 | 1 | 2 | 4 | 7 | 12 | 17 | 32 |
| TOTAL 0-19 YRS | 29 | 3.4 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 11 |
| 20-34 | 105 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 26 |
| 35-49 | 317 | 4.1 | 23 | <1 | 1 | 3 | 5 | 8 | 13 | 24 |
| 50-64 | 1236 | 3.9 | 17 | 1 | 1 | 3 | 4 | 7 | 10 | 22 |
| 65+ | 3302 | 5.5 | 37 | 1 | 2 | 4 | 6 | 11 | 15 | 31 |
| GRAND TOTAL | 4989 | 5.0 | 31 | 1 | 1 | 3 | 6 | 10 | 14 | 29 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 6.3 | 32 | 1 | 2 | 4 | 9 | 12 | 14 | 36 |
| 20-34 | 74 | 6.2 | 38 | 1 | 1 | 5 | 8 | 11 | 14 | 40 |
| 35-49 | 97 | 6.0 | 26 | <1 | 1 | 4 | 8 | 14 | 16 | 25 |
| 50-64 | 220 | 5.5 | 28 | 1 | 1 | 3 | 8 | 12 | 15 | 25 |
| 65+ | 305 | 6.3 | 40 | 1 | 1 | 4 | 9 | 14 | 18 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 125 | 7.9 | 52 | 2 | 3 | 6 | 10 | 17 | 20 | 40 |
| 20-34 | 134 | 9.8 | 173 | 1 | 2 | 6 | 12 | 23 | 45 | 99+ |
| 35-49 | 175 | 10.3 | 122 | 1 | 2 | 7 | 12 | 22 | 38 | 77 |
| 50-64 | 399 | 9.9 | 99 | 1 | 2 | 8 | 14 | 19 | 26 | 44 |
| 65+ | 859 | 11.8 | 110 | 2 | 2 | 9 | 15 | 24 | 34 | 52 |
| TOT. SINGLE DX | 754 | 6.0 | 34 | 1 | 1 | 4 | 9 | 13 | 16 | 27 |
| " MULTIPLE DX | 1692 | 10.7 | 111 | 1 | 2 | 8 | 14 | 22 | 32 | 56 |
| TOTAL 0-19 YRS | 183 | 7.4 | 47 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| 20-34 | 208 | 8.5 | 128 | 1 | 1 | 6 | 10 | 18 | 32 | 99+ |
| 35-49 | 272 | 8.8 | 92 | 1 | 2 | 7 | 11 | 17 | 27 | 50 |
| 50-64 | 619 | 8.4 | 79 | 1 | 1 | 6 | 11 | 17 | 22 | 38 |
| 65+ | 1164 | 10.3 | 98 | 1 | 2 | 8 | 14 | 21 | 30 | 48 |
| GRAND TOTAL | 2446 | 9.3 | 92 | 1 | 2 | 7 | 12 | 19 | 27 | 48 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 110 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 20-34 | 10 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 35-49 | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 7 | 2.1 | 2 | <1 | <1 | <1 | 3 | 5 | 5 | 5 |
| 65+ | 6 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 95 | 1.3 | | <1 | <1 | <1 | 1 | 2 | 3 | 6 |
| 20-34 | 22 | 2.5 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 12 | 3.9 | 27 | <1 | <1 | 2 | 3 | 10 | 19 | 20 |
| 50-64 | 16 | 3.4 | 7 | <1 | <1 | 2 | 5 | 8 | 9 | 9 |
| 65+ | 19 | 6.1 | 25 | <1 | <1 | 5 | 8 | 15 | 16 | 17 |
| TOT. SINGLE DX | 138 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 164 | 2.4 | 8 | <1 | <1 | 1 | 2 | 5 | 8 | 17 |
| TOTAL 0-19 YRS | 205 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 20-34 | 32 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 17 | 3.2 | 20 | <1 | <1 | 2 | 3 | 5 | 15 | 20 |
| 50-64 | 23 | 3.0 | 6 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 65+ | 25 | 5.0 | 23 | <1 | <1 | 3 | 6 | 14 | 15 | 17 |
| GRAND TOTAL | 302 | 1.9 | 5 | <1 | <1 | <1 | 2 | 3 | 6 | 14 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 230 | 5.6 | 18 | <1 | 1 | 5 | 8 | 10 | 12 | 22 |
| 20-34 | 130 | 3.3 | 8 | <1 | <1 | 2 | 5 | 7 | 9 | 13 |
| 35-49 | 65 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |
| 50-64 | 90 | 3.7 | 9 | <1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 65+ | 92 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 5.1 | 21 | <1 | 1 | 4 | 7 | 11 | 13 | 23 |
| 20-34 | 109 | 4.3 | 22 | <1 | 1 | 2 | 5 | 11 | 15 | 23 |
| 35-49 | 94 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 11 | 25 |
| 50-64 | 141 | 6.0 | 39 | <1 | 1 | 4 | 7 | 10 | 15 | 41 |
| 65+ | 181 | 6.0 | 47 | 1 | 2 | 4 | 7 | 12 | 20 | 36 |
| TOT. SINGLE DX | 607 | 4.3 | 13 | <1 | 1 | 3 | 6 | 8 | 11 | 16 |
| " MULTIPLE DX | 642 | 5.3 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| TOTAL 0-19 YRS | 347 | 5.4 | 20 | <1 | 1 | 4 | 8 | 10 | 12 | 22 |
| 20-34 | 239 | 3.8 | 15 | <1 | <1 | 2 | 5 | 9 | 11 | 19 |
| 35-49 | 159 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 50-64 | 231 | 5.1 | 29 | <1 | 1 | 4 | 7 | 10 | 12 | 26 |
| 65+ | 273 | 5.3 | 35 | 1 | 2 | 4 | 6 | 10 | 15 | 34 |
| GRAND TOTAL | 1249 | 4.8 | 23 | <1 | 1 | 3 | 6 | 10 | 12 | 26 |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 128 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 9 |
| 20-34 | 75 | 2.1 | 9 | <1 | <1 | 1 | 2 | 4 | 6 | 21 |
| 35-49 | 81 | 2.2 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| 50-64 | 73 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 65+ | 81 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 204 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 20-34 | 170 | 4.1 | 33 | <1 | <1 | 2 | 5 | 8 | 12 | 25 |
| 35-49 | 191 | 5.2 | 38 | <1 | 1 | 3 | 6 | 10 | 17 | 33 |
| 50-64 | 237 | 6.4 | 64 | <1 | 1 | 3 | 8 | 15 | 21 | 47 |
| 65+ | 534 | 8.3 | 83 | 1 | 2 | 6 | 10 | 18 | 23 | 52 |
| **TOT. SINGLE DX** | 438 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| **" MULTIPLE DX** | 1336 | 6.0 | 60 | <1 | <1 | 3 | 7 | 14 | 20 | 40 |
| TOTAL 0-19 YRS | 332 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 20-34 | 245 | 3.5 | 27 | <1 | <1 | 2 | 4 | 7 | 10 | 25 |
| 35-49 | 272 | 4.3 | 30 | <1 | <1 | 2 | 5 | 9 | 16 | 29 |
| 50-64 | 310 | 5.4 | 53 | <1 | <1 | 3 | 6 | 13 | 19 | 46 |
| 65+ | 615 | 7.6 | 76 | 1 | 1 | 5 | 10 | 16 | 21 | 48 |
| **GRAND TOTAL** | **1774** | **5.0** | **49** | **<1** | **<1** | **2** | **6** | **12** | **18** | **36** |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 83 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| 20-34 | 139 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 9 | 14 |
| 35-49 | 77 | 2.7 | 4 | 1 | 1 | 2 | 3 | 7 | 7 | 10 |
| 50-64 | 81 | 3.9 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 14 |
| 65+ | 102 | 3.5 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 145 | 2.1 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 20-34 | 164 | 3.6 | 13 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 35-49 | 127 | 5.0 | 48 | 1 | 1 | 3 | 6 | 10 | 16 | 37 |
| 50-64 | 145 | 4.7 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| 65+ | 256 | 6.4 | 42 | 1 | 2 | 4 | 8 | 15 | 21 | 29 |
| **TOT. SINGLE DX** | 482 | 2.9 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 13 |
| **" MULTIPLE DX** | 837 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 14 | 26 |
| TOTAL 0-19 YRS | 228 | 2.0 | 6 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 20-34 | 303 | 3.2 | 11 | 1 | 1 | 2 | 4 | 8 | 10 | 16 |
| 35-49 | 204 | 4.2 | 33 | 1 | 1 | 2 | 5 | 9 | 11 | 25 |
| 50-64 | 226 | 4.4 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 65+ | 358 | 5.6 | 34 | 1 | 2 | 4 | 6 | 11 | 16 | 27 |
| **GRAND TOTAL** | **1319** | **4.0** | **22** | **1** | **1** | **2** | **5** | **9** | **11** | **24** |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 49 | 6.3 | 6 | 2 | 3 | 6 | 8 | 9 | 11 | 13 |
| 35-49 | 184 | 6.7 | 5 | 4 | 4 | 7 | 8 | 9 | 10 | 16 |
| 50-64 | 195 | 7.6 | 5 | 4 | 5 | 8 | 9 | 10 | 11 | 15 |
| 65+ | 125 | 8.4 | 14 | 5 | 5 | 8 | 9 | 11 | 12 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 74 | 6.4 | 7 | 2 | 3 | 6 | 8 | 10 | 11 | 17 |
| 35-49 | 258 | 7.5 | 7 | 4 | 5 | 7 | 9 | 10 | 12 | 19 |
| 50-64 | 366 | 8.5 | 15 | 5 | 6 | 8 | 9 | 13 | 15 | 25 |
| 65+ | 236 | 9.9 | 30 | 5 | 6 | 8 | 11 | 15 | 21 | 36 |
| **TOT. SINGLE DX** | 555 | 7.4 | 8 | 4 | 5 | 7 | 9 | 10 | 11 | 16 |
| **" MULTIPLE DX** | 936 | 8.4 | 18 | 4 | 5 | 8 | 9 | 12 | 15 | 26 |
| TOTAL 0-19 YRS | 4 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 123 | 6.4 | 7 | 2 | 3 | 6 | 8 | 9 | 11 | 14 |
| 35-49 | 442 | 7.2 | 7 | 4 | 5 | 7 | 8 | 10 | 11 | 19 |
| 50-64 | 561 | 8.2 | 13 | 4 | 5 | 8 | 9 | 11 | 14 | 23 |
| 65+ | 361 | 9.4 | 25 | 5 | 6 | 8 | 10 | 13 | 18 | 36 |
| **GRAND TOTAL** | **1491** | **8.0** | **14** | **4** | **5** | **7** | **9** | **11** | **14** | **23** |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 5.5 | 2 | 4 | 4 | 5 | 7 | 8 | 9 | 9 |
| 35-49 | 54 | 5.9 | 4 | 3 | 4 | 6 | 7 | 8 | 10 | 12 |
| 50-64 | 82 | 6.7 | 4 | 4 | 4 | 6 | 8 | 10 | 10 | 14 |
| 65+ | 52 | 8.1 | 19 | 4 | 4 | 7 | 9 | 11 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 18 | 6.2 | 6 | 2 | 3 | 6 | 8 | 10 | 11 | 11 |
| 35-49 | 75 | 7.3 | 11 | 3 | 4 | 7 | 8 | 11 | 14 | 20 |
| 50-64 | 114 | 7.6 | 14 | 4 | 4 | 7 | 8 | 11 | 15 | 26 |
| 65+ | 110 | 8.4 | 24 | 4 | 4 | 8 | 9 | 12 | 15 | 31 |
| **TOT. SINGLE DX** | 203 | 6.8 | 9 | 4 | 4 | 6 | 8 | 10 | 11 | 19 |
| **" MULTIPLE DX** | 317 | 7.7 | 17 | 3 | 4 | 7 | 9 | 11 | 14 | 23 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 33 | 5.9 | 5 | 3 | 4 | 5 | 7 | 9 | 10 | 11 |
| 35-49 | 129 | 6.7 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 17 |
| 50-64 | 196 | 7.2 | 11 | 4 | 4 | 7 | 8 | 10 | 12 | 23 |
| 65+ | 162 | 8.3 | 23 | 4 | 4 | 8 | 9 | 11 | 15 | 28 |
| **GRAND TOTAL** | **520** | **7.3** | **14** | **4** | **4** | **7** | **8** | **11** | **13** | **23** |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 4.3 | 3 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 35-49 | 13 | 4.2 | 13 | <1 | <1 | 4 | 6 | 9 | 13 | 14 |
| 50-64 | 11 | 3.6 | 8 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 8.2 | 228 | <1 | <1 | 1 | 4 | 41 | 43 | 44 |
| 20-34 | 22 | 5.6 | 13 | 1 | 2 | 5 | 7 | 11 | 14 | 16 |
| 35-49 | 15 | 10.3 | 82 | <1 | 2 | 12 | 15 | 17 | 30 | 35 |
| 50-64 | 18 | 6.9 | 42 | 1 | 1 | 4 | 12 | 17 | 21 | 22 |
| 65+ | 30 | 13.2 | 143 | 1 | 2 | 8 | 22 | 34 | 37 | 40 |
| TOT. SINGLE DX | 35 | 3.9 | 8 | <1 | 1 | 3 | 6 | 7 | 9 | 14 |
| " MULTIPLE DX | 98 | 9.2 | 103 | 1 | 1 | 6 | 13 | 23 | 36 | 42 |
| TOTAL 0-19 YRS | 15 | 7.3 | 202 | <1 | <1 | 1 | 4 | 40 | 43 | 44 |
| 20-34 | 29 | 5.3 | 11 | 2 | 2 | 5 | 6 | 9 | 13 | 16 |
| 35-49 | 28 | 7.5 | 58 | <1 | <1 | 4 | 13 | 16 | 19 | 35 |
| 50-64 | 29 | 5.7 | 32 | 1 | 1 | 3 | 9 | 13 | 19 | 22 |
| 65+ | 32 | 12.7 | 139 | 1 | 2 | 7 | 20 | 34 | 37 | 40 |
| GRAND TOTAL | 133 | 7.8 | 83 | 1 | 1 | 5 | 10 | 18 | 32 | 41 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 8 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 4 | 5.3 | 12 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 35-49 | 3 | 7.3 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 50-64 | 3 | 5.3 | 33 | 2 | 2 | 2 | 10 | 12 | 12 | 12 |
| 65+ | 7 | 8.7 | 51 | 1 | 1 | 7 | 10 | 20 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 14 | 9.8 | 39 | 3 | 4 | 8 | 13 | 22 | 22 | 22 |
| 35-49 | 17 | 9.9 | 35 | 1 | 2 | 11 | 14 | 17 | 21 | 23 |
| 50-64 | 13 | 15.6 | 136 | 5 | 6 | 14 | 18 | 28 | 46 | 50 |
| 65+ | 28 | 20.4 | 193 | 3 | 4 | 18 | 24 | 41 | 49 | 63 |
| TOT. SINGLE DX | 21 | 6.4 | 26 | 1 | 1 | 6 | 9 | 11 | 17 | 23 |
| " MULTIPLE DX | 74 | 14.6 | 136 | 2 | 3 | 13 | 19 | 26 | 42 | 60 |
| TOTAL 0-19 YRS | 6 | 3.2 | 5 | 1 | 1 | 2 | 6 | 6 | 6 | 6 |
| 20-34 | 18 | 8.8 | 36 | 2 | 3 | 7 | 9 | 20 | 22 | 22 |
| 35-49 | 20 | 9.5 | 31 | 1 | 2 | 9 | 13 | 16 | 20 | 23 |
| 50-64 | 16 | 13.7 | 131 | 2 | 3 | 12 | 16 | 23 | 42 | 50 |
| 65+ | 35 | 18.1 | 185 | 2 | 3 | 16 | 22 | 38 | 46 | 63 |
| GRAND TOTAL | 95 | 12.8 | 123 | 1 | 2 | 10 | 17 | 23 | 36 | 57 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 3 | 6 | 6 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 7 | 4.9 | 2 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 35-49 | 47 | 4.5 | 2 | 1 | 2 | 5 | 5 | 6 | 7 | 9 |
| 50-64 | 1263 | 5.1 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 65+ | 2591 | 5.7 | 5 | 3 | 4 | 5 | 6 | 8 | 10 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 11.8 | 190 | 3 | 3 | 6 | 14 | 35 | 46 | 46 |
| 20-34 | 8 | 6.1 | 10 | 3 | 3 | 5 | 8 | 11 | 12 | 12 |
| 35-49 | 108 | 6.7 | 20 | 2 | 3 | 5 | 7 | 13 | 19 | 22 |
| 50-64 | 2054 | 6.7 | 23 | 3 | 4 | 5 | 7 | 11 | 15 | 27 |
| 65+ | 7088 | 8.8 | 49 | 4 | 4 | 6 | 10 | 16 | 22 | 39 |
| TOT. SINGLE DX | 3911 | 5.5 | 5 | 3 | 4 | 5 | 6 | 8 | 9 | 14 |
| " MULTIPLE DX | 9267 | 8.3 | 44 | 3 | 4 | 6 | 9 | 15 | 21 | 36 |
| TOTAL 0-19 YRS | 12 | 10.6 | 143 | 3 | 4 | 6 | 10 | 27 | 43 | 46 |
| 20-34 | 15 | 5.5 | 7 | 2 | 3 | 5 | 6 | 10 | 11 | 12 |
| 35-49 | 155 | 6.0 | 16 | 2 | 3 | 5 | 7 | 10 | 16 | 22 |
| 50-64 | 3317 | 6.1 | 17 | 3 | 4 | 5 | 6 | 9 | 12 | 24 |
| 65+ | 9679 | 7.9 | 40 | 3 | 4 | 6 | 9 | 14 | 19 | 36 |
| GRAND TOTAL | 13178 | 7.5 | 34 | 3 | 4 | 6 | 8 | 13 | 18 | 33 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 155 | 10.0 | 12 | 5 | 6 | 10 | 12 | 14 | 15 | 23 |
| 65+ | 231 | 10.8 | 15 | 6 | 7 | 10 | 13 | 16 | 17 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 24.5 | 25 | 21 | 21 | 24 | 28 | 28 | 28 | 28 |
| 35-49 | 5 | 8.6 | 23 | 3 | 3 | 11 | 12 | 14 | 14 | 14 |
| 50-64 | 246 | 12.1 | 43 | 6 | 7 | 10 | 13 | 19 | 23 | 36 |
| 65+ | 757 | 12.8 | 42 | 6 | 7 | 11 | 15 | 20 | 24 | 36 |
| TOT. SINGLE DX | 390 | 10.4 | 15 | 5 | 6 | 10 | 12 | 15 | 17 | 25 |
| " MULTIPLE DX | 1011 | 12.6 | 43 | 6 | 7 | 11 | 15 | 20 | 24 | 36 |
| TOTAL 0-19 YRS | 3 | 2.3 | 5 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 20-34 | 3 | 19.3 | 92 | 9 | 9 | 21 | 26 | 28 | 28 | 28 |
| 35-49 | 6 | 7.3 | 28 | 1 | 1 | 7 | 11 | 14 | 14 | 14 |
| 50-64 | 401 | 11.3 | 33 | 6 | 6 | 10 | 13 | 17 | 22 | 32 |
| 65+ | 988 | 12.3 | 37 | 6 | 7 | 11 | 15 | 19 | 23 | 34 |
| GRAND TOTAL | 1401 | 12.0 | 36 | 6 | 7 | 11 | 14 | 18 | 23 | 34 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 6 | 2.2 | | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 47 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 50-64 | 349 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 65+ | 537 | 2.5 | 5 | <1 | <1 | 2 | 2 | 4 | 7 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 23 | 3 | 3 | 6 | 11 | 14 | 14 | 14 |
| 20-34 | 8 | 7.3 | 190 | <1 | <1 | 2 | 5 | 31 | 41 | 41 |
| 35-49 | 40 | 3.0 | 13 | <1 | 1 | 2 | 3 | 4 | 9 | 22 |
| 50-64 | 308 | 3.9 | 24 | <1 | 1 | 2 | 4 | 8 | 14 | 28 |
| 65+ | 758 | 5.8 | 40 | 1 | 1 | 3 | 8 | 14 | 19 | 30 |
| TOT. SINGLE DX | 943 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| " MULTIPLE DX | 1118 | 5.2 | 36 | 1 | 1 | 3 | 6 | 12 | 17 | 29 |
| TOTAL 0-19 YRS | 8 | 5.3 | 16 | 2 | 2 | 4 | 6 | 12 | 14 | 14 |
| 20-34 | 14 | 5.1 | 109 | <1 | <1 | 2 | 3 | 10 | 34 | 41 |
| 35-49 | 87 | 2.3 | 7 | <1 | <1 | 2 | 2 | 3 | 5 | 18 |
| 50-64 | 657 | 2.8 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 22 |
| 65+ | 1295 | 4.4 | 28 | <1 | 1 | 2 | 5 | 11 | 15 | 27 |
| GRAND TOTAL | 2061 | 3.8 | 24 | <1 | 1 | 2 | 4 | 9 | 14 | 26 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 109 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 98 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 52 | 3.3 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| 50-64 | 72 | 3.1 | 10 | 1 | 1 | 3 | 4 | 5 | 6 | 24 |
| 65+ | 37 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 6 | 10 |
| 20-34 | 49 | 4.4 | 23 | 1 | 1 | 3 | 4 | 10 | 15 | 24 |
| 35-49 | 48 | 7.9 | 70 | 1 | 2 | 5 | 9 | 22 | 28 | 39 |
| 50-64 | 65 | 4.8 | 38 | 1 | 1 | 3 | 5 | 10 | 15 | 41 |
| 65+ | 53 | 7.2 | 62 | 1 | 2 | 4 | 9 | 18 | 27 | 36 |
| TOT. SINGLE DX | 368 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| " MULTIPLE DX | 284 | 5.1 | 41 | 1 | 1 | 3 | 5 | 11 | 18 | 35 |
| TOTAL 0-19 YRS | 178 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 147 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 35-49 | 100 | 5.5 | 43 | <1 | 1 | 3 | 7 | 11 | 22 | 35 |
| 50-64 | 137 | 3.9 | 25 | 1 | 1 | 3 | 4 | 7 | 11 | 30 |
| 65+ | 90 | 5.2 | 43 | 1 | 1 | 3 | 5 | 12 | 19 | 35 |
| GRAND TOTAL | 652 | 3.6 | 22 | <1 | 1 | 2 | 4 | 7 | 11 | 28 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 141 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 20-34 | 214 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 35-49 | 82 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 50-64 | 68 | 4.0 | 13 | 1 | 1 | 3 | 4 | 7 | 12 | 20 |
| 65+ | 154 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 20-34 | 121 | 4.6 | 46 | 1 | 1 | 3 | 5 | 8 | 13 | 45 |
| 35-49 | 59 | 4.0 | 13 | 1 | 1 | 3 | 4 | 8 | 12 | 19 |
| 50-64 | 153 | 6.1 | 49 | 1 | 2 | 4 | 7 | 14 | 24 | 33 |
| 65+ | 436 | 8.2 | 86 | 1 | 2 | 5 | 11 | 18 | 26 | 50 |
| TOT. SINGLE DX | 659 | 3.0 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 12 |
| " MULTIPLE DX | 895 | 6.3 | 63 | 1 | 1 | 3 | 7 | 14 | 22 | 39 |
| TOTAL 0-19 YRS | 265 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 335 | 3.5 | 20 | 1 | 1 | 3 | 4 | 5 | 8 | 18 |
| 35-49 | 141 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 50-64 | 221 | 5.4 | 39 | 1 | 2 | 3 | 6 | 11 | 18 | 29 |
| 65+ | 592 | 7.0 | 70 | 1 | 2 | 4 | 8 | 15 | 23 | 44 |
| GRAND TOTAL | 1554 | 4.9 | 41 | 1 | 1 | 3 | 5 | 10 | 16 | 30 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 684 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 87 | 2.0 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 35-49 | 5 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 377 | 2.4 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 22 | 3.8 | 22 | 1 | 1 | 2 | 4 | 8 | 15 | 23 |
| 35-49 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 5 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 777 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 407 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| TOTAL 0-19 YRS | 1061 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 20-34 | 109 | 2.3 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 35-49 | 8 | 3.3 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | 6 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1184 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 95 | 1.5 | | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 20-34 | 106 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 30 | 2.0 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | 15 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 65+ | 8 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 20-34 | 51 | 2.8 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 18 |
| 35-49 | 23 | 3.6 | 24 | <1 | 1 | 2 | 3 | 6 | 17 | 23 |
| 50-64 | 10 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 65+ | 11 | 10.9 | 99 | 2 | 3 | 6 | 17 | 27 | 32 | 33 |
| TOT. SINGLE DX | 254 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 142 | 3.3 | 20 | <1 | 1 | 2 | 3 | 5 | 11 | 24 |
| TOTAL 0-19 YRS | 142 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 157 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 9 |
| 35-49 | 53 | 2.7 | 12 | <1 | 1 | 2 | 3 | 4 | 5 | 23 |
| 50-64 | 25 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 65+ | 19 | 7.5 | 73 | 2 | 2 | 5 | 7 | 22 | 28 | 33 |
| GRAND TOTAL | 396 | 2.4 | 8 | <1 | 1 | 2 | 2 | 4 | 5 | 19 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 77 | 1.4 | 5 | <1 | <1 | <1 | 1 | 2 | 2 | 16 |
| 35-49 | 40 | 1.3 | | <1 | <1 | <1 | 1 | 3 | 3 | 3 |
| 50-64 | 3 | 2.7 | 8 | <1 | <1 | <1 | 5 | 6 | 6 | 6 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 27 | 3.3 | 63 | <1 | <1 | 1 | 2 | 3 | 16 | 42 |
| 35-49 | 17 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| 50-64 | 3 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 65+ | 3 | 10.0 | 31 | 5 | 5 | 9 | 14 | 16 | 16 | 16 |
| TOT. SINGLE DX | 126 | 1.4 | 4 | <1 | <1 | <1 | 1 | 2 | 3 | 10 |
| " MULTIPLE DX | 51 | 3.2 | 39 | <1 | <1 | 1 | 2 | 7 | 11 | 42 |
| TOTAL 0-19 YRS | 6 | 1.8 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 104 | 1.9 | 21 | <1 | <1 | <1 | 1 | 2 | 3 | 31 |
| 35-49 | 57 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 50-64 | 6 | 2.8 | 6 | <1 | <1 | 1 | 6 | 6 | 6 | 6 |
| 65+ | 4 | 7.8 | 41 | 1 | 1 | 7 | 12 | 16 | 16 | 16 |
| GRAND TOTAL | 177 | 2.0 | 14 | <1 | <1 | 1 | 2 | 3 | 5 | 20 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 293 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 20-34 | 453 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 35-49 | 319 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 275 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 65+ | 129 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 209 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 5 |
| 20-34 | 259 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 187 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | 219 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 159 | 4.4 | 10 | 1 | 2 | 3 | 5 | 9 | 11 | 16 |
| TOT. SINGLE DX | 1469 | 2.1 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 1033 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 502 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 20-34 | 712 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 35-49 | 506 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 50-64 | 494 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 288 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| GRAND TOTAL | 2502 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 434 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 20-34 | 126 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 35-49 | 85 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 50-64 | 60 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 65+ | 29 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 2.4 | 17 | <1 | <1 | 1 | 2 | 4 | 8 | 29 |
| 20-34 | 75 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 9 | 12 |
| 35-49 | 85 | 2.1 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | 90 | 3.0 | 9 | <1 | 1 | 2 | 3 | 7 | 8 | 18 |
| 65+ | 115 | 4.5 | 20 | <1 | 1 | 3 | 6 | 9 | 15 | 52 |
| TOT. SINGLE DX | 793 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 520 | 3.1 | 18 | <1 | <1 | 2 | 3 | 7 | 10 | 27 |
| TOTAL 0-19 YRS | 596 | 1.6 | 6 | <1 | <1 | 1 | 1 | 2 | 3 | 13 |
| 20-34 | 214 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| 35-49 | 184 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 50-64 | 163 | 2.4 | 6 | <1 | <1 | 2 | 2 | 5 | 7 | 10 |
| 65+ | 156 | 4.2 | 25 | <1 | <1 | 2 | 5 | 9 | 15 | 32 |
| GRAND TOTAL | 1313 | 2.1 | 8 | <1 | <1 | 1 | 2 | 3 | 6 | 15 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 2.7 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 47 | 2.9 | 7 | <1 | <1 | 2 | 3 | 7 | 10 | 11 |
| 35-49 | 52 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 50-64 | 108 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 75 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 3.9 | 12 | <1 | <1 | 2 | 5 | 10 | 11 | 16 |
| 20-34 | 55 | 5.7 | 23 | <1 | 1 | 4 | 7 | 12 | 15 | 26 |
| 35-49 | 69 | 6.0 | 35 | 1 | 2 | 4 | 7 | 11 | 15 | 35 |
| 50-64 | 198 | 4.6 | 19 | 1 | 2 | 4 | 5 | 8 | 10 | 20 |
| 65+ | 155 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 12 | 18 |
| TOT. SINGLE DX | 351 | 3.2 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 11 |
| " MULTIPLE DX | 529 | 4.8 | 19 | 1 | 2 | 4 | 5 | 9 | 12 | 21 |
| TOTAL 0-19 YRS | 121 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 10 | 14 |
| 20-34 | 102 | 4.4 | 18 | <1 | <1 | 3 | 6 | 10 | 12 | 23 |
| 35-49 | 121 | 5.0 | 24 | <1 | 1 | 4 | 6 | 9 | 12 | 34 |
| 50-64 | 306 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| 65+ | 230 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| GRAND TOTAL | 880 | 4.2 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 182 | 4.6 | 2 | 2 | 3 | 5 | 5 | 6 | 8 | 10 |
| 20-34 | 730 | 4.7 | 2 | 2 | 3 | 5 | 5 | 6 | 7 | 9 |
| 35-49 | 80 | 5.3 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 22 | 6.1 | 13 | <1 | 1 | 6 | 8 | 9 | 13 | 18 |
| 65+ | 11 | 11.2 | 134 | 1 | 2 | 6 | 13 | 33 | 35 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 206 | 5.1 | 3 | 3 | 3 | 5 | 6 | 8 | 8 | 12 |
| 20-34 | 1215 | 5.3 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 15 |
| 35-49 | 173 | 6.6 | 12 | 3 | 4 | 6 | 7 | 9 | 14 | 21 |
| 50-64 | 39 | 11.8 | 184 | 5 | 5 | 7 | 11 | 20 | 38 | 80 |
| 65+ | 48 | 14.3 | 75 | 6 | 6 | 12 | 20 | 26 | 35 | 42 |
| TOT. SINGLE DX | 1025 | 4.9 | 5 | 2 | 3 | 5 | 6 | 7 | 7 | 11 |
| " MULTIPLE DX | 1681 | 5.8 | 15 | 3 | 3 | 5 | 6 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 388 | 4.9 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 1945 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 253 | 6.2 | 10 | 3 | 3 | 6 | 7 | 9 | 11 | 21 |
| 50-64 | 61 | 9.7 | 129 | 2 | 5 | 7 | 9 | 15 | 25 | 76 |
| 65+ | 59 | 13.7 | 86 | 4 | 6 | 11 | 19 | 29 | 35 | 41 |
| GRAND TOTAL | 2706 | 5.5 | 12 | 3 | 3 | 5 | 6 | 7 | 9 | 20 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 112 | 5.3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 | 13 |
| 20-34 | 717 | 5.1 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 217 | 5.5 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 50-64 | 49 | 6.9 | 5 | 4 | 4 | 6 | 8 | 10 | 11 | 12 |
| 65+ | 16 | 8.5 | 7 | 5 | 5 | 8 | 10 | 12 | 14 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 162 | 5.6 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 1388 | 5.9 | 8 | 3 | 4 | 5 | 6 | 8 | 10 | 16 |
| 35-49 | 497 | 6.5 | 9 | 4 | 4 | 6 | 7 | 9 | 12 | 19 |
| 50-64 | 100 | 9.8 | 51 | 4 | 5 | 7 | 11 | 18 | 23 | 41 |
| 65+ | 86 | 13.2 | 54 | 5 | 6 | 11 | 17 | 24 | 28 | 39 |
| TOT. SINGLE DX | 1111 | 5.4 | 4 | 3 | 4 | 5 | 6 | 7 | 9 | 12 |
| " MULTIPLE DX | 2233 | 6.4 | 15 | 3 | 4 | 6 | 7 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 274 | 5.5 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| 20-34 | 2105 | 5.6 | 7 | 3 | 4 | 5 | 6 | 8 | 9 | 15 |
| 35-49 | 714 | 6.2 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 18 |
| 50-64 | 149 | 8.8 | 38 | 4 | 5 | 7 | 10 | 15 | 20 | 31 |
| 65+ | 102 | 12.4 | 50 | 5 | 6 | 10 | 16 | 22 | 26 | 38 |
| GRAND TOTAL | 3344 | 6.1 | 11 | 3 | 4 | 5 | 6 | 9 | 11 | 20 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 5 | 5 | 5 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 93 | 5.6 | 4 | 3 | 4 | 5 | 6 | 8 | 10 | 14 |
| 35-49 | 138 | 5.9 | 3 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 69 | 6.7 | 4 | 4 | 5 | 6 | 7 | 10 | 11 | 15 |
| 65+ | 27 | 8.1 | 9 | 5 | 5 | 7 | 10 | 13 | 15 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 349 | 6.2 | 6 | 4 | 4 | 6 | 7 | 9 | 11 | 18 |
| 35-49 | 516 | 7.4 | 22 | 4 | 5 | 6 | 8 | 11 | 13 | 20 |
| 50-64 | 228 | 8.6 | 42 | 4 | 5 | 7 | 9 | 14 | 17 | 42 |
| 65+ | 141 | 13.2 | 77 | 6 | 6 | 11 | 15 | 23 | 29 | 44 |
| TOT. SINGLE DX | 330 | 6.2 | 5 | 4 | 4 | 6 | 7 | 9 | 11 | 15 |
| " MULTIPLE DX | 1239 | 7.9 | 32 | 4 | 5 | 6 | 8 | 13 | 16 | 30 |
| TOTAL 0-19 YRS | 8 | 6.3 | 2 | 5 | 5 | 6 | 7 | 8 | 9 | 9 |
| 20-34 | 442 | 6.1 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| 35-49 | 654 | 7.0 | 19 | 4 | 4 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 297 | 8.2 | 34 | 4 | 5 | 7 | 9 | 12 | 16 | 39 |
| 65+ | 168 | 12.4 | 70 | 6 | 6 | 10 | 15 | 20 | 29 | 41 |
| GRAND TOTAL | 1569 | 7.6 | 27 | 4 | 4 | 6 | 8 | 12 | 15 | 29 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 3.6 | 3 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 135 | 3.1 | 3 | <1 | 1 | 3 | 5 | 6 | 6 | 7 |
| 35-49 | 22 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 7 |
| 50-64 | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 3.5 | 3 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 395 | 4.5 | 7 | <1 | 1 | 5 | 5 | 7 | 8 | 17 |
| 35-49 | 38 | 5.4 | 10 | 1 | 1 | 5 | 6 | 9 | 14 | 15 |
| 50-64 | 5 | 7.2 | | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 4 | 5.8 | 1 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| TOT. SINGLE DX | 185 | 3.2 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| " MULTIPLE DX | 485 | 4.5 | 8 | <1 | 1 | 5 | 6 | 7 | 8 | 16 |
| TOTAL 0-19 YRS | 69 | 3.5 | 3 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 530 | 4.1 | 7 | <1 | 1 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 60 | 4.5 | 10 | <1 | 1 | 4 | 6 | 7 | 11 | 15 |
| 50-64 | 7 | 7.3 | 1 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 65+ | 4 | 5.8 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| GRAND TOTAL | 670 | 4.1 | 7 | <1 | 1 | 4 | 5 | 7 | 8 | 15 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 2237 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 35-49 | 1020 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 50-64 | 9 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 20-34 | 1016 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 530 | 1.5 | 3 | <1 | <1 | 1 | 1 | 3 | 4 | 6 |
| 50-64 | 6 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3277 | 1.1 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| " MULTIPLE DX | 1562 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| TOTAL 0-19 YRS | 21 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 3253 | 1.3 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 4 |
| 35-49 | 1550 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 50-64 | 15 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4839 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 22 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 1891 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 775 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 8 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 2.9 | 1 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 2616 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 834 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| 50-64 | 7 | 6.3 | 1 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2696 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 3500 | 2.9 | 4 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 65 | 2.8 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 4507 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 1609 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 50-64 | 15 | 4.5 | 5 | <1 | 1 | 5 | 6 | 7 | 8 | 8 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 6196 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 120 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 1489 | 4.2 | 4 | 1 | 2 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 178 | 4.0 | 2 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 126 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 20-34 | 1675 | 4.5 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 232 | 4.8 | 6 | 1 | 2 | 5 | 6 | 7 | 8 | 15 |
| 50-64 | 6 | 11.0 | 42 | 4 | 4 | 10 | 12 | 22 | 23 | 23 |
| 65+ | 4 | 13.5 | 99 | 5 | 5 | 11 | 21 | 27 | 27 | 27 |
| TOT. SINGLE DX | 1791 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 6 | 8 |
| " MULTIPLE DX | 2043 | 4.6 | 4 | 1 | 2 | 5 | 5 | 7 | 8 | 11 |
| TOTAL 0-19 YRS | 246 | 4.6 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 3164 | 4.3 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 410 | 4.5 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 13 |
| 50-64 | 9 | 8.4 | 42 | 3 | 3 | 7 | 11 | 19 | 23 | 23 |
| 65+ | 5 | 14.0 | 76 | 5 | 5 | 15 | 19 | 27 | 27 | 27 |
| GRAND TOTAL | 3834 | 4.4 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 645 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 35-49 | 254 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 50-64 | 93 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 6 | 11 |
| 65+ | 46 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 375 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 6 | 11 |
| 35-49 | 193 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 7 | 10 |
| 50-64 | 88 | 2.2 | 6 | <1 | 1 | 2 | 2 | 3 | 7 | 16 |
| 65+ | 40 | 3.9 | 17 | 1 | 1 | 2 | 4 | 11 | 14 | 17 |
| TOT. SINGLE DX | 1055 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| " MULTIPLE DX | 712 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 7 | 14 |
| TOTAL 0-19 YRS | 33 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 1020 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 447 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 9 |
| 50-64 | 181 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 7 | 14 |
| 65+ | 86 | 2.9 | 10 | <1 | 1 | 2 | 3 | 7 | 10 | 16 |
| GRAND TOTAL | 1767 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 20-34 | 127 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 88 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 14 |
| 50-64 | 78 | 2.6 | 6 | <1 | <1 | 2 | 2 | 7 | 9 | 11 |
| 65+ | 73 | 4.2 | 14 | 1 | 1 | 3 | 6 | 10 | 11 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 1.7 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 176 | 2.0 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 9 |
| 35-49 | 175 | 2.4 | 11 | <1 | <1 | 1 | 2 | 5 | 8 | 14 |
| 50-64 | 155 | 4.0 | 19 | <1 | <1 | 2 | 6 | 9 | 13 | 19 |
| 65+ | 125 | 7.6 | 110 | 1 | 1 | 6 | 9 | 11 | 22 | 58 |
| TOT. SINGLE DX | 375 | 2.4 | 5 | <1 | <1 | 1 | 2 | 5 | 8 | 12 |
| " MULTIPLE DX | 640 | 3.7 | 35 | <1 | <1 | 2 | 4 | 8 | 11 | 25 |
| TOTAL 0-19 YRS | 18 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 303 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 35-49 | 263 | 2.3 | 10 | <1 | <1 | 1 | 2 | 5 | 7 | 14 |
| 50-64 | 233 | 3.5 | 15 | <1 | <1 | 2 | 4 | 8 | 11 | 18 |
| 65+ | 198 | 6.4 | 77 | 1 | 1 | 5 | 8 | 11 | 15 | 46 |
| GRAND TOTAL | 1015 | 3.2 | 25 | <1 | <1 | 2 | 3 | 7 | 10 | 20 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 479 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 35 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 20-34 | 127 | 4.1 | 61 | 1 | 1 | 3 | 4 | 7 | 10 | 38 |
| 35-49 | 25 | 4.7 | 71 | <1 | 1 | 3 | 4 | 7 | 22 | 43 |
| 50-64 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 540 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 164 | 4.2 | 59 | 1 | 1 | 3 | 4 | 7 | 11 | 40 |
| TOTAL 0-19 YRS | 35 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 606 | 2.6 | 15 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 60 | 3.1 | 32 | <1 | 1 | 2 | 3 | 4 | 6 | 40 |
| 50-64 | 3 | 3.3 | 10 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 704 | 2.7 | 16 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 3 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 180 | 4.9 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 66 | 3.9 | 5 | <1 | <1 | 4 | 6 | 7 | 8 | 9 |
| 50-64 | 7 | 2.7 | 7 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 65+ | 9 | 11.1 | 727 | 1 | 1 | 2 | 3 | 51 | 83 | 83 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 22 | 1 | 1 | 3 | 6 | 13 | 15 | 15 |
| 20-34 | 306 | 4.9 | 7 | <1 | 1 | 5 | 6 | 7 | 9 | 13 |
| 35-49 | 104 | 4.9 | 12 | 1 | 1 | 5 | 6 | 7 | 8 | 21 |
| 50-64 | 41 | 4.0 | 36 | <1 | <1 | 2 | 5 | 8 | 15 | 35 |
| 65+ | 18 | 6.4 | 31 | <1 | 1 | 5 | 9 | 16 | 19 | 20 |
| TOT. SINGLE DX | 268 | 4.7 | 28 | <1 | 1 | 5 | 6 | 7 | 8 | 11 |
| " MULTIPLE DX | 477 | 4.9 | 12 | <1 | 1 | 5 | 6 | 8 | 9 | 20 |
| TOTAL 0-19 YRS | 14 | 4.0 | 14 | <1 | <1 | 3 | 5 | 8 | 13 | 15 |
| 20-34 | 486 | 4.9 | 6 | <1 | 1 | 5 | 6 | 7 | 9 | 12 |
| 35-49 | 170 | 4.5 | 10 | <1 | 1 | 5 | 6 | 7 | 8 | 18 |
| 50-64 | 48 | 3.9 | 32 | <1 | <1 | 2 | 5 | 8 | 14 | 35 |
| 65+ | 27 | 8.0 | 250 | 1 | 1 | 3 | 8 | 17 | 29 | 83 |
| GRAND TOTAL | 745 | 4.8 | 18 | <1 | 1 | 5 | 6 | 7 | 9 | 18 |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 7.7 | 8 | 6 | 6 | 7 | 8 | 13 | 15 | 16 |
| 20-34 | 940 | 6.1 | 2 | 4 | 5 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 1550 | 6.2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 578 | 6.8 | 3 | 5 | 5 | 6 | 7 | 9 | 10 | 15 |
| 65+ | 266 | 7.5 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 6.4 | 5 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| 20-34 | 5072 | 6.6 | 6 | 4 | 5 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 9932 | 6.7 | 5 | 5 | 5 | 6 | 7 | 9 | 10 | 16 |
| 50-64 | 2860 | 7.4 | 17 | 5 | 5 | 6 | 8 | 10 | 12 | 23 |
| 65+ | 1013 | 9.6 | 33 | 5 | 6 | 8 | 11 | 15 | 19 | 35 |
| TOT. SINGLE DX | 3349 | 6.4 | 4 | 4 | 5 | 6 | 7 | 8 | 9 | 13 |
| " MULTIPLE DX | 18948 | 6.9 | 9 | 5 | 5 | 6 | 7 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 86 | 6.7 | 6 | 4 | 4 | 6 | 7 | 9 | 12 | 16 |
| 20-34 | 6012 | 6.5 | 6 | 4 | 5 | 6 | 7 | 8 | 10 | 16 |
| 35-49 | 11482 | 6.6 | 5 | 5 | 5 | 6 | 7 | 9 | 10 | 15 |
| 50-64 | 3438 | 7.3 | 15 | 5 | 5 | 6 | 8 | 10 | 12 | 21 |
| 65+ | 1279 | 9.2 | 29 | 5 | 6 | 8 | 10 | 14 | 18 | 33 |
| GRAND TOTAL | 22297 | 6.8 | 9 | 5 | 5 | 6 | 7 | 9 | 11 | 18 |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 636 | 5.2 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 572 | 5.4 | 1 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |
| 50-64 | 202 | 6.5 | 3 | 4 | 4 | 6 | 8 | 9 | 10 | 12 |
| 65+ | 168 | 7.2 | 4 | 5 | 5 | 7 | 8 | 10 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 5.8 | 4 | 2 | 3 | 6 | 7 | 8 | 10 | 10 |
| 20-34 | 2570 | 5.5 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 3951 | 5.9 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 1097 | 6.9 | 7 | 4 | 5 | 6 | 8 | 9 | 11 | 16 |
| 65+ | 597 | 8.3 | 21 | 5 | 5 | 7 | 9 | 12 | 14 | 25 |
| TOT. SINGLE DX | 1580 | 5.7 | 3 | 4 | 4 | 5 | 6 | 8 | 9 | 11 |
| " MULTIPLE DX | 8226 | 6.1 | 7 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| TOTAL 0-19 YRS | 13 | 5.9 | 4 | 2 | 3 | 6 | 7 | 8 | 10 | 10 |
| 20-34 | 3206 | 5.5 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 4523 | 5.8 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| 50-64 | 1299 | 6.8 | 7 | 4 | 5 | 6 | 8 | 9 | 11 | 15 |
| 65+ | 765 | 8.1 | 18 | 5 | 5 | 7 | 9 | 11 | 14 | 23 |
| GRAND TOTAL | 9806 | 6.0 | 6 | 4 | 4 | 6 | 7 | 8 | 9 | 14 |

## 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 20-34 | 15 | 9.4 | 8 | 3 | 5 | 10 | 12 | 13 | 13 | 13 |
| 35-49 | 11 | 11.5 | 59 | 4 | 5 | 9 | 14 | 22 | 31 | 32 |
| 50-64 | 8 | 16.1 | 339 | 4 | 5 | 10 | 16 | 48 | 60 | 60 |
| 65+ | 13 | 11.8 | 13 | 5 | 7 | 12 | 14 | 17 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 19 | 11.8 | 29 | 5 | 6 | 11 | 14 | 21 | 23 | 25 |
| 35-49 | 22 | 18.1 | 175 | 6 | 7 | 13 | 23 | 38 | 51 | 55 |
| 50-64 | 19 | 20.1 | 286 | 5 | 6 | 15 | 22 | 42 | 57 | 70 |
| 65+ | 17 | 16.8 | 171 | 7 | 8 | 11 | 20 | 36 | 50 | 56 |
| TOT. SINGLE DX | 49 | 11.5 | 74 | 4 | 5 | 10 | 13 | 17 | 20 | 60 |
| " MULTIPLE DX | 77 | 16.8 | 169 | 6 | 6 | 12 | 20 | 38 | 47 | 66 |
| TOTAL 0-19 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 20-34 | 34 | 10.8 | 21 | 5 | 6 | 10 | 12 | 16 | 21 | 25 |
| 35-49 | 33 | 15.9 | 144 | 5 | 6 | 13 | 17 | 32 | 47 | 55 |
| 50-64 | 27 | 18.9 | 293 | 5 | 6 | 13 | 21 | 42 | 61 | 70 |
| 65+ | 30 | 14.7 | 107 | 6 | 7 | 12 | 17 | 21 | 40 | 56 |
| GRAND TOTAL | 126 | 14.7 | 137 | 5 | 6 | 11 | 16 | 26 | 42 | 62 |

## 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 317 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 4 |
| 20-34 | 666 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 35-49 | 75 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 65 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 7 | 16 |
| 20-34 | 343 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 35-49 | 85 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1058 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| " MULTIPLE DX | 493 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 382 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 20-34 | 1009 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 35-49 | 160 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1551 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |

## 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1165 | 1.4 | | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 20-34 | 7874 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 35-49 | 3178 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 50-64 | 1297 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| 65+ | 458 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 454 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 4203 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 35-49 | 3364 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 50-64 | 1605 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| 65+ | 744 | 3.5 | 29 | <1 | <1 | 2 | 3 | 8 | 12 | 24 |
| TOT. SINGLE DX | 13972 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| " MULTIPLE DX | 10370 | 2.2 | 7 | <1 | <1 | 1 | 2 | 4 | 7 | 13 |
| TOTAL 0-19 YRS | 1619 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 12077 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 6542 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 9 |
| 50-64 | 2902 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 65+ | 1202 | 2.9 | 21 | <1 | <1 | 2 | 2 | 5 | 10 | 23 |
| GRAND TOTAL | 24342 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |

## 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 351 | 1.2 | | <1 | <1 | <1 | 1 | 1 | 2 | 5 |
| 20-34 | 902 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 35-49 | 116 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 2.8 | 42 | <1 | <1 | 1 | 2 | 4 | 5 | 41 |
| 20-34 | 478 | 2.2 | 15 | <1 | <1 | 1 | 2 | 4 | 6 | 20 |
| 35-49 | 157 | 1.8 | 25 | <1 | <1 | <1 | 1 | 2 | 4 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1369 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| " MULTIPLE DX | 704 | 2.1 | 20 | <1 | <1 | 1 | 2 | 3 | 6 | 23 |
| TOTAL 0-19 YRS | 420 | 1.4 | 8 | <1 | <1 | <1 | 1 | 2 | 3 | 7 |
| 20-34 | 1380 | 1.5 | 6 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |
| 35-49 | 273 | 1.5 | 15 | <1 | <1 | <1 | 1 | 2 | 2 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2073 | 1.5 | 7 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 1076 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 35-49 | 127 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 50-64 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 43 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 20-34 | 328 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 8 |
| 35-49 | 88 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 8 | 4.3 | 16 | <1 | <1 | 3 | 7 | 11 | 11 | 11 |
| 65+ | 6 | 16.5 | 714 | 2 | 2 | 4 | 16 | 65 | 70 | 70 |
| TOT. SINGLE DX | 1376 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| " MULTIPLE DX | 473 | 2.2 | 13 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 211 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 8 |
| 20-34 | 1404 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 35-49 | 215 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 3 | 6 |
| 50-64 | 11 | 3.5 | 13 | <1 | <1 | 2 | 4 | 10 | 11 | 11 |
| 65+ | 8 | 12.8 | 559 | 1 | 1 | 3 | 10 | 54 | 70 | 70 |
| GRAND TOTAL | 1849 | 1.5 | 4 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 20-34 | 21 | 4.1 | 4 | <1 | <1 | 5 | 6 | 6 | 7 | 8 |
| 35-49 | 4 | 4.8 | 7 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 50-64 | 5 | 6.2 | 4 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 4 | 6.3 | 6 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 22 | 3 | 3 | 5 | 10 | 12 | 12 | 12 |
| 20-34 | 66 | 5.0 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 13 | 6.8 | 13 | 4 | 4 | 5 | 7 | 12 | 16 | 17 |
| 50-64 | 3 | 7.0 | 3 | 6 | 6 | 6 | 8 | 9 | 9 | 9 |
| 65+ | 6 | 7.2 | 2 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| TOT. SINGLE DX | 36 | 4.8 | 5 | <1 | 1 | 5 | 6 | 8 | 8 | 9 |
| " MULTIPLE DX | 91 | 5.5 | 6 | 2 | 3 | 5 | 6 | 8 | 11 | 15 |
| TOTAL 0-19 YRS | 5 | 6.4 | 13 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 87 | 4.7 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 17 | 6.3 | 12 | 2 | 4 | 5 | 7 | 10 | 15 | 17 |
| 50-64 | 8 | 6.5 | 3 | 4 | 4 | 7 | 8 | 9 | 9 | 9 |
| 65+ | 10 | 6.8 | 4 | 3 | 4 | 7 | 9 | 9 | 9 | 9 |
| GRAND TOTAL | 127 | 5.3 | 6 | 1 | 2 | 5 | 6 | 8 | 9 | 13 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 2.5 | 3 | <1 | 1 | 1 | 4 | 6 | 6 | 6 |
| 20-34 | 120 | 2.8 | 9 | <1 | <1 | 2 | 4 | 5 | 6 | 16 |
| 35-49 | 20 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 50-64 | 16 | 3.8 | 5 | 1 | 1 | 3 | 4 | 6 | 10 | 11 |
| 65+ | 18 | 3.9 | 2 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 5.4 | 35 | 1 | 1 | 5 | 6 | 9 | 19 | 29 |
| 20-34 | 183 | 3.6 | 15 | <1 | 1 | 3 | 5 | 6 | 8 | 25 |
| 35-49 | 57 | 3.9 | 15 | 1 | 1 | 3 | 6 | 7 | 8 | 26 |
| 50-64 | 24 | 4.4 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 17 | 5.2 | 29 | <1 | 1 | 3 | 7 | 11 | 19 | 23 |
| TOT. SINGLE DX | 212 | 2.9 | 7 | <1 | <1 | 2 | 4 | 6 | 6 | 11 |
| " MULTIPLE DX | 302 | 3.9 | 17 | <1 | 1 | 3 | 5 | 7 | 9 | 28 |
| TOTAL 0-19 YRS | 59 | 3.5 | 17 | <1 | 1 | 3 | 5 | 6 | 8 | 27 |
| 20-34 | 303 | 3.3 | 13 | <1 | <1 | 2 | 5 | 6 | 7 | 21 |
| 35-49 | 77 | 3.5 | 12 | 1 | 1 | 3 | 5 | 6 | 8 | 22 |
| 50-64 | 40 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 65+ | 35 | 4.5 | 15 | <1 | 1 | 3 | 5 | 7 | 11 | 23 |
| GRAND TOTAL | 514 | 3.5 | 13 | <1 | <1 | 3 | 5 | 6 | 8 | 24 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 72 | 4.4 | 2 | 2 | 2 | 4 | 6 | 7 | 7 | 8 |
| 35-49 | 191 | 5.4 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 329 | 5.9 | 4 | 3 | 4 | 5 | 7 | 8 | 9 | 14 |
| 65+ | 254 | 6.5 | 6 | 3 | 4 | 6 | 8 | 10 | 11 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 111 | 6.0 | 12 | 2 | 3 | 5 | 7 | 9 | 11 | 22 |
| 35-49 | 373 | 6.8 | 12 | 3 | 4 | 6 | 7 | 10 | 13 | 22 |
| 50-64 | 557 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 20 |
| 65+ | 400 | 7.6 | 15 | 4 | 4 | 7 | 9 | 12 | 14 | 26 |
| TOT. SINGLE DX | 849 | 5.8 | 5 | 3 | 3 | 5 | 7 | 8 | 10 | 14 |
| " MULTIPLE DX | 1444 | 7.0 | 13 | 3 | 4 | 6 | 8 | 10 | 13 | 21 |
| TOTAL 0-19 YRS | 6 | 4.8 | 6 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 183 | 5.4 | 9 | 2 | 2 | 5 | 7 | 8 | 10 | 18 |
| 35-49 | 564 | 6.3 | 11 | 3 | 4 | 6 | 7 | 9 | 11 | 19 |
| 50-64 | 886 | 6.5 | 8 | 3 | 4 | 6 | 7 | 9 | 11 | 17 |
| 65+ | 654 | 7.2 | 12 | 3 | 4 | 6 | 8 | 11 | 13 | 20 |
| GRAND TOTAL | 2293 | 6.6 | 10 | 3 | 4 | 6 | 8 | 10 | 12 | 18 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 3.1 | 16 | <1 | <1 | 2 | 3 | 5 | 11 | 21 |
| 20-34 | 170 | 3.2 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 63 | 3.7 | 6 | <1 | 1 | 3 | 6 | 7 | 8 | 11 |
| 50-64 | 45 | 4.6 | 14 | <1 | <1 | 4 | 6 | 8 | 11 | 22 |
| 65+ | 17 | 6.8 | 39 | 1 | 1 | 6 | 7 | 9 | 22 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 3.3 | 12 | <1 | <1 | 2 | 3 | 9 | 13 | 14 |
| 20-34 | 82 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 51 | 6.5 | 37 | 1 | 1 | 5 | 8 | 13 | 16 | 34 |
| 50-64 | 48 | 9.3 | 80 | 1 | 1 | 7 | 10 | 22 | 26 | 45 |
| 65+ | 47 | 11.2 | 222 | 3 | 4 | 8 | 11 | 17 | 35 | 96 |
| TOT. SINGLE DX | 323 | 3.7 | 10 | <1 | <1 | 3 | 5 | 7 | 9 | 14 |
| " MULTIPLE DX | 249 | 6.6 | 77 | 1 | 1 | 5 | 8 | 13 | 17 | 45 |
| TOTAL 0-19 YRS | 49 | 3.2 | 14 | <1 | <1 | 2 | 3 | 7 | 12 | 21 |
| 20-34 | 252 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 114 | 5.0 | 22 | 1 | 1 | 4 | 7 | 9 | 12 | 28 |
| 50-64 | 93 | 7.0 | 54 | <1 | 1 | 6 | 8 | 14 | 22 | 43 |
| 65+ | 64 | 10.0 | 176 | 2 | 3 | 7 | 9 | 17 | 30 | 90 |
| GRAND TOTAL | 572 | 5.0 | 41 | <1 | 1 | 3 | 6 | 9 | 12 | 31 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 102 | 2.8 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| 20-34 | 296 | 2.9 | 7 | <1 | <1 | 2 | 4 | 7 | 8 | 14 |
| 35-49 | 80 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 72 | 3.6 | 10 | <1 | <1 | 3 | 5 | 7 | 9 | 19 |
| 65+ | 95 | 4.2 | 8 | 1 | 1 | 4 | 6 | 7 | 10 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 3.8 | 12 | <1 | <1 | 2 | 5 | 10 | 11 | 14 |
| 20-34 | 251 | 4.2 | 14 | <1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 35-49 | 130 | 6.5 | 36 | <1 | 1 | 5 | 9 | 14 | 19 | 30 |
| 50-64 | 140 | 5.7 | 40 | 1 | 1 | 4 | 6 | 10 | 14 | 44 |
| 65+ | 187 | 7.8 | 55 | 2 | 2 | 6 | 9 | 15 | 18 | 46 |
| TOT. SINGLE DX | 645 | 3.1 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 13 |
| " MULTIPLE DX | 792 | 5.6 | 34 | <1 | 1 | 4 | 7 | 11 | 16 | 29 |
| TOTAL 0-19 YRS | 186 | 3.3 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 14 |
| 20-34 | 547 | 3.5 | 11 | <1 | <1 | 2 | 5 | 8 | 11 | 16 |
| 35-49 | 210 | 5.0 | 29 | <1 | <1 | 3 | 6 | 11 | 17 | 28 |
| 50-64 | 212 | 5.0 | 31 | <1 | 1 | 4 | 6 | 8 | 13 | 35 |
| 65+ | 282 | 6.6 | 42 | 1 | 2 | 5 | 8 | 12 | 17 | 35 |
| GRAND TOTAL | 1437 | 4.8 | 24 | <1 | <1 | 3 | 6 | 10 | 13 | 22 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 83 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 439 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 184 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 88 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 65+ | 57 | 2.9 | 8 | <1 | <1 | 2 | 3 | 7 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 2.5 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 173 | 3.1 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 28 |
| 35-49 | 97 | 4.0 | 30 | <1 | <1 | 2 | 4 | 10 | 12 | 34 |
| 50-64 | 84 | 5.4 | 87 | <1 | 1 | 3 | 6 | 9 | 16 | 60 |
| 65+ | 64 | 7.7 | 69 | <1 | 1 | 4 | 11 | 20 | 25 | 34 |
| TOT. SINGLE DX | 851 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 462 | 4.3 | 40 | <1 | 1 | 2 | 4 | 9 | 15 | 32 |
| TOTAL 0-19 YRS | 127 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| 20-34 | 612 | 2.0 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 35-49 | 281 | 2.6 | 13 | <1 | <1 | 1 | 3 | 5 | 8 | 15 |
| 50-64 | 172 | 3.6 | 46 | <1 | <1 | 2 | 3 | 7 | 9 | 47 |
| 65+ | 121 | 5.4 | 46 | <1 | 1 | 2 | 6 | 16 | 20 | 33 |
| GRAND TOTAL | 1313 | 2.7 | 17 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 14 | 2.1 | 1 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 35-49 | 16 | 4.9 | 14 | <1 | <1 | 4 | 6 | 10 | 13 | 15 |
| 50-64 | 17 | 9.8 | 64 | 1 | 2 | 8 | 13 | 23 | 29 | 29 |
| 65+ | 21 | 7.1 | 112 | 1 | 1 | 4 | 7 | 12 | 30 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 4.3 | 3 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | 9 | 7.1 | 55 | 2 | 2 | 4 | 7 | 19 | 26 | 26 |
| 50-64 | 13 | 6.5 | 26 | 2 | 2 | 4 | 10 | 13 | 18 | 19 |
| 65+ | 37 | 14.6 | 229 | 2 | 3 | 10 | 18 | 36 | 45 | 75 |
| TOT. SINGLE DX | 69 | 6.1 | 60 | <1 | <1 | 4 | 7 | 13 | 16 | 47 |
| " MULTIPLE DX | 63 | 11.2 | 162 | 2 | 3 | 7 | 13 | 25 | 40 | 71 |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 18 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 7 |
| 35-49 | 25 | 5.7 | 29 | <1 | <1 | 4 | 7 | 10 | 18 | 26 |
| 50-64 | 30 | 8.4 | 49 | 2 | 2 | 7 | 12 | 17 | 25 | 29 |
| 65+ | 58 | 11.9 | 197 | 1 | 2 | 7 | 14 | 27 | 45 | 73 |
| GRAND TOTAL | 132 | 8.6 | 114 | <1 | 1 | 5 | 10 | 19 | 28 | 56 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 8 |
| 20-34 | 59 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 12 |
| 35-49 | 17 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 50-64 | 7 | 4.1 | 9 | <1 | <1 | 3 | 7 | 9 | 9 | 9 |
| 65+ | 8 | 4.8 | 36 | <1 | <1 | 2 | 5 | 15 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 18 | 4.8 | 48 | 1 | 1 | 3 | 5 | 9 | 23 | 31 |
| 20-34 | 52 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 11 | 3.6 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 50-64 | 10 | 8.6 | 46 | 1 | 2 | 6 | 9 | 20 | 23 | 23 |
| 65+ | 7 | 11.4 | 270 | 1 | 1 | 7 | 9 | 40 | 48 | 48 |
| TOT. SINGLE DX | 125 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| " MULTIPLE DX | 98 | 4.7 | 39 | 1 | 1 | 3 | 5 | 9 | 10 | 40 |
| TOTAL 0-19 YRS | 52 | 2.8 | 20 | <1 | <1 | 1 | 3 | 6 | 8 | 31 |
| 20-34 | 111 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 35-49 | 28 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 10 |
| 50-64 | 17 | 6.8 | 35 | <1 | 1 | 5 | 9 | 16 | 21 | 23 |
| 65+ | 15 | 7.9 | 146 | <1 | 1 | 4 | 8 | 19 | 41 | 48 |
| GRAND TOTAL | 223 | 3.5 | 21 | <1 | 1 | 2 | 4 | 7 | 9 | 25 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 1.3 | | <1 | <1 | 1 | 1 | 3 | 3 | 3 |
| 20-34 | 7 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 50-64 | 6 | 1.8 | 4 | <1 | <1 | 1 | 1 | 6 | 6 | 6 |
| 65+ | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.0 | 128 | <1 | <1 | 1 | 13 | 24 | 24 | 24 |
| 20-34 | 7 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 5 | 3.2 | 4 | <1 | <1 | 4 | 6 | 91 | 99+ | 99+ |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | 10 | 11.6 | 241 | 2 | 2 | 6 | 12 | 36 | 53 | 53 |
| TOT. SINGLE DX | 23 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 27 | 6.7 | 119 | <1 | <1 | 2 | 8 | 22 | 58 | 99+ |
| TOTAL 0-19 YRS | 10 | 3.6 | 52 | <1 | <1 | 1 | 2 | 13 | 24 | 24 |
| 20-34 | 14 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 35-49 | 7 | 2.9 | 4 | <1 | <1 | 3 | 5 | 72 | 99+ | 99+ |
| 50-64 | 7 | 3.1 | 15 | <1 | <1 | 1 | 5 | 10 | 11 | 11 |
| 65+ | 12 | 10.0 | 212 | <1 | 1 | 5 | 11 | 29 | 50 | 53 |
| GRAND TOTAL | 50 | 4.4 | 70 | <1 | <1 | 2 | 3 | 11 | 24 | 99+ |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1832 | 2.4 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 9803 | 2.6 | | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 434 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1212 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 20-34 | 7191 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 441 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 12069 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| " MULTIPLE DX | 8844 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 3044 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 20-34 | 16994 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 875 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 20913 | 2.7 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 218 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 35-49 | 17 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 50 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 20-34 | 383 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 6 | 13 |
| 35-49 | 44 | 3.3 | 7 | <1 | 1 | 3 | 4 | 7 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 262 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 477 | 2.9 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 77 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 20-34 | 601 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 61 | 3.0 | 6 | 1 | 1 | 3 | 3 | 5 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 739 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 275 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 20-34 | 1735 | 2.6 | | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 35-49 | 104 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 417 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 2643 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 35-49 | 185 | 3.5 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2114 | 2.6 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| " MULTIPLE DX | 3245 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-19 YRS | 692 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 4378 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 289 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 5359 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11885 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 72525 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 3686 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2602 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 20-34 | 19754 | 2.8 | 4 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 1715 | 3.2 | 7 | 1 | 2 | 3 | 4 | 4 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 88096 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| " MULTIPLE DX | 24071 | 2.8 | 5 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 14487 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 92279 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 5401 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 112167 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1170 | 4.7 | 5 | 3 | 3 | 5 | 5 | 6 | 7 | 9 |
| 20-34 | 10477 | 4.8 | 3 | 3 | 3 | 5 | 5 | 6 | 6 | 9 |
| 35-49 | 547 | 5.0 | 2 | 3 | 4 | 5 | 6 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2082 | 5.5 | 9 | 3 | 4 | 5 | 6 | 8 | 9 | 17 |
| 20-34 | 17898 | 5.3 | 9 | 3 | 4 | 5 | 6 | 7 | 8 | 16 |
| 35-49 | 1810 | 5.7 | 12 | 3 | 4 | 5 | 6 | 7 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 12194 | 4.8 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 9 |
| " MULTIPLE DX | 21790 | 5.4 | 10 | 3 | 4 | 5 | 6 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 3252 | 5.2 | 8 | 3 | 4 | 5 | 6 | 7 | 8 | 14 |
| 20-34 | 28375 | 5.1 | 7 | 3 | 4 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 2357 | 5.6 | 10 | 3 | 4 | 5 | 6 | 7 | 9 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 33984 | 5.2 | 8 | 3 | 4 | 5 | 6 | 7 | 8 | 14 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 5.3 | 12 | 3 | 4 | 5 | 6 | 6 | 7 | 27 |
| 20-34 | 608 | 4.9 | 2 | 3 | 3 | 5 | 5 | 6 | 7 | 10 |
| 35-49 | 30 | 4.8 | 1 | 3 | 3 | 5 | 5 | 7 | 7 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 115 | 6.3 | 9 | 4 | 4 | 5 | 7 | 10 | 13 | 19 |
| 20-34 | 845 | 5.7 | 14 | 3 | 4 | 5 | 6 | 8 | 10 | 20 |
| 35-49 | 101 | 6.8 | 28 | 3 | 4 | 5 | 7 | 11 | 14 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 726 | 4.9 | 4 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 1061 | 5.9 | 15 | 3 | 4 | 5 | 6 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 203 | 5.8 | 11 | 3 | 4 | 5 | 6 | 8 | 12 | 20 |
| 20-34 | 1453 | 5.3 | 10 | 3 | 4 | 5 | 6 | 7 | 9 | 16 |
| 35-49 | 131 | 6.4 | 23 | 3 | 4 | 5 | 6 | 8 | 13 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1787 | 5.5 | 11 | 3 | 4 | 5 | 6 | 7 | 9 | 19 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 3.5 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 28 | 4.3 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 42 | 5.0 | 5 | 2 | 2 | 5 | 6 | 7 | 11 | 12 |
| 35-49 | 5 | 6.2 | 25 | 3 | 3 | 5 | 8 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 36 | 4.1 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| " MULTIPLE DX | 51 | 5.1 | 7 | 2 | 3 | 5 | 6 | 7 | 12 | 15 |
| TOTAL 0-19 YRS | 10 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 70 | 4.7 | 4 | 2 | 3 | 4 | 6 | 7 | 7 | 12 |
| 35-49 | 7 | 5.4 | 19 | 3 | 3 | 4 | 5 | 13 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 87 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 279 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 322 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 35-49 | 45 | 1.4 | | <1 | 1 | 1 | 2 | 2 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 86 | 1.2 | | 1 | 1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 108 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 3 | 13 |
| 35-49 | 25 | 1.7 | | <1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 646 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 219 | 1.6 | 2 | 1 | 1 | 1 | 2 | 3 | 3 | 11 |
| TOTAL 0-19 YRS | 365 | 1.3 | | <1 | 1 | 1 | 2 | 2 | 2 | 3 |
| 20-34 | 430 | 1.5 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 70 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 865 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 4 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 2.6 | 3 | <1 | 1 | 2 | 3 | 6 | 7 | 8 |
| 20-34 | 183 | 3.5 | 32 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| 35-49 | 10 | 4.8 | 23 | <1 | <1 | 3 | 5 | 13 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 29 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 20-34 | 139 | 4.7 | 32 | <1 | 1 | 3 | 5 | 10 | 16 | 34 |
| 35-49 | 7 | 4.6 | 14 | 1 | 1 | 2 | 7 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 227 | 3.4 | 28 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| " MULTIPLE DX | 175 | 4.4 | 28 | <1 | 1 | 3 | 5 | 9 | 15 | 30 |
| TOTAL 0-19 YRS | 63 | 2.6 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 322 | 4.0 | 33 | <1 | 1 | 2 | 4 | 8 | 14 | 27 |
| 35-49 | 17 | 4.7 | 19 | <1 | 1 | 3 | 7 | 12 | 14 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 402 | 3.8 | 28 | <1 | 1 | 2 | 4 | 8 | 12 | 24 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 516 | 2.3 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| 20-34 | 2531 | 2.2 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 157 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 316 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 20-34 | 1664 | 3.1 | 7 | 1 | 1 | 3 | 3 | 4 | 5 | 12 |
| 35-49 | 147 | 3.4 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3204 | 2.3 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 2127 | 3.1 | 7 | 1 | 1 | 3 | 3 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 832 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 4195 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 304 | 2.9 | 6 | <1 | 1 | 3 | 3 | 4 | 6 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 5331 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1655 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 9875 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 599 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1448 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 7830 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 576 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 12129 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| " MULTIPLE DX | 9854 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| TOTAL 0-19 YRS | 3103 | 2.3 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 20-34 | 17705 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 35-49 | 1175 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 21983 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 2.9 | 11 | <1 | 1 | 2 | 3 | 5 | 10 | 16 |
| 20-34 | 56 | 2.8 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 26 | 4.0 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 50-64 | 25 | 5.8 | 22 | <1 | 1 | 4 | 8 | 14 | 16 | 17 |
| 65+ | 14 | 5.7 | 12 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 3.8 | 9 | 1 | 1 | 2 | 5 | 9 | 10 | 10 |
| 20-34 | 16 | 6.2 | 18 | <1 | 1 | 6 | 9 | 13 | 15 | 16 |
| 35-49 | 21 | 4.6 | 11 | <1 | 1 | 4 | 7 | 10 | 11 | 12 |
| 50-64 | 44 | 12.1 | 133 | 1 | 2 | 8 | 16 | 25 | 37 | 55 |
| 65+ | 49 | 12.2 | 208 | 2 | 2 | 8 | 15 | 25 | 41 | 82 |
| TOT. SINGLE DX | 142 | 3.9 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| " MULTIPLE DX | 143 | 9.6 | 127 | 1 | 2 | 6 | 13 | 19 | 31 | 57 |
| TOTAL 0-19 YRS | 34 | 3.2 | 10 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 20-34 | 72 | 3.6 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 35-49 | 47 | 4.3 | 14 | 1 | 1 | 4 | 6 | 10 | 11 | 19 |
| 50-64 | 69 | 9.8 | 101 | 1 | 1 | 7 | 14 | 19 | 34 | 53 |
| 65+ | 63 | 10.7 | 171 | 2 | 2 | 7 | 14 | 24 | 33 | 78 |
| GRAND TOTAL | 285 | 6.7 | 78 | 1 | 1 | 4 | 8 | 16 | 19 | 47 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 291 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 446 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 129 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 36 | 3.6 | 2 | 2 | 2 | 3 | 5 | 5 | 7 | 9 |
| 65+ | 13 | 5.8 | 24 | 2 | 2 | 4 | 7 | 15 | 17 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 192 | 4.0 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 10 |
| 20-34 | 253 | 4.1 | 4 | 2 | 2 | 4 | 4 | 6 | 7 | 14 |
| 35-49 | 98 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 17 |
| 50-64 | 33 | 5.7 | 14 | 2 | 2 | 4 | 7 | 12 | 14 | 17 |
| 65+ | 14 | 5.9 | 21 | 2 | 2 | 5 | 7 | 13 | 17 | 18 |
| TOT. SINGLE DX | 915 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 590 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 483 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 699 | 3.6 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 227 | 3.9 | 5 | 2 | 2 | 4 | 4 | 7 | 7 | 11 |
| 50-64 | 69 | 4.6 | 9 | 2 | 2 | 4 | 5 | 9 | 12 | 16 |
| 65+ | 27 | 5.9 | 22 | 2 | 2 | 5 | 7 | 14 | 17 | 18 |
| GRAND TOTAL | 1505 | 3.8 | 3 | 2 | 2 | 3 | 4 | 5 | 7 | 11 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 133 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 216 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 43 | 2.8 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 50-64 | 16 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 65+ | 8 | 3.0 | 2 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 132 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 20-34 | 216 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| 35-49 | 60 | 5.0 | 18 | 1 | 2 | 4 | 6 | 11 | 13 | 22 |
| 50-64 | 25 | 5.6 | 22 | 1 | 1 | 4 | 8 | 10 | 14 | 23 |
| 65+ | 25 | 11.8 | 124 | 2 | 2 | 10 | 15 | 26 | 33 | 53 |
| TOT. SINGLE DX | 416 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| " MULTIPLE DX | 458 | 4.9 | 26 | 1 | 1 | 3 | 6 | 11 | 14 | 26 |
| TOTAL 0-19 YRS | 265 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 432 | 3.5 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 25 |
| 35-49 | 103 | 4.1 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 50-64 | 41 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |
| 65+ | 33 | 9.6 | 108 | 2 | 2 | 6 | 12 | 21 | 27 | 53 |
| GRAND TOTAL | 874 | 3.7 | 17 | 1 | 1 | 2 | 4 | 7 | 11 | 23 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 160 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 383 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 154 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 50-64 | 51 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 65+ | 26 | 6.3 | 63 | 1 | 2 | 3 | 5 | 20 | 26 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 161 | 6.0 | 42 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| 20-34 | 474 | 5.8 | 49 | 1 | 2 | 4 | 6 | 11 | 16 | 39 |
| 35-49 | 205 | 5.7 | 31 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| 50-64 | 72 | 7.6 | 43 | 1 | 1 | 6 | 10 | 18 | 22 | 31 |
| 65+ | 44 | 12.9 | 260 | 2 | 2 | 7 | 14 | 32 | 53 | 76 |
| TOT. SINGLE DX | 774 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 956 | 6.3 | 56 | 1 | 2 | 4 | 7 | 12 | 18 | 40 |
| TOTAL 0-19 YRS | 321 | 4.3 | 25 | 1 | 1 | 3 | 5 | 8 | 12 | 31 |
| 20-34 | 857 | 4.4 | 32 | 1 | 1 | 3 | 5 | 8 | 12 | 30 |
| 35-49 | 359 | 4.5 | 22 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| 50-64 | 123 | 5.5 | 32 | 1 | 1 | 4 | 7 | 11 | 19 | 28 |
| 65+ | 70 | 10.5 | 196 | 2 | 2 | 5 | 11 | 24 | 37 | 74 |
| GRAND TOTAL | 1730 | 4.8 | 37 | 1 | 1 | 3 | 5 | 9 | 14 | 32 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 7.0 | 89 | 1 | 2 | 4 | 5 | 20 | 33 | 37 |
| 20-34 | 24 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 17 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 16 | 4.8 | 14 | <1 | 2 | 4 | 5 | 8 | 14 | 17 |
| 65+ | 7 | 3.7 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 4.7 | 12 | 1 | 2 | 3 | 7 | 11 | 13 | 13 |
| 20-34 | 19 | 3.7 | 5 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 35-49 | 20 | 9.3 | 76 | 1 | 2 | 5 | 16 | 24 | 26 | 28 |
| 50-64 | 19 | 7.4 | 88 | 2 | 3 | 5 | 7 | 13 | 31 | 44 |
| 65+ | 10 | 8.4 | 19 | 4 | 4 | 8 | 11 | 15 | 16 | 16 |
| TOT. SINGLE DX | 84 | 4.3 | 27 | 1 | 1 | 3 | 4 | 7 | 10 | 35 |
| " MULTIPLE DX | 82 | 6.7 | 48 | 1 | 2 | 4 | 8 | 15 | 21 | 39 |
| TOTAL 0-19 YRS | 34 | 6.1 | 58 | 1 | 2 | 4 | 5 | 11 | 27 | 37 |
| 20-34 | 43 | 3.4 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 8 |
| 35-49 | 37 | 6.3 | 52 | <1 | 1 | 3 | 6 | 19 | 24 | 28 |
| 50-64 | 35 | 6.2 | 55 | 2 | 2 | 4 | 6 | 10 | 16 | 44 |
| 65+ | 17 | 6.5 | 19 | 1 | 2 | 5 | 10 | 13 | 15 | 16 |
| GRAND TOTAL | 166 | 5.5 | 39 | 1 | 2 | 4 | 6 | 11 | 17 | 36 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 345 | 5.2 | 30 | 1 | 1 | 4 | 6 | 10 | 17 | 28 |
| 20-34 | 329 | 4.4 | 23 | <1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 35-49 | 218 | 4.4 | 16 | 1 | 1 | 3 | 5 | 10 | 12 | 21 |
| 50-64 | 231 | 5.6 | 18 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 65+ | 115 | 7.0 | 32 | 2 | 2 | 6 | 8 | 12 | 15 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 197 | 6.8 | 65 | 1 | 2 | 4 | 7 | 14 | 22 | 46 |
| 20-34 | 324 | 6.5 | 88 | 1 | 2 | 4 | 6 | 15 | 23 | 54 |
| 35-49 | 269 | 5.5 | 47 | 1 | 2 | 4 | 5 | 10 | 18 | 39 |
| 50-64 | 280 | 6.7 | 59 | 2 | 2 | 5 | 7 | 12 | 20 | 56 |
| 65+ | 138 | 11.1 | 163 | 1 | 2 | 7 | 13 | 31 | 44 | 99+ |
| TOT. SINGLE DX | 1238 | 5.1 | 24 | 1 | 1 | 4 | 6 | 10 | 14 | 27 |
| " MULTIPLE DX | 1208 | 6.9 | 79 | 1 | 2 | 4 | 7 | 15 | 23 | 51 |
| TOTAL 0-19 YRS | 542 | 5.8 | 43 | 1 | 2 | 4 | 6 | 12 | 19 | 43 |
| 20-34 | 653 | 5.4 | 56 | 1 | 1 | 3 | 6 | 11 | 19 | 36 |
| 35-49 | 487 | 5.0 | 34 | 1 | 1 | 3 | 5 | 10 | 15 | 32 |
| 50-64 | 511 | 6.2 | 41 | 1 | 2 | 5 | 7 | 11 | 17 | 39 |
| 65+ | 253 | 9.2 | 108 | 1 | 2 | 6 | 10 | 21 | 36 | 70 |
| GRAND TOTAL | 2446 | 6.0 | 52 | 1 | 1 | 4 | 7 | 12 | 19 | 43 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 191 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 350 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 330 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 379 | 3.7 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 9 |
| 65+ | 208 | 4.0 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 224 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 9 |
| 20-34 | 454 | 3.7 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 8 |
| 35-49 | 671 | 4.0 | 6 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| 50-64 | 1257 | 4.4 | 14 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| 65+ | 782 | 4.8 | 10 | 2 | 2 | 4 | 5 | 8 | 9 | 23 |
| TOT. SINGLE DX | 1458 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 9 |
| " MULTIPLE DX | 3388 | 4.2 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 415 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 804 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 1001 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 50-64 | 1636 | 4.2 | 12 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| 65+ | 990 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 18 |
| GRAND TOTAL | 4846 | 4.0 | 8 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |

### 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1269 | 3.4 | 16 | 1 | 1 | 2 | 4 | 6 | 8 | 24 |
| 20-34 | 1762 | 3.5 | 14 | <1 | 1 | 3 | 4 | 6 | 8 | 19 |
| 35-49 | 1033 | 3.7 | 23 | <1 | 1 | 3 | 4 | 6 | 9 | 19 |
| 50-64 | 795 | 4.2 | 31 | <1 | 1 | 3 | 4 | 8 | 11 | 37 |
| 65+ | 366 | 5.9 | 51 | 1 | 1 | 4 | 7 | 12 | 20 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 561 | 6.8 | 96 | 1 | 1 | 3 | 6 | 18 | 30 | 52 |
| 20-34 | 1221 | 7.0 | 115 | 1 | 1 | 3 | 7 | 17 | 33 | 72 |
| 35-49 | 918 | 7.0 | 127 | 1 | 1 | 3 | 6 | 15 | 29 | 70 |
| 50-64 | 1008 | 7.9 | 141 | 1 | 2 | 4 | 7 | 19 | 30 | 65 |
| 65+ | 813 | 11.9 | 193 | 1 | 2 | 7 | 15 | 31 | 45 | 92 |
| TOT. SINGLE DX | 5225 | 3.8 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 25 |
| " MULTIPLE DX | 4521 | 8.1 | 139 | 1 | 1 | 4 | 8 | 21 | 34 | 71 |
| TOTAL 0-19 YRS | 1830 | 4.5 | 43 | 1 | 1 | 3 | 4 | 8 | 15 | 42 |
| 20-34 | 2983 | 4.9 | 59 | <1 | 1 | 3 | 5 | 9 | 17 | 48 |
| 35-49 | 1951 | 5.2 | 75 | 1 | 1 | 3 | 5 | 9 | 16 | 56 |
| 50-64 | 1803 | 6.3 | 97 | 1 | 1 | 3 | 6 | 12 | 22 | 52 |
| 65+ | 1179 | 10.0 | 157 | 1 | 2 | 5 | 12 | 26 | 38 | 75 |
| GRAND TOTAl | 9746 | 5.8 | 81 | 1 | 1 | 3 | 5 | 12 | 22 | 53 |

### 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 350 | 5.1 | 37 | 1 | 1 | 4 | 6 | 9 | 14 | 40 |
| 20-34 | 437 | 4.6 | 22 | 1 | 1 | 4 | 6 | 8 | 11 | 22 |
| 35-49 | 170 | 5.0 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 50-64 | 128 | 6.8 | 22 | 2 | 2 | 5 | 9 | 15 | 16 | 20 |
| 65+ | 205 | 10.9 | 37 | 3 | 5 | 10 | 14 | 17 | 22 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 171 | 10.0 | 170 | 1 | 2 | 5 | 10 | 25 | 39 | 72 |
| 20-34 | 244 | 9.3 | 131 | 1 | 2 | 5 | 10 | 20 | 33 | 62 |
| 35-49 | 121 | 8.8 | 133 | 1 | 2 | 5 | 9 | 18 | 27 | 69 |
| 50-64 | 131 | 11.2 | 112 | 2 | 3 | 9 | 15 | 22 | 28 | 79 |
| 65+ | 368 | 16.2 | 131 | 4 | 6 | 14 | 20 | 31 | 43 | 65 |
| TOT. SINGLE DX | 1290 | 6.0 | 33 | 1 | 1 | 4 | 8 | 13 | 16 | 27 |
| " MULTIPLE DX | 1035 | 12.1 | 145 | 2 | 2 | 8 | 16 | 25 | 36 | 67 |
| TOTAL 0-19 YRS | 521 | 6.7 | 86 | 1 | 1 | 4 | 7 | 13 | 23 | 50 |
| 20-34 | 681 | 6.3 | 66 | 1 | 1 | 4 | 7 | 12 | 20 | 53 |
| 35-49 | 291 | 6.6 | 68 | 1 | 2 | 5 | 7 | 12 | 18 | 52 |
| 50-64 | 259 | 9.0 | 73 | 2 | 2 | 7 | 12 | 17 | 23 | 70 |
| 65+ | 573 | 14.3 | 104 | 3 | 5 | 12 | 17 | 25 | 35 | 61 |
| GRAND TOTAL | 2325 | 8.7 | 92 | 1 | 2 | 6 | 11 | 18 | 25 | 56 |

### 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 778 | 2.2 | 11 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 20-34 | 1396 | 2.5 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 595 | 2.7 | 13 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 422 | 3.2 | 16 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| 65+ | 384 | 5.0 | 27 | 1 | 1 | 3 | 6 | 12 | 15 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 178 | 4.5 | 58 | 1 | 1 | 3 | 4 | 7 | 11 | 41 |
| 20-34 | 359 | 5.5 | 75 | <1 | 1 | 3 | 5 | 13 | 22 | 43 |
| 35-49 | 237 | 5.4 | 83 | <1 | 1 | 3 | 5 | 10 | 18 | 60 |
| 50-64 | 237 | 7.2 | 81 | 1 | 1 | 4 | 9 | 15 | 25 | 45 |
| 65+ | 358 | 11.9 | 176 | 2 | 2 | 7 | 14 | 27 | 39 | 65 |
| TOT. SINGLE DX | 3575 | 2.8 | 13 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| " MULTIPLE DX | 1369 | 7.3 | 110 | 1 | 1 | 4 | 8 | 17 | 28 | 58 |
| TOTAL 0-19 YRS | 956 | 2.7 | 21 | <1 | <1 | 2 | 3 | 4 | 6 | 24 |
| 20-34 | 1755 | 3.1 | 23 | <1 | <1 | 2 | 3 | 5 | 8 | 27 |
| 35-49 | 832 | 3.5 | 35 | <1 | <1 | 2 | 4 | 6 | 9 | 28 |
| 50-64 | 659 | 4.6 | 44 | <1 | 1 | 3 | 5 | 10 | 15 | 38 |
| 65+ | 742 | 8.3 | 111 | 1 | 1 | 5 | 10 | 18 | 27 | 51 |
| GRAND TOTAL | 4944 | 4.1 | 44 | <1 | <1 | 2 | 4 | 8 | 14 | 37 |

### 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 64 | 19.1 | 199 | 4 | 5 | 17 | 24 | 33 | 35 | 86 |
| 20-34 | 27 | 14.6 | 47 | 5 | 6 | 14 | 20 | 23 | 25 | 34 |
| 35-49 | 24 | 10.9 | 76 | 4 | 5 | 8 | 12 | 21 | 31 | 44 |
| 50-64 | 53 | 11.2 | 72 | 4 | 5 | 10 | 13 | 17 | 28 | 55 |
| 65+ | 186 | 13.8 | 68 | 6 | 7 | 12 | 15 | 21 | 28 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 22.2 | 165 | 5 | 8 | 20 | 31 | 40 | 46 | 61 |
| 20-34 | 58 | 20.3 | 188 | 3 | 7 | 17 | 27 | 42 | 49 | 62 |
| 35-49 | 20 | 18.2 | 119 | 7 | 9 | 15 | 20 | 34 | 45 | 90 |
| 50-64 | 81 | 17.5 | 213 | 6 | 8 | 13 | 20 | 34 | 53 | 96 |
| 65+ | 473 | 18.4 | 131 | 7 | 8 | 16 | 22 | 33 | 42 | 64 |
| TOT. SINGLE DX | 354 | 14.2 | 97 | 5 | 6 | 12 | 17 | 24 | 32 | 58 |
| " MULTIPLE DX | 688 | 18.8 | 149 | 7 | 8 | 16 | 23 | 34 | 43 | 71 |
| TOTAL 0-19 YRS | 120 | 20.6 | 184 | 4 | 6 | 18 | 27 | 34 | 42 | 73 |
| 20-34 | 85 | 18.5 | 150 | 4 | 6 | 15 | 22 | 36 | 43 | 61 |
| 35-49 | 44 | 14.2 | 107 | 5 | 6 | 11 | 17 | 26 | 42 | 50 |
| 50-64 | 134 | 15.0 | 167 | 5 | 6 | 11 | 17 | 28 | 39 | 86 |
| 65+ | 659 | 17.1 | 118 | 6 | 8 | 14 | 21 | 29 | 30 | 61 |
| GRAND TOTAL | 1042 | 17.2 | 136 | 6 | 7 | 14 | 21 | 32 | 40 | 66 |

### 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 134 | 10.2 | 56 | 2 | 3 | 8 | 13 | 20 | 24 | 38 |
| 20-34 | 120 | 10.8 | 55 | 4 | 4 | 9 | 13 | 18 | 23 | 49 |
| 35-49 | 99 | 11.3 | 72 | 4 | 4 | 9 | 14 | 19 | 23 | 56 |
| 50-64 | 256 | 12.7 | 77 | 5 | 6 | 11 | 15 | 20 | 26 | 43 |
| 65+ | 1258 | 14.9 | 53 | 7 | 8 | 13 | 18 | 23 | 28 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 17.2 | 150 | 3 | 6 | 14 | 21 | 32 | 43 | 66 |
| 20-34 | 279 | 19.0 | 152 | 6 | 8 | 16 | 23 | 37 | 47 | 93 |
| 35-49 | 155 | 17.6 | 198 | 5 | 6 | 13 | 21 | 32 | 44 | 88 |
| 50-64 | 454 | 19.1 | 168 | 7 | 8 | 15 | 24 | 35 | 51 | 91 |
| 65+ | 3064 | 18.8 | 114 | 8 | 9 | 16 | 22 | 32 | 41 | 69 |
| TOT. SINGLE DX | 1867 | 13.8 | 61 | 5 | 6 | 12 | 17 | 22 | 27 | 46 |
| " MULTIPLE DX | 4069 | 18.7 | 127 | 7 | 9 | 16 | 22 | 32 | 42 | 72 |
| TOTAL 0-19 YRS | 251 | 13.5 | 112 | 3 | 4 | 11 | 16 | 26 | 34 | 59 |
| 20-34 | 399 | 16.5 | 138 | 5 | 6 | 14 | 20 | 30 | 45 | 79 |
| 35-49 | 254 | 15.1 | 158 | 4 | 5 | 12 | 19 | 29 | 39 | 84 |
| 50-64 | 710 | 16.8 | 145 | 6 | 7 | 13 | 20 | 31 | 42 | 72 |
| 65+ | 4322 | 17.6 | 99 | 7 | 9 | 15 | 21 | 29 | 37 | 63 |
| GRAND TOTAL | 5936 | 17.2 | 111 | 6 | 8 | 15 | 20 | 29 | 38 | 66 |

### 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 190 | 11.2 | 130 | 1 | 1 | 7 | 16 | 25 | 35 | 56 |
| 20-34 | 12 | 18.0 | 193 | 3 | 3 | 16 | 29 | 37 | 45 | 46 |
| 35-49 | 6 | 21.2 | 420 | 2 | 2 | 15 | 33 | 53 | 55 | 95 |
| 50-64 | 20 | 10.4 | 392 | <1 | 1 | 5 | 10 | 16 | 54 | 92 |
| 65+ | 59 | 14.6 | 150 | 1 | 2 | 12 | 18 | 29 | 49 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 95 | 20.3 | 298 | 2 | 2 | 16 | 33 | 45 | 57 | 92 |
| 20-34 | 54 | 20.5 | 335 | 1 | 3 | 14 | 34 | 51 | 61 | 99 |
| 35-49 | 18 | 35.2 | 551 | 6 | 10 | 37 | 56 | 66 | 74 | 78 |
| 50-64 | 19 | 27.9 | 855 | 1 | 3 | 17 | 45 | 91 | 96 | 99+ |
| 65+ | 89 | 17.9 | 165 | 4 | 6 | 15 | 24 | 41 | 55 | 99+ |
| TOT. SINGLE DX | 287 | 12.3 | 163 | 1 | 1 | 9 | 17 | 27 | 38 | 57 |
| " MULTIPLE DX | 265 | 21.1 | 333 | 2 | 4 | 15 | 32 | 50 | 70 | 99+ |
| TOTAL 0-19 YRS | 275 | 14.0 | 199 | 1 | 2 | 10 | 20 | 36 | 45 | 72 |
| 20-34 | 66 | 20.1 | 307 | 2 | 3 | 14 | 33 | 48 | 60 | 97 |
| 35-49 | 24 | 31.7 | 538 | 3 | 4 | 28 | 51 | 63 | 71 | 78 |
| 50-64 | 39 | 18.9 | 684 | 1 | 1 | 9 | 18 | 84 | 92 | 99+ |
| 65+ | 148 | 16.6 | 161 | 2 | 4 | 14 | 21 | 36 | 51 | 99+ |
| GRAND TOTAL | 552 | 16.5 | 263 | 1 | 2 | 12 | 22 | 42 | 54 | 99 |

### 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 313 | 4.2 | 26 | 1 | 1 | 2 | 4 | 12 | 17 | 23 |
| 20-34 | 334 | 3.4 | 23 | <1 | <1 | 2 | 4 | 6 | 10 | 38 |
| 35-49 | 159 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| 50-64 | 153 | 3.3 | 15 | 1 | 1 | 2 | 4 | 8 | 10 | 18 |
| 65+ | 134 | 4.3 | 31 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 103 | 10.7 | 160 | 1 | 1 | 5 | 16 | 28 | 44 | 51 |
| 20-34 | 146 | 8.7 | 124 | <1 | 1 | 4 | 9 | 25 | 37 | 54 |
| 35-49 | 89 | 8.5 | 108 | 1 | 1 | 5 | 9 | 22 | 30 | 53 |
| 50-64 | 96 | 8.8 | 151 | 1 | 1 | 5 | 8 | 23 | 43 | 61 |
| 65+ | 139 | 11.0 | 118 | 1 | 2 | 7 | 15 | 24 | 32 | 56 |
| TOT. SINGLE DX | 1093 | 3.7 | 22 | <1 | 1 | 2 | 4 | 8 | 12 | 23 |
| " MULTIPLE DX | 573 | 9.6 | 132 | 1 | 1 | 5 | 11 | 24 | 38 | 55 |
| TOTAL 0-19 YRS | 416 | 5.8 | 67 | 1 | 1 | 2 | 6 | 15 | 22 | 44 |
| 20-34 | 480 | 5.0 | 60 | <1 | <1 | 2 | 5 | 10 | 20 | 41 |
| 35-49 | 248 | 5.2 | 90 | 1 | 1 | 3 | 5 | 10 | 19 | 48 |
| 50-64 | 249 | 5.4 | 75 | 1 | 1 | 3 | 6 | 10 | 18 | 45 |
| 65+ | 273 | 7.8 | 86 | 1 | 1 | 4 | 10 | 19 | 27 | 50 |
| GRAND TOTAL | 1666 | 5.7 | 68 | <1 | 1 | 3 | 6 | 14 | 22 | 44 |

### 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1676 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 20-34 | 2278 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 35-49 | 1125 | 4.3 | 9 | 1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 833 | 5.2 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 65+ | 579 | 7.0 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 667 | 7.0 | 111 | 1 | 1 | 4 | 7 | 15 | 22 | 60 |
| 20-34 | 1391 | 7.6 | 100 | 1 | 2 | 4 | 8 | 17 | 27 | 60 |
| 35-49 | 727 | 7.8 | 96 | 1 | 2 | 5 | 8 | 16 | 24 | 51 |
| 50-64 | 684 | 9.3 | 114 | 2 | 2 | 6 | 11 | 18 | 27 | 63 |
| 65+ | 728 | 12.4 | 123 | 2 | 3 | 9 | 15 | 25 | 36 | 64 |
| TOT. SINGLE DX | 6491 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| " MULTIPLE DX | 4197 | 8.7 | 111 | 1 | 2 | 5 | 10 | 18 | 29 | 61 |
| TOTAL 0-19 YRS | 2343 | 4.2 | 39 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 20-34 | 3669 | 5.1 | 46 | 1 | 1 | 3 | 5 | 9 | 15 | 36 |
| 35-49 | 1852 | 5.7 | 47 | 1 | 1 | 4 | 6 | 10 | 15 | 39 |
| 50-64 | 1517 | 7.0 | 64 | 1 | 2 | 5 | 8 | 13 | 18 | 53 |
| 65+ | 1307 | 10.0 | 91 | 2 | 3 | 7 | 12 | 20 | 31 | 52 |
| GRAND TOTAL | 10688 | 5.9 | 56 | 1 | 1 | 4 | 6 | 12 | 17 | 41 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2442 | 2.0 | 5 | <1 | 1 | 1 | 2 | 4 | 5 | 14 |
| 20-34 | 739 | 3.4 | 17 | <1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 35-49 | 395 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 50-64 | 423 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 65+ | 437 | 4.6 | 36 | 1 | 1 | 3 | 5 | 10 | 13 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 615 | 5.0 | 52 | 1 | 1 | 3 | 5 | 11 | 17 | 39 |
| 20-34 | 547 | 7.4 | 117 | 1 | 1 | 4 | 8 | 16 | 27 | 64 |
| 35-49 | 280 | 7.4 | 99 | 1 | 1 | 4 | 8 | 14 | 25 | 53 |
| 50-64 | 358 | 7.5 | 103 | 1 | 1 | 4 | 8 | 14 | 27 | 59 |
| 65+ | 607 | 9.8 | 153 | 1 | 2 | 6 | 11 | 23 | 33 | 76 |
| TOT. SINGLE DX | 4436 | 2.7 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| " MULTIPLE DX | 2407 | 7.4 | 108 | 1 | 1 | 4 | 8 | 16 | 26 | 56 |
| TOTAL 0-19 YRS | 3057 | 2.6 | 16 | <1 | 1 | 1 | 3 | 5 | 9 | 19 |
| 20-34 | 1286 | 5.1 | 64 | 1 | 1 | 3 | 5 | 10 | 17 | 52 |
| 35-49 | 675 | 4.9 | 50 | <1 | 1 | 3 | 6 | 10 | 14 | 38 |
| 50-64 | 781 | 5.2 | 60 | 1 | 1 | 3 | 6 | 10 | 15 | 40 |
| 65+ | 1044 | 7.6 | 111 | 1 | 1 | 4 | 9 | 16 | 26 | 55 |
| GRAND TOTAL | 6843 | 4.4 | 51 | <1 | 1 | 2 | 5 | 9 | 14 | 37 |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 225 | 3.7 | 21 | <1 | <1 | 2 | 4 | 9 | 13 | 23 |
| 20-34 | 210 | 2.8 | 20 | <1 | <1 | 1 | 3 | 5 | 8 | 19 |
| 35-49 | 110 | 2.6 | 6 | <1 | <1 | 2 | 4 | 5 | 6 | 15 |
| 50-64 | 100 | 4.3 | 24 | <1 | 1 | 2 | 5 | 10 | 13 | 25 |
| 65+ | 157 | 4.7 | 32 | <1 | 1 | 3 | 6 | 10 | 16 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 78 | 6.0 | 62 | <1 | 1 | 3 | 7 | 15 | 19 | 43 |
| 20-34 | 159 | 10.6 | 198 | 1 | 1 | 5 | 12 | 31 | 48 | 74 |
| 35-49 | 71 | 10.9 | 282 | 1 | 1 | 5 | 11 | 28 | 46 | 90 |
| 50-64 | 114 | 7.2 | 84 | 1 | 1 | 4 | 8 | 20 | 29 | 42 |
| 65+ | 185 | 9.9 | 127 | 1 | 1 | 6 | 14 | 22 | 29 | 60 |
| TOT. SINGLE DX | 802 | 3.6 | 22 | <1 | <1 | 2 | 4 | 8 | 12 | 24 |
| " MULTIPLE DX | 607 | 9.2 | 150 | 1 | 1 | 5 | 11 | 23 | 37 | 63 |
| TOTAL 0-19 YRS | 303 | 4.3 | 33 | <1 | 1 | 2 | 5 | 11 | 16 | 29 |
| 20-34 | 369 | 6.2 | 112 | <1 | 1 | 3 | 6 | 15 | 29 | 54 |
| 35-49 | 181 | 5.8 | 130 | <1 | 1 | 2 | 5 | 12 | 23 | 67 |
| 50-64 | 214 | 5.9 | 58 | <1 | 1 | 3 | 6 | 14 | 23 | 39 |
| 65+ | 342 | 7.5 | 90 | 1 | 1 | 4 | 10 | 16 | 25 | 49 |
| GRAND TOTAL | 1409 | 6.0 | 85 | <1 | 1 | 3 | 6 | 14 | 23 | 50 |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 164 | 3.6 | 17 | 1 | 1 | 2 | 4 | 6 | 15 | 23 |
| 20-34 | 305 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 9 |
| 35-49 | 92 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 51 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 65+ | 31 | 7.7 | 40 | <1 | 1 | 7 | 11 | 15 | 16 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 7.8 | 93 | 1 | 1 | 5 | 8 | 18 | 25 | 58 |
| 20-34 | 110 | 6.5 | 67 | 1 | 2 | 4 | 7 | 15 | 20 | 83 |
| 35-49 | 50 | [illegible] | 31 | 1 | 1 | 3 | 7 | 17 | 19 | 20 |
| 50-64 | 41 | [illegible] | 125 | 1 | 2 | 5 | 10 | 12 | 32 | 64 |
| 65+ | 48 | 14.4 | 275 | 2 | 2 | 8 | 16 | 45 | 57 | 67 |
| TOT. SINGLE DX | 643 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |
| " MULTIPLE DX | 304 | 8.1 | 114 | 1 | 2 | 4 | 9 | 18 | 27 | 65 |
| TOTAL 0-19 YRS | 219 | 4.6 | 39 | 1 | 1 | 3 | 5 | 9 | 18 | 28 |
| 20-34 | 415 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 35-49 | 142 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 16 | 19 |
| 50-64 | 92 | 5.8 | 66 | 1 | 1 | 4 | 7 | 10 | 14 | 53 |
| 65+ | 79 | 11.8 | 193 | 1 | 2 | 8 | 15 | 27 | 53 | 64 |
| GRAND TOTAL | 947 | 4.9 | 48 | 1 | 1 | 3 | 5 | 10 | 16 | 37 |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 825 | 3.1 | 10 | <1 | 1 | 2 | 4 | 5 | 8 | 21 |
| 20-34 | 984 | 3.2 | 10 | <1 | 1 | 3 | 4 | 5 | 7 | 18 |
| 35-49 | 440 | 3.7 | 18 | 1 | 1 | 3 | 4 | 6 | 11 | 24 |
| 50-64 | 204 | 4.3 | 21 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 65+ | 116 | 9.6 | 118 | 1 | 2 | 7 | 13 | 19 | 24 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 465 | 4.2 | 28 | 1 | 1 | 3 | 4 | 8 | 14 | 26 |
| 20-34 | 642 | 4.3 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 35-49 | 343 | 6.2 | 102 | 1 | 1 | 3 | 5 | 11 | 30 | 52 |
| 50-64 | 288 | 7.6 | 79 | 1 | 2 | 4 | 9 | 18 | 29 | 51 |
| 65+ | 238 | 17.6 | 293 | 2 | 2 | 13 | 25 | 39 | 56 | 87 |
| TOT. SINGLE DX | 2569 | 3.6 | 19 | <1 | 1 | 3 | 4 | 6 | 10 | 22 |
| " MULTIPLE DX | 1976 | 6.7 | 98 | 1 | 1 | 3 | 6 | 18 | 27 | 52 |
| TOTAL 0-19 YRS | 1290 | 3.5 | 17 | 1 | 1 | 2 | 4 | 6 | 11 | 23 |
| 20-34 | 1626 | 3.7 | 18 | <1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 35-49 | 783 | 4.8 | 57 | 1 | 1 | 3 | 4 | 8 | 14 | 46 |
| 50-64 | 492 | 6.3 | 58 | 1 | 1 | 4 | 7 | 14 | 22 | 43 |
| 65+ | 354 | 15.0 | 250 | 2 | 2 | 10 | 21 | 34 | 50 | 84 |
| GRAND TOTAL | 4545 | 5.0 | 56 | 1 | 1 | 3 | 5 | 10 | 18 | 40 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 8.3 | 28 | 3 | 4 | 7 | 9 | 12 | 19 | 33 |
| 20-34 | 1651 | 9.1 | 26 | 4 | 4 | 8 | 11 | 15 | 19 | 27 |
| 35-49 | 2476 | 9.1 | 23 | 4 | 4 | 8 | 11 | 15 | 19 | 26 |
| 50-64 | 1272 | 9.6 | 22 | 4 | 5 | 9 | 12 | 15 | 19 | 27 |
| 65+ | 303 | 12.5 | 44 | 5 | 6 | 11 | 15 | 21 | 27 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 10.6 | 29 | 3 | 5 | 10 | 14 | 19 | 20 | 22 |
| 20-34 | 549 | 12.0 | 81 | 4 | 5 | 10 | 15 | 21 | 27 | 56 |
| 35-49 | 1191 | 11.6 | 56 | 4 | 5 | 10 | 14 | 21 | 27 | 44 |
| 50-64 | 1085 | 12.9 | 73 | 5 | 6 | 10 | 15 | 22 | 29 | 48 |
| 65+ | 587 | 16.5 | 103 | 6 | 7 | 14 | 21 | 29 | 38 | 62 |
| TOT. SINGLE DX | 5783 | 9.4 | 26 | 4 | 5 | 8 | 11 | 16 | 19 | 28 |
| " MULTIPLE DX | 3433 | 12.9 | 77 | 5 | 5 | 10 | 16 | 23 | 30 | 49 |
| TOTAL 0-19 YRS | 102 | 8.7 | 29 | 3 | 4 | 7 | 10 | 16 | 20 | 32 |
| 20-34 | 2200 | 9.9 | 42 | 4 | 5 | 8 | 12 | 17 | 21 | 33 |
| 35-49 | 3667 | 9.9 | 35 | 4 | 5 | 8 | 12 | 17 | 21 | 34 |
| 50-64 | 2357 | 11.1 | 49 | 4 | 5 | 9 | 13 | 19 | 24 | 39 |
| 65+ | 890 | 15.1 | 87 | 5 | 7 | 13 | 18 | 27 | 33 | 51 |
| GRAND TOTAL | 9216 | 10.7 | 46 | 4 | 5 | 9 | 13 | 18 | 23 | 37 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 876 | 2.8 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 7 |
| 20-34 | 2595 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 1222 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 50-64 | 759 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 65+ | 192 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 561 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 20-34 | 1721 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1012 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 16 |
| 50-64 | 1061 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 65+ | 468 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 21 |
| TOT. SINGLE DX | 5644 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 4823 | 3.7 | 9 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |
| TOTAL 0-19 YRS | 1437 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 4316 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 2234 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 50-64 | 1820 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| 65+ | 660 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| GRAND TOTAL | 10467 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1231 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 20-34 | 2048 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 886 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 608 | 3.2 | 14 | <1 | 1 | 2 | 4 | 6 | 8 | 22 |
| 65+ | 193 | 3.9 | 23 | <1 | 1 | 2 | 4 | 8 | 12 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 508 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 20-34 | 1230 | 3.0 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| 35-49 | 685 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 50-64 | 631 | 4.7 | 40 | 1 | 1 | 3 | 5 | 9 | 15 | 35 |
| 65+ | 353 | 6.9 | 66 | 1 | 1 | 4 | 8 | 15 | 27 | 41 |
| TOT. SINGLE DX | 4966 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 3407 | 3.8 | 26 | <1 | 1 | 2 | 4 | 7 | 11 | 29 |
| TOTAL 0-19 YRS | 1739 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 20-34 | 3278 | 2.5 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 1571 | 3.1 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 50-64 | 1239 | 4.0 | 28 | <1 | 1 | 3 | 4 | 7 | 12 | 28 |
| 65+ | 546 | 5.9 | 53 | 1 | 1 | 3 | 6 | 13 | 23 | 36 |
| GRAND TOTAL | 8373 | 3.0 | 15 | <1 | <1 | 2 | 3 | 5 | 8 | 20 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 151 | 10.7 | 29 | 5 | 6 | 9 | 12 | 17 | 22 | 33 |
| 20-34 | 215 | 10.2 | 49 | 4 | 5 | 9 | 12 | 15 | 20 | 30 |
| 35-49 | 286 | 10.3 | 35 | 4 | 5 | 9 | 12 | 18 | 20 | 36 |
| 50-64 | 187 | 10.3 | 56 | 4 | 5 | 8 | 12 | 17 | 20 | 41 |
| 65+ | 26 | 12.8 | 62 | 3 | 4 | 10 | 15 | 26 | 28 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 100 | 16.7 | 192 | 5 | 8 | 13 | 19 | 28 | 35 | 96 |
| 20-34 | 205 | 15.5 | 188 | 6 | 7 | 12 | 17 | 28 | 47 | 98 |
| 35-49 | 265 | 13.7 | 147 | 4 | 5 | 10 | 16 | 26 | 40 | 89 |
| 50-64 | 203 | 14.4 | 143 | 4 | 5 | 10 | 19 | 38 | 49 | 99+ |
| 65+ | 65 | 20.7 | 294 | 6 | 7 | 15 | 25 | 53 | 71 | 98 |
| TOT. SINGLE DX | 865 | 10.4 | 43 | 4 | 5 | 9 | 12 | 17 | 21 | 36 |
| " MULTIPLE DX | 838 | 15.2 | 176 | 5 | 5 | 11 | 17 | 31 | 47 | 99+ |
| TOTAL 0-19 YRS | 251 | 13.1 | 103 | 5 | 6 | 11 | 15 | 23 | 29 | 83 |
| 20-34 | 420 | 12.8 | 124 | 4 | 6 | 10 | 14 | 21 | 29 | 85 |
| 35-49 | 551 | 11.9 | 92 | 4 | 5 | 9 | 14 | 20 | 30 | 66 |
| 50-64 | 390 | 12.5 | 106 | 4 | 5 | 10 | 14 | 24 | 40 | 99+ |
| 65+ | 91 | 18.4 | 240 | 5 | 7 | 13 | 22 | 36 | 58 | 94 |
| GRAND TOTAL | 1703 | 12.8 | 114 | 4 | 5 | 10 | 14 | 23 | 34 | 86 |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 107 | 3.8 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 261 | 4.4 | 26 | <1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 35-49 | 195 | 4.3 | 9 | <1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 50-64 | 311 | 4.3 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 65+ | 129 | 4.8 | 33 | 1 | 1 | 3 | 5 | 9 | 12 | 32 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 78 | 5.8 | 21 | 2 | 2 | 5 | 7 | 10 | 13 | 30 |
| 20-34 | 196 | 5.7 | 48 | 1 | 2 | 4 | 7 | 10 | 13 | 51 |
| 35-49 | 173 | 5.4 | 27 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| 50-64 | 254 | 6.5 | 71 | 1 | 2 | 4 | 7 | 12 | 18 | 54 |
| 65+ | 189 | 7.1 | 87 | 1 | 2 | 4 | 8 | 16 | 22 | 76 |
| TOT. SINGLE DX | 1003 | 4.4 | 19 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| " MULTIPLE DX | 890 | 6.2 | 57 | 1 | 2 | 4 | 7 | 12 | 16 | 45 |
| TOTAL 0-19 YRS | 185 | 4.6 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| 20-34 | 457 | 5.0 | 37 | 1 | 1 | 4 | 6 | 9 | 13 | 31 |
| 35-49 | 368 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 565 | 5.3 | 42 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| 65+ | 318 | 6.2 | 67 | 1 | 1 | 4 | 7 | 15 | 18 | 48 |
| GRAND TOTAL | 1893 | 5.2 | 38 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 11.0 | 34 | 4 | 4 | 10 | 15 | 20 | 23 | 23 |
| 20-34 | 51 | 13.1 | 34 | 6 | 7 | 11 | 15 | 20 | 26 | 32 |
| 35-49 | 108 | 12.8 | 19 | 7 | 9 | 12 | 15 | 19 | 22 | 27 |
| 50-64 | 583 | 13.1 | 25 | 7 | 8 | 12 | 15 | 20 | 22 | 31 |
| 65+ | 1117 | 14.5 | 39 | 8 | 9 | 14 | 16 | 21 | 25 | 36 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 14.2 | 64 | 6 | 7 | 12 | 16 | 27 | 33 | 33 |
| 20-34 | 70 | 14.5 | 50 | 7 | 8 | 13 | 17 | 22 | 29 | 89 |
| 35-49 | 149 | 15.1 | 52 | 7 | 8 | 13 | 18 | 26 | 31 | 37 |
| 50-64 | 612 | 15.9 | 79 | 8 | 9 | 13 | 18 | 25 | 31 | 62 |
| 65+ | 1535 | 18.7 | 111 | 9 | 10 | 16 | 22 | 30 | 37 | 69 |
| TOT. SINGLE DX | 1868 | 13.9 | 34 | 7 | 8 | 13 | 16 | 20 | 24 | 34 |
| " MULTIPLE DX | 2375 | 17.6 | 100 | 8 | 9 | 15 | 20 | 29 | 36 | 66 |
| TOTAL 0-19 YRS | 18 | 12.6 | 49 | 4 | 5 | 11 | 15 | 22 | 29 | 33 |
| 20-34 | 121 | 13.9 | 44 | 7 | 8 | 12 | 16 | 22 | 28 | 63 |
| 35-49 | 257 | 14.1 | 39 | 7 | 8 | 12 | 16 | 22 | 28 | 35 |
| 50-64 | 1195 | 14.5 | 55 | 7 | 8 | 13 | 17 | 22 | 28 | 46 |
| 65+ | 2652 | 16.9 | 86 | 8 | 9 | 15 | 19 | 27 | 33 | 62 |
| GRAND TOTAL | 4243 | 16.0 | 74 | 8 | 9 | 14 | 18 | 25 | 31 | 56 |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 16 | 8.4 | 19 | 3 | 4 | 7 | 12 | 15 | 16 | 16 |
| 20-34 | 21 | 14.4 | 100 | 5 | 7 | 11 | 17 | 28 | 39 | 46 |
| 35-49 | 35 | 12.4 | 64 | 4 | 6 | 11 | 14 | 19 | 30 | 46 |
| 50-64 | 111 | 13.2 | 49 | 6 | 7 | 12 | 16 | 19 | 26 | 43 |
| 65+ | 736 | 14.6 | 47 | 7 | 9 | 14 | 17 | 20 | 25 | 36 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 14.8 | 84 | 6 | 6 | 14 | 17 | 30 | 31 | 31 |
| 20-34 | 17 | 13.0 | 46 | 6 | 6 | 11 | 16 | 26 | 28 | 28 |
| 35-49 | 31 | 17.0 | 173 | 6 | 7 | 13 | 19 | 35 | 42 | 68 |
| 50-64 | 199 | 17.7 | 166 | 7 | 8 | 15 | 19 | 31 | 46 | 96 |
| 65+ | 1694 | 19.2 | 113 | 9 | 10 | 16 | 22 | 32 | 38 | 68 |
| TOT. SINGLE DX | 919 | 14.2 | 50 | 7 | 8 | 13 | 16 | 20 | 25 | 39 |
| " MULTIPLE DX | 1947 | 18.9 | 119 | 8 | 10 | 16 | 22 | 31 | 39 | 68 |
| TOTAL 0-19 YRS | 22 | 10.2 | 43 | 3 | 4 | 9 | 14 | 16 | 23 | 31 |
| 20-34 | 38 | 13.8 | 75 | 6 | 6 | 11 | 17 | 26 | 32 | 46 |
| 35-49 | 66 | 14.6 | 119 | 5 | 6 | 12 | 15 | 24 | 39 | 64 |
| 50-64 | 310 | 16.1 | 129 | 7 | 8 | 14 | 17 | 28 | 40 | 73 |
| 65+ | 2430 | 17.8 | 98 | 8 | 9 | 15 | 20 | 29 | 35 | 62 |
| GRAND TOTAL | 2866 | 17.4 | 102 | 8 | 9 | 15 | 20 | 29 | 35 | 62 |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 600 | 4.2 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 20-34 | 1114 | 4.5 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| 35-49 | 307 | 6.4 | 28 | 1 | 2 | 5 | 7 | 12 | 16 | 33 |
| 50-64 | 382 | 13.2 | 59 | 3 | 5 | 13 | 17 | 21 | 24 | 32 |
| 65+ | 811 | 15.2 | 41 | 8 | 9 | 14 | 18 | 23 | 27 | 39 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 521 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 1009 | 5.5 | 15 | 2 | 3 | 5 | 6 | 9 | 11 | 22 |
| 35-49 | 361 | 7.5 | 58 | 2 | 3 | 5 | 9 | 15 | 20 | 47 |
| 50-64 | 420 | 14.2 | 120 | 3 | 4 | 12 | 16 | 24 | 35 | 74 |
| 65+ | 1006 | 17.9 | 89 | 8 | 10 | 16 | 21 | 28 | 35 | 63 |
| TOT. SINGLE DX | 3214 | 8.4 | 47 | 2 | 2 | 6 | 12 | 17 | 21 | 30 |
| " MULTIPLE DX | 3317 | 10.5 | 86 | 2 | 3 | 7 | 15 | 21 | 27 | 47 |
| TOTAL 0-19 YRS | 1121 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 2123 | 5.0 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 668 | 7.0 | 45 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| 50-64 | 802 | 13.7 | 91 | 3 | 4 | 12 | 17 | 23 | 28 | 54 |
| 65+ | 1817 | 16.7 | 69 | 8 | 9 | 15 | 19 | 25 | 31 | 49 |
| GRAND TOTAL | 6531 | 9.4 | 68 | 2 | 3 | 6 | 13 | 19 | 24 | 40 |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 703 | 3.0 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 1474 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 481 | 3.3 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 50-64 | 515 | 3.9 | 12 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 220 | 5.8 | 40 | 1 | 2 | 4 | 6 | 11 | 14 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 158 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 20-34 | 426 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 16 |
| 35-49 | 319 | 4.3 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| 50-64 | 449 | 5.2 | 26 | 2 | 2 | 4 | 6 | 9 | 14 | 26 |
| 65+ | 286 | 7.1 | 46 | 2 | 2 | 5 | 8 | 15 | 19 | 38 |
| TOT. SINGLE DX | 3393 | 3.5 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| " MULTIPLE DX | 1638 | 4.9 | 21 | 1 | 2 | 4 | 5 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 861 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 1900 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 800 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 964 | 4.5 | 19 | 1 | 2 | 4 | 5 | 8 | 10 | 23 |
| 65+ | 506 | 6.6 | 44 | 2 | 2 | 5 | 7 | 12 | 17 | 38 |
| GRAND TOTAL | 5031 | 3.9 | 12 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 322 | 3.1 | 15 | <1 | <1 | 2 | 3 | 7 | 9 | 16 |
| 20-34 | 325 | 3.5 | 14 | <1 | <1 | 2 | 4 | 7 | 8 | 18 |
| 35-49 | 315 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 50-64 | 313 | 2.5 | 9 | <1 | <1 | 1 | 2 | 5 | 7 | 17 |
| 65+ | 116 | 3.2 | 28 | <1 | <1 | 2 | 2 | 6 | 10 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 155 | 5.5 | 37 | 1 | 1 | 4 | 6 | 10 | 19 | 34 |
| 20-34 | 259 | 7.0 | 82 | 1 | 1 | 4 | 8 | 14 | 22 | 57 |
| 35-49 | 197 | 6.6 | 60 | <1 | 1 | 4 | 7 | 16 | 22 | 33 |
| 50-64 | 179 | 6.4 | 73 | <1 | 1 | 3 | 8 | 17 | 25 | 87 |
| 65+ | 146 | 10.0 | 235 | <1 | 1 | 4 | 10 | 23 | 50 | 80 |
| TOT. SINGLE DX | 1391 | 3.0 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 18 |
| " MULTIPLE DX | 936 | 7.0 | 94 | <1 | 1 | 4 | 8 | 16 | 24 | 60 |
| TOTAL 0-19 YRS | 477 | 3.9 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 29 |
| 20-34 | 584 | 5.0 | 47 | <1 | 1 | 3 | 6 | 10 | 14 | 37 |
| 35-49 | 512 | 4.2 | 31 | <1 | <1 | 2 | 5 | 8 | 15 | 27 |
| 50-64 | 492 | 3.9 | 36 | <1 | <1 | 2 | 4 | 9 | 16 | 41 |
| 65+ | 262 | 7.0 | 155 | <1 | <1 | 2 | 6 | 17 | 31 | 62 |
| GRAND TOTAL | 2327 | 4.6 | 50 | <1 | <1 | 2 | 5 | 9 | 15 | 41 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 425 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| 20-34 | 894 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 35-49 | 505 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 50-64 | 413 | 2.6 | 10 | <1 | <1 | 2 | 3 | 4 | 6 | 17 |
| 65+ | 177 | 3.6 | 26 | <1 | <1 | 3 | 4 | 6 | 10 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 3.9 | 61 | <1 | <1 | 2 | 3 | 7 | 10 | 53 |
| 20-34 | 215 | 4.0 | 29 | <1 | <1 | 2 | 4 | 8 | 11 | 32 |
| 35-49 | 234 | 4.2 | 22 | <1 | <1 | 2 | 5 | 10 | 13 | 26 |
| 50-64 | 269 | 5.0 | 37 | <1 | 1 | 3 | 5 | 11 | 18 | 33 |
| 65+ | 240 | 8.2 | 142 | 1 | 1 | 4 | 10 | 19 | 26 | 69 |
| TOT. SINGLE DX | 2414 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| " MULTIPLE DX | 1038 | 5.3 | 61 | <1 | 1 | 3 | 5 | 11 | 18 | 38 |
| TOTAL 0-19 YRS | 505 | 2.1 | 13 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 20-34 | 1109 | 2.3 | 9 | <1 | <1 | 1 | 2 | 4 | 6 | 16 |
| 35-49 | 739 | 2.6 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| 50-64 | 682 | 3.5 | 22 | <1 | <1 | 2 | 4 | 6 | 10 | 28 |
| 65+ | 417 | 6.3 | 98 | <1 | <1 | 3 | 6 | 15 | 22 | 49 |
| GRAND TOTAL | 3452 | 3.1 | 25 | <1 | <1 | 2 | 3 | 6 | 10 | 23 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 61 | 2.7 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 21 |
| 35-49 | 109 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 50-64 | 318 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 65+ | 231 | 2.0 | | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 3.9 | 10 | <1 | <1 | 3 | 6 | 9 | 10 | 11 |
| 20-34 | 46 | 5.3 | 127 | 1 | 1 | 3 | 4 | 7 | 16 | 76 |
| 35-49 | 59 | 3.3 | 18 | <1 | 1 | 2 | 4 | 5 | 8 | 27 |
| 50-64 | 141 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 65+ | 140 | 3.5 | 42 | <1 | 1 | 2 | 3 | 6 | 10 | 27 |
| TOT. SINGLE DX | 750 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 401 | 3.4 | 34 | <1 | 1 | 2 | 3 | 5 | 8 | 22 |
| TOTAL 0-19 YRS | 46 | 2.5 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 20-34 | 107 | 3.8 | 62 | <1 | <1 | 2 | 3 | 7 | 11 | 48 |
| 35-49 | 168 | 2.4 | 7 | <1 | <1 | 2 | 3 | 4 | 5 | 20 |
| 50-64 | 459 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 371 | 2.6 | 17 | <1 | <1 | 2 | 3 | 4 | 5 | 15 |
| GRAND TOTAL | 1151 | 2.5 | 14 | <1 | <1 | 2 | 3 | 4 | 5 | 14 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 345 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 535 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 209 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 50-64 | 126 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 65+ | 31 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 267 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 419 | 2.7 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 35-49 | 175 | 3.4 | 26 | <1 | 1 | 2 | 4 | 6 | 10 | 36 |
| 50-64 | 114 | 3.2 | 35 | <1 | 1 | 2 | 3 | 5 | 7 | 30 |
| 65+ | 44 | 3.7 | 25 | 1 | 1 | 3 | 4 | 6 | 8 | 34 |
| TOT. SINGLE DX | 1246 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 1019 | 2.8 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| TOTAL 0-19 YRS | 612 | 2.0 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 954 | 2.2 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 384 | 2.6 | 14 | <1 | <1 | 2 | 3 | 4 | 7 | 16 |
| 50-64 | 240 | 2.8 | 18 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 75 | 3.1 | 16 | <1 | 1 | 2 | 4 | 5 | 7 | 28 |
| GRAND TOTAL | 2265 | 2.3 | 8 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 166 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 394 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 330 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | 431 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 65+ | 151 | 4.7 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 108 | 4.3 | 58 | 1 | 1 | 3 | 4 | 7 | 14 | 51 |
| 20-34 | 246 | 5.0 | 48 | 1 | 1 | 3 | 5 | 9 | 16 | 45 |
| 35-49 | 221 | 4.3 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 50-64 | 294 | 5.8 | 40 | 1 | 2 | 4 | 6 | 10 | 16 | 39 |
| 65+ | 186 | 7.7 | 87 | 1 | 2 | 5 | 8 | 17 | 28 | 59 |
| TOT. SINGLE DX | 1472 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 1055 | 5.5 | 50 | 1 | 1 | 4 | 6 | 10 | 16 | 45 |
| TOTAL 0-19 YRS | 274 | 3.1 | 25 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 20-34 | 640 | 3.6 | 22 | <1 | 1 | 3 | 4 | 6 | 9 | 23 |
| 35-49 | 551 | 3.7 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 50-64 | 725 | 4.6 | 22 | 1 | 2 | 4 | 5 | 8 | 11 | 26 |
| 65+ | 337 | 6.4 | 54 | 1 | 2 | 4 | 7 | 12 | 19 | 49 |
| GRAND TOTAL | 2527 | 4.2 | 25 | 1 | 1 | 3 | 5 | 7 | 10 | 27 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 445 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| 20-34 | 457 | 3.4 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 234 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 174 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 58 | 5.5 | 20 | 1 | 1 | 4 | 7 | 11 | 16 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 265 | 3.8 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 20-34 | 255 | 5.4 | 68 | 1 | 1 | 3 | 6 | 8 | 16 | 61 |
| 35-49 | 116 | 6.3 | 82 | 1 | 1 | 4 | 6 | 11 | 20 | 52 |
| 50-64 | 108 | 6.5 | 33 | 1 | 2 | 5 | 8 | 15 | 19 | [illegible] |
| 65+ | 63 | 10.5 | 196 | 2 | 2 | 5 | 12 | 28 | 33 | [illegible] |
| TOT. SINGLE DX | 1368 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 807 | 5.6 | 60 | 1 | 2 | 4 | 6 | 10 | 18 | 42 |
| TOTAL 0-19 YRS | 710 | 3.4 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 712 | 4.1 | 29 | 1 | 1 | 3 | 5 | 7 | 10 | 27 |
| 35-49 | 350 | 4.3 | 33 | 1 | 1 | 3 | 5 | 7 | 9 | 37 |
| 50-64 | 282 | 4.7 | 19 | 1 | 2 | 4 | 5 | 9 | 12 | 23 |
| 65+ | 121 | 8.1 | 117 | 1 | 2 | 5 | 10 | 17 | 28 | 53 |
| GRAND TOTAL | 2175 | 4.2 | 27 | 1 | 1 | 3 | 5 | 7 | 10 | 27 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 19 |
| 20-34 | 136 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 72 | 2.8 | 10 | <1 | <1 | 2 | 3 | 6 | 9 | 16 |
| 50-64 | 56 | 2.2 | 7 | <1 | 1 | 1 | 2 | 3 | 7 | 18 |
| 65+ | 35 | 4.5 | 95 | 1 | 1 | 2 | 3 | 5 | 34 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 4.4 | 104 | 1 | 1 | 2 | 3 | 6 | 14 | 59 |
| 20-34 | 96 | 4.8 | 36 | 1 | 1 | 3 | 4 | 16 | 20 | 69 |
| 35-49 | 78 | 5.7 | 124 | <1 | 1 | 2 | 4 | 12 | 21 | 69 |
| 50-64 | 73 | 4.5 | 19 | <1 | 1 | 3 | 5 | 11 | 14 | 18 |
| 65+ | 55 | 8.3 | 134 | 1 | 1 | 3 | 9 | 23 | 29 | 66 |
| TOT. SINGLE DX | 381 | 2.5 | 15 | <1 | 1 | 2 | 3 | 4 | 7 | 18 |
| " MULTIPLE DX | 335 | 5.5 | 77 | 1 | 1 | 3 | 5 | 13 | 20 | 60 |
| TOTAL 0-19 YRS | 115 | 2.8 | 36 | <1 | 1 | 2 | 3 | 4 | 7 | 36 |
| 20-34 | 232 | 3.3 | 19 | <1 | 1 | 2 | 3 | 5 | 15 | 29 |
| 35-49 | 150 | 4.3 | 71 | <1 | <1 | 2 | 4 | 9 | 16 | 42 |
| 50-64 | 129 | 3.5 | 15 | <1 | 1 | 2 | 3 | 10 | 13 | 18 |
| 65+ | 90 | 6.8 | 122 | 1 | 1 | 3 | 7 | 20 | 30 | 57 |
| GRAND TOTAL | 716 | 3.9 | 46 | <1 | 1 | 2 | 3 | 9 | 15 | 41 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 3.0 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 12 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 8 | 10.5 | 187 | 1 | 1 | 4 | 14 | 34 | 41 | 41 |
| 65+ | 3 | 18.7 | 412 | 5 | 5 | 9 | 34 | 42 | 42 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 33.8 | 919 | 2 | 2 | 36 | 59 | 71 | 71 | 71 |
| 20-34 | 14 | 14.5 | 259 | 1 | 1 | 10 | 15 | 47 | 52 | 53 |
| 35-49 | 10 | 17.5 | 285 | 1 | 2 | 11 | 26 | 45 | 52 | 52 |
| 50-64 | 6 | 17.2 | 171 | 3 | 4 | 13 | 24 | 38 | 40 | 40 |
| 65+ | 9 | 11.2 | 73 | 2 | 2 | 9 | 15 | 25 | 30 | 30 |
| TOT. SINGLE DX | 32 | 6.3 | 99 | <1 | 1 | 3 | 6 | 13 | 39 | 42 |
| " MULTIPLE DX | 44 | 17.1 | 299 | 1 | 2 | 12 | 23 | 47 | 54 | 71 |
| TOTAL 0-19 YRS | 11 | 17.0 | 630 | <1 | 1 | 3 | 29 | 61 | 70 | 71 |
| 20-34 | 26 | 9.2 | 172 | <1 | 1 | 4 | 12 | 21 | 47 | 53 |
| 35-49 | 13 | 14.0 | 259 | 1 | 1 | 6 | 23 | 41 | 50 | 52 |
| 50-64 | 14 | 13.4 | 178 | 1 | 2 | 10 | 19 | 40 | 41 | 41 |
| 65+ | 12 | 13.1 | 140 | 2 | 3 | 9 | 15 | 34 | 41 | 42 |
| GRAND TOTAL | 76 | 12.5 | 241 | 1 | 1 | 6 | 14 | 40 | 50 | 67 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 20-34 | 31 | 5.0 | 16 | 1 | 1 | 4 | 7 | 11 | 15 | 15 |
| 35-49 | 27 | 6.0 | 114 | <1 | 1 | 4 | 5 | 9 | 29 | 54 |
| 50-64 | 29 | 7.2 | 110 | 1 | 1 | 3 | 8 | 18 | 34 | 48 |
| 65+ | 40 | 7.6 | 64 | 1 | 1 | 5 | 10 | 19 | 26 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 5.4 | 39 | 1 | 1 | 4 | 7 | 9 | 14 | 34 |
| 20-34 | 38 | 11.1 | 117 | 2 | 2 | 5 | 17 | 31 | 35 | 37 |
| 35-49 | 76 | 16.1 | 251 | 1 | 2 | 11 | 23 | 37 | 50 | 74 |
| 50-64 | 188 | 17.2 | 286 | 1 | 2 | 12 | 22 | 45 | 60 | 77 |
| 65+ | 324 | 18.7 | 315 | 2 | 3 | 13 | 26 | 43 | 60 | 99+ |
| TOT. SINGLE DX | 152 | 5.9 | 64 | 1 | 1 | 3 | 7 | 12 | 23 | 48 |
| " MULTIPLE DX | 653 | 17.0 | 285 | 2 | 2 | 12 | 23 | 41 | 58 | 94 |
| TOTAL 0-19 YRS | 52 | 4.0 | 25 | <1 | 1 | 2 | 6 | 8 | 9 | 33 |
| 20-34 | 69 | 8.3 | 80 | 1 | 2 | 4 | 11 | 22 | 32 | 37 |
| 35-49 | 103 | 13.5 | 234 | 1 | 1 | 8 | 17 | 33 | 48 | 71 |
| 50-64 | 217 | 15.9 | 274 | 1 | 2 | 11 | 20 | 42 | 59 | 77 |
| 65+ | 364 | 17.5 | 300 | 1 | 3 | 12 | 25 | 42 | 59 | 99 |
| GRAND TOTAL | 805 | 14.9 | 262 | 1 | 2 | 9 | 20 | 37 | 53 | 90 |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 14.5 | 40 | 5 | 6 | 14 | 19 | 24 | 24 | 24 |
| 35-49 | 10 | 16.1 | 50 | 7 | 8 | 15 | 20 | 27 | 29 | 29 |
| 50-64 | 11 | 16.2 | 50 | 6 | 7 | 17 | 21 | 25 | 29 | 29 |
| 65+ | 15 | 14.3 | 42 | 6 | 8 | 12 | 16 | 23 | 29 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 22.4 | 281 | 8 | 8 | 16 | 26 | 52 | 55 | 55 |
| 20-34 | 21 | 25.0 | 460 | 5 | 6 | 21 | 30 | 62 | 77 | 85 |
| 35-49 | 41 | 23.4 | 187 | 6 | 8 | 22 | 29 | 41 | 49 | 60 |
| 50-64 | 157 | 27.4 | 313 | 8 | 9 | 24 | 35 | 54 | 71 | 99 |
| 65+ | 398 | 28.0 | 386 | 8 | 10 | 22 | 38 | 59 | 77 | 99+ |
| TOT. SINGLE DX | 44 | 15.2 | 44 | 6 | 7 | 14 | 20 | 24 | 29 | 31 |
| " MULTIPLE DX | 627 | 27.4 | 356 | 8 | 9 | 22 | 35 | 56 | 73 | 99+ |
| TOTAL 0-19 YRS | 10 | 22.4 | 282 | 8 | 8 | 16 | 26 | 52 | 55 | 55 |
| 20-34 | 29 | 22.1 | 362 | 5 | 6 | 15 | 26 | 47 | 71 | 85 |
| 35-49 | 51 | 22.0 | 168 | 6 | 8 | 19 | 29 | 37 | 46 | 60 |
| 50-64 | 168 | 26.6 | 304 | 8 | 9 | 23 | 34 | 52 | 70 | 98 |
| 65+ | 413 | 27.5 | 381 | 8 | 10 | 21 | 37 | 58 | 76 | 99+ |
| GRAND TOTAL | 671 | 26.6 | 348 | 8 | 9 | 21 | 34 | 53 | 73 | 99 |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 13.8 | 73 | 8 | 8 | 8 | 20 | 27 | 27 | 27 |
| 20-34 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 35-49 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | 9 | 14.3 | 79 | 3 | 3 | 13 | 18 | 28 | 31 | 31 |
| 65+ | 27 | 18.3 | 124 | 7 | 8 | 16 | 21 | 30 | 40 | 60 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 20.8 | 197 | 4 | 5 | 20 | 28 | 41 | 42 | 42 |
| 20-34 | 9 | 36.6 | 370 | 13 | 13 | 36 | 61 | 82 | 99+ | 99+ |
| 35-49 | 13 | 25.8 | 539 | 6 | 6 | 19 | 29 | 72 | 77 | 78 |
| 50-64 | 80 | 23.9 | 292 | 6 | 8 | 18 | 31 | 53 | 63 | 94 |
| 65+ | 387 | 23.5 | 301 | 6 | 8 | 17 | 33 | 52 | 70 | 99+ |
| TOT. SINGLE DX | 44 | 16.4 | 105 | 5 | 7 | 15 | 20 | 30 | 32 | 60 |
| " MULTIPLE DX | 495 | 23.8 | 307 | 6 | 8 | 17 | 33 | 53 | 71 | 99+ |
| TOTAL 0-19 YRS | 11 | 17.6 | 141 | 4 | 6 | 14 | 27 | 34 | 41 | 42 |
| 20-34 | 10 | 34.6 | 368 | 13 | 13 | 34 | 59 | 78 | 98 | 99+ |
| 35-49 | 15 | 23.3 | 509 | 5 | 6 | 17 | 28 | 71 | 76 | 78 |
| 50-64 | 89 | 22.9 | 278 | 6 | 7 | 17 | 29 | 51 | 60 | 92 |
| 65+ | 414 | 23.1 | 292 | 6 | 8 | 17 | 32 | 52 | 66 | 99+ |
| GRAND TOTAL | 539 | 23.2 | 294 | 6 | 8 | 17 | 32 | 52 | 66 | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 13.5 | 211 | 1 | 3 | 6 | 21 | 39 | 44 | 44 |
| 20-34 | 3 | 11.3 | 70 | 6 | 6 | 7 | 17 | 21 | 21 | 21 |
| 35-49 | 3 | 16.3 | 24 | 13 | 13 | 14 | 20 | 22 | 22 | 22 |
| 50-64 | 8 | 18.4 | 232 | 2 | 3 | 12 | 30 | 41 | 45 | 45 |
| 65+ | 6 | 16.2 | 229 | 4 | 4 | 12 | 19 | 42 | 45 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 15.0 | 136 | 2 | 3 | 15 | 22 | 32 | 39 | 39 |
| 20-34 | 10 | 12.5 | 169 | 3 | 3 | 7 | 13 | 36 | 37 | 37 |
| 35-49 | 20 | 29.7 | 755 | 2 | 6 | 15 | 42 | 75 | 90 | 95 |
| 50-64 | 49 | 26.4 | 390 | 7 | 8 | 21 | 38 | 75 | 98 | 99+ |
| 65+ | 83 | 28.7 | 341 | 6 | 9 | 23 | 44 | 54 | 65 | 94 |
| TOT. SINGLE DX | 31 | 15.3 | 175 | 2 | 4 | 11 | 22 | 39 | 45 | 45 |
| " MULTIPLE DX | 171 | 26.5 | 397 | 4 | 7 | 21 | 40 | 58 | 79 | 99+ |
| TOTAL 0-19 YRS | 20 | 14.2 | 169 | 1 | 3 | 9 | 22 | 37 | 41 | 44 |
| 20-34 | 13 | 12.2 | 139 | 3 | 3 | 7 | 15 | 36 | 37 | 37 |
| 35-49 | 23 | 27.9 | 675 | 3 | 7 | 14 | 37 | 68 | 89 | 95 |
| 50-64 | 57 | 25.3 | 372 | 5 | 8 | 19 | 35 | 73 | 91 | 99+ |
| 65+ | 89 | 27.8 | 341 | 5 | 8 | 22 | 43 | 53 | 63 | 93 |
| GRAND TOTAL | 202 | 24.8 | 378 | 4 | 6 | 19 | 37 | 53 | 75 | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 4.2 | 25 | <1 | <1 | 1 | 6 | 14 | 15 | 19 |
| 20-34 | 21 | 9.1 | 68 | 1 | 1 | 7 | 10 | 14 | 29 | 46 |
| 35-49 | 9 | 6.2 | 17 | <1 | 1 | 7 | 9 | 12 | 13 | 13 |
| 50-64 | 7 | 8.0 | 63 | 1 | 1 | 7 | 13 | 21 | 22 | 22 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 6.8 | 12 | 1 | 2 | 6 | 9 | 12 | 13 | 13 |
| 20-34 | 19 | 8.3 | 68 | 2 | 2 | 6 | 9 | 21 | 30 | 33 |
| 35-49 | 13 | 14.2 | 276 | 2 | 2 | 9 | 13 | 35 | 59 | 65 |
| 50-64 | 8 | 7.8 | 12 | 2 | 3 | 9 | 10 | 11 | 11 | 11 |
| 65+ | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| TOT. SINGLE DX | 65 | 6.5 | 52 | <1 | 1 | 5 | 9 | 14 | 17 | 42 |
| " MULTIPLE DX | 53 | 9.0 | 102 | 2 | 2 | 7 | 10 | 14 | 28 | 64 |
| TOTAL 0-19 YRS | 38 | 4.5 | 23 | <1 | <1 | 3 | 7 | 13 | 14 | 19 |
| 20-34 | 40 | 8.7 | 77 | 1 | 2 | 7 | 10 | 15 | 30 | 46 |
| 35-49 | 22 | 10.9 | 181 | 1 | 2 | 8 | 10 | 20 | 43 | 65 |
| 50-64 | 15 | 7.9 | 33 | 1 | 1 | 8 | 11 | 15 | 20 | 22 |
| 65+ | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| GRAND TOTAL | 118 | 7.6 | 75 | <1 | 1 | 6 | 10 | 14 | 21 | 52 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 20-34 | 75 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 12 |
| 35-49 | 36 | 3.8 | 28 | <1 | <1 | 2 | 4 | 7 | 14 | 30 |
| 50-64 | 28 | 5.2 | 54 | <1 | 1 | 2 | 5 | 13 | 18 | 37 |
| 65+ | 27 | 10.6 | 136 | 1 | 1 | 7 | 13 | 25 | 42 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 4.3 | 18 | <1 | <1 | 3 | 5 | 9 | 15 | 17 |
| 20-34 | 52 | 7.4 | 219 | <1 | 1 | 3 | 6 | 12 | 36 | 88 |
| 35-49 | 31 | 9.6 | 73 | <1 | 1 | 7 | 13 | 23 | 28 | 35 |
| 50-64 | 53 | 9.7 | 221 | 1 | 1 | 5 | 11 | 22 | 75 | 99+ |
| 65+ | 82 | 16.3 | 193 | 2 | 3 | 13 | 23 | 37 | 51 | 90 |
| TOT. SINGLE DX | 189 | 4.5 | 42 | <1 | <1 | 2 | 5 | 9 | 15 | 39 |
| " MULTIPLE DX | 232 | 11.2 | 193 | 1 | 1 | 7 | 14 | 26 | 47 | 99+ |
| TOTAL 0-19 YRS | 37 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| 20-34 | 127 | 4.8 | 98 | <1 | <1 | 2 | 5 | 8 | 12 | 62 |
| 35-49 | 67 | 6.5 | 57 | <1 | <1 | 3 | 9 | 15 | 26 | 34 |
| 50-64 | 81 | 8.2 | 167 | <1 | 1 | 4 | 10 | 17 | 58 | 99+ |
| 65+ | 109 | 14.9 | 184 | 1 | 2 | 11 | 21 | 34 | 47 | 81 |
| GRAND TOTAL | 421 | 8.2 | 136 | <1 | 1 | 4 | 10 | 21 | 33 | 82 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 48 | 2 | 2 | 2 | 11 | 14 | 14 | 14 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 5 | 8.0 | 45 | 1 | 1 | 8 | 13 | 17 | 17 | 17 |
| 50-64 | 6 | 8.7 | 84 | 2 | 2 | 6 | 7 | 29 | 27 | 27 |
| 65+ | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 9.0 | 88 | 3 | 3 | 5 | 14 | 23 | 23 | 23 |
| 35-49 | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 3 | 12.3 | 46 | 7 | 7 | 10 | 17 | 20 | 20 | 20 |
| TOT. SINGLE DX | 18 | 7.1 | 45 | 1 | 1 | 6 | 8 | 16 | 23 | 27 |
| " MULTIPLE DX | 10 | 9.3 | 45 | 3 | 4 | 7 | 10 | 21 | 23 | 23 |
| TOTAL 0-19 YRS | 3 | 6.0 | 48 | 2 | 2 | 2 | 11 | 14 | 14 | 14 |
| 20-34 | 5 | 7.4 | 79 | 1 | 1 | 5 | 10 | 23 | 23 | 23 |
| 35-49 | 7 | 7.4 | 31 | 1 | 1 | 6 | 11 | 16 | 17 | 17 |
| 50-64 | 7 | 8.6 | 70 | 2 | 2 | 6 | 8 | 23 | 27 | 27 |
| 65+ | 6 | 9.0 | 33 | 4 | 4 | 7 | 10 | 19 | 20 | 20 |
| GRAND TOTAL | 28 | 7.9 | 45 | 1 | 2 | 6 | 9 | 19 | 23 | 27 |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 219 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 1098 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 35-49 | 1702 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 50-64 | 1166 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 65+ | 616 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 2.2 | 10 | <1 | <1 | 2 | 2 | 3 | 6 | 22 |
| 20-34 | 390 | 2.5 | 9 | <1 | <1 | 2 | 2 | 4 | 7 | 18 |
| 35-49 | 956 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| 50-64 | 831 | 3.8 | 20 | <1 | 1 | 2 | 4 | 8 | 12 | 24 |
| 65+ | 694 | 5.8 | 50 | 1 | 1 | 3 | 7 | 12 | 19 | 37 |
| TOT. SINGLE DX | 4801 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 2925 | 3.7 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 25 |
| TOTAL 0-19 YRS | 273 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 1488 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 35-49 | 2658 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 10 |
| 50-64 | 1997 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |
| 65+ | 1310 | 4.3 | 32 | <1 | 1 | 2 | 4 | 9 | 14 | 30 |
| GRAND TOTAL | 7726 | 2.6 | 11 | <1 | <1 | 2 | 2 | 5 | 8 | 17 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 38 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 57 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 67 | 3.9 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 65+ | 98 | 5.4 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 16 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 68 | 6.0 | 73 | 3 | 3 | 4 | 6 | 7 | 10 | 54 |
| 50-64 | 104 | 5.1 | 13 | 2 | 2 | 5 | 6 | 8 | 11 | 23 |
| 65+ | 211 | 9.1 | 99 | 2 | 3 | 6 | 10 | 17 | 28 | 48 |
| TOT. SINGLE DX | 298 | 4.0 | 6 | <1 | 1 | 3 | 6 | 8 | 9 | 11 |
| " MULTIPLE DX | 400 | 7.3 | 72 | 2 | 2 | 5 | 8 | 13 | 20 | 48 |
| TOTAL 0-19 YRS | 39 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 20-34 | 54 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 35-49 | 125 | 5.0 | 44 | 1 | 2 | 4 | 5 | 7 | 8 | 53 |
| 50-64 | 171 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 309 | 7.9 | 73 | 2 | 2 | 6 | 8 | 13 | 21 | 43 |
| GRAND TOTAL | 698 | 5.9 | 47 | 1 | 2 | 5 | 7 | 10 | 14 | 37 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 80 | 6.3 | 3 | 3 | 4 | 6 | 7 | 9 | 9 | 11 |
| 35-49 | 437 | 6.4 | 7 | 3 | 4 | 6 | 8 | 9 | 11 | 15 |
| 50-64 | 694 | 6.5 | 5 | 4 | 4 | 6 | 8 | 9 | 11 | 14 |
| 65+ | 644 | 7.4 | 12 | 4 | 4 | 7 | 9 | 11 | 13 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 19 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 20-34 | 61 | 7.6 | 49 | 4 | 4 | 6 | 8 | 10 | 13 | 51 |
| 35-49 | 413 | 6.7 | 9 | 3 | 4 | 6 | 8 | 10 | 12 | 17 |
| 50-64 | 861 | 7.2 | 12 | 3 | 4 | 6 | 8 | 11 | 13 | 22 |
| 65+ | 986 | 9.0 | 31 | 4 | 4 | 8 | 10 | 15 | 18 | 29 |
| TOT. SINGLE DX | 1856 | 6.8 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 16 |
| " MULTIPLE DX | 2324 | 7.9 | 22 | 4 | 4 | 7 | 9 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 4 | 3.5 | 14 | 1 | 1 | 2 | 6 | 9 | 9 | 9 |
| 20-34 | 141 | 6.9 | 23 | 4 | 4 | 6 | 8 | 9 | 10 | 33 |
| 35-49 | 850 | 6.5 | 8 | 3 | 4 | 6 | 8 | 10 | 12 | 16 |
| 50-64 | 1555 | 6.8 | 9 | 4 | 4 | 6 | 8 | 10 | 12 | 19 |
| 65+ | 1630 | 8.4 | 24 | 4 | 4 | 7 | 10 | 13 | 16 | 27 |
| GRAND TOTAL | 4180 | 7.4 | 16 | 4 | 4 | 7 | 8 | 11 | 14 | 23 |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 177 | 2.8 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 579 | 2.9 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 564 | 3.3 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 50-64 | 329 | 3.5 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 65+ | 71 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 20-34 | 409 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 35-49 | 683 | 4.1 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 464 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| 65+ | 83 | 4.3 | 19 | 2 | 2 | 3 | 4 | 7 | 9 | 31 |
| TOT. SINGLE DX | 1720 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 1705 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 243 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 988 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 1247 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 50-64 | 793 | 4.0 | 8 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 65+ | 154 | 3.6 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| GRAND TOTAL | 3425 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 459 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 20-34 | 807 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 142 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 26 | 3.1 | 7 | <1 | 1 | 3 | 3 | 5 | 7 | 15 |
| 65+ | 6 | 3.7 | 5 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.7 | 66 | 1 | 2 | 3 | 4 | 8 | 12 | 58 |
| 20-34 | 131 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 35-49 | 43 | 4.4 | 5 | 2 | 2 | 4 | 5 | 8 | 10 | 12 |
| 50-64 | 20 | 10.0 | 90 | 1 | 1 | 6 | 18 | 28 | 66 | 99+ |
| 65+ | 7 | 5.4 | 17 | 2 | 2 | 4 | 6 | 13 | 14 | 14 |
| TOT. SINGLE DX | 1440 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 264 | 4.7 | 29 | 1 | 2 | 3 | 5 | 9 | 12 | 35 |
| TOTAL 0-19 YRS | 522 | 3.1 | 11 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 938 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 185 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 46 | 6.1 | 54 | 1 | 1 | 3 | 6 | 18 | 24 | 99+ |
| 65+ | 13 | 4.6 | 11 | 2 | 2 | 3 | 5 | 9 | 13 | 14 |
| GRAND TOTAL | 1704 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 776 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 777 | 2.8 | 14 | <1 | <1 | 2 | 3 | 5 | 8 | 20 |
| 35-49 | 704 | 2.5 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 641 | 2.9 | 15 | <1 | <1 | 2 | 3 | 6 | 9 | 20 |
| 65+ | 460 | 3.6 | 26 | <1 | <1 | 2 | 3 | 7 | 11 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 272 | 3.9 | 41 | <1 | <1 | 2 | 4 | 8 | 13 | 35 |
| 20-34 | 516 | 6.5 | 113 | <1 | 1 | 3 | 6 | 15 | 25 | 65 |
| 35-49 | 553 | 6.9 | 92 | <1 | 1 | 4 | 8 | 16 | 25 | 49 |
| 50-64 | 698 | 7.5 | 95 | <1 | 1 | 4 | 9 | 17 | 27 | 48 |
| 65+ | 935 | 10.4 | 161 | 1 | 2 | 6 | 13 | 24 | 35 | 73 |
| TOT. SINGLE DX | 3358 | 2.6 | 13 | <1 | <1 | 2 | 3 | 5 | 7 | 18 |
| " MULTIPLE DX | 2974 | 7.8 | 118 | <1 | 1 | 4 | 9 | 18 | 28 | 66 |
| TOTAL 0-19 YRS | 1048 | 2.4 | 14 | <1 | <1 | 1 | 2 | 4 | 7 | 15 |
| 20-34 | 1293 | 4.2 | 57 | <1 | <1 | 2 | 4 | 8 | 15 | 45 |
| 35-49 | 1257 | 4.4 | 51 | <1 | <1 | 2 | 4 | 10 | 16 | 39 |
| 50-64 | 1339 | 5.3 | 63 | <1 | <1 | 3 | 6 | 12 | 19 | 42 |
| 65+ | 1395 | 8.2 | 128 | <1 | 1 | 4 | 9 | 19 | 30 | 68 |
| GRAND TOTAL | 6332 | 5.1 | 69 | <1 | <1 | 2 | 5 | 12 | 19 | 44 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 988 | 3.8 | 34 | <1 | <1 | 2 | 4 | 8 | 11 | 27 |
| 20-34 | 1171 | 4.6 | 36 | <1 | 1 | 3 | 5 | 9 | 15 | 28 |
| 35-49 | 670 | 5.0 | 33 | <1 | 1 | 3 | 6 | 11 | 15 | 32 |
| 50-64 | 516 | 5.8 | 50 | <1 | 1 | 3 | 8 | 13 | 18 | 35 |
| 65+ | 423 | 7.6 | 79 | 1 | 1 | 4 | 9 | 18 | 25 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1630 | 6.0 | 90 | 1 | 1 | 3 | 6 | 14 | 23 | 51 |
| 20-34 | 2526 | 6.5 | 91 | 1 | 1 | 3 | 7 | 15 | 25 | 59 |
| 35-49 | 1305 | 8.7 | 119 | 1 | 1 | 5 | 11 | 21 | 31 | 63 |
| 50-64 | 1281 | 11.6 | 189 | 1 | 1 | 7 | 15 | 28 | 43 | 79 |
| 65+ | 1780 | 14.6 | 242 | 1 | 2 | 9 | 20 | 35 | 51 | 86 |
| TOT. SINGLE DX | 3768 | 5.0 | 43 | <1 | 1 | 3 | 6 | 11 | 16 | 33 |
| " MULTIPLE DX | 8522 | 9.2 | 153 | 1 | 1 | 5 | 11 | 23 | 35 | 69 |
| TOTAL 0-19 YRS | 2618 | 5.2 | 70 | <1 | 1 | 3 | 5 | 11 | 18 | 48 |
| 20-34 | 3697 | 5.9 | 75 | <1 | 1 | 3 | 7 | 14 | 22 | 52 |
| 35-49 | 1975 | 7.5 | 93 | <1 | 1 | 4 | 9 | 17 | 27 | 53 |
| 50-64 | 1797 | 9.9 | 156 | 1 | 1 | 6 | 12 | 24 | 35 | 71 |
| 65+ | 2203 | 13.3 | 219 | 1 | 2 | 8 | 17 | 32 | 46 | 77 |
| GRAND TOTAL | 12290 | 7.9 | 123 | 1 | 1 | 4 | 9 | 19 | 30 | 61 |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 256 | 5.7 | 30 | <1 | 1 | 4 | 8 | 13 | 16 | 24 |
| 20-34 | 259 | 6.2 | 67 | <1 | 1 | 4 | 8 | 13 | 22 | 46 |
| 35-49 | 124 | 6.5 | 44 | <1 | 1 | 4 | 9 | 16 | 19 | 36 |
| 50-64 | 103 | 8.3 | 67 | <1 | 1 | 6 | 12 | 22 | 24 | 68 |
| 65+ | 111 | 12.8 | 112 | 1 | 2 | 11 | 17 | 26 | 33 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 12.4 | 148 | 1 | 2 | 8 | 16 | 32 | 37 | 57 |
| 20-34 | 241 | 14.0 | 231 | 2 | 2 | 9 | 18 | 34 | 46 | 75 |
| 35-49 | 149 | 15.1 | 211 | 1 | 2 | 10 | 20 | 34 | 44 | 70 |
| 50-64 | 192 | 18.7 | 209 | 2 | 3 | 17 | 28 | 42 | 50 | 99+ |
| 65+ | 318 | 23.7 | 296 | 4 | 6 | 20 | 33 | 51 | 62 | 99+ |
| TOT. SINGLE DX | 853 | 7.2 | 64 | <1 | 1 | 4 | 10 | 17 | 23 | 40 |
| " MULTIPLE DX | 1056 | 17.7 | 250 | 2 | 3 | 14 | 24 | 40 | 52 | 96 |
| TOTAL 0-19 YRS | 412 | 8.2 | 85 | 1 | 1 | 5 | 11 | 20 | 26 | 45 |
| 20-34 | 500 | 10.0 | 162 | 1 | 1 | 6 | 12 | 24 | 37 | 68 |
| 35-49 | 273 | 11.2 | 154 | 1 | 1 | 7 | 16 | 26 | 36 | 66 |
| 50-64 | 295 | 15.1 | 184 | 1 | 2 | 11 | 22 | 34 | 47 | 99+ |
| 65+ | 429 | 20.9 | 272 | 2 | 4 | 17 | 28 | 46 | 57 | 99+ |
| GRAND TOTAL | 1909 | 13.0 | 194 | 1 | 1 | 8 | 18 | 32 | 44 | 76 |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 4.6 | 54 | <1 | 1 | 2 | 4 | 12 | 15 | 44 |
| 20-34 | 128 | 5.3 | 69 | <1 | 1 | 2 | 5 | 12 | 17 | 51 |
| 35-49 | 54 | 6.5 | 76 | <1 | 1 | 3 | 7 | 22 | 28 | 35 |
| 50-64 | 54 | 4.4 | 71 | <1 | 1 | 2 | 4 | 9 | 13 | 59 |
| 65+ | 21 | 8.4 | 189 | 1 | 1 | 3 | 8 | 26 | 47 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 8.0 | 89 | <1 | 1 | 4 | 8 | 25 | 30 | 36 |
| 20-34 | 122 | 11.7 | 218 | 1 | 1 | 5 | 16 | 31 | 47 | 75 |
| 35-49 | 57 | 13.4 | 377 | 1 | 1 | 6 | 15 | 38 | 59 | 86 |
| 50-64 | 73 | 14.6 | 337 | 1 | 1 | 7 | 21 | 38 | 68 | 96 |
| 65+ | 55 | 23.3 | 640 | 1 | 2 | 15 | 36 | 71 | 79 | 99+ |
| TOT. SINGLE DX | 334 | 5.4 | 75 | <1 | 1 | 2 | 5 | 13 | 22 | 50 |
| " MULTIPLE DX | 349 | 14.0 | 337 | 1 | 1 | 6 | 18 | 38 | 60 | 86 |
| TOTAL 0-19 YRS | 119 | 5.8 | 69 | <1 | 1 | 2 | 6 | 15 | 27 | 40 |
| 20-34 | 250 | 8.5 | 152 | <1 | 1 | 3 | 10 | 21 | 33 | 60 |
| 35-49 | 111 | 10.1 | 241 | 1 | 1 | 4 | 10 | 30 | 39 | 85 |
| 50-64 | 127 | 10.3 | 248 | <1 | 1 | 4 | 10 | 31 | 55 | 86 |
| 65+ | 76 | 19.2 | 557 | 1 | 2 | 7 | 30 | 59 | 78 | 99+ |
| GRAND TOTAL | 683 | 9.8 | 227 | 1 | 1 | 3 | 10 | 28 | 43 | 79 |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 279 | 2.3 | 4 | <1 | <1 | 2 | 2 | 4 | 7 | 11 |
| 20-34 | 214 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 192 | 2.9 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 12 |
| 50-64 | 212 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 15 |
| 65+ | 89 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 164 | 3.0 | 13 | <1 | <1 | 2 | 3 | 6 | 9 | 19 |
| 20-34 | 175 | 4.6 | 51 | <1 | 1 | 3 | 5 | 8 | 12 | 36 |
| 35-49 | 236 | 4.8 | 21 | <1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 50-64 | 267 | 4.8 | 62 | <1 | 1 | 3 | 5 | 9 | 14 | 48 |
| 65+ | 172 | 7.8 | 140 | 1 | 1 | 3 | 9 | 17 | 30 | 77 |
| TOT. SINGLE DX | 986 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| " MULTIPLE DX | 1014 | 5.0 | 58 | <1 | 1 | 3 | 5 | 10 | 16 | 43 |
| TOTAL 0-19 YRS | 443 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| 20-34 | 389 | 3.3 | 26 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 35-49 | 428 | 3.9 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 50-64 | 479 | 3.8 | 39 | <1 | <1 | 2 | 4 | 7 | 11 | 33 |
| 65+ | 261 | 5.8 | 101 | 1 | 1 | 3 | 6 | 14 | 23 | 73 |
| GRAND TOTAL | 2000 | 3.7 | 34 | <1 | <1 | 2 | 4 | 7 | 11 | 28 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01: 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 20-34 | 27 | 3.9 | 24 | 1 | 1 | 2 | 4 | 10 | 17 | 22 |
| 35-49 | 23 | 5.6 | 88 | 1 | 1 | 2 | 4 | 15 | 28 | 42 |
| 50-64 | 34 | 3.5 | 13 | 1 | 1 | 2 | 4 | 10 | 12 | 14 |
| 65+ | 18 | 7.0 | 45 | 1 | 1 | 4 | 12 | 15 | 22 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 4.9 | 42 | <1 | 1 | 3 | 5 | 11 | 22 | 29 |
| 20-34 | 34 | 5.7 | 19 | 1 | 2 | 4 | 7 | 14 | 15 | 18 |
| 35-49 | 35 | 9.9 | 145 | 1 | 2 | 6 | 10 | 30 | 44 | 49 |
| 50-64 | 34 | 7.5 | 18 | 2 | 2 | 6 | 11 | 13 | 14 | 15 |
| 65+ | 87 | 10.2 | 77 | 2 | 3 | 7 | 13 | 20 | 27 | 48 |
| TOT. SINGLE DX | 115 | 4.4 | 36 | 1 | 1 | 2 | 4 | 12 | 15 | 32 |
| " MULTIPLE DX | 209 | 8.5 | 70 | 2 | 2 | 6 | 11 | 16 | 22 | 48 |
| TOTAL 0-19 YRS | 32 | 4.0 | 28 | 1 | 1 | 3 | 4 | 6 | 13 | 29 |
| 20-34 | 61 | 4.9 | 22 | 1 | 1 | 3 | 6 | 12 | 15 | 22 |
| 35-49 | 58 | 8.2 | 125 | 1 | 1 | 4 | 10 | 20 | 40 | 49 |
| 50-64 | 68 | 5.5 | 20 | 1 | 1 | 4 | 10 | 13 | 14 | 15 |
| 65+ | 105 | 9.7 | 73 | 2 | 3 | 7 | 13 | 19 | 26 | 47 |
| GRAND TOTAL | 324 | 7.1 | 61 | 1 | 1 | 5 | 10 | 14 | 21 | 46 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 180 | 3.0 | 7 | 1 | 1 | 2 | 4 | 7 | 10 | 14 |
| 20-34 | 2528 | 3.9 | 19 | 1 | 1 | 2 | 5 | 9 | 12 | 19 |
| 35-49 | 3006 | 3.8 | 16 | 1 | 1 | 2 | 5 | 9 | 12 | 19 |
| 50-64 | 1850 | 3.7 | 16 | 1 | 1 | 2 | 4 | 9 | 12 | 20 |
| 65+ | 547 | 4.0 | 23 | 1 | 1 | 2 | 4 | 9 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 96 | 4.0 | 14 | 1 | 1 | 2 | 5 | 9 | 12 | 19 |
| 20-34 | 1381 | 5.8 | 46 | 1 | 1 | 3 | 8 | 13 | 17 | 33 |
| 35-49 | 1946 | 5.6 | 35 | 1 | 1 | 3 | 8 | 12 | 17 | 30 |
| 50-64 | 1774 | 5.8 | 42 | 1 | 1 | 3 | 8 | 13 | 17 | 31 |
| 65+ | 953 | 7.9 | 79 | 1 | 1 | 5 | 10 | 18 | 25 | 46 |
| TOT. SINGLE DX | 8111 | 3.8 | 18 | 1 | 1 | 2 | 5 | 9 | 12 | 20 |
| " MULTIPLE DX | 6150 | 6.1 | 47 | 1 | 1 | 3 | 8 | 14 | 18 | 31 |
| TOTAL 0-19 YRS | 276 | 3.4 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 16 |
| 20-34 | 3909 | 4.6 | 30 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| 35-49 | 4952 | 4.5 | 25 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| 50-64 | 3624 | 4.7 | 30 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |
| 65+ | 1500 | 6.5 | 63 | 1 | 1 | 3 | 8 | 15 | 22 | 37 |
| GRAND TOTAL | 14261 | 4.8 | 31 | 1 | 1 | 3 | 6 | 11 | 15 | 26 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 4.0 | 19 | 1 | 1 | 2 | 4 | 11 | 14 | 19 |
| 20-34 | 223 | 4.2 | 51 | 1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 35-49 | 333 | 3.8 | 23 | 1 | 1 | 2 | 4 | 8 | 12 | 20 |
| 50-64 | 610 | 3.0 | 8 | 1 | 1 | 2 | 3 | 7 | 9 | 15 |
| 65+ | 688 | 3.3 | 19 | 1 | 1 | 2 | 3 | 7 | 9 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 7.3 | 70 | 1 | 1 | 4 | 9 | 20 | 28 | 38 |
| 20-34 | 194 | 6.5 | 66 | 1 | 1 | 4 | 8 | 13 | 19 | 48 |
| 35-49 | 368 | 7.5 | 93 | 1 | 1 | 4 | 9 | 18 | 26 | 49 |
| 50-64 | 1145 | 5.8 | 56 | 1 | 1 | 3 | 7 | 12 | 18 | 43 |
| 65+ | 1579 | 6.1 | 58 | 1 | 1 | 3 | 8 | 14 | 20 | 39 |
| TOT. SINGLE DX | 1910 | 3.4 | 21 | 1 | 1 | 2 | 3 | 7 | 10 | 20 |
| " MULTIPLE DX | 3332 | 6.2 | 63 | 1 | 1 | 3 | 7 | 14 | 20 | 44 |
| TOTAL 0-19 YRS | 102 | 5.5 | 45 | 1 | 1 | 2 | 6 | 12 | 20 | 34 |
| 20-34 | 417 | 5.3 | 60 | 1 | 1 | 3 | 6 | 11 | 18 | 42 |
| 35-49 | 701 | 5.7 | 64 | 1 | 1 | 3 | 6 | 13 | 19 | 45 |
| 50-64 | 1755 | 4.8 | 42 | 1 | 1 | 2 | 6 | 10 | 15 | 29 |
| 65+ | 2267 | 5.3 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 37 |
| GRAND TOTAL | 5242 | 5.2 | 49 | 1 | 1 | 3 | 6 | 11 | 17 | 38 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 9 | 2.6 | 6 | 1 | 1 | 2 | 2 | 6 | 9 | 9 |
| 35-49 | 45 | 3.0 | 7 | 1 | 1 | 2 | 2 | 8 | 10 | 12 |
| 50-64 | 101 | 2.8 | 7 | 1 | 1 | 2 | 2 | 6 | 8 | 14 |
| 65+ | 68 | 2.8 | 6 | <1 | 1 | 2 | 3 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 12 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 147 | 4.2 | 15 | 1 | 1 | 2 | 5 | 11 | 12 | 17 |
| 50-64 | 355 | 4.4 | 19 | 1 | 1 | 2 | 5 | 10 | 14 | 23 |
| 65+ | 199 | 4.6 | 30 | <1 | <1 | 2 | 6 | 11 | 18 | 25 |
| TOT. SINGLE DX | 226 | 2.8 | 7 | 1 | 1 | 2 | 2 | 6 | 9 | 13 |
| " MULTIPLE DX | 717 | 4.4 | 21 | 1 | 1 | 2 | 5 | 10 | 14 | 23 |
| TOTAL 0-19 YRS | 7 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 21 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 192 | 3.9 | 14 | 1 | 1 | 2 | 5 | 10 | 12 | 16 |
| 50-64 | 456 | 4.0 | 17 | 1 | 1 | 2 | 5 | 10 | 13 | 20 |
| 65+ | 267 | 4.2 | 25 | <1 | <1 | 2 | 5 | 10 | 14 | 24 |
| GRAND TOTAL | 943 | 4.0 | 18 | 1 | 1 | 2 | 5 | 10 | 13 | 21 |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 134 | 3.2 | 9 | 1 | 1 | 2 | 3 | 9 | 11 | 13 |
| 20-34 | 486 | 4.1 | 12 | 1 | 1 | 3 | 6 | 10 | 11 | 16 |
| 35-49 | 565 | 4.0 | 16 | 1 | 1 | 2 | 5 | 10 | 12 | 20 |
| 50-64 | 829 | 3.6 | 14 | 1 | 1 | 2 | 4 | 9 | 11 | 18 |
| 65+ | 854 | 3.6 | 14 | 1 | 1 | 2 | 4 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 165 | 5.1 | 68 | 1 | 1 | 2 | 5 | 11 | 15 | 43 |
| 20-34 | 489 | 7.1 | 58 | 1 | 1 | 5 | 9 | 14 | 23 | 47 |
| 35-49 | 847 | 6.5 | 34 | 1 | 1 | 4 | 9 | 14 | 18 | 25 |
| 50-64 | 2081 | 5.9 | 40 | 1 | 1 | 4 | 8 | 13 | 16 | 32 |
| 65+ | 2933 | 7.1 | 53 | 1 | 1 | 5 | 10 | 15 | 20 | 36 |
| **TOT. SINGLE DX** | 2868 | 3.7 | 14 | 1 | 1 | 2 | 5 | 9 | 11 | 18 |
| **" MULTIPLE DX** | 6515 | 6.6 | 48 | 1 | 1 | 4 | 9 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 299 | 4.2 | 43 | 1 | 1 | 2 | 4 | 9 | 12 | 35 |
| 20-34 | 975 | 5.6 | 38 | 1 | 1 | 4 | 8 | 11 | 15 | 34 |
| 35-49 | 1412 | 5.5 | 29 | 1 | 1 | 3 | 8 | 13 | 16 | 24 |
| 50-64 | 2910 | 5.2 | 34 | 1 | 1 | 3 | 7 | 12 | 15 | 29 |
| 65+ | 3787 | 6.3 | 47 | 1 | 1 | 4 | 9 | 14 | 18 | 33 |
| **GRAND TOTAL** | **9383** | **5.7** | **39** | **1** | **1** | **3** | **8** | **13** | **17** | **31** |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5269 | 3.2 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| 20-34 | 8841 | 3.8 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 35-49 | 5902 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 50-64 | 5456 | 4.8 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 65+ | 5497 | 6.0 | 30 | 1 | 2 | 4 | 8 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 6980 | 4.6 | 40 | 1 | 1 | 3 | 5 | 9 | 14 | 32 |
| 20-34 | 11967 | 5.3 | 35 | 1 | 1 | 4 | 6 | 11 | 16 | 31 |
| 35-49 | 12624 | 6.2 | 38 | 1 | 2 | 4 | 7 | 12 | 18 | 30 |
| 50-64 | 22016 | 7.1 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 65+ | 46155 | 8.8 | 61 | 2 | 3 | 7 | 11 | 17 | 23 | 42 |
| **TOT. SINGLE DX** | 30965 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **" MULTIPLE DX** | 99742 | 7.4 | 53 | 1 | 2 | 5 | 9 | 15 | 21 | 37 |
| TOTAL 0-19 YRS | 12249 | 4.0 | 30 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 20-34 | 20808 | 4.7 | 29 | 1 | 1 | 3 | 5 | 9 | 14 | 28 |
| 35-49 | 18526 | 5.6 | 33 | 1 | 1 | 4 | 7 | 11 | 16 | 28 |
| 50-64 | 27472 | 6.7 | 43 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| 65+ | 51652 | 8.5 | 59 | 2 | 2 | 6 | 10 | 17 | 22 | 40 |
| **GRAND TOTAL** | **130707** | **6.7** | **47** | **1** | **2** | **5** | **8** | **14** | **19** | **35** |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | | | | | | | | | | |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2749 | 5.1 | 42 | 1 | 1 | 3 | 5 | 11 | 20 | 34 |
| 20-34 | 2346 | 6.4 | 37 | 1 | 2 | 5 | 8 | 12 | 17 | 31 |
| 35-49 | 2102 | 6.4 | 28 | 1 | 2 | 5 | 8 | 11 | 15 | 28 |
| 50-64 | 1909 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 65+ | 1921 | 8.2 | 51 | 2 | 2 | 7 | 10 | 15 | 19 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 3003 | 6.5 | 77 | 1 | 1 | 4 | 7 | 13 | 23 | 49 |
| 20-34 | 2998 | 8.2 | 71 | 1 | 2 | 6 | 10 | 17 | 24 | 45 |
| 35-49 | 3368 | 8.2 | 54 | 2 | 2 | 6 | 10 | 17 | 23 | 42 |
| 50-64 | 5563 | 8.9 | 68 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |
| 65+ | 13626 | 10.2 | 71 | 2 | 3 | 8 | 13 | 19 | 26 | 46 |
| **TOT. SINGLE DX** | 11027 | 6.3 | 39 | 1 | 2 | 5 | 8 | 17 | 17 | 32 |
| **" MULTIPLE DX** | 28558 | 9.1 | 71 | 2 | 2 | 7 | 11 | 18 | 25 | 45 |
| TOTAL 0-19 YRS | 5752 | 5.8 | 61 | 1 | 1 | 3 | 6 | 12 | 21 | 41 |
| 20-34 | 5344 | 7.4 | 58 | 1 | 2 | 5 | 9 | 15 | 20 | 40 |
| 35-49 | 5470 | 7.5 | 45 | 1 | 2 | 6 | 9 | 14 | 19 | 35 |
| 50-64 | 7472 | 8.3 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 43 |
| 65+ | 15547 | 10.0 | 69 | 2 | 3 | 8 | 12 | 19 | 25 | 45 |
| **GRAND TOTAL** | **39585** | **8.4** | **64** | **1** | **2** | **6** | **10** | **17** | **23** | **43** |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5416 | 3.2 | 26 | 1 | 1 | 2 | 4 | 5 | 7 | 27 |
| 20-34 | 2830 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 24 |
| 35-49 | 1803 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 50-64 | 2043 | 5.0 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| 65+ | 2337 | 6.1 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7021 | 5.1 | 67 | 1 | 1 | 3 | 5 | 9 | 15 | 50 |
| 20-34 | 4690 | 5.1 | 39 | 1 | 1 | 3 | 6 | 10 | 15 | 32 |
| 35-49 | 4888 | 6.2 | 44 | 1 | 1 | 4 | 7 | 13 | 18 | 33 |
| 50-64 | 10262 | 7.0 | 44 | 1 | 2 | 5 | 9 | 14 | 19 | 33 |
| 65+ | 21768 | 8.5 | 59 | 2 | 2 | 6 | 11 | 17 | 22 | 41 |
| TOT. SINGLE DX | 14429 | 4.2 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| " MULTIPLE DX | 48629 | 7.2 | 56 | 1 | 2 | 5 | 9 | 15 | 20 | 39 |
| TOTAL 0-19 YRS | 12437 | 4.3 | 51 | 1 | 1 | 3 | 4 | 7 | 12 | 42 |
| 20-34 | 7520 | 4.6 | 32 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| 35-49 | 6691 | 5.7 | 38 | 1 | 1 | 4 | 7 | 12 | 16 | 32 |
| 50-64 | 12305 | 6.7 | 40 | 1 | 2 | 5 | 8 | 13 | 18 | 31 |
| 65+ | 24105 | 8.3 | 57 | 2 | 2 | 6 | 10 | 16 | 22 | 39 |
| GRAND TOTAL | 63058 | 6.5 | 50 | 1 | 1 | 4 | 8 | 13 | 19 | 36 |

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

# *ICD-9-CM* Codes for Selected Operation Groups

*ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

## OPERATION INDEX (continued)

Group Number Title

- 603 Appendectomy, except incidental
  - 604 Incidental
- Arteriography
  - 757 Aorta
  - 755 Cerebral
  - 756 Coronary
  - 757 Femoral
  - 755 Head
  - 756 Heart
  - 757 Renal
- 741 Arthrocentesis
- 721 Arthrodesis, except spinal
  - 720 Spinal
- 725 Arthroplasty, except hip, knee, and temporomandibular
  - 723 Hip, except total replacement
    - 722 Total replacement
  - 724 Knee
  - 699 Temporomandibular
- 719 Arthroscopy
- 716 Arthrotomy
- Artificial
  - 686 Insemination
  - 690 Rupture of membranes for delivery
- Aspiration
  - 752 Breast, except for biopsy
    - 742 Biopsy
  - 741 Bursa
  - 682 Cul-de-sac
  - 677 Curettage, uterus, except for termination of pregnancy
    - 674 Termination of pregnancy
  - 651 Hydrocele, except of spermatic cord
    - 656 Spermatic cord
  - 632 Kidney
  - 614 Liver, percutaneous, except for biopsy
    - 615 Biopsy
  - 537 Middle ear
  - 546 Nasal sinus
  - 663 Ovary
  - 752 Skin
  - 656 Spermatocele
  - 529 Vitreous

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
|  | Cardiac |
| 573 |  Catheterization |
| 764 |  Function tests |
|  |  Massage |
| 763 |   Closed |
| 575 |   Open |
| 574 |  Pacemaker insertion or replacement |
| 575 |  Revascularization, except coronary bypass |
| 572 |   Coronary bypass |
| 764 |  Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 |  Intracapsular |
|  | Catheterization |
| 647 |  Bladder, except suprapubic approach |
| 638 |   Suprapubic approach |
| 581 |  Blood vessel |
| 573 |  Cardiac |
| 645 |  Ureteral |
| 647 |  Urethral, indwelling |
| 587 |  Vein, except umbilical |
| 581 |   Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 |  Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
|  | Closure |
| 617 |  Cholecystostomy |
| 601 |  Colostomy |
|  |  Fistula – *see Fistulectomy* |
| 596 |  Gastric anastomosis |
| 601 |  Sigmoidostomy |
| 570 |  Thoracostomy |

## OPERATION INDEX (continued)

Group Number — Title

- Closure (continued)
  - 635 Ureterostomy
  - 640 Urethrostomy
- 599 Colectomy
- 568 Collapse of lung, surgical
- 619 Colonoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 602 Colostomy, except loop
  - 600 Loop
- 681 Colporrhaphy, except for cystocele or rectocele repair
  - 680 Cystocele or rectocele repair
- 758 Computerized axial tomography (C.A.T. scan)
- 667 Conization of cervix
- 520 Conjunctivoplasty
- 764 Consultation
- Control of hemorrhage
  - 638 Bladder
  - 581 Blood vessel
  - 569 Chest
  - 627 Laparotomy site
  - 544 Nose, except by anterior packing
    - 557 Anterior packing
  - 569 Pleura
  - 581 Postoperative, not elsewhere classified
  - 650 Prostate
  - 590 Stomach
  - 556 Tonsil
- 521 Corneal transplant
- 572 Coronary bypass
- 503 Cranioplasty
- 502 Craniotomy
- 668 Cryoconization, cervix
- 682 Culdocentesis
- 682 Culdoscopy, except for tubal ligation
  - 664 Tubal ligation
- 523 Cyclocryotherapy (eye)
- 523 Cyclodialysis
- 638 Cystectomy (bladder)
- 680 Cystocele repair
- 636 Cystoscopy
- 638 Cystostomy
- 638 Cystotomy

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 675 | D and C (uterus), except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 519 | Dacryocystorhinostomy |
| | Debridement |
| 748 | Burn (skin) |
| 705 | Fracture, except of skull |
| 503 | Skull |
| 748 | Skin (infection) (wound) |
| | Decompression |
| 509 | Carpal tunnel |
| 502 | Cranial |
| 506 | Laminectomy |
| 506 | Spinal |
| | Delivery |
| 690 | Artificial rupture of membranes |
| 688 | Breech extraction |
| 692 | Cesarean section, except low cervical |
| 691 | Low cervical |
| 689 | Forceps, except low forceps |
| 687 | Low forceps |
| 689 | Internal and combined version |
| 751 | Dermabrasion |
| 601 | Derotation, intestine |
| 580 | Dialysis, except peritoneal |
| 629 | Peritoneal |
| | Dilation |
| 638 | Bladder (neck) |
| 635 | Ureteral meatus |
| 645 | Ureterovesical orifice |
| 641 | Urethra, urethrovesical junction |
| 675 | Dilation and curettage (D and C), uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| | Dislocation-reduction, except temporomandibular |
| 714 | Closed |
| 715 | Open |
| 702 | Temporomandibular (joint) |
| | Division |
| | Adhesions – *see Lysis, adhesions* |
| 613 | Anal sphincter |
| 726 | Fascia, exept of hand |
| 728 | Hand |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage – *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 |  With low forceps delivery |
| 689 |  With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 |  Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 |  Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 |  Eyeball |
| 673 |  Pelvic |
|  | Examination |
| 764 |  Eye |
| 764 |  General physical |
| 764 |  Gynecologic |
| 764 |  Pelvic |
| 761 |  Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 |  Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 |  Anal fistula |
| 727 |  Baker's cyst |
| 705 |  Bone, except facial |
| 699 |   Facial, except partial |
| 698 |    Partial |
| 556 |  Branchial cleft cyst |
| 704 |  Bunion |
| 517 |  Chalazion, eyelid |
| 599 |  Colon |
| 665 |  Fallopian tubes, bilateral, except endoscopic approach |
| 664 |   Endoscopic approach |
| 670 |  Fibroid, uterine |
| 616 |  Gallbladder |
| 508 |  Ganglion, except of tendon |
| 727 |   Tendon (of hand) |
| 612 |  Hemorrhoids |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision (continued) |
| | Hydrocele |
| 679 | Round ligament |
| 656 | Spermatic cord |
| 651 | Tunica vaginalis |
| 717 | Intervertebral disc or cartilage |
| 719 | Joint, except intervertebral disc and cartilage of knee |
| 717 | Intervertebral disc |
| 718 | Knee cartilage |
| 631 | Kidney, except partial |
| 632 | Partial |
| 718 | Knee cartilage (semilunar) |
| 582 | Lymph nodes, except radical |
| 583 | Radical |
| 508 | Neuroma, peripheral nerve |
| | Ovary |
| 662 | Bilateral |
| 661 | Unilateral |
| 550 | Parotid gland |
| 746 | Pilonidal cyst or sinus |
| 515 | Pituitary gland |
| 649 | Prostate, except transurethral approach |
| 648 | Transurethral approach |
| 522 | Pterygium |
| 747 | Sebaceous cyst, except of eyelid |
| 517 | Eyelid, eyebrow |
| 718 | Semilunar cartilage, knee |
| 586 | Spleen |
| 514 | Thyroglossal duct or tract |
| 513 | Thyroid |
| 751 | Toenail |
| 552 | Tongue |
| 553 | Tonsil, except with adenoids |
| 554 | With adenoids |
| 556 | Tonsil tag |
| | Tubes and ovaries |
| 662 | Bilateral |
| 661 | Unilateral |
| 670 | Uterine fibroid |
| 577 | Varicocele, except of spermatic cord |
| 656 | Spermatic cord |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

Group Number Title

- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal
  - 542 Nasolabial
  - 546 Oroantral
  - 609 Perirectal
  - 556 Pharynx
  - 640 Rectourethral
  - 679 Rectouterine
  - 681 Rectovaginal
  - 638 Rectovesical
  - 609 Rectum
  - 562 Tracheoesophageal
- 523 Fistulization, sclera (for glaucoma)
- 741 Fitting, limb prosthesis
- 706 Fixation, internal, of bone, except with fracture-reduction
  - With fracture-reduction — *see Fracture-reduction*
- 689 Forceps delivery, except low forceps
  - 687 Low forceps
- Formation
  - 581 Arteriovenous shunt for dialysis
  - 634 Ileal conduit or bladder
- Fracture-reduction, except facial bone, femur, and nose
  - 713 Closed, except with internal fixation
    - 711 With internal fixation
  - 713 Open, except with internal fixation
    - 712 With internal fixation

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
|  | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 |  Facial bone, except closed reduction |
| 700 |   Closed reduction |
|  |  Femur |
| 710 |   Closed, except with internal fixation |
| 708 |    With internal fixation |
| 710 |   Open, except with internal fixation |
| 709 |    With internal fixation |
| 701 |  Mandible, except closed reduction |
| 700 |   Closed reduction |
| 701 |  Maxillofacial, except closed reduction |
| 700 |   Closed reduction |
| 544 |  Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 |  Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 |  Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 |  Total |
| 589 | Gastroscopy, except surgical approach |
| 596 |  Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
|  | Graft |
| 706 |  Bone, except facial and skull |
| 702 |   Facial |
| 503 |   Skull |
| 749 |  Free, of skin |
| 552 |  Lip |
| 731 |  Muscle, except of hand |
| 729 |   Hand |
| 750 |  Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| | Skin |
| 749 | Free |
| 750 | Pedicle |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 | Diaphragmatic |
| 624 | Epigastric |
| 622 | Femoral |
| 624 | Incisional |
| | Inguinal |
| 621 | Bilateral |
| 620 | Unilateral |
| 623 | Umbilical |
| 624 | Ventral |
| 723 | Hip replacement, except total |
| 722 | Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 | Radical |
| 672 | Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 | Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 | Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 | Breast |
| 740 | Limb prosthesis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 |  Retroperitoneal abscess |
| 651 |  Scrotum |
| |  Sinus (nasal) — *see Sinusotomy* |
| 748 |  Skin, except pilonidal cyst or sinus |
| 746 |   Pilonidal cyst or sinus |
| 506 |  Spinal meninges |
| 726 |  Tendon |
| 569 |  Thorax |
| 633 |  Ureter |
| 682 |  Vagina |
| 683 |  Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 |  Intra-amniotic, for termination of pregnancy |
| 763 |  Therapeutic agent (drugs) |
| 745 |   Breast |
| 741 |   Bursa |
| 741 |   Joint |
| 741 |   Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 |  Cardiac pacemaker |
| 686 |  Intrauterine contraceptive device |
| 679 |  Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | |
| | Laceration repair (suture) — *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 |  Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 |  Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 |  Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 | Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 | Intracapsular |
|  | Ligation |
| 665 | Fallopian tubes (bilateral), except endoscopic approach |
| 664 | Endoscopic approach |
| 612 | Hemorrhoids |
| 577 | Varicose veins |
| 655 | Vas deferens |
| 577 | Ligation and stripping, varicose veins |
|  | Lobectomy |
| 501 | Brain |
| 615 | Liver |
| 566 | Lung, except partial |
| 565 | Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
|  | Lysis, adhesions |
| 630 | Abdominal |
| 741 | Hand |
| 524 | Iris |
| 716 | Joint |
| 731 | Muscle, except of hand |
| 741 | Hand |
| 630 | Pelvis |
| 630 | Peritoneum |
| 731 | Tendon, except of hand |
| 741 | Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 | Partial |
| 699 | Mandibulotomy |
|  | Mastectomy |
| 743 | Complete |
| 743 | Simple, except extended |
| 744 | Extended |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 759 | Radiation therapy |
| | Radiography |
| 757 |  Arteries, except cerebral and coronary |
| 755 |   Cerebral |
| 756 |   Coronary |
| 758 |  Breast |
| 755 |  Cerebral |
| 755 |   Arteries |
| 753 |   Ventricles |
| 758 |  Chest |
| 758 |  Gallbladder |
| 758 |  Kidney |
| 758 |  Skeletal |
| 758 |  Spine, except myelogram |
| 754 |   Myelogram |
| 757 |  Veins |
| | Reattachment |
| 738 |  Extremity |
| 528 |  Retina |
| 731 |  Tendon, except of hand |
| 729 |   Hand |
| 530 | Recession, ocular muscle |
| | Reconstruction |
| 535 |  Ear ossicles |
| 699 |  Mandible |
| 729 |  Thumb |
| 680 | Rectocele repair |
| | Reduction |
| |  Dislocation, except temporomandibular |
| 714 |   Closed |
| 715 |   Open |
| 702 |   Temporomandibular (joint) |
| |  Fracture, except facial bone, femur, and nose |
| 713 |   Closed, except with internal fixation |
| 711 |    With internal fixation |
| 713 |   Open, except with internal fixation |
| 712 |    With internal fixation |
| 701 |   Facial bone, except closed reduction |
| 700 |    Closed reduction |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

## OPERATION INDEX (continued)

Group Number | Title

- Removal (continued)
      - 524 Iris
      - 527 Lens
  - Prosthesis
    - 745 Breast
    - 716 Joint
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| |   Hernia – *see Herniorrhaphy* |
| 723 |   Hip, except total replacement |
| 722 |     Total replacement |
| |   Hydrocephalus, by ventricular shunt |
| 504 |     Extracranial |
| 505 |     Intracranial (ventriculostomy) |
| 601 |   Intestine |
| 725 |   Joint, except hip and knee |
| 723 |     Hip, except total replacement |
| 722 |       Total replacement |
| 724 |     Knee |
| 724 |   Knee (joint) |
| |   Laceration – *see also Repair, by site* |
| 697 |     Obstetric |
| 562 |   Larynx |
| 552 |   Lip |
| 615 |   Liver |
| 568 |   Lung |
| 731 |   Muscle, except extraocular and of hand |
| 531 |     Extraocular |
| 729 |     Hand |
| 556 |   Nasopharyngeal atresia |
| 542 |   Nose |
| 663 |   Ovary |
| 551 |   Palate |
| 658 |   Penis |
| 685 |   Perineum, female, except obstetric laceration |
| 697 |     Obstetric laceration |
| 509 |   Peripheral nerve |
| 596 |   Pylorus, stomach |
| 680 |   Rectocele, vagina |
| 609 |   Rectum |
| 528 |   Retinal detachment or tear |
| 730 |   Rotator-cuff (shoulder) |
| 503 |   Skull |
| 507 |   Spina bifida |
| 507 |   Spinal meningocele |
| 596 |   Stomach |
| 644 |   Stress incontinence, except urethral suspension |
| 643 |     Urethral suspension |
| 731 |   Tendon, except of hand |
| 729 |     Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |  Testis |
| 562 |  Trachea |
| 635 |  Ureter |
| 640 |  Urethra |
| 679 |  Uterus, except obstetric laceration and supporting structures |
| 697 |  Obstetric laceration |
| 678 |  Supporting structures |
| 681 |  Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |  Cystocele and rectocele |
| 697 |  Obstetric laceration |
| 552 |  Vestibular arch (mouth) |
| 685 |  Vulva, except obstetric laceration |
| 697 |  Obstetric laceration |
| | Replacement |
| 574 |  Cardiac pacemaker |
| 571 |  Heart valve |
| 725 |  Joint, except hip and knee |
| 723 |  Hip, except total replacement |
| 722 |  Total replacement |
| 724 |  Knee |
| 647 |  Urinary catheter |
| | Resection |
| 638 |  Bladder |
| 581 |  Blood vessel |
| 564 |  Bronchus |
| 599 |  Large intestine |
| 730 |  Muscle, except of hand |
| 728 |  Hand |
| 541 |  Nasal septum, submucous |
| 530 |  Ocular muscle |
| 660 |  Ovary |
| 608 |  Rectum (abdominoperineal) (pull-through) |
| 549 |  Root of tooth |
| 598 |  Small intestine |
| 730 |  Tendon, except of hand |
| 728 |  Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |  Amputation stump |
| 581 |  Arteriovenous shunt for dialysis |
| 596 |  Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
|  | Revision (continued) |
| 601 |    Intestinal anastomosis |
| 539 |    Mastoidectomy |
| 562 |    Tracheostomy |
| 539 |    Tympanoplasty |
| 505 |    Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
|  |  |
|  | Salpingectomy |
| 665 |    Bilateral |
| 666 |    Unilateral |
|  | Salpingo-oophorectomy |
| 662 |    Bilateral |
| 661 |    Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
|  | Scan |
| 758 |    C.A.T. (computerized axial tomography) |
| 758 |    Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
|  | Shunt – *see also Bypass* |
| 504 |    Cerebral ventricles, except intracranial and revision |
| 505 |       Intracranial |
| 505 |       Revision |
| 578 |    Peripheral vessels |
| 630 |    Peritoneovenous |
| 578 |    Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 |    Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 |    Breast |
|  | Sphincterotomy |
| 617 |    Ampullary (of Vater) (pancreas) |
| 613 |    Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| 644 | Stress incontinence repair, except by urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture – *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| | |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| | |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | |
| | X-ray — *see Radiography* |
| | |
| 751 | Z-plasty, skin |

R3850-1.11

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# DX LENGTH OF STAY BY DIAGNOSIS

## CANADA

## 1981

# Length of Stay by Diagnosis, Canada, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1

- Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
- Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
- Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
- Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . 5
  - Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . 5
  - Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . 6
- Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . 6
- Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . 17

- Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . 18
- Summary of All Patients Except Newborn . . . . . . . . . . . . . . . . . 19
- Diagnosis Groups 1-398 . . . . . . . . . . . . . . . . . . . . . . . . . . 20

**Appendix: *ICD-9-CM* Codes for Selected Diagnosis Groups** . . . . . . . . . . . . 219

**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . 223

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the Canada length of stay books are displayed on the following page.

## Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | Canada Total[2] (2) | Number in Books (3) | Percent in Books (4) | Canada Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 242 | 25 | 10.3 | 3,434 | 450 | 13.1 |
| 25-49 | 194 | 74 | 38.1 | 6,680 | 2,514 | 37.6 |
| 50-99 | 174 | 59 | 33.9 | 12,300 | 4,117 | 33.5 |
| 100-199 | 120 | 42 | 35.0 | 16,507 | 5,760 | 34.9 |
| 200-299 | 74 | 17 | 23.0 | 17,869 | 4,054 | 22.7 |
| 300-399 | 58 | 11 | 19.0 | 20,119 | 3,685 | 18.3 |
| 400-499 | 20 | 4 | 20.0 | 8,981 | 1,844 | 20.5 |
| 500 or more | 37 | 10 | 27.0 | 25,481 | 6,698 | 26.3 |
| Total | 919 | 242 | 26.3 | 111,371 | 29,122 | 26.1 |
| **Province or Territory** | | | | | | |
| Alberta | 125 | 113 | 90.4 | 11,653 | 10,459 | 89.8 |
| British Columbia | 111 | 53 | 47.7 | 12,355 | 6,683 | 54.1 |
| Manitoba | 78 | – | – | 5,150 | – | – |
| New Brunswick | 33 | 33 | 100 | 3,924 | 3,924 | 100 |
| Newfoundland | 35 | 8 | 22.9 | 2,588 | 1,718 | 66.4 |
| Nova Scotia | 48 | 16 | 33.3 | 4,833 | 3,146 | 65.1 |
| Ontario | 207 | – | – | 37,688 | – | – |
| Prince Edward Island | 9 | – | – | 644 | – | – |
| Quebec | 138 | 1 | .7 | 26,125 | 534 | 2.0 |
| Saskatchewan | 132 | 16 | 12.1 | 6,260 | 2,557 | 40.8 |
| Northwest Territories | 3 | 2 | 66.6 | 151 | 101 | 66.9 |
| Yukon | 0 | – | – | – | – | – |
| Total | 919 | 242 | 26.3 | 111,371 | 29,122 | 26.1 |

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each diagnosis group, patients are further stratified by single or multiple diagnoses, operation status, and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Diagnosis information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[2])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

Operated patients are those who had at least one procedure that had an operative or anesthetic risk, required highly trained personnel, or required special facilities or equipment. For a complete list of these procedures refer to the Class 1 procedure section of *UHDDS Classes of Procedures, ICD-9-CM,*[1] Commission on Professional and Hospital Activities, Ann Arbor, Michigan 1978. Patients with only Class 2-4 procedures are considered nonoperated.

## Explanation of Statistics

The *List A* diagnosis group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis codes included in that *List A* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

[1] Additional information regarding classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

## Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1981* or *Length of Stay by Operation, Canada, 1981.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than the one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups*[1]) that contains the admission diagnosis in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses can also be found in the Alphabetic Index at the back of the length of stay books.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[3] That code can then be located in *List A* or in the heading of the length of stay table.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

---

[1] ***ICD-9-CM List A: Hospital Diagnosis Groups,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] ***Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,*** Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] ***International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,*** Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 47-year-old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

Step 1. The length of stay group can be found in any of the following ways.

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is 215.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.*<br>*a. acute myocardial infarction*<br>*b. dissecting aortic aneurysm*<br>*c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 156 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 395 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 38 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** INDEX TO DISEASES

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.4
      - gallbladder 574.1
    - choledocholithiasis 574.4
    - cholelithiasis 574.1
  - acute 575.0
    - with
      - calculus, stones in
        - bile duct (common) (hepatic) 574.3
        - gallbladder 574.0
      - choledocholithiasis 574.3
      - cholelithiasis 574.0
  - emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
  - gangrenous *(see also* Cholecystitis, acute) 575.0
  - paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
  - suppurative *(see also* cholecystitis, acute) 575.0
  - typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.4
    - acute 574.3
- **Cholelithiasis** (impacted) (multiple) 574.2

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

  - with cholecystitis (chronic) 574.1
    - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 59th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 20-34 | 1472 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 1964 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| 50-64 | 3826 | 5.6 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 65+ | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 671 | 9.6 | 30 | 5 | 5 | 8 | 11 | 15 | 17 | 32 |
| 20-34 | 9073 | 9.2 | 24 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| 35-49 | 11544 | 9.9 | 27 | 5 | 6 | 8 | 12 | 16 | 19 | 30 |
| 50-64 | 17699 | 11.4 | 41 | 5 | 6 | 10 | 13 | 18 | 23 | 35 |
| 65+ | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6693 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 50291 | 8.3 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14921 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 57525 | 11.9 | 54 | 5 | 6 | 10 | 14 | 20 | 25 | 41 |
| **1. SINGLE DX** | 56984 | 7.8 | 15 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 72446 | 10.8 | 53 | 3 | 5 | 9 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 21614 | 5.7 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 107816 | 10.2 | 38 | 5 | 6 | 8 | 12 | 17 | 21 | 34 |
| TOTAL 0-19 YRS | 2325 | 7.5 | 19 | 2 | 3 | 7 | 9 | 12 | 14 | 22 |
| 20-34 | 27293 | 7.6 | 16 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 35-49 | 28151 | 8.3 | 21 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 50-64 | 36761 | 9.4 | 31 | 3 | 5 | 8 | 11 | 16 | 19 | 30 |
| 65+ | 34900 | 12.1 | 68 | 3 | 5 | 10 | 15 | 21 | 27 | 44 |
| **GRAND TOTAL** | **129430** | **9.5** | **38** | **3** | **4** | **8** | **11** | **16** | **20** | **33** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 5. The patient is 47 years old and therefore falls in the age group 35-49.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 6 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

Step 6. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the seventh day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 231 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 1724 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 1625 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 50-64 | 1648 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 14 |
| 65+ | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1267 | 7.5 | 10 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 20-34 | 15024 | 7.4 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 17 |
| 35-49 | 13018 | 7.9 | 11 | 5 | 6 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 13588 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 15 | 21 |
| 65+ | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |

The patient was admitted on 3 November; therefore, the seventh day will fall on 10 November. Prior to or on 10 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

242 Hospitals, Canada, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110557 | 4.4 | 16 | 1 | 1 | 4 | 5 | 7 | 10 | 19 |
| 20-34 | 65586 | 4.4 | 26 | <1 | 1 | 4 | 5 | 7 | 10 | 27 |
| 35-49 | 20714 | 6.1 | 51 | 1 | 1 | 4 | 7 | 13 | 18 | 38 |
| 50-64 | 19551 | 7.5 | 63 | 1 | 1 | 5 | 9 | 16 | 21 | 41 |
| 65+ | 22491 | 9.0 | 88 | 1 | 2 | 6 | 11 | 19 | 27 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43463 | 3.6 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 20-34 | 74205 | 4.3 | 14 | <1 | 1 | 4 | 5 | 8 | 10 | 18 |
| 35-49 | 29046 | 5.2 | 24 | <1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 23953 | 6.6 | 41 | 1 | 1 | 5 | 9 | 13 | 18 | 32 |
| 65+ | 18892 | 8.5 | 71 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89930 | 6.0 | 37 | 1 | 2 | 5 | 7 | 10 | 15 | 33 |
| 20-34 | 34084 | 6.2 | 67 | 1 | 1 | 4 | 7 | 12 | 20 | 47 |
| 35-49 | 23430 | 7.8 | 74 | 1 | 1 | 5 | 10 | 17 | 23 | 45 |
| 50-64 | 38107 | 9.5 | 95 | 1 | 2 | 7 | 12 | 20 | 28 | 57 |
| 65+ | 71056 | 12.4 | 157 | 2 | 3 | 9 | 15 | 27 | 41 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23406 | 6.4 | 84 | 1 | 1 | 3 | 7 | 14 | 22 | 57 |
| 20-34 | 62820 | 6.6 | 47 | 1 | 2 | 5 | 8 | 11 | 16 | 39 |
| 35-49 | 31315 | 8.5 | 77 | 1 | 2 | 7 | 10 | 17 | 24 | 50 |
| 50-64 | 33619 | 11.2 | 130 | 1 | 2 | 8 | 14 | 24 | 34 | 71 |
| 65+ | 39373 | 14.8 | 205 | 2 | 3 | 11 | 19 | 36 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238899 | 5.2 | 35 | 1 | 1 | 4 | 6 | 10 | 14 | 31 |
| B. *Operated* | 189559 | 5.0 | 28 | <1 | 1 | 4 | 6 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 256607 | 8.5 | 93 | 1 | 2 | 5 | 10 | 18 | 27 | 63 |
| B. *Operated* | 190533 | 9.4 | 114 | 1 | 2 | 6 | 11 | 21 | 31 | 70 |
| **1. SINGLE DX** | 428458 | 5.1 | 32 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | 447140 | 8.9 | 102 | 1 | 2 | 6 | 10 | 19 | 28 | 66 |
| **A. NOT OPERATED** | 495506 | 6.9 | 68 | 1 | 1 | 5 | 8 | 14 | 21 | 49 |
| **B. OPERATED** | 380092 | 7.2 | 76 | 1 | 1 | 5 | 8 | 15 | 23 | 51 |
| TOTAL 0-19 YRS | 267356 | 5.0 | 30 | 1 | 1 | 4 | 6 | 9 | 12 | 29 |
| 20-34 | 236695 | 5.2 | 35 | <1 | 1 | 4 | 6 | 9 | 13 | 31 |
| 35-49 | 104505 | 6.9 | 58 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |
| 50-64 | 115230 | 9.1 | 92 | 1 | 2 | 6 | 11 | 19 | 27 | 55 |
| 65+ | 151812 | 12.0 | 154 | 2 | 2 | 8 | 15 | 27 | 39 | 99+ |
| **GRAND TOTAL** | **875598** | **7.0** | **71** | **1** | **1** | **5** | **8** | **15** | **22** | **50** |

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66783 | 4.3 | 24 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 20-34 | 65586 | 4.4 | 26 | <1 | 1 | 4 | 5 | 7 | 10 | 27 |
| 35-49 | 20714 | 6.1 | 51 | 1 | 1 | 4 | 7 | 13 | 18 | 38 |
| 50-64 | 19551 | 7.5 | 63 | 1 | 1 | 5 | 9 | 16 | 21 | 41 |
| 65+ | 22491 | 9.0 | 88 | 1 | 2 | 6 | 11 | 19 | 27 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43449 | 3.6 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 20-34 | 74205 | 4.3 | 14 | <1 | 1 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 29046 | 5.2 | 24 | <1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 50-64 | 23953 | 6.6 | 41 | 1 | 1 | 5 | 9 | 13 | 18 | 32 |
| 65+ | 18892 | 8.5 | 71 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44489 | 5.9 | 48 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| 20-34 | 34084 | 6.2 | 67 | 1 | 1 | 4 | 7 | 12 | 20 | 47 |
| 35-49 | 23430 | 7.8 | 74 | 1 | 1 | 5 | 10 | 17 | 23 | 45 |
| 50-64 | 38107 | 9.5 | 95 | 1 | 2 | 7 | 12 | 20 | 28 | 57 |
| 65+ | 71056 | 12.4 | 157 | 2 | 3 | 9 | 15 | 27 | 41 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22874 | 6.1 | 72 | 1 | 1 | 3 | 7 | 13 | 20 | 49 |
| 20-34 | 62820 | 6.6 | 47 | 1 | 2 | 5 | 8 | 11 | 16 | 39 |
| 35-49 | 31315 | 8.5 | 77 | 1 | 2 | 7 | 10 | 17 | 24 | 50 |
| 50-64 | 33619 | 11.2 | 130 | 1 | 2 | 8 | 14 | 24 | 34 | 71 |
| 65+ | 39373 | 14.8 | 205 | 2 | 3 | 11 | 19 | 34 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 195125 | 5.4 | 41 | 1 | 1 | 4 | 6 | 11 | 16 | 34 |
| B. *Operated* | 189545 | 5.0 | 28 | <1 | 1 | 4 | 6 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211166 | 9.0 | 107 | 1 | 2 | 6 | 11 | 20 | 29 | 68 |
| B. *Operated* | 190001 | 9.4 | 113 | 1 | 2 | 6 | 11 | 21 | 30 | 69 |
| **1. SINGLE DX** | 384670 | 5.2 | 35 | 1 | 1 | 4 | 6 | 10 | 15 | 30 |
| **2. MULTIPLE DX** | 401167 | 9.2 | 110 | 1 | 2 | 6 | 11 | 20 | 30 | 69 |
| **A. NOT OPERATED** | 406291 | 7.3 | 79 | 1 | 1 | 5 | 9 | 16 | 23 | 53 |
| **B. OPERATED** | 379546 | 7.2 | 75 | 1 | 1 | 5 | 8 | 15 | 23 | 51 |
| TOTAL 0-19 YRS | 177595 | 4.8 | 36 | 1 | 1 | 3 | 6 | 9 | 14 | 31 |
| 20-34 | 236695 | 5.2 | 35 | <1 | 1 | 4 | 6 | 9 | 13 | 31 |
| 35-49 | 104505 | 6.9 | 58 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |
| 50-64 | 115230 | 9.1 | 92 | 1 | 2 | 6 | 11 | 19 | 27 | 55 |
| 65+ | 151812 | 12.0 | 154 | 2 | 2 | 8 | 15 | 27 | 39 | 99+ |
| **GRAND TOTAL** | 785837 | 7.2 | 77 | 1 | 1 | 5 | 8 | 15 | 23 | 52 |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2034 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 20-34 | 405 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 160 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 50-64 | 114 | 4.4 | 15 | 1 | 1 | 3 | 6 | 10 | 13 | 19 |
| 65+ | 128 | 6.1 | 74 | 1 | 1 | 4 | 8 | 13 | 16 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.8 | 10 | 1 | 2 | 5 | 7 | 10 | 13 | 13 |
| 20-34 | 26 | 5.7 | 10 | 1 | 2 | 5 | 8 | 9 | 13 | 15 |
| 35-49 | 7 | 8.0 | 4 | 5 | 5 | 8 | 9 | 11 | 11 | 11 |
| 50-64 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 4 | 22.5 | 190 | 8 | 8 | 21 | 33 | 39 | 39 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1217 | 6.5 | 33 | 1 | 2 | 5 | 8 | 13 | 19 | 28 |
| 20-34 | 240 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 108 | 5.9 | 34 | 2 | 2 | 4 | 7 | 10 | 16 | 35 |
| 50-64 | 143 | 6.8 | 35 | 1 | 2 | 5 | 9 | 13 | 20 | 31 |
| 65+ | 227 | 8.6 | 78 | 2 | 3 | 6 | 11 | 16 | 21 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 11.5 | 168 | 4 | 4 | 7 | 10 | 24 | 48 | 53 |
| 20-34 | 19 | 8.4 | 52 | 3 | 4 | 5 | 11 | 17 | 26 | 32 |
| 35-49 | 16 | 7.7 | 19 | 1 | 2 | 8 | 11 | 14 | 15 | 15 |
| 50-64 | 14 | 9.0 | 11 | 5 | 5 | 9 | 11 | 14 | 15 | 15 |
| 65+ | 13 | 13.7 | 96 | 4 | 4 | 12 | 23 | 42 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2841 | 4.5 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| B. *Operated* | 51 | 7.4 | 40 | 1 | 2 | 6 | 8 | 12 | 15 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1935 | 6.4 | 37 | 1 | 2 | 5 | 8 | 13 | 18 | 29 |
| B. *Operated* | 75 | 9.8 | 66 | 3 | 4 | 7 | 12 | 18 | 29 | 88 |
| **1. SINGLE DX** | 2892 | 4.6 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 2010 | 6.5 | 38 | 1 | 2 | 5 | 8 | 13 | 19 | 29 |
| **A. NOT OPERATED** | 4776 | 5.3 | 29 | 1 | 1 | 4 | 6 | 11 | 14 | 25 |
| **B. OPERATED** | 126 | 8.8 | 56 | 2 | 4 | 7 | 11 | 15 | 24 | 64 |
| TOTAL 0-19 YRS | 3276 | 5.5 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 20-34 | 690 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 291 | 5.2 | 19 | 1 | 1 | 4 | 7 | 9 | 11 | 25 |
| 50-64 | 273 | 5.9 | 27 | 1 | 1 | 4 | 8 | 12 | 16 | 24 |
| 65+ | 372 | 8.0 | 82 | 1 | 2 | 5 | 10 | 16 | 21 | 83 |
| **GRAND TOTAL** | **4902** | **5.4** | **30** | **1** | **1** | **4** | **7** | **11** | **15** | **26** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 21.3 | 310 | 2 | 3 | 19 | 36 | 42 | 67 | 99+ |
| 20-34 | 34 | 21.1 | 364 | 2 | 5 | 15 | 33 | 48 | 55 | 86 |
| 35-49 | 21 | 21.6 | 449 | 2 | 5 | 13 | 24 | 55 | 71 | 85 |
| 50-64 | 21 | 13.7 | 424 | 2 | 3 | 7 | 14 | 54 | 97 | 99+ |
| 65+ | 16 | 9.0 | 46 | 3 | 4 | 7 | 14 | 78 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 40.3 | 721 | 21 | 21 | 29 | 60 | 71 | 71 | 71 |
| 20-34 | 10 | 15.9 | 217 | 3 | 5 | 12 | 16 | 36 | 56 | 56 |
| 35-49 | 4 | 23.8 | 81 | 16 | 16 | 22 | 31 | 35 | 35 | 35 |
| 50-64 | 11 | 15.6 | 46 | 5 | 8 | 13 | 21 | 25 | 29 | 29 |
| 65+ | 8 | 18.0 | 423 | 5 | 5 | 12 | 18 | 53 | 67 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 33.4 | 750 | 2 | 3 | 26 | 53 | 75 | 86 | 91 |
| 20-34 | 25 | 27.0 | 631 | 4 | 9 | 17 | 43 | 78 | 98 | 99+ |
| 35-49 | 22 | 20.5 | 285 | 3 | 4 | 16 | 33 | 67 | 99+ | 99+ |
| 50-64 | 38 | 22.1 | 323 | 5 | 5 | 20 | 36 | 90 | 99+ | 99+ |
| 65+ | 55 | 27.7 | 480 | 4 | 6 | 25 | 43 | 71 | 96 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 51.6 | 1798 | 9 | 9 | 42 | 95 | 97 | 97 | 97 |
| 20-34 | 9 | 28.3 | 544 | 9 | 11 | 19 | 37 | 67 | 83 | 83 |
| 35-49 | 15 | 22.9 | 671 | 2 | 6 | 15 | 31 | 94 | 99 | 99+ |
| 50-64 | 33 | 27.8 | 500 | 4 | 7 | 23 | 48 | 91 | 99+ | 99+ |
| 65+ | 18 | 39.9 | 707 | 10 | 12 | 30 | 64 | 77 | 87 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 18.5 | 344 | 2 | 3 | 12 | 29 | 49 | 84 | 99+ |
| B. *Operated* | 36 | 19.2 | 250 | 5 | 6 | 15 | 21 | 34 | 64 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 25.9 | 474 | 4 | 5 | 20 | 43 | 77 | 99+ | 99+ |
| B. *Operated* | 80 | 31.2 | 682 | 6 | 8 | 22 | 51 | 92 | 98 | 99+ |
| **1. SINGLE DX** | 163 | 18.7 | 322 | 2 | 4 | 13 | 28 | 47 | 71 | 99+ |
| **2. MULTIPLE DX** | 239 | 27.7 | 547 | 4 | 6 | 21 | 45 | 83 | 99+ | 99+ |
| **A. NOT OPERATED** | 286 | 22.6 | 429 | 3 | 4 | 16 | 36 | 62 | 96 | 99+ |
| **B. OPERATED** | 116 | 27.4 | 575 | 5 | 7 | 19 | 40 | 78 | 96 | 99+ |
| TOTAL 0-19 YRS | 62 | 28.4 | 623 | 2 | 3 | 25 | 41 | 71 | 92 | 99+ |
| 20-34 | 78 | 23.2 | 451 | 3 | 5 | 16 | 33 | 54 | 81 | 99+ |
| 35-49 | 62 | 21.6 | 405 | 2 | 5 | 16 | 30 | 63 | 98 | 99+ |
| 50-64 | 103 | 21.5 | 391 | 4 | 5 | 18 | 34 | 85 | 99+ | 99+ |
| 65+ | 97 | 26.1 | 525 | 4 | 5 | 19 | 43 | 71 | 95 | 99+ |
| **GRAND TOTAL** | **402** | **24.0** | **475** | **3** | **5** | **17** | **36** | **69** | **96** | **99+** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 13.0 | 621 | <1 | 1 | 5 | 8 | 45 | 83 | 87 |
| 35-49 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 50-64 | 4 | 6.5 | 41 | 2 | 2 | 4 | 10 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 9.1 | 109 | 1 | 1 | 5 | 11 | 27 | 34 | 34 |
| 20-34 | 12 | 7.9 | 132 | <1 | <1 | 3 | 7 | 29 | 36 | 37 |
| 35-49 | 15 | 15.3 | 346 | <1 | <1 | 10 | 15 | 43 | 59 | 64 |
| 50-64 | 5 | 7.8 | 67 | <1 | <1 | 7 | 12 | 21 | 21 | 21 |
| 65+ | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 13.5 | 76 | 2 | 2 | 15 | 20 | 22 | 22 | 22 |
| 20-34 | 7 | 10.4 | 20 | 3 | 4 | 11 | 14 | 15 | 15 | 15 |
| 35-49 | 4 | 4.5 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 9.0 | 21 | 5 | 5 | 8 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 27.0 | 1352 | 1 | 1 | 27 | 53 | 53 | 53 | 53 |
| 20-34 | 4 | 6.3 | 43 | 2 | 2 | 4 | 37 | 99+ | 99+ | 99+ |
| 35-49 | 11 | 14.1 | 76 | <1 | 2 | 13 | 22 | 25 | 28 | 28 |
| 50-64 | 12 | 19.8 | 405 | 2 | 4 | 14 | 41 | 73 | 95 | 99+ |
| 65+ | 11 | 21.4 | 456 | 4 | 5 | 17 | 34 | 84 | 98 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 11.0 | 405 | <1 | 1 | 5 | 9 | 17 | 62 | 87 |
| B. *Operated* | 43 | 10.6 | 191 | <1 | <1 | 6 | 10 | 35 | 41 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 9.3 | 33 | 2 | 3 | 8 | 14 | 17 | 20 | 22 |
| B. *Operated* | 40 | 17.7 | 315 | 1 | 3 | 14 | 27 | 68 | 99+ | 99+ |
| **1. SINGLE DX** | 60 | 10.7 | 246 | <1 | <1 | 6 | 10 | 30 | 41 | 85 |
| **2. MULTIPLE DX** | 59 | 15.0 | 238 | 2 | 3 | 12 | 20 | 50 | 85 | 99+ |
| **A. NOT OPERATED** | 36 | 10.1 | 203 | 1 | 2 | 6 | 13 | 17 | 21 | 87 |
| **B. OPERATED** | 83 | 14.0 | 260 | <1 | 1 | 9 | 20 | 43 | 68 | 99+ |
| TOTAL 0-19 YRS | 15 | 12.7 | 213 | 1 | 1 | 8 | 17 | 34 | 48 | 53 |
| 20-34 | 34 | 9.9 | 246 | <1 | <1 | 5 | 12 | 26 | 74 | 99+ |
| 35-49 | 32 | 13.2 | 195 | <1 | 1 | 9 | 15 | 32 | 43 | 64 |
| 50-64 | 22 | 14.0 | 274 | <1 | 1 | 9 | 16 | 52 | 78 | 99+ |
| 65+ | 16 | 17.0 | 355 | 2 | 4 | 10 | 23 | 69 | 92 | 99+ |
| **GRAND TOTAL** | 119 | 12.8 | 244 | <1 | 1 | 8 | 16 | 37 | 65 | 99+ |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 33 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 6 |
| 35-49 | 8 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 2 | 15.0 | 288 | 3 | 3 | 15 | 27 | 27 | 27 | 27 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 33 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 9 | 10 |
| 35-49 | 10 | 4.7 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 50-64 | 6 | 4.5 | 5 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 9 | 5.7 | 9 | 2 | 2 | 5 | 7 | 10 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 48 | 4 | 4 | 4 | 13 | 16 | 16 | 16 |
| 20-34 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 235 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| B. *Operated* | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 257 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 5 | 6.0 | 32 | 2 | 2 | 4 | 7 | 16 | 16 | 16 |
| **1. SINGLE DX** | 238 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 18 |
| **2. MULTIPLE DX** | 262 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 492 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 8 | 4.4 | 23 | 1 | 1 | 3 | 4 | 12 | 16 | 16 |
| TOTAL 0-19 YRS | 396 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 68 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 18 | 4.0 | 4 | 2 | 2 | 3 | 6 | 7 | 8 | 8 |
| 50-64 | 8 | 7.1 | 68 | 1 | 2 | 5 | 6 | 21 | 27 | 27 |
| 65+ | 10 | 5.6 | 8 | 2 | 2 | 5 | 7 | 10 | 12 | 12 |
| **GRAND TOTAL** | 500 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |

### 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 6.3 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 19 |
| 20-34 | 7 | 5.4 | 3 | 2 | 3 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 8 | 6.8 | 19 | 1 | 1 | 6 | 10 | 12 | 13 | 13 |
| 50-64 | 8 | 7.6 | 8 | 4 | 4 | 8 | 10 | 11 | 12 | 12 |
| 65+ | 9 | 9.6 | 5 | 7 | 7 | 9 | 11 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 7.9 | 54 | 2 | 3 | 6 | 10 | 16 | 27 | 93 |
| 20-34 | 23 | 9.0 | 62 | 2 | 3 | 7 | 10 | 19 | 30 | 33 |
| 35-49 | 27 | 11.9 | 60 | 4 | 5 | 11 | 16 | 21 | 48 | 99+ |
| 50-64 | 38 | 15.1 | 141 | 3 | 4 | 12 | 16 | 33 | 41 | 55 |
| 65+ | 125 | 14.4 | 85 | 4 | 5 | 12 | 17 | 29 | 34 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 46.0 | 2450 | 11 | 11 | 46 | 81 | 81 | 81 | 81 |
| 20-34 | 7 | 25.7 | 358 | 5 | 6 | 18 | 44 | 51 | 52 | 52 |
| 35-49 | 7 | 15.6 | 23 | 7 | 8 | 16 | 18 | 21 | 22 | 22 |
| 50-64 | 15 | 22.5 | 295 | 3 | 8 | 16 | 41 | 53 | 86 | 99+ |
| 65+ | 22 | 25.1 | 310 | 5 | 6 | 21 | 32 | 41 | 59 | 85 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 77 | 6.8 | 14 | 2 | 2 | 7 | 9 | 12 | 13 | 18 |
| B. *Operated* | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 275 | 12.3 | 89 | 3 | 4 | 10 | 15 | 26 | 36 | 53 |
| B. *Operated* | 53 | 24.0 | 325 | 5 | 7 | 18 | 32 | 51 | 75 | 99 |
| 1. SINGLE DX | 78 | 7.0 | 18 | 2 | 2 | 7 | 9 | 12 | 13 | 23 |
| 2. MULTIPLE DX | 328 | 14.2 | 144 | 3 | 4 | 11 | 17 | 31 | 42 | 88 |
| A. NOT OPERATED | 352 | 11.1 | 77 | 2 | 4 | 9 | 14 | 20 | 31 | 48 |
| B. OPERATED | 54 | 24.0 | 319 | 5 | 7 | 19 | 32 | 51 | 74 | 99 |
| TOTAL 0-19 YRS | 109 | 7.9 | 68 | 2 | 2 | 6 | 9 | 14 | 19 | 99 |
| 20-34 | 38 | 11.8 | 149 | 2 | 3 | 7 | 12 | 32 | 42 | 52 |
| 35-49 | 42 | 11.5 | 52 | 3 | 4 | 11 | 16 | 20 | 29 | 99+ |
| 50-64 | 61 | 16.0 | 177 | 3 | 4 | 12 | 18 | 40 | 52 | 95 |
| 65+ | 156 | 15.6 | 126 | 4 | 6 | 12 | 19 | 31 | 39 | 48 |
| GRAND TOTAL | 406 | 12.8 | 128 | 2 | 4 | 10 | 16 | 29 | 40 | 83 |

### 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 309 | 7.9 | 43 | 1 | 2 | 6 | 11 | 16 | 20 | 33 |
| 20-34 | 20 | 6.7 | 25 | 1 | 2 | 5 | 10 | 14 | 17 | 19 |
| 35-49 | 13 | 6.5 | 24 | 1 | 2 | 5 | 8 | 15 | 17 | 17 |
| 50-64 | 11 | 5.6 | 10 | 2 | 2 | 5 | 8 | 10 | 12 | 12 |
| 65+ | 13 | 6.2 | 10 | 1 | 3 | 5 | 9 | 11 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 20-34 | 3 | 8.3 | 4 | 6 | 6 | 9 | 10 | 10 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 25.0 | 1273 | <1 | <1 | 8 | 51 | 66 | 66 | 66 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 156 | 9.8 | 60 | 2 | 3 | 8 | 12 | 20 | 26 | 38 |
| 20-34 | 14 | 6.7 | 18 | 2 | 2 | 5 | 11 | 13 | 14 | 14 |
| 35-49 | 12 | 7.8 | 21 | 3 | 3 | 7 | 9 | 16 | 17 | 17 |
| 50-64 | 19 | 8.9 | 57 | 3 | 4 | 6 | 10 | 23 | 28 | 29 |
| 65+ | 28 | 10.6 | 62 | 3 | 4 | 7 | 17 | 22 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 42.7 | 1124 | 10 | 10 | 41 | 68 | 77 | 77 | 77 |
| 20-34 | 4 | 21.0 | 430 | 7 | 7 | 19 | 38 | 44 | 44 | 44 |
| 35-49 | 2 | 10.5 | 5 | 9 | 9 | 10 | 12 | 12 | 12 | 12 |
| 50-64 | 4 | 19.0 | 151 | 8 | 8 | 17 | 29 | 34 | 34 | 34 |
| 65+ | 5 | 31.0 | 304 | 7 | 9 | 37 | 49 | 95 | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 366 | 7.7 | 39 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| B. *Operated* | 9 | 13.1 | 401 | <1 | 2 | 8 | 9 | 44 | 66 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 229 | 9.5 | 55 | 2 | 3 | 7 | 12 | 19 | 26 | 37 |
| B. *Operated* | 18 | 25.8 | 408 | 3 | 6 | 24 | 43 | 66 | 90 | 99+ |
| 1. SINGLE DX | 375 | 7.8 | 47 | 1 | 2 | 6 | 10 | 15 | 19 | 36 |
| 2. MULTIPLE DX | 247 | 10.7 | 97 | 2 | 3 | 8 | 13 | 23 | 33 | 50 |
| A. NOT OPERATED | 595 | 8.4 | 46 | 2 | 2 | 6 | 11 | 17 | 21 | 36 |
| B. OPERATED | 27 | 21.6 | 427 | 2 | 4 | 10 | 37 | 61 | 79 | 99+ |
| TOTAL 0-19 YRS | 471 | 8.8 | 61 | 2 | 2 | 7 | 11 | 17 | 22 | 40 |
| 20-34 | 41 | 8.2 | 69 | 2 | 2 | 5 | 10 | 15 | 25 | 44 |
| 35-49 | 27 | 7.4 | 21 | 2 | 3 | 6 | 10 | 16 | 17 | 17 |
| 50-64 | 37 | 10.4 | 148 | 2 | 3 | 6 | 10 | 26 | 32 | 66 |
| 65+ | 46 | 11.6 | 117 | 3 | 4 | 7 | 18 | 28 | 47 | 99+ |
| GRAND TOTAL | 622 | 9.0 | 69 | 2 | 2 | 7 | 11 | 18 | 24 | 44 |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 4.0 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 20-34 | 74 | 5.0 | 9 | 1 | 2 | 4 | 7 | 9 | 10 | 14 |
| 35-49 | 16 | 6.5 | 17 | 2 | 2 | 6 | 9 | 12 | 15 | 17 |
| 50-64 | 4 | 5.8 | 20 | 2 | 2 | 4 | 9 | 12 | 12 | 12 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 38 | 2 | 2 | 6 | 12 | 16 | 16 | 16 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 6.0 | 23 | 1 | 2 | 4 | 8 | 13 | 16 | 22 |
| 20-34 | 25 | 6.1 | 12 | 1 | 2 | 6 | 9 | 10 | 12 | 17 |
| 35-49 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 32.0 | 2 | 31 | 31 | 32 | 33 | 33 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| B. *Operated* | 4 | 7.5 | 38 | 2 | 2 | 6 | 12 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 6.8 | 38 | 1 | 2 | 5 | 9 | 12 | 18 | 33 |
| B. *Operated* | 2 | 17.0 | 72 | 11 | 11 | 17 | 23 | 23 | 23 | 23 |
| **1. SINGLE DX** | 224 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 66 | 7.1 | 41 | 1 | 2 | 5 | 9 | 15 | 22 | 33 |
| **A. NOT OPERATED** | 284 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 6 | 10.7 | 61 | 2 | 2 | 9 | 16 | 22 | 23 | 23 |
| TOTAL 0-19 YRS | 163 | 4.6 | 14 | 1 | 2 | 4 | 5 | 9 | 12 | 21 |
| 20-34 | 99 | 5.3 | 10 | 1 | 2 | 5 | 8 | 9 | 10 | 16 |
| 35-49 | 19 | 6.6 | 15 | 2 | 2 | 6 | 9 | 12 | 15 | 17 |
| 50-64 | 6 | 4.8 | 16 | 1 | 1 | 4 | 6 | 11 | 12 | 12 |
| 65+ | 3 | 22.7 | 262 | 4 | 4 | 31 | 32 | 33 | 33 | 33 |
| **GRAND TOTAL** | 290 | 5.2 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 23 |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 418 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 45 | 5.6 | 18 | 1 | 2 | 4 | 7 | 13 | 16 | 18 |
| 35-49 | 22 | 7.6 | 56 | 2 | 2 | 6 | 8 | 14 | 27 | 35 |
| 50-64 | 32 | 7.3 | 30 | 2 | 3 | 6 | 9 | 14 | 18 | 27 |
| 65+ | 78 | 9.8 | 56 | 2 | 3 | 8 | 14 | 19 | 29 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.0 | 93 | 3 | 3 | 6 | 17 | 21 | 21 | 21 |
| 20-34 | 5 | 8.8 | 14 | 5 | 5 | 8 | 10 | 15 | 15 | 15 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 9.0 | 14 | 5 | 5 | 8 | 11 | 14 | 14 | 14 |
| 65+ | 4 | 39.5 | 1583 | 7 | 7 | 28 | 69 | 94 | 94 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 367 | 5.1 | 26 | 1 | 2 | 4 | 6 | 9 | 13 | 34 |
| 20-34 | 58 | 7.1 | 32 | 2 | 2 | 6 | 8 | 13 | 19 | 38 |
| 35-49 | 21 | 7.9 | 47 | 1 | 2 | 7 | 9 | 19 | 25 | 27 |
| 50-64 | 52 | 9.1 | 43 | 2 | 3 | 7 | 10 | 20 | 25 | 29 |
| 65+ | 190 | 12.8 | 103 | 3 | 4 | 10 | 16 | 26 | 39 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.7 | 42 | 3 | 3 | 10 | 14 | 16 | 16 | 16 |
| 20-34 | 7 | 23.3 | 497 | 5 | 5 | 12 | 46 | 56 | 56 | 56 |
| 35-49 | 4 | 23.3 | 363 | 5 | 5 | 22 | 39 | 43 | 43 | 43 |
| 50-64 | 5 | 9.6 | 32 | 3 | 3 | 10 | 13 | 18 | 18 | 18 |
| 65+ | 21 | 21.0 | 291 | 2 | 5 | 20 | 26 | 42 | 56 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 595 | 5.1 | 22 | 1 | 2 | 4 | 6 | 10 | 14 | 25 |
| B. *Operated* | 17 | 15.9 | 500 | 2 | 3 | 8 | 14 | 39 | 76 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 688 | 7.8 | 60 | 2 | 2 | 5 | 9 | 16 | 24 | 47 |
| B. *Operated* | 40 | 19.3 | 284 | 3 | 4 | 13 | 25 | 43 | 58 | 73 |
| **1. SINGLE DX** | 612 | 5.4 | 37 | 1 | 2 | 4 | 6 | 10 | 15 | 34 |
| **2. MULTIPLE DX** | 728 | 8.4 | 79 | 2 | 2 | 6 | 10 | 19 | 27 | 54 |
| **A. NOT OPERATED** | 1283 | 6.5 | 44 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |
| **B. OPERATED** | 57 | 18.3 | 343 | 3 | 4 | 11 | 21 | 43 | 55 | 93 |
| TOTAL 0-19 YRS | 791 | 4.5 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 115 | 7.6 | 67 | 2 | 2 | 5 | 8 | 15 | 19 | 55 |
| 35-49 | 48 | 8.9 | 88 | 2 | 2 | 6 | 9 | 23 | 35 | 43 |
| 50-64 | 93 | 8.5 | 37 | 2 | 3 | 7 | 10 | 17 | 23 | 29 |
| 65+ | 293 | 13.0 | 134 | 3 | 4 | 10 | 16 | 27 | 40 | 99+ |
| **GRAND TOTAL** | 1340 | 7.0 | 62 | 1 | 2 | 5 | 8 | 18 | 21 | 48 |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 7.1 | 45 | 1 | 2 | 6 | 9 | 11 | 15 | 44 |
| 20-34 | 78 | 6.9 | 15 | 1 | 2 | 6 | 10 | 12 | 13 | 18 |
| 35-49 | 24 | 8.4 | 28 | 2 | 4 | 6 | 11 | 16 | 19 | 22 |
| 50-64 | 14 | 7.8 | 15 | 2 | 4 | 8 | 10 | 14 | 15 | 15 |
| 65+ | 8 | 8.4 | 12 | 2 | 3 | 9 | 10 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 16.3 | 725 | 1 | 1 | 7 | 8 | 65 | 71 | 71 |
| 35-49 | 5 | 8.2 | 9 | 4 | 4 | 9 | 10 | 12 | 12 | 12 |
| 50-64 | 6 | 12.7 | 67 | 2 | 2 | 12 | 21 | 23 | 23 | 23 |
| 65+ | 2 | 12.0 | 18 | 9 | 9 | 12 | 15 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.9 | 21 | 2 | 4 | 8 | 13 | 16 | 16 | 16 |
| 20-34 | 35 | 7.5 | 12 | 2 | 2 | 7 | 9 | 13 | 14 | 15 |
| 35-49 | 20 | 10.5 | 38 | 2 | 3 | 10 | 13 | 20 | 23 | 24 |
| 50-64 | 19 | 12.5 | 89 | 2 | 3 | 9 | 17 | 29 | 33 | 35 |
| 65+ | 14 | 13.4 | 65 | 3 | 6 | 11 | 19 | 24 | 31 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 10.5 | 31 | 5 | 5 | 9 | 13 | 19 | 20 | 20 |
| 35-49 | 4 | 12.0 | 117 | 4 | 4 | 8 | 18 | 28 | 28 | 28 |
| 50-64 | 11 | 16.3 | 70 | 8 | 9 | 15 | 18 | 27 | 38 | 39 |
| 65+ | 4 | 18.8 | 69 | 12 | 12 | 16 | 25 | 30 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 204 | 7.3 | 28 | 1 | 2 | 6 | 10 | 13 | 15 | 29 |
| B. *Operated* | 19 | 12.6 | 233 | 1 | 2 | 9 | 13 | 22 | 49 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 10.0 | 43 | 2 | 3 | 9 | 12 | 18 | 24 | 34 |
| B. *Operated* | 25 | 14.6 | 68 | 5 | 6 | 13 | 18 | 28 | 32 | 39 |
| **1. SINGLE DX** | 223 | 7.7 | 47 | 1 | 2 | 6 | 10 | 13 | 16 | 40 |
| **2. MULTIPLE DX** | 128 | 10.9 | 51 | 2 | 4 | 9 | 14 | 20 | 27 | 36 |
| **A. NOT OPERATED** | 307 | 8.2 | 35 | 2 | 2 | 7 | 10 | 14 | 18 | 34 |
| **B. OPERATED** | 44 | 13.7 | 137 | 3 | 4 | 11 | 16 | 23 | 33 | 71 |
| TOTAL 0-19 YRS | 95 | 7.4 | 42 | 1 | 2 | 6 | 10 | 14 | 16 | 42 |
| 20-34 | 125 | 7.7 | 48 | 2 | 2 | 7 | 10 | 13 | 14 | 33 |
| 35-49 | 53 | 9.4 | 35 | 2 | 4 | 8 | 12 | 18 | 23 | 28 |
| 50-64 | 50 | 12.0 | 67 | 2 | 4 | 10 | 15 | 22 | 31 | 39 |
| 65+ | 28 | 12.6 | 54 | 2 | 6 | 11 | 15 | 22 | 30 | 33 |
| **GRAND TOTAL** | **351** | **8.9** | **51** | **2** | **3** | **7** | **11** | **16** | **20** | **38** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 258 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 15 |
| 20-34 | 91 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 8 | 7.3 | 22 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 50-64 | 5 | 7.4 | 10 | 3 | 3 | 7 | 9 | 12 | 12 | 12 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 17.0 | 32 | 13 | 13 | 17 | 21 | 21 | 21 | 21 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 157 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 19 |
| 20-34 | 46 | 5.1 | 8 | 2 | 2 | 5 | 5 | 8 | 12 | 16 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.5 | 3 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 363 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 3 | 13.0 | 64 | 5 | 5 | 13 | 19 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 205 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| B. *Operated* | 6 | 9.0 | 23 | 4 | 4 | 8 | 10 | 17 | 18 | 18 |
| **1. SINGLE DX** | 366 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 211 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 19 |
| **A. NOT OPERATED** | 568 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 9 | 10.3 | 35 | 4 | 4 | 8 | 14 | 20 | 21 | 21 |
| TOTAL 0-19 YRS | 420 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 140 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 35-49 | 11 | 7.7 | 29 | 2 | 2 | 6 | 12 | 16 | 18 | 18 |
| 50-64 | 5 | 7.4 | 10 | 3 | 3 | 7 | 9 | 12 | 12 | 12 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **GRAND TOTAL** | **577** | **4.9** | **10** | **1** | **2** | **4** | **6** | **9** | **11** | **17** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 8.6 | 154 | 1 | 1 | 2 | 14 | 30 | 30 | 30 |
| 20-34 | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 207 | 2.0 | 9 | <1 | <1 | 1 | 2 | 4 | 7 | 13 |
| 20-34 | 292 | 2.3 | 7 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 35-49 | 59 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 50-64 | 25 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 8 | 10 |
| 65+ | 6 | 20.7 | 621 | <1 | <1 | 11 | 30 | 63 | 67 | 67 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.4 | 19 | <1 | <1 | 6 | 8 | 13 | 13 | 13 |
| 20-34 | 5 | 3.4 | 9 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 4.2 | 19 | <1 | <1 | 2 | 5 | 12 | 15 | 16 |
| 20-34 | 78 | 3.9 | 36 | <1 | <1 | 2 | 4 | 7 | 12 | 33 |
| 35-49 | 23 | 3.0 | 7 | <1 | <1 | 2 | 4 | 6 | 9 | 13 |
| 50-64 | 17 | 2.9 | 7 | <1 | <1 | 2 | 3 | 8 | 8 | 8 |
| 65+ | 12 | 4.9 | 11 | <1 | 1 | 5 | 8 | 9 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 8 | 6.6 | 96 | 1 | 1 | 3 | 7 | 24 | 30 | 30 |
| *B. Operated* | 589 | 2.3 | 16 | <1 | <1 | 1 | 2 | 5 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 11 | 4.6 | 14 | <1 | <1 | 5 | 7 | 10 | 13 | 13 |
| *B. Operated* | 173 | 3.9 | 23 | <1 | <1 | 2 | 5 | 8 | 13 | 31 |
| **1. SINGLE DX** | 597 | 2.4 | 17 | <1 | <1 | 1 | 2 | 5 | 7 | 19 |
| **2. MULTIPLE DX** | 184 | 3.9 | 23 | <1 | <1 | 2 | 5 | 8 | 13 | 31 |
| **A. NOT OPERATED** | 19 | 5.5 | 46 | <1 | 1 | 4 | 7 | 11 | 22 | 30 |
| **B. OPERATED** | 762 | 2.7 | 18 | <1 | <1 | 1 | 3 | 6 | 8 | 22 |
| TOTAL 0-19 YRS | 260 | 2.6 | 14 | <1 | <1 | 1 | 2 | 6 | 10 | 16 |
| 20-34 | 378 | 2.6 | 13 | <1 | <1 | 2 | 3 | 5 | 7 | 26 |
| 35-49 | 83 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 50-64 | 42 | 2.5 | 6 | <1 | <1 | 1 | 3 | 8 | 8 | 10 |
| 65+ | 18 | 10.2 | 248 | <1 | <1 | 6 | 9 | 25 | 52 | 67 |
| **GRAND TOTAL** | 781 | 2.7 | 19 | <1 | <1 | 1 | 3 | 6 | 8 | 26 |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 559 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 157 | 4.1 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 14 |
| 35-49 | 42 | 3.8 | 4 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 35 | 4.8 | 8 | 1 | 2 | 4 | 5 | 9 | 10 | 16 |
| 65+ | 36 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 14 | 18 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 3.8 | 29 | <1 | 1 | 1 | 3 | 13 | 18 | 19 |
| 20-34 | 8 | 3.6 | 9 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 4 | 3.0 | 8 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 443 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 105 | 4.4 | 10 | 1 | 2 | 3 | 5 | 9 | 11 | 16 |
| 35-49 | 42 | 4.3 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 50-64 | 70 | 8.3 | 58 | 1 | 2 | 6 | 8 | 21 | 24 | 36 |
| 65+ | 70 | 10.6 | 169 | 2 | 2 | 7 | 10 | 20 | 36 | 79 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 29 | 1 | 2 | 4 | 7 | 16 | 18 | 18 |
| 20-34 | 8 | 10.9 | 105 | 2 | 3 | 6 | 17 | 28 | 29 | 29 |
| 35-49 | 5 | 11.8 | 87 | 4 | 4 | 9 | 14 | 28 | 28 | 28 |
| 50-64 | 6 | 8.3 | 122 | 2 | 2 | 3 | 10 | 28 | 30 | 30 |
| 65+ | 8 | 12.3 | 60 | 3 | 4 | 9 | 17 | 25 | 27 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 829 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| *B. Operated* | 31 | 3.8 | 20 | <1 | <1 | 2 | 6 | 8 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 730 | 5.1 | 33 | 1 | 1 | 4 | 6 | 9 | 13 | 27 |
| *B. Operated* | 40 | 9.4 | 69 | 2 | 2 | 6 | 11 | 26 | 28 | 30 |
| **1. SINGLE DX** | 860 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 770 | 5.3 | 36 | 1 | 1 | 4 | 6 | 16 | 14 | 30 |
| **A. NOT OPERATED** | 1559 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **B. OPERATED** | 71 | 6.9 | 55 | <1 | 1 | 4 | 9 | 18 | 27 | 30 |
| TOTAL 0-19 YRS | 1033 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 278 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 21 |
| 35-49 | 93 | 4.4 | 11 | 1 | 2 | 4 | 6 | 7 | 9 | 21 |
| 50-64 | 111 | 7.2 | 47 | 1 | 2 | 5 | 8 | 17 | 24 | 35 |
| 65+ | 115 | 9.1 | 117 | 2 | 2 | 6 | 9 | 18 | 27 | 68 |
| **GRAND TOTAL** | 1630 | 4.5 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 40 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 10 | 4.2 | 4 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.2 | 12 | 3 | 3 | 6 | 8 | 12 | 12 | 12 |
| 20-34 | 10 | 5.4 | 12 | 2 | 2 | 4 | 9 | 10 | 11 | 11 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | 4 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 31.0 | 133 | 18 | 18 | 35 | 39 | 40 | 40 | 40 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| B. *Operated* | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 5.1 | 11 | 1 | 2 | 4 | 6 | 10 | 11 | 12 |
| B. *Operated* | 5 | 22.0 | 229 | 4 | 4 | 18 | 36 | 40 | 40 | 40 |
| **1. SINGLE DX** | 81 | 3.6 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 28 | 8.1 | 86 | 2 | 2 | 5 | 10 | 16 | 35 | 40 |
| **A. NOT OPERATED** | 102 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **B. OPERATED** | 7 | 18.0 | 200 | 4 | 4 | 13 | 31 | 39 | 40 | 40 |
| TOTAL 0-19 YRS | 28 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 20-34 | 52 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 35-49 | 12 | 4.3 | 4 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 9 | 12.4 | 229 | 1 | 1 | 4 | 22 | 38 | 40 | 40 |
| 65+ | 8 | 5.4 | 19 | 1 | 1 | 4 | 8 | 12 | 13 | 13 |
| **GRAND TOTAL** | **109** | **4.8** | **28** | **1** | **1** | **4** | **6** | **7** | **11** | **37** |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 6.0 | 50 | 1 | 2 | 5 | 6 | 9 | 11 | 50 |
| 20-34 | 100 | 6.1 | 17 | 1 | 2 | 5 | 7 | 10 | 15 | 24 |
| 35-49 | 15 | 11.1 | 19 | 4 | 6 | 11 | 14 | 17 | 19 | 20 |
| 50-64 | 8 | 7.4 | 35 | 1 | 1 | 6 | 12 | 16 | 16 | 16 |
| 65+ | 7 | 9.7 | 45 | 1 | 1 | 14 | 15 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.4 | 10 | 1 | 1 | 4 | 6 | 10 | 10 | 10 |
| 20-34 | 23 | 3.1 | 7 | <1 | <1 | 2 | 4 | 8 | 10 | 11 |
| 35-49 | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.0 | 10 | 2 | 3 | 5 | 7 | 10 | 13 | 15 |
| 20-34 | 47 | 6.4 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 35-49 | 12 | 11.1 | 61 | 1 | 2 | 8 | 17 | 22 | 25 | 26 |
| 50-54 | 6 | 14.2 | 225 | 2 | 3 | 9 | 12 | 41 | 44 | 44 |
| 65+ | 7 | 7.6 | 12 | 3 | 3 | 8 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.6 | 14 | <1 | <1 | 4 | 5 | 11 | 13 | 13 |
| 20-34 | 21 | 5.0 | 25 | <1 | 1 | 3 | 6 | 13 | 17 | 19 |
| 35-49 | 6 | 8.7 | 20 | 3 | 3 | 8 | 11 | 15 | 16 | 16 |
| 50-64 | 3 | 27.7 | 5 | 25 | 25 | 29 | 29 | 29 | 29 | 29 |
| 65+ | 7 | 8.6 | 99 | 1 | 1 | 4 | 11 | 25 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 190 | 6.6 | 31 | 1 | 2 | 5 | 8 | 14 | 16 | 25 |
| B. *Operated* | 39 | 3.5 | 8 | <1 | <1 | 2 | 4 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 97 | 7.5 | 37 | 2 | 3 | 6 | 9 | 12 | 20 | 36 |
| B. *Operated* | 47 | 7.4 | 60 | <1 | 1 | 4 | 10 | 18 | 29 | 29 |
| **1. SINGLE DX** | 229 | 6.1 | 28 | 1 | 1 | 5 | 8 | 12 | 18 | 24 |
| **2. MULTIPLE DX** | 144 | 7.4 | 44 | 1 | 2 | 6 | 9 | 15 | 23 | 30 |
| **A. NOT OPERATED** | 287 | 6.9 | 33 | 1 | 2 | 6 | 8 | 13 | 16 | 27 |
| **B. OPERATED** | 86 | 6.6 | 40 | <1 | 1 | 3 | 7 | 11 | 20 | 29 |
| TOTAL 0-19 YRS | 108 | 5.7 | 32 | 1 | 1 | 5 | 6 | 10 | 12 | 36 |
| 20-34 | 191 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| 35-49 | 36 | 10.1 | 35 | 1 | 3 | 9 | 14 | 18 | 21 | 26 |
| 50-64 | 17 | 13.4 | 143 | 1 | 1 | 9 | 18 | 29 | 39 | 44 |
| 65+ | 21 | 8.6 | 48 | 1 | 2 | 8 | 12 | 16 | 22 | 29 |
| **GRAND TOTAL** | **373** | **6.6** | **35** | **1** | **2** | **5** | **8** | **12** | **17** | **29** |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 5.9 | 19 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 20-34 | 14 | 4.9 | 10 | <1 | 1 | 4 | 7 | 11 | 11 | 11 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 7 | 8.6 | 47 | 2 | 2 | 7 | 11 | 20 | 22 | 22 |
| 65+ | 12 | 8.3 | 53 | 1 | 2 | 6 | 10 | 22 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 15.0 | 98 | 8 | 8 | 15 | 22 | 22 | 22 | 22 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 7.3 | 56 | 3 | 3 | 3 | 13 | 16 | 16 | 16 |
| 65+ | 2 | 16.0 | 8 | 14 | 14 | 16 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 6.4 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 24 |
| 20-34 | 7 | 8.4 | 25 | 3 | 3 | 7 | 12 | 16 | 17 | 17 |
| 35-49 | 5 | 6.2 | 9 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 50-64 | 13 | 11.5 | 32 | 4 | 5 | 10 | 14 | 21 | 22 | 22 |
| 65+ | 24 | 18.8 | 388 | 5 | 6 | 15 | 19 | 35 | 69 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 4.0 | 8 | 2 | 2 | 6 | 76 | 99+ | 99+ | 99+ |
| 35-49 | 6 | 12.3 | 166 | 3 | 3 | 7 | 18 | 34 | 36 | 36 |
| 50-64 | 8 | 19.5 | 697 | 3 | 4 | 12 | 14 | 64 | 84 | 84 |
| 65+ | 5 | 15.8 | 60 | 6 | 6 | 15 | 23 | 24 | 24 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 6.2 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 23 |
| B. *Operated* | 8 | 11.1 | 54 | 3 | 3 | 11 | 17 | 21 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 8.8 | 93 | 2 | 3 | 7 | 10 | 16 | 21 | 57 |
| B. *Operated* | 21 | 15.1 | 320 | 2 | 3 | 11 | 18 | 50 | 90 | 99+ |
| **1. SINGLE DX** | 136 | 6.5 | 25 | 1 | 2 | 5 | 8 | 13 | 19 | 23 |
| **2. MULTIPLE DX** | 179 | 9.5 | 122 | 2 | 3 | 7 | 11 | 18 | 23 | 90 |
| **A. NOT OPERATED** | 286 | 7.6 | 63 | 2 | 2 | 6 | 9 | 14 | 20 | 31 |
| **B. OPERATED** | 29 | 14.0 | 246 | 3 | 3 | 11 | 18 | 30 | 84 | 99+ |
| TOTAL 0-19 YRS | 205 | 6.3 | 20 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| 20-34 | 24 | 5.8 | 16 | 1 | 2 | 5 | 8 | 13 | 38 | 99+ |
| 35-49 | 12 | 9.6 | 88 | 2 | 3 | 7 | 10 | 23 | 34 | 36 |
| 50-64 | 31 | 12.5 | 208 | 2 | 3 | 10 | 14 | 21 | 22 | 84 |
| 65+ | 43 | 15.4 | 253 | 3 | 4 | 11 | 18 | 25 | 41 | 93 |
| **GRAND TOTAL** | 315 | 8.2 | 83 | 2 | 2 | 6 | 10 | 16 | 22 | 67 |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.3 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 6 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.7 | 2 | 1 | 2 | 4 | 4 | 6 | 7 | 7 |
| 20-34 | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 13.0 | 31 | 7 | 7 | 14 | 17 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.0 | 14 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 5.7 | 5 | 3 | 3 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 10.5 | 5 | 9 | 9 | 10 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 9.8 | 34 | 2 | 2 | 11 | 14 | 16 | 16 | 16 |
| 35-49 | 2 | 11.5 | 1 | 11 | 11 | 11 | 12 | 12 | 12 | 12 |
| 50-64 | 2 | 11.5 | 13 | 9 | 9 | 11 | 14 | 14 | 14 | 14 |
| 65+ | 3 | 21.3 | 292 | 10 | 10 | 13 | 34 | 41 | 41 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 9 |
| B. *Operated* | 15 | 6.1 | 21 | 1 | 3 | 4 | 7 | 14 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 6.1 | 13 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| B. *Operated* | 17 | 10.9 | 80 | 2 | 3 | 10 | 14 | 16 | 32 | 41 |
| **1. SINGLE DX** | 36 | 4.6 | 13 | 1 | 1 | 4 | 6 | 9 | 13 | 18 |
| **2. MULTIPLE DX** | 31 | 8.7 | 54 | 2 | 3 | 7 | 12 | 14 | 16 | 41 |
| **A. NOT OPERATED** | 35 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 12 |
| **B. OPERATED** | 32 | 8.7 | 57 | 2 | 3 | 7 | 12 | 15 | 18 | 41 |
| TOTAL 0-19 YRS | 33 | 4.1 | 6 | 1 | 1 | 4 | 5 | 6 | 10 | 12 |
| 20-34 | 15 | 5.3 | 25 | 1 | 1 | 4 | 9 | 14 | 16 | 16 |
| 35-49 | 6 | 7.0 | 16 | 2 | 2 | 7 | 11 | 12 | 12 | 12 |
| 50-64 | 4 | 7.8 | 26 | 2 | 2 | 7 | 11 | 14 | 14 | 14 |
| 65+ | 9 | 14.8 | 107 | 7 | 8 | 12 | 15 | 32 | 41 | 41 |
| **GRAND TOTAL** | 67 | 6.5 | 36 | 1 | 1 | 5 | 9 | 13 | 15 | 37 |

### 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 6.3 | 32 | 1 | 2 | 4 | 7 | 13 | 18 | 29 |
| 20-34 | 27 | 5.5 | 28 | 1 | 1 | 4 | 8 | 10 | 15 | 27 |
| 35-49 | 6 | 5.0 | 16 | 1 | 1 | 4 | 8 | 11 | 11 | 11 |
| 50-64 | 11 | 8.4 | 69 | 3 | 3 | 5 | 9 | 19 | 31 | 32 |
| 65+ | 3 | 6.3 | 16 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 55 | 4.6 | 14 | <1 | <1 | 3 | 7 | 10 | 10 | 19 |
| 35-49 | 29 | 7.7 | 63 | <1 | <1 | 5 | 10 | 19 | 22 | 37 |
| 50-64 | 14 | 8.2 | 32 | <1 | 2 | 8 | 11 | 16 | 20 | 21 |
| 65+ | 4 | 12.5 | 67 | 2 | 2 | 14 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 8.4 | 82 | 2 | 2 | 6 | 9 | 14 | 34 | 47 |
| 20-34 | 23 | 5.3 | 43 | 1 | 1 | 4 | 6 | 9 | 20 | 32 |
| 35-49 | 11 | 8.0 | 14 | 3 | 4 | 8 | 11 | 13 | 15 | 15 |
| 50-64 | 17 | 8.8 | 103 | 2 | 2 | 6 | 9 | 15 | 34 | 45 |
| 65+ | 11 | 13.8 | 101 | 3 | 3 | 11 | 21 | 29 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.3 | 107 | 1 | 1 | 11 | 19 | 26 | 26 | 26 |
| 20-34 | 19 | 8.6 | 23 | 3 | 4 | 7 | 12 | 15 | 18 | 21 |
| 35-49 | 16 | 13.8 | 89 | 2 | 3 | 12 | 18 | 30 | 33 | 34 |
| 50-64 | 20 | 12.4 | 90 | 2 | 2 | 10 | 19 | 27 | 29 | 29 |
| 65+ | 6 | 16.8 | 96 | 6 | 6 | 13 | 28 | 30 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 6.2 | 33 | 1 | 2 | 4 | 8 | 11 | 17 | 30 |
| B. *Operated* | 105 | 6.2 | 35 | <1 | 1 | 4 | 9 | 14 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 8.3 | 76 | 1 | 2 | 6 | 9 | 15 | 32 | 46 |
| B. *Operated* | 65 | 12.0 | 73 | 2 | 3 | 10 | 15 | 26 | 29 | 34 |
| **1. SINGLE DX** | 210 | 6.2 | 34 | 1 | 1 | 4 | 8 | 12 | 19 | 30 |
| **2. MULTIPLE DX** | 194 | 9.6 | 77 | 1 | 2 | 7 | 12 | 21 | 30 | 43 |
| **A. NOT OPERATED** | 234 | 7.4 | 57 | 1 | 2 | 5 | 9 | 14 | 25 | 42 |
| **B. OPERATED** | 170 | 8.4 | 57 | <1 | 1 | 6 | 11 | 19 | 26 | 33 |
| TOTAL 0-19 YRS | 132 | 7.4 | 60 | 1 | 2 | 5 | 9 | 14 | 24 | 42 |
| 20-34 | 124 | 5.5 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 28 |
| 35-49 | 62 | 9.1 | 63 | <1 | 1 | 8 | 12 | 19 | 25 | 37 |
| 50-64 | 62 | 9.7 | 77 | 2 | 2 | 7 | 13 | 23 | 29 | 43 |
| 65+ | 24 | 13.4 | 85 | 2 | 3 | 11 | 19 | 28 | 31 | 34 |
| **GRAND TOTAL** | 404 | 7.8 | 57 | 1 | 2 | 6 | 10 | 16 | 26 | 39 |

### 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | 3 | 18.0 | 364 | 6 | 6 | 8 | 32 | 40 | 40 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 8.0 | 35 | 2 | 2 | 7 | 12 | 16 | 16 | 18 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| 65+ | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 8 | 33.3 | 562 | 1 | 5 | 39 | 58 | 88 | 99+ | 99+ |
| 50-64 | 8 | 15.3 | 291 | 2 | 4 | 9 | 15 | 45 | 56 | 56 |
| 65+ | 6 | 11.8 | 20 | 3 | 4 | 13 | 14 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 10.7 | 154 | 3 | 3 | 4 | 20 | 25 | 25 | 25 |
| 35-49 | 3 | 10.7 | 36 | 5 | 5 | 10 | 15 | 17 | 17 | 17 |
| 50-64 | 2 | 13.5 | 113 | 6 | 6 | 13 | 21 | 21 | 21 | 21 |
| 65+ | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 14.0 | 214 | 6 | 6 | 8 | 17 | 40 | 40 | 40 |
| B. *Operated* | 9 | 6.4 | 27 | <1 | 1 | 6 | 9 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 19.4 | 375 | 2 | 2 | 13 | 28 | 56 | 77 | 99+ |
| B. *Operated* | 10 | 13.0 | 92 | 3 | 3 | 9 | 21 | 27 | 30 | 30 |
| **1. SINGLE DX** | 14 | 9.1 | 96 | <1 | 2 | 6 | 10 | 18 | 35 | 40 |
| **2. MULTIPLE DX** | 34 | 17.5 | 295 | 2 | 3 | 12 | 23 | 54 | 66 | 99+ |
| **A. NOT OPERATED** | 29 | 18.4 | 343 | 2 | 3 | 12 | 24 | 55 | 70 | 99+ |
| **B. OPERATED** | 19 | 9.9 | 69 | 1 | 2 | 6 | 15 | 23 | 28 | 30 |
| TOTAL 0-19 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 20-34 | 8 | 8.3 | 67 | 2 | 2 | 8 | 12 | 22 | 25 | 25 |
| 35-49 | 13 | 23.7 | 495 | 2 | 4 | 18 | 49 | 73 | 94 | 99+ |
| 50-64 | 13 | 13.7 | 187 | 3 | 5 | 9 | 14 | 28 | 51 | 56 |
| 65+ | 12 | 13.2 | 133 | <1 | 1 | 12 | 15 | 33 | 39 | 40 |
| **GRAND TOTAL** | 48 | 15.1 | 249 | 2 | 2 | 10 | 18 | 48 | 57 | 99+ |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 9 | 15.7 | 352 | 2 | 2 | 6 | 22 | 48 | 58 | 58 |
| 50-64 | 14 | 14.4 | 368 | 1 | 2 | 8 | 12 | 35 | 65 | 73 |
| 65+ | 23 | 11.8 | 184 | 1 | 2 | 8 | 14 | 30 | 46 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 15 | 6.0 | 46 | 1 | 2 | 4 | 7 | 12 | 24 | 28 |
| 35-49 | 22 | 11.4 | 274 | 1 | 1 | 8 | 13 | 18 | 46 | 81 |
| 50-64 | 78 | 8.3 | 84 | 1 | 2 | 5 | 10 | 20 | 32 | 42 |
| 65+ | 94 | 8.0 | 64 | 1 | 2 | 6 | 11 | 16 | 22 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 3 | 2.3 | 5 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 35-49 | 21 | 15.6 | 119 | 1 | 2 | 19 | 23 | 31 | 35 | 37 |
| 50-64 | 51 | 10.1 | 108 | 1 | 1 | 5 | 14 | 26 | 36 | 40 |
| 65+ | 37 | 12.7 | 159 | 1 | 2 | 10 | 15 | 27 | 44 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 61 | <1 | <1 | 6 | 12 | 12 | 12 | 12 |
| 20-34 | 13 | 7.6 | 26 | <1 | 2 | 8 | 9 | 16 | 18 | 18 |
| 35-49 | 32 | 16.2 | 316 | <1 | 1 | 11 | 22 | 42 | 44 | 79 |
| 50-64 | 76 | 15.0 | 226 | 1 | 2 | 11 | 19 | 36 | 53 | 62 |
| 65+ | 106 | 15.4 | 308 | 2 | 2 | 10 | 20 | 37 | 51 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 13.6 | 259 | 1 | 2 | 8 | 15 | 33 | 56 | 73 |
| B. *Operated* | 212 | 8.2 | 91 | 1 | 2 | 5 | 10 | 18 | 26 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 11.8 | 127 | 1 | 2 | 8 | 17 | 27 | 37 | 49 |
| B. *Operated* | 229 | 14.9 | 265 | 1 | 2 | 10 | 18 | 37 | 48 | 80 |
| **1. SINGLE DX** | 260 | 9.2 | 125 | 1 | 2 | 6 | 11 | 21 | 32 | 58 |
| **2. MULTIPLE DX** | 342 | 13.8 | 221 | 1 | 2 | 9 | 18 | 35 | 43 | 72 |
| **A. NOT OPERATED** | 161 | 12.3 | 166 | 1 | 2 | 8 | 17 | 30 | 38 | 58 |
| **B. OPERATED** | 441 | 11.7 | 192 | 1 | 2 | 7 | 14 | 28 | 41 | 72 |
| TOTAL 0-19 YRS | 7 | 9.0 | 127 | <1 | <1 | 4 | 11 | 29 | 33 | 33 |
| 20-34 | 32 | 6.4 | 33 | <1 | 1 | 5 | 8 | 13 | 18 | 28 |
| 35-49 | 84 | 14.7 | 254 | 1 | 2 | 10 | 21 | 36 | 43 | 80 |
| 50-64 | 219 | 11.5 | 163 | 1 | 2 | 6 | 15 | 29 | 39 | 59 |
| 65+ | 260 | 12.0 | 196 | 2 | 2 | 8 | 14 | 27 | 42 | 70 |
| GRAND TOTAL | 602 | 11.8 | 185 | 1 | 2 | 7 | 15 | 28 | 40 | 68 |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 9 | 6.3 | 17 | 1 | 2 | 6 | 9 | 13 | 14 | 14 |
| 65+ | 8 | 12.3 | 80 | 2 | 3 | 11 | 15 | 27 | 31 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 50-64 | 10 | 22.5 | 402 | 2 | 3 | 15 | 29 | 61 | 64 | 64 |
| 65+ | 15 | 23.1 | 181 | 2 | 4 | 25 | 32 | 39 | 44 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 17.5 | 13 | 15 | 15 | 17 | 20 | 20 | 20 | 20 |
| 50-64 | 18 | 9.9 | 109 | 2 | 2 | 6 | 16 | 35 | 75 | 99+ |
| 65+ | 25 | 13.0 | 134 | 1 | 2 | 9 | 16 | 23 | 44 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 16.3 | 109 | 6 | 6 | 14 | 24 | 31 | 32 | 32 |
| 50-64 | 29 | 23.0 | 324 | 6 | 7 | 21 | 29 | 38 | 45 | 97 |
| 65+ | 35 | 19.7 | 219 | 2 | 4 | 18 | 28 | 44 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 9.1 | 53 | 1 | 2 | 7 | 13 | 16 | 26 | 31 |
| B. *Operated* | 26 | 22.8 | 275 | 2 | 4 | 22 | 32 | 45 | 59 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 12.0 | 119 | 2 | 2 | 9 | 17 | 23 | 45 | 99+ |
| B. *Operated* | 70 | 20.7 | 252 | 3 | 5 | 10 | 28 | 39 | 55 | 99 |
| **1. SINGLE DX** | 43 | 17.4 | 230 | 2 | 3 | 13 | 28 | 34 | 50 | 64 |
| **2. MULTIPLE DX** | 115 | 17.3 | 217 | 2 | 3 | 15 | 24 | 38 | 46 | 99+ |
| **A. NOT OPERATED** | 62 | 11.2 | 101 | 1 | 2 | 8 | 15 | 23 | 43 | 93 |
| **B. OPERATED** | 96 | 21.3 | 256 | 3 | 4 | 21 | 30 | 39 | 57 | 99 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 17.2 | 73 | 6 | 6 | 19 | 22 | 29 | 32 | 32 |
| 50-64 | 66 | 17.1 | 287 | 2 | 3 | 12 | 24 | 38 | 59 | 99+ |
| 65+ | 83 | 17.6 | 184 | 2 | 3 | 15 | 27 | 39 | 44 | 86 |
| GRAND TOTAL | 158 | 17.3 | 219 | 2 | 3 | 13 | 28 | 38 | 46 | 99+ |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 6 | 10.8 | 90 | 3 | 3 | 8 | 12 | 27 | 29 | 29 |
| 50-64 | 14 | 12.9 | 90 | <1 | 2 | 10 | 18 | 27 | 31 | 32 |
| 65+ | 39 | 10.7 | 136 | 2 | 2 | 6 | 14 | 22 | 37 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 35-49 | 14 | 16.1 | 96 | 5 | 6 | 14 | 19 | 33 | 37 | 38 |
| 50-64 | 31 | 18.6 | 133 | 5 | 8 | 16 | 20 | 39 | 49 | 50 |
| 65+ | 61 | 16.3 | 190 | 1 | 2 | 14 | 20 | 32 | 41 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 7.7 | 20 | 3 | 3 | 8 | 11 | 12 | 12 | 12 |
| 35-49 | 11 | 9.8 | 63 | 2 | 2 | 11 | 15 | 20 | 25 | 25 |
| 50-64 | 32 | 7.5 | 41 | 2 | 2 | 5 | 9 | 18 | 23 | 24 |
| 65+ | 124 | 9.9 | 93 | 1 | 2 | 7 | 13 | 21 | 32 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 17.2 | 60 | 5 | 7 | 18 | 22 | 28 | 30 | 30 |
| 35-49 | 24 | 21.2 | 103 | 10 | 10 | 20 | 24 | 38 | 44 | 48 |
| 50-64 | 106 | 21.4 | 212 | 6 | 8 | 18 | 26 | 35 | 54 | 76 |
| 65+ | 245 | 23.4 | 274 | 7 | 9 | 19 | 28 | 42 | 62 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 11.0 | 116 | 1 | 2 | 7 | 15 | 23 | 30 | 55 |
| B. *Operated* | 107 | 16.9 | 158 | 2 | 4 | 15 | 20 | 34 | 41 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 170 | 9.4 | 80 | 1 | 2 | 7 | 13 | 20 | 25 | 49 |
| B. *Operated* | 384 | 22.5 | 241 | 7 | 9 | 19 | 27 | 41 | 56 | 84 |
| **1. SINGLE DX** | 169 | 14.7 | 150 | 1 | 3 | 13 | 19 | 29 | 40 | 62 |
| **2. MULTIPLE DX** | 554 | 18.5 | 228 | 2 | 4 | 15 | 24 | 35 | 50 | 81 |
| **A. NOT OPERATED** | 232 | 9.8 | 90 | 1 | 2 | 7 | 14 | 21 | 28 | 52 |
| **B. OPERATED** | 491 | 21.3 | 228 | 5 | 8 | 18 | 26 | 39 | 53 | 82 |
| TOTAL 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 15 | 13.0 | 76 | <1 | 1 | 12 | 18 | 25 | 29 | 30 |
| 35-49 | 55 | 16.5 | 110 | 2 | 4 | 15 | 23 | 30 | 38 | 48 |
| 50-64 | 183 | 17.8 | 186 | 3 | 4 | 15 | 24 | 32 | 49 | 69 |
| 65+ | 469 | 17.8 | 240 | 2 | 3 | 14 | 23 | 36 | 50 | 81 |
| **GRAND TOTAL** | **723** | **17.6** | **212** | **2** | **3** | **15** | **23** | **34** | **48** | **81** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 50-64 | 3 | 27.0 | 772 | 9 | 9 | 13 | 47 | 59 | 59 | 59 |
| 65+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 9.0 | 57 | 2 | 2 | 8 | 15 | 17 | 17 | 17 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 5 | 7.4 | 19 | 2 | 2 | 8 | 11 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 43.7 | 389 | 21 | 21 | 53 | 56 | 57 | 57 | 57 |
| 35-49 | 3 | 17.3 | 76 | 10 | 10 | 15 | 24 | 27 | 27 | 27 |
| 50-64 | 9 | 24.9 | 170 | 11 | 11 | 19 | 37 | 44 | 45 | 45 |
| 65+ | 17 | 25.1 | 402 | 4 | 8 | 22 | 27 | 61 | 74 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 5 | 22.6 | 423 | 9 | 9 | 15 | 27 | 59 | 59 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 6.8 | 22 | 2 | 2 | 5 | 10 | 13 | 16 | 17 |
| B. *Operated* | 32 | 26.1 | [illegible] | [illegible] | 10 | 21 | 33 | 54 | 66 | 78 |
| **1. SINGLE DX** | 5 | 22.6 | 423 | 9 | 9 | 15 | 27 | 59 | 59 | 59 |
| **2. MULTIPLE DX** | 44 | 20.8 | 312 | 2 | 3 | 16 | 26 | 46 | 60 | 78 |
| **A. NOT OPERATED** | 12 | 6.8 | 22 | 2 | 2 | 5 | 10 | 13 | 16 | 17 |
| **B. OPERATED** | 37 | 25.6 | 324 | 8 | 9 | 20 | 31 | 56 | 64 | 78 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | [illegible] | 539 | 2 | 3 | 19 | 53 | 57 | 57 | 57 |
| 35-49 | 5 | [illegible] | 62 | 6 | 6 | 15 | 18 | 27 | 27 | 27 |
| 50-64 | 15 | 21.1 | 290 | 3 | 3 | 15 | 33 | 45 | 55 | 59 |
| 65+ | 23 | 20.9 | 351 | 2 | 4 | 17 | 25 | 44 | 71 | 78 |
| **GRAND TOTAL** | **49** | **21.0** | **315** | **2** | **4** | **15** | **26** | **50** | **59** | **78** |

### 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 10.3 | 174 | 1 | 1 | 7 | 11 | 32 | 41 | 41 |
| 50-64 | 12 | 6.1 | 24 | 1 | 1 | 4 | 9 | 14 | 15 | 15 |
| 65+ | 37 | 8.3 | 51 | 1 | 2 | 5 | 12 | 19 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 14.0 | 3 | 12 | 12 | 14 | 15 | 16 | 16 | 16 |
| 35-49 | 21 | 13.0 | 19 | 7 | 8 | 12 | 14 | 18 | 23 | 27 |
| 50-64 | 86 | 15.0 | 42 | 4 | 9 | 14 | 18 | 23 | 24 | 39 |
| 65+ | 160 | 18.4 | 84 | 9 | 10 | 15 | 21 | 30 | 37 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 19 | 7.6 | 64 | 2 | 2 | 4 | 10 | 18 | 26 | 32 |
| 50-64 | 66 | 10.5 | 185 | 1 | 2 | 5 | 12 | 31 | 38 | 68 |
| 65+ | 110 | 11.6 | 117 | 1 | 3 | 8 | 15 | 24 | 37 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 14 | 21.9 | 102 | 10 | 12 | 18 | 29 | 39 | 41 | 42 |
| 35-49 | 73 | 18.0 | 66 | 9 | 9 | 16 | 22 | 30 | 33 | 44 |
| 50-64 | 258 | 20.7 | 162 | 10 | 10 | 17 | 24 | 37 | 47 | 87 |
| 65+ | 658 | 23.0 | 181 | 10 | 12 | 20 | 29 | 43 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 8.1 | 61 | 1 | 1 | 5 | 11 | 17 | 22 | 40 |
| B. *Operated* | 272 | 16.8 | 68 | 9 | 10 | 15 | 19 | 27 | 33 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 196 | 10.8 | 135 | 1 | 2 | 6 | 14 | 25 | 36 | 66 |
| B. *Operated* | 1005 | 22.0 | 169 | 9 | 11 | 18 | 27 | 39 | 51 | 99+ |
| **1. SINGLE DX** | 329 | 15.3 | 78 | 3 | 4 | 14 | 18 | 26 | 32 | 44 |
| **2. MULTIPLE DX** | 1201 | 20.2 | 180 | 4 | 7 | 17 | 26 | 38 | 49 | 99+ |
| **A. NOT OPERATED** | 253 | 10.2 | 119 | 1 | 2 | 6 | 13 | 22 | 34 | 62 |
| **B. OPERATED** | 1277 | 20.9 | 152 | 9 | 11 | 17 | 25 | 37 | 48 | 98 |
| TOTAL 0-19 YRS | 4 | 5.8 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 18 | 20.1 | 90 | 10 | 12 | 16 | 28 | 36 | 41 | 42 |
| 35-49 | 121 | 15.0 | 79 | 3 | 4 | 14 | 19 | 28 | 32 | 42 |
| 50-64 | 422 | 17.5 | 155 | 3 | 5 | 15 | 22 | 33 | 41 | 69 |
| 65+ | 965 | 20.4 | 173 | 4 | 8 | 17 | 26 | 38 | 50 | 99+ |
| **GRAND TOTAL** | **1530** | **19.1** | **162** | **4** | **6** | **16** | **23** | **36** | **46** | **91** |

### 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 7 | 14.1 | 272 | 1 | 1 | 9 | 22 | 42 | 46 | 46 |
| 50-64 | 13 | 5.5 | 37 | 1 | 1 | 3 | 7 | 16 | 20 | 21 |
| 65+ | 24 | 10.6 | 180 | 1 | 1 | 5 | 11 | 35 | 41 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 35-49 | 27 | 14.7 | 19 | 7 | 9 | 13 | 18 | 20 | 22 | 22 |
| 50-64 | 84 | 18.1 | 95 | 4 | 9 | 16 | 22 | 28 | 39 | 58 |
| 65+ | 103 | 18.0 | 121 | 3 | 7 | 16 | 21 | 37 | 44 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 11.7 | 92 | 3 | 3 | 10 | 19 | 22 | 22 | 22 |
| 35-49 | 11 | 10.3 | 122 | 1 | 2 | 5 | 11 | 27 | 39 | 40 |
| 50-64 | 47 | 9.6 | 88 | 1 | 2 | 6 | 10 | 29 | 32 | 36 |
| 65+ | 102 | 12.4 | 212 | 1 | 2 | 9 | 15 | 33 | 55 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 6 | 30.8 | 165 | 16 | 17 | 27 | 46 | 47 | 47 | 47 |
| 35-49 | 44 | 17.4 | 122 | 2 | 3 | 15 | 23 | 34 | 40 | 51 |
| 50-64 | 247 | 21.3 | 123 | 9 | 11 | 18 | 26 | 34 | 40 | 64 |
| 65+ | 393 | 23.3 | 180 | 6 | 9 | 21 | 31 | 43 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 9.5 | 151 | 1 | 1 | 4 | 10 | 29 | 38 | 52 |
| B. *Operated* | 216 | 17.5 | 98 | 4 | 7 | 16 | 21 | 30 | 41 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163 | 11.4 | 167 | 1 | 2 | 8 | 14 | 30 | 40 | 99+ |
| B. *Operated* | 691 | 22.2 | 158 | 7 | 10 | 20 | 28 | 39 | 50 | 99+ |
| **1. SINGLE DX** | 261 | 16.2 | 116 | 2 | 4 | 15 | 20 | 30 | 41 | 53 |
| **2. MULTIPLE DX** | 854 | 20.2 | 178 | 3 | 5 | 18 | 27 | 38 | 50 | 99+ |
| **A. NOT OPERATED** | 208 | 11.0 | 164 | 1 | 1 | 7 | 13 | 30 | 40 | 99+ |
| **B. OPERATED** | 907 | 21.1 | 148 | 6 | 9 | 19 | 27 | 38 | 48 | 85 |
| TOTAL 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 12 | 20.4 | 214 | 3 | 4 | 19 | 27 | 46 | 47 | 47 |
| 35-49 | 89 | 15.4 | 103 | 2 | 3 | 13 | 19 | 27 | 39 | 49 |
| 50-64 | 391 | 18.6 | 130 | 3 | 5 | 17 | 24 | 32 | 38 | 62 |
| 65+ | 622 | 20.1 | 195 | 3 | 5 | 18 | 28 | 42 | 52 | 99+ |
| **GRAND TOTAL** | **1115** | **19.2** | **166** | **3** | **5** | **17** | **25** | **37** | **47** | **99+** |

## 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 5.0 | 11 | 2 | 2 | 3 | 8 | 9 | 9 | 9 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 10 | 8.0 | 72 | 1 | 2 | 6 | 8 | 20 | 31 | 31 |
| 65+ | 8 | 18.4 | 566 | 1 | 2 | 8 | 24 | 60 | 72 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 5 | 17.0 | 202 | 2 | 2 | 12 | 24 | 40 | 40 | 40 |
| 50-64 | 17 | 15.8 | 39 | 7 | 9 | 16 | 19 | 25 | 28 | 30 |
| 65+ | 10 | 18.0 | 190 | 8 | 8 | 12 | 20 | 41 | 52 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.6 | 57 | 2 | 2 | 8 | 15 | 21 | 22 | 22 |
| 20-34 | 6 | 6.2 | 25 | 2 | 2 | 4 | 9 | 14 | 15 | 15 |
| 35-49 | 4 | 10.3 | 48 | 3 | 3 | 10 | 16 | 18 | 18 | 18 |
| 50-64 | 30 | 8.8 | 125 | 1 | 1 | 4 | 13 | 20 | 23 | 56 |
| 65+ | 34 | 15.2 | 408 | 2 | 2 | 10 | 16 | 31 | 73 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 16.5 | 226 | 5 | 5 | 10 | 18 | 43 | 46 | 46 |
| 20-34 | 3 | 17.3 | 166 | 3 | 3 | 21 | 26 | 28 | 28 | 28 |
| 35-49 | 10 | 16.4 | 52 | 8 | 8 | 14 | 23 | 27 | 30 | 30 |
| 50-64 | 47 | 22.6 | 260 | 4 | 7 | 20 | 28 | 41 | 77 | 99+ |
| 65+ | 67 | 22.8 | 139 | 9 | 11 | 20 | 28 | 43 | 47 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 10.7 | 234 | 1 | 2 | 5 | 9 | 31 | 44 | 72 |
| B. *Operated* | 34 | 16.5 | 97 | 6 | 8 | 14 | 19 | 30 | 38 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 11.4 | 233 | 1 | 1 | 8 | 15 | 22 | 32 | 90 |
| B. *Operated* | 133 | 21.8 | 179 | 7 | 9 | 19 | 28 | 40 | 46 | 83 |
| **1. SINGLE DX** | 58 | 14.1 | 159 | 2 | 3 | 11 | 17 | 31 | 37 | 70 |
| **2. MULTIPLE DX** | 214 | 17.9 | 224 | 2 | 2 | 15 | 23 | 39 | 46 | 86 |
| **A. NOT OPERATED** | 105 | 11.3 | 231 | 1 | 2 | 7 | 14 | 22 | 32 | 87 |
| **B. OPERATED** | 167 | 20.8 | 167 | 7 | 9 | 17 | 26 | 40 | 46 | 79 |
| TOTAL 0-19 YRS | 14 | 13.1 | 126 | 2 | 2 | 10 | 17 | 24 | 41 | 46 |
| 20-34 | 15 | 8.4 | 60 | 2 | 2 | 5 | 11 | 21 | 26 | 28 |
| 35-49 | 20 | 14.8 | 87 | 2 | 4 | 13 | 19 | 27 | 35 | 40 |
| 50-64 | 104 | 16.1 | 205 | 1 | 2 | 14 | 23 | 35 | 43 | 89 |
| 65+ | 119 | 20.0 | 252 | 2 | 5 | 15 | 27 | 39 | 52 | 86 |
| **GRAND TOTAL** | **272** | **17.1** | **212** | **2** | **3** | **14** | **23** | **34** | **45** | **82** |

## 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 9 | 12.1 | 126 | 2 | 2 | 9 | 17 | 31 | 35 | 35 |
| 65+ | 16 | 7.2 | 31 | 1 | 2 | 5 | 10 | 16 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 50-64 | 13 | 26.7 | 177 | 10 | 12 | 25 | 29 | 42 | 60 | 64 |
| 65+ | 25 | 22.4 | 137 | 5 | 10 | 19 | 31 | 36 | 44 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 7.8 | 33 | 3 | 3 | 6 | 11 | 16 | 16 | 16 |
| 35-49 | 5 | 15.6 | 50 | 5 | 5 | 18 | 20 | 24 | 24 | 24 |
| 50-64 | 27 | 9.7 | 45 | 2 | 3 | 9 | 13 | 20 | 25 | 26 |
| 65+ | 78 | 11.4 | 77 | 2 | 3 | 9 | 16 | 24 | 32 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 35-49 | 13 | 25.2 | 95 | 12 | 13 | 25 | 28 | 36 | 47 | 50 |
| 50-64 | 79 | 23.3 | 178 | 7 | 10 | 22 | 29 | 38 | 42 | 78 |
| 65+ | 141 | 23.9 | 219 | 7 | 10 | 21 | 31 | 42 | 53 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 9.0 | 67 | 1 | 2 | 6 | 12 | 21 | 27 | 35 |
| B. *Operated* | 39 | 23.9 | 146 | 7 | 10 | 24 | 31 | 36 | 46 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 11.1 | 67 | 2 | 3 | 9 | 16 | 23 | 29 | 36 |
| B. *Operated* | 234 | 23.8 | 196 | 8 | 11 | 21 | 30 | 40 | 51 | 85 |
| **1. SINGLE DX** | 64 | 18.0 | 168 | 2 | 3 | 16 | 26 | 35 | 38 | 62 |
| **2. MULTIPLE DX** | 348 | 19.6 | 189 | 3 | 5 | 17 | 26 | 36 | 44 | 84 |
| **A. NOT OPERATED** | 139 | 10.7 | 67 | 2 | 2 | 9 | 15 | 23 | 28 | 36 |
| **B. OPERATED** | 273 | 23.8 | 188 | 8 | 11 | 22 | 30 | 39 | 50 | 84 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 10.2 | 55 | 3 | 3 | 7 | 17 | 20 | 20 | 20 |
| 35-49 | 19 | 22.6 | 93 | 8 | 12 | 24 | 27 | 32 | 42 | 50 |
| 50-64 | 128 | 20.0 | 181 | 3 | 5 | 18 | 26 | 35 | 41 | 69 |
| 65+ | 260 | 19.0 | 196 | 2 | 4 | 17 | 26 | 36 | 46 | 83 |
| **GRAND TOTAL** | **412** | **19.4** | **186** | **3** | **5** | **17** | **26** | **36** | **42** | **81** |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 25 | 8.6 | 158 | 1 | 2 | 3 | 9 | 16 | 39 | 60 |
| 50-64 | 111 | 8.4 | 105 | 1 | 1 | 5 | 12 | 19 | 26 | 58 |
| 65+ | 164 | 10.5 | 163 | 1 | 1 | 6 | 14 | 25 | 43 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 41 | 15.4 | 127 | 2 | 3 | 14 | 21 | 31 | 37 | 50 |
| 50-64 | 188 | 14.2 | 108 | 2 | 3 | 12 | 19 | 27 | 32 | 53 |
| 65+ | 228 | 14.3 | 142 | 2 | 2 | 11 | 18 | 29 | 37 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 7.6 | 115 | 1 | 1 | 3 | 8 | 26 | 33 | 33 |
| 35-49 | 66 | 8.2 | 73 | 1 | 1 | 5 | 11 | 16 | 26 | 43 |
| 50-64 | 383 | 10.5 | 154 | 2 | 2 | 6 | 13 | 28 | 41 | 58 |
| 65+ | 444 | 12.7 | 192 | 2 | 2 | 8 | 15 | 30 | 44 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 20-34 | 7 | 25.9 | 570 | 2 | 3 | 24 | 24 | 66 | 76 | 76 |
| 35-49 | 75 | 18.8 | 182 | 3 | 4 | 16 | 27 | 38 | 44 | 55 |
| 50-64 | 460 | 18.2 | 195 | 2 | 5 | 15 | 25 | 35 | 45 | 85 |
| 65+ | 524 | 21.3 | 243 | 3 | 5 | 18 | 28 | 42 | 53 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 302 | 9.5 | 140 | 1 | 1 | 6 | 12 | 20 | 33 | 74 |
| B. *Operated* | 458 | 14.3 | 126 | 2 | 2 | 12 | 19 | 28 | 36 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 902 | 11.4 | 168 | 2 | 2 | 7 | 14 | 28 | 42 | 63 |
| B. *Operated* | 1067 | 19.8 | 222 | 3 | 5 | 17 | 26 | 38 | 49 | 85 |
| **1. SINGLE DX** | 760 | 12.4 | 137 | 1 | 2 | 10 | 16 | 27 | 36 | 60 |
| **2. MULTIPLE DX** | 1969 | 16.0 | 214 | 2 | 2 | 12 | 22 | 35 | 46 | 77 |
| **A. NOT OPERATED** | 1204 | 10.9 | 161 | 1 | 2 | 7 | 13 | 27 | 40 | 65 |
| **B. OPERATED** | 1525 | 18.2 | 199 | 2 | 4 | 15 | 24 | 36 | 47 | 78 |
| TOTAL 0-19 YRS | 2 | 16.5 | 313 | 4 | 4 | 16 | 29 | 29 | 29 | 29 |
| 20-34 | 18 | 14.9 | 330 | 1 | 2 | 8 | 24 | 30 | 59 | 76 |
| 35-49 | 207 | 13.5 | 154 | 1 | 2 | 10 | 18 | 32 | 40 | 54 |
| 50-64 | 1142 | 14.0 | 172 | 2 | 2 | 11 | 19 | 30 | 41 | 65 |
| 65+ | 1360 | 16.0 | 218 | 2 | 2 | 12 | 22 | 36 | 47 | 78 |
| **GRAND TOTAL** | **2729** | **15.0** | **195** | **2** | **2** | **11** | **20** | **32** | **44** | **72** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 5 | 6.0 | 80 | 2 | 2 | 2 | 7 | 22 | 22 | 22 |
| 35-49 | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| 50-64 | 15 | 11.1 | 279 | 1 | 1 | 3 | 8 | 44 | 49 | 51 |
| 65+ | 15 | 14.4 | 176 | 2 | 2 | 12 | 26 | 31 | 41 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 7.8 | 39 | 2 | 2 | 6 | 12 | 16 | 16 | 16 |
| 35-49 | 10 | 10.0 | 151 | 1 | 1 | 4 | 16 | 30 | 39 | 39 |
| 50-64 | 73 | 6.7 | 71 | 1 | 1 | 3 | 8 | 17 | 20 | 49 |
| 65+ | 54 | 10.1 | 112 | 1 | 2 | 5 | 18 | 26 | 29 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 5 | 22.4 | 511 | 6 | 6 | 8 | 38 | 58 | 58 | 58 |
| 50-64 | 16 | 13.0 | 116 | <1 | 1 | 9 | 19 | 29 | 34 | 36 |
| 65+ | 18 | 12.5 | 128 | 1 | 2 | 7 | 20 | 39 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 22.5 | 421 | 8 | 8 | 22 | 37 | 37 | 37 | 37 |
| 20-34 | 4 | 24.0 | 131 | 10 | 10 | 25 | 33 | 36 | 36 | 36 |
| 35-49 | 16 | 17.4 | 110 | 2 | 3 | 17 | 23 | 31 | 37 | 40 |
| 50-64 | 62 | 21.8 | 239 | 2 | 2 | 21 | 36 | 56 | 99+ | 99+ |
| 65+ | 58 | 19.1 | 312 | 2 | 2 | 17 | 31 | 44 | 48 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 11.3 | 188 | 1 | 2 | 5 | 16 | 32 | 44 | 51 |
| B. *Operated* | 142 | 8.2 | 92 | 1 | 2 | 4 | 11 | 22 | 27 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 13.6 | 163 | 1 | 3 | 8 | 21 | 33 | 50 | 99+ |
| B. *Operated* | 142 | 20.3 | 250 | 2 | 2 | 19 | 31 | 45 | 58 | 99+ |
| **1. SINGLE DX** | 181 | 8.9 | 113 | 1 | 2 | 4 | 12 | 24 | 31 | 49 |
| **2. MULTIPLE DX** | 183 | 18.8 | 237 | 2 | 2 | 17 | 29 | 45 | 58 | 99+ |
| **A. NOT OPERATED** | 80 | 12.5 | 174 | 1 | 2 | 7 | 17 | 32 | 45 | 87 |
| **B. OPERATED** | 284 | 14.3 | 207 | 2 | 2 | 9 | 23 | 37 | 46 | 99+ |
| TOTAL 0-19 YRS | 5 | 11.2 | 213 | 2 | 2 | 5 | 15 | 37 | 37 | 37 |
| 20-34 | 14 | 11.7 | 129 | 2 | 2 | 8 | 20 | 31 | 35 | 36 |
| 35-49 | 34 | 15.1 | 179 | 2 | 2 | 10 | 21 | 33 | 40 | 58 |
| 50-64 | 166 | 13.3 | 200 | 1 | 2 | 8 | 21 | 38 | 51 | 99+ |
| 65+ | 145 | 14.5 | 213 | 2 | 2 | 8 | 23 | 36 | 45 | 81 |
| **GRAND TOTAL** | **364** | **13.9** | **200** | **1** | **2** | **8** | **22** | **36** | **45** | **99+** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 19 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 35-49 | 10 | 3.9 | 3 | 3 | 3 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | 6 | 5.7 | 65 | 1 | 1 | 3 | 4 | 20 | 22 | 22 |
| 65+ | 3 | 14.0 | 148 | 6 | 6 | 8 | 23 | 28 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 15.7 | 259 | 1 | 2 | 8 | 21 | 45 | 49 | 49 |
| 20-34 | 21 | 13.1 | 197 | 1 | 2 | 6 | 26 | 36 | 43 | 44 |
| 35-49 | 16 | 6.6 | 101 | 1 | 2 | 3 | 7 | 10 | 33 | 43 |
| 50-64 | 29 | 10.6 | 59 | 2 | 3 | 9 | 14 | 18 | 28 | 38 |
| 65+ | 27 | 12.9 | 101 | 2 | 3 | 11 | 17 | 23 | 36 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.3 | 9 | 1 | 1 | 3 | 3 | 6 | 11 | 15 |
| 20-34 | 22 | 5.4 | 48 | 1 | 2 | 3 | 7 | 14 | 25 | 26 |
| 35-49 | 14 | 6.3 | 47 | 2 | 3 | 4 | 4 | 17 | 25 | 27 |
| 50-64 | 25 | 9.2 | 95 | 1 | 2 | 5 | 12 | 24 | 29 | 39 |
| 65+ | 23 | 18.6 | 402 | 1 | 2 | 12 | 21 | 51 | 63 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 24.5 | 231 | 3 | 4 | 25 | 37 | 42 | 47 | 52 |
| 20-34 | 9 | 40.4 | 437 | 8 | 13 | 40 | 57 | 67 | 70 | 70 |
| 35-49 | 10 | 19.1 | 355 | 1 | 1 | 14 | 26 | 47 | 65 | 65 |
| 50-64 | 24 | 24.7 | 585 | 2 | 3 | 17 | 29 | 71 | 78 | 81 |
| 65+ | 33 | 20.3 | 224 | 4 | 5 | 20 | 27 | 34 | 50 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 3.8 | 15 | 1 | 1 | 3 | 4 | 7 | 7 | 26 |
| B. *Operated* | 111 | 11.9 | 136 | 2 | 2 | 8 | 15 | 31 | 42 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 8.3 | 142 | 1 | 1 | 3 | 9 | 23 | 28 | 62 |
| B. *Operated* | 95 | 24.1 | 368 | 2 | 4 | 20 | 32 | 52 | 69 | 79 |
| **1. SINGLE DX** | 186 | 8.6 | 103 | 1 | 2 | 5 | 10 | 22 | 34 | 47 |
| **2. MULTIPLE DX** | 213 | 15.3 | 303 | 1 | 2 | 8 | 22 | 38 | 52 | 78 |
| **A. NOT OPERATED** | 193 | 6.5 | 97 | 1 | 1 | 3 | 7 | 16 | 26 | 52 |
| **B. OPERATED** | 206 | 17.5 | 279 | 2 | 2 | 12 | 25 | 41 | 52 | 75 |
| TOTAL 0-19 YRS | 108 | 9.0 | 157 | 1 | 1 | 3 | 8 | 33 | 41 | 50 |
| 20-34 | 71 | 11.6 | 260 | 1 | 2 | 4 | 10 | 39 | 50 | 68 |
| 35-49 | 50 | 8.5 | 139 | 2 | 2 | 4 | 8 | 24 | 30 | 65 |
| 50-64 | 84 | 13.9 | 262 | 2 | 2 | 9 | 17 | 28 | 47 | 80 |
| 65+ | 86 | 17.3 | 234 | 2 | 3 | 13 | 22 | 34 | 51 | 79 |
| **GRAND TOTAL** | **399** | **12.2** | **221** | **1** | **2** | **6** | **16** | **32** | **43** | **72** |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 4 | 9.0 | 35 | 4 | 4 | 7 | 13 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 20 | 5.5 | 12 | 2 | 2 | 4 | 8 | 10 | 12 | 13 |
| 35-49 | 35 | 8.4 | 29 | 2 | 2 | 8 | 12 | 15 | 18 | 24 |
| 50-64 | 24 | 11.8 | 103 | 2 | 3 | 9 | 15 | 25 | 36 | 43 |
| 65+ | 24 | 11.7 | 102 | 1 | 3 | 8 | 17 | 30 | 35 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 5.7 | 35 | <1 | <1 | 5 | 7 | 15 | 20 | 20 |
| 35-49 | 4 | 8.5 | 35 | 4 | 4 | 6 | 12 | 17 | 17 | 17 |
| 50-64 | 18 | 6.9 | 65 | 1 | 2 | 4 | 6 | 21 | 27 | 30 |
| 65+ | 9 | 9.0 | 119 | 1 | 1 | 6 | 10 | 28 | 35 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 12 | 2 | 2 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 16 | 7.2 | 21 | 2 | 2 | 7 | 10 | 12 | 17 | 19 |
| 35-49 | 17 | 10.1 | 35 | 2 | 3 | 9 | 14 | 20 | 22 | 22 |
| 50-64 | 17 | 14.6 | 141 | 2 | 5 | 11 | 16 | 39 | 43 | 43 |
| 65+ | 34 | 17.4 | 294 | 3 | 3 | 12 | 23 | 31 | 54 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 9.0 | 27 | 4 | 4 | 9 | 12 | 17 | 17 | 17 |
| B. *Operated* | 106 | 9.2 | 64 | 2 | 2 | 7 | 12 | 18 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 7.3 | 64 | 1 | 1 | 5 | 7 | 19 | 26 | 35 |
| B. *Operated* | 87 | 13.2 | 167 | 2 | 3 | 9 | 15 | 25 | 37 | 77 |
| **1. SINGLE DX** | 111 | 9.2 | 62 | 2 | 2 | 7 | 12 | 18 | 24 | 39 |
| **2. MULTIPLE DX** | 127 | 11.3 | 142 | 1 | 2 | 8 | 14 | 23 | 32 | 65 |
| **A. NOT OPERATED** | 45 | 7.4 | 60 | 1 | 1 | 5 | 8 | 17 | 25 | 35 |
| **B. OPERATED** | 193 | 11.0 | 114 | 2 | 2 | 8 | 13 | 22 | 31 | 52 |
| TOTAL 0-19 YRS | 6 | 4.5 | 9 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 46 | 6.2 | 19 | 1 | 2 | 6 | 9 | 11 | 14 | 20 |
| 35-49 | 56 | 8.9 | 31 | 2 | 3 | 8 | 12 | 17 | 20 | 24 |
| 50-64 | 59 | 11.1 | 108 | 2 | 2 | 8 | 13 | 25 | 38 | 43 |
| 65+ | 71 | 13.9 | 200 | 2 | 3 | 9 | 19 | 30 | 36 | 82 |
| **GRAND TOTAL** | **238** | **10.3** | **105** | **2** | **2** | **8** | **13** | **22** | **30** | **45** |

### 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 3.8 | 5 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 12 | 9.4 | 106 | 1 | 1 | 6 | 12 | 25 | 35 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.0 | 45 | <1 | <1 | 2 | 9 | 15 | 15 | 15 |
| 20-34 | 13 | 6.5 | 70 | <1 | <1 | 3 | 9 | 20 | 26 | 28 |
| 35-49 | 24 | 5.3 | 31 | 1 | 1 | 3 | 7 | 13 | 19 | 23 |
| 50-64 | 63 | 5.8 | 50 | 2 | 2 | 3 | 6 | 16 | 18 | 42 |
| 65+ | 151 | 6.2 | 52 | 1 | 1 | 4 | 8 | 14 | 21 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 5 | 4.4 | 16 | <1 | <1 | 3 | 8 | 10 | 10 | 10 |
| 65+ | 20 | 8.4 | 55 | 1 | 1 | 6 | 10 | 20 | 25 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 6.8 | 38 | <1 | <1 | 4 | 11 | 16 | 16 | 16 |
| 35-49 | 20 | 11.4 | 172 | <1 | 1 | 4 | 20 | 32 | 40 | 46 |
| 50-64 | 40 | 8.9 | 103 | 1 | 2 | 5 | 11 | 19 | 26 | 56 |
| 65+ | 168 | 9.9 | 108 | 1 | 2 | 7 | 12 | 23 | 33 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 8.0 | 85 | 1 | 1 | 5 | 8 | 19 | 32 | 37 |
| B. *Operated* | 255 | 6.0 | 50 | <1 | 1 | 3 | 7 | 15 | 20 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 7.6 | 49 | <1 | 1 | 6 | 10 | 18 | 24 | 27 |
| B. *Operated* | 234 | 9.8 | 110 | 1 | 2 | 6 | 12 | 23 | 32 | 54 |
| **1. SINGLE DX** | 271 | 6.1 | 52 | 1 | 1 | 3 | 7 | 15 | 21 | 43 |
| **2. MULTIPLE DX** | 259 | 9.6 | 104 | 1 | 2 | 6 | 12 | 23 | 31 | 53 |
| **A. NOT OPERATED** | 41 | 7.7 | 62 | 1 | 1 | 5 | 9 | 19 | 25 | 37 |
| **B. OPERATED** | 489 | 7.8 | 82 | 1 | 2 | 4 | 10 | 19 | 26 | 46 |
| TOTAL 0-19 YRS | 5 | 4.4 | 26 | <1 | <1 | 2 | 6 | 15 | 15 | 15 |
| 20-34 | 18 | 6.6 | 58 | <1 | <1 | 3 | 10 | 17 | 24 | 28 |
| 35-49 | 44 | 8.0 | 102 | 1 | 1 | 4 | 9 | 23 | 31 | 46 |
| 50-64 | 112 | 6.8 | 68 | 1 | 2 | 4 | 8 | 16 | 20 | 49 |
| 65+ | 351 | 8.2 | 84 | 1 | 2 | 5 | 10 | 20 | 27 | 45 |
| **GRAND TOTAL** | **530** | **7.8** | **80** | **1** | **1** | **4** | **10** | **19** | **26** | **45** |

### 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 17 | 5.8 | 26 | <1 | 1 | 5 | 7 | 9 | 18 | 23 |
| 50-64 | 20 | 8.0 | 100 | 1 | 1 | 5 | 10 | 19 | 33 | 43 |
| 65+ | 25 | 8.3 | 65 | 1 | 1 | 5 | 14 | 22 | 23 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 45 | 7.5 | 14 | 1 | 2 | 7 | 11 | 13 | 13 | 15 |
| 35-49 | 236 | 7.9 | 18 | 2 | 2 | 8 | 10 | 13 | 15 | 23 |
| 50-64 | 354 | 8.6 | 39 | 2 | 3 | 8 | 11 | 13 | 16 | 26 |
| 65+ | 317 | 9.9 | 41 | 2 | 3 | 9 | 12 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 8.3 | 19 | 1 | 2 | 7 | 12 | 13 | 13 | 13 |
| 35-49 | 96 | 11.9 | 207 | <1 | 1 | 7 | 15 | 26 | 44 | 77 |
| 50-64 | 178 | 10.7 | 118 | 1 | 2 | 8 | 15 | 25 | 32 | 76 |
| 65+ | 168 | 13.1 | 141 | 1 | 2 | 10 | 18 | 32 | 43 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 40 | 8.8 | 34 | 2 | 3 | 8 | 10 | 13 | 18 | 36 |
| 35-49 | 233 | 9.9 | 43 | 4 | 5 | 8 | 11 | 17 | 22 | 30 |
| 50-64 | 395 | 11.7 | 77 | 3 | 5 | 9 | 14 | 21 | 28 | 51 |
| 65+ | 516 | 12.9 | 78 | 3 | 5 | 11 | 15 | 22 | 28 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 63 | 7.5 | 64 | 1 | 1 | 5 | 9 | 20 | 23 | 41 |
| B. *Operated* | 953 | 8.8 | 34 | 2 | 3 | 8 | 11 | 14 | 17 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 449 | 11.8 | 144 | 1 | 2 | 8 | 15 | 28 | 37 | 86 |
| B. *Operated* | 1184 | 11.8 | 71 | 3 | 5 | 10 | 14 | 21 | 27 | 47 |
| **1. SINGLE DX** | 1016 | 8.7 | 36 | 2 | 2 | 8 | 11 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 1633 | 11.8 | 91 | 2 | 4 | 9 | 14 | 22 | 29 | 58 |
| **A. NOT OPERATED** | 512 | 11.3 | 136 | 1 | 2 | 8 | 15 | 27 | 36 | 85 |
| **B. OPERATED** | 2137 | 10.5 | 57 | 2 | 4 | 9 | 12 | 18 | 23 | 38 |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 93 | 8.1 | 23 | 1 | 2 | 8 | 10 | 13 | 14 | 29 |
| 35-49 | 582 | 9.3 | 62 | 1 | 3 | 8 | 10 | 16 | 22 | 47 |
| 50-64 | 947 | 10.3 | 73 | 2 | 3 | 9 | 12 | 18 | 25 | 48 |
| 65+ | 1026 | 11.9 | 79 | 2 | 3 | 10 | 14 | 22 | 29 | 52 |
| **GRAND TOTAL** | **2649** | **10.6** | **72** | **2** | **3** | **9** | **12** | **19** | **26** | **50** |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 5.3 | 61 | 1 | 1 | 3 | 4 | 10 | 27 | 31 |
| 35-49 | 16 | 6.1 | 56 | 1 | 2 | 4 | 5 | 13 | 27 | 32 |
| 50-64 | 12 | 4.0 | 7 | 2 | 2 | 3 | 5 | 9 | 10 | 10 |
| 65+ | 11 | 8.2 | 147 | 2 | 2 | 3 | 10 | 24 | 41 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.3 | 26 | 4 | 4 | 7 | 12 | 14 | 14 | 14 |
| 20-34 | 74 | 5.9 | 22 | 1 | 2 | 5 | 7 | 10 | 13 | 30 |
| 35-49 | 76 | 7.1 | 55 | 1 | 2 | 5 | 9 | 14 | 19 | 46 |
| 50-64 | 30 | 11.4 | 132 | 1 | 2 | 7 | 17 | 34 | 39 | 39 |
| 65+ | 37 | 9.0 | 98 | 1 | 2 | 5 | 11 | 26 | 34 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 9 | 10.0 | 53 | 1 | 2 | 8 | 15 | 21 | 24 | 24 |
| 35-49 | 29 | 14.0 | 137 | 1 | 1 | 11 | 22 | 34 | 37 | 41 |
| 50-64 | 31 | 12.2 | 220 | 2 | 2 | 7 | 15 | 28 | 50 | 68 |
| 65+ | 29 | 12.0 | 135 | 2 | 2 | 8 | 17 | 24 | 31 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 54 | 9.4 | 63 | 2 | 2 | 7 | 17 | 21 | 25 | 30 |
| 35-49 | 63 | 12.0 | 106 | 2 | 2 | 8 | 15 | 30 | 36 | 43 |
| 50-64 | 56 | 17.3 | 333 | 2 | 3 | 9 | 25 | 51 | 58 | 77 |
| 65+ | 45 | 15.5 | 156 | 3 | 3 | 10 | 23 | 37 | 42 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 5.8 | 63 | 1 | 2 | 3 | 5 | 11 | 29 | 43 |
| B. *Operated* | 220 | 7.6 | 63 | 1 | 2 | 5 | 9 | 15 | 25 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 99 | 12.4 | 151 | 1 | 2 | 8 | 16 | 28 | 38 | 62 |
| B. *Operated* | 218 | 13.4 | 171 | 2 | 2 | 9 | 18 | 31 | 40 | 61 |
| **1. SINGLE DX** | 272 | 7.3 | 64 | 1 | 2 | 5 | 9 | 14 | 26 | 41 |
| **2. MULTIPLE DX** | 317 | 13.1 | 165 | 2 | 2 | 8 | 17 | 30 | 39 | 61 |
| **A. NOT OPERATED** | 151 | 10.1 | 130 | 1 | 2 | 6 | 13 | 24 | 36 | 55 |
| **B. OPERATED** | 438 | 10.5 | 125 | 2 | 2 | 7 | 13 | 26 | 35 | 54 |
| TOTAL 0-19 YRS | 4 | 7.8 | 19 | 4 | 4 | 6 | 10 | 14 | 14 | 14 |
| 20-34 | 150 | 7.3 | 44 | 1 | 2 | 5 | 9 | 18 | 23 | 31 |
| 35-49 | 184 | 9.8 | 93 | 1 | 2 | 7 | 13 | 25 | 32 | 42 |
| 50-64 | 129 | 13.4 | 241 | 2 | 2 | 7 | 17 | 36 | 52 | 70 |
| 65+ | 122 | 12.0 | 138 | 2 | 2 | 8 | 16 | 30 | 39 | 49 |
| **GRAND TOTAL** | **589** | **10.4** | **126** | **2** | **2** | **7** | **13** | **26** | **35** | **54** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 9.3 | 141 | 2 | 2 | 4 | 16 | 27 | 27 | 27 |
| 35-49 | 9 | 6.0 | 60 | 2 | 2 | 3 | 5 | 19 | 26 | 26 |
| 50-64 | 14 | 5.5 | 63 | 1 | 2 | 3 | 5 | 11 | 27 | 32 |
| 65+ | 14 | 11.4 | 98 | 2 | 2 | 8 | 24 | 25 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 5.8 | 32 | 1 | 1 | 5 | 10 | 12 | 12 | 12 |
| 35-49 | 30 | 6.1 | 21 | 1 | 1 | 5 | 8 | 11 | 13 | 22 |
| 50-64 | 111 | 6.1 | 12 | <1 | 1 | 7 | 9 | 10 | 11 | 17 |
| 65+ | 90 | 7.1 | 56 | 1 | 2 | 5 | 8 | 13 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 18 | 11.3 | 262 | <1 | 1 | 5 | 10 | 30 | 54 | 67 |
| 65+ | 32 | 13.2 | 281 | 2 | 2 | 7 | 17 | 29 | 51 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 8.0 | 21 | 1 | 2 | 8 | 10 | 14 | 15 | 15 |
| 35-49 | 38 | 10.1 | 71 | 1 | 2 | 9 | 12 | 17 | 21 | 51 |
| 50-64 | 202 | 9.6 | 83 | 1 | 2 | 8 | 10 | 16 | 22 | 44 |
| 65+ | 217 | 11.5 | 123 | 1 | 2 | 9 | 14 | 25 | 32 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 7.5 | 77 | 2 | 2 | 3 | 8 | 25 | 27 | 32 |
| B. *Operated* | 235 | 6.5 | 30 | 1 | 2 | 6 | 9 | 11 | 13 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 11.9 | 259 | 1 | 2 | 5 | 16 | 28 | 50 | 81 |
| B. *Operated* | 463 | 10.5 | 100 | 1 | 2 | 8 | 13 | 19 | 29 | 51 |
| **1. SINGLE DX** | 280 | 6.7 | 38 | 1 | 2 | 6 | 9 | 12 | 20 | 31 |
| **2. MULTIPLE DX** | 516 | 10.7 | 116 | 1 | 2 | 8 | 13 | 20 | 29 | 68 |
| **A. NOT OPERATED** | 98 | 9.9 | 179 | 1 | 2 | 4 | 12 | 26 | 31 | 74 |
| **B. OPERATED** | 698 | 9.2 | 80 | 1 | 2 | 8 | 11 | 17 | 25 | 46 |
| TOTAL 0-19 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 7.7 | 50 | 1 | 1 | 7 | 10 | 16 | 25 | 27 |
| 35-49 | 80 | 7.8 | 52 | 1 | 2 | 7 | 10 | 15 | 20 | 43 |
| 50-64 | 345 | 8.4 | 71 | 1 | 2 | 8 | 10 | 15 | 19 | 43 |
| 65+ | 353 | 10.5 | 122 | 1 | 2 | 8 | 13 | 24 | 30 | 68 |
| **GRAND TOTAL** | **796** | **9.2** | **92** | **1** | **2** | **8** | **11** | **18** | **26** | **50** |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 9 | 3.1 | 4 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 9 | 3.0 | 9 | 1 | 1 | 2 | 3 | 8 | 11 | 11 |
| 50-64 | 23 | 4.8 | 38 | <1 | 1 | 2 | 4 | 13 | 21 | 26 |
| 65+ | 18 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 8 | 12.0 | 70 | 6 | 7 | 9 | 12 | 26 | 32 | 32 |
| 35-49 | 11 | 8.2 | 11 | 2 | 4 | 8 | 10 | 13 | 14 | 14 |
| 50-64 | 26 | 11.1 | 24 | 5 | 6 | 9 | 15 | 19 | 19 | 20 |
| 65+ | 8 | 12.6 | 38 | 3 | 5 | 12 | 15 | 22 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 15 | 3.3 | 14 | <1 | <1 | 1 | 5 | 11 | 11 | 11 |
| 35-49 | 25 | 6.3 | 47 | 1 | 1 | 3 | 11 | 18 | 20 | 22 |
| 50-64 | 155 | 4.8 | 53 | 1 | 1 | 2 | 5 | 12 | 19 | 38 |
| 65+ | 89 | 9.1 | 319 | 1 | 1 | 3 | 9 | 16 | 54 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.0 | 18 | 10 | 10 | 13 | 16 | 16 | 16 | 16 |
| 20-34 | 17 | 10.5 | 20 | 4 | 6 | 10 | 12 | 17 | 20 | 22 |
| 35-49 | 41 | 14.4 | 34 | 7 | 7 | 14 | 19 | 21 | 24 | 28 |
| 50-64 | 111 | 17.9 | 166 | 4 | 7 | 16 | 22 | 31 | 40 | 73 |
| 65+ | 76 | 20.4 | 225 | 4 | 7 | 16 | 27 | 36 | 50 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 11 | 25 |
| B. *Operated* | 54 | 10.8 | 30 | 3 | 6 | 9 | 14 | 18 | 20 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 286 | 6.2 | 136 | 1 | 1 | 2 | 6 | 14 | 20 | 79 |
| B. *Operated* | 247 | 17.5 | 158 | 4 | 7 | 15 | 22 | 31 | 41 | 60 |
| **1. SINGLE DX** | 114 | 7.0 | 36 | 1 | 2 | 6 | 9 | 15 | 19 | 28 |
| **2. MULTIPLE DX** | 533 | 11.4 | 178 | 1 | 1 | 8 | 16 | 25 | 34 | 78 |
| **A. NOT OPERATED** | 346 | 5.7 | 116 | 1 | 1 | 2 | 6 | 12 | 19 | 77 |
| **B. OPERATED** | 301 | 16.3 | 141 | 4 | 7 | 14 | 20 | 28 | 36 | 58 |
| TOTAL 0-19 YRS | 6 | 7.7 | 24 | 2 | 2 | 7 | 10 | 15 | 16 | 16 |
| 20-34 | 49 | 7.2 | 37 | <1 | 1 | 7 | 10 | 13 | 17 | 32 |
| 35-49 | 86 | 10.1 | 50 | 1 | 1 | 9 | 16 | 20 | 22 | 27 |
| 50-64 | 315 | 9.9 | 126 | 1 | 1 | 7 | 15 | 23 | 29 | 53 |
| 65+ | 191 | 13.1 | 278 | 1 | 1 | 8 | 16 | 30 | 49 | 86 |
| **GRAND TOTAL** | **647** | **10.7** | **156** | **1** | **1** | **8** | **15** | **23** | **31** | **60** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 50-64 | 3 | 6.7 | 80 | 1 | 1 | 2 | 13 | 17 | 17 | 17 |
| 65+ | 3 | 24.0 | 444 | 2 | 2 | 26 | 39 | 44 | 44 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 8.2 | 73 | 1 | 1 | 5 | 11 | 23 | 23 | 23 |
| 35-49 | 4 | 9.3 | 73 | 1 | 1 | 8 | 16 | 20 | 20 | 20 |
| 50-64 | 10 | 5.6 | 19 | 2 | 2 | 4 | 7 | 13 | 16 | 16 |
| 65+ | 19 | 10.6 | 124 | 1 | 2 | 8 | 11 | 30 | 38 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 14 | 4.9 | 20 | <1 | 1 | 3 | 5 | 14 | 16 | 16 |
| 65+ | 5 | 22.2 | 446 | 7 | 7 | 10 | 36 | 56 | 56 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 5 | 7.8 | 65 | 1 | 1 | 4 | 14 | 20 | 20 | 20 |
| 50-64 | 30 | 22.2 | 303 | 5 | 6 | 19 | 31 | 57 | 71 | 99+ |
| 65+ | 41 | 23.2 | 281 | 2 | 4 | 19 | 36 | 41 | 54 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 13.9 | 242 | 1 | 1 | 10 | 22 | 39 | 44 | 44 |
| B. *Operated* | 38 | 8.8 | 83 | 1 | 2 | 6 | 11 | 22 | 30 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 8.3 | 151 | <1 | 1 | 4 | 8 | 19 | 39 | 56 |
| B. *Operated* | 78 | 21.4 | 283 | 2 | 4 | 18 | 34 | 42 | 62 | 92 |
| **1. SINGLE DX** | 46 | 9.7 | 110 | 1 | 1 | 6 | 12 | 25 | 35 | 44 |
| **2. MULTIPLE DX** | 101 | 18.4 | 282 | 1 | 2 | 14 | 30 | 41 | 58 | 85 |
| **A. NOT OPERATED** | 31 | 9.7 | 173 | 1 | 1 | 4 | 13 | 28 | 43 | 56 |
| **B. OPERATED** | 116 | 17.3 | 252 | 2 | 2 | 12 | 26 | 40 | 52 | 81 |
| TOTAL 0-19 YRS | 5 | 5.2 | 39 | 1 | 1 | 4 | 7 | 16 | 16 | 16 |
| 20-34 | 7 | 6.3 | 60 | 1 | 1 | 5 | 7 | 20 | 23 | 23 |
| 35-49 | 10 | 9.4 | 63 | 1 | 1 | 8 | 18 | 20 | 20 | 20 |
| 50-64 | 57 | 14.2 | 240 | 2 | 2 | 8 | 20 | 39 | 59 | 98 |
| 65+ | 68 | 19.6 | 274 | 2 | 2 | 14 | 33 | 41 | 50 | 68 |
| **GRAND TOTAL** | **147** | **15.7** | **244** | **1** | **2** | **10** | **23** | **39** | **49** | **72** |

### 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 17 | 8.8 | 25 | 1 | 2 | 9 | 12 | 15 | 19 | 21 |
| 65+ | 60 | 11.1 | 166 | 2 | 2 | 7 | 14 | 27 | 44 | 97 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 24.0 | 50 | 19 | 19 | 24 | 29 | 29 | 29 | 29 |
| 50-64 | 112 | 9.7 | 73 | 2 | 2 | 7 | 12 | 23 | 27 | 40 |
| 65+ | 381 | 11.0 | 57 | 2 | 3 | 9 | 14 | 19 | 27 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.7 | 42 | 2 | 2 | 9 | 13 | 15 | 15 | 15 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 15.0 | 50 | 10 | 10 | 15 | 20 | 20 | 20 | 20 |
| 50-64 | 81 | 9.7 | 79 | 1 | 1 | 6 | 15 | 21 | 28 | 40 |
| 65+ | 377 | 13.7 | 195 | 2 | 3 | 9 | 16 | 36 | 52 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 25 | 5 | 5 | 8 | 12 | 12 | 12 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 15.0 | 281 | 4 | 4 | 8 | 24 | 40 | 40 | 40 |
| 50-64 | 204 | 13.1 | 90 | 3 | 4 | 11 | 17 | 24 | 35 | 55 |
| 65+ | 1015 | 14.5 | 126 | 3 | 4 | 12 | 18 | 27 | 37 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 10.6 | 135 | 2 | 2 | 7 | 12 | 24 | 37 | 93 |
| B. *Operated* | 496 | 10.8 | 61 | 2 | 3 | 9 | 14 | 21 | 28 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 463 | 12.9 | 175 | 1 | 2 | 9 | 16 | 31 | 47 | 99+ |
| B. *Operated* | 1225 | 14.3 | 121 | 3 | 4 | 11 | 18 | 27 | 37 | 67 |
| **1. SINGLE DX** | 573 | 10.7 | 71 | 2 | 3 | 9 | 14 | 21 | 28 | 42 |
| **2. MULTIPLE DX** | 1688 | 13.9 | 136 | 3 | 4 | 11 | 17 | 27 | 39 | 74 |
| **A. NOT OPERATED** | 540 | 12.6 | 170 | 1 | 2 | 9 | 16 | 30 | 47 | 99+ |
| **B. OPERATED** | 1721 | 13.3 | 106 | 3 | 4 | 11 | 17 | 25 | 33 | 57 |
| TOTAL 0-19 YRS | 6 | 9.3 | 25 | 2 | 2 | 10 | 13 | 15 | 15 | 15 |
| 20-34 | | | | | | | | | | |
| 35-49 | 8 | 17.3 | 152 | 4 | 5 | 14 | 24 | 37 | 40 | 40 |
| 50-64 | 414 | 11.4 | 83 | 2 | 2 | 9 | 15 | 23 | 28 | 49 |
| 65+ | 1833 | 13.5 | 129 | 3 | 4 | 10 | 17 | 27 | 38 | 73 |
| **GRAND TOTAL** | **2261** | **13.1** | **121** | **2** | **3** | **10** | **16** | **26** | **36** | **72** |

### 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 9.4 | 26 | 3 | 3 | 12 | 13 | 15 | 15 | 15 |
| 35-49 | 4 | 5.3 | 6 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 7.1 | 60 | 1 | 1 | 4 | 9 | 20 | 26 | 26 |
| 20-34 | 44 | 9.1 | 42 | 3 | 4 | 7 | 11 | 18 | 23 | 33 |
| 35-49 | 23 | 7.9 | 51 | 1 | 2 | 6 | 10 | 19 | 24 | 30 |
| 50-64 | 8 | 6.3 | 42 | 1 | 1 | 4 | 8 | 18 | 20 | 20 |
| 65+ | 7 | 12.0 | 152 | 2 | 2 | 6 | 16 | 33 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 50 | 5.8 | 13 | 2 | 3 | 5 | 6 | 7 | 13 | 25 |
| 35-49 | 9 | 6.3 | 5 | 5 | 5 | 6 | 6 | 10 | 12 | 12 |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 3 | 5.7 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 9 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| 20-34 | 43 | 12.8 | 44 | 3 | 4 | 13 | 19 | 22 | 23 | 24 |
| 35-49 | 15 | 17.8 | 280 | 5 | 7 | 13 | 17 | 41 | 62 | 69 |
| 50-64 | 8 | 19.1 | 568 | 3 | 3 | 13 | 20 | 60 | 75 | 75 |
| 65+ | 16 | 10.1 | 40 | 2 | 3 | 8 | 15 | 18 | 22 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 6.0 | 20 | 1 | 1 | 5 | 9 | 13 | 15 | 15 |
| B. *Operated* | 91 | 8.6 | 53 | 2 | 2 | 6 | 11 | 18 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 5.8 | 11 | 2 | 4 | 5 | 6 | 7 | 12 | 24 |
| B. *Operated* | 85 | 13.6 | 134 | 3 | 4 | 12 | 17 | 23 | 25 | 73 |
| **1. SINGLE DX** | 104 | 8.3 | 50 | 2 | 2 | 6 | 11 | 18 | 23 | 35 |
| **2. MULTIPLE DX** | 150 | 10.2 | 95 | 3 | 4 | 6 | 14 | 20 | 23 | 69 |
| **A. NOT OPERATED** | 78 | 5.9 | 12 | 2 | 2 | 5 | 6 | 9 | 13 | 22 |
| **B. OPERATED** | 176 | 11.0 | 98 | 2 | 3 | 8 | 15 | 21 | 24 | 62 |
| TOTAL 0-19 YRS | 14 | 7.1 | 39 | 1 | 2 | 5 | 9 | 12 | 23 | 26 |
| 20-34 | 142 | 9.1 | 39 | 3 | 4 | 6 | 12 | 19 | 22 | 26 |
| 35-49 | 51 | 10.3 | 127 | 2 | 2 | 6 | 12 | 19 | 30 | 69 |
| 50-64 | 20 | 10.7 | 278 | 1 | 1 | 4 | 13 | 23 | 50 | 75 |
| 65+ | 27 | 9.9 | 63 | 2 | 3 | 7 | 14 | 18 | 25 | 37 |
| **GRAND TOTAL** | **254** | **9.4** | **77** | **2** | **3** | **6** | **12** | **19** | **23** | **41** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 11 | 4.1 | 6 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 65+ | 23 | 14.1 | 99 | 3 | 4 | 11 | 21 | 28 | 32 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 18 | 3.9 | 9 | 1 | 2 | 3 | 5 | 7 | 11 | 14 |
| 35-49 | 66 | 5.2 | 24 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 50-64 | 256 | 6.4 | 64 | 1 | 2 | 4 | 7 | 12 | 22 | 45 |
| 65+ | 515 | 6.4 | 51 | <1 | 1 | 4 | 7 | 12 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | 4 | 6.3 | 8 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 24 | 9.7 | 129 | 1 | 2 | 4 | 12 | 30 | 35 | 39 |
| 65+ | 67 | 10.1 | 94 | 1 | 2 | 9 | 15 | 21 | 35 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 14.2 | 722 | 2 | 2 | 3 | 4 | 62 | 69 | 69 |
| 35-49 | 30 | 7.6 | 54 | 2 | 2 | 5 | 9 | 17 | 26 | 33 |
| 50-64 | 245 | 10.2 | 127 | 2 | 2 | 6 | 11 | 29 | 37 | 53 |
| 65+ | 747 | 11.4 | 136 | 2 | 2 | 8 | 14 | 27 | 36 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 10.5 | 88 | 1 | 1 | 7 | 14 | 26 | 29 | 39 |
| B. *Operated* | 856 | 6.2 | 52 | 1 | 2 | 4 | 7 | 12 | 22 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 9.8 | 97 | 1 | 2 | 6 | 14 | 26 | 34 | 99+ |
| B. *Operated* | 1028 | 11.0 | 135 | 2 | 2 | 7 | 13 | 27 | 36 | 77 |
| **1. SINGLE DX** | 892 | 6.4 | 54 | 1 | 2 | 4 | 7 | 13 | 22 | 39 |
| **2. MULTIPLE DX** | 1124 | 10.9 | 132 | 2 | 2 | 7 | 13 | 27 | 36 | 85 |
| **A. NOT OPERATED** | 132 | 10.0 | 94 | 1 | 2 | 7 | 14 | 26 | 34 | 99+ |
| **B. OPERATED** | 1884 | 8.9 | 103 | 1 | 2 | 5 | 10 | 22 | 32 | 57 |
| TOTAL 0-19 YRS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 25 | 6.5 | 176 | 1 | 2 | 3 | 5 | 7 | 28 | 69 |
| 35-49 | 101 | 5.9 | 33 | 1 | 2 | 4 | 6 | 12 | 15 | 33 |
| 50-64 | 536 | 8.2 | 98 | 1 | 2 | 5 | 9 | 21 | 32 | 53 |
| 65+ | 1352 | 9.5 | 107 | 1 | 2 | 6 | 11 | 23 | 32 | 62 |
| **GRAND TOTAL** | **2016** | **8.9** | **102** | **1** | **2** | **5** | **10** | **22** | **32** | **58** |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.2 | 10 | 1 | 1 | 5 | 7 | 8 | 12 | 14 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 8.8 | 86 | 1 | 1 | 6 | 15 | 22 | 22 | 22 |
| 65+ | 12 | 7.8 | 74 | 1 | 1 | 5 | 10 | 20 | 29 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 2 | 17.0 | 72 | 11 | 11 | 17 | 23 | 23 | 23 | 23 |
| 35-49 | 12 | 14.8 | 48 | 3 | 6 | 14 | 18 | 24 | 27 | 28 |
| 50-64 | 32 | 14.5 | 106 | 1 | 3 | 14 | 17 | 22 | 36 | 55 |
| 65+ | 30 | 15.2 | 47 | 2 | 6 | 15 | 19 | 22 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 12 | 16.2 | 593 | 3 | 3 | 9 | 15 | 39 | 84 | 92 |
| 50-64 | 31 | 10.3 | 122 | 2 | 3 | 7 | 12 | 27 | 51 | 99+ |
| 65+ | 44 | 13.6 | 163 | 2 | 3 | 10 | 15 | 37 | 46 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 30.3 | 1020 | 11 | 11 | 16 | 47 | 78 | 78 | 78 |
| 20-34 | 7 | 19.7 | 152 | 12 | 12 | 15 | 19 | 42 | 47 | 47 |
| 35-49 | 20 | 18.6 | 71 | 2 | 7 | 18 | 25 | 29 | 30 | 31 |
| 50-64 | 80 | 21.3 | 167 | 3 | 6 | 20 | 26 | 43 | 47 | 58 |
| 65+ | 106 | 21.5 | 193 | 4 | 5 | 18 | 28 | 42 | 52 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 6.6 | 42 | 1 | 1 | 5 | 8 | 14 | 21 | 31 |
| B. *Operated* | 78 | 14.9 | 68 | 2 | 3 | 15 | 18 | 23 | 30 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 12.4 | 199 | 2 | 3 | 8 | 14 | 31 | 51 | 97 |
| B. *Operated* | 217 | 21.3 | 182 | 4 | 6 | 18 | 27 | 42 | 49 | 62 |
| **1. SINGLE DX** | 110 | 12.5 | 75 | 1 | 2 | 13 | 17 | 22 | 28 | 44 |
| **2. MULTIPLE DX** | 308 | 18.6 | 203 | 2 | 4 | 15 | 24 | 38 | 49 | 69 |
| **A. NOT OPERATED** | 123 | 10.9 | 164 | 1 | 2 | 7 | 13 | 22 | 39 | 94 |
| **B. OPERATED** | 295 | 19.6 | 160 | 3 | 5 | 17 | 24 | 36 | 47 | 61 |
| TOTAL 0-19 YRS | 25 | 9.7 | 226 | 1 | 2 | 6 | 12 | 15 | 32 | 78 |
| 20-34 | 10 | 17.5 | 137 | 3 | 7 | 14 | 20 | 35 | 47 | 47 |
| 35-49 | 44 | 16.9 | 198 | 3 | 4 | 15 | 23 | 28 | 30 | 92 |
| 50-64 | 147 | 17.1 | 162 | 2 | 3 | 15 | 23 | 38 | 46 | 61 |
| 65+ | 192 | 17.9 | 174 | 2 | 4 | 15 | 23 | 36 | 48 | 60 |
| **GRAND TOTAL** | **418** | **17.0** | **176** | **2** | **3** | **15** | **22** | **34** | **46** | **62** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.8 | 101 | 1 | 1 | 7 | 17 | 23 | 23 | 23 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 6 | 6.2 | 14 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 65+ | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 4.3 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 5 | 9.8 | 77 | 2 | 2 | 7 | 15 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 6.3 | 25 | 2 | 2 | 5 | 10 | 13 | 13 | 13 |
| 50-64 | 6 | 6.3 | 13 | 3 | 3 | 5 | 8 | 12 | 13 | 13 |
| 65+ | 4 | 13.3 | 56 | 7 | 7 | 12 | 19 | 22 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 7.0 | 36 | 2 | 2 | 4 | 10 | 17 | 17 | 17 |
| B. *Operated* | 14 | 6.8 | 34 | 1 | 2 | 5 | 9 | 13 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 6.3 | 40 | 1 | 2 | 4 | 6 | 16 | 23 | 24 |
| B. *Operated* | 14 | 8.3 | 35 | 2 | 3 | 7 | 13 | 17 | 21 | 22 |
| **1. SINGLE DX** | 19 | 6.8 | 32 | 1 | 2 | 5 | 9 | 15 | 20 | 23 |
| **2. MULTIPLE DX** | 26 | 7.3 | 36 | 2 | 2 | 5 | 8 | 17 | 22 | 24 |
| **A. NOT OPERATED** | 17 | 6.5 | 36 | 1 | 2 | 4 | 7 | 16 | 22 | 24 |
| **B. OPERATED** | 28 | 7.5 | 33 | 2 | 2 | 6 | 10 | 16 | 22 | 23 |
| TOTAL 0-19 YRS | 10 | 5.8 | 46 | 1 | 1 | 3 | 5 | 17 | 23 | 23 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 5.8 | 20 | 2 | 2 | 4 | 8 | 13 | 13 | 13 |
| 50-64 | 17 | 5.9 | 10 | 2 | 2 | 5 | 8 | 11 | 13 | 13 |
| 65+ | 13 | 10.3 | 54 | 2 | 3 | 7 | 17 | 22 | 24 | 24 |
| **GRAND TOTAL** | **45** | **7.1** | **34** | **2** | **2** | **5** | **8** | **17** | **22** | **24** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.0 | 13 | 2 | 2 | 3 | 8 | 11 | 11 | 11 |
| 20-34 | 10 | 7.3 | 25 | 2 | 2 | 7 | 13 | 50 | 96 | 99+ |
| 35-49 | 25 | 11.2 | 121 | 1 | 2 | 7 | 18 | 28 | 58 | 99+ |
| 50-64 | 35 | 9.2 | 136 | 2 | 2 | 4 | 11 | 31 | 48 | 99+ |
| 65+ | 6 | 21.2 | 151 | 8 | 9 | 18 | 23 | 42 | 44 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 23.8 | 459 | 2 | 4 | 16 | 31 | 39 | 76 | 89 |
| 20-34 | 16 | 21.0 | 173 | 6 | 7 | 18 | 28 | 38 | 50 | 55 |
| 35-49 | 16 | 17.4 | 70 | 6 | 6 | 19 | 23 | 30 | 31 | 31 |
| 50-64 | 14 | 20.0 | 206 | 7 | 11 | 15 | 24 | 36 | 58 | 64 |
| 65+ | 10 | 26.4 | 159 | 1 | 8 | 29 | 36 | 41 | 45 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 14.0 | 311 | 1 | 1 | 7 | 16 | 41 | 56 | 64 |
| 20-34 | 7 | 15.0 | 237 | 2 | 2 | 10 | 28 | 38 | 40 | 40 |
| 35-49 | 16 | 6.9 | 35 | <1 | 1 | 5 | 10 | 17 | 19 | 20 |
| 50-64 | 38 | 14.1 | 398 | 2 | 2 | 7 | 15 | 52 | 79 | 99+ |
| 65+ | 13 | 15.5 | 151 | 2 | 4 | 13 | 18 | 34 | 44 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 26.4 | 319 | 7 | 8 | 21 | 35 | 68 | 87 | 99+ |
| 20-34 | 9 | 39.4 | 745 | 7 | 12 | 45 | 79 | 99+ | 99+ | 99+ |
| 35-49 | 20 | 31.5 | 559 | 7 | 9 | 22 | 49 | 79 | 89 | 99+ |
| 50-64 | 23 | 35.7 | 409 | 11 | 15 | 32 | 45 | 61 | 83 | 95 |
| 65+ | 16 | 46.7 | 552 | 15 | 16 | 46 | 67 | 75 | 80 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 9.9 | 115 | 2 | 2 | 6 | 15 | 27 | 48 | 99+ |
| B. *Operated* | 71 | 21.3 | 211 | 6 | 7 | 18 | 29 | 37 | 45 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 13.1 | 270 | 1 | 2 | 7 | 15 | 40 | 53 | 94 |
| B. *Operated* | 88 | 35.0 | 506 | 8 | 12 | 30 | 54 | 78 | 94 | 99+ |
| **1. SINGLE DX** | 157 | 15.1 | 190 | 2 | 2 | 12 | 23 | 34 | 46 | 99+ |
| **2. MULTIPLE DX** | 180 | 23.8 | 504 | 2 | 3 | 17 | 37 | 68 | 80 | 99+ |
| **A. NOT OPERATED** | 178 | 11.6 | 196 | 2 | 2 | 7 | 15 | 32 | 50 | 99+ |
| **B. OPERATED** | 159 | 28.9 | 419 | 6 | 9 | 23 | 39 | 68 | 80 | 99+ |
| TOTAL 0-19 YRS | 63 | 18.8 | 351 | 1 | 2 | 13 | 29 | 41 | 68 | 98 |
| 20-34 | 42 | 20.7 | 375 | 2 | 3 | 16 | 31 | 72 | 99+ | 99+ |
| 35-49 | 77 | 16.9 | 287 | 1 | 2 | 14 | 22 | 42 | 74 | 99+ |
| 50-64 | 110 | 17.8 | 381 | 2 | 2 | 12 | 25 | 49 | 69 | 99+ |
| 65+ | 45 | 29.8 | 456 | 3 | 7 | 25 | 42 | 67 | 74 | 82 |
| **GRAND TOTAL** | **337** | **19.7** | **376** | **2** | **2** | **15** | **29** | **52** | **75** | **99+** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 35.5 | 841 | 15 | 15 | 35 | 56 | 56 | 56 | 56 |
| 20-34 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 65+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 20.6 | 78 | 8 | 8 | 24 | 28 | 28 | 28 | 28 |
| 20-34 | 3 | 7.3 | 46 | 2 | 2 | 5 | 12 | 15 | 15 | 15 |
| 35-49 | 3 | 24.0 | 25 | 19 | 19 | 26 | 64 | 99+ | 99+ | 99+ |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | 3 | 37.7 | 234 | 26 | 26 | 32 | 49 | 55 | 55 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 5.7 | 25 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| B. *Operated* | 5 | 16.6 | 512 | 1 | 1 | 7 | 25 | 56 | 56 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 8.8 | 106 | 2 | 2 | 4 | 15 | 24 | 24 | 24 |
| B. *Operated* | 15 | 21.9 | 167 | 3 | 5 | 24 | 29 | 53 | 86 | 99+ |
| **1. SINGLE DX** | 8 | 12.5 | 332 | 1 | 1 | 6 | 13 | 44 | 56 | 56 |
| **2. MULTIPLE DX** | 19 | 19.2 | 178 | 2 | 3 | 21 | 28 | 43 | 77 | 99+ |
| **A. NOT OPERATED** | 7 | 7.4 | 64 | 1 | 1 | 5 | 10 | 21 | 24 | 24 |
| **B. OPERATED** | 20 | 20.6 | 236 | 2 | 3 | 19 | 28 | 55 | 76 | 99+ |
| TOTAL 0-19 YRS | 10 | 18.8 | 265 | 1 | 1 | 15 | 28 | 42 | 56 | 56 |
| 20-34 | 4 | 7.3 | 31 | 2 | 2 | 6 | 11 | 15 | 15 | 15 |
| 35-49 | 6 | 13.7 | 140 | 1 | 2 | 19 | 28 | 86 | 99+ | 99+ |
| 50-64 | 2 | 21.5 | 13 | 19 | 19 | 21 | 24 | 24 | 24 | 24 |
| 65+ | 5 | 24.4 | 448 | 3 | 3 | 26 | 38 | 55 | 55 | 55 |
| **GRAND TOTAL** | **27** | **17.2** | **222** | **1** | **2** | **15** | **27** | **48** | **60** | **99+** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.1 | 7 | 3 | 3 | 6 | 8 | 10 | 11 | 11 |
| 20-34 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | 7 | 5.3 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 10 |
| 50-64 | 8 | 10.0 | 146 | 3 | 3 | 6 | 10 | 31 | 39 | 39 |
| 65+ | 6 | 7.0 | 10 | 3 | 3 | 7 | 8 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 9 | 6 | 6 | 6 | 9 | 12 | 12 | 12 |
| 20-34 | 28 | 4.9 | 3 | 2 | 3 | 5 | 6 | 7 | 9 | 10 |
| 35-49 | 25 | 8.4 | 43 | 3 | 4 | 6 | 9 | 20 | 24 | 29 |
| 50-64 | 17 | 5.6 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 10 |
| 65+ | 14 | 13.1 | 119 | 5 | 5 | 10 | 14 | 24 | 41 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 5.4 | 18 | 1 | 2 | 4 | 6 | 11 | 17 | 17 |
| 20-34 | 19 | 11.4 | 114 | 2 | 3 | 8 | 12 | 32 | 39 | 39 |
| 35-49 | 14 | 14.6 | 149 | 4 | 5 | 8 | 22 | 35 | 40 | 41 |
| 50-64 | 16 | 11.6 | 140 | 4 | 5 | 8 | 9 | 30 | 44 | 49 |
| 65+ | 11 | 8.7 | 35 | 1 | 2 | 8 | 15 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 16.5 | 595 | 2 | 2 | 6 | 17 | 60 | 65 | 65 |
| 20-34 | 19 | 11.1 | 92 | 4 | 4 | 7 | 11 | 30 | 33 | 35 |
| 35-49 | 31 | 10.8 | 97 | 3 | 4 | 7 | 12 | 27 | 35 | 41 |
| 50-64 | 33 | 11.5 | 174 | 5 | 5 | 8 | 10 | 20 | 34 | 76 |
| 65+ | 24 | 15.4 | 273 | 4 | 5 | 9 | 20 | 28 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 7.0 | 44 | 3 | 3 | 6 | 8 | 11 | 12 | 39 |
| B. *Operated* | 88 | 7.5 | 40 | 3 | 4 | 6 | 8 | 13 | 20 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 71 | 10.7 | 103 | 2 | 3 | 7 | 11 | 25 | 38 | 47 |
| B. *Operated* | 113 | 12.3 | 177 | 4 | 4 | 8 | 13 | 28 | 36 | 90 |
| **1. SINGLE DX** | 118 | 7.3 | 41 | 3 | 3 | 6 | 8 | 12 | 20 | 41 |
| **2. MULTIPLE DX** | 184 | 11.7 | 148 | 3 | 4 | 7 | 12 | 28 | 36 | 81 |
| **A. NOT OPERATED** | 101 | 9.6 | 88 | 2 | 3 | 7 | 10 | 19 | 36 | 45 |
| **B. OPERATED** | 201 | 10.2 | 122 | 3 | 4 | 6 | 11 | 22 | 32 | 80 |
| TOTAL 0-19 YRS | 28 | 8.3 | 139 | 2 | 2 | 5 | 7 | 15 | 22 | 65 |
| 20-34 | 68 | 8.4 | 67 | 3 | 3 | 6 | 9 | 17 | 31 | 39 |
| 35-49 | 77 | 10.2 | 85 | 3 | 4 | 7 | 11 | 23 | 34 | 41 |
| 50-64 | 74 | 10.0 | 126 | 4 | 4 | 7 | 9 | 16 | 35 | 69 |
| 65+ | 55 | 12.6 | 162 | 3 | 4 | 9 | 16 | 26 | 41 | 99 |
| **GRAND TOTAL** | **302** | **10.0** | **111** | **3** | **4** | **7** | **10** | **22** | **33** | **70** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.0 | 61 | 3 | 3 | 4 | 14 | 17 | 17 | 17 |
| 20-34 | 9 | 9.2 | 164 | 1 | 1 | 3 | 17 | 30 | 38 | 38 |
| 35-49 | 9 | 6.8 | 27 | 1 | 1 | 5 | 10 | 15 | 15 | 15 |
| 50-64 | 49 | 11.6 | 198 | 2 | 2 | 7 | 13 | 23 | 46 | 73 |
| 65+ | 69 | 10.5 | 88 | 2 | 2 | 9 | 13 | 20 | 32 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.0 | 44 | 1 | 1 | 14 | 15 | 16 | 16 | 16 |
| 20-34 | 13 | 7.2 | 59 | 2 | 2 | 4 | 8 | 21 | 24 | 25 |
| 35-49 | 21 | 11.2 | 104 | 1 | 2 | 7 | 15 | 29 | 34 | 37 |
| 50-64 | 35 | 8.4 | 46 | 1 | 1 | 5 | 13 | 18 | 21 | 27 |
| 65+ | 86 | 11.6 | 182 | 2 | 2 | 7 | 16 | 27 | 38 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 5.1 | 19 | <1 | <1 | 5 | 6 | 9 | 16 | 18 |
| 20-34 | 50 | 7.6 | 96 | 1 | 1 | 4 | 7 | 24 | 32 | 47 |
| 35-49 | 116 | 11.1 | 142 | 1 | 2 | 6 | 16 | 28 | 38 | 81 |
| 50-64 | 342 | 12.9 | 175 | 1 | 2 | 9 | 17 | 30 | 42 | 80 |
| 65+ | 537 | 15.3 | 216 | 2 | 3 | 11 | 20 | 36 | 55 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.8 | 25 | 4 | 4 | 7 | 14 | 16 | 16 | 16 |
| 20-34 | 70 | 13.9 | 122 | 1 | 2 | 11 | 23 | 31 | 37 | 88 |
| 35-49 | 135 | 15.2 | 217 | 2 | 3 | 10 | 21 | 35 | 44 | 75 |
| 50-64 | 412 | 16.8 | 203 | 2 | 3 | 13 | 23 | 36 | 46 | 76 |
| 65+ | 520 | 17.1 | 230 | 2 | 3 | 13 | 23 | 38 | 52 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 10.5 | 126 | 1 | 2 | 7 | 13 | 20 | 32 | 62 |
| B. *Operated* | 160 | 10.4 | 129 | 1 | 2 | 6 | 15 | 25 | 29 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1059 | 13.6 | 191 | 2 | 2 | 9 | 18 | 32 | 48 | 99+ |
| B. *Operated* | 1143 | 16.5 | 212 | 2 | 3 | 12 | 23 | 36 | 48 | 74 |
| **1. SINGLE DX** | 299 | 10.5 | 127 | 1 | 2 | 7 | 14 | 23 | 31 | 55 |
| **2. MULTIPLE DX** | 2202 | 15.1 | 204 | 2 | 2 | 11 | 21 | 35 | 48 | 94 |
| **A. NOT OPERATED** | 1198 | 13.2 | 184 | 2 | 2 | 9 | 18 | 31 | 47 | 99+ |
| **B. OPERATED** | 1303 | 15.8 | 205 | 2 | 2 | 12 | 22 | 35 | 45 | 74 |
| TOTAL 0-19 YRS | 28 | 7.1 | 29 | <1 | 1 | 5 | 11 | 16 | 17 | 18 |
| 20-34 | 142 | 10.7 | 117 | 1 | 1 | 6 | 17 | 27 | 35 | 51 |
| 35-49 | 281 | 12.9 | 176 | 1 | 2 | 8 | 17 | 30 | 40 | 73 |
| 50-64 | 838 | 14.5 | 190 | 1 | 2 | 10 | 20 | 33 | 44 | 74 |
| 65+ | 1212 | 15.5 | 215 | 2 | 3 | 11 | 21 | 36 | 51 | 99+ |
| **GRAND TOTAL** | **2501** | **14.5** | **197** | **2** | **2** | **11** | **20** | **33** | **46** | **89** |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 20-34 | 32 | 6.0 | 83 | 1 | 1 | 3 | 5 | 15 | 32 | 41 |
| 35-49 | 17 | 3.2 | 8 | 1 | 1 | 2 | 3 | 9 | 10 | 10 |
| 50-64 | 4 | 11.0 | 38 | 3 | 3 | 11 | 15 | 18 | 18 | 18 |
| 65+ | 7 | 7.0 | 24 | 2 | 2 | 6 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 16.0 | 267 | 2 | 2 | 9 | 23 | 43 | 52 | 59 |
| 20-34 | 50 | 12.6 | 123 | 2 | 2 | 9 | 23 | 30 | 34 | 38 |
| 35-49 | 36 | 12.4 | 192 | 1 | 2 | 7 | 16 | 33 | 41 | 63 |
| 50-64 | 4 | 16.3 | 132 | 3 | 3 | 16 | 25 | 30 | 30 | 30 |
| 65+ | 5 | 20.2 | 159 | 2 | 2 | 24 | 27 | 36 | 36 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 15 | 7.5 | 68 | 1 | 1 | 5 | 14 | 15 | 26 | 30 |
| 35-49 | 23 | 6.4 | 14 | 1 | 1 | 8 | 9 | 11 | 12 | 13 |
| 50-64 | 6 | 5.0 | 15 | <1 | <1 | 4 | 8 | 11 | 11 | 11 |
| 65+ | 9 | 21.6 | 1048 | 2 | 2 | 7 | 25 | 79 | 95 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.6 | 50 | 4 | 4 | 9 | 14 | 22 | 22 | 22 |
| 20-34 | 24 | 18.1 | 221 | 4 | 6 | 16 | 20 | 30 | 52 | 74 |
| 35-49 | 17 | 19.6 | 179 | 1 | 3 | 17 | 25 | 39 | 46 | 50 |
| 50-64 | 10 | 11.1 | 54 | 1 | 1 | 10 | 14 | 21 | 27 | 27 |
| 65+ | 10 | 22.0 | 116 | 8 | 9 | 20 | 30 | 38 | 40 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 5.2 | 48 | 1 | 1 | 2 | 5 | 12 | 18 | 39 |
| B. *Operated* | 116 | 13.6 | 170 | 2 | 2 | 9 | 22 | 33 | 38 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 9.1 | 216 | 1 | 1 | 6 | 9 | 14 | 27 | 93 |
| B. *Operated* | 66 | 17.5 | 163 | 2 | 5 | 15 | 22 | 36 | 41 | 70 |
| **1. SINGLE DX** | 185 | 10.5 | 141 | 1 | 2 | 5 | 14 | 28 | 36 | 55 |
| **2. MULTIPLE DX** | 120 | 13.7 | 203 | 1 | 2 | 10 | 17 | 29 | 39 | 80 |
| **A. NOT OPERATED** | 123 | 6.9 | 124 | 1 | 1 | 3 | 8 | 13 | 18 | 66 |
| **B. OPERATED** | 182 | 15.0 | 170 | 2 | 2 | 11 | 22 | 33 | 39 | 62 |
| TOTAL 0-19 YRS | 36 | 11.4 | 195 | 1 | 2 | 7 | 11 | 31 | 45 | 59 |
| 20-34 | 121 | 11.3 | 141 | 1 | 1 | 7 | 16 | 28 | 34 | 52 |
| 35-49 | 93 | 10.6 | 140 | 1 | 1 | 8 | 14 | 25 | 38 | 57 |
| 50-64 | 24 | 10.4 | 60 | 1 | 2 | 10 | 14 | 21 | 28 | 30 |
| 65+ | 31 | 18.2 | 378 | 2 | 2 | 12 | 24 | 38 | 55 | 95 |
| **GRAND TOTAL** | **305** | **11.7** | **167** | **1** | **2** | **8** | **16** | **29** | **37** | **61** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 6.7 | 161 | 1 | 1 | 3 | 4 | 19 | 29 | 71 |
| 20-34 | 5 | 3.8 | 21 | 1 | 1 | 2 | 5 | 12 | 12 | 12 |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 14 | 3.9 | 17 | <1 | 1 | 2 | 5 | 11 | 13 | 13 |
| 65+ | 48 | 5.4 | 40 | 1 | 1 | 2 | 8 | 15 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 16.1 | 158 | 1 | 2 | 12 | 24 | 34 | 40 | 42 |
| 20-34 | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | 6 | 14.8 | 113 | 3 | 3 | 12 | 20 | 32 | 33 | 33 |
| 65+ | 5 | 15.2 | 246 | 5 | 5 | 9 | 19 | 43 | 43 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 10.2 | 202 | 1 | 1 | 4 | 10 | 29 | 53 | 56 |
| 20-34 | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 35-49 | 6 | 6.5 | 38 | 1 | 1 | 4 | 13 | 15 | 15 | 15 |
| 50-64 | 28 | 5.0 | 22 | 1 | 1 | 3 | 7 | 11 | 16 | 20 |
| 65+ | 82 | 10.6 | 114 | 1 | 2 | 7 | 13 | 26 | 48 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 20.0 | 395 | 2 | 4 | 14 | 23 | 47 | 69 | 84 |
| 20-34 | 5 | 27.2 | 265 | 5 | 5 | 25 | 38 | 49 | 49 | 49 |
| 35-49 | 3 | 44.7 | 1209 | 18 | 18 | 32 | 71 | 84 | 84 | 84 |
| 50-64 | 14 | 19.2 | 226 | 4 | 6 | 13 | 25 | 45 | 50 | 52 |
| 65+ | 36 | 17.7 | 251 | 4 | 5 | 14 | 21 | 44 | 72 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 5.5 | 79 | 1 | 1 | 2 | 6 | 15 | 20 | 49 |
| B. *Operated* | 32 | 15.3 | 147 | 2 | 2 | 11 | 24 | 34 | 42 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 9.3 | 114 | 1 | 1 | 6 | 11 | 25 | 42 | 99+ |
| B. *Operated* | 79 | 20.2 | 325 | 3 | 5 | 15 | 25 | 47 | 69 | 95 |
| **1. SINGLE DX** | 140 | 7.8 | 110 | 1 | 1 | 3 | 11 | 23 | 27 | 46 |
| **2. MULTIPLE DX** | 228 | 13.1 | 213 | 1 | 2 | 8 | 18 | 33 | 54 | 99+ |
| **A. NOT OPERATED** | 257 | 7.7 | 102 | 1 | 1 | 4 | 9 | 21 | 28 | 97 |
| **B. OPERATED** | 111 | 18.8 | 277 | 2 | 4 | 14 | 24 | 42 | 56 | 90 |
| TOTAL 0-19 YRS | 110 | 11.9 | 237 | 1 | 1 | 5 | 18 | 29 | 42 | 76 |
| 20-34 | 14 | 13.8 | 207 | 1 | 2 | 10 | 22 | 36 | 46 | 49 |
| 35-49 | 11 | 16.1 | 601 | 1 | 1 | 6 | 17 | 53 | 81 | 84 |
| 50-64 | 62 | 8.9 | 112 | 1 | 1 | 5 | 11 | 21 | 34 | 51 |
| 65+ | 171 | 10.8 | 142 | 1 | 1 | 7 | 15 | 26 | 45 | 99+ |
| **GRAND TOTAL** | **368** | **11.0** | **180** | **1** | **1** | **6** | **15** | **27** | **43** | **96** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 5.9 | 65 | 1 | 1 | 3 | 5 | 17 | 29 | 30 |
| 20-34 | 5 | 6.6 | 19 | 3 | 3 | 5 | 9 | 14 | 14 | 14 |
| 35-49 | 11 | 7.6 | 83 | 1 | 2 | 4 | 8 | 20 | 33 | 34 |
| 50-64 | 19 | 11.9 | 202 | 2 | 2 | 6 | 14 | 28 | 47 | 61 |
| 65+ | 38 | 8.9 | 108 | 1 | 2 | 5 | 13 | 19 | 23 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.5 | 290 | 1 | 1 | 2 | 19 | 36 | 36 | 36 |
| 20-34 | 10 | 12.8 | 374 | 1 | 1 | 5 | 11 | 45 | 63 | 63 |
| 35-49 | 20 | 14.5 | 409 | 1 | 2 | 5 | 14 | 45 | 62 | 75 |
| 50-64 | 15 | 7.4 | 129 | <1 | 2 | 5 | 6 | 7 | 38 | 48 |
| 65+ | 15 | 21.1 | 476 | 3 | 5 | 12 | 24 | 48 | 73 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.9 | 53 | 1 | 1 | 2 | 5 | 13 | 25 | 28 |
| 20-34 | 7 | 13.0 | 74 | 1 | 1 | 16 | 17 | 23 | 25 | 25 |
| 35-49 | 24 | 8.5 | 75 | <1 | 1 | 7 | 12 | 17 | 25 | 39 |
| 50-64 | 19 | 12.3 | 124 | 1 | 2 | 10 | 17 | 33 | 36 | 37 |
| 65+ | 76 | 7.5 | 45 | 1 | 2 | 5 | 9 | 15 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 39.5 | 374 | 15 | 15 | 42 | 54 | 59 | 59 | 59 |
| 20-34 | 13 | 27.3 | 533 | 2 | 4 | 30 | 41 | 62 | 71 | 73 |
| 35-49 | 14 | 39.0 | 353 | 13 | 24 | 34 | 57 | 77 | 94 | 99+ |
| 50-64 | 29 | 26.5 | 458 | 3 | 5 | 23 | 35 | 61 | 72 | 83 |
| 65+ | 55 | 17.6 | 211 | 4 | 5 | 13 | 26 | 36 | 46 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 8.6 | 110 | 1 | 2 | 5 | 9 | 20 | 30 | 60 |
| B. *Operated* | 64 | 13.9 | 348 | 1 | 2 | 6 | 14 | 45 | 54 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 140 | 8.3 | 66 | 1 | 1 | 5 | 11 | 18 | 27 | 37 |
| B. *Operated* | 115 | 24.3 | 377 | 4 | 5 | 20 | 34 | 54 | 70 | 89 |
| **1. SINGLE DX** | 157 | 10.7 | 213 | 1 | 2 | 5 | 12 | 28 | 47 | 74 |
| **2. MULTIPLE DX** | 255 | 15.5 | 269 | 1 | 2 | 9 | 23 | 37 | 52 | 77 |
| **A. NOT OPERATED** | 233 | 8.4 | 83 | 1 | 1 | 5 | 10 | 18 | 28 | 42 |
| **B. OPERATED** | 179 | 20.6 | 390 | 2 | 3 | 12 | 31 | 50 | 67 | 83 |
| TOTAL 0-19 YRS | 42 | 9.2 | 197 | 1 | 1 | 3 | 7 | 31 | 42 | 59 |
| 20-34 | 35 | 17.3 | 367 | 1 | 2 | 9 | 27 | 50 | 62 | 73 |
| 35-49 | 69 | 16.3 | 360 | 1 | 1 | 8 | 27 | 46 | 68 | 95 |
| 50-64 | 82 | 16.3 | 314 | 2 | 3 | 9 | 24 | 39 | 57 | 79 |
| 65+ | 184 | 11.9 | 166 | 2 | 2 | 7 | 14 | 29 | 36 | 69 |
| **GRAND TOTAL** | **412** | **13.7** | **252** | **1** | **2** | **7** | **17** | **35** | **50** | **76** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.9 | 3 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 30 | 4.4 | 19 | 1 | 1 | 3 | 5 | 11 | 14 | 20 |
| 35-49 | 44 | 3.9 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 16 |
| 50-64 | 135 | 4.1 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 65+ | 120 | 7.3 | 57 | 1 | 2 | 4 | 9 | 21 | 24 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 34 | 2 | 2 | 6 | 12 | 15 | 15 | 15 |
| 20-34 | 25 | 7.4 | 32 | 1 | 2 | 5 | 13 | 16 | 17 | 18 |
| 35-49 | 29 | 11.6 | 66 | 2 | 3 | 9 | 19 | 23 | 26 | 27 |
| 50-64 | 89 | 13.1 | 166 | 1 | 2 | 10 | 18 | 26 | 40 | 65 |
| 65+ | 91 | 13.9 | 128 | 2 | 3 | 11 | 18 | 29 | 37 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.3 | 124 | 1 | 1 | 6 | 23 | 25 | 25 | 25 |
| 20-34 | 27 | 4.9 | 33 | <1 | 1 | 2 | 6 | 16 | 19 | 21 |
| 35-49 | 24 | 5.0 | 52 | 1 | 1 | 3 | 6 | 9 | 18 | 36 |
| 50-64 | 113 | 8.8 | 111 | 1 | 2 | 5 | 12 | 22 | 31 | 87 |
| 65+ | 227 | 11.8 | 196 | 1 | 2 | 7 | 14 | 31 | 45 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.0 | 123 | <1 | <1 | 5 | 16 | 25 | 25 | 25 |
| 20-34 | 24 | 21.4 | 156 | 6 | 9 | 18 | 30 | 39 | 47 | 53 |
| 35-49 | 35 | 22.7 | 327 | 4 | 6 | 19 | 30 | 51 | 57 | 82 |
| 50-64 | 119 | 18.6 | 221 | 3 | 4 | 15 | 24 | 36 | 47 | 74 |
| 65+ | 183 | 23.0 | 291 | 4 | 7 | 19 | 31 | 52 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 5.2 | 30 | 1 | 1 | 3 | 6 | 11 | 17 | 29 |
| B. *Operated* | 238 | 12.5 | 126 | 2 | 2 | 10 | 17 | 27 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 397 | 10.1 | 155 | 1 | 2 | 6 | 12 | 25 | 36 | 79 |
| B. *Operated* | 365 | 21.3 | 264 | 3 | 5 | 18 | 28 | 46 | 57 | 95 |
| **1. SINGLE DX** | 577 | 8.2 | 82 | 1 | 2 | 5 | 11 | 20 | 27 | 48 |
| **2. MULTIPLE DX** | 762 | 15.4 | 239 | 1 | 2 | 11 | 22 | 37 | 50 | 85 |
| **A. NOT OPERATED** | 736 | 7.8 | 103 | 1 | 1 | 4 | 9 | 19 | 28 | 63 |
| **B. OPERATED** | 603 | 17.8 | 228 | 2 | 3 | 14 | 24 | 39 | 53 | 79 |
| TOTAL 0-19 YRS | 24 | 6.5 | 59 | <1 | 1 | 3 | 8 | 23 | 25 | 25 |
| 20-34 | 106 | 9.1 | 101 | 1 | 1 | 5 | 14 | 21 | 31 | 48 |
| 35-49 | 132 | 10.8 | 171 | 1 | 2 | 6 | 14 | 27 | 35 | 62 |
| 50-64 | 456 | 10.8 | 151 | 1 | 2 | 7 | 15 | 25 | 34 | 65 |
| 65+ | 621 | 14.6 | 221 | 2 | 2 | 10 | 20 | 35 | 47 | 81 |
| **GRAND TOTAL** | **1339** | **12.3** | **184** | **1** | **2** | **8** | **17** | **30** | **42** | **70** |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 9 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.9 | 4 | <1 | 1 | 3 | 4 | 6 | 6 | 7 |
| 20-34 | 52 | 4.3 | 19 | 1 | 2 | 3 | 5 | 7 | 8 | 31 |
| 35-49 | 52 | 4.9 | 6 | 2 | 2 | 5 | 6 | 9 | 9 | 15 |
| 50-64 | 49 | 5.3 | 21 | 2 | 2 | 4 | 6 | 8 | 14 | 27 |
| 65+ | 43 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 48 | <1 | <1 | <1 | 10 | 13 | 13 | 13 |
| 20-34 | 9 | 3.3 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 35-49 | 18 | 5.3 | 8 | 1 | 2 | 5 | 7 | 10 | 11 | 11 |
| 50-64 | 31 | 6.2 | 20 | 2 | 2 | 5 | 7 | 15 | 17 | 19 |
| 65+ | 28 | 7.0 | 19 | 3 | 3 | 6 | 8 | 11 | 16 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 5.3 | 16 | <1 | <1 | 5 | 8 | 10 | 10 | 10 |
| B. *Operated* | 221 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 89 | 5.9 | 17 | 1 | 2 | 5 | 7 | 11 | 15 | 21 |
| **1. SINGLE DX** | 225 | 4.6 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 22 |
| **2. MULTIPLE DX** | 93 | 5.8 | 17 | 1 | 2 | 5 | 7 | 11 | 15 | 21 |
| **A. NOT OPERATED** | 8 | 3.8 | 10 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| **B. OPERATED** | 310 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 31 | 3.2 | 7 | <1 | <1 | 3 | 5 | 6 | 7 | 13 |
| 20-34 | 61 | 4.2 | 17 | 1 | 2 | 3 | 5 | 7 | 8 | 29 |
| 35-49 | 72 | 4.9 | 7 | 1 | 2 | 5 | 6 | 9 | 9 | 14 |
| 50-64 | 82 | 5.5 | 21 | 1 | 2 | 4 | 7 | 9 | 16 | 25 |
| 65+ | 72 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| **GRAND TOTAL** | **318** | **5.0** | **14** | **1** | **2** | **4** | **6** | **9** | **12** | **22** |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 11 | 4.5 | 17 | 1 | 1 | 3 | 5 | 12 | 14 | 14 |
| 50-64 | 14 | 3.3 | 9 | <1 | <1 | 2 | 6 | 8 | 9 | 9 |
| 65+ | 25 | 3.4 | 9 | <1 | <1 | 2 | 5 | 7 | 9 | 13 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 5.3 | 30 | 1 | 1 | 2 | 9 | 14 | 15 | 15 |
| 20-34 | 16 | 7.4 | 51 | <1 | 1 | 5 | 12 | 17 | 23 | 26 |
| 35-49 | 35 | 7.7 | 36 | 2 | 2 | 7 | 10 | 17 | 22 | 24 |
| 50-64 | 71 | 6.2 | 28 | 1 | 1 | 5 | 10 | 13 | 14 | 26 |
| 65+ | 87 | 7.9 | 44 | 1 | 2 | 6 | 12 | 17 | 21 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 5.0 |  | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 4.0 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 4 | 5.3 | 14 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 50-64 | 12 | 6.9 | 57 | 1 | 1 | 4 | 8 | 17 | 26 | 28 |
| 65+ | 23 | 8.3 | 39 | 1 | 2 | 7 | 9 | 17 | 24 | 26 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 11.8 | 28 | 2 | 4 | 14 | 15 | 18 | 19 | 19 |
| 20-34 | 18 | 9.5 | 45 | 2 | 3 | 7 | 16 | 19 | 23 | 25 |
| 35-49 | 35 | 12.3 | 167 | 2 | 2 | 9 | 13 | 22 | 48 | 62 |
| 50-64 | 102 | 12.7 | 108 | 2 | 3 | 10 | 15 | 25 | 36 | 54 |
| 65+ | 175 | 13.6 | 111 | 2 | 2 | 11 | 18 | 28 | 33 | 44 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 53 | 3.5 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 14 |
| B. *Operated* | 217 | 7.2 | 37 | 1 | 1 | 5 | 10 | 15 | 21 | 27 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 44 | 7.2 | 38 | 1 | 2 | 6 | 9 | 14 | 24 | 28 |
| B. *Operated* | 339 | 12.9 | 110 | 2 | 2 | 11 | 16 | 26 | 33 | 54 |
| **1. SINGLE DX** | 270 | 6.4 | 34 | <1 | 1 | 4 | 9 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 383 | 12.3 | 105 | 2 | 2 | 9 | 16 | 25 | 32 | 52 |
| **A. NOT OPERATED** | 97 | 5.2 | 26 | <1 | <1 | 3 | 7 | 10 | 14 | 27 |
| **B. OPERATED** | 556 | 10.7 | 90 | 1 | 2 | 9 | 14 | 23 | 29 | 44 |
| TOTAL 0-19 YRS | 19 | 8.1 | 38 | 1 | 1 | 7 | 14 | 16 | 18 | 19 |
| 20-34 | 40 | 7.7 | 45 | 1 | 2 | 5 | 11 | 17 | 22 | 26 |
| 35-49 | 85 | 9.0 | 93 | 1 | 2 | 7 | 11 | 17 | 23 | 59 |
| 50-64 | 199 | 9.4 | 81 | 1 | 1 | 7 | 13 | 20 | 27 | 46 |
| 65+ | 310 | 10.8 | 90 | 1 | 2 | 8 | 15 | 24 | 29 | 42 |
| **GRAND TOTAL** | **653** | **9.9** | **84** | **1** | **2** | **7** | **14** | **22** | **28** | **43** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 1 | 8.0 |  | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 3 | 6.7 | 22 | 3 | 3 | 5 | 10 | 12 | 12 | 12 |
| 65+ | 4 | 5.5 | 20 | 2 | 2 | 4 | 8 | 12 | 12 | 12 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24 | 3.5 | 11 | 1 | 2 | 2 | 3 | 7 | 12 | 16 |
| 20-34 | 20 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 10 | 12 |
| 35-49 | 25 | 3.8 | 13 | 1 | 1 | 2 | 4 | 10 | 12 | 15 |
| 50-64 | 23 | 7.7 | 63 | 1 | 2 | 3 | 11 | 17 | 28 | 30 |
| 65+ | 20 | 9.1 | 119 | <1 | 1 | 3 | 17 | 22 | 32 | 42 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ | 3 | 7.3 | 44 | 3 | 3 | 4 | 12 | 15 | 15 | 15 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 12 | 9.0 | 54 | <1 | 1 | 8 | 15 | 19 | 23 | 24 |
| 50-64 | 17 | 12.8 | 386 | <1 | 1 | 7 | 17 | 28 | 64 | 82 |
| 65+ | 11 | 7.9 | 44 | 1 | 2 | 5 | 9 | 20 | 22 | 22 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 8 | 6.3 | 16 | 2 | 2 | 5 | 10 | 12 | 12 | 12 |
| B. *Operated* | 112 | 5.3 | 45 | <1 | 1 | 3 | 5 | 14 | 20 | 35 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3 | 7.3 | 44 | 3 | 3 | 4 | 12 | 15 | 15 | 15 |
| B. *Operated* | 46 | 9.3 | 171 | 1 | 1 | 5 | 12 | 19 | 25 | 82 |
| **1. SINGLE DX** | 120 | 5.4 | 43 | <1 | 1 | 3 | 6 | 13 | 19 | 34 |
| **2. MULTIPLE DX** | 49 | 9.2 | 162 | 1 | 1 | 5 | 12 | 19 | 24 | 82 |
| **A. NOT OPERATED** | 11 | 6.5 | 20 | 2 | 2 | 4 | 11 | 13 | 15 | 15 |
| **B. OPERATED** | 158 | 6.5 | 84 | <1 | 1 | 3 | 9 | 17 | 22 | 41 |
| TOTAL 0-19 YRS | 27 | 3.4 | 10 | 1 | 2 | 2 | 3 | 6 | 11 | 16 |
| 20-34 | 24 | 3.3 | 8 | <1 | <1 | 2 | 4 | 8 | 10 | 12 |
| 35-49 | 37 | 5.5 | 31 | <1 | 1 | 3 | 9 | 15 | 17 | 24 |
| 50-64 | 43 | 9.6 | 188 | 1 | 1 | 5 | 12 | 21 | 30 | 82 |
| 65+ | 38 | 8.2 | 78 | 1 | 2 | 4 | 12 | 21 | 23 | 42 |
| **GRAND TOTAL** | **169** | **6.5** | **80** | **1** | **1** | **3** | **9** | **16** | **22** | **40** |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 6.3 | 46 | 1 | 1 | 4 | 6 | 18 | 21 | 21 |
| 20-34 | 2 | 14.0 | 18 | 11 | 11 | 14 | 17 | 17 | 17 | 17 |
| 35-49 | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 5 | 5.6 | 41 | 2 | 2 | 3 | 7 | 17 | 17 | 17 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 239 | 3.7 | 12 | 1 | 1 | 3 | 4 | 6 | 9 | 19 |
| 20-34 | 210 | 3.4 | 9 | <1 | <1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 222 | 3.2 | 9 | <1 | <1 | 2 | 4 | 7 | 10 | 16 |
| 50-64 | 189 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 9 | 14 |
| 65+ | 98 | 3.8 | 11 | <1 | 1 | 3 | 4 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 3.7 | 9 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 50-64 | 7 | 6.9 | 19 | 2 | 2 | 6 | 11 | 13 | 13 | 13 |
| 65+ | 2 | 10.5 | 113 | 3 | 3 | 10 | 18 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 5.7 | 23 | 1 | 2 | 4 | 8 | 13 | 17 | 20 |
| 20-34 | 62 | 5.1 | 41 | 1 | 1 | 4 | 5 | 10 | 15 | 41 |
| 35-49 | 88 | 4.4 | 24 | <1 | <1 | 3 | 5 | 9 | 16 | 24 |
| 50-64 | 109 | 6.3 | 111 | <1 | 1 | 3 | 7 | 12 | 18 | 67 |
| 65+ | 70 | 7.1 | 56 | 1 | 2 | 5 | 9 | 15 | 19 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 5.9 | 37 | 1 | 1 | 3 | 7 | 17 | 19 | 21 |
| B. *Operated* | 958 | 3.4 | 10 | <1 | <1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 5.7 | 26 | <1 | 1 | 4 | 8 | 13 | 16 | 18 |
| B. *Operated* | 368 | 5.7 | 59 | <1 | 1 | 3 | 7 | 13 | 18 | 41 |
| **1. SINGLE DX** | 977 | 3.5 | 11 | <1 | <1 | 3 | 4 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 384 | 5.7 | 57 | <1 | 1 | 3 | 7 | 13 | 18 | 40 |
| **A. NOT OPERATED** | 35 | 5.8 | 31 | 1 | 1 | 3 | 8 | 17 | 18 | 21 |
| **B. OPERATED** | 1326 | 4.1 | 25 | <1 | <1 | 3 | 4 | 8 | 12 | 22 |
| TOTAL 0-19 YRS | 287 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| 20-34 | 277 | 3.9 | 17 | <1 | <1 | 3 | 4 | 8 | 11 | 20 |
| 35-49 | 315 | 3.5 | 13 | <1 | <1 | 2 | 4 | 8 | 11 | 20 |
| 50-64 | 310 | 4.4 | 48 | <1 | 1 | 3 | 4 | 9 | 13 | 32 |
| 65+ | 172 | 5.2 | 33 | <1 | 1 | 3 | 6 | 13 | 16 | 33 |
| **GRAND TOTAL** | **1361** | **4.1** | **25** | **<1** | **<1** | **3** | **5** | **9** | **12** | **22** |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 4.5 | 15 | 1 | 1 | 3 | 6 | 12 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | 3 | 7.0 | 19 | 4 | 4 | 5 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 232 | 3.3 | 22 | <1 | <1 | 2 | 4 | 6 | 12 | 28 |
| 20-34 | 94 | 3.6 | 17 | <1 | <1 | 2 | 4 | 8 | 12 | 24 |
| 35-49 | 51 | 3.3 | 8 | <1 | <1 | 2 | 5 | 9 | 9 | 10 |
| 50-64 | 48 | 4.9 | 66 | <1 | <1 | 3 | 5 | 10 | 15 | 54 |
| 65+ | 33 | 4.0 | 25 | <1 | <1 | 2 | 4 | 9 | 18 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 8.8 | 151 | <1 | <1 | 4 | 12 | 26 | 70 | 99+ |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 26.3 | 738 | <1 | <1 | 21 | 47 | 62 | 62 | 62 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.5 | 60 | <1 | <1 | 2 | 6 | 17 | 20 | 40 |
| 20-34 | 36 | 4.9 | 47 | <1 | <1 | 3 | 6 | 9 | 14 | 40 |
| 35-49 | 23 | 8.3 | 246 | <1 | <1 | 3 | 10 | 14 | 37 | 77 |
| 50-64 | 31 | 4.2 | 22 | <1 | <1 | 3 | 6 | 8 | 9 | 26 |
| 65+ | 38 | 7.8 | 68 | <1 | <1 | 5 | 9 | 16 | 21 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 5.4 | 16 | 1 | 1 | 5 | 7 | 12 | 13 | 13 |
| B. *Operated* | 458 | 3.6 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 10.1 | 231 | <1 | <1 | 4 | 12 | 39 | 61 | 99+ |
| B. *Operated* | 165 | 6.0 | 78 | <1 | <1 | 3 | 7 | 13 | 18 | 45 |
| **1. SINGLE DX** | 477 | 3.7 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 27 |
| **2. MULTIPLE DX** | 196 | 6.7 | 103 | <1 | <1 | 3 | 8 | 15 | 23 | 70 |
| **A. NOT OPERATED** | 50 | 8.3 | 153 | <1 | 1 | 4 | 11 | 21 | 56 | 99+ |
| **B. OPERATED** | 623 | 4.2 | 40 | <1 | <1 | 2 | 5 | 9 | 13 | 33 |
| TOTAL 0-19 YRS | 306 | 4.1 | 38 | <1 | <1 | 2 | 4 | 9 | 14 | 41 |
| 20-34 | 132 | 3.9 | 25 | <1 | <1 | 2 | 4 | 8 | 12 | 32 |
| 35-49 | 79 | 6.0 | 130 | <1 | <1 | 2 | 6 | 11 | 15 | 73 |
| 50-64 | 80 | 4.7 | 49 | <1 | <1 | 3 | 5 | 9 | 13 | 46 |
| 65+ | 76 | 5.9 | 49 | <1 | <1 | 4 | 8 | 15 | 18 | 40 |
| **GRAND TOTAL** | **673** | **4.5** | **49** | **<1** | **<1** | **2** | **5** | **10** | **15** | **42** |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 181 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 35-49 | 102 | 2.2 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| 50-64 | 22 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 65+ | 18 | 3.9 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 53 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| 35-49 | 78 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| 50-64 | 32 | 3.3 | 4 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 65+ | 18 | 4.1 | 13 | <1 | 1 | 3 | 5 | 7 | 13 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 7.7 | 96 | 2 | 2 | 2 | 15 | 19 | 19 | 19 |
| B. *Operated* | 384 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| B. *Operated* | 189 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **1. SINGLE DX** | 387 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | 192 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 12 |
| **A. NOT OPERATED** | 6 | 5.3 | 50 | 1 | 1 | 2 | 7 | 18 | 19 | 19 |
| **B. OPERATED** | 573 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 69 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 237 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 35-49 | 181 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 50-64 | 55 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 8 | 9 |
| 65+ | 37 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 8 | 17 |
| **GRAND TOTAL** | **579** | **2.3** | **3** | **<1** | **<1** | **2** | **3** | **4** | **6** | **8** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 8 | 2.9 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 111 | 6.1 | 6 | 1 | 2 | 7 | 8 | 9 | 9 | 11 |
| 35-49 | 408 | 6.8 | 7 | 1 | 2 | 7 | 8 | 9 | 10 | 15 |
| 50-64 | 76 | 6.6 | 14 | <1 | 1 | 7 | 8 | 10 | 10 | 21 |
| 65+ | 9 | 9.7 | 41 | 2 | 2 | 9 | 11 | 20 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 8 | 3.3 | 13 | <1 | <1 | 2 | 3 | 9 | 12 | 12 |
| 35-49 | 24 | 3.4 | 10 | <1 | 1 | 2 | 3 | 9 | 11 | 14 |
| 50-64 | 3 | 9.3 | 36 | 3 | 3 | 10 | 14 | 15 | 15 | 15 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 287 | 7.5 | 11 | 1 | 4 | 7 | 9 | 10 | 12 | 21 |
| 35-49 | 1717 | 8.0 | 10 | 2 | 6 | 8 | 9 | 11 | 13 | 18 |
| 50-64 | 414 | 8.6 | 25 | 2 | 5 | 8 | 10 | 13 | 15 | 28 |
| 65+ | 41 | 11.2 | 66 | 3 | 6 | 9 | 13 | 18 | 22 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 2.6 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 606 | 6.7 | 8 | 1 | 2 | 7 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 4.0 | 15 | <1 | <1 | 3 | 4 | 10 | 13 | 15 |
| B. *Operated* | 2461 | 8.1 | 14 | 2 | 5 | 8 | 9 | 11 | 14 | 21 |
| **1. SINGLE DX** | 616 | 6.6 | 8 | 1 | 2 | 7 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 2498 | 8.0 | 14 | 2 | 5 | 8 | 9 | 11 | 14 | 20 |
| **A. NOT OPERATED** | 47 | 3.7 | 12 | <1 | <1 | 3 | 4 | 10 | 12 | 15 |
| **B. OPERATED** | 3067 | 7.8 | 13 | 2 | 5 | 8 | 9 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | 5 | 7.0 | 8 | 3 | 3 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 408 | 7.0 | 11 | 1 | 2 | 7 | 8 | 10 | 12 | 17 |
| 35-49 | 2157 | 7.7 | 10 | 2 | 5 | 7 | 9 | 11 | 13 | 18 |
| 50-64 | 493 | 8.3 | 23 | 1 | 2 | 8 | 9 | 12 | 15 | 26 |
| 65+ | 51 | 10.9 | 60 | 2 | 5 | 9 | 12 | 18 | 24 | 53 |
| **GRAND TOTAL** | **3114** | **7.8** | **13** | **2** | **4** | **8** | **9** | **11** | **13** | **19** |

### 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 12 | 6.3 | 13 | <1 | 1 | 7 | 8 | 10 | 13 | 13 |
| 50-64 | 6 | 3.5 | 12 | 1 | 1 | 2 | 5 | 9 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 6.2 | 10 | 2 | 2 | 6 | 8 | 11 | 11 | 11 |
| 35-49 | 45 | 7.8 | 9 | 2 | 4 | 7 | 10 | 12 | 13 | 14 |
| 50-64 | 9 | 7.0 | 8 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 65+ | 6 | 9.2 | 79 | 2 | 2 | 6 | 18 | 22 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | 19 | 5.2 | 14 | <1 | 1 | 7 | 8 | 10 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 73 | 7.5 | 14 | 2 | 2 | 7 | 9 | 11 | 14 | 21 |
| **1. SINGLE DX** | 20 | 5.2 | 13 | <1 | 1 | 6 | 8 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | 73 | 7.5 | 14 | 2 | 2 | 7 | 9 | 11 | 14 | 21 |
| **A. NOT OPERATED** | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **B. OPERATED** | 92 | 7.0 | 15 | 1 | 2 | 7 | 9 | 11 | 13 | 20 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 5.9 | 10 | 2 | 2 | 6 | 8 | 11 | 11 | 11 |
| 35-49 | 57 | 7.5 | 10 | 1 | 2 | 7 | 9 | 12 | 13 | 14 |
| 50-64 | 15 | 5.6 | 12 | 1 | 1 | 7 | 9 | 10 | 10 | 10 |
| 65+ | 6 | 9.2 | 79 | 2 | 2 | 6 | 18 | 22 | 22 | 22 |
| **GRAND TOTAL** | **93** | **7.0** | **15** | **1** | **2** | **7** | **9** | **11** | **13** | **20** |

### 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.4 | 6 | 3 | 4 | 6 | 7 | 11 | 12 | 12 |
| 20-34 | 169 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| 35-49 | 49 | 7.0 | 4 | 4 | 5 | 7 | 8 | 9 | 10 | 14 |
| 50-64 | 27 | 8.7 | 10 | 4 | 5 | 8 | 11 | 13 | 14 | 17 |
| 65+ | 20 | 10.2 | 8 | 6 | 6 | 10 | 13 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 7.4 | 6 | 4 | 5 | 7 | 8 | 9 | 13 | 16 |
| 20-34 | 135 | 6.7 | 6 | 4 | 5 | 6 | 8 | 9 | 11 | 16 |
| 35-49 | 117 | 7.9 | 8 | 4 | 5 | 7 | 9 | 11 | 12 | 19 |
| 50-64 | 61 | 9.3 | 10 | 6 | 6 | 9 | 11 | 14 | 15 | 20 |
| 65+ | 48 | 13.4 | 55 | 7 | 7 | 11 | 16 | 23 | 28 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 302 | 6.7 | 6 | 4 | 4 | 6 | 8 | 10 | 12 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 381 | 8.4 | 18 | 4 | 5 | 7 | 9 | 12 | 16 | 26 |
| **1. SINGLE DX** | 303 | 6.7 | 6 | 4 | 4 | 6 | 8 | 10 | 12 | 14 |
| **2. MULTIPLE DX** | 381 | 8.4 | 18 | 4 | 5 | 7 | 9 | 12 | 16 | 26 |
| **A. NOT OPERATED** | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **B. OPERATED** | 683 | 7.6 | 13 | 4 | 5 | 7 | 9 | 11 | 14 | 22 |
| TOTAL 0-19 YRS | 57 | 6.7 | 6 | 4 | 4 | 6 | 8 | 10 | 12 | 16 |
| 20-34 | 305 | 6.3 | 5 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 166 | 7.6 | 7 | 4 | 5 | 7 | 9 | 10 | 12 | 19 |
| 50-64 | 88 | 9.2 | 10 | 5 | 6 | 9 | 11 | 14 | 15 | 19 |
| 65+ | 68 | 12.4 | 43 | 6 | 7 | 11 | 14 | 22 | 26 | 40 |
| **GRAND TOTAL** | **684** | **7.6** | **13** | **4** | **5** | **7** | **9** | **11** | **14** | **22** |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 8 | 3.0 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 35-49 | 9 | 5.3 | 13 | <1 | <1 | 6 | 9 | 10 | 10 | 10 |
| 50-64 | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 4.3 | 16 | 2 | 2 | 2 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 5.9 | 32 | 1 | 1 | 5 | 7 | 16 | 18 | 18 |
| 35-49 | 7 | 5.6 | 24 | 1 | 1 | 4 | 8 | 14 | 15 | 15 |
| 50-64 | 3 | 9.0 | 21 | 5 | 5 | 8 | 12 | 14 | 14 | 14 |
| 65+ | 5 | 7.0 | 10 | 3 | 3 | 6 | 9 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 28 | 4.0 | 9 | <1 | <1 | 3 | 6 | 9 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 24 | 6.4 | 22 | 1 | 2 | 5 | 9 | 14 | 16 | 18 |
| **1. SINGLE DX** | 28 | 4.0 | 9 | <1 | <1 | 3 | 6 | 9 | 9 | 10 |
| **2. MULTIPLE DX** | 26 | 6.1 | 22 | 1 | 2 | 5 | 8 | 14 | 16 | 18 |
| **A. NOT OPERATED** | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 52 | 5.1 | 16 | <1 | 1 | 4 | 7 | 10 | 14 | 18 |
| TOTAL 0-19 YRS | 4 | 4.5 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 18 | 4.4 | 20 | <1 | <1 | 2 | 5 | 10 | 16 | 18 |
| 35-49 | 16 | 5.4 | 17 | <1 | 1 | 5 | 8 | 10 | 13 | 15 |
| 50-64 | 7 | 5.1 | 20 | 2 | 2 | 3 | 7 | 13 | 14 | 14 |
| 65+ | 9 | 5.6 | 12 | 2 | 2 | 6 | 9 | 10 | 11 | 11 |
| **GRAND TOTAL** | **54** | **5.0** | **16** | **<1** | **1** | **4** | **7** | **10** | **14** | **18** |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 5.7 | 33 | <1 | <1 | 4 | 6 | 16 | 18 | 18 |
| 35-49 | 7 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 4 | 4.5 | 19 | 2 | 2 | 3 | 7 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 4 | 9.3 | 23 | 3 | 3 | 10 | 13 | 13 | 13 | 13 |
| 65+ | 3 | 6.0 | 39 | <1 | <1 | 4 | 11 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 24 | 3.8 | 15 | <1 | 1 | 3 | 4 | 8 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 13 | 5.1 | 24 | <1 | 1 | 2 | 9 | 13 | 13 | 13 |
| **1. SINGLE DX** | 25 | 3.7 | 14 | <1 | <1 | 3 | 4 | 7 | 13 | 18 |
| **2. MULTIPLE DX** | 13 | 5.1 | 24 | <1 | 1 | 2 | 9 | 13 | 13 | 13 |
| **A. NOT OPERATED** | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **B. OPERATED** | 37 | 4.3 | 18 | <1 | 1 | 3 | 5 | 12 | 13 | 18 |
| TOTAL 0-19 YRS | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 12 | 4.0 | 23 | <1 | <1 | 2 | 4 | 10 | 17 | 18 |
| 35-49 | 8 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 50-64 | 7 | 6.4 | 25 | 1 | 1 | 5 | 12 | 13 | 13 | 13 |
| 65+ | 7 | 5.1 | 23 | <1 | <1 | 3 | 9 | 13 | 13 | 13 |
| **GRAND TOTAL** | **38** | **4.2** | **17** | **<1** | **<1** | **3** | **5** | **12** | **13** | **18** |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 2.2 | 7 | <1 | <1 | <1 | 2 | 7 | 7 | 7 |
| 35-49 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 9 | 4.7 | 15 | <1 | <1 | 3 | 7 | 10 | 12 | 12 |
| 65+ | 9 | 3.8 | 14 | <1 | <1 | 2 | 4 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 5.5 | 41 | <1 | <1 | 5 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 15 | 10.0 | 83 | 1 | 2 | 6 | 15 | 25 | 29 | 31 |
| 65+ | 20 | 7.1 | 88 | <1 | 1 | 4 | 6 | 19 | 30 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 28 | 3.5 | 11 | <1 | <1 | 2 | 5 | 8 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | 39 | 8.0 | 79 | <1 | 1 | 5 | 9 | 20 | 28 | 40 |
| **1. SINGLE DX** | 28 | 3.5 | 11 | <1 | <1 | 2 | 5 | 8 | 12 | 12 |
| **2. MULTIPLE DX** | 41 | 7.8 | 76 | <1 | 1 | 5 | 8 | 19 | 28 | 40 |
| **A. NOT OPERATED** | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| **B. OPERATED** | 67 | 6.1 | 55 | <1 | <1 | 3 | 7 | 16 | 21 | 38 |
| TOTAL 0-19 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 3.1 | 14 | <1 | <1 | <1 | 5 | 9 | 10 | 10 |
| 35-49 | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | 24 | 8.0 | 63 | 1 | 1 | 5 | 12 | 19 | 27 | 31 |
| 65+ | 31 | 5.8 | 62 | <1 | 1 | 3 | 6 | 15 | 20 | 40 |
| **GRAND TOTAL** | **69** | **6.0** | **54** | **<1** | **<1** | **3** | **7** | **15** | **20** | **38** |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 20-34 | 8 | 2.5 | 5 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| 35-49 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 5.8 | 17 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 35-49 | 2 | 13.0 | 242 | 2 | 2 | 13 | 24 | 24 | 24 | 24 |
| 50-64 | 2 | 16.0 | 18 | 13 | 13 | 16 | 19 | 19 | 19 | 19 |
| 65+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 28 | 2.9 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 8 | 10.3 | 82 | 2 | 2 | 8 | 18 | 22 | 24 | 24 |
| **1. SINGLE DX** | 28 | 2.9 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 9 | 9.2 | 81 | 1 | 1 | 3 | 17 | 22 | 24 | 24 |
| **A. NOT OPERATED** | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 36 | 4.5 | 30 | <1 | 1 | 2 | 4 | 13 | 18 | 24 |
| TOTAL 0-19 YRS | 14 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 5 | 5 |
| 20-34 | 10 | 3.8 | 26 | <1 | <1 | 1 | 5 | 12 | 17 | 17 |
| 35-49 | 4 | 7.8 | 118 | 2 | 2 | 3 | 13 | 24 | 24 | 24 |
| 50-64 | 6 | 9.2 | 42 | 2 | 2 | 9 | 13 | 18 | 19 | 19 |
| 65+ | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **GRAND [illegible]AL** | **37** | **4.4** | **30** | **<1** | **1** | **2** | **4** | **13** | **18** | **24** |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 8.0 | 29 | 1 | 1 | 8 | 11 | 14 | 14 | 14 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 11.7 | 56 | 2 | 3 | 10 | 13 | 26 | 28 | 29 |
| 35-49 | 10 | 13.2 | 26 | 3 | 5 | 14 | 16 | 19 | 22 | 22 |
| 50-64 | 24 | 17.6 | 113 | 3 | 7 | 14 | 25 | 33 | 40 | 42 |
| 65+ | 10 | 19.6 | 90 | 10 | 10 | 16 | 25 | 35 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 15.3 | 56 | 8 | 8 | 15 | 21 | 23 | 23 | 23 |
| 50-64 | 2 | 12.5 | 221 | 2 | 2 | 12 | 23 | 23 | 23 | 23 |
| 65+ | 16 | 7.7 | 51 | 1 | 2 | 4 | 11 | 19 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 15.8 | 26 | 11 | 11 | 14 | 19 | 23 | 23 | 23 |
| 20-34 | 22 | 28.1 | 291 | 9 | 9 | 27 | 37 | 52 | 63 | 68 |
| 35-49 | 14 | 20.0 | 174 | 5 | 6 | 15 | 33 | 36 | 47 | 50 |
| 50-64 | 31 | 25.2 | 332 | 8 | 10 | 18 | 33 | 47 | 60 | 93 |
| 65+ | 31 | 26.8 | 338 | 8 | 9 | 25 | 31 | 50 | 74 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 7.6 | 17 | 1 | 2 | 8 | 9 | 13 | 14 | 14 |
| B. *Operated* | 59 | 15.7 | 86 | 3 | 7 | 13 | 19 | 30 | 36 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 9.0 | 62 | 1 | 2 | 6 | 15 | 23 | 24 | 24 |
| B. *Operated* | 102 | 25.2 | 293 | 8 | 9 | 20 | 33 | 48 | 62 | 88 |
| **1. SINGLE DX** | 66 | 14.8 | 85 | 3 | 4 | 13 | 17 | 29 | 33 | 42 |
| **2. MULTIPLE DX** | 124 | 22.3 | 290 | 3 | 5 | 18 | 28 | 44 | 60 | 86 |
| **A. NOT OPERATED** | 29 | 8.6 | 51 | 1 | 2 | 8 | 12 | 21 | 23 | 24 |
| **B. OPERATED** | 161 | 21.7 | 237 | 6 | 8 | 17 | 28 | 41 | 49 | 82 |
| TOTAL 0-19 YRS | 4 | 15.8 | 26 | 11 | 11 | 14 | 19 | 23 | 23 | 23 |
| 20-34 | 38 | 21.0 | 260 | 3 | 7 | 13 | 29 | 47 | 55 | 68 |
| 35-49 | 31 | 15.8 | 108 | 3 | 6 | 14 | 17 | 33 | 35 | 50 |
| 50-64 | 58 | 21.3 | 244 | 4 | 8 | 17 | 26 | 41 | 47 | 90 |
| 65+ | 59 | 19.7 | 275 | 2 | 3 | 16 | 27 | 38 | 53 | 82 |
| **GRAND TOTAL** | **190** | **19.7** | **231** | **3** | **5** | **16** | **26** | **38** | **48** | **80** |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.5 | 2 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 20-34 | 90 | 4.5 | 1 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 112 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 10 |
| 50-64 | 83 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 65+ | 21 | 6.3 | 3 | 4 | 4 | 6 | 7 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 10.3 | 38 | 2 | 2 | 12 | 15 | 15 | 15 | 15 |
| 65+ | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 7 | 4 | 4 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 28 | 4.9 | 4 | 3 | 3 | 5 | 5 | 6 | 8 | 14 |
| 35-49 | 40 | 6.0 | 13 | 3 | 4 | 5 | 6 | 10 | 13 | 22 |
| 50-64 | 64 | 6.3 | 9 | 4 | 4 | 6 | 7 | 9 | 13 | 19 |
| 65+ | 42 | 9.3 | 89 | 4 | 5 | 7 | 8 | 15 | 25 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 319 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 7.0 | 31 | 2 | 2 | 5 | 12 | 15 | 15 | 15 |
| B. *Operated* | 177 | 6.7 | 30 | 4 | 4 | 5 | 7 | 10 | 14 | 34 |
| **1. SINGLE DX** | 320 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 185 | 6.7 | 30 | 3 | 4 | 5 | 7 | 11 | 15 | 32 |
| **A. NOT OPERATED** | 9 | 6.7 | 28 | 2 | 2 | 4 | 10 | 15 | 15 | 15 |
| **B. OPERATED** | 496 | 5.6 | 13 | 3 | 3 | 5 | 6 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 16 | 4.8 | 3 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 119 | 4.6 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 152 | 5.2 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| 50-64 | 152 | 5.7 | 7 | 3 | 4 | 5 | 6 | 8 | 10 | 17 |
| 65+ | 66 | 8.2 | 60 | 4 | 4 | 6 | 8 | 12 | 16 | 54 |
| **GRAND TOTAL** | **505** | **5.6** | **13** | **3** | **3** | **5** | **6** | **8** | **10** | **17** |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | 66 | 2 | 2 | 4 | 14 | 17 | 17 | 17 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 9 | 11.9 | 49 | 5 | 5 | 10 | 15 | 23 | 27 | 27 |
| 35-49 | 4 | 9.3 | 36 | 4 | 4 | 8 | 14 | 17 | 17 | 17 |
| 50-64 | 12 | 9.3 | 25 | 3 | 4 | 8 | 12 | 16 | 20 | 21 |
| 65+ | 7 | 11.9 | 71 | 5 | 5 | 9 | 17 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.0 | 4 | 5 | 5 | 5 | 7 | 9 | 9 | 9 |
| 20-34 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 4 | 11.5 | 76 | 4 | 4 | 11 | 19 | 20 | 20 | 20 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 2 | 10 | 10 | 11 | 12 | 12 | 12 | 12 |
| 20-34 | 7 | 17.1 | 50 | 8 | 8 | 19 | 23 | 25 | 25 | 25 |
| 35-49 | 26 | 12.8 | 95 | 4 | 5 | 10 | 16 | 28 | 35 | 42 |
| 50-64 | 24 | 14.2 | 83 | 4 | 5 | 14 | 19 | 23 | 30 | 43 |
| 65+ | 18 | 14.5 | 119 | 3 | 4 | 9 | 25 | 32 | 34 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 6.0 | 27 | 2 | 2 | 4 | 8 | 15 | 17 | 17 |
| B. *Operated* | 33 | 10.7 | 39 | 4 | 5 | 10 | 13 | 20 | 26 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 7.5 | 32 | 2 | 3 | 5 | 8 | 19 | 20 | 20 |
| B. *Operated* | 77 | 14.0 | 89 | 4 | 5 | 11 | 20 | 27 | 33 | 43 |
| **1. SINGLE DX** | 41 | 9.8 | 40 | 3 | 4 | 9 | 12 | 19 | 24 | 27 |
| **2. MULTIPLE DX** | 89 | 13.1 | 86 | 4 | 4 | 10 | 19 | 25 | 33 | 43 |
| **A. NOT OPERATED** | 20 | 6.9 | 29 | 2 | 2 | 5 | 8 | 17 | 19 | 20 |
| **B. OPERATED** | 110 | 13.0 | 76 | 4 | 5 | 10 | 18 | 25 | 29 | 42 |
| TOTAL 0-19 YRS | 10 | 8.2 | 23 | 2 | 3 | 7 | 12 | 15 | 17 | 17 |
| 20-34 | 19 | 12.6 | 60 | 2 | 4 | 10 | 19 | 25 | 26 | 27 |
| 35-49 | 34 | 11.4 | 84 | 4 | 4 | 8 | 16 | 24 | 32 | 42 |
| 50-64 | 41 | 12.4 | 65 | 4 | 4 | 11 | 17 | 22 | 24 | 43 |
| 65+ | 26 | 13.4 | 103 | 4 | 4 | 8 | 20 | 29 | 33 | 34 |
| **GRAND TOTAL** | **130** | **12.1** | **73** | **4** | **4** | **9** | **17** | **24** | **28** | **42** |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 740 | 4.0 | 5 | 1 | 2 | 3 | 6 | 8 | 8 | 10 |
| 35-49 | 207 | 5.3 | 12 | 2 | 2 | 5 | 7 | 9 | 10 | 15 |
| 50-64 | 41 | 5.6 | 16 | 1 | 1 | 4 | 8 | 10 | 11 | 19 |
| 65+ | 8 | 6.1 | 26 | 3 | 3 | 4 | 7 | 15 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 2.1 | 5 | <1 | <1 | 1 | 2 | 6 | 8 | 8 |
| 35-49 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.7 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 492 | 5.5 | 12 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 35-49 | 244 | 6.9 | 11 | 2 | 3 | 7 | 8 | 10 | 13 | 18 |
| 50-64 | 51 | 7.2 | 24 | 2 | 2 | 7 | 9 | 12 | 16 | 28 |
| 65+ | 18 | 10.1 | 44 | 3 | 4 | 9 | 10 | 19 | 25 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 1010 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.2 | 5 | <1 | <1 | 1 | 3 | 5 | 8 | 8 |
| B. *Operated* | 811 | 6.1 | 14 | 2 | 2 | 6 | 8 | 10 | 13 | 19 |
| **1. SINGLE DX** | 1010 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 823 | 6.1 | 14 | 2 | 2 | 6 | 8 | 10 | 13 | 19 |
| **A. NOT OPERATED** | 12 | 2.2 | 5 | <1 | <1 | 1 | 3 | 5 | 8 | 8 |
| **B. OPERATED** | 1821 | 5.1 | 11 | 1 | 2 | 5 | 7 | 9 | 10 | 16 |
| TOTAL 0-19 YRS | 20 | 2.9 | 2 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 1242 | 4.6 | 8 | 1 | 2 | 4 | 7 | 8 | 9 | 14 |
| 35-49 | 453 | 6.2 | 12 | 2 | 2 | 6 | 8 | 9 | 12 | 17 |
| 50-64 | 92 | 6.5 | 21 | 1 | 2 | 6 | 9 | 11 | 13 | 24 |
| 65+ | 26 | 8.8 | 41 | 3 | 3 | 7 | 10 | 18 | 21 | 29 |
| **GRAND TOTAL** | **1833** | **5.1** | **11** | **1** | **2** | **5** | **7** | **9** | **10** | **16** |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 50-64 | 7 | 3.4 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 65+ | 12 | 7.4 | 129 | 1 | 1 | 2 | 8 | 24 | 38 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 9 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 35-49 | 23 | 5.5 | 8 | 1 | 2 | 6 | 7 | 9 | 10 | 11 |
| 50-64 | 31 | 6.5 | 27 | 1 | 1 | 6 | 9 | 14 | 18 | 22 |
| 65+ | 30 | 9.1 | 107 | <1 | 1 | 5 | 9 | 30 | 33 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 6.3 | 14 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| 65+ | 10 | 18.1 | 335 | 3 | 3 | 10 | 22 | 50 | 53 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 7.3 | 13 | 1 | 2 | 8 | 9 | 12 | 13 | 13 |
| 35-49 | 24 | 7.2 | 44 | 1 | 1 | 6 | 8 | 15 | 23 | 30 |
| 50-64 | 47 | 10.5 | 97 | 1 | 2 | 7 | 12 | 27 | 33 | 44 |
| 65+ | 69 | 12.4 | 187 | 2 | 2 | 8 | 15 | 25 | 44 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 5.0 | 70 | <1 | 1 | 2 | 5 | 10 | 24 | 40 |
| B. *Operated* | 95 | 6.6 | 48 | <1 | 1 | 5 | 8 | 13 | 25 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 14.7 | 266 | 2 | 3 | 8 | 20 | 48 | 52 | 53 |
| B. *Operated* | 149 | 10.6 | 128 | 1 | 2 | 7 | 13 | 23 | 33 | 51 |
| **1. SINGLE DX** | 119 | 6.3 | 53 | <1 | 1 | 4 | 8 | 12 | 24 | 36 |
| **2. MULTIPLE DX** | 163 | 11.0 | 139 | 1 | 2 | 7 | 13 | 23 | 37 | 53 |
| **A. NOT OPERATED** | 38 | 8.6 | 159 | 1 | 1 | 4 | 9 | 21 | 45 | 53 |
| **B. OPERATED** | 244 | 9.1 | 100 | 1 | 2 | 6 | 11 | 20 | 30 | 50 |
| TOTAL 0-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 20 | 4.5 | 14 | <1 | 1 | 3 | 8 | 9 | 11 | 13 |
| 35-49 | 50 | 6.1 | 27 | <1 | 1 | 5 | 7 | 10 | 15 | 30 |
| 50-64 | 89 | 8.3 | 67 | 1 | 2 | 6 | 11 | 17 | 28 | 41 |
| 65+ | 121 | 11.5 | 176 | 1 | 2 | 7 | 15 | 29 | 42 | 61 |
| **GRAND TOTAL** | **282** | **9.0** | **108** | **1** | **1** | **6** | **11** | **20** | **31** | **51** |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.2 | 30 | <1 | <1 | 5 | 6 | 8 | 19 | 23 |
| 20-34 | 11 | 6.5 | 17 | 2 | 2 | 7 | 9 | 12 | 16 | 16 |
| 35-49 | 13 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 50-64 | 22 | 8.2 | 193 | <1 | 1 | 4 | 7 | 19 | 43 | 64 |
| 65+ | 68 | 5.9 | 79 | <1 | <1 | 3 | 8 | 12 | 15 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 6.0 | 92 | 1 | 1 | 3 | 6 | 11 | 16 | 52 |
| 20-34 | 62 | 7.1 | 39 | 1 | 2 | 5 | 9 | 14 | 18 | 36 |
| 35-49 | 60 | 7.3 | 30 | 1 | 2 | 6 | 9 | 16 | 18 | 27 |
| 50-64 | 93 | 6.6 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 29 |
| 65+ | 87 | 7.5 | 42 | 1 | 2 | 5 | 11 | 17 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.6 | 30 | 1 | 1 | 3 | 8 | 12 | 18 | 24 |
| 20-34 | 9 | 4.4 | 22 | <1 | 1 | 3 | 5 | 12 | 16 | 16 |
| 35-49 | 14 | 5.9 | 30 | 1 | 1 | 4 | 10 | 15 | 16 | 17 |
| 50-64 | 37 | 8.9 | 137 | 1 | 2 | 6 | 10 | 20 | 28 | 65 |
| 65+ | 79 | 12.4 | 171 | 1 | 2 | 7 | 17 | 32 | 47 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 15.6 | 222 | 2 | 2 | 10 | 21 | 41 | 47 | 51 |
| 20-34 | 48 | 8.9 | 33 | 2 | 2 | 8 | 12 | 17 | 21 | 24 |
| 35-49 | 51 | 13.7 | 196 | 2 | 3 | 9 | 15 | 26 | 44 | 75 |
| 50-64 | 86 | 14.2 | 195 | 1 | 2 | 10 | 18 | 31 | 42 | 74 |
| 65+ | 155 | 14.4 | 199 | 2 | 2 | 11 | 18 | 37 | 55 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 6.1 | 79 | <1 | <1 | 4 | 7 | 11 | 16 | 64 |
| B. *Operated* | 330 | 7.0 | 41 | 1 | 2 | 5 | 10 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 162 | 9.6 | 130 | 1 | 1 | 6 | 12 | 21 | 34 | 68 |
| B. *Operated* | 361 | 13.6 | 178 | 2 | 2 | 10 | 17 | 31 | 44 | 75 |
| **1. SINGLE DX** | 459 | 6.8 | 52 | <1 | 1 | 5 | 9 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 523 | 12.4 | 166 | 1 | 2 | 9 | 16 | 29 | 42 | 73 |
| **A. NOT OPERATED** | 291 | 8.1 | 110 | <1 | 1 | 5 | 9 | 17 | 29 | 66 |
| **B. OPERATED** | 691 | 10.5 | 123 | 1 | 2 | 7 | 13 | 22 | 33 | 62 |
| TOTAL 0-19 YRS | 87 | 8.1 | 111 | 1 | 1 | 5 | 9 | 19 | 36 | 52 |
| 20-34 | 130 | 7.5 | 35 | 1 | 2 | 6 | 10 | 16 | 18 | 27 |
| 35-49 | 138 | 9.2 | 101 | 1 | 2 | 7 | 11 | 18 | 24 | 61 |
| 50-64 | 238 | 9.9 | 132 | 1 | 2 | 6 | 12 | 22 | 31 | 64 |
| 65+ | 389 | 11.0 | 148 | <1 | 1 | 7 | 14 | 26 | 39 | 71 |
| **GRAND TOTAL** | **982** | **9.7** | **121** | **1** | **2** | **6** | **12** | **21** | **31** | **65** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 5 | 4.4 | 13 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | 5 | 5.2 | 13 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.8 | 3 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 20-34 | 46 | 4.5 | 1 | 2 | 3 | 5 | 5 | 6 | 6 | 7 |
| 35-49 | 86 | 5.0 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 50-64 | 64 | 5.2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 13 |
| 65+ | 40 | 6.8 | 13 | 3 | 4 | 6 | 8 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 10 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 10 | 6.7 | 10 | 1 | 2 | 7 | 8 | 11 | 12 | 12 |
| 65+ | 8 | 7.8 | 54 | 2 | 2 | 5 | 9 | 21 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 13 | 5.3 | 3 | 2 | 3 | 5 | 6 | 7 | 9 | 9 |
| 35-49 | 31 | 5.0 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 8 |
| 50-64 | 54 | 7.5 | 30 | 3 | 4 | 6 | 8 | 13 | 19 | 32 |
| 65+ | 36 | 10.3 | 88 | 4 | 5 | 7 | 10 | 25 | 31 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 4.1 | 9 | <1 | 1 | 3 | 5 | 10 | 10 | 10 |
| B. *Operated* | 242 | 5.3 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 6.4 | 24 | 1 | 1 | 5 | 8 | 12 | 16 | 24 |
| B. *Operated* | 135 | 7.4 | 40 | 3 | 4 | 6 | 8 | 12 | 19 | 35 |
| **1. SINGLE DX** | 258 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 160 | 7.3 | 37 | 3 | 3 | 6 | 8 | 12 | 18 | 32 |
| **A. NOT OPERATED** | 41 | 5.5 | 19 | 1 | 1 | 4 | 8 | 10 | 12 | 24 |
| **B. OPERATED** | 377 | 6.1 | 18 | 3 | 4 | 5 | 6 | 9 | 11 | 28 |
| TOTAL 0-19 YRS | 15 | 4.3 | 4 | <1 | 2 | 4 | 5 | 8 | 9 | 9 |
| 20-34 | 63 | 4.5 | 2 | 2 | 2 | 5 | 5 | 6 | 7 | 9 |
| 35-49 | 123 | 5.0 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 10 |
| 50-64 | 128 | 6.3 | 16 | 3 | 4 | 5 | 7 | 10 | 13 | 28 |
| 65+ | 89 | 8.2 | 49 | 3 | 4 | 6 | 9 | 13 | 24 | 42 |
| **GRAND TOTAL** | **418** | **6.0** | **18** | **2** | **3** | **5** | **6** | **9** | **12** | **28** |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.8 | 7 | 1 | 3 | 5 | 8 | 9 | 10 | 10 |
| 20-34 | 41 | 6.6 | 23 | 2 | 2 | 5 | 9 | 14 | 15 | 22 |
| 35-49 | 34 | 4.4 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 13 |
| 50-64 | 34 | 8.1 | 47 | 2 | 2 | 6 | 12 | 18 | 22 | 31 |
| 65+ | 22 | 9.2 | 36 | 3 | 4 | 7 | 12 | 22 | 52 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 6.0 | 5 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 63 | 6.2 | 13 | 3 | 4 | 5 | 6 | 11 | 15 | 21 |
| 35-49 | 66 | 5.5 | 8 | 2 | 3 | 5 | 6 | 9 | 10 | 19 |
| 50-64 | 46 | 5.9 | 6 | 3 | 3 | 5 | 7 | 8 | 10 | 17 |
| 65+ | 15 | 8.4 | 107 | 3 | 3 | 6 | 8 | 11 | 36 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 8.6 | 46 | 1 | 2 | 7 | 11 | 21 | 24 | 25 |
| 20-34 | 46 | 6.8 | 42 | 1 | 2 | 4 | 8 | 16 | 22 | 31 |
| 35-49 | 45 | 8.2 | 51 | 1 | 2 | 6 | 11 | 14 | 20 | 40 |
| 50-64 | 98 | 11.7 | 125 | 2 | 4 | 9 | 13 | 21 | 37 | 61 |
| 65+ | 113 | 12.2 | 96 | 3 | 3 | 9 | 17 | 29 | 33 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.2 | 21 | 2 | 2 | 5 | 7 | 14 | 15 | 15 |
| 20-34 | 22 | 7.3 | 22 | 3 | 4 | 6 | 8 | 14 | 18 | 24 |
| 35-49 | 28 | 6.6 | 13 | 3 | 4 | 6 | 7 | 12 | 14 | 19 |
| 50-64 | 36 | 9.0 | 30 | 3 | 4 | 7 | 12 | 16 | 21 | 26 |
| 65+ | 40 | 15.3 | 174 | 3 | 4 | 10 | 22 | 34 | 39 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 6.7 | 27 | 1 | 2 | 5 | 9 | 13 | 17 | 31 |
| B. *Operated* | 201 | 6.1 | 17 | 3 | 3 | 5 | 7 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 321 | 10.5 | 91 | 2 | 3 | 8 | 12 | 22 | 31 | 55 |
| B. *Operated* | 132 | 10.0 | 80 | 3 | 4 | 7 | 12 | 21 | 29 | 46 |
| **1. SINGLE DX** | 354 | 6.3 | 21 | 2 | 2 | 5 | 7 | 11 | 15 | 27 |
| **2. MULTIPLE DX** | 453 | 10.4 | 88 | 2 | 3 | 8 | 12 | 22 | 31 | 53 |
| **A. NOT OPERATED** | 474 | 9.3 | 74 | 2 | 2 | 7 | 11 | 20 | 28 | 52 |
| **B. OPERATED** | 333 | 7.6 | 45 | 3 | 4 | 6 | 8 | 14 | 20 | 38 |
| TOTAL 0-19 YRS | 58 | 6.8 | 21 | 2 | 2 | 6 | 9 | 11 | 17 | 25 |
| 20-34 | 172 | 6.6 | 24 | 2 | 3 | 5 | 8 | 14 | 16 | 25 |
| 35-49 | 173 | 6.2 | 22 | 1 | 2 | 5 | 7 | 11 | 13 | 26 |
| 50-64 | 214 | 9.4 | 76 | 2 | 3 | 7 | 11 | 17 | 23 | 55 |
| 65+ | 190 | 12.2 | 109 | 3 | 4 | 9 | 16 | 29 | 35 | 84 |
| **GRAND TOTAL** | **807** | **8.6** | **63** | **2** | **3** | **6** | **10** | **17** | **25** | **44** |

### 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 8.8 | 29 | 1 | 2 | 8 | 12 | 15 | 20 | 25 |
| 20-34 | 116 | 7.5 | 20 | 1 | 2 | 7 | 10 | 14 | 17 | 19 |
| 35-49 | 138 | 7.2 | 22 | 2 | 3 | 6 | 9 | 13 | 14 | 28 |
| 50-64 | 215 | 8.8 | 43 | 2 | 2 | 7 | 11 | 15 | 19 | 40 |
| 65+ | 311 | 9.8 | 55 | 2 | [illegible] | 8 | 13 | 18 | 22 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 50-64 | 4 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 4 | 13.3 | 3 | 11 | 11 | 13 | 14 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 132 | 8.1 | 64 | 1 | 1 | 5 | 11 | 19 | 25 | 39 |
| 20-34 | 101 | 7.6 | 26 | 2 | 3 | 6 | 10 | 14 | 18 | 24 |
| 35-49 | 223 | 8.7 | 44 | 1 | 3 | 7 | 11 | 16 | 21 | 37 |
| 50-64 | 575 | 10.6 | 72 | 2 | 4 | 9 | 13 | 19 | 24 | 53 |
| 65+ | 1186 | 12.7 | 119 | 3 | 4 | 10 | 16 | 24 | 33 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.8 | 82 | 2 | 2 | 9 | 14 | 26 | 26 | 26 |
| 20-34 | 8 | 11.0 | 27 | 5 | 5 | 10 | 16 | 18 | 18 | 18 |
| 35-49 | 18 | 17.9 | 205 | 4 | 7 | 12 | 25 | 32 | 50 | 62 |
| 50-64 | 44 | 18.1 | 114 | 7 | 7 | 15 | 23 | 32 | 41 | 49 |
| 65+ | 79 | 22.4 | 315 | 5 | 7 | 17 | 32 | 45 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 992 | 8.7 | 39 | 2 | 3 | 7 | 11 | 15 | 20 | 30 |
| B. *Operated* | 11 | 8.4 | 27 | 3 | 3 | 5 | 14 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2217 | 11.2 | 95 | 2 | 3 | 9 | 14 | 21 | 29 | 64 |
| B. *Operated* | 154 | 19.6 | 230 | 6 | 7 | 15 | 25 | 42 | 52 | 99+ |
| **1. SINGLE DX** | 1003 | 8.7 | 39 | 2 | 3 | 7 | 11 | 15 | 20 | 30 |
| **2. MULTIPLE DX** | 2371 | 11.8 | 108 | 2 | 3 | 9 | 15 | 23 | 31 | 69 |
| **A. NOT OPERATED** | 3209 | 10.5 | 79 | 2 | 3 | 8 | 13 | 20 | 26 | 57 |
| **B. OPERATED** | 165 | 18.9 | 225 | 5 | 6 | 15 | 24 | 41 | 50 | 99 |
| TOTAL 0-19 YRS | 349 | 8.5 | 43 | 1 | 2 | 7 | 11 | 16 | 22 | 31 |
| 20-34 | 226 | 7.6 | 23 | 2 | 3 | 7 | 10 | 15 | 18 | 22 |
| 35-49 | 381 | 8.6 | 48 | 2 | 3 | 7 | 11 | 15 | 21 | 37 |
| 50-64 | 838 | 10.5 | 70 | 2 | 3 | 9 | 13 | 19 | 25 | 48 |
| 65+ | 1580 | 12.6 | 122 | 2 | 4 | 10 | 16 | 24 | 33 | 78 |
| **GRAND TOTAL** | **3374** | **10.9** | **89** | **2** | **3** | **9** | **14** | **21** | **28** | **60** |

### 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 6.5 | 30 | 1 | 1 | 5 | 9 | 15 | 18 | 23 |
| 20-34 | 85 | 6.4 | 36 | 2 | 2 | 6 | 8 | 11 | 14 | 40 |
| 35-49 | 25 | 6.8 | 17 | <1 | 1 | 7 | 10 | 12 | 14 | 16 |
| 50-64 | 38 | 8.3 | 44 | 2 | 2 | 7 | 10 | 18 | 23 | 32 |
| 65+ | 23 | 14.1 | 104 | 2 | 3 | 11 | 19 | 31 | 34 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 6.9 | 61 | 2 | 2 | 5 | 9 | 15 | 17 | 36 |
| 20-34 | 92 | 7.8 | 35 | 1 | 2 | 6 | 10 | 16 | 22 | 27 |
| 35-49 | 60 | 10.9 | 60 | 2 | 3 | 8 | 17 | 21 | 26 | 38 |
| 50-64 | 58 | 11.9 | 71 | 3 | 5 | 9 | 16 | 26 | 34 | 95 |
| 65+ | 91 | 17.1 | 159 | 5 | 6 | 15 | 24 | 36 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 11.3 | 24 | 5 | 5 | 11 | 14 | 17 | 17 | 17 |
| 20-34 | 4 | 13.3 | 159 | 5 | 5 | 9 | 49 | 99+ | 99+ | 99+ |
| 35-49 | 9 | 17.3 | 87 | 3 | 6 | 16 | 27 | 29 | 29 | 29 |
| 50-64 | 6 | 20.2 | 113 | 9 | 9 | 19 | 31 | 32 | 32 | 32 |
| 65+ | 11 | 34.4 | 457 | 13 | 16 | 29 | 39 | 72 | 82 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 345 | 7.2 | 40 | 1 | 2 | 6 | 9 | 15 | 18 | 32 |
| B. *Operated* | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 10.5 | 92 | 2 | 3 | 8 | 15 | 23 | 29 | 99+ |
| B. *Operated* | 34 | 22.1 | 274 | 5 | 7 | 19 | 30 | 41 | 78 | 99+ |
| **1. SINGLE DX** | 347 | 7.2 | 40 | 1 | 2 | 6 | 9 | 15 | 18 | 32 |
| **2. MULTIPLE DX** | 459 | 11.4 | 114 | 2 | 3 | 8 | 16 | 26 | 31 | 99+ |
| **A. NOT OPERATED** | 770 | 9.0 | 72 | 2 | 2 | 7 | 11 | 20 | 26 | 59 |
| **B. OPERATED** | 36 | 21.2 | 275 | 4 | 6 | 18 | 29 | 39 | 77 | 99+ |
| TOTAL 0-19 YRS | 302 | 6.7 | 43 | 1 | 2 | 5 | 9 | 15 | 17 | 23 |
| 20-34 | 183 | 7.2 | 38 | 2 | 2 | 6 | 9 | 14 | 20 | 45 |
| 35-49 | 94 | 10.4 | 58 | 2 | 3 | 8 | 16 | 20 | 27 | 35 |
| 50-64 | 102 | 11.1 | 70 | 2 | 3 | 9 | 14 | 25 | 31 | 69 |
| 65+ | 125 | 18.1 | 198 | 4 | 6 | 16 | 25 | 38 | 66 | 99+ |
| **GRAND TOTAL** | **806** | **9.6** | **87** | **2** | **2** | **7** | **12** | **21** | **28** | **77** |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 167 | 7.5 | 39 | 1 | 2 | 7 | 10 | 13 | 14 | 27 |
| 20-34 | 118 | 7.4 | 26 | 2 | 3 | 6 | 8 | 13 | 15 | 30 |
| 35-49 | 123 | 8.8 | 48 | 2 | 3 | 8 | 10 | 13 | 20 | 39 |
| 50-64 | 222 | 9.5 | 52 | 2 | 3 | 8 | 12 | 19 | 22 | 31 |
| 65+ | 283 | 10.5 | 45 | 3 | 4 | 9 | 13 | 21 | 24 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 13 | 2 | 2 | 4 | 8 | 9 | 9 | 9 |
| 20-34 | 8 | 5.5 | 11 | 1 | 1 | 5 | 8 | 10 | 11 | 11 |
| 35-49 | 12 | 13.3 | 133 | 3 | 3 | 8 | 24 | 31 | 34 | 34 |
| 50-64 | 22 | 6.5 | 41 | 2 | 2 | 5 | 7 | 11 | 23 | 31 |
| 65+ | 21 | 8.3 | 68 | 1 | 2 | 5 | 9 | 19 | 30 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 7.9 | 55 | 1 | 2 | 6 | 10 | 17 | 23 | 37 |
| 20-34 | 242 | 8.9 | 62 | 1 | 2 | 7 | 11 | 16 | 22 | 46 |
| 35-49 | 309 | 9.3 | 53 | 2 | 3 | 8 | 11 | 17 | 22 | 37 |
| 50-64 | 702 | 11.3 | 93 | 3 | 4 | 9 | 14 | 20 | 29 | 59 |
| 65+ | 1210 | 14.1 | 149 | 3 | 4 | 10 | 17 | 28 | 38 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 14.5 | 377 | 3 | 3 | 10 | 13 | 31 | 68 | 77 |
| 20-34 | 72 | 13.6 | 223 | 1 | 3 | 8 | 16 | 27 | 40 | 78 |
| 35-49 | 99 | 18.4 | 279 | 3 | 4 | 13 | 25 | 43 | 64 | 99+ |
| 50-64 | 171 | 23.9 | 402 | 4 | 6 | 18 | 39 | 77 | 99+ | 99+ |
| 65+ | 286 | 24.1 | 398 | 4 | 6 | 20 | 37 | 83 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 913 | 9.1 | 45 | 2 | 3 | 8 | 11 | 17 | 22 | 33 |
| B. *Operated* | 66 | 8.1 | 65 | 2 | 2 | 5 | 9 | 22 | 30 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2588 | 12.0 | 115 | 2 | 3 | 9 | 14 | 23 | 32 | 66 |
| B. *Operated* | 641 | 21.8 | 372 | 3 | 5 | 16 | 32 | 71 | 99+ | 99+ |
| **1. SINGLE DX** | 979 | 9.0 | 46 | 2 | 3 | 8 | 11 | 17 | 23 | 34 |
| **2. MULTIPLE DX** | 3229 | 13.9 | 181 | 2 | 4 | 10 | 17 | 31 | 48 | 99+ |
| **A. NOT OPERATED** | 3501 | 11.2 | 98 | 2 | 3 | 9 | 14 | 22 | 29 | 62 |
| **B. OPERATED** | 707 | 20.5 | 359 | 3 | 4 | 15 | 31 | 69 | 99+ | 99+ |
| TOTAL 0-19 YRS | 308 | 7.9 | 60 | 1 | 2 | 7 | 10 | 14 | 19 | 39 |
| 20-34 | 440 | 9.2 | 82 | 2 | 2 | 7 | 11 | 16 | 23 | 49 |
| 35-49 | 543 | 11.0 | 107 | 2 | 3 | 8 | 12 | 22 | 31 | 71 |
| 50-64 | 1117 | 12.8 | 154 | 3 | 4 | 9 | 15 | 27 | 45 | 99+ |
| 65+ | 1800 | 15.0 | 189 | 3 | 4 | 11 | 19 | 32 | 52 | 99+ |
| **GRAND TOTAL** | **4208** | **12.8** | **154** | **2** | **3** | **9** | **15** | **27** | **40** | **99+** |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 8 | 5.8 | 15 | 1 | 1 | 5 | 8 | 11 | 12 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.5 | 4 | <1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 20-34 | 63 | 4.5 | 8 | <1 | 1 | 5 | 6 | 8 | 9 | 16 |
| 35-49 | 7 | 3.3 | 11 | <1 | <1 | 2 | 6 | 9 | 9 | 9 |
| 50-64 | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.5 | 206 | 2 | 2 | 4 | 18 | 32 | 32 | 32 |
| 20-34 | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 9 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 60 | 5.9 | 11 | <1 | 1 | 6 | 7 | 10 | 12 | 17 |
| 35-49 | 18 | 6.3 | 14 | 1 | 2 | 6 | 9 | 12 | 13 | 14 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 4.7 | 12 | <1 | 1 | 3 | 7 | 10 | 12 | 12 |
| B. *Operated* | 86 | 4.1 | 8 | <1 | <1 | 4 | 6 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 6.6 | 95 | 1 | 1 | 4 | 5 | 22 | 32 | 32 |
| B. *Operated* | 82 | 5.8 | 12 | <1 | 1 | 6 | 8 | 10 | 12 | 16 |
| **1. SINGLE DX** | 98 | 4.2 | 9 | <1 | <1 | 4 | 6 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 91 | 5.9 | 19 | <1 | 1 | 5 | 8 | 10 | 13 | 26 |
| **A. NOT OPERATED** | 21 | 5.5 | 46 | <1 | 1 | 3 | 7 | 10 | 21 | 32 |
| **B. OPERATED** | 168 | 5.0 | 11 | <1 | <1 | 5 | 7 | 9 | 11 | 16 |
| TOTAL 0-19 YRS | 24 | 4.5 | 38 | <1 | <1 | 3 | 5 | 7 | 18 | 32 |
| 20-34 | 135 | 5.1 | 10 | <1 | 1 | 5 | 7 | 9 | 11 | 17 |
| 35-49 | 26 | 5.6 | 15 | <1 | <1 | 6 | 8 | 11 | 12 | 14 |
| 50-64 | 4 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **189** | **5.0** | **14** | **<1** | **<1** | **5** | **7** | **9** | **11** | **17** |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 5.0 | 19 | 1 | 1 | 4 | 7 | 12 | 15 | 19 |
| 20-34 | 37 | 4.0 | 9 | <1 | <1 | 4 | 6 | 8 | 10 | 13 |
| 35-49 | 51 | 3.8 | 12 | <1 | 1 | 2 | 5 | 9 | 11 | 18 |
| 50-64 | 38 | 6.0 | 34 | <1 | <1 | 4 | 9 | 17 | 19 | 22 |
| 65+ | 47 | 5.9 | 37 | 1 | 1 | 4 | 7 | 13 | 16 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 11.7 | 170 | <1 | <1 | 5 | 21 | 33 | 34 | 34 |
| 20-34 | 10 | 7.7 | 79 | 2 | 2 | 4 | 10 | 21 | 31 | 31 |
| 35-49 | 8 | 11.5 | 14 | 6 | 7 | 11 | 14 | 17 | 17 | 17 |
| 50-64 | 7 | 11.6 | 174 | <1 | 1 | 6 | 13 | 35 | 40 | 40 |
| 65+ | 3 | 6.0 | 25 | 1 | 1 | 6 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 123 | 4.5 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 20-34 | 85 | 6.1 | 81 | 1 | 1 | 4 | 7 | 12 | 16 | 58 |
| 35-49 | 92 | 6.2 | 36 | 1 | 1 | 4 | 7 | 15 | 20 | 28 |
| 50-64 | 123 | 8.6 | 90 | 1 | 1 | 6 | 11 | 18 | 26 | 52 |
| 65+ | 180 | 11.1 | 98 | 1 | 2 | 8 | 14 | 25 | 37 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 10.2 | 42 | 1 | 1 | 11 | 15 | 18 | 20 | 20 |
| 20-34 | 9 | 16.2 | 158 | 5 | 7 | 14 | 16 | 36 | 48 | 48 |
| 35-49 | 18 | 14.4 | 84 | <1 | 1 | 15 | 21 | 31 | 69 | 99+ |
| 50-64 | 27 | 13.8 | 113 | 5 | 5 | 10 | 20 | 25 | 34 | 51 |
| 65+ | 16 | 23.8 | 585 | 4 | 8 | 15 | 24 | 73 | 85 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 264 | 4.9 | 22 | <1 | 1 | 4 | 6 | 11 | 15 | 19 |
| B. *Operated* | 34 | 9.9 | 88 | <1 | 2 | 6 | 12 | 22 | 33 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 603 | 7.8 | 75 | 1 | 1 | 5 | 10 | 18 | 25 | 48 |
| B. *Operated* | 82 | 15.6 | 203 | 1 | 4 | 13 | 19 | 30 | 49 | 96 |
| **1. SINGLE DX** | 298 | 5.5 | 32 | <1 | 1 | 4 | 7 | 12 | 16 | 33 |
| **2. MULTIPLE DX** | 685 | 8.7 | 96 | 1 | 1 | 6 | 11 | 20 | 27 | 55 |
| **A. NOT OPERATED** | 867 | 6.9 | 60 | 1 | 1 | 4 | 9 | 16 | 22 | 44 |
| **B. OPERATED** | 116 | 13.9 | 175 | 1 | 3 | 10 | 17 | 29 | 38 | 92 |
| TOTAL 0-19 YRS | 232 | 5.2 | 26 | 1 | 1 | 4 | 6 | 11 | 16 | 24 |
| 20-34 | 141 | 6.3 | 73 | <1 | 1 | 4 | 7 | 13 | 16 | 50 |
| 35-49 | 169 | 6.6 | 42 | 1 | 1 | 4 | 8 | 17 | 21 | 31 |
| 50-64 | 195 | 8.9 | 89 | 1 | 1 | 6 | 11 | 19 | 26 | 51 |
| 65+ | 246 | 10.8 | 131 | 1 | 2 | 8 | 13 | 24 | 35 | 88 |
| **GRAND TOTAL** | **983** | **7.7** | **79** | **1** | **1** | **5** | **10** | **18** | **24** | **49** |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.6 | 34 | 2 | 2 | 5 | 8 | 11 | 22 | 25 |
| 20-34 | 6 | 4.2 | 11 | 1 | 1 | 3 | 8 | 8 | 8 | 8 |
| 35-49 | 6 | 11.2 | 32 | 3 | 3 | 12 | 16 | 17 | 17 | 17 |
| 50-64 | 3 | 10.0 | 3 | 8 | 8 | 11 | 11 | 11 | 11 | 11 |
| 65+ | 10 | 14.7 | 55 | 8 | 8 | 13 | 17 | 25 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 14.0 | 288 | 2 | 2 | 14 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 11.3 | 75 | 2 | 3 | 8 | 13 | 25 | 29 | 37 |
| 20-34 | 5 | 12.4 | 141 | 3 | 3 | 11 | 18 | 32 | 32 | 32 |
| 35-49 | 14 | 21.7 | 555 | 1 | 2 | 12 | 36 | 46 | 79 | 89 |
| 50-64 | 17 | 12.3 | 60 | 1 | 4 | 10 | 17 | 24 | 26 | 27 |
| 65+ | 65 | 20.0 | 218 | 2 | 4 | 15 | 29 | 38 | 46 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.3 | 212 | 6 | 6 | 10 | 27 | 33 | 33 | 33 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 4 | 36.0 | 431 | 14 | 14 | 34 | 52 | 61 | 61 | 61 |
| 50-64 | 5 | 17.8 | 115 | 4 | 4 | 23 | 25 | 29 | 29 | 29 |
| 65+ | 9 | 31.8 | 659 | 7 | 8 | 28 | 50 | 72 | 80 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 9.3 | 46 | 1 | 2 | 8 | 11 | 17 | 22 | 32 |
| B. *Operated* | 7 | 7.7 | 75 | 1 | 1 | 6 | 9 | 23 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 17.2 | 215 | 2 | 3 | 13 | 25 | 37 | 41 | 80 |
| B. *Operated* | 22 | 26.3 | 430 | 5 | 7 | 23 | 33 | 60 | 69 | 80 |
| **1. SINGLE DX** | 46 | 9.0 | 49 | 1 | 2 | 8 | 11 | 17 | 25 | 32 |
| **2. MULTIPLE DX** | 147 | 18.5 | 255 | 2 | 4 | 13 | 26 | 38 | 46 | 80 |
| **A. NOT OPERATED** | 164 | 15.3 | 185 | 2 | 3 | 11 | 22 | 33 | 39 | 74 |
| **B. OPERATED** | 29 | 21.8 | 404 | 2 | 3 | 13 | 30 | 54 | 62 | 80 |
| TOTAL 0-19 YRS | 43 | 9.6 | 73 | 2 | 2 | 7 | 11 | 25 | 28 | 37 |
| 20-34 | 14 | 7.9 | 62 | 1 | 1 | 7 | 10 | 15 | 28 | 32 |
| 35-49 | 25 | 21.0 | 429 | 2 | 3 | 14 | 28 | 44 | 68 | 89 |
| 50-64 | 25 | 13.1 | 65 | 3 | 4 | 11 | 21 | 25 | 27 | 29 |
| 65+ | 86 | 20.5 | 254 | 2 | 4 | 16 | 28 | 41 | 49 | 79 |
| **GRAND TOTAL** | **193** | **16.3** | **222** | **2** | **3** | **11** | **24** | **36** | **44** | **79** |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 69 | 13.0 | 55 | 2 | 3 | 15 | 17 | 21 | 22 | 38 |
| 20-34 | 12 | 20.3 | 423 | 1 | 7 | 14 | 19 | 47 | 76 | 81 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 82 | 12.8 | 105 | 2 | 4 | 10 | 17 | 25 | 33 | 99+ |
| 20-34 | 8 | 11.0 | 39 | 2 | 3 | 11 | 13 | 20 | 23 | 23 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 7 | 23.0 | 345 | 3 | 5 | 20 | 29 | 54 | 60 | 60 |
| 20-34 | 1 | 12.0 |  | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 81 | 14.0 | 111 | 2 | 3 | 15 | 17 | 21 | 25 | 69 |
| B. *Operated* | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 90 | 12.6 | 99 | 2 | 3 | 10 | 17 | 24 | 32 | 99+ |
| B. *Operated* | 8 | 21.6 | 311 | 3 | 5 | 17 | 26 | 51 | 60 | 60 |
| **1. SINGLE DX** | 83 | 14.0 | 109 | 2 | 3 | 15 | 17 | 21 | 25 | 68 |
| **2. MULTIPLE DX** | 98 | 13.3 | 120 | 2 | 3 | 11 | 17 | 25 | 34 | 99+ |
| **A. NOT OPERATED** | 171 | 13.3 | 105 | 2 | 3 | 13 | 17 | 23 | 29 | 95 |
| **B. OPERATED** | 10 | 19.3 | 266 | 3 | 5 | 13 | 22 | 45 | 60 | 60 |
| TOTAL 0-19 YRS | 160 | 13.3 | 95 | 2 | 3 | 13 | 17 | 23 | 30 | 97 |
| 20-34 | 21 | 16.3 | 268 | 1 | 4 | 13 | 17 | 27 | 55 | 81 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** | **181** | **13.6** | **114** | **2** | **3** | **13** | **17** | **23** | **31** | **94** |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 22 | 9.5 | 114 | 1 | 2 | 7 | 11 | 16 | 31 | 53 |
| 20-34 | 12 | 6.8 | 21 | 1 | 3 | 5 | 8 | 14 | 17 | 18 |
| 35-49 | 17 | 7.1 | 33 | 1 | 1 | 6 | 13 | 19 | 68 | 99+ |
| 50-64 | 5 | 11.8 | 102 | 4 | 4 | 5 | 21 | 26 | 26 | 26 |
| 65+ | 3 | 5.7 | 52 | 1 | 1 | 2 | 11 | 14 | 14 | 14 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 7 | 8.9 | 6 | 6 | 6 | 9 | 10 | 12 | 13 | 13 |
| 20-34 | 100 | 10.1 | 27 | 6 | 7 | 9 | 11 | 15 | 18 | 38 |
| 35-49 | 72 | 8.9 | 5 | 6 | 6 | 8 | 10 | 12 | 13 | 16 |
| 50-64 | 8 | 8.4 | 7 | 5 | 6 | 8 | 9 | 13 | 14 | 14 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 24 | 10.8 | 66 | 3 | 4 | 8 | 15 | 28 | 47 | 99+ |
| 20-34 | 33 | 6.5 | 48 | 1 | 2 | 4 | 7 | 15 | 17 | 36 |
| 35-49 | 41 | 10.1 | 48 | 2 | 3 | 9 | 12 | 21 | 24 | 33 |
| 50-64 | 41 | 13.8 | 145 | 2 | 3 | 10 | 16 | 31 | 45 | 51 |
| 65+ | 25 | 16.1 | 313 | 3 | 5 | 9 | 16 | 45 | 66 | 69 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 11.0 | 27 | 6 | 6 | 11 | 15 | 16 | 16 | 16 |
| 20-34 | 52 | 11.9 | 32 | 5 | 7 | 11 | 13 | 18 | 24 | 35 |
| 35-49 | 50 | 15.4 | 104 | 6 | 7 | 12 | 18 | 30 | 44 | 50 |
| 50-64 | 14 | 18.2 | 306 | 5 | 7 | 13 | 17 | 63 | 91 | 99+ |
| 65+ | 1 | 24.0 |  | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 59 | 8.2 | 66 | 1 | 2 | 6 | 11 | 17 | 23 | 95 |
| B. *Operated* | 187 | 9.5 | 17 | 6 | 7 | 8 | 10 | 13 | 15 | 31 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 164 | 11.3 | 123 | 2 | 2 | 9 | 14 | 24 | 34 | 68 |
| B. *Operated* | 121 | 14.1 | 96 | 6 | 7 | 12 | 15 | 24 | 40 | 73 |
| **1. SINGLE DX** | 246 | 9.2 | 29 | 3 | 5 | 8 | 10 | 14 | 17 | 42 |
| **2. MULTIPLE DX** | 285 | 12.5 | 113 | 2 | 3 | 10 | 15 | 24 | 36 | 68 |
| **A. NOT OPERATED** | 223 | 10.5 | 109 | 2 | 2 | 8 | 13 | 22 | 32 | 77 |
| **B. OPERATED** | 308 | 11.3 | 53 | 6 | 7 | 9 | 12 | 17 | 23 | 52 |
| TOTAL 0-19 YRS | 57 | 10.1 | 73 | 2 | 3 | 8 | 13 | 19 | 29 | 96 |
| 20-34 | 197 | 9.8 | 35 | 2 | 4 | 9 | 11 | 16 | 19 | 36 |
| 35-49 | 180 | 10.8 | 53 | 3 | 4 | 9 | 13 | 19 | 24 | 48 |
| 50-64 | 68 | 13.9 | 161 | 2 | 4 | 10 | 16 | 32 | 51 | 93 |
| 65+ | 29 | 15.3 | 285 | 1 | 3 | 9 | 16 | 37 | 65 | 69 |
| **GRAND TOTAL** | **531** | **11.0** | **77** | **2** | **4** | **9** | **13** | **19** | **27** | **63** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 7.5 | 59 | 1 | 1 | 5 | 9 | 19 | 25 | 39 |
| 20-34 | 20 | 6.5 | 49 | <1 | 1 | 5 | 9 | 23 | 62 | 99+ |
| 35-49 | 11 | 6.8 | 54 | <1 | 1 | 4 | 7 | 20 | 24 | 24 |
| 50-64 | 15 | 5.1 | 14 | <1 | 1 | 4 | 7 | 10 | 13 | 14 |
| 65+ | 15 | 9.0 | 31 | 3 | 3 | 8 | 10 | 18 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 6.6 | 26 | 1 | 2 | 6 | 9 | 13 | 18 | 21 |
| 20-34 | 58 | 5.6 | 23 | 2 | 2 | 4 | 7 | 9 | 14 | 32 |
| 35-49 | 54 | 5.4 | 11 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| 50-64 | 27 | 9.9 | 74 | 2 | 2 | 8 | 13 | 25 | 28 | 35 |
| 65+ | 11 | 5.8 | 29 | 1 | 1 | 5 | 6 | 13 | 20 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 8.5 | 55 | 1 | 2 | 6 | 11 | 18 | 21 | 43 |
| 20-34 | 37 | 7.0 | 25 | 1 | 2 | 5 | 9 | 15 | 16 | 22 |
| 35-49 | 41 | 6.7 | 46 | 2 | 3 | 4 | 8 | 12 | 14 | 44 |
| 50-64 | 47 | 6.5 | 21 | 1 | 2 | 6 | 9 | 13 | 15 | 23 |
| 65+ | 63 | 14.1 | 129 | 3 | 4 | 10 | 19 | 27 | 38 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 13.7 | 72 | 4 | 5 | 13 | 19 | 24 | 31 | 39 |
| 20-34 | 74 | 6.8 | 15 | 3 | 4 | 6 | 8 | 11 | 16 | 25 |
| 35-49 | 91 | 7.5 | 76 | 2 | 2 | 6 | 8 | 11 | 18 | 61 |
| 50-64 | 57 | 11.6 | 105 | 1 | 2 | 9 | 13 | 21 | 35 | 52 |
| 65+ | 31 | 19.7 | 257 | 4 | 5 | 17 | 24 | 41 | 55 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 7.2 | 49 | 1 | 1 | 5 | 9 | 18 | 23 | 47 |
| B. *Operated* | 167 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 286 | 9.0 | 68 | 2 | 3 | 6 | 11 | 18 | 24 | 44 |
| B. *Operated* | 279 | 10.1 | 101 | 2 | 4 | 7 | 12 | 19 | 27 | 55 |
| **1. SINGLE DX** | 305 | 6.7 | 39 | 1 | 2 | 5 | 8 | 14 | 20 | 34 |
| **2. MULTIPLE DX** | 565 | 9.5 | 85 | 2 | 3 | 7 | 11 | 19 | 26 | 51 |
| **A. NOT OPERATED** | 424 | 8.4 | 62 | 1 | 2 | 6 | 10 | 18 | 24 | 43 |
| **B. OPERATED** | 446 | 8.7 | 78 | 2 | 3 | 6 | 10 | 18 | 23 | 52 |
| TOTAL 0-19 YRS | 218 | 8.6 | 60 | 1 | 2 | 6 | 11 | 19 | 23 | 40 |
| 20-34 | 189 | 6.4 | 23 | 2 | 2 | 5 | 7 | 12 | 17 | 32 |
| 35-49 | 197 | 6.7 | 51 | 1 | 2 | 5 | 8 | 11 | 15 | 48 |
| 50-64 | 146 | 9.0 | 68 | 1 | 2 | 7 | 10 | 19 | 24 | 48 |
| 65+ | 120 | 14.2 | 156 | 2 | 3 | 10 | 19 | 27 | 40 | 67 |
| **GRAND TOTAL** | 870 | 8.5 | 70 | 1 | 2 | 6 | 10 | 18 | 24 | 47 |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 7.5 | 14 | 4 | 4 | 7 | 10 | 13 | 14 | 14 |
| 35-49 | 16 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 50-64 | 30 | 4.9 | 20 | 1 | 1 | 4 | 5 | 9 | 13 | 24 |
| 65+ | 56 | 7.6 | 21 | 2 | 2 | 6 | 11 | 15 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 5 | 7.4 | 49 | 2 | 2 | 4 | 11 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 6.8 | 4 | 5 | 5 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 16 | 7.7 | 20 | 2 | 3 | 7 | 12 | 14 | 15 | 16 |
| 50-64 | 60 | 8.8 | 99 | 1 | 1 | 6 | 9 | 22 | 32 | 49 |
| 65+ | 116 | 11.8 | 92 | 2 | 3 | 9 | 15 | 22 | 33 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 3 | 10.0 | 43 | 4 | 4 | 9 | 15 | 17 | 17 | 17 |
| 50-64 | 8 | 8.5 | 29 | 3 | 3 | 8 | 13 | 16 | 16 | 16 |
| 65+ | 8 | 22.6 | 273 | 3 | 4 | 19 | 33 | 47 | 52 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 6.2 | 21 | 1 | 2 | 4 | 9 | 13 | 16 | 21 |
| B. *Operated* | 9 | 6.0 | 31 | 2 | 2 | 4 | 8 | 15 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 10.4 | 88 | 2 | 3 | 7 | 14 | 22 | 32 | 48 |
| B. *Operated* | 20 | 14.2 | 166 | 3 | 3 | 11 | 17 | 33 | 44 | 52 |
| **1. SINGLE DX** | 119 | 6.2 | 21 | 1 | 2 | 4 | 9 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | 217 | 10.8 | 96 | 2 | 3 | 7 | 14 | 22 | 33 | 51 |
| **A. NOT OPERATED** | 307 | 8.9 | 68 | 2 | 2 | 6 | 11 | 18 | 23 | 44 |
| **B. OPERATED** | 29 | 11.7 | 137 | 2 | 2 | 8 | 16 | 27 | 38 | 52 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 6.9 | 9 | 4 | 4 | 6 | 9 | 11 | 13 | 14 |
| 35-49 | 36 | 5.6 | 20 | 1 | 1 | 4 | 8 | 13 | 15 | 17 |
| 50-64 | 100 | 7.5 | 71 | 1 | 1 | 5 | 9 | 16 | 24 | 46 |
| 65+ | 185 | 10.9 | 85 | 2 | 3 | 8 | 14 | 21 | 31 | 50 |
| **GRAND TOTAL** | 336 | 9.1 | 74 | 2 | 2 | 6 | 11 | 18 | 24 | 46 |

### 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.3 | 27 | 2 | 2 | 4 | 5 | 10 | 20 | 22 |
| 20-34 | 7 | 3.9 | 6 | 2 | 2 | 2 | 6 | 8 | 8 | 8 |
| 35-49 | 9 | 4.7 | 14 | 2 | 2 | 3 | 5 | 11 | 14 | 14 |
| 50-64 | 12 | 4.8 | 21 | 1 | 1 | 3 | 6 | 14 | 15 | 15 |
| 65+ | 42 | 11.6 | 87 | 1 | 2 | 9 | 17 | 29 | 34 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 9.5 | 113 | 2 | 2 | 9 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 7.5 | 194 | 1 | 1 | 4 | 6 | 11 | 34 | 78 |
| 20-34 | 50 | 5.1 | 25 | 1 | 1 | 4 | 6 | 11 | 16 | 25 |
| 35-49 | 52 | 6.6 | 34 | 1 | 1 | 5 | 8 | 15 | 17 | 27 |
| 50-64 | 117 | 8.4 | 100 | 1 | 2 | 6 | 10 | 15 | 26 | 63 |
| 65+ | 440 | 13.6 | 178 | 2 | 3 | 10 | 17 | 32 | 45 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 33.0 | 1744 | 5 | 5 | 13 | 64 | 81 | 81 | 81 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 10 | 10.6 | 85 | <1 | 1 | 8 | 16 | 25 | 29 | 29 |
| 50-64 | 10 | 27.2 | 984 | 1 | 3 | 12 | 48 | 78 | 99 | 99 |
| 65+ | 22 | 25.1 | 210 | 7 | 8 | 24 | 39 | 50 | 68 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 83 | 8.2 | 64 | 1 | 2 | 5 | 12 | 22 | 29 | 79 |
| B. *Operated* | 2 | 9.5 | 113 | 2 | 2 | 9 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 726 | 11.1 | 156 | 1 | 2 | 7 | 14 | 26 | 39 | 81 |
| B. *Operated* | 46 | 22.6 | 440 | 2 | 4 | 16 | 31 | 50 | 84 | 99+ |
| **1. SINGLE DX** | 85 | 8.2 | 64 | 1 | 2 | 5 | 12 | 21 | 29 | 77 |
| **2. MULTIPLE DX** | 772 | 11.8 | 180 | 1 | 2 | 7 | 14 | 28 | 42 | 82 |
| **A. NOT OPERATED** | 809 | 10.8 | 147 | 1 | 2 | 7 | 13 | 26 | 37 | 81 |
| **B. OPERATED** | 48 | 22.1 | 430 | 2 | 4 | 16 | 30 | 50 | 82 | 99+ |
| TOTAL 0-19 YRS | 83 | 8.1 | 227 | 1 | 1 | 4 | 6 | 14 | 36 | 80 |
| 20-34 | 58 | 5.1 | 22 | 1 | 1 | 4 | 6 | 11 | 14 | 25 |
| 35-49 | 71 | 6.9 | 40 | 1 | 1 | 5 | 9 | 16 | 21 | 29 |
| 50-64 | 139 | 9.4 | 176 | 1 | 2 | 6 | 11 | 16 | 31 | 80 |
| 65+ | 506 | 13.9 | 177 | 2 | 3 | 10 | 18 | 33 | 46 | 99+ |
| **GRAND TOTAL** | **857** | **11.4** | **169** | **1** | **2** | **7** | **14** | **28** | **40** | **82** |

### 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 7.9 | 32 | 1 | 2 | 7 | 10 | 14 | 21 | 27 |
| 20-34 | 17 | 4.6 | 18 | <1 | 1 | 3 | 5 | 10 | 15 | 18 |
| 35-49 | 27 | 5.3 | 15 | 1 | 1 | 5 | 7 | 11 | 14 | 17 |
| 50-64 | 17 | 9.3 | 49 | 1 | 2 | 8 | 12 | 21 | 24 | 25 |
| 65+ | 90 | 8.2 | 39 | 1 | 2 | 7 | 10 | 16 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.0 | 12 | 6 | 6 | 9 | 10 | 15 | 16 | 16 |
| 20-34 | 8 | 7.4 | 17 | 1 | 2 | 8 | 10 | 13 | 14 | 14 |
| 35-49 | 7 | 5.6 | 18 | 2 | 2 | 5 | 7 | 13 | 14 | 14 |
| 50-64 | 10 | 10.4 | 56 | 3 | 3 | 9 | 15 | 20 | 25 | 25 |
| 65+ | 13 | 13.6 | 25 | 6 | 7 | 13 | 18 | 20 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 9.2 | 128 | 1 | 2 | 7 | 10 | 15 | 22 | 72 |
| 20-34 | 36 | 5.0 | 20 | 1 | 1 | 4 | 6 | 9 | 16 | 22 |
| 35-49 | 56 | 7.0 | 26 | 1 | 1 | 6 | 11 | 14 | 16 | 24 |
| 50-64 | 65 | 9.9 | 54 | 1 | 2 | 8 | 13 | 17 | 28 | 35 |
| 65+ | 366 | 11.3 | 98 | 2 | 3 | 9 | 14 | 21 | 29 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 10.1 | 42 | 2 | 3 | 8 | 14 | 21 | 22 | 22 |
| 20-34 | 18 | 13.4 | 106 | 2 | 3 | 10 | 18 | 29 | 38 | 42 |
| 35-49 | 42 | 12.1 | 85 | 1 | 3 | 11 | 14 | 23 | 36 | 42 |
| 50-64 | 39 | 14.5 | 63 | 5 | 7 | 12 | 17 | 24 | 32 | 43 |
| 65+ | 126 | 16.3 | 104 | 5 | 6 | 14 | 22 | 29 | 35 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 7.6 | 34 | 1 | 2 | 6 | 10 | 15 | 19 | 25 |
| B. *Operated* | 45 | 9.8 | 33 | 2 | 3 | 9 | 14 | 18 | 20 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 620 | 10.1 | 90 | 2 | 2 | 8 | 13 | 18 | 26 | 67 |
| B. *Operated* | 237 | 14.7 | 93 | 4 | 5 | 12 | 18 | 28 | 35 | 73 |
| **1. SINGLE DX** | 286 | 7.9 | 34 | 1 | 2 | 7 | 10 | 16 | 20 | 25 |
| **2. MULTIPLE DX** | 857 | 11.4 | 95 | 2 | 3 | 9 | 14 | 22 | 30 | 69 |
| **A. NOT OPERATED** | 861 | 9.4 | 75 | 1 | 2 | 8 | 12 | 18 | 23 | 49 |
| **B. OPERATED** | 282 | 13.9 | 87 | 3 | 5 | 12 | 17 | 26 | 34 | 65 |
| TOTAL 0-19 YRS | 206 | 8.7 | 77 | 1 | 2 | 7 | 10 | 15 | 21 | 46 |
| 20-34 | 79 | 7.1 | 50 | 1 | 1 | 5 | 9 | 16 | 20 | 39 |
| 35-49 | 132 | 8.2 | 49 | 1 | 2 | 7 | 11 | 15 | 20 | 40 |
| 50-64 | 131 | 11.2 | 60 | 1 | 3 | 10 | 15 | 22 | 28 | 37 |
| 65+ | 595 | 11.9 | 95 | 2 | 3 | 10 | 15 | 23 | 30 | 84 |
| **GRAND TOTAL** | **1143** | **10.5** | **82** | **1** | **2** | **9** | **14** | **20** | **27** | **51** |

### 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 5 | 5.6 | 7 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.6 | 16 | 2 | 2 | 4 | 8 | 12 | 13 | 13 |
| 20-34 | 8 | 9.6 | 46 | 3 | 3 | 7 | 15 | 20 | 21 | 21 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 6.0 | 5 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 7.7 | 31 | 2 | 2 | 7 | 10 | 17 | 20 | 21 |
| B. *Operated* | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **1. SINGLE DX** | 7 | 6.0 | 5 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | 18 | 7.8 | 29 | 2 | 2 | 7 | 9 | 16 | 20 | 21 |
| **A. NOT OPERATED** | 24 | 7.2 | 24 | 2 | 2 | 6 | 9 | 13 | 19 | 21 |
| **B. OPERATED** | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| TOTAL 0-19 YRS | 10 | 5.9 | 13 | 2 | 2 | 5 | 8 | 11 | 13 | 13 |
| 20-34 | 14 | 8.1 | 31 | 2 | 3 | 7 | 9 | 18 | 20 | 21 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **25** | **7.3** | **23** | **2** | **2** | **7** | **9** | **13** | **19** | **21** |

### 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 4.1 | 25 | 1 | 1 | 2 | 5 | 9 | 11 | 31 |
| 20-34 | 21 | 5.3 | 30 | 1 | 1 | 4 | 6 | 12 | 18 | 24 |
| 35-49 | 22 | 4.7 | 15 | 1 | 1 | 3 | 7 | 10 | 14 | 15 |
| 50-64 | 35 | 6.5 | 67 | 1 | 2 | 4 | 9 | 13 | 20 | 44 |
| 65+ | 174 | 6.6 | 50 | 1 | 1 | 4 | 9 | 15 | 18 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 10.0 | 91 | 1 | 2 | 7 | 11 | 29 | 31 | 31 |
| 20-34 | 14 | 13.6 | 98 | 3 | 3 | 10 | 22 | 25 | 33 | 36 |
| 35-49 | 8 | 10.3 | 80 | 1 | 2 | 8 | 12 | 25 | 30 | 30 |
| 50-64 | 20 | 11.5 | 27 | 3 | 4 | 11 | 16 | 18 | 20 | 22 |
| 65+ | 41 | 16.0 | 117 | 4 | 6 | 13 | 19 | 30 | 40 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 7.2 | 51 | 1 | 2 | 6 | 9 | 14 | 19 | 43 |
| 20-34 | 39 | 5.4 | 21 | 1 | 1 | 4 | 8 | 13 | 16 | 18 |
| 35-49 | 56 | 7.5 | 77 | 1 | 1 | 4 | 10 | 16 | 24 | 44 |
| 50-64 | 113 | 8.5 | 71 | 1 | 1 | 6 | 11 | 18 | 26 | 43 |
| 65+ | 525 | 10.0 | 93 | 1 | 2 | 7 | 13 | 21 | 29 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 13.5 | 56 | 1 | 4 | 13 | 22 | 46 | 92 | 99+ |
| 20-34 | 21 | 11.4 | 74 | 3 | 3 | 8 | 16 | 26 | 30 | 33 |
| 35-49 | 23 | 11.8 | 55 | 1 | 2 | 12 | 17 | 20 | 26 | 29 |
| 50-64 | 65 | 16.2 | 137 | 4 | 4 | 14 | 21 | 32 | 40 | 60 |
| 65+ | 185 | 19.2 | 177 | 5 | 6 | 16 | 26 | 38 | 49 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 349 | 5.7 | 42 | 1 | 1 | 3 | 7 | 12 | 17 | 39 |
| B. *Operated* | 96 | 13.4 | 91 | 3 | 4 | 11 | 18 | 23 | 33 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 831 | 9.1 | 82 | 1 | 1 | 7 | 12 | 19 | 27 | 50 |
| B. *Operated* | 305 | 17.3 | 154 | 4 | 5 | 15 | 23 | 34 | 44 | 76 |
| **1. SINGLE DX** | 445 | 7.4 | 63 | 1 | 1 | 4 | 10 | 17 | 22 | 42 |
| **2. MULTIPLE DX** | 1136 | 11.3 | 115 | 1 | 2 | 8 | 15 | 25 | 34 | 56 |
| **A. NOT OPERATED** | 1180 | 8.1 | 73 | 1 | 1 | 6 | 11 | 17 | 24 | 46 |
| **B. OPERATED** | 401 | 16.4 | 142 | 3 | 5 | 14 | 21 | 33 | 40 | 59 |
| TOTAL 0-19 YRS | 219 | 6.3 | 47 | 1 | 1 | 4 | 8 | 14 | 21 | 42 |
| 20-34 | 95 | 7.9 | 56 | 1 | 1 | 6 | 10 | 20 | 24 | 35 |
| 35-49 | 109 | 8.0 | 65 | 1 | 1 | 6 | 11 | 18 | 25 | 42 |
| 50-64 | 233 | 10.6 | 97 | 1 | 2 | 8 | 15 | 22 | 31 | 48 |
| 65+ | 925 | 11.5 | 121 | 1 | 2 | 8 | 15 | 26 | 35 | 56 |
| **GRAND TOTAL** | **1581** | **10.2** | **103** | **1** | **2** | **7** | **14** | **22** | **31** | **51** |

### 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 4.5 | 37 | <1 | <1 | 2 | 5 | 13 | 20 | 22 |
| 20-34 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 48.0 | | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.7 | 18 | <1 | 1 | 3 | 6 | 13 | 14 | 14 |
| 20-34 | 14 | 4.5 | 15 | 1 | 2 | 3 | 6 | 10 | 13 | 14 |
| 35-49 | 7 | 6.3 | 25 | 1 | 1 | 5 | 8 | 15 | 16 | 16 |
| 50-64 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 65+ | 5 | 18.8 | 153 | 9 | 9 | 13 | 23 | 40 | 40 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 6.5 | 68 | <1 | 1 | 3 | 9 | 22 | 25 | 28 |
| B. *Operated* | 1 | 48.0 | | 48 | 48 | 48 | 48 | 48 | 48 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 6.8 | 52 | 1 | 1 | 4 | 10 | 15 | 17 | 40 |
| B. *Operated* | 3 | 12.0 | 21 | 7 | 7 | 13 | 15 | 16 | 16 | 16 |
| **1. SINGLE DX** | 20 | 8.6 | 151 | <1 | 1 | 3 | 10 | 25 | 38 | 48 |
| **2. MULTIPLE DX** | 46 | 7.1 | 51 | 1 | 2 | 4 | 10 | 16 | 17 | 40 |
| **A. NOT OPERATED** | 62 | 6.7 | 56 | 1 | 1 | 3 | 9 | 16 | 21 | 39 |
| **B. OPERATED** | 4 | 21.0 | 338 | 7 | 7 | 14 | 32 | 48 | 48 | 48 |
| TOTAL 0-19 YRS | 30 | 6.0 | 88 | <1 | 1 | 2 | 8 | 13 | 22 | 48 |
| 20-34 | 19 | 5.1 | 17 | 1 | 2 | 3 | 8 | 12 | 14 | 14 |
| 35-49 | 8 | 8.1 | 48 | 1 | 2 | 5 | 12 | 19 | 21 | 21 |
| 50-64 | 3 | 12.0 | 61 | 3 | 3 | 16 | 17 | 17 | 17 | 17 |
| 65+ | 6 | 20.2 | 137 | 9 | 9 | 16 | 28 | 39 | 40 | 40 |
| **GRAND TOTAL** | **66** | **7.6** | **80** | **1** | **1** | **4** | **10** | **17** | **23** | **47** |

### 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 5.5 | 22 | 1 | 2 | 4 | 6 | 11 | 13 | 24 |
| 20-34 | 16 | 4.8 | 13 | 1 | 1 | 4 | 6 | 7 | 13 | 16 |
| 35-49 | 15 | 5.1 | 12 | 1 | 1 | 5 | 7 | 9 | 13 | 14 |
| 50-64 | 19 | 6.1 | 15 | 1 | 1 | 6 | 10 | 11 | 12 | 13 |
| 65+ | 28 | 7.7 | 65 | <1 | <1 | 5 | 11 | 21 | 27 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 8.5 | 34 | 2 | 2 | 8 | 10 | 14 | 19 | 36 |
| 20-34 | 28 | 10.6 | 58 | 5 | 5 | 9 | 12 | 14 | 23 | 45 |
| 35-49 | 15 | 8.1 | 26 | 3 | 3 | 7 | 10 | 14 | 20 | 22 |
| 50-64 | 14 | 13.7 | 89 | 4 | 5 | 10 | 21 | 28 | 34 | 36 |
| 65+ | 24 | 11.9 | 45 | 4 | 5 | 10 | 13 | 21 | 29 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 5.8 | 31 | 1 | 1 | 4 | 7 | 12 | 17 | 30 |
| 20-34 | 44 | 5.4 | 25 | 1 | 1 | 4 | 8 | 10 | 16 | 25 |
| 35-49 | 45 | 7.0 | 45 | 1 | 1 | 5 | 9 | 12 | 24 | 31 |
| 50-64 | 48 | 8.8 | 62 | 1 | 2 | 6 | 12 | 18 | 19 | 46 |
| 65+ | 96 | 10.5 | 142 | 2 | 2 | 7 | 12 | 18 | 31 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 9.2 | 33 | 3 | 4 | 7 | 11 | 18 | 22 | 25 |
| 20-34 | 32 | 12.7 | 56 | 4 | 4 | 12 | 16 | 26 | 28 | 29 |
| 35-49 | 34 | 12.8 | 86 | 3 | 4 | 10 | 17 | 28 | 35 | 38 |
| 50-64 | 40 | 14.4 | 86 | 4 | 5 | 12 | 17 | 28 | 35 | 41 |
| 65+ | 81 | 17.9 | 163 | 3 | 5 | 14 | 23 | 36 | 45 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 206 | 5.8 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 138 | 10.0 | 47 | 3 | 4 | 8 | 11 | 19 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 7.8 | 73 | 1 | 2 | 5 | 10 | 17 | 21 | 49 |
| B. *Operated* | 212 | 14.6 | 112 | 3 | 5 | 12 | 19 | 29 | 37 | 50 |
| **1. SINGLE DX** | 344 | 7.5 | 39 | 1 | 2 | 6 | 10 | 14 | 19 | 36 |
| **2. MULTIPLE DX** | 534 | 10.5 | 100 | 1 | 2 | 7 | 14 | 23 | 31 | 49 |
| **A. NOT OPERATED** | 528 | 7.0 | 56 | 1 | 2 | 5 | 9 | 14 | 19 | 37 |
| **B. OPERATED** | 350 | 12.8 | 91 | 3 | 4 | 10 | 15 | 26 | 34 | 48 |
| TOTAL 0-19 YRS | 299 | 6.5 | 29 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| 20-34 | 120 | 8.5 | 49 | 1 | 2 | 7 | 11 | 16 | 23 | 34 |
| 35-49 | 109 | 8.7 | 58 | 1 | 2 | 7 | 10 | 19 | 28 | 37 |
| 50-64 | 121 | 10.8 | 74 | 2 | 2 | 9 | 14 | 21 | 28 | 42 |
| 65+ | 229 | 12.9 | 143 | 1 | 2 | 10 | 16 | 29 | 37 | 63 |
| **GRAND TOTAL** | **878** | **9.3** | **78** | **1** | **2** | **7** | **11** | **19** | **28** | **44** |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 647 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 49 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 11 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 5 | 5 |
| 50-64 | 3 | 14.0 | 337 | 1 | 1 | 6 | 28 | 35 | 35 | 35 |
| 65+ | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 4.4 | 3 | 2 | 3 | 4 | 5 | 7 | 7 | 10 |
| 20-34 | 45 | 4.7 | 7 | 2 | 2 | 4 | 5 | 9 | 10 | 14 |
| 35-49 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 12 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 6 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 6.0 | 27 | 3 | 3 | 5 | 6 | 9 | 14 | 37 |
| 20-34 | 22 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 11 |
| 35-49 | 5 | 5.4 | 9 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 50-64 | 3 | 8.3 | 8 | 5 | 5 | 10 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 712 | 2.1 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 226 | 4.4 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 204 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 94 | 5.8 | 21 | 3 | 3 | 5 | 7 | 9 | 11 | 30 |
| **1. SINGLE DX** | 938 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 298 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **A. NOT OPERATED** | 916 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 320 | 4.8 | 9 | 2 | 3 | 4 | 6 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 1072 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 20-34 | 128 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 35-49 | 24 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 50-64 | 9 | 8.9 | 110 | 1 | 1 | 6 | 10 | 25 | 35 | 35 |
| 65+ | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| **GRAND TOTAL** | 1236 | 2.9 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.5 | 13 | 1 | 1 | 3 | 6 | 8 | 13 | 17 |
| 20-34 | 8 | 3.5 | 6 | 2 | 2 | 3 | 4 | 8 | 9 | 9 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.4 | 22 | <1 | 1 | 3 | 5 | 11 | 15 | 22 |
| 20-34 | 24 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 8 | 3.4 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 50-64 | 5 | 6.0 | 5 | 4 | 4 | 6 | 7 | 9 | 9 | 9 |
| 65+ | 3 | 4.0 | 7 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 5.5 | 13 | 1 | 2 | 4 | 8 | 11 | 13 | 15 |
| 20-34 | 7 | 3.6 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50-64 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.5 | 17 | 1 | 2 | 6 | 8 | 13 | 15 | 16 |
| 20-34 | 13 | 3.8 | 8 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 35-49 | 3 | 6.3 | 70 | 1 | 1 | 2 | 12 | 16 | 16 | 16 |
| 50-64 | 7 | 4.4 | 9 | 2 | 2 | 4 | 4 | 10 | 11 | 11 |
| 65+ | 9 | 6.3 | 24 | 2 | 2 | 5 | 9 | 14 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 4.4 | 12 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| B. *Operated* | 85 | 4.0 | 14 | <1 | 1 | 3 | 4 | 7 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 6.0 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| B. *Operated* | 50 | 5.5 | 17 | 1 | 2 | 4 | 8 | 11 | 16 | 17 |
| **1. SINGLE DX** | 142 | 4.2 | 13 | <1 | 1 | 3 | 5 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | 101 | 5.7 | 21 | 1 | 2 | 4 | 8 | 11 | 15 | 24 |
| **A. NOT OPERATED** | 108 | 5.2 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 135 | 4.5 | 16 | <1 | 1 | 3 | 6 | 9 | 13 | 21 |
| TOTAL 0-19 YRS | 149 | 5.0 | 16 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| 20-34 | 52 | 3.3 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 35-49 | 13 | 5.2 | 35 | 1 | 1 | 3 | 5 | 17 | 19 | 20 |
| 50-64 | 15 | 5.3 | 6 | 2 | 3 | 4 | 7 | 9 | 10 | 11 |
| 65+ | 14 | 7.8 | 54 | 1 | 2 | 5 | 10 | 18 | 27 | 29 |
| **GRAND TOTAL** | 243 | 4.8 | 17 | 1 | 1 | 3 | 6 | 9 | 13 | 21 |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.2 | 41 | 2 | 2 | 10 | 16 | 18 | 18 | 18 |
| 20-34 | 12 | 12.8 | 133 | 1 | 1 | 7 | 21 | 28 | 36 | 37 |
| 35-49 | 8 | 11.5 | 57 | 3 | 4 | 10 | 16 | 23 | 25 | 25 |
| 50-64 | 5 | 4.0 | 5 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 65+ | 9 | 16.4 | 464 | 1 | 2 | 10 | 16 | 52 | 71 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.9 | 243 | 2 | 2 | 7 | 20 | 41 | 45 | 45 |
| 20-34 | 18 | 13.9 | 108 | <1 | <1 | 14 | 21 | 27 | 33 | 36 |
| 35-49 | 7 | 9.6 | 14 | 6 | 6 | 8 | 13 | 15 | 15 | 15 |
| 50-64 | 23 | 17.0 | 337 | 1 | 2 | 13 | 19 | 47 | 62 | 67 |
| 65+ | 36 | 11.8 | 62 | 2 | 4 | 10 | 15 | 24 | 34 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 65+ | 2 | 18.0 | 200 | 8 | 8 | 18 | 28 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 11.9 | 162 | 1 | 1 | 7 | 17 | 24 | 31 | 71 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 13.5 | 151 | 1 | 2 | 10 | 17 | 31 | 43 | 86 |
| B. *Operated* | 4 | 15.8 | 134 | 4 | 4 | 15 | 25 | 28 | 28 | 28 |
| **1. SINGLE DX** | 40 | 11.9 | 162 | 1 | 1 | 7 | 17 | 24 | 31 | 71 |
| **2. MULTIPLE DX** | 96 | 13.6 | 149 | 1 | 2 | 10 | 18 | 30 | 41 | 84 |
| **A. NOT OPERATED** | 132 | 13.0 | 154 | 1 | 2 | 9 | 17 | 28 | 37 | 76 |
| **B. OPERATED** | 4 | 15.8 | 134 | 4 | 4 | 15 | 25 | 28 | 28 | 28 |
| TOTAL 0-19 YRS | 14 | 12.3 | 150 | 2 | 2 | 8 | 16 | 32 | 42 | 45 |
| 20-34 | 31 | 13.1 | 113 | <1 | 1 | 9 | 21 | 26 | 36 | 37 |
| 35-49 | 15 | 10.6 | 35 | 3 | 5 | 8 | 15 | 17 | 23 | 25 |
| 50-64 | 29 | 15.0 | 293 | 1 | 2 | 8 | 18 | 40 | 60 | 67 |
| 65+ | 47 | 13.0 | 137 | 1 | 4 | 10 | 15 | 27 | 39 | 99+ |
| **GRAND TOTAL** | **136** | **13.1** | **152** | **1** | **2** | **9** | **17** | **28** | **37** | **75** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 7 |
| 20-34 | 23 | 13.1 | 550 | <1 | 1 | 3 | 13 | 40 | 81 | 93 |
| 35-49 | 23 | 9.1 | 68 | 1 | 2 | 8 | 13 | 27 | 54 | 99+ |
| 50-64 | 41 | 16.3 | 254 | 2 | 4 | 12 | 19 | 35 | 55 | 78 |
| 65+ | 230 | 19.5 | 419 | 2 | 3 | 12 | 29 | 63 | 90 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 47.7 | 2050 | 8 | 8 | 38 | 82 | 97 | 97 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 27.5 | 164 | 10 | 12 | 28 | 42 | 80 | 99+ | 99+ |
| 20-34 | 36 | 17.7 | 347 | 2 | 2 | 12 | 28 | 59 | 91 | 99+ |
| 35-49 | 17 | 15.8 | 183 | 2 | 3 | 12 | 20 | 40 | 47 | 49 |
| 50-64 | 79 | 18.6 | 317 | 2 | 3 | 13 | 30 | 54 | 99+ | 99+ |
| 65+ | 588 | 21.8 | 438 | 3 | 5 | 16 | 41 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 69.0 | | 69 | 69 | 84 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 50-64 | 7 | 14.7 | 69 | 2 | 3 | 18 | 23 | 77 | 99+ | 99+ |
| 65+ | 40 | 41.3 | 605 | 12 | 16 | 59 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 329 | 17.3 | 383 | 1 | 2 | 10 | 22 | 52 | 79 | 99+ |
| B. *Operated* | 4 | 36.3 | 1888 | 2 | 2 | 38 | 98 | 99+ | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 728 | 21.2 | 413 | 3 | 4 | 16 | 39 | 98 | 99+ | 99+ |
| B. *Operated* | 49 | 37.9 | 608 | 7 | 13 | 47 | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 333 | 17.5 | 399 | 1 | 2 | 10 | 23 | 52 | 84 | 99+ |
| **2. MULTIPLE DX** | 777 | 22.2 | 441 | 3 | 4 | 17 | 42 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 1057 | 20.0 | 406 | 2 | 3 | 14 | 33 | 81 | 99+ | 99+ |
| **B. OPERATED** | 53 | 37.8 | 670 | 6 | 12 | 44 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 20 | 12.4 | 223 | <1 | 1 | 3 | 26 | 44 | 72 | 99+ |
| 20-34 | 60 | 16.8 | 463 | 1 | 2 | 9 | 28 | 74 | 99+ | 99+ |
| 35-49 | 41 | 12.6 | 135 | 1 | 2 | 9 | 18 | 35 | 45 | 99+ |
| 50-64 | 128 | 17.5 | 282 | 2 | 3 | 12 | 24 | 52 | 88 | 99+ |
| 65+ | 861 | 22.2 | 464 | 3 | 4 | 16 | 41 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **1110** | **20.8** | **433** | **2** | **3** | **15** | **37** | **90** | **99+** | **99+** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ | 8 | 25.0 | 139 | 13 | 13 | 29 | 36 | 79 | 99+ | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 2 | 34.5 | 613 | 17 | 17 | 34 | 52 | 52 | 52 | 52 |
| 65+ | 48 | 20.6 | 475 | 4 | 4 | 13 | 27 | 61 | 98 | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ | 1 | 43.0 |  | 43 | 43 | 99+ | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 8 | 25.0 | 139 | 13 | 13 | 29 | 36 | 79 | 99+ | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 50 | 21.2 | 476 | 4 | 4 | 14 | 28 | 61 | 98 | 99+ |
| B. *Operated* | 1 | 43.0 |  | 43 | 43 | 99+ | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 8 | 25.0 | 139 | 13 | 13 | 29 | 36 | 79 | 99+ | 99+ |
| **2. MULTIPLE DX** | 51 | 21.6 | 476 | 4 | 4 | 16 | 36 | 98 | 99+ | 99+ |
| **A. NOT OPERATED** | 58 | 21.7 | 428 | 4 | 4 | 16 | 31 | 61 | 99 | 99+ |
| **B. OPERATED** | 1 | 43.0 |  | 43 | 43 | 99+ | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 2 | 34.5 | 613 | 17 | 17 | 34 | 52 | 52 | 52 | 52 |
| 65+ | 57 | 21.6 | 427 | 4 | 4 | 16 | 34 | 98 | 99+ | 99+ |
| **GRAND TOTAL** | **59** | **22.1** | **428** | **4** | **4** | **17** | **35** | **98** | **99+** | **99+** |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 7 | 5.7 | 55 | <1 | <1 | 1 | 8 | 18 | 21 | 21 |
| 20-34 | 73 | 3.7 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| 35-49 | 138 | 5.4 | 31 | 1 | 1 | 4 | 7 | 11 | 14 | 35 |
| 50-64 | 99 | 6.3 | 34 | 1 | 2 | 4 | 8 | 13 | 19 | 31 |
| 65+ | 29 | 11.6 | 336 | 1 | 2 | 6 | 13 | 22 | 37 | 98 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 1 | 11.0 |  | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 1 | 10.0 |  | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 164 | 5.0 | 20 | 1 | 1 | 3 | 6 | 12 | 15 | 20 |
| 35-49 | 293 | 7.2 | 82 | 1 | 2 | 5 | 9 | 15 | 22 | 58 |
| 50-64 | 257 | 10.2 | 137 | 2 | 2 | 7 | 12 | 25 | 39 | 99+ |
| 65+ | 110 | 17.6 | 464 | 2 | 2 | 10 | 21 | 53 | 83 | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 3 | 7.0 | 25 | 2 | 2 | 7 | 11 | 12 | 12 | 12 |
| 35-49 | 12 | 17.7 | 567 | 2 | 2 | 10 | 15 | 59 | 78 | 81 |
| 50-64 | 17 | 20.2 | 296 | 2 | 4 | 21 | 32 | 87 | 99+ | 99+ |
| 65+ | 9 | 37.6 | 666 | 9 | 9 | 37 | 57 | 75 | 80 | 80 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 346 | 5.8 | 57 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| B. *Operated* | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 826 | 9.1 | 151 | 1 | 2 | 5 | 11 | 20 | 33 | 99 |
| B. *Operated* | 41 | 22.3 | 487 | 2 | 3 | 15 | 36 | 71 | 88 | 99+ |
| **1. SINGLE DX** | 348 | 5.9 | 57 | 1 | 1 | 4 | 7 | 12 | 17 | 34 |
| **2. MULTIPLE DX** | 867 | 9.7 | 175 | 1 | 2 | 6 | 11 | 22 | 40 | 99+ |
| **A. NOT OPERATED** | 1172 | 8.1 | 126 | 1 | 2 | 5 | 9 | 18 | 27 | 87 |
| **B. OPERATED** | 43 | 21.8 | 470 | 2 | 3 | 15 | 33 | 69 | 86 | 99+ |
| TOTAL 0-19 YRS | 9 | 5.4 | 43 | <1 | <1 | 2 | 7 | 16 | 21 | 21 |
| 20-34 | 241 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 14 | 20 |
| 35-49 | 443 | 6.9 | 81 | 1 | 1 | 4 | 8 | 14 | 20 | 51 |
| 50-64 | 374 | 9.6 | 124 | 2 | 2 | 6 | 11 | 24 | 36 | 99+ |
| 65+ | 148 | 17.6 | 476 | 2 | 2 | 9 | 20 | 52 | 80 | 99+ |
| **GRAND TOTAL** | **1215** | **8.6** | **144** | **1** | **2** | **5** | **10** | **19** | **31** | **92** |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 12.1 | 574 | <1 | <1 | 3 | 12 | 25 | 77 | 95 |
| 20-34 | 33 | 10.4 | 304 | <1 | 1 | 2 | 9 | 34 | 50 | 77 |
| 35-49 | 9 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 9 | 9 |
| 50-64 | 7 | 5.6 | 19 | <1 | <1 | 4 | 9 | 11 | 12 | 12 |
| 65+ | 5 | 7.8 | 41 | <1 | <1 | 5 | 14 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 12.6 | 229 | 1 | 2 | 7 | 13 | 40 | 50 | 56 |
| 20-34 | 49 | 13.8 | 266 | <1 | 1 | 7 | 19 | 31 | 43 | 91 |
| 35-49 | 24 | 9.7 | 98 | 2 | 2 | 5 | 13 | 24 | 31 | 36 |
| 50-64 | 23 | 9.1 | 74 | 1 | 2 | 4 | 15 | 22 | 27 | 33 |
| 65+ | 28 | 16.6 | 329 | 2 | 4 | 10 | 19 | 39 | 63 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 47.0 | 1058 | 24 | 24 | 47 | 70 | 70 | 70 | 70 |
| 35-49 | | | | | | | | | | |
| 50-64 | 4 | 19.0 | 371 | 3 | 3 | 13 | 30 | 47 | 47 | 47 |
| 65+ | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 9.1 | 275 | <1 | <1 | 3 | 9 | 25 | 43 | 92 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 145 | 12.7 | 216 | 1 | 2 | 7 | 16 | 30 | 42 | 81 |
| B. *Operated* | 8 | 26.5 | 535 | 3 | 4 | 19 | 41 | 63 | 70 | 70 |
| **1. SINGLE DX** | 69 | 9.1 | 275 | <1 | <1 | 3 | 9 | 25 | 43 | 92 |
| **2. MULTIPLE DX** | 153 | 13.4 | 239 | 1 | 2 | 7 | 18 | 33 | 45 | 80 |
| **A. NOT OPERATED** | 214 | 11.6 | 237 | <1 | 1 | 6 | 15 | 28 | 43 | 84 |
| **B. OPERATED** | 8 | 26.5 | 535 | 3 | 4 | 19 | 41 | 63 | 70 | 70 |
| TOTAL 0-19 YRS | 37 | 12.2 | 351 | <1 | 1 | 6 | 13 | 34 | 52 | 95 |
| 20-34 | 84 | 13.2 | 314 | <1 | 1 | 6 | 19 | 32 | 49 | 86 |
| 35-49 | 33 | 7.8 | 83 | <1 | 1 | 4 | 8 | 23 | 28 | 36 |
| 50-64 | 34 | 9.5 | 101 | <1 | 2 | 5 | 14 | 22 | 31 | 47 |
| 65+ | 34 | 15.9 | 297 | 2 | 3 | 10 | 17 | 37 | 57 | 80 |
| **GRAND TOTAL** | **222** | **12.1** | **253** | **<1** | **1** | **6** | **15** | **31** | **44** | **83** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 24.1 | 234 | 3 | 4 | 21 | 35 | 41 | 54 | 60 |
| 20-34 | 192 | 21.5 | 339 | 1 | 3 | 16 | 30 | 50 | 63 | 95 |
| 35-49 | 154 | 20.6 | 369 | 1 | 2 | 15 | 26 | 45 | 65 | 84 |
| 50-64 | 79 | 16.8 | 151 | 2 | 4 | 14 | 25 | 34 | 40 | 91 |
| 65+ | 28 | 17.4 | 288 | 2 | 3 | 13 | 21 | 28 | 68 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 35.8 | 531 | 6 | 6 | 38 | 56 | 64 | 69 | 70 |
| 20-34 | 111 | 26.1 | 409 | 2 | 6 | 22 | 38 | 60 | 84 | 99+ |
| 35-49 | 82 | 25.0 | 380 | 1 | 4 | 22 | 34 | 52 | 68 | 82 |
| 50-64 | 62 | 23.4 | 346 | 1 | 3 | 21 | 32 | 54 | 67 | 97 |
| 65+ | 26 | 27.3 | 599 | 2 | 4 | 17 | 45 | 64 | 81 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 29.3 | 93 | 16 | 16 | 32 | 54 | 99+ | 99+ | 99+ |
| 35-49 | 6 | 37.7 | 89 | 24 | 24 | 39 | 46 | 48 | 48 | 48 |
| 50-64 | 5 | 37.6 | 875 | 4 | 4 | 34 | 65 | 73 | 73 | 73 |
| 65+ | 2 | 30.5 | 13 | 28 | 28 | 30 | 33 | 33 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 469 | 20.3 | 312 | 1 | 3 | 15 | 27 | 45 | 61 | 87 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 293 | 25.7 | 409 | 2 | 5 | 22 | 38 | 57 | 75 | 99+ |
| B. *Operated* | 17 | 34.8 | 280 | 8 | 15 | 33 | 46 | 70 | 89 | 99+ |
| **1. SINGLE DX** | 469 | 20.3 | 312 | 1 | 3 | 15 | 27 | 45 | 61 | 87 |
| **2. MULTIPLE DX** | 310 | 26.2 | 405 | 2 | 5 | 22 | 39 | 59 | 75 | 99+ |
| **A. NOT OPERATED** | 762 | 22.4 | 356 | 1 | 3 | 18 | 30 | 50 | 66 | 95 |
| **B. OPERATED** | 17 | 34.8 | 280 | 8 | 15 | 33 | 46 | 70 | 89 | 99+ |
| TOTAL 0-19 YRS | 28 | 29.1 | 381 | 4 | 6 | 22 | 41 | 60 | 69 | 70 |
| 20-34 | 307 | 23.3 | 365 | 1 | 4 | 19 | 33 | 52 | 71 | 99+ |
| 35-49 | 242 | 22.5 | 374 | 1 | 3 | 18 | 30 | 48 | 65 | 83 |
| 50-64 | 146 | 20.3 | 272 | 1 | 4 | 16 | 28 | 45 | 62 | 99+ |
| 65+ | 56 | 22.4 | 441 | 2 | 4 | 16 | 29 | 51 | 73 | 87 |
| **GRAND TOTAL** | **779** | **22.6** | **357** | **1** | **3** | **18** | **31** | **50** | **67** | **98** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 27.3 | 386 | 5 | 6 | 20 | 49 | 53 | 54 | 54 |
| 20-34 | 28 | 21.9 | 405 | 2 | 4 | 19 | 23 | 60 | 65 | 79 |
| 35-49 | 10 | 7.9 | 36 | 1 | 2 | 6 | 9 | 17 | 23 | 23 |
| 50-64 | 6 | 17.8 | 161 | 5 | 5 | 13 | 31 | 35 | 36 | 36 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 23.7 | 121 | 11 | 11 | 29 | 30 | 31 | 31 | 31 |
| 20-34 | 12 | 25.2 | 454 | 2 | 5 | 16 | 39 | 61 | 64 | 65 |
| 35-49 | 3 | 20.7 | 94 | 10 | 10 | 23 | 27 | 29 | 29 | 29 |
| 50-64 | 2 | 65.0 | 2 | 64 | 64 | 65 | 66 | 66 | 66 | 66 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 19.3 | 325 | 2 | 4 | 15 | 23 | 51 | 63 | 79 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 28.3 | 446 | 4 | 8 | 26 | 39 | 64 | 65 | 66 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 50 | 19.3 | 325 | 2 | 4 | 15 | 23 | 51 | 63 | 79 |
| **2. MULTIPLE DX** | 20 | 28.3 | 446 | 4 | 8 | 26 | 39 | 64 | 65 | 66 |
| **A. NOT OPERATED** | 70 | 21.8 | 370 | 2 | 5 | 15 | 29 | 56 | 64 | 76 |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-19 YRS | 9 | 26.1 | 275 | 5 | 7 | 22 | 35 | 52 | 54 | 54 |
| 20-34 | 40 | 22.9 | 411 | 2 | 4 | 19 | 28 | 61 | 64 | 79 |
| 35-49 | 13 | 10.8 | 74 | 1 | 3 | 8 | 14 | 24 | 28 | 29 |
| 50-64 | 8 | 29.6 | 592 | 5 | 6 | 23 | 50 | 65 | 66 | 66 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 70 | 21.8 | 370 | 2 | 5 | 15 | 29 | 56 | 64 | 76 |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 20.4 | 424 | 1 | 1 | 15 | 31 | 49 | 73 | 99+ |
| 20-34 | 645 | 18.7 | 330 | 1 | 2 | 14 | 28 | 45 | 67 | 99+ |
| 35-49 | 286 | 17.9 | 242 | 1 | 2 | 13 | 27 | 42 | 50 | 78 |
| 50-64 | 153 | 17.8 | 263 | 1 | 3 | 14 | 23 | 43 | 74 | 99+ |
| 65+ | 41 | 18.5 | 327 | 2 | 3 | 11 | 22 | 41 | 61 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 39.8 | 468 | 21 | 21 | 34 | 55 | 70 | 70 | 70 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 26.6 | 557 | 1 | 2 | 22 | 41 | 73 | 88 | 99+ |
| 20-34 | 361 | 22.2 | 406 | 2 | 3 | 17 | 32 | 60 | 73 | 99+ |
| 35-49 | 173 | 17.6 | 239 | 2 | 3 | 13 | 27 | 36 | 51 | 96 |
| 50-64 | 127 | 23.6 | 369 | 3 | 5 | 19 | 36 | 59 | 86 | 99+ |
| 65+ | 39 | 20.3 | 333 | 3 | 4 | 14 | 29 | 51 | 62 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 31.2 | 257 | 8 | 9 | 36 | 49 | 96 | 99+ | 99+ |
| 35-49 | 11 | 28.3 | 325 | 6 | 11 | 22 | 43 | 57 | 59 | 59 |
| 50-64 | 5 | 31.6 | 36 | 25 | 25 | 32 | 37 | 38 | 38 | 38 |
| 65+ | 4 | 35.0 | 198 | 20 | 20 | 34 | 46 | 51 | 51 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1239 | 18.6 | 309 | 1 | 2 | 14 | 27 | 45 | 63 | 99+ |
| B. *Operated* | 4 | 39.8 | 468 | 21 | 21 | 34 | 55 | 70 | 70 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 757 | 21.6 | 373 | 2 | 3 | 17 | 31 | 57 | 73 | 99+ |
| B. *Operated* | 34 | 30.8 | 227 | 8 | 13 | 29 | 43 | 58 | 87 | 99+ |
| **1. SINGLE DX** | 1243 | 18.6 | 311 | 1 | 2 | 14 | 27 | 45 | 64 | 99+ |
| **2. MULTIPLE DX** | 791 | 22.0 | 370 | 2 | 3 | 17 | 32 | 57 | 73 | 99+ |
| **A. NOT OPERATED** | 1996 | 19.7 | 336 | 1 | 3 | 14 | 28 | 48 | 70 | 99+ |
| **B. OPERATED** | 38 | 31.7 | 248 | 8 | 14 | 29 | 43 | 58 | 85 | 99+ |
| TOTAL 0-19 YRS | 171 | 22.4 | 474 | 1 | 2 | 17 | 34 | 61 | 77 | 99+ |
| 20-34 | 1024 | 20.2 | 361 | 1 | 2 | 15 | 29 | 52 | 71 | 99+ |
| 35-49 | 470 | 18.0 | 244 | 1 | 3 | 13 | 27 | 41 | 53 | 86 |
| 50-64 | 285 | 20.6 | 315 | 2 | 4 | 17 | 28 | 54 | 76 | 99+ |
| 65+ | 84 | 20.1 | 329 | 3 | 4 | 14 | 28 | 46 | 60 | 82 |
| **GRAND TOTAL** | 2034 | 19.9 | 336 | 1 | 3 | 15 | 29 | 48 | 70 | 99+ |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 17.3 | 286 | 3 | 4 | 10 | 28 | 41 | 56 | 59 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 22.5 | 178 | 2 | 4 | 25 | 32 | 39 | 40 | 40 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 17.3 | 286 | 3 | 4 | 10 | 28 | 41 | 56 | 59 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 22.5 | 178 | 2 | 4 | 25 | 32 | 39 | 40 | 40 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 12 | 17.3 | 286 | 3 | 4 | 10 | 28 | 41 | 56 | 59 |
| **2. MULTIPLE DX** | 11 | 22.5 | 178 | 2 | 4 | 25 | 32 | 39 | 40 | 40 |
| **A. NOT OPERATED** | 23 | 19.8 | 231 | 3 | 4 | 15 | 32 | 39 | 47 | 59 |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-19 YRS | 23 | 19.8 | 231 | 3 | 4 | 15 | 32 | 39 | 47 | 59 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **23** | **19.8** | **231** | **3** | **4** | **15** | **32** | **39** | **47** | **59** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 10.7 | 132 | 1 | 1 | 7 | 13 | 29 | 30 | 48 |
| 20-34 | 250 | 12.9 | 177 | 1 | 2 | 7 | 19 | 32 | 42 | 59 |
| 35-49 | 290 | 15.9 | 210 | 1 | 3 | 13 | 21 | 36 | 46 | 75 |
| 50-64 | 427 | 18.3 | 211 | 2 | 3 | 15 | 25 | 37 | 46 | 86 |
| 65+ | 337 | 19.6 | 196 | 3 | 5 | 17 | 27 | 40 | 49 | 77 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 50-64 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 65+ | 3 | 42.7 | 1304 | 11 | 11 | 35 | 70 | 82 | 82 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 21.7 | 449 | 1 | 2 | 16 | 31 | 57 | 67 | 68 |
| 20-34 | 235 | 17.0 | 276 | 1 | 2 | 12 | 25 | 41 | 53 | 99+ |
| 35-49 | 269 | 17.5 | 259 | 2 | 3 | 12 | 26 | 39 | 50 | 74 |
| 50-64 | 401 | 20.2 | 261 | 3 | 4 | 17 | 29 | 39 | 51 | 84 |
| 65+ | 381 | 23.2 | 315 | 4 | 5 | 20 | 32 | 53 | 79 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 10 | 29.3 | 261 | 2 | 10 | 26 | 35 | 53 | 62 | 62 |
| 35-49 | 29 | 29.3 | 379 | 4 | 9 | 23 | 46 | 65 | 71 | 99+ |
| 50-64 | 36 | 26.5 | 197 | 8 | 13 | 24 | 38 | 64 | 99+ | 99+ |
| 65+ | 35 | 39.2 | 495 | 13 | 15 | 29 | 55 | 72 | 80 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1334 | 16.9 | 205 | 2 | 3 | 13 | 24 | 37 | 46 | 70 |
| B. *Operated* | 5 | 36.8 | 749 | 11 | 11 | 35 | 47 | 82 | 82 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1311 | 20.0 | 288 | 2 | 4 | 16 | 29 | 43 | 58 | 99+ |
| B. *Operated* | 111 | 31.3 | 367 | 8 | 11 | 26 | 46 | 66 | 80 | 99+ |
| **1. SINGLE DX** | 1339 | 17.0 | 208 | 2 | 3 | 13 | 24 | 37 | 46 | 72 |
| **2. MULTIPLE DX** | 1422 | 20.9 | 303 | 2 | 4 | 17 | 30 | 47 | 63 | 99+ |
| **A. NOT OPERATED** | 2645 | 18.4 | 248 | 2 | 3 | 15 | 26 | 39 | 52 | 92 |
| **B. OPERATED** | 116 | 31.6 | 378 | 8 | 11 | 26 | 46 | 68 | 82 | 99+ |
| TOTAL 0-19 YRS | 56 | 15.6 | 297 | 1 | 1 | 9 | 24 | 39 | 57 | 68 |
| 20-34 | 495 | 15.2 | 233 | 1 | 2 | 9 | 23 | 38 | 48 | 75 |
| 35-49 | 589 | 17.3 | 248 | 2 | 3 | 13 | 24 | 41 | 51 | 76 |
| 50-64 | 865 | 19.6 | 236 | 3 | 4 | 16 | 27 | 39 | 51 | 89 |
| 65+ | 756 | 22.4 | 290 | 4 | 5 | 19 | 30 | 48 | 64 | 99+ |
| **GRAND TOTAL** | **2761** | **19.0** | **260** | **2** | **3** | **15** | **27** | **41** | **55** | **98** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 24.4 | 624 | 2 | 3 | 17 | 29 | 79 | 93 | 99+ |
| 20-34 | 264 | 19.7 | 277 | 2 | 4 | 15 | 26 | 50 | 63 | 99+ |
| 35-49 | 249 | 18.6 | 241 | 1 | 3 | 15 | 26 | 39 | 49 | 84 |
| 50-64 | 202 | 21.2 | 253 | 3 | 5 | 18 | 28 | 42 | 51 | 76 |
| 65+ | 92 | 21.7 | 285 | 2 | 3 | 19 | 30 | 46 | 63 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 35-49 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 50-64 | 2 | 23.0 | 18 | 20 | 20 | 23 | 26 | 26 | 26 | 26 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 31.0 | 511 | 2 | 3 | 30 | 43 | 60 | 73 | 83 |
| 20-34 | 215 | 24.9 | 347 | 2 | 5 | 22 | 36 | 52 | 65 | 99 |
| 35-49 | 170 | 22.7 | 290 | 3 | 7 | 18 | 29 | 47 | 60 | 83 |
| 50-64 | 182 | 25.3 | 301 | 5 | 7 | 22 | 36 | 55 | 68 | 99+ |
| 65+ | 127 | 22.6 | 313 | 2 | 4 | 18 | 29 | 50 | 63 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 57 | 99+ | 99+ | 99+ | 99+ |
| 20-34 | 10 | 26.6 | 203 | 5 | 9 | 24 | 43 | 69 | 97 | 99+ |
| 35-49 | 10 | 43.0 | 451 | 18 | 19 | 36 | 60 | 72 | 82 | 82 |
| 50-64 | 12 | 46.0 | 286 | 25 | 25 | 42 | 66 | 76 | 95 | 99+ |
| 65+ | 8 | 32.6 | 604 | 5 | 6 | 34 | 62 | 90 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 836 | 20.1 | 274 | 2 | 4 | 16 | 27 | 43 | 57 | 99+ |
| B. *Operated* | 4 | 21.5 | 15 | 17 | 17 | 21 | 24 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 714 | 24.2 | 321 | 3 | 6 | 21 | 34 | 50 | 66 | 99+ |
| B. *Operated* | 41 | 37.2 | 408 | 7 | 14 | 38 | 60 | 82 | 99+ | 99+ |
| **1. SINGLE DX** | 840 | 20.1 | 272 | 2 | 4 | 17 | 27 | 43 | 57 | 99+ |
| **2. MULTIPLE DX** | 755 | 24.9 | 334 | 3 | 6 | 21 | 35 | 53 | 69 | 99+ |
| **A. NOT OPERATED** | 1550 | 22.0 | 299 | 2 | 5 | 18 | 30 | 48 | 61 | 99+ |
| **B. OPERATED** | 45 | 35.8 | 392 | 7 | 14 | 34 | 58 | 79 | 99+ | 99+ |
| TOTAL 0-19 YRS | 50 | 26.8 | 568 | 2 | 3 | 24 | 41 | 77 | 92 | 99+ |
| 20-34 | 490 | 22.1 | 312 | 2 | 5 | 18 | 30 | 51 | 63 | 99+ |
| 35-49 | 430 | 20.8 | 279 | 2 | 4 | 17 | 28 | 44 | 57 | 83 |
| 50-64 | 398 | 23.8 | 293 | 4 | 6 | 21 | 33 | 50 | 62 | 99+ |
| 65+ | 227 | 22.6 | 312 | 2 | 4 | 19 | 31 | 49 | 68 | 99+ |
| **GRAND TOTAL** | 1595 | 22.4 | 307 | 2 | 5 | 18 | 31 | 49 | 63 | 99+ |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 16.3 | 550 | 1 | 1 | 7 | 18 | 58 | 80 | 80 |
| 20-34 | 141 | 14.4 | 245 | 1 | 2 | 9 | 18 | 36 | 55 | 83 |
| 35-49 | 95 | 14.9 | 272 | 1 | 2 | 9 | 19 | 38 | 54 | 90 |
| 50-64 | 72 | 15.8 | 288 | 1 | 2 | 12 | 20 | 36 | 61 | 99 |
| 65+ | 70 | 15.8 | 246 | 1 | 2 | 11 | 24 | 45 | 48 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 13.9 | 241 | <1 | 1 | 7 | 22 | 37 | 49 | 59 |
| 20-34 | 118 | 18.3 | 336 | 1 | 2 | 12 | 26 | 50 | 69 | 99+ |
| 35-49 | 76 | 14.9 | 122 | 2 | 3 | 12 | 21 | 34 | 37 | 41 |
| 50-64 | 104 | 18.9 | 344 | 2 | 2 | 14 | 27 | 51 | 70 | 99+ |
| 65+ | 211 | 15.6 | 256 | 2 | 3 | 11 | 24 | 47 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 20-34 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 35-49 | 6 | 17.8 | 54 | 4 | 5 | 21 | 22 | 23 | 23 | 23 |
| 50-64 | 4 | 33.3 | 1118 | 3 | 3 | 28 | 60 | 74 | 74 | 74 |
| 65+ | 13 | 33.4 | 621 | 11 | 13 | 23 | 49 | 73 | 89 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 408 | 15.1 | 279 | 1 | 2 | 10 | 20 | 38 | 56 | 99+ |
| B. *Operated* | 2 | 20.5 | 313 | 8 | 8 | 20 | 33 | 33 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 541 | 16.6 | 272 | 1 | 2 | 12 | 25 | 42 | 77 | 99+ |
| B. *Operated* | 25 | 28.9 | 515 | 4 | 9 | 22 | 36 | 68 | 79 | 93 |
| **1. SINGLE DX** | 410 | 15.2 | 278 | 1 | 2 | 10 | 20 | 38 | 56 | 99+ |
| **2. MULTIPLE DX** | 566 | 17.1 | 288 | 1 | 3 | 12 | 25 | 44 | 77 | 99+ |
| **A. NOT OPERATED** | 949 | 16.0 | 275 | 1 | 2 | 11 | 23 | 41 | 67 | 99+ |
| **B. OPERATED** | 27 | 28.3 | 492 | 4 | 8 | 22 | 33 | 68 | 77 | 93 |
| TOTAL 0-19 YRS | 63 | 15.4 | 384 | <1 | 1 | 7 | 21 | 38 | 66 | 80 |
| 20-34 | 260 | 16.2 | 288 | 1 | 2 | 10 | 22 | 43 | 62 | 99+ |
| 35-49 | 178 | 15.0 | 198 | 1 | 2 | 10 | 21 | 35 | 43 | 77 |
| 50-64 | 180 | 18.0 | 339 | 2 | 2 | 13 | 25 | 48 | 70 | 99+ |
| 65+ | 295 | 16.5 | 280 | 2 | 3 | 12 | 25 | 47 | 99+ | 99+ |
| **GRAND TOTAL** | 976 | 16.3 | 284 | 1 | 2 | 11 | 23 | 42 | 68 | 99+ |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 5.4 | 43 | <1 | 1 | 3 | 7 | 12 | 21 | 33 |
| 20-34 | 262 | 6.2 | 91 | <1 | 1 | 3 | 7 | 13 | 18 | 58 |
| 35-49 | 262 | 5.4 | 31 | 1 | 1 | 3 | 6 | 13 | 17 | 29 |
| 50-64 | 175 | 6.4 | 40 | 1 | 1 | 5 | 8 | 14 | 16 | 35 |
| 65+ | 184 | 7.0 | 59 | 1 | 1 | 5 | 8 | 15 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 8.3 | 61 | 1 | 1 | 7 | 14 | 18 | 18 | 18 |
| 35-49 | 4 | 9.3 | 71 | 1 | 1 | 7 | 14 | 21 | 21 | 21 |
| 50-64 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 9.7 | 173 | <1 | 1 | 5 | 10 | 32 | 42 | 59 |
| 20-34 | 360 | 7.6 | 86 | <1 | 1 | 4 | 9 | 18 | 24 | 41 |
| 35-49 | 347 | 7.6 | 58 | 1 | 2 | 5 | 10 | 17 | 23 | 38 |
| 50-64 | 368 | 8.2 | 73 | 1 | 1 | 5 | 10 | 19 | 25 | 36 |
| 65+ | 391 | 7.8 | 52 | 1 | 2 | 6 | 10 | 16 | 20 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 15 | 9.7 | 103 | 1 | 1 | 7 | 11 | 33 | 34 | 34 |
| 35-49 | 14 | 9.9 | 73 | 2 | 3 | 7 | 13 | 27 | 28 | 28 |
| 50-64 | 14 | 16.9 | 168 | 3 | 3 | 15 | 21 | 41 | 45 | 46 |
| 65+ | 4 | 23.8 | 95 | 14 | 14 | 23 | 32 | 34 | 34 | 34 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 933 | 6.1 | 55 | 1 | 1 | 4 | 7 | 14 | 18 | 36 |
| B. *Operated* | 10 | 8.3 | 48 | 1 | 1 | 7 | 11 | 19 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1542 | 7.9 | 72 | 1 | 1 | 5 | 10 | 18 | 23 | 42 |
| B. *Operated* | 48 | 12.9 | 127 | 1 | 3 | 9 | 18 | 32 | 35 | 46 |
| 1. SINGLE DX | 943 | 6.1 | 55 | 1 | 1 | 4 | 7 | 14 | 18 | 36 |
| 2. MULTIPLE DX | 1590 | 8.0 | 75 | 1 | 1 | 5 | 10 | 18 | 25 | 42 |
| A. NOT OPERATED | 2475 | 7.2 | 67 | 1 | 1 | 5 | 9 | 16 | 22 | 40 |
| B. OPERATED | 58 | 12.1 | 116 | 1 | 2 | 8 | 17 | 29 | 34 | 46 |
| TOTAL 0-19 YRS | 157 | 7.5 | 110 | <1 | 1 | 4 | 8 | 20 | 33 | 52 |
| 20-34 | 641 | 7.1 | 89 | <1 | 1 | 4 | 8 | 16 | 23 | 41 |
| 35-49 | 627 | 6.7 | 49 | 1 | 1 | 4 | 9 | 16 | 22 | 33 |
| 50-64 | 559 | 7.8 | 67 | 1 | 1 | 5 | 10 | 17 | 23 | 41 |
| 65+ | 549 | 7.7 | 56 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| GRAND TOTAL | 2533 | 7.3 | 68 | 1 | 1 | 5 | 9 | 17 | 23 | 41 |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 8.5 | 88 | 1 | 1 | 5 | 10 | 18 | 31 | 45 |
| 20-34 | 436 | 9.7 | 98 | 1 | 2 | 6 | 13 | 22 | 29 | 50 |
| 35-49 | 402 | 10.0 | 78 | 2 | 2 | 7 | 14 | 22 | 29 | 46 |
| 50-64 | 232 | 12.8 | 154 | 2 | 3 | 9 | 16 | 30 | 44 | 56 |
| 65+ | 134 | 12.7 | 111 | 2 | 3 | 10 | 16 | 27 | 35 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 14.0 | 72 | 8 | 8 | 14 | 20 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 97 | 13.8 | 184 | 1 | 2 | 8 | 22 | 33 | 44 | 81 |
| 20-34 | 522 | 14.2 | 229 | 1 | 2 | 9 | 19 | 34 | 49 | 73 |
| 35-49 | 494 | 12.7 | 137 | 2 | 2 | 9 | 17 | 30 | 38 | 62 |
| 50-64 | 394 | 14.3 | 133 | 2 | 3 | 11 | 20 | 30 | 39 | 58 |
| 65+ | 286 | 16.0 | 174 | 3 | 4 | 11 | 23 | 36 | 44 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 12.3 | 132 | 2 | 2 | 9 | 25 | 27 | 27 | 37 |
| 20-34 | 29 | 25.4 | 286 | 5 | 6 | 25 | 36 | 47 | 52 | 72 |
| 35-49 | 30 | 21.9 | 303 | 2 | 3 | 22 | 25 | 42 | 56 | 82 |
| 50-64 | 26 | 23.1 | 337 | 4 | 5 | 15 | 36 | 49 | 57 | 71 |
| 65+ | 19 | 24.9 | 230 | 8 | 9 | 25 | 40 | 76 | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1279 | 10.6 | 104 | 1 | 2 | 7 | 14 | 24 | 32 | 49 |
| B. *Operated* | 4 | 13.3 | 38 | 8 | 8 | 13 | 18 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1793 | 14.1 | 172 | 2 | 3 | 10 | 19 | 32 | 42 | 67 |
| B. *Operated* | 110 | 23.1 | 284 | 3 | 5 | 23 | 35 | 48 | 60 | 99+ |
| 1. SINGLE DX | 1283 | 10.6 | 104 | 1 | 2 | 7 | 14 | 24 | 32 | 49 |
| 2. MULTIPLE DX | 1903 | 14.6 | 183 | 2 | 3 | 10 | 20 | 33 | 43 | 71 |
| A. NOT OPERATED | 3072 | 12.6 | 147 | 1 | 2 | 9 | 17 | 29 | 39 | 63 |
| B. OPERATED | 114 | 22.8 | 278 | 3 | 5 | 22 | 34 | 48 | 59 | 99+ |
| TOTAL 0-19 YRS | 178 | 11.5 | 147 | 1 | 2 | 7 | 16 | 31 | 39 | 60 |
| 20-34 | 988 | 12.6 | 182 | 1 | 2 | 8 | 16 | 29 | 39 | 70 |
| 35-49 | 927 | 11.8 | 122 | 2 | 2 | 8 | 16 | 28 | 35 | 55 |
| 50-64 | 652 | 14.1 | 152 | 2 | 3 | 10 | 10 | 31 | 43 | 59 |
| 65+ | 441 | 15.4 | 162 | 3 | 4 | 11 | 21 | 34 | 44 | 75 |
| GRAND TOTAL | 3186 | 13.0 | 155 | 1 | 2 | 9 | 17 | 30 | 40 | 64 |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 179 | 8.7 | 142 | <1 | 1 | 4 | 10 | 22 | 38 | 57 |
| 20-34 | 310 | 10.1 | 170 | <1 | 1 | 5 | 14 | 27 | 45 | 89 |
| 35-49 | 149 | 9.1 | 170 | 1 | 1 | 5 | 11 | 26 | 34 | 99+ |
| 50-64 | 93 | 11.1 | 147 | 1 | 1 | 7 | 15 | 25 | 34 | 58 |
| 65+ | 45 | 10.7 | 61 | 2 | 3 | 9 | 15 | 19 | 28 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 13.2 | 271 | 1 | 1 | 5 | 24 | 40 | 42 | 42 |
| 35-49 | 4 | 5.8 | 17 | 1 | 1 | 5 | 8 | 11 | 11 | 11 |
| 50-64 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 65+ | 3 | 5.0 | 16 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 201 | 14.4 | 249 | 1 | 1 | 8 | 21 | 34 | 51 | 90 |
| 20-34 | 515 | 14.4 | 273 | 1 | 1 | 8 | 19 | 36 | 47 | 80 |
| 35-49 | 274 | 12.9 | 216 | 1 | 2 | 8 | 16 | 31 | 43 | 82 |
| 50-64 | 168 | 14.5 | 215 | 1 | 2 | 10 | 20 | 32 | 49 | 89 |
| 65+ | 109 | 14.3 | 252 | 1 | 2 | 9 | 17 | 35 | 46 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 18.7 | 370 | 1 | 1 | 19 | 23 | 50 | 57 | 57 |
| 20-34 | 35 | 19.2 | 260 | 4 | 4 | 14 | 28 | 36 | 39 | 87 |
| 35-49 | 11 | 17.6 | 65 | 7 | 8 | 17 | 23 | 30 | 31 | 31 |
| 50-64 | 17 | 23.1 | 448 | 1 | 2 | 17 | 32 | 65 | 87 | 99+ |
| 65+ | 7 | 18.3 | 133 | 3 | 4 | 22 | 26 | 33 | 35 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 776 | 9.7 | 155 | <1 | 1 | 5 | 13 | 26 | 38 | 80 |
| B. *Operated* | 16 | 8.6 | 112 | 1 | 1 | 5 | 10 | 23 | 37 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1267 | 14.1 | 247 | 1 | 2 | 9 | 19 | 35 | 47 | 84 |
| B. *Operated* | 77 | 19.7 | 262 | 2 | 4 | 16 | 28 | 37 | 60 | 96 |
| **1. SINGLE DX** | 792 | 9.7 | 154 | <1 | 1 | 5 | 13 | 26 | 38 | 79 |
| **2. MULTIPLE DX** | 1344 | 14.4 | 249 | 1 | 2 | 9 | 20 | 35 | 47 | 87 |
| **A. NOT OPERATED** | 2043 | 12.4 | 216 | 1 | 1 | 7 | 16 | 31 | 45 | 83 |
| **B. OPERATED** | 93 | 17.8 | 253 | 1 | 3 | 14 | 24 | 36 | 59 | 94 |
| TOTAL 0-19 YRS | 388 | 11.8 | 209 | <1 | 1 | 6 | 18 | 32 | 44 | 76 |
| 20-34 | 866 | 13.0 | 241 | 1 | 1 | 7 | 17 | 35 | 46 | 86 |
| 35-49 | 438 | 11.7 | 199 | 1 | 1 | 7 | 15 | 30 | 42 | 92 |
| 50-64 | 280 | 13.9 | 211 | 1 | 2 | 9 | 20 | 32 | 49 | 88 |
| 65+ | 164 | 13.3 | 193 | 1 | 2 | 9 | 16 | 29 | 40 | 75 |
| **GRAND TOTAL** | 2136 | 12.7 | 219 | 1 | 1 | 7 | 17 | 32 | 45 | 84 |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 5.4 | 164 | <1 | <1 | 1 | 2 | 13 | 37 | 68 |
| 20-34 | 266 | 6.2 | 53 | <1 | 1 | 3 | 7 | 17 | 25 | 35 |
| 35-49 | 535 | 6.0 | 38 | 1 | 1 | 4 | 7 | 13 | 19 | 30 |
| 50-64 | 378 | 6.4 | 40 | 1 | 1 | 4 | 8 | 14 | 18 | 27 |
| 65+ | 112 | 6.5 | 41 | 1 | 1 | 5 | 8 | 15 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 4.6 | 48 | <1 | <1 | 1 | 4 | 14 | 23 | 31 |
| 20-34 | 443 | 7.8 | 86 | 1 | 1 | 5 | 9 | 21 | 28 | 44 |
| 35-49 | 810 | 7.[illegible] | 53 | 1 | 1 | 5 | 9 | 16 | 24 | 32 |
| 50-64 | 781 | 9.5 | 112 | 1 | 2 | 6 | 12 | 21 | 28 | 55 |
| 65+ | 349 | 11.5 | 144 | 1 | 2 | 8 | 15 | 27 | 40 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.3 | 705 | <1 | <1 | 1 | 35 | 47 | 47 | 47 |
| 20-34 | 20 | 15.0 | 335 | 1 | 2 | 7 | 22 | 34 | 57 | 78 |
| 35-49 | 35 | 14.5 | 100 | 2 | 6 | 12 | 18 | 27 | 35 | 51 |
| 50-64 | 51 | 18.4 | 189 | 1 | 4 | 16 | 26 | 32 | 42 | 68 |
| 65+ | 18 | 27.6 | 489 | 4 | 5 | 21 | 52 | 68 | 86 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1336 | 6.2 | 46 | 1 | 1 | 4 | 7 | 14 | 21 | 33 |
| B. *Operated* | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2432 | 8.6 | 93 | 1 | 1 | 5 | 11 | 20 | 28 | 51 |
| B. *Operated* | 127 | 18.1 | 248 | 1 | 3 | 14 | 24 | 38 | 59 | 83 |
| **1. SINGLE DX** | 1338 | 6.2 | 46 | 1 | 1 | 4 | 7 | 14 | 21 | 33 |
| **2. MULTIPLE DX** | 2559 | 9.1 | 105 | 1 | 1 | 6 | 11 | 21 | 29 | 56 |
| **A. NOT OPERATED** | 3768 | 7.8 | 78 | 1 | 1 | 5 | 9 | 18 | 25 | 44 |
| **B. OPERATED** | 129 | 17.9 | 246 | 1 | 3 | 14 | 23 | 38 | 59 | 82 |
| TOTAL 0-19 YRS | 97 | 5.4 | 118 | <1 | <1 | 1 | 3 | 15 | 30 | 58 |
| 20-34 | 729 | 7.4 | 83 | <1 | 1 | 4 | 9 | 20 | 25 | 41 |
| 35-49 | 1381 | 6.9 | 50 | 1 | 1 | 5 | 9 | 15 | 22 | 33 |
| 50-64 | 1211 | 8.9 | 98 | 1 | 2 | 6 | 11 | 19 | 27 | 53 |
| 65+ | 479 | 10.9 | 147 | 1 | 2 | 7 | 14 | 25 | 39 | 75 |
| **GRAND TOTAL** | 3897 | 8.1 | 87 | 1 | 1 | 5 | 10 | 19 | 26 | 49 |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 9.3 | 2 | 8 | 8 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 14 | 10.2 | 92 | <1 | 1 | 8 | 12 | 26 | 30 | 31 |
| 35-49 | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 50-64 | 3 | 7.0 | 43 | 1 | 1 | 6 | 12 | 14 | 14 | 14 |
| 65+ | 3 | 10.0 | 16 | 6 | 6 | 10 | 13 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 7.3 | 19 | <1 | <1 | 8 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 9.4 | 63 | <1 | 1 | 7 | 12 | 23 | 28 | 31 |
| B. *Operated* | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **1. SINGLE DX** | 4 | 7.3 | 19 | <1 | <1 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | 24 | 9.8 | 62 | 1 | 1 | 8 | 13 | 22 | 27 | 31 |
| **A. NOT OPERATED** | 27 | 9.1 | 56 | <1 | 1 | 8 | 12 | 20 | 27 | 31 |
| **B. OPERATED** | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| TOTAL 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 17 | 10.1 | 75 | <1 | 1 | 9 | 11 | 25 | 29 | 31 |
| 35-49 | 3 | 6.7 | 30 | <1 | <1 | 7 | 11 | 12 | 12 | 12 |
| 50-64 | 4 | 9.5 | 54 | 1 | 1 | 10 | 15 | 17 | 17 | 17 |
| 65+ | 3 | 10.0 | 16 | 6 | 6 | 10 | 13 | 14 | 14 | 14 |
| **GRAND TOTAL** | **28** | **9.4** | **56** | **<1** | **1** | **8** | **12** | **20** | **26** | **31** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.2 | 107 | 1 | 1 | 8 | 19 | 27 | 32 | 32 |
| 20-34 | 14 | 3.6 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 10 |
| 35-49 | 12 | 11.8 | 180 | 1 | 2 | 7 | 14 | 32 | 46 | 48 |
| 50-64 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 9.5 | 107 | 3 | 3 | 5 | 10 | 27 | 34 | 34 |
| 20-34 | 46 | 13.9 | 219 | 1 | 2 | 8 | 22 | 38 | 49 | 60 |
| 35-49 | 30 | 16.2 | 168 | 2 | 3 | 13 | 22 | 33 | 43 | 52 |
| 50-64 | 12 | 14.0 | 45 | 5 | 6 | 14 | 17 | 25 | 26 | 26 |
| 65+ | 5 | 10.6 | 61 | 2 | 2 | 10 | 18 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 35-49 | 4 | 18.8 | 27 | 11 | 11 | 21 | 22 | 22 | 22 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 8.7 | 102 | 1 | 1 | 5 | 11 | 21 | 30 | 48 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 14.1 | 166 | 2 | 2 | 9 | 20 | 32 | 41 | 56 |
| B. *Operated* | 5 | 18.0 | 23 | 11 | 11 | 21 | 21 | 22 | 22 | 22 |
| **1. SINGLE DX** | 37 | 8.7 | 102 | 1 | 1 | 5 | 11 | 21 | 30 | 48 |
| **2. MULTIPLE DX** | 106 | 14.3 | 160 | 2 | 2 | 10 | 21 | 30 | 41 | 56 |
| **A. NOT OPERATED** | 138 | 12.6 | 154 | 1 | 2 | 8 | 18 | 29 | 39 | 53 |
| **B. OPERATED** | 5 | 18.0 | 23 | 11 | 11 | 21 | 21 | 22 | 22 | 22 |
| TOTAL 0-19 YRS | 18 | 10.4 | 102 | 1 | 2 | 6 | 13 | 29 | 33 | 34 |
| 20-34 | 61 | 11.5 | 185 | 1 | 1 | 6 | 14 | 33 | 44 | 59 |
| 35-49 | 46 | 15.3 | 159 | 2 | 3 | 12 | 21 | 29 | 44 | 52 |
| 50-64 | 13 | 14.3 | 42 | 5 | 6 | 15 | 17 | 24 | 26 | 26 |
| 65+ | 5 | 10.6 | 61 | 2 | 2 | 10 | 18 | 19 | 19 | 19 |
| **GRAND TOTAL** | **143** | **12.8** | **150** | **1** | **2** | **9** | **19** | **29** | **39** | **53** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 124 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 36 | 1.5 | 4 | <1 | <1 | 1 | 1 | 2 | 3 | 13 |
| 35-49 | 25 | 2.8 | 9 | <1 | <1 | 1 | 4 | 6 | 10 | 13 |
| 50-64 | 18 | 1.5 | 1 | <1 | <1 | 1 | 2 | 4 | 57 | 99+ |
| 65+ | 12 | 2.3 | 6 | <1 | <1 | 2 | 2 | 6 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 1.9 | 26 | <1 | <1 | 1 | 1 | 2 | 3 | 33 |
| 20-34 | 109 | 3.2 | 40 | <1 | <1 | 1 | 3 | 5 | 12 | 38 |
| 35-49 | 67 | 3.9 | 52 | <1 | <1 | 2 | 3 | 7 | 16 | 44 |
| 50-64 | 52 | 5.3 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| 65+ | 33 | 5.4 | 41 | 1 | 1 | 3 | 7 | 16 | 21 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 2.8 | 12 | <1 | <1 | 1 | 5 | 8 | 8 | 8 |
| 35-49 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 50-64 | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 65+ | 3 | 17.7 | 690 | 2 | 2 | 3 | 37 | 48 | 48 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 5 | 13 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 345 | 3.6 | 37 | <1 | <1 | 2 | 3 | 7 | 12 | 32 |
| B. *Operated* | 14 | 7.4 | 171 | <1 | 1 | 2 | 8 | 25 | 43 | 48 |
| **1. SINGLE DX** | 215 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 5 | 13 |
| **2. MULTIPLE DX** | 359 | 3.7 | 43 | <1 | <1 | 2 | 3 | 8 | 14 | 45 |
| **A. NOT OPERATED** | 560 | 2.8 | 25 | <1 | <1 | 1 | 2 | 6 | 9 | 29 |
| **B. OPERATED** | 14 | 7.4 | 171 | <1 | 1 | 2 | 8 | 25 | 43 | 48 |
| TOTAL 0-19 YRS | 212 | 1.5 | 10 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 149 | 2.8 | 31 | <1 | <1 | 1 | 2 | 4 | 10 | 31 |
| 35-49 | 93 | 3.8 | 44 | <1 | <1 | 2 | 3 | 8 | 14 | 39 |
| 50-64 | 72 | 4.4 | 19 | <1 | 1 | 3 | 7 | 10 | 13 | 82 |
| 65+ | 48 | 5.4 | 70 | 1 | 1 | 2 | 5 | 13 | 22 | 48 |
| **GRAND TOTAL** | **574** | **2.9** | **29** | **<1** | **<1** | **1** | **2** | **6** | **10** | **30** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.8 | 87 | <1 | <1 | 1 | 2 | 5 | 24 | 44 |
| 20-34 | 16 | 5.1 | 44 | <1 | <1 | 2 | 8 | 11 | 21 | 26 |
| 35-49 | 4 | 6.0 | 23 | <1 | <1 | 6 | 10 | 11 | 11 | 11 |
| 50-64 | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 8.5 | 221 | <1 | <1 | 3 | 7 | 23 | 37 | 70 |
| 20-34 | 35 | 7.6 | 57 | 1 | 1 | 5 | 10 | 20 | 24 | 29 |
| 35-49 | 25 | 7.0 | 63 | 1 | 1 | 5 | 8 | 14 | 24 | 38 |
| 50-64 | 16 | 16.4 | 514 | 1 | 2 | 8 | 16 | 41 | 77 | 91 |
| 65+ | 13 | 15.0 | 582 | 2 | 3 | 8 | 12 | 37 | 82 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 20-34 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 3 | 37.7 | 1346 | 15 | 15 | 18 | 64 | 80 | 80 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 4.8 | 61 | <1 | <1 | 2 | 5 | 11 | 18 | 44 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 9.7 | 220 | 1 | 1 | 5 | 11 | 23 | 29 | 92 |
| B. *Operated* | 7 | 18.0 | 790 | <1 | <1 | 6 | 17 | 68 | 80 | 80 |
| **1. SINGLE DX** | 44 | 4.8 | 61 | <1 | <1 | 2 | 5 | 11 | 18 | 44 |
| **2. MULTIPLE DX** | 120 | 10.2 | 251 | 1 | 1 | 5 | 11 | 23 | 33 | 92 |
| **A. NOT OPERATED** | 157 | 8.4 | 180 | <1 | 1 | 4 | 10 | 20 | 26 | 90 |
| **B. OPERATED** | 7 | 18.0 | 790 | <1 | <1 | 6 | 17 | 68 | 80 | 80 |
| TOTAL 0-19 YRS | 47 | 6.2 | 154 | <1 | <1 | 2 | 6 | 19 | 26 | 70 |
| 20-34 | 53 | 6.7 | 52 | <1 | 1 | 4 | 9 | 18 | 25 | 29 |
| 35-49 | 29 | 6.8 | 56 | 1 | 1 | 5 | 9 | 13 | 21 | 38 |
| 50-64 | 18 | 15.7 | 461 | 1 | 2 | 8 | 15 | 38 | 72 | 91 |
| 65+ | 17 | 18.4 | 695 | 3 | 4 | 10 | 16 | 69 | 88 | 93 |
| **GRAND TOTAL** | **164** | **8.8** | **205** | **<1** | **1** | **4** | **10** | **20** | **27** | **89** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.8 | 14 | <1 | 1 | 3 | 7 | 11 | 12 | 15 |
| 20-34 | 42 | 4.4 | 16 | <1 | <1 | 3 | 7 | 8 | 12 | 21 |
| 35-49 | 34 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 29 | 4.8 | 15 | 1 | 1 | 3 | 8 | 11 | 11 | 12 |
| 65+ | 13 | 4.0 | 7 | <1 | 1 | 4 | 5 | 8 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 12.0 | 32 | 8 | 8 | 12 | 16 | 16 | 16 | 16 |
| 35-49 | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | 4 | 6.5 | 34 | 2 | 2 | 4 | 10 | 15 | 15 | 15 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 5.3 | 57 | 1 | 1 | 4 | 6 | 9 | 11 | 47 |
| 20-34 | 61 | 5.8 | 78 | 1 | 1 | 3 | 6 | 11 | 20 | 55 |
| 35-49 | 43 | 6.6 | 51 | <1 | 1 | 5 | 8 | 16 | 20 | 36 |
| 50-64 | 56 | 6.0 | 16 | 1 | 2 | 5 | 9 | 11 | 14 | 17 |
| 65+ | 57 | 8.5 | 75 | 2 | 2 | 6 | 11 | 17 | 22 | 50 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 15.5 | 219 | 4 | 4 | 11 | 17 | 41 | 44 | 44 |
| 20-34 | 11 | 13.2 | 63 | 3 | 3 | 13 | 17 | 26 | 28 | 28 |
| 35-49 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 50-64 | 3 | 12.3 | 81 | 3 | 3 | 13 | 19 | 21 | 21 | 21 |
| 65+ | 3 | 10.7 | 32 | 6 | 6 | 9 | 15 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 164 | 4.5 | 13 | <1 | 1 | 3 | 6 | 10 | 11 | 15 |
| *B. Operated* | 8 | 7.3 | 29 | 2 | 2 | 5 | 11 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 254 | 6.5 | 56 | 1 | 1 | 4 | 8 | 14 | 18 | 47 |
| *B. Operated* | 24 | 13.5 | 88 | 3 | 3 | 13 | 17 | 24 | 33 | 44 |
| **1. SINGLE DX** | 172 | 4.6 | 14 | <1 | 1 | 3 | 7 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | 278 | 7.1 | 63 | 1 | 1 | 4 | 9 | 15 | 19 | 46 |
| **A. NOT OPERATED** | 418 | 5.7 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 36 |
| **B. OPERATED** | 32 | 11.9 | 79 | 3 | 3 | 9 | 16 | 22 | 28 | 44 |
| TOTAL 0-19 YRS | 89 | 5.7 | 50 | 1 | 1 | 4 | 7 | 11 | 14 | 46 |
| 20-34 | 116 | 6.1 | 59 | <1 | 1 | 3 | 7 | 15 | 20 | 42 |
| 35-49 | 80 | 5.5 | 33 | 1 | 1 | 4 | 7 | 13 | 17 | 32 |
| 50-64 | 92 | 5.8 | 19 | 1 | 1 | 5 | 9 | 11 | 15 | 19 |
| 65+ | 73 | 7.8 | 64 | 2 | 2 | 5 | 10 | 16 | 19 | 48 |
| **GRAND TOTAL** | **450** | **6.1** | **45** | **1** | **1** | **4** | **8** | **13** | **17** | **37** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 16.6 | 293 | 1 | 2 | 10 | 31 | 34 | 52 | 98 |
| 20-34 | 146 | 6.6 | 57 | 1 | 1 | 4 | 8 | 15 | 20 | 40 |
| 35-49 | 100 | 6.2 | 28 | <1 | 1 | 5 | 10 | 14 | 16 | 24 |
| 50-64 | 52 | 8.5 | 195 | 1 | 1 | 4 | 9 | 15 | 35 | 80 |
| 65+ | 29 | 6.4 | 38 | 1 | 1 | 4 | 9 | 18 | 22 | 22 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 158 | 21.3 | 440 | 1 | 2 | 14 | 33 | 53 | 69 | 91 |
| 20-34 | 209 | 9.9 | 154 | 1 | 1 | 6 | 13 | 27 | 38 | 66 |
| 35-49 | 155 | 7.9 | 82 | 1 | 1 | 5 | 10 | 18 | 22 | 91 |
| 50-64 | 93 | 11.0 | 166 | 1 | 2 | 7 | 14 | 22 | 32 | 77 |
| 65+ | 62 | 13.3 | 149 | 1 | 3 | 10 | 14 | 27 | 41 | 60 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 34.0 | 858 | <1 | 2 | 46 | 70 | 95 | 99+ | 99+ |
| 20-34 | 7 | 9.1 | 52 | 1 | 2 | 5 | 16 | 19 | 19 | 19 |
| 35-49 | 4 | 8.0 | 55 | 3 | 3 | 5 | 12 | 19 | 19 | 19 |
| 50-64 | 2 | 33.0 | 648 | 15 | 15 | 33 | 51 | 51 | 51 | 51 |
| 65+ | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 503 | 10.2 | 169 | 1 | 1 | 5 | 13 | 31 | 34 | 77 |
| *B. Operated* | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 677 | 12.6 | 229 | 1 | 1 | 7 | 16 | 33 | 49 | 74 |
| *B. Operated* | 20 | 19.0 | 439 | 1 | 2 | 14 | 26 | 64 | 86 | 99+ |
| **1. SINGLE DX** | 504 | 10.2 | 169 | 1 | 1 | 5 | 13 | 31 | 34 | 77 |
| **2. MULTIPLE DX** | 697 | 12.8 | 236 | 1 | 1 | 7 | 16 | 33 | 50 | 77 |
| **A. NOT OPERATED** | 1180 | 11.6 | 205 | 1 | 1 | 6 | 14 | 32 | 43 | 75 |
| **B. OPERATED** | 21 | 19.0 | 417 | 1 | 2 | 14 | 19 | 62 | 86 | 99+ |
| TOTAL 0-19 YRS | 340 | 19.1 | 377 | 1 | 2 | 11 | 32 | 48 | 65 | 99+ |
| 20-34 | 362 | 8.6 | 115 | 1 | 1 | 5 | 11 | 20 | 34 | 62 |
| 35-49 | 259 | 7.2 | 61 | 1 | 1 | 5 | 10 | 17 | 19 | 47 |
| 50-64 | 148 | 10.5 | 185 | 1 | 1 | 6 | 13 | 21 | 33 | 81 |
| 65+ | 92 | 11.1 | 122 | 1 | 2 | 9 | 13 | 22 | 31 | 58 |
| **GRAND TOTAL** | **1201** | **11.7** | **209** | **1** | **1** | **6** | **14** | **32** | **45** | **77** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 386 | 13.2 | 233 | 1 | 2 | 8 | 18 | 33 | 47 | 85 |
| 20-34 | 428 | 10.3 | 184 | 1 | 1 | 6 | 13 | 24 | 35 | 95 |
| 35-49 | 302 | 10.7 | 126 | 1 | 1 | 7 | 14 | 25 | 34 | 53 |
| 50-64 | 294 | 13.1 | 135 | 1 | 2 | 10 | 18 | 28 | 37 | 59 |
| 65+ | 201 | 14.2 | 137 | 2 | 3 | 10 | 19 | 32 | 41 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.1 | 112 | 1 | 1 | 5 | 17 | 26 | 28 | 28 |
| 20-34 | 6 | 8.0 | 107 | 2 | 2 | 4 | 5 | 27 | 29 | 29 |
| 35-49 | 6 | 8.2 | 38 | 3 | 3 | 7 | 8 | 19 | 20 | 20 |
| 50-64 | 6 | 22.5 | 240 | 7 | 7 | 19 | 39 | 42 | 42 | 42 |
| 65+ | 3 | 7.7 | 22 | 4 | 4 | 6 | 11 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 438 | 17.3 | 298 | 1 | 2 | 11 | 25 | 42 | 57 | 99 |
| 20-34 | 530 | 12.3 | 211 | 1 | 1 | 7 | 15 | 31 | 42 | 85 |
| 35-49 | 448 | 11.6 | 151 | 1 | 2 | 7 | 16 | 26 | 37 | 61 |
| 50-64 | 398 | 13.6 | 171 | 2 | 3 | 9 | 17 | 30 | 38 | 72 |
| 65+ | 433 | 15.1 | 186 | 3 | 3 | 11 | 20 | 34 | 49 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 28.0 | 826 | 2 | 3 | 19 | 34 | 88 | 91 | 95 |
| 20-34 | 38 | 19.9 | 483 | 1 | 2 | 13 | 26 | 49 | 70 | 96 |
| 35-49 | 32 | 25.3 | 319 | 5 | 9 | 22 | 32 | 49 | 63 | 83 |
| 50-64 | 27 | 20.2 | 137 | 4 | 6 | 18 | 24 | 34 | 44 | 58 |
| 65+ | 30 | 27.2 | 273 | 7 | 8 | 24 | 37 | 48 | 49 | 81 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1611 | 12.1 | 172 | 1 | 2 | 8 | 15 | 28 | 38 | 78 |
| B. *Operated* | 28 | 11.6 | 132 | 1 | 2 | 7 | 17 | 29 | 39 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2247 | 13.9 | 208 | 1 | 2 | 9 | 18 | 33 | 44 | 81 |
| B. *Operated* | 149 | 23.8 | 394 | 2 | 5 | 19 | 30 | 49 | 66 | 95 |
| 1. SINGLE DX | 1639 | 12.0 | 171 | 1 | 2 | 8 | 16 | 28 | 38 | 77 |
| 2. MULTIPLE DX | 2396 | 14.5 | 225 | 1 | 2 | 9 | 19 | 34 | 46 | 85 |
| A. NOT OPERATED | 3858 | 13.1 | 194 | 1 | 2 | 8 | 17 | 32 | 42 | 80 |
| B. OPERATED | 177 | 21.8 | 371 | 2 | 4 | 17 | 27 | 47 | 56 | 93 |
| TOTAL 0-19 YRS | 853 | 15.7 | 287 | 1 | 2 | 10 | 23 | 38 | 53 | 90 |
| 20-34 | 1002 | 11.7 | 212 | 1 | 1 | 7 | 14 | 28 | 41 | 94 |
| 35-49 | 788 | 11.8 | 155 | 1 | 2 | 7 | 16 | 27 | 38 | 61 |
| 50-64 | 725 | 13.7 | 157 | 2 | 3 | 10 | 18 | 30 | 38 | 63 |
| 65+ | 667 | 15.4 | 180 | 3 | 3 | 11 | 20 | 34 | 47 | 95 |
| GRAND TOTAL | 4035 | 13.5 | 204 | 1 | 2 | 8 | 18 | 32 | 43 | 83 |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 8.5 | 89 | <1 | 1 | 6 | 19 | 99+ | 99+ | 99+ |
| 20-34 | 7 | 7.6 | 80 | 1 | 1 | 4 | 8 | 23 | 27 | 27 |
| 35-49 | 5 | 32.4 | 645 | 5 | 5 | 29 | 53 | 67 | 67 | 67 |
| 50-64 | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 13.1 | 238 | 2 | 3 | 8 | 16 | 35 | 88 | 99+ |
| 20-34 | 33 | 12.7 | 167 | 1 | 2 | 7 | 20 | 28 | 59 | 99+ |
| 35-49 | 10 | 10.4 | 41 | <1 | 2 | 10 | 14 | 19 | 21 | 21 |
| 50-64 | 10 | 27.6 | 1045 | 2 | 3 | 15 | 33 | 85 | 94 | 94 |
| 65+ | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.7 | 254 | 2 | 2 | 5 | 24 | 31 | 31 | 31 |
| 20-34 | 4 | 12.5 | 54 | 3 | 3 | 13 | 18 | 20 | 20 | 20 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 27 | 12.3 | 256 | 1 | 1 | 6 | 24 | 59 | 99+ | 99+ |
| B. *Operated* | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 106 | 13.8 | 278 | 1 | 2 | 8 | 19 | 33 | 78 | 99+ |
| B. *Operated* | 9 | 10.4 | 103 | 1 | 1 | 5 | 17 | 27 | 31 | 31 |
| 1. SINGLE DX | 30 | 11.7 | 234 | 1 | 1 | 6 | 18 | 54 | 96 | 99+ |
| 2. MULTIPLE DX | 115 | 13.5 | 264 | 1 | 2 | 8 | 19 | 32 | 73 | 99+ |
| A. NOT OPERATED | 133 | 13.5 | 272 | 1 | 2 | 8 | 19 | 34 | 87 | 99+ |
| B. OPERATED | 12 | 9.3 | 80 | 1 | 2 | 6 | 13 | 23 | 30 | 31 |
| TOTAL 0-19 YRS | 69 | 11.9 | 200 | 1 | 2 | 8 | 16 | 35 | 99 | 99+ |
| 20-34 | 44 | 11.8 | 143 | 1 | 2 | 7 | 19 | 27 | 38 | 99+ |
| 35-49 | 16 | 16.7 | 322 | <1 | 1 | 13 | 19 | 46 | 61 | 67 |
| 50-64 | 12 | 23.7 | 941 | 1 | 2 | 9 | 28 | 82 | 92 | 94 |
| 65+ | 4 | 3.8 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| GRAND TOTAL | 145 | 13.2 | 257 | 1 | 2 | 8 | 19 | 33 | 77 | 99+ |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 153 | 11.1 | 69 | 1 | 2 | 11 | 14 | 18 | 21 | 37 |
| 20-34 | 15 | 9.1 | 22 | 1 | 3 | 10 | 12 | 15 | 16 | 17 |
| 35-49 | 10 | 7.5 | 24 | 1 | 2 | 6 | 9 | 15 | 18 | 18 |
| 50-64 | 10 | 14.4 | 146 | 1 | 1 | 13 | 19 | 34 | 34 | 34 |
| 65+ | 5 | 21.2 | 533 | 5 | 5 | 14 | 30 | 61 | 61 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 13.6 | 9 | 10 | 10 | 13 | 15 | 18 | 19 | 19 |
| 20-34 | 3 | 16.0 | 163 | 2 | 2 | 19 | 25 | 27 | 27 | 27 |
| 35-49 | 13 | 6.0 | 26 | 2 | 2 | 4 | 8 | 11 | 19 | 21 |
| 50-64 | 8 | 14.8 | 134 | 1 | 1 | 15 | 19 | 32 | 37 | 37 |
| 65+ | 2 | 14.5 | 265 | 3 | 3 | 14 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 91 | 14.1 | 103 | 2 | 4 | 12 | 17 | 22 | 27 | 67 |
| 20-34 | 19 | 13.4 | 138 | 4 | 6 | 10 | 16 | 20 | 41 | 58 |
| 35-49 | 14 | 17.6 | 333 | 2 | 3 | 14 | 21 | 49 | 62 | 66 |
| 50-64 | 11 | 13.9 | 115 | 2 | 2 | 11 | 20 | 31 | 33 | 33 |
| 65+ | 9 | 10.9 | 74 | 2 | 2 | 6 | 20 | 22 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 26.1 | 262 | 6 | 9 | 25 | 33 | 52 | 54 | 54 |
| 20-34 | 9 | 20.3 | 216 | 4 | 5 | 22 | 27 | 42 | 51 | 51 |
| 35-49 | 9 | 24.9 | 188 | 1 | 5 | 24 | 34 | 43 | 45 | 45 |
| 50-64 | 9 | 23.1 | 683 | 1 | 1 | 15 | 30 | 67 | 84 | 84 |
| 65+ | 3 | 34.0 | 859 | 11 | 11 | 45 | 83 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 11.2 | 80 | 1 | 2 | 11 | 14 | 18 | 23 | 51 |
| B. *Operated* | 33 | 11.2 | 77 | 2 | 2 | 9 | 16 | 23 | 27 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 14.1 | 126 | 2 | 3 | 12 | 17 | 23 | 28 | 67 |
| B. *Operated* | 40 | 24.5 | 339 | 2 | 5 | 24 | 32 | 52 | 75 | 99+ |
| **1. SINGLE DX** | 226 | 11.2 | 79 | 1 | 2 | 10 | 14 | 19 | 26 | 43 |
| **2. MULTIPLE DX** | 184 | 16.4 | 189 | 2 | 3 | 13 | 20 | 29 | 48 | 86 |
| **A. NOT OPERATED** | 337 | 12.4 | 101 | 1 | 2 | 11 | 16 | 21 | 27 | 62 |
| **B. OPERATED** | 73 | 18.4 | 263 | 2 | 2 | 14 | 26 | 42 | 53 | 96 |
| TOTAL 0-19 YRS | 261 | 12.8 | 94 | 1 | 3 | 12 | 15 | 21 | 27 | 54 |
| 20-34 | 46 | 13.5 | 124 | 2 | 4 | 11 | 16 | 26 | 33 | 58 |
| 35-49 | 46 | 13.5 | 196 | 2 | 2 | 8 | 20 | 32 | 45 | 66 |
| 50-64 | 38 | 16.4 | 254 | 1 | 1 | 14 | 21 | 34 | 40 | 84 |
| 65+ | 19 | 17.6 | 333 | 2 | 3 | 14 | 23 | 64 | 83 | 99+ |
| **GRAND TOTAL** | 410 | 13.8 | 138 | 2 | 2 | 12 | 17 | 24 | 33 | 71 |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 4 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 3 | 16.0 | 147 | 3 | 3 | 18 | 25 | 27 | 27 | 27 |
| 50-64 | 33 | 12.5 | 101 | 3 | 4 | 9 | 18 | 28 | 36 | 38 |
| 65+ | 85 | 17.7 | 315 | 3 | 4 | 13 | 22 | 49 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 2 | 49.0 | 882 | 28 | 28 | 49 | 70 | 70 | 70 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 32.3 | 316 | 13 | 13 | 36 | 45 | 48 | 48 | 48 |
| 20-34 | 3 | 9.0 | 97 | 1 | 1 | 6 | 16 | 20 | 20 | 20 |
| 35-49 | 6 | 10.3 | 59 | 3 | 3 | 9 | 16 | 20 | 21 | 21 |
| 50-64 | 44 | 16.0 | 183 | 3 | 5 | 11 | 20 | 33 | 49 | 59 |
| 65+ | 262 | 17.1 | 256 | 3 | 4 | 13 | 22 | 54 | 95 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 53.0 | | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 50-64 | 10 | 20.3 | 404 | 5 | 5 | 14 | 24 | 51 | 72 | 72 |
| 65+ | 23 | 24.3 | 327 | 7 | 9 | 23 | 29 | 98 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 15.8 | 251 | 3 | 4 | 11 | 20 | 35 | 58 | 99+ |
| B. *Operated* | 3 | 36.7 | 897 | 12 | 12 | 28 | 59 | 70 | 70 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 318 | 16.9 | 243 | 3 | 4 | 12 | 22 | 52 | 71 | 99+ |
| B. *Operated* | 34 | 24.0 | 358 | 6 | 7 | 22 | 29 | 78 | 99+ | 99+ |
| **1. SINGLE DX** | 129 | 16.2 | 270 | 3 | 4 | 11 | 21 | 37 | 59 | 99+ |
| **2. MULTIPLE DX** | 352 | 17.5 | 258 | 3 | 4 | 13 | 23 | 54 | 80 | 99+ |
| **A. NOT OPERATED** | 444 | 16.5 | 245 | 3 | 4 | 12 | 21 | 49 | 62 | 99+ |
| **B. OPERATED** | 37 | 25.0 | 390 | 6 | 7 | 22 | 30 | 78 | 99+ | 99+ |
| TOTAL 0-19 YRS | 4 | 25.0 | 426 | 3 | 3 | 24 | 42 | 48 | 48 | 48 |
| 20-34 | 7 | 5.9 | 44 | 1 | 1 | 5 | 6 | 17 | 20 | 20 |
| 35-49 | 10 | 16.3 | 239 | 3 | 3 | 15 | 21 | 40 | 53 | 53 |
| 50-64 | 88 | 15.2 | 175 | 3 | 4 | 11 | 19 | 32 | 39 | 67 |
| 65+ | 372 | 17.8 | 282 | 3 | 4 | 13 | 23 | 56 | 99 | 99+ |
| **GRAND TOTAL** | 481 | 17.2 | 261 | 3 | 4 | 13 | 23 | 52 | 71 | 99+ |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 14.4 | 68 | 3 | 4 | 15 | 24 | 78 | 99+ | 99+ |
| 20-34 | 132 | 10.2 | 82 | 1 | 2 | 9 | 13 | 19 | 35 | 99+ |
| 35-49 | 99 | 13.0 | 223 | 2 | 2 | 9 | 14 | 28 | 40 | 89 |
| 50-64 | 56 | 12.9 | 132 | 3 | 3 | 10 | 17 | 24 | 29 | 69 |
| 65+ | 6 | 26.5 | 431 | 5 | 6 | 24 | 37 | 56 | 58 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.3 | 57 | 9 | 9 | 11 | 20 | 23 | 23 | 23 |
| 20-34 | 25 | 7.0 | 20 | 1 | 1 | 7 | 11 | 15 | 32 | 99+ |
| 35-49 | 30 | 12.4 | 242 | 3 | 3 | 7 | 12 | 31 | 58 | 67 |
| 50-64 | 7 | 9.3 | 55 | 2 | 2 | 6 | 15 | 20 | 21 | 21 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 65 | 12.9 | 260 | 1 | 2 | 9 | 17 | 49 | 99+ | 99+ |
| 35-49 | 101 | 13.4 | 175 | 2 | 3 | 10 | 17 | 27 | 59 | 99+ |
| 50-64 | 86 | 15.1 | 183 | 2 | 3 | 11 | 21 | 41 | 59 | 99+ |
| 65+ | 10 | 20.5 | 263 | 2 | 2 | 23 | 44 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 22 | 14.8 | 205 | 2 | 3 | 9 | 26 | 32 | 47 | 58 |
| 35-49 | 32 | 15.5 | 126 | 4 | 5 | 14 | 19 | 33 | 47 | 99+ |
| 50-64 | 32 | 24.3 | 611 | 3 | 3 | 16 | 43 | 93 | 99+ | 99+ |
| 65+ | 2 | 19.0 | 18 | 16 | 16 | 22 | 80 | 99+ | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 300 | 12.0 | 148 | 2 | 3 | 9 | 14 | 25 | 39 | 96 |
| B. *Operated* | 66 | 10.0 | 130 | 2 | 2 | 7 | 12 | 21 | 36 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 264 | 14.1 | 201 | 2 | 3 | 10 | 20 | 40 | 94 | 99+ |
| B. *Operated* | 88 | 18.6 | 332 | 3 | 4 | 14 | 28 | 57 | 99 | 99+ |
| 1. SINGLE DX | 366 | 11.7 | 145 | 2 | 3 | 9 | 14 | 24 | 39 | 98 |
| 2. MULTIPLE DX | 352 | 15.2 | 236 | 2 | 3 | 10 | 22 | 44 | 94 | 99+ |
| A. NOT OPERATED | 564 | 13.0 | 174 | 2 | 3 | 10 | 17 | 32 | 54 | 99+ |
| B. OPERATED | 154 | 14.9 | 262 | 2 | 3 | 9 | 19 | 42 | 83 | 99+ |
| TOTAL 0-19 YRS | 12 | 13.7 | 50 | 4 | 7 | 11 | 21 | 42 | 89 | 99+ |
| 20-34 | 244 | 11.0 | 137 | 1 | 2 | 9 | 14 | 28 | 51 | 99+ |
| 35-49 | 262 | 13.4 | 193 | 2 | 3 | 9 | 16 | 31 | 48 | 99+ |
| 50-64 | 181 | 15.8 | 251 | 2 | 3 | 11 | 21 | 45 | 81 | 99+ |
| 65+ | 19 | 21.4 | 279 | 2 | 3 | 22 | 43 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 718 | 13.4 | 193 | 2 | 3 | 10 | 17 | 34 | 58 | 99+ |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 525 | 4.3 | 21 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 20-34 | 343 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| 35-49 | 134 | 4.2 | 18 | 1 | 1 | 3 | 6 | 9 | 15 | 21 |
| 50-64 | 85 | 4.8 | 31 | 1 | 1 | 3 | 6 | 10 | 17 | 28 |
| 65+ | 73 | 5.3 | 34 | 1 | 1 | 4 | 6 | 10 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.2 | 25 | 2 | 2 | 7 | 8 | 15 | 16 | 16 |
| 20-34 | 6 | 11.0 | 119 | 2 | 2 | 8 | 12 | 30 | 32 | 32 |
| 35-49 | 6 | 14.5 | 226 | 3 | 3 | 7 | 24 | 39 | 41 | 41 |
| 50-64 | 5 | 4.0 | 8 | 2 | 2 | 2 | 6 | 8 | 8 | 8 |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 435 | 7.5 | 72 | 1 | 1 | 5 | 9 | 17 | 23 | 49 |
| 20-34 | 312 | 6.7 | 88 | 1 | 1 | 4 | 8 | 16 | 25 | 77 |
| 35-49 | 238 | 7.6 | 100 | 1 | 1 | 4 | 8 | 16 | 24 | 59 |
| 50-64 | 202 | 8.7 | 119 | 1 | 2 | 6 | 11 | 16 | 24 | 74 |
| 65+ | 195 | 11.7 | 177 | 2 | 2 | 8 | 14 | 26 | 37 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 7.7 | 25 | 1 | 2 | 9 | 12 | 13 | 15 | 16 |
| 20-34 | 20 | 16.0 | 283 | <1 | 1 | 8 | 28 | 35 | 51 | 66 |
| 35-49 | 20 | 13.3 | 399 | 3 | 3 | 7 | 13 | 20 | 99 | 99 |
| 50-64 | 14 | 17.3 | 427 | 2 | 3 | 10 | 18 | 34 | 73 | 84 |
| 65+ | 9 | 18.9 | 329 | 3 | 4 | 18 | 79 | 99+ | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1160 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 14 | 25 |
| B. *Operated* | 24 | 9.5 | 97 | 2 | 2 | 7 | 11 | 25 | 35 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1382 | 8.1 | 104 | 1 | 1 | 5 | 10 | 17 | 25 | 69 |
| B. *Operated* | 77 | 14.3 | 296 | 2 | 2 | 10 | 17 | 37 | 89 | 99+ |
| 1. SINGLE DX | 1184 | 4.5 | 25 | 1 | 1 | 3 | 6 | 9 | 14 | 27 |
| 2. MULTIPLE DX | 1459 | 8.4 | 116 | 1 | 1 | 5 | 10 | 18 | 27 | 76 |
| A. NOT OPERATED | 2542 | 6.4 | 70 | 1 | 1 | 4 | 8 | 14 | 20 | 45 |
| B. OPERATED | 101 | 13.2 | 251 | 2 | 2 | 9 | 16 | 35 | 71 | 99+ |
| TOTAL 0-19 YRS | 980 | 5.8 | 46 | 1 | 1 | 4 | 7 | 13 | 17 | 37 |
| 20-34 | 681 | 5.8 | 65 | 1 | 1 | 3 | 6 | 13 | 21 | 42 |
| 35-49 | 398 | 6.8 | 93 | 1 | 1 | 4 | 7 | 15 | 22 | 51 |
| 50-64 | 306 | 7.9 | 112 | 1 | 1 | 5 | 10 | 16 | 24 | 74 |
| 65+ | 278 | 10.3 | 153 | 1 | 2 | 6 | 13 | 25 | 38 | 99+ |
| GRAND TOTAL | 2643 | 6.7 | 79 | 1 | 1 | 4 | 8 | 18 | 22 | 58 |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 9.1 | 158 | 1 | 1 | 5 | 10 | 23 | 43 | 99+ |
| 20-34 | 83 | 7.4 | 57 | 1 | 2 | 4 | 10 | 16 | 24 | 36 |
| 35-49 | 68 | 6.5 | 81 | 2 | 2 | 4 | 7 | 11 | 17 | 95 |
| 50-64 | 63 | 9.3 | 158 | 2 | 2 | 6 | 13 | 34 | 88 | 99+ |
| 65+ | 75 | 14.9 | 218 | 2 | 3 | 11 | 21 | 51 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 6.6 | 26 | 1 | 2 | 5 | 9 | 15 | 17 | 22 |
| 20-34 | 71 | 7.8 | 43 | 1 | 1 | 6 | 12 | 18 | 21 | 27 |
| 35-49 | 48 | 6.6 | 34 | <1 | <1 | 5 | 10 | 15 | 20 | 23 |
| 50-64 | 45 | 8.7 | 66 | <1 | 1 | 5 | 12 | 18 | 27 | 34 |
| 65+ | 37 | 9.5 | 55 | 2 | 2 | 7 | 11 | 20 | 26 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 186 | 8.4 | 124 | 1 | 2 | 6 | 10 | 19 | 60 | 99+ |
| 20-34 | 107 | 9.8 | 99 | 1 | 2 | 7 | 14 | 24 | 47 | 99+ |
| 35-49 | 78 | 10.3 | 155 | 3 | 3 | 7 | 14 | 25 | 91 | 99+ |
| 50-64 | 187 | 14.4 | 229 | 2 | 3 | 10 | 18 | 40 | 69 | 99+ |
| 65+ | 343 | 19.2 | 366 | 3 | 4 | 13 | 28 | 62 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 11.4 | 192 | 1 | 2 | 5 | 15 | 29 | 39 | 68 |
| 20-34 | 113 | 13.3 | 267 | <1 | 1 | 8 | 17 | 43 | 75 | 99+ |
| 35-49 | 93 | 10.9 | 137 | 1 | 2 | 7 | 13 | 31 | 41 | 99+ |
| 50-64 | 126 | 14.2 | 309 | <1 | 2 | 9 | 17 | 30 | 63 | 99+ |
| 65+ | 110 | 19.0 | 328 | 2 | 4 | 14 | 30 | 67 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 406 | 9.4 | 142 | 1 | 2 | 6 | 12 | 24 | 47 | 99+ |
| B. *Operated* | 277 | 7.6 | 42 | <1 | 1 | 6 | 10 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 901 | 14.1 | 257 | 2 | 3 | 9 | 18 | 48 | 86 | 99+ |
| B. *Operated* | 567 | 13.8 | 257 | 1 | 2 | 9 | 19 | 35 | 66 | 99+ |
| **1. SINGLE DX** | 683 | 8.7 | 102 | 1 | 2 | 6 | 11 | 20 | 30 | 99+ |
| **2. MULTIPLE DX** | 1468 | 14.0 | 257 | 2 | 2 | 9 | 18 | 43 | 73 | 99+ |
| **A. NOT OPERATED** | 1307 | 12.7 | 226 | 2 | 2 | 8 | 16 | 38 | 72 | 99+ |
| **B. OPERATED** | 844 | 11.8 | 195 | 1 | 2 | 7 | 15 | 29 | 47 | 99+ |
| TOTAL 0-19 YRS | 504 | 9.1 | 136 | 1 | 2 | 5 | 10 | 22 | 38 | 99+ |
| 20-34 | 374 | 9.9 | 135 | 1 | 2 | 6 | 14 | 24 | 42 | 99+ |
| 35-49 | 287 | 9.0 | 114 | 1 | 2 | 6 | 11 | 23 | 36 | 99+ |
| 50-64 | 421 | 13.0 | 229 | 1 | 2 | 9 | 16 | 33 | 66 | 99+ |
| 65+ | 565 | 18.0 | 325 | 2 | 4 | 12 | 26 | 58 | 99 | 99+ |
| **GRAND TOTAL** | **2151** | **12.3** | **214** | **1** | **2** | **8** | **15** | **33** | **64** | **99+** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.7 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 228 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 35-49 | 193 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 50-64 | 68 | 3.5 | 8 | 1 | 1 | 2 | 4 | 8 | 11 | 12 |
| 65+ | 16 | 6.4 | 25 | <1 | 1 | 6 | 8 | 14 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 10 | 3 | 3 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 18 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 16 | 5.7 | 29 | 1 | 1 | 4 | 6 | 15 | 18 | 20 |
| 50-64 | 6 | 8.2 | 35 | 3 | 3 | 6 | 15 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 4.2 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 17 |
| 20-34 | 151 | 4.3 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 35-49 | 152 | 4.9 | 23 | 1 | 1 | 3 | 6 | 10 | 15 | 21 |
| 50-64 | 66 | 5.0 | 31 | 1 | 1 | 3 | 6 | 8 | 16 | 31 |
| 65+ | 27 | 7.5 | 23 | 2 | 2 | 7 | 10 | 14 | 17 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 12 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 20-34 | 18 | 9.2 | 33 | 2 | 3 | 8 | 11 | 19 | 23 | 23 |
| 35-49 | 15 | 5.9 | 21 | 1 | 2 | 5 | 7 | 13 | 17 | 19 |
| 50-64 | 7 | 9.9 | 146 | 1 | 1 | 6 | 10 | 31 | 36 | 36 |
| 65+ | 2 | 22.0 | 2 | 21 | 21 | 22 | 23 | 23 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| B. *Operated* | 43 | 5.5 | 18 | 1 | 2 | 4 | 7 | 12 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 451 | 4.8 | 19 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| B. *Operated* | 45 | 8.5 | 52 | 2 | 2 | 6 | 10 | 21 | 23 | 36 |
| **1. SINGLE DX** | 657 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 496 | 5.1 | 23 | 1 | 1 | 4 | 6 | 10 | 15 | 23 |
| **A. NOT OPERATED** | 1065 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **B. OPERATED** | 88 | 7.0 | 37 | 2 | 2 | 5 | 9 | 15 | 21 | 31 |
| TOTAL 0-19 YRS | 170 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| 20-34 | 415 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 9 | 22 |
| 35-49 | 376 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 50-64 | 147 | 4.6 | 27 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| 65+ | 45 | 7.8 | 32 | 1 | 2 | 7 | 10 | 16 | 21 | 23 |
| **GRAND TOTAL** | **1153** | **4.1** | **16** | **1** | **1** | **3** | **5** | **8** | **11** | **21** |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 8 |
| 20-34 | 150 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 165 | 2.3 | 4 | <1 | <1 | 2 | 2 | 4 | 4 | 13 |
| 50-64 | 214 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 65+ | 112 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 5.0 | 21 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 50-64 | 4 | 2.5 | 9 | <1 | <1 | <1 | 4 | 7 | 7 | 7 |
| 65+ | 10 | 6.4 | 24 | 1 | 1 | 6 | 8 | 14 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 29 | 3.8 | 33 | <1 | <1 | 2 | 4 | 5 | 14 | 31 |
| 35-49 | 52 | 3.6 | 14 | <1 | 1 | 2 | 4 | 7 | 14 | 20 |
| 50-64 | 108 | 3.7 | 13 | <1 | 1 | 3 | 4 | 7 | 12 | 21 |
| 65+ | 93 | 4.9 | 55 | 1 | 1 | 3 | 5 | 9 | 11 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 3.4 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| B. *Operated* | 649 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 4.9 | 20 | <1 | <1 | 4 | 8 | 11 | 14 | 17 |
| B. *Operated* | 284 | 4.1 | 29 | <1 | 1 | 3 | 4 | 8 | 11 | 23 |
| **1. SINGLE DX** | 657 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | 303 | 4.1 | 28 | <1 | 1 | 3 | 4 | 8 | 12 | 23 |
| **A. NOT OPERATED** | 27 | 4.4 | 16 | <1 | <1 | 3 | 7 | 10 | 12 | 17 |
| **B. OPERATED** | 933 | 2.8 | 11 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| TOTAL 0-19 YRS | 12 | 2.9 | 4 | <1 | <1 | 2 | 4 | 5 | 8 | 8 |
| 20-34 | 180 | 2.2 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| 35-49 | 221 | 2.7 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 16 |
| 50-64 | 328 | 2.7 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 65+ | 219 | 3.7 | 27 | <1 | 1 | 3 | 4 | 7 | 10 | 19 |
| **GRAND TOTAL** | **960** | **2.8** | **11** | **<1** | **<1** | **2** | **3** | **5** | **7** | **15** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 4.9 | 14 | 1 | 1 | 3 | 7 | 10 | 12 | 15 |
| 20-34 | 63 | 5.4 | 22 | <1 | 1 | 4 | 7 | 12 | 17 | 89 |
| 35-49 | 62 | 8.6 | 72 | 1 | 2 | 6 | 11 | 18 | 27 | 41 |
| 50-64 | 67 | 7.1 | 43 | 1 | 2 | 5 | 9 | 13 | 21 | 38 |
| 65+ | 80 | 8.2 | 47 | 2 | 2 | 6 | 11 | 19 | 25 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.6 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 20-34 | 182 | 4.5 | 15 | 1 | 1 | 3 | 6 | 8 | 11 | 24 |
| 35-49 | 202 | 5.0 | 21 | 1 | 2 | 4 | 6 | 10 | 13 | 25 |
| 50-64 | 186 | 5.3 | 60 | 1 | 1 | 3 | 6 | 10 | 15 | 46 |
| 65+ | 101 | 5.3 | 26 | <1 | 1 | 3 | 7 | 12 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.1 | 29 | 1 | 2 | 6 | 9 | 16 | 19 | 21 |
| 20-34 | 40 | 5.9 | 40 | 1 | 1 | 4 | 8 | 11 | 14 | 38 |
| 35-49 | 70 | 9.8 | 61 | 2 | 2 | 8 | 12 | 19 | 24 | 89 |
| 50-64 | 138 | 9.6 | 79 | 1 | 2 | 7 | 14 | 21 | 25 | 66 |
| 65+ | 140 | 12.9 | 201 | 2 | 3 | 8 | 14 | 28 | 46 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.6 | 32 | 1 | 1 | 3 | 6 | 15 | 20 | 23 |
| 20-34 | 96 | 7.9 | 146 | 2 | 2 | 5 | 7 | 14 | 19 | 73 |
| 35-49 | 120 | 7.4 | 42 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 50-64 | 161 | 8.3 | 76 | 2 | 2 | 5 | 10 | 18 | 24 | 53 |
| 65+ | 105 | 11.1 | 175 | 1 | 2 | 6 | 15 | 28 | 40 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 7.1 | 44 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| B. *Operated* | 711 | 4.9 | 29 | 1 | 1 | 3 | 6 | 9 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 407 | 10.3 | 116 | 1 | 2 | 7 | 13 | 20 | 35 | 63 |
| B. *Operated* | 503 | 8.5 | 101 | 2 | 2 | 5 | 9 | 17 | 27 | 62 |
| **1. SINGLE DX** | 1012 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 16 | 29 |
| **2. MULTIPLE DX** | 910 | 9.3 | 109 | 2 | 2 | 6 | 11 | 19 | 28 | 62 |
| **A. NOT OPERATED** | 708 | 9.0 | 88 | 1 | 2 | 6 | 11 | 18 | 26 | 57 |
| **B. OPERATED** | 1214 | 6.4 | 62 | 1 | 2 | 4 | 7 | 13 | 19 | 43 |
| TOTAL 0-19 YRS | 109 | 4.9 | 18 | 1 | 1 | 3 | 6 | 10 | 15 | 22 |
| 20-34 | 381 | 5.6 | 53 | 1 | 1 | 4 | 6 | 11 | 15 | 55 |
| 35-49 | 454 | 6.9 | 42 | 1 | 2 | 5 | 9 | 14 | 19 | 37 |
| 50-64 | 552 | 7.5 | 70 | 1 | 2 | 5 | 9 | 16 | 23 | 48 |
| 65+ | 426 | 9.8 | 132 | 1 | 2 | 6 | 12 | 20 | 32 | 61 |
| **GRAND TOTAL** | **1922** | **7.3** | **73** | **1** | **2** | **5** | **9** | **15** | **23** | **51** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 61 | 1 | 1 | 6 | 12 | 12 | 12 | 12 |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 3 | 7.3 | 102 | 1 | 1 | 2 | 15 | 19 | 19 | 19 |
| 65+ | 4 | 5.3 | 44 | 1 | 1 | 3 | 9 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 5.4 | 9 | <1 | 2 | 5 | 7 | 9 | 11 | 14 |
| 20-34 | 64 | 7.0 | 13 | 2 | 3 | 6 | 9 | 12 | 15 | 16 |
| 35-49 | 54 | 6.1 | 7 | 2 | 3 | 6 | 8 | 10 | 11 | 11 |
| 50-64 | 113 | 6.3 | 11 | 2 | 2 | 6 | 8 | 11 | 12 | 16 |
| 65+ | 100 | 7.5 | 22 | 2 | 2 | 6 | 11 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 7.0 | 28 | 1 | 1 | 9 | 10 | 11 | 11 | 11 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.5 | 10 | 4 | 4 | 7 | 9 | 11 | 15 | 16 |
| 20-34 | 33 | 7.5 | 27 | 2 | 3 | 6 | 9 | 15 | 19 | 24 |
| 35-49 | 41 | 8.7 | 31 | 3 | 3 | 8 | 10 | 16 | 22 | 28 |
| 50-64 | 110 | 7.6 | 23 | 2 | 3 | 7 | 9 | 13 | 15 | 30 |
| 65+ | 136 | 8.8 | 26 | 2 | 4 | 7 | 11 | 16 | 18 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 5.5 | 43 | <1 | <1 | 2 | 10 | 17 | 19 | 19 |
| B. *Operated* | 354 | 6.7 | 14 | 2 | 2 | 6 | 9 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 4.1 | 17 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| B. *Operated* | 333 | 8.2 | 25 | 2 | 3 | 7 | 10 | 15 | 17 | 27 |
| **1. SINGLE DX** | 365 | 6.7 | 15 | 2 | 2 | 6 | 9 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | 340 | 8.1 | 25 | 2 | 3 | 7 | 10 | 15 | 17 | 27 |
| **A. NOT OPERATED** | 18 | 5.0 | 32 | <1 | 1 | 2 | 9 | 14 | 17 | 19 |
| **B. OPERATED** | 687 | 7.4 | 20 | 2 | 3 | 7 | 9 | 13 | 16 | 24 |
| TOTAL 0-19 YRS | 38 | 6.2 | 11 | 1 | 2 | 6 | 8 | 9 | 13 | 16 |
| 20-34 | 99 | 7.1 | 18 | 2 | 3 | 6 | 9 | 12 | 16 | 22 |
| 35-49 | 97 | 7.1 | 19 | 2 | 3 | 7 | 9 | 11 | 13 | 27 |
| 50-64 | 229 | 7.0 | 18 | 2 | 2 | 6 | 9 | 11 | 14 | 20 |
| 65+ | 242 | 8.1 | 25 | 2 | 3 | 7 | 11 | 15 | 17 | 26 |
| **GRAND TOTAL** | **705** | **7.4** | **20** | **2** | **3** | **6** | **9** | **13** | **16** | **24** |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 9 | 1.8 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 65+ | 20 | 4.4 | 12 | <1 | 1 | 3 | 7 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 4 | 10.0 | 39 | 3 | 3 | 9 | 14 | 18 | 18 | 18 |
| 35-49 | 22 | 5.0 | 7 | 2 | 2 | 4 | 7 | 9 | 10 | 10 |
| 50-64 | 94 | 5.8 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| 65+ | 127 | 6.7 | 30 | 2 | 2 | 5 | 9 | 13 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 19 | 7.5 | 167 | 1 | 1 | 4 | 8 | 12 | 39 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 9.1 | 61 | 2 | 3 | 7 | 9 | 23 | 26 | 26 |
| 20-34 | 8 | 8.4 | 12 | 3 | 4 | 8 | 10 | 13 | 14 | 14 |
| 35-49 | 14 | 9.4 | 17 | 3 | 4 | 10 | 12 | 15 | 16 | 16 |
| 50-64 | 54 | 9.1 | 39 | 2 | 2 | 8 | 13 | 17 | 21 | 30 |
| 65+ | 124 | 8.7 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 3.8 | 10 | 1 | 1 | 2 | 6 | 9 | 10 | 10 |
| B. *Operated* | 248 | 6.3 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 6.3 | 137 | 1 | 1 | 3 | 6 | 9 | 27 | 59 |
| B. *Operated* | 207 | 8.8 | 47 | 2 | 2 | 7 | 12 | 16 | 22 | 29 |
| **1. SINGLE DX** | 279 | 6.0 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 24 |
| **2. MULTIPLE DX** | 231 | 8.6 | 56 | 2 | 2 | 7 | 11 | 16 | 22 | 35 |
| **A. NOT OPERATED** | 55 | 4.9 | 66 | 1 | 1 | 3 | 6 | 9 | 10 | 57 |
| **B. OPERATED** | 455 | 7.4 | 35 | 2 | 2 | 6 | 10 | 14 | 18 | 28 |
| TOTAL 0-19 YRS | 9 | 8.6 | 51 | 2 | 2 | 7 | 10 | 20 | 26 | 26 |
| 20-34 | 15 | 7.7 | 21 | 2 | 2 | 8 | 11 | 14 | 17 | 18 |
| 35-49 | 38 | 6.6 | 15 | 2 | 2 | 6 | 9 | 12 | 15 | 16 |
| 50-64 | 158 | 6.7 | 26 | 1 | 2 | 5 | 9 | 13 | 17 | 22 |
| 65+ | 290 | 7.5 | 49 | 1 | 2 | 6 | 9 | 14 | 18 | 30 |
| **GRAND TOTAL** | **510** | **7.2** | **39** | **2** | **2** | **6** | **9** | **14** | **18** | **28** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 4 | 4.3 | 12 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 50-64 | 6 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 9 | 6.1 | 91 | 1 | 1 | 3 | 6 | 21 | 31 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 16 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 20-34 | 6 | 7.7 | 46 | 3 | 3 | 5 | 8 | 20 | 21 | 21 |
| 35-49 | 11 | 6.5 | 11 | 3 | 4 | 6 | 6 | 12 | 15 | 15 |
| 50-64 | 32 | 6.3 | 20 | 2 | 3 | 5 | 7 | 10 | 19 | 21 |
| 65+ | 58 | 6.7 | 17 | 2 | 2 | 6 | 7 | 12 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 4 | 3.0 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 3 | 7.3 | 57 | 2 | 2 | 4 | 13 | 16 | 16 | 16 |
| 50-64 | 16 | 4.6 | 11 | 1 | 1 | 4 | 6 | 10 | 11 | 12 |
| 65+ | 22 | 7.2 | 40 | 1 | 2 | 6 | 9 | 14 | 23 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 9 | 6 | 6 | 10 | 11 | 12 | 12 | 12 |
| 20-34 | 8 | 8.5 | 31 | 2 | 2 | 8 | 12 | 16 | 18 | 18 |
| 35-49 | 6 | 4.7 | 6 | 3 | 3 | 4 | 6 | 9 | 9 | 9 |
| 50-64 | 34 | 7.8 | 35 | 2 | 4 | 6 | 9 | 14 | 16 | 34 |
| 65+ | 74 | 9.4 | 56 | 2 | 3 | 8 | 11 | 17 | 23 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 4.5 | 40 | 1 | 1 | 3 | 6 | 7 | 18 | 31 |
| B. *Operated* | 110 | 6.6 | 18 | 2 | 3 | 6 | 7 | 12 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 5.9 | 27 | 1 | 1 | 4 | 8 | 11 | 17 | 28 |
| B. *Operated* | 125 | 8.7 | 45 | 2 | 3 | 7 | 11 | 16 | 20 | 41 |
| **1. SINGLE DX** | 132 | 6.3 | 22 | 1 | 2 | 6 | 7 | 11 | 17 | 24 |
| **2. MULTIPLE DX** | 172 | 7.9 | 42 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| **A. NOT OPERATED** | 69 | 5.4 | 31 | 1 | 1 | 4 | 7 | 10 | 16 | 30 |
| **B. OPERATED** | 235 | 7.7 | 34 | 2 | 3 | 6 | 10 | 14 | 19 | 35 |
| TOTAL 0-19 YRS | 8 | 6.9 | 12 | 2 | 3 | 6 | 10 | 11 | 12 | 12 |
| 20-34 | 21 | 6.5 | 30 | 1 | 1 | 5 | 9 | 15 | 19 | 21 |
| 35-49 | 24 | 5.8 | 14 | 2 | 3 | 5 | 6 | 10 | 15 | 16 |
| 50-64 | 88 | 6.3 | 24 | 1 | 2 | 5 | 7 | 12 | 15 | 29 |
| 65+ | 163 | 8.0 | 43 | 2 | 2 | 6 | 10 | 15 | 21 | 40 |
| **GRAND TOTAL** | **304** | **7.2** | **34** | **2** | **2** | **6** | **9** | **13** | **19** | **32** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 4.3 | 8 | <1 | <1 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 13 | 2.4 | 7 | <1 | <1 | 1 | 2 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 135 | 5.1 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| 50-64 | 780 | 5.4 | 9 | 2 | 2 | 5 | 6 | 9 | 12 | 15 |
| 65+ | 2357 | 5.6 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 22 | 3.7 | 16 | <1 | 1 | 2 | 4 | 10 | 14 | 15 |
| 65+ | 75 | 4.4 | 33 | <1 | 1 | 3 | 5 | 12 | 21 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 83 | 5.9 | 13 | 2 | 3 | 5 | 7 | 9 | 12 | 23 |
| 50-64 | 621 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 2576 | 6.6 | 33 | 2 | 3 | 5 | 7 | 12 | 15 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.8 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| B. *Operated* | 3272 | 5.5 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 4.1 | 28 | <1 | 1 | 2 | 5 | 10 | 15 | 99+ |
| B. *Operated* | 3280 | 6.4 | 29 | 2 | 2 | 5 | 7 | 11 | 15 | 30 |
| **1. SINGLE DX** | 3290 | 5.5 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | 3382 | 6.3 | 30 | 2 | 2 | 5 | 7 | 11 | 15 | 30 |
| **A. NOT OPERATED** | 120 | 3.9 | 25 | <1 | 1 | 2 | 5 | 9 | 15 | 99+ |
| **B. OPERATED** | 6552 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 23 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 224 | 5.3 | 9 | 2 | 2 | 5 | 7 | 8 | 11 | 16 |
| 50-64 | 1427 | 5.5 | 11 | 2 | 2 | 5 | 7 | 10 | 13 | 17 |
| 65+ | 5021 | 6.1 | 22 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| **GRAND TOTAL** | **6672** | **5.9** | **19** | **2** | **2** | **5** | **7** | **10** | **13** | **23** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 20-34 | 29 | 4.7 | 13 | 2 | 2 | 4 | 5 | 8 | 12 | 19 |
| 35-49 | 30 | 5.0 | 7 | 2 | 2 | 5 | 6 | 8 | 12 | 13 |
| 50-64 | 21 | 4.2 | 2 | 2 | 2 | 5 | 5 | 6 | 6 | 6 |
| 65+ | 24 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.4 | 13 | 2 | 2 | 4 | 7 | 11 | 13 | 13 |
| 20-34 | 30 | 5.4 | 7 | 2 | 3 | 5 | 7 | 10 | 10 | 11 |
| 35-49 | 24 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 22 | 7.3 | 35 | 2 | 3 | 6 | 7 | 14 | 21 | 30 |
| 65+ | 29 | 5.2 | 9 | 2 | 2 | 4 | 8 | 9 | 10 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| B. *Operated* | 136 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 3.5 | 11 | <1 | <1 | 2 | 6 | 9 | 9 | 9 |
| B. *Operated* | 114 | 5.9 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 25 |
| **1. SINGLE DX** | 138 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 120 | 5.8 | 16 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| **A. NOT OPERATED** | 8 | 4.8 | 14 | <1 | <1 | 4 | 8 | 10 | 10 | 10 |
| **B. OPERATED** | 250 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 43 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 60 | 5.1 | 10 | 2 | 2 | 4 | 6 | 10 | 11 | 18 |
| 35-49 | 57 | 5.6 | 14 | 1 | 2 | 5 | 7 | 11 | 12 | 21 |
| 50-64 | 43 | 5.8 | 21 | 2 | 2 | 5 | 6 | 8 | 14 | 30 |
| 65+ | 55 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| **GRAND TOTAL** | **258** | **5.1** | **12** | **2** | **2** | **4** | **6** | **9** | **11** | **19** |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 20-34 | 4 | 4.5 | 6 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 3 | 6.3 | 25 | 1 | 1 | 7 | 10 | 11 | 11 | 11 |
| 50-64 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 65+ | 3 | 11.3 | 44 | 4 | 4 | 13 | 16 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1065 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 225 | 2.2 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 76 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 50-64 | 31 | 3.4 | 11 | 1 | 2 | 2 | 3 | 6 | 8 | 19 |
| 65+ | 12 | 2.3 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 7 | 9 |
| 20-34 | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 4 | 7.5 | 34 | 2 | 2 | 6 | 12 | 15 | 15 | 15 |
| 50-64 | 4 | 7.8 | 20 | 4 | 4 | 6 | 11 | 14 | 14 | 14 |
| 65+ | 10 | 9.7 | 152 | 2 | 2 | 5 | 14 | 28 | 42 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 20-34 | 46 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 27 | 2.8 | 10 | 1 | 1 | 2 | 3 | 3 | 6 | 18 |
| 50-64 | 28 | 5.0 | 35 | 2 | 2 | 3 | 5 | 11 | 20 | 28 |
| 65+ | 18 | 8.4 | 113 | 2 | 2 | 5 | 7 | 20 | 36 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.6 | 19 | <1 | <1 | 3 | 7 | 11 | 14 | 17 |
| B. *Operated* | 1409 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68 | 3.5 | 35 | <1 | <1 | 1 | 3 | 9 | 14 | 37 |
| B. *Operated* | 290 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 21 |
| **1. SINGLE DX** | 1432 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 7 |
| **2. MULTIPLE DX** | 358 | 3.1 | 19 | <1 | 1 | 2 | 3 | 5 | 8 | 22 |
| **A. NOT OPERATED** | 91 | 3.8 | 31 | <1 | <1 | 1 | 4 | 9 | 14 | 32 |
| **B. OPERATED** | 1699 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 8 |
| TOTAL 0-19 YRS | 1288 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 283 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 7 |
| 35-49 | 110 | 2.6 | 6 | 1 | 1 | 2 | 3 | 3 | 6 | 16 |
| 50-64 | 66 | 4.4 | 22 | 2 | 2 | 3 | 4 | 8 | 15 | 27 |
| 65+ | 43 | 7.2 | 91 | 2 | 2 | 3 | 8 | 17 | 29 | 45 |
| **GRAND TOTAL** | **1790** | **2.2** | **5** | **<1** | **1** | **2** | **2** | **3** | **4** | **10** |

### 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 145 | 2.9 | 11 | <1 | <1 | 1 | 4 | 7 | 8 | 19 |
| 20-34 | 57 | 3.5 | 9 | <1 | <1 | 3 | 4 | 7 | 11 | 13 |
| 35-49 | 36 | 4.8 | 28 | <1 | 1 | 3 | 6 | 12 | 17 | 25 |
| 50-64 | 42 | 5.1 | 19 | <1 | 1 | 3 | 7 | 11 | 16 | 18 |
| 65+ | 49 | 5.7 | 17 | 1 | 2 | 5 | 8 | 11 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 2.7 | 9 | <1 | <1 | 2 | 3 | 7 | 9 | 16 |
| 20-34 | 132 | 3.1 | 5 | <1 | <1 | 2 | 5 | 7 | 8 | 10 |
| 35-49 | 167 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 212 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 258 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 20-34 | 28 | 4.0 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 18 |
| 35-49 | 24 | 4.3 | 16 | <1 | 1 | 3 | 6 | 10 | 15 | 15 |
| 50-64 | 38 | 7.8 | 96 | 1 | 2 | 5 | 8 | 15 | 28 | 53 |
| 65+ | 82 | 8.9 | 77 | 1 | 2 | 7 | 10 | 20 | 25 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.6 | 12 | <1 | <1 | 2 | 4 | 9 | 10 | 17 |
| 20-34 | 49 | 4.2 | 17 | <1 | <1 | 3 | 5 | 8 | 12 | 20 |
| 35-49 | 43 | 5.3 | 25 | <1 | 1 | 3 | 8 | 11 | 12 | 28 |
| 50-64 | 113 | 5.2 | 30 | <1 | 1 | 3 | 7 | 11 | 17 | 28 |
| 65+ | 196 | 6.4 | 67 | 1 | 2 | 4 | 7 | 14 | 18 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 329 | 3.9 | 16 | <1 | <1 | 3 | 5 | 9 | 12 | 19 |
| B. *Operated* | 849 | 3.1 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 6.4 | 45 | 1 | 1 | 4 | 8 | 12 | 16 | 36 |
| B. *Operated* | 433 | 5.5 | 44 | <1 | 1 | 3 | 7 | 12 | 17 | 34 |
| **1. SINGLE DX** | 1178 | 3.3 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 744 | 5.9 | 44 | <1 | 1 | 4 | 7 | 12 | 16 | 36 |
| **A. NOT OPERATED** | 640 | 5.1 | 32 | <1 | 1 | 4 | 7 | 11 | 15 | 30 |
| **B. OPERATED** | 1282 | 3.9 | 21 | <1 | <1 | 3 | 4 | 8 | 11 | 21 |
| TOTAL 0-19 YRS | 396 | 3.8 | 14 | <1 | <1 | 3 | 5 | 9 | 10 | 18 |
| 20-34 | 266 | 3.5 | 9 | <1 | <1 | 3 | 5 | 7 | 9 | 17 |
| 35-49 | 270 | 3.4 | 13 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| 50-64 | 405 | 4.3 | 25 | <1 | <1 | 3 | 5 | 9 | 12 | 26 |
| 65+ | 585 | 5.5 | 41 | 1 | 2 | 3 | 7 | 11 | 15 | 35 |
| **GRAND TOTAL** | **1922** | **4.3** | **25** | **<1** | **1** | **3** | **5** | **9** | **12** | **25** |

### 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 4.5 | 8 | <1 | 1 | 4 | 5 | 8 | 11 | 14 |
| 20-34 | 105 | 5.3 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 35-49 | 57 | 5.3 | 12 | 1 | 2 | 4 | 7 | 9 | 13 | 19 |
| 50-64 | 40 | 5.0 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 65+ | 38 | 6.0 | 12 | 2 | 2 | 5 | 8 | 11 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 8 | 10 |
| 20-34 | 39 | 5.1 | 24 | 2 | 2 | 3 | 6 | 10 | 17 | 25 |
| 35-49 | 28 | 5.1 | 8 | 2 | 2 | 5 | 7 | 8 | 10 | 13 |
| 50-64 | 47 | 6.1 | 19 | 1 | 2 | 5 | 7 | 14 | 15 | 20 |
| 65+ | 59 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 11 | 27 |
| 20-34 | 57 | 6.8 | 31 | 1 | 2 | 5 | 10 | 13 | 14 | 35 |
| 35-49 | 54 | 5.4 | 13 | 2 | 2 | 4 | 7 | 10 | 15 | 18 |
| 50-64 | 58 | 7.2 | 38 | 2 | 3 | 6 | 8 | 13 | 19 | 37 |
| 65+ | 87 | 8.2 | 97 | 1 | 2 | 5 | 9 | 15 | 19 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.0 | 15 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| 20-34 | 53 | 9.4 | 49 | 2 | 2 | 7 | 12 | 18 | 21 | 38 |
| 35-49 | 52 | 7.1 | 23 | 2 | 2 | 6 | 9 | 15 | 19 | 19 |
| 50-64 | 88 | 7.8 | 65 | 2 | 2 | 6 | 8 | 15 | 19 | 52 |
| 65+ | 109 | 8.5 | 59 | 2 | 2 | 6 | 10 | 20 | 23 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 336 | 5.1 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |
| B. *Operated* | 205 | 5.1 | 16 | <1 | 2 | 4 | 7 | 10 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 346 | 6.6 | 44 | 1 | 2 | 5 | 8 | 12 | 16 | 38 |
| B. *Operated* | 326 | 8.0 | 51 | 2 | 2 | 6 | 9 | 17 | 20 | 38 |
| **1. SINGLE DX** | 541 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 672 | 7.3 | 48 | 2 | 2 | 5 | 9 | 14 | 19 | 38 |
| **A. NOT OPERATED** | 682 | 5.9 | 28 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| **B. OPERATED** | 531 | 6.9 | 39 | 2 | 2 | 5 | 8 | 14 | 19 | 31 |
| TOTAL 0-19 YRS | 242 | 4.7 | 13 | <1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 20-34 | 254 | 6.5 | 28 | 2 | 2 | 5 | 8 | 13 | 17 | 25 |
| 35-49 | 191 | 5.8 | 15 | 2 | 2 | 5 | 7 | 10 | 15 | 19 |
| 50-64 | 233 | 6.8 | 40 | 2 | 2 | 5 | 8 | 14 | 18 | 29 |
| 65+ | 293 | 7.5 | 57 | 2 | 2 | 5 | 9 | 14 | 21 | 44 |
| **GRAND TOTAL** | **1213** | **6.3** | **33** | **1** | **2** | **5** | **8** | **12** | **16** | **28** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.7 | 8 | <1 | <1 | 3 | 5 | 8 | 10 | 11 |
| 20-34 | [illegible] | 5.3 | 40 | <1 | <1 | 3 | 6 | 13 | 22 | 23 |
| 35-49 | 8 | 5.5 | 29 | 1 | 1 | 2 | 10 | 14 | 14 | 14 |
| 50-64 | 5 | 4.8 | 8 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 65+ | 7 | 5.6 | 21 | 1 | 1 | 4 | 9 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 3.2 | 5 | <1 | <1 | 3 | 4 | 7 | 7 | 7 |
| 20-34 | 4 | 7.0 | 33 | 2 | 2 | 5 | 11 | 15 | 15 | 15 |
| 35-49 | 5 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 6 | 5.7 | 5 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.5 | 9 | <1 | 1 | 2 | 5 | 9 | 9 | 9 |
| 20-34 | 7 | 3.1 | 6 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 12 | 5.3 | 7 | 1 | 2 | 5 | 7 | 9 | 10 | 10 |
| 50-64 | 10 | 5.6 | 9 | 2 | 2 | 5 | 8 | 9 | 10 | 10 |
| 65+ | 20 | 7.5 | 40 | 1 | 2 | 6 | 11 | 49 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 9.1 | 39 | 2 | 3 | 8 | 13 | 19 | 20 | 20 |
| 35-49 | 9 | 6.8 | 70 | 1 | 1 | 4 | 7 | 20 | 28 | 28 |
| 50-64 | 12 | 7.8 | 75 | 1 | 2 | 6 | 8 | 17 | 31 | 34 |
| 65+ | 9 | 7.3 | 26 | 1 | 1 | 8 | 12 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.7 | 19 | <1 | 1 | 3 | 6 | 11 | 13 | 23 |
| B. *Operated* | 22 | 4.8 | 9 | 1 | 2 | 4 | 7 | 8 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 5.4 | 20 | 1 | 1 | 5 | 8 | 10 | 19 | 99+ |
| B. *Operated* | 41 | 7.4 | 49 | 1 | 2 | 6 | 9 | 15 | 24 | 34 |
| **1. SINGLE DX** | 73 | 4.7 | 16 | <1 | 1 | 4 | 6 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | 105 | 6.2 | 32 | 1 | 1 | 5 | 8 | 13 | 21 | 99+ |
| **A. NOT OPERATED** | 115 | 5.1 | 19 | <1 | 1 | 4 | 7 | 11 | 15 | 99+ |
| **B. OPERATED** | 63 | 6.5 | 36 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| TOTAL 0-19 YRS | 44 | 3.5 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 20-34 | 30 | 6.0 | 33 | <1 | <1 | 5 | 7 | 16 | 20 | 23 |
| 35-49 | 34 | 5.5 | 27 | 1 | 2 | 4 | 7 | 10 | 14 | 28 |
| 50-64 | 33 | 6.3 | 32 | 1 | 2 | 6 | 8 | 9 | 10 | 34 |
| 65+ | 37 | 7.1 | 31 | 1 | 2 | 6 | 11 | 17 | 67 | 99+ |
| **GRAND TOTAL** | **178** | **5.6** | **26** | **1** | **1** | **4** | **8** | **11** | **16** | **80** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 891 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 19 | 4.0 | 7 | 1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 35-49 | 7 | 5.1 | 10 | 1 | 1 | 6 | 7 | 9 | 10 | 10 |
| 50-64 | 5 | 7.4 | 23 | 3 | 3 | 6 | 10 | 15 | 15 | 15 |
| 65+ | 8 | 9.3 | 51 | 3 | 3 | 6 | 13 | 21 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1020 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 177 | 2.8 | 3 | <1 | <1 | 3 | 3 | 5 | 6 | 9 |
| 35-49 | 124 | 3.4 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 22 |
| 50-64 | 80 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 65+ | 31 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1606 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 20-34 | 42 | 4.5 | 9 | 1 | 2 | 3 | 6 | 8 | 9 | 18 |
| 35-49 | 23 | 4.6 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 12 |
| 50-64 | 15 | 7.2 | 33 | <1 | 1 | 6 | 11 | 13 | 19 | 21 |
| 65+ | 25 | 5.9 | 13 | 1 | 1 | 5 | 8 | 10 | 12 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1089 | 2.9 | 19 | <1 | 1 | 2 | 2 | 5 | 8 | 18 |
| 20-34 | 273 | 4.4 | 12 | 1 | 2 | 3 | 6 | 8 | 10 | 20 |
| 35-49 | 137 | 4.7 | 30 | 1 | 2 | 3 | 6 | 8 | 11 | 37 |
| 50-64 | 128 | 4.5 | 11 | 2 | 2 | 3 | 6 | 9 | 10 | 17 |
| 65+ | 47 | 5.9 | 47 | 1 | 2 | 3 | 7 | 13 | 22 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 930 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 1432 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1711 | 5.1 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| B. *Operated* | 1674 | 3.5 | 19 | 1 | 1 | 2 | 3 | 7 | 9 | 22 |
| **1. SINGLE DX** | 2362 | 3.1 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 3385 | 4.3 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| **A. NOT OPERATED** | 2641 | 4.8 | 18 | 1 | 1 | 4 | 6 | 9 | 13 | 24 |
| **B. OPERATED** | 3106 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| TOTAL 0-19 YRS | 4606 | 3.7 | 17 | <1 | 1 | 2 | 4 | 8 | 10 | 20 |
| 20-34 | 511 | 3.9 | 9 | <1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 35-49 | 291 | 4.2 | 21 | 1 | 1 | 3 | 5 | 7 | 9 | 31 |
| 50-64 | 228 | 4.3 | 11 | 1 | 2 | 3 | 5 | 9 | 10 | 17 |
| 65+ | 111 | 5.2 | 30 | 1 | 1 | 3 | 7 | 10 | 15 | 30 |
| **GRAND TOTAL** | **5747** | **3.8** | **16** | **<1** | **1** | **2** | **5** | **8** | **10** | **20** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 15 | 21 |
| 20-34 | 29 | 4.9 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 15 |
| 35-49 | 21 | 6.0 | 12 | 3 | 3 | 4 | 9 | 11 | 13 | 15 |
| 50-64 | 11 | 6.2 | 7 | 3 | 3 | 6 | 8 | 10 | 12 | 12 |
| 65+ | 6 | 5.3 | 11 | 2 | 2 | 4 | 7 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 199 | 2.3 | 10 | <1 | <1 | 1 | 2 | 5 | 7 | 18 |
| 20-34 | 52 | 4.5 | 11 | <1 | <1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 28 | 5.1 | 5 | 3 | 3 | 5 | 5 | 10 | 10 | 10 |
| 50-64 | 21 | 4.0 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 9 | 4.3 | 12 | <1 | 1 | 4 | 5 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 6.5 | 29 | 1 | 2 | 5 | 8 | 14 | 18 | 30 |
| 20-34 | 27 | 4.7 | 9 | 1 | 1 | 5 | 6 | 9 | 11 | 12 |
| 35-49 | 20 | 7.0 | 18 | 2 | 2 | 6 | 8 | 12 | 16 | 20 |
| 50-64 | 11 | 7.2 | 23 | 3 | 3 | 5 | 9 | 16 | 16 | 16 |
| 65+ | 12 | 6.8 | 41 | 1 | 2 | 5 | 8 | 15 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 5.4 | 51 | <1 | 1 | 2 | 6 | 12 | 21 | 40 |
| 20-34 | 52 | 4.3 | 7 | 2 | 2 | 4 | 5 | 6 | 9 | 17 |
| 35-49 | 32 | 6.0 | 23 | 2 | 2 | 5 | 6 | 11 | 20 | 23 |
| 50-64 | 31 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 10 | 11 |
| 65+ | 14 | 6.1 | 47 | 2 | 3 | 4 | 5 | 12 | 25 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 222 | 5.2 | 17 | 1 | 2 | 4 | 6 | 10 | 14 | 21 |
| B. *Operated* | 309 | 3.1 | 10 | <1 | <1 | 2 | 4 | 6 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 315 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 18 | 27 |
| B. *Operated* | 242 | 5.3 | 32 | <1 | 1 | 4 | 6 | 10 | 17 | 30 |
| **1. SINGLE DX** | 531 | 4.0 | 14 | <1 | <1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 557 | 5.9 | 29 | 1 | 2 | 4 | 7 | 12 | 17 | 29 |
| **A. NOT OPERATED** | 537 | 5.9 | 23 | 1 | 2 | 5 | 7 | 12 | 16 | 25 |
| **B. OPERATED** | 551 | 4.0 | 21 | <1 | <1 | 3 | 5 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 712 | 4.8 | 28 | <1 | <1 | 3 | 6 | 11 | 16 | 27 |
| 20-34 | 160 | 4.5 | 9 | <1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 101 | 5.9 | 15 | 2 | 3 | 5 | 7 | 10 | 12 | 22 |
| 50-64 | 74 | 5.3 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 16 |
| 65+ | 41 | 5.8 | 31 | 1 | 2 | 4 | 7 | 11 | 17 | 29 |
| **GRAND TOTAL** | **1088** | **5.0** | **23** | **<1** | **<1** | **4** | **6** | **10** | **14** | **24** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 72 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 35-49 | 91 | 4.4 | 16 | 1 | 1 | 4 | 5 | 8 | 11 | 24 |
| 50-64 | 144 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 18 |
| 65+ | 141 | 5.5 | 22 | 1 | 2 | 4 | 7 | 11 | 13 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 6.1 | 33 | 2 | 2 | 4 | 7 | 16 | 20 | 20 |
| 35-49 | 12 | 5.2 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 9 |
| 50-64 | 19 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 9 |
| 65+ | 5 | 4.6 | 7 | 3 | 3 | 3 | 6 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.7 | 7 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 20-34 | 28 | 4.6 | 19 | 2 | 2 | 3 | 5 | 9 | 14 | 22 |
| 35-49 | 51 | 5.4 | 25 | 1 | 1 | 4 | 7 | 10 | 13 | 32 |
| 50-64 | 150 | 5.8 | 21 | 1 | 2 | 4 | 8 | 12 | 15 | 20 |
| 65+ | 275 | 6.7 | 25 | 2 | 2 | 5 | 9 | 13 | 17 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 7.8 | 30 | 3 | 3 | 6 | 10 | 17 | 17 | 17 |
| 35-49 | 7 | 9.9 | 52 | 2 | 2 | 10 | 15 | 20 | 21 | 21 |
| 50-64 | 6 | 6.2 | 30 | 2 | 2 | 4 | 6 | 16 | 17 | 17 |
| 65+ | 14 | 11.9 | 43 | 3 | 4 | 11 | 16 | 20 | 24 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 461 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| B. *Operated* | 45 | 4.9 | 10 | 2 | 2 | 4 | 6 | 9 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 516 | 6.1 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| B. *Operated* | 33 | 9.5 | 42 | 2 | 3 | 8 | 14 | 19 | 21 | 25 |
| **1. SINGLE DX** | 506 | 4.5 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 549 | 6.3 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 22 |
| **A. NOT OPERATED** | 977 | 5.3 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 78 | 6.8 | 29 | 2 | 2 | 5 | 9 | 16 | 19 | 24 |
| TOTAL 0-19 YRS | 26 | 3.5 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 114 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| 35-49 | 161 | 5.0 | 20 | 1 | 1 | 4 | 6 | 9 | 13 | 29 |
| 50-64 | 319 | 4.9 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 19 |
| 65+ | 435 | 6.5 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| **GRAND TOTAL** | **1055** | **5.4** | **21** | **1** | **2** | **4** | **7** | **11** | **14** | **22** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.5 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 87 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 11 |
| 35-49 | 107 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 80 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 22 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 3 | 4.0 | 7 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 21 | 3.3 | 2 | 2 | 2 | 3 | 3 | 5 | 7 | 8 |
| 35-49 | 37 | 3.1 | 3 | 2 | 2 | 3 | 3 | 5 | 8 | 9 |
| 50-64 | 44 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 9 | 8.1 | 214 | 2 | 2 | 3 | 5 | 30 | 47 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.3 | 7 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| B. *Operated* | 302 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.6 | 9 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| B. *Operated* | 112 | 3.7 | 19 | 2 | 2 | 3 | 4 | 5 | 7 | 23 |
| **1. SINGLE DX** | 306 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 122 | 3.7 | 18 | 1 | 2 | 3 | 4 | 6 | 7 | 20 |
| **A. NOT OPERATED** | 14 | 3.8 | 8 | <1 | 1 | 3 | 6 | 8 | 9 | 9 |
| **B. OPERATED** | 414 | 3.4 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-19 YRS | 8 | 2.9 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 110 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 149 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 128 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 65+ | 33 | 4.9 | 59 | 2 | 2 | 3 | 4 | 6 | 9 | 47 |
| **GRAND TOTAL** | **428** | **3.4** | **6** | **2** | **2** | **3** | **4** | **5** | **6** | **9** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 9 | 13 |
| 20-34 | 11 | 4.1 | 12 | <1 | <1 | 4 | 6 | 9 | 12 | 12 |
| 35-49 | 8 | 2.1 | 4 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| 50-64 | 8 | 4.5 | 12 | <1 | <1 | 4 | 6 | 10 | 11 | 11 |
| 65+ | 6 | 4.7 | 10 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 316 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 217 | 2.7 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 144 | 2.6 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 50-64 | 97 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 65+ | 31 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 8.7 | 100 | 1 | 1 | 5 | 12 | 18 | 33 | 45 |
| 20-34 | 10 | 3.8 | 10 | <1 | <1 | 3 | 5 | 9 | 9 | 9 |
| 35-49 | 14 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 12 |
| 50-64 | 10 | 7.0 | 31 | 2 | 2 | 6 | 7 | 16 | 21 | 21 |
| 65+ | 17 | 7.8 | 58 | 1 | 2 | 5 | 9 | 20 | 27 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 3.0 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 15 |
| 20-34 | 140 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 106 | 3.3 | 11 | 1 | 2 | 2 | 3 | 5 | 7 | 23 |
| 50-64 | 83 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 65+ | 30 | 6.9 | 56 | 2 | 2 | 4 | 9 | 20 | 26 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 3.4 | 9 | <1 | <1 | 2 | 5 | 7 | 10 | 13 |
| B. *Operated* | 805 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 6.9 | 56 | 1 | 1 | 5 | 9 | 13 | 22 | 41 |
| B. *Operated* | 518 | 3.3 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 17 |
| **1. SINGLE DX** | 861 | 2.6 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 596 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 25 |
| **A. NOT OPERATED** | 134 | 5.4 | 39 | <1 | 1 | 4 | 7 | 11 | 15 | 33 |
| **B. OPERATED** | 1323 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| TOTAL 0-19 YRS | 525 | 2.9 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 20-34 | 378 | 2.8 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 272 | 3.0 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 50-64 | 198 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 65+ | 84 | 5.4 | 38 | 1 | 1 | 3 | 6 | 11 | 23 | 30 |
| **GRAND TOTAL** | **1457** | **3.1** | **9** | **<1** | **<1** | **2** | **3** | **6** | **8** | **16** |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 10.7 | 73 | 2 | 3 | 7 | 14 | 23 | 31 | 35 |
| 20-34 | 12 | 5.4 | 10 | 2 | 2 | 4 | 7 | 10 | 13 | 13 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 10.8 | 45 | 2 | 3 | 10 | 15 | 21 | 23 | 23 |
| 20-34 | 3 | 8.3 | 30 | 3 | 3 | 8 | 12 | 14 | 14 | 14 |
| 35-49 | 4 | 6.0 | 18 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 11 | 5.5 | 10 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 65+ | 10 | 16.1 | 173 | 7 | 7 | 10 | 18 | 38 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 15.0 | 50 | 10 | 10 | 15 | 20 | 20 | 20 | 20 |
| 50-64 | 3 | 12.3 | 44 | 5 | 5 | 14 | 17 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 9.0 | 56 | 2 | 3 | 7 | 12 | 18 | 26 | 35 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 10.0 | 76 | 2 | 3 | 8 | 12 | 19 | 25 | 49 |
| B. *Operated* | 9 | 8.8 | 49 | 2 | 2 | 5 | 15 | 19 | 20 | 20 |
| **1. SINGLE DX** | 42 | 9.0 | 56 | 2 | 3 | 7 | 12 | 18 | 26 | 35 |
| **2. MULTIPLE DX** | 49 | 9.8 | 70 | 2 | 3 | 8 | 13 | 19 | 23 | 49 |
| **A. NOT OPERATED** | 82 | 9.5 | 65 | 2 | 3 | 8 | 12 | 18 | 25 | 45 |
| **B. OPERATED** | 9 | 8.8 | 49 | 2 | 2 | 5 | 15 | 19 | 20 | 20 |
| TOTAL 0-19 YRS | 40 | 10.5 | 63 | 2 | 2 | 8 | 14 | 21 | 27 | 35 |
| 20-34 | 18 | 5.6 | 13 | 2 | 3 | 4 | 8 | 12 | 14 | 14 |
| 35-49 | 7 | 8.7 | 36 | 2 | 2 | 8 | 11 | 18 | 20 | 20 |
| 50-64 | 15 | 7.3 | 24 | 2 | 3 | 5 | 11 | 14 | 17 | 18 |
| 65+ | 11 | 14.9 | 171 | 3 | 5 | 9 | 17 | 36 | 48 | 49 |
| **GRAND TOTAL** | **91** | **9.4** | **63** | **2** | **3** | **7** | **13** | **19** | **24** | **43** |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 6 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 6 | 4.3 | 11 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 50-64 | 16 | 7.5 | 51 | 1 | 1 | 5 | 9 | 22 | 23 | 23 |
| 65+ | 9 | 8.2 | 14 | 4 | 4 | 7 | 11 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 24 | 7.0 | 30 | 1 | 2 | 4 | 10 | 13 | 18 | 23 |
| 35-49 | 39 | 7.3 | 31 | 1 | 2 | 3 | 12 | 15 | 17 | 20 |
| 50-64 | 51 | 5.2 | 26 | 1 | 1 | 3 | 8 | 13 | 15 | 23 |
| 65+ | 16 | 9.9 | 47 | 1 | 2 | 12 | 14 | 19 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.8 | 70 | 1 | 1 | 8 | 15 | 21 | 21 | 21 |
| 20-34 | 22 | 5.6 | 37 | 1 | 1 | 4 | 7 | 10 | 20 | 29 |
| 35-49 | 43 | 7.7 | 25 | 1 | 2 | 7 | 11 | 14 | 15 | 24 |
| 50-64 | 105 | 9.5 | 83 | 1 | 2 | 7 | 12 | 17 | 22 | 52 |
| 65+ | 110 | 13.1 | 97 | 3 | 4 | 11 | 18 | 25 | 32 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 21 | 10.9 | 108 | <1 | 1 | 10 | 13 | 21 | 34 | 48 |
| 35-49 | 68 | 10.8 | 100 | 1 | 1 | 11 | 15 | 20 | 27 | 51 |
| 50-64 | 119 | 11.9 | 113 | 1 | 2 | 11 | 17 | 25 | 35 | 48 |
| 65+ | 62 | 14.5 | 242 | 1 | 2 | 10 | 20 | 38 | 46 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.2 | 30 | 1 | 1 | 5 | 8 | 14 | 20 | 23 |
| B. *Operated* | 131 | 6.7 | 33 | 1 | 1 | 3 | 11 | 15 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 10.3 | 81 | 1 | 2 | 8 | 13 | 20 | 27 | 48 |
| B. *Operated* | 272 | 12.1 | 139 | 1 | 1 | 11 | 16 | 25 | 37 | 59 |
| **1. SINGLE DX** | 170 | 6.6 | 32 | 1 | 1 | 4 | 11 | 15 | 17 | 23 |
| **2. MULTIPLE DX** | 556 | 11.2 | 110 | 1 | 2 | 9 | 15 | 23 | 32 | 52 |
| **A. NOT OPERATED** | 323 | 9.8 | 76 | 1 | 2 | 7 | 13 | 19 | 25 | 46 |
| **B. OPERATED** | 403 | 10.3 | 111 | 1 | 1 | 9 | 14 | 22 | 33 | 50 |
| TOTAL 0-19 YRS | 9 | 5.8 | 42 | 1 | 1 | 3 | 8 | 17 | 21 | 21 |
| 20-34 | 73 | 7.3 | 57 | 1 | 1 | 4 | 10 | 14 | 22 | 44 |
| 35-49 | 156 | 8.8 | 62 | 1 | 1 | 8 | 13 | 18 | 20 | 47 |
| 50-64 | 291 | 9.6 | 89 | 1 | 2 | 7 | 13 | 19 | 26 | 40 |
| 65+ | 197 | 13.1 | 136 | 2 | 2 | 10 | 17 | 27 | 36 | 59 |
| **GRAND TOTAL** | **726** | **10.1** | **95** | **1** | **2** | **8** | **14** | **20** | **27** | **49** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.4 | 4 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 55 | 5.5 | 28 | 1 | 1 | 4 | 7 | 12 | 14 | 30 |
| 35-49 | 145 | 5.2 | 13 | 1 | 1 | 5 | 7 | 10 | 11 | 19 |
| 50-64 | 227 | 5.5 | 14 | 1 | 2 | 4 | 8 | 11 | 13 | 16 |
| 65+ | 324 | 6.3 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 16 | 6.5 | 20 | 1 | 2 | 6 | 9 | 12 | 15 | 17 |
| 35-49 | 13 | 4.5 | 11 | 2 | 2 | 3 | 5 | 8 | 13 | 14 |
| 50-64 | 11 | 7.6 | 34 | 3 | 3 | 6 | 10 | 18 | 18 | 18 |
| 65+ | 3 | 9.3 | 184 | 1 | 1 | 2 | 19 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 9.0 | 60 | 2 | 2 | 5 | 10 | 24 | 27 | 27 |
| 20-34 | 92 | 6.0 | 18 | 2 | 2 | 5 | 8 | 12 | 13 | 20 |
| 35-49 | 321 | 7.3 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| 50-64 | 775 | 7.3 | 30 | 2 | 2 | 6 | 9 | 14 | 18 | 28 |
| 65+ | 1290 | 9.4 | 69 | 2 | 3 | 7 | 12 | 19 | 26 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 27 | 9.3 | 73 | 1 | 1 | 9 | 12 | 16 | 29 | 40 |
| 35-49 | 34 | 11.1 | 82 | 2 | 2 | 10 | 13 | 20 | 28 | 48 |
| 50-64 | 59 | 13.5 | 105 | 1 | 3 | 10 | 20 | 28 | 37 | 41 |
| 65+ | 61 | 13.4 | 92 | 2 | 2 | 12 | 21 | 29 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 767 | 5.7 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| B. *Operated* | 44 | 6.3 | 29 | 1 | 2 | 4 | 9 | 14 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2495 | 8.3 | 51 | 2 | 2 | 6 | 11 | 17 | 21 | 40 |
| B. *Operated* | 182 | 12.4 | 92 | 1 | 2 | 10 | 18 | 27 | 38 | 99+ |
| **1. SINGLE DX** | 811 | 5.8 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 2677 | 8.6 | 55 | 2 | 2 | 7 | 11 | 17 | 22 | 44 |
| **A. NOT OPERATED** | 3262 | 7.7 | 45 | 2 | 2 | 6 | 10 | 15 | 20 | 37 |
| **B. OPERATED** | 226 | 11.2 | 86 | 1 | 2 | 9 | 16 | 24 | 35 | 99+ |
| TOTAL 0-19 YRS | 35 | 6.6 | 36 | 2 | 2 | 5 | 8 | 11 | 24 | 27 |
| 20-34 | 190 | 6.4 | 29 | 1 | 2 | 5 | 9 | 12 | 15 | 29 |
| 35-49 | 513 | 6.9 | 32 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| 50-64 | 1072 | 7.3 | 34 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 65+ | 1678 | 8.9 | 63 | 2 | 2 | 7 | 11 | 18 | 24 | 65 |
| **GRAND TOTAL** | **3488** | **8.0** | **48** | **2** | **2** | **6** | **10** | **16** | **21** | **39** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 9 | 6.0 | 11 | 2 | 2 | 6 | 7 | 11 | 13 | 13 |
| 50-64 | 20 | 7.3 | 20 | 1 | 3 | 6 | 11 | 14 | 15 | 16 |
| 65+ | 51 | 9.1 | 37 | 4 | 4 | 7 | 10 | 15 | 25 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 50-64 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 15 | 7.6 | 25 | 2 | 4 | 6 | 9 | 12 | 20 | 23 |
| 50-64 | 87 | 10.6 | 84 | 3 | 3 | 8 | 13 | 19 | 35 | 48 |
| 65+ | 346 | 12.0 | 119 | 3 | 3 | 9 | 16 | 24 | 36 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 11 | 9.5 | 98 | 1 | 1 | 6 | 23 | 48 | 93 | 99+ |
| 65+ | 24 | 21.5 | 433 | 1 | 2 | 19 | 25 | 39 | 78 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 8.2 | 30 | 3 | 3 | 7 | 9 | 14 | 16 | 31 |
| B. *Operated* | 3 | 11.7 | 310 | <1 | <1 | 2 | 24 | 32 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 11.5 | 109 | 3 | 3 | 9 | 14 | 23 | 35 | 79 |
| B. *Operated* | 36 | 17.3 | 351 | 1 | 1 | 14 | 25 | 34 | 83 | 99+ |
| **1. SINGLE DX** | 84 | 8.4 | 37 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| **2. MULTIPLE DX** | 488 | 11.9 | 129 | 2 | 3 | 9 | 16 | 25 | 36 | 87 |
| **A. NOT OPERATED** | 533 | 11.0 | 99 | 3 | 3 | 8 | 13 | 22 | 31 | 75 |
| **B. OPERATED** | 39 | 16.8 | 342 | 1 | 1 | 14 | 25 | 33 | 81 | 99+ |
| TOTAL 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 26 | 7.8 | 44 | 2 | 2 | 6 | 9 | 13 | 25 | 32 |
| 50-64 | 120 | 9.8 | 75 | 2 | 3 | 8 | 13 | 20 | 30 | 66 |
| 65+ | 421 | 12.2 | 132 | 3 | 3 | 9 | 16 | 25 | 35 | 87 |
| **GRAND TOTAL** | **572** | **11.4** | **117** | **2** | **3** | **8** | **14** | **24** | **32** | **84** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 35-49 | 5 | 5.0 | 8 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 50-64 | 15 | 4.2 | 30 | 1 | 1 | 2 | 5 | 10 | 18 | 21 |
| 65+ | 15 | 8.9 | 38 | 1 | 1 | 7 | 16 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 14.5 | 58 | 4 | 4 | 16 | 19 | 22 | 22 | 22 |
| 35-49 | 8 | 8.3 | 65 | 2 | 2 | 6 | 10 | 22 | 26 | 26 |
| 50-64 | 7 | 10.9 | 86 | 1 | 1 | 8 | 14 | 26 | 29 | 29 |
| 65+ | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 8.3 | 62 | 1 | 1 | 5 | 15 | 20 | 21 | 21 |
| 20-34 | 4 | 10.8 | 21 | 5 | 5 | 11 | 14 | 16 | 16 | 16 |
| 35-49 | 17 | 8.8 | 71 | 1 | 2 | 6 | 14 | 22 | 27 | 29 |
| 50-64 | 37 | 9.8 | 58 | 1 | 2 | 8 | 14 | 21 | 24 | 32 |
| 65+ | 53 | 14.3 | 184 | 2 | 3 | 11 | 17 | 39 | 55 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.4 | 19 | 3 | 3 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 11 | 10.2 | 60 | 1 | 2 | 9 | 18 | 21 | 22 | 22 |
| 35-49 | 25 | 15.4 | 128 | 2 | 4 | 12 | 22 | 28 | 37 | 46 |
| 50-64 | 47 | 15.3 | 157 | 1 | 2 | 13 | 21 | 32 | 42 | 56 |
| 65+ | 36 | 19.9 | 332 | 3 | 4 | 15 | 25 | 44 | 62 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.1 | 31 | 1 | 1 | 4 | 8 | 16 | 18 | 21 |
| B. *Operated* | 21 | 10.0 | 66 | 1 | 2 | 8 | 14 | 24 | 27 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 11.6 | 120 | 2 | 2 | 9 | 16 | 23 | 36 | 73 |
| B. *Operated* | 124 | 16.0 | 193 | 1 | 3 | 12 | 21 | 32 | 44 | 72 |
| **1. SINGLE DX** | 60 | 7.5 | 46 | 1 | 1 | 5 | 10 | 17 | 21 | 29 |
| **2. MULTIPLE DX** | 241 | 13.9 | 161 | 1 | 2 | 10 | 19 | 29 | 42 | 70 |
| **A. NOT OPERATED** | 156 | 10.3 | 103 | 1 | 2 | 8 | 14 | 21 | 31 | 60 |
| **B. OPERATED** | 145 | 15.1 | 178 | 1 | 3 | 12 | 20 | 30 | 43 | 70 |
| TOTAL 0-19 YRS | 12 | 8.9 | 38 | 1 | 2 | 8 | 13 | 17 | 20 | 21 |
| 20-34 | 22 | 10.2 | 49 | 1 | 2 | 9 | 16 | 21 | 22 | 22 |
| 35-49 | 55 | 11.4 | 102 | 2 | 2 | 8 | 18 | 27 | 29 | 45 |
| 50-64 | 106 | 11.5 | 113 | 1 | 1 | 8 | 18 | 25 | 32 | 50 |
| 65+ | 106 | 15.3 | 223 | 2 | 3 | 11 | 18 | 40 | 53 | 90 |
| **GRAND TOTAL** | **301** | **12.6** | **145** | **1** | **2** | **9** | **17** | **27** | **39** | **64** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 46 | 12.2 | 28 | 2 | 4 | 12 | 15 | 19 | 22 | 24 |
| 35-49 | 385 | 12.9 | 28 | 4 | 6 | 13 | 16 | 19 | 21 | 30 |
| 50-64 | 903 | 14.3 | 38 | 5 | 8 | 14 | 17 | 21 | 25 | 33 |
| 65+ | 849 | 15.3 | 60 | 4 | 7 | 14 | 19 | 24 | 28 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 11.5 | 5 | 10 | 10 | 11 | 13 | 13 | 13 | 13 |
| 35-49 | 14 | 13.0 | 47 | 4 | 5 | 13 | 16 | 19 | 28 | 31 |
| 50-64 | 25 | 16.3 | 152 | 1 | 1 | 16 | 21 | 34 | 40 | 54 |
| 65+ | 7 | 17.1 | 31 | 9 | 10 | 16 | 19 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 17.6 | 303 | 1 | 1 | 15 | 23 | 47 | 47 | 47 |
| 20-34 | 43 | 12.8 | 52 | 2 | 4 | 12 | 18 | 21 | 26 | 33 |
| 35-49 | 457 | 14.0 | 58 | 5 | 7 | 13 | 17 | 21 | 24 | 50 |
| 50-64 | 1592 | 15.7 | 58 | 7 | 8 | 14 | 18 | 24 | 29 | 42 |
| 65+ | 2293 | 17.2 | 101 | 6 | 8 | 15 | 20 | 28 | 36 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 8 | 7.6 | 87 | 1 | 1 | 4 | 9 | 24 | 29 | 29 |
| 35-49 | 60 | 16.3 | 74 | 4 | 6 | 15 | 20 | 28 | 34 | 44 |
| 50-64 | 172 | 19.7 | 134 | 6 | 10 | 17 | 25 | 33 | 40 | 75 |
| 65+ | 204 | 24.2 | 240 | 9 | 12 | 20 | 27 | 45 | 67 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2185 | 14.4 | 45 | 4 | 7 | 14 | 17 | 22 | 25 | 34 |
| B. *Operated* | 48 | 15.3 | 98 | 1 | 2 | 15 | 18 | 27 | 34 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4390 | 16.3 | 82 | 6 | 8 | 15 | 19 | 26 | 33 | 56 |
| B. *Operated* | 445 | 21.1 | 184 | 6 | 9 | 18 | 25 | 35 | 52 | 96 |
| **1. SINGLE DX** | 2233 | 14.4 | 46 | 4 | 7 | 14 | 17 | 22 | 26 | 34 |
| **2. MULTIPLE DX** | 4835 | 16.7 | 93 | 6 | 8 | 15 | 20 | 27 | 34 | 63 |
| **A. NOT OPERATED** | 6575 | 15.6 | 70 | 5 | 8 | 14 | 19 | 24 | 30 | 50 |
| **B. OPERATED** | 493 | 20.5 | 179 | 5 | 9 | 18 | 25 | 34 | 50 | 92 |
| TOTAL 0-19 YRS | 8 | 14.9 | 192 | 1 | 2 | 12 | 15 | 37 | 47 | 47 |
| 20-34 | 99 | 12.1 | 44 | 2 | 3 | 12 | 16 | 20 | 23 | 32 |
| 35-49 | 916 | 13.7 | 47 | 5 | 7 | 13 | 17 | 21 | 24 | 41 |
| 50-64 | 2692 | 15.5 | 59 | 6 | 8 | 14 | 18 | 24 | 28 | 42 |
| 65+ | 3353 | 17.1 | 103 | 6 | 8 | 15 | 20 | 27 | 35 | 70 |
| **GRAND TOTAL** | **7068** | **16.0** | **80** | **5** | **8** | **14** | **19** | **25** | **31** | **55** |

### 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 14 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| 35-49 | 151 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 50-64 | 318 | 5.1 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 65+ | 373 | 5.8 | 23 | 1 | 2 | 4 | 7 | 12 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 19 | 3.8 | 16 | <1 | <1 | 2 | 4 | 10 | 13 | 16 |
| 50-64 | 37 | 4.0 | 49 | <1 | <1 | 2 | 3 | 8 | 15 | 40 |
| 65+ | 6 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.2 | 21 | 2 | 2 | 4 | 7 | 13 | 13 | 13 |
| 20-34 | 12 | 4.6 | 7 | 2 | 2 | 4 | 5 | 9 | 11 | 11 |
| 35-49 | 218 | 5.9 | 20 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| 50-64 | 865 | 6.4 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 23 |
| 65+ | 1449 | 8.1 | 43 | 2 | 2 | 7 | 10 | 15 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 12 | 4.0 | 5 | 2 | 2 | 3 | 4 | 8 | 10 | 10 |
| 35-49 | 154 | 7.0 | 47 | <1 | 2 | 3 | 10 | 17 | 21 | 31 |
| 50-64 | 415 | 7.3 | 51 | <1 | 1 | 3 | 11 | 15 | 20 | 33 |
| 65+ | 170 | 10.7 | 118 | 1 | 3 | 9 | 14 | 25 | 30 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 857 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 65 | 3.6 | 33 | <1 | <1 | 2 | 3 | 8 | 15 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2549 | 7.3 | 36 | 1 | 2 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | 751 | 7.9 | 67 | <1 | 2 | 4 | 11 | 17 | 25 | 41 |
| **1. SINGLE DX** | 922 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 3300 | 7.4 | 43 | 1 | 2 | 6 | 10 | 15 | 19 | 31 |
| **A. NOT OPERATED** | 3406 | 6.8 | 32 | 1 | 2 | 5 | 9 | 13 | 17 | 27 |
| **B. OPERATED** | 816 | 7.6 | 65 | <1 | 1 | 4 | 11 | 17 | 23 | 40 |
| TOTAL 0-19 YRS | 7 | 5.0 | 18 | <1 | <1 | 4 | 7 | 12 | 13 | 13 |
| 20-34 | 40 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 11 |
| 35-49 | 542 | 5.8 | 28 | 1 | 1 | 4 | 8 | 12 | 16 | 25 |
| 50-64 | 1635 | 6.3 | 31 | 1 | 1 | 5 | 8 | 13 | 16 | 28 |
| 65+ | 1998 | 7.9 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 31 |
| **GRAND TOTAL** | **4222** | **6.9** | **39** | **1** | **2** | **5** | **9** | **14** | **18** | **30** |

### 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 20-34 | 10 | 9.8 | 18 | 4 | 5 | 9 | 12 | 16 | 16 | 16 |
| 35-49 | 130 | 7.8 | 52 | 2 | 2 | 7 | 10 | 14 | 15 | 36 |
| 50-64 | 367 | 8.2 | 24 | 2 | 3 | 8 | 11 | 14 | 17 | 24 |
| 65+ | 421 | 8.3 | 31 | 2 | 3 | 7 | 11 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 11 | 8.5 | 37 | <1 | <1 | 10 | 14 | 15 | 15 | 15 |
| 50-64 | 16 | 15.2 | 71 | 3 | 7 | 14 | 18 | 32 | 34 | 34 |
| 65+ | 14 | 15.7 | 121 | 1 | 1 | 15 | 23 | 30 | 33 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 17 | 7.1 | 13 | 2 | 2 | 7 | 9 | 13 | 14 | 14 |
| 35-49 | 221 | 8.0 | 38 | 1 | 2 | 7 | 11 | 14 | 16 | 27 |
| 50-64 | 849 | 9.0 | 30 | 2 | 3 | 8 | 12 | 16 | 19 | 28 |
| 65+ | 1490 | 10.6 | 58 | 3 | 4 | 9 | 13 | 19 | 25 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 72 | 12.5 | 38 | 2 | 3 | 12 | 16 | 21 | 23 | 27 |
| 50-64 | 242 | 14.4 | 73 | 3 | 4 | 13 | 18 | 26 | 29 | 42 |
| 65+ | 164 | 18.7 | 147 | 3 | 6 | 17 | 24 | 39 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 929 | 8.2 | 31 | 2 | 3 | 7 | 11 | 14 | 17 | 26 |
| B. *Operated* | 41 | 13.6 | 85 | <1 | 1 | 14 | 17 | 29 | 33 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2579 | 9.8 | 47 | 2 | 3 | 8 | 13 | 17 | 21 | 40 |
| B. *Operated* | 479 | 15.5 | 98 | 3 | 4 | 14 | 20 | 28 | 38 | 51 |
| **1. SINGLE DX** | 970 | 8.5 | 35 | 2 | 3 | 7 | 11 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | 3058 | 10.7 | 60 | 2 | 3 | 9 | 14 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 3508 | 9.4 | 44 | 2 | 3 | 8 | 12 | 17 | 21 | 35 |
| **B. OPERATED** | 520 | 15.4 | 97 | 2 | 4 | 14 | 20 | 28 | 38 | 50 |
| TOTAL 0-19 YRS | 3 | 14.0 | 61 | 9 | 9 | 10 | 20 | 23 | 23 | 23 |
| 20-34 | 28 | 7.9 | 16 | 2 | 3 | 7 | 11 | 14 | 16 | 16 |
| 35-49 | 434 | 8.7 | 45 | 1 | 2 | 8 | 12 | 15 | 18 | 27 |
| 50-64 | 1474 | 9.8 | 41 | 2 | 3 | 9 | 13 | 17 | 21 | 34 |
| 65+ | 2089 | 10.8 | 66 | 2 | 3 | 9 | 14 | 20 | 27 | 50 |
| **GRAND TOTAL** | **4028** | **10.2** | **55** | **2** | **3** | **9** | **13** | **18** | **23** | **41** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.5 | 9 | 6 | 6 | 8 | 11 | 12 | 12 | 12 |
| 20-34 | 7 | 3.9 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 35-49 | 104 | 5.9 | 13 | 1 | 2 | 5 | 8 | 11 | 13 | 17 |
| 50-64 | 266 | 7.2 | 26 | 2 | 2 | 6 | 10 | 15 | 18 | 23 |
| 65+ | 365 | 8.1 | 36 | 2 | 2 | 7 | 10 | 16 | 20 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 12.0 | 300 | 2 | 2 | 2 | 25 | 32 | 32 | 32 |
| 20-34 | 17 | 6.2 | 20 | 1 | 1 | 3 | 11 | 12 | 12 | 12 |
| 35-49 | 217 | 5.8 | 40 | 1 | 1 | 3 | 10 | 11 | 13 | 26 |
| 50-64 | 515 | 6.0 | 33 | 1 | 1 | 3 | 11 | 13 | 16 | 23 |
| 65+ | 142 | 6.6 | 62 | 1 | 1 | 2 | 12 | 14 | 17 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 1 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 15 | 7.8 | 67 | 1 | 2 | 6 | 8 | 15 | 29 | 34 |
| 35-49 | 225 | 7.4 | 27 | 1 | 2 | 6 | 10 | 16 | 18 | 22 |
| 50-64 | 1015 | 8.3 | 48 | 2 | 2 | 7 | 11 | 16 | 21 | 32 |
| 65+ | 2453 | 11.7 | 116 | 2 | 3 | 9 | 15 | 25 | 34 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 13.7 | 89 | 3 | 3 | 17 | 20 | 21 | 21 | 21 |
| 20-34 | 34 | 7.9 | 124 | 1 | 1 | 4 | 10 | 13 | 23 | 63 |
| 35-49 | 329 | 7.3 | 54 | <1 | 1 | 3 | 12 | 17 | 22 | 32 |
| 50-64 | 1035 | 8.2 | 66 | 1 | 1 | 4 | 13 | 19 | 23 | 34 |
| 65+ | 449 | 12.3 | 155 | 1 | 1 | 11 | 18 | 28 | 37 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 746 | 7.5 | 30 | 2 | 2 | 6 | 10 | 15 | 18 | 27 |
| B. *Operated* | 894 | 6.1 | 40 | 1 | 1 | 3 | 11 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3711 | 10.5 | 95 | 2 | 3 | 8 | 13 | 21 | 30 | 68 |
| B. *Operated* | 1850 | 9.0 | 90 | 1 | 1 | 6 | 13 | 20 | 26 | 47 |
| **1. SINGLE DX** | 1640 | 6.7 | 36 | 1 | 1 | 5 | 11 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | 5561 | 10.0 | 93 | 1 | 2 | 8 | 13 | 21 | 28 | 61 |
| **A. NOT OPERATED** | 4457 | 10.0 | 85 | 2 | 3 | 8 | 12 | 20 | 28 | 60 |
| **B. OPERATED** | 2744 | 8.1 | 75 | 1 | 1 | 4 | 12 | 18 | 24 | 42 |
| TOTAL 0-19 YRS | 13 | 9.7 | 79 | 2 | 2 | 6 | 13 | 23 | 30 | 32 |
| 20-34 | 73 | 7.1 | 76 | 1 | 1 | 4 | 10 | 12 | 15 | 56 |
| 35-49 | 875 | 6.8 | 39 | 1 | 1 | 5 | 10 | 15 | 18 | 29 |
| 50-64 | 2831 | 7.8 | 50 | 1 | 1 | 6 | 11 | 16 | 20 | 31 |
| 65+ | 3409 | 11.2 | 113 | 1 | 2 | 9 | 14 | 23 | 33 | 85 |
| **GRAND TOTAL** | **7201** | **9.3** | **82** | **1** | **1** | **7** | **12** | **19** | **26** | **54** |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 13.7 | 101 | 3 | 3 | 15 | 21 | 23 | 23 | 23 |
| 20-34 | 27 | 11.4 | 35 | 1 | 3 | 11 | 16 | 20 | 22 | 22 |
| 35-49 | 51 | 9.6 | 22 | 2 | 3 | 10 | 13 | 16 | 18 | 18 |
| 50-64 | 56 | 11.4 | 29 | 5 | 6 | 11 | 14 | 16 | 19 | 35 |
| 65+ | 58 | 16.8 | 94 | 7 | 8 | 15 | 20 | 27 | 34 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 14.5 | 19 | 12 | 12 | 13 | 17 | 21 | 21 | 21 |
| 20-34 | 8 | 14.0 | 63 | 2 | 4 | 13 | 20 | 25 | 26 | 26 |
| 35-49 | 6 | 15.2 | 49 | 9 | 9 | 12 | 18 | 27 | 28 | 28 |
| 50-64 | 8 | 13.3 | 48 | 4 | 6 | 11 | 16 | 25 | 27 | 27 |
| 65+ | 5 | 10.2 | 26 | 5 | 5 | 8 | 15 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.3 | 85 | 5 | 5 | 5 | 17 | 21 | 21 | 21 |
| 20-34 | 26 | 11.9 | 39 | 2 | 3 | 11 | 14 | 22 | 25 | 27 |
| 35-49 | 50 | 12.9 | 21 | 3 | 7 | 13 | 16 | 19 | 21 | 22 |
| 50-64 | 128 | 15.1 | 109 | 4 | 6 | 14 | 18 | 23 | 28 | 66 |
| 65+ | 203 | 18.8 | 184 | 5 | 7 | 15 | 23 | 34 | 42 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 20.0 | 2 | 19 | 19 | 20 | 21 | 21 | 21 | 21 |
| 20-34 | 8 | 20.5 | 491 | 10 | 10 | 13 | 16 | 58 | 75 | 75 |
| 35-49 | 28 | 19.0 | 117 | 7 | 9 | 16 | 23 | 32 | 47 | 53 |
| 50-64 | 41 | 18.4 | 213 | 7 | 8 | 14 | 20 | 33 | 48 | 82 |
| 65+ | 47 | 22.7 | 268 | 9 | 11 | 18 | 27 | 36 | 71 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 195 | 12.6 | 55 | 3 | 5 | 12 | 15 | 20 | 24 | 42 |
| B. *Operated* | 31 | 13.5 | 42 | 4 | 6 | 12 | 18 | 24 | 27 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 410 | 16.4 | 136 | 4 | 6 | 14 | 20 | 28 | 36 | 78 |
| B. *Operated* | 126 | 20.3 | 223 | 8 | 9 | 15 | 23 | 33 | 55 | 83 |
| **1. SINGLE DX** | 226 | 12.7 | 53 | 3 | 5 | 12 | 16 | 22 | 25 | 39 |
| **2. MULTIPLE DX** | 536 | 17.3 | 159 | 5 | 7 | 14 | 20 | 30 | 37 | 81 |
| **A. NOT OPERATED** | 605 | 15.2 | 113 | 4 | 6 | 13 | 18 | 26 | 33 | 65 |
| **B. OPERATED** | 157 | 19.0 | 194 | 7 | 9 | 15 | 21 | 32 | 45 | 82 |
| TOTAL 0-19 YRS | 12 | 14.2 | 50 | 3 | 4 | 14 | 21 | 22 | 23 | 23 |
| 20-34 | 69 | 13.0 | 93 | 2 | 3 | 11 | 16 | 22 | 25 | 66 |
| 35-49 | 135 | 13.0 | 53 | 3 | 5 | 13 | 16 | 21 | 23 | 47 |
| 50-64 | 233 | 14.7 | 110 | 5 | 6 | 13 | 17 | 23 | 30 | 65 |
| 65+ | 313 | 18.9 | 180 | 5 | 8 | 15 | 23 | 33 | 42 | 88 |
| **GRAND TOTAL** | **762** | **16.0** | **132** | **4** | **6** | **14** | **18** | **27** | **36** | **75** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.3 | 65 | 3 | 3 | 9 | 16 | 19 | 19 | 19 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | 2 | 17.5 | 1 | 17 | 17 | 17 | 18 | 18 | 18 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 20.5 | 204 | 8 | 8 | 17 | 31 | 40 | 40 | 40 |
| 20-34 | 10 | 23.6 | 161 | 2 | 2 | 28 | 33 | 36 | 37 | 37 |
| 35-49 | 6 | 32.3 | 61 | 21 | 22 | 32 | 35 | 44 | 45 | 45 |
| 50-64 | 11 | 30.4 | 121 | 11 | 16 | 29 | 36 | 47 | 48 | 48 |
| 65+ | 10 | 28.2 | 329 | 7 | 8 | 26 | 41 | 54 | 62 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 43.5 | 41 | 39 | 39 | 43 | 48 | 48 | 48 | 48 |
| 20-34 | 4 | 46.8 | 679 | 28 | 28 | 37 | 63 | 85 | 85 | 85 |
| 35-49 | 4 | 46.3 | 128 | 32 | 32 | 47 | 54 | 59 | 59 | 59 |
| 50-64 | 5 | 44.0 | 132 | 28 | 28 | 42 | 54 | 57 | 57 | 57 |
| 65+ | 4 | 63.3 | 655 | 33 | 33 | 62 | 81 | 95 | 95 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 12.0 | 42 | 3 | 3 | 13 | 18 | 19 | 19 | 19 |
| B. *Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 27.5 | 178 | 5 | 9 | 29 | 35 | 45 | 47 | 62 |
| B. *Operated* | 19 | 49.1 | 333 | 28 | 30 | 44 | 58 | 78 | 90 | 95 |
| **1. SINGLE DX** | 8 | 10.6 | 51 | 1 | 2 | 11 | 17 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | 60 | 34.3 | 324 | 7 | 10 | 33 | 43 | 57 | 64 | 94 |
| **A. NOT OPERATED** | 48 | 25.3 | 187 | 3 | 7 | 27 | 35 | 44 | 47 | 62 |
| **B. OPERATED** | 20 | 46.7 | 431 | 14 | 28 | 43 | 57 | 76 | 90 | 95 |
| TOTAL 0-19 YRS | 9 | 22.2 | 265 | 3 | 5 | 19 | 39 | 45 | 48 | 48 |
| 20-34 | 15 | 28.5 | 401 | 2 | 3 | 29 | 35 | 41 | 74 | 85 |
| 35-49 | 13 | 31.9 | 241 | 3 | 14 | 32 | 44 | 52 | 58 | 59 |
| 50-64 | 16 | 34.6 | 159 | 14 | 20 | 33 | 44 | 52 | 56 | 57 |
| 65+ | 15 | 36.5 | 645 | 7 | 9 | 33 | 55 | 67 | 88 | 95 |
| **GRAND TOTAL** | **68** | **31.5** | **350** | **3** | **8** | **30** | **41** | **56** | **62** | **93** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.8 | 11 | <1 | <1 | 2 | 3 | 6 | 12 | 13 |
| 20-34 | 23 | 3.3 | 36 | <1 | <1 | 2 | 3 | 5 | 15 | 30 |
| 35-49 | 49 | 1.9 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 5 |
| 50-64 | 86 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 65+ | 90 | 5.5 | 54 | <1 | 1 | 3 | 6 | 10 | 20 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 7.5 | 170 | <1 | <1 | 3 | 3 | 31 | 34 | 34 |
| 20-34 | 41 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 9 | 11 |
| 35-49 | 56 | 4.5 | 40 | <1 | 1 | 2 | 5 | 9 | 20 | 32 |
| 50-64 | 107 | 4.4 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 15 |
| 65+ | 153 | 7.4 | 63 | 1 | 1 | 6 | 9 | 15 | 22 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 8.6 | 51 | 3 | 3 | 6 | 11 | 21 | 21 | 21 |
| 50-64 | 11 | 6.1 | 25 | 1 | 1 | 3 | 10 | 13 | 14 | 14 |
| 65+ | 7 | 19.6 | 184 | 4 | 4 | 16 | 34 | 36 | 36 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 260 | 3.6 | 27 | <1 | 1 | 2 | 4 | 7 | 11 | 30 |
| B. *Operated* | 4 | 4.3 | 15 | 2 | 2 | 3 | 6 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 363 | 5.5 | 42 | 1 | 1 | 3 | 7 | 11 | 16 | 31 |
| B. *Operated* | 23 | 10.7 | 107 | 1 | 2 | 8 | 14 | 29 | 36 | 36 |
| **1. SINGLE DX** | 264 | 3.6 | 27 | <1 | 1 | 2 | 4 | 8 | 11 | 30 |
| **2. MULTIPLE DX** | 386 | 5.8 | 47 | 1 | 1 | 4 | 7 | 12 | 19 | 33 |
| **A. NOT OPERATED** | 623 | 4.7 | 37 | <1 | 1 | 3 | 6 | 10 | 14 | 30 |
| **B. OPERATED** | 27 | 9.8 | 98 | 1 | 2 | 6 | 13 | 26 | 36 | 36 |
| TOTAL 0-19 YRS | 19 | 4.2 | 59 | <1 | <1 | 2 | 3 | 9 | 25 | 34 |
| 20-34 | 64 | 2.9 | 17 | <1 | 1 | 2 | 3 | 6 | 9 | 27 |
| 35-49 | 111 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 10 | 30 |
| 50-64 | 206 | 3.8 | 12 | 1 | 1 | 3 | 4 | 9 | 11 | 16 |
| 65+ | 250 | 7.1 | 67 | 1 | 1 | 5 | 9 | 15 | 23 | 38 |
| **GRAND TOTAL** | **650** | **4.9** | **40** | **1** | **1** | **3** | **6** | **10** | **16** | **32** |

## 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 20-34 | 38 | 2.8 | 8 | 1 | 1 | 2 | 3 | 6 | 10 | 13 |
| 35-49 | 66 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 50-64 | 141 | 3.8 | 17 | <1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 65+ | 195 | 5.5 | 26 | 1 | 1 | 4 | 7 | 12 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 6.9 | 91 | 1 | 1 | 2 | 9 | 24 | 28 | 28 |
| 20-34 | 41 | 5.2 | 30 | 1 | 1 | 3 | 7 | 13 | 15 | 28 |
| 35-49 | 103 | 5.1 | 17 | 1 | 1 | 4 | 7 | 10 | 14 | 19 |
| 50-64 | 428 | 6.0 | 26 | 1 | 1 | 5 | 8 | 12 | 16 | 26 |
| 65+ | 1001 | 9.2 | 96 | 1 | 2 | 7 | 11 | 18 | 28 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 35-49 | 5 | 10.4 | 32 | 1 | 1 | 11 | 14 | 16 | 16 | 16 |
| 50-64 | 31 | 15.1 | 153 | 3 | 4 | 11 | 18 | 37 | 45 | 49 |
| 65+ | 52 | 17.9 | 234 | 3 | 4 | 14 | 27 | 46 | 94 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| B. *Operated* | 5 | 3.2 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1581 | 8.0 | 73 | 1 | 2 | 6 | 10 | 16 | 21 | 53 |
| B. *Operated* | 89 | 16.4 | 193 | 3 | 4 | 13 | 22 | 43 | 68 | 99+ |
| **1. SINGLE DX** | 447 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | 1670 | 8.4 | 83 | 1 | 2 | 6 | 10 | 17 | 25 | 68 |
| **A. NOT OPERATED** | 2023 | 7.2 | 63 | 1 | 1 | 5 | 9 | 15 | 20 | 47 |
| **B. OPERATED** | 94 | 15.7 | 192 | 2 | 3 | 12 | 21 | 40 | 63 | 99+ |
| TOTAL 0-19 YRS | 10 | 6.3 | 74 | <1 | <1 | 2 | 7 | 21 | 28 | 28 |
| 20-34 | 80 | 4.2 | 22 | 1 | 1 | 2 | 5 | 11 | 14 | 24 |
| 35-49 | 175 | 4.4 | 14 | 1 | 1 | 3 | 6 | 10 | 11 | 18 |
| 50-64 | 602 | 6.0 | 36 | 1 | 1 | 4 | 8 | 12 | 17 | 28 |
| 65+ | 1250 | 9.0 | 95 | 1 | 2 | 6 | 11 | 18 | 28 | 75 |
| **GRAND TOTAL** | **2117** | **7.5** | **72** | **1** | **1** | **5** | **9** | **16** | **21** | **53** |

## 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 3.5 | 32 | 1 | 1 | 2 | 4 | 6 | 8 | 33 |
| 20-34 | 50 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 8 |
| 35-49 | 102 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 50-64 | 189 | 5.3 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 30 |
| 65+ | 244 | 5.1 | 26 | 1 | 1 | 4 | 7 | 10 | 13 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 5.3 | 12 | <1 | <1 | 5 | 8 | 9 | 9 | 9 |
| 35-49 | 12 | 7.9 | 71 | 1 | 2 | 5 | 10 | 18 | 30 | 32 |
| 50-64 | 30 | 6.9 | 25 | 2 | 2 | 5 | 10 | 15 | 17 | 19 |
| 65+ | 135 | 7.5 | 29 | 2 | 3 | 6 | 9 | 14 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 5.0 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 15 |
| 20-34 | 83 | 4.7 | 27 | 1 | 1 | 3 | 5 | 11 | 14 | 29 |
| 35-49 | 161 | 4.7 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 27 |
| 50-64 | 447 | 6.8 | 39 | 1 | 2 | 5 | 8 | 14 | 18 | 27 |
| 65+ | 958 | 8.8 | 74 | 2 | 2 | 6 | 11 | 18 | 24 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 23.8 | 174 | 8 | 8 | 25 | 33 | 41 | 41 | 41 |
| 20-34 | 13 | 7.5 | 23 | <1 | 1 | 8 | 11 | 13 | 15 | 16 |
| 35-49 | 25 | 9.4 | 58 | 1 | 1 | 8 | 12 | 22 | 26 | 30 |
| 50-64 | 106 | 10.5 | 43 | 3 | 3 | 10 | 14 | 20 | 22 | 33 |
| 65+ | 467 | 12.3 | 96 | 3 | 4 | 10 | 15 | 23 | 33 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 617 | 4.7 | 24 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| B. *Operated* | 183 | 7.3 | 30 | 2 | 3 | 6 | 9 | 14 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1674 | 7.6 | 59 | 1 | 2 | 5 | 9 | 15 | 22 | 36 |
| B. *Operated* | 616 | 11.9 | 86 | 3 | 3 | 10 | 15 | 22 | 31 | 60 |
| **1. SINGLE DX** | 800 | 5.3 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | 2290 | 8.8 | 70 | 1 | 2 | 7 | 11 | 18 | 24 | 41 |
| **A. NOT OPERATED** | 2291 | 6.8 | 51 | 1 | 1 | 5 | 9 | 14 | 20 | 35 |
| **B. OPERATED** | 799 | 10.8 | 77 | 3 | 3 | 9 | 14 | 20 | 28 | 46 |
| TOTAL 0-19 YRS | 64 | 5.7 | 61 | 1 | 1 | 3 | 6 | 13 | 27 | 40 |
| 20-34 | 150 | 4.4 | 19 | 1 | 1 | 3 | 5 | 10 | 12 | 23 |
| 35-49 | 300 | 5.0 | 24 | 1 | 1 | 3 | 7 | 11 | 13 | 29 |
| 50-64 | 772 | 7.0 | 39 | 1 | 2 | 5 | 9 | 15 | 19 | 29 |
| 65+ | 1804 | 9.1 | 75 | 1 | 2 | 7 | 12 | 19 | 25 | 47 |
| **GRAND TOTAL** | **3090** | **7.9** | **61** | **1** | **2** | **6** | **10** | **16** | **22** | **38** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.9 | 5 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 7 | 4.9 | 6 | 3 | 3 | 4 | 5 | 9 | 10 | 10 |
| 35-49 | 12 | 5.9 | 25 | 1 | 1 | 5 | 8 | 14 | 17 | 18 |
| 50-64 | 113 | 8.0 | 32 | 2 | 3 | 6 | 10 | 18 | 21 | 24 |
| 65+ | 824 | 9.7 | 84 | 2 | 3 | 7 | 12 | 19 | 27 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 65+ | 4 | 10.5 | 68 | 2 | 2 | 10 | 17 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 8.3 | 88 | 2 | 2 | 6 | 9 | 15 | 41 | 99+ |
| 20-34 | 16 | 12.2 | 170 | 3 | 4 | 7 | 11 | 32 | 44 | 49 |
| 35-49 | 110 | 10.0 | 51 | 2 | 3 | 8 | 14 | 18 | 27 | 35 |
| 50-64 | 926 | 11.5 | 97 | 3 | 3 | 9 | 14 | 22 | 30 | 54 |
| 65+ | 4832 | 13.5 | 161 | 3 | 4 | 10 | 16 | 29 | 42 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 24.3 | 36 | 16 | 16 | 25 | 28 | 30 | 30 | 30 |
| 20-34 | 4 | 9.3 | 44 | 2 | 2 | 8 | 13 | 18 | 18 | 18 |
| 35-49 | 15 | 17.2 | 127 | 2 | 3 | 16 | 25 | 31 | 38 | 40 |
| 50-64 | 72 | 18.7 | 189 | 2 | 4 | 15 | 26 | 37 | 50 | 61 |
| 65+ | 277 | 21.6 | 197 | 5 | 7 | 20 | 31 | 48 | 99 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 964 | 9.4 | 77 | 2 | 3 | 7 | 11 | 18 | 24 | 54 |
| B. *Operated* | 5 | 12.6 | 73 | 2 | 2 | 16 | 19 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5929 | 13.1 | 149 | 3 | 4 | 10 | 16 | 27 | 39 | 91 |
| B. *Operated* | 372 | 20.8 | 191 | 4 | 7 | 19 | 30 | 45 | 65 | 99+ |
| 1. SINGLE DX | 969 | 9.4 | 77 | 2 | 3 | 7 | 11 | 18 | 24 | 54 |
| 2. MULTIPLE DX | 6301 | 13.5 | 155 | 3 | 4 | 10 | 17 | 29 | 41 | 99+ |
| A. NOT OPERATED | 6893 | 12.6 | 141 | 3 | 4 | 9 | 15 | 26 | 37 | 87 |
| B. OPERATED | 377 | 20.7 | 191 | 4 | 6 | 19 | 29 | 45 | 65 | 99+ |
| TOTAL 0-19 YRS | 57 | 8.9 | 91 | 2 | 2 | 6 | 10 | 25 | 35 | 96 |
| 20-34 | 27 | 9.9 | 114 | 3 | 3 | 6 | 10 | 26 | 35 | 49 |
| 35-49 | 137 | 10.5 | 63 | 2 | 3 | 8 | 14 | 22 | 28 | 37 |
| 50-64 | 1112 | 11.6 | 100 | 2 | 3 | 9 | 15 | 22 | 31 | 53 |
| 65+ | 5937 | 13.3 | 157 | 3 | 4 | 10 | 16 | 29 | 41 | 99+ |
| GRAND TOTAL | 7270 | 13.0 | 147 | 3 | 4 | 9 | 16 | 28 | 39 | 97 |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.8 | 49 | 1 | 2 | 4 | 7 | 20 | 24 | 30 |
| 20-34 | 83 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 74 | 6.8 | 49 | 1 | 2 | 5 | 9 | 12 | 15 | 43 |
| 50-64 | 89 | 6.4 | 22 | 1 | 2 | 5 | 8 | 14 | 16 | 19 |
| 65+ | 61 | 10.2 | 105 | 2 | 3 | 8 | 14 | 22 | 47 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.9 | 8 | 2 | 2 | 3 | 4 | 9 | 10 | 11 |
| 20-34 | 21 | 6.2 | 37 | <1 | <1 | 3 | 11 | 13 | 18 | 24 |
| 35-49 | 61 | 6.8 | 34 | 1 | 2 | 3 | 10 | 16 | 19 | 24 |
| 50-64 | 88 | 5.5 | 31 | 1 | 1 | 2 | 11 | 13 | 15 | 21 |
| 65+ | 28 | 6.8 | 79 | <1 | 1 | 3 | 11 | 14 | 25 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.5 | 27 | 1 | 1 | 4 | 7 | 12 | 18 | 23 |
| 20-34 | 73 | 8.1 | 45 | 2 | 2 | 6 | 10 | 16 | 18 | 39 |
| 35-49 | 155 | 9.4 | 91 | 2 | 3 | 7 | 11 | 18 | 29 | 50 |
| 50-64 | 268 | 10.9 | 74 | 2 | 3 | 9 | 15 | 22 | 26 | 45 |
| 65+ | 366 | 11.3 | 90 | 2 | 3 | 9 | 14 | 24 | 32 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.9 | 99 | 1 | 2 | 3 | 12 | 20 | 32 | 40 |
| 20-34 | 27 | 16.3 | 353 | 1 | 2 | 12 | 17 | 53 | 60 | 69 |
| 35-49 | 87 | 8.7 | 68 | 1 | 2 | 6 | 13 | 19 | 25 | 38 |
| 50-64 | 199 | 11.0 | 101 | 1 | 2 | 9 | 15 | 23 | 31 | 49 |
| 65+ | 159 | 13.8 | 160 | 1 | 1 | 12 | 21 | 29 | 37 | 85 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 344 | 6.8 | 45 | 1 | 2 | 5 | 9 | 14 | 18 | 46 |
| B. *Operated* | 222 | 5.9 | 36 | 1 | 1 | 3 | 11 | 14 | 17 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 884 | 10.5 | 81 | 2 | 3 | 8 | 13 | 21 | 29 | 48 |
| B. *Operated* | 491 | 11.7 | 132 | 1 | 2 | 10 | 16 | 26 | 33 | 57 |
| 1. SINGLE DX | 566 | 6.4 | 42 | 1 | 1 | 4 | 9 | 14 | 18 | 37 |
| 2. MULTIPLE DX | 1375 | 10.9 | 100 | 1 | 2 | 8 | 14 | 23 | 31 | 53 |
| A. NOT OPERATED | 1228 | 9.4 | 74 | 2 | 2 | 7 | 12 | 20 | 26 | 46 |
| B. OPERATED | 713 | 9.9 | 109 | 1 | 1 | 6 | 14 | 22 | 30 | 52 |
| TOTAL 0-19 YRS | 102 | 6.1 | 45 | 1 | 2 | 3 | 7 | 14 | 22 | 35 |
| 20-34 | 204 | 7.6 | 83 | 1 | 2 | 5 | 9 | 14 | 19 | 57 |
| 35-49 | 377 | 8.3 | 69 | 1 | 2 | 6 | 11 | 17 | 24 | 44 |
| 50-64 | 644 | 9.6 | 74 | 1 | 1 | 8 | 13 | 20 | 26 | 44 |
| 65+ | 614 | 11.7 | 111 | 1 | 2 | 9 | 15 | 25 | 35 | 88 |
| GRAND TOTAL | 1941 | 9.6 | 87 | 1 | 2 | 7 | 13 | 21 | 28 | 49 |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 18 | 19.0 | 515 | 2 | 4 | 11 | 27 | 91 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 15 | 10.5 | 214 | 3 | 4 | 7 | 10 | 15 | 50 | 62 |
| 65+ | 71 | 14.4 | 269 | 2 | 3 | 9 | 21 | 36 | 92 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 3 | 32.0 | 676 | 2 | 2 | 47 | 74 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 16.4 | 450 | 2 | 2 | 10 | 20 | 84 | 99+ | 99+ |
| B. *Operated* | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 13.6 | 256 | 2 | 3 | 8 | 20 | 33 | 85 | 99+ |
| B. *Operated* | 6 | 20.3 | 451 | 1 | 1 | 13 | 47 | 90 | 99+ | 99+ |
| **1. SINGLE DX** | 23 | 16.5 | 430 | 2 | 2 | 11 | 19 | 82 | 99+ | 99+ |
| **2. MULTIPLE DX** | 93 | 14.1 | 266 | 2 | 3 | 8 | 20 | 43 | 91 | 99+ |
| **A. NOT OPERATED** | 109 | 14.2 | 292 | 2 | 3 | 9 | 20 | 42 | 92 | 99+ |
| **B. OPERATED** | 7 | 20.0 | 377 | 1 | 1 | 15 | 47 | 84 | 99+ | 99+ |
| TOTAL 0-19 YRS | 2 | 11.5 | 5 | 10 | 10 | 11 | 13 | 13 | 13 | 13 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 19 | 9.5 | 174 | 2 | 3 | 5 | 10 | 14 | 41 | 62 |
| 65+ | 93 | 15.9 | 327 | 2 | 3 | 10 | 23 | 64 | 99+ | 99+ |
| **GRAND TOTAL** | **116** | **14.6** | **296** | **2** | **3** | **10** | **20** | **47** | **96** | **99+** |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 6 | 8.7 | 213 | <1 | <1 | 2 | 8 | 35 | 38 | 38 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 14.9 | 72 | 7 | 7 | 11 | 22 | 28 | 29 | 29 |
| 35-49 | 5 | 19.2 | 32 | 10 | 11 | 21 | 25 | 92 | 99+ | 99+ |
| 50-64 | 10 | 19.9 | 235 | 3 | 5 | 15 | 23 | 47 | 48 | 48 |
| 65+ | 5 | 30.0 | 105 | 21 | 21 | 29 | 34 | 47 | 47 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 7.3 | 55 | 1 | 1 | 5 | 13 | 17 | 17 | 17 |
| 35-49 | 2 | 13.5 | 181 | 4 | 4 | 13 | 23 | 23 | 23 | 23 |
| 50-64 | 2 | 19.5 | 313 | 7 | 7 | 19 | 32 | 32 | 32 | 32 |
| 65+ | 6 | 41.7 | 1633 | 5 | 7 | 59 | 98 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 45.0 | 219 | 28 | 28 | 52 | 54 | 55 | 55 | 55 |
| 20-34 | 5 | 25.4 | 402 | 13 | 13 | 17 | 30 | 61 | 61 | 61 |
| 35-49 | 15 | 22.2 | 211 | 3 | 5 | 25 | 37 | 99+ | 99+ | 99+ |
| 50-64 | 13 | 33.7 | 452 | 8 | 10 | 30 | 55 | 81 | 96 | 99+ |
| 65+ | 6 | 25.0 | 172 | 14 | 14 | 19 | 35 | 46 | 47 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 5.2 | 111 | <1 | <1 | 1 | 3 | 17 | 35 | 38 |
| B. *Operated* | 27 | 20.3 | 145 | 7 | 8 | 20 | 27 | 47 | 53 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 24.6 | 929 | 1 | 2 | 17 | 60 | 99+ | 99+ | 99+ |
| B. *Operated* | 42 | 28.2 | 321 | 6 | 10 | 27 | 47 | 77 | 99+ | 99+ |
| **1. SINGLE DX** | 39 | 15.7 | 182 | <1 | 1 | 13 | 24 | 42 | 47 | 99+ |
| **2. MULTIPLE DX** | 56 | 27.3 | 461 | 3 | 6 | 25 | 47 | 98 | 99+ | 99+ |
| **A. NOT OPERATED** | 26 | 15.7 | 630 | <1 | <1 | 6 | 27 | 94 | 99+ | 99+ |
| **B. OPERATED** | 69 | 25.1 | 264 | 6 | 8 | 23 | 36 | 61 | 99+ | 99+ |
| TOTAL 0-19 YRS | 4 | 34.0 | 630 | 1 | 1 | 40 | 53 | 55 | 55 | 55 |
| 20-34 | 22 | 14.2 | 204 | <1 | 1 | 10 | 17 | 32 | 47 | 61 |
| 35-49 | 23 | 19.9 | 172 | 2 | 4 | 23 | 33 | 99+ | 99+ | 99+ |
| 50-64 | 28 | 24.4 | 398 | 1 | 3 | 20 | 37 | 59 | 80 | 99+ |
| 65+ | 18 | 30.7 | 658 | 3 | 8 | 26 | 47 | 98 | 99+ | 99+ |
| **GRAND TOTAL** | **95** | **22.5** | **376** | **1** | **2** | **20** | **34** | **67** | **99+** | **99+** |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 55.0 | | 55 | 55 | 55 | 55 | 55 | 55 | 55 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 65+ | 2 | 43.5 | 3445 | 2 | 2 | 85 | 96 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 43.5 | 359 | 20 | 20 | 50 | 74 | 99+ | 99+ | 99+ |
| 50-64 | 2 | 28.5 | 1513 | 1 | 1 | 99+ | 99+ | 99+ | 99+ | 99+ |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 31.0 | 1387 | 2 | 2 | 32 | 85 | 98 | 99+ | 99+ |
| B. *Operated* | 6 | 38.5 | 578 | 2 | 12 | 65 | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 11 | 35.1 | 859 | 1 | 2 | 56 | 99+ | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 5 | 31.0 | 1387 | 2 | 2 | 32 | 85 | 98 | 99+ | 99+ |
| **B. OPERATED** | 6 | 38.5 | 578 | 2 | 12 | 65 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 55.0 | | 55 | 55 | 77 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 4 | 43.5 | 359 | 20 | 20 | 50 | 74 | 99+ | 99+ | 99+ |
| 50-64 | 4 | 17.5 | 670 | 1 | 2 | 56 | 99+ | 99+ | 99+ | 99+ |
| 65+ | 2 | 43.5 | 3445 | 2 | 2 | 85 | 96 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **11** | **35.1** | **859** | **1** | **2** | **56** | **99+** | **99+** | **99+** | **99+** |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 25.5 | 365 | 12 | 12 | 25 | 39 | 39 | 39 | 39 |
| 65+ | 10 | 17.6 | 242 | 1 | 4 | 18 | 41 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 20-34 | 3 | 12.7 | 17 | 8 | 8 | 14 | 15 | 16 | 16 | 16 |
| 35-49 | 3 | 14.3 | 6 | 12 | 12 | 14 | 16 | 17 | 17 | 17 |
| 50-64 | 10 | 9.8 | 27 | 4 | 4 | 11 | 15 | 51 | 96 | 99+ |
| 65+ | 14 | 19.6 | 599 | 4 | 6 | 11 | 18 | 93 | 98 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 35-49 | 4 | 4.5 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | 8 | 21.0 | 662 | 4 | 5 | 10 | 46 | 92 | 99+ | 99+ |
| 65+ | 33 | 25.0 | 424 | 3 | 5 | 23 | 44 | 71 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 19.0 | 162 | 4 | 4 | 19 | 25 | 38 | 39 | 39 |
| 20-34 | 8 | 14.9 | 88 | 5 | 5 | 14 | 19 | 29 | 33 | 33 |
| 35-49 | 8 | 19.1 | 62 | 7 | 8 | 20 | 25 | 28 | 29 | 29 |
| 50-64 | 8 | 34.3 | 1023 | 8 | 8 | 17 | 65 | 80 | 84 | 84 |
| 65+ | 28 | 26.7 | 369 | 8 | 9 | 18 | 44 | 66 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 14.4 | 220 | 1 | 2 | 8 | 35 | 78 | 99+ | 99+ |
| B. *Operated* | 32 | 14.7 | 283 | 4 | 5 | 12 | 16 | 58 | 98 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 21.7 | 431 | 3 | 4 | 15 | 34 | 74 | 99+ | 99+ |
| B. *Operated* | 58 | 24.3 | 369 | 5 | 7 | 18 | 35 | 62 | 77 | 99+ |
| **1. SINGLE DX** | 49 | 14.6 | 256 | 2 | 4 | 11 | 18 | 62 | 99+ | 99+ |
| **2. MULTIPLE DX** | 106 | 23.1 | 395 | 4 | 5 | 17 | 34 | 70 | 98 | 99+ |
| **A. NOT OPERATED** | 65 | 19.8 | 382 | 2 | 3 | 14 | 34 | 75 | 99+ | 99+ |
| **B. OPERATED** | 90 | 20.8 | 356 | 5 | 6 | 15 | 25 | 62 | 91 | 99+ |
| TOTAL 0-19 YRS | 11 | 13.5 | 128 | 3 | 3 | 10 | 20 | 31 | 38 | 39 |
| 20-34 | 15 | 11.7 | 70 | 1 | 2 | 10 | 17 | 21 | 30 | 33 |
| 35-49 | 16 | 13.9 | 71 | 3 | 3 | 13 | 20 | 27 | 28 | 29 |
| 50-64 | 28 | 21.1 | 559 | 4 | 5 | 12 | 35 | 82 | 99+ | 99+ |
| 65+ | 85 | 23.8 | 410 | 4 | 6 | 18 | 43 | 75 | 99+ | 99+ |
| **GRAND TOTAL** | **155** | **20.4** | **365** | **3** | **5** | **15** | **29** | **70** | **99+** | **99+** |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 5 | 52.4 | 930 | 24 | 24 | 54 | 69 | 99 | 99 | 99+ |
| 65+ | 9 | 59.8 | 1468 | 7 | 11 | 77 | 98 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 36.0 | | 36 | 36 | 68 | 99+ | 99+ | 99+ | 99+ |
| 50-64 | 2 | 51.0 | 1058 | 28 | 28 | 74 | 93 | 99+ | 99+ | 99+ |
| 65+ | 3 | 32.0 | 751 | 11 | 11 | 42 | 81 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 57.1 | 1203 | 9 | 15 | 59 | 98 | 99 | 99+ | 99+ |
| B. *Operated* | 6 | 39.0 | 601 | 11 | 15 | 63 | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 20 | 51.7 | 1054 | 10 | 15 | 60 | 98 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 14 | 57.1 | 1203 | 9 | 15 | 59 | 98 | 99 | 99+ | 99+ |
| **B. OPERATED** | 6 | 39.0 | 601 | 11 | 15 | 63 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 36.0 | | 36 | 36 | 68 | 99+ | 99+ | 99+ | 99+ |
| 50-64 | 7 | 52.0 | 797 | 24 | 25 | 56 | 86 | 99+ | 99+ | 99+ |
| 65+ | 12 | 52.8 | 1362 | 8 | 11 | 62 | 98 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **20** | **51.7** | **1054** | **10** | **15** | **60** | **98** | **99+** | **99+** | **99+** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 10.0 | 79 | 3 | 3 | 7 | 17 | 20 | 20 | 20 |
| 50-64 | 5 | 5.4 | 21 | 1 | 1 | 4 | 9 | 12 | 12 | 12 |
| 65+ | 5 | 15.8 | 214 | 4 | 4 | 10 | 25 | 39 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 15 | 7.6 | 30 | 2 | 2 | 7 | 11 | 12 | 20 | 22 |
| 50-64 | 81 | 9.4 | 50 | 1 | 2 | 8 | 13 | 18 | 23 | 32 |
| 65+ | 80 | 10.4 | 56 | 1 | 2 | 9 | 14 | 19 | 27 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 20-34 | | | | | | | | | | |
| 35-49 | 5 | 7.4 | 23 | 2 | 2 | 6 | 10 | 15 | 15 | 15 |
| 50-64 | 15 | 8.5 | 57 | 1 | 2 | 7 | 12 | 30 | 79 | 99+ |
| 65+ | 21 | 17.1 | 501 | 1 | 2 | 7 | 22 | 43 | 71 | 96 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 35-49 | 36 | 10.4 | 49 | 2 | 3 | 9 | 14 | 21 | 23 | 31 |
| 50-64 | 234 | 11.3 | 73 | 1 | 3 | 9 | 15 | 21 | 27 | 41 |
| 65+ | 207 | 12.3 | 73 | 1 | 3 | 11 | 15 | 25 | 29 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 10.1 | 107 | 1 | 2 | 6 | 12 | 23 | 35 | 39 |
| B. *Operated* | 178 | 9.6 | 51 | 1 | 2 | 8 | 13 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 12.7 | 286 | 1 | 2 | 7 | 15 | 32 | 67 | 99+ |
| B. *Operated* | 479 | 11.7 | 71 | 1 | 3 | 10 | 15 | 23 | 28 | 40 |
| **1. SINGLE DX** | 192 | 9.7 | 55 | 1 | 2 | 8 | 13 | 19 | 24 | 36 |
| **2. MULTIPLE DX** | 521 | 11.8 | 88 | 1 | 3 | 10 | 15 | 23 | 29 | 46 |
| **A. NOT OPERATED** | 56 | 12.1 | 239 | 1 | 2 | 7 | 15 | 31 | 47 | 99+ |
| **B. OPERATED** | 657 | 11.1 | 66 | 1 | 2 | 10 | 15 | 22 | 27 | 37 |
| TOTAL 0-19 YRS | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 20-34 | 4 | 5.3 | 21 | 2 | 2 | 3 | 8 | 12 | 12 | 12 |
| 35-49 | 59 | 9.4 | 43 | 2 | 2 | 8 | 12 | 20 | 22 | 30 |
| 50-64 | 335 | 10.7 | 67 | 1 | 2 | 9 | 15 | 21 | 27 | 41 |
| 65+ | 313 | 12.2 | 100 | 1 | 3 | 10 | 15 | 25 | 29 | 44 |
| **GRAND TOTAL** | **713** | **11.2** | **80** | **1** | **2** | **9** | **15** | **22** | **28** | **40** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 16.0 | 1 | 15 | 15 | 16 | 17 | 17 | 17 | 17 |
| 65+ | 7 | 31.6 | 1159 | 3 | 5 | 21 | 94 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 35-49 | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| 50-64 | 17 | 14.1 | 123 | 6 | 7 | 11 | 16 | 44 | 81 | 99+ |
| 65+ | 5 | 22.8 | 290 | 7 | 8 | 25 | 88 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 26.9 | 829 | 4 | 7 | 17 | 79 | 99+ | 99+ | 99+ |
| B. *Operated* | 25 | 16.1 | 157 | 6 | 7 | 13 | 24 | 86 | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 35 | 19.2 | 355 | 6 | 7 | 15 | 28 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 10 | 26.9 | 829 | 4 | 7 | 17 | 79 | 99+ | 99+ | 99+ |
| **B. OPERATED** | 25 | 16.1 | 157 | 6 | 7 | 13 | 24 | 86 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 31.0 | | 31 | 31 | 31 | 31 | 31 | 31 | 31 |
| 35-49 | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| 50-64 | 20 | 14.4 | 105 | 6 | 7 | 13 | 16 | 35 | 74 | 99+ |
| 65+ | 12 | 27.9 | 758 | 4 | 7 | 23 | 96 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **35** | **19.2** | **355** | **6** | **7** | **15** | **28** | **99+** | **99+** | **99+** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 6.8 | 16 | 2 | 2 | 7 | 10 | 10 | 10 | 10 |
| 35-49 | 8 | 8.3 | 3 | 6 | 6 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 14 | 12.9 | 180 | 3 | 3 | 10 | 14 | 24 | 49 | 56 |
| 65+ | 49 | 16.8 | 200 | 3 | 3 | 11 | 26 | 40 | 52 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 13.0 | 50 | 8 | 8 | 13 | 18 | 18 | 18 | 18 |
| 35-49 | 3 | 8.7 | 41 | 4 | 4 | 6 | 13 | 16 | 16 | 16 |
| 50-64 | 7 | 11.1 | 46 | 2 | 3 | 11 | 14 | 21 | 23 | 23 |
| 65+ | 9 | 14.9 | 125 | 6 | 6 | 12 | 18 | 32 | 42 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 20-34 | 3 | 12.3 | 10 | 10 | 10 | 11 | 15 | 16 | 16 | 16 |
| 35-49 | 9 | 11.0 | 46 | 4 | 5 | 10 | 13 | 23 | 25 | 25 |
| 50-64 | 82 | 16.2 | 205 | 2 | 4 | 11 | 22 | 49 | 57 | 99+ |
| 65+ | 285 | 22.8 | 380 | 3 | 5 | 17 | 35 | 65 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 3 | 8.7 | 25 | 4 | 4 | 8 | 12 | 14 | 14 | 14 |
| 35-49 | 20 | 13.2 | 80 | 3 | 3 | 11 | 18 | 27 | 33 | 33 |
| 50-64 | 43 | 12.8 | 74 | 3 | 5 | 11 | 22 | 32 | 99+ | 99+ |
| 65+ | 60 | 25.1 | 464 | 3 | 5 | 21 | 39 | 90 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 14.6 | 174 | 3 | 3 | 10 | 21 | 37 | 49 | 89 |
| B. *Operated* | 22 | 12.2 | 76 | 3 | 4 | 10 | 16 | 20 | 31 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 381 | 21.0 | 340 | 3 | 5 | 15 | 31 | 57 | 82 | 99+ |
| B. *Operated* | 127 | 18.6 | 293 | 3 | 5 | 14 | 29 | 56 | 99+ | 99+ |
| **1. SINGLE DX** | 97 | 14.1 | 151 | 3 | 4 | 10 | 18 | 34 | 42 | 80 |
| **2. MULTIPLE DX** | 508 | 20.4 | 328 | 3 | 5 | 15 | 30 | 57 | 90 | 99+ |
| **A. NOT OPERATED** | 456 | 19.9 | 317 | 3 | 5 | 14 | 29 | 55 | 76 | 99+ |
| **B. OPERATED** | 149 | 17.6 | 266 | 3 | 5 | 13 | 25 | 48 | 98 | 99+ |
| TOTAL 0-19 YRS | 4 | 9.5 | 15 | 4 | 4 | 10 | 12 | 13 | 13 | 13 |
| 20-34 | 12 | 9.7 | 23 | 2 | 3 | 10 | 12 | 17 | 18 | 18 |
| 35-49 | 40 | 11.4 | 55 | 3 | 4 | 9 | 15 | 20 | 29 | 33 |
| 50-64 | 146 | 14.6 | 157 | 2 | 4 | 11 | 21 | 38 | 57 | 99+ |
| 65+ | 403 | 22.2 | 369 | 3 | 5 | 16 | 34 | 61 | 91 | 99+ |
| **GRAND TOTAL** | **605** | **19.3** | **305** | **3** | **5** | **14** | **28** | **54** | **79** | **99+** |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 1 | 99.0 | | 99 | 99 | 99 | 99 | 99 | 99+ | 99+ |
| 35-49 | 4 | 13.3 | 152 | 4 | 4 | 9 | 21 | 31 | 31 | 31 |
| 50-64 | 36 | 28.6 | 556 | 5 | 7 | 18 | 42 | 64 | 76 | 95 |
| 65+ | 99 | 29.4 | 525 | 4 | 6 | 27 | 53 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 35-49 | 5 | 40.6 | 1107 | 9 | 9 | 36 | 71 | 82 | 82 | 82 |
| 50-64 | 6 | 24.0 | 134 | 12 | 13 | 29 | 69 | 99+ | 99+ | 99+ |
| 65+ | 7 | 42.9 | 960 | 8 | 15 | 78 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 141 | 29.1 | 554 | 4 | 6 | 25 | 49 | 88 | 99+ | 99+ |
| B. *Operated* | 19 | 35.7 | 676 | 8 | 10 | 39 | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 160 | 29.9 | 569 | 5 | 6 | 27 | 57 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 141 | 29.1 | 554 | 4 | 6 | 25 | 49 | 88 | 99+ | 99+ |
| **B. OPERATED** | 19 | 35.7 | 676 | 8 | 10 | 39 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 2 | 65.5 | 2245 | 32 | 32 | 65 | 99 | 99 | 99 | 99+ |
| 35-49 | 9 | 28.4 | 816 | 4 | 5 | 12 | 44 | 76 | 82 | 82 |
| 50-64 | 42 | 27.9 | 494 | 6 | 8 | 19 | 42 | 67 | 96 | 99+ |
| 65+ | 106 | 30.3 | 556 | 4 | 6 | 28 | 61 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **160** | **29.9** | **569** | **5** | **6** | **27** | **57** | **99+** | **99+** | **99+** |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 11 | 3.5 | 4 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| 35-49 | 29 | 3.1 | 6 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| 50-64 | 128 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 13 | 31 |
| 65+ | 359 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 24 | 6.0 | 13 | 1 | 2 | 6 | 8 | 12 | 12 | 12 |
| 50-64 | 69 | 6.0 | 22 | 2 | 2 | 4 | 8 | 13 | 15 | 24 |
| 65+ | 47 | 6.1 | 27 | 1 | 1 | 4 | 8 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 6 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 35-49 | 36 | 4.8 | 9 | 2 | 2 | 4 | 7 | 9 | 11 | 13 |
| 50-64 | 249 | 7.0 | 48 | 1 | 2 | 5 | 9 | 14 | 19 | 46 |
| 65+ | 1095 | 9.6 | 111 | 2 | 2 | 7 | 12 | 20 | 29 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 7.2 | 38 | 2 | 2 | 6 | 8 | 18 | 22 | 22 |
| 35-49 | 33 | 7.3 | 17 | 3 | 3 | 6 | 9 | 13 | 15 | 20 |
| 50-64 | 126 | 9.1 | 62 | 2 | 2 | 8 | 12 | 18 | 22 | 74 |
| 65+ | 159 | 12.7 | 136 | 2 | 3 | 9 | 16 | 26 | 34 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 529 | 5.4 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| B. *Operated* | 143 | 6.0 | 22 | 1 | 2 | 4 | 8 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1388 | 9.0 | 98 | 1 | 2 | 6 | 11 | 18 | 28 | 79 |
| B. *Operated* | 327 | 10.6 | 97 | 2 | 3 | 8 | 13 | 22 | 27 | 64 |
| **1. SINGLE DX** | 672 | 5.5 | 25 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| **2. MULTIPLE DX** | 1715 | 9.3 | 98 | 1 | 2 | 6 | 11 | 19 | 28 | 65 |
| **A. NOT OPERATED** | 1917 | 8.0 | 81 | 1 | 2 | 5 | 10 | 16 | 25 | 55 |
| **B. OPERATED** | 470 | 9.2 | 78 | 1 | 2 | 7 | 12 | 18 | 25 | 59 |
| TOTAL 0-19 YRS | 4 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 29 | 4.7 | 16 | 2 | 2 | 3 | 6 | 7 | 12 | 22 |
| 35-49 | 122 | 5.3 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 50-64 | 572 | 7.0 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 40 |
| 65+ | 1660 | 8.9 | 97 | 1 | 2 | 6 | 11 | 18 | 27 | 63 |
| **GRAND TOTAL** | **2387** | **8.2** | **80** | **1** | **2** | **6** | **10** | **17** | **25** | **56** |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 4.0 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | 9 | 3.7 | 8 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 11 | 5.6 | 9 | 1 | 2 | 7 | 8 | 36 | 91 | 99+ |
| 50-64 | 86 | 12.0 | 112 | 2 | 3 | 9 | 15 | 26 | 38 | 85 |
| 65+ | 429 | 17.0 | 306 | 2 | 3 | 11 | 26 | 52 | 92 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 10.5 | 206 | 3 | 3 | 4 | 18 | 32 | 32 | 32 |
| 35-49 | 4 | 10.5 | 17 | 6 | 6 | 11 | 14 | 14 | 14 | 14 |
| 50-64 | 11 | 8.0 | 32 | 1 | 2 | 7 | 10 | 16 | 21 | 22 |
| 65+ | 12 | 10.5 | 96 | 1 | 2 | 8 | 16 | 49 | 90 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 11.0 | 176 | 2 | 3 | 6 | 19 | 61 | 94 | 99+ |
| 20-34 | 11 | 6.7 | 21 | 2 | 2 | 7 | 9 | 13 | 18 | 18 |
| 35-49 | 18 | 15.0 | 487 | 1 | 1 | 10 | 15 | 28 | 71 | 98 |
| 50-64 | 233 | 16.9 | 321 | 2 | 4 | 12 | 20 | 44 | 67 | 99+ |
| 65+ | 1091 | 21.9 | 408 | 3 | 5 | 15 | 35 | 73 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 6 | 25.3 | 336 | 5 | 6 | 22 | 35 | 54 | 56 | 56 |
| 35-49 | 9 | 24.1 | 173 | 9 | 10 | 24 | 32 | 44 | 45 | 45 |
| 50-64 | 38 | 20.5 | 313 | 2 | 5 | 16 | 26 | 58 | 94 | 99+ |
| 65+ | 89 | 32.2 | 430 | 8 | 10 | 34 | 60 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 541 | 15.6 | 270 | 2 | 3 | 10 | 23 | 45 | 80 | 99+ |
| B. *Operated* | 31 | 9.6 | 70 | 1 | 2 | 7 | 13 | 25 | 36 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1364 | 20.8 | 395 | 3 | 4 | 14 | 32 | 68 | 99+ | 99+ |
| B. *Operated* | 143 | 28.2 | 398 | 5 | 9 | 26 | 50 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 572 | 15.3 | 261 | 2 | 3 | 10 | 22 | 42 | 76 | 99+ |
| **2. MULTIPLE DX** | 1507 | 21.5 | 400 | 3 | 4 | 15 | 34 | 70 | 99+ | 99+ |
| **A. NOT OPERATED** | 1905 | 19.3 | 365 | 2 | 4 | 13 | 29 | 62 | 99+ | 99+ |
| **B. OPERATED** | 174 | 24.9 | 390 | 3 | 6 | 21 | 44 | 94 | 99+ | 99+ |
| TOTAL 0-19 YRS | 18 | 8.8 | 119 | 1 | 2 | 5 | 10 | 38 | 75 | 99+ |
| 20-34 | 30 | 10.0 | 154 | <1 | 1 | 5 | 9 | 29 | 35 | 56 |
| 35-49 | 42 | 14.1 | 282 | 1 | 2 | 9 | 16 | 33 | 63 | 99+ |
| 50-64 | 368 | 15.9 | 269 | 2 | 4 | 11 | 19 | 37 | 61 | 99+ |
| 65+ | 1621 | 21.1 | 392 | 3 | 4 | 15 | 34 | 70 | 99+ | 99+ |
| **GRAND TOTAL** | **2079** | **19.8** | **369** | **2** | **4** | **14** | **30** | **63** | **99+** | **99+** |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 64.0 | | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| 20-34 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 6 | 6.7 | 18 | 2 | 2 | 5 | 9 | 13 | 14 | 14 |
| 50-64 | 86 | 25.5 | 436 | 3 | 4 | 19 | 47 | 64 | 71 | 99+ |
| 65+ | 367 | 29.1 | 503 | 5 | 7 | 27 | 57 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 9.8 | 52 | 3 | 3 | 16 | 37 | 99+ | 99+ | 99+ |
| 50-64 | 11 | 18.4 | 152 | 5 | 7 | 19 | 38 | 99+ | 99+ | 99+ |
| 65+ | 28 | 37.5 | 565 | 10 | 13 | 41 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 462 | 28.1 | 493 | 4 | 6 | 25 | 53 | 99+ | 99+ | 99+ |
| B. *Operated* | 43 | 30.0 | 516 | 6 | 8 | 34 | 90 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 505 | 28.3 | 494 | 4 | 6 | 26 | 56 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 462 | 28.1 | 493 | 4 | 6 | 25 | 53 | 99+ | 99+ | 99+ |
| **B. OPERATED** | 43 | 30.0 | 516 | 6 | 8 | 34 | 90 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 1 | 64.0 | | 64 | 64 | 64 | 64 | 64 | 64 | 64 |
| 20-34 | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 10 | 7.9 | 30 | 2 | 3 | 6 | 15 | 50 | 96 | 99+ |
| 50-64 | 97 | 24.7 | 407 | 4 | 5 | 19 | 45 | 65 | 99+ | 99+ |
| 65+ | 395 | 29.7 | 511 | 5 | 7 | 28 | 60 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **505** | **28.3** | **494** | **4** | **6** | **26** | **56** | **99+** | **99+** | **99+** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 3.8 | 4 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 35-49 | 11 | 6.1 | 34 | 1 | 1 | 3 | 8 | 17 | 18 | 18 |
| 50-64 | 36 | 6.3 | 31 | <1 | 1 | 4 | 10 | 16 | 17 | 21 |
| 65+ | 188 | 10.5 | 124 | 1 | 2 | 7 | 13 | 29 | 40 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 14.8 | 118 | 2 | 2 | 13 | 19 | 32 | 32 | 32 |
| 35-49 | 8 | 7.6 | 49 | 1 | 1 | 5 | 15 | 16 | 16 | 16 |
| 50-64 | 24 | 8.3 | 47 | 1 | 1 | 7 | 15 | 19 | 21 | 22 |
| 65+ | 13 | 11.9 | 240 | 1 | 1 | 5 | 18 | 36 | 50 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 13.8 | 95 | 3 | 3 | 15 | 22 | 22 | 22 | 22 |
| 20-34 | 7 | 6.9 | 15 | 2 | 2 | 6 | 11 | 12 | 12 | 12 |
| 35-49 | 23 | 9.5 | 56 | 1 | 2 | 7 | 13 | 22 | 25 | 31 |
| 50-64 | 108 | 13.6 | 324 | 1 | 2 | 8 | 15 | 38 | 63 | 99+ |
| 65+ | 744 | 17.8 | 374 | 3 | 4 | 12 | 25 | 67 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 13.3 | 89 | 3 | 3 | 12 | 19 | 28 | 30 | 30 |
| 35-49 | 17 | 16.3 | 454 | 1 | 1 | 11 | 23 | 73 | 96 | 99+ |
| 50-64 | 44 | 12.7 | 92 | 2 | 3 | 11 | 18 | 35 | 99+ | 99+ |
| 65+ | 75 | 18.2 | 318 | 2 | 3 | 14 | 37 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 244 | 9.4 | 105 | 1 | 2 | 6 | 12 | 21 | 36 | 99+ |
| B. *Operated* | 50 | 9.8 | 103 | 1 | 1 | 7 | 15 | 20 | 32 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 886 | 17.0 | 360 | 2 | 3 | 11 | 22 | 63 | 99+ | 99+ |
| B. *Operated* | 144 | 16.0 | 254 | 2 | 3 | 13 | 23 | 73 | 99+ | 99+ |
| **1. SINGLE DX** | 294 | 9.5 | 104 | 1 | 1 | 6 | 13 | 21 | 34 | 81 |
| **2. MULTIPLE DX** | 1030 | 16.8 | 345 | 2 | 3 | 11 | 23 | 63 | 99+ | 99+ |
| **A. NOT OPERATED** | 1130 | 15.3 | 314 | 2 | 3 | 9 | 20 | 52 | 91 | 99+ |
| **B. OPERATED** | 194 | 14.4 | 221 | 1 | 2 | 12 | 20 | 48 | 99+ | 99+ |
| TOTAL 0-19 YRS | 5 | 11.8 | 90 | 3 | 3 | 8 | 22 | 22 | 22 | 22 |
| 20-34 | 28 | 9.2 | 66 | 2 | 2 | 6 | 12 | 20 | 30 | 32 |
| 35-49 | 59 | 10.6 | 173 | 1 | 1 | 7 | 15 | 23 | 32 | 99 |
| 50-64 | 212 | 11.5 | 201 | 1 | 2 | 7 | 15 | 27 | 58 | 99+ |
| 65+ | 1020 | 16.4 | 330 | 2 | 3 | 10 | 22 | 59 | 99+ | 99+ |
| **GRAND TOTAL** | **1324** | **15.2** | **301** | **2** | **3** | **10** | **20** | **52** | **93** | **99+** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 7.3 | 29 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 50-64 | 4 | 4.3 | 12 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| 65+ | 44 | 11.0 | 144 | 2 | 2 | 8 | 15 | 46 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 20-34 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 35-49 | 17 | 6.7 | 35 | 1 | 1 | 4 | 12 | 13 | 18 | 20 |
| 50-64 | 110 | 6.3 | 31 | 1 | 1 | 5 | 10 | 14 | 17 | 23 |
| 65+ | 76 | 6.8 | 34 | 1 | 1 | 6 | 11 | 15 | 17 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 35 | 10.5 | 132 | 1 | 2 | 7 | 13 | 22 | 38 | 53 |
| 65+ | 237 | 15.9 | 259 | 2 | 3 | 11 | 20 | 46 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 5 | 8.6 | 26 | 2 | 2 | 8 | 13 | 15 | 15 | 15 |
| 35-49 | 48 | 11.3 | 100 | 1 | 2 | 10 | 13 | 19 | 40 | 44 |
| 50-64 | 276 | 14.7 | 210 | 1 | 2 | 12 | 17 | 28 | 45 | 87 |
| 65+ | 357 | 16.9 | 255 | 1 | 2 | 13 | 23 | 43 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 10.2 | 128 | 1 | 2 | 7 | 14 | 29 | 90 | 99+ |
| B. *Operated* | 205 | 6.6 | 33 | 1 | 1 | 5 | 11 | 14 | 18 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 277 | 15.1 | 243 | 2 | 3 | 10 | 19 | 42 | 63 | 99+ |
| B. *Operated* | 686 | 15.6 | 227 | 1 | 2 | 12 | 20 | 38 | 58 | 99+ |
| **1. SINGLE DX** | 257 | 7.3 | 54 | 1 | 1 | 6 | 11 | 16 | 20 | 96 |
| **2. MULTIPLE DX** | 963 | 15.4 | 231 | 1 | 2 | 12 | 19 | 38 | 60 | 99+ |
| **A. NOT OPERATED** | 329 | 14.3 | 227 | 2 | 3 | 10 | 18 | 42 | 64 | 99+ |
| **B. OPERATED** | 891 | 13.5 | 196 | 1 | 1 | 11 | 17 | 30 | 47 | 99+ |
| TOTAL 0-19 YRS | 2 | 17.5 | 1 | 17 | 17 | 17 | 18 | 18 | 18 | 18 |
| 20-34 | 6 | 9.0 | 22 | 2 | 2 | 9 | 12 | 15 | 15 | 15 |
| 35-49 | 73 | 9.6 | 80 | 1 | 1 | 9 | 12 | 18 | 31 | 44 |
| 50-64 | 425 | 12.1 | 168 | 1 | 1 | 10 | 15 | 24 | 36 | 74 |
| 65+ | 714 | 15.1 | 236 | 1 | 2 | 11 | 20 | 42 | 66 | 99+ |
| **GRAND TOTAL** | **1220** | **13.7** | **205** | **1** | **1** | **11** | **17** | **34** | **54** | **99+** |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 14 | 6.4 | 33 | 2 | 2 | 4 | 6 | 17 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 3 | 19.7 | 92 | 11 | 11 | 18 | 27 | 30 | 30 | 30 |
| 50-64 | 27 | 11.5 | 22 | 3 | 4 | 12 | 14 | 18 | 19 | 22 |
| 65+ | 72 | 14.8 | 66 | 2 | 3 | 15 | 19 | 26 | 30 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 12 | 4.6 | 16 | <1 | 1 | 3 | 8 | 10 | 13 | 14 |
| 65+ | 84 | 11.5 | 78 | 2 | 2 | 10 | 16 | 24 | 35 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 2 | 18.5 | 545 | 2 | 2 | 18 | 35 | 35 | 35 | 35 |
| 35-49 | 10 | 16.5 | 88 | 3 | 7 | 14 | 18 | 30 | 39 | 39 |
| 50-64 | 114 | 17.2 | 133 | 6 | 9 | 14 | 20 | 31 | 35 | 98 |
| 65+ | 255 | 19.3 | 162 | 3 | 9 | 17 | 23 | 35 | 43 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 6.1 | 29 | 2 | 2 | 4 | 6 | 16 | 19 | 20 |
| B. *Operated* | 103 | 14.0 | 56 | 2 | 4 | 13 | 18 | 23 | 29 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 99 | 10.5 | 74 | 1 | 2 | 8 | 14 | 22 | 33 | 71 |
| B. *Operated* | 382 | 18.6 | 152 | 4 | 9 | 16 | 22 | 34 | 39 | 96 |
| **1. SINGLE DX** | 119 | 13.0 | 60 | 2 | 3 | 13 | 17 | 22 | 29 | 35 |
| **2. MULTIPLE DX** | 481 | 16.9 | 147 | 2 | 4 | 15 | 20 | 34 | 38 | 96 |
| **A. NOT OPERATED** | 115 | 9.9 | 70 | 1 | 2 | 8 | 14 | 20 | 31 | 62 |
| **B. OPERATED** | 485 | 17.6 | 135 | 3 | 8 | 15 | 21 | 31 | 38 | 89 |
| TOTAL 0-19 YRS | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 4 | 12.5 | 238 | 2 | 2 | 6 | 22 | 35 | 35 | 35 |
| 35-49 | 15 | 15.5 | 91 | 3 | 4 | 14 | 18 | 30 | 37 | 39 |
| 50-64 | 154 | 15.1 | 118 | 2 | 4 | 13 | 18 | 28 | 34 | 95 |
| 65+ | 425 | 16.6 | 138 | 2 | 4 | 15 | 20 | 30 | 38 | 83 |
| **GRAND TOTAL** | **600** | **16.1** | **132** | **2** | **4** | **14** | **20** | **29** | **36** | **87** |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 65+ | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 12.0 | 50 | 7 | 7 | 12 | 17 | 17 | 17 | 17 |
| 35-49 | 8 | 10.9 | 40 | 2 | 3 | 10 | 13 | 20 | 23 | 23 |
| 50-64 | 16 | 11.6 | 39 | 2 | 4 | 10 | 16 | 21 | 24 | 25 |
| 65+ | 17 | 10.9 | 29 | 2 | 3 | 11 | 14 | 15 | 21 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 4.5 | 10 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 18.1 | 138 | 3 | 5 | 15 | 21 | 37 | 43 | 43 |
| 35-49 | 9 | 15.3 | 72 | 8 | 8 | 12 | 19 | 30 | 32 | 32 |
| 50-64 | 37 | 16.3 | 280 | 1 | 2 | 12 | 19 | 39 | 73 | 99+ |
| 65+ | 50 | 16.4 | 72 | 8 | 9 | 14 | 20 | 26 | 29 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 4.5 | 5 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| B. *Operated* | 43 | 11.2 | 33 | 2 | 4 | 11 | 14 | 19 | 24 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| B. *Operated* | 104 | 16.4 | 147 | 3 | 6 | 13 | 20 | 32 | 41 | 92 |
| **1. SINGLE DX** | 49 | 10.4 | 34 | 2 | 3 | 10 | 14 | 18 | 23 | 25 |
| **2. MULTIPLE DX** | 109 | 15.8 | 147 | 2 | 4 | 13 | 20 | 31 | 40 | 91 |
| **A. NOT OPERATED** | 11 | 4.3 | 6 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| **B. OPERATED** | 147 | 14.9 | 119 | 2 | 4 | 12 | 18 | 27 | 36 | 85 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 15.5 | 128 | 2 | 3 | 15 | 18 | 32 | 42 | 43 |
| 35-49 | 17 | 13.2 | 58 | 3 | 6 | 12 | 14 | 26 | 30 | 32 |
| 50-64 | 57 | 14.1 | 203 | 1 | 2 | 11 | 15 | 34 | 48 | 99 |
| 65+ | 73 | 14.2 | 69 | 3 | 5 | 13 | 18 | 25 | 28 | 45 |
| **GRAND TOTAL** | **158** | **14.1** | **118** | **2** | **3** | **12** | **17** | **26** | **36** | **82** |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 6 | 7.3 | 19 | 3 | 3 | 6 | 11 | 14 | 14 | 14 |
| 35-49 | 6 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 14 | 6.9 | 28 | <1 | 1 | 5 | 12 | 14 | 15 | 15 |
| 65+ | 26 | 8.6 | 57 | 1 | 1 | 6 | 14 | 21 | 25 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 8.2 | 26 | <1 | 1 | 9 | 12 | 15 | 16 | 16 |
| 35-49 | 55 | 10.1 | 56 | 1 | 2 | 10 | 14 | 18 | 21 | 43 |
| 50-64 | 212 | 10.1 | 72 | 1 | 1 | 11 | 14 | 18 | 21 | 33 |
| 65+ | 198 | 11.3 | 88 | 2 | 2 | 10 | 15 | 21 | 30 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 9.5 | 35 | 5 | 5 | 7 | 13 | 18 | 18 | 18 |
| 35-49 | 9 | 6.7 | 20 | 1 | 1 | 7 | 10 | 13 | 14 | 14 |
| 50-64 | 30 | 8.7 | 19 | 1 | 3 | 8 | 12 | 14 | 16 | 19 |
| 65+ | 64 | 9.6 | 37 | 1 | 1 | 10 | 14 | 18 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 16.8 | 331 | 1 | 2 | 9 | 23 | 48 | 51 | 51 |
| 35-49 | 79 | 12.4 | 58 | 2 | 3 | 12 | 18 | 23 | 31 | 99+ |
| 50-64 | 391 | 14.5 | 112 | 1 | 3 | 13 | 17 | 26 | 34 | 81 |
| 65+ | 513 | 17.3 | 193 | 1 | 3 | 15 | 22 | 35 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 7.6 | 40 | 1 | 1 | 6 | 12 | 16 | 21 | 25 |
| B. *Operated* | 478 | 10.6 | 76 | 1 | 2 | 10 | 14 | 19 | 24 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 9.1 | 31 | 1 | 2 | 9 | 13 | 16 | 19 | 23 |
| B. *Operated* | 989 | 15.8 | 153 | 1 | 3 | 14 | 20 | 30 | 43 | 99+ |
| **1. SINGLE DX** | 531 | 10.3 | 73 | 1 | 2 | 10 | 14 | 19 | 23 | 47 |
| **2. MULTIPLE DX** | 1097 | 15.2 | 145 | 1 | 3 | 13 | 19 | 29 | 42 | 99+ |
| **A. NOT OPERATED** | 161 | 8.6 | 34 | 1 | 1 | 8 | 13 | 16 | 19 | 25 |
| **B. OPERATED** | 1467 | 14.1 | 134 | 1 | 2 | 12 | 18 | 27 | 39 | 96 |
| TOTAL 0-19 YRS | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 20-34 | 29 | 10.0 | 90 | 1 | 2 | 9 | 12 | 17 | 24 | 51 |
| 35-49 | 149 | 10.9 | 57 | 1 | 2 | 10 | 15 | 21 | 24 | 99 |
| 50-64 | 647 | 12.6 | 98 | 1 | 2 | 12 | 16 | 23 | 28 | 59 |
| 65+ | 801 | 15.0 | 160 | 1 | 2 | 13 | 19 | 30 | 43 | 99+ |
| **GRAND TOTAL** | **1628** | **13.6** | **127** | **1** | **2** | **12** | **17** | **26** | **35** | **87** |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 9.8 | 86 | 2 | 2 | 6 | 12 | 23 | 30 | 39 |
| 20-34 | 5 | 3.6 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 35-49 | 19 | 9.1 | 68 | 1 | 2 | 6 | 11 | 25 | 28 | 28 |
| 50-64 | 27 | 6.1 | 45 | 1 | 1 | 4 | 7 | 11 | 19 | 34 |
| 65+ | 55 | 5.9 | 58 | <1 | 1 | 4 | 7 | 12 | 13 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 6.2 | 28 | <1 | <1 | 3 | 11 | 13 | 17 | 18 |
| 20-34 | 26 | 6.7 | 24 | 1 | 2 | 6 | 10 | 14 | 17 | 19 |
| 35-49 | 64 | 8.7 | 53 | 1 | 2 | 8 | 12 | 16 | 18 | 43 |
| 50-64 | 138 | 9.3 | 107 | 1 | 2 | 7 | 12 | 18 | 24 | 55 |
| 65+ | 116 | 11.1 | 102 | 1 | 2 | 9 | 16 | 24 | 27 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 9.9 | 47 | 4 | 4 | 6 | 18 | 20 | 22 | 22 |
| 20-34 | 12 | 5.8 | 13 | 2 | 2 | 5 | 8 | 11 | 14 | 14 |
| 35-49 | 17 | 9.9 | 83 | 1 | 2 | 6 | 14 | 26 | 28 | 29 |
| 50-64 | 65 | 10.3 | 111 | 1 | 2 | 7 | 13 | 20 | 35 | 53 |
| 65+ | 203 | 13.5 | 182 | 2 | 3 | 9 | 15 | 33 | 48 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 20.6 | 455 | 2 | 3 | 14 | 29 | 56 | 69 | 69 |
| 20-34 | 25 | 13.9 | 133 | 2 | 3 | 11 | 20 | 25 | 34 | 55 |
| 35-49 | 82 | 14.0 | 246 | 2 | 2 | 9 | 19 | 33 | 66 | 99+ |
| 50-64 | 269 | 13.9 | 192 | 1 | 2 | 11 | 18 | 28 | 42 | 99+ |
| 65+ | 368 | 18.4 | 294 | 2 | 3 | 15 | 25 | 52 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132 | 7.1 | 62 | 1 | 1 | 5 | 8 | 14 | 27 | 41 |
| B. *Operated* | 357 | 9.4 | 88 | 1 | 2 | 7 | 13 | 20 | 25 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 12.2 | 152 | 2 | 2 | 9 | 14 | 26 | 42 | 77 |
| B. *Operated* | 753 | 16.2 | 253 | 2 | 2 | 12 | 21 | 42 | 64 | 99+ |
| **1. SINGLE DX** | 489 | 8.8 | 82 | 1 | 2 | 6 | 12 | 19 | 25 | 47 |
| **2. MULTIPLE DX** | 1064 | 15.0 | 226 | 2 | 2 | 11 | 19 | 38 | 57 | 99+ |
| **A. NOT OPERATED** | 443 | 10.7 | 131 | 1 | 2 | 7 | 13 | 24 | 34 | 68 |
| **B. OPERATED** | 1110 | 14.0 | 210 | 1 | 2 | 10 | 18 | 33 | 53 | 99+ |
| TOTAL 0-19 YRS | 62 | 10.6 | 130 | 2 | 2 | 7 | 13 | 22 | 32 | 65 |
| 20-34 | 68 | 9.0 | 74 | 2 | 2 | 6 | 12 | 19 | 24 | 50 |
| 35-49 | 182 | 11.2 | 149 | 1 | 2 | 8 | 14 | 26 | 34 | 95 |
| 50-64 | 499 | 11.7 | 155 | 1 | 2 | 9 | 15 | 24 | 35 | 83 |
| 65+ | 742 | 15.0 | 230 | 2 | 2 | 11 | 20 | 40 | 58 | 99+ |
| **GRAND TOTAL** | **1553** | **13.1** | **189** | **1** | **2** | **9** | **17** | **30** | **49** | **99+** |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 8.7 | 27 | 3 | 4 | 8 | 9 | 18 | 21 | 21 |
| 20-34 | 91 | 8.7 | 26 | 2 | 3 | 8 | 11 | 16 | 18 | 25 |
| 35-49 | 141 | 8.6 | 20 | 3 | 3 | 8 | 10 | 15 | 17 | 22 |
| 50-64 | 165 | 9.0 | 34 | 2 | 3 | 8 | 11 | 17 | 20 | 31 |
| 65+ | 157 | 10.1 | 49 | 3 | 4 | 8 | 13 | 19 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 9.5 | 40 | 2 | 2 | 10 | 13 | 18 | 22 | 22 |
| 20-34 | 40 | 7.4 | 31 | 1 | 1 | 6 | 12 | 16 | 17 | 20 |
| 35-49 | 31 | 9.5 | 26 | 2 | 3 | 9 | 11 | 16 | 21 | 23 |
| 50-64 | 43 | 10.3 | 60 | 2 | 2 | 8 | 13 | 18 | 26 | 39 |
| 65+ | 25 | 10.6 | 34 | 3 | 3 | 10 | 15 | 19 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.4 | 31 | 1 | 2 | 6 | 13 | 17 | 18 | 18 |
| 20-34 | 60 | 9.2 | 26 | 2 | 3 | 8 | 13 | 16 | 17 | 24 |
| 35-49 | 120 | 10.0 | 37 | 2 | 4 | 9 | 12 | 17 | 20 | 32 |
| 50-64 | 209 | 12.1 | 75 | 3 | 4 | 10 | 16 | 21 | 27 | 58 |
| 65+ | 356 | 13.7 | 79 | 4 | 5 | 12 | 17 | 26 | 32 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 20-34 | 19 | 10.4 | 37 | 2 | 3 | 9 | 14 | 20 | 22 | 22 |
| 35-49 | 46 | 15.7 | 158 | 2 | 4 | 13 | 18 | 30 | 40 | 71 |
| 50-64 | 78 | 13.8 | 67 | 3 | 5 | 13 | 18 | 23 | 28 | 43 |
| 65+ | 83 | 15.0 | 104 | 2 | 6 | 13 | 19 | 27 | 35 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 572 | 9.1 | 33 | 3 | 3 | 8 | 11 | 17 | 20 | 29 |
| B. *Operated* | 149 | 9.4 | 40 | 1 | 2 | 9 | 13 | 18 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 756 | 12.2 | 69 | 3 | 4 | 10 | 15 | 22 | 28 | 44 |
| B. *Operated* | 228 | 14.3 | 97 | 3 | 5 | 12 | 18 | 26 | 30 | 50 |
| **1. SINGLE DX** | 721 | 9.2 | 35 | 2 | 3 | 8 | 12 | 17 | 20 | 29 |
| **2. MULTIPLE DX** | 984 | 12.7 | 76 | 3 | 4 | 11 | 16 | 23 | 29 | 49 |
| **A. NOT OPERATED** | 1328 | 10.9 | 56 | 3 | 4 | 9 | 14 | 20 | 25 | 42 |
| **B. OPERATED** | 377 | 12.3 | 80 | 2 | 3 | 11 | 16 | 22 | 28 | 48 |
| TOTAL 0-19 YRS | 41 | 8.7 | 29 | 2 | 3 | 8 | 12 | 17 | 21 | 22 |
| 20-34 | 210 | 8.7 | 28 | 1 | 2 | 8 | 12 | 16 | 18 | 23 |
| 35-49 | 338 | 10.2 | 50 | 2 | 3 | 9 | 12 | 17 | 22 | 39 |
| 50-64 | 495 | 11.2 | 62 | 3 | 4 | 9 | 15 | 20 | 26 | 44 |
| 65+ | 621 | 12.8 | 76 | 3 | 4 | 11 | 16 | 24 | 30 | 47 |
| **GRAND TOTAL** | **1705** | **11.2** | **62** | **3** | **4** | **9** | **14** | **21** | **26** | **44** |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 10.4 | 64 | 2 | 2 | 13 | 17 | 20 | 21 | 21 |
| 35-49 | 17 | 14.8 | 204 | 1 | 1 | 12 | 17 | 40 | 47 | 51 |
| 50-64 | 41 | 15.5 | 241 | 1 | 1 | 10 | 20 | 33 | 43 | 84 |
| 65+ | 116 | 18.3 | 228 | 2 | 4 | 14 | 28 | 35 | 40 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| 20-34 | 479 | 4.6 | 25 | 2 | 2 | 4 | 5 | 7 | 8 | 17 |
| 35-49 | 750 | 4.8 | 8 | 2 | 3 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 600 | 6.0 | 27 | 2 | 3 | 5 | 7 | 10 | 12 | 34 |
| 65+ | 163 | 11.2 | 196 | 2 | 3 | 6 | 12 | 26 | 43 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 7.3 | 130 | <1 | <1 | 2 | 8 | 28 | 34 | 34 |
| 35-49 | 22 | 12.2 | 135 | 2 | 4 | 9 | 14 | 23 | 42 | 53 |
| 50-64 | 67 | 13.6 | 159 | 1 | 1 | 10 | 20 | 31 | 39 | 54 |
| 65+ | 233 | 22.5 | 297 | 3 | 5 | 19 | 31 | 52 | 68 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 114 | 5.6 | 19 | 2 | 3 | 5 | 7 | 8 | 10 | 28 |
| 35-49 | 255 | 7.5 | 49 | 2 | 3 | 6 | 8 | 12 | 24 | 37 |
| 50-64 | 332 | 9.0 | 100 | 2 | 3 | 6 | 10 | 16 | 23 | 65 |
| 65+ | 192 | 18.4 | 343 | 3 | 3 | 11 | 27 | 48 | 61 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 17.1 | 223 | 1 | 3 | 13 | 23 | 35 | 42 | 81 |
| B. *Operated* | 2019 | 5.6 | 36 | 2 | 3 | 4 | 6 | 9 | 12 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 19.6 | 273 | 1 | 2 | 16 | 28 | 46 | 64 | 99+ |
| B. *Operated* | 897 | 10.1 | 146 | 2 | 3 | 6 | 10 | 22 | 40 | 72 |
| **1. SINGLE DX** | 2200 | 6.6 | 61 | 2 | 3 | 5 | 7 | 11 | 19 | 41 |
| **2. MULTIPLE DX** | 1228 | 12.7 | 198 | 2 | 3 | 7 | 15 | 32 | 47 | 83 |
| **A. NOT OPERATED** | 512 | 18.7 | 257 | 1 | 2 | 14 | 27 | 40 | 56 | 99+ |
| **B. OPERATED** | 2916 | 7.0 | 74 | 2 | 3 | 5 | 7 | 11 | 21 | 53 |
| TOTAL 0-19 YRS | 31 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 20-34 | 609 | 4.9 | 26 | 2 | 2 | 4 | 5 | 8 | 9 | 21 |
| 35-49 | 1044 | 5.8 | 27 | 2 | 3 | 5 | 6 | 9 | 12 | 34 |
| 50-64 | 1040 | 7.8 | 74 | 2 | 3 | 5 | 8 | 14 | 23 | 50 |
| 65+ | 704 | 18.1 | 291 | 2 | 3 | 12 | 26 | 43 | 61 | 99+ |
| **GRAND TOTAL** | **3428** | **8.7** | **119** | **2** | **3** | **5** | **9** | **20** | **32** | **68** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.6 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| 20-34 | 43 | 2.9 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 51 | 4.2 | 11 | <1 | 1 | 3 | 6 | 9 | 10 | 15 |
| 50-64 | 33 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 65+ | 47 | 5.6 | 16 | 1 | 1 | 5 | 8 | 10 | 14 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.3 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 473 | 5.1 | 4 | 2 | 3 | 5 | 6 | 8 | 8 | 10 |
| 35-49 | 675 | 5.5 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 378 | 5.6 | 6 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| 65+ | 136 | 6.9 | 13 | 3 | 3 | 6 | 8 | 12 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 37 | 4.1 | 10 | <1 | <1 | 3 | 6 | 9 | 11 | 13 |
| 35-49 | 51 | 4.9 | 10 | 1 | 1 | 4 | 7 | 9 | 12 | 14 |
| 50-64 | 51 | 6.5 | 22 | 1 | 2 | 5 | 10 | 13 | 16 | 21 |
| 65+ | 77 | 8.7 | 82 | 2 | 2 | 7 | 9 | 15 | 35 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.6 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 376 | 5.6 | 6 | 3 | 3 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 590 | 6.2 | 11 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |
| 50-64 | 496 | 7.3 | 25 | 3 | 4 | 6 | 9 | 11 | 14 | 24 |
| 65+ | 218 | 8.8 | 40 | 3 | 4 | 7 | 10 | 15 | 20 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 4.1 | 10 | <1 | <1 | 3 | 6 | 8 | 10 | 16 |
| B. *Operated* | 1680 | 5.5 | 6 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 217 | 6.4 | 42 | 1 | 1 | 5 | 8 | 12 | 15 | 50 |
| B. *Operated* | 1691 | 6.7 | 19 | 3 | 3 | 6 | 8 | 11 | 13 | 22 |
| **1. SINGLE DX** | 1863 | 5.4 | 6 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 1906 | 6.7 | 21 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |
| **A. NOT OPERATED** | 400 | 5.4 | 29 | <1 | 1 | 4 | 7 | 10 | 13 | 34 |
| **B. OPERATED** | 3371 | 6.1 | 13 | 3 | 3 | 5 | 7 | 9 | 12 | 20 |
| TOTAL 0-19 YRS | 39 | 3.9 | 5 | <1 | <1 | 4 | 5 | 6 | 8 | 9 |
| 20-34 | 929 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 1367 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 16 |
| 50-64 | 958 | 6.4 | 17 | 2 | 3 | 6 | 8 | 10 | 13 | 21 |
| 65+ | 478 | 7.9 | 38 | 2 | 3 | 7 | 9 | 14 | 17 | 42 |
| **GRAND TOTAL** | **3771** | **6.0** | **14** | **2** | **3** | **5** | **7** | **9** | **12** | **20** |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.5 | 13 | 1 | 1 | 5 | 8 | 11 | 12 | 15 |
| 20-34 | 74 | 8.9 | 20 | 2 | 3 | 9 | 11 | 13 | 16 | 26 |
| 35-49 | 85 | 8.2 | 15 | 3 | 4 | 8 | 10 | 13 | 15 | 20 |
| 50-64 | 112 | 9.3 | 33 | 2 | 3 | 8 | 12 | 16 | 20 | 29 |
| 65+ | 141 | 9.4 | 46 | 2 | 2 | 8 | 12 | 18 | 22 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 4.2 | 23 | 1 | 2 | 3 | 4 | 7 | 9 | 34 |
| 20-34 | 130 | 4.5 | 16 | <1 | 1 | 3 | 5 | 11 | 13 | 19 |
| 35-49 | 71 | 7.4 | 29 | <1 | 2 | 5 | 12 | 15 | 16 | 19 |
| 50-64 | 62 | 10.7 | 42 | 2 | 4 | 10 | 14 | 18 | 21 | 38 |
| 65+ | 44 | 12.2 | 78 | 3 | 4 | 10 | 16 | 22 | 27 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 9.1 | 49 | 2 | 2 | 6 | 14 | 21 | 23 | 24 |
| 20-34 | 72 | 8.6 | 38 | 1 | 2 | 8 | 11 | 16 | 18 | 36 |
| 35-49 | 87 | 10.7 | 119 | 3 | 3 | 9 | 13 | 16 | 21 | 73 |
| 50-64 | 191 | 11.1 | 74 | 2 | 3 | 9 | 15 | 22 | 27 | 40 |
| 65+ | 350 | 11.4 | 92 | 2 | 3 | 9 | 15 | 23 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 9.5 | 51 | 1 | 2 | 7 | 15 | 20 | 22 | 23 |
| 20-34 | 96 | 6.6 | 38 | 1 | 1 | 4 | 9 | 17 | 20 | 26 |
| 35-49 | 67 | 11.8 | 166 | 2 | 2 | 9 | 15 | 23 | 31 | 81 |
| 50-64 | 133 | 15.1 | 189 | 3 | 4 | 13 | 17 | 27 | 43 | 95 |
| 65+ | 159 | 17.0 | 208 | 3 | 5 | 13 | 20 | 33 | 49 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 438 | 8.8 | 31 | 2 | 3 | 8 | 11 | 15 | 19 | 30 |
| B. *Operated* | 373 | 7.0 | 40 | 1 | 2 | 4 | 10 | 15 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 717 | 10.9 | 84 | 2 | 3 | 9 | 14 | 21 | 27 | 45 |
| B. *Operated* | 471 | 13.4 | 171 | 2 | 2 | 11 | 17 | 25 | 36 | 86 |
| **1. SINGLE DX** | 811 | 8.0 | 36 | 2 | 2 | 7 | 11 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | 1188 | 11.9 | 120 | 2 | 3 | 10 | 15 | 23 | 29 | 65 |
| **A. NOT OPERATED** | 1155 | 10.1 | 65 | 2 | 3 | 8 | 13 | 19 | 25 | 40 |
| **B. OPERATED** | 844 | 10.5 | 123 | 1 | 2 | 8 | 14 | 21 | 28 | 75 |
| TOTAL 0-19 YRS | 125 | 5.8 | 32 | 1 | 2 | 4 | 7 | 13 | 18 | 27 |
| 20-34 | 372 | 6.7 | 30 | 1 | 2 | 5 | 10 | 13 | 17 | 24 |
| 35-49 | 310 | 9.5 | 82 | 2 | 2 | 8 | 12 | 16 | 21 | 36 |
| 50-64 | 498 | 11.7 | 95 | 2 | 3 | 10 | 15 | 22 | 28 | 57 |
| 65+ | 694 | 12.3 | 115 | 2 | 3 | 10 | 16 | 23 | 31 | 60 |
| **GRAND TOTAL** | **1999** | **10.3** | **89** | **2** | **2** | **8** | **13** | **20** | **26** | **49** |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5942 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 20-34 | 318 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 90 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 79 | 5.3 | 23 | 1 | 2 | 4 | 7 | 10 | 12 | 32 |
| 65+ | 95 | 6.7 | 20 | 1 | 2 | 6 | 8 | 13 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 273 | 3.0 | 5 | 2 | 2 | 2 | 3 | 5 | 7 | 13 |
| 20-34 | 53 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 35-49 | 9 | 3.2 | 7 | 2 | 2 | 2 | 3 | 7 | 10 | 10 |
| 50-64 | 7 | 3.9 | 13 | <1 | <1 | 2 | 7 | 10 | 10 | 10 |
| 65+ | 4 | 5.3 | 11 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5286 | 5.0 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 20-34 | 355 | 4.1 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 35-49 | 171 | 5.3 | 17 | 1 | 2 | 4 | 7 | 9 | 13 | 24 |
| 50-64 | 237 | 7.1 | 33 | 2 | 2 | 6 | 9 | 13 | 19 | 31 |
| 65+ | 429 | 9.1 | 65 | 2 | 3 | 7 | 11 | 17 | 21 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 6.2 | 98 | 2 | 2 | 2 | 7 | 13 | 20 | 80 |
| 20-34 | 21 | 5.4 | 26 | 1 | 2 | 4 | 6 | 8 | 17 | 26 |
| 35-49 | 16 | 5.3 | 21 | 2 | 2 | 4 | 8 | 8 | 17 | 20 |
| 50-64 | 19 | 6.9 | 32 | 2 | 2 | 5 | 9 | 14 | 20 | 24 |
| 65+ | 10 | 9.6 | 45 | 2 | 2 | 7 | 13 | 20 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6524 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 346 | 3.0 | 5 | 2 | 2 | 2 | 3 | 5 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6478 | 5.3 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| B. *Operated* | 212 | 6.3 | 76 | 2 | 2 | 3 | 7 | 13 | 20 | 74 |
| **1. SINGLE DX** | 6870 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 6690 | 5.3 | 25 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| **A. NOT OPERATED** | 13002 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| **B. OPERATED** | 558 | 4.3 | 34 | 2 | 2 | 2 | 4 | 9 | 13 | 26 |
| TOTAL 0-19 YRS | 11647 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 20-34 | 747 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 35-49 | 286 | 4.8 | 14 | 1 | 2 | 4 | 6 | 8 | 12 | 21 |
| 50-64 | 342 | 6.6 | 31 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| 65+ | 538 | 8.6 | 57 | 2 | 3 | 7 | 11 | 16 | 20 | 39 |
| **GRAND TOTAL** | **13560** | **4.5** | **18** | **1** | **1** | **3** | **5** | **9** | **12** | **20** |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2941 | 5.3 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 102 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 73 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| 50-64 | 89 | 6.2 | 9 | 3 | 3 | 6 | 8 | 10 | 12 | 15 |
| 65+ | 172 | 7.8 | 25 | 3 | 3 | 7 | 10 | 13 | 15 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 6 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | 2 | 19.5 | 13 | 17 | 17 | 19 | 22 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1889 | 7.0 | 37 | 2 | 2 | 5 | 8 | 13 | 18 | 33 |
| 20-34 | 122 | 4.6 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| 35-49 | 147 | 6.5 | 33 | 2 | 2 | 5 | 7 | 12 | 16 | 34 |
| 50-64 | 408 | 7.8 | 34 | 2 | 3 | 6 | 10 | 15 | 19 | 29 |
| 65+ | 888 | 10.7 | 104 | 3 | 4 | 8 | 12 | 19 | 27 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 16.6 | 155 | 4 | 6 | 13 | 20 | 29 | 39 | 66 |
| 20-34 | 11 | 4.7 | 7 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| 35-49 | 3 | 15.3 | 110 | 5 | 5 | 15 | 23 | 26 | 26 | 26 |
| 50-64 | 16 | 10.2 | 45 | 2 | 2 | 8 | 14 | 22 | 23 | 23 |
| 65+ | 29 | 22.1 | 318 | 3 | 5 | 17 | 26 | 57 | 59 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3377 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | 10 | 7.4 | 53 | <1 | <1 | 5 | 12 | 19 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3454 | 8.0 | 56 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| B. *Operated* | 84 | 15.7 | 200 | 2 | 3 | 12 | 20 | 29 | 56 | 65 |
| **1. SINGLE DX** | 3387 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 3538 | 8.1 | 60 | 2 | 2 | 6 | 10 | 15 | 21 | 45 |
| **A. NOT OPERATED** | 6831 | 6.7 | 39 | 2 | 2 | 5 | 8 | 12 | 17 | 33 |
| **B. OPERATED** | 94 | 14.8 | 191 | 2 | 2 | 11 | 20 | 27 | 54 | 65 |
| TOTAL 0-19 YRS | 4859 | 6.0 | 28 | 1 | 2 | 5 | 7 | 11 | 15 | 29 |
| 20-34 | 235 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 226 | 6.1 | 28 | 2 | 2 | 5 | 7 | 11 | 15 | 28 |
| 50-64 | 514 | 7.6 | 31 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| 65+ | 1091 | 10.6 | 101 | 3 | 3 | 8 | 12 | 19 | 27 | 65 |
| **GRAND TOTAL** | **6925** | **6.8** | **42** | **2** | **2** | **5** | **8** | **13** | **17** | **34** |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 4 | 13.5 | 187 | 6 | 6 | 7 | 21 | 34 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 426 | 3.1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 909 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 379 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 50-64 | 166 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| 65+ | 32 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 14 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 7 | 7 |
| 35-49 | 10 | 2.0 | 10 | <1 | <1 | 1 | 1 | 6 | 11 | 11 |
| 50-64 | 4 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 301 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 768 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 368 | 3.3 | 8 | 2 | 2 | 3 | 3 | 5 | 6 | 11 |
| 50-64 | 206 | 3.4 | 9 | 2 | 2 | 3 | 3 | 4 | 6 | 19 |
| 65+ | 60 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 7.3 | 125 | <1 | <1 | 4 | 7 | 26 | 34 | 34 |
| B. *Operated* | 1912 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 11 |
| B. *Operated* | 1703 | 3.3 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| **1. SINGLE DX** | 1920 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 1735 | 3.2 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 11 |
| **A. NOT OPERATED** | 40 | 3.0 | 31 | <1 | <1 | 1 | 2 | 7 | 9 | 34 |
| **B. OPERATED** | 3615 | 3.1 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 731 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| 20-34 | 1693 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 757 | 3.1 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 377 | 3.2 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 12 |
| 65+ | 97 | 3.9 | 15 | 2 | 2 | 3 | 4 | 6 | 8 | 26 |
| **GRAND TOTAL** | **3655** | **3.1** | **3** | **2** | **2** | **3** | **3** | **4** | **5** | **9** |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 32 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 64 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 50-64 | 60 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 65+ | 39 | 2.6 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.3 | 16 | 1 | 1 | 2 | 3 | 5 | 11 | 21 |
| 20-34 | 56 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 84 | 3.0 | 3 | 1 | 2 | 3 | 4 | 4 | 6 | 11 |
| 50-64 | 104 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 64 | 3.1 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 212 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.8 | 11 | <1 | <1 | 1 | 4 | 8 | 9 | 9 |
| B. *Operated* | 331 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| **1. SINGLE DX** | 215 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 339 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 11 | 2.3 | 8 | <1 | <1 | 1 | 1 | 8 | 9 | 9 |
| **B. OPERATED** | 543 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 42 | 3.0 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 21 |
| 20-34 | 89 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 35-49 | 150 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 166 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 65+ | 107 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 6 | 11 |
| **GRAND TOTAL** | **554** | **2.7** | **2** | **1** | **1** | **2** | **3** | **4** | **5** | **8** |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 7 | 2.6 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 4 | 2.5 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9510 | 2.2 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 1733 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 175 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 29 | 3.3 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 7 |
| 65+ | 13 | 4.2 | 18 | 2 | 2 | 3 | 4 | 8 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 226 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 20 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 35-49 | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 12.3 | 142 | 4 | 4 | 7 | 21 | 26 | 26 | 26 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3941 | 2.3 | 2 | 1 | 2 | 2 | 2 | 3 | 4 | 10 |
| 20-34 | 330 | 3.3 | 4 | 2 | 2 | 3 | 4 | 5 | 7 | 13 |
| 35-49 | 69 | 3.1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 16 | 3.4 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 65+ | 10 | 4.3 | 16 | 2 | 2 | 2 | 4 | 11 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 11460 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 252 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| B. *Operated* | 4366 | 2.4 | 3 | 1 | 2 | 2 | 2 | 3 | 4 | 10 |
| **1. SINGLE DX** | 11538 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 4618 | 2.4 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| **A. NOT OPERATED** | 330 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| **B. OPERATED** | 15826 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 6 |
| TOTAL 0-19 YRS | 13744 | 2.2 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 2090 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 251 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 48 | 3.9 | 13 | 1 | 2 | 3 | 4 | 6 | 7 | 26 |
| 65+ | 23 | 4.3 | 16 | 2 | 2 | 3 | 4 | 11 | 15 | 19 |
| **GRAND TOTAL** | **16156** | **2.3** | **2** | **1** | **2** | **2** | **2** | **3** | **4** | **6** |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 279 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 20-34 | 161 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 56 | 3.2 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 10 |
| 50-64 | 52 | 4.3 | 21 | <1 | 1 | 3 | 5 | 8 | 16 | 26 |
| 65+ | 29 | 3.4 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 344 | 3.2 | 8 | <1 | 1 | 3 | 4 | 5 | 6 | 19 |
| 35-49 | 220 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| 50-64 | 179 | 3.2 | 8 | <1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 65+ | 93 | 3.6 | 18 | 1 | 1 | 2 | 4 | 6 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 4.9 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 27 |
| 20-34 | 77 | 4.1 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 10 |
| 35-49 | 56 | 5.2 | 24 | 1 | 1 | 4 | 6 | 10 | 15 | 27 |
| 50-64 | 78 | 5.8 | 35 | 1 | 1 | 4 | 7 | 13 | 18 | 32 |
| 65+ | 63 | 8.9 | 118 | 1 | 2 | 6 | 10 | 21 | 25 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 3.5 | 18 | 1 | 1 | 2 | 3 | 5 | 9 | 29 |
| 20-34 | 328 | 2.9 | 6 | <1 | <1 | 3 | 3 | 4 | 6 | 14 |
| 35-49 | 216 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 50-64 | 229 | 5.3 | 46 | <1 | 2 | 3 | 5 | 11 | 18 | 41 |
| 65+ | 104 | 5.6 | 45 | 1 | 2 | 3 | 6 | 14 | 25 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 577 | 3.7 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| B. *Operated* | 1026 | 3.1 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 5.5 | 36 | 1 | 1 | 4 | 6 | 10 | 15 | 28 |
| B. *Operated* | 1066 | 3.8 | 22 | <1 | 1 | 3 | 4 | 7 | 11 | 29 |
| **1. SINGLE DX** | 1603 | 3.3 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 1514 | 4.3 | 26 | <1 | 1 | 3 | 5 | 8 | 13 | 29 |
| **A. NOT OPERATED** | 1025 | 4.5 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 26 |
| **B. OPERATED** | 2092 | 3.5 | 15 | <1 | 1 | 3 | 4 | 6 | 9 | 24 |
| TOTAL 0-19 YRS | 832 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 20-34 | 910 | 3.2 | 7 | <1 | <1 | 3 | 4 | 5 | 7 | 12 |
| 35-49 | 548 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 50-64 | 538 | 4.6 | 30 | <1 | 1 | 3 | 5 | 9 | 16 | 31 |
| 65+ | 289 | 5.5 | 52 | 1 | 1 | 3 | 6 | 12 | 21 | 50 |
| **GRAND TOTAL** | **3117** | **3.8** | **17** | **<1** | **1** | **3** | **4** | **7** | **10** | **25** |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4404 | 6.2 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 20-34 | 769 | 5.5 | 9 | 2 | 2 | 5 | 7 | 9 | 12 | 16 |
| 35-49 | 505 | 6.6 | 19 | 2 | 2 | 6 | 8 | 12 | 14 | 21 |
| 50-64 | 461 | 7.6 | 25 | 2 | 3 | 6 | 10 | 13 | 16 | 27 |
| 65+ | 807 | 9.4 | 56 | 3 | 3 | 8 | 11 | 17 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.9 | 31 | 3 | 4 | 7 | 11 | 18 | 22 | 22 |
| 20-34 | 18 | 8.8 | 19 | 1 | 4 | 8 | 10 | 16 | 18 | 19 |
| 35-49 | 19 | 8.6 | 23 | 2 | 3 | 7 | 11 | 15 | 19 | 21 |
| 50-64 | 37 | 11.4 | 52 | 3 | 3 | 11 | 16 | 23 | 25 | 27 |
| 65+ | 31 | 13.3 | 130 | 2 | 2 | 12 | 20 | 27 | 51 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2713 | 7.7 | 48 | 2 | 2 | 6 | 10 | 14 | 18 | 36 |
| 20-34 | 470 | 7.4 | 47 | 2 | 3 | 6 | 9 | 13 | 16 | 34 |
| 35-49 | 449 | 8.7 | 44 | 2 | 3 | 7 | 10 | 16 | 21 | 36 |
| 50-64 | 920 | 10.5 | 78 | 3 | 4 | 8 | 12 | 19 | 25 | 64 |
| 65+ | 2657 | 13.3 | 121 | 4 | 5 | 10 | 16 | 26 | 35 | 71 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 16.9 | 173 | 4 | 6 | 13 | 21 | 33 | 52 | 55 |
| 20-34 | 33 | 18.7 | 212 | 4 | 5 | 14 | 29 | 35 | 54 | 62 |
| 35-49 | 52 | 18.8 | 320 | 3 | 4 | 14 | 21 | 40 | 59 | 98 |
| 50-64 | 135 | 20.4 | 251 | 3 | 5 | 17 | 27 | 39 | 62 | 83 |
| 65+ | 251 | 24.7 | 334 | 5 | 8 | 20 | 31 | 56 | 76 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6946 | 6.6 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 116 | 10.8 | 63 | 2 | 3 | 9 | 15 | 22 | 26 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7209 | 10.2 | 85 | 2 | 3 | 8 | 12 | 19 | 27 | 55 |
| B. *Operated* | 526 | 21.8 | 293 | 4 | 6 | 17 | 28 | 50 | 65 | 99+ |
| **1. SINGLE DX** | 7062 | 6.7 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | 7735 | 11.0 | 107 | 2 | 3 | 8 | 13 | 22 | 30 | 65 |
| **A. NOT OPERATED** | 14155 | 8.4 | 59 | 2 | 3 | 7 | 10 | 16 | 21 | 41 |
| **B. OPERATED** | 642 | 19.8 | 269 | 3 | 5 | 16 | 25 | 43 | 62 | 99+ |
| TOTAL 0-19 YRS | 7183 | 6.9 | 34 | 2 | 2 | 5 | 9 | 12 | 16 | 30 |
| 20-34 | 1290 | 6.6 | 33 | 2 | 2 | 5 | 8 | 12 | 15 | 30 |
| 35-49 | 1025 | 8.2 | 52 | 2 | 3 | 7 | 10 | 15 | 19 | 38 |
| 50-64 | 1553 | 10.5 | 88 | 3 | 3 | 8 | 13 | 20 | 27 | 65 |
| 65+ | 3746 | 13.2 | 133 | 3 | 4 | 10 | 16 | 26 | 36 | 77 |
| **GRAND TOTAL** | **14797** | **8.9** | **73** | **2** | **3** | **7** | **11** | **17** | **24** | **49** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 663 | 3.9 | 21 | 1 | 1 | 3 | 4 | 8 | 10 | 23 |
| 20-34 | 271 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 99 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 50-64 | 136 | 4.8 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 227 | 6.2 | 22 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 478 | 5.5 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |
| 20-34 | 217 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 35-49 | 139 | 5.2 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 28 |
| 50-64 | 233 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 17 | 29 |
| 65+ | 635 | 8.6 | 58 | 2 | 3 | 7 | 10 | 17 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 12 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 5 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 3 | 6.7 | 32 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| 50-64 | 6 | 9.2 | 66 | 2 | 2 | 5 | 15 | 22 | 23 | 23 |
| 65+ | 12 | 12.4 | 43 | 4 | 5 | 12 | 18 | 21 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1396 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| B. *Operated* | 4 | 5.8 | 6 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1702 | 6.6 | 40 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| B. *Operated* | 30 | 8.7 | 45 | 2 | 2 | 6 | 15 | 20 | 21 | 23 |
| **1. SINGLE DX** | 1400 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 1732 | 6.6 | 40 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| **A. NOT OPERATED** | 3098 | 5.5 | 31 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 34 | 8.4 | 41 | 2 | 2 | 6 | 13 | 19 | 21 | 23 |
| TOTAL 0-19 YRS | 1146 | 4.6 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 20-34 | 495 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 35-49 | 241 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| 50-64 | 376 | 6.0 | 20 | 2 | 2 | 5 | 7 | 11 | 15 | 23 |
| 65+ | 874 | 8.0 | 50 | 2 | 2 | 6 | 10 | 16 | 20 | 33 |
| **GRAND TOTAL** | **3132** | **5.6** | **31** | **1** | **2** | **4** | **7** | **11** | **15** | **27** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1255 | 5.1 | 19 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| 20-34 | 116 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 35-49 | 112 | 5.3 | 13 | 1 | 2 | 4 | 8 | 10 | 12 | 17 |
| 50-64 | 195 | 6.9 | 23 | 2 | 3 | 6 | 8 | 12 | 17 | 26 |
| 65+ | 328 | 8.5 | 40 | 2 | 3 | 7 | 10 | 16 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 9 | 4.2 | 6 | 1 | 1 | 5 | 5 | 8 | 9 | 9 |
| 35-49 | 19 | 3.8 | 7 | <1 | 1 | 2 | 6 | 8 | 10 | 10 |
| 50-64 | 35 | 4.8 | 13 | 1 | 1 | 4 | 6 | 10 | 12 | 15 |
| 65+ | 17 | 7.4 | 36 | 1 | 1 | 6 | 11 | 15 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 920 | 6.9 | 36 | 2 | 2 | 5 | 9 | 13 | 16 | 29 |
| 20-34 | 102 | 5.9 | 57 | 1 | 2 | 4 | 6 | 10 | 18 | 49 |
| 35-49 | 136 | 6.0 | 37 | 1 | 2 | 4 | 7 | 11 | 14 | 42 |
| 50-64 | 457 | 8.6 | 46 | 2 | 3 | 7 | 11 | 17 | 20 | 41 |
| 65+ | 1050 | 11.2 | 95 | 3 | 4 | 9 | 14 | 22 | 30 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 9.0 | 57 | 3 | 3 | 7 | 8 | 22 | 24 | 24 |
| 20-34 | 13 | 7.5 | 35 | 2 | 2 | 6 | 8 | 17 | 22 | 23 |
| 35-49 | 27 | 8.3 | 34 | 1 | 1 | 7 | 10 | 17 | 19 | 25 |
| 50-64 | 67 | 10.9 | 128 | 1 | 2 | 8 | 15 | 22 | 26 | 72 |
| 65+ | 88 | 16.5 | 214 | 2 | 5 | 12 | 22 | 36 | 50 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2006 | 5.8 | 24 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 82 | 5.1 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2665 | 8.8 | 66 | 2 | 3 | 7 | 11 | 17 | 23 | 48 |
| B. *Operated* | 201 | 12.7 | 155 | 1 | 2 | 9 | 16 | 25 | 35 | 89 |
| **1. SINGLE DX** | 2088 | 5.8 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 2866 | 9.1 | 73 | 2 | 3 | 7 | 11 | 18 | 24 | 51 |
| **A. NOT OPERATED** | 4671 | 7.5 | 50 | 2 | 2 | 6 | 9 | 15 | 19 | 40 |
| **B. OPERATED** | 283 | 10.5 | 127 | 1 | 2 | 7 | 13 | 23 | 32 | 71 |
| TOTAL 0-19 YRS | 2183 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| 20-34 | 240 | 5.0 | 30 | 1 | 1 | 4 | 5 | 9 | 10 | 30 |
| 35-49 | 294 | 5.8 | 26 | 1 | 2 | 5 | 8 | 10 | 14 | 27 |
| 50-64 | 754 | 8.2 | 47 | 2 | 3 | 6 | 10 | 16 | 20 | 33 |
| 65+ | 1483 | 10.9 | 92 | 3 | 3 | 8 | 13 | 21 | 30 | 63 |
| **GRAND TOTAL** | **4954** | **7.7** | **55** | **2** | **2** | **6** | **9** | **15** | **20** | **42** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.7 | 86 | 3 | 3 | 8 | 18 | 21 | 21 | 21 |
| 20-34 | | | | | | | | | | |
| 35-49 | 7 | 9.0 | 27 | 2 | 3 | 7 | 13 | 16 | 17 | 17 |
| 50-64 | 55 | 11.8 | 209 | 3 | 3 | 7 | 11 | 20 | 53 | 72 |
| 65+ | 123 | 10.0 | 64 | 2 | 3 | 8 | 12 | 19 | 30 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 10.3 | 6 | 8 | 8 | 10 | 12 | 13 | 13 | 13 |
| 35-49 | 4 | 13.5 | 95 | 5 | 5 | 11 | 20 | 27 | 27 | 27 |
| 50-64 | 3 | 10.7 | 76 | 1 | 1 | 13 | 17 | 18 | 18 | 18 |
| 65+ | 5 | 26.8 | 325 | 9 | 9 | 26 | 44 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 20-34 | 5 | 11.0 | 22 | 6 | 6 | 9 | 14 | 18 | 18 | 18 |
| 35-49 | 23 | 9.3 | 81 | 1 | 2 | 7 | 11 | 19 | 28 | 42 |
| 50-64 | 128 | 12.9 | 126 | 3 | 4 | 10 | 15 | 23 | 27 | 74 |
| 65+ | 404 | 14.2 | 197 | 2 | 3 | 10 | 17 | 32 | 46 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 18.0 | 162 | 9 | 9 | 18 | 27 | 27 | 27 | 27 |
| 20-34 | 2 | 12.5 | 61 | 7 | 7 | 12 | 18 | 18 | 18 | 18 |
| 35-49 | 9 | 21.2 | 253 | 7 | 8 | 15 | 31 | 48 | 48 | 48 |
| 50-64 | 24 | 19.2 | 336 | 2 | 5 | 16 | 27 | 37 | 93 | 99+ |
| 65+ | 34 | 20.7 | 257 | 7 | 9 | 15 | 30 | 66 | 91 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 10.5 | 106 | 2 | 3 | 8 | 12 | 20 | 32 | 60 |
| B. *Operated* | 15 | 16.7 | 181 | 2 | 5 | 13 | 24 | 44 | 48 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 562 | 13.7 | 175 | 2 | 3 | 10 | 16 | 30 | 43 | 99 |
| B. *Operated* | 71 | 19.9 | 266 | 5 | 7 | 15 | 27 | 47 | 87 | 99+ |
| **1. SINGLE DX** | 203 | 11.0 | 112 | 2 | 3 | 8 | 12 | 21 | 33 | 60 |
| **2. MULTIPLE DX** | 633 | 14.4 | 189 | 3 | 4 | 10 | 17 | 31 | 44 | 99+ |
| **A. NOT OPERATED** | 750 | 12.9 | 159 | 2 | 3 | 9 | 15 | 29 | 41 | 81 |
| **B. OPERATED** | 86 | 19.4 | 250 | 5 | 7 | 14 | 27 | 48 | 73 | 99+ |
| TOTAL 0-19 YRS | 7 | 11.0 | 90 | 1 | 1 | 8 | 18 | 26 | 27 | 27 |
| 20-34 | 10 | 11.1 | 18 | 6 | 6 | 10 | 13 | 18 | 18 | 18 |
| 35-49 | 43 | 12.1 | 125 | 2 | 2 | 9 | 15 | 26 | 44 | 48 |
| 50-64 | 210 | 13.3 | 173 | 3 | 4 | 10 | 16 | 25 | 37 | 83 |
| 65+ | 566 | 13.8 | 179 | 2 | 3 | 10 | 16 | 32 | 43 | 99+ |
| **GRAND TOTAL** | **836** | **13.6** | **172** | **2** | **3** | **10** | **16** | **30** | **43** | **99+** |

### 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4227 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 763 | 4.3 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 15 |
| 35-49 | 634 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 50-64 | 933 | 6.2 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| 65+ | 689 | 7.7 | 44 | 1 | 2 | 6 | 10 | 15 | 18 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 42 | 3 | 3 | 9 | 14 | 16 | 16 | 16 |
| 20-34 | 8 | 8.4 | 42 | 4 | 4 | 5 | 10 | 19 | 23 | 23 |
| 35-49 | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 50-64 | 9 | 8.3 | 51 | 1 | 1 | 8 | 15 | 18 | 20 | 20 |
| 65+ | 5 | 5.4 | 20 | 1 | 1 | 3 | 9 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1768 | 5.3 | 23 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 20-34 | 391 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| 35-49 | 414 | 6.8 | 18 | 1 | 2 | 6 | 9 | 13 | 15 | 20 |
| 50-64 | 850 | 8.9 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 43 |
| 65+ | 1052 | 10.3 | 83 | 2 | 3 | 8 | 12 | 20 | 26 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 10.7 | 44 | 4 | 5 | 8 | 12 | 19 | 27 | 31 |
| 20-34 | 17 | 11.4 | 73 | 3 | 4 | 8 | 16 | 28 | 31 | 31 |
| 35-49 | 25 | 12.6 | 135 | 2 | 2 | 10 | 15 | 36 | 62 | 99+ |
| 50-64 | 41 | 17.5 | 136 | 4 | 5 | 15 | 23 | 33 | 44 | 49 |
| 65+ | 45 | 22.8 | 436 | 5 | 7 | 15 | 32 | 66 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7246 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 27 | 8.0 | 36 | 1 | 2 | 5 | 12 | 16 | 20 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4475 | 7.3 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| B. *Operated* | 150 | 16.6 | 224 | 3 | 5 | 12 | 21 | 35 | 52 | 99+ |
| **1. SINGLE DX** | 7273 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 4625 | 7.6 | 55 | 2 | 2 | 6 | 9 | 15 | 20 | 41 |
| **A. NOT OPERATED** | 11721 | 5.8 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| **B. OPERATED** | 177 | 15.3 | 205 | 3 | 3 | 11 | 19 | 33 | 48 | 97 |
| TOTAL 0-19 YRS | 6020 | 4.5 | 14 | 1 | 2 | 3 | 6 | 8 | 10 | 19 |
| 20-34 | 1179 | 4.8 | 16 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 1075 | 5.8 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 1833 | 7.7 | 41 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| 65+ | 1791 | 9.6 | 82 | 2 | 3 | 7 | 11 | 18 | 24 | 50 |
| **GRAND TOTAL** | 11898 | 5.9 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |

### 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 7.7 | 22 | 2 | 2 | 7 | 11 | 13 | 15 | 23 |
| 20-34 | 15 | 6.1 | 13 | 2 | 2 | 6 | 8 | 10 | 14 | 15 |
| 35-49 | 70 | 7.9 | 55 | 2 | 3 | 6 | 9 | 15 | 19 | 45 |
| 50-64 | 277 | 9.6 | 106 | 2 | 3 | 7 | 11 | 16 | 24 | 64 |
| 65+ | 582 | 10.1 | 87 | 3 | 3 | 8 | 12 | 19 | 25 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 13.0 | 2 | 12 | 12 | 13 | 14 | 14 | 14 | 14 |
| 20-34 | 5 | 10.6 | 75 | 1 | 1 | 11 | 18 | 21 | 21 | 21 |
| 35-49 | 6 | 7.0 | 44 | 2 | 2 | 3 | 15 | 16 | 16 | 16 |
| 50-64 | 24 | 10.9 | 70 | 2 | 3 | 8 | 14 | 24 | 31 | 33 |
| 65+ | 13 | 8.3 | 36 | <1 | 2 | 10 | 11 | 14 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 14.0 | 361 | 1 | 2 | 8 | 16 | 27 | 57 | 89 |
| 20-34 | 21 | 9.4 | 152 | 3 | 3 | 5 | 11 | 32 | 75 | 99+ |
| 35-49 | 105 | 10.3 | 103 | 1 | 3 | 8 | 13 | 21 | 33 | 57 |
| 50-64 | 716 | 11.1 | 81 | 3 | 3 | 9 | 13 | 22 | 28 | 56 |
| 65+ | 1921 | 12.9 | 136 | 3 | 4 | 9 | 16 | 27 | 37 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 19.6 | 217 | 5 | 5 | 11 | 35 | 36 | 36 | 36 |
| 20-34 | 9 | 17.9 | 99 | 2 | 4 | 18 | 27 | 29 | 29 | 29 |
| 35-49 | 23 | 19.0 | 292 | 3 | 5 | 14 | 23 | 36 | 54 | 83 |
| 50-64 | 85 | 17.4 | 302 | 2 | 3 | 13 | 20 | 36 | 65 | 98 |
| 65+ | 163 | 18.3 | 153 | 4 | 6 | 15 | 26 | 36 | 48 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 971 | 9.7 | 88 | 2 | 3 | 7 | 11 | 18 | 24 | 58 |
| B. *Operated* | 50 | 9.8 | 55 | 1 | 2 | 9 | 13 | 20 | 24 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2788 | 12.3 | 124 | 3 | 4 | 9 | 15 | 25 | 35 | 76 |
| B. *Operated* | 285 | 18.1 | 205 | 3 | 5 | 14 | 25 | 36 | 50 | 99+ |
| **1. SINGLE DX** | 1021 | 9.7 | 86 | 2 | 3 | 7 | 11 | 18 | 24 | 57 |
| **2. MULTIPLE DX** | 3073 | 12.9 | 134 | 3 | 4 | 9 | 16 | 27 | 36 | 89 |
| **A. NOT OPERATED** | 3759 | 11.6 | 116 | 3 | 3 | 9 | 14 | 23 | 33 | 70 |
| **B. OPERATED** | 335 | 16.9 | 191 | 2 | 4 | 13 | 23 | 35 | 47 | 99+ |
| TOTAL 0-19 YRS | 59 | 11.5 | 189 | 1 | 2 | 8 | 12 | 25 | 36 | 85 |
| 20-34 | 50 | 10.0 | 104 | 2 | 2 | 7 | 15 | 26 | 29 | 99+ |
| 35-49 | 204 | 10.4 | 115 | 2 | 3 | 7 | 12 | 21 | 33 | 57 |
| 50-64 | 1102 | 11.2 | 107 | 2 | 3 | 8 | 13 | 21 | 29 | 68 |
| 65+ | 2679 | 12.6 | 130 | 3 | 4 | 9 | 15 | 27 | 36 | 86 |
| **GRAND TOTAL** | 4094 | 12.1 | 124 | 3 | 3 | 9 | 15 | 25 | 35 | 75 |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.3 | 11 | 1 | 2 | 3 | 6 | 8 | 9 | 18 |
| 20-34 | 79 | 4.1 | 9 | 1 | 1 | 4 | 6 | 7 | 10 | 17 |
| 35-49 | 13 | 4.7 | 5 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 50-64 | 7 | 7.3 | 17 | 1 | 1 | 8 | 11 | 11 | 11 | 11 |
| 65+ | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.8 | 34 | 2 | 2 | 5 | 8 | 11 | 24 | 27 |
| 20-34 | 139 | 6.6 | 15 | 2 | 3 | 5 | 8 | 12 | 15 | 20 |
| 35-49 | 47 | 7.0 | 19 | 3 | 3 | 6 | 8 | 14 | 18 | 19 |
| 50-64 | 21 | 9.1 | 27 | 2 | 3 | 8 | 13 | 15 | 19 | 21 |
| 65+ | 5 | 11.4 | 104 | 2 | 2 | 9 | 21 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.0 | 4 | 3 | 3 | 7 | 7 | 8 | 8 | 8 |
| 20-34 | 12 | 4.5 | 18 | 1 | 1 | 3 | 6 | 10 | 15 | 16 |
| 35-49 | 7 | 5.7 | 10 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| 50-64 | 12 | 8.3 | 15 | 3 | 3 | 8 | 11 | 14 | 14 | 14 |
| 65+ | 20 | 10.0 | 33 | 2 | 3 | 9 | 13 | 17 | 21 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 10.1 | 53 | 2 | 3 | 8 | 14 | 20 | 25 | 26 |
| 20-34 | 48 | 9.8 | 48 | 3 | 4 | 8 | 12 | 16 | 24 | 39 |
| 35-49 | 32 | 9.6 | 29 | 3 | 4 | 8 | 12 | 16 | 20 | 26 |
| 50-64 | 24 | 13.7 | 145 | 4 | 5 | 8 | 19 | 32 | 38 | 51 |
| 65+ | 28 | 14.2 | 92 | 4 | 4 | 10 | 21 | 27 | 33 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 254 | 7.0 | 22 | 2 | 3 | 6 | 9 | 13 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 7.6 | 25 | 1 | 2 | 7 | 10 | 15 | 17 | 24 |
| B. *Operated* | 146 | 11.3 | 71 | 3 | 4 | 8 | 14 | 23 | 28 | 39 |
| **1. SINGLE DX** | 390 | 6.1 | 19 | 1 | 2 | 5 | 8 | 12 | 16 | 22 |
| **2. MULTIPLE DX** | 202 | 10.3 | 60 | 3 | 3 | 8 | 13 | 20 | 27 | 38 |
| **A. NOT OPERATED** | 192 | 5.4 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 18 |
| **B. OPERATED** | 400 | 8.6 | 44 | 2 | 3 | 7 | 11 | 17 | 22 | 33 |
| TOTAL 0-19 YRS | 96 | 6.3 | 30 | 2 | 2 | 5 | 8 | 13 | 19 | 27 |
| 20-34 | 278 | 6.4 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 22 |
| 35-49 | 99 | 7.4 | 22 | 2 | 3 | 6 | 10 | 15 | 17 | 23 |
| 50-64 | 64 | 10.5 | 72 | 2 | 3 | 8 | 12 | 21 | 29 | 48 |
| 65+ | 55 | 12.2 | 71 | 2 | 3 | 10 | 18 | 24 | 27 | 38 |
| **GRAND TOTAL** | **592** | **7.5** | **37** | **2** | **2** | **6** | **9** | **15** | **19** | **31** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 5.2 | 18 | 1 | 1 | 4 | 6 | 10 | 12 | 23 |
| 20-34 | 103 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 12 | 15 |
| 35-49 | 83 | 5.4 | 27 | 1 | 2 | 3 | 6 | 14 | 16 | 26 |
| 50-64 | 122 | 7.3 | 37 | 1 | 2 | 6 | 9 | 15 | 18 | 34 |
| 65+ | 171 | 8.8 | 49 | 1 | 2 | 6 | 11 | 19 | 23 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 5.0 | 19 | 1 | 1 | 4 | 7 | 11 | 15 | 16 |
| 20-34 | 20 | 8.3 | 42 | 1 | 2 | 7 | 11 | 15 | 23 | 28 |
| 35-49 | 44 | 12.3 | 68 | 2 | 3 | 12 | 17 | 20 | 25 | 43 |
| 50-64 | 69 | 9.8 | 145 | 2 | 2 | 7 | 13 | 16 | 19 | 72 |
| 65+ | 59 | 10.7 | 86 | 1 | 2 | 10 | 15 | 26 | 29 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 442 | 6.4 | 28 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |
| 20-34 | 91 | 6.9 | 56 | 2 | 2 | 4 | 8 | 15 | 21 | 41 |
| 35-49 | 143 | 6.2 | 24 | 1 | 2 | 5 | 8 | 13 | 16 | 24 |
| 50-64 | 347 | 11.1 | 136 | 2 | 3 | 7 | 14 | 22 | 29 | 75 |
| 65+ | 809 | 12.0 | 135 | 2 | 3 | 9 | 14 | 25 | 35 | 91 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 16.8 | 339 | 1 | 2 | 6 | 32 | 43 | 50 | 67 |
| 20-34 | 39 | 15.1 | 110 | 4 | 5 | 12 | 22 | 31 | 38 | 43 |
| 35-49 | 84 | 16.1 | 263 | 2 | 3 | 12 | 21 | 37 | 56 | 96 |
| 50-64 | 161 | 20.1 | 312 | 3 | 4 | 15 | 28 | 51 | 62 | 98 |
| 65+ | 214 | 18.0 | 232 | 2 | 4 | 14 | 25 | 38 | 49 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 890 | 6.1 | 29 | 1 | 2 | 5 | 7 | 12 | 16 | 29 |
| B. *Operated* | 205 | 10.1 | 95 | 1 | 2 | 8 | 14 | 19 | 26 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1832 | 9.8 | 103 | 2 | 2 | 7 | 12 | 20 | 27 | 67 |
| B. *Operated* | 524 | 18.1 | 258 | 2 | 3 | 13 | 25 | 39 | 52 | 94 |
| **1. SINGLE DX** | 1095 | 6.8 | 44 | 1 | 2 | 5 | 9 | 15 | 19 | 31 |
| **2. MULTIPLE DX** | 2356 | 11.6 | 150 | 2 | 3 | 8 | 14 | 26 | 36 | 80 |
| **A. NOT OPERATED** | 2722 | 8.6 | 82 | 1 | 2 | 6 | 10 | 17 | 24 | 57 |
| **B. OPERATED** | 729 | 15.9 | 225 | 2 | 3 | 12 | 21 | 35 | 49 | 88 |
| TOTAL 0-19 YRS | 892 | 6.1 | 36 | 1 | 2 | 5 | 7 | 12 | 15 | 31 |
| 20-34 | 253 | 7.2 | 57 | 1 | 2 | 5 | 8 | 15 | 24 | 42 |
| 35-49 | 354 | 9.1 | 106 | 1 | 2 | 6 | 12 | 20 | 27 | 58 |
| 50-64 | 699 | 12.4 | 179 | 2 | 3 | 8 | 15 | 26 | 37 | 79 |
| 65+ | 1253 | 12.5 | 145 | 2 | 3 | 9 | 15 | 28 | 36 | 86 |
| **GRAND TOTAL** | **3451** | **10.1** | **121** | **1** | **2** | **7** | **12** | **22** | **31** | **67** |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 3.6 | 13 | <1 | 1 | 3 | 4 | 6 | 8 | 21 |
| 20-34 | 77 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 19 | 3.2 | 3 | <1 | 1 | 3 | 5 | 5 | 6 | 6 |
| 50-64 | 13 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 65+ | 6 | 4.2 | 9 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1365 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 1424 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 35-49 | 518 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 50-64 | 263 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 65+ | 142 | 2.6 | 15 | <1 | <1 | 2 | 2 | 4 | 7 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 20-34 | 64 | 4.9 | 36 | <1 | 1 | 4 | 6 | 9 | 15 | 38 |
| 35-49 | 25 | 2.7 | 4 | <1 | 1 | 2 | 4 | 4 | 7 | 10 |
| 50-64 | 28 | 4.4 | 14 | <1 | <1 | 4 | 5 | 8 | 11 | 19 |
| 65+ | 23 | 4.5 | 9 | <1 | 1 | 4 | 7 | 9 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 507 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 20-34 | 565 | 3.0 | 10 | <1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 35-49 | 240 | 3.1 | 10 | <1 | 1 | 2 | 3 | 5 | 9 | 15 |
| 50-64 | 294 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 65+ | 239 | 3.9 | 61 | 1 | 1 | 2 | 3 | 7 | 12 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 223 | 3.6 | 8 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| B. *Operated* | 3712 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 255 | 4.2 | 16 | <1 | 1 | 3 | 5 | 9 | 10 | 19 |
| B. *Operated* | 1845 | 3.1 | 16 | <1 | 1 | 2 | 4 | 6 | 7 | 19 |
| **1. SINGLE DX** | 3935 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 2100 | 3.3 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| **A. NOT OPERATED** | 478 | 3.9 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 5557 | 2.3 | 7 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| TOTAL 0-19 YRS | 2095 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 6 | 10 |
| 20-34 | 2130 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 802 | 2.4 | 5 | <1 | <1 | 2 | 2 | 5 | 6 | 13 |
| 50-64 | 598 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 19 |
| 65+ | 410 | 3.5 | 42 | <1 | 1 | 2 | 3 | 6 | 10 | 32 |
| **GRAND TOTAL** | **6035** | **2.5** | **8** | **<1** | **<1** | **2** | **3** | **5** | **6** | **11** |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 5.2 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 20-34 | 24 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 35-49 | 18 | 4.9 | 18 | 1 | 1 | 3 | 6 | 12 | 16 | 17 |
| 50-64 | 18 | 6.8 | 20 | 1 | 2 | 5 | 10 | 14 | 15 | 15 |
| 65+ | 15 | 7.1 | 20 | 2 | 2 | 6 | 10 | 11 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 67 |
| 20-34 | 80 | 3.4 | 4 | <1 | 1 | 3 | 5 | 7 | 7 | 9 |
| 35-49 | 50 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 50-64 | 67 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 7 | 17 |
| 65+ | 57 | 3.6 | 8 | <1 | 1 | 3 | 5 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 151 | 7.2 | 37 | 2 | 2 | 6 | 9 | 13 | 18 | 36 |
| 20-34 | 24 | 4.4 | 12 | <1 | <1 | 4 | 6 | 9 | 12 | 13 |
| 35-49 | 11 | 5.0 | 11 | <1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 50-64 | 13 | 6.8 | 18 | 2 | 3 | 6 | 8 | 15 | 15 | 15 |
| 65+ | 29 | 9.1 | 60 | 2 | 2 | 7 | 10 | 19 | 25 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 5.2 | 26 | 1 | 1 | 4 | 6 | 13 | 18 | 23 |
| 20-34 | 41 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 40 | 5.6 | 24 | 1 | 2 | 4 | 7 | 10 | 11 | 30 |
| 50-64 | 54 | 5.3 | 40 | 2 | 2 | 4 | 5 | 8 | 16 | 43 |
| 65+ | 68 | 6.6 | 33 | 2 | 2 | 5 | 9 | 15 | 18 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 226 | 5.3 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| B. *Operated* | 340 | 3.4 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 7.0 | 36 | 1 | 2 | 6 | 9 | 13 | 17 | 36 |
| B. *Operated* | 236 | 5.5 | 28 | 1 | 2 | 4 | 6 | 11 | 16 | 30 |
| **1. SINGLE DX** | 566 | 4.2 | 9 | <1 | 1 | 3 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 464 | 6.2 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 32 |
| **A. NOT OPERATED** | 454 | 6.2 | 25 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| **B. OPERATED** | 576 | 4.3 | 16 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 421 | 5.4 | 23 | 1 | 1 | 4 | 7 | 11 | 13 | 27 |
| 20-34 | 169 | 3.8 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 119 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 50-64 | 152 | 5.0 | 22 | 2 | 2 | 4 | 6 | 8 | 15 | 18 |
| 65+ | 169 | 6.1 | 31 | 1 | 2 | 4 | 8 | 12 | 17 | 29 |
| **GRAND TOTAL** | **1030** | **5.1** | **21** | **1** | **1** | **4** | **6** | **10** | **13** | **23** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 13 | 27 |
| 20-34 | 89 | 3.8 | 10 | <1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 117 | 3.6 | 11 | <1 | <1 | 2 | 5 | 9 | 11 | 14 |
| 50-64 | 112 | 4.2 | 22 | <1 | 1 | 3 | 5 | 11 | 12 | 28 |
| 65+ | 103 | 5.7 | 63 | <1 | 1 | 4 | 7 | 12 | 14 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.1 | 20 | 1 | 2 | 6 | 10 | 12 | 16 | 19 |
| 20-34 | 55 | 7.2 | 20 | 1 | 3 | 7 | 9 | 13 | 14 | 26 |
| 35-49 | 67 | 8.4 | 22 | 2 | 3 | 8 | 10 | 15 | 16 | 25 |
| 50-64 | 66 | 7.9 | 88 | <1 | <1 | 7 | 9 | 14 | 21 | 60 |
| 65+ | 84 | 7.4 | 57 | <1 | 1 | 6 | 10 | 16 | 20 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 6.7 | 36 | 1 | 2 | 4 | 9 | 14 | 16 | 31 |
| 20-34 | 113 | 4.7 | 44 | 1 | 1 | 3 | 6 | 9 | 10 | 48 |
| 35-49 | 198 | 5.4 | 20 | 1 | 1 | 4 | 8 | 11 | 14 | 23 |
| 50-64 | 239 | 5.8 | 20 | 1 | 1 | 4 | 8 | 12 | 15 | 21 |
| 65+ | 342 | 8.5 | 54 | 2 | 3 | 6 | 11 | 18 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 9.3 | 66 | 1 | 2 | 8 | 15 | 20 | 25 | 32 |
| 20-34 | 64 | 10.9 | 152 | 2 | 3 | 9 | 12 | 16 | 23 | 88 |
| 35-49 | 113 | 11.1 | 72 | 1 | 2 | 10 | 14 | 22 | 27 | 41 |
| 50-64 | 181 | 11.2 | 99 | 1 | 2 | 9 | 13 | 22 | 27 | 60 |
| 65+ | 234 | 11.7 | 110 | 2 | 2 | 9 | 15 | 25 | 34 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 510 | 4.5 | 26 | <1 | 1 | 3 | 6 | 10 | 12 | 24 |
| B. *Operated* | 291 | 7.7 | 46 | <1 | 1 | 7 | 10 | 14 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 986 | 6.6 | 38 | 1 | 2 | 5 | 9 | 13 | 18 | 29 |
| B. *Operated* | 614 | 11.3 | 102 | 1 | 2 | 9 | 14 | 23 | 31 | 53 |
| **1. SINGLE DX** | 801 | 5.6 | 36 | <1 | 1 | 4 | 8 | 11 | 14 | 27 |
| **2. MULTIPLE DX** | 1600 | 8.4 | 68 | 1 | 2 | 6 | 11 | 17 | 23 | 45 |
| **A. NOT OPERATED** | 1496 | 5.9 | 35 | 1 | 1 | 4 | 8 | 12 | 16 | 28 |
| **B. OPERATED** | 905 | 10.1 | 87 | 1 | 2 | 8 | 13 | 20 | 26 | 49 |
| TOTAL 0-19 YRS | 224 | 6.4 | 32 | 1 | 2 | 4 | 8 | 14 | 16 | 31 |
| 20-34 | 321 | 6.1 | 59 | 1 | 1 | 4 | 8 | 12 | 15 | 35 |
| 35-49 | 495 | 6.7 | 38 | <1 | 1 | 5 | 9 | 14 | 17 | 31 |
| 50-64 | 598 | 7.4 | 59 | <1 | 1 | 5 | 10 | 15 | 20 | 35 |
| 65+ | 763 | 9.0 | 77 | 1 | 2 | 6 | 11 | 19 | 25 | 51 |
| **GRAND TOTAL** | **2401** | **7.5** | **59** | **1** | **1** | **5** | **10** | **15** | **21** | **38** |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.4 | 21 | 3 | 3 | 8 | 12 | 14 | 15 | 15 |
| 20-34 | 56 | 5.3 | 18 | <1 | 1 | 4 | 7 | 11 | 15 | 20 |
| 35-49 | 46 | 5.8 | 24 | <1 | <1 | 5 | 9 | 14 | 15 | 20 |
| 50-64 | 68 | 5.5 | 25 | <1 | <1 | 4 | 7 | 12 | 17 | 24 |
| 65+ | 60 | 6.7 | 27 | 1 | 2 | 5 | 9 | 12 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 17 | 11.5 | 60 | 1 | 2 | 11 | 15 | 23 | 27 | 29 |
| 35-49 | 40 | 9.9 | 28 | 1 | 2 | 11 | 13 | 16 | 17 | 23 |
| 50-64 | 54 | 9.8 | 26 | <1 | 3 | 10 | 14 | 16 | 17 | 23 |
| 65+ | 34 | 9.4 | 67 | <1 | <1 | 8 | 12 | 22 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.3 | 114 | 2 | 2 | 9 | 19 | 23 | 23 | 23 |
| 20-34 | 24 | 5.4 | 18 | <1 | 1 | 4 | 6 | 13 | 16 | 16 |
| 35-49 | 63 | 7.7 | 37 | 1 | 2 | 6 | 10 | 14 | 18 | 33 |
| 50-64 | 75 | 8.3 | 35 | <1 | 1 | 7 | 11 | 17 | 21 | 26 |
| 65+ | 116 | 10.1 | 50 | 2 | 3 | 8 | 13 | 20 | 26 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 20-34 | 21 | 10.7 | 25 | 3 | 6 | 10 | 13 | 16 | 21 | 26 |
| 35-49 | 59 | 12.7 | 53 | 3 | 6 | 11 | 16 | 23 | 28 | 38 |
| 50-64 | 96 | 14.6 | 136 | 2 | 4 | 12 | 19 | 27 | 39 | 87 |
| 65+ | 135 | 15.4 | 193 | 2 | 4 | 11 | 19 | 27 | 40 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 5.9 | 24 | <1 | <1 | 5 | 8 | 13 | 15 | 25 |
| B. *Operated* | 146 | 9.9 | 39 | <1 | 1 | 10 | 14 | 17 | 22 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 8.7 | 43 | 1 | 2 | 7 | 11 | 17 | 22 | 32 |
| B. *Operated* | 313 | 14.3 | 138 | 2 | 5 | 11 | 18 | 26 | 34 | 72 |
| **1. SINGLE DX** | 384 | 7.4 | 33 | <1 | 1 | 6 | 11 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | 594 | 11.6 | 100 | 2 | 3 | 9 | 15 | 23 | 28 | 59 |
| **A. NOT OPERATED** | 519 | 7.4 | 36 | <1 | 1 | 6 | 10 | 15 | 20 | 29 |
| **B. OPERATED** | 459 | 12.9 | 110 | 1 | 3 | 11 | 16 | 24 | 28 | 64 |
| TOTAL 0-19 YRS | 14 | 9.3 | 31 | 2 | 3 | 9 | 12 | 16 | 21 | 23 |
| 20-34 | 118 | 7.2 | 32 | 1 | 1 | 6 | 10 | 15 | 18 | 27 |
| 35-49 | 208 | 9.1 | 43 | <1 | 1 | 8 | 12 | 17 | 22 | 32 |
| 50-64 | 293 | 10.0 | 76 | <1 | 1 | 8 | 14 | 20 | 25 | 56 |
| 65+ | 345 | 11.5 | 114 | 2 | 2 | 9 | 15 | 23 | 28 | 58 |
| **GRAND TOTAL** | **978** | **10.0** | **78** | **1** | **2** | **8** | **13** | **20** | **25** | **45** |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.5 | 14 | 5 | 5 | 9 | 12 | 14 | 14 | 14 |
| 20-34 | 21 | 5.5 | 36 | <1 | 1 | 4 | 6 | 13 | 21 | 26 |
| 35-49 | 42 | 6.0 | 10 | 2 | 3 | 5 | 8 | 10 | 11 | 18 |
| 50-64 | 50 | 6.5 | 17 | 1 | 2 | 6 | 9 | 13 | 15 | 16 |
| 65+ | 49 | 9.1 | 36 | 2 | 3 | 7 | 11 | 18 | 20 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 1 | 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 20-34 | 11 | 8.6 | 6 | 3 | 5 | 9 | 10 | 12 | 12 | 12 |
| 35-49 | 20 | 10.4 | 15 | 5 | 6 | 10 | 14 | 15 | 17 | 18 |
| 50-64 | 26 | 9.7 | 20 | 2 | 3 | 11 | 13 | 14 | 17 | 20 |
| 65+ | 34 | 12.4 | 38 | 5 | 6 | 11 | 14 | 22 | 27 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 11.3 | 120 | 5 | 5 | 5 | 19 | 24 | 24 | 24 |
| 20-34 | 25 | 6.9 | 44 | 1 | 1 | 5 | 8 | 15 | 26 | 28 |
| 35-49 | 42 | 6.9 | 31 | 2 | 3 | 5 | 8 | 11 | 23 | 26 |
| 50-64 | 69 | 8.9 | 62 | 2 | 3 | 7 | 10 | 17 | 27 | 43 |
| 65+ | 138 | 12.3 | 152 | 3 | 4 | 9 | 13 | 23 | 44 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 15 | 9.3 | 27 | 3 | 5 | 9 | 12 | 16 | 21 | 23 |
| 35-49 | 37 | 14.6 | 166 | 4 | 4 | 10 | 16 | 38 | 55 | 99+ |
| 50-64 | 83 | 16.3 | 166 | 4 | 6 | 13 | 20 | 33 | 58 | 86 |
| 65+ | 150 | 19.0 | 267 | 4 | 6 | 14 | 23 | 51 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 166 | 7.1 | 25 | 1 | 2 | 6 | 9 | 13 | 17 | 26 |
| B. *Operated* | 93 | 10.8 | 25 | 4 | 5 | 11 | 13 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 277 | 10.1 | 106 | 2 | 3 | 7 | 11 | 21 | 28 | 60 |
| B. *Operated* | 286 | 17.1 | 216 | 4 | 5 | 13 | 21 | 41 | 59 | 99+ |
| **1. SINGLE DX** | 259 | 8.4 | 28 | 1 | 3 | 7 | 11 | 14 | 18 | 27 |
| **2. MULTIPLE DX** | 563 | 13.7 | 174 | 3 | 4 | 9 | 16 | 29 | 51 | 83 |
| **A. NOT OPERATED** | 443 | 9.0 | 77 | 2 | 3 | 6 | 10 | 17 | 24 | 55 |
| **B. OPERATED** | 379 | 15.5 | 176 | 4 | 5 | 12 | 18 | 31 | 56 | 99+ |
| TOTAL 0-19 YRS | 10 | 10.4 | 34 | 5 | 5 | 9 | 13 | 19 | 24 | 24 |
| 20-34 | 72 | 7.3 | 33 | 1 | 2 | 6 | 9 | 13 | 22 | 28 |
| 35-49 | 141 | 9.1 | 70 | 2 | 3 | 7 | 10 | 17 | 26 | 60 |
| 50-64 | 228 | 11.1 | 101 | 2 | 3 | 8 | 13 | 22 | 31 | 59 |
| 65+ | 371 | 14.6 | 186 | 4 | 4 | 11 | 17 | 30 | 52 | 82 |
| **GRAND TOTAL** | **822** | **12.0** | **134** | **3** | **4** | **9** | **14** | **24** | **38** | **71** |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 87 | 5.6 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 20-34 | 271 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 35-49 | 208 | 4.8 | 16 | <1 | 1 | 4 | 6 | 9 | 11 | 23 |
| 50-64 | 179 | 5.2 | 18 | <1 | 1 | 4 | 7 | 9 | 12 | 22 |
| 65+ | 138 | 7.0 | 34 | 1 | 2 | 6 | 9 | 13 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.5 | 6 | 5 | 5 | 8 | 10 | 12 | 14 | 14 |
| 20-34 | 102 | 10.0 | 24 | 6 | 7 | 9 | 10 | 14 | 21 | 32 |
| 35-49 | 101 | 10.3 | 11 | 7 | 7 | 9 | 12 | 15 | 17 | 20 |
| 50-64 | 54 | 9.8 | 13 | 4 | 7 | 9 | 11 | 14 | 17 | 21 |
| 65+ | 15 | 10.3 | 29 | 2 | 2 | 10 | 16 | 17 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 6.8 | 31 | 1 | 2 | 5 | 9 | 13 | 15 | 31 |
| 20-34 | 166 | 5.9 | 26 | 1 | 1 | 5 | 7 | 12 | 16 | 26 |
| 35-49 | 208 | 6.6 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 29 |
| 50-64 | 224 | 7.0 | 31 | 1 | 2 | 5 | 9 | 14 | 17 | 28 |
| 65+ | 310 | 9.1 | 56 | 2 | 3 | 8 | 12 | 16 | 21 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 10.7 | 32 | 4 | 4 | 10 | 13 | 19 | 20 | 20 |
| 20-34 | 76 | 10.5 | 45 | 4 | 6 | 9 | 12 | 17 | 19 | 45 |
| 35-49 | 116 | 11.8 | 36 | 6 | 7 | 10 | 14 | 19 | 24 | 58 |
| 50-64 | 117 | 14.6 | 78 | 4 | 7 | 12 | 19 | 26 | 35 | 43 |
| 65+ | 73 | 15.8 | 115 | 4 | 5 | 13 | 22 | 32 | 49 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 883 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 12 | 22 |
| B. *Operated* | 283 | 10.0 | 17 | 6 | 7 | 9 | 11 | 15 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 950 | 7.4 | 39 | 1 | 2 | 6 | 9 | 14 | 18 | 28 |
| B. *Operated* | 388 | 13.1 | 69 | 4 | 7 | 11 | 16 | 24 | 32 | 51 |
| **1. SINGLE DX** | 1166 | 6.3 | 23 | 1 | 1 | 5 | 9 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | 1338 | 9.1 | 54 | 2 | 2 | 8 | 12 | 17 | 23 | 40 |
| **A. NOT OPERATED** | 1833 | 6.3 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| **B. OPERATED** | 671 | 11.8 | 49 | 5 | 7 | 10 | 14 | 20 | 26 | 45 |
| TOTAL 0-19 YRS | 146 | 6.3 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 20-34 | 615 | 6.4 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| 35-49 | 633 | 7.6 | 30 | 1 | 2 | 7 | 10 | 14 | 17 | 31 |
| 50-64 | 574 | 8.2 | 47 | 1 | 2 | 7 | 11 | 16 | 22 | 36 |
| 65+ | 536 | 9.5 | 64 | 2 | 3 | 7 | 12 | 18 | 23 | 46 |
| **GRAND TOTAL** | **2504** | **7.8** | **41** | **1** | **2** | **7** | **10** | **15** | **20** | **34** |

## 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.7 | 10 | 1 | 1 | 4 | 5 | 10 | 12 | 13 |
| 20-34 | 129 | 4.9 | 7 | 1 | 2 | 4 | 6 | 9 | 9 | 14 |
| 35-49 | 152 | 5.3 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 14 |
| 50-64 | 141 | 6.1 | 13 | 2 | 2 | 5 | 7 | 10 | 14 | 18 |
| 65+ | 103 | 7.0 | 15 | 2 | 3 | 7 | 9 | 12 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.8 | 8 | 6 | 6 | 8 | 11 | 13 | 13 | 13 |
| 20-34 | 57 | 10.3 | 36 | 4 | 5 | 9 | 12 | 17 | 21 | 39 |
| 35-49 | 55 | 10.3 | 14 | 6 | 7 | 10 | 12 | 14 | 20 | 21 |
| 50-64 | 52 | 12.5 | 43 | 6 | 7 | 10 | 15 | 22 | 28 | 32 |
| 65+ | 48 | 14.9 | 137 | 6 | 6 | 12 | 18 | 27 | 33 | 77 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 7.5 | 102 | 1 | 2 | 4 | 7 | 13 | 32 | 47 |
| 20-34 | 79 | 5.3 | 10 | 1 | 2 | 5 | 7 | 10 | 11 | 14 |
| 35-49 | 105 | 6.3 | 17 | 2 | 3 | 6 | 7 | 9 | 12 | 27 |
| 50-64 | 156 | 7.2 | 28 | 2 | 3 | 6 | 9 | 12 | 17 | 33 |
| 65+ | 219 | 11.1 | 99 | 3 | 4 | 9 | 13 | 19 | 25 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 25.7 | 585 | 7 | 7 | 17 | 44 | 53 | 53 | 53 |
| 20-34 | 40 | 10.1 | 24 | 4 | 5 | 9 | 12 | 16 | 19 | 28 |
| 35-49 | 63 | 15.3 | 175 | 5 | 6 | 12 | 17 | 28 | 33 | 90 |
| 50-64 | 103 | 17.3 | 190 | 4 | 7 | 13 | 21 | 31 | 49 | 72 |
| 65+ | 125 | 19.1 | 243 | 6 | 7 | 15 | 25 | 38 | 54 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 543 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | 220 | 11.8 | 56 | 5 | 6 | 10 | 13 | 20 | 24 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 578 | 8.3 | 58 | 2 | 3 | 7 | 10 | 14 | 20 | 43 |
| B. *Operated* | 334 | 16.8 | 196 | 5 | 6 | 13 | 19 | 31 | 47 | 97 |
| 1. SINGLE DX | 763 | 7.5 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| 2. MULTIPLE DX | 912 | 11.4 | 125 | 3 | 3 | 8 | 13 | 23 | 31 | 62 |
| A. NOT OPERATED | 1121 | 7.0 | 37 | 2 | 3 | 6 | 8 | 12 | 16 | 30 |
| B. OPERATED | 554 | 14.8 | 146 | 5 | 6 | 11 | 17 | 28 | 37 | 81 |
| TOTAL 0-19 YRS | 48 | 7.8 | 93 | 1 | 2 | 5 | 8 | 13 | 20 | 53 |
| 20-34 | 305 | 6.7 | 21 | 2 | 2 | 6 | 9 | 12 | 14 | 24 |
| 35-49 | 375 | 8.0 | 52 | 2 | 3 | 6 | 10 | 14 | 19 | 32 |
| 50-64 | 452 | 9.8 | 82 | 2 | 3 | 7 | 11 | 19 | 27 | 51 |
| 65+ | 495 | 12.6 | 140 | 3 | 4 | 9 | 15 | 25 | 36 | 83 |
| GRAND TOTAL | 1675 | 9.6 | 86 | 2 | 3 | 7 | 11 | 18 | 26 | 51 |

## 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 10 | 3.6 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 9 |
| 35-49 | 5 | 4.2 | 5 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | 6 | 6.8 | 27 | 1 | 1 | 7 | 12 | 13 | 13 | 13 |
| 65+ | 4 | 15.8 | 206 | 7 | 7 | 10 | 24 | 37 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 184 | 1 | 1 | 2 | 19 | 25 | 25 | 25 |
| 20-34 | 6 | 9.0 | 2 | 7 | 7 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 13 | 12.6 | 31 | 5 | 7 | 11 | 16 | 20 | 24 | 25 |
| 50-64 | 19 | 15.5 | 67 | 5 | 8 | 13 | 21 | 25 | 33 | 38 |
| 65+ | 5 | 12.8 | 15 | 9 | 9 | 13 | 15 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 7 | 8.6 | 34 | 4 | 4 | 7 | 9 | 19 | 21 | 21 |
| 35-49 | 5 | 8.4 | 102 | 1 | 1 | 5 | 12 | 26 | 26 | 26 |
| 50-64 | 7 | 9.7 | 26 | 2 | 3 | 9 | 15 | 16 | 16 | 16 |
| 65+ | 15 | 18.5 | 342 | 1 | 6 | 10 | 27 | 38 | 63 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 20-34 | 9 | 14.2 | 24 | 8 | 8 | 13 | 18 | 21 | 21 | 21 |
| 35-49 | 22 | 12.0 | 25 | 6 | 8 | 10 | 16 | 21 | 22 | 23 |
| 50-64 | 38 | 21.6 | 140 | 8 | 9 | 18 | 28 | 36 | 42 | 61 |
| 65+ | 32 | 19.7 | 144 | 5 | 9 | 18 | 28 | 33 | 45 | 54 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 26 | 6.5 | 52 | <1 | 1 | 6 | 8 | 12 | 18 | 37 |
| B. *Operated* | 46 | 13.2 | 51 | 3 | 7 | 11 | 16 | 24 | 25 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 35 | 12.9 | 189 | 1 | 3 | 8 | 16 | 29 | 36 | 72 |
| B. *Operated* | 102 | 18.2 | 118 | 8 | 9 | 16 | 24 | 33 | 39 | 57 |
| 1. SINGLE DX | 72 | 10.8 | 61 | 1 | 1 | 9 | 13 | 22 | 25 | 38 |
| 2. MULTIPLE DX | 137 | 16.8 | 140 | 4 | 6 | 13 | 22 | 32 | 38 | 62 |
| A. NOT OPERATED | 61 | 10.2 | 139 | 1 | 1 | 6 | 11 | 24 | 33 | 68 |
| B. OPERATED | 148 | 16.6 | 102 | 7 | 8 | 13 | 21 | 30 | 36 | 54 |
| TOTAL 0-19 YRS | 6 | 9.2 | 86 | 1 | 1 | 6 | 15 | 24 | 25 | 25 |
| 20-34 | 32 | 8.7 | 33 | 1 | 1 | 8 | 11 | 18 | 21 | 21 |
| 35-49 | 45 | 10.9 | 38 | 2 | 4 | 9 | 15 | 21 | 23 | 26 |
| 50-64 | 70 | 17.5 | 123 | 4 | 7 | 15 | 24 | 34 | 38 | 57 |
| 65+ | 56 | 18.5 | 185 | 5 | 6 | 13 | 27 | 36 | 44 | 71 |
| GRAND TOTAL | 209 | 14.7 | 121 | 1 | 4 | 11 | 20 | 29 | 36 | 57 |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 579 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 585 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 409 | 4.0 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 50-64 | 293 | 4.5 | 17 | <1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 65+ | 280 | 5.5 | 22 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 20-34 | 13 | 5.7 | 20 | <1 | <1 | 5 | 8 | 13 | 15 | 15 |
| 35-49 | 23 | 7.3 | 68 | <1 | <1 | 4 | 9 | 23 | 27 | 30 |
| 50-64 | 35 | 8.1 | 54 | <1 | <1 | 7 | 13 | 18 | 22 | 29 |
| 65+ | 25 | 7.0 | 50 | <1 | <1 | 4 | 13 | 19 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 304 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 20-34 | 544 | 4.3 | 18 | 1 | 1 | 3 | 6 | 8 | 11 | 21 |
| 35-49 | 597 | 5.4 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 20 |
| 50-64 | 573 | 6.7 | 48 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 65+ | 739 | 9.2 | 99 | 2 | 2 | 7 | 11 | 18 | 24 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.4 | 29 | 4 | 4 | 9 | 12 | 18 | 18 | 18 |
| 20-34 | 41 | 10.1 | 92 | <1 | 2 | 7 | 13 | 20 | 25 | 55 |
| 35-49 | 66 | 10.5 | 73 | <1 | 1 | 10 | 14 | 19 | 35 | 90 |
| 50-64 | 104 | 12.1 | 174 | <1 | 1 | 9 | 14 | 26 | 37 | 78 |
| 65+ | 134 | 14.1 | 135 | 2 | 3 | 12 | 19 | 30 | 38 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2146 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 98 | 7.2 | 50 | <1 | <1 | 5 | 11 | 17 | 22 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2757 | 6.3 | 49 | 1 | 1 | 4 | 8 | 13 | 17 | 35 |
| B. *Operated* | 350 | 12.3 | 130 | 1 | 2 | 10 | 15 | 26 | 36 | 64 |
| **1. SINGLE DX** | 2244 | 3.8 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 3107 | 7.0 | 62 | 1 | 1 | 5 | 8 | 14 | 20 | 43 |
| **A. NOT OPERATED** | 4903 | 5.1 | 35 | 1 | 1 | 4 | 6 | 10 | 14 | 30 |
| **B. OPERATED** | 448 | 11.2 | 116 | <1 | 1 | 9 | 15 | 23 | 33 | 64 |
| TOTAL 0-19 YRS | 890 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 1183 | 3.9 | 16 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 1095 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| 50-64 | 1005 | 6.7 | 57 | 1 | 1 | 4 | 8 | 13 | 18 | 36 |
| 65+ | 1178 | 8.8 | 89 | 1 | 2 | 6 | 11 | 18 | 24 | 57 |
| **GRAND TOTAL** | 5351 | 5.7 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 3.6 | 11 | <1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 20-34 | 146 | 3.7 | 27 | <1 | <1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 107 | 3.7 | 20 | <1 | 1 | 2 | 5 | 6 | 10 | 27 |
| 50-64 | 103 | 4.6 | 27 | <1 | 1 | 3 | 5 | 11 | 16 | 27 |
| 65+ | 89 | 5.4 | 22 | 1 | 1 | 4 | 7 | 13 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 7.1 | 3 | 5 | 5 | 7 | 8 | 9 | 10 | 10 |
| 20-34 | 16 | 8.6 | 55 | <1 | <1 | 9 | 11 | 13 | 26 | 31 |
| 35-49 | 20 | 9.6 | 19 | 1 | 3 | 9 | 13 | 15 | 17 | 17 |
| 50-64 | 17 | 11.5 | 73 | <1 | <1 | 13 | 19 | 24 | 25 | 25 |
| 65+ | 11 | 14.7 | 97 | 5 | 6 | 11 | 24 | 30 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 5.7 | 39 | 1 | 1 | 4 | 8 | 11 | 14 | 41 |
| 20-34 | 106 | 4.9 | 12 | <1 | 1 | 4 | 7 | 9 | 12 | 16 |
| 35-49 | 133 | 5.5 | 21 | 1 | 1 | 4 | 7 | 12 | 15 | 22 |
| 50-64 | 138 | 7.2 | 38 | 1 | 2 | 5 | 10 | 14 | 17 | 28 |
| 65+ | 232 | 8.2 | 61 | 1 | 2 | 6 | 10 | 16 | 24 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 11.3 | 41 | 1 | 2 | 13 | 16 | 19 | 19 | 19 |
| 20-34 | 25 | 12.7 | 81 | 1 | 7 | 10 | 14 | 32 | 34 | 38 |
| 35-49 | 33 | 15.8 | 77 | 5 | 7 | 17 | 21 | 26 | 30 | 44 |
| 50-64 | 62 | 16.3 | 133 | 3 | 7 | 13 | 21 | 29 | 30 | 74 |
| 65+ | 62 | 16.1 | 92 | 4 | 5 | 15 | 21 | 29 | 45 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 543 | 4.1 | 22 | <1 | 1 | 3 | 5 | 8 | 12 | 21 |
| B. *Operated* | 74 | 10.2 | 52 | <1 | 1 | 9 | 13 | 21 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 668 | 6.7 | 40 | 1 | 1 | 5 | 8 | 14 | 17 | 40 |
| B. *Operated* | 194 | 15.4 | 99 | 3 | 5 | 14 | 20 | 29 | 32 | 91 |
| **1. SINGLE DX** | 617 | 4.9 | 29 | <1 | 1 | 3 | 6 | 11 | 15 | 28 |
| **2. MULTIPLE DX** | 862 | 8.7 | 67 | 1 | 2 | 6 | 11 | 19 | 25 | 45 |
| **A. NOT OPERATED** | 1211 | 5.5 | 34 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| **B. OPERATED** | 268 | 14.0 | 91 | 2 | 4 | 12 | 19 | 27 | 31 | 75 |
| TOTAL 0-19 YRS | 179 | 5.0 | 25 | 1 | 1 | 3 | 7 | 11 | 14 | 20 |
| 20-34 | 293 | 5.2 | 34 | <1 | 1 | 4 | 7 | 10 | 13 | 33 |
| 35-49 | 293 | 6.3 | 41 | <1 | 1 | 4 | 8 | 15 | 19 | 32 |
| 50-64 | 320 | 8.3 | 72 | 1 | 1 | 6 | 12 | 19 | 24 | 33 |
| 65+ | 394 | 9.0 | 70 | 1 | 2 | 7 | 11 | 20 | 27 | 57 |
| **GRAND TOTAL** | 1479 | 7.1 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 37 |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 21 | 2.6 | 8 | 1 | 1 | 1 | 4 | 7 | 9 | 12 |
| 35-49 | 4 | 5.3 | 19 | 1 | 1 | 4 | 8 | 11 | 11 | 11 |
| 50-64 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2569 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 1501 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 335 | 4.9 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 12 |
| 50-64 | 155 | 5.9 | 8 | 3 | 3 | 5 | 7 | 9 | 11 | 18 |
| 65+ | 42 | 8.3 | 21 | 4 | 4 | 6 | 9 | 15 | 19 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 3 | 15.0 | 309 | 2 | 2 | 8 | 28 | 35 | 35 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 430 | 6.1 | 14 | 3 | 3 | 5 | 7 | 11 | 14 | 21 |
| 20-34 | 326 | 6.7 | 23 | 3 | 3 | 6 | 8 | 11 | 14 | 30 |
| 35-49 | 107 | 7.9 | 21 | 3 | 4 | 6 | 9 | 14 | 17 | 26 |
| 50-64 | 59 | 9.4 | 31 | 4 | 4 | 8 | 12 | 16 | 20 | 28 |
| 65+ | 34 | 10.4 | 95 | 4 | 5 | 8 | 11 | 14 | 18 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 2.4 | 6 | <1 | <1 | 1 | 3 | 5 | 8 | 12 |
| B. *Operated* | 4602 | 4.5 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 6.2 | 67 | <1 | 1 | 3 | 8 | 11 | 27 | 35 |
| B. *Operated* | 956 | 6.9 | 23 | 3 | 3 | 5 | 8 | 12 | 15 | 25 |
| **1. SINGLE DX** | 4667 | 4.4 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 973 | 6.8 | 24 | 3 | 3 | 5 | 8 | 12 | 15 | 27 |
| **A. NOT OPERATED** | 82 | 3.1 | 20 | <1 | <1 | 2 | 3 | 7 | 11 | 28 |
| **B. OPERATED** | 5558 | 4.9 | 8 | 2 | 3 | 4 | 5 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 3046 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 1850 | 4.8 | 8 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 447 | 5.7 | 10 | 2 | 3 | 5 | 7 | 9 | 11 | 18 |
| 50-64 | 218 | 6.8 | 17 | 3 | 3 | 6 | 8 | 12 | 15 | 23 |
| 65+ | 79 | 9.5 | 62 | 4 | 4 | 8 | 11 | 15 | 20 | 54 |
| **GRAND TOTAL** | 5640 | 4.9 | 8 | 2 | 3 | 4 | 5 | 7 | 10 | 16 |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.9 | 14 | <1 | 1 | 4 | 7 | 9 | 13 | 16 |
| 20-34 | 11 | 5.4 | 9 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 35-49 | 3 | 5.7 | 9 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| 50-64 | 4 | 8.3 | 1 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 65+ | 4 | 9.3 | 12 | 6 | 5 | 9 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 468 | 7.2 | 12 | 3 | 4 | 7 | 9 | 12 | 14 | 19 |
| 20-34 | 243 | 7.0 | 15 | 3 | 3 | 6 | 9 | 12 | 15 | 22 |
| 35-49 | 100 | 8.9 | 21 | 4 | 4 | 8 | 10 | 14 | 18 | 26 |
| 50-64 | 63 | 10.0 | 23 | 4 | 5 | 9 | 12 | 15 | 21 | 26 |
| 65+ | 28 | 10.9 | 16 | 5 | 6 | 10 | 13 | 16 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | 26 | 2 | 2 | 9 | 11 | 12 | 12 | 12 |
| 20-34 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 65+ | 7 | 9.6 | 21 | 4 | 4 | 8 | 13 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 202 | 12.4 | 46 | 4 | 5 | 11 | 16 | 21 | 25 | 35 |
| 20-34 | 127 | 10.6 | 43 | 4 | 4 | 9 | 13 | 20 | 23 | 36 |
| 35-49 | 71 | 11.3 | 33 | 4 | 5 | 10 | 14 | 18 | 22 | 34 |
| 50-64 | 81 | 13.0 | 35 | 6 | 6 | 12 | 17 | 21 | 25 | 30 |
| 65+ | 70 | 18.2 | 116 | 8 | 9 | 15 | 21 | 33 | 47 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 5.8 | 12 | 1 | 1 | 6 | 8 | 10 | 12 | 16 |
| B. *Operated* | 902 | 7.6 | 16 | 3 | 4 | 7 | 9 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 8.2 | 18 | 2 | 4 | 8 | 10 | 15 | 17 | 17 |
| B. *Operated* | 551 | 12.7 | 56 | 4 | 5 | 11 | 16 | 21 | 26 | 44 |
| **1. SINGLE DX** | 944 | 7.6 | 16 | 3 | 4 | 7 | 9 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | 564 | 12.6 | 55 | 4 | 5 | 11 | 16 | 21 | 26 | 44 |
| **A. NOT OPERATED** | 55 | 6.4 | 14 | 1 | 2 | 6 | 9 | 11 | 14 | 17 |
| **B. OPERATED** | 1453 | 9.5 | 37 | 3 | 4 | 8 | 12 | 17 | 21 | 31 |
| TOTAL 0-19 YRS | 693 | 8.6 | 28 | 3 | 4 | 7 | 11 | 16 | 19 | 28 |
| 20-34 | 383 | 8.1 | 27 | 3 | 4 | 7 | 10 | 14 | 19 | 27 |
| 35-49 | 174 | 9.8 | 27 | 4 | 4 | 9 | 12 | 16 | 21 | 27 |
| 50-64 | 149 | 11.6 | 31 | 5 | 6 | 10 | 14 | 20 | 24 | 29 |
| 65+ | 109 | 15.4 | 94 | 6 | 8 | 13 | 19 | 29 | 36 | 80 |
| **GRAND TOTAL** | 1508 | 9.4 | 36 | 3 | 4 | 8 | 12 | 17 | 21 | 31 |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 130 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 62 | 2.7 | 15 | 1 | 1 | 2 | 3 | 4 | 5 | 27 |
| 35-49 | 16 | 3.8 | 18 | <1 | 1 | 3 | 4 | 5 | 15 | 19 |
| 50-64 | 8 | 3.3 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 65+ | 3 | 6.7 | 52 | 2 | 2 | 3 | 12 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 368 | 4.8 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 231 | 5.3 | 12 | 2 | 3 | 5 | 6 | 8 | 11 | 22 |
| 35-49 | 40 | 5.6 | 11 | 2 | 3 | 5 | 6 | 9 | 14 | 17 |
| 50-64 | 16 | 7.3 | 13 | 3 | 4 | 7 | 9 | 9 | 15 | 18 |
| 65+ | 12 | 7.5 | 14 | 2 | 3 | 7 | 10 | 13 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.4 | 4 | 1 | 1 | 2 | 2 | 5 | 8 | 10 |
| 20-34 | 20 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 35-49 | 6 | 3.5 | 8 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 50-64 | 7 | 3.3 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 65+ | 3 | 8.3 | 104 | <1 | <1 | 4 | 16 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 139 | 6.2 | 16 | 3 | 3 | 5 | 7 | 12 | 15 | 20 |
| 20-34 | 110 | 6.9 | 13 | 3 | 3 | 6 | 8 | 12 | 14 | 19 |
| 35-49 | 28 | 7.0 | 13 | 3 | 3 | 6 | 8 | 12 | 17 | 18 |
| 50-64 | 17 | 7.2 | 7 | 3 | 3 | 7 | 9 | 10 | 11 | 12 |
| 65+ | 17 | 13.9 | 120 | 4 | 5 | 10 | 22 | 25 | 40 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 16 |
| B. *Operated* | 667 | 5.1 | 8 | 3 | 3 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 2.9 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 19 |
| B. *Operated* | 311 | 7.0 | 22 | 3 | 3 | 6 | 8 | 12 | 16 | 24 |
| **1. SINGLE DX** | 886 | 4.5 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 375 | 6.3 | 22 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| **A. NOT OPERATED** | 283 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 18 |
| **B. OPERATED** | 978 | 5.7 | 13 | 3 | 3 | 5 | 6 | 9 | 12 | 19 |
| TOTAL 0-19 YRS | 665 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 20-34 | 423 | 5.2 | 14 | 1 | 2 | 5 | 6 | 9 | 12 | 20 |
| 35-49 | 90 | 5.5 | 14 | 1 | 2 | 5 | 7 | 9 | 15 | 19 |
| 50-64 | 48 | 6.0 | 11 | 2 | 2 | 6 | 8 | 10 | 10 | 18 |
| 65+ | 35 | 10.6 | 81 | 2 | 3 | 8 | 14 | 22 | 25 | 47 |
| **GRAND TOTAL** | 1261 | 5.0 | 14 | 1 | 2 | 4 | 6 | 8 | 12 | 19 |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 20-34 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 7 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 17 | 4.1 | 21 | 1 | 1 | 2 | 5 | 10 | 16 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1380 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 1249 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 1178 | 4.4 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 1623 | 4.9 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| 65+ | 1205 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 7 | 10 |
| 20-34 | 8 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | 14 | 4.0 | 16 | 1 | 1 | 2 | 7 | 11 | 12 | 12 |
| 50-64 | 20 | 5.7 | 58 | <1 | <1 | 3 | 7 | 12 | 23 | 34 |
| 65+ | 33 | 5.3 | 35 | <1 | 1 | 4 | 7 | 11 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 686 | 3.6 | 20 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| 20-34 | 308 | 4.6 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 459 | 5.6 | 10 | 2 | 3 | 5 | 7 | 9 | 10 | 21 |
| 50-64 | 1013 | 6.1 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 65+ | 1158 | 7.9 | 30 | 3 | 4 | 6 | 9 | 14 | 18 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| B. *Operated* | 6635 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 3.6 | 25 | <1 | <1 | 1 | 4 | 9 | 12 | 32 |
| B. *Operated* | 3624 | 6.0 | 21 | 2 | 2 | 5 | 7 | 10 | 14 | 23 |
| **1. SINGLE DX** | 6682 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 3745 | 5.9 | 21 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| **A. NOT OPERATED** | 168 | 3.3 | 21 | <1 | <1 | 1 | 4 | 9 | 11 | 29 |
| **B. OPERATED** | 10259 | 4.9 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| TOTAL 0-19 YRS | 2128 | 3.0 | 12 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 1568 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 1655 | 4.7 | 6 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 2663 | 5.4 | 9 | 2 | 3 | 5 | 6 | 9 | 10 | 16 |
| 65+ | 2413 | 6.8 | 20 | 2 | 3 | 6 | 8 | 11 | 15 | 25 |
| **GRAND TOTAL** | 10427 | 4.9 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 190 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 20-34 | 65 | 4.[illegible] | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 9 |
| 35-49 | 49 | 4.4 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 8 |
| 50-64 | 61 | 5.5 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 12 |
| 65+ | 78 | 7.1 | 18 | 3 | 3 | 6 | 8 | 12 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 9 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 65+ | 10 | 11.8 | 122 | 2 | 2 | 6 | 20 | 29 | 36 | 36 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 12 | 22 |
| 20-34 | 19 | 6.3 | 10 | 3 | 3 | 5 | 9 | 12 | 13 | 13 |
| 35-49 | 21 | 10.7 | 96 | 4 | 4 | 6 | 13 | 24 | 33 | 43 |
| 50-64 | 58 | 7.7 | 22 | 3 | 4 | 6 | 9 | 13 | 17 | 94 |
| 65+ | 123 | 11.3 | 59 | 4 | 5 | 9 | 14 | 23 | 28 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 14 | 2.1 | 4 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| *B. Operated* | 443 | 4.2 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 15 | 10.4 | 103 | 1 | 2 | 6 | 18 | 23 | 33 | 36 |
| *B. Operated* | 335 | 7.9 | 46 | 2 | 2 | 6 | 10 | 16 | 24 | 43 |
| **1. SINGLE DX** | 457 | 4.2 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 350 | 8.0 | 49 | 2 | 2 | 6 | 10 | 17 | 24 | 43 |
| **A. NOT OPERATED** | 29 | 6.4 | 71 | <1 | <1 | 3 | 7 | 21 | 24 | 36 |
| **B. OPERATED** | 778 | 5.8 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| TOTAL 0-19 YRS | 313 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 20-34 | 87 | 4.9 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 13 |
| 35-49 | 71 | 6.5 | 37 | 2 | 3 | 5 | 7 | 8 | 19 | 39 |
| 50-64 | 122 | 6.6 | 17 | 3 | 3 | 5 | 8 | 12 | 14 | 50 |
| 65+ | 214 | 9.6 | 51 | 3 | 4 | 8 | 11 | 19 | 27 | 43 |
| **GRAND TOTAL** | **807** | **5.8** | **30** | **1** | **2** | **4** | **7** | **11** | **16** | **31** |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.3 | 10 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 66 | 4.0 | 19 | 1 | 1 | 3 | 4 | 7 | 8 | 31 |
| 35-49 | 124 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 9 |
| 50-64 | 96 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 45 | 5.7 | 14 | 2 | 3 | 4 | 8 | 10 | 14 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 4 | 5.3 | 20 | 3 | 3 | 3 | 8 | 12 | 12 | 12 |
| 65+ | 7 | 8.1 | 72 | 2 | 2 | 4 | 10 | 23 | 26 | 26 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.2 | 18 | 1 | 1 | 2 | 3 | 5 | 6 | 31 |
| 20-34 | 36 | 4.9 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 13 |
| 35-49 | 56 | 6.0 | 12 | 2 | 3 | 5 | 8 | 11 | 13 | 18 |
| 50-64 | 91 | 6.2 | 12 | 2 | 2 | 6 | 8 | 10 | 12 | 19 |
| 65+ | 51 | 8.0 | 23 | 2 | 3 | 8 | 11 | 15 | 17 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 4 | 2.8 | 8 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| *B. Operated* | 522 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 24 | 4.5 | 30 | <1 | <1 | 3 | 4 | 11 | 16 | 26 |
| *B. Operated* | 286 | 5.8 | 16 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| **1. SINGLE DX** | 526 | 3.6 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 310 | 5.7 | 17 | 2 | 2 | 5 | 8 | 11 | 13 | 22 |
| **A. NOT OPERATED** | 28 | 4.2 | 27 | <1 | <1 | 3 | 4 | 10 | 13 | 26 |
| **B. OPERATED** | 808 | 4.4 | 12 | 1 | 2 | 3 | 6 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 255 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 20-34 | 104 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 9 | 23 |
| 35-49 | 183 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| 50-64 | 191 | 5.5 | 10 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 65+ | 103 | 7.0 | 23 | 2 | 3 | 6 | 9 | 13 | 17 | 25 |
| **GRAND TOTAL** | **836** | **4.4** | **12** | **1** | **2** | **3** | **5** | **8** | **11** | **18** |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 6 | 2.5 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 3.8 | 7 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 65+ | 6 | 4.2 | 11 | 1 | 1 | 3 | 6 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 20-34 | 192 | 4.7 | 12 | 2 | 2 | 4 | 6 | 8 | 9 | 23 |
| 35-49 | 265 | 5.8 | 8 | 2 | 3 | 5 | 7 | 10 | 11 | 15 |
| 50-64 | 283 | 7.0 | 19 | 2 | 3 | 6 | 9 | 11 | 13 | 23 |
| 65+ | 177 | 8.1 | 17 | 3 | 4 | 8 | 10 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.4 | 12 | 1 | 1 | 3 | 8 | 9 | 9 | 9 |
| 20-34 | 4 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 5 | 3.8 | 12 | <1 | <1 | 2 | 7 | 8 | 8 | 8 |
| 50-64 | 20 | 6.3 | 37 | <1 | 1 | 4 | 8 | 14 | 21 | 25 |
| 65+ | 38 | 11.3 | 250 | 1 | 2 | 5 | 9 | 38 | 44 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.2 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 20-34 | 94 | 6.6 | 15 | 3 | 3 | 5 | 8 | 11 | 16 | 20 |
| 35-49 | 146 | 8.1 | 24 | 2 | 3 | 7 | 9 | 14 | 17 | 29 |
| 50-64 | 279 | 9.5 | 39 | 3 | 4 | 8 | 11 | 16 | 21 | 36 |
| 65+ | 245 | 11.9 | 75 | 4 | 5 | 10 | 14 | 20 | 26 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.2 | 6 | <1 | <1 | 3 | 5 | 6 | 8 | 10 |
| B. *Operated* | 998 | 6.1 | 15 | 2 | 2 | 5 | 8 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 8.2 | 149 | 1 | 1 | 4 | 8 | 21 | 38 | 67 |
| B. *Operated* | 776 | 9.6 | 48 | 3 | 4 | 8 | 11 | 17 | 22 | 36 |
| **1. SINGLE DX** | 1018 | 6.0 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 17 |
| **2. MULTIPLE DX** | 850 | 9.4 | 57 | 2 | 3 | 8 | 11 | 17 | 22 | 39 |
| **A. NOT OPERATED** | 94 | 7.2 | 122 | <1 | 1 | 4 | 8 | 17 | 33 | 61 |
| **B. OPERATED** | 1774 | 7.6 | 32 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| TOTAL 0-19 YRS | 101 | 3.0 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 293 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 422 | 6.5 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| 50-64 | 586 | 8.1 | 31 | 2 | 3 | 7 | 10 | 14 | 18 | 30 |
| 65+ | 466 | 10.3 | 69 | 3 | 4 | 9 | 12 | 17 | 24 | 42 |
| **GRAND TOTAL** | **1868** | **7.6** | **37** | **2** | **3** | **6** | **9** | **13** | **17** | **30** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.8 | 39 | 4 | 4 | 5 | 11 | 17 | 17 | 17 |
| 20-34 | 18 | 4.7 | 8 | <1 | 1 | 4 | 6 | 9 | 10 | 10 |
| 35-49 | 41 | 5.0 | 15 | <1 | 1 | 4 | 7 | 9 | 12 | 19 |
| 50-64 | 74 | 4.8 | 9 | 1 | 1 | 5 | 6 | 9 | 10 | 14 |
| 65+ | 82 | 5.7 | 19 | 1 | 2 | 4 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 9 | 8.1 | 2 | 6 | 6 | 8 | 9 | 11 | 11 | 11 |
| 35-49 | 34 | 8.2 | 9 | 2 | 5 | 8 | 9 | 13 | 14 | 15 |
| 50-64 | 32 | 9.4 | 15 | 3 | 5 | 9 | 11 | 14 | 18 | 19 |
| 65+ | 13 | 10.2 | 18 | 1 | 5 | 10 | 12 | 16 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 8.7 | 51 | 1 | 2 | 5 | 12 | 20 | 24 | 24 |
| 20-34 | 33 | 5.9 | 33 | <1 | 1 | 4 | 8 | 14 | 18 | 24 |
| 35-49 | 101 | 5.4 | 15 | 1 | 1 | 5 | 7 | 11 | 13 | 17 |
| 50-64 | 218 | 6.7 | 27 | 1 | 2 | 6 | 9 | 13 | 16 | 27 |
| 65+ | 411 | 9.5 | 80 | 2 | 3 | 7 | 12 | 19 | 24 | 54 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 11.9 | 22 | 5 | 6 | 12 | 16 | 18 | 18 | 18 |
| 20-34 | 51 | 9.7 | 22 | 4 | 5 | 9 | 11 | 15 | 19 | 31 |
| 35-49 | 126 | 10.0 | 37 | 4 | 6 | 9 | 11 | 15 | 18 | 39 |
| 50-64 | 175 | 12.7 | 73 | 6 | 7 | 10 | 14 | 21 | 29 | 69 |
| 65+ | 118 | 14.8 | 123 | 4 | 6 | 12 | 17 | 24 | 40 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 5.2 | 14 | <1 | 1 | 4 | 7 | 9 | 12 | 20 |
| B. *Operated* | 89 | 9.0 | 12 | 3 | 6 | 8 | 11 | 14 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 772 | 8.0 | 57 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| B. *Operated* | 477 | 12.2 | 73 | 5 | 6 | 10 | 14 | 19 | 26 | 55 |
| **1. SINGLE DX** | 308 | 6.3 | 16 | 1 | 2 | 6 | 9 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 1249 | 9.6 | 67 | 2 | 2 | 8 | 12 | 18 | 23 | 50 |
| **A. NOT OPERATED** | 991 | 7.4 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 36 |
| **B. OPERATED** | 566 | 11.7 | 65 | 5 | 6 | 10 | 13 | 19 | 25 | 54 |
| TOTAL 0-19 YRS | 21 | 9.8 | 36 | 2 | 4 | 9 | 14 | 18 | 21 | 24 |
| 20-34 | 111 | 7.6 | 25 | <1 | 1 | 8 | 10 | 13 | 17 | 27 |
| 35-49 | 302 | 7.6 | 28 | 1 | 2 | 7 | 10 | 13 | 15 | 24 |
| 50-64 | 499 | 8.7 | 49 | 1 | 2 | 8 | 11 | 16 | 20 | 38 |
| 65+ | 624 | 10.1 | 86 | 2 | 3 | 8 | 13 | 20 | 24 | 54 |
| **GRAND TOTAL** | **1557** | **9.0** | **59** | **1** | **2** | **8** | **11** | **17** | **21** | **42** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 3 | 2.7 | 8 | 1 | 1 | 1 | 5 | 6 | 6 | 6 |
| 50-64 | 5 | 5.6 | 8 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 40 | 4.4 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 54 | 4.5 | 3 | 1 | 2 | 5 | 5 | 7 | 8 | 11 |
| 50-64 | 57 | 4.7 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 10 |
| 65+ | 46 | 5.1 | 9 | 2 | 3 | 6 | 7 | 11 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 3 | 7.0 | 36 | 1 | 1 | 7 | 11 | 13 | 13 | 13 |
| 35-49 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 50-64 | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 5 | 7.4 | 10 | 3 | 3 | 7 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 15 | 4.8 | 3 | 2 | 3 | 4 | 6 | 6 | 8 | 9 |
| 35-49 | 25 | 4.9 | 6 | 1 | 2 | 4 | 6 | 9 | 10 | 11 |
| 50-64 | 35 | 6.7 | 14 | 3 | 4 | 6 | 8 | 13 | 15 | 18 |
| 65+ | 43 | 8.7 | 27 | 3 | 4 | 7 | 11 | 15 | 19 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| B. *Operated* | 209 | 4.8 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 6.0 | 18 | 1 | 1 | 6 | 8 | 12 | 13 | 13 |
| B. *Operated* | 120 | 6.8 | 18 | 2 | 3 | 5 | 9 | 12 | 15 | 24 |
| **1. SINGLE DX** | 220 | 4.8 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 134 | 6.7 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 23 |
| **A. NOT OPERATED** | 25 | 5.2 | 13 | 1 | 1 | 4 | 7 | 12 | 12 | 13 |
| **B. OPERATED** | 329 | 5.5 | 10 | 2 | 3 | 5 | 6 | 10 | 12 | 17 |
| TOTAL 0-19 YRS | 17 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 60 | 4.6 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 83 | 4.6 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 50-64 | 100 | 5.4 | 8 | 2 | 3 | 5 | 6 | 9 | 11 | 16 |
| 65+ | 94 | 7.3 | 19 | 3 | 3 | 6 | 9 | 12 | 15 | 25 |
| **GRAND TOTAL** | **354** | **5.5** | **11** | **2** | **3** | **5** | **7** | **10** | **12** | **17** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 35-49 | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 8 | 4.1 | 9 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 65+ | 9 | 7.6 | 21 | 2 | 2 | 6 | 10 | 15 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 2.6 | 3 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 20-34 | 44 | 5.4 | 18 | 2 | 2 | 4 | 6 | 9 | 15 | 22 |
| 35-49 | 74 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| 50-64 | 71 | 6.7 | 10 | 3 | 3 | 6 | 9 | 11 | 12 | 17 |
| 65+ | 76 | 8.4 | 20 | 3 | 4 | 7 | 10 | 15 | 19 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 50-64 | 4 | 6.5 | | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 65+ | 25 | 8.1 | 32 | 1 | 2 | 7 | 10 | 15 | 19 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.2 | 92 | <1 | <1 | 7 | 17 | 25 | 25 | 25 |
| 20-34 | 14 | 10.4 | 208 | 3 | 3 | 6 | 9 | 20 | 50 | 59 |
| 35-49 | 43 | 7.7 | 16 | 4 | 4 | 6 | 10 | 14 | 15 | 18 |
| 50-64 | 81 | 12.0 | 96 | 3 | 4 | 9 | 16 | 21 | 26 | 61 |
| 65+ | 150 | 15.0 | 185 | 3 | 5 | 11 | 18 | 33 | 44 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 5.2 | 18 | <1 | 1 | 4 | 8 | 11 | 15 | 17 |
| B. *Operated* | 287 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 7.9 | 29 | 2 | 2 | 7 | 9 | 16 | 17 | 24 |
| B. *Operated* | 293 | 12.8 | 140 | 3 | 4 | 10 | 16 | 24 | 39 | 96 |
| **1. SINGLE DX** | 312 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 324 | 12.3 | 132 | 3 | 4 | 9 | 15 | 23 | 36 | 94 |
| **A. NOT OPERATED** | 56 | 6.7 | 26 | 1 | 1 | 6 | 9 | 15 | 17 | 24 |
| **B. OPERATED** | 580 | 9.5 | 89 | 2 | 3 | 7 | 11 | 18 | 24 | 64 |
| TOTAL 0-19 YRS | 29 | 3.8 | 25 | <1 | <1 | 2 | 4 | 8 | 15 | 25 |
| 20-34 | 60 | 6.7 | 65 | 2 | 2 | 4 | 7 | 12 | 18 | 55 |
| 35-49 | 123 | 5.9 | 13 | 2 | 2 | 5 | 7 | 11 | 14 | 18 |
| 50-64 | 164 | 9.2 | 60 | 3 | 3 | 7 | 11 | 17 | 21 | 47 |
| 65+ | 260 | 12.1 | 127 | 3 | 4 | 9 | 14 | 22 | 36 | 99 |
| **GRAND TOTAL** | **636** | **9.3** | **84** | **2** | **3** | **7** | **11** | **18** | **24** | **60** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 3.4 | 12 | 1 | 1 | 2 | 4 | 7 | 9 | 21 |
| 20-34 | 111 | 4.8 | 41 | 1 | 1 | 3 | 6 | 8 | 10 | 37 |
| 35-49 | 198 | 5.5 | 23 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | 231 | 5.5 | 25 | 1 | 2 | 5 | 6 | 10 | 12 | 25 |
| 65+ | 287 | 6.9 | 28 | 2 | 2 | 6 | 8 | 12 | 16 | 31 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 7.8 | 14 | 4 | 5 | 7 | 8 | 11 | 16 | 22 |
| 20-34 | 57 | 11.1 | 48 | 5 | 6 | 9 | 13 | 18 | 28 | 40 |
| 35-49 | 80 | 10.6 | 28 | 4 | 5 | 9 | 14 | 18 | 20 | 29 |
| 50-64 | 97 | 12.0 | 36 | 6 | 7 | 10 | 13 | 19 | 27 | 34 |
| 65+ | 88 | 15.2 | 103 | 6 | 7 | 13 | 18 | 25 | 33 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 37 | 6.4 | 49 | 2 | 2 | 4 | 7 | 14 | 20 | 38 |
| 20-34 | 98 | 5.8 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| 35-49 | 131 | 6.1 | 25 | 1 | 2 | 5 | 7 | 10 | 15 | 30 |
| 50-64 | 210 | 7.1 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 24 |
| 65+ | 508 | 10.2 | 114 | 2 | 2 | 7 | 12 | 21 | 28 | 68 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 11.7 | 66 | 4 | 5 | 9 | 15 | 20 | 27 | 46 |
| 20-34 | 91 | 12.3 | 116 | 4 | 5 | 10 | 14 | 21 | 25 | 72 |
| 35-49 | 131 | 17.6 | 133 | 6 | 8 | 14 | 22 | 39 | 49 | 99+ |
| 50-64 | 193 | 17.5 | 163 | 6 | 8 | 13 | 22 | 36 | 52 | 99+ |
| 65+ | 282 | 21.0 | 166 | 7 | 9 | 18 | 27 | 43 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 909 | 5.7 | 27 | 1 | 2 | 5 | 7 | 10 | 14 | 28 |
| *B. Operated* | 370 | 11.8 | 54 | 5 | 6 | 10 | 14 | 20 | 27 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 984 | 8.4 | 75 | 2 | 2 | 6 | 10 | 16 | 23 | 51 |
| *B. Operated* | 760 | 17.7 | 155 | 6 | 7 | 14 | 22 | 36 | 51 | 99+ |
| **1. SINGLE DX** | 1279 | 7.5 | 43 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| **2. MULTIPLE DX** | 1744 | 12.5 | 131 | 2 | 3 | 9 | 16 | 27 | 38 | 83 |
| **A. NOT OPERATED** | 1893 | 7.1 | 54 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| **B. OPERATED** | 1130 | 15.8 | 130 | 5 | 6 | 13 | 19 | 31 | 42 | 99+ |
| TOTAL 0-19 YRS | 230 | 7.1 | 43 | 1 | 1 | 6 | 9 | 15 | 20 | 39 |
| 20-34 | 357 | 8.0 | 67 | 1 | 2 | 6 | 10 | 15 | 21 | 40 |
| 35-49 | 540 | 9.3 | 75 | 1 | 2 | 7 | 12 | 19 | 28 | 50 |
| 50-64 | 731 | 10.0 | 87 | 2 | 2 | 8 | 12 | 20 | 28 | 56 |
| 65+ | 1165 | 12.4 | 132 | 2 | 3 | 9 | 16 | 27 | 37 | 79 |
| **GRAND TOTAL** | **3023** | **10.3** | **100** | **2** | **2** | **8** | **13** | **22** | **30** | **64** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4861 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 974 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 390 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| 50-64 | 310 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 65+ | 517 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 7.8 | 87 | 2 | 2 | 5 | 7 | 17 | 29 | 49 |
| 20-34 | 50 | 5.6 | 17 | 1 | 2 | 5 | 6 | 9 | 14 | 27 |
| 35-49 | 24 | 6.1 | 10 | 1 | 1 | 6 | 8 | 11 | 12 | 12 |
| 50-64 | 12 | 12.0 | 57 | 4 | 5 | 9 | 16 | 25 | 26 | 26 |
| 65+ | 13 | 10.5 | 23 | 5 | 5 | 10 | 15 | 17 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2985 | 5.6 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 20-34 | 567 | 3.9 | 26 | 1 | 1 | 3 | 4 | 8 | 10 | 17 |
| 35-49 | 292 | 5.4 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 24 |
| 50-64 | 407 | 6.6 | 53 | 1 | 2 | 5 | 8 | 14 | 17 | 54 |
| 65+ | 984 | 8.8 | 78 | 2 | 2 | 6 | 11 | 18 | 24 | 47 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 8.1 | 64 | <1 | 1 | 6 | 10 | 16 | 26 | 41 |
| 20-34 | 70 | 8.5 | 124 | 1 | 2 | 6 | 9 | 12 | 18 | 70 |
| 35-49 | 40 | 10.7 | 52 | 2 | 3 | 9 | 15 | 21 | 23 | 33 |
| 50-64 | 39 | 15.2 | 146 | 2 | 3 | 14 | 19 | 26 | 30 | 72 |
| 65+ | 71 | 16.4 | 165 | 3 | 5 | 14 | 20 | 34 | 39 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 7052 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| *B. Operated* | 139 | 7.3 | 43 | 1 | 3 | 5 | 8 | 15 | 20 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 5235 | 6.1 | 38 | 1 | 2 | 4 | 7 | 12 | 16 | 31 |
| *B. Operated* | 256 | 12.0 | 130 | 1 | 3 | 9 | 15 | 23 | 33 | 72 |
| **1. SINGLE DX** | 7191 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 5491 | 6.4 | 43 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| **A. NOT OPERATED** | 12287 | 4.8 | 23 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| **B. OPERATED** | 395 | 10.3 | 104 | 1 | 3 | 7 | 14 | 20 | 29 | 69 |
| TOTAL 0-19 YRS | 7922 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 20-34 | 1661 | 3.3 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 746 | 4.6 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| 50-64 | 768 | 6.1 | 47 | 1 | 2 | 4 | 7 | 13 | 17 | 32 |
| 65+ | 1585 | 7.9 | 69 | 1 | 2 | 5 | 10 | 16 | 22 | 43 |
| **GRAND TOTAL** | **12682** | **5.0** | **27** | **1** | **1** | **4** | **6** | **10** | **13** | **25** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 5.8 | 22 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| 20-34 | 21 | 6.6 | 12 | 1 | 2 | 6 | 9 | 12 | 12 | 12 |
| 35-49 | 99 | 6.0 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 50-64 | 267 | 6.2 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 65+ | 358 | 7.1 | 35 | 2 | 2 | 6 | 9 | 13 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 13.0 | 91 | 4 | 6 | 10 | 16 | 24 | 38 | 41 |
| 35-49 | 39 | 11.9 | 27 | 3 | 6 | 11 | 15 | 18 | 22 | 27 |
| 50-64 | 82 | 14.7 | 43 | 7 | 8 | 13 | 16 | 25 | 30 | 35 |
| 65+ | 51 | 17.1 | 84 | 7 | 9 | 15 | 21 | 31 | 39 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 11 | 4.2 | 6 | 1 | 1 | 4 | 5 | 8 | 10 | 10 |
| 35-49 | 71 | 6.9 | 32 | 2 | 2 | 5 | 8 | 12 | 18 | 36 |
| 50-64 | 258 | 7.7 | 27 | 2 | 3 | 6 | 10 | 14 | 19 | 26 |
| 65+ | 800 | 10.4 | 86 | 2 | 3 | 8 | 12 | 19 | 27 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 11 | 19.8 | 568 | 8 | 8 | 12 | 14 | 56 | 85 | 88 |
| 35-49 | 58 | 14.3 | 53 | 5 | 6 | 13 | 19 | 25 | 28 | 36 |
| 50-64 | 160 | 17.3 | 108 | 5 | 8 | 15 | 21 | 30 | 36 | 64 |
| 65+ | 255 | 22.6 | 252 | 6 | 7 | 18 | 29 | 45 | 63 | 99 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 749 | 6.6 | 26 | 1 | 2 | 6 | 8 | 12 | 15 | 20 |
| B. *Operated* | 185 | 14.6 | 57 | 6 | 8 | 13 | 16 | 26 | 31 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1142 | 9.5 | 70 | 2 | 3 | 7 | 12 | 17 | 24 | 51 |
| B. *Operated* | 486 | 19.7 | 196 | 6 | 7 | 16 | 24 | 36 | 49 | 88 |
| 1. SINGLE DX | 934 | 8.2 | 42 | 1 | 2 | 7 | 11 | 15 | 19 | 33 |
| 2. MULTIPLE DX | 1628 | 12.5 | 129 | 3 | 3 | 9 | 15 | 25 | 35 | 71 |
| A. NOT OPERATED | 1891 | 8.3 | 54 | 2 | 3 | 7 | 10 | 15 | 20 | 47 |
| B. OPERATED | 671 | 18.3 | 162 | 6 | 7 | 15 | 22 | 33 | 43 | 76 |
| TOTAL 0-19 YRS | 8 | 5.5 | 14 | 1 | 1 | 5 | 8 | 11 | 12 | 12 |
| 20-34 | 56 | 10.2 | 161 | 1 | 3 | 8 | 11 | 16 | 30 | 85 |
| 35-49 | 267 | 8.9 | 44 | 2 | 2 | 7 | 12 | 18 | 22 | 34 |
| 50-64 | 767 | 9.9 | 61 | 2 | 3 | 8 | 13 | 19 | 25 | 36 |
| 65+ | 1464 | 11.9 | 130 | 2 | 3 | 9 | 15 | 24 | 35 | 73 |
| GRAND TOTAL | 2562 | 11.0 | 102 | 2 | 3 | 8 | 13 | 22 | 30 | 63 |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 3.3 | 8 | <1 | <1 | 2 | 5 | 6 | 9 | 15 |
| 20-34 | 57 | 2.9 | 17 | <1 | <1 | 2 | 4 | 5 | 7 | 29 |
| 35-49 | 38 | 2.8 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 8 |
| 50-64 | 37 | 2.8 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 10 |
| 65+ | 19 | 5.4 | 29 | <1 | <1 | 4 | 7 | 9 | 18 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 621 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 448 | 4.2 | 26 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 243 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 65+ | 67 | 6.4 | 23 | 2 | 3 | 5 | 8 | 12 | 18 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 4.6 | 8 | 1 | 1 | 4 | 5 | 9 | 11 | 11 |
| 20-34 | 35 | 4.5 | 35 | <1 | <1 | 3 | 5 | 12 | 15 | 31 |
| 35-49 | 21 | 3.8 | 15 | <1 | <1 | 2 | 5 | 10 | 12 | 14 |
| 50-64 | 36 | 6.2 | 30 | <1 | 1 | 5 | 8 | 14 | 18 | 23 |
| 65+ | 27 | 8.5 | 44 | 1 | 2 | 6 | 13 | 19 | 21 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 5.4 | 16 | 2 | 2 | 4 | 7 | 13 | 14 | 17 |
| 20-34 | 284 | 5.5 | 31 | 1 | 2 | 4 | 6 | 10 | 13 | 39 |
| 35-49 | 324 | 5.4 | 17 | 1 | 2 | 5 | 7 | 10 | 13 | 25 |
| 50-64 | 206 | 7.2 | 62 | 2 | 2 | 5 | 8 | 14 | 21 | 55 |
| 65+ | 107 | 9.2 | 114 | 1 | 2 | 6 | 10 | 24 | 46 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 210 | 3.2 | 12 | <1 | <1 | 2 | 4 | 7 | 8 | 19 |
| B. *Operated* | 1499 | 4.4 | 15 | 1 | 1 | 4 | 5 | 8 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 149 | 5.5 | 29 | <1 | <1 | 3 | 7 | 13 | 17 | 23 |
| B. *Operated* | 969 | 6.2 | 43 | 1 | 2 | 5 | 7 | 11 | 18 | 44 |
| 1. SINGLE DX | 1709 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 2. MULTIPLE DX | 1118 | 6.1 | 41 | 1 | 2 | 5 | 7 | 12 | 18 | 40 |
| A. NOT OPERATED | 359 | 4.2 | 20 | <1 | <1 | 3 | 5 | [illegible] | 13 | 23 |
| B. OPERATED | 2468 | 5.1 | 27 | 1 | 2 | 4 | 6 | [illegible] | 13 | 28 |
| TOTAL 0-19 YRS | 257 | 4.0 | 10 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 997 | 4.5 | 17 | 1 | 1 | 4 | 5 | 8 | 11 | 23 |
| 35-49 | 831 | 4.6 | 21 | 1 | 1 | 4 | 5 | 8 | 11 | 20 |
| 50-64 | 522 | 5.8 | 34 | 1 | 2 | 4 | 7 | 11 | 19 | 36 |
| 65+ | 220 | 7.9 | 72 | 1 | 2 | 5 | 9 | 19 | 25 | 56 |
| GRAND TOTAL | 2827 | 5.0 | 26 | 1 | 1 | 4 | 6 | 9 | 13 | 27 |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 690 | 4.3 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 622 | 5.8 | 25 | 1 | 1 | 4 | 7 | 12 | 15 | 25 |
| 35-49 | 371 | 6.0 | 34 | 1 | 1 | 5 | 8 | 11 | 14 | 31 |
| 50-64 | 256 | 6.6 | 34 | 1 | 1 | 5 | 9 | 13 | 19 | 33 |
| 65+ | 391 | 6.3 | 41 | 1 | 1 | 5 | 8 | 13 | 17 | 31 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 8.0 | 47 | 1 | 2 | 7 | 9 | 16 | 24 | 33 |
| 20-34 | 323 | 10.7 | 106 | 2 | 2 | 8 | 14 | 18 | 30 | 59 |
| 35-49 | 173 | 9.8 | 69 | 1 | 2 | 8 | 13 | 19 | 25 | 40 |
| 50-64 | 190 | 10.1 | 65 | 2 | 2 | 8 | 13 | 19 | 25 | 44 |
| 65+ | 140 | 11.1 | 76 | 2 | 2 | 9 | 14 | 21 | 29 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 475 | 5.7 | 33 | 1 | 1 | 4 | 7 | 13 | 17 | 28 |
| 20-34 | 525 | 7.1 | 49 | 1 | 1 | 5 | 9 | 15 | 20 | 39 |
| 35-49 | 367 | 7.8 | 57 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| 50-64 | 428 | 7.9 | 44 | 1 | 2 | 6 | 10 | 17 | 21 | 33 |
| 65+ | 1053 | 9.4 | 78 | 1 | 2 | 7 | 12 | 19 | 27 | 56 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 14.5 | 197 | 2 | 3 | 9 | 20 | 30 | 45 | 73 |
| 20-34 | 455 | 14.7 | 174 | 2 | 3 | 11 | 20 | 30 | 40 | 64 |
| 35-49 | 334 | 14.7 | 163 | 2 | 4 | 11 | 18 | 31 | 43 | 83 |
| 50-64 | 342 | 17.3 | 222 | 2 | 4 | 13 | 22 | 38 | 49 | 83 |
| 65+ | 435 | 19.7 | 284 | 3 | 5 | 15 | 26 | 46 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2330 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| *B. Operated* | 951 | 10.1 | 79 | 1 | 2 | 8 | 13 | 19 | 27 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2848 | 7.9 | 59 | 1 | 2 | 6 | 10 | 17 | 22 | 43 |
| *B. Operated* | 1706 | 16.5 | 215 | 2 | 4 | 12 | 21 | 36 | 50 | 94 |
| **1. SINGLE DX** | 3281 | 6.9 | 47 | 1 | 1 | 5 | 9 | 14 | 19 | 35 |
| **2. MULTIPLE DX** | 4554 | 11.1 | 135 | 1 | 2 | 8 | 14 | 25 | 35 | 73 |
| **A. NOT OPERATED** | 5178 | 6.9 | 47 | 1 | 1 | 5 | 9 | 14 | 19 | 36 |
| **B. OPERATED** | 2657 | 14.2 | 176 | 2 | 3 | 11 | 18 | 30 | 43 | 81 |
| TOTAL 0-19 YRS | 1430 | 6.1 | 51 | 1 | 1 | 4 | 7 | 13 | 19 | 34 |
| 20-34 | 1925 | 9.1 | 93 | 1 | 2 | 6 | 11 | 19 | 27 | 50 |
| 35-49 | 1245 | 9.4 | 92 | 1 | 2 | 7 | 12 | 19 | 28 | 52 |
| 50-64 | 1216 | 10.6 | 114 | 1 | 2 | 7 | 13 | 22 | 32 | 57 |
| 65+ | 2019 | 11.1 | 137 | 1 | 2 | 8 | 14 | 25 | 36 | 88 |
| GRAND TOTAL | 7835 | 9.3 | 103 | 1 | 2 | 6 | 12 | 20 | 28 | 57 |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 18 | 10.6 | 154 | 2 | 3 | 6 | 12 | 29 | 43 | 50 |
| 35-49 | 39 | 9.2 | 48 | 2 | 3 | 6 | 12 | 19 | 22 | 32 |
| 50-64 | 52 | 13.7 | 106 | 3 | 4 | 11 | 18 | 31 | 36 | 44 |
| 65+ | 19 | 9.9 | 61 | 2 | 3 | 6 | 15 | 21 | 26 | 29 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 21.0 | 648 | 3 | 3 | 21 | 39 | 39 | 39 | 39 |
| 35-49 | 16 | 7.8 | 23 | 1 | 1 | 8 | 12 | 13 | 16 | 17 |
| 50-64 | 18 | 18.3 | 633 | 1 | 2 | 8 | 22 | 64 | 82 | 88 |
| 65+ | 6 | 12.2 | 40 | 2 | 2 | 14 | 17 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 90 | 12.3 | 93 | 4 | 5 | 9 | 14 | 25 | 39 | 48 |
| 35-49 | 175 | 15.1 | 167 | 3 | 3 | 11 | 21 | 33 | 44 | 79 |
| 50-64 | 297 | 17.6 | 276 | 3 | 3 | 12 | 23 | 36 | 54 | 93 |
| 65+ | 101 | 18.0 | 214 | 3 | 4 | 15 | 23 | 38 | 49 | 94 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 18 | 15.1 | 165 | 1 | 1 | 12 | 22 | 34 | 43 | 47 |
| 35-49 | 77 | 17.7 | 276 | 2 | 3 | 14 | 24 | 39 | 53 | 85 |
| 50-64 | 86 | 19.7 | 236 | 2 | 2 | 17 | 27 | 42 | 53 | 90 |
| 65+ | 26 | 26.4 | 280 | 6 | 9 | 23 | 34 | 56 | 65 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 129 | 11.3 | 90 | 2 | 3 | 8 | 15 | 23 | 32 | 45 |
| *B. Operated* | 42 | 13.6 | 318 | 1 | 2 | 8 | 15 | 29 | 55 | 88 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 583 | 16.5 | 219 | 3 | 4 | 12 | 22 | 34 | 49 | 89 |
| *B. Operated* | 208 | 19.3 | 256 | 2 | 3 | 16 | 25 | 42 | 53 | 80 |
| **1. SINGLE DX** | 171 | 11.8 | 146 | 2 | 2 | 8 | 15 | 24 | 33 | 67 |
| **2. MULTIPLE DX** | 791 | 17.2 | 230 | 2 | 4 | 13 | 23 | 37 | 49 | 89 |
| **A. NOT OPERATED** | 712 | 15.5 | 200 | 3 | 3 | 11 | 20 | 32 | 45 | 87 |
| **B. OPERATED** | 250 | 18.3 | 269 | 1 | 2 | 14 | 24 | 41 | 53 | 88 |
| TOTAL 0-19 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 88 | 12.7 | 126 | 2 | 3 | 8 | 15 | 29 | 39 | 49 |
| 35-49 | 307 | 14.6 | 179 | 2 | 3 | 10 | 20 | 32 | 44 | 77 |
| 50-64 | 413 | 17.6 | 262 | 2 | 3 | 13 | 23 | 38 | 53 | 91 |
| 65+ | 152 | 18.2 | 219 | 3 | 4 | 15 | 23 | 36 | 50 | 88 |
| GRAND TOTAL | 962 | 16.3 | 219 | 2 | 3 | 12 | 22 | 35 | 48 | 88 |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 14.3 | 292 | 3 | 3 | 6 | 27 | 34 | 34 | 34 |
| 20-34 | 8 | 4.3 | 22 | 1 | 1 | 3 | 5 | 12 | 15 | 15 |
| 35-49 | 12 | 8.6 | 100 | 2 | 2 | 5 | 10 | 22 | 35 | 37 |
| 50-64 | 23 | 12.7 | 290 | 3 | 4 | 8 | 14 | 33 | 90 | 99+ |
| 65+ | 12 | 11.9 | 167 | 3 | 3 | 7 | 13 | 30 | 46 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 62 | 1 | 1 | 2 | 3 | 19 | 21 | 21 |
| 20-34 | 34 | 3.6 | 25 | 1 | 1 | 2 | 5 | 7 | 10 | 28 |
| 35-49 | 21 | 5.7 | 25 | 1 | 1 | 4 | 8 | 14 | 17 | 19 |
| 50-64 | 31 | 8.4 | 112 | 1 | 1 | 5 | 10 | 19 | 24 | 54 |
| 65+ | 9 | 10.9 | 82 | 1 | 1 | 8 | 16 | 25 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 5.7 | 7 | 3 | 3 | 5 | 8 | 9 | 10 | 10 |
| 20-34 | 17 | 8.2 | 41 | 1 | 2 | 5 | 12 | 17 | 22 | 24 |
| 35-49 | 39 | 9.0 | 41 | 2 | 3 | 8 | 10 | 19 | 24 | 27 |
| 50-64 | 59 | 13.0 | 84 | 2 | 3 | 11 | 18 | 24 | 27 | 49 |
| 65+ | 45 | 15.9 | 181 | 3 | 5 | 10 | 21 | 36 | 43 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 16.0 | 11 | 12 | 12 | 16 | 18 | 20 | 20 | 20 |
| 20-34 | 20 | 6.2 | 53 | 1 | 1 | 3 | 7 | 19 | 23 | 24 |
| 35-49 | 36 | 10.2 | 310 | 1 | 2 | 4 | 10 | 20 | 39 | 98 |
| 50-64 | 70 | 13.6 | 212 | 1 | 1 | 10 | 17 | 30 | 44 | 84 |
| 65+ | 39 | 17.7 | 239 | 1 | 2 | 12 | 23 | 43 | 53 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 10.6 | 186 | 2 | 2 | 6 | 13 | 25 | 44 | 99 |
| B. *Operated* | 101 | 6.2 | 62 | 1 | 1 | 3 | 8 | 17 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 169 | 12.0 | 100 | 2 | 3 | 8 | 16 | 24 | 31 | 49 |
| B. *Operated* | 169 | 13.0 | 225 | 1 | 1 | 9 | 17 | 29 | 44 | 88 |
| **1. SINGLE DX** | 159 | 7.8 | 111 | 1 | 1 | 5 | 9 | 18 | 27 | 83 |
| **2. MULTIPLE DX** | 338 | 12.5 | 162 | 1 | 2 | 9 | 17 | 26 | 36 | 62 |
| **A. NOT OPERATED** | 227 | 11.6 | 122 | 2 | 3 | 8 | 15 | 24 | 34 | 70 |
| **B. OPERATED** | 270 | 10.5 | 174 | 1 | 1 | 6 | 14 | 23 | 36 | 61 |
| TOTAL 0-19 YRS | 22 | 8.5 | 69 | 1 | 1 | 5 | 12 | 20 | 26 | 34 |
| 20-34 | 79 | 5.3 | 37 | 1 | 1 | 3 | 6 | 14 | 21 | 27 |
| 35-49 | 108 | 8.7 | 133 | 1 | 2 | 6 | 10 | 18 | 24 | 64 |
| 50-64 | 183 | 12.4 | 164 | 1 | 2 | 9 | 17 | 25 | 34 | 91 |
| 65+ | 105 | 15.7 | 193 | 2 | 3 | 11 | 21 | 36 | 47 | 63 |
| **GRAND TOTAL** | **497** | **11.0** | **150** | **1** | **2** | **7** | **15** | **24** | **35** | **64** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 7.6 | 14 | 4 | 4 | 7 | 10 | 13 | 15 | 16 |
| 20-34 | 24 | 8.4 | 58 | 2 | 3 | 6 | 9 | 22 | 29 | 31 |
| 35-49 | 22 | 6.4 | 22 | 1 | 2 | 5 | 7 | 15 | 17 | 19 |
| 50-64 | 20 | 8.3 | 25 | 1 | 2 | 7 | 12 | 15 | 17 | 18 |
| 65+ | 14 | 9.4 | 59 | 1 | 2 | 8 | 13 | 19 | 27 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.7 | 50 | 3 | 3 | 12 | 16 | 17 | 17 | 17 |
| 20-34 | 9 | 3.4 | 17 | 1 | 1 | 1 | 4 | 11 | 12 | 12 |
| 35-49 | 8 | 9.4 | 79 | 1 | 1 | 7 | 15 | 23 | 26 | 26 |
| 50-64 | 13 | 9.2 | 115 | 1 | 1 | 5 | 13 | 29 | 33 | 34 |
| 65+ | 7 | 27.4 | 592 | 1 | 1 | 24 | 49 | 62 | 63 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 7.2 | 23 | 1 | 2 | 7 | 9 | 14 | 18 | 19 |
| 20-34 | 16 | 8.3 | 24 | 1 | 2 | 7 | 12 | 16 | 17 | 17 |
| 35-49 | 31 | 16.4 | 173 | 3 | 4 | 12 | 20 | 37 | 46 | 54 |
| 50-64 | 61 | 13.5 | 85 | 3 | 4 | 11 | 18 | 27 | 34 | 40 |
| 65+ | 62 | 14.2 | 80 | 3 | 4 | 14 | 18 | 26 | 31 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 18.5 | 7 | 16 | 16 | 18 | 20 | 22 | 22 | 22 |
| 20-34 | 12 | 13.8 | 90 | 1 | 2 | 11 | 21 | 27 | 30 | 31 |
| 35-49 | 19 | 15.3 | 105 | 1 | 3 | 13 | 25 | 29 | 30 | 30 |
| 50-64 | 45 | 19.1 | 162 | 3 | 7 | 17 | 24 | 33 | 41 | 71 |
| 65+ | 30 | 16.0 | 231 | 1 | 2 | 14 | 22 | 31 | 48 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 7.9 | 36 | 1 | 3 | 6 | 10 | 16 | 19 | 30 |
| B. *Operated* | 40 | 11.2 | 210 | 1 | 1 | 4 | 16 | 27 | 45 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 196 | 12.9 | 91 | 2 | 3 | 11 | 17 | 27 | 33 | 54 |
| B. *Operated* | 110 | 17.0 | 157 | 1 | 3 | 16 | 23 | 30 | 39 | 71 |
| **1. SINGLE DX** | [illegible] | 8.9 | 89 | 1 | 1 | 6 | 11 | 18 | 27 | 58 |
| **2. MULTIPLE DX** | 306 | 14.4 | 118 | 2 | 3 | 12 | 19 | 28 | 35 | 61 |
| **A. NOT OPERATED** | 289 | 11.3 | 79 | 2 | 3 | 9 | 15 | 22 | 29 | 51 |
| **B. OPERATED** | 150 | 15.4 | 177 | 1 | 2 | 13 | 22 | 30 | 39 | 71 |
| TOTAL 0-19 YRS | 46 | 8.5 | 30 | 2 | 2 | 7 | 12 | 17 | 19 | 22 |
| 20-34 | 61 | 8.7 | 56 | 1 | 1 | 7 | 11 | 21 | 27 | 31 |
| 35-49 | 80 | 12.7 | 122 | 1 | 2 | 9 | 18 | 27 | 35 | 52 |
| 50-64 | 139 | 14.1 | 118 | 2 | 3 | 12 | 19 | 28 | 35 | 48 |
| 65+ | 113 | 14.9 | 156 | 2 | 3 | 14 | 18 | 28 | 46 | 82 |
| **GRAND TOTAL** | **439** | **12.7** | **116** | **1** | **2** | **10** | **17** | **27** | **32** | **58** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 2.9 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 8 |
| 20-34 | 245 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 35-49 | 153 | 3.1 | 5 | <1 | 1 | 2 | 5 | 6 | 8 | 9 |
| 50-64 | 166 | 4.4 | 13 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| 65+ | 164 | 6.3 | 56 | 1 | 2 | 5 | 7 | 13 | 16 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 7.4 | 6 | 5 | 5 | 7 | 8 | 10 | 12 | 17 |
| 20-34 | 1764 | 7.4 | 6 | 5 | 5 | 7 | 8 | 10 | 12 | 17 |
| 35-49 | 1283 | 7.7 | 6 | 5 | 5 | 7 | 9 | 10 | 12 | 16 |
| 50-64 | 1238 | 8.7 | 10 | 5 | 6 | 8 | 10 | 12 | 15 | 20 |
| 65+ | 627 | 11.1 | 35 | 6 | 6 | 9 | 12 | 18 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.5 | 10 | <1 | 1 | 3 | 4 | 8 | 11 | 12 |
| 20-34 | 119 | 3.8 | 9 | <1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 35-49 | 110 | 5.1 | 16 | 1 | 1 | 4 | 6 | 10 | 14 | 20 |
| 50-64 | 193 | 5.6 | 17 | 1 | 1 | 4 | 8 | 12 | 14 | 18 |
| 65+ | 330 | 9.4 | 78 | 2 | 3 | 8 | 11 | 17 | 26 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 9.5 | 11 | 5 | 6 | 9 | 12 | 14 | 15 | 20 |
| 20-34 | 1006 | 9.0 | 19 | 5 | 6 | 8 | 10 | 13 | 16 | 27 |
| 35-49 | 1057 | 9.8 | 41 | 5 | 6 | 8 | 11 | 15 | 19 | 35 |
| 50-64 | 1402 | 11.4 | 44 | 6 | 6 | 9 | 13 | 19 | 24 | 38 |
| 65+ | 1351 | 15.7 | 103 | 7 | 7 | 13 | 18 | 27 | 37 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 784 | 3.9 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 5092 | 8.2 | 12 | 5 | 5 | 8 | 9 | 12 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 769 | 6.8 | 47 | 1 | 1 | 5 | 9 | 14 | 17 | 39 |
| B. *Operated* | 4898 | 11.7 | 61 | 6 | 6 | 9 | 13 | 20 | 26 | 47 |
| **1. SINGLE DX** | 5876 | 7.7 | 15 | 2 | 4 | 7 | 9 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 5667 | 11.1 | 62 | 4 | 5 | 9 | 13 | 19 | 25 | 47 |
| **A. NOT OPERATED** | 1553 | 5.4 | 35 | 1 | 1 | 4 | 7 | 11 | 14 | 27 |
| **B. OPERATED** | 9990 | 9.9 | 39 | 5 | 6 | 8 | 11 | 16 | 21 | 37 |
| TOTAL 0-19 YRS | 335 | 7.0 | 12 | 1 | 2 | 7 | 9 | 12 | 13 | 17 |
| 20-34 | 3134 | 7.4 | 13 | 2 | 4 | 7 | 9 | 11 | 13 | 20 |
| 35-49 | 2603 | 8.2 | 24 | 3 | 5 | 8 | 9 | 12 | 15 | 24 |
| 50-64 | 2999 | 9.5 | 31 | 3 | 5 | 8 | 11 | 15 | 19 | 31 |
| 65+ | 2472 | 13.1 | 89 | 3 | 5 | 10 | 16 | 24 | 31 | 55 |
| **GRAND TOTAL** | **11543** | **9.3** | **41** | **3** | **5** | **8** | **10** | **15** | **20** | **36** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 282 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 165 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | 161 | 4.6 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 65+ | 179 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 41 | 6.8 | 13 | 2 | 2 | 7 | 8 | 11 | 12 | 19 |
| 20-34 | 184 | 8.2 | 15 | 4 | 5 | 7 | 9 | 13 | 15 | 26 |
| 35-49 | 185 | 8.4 | 13 | 5 | 5 | 8 | 9 | 13 | 16 | 24 |
| 50-64 | 127 | 9.7 | 19 | 5 | 6 | 9 | 11 | 16 | 18 | 26 |
| 65+ | 57 | 12.5 | 28 | 6 | 7 | 11 | 15 | 22 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 4.0 | 13 | 1 | 1 | 2 | 6 | 10 | 12 | 14 |
| 20-34 | 106 | 4.4 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 19 |
| 35-49 | 96 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 14 | 31 |
| 50-64 | 170 | 6.1 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 65+ | 273 | 10.0 | 65 | 2 | 3 | 8 | 12 | 19 | 29 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 8.0 | 18 | 2 | 2 | 8 | 10 | 13 | 17 | 19 |
| 20-34 | 185 | 9.6 | 28 | 5 | 6 | 8 | 11 | 15 | 17 | 33 |
| 35-49 | 207 | 10.2 | 25 | 5 | 6 | 9 | 12 | 17 | 20 | 31 |
| 50-64 | 187 | 12.0 | 44 | 6 | 7 | 10 | 14 | 21 | 24 | 42 |
| 65+ | 178 | 17.9 | 124 | 7 | 8 | 14 | 22 | 30 | 41 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 844 | 4.3 | 13 | 1 | 1 | 3 | 6 | 8 | 10 | 19 |
| B. *Operated* | 594 | 8.9 | 16 | 4 | 5 | 8 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 667 | 7.3 | 42 | 1 | 2 | 6 | 9 | 14 | 19 | 37 |
| B. *Operated* | 772 | 12.2 | 63 | 6 | 6 | 10 | 14 | 21 | 27 | 48 |
| **1. SINGLE DX** | 1438 | 6.2 | 20 | 1 | 2 | 6 | 8 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | 1439 | 10.0 | 59 | 2 | 3 | 8 | 12 | 19 | 24 | 42 |
| **A. NOT OPERATED** | 1511 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 31 |
| **B. OPERATED** | 1366 | 10.8 | 46 | 5 | 6 | 9 | 12 | 18 | 24 | 39 |
| TOTAL 0-19 YRS | 135 | 5.2 | 13 | 1 | 1 | 4 | 8 | 10 | 12 | 19 |
| 20-34 | 757 | 6.1 | 21 | 1 | 1 | 6 | 8 | 11 | 14 | 26 |
| 35-49 | 653 | 7.4 | 24 | 1 | 2 | 7 | 9 | 13 | 17 | 24 |
| 50-64 | 645 | 8.1 | 33 | 2 | 2 | 7 | 10 | 15 | 19 | 26 |
| 65+ | 687 | 11.3 | 85 | 2 | 3 | 9 | 14 | 22 | 29 | 50 |
| **GRAND TOTAL** | **2877** | **8.1** | **43** | **1** | **2** | **7** | **10** | **15** | **20** | **34** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 35 | 4.1 | 11 | 1 | 1 | 4 | 5 | 7 | 9 | 20 |
| 35-49 | 17 | 4.2 | 14 | <1 | <1 | 3 | 5 | 11 | 13 | 14 |
| 50-64 | 23 | 3.4 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 65+ | 37 | 6.6 | 24 | 1 | 2 | 5 | 9 | 15 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.4 | 22 | 2 | 3 | 9 | 10 | 16 | 17 | 17 |
| 20-34 | 59 | 9.7 | 25 | 4 | 5 | 9 | 11 | 15 | 17 | 34 |
| 35-49 | 55 | 9.8 | 26 | 4 | 5 | 9 | 11 | 17 | 21 | 25 |
| 50-64 | 53 | 13.3 | 122 | 6 | 6 | 11 | 14 | 20 | 37 | 67 |
| 65+ | 52 | 15.6 | 72 | 3 | 5 | 15 | 20 | 26 | 28 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 15 | 5.3 | 10 | <1 | <1 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 10 | 6.0 | 8 | 2 | 2 | 5 | 8 | 10 | 11 | 11 |
| 50-64 | 18 | 5.6 | 8 | 1 | 2 | 5 | 8 | 9 | 11 | 12 |
| 65+ | 35 | 13.8 | 81 | 3 | 6 | 12 | 17 | 31 | 33 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 9.8 | 2 | 8 | 8 | 10 | 11 | 12 | 12 | 12 |
| 20-34 | 42 | 11.5 | 39 | 3 | 6 | 10 | 14 | 23 | 26 | 28 |
| 35-49 | 41 | 13.4 | 128 | 4 | 5 | 9 | 16 | 33 | 48 | 99+ |
| 50-64 | 78 | 15.3 | 68 | 6 | 8 | 14 | 19 | 26 | 29 | 50 |
| 65+ | 139 | 19.7 | 107 | 9 | 10 | 18 | 23 | 30 | 37 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 4.7 | 16 | 1 | 1 | 4 | 5 | 11 | 14 | 19 |
| B. *Operated* | 226 | 11.9 | 64 | 4 | 5 | 10 | 14 | 20 | 25 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 9.2 | 57 | 1 | 2 | 7 | 11 | 17 | 29 | 35 |
| B. *Operated* | 305 | 16.4 | 99 | 6 | 7 | 14 | 21 | 28 | 34 | 74 |
| **1. SINGLE DX** | 343 | 9.4 | 59 | 1 | 2 | 8 | 12 | 18 | 22 | 41 |
| **2. MULTIPLE DX** | 384 | 14.9 | 98 | 3 | 5 | 13 | 20 | 27 | 33 | 62 |
| **A. NOT OPERATED** | 196 | 6.5 | 37 | 1 | 1 | 5 | 8 | 14 | 18 | 33 |
| **B. OPERATED** | 531 | 14.5 | 89 | 5 | 6 | 12 | 19 | 25 | 31 | 60 |
| TOTAL 0-19 YRS | 18 | 6.8 | 19 | <1 | 1 | 7 | 10 | 11 | 15 | 17 |
| 20-34 | 151 | 8.5 | 33 | 1 | 2 | 8 | 11 | 15 | 20 | 28 |
| 35-49 | 123 | 9.9 | 66 | 2 | 3 | 8 | 12 | 19 | 26 | 70 |
| 50-64 | 172 | 12.1 | 89 | 1 | 3 | 10 | 15 | 22 | 27 | 54 |
| 65+ | 263 | 16.3 | 105 | 3 | 4 | 15 | 21 | 27 | 33 | 61 |
| **GRAND TOTAL** | **727** | **12.3** | **87** | **2** | **3** | **10** | **16** | **23** | **28** | **51** |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 17 | 3.3 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 18 | 7.4 | 30 | 1 | 1 | 7 | 10 | 16 | 19 | 21 |
| 50-64 | 23 | 6.7 | 26 | 1 | 2 | 6 | 8 | 11 | 18 | 24 |
| 65+ | 41 | 7.8 | 38 | 1 | 2 | 7 | 10 | 14 | 16 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 14 | 13.8 | 66 | 4 | 4 | 14 | 18 | 23 | 31 | 34 |
| 35-49 | 9 | 10.1 | 28 | 3 | 4 | 9 | 13 | 18 | 19 | 19 |
| 50-64 | 13 | 16.1 | 142 | 8 | 8 | 12 | 16 | 33 | 48 | 51 |
| 65+ | 22 | 12.9 | 75 | 2 | 4 | 9 | 19 | 27 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.4 | 37 | 2 | 2 | 4 | 14 | 14 | 14 | 14 |
| 20-34 | 11 | 6.1 | 10 | 1 | 2 | 6 | 9 | 10 | 10 | 10 |
| 35-49 | 20 | 8.9 | 50 | 2 | 2 | 6 | 13 | 18 | 25 | 27 |
| 50-64 | 27 | 9.0 | 30 | 1 | 2 | 9 | 12 | 17 | 19 | 21 |
| 65+ | 93 | 10.7 | 62 | 2 | 3 | 9 | 13 | 22 | 32 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 42.0 | 1352 | 16 | 16 | 42 | 68 | 68 | 68 | 68 |
| 20-34 | 14 | 12.7 | 52 | 4 | 7 | 10 | 14 | 25 | 28 | 29 |
| 35-49 | 30 | 19.9 | 278 | 6 | 7 | 13 | 25 | 47 | 56 | 75 |
| 50-64 | 50 | 15.8 | 52 | 4 | 9 | 14 | 19 | 27 | 32 | 33 |
| 65+ | 69 | 21.9 | 115 | 7 | 10 | 20 | 30 | 42 | 43 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 6.6 | 30 | 1 | 1 | 6 | 8 | 13 | 16 | 30 |
| B. *Operated* | 59 | 13.3 | 79 | 3 | 5 | 11 | 17 | 25 | 29 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 9.8 | 51 | 2 | 2 | 8 | 12 | 19 | 27 | 33 |
| B. *Operated* | 165 | 19.1 | 141 | 6 | 9 | 16 | 24 | 35 | 43 | 74 |
| **1. SINGLE DX** | 160 | 9.1 | 58 | 1 | 2 | 7 | 12 | 18 | 24 | 37 |
| **2. MULTIPLE DX** | 321 | 14.6 | 119 | 2 | 4 | 12 | 19 | 30 | 35 | 59 |
| **A. NOT OPERATED** | 257 | 8.5 | 45 | 1 | 2 | 7 | 11 | 16 | 22 | 33 |
| **B. OPERATED** | 224 | 17.6 | 131 | 5 | 7 | 15 | 22 | 32 | 42 | 70 |
| TOTAL 0-19 YRS | 10 | 13.6 | 396 | 1 | 1 | 7 | 14 | 42 | 68 | 68 |
| 20-34 | 56 | 8.8 | 52 | 1 | 2 | 8 | 11 | 20 | 24 | 34 |
| 35-49 | 77 | 13.0 | 160 | 2 | 2 | 10 | 14 | 26 | 41 | 70 |
| 50-64 | 113 | 12.4 | 66 | 2 | 3 | 11 | 16 | 22 | 29 | 40 |
| 65+ | 225 | 13.8 | 105 | 2 | 3 | 11 | 19 | 31 | 35 | 44 |
| **GRAND TOTAL** | **481** | **12.8** | **105** | **2** | **3** | **10** | **16** | **26** | **33** | **50** |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 7.1 | 29 | 2 | 2 | 6 | 10 | 13 | 16 | 29 |
| 20-34 | 213 | 6.4 | 19 | 2 | 2 | 6 | 8 | 11 | 15 | 25 |
| 35-49 | 268 | 6.8 | 26 | 2 | 2 | 6 | 8 | 12 | 16 | 23 |
| 50-64 | 146 | 8.1 | 25 | 2 | 3 | 7 | 11 | 15 | 18 | 27 |
| 65+ | 107 | 9.1 | 58 | 2 | 3 | 7 | 12 | 16 | 19 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 12.8 | 76 | 4 | 5 | 11 | 16 | 27 | 31 | 31 |
| 20-34 | 21 | 10.8 | 87 | 2 | 2 | 9 | 13 | 21 | 32 | 41 |
| 35-49 | 26 | 13.5 | 69 | 4 | 5 | 11 | 19 | 24 | 30 | 38 |
| 50-64 | 21 | 17.4 | 101 | 3 | 6 | 16 | 23 | 35 | 37 | 37 |
| 65+ | 8 | 17.5 | 149 | 4 | 5 | 14 | 23 | 38 | 41 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 6.1 | 14 | 1 | 2 | 6 | 8 | 11 | 13 | 14 |
| 20-34 | 231 | 7.5 | 30 | 2 | 3 | 6 | 9 | 14 | 17 | 35 |
| 35-49 | 386 | 8.3 | 30 | 2 | 3 | 7 | 10 | 15 | 20 | 28 |
| 50-64 | 280 | 10.3 | 64 | 3 | 4 | 8 | 12 | 19 | 27 | 37 |
| 65+ | 237 | 10.8 | 65 | 3 | 4 | 9 | 13 | 20 | 26 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 24.5 | 41 | 20 | 20 | 24 | 29 | 29 | 29 | 29 |
| 20-34 | 58 | 20.7 | 261 | 4 | 7 | 16 | 23 | 41 | 62 | 71 |
| 35-49 | 93 | 24.2 | 303 | 8 | 8 | 19 | 28 | 57 | 64 | 88 |
| 50-64 | 87 | 19.9 | 175 | 6 | 8 | 18 | 25 | 46 | 65 | 99+ |
| 65+ | 71 | 25.9 | 391 | 5 | 9 | 21 | 30 | 65 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 781 | 7.3 | 29 | 2 | 2 | 6 | 9 | 14 | 16 | 27 |
| B. *Operated* | 84 | 14.1 | 92 | 3 | 4 | 12 | 19 | 28 | 37 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1152 | 9.1 | 47 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| B. *Operated* | 311 | 22.8 | 281 | 6 | 8 | 18 | 28 | 54 | 67 | 99+ |
| **1. SINGLE DX** | 865 | 7.9 | 39 | 2 | 3 | 6 | 10 | 15 | 19 | 36 |
| **2. MULTIPLE DX** | 1463 | 12.0 | 128 | 3 | 3 | 9 | 15 | 23 | 35 | 71 |
| **A. NOT OPERATED** | 1933 | 8.4 | 40 | 2 | 3 | 7 | 10 | 16 | 19 | 35 |
| **B. OPERATED** | 395 | 20.9 | 253 | 5 | 7 | 17 | 25 | 44 | 64 | 99+ |
| TOTAL 0-19 YRS | 75 | 7.9 | 40 | 2 | 2 | 7 | 11 | 15 | 20 | 31 |
| 20-34 | 523 | 8.6 | 72 | 2 | 2 | 6 | 10 | 17 | 23 | 51 |
| 35-49 | 773 | 9.9 | 92 | 2 | 3 | 7 | 11 | 19 | 25 | 59 |
| 50-64 | 534 | 11.6 | 89 | 3 | 4 | 9 | 15 | 22 | 29 | 65 |
| 65+ | 423 | 13.0 | 153 | 3 | 4 | 10 | 16 | 26 | 37 | 94 |
| **GRAND TOTAL** | **2328** | **10.5** | **99** | **2** | **3** | **8** | **13** | **21** | **28** | **64** |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 70 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 80 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 35-49 | 85 | 4.3 | 9 | 1 | 2 | 3 | 6 | 8 | 11 | 15 |
| 50-64 | 107 | 5.2 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 65+ | 147 | 6.9 | 24 | 1 | 2 | 6 | 9 | 12 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.5 | 6 | 7 | 7 | 9 | 11 | 13 | 13 | 13 |
| 20-34 | 9 | 8.1 | 17 | 3 | 3 | 9 | 11 | 13 | 14 | 14 |
| 35-49 | 4 | 12.0 | 2 | 10 | 10 | 12 | 13 | 13 | 13 | 13 |
| 50-64 | 5 | 7.4 | 23 | <1 | <1 | 8 | 10 | 14 | 14 | 14 |
| 65+ | 8 | 13.0 | 72 | 4 | 5 | 10 | 18 | 27 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.7 | 21 | <1 | 1 | 4 | 5 | 8 | 9 | 30 |
| 20-34 | 148 | 4.6 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 35-49 | 167 | 6.2 | 20 | 1 | 2 | 5 | 8 | 12 | 16 | 22 |
| 50-64 | 265 | 7.7 | 31 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| 65+ | 551 | 11.3 | 117 | 2 | 3 | 8 | 13 | 22 | 32 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 8.3 | 22 | 3 | 3 | 10 | 11 | 12 | 12 | 12 |
| 20-34 | 9 | 8.2 | 38 | 2 | 2 | 5 | 14 | 18 | 18 | 18 |
| 35-49 | 21 | 10.2 | 42 | 1 | 2 | 9 | 15 | 19 | 22 | 25 |
| 50-64 | 42 | 12.3 | 52 | 4 | 5 | 11 | 16 | 21 | 28 | 35 |
| 65+ | 91 | 16.8 | 166 | 4 | 5 | 13 | 22 | 41 | 46 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 489 | 5.0 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| B. *Operated* | 30 | 10.0 | 31 | 3 | 3 | 10 | 12 | 14 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1191 | 8.6 | 73 | 2 | 2 | 6 | 10 | 17 | 24 | 49 |
| B. *Operated* | 166 | 14.2 | 120 | 3 | 4 | 11 | 18 | 27 | 42 | 60 |
| **1. SINGLE DX** | 519 | 5.3 | 18 | 1 | 1 | 4 | 7 | 11 | 13 | 24 |
| **2. MULTIPLE DX** | 1357 | 9.3 | 82 | 2 | 2 | 7 | 11 | 19 | 26 | 49 |
| **A. NOT OPERATED** | 1680 | 7.6 | 59 | 1 | 2 | 6 | 9 | 15 | 21 | 45 |
| **B. OPERATED** | 196 | 13.6 | 108 | 3 | 4 | 11 | 17 | 26 | 39 | 58 |
| TOTAL 0-19 YRS | 137 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| 20-34 | 246 | 4.4 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| 35-49 | 277 | 6.0 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 50-64 | 419 | 7.5 | 32 | 2 | 2 | 6 | 9 | 15 | 18 | 29 |
| 65+ | 797 | 11.1 | 112 | 2 | 3 | 8 | 13 | 23 | 33 | 58 |
| **GRAND TOTAL** | **1876** | **8.2** | **68** | **1** | **2** | **6** | **10** | **16** | **23** | **47** |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 7.4 | 48 | 2 | 2 | 5 | 9 | 15 | 21 | 37 |
| 20-34 | 8 | 5.9 | 22 | 1 | 1 | 5 | 7 | 14 | 16 | 16 |
| 35-49 | 7 | 5.0 | 15 | <1 | <1 | 3 | 7 | 11 | 12 | 12 |
| 50-64 | 10 | 8.4 | 70 | 1 | 2 | 5 | 9 | 23 | 27 | 27 |
| 65+ | 3 | 7.3 | 14 | 3 | 3 | 9 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 6.4 | 31 | <1 | 1 | 5 | 8 | 14 | 20 | 22 |
| 20-34 | 13 | 9.0 | 43 | 1 | 2 | 10 | 13 | 16 | 22 | 24 |
| 35-49 | 5 | 10.4 | 15 | 7 | 7 | 10 | 12 | 17 | 17 | 17 |
| 50-64 | 12 | 13.9 | 184 | 5 | 5 | 9 | 15 | 29 | 51 | 55 |
| 65+ | 4 | 10.3 | 11 | 7 | 7 | 10 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 8.1 | 26 | 3 | 3 | 7 | 10 | 14 | 18 | 29 |
| 20-34 | 19 | 9.8 | 58 | 1 | 2 | 9 | 12 | 22 | 24 | 26 |
| 35-49 | 11 | 12.1 | 84 | 2 | 2 | 11 | 17 | 26 | 30 | 30 |
| 50-64 | 20 | 11.6 | 61 | 3 | 5 | 10 | 16 | 28 | 63 | 99+ |
| 65+ | 25 | 16.5 | 230 | 2 | 3 | 9 | 27 | 43 | 47 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.5 | 54 | 2 | 2 | 3 | 13 | 20 | 22 | 22 |
| 20-34 | 16 | 14.4 | 89 | 5 | 5 | 11 | 19 | 28 | 36 | 39 |
| 35-49 | 17 | 15.8 | 49 | 8 | 10 | 15 | 18 | 21 | 32 | 38 |
| 50-64 | 19 | 13.9 | 48 | 3 | 6 | 12 | 18 | 23 | 27 | 30 |
| 65+ | 16 | 18.9 | 264 | 3 | 5 | 16 | 26 | 62 | 89 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 124 | 7.3 | 45 | 1 | 2 | 5 | 9 | 15 | 21 | 34 |
| B. *Operated* | 50 | 9.6 | 71 | 1 | 2 | 8 | 13 | 16 | 22 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163 | 10.3 | 76 | 2 | 3 | 8 | 12 | 21 | 31 | 48 |
| B. *Operated* | 79 | 14.5 | 107 | 2 | 3 | 13 | 19 | 26 | 38 | 90 |
| **1. SINGLE DX** | 174 | 7.9 | 53 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| **2. MULTIPLE DX** | 242 | 11.7 | 89 | 2 | 3 | 9 | 16 | 23 | 33 | 70 |
| **A. NOT OPERATED** | 287 | 9.0 | 65 | 2 | 2 | 7 | 11 | 19 | 26 | 45 |
| **B. OPERATED** | 129 | 12.6 | 98 | 2 | 2 | 11 | 17 | 23 | 30 | 74 |
| TOTAL 0-19 YRS | 211 | 7.6 | 37 | 2 | 2 | 6 | 10 | 14 | 20 | 31 |
| 20-34 | 56 | 10.4 | 64 | 1 | 2 | 9 | 14 | 21 | 25 | 38 |
| 35-49 | 40 | 12.2 | 61 | 2 | 3 | 11 | 16 | 21 | 26 | 38 |
| 50-64 | 61 | 12.3 | 82 | 3 | 4 | 10 | 17 | 24 | 31 | 95 |
| 65+ | 48 | 16.2 | 214 | 2 | 3 | 11 | 23 | 41 | 49 | 99+ |
| **GRAND TOTAL** | **416** | **10.1** | **78** | **2** | **2** | **8** | **13** | **21** | **28** | **50** |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 9.7 | 45 | 2 | 2 | 8 | 13 | 17 | 20 | 36 |
| 20-34 | 15 | 6.9 | 27 | 1 | 2 | 6 | 11 | 16 | 17 | 17 |
| 35-49 | 7 | 5.9 | 12 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 12 | 7.0 | 52 | 1 | 1 | 5 | 9 | 18 | 25 | 26 |
| 65+ | 8 | 8.8 | 181 | 2 | 2 | 3 | 8 | 32 | 41 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.7 | 16 | 2 | 2 | 7 | 9 | 13 | 14 | 14 |
| 20-34 | 20 | 6.9 | 88 | 2 | 2 | 5 | 6 | 11 | 29 | 45 |
| 35-49 | 11 | 8.6 | 33 | 3 | 3 | 7 | 10 | 19 | 21 | 21 |
| 50-64 | 5 | 4.2 | 6 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 8.3 | 50 | 2 | 2 | 7 | 10 | 16 | 20 | 40 |
| 20-34 | 21 | 8.0 | 80 | 1 | 2 | 5 | 10 | 14 | 27 | 42 |
| 35-49 | 12 | 9.9 | 22 | 3 | 3 | 9 | 13 | 16 | 17 | 17 |
| 50-64 | 29 | 12.1 | 145 | 2 | 2 | 9 | 14 | 24 | 37 | 60 |
| 65+ | 45 | 17.9 | 137 | 3 | 6 | 14 | 26 | 35 | 44 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 12.2 | 39 | 5 | 6 | 11 | 15 | 21 | 26 | 30 |
| 20-34 | 47 | 12.3 | 137 | 2 | 3 | 9 | 15 | 27 | 34 | 61 |
| 35-49 | 32 | 14.3 | 188 | 3 | 3 | 10 | 17 | 36 | 40 | 63 |
| 50-64 | 37 | 14.1 | 127 | 2 | 3 | 10 | 17 | 33 | 37 | 49 |
| 65+ | 18 | 16.6 | 112 | 3 | 5 | 17 | 23 | 39 | 76 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 8.8 | 50 | 2 | 2 | 8 | 11 | 17 | 20 | 39 |
| B. *Operated* | 60 | 6.9 | 42 | 2 | 2 | 5 | 8 | 13 | 16 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 12.0 | 111 | 2 | 2 | 9 | 15 | 26 | 36 | 60 |
| B. *Operated* | 154 | 13.6 | 128 | 2 | 3 | 10 | 18 | 30 | 38 | 63 |
| **1. SINGLE DX** | 186 | 8.2 | 48 | 2 | 2 | 7 | 10 | 16 | 19 | 40 |
| **2. MULTIPLE DX** | 305 | 12.8 | 120 | 2 | 3 | 10 | 16 | 28 | 37 | 62 |
| **A. NOT OPERATED** | 277 | 10.5 | 85 | 2 | 2 | 8 | 14 | 22 | 31 | 51 |
| **B. OPERATED** | 214 | 11.7 | 113 | 2 | 3 | 9 | 15 | 26 | 36 | 62 |
| TOTAL 0-19 YRS | 172 | 9.2 | 43 | 2 | 2 | 8 | 12 | 17 | 20 | 37 |
| 20-34 | 103 | 9.6 | 104 | 2 | 2 | 6 | 11 | 22 | 30 | 53 |
| 35-49 | 62 | 11.5 | 116 | 2 | 3 | 9 | 14 | 22 | 36 | 60 |
| 50-64 | 83 | 11.8 | 122 | 2 | 2 | 8 | 15 | 26 | 36 | 56 |
| 65+ | 71 | 16.5 | 139 | 2 | 3 | 14 | 24 | 36 | 45 | 99+ |
| **GRAND TOTAL** | **491** | **11.1** | **98** | **2** | **2** | **8** | **14** | **23** | **33** | **57** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 11.2 | 79 | 1 | 2 | 11 | 15 | 24 | 29 | 36 |
| 20-34 | 7 | 4.6 | 17 | <1 | <1 | 5 | 7 | 11 | 12 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | 17 | 3 | 3 | 9 | 10 | 11 | 11 | 11 |
| 20-34 | 6 | 11.0 | 98 | 1 | 1 | 10 | 14 | 27 | 28 | 28 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 9.6 | 44 | 2 | 3 | 7 | 15 | 19 | 22 | 24 |
| 20-34 | 7 | 6.6 | 35 | 2 | 2 | 4 | 9 | 17 | 18 | 18 |
| 35-49 | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 50-64 | 3 | 15.7 | 2 | 14 | 14 | 16 | 17 | 17 | 17 | 17 |
| 65+ | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 15.8 | 158 | 4 | 4 | 10 | 27 | 33 | 33 | 33 |
| 20-34 | 9 | 26.0 | 695 | 7 | 7 | 10 | 50 | 68 | 72 | 72 |
| 35-49 | 3 | 10.0 | 81 | 1 | 1 | 10 | 17 | 19 | 19 | 19 |
| 50-64 | 8 | 11.8 | 145 | 2 | 2 | 7 | 20 | 31 | 34 | 34 |
| 65+ | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 9.6 | 71 | <1 | 1 | 7 | 14 | 21 | 26 | 36 |
| B. *Operated* | 10 | 9.2 | 66 | 1 | 1 | 8 | 13 | 21 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 9.1 | 38 | 2 | 3 | 7 | 14 | 18 | 19 | 24 |
| B. *Operated* | 26 | 17.7 | 339 | 2 | 2 | 10 | 23 | 45 | 64 | 72 |
| **1. SINGLE DX** | 39 | 9.5 | 68 | <1 | 1 | 8 | 14 | 21 | 27 | 36 |
| **2. MULTIPLE DX** | 58 | 12.9 | 188 | 2 | 2 | 9 | 17 | 25 | 41 | 71 |
| **A. NOT OPERATED** | 61 | 9.3 | 53 | 1 | 2 | 7 | 14 | 18 | 23 | 35 |
| **B. OPERATED** | 36 | 15.3 | 274 | 1 | 2 | 10 | 20 | 34 | 57 | 72 |
| TOTAL 0-19 YRS | 48 | 10.9 | 69 | 1 | 2 | 9 | 15 | 24 | 26 | 36 |
| 20-34 | 29 | 13.0 | 310 | 1 | 1 | 8 | 12 | 39 | 62 | 72 |
| 35-49 | 5 | 8.8 | 45 | 1 | 1 | 9 | 12 | 19 | 19 | 19 |
| 50-64 | 11 | 12.8 | 105 | 2 | 2 | 14 | 17 | 27 | 33 | 34 |
| 65+ | 4 | 9.3 | 77 | 3 | 3 | 6 | 15 | 22 | 22 | 22 |
| **GRAND TOTAL** | **97** | **11.6** | **141** | **1** | **2** | **8** | **15** | **24** | **34** | **67** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 5 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 35-49 | 4 | 3.0 | 5 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 65+ | 20 | 8.8 | 89 | 1 | 1 | 7 | 10 | 16 | 30 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 14.0 | 2 | 13 | 13 | 14 | 15 | 15 | 15 | 15 |
| 20-34 | 6 | 11.8 | 8 | 9 | 9 | 11 | 13 | 17 | 17 | 17 |
| 35-49 | 10 | 7.9 | 30 | 2 | 2 | 6 | 13 | 15 | 17 | 17 |
| 50-64 | 3 | 20.0 | 19 | 17 | 17 | 18 | 23 | 25 | 25 | 25 |
| 65+ | 4 | 15.5 | 542 | 1 | 1 | 5 | 29 | 50 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.3 | 9 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 23 | 4.6 | 23 | <1 | <1 | 3 | 5 | 13 | 15 | 18 |
| 35-49 | 23 | 4.7 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| 50-64 | 85 | 6.0 | 36 | 1 | 1 | 3 | 10 | 15 | 19 | 24 |
| 65+ | 149 | 10.3 | 153 | 1 | 2 | 6 | 14 | 24 | 32 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 16.0 | 165 | 3 | 4 | 14 | 20 | 33 | 48 | 51 |
| 20-34 | 56 | 16.8 | 284 | 2 | 2 | 11 | 23 | 38 | 62 | 69 |
| 35-49 | 67 | 15.9 | 252 | 1 | 2 | 13 | 21 | 34 | 56 | 98 |
| 50-64 | 86 | 19.6 | 260 | 2 | 4 | 16 | 26 | 37 | 52 | 78 |
| 65+ | 83 | 20.5 | 370 | 2 | 2 | 16 | 30 | 46 | 66 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 6.8 | 66 | <1 | 1 | 5 | 9 | 14 | 17 | 44 |
| B. *Operated* | 25 | 12.0 | 100 | 1 | 2 | 11 | 15 | 18 | 31 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 284 | 8.1 | 100 | 1 | 1 | 4 | 11 | 18 | 25 | 51 |
| B. *Operated* | 316 | 18.3 | 285 | 2 | 2 | 14 | 25 | 41 | 57 | 83 |
| **1. SINGLE DX** | 57 | 9.1 | 86 | 1 | 1 | 7 | 13 | 17 | 23 | 50 |
| **2. MULTIPLE DX** | 600 | 13.4 | 223 | 1 | 2 | 9 | 18 | 31 | 45 | 74 |
| **A. NOT OPERATED** | 316 | 7.9 | 96 | 1 | 1 | 4 | 11 | 18 | 24 | 51 |
| **B. OPERATED** | 341 | 17.8 | 273 | 2 | 2 | 14 | 23 | 39 | 55 | 80 |
| TOTAL 0-19 YRS | 31 | 14.2 | 143 | 2 | 3 | 13 | 16 | 29 | 46 | 51 |
| 20-34 | 90 | 12.5 | 216 | <1 | 1 | 9 | 15 | 31 | 44 | 67 |
| 35-49 | 104 | 12.2 | 193 | 1 | 2 | 8 | 17 | 28 | 39 | 95 |
| 50-64 | 176 | 12.9 | 191 | 1 | 1 | 10 | 18 | 30 | 37 | 73 |
| 65+ | 256 | 13.6 | 245 | 1 | 2 | 8 | 18 | 35 | 47 | 74 |
| **GRAND TOTAL** | **657** | **13.1** | **212** | **1** | **2** | **9** | **17** | **31** | **44** | **74** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 6 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 35-49 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 50-64 | 4 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 13 | 10.2 | 236 | <1 | 2 | 5 | 10 | 22 | 53 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 5 | 26.2 | 575 | 5 | 5 | 16 | 51 | 54 | 54 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 10.4 | 143 | 2 | 2 | 8 | 11 | 31 | 36 | 36 |
| 20-34 | 14 | 6.1 | 33 | 2 | 3 | 4 | 6 | 17 | 20 | 21 |
| 35-49 | 7 | 17.3 | 756 | <1 | <1 | 7 | 17 | 66 | 78 | 78 |
| 50-64 | 32 | 14.2 | 278 | 2 | 3 | 11 | 17 | 26 | 34 | 94 |
| 65+ | 95 | 17.3 | 300 | 2 | 4 | 12 | 18 | 44 | 65 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 20-34 | 8 | 16.4 | 303 | 3 | 3 | 9 | 25 | 46 | 50 | 50 |
| 35-49 | 9 | 17.6 | 276 | 3 | 4 | 9 | 28 | 45 | 53 | 53 |
| 50-64 | 17 | 28.4 | 607 | 3 | 5 | 26 | 38 | 67 | 86 | 93 |
| 65+ | 38 | 25.6 | 276 | 6 | 7 | 27 | 35 | 57 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 6.8 | 125 | <1 | 1 | 4 | 7 | 12 | 21 | 60 |
| B. *Operated* | 13 | 12.8 | 319 | 2 | 2 | 5 | 11 | 51 | 53 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 15.4 | 288 | 2 | 3 | 10 | 17 | 36 | 61 | 94 |
| B. *Operated* | 73 | 24.2 | 354 | 4 | 5 | 20 | 35 | 53 | 74 | 99+ |
| **1. SINGLE DX** | 41 | 8.7 | 188 | 1 | 1 | 4 | 8 | 16 | 52 | 60 |
| **2. MULTIPLE DX** | 228 | 18.2 | 325 | 2 | 3 | 13 | 26 | 44 | 65 | 99+ |
| **A. NOT OPERATED** | 183 | 14.0 | 272 | 2 | 2 | 9 | 16 | 35 | 56 | 92 |
| **B. OPERATED** | 86 | 22.5 | 362 | 3 | 4 | 15 | 34 | 52 | 73 | 99+ |
| TOTAL 0-19 YRS | 14 | 8.5 | 102 | <1 | 1 | 4 | 10 | 25 | 34 | 36 |
| 20-34 | 29 | 8.0 | 121 | 2 | 2 | 3 | 6 | 19 | 37 | 50 |
| 35-49 | 19 | 16.1 | 391 | 1 | 2 | 8 | 19 | 45 | 67 | 78 |
| 50-64 | 56 | 17.2 | 400 | 2 | 2 | 11 | 20 | 37 | 63 | 94 |
| 65+ | 151 | 19.1 | 311 | 2 | 4 | 13 | 30 | 50 | 65 | 99+ |
| **GRAND TOTAL** | **269** | **16.7** | **315** | **2** | **2** | **11** | **22** | **43** | **62** | **98** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 4.8 | 13 | 2 | 2 | 4 | 5 | 8 | 10 | 21 |
| 20-34 | 129 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 30 | 5.0 | 5 | 2 | 2 | 5 | 7 | 8 | 8 | 10 |
| 50-64 | 32 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 65+ | 19 | 5.1 | 5 | 1 | 2 | 5 | 7 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 5 | 6.6 | 6 | 4 | 4 | 7 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 65+ | 2 | 12.5 | 13 | 10 | 10 | 12 | 15 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 111 | 5.6 | 19 | 2 | 2 | 4 | 7 | 10 | 15 | 23 |
| 20-34 | 110 | 5.0 | 8 | 1 | 2 | 5 | 6 | 8 | 9 | 18 |
| 35-49 | 53 | 6.0 | 9 | 2 | 2 | 5 | 7 | 10 | 13 | 14 |
| 50-64 | 46 | 8.4 | 28 | 3 | 4 | 7 | 11 | 13 | 21 | 27 |
| 65+ | 73 | 11.2 | 61 | 4 | 5 | 9 | 14 | 19 | 28 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 8.4 | 20 | 2 | 3 | 7 | 10 | 17 | 18 | 18 |
| 20-34 | 12 | 12.3 | 113 | 3 | 3 | 9 | 16 | 27 | 38 | 40 |
| 35-49 | 8 | 28.1 | 646 | 7 | 7 | 21 | 38 | 71 | 81 | 81 |
| 50-64 | 13 | 13.3 | 75 | 4 | 4 | 11 | 16 | 26 | 32 | 34 |
| 65+ | 15 | 21.5 | 508 | 3 | 4 | 14 | 28 | 37 | 79 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 330 | 4.6 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| B. *Operated* | 15 | 6.3 | 12 | 2 | 3 | 6 | 9 | 10 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 393 | 6.9 | 29 | 2 | 2 | 6 | 8 | 13 | 17 | 29 |
| B. *Operated* | 65 | 15.5 | 265 | 3 | 4 | 11 | 19 | 30 | 42 | 91 |
| **1. SINGLE DX** | 345 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 458 | 8.1 | 71 | 2 | 2 | 6 | 9 | 15 | 21 | 40 |
| **A. NOT OPERATED** | 723 | 5.8 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 80 | 13.8 | 230 | 3 | 4 | 9 | 16 | 28 | 38 | 89 |
| TOTAL 0-19 YRS | 255 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 14 | 19 |
| 20-34 | 256 | 5.0 | 13 | 2 | 2 | 4 | 6 | 8 | 9 | 20 |
| 35-49 | 91 | 7.6 | 98 | 2 | 2 | 6 | 8 | 11 | 20 | 68 |
| 50-64 | 92 | 7.7 | 34 | 2 | 3 | 6 | 10 | 13 | 21 | 31 |
| 65+ | 109 | 11.6 | 129 | 3 | 4 | 8 | 14 | 21 | 30 | 67 |
| **GRAND TOTAL** | **803** | **6.6** | **47** | **2** | **2** | **5** | **7** | **12** | **17** | **34** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 255 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 181 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 35-49 | 64 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 50-64 | 48 | 6.1 | 14 | 2 | 2 | 5 | 7 | 12 | 14 | 16 |
| 65+ | 48 | 8.9 | 165 | 3 | 3 | 6 | 9 | 15 | 16 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 7.1 | 32 | 1 | 2 | 6 | 8 | 10 | 21 | 27 |
| 20-34 | 25 | 7.9 | 15 | 2 | 3 | 8 | 10 | 13 | 14 | 16 |
| 35-49 | 4 | 13.5 | 76 | 4 | 4 | 12 | 19 | 25 | 25 | 25 |
| 50-64 | 14 | 9.9 | 38 | <1 | 2 | 10 | 14 | 19 | 21 | 22 |
| 65+ | 6 | 15.7 | 205 | 3 | 3 | 13 | 21 | 38 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 4.9 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 14 |
| 20-34 | 179 | 4.8 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 13 |
| 35-49 | 67 | 7.3 | 33 | 2 | 3 | 6 | 8 | 10 | 22 | 32 |
| 50-64 | 96 | 7.1 | 52 | 3 | 3 | 5 | 8 | 13 | 15 | 45 |
| 65+ | 135 | 10.8 | 94 | 2 | 3 | 9 | 13 | 21 | 29 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 8.0 | 29 | 1 | 2 | 8 | 10 | 15 | 26 | 99+ |
| 20-34 | 29 | 9.3 | 25 | 2 | 3 | 8 | 12 | 17 | 20 | 21 |
| 35-49 | 31 | 16.3 | 193 | 3 | 3 | 12 | 22 | 45 | 45 | 47 |
| 50-64 | 44 | 14.7 | 107 | 2 | 4 | 13 | 18 | 33 | 41 | 99+ |
| 65+ | 36 | 17.3 | 167 | 2 | 4 | 14 | 24 | 40 | 45 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 596 | 4.8 | 22 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | 66 | 9.2 | 47 | 2 | 3 | 8 | 11 | 19 | 23 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 619 | 6.7 | 42 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| B. *Operated* | 175 | 13.3 | 117 | 2 | 3 | 10 | 17 | 29 | 44 | 87 |
| **1. SINGLE DX** | 662 | 5.3 | 26 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 794 | 8.2 | 65 | 2 | 2 | 6 | 10 | 16 | 24 | 46 |
| **A. NOT OPERATED** | 1215 | 5.8 | 33 | 1 | 2 | 5 | 7 | 10 | 14 | 27 |
| **B. OPERATED** | 241 | 12.2 | 101 | 2 | 3 | 10 | 14 | 26 | 39 | 54 |
| TOTAL 0-19 YRS | 449 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 20-34 | 414 | 5.0 | 11 | 1 | 2 | 4 | 7 | 9 | 12 | 15 |
| 35-49 | 166 | 8.1 | 71 | 2 | 2 | 6 | 8 | 15 | 26 | 45 |
| 50-64 | 202 | 8.7 | 64 | 2 | 3 | 7 | 11 | 16 | 22 | 59 |
| 65+ | 225 | 11.5 | 129 | 3 | 3 | 9 | 14 | 24 | 32 | 58 |
| **GRAND TOTAL** | **1456** | **6.9** | **50** | **1** | **2** | **5** | **8** | **13** | **18** | **41** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.3 | 4 | <1 | <1 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 162 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 180 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 50-64 | 108 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 65+ | 56 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.3 | 30 | 3 | 3 | 12 | 14 | 17 | 20 | 20 |
| 20-34 | 81 | 8.7 | 25 | 2 | 3 | 8 | 11 | 15 | 17 | 25 |
| 35-49 | 101 | 9.1 | 39 | 2 | 3 | 9 | 11 | 15 | 19 | 38 |
| 50-64 | 99 | 9.5 | 30 | 2 | 3 | 9 | 11 | 17 | 20 | 27 |
| 65+ | 45 | 9.7 | 32 | 2 | 3 | 9 | 13 | 18 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.4 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 73 | 3.6 | 5 | 1 | 1 | 3 | 6 | 7 | 8 | 10 |
| 35-49 | 73 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 84 | 4.9 | 15 | 1 | 2 | 4 | 6 | 10 | 13 | 20 |
| 65+ | 92 | 8.0 | 76 | 1 | 2 | 5 | 10 | 18 | 26 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 9.3 | 82 | <1 | <1 | 8 | 16 | 19 | 19 | 19 |
| 20-34 | 58 | 11.1 | 31 | 4 | 5 | 10 | 14 | 19 | 22 | 29 |
| 35-49 | 116 | 12.0 | 71 | 2 | 4 | 11 | 15 | 21 | 27 | 51 |
| 50-64 | 159 | 14.0 | 98 | 2 | 4 | 12 | 18 | 23 | 33 | 52 |
| 65+ | 99 | 15.4 | 98 | 3 | 4 | 13 | 20 | 26 | 39 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 337 | 9.2 | 32 | 2 | 3 | 9 | 12 | 17 | 19 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 329 | 5.2 | 31 | 1 | 1 | 4 | 6 | 10 | 14 | 32 |
| B. *Operated* | 435 | 13.3 | 83 | 2 | 4 | 11 | 17 | 23 | 31 | 48 |
| **1. SINGLE DX** | 858 | 5.3 | 25 | 1 | 1 | 3 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | 764 | 9.8 | 77 | 1 | 2 | 8 | 13 | 19 | 25 | 47 |
| **A. NOT OPERATED** | 850 | 3.7 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **B. OPERATED** | 772 | 11.6 | 65 | 2 | 3 | 10 | 15 | 21 | 25 | 46 |
| TOTAL 0-19 YRS | 36 | 6.3 | 26 | <1 | 1 | 5 | 9 | 14 | 18 | 20 |
| 20-34 | 374 | 5.4 | 24 | 1 | 1 | 3 | 8 | 12 | 16 | 22 |
| 35-49 | 470 | 6.4 | 45 | 1 | 1 | 4 | 9 | 14 | 18 | 29 |
| 50-64 | 450 | 8.7 | 65 | 1 | 1 | 7 | 12 | 18 | 22 | 40 |
| 65+ | 292 | 10.0 | 81 | 1 | 2 | 8 | 14 | 21 | 26 | 44 |
| **GRAND TOTAL** | **1622** | **7.4** | **55** | **1** | **1** | **5** | **10** | **17** | **21** | **37** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 11 |
| 20-34 | 341 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 332 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 50-64 | 229 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 65+ | 82 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 7.3 | 20 | 2 | 2 | 6 | 9 | 15 | 17 | 18 |
| 20-34 | 372 | 6.2 | 19 | 2 | 2 | 5 | 9 | 12 | 14 | 18 |
| 35-49 | 392 | 7.2 | 22 | 2 | 2 | 7 | 10 | 12 | 16 | 23 |
| 50-64 | 350 | 7.9 | 28 | 2 | 3 | 7 | 11 | 15 | 17 | 21 |
| 65+ | 129 | 8.8 | 25 | 2 | 3 | 8 | 12 | 16 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 5.8 | 23 | 1 | 1 | 6 | 7 | 13 | 14 | 14 |
| 20-34 | 85 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 35-49 | 97 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 50-64 | 105 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| 65+ | 49 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 8.3 | 17 | 3 | 3 | 8 | 10 | 14 | 17 | 17 |
| 20-34 | 111 | 8.7 | 49 | 2 | 3 | 7 | 11 | 14 | 21 | 40 |
| 35-49 | 189 | 9.4 | 52 | 2 | 2 | 7 | 12 | 19 | 23 | 39 |
| 50-64 | 225 | 11.1 | 56 | 2 | 3 | 10 | 15 | 20 | 24 | 38 |
| 65+ | 176 | 12.6 | 83 | 3 | 3 | 11 | 16 | 25 | 33 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1019 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 1275 | 7.3 | 24 | 2 | 2 | 6 | 10 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 342 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 711 | 10.6 | 62 | 2 | 3 | 9 | 14 | 21 | 25 | 44 |
| **1. SINGLE DX** | 2294 | 5.2 | 20 | 1 | 1 | 4 | 7 | 11 | 14 | 19 |
| **2. MULTIPLE DX** | 1053 | 8.4 | 55 | 1 | 2 | 6 | 11 | 18 | 23 | 38 |
| **A. NOT OPERATED** | 1361 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **B. OPERATED** | 1986 | 8.5 | 40 | 2 | 2 | 7 | 11 | 16 | 20 | 33 |
| TOTAL 0-19 YRS | 83 | 5.4 | 18 | 1 | 1 | 4 | 8 | 11 | 15 | 18 |
| 20-34 | 909 | 4.8 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| 35-49 | 1010 | 5.8 | 27 | 1 | 1 | 4 | 8 | 12 | 16 | 24 |
| 50-64 | 909 | 7.0 | 37 | 1 | 1 | 5 | 10 | 15 | 18 | 29 |
| 65+ | 436 | 8.8 | 57 | 1 | 2 | 7 | 12 | 18 | 24 | 41 |
| **GRAND TOTAL** | **3347** | **6.2** | **33** | **1** | **1** | **4** | **9** | **13** | **17** | **28** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.1 | 11 | <1 | 1 | 4 | 7 | 10 | 11 | 12 |
| 20-34 | 15 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 35-49 | 13 | 5.6 | 19 | 1 | 1 | 4 | 8 | 12 | 15 | 16 |
| 50-64 | 17 | 2.9 | 5 | <1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 65+ | 14 | 6.8 | 27 | 1 | 2 | 4 | 10 | 14 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 10.1 | 49 | <1 | 1 | 10 | 14 | 19 | 22 | 31 |
| 20-34 | 82 | 8.3 | 47 | <1 | 1 | 7 | 12 | 16 | 21 | 33 |
| 35-49 | 52 | 7.1 | 29 | <1 | <1 | 6 | 11 | 14 | 17 | 21 |
| 50-64 | 57 | 8.8 | 41 | 1 | 2 | 9 | 13 | 19 | 20 | 24 |
| 65+ | 40 | 6.8 | 72 | <1 | 1 | 4 | 10 | 14 | 19 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 7.2 | 51 | 1 | 2 | 4 | 9 | 20 | 25 | 27 |
| 20-34 | 25 | 7.6 | 91 | 1 | 2 | 6 | 8 | 14 | 25 | 49 |
| 35-49 | 26 | 4.8 | 6 | 1 | 1 | 4 | 7 | 8 | 9 | 10 |
| 50-64 | 46 | 6.4 | 32 | 1 | 2 | 4 | 9 | 16 | 19 | 23 |
| 65+ | 68 | 11.1 | 100 | 2 | 3 | 9 | 15 | 22 | 27 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 9.8 | 69 | <1 | 1 | 9 | 15 | 20 | 23 | 34 |
| 20-34 | 116 | 13.2 | 103 | 2 | 3 | 11 | 16 | 25 | 30 | 53 |
| 35-49 | 113 | 11.9 | 106 | <1 | 1 | 10 | 16 | 23 | 29 | 52 |
| 50-64 | 145 | 12.8 | 143 | 1 | 2 | 10 | 18 | 31 | 44 | 57 |
| 65+ | 152 | 12.5 | 140 | 2 | 2 | 10 | 16 | 27 | 37 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 4.6 | 14 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| B. *Operated* | 364 | 8.7 | 48 | <1 | 1 | 8 | 13 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 8.1 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 62 |
| B. *Operated* | 717 | 11.9 | 111 | 1 | 2 | 10 | 16 | 24 | 34 | 52 |
| **1. SINGLE DX** | 444 | 8.0 | 44 | <1 | 1 | 7 | 12 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | 910 | 11.1 | 104 | 1 | 2 | 9 | 15 | 23 | 31 | 52 |
| **A. NOT OPERATED** | 273 | 7.1 | 54 | 1 | 1 | 5 | 9 | 15 | 20 | 44 |
| **B. OPERATED** | 1081 | 10.8 | 92 | 1 | 1 | 9 | 15 | 22 | 28 | 49 |
| TOTAL 0-19 YRS | 373 | 9.5 | 58 | 1 | 1 | 9 | 14 | 19 | 22 | 33 |
| 20-34 | 238 | 10.3 | 85 | <1 | 2 | 9 | 14 | 20 | 28 | 51 |
| 35-49 | 204 | 9.4 | 76 | <1 | 1 | 7 | 14 | 18 | 23 | 41 |
| 50-64 | 265 | 10.2 | 102 | 1 | 2 | 6 | 14 | 22 | 33 | 49 |
| 65+ | 274 | 11.1 | 118 | 1 | 2 | 9 | 14 | 23 | 34 | 70 |
| **GRAND TOTAL** | **1354** | **10.1** | **87** | **1** | **1** | **8** | **14** | **21** | **27** | **49** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 36 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 7 |
| 35-49 | 35 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 50-64 | 28 | 4.3 | 36 | 1 | 1 | 2 | 4 | 10 | 19 | 28 |
| 65+ | 13 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 8 | 2 | 2 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 23 | 5.9 | 18 | 1 | 1 | 4 | 10 | 11 | 13 | 16 |
| 35-49 | 15 | 6.2 | 25 | <1 | 1 | 4 | 11 | 14 | 15 | 15 |
| 50-64 | 22 | 8.5 | 60 | 1 | 2 | 7 | 11 | 15 | 24 | 36 |
| 65+ | 21 | 6.9 | 18 | 2 | 2 | 5 | 10 | 14 | 15 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 3 | 4 | 4 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 10 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 17 | 3.9 | 15 | 1 | 1 | 3 | 5 | 9 | 14 | 16 |
| 50-64 | 9 | 3.7 | 14 | <1 | <1 | 2 | 5 | 10 | 12 | 12 |
| 65+ | 19 | 6.9 | 107 | 1 | 1 | 4 | 7 | 11 | 32 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 20-34 | 17 | 10.9 | 52 | 4 | 4 | 9 | 15 | 21 | 27 | 30 |
| 35-49 | 21 | 10.0 | 40 | 2 | 2 | 9 | 14 | 19 | 20 | 21 |
| 50-64 | 48 | 11.9 | 86 | 2 | 2 | 10 | 16 | 24 | 28 | 45 |
| 65+ | 104 | 11.4 | 66 | 2 | 3 | 9 | 15 | 25 | 29 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 3.0 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| B. *Operated* | 85 | 6.8 | 30 | 1 | 2 | 5 | 10 | 14 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 4.6 | 43 | 1 | 1 | 3 | 5 | 9 | 12 | 45 |
| B. *Operated* | 191 | 11.3 | 66 | 2 | 3 | 10 | 15 | 22 | 26 | 40 |
| **1. SINGLE DX** | 201 | 4.6 | 23 | 1 | 1 | 3 | 6 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 249 | 9.8 | 69 | 1 | 2 | 8 | 14 | 21 | 26 | 40 |
| **A. NOT OPERATED** | 174 | 3.6 | 22 | 1 | 1 | 2 | 4 | 7 | 9 | 26 |
| **B. OPERATED** | 276 | 9.9 | 59 | 2 | 2 | 8 | 14 | 20 | 25 | 38 |
| TOTAL 0-19 YRS | 12 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 86 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 16 | 27 |
| 35-49 | 88 | 5.1 | 26 | 1 | 1 | 3 | 7 | 14 | 16 | 21 |
| 50-64 | 107 | 8.5 | 72 | 1 | 1 | 6 | 12 | 19 | 26 | 42 |
| 65+ | 157 | 9.6 | 66 | 1 | 2 | 7 | 13 | 20 | 26 | 40 |
| **GRAND TOTAL** | **450** | **7.5** | **54** | **1** | **1** | **5** | **11** | **16** | **22** | **36** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 60 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 21 | 3.5 | 6 | <1 | <1 | 3 | 6 | 6 | 8 | 10 |
| 50-64 | 36 | 3.7 | 7 | 1 | 1 | 3 | 5 | 9 | 9 | 10 |
| 65+ | 56 | 6.2 | 21 | 1 | 2 | 5 | 8 | 13 | 17 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.4 | 12 | <1 | <1 | 2 | 5 | 8 | 10 | 17 |
| 20-34 | 81 | 3.5 | 16 | <1 | <1 | 2 | 4 | 11 | 12 | 17 |
| 35-49 | 59 | 3.9 | 16 | <1 | <1 | 3 | 4 | 11 | 13 | 17 |
| 50-64 | 89 | 3.5 | 10 | <1 | <1 | 2 | 4 | 7 | 12 | 16 |
| 65+ | 120 | 4.2 | 15 | <1 | <1 | 3 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 81 | 5.9 | 55 | 1 | 1 | 4 | 7 | 11 | 16 | 48 |
| 20-34 | 83 | 4.2 | 11 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 35-49 | 33 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 15 | 21 |
| 50-64 | 80 | 6.8 | 26 | 1 | 2 | 5 | 9 | 14 | 19 | 23 |
| 65+ | 219 | 9.6 | 70 | 1 | 2 | 8 | 12 | 18 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 5.5 | 35 | <1 | 1 | 4 | 7 | 11 | 15 | 34 |
| 20-34 | 81 | 4.5 | 21 | <1 | <1 | 3 | 6 | 11 | 14 | 22 |
| 35-49 | 84 | 5.2 | 35 | <1 | <1 | 2 | 8 | 13 | 16 | 29 |
| 50-64 | 127 | 6.0 | 50 | <1 | <1 | 3 | 8 | 15 | 20 | 40 |
| 65+ | 260 | 8.9 | 115 | 1 | 1 | 6 | 12 | 18 | 26 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 417 | 3.7 | 14 | <1 | <1 | 2 | 5 | 9 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 496 | 7.3 | 51 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| B. *Operated* | 625 | 6.8 | 73 | <1 | <1 | 4 | 9 | 16 | 20 | 41 |
| **1. SINGLE DX** | 698 | 3.9 | 13 | <1 | <1 | 3 | 5 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 1121 | 7.1 | 63 | <1 | 1 | 5 | 9 | 15 | 20 | 37 |
| **A. NOT OPERATED** | 777 | 6.2 | 39 | 1 | 1 | 4 | 8 | 13 | 18 | 30 |
| **B. OPERATED** | 1042 | 5.6 | 51 | <1 | <1 | 3 | 7 | 13 | 18 | 34 |
| TOTAL 0-19 YRS | 330 | 4.6 | 27 | <1 | 1 | 3 | 6 | 9 | 12 | 29 |
| 20-34 | 305 | 3.9 | 14 | <1 | <1 | 3 | 5 | 9 | 12 | 17 |
| 35-49 | 197 | 4.6 | 23 | <1 | <1 | 3 | 6 | 11 | 14 | 23 |
| 50-64 | 332 | 5.3 | 31 | <1 | 1 | 4 | 6 | 12 | 17 | 24 |
| 65+ | 655 | 8.0 | 77 | 1 | 1 | 6 | 10 | 17 | 20 | 41 |
| **GRAND TOTAL** | **1819** | **5.8** | **46** | **<1** | **1** | **4** | **7** | **13** | **18** | **33** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 4.0 | 13 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 65+ | 11 | 6.9 | 18 | <1 | 2 | 5 | 10 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 165 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 9 | 16 |
| 20-34 | 113 | 4.3 | 21 | <1 | <1 | 2 | 6 | 10 | 16 | 21 |
| 35-49 | 73 | 4.0 | 16 | <1 | <1 | 2 | 6 | 9 | 15 | 17 |
| 50-64 | 123 | 5.0 | 29 | <1 | <1 | 3 | 6 | 13 | 15 | 28 |
| 65+ | 211 | 5.3 | 31 | <1 | 1 | 3 | 7 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.5 | 6 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | 5 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 32 | 6.8 | 82 | 1 | 1 | 4 | 8 | 18 | 40 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 3.7 | 15 | <1 | <1 | 2 | 5 | 8 | 11 | 19 |
| 20-34 | 69 | 6.2 | 56 | <1 | <1 | 4 | 8 | 19 | 24 | 31 |
| 35-49 | 78 | 5.2 | 41 | <1 | <1 | 2 | 7 | 13 | 22 | 27 |
| 50-64 | 144 | 5.5 | 33 | <1 | <1 | 3 | 8 | 14 | 16 | 31 |
| 65+ | 388 | 7.1 | 62 | <1 | 1 | 5 | 9 | 15 | 19 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 5.2 | 16 | <1 | 1 | 4 | 8 | 12 | 13 | 14 |
| B. *Operated* | 685 | 4.2 | 23 | <1 | <1 | 2 | 5 | 10 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 5.8 | 60 | 1 | 1 | 4 | 6 | 12 | 38 | 99+ |
| B. *Operated* | 787 | 6.1 | 49 | <1 | <1 | 4 | 8 | 14 | 19 | 31 |
| **1. SINGLE DX** | 705 | 4.3 | 23 | <1 | <1 | 2 | 5 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | 833 | 6.1 | 50 | <1 | <1 | 4 | 8 | 14 | 19 | 38 |
| **A. NOT OPERATED** | 66 | 5.6 | 46 | 1 | 1 | 4 | 7 | 12 | 18 | 90 |
| **B. OPERATED** | 1472 | 5.2 | 38 | <1 | <1 | 3 | 7 | 12 | 16 | 28 |
| TOTAL 0-19 YRS | 282 | 2.9 | 11 | <1 | <1 | 1 | 4 | 7 | 10 | 18 |
| 20-34 | 185 | 5.0 | 35 | <1 | <1 | 3 | 7 | 12 | 19 | 29 |
| 35-49 | 154 | 4.6 | 29 | <1 | <1 | 2 | 6 | 11 | 16 | 26 |
| 50-64 | 275 | 5.2 | 31 | <1 | <1 | 3 | 7 | 14 | 16 | 29 |
| 65+ | 642 | 6.5 | 53 | <1 | 1 | 4 | 8 | 14 | 18 | 46 |
| **GRAND TOTAL** | **1538** | **5.2** | **38** | **<1** | **<1** | **3** | **7** | **12** | **16** | **31** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 602 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 214 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 35-49 | 84 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 101 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 10 | 19 |
| 65+ | 207 | 6.3 | 40 | 1 | 2 | 5 | 8 | 11 | 17 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 194 | 3.4 | 11 | <1 | <1 | 2 | 4 | 8 | 11 | 15 |
| 20-34 | 170 | 3.3 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 26 |
| 35-49 | 131 | 3.4 | 10 | <1 | <1 | 2 | 5 | 8 | 9 | 15 |
| 50-64 | 219 | 4.2 | 33 | <1 | <1 | 3 | 5 | 9 | 10 | 31 |
| 65+ | 254 | 5.1 | 22 | <1 | <1 | 4 | 7 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 623 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| 20-34 | 305 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 11 | 19 |
| 35-49 | 164 | 6.0 | 33 | 1 | 2 | 5 | 7 | 10 | 15 | 37 |
| 50-64 | 258 | 6.8 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 65+ | 922 | 10.1 | 124 | 2 | 3 | 7 | 12 | 20 | 31 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 256 | 5.0 | 45 | <1 | 1 | 3 | 6 | 12 | 15 | 29 |
| 20-34 | 198 | 4.8 | 30 | <1 | <1 | 2 | 7 | 12 | 17 | 30 |
| 35-49 | 188 | 7.1 | 96 | <1 | <1 | 3 | 8 | 19 | 24 | 56 |
| 50-64 | 372 | 7.1 | 51 | <1 | 1 | 5 | 9 | 15 | 21 | 36 |
| 65+ | 638 | 10.6 | 121 | 1 | 2 | 7 | 14 | 23 | 33 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1208 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| B. *Operated* | 968 | 4.0 | 20 | <1 | <1 | 2 | 5 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2272 | 7.3 | 68 | 1 | 2 | 5 | 9 | 14 | 20 | 65 |
| B. *Operated* | 1652 | 7.8 | 85 | <1 | 1 | 5 | 10 | 18 | 26 | 52 |
| **1. SINGLE DX** | 2176 | 4.2 | 17 | <1 | <1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 3924 | 7.5 | 75 | 1 | 1 | 5 | 9 | 16 | 23 | 61 |
| **A. NOT OPERATED** | 3480 | 6.2 | 51 | 1 | 2 | 4 | 7 | 12 | 17 | 43 |
| **B. OPERATED** | 2620 | 6.4 | 64 | <1 | <1 | 4 | 8 | 15 | 21 | 42 |
| TOTAL 0-19 YRS | 1675 | 4.5 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 20-34 | 887 | 4.0 | 17 | <1 | <1 | 3 | 5 | 9 | 12 | 23 |
| 35-49 | 567 | 5.5 | 47 | <1 | <1 | 4 | 6 | 11 | 17 | 34 |
| 50-64 | 950 | 6.1 | 40 | <1 | 1 | 4 | 8 | 13 | 17 | 30 |
| 65+ | 2021 | 9.2 | 105 | 1 | 2 | 7 | 11 | 19 | 28 | 79 |
| **GRAND TOTAL** | **6100** | **6.3** | **57** | **<1** | **1** | **4** | **8** | **13** | **19** | **42** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 9 | 4.4 | 18 | <1 | <1 | 3 | 6 | 12 | 14 | 14 |
| 65+ | 34 | 4.7 | 21 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 11.5 | 23 | 6 | 6 | 12 | 15 | 16 | 16 | 16 |
| 20-34 | 11 | 7.2 | 29 | <1 | <1 | 8 | 10 | 15 | 18 | 18 |
| 35-49 | 54 | 4.2 | 10 | <1 | <1 | 3 | 7 | 9 | 10 | 14 |
| 50-64 | 844 | 7.1 | 17 | <1 | 2 | 7 | 9 | 12 | 14 | 20 |
| 65+ | 1375 | 8.6 | 26 | 2 | 3 | 8 | 11 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | 43 | 5.1 | 18 | <1 | 1 | 4 | 7 | 12 | 14 | 19 |
| 65+ | 186 | 7.9 | 76 | 1 | 2 | 6 | 9 | 16 | 22 | 60 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | 26 | 2 | 2 | 9 | 11 | 12 | 12 | 12 |
| 20-34 | 8 | 5.9 | 24 | <1 | <1 | 5 | 9 | 13 | 14 | 14 |
| 35-49 | 59 | 8.1 | 44 | <1 | 1 | 7 | 10 | 16 | 21 | 33 |
| 50-64 | 1092 | 9.9 | 53 | 2 | 3 | 8 | 12 | 17 | 22 | 39 |
| 65+ | 2822 | 12.6 | 86 | 3 | 5 | 10 | 15 | 23 | 29 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 4.6 | 20 | 1 | 1 | 3 | 6 | 10 | 15 | 23 |
| B. *Operated* | 2288 | 7.9 | 23 | 1 | 2 | 7 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 233 | 7.3 | 65 | 1 | 1 | 5 | 9 | 15 | 22 | 58 |
| B. *Operated* | 3984 | 11.8 | 78 | 2 | 4 | 10 | 14 | 22 | 28 | 49 |
| **1. SINGLE DX** | 2332 | 7.9 | 23 | 1 | 2 | 7 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 4217 | 11.5 | 78 | 2 | 4 | 9 | 14 | 21 | 28 | 49 |
| **A. NOT OPERATED** | 277 | 6.8 | 59 | 1 | 1 | 5 | 8 | 14 | 21 | 54 |
| **B. OPERATED** | 6272 | 10.4 | 61 | 2 | 3 | 9 | 13 | 19 | 24 | 42 |
| TOTAL 0-19 YRS | 7 | 9.9 | 24 | 2 | 3 | 9 | 14 | 16 | 16 | 16 |
| 20-34 | 19 | 6.6 | 26 | <1 | <1 | 7 | 10 | 14 | 16 | 18 |
| 35-49 | 118 | 6.1 | 30 | <1 | <1 | 5 | 8 | 11 | 16 | 32 |
| 50-64 | 1988 | 8.6 | 39 | 1 | 2 | 8 | 11 | 15 | 19 | 31 |
| 65+ | 4417 | 11.1 | 71 | 2 | 4 | 9 | 13 | 20 | 26 | 48 |
| **GRAND TOTAL** | **6549** | **10.2** | **62** | **2** | **3** | **8** | **12** | **19** | **24** | **42** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 17 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 22 | 5.5 | 19 | <1 | 1 | 4 | 7 | 9 | 14 | 21 |
| 50-64 | 20 | 4.3 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 10 |
| 65+ | 19 | 7.3 | 69 | 1 | 1 | 5 | 9 | 28 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 17 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 8 | 8 |
| 35-49 | 31 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 50-64 | 50 | 3.7 | 14 | <1 | <1 | 2 | 5 | 9 | 13 | 14 |
| 65+ | 44 | 5.1 | 20 | 1 | 1 | 4 | 7 | 13 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 8.3 | 66 | 2 | 2 | 5 | 13 | 20 | 20 | 20 |
| 20-34 | 14 | 4.9 | 4 | 2 | 3 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 24 | 4.8 | 8 | 1 | 2 | 5 | 6 | 8 | 11 | 13 |
| 50-64 | 25 | 6.0 | 16 | 2 | 2 | 5 | 8 | 12 | 14 | 19 |
| 65+ | 42 | 7.2 | 51 | 2 | 2 | 5 | 8 | 16 | 33 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 4 | 3 | 3 | 3 | 5 | 7 | 7 | 7 |
| 20-34 | 28 | 3.1 | 10 | <1 | <1 | 1 | 4 | 9 | 10 | 11 |
| 35-49 | 38 | 3.3 | 11 | <1 | <1 | 2 | 5 | 6 | 10 | 17 |
| 50-64 | 75 | 6.1 | 26 | 1 | 1 | 6 | 8 | 11 | 14 | 32 |
| 65+ | 110 | 7.3 | 40 | 1 | 2 | 6 | 11 | 14 | 21 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 5.2 | 25 | 1 | 1 | 4 | 6 | 9 | 18 | 79 |
| B. *Operated* | 147 | 3.7 | 14 | <1 | <1 | 2 | 5 | 9 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 109 | 6.1 | 28 | 2 | 2 | 5 | 7 | 12 | 19 | 60 |
| B. *Operated* | 255 | 5.8 | 30 | <1 | 1 | 4 | 8 | 12 | 15 | 28 |
| **1. SINGLE DX** | 227 | 4.2 | 18 | <1 | 1 | 3 | 6 | 9 | 13 | 25 |
| **2. MULTIPLE DX** | 364 | 5.9 | 30 | <1 | 1 | 5 | 8 | 12 | 15 | 33 |
| **A. NOT OPERATED** | 189 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 19 | 73 |
| **B. OPERATED** | 402 | 5.1 | 25 | <1 | 1 | 3 | 7 | 11 | 14 | 25 |
| TOTAL 0-19 YRS | 15 | 4.7 | 22 | 1 | 1 | 3 | 6 | 7 | 17 | 20 |
| 20-34 | 76 | 3.3 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 11 |
| 35-49 | 115 | 3.9 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 50-64 | 170 | 5.2 | 20 | <1 | 1 | 4 | 7 | 10 | 13 | 19 |
| 65+ | 215 | 6.8 | 41 | 1 | 2 | 5 | 9 | 14 | 22 | 86 |
| **GRAND TOTAL** | **591** | **5.3** | **26** | **<1** | **1** | **4** | **7** | **11** | **14** | **33** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.5 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 180 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 60 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| 35-49 | 56 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 50-64 | 121 | 4.0 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| 65+ | 82 | 5.1 | 6 | 2 | 3 | 4 | 7 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.5 | 1 | <1 | <1 | <1 | 2 | 3 | 4 | 4 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| 20-34 | 37 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 45 | 5.2 | 22 | 1 | 2 | 4 | 6 | 11 | 16 | 26 |
| 50-64 | 83 | 6.3 | 17 | 2 | 3 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 90 | 6.7 | 26 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.8 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 9 |
| B. *Operated* | 499 | 3.7 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| B. *Operated* | 389 | 5.0 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **1. SINGLE DX** | 511 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 408 | 4.9 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 31 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| **B. OPERATED** | 888 | 4.3 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 336 | 3.0 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 98 | 3.7 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 102 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 21 |
| 50-64 | 208 | 4.9 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| 65+ | 175 | 5.9 | 17 | 2 | 3 | 5 | 8 | 10 | 13 | 24 |
| **GRAND TOTAL** | **919** | **4.2** | **10** | **1** | **2** | **3** | **5** | **8** | **10** | **16** |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 63 | 4.0 | 4 | 1 | 2 | 4 | 5 | 8 | 8 | 10 |
| 20-34 | 130 | 4.5 | 7 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 35-49 | 39 | 5.0 | 6 | 1 | 2 | 5 | 6 | 8 | 10 | 12 |
| 50-64 | 46 | 7.3 | 10 | 3 | 4 | 7 | 9 | 10 | 14 | 17 |
| 65+ | 33 | 8.6 | 20 | 4 | 4 | 8 | 10 | 15 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.7 | 19 | 1 | 1 | 4 | 6 | 9 | 15 | 20 |
| 20-34 | 35 | 5.1 | 14 | 2 | 2 | 4 | 6 | 9 | 15 | 19 |
| 35-49 | 20 | 5.1 | 10 | <1 | 1 | 5 | 8 | 9 | 10 | 11 |
| 50-64 | 12 | 6.6 | 17 | <1 | 1 | 7 | 10 | 12 | 12 | 12 |
| 65+ | 13 | 7.5 | 39 | 2 | 2 | 4 | 9 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 6 | 1 | 2 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 36 | 5.8 | 27 | 2 | 2 | 4 | 7 | 11 | 19 | 26 |
| 35-49 | 27 | 6.4 | 32 | 3 | 3 | 6 | 7 | 10 | 17 | 31 |
| 50-64 | 32 | 9.8 | 50 | 4 | 4 | 8 | 11 | 19 | 21 | 38 |
| 65+ | 51 | 9.3 | 92 | 3 | 3 | 7 | 10 | 15 | 18 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 8.4 | 72 | 1 | 1 | 5 | 14 | 22 | 27 | 27 |
| 20-34 | 16 | 7.6 | 53 | 1 | 2 | 5 | 7 | 19 | 25 | 28 |
| 35-49 | 22 | 6.3 | 30 | 1 | 2 | 5 | 7 | 13 | 20 | 25 |
| 50-64 | 24 | 7.2 | 25 | 1 | 2 | 6 | 9 | 13 | 18 | 23 |
| 65+ | 30 | 13.0 | 63 | 2 | 4 | 12 | 18 | 25 | 35 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 10 | 18 |
| B. *Operated* | 100 | 5.5 | 18 | 1 | 2 | 4 | 7 | 10 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 154 | 7.8 | 56 | 2 | 3 | 6 | 9 | 15 | 20 | 38 |
| B. *Operated* | 103 | 8.9 | 52 | 1 | 2 | 6 | 13 | 20 | 26 | 65 |
| **1. SINGLE DX** | 411 | 5.4 | 12 | 1 | 2 | 5 | 7 | 10 | 11 | 19 |
| **2. MULTIPLE DX** | 257 | 8.3 | 54 | 2 | 2 | 6 | 10 | 18 | 22 | 38 |
| **A. NOT OPERATED** | 465 | 6.2 | 27 | 1 | 2 | 5 | 8 | 10 | 14 | 25 |
| **B. OPERATED** | 203 | 7.2 | 38 | 1 | 2 | 6 | 9 | 17 | 20 | 32 |
| TOTAL 0-19 YRS | 102 | 4.7 | 16 | 1 | 1 | 4 | 5 | 8 | 10 | 23 |
| 20-34 | 217 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 108 | 5.6 | 18 | 1 | 2 | 5 | 7 | 9 | 12 | 28 |
| 50-64 | 114 | 7.9 | 26 | 2 | 3 | 7 | 10 | 13 | 18 | 28 |
| 65+ | 127 | 9.8 | 64 | 2 | 3 | 8 | 12 | 19 | 22 | 75 |
| **GRAND TOTAL** | **668** | **6.5** | **30** | **1** | **2** | **5** | **8** | **12** | **17** | **28** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 357 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 46 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 13 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 50-64 | 17 | 2.9 | 7 | 1 | 1 | 2 | 3 | 6 | 10 | 12 |
| 65+ | 9 | 3.4 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 65 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 35-49 | 25 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 17 | 2.8 | 2 | <1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 65+ | 17 | 2.1 | | 1 | 2 | 2 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 2.1 | 3 | <1 | <1 | 2 | 2 | 5 | 6 | 8 |
| 20-34 | 19 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 35-49 | 13 | 3.3 | 7 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 50-64 | 13 | 3.8 | 9 | 1 | 1 | 3 | 4 | 10 | 10 | 10 |
| 65+ | 27 | 5.2 | [illegible] | 1 | 1 | 4 | 7 | 11 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.9 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 20-34 | 32 | 2.9 | 4 | <1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 35-49 | 31 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 11 | 14 |
| 50-64 | 27 | 4.1 | 15 | <1 | 1 | 2 | 6 | 8 | 12 | 19 |
| 65+ | 27 | 6.3 | 62 | 1 | 1 | 3 | 8 | 14 | 22 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| B. *Operated* | 538 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| B. *Operated* | 219 | 3.5 | 15 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| **1. SINGLE DX** | 980 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 358 | 3.3 | 12 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 581 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| **B. OPERATED** | 757 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| TOTAL 0-19 YRS | 940 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 20-34 | 162 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 82 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 74 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 65+ | 80 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 13 | 33 |
| **GRAND TOTAL** | **1338** | **2.3** | **4** | **<1** | **<1** | **2** | **2** | **4** | **6** | **11** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 53 | 2.8 | 8 | <1 | 1 | 2 | 3 | 7 | 10 | 13 |
| 35-49 | 25 | 3.8 | 14 | <1 | <1 | 3 | 4 | 9 | 14 | 16 |
| 50-64 | 12 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 15 | 5.5 | 38 | 1 | 1 | 4 | 7 | 12 | 21 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 281 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 20-34 | 181 | 2.9 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 120 | 4.0 | 20 | <1 | <1 | 3 | 4 | 7 | 12 | 28 |
| 50-64 | 129 | 4.4 | 15 | <1 | 1 | 3 | 5 | 8 | 14 | 20 |
| 65+ | 39 | 5.2 | 37 | 1 | 2 | 4 | 6 | 8 | 15 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 20-34 | 27 | 3.9 | 13 | <1 | <1 | 2 | 5 | 9 | 14 | 14 |
| 35-49 | 11 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 10 | 10 |
| 50-64 | 13 | 7.8 | 91 | 1 | 1 | 5 | 7 | 23 | 33 | 35 |
| 65+ | 20 | 6.1 | 9 | 2 | 3 | 5 | 7 | 10 | 12 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 20-34 | 126 | 4.3 | 45 | 1 | 1 | 3 | 4 | 8 | 11 | 34 |
| 35-49 | 67 | 5.5 | 35 | <1 | 1 | 4 | 6 | 13 | 17 | 31 |
| 50-64 | 104 | 5.6 | 16 | 1 | 2 | 5 | 7 | 11 | 12 | 22 |
| 65+ | 68 | 7.2 | 59 | 1 | 1 | 5 | 8 | 13 | 26 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 194 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 750 | 3.4 | 10 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 4.2 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 25 |
| B. *Operated* | 482 | 5.0 | 31 | 1 | 1 | 4 | 6 | 10 | 13 | 30 |
| **1. SINGLE DX** | 944 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 598 | 4.9 | 28 | 1 | 1 | 4 | 6 | 9 | 12 | 30 |
| **A. NOT OPERATED** | 310 | 3.4 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| **B. OPERATED** | 1232 | 4.0 | 19 | 1 | 1 | 3 | 5 | 7 | 11 | 23 |
| TOTAL 0-19 YRS | 532 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 387 | 3.4 | 19 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 35-49 | 223 | 4.4 | 23 | <1 | 1 | 3 | 5 | 9 | 14 | 29 |
| 50-64 | 258 | 5.0 | 19 | 1 | 1 | 4 | 6 | 10 | 14 | 21 |
| 65+ | 142 | 6.3 | 44 | 1 | 2 | 4 | 7 | 11 | 22 | 36 |
| **GRAND TOTAL** | **1542** | **3.9** | **18** | **<1** | **1** | **3** | **5** | **7** | **10** | **21** |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 7 | 2.4 | 3 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 35-49 | 8 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.3 | 6 | <1 | <1 | 2 | 3 | 3 | 5 | 17 |
| 20-34 | 320 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 724 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 294 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 95 | 3.7 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 35-49 | 7 | 5.1 | 53 | 1 | 1 | 1 | 6 | 18 | 21 | 21 |
| 50-64 | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 124 | 3.2 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 313 | 3.8 | 16 | <1 | <1 | 2 | 4 | 8 | 11 | 26 |
| 50-64 | 213 | 4.0 | 11 | <1 | 2 | 3 | 4 | 8 | 10 | 19 |
| 65+ | 94 | 4.2 | 8 | 2 | 2 | 3 | 5 | 8 | 10 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 1.6 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| B. *Operated* | 1477 | 2.6 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 3.0 | 25 | <1 | 1 | 1 | 2 | 6 | 16 | 21 |
| B. *Operated* | 752 | 3.8 | 12 | <1 | 1 | 3 | 4 | 8 | 10 | 18 |
| **1. SINGLE DX** | 1497 | 2.6 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 768 | 3.8 | 12 | <1 | 1 | 3 | 4 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 36 | 2.2 | 12 | <1 | <1 | 1 | 2 | 5 | 6 | 21 |
| **B. OPERATED** | 2229 | 3.0 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| TOTAL 0-19 YRS | 53 | 2.3 | 5 | <1 | <1 | 2 | 3 | 3 | 4 | 17 |
| 20-34 | 455 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 1052 | 2.9 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 50-64 | 514 | 3.3 | 8 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 65+ | 191 | 3.9 | 7 | 2 | 2 | 3 | 5 | 8 | 9 | 15 |
| **GRAND TOTAL** | **2265** | **3.0** | **7** | **<1** | **<1** | **2** | **3** | **6** | **8** | **14** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.0 | 3 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 57 | 3.5 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 35-49 | 16 | 3.9 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 50-64 | 7 | 7.7 | 87 | 1 | 1 | 5 | 8 | 24 | 28 | 28 |
| 65+ | 3 | 7.7 | 69 | 1 | 1 | 5 | 14 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 162 | 3.6 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| 20-34 | 404 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 232 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 50-64 | 145 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 65+ | 89 | 4.1 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.0 | 11 | <1 | <1 | 3 | 5 | 9 | 12 | 12 |
| 20-34 | 29 | 3.5 | 10 | <1 | <1 | 3 | 5 | 8 | 12 | 12 |
| 35-49 | 11 | 3.6 | 14 | <1 | <1 | 3 | 4 | 10 | 13 | 13 |
| 50-64 | 9 | 5.0 | 25 | <1 | <1 | 3 | 8 | 13 | 15 | 15 |
| 65+ | 7 | 6.7 | 39 | <1 | <1 | 5 | 12 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 4.4 | 8 | 1 | 2 | 3 | 6 | 8 | 11 | 12 |
| 20-34 | 185 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 35-49 | 114 | 4.4 | 16 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| 50-64 | 105 | 4.9 | 15 | 1 | 2 | 4 | 5 | 9 | 12 | 22 |
| 65+ | 66 | 6.4 | 29 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 4.0 | 13 | <1 | 1 | 3 | 5 | 7 | 8 | 23 |
| B. *Operated* | 1032 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.2 | 15 | <1 | <1 | 3 | 5 | 12 | 13 | 16 |
| B. *Operated* | 515 | 4.6 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| **1. SINGLE DX** | 1125 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 581 | 4.5 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 159 | 4.1 | 14 | <1 | <1 | 3 | 5 | 8 | 12 | 17 |
| **B. OPERATED** | 1547 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 227 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 675 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 35-49 | 373 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 50-64 | 266 | 4.6 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 26 |
| 65+ | 165 | 5.2 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 21 |
| **GRAND TOTAL** | **1706** | **4.0** | **10** | **<1** | **1** | **3** | **5** | **7** | **9** | **16** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 170 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 35-49 | 46 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 173 | 5.0 | 8 | 1 | 2 | 5 | 6 | 8 | 11 | 14 |
| 20-34 | 640 | 4.8 | 8 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 188 | 6.3 | 12 | 2 | 2 | 6 | 8 | 9 | 12 | 21 |
| 50-64 | 16 | 7.3 | 2 | 5 | 6 | 7 | 8 | 9 | 10 | 10 |
| 65+ | 11 | 9.2 | 12 | 3 | 5 | 9 | 11 | 14 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 2.5 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 100 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 20 | 3.5 | 5 | 1 | 2 | 2 | 5 | 7 | 8 | 9 |
| 50-64 | 2 | 12.0 | 72 | 6 | 6 | 12 | 18 | 18 | 18 | 18 |
| 65+ | 3 | 17.0 | 171 | 2 | 2 | 23 | 25 | 26 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 5.5 | 12 | 2 | 2 | 5 | 6 | 9 | 11 | 20 |
| 20-34 | 764 | 6.2 | 12 | 2 | 2 | 6 | 8 | 10 | 12 | 18 |
| 35-49 | 325 | 7.8 | 17 | 3 | 4 | 7 | 9 | 11 | 14 | 27 |
| 50-64 | 41 | 8.5 | 9 | 5 | 6 | 8 | 9 | 13 | 15 | 17 |
| 65+ | 14 | 19.1 | 159 | 6 | 8 | 15 | 22 | 39 | 47 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| B. *Operated* | 1028 | 5.2 | 9 | 1 | 2 | 5 | 7 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 3.6 | 13 | 1 | 1 | 2 | 5 | 6 | 9 | 23 |
| B. *Operated* | 1249 | 6.8 | 17 | 2 | 2 | 6 | 8 | 10 | 13 | 22 |
| **1. SINGLE DX** | 1329 | 4.6 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 1402 | 6.4 | 17 | 1 | 2 | 6 | 8 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 454 | 2.8 | 6 | 1 | 1 | 2 | 4 | 5 | 6 | 12 |
| **B. OPERATED** | 2277 | 6.1 | 14 | 1 | 2 | 6 | 8 | 9 | 12 | 19 |
| TOTAL 0-19 YRS | 390 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 20-34 | 1674 | 5.1 | 10 | 1 | 1 | 5 | 7 | 9 | 10 | 15 |
| 35-49 | 579 | 6.7 | 16 | 1 | 2 | 7 | 8 | 10 | 13 | 22 |
| 50-64 | 60 | 8.2 | 9 | 5 | 6 | 8 | 9 | 12 | 15 | 18 |
| 65+ | 28 | 15.0 | 117 | 3 | 6 | 12 | 17 | 32 | 39 | 49 |
| **GRAND TOTAL** | **2731** | **5.5** | **14** | **1** | **2** | **5** | **7** | **9** | **11** | **18** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 626 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| 20-34 | 1089 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 99 | 5.0 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 14 |
| 50-64 | 9 | 5.6 | 4 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 65+ | 5 | 5.0 | 10 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 6.1 | 9 | 2 | 2 | 6 | 8 | 10 | 12 | 14 |
| 20-34 | 539 | 5.4 | 11 | 1 | 2 | 5 | 7 | 9 | 12 | 16 |
| 35-49 | 127 | 6.8 | 24 | 1 | 2 | 7 | 8 | 12 | 17 | 24 |
| 50-64 | 13 | 7.1 | 5 | 2 | 5 | 8 | 8 | 9 | 9 | 9 |
| 65+ | 4 | 10.3 | 26 | 5 | 5 | 9 | 14 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 223 | 5.2 | 8 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| 20-34 | 525 | 5.1 | 10 | 2 | 2 | 5 | 7 | 9 | 10 | 16 |
| 35-49 | 63 | 7.3 | 27 | 2 | 3 | 6 | 9 | 13 | 15 | 34 |
| 50-64 | 11 | 8.1 | 12 | 4 | 4 | 8 | 10 | 13 | 15 | 15 |
| 65+ | 8 | 16.8 | 138 | 3 | 4 | 15 | 23 | 34 | 38 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 161 | 7.0 | 19 | 2 | 2 | 6 | 8 | 12 | 15 | 24 |
| 20-34 | 1039 | 6.7 | 19 | 1 | 2 | 6 | 8 | 11 | 15 | 22 |
| 35-49 | 323 | 7.4 | 16 | 1 | 2 | 7 | 9 | 12 | 16 | 20 |
| 50-64 | 46 | 10.5 | 39 | 2 | 5 | 8 | 14 | 22 | 23 | 27 |
| 65+ | 5 | 8.0 | 14 | 3 | 3 | 8 | 11 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1828 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 812 | 5.8 | 13 | 1 | 2 | 6 | 8 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 830 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 11 | 20 |
| B. *Operated* | 1574 | 6.9 | 19 | 1 | 2 | 7 | 8 | 12 | 15 | 22 |
| **1. SINGLE DX** | 2640 | 5.0 | 9 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 2404 | 6.4 | 18 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| **A. NOT OPERATED** | 2658 | 4.9 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 2386 | 6.5 | 18 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| TOTAL 0-19 YRS | 1139 | 5.3 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 20-34 | 3192 | 5.5 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 35-49 | 612 | 6.9 | 18 | 1 | 2 | 7 | 8 | 12 | 14 | 21 |
| 50-64 | 79 | 9.0 | 28 | 2 | 4 | 8 | 10 | 17 | 22 | 26 |
| 65+ | 22 | 10.9 | 78 | 2 | 3 | 9 | 12 | 23 | 30 | 38 |
| **GRAND TOTAL** | **5044** | **5.7** | **14** | **1** | **2** | **5** | **7** | **10** | **12** | **20** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 33 | 3.6 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 11 | 5.1 | 14 | <1 | 1 | 4 | 7 | 11 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 20-34 | 363 | 5.4 | 13 | 1 | 1 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 207 | 6.6 | 8 | 1 | 2 | 7 | 8 | 9 | 10 | 14 |
| 50-64 | 19 | 6.5 | 14 | 1 | 2 | 7 | 8 | 9 | 14 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 5 | 1 | 1 | 5 | 5 | 5 | 5 | 5 |
| 20-34 | 23 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 13 |
| 35-49 | 10 | 3.5 | 12 | <1 | <1 | 2 | 5 | 9 | 10 | 10 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.5 | 6 | <1 | 1 | 6 | 8 | 8 | 8 | 8 |
| 20-34 | 792 | 6.8 | 11 | 1 | 2 | 7 | 8 | 10 | 12 | 18 |
| 35-49 | 882 | 8.1 | 11 | 4 | 5 | 8 | 9 | 11 | 13 | 20 |
| 50-64 | 133 | 8.6 | 6 | 5 | 6 | 8 | 10 | 11 | 13 | 17 |
| 65+ | 8 | 13.3 | 171 | <1 | 2 | 8 | 18 | 36 | 41 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.9 | 7 | 1 | 1 | 4 | 5 | 8 | 11 | 12 |
| B. *Operated* | 609 | 5.8 | 12 | 1 | 2 | 6 | 8 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 3.6 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| B. *Operated* | 1833 | 7.6 | 12 | 2 | 3 | 7 | 9 | 11 | 13 | 19 |
| **1. SINGLE DX** | 656 | 5.6 | 12 | 1 | 1 | 6 | 8 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | 1870 | 7.5 | 12 | 2 | 3 | 7 | 9 | 11 | 13 | 19 |
| **A. NOT OPERATED** | 84 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| **B. OPERATED** | 2442 | 7.1 | 13 | 2 | 2 | 7 | 9 | 10 | 12 | 18 |
| TOTAL 0-19 YRS | 44 | 4.4 | 7 | <1 | 1 | 4 | 7 | 8 | 8 | 10 |
| 20-34 | 1211 | 6.2 | 12 | 1 | 2 | 6 | 8 | 10 | 12 | 18 |
| 35-49 | 1110 | 7.7 | 11 | 2 | 5 | 8 | 9 | 11 | 13 | 19 |
| 50-64 | 153 | 8.3 | 7 | 3 | 6 | 8 | 9 | 11 | 13 | 18 |
| 65+ | 8 | 13.3 | 171 | <1 | 2 | 8 | 18 | 36 | 41 | 41 |
| **GRAND TOTAL** | **2526** | **7.0** | **13** | **1** | **2** | **7** | **8** | **10** | **12** | **18** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 5 | 3.6 | 8 | 1 | 1 | 4 | 5 | 8 | 8 | 8 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 20-34 | 109 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 9 |
| 35-49 | 56 | 3.2 | 7 | <1 | <1 | 2 | 5 | 8 | 8 | 9 |
| 50-64 | 18 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 65+ | 8 | 3.4 | 11 | 1 | 1 | 2 | 4 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 2.3 | 5 | <1 | <1 | 2 | 2 | 6 | 7 | 7 |
| 20-34 | 235 | 5.7 | 10 | <1 | 1 | 7 | 8 | 9 | 10 | 15 |
| 35-49 | 206 | 6.0 | 12 | <1 | <1 | 7 | 8 | 10 | 11 | 16 |
| 50-64 | 37 | 4.8 | 17 | 1 | 1 | 3 | 8 | 9 | 12 | 19 |
| 65+ | 14 | 6.6 | 35 | 1 | 2 | 4 | 11 | 15 | 19 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.3 | 9 | 1 | 1 | 4 | 6 | 9 | 9 | 9 |
| B. *Operated* | 201 | 2.9 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 499 | 5.7 | 12 | <1 | 1 | 6 | 8 | 9 | 11 | 17 |
| **1. SINGLE DX** | 209 | 3.0 | 6 | <1 | <1 | 2 | 4 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 503 | 5.7 | 12 | <1 | 1 | 6 | 8 | 9 | 11 | 17 |
| **A. NOT OPERATED** | 12 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| **B. OPERATED** | 700 | 4.9 | 12 | <1 | <1 | 5 | 7 | 9 | 10 | 15 |
| TOTAL 0-19 YRS | 20 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 6 | 7 |
| 20-34 | 350 | 4.8 | 10 | <1 | <1 | 5 | 7 | 9 | 9 | 13 |
| 35-49 | 264 | 5.4 | 12 | <1 | <1 | 6 | 8 | 10 | 11 | 14 |
| 50-64 | 55 | 3.9 | 13 | <1 | 1 | 2 | 6 | 9 | 9 | 19 |
| 65+ | 23 | 5.3 | 27 | 1 | 1 | 3 | 9 | 13 | 16 | 20 |
| **GRAND TOTAL** | **712** | **4.9** | **12** | **<1** | **<1** | **5** | **7** | **9** | **10** | **14** |

### 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 20-34 | 82 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 11 | 3.9 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 9 | 6.1 | 20 | 1 | 1 | 6 | 8 | 13 | 15 | 15 |
| 65+ | 6 | 10.8 | 125 | <1 | <1 | 9 | 11 | 30 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 11 |
| 20-34 | 332 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 139 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 50-64 | 37 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 7 |
| 65+ | 16 | 5.8 | 32 | 1 | 2 | 4 | 6 | 12 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 4.4 | 12 | 1 | 1 | 3 | 6 | 9 | 13 | 16 |
| 20-34 | 66 | 5.3 | 14 | 1 | 2 | 5 | 7 | 9 | 14 | 18 |
| 35-49 | 17 | 4.1 | 12 | <1 | 1 | 3 | 5 | 10 | 11 | 11 |
| 50-64 | 10 | 9.3 | 39 | 1 | 1 | 11 | 14 | 16 | 17 | 17 |
| 65+ | 19 | 11.0 | 50 | 3 | 4 | 9 | 17 | 26 | 63 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 4.1 | 13 | <1 | 1 | 3 | 7 | 8 | 11 | 15 |
| 20-34 | 160 | 3.4 | 11 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 35-49 | 72 | 3.9 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 31 | 3.7 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 65+ | 23 | 7.0 | 31 | 1 | 1 | 5 | 10 | 16 | 18 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| B. *Operated* | 583 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 5.9 | 24 | 1 | 2 | 4 | 8 | 14 | 17 | 26 |
| B. *Operated* | 310 | 3.9 | 13 | <1 | 1 | 2 | 5 | 9 | 11 | 17 |
| **1. SINGLE DX** | 743 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 461 | 4.5 | 18 | <1 | 1 | 3 | 6 | 10 | 14 | 19 |
| **A. NOT OPERATED** | 311 | 5.0 | 18 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| **B. OPERATED** | 893 | 3.0 | 8 | <1 | 1 | 2 | 3 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 174 | 3.5 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 20-34 | 640 | 3.2 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 35-49 | 239 | 3.1 | 8 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 87 | 3.9 | 14 | <1 | 1 | 2 | 5 | 10 | 14 | 16 |
| 65+ | 64 | 8.3 | 48 | 1 | 2 | 7 | 11 | 19 | 26 | 90 |
| **GRAND TOTAL** | **1204** | **3.5** | **12** | **<1** | **1** | **2** | **4** | **8** | **10** | **17** |

### 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 2.3 | 5 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 10 | 3.2 | 20 | <1 | <1 | 1 | 3 | 10 | 15 | 15 |
| 65+ | 6 | 4.3 | 17 | <1 | <1 | 2 | 9 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 122 | 7.5 | 11 | 3 | 5 | 7 | 9 | 11 | 15 | 20 |
| 35-49 | 281 | 8.7 | 13 | 5 | 5 | 8 | 10 | 13 | 16 | 21 |
| 50-64 | 490 | 8.6 | 12 | 4 | 5 | 8 | 10 | 13 | 16 | 21 |
| 65+ | 304 | 9.1 | 15 | 5 | 6 | 8 | 10 | 14 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 7 | 6.0 | 115 | 1 | 1 | 1 | 5 | 25 | 30 | 30 |
| 50-64 | 19 | 3.1 | 13 | <1 | <1 | 1 | 4 | 7 | 12 | 15 |
| 65+ | 31 | 8.8 | 253 | 1 | 1 | 3 | 8 | 25 | 29 | 84 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 322 | 8.7 | 17 | 4 | 5 | 8 | 10 | 14 | 16 | 24 |
| 35-49 | 881 | 9.8 | 23 | 5 | 6 | 8 | 11 | 16 | 19 | 28 |
| 50-64 | 1042 | 10.3 | 23 | 6 | 6 | 9 | 12 | 16 | 19 | 28 |
| 65+ | 782 | 11.5 | 41 | 6 | 7 | 10 | 13 | 19 | 23 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 3.3 | 15 | <1 | <1 | 1 | 4 | 9 | 12 | 15 |
| B. *Operated* | 1197 | 8.6 | 13 | 5 | 5 | 8 | 10 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 6.3 | 152 | <1 | 1 | 2 | 6 | 16 | 28 | 79 |
| B. *Operated* | 3029 | 10.3 | 27 | 5 | 6 | 9 | 12 | 16 | 20 | 31 |
| **1. SINGLE DX** | 1217 | 8.5 | 14 | 4 | 5 | 8 | 10 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | 3089 | 10.2 | 30 | 5 | 6 | 9 | 12 | 16 | 20 | 31 |
| **A. NOT OPERATED** | 80 | 5.6 | 119 | <1 | <1 | 2 | 6 | 12 | 25 | 68 |
| **B. OPERATED** | 4226 | 9.8 | 24 | 5 | 6 | 9 | 11 | 15 | 19 | 28 |
| TOTAL 0-19 YRS | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 20-34 | 450 | 8.3 | 16 | 3 | 5 | 7 | 10 | 13 | 16 | 24 |
| 35-49 | 1170 | 9.5 | 21 | 5 | 6 | 8 | 11 | 15 | 18 | 27 |
| 50-64 | 1561 | 9.7 | 21 | 5 | 6 | 9 | 11 | 15 | 18 | 27 |
| 65+ | 1123 | 10.7 | 40 | 5 | 6 | 9 | 12 | 17 | 21 | 39 |
| **GRAND TOTAL** | **4306** | **9.7** | **26** | **5** | **6** | **8** | **11** | **15** | **19** | **29** |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 20-34 | 15 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 118 | 1.9 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 35-49 | 83 | 2.3 | 14 | <1 | <1 | 1 | 2 | 3 | 8 | 24 |
| 50-64 | 9 | 3.2 | 18 | <1 | <1 | 1 | 4 | 11 | 12 | 12 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 4 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 20-34 | 14 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 8 | 3.9 | 19 | <1 | <1 | 2 | 4 | 11 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.7 | 13 | <1 | <1 | 1 | 2 | 9 | 10 | 10 |
| 20-34 | 105 | 3.4 | 17 | <1 | 1 | 2 | 4 | 8 | 9 | 24 |
| 35-49 | 119 | 4.6 | 19 | <1 | <1 | 3 | 7 | 10 | 12 | 20 |
| 50-64 | 20 | 4.1 | 15 | <1 | <1 | 2 | 7 | 10 | 11 | 12 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | 219 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 250 | 4.0 | 18 | <1 | <1 | 2 | 6 | 9 | 11 | 17 |
| **1. SINGLE DX** | 242 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | 277 | 3.8 | 17 | <1 | <1 | 2 | 6 | 9 | 11 | 17 |
| **A. NOT OPERATED** | 50 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 14 |
| **B. OPERATED** | 469 | 3.1 | 14 | <1 | <1 | 2 | 3 | 8 | 10 | 17 |
| TOTAL 0-19 YRS | 23 | 2.2 | 5 | <1 | <1 | 1 | 3 | 4 | 7 | 10 |
| 20-34 | 252 | 2.5 | 10 | <1 | <1 | 1 | 2 | 6 | 8 | 17 |
| 35-49 | 214 | 3.7 | 18 | <1 | <1 | 2 | 5 | 9 | 10 | 21 |
| 50-64 | 30 | 3.7 | 15 | <1 | <1 | 2 | 7 | 10 | 12 | 12 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **519** | **3.0** | **14** | **<1** | **<1** | **2** | **3** | **8** | **10** | **16** |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 109 | 2.8 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 265 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 35-49 | 97 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 11 |
| 50-64 | 14 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 1608 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 35-49 | 1509 | 2.9 | 7 | <1 | <1 | 2 | 3 | 8 | 8 | 11 |
| 50-64 | 166 | 2.6 | 8 | <1 | <1 | 2 | 2 | 8 | 9 | 12 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 20-34 | 156 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 35-49 | 99 | 3.2 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 12 |
| 50-64 | 15 | 3.1 | 7 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 20-34 | 1970 | 5.3 | 14 | <1 | 1 | 6 | 8 | 9 | 11 | 16 |
| 35-49 | 2604 | 6.1 | 16 | <1 | 1 | 7 | 8 | 10 | 12 | 19 |
| 50-64 | 291 | 5.4 | 20 | <1 | 1 | 5 | 8 | 11 | 14 | 20 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 485 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 3430 | 2.7 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| B. *Operated* | 4955 | 5.7 | 15 | <1 | 1 | 6 | 8 | 10 | 12 | 17 |
| **1. SINGLE DX** | 3915 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 5279 | 5.5 | 15 | <1 | 1 | 6 | 8 | 10 | 11 | 17 |
| **A. NOT OPERATED** | 809 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 8385 | 4.5 | 14 | <1 | <1 | 3 | 7 | 9 | 10 | 16 |
| TOTAL 0-19 YRS | 400 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 3999 | 3.9 | 12 | <1 | <1 | 2 | 7 | 8 | 9 | 14 |
| 35-49 | 4309 | 4.8 | 15 | <1 | 1 | 4 | 8 | 9 | 11 | 17 |
| 50-64 | 486 | 4.3 | 16 | <1 | <1 | 2 | 7 | 10 | 12 | 17 |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9194** | **4.3** | **13** | **<1** | **<1** | **2** | **7** | **9** | **10** | **15** |

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 12 | 4.8 | 20 | <1 | 1 | 3 | 7 | 12 | 14 | 14 |
| 50-64 | 12 | 3.5 | 10 | <1 | 1 | 2 | 5 | 8 | 11 | 11 |
| 65+ | 6 | 6.3 | 22 | 2 | 2 | 5 | 11 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 4.4 | 11 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 35-49 | 140 | 2.0 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 13 |
| 50-64 | 514 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 8 |
| 65+ | 111 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 35-49 | 10 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 50-64 | 35 | 4.1 | 15 | <1 | 1 | 3 | 5 | 8 | 14 | 18 |
| 65+ | 34 | 5.9 | 20 | 1 | 1 | 4 | 9 | 13 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 6.3 | 8 | 2 | 2 | 7 | 8 | 10 | 12 | 12 |
| 35-49 | 145 | 3.9 | 13 | <1 | <1 | 2 | 6 | 9 | 11 | 15 |
| 50-64 | 661 | 3.3 | 14 | <1 | <1 | 2 | 3 | 8 | 10 | 19 |
| 65+ | 228 | 4.7 | 39 | 1 | 1 | 2 | 5 | 10 | 17 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 4.4 | 16 | <1 | 1 | 2 | 6 | 11 | 13 | 14 |
| B. *Operated* | 775 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 4.9 | 17 | 1 | 1 | 3 | 6 | 12 | 14 | 17 |
| B. *Operated* | 1045 | 3.7 | 20 | <1 | 1 | 2 | 4 | 9 | 11 | 23 |
| **1. SINGLE DX** | 807 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| **2. MULTIPLE DX** | 1125 | 3.8 | 20 | <1 | 1 | 2 | 4 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 112 | 4.8 | 16 | 1 | 1 | 3 | 6 | 12 | 13 | 16 |
| **B. OPERATED** | 1820 | 3.0 | 14 | <1 | <1 | 2 | 3 | 7 | 9 | 18 |
| TOTAL 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 22 | 5.5 | 12 | 1 | 1 | 6 | 8 | 9 | 12 | 12 |
| 35-49 | 307 | 3.1 | 10 | <1 | <1 | 2 | 3 | 8 | 10 | 15 |
| 50-64 | 1222 | 2.7 | 10 | <1 | <1 | 2 | 2 | 6 | 9 | 16 |
| 65+ | 379 | 4.2 | 28 | 1 | 1 | 2 | 4 | 9 | 13 | 27 |
| **GRAND TOTAL** | **1932** | **3.1** | **14** | **<1** | **<1** | **2** | **3** | **8** | **10** | **18** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 20-34 | 95 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 35-49 | 18 | 3.2 | 18 | <1 | <1 | 2 | 3 | 8 | 15 | 18 |
| 50-64 | 5 | 3.2 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 65+ | 10 | 6.1 | 20 | 1 | 1 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 3.9 | 17 | 1 | 1 | 3 | 5 | 8 | 9 | 27 |
| 20-34 | 784 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 8 | 13 |
| 35-49 | 419 | 3.7 | 11 | <1 | <1 | 2 | 6 | 8 | 10 | 16 |
| 50-64 | 264 | 3.1 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 65+ | 75 | 4.3 | 46 | 1 | 1 | 2 | 4 | 8 | 12 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.6 | 8 | <1 | 1 | 3 | 4 | 6 | 10 | 14 |
| 20-34 | 75 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 35-49 | 16 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 50-64 | 14 | 8.3 | 65 | 1 | 1 | 5 | 11 | 22 | 22 | 22 |
| 65+ | 23 | 11.2 | 140 | 1 | 1 | 7 | 17 | 39 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 5.0 | 40 | <1 | 1 | 4 | 6 | 9 | 12 | 44 |
| 20-34 | 826 | 5.4 | 12 | <1 | 1 | 5 | 7 | 9 | 10 | 17 |
| 35-49 | 778 | 5.7 | 21 | <1 | 1 | 6 | 8 | 10 | 12 | 19 |
| 50-64 | 472 | 4.9 | 20 | <1 | 1 | 3 | 8 | 10 | 12 | 21 |
| 65+ | 149 | 8.2 | 95 | 1 | 1 | 6 | 10 | 20 | 37 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| B. *Operated* | 1595 | 3.7 | 12 | <1 | 1 | 2 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 147 | 4.7 | 40 | <1 | 1 | 3 | 5 | 11 | 21 | 47 |
| B. *Operated* | 2284 | 5.6 | 23 | <1 | 1 | 5 | 8 | 10 | 12 | 23 |
| **1. SINGLE DX** | 1750 | 3.6 | 12 | <1 | 1 | 2 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 2431 | 5.5 | 24 | <1 | 1 | 5 | 8 | 10 | 13 | 24 |
| **A. NOT OPERATED** | 302 | 3.7 | 24 | <1 | 1 | 2 | 4 | 8 | 13 | 31 |
| **B. OPERATED** | 3879 | 4.8 | 20 | <1 | 1 | 3 | 7 | 9 | 11 | 20 |
| TOTAL 0-19 YRS | 158 | 4.0 | 23 | <1 | 1 | 3 | 5 | 8 | 10 | 27 |
| 20-34 | 1780 | 4.4 | 10 | <1 | 1 | 4 | 7 | 8 | 10 | 14 |
| 35-49 | 1231 | 4.9 | 18 | <1 | 1 | 4 | 8 | 10 | 11 | 18 |
| 50-64 | 755 | 4.3 | 21 | <1 | 1 | 2 | 7 | 9 | 11 | 22 |
| 65+ | 257 | 7.3 | 85 | 1 | 1 | 4 | 9 | 17 | 36 | 99+ |
| **GRAND TOTAL** | **4181** | **4.7** | **20** | **<1** | **1** | **3** | **7** | **9** | **11** | **21** |

## 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 20-34 | 254 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 35-49 | 49 | 2.3 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 12 |
| 50-64 | 6 | 3.8 | 9 | 2 | 2 | 2 | 6 | 9 | 9 | 9 |
| 65+ | 3 | 13.3 | 42 | 7 | 7 | 13 | 18 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 3.0 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 856 | 2.8 | 8 | <1 | <1 | 2 | 3 | 7 | 8 | 15 |
| 35-49 | 327 | 6.5 | 22 | <1 | <1 | 7 | 9 | 12 | 15 | 22 |
| 50-64 | 168 | 8.5 | 20 | <1 | 2 | 8 | 10 | 14 | 15 | 25 |
| 65+ | 64 | 10.3 | 37 | 1 | 3 | 9 | 13 | 16 | 20 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 3.0 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 20-34 | 162 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| 35-49 | 30 | 3.1 | 12 | <1 | 1 | 2 | 3 | 5 | 13 | 16 |
| 50-64 | 12 | 3.4 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 10 |
| 65+ | 12 | 8.8 | 24 | 1 | 3 | 8 | 14 | 34 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 3.8 | 20 | <1 | <1 | 2 | 4 | 8 | 15 | 23 |
| 20-34 | 1363 | 4.7 | 13 | <1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 35-49 | 603 | 7.9 | 21 | 1 | 2 | 8 | 9 | 13 | 16 | 22 |
| 50-64 | 264 | 11.5 | 45 | 2 | 5 | 10 | 15 | 20 | 24 | 30 |
| 65+ | 120 | 12.7 | 148 | 1 | 3 | 10 | 15 | 24 | 29 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 1501 | 4.6 | 19 | <1 | <1 | 2 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 282 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| B. *Operated* | 2411 | 6.6 | 33 | <1 | 1 | 6 | 9 | 13 | 16 | 26 |
| **1. SINGLE DX** | 2022 | 4.0 | 16 | <1 | <1 | 2 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 2693 | 6.3 | 31 | <1 | 1 | 6 | 8 | 12 | 16 | 25 |
| **A. NOT OPERATED** | 803 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 3912 | 5.8 | 29 | <1 | 1 | 5 | 8 | 12 | 15 | 24 |
| TOTAL 0-19 YRS | 422 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 20-34 | 2635 | 3.7 | 11 | <1 | <1 | 2 | 6 | 8 | 9 | 15 |
| 35-49 | 1009 | 7.0 | 23 | <1 | 1 | 7 | 9 | 13 | 15 | 22 |
| 50-64 | 450 | 10.1 | 38 | 1 | 2 | 9 | 13 | 17 | 23 | 30 |
| 65+ | 199 | 11.7 | 105 | 1 | 3 | 10 | 14 | 20 | 29 | 84 |
| **GRAND TOTAL** | **4715** | **5.3** | **26** | **<1** | **1** | **4** | **8** | **11** | **14** | **23** |

## 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.3 | 12 | <1 | <1 | 4 | 7 | 8 | 8 | 8 |
| 20-34 | 21 | 2.1 | 3 | 1 | 1 | 1 | 3 | 5 | 6 | 6 |
| 35-49 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 5.6 | 10 | 1 | 2 | 5 | 6 | 8 | 12 | 18 |
| 20-34 | 529 | 5.6 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 11 |
| 35-49 | 43 | 5.6 | 3 | 3 | 4 | 5 | 7 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 5.3 | 4 | 3 | 3 | 6 | 7 | 7 | 7 | 7 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 4.9 | 1 | 3 | 4 | 5 | 5 | 6 | 7 | 8 |
| 20-34 | 375 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 50 | 6.5 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 2.5 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| B. *Operated* | 612 | 5.6 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.2 | 3 | 3 | 3 | 6 | 6 | 7 | 7 | 7 |
| B. *Operated* | 446 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| **1. SINGLE DX** | 638 | 5.5 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | 451 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 31 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| **B. OPERATED** | 1058 | 5.8 | 5 | 3 | 4 | 5 | 7 | 8 | 10 | 14 |
| TOTAL 0-19 YRS | 65 | 5.3 | 7 | 2 | 2 | 5 | 6 | 8 | 8 | 18 |
| 20-34 | 928 | 5.7 | 5 | 3 | 4 | 5 | 7 | 8 | 10 | 13 |
| 35-49 | 96 | 6.0 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1089** | **5.7** | **5** | **3** | **4** | **5** | **7** | **8** | **9** | **14** |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.3 | 2 | <1 | <1 | 2 | 2 | 5 | 6 | 6 |
| 20-34 | 13 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 35-49 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1102 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 1814 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 35-49 | 98 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.0 | 13 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 20-34 | 10 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 713 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 1583 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 35-49 | 299 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 25 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| B. *Operated* | 3014 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.2 | 4 | <1 | <1 | 2 | 2 | 4 | 8 | 9 |
| B. *Operated* | 2595 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 1. SINGLE DX | 3039 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 5 |
| 2. MULTIPLE DX | 2609 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| A. NOT OPERATED | 39 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| B. OPERATED | 5609 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| TOTAL 0-19 YRS | 1829 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 20-34 | 3420 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 399 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 5648 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 1. SINGLE DX | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. NOT OPERATED | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. OPERATED | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 20-34 | 825 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 71 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 666 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 20-34 | 4437 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 35-49 | 439 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 2.5 | 2 | <1 | 1 | 2 | 4 | 4 | 5 | 7 |
| 20-34 | 93 | 4.0 | 49 | 1 | 1 | 2 | 4 | 7 | 9 | 48 |
| 35-49 | 9 | 4.7 | 77 | 1 | 1 | 2 | 3 | 18 | 28 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 13 |
| 20-34 | 700 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 113 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1067 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 5542 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 3.7 | 42 | 1 | 1 | 2 | 4 | 7 | 8 | 46 |
| B. *Operated* | 882 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **1. SINGLE DX** | 6609 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 1010 | 2.8 | 10 | <1 | 1 | 2 | 3 | 6 | 7 | 14 |
| **A. NOT OPERATED** | 1195 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **B. OPERATED** | 6424 | 2.1 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 932 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 6055 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 632 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **7619** | **2.1** | **4** | **<1** | **1** | **2** | **2** | **4** | **5** | **8** |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 20-34 | 177 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| 35-49 | 11 | 3.7 | 21 | <1 | <1 | 2 | 4 | 10 | 16 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 2.5 | 5 | <1 | <1 | 2 | 3 | 6 | 6 | 12 |
| 20-34 | 649 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 35-49 | 44 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 30 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 7 |
| 20-34 | 49 | 4.0 | 8 | 1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 35-49 | 6 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 8 | 11 |
| 20-34 | 179 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 35-49 | 21 | 3.7 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 256 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| B. *Operated* | 781 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 240 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| **1. SINGLE DX** | 1037 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 325 | 3.5 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 12 |
| **A. NOT OPERATED** | 341 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| **B. OPERATED** | 1021 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| TOTAL 0-19 YRS | 226 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 20-34 | 1054 | 2.7 | 5 | 1 | 1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 82 | 3.0 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1362** | **2.8** | **5** | **<1** | **1** | **2** | **4** | **6** | **7** | **11** |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 236 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 20-34 | 1648 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 66 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 3.8 | 10 | <1 | 1 | 3 | 5 | 9 | 11 | 12 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 14 | 19 |
| 20-34 | 256 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 35-49 | 19 | 4.6 | 13 | <1 | 1 | 4 | 6 | 8 | 13 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 17 | 4.5 | 17 | 1 | 1 | 4 | 5 | 8 | 15 | 18 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1950 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 17 | 3.8 | 9 | <1 | 1 | 3 | 5 | 9 | 11 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 319 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| B. *Operated* | 19 | 4.3 | 16 | <1 | 1 | 4 | 5 | 8 | 14 | 18 |
| 1. SINGLE DX | 1967 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 2. MULTIPLE DX | 338 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| A. NOT OPERATED | 2269 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. OPERATED | 36 | 4.1 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 281 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 20-34 | 1937 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 87 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2305 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 64 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 11 | 5.9 | 14 | 2 | 2 | 4 | 9 | 12 | 12 | 12 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 84 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 12 | 5.5 | 15 | 1 | 2 | 4 | 8 | 12 | 12 | 12 |
| B. *Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1. SINGLE DX | 85 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 2. MULTIPLE DX | 13 | 5.5 | 14 | 1 | 2 | 4 | 8 | 12 | 12 | 12 |
| A. NOT OPERATED | 96 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. OPERATED | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| TOTAL 0-19 YRS | 17 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 77 | 3.6 | 7 | 1 | 1 | 3 | 5 | 6 | 9 | 12 |
| 35-49 | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 98 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 4.3 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| 20-34 | 740 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 35-49 | 33 | 4.5 | 7 | <1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.9 | 7 | 1 | 2 | 5 | 7 | 8 | 9 | 10 |
| 20-34 | 106 | 4.7 | 16 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| 35-49 | 6 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 14 | 16 |
| 20-34 | 191 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 16 | 5.3 | 12 | <1 | 1 | 5 | 7 | 11 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.8 | 26 | 2 | 2 | 6 | 8 | 15 | 19 | 19 |
| 20-34 | 92 | 5.9 | 27 | 1 | 1 | 4 | 7 | 13 | 16 | 27 |
| 35-49 | 6 | 4.8 | 11 | 1 | 1 | 4 | 7 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 891 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 132 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 5.1 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 17 |
| B. *Operated* | 107 | 5.9 | 26 | 1 | 1 | 4 | 7 | 13 | 16 | 25 |
| **1. SINGLE DX** | 1023 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 356 | 5.3 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 1140 | 4.7 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **B. OPERATED** | 239 | 5.2 | 20 | 1 | 1 | 4 | 6 | 10 | 15 | 22 |
| TOTAL 0-19 YRS | 189 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 1129 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 61 | 4.6 | 8 | <1 | 1 | 4 | 6 | 9 | 11 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1379 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 134 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 609 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 18 | 6.7 | 12 | 3 | 3 | 6 | 10 | 12 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 3.9 | 8 | 1 | 1 | 3 | 4 | 8 | 11 | 12 |
| 20-34 | 200 | 4.7 | 16 | 1 | 2 | 4 | 6 | 8 | 13 | 23 |
| 35-49 | 3 | 4.3 | 16 | 2 | 2 | 2 | 7 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 7.4 | 17 | 1 | 2 | 7 | 10 | 13 | 15 | 15 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | 5 | 3.6 | 2 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 239 | 4.6 | 14 | 1 | 2 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | 10 | 7.4 | 17 | 1 | 2 | 7 | 10 | 13 | 15 | 15 |
| **1. SINGLE DX** | 766 | 4.5 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 249 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 1000 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |
| **B. OPERATED** | 15 | 6.1 | 15 | 1 | 2 | 5 | 9 | 11 | 14 | 15 |
| TOTAL 0-19 YRS | 173 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 821 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 35-49 | 21 | 6.3 | 12 | 2 | 2 | 5 | 9 | 11 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1015 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 18 |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 994 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 3954 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 35-49 | 146 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 409 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 5 | 9 |
| 35-49 | 23 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 495 | 1.8 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 35-49 | 23 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.2 | 17 | <1 | <1 | 2 | 3 | 7 | 15 | 16 |
| 20-34 | 108 | 2.5 | 14 | <1 | <1 | 1 | 3 | 5 | 7 | 22 |
| 35-49 | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5094 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| B. *Operated* | 521 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 633 | 1.8 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| B. *Operated* | 125 | 2.5 | 13 | <1 | <1 | 1 | 3 | 5 | 7 | 20 |
| **1. SINGLE DX** | 5615 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| **2. MULTIPLE DX** | 758 | 1.9 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| **A. NOT OPERATED** | 5727 | 1.5 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| **B. OPERATED** | 646 | 1.8 | 5 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| TOTAL 0-19 YRS | 1210 | 1.5 | 3 | <1 | <1 | 1 | 1 | 3 | 4 | 7 |
| 20-34 | 4966 | 1.5 | 4 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 35-49 | 197 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **6373** | **1.5** | **3** | **<1** | **<1** | **1** | **1** | **2** | **4** | **8** |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 3.1 | 6 | 1 | 1 | 3 | 3 | 8 | 8 | 8 |
| 20-34 | 174 | 6.3 | 75 | 1 | 2 | 4 | 6 | 11 | 25 | 44 |
| 35-49 | 7 | 12.3 | 298 | <1 | <1 | 7 | 13 | 43 | 50 | 50 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 27 | 8.3 | 129 | 1 | 1 | 4 | 9 | 18 | 38 | 52 |
| 35-49 | 6 | 5.0 | 36 | 2 | 2 | 2 | 5 | 16 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 6 | 3 | 3 | 5 | 6 | 9 | 9 | 9 |
| 20-34 | 27 | 6.4 | 29 | 1 | 1 | 4 | 11 | 15 | 17 | 19 |
| 35-49 | 5 | 3.4 | 4 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 17 | 7.6 | 47 | 1 | 2 | 4 | 10 | 21 | 21 | 21 |
| 35-49 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 196 | 6.3 | 78 | 1 | 1 | 4 | 7 | 11 | 25 | 48 |
| B. *Operated* | 34 | 7.6 | 110 | 1 | 2 | 4 | 8 | 17 | 32 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 5.8 | 23 | 1 | 1 | 4 | 7 | 13 | 16 | 19 |
| B. *Operated* | 19 | 7.4 | 42 | 1 | 2 | 5 | 8 | 20 | 21 | 21 |
| **1. SINGLE DX** | 230 | 6.5 | 83 | 1 | 1 | 4 | 7 | 12 | 26 | 50 |
| **2. MULTIPLE DX** | 56 | 6.3 | 29 | 1 | 2 | 4 | 8 | 16 | 20 | 21 |
| **A. NOT OPERATED** | 233 | 6.2 | 69 | 1 | 1 | 4 | 7 | 12 | 19 | 47 |
| **B. OPERATED** | 53 | 7.5 | 84 | 1 | 2 | 4 | 8 | 18 | 21 | 52 |
| TOTAL 0-19 YRS | 21 | 3.5 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 245 | 6.6 | 73 | 1 | 2 | 4 | 7 | 13 | 21 | 46 |
| 35-49 | 20 | 7.2 | 120 | <1 | 1 | 4 | 6 | 16 | 33 | 50 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **286** | **6.4** | **72** | **1** | **1** | **4** | **7** | **13** | **21** | **49** |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 113 | 3.4 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 20-34 | 567 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 35-49 | 26 | 3.2 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 20-34 | 124 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 35-49 | 4 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 4.1 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 30 |
| 20-34 | 152 | 4.7 | 40 | <1 | 1 | 3 | 5 | 10 | 14 | 42 |
| 35-49 | 10 | 4.9 | 22 | <1 | <1 | 4 | 6 | 12 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 3.2 | 11 | 1 | 1 | 2 | 3 | 10 | 10 | 10 |
| 20-34 | 55 | 6.1 | 44 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| 35-49 | 2 | 5.0 | 2 | 4 | 4 | 5 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 706 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| B. *Operated* | 156 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 4.6 | 36 | <1 | 1 | 3 | 5 | 10 | 14 | 38 |
| B. *Operated* | 69 | 5.6 | 38 | 1 | 1 | 4 | 7 | 11 | 16 | 37 |
| **1. SINGLE DX** | 862 | 3.3 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| **2. MULTIPLE DX** | 269 | 4.9 | 37 | 1 | 1 | 3 | 5 | 10 | 14 | 38 |
| **A. NOT OPERATED** | 906 | 3.5 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **B. OPERATED** | 225 | 4.0 | 20 | <1 | 1 | 3 | 5 | 9 | 11 | 25 |
| TOTAL 0-19 YRS | 191 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| 20-34 | 898 | 3.7 | 19 | <1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 35-49 | 42 | 3.5 | 10 | <1 | 1 | 2 | 5 | 7 | 8 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1131** | **3.6** | **18** | **<1** | **1** | **2** | **4** | **7** | **10** | **20** |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 3.5 | 12 | <1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 20-34 | 347 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 35-49 | 14 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 4.7 | 12 | <1 | 1 | 3 | 7 | 9 | 11 | 12 |
| 20-34 | 38 | 5.1 | 24 | <1 | 1 | 4 | 7 | 11 | 17 | 22 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 20-34 | 261 | 3.8 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 6 | 4.3 | 9 | 1 | 1 | 3 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.8 | 52 | <1 | <1 | 4 | 6 | 16 | 25 | 29 |
| 20-34 | 53 | 4.4 | 12 | <1 | 1 | 4 | 6 | 8 | 11 | 18 |
| 35-49 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 504 | 3.4 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | 53 | 5.0 | 20 | <1 | 1 | 4 | 7 | 10 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 73 | 4.9 | 23 | <1 | 1 | 4 | 6 | 9 | 13 | 27 |
| **1. SINGLE DX** | 557 | 3.5 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 467 | 4.0 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **A. NOT OPERATED** | 898 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **B. OPERATED** | 126 | 4.9 | 22 | <1 | 1 | 4 | 7 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 304 | 3.9 | 12 | <1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 20-34 | 699 | 3.7 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 21 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1024** | **3.8** | **8** | **<1** | **1** | **3** | **5** | **7** | **8** | **13** |

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 4.9 | 21 | <1 | 1 | 3 | 6 | 13 | 16 | 19 |
| 20-34 | 229 | 5.2 | 26 | 1 | 1 | 4 | 6 | 12 | 15 | 25 |
| 35-49 | 16 | 4.7 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.1 | 9 | 2 | 2 | 3 | 5 | 8 | 11 | 12 |
| 20-34 | 41 | 4.5 | 9 | <1 | 1 | 4 | 7 | 9 | 9 | 13 |
| 35-49 | 6 | 4.2 | 6 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 4.3 | 31 | <1 | <1 | 2 | 5 | 10 | 12 | 30 |
| 20-34 | 551 | 4.6 | 46 | <1 | 1 | 3 | 5 | 9 | 13 | 44 |
| 35-49 | 40 | 4.6 | 13 | 1 | 1 | 3 | 7 | 10 | 12 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 3.7 | 16 | <1 | <1 | 2 | 4 | 8 | 14 | 19 |
| 20-34 | 190 | 4.6 | 31 | <1 | <1 | 3 | 6 | 10 | 15 | 32 |
| 35-49 | 10 | 5.5 | 13 | <1 | <1 | 5 | 9 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 5.1 | 24 | 1 | 1 | 4 | 6 | 12 | 15 | 24 |
| B. *Operated* | 59 | 4.4 | 9 | 1 | 1 | 4 | 7 | 9 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 708 | 4.6 | 41 | <1 | 1 | 3 | 5 | 9 | 13 | 43 |
| B. *Operated* | 257 | 4.5 | 27 | <1 | <1 | 3 | 6 | 10 | 14 | 31 |
| **1. SINGLE DX** | 350 | 5.0 | 21 | 1 | 1 | 4 | 6 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 965 | 4.6 | 38 | <1 | 1 | 3 | 5 | 9 | 13 | 32 |
| **A. NOT OPERATED** | 999 | 4.7 | 36 | <1 | 1 | 3 | 5 | 10 | 14 | 30 |
| **B. OPERATED** | 316 | 4.4 | 24 | <1 | <1 | 3 | 6 | 9 | 13 | 30 |
| TOTAL 0-19 YRS | 232 | 4.3 | 24 | <1 | 1 | 3 | 5 | 10 | 14 | 21 |
| 20-34 | 1011 | 4.8 | 37 | <1 | 1 | 3 | 6 | 10 | 14 | 31 |
| 35-49 | 72 | 4.7 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1315** | **4.7** | **33** | **<1** | **1** | **3** | **6** | **10** | **14** | **30** |

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 414 | 3.3 | 19 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| 20-34 | 1930 | 3.5 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 22 |
| 35-49 | 74 | 4.5 | 38 | <1 | <1 | 2 | 5 | 9 | 17 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 193 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 14 |
| 20-34 | 1212 | 3.3 | 21 | <1 | <1 | 2 | 4 | 7 | 10 | 26 |
| 35-49 | 54 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 4.1 | 31 | <1 | <1 | 2 | 5 | 8 | 13 | 28 |
| 20-34 | 1014 | 4.1 | 32 | <1 | <1 | 2 | 5 | 8 | 12 | 28 |
| 35-49 | 48 | 5.7 | 87 | 1 | 1 | 3 | 5 | 10 | 29 | 49 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 4.3 | 35 | <1 | 1 | 3 | 5 | 8 | 13 | 38 |
| 20-34 | 599 | 4.3 | 34 | <1 | <1 | 2 | 5 | 9 | 14 | 35 |
| 35-49 | 39 | 3.7 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2418 | 3.5 | 23 | <1 | <1 | 2 | 4 | 8 | 11 | 23 |
| B. *Operated* | 1459 | 3.2 | 18 | <1 | <1 | 2 | 4 | 6 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1271 | 4.1 | 34 | <1 | <1 | 2 | 5 | 8 | 13 | 31 |
| B. *Operated* | 736 | 4.3 | 33 | <1 | <1 | 2 | 5 | 9 | 14 | 33 |
| **1. SINGLE DX** | 3877 | 3.4 | 22 | <1 | <1 | 2 | 4 | 7 | 11 | 23 |
| **2. MULTIPLE DX** | 2007 | 4.2 | 33 | <1 | <1 | 2 | 5 | 8 | 13 | 32 |
| **A. NOT OPERATED** | 3689 | 3.7 | 27 | <1 | <1 | 2 | 4 | 8 | 12 | 25 |
| **B. OPERATED** | 2195 | 3.6 | 23 | <1 | <1 | 2 | 4 | 7 | 11 | 27 |
| TOTAL 0-19 YRS | 914 | 3.5 | 21 | <1 | <1 | 2 | 4 | 7 | 10 | 23 |
| 20-34 | 4755 | 3.7 | 26 | <1 | <1 | 2 | 4 | 8 | 12 | 26 |
| 35-49 | .215 | 4.1 | 37 | <1 | <1 | 3 | 4 | 9 | 13 | 40 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **5884** | **3.6** | **26** | **<1** | **<1** | **2** | **4** | **8** | **12** | **26** |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 5.6 | 11 | 3 | 3 | 5 | 6 | 8 | 15 | 18 |
| 20-34 | 166 | 4.8 | 11 | 3 | 3 | 4 | 5 | 6 | 8 | 23 |
| 35-49 | 8 | 6.1 | 28 | 3 | 3 | 5 | 5 | 15 | 19 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 5.0 | 13 | 1 | 1 | 5 | 7 | 10 | 11 | 11 |
| 20-34 | 81 | 7.6 | 33 | 3 | 4 | 6 | 8 | 16 | 18 | 34 |
| 35-49 | 5 | 5.4 | 8 | 2 | 2 | 6 | 7 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 5.8 | 23 | 3 | 4 | 5 | 6 | 8 | 11 | 29 |
| 20-34 | 145 | 5.5 | 29 | 2 | 3 | 4 | 5 | 8 | 9 | 35 |
| 35-49 | 9 | 7.8 | 52 | 4 | 4 | 6 | 6 | 19 | 27 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 11.7 | 174 | 1 | 3 | 7 | 14 | 30 | 40 | 66 |
| 20-34 | 345 | 12.7 | 191 | 3 | 4 | 8 | 14 | 25 | 45 | 77 |
| 35-49 | 37 | 11.4 | 207 | 3 | 4 | 6 | 13 | 22 | 33 | 85 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 5.0 | 11 | 3 | 3 | 4 | 5 | 7 | 9 | 22 |
| B. *Operated* | 93 | 7.3 | 31 | 2 | 4 | 6 | 8 | 15 | 18 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 5.6 | 29 | 2 | 3 | 5 | 6 | 8 | 10 | 32 |
| B. *Operated* | 418 | 12.5 | 190 | 3 | 4 | 7 | 14 | 25 | 43 | 79 |
| **1. SINGLE DX** | 294 | 5.7 | 19 | 3 | 3 | 5 | 6 | 9 | 14 | 29 |
| **2. MULTIPLE DX** | 601 | 10.4 | 151 | 3 | 4 | 6 | 10 | 22 | 33 | 68 |
| **A. NOT OPERATED** | 384 | 5.3 | 20 | 3 | 3 | 4 | 5 | 7 | 9 | 28 |
| **B. OPERATED** | 511 | 11.5 | 165 | 3 | 4 | 7 | 13 | 23 | 35 | 72 |
| TOTAL 0-19 YRS | 99 | 7.8 | 81 | 1 | 3 | 5 | 7 | 15 | 25 | 55 |
| 20-34 | 737 | 8.9 | 114 | 3 | 3 | 5 | 9 | 18 | 27 | 61 |
| 35-49 | 59 | 9.6 | 145 | 3 | 3 | 6 | 9 | 18 | 26 | 81 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **895** | **8.9** | **112** | **3** | **3** | **5** | **8** | **18** | **27** | **62** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2739 | 4.6 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 17841 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 557 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 508 | 5.1 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| 20-34 | 3040 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 131 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 150 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 19 |
| 20-34 | 1155 | 4.9 | 5 | 3 | 3 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 39 | 5.1 | 5 | 3 | 3 | 4 | 6 | 9 | 10 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 6.0 | 8 | 3 | 4 | 5 | 7 | 10 | 13 | 16 |
| 20-34 | 2202 | 5.4 | 4 | 3 | 4 | 5 | 6 | 7 | 9 | 12 |
| 35-49 | 268 | 5.7 | 5 | 4 | 4 | 5 | 6 | 8 | 9 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21137 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| B. *Operated* | 3679 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1344 | 4.9 | 5 | 3 | 3 | 5 | 5 | 7 | 8 | 13 |
| B. *Operated* | 2582 | 5.5 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 13 |
| **1. SINGLE DX** | 24816 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 3926 | 5.3 | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 22481 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **B. OPERATED** | 6261 | 5.2 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 3509 | 4.7 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| 20-34 | 24238 | 4.6 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 995 | 4.8 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **28742** | **4.6** | **3** | **3** | **3** | **4** | **5** | **6** | **7** | **10** |

### 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 16 | 8.1 | 73 | 2 | 3 | 5 | 7 | 26 | 30 | 31 |
| 35-49 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.3 | 16 | 7 | 7 | 9 | 13 | 16 | 16 | 16 |
| 20-34 | 62 | 16.3 | 266 | 4 | 5 | 9 | 19 | 41 | 52 | 74 |
| 35-49 | 2 | 17.5 | 1 | 17 | 17 | 17 | 18 | 18 | 18 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 12 | 5.6 | 9 | 3 | 3 | 5 | 6 | 9 | 13 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.5 | 150 | 3 | 4 | 8 | 19 | 34 | 38 | 38 |
| 20-34 | 173 | 14.3 | 200 | 4 | 5 | 8 | 16 | 36 | 46 | 73 |
| 35-49 | 30 | 15.3 | 233 | 6 | 6 | 10 | 18 | 26 | 38 | 85 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 7.2 | 62 | 2 | 2 | 5 | 7 | 18 | 29 | 31 |
| B. *Operated* | 68 | 16.0 | 245 | 5 | 5 | 9 | 18 | 39 | 51 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 5.3 | 9 | 2 | 3 | 5 | 6 | 7 | 12 | 14 |
| B. *Operated* | 211 | 14.4 | 201 | 4 | 5 | 8 | 17 | 36 | 45 | 73 |
| **1. SINGLE DX** | 88 | 14.0 | 216 | 3 | 4 | 8 | 16 | 35 | 50 | 73 |
| **2. MULTIPLE DX** | 226 | 13.8 | 193 | 4 | 5 | 8 | 15 | 33 | 45 | 73 |
| **A. NOT OPERATED** | 35 | 6.3 | 39 | 2 | 2 | 5 | 6 | 9 | 24 | 31 |
| **B. OPERATED** | 279 | 14.8 | 211 | 4 | 5 | 8 | 17 | 37 | 47 | 74 |
| TOTAL 0-19 YRS | 17 | 9.8 | 89 | 2 | 2 | 7 | 11 | 24 | 34 | 38 |
| 20-34 | 263 | 14.0 | 204 | 4 | 5 | 8 | 16 | 36 | 47 | 73 |
| 35-49 | 34 | 14.8 | 212 | 5 | 6 | 10 | 18 | 25 | 36 | 85 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **314** | **13.8** | **199** | **3** | **4** | **8** | **16** | **33** | **45** | **73** |

### 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 20-34 | 109 | 4.7 | 39 | 1 | 1 | 4 | 5 | 7 | 9 | 41 |
| 35-49 | 3 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 91 | 5.9 | 8 | 1 | 4 | 6 | 7 | 9 | 10 | 18 |
| 35-49 | 4 | 14.3 | 72 | 7 | 7 | 12 | 21 | 25 | 25 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 10 | 10 |
| 20-34 | 69 | 6.4 | 44 | 2 | 2 | 5 | 7 | 11 | 14 | 42 |
| 35-49 | 5 | 6.6 | 13 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 8.1 | 23 | 3 | 4 | 7 | 10 | 15 | 19 | 23 |
| 20-34 | 323 | 7.4 | 32 | 3 | 4 | 6 | 8 | 12 | 20 | 37 |
| 35-49 | 26 | 12.5 | 164 | 4 | 4 | 7 | 17 | 33 | 44 | 55 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 4.5 | 34 | 1 | 1 | 4 | 5 | 7 | 9 | 35 |
| B. *Operated* | 101 | 6.3 | 12 | 2 | 4 | 6 | 7 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 6.1 | 37 | 2 | 2 | 4 | 7 | 10 | 14 | 41 |
| B. *Operated* | 385 | 7.8 | 41 | 3 | 4 | 6 | 8 | 13 | 21 | 40 |
| **1. SINGLE DX** | 230 | 5.3 | 25 | 1 | 2 | 5 | 6 | 8 | 10 | 27 |
| **2. MULTIPLE DX** | 471 | 7.5 | 41 | 3 | 3 | 6 | 8 | 13 | 20 | 41 |
| **A. NOT OPERATED** | 215 | 5.1 | 36 | 1 | 2 | 4 | 5 | 8 | 11 | 38 |
| **B. OPERATED** | 486 | 7.5 | 35 | 3 | 4 | 6 | 8 | 13 | 20 | 38 |
| TOTAL 0-19 YRS | 71 | 6.1 | 18 | 2 | 2 | 5 | 7 | 12 | 15 | 23 |
| 20-34 | 592 | 6.6 | 32 | 2 | 3 | 5 | 7 | 11 | 15 | 36 |
| 35-49 | 38 | 11.3 | 127 | 3 | 3 | 7 | 11 | 24 | 38 | 55 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **701** | **6.8** | **37** | **2** | **3** | **5** | **7** | **11** | **17** | **38** |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.5 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 51 | 4.2 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 4.5 | 4 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 300 | 4.3 | 2 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 14 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 9 | 3 | 3 | 4 | 6 | 10 | 10 | 10 |
| 20-34 | 31 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 5.6 | 3 | 3 | 4 | 5 | 6 | 8 | 8 | 11 |
| 20-34 | 278 | 5.1 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 11 | 4.9 | 1 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 4.0 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| B. *Operated* | 346 | 4.3 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| B. *Operated* | 320 | 5.2 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| **1. SINGLE DX** | 403 | 4.3 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 356 | 5.1 | 6 | 2 | 3 | 5 | 6 | 7 | 8 | 11 |
| **A. NOT OPERATED** | 93 | 4.2 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **B. OPERATED** | 666 | 4.7 | 5 | 2 | 3 | 5 | 6 | 7 | 7 | 11 |
| TOTAL 0-19 YRS | 72 | 4.9 | 4 | 2 | 2 | 5 | 6 | 8 | 9 | 11 |
| 20-34 | 660 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 7 | 10 |
| 35-49 | 27 | 4.5 | 3 | 2 | 2 | 5 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **759** | **4.7** | **4** | **2** | **3** | **4** | **6** | **7** | **7** | **10** |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| 20-34 | 256 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 13 | 4.4 | 9 | 1 | 1 | 5 | 6 | 7 | 11 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 5.7 | 1 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 99 | 5.0 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 5.8 | 7 | 3 | 4 | 5 | 7 | 9 | 12 | 15 |
| 20-34 | 123 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 5 | 5.4 | 2 | 4 | 4 | 6 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.8 | 20 | 4 | 4 | 5 | 6 | 14 | 18 | 22 |
| 20-34 | 172 | 5.3 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 16 |
| 35-49 | 11 | 6.5 | 4 | 3 | 4 | 7 | 8 | 9 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 4.6 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | 112 | 5.1 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 5.2 | 3 | 3 | 3 | 5 | 6 | 7 | 9 | 11 |
| B. *Operated* | 204 | 5.5 | 6 | 3 | 3 | 5 | 6 | 8 | 10 | 18 |
| **1. SINGLE DX** | 413 | 4.7 | 3 | 2 | 3 | 5 | 5 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 359 | 5.4 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 456 | 4.8 | 3 | 3 | 3 | 5 | 5 | 7 | 8 | 11 |
| **B. OPERATED** | 316 | 5.4 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 92 | 5.7 | 8 | 3 | 4 | 5 | 6 | 8 | 11 | 19 |
| 20-34 | 650 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 30 | 5.2 | 7 | 1 | 2 | 5 | 7 | 8 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **772** | **5.0** | **4** | **3** | **3** | **5** | **6** | **7** | **8** | **13** |

### 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 1 | 5 | 5 | 5 | 7 | 7 | 7 | 7 |
| 20-34 | 45 | 5.9 | 5 | 3 | 4 | 5 | 6 | 9 | 10 | 14 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.7 | 9 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| 20-34 | 32 | 9.0 | 80 | 3 | 4 | 6 | 8 | 20 | 27 | 46 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 10.3 | 98 | 4 | 4 | 6 | 16 | 25 | 25 | 25 |
| 20-34 | 61 | 8.1 | 42 | 2 | 3 | 6 | 8 | 14 | 23 | 39 |
| 35-49 | 7 | 8.0 | 36 | 2 | 2 | 6 | 14 | 17 | 17 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 12.6 | 137 | 3 | 3 | 8 | 12 | 38 | 38 | 38 |
| 20-34 | 340 | 10.9 | 112 | 4 | 4 | 8 | 11 | 22 | 33 | 54 |
| 35-49 | 25 | 10.0 | 51 | 4 | 4 | 8 | 11 | 19 | 26 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 5.9 | 4 | 3 | 4 | 5 | 7 | 9 | 10 | 14 |
| B. *Operated* | 36 | 8.8 | 72 | 3 | 4 | 6 | 9 | 19 | 26 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 8.2 | 43 | 2 | 3 | 6 | 8 | 16 | 24 | 37 |
| B. *Operated* | 389 | 11.0 | 110 | 4 | 4 | 8 | 11 | 23 | 34 | 52 |
| **1. SINGLE DX** | 84 | 7.1 | 35 | 3 | 4 | 5 | 7 | 11 | 18 | 40 |
| **2. MULTIPLE DX** | 461 | 10.5 | 100 | 3 | 4 | 8 | 10 | 22 | 33 | 50 |
| **A. NOT OPERATED** | 120 | 7.3 | 29 | 3 | 4 | 6 | 8 | 13 | 17 | 32 |
| **B. OPERATED** | 425 | 10.8 | 107 | 4 | 4 | 8 | 10 | 22 | 34 | 51 |
| TOTAL 0-19 YRS | 34 | 11.2 | 111 | 3 | 4 | 7 | 10 | 32 | 38 | 38 |
| 20-34 | 478 | 9.9 | 94 | 4 | 4 | 7 | 9 | 20 | 29 | 50 |
| 35-49 | 33 | 9.5 | 46 | 3 | 4 | 8 | 11 | 17 | 22 | 37 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **545** | **10.0** | **92** | **3** | **4** | **7** | **10** | **20** | **30** | **50** |

### 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 4.9 | 3 | 3 | 3 | 5 | 5 | 7 | 8 | 9 |
| 20-34 | 146 | 4.7 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 13 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 6.2 | 3 | 4 | 4 | 6 | 7 | 8 | 10 | 12 |
| 20-34 | 589 | 6.3 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| 35-49 | 20 | 5.9 | 8 | 4 | 4 | 5 | 6 | 8 | 12 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 7.7 | 21 | 3 | 4 | 7 | 8 | 15 | 19 | 19 |
| 20-34 | 72 | 5.9 | 19 | 3 | 3 | 5 | 6 | 8 | 14 | 27 |
| 35-49 | 4 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 116 | 7.3 | 10 | 4 | 4 | 7 | 8 | 12 | 13 | 19 |
| 20-34 | 1089 | 7.0 | 20 | 3 | 4 | 6 | 8 | 10 | 12 | 23 |
| 35-49 | 59 | 6.9 | 6 | 3 | 4 | 7 | 8 | 10 | 12 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 4.7 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 13 |
| B. *Operated* | 685 | 6.3 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 6.0 | 19 | 3 | 3 | 5 | 6 | 9 | 15 | 27 |
| B. *Operated* | 1264 | 7.0 | 18 | 3 | 4 | 6 | 8 | 10 | 12 | 23 |
| **1. SINGLE DX** | 849 | 6.0 | 6 | 3 | 4 | 6 | 7 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 1351 | 7.0 | 19 | 3 | 4 | 6 | 8 | 10 | 13 | 23 |
| **A. NOT OPERATED** | 251 | 5.2 | 10 | 3 | 3 | 5 | 6 | 7 | 9 | 23 |
| **B. OPERATED** | 1949 | 6.8 | 14 | 3 | 4 | 6 | 8 | 9 | 11 | 21 |
| TOTAL 0-19 YRS | 221 | 6.7 | 8 | 3 | 4 | 6 | 8 | 10 | 12 | 18 |
| 20-34 | 1896 | 6.6 | 15 | 3 | 4 | 6 | 7 | 9 | 11 | 22 |
| 35-49 | 83 | 6.5 | 7 | 3 | 4 | 6 | 7 | 9 | 12 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2200** | **6.6** | **14** | **3** | **4** | **6** | **7** | **9** | **11** | **21** |

## 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 40 | 4.4 | 1 | 3 | 3 | 4 | 5 | 5 | 6 | 9 |
| 20-34 | 263 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 11 | 5.6 | 2 | 4 | 4 | 5 | 6 | 7 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 5.4 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 818 | 5.5 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| 35-49 | 31 | 5.6 | 7 | 3 | 3 | 5 | 7 | 9 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 5.0 | 1 | 3 | 4 | 5 | 6 | 6 | 7 | 9 |
| 20-34 | 206 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 12 |
| 35-49 | 11 | 4.5 | 3 | 2 | 3 | 4 | 5 | 7 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 270 | 6.4 | 10 | 3 | 4 | 6 | 7 | 10 | 12 | 18 |
| 20-34 | 2228 | 6.4 | 14 | 4 | 4 | 6 | 7 | 9 | 11 | 19 |
| 35-49 | 133 | 7.5 | 21 | 4 | 4 | 6 | 8 | 11 | 17 | 27 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 314 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| B. *Operated* | 978 | 5.5 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 250 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| B. *Operated* | 2631 | 6.5 | 14 | 4 | 4 | 6 | 7 | 9 | 11 | 21 |
| **1. SINGLE DX** | 1292 | 5.3 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 2881 | 6.4 | 13 | 4 | 4 | 6 | 7 | 9 | 11 | 20 |
| **A. NOT OPERATED** | 564 | 4.7 | 2 | 3 | 3 | 5 | 5 | 6 | 7 | 10 |
| **B. OPERATED** | 3609 | 6.2 | 12 | 3 | 4 | 6 | 7 | 9 | 10 | 18 |
| TOTAL 0-19 YRS | 472 | 5.9 | 7 | 3 | 4 | 5 | 7 | 8 | 10 | 16 |
| 20-34 | 3515 | 6.0 | 11 | 3 | 4 | 5 | 7 | 8 | 10 | 16 |
| 35-49 | 186 | 6.9 | 17 | 3 | 4 | 6 | 8 | 11 | 13 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **4173** | **6.0** | **11** | **3** | **4** | **5** | **7** | **8** | **10** | **17** |

## 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 23 | 5.0 | 3 | 2 | 3 | 5 | 5 | 8 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 133 | 7.7 | 9 | 5 | 5 | 7 | 8 | 11 | 13 | 23 |
| 20-34 | 730 | 7.0 | 3 | 5 | 5 | 7 | 8 | 9 | 10 | 13 |
| 35-49 | 14 | 8.1 | 9 | 6 | 6 | 7 | 8 | 10 | 16 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 5.0 | 1 | 4 | 4 | 5 | 5 | 6 | 6 | 6 |
| 20-34 | 13 | 5.2 | 4 | 3 | 4 | 5 | 5 | 7 | 10 | 11 |
| 35-49 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 292 | 8.4 | 13 | 5 | 5 | 7 | 9 | 13 | 16 | 20 |
| 20-34 | 1669 | 7.7 | 9 | 5 | 5 | 7 | 8 | 10 | 13 | 20 |
| 35-49 | 81 | 8.4 | 32 | 5 | 6 | 7 | 8 | 11 | 16 | 42 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 4.8 | 4 | 2 | 3 | 5 | 5 | 8 | 8 | 9 |
| B. *Operated* | 877 | 7.1 | 4 | 5 | 5 | 7 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 5.3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 | 11 |
| B. *Operated* | 2042 | 7.8 | 11 | 5 | 5 | 7 | 8 | 11 | 13 | 20 |
| **1. SINGLE DX** | 903 | 7.1 | 4 | 4 | 5 | 7 | 8 | 9 | 10 | 14 |
| **2. MULTIPLE DX** | 2061 | 7.8 | 11 | 5 | 5 | 7 | 8 | 11 | 13 | 20 |
| **A. NOT OPERATED** | 45 | 5.0 | 3 | 2 | 3 | 5 | 6 | 8 | 8 | 11 |
| **B. OPERATED** | 2919 | 7.6 | 9 | 5 | 5 | 7 | 8 | 10 | 13 | 19 |
| TOTAL 0-19 YRS | 433 | 8.1 | 12 | 5 | 5 | 7 | 9 | 12 | 15 | 21 |
| 20-34 | 2435 | 7.4 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| 35-49 | 96 | 8.4 | 28 | 5 | 6 | 7 | 8 | 11 | 17 | 39 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **2964** | **7.6** | **9** | **5** | **5** | **7** | **8** | **10** | **13** | **19** |

### 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.1 | 3 | 2 | 3 | 5 | 6 | 7 | 9 | 11 |
| 20-34 | 313 | 4.8 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| 35-49 | 5 | 4.4 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 147 | 5.8 | 4 | 3 | 4 | 6 | 7 | 8 | 9 | 11 |
| 20-34 | 948 | 5.3 | 4 | 3 | 4 | 5 | 6 | 8 | 8 | 11 |
| 35-49 | 24 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 46 | 5.5 | 3 | 3 | 4 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 281 | 5.4 | 12 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| 35-49 | 8 | 4.9 | 1 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 255 | 6.6 | 15 | 4 | 4 | 6 | 7 | 9 | 12 | 19 |
| 20-34 | 2095 | 6.3 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 16 |
| 35-49 | 82 | 7.3 | 19 | 4 | 4 | 6 | 8 | 11 | 13 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 374 | 4.9 | 2 | 3 | 3 | 5 | 6 | 6 | 7 | 9 |
| B. *Operated* | 1119 | 5.4 | 4 | 3 | 4 | 5 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 335 | 5.4 | 11 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| B. *Operated* | 2432 | 6.3 | 10 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| **1. SINGLE DX** | 1493 | 5.3 | 4 | 3 | 4 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 2767 | 6.2 | 10 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| **A. NOT OPERATED** | 709 | 5.1 | 6 | 3 | 3 | 5 | 6 | 7 | 8 | 10 |
| **B. OPERATED** | 3551 | 6.0 | 8 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 504 | 6.1 | 10 | 3 | 4 | 6 | 7 | 9 | 10 | 17 |
| 20-34 | 3637 | 5.8 | 8 | 3 | 4 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 119 | 6.5 | 15 | 3 | 4 | 6 | 7 | 10 | 13 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 4260 | 5.9 | 8 | 3 | 4 | 5 | 7 | 8 | 9 | 15 |

### 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 22 | 5.4 | 2 | 3 | 4 | 5 | 6 | 7 | 9 | 10 |
| 20-34 | 99 | 5.1 | 32 | 2 | 3 | 4 | 5 | 6 | 8 | 34 |
| 35-49 | 6 | 5.3 | 14 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.4 | 6 | 3 | 3 | 6 | 7 | 9 | 11 | 14 |
| 20-34 | 144 | 6.1 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 15 |
| 35-49 | 9 | 6.3 | 2 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 4.8 | 3 | 2 | 2 | 5 | 6 | 7 | 8 | 9 |
| 20-34 | 92 | 4.9 | 2 | 3 | 4 | 5 | 5 | 7 | 8 | 9 |
| 35-49 | 4 | 7.0 | 16 | 5 | 5 | 5 | 9 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 6.9 | 8 | 3 | 4 | 6 | 8 | 11 | 13 | 15 |
| 20-34 | 393 | 6.9 | 14 | 3 | 4 | 6 | 8 | 10 | 13 | 24 |
| 35-49 | 35 | 8.0 | 57 | 3 | 4 | 6 | 9 | 11 | 13 | 49 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 5.1 | 26 | 2 | 3 | 5 | 5 | 7 | 8 | 23 |
| B. *Operated* | 174 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 5.0 | 3 | 3 | 3 | 5 | 5 | 7 | 8 | 11 |
| B. *Operated* | 478 | 7.0 | 17 | 3 | 4 | 6 | 8 | 10 | 13 | 24 |
| **1. SINGLE DX** | 301 | 5.7 | 15 | 3 | 3 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 590 | 6.6 | 14 | 3 | 4 | 6 | 8 | 9 | 12 | 23 |
| **A. NOT OPERATED** | 239 | 5.1 | 15 | 3 | 3 | 5 | 5 | 7 | 8 | 12 |
| **B. OPERATED** | 652 | 6.8 | 14 | 3 | 4 | 6 | 8 | 10 | 12 | 23 |
| TOTAL 0-19 YRS | 109 | 6.2 | 6 | 3 | 4 | 6 | 7 | 9 | 12 | 15 |
| 20-34 | 728 | 6.3 | 14 | 3 | 4 | 5 | 7 | 9 | 11 | 22 |
| 35-49 | 54 | 7.4 | 40 | 3 | 4 | 6 | 8 | 11 | 13 | 48 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 891 | 6.3 | 15 | 3 | 4 | 6 | 7 | 9 | 11 | 22 |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 20 | 4.6 | 3 | 1 | 2 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 7.0 | 3 | 4 | 5 | 7 | 8 | 9 | 10 | 13 |
| 20-34 | 2075 | 7.0 | 3 | 5 | 5 | 7 | 8 | 8 | 9 | 13 |
| 35-49 | 91 | 7.4 | 3 | 5 | 6 | 7 | 8 | 9 | 11 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 11 | 4.5 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 8.5 | 21 | 4 | 5 | 7 | 9 | 13 | 20 | 29 |
| 20-34 | 2660 | 7.6 | 13 | 5 | 5 | 7 | 8 | 9 | 11 | 20 |
| 35-49 | 258 | 7.9 | 7 | 5 | 6 | 7 | 8 | 10 | 12 | 21 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 4.6 | 3 | 1 | 2 | 4 | 6 | 7 | 8 | 8 |
| B. *Operated* | 2250 | 7.0 | 3 | 5 | 5 | 7 | 8 | 9 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 5.0 | 7 | 2 | 3 | 4 | 5 | 9 | 11 | 12 |
| B. *Operated* | 2974 | 7.7 | 12 | 5 | 5 | 7 | 8 | 10 | 12 | 21 |
| **1. SINGLE DX** | 2270 | 7.0 | 3 | 5 | 5 | 7 | 8 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 2987 | 7.7 | 12 | 5 | 5 | 7 | 8 | 10 | 12 | 21 |
| **A. NOT OPERATED** | 33 | 4.7 | 4 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| **B. OPERATED** | 5224 | 7.4 | 9 | 5 | 5 | 7 | 8 | 9 | 10 | 17 |
| TOTAL 0-19 YRS | 141 | 7.6 | 11 | 4 | 5 | 7 | 8 | 11 | 13 | 24 |
| 20-34 | 4766 | 7.4 | 9 | 5 | 5 | 7 | 8 | 9 | 10 | 17 |
| 35-49 | 350 | 7.7 | 6 | 5 | 6 | 7 | 8 | 10 | 11 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **5257** | **7.4** | **9** | **5** | **5** | **7** | **8** | **9** | **10** | **17** |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 8 | 9 |
| 20-34 | 605 | 4.7 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 18 | 4.4 | 1 | 4 | 4 | 4 | 5 | 5 | 6 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 5.3 | 6 | 3 | 3 | 5 | 6 | 7 | 8 | 18 |
| 20-34 | 538 | 5.4 | 5 | 3 | 4 | 5 | 6 | 8 | 9 | 13 |
| 35-49 | 22 | 5.5 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 9 |
| 20-34 | 344 | 5.4 | 10 | 3 | 3 | 5 | 6 | 8 | 10 | 16 |
| 35-49 | 16 | 5.4 | 7 | 2 | 3 | 5 | 6 | 9 | 12 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 142 | 6.7 | 17 | 3 | 4 | 6 | 8 | 10 | 13 | 27 |
| 20-34 | 1427 | 6.4 | 21 | 3 | 4 | 5 | 7 | 9 | 12 | 23 |
| 35-49 | 100 | 6.8 | 14 | 3 | 4 | 6 | 7 | 9 | 12 | 28 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 681 | 4.7 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 15 |
| B. *Operated* | 633 | 5.4 | 5 | 3 | 4 | 5 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 396 | 5.3 | 9 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | 1669 | 6.4 | 20 | 3 | 4 | 6 | 7 | 9 | 12 | 25 |
| **1. SINGLE DX** | 1314 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 2065 | 6.2 | 18 | 3 | 4 | 5 | 7 | 9 | 11 | 24 |
| **A. NOT OPERATED** | 1077 | 4.9 | 6 | 3 | 3 | 4 | 5 | 7 | 8 | 15 |
| **B. OPERATED** | 2302 | 6.1 | 16 | 3 | 4 | 5 | 7 | 9 | 11 | 22 |
| TOTAL 0-19 YRS | 309 | 5.8 | 10 | 3 | 3 | 5 | 6 | 9 | 10 | 21 |
| 20-34 | 2914 | 5.7 | 14 | 3 | 3 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 156 | 6.2 | 11 | 3 | 4 | 6 | 7 | 8 | 11 | 25 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3379** | **5.8** | **13** | **3** | **3** | **5** | **6** | **8** | **10** | **20** |

### 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 175 | 4.6 | 1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 |
| 20-34 | 1477 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 49 | 4.5 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 5.0 | 4 | 2 | 3 | 5 | 5 | 7 | 8 | 15 |
| 20-34 | 469 | 4.9 | 2 | 3 | 4 | 5 | 5 | 6 | 7 | 9 |
| 35-49 | 13 | 5.6 | 8 | 3 | 3 | 4 | 7 | 10 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.1 | 4 | 2 | 3 | 5 | 6 | 7 | 8 | 14 |
| 20-34 | 536 | 4.8 | 4 | 3 | 3 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 28 | 5.3 | 10 | 2 | 3 | 5 | 6 | 7 | 14 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 5.6 | 7 | 3 | 3 | 5 | 6 | 8 | 12 | 16 |
| 20-34 | 806 | 5.4 | 8 | 3 | 4 | 5 | 6 | 7 | 8 | 14 |
| 35-49 | 55 | 6.5 | 15 | 3 | 4 | 5 | 7 | 9 | 14 | 26 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1701 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 9 |
| B. *Operated* | 540 | 4.9 | 3 | 3 | 4 | 5 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 632 | 4.9 | 4 | 3 | 3 | 5 | 5 | 7 | 8 | 14 |
| B. *Operated* | 932 | 5.5 | 8 | 3 | 4 | 5 | 6 | 7 | 9 | 15 |
| **1. SINGLE DX** | 2241 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 1564 | 5.2 | 6 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| **A. NOT OPERATED** | 2333 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **B. OPERATED** | 1472 | 5.3 | 6 | 3 | 4 | 5 | 6 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 372 | 4.9 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 20-34 | 3288 | 4.8 | 4 | 3 | 3 | 5 | 5 | 6 | 7 | 11 |
| 35-49 | 145 | 5.5 | 10 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **3805** | **4.8** | **4** | **3** | **3** | **5** | **5** | **6** | **7** | **12** |

### 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 510 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 12 | 4.3 | 2 | 1 | 2 | 4 | 5 | 6 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 369 | 4.5 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 4753 | 4.3 | 3 | 3 | 3 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 218 | 4.5 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.2 | 10 | 3 | 3 | 5 | 5 | 6 | 13 | 19 |
| 20-34 | 165 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 6 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 4.9 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 20-34 | 2881 | 5.1 | 10 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |
| 35-49 | 220 | 5.5 | 8 | 3 | 3 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 578 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| B. *Operated* | 5340 | 4.3 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | 3292 | 5.1 | 9 | 3 | 3 | 5 | 6 | 7 | 8 | 16 |
| **1. SINGLE DX** | 5918 | 4.3 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 3489 | 5.1 | 9 | 3 | 3 | 5 | 6 | 7 | 8 | 16 |
| **A. NOT OPERATED** | 775 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| **B. OPERATED** | 8632 | 4.6 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 12 |
| TOTAL 0-19 YRS | 642 | 4.6 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 8309 | 4.6 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 456 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **9407** | **4.6** | **5** | **3** | **3** | **4** | **5** | **6** | **7** | **11** |

### 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.8 | 2 | 3 | 4 | 4 | 5 | 6 | 8 | 10 |
| 20-34 | 100 | 4.6 | 1 | 3 | 4 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 5.3 | 12 | 3 | 3 | 5 | 6 | 7 | 9 | 24 |
| 20-34 | 798 | 4.7 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 24 | 5.0 | 2 | 3 | 3 | 5 | 6 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 25 | 5.4 | 5 | 3 | 4 | 5 | 6 | 9 | 10 | 11 |
| 35-49 | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 5.3 | 6 | 3 | 3 | 5 | 6 | 8 | 10 | 18 |
| 20-34 | 602 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 15 |
| 35-49 | 17 | 5.9 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 123 | 4.6 | 1 | 3 | 4 | 4 | 5 | 6 | 7 | 9 |
| B. *Operated* | 920 | 4.7 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 5.2 | 4 | 2 | 3 | 5 | 6 | 8 | 10 | 11 |
| B. *Operated* | 714 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 15 |
| **1. SINGLE DX** | 1043 | 4.7 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 746 | 5.4 | 5 | 3 | 4 | 5 | 6 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 155 | 4.7 | 2 | 3 | 4 | 5 | 5 | 7 | 7 | 10 |
| **B. OPERATED** | 1634 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| TOTAL 0-19 YRS | 217 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 9 | 17 |
| 20-34 | 1525 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| 35-49 | 47 | 5.3 | 3 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 1789 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |

### 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 3.8 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 20-34 | 53 | 4.6 | 4 | 1 | 2 | 5 | 5 | 6 | 7 | 13 |
| 35-49 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 35 | 4.1 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 181 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 7 | 5.0 | 3 | 3 | 3 | 5 | 6 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 6.9 | 58 | <1 | 1 | 5 | 6 | 14 | 28 | 33 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 5.1 | 3 | 3 | 3 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 179 | 5.8 | 12 | 3 | 3 | 5 | 6 | 9 | 11 | 25 |
| 35-49 | 6 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.4 | 3 | 1 | 3 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 223 | 4.4 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 6.9 | 58 | <1 | 1 | 5 | 6 | 14 | 28 | 33 |
| B. *Operated* | 206 | 5.7 | 11 | 3 | 3 | 5 | 6 | 8 | 10 | 23 |
| **1. SINGLE DX** | 289 | 4.4 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 222 | 5.7 | 14 | 3 | 3 | 5 | 6 | 8 | 11 | 28 |
| **A. NOT OPERATED** | 82 | 4.9 | 14 | 1 | 2 | 5 | 5 | 6 | 8 | 27 |
| **B. OPERATED** | 429 | 5.0 | 6 | 3 | 3 | 5 | 6 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 67 | 4.4 | 3 | 2 | 3 | 4 | 5 | 7 | 8 | 9 |
| 20-34 | 429 | 5.1 | 9 | 3 | 3 | 5 | 6 | 7 | 9 | 17 |
| 35-49 | 15 | 4.6 | 3 | 3 | 3 | 5 | 6 | 6 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 511 | 5.0 | 8 | 3 | 3 | 5 | 6 | 7 | 8 | 15 |

### 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 441 | 5.0 | 8 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| 20-34 | 2690 | 4.8 | 9 | 2 | 3 | 4 | 5 | 7 | 8 | 16 |
| 35-49 | 109 | 5.5 | 27 | 2 | 3 | 4 | 6 | 9 | 11 | 30 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 662 | 5.9 | 27 | 3 | 3 | 5 | 6 | 9 | 11 | 21 |
| 20-34 | 3863 | 5.5 | 9 | 3 | 3 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 169 | 5.7 | 13 | 3 | 3 | 5 | 7 | 9 | 10 | 16 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 287 | 5.2 | 13 | 2 | 2 | 5 | 6 | 7 | 10 | 24 |
| 20-34 | 1827 | 5.0 | 9 | 2 | 3 | 5 | 6 | 7 | 9 | 16 |
| 35-49 | 71 | 6.1 | 43 | 2 | 3 | 5 | 6 | 9 | 12 | 45 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 976 | 6.8 | 25 | 3 | 3 | 6 | 8 | 11 | 16 | 24 |
| 20-34 | 7420 | 6.9 | 29 | 3 | 4 | 5 | 7 | 11 | 15 | 31 |
| 35-49 | 539 | 8.3 | 57 | 3 | 4 | 6 | 9 | 14 | 18 | 40 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3240 | 4.8 | 9 | 2 | 3 | 4 | 5 | 7 | 8 | 16 |
| B. *Operated* | 4694 | 5.6 | 12 | 3 | 3 | 5 | 6 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2185 | 5.1 | 11 | 2 | 3 | 5 | 6 | 7 | 9 | 19 |
| B. *Operated* | 8935 | 7.0 | 31 | 3 | 4 | 5 | 7 | 12 | 16 | 31 |
| **1. SINGLE DX** | 7934 | 5.3 | 11 | 3 | 3 | 5 | 6 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 11120 | 6.6 | 27 | 3 | 3 | 5 | 7 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 5425 | 4.9 | 10 | 2 | 3 | 4 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 13629 | 6.5 | 25 | 3 | 4 | 5 | 7 | 10 | 14 | 28 |
| TOTAL 0-19 YRS | 2366 | 6.0 | 21 | 3 | 3 | 5 | 7 | 10 | 13 | 22 |
| 20-34 | 15800 | 6.0 | 19 | 3 | 3 | 5 | 6 | 9 | 12 | 25 |
| 35-49 | 888 | 7.3 | 46 | 3 | 3 | 6 | 8 | 13 | 16 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 19054 | 6.1 | 21 | 3 | 3 | 5 | 7 | 9 | 13 | 25 |

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 5.3 | 8 | 2 | 2 | 5 | 6 | 10 | 11 | 12 |
| 20-34 | 97 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| 35-49 | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 15 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 7.5 | 20 | 4 | 4 | 6 | 10 | 14 | 14 | 14 |
| 20-34 | 29 | 4.6 | 7 | 1 | 2 | 4 | 6 | 7 | 11 | 12 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 21 | 6.2 | 84 | <1 | 1 | 4 | 7 | 20 | 25 | 26 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 21 |
| B. *Operated* | 18 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 12 | 14 |
| B. *Operated* | 25 | 5.6 | 47 | <1 | 1 | 3 | 6 | 16 | 25 | 26 |
| **1. SINGLE DX** | 132 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | 59 | 5.2 | 25 | 1 | 1 | 4 | 6 | 10 | 15 | 26 |
| **A. NOT OPERATED** | 148 | 4.7 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 20 |
| **B. OPERATED** | 43 | 4.8 | 30 | 1 | 1 | 3 | 6 | 9 | 19 | 26 |
| TOTAL 0-19 YRS | 25 | 5.1 | 10 | 2 | 2 | 5 | 6 | 10 | 12 | 14 |
| 20-34 | 162 | 4.7 | 17 | 1 | 1 | 4 | 5 | 8 | 11 | 25 |
| 35-49 | 4 | 4.3 | 8 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | 191 | 4.7 | 16 | 1 | 1 | 4 | 6 | 8 | 12 | 24 |

## 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 117 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 35-49 | 8 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 20-34 | 409 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 35-49 | 10 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 39 | 3.2 | 20 | <1 | 1 | 2 | 3 | 5 | 6 | 29 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 3.1 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| 20-34 | 164 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 35-49 | 12 | 3.4 | 12 | <1 | <1 | 2 | 4 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| B. *Operated* | 471 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 3.2 | 18 | <1 | 1 | 2 | 3 | 5 | 6 | 29 |
| B. *Operated* | 197 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **1. SINGLE DX** | 620 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 240 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 192 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 668 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 101 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 7 |
| 20-34 | 729 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 35-49 | 30 | 2.3 | 6 | <1 | 1 | 2 | 2 | 4 | 10 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **860** | **2.2** | **4** | **<1** | **1** | **2** | **3** | **4** | **5** | **10** |

## 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 20-34 | 74 | 4.5 | 8 | 1 | 1 | 4 | 6 | 10 | 11 | 13 |
| 35-49 | 7 | 4.4 | 19 | 1 | 1 | 3 | 4 | 12 | 14 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 5.5 | 27 | 1 | 1 | 4 | 6 | 13 | 19 | 21 |
| 20-34 | 86 | 4.2 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 20 |
| 35-49 | 5 | 3.6 | 4 | 2 | 2 | 3 | 4 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 5.8 | 43 | 1 | 1 | 3 | 6 | 17 | 22 | 22 |
| 20-34 | 54 | 5.6 | 27 | 1 | 2 | 5 | 7 | 11 | 12 | 35 |
| 35-49 | 3 | 7.0 | 25 | 2 | 2 | 7 | 11 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 20-34 | 49 | 5.8 | 17 | 2 | 2 | 5 | 7 | 10 | 11 | 27 |
| 35-49 | 4 | 10.5 | 98 | 1 | 1 | 8 | 17 | 24 | 24 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 4.4 | 8 | 1 | 1 | 4 | 5 | 9 | 11 | 14 |
| B. *Operated* | 107 | 4.4 | 14 | 1 | 1 | 4 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 5.7 | 29 | 1 | 2 | 4 | 7 | 12 | 13 | 34 |
| B. *Operated* | 57 | 6.0 | 22 | 1 | 2 | 5 | 7 | 10 | 12 | 27 |
| **1. SINGLE DX** | 201 | 4.4 | 11 | 1 | 1 | 4 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 124 | 5.9 | 25 | 1 | 2 | 5 | 7 | 11 | 13 | 29 |
| **A. NOT OPERATED** | 161 | 4.9 | 17 | 1 | 1 | 4 | 6 | 10 | 12 | 21 |
| **B. OPERATED** | 164 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| TOTAL 0-19 YRS | 43 | 4.8 | 21 | 1 | 1 | 4 | 6 | 9 | 16 | 22 |
| 20-34 | 263 | 4.9 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| 35-49 | 19 | 5.9 | 33 | 1 | 1 | 3 | 7 | 13 | 19 | 24 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **325** | **4.9** | **17** | **1** | **1** | **4** | **6** | **10** | **12** | **23** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 312 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 20-34 | 245 | 4.3 | 8 | 1 | 2 | 3 | 5 | 8 | 10 | 13 |
| 35-49 | 165 | 5.3 | 13 | 2 | 2 | 4 | 7 | 9 | 12 | 22 |
| 50-64 | 156 | 7.2 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 29 |
| 65+ | 104 | 10.0 | 68 | 3 | 3 | 8 | 13 | 18 | 24 | 48 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 5.5 | 21 | 1 | 1 | 3 | 7 | 11 | 13 | 25 |
| 20-34 | 115 | 4.7 | 14 | 1 | 1 | 4 | 7 | 10 | 12 | 16 |
| 35-49 | 61 | 5.4 | 19 | <1 | 1 | 4 | 8 | 11 | 15 | 19 |
| 50-64 | 40 | 8.0 | 22 | 2 | 3 | 7 | 10 | 14 | 18 | 24 |
| 65+ | 33 | 12.0 | 66 | 2 | 4 | 10 | 15 | 24 | 28 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 212 | 5.6 | 14 | 2 | 2 | 5 | 7 | 9 | 12 | 26 |
| 20-34 | 179 | 5.7 | 26 | 2 | 2 | 4 | 7 | 10 | 12 | 37 |
| 35-49 | 161 | 7.5 | 33 | 2 | 3 | 6 | 9 | 14 | 21 | 30 |
| 50-64 | 233 | 9.8 | 65 | 3 | 3 | 7 | 13 | 20 | 25 | 46 |
| 65+ | 266 | 14.3 | 156 | 3 | 4 | 11 | 17 | 29 | 38 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 8.9 | 84 | 2 | 2 | 6 | 10 | 18 | 24 | 46 |
| 20-34 | 102 | 8.0 | 91 | 1 | 2 | 5 | 8 | 19 | 27 | 81 |
| 35-49 | 72 | 11.3 | 186 | 1 | 2 | 7 | 13 | 28 | 35 | 79 |
| 50-64 | 86 | 15.2 | 223 | 3 | 3 | 10 | 21 | 33 | 53 | 94 |
| 65+ | 86 | 19.9 | 258 | 4 | 5 | 17 | 31 | 51 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 982 | 5.6 | 22 | 1 | 2 | 4 | 7 | 11 | 13 | 25 |
| B. *Operated* | 432 | 6.0 | 26 | 1 | 1 | 5 | 8 | 12 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1051 | 9.0 | 78 | 2 | 3 | 6 | 11 | 19 | 26 | 65 |
| B. *Operated* | 456 | 12.3 | 179 | 2 | 2 | 7 | 17 | 33 | 49 | 99+ |
| **1. SINGLE DX** | 1414 | 5.7 | 23 | 1 | 2 | 4 | 7 | 11 | 14 | 25 |
| **2. MULTIPLE DX** | 1507 | 10.0 | 111 | 2 | 3 | 7 | 12 | 22 | 32 | 78 |
| **A. NOT OPERATED** | 2033 | 7.4 | 54 | 2 | 2 | 5 | 9 | 15 | 21 | 39 |
| **B. OPERATED** | 888 | 9.3 | 114 | 1 | 2 | 6 | 11 | 21 | 35 | 91 |
| TOTAL 0-19 YRS | 817 | 5.6 | 25 | 1 | 2 | 5 | 7 | 10 | 13 | 33 |
| 20-34 | 641 | 5.3 | 29 | 1 | 2 | 4 | 6 | 10 | 13 | 31 |
| 35-49 | 459 | 7.0 | 52 | 2 | 2 | 5 | 8 | 13 | 19 | 34 |
| 50-64 | 515 | 9.8 | 83 | 2 | 3 | 7 | 12 | 20 | 26 | 55 |
| 65+ | 489 | 14.2 | 158 | 3 | 4 | 11 | 18 | 31 | 46 | 99+ |
| **GRAND TOTAL** | 2921 | 7.9 | 73 | 2 | 2 | 5 | 9 | 16 | 24 | 53 |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 253 | 6.2 | 23 | 1 | 2 | 5 | 8 | 10 | 13 | 25 |
| 20-34 | 77 | 4.3 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| 35-49 | 35 | 5.2 | 30 | 1 | 2 | 4 | 6 | 9 | 15 | 31 |
| 50-64 | 27 | 5.6 | 14 | 2 | 2 | 4 | 7 | 10 | 18 | 18 |
| 65+ | 42 | 10.0 | 213 | 2 | 2 | 6 | 11 | 20 | 48 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 4.1 | 16 | <1 | <1 | 2 | 6 | 8 | 12 | 22 |
| 20-34 | 45 | 3.6 | 8 | <1 | <1 | 3 | 5 | 7 | 10 | 13 |
| 35-49 | 35 | 4.7 | 25 | 1 | 1 | 3 | 5 | 10 | 15 | 27 |
| 50-64 | 24 | 4.9 | 21 | <1 | <1 | 3 | 8 | 12 | 15 | 16 |
| 65+ | 16 | 9.4 | 137 | 1 | 1 | 5 | 11 | 21 | 39 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 290 | 7.7 | 39 | 2 | 2 | 6 | 10 | 14 | 18 | 29 |
| 20-34 | 54 | 5.4 | 16 | 2 | 2 | 5 | 7 | 9 | 10 | 26 |
| 35-49 | 66 | 7.8 | 91 | 2 | 2 | 5 | 8 | 15 | 22 | 61 |
| 50-64 | 60 | 8.7 | 87 | 2 | 2 | 6 | 11 | 18 | 23 | 96 |
| 65+ | 97 | 13.7 | 182 | 3 | 4 | 9 | 16 | 30 | 34 | 76 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 5.1 | 28 | <1 | 1 | 5 | 8 | 15 | 17 | 22 |
| 20-34 | 28 | 9.5 | 87 | 2 | 2 | 6 | 12 | 23 | 34 | 38 |
| 35-49 | 20 | 10.3 | 140 | 1 | 2 | 5 | 12 | 23 | 38 | 42 |
| 50-64 | 34 | 11.6 | 200 | 1 | 2 | 7 | 13 | 21 | 46 | 72 |
| 65+ | 51 | 13.3 | 134 | 2 | 3 | 11 | 16 | 34 | 41 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 434 | 6.1 | 40 | 1 | 2 | 5 | 7 | 11 | 14 | 31 |
| B. *Operated* | 198 | 4.6 | 27 | <1 | <1 | 3 | 6 | 10 | 14 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 567 | 8.6 | 78 | 2 | 2 | 6 | 10 | 16 | 24 | 50 |
| B. *Operated* | 197 | 9.8 | 111 | 1 | 2 | 6 | 12 | 21 | 34 | 50 |
| **1. SINGLE DX** | 632 | 5.6 | 37 | 1 | 1 | 4 | 7 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | 764 | 8.9 | 86 | 2 | 2 | 6 | 11 | 18 | 27 | 50 |
| **A. NOT OPERATED** | 1001 | 7.5 | 63 | 2 | 2 | 6 | 9 | 14 | 20 | 43 |
| **B. OPERATED** | 395 | 7.2 | 76 | <1 | 1 | 5 | 9 | 16 | 23 | 44 |
| TOTAL 0-19 YRS | 685 | 6.6 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| 20-34 | 204 | 5.1 | 24 | <1 | 1 | 4 | 6 | 10 | 12 | 30 |
| 35-49 | 156 | 6.9 | 71 | 1 | 2 | 4 | 7 | 13 | 23 | 43 |
| 50-64 | 145 | 8.2 | 93 | 1 | 2 | 6 | 9 | 17 | 21 | 73 |
| 65+ | 206 | 12.5 | 174 | 2 | 3 | 8 | 15 | 29 | 37 | 97 |
| **GRAND TOTAL** | 1396 | 7.4 | 67 | 1 | 2 | 5 | 9 | 15 | 21 | 43 |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 20-34 | 24 | 4.1 | 11 | <1 | <1 | 3 | 6 | 7 | 10 | 16 |
| 35-49 | 4 | 6.8 | 40 | 2 | 2 | 4 | 10 | 16 | 16 | 16 |
| 50-64 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 523 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 955 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 110 | 5.0 | 18 | 1 | 2 | 4 | 6 | 8 | 10 | 28 |
| 50-64 | 18 | 6.1 | 10 | 1 | 2 | 6 | 8 | 11 | 12 | 12 |
| 65+ | 6 | 3.8 | 3 | 2 | 2 | 3 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 3.7 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| 20-34 | 18 | 6.3 | 80 | 1 | 1 | 2 | 6 | 24 | 29 | 30 |
| 35-49 | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 7.6 | 30 | 1 | 2 | 6 | 10 | 15 | 19 | 25 |
| 20-34 | 121 | 5.9 | 29 | 1 | 2 | 4 | 6 | 12 | 16 | 30 |
| 35-49 | 34 | 4.6 | 8 | 1 | 2 | 4 | 6 | 10 | 10 | 12 |
| 50-64 | 6 | 11.7 | 72 | 5 | 5 | 8 | 18 | 25 | 26 | 26 |
| 65+ | 3 | 40.3 | 2241 | 13 | 13 | 54 | 97 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 4.2 | 13 | <1 | <1 | 3 | 6 | 7 | 14 | 16 |
| B. *Operated* | 1612 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 5.0 | 52 | <1 | <1 | 2 | 6 | 12 | 28 | 30 |
| B. *Operated* | 226 | 6.7 | 63 | 1 | 2 | 5 | 8 | 13 | 18 | 49 |
| **1. SINGLE DX** | 1647 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 256 | 6.5 | 62 | 1 | 2 | 5 | 7 | 13 | 19 | 35 |
| **A. NOT OPERATED** | 65 | 4.6 | 31 | <1 | <1 | 3 | 6 | 6 | 16 | 30 |
| **B. OPERATED** | 1838 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| TOTAL 0-19 YRS | 600 | 5.1 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 1118 | 4.8 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 35-49 | 151 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 10 | 28 |
| 50-64 | 25 | 7.4 | 28 | 2 | 3 | 6 | 8 | 12 | 20 | 26 |
| 65+ | 9 | 16.0 | 896 | 2 | 2 | 6 | 13 | 97 | 99+ | 99+ |
| **GRAND TOTAL** | 1903 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 77 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 12 |
| 35-49 | 57 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 36 | 2.9 | 12 | <1 | <1 | 2 | 3 | 5 | 10 | 19 |
| 65+ | 19 | 3.9 | 10 | <1 | <1 | 3 | 6 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 4.5 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 27 | 4.7 | 117 | <1 | <1 | 2 | 4 | 7 | 15 | 58 |
| 35-49 | 20 | 3.4 | 24 | <1 | <1 | 2 | 4 | 5 | 14 | 23 |
| 50-64 | 26 | 3.2 | 7 | <1 | <1 | 3 | 4 | 6 | 9 | 13 |
| 65+ | 15 | 6.9 | 32 | <1 | <1 | 6 | 9 | 15 | 19 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 266 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 98 | 4.4 | 45 | <1 | <1 | 3 | 5 | 8 | 12 | 41 |
| **1. SINGLE DX** | 270 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 100 | 4.3 | 44 | <1 | <1 | 3 | 5 | 8 | 12 | 40 |
| **A. NOT OPERATED** | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 364 | 2.7 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |
| TOTAL 0-19 YRS | 88 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 105 | 2.6 | 33 | <1 | <1 | 1 | 2 | 4 | 7 | 33 |
| 35-49 | 79 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 5 | 18 |
| 50-64 | 64 | 3.0 | 10 | <1 | <1 | 2 | 3 | 6 | 9 | 18 |
| 65+ | 34 | 5.2 | 21 | <1 | <1 | 4 | 8 | 11 | 14 | 21 |
| **GRAND TOTAL** | 370 | 2.6 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |

242 Hospitals, Canada, January-December 1981

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 651 | 5.6 | 28 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| 20-34 | 212 | 6.9 | 54 | 1 | 1 | 4 | 9 | 15 | 23 | 37 |
| 35-49 | 135 | 8.5 | 56 | 1 | 1 | 7 | 13 | 18 | 21 | 32 |
| 50-64 | 133 | 11.1 | 108 | 1 | 3 | 8 | 14 | 24 | 30 | 59 |
| 65+ | 188 | 13.1 | 140 | 2 | 3 | 9 | 16 | 30 | 39 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 395 | 3.6 | 28 | <1 | <1 | 2 | 3 | 8 | 13 | 34 |
| 20-34 | 392 | 4.0 | 36 | <1 | <1 | 2 | 4 | 8 | 11 | 32 |
| 35-49 | 224 | 5.3 | 43 | <1 | <1 | 3 | 6 | 13 | 18 | 49 |
| 50-64 | 261 | 6.3 | 73 | <1 | <1 | 4 | 6 | 14 | 30 | 43 |
| 65+ | 180 | 10.4 | 206 | <1 | 1 | 4 | 12 | 29 | 46 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 464 | 7.6 | 54 | 1 | 2 | 5 | 9 | 16 | 21 | 36 |
| 20-34 | 183 | 8.7 | 80 | 1 | 2 | 6 | 12 | 19 | 22 | 65 |
| 35-49 | 174 | 11.4 | 104 | 2 | 2 | 9 | 15 | 25 | 35 | 89 |
| 50-64 | 272 | 13.8 | 142 | 2 | 3 | 11 | 19 | 28 | 38 | 81 |
| 65+ | 503 | 17.7 | 234 | 3 | 4 | 13 | 24 | 39 | 57 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 118 | 8.3 | 171 | <1 | 1 | 3 | 10 | 18 | 33 | 70 |
| 20-34 | 210 | 13.5 | 255 | <1 | 2 | 6 | 20 | 40 | 47 | 96 |
| 35-49 | 202 | 14.0 | 242 | 1 | 2 | 7 | 21 | 43 | 64 | 99+ |
| 50-64 | 276 | 13.3 | 269 | 1 | 2 | 7 | 19 | 40 | 70 | 99+ |
| 65+ | 331 | 19.4 | 370 | 2 | 2 | 14 | 28 | 53 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1319 | 7.7 | 66 | 1 | 1 | 5 | 10 | 17 | 24 | 40 |
| B. *Operated* | 1452 | 5.3 | 67 | <1 | <1 | 3 | 5 | 11 | 22 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1596 | 12.4 | 152 | 2 | 2 | 8 | 16 | 28 | 38 | 81 |
| B. *Operated* | 1137 | 14.7 | 291 | 1 | 2 | 8 | 22 | 45 | 62 | 99+ |
| **1. SINGLE DX** | 2771 | 6.5 | 68 | <1 | 1 | 4 | 8 | 15 | 23 | 44 |
| **2. MULTIPLE DX** | 2733 | 13.3 | 211 | 1 | 2 | 8 | 18 | 34 | 50 | 99+ |
| **A. NOT OPERATED** | 2915 | 10.3 | 118 | 1 | 2 | 7 | 13 | 23 | 33 | 66 |
| **B. OPERATED** | 2589 | 9.4 | 187 | <1 | <1 | 4 | 10 | 29 | 45 | 99+ |
| TOTAL 0-19 YRS | 1622 | 5.9 | 48 | <1 | 1 | 4 | 7 | 13 | 18 | 36 |
| 20-34 | 997 | 7.5 | 106 | <1 | <1 | 4 | 8 | 18 | 29 | 59 |
| 35-49 | 735 | 9.7 | 126 | <1 | 1 | 6 | 13 | 25 | 36 | 99+ |
| 50-64 | 942 | 11.2 | 164 | 1 | 1 | 7 | 15 | 30 | 39 | 99+ |
| 65+ | 1202 | 16.3 | 262 | 2 | 2 | 11 | 23 | 40 | 57 | 99+ |
| **GRAND TOTAL** | 5504 | 9.9 | 151 | <1 | 1 | 5 | 13 | 25 | 37 | 83 |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 6.8 | 18 | 1 | 1 | 4 | 10 | 12 | 13 | 14 |
| 20-34 | 28 | 7.9 | 24 | 2 | 3 | 8 | 10 | 13 | 21 | 22 |
| 35-49 | 22 | 12.7 | 125 | 2 | 3 | 9 | 16 | 25 | 37 | 51 |
| 50-64 | 14 | 10.8 | 38 | 1 | 3 | 10 | 17 | 19 | 19 | 19 |
| 65+ | 6 | 16.5 | 218 | 5 | 5 | 11 | 19 | 42 | 45 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 21.7 | 220 | 9 | 9 | 18 | 33 | 38 | 38 | 38 |
| 20-34 | 11 | 13.4 | 356 | <1 | 1 | 10 | 11 | 36 | 66 | 69 |
| 35-49 | 12 | 15.3 | 194 | <1 | 2 | 10 | 21 | 35 | 48 | 50 |
| 50-64 | 7 | 11.0 | 51 | 2 | 3 | 9 | 13 | 23 | 25 | 25 |
| 65+ | 5 | 14.2 | 135 | 2 | 2 | 14 | 21 | 32 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.1 | 67 | 1 | 2 | 7 | 14 | 21 | 29 | 32 |
| 20-34 | 42 | 8.0 | 51 | 2 | 2 | 7 | 9 | 15 | 16 | 45 |
| 35-49 | 45 | 11.6 | 59 | 2 | 3 | 10 | 16 | 22 | 26 | 36 |
| 50-64 | 51 | 12.8 | 99 | 2 | 3 | 11 | 19 | 25 | 42 | 99 |
| 65+ | 20 | 15.3 | 87 | 3 | 4 | 13 | 24 | 32 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 32.4 | 801 | 9 | 9 | 23 | 42 | 81 | 90 | 90 |
| 20-34 | 22 | 21.3 | 232 | 4 | 7 | 17 | 29 | 42 | 58 | 63 |
| 35-49 | 23 | 27.1 | 488 | 1 | 3 | 19 | 37 | 59 | 71 | 91 |
| 50-64 | 25 | 20.6 | 155 | 2 | 2 | 21 | 29 | 35 | 40 | 49 |
| 65+ | 21 | 22.2 | 256 | 4 | 6 | 22 | 30 | 66 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 9.7 | 69 | 2 | 2 | 8 | 12 | 19 | 23 | 49 |
| B. *Operated* | 38 | 14.3 | 196 | 1 | 2 | 10 | 18 | 31 | 45 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 175 | 11.4 | 76 | 2 | 3 | 9 | 15 | 24 | 32 | 85 |
| B. *Operated* | 98 | 23.5 | 314 | 2 | 5 | 19 | 31 | 53 | 62 | 99+ |
| **1. SINGLE DX** | 127 | 11.1 | 110 | 2 | 2 | 8 | 14 | 22 | 29 | 55 |
| **2. MULTIPLE DX** | 273 | 15.7 | 195 | 2 | 3 | 12 | 21 | 34 | 49 | 99+ |
| **A. NOT OPERATED** | 264 | 10.8 | 74 | 2 | 3 | 8 | 14 | 22 | 27 | 50 |
| **B. OPERATED** | 136 | 20.9 | 296 | 2 | 4 | 17 | 28 | 49 | 60 | 99+ |
| TOTAL 0-19 YRS | 46 | 12.5 | 236 | 1 | 2 | 8 | 14 | 28 | 40 | 90 |
| 20-34 | 103 | 11.4 | 139 | 2 | 3 | 8 | 13 | 22 | 34 | 66 |
| 35-49 | 102 | 15.8 | 218 | 2 | 3 | 11 | 21 | 32 | 49 | 75 |
| 50-64 | 97 | 14.4 | 113 | 2 | 3 | 12 | 20 | 31 | 37 | 75 |
| 65+ | 52 | 18.1 | 177 | 3 | 5 | 15 | 27 | 51 | 89 | 99+ |
| **GRAND TOTAL** | 400 | 14.2 | 172 | 2 | 3 | 10 | 19 | 31 | 46 | [illegible] |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 64 | 10.0 | 134 | 1 | 1 | 8 | 12 | 19 | 23 | 78 |
| 20-34 | 61 | 12.0 | 75 | 2 | 3 | 11 | 17 | 20 | 33 | 39 |
| 35-49 | 99 | 11.2 | 76 | 1 | 2 | 9 | 17 | 23 | 26 | 41 |
| 50-64 | 170 | 14.0 | 113 | 2 | 3 | 13 | 18 | 27 | 39 | 70 |
| 65+ | 128 | 13.6 | 92 | 3 | 5 | 11 | 16 | 24 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 15.2 | 120 | 3 | 3 | 13 | 26 | 28 | 28 | 28 |
| 20-34 | 20 | 13.4 | 14[illegible] | 2 | 2 | 9 | 20 | 31 | 39 | 44 |
| 35-49 | 35 | 9.3 | 96 | 1 | 1 | 5 | 17 | 23 | 25 | 44 |
| 50-64 | 70 | 17.4 | 2[illegible]8 | 2 | 3 | 13 | 24 | 43 | 50 | 64 |
| 65+ | 52 | 13.1 | 1[illegible]7 | 1 | 2 | 11 | 17 | 29 | 32 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 15.8 | 135 | 4 | 5 | 12 | 22 | 30 | 40 | 55 |
| 20-34 | 43 | 12.2 | 69 | 2 | 3 | 12 | 15 | 24 | 31 | 36 |
| 35-49 | 97 | 13.2 | 73 | 2 | 3 | 12 | 18 | 24 | 29 | 40 |
| 50-64 | 239 | 14.9 | 126 | 3 | 4 | 13 | 18 | 29 | 38 | 66 |
| 65+ | 320 | 18.8 | 250 | 3 | 4 | 15 | 24 | 44 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 19.9 | 251 | 2 | 4 | 15 | 25 | 47 | 49 | 49 |
| 20-34 | 27 | 19.2 | 239 | 2 | 2 | 18 | 26 | 36 | 50 | 67 |
| 35-49 | 50 | 18.7 | 321 | <1 | 2 | 14 | 28 | 46 | 57 | 99+ |
| 50-64 | 122 | 22.2 | 346 | 4 | 4 | 18 | 28 | 52 | 70 | 99+ |
| 65+ | 129 | 25.2 | 358 | 2 | 4 | 23 | 37 | 53 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 522 | 12.6 | 100 | 2 | 3 | 11 | 17 | 23 | 30 | 50 |
| B. *Operated* | 182 | 14.1 | 169 | 1 | 2 | 10 | 20 | 31 | 44 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 731 | 16.3 | 175 | 3 | 4 | 13 | 21 | 32 | 45 | 95 |
| B. *Operated* | 338 | 22.5 | 338 | 2 | 4 | 19 | 32 | 50 | 68 | 99+ |
| **1. SINGLE DX** | 704 | 13.0 | 118 | 2 | 2 | 11 | 17 | 25 | 36 | 51 |
| **2. MULTIPLE DX** | 1069 | 18.3 | 235 | 2 | 4 | 15 | 24 | 40 | 53 | 99+ |
| **A. NOT OPERATED** | 1253 | 14.8 | 147 | 2 | 3 | 12 | 19 | 29 | 40 | 86 |
| **B. OPERATED** | 520 | 19.6 | 294 | 2 | 2 | 16 | 27 | 45 | 57 | 99+ |
| TOTAL 0-19 YRS | 111 | 12.8 | 152 | 1 | 3 | 10 | 16 | 25 | 36 | 67 |
| 20-34 | 151 | 13.5 | 116 | 2 | 3 | 12 | 18 | 28 | 36 | 47 |
| 35-49 | 281 | 13.0 | 128 | 1 | 2 | 10 | 19 | 26 | 34 | 55 |
| 50-64 | 601 | 16.5 | 188 | 2 | 4 | 14 | 20 | 35 | 45 | 83 |
| 65+ | 629 | 18.6 | 245 | 2 | 4 | 15 | 24 | 43 | 56 | 99+ |
| **GRAND TOTAL** | **1773** | **16.2** | **198** | **2** | **3** | **13** | **21** | **35** | **47** | **89** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 5.3 | 1 | 4 | 4 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 3 | 9.0 | 91 | 3 | 3 | 4 | 16 | 20 | 20 | 20 |
| 35-49 | 16 | 5.6 | 36 | 1 | 1 | 3 | 7 | 12 | 20 | 24 |
| 50-64 | 68 | 8.3 | 55 | 2 | 2 | 7 | 11 | 15 | 17 | 47 |
| 65+ | 226 | 10.8 | 123 | 2 | 2 | 8 | 14 | 22 | 28 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 20-34 | 71 | 4.7 | 13 | 1 | 1 | 4 | 7 | 10 | 13 | 16 |
| 35-49 | 130 | 6.9 | 36 | 1 | 2 | 5 | 9 | 14 | 17 | 34 |
| 50-64 | 345 | 11.5 | 57 | 2 | 3 | 11 | 16 | 20 | 26 | 40 |
| 65+ | 394 | 15.6 | 81 | 3 | 5 | 15 | 19 | 25 | 30 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 7 | 10.4 | 129 | 2 | 2 | 5 | 18 | 29 | 31 | 31 |
| 35-49 | 41 | 10.3 | 68 | 1 | 2 | 8 | 14 | 24 | 26 | 35 |
| 50-64 | 149 | 10.5 | 53 | 2 | 2 | 9 | 15 | 21 | 24 | 31 |
| 65+ | 764 | 12.8 | 162 | 3 | 3 | 9 | 16 | 28 | 44 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 6.2 | 41 | 1 | 1 | 5 | 8 | 61 | 99+ | 99+ |
| 20-34 | 47 | 4.8 | 21 | 1 | 2 | 4 | 5 | 8 | 10 | 31 |
| 35-49 | 94 | 8.4 | 76 | 1 | 1 | 6 | 12 | 18 | 21 | 49 |
| 50-64 | 351 | 15.1 | 159 | 2 | 4 | 13 | 19 | 30 | 39 | 64 |
| 65+ | 569 | 19.7 | 177 | 5 | 7 | 17 | 25 | 36 | 48 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 316 | 9.9 | 104 | 1 | 2 | 7 | 12 | 20 | 25 | 67 |
| B. *Operated* | 948 | 12.0 | 74 | 2 | 3 | 11 | 17 | 22 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 963 | 12.3 | 141 | 2 | 3 | 9 | 16 | 27 | 38 | 99+ |
| B. *Operated* | 1070 | 16.5 | 172 | 2 | 4 | 14 | 21 | 31 | 42 | 77 |
| **1. SINGLE DX** | 1264 | 11.5 | 82 | 2 | 2 | 10 | 16 | 22 | 27 | 45 |
| **2. MULTIPLE DX** | 2033 | 14.5 | 162 | 2 | 3 | 12 | 19 | 29 | 41 | 93 |
| **A. NOT OPERATED** | 1279 | 11.7 | 133 | 2 | 3 | 9 | 15 | 24 | 34 | 96 |
| **B. OPERATED** | 2018 | 14.4 | 131 | 2 | 3 | 13 | 18 | 27 | 35 | 64 |
| TOTAL 0-19 YRS | 22 | 5.9 | 19 | 1 | 2 | 6 | 8 | 12 | 49 | 99+ |
| 20-34 | 128 | 5.2 | 24 | 1 | 2 | 4 | 6 | 10 | 15 | 31 |
| 35-49 | 281 | 7.8 | 55 | 1 | 2 | 5 | 11 | 16 | 22 | 36 |
| 50-64 | 913 | 12.5 | 100 | 2 | 3 | 11 | 16 | 23 | 30 | 53 |
| 65+ | 1953 | 15.1 | 156 | 3 | 4 | 13 | 19 | 29 | 41 | 92 |
| **GRAND TOTAL** | **3297** | **13.3** | **133** | **2** | **3** | **11** | **17** | **26** | **35** | **71** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 8.0 | 43 | 1 | 2 | 6 | 10 | 17 | 20 | 33 |
| 20-34 | 47 | 5.6 | 16 | 1 | 1 | 5 | 9 | 11 | 11 | 21 |
| 35-49 | 27 | 7.6 | 26 | 2 | 2 | 6 | 12 | 16 | 16 | 16 |
| 50-64 | 60 | 7.9 | 37 | 1 | 2 | 7 | 9 | 14 | 23 | 30 |
| 65+ | 128 | 9.9 | 91 | 2 | 2 | 7 | 13 | 19 | 24 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 11.7 | 70 | 3 | 3 | 9 | 17 | 24 | 30 | 32 |
| 20-34 | 52 | 6.4 | 26 | 2 | 2 | 4 | 9 | 13 | 17 | 27 |
| 35-49 | 27 | 9.0 | 38 | 1 | 2 | 7 | 15 | 17 | 21 | 23 |
| 50-64 | 29 | 8.4 | 61 | 1 | 2 | 6 | 11 | 18 | 29 | 31 |
| 65+ | 25 | 17.0 | 111 | 2 | 2 | 15 | 24 | 30 | 35 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 10.4 | 106 | 2 | 3 | 6 | 14 | 24 | 34 | 45 |
| 20-34 | 43 | 9.1 | 45 | 3 | 3 | 7 | 11 | 21 | 26 | 29 |
| 35-49 | 60 | 8.3 | 82 | 2 | 2 | 6 | 10 | 18 | 19 | 56 |
| 50-64 | 88 | 10.0 | 57 | 2 | 2 | 8 | 13 | 22 | 29 | 74 |
| 65+ | 318 | 12.9 | 149 | 3 | 4 | 9 | 15 | 28 | 49 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 16.4 | 94 | 3 | 3 | 17 | 23 | 29 | 31 | 32 |
| 20-34 | 22 | 18.0 | 296 | 2 | 3 | 12 | 24 | 52 | 58 | 59 |
| 35-49 | 44 | 12.9 | 224 | 2 | 2 | 9 | 16 | 27 | 46 | 83 |
| 50-64 | 34 | 11.8 | 123 | 2 | 2 | 5 | 19 | 30 | 43 | 99+ |
| 65+ | 49 | 24.4 | 433 | 5 | 6 | 16 | 35 | 54 | 90 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 8.3 | 57 | 1 | 2 | 6 | 10 | 17 | 21 | 35 |
| B. *Operated* | 153 | 9.7 | 66 | 2 | 2 | 7 | 14 | 21 | 29 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 543 | 11.5 | 118 | 2 | 3 | 8 | 14 | 24 | 37 | 99+ |
| B. *Operated* | 166 | 17.1 | 282 | 2 | 3 | 12 | 23 | 46 | 55 | 99 |
| **1. SINGLE DX** | 484 | 8.8 | 60 | 1 | 2 | 7 | 11 | 18 | 23 | 34 |
| **2. MULTIPLE DX** | 709 | 12.8 | 162 | 2 | 3 | 9 | 16 | 29 | 46 | 99+ |
| **A. NOT OPERATED** | 874 | 10.3 | 97 | 2 | 3 | 7 | 13 | 21 | 29 | 71 |
| **B. OPERATED** | 319 | 13.5 | 192 | 2 | 3 | 10 | 18 | 30 | 46 | 91 |
| TOTAL 0-19 YRS | 140 | 10.1 | 74 | 1 | 2 | 7 | 14 | 23 | 29 | 37 |
| 20-34 | 164 | 8.4 | 78 | 2 | 2 | 6 | 10 | 18 | 24 | 57 |
| 35-49 | 158 | 9.6 | 107 | 2 | 2 | 7 | 12 | 18 | 23 | 57 |
| 50-64 | 211 | 9.5 | 63 | 1 | 2 | 7 | 12 | 22 | 29 | 66 |
| 65+ | 520 | 13.5 | 173 | 2 | 3 | 9 | 16 | 29 | 49 | 99+ |
| **GRAND TOTAL** | 1193 | 11.2 | 124 | 2 | 3 | 8 | 14 | 24 | 33 | 79 |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 4.1 | 15 | <1 | <1 | 3 | 6 | 8 | 12 | 17 |
| 20-34 | 11 | 2.7 | 14 | <1 | <1 | 2 | 2 | 7 | 13 | 14 |
| 35-49 | 5 | 1.8 | 2 | 1 | 1 | 1 | 2 | 4 | 4 | 4 |
| 50-64 | 5 | 4.2 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 476 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 1142 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 559 | 4.1 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 10 |
| 50-64 | 259 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 65+ | 37 | 5.8 | 16 | 1 | 2 | 4 | 7 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.9 | 13 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 20-34 | 14 | 2.3 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| 35-49 | 8 | 4.0 | 11 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 50-64 | 7 | 5.6 | 36 | <1 | <1 | 3 | 7 | 16 | 18 | 18 |
| 65+ | 3 | 20.3 | 420 | 8 | 8 | 9 | 35 | 44 | 44 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 159 | 4.6 | 15 | 1 | 2 | 4 | 5 | 7 | 10 | 27 |
| 20-34 | 506 | 4.5 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 279 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 50-64 | 192 | 5.7 | 39 | 1 | 2 | 4 | 6 | 10 | 14 | 40 |
| 65+ | 61 | 8.9 | 61 | 2 | 3 | 6 | 12 | 19 | 25 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 3.5 | 12 | <1 | 1 | 2 | 5 | 7 | 10 | 17 |
| B. *Operated* | 2473 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 4.8 | 52 | <1 | <1 | 2 | 7 | 9 | 13 | 44 |
| B. *Operated* | 1197 | 5.0 | 19 | 1 | 2 | 4 | 6 | 8 | 12 | 25 |
| **1. SINGLE DX** | 2517 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 1239 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 26 |
| **A. NOT OPERATED** | 86 | 4.2 | 31 | <1 | 1 | 2 | 6 | 8 | 10 | 35 |
| **B. OPERATED** | 3670 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| TOTAL 0-19 YRS | 666 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 1673 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 35-49 | 851 | 4.4 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 463 | 5.3 | 21 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 65+ | 103 | 8.0 | 57 | 1 | 2 | 6 | 9 | 15 | 22 | 43 |
| **GRAND TOTAL** | 3756 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 176 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 13 | 17 |
| 20-34 | 66 | 4.2 | 11 | <1 | 1 | 4 | 5 | 10 | 11 | 17 |
| 35-49 | 42 | 5.8 | 29 | 1 | 1 | 4 | 8 | 11 | 17 | 28 |
| 50-64 | 24 | 5.8 | 33 | 1 | 1 | 4 | 7 | 11 | 22 | 23 |
| 65+ | 38 | 7.4 | 67 | 1 | 1 | 4 | 10 | 15 | 29 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 508 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 19 |
| 20-34 | 825 | 3.9 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 13 |
| 35-49 | 193 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| 50-64 | 91 | 5.2 | 32 | 1 | 1 | 4 | 5 | 12 | 18 | 32 |
| 65+ | 28 | 7.6 | 70 | 1 | 1 | 4 | 10 | 22 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 5.4 | 28 | 1 | 1 | 4 | 7 | 11 | 16 | 30 |
| 20-34 | 52 | 5.3 | 21 | 1 | 1 | 4 | 7 | 11 | 16 | 23 |
| 35-49 | 45 | 8.8 | 144 | 1 | 1 | 4 | 10 | 18 | 39 | 61 |
| 50-64 | 59 | 9.9 | 101 | 1 | 2 | 7 | 11 | 23 | 28 | 52 |
| 65+ | 116 | 10.9 | 135 | 1 | 2 | 7 | 14 | 22 | 35 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 164 | 7.2 | 45 | 2 | 2 | 5 | 8 | 15 | 21 | 36 |
| 20-34 | 243 | 5.8 | 49 | 1 | 2 | 4 | 6 | 10 | 14 | 47 |
| 35-49 | 116 | 7.8 | 91 | 1 | 2 | 5 | 8 | 18 | 33 | 49 |
| 50-64 | 79 | 7.7 | 59 | 1 | 2 | 5 | 10 | 17 | 23 | 42 |
| 65+ | 46 | 15.2 | 239 | 2 | 2 | 10 | 23 | 42 | 75 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 346 | 5.0 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| B. *Operated* | 1645 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 368 | 8.3 | 92 | 1 | 1 | 5 | 10 | 17 | 25 | 48 |
| B. *Operated* | 648 | 7.4 | 75 | 1 | 2 | 5 | 8 | 15 | 25 | 54 |
| **1. SINGLE DX** | 1991 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 21 |
| **2. MULTIPLE DX** | 1016 | 7.7 | 81 | 1 | 2 | 5 | 9 | 16 | 25 | 50 |
| **A. NOT OPERATED** | 714 | 6.7 | 61 | 1 | 1 | 4 | 8 | 14 | 19 | 41 |
| **B. OPERATED** | 2293 | 5.1 | 31 | 1 | 2 | 4 | 5 | 9 | 13 | 33 |
| TOTAL 0-19 YRS | 944 | 5.0 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 27 |
| 20-34 | 1186 | 4.4 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 35-49 | 396 | 6.0 | 54 | 1 | 1 | 4 | 7 | 12 | 18 | 46 |
| 50-64 | 253 | 7.2 | 59 | 1 | 1 | 5 | 9 | 15 | 23 | 45 |
| 65+ | 228 | 10.8 | 142 | 1 | 2 | 7 | 14 | 27 | 36 | 90 |
| **GRAND TOTAL** | **3007** | **5.5** | **38** | **1** | **2** | **4** | **6** | **10** | **15** | **36** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 9.8 | 20 | 3 | 3 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | 10 | 8.5 | 21 | 4 | 4 | 7 | 11 | 15 | 19 | 19 |
| 35-49 | 9 | 16.2 | 216 | 2 | 3 | 14 | 18 | 41 | 50 | 50 |
| 50-64 | 2 | 14.5 | 221 | 4 | 4 | 14 | 25 | 25 | 28 | 25 |
| 65+ | 3 | 14.7 | 76 | 5 | 5 | 17 | 21 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 28.5 | 1013 | 6 | 6 | 28 | 51 | 51 | 51 | 51 |
| 35-49 | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 50-64 | 2 | 24.0 | 512 | 8 | 8 | 24 | 40 | 40 | 40 | 40 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 16.7 | 144 | 5 | 5 | 16 | 25 | 29 | 29 | 29 |
| 20-34 | 9 | 12.9 | 124 | 2 | 2 | 9 | 16 | 32 | 37 | 37 |
| 35-49 | 13 | 10.2 | 21 | 5 | 6 | 8 | 14 | 17 | 18 | 18 |
| 50-64 | 11 | 9.0 | 30 | 4 | 4 | 7 | 11 | 17 | 22 | 22 |
| 65+ | 14 | 10.4 | 54 | 2 | 2 | 8 | 16 | 21 | 26 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 10.0 | 55 | 1 | 1 | 10 | 15 | 19 | 20 | 20 |
| 35-49 | 6 | 20.2 | 94 | 13 | 13 | 15 | 30 | 34 | 35 | 35 |
| 50-64 | 4 | 13.8 | 70 | 2 | 2 | 18 | 41 | 99+ | 99+ | 99+ |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 12.3 | 100 | 3 | 4 | 11 | 15 | 24 | 30 | 50 |
| B. *Operated* | 6 | 20.3 | 395 | 6 | 6 | 9 | 40 | 50 | 51 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 10.8 | 55 | 2 | 3 | 9 | 14 | 21 | 27 | 37 |
| B. *Operated* | 17 | 14.5 | 81 | 1 | 3 | 14 | 20 | 33 | 74 | 99+ |
| **1. SINGLE DX** | 34 | 13.7 | 151 | 3 | 4 | 11 | 15 | 29 | 48 | 51 |
| **2. MULTIPLE DX** | 67 | 11.8 | 63 | 2 | 3 | 10 | 16 | 23 | 30 | 89 |
| **A. NOT OPERATED** | 78 | 11.3 | 71 | 2 | 4 | 9 | 14 | 22 | 28 | 46 |
| **B. OPERATED** | 23 | 16.0 | 155 | 2 | 4 | 14 | 20 | 41 | 66 | 99+ |
| TOTAL 0-19 YRS | 7 | 12.7 | 72 | 3 | 3 | 12 | 15 | 26 | 29 | 29 |
| 20-34 | 27 | 11.8 | 122 | 2 | 3 | 9 | 14 | 23 | 39 | 51 |
| 35-49 | 30 | 13.9 | 103 | 5 | 5 | 12 | 15 | 29 | 38 | 50 |
| 50-64 | 19 | 12.2 | 92 | 3 | 4 | 9 | 19 | 32 | 70 | 99+ |
| 65+ | 18 | 11.1 | 63 | 2 | 2 | 9 | 17 | 21 | 25 | 27 |
| **GRAND TOTAL** | **101** | **12.4** | **92** | **2** | **4** | **10** | **16** | **26** | **36** | **74** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 12 | 4.8 | 9 | <1 | 1 | 4 | 6 | 9 | 11 | 11 |
| 35-49 | 50 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| 50-64 | 68 | 8.0 | 55 | 2 | 2 | 6 | 9 | 15 | 23 | 40 |
| 65+ | 113 | 9.4 | 39 | 2 | 3 | 8 | 12 | 19 | 21 | 28 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 16.0 |  | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 10 | 6.7 | 21 | 1 | 2 | 5 | 12 | 13 | 14 | 14 |
| 35-49 | 69 | 8.4 | 33 | 1 | 1 | 8 | 11 | 16 | 18 | 27 |
| 50-64 | 79 | 9.2 | 67 | 1 | 1 | 8 | 11 | 19 | 23 | 45 |
| 65+ | 26 | 12.3 | 101 | 1 | 3 | 10 | 16 | 19 | 28 | 53 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 25.0 |  | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 20-34 | 18 | 8.3 | 33 | 1 | 1 | 7 | 11 | 18 | 21 | 22 |
| 35-49 | 49 | 7.7 | 38 | 2 | 2 | 6 | 9 | 19 | 21 | 29 |
| 50-64 | 156 | 10.2 | 74 | 3 | 3 | 8 | 13 | 22 | 26 | 43 |
| 65+ | 384 | 13.1 | 168 | 3 | 3 | 9 | 16 | 28 | 39 | 98 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | [illegible] | 3 | 3 |
| 20-34 | 7 | 6.6 | 33 | 1 | 1 | 3 | 10 | [illegible] | 17 | 17 |
| 35-49 | 49 | 12.4 | 103 | 1 | 2 | 9 | 17 | [illegible] | 31 | 48 |
| 50-64 | 113 | 13.1 | 133 | 1 | 2 | 12 | 17 | 27 | 39 | 79 |
| 65+ | 54 | 18.9 | 422 | 1 | 2 | 12 | 29 | 53 | 88 | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 245 | 8.0 | 39 | 1 | 2 | 6 | 10 | 17 | 20 | 29 |
| B. *Operated* | 185 | 9.2 | 58 | 1 | 1 | 8 | 12 | 17 | 22 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 608 | 11.8 | 133 | 2 | 3 | 8 | 15 | 24 | 33 | 91 |
| B. *Operated* | 224 | 14.1 | 199 | 1 | 2 | 11 | 18 | 33 | 45 | 99+ |
| **1. SINGLE DX** | 430 | 8.5 | 47 | 1 | 2 | 7 | 11 | 17 | 21 | 39 |
| **2. MULTIPLE DX** | 832 | 12.4 | 151 | 2 | 3 | 9 | 16 | 27 | 38 | 96 |
| **A. NOT OPERATED** | 853 | 10.7 | 109 | 2 | 3 | 8 | 13 | 22 | 29 | 66 |
| **B. OPERATED** | 409 | 11.9 | 141 | 1 | 2 | 9 | 15 | 24 | 39 | 84 |
| TOTAL 0-19 YRS | 5 | 11.2 | 84 | 3 | 3 | 7 | 18 | 25 | 25 | 25 |
| 20-34 | 47 | 6.8 | 25 | 1 | 1 | 6 | 8 | 13 | 17 | 22 |
| 35-49 | 217 | 8.5 | 51 | 1 | 2 | 7 | 11 | 18 | 23 | 33 |
| 50-64 | 416 | 10.4 | 88 | 1 | 2 | 8 | 14 | 22 | 27 | 47 |
| 65+ | 577 | 12.9 | 169 | 2 | 3 | 9 | 16 | 28 | 40 | 98 |
| **GRAND TOTAL** | 1262 | 11.1 | 119 | 1 | 3 | 8 | 14 | 23 | 32 | 70 |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 26 | 8.1 | 45 | 2 | 3 | 5 | 9 | 16 | 24 | 30 |
| 20-34 | 332 | 6.8 | 21 | 2 | 2 | 6 | 9 | 12 | 15 | 23 |
| 35-49 | 505 | 8.1 | 28 | 2 | 2 | 7 | 11 | 15 | 18 | 25 |
| 50-64 | 311 | 8.9 | 33 | 2 | 3 | 8 | 12 | 16 | 21 | 28 |
| 65+ | 85 | 9.7 | 45 | 2 | 3 | 9 | 13 | 19 | 23 | 30 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 51 | 9.3 | 36 | 1 | 2 | 9 | 12 | 19 | 20 | 27 |
| 20-34 | 912 | 8.3 | 35 | 1 | 1 | 8 | 11 | 16 | 19 | 29 |
| 35-49 | 1237 | 8.8 | 39 | 1 | 1 | 8 | 12 | 16 | 19 | 29 |
| 50-64 | 536 | 8.9 | 57 | 1 | 1 | 8 | 12 | 18 | 23 | 37 |
| 65+ | 95 | 8.9 | 74 | 1 | 1 | 6 | 13 | 19 | 24 | 41 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 6.2 | 39 | 1 | 1 | 4 | 8 | 17 | 18 | 18 |
| 20-34 | 123 | 8.4 | 38 | 1 | 2 | 7 | 10 | 17 | 19 | 31 |
| 35-49 | 192 | 9.9 | 61 | 1 | 2 | 8 | 13 | 19 | 23 | 41 |
| 50-64 | 251 | 10.6 | 59 | 3 | 4 | [illegible] | 13 | 20 | 23 | 44 |
| 65+ | 210 | 12.9 | 82 | 3 | 4 | 11 | 17 | 25 | 34 | 91 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 17 | 11.1 | 43 | 2 | 2 | 11 | 17 | 20 | 21 | 21 |
| 20-34 | 343 | 11.3 | 64 | 1 | 2 | 10 | 15 | 21 | 27 | 36 |
| 35-49 | 568 | 11.2 | 58 | 2 | 2 | 10 | 15 | 22 | 25 | 35 |
| 50-64 | 418 | 13.7 | 111 | 2 | 3 | 12 | 18 | 27 | 36 | 58 |
| 65+ | 124 | 16.7 | 165 | 1 | 2 | 14 | 22 | 33 | 43 | 65 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1259 | 8.1 | 30 | 2 | 2 | 7 | 11 | 15 | 18 | 26 |
| B. *Operated* | 2831 | 8.7 | 43 | 1 | 1 | 8 | 12 | 17 | 20 | 31 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 782 | 10.7 | 64 | 2 | 3 | 9 | 14 | 20 | 27 | 42 |
| B. *Operated* | 1470 | 12.4 | 86 | 2 | 2 | 11 | 16 | 24 | 29 | 49 |
| **1. SINGLE DX** | 4090 | 8.5 | 39 | 1 | 2 | 8 | 12 | 16 | 20 | 30 |
| **2. MULTIPLE DX** | 2252 | 11.8 | 79 | 2 | 3 | 10 | 16 | 22 | 28 | 45 |
| **A. NOT OPERATED** | 2041 | 9.1 | 44 | 2 | 3 | 7 | 12 | 17 | 21 | 34 |
| **B. OPERATED** | 4301 | 9.9 | 60 | 1 | 2 | 9 | 13 | 19 | 24 | 38 |
| TOTAL 0-19 YRS | 100 | 9.1 | 40 | 1 | 2 | 8 | 12 | 19 | 21 | 28 |
| 20-34 | 1710 | 8.6 | 40 | 1 | 2 | 8 | 11 | 17 | 21 | 30 |
| 35-49 | 2502 | 9.3 | 44 | 1 | 2 | 8 | 12 | 17 | 22 | 31 |
| 50-64 | 1516 | 10.5 | 71 | 1 | 2 | 9 | 14 | 21 | 26 | 44 |
| 65+ | 514 | 12.5 | 102 | 1 | 2 | 11 | 17 | 28 | 33 | 92 |
| **GRAND TOTAL** | 6342 | 9.7 | 55 | 1 | 2 | 8 | 13 | 19 | 23 | 36 |

## 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 4.5 | 14 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 20-34 | 56 | 7.6 | 34 | 1 | 2 | 6 | 10 | 14 | 21 | 29 |
| 35-49 | 95 | 7.7 | 33 | 1 | 2 | 6 | 11 | 13 | 17 | 33 |
| 50-64 | 69 | 8.3 | 38 | 1 | 2 | 7 | 12 | 15 | 19 | 33 |
| 65+ | 33 | 9.7 | 55 | 2 | 3 | 8 | 14 | 22 | 25 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 17.8 | 197 | 8 | 9 | 11 | 24 | 42 | 42 | 42 |
| 20-34 | 37 | 7.4 | 53 | 1 | 1 | 6 | 9 | 15 | 26 | 32 |
| 35-49 | 159 | 7.9 | 34 | 1 | 2 | 7 | 11 | 15 | 19 | 28 |
| 50-64 | 114 | 8.4 | 57 | 1 | 2 | 7 | 10 | 16 | 24 | 43 |
| 65+ | 11 | 12.7 | 56 | 3 | 5 | 13 | 17 | 23 | 28 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 6.8 | 17 | 2 | 2 | 6 | 9 | 12 | 12 | 12 |
| 20-34 | 20 | 7.6 | 48 | 2 | 2 | 6 | 9 | 13 | 23 | 33 |
| 35-49 | 44 | 7.7 | 20 | 2 | 3 | 7 | 9 | 15 | 18 | 19 |
| 50-64 | 79 | 9.1 | 55 | 3 | 3 | 7 | 10 | 18 | 25 | 40 |
| 65+ | 73 | 12.5 | 166 | 2 | 3 | 9 | 16 | 27 | 39 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| 20-34 | 20 | 13.4 | 94 | 1 | 2 | 14 | 19 | 26 | 32 | 36 |
| 35-49 | 73 | 8.6 | 51 | 1 | 1 | 7 | 12 | 19 | 25 | 31 |
| 50-64 | 80 | 11.2 | 72 | 1 | 2 | 9 | 16 | 22 | 28 | 37 |
| 65+ | 16 | 22.0 | 307 | 4 | 7 | 17 | 29 | 55 | 62 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 257 | 8.0 | 37 | 1 | 2 | 7 | 11 | 15 | 19 | 32 |
| B. *Operated* | 326 | 8.3 | 49 | 1 | 2 | 7 | 11 | 17 | 21 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 9.8 | 86 | 2 | 3 | 7 | 11 | 19 | 27 | 69 |
| B. *Operated* | 191 | 11.3 | 96 | 1 | 2 | 9 | 16 | 23 | 29 | 50 |
| **1. SINGLE DX** | 583 | 8.2 | 44 | 1 | 2 | 7 | 11 | 15 | 20 | 35 |
| **2. MULTIPLE DX** | 411 | 10.5 | 91 | 1 | 2 | 8 | 14 | 21 | 29 | 60 |
| **A. NOT OPERATED** | 477 | 8.8 | 60 | 2 | 2 | 7 | 11 | 17 | 22 | 41 |
| **B. OPERATED** | 517 | 9.4 | 68 | 1 | 2 | 7 | 12 | 19 | 26 | 39 |
| TOTAL 0-19 YRS | 15 | 10.1 | 97 | 1 | 2 | 8 | 11 | 18 | 36 | 42 |
| 20-34 | 133 | 8.4 | 53 | 1 | 2 | 6 | 10 | 18 | 26 | 34 |
| 35-49 | 371 | 8.0 | 35 | 1 | 2 | 7 | 11 | 15 | 19 | 28 |
| 50-64 | 342 | 9.2 | 57 | 1 | 2 | 7 | 12 | 18 | 24 | 38 |
| 65+ | 133 | 12.9 | 156 | 2 | 3 | 9 | 16 | 28 | 35 | 83 |
| **GRAND TOTAL** | 994 | 9.1 | 64 | 1 | 2 | 7 | 12 | 18 | 26 | 41 |

## 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.9 | 6 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 35 | 6.2 | 18 | 2 | 2 | 5 | 9 | 11 | 14 | 20 |
| 35-49 | 44 | 7.8 | 24 | 2 | 2 | 7 | 10 | 15 | 16 | 23 |
| 50-64 | 20 | 8.4 | 24 | 3 | 4 | 7 | 11 | 16 | 19 | 21 |
| 65+ | 14 | 8.7 | 35 | 3 | 3 | 7 | 9 | 19 | 22 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 12.5 | 13 | 10 | 10 | 12 | 15 | 15 | 15 | 15 |
| 20-34 | 31 | 8.0 | 63 | 1 | 1 | 5 | 10 | 19 | 26 | 34 |
| 35-49 | 25 | 7.5 | 38 | 1 | 2 | 5 | 11 | 18 | 20 | 23 |
| 50-64 | 5 | 12.4 | 169 | 2 | 2 | 6 | 20 | 34 | 34 | 34 |
| 65+ | 4 | 6.3 | 16 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 20-34 | 23 | 8.1 | 37 | 1 | 1 | 8 | 10 | 16 | 21 | 28 |
| 35-49 | 25 | 7.9 | 19 | 2 | 3 | 8 | 10 | 14 | 17 | 18 |
| 50-64 | 29 | 12.1 | 76 | 3 | 4 | 11 | 16 | 25 | 30 | 38 |
| 65+ | 22 | 9.7 | 90 | 1 | 2 | 8 | 11 | 21 | 31 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 10.7 | 98 | 4 | 4 | 9 | 16 | 19 | 19 | 19 |
| 20-34 | 19 | 14.5 | 135 | 1 | 2 | 13 | 18 | 29 | 40 | 49 |
| 35-49 | 23 | 15.3 | 158 | 2 | 3 | 12 | 16 | 37 | 48 | 48 |
| 50-64 | 10 | 12.4 | 78 | 4 | 4 | 10 | 13 | 27 | 33 | 33 |
| 65+ | 2 | 17.5 | 61 | 12 | 12 | 17 | 23 | 23 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 7.4 | 23 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| B. *Operated* | 67 | 8.2 | 56 | 1 | 2 | 5 | 11 | 18 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 9.5 | 57 | 1 | 3 | 8 | 11 | 18 | 24 | 41 |
| B. *Operated* | 57 | 14.3 | 123 | 2 | 3 | 12 | 17 | 30 | 41 | 49 |
| **1. SINGLE DX** | 188 | 7.7 | 35 | 2 | 2 | 6 | 10 | 15 | 19 | 31 |
| **2. MULTIPLE DX** | 158 | 11.2 | 86 | 2 | 3 | 9 | 14 | 22 | 30 | 48 |
| **A. NOT OPERATED** | 222 | 8.3 | 39 | 2 | 2 | 7 | 11 | 16 | 20 | 32 |
| **B. OPERATED** | 124 | 11.0 | 96 | 1 | 2 | 9 | 15 | 23 | 33 | 48 |
| TOTAL 0-19 YRS | 15 | 7.3 | 23 | 1 | 2 | 7 | 9 | 15 | 18 | 19 |
| 20-34 | 108 | 8.6 | 62 | 1 | 2 | 7 | 11 | 17 | 26 | 40 |
| 35-49 | 117 | 9.2 | 60 | 2 | 2 | 8 | 12 | 17 | 22 | 48 |
| 50-64 | 64 | 11.0 | 66 | 3 | 4 | 9 | 14 | 22 | 31 | 37 |
| 65+ | 42 | 9.4 | 64 | 2 | 3 | 8 | 12 | 21 | 23 | 44 |
| **GRAND TOTAL** | 346 | 9.3 | 61 | 2 | 2 | 7 | 12 | 18 | 23 | 44 |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 47 | 5.6 | 23 | 1 | 1 | 4 | 7 | 13 | 15 | 21 |
| 35-49 | 68 | 7.5 | 40 | 1 | 1 | 6 | 10 | 15 | 20 | 33 |
| 50-64 | 45 | 6.8 | 29 | 2 | 2 | 6 | 8 | 12 | 19 | 26 |
| 65+ | 27 | 11.1 | 70 | 2 | 3 | 8 | 17 | 26 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 31 | 4.6 | 22 | 1 | 1 | 2 | 7 | 13 | 14 | 19 |
| 35-49 | 31 | 5.8 | 35 | 1 | 1 | 4 | 9 | 12 | 21 | 24 |
| 50-64 | 20 | 5.9 | 70 | 1 | 1 | 2 | 7 | 16 | 27 | 34 |
| 65+ | 3 | 9.7 | 105 | 1 | 1 | 7 | 17 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 30 | 7.3 | 36 | 2 | 2 | 6 | 9 | 16 | 18 | 29 |
| 35-49 | 36 | 10.4 | 124 | 2 | 4 | 8 | 11 | 22 | 29 | 65 |
| 50-64 | 67 | 10.9 | 92 | 2 | 3 | 8 | 12 | 24 | 30 | 49 |
| 65+ | 94 | 10.9 | 53 | 3 | 3 | 9 | 16 | 21 | 26 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 11 | 7.0 | 103 | <1 | <1 | 3 | 9 | 20 | 35 | 36 |
| 35-49 | 19 | 11.8 | 276 | 1 | 1 | 6 | 14 | 26 | 54 | 72 |
| 50-64 | 17 | 10.3 | 49 | 1 | 1 | 10 | 14 | 21 | 24 | 25 |
| 65+ | 10 | 19.5 | 351 | 1 | 1 | 15 | 25 | 48 | 65 | 65 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 188 | 7.3 | 40 | 1 | 2 | 5 | 10 | 16 | 21 | 29 |
| B. *Operated* | 85 | 5.5 | 40 | 1 | 1 | 3 | 8 | 13 | 21 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 229 | 10.3 | 74 | 2 | 3 | 8 | 12 | 21 | 27 | 44 |
| B. *Operated* | 57 | 11.8 | 194 | 1 | 1 | 8 | 15 | 25 | 35 | 72 |
| 1. SINGLE DX | 273 | 6.8 | 40 | 1 | 1 | 5 | 9 | 15 | 21 | 30 |
| 2. MULTIPLE DX | 286 | 10.6 | 98 | 1 | 2 | 8 | 12 | 22 | 28 | 60 |
| A. NOT OPERATED | 417 | 8.9 | 61 | 2 | 2 | 7 | 11 | 20 | 24 | 38 |
| B. OPERATED | 142 | 8.0 | 110 | 1 | 1 | 5 | 11 | 19 | 25 | 66 |
| TOTAL 0-19 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 119 | 5.9 | 34 | 1 | 1 | 4 | 7 | 14 | 17 | 31 |
| 35-49 | 154 | 8.4 | 89 | 1 | 1 | 6 | 10 | 16 | 23 | 64 |
| 50-64 | 149 | 8.9 | 69 | 1 | 2 | 7 | 11 | 20 | 25 | 42 |
| 65+ | 134 | 11.6 | 81 | 2 | 3 | 9 | 16 | 24 | 28 | 42 |
| GRAND TOTAL | 559 | 8.7 | 73 | 1 | 1 | 6 | 11 | 20 | 25 | 39 |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 4.6 | 24 | <1 | 1 | 3 | 5 | 10 | 14 | 26 |
| 20-34 | 374 | 5.7 | 31 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| 35-49 | 375 | 6.7 | 40 | 1 | 2 | 5 | 8 | 13 | 16 | 33 |
| 50-64 | 216 | 6.7 | 28 | 1 | 2 | 5 | 9 | 12 | 17 | 28 |
| 65+ | 111 | 7.7 | 24 | 2 | 3 | 7 | 9 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.7 | 18 | 1 | 1 | 3 | 6 | 9 | 17 | 19 |
| 20-34 | 250 | 5.3 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 32 |
| 35-49 | 247 | 6.5 | 39 | 1 | 1 | 5 | 9 | 14 | 17 | 34 |
| 50-64 | 182 | 7.7 | 37 | 1 | 1 | 7 | 12 | 16 | 18 | 27 |
| 65+ | 56 | 9.2 | 82 | 1 | 1 | 9 | 13 | 23 | 26 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 4.9 | 16 | 1 | 1 | 4 | 7 | 10 | 14 | 18 |
| 20-34 | 254 | 7.1 | 55 | 1 | 1 | 5 | 10 | 13 | 18 | 31 |
| 35-49 | 273 | 8.1 | 51 | 1 | 2 | 7 | 10 | 17 | 25 | 33 |
| 50-64 | 274 | 9.0 | 46 | 2 | 3 | 7 | 11 | 18 | 23 | 34 |
| 65+ | 290 | 11.1 | 111 | 2 | 3 | 8 | 13 | 21 | 32 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 9.1 | 53 | 1 | 2 | 6 | 13 | 17 | 25 | 30 |
| 20-34 | 171 | 7.1 | 55 | 1 | 1 | 5 | 9 | 15 | 20 | 37 |
| 35-49 | 223 | 10.6 | 95 | 1 | 2 | 7 | 15 | 25 | 28 | 46 |
| 50-64 | 244 | 12.1 | 84 | 1 | 2 | 10 | 16 | 24 | 33 | 60 |
| 65+ | 109 | 17.0 | 198 | 2 | 4 | 13 | 23 | 35 | 46 | 93 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1177 | 6.3 | 33 | 1 | 2 | 5 | 8 | 12 | 16 | 28 |
| B. *Operated* | 779 | 6.5 | 38 | 1 | 1 | 5 | 9 | 14 | 18 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1153 | 8.7 | 67 | 1 | 2 | 7 | 11 | 17 | 24 | 42 |
| B. *Operated* | 764 | 11.2 | 105 | 1 | 2 | 9 | 15 | 24 | 31 | 57 |
| 1. SINGLE DX | 1956 | 6.4 | 35 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| 2. MULTIPLE DX | 1917 | 9.7 | 83 | 1 | 2 | 7 | 13 | 20 | 27 | 48 |
| A. NOT OPERATED | 2330 | 7.5 | 51 | 1 | 2 | 6 | 10 | 15 | 20 | 34 |
| B. OPERATED | 1543 | 8.8 | 77 | 1 | 1 | 6 | 12 | 19 | 26 | 44 |
| TOTAL 0-19 YRS | 224 | 5.0 | 24 | 1 | 1 | 3 | 6 | 11 | 16 | 23 |
| 20-34 | 1049 | 6.2 | 40 | 1 | 1 | 5 | 8 | 12 | 16 | 28 |
| 35-49 | 1118 | 7.8 | 56 | 1 | 2 | 6 | 10 | 16 | 23 | 40 |
| 50-64 | 916 | 9.0 | 54 | 1 | 2 | 7 | 12 | 18 | 24 | 38 |
| 65+ | 566 | 11.4 | 117 | 2 | 3 | 8 | 14 | 24 | 33 | 63 |
| GRAND TOTAL | 3873 | 8.0 | 62 | 1 | 2 | 6 | 10 | 17 | 22 | 40 |

### 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 138 | 5.0 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 20-34 | 71 | 5.0 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| 35-49 | 45 | 5.6 | 33 | <1 | 1 | 4 | 7 | 10 | 15 | 33 |
| 50-64 | 72 | 5.3 | 19 | <1 | 1 | 4 | 7 | 11 | 15 | 20 |
| 65+ | 44 | 6.1 | 26 | <1 | <1 | 4 | 8 | 14 | 17 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 154 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 20-34 | 244 | 3.0 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 281 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 50-64 | 250 | 3.1 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| 65+ | 69 | 3.1 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 4.9 | 13 | 1 | 2 | 4 | 7 | 10 | 11 | 20 |
| 20-34 | 42 | 5.9 | 21 | 1 | 2 | 5 | 8 | 10 | 15 | 26 |
| 35-49 | 51 | 7.5 | 44 | 2 | 2 | 5 | 10 | 16 | 25 | 30 |
| 50-64 | 69 | 8.9 | 66 | 2 | 2 | 7 | 11 | 23 | 24 | 43 |
| 65+ | 103 | 8.7 | 42 | 2 | 2 | 8 | 11 | 18 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 5.6 | 25 | <1 | 1 | 4 | 9 | 14 | 16 | 19 |
| 20-34 | 92 | 4.0 | 11 | <1 | <1 | 3 | 5 | 7 | 12 | 17 |
| 35-49 | 124 | 4.5 | 23 | <1 | 1 | 3 | 5 | 11 | 16 | 23 |
| 50-64 | 144 | 6.6 | 122 | <1 | 1 | 3 | 7 | 13 | 20 | 57 |
| 65+ | 80 | 5.8 | 39 | 1 | 1 | 4 | 7 | 13 | 17 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 370 | 5.3 | 18 | 1 | 1 | 4 | 7 | 11 | 13 | 20 |
| B. *Operated* | 998 | 3.1 | 6 | <1 | <1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 7.6 | 42 | 2 | 2 | 6 | 9 | 16 | 23 | 30 |
| B. *Operated* | 471 | 5.4 | 55 | <1 | 1 | 3 | 6 | 11 | 16 | 43 |
| **1. SINGLE DX** | 1368 | 3.7 | 10 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | 788 | 6.2 | 51 | <1 | 1 | 4 | 8 | 13 | 19 | 35 |
| **A. NOT OPERATED** | 687 | 6.3 | 30 | 1 | 2 | 5 | 8 | 13 | 18 | 27 |
| **B. OPERATED** | 1469 | 3.8 | 22 | <1 | 1 | 3 | 4 | 7 | 11 | 21 |
| TOTAL 0-19 YRS | 375 | 4.2 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 20-34 | 449 | 3.8 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 35-49 | 501 | 4.2 | 19 | <1 | 1 | 3 | 5 | 9 | 13 | 23 |
| 50-64 | 535 | 5.1 | 50 | <1 | 1 | 3 | 6 | 10 | 15 | 34 |
| 65+ | 296 | 6.2 | 35 | <1 | 1 | 4 | 8 | 14 | 19 | 31 |
| **GRAND TOTAL** | **2156** | **4.6** | **26** | **<1** | **1** | **3** | **5** | **10** | **13** | **24** |

### 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 186 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 223 | 4.1 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 50-64 | 375 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 65+ | 173 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 65+ | 11 | 8.6 | 253 | <1 | <1 | 4 | 6 | 31 | 53 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 69 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 20-34 | 170 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 218 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 50-64 | 488 | 5.2 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 16 |
| 65+ | 324 | 6.6 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 1097 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 4.2 | 111 | <1 | <1 | 1 | 2 | 6 | 21 | 55 |
| B. *Operated* | 1269 | 5.3 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 20 |
| **1. SINGLE DX** | 1099 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 1296 | 5.3 | 14 | 1 | 2 | 5 | 6 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 29 | 4.1 | 104 | <1 | <1 | 1 | 3 | 6 | 17 | 55 |
| **B. OPERATED** | 2366 | 4.9 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| TOTAL 0-19 YRS | 215 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 360 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 442 | 4.4 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 50-64 | 870 | 4.9 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 65+ | 508 | 6.0 | 25 | 1 | 2 | 5 | 7 | 12 | 15 | 22 |
| **GRAND TOTAL** | **2395** | **4.9** | **11** | **1** | **2** | **4** | **6** | **8** | **10** | **17** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 20-34 | 6 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 35-49 | 7 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 50-64 | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 237 | 2.2 | 7 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| 20-34 | 313 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 159 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 10 |
| 50-64 | 119 | 2.9 | 7 | <1 | <1 | 2 | 4 | 5 | 8 | 14 |
| 65+ | 39 | 3.1 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 6.8 | 64 | <1 | <1 | 1 | 15 | 17 | 17 | 17 |
| 20-34 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 35-49 | 4 | 5.5 | 42 | 1 | 1 | 3 | 9 | 15 | 15 | 15 |
| 50-64 | 5 | 5.0 | 16 | <1 | <1 | 6 | 8 | 10 | 10 | 10 |
| 65+ | 4 | 5.3 | 43 | 1 | 1 | 2 | 9 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 3.3 | 16 | <1 | <1 | 2 | 3 | 9 | 14 | 15 |
| 20-34 | 63 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 4 | 5 |
| 35-49 | 52 | 3.5 | 32 | <1 | <1 | 2 | 3 | 6 | 8 | 34 |
| 50-64 | 66 | 3.6 | 11 | <1 | <1 | 3 | 4 | 7 | 9 | 18 |
| 65+ | 35 | 3.9 | 12 | <1 | 1 | 3 | 6 | 8 | 12 | 15 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 23 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| B. *Operated* | 867 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 20 | 5.2 | 33 | <1 | <1 | 2 | 8 | 15 | 16 | 17 |
| B. *Operated* | 240 | 3.1 | 14 | <1 | <1 | 2 | 3 | 6 | 8 | 19 |
| 1. SINGLE DX | 890 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| 2. MULTIPLE DX | 260 | 3.3 | 15 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| A. NOT OPERATED | 43 | 3.3 | 19 | <1 | <1 | 1 | 3 | 11 | 15 | 17 |
| B. OPERATED | 1107 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-19 YRS | 271 | 2.3 | 9 | <1 | <1 | 2 | 2 | 4 | 7 | 15 |
| 20-34 | 384 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 222 | 2.4 | 11 | <1 | <1 | 1 | 3 | 5 | 6 | 18 |
| 50-64 | 194 | 3.2 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |
| 65+ | 79 | 3.5 | 11 | <1 | <1 | 2 | 5 | 8 | 11 | 15 |
| GRAND TOTAL | 1150 | 2.4 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 12.7 | 77 | 3 | 4 | 10 | 18 | 24 | 31 | 39 |
| 20-34 | 41 | 10.1 | 55 | 2 | 2 | 9 | 13 | 19 | 25 | 38 |
| 35-49 | 26 | 10.6 | 47 | 2 | 3 | 8 | 17 | 21 | 22 | 25 |
| 50-64 | 16 | 15.4 | 161 | 4 | 5 | 11 | 20 | 39 | 43 | 45 |
| 65+ | 8 | 11.5 | 68 | 4 | 5 | 8 | 15 | 25 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 15.5 | 144 | 2 | 3 | 13 | 22 | 34 | 38 | 53 |
| 20-34 | 59 | 14.2 | 158 | 2 | 3 | 9 | 22 | 37 | 45 | 95 |
| 35-49 | 40 | 17.4 | 269 | 2 | 3 | 11 | 22 | 48 | 51 | 60 |
| 50-64 | 29 | 14.3 | 152 | 3 | 4 | 11 | 20 | 27 | 39 | 60 |
| 65+ | 12 | 23.7 | 221 | 4 | 5 | 24 | 38 | 59 | 92 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 38 | 15.8 | 117 | 2 | 3 | 14 | 22 | 28 | 39 | 47 |
| 20-34 | 21 | 12.5 | 89 | 3 | 4 | 11 | 16 | 24 | 32 | 41 |
| 35-49 | 16 | 15.7 | 231 | 2 | 3 | 8 | 23 | 44 | 46 | 47 |
| 50-64 | 20 | 19.3 | 229 | 4 | 4 | 16 | 29 | 45 | 47 | 47 |
| 65+ | 26 | 20.0 | 241 | 4 | 5 | 14 | 24 | 41 | 51 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 21.7 | 134 | 6 | 9 | 20 | 27 | 36 | 46 | 52 |
| 20-34 | 56 | 23.8 | 453 | 2 | 4 | 15 | 37 | 54 | 61 | 88 |
| 35-49 | 35 | 27.9 | 569 | 3 | 4 | 21 | 39 | 60 | 85 | 95 |
| 50-64 | 45 | 28.2 | 269 | 7 | 9 | 26 | 40 | 50 | 69 | 99+ |
| 65+ | 41 | 33.9 | 843 | 3 | 4 | 23 | 56 | 80 | 91 | 96 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 157 | 11.9 | 75 | 2 | 3 | 9 | 16 | 24 | 29 | 40 |
| B. *Operated* | 188 | 15.8 | 183 | 2 | 3 | 12 | 23 | 38 | 48 | 84 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 121 | 16.7 | 173 | 3 | 4 | 13 | 23 | 39 | 46 | 54 |
| B. *Operated* | 224 | 26.7 | 448 | 3 | 6 | 21 | 37 | 55 | 77 | 95 |
| 1. SINGLE DX | 345 | 14.0 | 137 | 2 | 3 | 10 | 19 | 30 | 40 | 60 |
| 2. MULTIPLE DX | 345 | 23.2 | 374 | 3 | 4 | 18 | 32 | 49 | 63 | 95 |
| A. NOT OPERATED | 278 | 14.0 | 123 | 3 | 4 | 11 | 18 | 29 | 39 | 47 |
| B. OPERATED | 412 | 21.8 | 356 | 3 | 4 | 17 | 30 | 49 | 60 | 96 |
| TOTAL 0-19 YRS | 199 | 16.1 | 124 | 3 | 3 | 13 | 22 | 32 | 38 | 52 |
| 20-34 | 177 | 16.1 | 246 | 2 | 3 | 10 | 22 | 40 | 51 | 88 |
| 35-49 | 117 | 18.8 | 339 | 2 | 3 | 12 | 24 | 47 | 53 | 90 |
| 50-64 | 110 | 21.1 | 249 | 4 | 5 | 17 | 30 | 44 | 50 | 86 |
| 65+ | 87 | 26.3 | 557 | 4 | 4 | 19 | 35 | 73 | 82 | 98 |
| GRAND TOTAL | 690 | 18.6 | 276 | 3 | 4 | 13 | 25 | 41 | 52 | 88 |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 117 | 8.8 | 60 | 1 | 2 | 7 | 10 | 17 | 21 | 43 |
| 20-34 | 54 | 6.1 | 126 | <1 | 1 | 3 | 6 | 11 | 20 | 78 |
| 35-49 | 46 | 4.7 | 17 | <1 | 1 | 3 | 7 | 11 | 14 | 18 |
| 50-64 | 59 | 8.1 | 86 | 1 | 2 | 6 | 8 | 17 | 30 | 45 |
| 65+ | 100 | 12.2 | 147 | 1 | 2 | 9 | 15 | 24 | 40 | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 374 | 5.9 | 46 | 1 | 2 | 4 | 7 | 11 | 16 | 39 |
| 20-34 | 444 | 5.1 | 24 | 1 | 2 | 4 | 6 | 9 | 13 | 27 |
| 35-49 | 164 | 5.9 | 21 | 1 | 2 | 5 | 7 | 12 | 15 | 25 |
| 50-64 | 129 | 8.2 | 51 | 1 | 2 | 6 | 11 | 16 | 21 | 36 |
| 65+ | 65 | 14.6 | 191 | 1 | 2 | 12 | 22 | 32 | 36 | 98 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 53 | 10.3 | 130 | 1 | 2 | 5 | 16 | 22 | 37 | 55 |
| 20-34 | 43 | 6.3 | 46 | 1 | 1 | 4 | 8 | 17 | 23 | 28 |
| 35-49 | 56 | 7.3 | 48 | 1 | 1 | 6 | 10 | 16 | 20 | 34 |
| 50-64 | 130 | 8.9 | 56 | 1 | 2 | 7 | 12 | 18 | 23 | 36 |
| 65+ | 469 | 17.1 | 264 | 3 | 4 | 12 | 22 | 43 | 61 | 99+ |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 142 | 9.1 | 137 | 1 | 2 | 5 | 9 | 22 | 30 | 65 |
| 20-34 | 189 | 7.5 | 52 | 2 | 2 | 6 | 9 | 14 | 22 | 43 |
| 35-49 | 101 | 10.2 | 104 | 1 | 2 | 6 | 14 | 26 | 33 | 73 |
| 50-64 | 163 | 17.5 | 319 | 2 | 3 | 12 | 23 | 37 | 64 | 99 |
| 65+ | 172 | 27.0 | 417 | 3 | 7 | 23 | 40 | 73 | 99+ | 99+ |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 376 | 8.7 | 97 | 1 | 1 | 6 | 10 | 18 | 25 | 75 |
| B. *Operated* | 1176 | 6.3 | 47 | 1 | 2 | 4 | 7 | 13 | 18 | 36 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 751 | 13.9 | 207 | 2 | 2 | 9 | 18 | 33 | 49 | 99+ |
| B. *Operated* | 767 | 14.6 | 270 | 2 | 2 | 9 | 20 | 37 | 60 | 99+ |
| **1. SINGLE DX** | 1552 | 6.9 | 60 | 1 | 2 | 5 | 8 | 15 | 20 | 41 |
| **2. MULTIPLE DX** | 1518 | 14.3 | 239 | 2 | 2 | 9 | 18 | 35 | 55 | 99+ |
| **A. NOT OPERATED** | 1127 | 12.1 | 176 | 1 | 2 | 8 | 15 | 26 | 43 | 96 |
| **B. OPERATED** | 1943 | 9.6 | 151 | 1 | 2 | 5 | 11 | 24 | 36 | 89 |
| TOTAL 0-19 YRS | 686 | 7.4 | 76 | 1 | 2 | 5 | 8 | 16 | 22 | 53 |
| 20-34 | 730 | 5.9 | 41 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| 35-49 | 367 | 7.1 | 51 | 1 | 2 | 5 | 9 | 16 | 22 | 38 |
| 50-64 | 481 | 11.5 | 165 | 1 | 2 | 7 | 15 | 25 | 34 | 84 |
| 65+ | 806 | 18.4 | 298 | 2 | 4 | 14 | 25 | 46 | 73 | 99+ |
| **GRAND TOTAL** | **3070** | **10.5** | **162** | **1** | **2** | **6** | **13** | **25** | **39** | **91** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 6 | 6.5 | 29 | 1 | 1 | 5 | 9 | 15 | 16 | 16 |
| 20-34 | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 99 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 20-34 | 57 | 3.9 | 22 | 1 | 1 | 3 | 4 | 7 | 9 | 33 |
| 35-49 | 37 | 4.0 | 8 | <1 | 1 | 3 | 5 | 8 | 11 | 13 |
| 50-64 | 20 | 3.7 | 13 | 1 | 1 | 2 | 4 | 8 | 12 | 16 |
| 65+ | 7 | 7.1 | 35 | 1 | 1 | 7 | 9 | 17 | 19 | 19 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 8 | 2.4 | 5 | 1 | 1 | 1 | 5 | 63 | 99+ | 99+ |
| 20-34 | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 117 | 5.9 | 26 | 2 | 2 | 5 | 7 | 11 | 14 | 26 |
| 20-34 | 47 | 6.4 | 52 | 2 | 2 | 5 | 7 | 12 | 16 | 47 |
| 35-49 | 22 | 6.3 | 24 | 1 | 2 | 5 | 8 | 12 | 17 | 23 |
| 50-64 | 41 | 6.9 | 62 | 1 | 1 | 5 | 9 | 12 | 15 | 49 |
| 65+ | 23 | 9.1 | 70 | 1 | 2 | 6 | 16 | 21 | 25 | 31 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 9 | 5.7 | 24 | <1 | <1 | 5 | 9 | 13 | 16 | 16 |
| B. *Operated* | 220 | 4.4 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 21 | 2.3 | 3 | 1 | 1 | 2 | 4 | 6 | 44 | 99+ |
| B. *Operated* | 250 | 6.5 | 41 | 1 | 2 | 5 | 8 | 12 | 16 | 47 |
| **1. SINGLE DX** | 229 | 4.5 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | 271 | 6.2 | 39 | 1 | 2 | 4 | 8 | 12 | 16 | 47 |
| **A. NOT OPERATED** | 30 | 3.3 | 11 | 1 | 1 | 2 | 5 | 9 | 16 | 99+ |
| **B. OPERATED** | 470 | 5.6 | 30 | 1 | 2 | 4 | 7 | 10 | 15 | 29 |
| TOTAL 0-19 YRS | 230 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| 20-34 | 109 | 4.9 | 36 | 1 | 1 | 3 | 6 | 9 | 12 | 40 |
| 35-49 | 60 | 4.8 | 15 | <1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 50-64 | 65 | 5.8 | 46 | 1 | 1 | 4 | 8 | 11 | 15 | 44 |
| 65+ | 36 | 7.6 | 57 | 1 | 1 | 4 | 9 | 19 | 21 | 31 |
| **GRAND TOTAL** | **500** | **5.4** | **29** | **1** | **1** | **4** | **7** | **10** | **15** | **33** |

### 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 20-34 | 7 | 5.6 | 41 | 1 | 1 | 3 | 7 | 17 | 19 | 19 |
| 35-49 | 19 | 7.1 | 20 | 1 | 1 | 7 | 10 | 13 | 16 | 17 |
| 50-64 | 11 | 6.6 | 25 | 2 | 2 | 4 | 10 | 15 | 17 | 17 |
| 65+ | 7 | 5.1 | 3 | 4 | 4 | 4 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 3 | 8.0 | 13 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| 35-49 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 13.5 | 1 | 13 | 13 | 13 | 14 | 14 | 14 | 14 |
| 65+ | 6 | 7.5 | 6 | 4 | 4 | 8 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | 9 | 13.9 | 132 | 2 | 3 | 10 | 26 | 31 | 32 | 32 |
| 35-49 | 9 | 8.2 | 14 | 2 | 3 | 8 | 11 | 14 | 14 | 14 |
| 50-64 | 13 | 6.5 | 22 | 2 | 2 | 6 | 11 | 13 | 15 | 16 |
| 65+ | 12 | 14.0 | 189 | 1 | 2 | 10 | 14 | 36 | 49 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 35-49 | 5 | 12.2 | 28 | 6 | 6 | 12 | 17 | 18 | 18 | 18 |
| 50-64 | 7 | 15.9 | 568 | 2 | 2 | 7 | 17 | 58 | 68 | 68 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 6.2 | 20 | 1 | 1 | 5 | 8 | 13 | 17 | 19 |
| B. *Operated* | 15 | 6.9 | 18 | 1 | 2 | 8 | 10 | 13 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 10.4 | 94 | 2 | 2 | 8 | 12 | 25 | 31 | 51 |
| B. *Operated* | 14 | 12.8 | 290 | 2 | 2 | 7 | 17 | 25 | 58 | 68 |
| **1. SINGLE DX** | 62 | 6.4 | 19 | 1 | 2 | 5 | 9 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | 58 | 11.0 | 138 | 2 | 2 | 8 | 12 | 23 | 31 | 67 |
| **A. NOT OPERATED** | 91 | 8.3 | 60 | 1 | 2 | 7 | 11 | 16 | 25 | 43 |
| **B. OPERATED** | 29 | 9.8 | 152 | 2 | 2 | 8 | 11 | 18 | 22 | 68 |
| TOTAL 0-19 YRS | 4 | 4.3 | 7 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 21 | 9.3 | 84 | 1 | 2 | 6 | 10 | 27 | 30 | 32 |
| 35-49 | 37 | 7.5 | 23 | 1 | 1 | 7 | 11 | 14 | 17 | 18 |
| 50-64 | 33 | 9.0 | 139 | 2 | 2 | 6 | 12 | 16 | 20 | 68 |
| 65+ | 25 | 10.0 | 105 | 2 | 4 | 8 | 10 | 16 | 35 | 51 |
| **GRAND TOTAL** | **120** | **8.6** | **81** | **1** | **2** | **7** | **11** | **16** | **22** | **56** |

### 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 112 | 3.9 | 11 | 1 | 1 | 3 | 5 | 9 | 12 | 15 |
| 20-34 | 145 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| 35-49 | 125 | 4.9 | 26 | 1 | 1 | 3 | 6 | 11 | 16 | 25 |
| 50-64 | 105 | 6.0 | 40 | 1 | 1 | 4 | 8 | 11 | 14 | 39 |
| 65+ | 73 | 7.2 | 43 | 2 | 2 | 5 | 9 | 15 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 6.3 | 42 | <1 | 1 | 3 | 8 | 17 | 21 | 26 |
| 20-34 | 433 | 3.7 | 16 | <1 | 1 | 3 | 4 | 8 | 11 | 17 |
| 35-49 | 214 | 3.8 | 11 | <1 | <1 | 3 | 4 | 9 | 12 | 16 |
| 50-64 | 267 | 4.3 | 24 | <1 | 1 | 3 | 4 | 10 | 13 | 29 |
| 65+ | 178 | 4.3 | 29 | <1 | 1 | 3 | 4 | 8 | 16 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 90 | 5.7 | 57 | 1 | 1 | 3 | 6 | 14 | 18 | 43 |
| 20-34 | 131 | 4.5 | 14 | <1 | 1 | 3 | 6 | 10 | 12 | 18 |
| 35-49 | 114 | 6.7 | 41 | 1 | 2 | 5 | 9 | 13 | 17 | 70 |
| 50-64 | 158 | 6.5 | 24 | 1 | 2 | 5 | 9 | 12 | 18 | 24 |
| 65+ | 229 | 10.2 | 84 | 2 | 3 | 8 | 12 | 20 | 29 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 229 | 7.4 | 92 | 1 | 2 | 3 | 8 | 20 | 25 | 60 |
| 20-34 | 350 | 4.5 | 25 | <1 | 1 | 3 | 4 | 10 | 15 | 27 |
| 35-49 | 192 | 6.6 | 56 | 1 | 2 | 3 | 9 | 15 | 26 | 33 |
| 50-64 | 193 | 7.2 | 120 | 1 | 2 | 3 | 8 | 17 | 22 | 63 |
| 65+ | 149 | 8.2 | 62 | 1 | 2 | 5 | 13 | 21 | 26 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 560 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| B. *Operated* | 1339 | 4.4 | 24 | <1 | 1 | 3 | 5 | 10 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 722 | 7.2 | 52 | 1 | 1 | 5 | 9 | 14 | 20 | 41 |
| B. *Operated* | 1113 | 6.4 | 67 | 1 | 2 | 3 | 7 | 17 | 22 | 41 |
| **1. SINGLE DX** | 1899 | 4.6 | 24 | <1 | 1 | 3 | 5 | 10 | 15 | 25 |
| **2. MULTIPLE DX** | 1835 | 6.8 | 61 | 1 | 2 | 4 | 9 | 16 | 22 | 41 |
| **A. NOT OPERATED** | 1282 | 6.2 | 41 | 1 | 1 | 4 | 8 | 13 | 17 | 37 |
| **B. OPERATED** | 2452 | 5.3 | 45 | <1 | 1 | 3 | 5 | 13 | 19 | 33 |
| TOTAL 0-19 YRS | 678 | 6.2 | 57 | 1 | 1 | 3 | 7 | 17 | 21 | 38 |
| 20-34 | 1059 | 4.1 | 18 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 35-49 | 645 | 5.4 | 34 | <1 | 1 | 3 | 7 | 12 | 17 | 30 |
| 50-64 | 723 | 5.8 | 53 | 1 | 2 | 3 | 7 | 12 | 18 | 38 |
| 65+ | 629 | 7.7 | 64 | 1 | 2 | 5 | 10 | 18 | 25 | 44 |
| **GRAND TOTAL** | **3734** | **5.6** | **44** | **<1** | **1** | **3** | **7** | **13** | **18** | **34** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 14.0 | 50 | 9 | 9 | 14 | 19 | 19 | 19 | 19 |
| B. *Operated* | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1. SINGLE DX | 7 | 5.3 | 44 | 1 | 1 | 2 | 7 | 17 | 19 | 19 |
| 2. MULTIPLE DX | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| A. NOT OPERATED | 4 | 11.3 | 31 | 6 | 6 | 10 | 15 | 19 | 19 | 19 |
| B. OPERATED | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| TOTAL 0-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 50-64 | 4 | 4.3 | 21 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| 65+ | 2 | 12.5 | 85 | 6 | 6 | 12 | 19 | 19 | 19 | 19 |
| GRAND TOTAL | 9 | 6.0 | 37 | 1 | 1 | 3 | 9 | 16 | 19 | 19 |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 9.4 | 105 | 1 | 2 | 5 | 11 | 28 | 35 | 36 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | 3 | 5.3 | 9 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 10.8 | 56 | 2 | 3 | 9 | 14 | 24 | 27 | 27 |
| 20-34 | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 76 | 8.5 | 115 | 1 | 2 | 5 | 9 | 21 | 33 | 91 |
| 20-34 | 3 | 6.7 | 16 | 3 | 3 | 6 | 10 | 11 | 11 | 11 |
| 35-49 | 4 | 9.3 | 30 | 4 | 4 | 9 | 14 | 14 | 14 | 14 |
| 50-64 | 4 | 26.3 | 1075 | 6 | 6 | 12 | 45 | 75 | 75 | 75 |
| 65+ | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 12.6 | 216 | 2 | 2 | 7 | 18 | 33 | 64 | 99+ |
| 20-34 | 5 | 19.4 | 214 | 7 | 7 | 21 | 39 | 94 | 99+ | 99+ |
| 35-49 | 4 | 12.0 | 138 | 1 | 1 | 9 | 20 | 28 | 28 | 28 |
| 50-64 | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 65+ | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 24 | 8.9 | 89 | 1 | 2 | 6 | 10 | 22 | 35 | 36 |
| B. *Operated* | 22 | 9.9 | 48 | 2 | 3 | 9 | 14 | 20 | 26 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 88 | 9.3 | 152 | 1 | 2 | 5 | 9 | 21 | 34 | 90 |
| B. *Operated* | 58 | 12.9 | 195 | 2 | 2 | 8 | 18 | 36 | 64 | 99+ |
| 1. SINGLE DX | 46 | 9.4 | 69 | 2 | 2 | 8 | 11 | 21 | 29 | 36 |
| 2. MULTIPLE DX | 146 | 10.7 | 171 | 2 | 2 | 6 | 12 | 27 | 55 | 99+ |
| A. NOT OPERATED | 112 | 9.2 | 138 | 1 | 2 | 6 | 9 | 21 | 35 | 84 |
| B. OPERATED | 80 | 12.1 | 156 | 2 | 2 | 9 | 14 | 29 | 54 | 99+ |
| TOTAL 0-19 YRS | 158 | 10.0 | 137 | 2 | 2 | 6 | 11 | 24 | 35 | 96 |
| 20-34 | 11 | 13.4 | 124 | 3 | 5 | 10 | 21 | 57 | 94 | 99+ |
| 35-49 | 10 | 9.6 | 64 | 1 | 2 | 7 | 14 | 21 | 28 | 28 |
| 50-64 | 9 | 15.1 | 525 | 2 | 2 | 8 | 14 | 51 | 75 | 75 |
| 65+ | 4 | 9.0 | 29 | 3 | 3 | 8 | 12 | 16 | 16 | 16 |
| GRAND TOTAL | 192 | 10.4 | 147 | 2 | 2 | 6 | 12 | 26 | 38 | 99+ |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 5 | 9 |
| 20-34 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 354 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 106 | 3.3 | 4 | <1 | <1 | 3 | 4 | 6 | 8 | 10 |
| 35-49 | 21 | 4.5 | 14 | 1 | 1 | 3 | 5 | 11 | 13 | 15 |
| 50-64 | 16 | 5.2 | 8 | 1 | 2 | 5 | 7 | 7 | 11 | 12 |
| 65+ | 13 | 6.8 | 12 | 3 | 3 | 7 | 9 | 11 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 2.6 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 20-34 | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 86 | 4.5 | 20 | 1 | 1 | 3 | 5 | 10 | 12 | 24 |
| 20-34 | 26 | 3.8 | 17 | <1 | <1 | 2 | 5 | 7 | 11 | 21 |
| 35-49 | 10 | 5.7 | 12 | 2 | 2 | 5 | 7 | 11 | 14 | 14 |
| 50-64 | 16 | 4.9 | 12 | <1 | 2 | 4 | 7 | 10 | 12 | 13 |
| 65+ | 20 | 7.7 | 28 | 1 | 3 | 6 | 9 | 15 | 19 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 1.7 | 3 | <1 | <1 | 1 | 1 | 4 | 5 | 9 |
| B. *Operated* | 510 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 3.4 | 9 | <1 | 1 | 2 | 5 | 8 | 9 | 11 |
| B. *Operated* | 158 | 4.9 | 20 | <1 | 1 | 3 | 6 | 10 | 14 | 24 |
| **1. SINGLE DX** | 564 | 2.9 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 182 | 4.7 | 19 | <1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **A. NOT OPERATED** | 78 | 2.2 | 5 | <1 | <1 | 1 | 2 | 6 | 8 | 10 |
| **B. OPERATED** | 668 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| TOTAL 0-19 YRS | 511 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 20-34 | 135 | 3.5 | 7 | <1 | <1 | 3 | 4 | 6 | 9 | 12 |
| 35-49 | 31 | 4.9 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 15 |
| 50-64 | 33 | 5.1 | 9 | 1 | 2 | 4 | 7 | 9 | 12 | 13 |
| 65+ | 36 | 7.1 | 21 | 2 | 3 | 6 | 8 | 15 | 16 | 23 |
| **GRAND TOTAL** | **746** | **3.3** | **9** | **<1** | **1** | **2** | **4** | **7** | **9** | **15** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 4.4 | 17 | <1 | 1 | 3 | 5 | 8 | 14 | 21 |
| 20-34 | 12 | 4.3 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 35-49 | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 6.3 | 25 | 2 | 2 | 3 | 10 | 12 | 14 | 24 |
| 20-34 | 40 | 4.3 | 16 | <1 | 1 | 2 | 6 | 11 | 13 | 17 |
| 35-49 | 17 | 5.6 | 21 | <1 | 1 | 3 | 9 | 13 | 14 | 15 |
| 50-64 | 14 | 9.6 | 188 | 1 | 2 | 3 | 10 | 37 | 43 | 45 |
| 65+ | 7 | 8.3 | 29 | 1 | 1 | 10 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 5.7 | 58 | <1 | 1 | 4 | 7 | 9 | 18 | 45 |
| 20-34 | 22 | 7.1 | 42 | 1 | 2 | 6 | 8 | 16 | 23 | 28 |
| 35-49 | 9 | 6.1 | 25 | 1 | 1 | 4 | 8 | 14 | 17 | 17 |
| 50-64 | 11 | 5.4 | 5 | 2 | 3 | 4 | 8 | 8 | 8 | 8 |
| 65+ | 10 | 12.5 | 62 | 2 | 2 | 13 | 19 | 22 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 189 | 10.7 | 215 | 2 | 2 | 4 | 13 | 27 | 46 | 97 |
| 20-34 | 59 | 8.9 | 53 | 1 | 2 | 9 | 12 | 17 | 20 | 39 |
| 35-49 | 40 | 11.1 | 49 | 1 | 2 | 11 | 14 | 18 | 23 | 36 |
| 50-64 | 23 | 12.2 | 137 | 1 | 2 | 10 | 15 | 27 | 39 | 51 |
| 65+ | 15 | 14.0 | 207 | 2 | 2 | 11 | 21 | 37 | 47 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 4.3 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | 287 | 6.2 | 32 | 1 | 2 | 3 | 10 | 12 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 6.4 | 52 | <1 | 1 | 4 | 8 | 13 | 21 | 40 |
| B. *Operated* | 326 | 10.7 | 159 | 2 | 2 | 8 | 14 | 24 | 37 | 87 |
| **1. SINGLE DX** | 362 | 5.8 | 29 | 1 | 2 | 3 | 9 | 12 | 15 | 26 |
| **2. MULTIPLE DX** | 483 | 9.3 | 128 | 1 | 2 | 6 | 12 | 20 | 32 | 69 |
| **A. NOT OPERATED** | 232 | 5.7 | 41 | <1 | 1 | 4 | 7 | 10 | 17 | 35 |
| **B. OPERATED** | 613 | 8.6 | 104 | 2 | 2 | 5 | 11 | 17 | 26 | 60 |
| TOTAL 0-19 YRS | 563 | 7.5 | 99 | 1 | 2 | 4 | 10 | 15 | 24 | 62 |
| 20-34 | 133 | 6.8 | 40 | 1 | 2 | 4 | 10 | 15 | 19 | 30 |
| 35-49 | 69 | 8.7 | 44 | 1 | 2 | 9 | 12 | 16 | 19 | 34 |
| 50-64 | 48 | 9.9 | 125 | 1 | 2 | 7 | 12 | 23 | 37 | 51 |
| 65+ | 32 | 12.3 | 122 | 2 | 2 | 10 | 16 | 23 | 36 | 51 |
| **GRAND TOTAL** | **845** | **7.8** | **88** | **1** | **2** | **4** | **10** | **16** | **23** | **52** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 182 | 6.1 | 7 | 2 | 3 | 6 | 7 | 9 | 10 | 15 |
| 20-34 | 7 | 5.0 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 35-49 | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.8 | 115 | <1 | <1 | 2 | 6 | 21 | 35 | 44 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 108 | 9.0 | 68 | 2 | 3 | 7 | 9 | 17 | 32 | 39 |
| 20-34 | 10 | 4.4 | 5 | 1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 35-49 | 3 | 11.0 | 19 | 8 | 8 | 9 | 14 | 16 | 16 | 16 |
| 50-64 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 194 | 6.0 | 6 | 2 | 3 | 6 | 7 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 6.8 | 115 | <1 | <1 | 2 | 6 | 21 | 35 | 44 |
| B. *Operated* | 122 | 8.7 | 63 | 2 | 3 | 6 | 9 | 17 | 29 | 38 |
| **1. SINGLE DX** | 197 | 5.9 | 7 | 2 | 3 | 6 | 7 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 143 | 8.4 | 70 | 1 | 2 | 6 | 9 | 17 | 29 | 43 |
| **A. NOT OPERATED** | 24 | 6.3 | 102 | <1 | <1 | 3 | 5 | 18 | 32 | 44 |
| **B. OPERATED** | 316 | 7.0 | 30 | 2 | 3 | 6 | 8 | 11 | 16 | 36 |
| TOTAL 0-19 YRS | 314 | 7.1 | 37 | 2 | 2 | 6 | 8 | 11 | 17 | 36 |
| 20-34 | 17 | 4.6 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 8 |
| 35-49 | 5 | 8.2 | 25 | 3 | 3 | 8 | 11 | 16 | 16 | 16 |
| 50-64 | 3 | 6.7 | 17 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **GRAND TOTAL** | **340** | **7.0** | **35** | **2** | **2** | **6** | **8** | **11** | **17** | **36** |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.3 | 70 | 1 | 2 | 3 | 5 | 7 | 16 | 45 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 128 | 6.9 | 19 | 3 | 3 | 6 | 8 | 13 | 16 | 21 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 10.2 | 128 | 1 | 1 | 6 | 16 | 29 | 29 | 29 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 9.8 | 47 | 4 | 5 | 8 | 12 | 17 | 19 | 42 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 5.3 | 70 | 1 | 2 | 3 | 5 | 7 | 16 | 45 |
| B. *Operated* | 128 | 6.9 | 19 | 3 | 3 | 6 | 8 | 13 | 16 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 10.2 | 128 | 1 | 1 | 6 | 16 | 29 | 29 | 29 |
| B. *Operated* | 48 | 9.8 | 47 | 4 | 5 | 8 | 12 | 17 | 19 | 42 |
| **1. SINGLE DX** | 154 | 6.6 | 28 | 2 | 3 | 5 | 7 | 12 | 16 | 34 |
| **2. MULTIPLE DX** | 53 | 9.8 | 53 | 3 | 4 | 7 | 12 | 17 | 27 | 42 |
| **A. NOT OPERATED** | 31 | 6.1 | 79 | 1 | 1 | 4 | 6 | 10 | 28 | 45 |
| **B. OPERATED** | 176 | 7.7 | 28 | 3 | 3 | 6 | 9 | 15 | 17 | 33 |
| TOTAL 0-19 YRS | 207 | 7.4 | 36 | 2 | 3 | 6 | 9 | 14 | 17 | 38 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **207** | **7.4** | **36** | **2** | **3** | **6** | **9** | **14** | **17** | **38** |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 2.9 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 21 |
| 20-34 | 4 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 35-49 | 4 | 4.5 | 8 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 50-64 | 3 | 4.3 | 9 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| 65+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 99 | 6.0 | 53 | <1 | <1 | 4 | 8 | 13 | 19 | 43 |
| 20-34 | 34 | 5.9 | 49 | <1 | <1 | 4 | 8 | 14 | 18 | 37 |
| 35-49 | 19 | 7.7 | 81 | <1 | 1 | 3 | 11 | 18 | 29 | 37 |
| 50-64 | 9 | 5.6 | 26 | 2 | 2 | 3 | 10 | 14 | 15 | 15 |
| 65+ | 5 | 10.2 | 67 | 1 | 1 | 8 | 17 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 6.4 | 54 | 1 | 1 | 4 | 7 | 15 | 20 | 41 |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 6 | 5.0 | 43 | <1 | <1 | 2 | 5 | 17 | 18 | 18 |
| 50-64 | 7 | 4.3 | 11 | <1 | <1 | 4 | 7 | 9 | 9 | 9 |
| 65+ | 14 | 8.5 | 58 | 1 | 2 | 5 | 13 | 21 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 95 | 11.0 | 186 | <1 | 2 | 6 | 14 | 26 | 36 | 79 |
| 20-34 | 30 | 8.3 | 61 | 1 | 2 | 6 | 10 | 15 | 20 | 42 |
| 35-49 | 12 | 9.3 | 30 | 2 | 2 | 9 | 12 | 18 | 20 | 20 |
| 50-64 | 7 | 9.4 | 57 | <1 | 1 | 11 | 12 | 21 | 23 | 23 |
| 65+ | 9 | 10.4 | 135 | 1 | 1 | 6 | 15 | 30 | 38 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 3.0 | 11 | <1 | <1 | 2 | 4 | 7 | 8 | 20 |
| B. *Operated* | 166 | 6.3 | 54 | <1 | <1 | 4 | 8 | 15 | 19 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 6.5 | 50 | 1 | 1 | 4 | 8 | 17 | 21 | 38 |
| B. *Operated* | 153 | 10.2 | 139 | 1 | 2 | 7 | 13 | 21 | 31 | 77 |
| **1. SINGLE DX** | 256 | 5.1 | 41 | <1 | <1 | 3 | 6 | 12 | 18 | 37 |
| **2. MULTIPLE DX** | 239 | 8.9 | 110 | 1 | 1 | 5 | 11 | 20 | 27 | 50 |
| **A. NOT OPERATED** | 176 | 4.7 | 33 | <1 | <1 | 3 | 5 | 10 | 18 | 28 |
| **B. OPERATED** | 319 | 8.2 | 98 | <1 | 1 | 5 | 11 | 18 | 25 | 45 |
| TOTAL 0-19 YRS | 329 | 6.8 | 90 | <1 | <1 | 4 | 8 | 17 | 23 | 45 |
| 20-34 | 69 | 6.9 | 52 | <1 | 1 | 5 | 9 | 14 | 19 | 41 |
| 35-49 | 41 | 7.4 | 53 | <1 | 1 | 5 | 11 | 18 | 19 | 37 |
| 50-64 | 26 | 6.1 | 30 | <1 | <1 | 4 | 9 | 12 | 17 | 23 |
| 65+ | 30 | 8.9 | 77 | 1 | 1 | 5 | 14 | 21 | 22 | 38 |
| **GRAND TOTAL** | **495** | **6.9** | **76** | **<1** | **<1** | **4** | **9** | **17** | **22** | **42** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 514 | 4.0 | 7 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| 20-34 | 38 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 4 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 345 | 3.9 | 9 | 2 | 2 | 3 | 4 | 7 | 9 | 20 |
| 20-34 | 38 | 4.5 | 6 | 2 | 2 | 4 | 5 | 9 | 11 | 12 |
| 35-49 | 17 | 3.7 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 8 | 4.9 | 4 | 3 | 3 | 5 | 5 | 8 | 9 | 9 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 559 | 4.0 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| B. *Operated* | 409 | 4.0 | 9 | 2 | 2 | 3 | 4 | 7 | 9 | 17 |
| **1. SINGLE DX** | 563 | 4.0 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 428 | 3.9 | 8 | 1 | 2 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 23 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| **B. OPERATED** | 968 | 4.0 | 7 | 2 | 2 | 3 | 5 | 7 | 9 | 14 |
| TOTAL 0-19 YRS | 880 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 78 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 9 | 12 |
| 35-49 | 21 | 3.5 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 7 |
| 50-64 | 10 | 4.5 | 3 | 3 | 3 | 4 | 5 | 7 | 9 | 9 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| **GRAND TOTAL** | **991** | **3.9** | **7** | **2** | **2** | **3** | **5** | **7** | **9** | **14** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 4.1 | 11 | 1 | 1 | 3 | 6 | 8 | 11 | 14 |
| 20-34 | 8 | 2.5 | 4 | <1 | <1 | 2 | 5 | 62 | 99+ | 99+ |
| 35-49 | 7 | 3.6 | 7 | <1 | <1 | 3 | 4 | 8 | 9 | 9 |
| 50-64 | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 247 | 6.7 | 27 | <1 | 1 | 5 | 9 | 14 | 17 | 21 |
| 20-34 | 107 | 4.8 | 14 | <1 | 1 | 4 | 6 | 10 | 13 | 17 |
| 35-49 | 26 | 4.9 | 18 | <1 | 1 | 3 | 7 | 11 | 15 | 16 |
| 50-64 | 13 | 8.7 | 46 | <1 | <1 | 8 | 14 | 17 | 22 | 23 |
| 65+ | 9 | 8.8 | 35 | 3 | 3 | 7 | 15 | 18 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 6.1 | 29 | 1 | 1 | 6 | 8 | 13 | 18 | 22 |
| 20-34 | 13 | 3.7 | 5 | <1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 35-49 | 13 | 7.1 | 14 | 1 | 2 | 8 | 10 | 12 | 12 | 12 |
| 50-64 | 8 | 11.8 | 387 | 1 | 2 | 5 | 8 | 45 | 60 | 60 |
| 65+ | 16 | 8.8 | 37 | 3 | 4 | 7 | 11 | 16 | 24 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 8.4 | 56 | 1 | 1 | 6 | 12 | 18 | 22 | 36 |
| 20-34 | 87 | 6.9 | 40 | <1 | 1 | 6 | 9 | 13 | 16 | 40 |
| 35-49 | 60 | 11.4 | 150 | 1 | 2 | 8 | 12 | 24 | 28 | 76 |
| 50-64 | 35 | 9.5 | 73 | <1 | 2 | 9 | 12 | 19 | 32 | 35 |
| 65+ | 15 | 15.1 | 281 | 2 | 2 | 9 | 20 | 35 | 58 | 66 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 40 | 3.8 | 9 | <1 | 1 | 3 | 6 | 9 | 12 | 99+ |
| B. *Operated* | 402 | 6.2 | 24 | <1 | 1 | 5 | 9 | 14 | 16 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 75 | 7.0 | 62 | 1 | 1 | 6 | 9 | 12 | 17 | 52 |
| B. *Operated* | 407 | 8.9 | 78 | 1 | 1 | 7 | 12 | 19 | 24 | 43 |
| 1. SINGLE DX | 442 | 6.0 | 23 | <1 | 1 | 5 | 8 | 13 | 16 | 21 |
| 2. MULTIPLE DX | 482 | 8.6 | 76 | 1 | 1 | 7 | 11 | 18 | 23 | 45 |
| A. NOT OPERATED | 115 | 5.9 | 46 | 1 | 1 | 5 | 8 | 12 | 15 | 74 |
| B. OPERATED | 809 | 7.5 | 53 | <1 | 1 | 6 | 10 | 16 | 20 | 35 |
| TOTAL 0-19 YRS | 502 | 7.3 | 39 | <1 | 1 | 6 | 10 | 16 | 19 | 30 |
| 20-34 | 215 | 5.5 | 25 | <1 | 1 | 5 | 7 | 11 | 15 | 34 |
| 35-49 | 106 | 8.7 | 100 | 1 | 1 | 7 | 10 | 19 | 25 | 61 |
| 50-64 | 59 | 9.3 | 101 | <1 | 1 | 7 | 12 | 18 | 31 | 58 |
| 65+ | 42 | 11.0 | 127 | 2 | 3 | 7 | 12 | 22 | 30 | 66 |
| **GRAND TOTAL** | **924** | **7.3** | **52** | **<1** | **1** | **6** | **10** | **15** | **19** | **35** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.1 | 59 | <1 | <1 | 1 | 3 | 17 | 23 | 23 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 196 | 4.9 | 24 | <1 | 2 | 3 | 6 | 9 | 11 | 29 |
| 20-34 | 17 | 5.2 | 6 | 1 | 2 | 5 | 6 | 9 | 10 | 10 |
| 35-49 | 9 | 4.0 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 65+ | 4 | 4.3 | 11 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 9.5 | 258 | 1 | 1 | 3 | 9 | 28 | 53 | 61 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 6.2 | 46 | 1 | 2 | 4 | 7 | 11 | 20 | 40 |
| 20-34 | 26 | 4.3 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 19 | 5.6 | 11 | 2 | 3 | 5 | 7 | 8 | 13 | 17 |
| 50-64 | 22 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 65+ | 6 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.1 | 59 | <1 | <1 | 1 | 3 | 17 | 23 | 23 |
| B. *Operated* | 229 | 4.9 | 22 | <1 | 2 | 3 | 6 | 9 | 10 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 15 | 9.5 | 258 | 1 | 1 | 3 | 9 | 28 | 53 | 61 |
| B. *Operated* | 183 | 5.5 | 30 | 1 | 2 | 4 | 6 | 9 | 15 | 28 |
| 1. SINGLE DX | 237 | 4.9 | 23 | <1 | 1 | 3 | 6 | 9 | 11 | 27 |
| 2. MULTIPLE DX | 198 | 5.8 | 47 | 1 | 2 | 4 | 6 | 9 | 16 | 42 |
| A. NOT OPERATED | 23 | 7.7 | 190 | <1 | <1 | 1 | 8 | 24 | 40 | 61 |
| B. OPERATED | 412 | 5.2 | 26 | 1 | 2 | 4 | 6 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 329 | 5.5 | 43 | 1 | 1 | 3 | 6 | 10 | 17 | 33 |
| 20-34 | 43 | 4.7 | 4 | 2 | 2 | 5 | 6 | 7 | 9 | 10 |
| 35-49 | 28 | 5.1 | 9 | 2 | 2 | 4 | 6 | 7 | 10 | 17 |
| 50-64 | 25 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 12 |
| 65+ | 10 | 3.9 | 4 | 2 | 2 | 3 | 5 | 7 | 9 | 9 |
| **GRAND TOTAL** | **435** | **5.3** | **34** | **1** | **2** | **4** | **6** | **9** | **14** | **30** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 4.2 | 16 | <1 | <1 | 3 | 5 | 10 | 12 | 19 |
| 20-34 | 28 | 4.8 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 16 |
| 35-49 | 14 | 4.8 | 12 | 1 | 1 | 3 | 9 | 10 | 10 | 10 |
| 50-64 | 19 | 5.6 | 14 | 1 | 2 | 5 | 8 | 11 | 13 | 15 |
| 65+ | 17 | 8.6 | 53 | 2 | 3 | 6 | 12 | 22 | 26 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 589 | 6.1 | 40 | 1 | 2 | 4 | 8 | 14 | 17 | 32 |
| 20-34 | 248 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 15 | 25 |
| 35-49 | 84 | 5.3 | 23 | 1 | 1 | 4 | 5 | 13 | 15 | 24 |
| 50-64 | 35 | 7.6 | 47 | 1 | 1 | 5 | 12 | 17 | 23 | 26 |
| 65+ | 9 | 6.4 | 48 | 1 | 1 | 4 | 10 | 18 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 129 | 6.8 | 71 | <1 | 1 | 4 | 8 | 14 | 24 | 44 |
| 20-34 | 26 | 7.7 | 180 | 1 | 1 | 5 | 7 | 11 | 23 | 72 |
| 35-49 | 20 | 6.8 | 15 | 1 | 1 | 7 | 9 | 12 | 13 | 14 |
| 50-64 | 27 | 8.1 | 43 | 2 | 2 | 6 | 10 | 17 | 25 | 29 |
| 65+ | 38 | 13.7 | 188 | 2 | 3 | 9 | 15 | 38 | 56 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 265 | 11.3 | 168 | 1 | 2 | 7 | 14 | 28 | 37 | 79 |
| 20-34 | 91 | 8.3 | 68 | 1 | 2 | 6 | 11 | 18 | 24 | 46 |
| 35-49 | 58 | 12.4 | 129 | 2 | 3 | 10 | 17 | 24 | 32 | 66 |
| 50-64 | 54 | 14.5 | 264 | 1 | 2 | 9 | 17 | 32 | 53 | 75 |
| 65+ | 21 | 14.6 | 156 | 1 | 2 | 12 | 21 | 37 | 39 | 41 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 203 | 4.6 | 19 | <1 | 1 | 3 | 7 | 11 | 13 | 22 |
| B. *Operated* | 965 | 5.8 | 35 | 1 | 2 | 4 | 7 | 13 | 17 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 240 | 8.1 | 98 | <1 | 1 | 5 | 9 | 16 | 30 | 60 |
| B. *Operated* | 489 | 11.4 | 157 | 1 | 2 | 7 | 14 | 26 | 36 | 70 |
| 1. SINGLE DX | 1168 | 5.6 | 33 | 1 | 1 | 4 | 7 | 13 | 16 | 29 |
| 2. MULTIPLE DX | 729 | 10.3 | 140 | 1 | 2 | 7 | 12 | 24 | 34 | 69 |
| A. NOT OPERATED | 443 | 6.6 | 64 | <1 | 1 | 4 | 8 | 12 | 21 | 51 |
| B. OPERATED | 1454 | 7.7 | 83 | 1 | 2 | 4 | 10 | 17 | 24 | 46 |
| TOTAL 0-19 YRS | 1108 | 7.2 | 77 | 1 | 2 | 4 | 9 | 16 | 22 | 44 |
| 20-34 | 393 | 5.9 | 46 | 1 | 1 | 4 | 7 | 12 | 17 | 32 |
| 35-49 | 176 | 7.8 | 66 | 1 | 2 | 5 | 11 | 17 | 22 | 36 |
| 50-64 | 135 | 10.2 | 140 | 1 | 2 | 6 | 12 | 22 | 30 | 72 |
| 65+ | 85 | 12.1 | 143 | 1 | 2 | 8 | 15 | 31 | 41 | 85 |
| GRAND TOTAL | 1897 | 7.4 | 79 | 1 | 1 | 4 | 9 | 16 | 23 | 47 |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 527 | 4.1 | 20 | 1 | 1 | 3 | 4 | 8 | 14 | 24 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 320 | 8.4 | 103 | 1 | 2 | 5 | 9 | 20 | 33 | 66 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 11.8 | 130 | 1 | 2 | 10 | 25 | 75 | 99+ | 99+ |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 527 | 4.1 | 20 | 1 | 1 | 3 | 4 | 8 | 14 | 24 |
| B. *Operated* | 13 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 320 | 8.4 | 103 | 1 | 2 | 5 | 9 | 20 | 33 | 66 |
| B. *Operated* | 17 | 11.8 | 130 | 1 | 2 | 10 | 25 | 75 | 99+ | 99+ |
| 1. SINGLE DX | 540 | 4.1 | 19 | 1 | 1 | 3 | 4 | 8 | 14 | 24 |
| 2. MULTIPLE DX | 337 | 8.5 | 104 | 1 | 2 | 5 | 10 | 21 | 34 | 99+ |
| A. NOT OPERATED | 847 | 5.7 | 55 | 1 | 1 | 3 | 6 | 13 | 20 | 46 |
| B. OPERATED | 30 | 8.2 | 91 | 1 | 1 | 5 | 10 | 35 | 94 | 99+ |
| TOTAL 0-19 YRS | 877 | 5.8 | 57 | 1 | 1 | 3 | 6 | 14 | 20 | 48 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 877 | 5.8 | 57 | 1 | 1 | 3 | 6 | 14 | 20 | 48 |

### 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 833 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 20-34 | 120 | 4.1 | 20 | <1 | 1 | 3 | 5 | 8 | 10 | 27 |
| 35-49 | 77 | 3.5 | 10 | 1 | 1 | 2 | 5 | 7 | 10 | 16 |
| 50-64 | 45 | 5.5 | 78 | 1 | 1 | 4 | 6 | 7 | 19 | 50 |
| 65+ | 45 | 5.3 | 13 | 1 | 2 | 5 | 8 | 10 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 4 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 35-49 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 50-64 | 7 | 10.3 | 14 | 3 | 4 | 10 | 13 | 14 | 14 | 14 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1111 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 20-34 | 91 | 4.6 | 32 | 1 | 1 | 3 | 5 | 9 | 10 | 35 |
| 35-49 | 114 | 5.9 | 23 | 1 | 1 | 5 | 8 | 12 | 17 | 52 |
| 50-64 | 143 | 7.0 | 106 | 1 | 2 | 4 | 8 | 13 | 21 | 84 |
| 65+ | 161 | 8.6 | 61 | 1 | 2 | 7 | 12 | 19 | 30 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 10.1 | 47 | 2 | 3 | 10 | 13 | 28 | 79 | 99+ |
| 20-34 | 10 | 12.8 | 228 | 2 | 2 | 5 | 24 | 38 | 40 | 40 |
| 35-49 | 10 | 8.7 | 57 | 1 | 2 | 7 | 9 | 21 | 26 | 26 |
| 50-64 | 12 | 10.6 | 107 | 1 | 2 | 6 | 13 | 30 | 33 | 34 |
| 65+ | 10 | 13.5 | 53 | 6 | 6 | 14 | 20 | 56 | 96 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1120 | 3.8 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| B. *Operated* | 14 | 9.0 | 40 | 2 | 3 | 8 | 13 | 15 | 24 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1620 | 5.2 | 34 | 1 | 1 | 4 | 6 | 11 | 14 | 32 |
| B. *Operated* | 57 | 11.0 | 90 | 2 | 2 | 8 | 17 | 29 | 39 | 99+ |
| **1. SINGLE DX** | 1134 | 3.9 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | 1677 | 5.4 | 37 | 1 | 1 | 4 | 7 | 11 | 16 | 41 |
| **A. NOT OPERATED** | 2740 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 13 | 29 |
| **B. OPERATED** | 71 | 10.6 | 80 | 2 | 3 | 8 | 14 | 27 | 37 | 99+ |
| TOTAL 0-19 YRS | 1961 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 20-34 | 225 | 4.7 | 36 | 1 | 1 | 3 | 5 | 9 | 12 | 38 |
| 35-49 | 202 | 5.2 | 23 | 1 | 1 | 4 | 7 | 10 | 17 | 26 |
| 50-64 | 207 | 7.0 | 98 | 1 | 1 | 4 | 8 | 13 | 23 | 80 |
| 65+ | 216 | 8.1 | 53 | 1 | 2 | 6 | 11 | 18 | 27 | 99+ |
| **GRAND TOTAL** | **2811** | **4.8** | **29** | **1** | **1** | **3** | **6** | **10** | **13** | **31** |

### 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 724 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 20-34 | 58 | 4.3 | 8 | 1 | 2 | 3 | 6 | 8 | 11 | 14 |
| 35-49 | 31 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 50-64 | 21 | 7.3 | 55 | 1 | 2 | 5 | 9 | 14 | 25 | 35 |
| 65+ | 32 | 5.7 | 21 | 1 | 1 | 4 | 8 | 11 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | 4 | 5 | 5 | 8 | 9 | 9 | 9 | 9 |
| 20-34 | 3 | 12.7 | 281 | 2 | 2 | 4 | 25 | 32 | 32 | 32 |
| 35-49 | 2 | 16.5 | 13 | 14 | 14 | 16 | 19 | 19 | 19 | 19 |
| 50-64 | 4 | 11.8 | 10 | 9 | 9 | 11 | 14 | 16 | 16 | 16 |
| 65+ | 4 | 17.0 | 153 | 5 | 5 | 14 | 25 | 34 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 597 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 50 | 7.2 | 43 | 1 | 2 | 5 | 10 | 17 | 24 | 29 |
| 35-49 | 38 | 6.6 | 29 | 2 | 2 | 4 | 10 | 13 | 18 | 25 |
| 50-64 | 53 | 7.8 | 31 | 2 | 2 | 6 | 11 | 15 | 18 | 29 |
| 65+ | 102 | 8.4 | 46 | 2 | 2 | 6 | 10 | 16 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 8.8 | 34 | 2 | 3 | 7 | 12 | 17 | 21 | 22 |
| 20-34 | 14 | 18.1 | 154 | 4 | 4 | 16 | 28 | 33 | 43 | 46 |
| 35-49 | 6 | 22.2 | 536 | 1 | 2 | 16 | 26 | 62 | 66 | 66 |
| 50-64 | 9 | 18.4 | 141 | 7 | 7 | 17 | 21 | 37 | 47 | 47 |
| 65+ | 13 | 20.8 | 179 | 8 | 8 | 16 | 27 | 36 | 52 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 866 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| B. *Operated* | 16 | 13.0 | 84 | 3 | 4 | 11 | 16 | 31 | 33 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 840 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 24 |
| B. *Operated* | 54 | 17.2 | 179 | 3 | 4 | 14 | 22 | 31 | 47 | 66 |
| **1. SINGLE DX** | 882 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | 894 | 5.8 | 38 | 1 | 1 | 4 | 6 | 12 | 17 | 29 |
| **A. NOT OPERATED** | 1706 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **B. OPERATED** | 70 | 16.2 | 159 | 3 | 4 | 13 | 21 | 31 | 46 | 64 |
| TOTAL 0-19 YRS | 1336 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 20-34 | 125 | 7.2 | 59 | 1 | 2 | 4 | 8 | 17 | 27 | 36 |
| 35-49 | 77 | 7.3 | 75 | 2 | 2 | 4 | 8 | 15 | 20 | 55 |
| 50-64 | 87 | 8.9 | 56 | 2 | 2 | 6 | 12 | 18 | 21 | 43 |
| 65+ | 151 | 9.1 | 69 | 1 | 2 | 6 | 12 | 18 | 27 | 40 |
| **GRAND TOTAL** | **1776** | **4.8** | **26** | **1** | **1** | **3** | **6** | **10** | **14** | **27** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 151 | 3.8 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 16 |
| 35-49 | 87 | 3.8 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 13 |
| 50-64 | 41 | 4.2 | 11 | 1 | 1 | 3 | 6 | 8 | 12 | 15 |
| 65+ | 30 | 5.2 | 14 | 1 | 2 | 4 | 7 | 9 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 15 | 4.5 | 9 | 1 | 2 | 4 | 5 | 8 | 12 | 14 |
| 35-49 | 16 | 5.0 | 12 | 2 | 2 | 4 | 5 | 11 | 14 | 15 |
| 50-64 | 12 | 4.3 | 9 | 2 | 2 | 3 | 5 | 8 | 12 | 13 |
| 65+ | 4 | 2.5 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| 20-34 | 135 | 4.8 | 12 | 1 | 1 | 4 | 6 | 11 | 12 | 15 |
| 35-49 | 91 | 5.3 | 14 | 1 | 1 | 4 | 7 | 11 | 13 | 16 |
| 50-64 | 73 | 6.7 | 32 | 1 | 2 | 5 | 8 | 13 | 23 | 83 |
| 65+ | 77 | 7.5 | 34 | 1 | 2 | 6 | 9 | 16 | 23 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 6.3 | 33 | 3 | 3 | 3 | 11 | 13 | 13 | 13 |
| 20-34 | 15 | 5.3 | 20 | 1 | 2 | 4 | 6 | 9 | 17 | 20 |
| 35-49 | 20 | 6.5 | 12 | 2 | 3 | 5 | 9 | 12 | 13 | 13 |
| 50-64 | 16 | 8.1 | 29 | 1 | 2 | 6 | 13 | 17 | 18 | 18 |
| 65+ | 10 | 11.4 | 22 | 5 | 5 | 12 | 13 | 18 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 415 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 49 | 4.3 | 9 | 2 | 2 | 3 | 5 | 8 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 464 | 5.5 | 20 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | 64 | 7.4 | 23 | 2 | 3 | 6 | 11 | 14 | 17 | 20 |
| **1. SINGLE DX** | 464 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| **2. MULTIPLE DX** | 528 | 5.8 | 21 | 1 | 1 | 5 | 7 | 12 | 15 | 25 |
| **A. NOT OPERATED** | 879 | 4.7 | 16 | 1 | 1 | 4 | 6 | 10 | 12 | 21 |
| **B. OPERATED** | 113 | 6.1 | 19 | 2 | 2 | 4 | 8 | 13 | 15 | 19 |
| TOTAL 0-19 YRS | 199 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 20-34 | 316 | 4.3 | 11 | 1 | 1 | 4 | 5 | 9 | 11 | 17 |
| 35-49 | 214 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 15 |
| 50-64 | 142 | 5.9 | 25 | 1 | 2 | 5 | 7 | 13 | 17 | 34 |
| 65+ | 121 | 7.1 | 30 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| **GRAND TOTAL** | **992** | **4.8** | **16** | **1** | **1** | **4** | **6** | **10** | **13** | **21** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 20-34 | 60 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 35-49 | 53 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 102 | 3.3 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 65+ | 135 | 3.9 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 2.8 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| 20-34 | 24 | 4.4 | 7 | 1 | 1 | 5 | 6 | 7 | 9 | 13 |
| 35-49 | 31 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| 50-64 | 49 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 65+ | 39 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 72 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 38 | 4.2 | 39 | <1 | 1 | 2 | 4 | 7 | 16 | 35 |
| 35-49 | 62 | 4.6 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 50-64 | 107 | 5.4 | 19 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| 65+ | 242 | 5.6 | 48 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 20-34 | 16 | 4.0 | 10 | 1 | 2 | 3 | 4 | 8 | 12 | 14 |
| 35-49 | 25 | 6.1 | 19 | 2 | 2 | 5 | 7 | 16 | 17 | 18 |
| 50-64 | 68 | 5.7 | 17 | 1 | 1 | 5 | 8 | 11 | 14 | 20 |
| 65+ | 107 | 6.9 | 30 | 1 | 2 | 5 | 9 | 15 | 17 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 418 | 3.3 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| B. *Operated* | 170 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 4.9 | 32 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| B. *Operated* | 230 | 6.0 | 23 | 1 | 2 | 5 | 8 | 14 | 16 | 20 |
| **1. SINGLE DX** | 588 | 3.5 | 8 | <1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 751 | 5.3 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 19 |
| **A. NOT OPERATED** | 939 | 4.2 | 22 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **B. OPERATED** | 400 | 5.2 | 18 | 1 | 1 | 4 | 7 | 10 | 15 | 19 |
| TOTAL 0-19 YRS | 181 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 20-34 | 138 | 3.6 | 15 | <1 | 1 | 3 | 4 | 7 | 9 | 20 |
| 35-49 | 171 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 17 |
| 50-64 | 326 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| 65+ | 523 | 5.3 | 33 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| **GRAND TOTAL** | **1339** | **4.5** | **21** | **1** | **1** | **3** | **6** | **9** | **12** | **19** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 3.8 | 8 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 25 | 3.4 | 12 | <1 | 1 | 2 | 5 | 8 | 11 | 14 |
| 35-49 | 17 | 2.1 | 2 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| 50-64 | 21 | 5.0 | 33 | <1 | <1 | 3 | 7 | 9 | 18 | 27 |
| 65+ | 21 | 4.2 | 18 | 1 | 1 | 3 | 5 | 10 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 2.6 | 10 | <1 | <1 | 2 | 3 | 4 | 5 | 22 |
| 20-34 | 57 | 3.4 | 15 | <1 | <1 | 2 | 3 | 8 | 12 | 21 |
| 35-49 | 30 | 3.4 | 11 | <1 | <1 | 2 | 3 | 9 | 11 | 14 |
| 50-64 | 34 | 5.4 | 25 | 1 | 2 | 4 | 6 | 13 | 17 | 23 |
| 65+ | 12 | 3.8 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 4.4 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 20-34 | 24 | 4.2 | 14 | <1 | 1 | 3 | 7 | 9 | 13 | 14 |
| 35-49 | 20 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 50-64 | 37 | 4.6 | 16 | <1 | 1 | 3 | 5 | 11 | 13 | 19 |
| 65+ | 59 | 9.7 | 71 | 1 | 2 | 7 | 12 | 22 | 33 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 5.1 | 20 | <1 | 1 | 3 | 8 | 8 | 15 | 19 |
| 20-34 | 23 | 4.3 | 32 | <1 | 1 | 3 | 4 | 7 | 19 | 27 |
| 35-49 | 19 | 4.4 | 13 | <1 | 1 | 3 | 7 | 9 | 12 | 15 |
| 50-64 | 25 | 9.1 | 114 | 1 | 2 | 4 | 16 | 33 | 50 | 99+ |
| 65+ | 27 | 10.9 | 226 | 1 | 1 | 6 | 14 | 23 | 33 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 3.8 | 14 | <1 | 1 | 2 | 5 | 8 | 10 | 22 |
| B. *Operated* | 204 | 3.5 | 14 | <1 | <1 | 2 | 4 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 165 | 6.1 | 39 | 1 | 1 | 4 | 8 | 13 | 19 | 39 |
| B. *Operated* | 111 | 7.1 | 98 | <1 | 1 | 3 | 8 | 19 | 27 | 86 |
| **1. SINGLE DX** | 322 | 3.6 | 14 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | 276 | 6.5 | 63 | 1 | 1 | 4 | 8 | 15 | 23 | 67 |
| **A. NOT OPERATED** | 283 | 5.1 | 30 | 1 | 1 | 3 | 7 | 11 | 16 | 34 |
| **B. OPERATED** | 315 | 4.7 | 47 | <1 | 1 | 3 | 5 | 10 | 18 | 35 |
| TOTAL 0-19 YRS | 147 | 3.5 | 10 | <1 | 1 | 2 | 4 | 8 | 8 | 19 |
| 20-34 | 129 | 3.7 | 17 | <1 | 1 | 2 | 4 | 8 | 14 | 22 |
| 35-49 | 86 | 3.3 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 50-64 | 117 | 5.8 | 44 | <1 | 1 | 4 | 6 | 14 | 22 | 58 |
| 65+ | 119 | 8.4 | 96 | 1 | 1 | 5 | 10 | 19 | 26 | 84 |
| **GRAND TOTAL** | **598** | **4.9** | **39** | **<1** | **1** | **3** | **6** | **11** | **17** | **35** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 15.5 | 365 | 2 | 2 | 15 | 29 | 29 | 29 | 29 |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | 9 | 14.7 | 243 | 1 | 2 | 5 | 26 | 39 | 43 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.8 | 26 | <1 | <1 | 4 | 10 | 13 | 14 | 14 |
| 20-34 | 16 | 6.7 | 229 | <1 | <1 | 3 | 4 | 8 | 46 | 63 |
| 35-49 | 7 | 17.9 | 845 | 1 | 1 | 5 | 23 | 70 | 80 | 80 |
| 50-64 | 8 | 20.3 | 231 | 2 | 3 | 20 | 34 | 39 | 40 | 40 |
| 65+ | 19 | 20.7 | 225 | 5 | 7 | 18 | 28 | 52 | 84 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 11.0 | 98 | 4 | 4 | 11 | 18 | 18 | 18 | 18 |
| 20-34 | 4 | 7.3 | 26 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 35-49 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 50-64 | 11 | 20.5 | 586 | 8 | 8 | 12 | 22 | 52 | 88 | 91 |
| 65+ | 34 | 19.8 | 279 | 3 | 4 | 15 | 29 | 39 | 76 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 20.5 | 793 | 2 | 2 | 9 | 38 | 62 | 62 | 62 |
| 20-34 | 10 | 8.8 | 114 | <1 | <1 | 7 | 11 | 24 | 37 | 37 |
| 35-49 | 15 | 21.9 | 311 | 2 | 3 | 23 | 40 | 52 | 86 | 99+ |
| 50-64 | 54 | 29.6 | 601 | 6 | 7 | 24 | 46 | 86 | 97 | 99+ |
| 65+ | 135 | 29.5 | 464 | 8 | 10 | 22 | 45 | 62 | 85 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 14.1 | 209 | 1 | 1 | 5 | 24 | 36 | 42 | 43 |
| B. *Operated* | 58 | 14.4 | 299 | <1 | 1 | 8 | 22 | 37 | 66 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 18.6 | 313 | 3 | 4 | 14 | 23 | 38 | 79 | 99+ |
| B. *Operated* | 218 | 27.9 | 492 | 4 | 7 | 22 | 42 | 67 | 90 | 99+ |
| **1. SINGLE DX** | 71 | 14.3 | 279 | <1 | 1 | 7 | 23 | 36 | 61 | 96 |
| **2. MULTIPLE DX** | 270 | 26.1 | 470 | 3 | 6 | 20 | 37 | 62 | 89 | 99+ |
| **A. NOT OPERATED** | 65 | 17.7 | 292 | 2 | 3 | 13 | 23 | 38 | 60 | 99 |
| **B. OPERATED** | 276 | 25.1 | 480 | 2 | 3 | 19 | 36 | 62 | 86 | 99+ |
| TOTAL 0-19 YRS | 15 | 10.1 | 238 | <1 | 1 | 4 | 13 | 18 | 51 | 62 |
| 20-34 | 30 | 7.5 | 157 | <1 | <1 | 3 | 8 | 13 | 37 | 63 |
| 35-49 | 25 | 20.0 | 414 | 1 | 2 | 12 | 31 | 52 | 84 | 99+ |
| 50-64 | 74 | 27.1 | 556 | 5 | 7 | 20 | 36 | 83 | 92 | 99+ |
| 65+ | 197 | 26.3 | 418 | 4 | 7 | 21 | 36 | 61 | 83 | 99+ |
| **GRAND TOTAL** | **341** | **23.7** | **452** | **2** | **3** | **18** | **34** | **62** | **84** | **99+** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 20-34 | 252 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 35-49 | 566 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 564 | 4.1 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 65+ | 301 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 23 | 4.2 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 35-49 | 90 | 3.7 | 12 | 1 | 1 | 3 | 4 | 8 | 10 | 19 |
| 50-64 | 104 | 3.5 | 18 | 1 | 1 | 2 | 3 | 7 | 11 | 25 |
| 65+ | 17 | 2.8 | 6 | 1 | 1 | 2 | 3 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.1 | 11 | <1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 20-34 | 187 | 3.6 | 12 | <1 | 1 | 2 | 5 | 8 | 11 | 15 |
| 35-49 | 614 | 4.4 | 12 | 1 | 1 | 3 | 6 | 9 | 11 | 16 |
| 50-64 | 1007 | 5.5 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 65+ | 871 | 7.1 | 51 | 2 | 2 | 5 | 9 | 14 | 18 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 7.3 | 34 | 3 | 3 | 5 | 12 | 14 | 14 | 14 |
| 20-34 | 17 | 5.3 | 17 | 2 | 2 | 3 | 6 | 13 | 14 | 14 |
| 35-49 | 102 | 6.5 | 26 | 1 | 1 | 5 | 11 | 13 | 16 | 22 |
| 50-64 | 190 | 6.9 | 29 | 1 | 2 | 5 | 10 | 14 | 18 | 23 |
| 65+ | 47 | 12.4 | 115 | 1 | 2 | 10 | 18 | 29 | 33 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1731 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 234 | 3.6 | 14 | 1 | 1 | 3 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2730 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| B. *Operated* | 359 | 7.5 | 42 | 1 | 2 | 5 | 11 | 16 | 19 | 32 |
| **1. SINGLE DX** | 1965 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 3089 | 5.8 | 31 | 1 | 1 | 4 | 8 | 12 | 15 | 26 |
| **A. NOT OPERATED** | 4461 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| **B. OPERATED** | 593 | 5.9 | 35 | 1 | 1 | 3 | 8 | 13 | 18 | 29 |
| TOTAL 0-19 YRS | 102 | 3.6 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 20-34 | 479 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 35-49 | 1372 | 4.2 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 50-64 | 1865 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 65+ | 1236 | 6.7 | 48 | 1 | 2 | 5 | 8 | 14 | 17 | 32 |
| **GRAND TOTAL** | **5054** | **5.1** | **24** | **1** | **1** | **4** | **6** | **10** | **14** | **23** |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 183 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 27 |
| 20-34 | 19 | 3.3 | 9 | <1 | <1 | 2 | 4 | 8 | 11 | 11 |
| 35-49 | 25 | 4.3 | 8 | <1 | 1 | 3 | 7 | 8 | 9 | 11 |
| 50-64 | 35 | 6.5 | 72 | 1 | 1 | 5 | 7 | 12 | 15 | 50 |
| 65+ | 43 | 4.7 | 10 | 1 | 1 | 4 | 7 | 9 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.0 | 14 | <1 | <1 | 3 | 6 | 10 | 11 | 11 |
| 20-34 | 17 | 5.0 | 16 | <1 | 1 | 4 | 7 | 9 | 14 | 17 |
| 35-49 | 30 | 5.6 | 34 | 1 | 1 | 4 | 7 | 10 | 13 | 31 |
| 50-64 | 42 | 4.6 | 34 | <1 | 1 | 2 | 6 | 11 | 12 | 35 |
| 65+ | 39 | 5.4 | 35 | 1 | 1 | 5 | 7 | 11 | 13 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 140 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 22 |
| 20-34 | 51 | 3.3 | 8 | <1 | <1 | 2 | 4 | 7 | 8 | 16 |
| 35-49 | 46 | 5.6 | 26 | 1 | 1 | 3 | 8 | 13 | 17 | 21 |
| 50-64 | 86 | 7.2 | 66 | 1 | 1 | 5 | 8 | 14 | 22 | 49 |
| 65+ | 155 | 8.7 | 84 | 1 | 2 | 6 | 11 | 19 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 8.1 | 88 | 1 | 1 | 5 | 11 | 24 | 28 | 28 |
| 20-34 | 12 | 5.3 | 24 | <1 | <1 | 3 | 8 | 14 | 15 | 15 |
| 35-49 | 24 | 4.3 | 14 | <1 | 1 | 4 | 5 | 7 | 12 | 19 |
| 50-64 | 63 | 8.7 | 57 | 1 | 2 | 7 | 12 | 17 | 21 | 43 |
| 65+ | 60 | 9.0 | 90 | 2 | 2 | 7 | 10 | 18 | 36 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 305 | 4.4 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| B. *Operated* | 135 | 5.1 | 30 | <1 | 1 | 3 | 7 | 11 | 12 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 478 | 6.5 | 51 | 1 | 1 | 5 | 8 | 12 | 19 | 34 |
| B. *Operated* | 167 | 7.9 | 64 | 1 | 2 | 5 | 10 | 17 | 21 | 53 |
| **1. SINGLE DX** | 440 | 4.6 | 25 | 1 | 1 | 3 | 6 | 9 | 12 | 31 |
| **2. MULTIPLE DX** | 645 | 6.9 | 54 | 1 | 1 | 5 | 9 | 14 | 20 | 45 |
| **A. NOT OPERATED** | 783 | 5.7 | 41 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| **B. OPERATED** | 302 | 6.6 | 51 | 1 | 1 | 5 | 8 | 14 | 18 | 48 |
| TOTAL 0-19 YRS | 338 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 20-34 | 99 | 3.8 | 12 | <1 | <1 | 3 | 5 | 8 | 11 | 17 |
| 35-49 | 125 | 5.1 | 22 | 1 | 1 | 4 | 7 | 11 | 14 | 23 |
| 50-64 | 226 | 7.1 | 60 | 1 | 1 | 5 | 9 | 15 | 21 | 46 |
| 65+ | 297 | 7.7 | 71 | 1 | 2 | 6 | 9 | 14 | 23 | 52 |
| **GRAND TOTAL** | **1085** | **6.0** | **44** | **1** | **1** | **4** | **8** | **12** | **17** | **34** |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 98 | 4.2 | 28 | 1 | 1 | 3 | 5 | 7 | 11 | 35 |
| 20-34 | 336 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 311 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 50-64 | 210 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 65+ | 142 | 4.0 | 19 | 1 | 1 | 3 | 4 | 8 | 12 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 117 | 2.8 | 8 | <1 | <1 | 2 | 3 | 6 | 10 | 14 |
| 20-34 | 64 | 5.1 | 13 | <1 | <1 | 4 | 8 | 10 | 13 | 15 |
| 35-49 | 62 | 4.7 | 17 | <1 | <1 | 4 | 7 | 10 | 11 | 23 |
| 50-64 | 56 | 5.5 | 18 | <1 | <1 | 5 | 8 | 12 | 13 | 22 |
| 65+ | 45 | 7.4 | 99 | <1 | 1 | 4 | 10 | 15 | 20 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 3.9 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 125 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 35-49 | 133 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 50-64 | 145 | 5.1 | 26 | 1 | 1 | 3 | 7 | 11 | 17 | 25 |
| 65+ | 295 | 8.4 | 89 | 1 | 2 | 5 | 10 | 20 | 30 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 4.4 | 54 | <1 | <1 | 2 | 5 | 10 | 14 | 48 |
| 20-34 | 48 | 9.1 | 51 | <1 | 1 | 7 | 13 | 21 | 25 | 29 |
| 35-49 | 50 | 8.7 | 36 | <1 | 1 | 8 | 11 | 17 | 19 | 27 |
| 50-64 | 84 | 7.9 | 37 | 1 | 2 | 7 | 11 | 15 | 21 | 30 |
| 65+ | 190 | 13.1 | 126 | 2 | 4 | 10 | 18 | 25 | 35 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1097 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 344 | 4.6 | 26 | <1 | <1 | 3 | 6 | 10 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 746 | 5.7 | 49 | 1 | 1 | 3 | 7 | 13 | 19 | 39 |
| B. *Operated* | 440 | 9.8 | 89 | <1 | 1 | 7 | 13 | 20 | 26 | 49 |
| **1. SINGLE DX** | 1441 | 3.3 | 13 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 1186 | 7.2 | 68 | 1 | 1 | 5 | 9 | 17 | 23 | 44 |
| **A. NOT OPERATED** | 1843 | 4.0 | 27 | 1 | 1 | 2 | 4 | 8 | 12 | 29 |
| **B. OPERATED** | 784 | 7.5 | 68 | <1 | <1 | 5 | 10 | 17 | 22 | 45 |
| TOTAL 0-19 YRS | 331 | 3.7 | 24 | <1 | <1 | 2 | 5 | 8 | 11 | 19 |
| 20-34 | 573 | 3.5 | 13 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| 35-49 | 556 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 50-64 | 495 | 4.6 | 21 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| 65+ | 672 | 8.7 | 96 | 1 | 2 | 5 | 11 | 20 | 28 | 51 |
| **GRAND TOTAL** | **2627** | **5.1** | **42** | **<1** | **1** | **3** | **6** | **11** | **17** | **32** |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2735 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 20-34 | 1798 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 773 | 3.8 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 50-64 | 482 | 4.5 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 18 |
| 65+ | 461 | 5.5 | 21 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 4.5 | 11 | 2 | 2 | 4 | 5 | 7 | 12 | 17 |
| 20-34 | 413 | 4.5 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 21 |
| 35-49 | 120 | 4.9 | 14 | 1 | 2 | 4 | 7 | 9 | 13 | 18 |
| 50-64 | 47 | 7.6 | 34 | 1 | 1 | 6 | 11 | 14 | 17 | 27 |
| 65+ | 24 | 10.9 | 48 | 1 | 3 | 10 | 14 | 23 | 25 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1137 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 20-34 | 1216 | 3.8 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 35-49 | 534 | 5.3 | 19 | 1 | 1 | 4 | 7 | 11 | 14 | 21 |
| 50-64 | 588 | 6.0 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 65+ | 880 | 8.7 | 69 | 1 | 2 | 6 | 11 | 17 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 144 | 5.7 | 14 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 20-34 | 351 | 5.9 | 34 | 1 | 1 | 4 | 8 | 13 | 16 | 33 |
| 35-49 | 136 | 7.4 | 55 | 1 | 2 | 5 | 10 | 15 | 20 | 31 |
| 50-64 | 111 | 9.8 | 42 | 2 | 3 | 9 | 13 | 18 | 22 | 31 |
| 65+ | 105 | 16.5 | 247 | 3 | 4 | 12 | 20 | 32 | 52 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6249 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 868 | 4.9 | 17 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4355 | 5.2 | 31 | 1 | 1 | 4 | 7 | 11 | 15 | 28 |
| B. *Operated* | 847 | 7.9 | 73 | 1 | 2 | 6 | 10 | 16 | 21 | 45 |
| **1. SINGLE DX** | 7117 | 3.5 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 5202 | 5.7 | 39 | 1 | 1 | 4 | 7 | 12 | 16 | 31 |
| **A. NOT OPERATED** | 10604 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **B. OPERATED** | 1715 | 6.4 | 47 | 1 | 2 | 4 | 8 | 13 | 17 | 33 |
| TOTAL 0-19 YRS | 4280 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 20-34 | 3778 | 3.7 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 1563 | 4.8 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 50-64 | 1228 | 5.8 | 24 | 1 | 1 | 4 | 8 | 12 | 15 | 23 |
| 65+ | 1470 | 8.3 | 74 | 1 | 2 | 6 | 10 | 16 | 23 | 46 |
| **GRAND TOTAL** | **12319** | **4.4** | **24** | **1** | **1** | **3** | **5** | **9** | **13** | **23** |

### 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 4.8 | 43 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| 20-34 | 62 | 3.5 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 16 |
| 35-49 | 45 | 3.2 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 18 |
| 50-64 | 49 | 4.8 | 18 | <1 | <1 | 3 | 6 | 11 | 13 | 20 |
| 65+ | 65 | 6.4 | 78 | 1 | 1 | 5 | 8 | 10 | 14 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 7.6 | 69 | <1 | <1 | 6 | 10 | 22 | 22 | 22 |
| 20-34 | 18 | 5.3 | 18 | 1 | 1 | 3 | 9 | 12 | 14 | 14 |
| 35-49 | 12 | 5.5 | 14 | <1 | <1 | 6 | 9 | 10 | 10 | 10 |
| 50-64 | 14 | 8.0 | 64 | 1 | 1 | 5 | 12 | 21 | 25 | 26 |
| 65+ | 15 | 7.2 | 42 | 1 | 2 | 6 | 11 | 13 | 22 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 296 | 6.4 | 72 | 1 | 1 | 4 | 7 | 13 | 18 | 51 |
| 20-34 | 72 | 4.7 | 13 | 1 | 1 | 4 | 6 | 10 | 12 | 18 |
| 35-49 | 77 | 6.0 | 23 | 1 | 1 | 5 | 8 | 12 | 16 | 22 |
| 50-64 | 102 | 7.2 | 67 | 1 | 2 | 5 | 9 | 14 | 19 | 51 |
| 65+ | 283 | 9.7 | 99 | 1 | 2 | 7 | 13 | 20 | 31 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 14.1 | 102 | 5 | 5 | 9 | 19 | 31 | 34 | 34 |
| 20-34 | 31 | 10.8 | 54 | 1 | 2 | 10 | 14 | 19 | 29 | 32 |
| 35-49 | 16 | 14.9 | 179 | <1 | 1 | 11 | 21 | 32 | 44 | 49 |
| 50-64 | 55 | 10.9 | 94 | 2 | 2 | 10 | 14 | 26 | 28 | 46 |
| 65+ | 43 | 14.4 | 218 | 2 | 3 | 8 | 20 | 31 | 45 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 517 | 4.7 | 39 | <1 | 1 | 3 | 6 | 10 | 14 | 24 |
| B. *Operated* | 64 | 6.6 | 35 | <1 | 1 | 4 | 9 | 13 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 830 | 7.5 | 74 | 1 | 1 | 5 | 9 | 16 | 21 | 52 |
| B. *Operated* | 154 | 12.4 | 130 | 2 | 2 | 9 | 16 | 28 | 33 | 50 |
| **1. SINGLE DX** | 581 | 4.9 | 39 | <1 | 1 | 3 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | 984 | 8.2 | 86 | 1 | 2 | 5 | 10 | 18 | 26 | 51 |
| **A. NOT OPERATED** | 1347 | 6.4 | 62 | 1 | 1 | 4 | 8 | 14 | 19 | 49 |
| **B. OPERATED** | 218 | 10.7 | 109 | 1 | 2 | 8 | 14 | 25 | 30 | 49 |
| TOTAL 0-19 YRS | 606 | 5.8 | 59 | 1 | 1 | 4 | 6 | 12 | 17 | 42 |
| 20-34 | 183 | 5.4 | 26 | <1 | 1 | 3 | 7 | 12 | 15 | 27 |
| 35-49 | 150 | 6.0 | 45 | <1 | 1 | 4 | 8 | 13 | 19 | 33 |
| 50-64 | 220 | 7.6 | 66 | 1 | 1 | 5 | 10 | 16 | 23 | 47 |
| 65+ | 406 | 9.6 | 110 | 1 | 2 | 7 | 12 | 20 | 30 | 84 |
| **GRAND TOTAL** | 1565 | 7.0 | 71 | 1 | 1 | 4 | 9 | 15 | 21 | 49 |

### 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1098 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 20-34 | 260 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 35-49 | 247 | 4.5 | 28 | <1 | 1 | 3 | 6 | 8 | 12 | 24 |
| 50-64 | 312 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 14 | 26 |
| 65+ | 591 | 7.8 | 90 | 1 | 1 | 5 | 9 | 18 | 30 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 59 | 4.5 | 22 | <1 | <1 | 3 | 5 | 11 | 13 | 25 |
| 20-34 | 135 | 3.7 | 10 | <1 | <1 | 3 | 5 | 8 | 12 | 16 |
| 35-49 | 80 | 4.9 | 28 | <1 | 1 | 2 | 6 | 12 | 17 | 23 |
| 50-64 | 71 | 5.7 | 34 | <1 | 1 | 3 | 7 | 14 | 18 | 27 |
| 65+ | 37 | 6.4 | 20 | 1 | 2 | 5 | 10 | 13 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 939 | 6.3 | 38 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| 20-34 | 318 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 14 | 25 |
| 35-49 | 320 | 6.3 | 59 | 1 | 1 | 5 | 8 | 11 | 16 | 38 |
| 50-64 | 632 | 7.1 | 53 | 1 | 1 | 5 | 9 | 15 | 21 | 33 |
| 65+ | 1733 | 10.9 | 144 | 2 | 2 | 7 | 13 | 27 | 39 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 9.5 | 116 | 1 | 1 | 7 | 14 | 20 | 41 | 99+ |
| 20-34 | 85 | 5.0 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| 35-49 | 78 | 10.0 | 190 | 1 | 2 | 6 | 12 | 19 | 42 | 99+ |
| 50-64 | 140 | 10.2 | 107 | 1 | 2 | 8 | 15 | 20 | 34 | 71 |
| 65+ | 170 | 14.3 | 189 | 2 | 2 | 11 | 20 | 37 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2508 | 5.2 | 38 | 1 | 1 | 3 | 6 | 11 | 16 | 35 |
| B. *Operated* | 382 | 4.7 | 22 | <1 | 1 | 3 | 6 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3942 | 8.3 | 93 | 1 | 2 | 5 | 10 | 18 | 28 | 76 |
| B. *Operated* | 518 | 10.6 | 141 | 1 | 2 | 7 | 15 | 24 | 39 | 99+ |
| **1. SINGLE DX** | 2890 | 5.2 | 36 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |
| **2. MULTIPLE DX** | 4460 | 8.6 | 99 | 1 | 2 | 6 | 11 | 19 | 29 | 89 |
| **A. NOT OPERATED** | 6450 | 7.1 | 74 | 1 | 1 | 4 | 8 | 15 | 23 | 62 |
| **B. OPERATED** | 900 | 8.1 | 99 | 1 | 1 | 5 | 10 | 18 | 26 | 99 |
| TOTAL 0-19 YRS | 2141 | 5.4 | 30 | 1 | 1 | 4 | 7 | 11 | 16 | 29 |
| 20-34 | 798 | 4.2 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 19 |
| 35-49 | 725 | 5.9 | 61 | 1 | 1 | 4 | 7 | 12 | 16 | 48 |
| 50-64 | 1155 | 6.9 | 53 | 1 | 1 | 5 | 9 | 15 | 20 | 35 |
| 65+ | 2531 | 10.3 | 135 | 1 | 2 | 7 | 13 | 24 | 38 | 99+ |
| **GRAND TOTAL** | 7350 | 7.2 | 77 | 1 | 1 | 5 | 9 | 16 | 23 | 64 |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 209 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| 20-34 | 20 | 4.4 | 28 | <1 | 1 | 2 | 5 | 14 | 17 | 19 |
| 35-49 | 8 | 3.6 | 9 | <1 | <1 | 2 | 6 | 8 | 9 | 9 |
| 50-64 | 9 | 5.9 | 20 | <1 | 1 | 5 | 8 | 13 | 14 | 14 |
| 65+ | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 6.7 | 20 | 1 | 1 | 6 | 8 | 12 | 18 | 18 |
| 20-34 | 8 | 9.8 | 53 | 2 | 3 | 8 | 11 | 22 | 26 | 26 |
| 35-49 | 3 | 7.7 | 24 | 2 | 2 | 10 | 11 | 11 | 11 | 11 |
| 50-64 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 105 | 4.7 | 21 | 1 | 1 | 3 | 5 | 11 | 14 | 24 |
| 20-34 | 44 | 5.9 | 29 | <1 | 1 | 4 | 8 | 13 | 16 | 26 |
| 35-49 | 15 | 6.6 | 72 | 1 | 1 | 3 | 7 | 20 | 29 | 32 |
| 50-64 | 15 | 11.1 | 184 | 1 | 1 | 7 | 14 | 23 | 46 | 54 |
| 65+ | 18 | 15.9 | 282 | 2 | 2 | 10 | 24 | 26 | 55 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 9.7 | 106 | 1 | 2 | 8 | 15 | 65 | 99+ | 99+ |
| 20-34 | 33 | 16.3 | 358 | 2 | 3 | 8 | 20 | 53 | 71 | 99+ |
| 35-49 | 18 | 12.1 | 170 | 1 | 2 | 8 | 16 | 28 | 45 | 53 |
| 50-64 | 5 | 17.4 | 232 | 6 | 6 | 11 | 27 | 42 | 42 | 42 |
| 65+ | 8 | 23.4 | 301 | 2 | 4 | 21 | 30 | 50 | 58 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 249 | 3.1 | 11 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| B. *Operated* | 37 | 7.4 | 27 | 1 | 1 | 7 | 9 | 13 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 197 | 6.6 | 72 | 1 | 1 | 4 | 8 | 15 | 23 | 44 |
| B. *Operated* | 93 | 14.1 | 238 | 2 | 2 | 8 | 18 | 49 | 71 | 99+ |
| **1. SINGLE DX** | 286 | 3.7 | 15 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 290 | 9.0 | 137 | 1 | 2 | 5 | 11 | 23 | 40 | 99+ |
| **A. NOT OPERATED** | 446 | 4.7 | 41 | 1 | 1 | 3 | 5 | 11 | 15 | 27 |
| **B. OPERATED** | 130 | 12.2 | 187 | 1 | 2 | 8 | 14 | 34 | 57 | 99+ |
| TOTAL 0-19 YRS | 367 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 47 |
| 20-34 | 105 | 9.2 | 156 | 1 | 1 | 6 | 11 | 20 | 46 | 84 |
| 35-49 | 44 | 8.4 | 104 | 1 | 1 | 4 | 10 | 19 | 32 | 53 |
| 50-64 | 31 | 10.2 | 140 | 1 | 1 | 6 | 13 | 22 | 41 | 54 |
| 65+ | 29 | 16.8 | 276 | 2 | 2 | 11 | 24 | 31 | 59 | 74 |
| **GRAND TOTAL** | **576** | **6.4** | **83** | **1** | **1** | **3** | **7** | **14** | **24** | **71** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 20-34 | 26 | 3.8 | 9 | <1 | 1 | 3 | 6 | 8 | 9 | 12 |
| 35-49 | 7 | 3.3 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 50-64 | 9 | 6.2 | 54 | 1 | 1 | 3 | 10 | 18 | 23 | 23 |
| 65+ | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 5.8 | 10 | 1 | 1 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 6 | 9.5 | 81 | 1 | 1 | 8 | 16 | 21 | 22 | 22 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 66 | 5.6 | 52 | 1 | 1 | 3 | 7 | 11 | 16 | 41 |
| 20-34 | 40 | 7.6 | 117 | <1 | 1 | 4 | 8 | 15 | 28 | 61 |
| 35-49 | 23 | 5.8 | 28 | 1 | 1 | 5 | 7 | 13 | 17 | 21 |
| 50-64 | 15 | 8.5 | 56 | 1 | 2 | 7 | 13 | 28 | 79 | 99+ |
| 65+ | 11 | 9.7 | 81 | 1 | 1 | 10 | 19 | 47 | 92 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 17.3 | 402 | 2 | 3 | 10 | 17 | 46 | 66 | 76 |
| 20-34 | 47 | 16.0 | 259 | 2 | 3 | 11 | 23 | 81 | 99+ | 99+ |
| 35-49 | 17 | 17.7 | 203 | 1 | 3 | 16 | 24 | 35 | 49 | 56 |
| 50-64 | 14 | 14.4 | 155 | 2 | 3 | 9 | 22 | 33 | 41 | 43 |
| 65+ | 7 | 19.1 | 359 | 1 | 2 | 20 | 40 | 87 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 132 | 3.5 | 13 | 1 | 1 | 2 | 5 | 8 | 10 | 22 |
| B. *Operated* | 15 | 7.6 | 38 | 1 | 1 | 8 | 10 | 16 | 20 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 6.7 | 68 | 1 | 1 | 4 | 8 | 17 | 24 | 97 |
| B. *Operated* | 111 | 16.6 | 268 | 2 | 3 | 11 | 23 | 53 | 91 | 99+ |
| **1. SINGLE DX** | 147 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| **2. MULTIPLE DX** | 266 | 10.8 | 175 | 1 | 1 | 7 | 14 | 34 | 56 | 99+ |
| **A. NOT OPERATED** | 287 | 5.3 | 45 | 1 | 1 | 3 | 6 | 12 | 18 | 53 |
| **B. OPERATED** | 126 | 15.5 | 249 | 2 | 2 | 10 | 20 | 49 | 76 | 99+ |
| TOTAL 0-19 YRS | 188 | 6.1 | 98 | 1 | 1 | 3 | 6 | 12 | 20 | 57 |
| 20-34 | 119 | 10.2 | 169 | 1 | 1 | 7 | 12 | 40 | 65 | 99+ |
| 35-49 | 48 | 9.8 | 120 | 1 | 1 | 6 | 13 | 22 | 32 | 56 |
| 50-64 | 38 | 10.1 | 99 | 1 | 2 | 7 | 15 | 29 | 38 | 99+ |
| 65+ | 20 | 12.7 | 180 | 1 | 1 | 10 | 23 | 70 | 99+ | 99+ |
| **GRAND TOTAL** | **413** | **8.4** | **129** | **1** | **1** | **5** | **10** | **22** | **42** | **99+** |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 20-34 | 64 | 2.2 | 3 | <1 | 1 | 1 | 3 | 4 | 5 | 10 |
| 35-49 | 19 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 6 |
| 50-64 | 5 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 65+ | 4 | 3.8 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 360 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 592 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 115 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 50-64 | 31 | 4.0 | 19 | <1 | 1 | 3 | 4 | 7 | 15 | 22 |
| 65+ | 12 | 4.3 | 10 | <1 | 1 | 3 | 5 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 45 | 2.8 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 10 |
| 20-34 | 97 | 3.5 | 12 | <1 | <1 | 3 | 5 | 7 | 9 | 20 |
| 35-49 | 46 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 8 |
| 50-64 | 19 | 3.4 | 10 | <1 | <1 | 3 | 4 | 8 | 11 | 12 |
| 65+ | 22 | 14.0 | 395 | 2 | 2 | 7 | 11 | 37 | 70 | 81 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 230 | 4.6 | 18 | <1 | 1 | 3 | 6 | 10 | 13 | 21 |
| 20-34 | 468 | 4.9 | 42 | 1 | 1 | 4 | 6 | 9 | 12 | 26 |
| 35-49 | 135 | 6.7 | 76 | 1 | 1 | 4 | 8 | 14 | 19 | 54 |
| 50-64 | 49 | 6.0 | 52 | 1 | 1 | 4 | 8 | 14 | 20 | 99+ |
| 65+ | 30 | 11.2 | 82 | 2 | 3 | 8 | 15 | 25 | 29 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 5 | 9 |
| B. *Operated* | 1110 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 229 | 4.2 | 55 | <1 | <1 | 3 | 5 | 8 | 11 | 34 |
| B. *Operated* | 912 | 5.4 | 44 | 1 | 1 | 4 | 6 | 11 | 15 | 31 |
| **1. SINGLE DX** | 1244 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 1141 | 5.1 | 47 | 1 | 1 | 3 | 6 | 10 | 14 | 29 |
| **A. NOT OPERATED** | 363 | 3.4 | 37 | <1 | <1 | 2 | 4 | 7 | 9 | 25 |
| **B. OPERATED** | 2022 | 3.9 | 24 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| TOTAL 0-19 YRS | 677 | 3.2 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 15 |
| 20-34 | 1221 | 3.6 | 20 | <1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 35-49 | 315 | 4.5 | 39 | 1 | 1 | 3 | 5 | 9 | 13 | 24 |
| 50-64 | 104 | 4.7 | 34 | <1 | 1 | 3 | 6 | 11 | 15 | 70 |
| 65+ | 68 | 10.5 | 175 | 2 | 2 | 6 | 11 | 24 | 30 | 78 |
| **GRAND TOTAL** | **2385** | **3.8** | **26** | **<1** | **1** | **3** | **4** | **8** | **11** | **23** |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 110 | 6.1 | 44 | 1 | 1 | 4 | 7 | 12 | 18 | 38 |
| 20-34 | 209 | 6.8 | 25 | 1 | 2 | 5 | 9 | 13 | 17 | 22 |
| 35-49 | 87 | 8.7 | 56 | 2 | 2 | 6 | 11 | 21 | 25 | 37 |
| 50-64 | 69 | 12.0 | 93 | 3 | 3 | 9 | 15 | 21 | 29 | 57 |
| 65+ | 81 | 14.3 | 151 | 3 | 3 | 11 | 19 | 29 | 33 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 14.0 | 203 | 1 | 2 | 12 | 15 | 25 | 52 | 58 |
| 20-34 | 23 | 14.6 | 99 | 4 | 4 | 12 | 20 | 37 | 57 | 99+ |
| 35-49 | 8 | 20.3 | 537 | 1 | 1 | 9 | 37 | 56 | 64 | 64 |
| 50-64 | 6 | 14.5 | 46 | 3 | 4 | 15 | 20 | 22 | 22 | 22 |
| 65+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 84 | 8.4 | 80 | 1 | 2 | 5 | 10 | 19 | 31 | 43 |
| 20-34 | 172 | 8.8 | 64 | 2 | 2 | 6 | 11 | 20 | 25 | 41 |
| 35-49 | 98 | 10.4 | 81 | 2 | 2 | 9 | 14 | 22 | 28 | 46 |
| 50-64 | 114 | 13.0 | 139 | 3 | 3 | 9 | 16 | 25 | 39 | 62 |
| 65+ | 271 | 18.5 | 190 | 4 | 5 | 15 | 25 | 37 | 49 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 14.8 | 142 | 2 | 4 | 12 | 21 | 28 | 40 | 57 |
| 20-34 | 77 | 14.5 | 172 | 1 | 3 | 12 | 18 | 31 | 39 | 73 |
| 35-49 | 30 | 18.5 | 520 | 5 | 6 | 11 | 14 | 79 | 90 | 99+ |
| 50-64 | 15 | 15.4 | 71 | 3 | 6 | 16 | 21 | 26 | 30 | 31 |
| 65+ | 28 | 29.1 | 386 | 7 | 8 | 23 | 36 | 68 | 72 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 556 | 8.7 | 68 | 1 | 2 | 7 | 11 | 18 | 23 | 37 |
| B. *Operated* | 51 | 15.4 | 176 | 2 | 3 | 13 | 19 | 38 | 56 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 739 | 13.2 | 144 | 2 | 3 | 9 | 17 | 31 | 38 | 69 |
| B. *Operated* | 193 | 17.4 | 263 | 2 | 4 | 13 | 22 | 37 | 55 | 87 |
| **1. SINGLE DX** | 607 | 9.3 | 81 | 1 | 2 | 7 | 12 | 20 | 25 | 49 |
| **2. MULTIPLE DX** | 932 | 14.1 | 171 | 2 | 3 | 10 | 18 | 32 | 40 | 80 |
| **A. NOT OPERATED** | 1295 | 11.3 | 116 | 2 | 2 | 8 | 14 | 25 | 33 | 59 |
| **B. OPERATED** | 244 | 16.9 | 244 | 2 | 4 | 13 | 21 | 37 | 57 | 90 |
| TOTAL 0-19 YRS | 250 | 8.8 | 90 | 1 | 1 | 5 | 11 | 19 | 27 | 54 |
| 20-34 | 481 | 9.1 | 74 | 1 | 2 | 7 | 12 | 19 | 26 | 41 |
| 35-49 | 223 | 11.2 | 155 | 2 | 2 | 8 | 14 | 22 | 36 | 84 |
| 50-64 | 204 | 12.9 | 115 | 3 | 3 | 10 | 17 | 25 | 33 | 59 |
| 65+ | 381 | 18.4 | 206 | 3 | 5 | 15 | 25 | 36 | 48 | 96 |
| **GRAND TOTAL** | **1539** | **12.2** | **141** | **2** | **2** | **9** | **16** | **26** | **36** | **71** |

## 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 6.4 | 23 | 1 | 1 | 5 | 9 | 14 | 16 | 17 |
| 20-34 | 13 | 7.8 | 76 | <1 | 1 | 4 | 10 | 25 | 27 | 28 |
| 35-49 | 6 | 8.8 | 50 | 1 | 1 | 7 | 14 | 19 | 20 | 20 |
| 50-64 | 4 | 3.8 | 14 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 65+ | 5 | 14.4 | 42 | 8 | 8 | 15 | 19 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 22.5 | 85 | 16 | 16 | 22 | 29 | 29 | 29 | 29 |
| 20-34 | 7 | 32.3 | 415 | 14 | 14 | 29 | 36 | 66 | 74 | 74 |
| 35-49 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 8.6 | 129 | <1 | 1 | 5 | 6 | 28 | 34 | 34 |
| 20-34 | 7 | 12.0 | 237 | 1 | 1 | 5 | 20 | 38 | 42 | 42 |
| 35-49 | 5 | 14.2 | 113 | 3 | 3 | 10 | 20 | 31 | 31 | 31 |
| 50-64 | 10 | 9.2 | 172 | <1 | <1 | 5 | 9 | 28 | 45 | 45 |
| 65+ | 11 | 20.7 | 267 | 4 | 5 | 14 | 36 | 70 | 96 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 34.0 | 443 | 3 | 9 | 51 | 58 | 99+ | 99+ | 99+ |
| 20-34 | 12 | 40.8 | 527 | 13 | 15 | 59 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 1 | 6.0 | | 6 | 6 | 53 | 99+ | 99+ | 99+ | 99+ |
| 50-64 | 7 | 27.9 | 194 | 7 | 9 | 33 | 37 | 45 | 47 | 47 |
| 65+ | 1 | 16.0 | | 16 | 16 | 58 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 7.9 | 49 | 1 | 1 | 6 | 10 | 19 | 23 | 28 |
| B. *Operated* | 10 | 29.1 | 313 | 14 | 14 | 26 | 35 | 55 | 74 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 13.4 | 200 | <1 | 1 | 8 | 19 | 39 | 50 | 99+ |
| B. *Operated* | 30 | 33.7 | 428 | 6 | 13 | 44 | 73 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 52 | 12.0 | 166 | 1 | 1 | 8 | 16 | 28 | 34 | 73 |
| **2. MULTIPLE DX** | 70 | 22.1 | 396 | 1 | 3 | 18 | 48 | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | 82 | 10.6 | 129 | 1 | 1 | 7 | 14 | 29 | 39 | 86 |
| **B. OPERATED** | 40 | 32.6 | 395 | 7 | 14 | 34 | 67 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 32 | 15.6 | 303 | 1 | 2 | 8 | 29 | 58 | 91 | 99+ |
| 20-34 | 39 | 23.1 | 496 | 1 | 2 | 20 | 47 | 99+ | 99+ | 99+ |
| 35-49 | 13 | 11.5 | 74 | 1 | 3 | 10 | 20 | 38 | 86 | 99+ |
| 50-64 | 21 | 14.4 | 237 | <1 | 1 | 8 | 22 | 41 | 46 | 47 |
| 65+ | 17 | 18.6 | 186 | 5 | 7 | 15 | 33 | 83 | 99+ | 99+ |
| **GRAND TOTAL** | **122** | **17.8** | **321** | **1** | **2** | **13** | **33** | **67** | **99+** | **99+** |

## 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 3.7 | 7 | <1 | 1 | 3 | 5 | 8 | 10 | 10 |
| 20-34 | 54 | 3.2 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 35-49 | 54 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 21 |
| 50-64 | 68 | 4.9 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 15 |
| 65+ | 87 | 8.1 | 50 | 1 | 2 | 6 | 10 | 15 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 4.2 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| 20-34 | 126 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 10 | 16 |
| 35-49 | 135 | 6.3 | 21 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |
| 50-64 | 198 | 7.8 | 31 | 1 | 2 | 7 | 10 | 15 | 18 | 29 |
| 65+ | 316 | 14.7 | 200 | 3 | 4 | 10 | 18 | 37 | 58 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 12.2 | 141 | 1 | 3 | 8 | 20 | 26 | 40 | 49 |
| 20-34 | 51 | 8.9 | 62 | 1 | 2 | 6 | 12 | 17 | 29 | 39 |
| 35-49 | 50 | 12.5 | 158 | 2 | 3 | 9 | 16 | 26 | 39 | 72 |
| 50-64 | 49 | 15.1 | 139 | 2 | 4 | 13 | 18 | 25 | 47 | 53 |
| 65+ | 44 | 22.3 | 328 | 5 | 7 | 17 | 31 | 64 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 276 | 5.3 | 26 | 1 | 1 | 4 | 7 | 10 | 13 | 30 |
| B. *Operated* | 3 | 12.7 | 69 | 6 | 6 | 10 | 19 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 807 | 9.6 | 109 | 1 | 2 | 7 | 11 | 19 | 32 | 82 |
| B. *Operated* | 212 | 14.2 | 183 | 2 | 3 | 10 | 19 | 31 | 47 | 90 |
| **1. SINGLE DX** | 279 | 5.4 | 27 | 1 | 1 | 4 | 7 | 10 | 14 | 30 |
| **2. MULTIPLE DX** | 1019 | 10.6 | 128 | 1 | 2 | 7 | 13 | 22 | 37 | 87 |
| **A. NOT OPERATED** | 1083 | 8.5 | 92 | 1 | 2 | 6 | 10 | 17 | 26 | 69 |
| **B. OPERATED** | 215 | 14.2 | 181 | [illegible] | 3 | 10 | 19 | 31 | 46 | 89 |
| TOTAL 0-19 YRS | 63 | 6.3 | 60 | 1 | 1 | 4 | 8 | 12 | 22 | 46 |
| 20-34 | 232 | 5.2 | 25 | 1 | 1 | 4 | 7 | 10 | 14 | 30 |
| 35-49 | 239 | 7.1 | 55 | 1 | 2 | 5 | 8 | 13 | 20 | 39 |
| 50-64 | 316 | 8.3 | 53 | 1 | 2 | 7 | 10 | 17 | 20 | 44 |
| 65+ | 448 | 14.2 | 197 | 2 | 3 | 10 | 17 | 35 | 55 | 99+ |
| **GRAND TOTAL** | **1298** | **9.5** | **111** | **1** | **2** | **7** | **11** | **20** | **31** | **72** |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 8.4 | 41 | 1 | 2 | 6 | 13 | 20 | 21 | 26 |
| 20-34 | 62 | 11.5 | 144 | 1 | 1 | 8 | 16 | 24 | 32 | 69 |
| 35-49 | 26 | 13.0 | 80 | 3 | 5 | 11 | 20 | 28 | 47 | 99+ |
| 50-64 | 18 | 18.2 | 229 | 1 | 3 | 12 | 26 | 43 | 47 | 50 |
| 65+ | 84 | 19.3 | 213 | 5 | 6 | 17 | 27 | 33 | 46 | 96 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 25.2 | 1198 | 2 | 2 | 7 | 43 | 84 | 84 | 84 |
| 20-34 | 2 | 22.5 | 221 | 12 | 12 | 22 | 33 | 33 | 33 | 33 |
| 35-49 | 2 | 44.5 | 221 | 34 | 34 | 44 | 55 | 55 | 55 | 55 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 67 | 11.7 | 76 | 1 | 4 | 10 | 14 | 22 | 27 | 52 |
| 20-34 | 73 | 12.4 | 65 | 1 | 3 | 11 | 16 | 26 | 28 | 34 |
| 35-49 | 30 | 18.5 | 270 | 1 | 2 | 14 | 23 | 51 | 57 | 57 |
| 50-64 | 47 | 18.0 | 176 | 4 | 5 | 14 | 26 | 35 | 45 | 59 |
| 65+ | 191 | 27.0 | 358 | 7 | 8 | 23 | 36 | 60 | 81 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 21.4 | 274 | 4 | 5 | 16 | 31 | 44 | 53 | 69 |
| 20-34 | 48 | 22.3 | 399 | 2 | 3 | 13 | 37 | 50 | 55 | 94 |
| 35-49 | 29 | 23.0 | 443 | 2 | 7 | 16 | 34 | 47 | 67 | 95 |
| 50-64 | 17 | 28.4 | 222 | 10 | 13 | 26 | 50 | 52 | 81 | 99+ |
| 65+ | 24 | 35.5 | 431 | 6 | 9 | 39 | 59 | 95 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 242 | 14.2 | 162 | 2 | 3 | 11 | 20 | 30 | 41 | 90 |
| B. *Operated* | 10 | 28.3 | 656 | 2 | 3 | 26 | 34 | 69 | 84 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 408 | 20.2 | 275 | 4 | 5 | 16 | 28 | 44 | 59 | 99+ |
| B. *Operated* | 146 | 25.2 | 384 | 3 | 6 | 18 | 41 | 55 | 69 | 99+ |
| **1. SINGLE DX** | 252 | 14.8 | 187 | 2 | 3 | 11 | 21 | 31 | 43 | 89 |
| **2. MULTIPLE DX** | 554 | 21.5 | 308 | 4 | 5 | 16 | 30 | 51 | 62 | 99+ |
| **A. NOT OPERATED** | 650 | 18.0 | 241 | 2 | 4 | 13 | 25 | 40 | 53 | 99+ |
| **B. OPERATED** | 156 | 25.4 | 398 | 3 | 6 | 19 | 40 | 55 | 71 | 99+ |
| TOTAL 0-19 YRS | 152 | 12.8 | 154 | 2 | 3 | 9 | 16 | 26 | 35 | 69 |
| 20-34 | 185 | 14.8 | 198 | 1 | 3 | 11 | 17 | 33 | 47 | 67 |
| 35-49 | 87 | 19.0 | 293 | 1 | 4 | 15 | 24 | 47 | 57 | 98 |
| 50-64 | 82 | 20.2 | 210 | 4 | 6 | 17 | 27 | 45 | 52 | 86 |
| 65+ | 300 | 25.5 | 340 | 6 | 7 | 22 | 35 | 57 | 80 | 99+ |
| **GRAND TOTAL** | **806** | **19.4** | **280** | **3** | **4** | **14** | **27** | **45** | **57** | **99+** |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 115 | 2.2 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 20-34 | 32 | 3.8 | 11 | <1 | 1 | 3 | 5 | 6 | 7 | 19 |
| 35-49 | 20 | 4.3 | 29 | <1 | <1 | 3 | 5 | 6 | 16 | 26 |
| 50-64 | 39 | 7.2 | 196 | 1 | 2 | 4 | 8 | 11 | 19 | 88 |
| 65+ | 105 | 12.2 | 176 | 1 | 2 | 7 | 15 | 36 | 40 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 431 | 3.6 | 21 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 20-34 | 67 | 5.2 | 26 | 1 | 1 | 3 | 6 | 11 | 17 | 26 |
| 35-49 | 43 | 5.2 | 16 | 1 | 1 | 4 | 6 | 11 | 15 | 18 |
| 50-64 | 50 | 7.0 | 46 | 1 | 2 | 6 | 8 | 12 | 18 | 39 |
| 65+ | 71 | 11.2 | 155 | 1 | 1 | 8 | 14 | 33 | 37 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.9 | 38 | 1 | 1 | 2 | 5 | 11 | 35 | 99+ |
| 20-34 | 21 | 5.1 | 19 | 1 | 1 | 4 | 7 | 13 | 15 | 16 |
| 35-49 | 16 | 13.1 | 465 | 1 | 2 | 6 | 10 | 35 | 72 | 87 |
| 50-64 | 52 | 11.2 | 182 | 1 | 1 | 6 | 13 | 30 | 37 | 72 |
| 65+ | 149 | 23.8 | 450 | 3 | 4 | 17 | 36 | 60 | 88 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 114 | 10.1 | 127 | 1 | 1 | 6 | 14 | 22 | 32 | 56 |
| 20-34 | 72 | 9.1 | 111 | 1 | 2 | 6 | 10 | 20 | 32 | 55 |
| 35-49 | 47 | 9.4 | 211 | 1 | 1 | 4 | 9 | 21 | 31 | 88 |
| 50-64 | 60 | 9.3 | 70 | 1 | 2 | 7 | 12 | 21 | 25 | 45 |
| 65+ | 112 | 18.1 | 324 | 1 | 2 | 14 | 25 | 48 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 6.5 | 107 | 1 | 1 | 3 | 6 | 15 | 28 | 54 |
| B. *Operated* | 662 | 5.0 | 43 | 1 | 1 | 3 | 5 | 11 | 18 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 17.1 | 381 | 1 | 2 | 10 | 26 | 46 | 73 | 99+ |
| B. *Operated* | 405 | 12.0 | 193 | 1 | 2 | 7 | 16 | 28 | 46 | 79 |
| **1. SINGLE DX** | 973 | 5.5 | 64 | 1 | 1 | 3 | 6 | 12 | 21 | 39 |
| **2. MULTIPLE DX** | 671 | 14.0 | 273 | 1 | 2 | 8 | 18 | 38 | 56 | 99+ |
| **A. NOT OPERATED** | 577 | 11.4 | 261 | 1 | 1 | 5 | 14 | 35 | 48 | 99 |
| **B. OPERATED** | 1067 | 7.6 | 111 | 1 | 1 | 4 | 9 | 19 | 28 | 57 |
| TOTAL 0-19 YRS | 688 | 4.5 | 43 | 1 | 1 | 2 | 4 | 11 | 19 | 36 |
| 20-34 | 192 | 6.4 | 59 | 1 | 1 | 4 | 8 | 14 | 19 | 46 |
| 35-49 | 126 | 7.6 | 152 | 1 | 1 | 4 | 8 | 17 | 26 | 87 |
| 50-64 | 201 | 8.8 | 119 | 1 | 2 | 6 | 10 | 19 | 29 | 60 |
| 65+ | 437 | 17.5 | 329 | 1 | 2 | 12 | 26 | 44 | 61 | 99+ |
| **GRAND TOTAL** | **1644** | **8.9** | **167** | **1** | **1** | **4** | **10** | **24** | **37** | **88** |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 1.4 | 1 | <1 | 1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 35 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 35-49 | 17 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 29 | 3.4 | 16 | <1 | <1 | 2 | 4 | 8 | 14 | 17 |
| 65+ | 36 | 4.3 | 21 | 1 | 1 | 2 | 5 | 10 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1805 | 1.7 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 20-34 | 366 | 2.8 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 254 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 341 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 279 | 3.1 | 15 | 1 | 1 | 2 | 4 | 7 | 9 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 34 | 2.4 | 12 | <1 | <1 | 1 | 2 | 5 | 6 | 20 |
| 20-34 | 26 | 3.4 | 9 | <1 | <1 | 2 | 4 | 8 | 10 | 13 |
| 35-49 | 14 | 2.4 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 50-64 | 31 | 7.0 | 151 | 1 | 1 | 5 | 7 | 10 | 18 | 70 |
| 65+ | 66 | 13.3 | 252 | 2 | 2 | 8 | 16 | 43 | 62 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 272 | 4.3 | 44 | 1 | 1 | 2 | 4 | 9 | 15 | 35 |
| 20-34 | 207 | 6.4 | 86 | 1 | 1 | 4 | 6 | 12 | 23 | 49 |
| 35-49 | 108 | 5.4 | 37 | 1 | 1 | 3 | 7 | 11 | 15 | 34 |
| 50-64 | 148 | 7.1 | 145 | 1 | 1 | 4 | 7 | 14 | 27 | 73 |
| 65+ | 215 | 8.2 | 145 | 1 | 1 | 4 | 9 | 20 | 32 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 2.3 | 9 | <1 | <1 | 1 | 2 | 5 | 8 | 16 |
| B. *Operated* | 3045 | 2.1 | 7 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 7.6 | 150 | <1 | 1 | 4 | 8 | 18 | 32 | 72 |
| B. *Operated* | 950 | 6.2 | 93 | 1 | 1 | 3 | 6 | 13 | 23 | 52 |
| **1. SINGLE DX** | 3230 | 2.1 | 7 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 1121 | 6.4 | 102 | 1 | 1 | 3 | 7 | 14 | 24 | 66 |
| **A. NOT OPERATED** | 356 | 4.9 | 83 | <1 | 1 | 2 | 5 | 10 | 18 | 64 |
| **B. OPERATED** | 3995 | 3.1 | 30 | 1 | 1 | 2 | 3 | 6 | 9 | 29 |
| TOTAL 0-19 YRS | 2179 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 5 | 13 |
| 20-34 | 634 | 3.9 | 40 | 1 | 1 | 2 | 4 | 7 | 10 | 34 |
| 35-49 | 393 | 3.2 | 14 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 50-64 | 549 | 3.9 | 55 | <1 | 1 | 2 | 4 | 7 | 10 | 36 |
| 65+ | 596 | 6.1 | 100 | 1 | 1 | 3 | 7 | 15 | 24 | 80 |
| **GRAND TOTAL** | **4351** | **3.2** | **35** | **1** | **1** | **2** | **3** | **6** | **10** | **31** |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 30 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 35-49 | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 7 | 1.7 | 1 | 1 | 1 | 1 | 2 | 4 | 4 | 4 |
| 65+ | 6 | 12.7 | 609 | 1 | 1 | 3 | 4 | 57 | 63 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 344 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 20-34 | 332 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 98 | 2.5 | 14 | <1 | <1 | 2 | 3 | 4 | 6 | 24 |
| 50-64 | 52 | 2.6 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 65+ | 32 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.7 | 12 | <1 | 1 | 2 | 5 | 10 | 12 | 13 |
| 20-34 | 21 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 35-49 | 16 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 50-64 | 9 | 7.3 | 57 | 1 | 1 | 5 | 10 | 20 | 25 | 25 |
| 65+ | 16 | 11.9 | 66 | 2 | 3 | 10 | 18 | 22 | 26 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 80 | 3.7 | 20 | <1 | 1 | 2 | 5 | 7 | 11 | 27 |
| 20-34 | 163 | 4.5 | 63 | <1 | 1 | 2 | 5 | 10 | 13 | 33 |
| 35-49 | 77 | 4.3 | 17 | 1 | 1 | 3 | 5 | 11 | 12 | 22 |
| 50-64 | 36 | 5.2 | 42 | 1 | 1 | 2 | 5 | 13 | 22 | 27 |
| 65+ | 36 | 10.9 | 306 | 1 | 2 | 4 | 11 | 23 | 44 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 2.5 | 50 | <1 | <1 | 1 | 2 | 4 | 4 | 48 |
| B. *Operated* | 858 | 2.0 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 5.4 | 36 | <1 | 1 | 3 | 7 | 13 | 21 | 27 |
| B. *Operated* | 392 | 5.0 | 68 | 1 | 1 | 3 | 5 | 11 | 16 | 36 |
| **1. SINGLE DX** | 935 | 2.1 | 7 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 471 | 5.0 | 63 | 1 | 1 | 3 | 5 | 11 | 17 | 33 |
| **A. NOT OPERATED** | 156 | 4.0 | 45 | <1 | <1 | 2 | 4 | 9 | 14 | 28 |
| **B. OPERATED** | 1250 | 2.9 | 26 | <1 | 1 | 2 | 3 | 5 | 9 | 23 |
| TOTAL 0-19 YRS | 467 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 20-34 | 546 | 2.8 | 21 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 199 | 3.2 | 15 | <1 | 1 | 2 | 3 | 7 | 11 | 21 |
| 50-64 | 104 | 3.9 | 25 | <1 | 1 | 2 | 4 | 9 | 14 | 26 |
| 65+ | 90 | 8.4 | 184 | 1 | 1 | 4 | 9 | 20 | 28 | 82 |
| **GRAND TOTAL** | **1406** | **3.1** | **28** | **<1** | **1** | **2** | **3** | **6** | **9** | **24** |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 13.8 | 323 | <1 | 1 | 6 | 21 | 45 | 51 | 51 |
| 20-34 | 3 | 27.3 | 1146 | 3 | 3 | 13 | 53 | 66 | 66 | 66 |
| 35-49 | 6 | 11.2 | 128 | 4 | 4 | 7 | 9 | 31 | 34 | 34 |
| 50-64 | 13 | 20.2 | 249 | <1 | 1 | 18 | 35 | 43 | 45 | 45 |
| 65+ | 66 | 15.0 | 296 | 1 | 1 | 9 | 25 | 49 | 75 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 27 | 22.2 | 385 | 3 | 4 | 14 | 36 | 51 | 57 | 82 |
| 20-34 | 20 | 11.4 | 64 | 4 | 5 | 9 | 13 | 24 | 32 | 34 |
| 35-49 | 35 | 13.3 | 112 | 4 | 5 | 11 | 13 | 25 | 32 | 61 |
| 50-64 | 127 | 16.6 | 113 | 5 | 7 | 14 | 21 | 30 | 37 | 58 |
| 65+ | 544 | 22.6 | 216 | 7 | 9 | 20 | 29 | 43 | 66 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 36.5 | 496 | <1 | 10 | 35 | 51 | 67 | 79 | 79 |
| 20-34 | 4 | 31.5 | 1330 | 6 | 6 | 17 | 54 | 85 | 85 | 85 |
| 35-49 | 6 | 19.0 | 187 | <1 | 1 | 20 | 29 | 36 | 37 | 37 |
| 50-64 | 26 | 23.9 | 377 | 1 | 5 | 22 | 37 | 71 | 99+ | 99+ |
| 65+ | 107 | 26.6 | 650 | 1 | 3 | 23 | 62 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 23.8 | 348 | 4 | 5 | 19 | 29 | 55 | 66 | 70 |
| 20-34 | 46 | 19.8 | 205 | 5 | 7 | 15 | 23 | 42 | 48 | 68 |
| 35-49 | 44 | 19.0 | 237 | 5 | 7 | 14 | 22 | 33 | 66 | 71 |
| 50-64 | 187 | 24.2 | 376 | 7 | 9 | 19 | 34 | 66 | 95 | 99+ |
| 65+ | 1285 | 30.3 | 439 | 8 | 11 | 27 | 48 | 95 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 96 | 15.8 | 297 | 1 | 1 | 9 | 27 | 45 | 69 | 99+ |
| B. *Operated* | 753 | 20.9 | 205 | 6 | 8 | 17 | 27 | 40 | 58 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 26.6 | 588 | 1 | 3 | 23 | 53 | 99+ | 99+ | 99+ |
| B. *Operated* | 1587 | 28.9 | 427 | 8 | 10 | 25 | 43 | 90 | 99+ | 99+ |
| **1. SINGLE DX** | 849 | 20.3 | 218 | 4 | 7 | 17 | 27 | 40 | 59 | 99+ |
| **2. MULTIPLE DX** | 1740 | 28.7 | 441 | 6 | 10 | 25 | 44 | 92 | 99+ | 99+ |
| **A. NOT OPERATED** | 249 | 22.5 | 502 | 1 | 2 | 17 | 39 | 86 | 99+ | 99+ |
| **B. OPERATED** | 2340 | 26.3 | 370 | 7 | 9 | 22 | 37 | 74 | 99+ | 99+ |
| TOTAL 0-19 YRS | 70 | 23.9 | 400 | 2 | 3 | 18 | 35 | 52 | 65 | 81 |
| 20-34 | 73 | 18.5 | 260 | 4 | 5 | 13 | 21 | 40 | 54 | 81 |
| 35-49 | 91 | 16.3 | 183 | 4 | 5 | 12 | 19 | 32 | 37 | 69 |
| 50-64 | 353 | 21.3 | 287 | 6 | 7 | 16 | 28 | 46 | 78 | 99+ |
| 65+ | 2002 | 27.5 | 401 | 6 | 9 | 24 | 41 | 85 | 99+ | 99+ |
| **GRAND TOTAL** | **2589** | **25.9** | **384** | **5** | **8** | **22** | **38** | **74** | **99+** | **99+** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 174 | 24.2 | 235 | 1 | 3 | 24 | 32 | 45 | 53 | 63 |
| 20-34 | 15 | 18.3 | 513 | 2 | 3 | 7 | 36 | 58 | 63 | 65 |
| 35-49 | 7 | 9.0 | 286 | <1 | <1 | 2 | 6 | 39 | 47 | 47 |
| 50-64 | 13 | 16.5 | 358 | 1 | 3 | 11 | 15 | 56 | 59 | 60 |
| 65+ | 18 | 25.1 | 707 | 1 | 2 | 10 | 45 | 80 | 96 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 137 | 24.6 | 386 | 2 | 3 | 23 | 34 | 51 | 61 | 88 |
| 20-34 | 51 | 18.8 | 207 | 2 | 4 | 14 | 22 | 46 | 49 | 65 |
| 35-49 | 22 | 18.3 | 208 | 3 | 5 | 15 | 27 | 36 | 52 | 63 |
| 50-64 | 17 | 23.8 | 328 | 1 | 3 | 16 | 40 | 52 | 56 | 56 |
| 65+ | 31 | 24.4 | 398 | 3 | 4 | 19 | 37 | 61 | 83 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 75 | 28.0 | 380 | 1 | 4 | 25 | 38 | 48 | 77 | 84 |
| 20-34 | 11 | 18.4 | 716 | <1 | <1 | 4 | 35 | 63 | 75 | 76 |
| 35-49 | 4 | 29.0 | 1893 | 2 | 2 | 10 | 52 | 94 | 94 | 94 |
| 50-64 | 12 | 22.2 | 511 | <1 | 3 | 14 | 29 | 62 | 73 | 75 |
| 65+ | 43 | 37.5 | 661 | 6 | 9 | 35 | 71 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 168 | 32.1 | 535 | 6 | 8 | 27 | 48 | 71 | 91 | 99+ |
| 20-34 | 122 | 27.7 | 473 | 5 | 9 | 21 | 45 | 78 | 99+ | 99+ |
| 35-49 | 45 | 27.7 | 531 | 5 | 6 | 21 | 42 | 75 | 87 | 99+ |
| 50-64 | 36 | 32.6 | 458 | 8 | 11 | 35 | 63 | 99+ | 99+ | 99+ |
| 65+ | 83 | 37.6 | 755 | 7 | 10 | 38 | 87 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 227 | 23.0 | 303 | 1 | 2 | 22 | 33 | 48 | 55 | 83 |
| B. *Operated* | 258 | 22.8 | 335 | 2 | 3 | 19 | 32 | 49 | 60 | 88 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 145 | 29.6 | 550 | 1 | 4 | 25 | 44 | 78 | 94 | 99+ |
| B. *Operated* | 454 | 31.5 | 560 | 6 | 8 | 27 | 56 | 95 | 99+ | 99+ |
| **1. SINGLE DX** | 485 | 22.9 | 320 | 1 | 3 | 20 | 33 | 49 | 57 | 87 |
| **2. MULTIPLE DX** | 599 | 31.1 | 557 | 4 | 7 | 27 | 52 | 87 | 99+ | 99+ |
| **A. NOT OPERATED** | 372 | 25.6 | 409 | 1 | 3 | 23 | 38 | 55 | 77 | 99+ |
| **B. OPERATED** | 712 | 28.4 | 495 | 4 | 6 | 23 | 45 | 77 | 99+ | 99+ |
| TOTAL 0-19 YRS | 554 | 27.2 | 393 | 2 | 4 | 25 | 39 | 56 | 71 | 97 |
| 20-34 | 199 | 24.2 | 433 | 2 | 4 | 17 | 39 | 65 | 95 | 99+ |
| 35-49 | 78 | 23.4 | 495 | 2 | 4 | 16 | 32 | 64 | 82 | 99+ |
| 50-64 | 78 | 26.4 | 444 | 3 | 5 | 21 | 45 | 77 | 99+ | 99+ |
| 65+ | 175 | 33.9 | 687 | 4 | 7 | 32 | 69 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **1084** | **27.4** | **467** | **3** | **5** | **23** | **42** | **70** | **96** | **99+** |

## 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 249 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 108 | 4.2 | 26 | <1 | 1 | 3 | 5 | 8 | 11 | 32 |
| 35-49 | 58 | 4.3 | 12 | <1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 50-64 | 44 | 5.8 | 21 | 1 | 2 | 4 | 8 | 14 | 15 | 21 |
| 65+ | 30 | 14.4 | 308 | 1 | 2 | 9 | 20 | 57 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 409 | 5.1 | 48 | 1 | 1 | 3 | 6 | 10 | 16 | 25 |
| 20-34 | 337 | 7.2 | 65 | 1 | 2 | 5 | 8 | 14 | 23 | 52 |
| 35-49 | 178 | 7.1 | 40 | 1 | 2 | 5 | 9 | 15 | 18 | 32 |
| 50-64 | 89 | 9.0 | 52 | 2 | 2 | 7 | 11 | 23 | 24 | 32 |
| 65+ | 42 | 15.5 | 106 | 3 | 4 | 13 | 20 | 29 | 35 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 61 | 4.6 | 29 | 1 | 1 | 3 | 6 | 8 | 12 | 34 |
| 20-34 | 52 | 6.6 | 65 | <1 | 1 | 4 | 9 | 14 | 18 | 50 |
| 35-49 | 50 | 12.5 | 236 | <1 | 1 | 8 | 14 | 33 | 43 | 84 |
| 50-64 | 33 | 16.8 | 327 | 1 | 2 | 11 | 24 | 35 | 50 | 90 |
| 65+ | 69 | 17.5 | 330 | 2 | 3 | 12 | 22 | 42 | 72 | 98 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 171 | 11.6 | 145 | 2 | 2 | 7 | 15 | 25 | 39 | 64 |
| 20-34 | 224 | 13.5 | 216 | 2 | 3 | 9 | 16 | 34 | 56 | 99+ |
| 35-49 | 110 | 12.9 | 168 | 2 | 3 | 9 | 16 | 32 | 53 | 99+ |
| 50-64 | 101 | 16.7 | 316 | 2 | 3 | 11 | 22 | 42 | 66 | 99+ |
| 65+ | 58 | 24.2 | 513 | 3 | 7 | 19 | 47 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 489 | 4.5 | 39 | 1 | 1 | 3 | 5 | 9 | 13 | 38 |
| B. *Operated* | 1055 | 6.9 | 59 | 1 | 1 | 5 | 8 | 14 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 265 | 11.4 | 216 | 1 | 1 | 7 | 13 | 29 | 41 | 89 |
| B. *Operated* | 664 | 14.3 | 241 | 2 | 3 | 9 | 18 | 38 | 61 | 99+ |
| **1. SINGLE DX** | 1544 | 6.1 | 54 | 1 | 1 | 4 | 7 | 12 | 19 | 39 |
| **2. MULTIPLE DX** | 929 | 13.5 | 235 | 1 | 2 | 8 | 17 | 36 | 54 | 99+ |
| **A. NOT OPERATED** | 754 | 6.9 | 112 | 1 | 1 | 4 | 7 | 15 | 26 | 66 |
| **B. OPERATED** | 1719 | 9.7 | 142 | 1 | 2 | 6 | 12 | 23 | 35 | 98 |
| TOTAL 0-19 YRS | 890 | 5.8 | 63 | 1 | 1 | 3 | 6 | 12 | 19 | 44 |
| 20-34 | 721 | 8.7 | 117 | 1 | 2 | 5 | 10 | 20 | 28 | 73 |
| 35-49 | 396 | 9.0 | 106 | 1 | 2 | 6 | 10 | 18 | 30 | 65 |
| 50-64 | 267 | 12.4 | 199 | 2 | 2 | 8 | 14 | 29 | 39 | 92 |
| 65+ | 199 | 18.6 | 342 | 2 | 3 | 13 | 26 | 52 | 98 | 99+ |
| **GRAND TOTAL** | **2473** | **8.9** | **135** | **1** | **1** | **5** | **10** | **21** | **31** | **88** |

## 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 148 | 3.6 | 30 | 1 | 1 | 2 | 4 | 7 | 10 | 37 |
| 20-34 | 171 | 3.4 | 12 | <1 | <1 | 2 | 4 | 8 | 10 | 17 |
| 35-49 | 81 | 4.3 | 14 | <1 | 1 | 3 | 6 | 10 | 14 | 74 |
| 50-64 | 75 | 6.1 | 35 | 1 | 1 | 4 | 9 | 12 | 16 | 31 |
| 65+ | 58 | 6.6 | 33 | 1 | 2 | 4 | 9 | 14 | 15 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 398 | 4.3 | 45 | 1 | 1 | 3 | 5 | 7 | 10 | 26 |
| 20-34 | 622 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 35-49 | 304 | 5.6 | 14 | 2 | 2 | 5 | 7 | 11 | 13 | 18 |
| 50-64 | 258 | 6.4 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 65+ | 134 | 8.9 | 77 | 2 | 2 | 7 | 11 | 16 | 20 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 5.1 | 30 | 1 | 1 | 3 | 7 | 12 | 14 | 31 |
| 20-34 | 92 | 4.9 | 25 | <1 | 1 | 3 | 6 | 10 | 17 | 27 |
| 35-49 | 54 | 5.9 | 31 | <1 | 1 | 4 | 8 | 11 | 15 | 33 |
| 50-64 | 72 | 8.7 | 57 | 2 | 2 | 6 | 12 | 19 | 24 | 38 |
| 65+ | 115 | 14.5 | 234 | 1 | 2 | 9 | 19 | 32 | 50 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 8.3 | 100 | 2 | 2 | 5 | 9 | 18 | 25 | 51 |
| 20-34 | 379 | 8.2 | 74 | 2 | 2 | 5 | 9 | 17 | 24 | 49 |
| 35-49 | 198 | 9.3 | 133 | 1 | 2 | 6 | 10 | 19 | 36 | 81 |
| 50-64 | 177 | 11.4 | 178 | 2 | 3 | 7 | 12 | 25 | 52 | 71 |
| 65+ | 143 | 15.4 | 229 | 1 | 4 | 11 | 20 | 35 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 533 | 4.3 | 24 | <1 | 1 | 3 | 6 | 10 | 13 | 28 |
| B. *Operated* | 1716 | 5.5 | 28 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 385 | 8.7 | 110 | 1 | 1 | 6 | 11 | 20 | 27 | 60 |
| B. *Operated* | 1088 | 9.9 | 132 | 2 | 2 | 6 | 11 | 21 | 33 | 70 |
| **1. SINGLE DX** | 2249 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 1473 | 9.6 | 127 | 1 | 2 | 6 | 11 | 21 | 32 | 66 |
| **A. NOT OPERATED** | 918 | 6.1 | 65 | 1 | 1 | 3 | 7 | 13 | 21 | 43 |
| **B. OPERATED** | 2804 | 7.2 | 73 | 1 | 2 | 5 | 8 | 13 | 20 | 52 |
| TOTAL 0-19 YRS | 789 | 5.2 | 57 | 1 | 1 | 3 | 6 | 10 | 15 | 37 |
| 20-34 | 1264 | 5.7 | 34 | 1 | 1 | 4 | 7 | 11 | 15 | 33 |
| 35-49 | 637 | 6.6 | 56 | 1 | 2 | 5 | 8 | 12 | 16 | 43 |
| 50-64 | 582 | 8.2 | 81 | 2 | 2 | 6 | 10 | 16 | 23 | 58 |
| 65+ | 450 | 12.1 | 171 | 2 | 2 | 8 | 15 | 26 | 36 | 88 |
| **GRAND TOTAL** | **3722** | **6.9** | **71** | **1** | **2** | **5** | **8** | **13** | **20** | **50** |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 82 | 1.9 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| 20-34 | 50 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 35-49 | 19 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 10 | 2.8 | 4 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 65+ | 10 | 8.1 | 142 | 1 | 1 | 3 | 10 | 26 | 40 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 3.7 | 21 | 1 | 1 | 3 | 4 | 5 | 7 | 27 |
| 20-34 | 24 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 9 | 9 |
| 35-49 | 5 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 50-64 | 7 | 4.7 | 14 | 1 | 1 | 3 | 6 | 11 | 12 | 12 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 70 | 4.2 | 14 | <1 | 1 | 3 | 6 | 7 | 10 | 22 |
| 35-49 | 33 | 6.0 | 32 | 1 | 1 | 5 | 8 | 13 | 18 | 25 |
| 50-64 | 37 | 8.2 | 63 | 1 | 1 | 6 | 10 | 18 | 26 | 40 |
| 65+ | 42 | 13.7 | 204 | 1 | 2 | 8 | 17 | 36 | 47 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 8.0 | 185 | 1 | 1 | 5 | 8 | 15 | 28 | 71 |
| 20-34 | 35 | 5.8 | 20 | 1 | 1 | 5 | 8 | 12 | 13 | 21 |
| 35-49 | 18 | 6.4 | 104 | <1 | 1 | 3 | 7 | 9 | 31 | 46 |
| 50-64 | 11 | 14.6 | 420 | 2 | 2 | 6 | 15 | 47 | 69 | 71 |
| 65+ | 5 | 10.6 | 52 | 4 | 4 | 11 | 22 | 92 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 171 | 2.5 | 12 | <1 | 1 | 1 | 3 | 5 | 6 | 12 |
| B. *Operated* | 68 | 3.5 | 13 | 1 | 1 | 3 | 4 | 6 | 9 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 250 | 6.3 | 66 | 1 | 1 | 4 | 7 | 13 | 21 | 44 |
| B. *Operated* | 95 | 7.8 | 130 | 1 | 2 | 5 | 9 | 15 | 28 | 87 |
| **1. SINGLE DX** | 239 | 2.7 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 345 | 6.7 | 64 | 1 | 1 | 4 | 7 | 13 | 22 | 64 |
| **A. NOT OPERATED** | 421 | 4.7 | 48 | <1 | 1 | 2 | 6 | 10 | 15 | 40 |
| **B. OPERATED** | 163 | 6.0 | 85 | 1 | 1 | 3 | 6 | 12 | 18 | 71 |
| TOTAL 0-19 YRS | 207 | 3.3 | 32 | 1 | 1 | 2 | 4 | 6 | 9 | 21 |
| 20-34 | 179 | 3.8 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 35-49 | 75 | 4.9 | 42 | 1 | 1 | 3 | 6 | 9 | 14 | 41 |
| 50-64 | 65 | 8.1 | 116 | 1 | 1 | 5 | 9 | 17 | 29 | 66 |
| 65+ | 58 | 12.3 | 179 | 1 | 2 | 8 | 15 | 37 | 48 | 97 |
| **GRAND TOTAL** | **584** | **5.1** | **58** | **1** | **1** | **3** | **6** | **10** | **17** | **45** |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 66.0 | | 66 | 66 | 66 | 66 | 66 | 66 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 61.5 | 61 | 56 | 56 | 61 | 67 | 67 | 67 | 67 |
| 20-34 | 1 | 87.0 | | 87 | 87 | 87 | 87 | 87 | 87 | 87 |
| 35-49 | 2 | 34.5 | 85 | 28 | 28 | 34 | 41 | 41 | 41 | 41 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 38.0 | | 38 | 38 | 69 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 10.8 | 222 | 2 | 2 | 3 | 16 | 37 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 12.6 | 570 | <1 | <1 | 3 | 10 | 55 | 66 | 66 |
| B. *Operated* | 6 | 52.8 | 471 | 28 | 30 | 56 | 82 | 97 | 99+ | 99+ |
| **1. SINGLE DX** | 5 | 10.8 | 222 | 2 | 2 | 3 | 16 | 37 | 37 | 37 |
| **2. MULTIPLE DX** | 13 | 31.2 | 917 | <1 | 1 | 33 | 66 | 88 | 97 | 99+ |
| **A. NOT OPERATED** | 12 | 11.8 | 392 | <1 | 1 | 3 | 10 | 46 | 63 | 66 |
| **B. OPERATED** | 6 | 52.8 | 471 | 28 | 30 | 56 | 82 | 97 | 99+ | 99+ |
| TOTAL 0-19 YRS | 8 | 17.0 | 764 | <1 | <1 | 3 | 30 | 64 | 67 | 67 |
| 20-34 | 2 | 48.0 | 3042 | 9 | 9 | 48 | 87 | 87 | 87 | 87 |
| 35-49 | 4 | 20.8 | 297 | 2 | 2 | 20 | 34 | 41 | 41 | 41 |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | 3 | 47.0 | 271 | 37 | 37 | 52 | 83 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | **18** | **25.5** | **788** | **<1** | **1** | **12** | **52** | **79** | **94** | **99+** |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 14 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 20-34 | 23 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 35-49 | 12 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | 3 | 3.3 | 16 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| 65+ | 8 | 5.4 | 40 | <1 | <1 | 3 | 7 | 16 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 2.8 | 7 | 1 | 1 | 2 | 4 | 5 | 6 | 16 |
| 20-34 | 360 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 35-49 | 103 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 50-64 | 49 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| 65+ | 45 | 4.0 | 59 | <1 | 1 | 1 | 3 | 10 | 16 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 3.8 | 8 | 2 | 2 | 3 | 5 | 8 | 8 | 8 |
| 20-34 | 11 | 3.5 | 20 | <1 | <1 | 2 | 3 | 12 | 13 | 13 |
| 35-49 | 6 | 4.7 | 18 | <1 | <1 | 4 | 7 | 11 | 11 | 11 |
| 50-64 | 8 | 8.4 | 262 | <1 | <1 | 2 | 6 | 36 | 48 | 48 |
| 65+ | 10 | 21.8 | 388 | 1 | 3 | 17 | 47 | 75 | 98 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 20 | 3.8 | 11 | <1 | <1 | 3 | 4 | 9 | 11 | 13 |
| 20-34 | 67 | 4.2 | 28 | <1 | 1 | 3 | 4 | 8 | 17 | 28 |
| 35-49 | 31 | 3.7 | 10 | <1 | 1 | 2 | 5 | 9 | 11 | 11 |
| 50-64 | 21 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 35 | 7.4 | 68 | 1 | 1 | 4 | 11 | 26 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 2.0 | 8 | <1 | <1 | 1 | 2 | 4 | 6 | 18 |
| B. *Operated* | 658 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 9.4 | 206 | <1 | <1 | 3 | 12 | 38 | 56 | 99+ |
| B. *Operated* | 174 | 4.5 | 30 | <1 | 1 | 3 | 5 | 11 | 17 | 84 |
| **1. SINGLE DX** | 718 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 213 | 5.4 | 65 | <1 | 1 | 3 | 6 | 13 | 25 | 99+ |
| **A. NOT OPERATED** | 99 | 4.9 | 98 | <1 | <1 | 1 | 4 | 12 | 24 | 79 |
| **B. OPERATED** | 832 | 3.0 | 12 | <1 | 1 | 2 | 4 | 5 | 8 | 23 |
| TOTAL 0-19 YRS | 139 | 2.9 | 7 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 20-34 | 461 | 2.8 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 152 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 50-64 | 81 | 2.7 | 29 | <1 | <1 | 1 | 3 | 5 | 6 | 36 |
| 65+ | 98 | 7.2 | 116 | 1 | 1 | 3 | 10 | 23 | 47 | 99+ |
| **GRAND TOTAL** | **931** | **3.2** | **22** | **<1** | **1** | **2** | **4** | **6** | **10** | **29** |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 2.0 | 1 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 19 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 8 | 11 |
| 35-49 | 6 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 50-64 | 6 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 65+ | 3 | 7.0 | 27 | 1 | 1 | 10 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 178 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 442 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 180 | 5.0 | 27 | 2 | 2 | 4 | 5 | 8 | 10 | 15 |
| 50-64 | 76 | 5.3 | 20 | 2 | 3 | 4 | 6 | 9 | 10 | 31 |
| 65+ | 7 | 6.9 | 6 | 3 | 3 | 7 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 9 | 3.8 | 22 | 1 | 1 | 3 | 3 | 11 | 16 | 16 |
| 35-49 | 6 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 4 | 4.8 | 19 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 48 | 5.3 | 47 | 1 | 2 | 4 | 5 | 7 | 12 | 49 |
| 20-34 | 142 | 4.9 | 9 | 1 | 2 | 5 | 6 | 8 | 10 | 16 |
| 35-49 | 63 | 4.4 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 10 |
| 50-64 | 33 | 7.9 | 72 | 1 | 2 | 4 | 8 | 22 | 29 | 35 |
| 65+ | 7 | 16.0 | 213 | 4 | 4 | 10 | 29 | 38 | 39 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 9 | 11 |
| B. *Operated* | 883 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 3.0 | 10 | <1 | 1 | 2 | 3 | 4 | 11 | 16 |
| B. *Operated* | 293 | 5.5 | 29 | 1 | 2 | 4 | 6 | 9 | 13 | 35 |
| **1. SINGLE DX** | 938 | 4.2 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 323 | 5.2 | 27 | 1 | 2 | 4 | 6 | 9 | 13 | 34 |
| **A. NOT OPERATED** | 85 | 2.7 | 7 | <1 | <1 | 2 | 3 | 4 | 10 | 14 |
| **B. OPERATED** | 1176 | 4.6 | 15 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| TOTAL 0-19 YRS | 257 | 4.0 | 13 | 1 | 1 | 4 | 5 | 7 | 8 | 13 |
| 20-34 | 612 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 255 | 4.7 | 21 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| 50-64 | 119 | 5.9 | 35 | 1 | 2 | 4 | 7 | 9 | 15 | 36 |
| 65+ | 18 | 10.2 | 105 | 1 | 2 | 7 | 10 | 28 | 37 | 39 |
| **GRAND TOTAL** | **1261** | **4.5** | **15** | **1** | **2** | **4** | **5** | **7** | **9** | **16** |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.2 | 15 | <1 | <1 | 1 | 4 | 5 | 13 | 17 |
| 20-34 | 25 | 4.2 | 13 | <1 | 1 | 4 | 5 | 7 | 13 | 16 |
| 35-49 | 12 | 4.8 | 22 | 1 | 1 | 3 | 7 | 13 | 14 | 14 |
| 50-64 | 3 | 11.3 | 74 | 2 | 2 | 13 | 17 | 19 | 19 | 19 |
| 65+ | 5 | 9.6 | 50 | 2 | 2 | 9 | 13 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 125 | 4.4 | 43 | 1 | 1 | 2 | 4 | 13 | 19 | 30 |
| 20-34 | 114 | 3.9 | 21 | <1 | 1 | 2 | 4 | 11 | 15 | 22 |
| 35-49 | 43 | 4.9 | 43 | <1 | 1 | 3 | 4 | 13 | 22 | 29 |
| 50-64 | 27 | 7.6 | 85 | 1 | 1 | 5 | 9 | 21 | 26 | 43 |
| 65+ | 9 | 1.9 | 2 | 1 | 1 | 1 | 2 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 4.6 | 37 | <1 | <1 | 2 | 5 | 15 | 19 | 19 |
| 20-34 | 15 | 3.9 | 11 | <1 | <1 | 2 | 7 | 9 | 10 | 10 |
| 35-49 | 10 | 7.3 | 11 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 50-64 | 8 | 7.4 | 26 | 1 | 2 | 7 | 10 | 15 | 17 | 17 |
| 65+ | 8 | 14.4 | 112 | 1 | 2 | 15 | 23 | 28 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 49 | 9.6 | 209 | 1 | 1 | 5 | 11 | 20 | 45 | 81 |
| 20-34 | 66 | 9.4 | 125 | <1 | <1 | 5 | 13 | 20 | 38 | 55 |
| 35-49 | 44 | 6.7 | 47 | 1 | 1 | 5 | 11 | 14 | 18 | 36 |
| 50-64 | 17 | 6.2 | 45 | 1 | 1 | 3 | 8 | 23 | 70 | 99+ |
| 65+ | 15 | 17.4 | 467 | 1 | 1 | 9 | 19 | 50 | 70 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 4.8 | 24 | <1 | 1 | 3 | 6 | 13 | 16 | 21 |
| B. *Operated* | 318 | 4.5 | 38 | <1 | 1 | 2 | 5 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 7.0 | 44 | <1 | 1 | 5 | 9 | 18 | 21 | 29 |
| B. *Operated* | 191 | 9.2 | 152 | 1 | 1 | 5 | 12 | 20 | 38 | 79 |
| **1. SINGLE DX** | 380 | 4.5 | 36 | <1 | 1 | 2 | 5 | 13 | 17 | 27 |
| **2. MULTIPLE DX** | 240 | 8.7 | 131 | <1 | 1 | 5 | 11 | 19 | 35 | 77 |
| **A. NOT OPERATED** | 111 | 5.8 | 33 | <1 | 1 | 4 | 8 | 14 | 19 | 27 |
| **B. OPERATED** | 509 | 6.2 | 86 | <1 | 1 | 3 | 7 | 16 | 23 | 50 |
| TOTAL 0-19 YRS | 199 | 5.6 | 86 | 1 | 1 | 2 | 6 | 16 | 22 | 48 |
| 20-34 | 220 | 5.6 | 57 | <1 | <1 | 3 | 7 | 14 | 19 | 39 |
| 35-49 | 109 | 5.8 | 40 | 1 | 1 | 3 | 9 | 13 | 17 | 32 |
| 50-64 | 55 | 7.3 | 61 | 1 | 1 | 5 | 10 | 19 | 24 | 97 |
| 65+ | 37 | 11.9 | 249 | 1 | 1 | 5 | 18 | 28 | 45 | 77 |
| **GRAND TOTAL** | **620** | **6.2** | **77** | **<1** | **1** | **3** | **7** | **16** | **21** | **46** |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 88 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 74 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 26 | 3.2 | 10 | <1 | 1 | 2 | 4 | 9 | 11 | 12 |
| 50-64 | 17 | 2.6 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 65+ | 11 | 7.0 | 64 | 1 | 1 | 3 | 8 | 22 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 106 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 20-34 | 180 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 35-49 | 48 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| 50-64 | 21 | 4.5 | 7 | 1 | 2 | 4 | 6 | 7 | 10 | 13 |
| 65+ | 9 | 7.9 | 19 | 2 | 3 | 9 | 10 | 14 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 3.9 | 10 | <1 | 1 | 3 | 5 | 9 | 11 | 13 |
| 20-34 | 28 | 3.8 | 11 | 1 | 1 | 2 | 5 | 10 | 11 | 12 |
| 35-49 | 20 | 7.2 | 79 | 1 | 1 | 4 | 8 | 19 | 31 | 35 |
| 50-64 | 19 | 7.1 | 26 | 2 | 3 | 6 | 10 | 15 | 19 | 20 |
| 65+ | 39 | 10.9 | 87 | 3 | 4 | 8 | 13 | 23 | 37 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 78 | 5.6 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 150 | 5.5 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| 35-49 | 44 | 7.2 | 47 | 2 | 3 | 5 | 7 | 12 | 25 | 33 |
| 50-64 | 27 | 8.3 | 53 | 2 | 3 | 6 | 9 | 17 | 22 | 37 |
| 65+ | 6 | 18.0 | 177 | 3 | 3 | 16 | 32 | 33 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 2.7 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| B. *Operated* | 364 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 6.9 | 53 | 1 | 1 | 5 | 9 | 13 | 22 | 39 |
| B. *Operated* | 305 | 6.3 | 28 | 2 | 2 | 5 | 6 | 11 | 17 | 33 |
| **1. SINGLE DX** | 580 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 439 | 6.4 | 35 | 1 | 2 | 5 | 7 | 12 | 18 | 35 |
| **A. NOT OPERATED** | 350 | 4.3 | 29 | 1 | 1 | 2 | 5 | 9 | 13 | 35 |
| **B. OPERATED** | 669 | 5.2 | 17 | 2 | 2 | 4 | 6 | 8 | 11 | 24 |
| TOTAL 0-19 YRS | 300 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 432 | 4.3 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 17 |
| 35-49 | 138 | 5.5 | 31 | 1 | 1 | 4 | 6 | 9 | 12 | 33 |
| 50-64 | 84 | 5.9 | 29 | 1 | 2 | 5 | 7 | 12 | 17 | 31 |
| 65+ | 65 | 10.5 | 86 | 2 | 3 | 8 | 12 | 23 | 33 | 39 |
| **GRAND TOTAL** | **1019** | **4.9** | **21** | **1** | **1** | **4** | **6** | **9** | **12** | **28** |

### 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| 20-34 | 123 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| 35-49 | 109 | 5.2 | 12 | 1 | 2 | 4 | 7 | 10 | 12 | 17 |
| 50-64 | 47 | 6.4 | 23 | 1 | 2 | 5 | 9 | 14 | 16 | 20 |
| 65+ | 21 | 8.3 | 32 | 2 | 2 | 6 | 11 | 18 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 8 | 6.4 | 27 | 2 | 2 | 5 | 9 | 14 | 16 | 16 |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 2.6 | 2 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 20-34 | 61 | 5.6 | 17 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 35-49 | 50 | 7.5 | 24 | 2 | 3 | 6 | 10 | 14 | 18 | 25 |
| 50-64 | 72 | 8.4 | 41 | 2 | 3 | 6 | 11 | 16 | 23 | 32 |
| 65+ | 57 | 11.0 | 100 | 2 | 2 | 9 | 14 | 19 | 28 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 35-49 | 5 | 7.6 | 22 | 5 | 5 | 6 | 9 | 16 | 16 | 16 |
| 50-64 | 4 | 5.8 | 3 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 65+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 333 | 5.2 | 15 | 1 | 1 | 4 | 7 | 10 | 14 | 19 |
| B. *Operated* | 10 | 6.1 | 23 | 2 | 2 | 5 | 8 | 13 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 250 | 7.9 | 48 | 2 | 2 | 6 | 10 | 15 | 21 | 33 |
| B. *Operated* | 10 | 10.2 | 129 | 4 | 4 | 6 | 8 | 28 | 41 | 41 |
| **1. SINGLE DX** | 343 | 5.2 | 15 | 1 | 1 | 4 | 7 | 10 | 14 | 19 |
| **2. MULTIPLE DX** | 260 | 8.0 | 51 | 2 | 2 | 6 | 10 | 15 | 21 | 34 |
| **A. NOT OPERATED** | 583 | 6.3 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 25 |
| **B. OPERATED** | 20 | 8.2 | 76 | 2 | 2 | 6 | 8 | 16 | 29 | 41 |
| TOTAL 0-19 YRS | 43 | 3.4 | 7 | <1 | 1 | 3 | 4 | 7 | 8 | 15 |
| 20-34 | 193 | 5.1 | 21 | 1 | 1 | 4 | 6 | 9 | 13 | 22 |
| 35-49 | 165 | 6.0 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 50-64 | 124 | 7.5 | 33 | 2 | 2 | 6 | 10 | 15 | 20 | 30 |
| 65+ | 78 | 10.3 | 82 | 2 | 2 | 8 | 14 | 19 | 24 | 55 |
| **GRAND TOTAL** | **603** | **6.4** | **32** | **1** | **2** | **5** | **8** | **13** | **16** | **27** |

### 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 143 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 313 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| 35-49 | 197 | 5.3 | 18 | 1 | 1 | 4 | 7 | 11 | 13 | 22 |
| 50-64 | 91 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 11 | 24 |
| 65+ | 58 | 6.7 | 24 | 1 | 2 | 6 | 9 | 12 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 20-34 | 21 | 4.9 | 40 | 1 | 1 | 2 | 6 | 12 | 21 | 27 |
| 35-49 | 8 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 50-64 | 4 | 7.3 | 61 | 1 | 1 | 5 | 13 | 18 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 20-34 | 175 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 26 |
| 35-49 | 143 | 6.2 | 33 | 1 | 2 | 4 | 8 | 14 | 16 | 34 |
| 50-64 | 98 | 6.7 | 16 | 2 | 2 | 6 | 8 | 11 | 16 | 21 |
| 65+ | 110 | 9.6 | 76 | 2 | 3 | 7 | 12 | 19 | 27 | 68 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 3.8 | 13 | <1 | <1 | 2 | 5 | 10 | 11 | 11 |
| 20-34 | 21 | 6.3 | 38 | 1 | 1 | 4 | 8 | 17 | 21 | 22 |
| 35-49 | 20 | 8.3 | 71 | 1 | 1 | 6 | 10 | 18 | 27 | 36 |
| 50-64 | 10 | 12.4 | 191 | 1 | 1 | 6 | 20 | 36 | 40 | 40 |
| 65+ | 7 | 18.4 | 76 | 7 | 8 | 17 | 24 | 32 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 802 | 4.5 | 16 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| B. *Operated* | 35 | 4.9 | 34 | 1 | 1 | 2 | 6 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 620 | 6.0 | 35 | 1 | 1 | 4 | 8 | 12 | 16 | 35 |
| B. *Operated* | 66 | 8.8 | 84 | 1 | 1 | 6 | 12 | 21 | 32 | 39 |
| **1. SINGLE DX** | 837 | 4.5 | 17 | 1 | 1 | 3 | 6 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | 686 | 6.2 | 40 | 1 | 1 | 4 | 8 | 13 | 18 | 37 |
| **A. NOT OPERATED** | 1422 | 5.1 | 25 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| **B. OPERATED** | 101 | 7.5 | 70 | 1 | 1 | 4 | 10 | 19 | 26 | 38 |
| TOTAL 0-19 YRS | 247 | 2.8 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 20-34 | 530 | 4.4 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 35-49 | 368 | 5.8 | 27 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| 50-64 | 203 | 6.5 | 26 | 1 | 2 | 6 | 8 | 11 | 16 | 30 |
| 65+ | 175 | 9.0 | 63 | 1 | 2 | 7 | 11 | 18 | 25 | 47 |
| **GRAND TOTAL** | **1523** | **5.3** | **28** | **1** | **1** | **4** | **7** | **11** | **18** | **27** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 107 | 2.5 | 8 | 1 | 1 | 1 | 3 | 6 | 7 | 15 |
| 20-34 | 95 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 9 | 13 |
| 35-49 | 35 | 3.9 | 45 | <1 | 1 | 2 | 4 | 6 | 10 | 40 |
| 50-64 | 35 | 4.2 | 14 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 65+ | 29 | 5.4 | 13 | 1 | 1 | 5 | 7 | 10 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 73 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 9 |
| 20-34 | 160 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 35-49 | 79 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| 50-64 | 47 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 65+ | 22 | 5.6 | 10 | 1 | 2 | 5 | 8 | 10 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 43 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 20-34 | 56 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |
| 35-49 | 26 | 4.3 | 8 | <1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 50-64 | 31 | 7.2 | 71 | 1 | 1 | 5 | 8 | 14 | 23 | 44 |
| 65+ | 63 | 10.9 | 118 | 2 | 2 | 8 | 15 | 25 | 41 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 4.1 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 10 |
| 20-34 | 27 | 3.1 | 5 | 1 | 1 | 3 | 4 | 7 | 20 | 99+ |
| 35-49 | 19 | 4.1 | 8 | 1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 50-64 | 30 | 6.8 | 130 | 1 | 1 | 3 | 5 | 18 | 31 | 55 |
| 65+ | 8 | 18.4 | 867 | 3 | 4 | 9 | 11 | 67 | 91 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 301 | 3.1 | 14 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 381 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 219 | 6.0 | 59 | <1 | 1 | 4 | 7 | 14 | 22 | 52 |
| B. *Operated* | 101 | 5.8 | 118 | 1 | 1 | 3 | 6 | 10 | 18 | 95 |
| **1. SINGLE DX** | 682 | 3.3 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 320 | 5.9 | 77 | 1 | 1 | 4 | 7 | 12 | 22 | 65 |
| **A. NOT OPERATED** | 520 | 4.3 | 34 | <1 | 1 | 2 | 5 | 9 | 14 | 38 |
| **B. OPERATED** | 482 | 3.9 | 29 | 1 | 1 | 3 | 4 | 7 | 9 | 24 |
| TOTAL 0-19 YRS | 240 | 2.7 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 338 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 35-49 | 159 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 143 | 5.6 | 49 | 1 | 1 | 4 | 6 | 11 | 15 | 45 |
| 65+ | 122 | 9.1 | 129 | 1 | 2 | 6 | 10 | 19 | 28 | 93 |
| **GRAND TOTAL** | **1002** | **4.1** | **32** | **1** | **1** | **3** | **4** | **8** | **11** | **30** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1419 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 20-34 | 361 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 85 | 2.6 | 19 | <1 | 1 | 1 | 2 | 5 | 7 | 30 |
| 50-64 | 42 | 3.7 | 11 | <1 | 1 | 3 | 7 | 8 | 10 | 14 |
| 65+ | 32 | 3.1 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 20-34 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 833 | 2.3 | 8 | <1 | 1 | 1 | 2 | 4 | 7 | 12 |
| 20-34 | 465 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 35-49 | 138 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 8 | 20 |
| 50-64 | 116 | 4.7 | 23 | 1 | 1 | 3 | 6 | 11 | 15 | 22 |
| 65+ | 119 | 8.6 | 226 | 1 | 1 | 4 | 10 | 17 | 41 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 218 | 3.7 | 51 | 1 | 1 | 2 | 4 | 9 | 14 | 87 |
| 20-34 | 229 | 4.4 | 54 | <1 | 1 | 2 | 5 | 10 | 18 | 51 |
| 35-49 | 53 | 6.0 | 248 | 1 | 1 | 2 | 3 | 10 | 21 | 98 |
| 50-64 | 47 | 5.2 | 62 | 1 | 1 | 2 | 5 | 11 | 17 | 41 |
| 65+ | 58 | 9.7 | 159 | 1 | 1 | 4 | 11 | 22 | 40 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1939 | 1.6 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 5 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1671 | 3.1 | 28 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| B. *Operated* | 605 | 4.9 | 83 | 1 | 1 | 2 | 5 | 11 | 21 | 63 |
| **1. SINGLE DX** | 1944 | 1.6 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 2276 | 3.6 | 43 | <1 | 1 | 2 | 3 | 7 | 11 | 36 |
| **A. NOT OPERATED** | 3610 | 2.3 | 15 | <1 | 1 | 1 | 2 | 4 | 7 | 15 |
| **B. OPERATED** | 610 | 4.8 | 82 | 1 | 1 | 2 | 5 | 11 | 21 | 63 |
| TOTAL 0-19 YRS | 2473 | 1.9 | 8 | <1 | 1 | 1 | 2 | 3 | 5 | 12 |
| 20-34 | 1056 | 2.7 | 17 | <1 | 1 | 2 | 3 | 5 | 8 | 24 |
| 35-49 | 276 | 3.7 | 62 | 1 | 1 | 2 | 4 | 7 | 9 | 35 |
| 50-64 | 206 | 4.6 | 29 | 1 | 1 | 3 | 6 | 10 | 14 | 29 |
| 65+ | 209 | 8.1 | 178 | 1 | 1 | 4 | 9 | 17 | 34 | 98 |
| **GRAND TOTAL** | **4220** | **2.7** | **25** | **<1** | **1** | **1** | **2** | **5** | **8** | **22** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 846 | 1.5 | 2 | <1 | 1 | 1 | 1 | 3 | 3 | 8 |
| 20-34 | 202 | 2.5 | 12 | <1 | <1 | 1 | 2 | 5 | 8 | 18 |
| 35-49 | 66 | 2.5 | 18 | <1 | 1 | 1 | 2 | 5 | 8 | 28 |
| 50-64 | 30 | 3.2 | 23 | <1 | <1 | 2 | 3 | 6 | 10 | 26 |
| 65+ | 24 | 4.2 | 17 | <1 | 1 | 3 | 6 | 11 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 15 | 11.2 | 205 | 1 | 1 | 8 | 14 | 25 | 48 | 56 |
| 20-34 | 20 | 7.2 | 28 | <1 | 1 | 7 | 11 | 14 | 16 | 18 |
| 35-49 | 8 | 11.8 | 62 | 1 | 2 | 15 | 19 | 69 | 99+ | 99+ |
| 50-64 | 9 | 11.3 | 84 | 1 | 1 | 11 | 17 | 25 | 26 | 26 |
| 65+ | 12 | 14.1 | 31 | 7 | 7 | 13 | 19 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 489 | 3.2 | 44 | <1 | 1 | 1 | 3 | 6 | 10 | 29 |
| 20-34 | 278 | 3.4 | 29 | <1 | <1 | 2 | 4 | 7 | 10 | 29 |
| 35-49 | 92 | 3.6 | 23 | <1 | 1 | 2 | 4 | 7 | 15 | 25 |
| 50-64 | 74 | 4.8 | 31 | <1 | 1 | 3 | 7 | 10 | 12 | 33 |
| 65+ | 114 | 9.7 | 121 | 1 | 1 | 6 | 14 | 27 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 146 | 10.1 | 267 | <1 | 1 | 3 | 11 | 37 | 53 | 99+ |
| 20-34 | 152 | 10.9 | 295 | <1 | 1 | 4 | 11 | 47 | 59 | 99+ |
| 35-49 | 61 | 7.5 | 102 | <1 | 1 | 4 | 8 | 18 | 35 | 46 |
| 50-64 | 39 | 12.6 | 201 | 1 | 1 | 6 | 24 | 42 | 77 | 99+ |
| 65+ | 50 | 14.0 | 273 | 1 | 1 | 8 | 23 | 51 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1168 | 1.8 | 6 | <1 | 1 | 1 | 2 | 3 | 5 | 14 |
| B. *Operated* | 64 | 10.6 | 83 | 1 | 1 | 10 | 15 | 23 | 25 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1047 | 4.1 | 49 | <1 | 1 | 2 | 4 | 9 | 16 | 40 |
| B. *Operated* | 448 | 10.7 | 250 | <1 | 1 | 4 | 12 | 39 | 56 | 99+ |
| **1. SINGLE DX** | 1232 | 2.3 | 13 | <1 | 1 | 1 | 2 | 4 | 8 | 19 |
| **2. MULTIPLE DX** | 1495 | 6.1 | 118 | <1 | 1 | 2 | 6 | 16 | 31 | 73 |
| **A. NOT OPERATED** | 2215 | 2.9 | 28 | <1 | 1 | 1 | 3 | 6 | 10 | 27 |
| **B. OPERATED** | 512 | 10.6 | 229 | <1 | 1 | 5 | 13 | 37 | 55 | 99+ |
| TOTAL 0-19 YRS | 1496 | 3.0 | 50 | <1 | 1 | 1 | 2 | 5 | 11 | 45 |
| 20-34 | 652 | 5.0 | 96 | <1 | <1 | 2 | 4 | 11 | 20 | 66 |
| 35-49 | 227 | 4.6 | 49 | <1 | 1 | 2 | 5 | 14 | 20 | 45 |
| 50-64 | 152 | 6.9 | 89 | <1 | 1 | 3 | 9 | 21 | 31 | 98 |
| 65+ | 200 | 10.4 | 148 | 1 | 1 | 6 | 14 | 27 | 42 | 99+ |
| **GRAND TOTAL** | **2727** | **4.4** | **74** | **<1** | **1** | **1** | **4** | **10** | **20** | **57** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 2.8 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 9 |
| 20-34 | 21 | 2.9 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| 35-49 | 9 | 2.3 | 7 | <1 | <1 | 1 | 2 | 7 | 9 | 9 |
| 50-64 | 4 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 6 | 5.2 | 8 | 4 | 4 | 4 | 4 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 7 | 4.3 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 17 | 4.7 | 7 | 2 | 2 | 4 | 6 | 7 | 11 | 13 |
| 35-49 | 4 | 7.0 | 9 | 4 | 4 | 7 | 9 | 10 | 10 | 10 |
| 50-64 | 3 | 8.3 | 8 | 5 | 5 | 10 | 10 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 5.2 | 12 | 1 | 2 | 4 | 7 | 9 | 13 | 16 |
| 20-34 | 40 | 4.6 | 10 | <1 | 1 | 4 | 7 | 8 | 9 | 14 |
| 35-49 | 17 | 8.3 | 46 | <1 | 1 | 6 | 11 | 18 | 23 | 26 |
| 50-64 | 23 | 9.5 | 81 | 2 | 2 | 6 | 12 | 26 | 30 | 35 |
| 65+ | 11 | 8.6 | 21 | 1 | 3 | 8 | 13 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 9.4 | 53 | 2 | 4 | 6 | 11 | 19 | 26 | 30 |
| 20-34 | 62 | 12.7 | 190 | 2 | 3 | 10 | 14 | 23 | 34 | 81 |
| 35-49 | 31 | 7.7 | 34 | 2 | 3 | 6 | 10 | 14 | 24 | 26 |
| 50-64 | 33 | 11.0 | 60 | 3 | 4 | 8 | 15 | 23 | 27 | 33 |
| 65+ | 19 | 13.8 | 165 | 2 | 3 | 11 | 18 | 28 | 43 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.0 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 11 |
| B. *Operated* | 31 | 5.3 | 8 | 2 | 2 | 4 | 7 | 10 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 6.6 | 34 | 1 | 1 | 5 | 8 | 13 | 17 | 30 |
| B. *Operated* | 163 | 11.2 | 118 | 2 | 3 | 8 | 13 | 23 | 29 | 65 |
| **1. SINGLE DX** | 89 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | 280 | 9.3 | 88 | 1 | 2 | 6 | 11 | 19 | 26 | 51 |
| **A. NOT OPERATED** | 175 | 5.4 | 27 | <1 | 1 | 4 | 7 | 11 | 15 | 27 |
| **B. OPERATED** | 194 | 10.2 | 105 | 2 | 3 | 7 | 12 | 21 | 27 | 61 |
| TOTAL 0-19 YRS | 69 | 5.6 | 26 | 1 | 1 | 4 | 7 | 11 | 17 | 28 |
| 20-34 | 140 | 8.0 | 107 | 1 | 1 | 5 | 9 | 15 | 22 | 68 |
| 35-49 | 61 | 7.0 | 35 | 1 | 1 | 5 | 9 | 14 | 21 | 26 |
| 50-64 | 63 | 9.8 | 65 | 1 | 3 | 7 | 13 | 23 | 27 | 35 |
| 65+ | 36 | 10.8 | 104 | 2 | 3 | 8 | 13 | 23 | 28 | 55 |
| **GRAND TOTAL** | **369** | **7.9** | **74** | **1** | **1** | **6** | **10** | **17** | **24** | **40** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 127 | 3.9 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 99 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 35-49 | 13 | 5.5 | 31 | 1 | 1 | 4 | 7 | 14 | 19 | 20 |
| 50-64 | 13 | 4.8 | 19 | <1 | 1 | 3 | 6 | 11 | 15 | 16 |
| 65+ | 6 | 6.2 | 17 | 1 | 1 | 5 | 8 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 55 | 9.0 | 30 | 4 | 5 | 8 | 11 | 13 | 14 | 41 |
| 20-34 | 45 | 9.1 | 35 | 3 | 4 | 7 | 12 | 16 | 19 | 34 |
| 35-49 | 16 | 9.0 | 13 | 3 | 5 | 9 | 11 | 15 | 16 | 16 |
| 50-64 | 6 | 11.0 | 31 | 1 | 2 | 12 | 13 | 17 | 18 | 18 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 94 | 4.9 | 20 | 1 | 1 | 4 | 6 | 11 | 14 | 23 |
| 20-34 | 101 | 4.4 | 14 | 1 | 1 | 3 | 5 | 10 | 13 | 18 |
| 35-49 | 41 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 12 | 26 |
| 50-64 | 21 | 4.7 | 11 | <1 | 1 | 5 | 6 | 8 | 11 | 14 |
| 65+ | 14 | 6.7 | 27 | 3 | 3 | 5 | 8 | 14 | 20 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 100 | 15.0 | 215 | 4 | 6 | 10 | 17 | 32 | 50 | 77 |
| 20-34 | 166 | 15.0 | 140 | 4 | 6 | 12 | 17 | 32 | 43 | 96 |
| 35-49 | 59 | 15.8 | 168 | 3 | 5 | 12 | 20 | 39 | 49 | 96 |
| 50-64 | 30 | 16.6 | 165 | 4 | 5 | 15 | 20 | 45 | 53 | 99+ |
| 65+ | 16 | 22.0 | 398 | 5 | 6 | 15 | 45 | 91 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 4.0 | 13 | 1 | 1 | 3 | 5 | 9 | 12 | 16 |
| B. *Operated* | 122 | 9.2 | 29 | 3 | 4 | 8 | 11 | 14 | 17 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 271 | 4.8 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | 371 | 15.6 | 177 | 4 | 6 | 11 | 18 | 33 | 50 | 99+ |
| **1. SINGLE DX** | 380 | 5.7 | 24 | 1 | 1 | 5 | 8 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 642 | 11.0 | 138 | 1 | 2 | 8 | 13 | 25 | 39 | 80 |
| **A. NOT OPERATED** | 529 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **B. OPERATED** | 493 | 14.0 | 148 | 4 | 5 | 10 | 16 | 31 | 44 | 99+ |
| TOTAL 0-19 YRS | 376 | 7.8 | 91 | 1 | 1 | 6 | 9 | 14 | 21 | 62 |
| 20-34 | 411 | 9.1 | 93 | 1 | 1 | 7 | 12 | 19 | 30 | 62 |
| 35-49 | 129 | 10.5 | 112 | 1 | 2 | 7 | 13 | 21 | 39 | 68 |
| 50-64 | 70 | 10.4 | 110 | 1 | 1 | 9 | 14 | 23 | 42 | 90 |
| 65+ | 36 | 13.4 | 244 | 3 | 3 | 8 | 16 | 54 | 89 | 99+ |
| **GRAND TOTAL** | 1022 | 9.0 | 102 | 1 | 1 | 6 | 11 | 19 | 30 | 67 |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 18 | 5.1 | 8 | 1 | 1 | 5 | 7 | 10 | 10 | 10 |
| 20-34 | 9 | 4.6 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 35-49 | 6 | 4.0 | 9 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| 50-64 | 3 | 3.3 | 16 | 1 | 1 | 1 | 6 | 8 | 8 | 8 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 74 | 4.8 | 22 | 1 | 1 | 4 | 6 | 8 | 11 | 29 |
| 20-34 | 72 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 35-49 | 29 | 4.6 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 12 |
| 50-64 | 12 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 11 |
| 65+ | 7 | 6.4 | 37 | <1 | 1 | 5 | 8 | 17 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 3.6 | 7 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 13 | 4.2 | 17 | 1 | 1 | 3 | 4 | 8 | 15 | 17 |
| 35-49 | 8 | 4.0 | 19 | <1 | <1 | 2 | 5 | 12 | 14 | 14 |
| 50-64 | 5 | 4.0 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 65+ | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 71 | 7.1 | 29 | 1 | 1 | 6 | 9 | 16 | 18 | 23 |
| 20-34 | 90 | 7.3 | 58 | 1 | 1 | 5 | 9 | 16 | 21 | 41 |
| 35-49 | 38 | 7.8 | 58 | 1 | 1 | 6 | 10 | 17 | 19 | 43 |
| 50-64 | 22 | 8.7 | 29 | 2 | 3 | 7 | 14 | 16 | 18 | 21 |
| 65+ | 22 | 10.1 | 135 | 2 | 2 | 6 | 13 | 23 | 35 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 4.6 | 7 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| B. *Operated* | 194 | 4.3 | 13 | 1 | 1 | 4 | 6 | 8 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 3.9 | 11 | <1 | 1 | 3 | 5 | 7 | 12 | 17 |
| B. *Operated* | 243 | 7.7 | 54 | 1 | 1 | 6 | 10 | 16 | 21 | 43 |
| **1. SINGLE DX** | 231 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 9 | 19 |
| **2. MULTIPLE DX** | 281 | 7.2 | 50 | 1 | 1 | 5 | 9 | 16 | 20 | 40 |
| **A. NOT OPERATED** | 75 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 437 | 6.2 | 38 | 1 | 1 | 5 | 7 | 13 | 18 | 33 |
| TOTAL 0-19 YRS | 173 | 5.7 | 24 | 1 | 1 | 5 | 7 | 12 | 16 | 23 |
| 20-34 | 184 | 5.5 | 34 | 1 | 1 | 4 | 6 | 11 | 16 | 34 |
| 35-49 | 81 | 6.0 | 34 | 1 | 1 | 5 | 8 | 11 | 16 | 36 |
| 50-64 | 42 | 6.4 | 24 | 1 | 1 | 5 | 8 | 15 | 16 | 21 |
| 65+ | 32 | 8.7 | 105 | 1 | 2 | 5 | 8 | 21 | 24 | 52 |
| **GRAND TOTAL** | 512 | 5.9 | 34 | 1 | 1 | 5 | 7 | 12 | 17 | 32 |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 20-34 | 22 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 5 |
| 35-49 | 11 | 3.4 | 21 | <1 | <1 | 1 | 4 | 10 | 15 | 16 |
| 50-64 | 7 | 4.3 | 49 | 1 | 1 | 2 | 3 | 17 | 20 | 20 |
| 65+ | 11 | 3.2 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 210 | 2.4 | 8 | <1 | <1 | 1 | 2 | 5 | 7 | 16 |
| 20-34 | 98 | 2.3 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 35-49 | 37 | 2.5 | 14 | <1 | <1 | 1 | 3 | 5 | 7 | 23 |
| 50-64 | 20 | 2.9 | 5 | <1 | 1 | 2 | 4 | 7 | 7 | 8 |
| 65+ | 20 | 3.5 | 11 | <1 | 1 | 2 | 5 | 8 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 20-34 | 109 | 2.8 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 14 |
| 35-49 | 59 | 3.6 | 10 | <1 | <1 | 2 | 5 | 8 | 11 | 15 |
| 50-64 | 29 | 4.1 | 41 | <1 | 1 | 2 | 4 | 8 | 11 | 35 |
| 65+ | 46 | 7.2 | 55 | 1 | 1 | 5 | 10 | 18 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 348 | 3.3 | 20 | <1 | <1 | 2 | 4 | 7 | 9 | 23 |
| 20-34 | 386 | 4.2 | 65 | <1 | <1 | 2 | 4 | 7 | 12 | 64 |
| 35-49 | 135 | 4.5 | 38 | <1 | 1 | 3 | 5 | 11 | 15 | 29 |
| 50-64 | 117 | 5.4 | 34 | 1 | 1 | 3 | 7 | 11 | 16 | 33 |
| 65+ | 122 | 9.5 | 237 | 1 | 1 | 5 | 10 | 21 | 35 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 2.3 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 17 |
| B. *Operated* | 385 | 2.5 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 345 | 3.5 | 18 | <1 | <1 | 2 | 4 | 8 | 11 | 22 |
| B. *Operated* | 1108 | 4.7 | 66 | <1 | 1 | 2 | 5 | 9 | 15 | 48 |
| **1. SINGLE DX** | 504 | 2.4 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | 1453 | 4.4 | 55 | <1 | 1 | 2 | 5 | 9 | 14 | 39 |
| **A. NOT OPERATED** | 464 | 3.2 | 16 | <1 | <1 | 2 | 4 | 6 | 10 | 22 |
| **B. OPERATED** | 1493 | 4.1 | 52 | <1 | 1 | 2 | 4 | 8 | 13 | 39 |
| TOTAL 0-19 YRS | 728 | 2.8 | 13 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| 20-34 | 615 | 3.6 | 44 | <1 | <1 | 2 | 4 | 6 | 10 | 39 |
| 35-49 | 242 | 3.9 | 27 | <1 | <1 | 2 | 5 | 8 | 13 | 25 |
| 50-64 | 173 | 4.8 | 33 | 1 | 1 | 3 | 6 | 11 | 16 | 34 |
| 65+ | 199 | 8.0 | 163 | 1 | 1 | 4 | 9 | 17 | 24 | 88 |
| **GRAND TOTAL** | **1957** | **3.9** | **44** | **<1** | **1** | **2** | **4** | **8** | **12** | **34** |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 26 | 3.6 | 14 | <1 | 1 | 3 | 4 | 6 | 10 | 20 |
| 20-34 | 32 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 8 |
| 35-49 | 13 | 2.3 | 8 | <1 | <1 | 1 | 2 | 5 | 10 | 11 |
| 50-64 | 10 | 7.0 | 48 | 1 | 1 | 3 | 11 | 18 | 22 | 22 |
| 65+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 4.7 | 38 | 1 | 1 | 3 | 6 | 8 | 16 | 34 |
| 20-34 | 65 | 4.0 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 35-49 | 12 | 3.4 | 8 | <1 | <1 | 3 | 4 | 7 | 10 | 11 |
| 50-64 | 12 | 3.9 | 12 | <1 | <1 | 3 | 6 | 9 | 10 | 10 |
| 65+ | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 24 | 5.7 | 184 | <1 | 1 | 2 | 5 | 8 | 29 | 68 |
| 20-34 | 37 | 3.6 | 14 | <1 | <1 | 3 | 5 | 7 | 8 | 21 |
| 35-49 | 18 | 3.6 | 5 | <1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 50-64 | 12 | 4.8 | 10 | 2 | 2 | 4 | 6 | 9 | 12 | 13 |
| 65+ | 13 | 6.9 | 17 | 1 | 1 | 6 | 11 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 4.6 | 31 | 1 | 1 | 3 | 6 | 9 | 11 | 36 |
| 20-34 | 82 | 7.0 | 38 | <1 | 1 | 5 | 9 | 14 | 23 | 25 |
| 35-49 | 16 | 6.2 | 40 | <1 | <1 | 3 | 13 | 14 | 18 | 20 |
| 50-64 | 13 | 10.5 | 165 | 1 | 2 | 5 | 10 | 34 | 42 | 44 |
| 65+ | 12 | 14.0 | 83 | 1 | 4 | 13 | 19 | 24 | 33 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.5 | 15 | <1 | <1 | 2 | 4 | 8 | 11 | 21 |
| B. *Operated* | 143 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 104 | 4.7 | 51 | <1 | 1 | 3 | 6 | 8 | 12 | 43 |
| B. *Operated* | 173 | 7.0 | 53 | 1 | 1 | 5 | 9 | 14 | 23 | 36 |
| **1. SINGLE DX** | 225 | 3.9 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **2. MULTIPLE DX** | 277 | 6.1 | 53 | <1 | 1 | 4 | 8 | 13 | 19 | 36 |
| **A. NOT OPERATED** | 186 | 4.2 | 35 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **B. OPERATED** | 316 | 5.7 | 40 | 1 | 1 | 4 | 7 | 13 | 18 | 34 |
| TOTAL 0-19 YRS | 151 | 4.6 | 54 | 1 | 1 | 3 | 5 | 8 | 14 | 36 |
| 20-34 | 216 | 4.9 | 23 | <1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 35-49 | 59 | 4.0 | 17 | <1 | <1 | 3 | 5 | 11 | 14 | 19 |
| 50-64 | 47 | 6.6 | 65 | 1 | 1 | 4 | 9 | 13 | 23 | 44 |
| 65+ | 29 | 9.4 | 58 | 1 | 1 | 8 | 12 | 19 | 21 | 35 |
| **GRAND TOTAL** | **502** | **5.1** | **38** | **<1** | **1** | **3** | **6** | **11** | **18** | **33** |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 62 | 3.3 | 11 | <1 | <1 | 3 | 4 | 6 | 10 | 18 |
| 20-34 | 98 | 3.3 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 12 |
| 35-49 | 25 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 50-64 | 16 | 4.3 | 12 | <1 | <1 | 3 | 7 | 10 | 11 | 11 |
| 65+ | 5 | 5.4 | 25 | 1 | 1 | 3 | 9 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 411 | 2.7 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 20-34 | 503 | 2.9 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 24 |
| 35-49 | 179 | 2.9 | 13 | <1 | 1 | 2 | 3 | 5 | 10 | 19 |
| 50-64 | 95 | 3.3 | 22 | <1 | <1 | 2 | 4 | 6 | 12 | 27 |
| 65+ | 54 | 4.2 | 24 | <1 | 1 | 2 | 4 | 11 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 4.3 | 24 | <1 | 1 | 3 | 5 | 9 | 11 | 30 |
| 20-34 | 87 | 4.8 | 28 | <1 | 1 | 3 | 6 | 12 | 16 | 28 |
| 35-49 | 25 | 5.7 | 55 | 1 | 1 | 4 | 6 | 17 | 26 | 30 |
| 50-64 | 16 | 5.9 | 13 | 1 | 2 | 5 | 7 | 9 | 15 | 17 |
| 65+ | 13 | 8.5 | 40 | 1 | 2 | 7 | 13 | 31 | 85 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 237 | 4.2 | 39 | 1 | 1 | 2 | 4 | 7 | 17 | 34 |
| 20-34 | 428 | 4.2 | 42 | <1 | 1 | 2 | 4 | 8 | 13 | 40 |
| 35-49 | 145 | 5.8 | 85 | 1 | 1 | 3 | 6 | 12 | 25 | 52 |
| 50-64 | 103 | 6.1 | 71 | 1 | 1 | 3 | 6 | 17 | 24 | 43 |
| 65+ | 53 | 10.2 | 242 | 1 | 1 | 4 | 12 | 35 | 61 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 206 | 3.3 | 8 | <1 | <1 | 3 | 4 | 7 | 9 | 14 |
| B. *Operated* | 1242 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185 | 5.2 | 31 | <1 | 1 | 3 | 6 | 12 | 17 | 31 |
| B. *Operated* | 966 | 4.9 | 64 | 1 | 1 | 2 | 5 | 11 | 20 | 51 |
| **1. SINGLE DX** | 1448 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 10 | 21 |
| **2. MULTIPLE DX** | 1151 | 5.0 | 58 | 1 | 1 | 3 | 5 | 11 | 20 | 49 |
| **A. NOT OPERATED** | 391 | 4.2 | 20 | <1 | 1 | 3 | 5 | 9 | 13 | 28 |
| **B. OPERATED** | 2208 | 3.8 | 37 | <1 | 1 | 2 | 4 | 8 | 13 | 35 |
| TOTAL 0-19 YRS | 754 | 3.3 | 21 | <1 | 1 | 2 | 3 | 6 | 11 | 27 |
| 20-34 | 1116 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 12 | 29 |
| 35-49 | 374 | 4.2 | 45 | 1 | 1 | 2 | 4 | 8 | 14 | 32 |
| 50-64 | 230 | 4.8 | 44 | <1 | 1 | 2 | 5 | 12 | 18 | 37 |
| 65+ | 125 | 7.2 | 125 | 1 | 1 | 3 | 9 | 17 | 36 | 99+ |
| **GRAND TOTAL** | **2599** | **3.9** | **35** | **<1** | **1** | **2** | **4** | **8** | **13** | **33** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 104 | 3.7 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 20-34 | 62 | 3.7 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 35-49 | 19 | 3.7 | 14 | 1 | 1 | 2 | 5 | 9 | 13 | 15 |
| 50-64 | 10 | 5.2 | 10 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 65+ | 8 | 4.1 | 12 | <1 | <1 | 3 | 6 | 9 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 260 | 6.2 | 76 | <1 | 1 | 3 | 6 | 14 | 26 | 45 |
| 20-34 | 173 | 4.2 | 29 | <1 | 1 | 2 | 5 | 9 | 14 | 30 |
| 35-49 | 58 | 5.1 | 30 | 1 | 1 | 4 | 5 | 11 | 14 | 32 |
| 50-64 | 37 | 7.9 | 66 | 1 | 1 | 6 | 9 | 17 | 30 | 33 |
| 65+ | 14 | 13.6 | 311 | 1 | 1 | 8 | 12 | 40 | 59 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 5.4 | 31 | 1 | 1 | 4 | 6 | 12 | 15 | 31 |
| 20-34 | 45 | 4.8 | 14 | 1 | 1 | 4 | 7 | 11 | 13 | 17 |
| 35-49 | 16 | 5.4 | 26 | 1 | 1 | 4 | 6 | 14 | 18 | 19 |
| 50-64 | 17 | 8.2 | 28 | 3 | 4 | 6 | 11 | 17 | 20 | 21 |
| 65+ | 24 | 20.0 | 283 | 3 | 5 | 13 | 33 | 41 | 56 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 89 | 9.4 | 218 | 1 | 1 | 4 | 9 | 25 | 34 | 82 |
| 20-34 | 104 | 10.5 | 241 | 1 | 1 | 5 | 10 | 25 | 49 | 78 |
| 35-49 | 33 | 11.2 | 251 | 1 | 2 | 6 | 13 | 36 | 74 | 99+ |
| 50-64 | 23 | 9.5 | 126 | 1 | 2 | 6 | 11 | 22 | 37 | 49 |
| 65+ | 27 | 14.6 | 119 | 3 | 3 | 13 | 23 | 35 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 203 | 3.8 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 542 | 5.7 | 63 | <1 | 1 | 3 | 6 | 12 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 7.8 | 90 | 1 | 1 | 5 | 9 | 17 | 31 | 54 |
| B. *Operated* | 276 | 10.6 | 213 | 1 | 1 | 6 | 11 | 27 | 48 | 94 |
| **1. SINGLE DX** | 745 | 5.2 | 50 | <1 | 1 | 3 | 6 | 11 | 17 | 36 |
| **2. MULTIPLE DX** | 434 | 9.5 | 169 | 1 | 1 | 5 | 10 | 25 | 37 | 80 |
| **A. NOT OPERATED** | 361 | 5.5 | 49 | 1 | 1 | 3 | 6 | 11 | 17 | 38 |
| **B. OPERATED** | 818 | 7.4 | 119 | 1 | 1 | 4 | 8 | 17 | 29 | 62 |
| TOTAL 0-19 YRS | 509 | 6.2 | 85 | <1 | 1 | 3 | 6 | 14 | 22 | 52 |
| 20-34 | 384 | 5.9 | 89 | 1 | 1 | 3 | 7 | 11 | 17 | 53 |
| 35-49 | 126 | 6.5 | 91 | 1 | 1 | 4 | 7 | 14 | 19 | 84 |
| 50-64 | 87 | 8.1 | 68 | 1 | 2 | 6 | 10 | 17 | 29 | 43 |
| 65+ | 73 | 15.0 | 213 | 1 | 2 | 10 | 25 | 37 | 52 | 91 |
| **GRAND TOTAL** | **1179** | **6.8** | **98** | **1** | **1** | **4** | **7** | **18** | **27** | **57** |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 13 | 2.9 | 16 | 1 | 1 | 1 | 3 | 9 | 14 | 15 |
| 20-34 | 8 | 2.4 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 20-34 | 9 | 7.9 | 60 | <1 | <1 | 6 | 15 | 20 | 21 | 21 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 20-34 | 6 | 9.8 | 468 | <1 | <1 | 1 | 1 | 49 | 54 | 54 |
| 35-49 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 50-64 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 65+ | 4 | 12.0 | 88 | 2 | 2 | 13 | 20 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 11 | 10.7 | 107 | 2 | 2 | 7 | 15 | 29 | 30 | 30 |
| 20-34 | 20 | 8.6 | 79 | <1 | 1 | 6 | 13 | 30 | 63 | 99+ |
| 35-49 | 8 | 12.3 | 356 | 1 | 1 | 7 | 10 | 44 | 58 | 58 |
| 50-64 | 8 | 10.0 | 150 | 1 | 1 | 5 | 15 | 31 | 36 | 36 |
| 65+ | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 2.6 | 11 | <1 | <1 | 1 | 3 | 7 | 10 | 15 |
| B. *Operated* | 16 | 5.3 | 41 | <1 | 1 | 2 | 6 | 18 | 20 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 8.9 | 198 | <1 | <1 | 2 | 10 | 25 | 44 | 54 |
| B. *Operated* | 48 | 10.5 | 146 | 1 | 1 | 7 | 13 | 31 | 37 | 99+ |
| **1. SINGLE DX** | 38 | 3.8 | 25 | <1 | 1 | 2 | 4 | 12 | 17 | 21 |
| **2. MULTIPLE DX** | 65 | 10.1 | 157 | <1 | 1 | 6 | 13 | 30 | 40 | 93 |
| **A. NOT OPERATED** | 39 | 5.4 | 100 | <1 | <1 | 1 | 4 | 18 | 23 | 54 |
| **B. OPERATED** | 64 | 9.2 | 124 | 1 | 1 | 6 | 13 | 29 | 36 | 94 |
| TOTAL 0-19 YRS | 32 | 5.4 | 57 | 1 | 1 | 2 | 7 | 15 | 28 | 30 |
| 20-34 | 43 | 7.4 | 110 | <1 | 1 | 3 | 11 | 22 | 39 | 99+ |
| 35-49 | 11 | 11.5 | 293 | <1 | <1 | 6 | 11 | 39 | 56 | 58 |
| 50-64 | 11 | 8.4 | 114 | 1 | 1 | 3 | 10 | 26 | 35 | 36 |
| 65+ | 6 | 14.5 | 177 | 2 | 2 | 13 | 20 | 34 | 36 | 36 |
| **GRAND TOTAL** | 103 | 7.7 | 117 | <1 | 1 | 2 | 10 | 21 | 33 | 77 |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 5.9 | 57 | <1 | 1 | 4 | 8 | 11 | 24 | 34 |
| 20-34 | 34 | 5.9 | 52 | <1 | 1 | 4 | 6 | 14 | 26 | 29 |
| 35-49 | 7 | 10.4 | 167 | 1 | 1 | 3 | 16 | 33 | 36 | 36 |
| 50-64 | 6 | 4.2 | 5 | 1 | 1 | 4 | 5 | 8 | 8 | 8 |
| 65+ | 7 | 9.3 | 50 | 1 | 1 | 11 | 13 | 19 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 93 | 6.3 | 83 | <1 | 1 | 3 | 7 | 13 | 28 | 48 |
| 20-34 | 155 | 4.5 | 27 | <1 | 1 | 3 | 8 | 10 | 13 | 31 |
| 35-49 | 67 | 5.3 | 28 | <1 | <1 | 4 | 7 | 10 | 19 | 26 |
| 50-64 | 38 | 6.4 | 23 | 1 | 2 | 5 | 10 | 12 | 17 | 20 |
| 65+ | 16 | 10.0 | 80 | 2 | 2 | 9 | 15 | 33 | 78 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 31 | 6.3 | 37 | 2 | 3 | 4 | 7 | 13 | 18 | 32 |
| 20-34 | 55 | 4.8 | 32 | 1 | 1 | 3 | 6 | 9 | 24 | 98 |
| 35-49 | 51 | 7.8 | 25 | 2 | 2 | 7 | 12 | 16 | 19 | 98 |
| 50-64 | 22 | 18.6 | 388 | 2 | 3 | 11 | 25 | 48 | 69 | 72 |
| 65+ | 29 | 15.7 | 274 | 3 | 3 | 11 | 26 | 57 | 98 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 77 | 7.0 | 142 | <1 | 1 | 4 | 6 | 16 | 23 | 77 |
| 20-34 | 172 | 6.4 | 86 | 1 | 1 | 4 | 7 | 13 | 23 | 81 |
| 35-49 | 95 | 9.2 | 149 | <1 | 1 | 4 | 10 | 28 | 42 | 86 |
| 50-64 | 65 | 10.3 | 158 | 1 | 2 | 6 | 11 | 31 | 34 | 62 |
| 65+ | 49 | 15.9 | 159 | 2 | 2 | 14 | 23 | 33 | 41 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 6.5 | 59 | 1 | 1 | 4 | 8 | 14 | 27 | 36 |
| B. *Operated* | 369 | 5.6 | 44 | <1 | 1 | 3 | 7 | 12 | 17 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 9.2 | 131 | 1 | 2 | 6 | 11 | 25 | 39 | 99+ |
| B. *Operated* | 458 | 8.7 | 134 | 1 | 1 | 4 | 10 | 22 | 32 | 68 |
| **1. SINGLE DX** | 442 | 5.7 | 47 | <1 | 1 | 3 | 7 | 12 | 19 | 38 |
| **2. MULTIPLE DX** | 646 | 8.8 | 133 | 1 | 1 | 4 | 10 | 23 | 32 | 92 |
| **A. NOT OPERATED** | 261 | 8.4 | 112 | 1 | 1 | 5 | 10 | 23 | 33 | 99+ |
| **B. OPERATED** | 827 | 7.3 | 96 | 1 | 1 | 4 | 9 | 17 | 28 | 56 |
| TOTAL 0-19 YRS | 220 | 6.5 | 94 | <1 | 1 | 3 | 7 | 14 | 22 | 44 |
| 20-34 | 416 | 5.5 | 54 | 1 | 1 | 3 | 6 | 12 | 19 | 43 |
| 35-49 | 220 | 7.7 | 86 | <1 | 1 | 4 | 10 | 19 | 28 | 78 |
| 50-64 | 131 | 10.3 | 165 | 1 | 2 | 5 | 11 | 24 | 33 | 68 |
| 65+ | 101 | 14.4 | 174 | 2 | 3 | 12 | 22 | 37 | 48 | 99+ |
| **GRAND TOTAL** | 1088 | 7.6 | 100 | 1 | 1 | 4 | 9 | 19 | 29 | 71 |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 264 | 4.3 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 11 |
| 20-34 | 154 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 9 |
| 35-49 | 50 | 4.0 | 8 | 1 | 1 | 4 | 5 | 7 | 8 | 18 |
| 50-64 | 10 | 4.0 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 65+ | 5 | 7.6 | 30 | 3 | 3 | 6 | 9 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 12.0 | 17 | 6 | 6 | 13 | 14 | 15 | 15 | 15 |
| 20-34 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 101 | 4.5 | 15 | 1 | 1 | 4 | 5 | 7 | 11 | 22 |
| 20-34 | 96 | 4.2 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 30 | 4.4 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| 50-64 | 17 | 4.1 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 65+ | 12 | 9.8 | 123 | <1 | 2 | 6 | 10 | 25 | 40 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 6.2 | 34 | 1 | 2 | 4 | 6 | 15 | 22 | 24 |
| 20-34 | 26 | 4.9 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 35-49 | 7 | 3.7 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 50-64 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 4 | 12.3 | 74 | 1 | 1 | 13 | 18 | 22 | 22 | 22 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 483 | 4.1 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | 9 | 9.6 | 42 | 1 | 2 | 6 | 14 | 19 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 256 | 4.6 | 18 | 1 | 1 | 4 | 5 | 8 | 1C | 23 |
| B. *Operated* | 60 | 5.7 | 23 | 1 | 2 | 4 | 6 | 12 | 17 | 24 |
| 1. SINGLE DX | 492 | 4.2 | 6 | 1 | 1 | 4 | 5 | 6 | 9 | 14 |
| 2. MULTIPLE DX | 316 | 4.8 | 19 | 1 | 1 | 4 | 5 | 8 | 12 | 23 |
| A. NOT OPERATED | 739 | 4.3 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 18 |
| B. OPERATED | 69 | 6.2 | 27 | 1 | 2 | 5 | 7 | 14 | 20 | 24 |
| TOTAL 0-19 YRS | 390 | 4.5 | 10 | 1 | 1 | 4 | 5 | 7 | 10 | 21 |
| 20-34 | 277 | 4.1 | 7 | 1 | 1 | 4 | 5 | 6 | 8 | 15 |
| 35-49 | 88 | 4.1 | 11 | 1 | 1 | 4 | 5 | 7 | 8 | 21 |
| 50-64 | 31 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 65+ | 22 | 9.6 | 83 | 1 | 2 | 6 | 13 | 19 | 30 | 42 |
| GRAND TOTAL | 808 | 4.5 | 12 | 1 | 1 | 4 | 5 | 7 | 10 | 20 |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 823 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 10 |
| 20-34 | 556 | 2.2 | 4 | <1 | <1 | 1 | 3 | 4 | 6 | 10 |
| 35-49 | 175 | 3.3 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 50-64 | 158 | 3.8 | 14 | 1 | 1 | 3 | 5 | 8 | 9 | 22 |
| 65+ | 166 | 7.3 | 55 | 1 | 1 | 5 | 9 | 17 | 20 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 54 | 4.0 | 26 | <1 | 1 | 2 | 4 | 7 | 13 | 30 |
| 20-34 | 43 | 3.8 | 12 | <1 | 1 | 3 | 4 | 9 | 11 | 17 |
| 35-49 | 26 | 5.3 | 21 | <1 | <1 | 4 | 8 | 12 | 16 | 17 |
| 50-64 | 21 | 5.5 | 23 | 1 | 1 | 4 | 8 | 14 | 16 | 17 |
| 65+ | 7 | 7.9 | 106 | 1 | 1 | 4 | 9 | 26 | 30 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 708 | 2.4 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 20-34 | 654 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 13 |
| 35-49 | 272 | 4.0 | 31 | <1 | 1 | 2 | 5 | 8 | 13 | 27 |
| 50-64 | 260 | 6.6 | 53 | 1 | 1 | 4 | 8 | 15 | 21 | 37 |
| 65+ | 569 | 10.8 | 123 | 1 | 2 | 7 | 14 | 25 | 36 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 56 | 3.5 | 15 | 1 | 1 | 2 | 5 | 8 | 11 | 18 |
| 20-34 | 84 | 5.7 | 54 | <1 | 1 | 3 | 7 | 13 | 19 | 40 |
| 35-49 | 43 | 7.0 | 88 | <1 | 1 | 4 | 8 | 18 | 39 | 99+ |
| 50-64 | 38 | 9.9 | 68 | 1 | 2 | 6 | 14 | 22 | 26 | 31 |
| 65+ | 48 | 16.2 | 188 | 2 | 2 | 14 | 25 | 48 | 97 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1878 | 2.8 | 12 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| B. *Operated* | 151 | 4.5 | 25 | <1 | 1 | 3 | 6 | 10 | 15 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2463 | 5.0 | 52 | <1 | 1 | 3 | 5 | 12 | 19 | 39 |
| B. *Operated* | 269 | 7.9 | 95 | 1 | 1 | 4 | 11 | 20 | 36 | 99+ |
| 1. SINGLE DX | 2029 | 3.0 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 18 |
| 2. MULTIPLE DX | 2732 | 5.3 | 57 | <1 | 1 | 3 | 6 | 13 | 20 | 45 |
| A. NOT OPERATED | 4341 | 4.1 | 36 | <1 | 1 | 2 | 4 | 9 | 15 | 34 |
| B. OPERATED | 420 | 6.7 | 72 | <1 | 1 | 4 | 8 | 17 | 28 | 65 |
| TOTAL 0-19 YRS | 1641 | 2.4 | 6 | <1 | 1 | 1 | 3 | 5 | 6 | 12 |
| 20-34 | 1337 | 2.7 | 10 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| 35-49 | 516 | 4.1 | 28 | <1 | 1 | 3 | 5 | 8 | 12 | 33 |
| 50-64 | 477 | 5.9 | 43 | 1 | 1 | 4 | 7 | 14 | 20 | 33 |
| 65+ | 790 | 10.4 | 116 | 1 | 2 | 7 | 14 | 25 | 36 | 99+ |
| GRAND TOTAL | 4761 | 4.3 | 40 | <1 | 1 | 2 | 5 | 10 | 17 | 37 |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 33 | 3.1 | 21 | <1 | <1 | 1 | 3 | 7 | 9 | 26 |
| 20-34 | 33 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 35-49 | 12 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | 8 | 7.6 | 28 | 2 | 2 | 6 | 12 | 15 | 16 | 16 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 21 | 4.0 | 55 | <1 | <1 | 2 | 2 | 12 | 26 | 28 |
| 20-34 | 36 | 7.7 | 98 | <1 | 1 | 4 | 9 | 17 | 35 | 40 |
| 35-49 | 5 | 7.2 | 177 | 1 | 1 | 1 | 9 | 31 | 31 | 31 |
| 50-64 | 6 | 4.0 | 47 | <1 | <1 | 1 | 2 | 16 | 18 | 18 |
| 65+ | 5 | 4.6 | 11 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 2.0 | 2 | 1 | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 20-34 | 22 | 5.0 | 73 | <1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | 42 |
| 35-49 | 4 | 4.3 | 6 | 1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 50-64 | 5 | 8.2 | 16 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 65+ | 5 | 11.0 | 63 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 11.2 | 103 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 20-34 | 26 | 9.3 | 145 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 35-49 | 11 | 10.5 | 137 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 50-64 | 9 | 13.2 | 286 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| 65+ | 4 | 18.5 | 390 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 87 | 3.0 | 14 | <1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| *B. Operated* | 73 | 6.1 | 80 | <1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 53 | 4.8 | 44 | <1 | [illegible] | [illegible] | [illegible] | [illegible] | 21 | 98 |
| *B. Operated* | 60 | 11.0 | 165 | <1 | 1 | 6 | 14 | 33 | 38 | 52 |
| **1. SINGLE DX** | 160 | 4.4 | 46 | <1 | <1 | 2 | 4 | 10 | 17 | 36 |
| **2. MULTIPLE DX** | 113 | 8.1 | 117 | <1 | 1 | 4 | 9 | 27 | 38 | 70 |
| **A. NOT OPERATED** | 140 | 3.7 | 26 | <1 | <1 | 2 | 5 | 8 | 12 | 47 |
| **B. OPERATED** | 133 | 8.3 | 123 | <1 | 1 | 3 | 10 | 28 | 37 | 48 |
| **TOTAL** 0-19 YRS | 81 | 4.1 | 42 | <1 | <1 | 2 | 4 | 10 | 18 | 35 |
| 20-34 | 117 | 5.9 | 83 | <1 | <1 | 3 | 6 | 16 | 35 | 41 |
| 35-49 | 32 | 6.5 | 80 | 1 | 1 | 3 | 6 | 22 | 31 | 31 |
| 50-64 | 28 | 8.8 | 115 | 1 | 1 | 6 | 11 | 17 | 30 | 53 |
| 65+ | 15 | 10.3 | 140 | 2 | 2 | 6 | 15 | 45 | 84 | 99+ |
| **GRAND TOTAL** | **273** | **6.0** | **78** | <1 | 1 | 3 | 6 | 16 | 29 | 46 |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 9 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 20-34 | 7 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 7 | 3.9 | 11 | <1 | <1 | 3 | 7 | 9 | 9 | 9 |
| 35-49 | 3 | 4.7 | 21 | 2 | 2 | 2 | 8 | 10 | 10 | 10 |
| 50-64 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 20-34 | 4 | 6.0 | 36 | 1 | 1 | 5 | 11 | 13 | 13 | 13 |
| 35-49 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 19.0 | 162 | 10 | 10 | 19 | 28 | 28 | 28 | 28 |
| 20-34 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 20 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| *B. Operated* | 20 | 2.8 | 8 | <1 | <1 | 2 | 3 | 8 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 10 | 3.7 | 17 | <1 | <1 | 2 | 4 | 11 | 13 | 13 |
| *B. Operated* | 8 | 8.3 | 79 | 2 | 2 | 5 | 11 | 23 | 28 | 28 |
| **1. SINGLE DX** | 40 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 8 | 10 |
| **2. MULTIPLE DX** | 18 | 5.7 | 47 | <1 | <1 | 3 | 9 | 13 | 22 | 28 |
| **A. NOT OPERATED** | 30 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 9 | 13 |
| **B. OPERATED** | 28 | 4.3 | 33 | <1 | <1 | 2 | 5 | 10 | 14 | 28 |
| **TOTAL** 0-19 YRS | 22 | 3.2 | 35 | <1 | <1 | 1 | 3 | 6 | 17 | 28 |
| 20-34 | 21 | 3.6 | 11 | <1 | 1 | 2 | 4 | 9 | 11 | 13 |
| 35-49 | 9 | 3.2 | 7 | 1 | 1 | 2 | 3 | 8 | 10 | 10 |
| 50-64 | 4 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| **GRAND TOTAL** | **58** | **3.4** | **20** | **<1** | **<1** | **2** | **3** | **9** | **11** | **27** |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 334 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 61 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 35-49 | 59 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 7 |
| 50-64 | 59 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 65+ | 62 | 1.6 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 53 | 2.8 | 8 | <1 | <1 | 2 | 3 | 8 | 10 | 12 |
| 20-34 | 6 | 5.0 | 13 | <1 | <1 | 4 | 7 | 11 | 11 | 11 |
| 35-49 | 8 | 4.0 | 15 | <1 | <1 | 3 | 5 | 11 | 13 | 13 |
| 50-64 | 13 | 3.5 | 20 | <1 | <1 | 1 | 4 | 10 | 15 | 16 |
| 65+ | 5 | 5.6 | 32 | 1 | 1 | 2 | 10 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 8 |
| 20-34 | 14 | 3.9 | 20 | <1 | <1 | 2 | 4 | 12 | 14 | 15 |
| 35-49 | 8 | 3.1 | 9 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 50-64 | 39 | 3.1 | 8 | 1 | 1 | 2 | 5 | 8 | 9 | 10 |
| 65+ | 49 | 3.9 | 20 | 1 | 1 | 2 | 5 | 9 | 12 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 6.9 | 40 | 1 | 1 | 5 | 10 | 16 | 22 | 24 |
| 20-34 | 15 | 13.2 | 319 | 2 | 2 | 6 | 13 | 42 | 60 | 66 |
| 35-49 | 11 | 16.5 | 393 | 2 | 2 | 8 | 29 | 48 | 61 | 62 |
| 50-64 | 24 | 6.7 | 36 | <1 | 1 | 6 | 9 | 14 | 21 | 23 |
| 65+ | 25 | 6.4 | 47 | 1 | 1 | 5 | 9 | 11 | 20 | 34 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 575 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 85 | 3.3 | 12 | <1 | <1 | 2 | 4 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 3.1 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 15 |
| B. *Operated* | 103 | 8.7 | 125 | 1 | 1 | 5 | 10 | 20 | 34 | 64 |
| **1. SINGLE DX** | 660 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| **2. MULTIPLE DX** | 260 | 5.3 | 64 | 1 | 1 | 2 | 7 | 11 | 17 | 42 |
| **A. NOT OPERATED** | 732 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **B. OPERATED** | 188 | 6.3 | 81 | <1 | 1 | 3 | 8 | 13 | 20 | 54 |
| TOTAL 0-19 YRS | 462 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 8 | 12 |
| 20-34 | 96 | 3.9 | 68 | <1 | <1 | 1 | 3 | 7 | 13 | 55 |
| 35-49 | 86 | 3.9 | 74 | <1 | 1 | 1 | 3 | 7 | 11 | 54 |
| 50-64 | 135 | 3.2 | 14 | <1 | 1 | 1 | 4 | 8 | 11 | 20 |
| 65+ | 141 | 3.4 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| **GRAND TOTAL** | **920** | **2.8** | **23** | **<1** | **<1** | **1** | **3** | **6** | **9** | **22** |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 16 | 12.8 | 151 | 1 | 1 | 7 | 21 | 29 | 39 | 43 |
| 20-34 | 11 | 7.4 | 65 | <1 | 1 | 5 | 8 | 23 | 25 | 25 |
| 35-49 | 5 | 10.4 | 42 | 2 | 2 | 9 | 14 | 20 | 20 | 20 |
| 50-64 | 2 | 29.0 | 288 | 17 | 17 | 29 | 41 | 41 | 41 | 41 |
| 65+ | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 19.0 | 360 | 2 | 2 | 14 | 24 | 44 | 65 | 78 |
| 20-34 | 24 | 12.7 | 94 | 2 | 2 | 9 | 18 | 24 | 31 | 45 |
| 35-49 | 11 | 16.5 | 169 | 3 | 4 | 12 | 21 | 36 | 48 | 49 |
| 50-64 | 4 | 30.5 | 843 | 9 | 9 | 20 | 50 | 72 | 72 | 72 |
| 65+ | 3 | 21.3 | 476 | 2 | 2 | 17 | 38 | 45 | 45 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 11.7 | 58 | <1 | 1 | 12 | 17 | 20 | 26 | 29 |
| 20-34 | 21 | 11.5 | 70 | 2 | 2 | 9 | 16 | 21 | 28 | 35 |
| 35-49 | 11 | 14.4 | 207 | 1 | 1 | 9 | 23 | 39 | 41 | 41 |
| 50-64 | 9 | 15.0 | 294 | <1 | 2 | 9 | 15 | 41 | 59 | 59 |
| 65+ | 5 | 12.6 | 38 | 7 | 7 | 10 | 15 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 26.7 | 366 | 4 | 7 | 23 | 37 | 58 | 63 | 78 |
| 20-34 | 46 | 27.3 | 417 | 3 | 5 | 24 | 41 | 55 | 79 | 99+ |
| 35-49 | 18 | 24.7 | 181 | 7 | 8 | 24 | 41 | 46 | 76 | 99+ |
| 50-64 | 23 | 30.6 | 386 | 2 | 7 | 31 | 43 | 70 | 82 | 99+ |
| 65+ | 16 | 28.1 | 504 | 2 | 4 | 29 | 40 | 85 | 98 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 11.4 | 122 | 1 | 1 | 7 | 20 | 25 | 37 | 43 |
| B. *Operated* | 67 | 17.1 | 262 | 2 | 2 | 12 | 21 | 43 | 51 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 12.4 | 103 | 1 | 1 | 10 | 16 | 23 | 33 | 54 |
| B. *Operated* | 160 | 27.3 | 370 | 3 | 7 | 24 | 42 | 58 | 75 | 99+ |
| **1. SINGLE DX** | 103 | 15.1 | 219 | 1 | 2 | 11 | 20 | 31 | 45 | 75 |
| **2. MULTIPLE DX** | 238 | 22.5 | 331 | 2 | 3 | 17 | 33 | 49 | 62 | 99+ |
| **A. NOT OPERATED** | 114 | 12.1 | 108 | 1 | 1 | 9 | 17 | 25 | 34 | 49 |
| **B. OPERATED** | 227 | 24.3 | 359 | 2 | 5 | 19 | 37 | 52 | 70 | 99+ |
| TOTAL 0-19 YRS | 130 | 19.8 | 301 | 1 | 3 | 15 | 26 | 45 | 61 | 78 |
| 20-34 | 102 | 18.5 | 295 | 2 | 3 | 14 | 25 | 46 | 54 | 94 |
| 35-49 | 45 | 18.6 | 188 | 2 | 3 | 14 | 27 | 44 | 47 | 99+ |
| 50-64 | 38 | 26.8 | 414 | 2 | 6 | 22 | 42 | 66 | 73 | 99+ |
| 65+ | 26 | 22.8 | 404 | 2 | 3 | 17 | 32 | 48 | 95 | 99+ |
| **GRAND TOTAL** | **341** | **20.2** | **307** | **2** | **3** | **15** | **29** | **46** | **60** | **99+** |

## 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 293 | 6.2 | 41 | 1 | 1 | 4 | 8 | 13 | 18 | 32 |
| 20-34 | 158 | 5.3 | 38 | <1 | 1 | 3 | 6 | 14 | 21 | 28 |
| 35-49 | 48 | 5.5 | 25 | <1 | 1 | 3 | 9 | 12 | 18 | 20 |
| 50-64 | 23 | 9.4 | 67 | 1 | 1 | 9 | 15 | 23 | 51 | 99+ |
| 65+ | 15 | 22.1 | 352 | 1 | 1 | 21 | 27 | 54 | 65 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 58 | 14.2 | 222 | <1 | 1 | 9 | 20 | 31 | 45 | 81 |
| 20-34 | 30 | 17.6 | 268 | 1 | 1 | 13 | 28 | 43 | 45 | 63 |
| 35-49 | 16 | 18.7 | 224 | 2 | 6 | 16 | 22 | 40 | 55 | 61 |
| 50-64 | 5 | 32.0 | 521 | 9 | 9 | 35 | 47 | 64 | 64 | 64 |
| 65+ | 4 | 28.8 | 604 | 6 | 6 | 29 | 50 | 51 | 51 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 416 | 7.9 | 54 | 1 | 1 | 6 | 11 | 18 | 24 | 38 |
| 20-34 | 233 | 6.3 | 38 | 1 | 1 | 4 | 9 | 15 | 19 | 29 |
| 35-49 | 101 | 7.8 | 46 | 1 | 1 | 6 | 11 | 16 | 19 | 36 |
| 50-64 | 64 | 10.2 | 122 | 1 | 2 | 7 | 13 | 21 | 30 | 63 |
| 65+ | 41 | 13.8 | 203 | 2 | 3 | 10 | 16 | 28 | 44 | 70 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 60 | 17.0 | 180 | 2 | 3 | 14 | 26 | 36 | 48 | 95 |
| 20-34 | 61 | 15.7 | 231 | 1 | 2 | 11 | 21 | 35 | 46 | 73 |
| 35-49 | 31 | 20.4 | 257 | 1 | 2 | 17 | 27 | 50 | 54 | 54 |
| 50-64 | 26 | 23.6 | 245 | 1 | 3 | 23 | 37 | 41 | 48 | 64 |
| 65+ | 17 | 36.4 | 427 | 7 | 10 | 30 | 46 | 68 | 75 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 537 | 6.4 | 56 | 1 | 1 | 4 | 9 | 16 | 22 | 32 |
| B. *Operated* | 113 | 17.0 | 267 | 1 | 2 | 11 | 23 | 42 | 51 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 855 | 7.9 | 64 | 1 | 1 | 6 | 11 | 17 | 24 | 37 |
| B. *Operated* | 195 | 19.7 | 266 | 1 | 3 | 16 | 28 | 43 | 54 | 77 |
| **1. SINGLE DX** | 650 | 8.3 | 108 | 1 | 1 | 5 | 10 | 21 | 28 | 54 |
| **2. MULTIPLE DX** | 1050 | 10.1 | 122 | 1 | 1 | 7 | 13 | 24 | 31 | 62 |
| **A. NOT OPERATED** | 1392 | 7.3 | 61 | 1 | 1 | 5 | 10 | 17 | 23 | 36 |
| **B. OPERATED** | 308 | 18.7 | 267 | 1 | 2 | 14 | 27 | 43 | 53 | 76 |
| TOTAL 0-19 YRS | 827 | 8.4 | 80 | 1 | 1 | 6 | 11 | 20 | 26 | 46 |
| 20-34 | 482 | 7.9 | 93 | 1 | 1 | 4 | 10 | 20 | 28 | 45 |
| 35-49 | 196 | 10.1 | 117 | 1 | 1 | 7 | 13 | 24 | 33 | 54 |
| 50-64 | 118 | 13.9 | 195 | 1 | 2 | 9 | 20 | 36 | 42 | 77 |
| 65+ | 77 | 21.2 | 370 | 2 | 3 | 13 | 28 | 53 | 67 | 77 |
| **GRAND TOTAL** | 1700 | 9.4 | 118 | 1 | 1 | 6 | 12 | 23 | 30 | 59 |

## 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.3 | 30 | <1 | <1 | 2 | 3 | 6 | 16 | 28 |
| 20-34 | 28 | 3.0 | 5 | <1 | <1 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 12 | 3.9 | 20 | 1 | 1 | 2 | 4 | 12 | 15 | 15 |
| 50-64 | 8 | 6.3 | 33 | 1 | 1 | 6 | 8 | 15 | 18 | 18 |
| 65+ | 8 | 9.4 | 35 | 3 | 3 | 9 | 11 | 19 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 23 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 20-34 | 31 | 3.2 | 16 | 1 | 1 | 2 | 3 | 5 | 6 | 24 |
| 35-49 | 12 | 2.2 | 5 | <1 | <1 | 1 | 2 | 6 | 8 | 8 |
| 50-64 | 7 | 10.1 | 410 | 1 | 1 | 3 | 4 | 46 | 56 | 56 |
| 65+ | 5 | 4.8 | 7 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 12 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 22 | 4.0 | 19 | <1 | <1 | 3 | 4 | 9 | 14 | 20 |
| 35-49 | 13 | 4.4 | 23 | 1 | 1 | 3 | 4 | 10 | 17 | 19 |
| 50-64 | 11 | 14.2 | 302 | 1 | 2 | 7 | 20 | 42 | 58 | 59 |
| 65+ | 19 | 17.3 | 292 | 2 | 3 | 12 | 32 | 75 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 4.3 | 16 | 1 | 1 | 3 | 5 | 11 | 14 | 15 |
| 20-34 | 55 | 3.0 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 35-49 | 23 | 7.8 | 117 | 1 | 1 | 3 | 13 | 50 | 99+ | 99+ |
| 50-64 | 13 | 6.9 | 83 | <1 | 1 | 3 | 9 | 17 | 31 | 34 |
| 65+ | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 4.1 | 23 | <1 | 1 | 2 | 5 | 9 | 15 | 26 |
| B. *Operated* | 78 | 3.7 | 45 | <1 | 1 | 2 | 4 | 6 | 8 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 8.6 | 156 | 1 | 1 | 4 | 9 | 28 | 57 | 99+ |
| B. *Operated* | 120 | 4.8 | 43 | 1 | 1 | 3 | 6 | 12 | 18 | 99+ |
| **1. SINGLE DX** | 163 | 3.9 | 34 | <1 | 1 | 2 | 4 | 8 | 11 | 27 |
| **2. MULTIPLE DX** | 197 | 6.3 | 90 | 1 | 1 | 3 | 7 | 17 | 32 | 99+ |
| **A. NOT OPERATED** | 162 | 6.3 | 91 | <1 | 1 | 3 | 7 | 17 | 29 | 94 |
| **B. OPERATED** | 198 | 4.4 | 44 | 1 | 1 | 2 | 4 | 9 | 15 | 78 |
| TOTAL 0-19 YRS | 92 | 3.5 | 16 | <1 | 1 | 2 | 4 | 7 | 12 | 23 |
| 20-34 | 136 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 21 |
| 35-49 | 60 | 5.2 | 58 | 1 | 1 | 2 | 8 | 15 | 32 | 99+ |
| 50-64 | 39 | 9.4 | 187 | 1 | 1 | 4 | 9 | 27 | 46 | 59 |
| 65+ | 33 | 13.7 | 201 | 2 | 3 | 9 | 23 | 55 | 89 | 99+ |
| **GRAND TOTAL** | 360 | 5.2 | 66 | 1 | 1 | 3 | 5 | 12 | 23 | 94 |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 322 | 2.7 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 12 |
| 20-34 | 223 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 35-49 | 75 | 4.1 | 25 | 1 | 1 | 3 | 5 | 9 | 11 | 30 |
| 50-64 | 45 | 5.3 | 127 | <1 | <1 | 2 | 6 | 9 | 11 | 76 |
| 65+ | 65 | 9.2 | 97 | 1 | 1 | 7 | 12 | 19 | 32 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 47 | 5.3 | 39 | <1 | 1 | 3 | 7 | 11 | 16 | 33 |
| 20-34 | 50 | 4.7 | 21 | <1 | 1 | 3 | 7 | 10 | 13 | 21 |
| 35-49 | 19 | 8.2 | 111 | <1 | 1 | 4 | 9 | 27 | 36 | 37 |
| 50-64 | 12 | 7.1 | 42 | <1 | 1 | 4 | 14 | 16 | 17 | 17 |
| 65+ | 2 | 8.5 | 113 | 1 | 1 | 8 | 16 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 191 | 3.7 | 12 | <1 | <1 | 2 | 4 | 9 | 11 | 16 |
| 20-34 | 183 | 3.2 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 14 |
| 35-49 | 96 | 6.2 | 59 | 1 | 1 | 4 | 7 | 11 | 18 | 50 |
| 50-64 | 88 | 7.4 | 48 | 1 | 1 | 6 | 9 | 14 | 18 | 41 |
| 65+ | 189 | 12.1 | 142 | 1 | 2 | 9 | 15 | 29 | 40 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 9.4 | 86 | 2 | 2 | 6 | 11 | 20 | 34 | 36 |
| 20-34 | 63 | 10.2 | 186 | 1 | 1 | 4 | 11 | 28 | 40 | 65 |
| 35-49 | 23 | 17.3 | 487 | 1 | 2 | 10 | 20 | 49 | 77 | 81 |
| 50-64 | 18 | 9.0 | 68 | 1 | 1 | 5 | 14 | 18 | 27 | 33 |
| 65+ | 23 | 17.7 | 228 | 1 | 3 | 15 | 22 | 41 | 53 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 730 | 3.6 | 27 | <1 | 1 | 2 | 4 | 8 | 11 | 29 |
| B. *Operated* | 130 | 5.7 | 43 | <1 | 1 | 3 | 7 | 14 | 17 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 747 | 6.5 | 67 | <1 | 1 | 4 | 8 | 14 | 21 | 43 |
| B. *Operated* | 163 | 12.0 | 206 | 1 | 1 | 7 | 16 | 31 | 40 | 74 |
| **1. SINGLE DX** | 860 | 4.0 | 30 | <1 | 1 | 2 | 5 | 9 | 12 | 31 |
| **2. MULTIPLE DX** | 910 | 7.5 | 96 | <1 | 1 | 4 | 9 | 17 | 27 | 55 |
| **A. NOT OPERATED** | 1477 | 5.1 | 49 | <1 | 1 | 3 | 6 | 11 | 16 | 40 |
| **B. OPERATED** | 293 | 9.2 | 143 | 1 | 1 | 5 | 11 | 22 | 35 | 64 |
| TOTAL 0-19 YRS | 596 | 3.6 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 20-34 | 519 | 4.1 | 36 | <1 | 1 | 2 | 5 | 8 | 12 | 31 |
| 35-49 | 213 | 6.8 | 110 | 1 | 1 | 4 | 7 | 13 | 28 | 62 |
| 50-64 | 163 | 7.0 | 72 | <1 | 1 | 5 | 9 | 14 | 17 | 42 |
| 65+ | 279 | 11.9 | 141 | 1 | 2 | 9 | 15 | 29 | 39 | 95 |
| **GRAND TOTAL** | **1770** | **5.8** | **67** | **<1** | **1** | **3** | **7** | **13** | **20** | **42** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 946 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 20-34 | 407 | 2.3 | 9 | <1 | <1 | 1 | 2 | 5 | 6 | 13 |
| 35-49 | 178 | 3.0 | 19 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 50-64 | 91 | 4.4 | 33 | 1 | 1 | 3 | 5 | 9 | 14 | 34 |
| 65+ | 91 | 6.4 | 49 | 1 | 1 | 5 | 8 | 12 | 23 | 78 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 813 | 4.0 | 29 | <1 | 1 | 2 | 4 | 9 | 14 | 28 |
| 20-34 | 1307 | 6.0 | 89 | <1 | 1 | 3 | 6 | 15 | 24 | 56 |
| 35-49 | 678 | 6.7 | 88 | <1 | 1 | 3 | 8 | 17 | 27 | 46 |
| 50-64 | 431 | 7.7 | 78 | 1 | 1 | 5 | 9 | 18 | 26 | 47 |
| 65+ | 541 | 10.4 | 124 | 2 | 2 | 7 | 12 | 23 | 34 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 10 | 23.7 | 643 | 2 | 4 | 11 | 34 | 66 | 80 | 80 |
| 20-34 | 32 | 17.7 | 400 | 2 | 2 | 10 | 24 | 47 | 56 | 86 |
| 35-49 | 30 | 13.1 | 271 | 2 | 2 | 8 | 14 | 48 | 71 | 99+ |
| 50-64 | 29 | 15.4 | 193 | 2 | 3 | 10 | 25 | 41 | 44 | 46 |
| 65+ | 48 | 22.9 | 366 | 4 | 6 | 18 | 30 | 66 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1713 | 2.4 | 12 | <1 | <1 | 1 | 2 | 5 | 7 | 15 |
| B. *Operated* | 5 | 6.2 | 57 | 1 | 1 | 2 | 10 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3770 | 6.5 | 83 | 1 | 1 | 3 | 7 | 16 | 24 | 51 |
| B. *Operated* | 149 | 18.4 | 345 | 2 | 2 | 12 | 25 | 49 | 71 | 99+ |
| **1. SINGLE DX** | 1718 | 2.4 | 12 | <1 | <1 | 1 | 2 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 3919 | 7.0 | 98 | 1 | 1 | 3 | 8 | 17 | 26 | 55 |
| **A. NOT OPERATED** | 5483 | 5.2 | 65 | <1 | 1 | 2 | 6 | 12 | 20 | 44 |
| **B. OPERATED** | 154 | 18.0 | 340 | 2 | 2 | 11 | 25 | 48 | 70 | 99+ |
| TOTAL 0-19 YRS | 1771 | 2.9 | 22 | <1 | 1 | 1 | 3 | 6 | 9 | 24 |
| 20-34 | 1747 | 5.3 | 81 | <1 | 1 | 2 | 5 | 13 | 21 | 55 |
| 35-49 | 887 | 6.2 | 84 | <1 | 1 | 3 | 7 | 15 | 25 | 52 |
| 50-64 | 552 | 7.6 | 81 | 1 | 1 | 5 | 9 | 18 | 28 | 46 |
| 65+ | 680 | 10.8 | 144 | 1 | 2 | 7 | 12 | 24 | 36 | 86 |
| **GRAND TOTAL** | **5637** | **5.6** | **76** | **<1** | **1** | **2** | **6** | **13** | **21** | **49** |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 475 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 20-34 | 133 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 10 |
| 35-49 | 49 | 2.0 | 3 | <1 | 1 | 1 | 2 | 5 | 6 | 9 |
| 50-64 | 37 | 2.0 | 4 | <1 | <1 | 1 | 2 | 5 | 7 | 9 |
| 65+ | 27 | 4.0 | 23 | <1 | 1 | 2 | 5 | 12 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 35-49 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 155 | 2.8 | 18 | <1 | 1 | 2 | 3 | 6 | 8 | 43 |
| 20-34 | 135 | 4.3 | 90 | <1 | <1 | 1 | 4 | 8 | 16 | 54 |
| 35-49 | 75 | 4.7 | 43 | <1 | 1 | 2 | 6 | 10 | 20 | 34 |
| 50-64 | 55 | 9.7 | 214 | 1 | 1 | 4 | 11 | 26 | 43 | 68 |
| 65+ | 32 | 5.7 | 29 | <1 | 1 | 4 | 8 | 15 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 23.4 | 535 | 4 | 4 | 11 | 44 | 55 | 55 | 55 |
| 20-34 | 3 | 55.3 | 1797 | 10 | 10 | 62 | 86 | 94 | 94 | 94 |
| 35-49 | 8 | 11.0 | 72 | 2 | 2 | 9 | 14 | 25 | 28 | 28 |
| 50-64 | 4 | 12.0 | 62 | 3 | 3 | 11 | 17 | 22 | 22 | 22 |
| 65+ | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 721 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| B. *Operated* | 3 | 6.7 | 17 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 4.6 | 72 | <1 | <1 | 2 | 4 | 10 | 17 | 49 |
| B. *Operated* | 22 | 19.4 | 556 | 1 | 3 | 10 | 22 | 57 | 75 | 94 |
| **1. SINGLE DX** | 724 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| **2. MULTIPLE DX** | 474 | 5.3 | 103 | <1 | <1 | 2 | 5 | 11 | 22 | 66 |
| **A. NOT OPERATED** | 1173 | 2.8 | 32 | <1 | <1 | 1 | 2 | 5 | 9 | 30 |
| **B. OPERATED** | 25 | 17.8 | 506 | 1 | 2 | 10 | 19 | 55 | 70 | 94 |
| TOTAL 0-19 YRS | 636 | 1.9 | 13 | <1 | 1 | 1 | 2 | 3 | 6 | 11 |
| 20-34 | 272 | 3.6 | 91 | <1 | <1 | 1 | 3 | 5 | 10 | 59 |
| 35-49 | 133 | 4.1 | 34 | <1 | 1 | 2 | 4 | 10 | 17 | 31 |
| 50-64 | 96 | 6.8 | 140 | <1 | 1 | 2 | 7 | 16 | 30 | 68 |
| 65+ | 61 | 4.9 | 26 | <1 | <1 | 2 | 6 | 14 | 16 | 20 |
| **GRAND TOTAL** | 1198 | 3.1 | 46 | <1 | <1 | 1 | 2 | 6 | 10 | 36 |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 228 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| 20-34 | 139 | 2.9 | 28 | <1 | 1 | 1 | 3 | 6 | 9 | 20 |
| 35-49 | 71 | 2.8 | 6 | 1 | 1 | 2 | 3 | 7 | 9 | 11 |
| 50-64 | 66 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 11 | 21 |
| 65+ | 59 | 4.5 | 25 | 1 | 1 | 4 | 5 | 8 | 12 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 3 | 26.0 | 124 | 14 | 14 | 28 | 34 | 36 | 36 | 36 |
| 35-49 | 2 | 31.5 | 25 | 28 | 28 | 31 | 35 | 35 | 35 | 35 |
| 50-64 | 4 | 34.5 | 702 | 4 | 4 | 37 | 56 | 60 | 60 | 60 |
| 65+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 152 | 4.8 | 32 | 1 | 1 | 3 | 6 | 13 | 17 | 27 |
| 20-34 | 122 | 3.5 | 16 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 35-49 | 81 | 5.5 | 66 | 1 | 1 | 2 | 7 | 12 | 17 | 49 |
| 50-64 | 125 | 6.8 | 48 | <1 | 1 | 4 | 9 | 16 | 23 | 29 |
| 65+ | 194 | 9.0 | 97 | 1 | 2 | 6 | 11 | 18 | 26 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 6 | 17.0 | 131 | 4 | 4 | 17 | 25 | 31 | 32 | 32 |
| 20-34 | 18 | 9.8 | 99 | 1 | 1 | 6 | 10 | 21 | 33 | 41 |
| 35-49 | 22 | 19.1 | 377 | 1 | 3 | 13 | 23 | 54 | 62 | 69 |
| 50-64 | 28 | 20.4 | 323 | 2 | 2 | 15 | 39 | 51 | 65 | 99+ |
| 65+ | 25 | 17.6 | 297 | <1 | 1 | 14 | 25 | 53 | 67 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 563 | 3.1 | 18 | <1 | 1 | 2 | 3 | 6 | 9 | 21 |
| B. *Operated* | 12 | 24.3 | 377 | 3 | 4 | 24 | 35 | 55 | 59 | 60 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 674 | 6.3 | 59 | 1 | 1 | 4 | 8 | 15 | 20 | 36 |
| B. *Operated* | 99 | 17.3 | 280 | 1 | 2 | 11 | 24 | 49 | 58 | 99+ |
| **1. SINGLE DX** | 575 | 3.5 | 34 | <1 | 1 | 2 | 4 | 7 | 11 | 32 |
| **2. MULTIPLE DX** | 773 | 7.7 | 100 | 1 | 1 | 4 | 9 | 18 | 26 | 54 |
| **A. NOT OPERATED** | 1237 | 4.8 | 43 | 1 | 1 | 3 | 6 | 11 | 17 | 31 |
| **B. OPERATED** | 111 | 18.0 | 292 | 1 | 2 | 12 | 25 | 50 | 59 | 99+ |
| TOTAL 0-19 YRS | 388 | 3.9 | 27 | <1 | 1 | 2 | 4 | 8 | 17 | 26 |
| 20-34 | 282 | 3.8 | 35 | <1 | 1 | 2 | 4 | 9 | 14 | 33 |
| 35-49 | 176 | 6.4 | 111 | 1 | 1 | 2 | 6 | 16 | 28 | 57 |
| 50-64 | 223 | 7.9 | 120 | 1 | 1 | 3 | 10 | 21 | 30 | 61 |
| 65+ | 279 | 8.8 | 109 | 1 | 1 | 6 | 11 | 19 | 29 | 57 |
| **GRAND TOTAL** | 1348 | 5.9 | 76 | 1 | 1 | 3 | 7 | 15 | 22 | 52 |

### 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 19 | 3.8 | 12 | <1 | <1 | 3 | 5 | 10 | 12 | 13 |
| 20-34 | 46 | 3.8 | 23 | <1 | <1 | 2 | 5 | 10 | 14 | 24 |
| 35-49 | 18 | 5.2 | 24 | <1 | 1 | 3 | 10 | 13 | 14 | 14 |
| 50-64 | 27 | 6.3 | 63 | 1 | 1 | 5 | 7 | 11 | 16 | 43 |
| 65+ | 25 | 6.0 | 33 | <1 | 1 | 4 | 9 | 14 | 19 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 120 | 8.4 | 88 | <1 | <1 | 6 | 11 | 20 | 24 | 51 |
| 20-34 | 268 | 4.6 | 51 | <1 | <1 | 2 | 5 | 10 | 15 | 44 |
| 35-49 | 122 | 8.7 | 146 | <1 | <1 | 4 | 10 | 19 | 30 | 67 |
| 50-64 | 174 | 9.9 | 128 | 1 | 2 | 7 | 11 | 20 | 30 | 66 |
| 65+ | 247 | 10.2 | 98 | 2 | 2 | 7 | 13 | 22 | 32 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 50 | 5.1 | 31 | 1 | 1 | 3 | 6 | 10 | 14 | 34 |
| 20-34 | 68 | 5.0 | 49 | 1 | 1 | 3 | 6 | 10 | 15 | 45 |
| 35-49 | 40 | 5.9 | 29 | 1 | 1 | 5 | 7 | 12 | 15 | 31 |
| 50-64 | 78 | 7.7 | 55 | 1 | 2 | 5 | 9 | 18 | 28 | 33 |
| 65+ | 118 | 9.3 | 91 | 1 | 1 | 7 | 11 | 20 | 29 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 200 | 10.8 | 159 | <1 | <1 | 7 | 14 | 27 | 39 | 64 |
| 20-34 | 282 | 9.5 | 183 | <1 | 1 | 9 | 11 | 20 | 36 | 73 |
| 35-49 | 207 | 12.2 | 213 | 1 | 2 | 7 | 17 | 29 | 39 | 87 |
| 50-64 | 431 | 15.9 | 236 | 1 | 2 | 11 | 21 | 37 | 54 | 99+ |
| 65+ | 571 | 16.1 | 240 | 2 | 3 | 11 | 22 | 38 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 4.9 | 32 | <1 | <1 | 3 | 6 | 11 | 14 | 27 |
| B. *Operated* | 931 | 8.1 | 100 | <1 | 1 | 5 | 10 | 19 | 26 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 354 | 7.1 | 62 | 1 | 1 | 5 | 9 | 15 | 23 | 49 |
| B. *Operated* | 1691 | 13.8 | 224 | 1 | 2 | 9 | 18 | 32 | 50 | 99+ |
| **1. SINGLE DX** | 1066 | 7.7 | 92 | <1 | 1 | 4 | 10 | 18 | 24 | 51 |
| **2. MULTIPLE DX** | 2045 | 12.7 | 202 | 1 | 2 | 8 | 16 | 30 | 47 | 96 |
| **A. NOT OPERATED** | 489 | 6.5 | 55 | <1 | 1 | 4 | 8 | 13 | 20 | 41 |
| **B. OPERATED** | 2622 | 11.8 | 187 | <1 | 1 | 7 | 15 | 29 | 44 | 80 |
| TOTAL 0-19 YRS | 389 | 8.9 | 118 | <1 | <1 | 5 | 11 | 20 | 32 | 56 |
| 20-34 | 664 | 6.7 | 110 | <1 | <1 | 3 | 8 | 15 | 21 | 62 |
| 35-49 | 387 | 10.1 | 169 | <1 | 1 | 5 | 13 | 23 | 33 | 73 |
| 50-64 | 710 | 13.2 | 195 | 1 | 2 | 9 | 17 | 31 | 49 | 76 |
| 65+ | 961 | 13.5 | 190 | 2 | 2 | 9 | 18 | 31 | 47 | 99+ |
| **GRAND TOTAL** | 3111 | 11.0 | 170 | <1 | 1 | 7 | 14 | 27 | 41 | 78 |

### 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 163 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 20-34 | 264 | 2.8 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 35-49 | 102 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 83 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 18 |
| 65+ | 91 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 51 | 2.8 | 7 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| 20-34 | 146 | 3.7 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 35-49 | 52 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 13 |
| 50-64 | 26 | 4.9 | 9 | 1 | 2 | 4 | 5 | 10 | 11 | 12 |
| 65+ | 27 | 4.4 | 10 | 1 | 2 | 4 | 5 | 7 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 44 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 92 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |
| 35-49 | 44 | 4.6 | 24 | 1 | 1 | 5 | 6 | 7 | 12 | 31 |
| 50-64 | 51 | 5.6 | 15 | 1 | 2 | 5 | 7 | 10 | 15 | 17 |
| 65+ | 91 | 6.4 | 36 | 2 | 2 | 5 | 7 | 13 | 15 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 17 | 3.8 | 15 | 1 | 1 | 2 | 5 | 8 | 13 | 16 |
| 20-34 | 80 | 5.7 | 53 | 1 | 1 | 3 | 7 | 11 | 14 | 47 |
| 35-49 | 32 | 9.3 | 84 | 1 | 2 | 7 | 13 | 17 | 19 | 50 |
| 50-64 | 33 | 11.0 | 134 | 1 | 2 | 6 | 14 | 32 | 41 | 43 |
| 65+ | 46 | 8.8 | 89 | 2 | 2 | 5 | 12 | 19 | 25 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 703 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 10 |
| B. *Operated* | 302 | 3.8 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 4.8 | 24 | 1 | 1 | 4 | 6 | 9 | 14 | 24 |
| B. *Operated* | 208 | 7.6 | 79 | 1 | 1 | 5 | 10 | 17 | 20 | 51 |
| **1. SINGLE DX** | 1005 | 3.2 | 7 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 530 | 5.9 | 47 | 1 | 1 | 4 | 7 | 13 | 17 | 42 |
| **A. NOT OPERATED** | 1025 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **B. OPERATED** | 510 | 5.4 | 41 | 1 | 1 | 3 | 6 | 11 | 16 | 40 |
| TOTAL 0-19 YRS | 275 | 2.3 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 20-34 | 582 | 3.7 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 35-49 | 230 | 4.4 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 50-64 | 193 | 5.6 | 38 | 1 | 1 | 4 | 6 | 10 | 17 | 40 |
| 65+ | 255 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 15 | 27 |
| **GRAND TOTAL** | 1535 | 4.2 | 23 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |

### 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 96 | 5.6 | 10 | 1 | 2 | 5 | 8 | 10 | 10 | 17 |
| 20-34 | 152 | 5.9 | 21 | 2 | 2 | 5 | 7 | 10 | 12 | 26 |
| 35-49 | 90 | 7.7 | 30 | 3 | 3 | 6 | 9 | 13 | 21 | 29 |
| 50-64 | 49 | 7.7 | 34 | 1 | 2 | 6 | 10 | 15 | 22 | 27 |
| 65+ | 60 | 12.1 | 119 | 2 | 4 | 8 | 14 | 24 | 40 | 56 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 39 | 8.6 | 57 | 1 | 2 | 7 | 10 | 14 | 22 | 44 |
| 20-34 | 53 | 10.9 | 61 | 2 | 2 | 9 | 15 | 22 | 27 | 39 |
| 35-49 | 42 | 13.9 | 280 | 2 | 2 | 8 | 14 | 31 | 61 | 72 |
| 50-64 | 21 | 8.6 | 36 | 2 | 3 | 8 | 10 | 16 | 22 | 28 |
| 65+ | 24 | 11.5 | 77 | 1 | 2 | 9 | 18 | 24 | 28 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 68 | 5.4 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 20-34 | 99 | 7.8 | 41 | 2 | 3 | 6 | 9 | 14 | 21 | 37 |
| 35-49 | 70 | 8.6 | 28 | 2 | 3 | 8 | 11 | 17 | 20 | 22 |
| 50-64 | 69 | 8.9 | 37 | 2 | 3 | 8 | 11 | 17 | 23 | 86 |
| 65+ | 94 | 12.4 | 113 | 2 | 3 | 10 | 17 | 21 | 27 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 28 | 11.3 | 75 | 2 | 3 | 8 | 15 | 23 | 28 | 38 |
| 20-34 | 60 | 11.2 | 77 | 3 | 3 | 9 | 13 | 22 | 32 | 43 |
| 35-49 | 49 | 16.4 | 153 | 2 | 5 | 12 | 26 | 32 | 35 | 60 |
| 50-64 | 56 | 18.0 | 285 | 2 | 3 | 15 | 26 | 47 | 80 | 99+ |
| 65+ | 46 | 20.3 | 381 | 2 | 6 | 14 | 24 | 47 | 62 | 90 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 447 | 7.2 | 39 | 2 | 2 | 6 | 9 | 13 | 19 | 36 |
| B. *Operated* | 179 | 10.9 | 112 | 2 | 2 | 8 | 12 | 22 | 28 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 400 | 8.8 | 54 | 2 | 3 | 7 | 11 | 18 | 22 | 41 |
| B. *Operated* | 239 | 15.6 | 209 | 2 | 3 | 12 | 20 | 34 | 47 | 93 |
| 1. SINGLE DX | 626 | 8.3 | 63 | 2 | 2 | 6 | 10 | 15 | 22 | 43 |
| 2. MULTIPLE DX | 639 | 11.3 | 123 | 2 | 3 | 8 | 14 | 23 | 33 | 68 |
| A. NOT OPERATED | 847 | 8.0 | 47 | 2 | 2 | 6 | 10 | 15 | 21 | 37 |
| B. OPERATED | 418 | 13.6 | 173 | 2 | 3 | 9 | 17 | 28 | 41 | 86 |
| TOTAL 0-19 YRS | 231 | 6.8 | 30 | 1 | 2 | 6 | 8 | 12 | 15 | 29 |
| 20-34 | 364 | 8.0 | 46 | 2 | 2 | 6 | 9 | 16 | 22 | 37 |
| 35-49 | 251 | 10.7 | 106 | 2 | 3 | 8 | 12 | 21 | 29 | 66 |
| 50-64 | 195 | 11.2 | 125 | 2 | 3 | 8 | 14 | 26 | 34 | 99+ |
| 65+ | 224 | 13.8 | 174 | 2 | 3 | 10 | 18 | 25 | 42 | 69 |
| GRAND TOTAL | 1265 | 9.8 | 98 | 2 | 3 | 7 | 12 | 20 | 28 | 58 |

### 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 36 | 4.5 | 24 | 1 | 1 | 3 | 6 | 9 | 13 | 26 |
| 20-34 | 54 | 5.2 | 19 | 1 | 1 | 4 | 8 | 12 | 15 | 16 |
| 35-49 | 33 | 6.4 | 33 | 1 | 1 | 5 | 8 | 14 | 20 | 26 |
| 50-64 | 40 | 7.5 | 39 | 1 | 1 | 5 | 11 | 19 | 20 | 23 |
| 65+ | 35 | 7.8 | 22 | 2 | 3 | 6 | 12 | 15 | 17 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 42 | 5.3 | 28 | <1 | 1 | 3 | 7 | 13 | 17 | 22 |
| 20-34 | 66 | 6.2 | 42 | 1 | 1 | 4 | 7 | 13 | 19 | 34 |
| 35-49 | 52 | 8.3 | 102 | <1 | 1 | 5 | 9 | 28 | 33 | 99 |
| 50-64 | 55 | 8.0 | 63 | 2 | 2 | 5 | 11 | 19 | 22 | 45 |
| 65+ | 63 | 7.7 | 50 | 2 | 2 | 6 | 10 | 15 | 18 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 57 | 6.0 | 113 | 1 | 1 | 3 | 5 | 10 | 19 | 60 |
| 20-34 | 105 | 6.9 | 85 | 1 | 1 | 4 | 7 | 13 | 24 | 83 |
| 35-49 | 112 | 6.2 | 32 | 1 | 2 | 4 | 8 | 12 | 15 | 32 |
| 50-64 | 121 | 7.8 | 53 | 1 | 1 | 5 | 10 | 16 | 23 | 37 |
| 65+ | 136 | 9.3 | 61 | 1 | 3 | 7 | 13 | 19 | 27 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 52 | 9.3 | 80 | 2 | 2 | 6 | 12 | 20 | 36 | 98 |
| 20-34 | 131 | 12.7 | 188 | 1 | 2 | 9 | 17 | 28 | 38 | 79 |
| 35-49 | 94 | 12.0 | 189 | 1 | 2 | 8 | 15 | 25 | 51 | 91 |
| 50-64 | 165 | 16.3 | 292 | 2 | 3 | 12 | 18 | 37 | 53 | 87 |
| 65+ | 149 | 14.3 | 228 | 2 | 2 | 10 | 19 | 32 | 59 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 198 | 6.2 | 28 | 1 | 1 | 4 | 9 | 14 | 17 | 24 |
| B. *Operated* | 278 | 7.1 | 57 | 1 | 2 | 5 | 9 | 15 | 23 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 531 | 7.5 | 64 | 1 | 1 | 5 | 9 | 15 | 24 | 40 |
| B. *Operated* | 591 | 13.7 | 221 | 1 | 2 | 9 | 17 | 31 | 48 | 91 |
| 1. SINGLE DX | 476 | 6.7 | 45 | 1 | 1 | 5 | 9 | 15 | 20 | 34 |
| 2. MULTIPLE DX | 1122 | 10.7 | 156 | 1 | 2 | 7 | 14 | 24 | 36 | 76 |
| A. NOT OPERATED | 729 | 7.1 | 55 | 1 | 1 | 5 | 9 | 15 | 20 | 37 |
| B. OPERATED | 869 | 11.6 | 178 | 1 | 2 | 7 | 15 | 27 | 42 | 83 |
| TOTAL 0-19 YRS | 187 | 6.4 | 70 | 1 | 1 | 4 | 8 | 15 | 22 | 58 |
| 20-34 | 356 | 8.7 | 114 | 1 | 1 | 5 | 11 | 19 | 25 | 61 |
| 35-49 | 291 | 8.5 | 101 | 1 | 2 | 5 | 10 | 17 | 28 | 72 |
| 50-64 | 381 | 11.4 | 174 | 1 | 2 | 7 | 14 | 23 | 37 | 72 |
| 65+ | 383 | 10.8 | 128 | 2 | 2 | 7 | 14 | 24 | 33 | 86 |
| GRAND TOTAL | 1598 | 9.5 | 127 | 1 | 2 | 6 | 12 | 20 | 31 | 69 |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis Groups

## *ICD-9-CM* Codes for Selected Diagnosis Groups

*ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |

| | | |
|---|---|---|
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |

# Index to the Length of Stay Tables

If a diagnosis does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Volume 2, Diseases: Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The diagnosis group containing the *ICD-9-CM* code can then be located in the length of stay tables.

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 32 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 9 |
| 20-34 | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 29 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 14 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 35-49 | 8 | 5.8 | 34 | 1 | 1 | 3 | 10 | 15 | 16 | 16 |
| 50-64 | 14 | 7.7 | 29 | 2 | 2 | 7 | 9 | 13 | 21 | 23 |
| 65+ | 14 | 9.6 | 70 | 1 | 1 | 7 | 14 | 23 | 24 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 4 | 18.8 | 759 | 3 | 3 | 6 | 33 | 60 | 60 | 60 |
| 20-34 | 4 | 19.8 | 1085 | 1 | 1 | 4 | 38 | 69 | 69 | 69 |
| 35-49 | 4 | 5.5 | 19 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 50-64 | 5 | 17.8 | 24 | 13 | 13 | 16 | 22 | 24 | 24 | 24 |
| 65+ | 4 | 10.0 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 41 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| *B. Operated* | 4 | 8.8 | 10 | 6 | 6 | 9 | 11 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 79 | 5.7 | 28 | 1 | 1 | 4 | 7 | 12 | 19 | 24 |
| *B. Operated* | 21 | 14.5 | 317 | 1 | 2 | 10 | 14 | 38 | 64 | 69 |
| **1. SINGLE DX** | 45 | 3.1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **2. MULTIPLE DX** | 100 | 7.5 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **A. NOT OPERATED** | 120 | 4.6 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **B. OPERATED** | 25 | 13.[illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **TOTAL 0-19 YRS** | 65 | 4.[illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **20-34** | 24 | 6.[illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **35-49** | 15 | 5.[illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **50-64** | 21 | 10.[illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **65+** | 20 | 9.0 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |
| **GRAND TOTAL** | 145 | 6.1 | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] | [illegible] |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 35-49 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| 20-34 | 4108 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 1276 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 50-64 | 9 | 1.4 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 3 |
| 65+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 57 | 1.8 | 4 | <1 | <1 | 1 | 1 | 3 | 7 | 11 |
| 35-49 | 13 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 25 | 3.6 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 10 |
| 20-34 | 1804 | 3.1 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 734 | 3.0 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 50-64 | 6 | 4.0 | 3 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| *A. Not Operated* | 12 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| *B. Operated* | 5419 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 71 | 1.6 | 3 | <1 | <1 | 1 | 1 | 3 | 4 | 11 |
| *B. Operated* | 2570 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 1. SINGLE DX | 5431 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 2. MULTIPLE DX | 2641 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| A. NOT OPERATED | 83 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 11 |
| B. OPERATED | 7989 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-19 YRS | 50 | 3.0 | 4 | <1 | 1 | 3 | 3 | 6 | 8 | 10 |
| 20-34 | 5979 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 35-49 | 2025 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 50-64 | 15 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 65+ | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| GRAND TOTAL | 8072 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |

### 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 1750-2499 | 356 | 5.8 | 12 | 3 | 3 | 5 | 6 | 9 | 12 | 22 |
| 2500+ | 42917 | 4.5 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | 13 | 7.1 | 87 | 3 | 3 | 4 | 5 | 13 | 33 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | 17 | 68.3 | 478 | 24 | 43 | 78 | 88 | 99+ | 99+ | 99+ |
| 1000-1499 | 109 | 51.2 | 249 | 26 | 31 | 51 | 62 | 76 | 85 | 99+ |
| 1500-1749 | 155 | 33.1 | 122 | 18 | 20 | 31 | 39 | 49 | 56 | 63 |
| 1750-2499 | 2550 | 11.8 | 67 | 4 | 4 | 9 | 16 | 23 | 27 | 39 |
| 2500+ | 41551 | 5.3 | 6 | 3 | 3 | 5 | 6 | 7 | 9 | 14 |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | 2 | 88.0 | 200 | 79 | 90 | 99+ | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 39 | 59.2 | 335 | 27 | 37 | 62 | 76 | 99 | 99+ | 99+ |
| 1500-1749 | 28 | 41.5 | 248 | 23 | 26 | 39 | 46 | 64 | 97 | 99+ |
| 1750-2499 | 98 | 23.5 | 170 | 7 | 9 | 21 | 31 | 43 | 55 | 81 |
| 2500+ | 334 | 9.3 | 85 | 3 | 4 | 7 | 10 | 18 | 24 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 43276 | 4.5 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| *B. Operated* | 13 | 7.1 | 87 | 3 | 3 | 4 | 5 | 13 | 33 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 44382 | 5.9 | 22 | 3 | 3 | 5 | 6 | 8 | 12 | 26 |
| *B. Operated* | 501 | 18.0 | 369 | 3 | 4 | 10 | 25 | 56 | 77 | 99+ |
| **1. SINGLE DX** | 43289 | 4.5 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 44883 | 6.0 | 28 | 3 | 3 | 5 | 6 | 8 | 12 | 29 |
| **A. NOT OPERATED** | 87658 | 5.2 | 13 | 3 | 3 | 5 | 6 | 7 | 9 | 19 |
| **B. OPERATED** | 514 | 17.8 | 364 | 3 | 4 | 9 | 25 | 55 | 76 | 99+ |
| TOTAL 1-999 G | 21 | 64.5 | 774 | 8 | 34 | 83 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 148 | 53.3 | 282 | 26 | 31 | 55 | 67 | 81 | 97 | 99+ |
| 1500-1749 | 184 | 34.3 | 151 | 18 | 20 | 32 | 41 | 52 | 59 | 86 |
| 1750-2499 | 3004 | 11.5 | 73 | 3 | 4 | 8 | 16 | 23 | 27 | 41 |
| 2500+ | 84815 | 4.9 | 5 | 3 | 3 | 4 | 6 | 7 | 8 | 13 |
| **GRAND TOTAL** | 88172 | 5.3 | 16 | 3 | 3 | 5 | 6 | 7 | 9 | 21 |

### 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 1750-2499 | 41 | 8.2 | 22 | 4 | 5 | 6 | 9 | 18 | 20 | 22 |
| 2500+ | 350 | 6.0 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 13 |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | 5 | 67.2 | 66 | 56 | 57 | 71 | 75 | 97 | 99+ | 99+ |
| 1000-1499 | 27 | 47.7 | 140 | 26 | 31 | 48 | 60 | 64 | 69 | 99+ |
| 1500-1749 | 45 | 32.8 | 100 | 20 | 22 | 33 | 38 | 45 | 52 | 65 |
| 1750-2499 | 438 | 13.7 | 69 | 4 | 5 | 11 | 19 | 25 | 30 | 38 |
| 2500+ | 466 | 7.2 | 9 | 4 | 5 | 7 | 8 | 10 | 13 | 19 |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | 4 | 86.0 | 262 | 62 | 71 | 98 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 1 | 98.0 | | 98 | 98 | 99+ | 99+ | 99+ | 99+ | 99+ |
| 1500-1749 | 2 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 1750-2499 | 10 | 31.8 | 234 | 11 | 11 | 31 | 44 | 53 | 56 | 56 |
| 2500+ | 11 | 10.1 | 24 | 5 | 5 | 8 | 13 | 18 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 392 | 6.3 | 9 | 3 | 4 | 6 | 7 | 9 | 10 | 20 |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 981 | 12.7 | 125 | 4 | 5 | 8 | 15 | 27 | 37 | 63 |
| *B. Operated* | 28 | 32.8 | 910 | 6 | 7 | 34 | 98 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 392 | 6.3 | 9 | 3 | 4 | 6 | 7 | 9 | 10 | 20 |
| **2. MULTIPLE DX** | 1009 | 13.3 | 157 | 4 | 5 | 8 | 16 | 30 | 42 | 99+ |
| **A. NOT OPERATED** | 1373 | 10.9 | 101 | 4 | 4 | 7 | 12 | 22 | 32 | 60 |
| **B. OPERATED** | 28 | 32.8 | 910 | 6 | 7 | 34 | 98 | 99+ | 99+ | 99+ |
| TOTAL 1-999 G | 9 | 75.6 | 230 | 57 | 61 | 92 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 28 | 49.5 | 225 | 27 | 33 | 50 | 65 | 99+ | 99+ | 99+ |
| 1500-1749 | 48 | 32.2 | 99 | 20 | 22 | 31 | 38 | 44 | 51 | 65 |
| 1750-2499 | 489 | 13.6 | 78 | 4 | 5 | 11 | 19 | 25 | 30 | 43 |
| 2500+ | 827 | 6.7 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| **GRAND TOTAL** | 1401 | 11.3 | 125 | 4 | 4 | 7 | 12 | 23 | 36 | 92 |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 2500+ | 104 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | 16 | 11.8 | 39 | 5 | 5 | 10 | 17 | 20 | 23 | 25 |
| 2500+ | 61 | 7.4 | 33 | 2 | 3 | 5 | 9 | 15 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 2 | 40.0 | 722 | 21 | 21 | 40 | 59 | 59 | 59 | 59 |
| 1750-2499 | | | | | | | | | | |
| 2500+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| B. *Operated* | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 8.5 | 40 | 2 | 3 | 6 | 10 | 18 | 23 | 31 |
| B. *Operated* | 3 | 31.0 | 604 | 13 | 13 | 40 | 79 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 107 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 9 | 13 |
| **2. MULTIPLE DX** | 81 | 9.4 | 72 | 2 | 3 | 6 | 12 | 20 | 25 | 87 |
| **A. NOT OPERATED** | 184 | 6.0 | 24 | 2 | 2 | 4 | 6 | 12 | 17 | 25 |
| **B. OPERATED** | 4 | 26.8 | 475 | 13 | 13 | 21 | 69 | 99+ | 99+ | 99+ |
| TOTAL 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 25.0 | | 25 | 25 | 62 | 99+ | 99+ | 99+ | 99+ |
| 1500-1749 | 2 | 40.0 | 722 | 21 | 21 | 40 | 59 | 59 | 59 | 59 |
| 1750-2499 | 19 | 11.2 | 39 | 3 | 5 | 9 | 16 | 20 | 23 | 25 |
| 2500+ | 166 | 5.4 | 18 | 2 | 2 | 4 | 6 | 10 | 13 | 23 |
| **GRAND TOTAL** | **188** | **6.4** | **40** | **2** | **2** | **5** | **7** | **13** | **19** | **49** |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 20-34 | 6 | 2.0 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 65+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 216 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 20-34 | 303 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 35-49 | 129 | 3.0 | 7 | <1 | 1 | 2 | 4 | 5 | 5 | 16 |
| 50-64 | 94 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 9 | 14 |
| 65+ | 73 | 5.8 | 39 | 1 | 2 | 4 | 7 | 11 | 14 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-19 YRS | 5 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 2 | 12.0 | 242 | 1 | 1 | 23 | 81 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-19 YRS | 102 | 5.0 | 33 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| 20-34 | 87 | 6.1 | 48 | 1 | 1 | 4 | 7 | 12 | 26 | 34 |
| 35-49 | 16 | 4.8 | 15 | 1 | 1 | 4 | 6 | 12 | 14 | 14 |
| 50-64 | 34 | 6.2 | 57 | 1 | 2 | 4 | 6 | 13 | 28 | 35 |
| 65+ | 50 | 9.0 | 69 | 2 | 3 | 5 | 11 | 21 | 23 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| B. *Operated* | 815 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 3.2 | 36 | 1 | 1 | 2 | 2 | 31 | 85 | 99+ |
| B. *Operated* | 289 | 6.2 | 47 | 1 | 1 | 4 | 6 | 14 | 22 | 34 |
| **1. SINGLE DX** | 828 | 3.2 | 9 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 302 | 6.0 | 47 | 1 | 1 | 4 | 6 | 14 | 22 | 35 |
| **A. NOT OPERATED** | 26 | 2.7 | 19 | <1 | <1 | 1 | 3 | 5 | 34 | 99+ |
| **B. OPERATED** | 1104 | 4.0 | 21 | <1 | 1 | 3 | 4 | 7 | 11 | 27 |
| TOTAL 0-19 YRS | 328 | 3.6 | 16 | <1 | 1 | 2 | 4 | 6 | 11 | 25 |
| 20-34 | 401 | 3.4 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 27 |
| 35-49 | 146 | 3.2 | 8 | <1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 50-64 | 130 | 4.2 | 20 | 1 | 2 | 3 | 4 | 7 | 9 | 31 |
| 65+ | 125 | 7.2 | 55 | 1 | 2 | 5 | 9 | 18 | 22 | 61 |
| **GRAND TOTAL** | **1130** | **3.9** | **21** | **<1** | **1** | **3** | **4** | **7** | **11** | **28** |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 14 | 7.3 | 27 | 1 | 1 | 6 | 13 | 13 | 14 | 14 |
| 35-49 | 42 | 10.5 | 17 | 1 | 3 | 12 | 13 | 14 | 15 | 18 |
| 50-64 | 41 | 9.3 | 17 | 2 | 3 | 10 | 13 | 14 | 14 | 15 |
| 65+ | 17 | 4.3 | 25 | 1 | 1 | 1 | 6 | 13 | 14 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 50-64 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 7 | 3.6 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 35-49 | 4 | 7.3 | 37 | 2 | 2 | 7 | 12 | 13 | 13 | 13 |
| 50-64 | 137 | 1.5 | 3 | <1 | 1 | 1 | 1 | 2 | 5 | 22 |
| 65+ | 198 | 1.2 | 4 | 1 | 1 | 1 | 1 | 1 | 2 | 19 |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 20-34 | 3 | 16.0 | 109 | 9 | 9 | 11 | 24 | 28 | 28 | 28 |
| 35-49 | 7 | 9.0 | 90 | <1 | <1 | 7 | 12 | 25 | 28 | 28 |
| 50-64 | 5 | 5.2 | 25 | 1 | 1 | 3 | 10 | 12 | 12 | 12 |
| 65+ | 9 | 4.6 | 18 | 1 | 1 | 2 | 7 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 114 | 8.8 | 24 | 1 | 1 | 10 | 13 | 14 | 14 | 16 |
| *B. Operated* | 2 | 6.5 | 61 | <1 | <1 | 6 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 347 | 1.4 | 4 | 1 | 1 | 1 | 1 | 2 | 4 | 13 |
| *B. Operated* | 26 | 7.2 | 55 | <1 | 1 | 5 | 11 | 14 | 28 | 28 |
| **1. SINGLE DX** | 116 | 8.7 | 24 | 1 | 1 | 10 | 13 | 14 | 14 | 16 |
| **2. MULTIPLE DX** | 373 | 1.8 | 10 | 1 | 1 | 1 | 1 | 3 | 8 | 27 |
| **A. NOT OPERATED** | 461 | 3.3 | 19 | 1 | * | 1 | 3 | 12 | 13 | 15 |
| **B. OPERATED** | 28 | 7.1 | 53 | <1 | 1 | 5 | 11 | 13 | 28 | 28 |
| TOTAL 0-19 YRS | 3 | 3.7 | 9 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 20-34 | 24 | 7.3 | 42 | 1 | 1 | 5 | 12 | 13 | 18 | 28 |
| 35-49 | 54 | 9.9 | 28 | 1 | 1 | 12 | 13 | 14 | 15 | 28 |
| 50-64 | 184 | 3.4 | 18 | <1 | 1 | 1 | 4 | 12 | 13 | 15 |
| 65+ | 224 | 1.6 | 7 | 1 | 1 | 1 | 1 | 2 | 4 | 17 |
| **GRAND TOTAL** | **489** | **3.8** | **22** | **1** | **1** | **1** | **3** | **12** | **13** | **22** |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1582 | 3.4 | 17 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| 20-34 | 1252 | 2.7 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 18 |
| 35-49 | 254 | 4.0 | 36 | <1 | <1 | 2 | 4 | 9 | 18 | 26 |
| 50-64 | 202 | 4.8 | 42 | <1 | <1 | 3 | 6 | 12 | 16 | 32 |
| 65+ | 248 | 8.8 | 129 | <1 | 1 | 4 | 12 | 26 | 34 | 99+ |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 370 | 3.5 | 26 | <1 | <1 | 2 | 4 | 8 | 11 | 28 |
| 20-34 | 1093 | 3.5 | 12 | <1 | <1 | 3 | 4 | 7 | 9 | 16 |
| 35-49 | 389 | 3.8 | 14 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| 50-64 | 318 | 4.3 | 22 | <1 | 1 | 3 | 5 | 10 | 12 | 18 |
| 65+ | 300 | 3.9 | 19 | <1 | 1 | 2 | 4 | 9 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-19 YRS | 1176 | 5.8 | 70 | <1 | 1 | 3 | 6 | 15 | 23 | 36 |
| 20-34 | 992 | 5.2 | 67 | <1 | 1 | 3 | 5 | 12 | 23 | 43 |
| 35-49 | 915 | 5.0 | 65 | <1 | 1 | 3 | 5 | 11 | 17 | 45 |
| 50-64 | 1511 | 6.2 | 83 | 1 | 1 | 3 | 6 | 14 | 24 | 51 |
| 65+ | 1511 | 10.0 | 202 | 1 | 1 | 5 | 12 | 27 | 47 | 99+ |
| *B. Operated* | | | | | | | | | | |
| 0-19 YRS | 245 | 6.3 | 72 | <1 | 1 | 3 | 7 | 17 | 28 | 99+ |
| 20-34 | 860 | 5.1 | 35 | <1 | <1 | 4 | 6 | 10 | 18 | 34 |
| 35-49 | 607 | 5.7 | 43 | <1 | 1 | 4 | 7 | 12 | 17 | 30 |
| 50-64 | 889 | 6.5 | 66 | <1 | 1 | 4 | 8 | 15 | 22 | 47 |
| 65+ | 1029 | 6.5 | 102 | <1 | <1 | 3 | 8 | 16 | 28 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3538 | 3.6 | 28 | <1 | <1 | 2 | 4 | 7 | 12 | 30 |
| *B. Operated* | 2470 | 3.7 | 17 | <1 | <1 | 3 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 6105 | 6.7 | 108 | 1 | 1 | 3 | 7 | 16 | 28 | 78 |
| *B. Operated* | 3630 | 6.0 | 66 | <1 | 1 | 3 | 7 | 14 | 21 | 50 |
| **1. SINGLE DX** | 6008 | 3.7 | 24 | <1 | <1 | 2 | 4 | 8 | 11 | 25 |
| **2. MULTIPLE DX** | 9735 | 6.5 | 93 | <1 | 1 | 3 | 7 | 15 | 25 | 66 |
| **A. NOT OPERATED** | 9643 | 5.6 | 81 | <1 | 1 | 3 | 5 | 13 | 23 | 58 |
| **B. OPERATED** | 6100 | 5.1 | 47 | <1 | <1 | 3 | 6 | 11 | 17 | 38 |
| TOTAL 0-19 YRS | 3373 | 4.5 | 42 | <1 | <1 | 2 | 5 | 9 | 15 | 35 |
| 20-34 | 4197 | 4.0 | 31 | <1 | <1 | 2 | 4 | 8 | 12 | 29 |
| 35-49 | 2165 | 4.9 | 47 | <1 | 1 | 3 | 5 | 10 | 16 | 36 |
| 50-64 | 2920 | 6.0 | 69 | 1 | 1 | 3 | 7 | 14 | 20 | 48 |
| 65+ | 3088 | 8.2 | 149 | <1 | 1 | 4 | 10 | 21 | 35 | 99+ |
| **GRAND TOTAL** | **15743** | **5.4** | **68** | **<1** | **1** | **3** | **6** | **12** | **20** | **50** |

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| **Group Number** | **Title** |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – *see Appendicitis, acute* |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – *see Dependence* |
|  | Adenocarcinoma – *see Neoplasm, malignant* |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
|  |  |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer – *see Neoplasm, malignant* |
|  | Carcinoma – *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs – *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| | |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
| | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
| | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular — *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
|  | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer — *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer — *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve – *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes – *see Diabetes mellitus* |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
|  | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema. |
| 49 | Lymphosarcoma |
|  |  |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
| | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
| | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
| | Paget's disease – *see Disease, Paget's* |
| | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
| | Peptic ulcer – *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
|  | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
|  | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| | |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open — *see Laceration* |
| | |
| 12 | Yellow fever |

[illegible]-1.12[illegible]

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

OP

# LENGTH OF STAY BY OPERATION

## CANADA

## 1981

# Length of Stay by Operation, Canada, 1981

## A Companion Volume To Length of Stay by Diagnosis, Canada, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
    Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1
    Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2
    Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3
    Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . . . 5
        Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . . 5
        Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . . 6
    Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . . 6
    Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 15
    Summary of All Patients. . . . . . . . . . . . . . . . . . . . . . . . . . . . 16
    Operation Groups 501-764. . . . . . . . . . . . . . . . . . . . . . . . . . . 17
**Appendix: *ICD-9-CM* Codes for Selected Operation Groups** . . . . . . . . . . . . 83
**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . 87

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient separation records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain separation data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each separated patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data edits, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. separated to other short-term hospital
5. separated against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

The data chosen for inclusion in this book are from general, nonfederal, short-term hospitals in Canada. Short-term hospitals are defined as those in which the median stay is shorter than 45 days. Hospitals participating in PAS from the United States, United States Territories, and Puerto Rico were excluded from this book. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.

## Bed Size and Province: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in Canada
### January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | Canada Total[2] (2) | Number in Books (3) | Percent in Books (4) | Canada Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 242 | 25 | 10.3 | 3,434 | 450 | 13.1 |
| 25-49 | 194 | 74 | 38.1 | 6,680 | 2,514 | 37.6 |
| 50-99 | 174 | 59 | 33.9 | 12,300 | 4,117 | 33.5 |
| 100-199 | 120 | 42 | 35.0 | 16,507 | 5,760 | 34.9 |
| 200-299 | 74 | 17 | 23.0 | 17,869 | 4,054 | 22.7 |
| 300-399 | 58 | 11 | 19.0 | 20,119 | 3,685 | 18.3 |
| 400-499 | 20 | 4 | 20.0 | 8,981 | 1,844 | 20.5 |
| 500 or more | 37 | 10 | 27.0 | 25,481 | 6,698 | 26.3 |
| Total | 919 | 242 | 26.3 | 111,371 | 29,122 | 26.1 |
| **Province or Territory** | | | | | | |
| Alberta | 125 | 113 | 90.4 | 11,653 | 10,459 | 89.8 |
| British Columbia | 111 | 53 | 47.7 | 12,355 | 6,683 | 54.1 |
| Manitoba | 78 | – | – | 5,150 | – | – |
| New Brunswick | 33 | 33 | 100 | 3,924 | 3,924 | 100 |
| Newfoundland | 35 | 8 | 22.9 | 2,588 | 1,718 | 66.4 |
| Nova Scotia | 48 | 16 | 33.3 | 4,833 | 3,146 | 65.1 |
| Ontario | 207 | – | – | 37,688 | – | – |
| Prince Edward Island | 9 | – | – | 644 | – | – |
| Quebec | 138 | 1 | .7 | 26,125 | 534 | 2.0 |
| Saskatchewan | 132 | 16 | 12.1 | 6,260 | 2,557 | 40.8 |
| Northwest Territories | 3 | 2 | 66.6 | 151 | 101 | 66.9 |
| Yukon | 0 | – | – | – | – | – |
| Total | 919 | 242 | 26.3 | 111,371 | 29,122 | 26.1 |

---

[1] Hospitals with average stay less than 45 days, excluding psychiatric hospitals.

[2] *Canadian Hospital Directory, 1980,* Canadian Hospital Association, Ottawa, 1980.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification called *ICD-9-CM List B: Hospital Procedure Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. Generally "principal procedure" is that therapeutic procedure most related to the principal diagnosis. Procedure information for all patient data included in this book was coded using *ICD-9-CM.*

In *List B* there are 250 groups that contain at least one Uniform Hospital Discharge Data Set (UHDDS)[2] Class 1 procedure. A Class 1 procedure is defined as a procedure with an operative anesthetic risk or one that requires highly trained personnel or special facilities or equipment. Fourteen of the 264 *List B* groups consist solely of Class 2, 3, or 4 procedures. This book displays data only for those 250 groups with Class 1 procedures.

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List B: Hospital Procedure Groups* is based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Definition of Operated Patients

Operated patients are those patients whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764. All the other *ICD-9-CM List B* groups contain only Class 1 procedures or they contain only Class 2-4 procedures and are excluded from this book.

## Explanation of Statistics

The *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* procedure codes included in that *List B* group.

Length of stay was calculated by the computer from admission and separation dates by counting the day of admission but not the day of separation. Patients who left the hospital on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) left the hospital on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Although utilization review in Canadian hospitals has not had the regulatory impetus of programs in the United States, Canadian hospitals have equal reason to be concerned about the wise use of resources. The instructions that follow are those found in the length of stay books for the United States. The techniques employed can be used by any Canadian hospital conducting a review of those cases whose stay exceeds the norms for matching cases listed in *Length of Stay by Diagnosis, Canada, 1981* or *Length of Stay by Operation, Canada, 1981.*

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the most important scheduled operation, whether the patient had single or multiple diagnoses, and the patient's age.

While the usual procedure for assigning the initial review date is based upon the admitting diagnosis (problem), there are circumstances when a table based upon the contemplated operation is much more meaningful. The latter situations involve diagnoses where two or more quite different operations (and different lengths of stay) could be appropriate managements. Examples would be benign prostatic hypertrophy (cystoscopy, transurethral resection [TUR], or other prostatectomy); primary malignancy of lung, suspected or previously diagnosed (bronchoscopy or resection of lung); and angina pectoris (coronary arteriography or bypass surgery). Many diagnoses, on the other hand, are usually managed by a single type of operation and the operated section of the diagnosis table and the operation table appear to be almost identical. Examples would be uncomplicated inguinal hernia (herniorrhaphy), acute appendicitis (appendectomy), and chronic cholecystitis with cholelithiasis (cholecystectomy).

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay operation group (derived from the *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the contemplated operation in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, *in which diagnoses are listed alphabetically. The length of stay* group for each diagnosis is given in column 4 where appropriate reference is made to the operation tables.

b. Procedures can also be found in the Alphabetic Index at the back of the length of stay books.

c. If an operation is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 3 of *ICD-9-CM.*[3] That code can then be located in *List B* or in the heading of the length of stay table.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 5. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 57-year-old patient is admitted to a hospital for elective surgery, a transurethral resection. The admitting diagnosis is prostatic hyperplasia, and no secondary diagnoses are recorded. The following illustrations show the five steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening – Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 3, Procedures: Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways.

a. Prostatic hyperplasia (benign prostatic hypertrophy) is listed as a diagnosis in *Concurrent Review Screening.* Select the contemplated surgery (TUR). The length of stay table in the operation volume is 648.

| 1<br>ADMITTING DIAGNOSIS | 2<br>Suggested Admission Category | 3<br>Your Hospital's Admission Category | 4<br>Length of Stay Group |
|---|---|---|---|
| Pregnancy, undelivered | | | |
| pre-eclampsia, during pregnancy | 3 | | 261 |
| Criteria for admission | | | |
| 1. *Diastolic BP > 110* | | | |
| 2. *Not controlled by outpatient Rx* | | | |
| 3. | | | |
| 4. | | | |
| premature labor, threatened | 1 | | 268 |
| premature rupture of membranes | 1 | | 268 |
| premature separation of placenta | 1 | | 265 |
| Pre-infarction syndrome | 1 | | 142 |
| Prepuce, redundant or phimosis | 2 | | 239 |
| Proctitis | 4 | | 211 |
| Prolonged labor, excludes uterine inertia | 1 | | 280 |
| **Prostatic hyperplasia** | **2** | | **235** |
| for: Cystoscopy | | | 636 |
| **TUR** | | | **648** |
| Other prostatectomy | | | 649 |
| Prostatitis | | | |
| acute | 3 | | 236 |
| Criteria for admission | | | |
| 1. *Sepsis or fever > 102°, chills* | | | |
| 2. *Abscess formation* | | | |

b. The Alphabetic Index at the back of the operation length of stay book also shows that TUR is included in operation group 648.

### OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| **648** | **Transurethral approach** |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

c. Transurethral resection can be found in Volume 3 of *ICD-9-CM* on page 408.



**Procedure** **INDEX TO PROCEDURES**

- **Procedure** — *continued*
  - diagnostic NEC — *continued*
    - pleura 34.28
    - posterior chamber, eye 14.19
    - prostate 60.18
    - pulmonary 33.29
    - rectum 48.29
    - renal 55.29
    - respiratory 33.29
    - retina 14.19
    - retroperitoneum 59.29
    - salivary gland or duct 26.19
    - sclera 12.29
    - scrotum 61.19
    - seminal vesicle 60.19
    - sigmoid 45.28
    - sinus, nasal 22.19
    - skin 86.19
    - skull 01.19
    - soft tissue 83.29
    - spermatic cord 63.09
    - sphincter of Oddi 51.19
    - spine, spinal (canal) (cord) (meninges) (structure) 03.39
    - spleen 41.39
    - stomach 44.19
    - subcutaneous tissue 86.19
    - sympathetic nerve 05.19
    - tarsus 09.19
    - tendon NEC 83.29
      - extraocular 15.09
    - testicle 62.19
    - thalamus 01.18
    - thoracic duct 40.19
    - thorax 34.28
    - thymus 07.19
    - thyroid gland 06.19
    - tongue 25.09
    - tonsils 28.19
    - tooth 24.19
    - trachea 31.49
    - tunica vaginalis 61.19
    - ureter 56.39
    - urethra 58.29
    - uterus and supporting structures 68.19
    - uvula 27.29
    - vagina 70.29
    - vas deferens 63.09
    - vesical 57.39
    - vessel (blood) (any site) 38.29
    - vitreous 14.19
    - vulva 71.19
  - fistulizing, sclera NEC 12.69
  - miscellaneous (nonoperative) NEC 99.99
  - respiratory (nonoperative) NEC 93.99
  - surgical — *see* Operation
- **Proctectasis** 96.22
- **Proctectomy** (partial) *(see also* Resection, rectum) 48.69
  - abdominoperineal 48.5
- **Proctectomy** (partial) — *continued*
  - complete (Miles) (Rankin) 48.5
  - pull-through 48.49
- **Proctoclysis** 96.37
- **Proctolysis** 48.99
- **Proctopexy** (Delorme) 48.76
  - abdominal (Ripstein) 48.75
- **Proctoplasty** 48.79
- **Proctorrhaphy** 48.71
- **Proctoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctosigmoidectomy** *(see also* Resection, rectum) 48.69
- **Proctosigmoidopexy** 48.76
- **Proctosigmoidoscopy** 48.23
  - through stoma (artificial) 48.22
  - transabdominal approach 48.21
- **Proctostomy** 48.1
- **Proctotomy** (decompression) (linear) 48.0
- **Production** — *see also* Formation
  - atrial septal defect 35.42
  - subcutaneous tunnel for esophageal anastomosis 42.86
    - with anastomosis — *see* Anastomosis, esophagus, antesternal
- **Prognathic recession** 76.64
- **Prophylaxis, dental** (scaling) (polishing) 96.54
- **Prostatectomy** (complete) (partial) NEC 60.69
  - loop 60.2
  - perineal 60.62
  - radical (any approach) 60.5
  - retropubic (punch) (transcapsular) 60.4
  - suprapubic (punch) (transvesical) 60.3
  - transcapsular NEC 60.69
    - retropubic 60.4
  - transurethral 60.2
  - transvesical punch (suprapubic) 60.3
- **Prostatocystotomy** 60.0
- **Prostatolithotomy** 60.0
- **Prostatotomy** (perineal) 60.0
- **Prostatovesiculectomy** 60.5
- **Protection** (of)
  - individual from his surroundings 99.84
  - surroundings from individual 99.84
- **Psychoanalysis** 94.31
- **Psychodrama** 94.43
- **Psychotherapy** NEC 94.39
  - biofeedback 94.39
  - exploratory verbal 94.37
  - group 94.44
    - for psychosexual dysfunctions 94.41
  - play 94.36
  - psychosexual dysfunctions 94.34
  - supportive verbal 94.38
- **Ptyalectasis** 26.91
- **Ptyalithotomy** 26.0
- **Ptyalolithotomy** 26.0

Step 2. Find the table for group 648 in the length of stay book.



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top five lines of the table (1. Single Dx).



**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 4. The patient is 57 years old and therefore falls in the age group 50-64.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

Step 5. The 50th percentile day is the date assigned for the initial extended stay review. Column 7 shows the sixth day after admission to be the day that this patient comes up for extended stay review.

**648: Transurethral prostatectomy (60.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 6.7 | 12 | 2 | 3 | 6 | 8 | 11 | 15 | 18 |
| 20-34 | 39 | 6.4 | 19 | 2 | 3 | 6 | 8 | 11 | 13 | 27 |
| 35-49 | 428 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 13 | 18 |
| 50-64 | 7705 | 7.0 | 10 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| 65+ | 16192 | 8.1 | 18 | 4 | 5 | 7 | 9 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 9.6 | 33 | 3 | 4 | 8 | 13 | 16 | 23 | 30 |
| 20-34 | 78 | 13.3 | 270 | 2 | 4 | 8 | 14 | 27 | 49 | 94 |
| 35-49 | 679 | 8.8 | 45 | 3 | 4 | 7 | 10 | 15 | 20 | 36 |
| 50-64 | 13172 | 9.7 | 47 | 4 | 5 | 8 | 11 | 16 | 21 | 40 |
| 65+ | 42559 | 12.1 | 77 | 4 | 5 | 9 | 15 | 22 | 29 | 49 |
| TOT. SINGLE DX | 24397 | 7.8 | 17 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 56542 | 11.5 | 72 | 4 | 5 | 9 | 14 | 21 | 28 | 47 |
| TOTAL 0-19 YRS | 87 | 8.5 | 28 | 2 | 4 | 7 | 10 | 15 | 19 | 29 |
| 20-34 | 117 | 11.0 | 197 | 2 | 3 | 7 | 11 | 21 | 32 | 90 |
| 35-49 | 1107 | 7.9 | 33 | 3 | 4 | 7 | 9 | 13 | 17 | 29 |
| 50-64 | 20877 | 8.7 | 35 | 4 | 4 | 7 | 10 | 14 | 18 | 34 |
| 65+ | 58751 | 11.0 | 65 | 4 | 5 | 9 | 13 | 20 | 26 | 44 |
| GRAND TOTAL | 80939 | 10.4 | 58 | 4 | 5 | 8 | 12 | 18 | 24 | 43 |

The patient was admitted on 3 November; therefore the sixth day will fall on 9 November. Prior to or on 9 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables

**SUMMARY OF ALL PATIENTS IN OPERATION GROUPS**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 74443 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| 20-34 | 113205 | 4.4 | 14 | <1 | 1 | 4 | 5 | 7 | 9 | 18 |
| 35-49 | 37846 | 5.4 | 27 | <1 | 1 | 4 | 7 | 11 | 14 | 25 |
| 50-64 | 31810 | 6.8 | 44 | 1 | 1 | 5 | 9 | 14 | 18 | 33 |
| 65+ | 28207 | 8.8 | 78 | 1 | 2 | 6 | 11 | 18 | 25 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 49612 | 6.5 | 65 | 1 | 1 | 4 | 7 | 13 | 20 | 47 |
| 20-34 | 80576 | 6.5 | 46 | 1 | 2 | 5 | 7 | 11 | 16 | 39 |
| 35-49 | 41827 | 8.4 | 74 | 1 | 2 | 7 | 10 | 17 | 23 | 48 |
| 50-64 | 51221 | 10.9 | 120 | 1 | 2 | 8 | 14 | 23 | 32 | 67 |
| 65+ | 76235 | 14.2 | 191 | 2 | 3 | 10 | 18 | 32 | 49 | 99+ |
| **TOT. SINGLE DX** | 285511 | 5.1 | 29 | 1 | 1 | 4 | 6 | 10 | 14 | 28 |
| **" MULTIPLE DX** | 299471 | 9.5 | 113 | 1 | 2 | 6 | 11 | 21 | 30 | 71 |
| TOTAL 0-19 YRS | 124055 | 5.0 | 40 | 1 | 1 | 3 | 6 | 10 | 14 | 33 |
| 20-34 | 193781 | 5.2 | 29 | 1 | 1 | 4 | 6 | 9 | 12 | 28 |
| 35-49 | 79673 | 6.9 | 54 | 1 | 1 | 5 | 8 | 14 | 19 | 39 |
| 50-64 | 83031 | 9.3 | 94 | 1 | 2 | 7 | 12 | 19 | 27 | 56 |
| 65+ | 104442 | 12.7 | 166 | 2 | 3 | 9 | 16 | 29 | 42 | 99+ |
| **GRAND TOTAL** | **584982** | **7.3** | **77** | **1** | **1** | **5** | **8** | **15** | **23** | **53** |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 3.0 | 4 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| 20-34 | 255 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 7 | 14 |
| 35-49 | 256 | 2.8 | 10 | <1 | <1 | 2 | 3 | 4 | 7 | 20 |
| 50-64 | 296 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 152 | 2.8 | 3 | <1 | 1 | 2 | 4 | 5 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 4.2 | 20 | 1 | 1 | 3 | 5 | 7 | 13 | 26 |
| 20-34 | 128 | 3.9 | 37 | 1 | 1 | 2 | 4 | 6 | 9 | 37 |
| 35-49 | 124 | 5.4 | 44 | 1 | 1 | 3 | 6 | 13 | 18 | 34 |
| 50-64 | 197 | 5.8 | 34 | 1 | 2 | 3 | 6 | 14 | 19 | 27 |
| 65+ | 144 | 6.7 | 78 | 1 | 2 | 4 | 7 | 17 | 24 | 70 |
| TOT. SINGLE DX | 1008 | 2.6 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 12 |
| " MULTIPLE DX | 635 | 5.4 | 47 | 1 | 1 | 3 | 6 | 12 | 19 | 33 |
| TOTAL 0-19 YRS | 91 | 3.5 | 12 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 20-34 | 383 | 3.0 | 17 | <1 | <1 | 2 | 3 | 5 | 8 | 19 |
| 35-49 | 380 | 3.6 | 23 | <1 | <1 | 2 | 4 | 7 | 12 | 24 |
| 50-64 | 493 | 3.8 | 18 | <1 | <1 | 2 | 4 | 9 | 12 | 24 |
| 65+ | 296 | 4.7 | 44 | 1 | 1 | 3 | 5 | 9 | 16 | 43 |
| GRAND TOTAL | 1643 | 3.7 | 23 | <1 | 1 | 2 | 4 | 8 | 11 | 25 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 5.0 | 3 | 4 | 4 | 4 | 6 | 7 | 7 | 7 |
| 20-34 | 18 | 8.4 | 21 | 3 | 4 | 7 | 10 | 16 | 18 | 19 |
| 35-49 | 17 | 11.1 | 17 | 5 | 6 | 10 | 14 | 17 | 18 | 18 |
| 50-64 | 36 | 9.3 | 22 | 4 | 5 | 8 | 10 | 14 | 22 | 23 |
| 65+ | 30 | 14.1 | 87 | 5 | 6 | 11 | 20 | 24 | 25 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 7.7 | | 7 | 7 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 13 | 8.9 | 25 | 5 | 5 | 7 | 11 | 15 | 21 | 23 |
| 35-49 | 28 | 13.5 | 127 | 3 | 4 | 10 | 16 | 26 | 36 | 58 |
| 50-64 | 69 | 17.2 | 211 | 5 | 6 | 13 | 22 | 29 | 55 | 99 |
| 65+ | 129 | 18.6 | 196 | 6 | 7 | 14 | 25 | 41 | 60 | 99+ |
| TOT. SINGLE DX | 104 | 10.7 | 44 | 4 | 5 | 9 | 12 | 20 | 23 | 37 |
| " MULTIPLE DX | 242 | 17.0 | 187 | 5 | 6 | 13 | 22 | 35 | 55 | 99+ |
| TOTAL 0-19 YRS | 6 | 6.3 | 3 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 20-34 | 31 | 8.6 | 23 | 4 | 4 | 7 | 10 | 16 | 19 | 23 |
| 35-49 | 45 | 12.6 | 86 | 4 | 4 | 10 | 15 | 18 | 30 | 58 |
| 50-64 | 105 | 14.5 | 160 | 5 | 6 | 10 | 17 | 26 | 39 | 98 |
| 65+ | 159 | 17.7 | 178 | 5 | 7 | 13 | 23 | 38 | 55 | 99+ |
| GRAND TOTAL | 346 | 15.1 | 152 | 5 | 6 | 11 | 20 | 28 | 44 | 99+ |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 6.5 | 28 | 2 | 2 | 8 | 12 | 15 | 15 | 15 |
| 20-34 | 9 | 4.7 | 17 | <1 | <1 | 3 | 8 | 11 | 12 | 12 |
| 35-49 | 10 | 9.6 | 39 | 2 | 3 | 8 | 12 | 19 | 22 | 22 |
| 50-64 | 4 | 14.8 | 505 | 1 | 1 | 5 | 28 | 48 | 48 | 48 |
| 65+ | 6 | 1.5 | | 1 | 1 | 1 | 3 | 81 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 19.5 | 25 | 16 | 16 | 19 | 23 | 23 | 23 | 23 |
| 20-34 | 9 | 14.4 | 487 | 3 | 3 | 7 | 12 | 50 | 72 | 72 |
| 35-49 | 5 | 6.0 | 38 | 1 | 1 | 3 | 10 | 16 | 16 | 16 |
| 50-64 | 17 | 13.2 | 63 | 2 | 3 | 13 | 22 | 24 | 24 | 24 |
| 65+ | 22 | 17.0 | 156 | 3 | 4 | 13 | 23 | 40 | 42 | 43 |
| TOT. SINGLE DX | 33 | 7.3 | 83 | 1 | 1 | 4 | 10 | 17 | 43 | 99+ |
| " MULTIPLE DX | 55 | 14.5 | 166 | 2 | 3 | 12 | 18 | 25 | 40 | 71 |
| TOTAL 0-19 YRS | 6 | 12.2 | 54 | 2 | 3 | 12 | 16 | 22 | 23 | 23 |
| 20-34 | 18 | 9.6 | 263 | <1 | 1 | 4 | 10 | 15 | 50 | 72 |
| 35-49 | 15 | 8.4 | 40 | 1 | 2 | 8 | 12 | 17 | 21 | 22 |
| 50-64 | 21 | 13.5 | 127 | 1 | 2 | 12 | 22 | 24 | 35 | 48 |
| 65+ | 28 | 13.6 | 164 | 1 | 1 | 12 | 19 | 40 | 46 | 99+ |
| GRAND TOTAL | 88 | 11.8 | 146 | 1 | 1 | 9 | 16 | 24 | 41 | 89 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 14.4 | 319 | 2 | 3 | 9 | 16 | 38 | 40 | 89 |
| 20-34 | 50 | 14.8 | 71 | 5 | 6 | 13 | 18 | 29 | 32 | 39 |
| 35-49 | 40 | 14.9 | 71 | 3 | 4 | 13 | 22 | 27 | 36 | 99+ |
| 50-64 | 44 | 19.2 | 133 | 6 | 8 | 16 | 25 | 33 | 40 | 64 |
| 65+ | 32 | 21.1 | 271 | 6 | 8 | 17 | 29 | 36 | 40 | 93 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 27.2 | 412 | 5 | 8 | 21 | 40 | 64 | 79 | 99+ |
| 20-34 | 54 | 28.8 | 396 | 7 | 9 | 24 | 48 | 71 | 99+ | 99+ |
| 35-49 | 48 | 26.0 | 410 | 5 | 7 | 20 | 36 | 71 | 79 | 99+ |
| 50-64 | 80 | 31.6 | 427 | 7 | 9 | 27 | 44 | 77 | 96 | 99+ |
| 65+ | 62 | 31.4 | 545 | 8 | 10 | 25 | 43 | 74 | 82 | 99+ |
| TOT. SINGLE DX | 196 | 16.8 | 159 | 3 | 5 | 14 | 22 | 32 | 39 | 91 |
| " MULTIPLE DX | 283 | 29.4 | 441 | 6 | 9 | 23 | 44 | 72 | 84 | 99+ |
| TOTAL 0-19 YRS | 69 | 21.6 | 407 | 3 | 3 | 15 | 28 | 53 | 77 | 98 |
| 20-34 | 104 | 22.1 | 287 | 6 | 7 | 17 | 30 | 56 | 73 | 99+ |
| 35-49 | 88 | 20.9 | 285 | 4 | 6 | 17 | 24 | 53 | 77 | 99+ |
| 50-64 | 124 | 27.2 | 356 | 6 | 9 | 23 | 38 | 62 | 84 | 99+ |
| 65+ | 94 | 27.9 | 472 | 8 | 9 | 21 | 32 | 68 | 80 | 99 |
| GRAND TOTAL | 479 | 24.3 | 364 | 5 | 7 | 19 | 32 | 63 | 77 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 12.0 | 44 | 5 | 6 | 10 | 15 | 23 | 28 | 29 |
| 20-34 | 14 | 12.4 | 34 | 4 | 6 | 11 | 16 | 20 | 25 | 27 |
| 35-49 | 12 | 11.6 | 20 | 5 | 6 | 11 | 15 | 18 | 19 | 19 |
| 50-64 | 14 | 12.6 | 99 | 4 | 5 | 12 | 13 | 18 | 39 | 45 |
| 65+ | 12 | 18.3 | 267 | 4 | 5 | 11 | 26 | 48 | 53 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 17.0 | 121 | 5 | 7 | 14 | 27 | 48 | 99+ | 99+ |
| 20-34 | 22 | 24.2 | 224 | 7 | 9 | 19 | 42 | 59 | 99+ | 99+ |
| 35-49 | 22 | 25.6 | 296 | 3 | 6 | 24 | 36 | 54 | 56 | 57 |
| 50-64 | 21 | 27.6 | 502 | 5 | 6 | 22 | 31 | 77 | 91 | 99+ |
| 65+ | 22 | 26.6 | 278 | 11 | 12 | 23 | 43 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 69 | 13.2 | 88 | 4 | 5 | 11 | 14 | 24 | 30 | 52 |
| " MULTIPLE DX | 111 | 24.0 | 284 | 6 | 7 | 20 | 37 | 68 | 99+ | 99+ |
| TOTAL 0-19 YRS | 41 | 15.0 | 94 | 5 | 6 | 13 | 23 | 31 | 67 | 99+ |
| 20-34 | 36 | 19.6 | 182 | 6 | 8 | 16 | 28 | 49 | 81 | 99+ |
| 35-49 | 34 | 20.6 | 242 | 5 | 6 | 15 | 29 | 50 | 55 | 57 |
| 50-64 | 35 | 21.6 | 389 | 4 | 5 | 14 | 28 | 61 | 82 | 99+ |
| 65+ | 34 | 23.7 | 283 | 6 | 8 | 18 | 41 | 92 | 99+ | 99+ |
| GRAND TOTAL | 180 | 19.9 | 236 | 5 | 6 | 15 | 28 | 52 | 86 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 8.6 | 18 | 3 | 4 | 8 | 11 | 16 | 18 | 19 |
| 20-34 | 23 | 7.3 | 27 | 1 | 2 | 6 | 9 | 13 | 18 | 26 |
| 35-49 | 15 | 11.5 | 66 | 2 | 7 | 9 | 11 | 21 | 33 | 37 |
| 50-64 | 8 | 8.9 | 20 | 3 | 4 | 8 | 10 | 16 | 18 | 18 |
| 65+ | 3 | 9.3 | 9 | 6 | 6 | 10 | 11 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 16.5 | 246 | 5 | 6 | 11 | 18 | 40 | 61 | 66 |
| 20-34 | 29 | 15.2 | 233 | 4 | 4 | 11 | 16 | 48 | 69 | 99+ |
| 35-49 | 16 | 10.3 | 44 | 3 | 4 | 9 | 12 | 14 | 27 | 32 |
| 50-64 | 15 | 15.1 | 109 | 7 | 8 | 11 | 22 | 41 | 83 | 99+ |
| 65+ | 6 | 13.8 | 30 | 8 | 8 | 13 | 20 | 20 | 20 | 20 |
| TOT. SINGLE DX | 95 | 8.8 | 29 | 2 | 4 | 8 | 11 | 15 | 18 | 32 |
| " MULTIPLE DX | 99 | 14.8 | 176 | 4 | 5 | 10 | 16 | 35 | 57 | 99+ |
| TOTAL 0-19 YRS | 79 | 11.9 | 127 | 4 | 4 | 8 | 13 | 19 | 36 | 65 |
| 20-34 | 52 | 11.7 | 155 | 2 | 4 | 8 | 13 | 27 | 50 | 99 |
| 35-49 | 31 | 10.9 | 54 | 3 | 5 | 9 | 12 | 17 | 31 | 37 |
| 50-64 | 23 | 13.0 | 85 | 4 | 7 | 9 | 17 | 33 | 59 | 99+ |
| 65+ | 9 | 12.3 | 27 | 6 | 7 | 10 | 17 | 20 | 20 | 20 |
| GRAND TOTAL | 194 | 11.9 | 112 | 3 | 4 | 9 | 13 | 21 | 38 | 86 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 11.9 | 70 | 3 | 4 | 9 | 16 | 25 | 30 | 32 |
| 20-34 | 5 | 11.8 | 51 | 3 | 3 | 11 | 15 | 23 | 23 | 23 |
| 35-49 | 2 | 13.5 | 113 | 6 | 6 | 13 | 21 | 21 | 21 | 21 |
| 50-64 | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 65+ | 3 | 16.0 | 133 | 3 | 3 | 20 | 24 | 25 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 21.1 | 281 | 7 | 7 | 16 | 29 | 58 | 67 | 99+ |
| 20-34 | 12 | 15.9 | 89 | 6 | 6 | 15 | 19 | 29 | 38 | 39 |
| 35-49 | 10 | 20.0 | 497 | 5 | 6 | 12 | 21 | 56 | 79 | 79 |
| 50-64 | 10 | 30.9 | 634 | 5 | 10 | 23 | 31 | 73 | 93 | 93 |
| 65+ | 9 | 38.0 | 590 | 9 | 9 | 41 | 65 | 85 | 99+ | 99+ |
| TOT. SINGLE DX | 25 | 13.3 | 81 | 3 | 3 | 11 | 20 | 25 | 32 | 33 |
| " MULTIPLE DX | 78 | 23.4 | 383 | 6 | 7 | 17 | 31 | 62 | 75 | 99+ |
| TOTAL 0-19 YRS | 51 | 18.6 | 239 | 4 | 6 | 13 | 24 | 41 | 64 | 99 |
| 20-34 | 17 | 14.7 | 78 | 4 | 6 | 12 | 19 | 25 | 34 | 39 |
| 35-49 | 12 | 18.9 | 424 | 5 | 6 | 12 | 21 | 47 | 74 | 79 |
| 50-64 | 11 | 31.1 | 572 | 5 | 11 | 25 | 32 | 69 | 91 | 93 |
| 65+ | 12 | 32.5 | 553 | 4 | 8 | 31 | 60 | 77 | 96 | 99+ |
| GRAND TOTAL | 103 | 20.9 | 327 | 5 | 6 | 16 | 27 | 57 | 69 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 10.2 | 70 | 2 | 3 | 8 | 14 | 17 | 22 | 52 |
| 20-34 | 14 | 14.1 | 169 | 2 | 3 | 8 | 15 | 37 | 38 | 38 |
| 35-49 | 8 | 14.5 | 212 | 3 | 3 | 8 | 24 | 38 | 39 | 39 |
| 50-64 | 6 | 24.5 | 423 | 4 | 4 | 20 | 41 | 54 | 56 | 56 |
| 65+ | 4 | 12.8 | 55 | 6 | 6 | 12 | 19 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 117 | 13.5 | 143 | 3 | 4 | 10 | 17 | 32 | 46 | 99+ |
| 20-34 | 23 | 23.0 | 609 | 1 | 3 | 14 | 35 | 71 | 93 | 99+ |
| 35-49 | 7 | 20.6 | 147 | 6 | 6 | 26 | 27 | 37 | 39 | 39 |
| 50-64 | 8 | 21.0 | 897 | 4 | 5 | 10 | 18 | 71 | 94 | 94 |
| 65+ | 13 | 26.8 | 352 | 7 | 8 | 26 | 51 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 78 | 12.6 | 134 | 2 | 3 | 8 | 14 | 34 | 39 | 55 |
| " MULTIPLE DX | 168 | 16.5 | 270 | 3 | 4 | 11 | 23 | 45 | 73 | 99+ |
| TOTAL 0-19 YRS | 163 | 12.6 | 124 | 3 | 4 | 9 | 15 | 31 | 45 | 99+ |
| 20-34 | 37 | 19.7 | 453 | 2 | 3 | 11 | 30 | 62 | 82 | 99+ |
| 35-49 | 15 | 17.3 | 179 | 3 | 4 | 12 | 27 | 39 | 39 | 39 |
| 50-64 | 14 | 22.5 | 649 | 4 | 4 | 13 | 25 | 60 | 86 | 94 |
| 65+ | 17 | 23.5 | 313 | 6 | 7 | 21 | 33 | 89 | 99+ | 99+ |
| GRAND TOTAL | 246 | 15.3 | 230 | 3 | 4 | 10 | 18 | 38 | 59 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 21.0 | 392 | 7 | 7 | 21 | 35 | 35 | 35 | 35 |
| 20-34 | 56 | 13.9 | 120 | 6 | 6 | 11 | 15 | 26 | 34 | 72 |
| 35-49 | 93 | 12.0 | 26 | 6 | 6 | 12 | 14 | 18 | 21 | 31 |
| 50-64 | 98 | 13.9 | 81 | 5 | 7 | 12 | 15 | 23 | 33 | 50 |
| 65+ | 30 | 16.7 | 46 | 6 | 9 | 16 | 22 | 26 | 29 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 31.9 | 801 | 6 | 9 | 23 | 36 | 80 | 97 | 97 |
| 20-34 | 45 | 18.4 | 116 | 7 | 9 | 15 | 25 | 38 | 45 | 99+ |
| 35-49 | 95 | 17.4 | 103 | 6 | 8 | 15 | 22 | 30 | 39 | 56 |
| 50-64 | 149 | 18.0 | 133 | 7 | 8 | 14 | 21 | 38 | 46 | 99 |
| 65+ | 82 | 24.1 | 254 | 8 | 10 | 21 | 33 | 45 | 67 | 99+ |
| TOT. SINGLE DX | 279 | 13.6 | 69 | 6 | 7 | 12 | 16 | 23 | 29 | 45 |
| " MULTIPLE DX | 379 | 19.5 | 171 | 7 | 8 | 15 | 25 | 38 | 48 | 99+ |
| TOTAL 0-19 YRS | 10 | 29.7 | 688 | 6 | 6 | 23 | 35 | 69 | 97 | 97 |
| 20-34 | 101 | 15.9 | 122 | 6 | 7 | 12 | 19 | 32 | 39 | 86 |
| 35-49 | 188 | 14.7 | 73 | 6 | 7 | 13 | 17 | 26 | 30 | 47 |
| 50-64 | 247 | 16.4 | 117 | 7 | 8 | 13 | 19 | 34 | 44 | 67 |
| 65+ | 112 | 22.1 | 209 | 7 | 10 | 18 | 28 | 41 | 63 | 99+ |
| GRAND TOTAL | 658 | 17.0 | 136 | 6 | 8 | 13 | 20 | 33 | 42 | 86 |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 16.9 | 204 | 3 | 3 | 15 | 24 | 34 | 52 | 56 |
| 20-34 | 62 | 9.9 | 54 | 2 | 2 | 8 | 14 | 19 | 23 | 37 |
| 35-49 | 63 | 7.5 | 27 | 2 | 2 | 6 | 10 | 14 | 17 | 27 |
| 50-64 | 45 | 10.7 | 114 | 1 | 2 | 7 | 14 | 29 | 33 | 44 |
| 65+ | 6 | 19.5 | 197 | 5 | 5 | 17 | 25 | 42 | 44 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 20.9 | 185 | 2 | 4 | 19 | 28 | 45 | 55 | 99+ |
| 20-34 | 39 | 21.1 | 362 | 3 | 5 | 15 | 39 | 86 | 99+ | 99+ |
| 35-49 | 50 | 16.9 | 254 | 2 | 3 | 12 | 22 | 36 | 64 | 99+ |
| 50-64 | 51 | 20.0 | 233 | 2 | 3 | 17 | 31 | 42 | 60 | 99 |
| 65+ | 26 | 29.7 | 400 | 4 | 8 | 25 | 40 | 64 | 69 | 71 |
| TOT. SINGLE DX | 189 | 10.1 | 80 | 2 | 2 | 7 | 13 | 20 | 28 | 44 |
| " MULTIPLE DX | 199 | 20.8 | 286 | 2 | 4 | 17 | 30 | 50 | 70 | 99+ |
| TOTAL 0-19 YRS | 46 | 19.8 | 190 | 3 | 4 | 18 | 27 | 45 | 56 | 99+ |
| 20-34 | 101 | 14.2 | 200 | 2 | 3 | 11 | 19 | 40 | 73 | 99+ |
| 35-49 | 113 | 11.7 | 148 | 2 | 2 | 8 | 14 | 27 | 33 | 88 |
| 50-64 | 96 | 15.6 | 197 | 2 | 2 | 11 | 22 | 35 | 45 | 83 |
| 65+ | 32 | 27.8 | 371 | 5 | 7 | 24 | 39 | 62 | 68 | 71 |
| GRAND TOTAL | 388 | 15.6 | 214 | 2 | 3 | 11 | 21 | 39 | 57 | 99+ |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 20-34 | 53 | 4.7 | 21 | <1 | <1 | 3 | 6 | 10 | 14 | 28 |
| 35-49 | 54 | 4.8 | 19 | 1 | 1 | 3 | 6 | 11 | 13 | 24 |
| 50-64 | 69 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| 65+ | 56 | 5.6 | 23 | <1 | 1 | 4 | 8 | 13 | 17 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 7.2 | 60 | 1 | 2 | 5 | 7 | 20 | 27 | 28 |
| 20-34 | 33 | 6.3 | 39 | 1 | 2 | 4 | 7 | 15 | 23 | 27 |
| 35-49 | 42 | 7.9 | 98 | 1 | 2 | 4 | 9 | 18 | 34 | 50 |
| 50-64 | 65 | 6.7 | 43 | 1 | 2 | 5 | 7 | 17 | 24 | 33 |
| 65+ | 44 | 10.6 | 251 | 1 | 2 | 5 | 13 | 32 | 37 | 92 |
| TOT. SINGLE DX | 245 | 4.7 | 17 | <1 | 1 | 3 | 6 | 10 | 13 | 20 |
| " MULTIPLE DX | 196 | 7.8 | 103 | 1 | 2 | 5 | 8 | 17 | 28 | 46 |
| TOTAL 0-19 YRS | 25 | 4.8 | 34 | <1 | 1 | 3 | 5 | 7 | 2[illegible] | 28 |
| 20-34 | 86 | 5.3 | 28 | <1 | 1 | 4 | 7 | 12 | 15 | 27 |
| 35-49 | 96 | 6.2 | 56 | 1 | 1 | 4 | 7 | 12 | 18 | 43 |
| 50-64 | 134 | 5.4 | 27 | 1 | 1 | 4 | 6 | 11 | 16 | 28 |
| 65+ | 100 | 7.8 | 129 | <1 | 1 | 4 | 9 | 16 | 25 | 66 |
| GRAND TOTAL | 441 | 6.1 | 57 | 1 | 1 | 4 | 7 | 13 | 18 | 35 |

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 5.4 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 221 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 14 |
| 35-49 | 282 | 5.3 | 5 | 3 | 3 | 5 | 6 | 7 | 9 | 13 |
| 50-64 | 204 | 5.2 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 65+ | 82 | 7.4 | 32 | 4 | 4 | 6 | 8 | 11 | 17 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 5.5 | 3 | 4 | 4 | 5 | 7 | 8 | 9 | 9 |
| 20-34 | 76 | 6.3 | 19 | 3 | 4 | 5 | 6 | 9 | 15 | 29 |
| 35-49 | 125 | 6.5 | 18 | 3 | 4 | 5 | 7 | 12 | 14 | 25 |
| 50-64 | 178 | 8.0 | 64 | 4 | 4 | 6 | 8 | 14 | 19 | 27 |
| 65+ | 107 | 10.7 | 92 | 4 | 5 | 7 | 12 | 26 | 34 | 75 |
| TOT. SINGLE DX | 820 | 5.4 | 8 | 3 | 3 | 5 | 6 | 7 | 9 | 15 |
| " MULTIPLE DX | 496 | 7.9 | 53 | 3 | 4 | 6 | 8 | 14 | 21 | 40 |
| TOTAL 0-19 YRS | 41 | 5.4 | 3 | 3 | 4 | 5 | 6 | 8 | 9 | 9 |
| 20-34 | 297 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 9 | 20 |
| 35-49 | 407 | 5.7 | 10 | 3 | 3 | 5 | 6 | 8 | 11 | 21 |
| 50-64 | 382 | 6.5 | 34 | 3 | 4 | 5 | 7 | 9 | 14 | 25 |
| 65+ | 189 | 9.2 | 69 | 4 | 4 | 6 | 9 | 18 | 26 | 53 |
| GRAND TOTAL | 1316 | 6.3 | 26 | 3 | 4 | 5 | 7 | 9 | 13 | 28 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 3.5 | 5 | 2 | 2 | 3 | 4 | 6 | 7 | 16 |
| 20-34 | 55 | 4.2 | 8 | 2 | 2 | 3 | 5 | 6 | 9 | 18 |
| 35-49 | 33 | 5.0 | 20 | 1 | 2 | 3 | 5 | 11 | 17 | 20 |
| 50-64 | 23 | 5.2 | 5 | 1 | 2 | 5 | 6 | 8 | 10 | 10 |
| 65+ | 13 | 8.4 | 36 | 4 | 4 | 7 | 9 | 14 | 25 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 5.6 | 26 | 1 | 1 | 4 | 9 | 14 | 15 | 15 |
| 20-34 | 16 | 6.3 | 14 | 2 | 2 | 5 | 8 | 13 | 14 | 14 |
| 35-49 | 30 | 12.2 | 233 | 3 | 4 | 6 | 14 | 24 | 36 | 82 |
| 50-64 | 42 | 10.3 | 46 | 4 | 5 | 8 | 13 | 24 | 29 | 99+ |
| 65+ | 40 | 14.4 | 102 | 2 | 4 | 11 | 22 | 29 | 33 | 35 |
| TOT. SINGLE DX | 212 | 4.4 | 12 | 2 | 2 | 3 | 5 | 7 | 10 | 19 |
| " MULTIPLE DX | 136 | 11.2 | 105 | 2 | 3 | 7 | 14 | 26 | 32 | 84 |
| TOTAL 0-19 YRS | 96 | 3.6 | 7 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| 20-34 | 71 | 4.7 | 11 | 2 | 2 | 4 | 5 | 9 | 14 | 17 |
| 35-49 | 63 | 8.4 | 133 | 2 | 3 | 5 | 8 | 18 | 24 | 76 |
| 50-64 | 65 | 8.5 | 38 | 2 | 3 | 7 | 11 | 16 | 25 | 89 |
| 65+ | 53 | 12.9 | 92 | 3 | 4 | 9 | 20 | 28 | 32 | 35 |
| GRAND TOTAL | 348 | 7.0 | 59 | 2 | 2 | 5 | 7 | 15 | 24 | 35 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 20-34 | 11 | 12.1 | 35 | 5 | 7 | 10 | 13 | 22 | 27 | 27 |
| 35-49 | 4 | 15.8 | 27 | 12 | 12 | 14 | 19 | 23 | 23 | 23 |
| 50-64 | 9 | 21.9 | 407 | 3 | 6 | 14 | 23 | 55 | 72 | 72 |
| 65+ | 2 | 15.5 | 41 | 11 | 11 | 15 | 20 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 19.5 | 232 | 3 | 4 | 13 | 38 | 39 | 39 | 39 |
| 20-34 | 13 | 21.7 | 108 | 10 | 11 | 19 | 27 | 37 | 43 | 45 |
| 35-49 | 24 | 22.2 | 102 | 9 | 11 | 21 | 33 | 37 | 56 | 99+ |
| 50-64 | 13 | 27.0 | 214 | 11 | 13 | 22 | 38 | 52 | 55 | 56 |
| 65+ | 9 | 17.2 | 129 | 6 | 6 | 10 | 27 | 34 | 34 | 34 |
| TOT. SINGLE DX | 27 | 16.2 | 163 | 5 | 8 | 12 | 19 | 26 | 36 | 72 |
| " MULTIPLE DX | 65 | 22.1 | 140 | 8 | 9 | 20 | 33 | 39 | 46 | 93 |
| TOTAL 0-19 YRS | 7 | 18.6 | 200 | 3 | 4 | 13 | 32 | 39 | 39 | 39 |
| 20-34 | 24 | 17.3 | 96 | 7 | 9 | 14 | 23 | 32 | 38 | 45 |
| 35-49 | 28 | 21.3 | 95 | 9 | 11 | 20 | 31 | 36 | 45 | 99+ |
| 50-64 | 22 | 24.9 | 284 | 8 | 12 | 20 | 30 | 52 | 62 | 72 |
| 65+ | 11 | 16.9 | 108 | 6 | 7 | 11 | 24 | 33 | 34 | 34 |
| GRAND TOTAL | 92 | 20.4 | 153 | 7 | 9 | 17 | 27 | 37 | 45 | 88 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 20-34 | 25 | 2.4 | 13 | <1 | <1 | <1 | 1 | 8 | 11 | 16 |
| 35-49 | 30 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 50-64 | 40 | 2.9 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 12 |
| 65+ | 44 | 4.0 | 14 | <1 | <1 | 3 | 5 | 9 | 12 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 20-34 | 8 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 35-49 | 23 | 11.2 | 174 | <1 | 1 | 4 | 14 | 36 | 41 | 46 |
| 50-64 | 30 | 6.1 | 30 | <1 | <1 | 4 | 9 | 16 | 16 | 18 |
| 65+ | 46 | 10.5 | 126 | <1 | <1 | 6 | 14 | 30 | 36 | 46 |
| TOT. SINGLE DX | 212 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 15 |
| " MULTIPLE DX | 115 | 8.4 | 101 | <1 | <1 | 4 | 11 | 21 | 34 | 46 |
| TOTAL 0-19 YRS | 81 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 33 | 2.5 | 11 | <1 | <1 | <1 | 2 | 8 | 10 | 16 |
| 35-49 | 53 | 5.8 | 97 | <1 | <1 | 2 | 4 | 16 | 34 | 46 |
| 50-64 | 70 | 4.3 | 19 | <1 | <1 | 2 | 5 | 11 | 16 | 18 |
| 65+ | 90 | 7.3 | 82 | <1 | <1 | 4 | 9 | 17 | 30 | 44 |
| GRAND TOTAL | 327 | 4.6 | 48 | <1 | <1 | 2 | 4 | 11 | 16 | 39 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 17 |
| 20-34 | 54 | 2.6 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 11 |
| 35-49 | 61 | 2.8 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| 50-64 | 99 | 2.7 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 65+ | 139 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 4.0 | 37 | <1 | <1 | 2 | 4 | 8 | 17 | 61 |
| 20-34 | 146 | 4.2 | 22 | <1 | <1 | 3 | 5 | 9 | 12 | 22 |
| 35-49 | 85 | 5.0 | 40 | <1 | 1 | 3 | 6 | 11 | 16 | 37 |
| 50-64 | 96 | 5.9 | 43 | <1 | 1 | 3 | 7 | 14 | 20 | 36 |
| 65+ | 140 | 7.3 | -129 | 1 | 2 | 4 | 8 | 16 | 31 | 99+ |
| TOT. SINGLE DX | 450 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 7 | 14 |
| " MULTIPLE DX | 598 | 5.3 | 58 | <1 | 1 | 3 | 6 | 12 | 18 | 47 |
| TOTAL 0-19 YRS | 228 | 3.5 | 25 | <1 | 1 | 2 | 4 | 6 | 10 | 30 |
| 20-34 | 200 | 3.8 | 18 | <1 | <1 | 2 | 5 | 8 | 11 | 20 |
| 35-49 | 146 | 4.1 | 26 | <1 | <1 | 3 | 4 | 9 | 12 | 29 |
| 50-64 | 195 | 4.3 | 26 | <1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 65+ | 279 | 5.3 | 73 | 1 | 1 | 3 | 5 | 12 | 17 | 85 |
| GRAND TOTAL | 1048 | 4.3 | 37 | <1 | 1 | 3 | 5 | 9 | 14 | 37 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 20-34 | 32 | 3.5 | 3 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 22 | 3.0 | 3 | 1 | 1 | 3 | 3 | 6 | 7 | 8 |
| 50-64 | 39 | 4.7 | 7 | 2 | 3 | 4 | 5 | 10 | 11 | 12 |
| 65+ | 44 | 4.1 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 4.4 | 11 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 20-34 | 16 | 6.6 | 64 | 1 | 2 | 4 | 5 | 16 | 28 | 33 |
| 35-49 | 11 | 6.8 | 18 | 1 | 2 | 8 | 11 | 12 | 13 | 13 |
| 50-64 | 29 | 6.2 | 57 | 1 | 2 | 4 | 7 | 12 | 15 | 41 |
| 65+ | 51 | 6.0 | 16 | 2 | 2 | 5 | 7 | 13 | 14 | 17 |
| TOT. SINGLE DX | 158 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| " MULTIPLE DX | 112 | 6.2 | 33 | 2 | 2 | 4 | 8 | 13 | 14 | 36 |
| TOTAL 0-19 YRS | 26 | 3.3 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 20-34 | 48 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 12 | 33 |
| 35-49 | 33 | 4.3 | 11 | 1 | 1 | 3 | 6 | 10 | 11 | 13 |
| 50-64 | 68 | 5.3 | 29 | 2 | 2 | 4 | 6 | 11 | 12 | 36 |
| 65+ | 95 | 5.1 | 12 | 2 | 2 | 4 | 6 | 10 | 14 | 17 |
| GRAND TOTAL | 270 | 4.8 | 18 | 1 | 2 | 3 | 5 | 10 | 13 | 17 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 4.4 | 17 | 1 | 1 | 3 | 6 | 11 | 13 | 14 |
| 20-34 | 9 | 2.7 | 6 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 35-49 | 13 | 3.1 | 6 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| 50-64 | 10 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 65+ | 13 | 4.2 | 26 | <1 | 1 | 2 | 3 | 13 | 18 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 3.1 | 8 | <1 | <1 | 2 | 3 | 8 | 10 | 10 |
| 20-34 | 8 | 6.3 | 6 | 3 | 3 | 6 | 8 | 10 | 10 | 10 |
| 35-49 | 6 | 13.2 | 233 | 3 | 3 | 8 | 10 | 41 | 44 | 44 |
| 50-64 | 5 | 13.0 | 83 | 3 | 3 | 13 | 19 | 26 | 26 | 26 |
| 65+ | 16 | 8.8 | 120 | 2 | 2 | 3 | 11 | 31 | 33 | 33 |
| TOT. SINGLE DX | 59 | 3.6 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 19 |
| " MULTIPLE DX | 44 | 8.2 | 92 | 1 | 2 | 4 | 9 | 22 | 32 | 44 |
| TOTAL 0-19 YRS | 23 | 3.9 | 14 | <1 | 1 | 2 | 6 | 10 | 12 | 14 |
| 20-34 | 17 | 4.4 | 9 | <1 | <1 | 4 | 7 | 9 | 10 | 10 |
| 35-49 | 19 | 6.3 | 92 | <1 | <1 | 3 | 7 | 10 | 29 | 44 |
| 50-64 | 15 | 6.4 | 49 | 1 | 1 | 3 | 6 | 17 | 24 | 26 |
| 65+ | 29 | 6.7 | 81 | 1 | 2 | 3 | 4 | 21 | 32 | 33 |
| GRAND TOTAL | 103 | 5.6 | 51 | <1 | 1 | 3 | 6 | 12 | 20 | 38 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 7.2 | 3 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 20-34 | 28 | 6.0 | 3 | 2 | 3 | 6 | 7 | 8 | 9 | 9 |
| 35-49 | 10 | 5.8 | 5 | 1 | 2 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | 17 | 7.7 | 12 | 3 | 5 | 7 | 9 | 12 | 16 | 17 |
| 65+ | 24 | 6.9 | 10 | 2 | 3 | 7 | 8 | 11 | 13 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 20-34 | 5 | 6.2 | 4 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 35-49 | 3 | 8.7 | 4 | 7 | 7 | 8 | 10 | 11 | 11 | 11 |
| 50-64 | 11 | 12.1 | 44 | 3 | 5 | 11 | 16 | 22 | 26 | 26 |
| 65+ | 23 | 6.4 | 18 | 2 | 3 | 5 | 8 | 13 | 16 | 18 |
| TOT. SINGLE DX | 84 | 6.6 | 8 | 2 | 3 | 6 | 8 | 9 | 11 | 17 |
| " MULTIPLE DX | 44 | 7.9 | 27 | 2 | 3 | 7 | 10 | 15 | 19 | 26 |
| TOTAL 0-19 YRS | 7 | 6.3 | 6 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 33 | 6.0 | 3 | 2 | 3 | 6 | 7 | 8 | 9 | 9 |
| 35-49 | 13 | 6.5 | 7 | 1 | 3 | 7 | 8 | 9 | 11 | 11 |
| 50-64 | 28 | 9.4 | 28 | 3 | 5 | 8 | 11 | 17 | 21 | 26 |
| 65+ | 47 | 6.7 | 14 | 2 | 3 | 6 | 8 | 12 | 15 | 18 |
| GRAND TOTAL | 128 | 7.1 | 14 | 2 | 3 | 7 | 8 | 11 | 15 | 21 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 4.8 | 13 | <1 | <1 | 4 | 7 | 8 | 9 | 20 |
| 20-34 | 68 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 6 | 14 |
| 35-49 | 76 | 2.7 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 16 |
| 50-64 | 66 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 65+ | 52 | 3.7 | 12 | <1 | <1 | 3 | 4 | 7 | 11 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 27 | 7.9 | 22 | 2 | 3 | 7 | 10 | 15 | 17 | 20 |
| 20-34 | 21 | 7.7 | 38 | <1 | 1 | 7 | 11 | 18 | 20 | 21 |
| 35-49 | 10 | 6.0 | 6 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 31 | 6.5 | 40 | 1 | 2 | 4 | 8 | 14 | 18 | 32 |
| 65+ | 39 | 6.2 | 52 | 1 | 1 | 4 | 7 | 13 | 21 | 39 |
| TOT. SINGLE DX | 294 | 3.1 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |
| " MULTIPLE DX | 128 | 6.9 | 37 | 1 | 2 | 5 | 9 | 13 | 18 | 34 |
| TOTAL 0-19 YRS | 59 | 6.2 | 19 | <1 | 1 | 6 | 8 | 12 | 17 | 20 |
| 20-34 | 89 | 4.1 | 17 | <1 | <1 | 2 | 5 | 9 | 13 | 20 |
| 35-49 | 86 | 3.0 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 50-64 | 97 | 3.8 | 18 | <1 | <1 | 2 | 4 | 7 | 11 | 25 |
| 65+ | 91 | 4.8 | 31 | <1 | 1 | 3 | 6 | 10 | 13 | 34 |
| GRAND TOTAL | 422 | 4.2 | 19 | <1 | <1 | 3 | 5 | 9 | 12 | 21 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 5.0 | 14 | <1 | <1 | 5 | 8 | 10 | 10 | 10 |
| 20-34 | 12 | 7.1 | 20 | 2 | 2 | 7 | 9 | 13 | 17 | 18 |
| 35-49 | 20 | 6.1 | 15 | 1 | 2 | 5 | 8 | 12 | 15 | 15 |
| 50-64 | 71 | 6.9 | 19 | 2 | 2 | 6 | 8 | 13 | 16 | 21 |
| 65+ | 117 | 7.2 | 23 | 2 | 2 | 6 | 10 | 14 | 15 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 6.8 | 47 | 2 | 2 | 5 | 8 | 16 | 25 | 26 |
| 20-34 | 21 | 8.3 | 29 | 1 | 2 | 8 | 11 | 17 | 19 | 21 |
| 35-49 | 14 | 6.1 | 11 | 2 | 3 | 5 | 8 | 11 | 13 | 14 |
| 50-64 | 53 | 9.9 | 40 | 3 | 4 | 8 | 13 | 17 | 22 | 34 |
| 65+ | 125 | 9.2 | 41 | 3 | 3 | 8 | 11 | 16 | 20 | 41 |
| TOT. SINGLE DX | 226 | 7.0 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 22 |
| " MULTIPLE DX | 224 | 9.0 | 39 | 2 | 3 | 8 | 11 | 16 | 21 | 36 |
| TOTAL 0-19 YRS | 17 | 6.2 | 35 | 1 | 2 | 5 | 8 | 10 | 20 | 26 |
| 20-34 | 33 | 7.9 | 26 | 1 | 2 | 8 | 10 | 16 | 18 | 21 |
| 35-49 | 34 | 6.1 | 14 | 2 | 2 | 5 | 8 | 11 | 15 | 15 |
| 50-64 | 124 | 8.2 | 30 | 2 | 3 | 7 | 11 | 15 | 20 | 27 |
| 65+ | 242 | 8.3 | 34 | 2 | 3 | 7 | 11 | 14 | 18 | 29 |
| GRAND TOTAL | 450 | 8.0 | 31 | 2 | 2 | 7 | 10 | 15 | 18 | 27 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 5.7 | 20 | 1 | 1 | 5 | 8 | 12 | 15 | 17 |
| 20-34 | 31 | 5.3 | 29 | 1 | 1 | 3 | 6 | 13 | 21 | 21 |
| 35-49 | 34 | 4.3 | 5 | 2 | 2 | 4 | 7 | 8 | 8 | 9 |
| 50-64 | 71 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 14 |
| 65+ | 81 | 5.2 | 12 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 10.3 | 61 | 2 | 2 | 7 | 16 | 22 | 26 | 28 |
| 20-34 | 32 | 8.5 | 47 | 2 | 2 | 6 | 12 | 16 | 22 | 34 |
| 35-49 | 20 | 8.9 | 26 | 1 | 3 | 7 | 12 | 17 | 19 | 19 |
| 50-64 | 52 | 8.3 | 38 | 2 | 2 | 7 | 12 | 16 | 21 | 30 |
| 65+ | 81 | 7.1 | 37 | 2 | 2 | 6 | 8 | 15 | 19 | 34 |
| TOT. SINGLE DX | 237 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| " MULTIPLE DX | 206 | 8.1 | 41 | 2 | 2 | 6 | 11 | 17 | 21 | 32 |
| TOTAL 0-19 YRS | 41 | 8.0 | 46 | 1 | 1 | 6 | 12 | 18 | 22 | 28 |
| 20-34 | 63 | 6.9 | 40 | 1 | 2 | 5 | 8 | 16 | 21 | 32 |
| 35-49 | 54 | 6.0 | 18 | 2 | 2 | 5 | 7 | 12 | 16 | 19 |
| 50-64 | 123 | 6.2 | 24 | 2 | 2 | 5 | 7 | 13 | 16 | 24 |
| 65+ | 162 | 6.2 | 26 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| GRAND TOTAL | 443 | 6.4 | 28 | 2 | 2 | 5 | 8 | 14 | 17 | 28 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 4.2 | 6 | 2 | 2 | 3 | 5 | 8 | 10 | 10 |
| 20-34 | 18 | 4.7 | 3 | 2 | 2 | 5 | 6 | 7 | 8 | 8 |
| 35-49 | 123 | 5.4 | 8 | 2 | 2 | 5 | 6 | 8 | 12 | 16 |
| 50-64 | 727 | 5.5 | 8 | 2 | 2 | 5 | 6 | 9 | 12 | 15 |
| 65+ | 2192 | 5.6 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 14 | 6.6 | 34 | 2 | 2 | 5 | 8 | 14 | 22 | 24 |
| 20-34 | 11 | 5.7 | 12 | 2 | 2 | 4 | 7 | 12 | 13 | 13 |
| 35-49 | 89 | 6.8 | 22 | 2 | 3 | 6 | 7 | 12 | 17 | 27 |
| 50-64 | 569 | 6.2 | 21 | 2 | 2 | 5 | 7 | 12 | 15 | 24 |
| 65+ | 2360 | 7.1 | 45 | 2 | 2 | 6 | 8 | 13 | 17 | 43 |
| TOT. SINGLE DX | 3074 | 5.6 | 9 | 2 | 2 | 5 | 7 | 9 | 12 | 15 |
| " MULTIPLE DX | 3043 | 6.9 | 40 | 2 | 2 | 6 | 8 | 13 | 17 | 38 |
| TOTAL 0-19 YRS | 28 | 5.4 | 21 | 2 | 2 | 4 | 7 | 10 | 14 | 24 |
| 20-34 | 29 | 5.1 | 7 | 2 | 2 | 5 | 6 | 8 | 11 | 13 |
| 35-49 | 212 | 6.0 | 14 | 2 | 3 | 5 | 7 | 10 | 13 | 24 |
| 50-64 | 1296 | 5.8 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 4552 | 6.4 | 29 | 2 | 2 | 5 | 7 | 11 | 14 | 31 |
| GRAND TOTAL | 6117 | 6.2 | 25 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 41 | 4.2 | 9 | 1 | 1 | 3 | 5 | 9 | 11 | 13 |
| 20-34 | 30 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 35-49 | 50 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 10 | 11 |
| 50-64 | 78 | 4.6 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 13 |
| 65+ | 174 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 15 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 19 | 7.5 | 21 | 1 | 2 | 7 | 10 | 12 | 17 | 21 |
| 20-34 | 27 | 6.0 | 9 | 2 | 3 | 5 | 9 | 10 | 11 | 14 |
| 35-49 | 28 | 5.4 | 11 | 2 | 2 | 4 | 7 | 11 | 13 | 15 |
| 50-64 | 97 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| 65+ | 312 | 5.3 | 28 | 3 | 3 | 4 | 6 | 9 | 12 | 33 |
| TOT. SINGLE DX | 373 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| " MULTIPLE DX | 483 | 5.3 | 23 | 2 | 3 | 4 | 6 | 9 | 12 | 23 |
| TOTAL 0-19 YRS | 60 | 5.2 | 15 | 1 | 2 | 4 | 7 | 11 | 12 | 20 |
| 20-34 | 57 | 5.0 | 8 | 2 | 2 | 4 | 6 | 10 | 10 | 14 |
| 35-49 | 78 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 11 | 14 |
| 50-64 | 175 | 4.6 | 6 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 65+ | 486 | 5.1 | 21 | 2 | 3 | 4 | 6 | 8 | 11 | 21 |
| GRAND TOTAL | 856 | 4.9 | 15 | 2 | 3 | 4 | 6 | 8 | 11 | 17 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 2 | 1.0 |  | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 32 | 3.9 | 3 | 1 | 2 | 4 | 5 | 6 | 8 | 8 |
| 65+ | 77 | 5.4 | 8 | 2 | 2 | 5 | 6 | 9 | 11 | 15 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 1 | 5.0 |  | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | 21 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 65+ | 74 | 6.1 | 22 | 2 | 3 | 5 | 6 | 12 | 16 | 25 |
| TOT. SINGLE DX | 114 | 4.8 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| " MULTIPLE DX | 97 | 5.4 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| TOTAL 0-19 YRS | 2 | 1.0 |  | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 20-34 | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 35-49 | 4 | 3.3 | 4 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 50-64 | 53 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 65+ | 151 | 5.7 | 15 | 2 | 2 | 5 | 6 | 10 | 13 | 23 |
| GRAND TOTAL | 211 | 5.1 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 21 | 5.9 | 7 | 2 | 3 | 5 | 8 | 9 | 11 | 14 |
| 20-34 | 64 | 7.0 | 13 | 2 | 3 | 6 | 9 | 12 | 15 | 16 |
| 35-49 | 55 | 6.1 | 7 | 2 | 3 | 6 | 8 | 10 | 11 | 11 |
| 50-64 | 114 | 6.3 | 11 | 2 | 2 | 6 | 8 | 11 | 12 | 16 |
| 65+ | 100 | 7.4 | 22 | 2 | 2 | 6 | 11 | 13 | 15 | 23 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 16.1 | 659 | 4 | 4 | 8 | 11 | 44 | 88 | 98 |
| 20-34 | 42 | 8.0 | 29 | 2 | 3 | 6 | 10 | 16 | 20 | 24 |
| 35-49 | 45 | 8.5 | 29 | 3 | 4 | 7 | 10 | 14 | 21 | 28 |
| 50-64 | 117 | 7.5 | 23 | 2 | 3 | 7 | 9 | 13 | 16 | 29 |
| 65+ | 142 | 8.8 | 28 | 3 | 4 | 7 | 11 | 16 | 20 | 27 |
| TOT. SINGLE DX | 354 | 6.7 | 14 | 2 | 2 | 6 | 9 | 11 | 14 | 18 |
| " MULTIPLE DX | 359 | 8.5 | 50 | 2 | 3 | 7 | 10 | 15 | 19 | 28 |
| TOTAL 0-19 YRS | 34 | 9.8 | 270 | 3 | 3 | 6 | 9 | 14 | 28 | 98 |
| 20-34 | 106 | 7.3 | 20 | 2 | 3 | 6 | 9 | 13 | 16 | 22 |
| 35-49 | 100 | 7.2 | 18 | 2 | 3 | 7 | 9 | 11 | 13 | 26 |
| 50-64 | 231 | 6.9 | 18 | 2 | 2 | 6 | 9 | 11 | 14 | 19 |
| 65+ | 242 | 8.2 | 26 | 2 | 3 | 7 | 11 | 15 | 18 | 26 |
| GRAND TOTAL | 713 | 7.6 | 33 | 2 | 3 | 6 | 9 | 13 | 16 | 25 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 2.8 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 7 |
| 20-34 | 22 | 4.2 | 7 | 1 | 2 | 3 | 7 | 8 | 9 | 11 |
| 35-49 | 14 | 4.8 | 5 | 2 | 3 | 4 | 7 | 8 | 9 | 10 |
| 50-64 | 16 | 6.1 | 11 | 2 | 3 | 5 | 8 | 11 | 14 | 15 |
| 65+ | 21 | 5.9 | 20 | 1 | 2 | 5 | 6 | 11 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 6.0 | 11 | <1 | 2 | 5 | 9 | 11 | 12 | 12 |
| 20-34 | 42 | 9.6 | 58 | 2 | 3 | 7 | 12 | 19 | 25 | 38 |
| 35-49 | 38 | 6.8 | 21 | 2 | 2 | 6 | 9 | 11 | 12 | 28 |
| 50-64 | 56 | 7.5 | 24 | 2 | 3 | 6 | 9 | 15 | 22 | 95 |
| 65+ | 59 | 6.5 | 22 | 2 | 2 | 6 | 8 | 12 | 18 | 23 |
| TOT. SINGLE DX | 88 | 4.8 | 11 | <1 | 1 | 4 | 6 | 8 | 11 | 19 |
| " MULTIPLE DX | 210 | 7.4 | 30 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| TOTAL 0-19 YRS | 30 | 4.4 | 11 | <1 | <1 | 4 | 6 | 9 | 11 | 12 |
| 20-34 | 64 | 7.8 | 47 | 2 | 2 | 6 | 9 | 16 | 19 | 37 |
| 35-49 | 52 | 6.3 | 18 | 2 | 2 | 6 | 8 | 10 | 11 | 28 |
| 50-64 | 72 | 7.2 | 22 | 2 | 3 | 6 | 9 | 14 | 19 | 83 |
| 65+ | 80 | 6.3 | 22 | 2 | 2 | 6 | 7 | 11 | 18 | 23 |
| GRAND TOTAL | 298 | 6.6 | 26 | 2 | 2 | 6 | 8 | 12 | 18 | 30 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1062 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 20-34 | 223 | 2.2 | | 1 | 2 | 2 | 2 | 3 | 3 | 5 |
| 35-49 | 75 | 2.1 | | 1 | 2 | 2 | 2 | 3 | 3 | 5 |
| 50-64 | 26 | 2.5 | | 1 | 2 | 2 | 3 | 3 | 4 | 5 |
| 65+ | 15 | 2.7 | 2 | 1 | 2 | 2 | 3 | 3 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 169 | 2.5 | 17 | 1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 20-34 | 50 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 35-49 | 32 | 3.0 | 16 | 1 | 1 | 2 | 3 | 4 | 5 | 25 |
| 50-64 | 23 | 4.4 | 32 | 2 | 2 | 3 | 3 | 9 | 18 | 28 |
| 65+ | 16 | 3.9 | 2 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| TOT. SINGLE DX | 1401 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 290 | 2.8 | 15 | 1 | 1 | 2 | 3 | 4 | 6 | 21 |
| TOTAL 0-19 YRS | 1231 | 1.9 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 20-34 | 273 | 2.3 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 107 | 2.4 | 5 | 1 | 1 | 2 | 3 | 3 | 3 | 14 |
| 50-64 | 49 | 3.4 | 16 | 2 | 2 | 2 | 3 | 4 | 8 | 28 |
| 65+ | 31 | 3.3 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| GRAND TOTAL | 1691 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 3 | 7 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 2.8 | 6 | 1 | 1 | 2 | 2 | 7 | 8 | 8 |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 50.0 | | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 8 | 2.6 | 5 | 1 | 1 | 2 | 2 | 6 | 8 | 8 |
| " MULTIPLE DX | 3 | 18.0 | 769 | <1 | <1 | 3 | 38 | 50 | 50 | 50 |
| TOTAL 0-19 YRS | 7 | 2.6 | 6 | <1 | <1 | 2 | 2 | 7 | 8 | 8 |
| 20-34 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 35-49 | 1 | 50.0 | | 50 | 50 | 50 | 50 | 50 | 50 | 50 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 11 | 6.8 | 209 | <1 | 1 | 2 | 3 | 25 | 48 | 50 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 5.6 | 38 | 1 | 1 | 3 | 6 | 11 | 19 | 32 |
| 20-34 | 34 | 5.0 | 13 | 1 | 2 | 4 | 6 | 8 | 12 | 20 |
| 35-49 | 26 | 4.7 | 11 | <1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 50-64 | 27 | 6.1 | 13 | 2 | 2 | 5 | 9 | 12 | 13 | 14 |
| 65+ | 26 | 5.8 | 21 | 1 | 1 | 5 | 7 | 10 | 17 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 6.0 | 21 | 1 | 2 | 4 | 8 | 11 | 18 | 19 |
| 20-34 | 37 | 7.5 | 56 | 2 | 2 | 6 | 7 | 13 | 20 | 48 |
| 35-49 | 32 | 8.6 | 71 | 2 | 2 | 6 | 11 | 18 | 23 | 43 |
| 50-64 | 37 | 7.8 | 33 | 2 | 2 | 7 | 10 | 15 | 19 | 28 |
| 65+ | 44 | 13.9 | 150 | 2 | 3 | 10 | 16 | 33 | 44 | 52 |
| TOT. SINGLE DX | 151 | 5.4 | 20 | 1 | 2 | 4 | 7 | 11 | 13 | 23 |
| " MULTIPLE DX | 174 | 9.2 | 80 | 2 | 2 | 6 | 11 | 19 | 27 | 48 |
| TOTAL 0-19 YRS | 62 | 5.7 | 31 | 1 | 2 | 4 | 7 | 11 | 18 | 31 |
| 20-34 | 71 | 6.3 | 37 | 1 | 2 | 5 | 7 | 9 | 18 | 40 |
| 35-49 | 58 | 6.8 | 48 | 1 | 2 | 5 | 9 | 14 | 19 | 41 |
| 50-64 | 64 | 7.1 | 25 | 2 | 2 | 6 | 9 | 14 | 16 | 27 |
| 65+ | 70 | 10.9 | 117 | 1 | 2 | 7 | 13 | 23 | 36 | 51 |
| GRAND TOTAL | 325 | 7.4 | 56 | 1 | 2 | 5 | 9 | 14 | 20 | 43 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 291 | 2.3 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 20-34 | 68 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 16 |
| 35-49 | 21 | 2.8 | 5 | <1 | 1 | 2 | 3 | 7 | 9 | 10 |
| 50-64 | 22 | 3.5 | 11 | <1 | <1 | 2 | 4 | 9 | 12 | 12 |
| 65+ | 26 | 4.6 | 22 | <1 | 1 | 2 | 5 | 13 | 15 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 129 | 5.0 | 21 | 1 | 1 | 4 | 6 | 10 | 15 | 48 |
| 20-34 | 42 | 4.2 | 52 | <1 | <1 | 2 | 3 | 8 | 16 | 43 |
| 35-49 | 27 | 7.0 | 68 | 1 | 1 | 4 | 8 | 20 | 27 | 35 |
| 50-64 | 22 | 6.1 | 83 | <1 | 1 | 3 | 6 | 18 | 29 | 40 |
| 65+ | 52 | 15.6 | 311 | 1 | 2 | 12 | 20 | 34 | 76 | 99+ |
| TOT. SINGLE DX | 428 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| " MULTIPLE DX | 272 | 7.2 | 107 | 1 | 1 | 4 | 8 | 18 | 26 | 92 |
| TOTAL 0-19 YRS | 420 | 3.1 | 11 | <1 | <1 | 2 | 4 | 6 | 9 | 18 |
| 20-34 | 110 | 3.3 | 24 | <1 | <1 | 2 | 3 | 6 | 9 | 31 |
| 35-49 | 48 | 5.2 | 45 | 1 | 1 | 2 | 7 | 10 | 21 | 35 |
| 50-64 | 44 | 4.8 | 48 | <1 | <1 | 2 | 5 | 12 | 18 | 40 |
| 65+ | 78 | 11.9 | 241 | 1 | 2 | 6 | 15 | 26 | 39 | 99 |
| GRAND TOTAL | 700 | 4.4 | 50 | <1 | <1 | 2 | 4 | 9 | 15 | 38 |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 95 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 108 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 87 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 23 | 3.1 | | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 20-34 | 34 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 6 | 8 |
| 35-49 | 49 | 3.3 | 10 | 1 | 2 | 3 | 3 | 5 | 7 | 24 |
| 50-64 | 49 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 10 | 8.0 | 190 | 2 | 2 | 4 | 5 | 27 | 47 | 47 |
| TOT. SINGLE DX | 324 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| " MULTIPLE DX | 149 | 3.5 | 18 | 2 | 2 | 3 | 3 | 5 | 7 | 24 |
| TOTAL 0-19 YRS | 18 | 2.2 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 20-34 | 129 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 35-49 | 157 | 3.3 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 50-64 | 136 | 3.2 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 65+ | 33 | 4.6 | 59 | 2 | 2 | 3 | 4 | 5 | 7 | 47 |
| GRAND TOTAL | 473 | 3.3 | 7 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 284 | 3.2 | 4 | 2 | 2 | 3 | 3 | 5 | 7 | 11 |
| 20-34 | 253 | 2.9 | 1 | 2 | 2 | 3 | 3 | 5 | 6 | 8 |
| 35-49 | 168 | 2.8 | 1 | 1 | 2 | 2 | 3 | 5 | 6 | 8 |
| 50-64 | 118 | 3.0 | 4 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| 65+ | 28 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 218 | 4.0 | 10 | 2 | 2 | 3 | 5 | 8 | 10 | 19 |
| 20-34 | 274 | 3.3 | 3 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 159 | 3.6 | 8 | 2 | 2 | 3 | 4 | 7 | 8 | 12 |
| 50-64 | 135 | 4.0 | 30 | 2 | 2 | 3 | 4 | 8 | 8 | 20 |
| 65+ | 39 | 4.1 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 11 |
| TOT. SINGLE DX | 851 | 3.0 | 3 | 2 | 2 | 3 | 3 | 5 | 6 | 9 |
| " MULTIPLE DX | 825 | 3.7 | 11 | 2 | 2 | 3 | 4 | 8 | 8 | 12 |
| TOTAL 0-19 YRS | 502 | 3.5 | 8 | 2 | 2 | 3 | 4 | 7 | 8 | 16 |
| 20-34 | 527 | 3.1 | 3 | 2 | 2 | 3 | 3 | 6 | 7 | 8 |
| 35-49 | 327 | 3.2 | 5 | 2 | 2 | 3 | 3 | 6 | 7 | 10 |
| 50-64 | 253 | 3.5 | 18 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 65+ | 67 | 3.5 | 5 | 1 | 2 | 3 | 4 | 8 | 8 | 11 |
| GRAND TOTAL | 1676 | 3.3 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 10 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (5) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1115 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 8 |
| 20-34 | 82 | 1.5 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 7 |
| 35-49 | 50 | 1.9 | 5 | <1 | <1 | <1 | 2 | 4 | 5 | 16 |
| 50-64 | 38 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 65+ | 19 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 7 | 10 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 946 | 3.0 | 19 | <1 | 1 | 2 | 2 | 5 | 10 | 20 |
| 20-34 | 25 | 5.5 | 42 | <1 | <1 | 2 | 6 | 20 | 20 | 21 |
| 35-49 | 20 | 3.8 | 28 | <1 | <1 | 2 | 3 | 7 | 16 | 25 |
| 50-64 | 20 | 3.9 | 19 | <1 | <1 | 2 | 5 | 10 | 16 | 18 |
| 65+ | 21 | 10.4 | 115 | 1 | 1 | 5 | 20 | 28 | 30 | 32 |
| TOT. SINGLE DX | 1304 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| " MULTIPLE DX | 1032 | 3.2 | 23 | <1 | 1 | 2 | 2 | 6 | 12 | 24 |
| TOTAL 0-19 YRS | 2061 | 2.2 | 10 | <1 | <1 | 2 | 2 | 2 | 6 | 16 |
| 20-34 | 107 | 2.4 | 13 | <1 | <1 | <1 | 2 | 5 | 9 | 21 |
| 35-49 | 70 | 2.4 | 13 | <1 | <1 | 1 | 3 | 4 | 8 | 23 |
| 50-64 | 58 | 2.5 | 9 | <1 | <1 | 1 | 2 | 5 | 7 | 18 |
| 65+ | 40 | 6.4 | 79 | <1 | <1 | 2 | 7 | 24 | 29 | 32 |
| GRAND TOTAL | 2336 | 2.3 | 12 | <1 | <1 | 2 | 2 | 3 | 7 | 18 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 52 | 5.0 | 18 | 2 | 2 | 4 | 6 | 8 | 12 | 27 |
| 20-34 | 75 | 4.0 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 13 |
| 35-49 | 46 | 4.6 | 4 | 2 | 2 | 4 | 5 | 9 | 10 | 10 |
| 50-64 | 30 | 5.3 | 5 | 3 | 3 | 5 | 6 | 9 | 10 | 11 |
| 65+ | 16 | 7.4 | 108 | 2 | 2 | 4 | 7 | 11 | 35 | 45 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 87 | 7.1 | 56 | 2 | 3 | 4 | 8 | 14 | 23 | 42 |
| 20-34 | 106 | 5.0 | 14 | 2 | 3 | 4 | 5 | 8 | 12 | 24 |
| 35-49 | 58 | 5.9 | 38 | 2 | 2 | 4 | 6 | 10 | 19 | 36 |
| 50-64 | 65 | 5.3 | 8 | 3 | 3 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 23 | 7.5 | 45 | 2 | 3 | 5 | 10 | 24 | 50 | 99+ |
| TOT. SINGLE DX | 219 | 4.8 | 16 | 2 | 2 | 4 | 5 | 8 | 10 | 21 |
| " MULTIPLE DX | 339 | 5.9 | 31 | 2 | 3 | 4 | 6 | 11 | 16 | 36 |
| TOTAL 0-19 YRS | 139 | 6.3 | 43 | 2 | 2 | 4 | 7 | 12 | 19 | 37 |
| 20-34 | 181 | 4.6 | 11 | 2 | 2 | 4 | 5 | 7 | 10 | 21 |
| 35-49 | 104 | 5.3 | 24 | 2 | 2 | 4 | 5 | 9 | 11 | 33 |
| 50-64 | 95 | 5.3 | 7 | 3 | 3 | 5 | 6 | 9 | 11 | 17 |
| 65+ | 39 | 7.5 | 65 | 2 | 3 | 4 | 9 | 19 | 37 | 99+ |
| GRAND TOTAL | 558 | 5.5 | 25 | 2 | 2 | 4 | 6 | 10 | 13 | 31 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 77 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 20-34 | 32 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 10 | 10 |
| 35-49 | 37 | 5.2 | 34 | <1 | 1 | 3 | 6 | 9 | 18 | 32 |
| 50-64 | 24 | 3.9 | 4 | 2 | 2 | 3 | 5 | 7 | 9 | 10 |
| 65+ | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 71 | 2.9 | 16 | <1 | <1 | <1 | 2 | 8 | 12 | 21 |
| 20-34 | 45 | 6.0 | 30 | 1 | 2 | 4 | 8 | 12 | 15 | 33 |
| 35-49 | 25 | 4.2 | 14 | <1 | 1 | 3 | 6 | 8 | 12 | 17 |
| 50-64 | 23 | 5.0 | 13 | 2 | 2 | 3 | 8 | 11 | 12 | 14 |
| 65+ | 12 | 7.4 | 54 | 2 | 2 | 4 | 10 | 18 | 25 | 26 |
| TOT. SINGLE DX | 178 | 3.2 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 18 |
| " MULTIPLE DX | 176 | 4.4 | 23 | <1 | <1 | 3 | 6 | 11 | 14 | 25 |
| TOTAL 0-19 YRS | 148 | 2.5 | 10 | <1 | <1 | 1 | 2 | 6 | 9 | 18 |
| 20-34 | 77 | 4.9 | 21 | 1 | 2 | 3 | 6 | 10 | 13 | 29 |
| 35-49 | 62 | 4.8 | 26 | <1 | 1 | 3 | 6 | 9 | 16 | 30 |
| 50-64 | 47 | 4.4 | 9 | 2 | 2 | 3 | 6 | 9 | 11 | 14 |
| 65+ | 20 | 5.5 | 38 | 1 | 1 | 3 | 5 | 15 | 21 | 26 |
| GRAND TOTAL | 354 | 3.8 | 18 | <1 | <1 | 2 | 5 | 8 | 12 | 22 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| TOT. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| " MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| TOTAL 0-19 YRS |  |  |  |  |  |  |  |  |  |  |
| 20-34 |  |  |  |  |  |  |  |  |  |  |
| 35-49 |  |  |  |  |  |  |  |  |  |  |
| 50-64 |  |  |  |  |  |  |  |  |  |  |
| 65+ |  |  |  |  |  |  |  |  |  |  |
| GRAND TOTAL |  |  |  |  |  |  |  |  |  |  |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 217 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 488 | 2.8 | | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 213 | 2.9 | | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 50-64 | 100 | 2.9 | | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 65+ | 26 | 2.8 | | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 214 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 20-34 | 605 | 2.9 | 1 | <1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 260 | 4.0 | 72 | <1 | 2 | 3 | 3 | 4 | 6 | 41 |
| 50-64 | 161 | 3.5 | 15 | 1 | 2 | 3 | 3 | 4 | 6 | 30 |
| 65+ | 37 | 4.9 | 22 | 2 | 2 | 3 | 5 | 12 | 16 | 24 |
| TOT. SINGLE DX | 1044 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 1277 | 3.3 | 19 | <1 | 2 | 3 | 3 | 4 | 5 | 14 |
| TOTAL 0-19 YRS | 431 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 1093 | 2.8 | 1 | <1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 35-49 | 473 | 3.5 | 41 | 1 | 2 | 3 | 3 | 4 | 5 | 26 |
| 50-64 | 261 | 3.3 | 10 | 2 | 2 | 3 | 3 | 4 | 5 | 14 |
| 65+ | 63 | 4.0 | 15 | 2 | 2 | 3 | 4 | 6 | 14 | 23 |
| GRAND TOTAL | 2321 | 3.1 | 11 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 355 | 3.0 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 20-34 | 745 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 35-49 | 293 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 108 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| 65+ | 20 | 4.7 | 48 | 1 | 1 | 4 | 4 | 5 | 19 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 283 | 3.1 | 5 | 1 | 1 | 3 | 3 | 5 | 6 | 14 |
| 20-34 | 644 | 3.2 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| 35-49 | 263 | 3.6 | 17 | 1 | 2 | 3 | 3 | 5 | 7 | 28 |
| 50-64 | 136 | 3.7 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| 65+ | 62 | 6.9 | 89 | 2 | 2 | 4 | 7 | 16 | 32 | 95 |
| TOT. SINGLE DX | 1521 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 1388 | 3.4 | 13 | 1 | 2 | 3 | 4 | 5 | 7 | 19 |
| TOTAL 0-19 YRS | 638 | 3.0 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 10 |
| 20-34 | 1389 | 3.0 | 4 | 1 | 2 | 3 | 3 | 5 | 5 | 9 |
| 35-49 | 556 | 3.2 | 10 | 1 | 2 | 3 | 3 | 4 | 5 | 14 |
| 50-64 | 244 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 7 | 16 |
| 65+ | 82 | 6.4 | 80 | 1 | 2 | 4 | 5 | 14 | 29 | 56 |
| GRAND TOTAL | 2909 | 3.2 | 7 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 14 |
| 20-34 | 79 | 2.6 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 35-49 | 71 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 8 |
| 50-64 | 81 | 3.6 | 31 | 1 | 2 | 2 | 3 | 6 | 8 | 39 |
| 65+ | 91 | 4.1 | 16 | 1 | 1 | 3 | 4 | 9 | 15 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 5.2 | 51 | 1 | 2 | 2 | 5 | 12 | 22 | 40 |
| 20-34 | 94 | 4.0 | 21 | <1 | 2 | 3 | 4 | 7 | 12 | 30 |
| 35-49 | 96 | 3.9 | 9 | 1 | 2 | 3 | 4 | 8 | 11 | 17 |
| 50-64 | 145 | 3.9 | 14 | 1 | 2 | 3 | 4 | 7 | 11 | 23 |
| 65+ | 137 | 8.0 | 109 | 1 | 2 | 4 | 10 | 20 | 29 | 82 |
| TOT. SINGLE DX | 374 | 3.1 | 13 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| " MULTIPLE DX | 524 | 5.1 | 46 | 1 | 2 | 3 | 5 | 11 | 18 | 36 |
| TOTAL 0-19 YRS | 104 | 3.8 | 30 | <1 | 1 | 2 | 4 | 6 | 15 | 31 |
| 20-34 | 173 | 3.4 | 14 | <1 | <1 | 3 | 4 | 5 | 8 | 26 |
| 35-49 | 167 | 3.2 | 7 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| 50-64 | 226 | 3.8 | 20 | 1 | 2 | 3 | 4 | 7 | 10 | 24 |
| 65+ | 228 | 6.5 | 76 | 1 | 2 | 3 | 7 | 16 | 23 | 55 |
| GRAND TOTAL | 898 | 4.3 | 33 | <1 | 1 | 3 | 4 | 8 | 14 | 31 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 219 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 20-34 | 189 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 35-49 | 46 | 3.6 | 9 | 1 | 1 | 3 | 8 | 7 | 8 | 18 |
| 50-64 | 56 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 65+ | 46 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 101 | 3.9 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| 20-34 | 119 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 10 | 13 |
| 35-49 | 50 | 5.5 | 22 | 1 | 1 | 4 | 7 | 15 | 16 | 18 |
| 50-64 | 73 | 5.8 | 31 | 1 | 1 | 5 | 7 | 12 | 14 | 38 |
| 65+ | 114 | 7.5 | 39 | 1 | 2 | 5 | 9 | 17 | 21 | 27 |
| TOT. SINGLE DX | 556 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 457 | 5.1 | 24 | 1 | 1 | 4 | 7 | 12 | 16 | 23 |
| TOTAL 0-19 YRS | 320 | 2.6 | 7 | <1 | <1 | 2 | 3 | 6 | 9 | 12 |
| 20-34 | 308 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 35-49 | 96 | 4.6 | 17 | 1 | 1 | 3 | 6 | 10 | 16 | 18 |
| 50-64 | 129 | 5.2 | 22 | 1 | 1 | 4 | 6 | 9 | 14 | 24 |
| 65+ | 160 | 6.4 | 34 | 1 | 1 | 5 | 8 | 15 | 19 | 26 |
| GRAND TOTAL | 1013 | 3.7 | 16 | <1 | 1 | 2 | 5 | 8 | 12 | 19 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 2.9 | 1 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 20-34 | 47 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 40 | 3.7 | 3 | 1 | 2 | 3 | 5 | 7 | 7 | 8 |
| 50-64 | 26 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 65+ | 17 | 3.8 | 6 | 1 | 2 | 3 | 4 | 6 | 10 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 5.7 | 47 | 1 | 2 | 4 | 5 | 9 | 24 | 29 |
| 20-34 | 34 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 35-49 | 45 | 4.3 | 13 | 2 | 2 | 3 | 5 | 7 | 10 | 20 |
| 50-64 | 36 | 4.8 | 28 | 2 | 2 | 3 | 5 | 7 | 8 | 34 |
| 65+ | 10 | 5.0 | 6 | 3 | 3 | 4 | 5 | 9 | 12 | 12 |
| TOT. SINGLE DX | 146 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 139 | 4.5 | 17 | 2 | 2 | 3 | 5 | 7 | 8 | 30 |
| TOTAL 0-19 YRS | 30 | 4.2 | 24 | 1 | 1 | 3 | 5 | 6 | 6 | 29 |
| 20-34 | 81 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 35-49 | 85 | 4.0 | 8 | 2 | 2 | 3 | 5 | 7 | 7 | 20 |
| 50-64 | 62 | 4.1 | 17 | 2 | 2 | 3 | 5 | 6 | 7 | 31 |
| 65+ | 27 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 12 | 12 |
| GRAND TOTAL | 285 | 3.9 | 10 | 2 | 2 | 3 | 5 | 6 | 7 | 20 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 2.0 | 2 | <1 | <1 | 1 | 2 | 3 | 6 | 9 |
| 20-34 | 72 | 2.9 | 10 | <1 | <1 | 2 | 4 | 5 | 7 | 22 |
| 35-49 | 70 | 3.2 | 9 | <1 | <1 | 2 | 4 | 5 | 9 | 20 |
| 50-64 | 54 | 3.3 | 6 | <1 | <1 | 3 | 4 | 7 | 8 | 15 |
| 65+ | 24 | 4.8 | 23 | 1 | 2 | 3 | 6 | 14 | 17 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 3.9 | 18 | <1 | 1 | 2 | 4 | 9 | 12 | 26 |
| 20-34 | 78 | 4.1 | 23 | <1 | 1 | 3 | 5 | 7 | 12 | 32 |
| 35-49 | 82 | 4.2 | 16 | 1 | 2 | 3 | 4 | 8 | 13 | 23 |
| 50-64 | 64 | 5.9 | 40 | 1 | 2 | 3 | 6 | 15 | 20 | 31 |
| 65+ | 35 | 7.1 | 40 | 2 | 2 | 4 | 8 | 18 | 23 | 27 |
| TOT. SINGLE DX | 257 | 3.1 | 10 | <1 | <1 | 2 | 4 | 6 | 9 | 18 |
| " MULTIPLE DX | 322 | 4.8 | 27 | 1 | 2 | 3 | 5 | 10 | 16 | 27 |
| TOTAL 0-19 YRS | 100 | 3.2 | 14 | <1 | <1 | 2 | 3 | 8 | 10 | 21 |
| 20-34 | 150 | 3.5 | 18 | <1 | <1 | 2 | 4 | 6 | 9 | 26 |
| 35-49 | 152 | 3.7 | 13 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 50-64 | 118 | 4.7 | 26 | <1 | 1 | 3 | 4 | 11 | 16 | 27 |
| 65+ | 59 | 6.2 | 34 | 2 | 2 | 4 | 8 | 15 | 21 | 27 |
| GRAND TOTAL | 579 | 4.0 | 20 | <1 | <1 | 3 | 4 | 8 | 13 | 24 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 941 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 1092 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 416 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 50-64 | 201 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| 65+ | 118 | 2.7 | 15 | <1 | <1 | 2 | 2 | 4 | 8 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 290 | 3.9 | 73 | <1 | <1 | 2 | 3 | 7 | 12 | 42 |
| 20-34 | 428 | 4.6 | 86 | <1 | 1 | 2 | 3 | 8 | 18 | 55 |
| 35-49 | 230 | 5.6 | 72 | <1 | 1 | 2 | 4 | 16 | 25 | 45 |
| 50-64 | 278 | 4.3 | 36 | <1 | 1 | 2 | 4 | 10 | 18 | 45 |
| 65+ | 260 | 7.2 | 145 | 1 | 1 | 2 | 7 | 21 | 35 | 99+ |
| TOT. SINGLE DX | 2768 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| " MULTIPLE DX | 1486 | 5.0 | 84 | <1 | 1 | 2 | 4 | 12 | 22 | 65 |
| TOTAL 0-19 YRS | 1231 | 1.9 | 19 | <1 | <1 | 1 | 2 | 2 | 4 | 12 |
| 20-34 | 1520 | 2.4 | 27 | <1 | <1 | 1 | 2 | 3 | 5 | 27 |
| 35-49 | 646 | 3.0 | 30 | <1 | <1 | 2 | 2 | 4 | 13 | 34 |
| 50-64 | 479 | 3.2 | 23 | <1 | <1 | 2 | 2 | 6 | 12 | 35 |
| 65+ | 378 | 5.8 | 109 | <1 | 1 | 2 | 5 | 16 | 28 | 93 |
| GRAND TOTAL | 4254 | 2.7 | 33 | <1 | <1 | 1 | 2 | 4 | 8 | 32 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 190 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 20-34 | 48 | 1.9 | 2 | <1 | 1 | 2 | 2 | 2 | 5 | 9 |
| 35-49 | 9 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 50-64 | 3 | 1.7 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 3 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.9 | 89 | <1 | 1 | 1 | 3 | 17 | 30 | 49 |
| 20-34 | 27 | 6.0 | 185 | <1 | 1 | 2 | 4 | 11 | 32 | 69 |
| 35-49 | 8 | 3.0 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 9 |
| 50-64 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 65+ | 4 | 22.0 | 1600 | 1 | 1 | 2 | 42 | 82 | 82 | 82 |
| TOT. SINGLE DX | 250 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 103 | 5.9 | 163 | <1 | 1 | 2 | 3 | 17 | 30 | 75 |
| TOTAL 0-19 YRS | 253 | 2.1 | 25 | <1 | <1 | 1 | 1 | 2 | 4 | 31 |
| 20-34 | 75 | 3.4 | 71 | 1 | 1 | 2 | 2 | 5 | 10 | 58 |
| 35-49 | 17 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 7 | 9 |
| 50-64 | 4 | 7.0 | 115 | <1 | <1 | 2 | 13 | 23 | 23 | 23 |
| 65+ | 4 | 22.0 | 1601 | 1 | 1 | 2 | 42 | 82 | 82 | 82 |
| GRAND TOTAL | 353 | 2.7 | 52 | <1 | <1 | 1 | 2 | 3 | 6 | 34 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 2.7 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 20-34 | 24 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 35-49 | 36 | 3.5 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 9 |
| 50-64 | 36 | 3.5 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 65+ | 29 | 2.4 | 6 | 1 | 1 | 2 | 2 | 6 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 3.0 | 16 | <1 | <1 | 2 | 3 | 5 | 10 | 26 |
| 20-34 | 36 | 3.3 | 5 | 1 | 1 | 2 | 4 | 8 | 8 | 11 |
| 35-49 | 24 | 5.3 | 48 | 1 | 2 | 3 | 5 | 10 | 20 | 35 |
| 50-64 | 38 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 65+ | 32 | 7.3 | 182 | 1 | 1 | 2 | 7 | 43 | 51 | 99+ |
| TOT. SINGLE DX | 180 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 11 |
| " MULTIPLE DX | 177 | 4.1 | 48 | 1 | 1 | 2 | 4 | 8 | 12 | 50 |
| TOTAL 0-19 YRS | 102 | 2.8 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 19 |
| 20-34 | 60 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 35-49 | 60 | 4.3 | 22 | 1 | 1 | 3 | 5 | 7 | 9 | 33 |
| 50-64 | 74 | 3.2 | 4 | 1 | 1 | 2 | 5 | 6 | 7 | 8 |
| 65+ | 61 | 5.0 | 104 | 1 | 1 | 2 | 3 | 11 | 44 | 94 |
| GRAND TOTAL | 357 | 3.6 | 26 | <1 | 1 | 2 | 4 | 7 | 9 | 41 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 59 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 20-34 | 112 | 3.8 | 3 | <1 | 1 | 4 | 5 | 7 | 7 | 9 |
| 35-49 | 99 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 21 |
| 50-64 | 94 | 5.0 | 9 | 2 | 3 | 4 | 6 | 8 | 10 | 20 |
| 65+ | 64 | 5.6 | 13 | 1 | 2 | 5 | 7 | 12 | 14 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 23 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 20-34 | 46 | 4.1 | 4 | 1 | 2 | 4 | 5 | 8 | 8 | 11 |
| 35-49 | 51 | 5.2 | 6 | 2 | 2 | 5 | 7 | 9 | 10 | 11 |
| 50-64 | 75 | 6.5 | 18 | 2 | 3 | 5 | 8 | 15 | 16 | 19 |
| 65+ | 82 | 8.0 | 49 | 2 | 3 | 6 | 10 | 14 | 26 | 37 |
| TOT. SINGLE DX | 428 | 4.6 | 9 | 1 | 2 | 4 | 6 | 7 | 9 | 17 |
| " MULTIPLE DX | 277 | 6.2 | 24 | 2 | 2 | 5 | 8 | 11 | 15 | 31 |
| TOTAL 0-19 YRS | 82 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 20-34 | 158 | 3.9 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 9 |
| 35-49 | 150 | 5.1 | 10 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| 50-64 | 169 | 5.7 | 14 | 2 | 3 | 5 | 7 | 10 | 15 | 19 |
| 65+ | 146 | 7.0 | 35 | 2 | 2 | 5 | 8 | 13 | 16 | 33 |
| GRAND TOTAL | 705 | 5.2 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 105 | 6.2 | 9 | 1 | 2 | 6 | 8 | 9 | 12 | 16 |
| 20-34 | 5 | 5.2 | 3 | 2 | 2 | 6 | 6 | 7 | 7 | 7 |
| 35-49 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 8.6 | 42 | 2 | 3 | 7 | 9 | 17 | 19 | 36 |
| 20-34 | 6 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 35-49 | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOT. SINGLE DX | 112 | 6.2 | 9 | 1 | 2 | 6 | 8 | 9 | 12 | 16 |
| " MULTIPLE DX | 79 | 8.1 | 40 | 2 | 3 | 6 | 8 | 17 | 19 | 35 |
| TOTAL 0-19 YRS | 175 | 7.2 | 24 | 2 | 3 | 6 | 8 | 13 | 17 | 31 |
| 20-34 | 11 | 4.2 | 4 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 35-49 | 3 | 6.7 | 4 | 5 | 5 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| GRAND TOTAL | 191 | 7.0 | 23 | 2 | 2 | 6 | 8 | 12 | 16 | 29 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 281 | 3.7 | 8 | <1 | <1 | 3 | 6 | 8 | 9 | 13 |
| 20-34 | 73 | 4.3 | 26 | <1 | 1 | 2 | 5 | 8 | 12 | 29 |
| 35-49 | 48 | 4.8 | 13 | <1 | 1 | 4 | 7 | 10 | 13 | 16 |
| 50-64 | 98 | 5.9 | 56 | 1 | 1 | 3 | 6 | 14 | 24 | 40 |
| 65+ | 129 | 5.7 | 34 | <1 | 1 | 4 | 8 | 12 | 14 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 182 | 6.4 | 79 | <1 | 1 | 4 | 7 | 12 | 23 | 54 |
| 20-34 | 122 | 5.1 | 41 | <1 | 1 | 3 | 6 | 11 | 16 | 38 |
| 35-49 | 58 | 8.1 | 110 | 1 | 1 | 4 | 8 | 21 | 37 | 44 |
| 50-64 | 90 | 8.0 | 104 | 1 | 1 | 5 | 8 | 16 | 29 | 55 |
| 65+ | 159 | 14.4 | 284 | 2 | 2 | 9 | 19 | 36 | 50 | 93 |
| TOT. SINGLE DX | 629 | 4.6 | 24 | <1 | 1 | 3 | 6 | 9 | 13 | 28 |
| " MULTIPLE DX | 611 | 8.6 | 144 | 1 | 1 | 4 | 10 | 21 | 36 | 61 |
| TOTAL 0-19 YRS | 463 | 4.8 | 38 | <1 | 1 | 3 | 6 | 8 | 12 | 38 |
| 20-34 | 195 | 4.8 | 35 | <1 | 1 | 3 | 6 | 10 | 16 | 32 |
| 35-49 | 106 | 6.6 | 69 | 1 | 1 | 4 | 7 | 15 | 25 | 43 |
| 50-64 | 188 | 6.9 | 80 | 1 | 1 | 4 | 7 | 15 | 27 | 49 |
| 65+ | 288 | 10.5 | 191 | 1 | 2 | 5 | 13 | 25 | 41 | 88 |
| GRAND TOTAL | 1240 | 6.6 | 87 | <1 | 1 | 4 | 7 | 14 | 24 | 51 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3075 | 2.4 | 1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 |
| 20-34 | 1688 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 35-49 | 164 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 24 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 65+ | 9 | 4.3 | 16 | 2 | 2 | 3 | 4 | 11 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 599 | 2.8 | 5 | 2 | 2 | 2 | 3 | 4 | 5 | 14 |
| 20-34 | 303 | 3.6 | 15 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 35-49 | 59 | 3.1 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 12 | 3.8 | 2 | 2 | 2 | 3 | 4 | 6 | 8 | 8 |
| 65+ | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| TOT. SINGLE DX | 4960 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 976 | 3.1 | 8 | 2 | 2 | 2 | 3 | 4 | 6 | 14 |
| TOTAL 0-19 YRS | 3674 | 2.5 | 2 | 2 | 2 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 1991 | 2.9 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 35-49 | 223 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 50-64 | 36 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| 65+ | 12 | 4.1 | 12 | 2 | 2 | 3 | 4 | 8 | 14 | 15 |
| GRAND TOTAL | 5936 | 2.7 | 3 | 2 | 2 | 2 | 3 | 4 | 4 | 7 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6137 | 2.1 | | 1 | 2 | 2 | 2 | 3 | 3 | 4 |
| 20-34 | 78 | 3.1 | 1 | 2 | 2 | 3 | 3 | 5 | 5 | 6 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2735 | 2.4 | 4 | 2 | 2 | 2 | 2 | 3 | 4 | 11 |
| 20-34 | 20 | 3.4 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 8 |
| 35-49 | 6 | 3.2 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 65+ | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 6220 | 2.1 | 1 | 1 | 2 | 2 | 2 | 3 | 3 | 5 |
| " MULTIPLE DX | 2767 | 2.4 | 4 | 2 | 2 | 2 | 2 | 3 | 4 | 11 |
| TOTAL 0-19 YRS | 8872 | 2.2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 6 |
| 20-34 | 98 | 3.1 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 8 |
| 35-49 | 7 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 6 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 65+ | 4 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 8987 | 2.2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 | 6 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 640 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 20-34 | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 862 | 2.1 | 3 | <1 | 1 | 2 | 2 | 2 | 3 | 13 |
| 20-34 | 6 | 2.7 | | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 35-49 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 646 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 869 | 2.1 | 3 | <1 | 1 | 2 | 2 | 2 | 3 | 13 |
| TOTAL 0-19 YRS | 1502 | 2.0 | 2 | <1 | 1 | 2 | 2 | 2 | 2 | 9 |
| 20-34 | 10 | 2.7 | 1 | 2 | 2 | 2 | 3 | 4 | 5 | 5 |
| 35-49 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 1515 | 2.0 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 9 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 121 | 3.2 | 7 | 1 | 1 | 2 | 4 | 5 | 8 | 16 |
| 20-34 | 149 | 3.3 | 11 | 1 | 1 | 3 | 4 | 5 | 6 | 26 |
| 35-49 | 49 | 3.8 | 16 | <1 | 1 | 2 | 4 | 9 | 11 | 22 |
| 50-64 | 31 | 4.5 | 19 | 1 | 1 | 3 | 6 | 9 | 14 | 22 |
| 65+ | 23 | 6.5 | 42 | 1 | 2 | 4 | 8 | 14 | 21 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 4.3 | 11 | 1 | 2 | 3 | 5 | 9 | 12 | 15 |
| 20-34 | 37 | 3.9 | 15 | <1 | 1 | 2 | 4 | 10 | 13 | 18 |
| 35-49 | 24 | 6.9 | 45 | <1 | 1 | 3 | 12 | 16 | 22 | 23 |
| 50-64 | 37 | 7.4 | 73 | <1 | 1 | 4 | 11 | 15 | 23 | 45 |
| 65+ | 40 | 15.0 | 439 | 2 | 2 | 7 | 17 | 36 | 68 | 97 |
| TOT. SINGLE DX | 373 | 3.6 | 14 | 1 | 1 | 3 | 4 | 8 | 10 | 23 |
| " MULTIPLE DX | 179 | 7.6 | 140 | <1 | 1 | 4 | 8 | 15 | 25 | 70 |
| TOTAL 0-19 YRS | 162 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 20-34 | 186 | 3.4 | 12 | 1 | 1 | 3 | 4 | 5 | 8 | 23 |
| 35-49 | 73 | 4.8 | 27 | <1 | 1 | 3 | 6 | 13 | 16 | 23 |
| 50-64 | 68 | 6.1 | 50 | 1 | 1 | 4 | 6 | 14 | 17 | 42 |
| 65+ | 63 | 11.9 | 308 | 2 | 2 | 5 | 12 | 30 | 48 | 94 |
| GRAND TOTAL | 552 | 4.9 | 58 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 70 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 4 | 12 |
| 20-34 | 37 | 2.8 | 3 | <1 | 1 | 3 | 3 | 5 | 7 | 9 |
| 35-49 | 23 | 3.9 | 6 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 50-64 | 31 | 3.1 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 65+ | 38 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 5.3 | 39 | 1 | 1 | 4 | 6 | 9 | 12 | 42 |
| 20-34 | 23 | 5.1 | 44 | <1 | 1 | 3 | 4 | 10 | 19 | 33 |
| 35-49 | 28 | 5.4 | 42 | 1 | 1 | 4 | 6 | 9 | 17 | 35 |
| 50-64 | 48 | 5.2 | 14 | 2 | 2 | 4 | 7 | 9 | 12 | 21 |
| 65+ | 91 | 6.9 | 44 | 1 | 2 | 5 | 9 | 14 | 18 | 40 |
| TOT. SINGLE DX | 199 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| " MULTIPLE DX | 308 | 5.8 | 38 | 1 | 1 | 4 | 6 | 11 | 15 | 34 |
| TOTAL 0-19 YRS | 188 | 3.9 | 29 | <1 | <1 | 3 | 5 | 6 | 9 | 28 |
| 20-34 | 60 | 3.7 | 20 | <1 | 1 | 3 | 4 | 6 | 9 | 31 |
| 35-49 | 51 | 4.7 | 27 | 1 | 1 | 4 | 6 | 8 | 10 | 35 |
| 50-64 | 79 | 4.4 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 20 |
| 65+ | 129 | 5.7 | 36 | 1 | 1 | 4 | 7 | 12 | 15 | 32 |
| GRAND TOTAL | 507 | 4.5 | 27 | <1 | 1 | 3 | 5 | 9 | 12 | 30 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 20-34 | 52 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 35-49 | 80 | 2.5 | 15 | <1 | <1 | 2 | 2 | 3 | 4 | 28 |
| 50-64 | 119 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 13 |
| 65+ | 79 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 20-34 | 23 | 2.9 | 6 | <1 | <1 | 3 | 3 | 4 | 8 | 13 |
| 35-49 | 51 | 3.0 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 16 |
| 50-64 | 118 | 5.7 | 94 | <1 | 1 | 2 | 5 | 14 | 20 | 56 |
| 65+ | 85 | 7.4 | 155 | 1 | 1 | 2 | 6 | 20 | 35 | 65 |
| TOT. SINGLE DX | 361 | 2.5 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 13 |
| " MULTIPLE DX | 285 | 5.4 | 90 | <1 | 1 | 2 | 4 | 12 | 20 | 57 |
| TOTAL 0-19 YRS | 39 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 20-34 | 75 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 11 |
| 35-49 | 131 | 2.7 | 12 | <1 | <1 | 2 | 3 | 4 | 7 | 20 |
| 50-64 | 237 | 4.1 | 52 | <1 | 1 | 2 | 3 | 8 | 14 | 45 |
| 65+ | 164 | 5.2 | 87 | 1 | 1 | 2 | 4 | 10 | 21 | 58 |
| GRAND TOTAL | 646 | 3.8 | 45 | <1 | 1 | 2 | 3 | 6 | 12 | 43 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 20-34 | 4 | 2.8 | 2 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 35-49 | 5 | 6.6 | 35 | 2 | 2 | 3 | 12 | 14 | 14 | 14 |
| 50-64 | 8 | 23.1 | 659 | 2 | 2 | 13 | 36 | 67 | 72 | 72 |
| 65+ | 10 | 13.8 | 209 | 1 | 1 | 4 | 26 | 34 | 35 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 35-49 | 7 | 3.6 | 17 | 2 | 2 | 2 | 2 | 11 | 13 | 13 |
| 50-64 | 11 | 23.4 | 91 | 4 | 9 | 28 | 28 | 35 | 40 | 40 |
| 65+ | 9 | 22.2 | 325 | 2 | 3 | 15 | 35 | 49 | 49 | 49 |
| TOT. SINGLE DX | 29 | 13.1 | 293 | 2 | 2 | 5 | 15 | 35 | 55 | 72 |
| " MULTIPLE DX | 30 | 16.4 | 211 | 2 | 2 | 13 | 28 | 36 | 49 | 49 |
| TOTAL 0-19 YRS | 3 | 5.7 | 14 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 20-34 | 6 | 3.0 | 4 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 35-49 | 12 | 4.8 | 25 | 2 | 2 | 2 | 7 | 13 | 14 | 14 |
| 50-64 | 19 | 23.3 | 307 | 2 | 3 | 21 | 28 | 48 | 64 | 72 |
| 65+ | 19 | 17.8 | 268 | 1 | 2 | 14 | 30 | 43 | 49 | 49 |
| GRAND TOTAL | 59 | 14.8 | 250 | 2 | 2 | 10 | 25 | 35 | 49 | 70 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 30.5 | 145 | 22 | 22 | 30 | 39 | 39 | 39 | 39 |
| 50-64 | 9 | 18.0 | 11 | 12 | 13 | 19 | 20 | 22 | 23 | 23 |
| 65+ | 13 | 25.5 | 68 | 12 | 17 | 24 | 30 | 37 | 43 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 35-49 | 4 | 22.5 | 19 | 19 | 19 | 21 | 25 | 29 | 29 | 29 |
| 50-64 | 16 | 29.0 | 128 | 16 | 17 | 28 | 51 | 99+ | 99+ | 99+ |
| 65+ | 15 | 33.7 | 292 | 17 | 17 | 26 | 41 | 58 | 74 | 80 |
| TOT. SINGLE DX | 24 | 25.1 | 64 | 12 | 14 | 21 | 26 | 35 | 40 | 44 |
| " MULTIPLE DX | 36 | 30.0 | 189 | 16 | 17 | 27 | 41 | 90 | 99+ | 99+ |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 35-49 | 6 | 25.2 | 58 | 19 | 19 | 22 | 29 | 38 | 39 | 39 |
| 50-64 | 25 | 25.0 | 113 | 15 | 15 | 24 | 37 | 99+ | 99+ | 99+ |
| 65+ | 28 | 29.9 | 200 | 16 | 17 | 25 | 35 | 44 | 60 | 80 |
| GRAND TOTAL | 60 | 27.3 | 149 | 15 | 17 | 24 | 36 | 57 | 99+ | 99+ |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 34.0 | | 34 | 34 | 67 | 99+ | 99+ | 99+ | 99+ |
| 65+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 39.5 | 41 | 35 | 35 | 39 | 44 | 44 | 44 | 44 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 7 | 43.0 | 1097 | 5 | 6 | 45 | 66 | 88 | 93 | 93 |
| 65+ | 1 | 22.0 | | 22 | 22 | 61 | 99+ | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 3 | 16.7 | 229 | 6 | 6 | 22 | 67 | 99+ | 99+ | 99+ |
| " MULTIPLE DX | 10 | 40.2 | 779 | 5 | 8 | 44 | 80 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 3 | 28.3 | 394 | 6 | 6 | 35 | 42 | 44 | 44 | 44 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | 8 | 41.9 | 950 | 5 | 7 | 45 | 74 | 97 | 99+ | 99+ |
| 65+ | 2 | 16.0 | 72 | 10 | 10 | 22 | 80 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 13 | 34.8 | 729 | 5 | 6 | 39 | 80 | 99+ | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 6.0 | 12 | 1 | 1 | 6 | 9 | 10 | 12 | 12 |
| 20-34 | 12 | 8.8 | 61 | 2 | 2 | 7 | 11 | 22 | 27 | 28 |
| 35-49 | 8 | 7.0 | 101 | <1 | 1 | 3 | 7 | 25 | 31 | 31 |
| 50-64 | 13 | 11.6 | 370 | 2 | 2 | 4 | 12 | 29 | 65 | 73 |
| 65+ | 7 | 8.7 | 245 | 1 | 1 | 2 | 5 | 36 | 44 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 15.8 | 238 | 2 | 4 | 11 | 45 | 99+ | 99+ | 99+ |
| 20-34 | 18 | 27.9 | 467 | 1 | 3 | 30 | 37 | 69 | 88 | 99+ |
| 35-49 | 27 | 15.9 | 435 | 1 | 2 | 10 | 22 | 27 | 67 | 99 |
| 50-64 | 29 | 23.1 | 360 | 2 | 4 | 16 | 40 | 67 | 98 | 99+ |
| 65+ | 20 | 33.5 | 1008 | 2 | 3 | 34 | 60 | 93 | 99+ | 99+ |
| TOT. SINGLE DX | 54 | 8.5 | 145 | 1 | 2 | 4 | 9 | 18 | 30 | 72 |
| " MULTIPLE DX | 114 | 22.7 | 514 | 2 | 3 | 15 | 40 | 76 | 99+ | 99+ |
| TOTAL 0-19 YRS | 34 | 11.8 | 166 | 1 | 2 | 9 | 20 | 85 | 99+ | 99+ |
| 20-34 | 30 | 20.3 | 387 | 2 | 2 | 12 | 32 | 62 | 72 | 99+ |
| 35-49 | 35 | 13.8 | 368 | 1 | 2 | 6 | 17 | 27 | 53 | 99 |
| 50-64 | 42 | 19.6 | 383 | 2 | 2 | 14 | 34 | 64 | 81 | 99+ |
| 65+ | 27 | 27.1 | 916 | 2 | 2 | 7 | 59 | 90 | 99+ | 99+ |
| GRAND TOTAL | 168 | 18.1 | 438 | 1 | 2 | 10 | 30 | 66 | 99 | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 4.8 | 38 | 1 | 1 | 2 | 8 | 14 | 14 | 14 |
| 20-34 | 22 | 6.0 | 18 | <1 | 1 | 5 | 9 | 11 | 14 | 17 |
| 35-49 | 46 | 8.7 | 79 | 1 | 2 | 7 | 11 | 16 | 27 | 50 |
| 50-64 | 105 | 10.2 | 101 | 1 | 2 | 7 | 13 | 22 | 31 | 52 |
| 65+ | 132 | 12.2 | 150 | 2 | 3 | 9 | 15 | 25 | 37 | 69 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 24.3 | 97 | 13 | 13 | 29 | 30 | 31 | 31 | 31 |
| 20-34 | 23 | 12.1 | 261 | 1 | 1 | 7 | 16 | 20 | 47 | 76 |
| 35-49 | 76 | 13.1 | 217 | 1 | 2 | 9 | 17 | 32 | 38 | 84 |
| 50-64 | 211 | 14.1 | 171 | 2 | 3 | 11 | 18 | 28 | 39 | 84 |
| 65+ | 289 | 19.0 | 233 | 2 | 4 | 15 | 25 | 38 | 50 | 77 |
| TOT. SINGLE DX | 309 | 10.5 | 115 | 1 | 2 | 7 | 13 | 22 | 31 | 55 |
| " MULTIPLE DX | 602 | 16.3 | 217 | 2 | 3 | 13 | 22 | 35 | 42 | 82 |
| TOTAL 0-19 YRS | 7 | 13.1 | 161 | 1 | 1 | 13 | 29 | 31 | 31 | 31 |
| 20-34 | 45 | 9.1 | 149 | 1 | 1 | 7 | 10 | 17 | 26 | 76 |
| 35-49 | 122 | 11.5 | 169 | 1 | 2 | 7 | 13 | 27 | 34 | 72 |
| 50-64 | 316 | 12.8 | 151 | 2 | 2 | 10 | 16 | 26 | 36 | 81 |
| 65+ | 421 | 16.9 | 217 | 2 | 3 | 13 | 23 | 36 | 46 | 76 |
| GRAND TOTAL | 911 | 14.3 | 190 | 2 | 2 | 10 | 19 | 31 | 40 | 76 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | 2 | 19.5 | 5 | 18 | 18 | 19 | 21 | 21 | 21 | 21 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 35-49 | | | | | | | | | | |
| 50-64 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2 | 19.5 | 5 | 18 | 18 | 19 | 21 | 21 | 21 | 21 |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 10.9 | 63 | <1 | 1 | 10 | 12 | 24 | 27 | 27 |
| 20-34 | 38 | 10.1 | 27 | 2 | 4 | 9 | 12 | 18 | 19 | 28 |
| 35-49 | 44 | 12.7 | 55 | 3 | 5 | 11 | 16 | 21 | 29 | 34 |
| 50-64 | 87 | 13.5 | 66 | 2 | 3 | 13 | 19 | 24 | 27 | 40 |
| 65+ | 75 | 14.6 | 84 | 1 | 2 | 13 | 19 | 28 | 31 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 25.2 | 518 | 5 | 8 | 17 | 27 | 58 | 86 | 95 |
| 20-34 | 41 | 14.3 | 72 | 5 | 5 | 13 | 18 | 25 | 32 | 41 |
| 35-49 | 66 | 17.9 | 147 | 6 | 8 | 14 | 21 | 38 | 45 | 56 |
| 50-64 | 175 | 20.7 | 247 | 7 | 8 | 16 | 26 | 40 | 52 | 92 |
| 65+ | 174 | 22.1 | 240 | 4 | 7 | 19 | 28 | 44 | 56 | 77 |
| TOT. SINGLE DX | 251 | 13.1 | 66 | 2 | 3 | 12 | 18 | 25 | 29 | 37 |
| " MULTIPLE DX | 482 | 20.5 | 235 | 5 | 7 | 16 | 26 | 40 | 55 | 90 |
| TOTAL 0-19 YRS | 33 | 22.2 | 453 | 5 | 7 | 14 | 26 | 43 | 80 | 95 |
| 20-34 | 79 | 12.3 | 55 | 4 | 5 | 11 | 16 | 22 | 27 | 40 |
| 35-49 | 110 | 15.8 | 116 | 5 | 6 | 13 | 19 | 31 | 41 | 55 |
| 50-64 | 262 | 18.3 | 199 | 3 | 7 | 15 | 22 | 33 | 44 | 90 |
| 65+ | 249 | 19.9 | 205 | 2 | 6 | 17 | 26 | 37 | 53 | 77 |
| GRAND TOTAL | 733 | 18.0 | 190 | 3 | 6 | 14 | 23 | 34 | 44 | 78 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 4 | 15.0 | 24 | 10 | 10 | 14 | 19 | 21 | 21 | 21 |
| 35-49 | 12 | 22.8 | 111 | 9 | 12 | 20 | 30 | 39 | 42 | 43 |
| 50-64 | 43 | 17.4 | 55 | 8 | 9 | 15 | 23 | 29 | 31 | 36 |
| 65+ | 32 | 20.4 | 116 | 10 | 11 | 17 | 24 | 32 | 47 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 41.7 | 114 | 35 | 35 | 36 | 49 | 54 | 54 | 54 |
| 20-34 | 8 | 22.3 | 72 | 8 | 10 | 24 | 30 | 73 | 99+ | 99+ |
| 35-49 | 15 | 28.7 | 232 | 13 | 14 | 22 | 44 | 53 | 54 | 55 |
| 50-64 | 110 | 22.2 | 138 | 10 | 11 | 20 | 27 | 33 | 50 | 90 |
| 65+ | 120 | 26.3 | 247 | 12 | 13 | 22 | 30 | 47 | 65 | 99 |
| TOT. SINGLE DX | 92 | 18.9 | 85 | 9 | 10 | 17 | 23 | 30 | 36 | 54 |
| " MULTIPLE DX | 256 | 24.8 | 198 | 11 | 12 | 22 | 29 | 43 | 55 | 99+ |
| TOTAL 0-19 YRS | 4 | 33.8 | 327 | 10 | 10 | 35 | 45 | 54 | 54 | 54 |
| 20-34 | 12 | 19.8 | 66 | 8 | 10 | 21 | 28 | 46 | 90 | 99+ |
| 35-49 | 27 | 26.0 | 181 | 12 | 14 | 22 | 32 | 50 | 53 | 55 |
| 50-64 | 153 | 20.9 | 119 | 9 | 11 | 18 | 26 | 31 | 40 | 82 |
| 65+ | 152 | 25.1 | 225 | 11 | 12 | 21 | 29 | 44 | 57 | 99 |
| GRAND TOTAL | 348 | 23.2 | 175 | 10 | 11 | 21 | 28 | 39 | 52 | 99 |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 5.5 | 80 | <1 | 1 | 3 | 7 | 12 | 17 | 56 |
| 20-34 | 68 | 7.2 | 116 | <1 | 1 | 5 | 8 | 12 | 17 | 67 |
| 35-49 | 88 | 6.2 | 42 | 1 | 1 | 4 | 7 | 15 | 21 | 32 |
| 50-64 | 175 | 7.5 | 55 | 1 | 1 | 6 | 11 | 15 | 20 | 33 |
| 65+ | 181 | 10.3 | 111 | 1 | 2 | 8 | 14 | 22 | 31 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 91 | 13.9 | 220 | 1 | 2 | 9 | 20 | 27 | 44 | 82 |
| 20-34 | 68 | 10.9 | 86 | 1 | 2 | 7 | 15 | 22 | 31 | 44 |
| 35-49 | 127 | 11.3 | 133 | 1 | 2 | 8 | 15 | 25 | 33 | 87 |
| 50-64 | 359 | 13.4 | 169 | 2 | 2 | 9 | 17 | 30 | 42 | 78 |
| 65+ | 402 | 15.4 | 174 | 2 | 3 | 12 | 20 | 33 | 46 | 67 |
| TOT. SINGLE DX | 597 | 7.9 | 83 | 1 | 1 | 5 | 10 | 17 | 23 | 55 |
| " MULTIPLE DX | 1047 | 13.8 | 168 | 2 | 2 | 10 | 18 | 30 | 42 | 71 |
| TOTAL 0-19 YRS | 176 | 10.0 | 168 | 1 | 1 | 6 | 12 | 24 | 28 | 68 |
| 20-34 | 136 | 9.0 | 104 | <1 | 1 | 6 | 11 | 19 | 27 | 66 |
| 35-49 | 215 | 9.2 | 102 | 1 | 1 | 6 | 12 | 21 | 28 | 71 |
| 50-64 | 534 | 11.5 | 139 | 1 | 2 | 8 | 15 | 26 | 35 | 67 |
| 65+ | 583 | 13.8 | 161 | 2 | 2 | 10 | 18 | 30 | 43 | 64 |
| GRAND TOTAL | 1644 | 11.7 | 148 | 1 | 2 | 8 | 15 | 26 | 35 | 65 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 20-34 | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 65+ | 2 | 20.0 | 722 | <1 | <1 | 10 | 39 | 39 | 39 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 15.8 | 183 | 1 | 1 | 10 | 28 | 33 | 33 | 33 |
| 20-34 | 4 | 8.3 | 11 | 5 | 5 | 7 | 10 | 13 | 13 | 13 |
| 35-49 | 4 | 16.3 | 151 | 3 | 3 | 15 | 26 | 31 | 31 | 31 |
| 50-64 | 11 | 32.9 | 861 | 1 | 3 | 28 | 50 | 83 | 85 | 85 |
| 65+ | 11 | 17.8 | 189 | 4 | 6 | 12 | 22 | 40 | 50 | 51 |
| TOT. SINGLE DX | 10 | 8.7 | 129 | <1 | <1 | 5 | 10 | 25 | 39 | 39 |
| " MULTIPLE DX | 35 | 21.0 | 419 | 2 | 4 | 13 | 29 | 51 | 75 | 85 |
| TOTAL 0-19 YRS | 8 | 10.9 | 152 | 1 | 1 | 6 | 18 | 31 | 33 | 33 |
| 20-34 | 6 | 8.3 | 8 | 5 | 5 | 8 | 10 | 13 | 13 | 13 |
| 35-49 | 5 | 15.0 | 122 | 3 | 3 | 10 | 23 | 31 | 31 | 31 |
| 50-64 | 13 | 28.8 | 824 | 1 | 1 | 26 | 38 | 82 | 84 | 85 |
| 65+ | 13 | 18.2 | 215 | 1 | 3 | 12 | 24 | 41 | 49 | 51 |
| GRAND TOTAL | 45 | 18.3 | 377 | 1 | 2 | 11 | 27 | 39 | 62 | 85 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 5.5 | 21 | 2 | 2 | 4 | 7 | 9 | 15 | 25 |
| 20-34 | 134 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 15 | 21 |
| 35-49 | 49 | 7.4 | 26 | 3 | 3 | 6 | 9 | 17 | 18 | 24 |
| 50-64 | 28 | 9.2 | 25 | 3 | 3 | 9 | 13 | 15 | 18 | 23 |
| 65+ | 12 | 12.9 | 90 | 2 | 2 | 9 | 23 | 25 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 55 | 17.2 | 288 | 2 | 3 | 10 | 35 | 55 | 99+ | 99+ |
| 20-34 | 95 | 9.6 | 50 | 3 | 3 | 8 | 13 | 16 | 23 | 40 |
| 35-49 | 76 | 11.7 | 132 | 3 | 4 | 8 | 14 | 21 | 27 | 71 |
| 50-64 | 125 | 14.8 | 229 | 3 | 4 | 9 | 17 | 32 | 49 | 81 |
| 65+ | 126 | 15.4 | 141 | 3 | 4 | 12 | 22 | 31 | 38 | 78 |
| TOT. SINGLE DX | 267 | 6.8 | 26 | 2 | 3 | 5 | 8 | 14 | 19 | 25 |
| " MULTIPLE DX | 477 | 13.7 | 167 | 3 | 4 | 9 | 16 | 31 | 48 | 96 |
| TOTAL 0-19 YRS | 99 | 12.0 | 203 | 2 | 2 | 6 | 15 | 43 | 59 | 99+ |
| 20-34 | 229 | 7.5 | 34 | 2 | 3 | 6 | 9 | 14 | 17 | 31 |
| 35-49 | 125 | 10.0 | 95 | 3 | 3 | 7 | 13 | 19 | 24 | 57 |
| 50-64 | 153 | 13.8 | 197 | 3 | 4 | 9 | 15 | 28 | 47 | 79 |
| 65+ | 138 | 15.2 | 137 | 3 | 4 | 12 | 22 | 31 | 38 | 75 |
| GRAND TOTAL | 744 | 11.2 | 127 | 2 | 3 | 7 | 13 | 24 | 35 | 79 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 8.4 | 40 | 1 | 2 | 8 | 11 | 14 | 16 | 41 |
| 20-34 | 47 | 7.6 | 31 | 1 | 1 | 7 | 10 | 16 | 18 | 28 |
| 35-49 | 35 | 9.3 | 84 | 2 | 2 | 6 | 15 | 18 | 33 | 37 |
| 50-64 | 53 | 10.9 | 38 | 2 | 3 | 10 | 15 | 20 | 21 | 26 |
| 65+ | 25 | 11.2 | 94 | 2 | 2 | 8 | 13 | 24 | 33 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 26 | 12.0 | 84 | 1 | 2 | 10 | 14 | 26 | 33 | 38 |
| 20-34 | 56 | 14.4 | 106 | 2 | 4 | 12 | 20 | 29 | 39 | 44 |
| 35-49 | 69 | 17.4 | 273 | 3 | 4 | 12 | 23 | 37 | 50 | 86 |
| 50-64 | 114 | 19.0 | 189 | 3 | 5 | 18 | 24 | 33 | 47 | 74 |
| 65+ | 112 | 19.5 | 247 | 3 | 4 | 15 | 29 | 42 | 57 | 85 |
| TOT. SINGLE DX | 208 | 9.3 | 53 | 1 | 2 | 8 | 13 | 18 | 22 | 39 |
| " MULTIPLE DX | 377 | 17.7 | 206 | 3 | 4 | 14 | 24 | 36 | 46 | 76 |
| TOTAL 0-19 YRS | 74 | 9.6 | 58 | 1 | 2 | 8 | 12 | 16 | 26 | 40 |
| 20-34 | 103 | 11.3 | 83 | 1 | 2 | 9 | 15 | 24 | 30 | 42 |
| 35-49 | 104 | 14.7 | 223 | 2 | 2 | 10 | 18 | 34 | 41 | 81 |
| 50-64 | 167 | 16.4 | 155 | 3 | 4 | 14 | 22 | 28 | 37 | 68 |
| 65+ | 137 | 18.0 | 229 | 2 | 4 | 13 | 25 | 41 | 52 | 80 |
| GRAND TOTAL | 585 | 14.7 | 167 | 2 | 3 | 11 | 20 | 31 | 41 | 72 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 11.9 | 56 | 8 | 9 | 10 | 11 | 14 | 20 | 58 |
| 20-34 | 21 | 11.5 | 19 | 7 | 8 | 11 | 12 | 18 | 23 | 24 |
| 35-49 | 35 | 12.4 | 8 | 9 | 9 | 12 | 14 | 17 | 18 | 20 |
| 50-64 | 33 | 12.5 | 6 | 10 | 10 | 12 | 13 | 15 | 16 | 23 |
| 65+ | 18 | 15.9 | 57 | 10 | 11 | 13 | 15 | 24 | 35 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 21.1 | 348 | 9 | 10 | 14 | 24 | 44 | 64 | 93 |
| 20-34 | 33 | 16.4 | 98 | 7 | 10 | 13 | 17 | 30 | 41 | 48 |
| 35-49 | 64 | 14.9 | 33 | 10 | 10 | 13 | 18 | 20 | 24 | 45 |
| 50-64 | 131 | 18.6 | 91 | 10 | 11 | 16 | 21 | 32 | 39 | 60 |
| 65+ | 76 | 21.8 | 156 | 11 | 11 | 18 | 27 | 36 | 52 | 65 |
| TOT. SINGLE DX | 153 | 12.6 | 31 | 9 | 9 | 11 | 13 | 16 | 22 | 41 |
| " MULTIPLE DX | 345 | 18.7 | 130 | 10 | 11 | 15 | 21 | 33 | 41 | 66 |
| TOTAL 0-19 YRS | 87 | 16.2 | 213 | 9 | 9 | 11 | 15 | 26 | 46 | 90 |
| 20-34 | 54 | 14.5 | 72 | 7 | 9 | 12 | 15 | 23 | 38 | 48 |
| 35-49 | 99 | 14.0 | 26 | 9 | 10 | 13 | 16 | 20 | 21 | 37 |
| 50-64 | 164 | 17.4 | 80 | 10 | 11 | 14 | 20 | 28 | 35 | 56 |
| 65+ | 94 | 20.7 | 142 | 11 | 11 | 17 | 25 | 36 | 47 | 64 |
| GRAND TOTAL | 498 | 16.8 | 108 | 9 | 10 | 13 | 18 | 28 | 38 | 60 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 20-34 | 5 | 10.4 | 2 | 8 | 8 | 11 | 11 | 12 | 12 | 12 |
| 35-49 | 67 | 11.0 | 5 | 9 | 9 | 11 | 11 | 13 | 14 | 23 |
| 50-64 | 188 | 12.2 | 8 | 10 | 10 | 11 | 13 | 16 | 17 | 24 |
| 65+ | 45 | 13.4 | 25 | 10 | 10 | 13 | 13 | 16 | 20 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 19.0 | 8 | 17 | 17 | 19 | 21 | 21 | 21 | 21 |
| 20-34 | 14 | 15.3 | 216 | 7 | 8 | 11 | 12 | 32 | 56 | 63 |
| 35-49 | 145 | 14.6 | 34 | 9 | 9 | 13 | 17 | 23 | 28 | 34 |
| 50-64 | 512 | 15.6 | 52 | 9 | 10 | 13 | 18 | 25 | 29 | 49 |
| 65+ | 190 | 18.5 | 88 | 10 | 11 | 15 | 21 | 33 | 41 | 51 |
| TOT. SINGLE DX | 306 | 12.2 | 12 | 9 | 10 | 11 | 13 | 15 | 18 | 25 |
| " MULTIPLE DX | 863 | 16.1 | 61 | 9 | 10 | 13 | 18 | 27 | 31 | 49 |
| TOTAL 0-19 YRS | 3 | 23.3 | 60 | 17 | 17 | 21 | 29 | 32 | 32 | 32 |
| 20-34 | 19 | 14.0 | 162 | 7 | 8 | 11 | 12 | 23 | 48 | 63 |
| 35-49 | 212 | 13.4 | 28 | 9 | 9 | 11 | 15 | 21 | 25 | 33 |
| 50-64 | 700 | 14.7 | 43 | 9 | 10 | 12 | 16 | 23 | 27 | 45 |
| 65+ | 235 | 17.5 | 80 | 10 | 11 | 14 | 20 | 30 | 40 | 50 |
| GRAND TOTAL | 1169 | 15.1 | 51 | 9 | 10 | 13 | 17 | 24 | 30 | 48 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 169 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 9 |
| 20-34 | 80 | 3.7 | 10 | <1 | 1 | 3 | 3 | 9 | 11 | 16 |
| 35-49 | 309 | 3.9 | 26 | <1 | 1 | 3 | 3 | 9 | 15 | 18 |
| 50-64 | 518 | 3.0 | 14 | <1 | 1 | 2 | 3 | 5 | 10 | 19 |
| 65+ | 126 | 3.8 | 32 | <1 | 1 | 2 | 3 | 9 | 15 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 5.8 | 78 | 2 | 2 | 2 | 5 | 14 | 27 | 61 |
| 20-34 | 110 | 5.2 | 38 | 1 | 1 | 3 | 4 | 12 | 16 | 33 |
| 35-49 | 594 | 6.1 | 48 | <1 | 1 | 3 | 9 | 16 | 20 | 30 |
| 50-64 | 1371 | 5.8 | 43 | <1 | 1 | 3 | 8 | 14 | 18 | 31 |
| 65+ | 471 | 7.9 | 97 | 1 | 1 | 3 | 11 | 21 | 27 | 47 |
| TOT. SINGLE DX | 1202 | 3.3 | 18 | <1 | 1 | 2 | 3 | 6 | 11 | 19 |
| " MULTIPLE DX | 2709 | 6.2 | 56 | <1 | 1 | 3 | 8 | 16 | 21 | 36 |
| TOTAL 0-19 YRS | 332 | 4.1 | 42 | 2 | 2 | 2 | 3 | 7 | 14 | 40 |
| 20-34 | 190 | 4.6 | 27 | <1 | 1 | 3 | 4 | 11 | 14 | 26 |
| 35-49 | 903 | 5.4 | 42 | <1 | 1 | 3 | 6 | 14 | 18 | 28 |
| 50-64 | 1889 | 5.1 | 37 | <1 | 1 | 3 | 5 | 13 | 17 | 30 |
| 65+ | 597 | 7.0 | 86 | 1 | 1 | 3 | 9 | 20 | 26 | 44 |
| GRAND TOTAL | 3911 | 5.3 | 46 | <1 | 1 | 3 | 5 | 14 | 19 | 32 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 38 | 5 | 5 | 8 | 13 | 21 | 22 | 22 |
| 20-34 | 8 | 6.1 | 19 | 1 | 1 | 5 | 8 | 13 | 15 | 15 |
| 35-49 | 17 | 13.5 | 67 | 4 | 6 | 10 | 16 | 29 | 32 | 32 |
| 50-64 | 72 | 8.3 | 42 | 2 | 2 | 6 | 12 | 17 | 20 | 32 |
| 65+ | 314 | 6.5 | 26 | 2 | 2 | 5 | 8 | 13 | 18 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 16.3 | 149 | 3 | 3 | 14 | 23 | 35 | 41 | 41 |
| 20-34 | 13 | 9.0 | 43 | 2 | 2 | 10 | 12 | 16 | 23 | 25 |
| 35-49 | 57 | 11.8 | 43 | 3 | 4 | 11 | 16 | 22 | 27 | 94 |
| 50-64 | 236 | 14.0 | 86 | 3 | 4 | 12 | 18 | 26 | 30 | 52 |
| 65+ | 911 | 13.7 | 125 | 3 | 4 | 11 | 17 | 27 | 35 | 67 |
| TOT. SINGLE DX | 417 | 7.1 | 33 | 2 | 2 | 5 | 9 | 15 | 19 | 29 |
| " MULTIPLE DX | 1226 | 13.7 | 113 | 3 | 4 | 11 | 17 | 27 | 33 | 63 |
| TOTAL 0-19 YRS | 15 | 14.0 | 108 | 3 | 3 | 11 | 21 | 25 | 37 | 41 |
| 20-34 | 21 | 7.9 | 35 | 1 | 2 | 7 | 11 | 14 | 19 | 25 |
| 35-49 | 74 | 12.2 | 49 | 3 | 5 | 11 | 16 | 22 | 30 | 83 |
| 50-64 | 308 | 12.7 | 82 | 2 | 3 | 11 | 17 | 24 | 29 | 50 |
| 65+ | 1225 | 11.9 | 110 | 2 | 3 | 9 | 16 | 24 | 32 | 62 |
| GRAND TOTAL | 1643 | 12.0 | 101 | 2 | 3 | 9 | 16 | 24 | 32 | 58 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 9.8 | | 9 | 9 | 10 | 10 | 10 | 10 | 10 |
| 20-34 | 6 | 15.7 | 80 | 7 | 7 | 13 | 16 | 31 | 33 | 33 |
| 35-49 | 8 | 12.9 | 35 | 2 | 4 | 13 | 17 | 20 | 20 | 20 |
| 50-64 | 8 | 10.3 | 14 | 4 | 4 | 11 | 12 | 14 | 15 | 15 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 24.6 | 1487 | 2 | 2 | 12 | 33 | 93 | 93 | 93 |
| 20-34 | 13 | 20.1 | 512 | 7 | 8 | 11 | 15 | 61 | 79 | 83 |
| 35-49 | 16 | 19.8 | 266 | 2 | 3 | 13 | 28 | 45 | 54 | 58 |
| 50-64 | 44 | 16.6 | 200 | 3 | 4 | 12 | 21 | 31 | 40 | 82 |
| 65+ | 21 | 22.2 | 324 | 8 | 9 | 18 | 26 | 40 | 68 | 85 |
| TOT. SINGLE DX | 28 | 11.9 | 34 | 4 | 5 | 11 | 14 | 18 | 21 | 33 |
| " MULTIPLE DX | 99 | 19.2 | 325 | 3 | 5 | 13 | 23 | 40 | 57 | 89 |
| TOTAL 0-19 YRS | 10 | 17.2 | 722 | 2 | 2 | 10 | 12 | 53 | 93 | 93 |
| 20-34 | 19 | 18.7 | 368 | 7 | 8 | 12 | 16 | 46 | 70 | 83 |
| 35-49 | 24 | 17.5 | 196 | 2 | 3 | 13 | 20 | 41 | 49 | 58 |
| 50-64 | 52 | 15.6 | 176 | 3 | 4 | 11 | 19 | 29 | 38 | 81 |
| 65+ | 22 | 21.5 | 321 | 7 | 8 | 16 | 25 | 37 | 66 | 85 |
| GRAND TOTAL | 127 | 17.6 | 269 | 3 | 5 | 12 | 20 | 33 | 54 | 87 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 4.9 | 33 | <1 | <1 | 2 | 7 | 13 | 16 | 30 |
| 20-34 | 48 | 3.6 | 15 | <1 | <1 | 2 | 4 | 10 | 12 | 18 |
| 35-49 | 46 | 3.0 | 13 | <1 | <1 | 2 | 2 | 5 | 13 | 18 |
| 50-64 | 92 | 3.7 | 16 | <1 | <1 | 2 | 4 | 10 | 12 | 20 |
| 65+ | 66 | 5.7 | 53 | <1 | <1 | 3 | 7 | 14 | 21 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 67 | 8.0 | 61 | 1 | 1 | 6 | 10 | 16 | 25 | 43 |
| 20-34 | 36 | 9.4 | 107 | 1 | 2 | 5 | 13 | 23 | 32 | 46 |
| 35-49 | 68 | 11.3 | 115 | 1 | 1 | 9 | 16 | 30 | 34 | 90 |
| 50-64 | 128 | 13.2 | 165 | 1 | 2 | 10 | 18 | 30 | 41 | 61 |
| 65+ | 248 | 15.4 | 179 | 2 | 2 | 12 | 22 | 37 | 47 | 99+ |
| TOT. SINGLE DX | 325 | 4.2 | 28 | <1 | <1 | 2 | 5 | 12 | 15 | 25 |
| " MULTIPLE DX | 547 | 13.1 | 155 | 1 | 2 | 10 | 18 | 31 | 41 | 75 |
| TOTAL 0-19 YRS | 140 | 6.4 | 49 | <1 | 1 | 4 | 9 | 15 | 19 | 33 |
| 20-34 | 84 | 6.1 | 63 | <1 | <1 | 3 | 8 | 15 | 23 | 43 |
| 35-49 | 114 | 7.9 | 91 | <1 | <1 | 4 | 12 | 21 | 31 | 67 |
| 50-64 | 220 | 9.2 | 125 | <1 | 1 | 4 | 13 | 23 | 34 | 55 |
| 65+ | 314 | 13.4 | 169 | 1 | 2 | 10 | 19 | 34 | 41 | 99+ |
| GRAND TOTAL | 872 | 9.8 | 126 | <1 | 1 | 6 | 13 | 25 | 36 | 62 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 28 | 4.8 | 10 | 2 | 3 | 4 | 5 | 8 | 11 | 18 |
| 20-34 | 475 | 4.6 | 24 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 747 | 4.7 | 5 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 50-64 | 586 | 5.5 | 13 | 2 | 3 | 5 | 7 | 9 | 11 | 20 |
| 65+ | 133 | 7.7 | 93 | 2 | 2 | 5 | 8 | 13 | 22 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 3.8 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 110 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 8 | 14 |
| 35-49 | 242 | 6.7 | 29 | 2 | 3 | 5 | 8 | 11 | 15 | 35 |
| 50-64 | 328 | 7.7 | 42 | 3 | 3 | 6 | 9 | 13 | 18 | 35 |
| 65+ | 127 | 11.0 | 161 | 2 | 3 | 7 | 12 | 19 | 37 | 76 |
| **TOT. SINGLE DX** | 1969 | 5.1 | 19 | 2 | 3 | 4 | 6 | 8 | 10 | 20 |
| **" MULTIPLE DX** | 812 | 7.5 | 55 | 2 | 3 | 6 | 8 | 12 | 18 | 40 |
| TOTAL 0-19 YRS | 33 | 4.6 | 9 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |
| 20-34 | 585 | 4.7 | 21 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 989 | 5.2 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 22 |
| 50-64 | 914 | 6.3 | 25 | 2 | 3 | 5 | 8 | 10 | 14 | 25 |
| 65+ | 260 | 9.3 | 129 | 2 | 3 | 6 | 10 | 17 | 24 | 72 |
| **GRAND TOTAL** | **2781** | **5.8** | **31** | **2** | **3** | **5** | **7** | **9** | **12** | **24** |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 3 | 14.0 | 139 | 4 | 4 | 11 | 23 | 27 | 27 | 27 |
| 20-34 | 13 | 11.8 | 8 | 9 | 9 | 11 | 14 | 16 | 18 | 18 |
| 35-49 | 53 | 13.4 | 38 | 4 | 8 | 13 | 15 | 20 | 22 | 43 |
| 50-64 | 194 | 14.0 | 30 | 7 | 8 | 13 | 16 | 21 | 25 | 33 |
| 65+ | 142 | 15.5 | 63 | 8 | 9 | 13 | 18 | 24 | 28 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 9 | 9.6 | 28 | 4 | 4 | 8 | 14 | 18 | 18 | 18 |
| 20-34 | 25 | 16.2 | 225 | 2 | 4 | 11 | 21 | 31 | 43 | 72 |
| 35-49 | 122 | 17.1 | 138 | 5 | 7 | 14 | 20 | 30 | 38 | 86 |
| 50-64 | 516 | 17.4 | 110 | 8 | 9 | 14 | 21 | 28 | 36 | 73 |
| 65+ | 577 | 20.8 | 200 | 8 | 10 | 17 | 25 | 41 | 60 | 99+ |
| **TOT. SINGLE DX** | 405 | 14.4 | 44 | 7 | 9 | 13 | 16 | 22 | 26 | 44 |
| **" MULTIPLE DX** | 1249 | 18.9 | 159 | 8 | 9 | 15 | 22 | 33 | 46 | 99+ |
| TOTAL 0-19 YRS | 12 | 10.7 | 50 | 4 | 4 | 9 | 15 | 21 | 26 | 27 |
| 20-34 | 38 | 14.7 | 154 | 3 | 4 | 14 | 17 | 30 | 32 | 72 |
| 35-49 | 175 | 16.0 | 110 | 5 | 7 | 14 | 19 | 26 | 36 | 78 |
| 50-64 | 710 | 16.5 | 91 | 8 | 9 | 14 | 19 | 26 | 33 | 62 |
| 65+ | 719 | 19.7 | 177 | 8 | 9 | 16 | 23 | 38 | 53 | 99+ |
| **GRAND TOTAL** | **1654** | **17.8** | **135** | **8** | **9** | **15** | **21** | **30** | **43** | **94** |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **GRAND TOTAL** | **1** | **12.0** | | **12** | **12** | **12** | **12** | **12** | **12** | **12** |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 3 | 3.3 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 4 | 15.3 | 551 | 1 | 1 | 5 | 29 | 50 | 50 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 12 | 8.6 | 84 | 1 | 1 | 5 | 12 | 22 | 31 | 32 |
| 20-34 | 60 | 8.2 | 175 | 1 | 2 | 5 | 8 | 13 | 17 | 90 |
| 35-49 | 68 | 9.1 | 145 | 1 | 2 | 6 | 10 | 20 | 36 | 96 |
| 50-64 | 85 | 8.8 | 59 | 1 | 1 | 7 | 12 | 19 | 26 | 34 |
| 65+ | 67 | 10.0 | 121 | 1 | 2 | 6 | 12 | 28 | 38 | 92 |
| **TOT. SINGLE DX** | 9 | 8.3 | 251 | <1 | <1 | 2 | 6 | 34 | 50 | 50 |
| **" MULTIPLE DX** | 292 | 9.0 | 117 | 1 | 2 | 6 | 11 | 19 | 32 | 88 |
| TOTAL 0-19 YRS | 12 | 8.6 | 84 | 1 | 1 | 5 | 12 | 22 | 31 | 32 |
| 20-34 | 61 | 8.1 | 173 | 1 | 2 | 5 | 8 | 13 | 16 | 89 |
| 35-49 | 71 | 8.9 | 141 | <1 | 1 | 5 | 10 | 19 | 36 | 96 |
| 50-64 | 86 | 8.7 | 59 | 1 | 1 | 6 | 12 | 19 | 26 | 34 |
| 65+ | 71 | 10.3 | 140 | 1 | 2 | 6 | 12 | 30 | 44 | 90 |
| **GRAND TOTAL** | **301** | **9.0** | **121** | **1** | **2** | **6** | **11** | **19** | **32** | **87** |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 8.4 | 27 | 1 | 2 | 8 | 11 | 15 | 17 | 25 |
| 20-34 | 62 | 7.2 | 48 | 1 | 1 | 4 | 11 | 17 | 22 | 29 |
| 35-49 | 71 | 8.3 | 46 | 1 | 1 | 6 | 12 | 18 | 22 | 30 |
| 50-64 | 201 | 11.6 | 79 | 2 | 3 | 10 | 15 | 19 | 25 | 47 |
| 65+ | 231 | 12.9 | 62 | 3 | 4 | 12 | 16 | 22 | 28 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 332 | 23.0 | 461 | 3 | 5 | 15 | 34 | 68 | 97 | 99+ |
| 20-34 | 159 | 12.2 | 210 | 1 | 2 | 8 | 16 | 31 | 61 | 99+ |
| 35-49 | 229 | 15.1 | 207 | 2 | 3 | 12 | 19 | 32 | 57 | 99+ |
| 50-64 | 785 | 16.7 | 196 | 2 | 5 | 13 | 20 | 35 | 53 | 99+ |
| 65+ | 917 | 17.4 | 147 | 5 | 6 | 15 | 22 | 34 | 48 | 99+ |
| TOT. SINGLE DX | 646 | 10.9 | 65 | 1 | 2 | 10 | 15 | 19 | 25 | 38 |
| " MULTIPLE DX | 2422 | 17.4 | 222 | 2 | 5 | 14 | 22 | 38 | 60 | 99+ |
| TOTAL 0-19 YRS | 413 | 20.1 | 410 | 2 | 4 | 13 | 29 | 61 | 91 | 99+ |
| 20-34 | 221 | 10.8 | 170 | 1 | 1 | 7 | 15 | 25 | 43 | 99+ |
| 35-49 | 300 | 13.4 | 177 | 1 | 2 | 11 | 17 | 29 | 45 | 99+ |
| 50-64 | 986 | 15.7 | 176 | 2 | 4 | 13 | 18 | 33 | 48 | 99+ |
| 65+ | 1148 | 16.5 | 134 | 4 | 6 | 14 | 21 | 31 | 42 | 99+ |
| GRAND TOTAL | 3068 | 16.0 | 196 | 2 | 4 | 13 | 20 | 34 | 53 | 99+ |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 163 | 3.9 | 18 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 20-34 | 158 | 4.1 | 20 | <1 | <1 | 2 | 5 | 9 | 13 | 26 |
| 35-49 | 94 | 6.0 | 49 | <1 | 1 | 3 | 6 | 17 | 22 | 34 |
| 50-64 | 100 | 7.1 | 69 | <1 | 1 | 4 | 9 | 16 | 20 | 48 |
| 65+ | 80 | 9.1 | 84 | 1 | 2 | 6 | 12 | 25 | 30 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 72 | 6.7 | 39 | 1 | 2 | 5 | 8 | 15 | 19 | 37 |
| 20-34 | 72 | 8.5 | 71 | <1 | 1 | 5 | 12 | 20 | 29 | 34 |
| 35-49 | 93 | 10.8 | 124 | 1 | 2 | 7 | 15 | 26 | 32 | 57 |
| 50-64 | 203 | 11.9 | 147 | 1 | 2 | 9 | 16 | 26 | 32 | 76 |
| 65+ | 230 | 15.2 | 189 | 2 | 2 | 12 | 21 | 33 | 45 | 69 |
| TOT. SINGLE DX | 595 | 5.5 | 45 | <1 | 1 | 3 | 6 | 13 | 20 | 32 |
| " MULTIPLE DX | 670 | 12.0 | 146 | 1 | 2 | 8 | 16 | 28 | 34 | 66 |
| TOTAL 0-19 YRS | 235 | 4.7 | 26 | <1 | 1 | 3 | 6 | 10 | 16 | 25 |
| 20-34 | 230 | 5.4 | 41 | <1 | <1 | 3 | 7 | 14 | 19 | 32 |
| 35-49 | 187 | 8.4 | 92 | <1 | 1 | 4 | 10 | 22 | 28 | 42 |
| 50-64 | 303 | 10.3 | 126 | 1 | 2 | 7 | 13 | 23 | 29 | 69 |
| 65+ | 310 | 13.6 | 169 | 2 | 2 | 9 | 19 | 31 | 41 | 67 |
| GRAND TOTAL | 1265 | 8.9 | 109 | <1 | 1 | 5 | 11 | 22 | 30 | 50 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 4.9 | 19 | <1 | <1 | 3 | 6 | 12 | 14 | 14 |
| 20-34 | 12 | 6.0 | 13 | 1 | 2 | 5 | 7 | 11 | 14 | 15 |
| 35-49 | 15 | 7.1 | 18 | 2 | 2 | 6 | 11 | 13 | 14 | 15 |
| 50-64 | 12 | 12.0 | 149 | 2 | 3 | 7 | 14 | 31 | 43 | 45 |
| 65+ | 10 | 9.9 | 29 | 3 | 4 | 8 | 16 | 17 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 8.5 | 16 | 3 | 3 | 9 | 11 | 12 | 12 | 12 |
| 20-34 | 26 | 11.7 | 32 | 3 | 4 | 11 | 16 | 21 | 21 | 22 |
| 35-49 | 33 | 13.1 | 68 | 3 | 5 | 11 | 18 | 22 | 29 | 41 |
| 50-64 | 50 | 16.3 | 176 | 4 | 5 | 11 | 21 | 34 | 53 | 58 |
| 65+ | 62 | 14.9 | 109 | 4 | 5 | 12 | 20 | 30 | 35 | 52 |
| TOT. SINGLE DX | 59 | 8.0 | 50 | 1 | 2 | 6 | 11 | 15 | 17 | 43 |
| " MULTIPLE DX | 175 | 14.3 | 109 | 3 | 5 | 11 | 18 | 27 | 36 | 54 |
| TOTAL 0-19 YRS | 14 | 5.9 | 20 | <1 | 1 | 4 | 11 | 12 | 14 | 14 |
| 20-34 | 38 | 9.9 | 33 | 2 | 3 | 9 | 14 | 18 | 21 | 22 |
| 35-49 | 48 | 11.2 | 60 | 2 | 3 | 10 | 15 | 21 | 23 | 41 |
| 50-64 | 62 | 15.4 | 172 | 3 | 4 | 10 | 18 | 32 | 48 | 58 |
| 65+ | 72 | 14.2 | 101 | 3 | 5 | 12 | 18 | 28 | 32 | 51 |
| GRAND TOTAL | 234 | 12.7 | 101 | 2 | 4 | 10 | 16 | 24 | 31 | 53 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| " MULTIPLE DX | 2 | 14.5 | 145 | 6 | 6 | 14 | 23 | 23 | 23 | 23 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 19.0 | 32 | 15 | 15 | 19 | 23 | 23 | 23 | 23 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3 | 14.7 | 72 | 6 | 6 | 15 | 21 | 23 | 23 | 23 |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 135 | 10.1 | 91 | 1 | 2 | 7 | 11 | 23 | 30 | 49 |
| 20-34 | 102 | 11.1 | 98 | 2 | 3 | 8 | 13 | 25 | 33 | 50 |
| 35-49 | 76 | 12.6 | 180 | 2 | 3 | 9 | 14 | 25 | 40 | 73 |
| 50-64 | 103 | 13.4 | 131 | 3 | 3 | 10 | 17 | 30 | 35 | 59 |
| 65+ | 157 | 15.4 | 148 | 4 | 6 | 11 | 18 | 32 | 43 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 142 | 13.7 | 141 | 3 | 5 | 10 | 16 | 24 | 44 | 59 |
| 20-34 | 182 | 17.2 | 189 | 5 | 5 | 12 | 25 | 36 | 51 | 99+ |
| 35-49 | 178 | 17.6 | 248 | 3 | 5 | 13 | 22 | 38 | 60 | 99+ |
| 50-64 | 378 | 17.9 | 183 | 4 | 5 | 15 | 23 | 34 | 46 | 83 |
| 65+ | 837 | 20.8 | 241 | 5 | 7 | 16 | 28 | 45 | 58 | 99+ |
| TOT. SINGLE DX | 573 | 12.6 | 131 | 2 | 3 | 9 | 15 | 27 | 37 | 59 |
| " MULTIPLE DX | 1717 | 18.9 | 220 | 5 | 6 | 15 | 25 | 39 | 54 | 99+ |
| TOTAL 0-19 YRS | 277 | 11.9 | 120 | 2 | 3 | 8 | 14 | 24 | 35 | 59 |
| 20-34 | 284 | 15.0 | 165 | 3 | 5 | 10 | 20 | 33 | 43 | 90 |
| 35-49 | 254 | 16.1 | 232 | 3 | 4 | 11 | 19 | 36 | 52 | 99+ |
| 50-64 | 481 | 17.0 | 176 | 4 | 5 | 14 | 22 | 33 | 42 | 78 |
| 65+ | 994 | 20.0 | 230 | 5 | 7 | 16 | 26 | 43 | 55 | 99+ |
| GRAND TOTAL | 2290 | 17.3 | 205 | 3 | 5 | 13 | 22 | 36 | 50 | 99 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 15.9 | 319 | 1 | 1 | 7 | 31 | 44 | 46 | 46 |
| 20-34 | 3 | 8.7 | 9 | 6 | 6 | 8 | 11 | 12 | 12 | 12 |
| 35-49 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 50-64 | 3 | 7.0 | 25 | 2 | 2 | 7 | 11 | 12 | 12 | 12 |
| 65+ | 3 | 9.0 | 12 | 7 | 7 | 7 | 12 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 16.2 | 293 | 1 | 2 | 9 | 19 | 50 | 51 | 51 |
| 20-34 | 29 | 22.8 | 468 | 2 | 4 | 15 | 29 | 50 | 70 | 96 |
| 35-49 | 18 | 20.2 | 282 | 4 | 5 | 16 | 34 | 48 | 54 | 57 |
| 50-64 | 11 | 25.9 | 504 | 7 | 8 | 17 | 31 | 62 | 81 | 83 |
| 65+ | 24 | 18.0 | 199 | 4 | 5 | 14 | 24 | 49 | 68 | 99+ |
| TOT. SINGLE DX | 20 | 10.5 | 146 | 1 | 2 | 7 | 12 | 31 | 42 | 46 |
| " MULTIPLE DX | 94 | 20.6 | 340 | 3 | 5 | 15 | 29 | 49 | 58 | 98 |
| TOTAL 0-19 YRS | 20 | 16.1 | 287 | 1 | 1 | 8 | 22 | 48 | 50 | 51 |
| 20-34 | 32 | 21.5 | 441 | 2 | 4 | 13 | 28 | 50 | 67 | 96 |
| 35-49 | 21 | 17.7 | 278 | 2 | 3 | 10 | 24 | 47 | 53 | 57 |
| 50-64 | 14 | 21.9 | 457 | 3 | 6 | 15 | 29 | 51 | 76 | 83 |
| 65+ | 27 | 17.0 | 185 | 4 | 5 | 13 | 23 | 45 | 62 | 99+ |
| GRAND TOTAL | 114 | 18.8 | 319 | 2 | 3 | 13 | 26 | 49 | 56 | 97 |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 5.3 | 12 | <1 | 1 | 4 | 8 | 11 | 12 | 13 |
| 20-34 | 29 | 5.2 | 18 | 1 | 1 | 3 | 9 | 12 | 14 | 15 |
| 35-49 | 27 | 8.5 | 35 | 1 | 2 | 7 | 13 | 17 | 19 | 22 |
| 50-64 | 63 | 8.5 | 114 | <1 | <1 | 4 | 10 | 25 | 31 | 55 |
| 65+ | 73 | 8.8 | 91 | 1 | 1 | 5 | 11 | 23 | 31 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 14.0 | 278 | 1 | 1 | 4 | 23 | 36 | 52 | 62 |
| 20-34 | 36 | 14.6 | 219 | <1 | 2 | 11 | 20 | 29 | 52 | 62 |
| 35-49 | 80 | 12.0 | 104 | 1 | 2 | 9 | 19 | 28 | 33 | 84 |
| 50-64 | 146 | 13.4 | 216 | 2 | 2 | 9 | 17 | 30 | 43 | 97 |
| 65+ | 267 | 14.2 | 240 | 1 | 2 | 9 | 19 | 33 | 53 | 96 |
| TOT. SINGLE DX | 211 | 7.9 | 75 | <1 | 1 | 5 | 10 | 19 | 28 | 42 |
| " MULTIPLE DX | 548 | 13.7 | 214 | 1 | 2 | 9 | 19 | 31 | 46 | 97 |
| TOTAL 0-19 YRS | 38 | 9.6 | 161 | 1 | 1 | 4 | 11 | 26 | 36 | 62 |
| 20-34 | 65 | 10.4 | 151 | 1 | 1 | 6 | 15 | 23 | 32 | 61 |
| 35-49 | 107 | 11.1 | 89 | 1 | 2 | 8 | 17 | 26 | 31 | 71 |
| 50-64 | 209 | 11.9 | 190 | <1 | 2 | 8 | 15 | 28 | 38 | 85 |
| 65+ | 340 | 13.1 | 213 | 1 | 2 | 8 | 17 | 31 | 45 | 84 |
| GRAND TOTAL | 759 | 12.1 | 182 | 1 | 2 | 8 | 16 | 29 | 40 | 82 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 140 | 6.7 | 17 | 3 | 3 | 6 | 7 | 12 | 15 | 19 |
| 20-34 | 5 | 6.2 | 5 | 4 | 4 | 5 | 8 | 10 | 10 | 10 |
| 35-49 | 2 | 15.0 | 50 | 10 | 10 | 15 | 20 | 20 | 20 | 20 |
| 50-64 | 3 | 9.0 | 1 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 65+ | 3 | 47.0 | 691 | 28 | 28 | 36 | 67 | 77 | 77 | 77 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 57 | 10.2 | 55 | 4 | 5 | 8 | 12 | 17 | 25 | 42 |
| 20-34 | 3 | 26.7 | 1164 | 5 | 5 | 9 | 52 | 66 | 66 | 66 |
| 35-49 | 4 | 33.0 | 470 | 11 | 11 | 29 | 48 | 62 | 62 | 62 |
| 50-64 | 4 | 12.8 | 69 | 5 | 5 | 11 | 19 | 23 | 23 | 23 |
| 65+ | 10 | 30.6 | 600 | 8 | 9 | 18 | 46 | 68 | 85 | 85 |
| TOT. SINGLE DX | 153 | 7.7 | 57 | 3 | 3 | 6 | 8 | 13 | 17 | 36 |
| " MULTIPLE DX | 78 | 14.8 | 232 | 4 | 5 | 9 | 16 | 36 | 49 | 80 |
| TOTAL 0-19 YRS | 197 | 7.7 | 30 | 3 | 4 | 6 | 9 | 14 | 17 | 36 |
| 20-34 | 8 | 13.9 | 448 | 4 | 4 | 6 | 9 | 49 | 66 | 66 |
| 35-49 | 6 | 27.0 | 378 | 10 | 10 | 22 | 35 | 59 | 62 | 62 |
| 50-64 | 7 | 11.1 | 39 | 5 | 5 | 9 | 14 | 22 | 23 | 23 |
| 65+ | 13 | 34.4 | 617 | 8 | 10 | 28 | 47 | 79 | 84 | 85 |
| GRAND TOTAL | 231 | 10.1 | 127 | 3 | 4 | 7 | 10 | 17 | 34 | 68 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 25.5 | 440 | 8 | 8 | 19 | 38 | 56 | 56 | 56 |
| 20-34 | 1 | 6.0 | | 6 | 6 | 53 | 99+ | 99+ | 99+ | 99+ |
| 35-49 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 50-64 | 2 | 39.0 | 1250 | 14 | 14 | 39 | 64 | 64 | 64 | 64 |
| 65+ | 3 | 34.7 | 340 | 19 | 19 | 42 | 77 | 99+ | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 18.0 | 50 | 13 | 13 | 18 | 23 | 23 | 23 | 23 |
| 20-34 | 3 | 24.3 | 856 | 5 | 5 | 10 | 46 | 58 | 58 | 58 |
| 35-49 | 5 | 30.6 | 1393 | 1 | 1 | 20 | 44 | 95 | 95 | 95 |
| 50-64 | 14 | 27.9 | 462 | 5 | 8 | 23 | 47 | 76 | 94 | 99+ |
| 65+ | 11 | 28.9 | 435 | 8 | 9 | 28 | 60 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 11 | 27.1 | 453 | 6 | 7 | 19 | 58 | 99+ | 99+ | 99+ |
| " MULTIPLE DX | 35 | 27.7 | 529 | 4 | 8 | 22 | 50 | 89 | 99+ | 99+ |
| TOTAL 0-19 YRS | 6 | 23.0 | 289 | 8 | 8 | 19 | 23 | 53 | 56 | 56 |
| 20-34 | 4 | 19.8 | 655 | 5 | 5 | 10 | 68 | 99+ | 99+ | 99+ |
| 35-49 | 6 | 26.8 | 1200 | 1 | 2 | 15 | 27 | 88 | 95 | 95 |
| 50-64 | 16 | 29.3 | 499 | 5 | 8 | 23 | 51 | 74 | 92 | 99+ |
| 65+ | 14 | 30.1 | 393 | 8 | 9 | 30 | 60 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 46 | 27.6 | 500 | 5 | 8 | 22 | 55 | 97 | 99+ | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 20-34 | 23 | 8.7 | 133 | <1 | 2 | 4 | 8 | 23 | 42 | 45 |
| 35-49 | 39 | 9.2 | 98 | <1 | 1 | 6 | 9 | 19 | 38 | 43 |
| 50-64 | 92 | 9.0 | 65 | 1 | 2 | 7 | 11 | 16 | 21 | 47 |
| 65+ | 98 | 8.8 | 47 | <1 | 1 | 8 | 12 | 19 | 23 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 20.2 | 595 | 2 | 2 | 10 | 19 | 64 | 73 | 73 |
| 20-34 | 83 | 11.2 | 94 | 2 | 3 | 9 | 13 | 24 | 29 | 53 |
| 35-49 | 146 | 12.2 | 122 | 2 | 4 | 9 | 14 | 22 | 34 | 58 |
| 50-64 | 282 | 13.0 | 123 | 2 | 4 | 10 | 16 | 28 | 38 | 73 |
| 65+ | 552 | 15.9 | 198 | 2 | 4 | 12 | 20 | 32 | 44 | 93 |
| TOT. SINGLE DX | 254 | 9.1 | 70 | <1 | 1 | 7 | 11 | 19 | 25 | 43 |
| " MULTIPLE DX | 1073 | 14.3 | 167 | 2 | 4 | 11 | 17 | 30 | 41 | 81 |
| TOTAL 0-19 YRS | 12 | 21.0 | 490 | 2 | 3 | 14 | 25 | 61 | 71 | 73 |
| 20-34 | 106 | 10.6 | 103 | 1 | 3 | 8 | 13 | 24 | 31 | 52 |
| 35-49 | 185 | 11.5 | 119 | 2 | 3 | 8 | 13 | 22 | 36 | 56 |
| 50-64 | 374 | 12.0 | 112 | 1 | 3 | 9 | 14 | 25 | 36 | 58 |
| 65+ | 650 | 14.9 | 182 | 2 | 4 | 11 | 18 | 30 | 41 | 92 |
| GRAND TOTAL | 1327 | 13.3 | 153 | 2 | 3 | 10 | 16 | 28 | 39 | 75 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 10.4 | 9 | 7 | 7 | 10 | 13 | 14 | 14 | 14 |
| 20-34 | 42 | 13.2 | 55 | 7 | 8 | 10 | 15 | 23 | 31 | 40 |
| 35-49 | 70 | 12.8 | 25 | 8 | 8 | 12 | 15 | 19 | 21 | 36 |
| 50-64 | 69 | 15.1 | 50 | 8 | 9 | 13 | 18 | 24 | 28 | 46 |
| 65+ | 55 | 16.7 | 53 | 9 | 10 | 15 | 20 | 27 | 34 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 39.0 | | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 20-34 | 43 | 14.4 | 59 | 8 | 9 | 13 | 16 | 24 | 38 | 99+ |
| 35-49 | 99 | 14.3 | 44 | 8 | 8 | 12 | 17 | 24 | 30 | 71 |
| 50-64 | 192 | 19.9 | 136 | 8 | 9 | 17 | 25 | 33 | 47 | 69 |
| 65+ | 199 | 24.2 | 223 | 10 | 12 | 20 | 28 | 45 | 59 | 99+ |
| **TOT. SINGLE DX** | 241 | 14.4 | 46 | 8 | 8 | 12 | 17 | 22 | 28 | 41 |
| **" MULTIPLE DX** | 534 | 20.1 | 160 | 8 | 9 | 16 | 25 | 35 | 49 | 99+ |
| TOTAL 0-19 YRS | 6 | 15.2 | 144 | 7 | 7 | 11 | 14 | 36 | 39 | 39 |
| 20-34 | 85 | 13.8 | 57 | 7 | 8 | 11 | 16 | 24 | 34 | 82 |
| 35-49 | 169 | 13.7 | 37 | 8 | 8 | 12 | 16 | 22 | 28 | 41 |
| 50-64 | 261 | 18.6 | 118 | 8 | 9 | 16 | 23 | 31 | 43 | 63 |
| 65+ | 254 | 22.6 | 196 | 10 | 11 | 18 | 27 | 41 | 57 | 99 |
| **GRAND TOTAL** | **775** | **18.3** | **132** | **8** | **9** | **15** | **22** | **32** | **43** | **88** |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 19.8 | 53 | 12 | 12 | 18 | 24 | 31 | 32 | 32 |
| 50-64 | 5 | 28.4 | 243 | 16 | 16 | 18 | 42 | 50 | 50 | 50 |
| 65+ | 7 | 27.7 | 289 | 17 | 17 | 20 | 31 | 58 | 64 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 2 | 18.0 | 98 | 11 | 11 | 18 | 25 | 25 | 25 | 25 |
| 35-49 | 12 | 23.9 | 136 | 10 | 11 | 22 | 27 | 44 | 47 | 48 |
| 50-64 | 26 | 29.1 | 278 | 13 | 13 | 26 | 32 | 57 | 85 | 99+ |
| 65+ | 47 | 29.8 | 361 | 14 | 15 | 24 | 31 | 63 | 78 | 85 |
| **TOT. SINGLE DX** | 18 | 25.3 | 190 | 13 | 15 | 19 | 32 | 47 | 58 | 64 |
| **" MULTIPLE DX** | 88 | 28.4 | 297 | 12 | 13 | 24 | 31 | 57 | 77 | 94 |
| TOTAL 0-19 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 20-34 | 2 | 18.0 | 98 | 11 | 11 | 18 | 25 | 25 | 25 | 25 |
| 35-49 | 18 | 22.6 | 108 | 10 | 11 | 21 | 24 | 40 | 46 | 48 |
| 50-64 | 31 | 29.0 | 264 | 13 | 14 | 25 | 36 | 57 | 79 | 99+ |
| 65+ | 54 | 29.6 | 347 | 14 | 15 | 23 | 31 | 63 | 77 | 85 |
| **GRAND TOTAL** | **106** | **27.9** | **278** | **12** | **14** | **24** | **31** | **56** | **76** | **91** |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 9 | 8.3 | 4 | 6 | 6 | 8 | 10 | 11 | 12 | 12 |
| 20-34 | 90 | 10.3 | 19 | 6 | 7 | 9 | 11 | 15 | 19 | 29 |
| 35-49 | 94 | 10.8 | 11 | 7 | 8 | 10 | 12 | 16 | 18 | 22 |
| 50-64 | 61 | 12.1 | 26 | 7 | 7 | 10 | 14 | 21 | 23 | 28 |
| 65+ | 15 | 17.5 | 61 | 7 | 9 | 17 | 21 | 27 | 34 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 13.2 | 26 | 7 | 7 | 13 | 17 | 20 | 20 | 20 |
| 20-34 | 65 | 11.5 | 48 | 6 | 7 | 9 | 13 | 17 | 21 | 51 |
| 35-49 | 117 | 12.8 | 86 | 7 | 7 | 11 | 14 | 19 | 24 | 99 |
| 50-64 | 127 | 16.2 | 119 | 8 | 8 | 13 | 19 | 26 | 35 | 74 |
| 65+ | 47 | 18.8 | 113 | 9 | 9 | 16 | 21 | 38 | 57 | 99+ |
| **TOT. SINGLE DX** | 269 | 11.2 | 23 | 6 | 7 | 10 | 13 | 17 | 22 | 29 |
| **" MULTIPLE DX** | 362 | 14.5 | 99 | 7 | 8 | 12 | 17 | 24 | 32 | 95 |
| TOTAL 0-19 YRS | 15 | 10.3 | 18 | 6 | 6 | 9 | 12 | 17 | 19 | 20 |
| 20-34 | 155 | 10.8 | 32 | 6 | 7 | 9 | 12 | 16 | 21 | 29 |
| 35-49 | 211 | 11.9 | 54 | 7 | 8 | 10 | 13 | 17 | 21 | 56 |
| 50-64 | 188 | 14.9 | 93 | 7 | 8 | 12 | 17 | 24 | 29 | 64 |
| 65+ | 62 | 18.5 | 100 | 9 | 9 | 16 | 21 | 36 | 53 | 99+ |
| **GRAND TOTAL** | **631** | **13.1** | **69** | **7** | **7** | **10** | **15** | **21** | **28** | **58** |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 16 | 8.5 | 4 | 6 | 6 | 8 | 10 | 12 | 13 | 13 |
| 20-34 | 169 | 9.3 | 19 | 6 | 6 | 8 | 10 | 13 | 16 | 30 |
| 35-49 | 166 | 9.6 | 21 | 6 | 7 | 9 | 10 | 12 | 15 | 25 |
| 50-64 | 75 | 11.8 | 59 | 6 | 7 | 10 | 14 | 18 | 25 | 54 |
| 65+ | 54 | 14.8 | 59 | 7 | 8 | 11 | 19 | 27 | 32 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 18 | 17.7 | 246 | 7 | 9 | 13 | 16 | 42 | 61 | 67 |
| 20-34 | 135 | 12.6 | 145 | 6 | 7 | 10 | 12 | 19 | 29 | 97 |
| 35-49 | 194 | 14.1 | 91 | 6 | 7 | 11 | 16 | 25 | 38 | 52 |
| 50-64 | 229 | 18.0 | 199 | 7 | 8 | 13 | 21 | 40 | 55 | 76 |
| 65+ | 181 | 21.7 | 256 | 8 | 9 | 16 | 29 | 48 | 66 | 99+ |
| **TOT. SINGLE DX** | 480 | 10.4 | 33 | 6 | 7 | 9 | 11 | 15 | 22 | 35 |
| **" MULTIPLE DX** | 757 | 16.9 | 187 | 7 | 7 | 12 | 18 | 35 | 50 | 87 |
| TOTAL 0-19 YRS | 34 | 13.4 | 150 | 6 | 7 | 10 | 13 | 17 | 45 | 67 |
| 20-34 | 304 | 10.8 | 77 | 6 | 7 | 9 | 11 | 15 | 21 | 40 |
| 35-49 | 360 | 12.0 | 64 | 6 | 7 | 9 | 13 | 19 | 26 | 50 |
| 50-64 | 304 | 16.4 | 171 | 7 | 7 | 12 | 18 | 33 | 51 | 68 |
| 65+ | 235 | 20.1 | 219 | 8 | 9 | 15 | 26 | 41 | 55 | 99+ |
| **GRAND TOTAL** | **1237** | **14.4** | **137** | **6** | **7** | **10** | **15** | **27** | **40** | **74** |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 70 | 9.3 | 77 | 2 | 2 | 7 | 12 | 19 | 29 | 46 |
| 20-34 | 109 | 8.9 | 51 | 2 | 3 | 7 | 11 | 18 | 21 | 39 |
| 35-49 | 64 | 7.7 | 14 | 3 | 3 | 7 | 10 | 13 | 14 | 17 |
| 50-64 | 106 | 8.3 | 104 | <1 | 1 | 6 | 11 | 16 | 20 | 61 |
| 65+ | 80 | 10.9 | 101 | 1 | 2 | 8 | 14 | 21 | 31 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 87 | 12.3 | 95 | 2 | 2 | 10 | 16 | 26 | 34 | 43 |
| 20-34 | 166 | 11.3 | 57 | 2 | 4 | 9 | 15 | 20 | 26 | 35 |
| 35-49 | 128 | 13.8 | 132 | 2 | 3 | 10 | 18 | 30 | 37 | 59 |
| 50-64 | 204 | 14.1 | 155 | 1 | 3 | 11 | 19 | 30 | 41 | 84 |
| 65+ | 314 | 13.9 | 133 | 2 | 2 | 11 | 19 | 31 | 38 | 71 |
| **TOT. SINGLE DX** | 429 | 9.0 | 73 | 1 | 2 | 7 | 12 | 18 | 22 | 49 |
| **" MULTIPLE DX** | 899 | 13.3 | 121 | 2 | 3 | 10 | 17 | 28 | 36 | 65 |
| TOTAL 0-19 YRS | 157 | 10.9 | 89 | 2 | 2 | 8 | 14 | 22 | 31 | 44 |
| 20-34 | 275 | 10.3 | 56 | 2 | 3 | 8 | 14 | 18 | 25 | 35 |
| 35-49 | 192 | 11.8 | 101 | 2 | 3 | 9 | 14 | 25 | 32 | 53 |
| 50-64 | 310 | 12.1 | 145 | 1 | 2 | 9 | 16 | 25 | 33 | 78 |
| 65+ | 394 | 13.3 | 128 | 1 | 2 | 10 | 18 | 30 | 37 | 62 |
| **GRAND TOTAL** | **1328** | **11.9** | **110** | **1** | **2** | **9** | **16** | **25** | **33** | **58** |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 10.2 | 12 | 7 | 7 | 10 | 12 | 16 | 16 | 16 |
| 20-34 | 13 | 18.2 | 429 | 5 | 6 | 14 | 19 | 34 | 75 | 85 |
| 35-49 | 15 | 19.4 | 122 | 8 | 9 | 15 | 29 | 37 | 39 | 40 |
| 50-64 | 16 | 12.1 | 19 | 8 | 8 | 11 | 14 | 18 | 22 | 24 |
| 65+ | 16 | 17.1 | 69 | 7 | 7 | 16 | 23 | 30 | 31 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 21 | 18.8 | 381 | 5 | 7 | 16 | 26 | 98 | 99+ | 99+ |
| 20-34 | 64 | 22.1 | 223 | 7 | 9 | 15 | 30 | 48 | 56 | 65 |
| 35-49 | 50 | 22.9 | 160 | 8 | 9 | 21 | 31 | 47 | 53 | 99+ |
| 50-64 | 72 | 25.4 | 331 | 9 | 10 | 19 | 39 | 75 | 99+ | 99+ |
| 65+ | 104 | 24.6 | 238 | 10 | 12 | 21 | 35 | 66 | 99+ | 99+ |
| **TOT. SINGLE DX** | 65 | 16.1 | 139 | 7 | 8 | 13 | 18 | 29 | 35 | 78 |
| **" MULTIPLE DX** | 311 | 23.6 | 254 | 9 | 10 | 19 | 32 | 55 | 99+ | 99+ |
| TOTAL 0-19 YRS | 26 | 17.1 | 319 | 5 | 7 | 13 | 22 | 77 | 99+ | 99+ |
| 20-34 | 77 | 21.5 | 255 | 7 | 8 | 14 | 29 | 46 | 56 | 80 |
| 35-49 | 65 | 22.1 | 152 | 8 | 9 | 21 | 30 | 44 | 51 | 99+ |
| 50-64 | 88 | 23.0 | 301 | 9 | 9 | 18 | 33 | 61 | 96 | 99+ |
| 65+ | 120 | 23.6 | 222 | 9 | 11 | 20 | 32 | 61 | 99+ | 99+ |
| **GRAND TOTAL** | **376** | **22.3** | **242** | **8** | **9** | **18** | **30** | **52** | **84** | **99+** |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 12 | 12.5 | 44 | 6 | 7 | 12 | 14 | 20 | 29 | 31 |
| 20-34 | 65 | 18.2 | 154 | 7 | 9 | 15 | 19 | 38 | 46 | 63 |
| 35-49 | 74 | 13.6 | 42 | 8 | 8 | 12 | 14 | 21 | 27 | 45 |
| 50-64 | 159 | 16.4 | 68 | 9 | 10 | 14 | 17 | 26 | 34 | 58 |
| 65+ | 204 | 18.3 | 78 | 10 | 11 | 15 | 20 | 30 | 38 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 34 | 17.6 | 141 | 7 | 8 | 14 | 21 | 34 | 59 | 99+ |
| 20-34 | 104 | 21.1 | 234 | 9 | 10 | 16 | 24 | 42 | 59 | 84 |
| 35-49 | 166 | 19.3 | 121 | 9 | 9 | 16 | 23 | 30 | 43 | 57 |
| 50-64 | 396 | 20.0 | 120 | 10 | 10 | 16 | 23 | 35 | 43 | 69 |
| 65+ | 843 | 24.2 | 204 | 11 | 12 | 21 | 30 | 46 | 64 | 99+ |
| **TOT. SINGLE DX** | 514 | 16.9 | 82 | 9 | 10 | 14 | 19 | 28 | 36 | 55 |
| **" MULTIPLE DX** | 1543 | 22.2 | 180 | 10 | 11 | 18 | 27 | 41 | 55 | 99+ |
| TOTAL 0-19 YRS | 46 | 16.3 | 120 | 7 | 7 | 14 | 20 | 31 | 49 | 99+ |
| 20-34 | 169 | 20.0 | 205 | 9 | 9 | 15 | 23 | 40 | 50 | 79 |
| 35-49 | 240 | 17.5 | 104 | 8 | 9 | 15 | 20 | 29 | 37 | 55 |
| 50-64 | 555 | 18.9 | 108 | 9 | 10 | 15 | 22 | 32 | 41 | 66 |
| 65+ | 1047 | 23.1 | 186 | 11 | 12 | 19 | 28 | 43 | 60 | 99+ |
| **GRAND TOTAL** | **2057** | **20.9** | **160** | **9** | **11** | **17** | **25** | **38** | **51** | **99+** |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 5 | 12.0 | 16 | 7 | 7 | 13 | 15 | 17 | 17 | 17 |
| 20-34 | 5 | 16.6 | 95 | 3 | 3 | 16 | 24 | 29 | 29 | 29 |
| 35-49 | 11 | 12.3 | 31 | 5 | 6 | 11 | 16 | 20 | 24 | 24 |
| 50-64 | 13 | 15.5 | 75 | 9 | 9 | 12 | 20 | 25 | 37 | 40 |
| 65+ | 12 | 19.0 | 105 | 7 | 8 | 15 | 24 | 38 | 39 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 9 | 17.1 | 55 | 7 | 7 | 17 | 25 | 26 | 26 | 26 |
| 20-34 | 13 | 17.4 | 211 | 2 | 4 | 13 | 22 | 36 | 54 | 58 |
| 35-49 | 13 | 18.4 | 177 | 7 | 8 | 14 | 26 | 56 | 90 | 99+ |
| 50-64 | 52 | 21.0 | 120 | 9 | 10 | 17 | 25 | 39 | 44 | 53 |
| 65+ | 48 | 30.9 | 424 | 10 | 14 | 27 | 45 | 86 | 99+ | 99+ |
| **TOT. SINGLE DX** | 46 | 15.4 | 70 | 6 | 7 | 13 | 18 | 26 | 37 | 40 |
| **" MULTIPLE DX** | 135 | 23.7 | 264 | 8 | 9 | 19 | 32 | 50 | 80 | 99+ |
| TOTAL 0-19 YRS | 14 | 15.3 | 45 | 7 | 7 | 14 | 19 | 26 | 26 | 26 |
| 20-34 | 18 | 17.2 | 172 | 2 | 4 | 14 | 22 | 30 | 47 | 58 |
| 35-49 | 24 | 15.6 | 116 | 6 | 7 | 13 | 19 | 39 | 63 | 99+ |
| 50-64 | 65 | 19.9 | 115 | 9 | 9 | 17 | 22 | 39 | 41 | 52 |
| 65+ | 60 | 28.5 | 381 | 9 | 13 | 24 | 38 | 78 | 99+ | 99+ |
| **GRAND TOTAL** | **181** | **21.6** | **227** | **7** | **9** | **17** | **28** | **45** | **68** | **99+** |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 8.2 | 13 | 4 | 4 | 7 | 11 | 13 | 14 | 20 |
| 20-34 | 66 | 11.7 | 41 | 5 | 7 | 11 | 14 | 18 | 21 | 43 |
| 35-49 | 42 | 12.2 | 47 | 5 | 6 | 11 | 14 | 22 | 24 | 40 |
| 50-64 | 47 | 11.5 | 13 | 6 | 8 | 11 | 14 | 16 | 18 | 22 |
| 65+ | 62 | 13.7 | 31 | 6 | 7 | 12 | 19 | 21 | 23 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 14.6 | 147 | 4 | 5 | 10 | 18 | 33 | 41 | 62 |
| 20-34 | 98 | 15.4 | 106 | 6 | 7 | 13 | 17 | 33 | 40 | 79 |
| 35-49 | 88 | 15.2 | 132 | 6 | 8 | 13 | 17 | 26 | 36 | 99+ |
| 50-64 | 164 | 15.5 | 110 | 6 | 7 | 12 | 17 | 28 | 40 | 72 |
| 65+ | 209 | 19.5 | 185 | 8 | 9 | 15 | 25 | 39 | 52 | 99+ |
| TOT. SINGLE DX | 264 | 11.6 | 33 | 5 | 6 | 11 | 14 | 19 | 22 | 34 |
| " MULTIPLE DX | 621 | 16.7 | 145 | 6 | 7 | 13 | 19 | 32 | 42 | 99 |
| TOTAL 0-19 YRS | 109 | 11.8 | 99 | 4 | 4 | 9 | 14 | 20 | 37 | 52 |
| 20-34 | 164 | 13.9 | 83 | 6 | 7 | 12 | 15 | 25 | 35 | 56 |
| 35-49 | 130 | 14.2 | 106 | 5 | 7 | 12 | 16 | 23 | 32 | 99 |
| 50-64 | 211 | 14.6 | 92 | 6 | 7 | 12 | 16 | 25 | 35 | 66 |
| 65+ | 271 | 18.2 | 156 | 7 | 8 | 14 | 21 | 34 | 46 | 99+ |
| GRAND TOTAL | 885 | 15.2 | 117 | 6 | 7 | 12 | 17 | 28 | 39 | 78 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 28.3 | 182 | 15 | 15 | 28 | 38 | 42 | 42 | 42 |
| 20-34 | 2 | 10.5 | 5 | 9 | 9 | 10 | 12 | 12 | 12 | 12 |
| 35-49 | 5 | 14.2 | 10 | 10 | 10 | 15 | 16 | 18 | 18 | 18 |
| 50-64 | 15 | 19.9 | 116 | 7 | 8 | 18 | 23 | 40 | 44 | 46 |
| 65+ | 18 | 21.0 | 79 | 6 | 9 | 19 | 29 | 34 | 35 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 31.8 | 886 | 9 | 9 | 14 | 57 | 75 | 75 | 75 |
| 20-34 | 16 | 29.9 | 180 | 9 | 10 | 31 | 39 | 46 | 52 | 54 |
| 35-49 | 16 | 22.3 | 108 | 8 | 9 | 21 | 26 | 34 | 46 | 51 |
| 50-64 | 58 | 25.1 | 312 | 10 | 11 | 18 | 28 | 50 | 68 | 89 |
| 65+ | 99 | 29.1 | 347 | 11 | 13 | 23 | 41 | 65 | 92 | 99+ |
| TOT. SINGLE DX | 43 | 19.9 | 94 | 7 | 9 | 18 | 26 | 34 | 41 | 46 |
| " MULTIPLE DX | 194 | 27.5 | 316 | 10 | 11 | 22 | 35 | 55 | 76 | 99+ |
| TOTAL 0-19 YRS | 8 | 30.5 | 562 | 9 | 9 | 21 | 46 | 68 | 75 | 75 |
| 20-34 | 18 | 27.8 | 199 | 9 | 9 | 28 | 39 | 45 | 51 | 54 |
| 35-49 | 21 | 20.4 | 96 | 9 | 10 | 19 | 24 | 32 | 42 | 51 |
| 50-64 | 73 | 24.0 | 274 | 10 | 10 | 18 | 27 | 47 | 62 | 87 |
| 65+ | 117 | 27.9 | 314 | 10 | 13 | 23 | 35 | 61 | 84 | 99+ |
| GRAND TOTAL | 237 | 26.1 | 284 | 9 | 11 | 21 | 33 | 51 | 71 | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3732 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 20-34 | 2146 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 491 | 5.7 | 9 | 3 | 3 | 5 | 7 | 9 | 11 | 17 |
| 50-64 | 231 | 6.9 | 13 | 3 | 3 | 6 | 9 | 12 | 14 | 19 |
| 65+ | 80 | 9.0 | 18 | 4 | 4 | 8 | 11 | 15 | 17 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 915 | 7.4 | 29 | 3 | 3 | 5 | 9 | 15 | 18 | 29 |
| 20-34 | 704 | 7.5 | 34 | 3 | 3 | 6 | 8 | 13 | 17 | 30 |
| 35-49 | 227 | 8.8 | 29 | 3 | 4 | 8 | 11 | 16 | 18 | 30 |
| 50-64 | 156 | 10.2 | 25 | 4 | 5 | 9 | 13 | 17 | 20 | 26 |
| 65+ | 124 | 14.6 | 110 | 5 | 6 | 11 | 18 | 27 | 37 | 74 |
| TOT. SINGLE DX | 6680 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| " MULTIPLE DX | 2126 | 8.2 | 39 | 3 | 3 | 6 | 10 | 15 | 19 | 31 |
| TOTAL 0-19 YRS | 4647 | 5.2 | 11 | 2 | 3 | 4 | 6 | 9 | 12 | 19 |
| 20-34 | 2850 | 5.4 | 14 | 2 | 3 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 718 | 6.7 | 18 | 3 | 3 | 6 | 8 | 12 | 15 | 23 |
| 50-64 | 387 | 8.2 | 21 | 3 | 4 | 7 | 10 | 15 | 17 | 24 |
| 65+ | 204 | 12.4 | 82 | 4 | 5 | 10 | 14 | 22 | 29 | 64 |
| GRAND TOTAL | 8806 | 5.7 | 16 | 3 | 3 | 5 | 6 | 10 | 13 | 21 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 4.5 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| 20-34 | 29 | 5.1 | 7 | 3 | 3 | 4 | 6 | 8 | 9 | 17 |
| 35-49 | 6 | 5.7 | 10 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| 50-64 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 5.9 | 21 | 3 | 3 | 5 | 6 | 8 | 17 | 24 |
| 20-34 | 13 | 6.2 | 5 | 1 | 3 | 6 | 8 | 9 | 11 | 11 |
| 35-49 | 6 | 6.8 | 9 | 3 | 3 | 6 | 8 | 12 | 12 | 12 |
| 50-64 | 2 | 12.5 | 61 | 7 | 7 | 12 | 18 | 18 | 18 | 18 |
| 65+ | 1 | 62.0 | | 62 | 62 | 62 | 62 | 62 | 62 | 62 |
| TOT. SINGLE DX | 93 | 4.8 | 8 | 2 | 3 | 4 | 6 | 8 | 10 | 18 |
| " MULTIPLE DX | 41 | 7.9 | 91 | 3 | 3 | 6 | 7 | 11 | 21 | 62 |
| TOTAL 0-19 YRS | 75 | 4.9 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 22 |
| 20-34 | 42 | 5.5 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 17 |
| 35-49 | 12 | 6.3 | 9 | 2 | 3 | 6 | 8 | 11 | 12 | 12 |
| 50-64 | 3 | 10.3 | 44 | 6 | 6 | 7 | 15 | 18 | 18 | 18 |
| 65+ | 2 | 32.5 | 1741 | 3 | 3 | 32 | 62 | 62 | 62 | 62 |
| GRAND TOTAL | 134 | 5.7 | 35 | 2 | 3 | 5 | 6 | 8 | 11 | 30 |

## 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 8.6 | 19 | 3 | 4 | 8 | 11 | 15 | 18 | 19 |
| 20-34 | 12 | 11.5 | 24 | 5 | 5 | 11 | 13 | 18 | 22 | 23 |
| 35-49 | 4 | 6.0 | 12 | 3 | 3 | 6 | 9 | 10 | 10 | 10 |
| 50-64 | 4 | 16.8 | 73 | 9 | 9 | 16 | 24 | 26 | 26 | 26 |
| 65+ | 3 | 15.7 | 9 | 13 | 13 | 15 | 18 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 11.2 | 42 | 3 | 5 | 8 | 14 | 22 | 24 | 24 |
| 20-34 | 7 | 17.0 | 159 | 8 | 8 | 12 | 19 | 39 | 44 | 44 |
| 35-49 | 5 | 14.8 | 29 | 10 | 10 | 14 | 17 | 24 | 24 | 24 |
| 50-64 | 7 | 20.9 | 62 | 10 | 10 | 21 | 28 | 30 | 30 | 30 |
| 65+ | 4 | 22.3 | 285 | 9 | 9 | 16 | 32 | 47 | 47 | 47 |
| TOT. SINGLE DX | 44 | 10.4 | 31 | 3 | 4 | 9 | 13 | 19 | 22 | 26 |
| " MULTIPLE DX | 32 | 16.5 | 103 | 7 | 8 | 13 | 21 | 29 | 43 | 47 |
| TOTAL 0-19 YRS | 30 | 9.4 | 26 | 3 | 4 | 8 | 12 | 18 | 19 | 24 |
| 20-34 | 19 | 13.5 | 75 | 5 | 6 | 12 | 15 | 22 | 35 | 44 |
| 35-49 | 9 | 10.9 | 41 | 3 | 3 | 10 | 14 | 20 | 24 | 24 |
| 50-64 | 11 | 19.4 | 64 | 9 | 9 | 21 | 25 | 29 | 30 | 30 |
| 65+ | 7 | 19.4 | 158 | 9 | 10 | 16 | 18 | 41 | 47 | 47 |
| GRAND TOTAL | 76 | 13.0 | 69 | 3 | 5 | 11 | 16 | 24 | 28 | 46 |

## 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 52 | 6.3 | 43 | <1 | <1 | 5 | 8 | 13 | 21 | 31 |
| 20-34 | 109 | 7.0 | 32 | 1 | 2 | 5 | 10 | 15 | 18 | 31 |
| 35-49 | 63 | 6.4 | 32 | 1 | 1 | 5 | 9 | 12 | 14 | 35 |
| 50-64 | 78 | 6.2 | 20 | 1 | 2 | 5 | 8 | 11 | 18 | 21 |
| 65+ | 127 | 7.2 | 39 | 1 | 2 | 6 | 9 | 14 | 16 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 10.9 | 66 | 2 | 2 | 9 | 15 | 25 | 26 | 30 |
| 20-34 | 98 | 10.6 | 89 | 2 | 3 | 8 | 14 | 20 | 25 | 53 |
| 35-49 | 70 | 9.9 | 75 | 1 | 2 | 7 | 14 | 23 | 24 | 38 |
| 50-64 | 143 | 12.9 | 162 | 2 | 3 | 10 | 16 | 27 | 33 | 80 |
| 65+ | 263 | 13.0 | 126 | 2 | 3 | 10 | 16 | 26 | 40 | 87 |
| TOT. SINGLE DX | 429 | 6.7 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 31 |
| " MULTIPLE DX | 604 | 12.1 | 121 | 2 | 3 | 9 | 16 | 24 | 34 | 64 |
| TOTAL 0-19 YRS | 82 | 8.0 | 56 | <1 | 1 | 6 | 9 | 20 | 26 | 31 |
| 20-34 | 207 | 8.7 | 62 | 2 | 2 | 7 | 11 | 18 | 21 | 37 |
| 35-49 | 133 | 8.2 | 58 | 1 | 1 | 6 | 11 | 19 | 24 | 37 |
| 50-64 | 221 | 10.5 | 122 | 2 | 2 | 8 | 13 | 20 | 31 | 67 |
| 65+ | 390 | 11.1 | 106 | 2 | 2 | 8 | 14 | 23 | 34 | 56 |
| GRAND TOTAL | 1033 | 9.9 | 92 | 1 | 2 | 7 | 13 | 21 | 29 | 46 |

## 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 3.0 | 4 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 35 | 3.8 | 5 | <1 | <1 | 3 | 5 | 7 | 9 | 10 |
| 35-49 | 9 | 5.6 | 32 | 1 | 1 | 4 | 6 | 15 | 20 | 20 |
| 50-64 | 8 | 4.5 | 8 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 65+ | 4 | 9.8 | 86 | 2 | 2 | 7 | 16 | 23 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 5 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 5 | 6.0 | 6 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 35-49 | 9 | 5.8 | 13 | 2 | 2 | 5 | 10 | 56 | 99+ | 99+ |
| 50-64 | 10 | 19.9 | 501 | 2 | 2 | 7 | 40 | 55 | 60 | 60 |
| 65+ | 6 | 20.0 | 362 | 4 | 4 | 15 | 28 | 50 | 53 | 53 |
| TOT. SINGLE DX | 59 | 4.5 | 16 | <1 | 1 | 3 | 5 | 9 | 10 | 23 |
| " MULTIPLE DX | 34 | 12.4 | 248 | 2 | 2 | 6 | 12 | 51 | 58 | 99+ |
| TOTAL 0-19 YRS | 7 | 4.3 | 5 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 40 | 4.1 | 6 | <1 | 1 | 3 | 6 | 8 | 9 | 10 |
| 35-49 | 18 | 5.7 | 21 | 1 | 2 | 4 | 7 | 17 | 64 | 99+ |
| 50-64 | 18 | 13.1 | 331 | 1 | 2 | 5 | 9 | 48 | 56 | 60 |
| 65+ | 10 | 15.9 | 258 | 2 | 3 | 8 | 23 | 40 | 53 | 53 |
| GRAND TOTAL | 93 | 7.4 | 113 | <1 | 2 | 4 | 7 | 20 | 38 | 82 |

## 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 23.5 | 246 | 6 | 6 | 22 | 34 | 44 | 44 | 44 |
| 20-34 | 13 | 17.8 | 85 | 8 | 10 | 16 | 20 | 33 | 39 | 41 |
| 35-49 | 30 | 16.3 | 27 | 7 | 10 | 16 | 20 | 22 | 23 | 27 |
| 50-64 | 76 | 18.3 | 67 | 9 | 10 | 17 | 22 | 26 | 30 | 57 |
| 65+ | 70 | 20.7 | 94 | 10 | 11 | 18 | 25 | 37 | 45 | 91 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 33.7 | 535 | 9 | 13 | 27 | 47 | 78 | 80 | 81 |
| 20-34 | 24 | 26.3 | 183 | 9 | 10 | 22 | 32 | 47 | 52 | 62 |
| 35-49 | 48 | 21.5 | 198 | 10 | 11 | 18 | 23 | 38 | 44 | 90 |
| 50-64 | 203 | 23.5 | 172 | 11 | 12 | 20 | 28 | 38 | 51 | 74 |
| 65+ | 311 | 26.0 | 170 | 12 | 13 | 23 | 33 | 46 | 62 | 99+ |
| TOT. SINGLE DX | 193 | 18.9 | 77 | 9 | 11 | 17 | 23 | 28 | 40 | 60 |
| " MULTIPLE DX | 607 | 25.1 | 190 | 11 | 12 | 22 | 31 | 43 | 56 | 94 |
| TOTAL 0-19 YRS | 25 | 32.1 | 491 | 6 | 12 | 24 | 45 | 78 | 79 | 81 |
| 20-34 | 37 | 23.3 | 163 | 9 | 10 | 21 | 29 | 42 | 48 | 62 |
| 35-49 | 78 | 19.5 | 138 | 9 | 11 | 17 | 22 | 35 | 41 | 78 |
| 50-64 | 279 | 22.1 | 149 | 10 | 11 | 19 | 26 | 36 | 42 | 73 |
| 65+ | 381 | 25.0 | 161 | 11 | 13 | 22 | 32 | 43 | 56 | 99+ |
| GRAND TOTAL | 800 | 23.6 | 169 | 10 | 12 | 20 | 29 | 41 | 51 | 89 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 31 | 6.2 | 11 | 2 | 3 | 5 | 9 | 11 | 12 | 16 |
| 20-34 | 133 | 5.6 | 22 | <1 | 2 | 5 | 7 | 9 | 11 | 32 |
| 35-49 | 147 | 7.1 | 44 | 2 | 2 | 5 | 8 | 13 | 18 | 34 |
| 50-64 | 120 | 7.0 | 26 | <1 | 1 | 7 | 9 | 14 | 17 | 24 |
| 65+ | 118 | 8.1 | 42 | 1 | 2 | 7 | 11 | 18 | 21 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 19 | 8.0 | 52 | 1 | 2 | 6 | 11 | 16 | 25 | 31 |
| 20-34 | 155 | 8.1 | 44 | 1 | 2 | 6 | 10 | 17 | 21 | 39 |
| 35-49 | 226 | 9.0 | 71 | 1 | 3 | 6 | 11 | 17 | 26 | 45 |
| 50-64 | 314 | 11.2 | 76 | 1 | 3 | 8 | 15 | 23 | 28 | 44 |
| 65+ | 421 | 13.2 | 127 | 2 | 4 | 11 | 17 | 27 | 38 | 95 |
| **TOT. SINGLE DX** | 549 | 6.9 | 34 | 1 | 2 | 6 | 9 | 13 | 18 | 30 |
| **" MULTIPLE DX** | 1135 | 11.0 | 93 | 2 | 3 | 8 | 14 | 23 | 29 | 52 |
| TOTAL 0-19 YRS | 50 | 6.9 | 27 | 2 | 2 | 5 | 9 | 13 | 16 | 31 |
| 20-34 | 288 | 6.9 | 36 | 1 | 2 | 5 | 9 | 13 | 18 | 36 |
| 35-49 | 373 | 8.2 | 62 | 1 | 2 | 6 | 10 | 15 | 22 | 42 |
| 50-64 | 434 | 10.0 | 66 | 1 | 2 | 8 | 13 | 21 | 26 | 41 |
| 65+ | 539 | 12.1 | 113 | 2 | 3 | 9 | 16 | 24 | 33 | 94 |
| **GRAND TOTAL** | **1684** | **9.6** | **78** | **1** | **2** | **7** | **12** | **20** | **27** | **50** |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 30 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 11 | 16 |
| 20-34 | 167 | 4.6 | 10 | 1 | 2 | 4 | 5 | 8 | 12 | 17 |
| 35-49 | 160 | 4.7 | 57 | 1 | 2 | 3 | 5 | 7 | 10 | 22 |
| 50-64 | 74 | 5.4 | 10 | 2 | 3 | 5 | 6 | 9 | 13 | 20 |
| 65+ | 27 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 13 | 3.5 | 1 | 1 | 2 | 4 | 4 | 5 | 5 | 5 |
| 20-34 | 76 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 14 | 31 |
| 35-49 | 101 | 5.7 | 18 | 1 | 2 | 5 | 6 | 10 | 16 | 24 |
| 50-64 | 66 | 6.2 | 44 | 2 | 3 | 5 | 6 | 10 | 11 | 47 |
| 65+ | 29 | 10.6 | 132 | 1 | 2 | 6 | 16 | 31 | 36 | 46 |
| **TOT. SINGLE DX** | 458 | 4.7 | 27 | 1 | 2 | 4 | 5 | 8 | 11 | 17 |
| **" MULTIPLE DX** | 285 | 6.2 | 39 | 1 | 2 | 5 | 6 | 11 | 18 | 35 |
| TOTAL 0-19 YRS | 43 | 3.7 | 7 | 1 | 2 | 3 | 4 | 5 | 8 | 16 |
| 20-34 | 243 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 35-49 | 261 | 5.1 | 42 | 1 | 2 | 4 | 6 | 8 | 12 | 23 |
| 50-64 | 140 | 5.8 | 26 | 2 | 3 | 5 | 6 | 10 | 12 | 29 |
| 65+ | 56 | 7.9 | 80 | 1 | 2 | 5 | 7 | 18 | 31 | 45 |
| **GRAND TOTAL** | **743** | **5.3** | **32** | **1** | **2** | **4** | **6** | **9** | **13** | **27** |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 42 | 3.7 | 7 | <1 | <1 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 186 | 3.4 | 8 | <1 | <1 | 3 | 4 | 6 | 7 | 18 |
| 35-49 | 101 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 50-64 | 51 | 4.6 | 34 | <1 | 1 | 3 | 5 | 7 | 11 | 42 |
| 65+ | 17 | 5.4 | 6 | 2 | 2 | 5 | 8 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 17 | 9.1 | 86 | 2 | 2 | 5 | 11 | 27 | 28 | 29 |
| 20-34 | 88 | 5.5 | 22 | <1 | 2 | 4 | 6 | 11 | 13 | 28 |
| 35-49 | 86 | 4.7 | 10 | <1 | 1 | 4 | 6 | 10 | 12 | 16 |
| 50-64 | 64 | 5.5 | 22 | <1 | 2 | 5 | 6 | 10 | 15 | 29 |
| 65+ | 57 | 7.9 | 54 | 2 | 3 | 6 | 10 | 18 | 25 | 96 |
| **TOT. SINGLE DX** | 397 | 3.7 | 11 | <1 | <1 | 3 | 5 | 6 | 8 | 16 |
| **" MULTIPLE DX** | 312 | 5.9 | 30 | <1 | 2 | 5 | 7 | 11 | 16 | 31 |
| TOTAL 0-19 YRS | 59 | 5.3 | 35 | <1 | <1 | 3 | 6 | 10 | 20 | 29 |
| 20-34 | 274 | 4.1 | 14 | <1 | <1 | 3 | 5 | 7 | 10 | 23 |
| 35-49 | 187 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 50-64 | 115 | 5.1 | 28 | <1 | 1 | 4 | 6 | 9 | 13 | 35 |
| 65+ | 74 | 7.3 | 44 | 2 | 3 | 6 | 9 | 14 | 22 | 86 |
| **GRAND TOTAL** | **709** | **4.7** | **21** | **<1** | **1** | **4** | **6** | **8** | **12** | **28** |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 15 | 4.5 | 1 | 2 | 2 | 5 | 5 | 6 | 7 | 7 |
| 20-34 | 456 | 5.2 | 4 | 3 | 3 | 5 | 6 | 8 | 8 | 10 |
| 35-49 | 652 | 5.5 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 50-64 | 362 | 5.7 | 5 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| 65+ | 129 | 6.9 | 12 | 3 | 4 | 6 | 8 | 12 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 12 | 4.8 | 5 | <1 | 2 | 5 | 6 | 7 | 10 | 10 |
| 20-34 | 385 | 5.9 | 11 | 3 | 3 | 5 | 7 | 9 | 11 | 20 |
| 35-49 | 587 | 6.7 | 35 | 3 | 3 | 5 | 7 | 10 | 12 | 25 |
| 50-64 | 491 | 7.6 | 36 | 3 | 4 | 6 | 9 | 12 | 15 | 31 |
| 65+ | 227 | 10.3 | 100 | 3 | 4 | 8 | 11 | 19 | 26 | 57 |
| **TOT. SINGLE DX** | 1614 | 5.6 | 6 | 3 | 3 | 5 | 7 | 8 | 9 | 13 |
| **" MULTIPLE DX** | 1702 | 7.2 | 40 | 3 | 3 | 6 | 8 | 11 | 15 | 33 |
| TOTAL 0-19 YRS | 27 | 4.6 | 3 | 1 | 2 | 5 | 6 | 6 | 7 | 10 |
| 20-34 | 841 | 5.5 | 8 | 3 | 3 | 5 | 6 | 8 | 10 | 17 |
| 35-49 | 1239 | 6.1 | 20 | 3 | 3 | 5 | 7 | 9 | 11 | 19 |
| 50-64 | 853 | 6.8 | 24 | 3 | 4 | 6 | 8 | 10 | 13 | 23 |
| 65+ | 356 | 9.1 | 71 | 3 | 4 | 7 | 10 | 15 | 22 | 46 |
| **GRAND TOTAL** | **3316** | **6.4** | **24** | **3** | **3** | **5** | **7** | **10** | **12** | **22** |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 83 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 20-34 | 351 | 4.1 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 35-49 | 218 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 50-64 | 139 | 4.6 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 15 |
| 65+ | 43 | 6.2 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 6.2 | 24 | <1 | 1 | 4 | 9 | 14 | 17 | 20 |
| 20-34 | 144 | 5.3 | 25 | 1 | 1 | 4 | 6 | 10 | 14 | 31 |
| 35-49 | 158 | 5.9 | 25 | 1 | 2 | 5 | 7 | 10 | 14 | 28 |
| 50-64 | 98 | 9.4 | 107 | 1 | 2 | 6 | 11 | 21 | 36 | 50 |
| 65+ | 81 | 11.5 | 187 | 1 | 1 | 8 | 16 | 35 | 80 | 99+ |
| TOT. SINGLE DX | 834 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| " MULTIPLE DX | 528 | 7.3 | 70 | 1 | 2 | 5 | 9 | 15 | 24 | 71 |
| TOTAL 0-19 YRS | 130 | 4.6 | 16 | <1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 20-34 | 495 | 4.5 | 15 | 1 | 1 | 4 | 5 | 9 | 11 | 18 |
| 35-49 | 376 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 12 | 25 |
| 50-64 | 237 | 6.6 | 56 | 1 | 2 | 4 | 8 | 13 | 19 | 45 |
| 65+ | 124 | 9.6 | 134 | 1 | 1 | 7 | 12 | 23 | 56 | 99+ |
| GRAND TOTAL | 1362 | 5.4 | 35 | 1 | 1 | 4 | 6 | 11 | 15 | 35 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 2 | 13.5 | 1 | 13 | 13 | 13 | 14 | 14 | 14 | 14 |
| 50-64 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 65+ | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 4 | 17.3 | 105 | 8 | 8 | 16 | 26 | 28 | 28 | 28 |
| 50-64 | 9 | 12.8 | 154 | 1 | 2 | 9 | 17 | 33 | 39 | 39 |
| 65+ | 4 | 34.8 | 950 | 7 | 7 | 30 | 60 | 72 | 72 | 72 |
| TOT. SINGLE DX | 5 | 7.8 | 29 | 2 | 2 | 5 | 13 | 14 | 14 | 14 |
| " MULTIPLE DX | 18 | 18.2 | 351 | 2 | 3 | 11 | 25 | 45 | 62 | 72 |
| TOTAL 0-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 20-34 | | | | | | | | | | |
| 35-49 | 6 | 16.0 | 67 | 8 | 8 | 13 | 24 | 28 | 28 | 28 |
| 50-64 | 10 | 11.7 | 149 | 1 | 1 | 7 | 15 | 32 | 39 | 39 |
| 65+ | 6 | 24.8 | 806 | 5 | 5 | 9 | 48 | 70 | 72 | 72 |
| GRAND TOTAL | 23 | 15.9 | 295 | 2 | 3 | 9 | 22 | 41 | 56 | 72 |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 7.8 | 46 | 1 | 1 | 4 | 15 | 18 | 19 | 21 |
| 20-34 | 82 | 5.3 | 52 | 1 | 1 | 2 | 6 | 13 | 22 | 37 |
| 35-49 | 73 | 7.1 | 39 | 1 | 1 | 6 | 10 | 17 | 19 | 31 |
| 50-64 | 77 | 9.4 | 131 | 1 | 1 | 6 | 12 | 21 | 27 | 67 |
| 65+ | 44 | 13.8 | 178 | 1 | 2 | 11 | 18 | 25 | 39 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 18.2 | 266 | 2 | 5 | 14 | 21 | 46 | 53 | 73 |
| 20-34 | 127 | 13.8 | 188 | 1 | 2 | 11 | 17 | 24 | 41 | 83 |
| 35-49 | 161 | 13.5 | 196 | 1 | 2 | 10 | 18 | 29 | 39 | 73 |
| 50-64 | 289 | 15.3 | 138 | 1 | 2 | 13 | 20 | 31 | 44 | 59 |
| 65+ | 210 | 17.5 | 144 | 2 | 4 | 15 | 24 | 33 | 43 | 57 |
| TOT. SINGLE DX | 297 | 8.3 | 95 | 1 | 1 | 5 | 12 | 19 | 24 | 57 |
| " MULTIPLE DX | 812 | 15.4 | 165 | 2 | 2 | 13 | 20 | 30 | 44 | 62 |
| TOTAL 0-19 YRS | 46 | 13.5 | 191 | 1 | 2 | 9 | 17 | 25 | 46 | 73 |
| 20-34 | 209 | 10.4 | 152 | 1 | 1 | 7 | 15 | 23 | 30 | 67 |
| 35-49 | 234 | 11.5 | 156 | 1 | 2 | 8 | 16 | 24 | 34 | 66 |
| 50-64 | 366 | 14.1 | 143 | 1 | 2 | 12 | 19 | 29 | 40 | 60 |
| 65+ | 254 | 16.8 | 152 | 2 | 2 | 14 | 23 | 31 | 43 | 59 |
| GRAND TOTAL | 1109 | 13.5 | 156 | 1 | 2 | 11 | 18 | 28 | 38 | 61 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 220 | 7.6 | 7 | 5 | 5 | 7 | 8 | 11 | 13 | 18 |
| 20-34 | 1987 | 7.5 | 7 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| 35-49 | 1507 | 7.8 | 8 | 5 | 5 | 7 | 9 | 11 | 12 | 19 |
| 50-64 | 1388 | 8.9 | 14 | 5 | 6 | 8 | 10 | 13 | 15 | 22 |
| 65+ | 695 | 11.3 | 34 | 6 | 7 | 10 | 13 | 19 | 24 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 9.7 | 15 | 5 | 6 | 9 | 12 | 14 | 17 | 25 |
| 20-34 | 1242 | 9.3 | 22 | 5 | 6 | 8 | 10 | 14 | 17 | 29 |
| 35-49 | 1301 | 10.1 | 47 | 5 | 6 | 8 | 11 | 16 | 20 | 42 |
| 50-64 | 1668 | 11.8 | 50 | 6 | 6 | 9 | 13 | 20 | 25 | 49 |
| 65+ | 1643 | 16.6 | 115 | 7 | 8 | 14 | 20 | 29 | 39 | 72 |
| TOT. SINGLE DX | 5797 | 8.4 | 14 | 5 | 5 | 8 | 9 | 12 | 15 | 24 |
| " MULTIPLE DX | 5961 | 12.2 | 69 | 6 | 6 | 10 | 14 | 21 | 27 | 51 |
| TOTAL 0-19 YRS | 327 | 8.3 | 11 | 5 | 5 | 7 | 10 | 12 | 14 | 20 |
| 20-34 | 3229 | 8.2 | 14 | 5 | 5 | 7 | 9 | 12 | 15 | 23 |
| 35-49 | 2808 | 8.9 | 28 | 5 | 6 | 8 | 10 | 13 | 16 | 28 |
| 50-64 | 3056 | 10.5 | 36 | 6 | 6 | 9 | 11 | 17 | 22 | 35 |
| 65+ | 2338 | 15.0 | 97 | 6 | 7 | 12 | 18 | 26 | 35 | 62 |
| GRAND TOTAL | 11758 | 10.3 | 46 | 5 | 6 | 8 | 11 | 17 | 22 | 40 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 16 | 2 | 2 | 7 | 10 | 11 | 11 | 11 |
| 20-34 | 26 | 12.1 | 45 | 4 | 5 | 11 | 15 | 21 | 24 | 34 |
| 35-49 | 27 | 10.1 | 30 | 3 | 4 | 9 | 13 | 18 | 22 | 24 |
| 50-64 | 45 | 17.8 | 155 | 6 | 8 | 14 | 20 | 29 | 43 | 68 |
| 65+ | 49 | 17.4 | 99 | 3 | 4 | 16 | 22 | 31 | 33 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 42.0 | 1352 | 16 | 16 | 42 | 68 | 68 | 68 | 68 |
| 20-34 | 21 | 14.8 | 43 | 7 | 8 | 13 | 20 | 25 | 27 | 28 |
| 35-49 | 57 | 21.4 | 202 | 6 | 8 | 17 | 27 | 41 | 53 | 74 |
| 50-64 | 106 | 19.4 | 131 | 7 | 9 | 17 | 23 | 32 | 39 | 95 |
| 65+ | 206 | 22.8 | 152 | 8 | 11 | 21 | 28 | 40 | 50 | 99+ |
| TOT. SINGLE DX | 153 | 14.9 | 102 | 3 | 5 | 13 | 19 | 27 | 33 | 54 |
| " MULTIPLE DX | 392 | 21.4 | 157 | 7 | 9 | 19 | 26 | 38 | 45 | 96 |
| TOTAL 0-19 YRS | 8 | 15.5 | 472 | 2 | 2 | 9 | 13 | 52 | 68 | 68 |
| 20-34 | 47 | 13.3 | 45 | 5 | 6 | 11 | 17 | 21 | 26 | 34 |
| 35-49 | 84 | 17.8 | 174 | 4 | 6 | 14 | 23 | 33 | 46 | 70 |
| 50-64 | 151 | 18.9 | 138 | 7 | 9 | 17 | 23 | 32 | 40 | 91 |
| 65+ | 255 | 21.8 | 147 | 5 | 9 | 20 | 27 | 39 | 44 | 99 |
| GRAND TOTAL | 545 | 19.6 | 150 | 5 | 8 | 17 | 25 | 34 | 43 | 89 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 17.5 | 115 | 7 | 7 | 16 | 26 | 31 | 31 | 31 |
| 20-34 | 31 | 8.5 | 31 | 1 | 3 | 8 | 11 | 17 | 19 | 25 |
| 35-49 | 29 | 11.6 | 64 | 4 | 4 | 9 | 14 | 23 | 25 | 38 |
| 50-64 | 29 | 13.6 | 95 | 1 | 2 | 12 | 18 | 29 | 34 | 37 |
| 65+ | 27 | 15.6 | 128 | 2 | 5 | 14 | 18 | 31 | 43 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 13.5 | 7 | 11 | 11 | 13 | 15 | 17 | 17 | 17 |
| 20-34 | 38 | 17.4 | 233 | 3 | 6 | 12 | 22 | 41 | 48 | 71 |
| 35-49 | 62 | 24.1 | 351 | 1 | 6 | 18 | 38 | 57 | 63 | 96 |
| 50-64 | 90 | 18.0 | 225 | 1 | 1 | 16 | 23 | 38 | 59 | 92 |
| 65+ | 73 | 21.3 | 211 | 4 | 8 | 18 | 28 | 44 | 67 | 99+ |
| TOT. SINGLE DX | 120 | 12.4 | 84 | 2 | 3 | 10 | 16 | 24 | 32 | 44 |
| " MULTIPLE DX | 267 | 20.2 | 253 | 1 | 4 | 16 | 27 | 45 | 60 | 99+ |
| TOTAL 0-19 YRS | 8 | 15.5 | 57 | 7 | 8 | 13 | 19 | 28 | 31 | 31 |
| 20-34 | 69 | 13.4 | 161 | 2 | 4 | 9 | 15 | 30 | 41 | 67 |
| 35-49 | 91 | 20.1 | 293 | 2 | 4 | 14 | 25 | 52 | 60 | 88 |
| 50-64 | 119 | 16.9 | 196 | 1 | 1 | 14 | 22 | 34 | 43 | 86 |
| 65+ | 100 | 19.8 | 194 | 3 | 7 | 16 | 26 | 36 | 53 | 99+ |
| GRAND TOTAL | 387 | 17.7 | 214 | 1 | 4 | 14 | 23 | 40 | 53 | 94 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 131 | 6.1 | 23 | 1 | 1 | 5 | 8 | 12 | 15 | 28 |
| 20-34 | 312 | 6.4 | 36 | 1 | 1 | 5 | 8 | 12 | 14 | 31 |
| 35-49 | 260 | 5.6 | 27 | <1 | 1 | 4 | 7 | 11 | 15 | 21 |
| 50-64 | 296 | 6.6 | 30 | 1 | 1 | 5 | 9 | 15 | 18 | 25 |
| 65+ | 404 | 8.0 | 46 | 1 | 2 | 6 | 10 | 15 | 21 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 93 | 9.4 | 80 | 1 | 2 | 8 | 12 | 17 | 27 | 80 |
| 20-34 | 291 | 9.3 | 86 | 2 | 2 | 7 | 11 | 19 | 27 | 41 |
| 35-49 | 342 | 9.5 | 65 | 2 | 2 | 7 | 12 | 19 | 25 | 40 |
| 50-64 | 539 | 10.2 | 62 | 2 | 3 | 8 | 14 | 21 | 26 | 37 |
| 65+ | 1330 | 13.2 | 130 | 3 | 3 | 10 | 16 | 27 | 36 | 86 |
| TOT. SINGLE DX | 1403 | 6.7 | 36 | 1 | 1 | 5 | 9 | 14 | 17 | 33 |
| " MULTIPLE DX | 2595 | 11.5 | 104 | 2 | 3 | 9 | 14 | 23 | 30 | 68 |
| TOTAL 0-19 YRS | 224 | 7.5 | 50 | 1 | 1 | 6 | 10 | 14 | 18 | 54 |
| 20-34 | 603 | 7.8 | 63 | 1 | 2 | 6 | 10 | 15 | 20 | 40 |
| 35-49 | 602 | 7.8 | 52 | 1 | 1 | 6 | 10 | 16 | 21 | 37 |
| 50-64 | 835 | 8.9 | 54 | 1 | 2 | 7 | 12 | 18 | 23 | 36 |
| 65+ | 1734 | 11.9 | 116 | 2 | 3 | 9 | 15 | 24 | 33 | 80 |
| GRAND TOTAL | 3998 | 9.8 | 85 | 1 | 2 | 7 | 12 | 20 | 27 | 54 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1388 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 20-34 | 1238 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 35-49 | 1125 | 4.4 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 50-64 | 1532 | 4.8 | 4 | 2 | 3 | 4 | 6 | 8 | 9 | 12 |
| 65+ | 1172 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 684 | 4.1 | 26 | 1 | 1 | 3 | 4 | 8 | 12 | 34 |
| 20-34 | 316 | 4.9 | 11 | 2 | 3 | 4 | 6 | 8 | 9 | 15 |
| 35-49 | 438 | 5.9 | 19 | 2 | 3 | 5 | 7 | 9 | 13 | 23 |
| 50-64 | 941 | 6.1 | 13 | 2 | 3 | 5 | 7 | 10 | 13 | 20 |
| 65+ | 1171 | 8.8 | 55 | 3 | 4 | 7 | 10 | 17 | 23 | 45 |
| TOT. SINGLE DX | 6455 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 3550 | 6.5 | 33 | 2 | 2 | 5 | 8 | 11 | 16 | 36 |
| TOTAL 0-19 YRS | 2072 | 3.2 | 15 | <1 | 1 | 2 | 4 | 5 | 8 | 19 |
| 20-34 | 1554 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 1563 | 4.8 | 9 | 2 | 3 | 4 | 6 | 7 | 9 | 16 |
| 50-64 | 2473 | 5.3 | 8 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 65+ | 2343 | 7.3 | 34 | 3 | 3 | 6 | 8 | 12 | 17 | 36 |
| GRAND TOTAL | 10005 | 5.1 | 17 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 183 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 20-34 | 71 | 4.3 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 8 |
| 35-49 | 103 | 5.2 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| 50-64 | 157 | 5.7 | 6 | 3 | 3 | 5 | 7 | 8 | 9 | 16 |
| 65+ | 104 | 6.6 | 7 | 3 | 4 | 6 | 8 | 10 | 12 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 168 | 3.5 | 27 | 1 | 1 | 2 | 4 | 6 | 10 | 46 |
| 20-34 | 13 | 5.2 | 5 | 2 | 3 | 5 | 7 | 9 | 9 | 9 |
| 35-49 | 47 | 6.2 | 10 | 3 | 3 | 6 | 8 | 9 | 10 | 20 |
| 50-64 | 127 | 7.9 | 34 | 3 | 4 | 7 | 9 | 13 | 20 | 36 |
| 65+ | 127 | 8.0 | 13 | 4 | 4 | 7 | 9 | 14 | 17 | 18 |
| TOT. SINGLE DX | 618 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| " MULTIPLE DX | 482 | 6.1 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 34 |
| TOTAL 0-19 YRS | 351 | 2.9 | 14 | 1 | 1 | 2 | 3 | 5 | 6 | 20 |
| 20-34 | 84 | 4.5 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 150 | 5.5 | 6 | 3 | 3 | 5 | 6 | 8 | 9 | 17 |
| 50-64 | 284 | 6.7 | 20 | 3 | 3 | 6 | 8 | 10 | 13 | 29 |
| 65+ | 231 | 7.4 | 11 | 4 | 4 | 7 | 9 | 12 | 15 | 18 |
| GRAND TOTAL | 1100 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 4.1 | 1 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 49 | 4.6 | 2 | 3 | 3 | 4 | 5 | 7 | 8 | 8 |
| 35-49 | 74 | 4.2 | 2 | 1 | 2 | 4 | 5 | 6 | 7 | 8 |
| 50-64 | 76 | 5.1 | 3 | 2 | 3 | 5 | 7 | 8 | 9 | 10 |
| 65+ | 78 | 6.5 | 11 | 2 | 3 | 6 | 8 | 11 | 12 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 4.7 | 6 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 16 | 5.6 | 11 | 2 | 3 | 5 | 6 | 11 | 14 | 16 |
| 35-49 | 30 | 5.3 | 10 | 2 | 2 | 4 | 6 | 9 | 10 | 18 |
| 50-64 | 54 | 7.8 | 30 | 3 | 4 | 6 | 10 | 17 | 19 | 97 |
| 65+ | 101 | 11.4 | 92 | 3 | 4 | 9 | 13 | 23 | 31 | 78 |
| TOT. SINGLE DX | 294 | 5.1 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 13 |
| " MULTIPLE DX | 204 | 9.0 | 62 | 3 | 4 | 6 | 11 | 18 | 26 | 76 |
| TOTAL 0-19 YRS | 20 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 20-34 | 65 | 4.8 | 5 | 3 | 3 | 4 | 5 | 7 | 8 | 15 |
| 35-49 | 104 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | 130 | 6.2 | 17 | 2 | 3 | 5 | 7 | 11 | 16 | 45 |
| 65+ | 179 | 9.3 | 63 | 3 | 3 | 7 | 11 | 17 | 24 | 57 |
| GRAND TOTAL | 498 | 6.7 | 33 | 2 | 3 | 5 | 7 | 12 | 17 | 37 |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 212 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 82 | 4.0 | 16 | 1 | 1 | 3 | 4 | 7 | 8 | 28 |
| 35-49 | 153 | 4.0 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 50-64 | 120 | 5.0 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 65+ | 63 | 6.2 | 14 | 2 | 3 | 5 | 8 | 10 | 15 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 6.2 | 130 | 1 | 1 | 3 | 5 | 16 | 25 | 73 |
| 20-34 | 45 | 7.1 | 108 | 2 | 3 | 5 | 7 | 10 | 21 | 59 |
| 35-49 | 70 | 6.2 | 13 | 2 | 3 | 5 | 8 | 11 | 14 | 19 |
| 50-64 | 120 | 8.3 | 70 | 2 | 3 | 6 | 9 | 15 | 20 | 57 |
| 65+ | 92 | 11.8 | 199 | 2 | 3 | 9 | 13 | 20 | 41 | 97 |
| TOT. SINGLE DX | 630 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| " MULTIPLE DX | 389 | 8.3 | 108 | 2 | 2 | 6 | 9 | 15 | 21 | 74 |
| TOTAL 0-19 YRS | 274 | 3.1 | 33 | <1 | 1 | 2 | 3 | 4 | 6 | 28 |
| 20-34 | 127 | 5.1 | 51 | 1 | 2 | 3 | 6 | 8 | 10 | 50 |
| 35-49 | 223 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 50-64 | 240 | 6.6 | 42 | 2 | 2 | 5 | 8 | 11 | 15 | 30 |
| 65+ | 155 | 9.5 | 131 | 2 | 3 | 8 | 11 | 18 | 22 | 92 |
| GRAND TOTAL | 1019 | 5.5 | 51 | 1 | 2 | 4 | 6 | 10 | 14 | 38 |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 84 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 20-34 | 204 | 4.6 | 11 | 2 | 2 | 4 | 6 | 8 | 9 | 22 |
| 35-49 | 284 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| 50-64 | 301 | 7.1 | 18 | 2 | 3 | 6 | 9 | 11 | 13 | 22 |
| 65+ | 188 | 8.1 | 17 | 3 | 4 | 8 | 10 | 13 | 15 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 14 | 5.6 | 17 | 2 | 2 | 5 | 6 | 14 | 15 | 15 |
| 20-34 | 97 | 6.7 | 20 | 3 | 3 | 5 | 8 | 11 | 16 | 28 |
| 35-49 | 163 | 8.7 | 30 | 3 | 4 | 7 | 10 | 16 | 21 | 32 |
| 50-64 | 307 | 10.1 | 60 | 3 | 4 | 8 | 12 | 18 | 23 | 49 |
| 65+ | 292 | 12.7 | 92 | 4 | 5 | 10 | 15 | 22 | 30 | 47 |
| TOT. SINGLE DX | 1061 | 6.1 | 15 | 2 | 2 | 5 | 8 | 10 | 13 | 18 |
| " MULTIPLE DX | 873 | 10.3 | 65 | 3 | 4 | 8 | 12 | 18 | 24 | 47 |
| TOTAL 0-19 YRS | 98 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 20-34 | 301 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 27 |
| 35-49 | 447 | 6.8 | 18 | 2 | 3 | 6 | 8 | 11 | 15 | 28 |
| 50-64 | 608 | 8.6 | 42 | 3 | 3 | 7 | 10 | 14 | 19 | 41 |
| 65+ | 480 | 10.9 | 68 | 3 | 4 | 9 | 13 | 18 | 25 | 41 |
| GRAND TOTAL | 1934 | 8.0 | 42 | 2 | 3 | 7 | 10 | 14 | 18 | 35 |

### 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 6.6 | 23 | 2 | 2 | 5 | 10 | 13 | 14 | 14 |
| 20-34 | 10 | 8.6 | 30 | <1 | 2 | 7 | 11 | 17 | 21 | 21 |
| 35-49 | 25 | 8.4 | 8 | 4 | 6 | 8 | 9 | 13 | 14 | 15 |
| 50-64 | 21 | 10.5 | 14 | 6 | 6 | 10 | 12 | 16 | 19 | 19 |
| 65+ | 17 | 11.5 | 22 | 4 | 5 | 11 | 15 | 18 | 20 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 16.3 | 113 | 2 | 3 | 17 | 28 | 29 | 30 | 30 |
| 20-34 | 26 | 10.3 | 31 | 5 | 6 | 9 | 11 | 18 | 22 | 31 |
| 35-49 | 73 | 10.5 | 47 | 6 | 7 | 9 | 11 | 15 | 17 | 51 |
| 50-64 | 89 | 12.1 | 23 | 7 | 7 | 11 | 14 | 19 | 23 | 26 |
| 65+ | 60 | 16.1 | 115 | 7 | 8 | 13 | 18 | 26 | 34 | 73 |
| TOT. SINGLE DX | 80 | 9.5 | 18 | 3 | 5 | 9 | 12 | 15 | 19 | 21 |
| " MULTIPLE DX | 257 | 12.6 | 60 | 6 | 7 | 10 | 14 | 21 | 26 | 40 |
| TOTAL 0-19 YRS | 16 | 12.1 | 95 | 2 | 2 | 9 | 18 | 28 | 29 | 30 |
| 20-34 | 36 | 9.9 | 31 | 4 | 5 | 9 | 11 | 18 | 21 | 31 |
| 35-49 | 98 | 10.0 | 39 | 6 | 6 | 8 | 11 | 14 | 16 | 45 |
| 50-64 | 110 | 11.8 | 22 | 7 | 7 | 10 | 14 | 19 | 23 | 26 |
| 65+ | 77 | 15.1 | 98 | 7 | 8 | 13 | 17 | 25 | 31 | 67 |
| GRAND TOTAL | 337 | 11.8 | 52 | 5 | 6 | 10 | 14 | 19 | 25 | 37 |

### 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 87 | 5.7 | 46 | 1 | 1 | 3 | 7 | 11 | 14 | 42 |
| 20-34 | 115 | 5.8 | 30 | <1 | 1 | 4 | 7 | 12 | 17 | 30 |
| 35-49 | 80 | 7.6 | 75 | <1 | 1 | 6 | 10 | 16 | 18 | 54 |
| 50-64 | 89 | 9.8 | 95 | 2 | 2 | 7 | 12 | 20 | 30 | 51 |
| 65+ | 63 | 10.7 | 79 | 1 | 2 | 9 | 14 | 24 | 28 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 6.4 | 34 | 1 | 2 | 5 | 7 | 13 | 19 | 33 |
| 20-34 | 122 | 10.8 | 139 | 2 | 2 | 7 | 15 | 24 | 40 | 99+ |
| 35-49 | 130 | 12.8 | 222 | 1 | 2 | 8 | 14 | 30 | 41 | 84 |
| 50-64 | 248 | 15.3 | 137 | 3 | 4 | 12 | 21 | 32 | 40 | 67 |
| 65+ | 271 | 16.6 | 190 | 1 | 2 | 15 | 21 | 34 | 45 | 95 |
| TOT. SINGLE DX | 434 | 7.7 | 65 | 1 | 2 | 5 | 9 | 17 | 25 | 44 |
| " MULTIPLE DX | 832 | 14.0 | 169 | 2 | 2 | 11 | 19 | 31 | 40 | 89 |
| TOTAL 0-19 YRS | 148 | 6.0 | 41 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |
| 20-34 | 237 | 8.4 | 93 | 1 | 2 | 5 | 10 | 19 | 29 | 90 |
| 35-49 | 210 | 10.8 | 172 | 1 | 2 | 7 | 13 | 22 | 35 | 82 |
| 50-64 | 337 | 13.8 | 132 | 2 | 3 | 10 | 19 | 30 | 38 | 56 |
| 65+ | 334 | 15.5 | 175 | 1 | 2 | 13 | 20 | 32 | 43 | 90 |
| GRAND TOTAL | 1266 | 11.9 | 142 | 1 | 2 | 8 | 16 | 27 | 36 | 67 |

### 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 124 | 7.3 | 24 | 2 | 3 | 6 | 9 | 12 | 16 | 30 |
| 20-34 | 265 | 7.2 | 20 | 2 | 4 | 6 | 8 | 13 | 16 | 22 |
| 35-49 | 85 | 9.5 | 47 | 3 | 5 | 7 | 11 | 18 | 21 | 42 |
| 50-64 | 68 | 12.0 | 64 | 4 | 5 | 11 | 14 | 22 | 26 | 50 |
| 65+ | 45 | 18.5 | 223 | 6 | 7 | 14 | 24 | 42 | 48 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 96 | 9.9 | 70 | 3 | 4 | 7 | 11 | 22 | 28 | 44 |
| 20-34 | 291 | 10.0 | 75 | 3 | 4 | 7 | 11 | 18 | 29 | 48 |
| 35-49 | 134 | 13.5 | 109 | 4 | 5 | 10 | 17 | 29 | 35 | 63 |
| 50-64 | 154 | 20.1 | 180 | 6 | 7 | 17 | 27 | 40 | 49 | 81 |
| 65+ | 185 | 23.1 | 251 | 8 | 8 | 19 | 31 | 51 | 61 | 99+ |
| TOT. SINGLE DX | 587 | 9.0 | 55 | 3 | 4 | 7 | 10 | 16 | 21 | 43 |
| " MULTIPLE DX | 860 | 15.2 | 167 | 4 | 5 | 10 | 20 | 33 | 45 | 81 |
| TOTAL 0-19 YRS | 220 | 8.4 | 46 | 2 | 3 | 6 | 10 | 15 | 22 | 37 |
| 20-34 | 556 | 8.7 | 51 | 3 | 4 | 7 | 10 | 15 | 23 | 37 |
| 35-49 | 219 | 12.0 | 89 | 4 | 5 | 9 | 14 | 25 | 33 | 55 |
| 50-64 | 222 | 17.6 | 159 | 5 | 6 | 13 | 23 | 36 | 48 | 62 |
| 65+ | 230 | 22.2 | 249 | 7 | 8 | 18 | 30 | 49 | 59 | 99+ |
| GRAND TOTAL | 1447 | 12.7 | 131 | 3 | 4 | 9 | 15 | 28 | 37 | 62 |

### 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 251 | 3.7 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 20-34 | 1262 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 35-49 | 207 | 2.4 | 4 | <1 | <1 | 2 | 2 | 4 | 7 | 13 |
| 50-64 | 27 | 4.5 | 20 | <1 | 1 | 2 | 7 | 12 | 14 | 16 |
| 65+ | 5 | 3.0 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 173 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| 20-34 | 1083 | 3.2 | 22 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 35-49 | 221 | 3.9 | 19 | <1 | 1 | 2 | 5 | 9 | 12 | 23 |
| 50-64 | 33 | 7.8 | 94 | 1 | 1 | 2 | 13 | 22 | 30 | 40 |
| 65+ | 16 | 10.3 | 250 | 2 | 2 | 4 | 11 | 28 | 53 | 63 |
| TOT. SINGLE DX | 1752 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| " MULTIPLE DX | 1526 | 3.6 | 26 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| TOTAL 0-19 YRS | 424 | 4.0 | 11 | 1 | 1 | 3 | 6 | 8 | 10 | 19 |
| 20-34 | 2345 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 16 |
| 35-49 | 428 | 3.2 | 13 | <1 | 1 | 2 | 3 | 7 | 10 | 20 |
| 50-64 | 60 | 6.4 | 63 | 1 | 1 | 2 | 8 | 16 | 23 | 39 |
| 65+ | 21 | 8.5 | 198 | 2 | 2 | 3 | 7 | 20 | 45 | 63 |
| GRAND TOTAL | 3278 | 3.2 | 16 | <1 | 1 | 2 | 3 | 7 | 9 | 18 |

### 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 7.4 | 18 | 1 | 2 | 7 | 8 | 12 | 18 | 22 |
| 20-34 | 146 | 7.2 | 27 | 1 | 2 | 7 | 8 | 12 | 15 | 34 |
| 35-49 | 115 | 9.2 | 25 | 4 | 4 | 8 | 11 | 17 | 18 | 29 |
| 50-64 | 106 | 11.1 | 30 | 6 | 6 | 10 | 13 | 17 | 23 | 30 |
| 65+ | 74 | 13.9 | 102 | 6 | 6 | 12 | 16 | 22 | 27 | 70 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 13.6 | 157 | 2 | 4 | 9 | 17 | 27 | 53 | 97 |
| 20-34 | 228 | 9.6 | 137 | 1 | 2 | 7 | 10 | 19 | 39 | 87 |
| 35-49 | 176 | 15.6 | 224 | 3 | 5 | 10 | 19 | 32 | 48 | 94 |
| 50-64 | 191 | 16.5 | 142 | 5 | 6 | 14 | 21 | 31 | 40 | 93 |
| 65+ | 173 | 22.0 | 237 | 7 | 8 | 17 | 28 | 45 | 52 | 99 |
| TOT. SINGLE DX | 477 | 9.6 | 44 | 2 | 4 | 8 | 12 | 17 | 21 | 34 |
| " MULTIPLE DX | 826 | 15.3 | 197 | 2 | 5 | 11 | 20 | 34 | 47 | 97 |
| TOTAL 0-19 YRS | 94 | 11.2 | 113 | 2 | 3 | 8 | 14 | 23 | 32 | 84 |
| 20-34 | 374 | 8.7 | 95 | 1 | 2 | 7 | 9 | 15 | 25 | 75 |
| 35-49 | 291 | 13.1 | 155 | 3 | 4 | 9 | 15 | 24 | 38 | 82 |
| 50-64 | 297 | 14.6 | 109 | 5 | 6 | 12 | 18 | 28 | 37 | 75 |
| 65+ | 247 | 19.6 | 211 | 6 | 7 | 15 | 23 | 42 | 51 | 96 |
| GRAND TOTAL | 1303 | 13.2 | 149 | 2 | 4 | 9 | 16 | 27 | 40 | 82 |

### 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 10.4 | 7 | 8 | 8 | 9 | 12 | 15 | 15 | 15 |
| 20-34 | 19 | 10.4 | 10 | 7 | 8 | 9 | 13 | 15 | 17 | 19 |
| 35-49 | 17 | 14.9 | 27 | 9 | 10 | 14 | 17 | 22 | 26 | 28 |
| 50-64 | 40 | 14.7 | 30 | 8 | 9 | 14 | 17 | 20 | 24 | 37 |
| 65+ | 30 | 16.6 | 22 | 10 | 11 | 16 | 20 | 22 | 25 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 30 | 15.5 | 189 | 7 | 7 | 12 | 18 | 32 | 76 | 99+ |
| 20-34 | 49 | 16.0 | 116 | 8 | 8 | 12 | 17 | 34 | 47 | 99+ |
| 35-49 | 57 | 21.4 | 143 | 9 | 9 | 19 | 27 | 34 | 39 | 78 |
| 50-64 | 97 | 20.7 | 117 | 9 | 10 | 18 | 25 | 41 | 47 | 75 |
| 65+ | 121 | 22.8 | 143 | 9 | 11 | 19 | 27 | 40 | 52 | 74 |
| TOT. SINGLE DX | 115 | 14.2 | 27 | 8 | 8 | 13 | 17 | 21 | 24 | 33 |
| " MULTIPLE DX | 354 | 20.4 | 142 | 8 | 9 | 17 | 26 | 39 | 46 | 98 |
| TOTAL 0-19 YRS | 39 | 14.3 | 151 | 7 | 7 | 11 | 15 | 25 | 59 | 99+ |
| 20-34 | 68 | 14.4 | 93 | 8 | 8 | 12 | 16 | 26 | 40 | 93 |
| 35-49 | 74 | 19.9 | 124 | 9 | 9 | 17 | 26 | 31 | 36 | 72 |
| 50-64 | 137 | 18.9 | 99 | 8 | 9 | 16 | 22 | 37 | 44 | 54 |
| 65+ | 151 | 21.5 | 125 | 10 | 11 | 18 | 26 | 38 | 45 | 63 |
| GRAND TOTAL | 469 | 18.9 | 121 | 8 | 9 | 16 | 23 | 35 | 44 | 80 |

### 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 11.6 | 62 | 2 | 2 | 11 | 15 | 20 | 21 | 42 |
| 20-34 | 114 | 10.5 | 48 | 2 | 3 | 9 | 13 | 17 | 25 | 38 |
| 35-49 | 93 | 11.1 | 39 | 3 | 5 | 10 | 13 | 19 | 21 | 39 |
| 50-64 | 102 | 11.7 | 29 | 3 | 5 | 11 | 15 | 19 | 22 | 27 |
| 65+ | 35 | 11.1 | 77 | 2 | 2 | 10 | 14 | 21 | 23 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 16.1 | 142 | 4 | 6 | 15 | 19 | 26 | 47 | 93 |
| 20-34 | 181 | 14.3 | 111 | 3 | 4 | 11 | 17 | 27 | 35 | 58 |
| 35-49 | 170 | 17.3 | 152 | 4 | 7 | 14 | 21 | 37 | 46 | 76 |
| 50-64 | 223 | 17.5 | 131 | 3 | 6 | 14 | 22 | 34 | 41 | 55 |
| 65+ | 144 | 17.3 | 110 | 3 | 6 | 16 | 22 | 33 | 37 | 49 |
| TOT. SINGLE DX | 398 | 11.2 | 46 | 2 | 3 | 10 | 14 | 19 | 22 | 40 |
| " MULTIPLE DX | 795 | 16.6 | 130 | 3 | 6 | 14 | 21 | 32 | 41 | 63 |
| TOTAL 0-19 YRS | 131 | 14.2 | 114 | 2 | 4 | 13 | 17 | 24 | 38 | 80 |
| 20-34 | 295 | 12.8 | 90 | 2 | 4 | 10 | 16 | 24 | 31 | 47 |
| 35-49 | 263 | 15.1 | 121 | 3 | 6 | 12 | 18 | 25 | 42 | 62 |
| 50-64 | 325 | 15.7 | 107 | 3 | 6 | 13 | 19 | 30 | 37 | 52 |
| 65+ | 179 | 16.1 | 109 | 2 | 5 | 14 | 22 | 29 | 37 | 49 |
| GRAND TOTAL | 1193 | 14.8 | 108 | 3 | 5 | 12 | 18 | 26 | 37 | 56 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 10 | 10.6 | 31 | 2 | 3 | 10 | 16 | 17 | 18 | 18 |
| 20-34 | 95 | 10.5 | 16 | 4 | 6 | 10 | 13 | 16 | 18 | 23 |
| 35-49 | 129 | 11.1 | 26 | 5 | 7 | 10 | 12 | 16 | 18 | 32 |
| 50-64 | 122 | 11.5 | 34 | 4 | 6 | 11 | 14 | 17 | 19 | 34 |
| 65+ | 51 | 12.1 | 17 | 5 | 8 | 11 | 15 | 18 | 19 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 20 | 6 | 6 | 9 | 11 | 18 | 19 | 19 |
| 20-34 | 39 | 13.8 | 80 | 7 | 8 | 11 | 15 | 21 | 28 | 58 |
| 35-49 | 75 | 13.8 | 59 | 5 | 7 | 12 | 17 | 22 | 28 | 45 |
| 50-64 | 114 | 15.0 | 50 | 5 | 9 | 14 | 18 | 24 | 31 | 35 |
| 65+ | 73 | 15.3 | 53 | 8 | 9 | 13 | 18 | 26 | 33 | 86 |
| **TOT. SINGLE DX** | 407 | 11.2 | 25 | 4 | 6 | 11 | 13 | 16 | 18 | 26 |
| **" MULTIPLE DX** | 307 | 14.6 | 57 | 6 | 8 | 13 | 17 | 24 | 31 | 45 |
| TOTAL 0-19 YRS | 16 | 10.6 | 26 | 3 | 4 | 10 | 15 | 18 | 19 | 19 |
| 20-34 | 134 | 11.4 | 37 | 5 | 6 | 11 | 13 | 18 | 20 | 33 |
| 35-49 | 204 | 12.1 | 40 | 5 | 7 | 11 | 14 | 18 | 22 | 45 |
| 50-64 | 236 | 13.2 | 45 | 5 | 7 | 12 | 16 | 21 | 26 | 34 |
| 65+ | 124 | 14.0 | 41 | 6 | 8 | 13 | 16 | 23 | 29 | 56 |
| **GRAND TOTAL** | **714** | **12.6** | **41** | **5** | **7** | **11** | **15** | **20** | **24** | **39** |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 66 | 14.0 | 55 | 9 | 9 | 12 | 15 | 22 | 23 | 56 |
| 20-34 | 13 | 12.5 | 35 | 4 | 6 | 10 | 15 | 21 | 26 | 27 |
| 35-49 | 2 | 21.0 | 512 | 5 | 5 | 21 | 37 | 37 | 37 | 37 |
| 50-64 | 7 | 20.3 | 263 | 9 | 9 | 17 | 21 | 48 | 55 | 55 |
| 65+ | 5 | 30.2 | 294 | 6 | 6 | 30 | 41 | 53 | 53 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 87 | 17.1 | 62 | 8 | 10 | 15 | 22 | 29 | 33 | 42 |
| 20-34 | 27 | 23.8 | 452 | 7 | 8 | 16 | 29 | 64 | 94 | 99+ |
| 35-49 | 12 | 33.3 | 678 | 12 | 15 | 21 | 44 | 77 | 92 | 94 |
| 50-64 | 20 | 33.9 | 369 | 13 | 15 | 32 | 39 | 57 | 81 | 93 |
| 65+ | 24 | 31.8 | 314 | 5 | 7 | 31 | 43 | 62 | 78 | 99+ |
| **TOT. SINGLE DX** | 93 | 15.3 | 96 | 8 | 9 | 12 | 17 | 25 | 36 | 58 |
| **" MULTIPLE DX** | 170 | 23.4 | 280 | 8 | 10 | 19 | 30 | 46 | 68 | 98 |
| TOTAL 0-19 YRS | 153 | 15.8 | 62 | 9 | 9 | 14 | 20 | 23 | 30 | 43 |
| 20-34 | 40 | 20.1 | 341 | 7 | 8 | 14 | 22 | 52 | 80 | 99+ |
| 35-49 | 14 | 31.6 | 634 | 6 | 11 | 21 | 37 | 72 | 89 | 94 |
| 50-64 | 27 | 30.4 | 368 | 9 | 10 | 28 | 37 | 53 | 73 | 93 |
| 65+ | 29 | 31.5 | 301 | 6 | 7 | 31 | 41 | 60 | 71 | 99+ |
| **GRAND TOTAL** | **263** | **20.5** | **230** | **8** | **9** | **15** | **24** | **40** | **56** | **94** |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 27 | 7.8 | 34 | <1 | 1 | 6 | 12 | 16 | 20 | 21 |
| 20-34 | 182 | 4.8 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 35-49 | 172 | 5.6 | 16 | 2 | 2 | 4 | 7 | 10 | 11 | 24 |
| 50-64 | 117 | 5.8 | 10 | 2 | 2 | 5 | 8 | 10 | 12 | 16 |
| 65+ | 47 | 5.7 | 12 | 2 | 2 | 5 | 7 | 11 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 23 | 12.3 | 119 | 2 | 3 | 11 | 16 | 19 | 32 | 56 |
| 20-34 | 52 | 7.5 | 23 | 2 | 3 | 6 | 10 | 16 | 18 | 18 |
| 35-49 | 86 | 7.2 | 29 | 2 | 2 | 6 | 9 | 13 | 18 | 27 |
| 50-64 | 74 | 10.1 | 76 | 2 | 2 | 7 | 13 | 21 | 29 | 44 |
| 65+ | 55 | 10.1 | 51 | 2 | 3 | 9 | 15 | 18 | 22 | 37 |
| **TOT. SINGLE DX** | 545 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| **" MULTIPLE DX** | 290 | 8.9 | 54 | 2 | 2 | 7 | 12 | 18 | 21 | 37 |
| TOTAL 0-19 YRS | 50 | 9.9 | 78 | 1 | 2 | 8 | 14 | 18 | 20 | 56 |
| 20-34 | 234 | 5.4 | 13 | 2 | 2 | 4 | 7 | 10 | 13 | 18 |
| 35-49 | 258 | 6.1 | 21 | 2 | 2 | 5 | 8 | 11 | 14 | 26 |
| 50-64 | 191 | 7.5 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| 65+ | 102 | 8.1 | 38 | 2 | 2 | 6 | 10 | 16 | 18 | 33 |
| **GRAND TOTAL** | **835** | **6.7** | **30** | **2** | **2** | **5** | **8** | **13** | **17** | **28** |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 466 | 3.1 | 10 | <1 | <1 | 2 | 4 | 8 | 10 | 16 |
| 20-34 | 456 | 4.0 | 18 | <1 | <1 | 2 | 5 | 9 | 12 | 24 |
| 35-49 | 414 | 4.2 | 27 | <1 | <1 | 2 | 5 | 10 | 13 | 23 |
| 50-64 | 644 | 4.1 | 29 | <1 | <1 | 2 | 5 | 9 | 12 | 26 |
| 65+ | 776 | 4.5 | 43 | <1 | <1 | 2 | 5 | 10 | 13 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 507 | 4.7 | 34 | <1 | <1 | 3 | 7 | 11 | 15 | 33 |
| 20-34 | 472 | 5.8 | 47 | <1 | <1 | 3 | 8 | 14 | 19 | 31 |
| 35-49 | 580 | 7.4 | 85 | <1 | <1 | 5 | 9 | 18 | 26 | 49 |
| 50-64 | 1156 | 7.5 | 96 | <1 | <1 | 4 | 10 | 17 | 26 | 57 |
| 65+ | 2298 | 10.0 | 158 | <1 | 1 | 6 | 13 | 26 | 39 | 99+ |
| **TOT. SINGLE DX** | 2756 | 4.0 | 28 | <1 | <1 | 2 | 5 | 9 | 12 | 24 |
| **" MULTIPLE DX** | 5013 | 8.2 | 116 | <1 | <1 | 4 | 10 | 21 | 31 | 81 |
| TOTAL 0-19 YRS | 973 | 4.0 | 24 | <1 | <1 | 2 | 5 | 9 | 12 | 23 |
| 20-34 | 928 | 4.9 | 34 | <1 | <1 | 3 | 7 | 11 | 15 | 27 |
| 35-49 | 994 | 6.1 | 64 | <1 | <1 | 3 | 8 | 14 | 22 | 42 |
| 50-64 | 1800 | 6.3 | 75 | <1 | <1 | 3 | 8 | 14 | 22 | 45 |
| 65+ | 3074 | 8.6 | 135 | <1 | 1 | 4 | 11 | 22 | 35 | 99+ |
| **GRAND TOTAL** | **7769** | **6.7** | **89** | **<1** | **<1** | **3** | **8** | **16** | **24** | **62** |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 5.4 | 13 | 2 | 2 | 4 | 8 | 11 | 11 | 11 |
| 20-34 | 32 | 4.4 | 11 | 1 | 2 | 3 | 6 | 8 | 13 | 14 |
| 35-49 | 72 | 4.3 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 14 |
| 50-64 | 260 | 5.1 | 24 | 1 | 2 | 4 | 6 | 9 | 11 | 29 |
| 65+ | 481 | 6.0 | 34 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 9.4 | 32 | 1 | 1 | 10 | 12 | 17 | 17 | 17 |
| 20-34 | 32 | 6.0 | 27 | 1 | 2 | 4 | 8 | 12 | 20 | 23 |
| 35-49 | 75 | 8.8 | 76 | 1 | 2 | 6 | 11 | 23 | 30 | 41 |
| 50-64 | 346 | 7.3 | 53 | 1 | 2 | 5 | 9 | 15 | 21 | 38 |
| 65+ | 913 | 9.8 | 96 | 2 | 2 | 7 | 12 | 22 | 31 | 72 |
| TOT. SINGLE DX | 850 | 5.5 | 28 | 1 | 2 | 4 | 7 | 10 | 13 | 31 |
| " MULTIPLE DX | 1371 | 9.0 | 84 | 2 | 2 | 6 | 11 | 20 | 27 | 56 |
| TOTAL 0-19 YRS | 10 | 7.4 | 25 | 1 | 1 | 8 | 10 | 14 | 17 | 17 |
| 20-34 | 64 | 5.2 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 23 |
| 35-49 | 147 | 6.6 | 47 | 1 | 2 | 5 | 7 | 13 | 23 | 38 |
| 50-64 | 606 | 6.4 | 42 | 1 | 2 | 5 | 7 | 12 | 18 | 37 |
| 65+ | 1394 | 8.5 | 78 | 2 | 2 | 6 | 10 | 19 | 26 | 55 |
| GRAND TOTAL | 2221 | 7.7 | 65 | 2 | 2 | 5 | 9 | 16 | 23 | 46 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 8.3 | 65 | <1 | 1 | 8 | 12 | 15 | 26 | 35 |
| 20-34 | 37 | 10.0 | 56 | 1 | 2 | 10 | 14 | 17 | 26 | 33 |
| 35-49 | 48 | 8.1 | 41 | 1 | 1 | 7 | 11 | 17 | 19 | 33 |
| 50-64 | 84 | 9.5 | 88 | 1 | 2 | 6 | 13 | 22 | 33 | 43 |
| 65+ | 110 | 9.1 | 74 | 1 | 2 | 6 | 12 | 22 | 27 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 33 | 17.7 | 379 | 3 | 3 | 12 | 18 | 40 | 74 | 75 |
| 20-34 | 56 | 17.4 | 316 | 3 | 4 | 10 | 23 | 37 | 65 | 79 |
| 35-49 | 60 | 12.0 | 94 | 2 | 2 | 10 | 19 | 23 | 30 | 47 |
| 50-64 | 144 | 15.8 | 193 | 2 | 3 | 12 | 23 | 34 | 40 | 56 |
| 65+ | 331 | 15.1 | 227 | 2 | 2 | 11 | 21 | 34 | 50 | 99+ |
| TOT. SINGLE DX | 298 | 9.1 | 70 | 1 | 2 | 7 | 12 | 20 | 27 | 40 |
| " MULTIPLE DX | 624 | 15.3 | 223 | 2 | 3 | 11 | 21 | 33 | 48 | 91 |
| TOTAL 0-19 YRS | 52 | 14.3 | 283 | 2 | 2 | 10 | 16 | 30 | 66 | 75 |
| 20-34 | 93 | 14.5 | 224 | 1 | 2 | 10 | 17 | 31 | 47 | 76 |
| 35-49 | 108 | 10.3 | 74 | 1 | 2 | 8 | 15 | 21 | 26 | 40 |
| 50-64 | 228 | 13.5 | 163 | 2 | 2 | 9 | 20 | 31 | 38 | 53 |
| 65+ | 441 | 13.6 | 196 | 2 | 2 | 9 | 19 | 31 | 44 | 93 |
| GRAND TOTAL | 922 | 13.3 | 182 | 2 | 2 | 9 | 18 | 31 | 40 | 79 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 2.2 | 7 | <1 | <1 | 1 | 3 | 5 | 8 | 15 |
| 20-34 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 35-49 | 4 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 6 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 65+ | 11 | 10.1 | 213 | 1 | 1 | 5 | 7 | 37 | 45 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 38 | 3.7 | 26 | <1 | <1 | 2 | 4 | 8 | 17 | 25 |
| 20-34 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 35-49 | 8 | 4.1 | 34 | <1 | <1 | 1 | 4 | 14 | 18 | 18 |
| 50-64 | 14 | 6.9 | 35 | <1 | <1 | 4 | 12 | 16 | 18 | 19 |
| 65+ | 13 | 13.1 | 356 | 2 | 2 | 6 | 13 | 39 | 63 | 69 |
| TOT. SINGLE DX | 75 | 3.4 | 42 | <1 | <1 | 1 | 3 | 6 | 9 | 42 |
| " MULTIPLE DX | 76 | 5.9 | 92 | <1 | <1 | 3 | 6 | 16 | 22 | 59 |
| TOTAL 0-19 YRS | 89 | 2.8 | 15 | <1 | <1 | 1 | 3 | 6 | 10 | 23 |
| 20-34 | 6 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 35-49 | 12 | 3.7 | 23 | <1 | <1 | 2 | 4 | 10 | 17 | 18 |
| 50-64 | 20 | 5.6 | 29 | <1 | <1 | 3 | 7 | 15 | 17 | 19 |
| 65+ | 24 | 11.7 | 281 | 1 | 1 | 5 | 9 | 33 | 53 | 69 |
| GRAND TOTAL | 151 | 4.6 | 68 | <1 | <1 | 2 | 4 | 10 | 19 | 46 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 136 | 8.5 | 22 | 2 | 2 | 9 | 12 | 15 | 17 | 19 |
| 20-34 | 53 | 6.5 | 28 | <1 | <1 | 4 | 10 | 15 | 17 | 19 |
| 35-49 | 28 | 8.4 | 33 | 1 | 2 | 8 | 11 | 17 | 18 | 25 |
| 50-64 | 55 | 6.1 | 31 | <1 | 1 | 4 | 10 | 14 | 15 | 25 |
| 65+ | 52 | 5.9 | 25 | 1 | 2 | 4 | 8 | 14 | 17 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 80 | 9.0 | 38 | 1 | 2 | 9 | 12 | 18 | 19 | 28 |
| 20-34 | 36 | 10.5 | 81 | <1 | 1 | 8 | 16 | 24 | 30 | 34 |
| 35-49 | 34 | 9.4 | 74 | 1 | 1 | 7 | 15 | 24 | 26 | 30 |
| 50-64 | 65 | 9.0 | 50 | 1 | 2 | 7 | 14 | 18 | 23 | 32 |
| 65+ | 83 | 10.0 | 69 | 2 | 3 | 6 | 15 | 21 | 27 | 38 |
| TOT. SINGLE DX | 324 | 7.3 | 27 | 1 | 2 | 6 | 11 | 15 | 17 | 22 |
| " MULTIPLE DX | 298 | 9.5 | 59 | 1 | 2 | 8 | 14 | 20 | 24 | 33 |
| TOTAL 0-19 YRS | 216 | 8.7 | 28 | 1 | 2 | 9 | 12 | 16 | 18 | 23 |
| 20-34 | 89 | 8.1 | 54 | <1 | <1 | 6 | 11 | 18 | 22 | 33 |
| 35-49 | 62 | 9.0 | 56 | 1 | 2 | 7 | 13 | 22 | 25 | 30 |
| 50-64 | 120 | 7.7 | 43 | 1 | 1 | 5 | 12 | 16 | 21 | 30 |
| 65+ | 135 | 8.5 | 56 | 1 | 2 | 5 | 13 | 19 | 22 | 35 |
| GRAND TOTAL | 622 | 8.4 | 43 | 1 | 2 | 7 | 12 | 17 | 21 | 30 |

### 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 97 | 2.8 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 20-34 | 79 | 3.8 | 23 | <1 | <1 | 2 | 5 | 8 | 13 | 29 |
| 35-49 | 45 | 3.3 | 10 | <1 | <1 | 2 | 4 | 8 | 10 | 16 |
| 50-64 | 74 | 3.7 | 23 | <1 | <1 | 2 | 4 | 10 | 14 | 26 |
| 65+ | 146 | 4.3 | 21 | <1 | <1 | 3 | 5 | 10 | 13 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 122 | 4.2 | 27 | <1 | 1 | 3 | 5 | 9 | 10 | 31 |
| 20-34 | 67 | 5.2 | 33 | <1 | <1 | 4 | 7 | 11 | 16 | 39 |
| 35-49 | 80 | 9.2 | 173 | <1 | 1 | 5 | 11 | 21 | 35 | 67 |
| 50-64 | 142 | 7.1 | 102 | <1 | <1 | 4 | 8 | 17 | 29 | 45 |
| 65+ | 426 | 11.8 | 201 | 1 | 1 | 7 | 15 | 32 | 43 | 93 |
| TOT. SINGLE DX | 441 | 3.7 | 18 | <1 | <1 | 2 | 4 | 8 | 13 | 23 |
| " MULTIPLE DX | 837 | 9.1 | 152 | <1 | 1 | 5 | 10 | 23 | 36 | 74 |
| TOTAL 0-19 YRS | 219 | 3.6 | 19 | <1 | <1 | 2 | 4 | 8 | 9 | 22 |
| 20-34 | 146 | 4.4 | 28 | <1 | <1 | 2 | 7 | 9 | 14 | 30 |
| 35-49 | 125 | 7.1 | 122 | <1 | <1 | 3 | 8 | 16 | 23 | 64 |
| 50-64 | 216 | 5.9 | 78 | <1 | <1 | 3 | 7 | 13 | 23 | 41 |
| 65+ | 572 | 9.9 | 166 | <1 | 1 | 5 | 12 | 25 | 38 | 76 |
| GRAND TOTAL | 1278 | 7.2 | 112 | <1 | <1 | 4 | 8 | 17 | 29 | 63 |

### 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 3.0 | 5 | <1 | 1 | 3 | 3 | 6 | 9 | 10 |
| 20-34 | 24 | 6.6 | 22 | 2 | 2 | 5 | 8 | 12 | 17 | 22 |
| 35-49 | 20 | 6.7 | 11 | 2 | 2 | 7 | 10 | 11 | 12 | 13 |
| 50-64 | 34 | 7.2 | 20 | 2 | 2 | 6 | 11 | 13 | 15 | 20 |
| 65+ | 39 | 7.1 | 18 | 2 | 3 | 6 | 9 | 14 | 15 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 46 | 2 | 2 | 4 | 7 | 19 | 20 | 20 |
| 20-34 | 12 | 12.9 | 36 | 3 | 6 | 13 | 19 | 20 | 21 | 21 |
| 35-49 | 16 | 11.5 | 60 | 1 | 2 | 9 | 18 | 20 | 26 | 28 |
| 50-64 | 24 | 10.4 | 66 | 2 | 3 | 7 | 15 | 20 | 26 | 37 |
| 65+ | 57 | 12.1 | 157 | 3 | 4 | 8 | 13 | 19 | 41 | 68 |
| TOT. SINGLE DX | 130 | 6.6 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 21 |
| " MULTIPLE DX | 115 | 11.5 | 106 | 2 | 3 | 8 | 16 | 20 | 25 | 62 |
| TOTAL 0-19 YRS | 19 | 4.2 | 20 | <1 | 1 | 3 | 4 | 9 | 15 | 20 |
| 20-34 | 36 | 8.7 | 35 | 2 | 3 | 7 | 12 | 19 | 21 | 22 |
| 35-49 | 36 | 8.8 | 38 | 2 | 2 | 8 | 11 | 19 | 20 | 28 |
| 50-64 | 58 | 8.6 | 41 | 2 | 2 | 7 | 11 | 17 | 20 | 36 |
| 65+ | 96 | 10.1 | 106 | 2 | 3 | 8 | 12 | 18 | 23 | 64 |
| GRAND TOTAL | 245 | 8.9 | 65 | 2 | 2 | 7 | 11 | 18 | 20 | 49 |

### 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 29 | 9.6 | 11 | 5 | 6 | 9 | 10 | 14 | 16 | 21 |
| 35-49 | 106 | 9.3 | 11 | 6 | 6 | 9 | 10 | 13 | 16 | 22 |
| 50-64 | 107 | 9.7 | 14 | 6 | 7 | 9 | 11 | 14 | 17 | 26 |
| 65+ | 39 | 11.5 | 15 | 7 | 7 | 10 | 14 | 16 | 17 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 35 | 10.1 | 10 | 6 | 7 | 9 | 12 | 15 | 16 | 16 |
| 35-49 | 142 | 10.7 | 33 | 6 | 6 | 9 | 12 | 18 | 20 | 30 |
| 50-64 | 148 | 14.7 | 78 | 7 | 7 | 12 | 17 | 25 | 29 | 52 |
| 65+ | 77 | 15.2 | 169 | 7 | 7 | 11 | 17 | 25 | 29 | 87 |
| TOT. SINGLE DX | 282 | 9.8 | 14 | 6 | 7 | 9 | 11 | 15 | 17 | 23 |
| " MULTIPLE DX | 402 | 13.0 | 78 | 6 | 7 | 10 | 16 | 21 | 26 | 53 |
| TOTAL 0-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 64 | 9.8 | 11 | 6 | 7 | 9 | 11 | 15 | 16 | 20 |
| 35-49 | 248 | 10.1 | 25 | 6 | 6 | 9 | 11 | 17 | 20 | 23 |
| 50-64 | 255 | 12.6 | 58 | 6 | 7 | 10 | 15 | 21 | 26 | 42 |
| 65+ | 116 | 13.9 | 121 | 7 | 7 | 11 | 16 | 23 | 27 | 83 |
| GRAND TOTAL | 684 | 11.7 | 54 | 6 | 7 | 10 | 14 | 19 | 23 | 40 |

### 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 9 | 9.8 | 14 | 6 | 6 | 9 | 13 | 16 | 16 | 16 |
| 35-49 | 25 | 10.0 | 12 | 6 | 6 | 9 | 12 | 14 | 18 | 20 |
| 50-64 | 24 | 9.9 | 23 | 5 | 6 | 8 | 12 | 15 | 21 | 25 |
| 65+ | 13 | 13.2 | 64 | 7 | 7 | 9 | 16 | 25 | 32 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 12.9 | 67 | 6 | 6 | 9 | 21 | 25 | 25 | 25 |
| 35-49 | 29 | 10.1 | 33 | 6 | 6 | 8 | 10 | 17 | 19 | 34 |
| 50-64 | 39 | 11.7 | 37 | 6 | 7 | 10 | 14 | 21 | 26 | 32 |
| 65+ | 22 | 17.6 | 100 | 7 | 7 | 15 | 24 | 29 | 37 | 48 |
| TOT. SINGLE DX | 71 | 10.5 | 26 | 6 | 6 | 9 | 13 | 17 | 20 | 32 |
| " MULTIPLE DX | 97 | 12.6 | 59 | 6 | 6 | 9 | 16 | 24 | 28 | 41 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 16 | 11.1 | 37 | 6 | 6 | 9 | 14 | 23 | 25 | 25 |
| 35-49 | 54 | 10.1 | 23 | 6 | 6 | 9 | 10 | 17 | 18 | 33 |
| 50-64 | 63 | 11.0 | 32 | 6 | 7 | 9 | 13 | 18 | 25 | 31 |
| 65+ | 35 | 16.0 | 89 | 7 | 7 | 14 | 22 | 29 | 33 | 48 |
| GRAND TOTAL | 168 | 11.8 | 46 | 6 | 6 | 9 | 14 | 22 | 25 | 34 |

### 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 20-34 | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 35-49 | 4 | 6.0 | 8 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | 6 | 4.5 | 13 | <1 | <1 | 3 | 6 | 10 | 11 | 11 |
| 65+ | 4 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 2.8 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 5 | 5.2 | 14 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 35-49 | 7 | 9.6 | 58 | 3 | 3 | 5 | 14 | 21 | 23 | 23 |
| 50-64 | 8 | 20.9 | 388 | 2 | 3 | 17 | 29 | 53 | 62 | 62 |
| 65+ | 9 | 11.0 | 88 | 3 | 3 | 8 | 14 | 27 | 31 | 31 |
| TOT. SINGLE DX | 18 | 4.9 | 11 | <1 | <1 | 5 | 7 | 10 | 12 | 12 |
| " MULTIPLE DX | 34 | 11.0 | 156 | 1 | 2 | 6 | 15 | 26 | 33 | 62 |
| TOTAL 0-19 YRS | 7 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| 20-34 | 7 | 6.3 | 16 | 1 | 1 | 6 | 9 | 11 | 12 | 12 |
| 35-49 | 11 | 8.3 | 40 | 2 | 3 | 6 | 12 | 18 | 23 | 23 |
| 50-64 | 14 | 13.9 | 285 | <1 | 2 | 6 | 18 | 36 | 56 | 62 |
| 65+ | 13 | 8.5 | 74 | 1 | 2 | 5 | 9 | 24 | 30 | 31 |
| GRAND TOTAL | 52 | 8.9 | 113 | 1 | 2 | 5 | 10 | 22 | 30 | 61 |

### 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 13.0 | 32 | 9 | 9 | 13 | 17 | 17 | 17 | 17 |
| 20-34 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 35-49 | 4 | 9.5 | 27 | 4 | 4 | 10 | 14 | 14 | 14 | 14 |
| 50-64 | 4 | 13.0 | 24 | 9 | 9 | 12 | 17 | 19 | 19 | 19 |
| 65+ | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 20-34 | 11 | 17.1 | 184 | 7 | 7 | 13 | 19 | 39 | 51 | 52 |
| 35-49 | 6 | 17.8 | 67 | 9 | 9 | 17 | 24 | 29 | 30 | 30 |
| 50-64 | 12 | 18.1 | 273 | 1 | 1 | 13 | 28 | 46 | 46 | 46 |
| 65+ | 4 | 21.8 | 328 | 5 | 5 | 20 | 37 | 42 | 42 | 42 |
| TOT. SINGLE DX | 13 | 11.9 | 29 | 4 | 6 | 9 | 15 | 20 | 22 | 22 |
| " MULTIPLE DX | 34 | 18.0 | 190 | 1 | 3 | 14 | 28 | 42 | 46 | 52 |
| TOTAL 0-19 YRS | 3 | 13.3 | 16 | 9 | 9 | 14 | 16 | 17 | 17 | 17 |
| 20-34 | 13 | 15.8 | 164 | 7 | 7 | 10 | 17 | 35 | 49 | 52 |
| 35-49 | 10 | 14.5 | 65 | 4 | 5 | 14 | 19 | 27 | 30 | 30 |
| 50-64 | 16 | 16.8 | 211 | 1 | 1 | 13 | 26 | 44 | 46 | 46 |
| 65+ | 5 | 21.8 | 246 | 5 | 5 | 22 | 34 | 42 | 42 | 42 |
| GRAND TOTAL | 47 | 16.3 | 151 | 1 | 4 | 14 | 21 | 32 | 46 | 52 |

### 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 10.5 | 24 | 4 | 4 | 11 | 15 | 16 | 16 | 16 |
| 20-34 | 5 | 11.6 | 16 | 8 | 8 | 10 | 14 | 18 | 18 | 18 |
| 35-49 | 24 | 7.4 | 10 | 3 | 4 | 7 | 9 | 10 | 13 | 19 |
| 50-64 | 691 | 8.0 | 11 | 4 | 5 | 7 | 9 | 12 | 14 | 19 |
| 65+ | 1284 | 9.4 | 22 | 5 | 5 | 8 | 11 | 14 | 17 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.0 | 19 | 2 | 2 | 7 | 10 | 12 | 12 | 12 |
| 20-34 | 3 | 9.3 | | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 35-49 | 45 | 9.8 | 21 | 5 | 5 | 8 | 11 | 17 | 20 | 23 |
| 50-64 | 1021 | 11.2 | 65 | 5 | 5 | 9 | 13 | 19 | 25 | 49 |
| 65+ | 2941 | 13.8 | 101 | 5 | 6 | 11 | 16 | 24 | 34 | 67 |
| TOT. SINGLE DX | 2010 | 8.9 | 19 | 4 | 5 | 8 | 10 | 14 | 16 | 26 |
| " MULTIPLE DX | 4014 | 13.1 | 92 | 5 | 6 | 10 | 15 | 23 | 31 | 66 |
| TOTAL 0-19 YRS | 10 | 9.1 | 23 | 2 | 3 | 9 | 13 | 15 | 16 | 16 |
| 20-34 | 8 | 10.8 | 11 | 8 | 8 | 10 | 12 | 16 | 18 | 18 |
| 35-49 | 69 | 9.0 | 19 | 4 | 5 | 8 | 10 | 16 | 19 | 23 |
| 50-64 | 1712 | 9.9 | 46 | 4 | 5 | 8 | 11 | 16 | 21 | 39 |
| 65+ | 4225 | 12.4 | 81 | 5 | 6 | 10 | 14 | 22 | 29 | 58 |
| GRAND TOTAL | 6024 | 11.7 | 72 | 5 | 5 | 9 | 13 | 20 | 27 | 53 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 50-64 | 54 | 16.3 | 76 | 6 | 8 | 14 | 22 | 28 | 30 | 50 |
| 65+ | 145 | 15.3 | 60 | 8 | 8 | 14 | 17 | 25 | 28 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 20-34 | 2 | 10.5 | 25 | 7 | 7 | 10 | 14 | 14 | 14 | 14 |
| 35-49 | 2 | 30.5 | 13 | 28 | 28 | 30 | 33 | 33 | 33 | 33 |
| 50-64 | 100 | 16.6 | 65 | 7 | 9 | 14 | 20 | 27 | 32 | 47 |
| 65+ | 363 | 19.0 | 106 | 8 | 9 | 17 | 23 | 31 | 38 | 67 |
| TOT. SINGLE DX | 200 | 15.6 | 65 | 7 | 8 | 14 | 18 | 27 | 29 | 47 |
| " MULTIPLE DX | 469 | 18.5 | 99 | 8 | 9 | 16 | 22 | 31 | 37 | 64 |
| TOTAL 0-19 YRS | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 20-34 | 2 | 10.5 | 25 | 7 | 7 | 10 | 14 | 14 | 14 | 14 |
| 35-49 | 3 | 30.0 | 7 | 28 | 28 | 29 | 32 | 33 | 33 | 33 |
| 50-64 | 154 | 16.5 | 69 | 6 | 9 | 14 | 20 | 27 | 32 | 51 |
| 65+ | 508 | 18.0 | 96 | 8 | 9 | 16 | 21 | 29 | 37 | 63 |
| GRAND TOTAL | 669 | 17.6 | 90 | 8 | 9 | 15 | 21 | 29 | 35 | 57 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 35-49 | 18 | 3.6 | 6 | <1 | 1 | 3 | 6 | 7 | 9 | 10 |
| 50-64 | 117 | 3.7 | 13 | <1 | 1 | 3 | 4 | 8 | 11 | 21 |
| 65+ | 190 | 5.6 | 37 | 1 | 2 | 4 | 7 | 11 | 16 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 11.2 | 303 | 1 | 1 | 3 | 11 | 42 | 46 | 46 |
| 35-49 | 11 | 4.9 | 13 | 1 | 1 | 3 | 7 | 10 | 13 | 13 |
| 50-64 | 123 | 9.3 | 90 | 1 | 2 | 6 | 13 | 22 | 33 | 45 |
| 65+ | 331 | 9.6 | 76 | 2 | 2 | 6 | 13 | 22 | 28 | 44 |
| TOT. SINGLE DX | 328 | 4.8 | 27 | 1 | 1 | 3 | 6 | 9 | 13 | 30 |
| " MULTIPLE DX | 471 | 9.4 | 81 | 1 | 2 | 6 | 13 | 22 | 29 | 45 |
| TOTAL 0-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 20-34 | 8 | 9.0 | 234 | 1 | 1 | 3 | 8 | 35 | 46 | 46 |
| 35-49 | 29 | 4.1 | 9 | 1 | 1 | 3 | 6 | 8 | 10 | 13 |
| 50-64 | 240 | 6.6 | 61 | 1 | 1 | 3 | 8 | 16 | 23 | 41 |
| 65+ | 521 | 8.1 | 66 | 1 | 2 | 5 | 10 | 19 | 27 | 43 |
| GRAND TOTAL | 799 | 7.5 | 64 | 1 | 2 | 4 | 9 | 18 | 25 | 43 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 73 | 3.1 | 3 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 20-34 | 54 | 3.7 | 3 | 1 | 2 | 3 | 5 | 7 | 8 | 9 |
| 35-49 | 45 | 4.2 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 13 |
| 50-64 | 46 | 4.6 | 9 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 65+ | 38 | 6.6 | 39 | 2 | 2 | 5 | 8 | 10 | 19 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 50 | 4.8 | 30 | <1 | 1 | 3 | 6 | 9 | 12 | 29 |
| 20-34 | 41 | 5.4 | 15 | 1 | 1 | 5 | 7 | 14 | 16 | 99+ |
| 35-49 | 23 | 9.6 | 205 | 2 | 2 | 5 | 8 | 20 | 41 | 69 |
| 50-64 | 42 | 7.5 | 18 | 2 | 3 | 6 | 10 | 14 | 15 | 18 |
| 65+ | 43 | 10.9 | 142 | 2 | 3 | 8 | 12 | 23 | 30 | 72 |
| TOT. SINGLE DX | 256 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| " MULTIPLE DX | 199 | 7.4 | 73 | 1 | 2 | 5 | 9 | 14 | 21 | 70 |
| TOTAL 0-19 YRS | 123 | 3.8 | 15 | <1 | 1 | 3 | 4 | 7 | 9 | 28 |
| 20-34 | 95 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 13 | 62 |
| 35-49 | 68 | 6.0 | 81 | <1 | 1 | 4 | 7 | 12 | 17 | 61 |
| 50-64 | 88 | 6.0 | 16 | 2 | 2 | 5 | 8 | 13 | 14 | 18 |
| 65+ | 81 | 8.9 | 98 | 2 | 2 | 7 | 9 | 18 | 27 | 61 |
| GRAND TOTAL | 455 | 5.6 | 41 | 1 | 2 | 4 | 7 | 11 | 15 | 32 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 63 | 4.0 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 11 |
| 20-34 | 83 | 6.3 | 32 | 2 | 2 | 5 | 7 | 15 | 18 | 30 |
| 35-49 | 31 | 7.5 | 41 | 2 | 2 | 5 | 8 | 17 | 21 | 30 |
| 50-64 | 30 | 7.2 | 36 | 2 | 2 | 5 | 7 | 18 | 20 | 22 |
| 65+ | 49 | 8.5 | 32 | 3 | 3 | 7 | 12 | 17 | 19 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 60 | 4.3 | 7 | 2 | 2 | 4 | 5 | 8 | 11 | 14 |
| 20-34 | 70 | 7.6 | 46 | 2 | 2 | 5 | 9 | 19 | 23 | 27 |
| 35-49 | 29 | 6.1 | 17 | 2 | 3 | 4 | 8 | 12 | 17 | 18 |
| 50-64 | 62 | 10.5 | 139 | 2 | 3 | 8 | 13 | 22 | 23 | 73 |
| 65+ | 143 | 13.9 | 174 | 3 | 3 | 10 | 19 | 31 | 43 | 76 |
| TOT. SINGLE DX | 256 | 6.4 | 29 | 2 | 2 | 5 | 8 | 15 | 18 | 28 |
| " MULTIPLE DX | 364 | 9.9 | 117 | 2 | 2 | 6 | 13 | 23 | 30 | 69 |
| TOTAL 0-19 YRS | 123 | 4.2 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 14 |
| 20-34 | 153 | 6.9 | 39 | 2 | 2 | 5 | 8 | 18 | 22 | 28 |
| 35-49 | 60 | 6.8 | 30 | 2 | 3 | 5 | 8 | 15 | 18 | 29 |
| 50-64 | 92 | 9.4 | 107 | 2 | 3 | 6 | 13 | 20 | 22 | 67 |
| 65+ | 192 | 12.5 | 143 | 3 | 3 | 9 | 17 | 28 | 37 | 73 |
| GRAND TOTAL | 620 | 8.5 | 83 | 2 | 2 | 5 | 10 | 19 | 25 | 52 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 600 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 42 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 8 | 11 |
| 35-49 | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 338 | 4.0 | 9 | 2 | 2 | 3 | 4 | 7 | 9 | 18 |
| 20-34 | 31 | 6.0 | 32 | 1 | 2 | 4 | 6 | 14 | 22 | 23 |
| 35-49 | 4 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| TOT. SINGLE DX | 649 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| " MULTIPLE DX | 374 | 4.1 | 11 | 2 | 2 | 3 | 4 | 8 | 10 | 21 |
| TOTAL 0-19 YRS | 938 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 20-34 | 73 | 4.3 | 18 | 1 | 1 | 3 | 4 | 9 | 12 | 23 |
| 35-49 | 8 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 50-64 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 65+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| GRAND TOTAL | 1023 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 81 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 20-34 | 64 | 3.1 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 35-49 | 17 | 3.6 | 12 | <1 | <1 | 2 | 4 | 11 | 11 | 11 |
| 50-64 | 7 | 2.6 | 1 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| 65+ | 3 | 5.7 | 22 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 4.4 | 11 | 1 | 1 | 3 | 5 | 10 | 13 | 14 |
| 20-34 | 32 | 2.8 | 1 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 35-49 | 4 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 50-64 | 5 | 11.6 | 55 | 6 | 6 | 10 | 15 | 24 | 24 | 24 |
| 65+ | 4 | 13.8 | 201 | 3 | 3 | 13 | 50 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 172 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 11 |
| " MULTIPLE DX | 77 | 4.6 | 26 | 1 | 1 | 3 | 5 | 10 | 14 | 81 |
| TOTAL 0-19 YRS | 113 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 20-34 | 96 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 21 | 3.3 | 10 | <1 | <1 | 2 | 3 | 10 | 11 | 11 |
| 50-64 | 12 | 6.3 | 42 | <1 | <1 | 4 | 8 | 16 | 23 | 24 |
| 65+ | 7 | 10.3 | 127 | 2 | 2 | 8 | 23 | 80 | 99+ | 99+ |
| GRAND TOTAL | 249 | 3.7 | 13 | <1 | 1 | 3 | 4 | 6 | 10 | 24 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 20-34 | 240 | 1.2 | 3 | <1 | <1 | <1 | 1 | 1 | 1 | 4 |
| 35-49 | 78 | 1.3 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |
| 50-64 | 7 | 3.3 | 31 | <1 | <1 | <1 | 2 | 13 | 16 | 16 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 39 | 3.1 | 16 | <1 | <1 | 1 | 2 | 11 | 14 | 15 |
| 35-49 | 25 | 3.1 | 32 | <1 | <1 | 1 | 2 | 4 | 20 | 25 |
| 50-64 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| TOT. SINGLE DX | 327 | 1.3 | 4 | <1 | <1 | <1 | 1 | 1 | 2 | 9 |
| " MULTIPLE DX | 67 | 3.1 | 22 | <1 | <1 | 1 | 2 | 10 | 15 | 24 |
| TOTAL 0-19 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 20-34 | 279 | 1.5 | 6 | <1 | <1 | <1 | 1 | 1 | 2 | 14 |
| 35-49 | 103 | 1.7 | 9 | <1 | <1 | <1 | 1 | 2 | 4 | 21 |
| 50-64 | 8 | 3.0 | 28 | <1 | <1 | <1 | 1 | 12 | 16 | 16 |
| 65+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| GRAND TOTAL | 394 | 1.6 | 7 | <1 | <1 | <1 | 1 | 2 | 3 | 16 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 246 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 20-34 | 274 | 2.8 | 3 | <1 | 1 | 3 | 4 | 4 | 5 | 9 |
| 35-49 | 187 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 50-64 | 174 | 3.6 | 3 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 65+ | 69 | 4.6 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 133 | 4.2 | 22 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 20-34 | 124 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 91 | 4.0 | 8 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 50-64 | 135 | 5.6 | 19 | 1 | 2 | 4 | 7 | 10 | 15 | 26 |
| 65+ | 105 | 6.1 | 26 | 1 | 2 | 4 | 7 | 12 | 17 | 28 |
| TOT. SINGLE DX | 950 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 10 |
| " MULTIPLE DX | 588 | 4.6 | 17 | 1 | 2 | 4 | 5 | 8 | 12 | 24 |
| TOTAL 0-19 YRS | 379 | 3.3 | 10 | 1 | 1 | 3 | 4 | 6 | 7 | 18 |
| 20-34 | 398 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 35-49 | 278 | 3.4 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 50-64 | 309 | 4.5 | 12 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 65+ | 174 | 5.5 | 18 | 2 | 2 | 4 | 7 | 10 | 14 | 25 |
| GRAND TOTAL | 1538 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 425 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 20-34 | 87 | 2.2 | 1 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 35-49 | 34 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 50-64 | 26 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 65+ | 22 | 2.4 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 127 | 3.5 | 10 | <1 | 1 | 2 | 4 | 8 | 10 | 19 |
| 20-34 | 48 | 3.7 | 13 | <1 | <1 | 3 | 4 | 9 | 12 | 20 |
| 35-49 | 41 | 4.2 | 35 | <1 | 1 | 2 | 4 | 8 | 18 | 32 |
| 50-64 | 33 | 5.2 | 34 | 1 | 1 | 2 | 6 | 13 | 21 | 24 |
| 65+ | 38 | 9.9 | 201 | 1 | 2 | 5 | 11 | 22 | 36 | 78 |
| TOT. SINGLE DX | 1081 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 448 | 4.3 | 37 | <1 | 1 | 2 | 4 | 9 | 15 | 28 |
| TOTAL 0-19 YRS | 980 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| 20-34 | 233 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 35-49 | 114 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 24 |
| 50-64 | 98 | 3.8 | 16 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 65+ | 104 | 6.9 | 99 | 1 | 2 | 3 | 7 | 18 | 24 | 56 |
| GRAND TOTAL | 1529 | 2.7 | 13 | <1 | <1 | 2 | 3 | 4 | 7 | 19 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 66 | 2.7 | 9 | <1 | <1 | 1 | 3 | 5 | 8 | 19 |
| 20-34 | 42 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 8 | 11 |
| 35-49 | 24 | 6.3 | 72 | <1 | <1 | 2 | 7 | 17 | 28 | 34 |
| 50-64 | 20 | 6.8 | 22 | <1 | 1 | 6 | 10 | 14 | 15 | 16 |
| 65+ | 10 | 9.4 | 122 | <1 | <1 | 6 | 12 | 27 | 37 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 34 | 4.3 | 14 | <1 | 1 | 4 | 6 | 7 | 11 | 21 |
| 20-34 | 25 | 5.8 | 38 | <1 | 1 | 3 | 8 | 13 | 17 | 29 |
| 35-49 | 32 | 10.6 | 41 | <1 | 3 | 9 | 14 | 20 | 23 | 28 |
| 50-64 | 29 | 10.4 | 154 | 2 | 3 | 6 | 10 | 15 | 44 | 62 |
| 65+ | 33 | 7.5 | 23 | <1 | 2 | 7 | 9 | 14 | 18 | 22 |
| TOT. SINGLE DX | 162 | 4.0 | 30 | <1 | <1 | 2 | 5 | 10 | 14 | 33 |
| " MULTIPLE DX | 153 | 7.7 | 57 | 1 | 1 | 6 | 9 | 15 | 21 | 43 |
| TOTAL 0-19 YRS | 100 | 3.2 | 12 | <1 | <1 | 2 | 4 | 6 | 9 | 20 |
| 20-34 | 67 | 3.7 | 20 | <1 | <1 | 2 | 4 | 9 | 12 | 26 |
| 35-49 | 56 | 8.8 | 58 | <1 | <1 | 7 | 13 | 19 | 25 | 34 |
| 50-64 | 49 | 8.9 | 102 | 1 | 2 | 6 | 10 | 15 | 18 | 62 |
| 65+ | 43 | 7.9 | 45 | <1 | 1 | 7 | 10 | 16 | 20 | 37 |
| GRAND TOTAL | 315 | 5.8 | 47 | <1 | <1 | 4 | 7 | 13 | 17 | 35 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 113 | 5.8 | 6 | 3 | 3 | 6 | 7 | 9 | 11 | 13 |
| 20-34 | 395 | 5.7 | 3 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 91 | 6.8 | 9 | 3 | 4 | 6 | 8 | 9 | 14 | 20 |
| 50-64 | 9 | 8.8 | 11 | 5 | 5 | 8 | 12 | 14 | 15 | 15 |
| 65+ | 5 | 13.2 | 43 | 6 | 6 | 12 | 16 | 24 | 24 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 6.9 | 13 | 3 | 4 | 6 | 8 | 10 | 14 | 25 |
| 20-34 | 552 | 6.4 | 7 | 3 | 4 | 6 | 8 | 9 | 11 | 17 |
| 35-49 | 146 | 7.3 | 11 | 4 | 5 | 7 | 8 | 10 | 11 | 18 |
| 50-64 | 26 | 14.0 | 77 | 6 | 7 | 11 | 16 | 25 | 37 | 43 |
| 65+ | 21 | 21.5 | 189 | 6 | 7 | 21 | 29 | 43 | 47 | 49 |
| TOT. SINGLE DX | 613 | 6.0 | 6 | 3 | 4 | 6 | 7 | 8 | 10 | 14 |
| " MULTIPLE DX | 816 | 7.3 | 22 | 3 | 4 | 6 | 8 | 10 | 14 | 30 |
| TOTAL 0-19 YRS | 184 | 6.2 | 9 | 3 | 3 | 6 | 7 | 10 | 12 | 16 |
| 20-34 | 947 | 6.1 | 6 | 3 | 4 | 6 | 7 | 9 | 10 | 15 |
| 35-49 | 237 | 7.1 | 11 | 4 | 4 | 7 | 8 | 10 | 12 | 18 |
| 50-64 | 35 | 12.6 | 65 | 5 | 6 | 11 | 15 | 22 | 32 | 43 |
| 65+ | 26 | 19.9 | 170 | 6 | 7 | 16 | 26 | 42 | 46 | 49 |
| GRAND TOTAL | 1429 | 6.7 | 16 | 3 | 4 | 6 | 8 | 10 | 12 | 22 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 6.8 | 5 | 4 | 5 | 6 | 8 | 10 | 11 | 16 |
| 20-34 | 314 | 6.6 | 4 | 4 | 4 | 6 | 8 | 9 | 10 | 14 |
| 35-49 | 145 | 7.2 | 8 | 4 | 4 | 7 | 8 | 10 | 12 | 21 |
| 50-64 | 28 | 10.4 | 37 | 5 | 6 | 8 | 14 | 19 | 21 | 31 |
| 65+ | 7 | 9.1 | 8 | 6 | 6 | 10 | 11 | 13 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 7.4 | 7 | 4 | 4 | 7 | 9 | 11 | 12 | 17 |
| 20-34 | 521 | 7.3 | 8 | 4 | 5 | 7 | 8 | 11 | 14 | 20 |
| 35-49 | 255 | 8.1 | 17 | 4 | 5 | 7 | 9 | 11 | 14 | 26 |
| 50-64 | 47 | 16.8 | 384 | 5 | 6 | 9 | 18 | 33 | 67 | 95 |
| 65+ | 39 | 17.9 | 221 | 7 | 7 | 14 | 20 | 32 | 43 | 89 |
| TOT. SINGLE DX | 530 | 7.0 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| " MULTIPLE DX | 909 | 8.5 | 47 | 4 | 5 | 7 | 9 | 13 | 18 | 35 |
| TOTAL 0-19 YRS | 83 | 7.2 | 7 | 4 | 5 | 7 | 8 | 10 | 12 | 17 |
| 20-34 | 835 | 7.0 | 7 | 4 | 4 | 7 | 8 | 10 | 13 | 18 |
| 35-49 | 400 | 7.8 | 14 | 4 | 5 | 7 | 9 | 11 | 14 | 25 |
| 50-64 | 75 | 14.4 | 262 | 5 | 6 | 9 | 16 | 25 | 47 | 93 |
| 65+ | 46 | 16.5 | 198 | 6 | 7 | 12 | 20 | 28 | 39 | 89 |
| GRAND TOTAL | 1439 | 7.9 | 33 | 4 | 5 | 7 | 8 | 11 | 15 | 27 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 20-34 | 27 | 7.1 | 6 | 3 | 4 | 7 | 8 | 11 | 12 | 15 |
| 35-49 | 37 | 7.8 | 10 | 4 | 5 | 8 | 8 | 9 | 16 | 20 |
| 50-64 | 16 | 8.5 | 4 | 5 | 7 | 8 | 9 | 12 | 13 | 14 |
| 65+ | 12 | 9.8 | 9 | 6 | 6 | 9 | 11 | 15 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 20-34 | 79 | 8.6 | 23 | 4 | 5 | 8 | 10 | 12 | 17 | 33 |
| 35-49 | 134 | 9.4 | 29 | 5 | 6 | 8 | 10 | 16 | 20 | 34 |
| 50-64 | 71 | 12.9 | 99 | 5 | 6 | 9 | 15 | 23 | 36 | 56 |
| 65+ | 42 | 18.0 | 159 | 6 | 7 | 13 | 25 | 34 | 45 | 58 |
| TOT. SINGLE DX | 93 | 8.0 | 9 | 4 | 5 | 8 | 9 | 11 | 15 | 20 |
| " MULTIPLE DX | 328 | 11.1 | 69 | 5 | 6 | 8 | 12 | 20 | 30 | 47 |
| TOTAL 0-19 YRS | 3 | 10.7 | 21 | 8 | 8 | 8 | 14 | 16 | 16 | 16 |
| 20-34 | 106 | 8.2 | 20 | 4 | 5 | 7 | 10 | 11 | 15 | 31 |
| 35-49 | 171 | 9.1 | 26 | 5 | 6 | 8 | 9 | 15 | 20 | 32 |
| 50-64 | 87 | 12.1 | 85 | 5 | 6 | 9 | 14 | 21 | 32 | 54 |
| 65+ | 54 | 16.2 | 138 | 6 | 7 | 12 | 19 | 32 | 40 | 58 |
| GRAND TOTAL | 421 | 10.4 | 57 | 5 | 6 | 8 | 11 | 19 | 26 | 43 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 21 | 5.0 | 13 | 1 | 1 | 4 | 6 | 12 | 13 | 14 |
| 20-34 | 72 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 19 | 3.9 | 7 | <1 | 1 | 4 | 6 | 8 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 6.4 | 11 | 2 | 2 | 6 | 9 | 12 | 13 | 13 |
| 20-34 | 207 | 5.6 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 22 |
| 35-49 | 34 | 5.9 | 16 | 1 | 2 | 5 | 7 | 12 | 16 | 17 |
| 50-64 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 112 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| " MULTIPLE DX | 259 | 5.8 | 13 | 1 | 2 | 6 | 7 | 9 | 13 | 21 |
| TOTAL 0-19 YRS | 38 | 5.6 | 13 | 1 | 2 | 5 | 8 | 12 | 13 | 14 |
| 20-34 | 279 | 5.3 | 12 | 1 | 2 | 5 | 6 | 8 | 11 | 20 |
| 35-49 | 53 | 5.2 | 14 | 1 | 1 | 5 | 6 | 9 | 15 | 17 |
| 50-64 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 371 | 5.3 | 12 | 1 | 2 | 5 | 6 | 9 | 12 | 19 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 20-34 | 1431 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 35-49 | 449 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 10 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 608 | 2.3 | 8 | <1 | <1 | 2 | 2 | 5 | 6 | 10 |
| 35-49 | 278 | 2.2 | 9 | <1 | <1 | 2 | 2 | 4 | 5 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1885 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| " MULTIPLE DX | 896 | 2.3 | 9 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| TOTAL 0-19 YRS | 15 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 20-34 | 2039 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 7 |
| 35-49 | 727 | 1.8 | 4 | <1 | <1 | 2 | 2 | 2 | 3 | 7 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 2781 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 7 |

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 3.2 | 3 | <1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 20-34 | 2535 | 3.0 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 35-49 | 769 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| 50-64 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 4.1 | 6 | 1 | 1 | 3 | 6 | 8 | 9 | 10 |
| 20-34 | 1563 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 515 | 3.8 | 4 | 2 | 2 | 3 | 4 | 6 | 8 | 12 |
| 50-64 | 6 | 6.0 | 5 | 4 | 4 | 5 | 7 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3326 | 3.0 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| " MULTIPLE DX | 2100 | 4.0 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| TOTAL 0-19 YRS | 35 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 20-34 | 4098 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 35-49 | 1284 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 50-64 | 9 | 5.6 | 7 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 5426 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 48 | 6.0 | 8 | 2 | 4 | 5 | 7 | 8 | 12 | 18 |
| 20-34 | 782 | 5.2 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 11 |
| 35-49 | 94 | 5.0 | 5 | 2 | 2 | 5 | 7 | 8 | 9 | 10 |
| 50-64 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 65+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 40 | 6.5 | 10 | 3 | 4 | 6 | 7 | 10 | 14 | 19 |
| 20-34 | 713 | 6.1 | 9 | 2 | 3 | 6 | 7 | 9 | 11 | 16 |
| 35-49 | 99 | 7.1 | 44 | 3 | 3 | 6 | 7 | 11 | 14 | 41 |
| 50-64 | 4 | 11.3 | 57 | 6 | 6 | 9 | 16 | 22 | 22 | 22 |
| 65+ | 2 | 12.0 | 242 | 1 | 1 | 12 | 23 | 23 | 23 | 23 |
| TOT. SINGLE DX | 927 | 5.2 | 5 | 2 | 2 | 5 | 6 | 8 | 9 | 12 |
| " MULTIPLE DX | 858 | 6.2 | 14 | 2 | 3 | 6 | 7 | 9 | 11 | 18 |
| TOTAL 0-19 YRS | 88 | 6.2 | 9 | 3 | 4 | 6 | 7 | 8 | 13 | 19 |
| 20-34 | 1495 | 5.6 | 7 | 2 | 3 | 5 | 7 | 8 | 9 | 14 |
| 35-49 | 193 | 6.1 | 26 | 2 | 3 | 6 | 7 | 9 | 11 | 15 |
| 50-64 | 6 | 8.7 | 53 | 1 | 1 | 6 | 11 | 21 | 22 | 22 |
| 65+ | 3 | 11.7 | 121 | 1 | 1 | 11 | 20 | 23 | 23 | 23 |
| GRAND TOTAL | 1785 | 5.7 | 10 | 2 | 3 | 5 | 7 | 8 | 10 | 15 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 2.8 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 794 | 2.6 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 35-49 | 217 | 2.8 | 2 | <1 | 1 | 3 | 3 | 4 | 5 | 9 |
| 50-64 | 57 | 2.8 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| 65+ | 16 | 3.8 | 2 | 2 | 3 | 3 | 4 | 6 | 8 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 3.0 | 1 | <1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 20-34 | 416 | 3.0 | 3 | 1 | 2 | 3 | 4 | 5 | 5 | 9 |
| 35-49 | 154 | 3.4 | 8 | <1 | 1 | 3 | 4 | 5 | 8 | 17 |
| 50-64 | 53 | 3.5 | 13 | 1 | 2 | 3 | 4 | 5 | 6 | 27 |
| 65+ | 15 | 4.6 | 10 | 2 | 2 | 4 | 6 | 9 | 12 | 13 |
| TOT. SINGLE DX | 1108 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 649 | 3.1 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-19 YRS | 35 | 2.9 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 6 |
| 20-34 | 1210 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 35-49 | 371 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 6 | 14 |
| 50-64 | 110 | 3.1 | 7 | 1 | 1 | 3 | 4 | 5 | 5 | 15 |
| 65+ | 31 | 4.2 | 6 | 2 | 2 | 3 | 4 | 8 | 9 | 13 |
| GRAND TOTAL | 1757 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 5 | 9 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 20-34 | 144 | 2.6 | 4 | <1 | <1 | 2 | 4 | 5 | 6 | 10 |
| 35-49 | 80 | 2.9 | 18 | <1 | <1 | 2 | 3 | 4 | 10 | 26 |
| 50-64 | 58 | 2.9 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 11 |
| 65+ | 36 | 4.8 | 16 | 1 | 1 | 3 | 7 | 11 | 13 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 9 |
| 20-34 | 98 | 2.7 | 11 | <1 | <1 | 2 | 3 | 6 | 8 | 22 |
| 35-49 | 126 | 3.1 | 15 | <1 | <1 | 2 | 3 | 7 | 10 | 23 |
| 50-64 | 83 | 5.1 | 100 | <1 | <1 | 2 | 5 | 11 | 16 | 67 |
| 65+ | 73 | 11.2 | 148 | 2 | 2 | 7 | 14 | 32 | 38 | 93 |
| TOT. SINGLE DX | 334 | 2.9 | 10 | <1 | <1 | 2 | 4 | 6 | 9 | 17 |
| " MULTIPLE DX | 393 | 4.9 | 66 | <1 | <1 | 2 | 5 | 11 | 19 | 44 |
| TOTAL 0-19 YRS | 29 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 20-34 | 242 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 206 | 3.0 | 16 | <1 | <1 | 2 | 3 | 6 | 10 | 25 |
| 50-64 | 141 | 4.2 | 62 | <1 | <1 | 2 | 4 | 8 | 12 | 47 |
| 65+ | 109 | 9.1 | 113 | 1 | 2 | 6 | 11 | 23 | 35 | 81 |
| GRAND TOTAL | 727 | 4.0 | 41 | <1 | <1 | 2 | 4 | 9 | 14 | 35 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 3.0 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 20-34 | 260 | 3.7 | 11 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| 35-49 | 15 | 2.8 | 1 | 1 | 2 | 3 | 3 | 5 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 3 | 8 |
| 20-34 | 90 | 5.2 | 35 | 2 | 2 | 3 | 5 | 8 | 14 | 38 |
| 35-49 | 8 | 6.9 | 17 | 2 | 2 | 6 | 10 | 13 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 284 | 3.6 | 11 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 100 | 5.3 | 34 | 2 | 2 | 4 | 6 | 9 | 14 | 36 |
| TOTAL 0-19 YRS | 11 | 3.4 | 6 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 20-34 | 350 | 4.1 | 18 | 1 | 2 | 3 | 4 | 7 | 9 | 21 |
| 35-49 | 23 | 4.2 | 10 | 1 | 2 | 3 | 5 | 8 | 13 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 384 | 4.1 | 18 | 1 | 2 | 3 | 4 | 7 | 9 | 20 |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 66 | 5.5 | 7 | 1 | 1 | 6 | 7 | 9 | 9 | 14 |
| 35-49 | 26 | 5.2 | 9 | <1 | 1 | 5 | 7 | 10 | 10 | 11 |
| 50-64 | 14 | 2.1 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 65+ | 4 | 2.5 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 7.3 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 77 | 6.4 | 10 | 1 | 2 | 7 | 8 | 11 | 13 | 14 |
| 35-49 | 21 | 10.9 | 194 | 2 | 2 | 8 | 10 | 21 | 47 | 65 |
| 50-64 | 19 | 5.9 | 48 | <1 | <1 | 3 | 7 | 17 | 23 | 27 |
| 65+ | 9 | 13.0 | 182 | <1 | 1 | 5 | 28 | 33 | 33 | 33 |
| TOT. SINGLE DX | 112 | 4.9 | 9 | 1 | 1 | 5 | 7 | 9 | 9 | 12 |
| " MULTIPLE DX | 130 | 7.5 | 59 | 1 | 2 | 7 | 9 | 12 | 19 | 39 |
| TOTAL 0-19 YRS | 6 | 6.2 | 5 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 20-34 | 143 | 6.0 | 9 | 1 | 2 | 6 | 8 | 9 | 12 | 14 |
| 35-49 | 47 | 7.7 | 98 | 1 | 1 | 6 | 9 | 11 | 16 | 65 |
| 50-64 | 33 | 4.3 | 32 | <1 | 1 | 2 | 5 | 10 | 18 | 27 |
| 65+ | 13 | 9.8 | 149 | <1 | 1 | 4 | 13 | 32 | 33 | 33 |
| GRAND TOTAL | 242 | 6.3 | 37 | 1 | 1 | 6 | 8 | 10 | 13 | 32 |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 6.4 | 10 | 2 | 2 | 7 | 8 | 11 | 12 | 12 |
| 20-34 | 692 | 7.6 | 5 | 5 | 6 | 7 | 8 | 10 | 11 | 16 |
| 35-49 | 915 | 7.9 | 4 | 6 | 6 | 8 | 8 | 10 | 11 | 17 |
| 50-64 | 231 | 8.7 | 6 | 6 | 7 | 8 | 9 | 12 | 14 | 18 |
| 65+ | 67 | 11.7 | 52 | 7 | 7 | 9 | 12 | 20 | 30 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 7.6 | 6 | 4 | 4 | 7 | 9 | 11 | 13 | 14 |
| 20-34 | 2628 | 8.2 | 9 | 5 | 6 | 7 | 9 | 11 | 13 | 19 |
| 35-49 | 4598 | 8.6 | 10 | 6 | 6 | 8 | 9 | 12 | 14 | 21 |
| 50-64 | 1124 | 9.9 | 22 | 6 | 7 | 9 | 10 | 14 | 18 | 31 |
| 65+ | 281 | 14.1 | 92 | 7 | 7 | 11 | 16 | 25 | 34 | 50 |
| TOT. SINGLE DX | 1912 | 8.0 | 7 | 5 | 6 | 8 | 9 | 10 | 12 | 18 |
| " MULTIPLE DX | 8651 | 8.8 | 16 | 6 | 6 | 8 | 9 | 12 | 15 | 25 |
| TOTAL 0-19 YRS | 27 | 7.3 | 7 | 3 | 4 | 7 | 9 | 11 | 13 | 14 |
| 20-34 | 3320 | 8.0 | 9 | 5 | 6 | 7 | 9 | 11 | 13 | 18 |
| 35-49 | 5513 | 8.5 | 10 | 6 | 6 | 8 | 9 | 11 | 14 | 21 |
| 50-64 | 1355 | 9.7 | 20 | 6 | 7 | 8 | 10 | 14 | 18 | 30 |
| 65+ | 348 | 13.7 | 85 | 7 | 7 | 10 | 15 | 24 | 34 | 49 |
| GRAND TOTAL | 10563 | 8.7 | 14 | 6 | 6 | 8 | 9 | 12 | 15 | 24 |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 20-34 | 358 | 7.0 | 2 | 5 | 5 | 7 | 8 | 9 | 10 | 12 |
| 35-49 | 316 | 7.6 | 3 | 5 | 6 | 7 | 8 | 10 | 12 | 15 |
| 50-64 | 140 | 9.1 | 9 | 6 | 6 | 8 | 10 | 12 | 15 | 20 |
| 65+ | 96 | 10.2 | 20 | 7 | 7 | 9 | 11 | 15 | 18 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 7.6 | 10 | 5 | 5 | 7 | 9 | 13 | 13 | 13 |
| 20-34 | 812 | 7.8 | 9 | 5 | 5 | 7 | 8 | 11 | 14 | 21 |
| 35-49 | 1272 | 8.3 | 11 | 5 | 6 | 7 | 9 | 12 | 15 | 20 |
| 50-64 | 561 | 10.0 | 14 | 6 | 7 | 9 | 11 | 15 | 17 | 24 |
| 65+ | 371 | 12.1 | 48 | 7 | 7 | 10 | 14 | 20 | 25 | 44 |
| TOT. SINGLE DX | 912 | 7.8 | 7 | 5 | 5 | 7 | 8 | 11 | 12 | 18 |
| " MULTIPLE DX | 3021 | 8.9 | 18 | 5 | 6 | 8 | 10 | 14 | 17 | 25 |
| TOTAL 0-19 YRS | 7 | 6.6 | 10 | 3 | 3 | 6 | 7 | 12 | 13 | 13 |
| 20-34 | 1170 | 7.5 | 8 | 5 | 5 | 7 | 8 | 10 | 12 | 19 |
| 35-49 | 1588 | 8.2 | 10 | 5 | 6 | 7 | 9 | 12 | 14 | 20 |
| 50-64 | 701 | 9.8 | 14 | 6 | 7 | 9 | 11 | 15 | 17 | 23 |
| 65+ | 467 | 11.7 | 43 | 7 | 7 | 10 | 13 | 19 | 24 | 42 |
| GRAND TOTAL | 3933 | 8.7 | 16 | 5 | 6 | 8 | 10 | 13 | 16 | 24 |

## 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 6 | 12.2 | 23 | 8 | 8 | 11 | 15 | 19 | 20 | 20 |
| 35-49 | 5 | 10.0 | 10 | 6 | 6 | 10 | 12 | 14 | 14 | 14 |
| 50-64 | 3 | 26.3 | 200 | 10 | 10 | 34 | 35 | 35 | 35 | 35 |
| 65+ | 3 | 31.3 | 120 | 25 | 25 | 25 | 39 | 44 | 44 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 13 | 18.5 | 338 | 8 | 9 | 13 | 18 | 32 | 69 | 78 |
| 35-49 | 8 | 16.1 | 67 | 7 | 8 | 14 | 21 | 29 | 30 | 30 |
| 50-64 | 14 | 29.4 | 592 | 8 | 8 | 24 | 37 | 63 | 86 | 92 |
| 65+ | 13 | 20.0 | 117 | 9 | 9 | 17 | 22 | 39 | 45 | 46 |
| TOT. SINGLE DX | 17 | 17.4 | 129 | 7 | 8 | 13 | 25 | 35 | 41 | 44 |
| " MULTIPLE DX | 48 | 21.7 | 317 | 8 | 9 | 16 | 26 | 43 | 62 | 92 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 19 | 16.5 | 241 | 8 | 8 | 13 | 17 | 21 | 52 | 78 |
| 35-49 | 13 | 13.8 | 52 | 6 | 7 | 12 | 15 | 28 | 30 | 30 |
| 50-64 | 17 | 28.9 | 508 | 8 | 9 | 26 | 35 | 58 | 81 | 92 |
| 65+ | 16 | 22.1 | 131 | 9 | 10 | 18 | 26 | 43 | 45 | 46 |
| GRAND TOTAL | 65 | 20.6 | 268 | 8 | 8 | 16 | 25 | 37 | 54 | 90 |

## 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 103 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 20-34 | 172 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 35-49 | 13 | 1.9 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 41 | 3.1 | 65 | <1 | <1 | 1 | 2 | 4 | 6 | 53 |
| 20-34 | 167 | 3.2 | 15 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 41 | 3.1 | 8 | <1 | 1 | 2 | 3 | 5 | 11 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 288 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| " MULTIPLE DX | 249 | 3.2 | 22 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| TOTAL 0-19 YRS | 144 | 2.2 | 20 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 20-34 | 339 | 2.5 | 9 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 35-49 | 54 | 2.9 | 7 | <1 | 1 | 2 | 3 | 4 | 8 | 15 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 537 | 2.5 | 12 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |

## 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1035 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 7395 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 35-49 | 2178 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 50-64 | 888 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 3 | 12 |
| 65+ | 203 | 2.9 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 307 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 20-34 | 2691 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| 35-49 | 1756 | 2.5 | 11 | <1 | <1 | 2 | 2 | 5 | 7 | 14 |
| 50-64 | 1105 | 2.9 | 24 | <1 | <1 | 2 | 3 | 5 | 9 | 17 |
| 65+ | 368 | 5.6 | 78 | 1 | 1 | 2 | 5 | 12 | 23 | 51 |
| TOT. SINGLE DX | 11699 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| " MULTIPLE DX | 6227 | 2.8 | 16 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-19 YRS | 1342 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 20-34 | 10086 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 35-49 | 3934 | 2.1 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 11 |
| 50-64 | 1993 | 2.5 | 16 | <1 | <1 | 2 | 2 | 4 | 7 | 16 |
| 65+ | 571 | 4.6 | 55 | 1 | 1 | 2 | 4 | 10 | 17 | 46 |
| GRAND TOTAL | 17926 | 2.2 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |

## 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 800 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 20-34 | 1468 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| 35-49 | 76 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 518 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 20-34 | 1202 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 35-49 | 226 | 2.3 | 5 | <1 | <1 | 2 | 3 | 4 | 4 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2344 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 3 |
| " MULTIPLE DX | 1946 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| TOTAL 0-19 YRS | 1318 | 1.3 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 20-34 | 2670 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 6 |
| 35-49 | 302 | 2.0 | 5 | <1 | <1 | 2 | 2 | 4 | 4 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4290 | 1.4 | 1 | <1 | <1 | <1 | 2 | 2 | 3 | 6 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 45 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 6 | 6 |
| 20-34 | 205 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 35-49 | 7 | 2.6 | 8 | <1 | <1 | 1 | 4 | 7 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 16 | 3.1 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 20-34 | 66 | 3.0 | 7 | <1 | <1 | 2 | 4 | 7 | 10 | 11 |
| 35-49 | 8 | 2.4 | 7 | <1 | <1 | 1 | 2 | 7 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| **TOT. SINGLE DX** | 258 | 1.8 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| **" MULTIPLE DX** | 90 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 9 | 11 |
| TOTAL 0-19 YRS | 61 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 20-34 | 271 | 2.0 | 3 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 35-49 | 15 | 2.5 | 7 | <1 | <1 | 1 | 2 | 8 | 9 | 9 |
| 50-64 | | | | | | | | | | |
| 65+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **GRAND TOTAL** | **348** | **2.1** | **3** | **<1** | **1** | **2** | **2** | **4** | **5** | **10** |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 55 | 5.3 | 4 | 2 | 3 | 5 | 7 | 8 | 8 | 14 |
| 35-49 | 5 | 8.6 | 30 | 1 | 1 | 8 | 12 | 16 | 16 | 16 |
| 50-64 | 7 | 7.9 | 7 | 4 | 4 | 8 | 9 | 12 | 13 | 13 |
| 65+ | 6 | 8.0 | 1 | 6 | 6 | 8 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 8 | 5.4 | 2 | 3 | 3 | 5 | 6 | 8 | 8 | 8 |
| 20-34 | 141 | 5.8 | 3 | 3 | 4 | 6 | 7 | 8 | 9 | 12 |
| 35-49 | 19 | 7.3 | 6 | 3 | 5 | 7 | 8 | 10 | 13 | 14 |
| 50-64 | 9 | 9.1 | 19 | 5 | 5 | 8 | 11 | 17 | 17 | 17 |
| 65+ | 17 | 9.9 | 18 | 6 | 6 | 9 | 11 | 15 | 20 | 23 |
| **TOT. SINGLE DX** | 74 | 6.0 | 7 | 2 | 3 | 6 | 7 | 9 | 11 | 16 |
| **" MULTIPLE DX** | 194 | 6.5 | 7 | 3 | 4 | 6 | 7 | 9 | 11 | 17 |
| TOTAL 0-19 YRS | 9 | 5.6 | 3 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 20-34 | 196 | 5.7 | 4 | 3 | 4 | 6 | 7 | 8 | 8 | 13 |
| 35-49 | 24 | 7.5 | 11 | 2 | 4 | 7 | 9 | 12 | 15 | 16 |
| 50-64 | 16 | 8.6 | 14 | 4 | 5 | 8 | 9 | 16 | 17 | 17 |
| 65+ | 23 | 9.4 | 14 | 6 | 6 | 9 | 10 | 14 | 18 | 23 |
| **GRAND TOTAL** | **268** | **6.3** | **7** | **3** | **4** | **6** | **7** | **9** | **11** | **16** |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 12 | 4.3 | 5 | 1 | 1 | 4 | 6 | 7 | 9 | 9 |
| 20-34 | 100 | 3.2 | 5 | <1 | <1 | 2 | 5 | 6 | 7 | 10 |
| 35-49 | 18 | 8.8 | 132 | <1 | 1 | 6 | 9 | 12 | 37 | 53 |
| 50-64 | 11 | 6.0 | 15 | 1 | 1 | 6 | 8 | 11 | 15 | 15 |
| 65+ | 7 | 12.4 | 83 | 4 | 4 | 11 | 21 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 9 | 6.1 | 28 | 1 | 1 | 5 | 8 | 15 | 16 | 16 |
| 20-34 | 88 | 5.3 | 41 | <1 | 1 | 4 | 6 | 10 | 13 | 40 |
| 35-49 | 24 | 8.2 | 95 | <1 | 1 | 6 | 11 | 15 | 25 | 49 |
| 50-64 | 28 | 7.4 | 52 | 2 | 3 | 6 | 8 | 12 | 17 | 41 |
| 65+ | 17 | 6.7 | 15 | 1 | 2 | 6 | 8 | 13 | 15 | 16 |
| **TOT. SINGLE DX** | 148 | 4.6 | 30 | <1 | 1 | 4 | 6 | 8 | 11 | 27 |
| **" MULTIPLE DX** | 166 | 6.3 | 48 | 1 | 1 | 5 | 7 | 12 | 15 | 43 |
| TOTAL 0-19 YRS | 21 | 5.1 | 15 | 1 | 1 | 5 | 6 | 11 | 15 | 16 |
| 20-34 | 188 | 4.2 | 23 | <1 | 1 | 3 | 6 | 8 | 10 | 30 |
| 35-49 | 42 | 8.5 | 109 | <1 | 1 | 6 | 10 | 14 | 29 | 53 |
| 50-64 | 39 | 7.0 | 42 | 1 | 2 | 6 | 8 | 12 | 15 | 41 |
| 65+ | 24 | 8.4 | 39 | 2 | 3 | 6 | 11 | 17 | 25 | 26 |
| **GRAND TOTAL** | **314** | **5.5** | **40** | **<1** | **1** | **4** | **6** | **11** | **14** | **42** |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 71 | 7.7 | 10 | 4 | 5 | 7 | 9 | 12 | 16 | 20 |
| 35-49 | 208 | 8.8 | 17 | 5 | 5 | 8 | 10 | 14 | 18 | 26 |
| 50-64 | 298 | 8.4 | 12 | 4 | 5 | 8 | 9 | 12 | 16 | 22 |
| 65+ | 156 | 8.5 | 8 | 5 | 6 | 8 | 9 | 13 | 15 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 133 | 9.1 | 17 | 4 | 5 | 8 | 11 | 14 | 16 | 24 |
| 35-49 | 475 | 9.9 | 23 | 5 | 6 | 8 | 11 | 16 | 20 | 27 |
| 50-64 | 538 | 10.5 | 34 | 5 | 6 | 9 | 12 | 16 | 21 | 36 |
| 65+ | 315 | 11.1 | 33 | 6 | 7 | 10 | 13 | 17 | 21 | 36 |
| **TOT. SINGLE DX** | 733 | 8.5 | 13 | 4 | 5 | 8 | 9 | 13 | 16 | 22 |
| **" MULTIPLE DX** | 1461 | 10.3 | 29 | 5 | 6 | 9 | 12 | 16 | 20 | 32 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 204 | 8.6 | 16 | 4 | 5 | 7 | 10 | 14 | 16 | 21 |
| 35-49 | 683 | 9.6 | 22 | 5 | 5 | 8 | 11 | 15 | 19 | 27 |
| 50-64 | 836 | 9.7 | 28 | 5 | 6 | 8 | 11 | 15 | 19 | 29 |
| 65+ | 471 | 10.3 | 27 | 6 | 6 | 9 | 12 | 15 | 20 | 33 |
| **GRAND TOTAL** | **2194** | **9.7** | **25** | **5** | **6** | **8** | **11** | **15** | **19** | **28** |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 8.6 | 142 | <1 | <1 | 3 | 11 | 30 | 34 | 34 |
| 20-34 | 75 | 5.3 | 13 | 1 | 1 | 5 | 7 | 11 | 13 | 16 |
| 35-49 | 24 | 5.8 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 21 |
| 50-64 | 24 | 6.9 | 15 | 1 | 3 | 7 | 9 | 11 | 15 | 19 |
| 65+ | 6 | 7.7 | 4 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 6.6 | 33 | <1 | <1 | 7 | 13 | 14 | 15 | 15 |
| 20-34 | 46 | 6.9 | 51 | 1 | 1 | 4 | 9 | 18 | 24 | 31 |
| 35-49 | 17 | 14.6 | 226 | 2 | 4 | 11 | 16 | 22 | 53 | 69 |
| 50-64 | 20 | 7.1 | 17 | 2 | 3 | 6 | 10 | 13 | 15 | 17 |
| 65+ | 18 | 12.4 | 46 | 4 | 6 | 10 | 18 | 24 | 25 | 25 |
| TOT. SINGLE DX | 136 | 5.9 | 21 | 1 | 1 | 5 | 8 | 11 | 13 | 23 |
| " MULTIPLE DX | 114 | 8.9 | 76 | 1 | 1 | 7 | 12 | 18 | 24 | 45 |
| TOTAL 0-19 YRS | 20 | 7.3 | 67 | <1 | <1 | 4 | 13 | 15 | 24 | 34 |
| 20-34 | 121 | 5.9 | 28 | 1 | 1 | 5 | 8 | 13 | 17 | 27 |
| 35-49 | 41 | 9.4 | 123 | 1 | 2 | 8 | 11 | 19 | 22 | 69 |
| 50-64 | 44 | 7.0 | 16 | 2 | 3 | 6 | 9 | 12 | 15 | 19 |
| 65+ | 24 | 11.3 | 40 | 4 | 6 | 9 | 14 | 23 | 25 | 25 |
| GRAND TOTAL | 250 | 7.3 | 48 | 1 | 1 | 5 | 9 | 15 | 19 | 31 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 11 |
| 20-34 | 133 | 3.4 | 11 | <1 | <1 | 2 | 4 | 8 | 10 | 17 |
| 35-49 | 45 | 3.8 | 21 | <1 | <1 | 2 | 3 | 13 | 16 | 20 |
| 50-64 | 55 | 5.5 | 15 | <1 | 2 | 5 | 8 | 11 | 13 | 16 |
| 65+ | 42 | 8.6 | 51 | 2 | 2 | 7 | 10 | 13 | 22 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 39 | 5.8 | 31 | 1 | 1 | 3 | 9 | 15 | 18 | 21 |
| 20-34 | 102 | 6.0 | 37 | <1 | 1 | 4 | 8 | 13 | 18 | 33 |
| 35-49 | 64 | 7.5 | 51 | 1 | 1 | 6 | 10 | 16 | 22 | 37 |
| 50-64 | 78 | 9.1 | 88 | 1 | 2 | 7 | 11 | 20 | 26 | 55 |
| 65+ | 76 | 8.9 | 55 | 2 | 2 | 8 | 10 | 19 | 31 | 83 |
| TOT. SINGLE DX | 319 | 4.4 | 21 | <1 | <1 | 3 | 6 | 10 | 13 | 19 |
| " MULTIPLE DX | 359 | 7.5 | 55 | 1 | 1 | 6 | 10 | 15 | 22 | 38 |
| TOTAL 0-19 YRS | 83 | 4.1 | 20 | <1 | <1 | 2 | 4 | 11 | 15 | 20 |
| 20-34 | 235 | 4.5 | 24 | <1 | <1 | 3 | 6 | 11 | 14 | 22 |
| 35-49 | 109 | 6.0 | 42 | <1 | 1 | 3 | 8 | 15 | 17 | 32 |
| 50-64 | 133 | 7.6 | 61 | 1 | 2 | 7 | 9 | 14 | 22 | 40 |
| 65+ | 118 | 8.8 | 53 | 2 | 2 | 8 | 10 | 17 | 30 | 59 |
| GRAND TOTAL | 678 | 6.1 | 42 | <1 | 1 | 4 | 8 | 13 | 17 | 34 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 107 | 2.6 | 5 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| 20-34 | 394 | 2.4 | 8 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| 35-49 | 148 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 50-64 | 69 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 65+ | 30 | 4.1 | 6 | <1 | 1 | 4 | 5 | 8 | 9 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 46 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 20-34 | 134 | 4.4 | 47 | 1 | 1 | 2 | 4 | 7 | 16 | 36 |
| 35-49 | 60 | 3.9 | 19 | <1 | 1 | 3 | 4 | 8 | 13 | 24 |
| 50-64 | 55 | 6.6 | 59 | 1 | 2 | 4 | 8 | 12 | 20 | 49 |
| 65+ | 61 | 8.9 | 86 | 1 | 1 | 6 | 12 | 19 | 34 | 41 |
| TOT. SINGLE DX | 748 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| " MULTIPLE DX | 356 | 5.5 | 49 | 1 | 1 | 3 | 6 | 12 | 19 | 40 |
| TOTAL 0-19 YRS | 153 | 3.2 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| 20-34 | 528 | 2.9 | 19 | <1 | <1 | 2 | 3 | 5 | 7 | 28 |
| 35-49 | 208 | 2.9 | 9 | <1 | <1 | 2 | 4 | 5 | 7 | 17 |
| 50-64 | 124 | 4.4 | 31 | <1 | 1 | 3 | 5 | 8 | 12 | 29 |
| 65+ | 91 | 7.3 | 65 | 1 | 1 | 5 | 9 | 15 | 24 | 41 |
| GRAND TOTAL | 1104 | 3.5 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 27 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 7 | 5.9 | 58 | 2 | 2 | 3 | 5 | 19 | 23 | 23 |
| 35-49 | 4 | 4.0 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | 4 | 6.0 | 2 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 65+ | 8 | 14.9 | 173 | 2 | 2 | 12 | 19 | 37 | 42 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 35-49 | 2 | 16.0 | 32 | 12 | 12 | 16 | 20 | 20 | 20 | 20 |
| 50-64 | 11 | 24.3 | 362 | 8 | 8 | 21 | 36 | 80 | 97 | 99+ |
| 65+ | 22 | 33.8 | 213 | 12 | 14 | 35 | 41 | 53 | 65 | 70 |
| TOT. SINGLE DX | 26 | 8.0 | 86 | 1 | 2 | 4 | 10 | 22 | 28 | 42 |
| " MULTIPLE DX | 36 | 29.1 | 282 | 8 | 9 | 30 | 39 | 59 | 71 | 99+ |
| TOTAL 0-19 YRS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 20-34 | 8 | 5.6 | 51 | 2 | 2 | 3 | 5 | 18 | 23 | 23 |
| 35-49 | 6 | 8.0 | 46 | 3 | 3 | 5 | 12 | 19 | 20 | 20 |
| 50-64 | 15 | 19.4 | 330 | 5 | 6 | 12 | 31 | 68 | 91 | 99+ |
| 65+ | 30 | 28.8 | 269 | 2 | 10 | 29 | 39 | 45 | 61 | 70 |
| GRAND TOTAL | 62 | 20.2 | 307 | 2 | 3 | 15 | 34 | 41 | 64 | 96 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 16 | 5.3 | 36 | 1 | 1 | 4 | 6 | 10 | 21 | 26 |
| 20-34 | 41 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| 35-49 | 5 | 5.4 | 6 | 3 | 3 | 4 | 8 | 8 | 8 | 8 |
| 50-64 | 7 | 3.7 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 65+ | 4 | 6.3 | 11 | 3 | 3 | 5 | 8 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 20-34 | 26 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 12 | 13 |
| 35-49 | 8 | 6.8 | 40 | 1 | 1 | 4 | 11 | 17 | 19 | 19 |
| 50-64 | 8 | 5.1 | 19 | 1 | 1 | 3 | 7 | 12 | 14 | 14 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| TOT. SINGLE DX | 73 | 4.6 | 12 | 1 | 2 | 4 | 6 | 7 | 10 | 23 |
| " MULTIPLE DX | 51 | 5.3 | 15 | 1 | 2 | 4 | 7 | 12 | 13 | 19 |
| TOTAL 0-19 YRS | 24 | 4.8 | 26 | 1 | 1 | 4 | 6 | 8 | 15 | 26 |
| 20-34 | 67 | 4.5 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 35-49 | 13 | 6.2 | 26 | 1 | 2 | 4 | 9 | 13 | 18 | 19 |
| 50-64 | 15 | 4.5 | 11 | 1 | 2 | 4 | 6 | 8 | 12 | 14 |
| 65+ | 5 | 7.6 | 18 | 3 | 3 | 6 | 11 | 13 | 13 | 13 |
| GRAND TOTAL | 124 | 4.9 | 13 | 1 | 2 | 4 | 6 | 8 | 12 | 21 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 3.5 | 20 | <1 | <1 | 1 | 4 | 11 | 16 | 16 |
| 20-34 | 43 | 5.6 | 285 | <1 | <1 | 1 | 2 | 7 | 32 | 92 |
| 35-49 | 13 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 50-64 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 65+ | 3 | 4.0 | 13 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 12.3 | 247 | <1 | <1 | 6 | 19 | 39 | 41 | 41 |
| 20-34 | 32 | 3.8 | 20 | <1 | <1 | 2 | 5 | 9 | 16 | 18 |
| 35-49 | 12 | 7.2 | 66 | <1 | 1 | 4 | 8 | 21 | 27 | 28 |
| 50-64 | 4 | 14.3 | 9 | 10 | 10 | 15 | 16 | 17 | 17 | 17 |
| 65+ | 10 | 10.4 | 158 | 2 | 3 | 6 | 9 | 29 | 45 | 45 |
| TOT. SINGLE DX | 72 | 4.4 | 175 | <1 | <1 | 1 | 3 | 6 | 13 | 86 |
| " MULTIPLE DX | 64 | 6.9 | 77 | <1 | <1 | 4 | 9 | 17 | 22 | 44 |
| TOTAL 0-19 YRS | 17 | 6.6 | 109 | <1 | <1 | 2 | 8 | 18 | 33 | 41 |
| 20-34 | 75 | 4.9 | 171 | <1 | <1 | 1 | 3 | 9 | 16 | 86 |
| 35-49 | 25 | 4.2 | 39 | <1 | 1 | 2 | 4 | 11 | 20 | 28 |
| 50-64 | 6 | 10.0 | 49 | 1 | 1 | 12 | 16 | 17 | 17 | 17 |
| 65+ | 13 | 8.9 | 129 | 1 | 2 | 6 | 8 | 20 | 40 | 45 |
| GRAND TOTAL | 136 | 5.6 | 130 | <1 | <1 | 2 | 5 | 14 | 18 | 70 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 555 | 5.4 | 19 | 3 | 3 | 5 | 6 | 8 | 9 | 16 |
| 20-34 | 3311 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| 35-49 | 108 | 5.1 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 613 | 6.1 | 11 | 3 | 3 | 5 | 7 | 9 | 12 | 21 |
| 20-34 | 3916 | 5.9 | 12 | 3 | 4 | 5 | 6 | 9 | 11 | 21 |
| 35-49 | 177 | 6.8 | 28 | 3 | 4 | 6 | 7 | 11 | 14 | 51 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 3974 | 5.1 | 7 | 3 | 3 | 5 | 6 | 7 | 8 | 13 |
| " MULTIPLE DX | 4706 | 6.0 | 13 | 3 | 4 | 5 | 6 | 9 | 11 | 21 |
| TOTAL 0-19 YRS | 1168 | 5.8 | 15 | 3 | 3 | 5 | 6 | 8 | 11 | 20 |
| 20-34 | 7227 | 5.5 | 9 | 3 | 4 | 5 | 6 | 8 | 9 | 18 |
| 35-49 | 285 | 6.1 | 20 | 3 | 4 | 5 | 7 | 9 | 12 | 33 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 8680 | 5.6 | 10 | 3 | 4 | 5 | 6 | 8 | 10 | 19 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 17 | 4.4 | | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 20-34 | 171 | 4.9 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 10 |
| 35-49 | 10 | 4.3 | 1 | 2 | 3 | 4 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 37 | 5.6 | 11 | 2 | 3 | 5 | 7 | 8 | 12 | 21 |
| 20-34 | 459 | 5.8 | 18 | 2 | 3 | 5 | 6 | 9 | 12 | 23 |
| 35-49 | 25 | 5.6 | 5 | 2 | 3 | 6 | 7 | 8 | 10 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 198 | 4.8 | 3 | 3 | 3 | 5 | 5 | 6 | 7 | 10 |
| " MULTIPLE DX | 521 | 5.7 | 17 | 2 | 3 | 5 | 6 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 54 | 5.2 | 8 | 3 | 3 | 5 | 6 | 7 | 10 | 21 |
| 20-34 | 630 | 5.5 | 14 | 2 | 3 | 5 | 6 | 8 | 10 | 22 |
| 35-49 | 35 | 5.2 | 4 | 2 | 3 | 5 | 6 | 7 | 9 | 12 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 719 | 5.5 | 13 | 2 | 3 | 5 | 6 | 8 | 10 | 21 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 150 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 9 | 10 |
| 20-34 | 990 | 5.1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |
| 35-49 | 43 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 9 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 252 | 5.8 | 9 | 3 | 4 | 5 | 6 | 9 | 11 | 21 |
| 20-34 | 2267 | 5.8 | 9 | 3 | 4 | 5 | 6 | 8 | 9 | 18 |
| 35-49 | 122 | 6.3 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 1183 | 5.1 | 3 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |
| " MULTIPLE DX | 2641 | 5.8 | 9 | 3 | 4 | 5 | 6 | 8 | 10 | 19 |
| TOTAL 0-19 YRS | 402 | 5.5 | 7 | 3 | 4 | 5 | 6 | 8 | 10 | 18 |
| 20-34 | 3257 | 5.6 | 7 | 3 | 4 | 5 | 6 | 8 | 9 | 16 |
| 35-49 | 165 | 6.0 | 7 | 3 | 4 | 5 | 7 | 8 | 10 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 3824 | 5.6 | 7 | 3 | 4 | 5 | 6 | 8 | 9 | 16 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4441 | 4.7 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| 20-34 | 29314 | 4.5 | 3 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| 35-49 | 958 | 4.7 | 7 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1333 | 5.7 | 12 | 2 | 3 | 5 | 6 | 8 | 11 | 22 |
| 20-34 | 11643 | 5.6 | 17 | 3 | 3 | 5 | 6 | 8 | 10 | 23 |
| 35-49 | 762 | 6.1 | 29 | 3 | 3 | 5 | 7 | 9 | 12 | 23 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 34713 | 4.6 | 4 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| " MULTIPLE DX | 13738 | 5.7 | 18 | 3 | 3 | 5 | 6 | 8 | 11 | 23 |
| TOTAL 0-19 YRS | 5774 | 5.0 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 16 |
| 20-34 | 40957 | 4.8 | 8 | 3 | 3 | 4 | 5 | 7 | 8 | 14 |
| 35-49 | 1720 | 5.3 | 18 | 2 | 3 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 48451 | 4.9 | 8 | 3 | 3 | 4 | 5 | 7 | 8 | 15 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 369 | 7.5 | 6 | 5 | 5 | 7 | 8 | 10 | 12 | 18 |
| 20-34 | 3770 | 7.3 | 8 | 5 | 5 | 7 | 8 | 9 | 10 | 18 |
| 35-49 | 146 | 7.7 | 6 | 5 | 6 | 7 | 8 | 10 | 14 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 823 | 9.2 | 35 | 5 | 6 | 8 | 10 | 14 | 18 | 37 |
| 20-34 | 8177 | 8.6 | 32 | 5 | 6 | 7 | 9 | 12 | 16 | 36 |
| 35-49 | 701 | 9.7 | 49 | 5 | 6 | 8 | 10 | 14 | 21 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 4285 | 7.3 | 9 | 5 | 5 | 7 | 8 | 9 | 11 | 18 |
| " MULTIPLE DX | 9701 | 8.7 | 34 | 5 | 6 | 7 | 9 | 12 | 17 | 36 |
| TOTAL 0-19 YRS | 1192 | 8.7 | 27 | 5 | 5 | 7 | 9 | 13 | 16 | 30 |
| 20-34 | 11947 | 8.2 | 25 | 5 | 6 | 7 | 8 | 11 | 14 | 31 |
| 35-49 | 847 | 9.3 | 43 | 5 | 6 | 8 | 9 | 14 | 18 | 38 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 13986 | 8.3 | 26 | 5 | 6 | 7 | 8 | 11 | 15 | 31 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 7.6 | 2 | 6 | 6 | 7 | 8 | 10 | 11 | 11 |
| 20-34 | 145 | 7.9 | 26 | 5 | 5 | 7 | 8 | 9 | 11 | 38 |
| 35-49 | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 19 | 8.6 | 13 | 4 | 5 | 8 | 11 | 15 | 16 | 17 |
| 20-34 | 180 | 10.8 | 97 | 5 | 6 | 8 | 10 | 16 | 36 | 57 |
| 35-49 | 18 | 11.2 | 35 | 7 | 7 | 9 | 12 | 18 | 26 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 167 | 7.8 | 23 | 5 | 5 | 7 | 8 | 9 | 11 | 36 |
| " MULTIPLE DX | 217 | 10.6 | 85 | 5 | 6 | 8 | 10 | 16 | 34 | 57 |
| TOTAL 0-19 YRS | 39 | 8.1 | 8 | 5 | 6 | 7 | 9 | 12 | 15 | 17 |
| 20-34 | 325 | 9.5 | 67 | 5 | 6 | 7 | 8 | 13 | 22 | 51 |
| 35-49 | 20 | 10.8 | 33 | 6 | 7 | 8 | 12 | 17 | 24 | 31 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 384 | 9.4 | 60 | 5 | 6 | 8 | 9 | 13 | 19 | 50 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARI-ANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 6.7 | 3 | 4 | 4 | 7 | 8 | 9 | 9 | 9 |
| 20-34 | 22 | 5.2 | 2 | 2 | 3 | 5 | 6 | 8 | 8 | 9 |
| 35-49 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 57 | 5.6 | 6 | 3 | 3 | 5 | 6 | 9 | 10 | 17 |
| 35-49 | 13 | 4.9 | 6 | 1 | 2 | 5 | 7 | 8 | 10 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 29 | 5.7 | 4 | 3 | 3 | 5 | 7 | 9 | 9 | 10 |
| " MULTIPLE DX | 74 | 5.5 | 6 | 3 | 3 | 5 | 6 | 9 | 11 | 16 |
| TOTAL 0-19 YRS | 10 | 6.1 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 9 |
| 20-34 | 79 | 5.5 | 6 | 3 | 3 | 5 | 6 | 9 | 10 | 15 |
| 35-49 | 14 | 5.3 | 8 | 1 | 2 | 5 | 7 | 10 | 11 | 11 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 103 | 5.5 | 6 | 3 | 3 | 5 | 7 | 9 | 10 | 14 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARI-ANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 167 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 20-34 | 198 | 1.8 | | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 35-49 | 14 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 5 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 152 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 192 | 2.1 | 4 | 1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 35-49 | 19 | 3.1 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 379 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 363 | 2.2 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-19 YRS | 319 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 8 |
| 20-34 | 390 | 2.0 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 35-49 | 33 | 2.8 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 742 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 8 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARI-ANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 4.0 | 16 | <1 | <1 | 3 | 6 | 7 | 11 | 20 |
| 20-34 | 216 | 3.3 | 24 | <1 | <1 | 1 | 4 | 8 | 10 | 20 |
| 35-49 | 25 | 2.6 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 4.7 | 17 | <1 | 1 | 3 | 5 | 14 | 14 | 14 |
| 20-34 | 91 | 5.8 | 47 | <1 | <1 | 4 | 7 | 14 | 20 | 35 |
| 35-49 | 7 | 2.9 | 2 | <1 | <1 | 3 | 3 | 5 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 266 | 3.3 | 22 | <1 | <1 | 1 | 4 | 7 | 10 | 20 |
| " MULTIPLE DX | 113 | 5.5 | 41 | <1 | 1 | 3 | 6 | 14 | 18 | 33 |
| TOTAL 0-19 YRS | 40 | 4.3 | 16 | <1 | <1 | 3 | 5 | 8 | 14 | 20 |
| 20-34 | 307 | 4.0 | 33 | <1 | <1 | 2 | 5 | 9 | 14 | 29 |
| 35-49 | 32 | 2.7 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 13 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 379 | 3.9 | 29 | <1 | <1 | 2 | 5 | 9 | 14 | 27 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT | TOTAL PATIENTS | AVG. STAY | VARI-ANCE | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| (1) | (2) | (3) | (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 405 | 3.4 | 5 | <1 | <1 | 3 | 5 | 6 | 7 | 12 |
| 20-34 | 2055 | 3.9 | 13 | <1 | <1 | 4 | 5 | 6 | 8 | 20 |
| 35-49 | 90 | 3.7 | 12 | <1 | <1 | 3 | 5 | 6 | 7 | 22 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 269 | 4.3 | 18 | <1 | 1 | 4 | 5 | 7 | 9 | 29 |
| 20-34 | 1706 | 5.1 | 21 | 1 | 1 | 4 | 6 | 7 | 11 | 28 |
| 35-49 | 96 | 5.4 | 8 | 1 | 2 | 5 | 6 | 8 | 10 | 17 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 2550 | 3.8 | 12 | <1 | <1 | 4 | 5 | 6 | 8 | 18 |
| " MULTIPLE DX | 2071 | 5.0 | 21 | 1 | 1 | 4 | 6 | 7 | 11 | 27 |
| TOTAL 0-19 YRS | 674 | 3.8 | 11 | <1 | <1 | 3 | 5 | 6 | 8 | 16 |
| 20-34 | 3761 | 4.4 | 17 | <1 | 1 | 4 | 5 | 7 | 9 | 22 |
| 35-49 | 186 | 4.6 | 11 | <1 | 1 | 4 | 6 | 7 | 10 | 19 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 4621 | 4.3 | 16 | <1 | 1 | 4 | 5 | 7 | 9 | 21 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 409 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 5141 | 4.3 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 238 | 4.5 | 3 | 2 | 3 | 4 | 5 | 6 | 8 | 10 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 392 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 16 |
| 20-34 | 4584 | 5.1 | 9 | 3 | 3 | 5 | 6 | 7 | 9 | 17 |
| 35-49 | 294 | 5.5 | 8 | 3 | 3 | 5 | 6 | 8 | 9 | 20 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5788 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| " MULTIPLE DX | 5270 | 5.2 | 10 | 3 | 3 | 5 | 6 | 7 | 9 | 17 |
| TOTAL 0-19 YRS | 801 | 4.7 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 9725 | 4.7 | 6 | 3 | 3 | 4 | 5 | 6 | 7 | 13 |
| 35-49 | 532 | 5.0 | 7 | 2 | 3 | 5 | 6 | 7 | 8 | 18 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 11058 | 4.7 | 6 | 3 | 3 | 4 | 5 | 6 | 8 | 14 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 12 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 10 | 11 |
| 20-34 | 25 | 4.9 | 11 | 1 | 2 | 4 | 6 | 10 | 13 | 16 |
| 35-49 | 9 | 13.8 | 661 | 2 | 2 | 3 | 13 | 55 | 81 | 81 |
| 50-64 | 14 | 6.4 | 24 | <1 | 1 | 5 | 9 | 12 | 17 | 19 |
| 65+ | 5 | 15.2 | 178 | 1 | 1 | 20 | 24 | 32 | 32 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 11 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 8 | 8 |
| 20-34 | 15 | 4.5 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 9 |
| 35-49 | 10 | 12.0 | 366 | 2 | 2 | 4 | 12 | 40 | 65 | 65 |
| 50-64 | 19 | 17.3 | 446 | 2 | 2 | 11 | 22 | 72 | 90 | 99+ |
| 65+ | 16 | 14.3 | 348 | 1 | 2 | 6 | 18 | 43 | 61 | 68 |
| TOT. SINGLE DX | 65 | 7.1 | 119 | 1 | 2 | 4 | 7 | 15 | 20 | 74 |
| " MULTIPLE DX | 71 | 11.1 | 267 | 2 | 2 | 5 | 11 | 30 | 65 | 96 |
| TOTAL 0-19 YRS | 23 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 9 | 11 |
| 20-34 | 40 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 35-49 | 19 | 12.8 | 478 | 2 | 2 | 4 | 13 | 45 | 74 | 81 |
| 50-64 | 33 | 12.7 | 291 | 1 | 2 | 8 | 16 | 34 | 77 | 99+ |
| 65+ | 21 | 14.5 | 297 | 1 | 2 | 6 | 21 | 37 | 55 | 68 |
| GRAND TOTAL | 136 | 9.2 | 199 | 1 | 2 | 4 | 9 | 20 | 40 | 83 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 189 | 4.4 | 1 | 3 | 3 | 4 | 5 | 6 | 7 | 9 |
| 20-34 | 253 | 4.2 | 2 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 53 | 4.2 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 50-64 | 13 | 4.1 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| 65+ | 3 | 9.7 | 225 | 1 | 1 | 1 | 21 | 27 | 27 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 154 | 4.7 | 9 | 3 | 3 | 4 | 5 | 8 | 8 | 13 |
| 20-34 | 128 | 4.6 | 3 | 3 | 3 | 4 | 6 | 6 | 7 | 12 |
| 35-49 | 20 | 10.7 | 368 | 2 | 2 | 5 | 6 | 23 | 56 | 88 |
| 50-64 | 7 | 7.9 | 25 | 2 | 2 | 6 | 11 | 15 | 16 | 16 |
| 65+ | 3 | 18.3 | 254 | 5 | 5 | 14 | 30 | 36 | 36 | 36 |
| TOT. SINGLE DX | 511 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| " MULTIPLE DX | 312 | 5.2 | 35 | 3 | 3 | 4 | 5 | 7 | 10 | 29 |
| TOTAL 0-19 YRS | 343 | 4.5 | 5 | 3 | 3 | 4 | 5 | 6 | 7 | 10 |
| 20-34 | 381 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 9 |
| 35-49 | 73 | 5.9 | 108 | 1 | 2 | 4 | 5 | 7 | 10 | 73 |
| 50-64 | 20 | 5.4 | 15 | 1 | 1 | 4 | 7 | 11 | 14 | 16 |
| 65+ | 6 | 14.0 | 214 | 1 | 1 | 9 | 27 | 35 | 36 | 36 |
| GRAND TOTAL | 823 | 4.7 | 15 | 2 | 3 | 4 | 5 | 6 | 7 | 15 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 88 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 20-34 | 206 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 35-49 | 22 | 3.2 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| 50-64 | 5 | 6.8 | 77 | 1 | 1 | 2 | 11 | 22 | 22 | 22 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 58 | 5.2 | 28 | 1 | 1 | 4 | 6 | 12 | 18 | 28 |
| 20-34 | 136 | 4.7 | 19 | 1 | 2 | 3 | 6 | 8 | 13 | 25 |
| 35-49 | 34 | 7.2 | 76 | 1 | 2 | 5 | 8 | 13 | 20 | 50 |
| 50-64 | 14 | 7.9 | 151 | 1 | 1 | 3 | 7 | 24 | 41 | 46 |
| 65+ | 4 | 15.5 | 75 | 8 | 8 | 13 | 21 | 28 | 28 | 28 |
| TOT. SINGLE DX | 322 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| " MULTIPLE DX | 246 | 5.5 | 39 | 1 | 2 | 3 | 6 | 12 | 18 | 35 |
| TOTAL 0-19 YRS | 146 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 20-34 | 342 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 35-49 | 56 | 5.6 | 52 | 1 | 1 | 4 | 7 | 9 | 17 | 48 |
| 50-64 | 19 | 7.6 | 127 | 1 | 1 | 3 | 7 | 22 | 35 | 46 |
| 65+ | 5 | 13.2 | 83 | 4 | 4 | 12 | 17 | 28 | 28 | 28 |
| GRAND TOTAL | 568 | 4.1 | 21 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 20-34 | 165 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 35-49 | 59 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 50-64 | 16 | 3.9 | 12 | 1 | 1 | 3 | 4 | 8 | 13 | 15 |
| 65+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 60 | 8.4 | 47 | 2 | 2 | 7 | 12 | 15 | 21 | 38 |
| 20-34 | 202 | 7.1 | 71 | 1 | 2 | 5 | 8 | 14 | 20 | 46 |
| 35-49 | 65 | 10.0 | 221 | 1 | 2 | 5 | 10 | 16 | 47 | 79 |
| 50-64 | 16 | 7.5 | 24 | 1 | 2 | 8 | 13 | 15 | 70 | 99+ |
| 65+ | 12 | 12.2 | 101 | 2 | 3 | 9 | 16 | 27 | 36 | 37 |
| TOT. SINGLE DX | 291 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 14 |
| " MULTIPLE DX | 355 | 8.0 | 95 | 1 | 2 | 5 | 10 | 15 | 23 | 76 |
| TOTAL 0-19 YRS | 109 | 6.1 | 36 | 1 | 1 | 4 | 8 | 13 | 15 | 32 |
| 20-34 | 367 | 5.4 | 46 | 1 | 1 | 4 | 6 | 11 | 15 | 27 |
| 35-49 | 124 | 6.9 | 129 | 1 | 1 | 4 | 7 | 12 | 16 | 78 |
| 50-64 | 32 | 5.7 | 21 | 1 | 1 | 4 | 9 | 15 | 15 | 99+ |
| 65+ | 14 | 11.4 | 92 | 2 | 3 | 9 | 15 | 24 | 34 | 37 |
| GRAND TOTAL | 646 | 6.0 | 61 | 1 | 1 | 4 | 7 | 12 | 16 | 46 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 8 | 4.6 | 3 | <1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 20-34 | 12 | 3.2 | 7 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 35-49 | 4 | 4.8 | 39 | <1 | <1 | 2 | 8 | 14 | 14 | 14 |
| 50-64 | 3 | 8.3 | 5 | 7 | 7 | 7 | 10 | 11 | 11 | 11 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 7.0 | 19 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| 20-34 | 11 | 6.3 | 18 | <1 | 2 | 5 | 7 | 14 | 16 | 16 |
| 35-49 | 5 | 10.0 | 52 | 3 | 3 | 9 | 13 | 22 | 22 | 22 |
| 50-64 | 4 | 35.3 | 1368 | 3 | 3 | 35 | 67 | 69 | 69 | 69 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| TOT. SINGLE DX | 27 | 4.4 | 12 | <1 | <1 | 3 | 7 | 9 | 11 | 14 |
| " MULTIPLE DX | 25 | 11.3 | 310 | 1 | 1 | 6 | 10 | 22 | 67 | 69 |
| TOTAL 0-19 YRS | 11 | 5.3 | 8 | <1 | 1 | 5 | 7 | 9 | 10 | 10 |
| 20-34 | 23 | 4.7 | 15 | <1 | <1 | 3 | 7 | 10 | 13 | 16 |
| 35-49 | 9 | 7.7 | 49 | <1 | <1 | 6 | 11 | 19 | 22 | 22 |
| 50-64 | 7 | 23.7 | 903 | 3 | 3 | 7 | 52 | 68 | 69 | 69 |
| 65+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| GRAND TOTAL | 52 | 7.7 | 164 | <1 | 1 | 5 | 8 | 13 | 21 | 69 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 205 | 7.9 | 70 | 1 | 2 | 5 | 10 | 17 | 25 | 45 |
| 20-34 | 148 | 6.3 | 60 | 1 | 2 | 4 | 7 | 11 | 21 | 46 |
| 35-49 | 105 | 6.9 | 79 | 1 | 2 | 4 | 7 | 14 | 22 | 54 |
| 50-64 | 111 | 7.4 | 24 | 2 | 2 | 7 | 9 | 14 | 16 | 28 |
| 65+ | 60 | 11.9 | 85 | 2 | 3 | 10 | 15 | 26 | 34 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 141 | 12.5 | 151 | 2 | 3 | 8 | 15 | 26 | 35 | 68 |
| 20-34 | 101 | 11.1 | 189 | 2 | 3 | 6 | 10 | 26 | 50 | 62 |
| 35-49 | 56 | 13.3 | 280 | 2 | 2 | 7 | 14 | 42 | 54 | 75 |
| 50-64 | 119 | 13.0 | 219 | 1 | 3 | 8 | 15 | 28 | 46 | 74 |
| 65+ | 90 | 17.2 | 303 | 3 | 5 | 12 | 21 | 33 | 48 | 93 |
| TOT. SINGLE DX | 629 | 7.7 | 65 | 1 | 2 | 5 | 9 | 16 | 23 | 44 |
| " MULTIPLE DX | 507 | 13.3 | 218 | 2 | 3 | 8 | 15 | 30 | 47 | 73 |
| TOTAL 0-19 YRS | 346 | 9.8 | 108 | 2 | 2 | 6 | 12 | 22 | 30 | 58 |
| 20-34 | 249 | 8.3 | 117 | 1 | 2 | 5 | 9 | 15 | 32 | 61 |
| 35-49 | 161 | 9.1 | 158 | 1 | 2 | 5 | 8 | 21 | 40 | 60 |
| 50-64 | 230 | 10.3 | 133 | 1 | 3 | 7 | 11 | 20 | 29 | 65 |
| 65+ | 150 | 15.1 | 222 | 3 | 4 | 11 | 17 | 30 | 39 | 91 |
| GRAND TOTAL | 1136 | 10.2 | 141 | 2 | 2 | 6 | 11 | 22 | 34 | 62 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 118 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 144 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 35-49 | 168 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 16 |
| 50-64 | 263 | 5.3 | 14 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| 65+ | 85 | 5.6 | 12 | 1 | 2 | 5 | 7 | 11 | 13 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 4.5 | 3 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| 20-34 | 160 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 35-49 | 175 | 5.0 | 15 | 2 | 2 | 4 | 6 | 8 | 9 | 24 |
| 50-64 | 405 | 5.4 | 10 | 2 | 2 | 5 | 7 | 8 | 11 | 20 |
| 65+ | 206 | 7.8 | 49 | 2 | 3 | 6 | 9 | 14 | 19 | 41 |
| TOT. SINGLE DX | 778 | 4.8 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| " MULTIPLE DX | 1031 | 5.6 | 19 | 2 | 2 | 5 | 7 | 9 | 12 | 22 |
| TOTAL 0-19 YRS | 203 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 304 | 4.5 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 35-49 | 343 | 4.7 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 50-64 | 668 | 5.4 | 12 | 2 | 2 | 5 | 6 | 8 | 10 | 19 |
| 65+ | 291 | 7.2 | 40 | 1 | 2 | 5 | 9 | 13 | 17 | 36 |
| GRAND TOTAL | 1809 | 5.3 | 15 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 517 | 5.1 | 51 | 1 | 2 | 3 | 5 | 8 | 15 | 44 |
| 20-34 | 572 | 4.8 | 23 | 1 | 2 | 4 | 5 | 8 | 12 | 29 |
| 35-49 | 336 | 6.1 | 60 | 1 | 2 | 4 | 6 | 11 | 16 | 43 |
| 50-64 | 248 | 5.5 | 28 | 1 | 1 | 4 | 7 | 10 | 14 | 34 |
| 65+ | 105 | 8.9 | 162 | 1 | 1 | 4 | 9 | 21 | 35 | 69 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 180 | 11.9 | 254 | 1 | 2 | 6 | 13 | 30 | 52 | 89 |
| 20-34 | 318 | 10.5 | 202 | 1 | 2 | 5 | 10 | 30 | 49 | 85 |
| 35-49 | 241 | 9.3 | 152 | 1 | 2 | 5 | 10 | 25 | 38 | 99+ |
| 50-64 | 270 | 14.8 | 296 | 2 | 2 | 7 | 19 | 41 | 59 | 99+ |
| 65+ | 201 | 19.6 | 422 | 1 | 2 | 13 | 30 | 55 | 82 | 99+ |
| TOT. SINGLE DX | 1778 | 5.5 | 48 | 1 | 2 | 4 | 6 | 9 | 15 | 41 |
| " MULTIPLE DX | 1210 | 12.9 | 270 | 1 | 2 | 6 | 16 | 37 | 55 | 99+ |
| TOTAL 0-19 YRS | 697 | 6.8 | 112 | 1 | 2 | 4 | 6 | 14 | 25 | 68 |
| 20-34 | 890 | 6.8 | 95 | 1 | 2 | 4 | 6 | 12 | 27 | 59 |
| 35-49 | 577 | 7.5 | 101 | 1 | 2 | 4 | 7 | 15 | 29 | 65 |
| 50-64 | 518 | 10.3 | 190 | 1 | 2 | 5 | 11 | 27 | 42 | 94 |
| 65+ | 306 | 16.0 | 358 | 1 | 2 | 8 | 23 | 46 | 65 | 99+ |
| GRAND TOTAL | 2988 | 8.5 | 151 | 1 | 2 | 4 | 8 | 21 | 36 | 85 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 159 | 6.5 | 32 | 2 | 2 | 5 | 8 | 12 | 17 | 31 |
| 20-34 | 199 | 5.8 | 39 | 2 | 2 | 4 | 6 | 12 | 17 | 37 |
| 35-49 | 70 | 7.4 | 27 | 2 | 3 | 6 | 10 | 13 | 17 | 28 |
| 50-64 | 59 | 10.4 | 47 | 2 | 2 | 9 | 15 | 22 | 24 | 27 |
| 65+ | 113 | 17.8 | 146 | 3 | 6 | 15 | 24 | 37 | 46 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 77 | 14.2 | 356 | 2 | 3 | 6 | 12 | 52 | 59 | 85 |
| 20-34 | 85 | 12.3 | 215 | 2 | 3 | 7 | 14 | 36 | 49 | 92 |
| 35-49 | 33 | 12.3 | 99 | 2 | 3 | 10 | 19 | 31 | 42 | 99+ |
| 50-64 | 65 | 19.0 | 419 | 4 | 5 | 11 | 23 | 40 | 75 | 96 |
| 65+ | 176 | 27.6 | 425 | 4 | 7 | 23 | 44 | 73 | 99+ | 99+ |
| TOT. SINGLE DX | 600 | 8.9 | 77 | 2 | 2 | 6 | 11 | 21 | 27 | 49 |
| " MULTIPLE DX | 436 | 19.8 | 390 | 3 | 4 | 13 | 28 | 55 | 78 | 99+ |
| TOTAL 0-19 YRS | 236 | 9.0 | 150 | 2 | 2 | 5 | 9 | 18 | 35 | 61 |
| 20-34 | 284 | 7.7 | 101 | 2 | 2 | 4 | 8 | 16 | 29 | 63 |
| 35-49 | 103 | 8.9 | 55 | 2 | 3 | 7 | 12 | 19 | 27 | 69 |
| 50-64 | 124 | 14.9 | 259 | 3 | 3 | 10 | 18 | 27 | 42 | 93 |
| 65+ | 289 | 23.8 | 338 | 4 | 7 | 18 | 34 | 59 | 93 | 99+ |
| GRAND TOTAL | 1036 | 13.5 | 238 | 2 | 2 | 8 | 17 | 36 | 54 | 99+ |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 279 | 3.5 | 20 | <1 | 1 | 2 | 4 | 6 | 8 | 26 |
| 20-34 | 398 | 3.5 | 25 | <1 | 1 | 2 | 4 | 6 | 9 | 27 |
| 35-49 | 157 | 3.9 | 46 | <1 | 1 | 3 | 4 | 5 | 10 | 46 |
| 50-64 | 122 | 4.2 | 13 | 1 | 2 | 3 | 4 | 8 | 13 | 20 |
| 65+ | 108 | 6.3 | 38 | 1 | 2 | 4 | 8 | 14 | 18 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 149 | 7.7 | 123 | 1 | 2 | 3 | 7 | 20 | 32 | 49 |
| 20-34 | 142 | 9.3 | 156 | 1 | 2 | 5 | 11 | 23 | 29 | 82 |
| 35-49 | 42 | 11.5 | 290 | 1 | 2 | 4 | 14 | 25 | 50 | 88 |
| 50-64 | 80 | 9.4 | 154 | 1 | 2 | 5 | 9 | 34 | 51 | 99+ |
| 65+ | 102 | 17.2 | 394 | 2 | 3 | 11 | 22 | 57 | 72 | 99+ |
| TOT. SINGLE DX | 1064 | 3.9 | 28 | <1 | 1 | 3 | 4 | 7 | 11 | 29 |
| " MULTIPLE DX | 515 | 10.6 | 215 | 1 | 2 | 5 | 13 | 26 | 43 | 90 |
| TOTAL 0-19 YRS | 428 | 4.9 | 60 | <1 | 1 | 3 | 4 | 9 | 18 | 42 |
| 20-34 | 540 | 5.0 | 67 | <1 | 1 | 3 | 5 | 10 | 19 | 41 |
| 35-49 | 199 | 5.5 | 107 | <1 | 1 | 3 | 4 | 11 | 20 | 63 |
| 50-64 | 202 | 6.3 | 75 | 1 | 2 | 4 | 6 | 15 | 30 | 78 |
| 65+ | 210 | 11.6 | 240 | 1 | 2 | 6 | 13 | 29 | 57 | 96 |
| GRAND TOTAL | 1579 | 6.1 | 99 | 1 | 1 | 3 | 5 | 14 | 24 | 60 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 31.8 | 373 | 5 | 9 | 31 | 44 | 51 | 63 | 88 |
| 20-34 | 7 | 14.4 | 31 | 5 | 6 | 13 | 19 | 21 | 21 | 21 |
| 35-49 | 4 | 17.5 | 99 | 11 | 11 | 14 | 24 | 32 | 32 | 32 |
| 50-64 | 13 | 26.2 | 242 | 7 | 7 | 31 | 37 | 43 | 53 | 56 |
| 65+ | 43 | 22.9 | 281 | 3 | 7 | 20 | 28 | 45 | 52 | 89 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 34.4 | 615 | 5 | 5 | 36 | 49 | 81 | 95 | 99+ |
| 20-34 | 14 | 29.9 | 837 | 6 | 7 | 22 | 68 | 99+ | 99+ | 99+ |
| 35-49 | 5 | 18.2 | 72 | 6 | 6 | 19 | 25 | 27 | 27 | 27 |
| 50-64 | 23 | 29.0 | 364 | 6 | 9 | 25 | 45 | 55 | 88 | 99+ |
| 65+ | 123 | 33.3 | 529 | 6 | 10 | 33 | 67 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 92 | 24.9 | 292 | 5 | 7 | 21 | 33 | 47 | 55 | 89 |
| " MULTIPLE DX | 193 | 32.3 | 531 | 5 | 9 | 31 | 59 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 53 | 33.2 | 494 | 5 | 6 | 32 | 45 | 66 | 88 | 99+ |
| 20-34 | 21 | 24.8 | 610 | 5 | 7 | 17 | 34 | 98 | 99+ | 99+ |
| 35-49 | 9 | 17.9 | 74 | 6 | 8 | 16 | 25 | 30 | 32 | 32 |
| 50-64 | 36 | 28.0 | 314 | 7 | 8 | 27 | 39 | 52 | 74 | 99+ |
| 65+ | 166 | 30.6 | 484 | 6 | 9 | 28 | 57 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 285 | 29.9 | 465 | 5 | 8 | 28 | 48 | 95 | 99+ | 99+ |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 51 | 15.4 | 181 | 4 | 5 | 11 | 19 | 27 | 42 | 82 |
| 20-34 | 47 | 13.1 | 96 | 4 | 5 | 11 | 15 | 22 | 25 | 65 |
| 35-49 | 38 | 15.3 | 136 | 4 | 5 | 13 | 18 | 28 | 38 | 63 |
| 50-64 | 73 | 16.5 | 126 | 5 | 7 | 13 | 20 | 28 | 40 | 64 |
| 65+ | 236 | 23.5 | 261 | 8 | 9 | 20 | 31 | 56 | 82 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 76 | 23.7 | 340 | 7 | 9 | 17 | 29 | 54 | 68 | 94 |
| 20-34 | 110 | 21.5 | 239 | 6 | 8 | 16 | 29 | 49 | 58 | 99+ |
| 35-49 | 54 | 22.2 | 344 | 5 | 9 | 15 | 28 | 56 | 75 | 99 |
| 50-64 | 147 | 27.7 | 460 | 7 | 9 | 22 | 39 | 75 | 96 | 99+ |
| 65+ | 606 | 31.0 | 457 | 8 | 10 | 28 | 52 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 445 | 19.6 | 219 | 5 | 7 | 16 | 25 | 40 | 60 | 99+ |
| " MULTIPLE DX | 993 | 28.4 | 431 | 7 | 10 | 24 | 43 | 84 | 99+ | 99+ |
| TOTAL 0-19 YRS | 127 | 20.4 | 292 | 5 | 7 | 15 | 24 | 36 | 58 | 87 |
| 20-34 | 157 | 19.0 | 211 | 5 | 7 | 14 | 23 | 43 | 54 | 97 |
| 35-49 | 92 | 19.3 | 268 | 5 | 6 | 13 | 25 | 36 | 70 | 94 |
| 50-64 | 220 | 24.0 | 377 | 7 | 8 | 18 | 31 | 57 | 82 | 99+ |
| 65+ | 842 | 28.9 | 414 | 8 | 10 | 26 | 44 | 92 | 99+ | 99+ |
| GRAND TOTAL | 1438 | 25.7 | 382 | 7 | 9 | 21 | 36 | 73 | 99+ | 99+ |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 85 | 26.2 | 453 | 2 | 2 | 25 | 39 | 53 | 63 | 87 |
| 20-34 | 12 | 27.3 | 263 | 6 | 8 | 26 | 40 | 50 | 55 | 56 |
| 35-49 | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 50-64 | 7 | 23.3 | 438 | 2 | 2 | 16 | 40 | 52 | 55 | 55 |
| 65+ | 6 | 31.2 | 858 | 3 | 4 | 33 | 73 | 97 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 60 | 32.6 | 597 | 1 | 4 | 31 | 51 | 74 | 85 | 99+ |
| 20-34 | 26 | 37.2 | 740 | 4 | 9 | 27 | 62 | 77 | 82 | 95 |
| 35-49 | 10 | 34.3 | 298 | 5 | 11 | 33 | 39 | 60 | 65 | 65 |
| 50-64 | 15 | 35.4 | 691 | 2 | 4 | 40 | 74 | 99+ | 99+ | 99+ |
| 65+ | 35 | 33.7 | 659 | 5 | 7 | 31 | 82 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 112 | 26.1 | 441 | 2 | 3 | 25 | 39 | 55 | 63 | 93 |
| " MULTIPLE DX | 146 | 34.1 | 613 | 3 | 6 | 32 | 59 | 89 | 99+ | 99+ |
| TOTAL 0-19 YRS | 145 | 28.9 | 519 | 1 | 2 | 27 | 46 | 63 | 80 | 99+ |
| 20-34 | 38 | 34.0 | 600 | 5 | 9 | 26 | 49 | 72 | 78 | 95 |
| 35-49 | 12 | 29.6 | 366 | 4 | 5 | 30 | 39 | 59 | 64 | 65 |
| 50-64 | 22 | 31.5 | 620 | 2 | 3 | 36 | 58 | 99+ | 99+ | 99+ |
| 65+ | 41 | 33.3 | 668 | 4 | 7 | 32 | 85 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 258 | 30.6 | 552 | 2 | 4 | 29 | 49 | 78 | 99 | 99+ |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 82 | 5.3 | 42 | <1 | 1 | 3 | 5 | 14 | 21 | 28 |
| 20-34 | 84 | 4.9 | 26 | 1 | 1 | 3 | 6 | 10 | 13 | 29 |
| 35-49 | 40 | 5.6 | 73 | 1 | 1 | 3 | 6 | 10 | 16 | 53 |
| 50-64 | 28 | 6.4 | 35 | 1 | 2 | 4 | 8 | 14 | 17 | 29 |
| 65+ | 14 | 11.9 | 173 | 1 | 1 | 7 | 14 | 26 | 45 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 31 | 16.8 | 272 | 1 | 2 | 12 | 26 | 46 | 68 | 99+ |
| 20-34 | 45 | 10.2 | 177 | 1 | 2 | 5 | 11 | 27 | 45 | 61 |
| 35-49 | 20 | 11.4 | 189 | <1 | <1 | 4 | 24 | 40 | 70 | 99+ |
| 50-64 | 26 | 12.5 | 182 | 3 | 3 | 8 | 13 | 22 | 53 | 57 |
| 65+ | 20 | 25.6 | 850 | 3 | 4 | 17 | 62 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 248 | 5.7 | 50 | 1 | 1 | 3 | 7 | 13 | 20 | 30 |
| " MULTIPLE DX | 142 | 14.4 | 312 | 1 | 2 | 8 | 22 | 48 | 73 | 99+ |
| TOTAL 0-19 YRS | 113 | 8.4 | 130 | 1 | 1 | 3 | 12 | 23 | 31 | 81 |
| 20-34 | 129 | 6.8 | 85 | 1 | 1 | 4 | 7 | 13 | 27 | 52 |
| 35-49 | 60 | 7.5 | 117 | 1 | 1 | 3 | 8 | 24 | 40 | 95 |
| 50-64 | 54 | 9.3 | 114 | 2 | 2 | 6 | 10 | 18 | 28 | 57 |
| 65+ | 34 | 19.9 | 605 | 1 | 3 | 13 | 35 | 94 | 99+ | 99+ |
| GRAND TOTAL | 390 | 8.9 | 162 | 1 | 1 | 4 | 10 | 23 | 44 | 99+ |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 566 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 20-34 | 848 | 4.6 | 17 | 1 | 1 | 4 | 6 | 8 | 10 | 19 |
| 35-49 | 380 | 5.5 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| 50-64 | 271 | 6.4 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 65+ | 147 | 12.1 | 150 | 2 | 4 | 8 | 15 | 27 | 34 | 86 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 256 | 9.3 | 135 | 2 | 2 | 6 | 10 | 21 | 32 | 75 |
| 20-34 | 536 | 9.7 | 146 | 1 | 2 | 5 | 10 | 21 | 37 | 70 |
| 35-49 | 276 | 9.8 | 142 | 2 | 2 | 6 | 11 | 23 | 38 | 63 |
| 50-64 | 225 | 12.3 | 201 | 2 | 3 | 8 | 15 | 28 | 57 | 99+ |
| 65+ | 174 | 17.7 | 267 | 3 | 4 | 13 | 25 | 45 | 68 | 99+ |
| TOT. SINGLE DX | 2212 | 5.3 | 29 | 1 | 2 | 4 | 6 | 10 | 13 | 27 |
| " MULTIPLE DX | 1467 | 11.0 | 173 | 2 | 2 | 6 | 13 | 27 | 45 | 97 |
| TOTAL 0-19 YRS | 822 | 5.6 | 55 | 1 | 2 | 4 | 6 | 10 | 16 | 49 |
| 20-34 | 1384 | 6.5 | 74 | 1 | 2 | 4 | 7 | 12 | 19 | 51 |
| 35-49 | 656 | 7.3 | 72 | 2 | 2 | 5 | 8 | 13 | 21 | 45 |
| 50-64 | 496 | 9.1 | 115 | 1 | 2 | 6 | 10 | 18 | 27 | 92 |
| 65+ | 321 | 15.1 | 221 | 3 | 4 | 10 | 20 | 35 | 57 | 99+ |
| GRAND TOTAL | 3679 | 7.6 | 94 | 1 | 2 | 5 | 8 | 15 | 25 | 64 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 2766 | 2.3 | 14 | <1 | 1 | 1 | 2 | 4 | 6 | 15 |
| 20-34 | 763 | 3.9 | 27 | <1 | 1 | 2 | 5 | 8 | 11 | 26 |
| 35-49 | 406 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 50-64 | 444 | 3.6 | 20 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| 65+ | 373 | 4.7 | 46 | 1 | 1 | 2 | 5 | 12 | 16 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 541 | 6.4 | 85 | 1 | 1 | 3 | 7 | 16 | 24 | 48 |
| 20-34 | 404 | 8.1 | 120 | 1 | 1 | 4 | 9 | 19 | 35 | 64 |
| 35-49 | 226 | 8.6 | 197 | 1 | 1 | 4 | 10 | 16 | 27 | 83 |
| 50-64 | 258 | 8.9 | 140 | 1 | 1 | 5 | 10 | 24 | 34 | 69 |
| 65+ | 305 | 11.6 | 284 | 1 | 1 | 6 | 14 | 29 | 75 | 99+ |
| **TOT. SINGLE DX** | 4752 | 3.0 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 22 |
| **" MULTIPLE DX** | 1734 | 8.4 | 154 | 1 | 1 | 4 | 10 | 19 | 34 | 84 |
| TOTAL 0-19 YRS | 3307 | 3.0 | 28 | <1 | 1 | 2 | 3 | 6 | 10 | 24 |
| 20-34 | 1167 | 5.3 | 64 | 1 | 1 | 3 | 6 | 12 | 19 | 48 |
| 35-49 | 632 | 5.3 | 85 | 1 | 1 | 3 | 5 | 11 | 16 | 61 |
| 50-64 | 702 | 5.6 | 71 | 1 | 1 | 2 | 6 | 12 | 22 | 40 |
| 65+ | 678 | 7.8 | 165 | 1 | 1 | 3 | 9 | 19 | 37 | 99+ |
| **GRAND TOTAL** | **6486** | **4.4** | **62** | **1** | **1** | **2** | **4** | **10** | **16** | **47** |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 223 | 4.5 | 73 | <1 | 1 | 1 | 4 | 13 | 17 | 43 |
| 20-34 | 207 | 2.3 | 10 | <1 | <1 | 1 | 2 | 5 | 8 | 18 |
| 35-49 | 69 | 2.3 | 8 | <1 | 1 | 1 | 2 | 4 | 8 | 16 |
| 50-64 | 71 | 2.7 | 12 | <1 | <1 | 1 | 3 | 7 | 9 | 21 |
| 65+ | 77 | 5.0 | 103 | <1 | 1 | 2 | 4 | 11 | 28 | 92 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 75 | 9.4 | 201 | <1 | 1 | 5 | 9 | 23 | 43 | 75 |
| 20-34 | 92 | 7.7 | 179 | <1 | <1 | 3 | 9 | 18 | 33 | 97 |
| 35-49 | 57 | 5.3 | 29 | 1 | 1 | 2 | 7 | 14 | 16 | 23 |
| 50-64 | 38 | 5.9 | 56 | 1 | 1 | 3 | 7 | 16 | 31 | 99+ |
| 65+ | 78 | 17.6 | 398 | 1 | 1 | 10 | 26 | 49 | 74 | 93 |
| **TOT. SINGLE DX** | 647 | 3.4 | 44 | <1 | <1 | 1 | 3 | 8 | 15 | 32 |
| **" MULTIPLE DX** | 340 | 9.7 | 214 | <1 | 1 | 4 | 12 | 27 | 45 | 94 |
| TOTAL 0-19 YRS | 298 | 5.7 | 110 | <1 | 1 | 2 | 6 | 15 | 23 | 55 |
| 20-34 | 299 | 4.0 | 68 | <1 | <1 | 1 | 3 | 10 | 15 | 57 |
| 35-49 | 126 | 3.6 | 20 | <1 | 1 | 2 | 4 | 11 | 14 | 21 |
| 50-64 | 109 | 3.8 | 30 | <1 | 1 | 2 | 4 | 10 | 15 | 62 |
| 65+ | 155 | 11.3 | 290 | 1 | 1 | 3 | 13 | 38 | 64 | 98 |
| **GRAND TOTAL** | **987** | **5.6** | **111** | **<1** | **1** | **2** | **5** | **15** | **24** | **74** |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 100 | 4.7 | 31 | 1 | 1 | 3 | 5 | 8 | 13 | 36 |
| 20-34 | 289 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 35-49 | 88 | 3.6 | 9 | 1 | 1 | 3 | 4 | 7 | 8 | 19 |
| 50-64 | 32 | 6.0 | 71 | 1 | 1 | 3 | 5 | 16 | 33 | 35 |
| 65+ | 16 | 8.3 | 102 | 2 | 3 | 4 | 8 | 19 | 35 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 38 | 8.9 | 67 | 2 | 2 | 6 | 9 | 22 | 30 | 33 |
| 20-34 | 65 | 6.2 | 68 | 1 | 2 | 4 | 6 | 11 | 22 | 51 |
| 35-49 | 22 | 6.8 | 60 | 1 | 2 | 4 | 8 | 15 | 27 | 35 |
| 50-64 | 17 | 6.9 | 52 | 2 | 2 | 4 | 8 | 26 | 72 | 99+ |
| 65+ | 23 | 22.9 | 409 | 3 | 4 | 17 | 28 | 52 | 65 | 87 |
| **TOT. SINGLE DX** | 525 | 3.9 | 18 | 1 | 1 | 3 | 4 | 7 | 9 | 26 |
| **" MULTIPLE DX** | 165 | 9.3 | 141 | 2 | 2 | 5 | 10 | 23 | 32 | 82 |
| TOTAL 0-19 YRS | 138 | 5.9 | 45 | 1 | 2 | 4 | 6 | 13 | 22 | 34 |
| 20-34 | 354 | 3.8 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 20 |
| 35-49 | 110 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 28 |
| 50-64 | 49 | 6.3 | 64 | 1 | 1 | 3 | 7 | 17 | 35 | 99+ |
| 65+ | 39 | 16.9 | 331 | 2 | 3 | 12 | 20 | 46 | 53 | 87 |
| **GRAND TOTAL** | **690** | **5.2** | **53** | **1** | **1** | **3** | **5** | **10** | **17** | **42** |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-19 YRS | 273 | 4.3 | 17 | 1 | 2 | 3 | 5 | 7 | 10 | 29 |
| 20-34 | 284 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 10 | 13 |
| 35-49 | 114 | 4.9 | 54 | 1 | 1 | 3 | 5 | 8 | 15 | 41 |
| 50-64 | 91 | 6.6 | 71 | 1 | 1 | 4 | 8 | 15 | 19 | 62 |
| 65+ | 14 | 11.7 | 193 | 1 | 2 | 5 | 19 | 35 | 41 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-19 YRS | 118 | 7.8 | 80 | 1 | 2 | 4 | 8 | 21 | 31 | 46 |
| 20-34 | 178 | 6.9 | 100 | 1 | 2 | 4 | 7 | 14 | 25 | 72 |
| 35-49 | 96 | 7.2 | 193 | 1 | 1 | 4 | 6 | 10 | 23 | 90 |
| 50-64 | 73 | 10.5 | 214 | 2 | 3 | 5 | 8 | 26 | 51 | 76 |
| 65+ | 64 | 19.0 | 304 | 3 | 4 | 15 | 28 | 52 | 91 | 99+ |
| **TOT. SINGLE DX** | 776 | 4.7 | 31 | 1 | 2 | 3 | 5 | 8 | 12 | 31 |
| **" MULTIPLE DX** | 529 | 9.1 | 167 | 1 | 2 | 4 | 9 | 23 | 37 | 91 |
| TOTAL 0-19 YRS | 391 | 5.3 | 39 | 1 | 2 | 4 | 5 | 9 | 17 | 36 |
| 20-34 | 462 | 5.2 | 48 | 1 | 2 | 4 | 5 | 9 | 12 | 44 |
| 35-49 | 210 | 5.9 | 119 | 1 | 1 | 4 | 5 | 9 | 18 | 76 |
| 50-64 | 164 | 8.3 | 138 | 1 | 2 | 5 | 8 | 18 | 29 | 66 |
| 65+ | 78 | 17.7 | 290 | 3 | 3 | 14 | 28 | 46 | 81 | 99+ |
| **GRAND TOTAL** | **1305** | **6.5** | **91** | **1** | **2** | **4** | **6** | **12** | **23** | **63** |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 11.4 | 27 | 4 | 6 | 10 | 13 | 20 | 20 | 27 |
| 20-34 | 559 | 10.4 | 28 | 4 | 5 | 9 | 12 | 17 | 21 | 30 |
| 35-49 | 829 | 11.2 | 33 | 4 | 6 | 10 | 13 | 18 | 22 | 33 |
| 50-64 | 342 | 12.2 | 69 | 3 | 5 | 10 | 14 | 21 | 25 | 46 |
| 65+ | 61 | 14.2 | 72 | 6 | 7 | 12 | 18 | 20 | 31 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 13 | 13.0 | 42 | 6 | 6 | 11 | 18 | 22 | 24 | 25 |
| 20-34 | 243 | 13.1 | 54 | 4 | 6 | 12 | 16 | 22 | 28 | 36 |
| 35-49 | 396 | 13.3 | 48 | 5 | 6 | 12 | 16 | 23 | 28 | 37 |
| 50-64 | 344 | 15.7 | 92 | 6 | 7 | 14 | 19 | 27 | 36 | 56 |
| 65+ | 78 | 20.7 | 168 | 7 | 9 | 17 | 27 | 44 | 53 | 90 |
| TOT. SINGLE DX | 1823 | 11.3 | 41 | 4 | 5 | 10 | 13 | 18 | 23 | 33 |
| " MULTIPLE DX | 1074 | 14.6 | 76 | 5 | 6 | 13 | 18 | 25 | 31 | 53 |
| TOTAL 0-19 YRS | 45 | 11.8 | 31 | 5 | 6 | 11 | 15 | 20 | 22 | 27 |
| 20-34 | 802 | 11.2 | 38 | 4 | 5 | 10 | 14 | 19 | 23 | 33 |
| 35-49 | 1225 | 11.9 | 39 | 5 | 6 | 11 | 14 | 20 | 24 | 33 |
| 50-64 | 686 | 13.9 | 84 | 4 | 6 | 12 | 17 | 24 | 31 | 52 |
| 65+ | 139 | 17.8 | 136 | 6 | 8 | 15 | 20 | 33 | 48 | 68 |
| GRAND TOTAL | 2897 | 12.5 | 56 | 4 | 6 | 11 | 15 | 21 | 26 | 41 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 261 | 3.3 | 15 | <1 | 1 | 2 | 4 | 6 | 7 | 19 |
| 20-34 | 399 | 3.3 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 21 |
| 35-49 | 195 | 3.7 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 22 |
| 50-64 | 99 | 4.9 | 48 | 1 | 1 | 3 | 5 | 10 | 14 | 43 |
| 65+ | 38 | 6.6 | 123 | 1 | 1 | 3 | 9 | 15 | 17 | 67 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 79 | 6.9 | 88 | <1 | 1 | 4 | 6 | 18 | 25 | 52 |
| 20-34 | 170 | 5.0 | 42 | <1 | 1 | 3 | 5 | 11 | 15 | 26 |
| 35-49 | 125 | 5.4 | 102 | <1 | 1 | 3 | 6 | 9 | 17 | 61 |
| 50-64 | 96 | 7.2 | 66 | 1 | 1 | 4 | 8 | 15 | 26 | 40 |
| 65+ | 56 | 12.8 | 170 | 1 | 1 | 7 | 20 | 31 | 51 | 97 |
| TOT. SINGLE DX | 992 | 3.7 | 23 | 1 | 1 | 3 | 4 | 6 | 10 | 22 |
| " MULTIPLE DX | 526 | 6.6 | 86 | <1 | 1 | 4 | 7 | 15 | 25 | 53 |
| TOTAL 0-19 YRS | 340 | 4.1 | 35 | <1 | 1 | 3 | 4 | 7 | 13 | 30 |
| 20-34 | 569 | 3.8 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 25 |
| 35-49 | 320 | 4.4 | 53 | <1 | 1 | 3 | 5 | 8 | 13 | 31 |
| 50-64 | 195 | 6.0 | 58 | 1 | 1 | 4 | 7 | 13 | 21 | 40 |
| 65+ | 94 | 10.3 | 160 | 1 | 1 | 5 | 15 | 28 | 43 | 85 |
| GRAND TOTAL | 1518 | 4.7 | 47 | 1 | 1 | 3 | 5 | 9 | 15 | 39 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 376 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 20-34 | 1143 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 35-49 | 601 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| 50-64 | 277 | 5.1 | 10 | 2 | 3 | 4 | 6 | 9 | 10 | 15 |
| 65+ | 36 | 5.5 | 7 | 1 | 3 | 5 | 7 | 10 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 130 | 4.6 | 9 | 2 | 2 | 4 | 5 | 6 | 8 | 20 |
| 20-34 | 435 | 4.8 | 14 | 2 | 2 | 4 | 5 | 8 | 10 | 16 |
| 35-49 | 244 | 5.3 | 16 | 2 | 3 | 4 | 6 | 10 | 12 | 24 |
| 50-64 | 173 | 5.9 | 28 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| 65+ | 51 | 9.5 | 93 | 1 | 2 | 6 | 11 | 22 | 34 | 46 |
| TOT. SINGLE DX | 2433 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 1033 | 5.3 | 22 | 2 | 2 | 4 | 6 | 9 | 12 | 28 |
| TOTAL 0-19 YRS | 506 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 20-34 | 1578 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 35-49 | 845 | 4.6 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 15 |
| 50-64 | 450 | 5.4 | 18 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 65+ | 87 | 7.8 | 61 | 1 | 2 | 6 | 8 | 14 | 25 | 43 |
| GRAND TOTAL | 3466 | 4.6 | 11 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 78 | 17.1 | 41 | 9 | 10 | 16 | 20 | 26 | 29 | 38 |
| 20-34 | 87 | 14.1 | 56 | 4 | 8 | 13 | 16 | 24 | 34 | 81 |
| 35-49 | 76 | 11.5 | 33 | 3 | 4 | 11 | 14 | 17 | 20 | 35 |
| 50-64 | 45 | 12.5 | 99 | 3 | 4 | 11 | 13 | 22 | 36 | 52 |
| 65+ | 7 | 14.1 | 12 | 8 | 9 | 15 | 17 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 69 | 22.5 | 219 | 8 | 10 | 19 | 27 | 49 | 66 | 99+ |
| 20-34 | 67 | 19.4 | 185 | 8 | 9 | 16 | 23 | 37 | 62 | 95 |
| 35-49 | 66 | 19.0 | 201 | 6 | 8 | 16 | 24 | 41 | 73 | 99+ |
| 50-64 | 48 | 17.6 | 121 | 8 | 9 | 13 | 24 | 32 | 48 | 99+ |
| 65+ | 12 | 28.8 | 476 | 6 | 7 | 20 | 41 | 65 | 75 | 77 |
| TOT. SINGLE DX | 293 | 14.0 | 56 | 4 | 7 | 13 | 17 | 23 | 29 | 47 |
| " MULTIPLE DX | 262 | 20.2 | 203 | 8 | 9 | 17 | 24 | 43 | 63 | 99+ |
| TOTAL 0-19 YRS | 147 | 19.6 | 132 | 9 | 10 | 17 | 22 | 32 | 48 | 99+ |
| 20-34 | 154 | 16.4 | 119 | 7 | 8 | 14 | 19 | 27 | 39 | 98 |
| 35-49 | 142 | 15.0 | 125 | 3 | 7 | 12 | 17 | 28 | 38 | 99+ |
| 50-64 | 93 | 15.1 | 116 | 3 | 5 | 12 | 17 | 31 | 41 | 84 |
| 65+ | 19 | 23.4 | 348 | 7 | 8 | 17 | 22 | 54 | 69 | 77 |
| GRAND TOTAL | 555 | 16.9 | 135 | 5 | 8 | 14 | 20 | 31 | 44 | 99+ |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 49 | 4.7 | 5 | 1 | 2 | 4 | 5 | 9 | 9 | 10 |
| 20-34 | 112 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 11 | 24 |
| 35-49 | 83 | 6.0 | 62 | 1 | 2 | 5 | 7 | 10 | 12 | 53 |
| 50-64 | 108 | 4.8 | 14 | 1 | 2 | 4 | 6 | 9 | 9 | 23 |
| 65+ | 71 | 6.5 | 58 | 1 | 1 | 4 | 5 | 15 | 18 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 54 | 7.3 | 54 | 2 | 2 | 5 | 10 | 12 | 16 | 98 |
| 20-34 | 65 | 6.6 | 49 | 1 | 2 | 5 | 8 | 10 | 19 | 45 |
| 35-49 | 90 | 9.1 | 74 | 2 | 2 | 7 | 10 | 21 | 31 | 79 |
| 50-64 | 101 | 8.7 | 121 | 1 | 2 | 5 | 9 | 17 | 27 | 64 |
| 65+ | 75 | 9.0 | 127 | 2 | 2 | 5 | 10 | 20 | 29 | 63 |
| TOT. SINGLE DX | 423 | 5.5 | 32 | 1 | 2 | 4 | 7 | 10 | 13 | 30 |
| " MULTIPLE DX | 385 | 8.3 | 90 | 2 | 2 | 6 | 9 | 16 | 28 | 63 |
| TOTAL 0-19 YRS | 103 | 6.1 | 33 | 2 | 2 | 5 | 8 | 10 | 13 | 75 |
| 20-34 | 177 | 5.8 | 31 | 1 | 2 | 4 | 7 | 10 | 12 | 32 |
| 35-49 | 173 | 7.6 | 71 | 1 | 2 | 6 | 8 | 14 | 22 | 65 |
| 50-64 | 209 | 6.7 | 70 | 1 | 2 | 5 | 7 | 11 | 19 | 58 |
| 65+ | 146 | 7.8 | 95 | 1 | 1 | 5 | 8 | 16 | 27 | 63 |
| GRAND TOTAL | 808 | 6.8 | 61 | 1 | 2 | 5 | 8 | 12 | 18 | 55 |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 15 | 16.0 | 63 | 6 | 8 | 14 | 18 | 28 | 32 | 34 |
| 35-49 | 33 | 17.1 | 69 | 9 | 10 | 15 | 19 | 28 | 40 | 43 |
| 50-64 | 199 | 17.6 | 101 | 8 | 9 | 15 | 19 | 29 | 40 | 61 |
| 65+ | 289 | 18.5 | 77 | 8 | 10 | 17 | 22 | 29 | 35 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 17 | 22.1 | 161 | 10 | 14 | 20 | 22 | 31 | 55 | 67 |
| 35-49 | 50 | 19.8 | 139 | 9 | 10 | 16 | 22 | 39 | 49 | 99+ |
| 50-64 | 235 | 21.1 | 156 | 9 | 11 | 17 | 24 | 37 | 47 | 94 |
| 65+ | 441 | 23.2 | 202 | 8 | 10 | 19 | 28 | 45 | 65 | 99+ |
| TOT. SINGLE DX | 536 | 18.0 | 85 | 8 | 10 | 16 | 20 | 29 | 35 | 60 |
| " MULTIPLE DX | 744 | 22.3 | 184 | 9 | 10 | 18 | 26 | 41 | 58 | 99+ |
| TOTAL 0-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 20-34 | 32 | 19.2 | 122 | 8 | 8 | 17 | 22 | 29 | 34 | 67 |
| 35-49 | 83 | 18.7 | 112 | 9 | 10 | 15 | 21 | 32 | 46 | 89 |
| 50-64 | 434 | 19.5 | 134 | 8 | 10 | 17 | 22 | 34 | 42 | 70 |
| 65+ | 730 | 21.3 | 158 | 8 | 10 | 18 | 25 | 38 | 50 | 99+ |
| GRAND TOTAL | 1280 | 20.5 | 147 | 8 | 10 | 17 | 24 | 36 | 47 | 90 |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 20.3 | 324 | 8 | 8 | 12 | 34 | 41 | 41 | 41 |
| 20-34 | 2 | 16.5 | 221 | 6 | 6 | 16 | 27 | 27 | 27 | 27 |
| 35-49 | 11 | 17.5 | 64 | 7 | 8 | 16 | 24 | 29 | 33 | 33 |
| 50-64 | 52 | 17.6 | 112 | 8 | 9 | 16 | 19 | 28 | 29 | 68 |
| 65+ | 232 | 22.3 | 178 | 9 | 11 | 18 | 28 | 39 | 56 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 19.7 | 160 | 6 | 6 | 22 | 29 | 31 | 31 | 31 |
| 20-34 | 7 | 29.6 | 580 | 14 | 14 | 24 | 26 | 72 | 83 | 83 |
| 35-49 | 19 | 23.7 | 492 | 4 | 8 | 15 | 24 | 64 | 76 | 83 |
| 50-64 | 71 | 24.4 | 260 | 9 | 11 | 21 | 33 | 47 | 95 | 99+ |
| 65+ | 550 | 29.3 | 402 | 10 | 12 | 26 | 42 | 93 | 99+ | 99+ |
| TOT. SINGLE DX | 300 | 21.2 | 166 | 8 | 10 | 18 | 26 | 37 | 51 | 93 |
| " MULTIPLE DX | 650 | 28.6 | 392 | 10 | 12 | 24 | 40 | 88 | 99+ | 99+ |
| TOTAL 0-19 YRS | 6 | 20.0 | 194 | 6 | 6 | 17 | 31 | 40 | 41 | 41 |
| 20-34 | 9 | 26.7 | 406 | 6 | 9 | 24 | 27 | 61 | 83 | 83 |
| 35-49 | 30 | 21.4 | 337 | 6 | 8 | 15 | 25 | 49 | 67 | 83 |
| 50-64 | 123 | 21.5 | 208 | 8 | 9 | 17 | 26 | 43 | 56 | 99+ |
| 65+ | 782 | 27.2 | 346 | 10 | 11 | 23 | 37 | 76 | 99+ | 99+ |
| GRAND TOTAL | 950 | 26.2 | 332 | 9 | 11 | 22 | 35 | 68 | 99+ | 99+ |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 228 | 5.1 | 9 | 2 | 2 | 5 | 6 | 8 | 9 | 14 |
| 20-34 | 325 | 5.0 | 7 | 2 | 3 | 4 | 6 | 7 | 9 | 16 |
| 35-49 | 69 | 6.4 | 36 | 3 | 3 | 5 | 8 | 9 | 13 | 40 |
| 50-64 | 61 | 14.6 | 114 | 3 | 4 | 12 | 18 | 29 | 39 | 45 |
| 65+ | 80 | 17.3 | 88 | 4 | 6 | 17 | 22 | 29 | 35 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 111 | 6.7 | 44 | 2 | 3 | 6 | 7 | 10 | 13 | 47 |
| 20-34 | 208 | 6.1 | 18 | 3 | 3 | 5 | 7 | 9 | 12 | 31 |
| 35-49 | 66 | 9.6 | 106 | 3 | 3 | 6 | 8 | 22 | 34 | 54 |
| 50-64 | 74 | 16.1 | 242 | 3 | 4 | 11 | 20 | 36 | 56 | 95 |
| 65+ | 110 | 27.8 | 418 | 5 | 8 | 22 | 36 | 63 | 77 | 96 |
| TOT. SINGLE DX | 763 | 7.2 | 46 | 2 | 3 | 5 | 7 | 16 | 21 | 38 |
| " MULTIPLE DX | 569 | 12.1 | 209 | 3 | 3 | 6 | 13 | 29 | 46 | 86 |
| TOTAL 0-19 YRS | 339 | 5.7 | 21 | 2 | 3 | 5 | 6 | 8 | 10 | 30 |
| 20-34 | 533 | 5.4 | 12 | 2 | 3 | 5 | 6 | 8 | 11 | 21 |
| 35-49 | 135 | 8.0 | 73 | 3 | 3 | 5 | 8 | 12 | 29 | 46 |
| 50-64 | 135 | 15.4 | 184 | 3 | 4 | 11 | 19 | 34 | 45 | 85 |
| 65+ | 190 | 23.4 | 305 | 5 | 7 | 19 | 29 | 47 | 65 | 91 |
| GRAND TOTAL | 1332 | 9.3 | 121 | 2 | 3 | 6 | 9 | 21 | 31 | 64 |

## 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 263 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| 20-34 | 592 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| 35-49 | 155 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| 50-64 | 109 | 4.9 | 18 | 1 | 2 | 4 | 6 | 9 | 11 | 27 |
| 65+ | 49 | 5.4 | 17 | 1 | 2 | 5 | 7 | 10 | 15 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 47 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 10 | 12 |
| 20-34 | 141 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 14 |
| 35-49 | 75 | 4.9 | 14 | 1 | 2 | 4 | 6 | 8 | 12 | 24 |
| 50-64 | 125 | 7.0 | 52 | 2 | 2 | 5 | 8 | 12 | 20 | 42 |
| 65+ | 74 | 9.0 | 92 | 1 | 2 | 6 | 12 | 21 | 28 | 91 |
| TOT. SINGLE DX | 1168 | 3.9 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| " MULTIPLE DX | 462 | 5.9 | 37 | 1 | 2 | 4 | 6 | 11 | 16 | 37 |
| TOTAL 0-19 YRS | 310 | 3.9 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| 20-34 | 733 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 35-49 | 230 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 50-64 | 234 | 6.0 | 37 | 1 | 2 | 4 | 7 | 11 | 15 | 38 |
| 65+ | 123 | 7.6 | 65 | 1 | 2 | 5 | 9 | 17 | 21 | 75 |
| GRAND TOTAL | 1630 | 4.5 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 21 |

## 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 210 | 5.9 | 38 | <1 | 1 | 3 | 7 | 15 | 20 | 27 |
| 20-34 | 141 | 3.4 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 35-49 | 89 | 3.4 | 8 | <1 | <1 | 3 | 4 | 7 | 9 | 16 |
| 50-64 | 81 | 4.1 | 25 | <1 | <1 | 2 | 4 | 9 | 13 | 30 |
| 65+ | 33 | 5.2 | 29 | <1 | <1 | 3 | 7 | 15 | 17 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 105 | 9.5 | 120 | 2 | 2 | 5 | 12 | 22 | 29 | 63 |
| 20-34 | 62 | 6.5 | 79 | 1 | 1 | 4 | 7 | 14 | 25 | 48 |
| 35-49 | 44 | 7.8 | 177 | <1 | 1 | 4 | 7 | 13 | 28 | 81 |
| 50-64 | 61 | 9.9 | 119 | <1 | 1 | 5 | 15 | 24 | 33 | 51 |
| 65+ | 44 | 11.2 | 228 | 1 | 2 | 4 | 16 | 29 | 54 | 99+ |
| TOT. SINGLE DX | 554 | 4.6 | 24 | <1 | <1 | 3 | 5 | 10 | 15 | 24 |
| " MULTIPLE DX | 316 | 9.0 | 135 | 1 | 1 | 4 | 11 | 22 | 33 | 69 |
| TOTAL 0-19 YRS | 315 | 7.1 | 68 | 1 | 1 | 4 | 9 | 16 | 22 | 38 |
| 20-34 | 203 | 4.4 | 32 | <1 | 1 | 3 | 5 | 8 | 11 | 36 |
| 35-49 | 133 | 4.9 | 68 | <1 | <1 | 3 | 5 | 9 | 13 | 48 |
| 50-64 | 142 | 6.6 | 74 | <1 | <1 | 3 | 8 | 16 | 25 | 44 |
| 65+ | 77 | 8.6 | 151 | <1 | 1 | 4 | 13 | 24 | 36 | 94 |
| GRAND TOTAL | 870 | 6.2 | 69 | <1 | 1 | 3 | 7 | 15 | 22 | 43 |

## 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 319 | 2.9 | 20 | <1 | <1 | 2 | 3 | 6 | 9 | 18 |
| 20-34 | 382 | 2.7 | 26 | <1 | <1 | 1 | 2 | 4 | 8 | 28 |
| 35-49 | 208 | 2.6 | 15 | <1 | <1 | 1 | 3 | 5 | 7 | 20 |
| 50-64 | 155 | 3.5 | 13 | <1 | <1 | 2 | 4 | 8 | 12 | 18 |
| 65+ | 73 | 6.1 | 40 | <1 | <1 | 3 | 8 | 16 | 21 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 8.1 | 214 | <1 | <1 | 3 | 5 | 17 | 42 | 67 |
| 20-34 | 94 | 3.9 | 29 | <1 | <1 | 2 | 4 | 7 | 18 | 33 |
| 35-49 | 97 | 6.8 | 97 | <1 | <1 | 3 | 6 | 21 | 30 | 47 |
| 50-64 | 123 | 9.9 | 208 | <1 | 1 | 4 | 11 | 25 | 43 | 93 |
| 65+ | 90 | 13.1 | 204 | 1 | 1 | 8 | 19 | 32 | 58 | 99+ |
| TOT. SINGLE DX | 1137 | 3.1 | 22 | <1 | <1 | 2 | 3 | 6 | 10 | 24 |
| " MULTIPLE DX | 457 | 8.4 | 156 | <1 | <1 | 3 | 9 | 23 | 36 | 68 |
| TOTAL 0-19 YRS | 372 | 3.7 | 51 | <1 | <1 | 2 | 3 | 7 | 10 | 42 |
| 20-34 | 476 | 2.9 | 27 | <1 | <1 | 2 | 3 | 5 | 9 | 31 |
| 35-49 | 305 | 3.9 | 45 | <1 | <1 | 2 | 3 | 7 | 17 | 42 |
| 50-64 | 278 | 6.3 | 110 | <1 | <1 | 3 | 6 | 17 | 25 | 63 |
| 65+ | 163 | 10.0 | 142 | <1 | 1 | 5 | 15 | 24 | 35 | 95 |
| GRAND TOTAL | 1594 | 4.6 | 67 | <1 | <1 | 2 | 4 | 10 | 19 | 52 |

## 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9 | 3.8 | 15 | 1 | 1 | 3 | 4 | 10 | 14 | 14 |
| 20-34 | 24 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 35-49 | 54 | 3.3 | 11 | <1 | <1 | 2 | 4 | 5 | 8 | 19 |
| 50-64 | 164 | 3.0 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 65+ | 112 | 2.7 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 12.3 | 308 | 2 | 2 | 4 | 14 | 44 | 47 | 47 |
| 20-34 | 6 | 10.7 | 290 | 2 | 2 | 3 | 9 | 41 | 45 | 45 |
| 35-49 | 22 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 7 | 11 |
| 50-64 | 72 | 4.8 | 53 | 1 | 1 | 3 | 4 | 10 | 13 | 50 |
| 65+ | 79 | 5.1 | 66 | 1 | 2 | 3 | 4 | 10 | 17 | 52 |
| TOT. SINGLE DX | 363 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| " MULTIPLE DX | 185 | 5.1 | 69 | <1 | 1 | 3 | 4 | 10 | 15 | 52 |
| TOTAL 0-19 YRS | 15 | 7.2 | 138 | 1 | 1 | 3 | 5 | 14 | 39 | 47 |
| 20-34 | 30 | 4.0 | 64 | <1 | <1 | 2 | 3 | 6 | 9 | 45 |
| 35-49 | 76 | 3.1 | 10 | <1 | <1 | 2 | 4 | 5 | 8 | 19 |
| 50-64 | 236 | 3.5 | 20 | <1 | 1 | 2 | 4 | 6 | 10 | 17 |
| 65+ | 191 | 3.7 | 30 | <1 | 1 | 2 | 4 | 6 | 10 | 34 |
| GRAND TOTAL | 548 | 3.7 | 28 | <1 | 1 | 2 | 4 | 6 | 10 | 21 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 213 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 8 | 12 |
| 20-34 | 294 | 2.3 | 4 | <1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 35-49 | 89 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 51 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 65+ | 14 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 122 | 3.8 | 31 | 1 | 1 | 2 | 3 | 7 | 11 | 34 |
| 20-34 | 215 | 3.0 | 16 | 1 | 1 | 2 | 3 | 5 | 8 | 25 |
| 35-49 | 64 | 3.4 | 31 | 1 | 1 | 2 | 3 | 5 | 8 | 40 |
| 50-64 | 41 | 4.7 | 35 | 1 | 1 | 2 | 5 | 12 | 21 | 27 |
| 65+ | 14 | 8.6 | 195 | <1 | 1 | 3 | 13 | 53 | 88 | 99+ |
| TOT. SINGLE DX | 661 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| " MULTIPLE DX | 456 | 3.6 | 31 | 1 | 1 | 2 | 3 | 7 | 12 | 36 |
| TOTAL 0-19 YRS | 335 | 2.9 | 15 | 1 | 1 | 2 | 3 | 5 | 9 | 21 |
| 20-34 | 509 | 2.6 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 35-49 | 153 | 2.7 | 15 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 92 | 3.5 | 19 | 1 | 1 | 2 | 4 | 7 | 12 | 25 |
| 65+ | 28 | 5.4 | 106 | <1 | 1 | 2 | 4 | 18 | 55 | 99+ |
| GRAND TOTAL | 1117 | 2.9 | 15 | <1 | 1 | 2 | 3 | 5 | 8 | 21 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 106 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 20-34 | 173 | 3.6 | 16 | 1 | 1 | 3 | 4 | 6 | 9 | 25 |
| 35-49 | 130 | 3.5 | 7 | <1 | 1 | 3 | 4 | 6 | 10 | 15 |
| 50-64 | 101 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 18 |
| 65+ | 39 | 3.5 | 4 | <1 | <1 | 3 | 5 | 7 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 56 | 4.8 | 27 | 1 | 1 | 4 | 6 | 10 | 11 | 32 |
| 20-34 | 104 | 4.2 | 18 | <1 | 1 | 3 | 5 | 10 | 13 | 99+ |
| 35-49 | 62 | 5.2 | 36 | <1 | 1 | 3 | 6 | 11 | 20 | 34 |
| 50-64 | 75 | 6.8 | 53 | 1 | 2 | 4 | 9 | 17 | 20 | 36 |
| 65+ | 43 | 12.1 | 292 | 1 | 2 | 6 | 12 | 27 | 46 | 91 |
| TOT. SINGLE DX | 549 | 3.6 | 11 | <1 | 1 | 3 | 4 | 7 | 9 | 17 |
| " MULTIPLE DX | 340 | 6.1 | 71 | 1 | 1 | 4 | 7 | 13 | 21 | 67 |
| TOTAL 0-19 YRS | 162 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 20-34 | 277 | 3.8 | 15 | <1 | 1 | 3 | 4 | 8 | 11 | 35 |
| 35-49 | 192 | 4.1 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 50-64 | 176 | 5.1 | 29 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| 65+ | 82 | 8.0 | 173 | <1 | <1 | 4 | 8 | 17 | 28 | 83 |
| GRAND TOTAL | 889 | 4.6 | 35 | <1 | 1 | 3 | 5 | 9 | 13 | 34 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 257 | 4.7 | 21 | 2 | 2 | 3 | 5 | 8 | 10 | 30 |
| 20-34 | 173 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 35-49 | 72 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 16 |
| 50-64 | 49 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 11 | 18 |
| 65+ | 26 | 7.6 | 51 | 2 | 2 | 7 | 10 | 15 | 46 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 206 | 5.5 | 38 | 2 | 2 | 3 | 6 | 11 | 22 | 38 |
| 20-34 | 80 | 7.3 | 65 | 1 | 2 | 5 | 8 | 15 | 26 | 39 |
| 35-49 | 35 | 6.5 | 43 | 1 | 1 | 5 | 8 | 15 | 30 | 99+ |
| 50-64 | 22 | 6.7 | 130 | 1 | 1 | 3 | 7 | 14 | 31 | 55 |
| 65+ | 15 | 13.3 | 84 | 3 | 5 | 10 | 23 | 31 | 80 | 99+ |
| TOT. SINGLE DX | 577 | 4.5 | 15 | 1 | 2 | 4 | 5 | 7 | 10 | 25 |
| " MULTIPLE DX | 358 | 6.4 | 54 | 1 | 2 | 4 | 7 | 15 | 25 | 53 |
| TOTAL 0-19 YRS | 463 | 5.1 | 29 | 2 | 2 | 3 | 5 | 9 | 15 | 32 |
| 20-34 | 253 | 5.0 | 26 | 1 | 2 | 4 | 6 | 8 | 13 | 38 |
| 35-49 | 107 | 4.7 | 20 | 1 | 1 | 4 | 6 | 8 | 11 | 59 |
| 50-64 | 71 | 5.2 | 46 | 1 | 2 | 4 | 5 | 9 | 13 | 47 |
| 65+ | 41 | 9.7 | 69 | 2 | 2 | 8 | 12 | 28 | 59 | 99+ |
| GRAND TOTAL | 935 | 5.2 | 31 | 1 | 2 | 4 | 6 | 9 | 15 | 38 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 62 | 2.6 | 6 | <1 | 1 | 2 | 3 | 6 | 10 | 11 |
| 20-34 | 111 | 4.4 | 63 | <1 | 1 | 2 | 4 | 7 | 21 | 48 |
| 35-49 | 42 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 50-64 | 40 | 2.4 | 2 | <1 | 1 | 2 | 3 | 6 | 5 | 6 |
| 65+ | 25 | 3.7 | 13 | <1 | 1 | 2 | 4 | 7 | 14 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 36 | 6.6 | 107 | 1 | 1 | 4 | 6 | 14 | 32 | 52 |
| 20-34 | 69 | 5.6 | 53 | 1 | 1 | 2 | 8 | 20 | 24 | 29 |
| 35-49 | 51 | 6.2 | 54 | 1 | 1 | 4 | 8 | 12 | 26 | 38 |
| 50-64 | 46 | 8.3 | 114 | 1 | 1 | 3 | 12 | 20 | 36 | 49 |
| 65+ | 20 | 11.8 | 432 | 1 | 2 | 4 | 11 | 59 | 98 | 99+ |
| TOT. SINGLE DX | 280 | 3.3 | 29 | <1 | 1 | 2 | 3 | 6 | 10 | 30 |
| " MULTIPLE DX | 222 | 7.0 | 109 | 1 | 1 | 3 | 8 | 17 | 28 | 63 |
| TOTAL 0-19 YRS | 98 | 4.0 | 47 | 1 | 1 | 2 | 4 | 9 | 13 | 46 |
| 20-34 | 180 | 4.9 | 60 | <1 | 1 | 2 | 4 | 12 | 24 | 41 |
| 35-49 | 93 | 4.5 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| 50-64 | 86 | 5.5 | 70 | 1 | 1 | 2 | 5 | 14 | 21 | 45 |
| 65+ | 45 | 7.3 | 210 | 1 | 1 | 3 | 7 | 16 | 48 | 99+ |
| GRAND TOTAL | 502 | 4.9 | 68 | 1 | 1 | 2 | 5 | 11 | 20 | 47 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 9 | 10.0 | 170 | 1 | 1 | 2 | 18 | 31 | 39 | 39 |
| 20-34 | 3 | 8.7 | 25 | 4 | 4 | 8 | 12 | 14 | 14 | 14 |
| 35-49 | 3 | 5.7 | 32 | 1 | 1 | 4 | 10 | 12 | 12 | 12 |
| 50-64 | 3 | 10.0 | 3 | 9 | 9 | 9 | 11 | 12 | 12 | 12 |
| 65+ | 1 | 14.0 |  | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 1 | 49.0 |  | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| 20-34 | 6 | 17.2 | 665 | 1 | 1 | 8 | 13 | 63 | 69 | 69 |
| 35-49 | 3 | 35.0 | 597 | 7 | 7 | 46 | 50 | 52 | 52 | 52 |
| 50-64 | 3 | 19.7 | 289 | 7 | 7 | 13 | 32 | 39 | 39 | 39 |
| 65+ | 4 | 3.8 | 13 | 1 | 1 | 3 | 32 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 19 | 9.3 | 86 | 1 | 1 | 8 | 13 | 19 | 30 | 39 |
| " MULTIPLE DX | 17 | 19.5 | 485 | 1 | 1 | 10 | 46 | 64 | 88 | 99+ |
| TOTAL 0-19 YRS | 10 | 13.9 | 304 | 1 | 1 | 5 | 19 | 44 | 49 | 49 |
| 20-34 | 9 | 14.3 | 440 | 1 | 2 | 8 | 13 | 47 | 69 | 69 |
| 35-49 | 6 | 20.3 | 510 | 1 | 1 | 9 | 46 | 51 | 52 | 52 |
| 50-64 | 6 | 14.8 | 145 | 7 | 7 | 11 | 13 | 36 | 39 | 39 |
| 65+ | 5 | 5.8 | 31 | 1 | 1 | 6 | 14 | 91 | 99+ | 99+ |
| GRAND TOTAL | 36 | 14.1 | 292 | 1 | 1 | 9 | 15 | 48 | 63 | 99+ |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 18 | 5.1 | 31 | <1 | 1 | 3 | 6 | 11 | 20 | 24 |
| 20-34 | 21 | 6.8 | 56 | 1 | 2 | 5 | 7 | 12 | 24 | 36 |
| 35-49 | 16 | 13.6 | 252 | 1 | 2 | 4 | 29 | 37 | 45 | 48 |
| 50-64 | 18 | 12.7 | 142 | 1 | 2 | 9 | 14 | 36 | 39 | 40 |
| 65+ | 32 | 10.5 | 185 | 1 | 2 | 7 | 12 | 34 | 64 | 99+ |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 13 | 11.2 | 152 | 1 | 1 | 4 | 25 | 29 | 34 | 35 |
| 20-34 | 26 | 13.4 | 216 | 1 | 2 | 7 | 17 | 38 | 44 | 56 |
| 35-49 | 21 | 15.3 | 165 | 2 | 3 | 12 | 25 | 39 | 69 | 99+ |
| 50-64 | 57 | 24.4 | 472 | 2 | 3 | 17 | 45 | 64 | 72 | 99+ |
| 65+ | 104 | 21.7 | 377 | 3 | 4 | 17 | 32 | 83 | 99+ | 99+ |
| TOT. SINGLE DX | 105 | 9.7 | 141 | 1 | 2 | 6 | 10 | 33 | 37 | 83 |
| " MULTIPLE DX | 221 | 20.2 | 363 | 2 | 3 | 15 | 31 | 58 | 92 | 99+ |
| TOTAL 0-19 YRS | 31 | 7.6 | 89 | 1 | 1 | 3 | 7 | 26 | 27 | 35 |
| 20-34 | 47 | 10.4 | 153 | 1 | 2 | 6 | 12 | 34 | 38 | 56 |
| 35-49 | 37 | 14.6 | 198 | 2 | 3 | 7 | 28 | 36 | 48 | 99+ |
| 50-64 | 75 | 21.6 | 416 | 1 | 2 | 12 | 37 | 60 | 70 | 99+ |
| 65+ | 136 | 19.1 | 353 | 2 | [illegible] | 14 | 28 | 65 | 99+ | 99+ |
| GRAND TOTAL | 326 | 16.8 | 315 | 1 | 2 | 11 | 26 | 50 | 72 | 99+ |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 16.3 | 122 | 6 | 6 | 15 | 25 | 28 | 28 | 28 |
| 20-34 | 5 | 24.2 | 243 | 8 | 8 | 28 | 37 | 42 | 42 | 42 |
| 35-49 | 4 | 21.3 | 137 | 8 | 8 | 22 | 31 | 33 | 33 | 33 |
| 50-64 | 7 | 37.7 | 1079 | 5 | 6 | 22 | 69 | 81 | 83 | 83 |
| 65+ | 6 | 33.2 | 428 | 6 | 9 | 33 | 61 | 94 | 99+ | 99+ |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 39.5 | 627 | 14 | 14 | 41 | 61 | 61 | 61 | 61 |
| 20-34 | 5 | 40.0 | 762 | 17 | 17 | 38 | 86 | 99 | 99+ | 99+ |
| 35-49 | 17 | 37.7 | 632 | 8 | 11 | 34 | 73 | 96 | 99+ | 99+ |
| 50-64 | 47 | 42.5 | 509 | 11 | 14 | 44 | 71 | 99+ | 99+ | 99+ |
| 65+ | 110 | 38.3 | 512 | 11 | 14 | 39 | 73 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 25 | 28.7 | 488 | 6 | 6 | 28 | 41 | 72 | 86 | 99+ |
| " MULTIPLE DX | 183 | 39.4 | 522 | 11 | 14 | 40 | 72 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 7 | 29.6 | 508 | 6 | 8 | 22 | 53 | 61 | 61 | 61 |
| 20-34 | 10 | 32.1 | 516 | 8 | 8 | 35 | 41 | 92 | 99 | 99+ |
| 35-49 | 21 | 34.6 | 570 | 8 | 10 | 31 | 59 | 92 | 99+ | 99+ |
| 50-64 | 54 | 41.9 | 567 | 8 | 12 | 44 | 71 | 99+ | 99+ | 99+ |
| 65+ | 116 | 38.0 | 506 | 11 | 14 | 38 | 72 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 208 | 38.1 | 528 | 9 | 13 | 39 | 70 | 99+ | 99+ | 99+ |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 3 | 20.3 | 225 | 5 | 5 | 21 | 31 | 35 | 35 | 35 |
| 20-34 | 2 | 33.0 | 18 | 30 | 30 | 33 | 36 | 36 | 36 | 36 |
| 35-49 | 2 | 23.0 | 18 | 20 | 20 | 23 | 26 | 26 | 26 | 26 |
| 50-64 | 7 | 27.3 | 100 | 18 | 18 | 25 | 31 | 44 | 47 | 47 |
| 65+ | 15 | 17.2 | 24 | 11 | 11 | 17 | 21 | 24 | 25 | 26 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-19 YRS | 4 | 18.5 | 499 | 6 | 6 | 8 | 30 | 52 | 52 | 52 |
| 20-34 | 5 | 47.4 | 652 | 20 | 20 | 54 | 70 | 72 | 72 | 72 |
| 35-49 | 4 | 46.3 | 55 | 38 | 38 | 47 | 52 | 53 | 53 | 53 |
| 50-64 | 37 | 40.8 | 820 | 9 | 14 | 30 | 83 | 99+ | 99+ | 99+ |
| 65+ | 146 | 33.2 | 451 | 8 | 11 | 30 | 52 | 81 | 99+ | 99+ |
| TOT. SINGLE DX | 29 | 21.4 | 79 | 10 | 11 | 20 | 26 | 34 | 37 | 47 |
| " MULTIPLE DX | 196 | 35.0 | 530 | 8 | 12 | 31 | 57 | 86 | 99+ | 99+ |
| TOTAL 0-19 YRS | 7 | 19.3 | 326 | 5 | 5 | 8 | 31 | 49 | 52 | 52 |
| 20-34 | 7 | 43.3 | 487 | 20 | 20 | 36 | 66 | 72 | 72 | 72 |
| 35-49 | 6 | 38.5 | 181 | 20 | 21 | 40 | 52 | 53 | 53 | 53 |
| 50-64 | 44 | 38.7 | 726 | 12 | 15 | 28 | 76 | 97 | 99+ | 99+ |
| 65+ | 161 | 31.7 | 433 | 8 | 11 | 26 | 48 | 78 | 99+ | 99+ |
| GRAND TOTAL | 225 | 33.2 | 492 | 8 | 11 | 27 | 53 | 84 | 99+ | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 15.3 | 374 | <1 | 1 | 7 | 17 | 49 | 57 | 57 |
| 20-34 | 2 | 36.5 | 113 | 29 | 29 | 36 | 44 | 44 | 44 | 44 |
| 35-49 | 2 | 24.5 | 925 | 3 | 3 | 24 | 46 | 46 | 46 | 46 |
| 50-64 | 3 | 8.7 | 32 | 4 | 4 | 7 | 13 | 15 | 15 | 15 |
| 65+ | 2 | 33.0 | 8 | 31 | 31 | 33 | 35 | 35 | 35 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 20-34 | 5 | 22.2 | 139 | 9 | 9 | 25 | 30 | 38 | 38 | 38 |
| 35-49 | 4 | 40.0 | 785 | 15 | 15 | 38 | 64 | 69 | 69 | 69 |
| 50-64 | 16 | 36.8 | 456 | 8 | 13 | 32 | 55 | 78 | 93 | 99+ |
| 65+ | 22 | 33.4 | 164 | 16 | 18 | 34 | 58 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 16 | 20.1 | 321 | 1 | 3 | 14 | 33 | 46 | 54 | 57 |
| " MULTIPLE DX | 50 | 32.2 | 335 | 7 | 11 | 31 | 54 | 99+ | 99+ | 99+ |
| TOTAL 0-19 YRS | 10 | 12.4 | 271 | <1 | 2 | 6 | 13 | 38 | 57 | 57 |
| 20-34 | 7 | 26.3 | 161 | 9 | 10 | 27 | 36 | 43 | 44 | 44 |
| 35-49 | 6 | 34.8 | 720 | 3 | 4 | 31 | 59 | 68 | 69 | 69 |
| 50-64 | 19 | 32.4 | 495 | 5 | 7 | 25 | 53 | 74 | 90 | 99+ |
| 65+ | 24 | 33.4 | 150 | 16 | 18 | 33 | 57 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 66 | 29.3 | 355 | 4 | 6 | 29 | 49 | 85 | 99+ | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 20-34 | 3 | 6.0 | 31 | <1 | <1 | 5 | 10 | 12 | 12 | 12 |
| 35-49 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 50-64 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 5 | 14.4 | 181 | 1 | 1 | 11 | 28 | 30 | 30 | 30 |
| 20-34 | 4 | 14.3 | 306 | 1 | 1 | 8 | 24 | 40 | 40 | 40 |
| 35-49 | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 50-64 | 5 | 11.2 | 181 | 1 | 1 | 3 | 23 | 30 | 30 | 30 |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 10 | 5.5 | 23 | <1 | <1 | 4 | 11 | 12 | 13 | 13 |
| " MULTIPLE DX | 16 | 12.4 | 166 | 1 | 1 | 8 | 24 | 30 | 37 | 40 |
| TOTAL 0-19 YRS | 9 | 9.3 | 128 | 1 | 1 | 3 | 15 | 29 | 30 | 30 |
| 20-34 | 7 | 10.7 | 183 | <1 | <1 | 7 | 11 | 34 | 40 | 40 |
| 35-49 | 3 | 8.3 | 14 | 4 | 4 | 10 | 11 | 11 | 11 | 11 |
| 50-64 | 6 | 9.5 | 162 | 1 | 1 | 2 | 21 | 29 | 30 | 30 |
| 65+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| GRAND TOTAL | 26 | 9.8 | 120 | <1 | 1 | 5 | 12 | 29 | 32 | 40 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 24 | 2.8 | 5 | <1 | 1 | 2 | 3 | 7 | 8 | 11 |
| 20-34 | 28 | 3.5 | 7 | 1 | 1 | 3 | 4 | 8 | 9 | 10 |
| 35-49 | 14 | 6.4 | 90 | <1 | <1 | 2 | 8 | 22 | 31 | 33 |
| 50-64 | 18 | 9.0 | 112 | <1 | 1 | 4 | 10 | 27 | 32 | 36 |
| 65+ | 14 | 8.8 | 63 | 1 | 1 | 6 | 11 | 23 | 24 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7 | 7.7 | 63 | 2 | 2 | 4 | 13 | 21 | 22 | 22 |
| 20-34 | 11 | 7.3 | 34 | <1 | 1 | 5 | 12 | 16 | 19 | 19 |
| 35-49 | 14 | 17.4 | 295 | <1 | 1 | 12 | 30 | 37 | 55 | 60 |
| 50-64 | 27 | 13.3 | 267 | 1 | 2 | 6 | 17 | 39 | 50 | 70 |
| 65+ | 15 | 24.3 | 335 | 2 | 5 | 23 | 30 | 73 | 93 | 99+ |
| TOT. SINGLE DX | 98 | 5.5 | 51 | <1 | 1 | 3 | 7 | 11 | 24 | 35 |
| " MULTIPLE DX | 74 | 14.9 | 256 | 1 | 2 | 9 | 22 | 34 | 57 | 94 |
| TOTAL 0-19 YRS | 31 | 3.9 | 22 | 1 | 1 | 2 | 4 | 9 | 16 | 22 |
| 20-34 | 39 | 4.6 | 17 | <1 | 1 | 3 | 7 | 10 | 14 | 19 |
| 35-49 | 28 | 11.9 | 218 | <1 | <1 | 4 | 18 | 33 | 37 | 60 |
| 50-64 | 45 | 11.6 | 206 | 1 | 1 | 5 | 16 | 27 | 44 | 70 |
| 65+ | 29 | 16.8 | 259 | 1 | 2 | 12 | 24 | 39 | 76 | 99+ |
| GRAND TOTAL | 172 | 9.5 | 160 | 1 | 1 | 4 | 11 | 26 | 34 | 75 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 35-49 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 50-64 | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 35-49 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | 5 | 8.4 | 35 | 2 | 2 | 9 | 13 | 16 | 16 | 16 |
| " MULTIPLE DX | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 35-49 | 3 | 5.7 | 12 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 50-64 | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | 7 | 8.3 | 25 | 2 | 2 | 9 | 11 | 15 | 16 | 16 |

### 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 130 | 2.1 | 1 | <1 | <1 | 2 | 3 | 3 | 5 | 7 |
| 20-34 | 615 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 35-49 | 993 | 2.5 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 50-64 | 500 | 3.2 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 65+ | 270 | 4.9 | 25 | 2 | 2 | 3 | 6 | 11 | 13 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 20 | 3.0 | 12 | <1 | <1 | 2 | 3 | 7 | 12 | 16 |
| 20-34 | 224 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 35-49 | 459 | 3.6 | 22 | <1 | <1 | 2 | 4 | 7 | 11 | 22 |
| 50-64 | 374 | 5.4 | 45 | <1 | 2 | 3 | 6 | 11 | 19 | 39 |
| 65+ | 290 | 9.1 | 117 | 1 | 2 | 5 | 11 | 24 | 34 | 87 |
| TOT. SINGLE DX | 2508 | 2.8 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| " MULTIPLE DX | 1367 | 5.2 | 51 | <1 | 1 | 3 | 5 | 11 | 18 | 41 |
| TOTAL 0-19 YRS | 150 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 20-34 | 839 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| 35-49 | 1452 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| 50-64 | 874 | 4.1 | 26 | <1 | 1 | 3 | 4 | 9 | 13 | 27 |
| 65+ | 560 | 7.1 | 78 | 2 | 2 | 4 | 8 | 16 | 25 | 59 |
| GRAND TOTAL | 3875 | 3.6 | 24 | <1 | <1 | 2 | 3 | 7 | 11 | 26 |

### 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 44 | 2.6 | 2 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| 20-34 | 46 | 3.5 | 8 | <1 | <1 | 3 | 4 | 7 | 10 | 14 |
| 35-49 | 40 | 7.2 | 14 | 2 | 3 | 7 | 9 | 10 | 14 | 21 |
| 50-64 | 60 | 6.7 | 16 | 2 | 2 | 6 | 9 | 14 | 15 | 17 |
| 65+ | 84 | 9.1 | 47 | 2 | 3 | 8 | 11 | 15 | 21 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 6 | 5.2 | 21 | 1 | 1 | 4 | 6 | 13 | 14 | 14 |
| 20-34 | 7 | 4.1 | 25 | <1 | <1 | 2 | 5 | 13 | 15 | 15 |
| 35-49 | 33 | 6.9 | 8 | 1 | 2 | 7 | 8 | 11 | 11 | 14 |
| 50-64 | 62 | 8.5 | 31 | 2 | 3 | 8 | 11 | 15 | 17 | 32 |
| 65+ | 93 | 12.0 | 62 | 3 | 4 | 10 | 16 | 23 | 37 | 99+ |
| TOT. SINGLE DX | 274 | 6.3 | 28 | <1 | 2 | 5 | 9 | 12 | 15 | 30 |
| " MULTIPLE DX | 201 | 9.6 | 47 | 2 | 3 | 8 | 13 | 18 | 24 | 67 |
| TOTAL 0-19 YRS | 50 | 2.9 | 5 | <1 | <1 | 2 | 4 | 5 | 8 | 14 |
| 20-34 | 53 | 3.6 | 11 | <1 | <1 | 3 | 4 | 7 | 13 | 15 |
| 35-49 | 73 | 7.1 | 12 | 2 | 2 | 7 | 9 | 10 | 13 | 20 |
| 50-64 | 122 | 7.6 | 25 | 2 | 2 | 7 | 10 | 14 | 16 | 27 |
| 65+ | 177 | 10.6 | 57 | 3 | 3 | 9 | 13 | 20 | 32 | 83 |
| GRAND TOTAL | 475 | 7.7 | 39 | 1 | 2 | 7 | 10 | 15 | 19 | 38 |

### 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 26 | 8.5 | 7 | 5 | 5 | 8 | 11 | 13 | 14 | 15 |
| 35-49 | 153 | 8.9 | 14 | 5 | 5 | 8 | 10 | 14 | 16 | 22 |
| 50-64 | 237 | 9.5 | 14 | 5 | 6 | 9 | 11 | 14 | 17 | 23 |
| 65+ | 167 | 10.9 | 25 | 6 | 6 | 10 | 12 | 16 | 20 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 27 | 9.1 | 11 | 4 | 5 | 9 | 10 | 13 | 17 | 20 |
| 35-49 | 183 | 10.1 | 23 | 5 | 6 | 9 | 11 | 16 | 21 | 29 |
| 50-64 | 287 | 11.6 | 60 | 6 | 6 | 10 | 13 | 19 | 22 | 49 |
| 65+ | 323 | 12.9 | 39 | 6 | 8 | 11 | 15 | 22 | 26 | 37 |
| TOT. SINGLE DX | 583 | 9.7 | 18 | 5 | 6 | 9 | 11 | 14 | 18 | 29 |
| " MULTIPLE DX | 820 | 11.7 | 44 | 6 | 6 | 10 | 13 | 20 | 24 | 33 |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | 53 | 8.8 | 9 | 4 | 5 | 9 | 10 | 13 | 15 | 20 |
| 35-49 | 336 | 9.5 | 20 | 5 | 6 | 8 | 11 | 16 | 19 | 29 |
| 50-64 | 524 | 10.7 | 41 | 5 | 6 | 9 | 12 | 17 | 21 | 32 |
| 65+ | 490 | 12.2 | 36 | 6 | 7 | 11 | 14 | 20 | 25 | 34 |
| GRAND TOTAL | 1403 | 10.9 | 34 | 5 | 6 | 9 | 12 | 18 | 22 | 32 |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 146 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 20-34 | 543 | 3.5 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 35-49 | 243 | 3.9 | 7 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 50-64 | 119 | 5.6 | 40 | 2 | 2 | 4 | 6 | 9 | 11 | 38 |
| 65+ | 30 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 68 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 11 | 12 |
| 20-34 | 335 | 4.0 | 24 | <1 | <1 | 4 | 5 | 7 | 9 | 14 |
| 35-49 | 195 | 5.3 | 20 | <1 | 2 | 4 | 6 | 9 | 14 | 28 |
| 50-64 | 123 | 6.1 | 33 | 1 | 2 | 5 | 7 | 11 | 19 | 32 |
| 65+ | 34 | 8.9 | 136 | 2 | 3 | 6 | 8 | 16 | 20 | 70 |
| TOT. SINGLE DX | 1081 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| " MULTIPLE DX | 755 | 4.9 | 29 | <1 | 1 | 4 | 6 | 8 | 12 | 25 |
| TOTAL 0-19 YRS | 214 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 20-34 | 878 | 3.7 | 12 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 35-49 | 438 | 4.5 | 14 | <1 | 1 | 4 | 5 | 8 | 11 | 18 |
| 50-64 | 242 | 5.8 | 37 | 2 | 2 | 5 | 7 | 9 | 15 | 29 |
| 65+ | 64 | 6.8 | 80 | 2 | 2 | 5 | 7 | 12 | 16 | 63 |
| GRAND TOTAL | 1836 | 4.3 | 18 | <1 | 1 | 4 | 5 | 7 | 10 | 17 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 512 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 20-34 | 947 | 4.7 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 35-49 | 111 | 5.0 | 17 | 1 | 2 | 4 | 6 | 8 | 10 | 28 |
| 50-64 | 18 | 5.5 | 11 | 1 | 2 | 5 | 8 | 11 | 12 | 12 |
| 65+ | 6 | 3.8 | 3 | 2 | 2 | 3 | 6 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 61 | 7.7 | 29 | 2 | 2 | 6 | 10 | 16 | 19 | 25 |
| 20-34 | 124 | 6.5 | 44 | 1 | 2 | 4 | 7 | 13 | 24 | 35 |
| 35-49 | 33 | 4.6 | 8 | <1 | 2 | 4 | 6 | 10 | 10 | 12 |
| 50-64 | 8 | 9.5 | 67 | 3 | 3 | 6 | 13 | 24 | 26 | 26 |
| 65+ | 4 | 33.5 | 1761 | 2 | 2 | 18 | 59 | 95 | 95 | 95 |
| TOT. SINGLE DX | 1594 | 4.7 | 13 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| " MULTIPLE DX | 230 | 7.1 | 71 | 1 | 2 | 5 | 8 | 14 | 21 | 35 |
| TOTAL 0-19 YRS | 573 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 13 | 19 |
| 20-34 | 1071 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |
| 35-49 | 144 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 10 | 28 |
| 50-64 | 26 | 6.7 | 30 | 2 | 2 | 5 | 8 | 12 | 20 | 26 |
| 65+ | 10 | 15.7 | 824 | 2 | 2 | 5 | 13 | 59 | 95 | 95 |
| GRAND TOTAL | 1824 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 11 | 20 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 511 | 3.2 | 24 | <1 | <1 | 2 | 3 | 7 | 11 | 28 |
| 20-34 | 457 | 3.3 | 24 | <1 | <1 | 2 | 3 | 7 | 10 | 25 |
| 35-49 | 299 | 3.7 | 24 | <1 | <1 | 2 | 4 | 9 | 12 | 22 |
| 50-64 | 284 | 5.6 | 51 | <1 | <1 | 3 | 6 | 14 | 21 | 37 |
| 65+ | 208 | 7.2 | 78 | <1 | 1 | 4 | 8 | 20 | 27 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 166 | 7.2 | 101 | <1 | 1 | 4 | 8 | 16 | 33 | 50 |
| 20-34 | 262 | 7.9 | 97 | <1 | <1 | 4 | 10 | 22 | 30 | 74 |
| 35-49 | 262 | 9.8 | 129 | <1 | <1 | 5 | 13 | 25 | 32 | 59 |
| 50-64 | 348 | 11.3 | 154 | <1 | 2 | 8 | 16 | 26 | 42 | 99+ |
| 65+ | 502 | 15.3 | 238 | 2 | 2 | 11 | 21 | 42 | 64 | 99+ |
| TOT. SINGLE DX | 1759 | 4.2 | 37 | <1 | <1 | 2 | 4 | 9 | 15 | 32 |
| " MULTIPLE DX | 1540 | 11.3 | 171 | <1 | 1 | 7 | 16 | 28 | 46 | 99+ |
| TOTAL 0-19 YRS | 677 | 4.2 | 47 | <1 | <1 | 2 | 4 | 9 | 15 | 42 |
| 20-34 | 719 | 5.0 | 56 | <1 | <1 | 2 | 5 | 12 | 21 | 37 |
| 35-49 | 561 | 6.6 | 82 | <1 | <1 | 3 | 8 | 18 | 25 | 49 |
| 50-64 | 632 | 8.7 | 116 | <1 | 1 | 5 | 12 | 22 | 30 | 90 |
| 65+ | 710 | 12.9 | 205 | 1 | 2 | 8 | 18 | 33 | 52 | 99+ |
| GRAND TOTAL | 3299 | 7.5 | 112 | <1 | <1 | 3 | 9 | 20 | 29 | 72 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 760 | 4.9 | 40 | <1 | 1 | 3 | 6 | 11 | 17 | 34 |
| 20-34 | 609 | 4.4 | 34 | <1 | 1 | 2 | 5 | 10 | 14 | 28 |
| 35-49 | 282 | 5.7 | 49 | <1 | 1 | 3 | 7 | 14 | 19 | 54 |
| 50-64 | 198 | 6.6 | 47 | 1 | 1 | 4 | 9 | 15 | 19 | 38 |
| 65+ | 159 | 11.6 | 250 | <1 | 1 | 6 | 14 | 30 | 48 | 98 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 1058 | 6.1 | 82 | <1 | 1 | 3 | 7 | 14 | 23 | 57 |
| 20-34 | 1272 | 6.7 | 110 | <1 | 1 | 3 | 7 | 14 | 28 | 68 |
| 35-49 | 574 | 9.5 | 140 | <1 | 1 | 5 | 12 | 25 | 38 | 76 |
| 50-64 | 546 | 11.9 | 219 | 1 | 1 | 6 | 16 | 33 | 51 | 99+ |
| 65+ | 632 | 16.8 | 370 | 1 | 2 | 10 | 24 | 54 | 83 | 99+ |
| TOT. SINGLE DX | 2008 | 5.6 | 61 | <1 | 1 | 3 | 6 | 13 | 20 | 42 |
| " MULTIPLE DX | 4082 | 9.2 | 177 | 1 | 1 | 4 | 11 | 26 | 43 | 99+ |
| TOTAL 0-19 YRS | 1818 | 5.6 | 65 | <1 | 1 | 3 | 6 | 12 | 21 | 44 |
| 20-34 | 1881 | 6.0 | 87 | <1 | 1 | 3 | 6 | 13 | 23 | 60 |
| 35-49 | 856 | 8.3 | 113 | <1 | 1 | 4 | 11 | 22 | 32 | 71 |
| 50-64 | 744 | 10.5 | 179 | 1 | 1 | 6 | 14 | 28 | 42 | 99+ |
| 65+ | 791 | 15.8 | 350 | 1 | 1 | 9 | 22 | 50 | 77 | 99+ |
| GRAND TOTAL | 6090 | 8.0 | 141 | <1 | 1 | 4 | 9 | 21 | 35 | 87 |

### 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 156 | 12.9 | 198 | 1 | 1 | 10 | 18 | 28 | 41 | 77 |
| 20-34 | 126 | 10.9 | 131 | <1 | 1 | 7 | 14 | 28 | 37 | 49 |
| 35-49 | 64 | 13.9 | 201 | <1 | 1 | 11 | 18 | 31 | 43 | 70 |
| 50-64 | 52 | 19.2 | 251 | 1 | 2 | 13 | 31 | 40 | 48 | 66 |
| 65+ | 59 | 21.7 | 319 | 2 | 3 | 20 | 37 | 51 | 68 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 94 | 21.6 | 369 | 2 | 3 | 16 | 30 | 49 | 67 | 98 |
| 20-34 | 101 | 20.1 | 304 | 2 | 2 | 14 | 31 | 47 | 52 | 94 |
| 35-49 | 63 | 22.7 | 288 | 2 | 5 | 19 | 33 | 49 | 55 | 98 |
| 50-64 | 82 | 27.6 | 365 | 2 | 7 | 26 | 38 | 55 | 75 | 99+ |
| 65+ | 133 | 32.6 | 434 | 2 | 7 | 32 | 50 | 64 | 78 | 99+ |
| TOT. SINGLE DX | 457 | 14.4 | 214 | 1 | 1 | 10 | 21 | 36 | 46 | 74 |
| " MULTIPLE DX | 473 | 25.6 | 385 | 2 | 3 | 22 | 38 | 54 | 73 | 99+ |
| TOTAL 0-19 YRS | 250 | 16.2 | 279 | 1 | 1 | 11 | 23 | 37 | 53 | 83 |
| 20-34 | 227 | 15.0 | 228 | 1 | 2 | 10 | 21 | 39 | 47 | 77 |
| 35-49 | 127 | 18.3 | 262 | 1 | 2 | 14 | 27 | 46 | 51 | 90 |
| 50-64 | 134 | 24.4 | 336 | 2 | 3 | 22 | 36 | 51 | 65 | 99+ |
| 65+ | 192 | 29.2 | 422 | 2 | 3 | 27 | 46 | 62 | 77 | 99+ |
| GRAND TOTAL | 930 | 20.1 | 332 | 1 | 2 | 15 | 30 | 48 | 60 | 99+ |

### 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 8.5 | 128 | 1 | 1 | 4 | 10 | 19 | 39 | 45 |
| 20-34 | 29 | 9.6 | 70 | 1 | 1 | 6 | 15 | 24 | 26 | 28 |
| 35-49 | 22 | 11.3 | 290 | <1 | 1 | 5 | 16 | 20 | 46 | 80 |
| 50-64 | 4 | 10.0 | 84 | 3 | 3 | 7 | 16 | 23 | 23 | 23 |
| 65+ | 6 | 13.5 | 156 | 4 | 4 | 10 | 32 | 87 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15 | 17.3 | 416 | 2 | 2 | 7 | 27 | 48 | 64 | 70 |
| 20-34 | 19 | 22.4 | 452 | <1 | 1 | 12 | 38 | 46 | 61 | 71 |
| 35-49 | 13 | 21.4 | 352 | 3 | 4 | 15 | 32 | 47 | 64 | 68 |
| 50-64 | 19 | 24.7 | 597 | 1 | 1 | 21 | 37 | 63 | 78 | 83 |
| 65+ | 12 | 24.7 | 291 | 2 | 3 | 32 | 43 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 86 | 10.0 | 146 | 1 | 1 | 5 | 16 | 23 | 36 | 93 |
| " MULTIPLE DX | 78 | 22.2 | 425 | 1 | 2 | 16 | 38 | 48 | 72 | 99+ |
| TOTAL 0-19 YRS | 40 | 11.8 | 247 | 1 | 1 | 5 | 17 | 37 | 46 | 70 |
| 20-34 | 48 | 14.6 | 255 | 1 | 1 | 8 | 23 | 38 | 45 | 71 |
| 35-49 | 35 | 15.1 | 329 | 1 | 1 | 10 | 19 | 38 | 61 | 80 |
| 50-64 | 23 | 22.1 | 533 | 1 | 1 | 15 | 34 | 52 | 76 | 83 |
| 65+ | 18 | 20.9 | 264 | 3 | 3 | 22 | 42 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 164 | 15.8 | 314 | 1 | 1 | 8 | 25 | 43 | 68 | 99+ |

### 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 356 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| 20-34 | 336 | 3.2 | 5 | <1 | <1 | 3 | 4 | 6 | 8 | 11 |
| 35-49 | 189 | 3.9 | 5 | <1 | <1 | 4 | 5 | 7 | 8 | 12 |
| 50-64 | 182 | 3.7 | 8 | <1 | <1 | 3 | 4 | 6 | 9 | 13 |
| 65+ | 78 | 4.3 | 19 | <1 | 1 | 3 | 5 | 7 | 13 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 94 | 6.0 | 109 | <1 | <1 | 2 | 6 | 15 | 16 | 67 |
| 20-34 | 188 | 5.7 | 19 | <1 | 2 | 5 | 7 | 9 | 12 | 26 |
| 35-49 | 195 | 5.7 | 26 | <1 | 2 | 4 | 7 | 10 | 13 | 30 |
| 50-64 | 184 | 6.3 | 40 | 1 | 1 | 4 | 7 | 16 | 19 | 44 |
| 65+ | 146 | 12.6 | 203 | 1 | 2 | 8 | 17 | 33 | 59 | 99+ |
| TOT. SINGLE DX | 1141 | 3.3 | 7 | <1 | <1 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 807 | 7.1 | 76 | 1 | 1 | 5 | 8 | 15 | 22 | 75 |
| TOTAL 0-19 YRS | 450 | 3.4 | 30 | <1 | <1 | 2 | 3 | 7 | 10 | 18 |
| 20-34 | 524 | 4.1 | 12 | <1 | <1 | 4 | 5 | 7 | 9 | 17 |
| 35-49 | 384 | 4.8 | 17 | <1 | 1 | 4 | 6 | 8 | 11 | 24 |
| 50-64 | 366 | 5.0 | 25 | <1 | 1 | 4 | 5 | 10 | 16 | 26 |
| 65+ | 224 | 9.7 | 155 | 1 | 1 | 6 | 12 | 24 | 38 | 99+ |
| GRAND TOTAL | 1948 | 4.9 | 39 | <1 | <1 | 3 | 6 | 9 | 15 | 35 |

### 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 10 | 6.2 | 26 | 1 | 1 | 4 | 9 | 14 | 17 | 17 |
| 35-49 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 50-64 | 4 | 12.8 | 58 | 2 | 2 | 14 | 17 | 20 | 20 | 20 |
| 65+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 4 | 9.3 | 11 | 6 | 6 | 8 | 11 | 14 | 14 | 14 |
| 20-34 | 6 | 6.0 | 42 | 1 | 1 | 3 | 9 | 17 | 18 | 18 |
| 35-49 | 9 | 16.1 | 207 | 7 | 7 | 10 | 17 | 39 | 53 | 53 |
| 50-64 | 3 | 11.7 | 25 | 7 | 7 | 11 | 15 | 17 | 17 | 17 |
| 65+ | 5 | 19.4 | 367 | 3 | 3 | 14 | 32 | 49 | 49 | 49 |
| TOT. SINGLE DX | 18 | 6.9 | 37 | 1 | 1 | 4 | 12 | 16 | 19 | 20 |
| " MULTIPLE DX | 27 | 13.0 | 157 | 2 | 3 | 9 | 16 | 25 | 50 | 53 |
| TOTAL 0-19 YRS | 4 | 9.3 | 12 | 6 | 6 | 8 | 11 | 14 | 14 | 14 |
| 20-34 | 16 | 6.1 | 30 | 1 | 1 | 3 | 9 | 16 | 18 | 18 |
| 35-49 | 12 | 12.8 | 189 | 1 | 2 | 9 | 15 | 29 | 50 | 53 |
| 50-64 | 7 | 12.3 | 38 | 2 | 3 | 14 | 16 | 19 | 20 | 20 |
| 65+ | 6 | 16.8 | 333 | 3 | 3 | 9 | 27 | 47 | 49 | 49 |
| GRAND TOTAL | 45 | 10.6 | 116 | 1 | 2 | 8 | 14 | 19 | 32 | 53 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 71 | 6.8 | 54 | 1 | 1 | 4 | 9 | 16 | 22 | 39 |
| 20-34 | 697 | 4.6 | 22 | 1 | 1 | 3 | 6 | 10 | 13 | 25 |
| 35-49 | 833 | 4.6 | 23 | 1 | 1 | 3 | 6 | 11 | 15 | 23 |
| 50-64 | 484 | 5.6 | 41 | 1 | 1 | 3 | 8 | 14 | 18 | 32 |
| 65+ | 117 | 5.7 | 41 | 1 | 1 | 3 | 6 | 14 | 20 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 42 | 6.7 | 40 | 1 | 1 | 4 | 10 | 15 | 18 | 30 |
| 20-34 | 375 | 6.2 | 47 | 1 | 1 | 4 | 8 | 13 | 19 | 31 |
| 35-49 | 534 | 7.2 | 58 | 1 | 1 | 4 | 10 | 16 | 23 | 37 |
| 50-64 | 495 | 8.4 | 88 | 1 | 1 | 5 | 11 | 19 | 27 | 47 |
| 65+ | 187 | 12.5 | 183 | 1 | 1 | 9 | 17 | 25 | 33 | 79 |
| TOT. SINGLE DX | 2202 | 5.0 | 30 | 1 | 1 | 3 | 6 | 11 | 16 | 26 |
| " MULTIPLE DX | 1633 | 7.9 | 82 | 1 | 1 | 5 | 11 | 18 | 25 | 44 |
| TOTAL 0-19 YRS | 113 | 6.8 | 49 | 1 | 1 | 4 | 9 | 16 | 20 | 34 |
| 20-34 | 1072 | 5.2 | 32 | 1 | 1 | 3 | 7 | 11 | 15 | 29 |
| 35-49 | 1367 | 5.6 | 39 | 1 | 1 | 3 | 7 | 13 | 18 | 29 |
| 50-64 | 979 | 7.0 | 67 | 1 | 1 | 4 | 9 | 17 | 21 | 42 |
| 65+ | 304 | 9.9 | 140 | 1 | 1 | 6 | 14 | 22 | 28 | 61 |
| GRAND TOTAL | 3835 | 6.2 | 54 | 1 | 1 | 4 | 8 | 15 | 20 | 36 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 25 | 5.6 | 16 | 1 | 2 | 4 | 8 | 12 | 15 | 15 |
| 20-34 | 99 | 5.7 | 31 | 2 | 2 | 4 | 7 | 12 | 20 | 66 |
| 35-49 | 124 | 5.4 | 14 | 1 | 2 | 4 | 7 | 11 | 15 | 42 |
| 50-64 | 189 | 5.5 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 28 |
| 65+ | 99 | 6.2 | 46 | 1 | 1 | 4 | 8 | 13 | 19 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 28 | 14.2 | 371 | 2 | 2 | 7 | 17 | 36 | 92 | 94 |
| 20-34 | 77 | 10.2 | 191 | 1 | 2 | 6 | 10 | 22 | 36 | 80 |
| 35-49 | 163 | 9.3 | 90 | 2 | 3 | 6 | 11 | 20 | 33 | 46 |
| 50-64 | 355 | 9.0 | 73 | 1 | 1 | 7 | 12 | 20 | 25 | 48 |
| 65+ | 248 | 10.9 | 160 | 1 | 2 | 7 | 13 | 21 | 34 | 82 |
| TOT. SINGLE DX | 536 | 5.6 | 26 | 1 | 2 | 4 | 7 | 11 | 18 | 32 |
| " MULTIPLE DX | 871 | 9.9 | 122 | 1 | 2 | 7 | 12 | 20 | 33 | 63 |
| TOTAL 0-19 YRS | 53 | 10.2 | 219 | 1 | 2 | 7 | 11 | 20 | 37 | 93 |
| 20-34 | 176 | 7.7 | 106 | 1 | 2 | 5 | 8 | 17 | 30 | 80 |
| 35-49 | 287 | 7.7 | 61 | 1 | 2 | 5 | 9 | 15 | 24 | 48 |
| 50-64 | 544 | 7.8 | 58 | 1 | 2 | 6 | 10 | 17 | 23 | 42 |
| 65+ | 347 | 9.6 | 132 | 1 | 1 | 6 | 12 | 19 | 30 | 70 |
| GRAND TOTAL | 1407 | 8.3 | 89 | 1 | 2 | 6 | 10 | 17 | 25 | 58 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 35-49 | 45 | 2.9 | 15 | 1 | 1 | 1 | 3 | 8 | 10 | 21 |
| 50-64 | 98 | 2.3 | 32 | 1 | 1 | 1 | 1 | 6 | 7 | 35 |
| 65+ | 32 | 2.7 | 22 | 1 | 1 | 1 | 1 | 5 | 18 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | 7 | 3.9 | 9 | 1 | 1 | 4 | 4 | 9 | 10 | 10 |
| 35-49 | 64 | 3.2 | 12 | 1 | 1 | 1 | 5 | 9 | 11 | 14 |
| 50-64 | 214 | 5.0 | 67 | 1 | 1 | 1 | 6 | 13 | 23 | 43 |
| 65+ | 87 | 4.0 | 39 | 1 | 1 | 1 | 4 | 12 | 14 | 34 |
| TOT. SINGLE DX | 179 | 2.5 | 26 | 1 | 1 | 1 | 1 | 6 | 9 | 21 |
| " MULTIPLE DX | 372 | 4.4 | 51 | 1 | 1 | 1 | 5 | 11 | 18 | 40 |
| TOTAL 0-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 20-34 | 10 | 3.2 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 10 |
| 35-49 | 109 | 3.1 | 13 | 1 | 1 | 1 | 4 | 9 | 10 | 17 |
| 50-64 | 312 | 4.2 | 58 | 1 | 1 | 1 | 4 | 11 | 19 | 43 |
| 65+ | 119 | 3.7 | 35 | 1 | 1 | 1 | 3 | 11 | 16 | 27 |
| GRAND TOTAL | 551 | 3.8 | 43 | 1 | 1 | 1 | 4 | 10 | 18 | 38 |

### 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 53 | 6.5 | 25 | 1 | 1 | 4 | 10 | 13 | 15 | 22 |
| 20-34 | 185 | 5.9 | 21 | 1 | 1 | 4 | 9 | 13 | 16 | 19 |
| 35-49 | 220 | 6.6 | 34 | 1 | 1 | 5 | 10 | 14 | 16 | 29 |
| 50-64 | 380 | 5.9 | 37 | 1 | 1 | 3 | 9 | 14 | 18 | 26 |
| 65+ | 305 | 6.8 | 73 | 1 | 1 | 4 | 9 | 16 | 21 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 32 | 11.0 | 45 | 2 | 3 | 9 | 17 | 20 | 23 | 23 |
| 20-34 | 160 | 9.2 | 89 | 1 | 1 | 7 | 11 | 21 | 24 | 54 |
| 35-49 | 275 | 9.7 | 75 | 1 | 2 | 8 | 13 | 21 | 27 | 45 |
| 50-64 | 743 | 9.7 | 86 | 1 | 1 | 7 | 14 | 20 | 27 | 50 |
| 65+ | 888 | 10.8 | 127 | 1 | 1 | 8 | 15 | 25 | 33 | 80 |
| TOT. SINGLE DX | 1143 | 6.3 | 44 | 1 | 1 | 4 | 9 | 14 | 18 | 30 |
| " MULTIPLE DX | 2098 | 10.1 | 102 | 1 | 1 | 8 | 14 | 22 | 31 | 58 |
| TOTAL 0-19 YRS | 85 | 8.2 | 37 | 1 | 2 | 6 | 12 | 19 | 21 | 23 |
| 20-34 | 345 | 7.4 | 56 | 1 | 1 | 5 | 10 | 16 | 21 | 28 |
| 35-49 | 495 | 8.3 | 59 | 1 | 1 | 6 | 12 | 17 | 23 | 39 |
| 50-64 | 1123 | 8.4 | 73 | 1 | 1 | 5 | 12 | 18 | 25 | 41 |
| 65+ | 1193 | 9.8 | 117 | 1 | 1 | 7 | 13 | 23 | 31 | 75 |
| GRAND TOTAL | 3241 | 8.8 | 88 | 1 | 1 | 6 | 12 | 19 | 26 | 49 |

### 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 9267 | 4.4 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 20-34 | 8596 | 4.6 | 27 | 1 | 1 | 3 | 6 | 9 | 12 | 26 |
| 35-49 | 4795 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 50-64 | 4496 | 7.1 | 51 | 1 | 2 | 5 | 9 | 14 | 19 | 37 |
| 65+ | 4874 | 9.3 | 89 | 1 | 2 | 7 | 12 | 19 | 26 | 61 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 7664 | 6.2 | 47 | 1 | 1 | 4 | 7 | 12 | 18 | 38 |
| 20-34 | 7027 | 6.2 | 54 | 1 | 1 | 4 | 7 | 13 | 19 | 39 |
| 35-49 | 5949 | 8.1 | 63 | 1 | 2 | 6 | 10 | 16 | 22 | 43 |
| 50-64 | 9885 | 10.4 | 105 | 2 | 2 | 8 | 13 | 21 | 29 | 64 |
| 65+ | 19665 | 13.7 | 174 | 2 | 3 | 10 | 17 | 30 | 46 | 99+ |
| TOT. SINGLE DX | 32028 | 5.7 | 42 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| " MULTIPLE DX | 50190 | 10.2 | 122 | 1 | 2 | 7 | 13 | 22 | 32 | 80 |
| TOTAL 0-19 YRS | 16931 | 5.2 | 35 | 1 | 1 | 4 | 6 | 10 | 14 | 31 |
| 20-34 | 15623 | 5.3 | 41 | 1 | 1 | 4 | 6 | 11 | 15 | 33 |
| 35-49 | 10744 | 6.9 | 50 | 1 | 1 | 5 | 9 | 14 | 19 | 35 |
| 50-64 | 14381 | 9.4 | 91 | 1 | 2 | 7 | 12 | 19 | 26 | 57 |
| 65+ | 24539 | 12.8 | 161 | 2 | 3 | 9 | 16 | 28 | 42 | 99+ |
| GRAND TOTAL | 82218 | 8.5 | 95 | 1 | 1 | 6 | 10 | 18 | 27 | 65 |

### 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 2899 | 6.5 | 60 | 1 | 1 | 4 | 7 | 13 | 21 | 42 |
| 20-34 | 1381 | 7.1 | 69 | 1 | 1 | 5 | 8 | 15 | 21 | 46 |
| 35-49 | 1082 | 8.7 | 76 | 1 | 2 | 6 | 11 | 17 | 24 | 49 |
| 50-64 | 1031 | 9.1 | 71 | 2 | 2 | 7 | 11 | 18 | 22 | 43 |
| 65+ | 1119 | 12.2 | 135 | 2 | 3 | 9 | 15 | 26 | 38 | 99 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 2533 | 8.5 | 94 | 1 | 2 | 5 | 9 | 18 | 28 | 58 |
| 20-34 | 1214 | 9.2 | 117 | 1 | 2 | 6 | 11 | 21 | 30 | 76 |
| 35-49 | 1158 | 10.5 | 100 | 2 | 2 | 8 | 13 | 22 | 30 | 91 |
| 50-64 | 2082 | 12.6 | 131 | 2 | 3 | 10 | 16 | 26 | 36 | 70 |
| 65+ | 4325 | 16.6 | 251 | 3 | 4 | 12 | 21 | 41 | 62 | 99+ |
| TOT. SINGLE DX | 7512 | 8.1 | 81 | 1 | 2 | 5 | 10 | 17 | 25 | 52 |
| " MULTIPLE DX | 11312 | 12.6 | 176 | 2 | 3 | 8 | 15 | 28 | 44 | 99+ |
| TOTAL 0-19 YRS | 5432 | 7.4 | 78 | 1 | 2 | 5 | 8 | 16 | 23 | 50 |
| 20-34 | 2595 | 8.1 | 93 | 1 | 1 | 5 | 10 | 17 | 28 | 59 |
| 35-49 | 2240 | 9.6 | 90 | 1 | 2 | 7 | 12 | 19 | 26 | 61 |
| 50-64 | 3113 | 11.5 | 114 | 2 | 3 | 8 | 14 | 23 | 32 | 63 |
| 65+ | 5444 | 15.7 | 231 | 3 | 4 | 11 | 20 | 37 | 59 | 99+ |
| GRAND TOTAL | 18824 | 10.8 | 143 | 1 | 2 | 7 | 13 | 24 | 36 | 88 |

# Appendix

## *ICD-9-CM* Codes for Selected Operation Groups

# *ICD-9-CM* Codes for Selected Operation Groups

## *ICD-9-CM* codes for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index to the Length of Stay Tables

If an operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Volume 3, Procedures: Tabular List and Alphabetic Index, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978. The operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

## OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 |  Incidental |
|  | Arteriography |
| 757 |  Aorta |
| 755 |  Cerebral |
| 756 |  Coronary |
| 757 |  Femoral |
| 755 |  Head |
| 756 |  Heart |
| 757 |  Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 |  Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 |  Hip, except total replacement |
| 722 |  Total replacement |
| 724 |  Knee |
| 699 |  Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
|  | Artificial |
| 686 |  Insemination |
| 690 |  Rupture of membranes for delivery |
|  | Aspiration |
| 752 |  Breast, except for biopsy |
| 742 |  Biopsy |
| 741 |  Bursa |
| 682 |  Cul-de-sac |
| 677 |  Curettage, uterus, except for termination of pregnancy |
| 674 |  Termination of pregnancy |
| 651 |  Hydrocele, except of spermatic cord |
| 656 |  Spermatic cord |
| 632 |  Kidney |
| 614 |  Liver, percutaneous, except for biopsy |
| 615 |  Biopsy |
| 537 |  Middle ear |
| 546 |  Nasal sinus |
| 663 |  Ovary |
| 752 |  Skin |
| 656 |  Spermatocele |
| 529 |  Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 656 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

### 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-19 YRS | | | | | | | | | | |
| 20-34 | | | | | | | | | | |
| 35-49 | | | | | | | | | | |
| 50-64 | | | | | | | | | | |
| 65+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-19 YRS | 14853 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 20-34 | 5220 | 4.2 | 24 | <1 | 1 | 3 | 5 | 8 | 11 | 25 |
| 35-49 | 2148 | 5.9 | 41 | 1 | 1 | 4 | 7 | 12 | 17 | 28 |
| 50-64 | 2276 | 7.1 | 46 | 1 | 2 | 5 | 9 | 15 | 19 | 37 |
| 65+ | 2995 | 9.0 | 78 | 2 | 2 | 7 | 11 | 19 | 26 | 70 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-19 YRS | 15243 | 6.7 | 45 | 1 | 2 | 5 | 8 | 13 | 18 | 36 |
| 20-34 | 4478 | 5.8 | 57 | 1 | 1 | 4 | 7 | 12 | 18 | 42 |
| 35-49 | 3101 | 7.7 | 69 | 1 | 2 | 5 | 9 | 16 | 23 | 43 |
| 50-64 | 5430 | 9.5 | 88 | 2 | 2 | 7 | 12 | 20 | 27 | 59 |
| 65+ | 11813 | 12.5 | 157 | 2 | 3 | 9 | 15 | 28 | 43 | 99+ |
| TOT. SINGLE DX | 27492 | 5.4 | 32 | 1 | 1 | 4 | 6 | 11 | 15 | 29 |
| " MULTIPLE DX | 40065 | 8.8 | 94 | 1 | 2 | 6 | 10 | 19 | 28 | 68 |
| TOTAL 0-19 YRS | 30096 | 5.7 | 33 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| 20-34 | 9698 | 4.9 | 40 | 1 | 1 | 3 | 6 | 9 | 14 | 35 |
| 35-49 | 5249 | 7.0 | 59 | 1 | 1 | 5 | 8 | 15 | 20 | 41 |
| 50-64 | 7706 | 8.8 | 77 | 1 | 2 | 6 | 11 | 18 | 25 | 52 |
| 65+ | 14808 | 11.8 | 143 | 2 | 3 | 8 | 14 | 26 | 39 | 99+ |
| GRAND TOTAL | 67557 | 7.4 | 72 | 1 | 2 | 5 | 9 | 15 | 22 | 53 |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
|  | Cardiac |
| 573 | Catheterization |
| 764 | Function tests |
|  | Massage |
| 763 | Closed |
| 575 | Open |
| 574 | Pacemaker insertion or replacement |
| 575 | Revascularization, except coronary bypass |
| 572 | Coronary bypass |
| 764 | Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 | Intracapsular |
|  | Catheterization |
| 647 | Bladder, except suprapubic approach |
| 638 | Suprapubic approach |
| 581 | Blood vessel |
| 573 | Cardiac |
| 645 | Ureteral |
| 647 | Urethral, indwelling |
| 587 | Vein, except umbilical |
| 581 | Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 | Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
|  | Closure |
| 617 | Cholecystostomy |
| 601 | Colostomy |
|  | Fistula – *see Fistulectomy* |
| 596 | Gastric anastomosis |
| 601 | Sigmoidostomy |
| 570 | Thoracostomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 675 | D and C (uterus), except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 519 | Dacryocystorhinostomy |
| | Debridement |
| 748 | Burn (skin) |
| 705 | Fracture, except of skull |
| 503 | Skull |
| 748 | Skin (infection) (wound) |
| | Decompression |
| 509 | Carpal tunnel |
| 502 | Cranial |
| 506 | Laminectomy |
| 506 | Spinal |
| | Delivery |
| 690 | Artificial rupture of membranes |
| 688 | Breech extraction |
| 692 | Cesarean section, except low cervical |
| 691 | Low cervical |
| 689 | Forceps, except low forceps |
| 687 | Low forceps |
| 689 | Internal and combined version |
| 751 | Dermabrasion |
| 601 | Derotation, intestine |
| 580 | Dialysis, except peritoneal |
| 629 | Peritoneal |
| | Dilation |
| 638 | Bladder (neck) |
| 635 | Ureteral meatus |
| 645 | Ureterovesical orifice |
| 641 | Urethra, urethrovesical junction |
| 675 | Dilation and curettage (D and C), uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| | Dislocation-reduction, except temporomandibular |
| 714 | Closed |
| 715 | Open |
| 702 | Temporomandibular (joint) |
| | Division |
| | Adhesions — *see Lysis, adhesions* |
| 613 | Anal sphincter |
| 726 | Fascia, exept of hand |
| 728 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 | Peripheral nerve |
| 511 | Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage — *see also Incision (and drainage)* |
| 647 | Bladder, except surgical approach |
| 638 | Surgical approach (suprapubic) |
| 569 | Chest |
| 537 | Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 | Bladder |
| 567 | Bronchus |
| 619 | Colon, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 682 | Cul-de-sac, except for tubal ligation |
| 664 | Tubal ligation |
| 589 | Esophagus |
| 589 | Gastric, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 576 | Larynx |
| 628 | Peritoneum |
| 557 | Pharynx |
| 609 | Small intestine |
| 589 | Stomach, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 570 | Thorax, transpleural |
| 636 | Urethra |
| 679 | Uterus |
| 686 | Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 | With low forceps delivery |
| 689 | With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 | Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 | Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 | Eyeball |
| 673 | Pelvic |
|  | Examination |
| 764 | Eye |
| 764 | General physical |
| 764 | Gynecologic |
| 764 | Pelvic |
| 761 | Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 | Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 | Anal fistula |
| 727 | Baker's cyst |
| 705 | Bone, except facial |
| 699 | Facial, except partial |
| 698 | Partial |
| 556 | Branchial cleft cyst |
| 704 | Bunion |
| 517 | Chalazion, eyelid |
| 599 | Colon |
| 665 | Fallopian tubes, bilateral, except endoscopic approach |
| 664 | Endoscopic approach |
| 670 | Fibroid, uterine |
| 616 | Gallbladder |
| 508 | Ganglion, except of tendon |
| 727 | Tendon (of hand) |
| 612 | Hemorrhoids |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision (continued) |
| | Hydrocele |
| 679 | Round ligament |
| 656 | Spermatic cord |
| 651 | Tunica vaginalis |
| 717 | Intervertebral disc or cartilage |
| 719 | Joint, except intervertebral disc and cartilage of knee |
| 717 | Intervertebral disc |
| 718 | Knee cartilage |
| 631 | Kidney, except partial |
| 632 | Partial |
| 718 | Knee cartilage (semilunar) |
| 582 | Lymph nodes, except radical |
| 583 | Radical |
| 508 | Neuroma, peripheral nerve |
| | Ovary |
| 662 | Bilateral |
| 661 | Unilateral |
| 550 | Parotid gland |
| 746 | Pilonidal cyst or sinus |
| 515 | Pituitary gland |
| 649 | Prostate, except transurethral approach |
| 648 | Transurethral approach |
| 522 | Pterygium |
| 747 | Sebaceous cyst, except of eyelid |
| 517 | Eyelid, eyebrow |
| 718 | Semilunar cartilage, knee |
| 586 | Spleen |
| 514 | Thyroglossal duct or tract |
| 513 | Thyroid |
| 751 | Toenail |
| 552 | Tongue |
| 553 | Tonsil, except with adenoids |
| 554 | With adenoids |
| 556 | Tonsil tag |
| | Tubes and ovaries |
| 662 | Bilateral |
| 661 | Unilateral |
| 670 | Uterine fibroid |
| 577 | Varicocele, except of spermatic cord |
| 656 | Spermatic cord |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 | Breech, for delivery |
| 547 | Dental |
| 686 | Menstrual |
| 547 | Teeth |
| 689 | Vacuum, for delivery |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 | Hand |
| 726 | Fasciotomy, except of hand |
| 728 | Hand |
| | Fistulectomy |
| 610 | Anal |
| 638 | Bladder |
| 556 | Branchial cleft |
| 564 | Bronchus |
| 601 | Intestine |
| 542 | Nasal |
| 542 | Nasolabial |
| 546 | Oroantral |
| 609 | Perirectal |
| 556 | Pharynx |
| 640 | Rectourethral |
| 679 | Rectouterine |
| 681 | Rectovaginal |
| 638 | Rectovesical |
| 609 | Rectum |
| 562 | Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| | With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 | Low forceps |
| | Formation |
| 581 | Arteriovenous shunt for dialysis |
| 634 | Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 |   Facial bone, except closed reduction |
| 700 |     Closed reduction |
| |   Femur |
| 710 |     Closed, except with internal fixation |
| 708 |       With internal fixation |
| 710 |     Open, except with internal fixation |
| 709 |       With internal fixation |
| 701 |   Mandible, except closed reduction |
| 700 |     Closed reduction |
| 701 |   Maxillofacial, except closed reduction |
| 700 |     Closed reduction |
| 544 |   Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 |   Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 |   Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 |   Total |
| 589 | Gastroscopy, except surgical approach |
| 596 |   Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 |   Bone, except facial and skull |
| 702 |     Facial |
| 503 |     Skull |
| 749 |   Free, of skin |
| 552 |   Lip |
| 731 |   Muscle, except of hand |
| 729 |     Hand |
| 750 |   Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| |   Skin |
| 749 |     Free |
| 750 |     Pedicle |
| 731 |   Tendon, except of hand |
| 729 |     Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 |   Diaphragmatic |
| 624 |   Epigastric |
| 622 |   Femoral |
| 624 |   Incisional |
| |   Inguinal |
| 621 |     Bilateral |
| 620 |     Unilateral |
| 623 |   Umbilical |
| 624 |   Ventral |
| 723 | Hip replacement, except total |
| 722 |   Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 |   Radical |
| 672 |   Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 |   Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 |   Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 |   Breast |
| 740 |   Limb prosthesis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 |   Abdominal wall |
| 610 |   Anal fistula |
| 605 |   Appendix |
| 683 |   Bartholin's gland or abscess |
| 703 |   Bone, except facial |
| 702 |     Facial |
| 501 |   Brain |
| 745 |   Breast |
| 501 |   Cerebral meninges |
| 569 |   Chest (wall) |
| 522 |   Cornea |
| 502 |   Cranial sinus |
| 534 |   Ear, external |
| 518 |   Eyelid |
| 552 |   Floor of mouth |
| 617 |   Gallbladder |
| 549 |   Gingiva, gums |
| 600 |   Intestine |
| 716 |   Joint |
| 519 |   Lacrimal gland or sac |
| 614 |   Liver |
| 582 |   Lymph nodes |
| 539 |   Mastoid |
| |   Meninges |
| 501 |     Cerebral |
| 506 |     Spinal |
| 537 |   Middle ear |
| 726 |   Muscle |
| |   Nasal sinus – *see Sinusotomy* |
| 726 |   Palmar space (hand) |
| 618 |   Pancreas |
| 613 |   Perianal tissue |
| |   Perineum |
| 683 |     Female |
| 748 |     Male |
| 607 |   Perirectal tissue |
| 627 |   Peritoneum, except via cul-de-sac |
| 682 |     Via cul-de-sac |
| 746 |   Pilonidal cyst or sinus |
| 569 |   Pleura |
| 607 |   Rectovaginal septum |
| 607 |   Rectum |

## OPERATION INDEX (continued)

Group Number Title

Incision (and drainage) (continued)
626 Retroperitoneal abscess
651 Scrotum
Sinus (nasal) – *see Sinusotomy*
748 Skin, except pilonidal cyst or sinus
746 Pilonidal cyst or sinus
506 Spinal meninges
726 Tendon
569 Thorax
633 Ureter
682 Vagina
683 Vulva
690 Induction of labor (medical or surgical) for delivery
Injection
694 Intra-amniotic, for termination of pregnancy
763 Therapeutic agent (drugs)
745 Breast
741 Bursa
741 Joint
741 Tendon
686 Insemination, artificial
Insertion
574 Cardiac pacemaker
686 Intrauterine contraceptive device
679 Laminaria, uterus
666 Insufflation, fallopian tubes
694 Intra-amniotic injection for termination of pregnancy
758 Intravenous pyelogram (IVP)
764 Intubation, nonoperative
764 Irrigation, nonoperative
758 IVP (intravenous pyelogram)

Laceration repair (suture) – *see Repair, by site*
506 Laminectomy, except for excision of intervertebral disc
717 Excision of intervertebral disc
628 Laparoscopy, except for tubal ligation
664 Tubal ligation
627 Laparotomy, exploratory
560 Laryngectomy, except partial
559 Partial
576 Laryngoscopy

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 |  Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 |  Intracapsular |
|  | Ligation |
| 665 |  Fallopian tubes (bilateral), except endoscopic approach |
| 664 |   Endoscopic approach |
| 612 |  Hemorrhoids |
| 577 |  Varicose veins |
| 655 |  Vas deferens |
| 577 | Ligation and stripping, varicose veins |
|  | Lobectomy |
| 501 |  Brain |
| 615 |  Liver |
| 566 |  Lung, except partial |
| 565 |   Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
|  | Lysis, adhesions |
| 630 |  Abdominal |
| 741 |  Hand |
| 524 |  Iris |
| 716 |  Joint |
| 731 |  Muscle, except of hand |
| 741 |   Hand |
| 630 |  Pelvis |
| 630 |  Peritoneum |
| 731 |  Tendon, except of hand |
| 741 |   Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 |  Partial |
| 699 | Mandibulotomy |
|  | Mastectomy |
| 743 |  Complete |
| 743 |  Simple, except extended |
| 744 |   Extended |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

Group Number — Title

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Reduction (continued) |
| | Femur |
| 710 | Closed, except with internal fixation |
| 708 | With internal fixation |
| 710 | Open, except with internal fixation |
| 709 | With internal fixation |
| 701 | Mandible, except closed reduction |
| 700 | Closed reduction |
| 701 | Maxillofacial, except closed reduction |
| 700 | Closed reduction |
| 544 | Nose |
| 619 | Hemorrhoids |
| | Hernia – *see also Herniorrhaphy* |
| 764 | Manual |
| 601 | Intestinal torsion |
| 601 | Intussusception, intestine |
| 745 | Mammoplasty |
| 601 | Volvulus, intestine |
| | Release |
| | Adhesions – *see Lysis, adhesions* |
| 728 | Dupuytren's contracture |
| 749 | Scar contracture, skin |
| 642 | Urethral stricture |
| | Removal |
| | Calculus |
| 617 | Biliary tract |
| 638 | Bladder |
| 632 | Kidney, except transurethral approach |
| 635 | Transurethral approach |
| 519 | Lacrimal tract (by incision) |
| 533 | Without incision |
| 633 | Ureter, except transurethral approach |
| 635 | Transurethral approach |
| 764 | Catheter, nonoperatively |
| 764 | Cholecystotomy tube |
| 693 | Ectopic fetus |
| 707 | Fixation device, internal |
| | Foreign body |
| 762 | Bronchus, except with incision |
| 563 | With incision |
| 532 | Eye, except as below |
| 524 | Anterior chamber |
| 520 | Conjunctiva |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Removal (continued) |
| 524 |       Iris |
| 527 |      Lens |
| | Prosthesis |
| 745 |    Breast |
| 716 |    Joint |
| 697 | Retained placenta, manually |
| 764 | Sutures |
| 764 | T-tube, gallbladder |
| 764 | Therapeutic device, nonoperatively |
| 529 | Vitreous |
| 580 | Renal dialysis |
| | Repair |
| 630 | Abdominal wall |
| 613 | Anal fistula, except by excision |
| 610 |    Excision |
| 581 | Aneurysm (arteriovenous) |
| 638 | Bladder, except obstetric laceration |
| 697 |    Obstetric laceration |
| 518 | Blepharoptosis |
| 581 | Blood vessel |
| 706 | Bone, except facial |
| 699 |    Facial |
| 745 | Breast |
| 564 | Bronchial fistula |
| 704 | Bunion |
| 571 | Cardiac septal defect |
| 669 | Cervix, except obstetric laceration |
| 697 |    Obstetric laceration |
| 570 | Chest wall |
| 551 | Cleft palate |
| 520 | Conjunctiva |
| 522 | Cornea, except transplant |
| 521 |    Transplant |
| 680 | Cystocele, vagina |
| 730 | Diastasis recti |
| 534 | Ear, external |
| 518 | Ectropion or entropion, eyelid |
| 697 | Episiotomy |
| 518 | Eyelid |
| | Fistula — *see Fistulectomy* |
| 704 | Hallux valgus |
| 729 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| | Hernia – *see Herniorrhaphy* |
| 723 | Hip, except total replacement |
| 722 |   Total replacement |
| | Hydrocephalus, by ventricular shunt |
| 504 |   Extracranial |
| 505 |   Intracranial (ventriculostomy) |
| 601 | Intestine |
| 725 | Joint, except hip and knee |
| 723 |   Hip, except total replacement |
| 722 |     Total replacement |
| 724 |   Knee |
| 724 | Knee (joint) |
| | Laceration – *see also Repair, by site* |
| 697 |   Obstetric |
| 562 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 568 | Lung |
| 731 | Muscle, except extraocular and of hand |
| 531 |   Extraocular |
| 729 |   Hand |
| 556 | Nasopharyngeal atresia |
| 542 | Nose |
| 663 | Ovary |
| 551 | Palate |
| 658 | Penis |
| 685 | Perineum, female, except obstetric laceration |
| 697 |   Obstetric laceration |
| 509 | Peripheral nerve |
| 596 | Pylorus, stomach |
| 680 | Rectocele, vagina |
| 609 | Rectum |
| 528 | Retinal detachment or tear |
| 730 | Rotator-cuff (shoulder) |
| 503 | Skull |
| 507 | Spina bifida |
| 507 | Spinal meningocele |
| 596 | Stomach |
| 644 | Stress incontinence, except urethral suspension |
| 643 |   Urethral suspension |
| 731 | Tendon, except of hand |
| 729 |   Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |    Testis |
| 562 |    Trachea |
| 635 |    Ureter |
| 640 |    Urethra |
| 679 |    Uterus, except obstetric laceration and supporting structures |
| 697 |       Obstetric laceration |
| 678 |       Supporting structures |
| 681 |    Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |       Cystocele and rectocele |
| 697 |       Obstetric laceration |
| 552 |    Vestibular arch (mouth) |
| 685 |    Vulva, except obstetric laceration |
| 697 |       Obstetric laceration |
| | Replacement |
| 574 |    Cardiac pacemaker |
| 571 |    Heart valve |
| 725 |    Joint, except hip and knee |
| 723 |       Hip, except total replacement |
| 722 |          Total replacement |
| 724 |       Knee |
| 647 |    Urinary catheter |
| | Resection |
| 638 |    Bladder |
| 581 |    Blood vessel |
| 564 |    Bronchus |
| 599 |    Large intestine |
| 730 |    Muscle, except of hand |
| 728 |       Hand |
| 541 |    Nasal septum, submucous |
| 530 |    Ocular muscle |
| 660 |    Ovary |
| 608 |    Rectum (abdominoperineal) (pull-through) |
| 549 |    Root of tooth |
| 598 |    Small intestine |
| 730 |    Tendon, except of hand |
| 728 |       Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |    Amputation stump |
| 581 |    Arteriovenous shunt for dialysis |
| 596 |    Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 | Intestinal anastomosis |
| 539 | Mastoidectomy |
| 562 | Tracheostomy |
| 539 | Tympanoplasty |
| 505 | Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | Salpingectomy |
| 665 | Bilateral |
| 666 | Unilateral |
| | Salpingo-oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 | C.A.T. (computerized axial tomography) |
| 758 | Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 | Cerebral ventricles, except intracranial and revision |
| 505 | Intracranial |
| 505 | Revision |
| 578 | Peripheral vessels |
| 630 | Peritoneovenous |
| 578 | Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 | Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 | Breast |
| | Sphincterotomy |
| 617 | Ampullary (of Vater) (pancreas) |
| 613 | Anus |

# OPERATION INDEX (continued)

**Group Number** **Title**

- Sphincterotomy (continued)
  - 638 Bladder neck
- Spinal
  - 720 Fusion
  - 512 Tap or puncture
- 586 Splenectomy
- 721 Stabilization of joint, except foot and knee
  - 725 Foot
  - 724 Knee
- 535 Stapedectomy
- 535 Stapes mobilization
- 644 Stress incontinence repair, except by urethral suspension
  - 643 Urethral suspension
- Stress test
  - 764 Cardiac
  - 764 Fetal
  - 764 Uterine
- 541 Submucous nasal resection
- 690 Surgical induction of labor for delivery
- Suspension
  - 643 Urethra, except with bladder neck
    - 644 With bladder neck
  - 644 Urethrovesical
- Suture – *see also Repair, by site*
  - 730 Muscle, except of hand
    - 729 Hand
  - 748 Skin
  - 730 Tendon, except of hand
    - 729 Hand
- 510 Sympathectomy
- 719 Synovectomy

- 554 T and A
- Takedown – *see Closure*
- 730 Tenosynovectomy, except of hand
  - 728 Hand
- 726 Tenotomy, except of hand
  - 728 Hand
- Termination of pregnancy
  - 676 Aspiration curettage
  - 674 Dilation and curettage

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| | |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| | |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | |
| | X-ray – *see Radiography* |
| | |
| 751 | Z-plasty, skin |

R[illegible]-L13

CPHA **COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES**

# GER LENGTH OF STAY



# BY DIAGNOSIS BY OPERATION



## UNITED STATES

## Geriatric

## 1981

# Geriatric Length of Stay by Diagnosis and Operation, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . iii
**Discussion of the Data** . . . . . . . . . . 1
  Source of the Data. . . . . . . . . . 1
  Data Quality. . . . . . . . . . 2
  Coverage . . . . . . . . . . 3
  Organization of Length of Stay Tables. . . . . . . . . . 5
    Definition of Multiple Diagnosis Patients . . . . . . . . . . 5
    Definition of Operated Patients . . . . . . . . . . 6
  Explanation of Statistics. . . . . . . . . . 6
  Defining the Extended Stay Case . . . . . . . . . . 7
**Length of Stay Tables** . . . . . . . . . . 15
  Summary of All Patients in Diagnosis Groups . . . . . . . . . . 17
  Diagnosis Groups 1-398 . . . . . . . . . . 18
  Summary of All Patients in Operation Groups. . . . . . . . . . 218
  Operation Groups 501-764 . . . . . . . . . . 219
**Appendix:** *ICD-9-CM* **Codes for Selected Diagnosis and Operation Groups** . . 285
**Index to Length of Stay Tables** . . . . . . . . . . 291

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, this PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific **
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.

## January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activites, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

## Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N-1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses or procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 67 year old patient is admitted to a hospital for elective surgery. The admitting diagnosis is cholelithiasis and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Cholelithiasis is listed as a diagnosis in *Concurrent Review Screening.* The length of stay table is number 215.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Cervix, cervical | | | |
| chronic erosion and ulceration | 2 | | 252 |
| stricture of os | 2 | | 252 |
| Chest pain | 3 | | 335 |
| Criteria for admission | | | |
| *1. Suspicion of life threatening disease, e.g.* | | | |
| *a. acute myocardial infarction* | | | |
| *b. dissecting aortic aneurysm* | | | |
| *c. acute pericarditis* | | | |
| *2. Respiratory distress--cyanosis, severe dyspnea (> 30 resp/min)* | | | |
| *3.* | | | |
| *4.* | | | |
| Choking sensation | 4 | | 340 |
| Cholangitis, acute | | | |
| with calculus | 1 | | 217 |
| without mention of calculus | 1 | | 218 |
| Cholecystitis | | | |
| acute | | | |
| with calculus | 1 | | 215 |
| without mention of calculus | 1 | | 216 |
| chronic or unspecified | | | |
| with calculus | 2 | | 215 |
| without mention of calculus | 2 | | 216 |
| Choledocholithiasis | 2 | | 217 |
| **Cholelithiasis** | **2** | | **215** |
| Cholesteatoma, ear | 2 | | 134 |

b. The Alphabetic Index at the back of the length of stay book shows that cholelithiasis is included in diagnosis group 215.

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

c. Cholelithiasis can be found in Volume 2 of *ICD-9-CM* on page 124.



**Cholangitis** **INDEX TO DISEASES**

- **Cholangitis** (acute) (ascending) (catarrhal) (chronic) (infective) (malignant) (primary) (recurrent) (sclerosing) (secondary) (stenosing) (suppurative) 576.1
  - chronic nonsuppurative destructive 571.6
  - nonsuppurative destructive (chronic) 571.6
- **Cholecystdocholithiasis** — *see* Choledocholithiasis
- **Cholecystitis** (chronic) 575.1

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with
  - calculus, stones in
    - bile duct (common) (hepatic) 574.4
    - gallbladder 574.1
  - choledocholithiasis 574.4
  - cholelithiasis 574.1
- acute 575.0
  - with
    - calculus, stones in
      - bile duct (common) (hepatic) 574.3
      - gallbladder 574.0
    - choledocholithiasis 574.3
    - cholelithiasis 574.0
- emphysematous (acute) *(see also* Cholecystitis, acute) 575.0
- gangrenous *(see also* Cholecystitis, acute) 575.0
- paratyphoidal, current *(see also* Fever, paratyphoid) 002.9
- suppurative *(see also* cholecystitis, acute) 575.0
- typhoidal 002.0
- **Choledochitis** (suppurative) 576.1
- **Choledocholith** — *see* Choledocholithiasis
- **Choledocholithiasis** 574.5

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.4
  - acute 574.3
- **Cholelithiasis (impacted) (multiple) 574.2**

> *Note — Use the following fifth-digit subclassification with category 574:*
>
> *0 without mention of obstruction*
>
> *1 with obstruction*

- with cholecystitis (chronic) 574.1
  - acute 574.0
- **Cholemia** *(see also* Jaundice) 782.4
  - familial 277.4
  - Gilbert's (familial nonhemolytic) 277.4
- **Cholemic gallstone** — *see* Cholelithiasis
- **Choleperitoneum, choleperitonitis** *(see also* Disease, gallbladder) 567.8
- **Cholera** (algid) (Asiatic) (asphyctic) (epidemic) (gravis) (Indian) (malignant) (morbus) (pestilential) (spasmodic) 001.9
  - antimonial 985.4
  - carrier (suspected) of V02.0
  - classical 001.0
  - contact V01.0
  - due to
    - Vibrio
      - cholerae (Inaba, Ogawa, Hikojima serotypes) 001.0
        - El Tor 001.1
  - El Tor 001.1
  - exposure to V01.0
  - vaccination, prophylactic (against) V03.0
- **Cholerine** *(see also* Cholera) 001.9
- **Cholestasis** *(see also* Disease, gallbladder) 575.8
- **Cholesteatoma** (ear) 385.30
  - attic (primary) 385.31
  - diffuse 385.35
  - external ear (canal) 380.21
  - marginal (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
    - secondary (with middle ear involvement) 385.33
  - mastoid cavity 385.30
  - middle ear 385.30
    - secondary 385.32
      - with involvement of mastoid cavity 385.33
  - postmastoidectomy cavity (recurrent) 383.32
  - primary 385.31
  - recurrent, postmastoidectomy cavity 383.32
  - secondary (middle ear) 385.32
    - with involvement of mastoid cavity 385.33
- **Cholesteatosis** (middle ear) *(see also* Cholesteatoma) 385.30
  - diffuse 385.35

**124**

Step 2. Find the table for group 215 in the length of stay book.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 492 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 70-74 | 362 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 75-79 | 264 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 80-84 | 182 | 6.6 | 25 | 2 | 2 | 6 | 8 | 11 | 14 | 31 |
| 85+ | 165 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3260 | 9.4 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 24 |
| 70-74 | 2155 | 10.2 | 19 | 6 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1174 | 11.6 | 35 | 6 | 7 | 10 | 13 | 18 | 21 | 30 |
| 80-84 | 516 | 12.4 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| 85+ | 289 | 14.0 | 53 | 6 | 7 | 13 | 17 | 23 | 29 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1629 | 6.5 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 70-74 | 1688 | 7.0 | 24 | 2 | 3 | 6 | 9 | 13 | 16 | 22 |
| 75-79 | 1639 | 7.8 | 32 | 2 | 3 | 6 | 10 | 15 | 18 | 30 |
| 80-84 | 1253 | 8.2 | 35 | 2 | 3 | 7 | 10 | 15 | 18 | 32 |
| 85+ | 1294 | 9.1 | 46 | 3 | 3 | 8 | 11 | 16 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6320 | 13.1 | 58 | 6 | 7 | 11 | 16 | 22 | 26 | 44 |
| 70-74 | 5233 | 14.5 | 70 | 6 | 7 | 12 | 17 | 24 | 30 | 50 |
| 75-79 | 3672 | 16.0 | 86 | 7 | 8 | 14 | 19 | 26 | 32 | 55 |
| 80-84 | 2020 | 18.2 | 104 | 8 | 9 | 16 | 22 | 30 | 38 | 59 |
| 85+ | 1293 | 19.9 | 137 | 8 | 9 | 17 | 24 | 34 | 42 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1465 | 5.3 | 16 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 7394 | 10.4 | 24 | 5 | 6 | 9 | 12 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7503 | 7.6 | 32 | 2 | 3 | 6 | 10 | 14 | 17 | 28 |
| B. *Operated* | 18538 | 15.1 | 82 | 6 | 7 | 13 | 18 | 25 | 32 | 52 |
| **1. SINGLE DX** | 8859 | 9.5 | 26 | 3 | 5 | 8 | 11 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | 26041 | 12.9 | 79 | 3 | 5 | 11 | 16 | 23 | 29 | 48 |
| **A. NOT OPERATED** | 8968 | 7.3 | 30 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| **B. OPERATED** | 25932 | 13.7 | 70 | 6 | 7 | 11 | 17 | 23 | 29 | 47 |
| TOTAL 65-69 YRS | 11701 | 10.8 | 47 | 3 | 5 | 9 | 13 | 18 | 23 | 36 |
| 70-74 | 9438 | 11.8 | 58 | 3 | 5 | 10 | 15 | 20 | 26 | 41 |
| 75-79 | 6749 | 12.9 | 75 | 3 | 5 | 11 | 16 | 23 | 28 | 45 |
| 80-84 | 3971 | 13.7 | 91 | 3 | 5 | 11 | 17 | 25 | 31 | 52 |
| 85+ | 3041 | 14.0 | 112 | 3 | 4 | 12 | 18 | 26 | 34 | 57 |
| **GRAND TOTAL** | **34900** | **12.1** | **68** | **3** | **5** | **10** | **15** | **21** | **27** | **44** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 492 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 70-74 | 362 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 75-79 | 264 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 80-84 | 182 | 6.6 | 25 | 2 | 2 | 6 | 8 | 11 | 14 | 31 |
| 85+ | 165 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3260 | 9.4 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 24 |
| 70-74 | 2155 | 10.2 | 19 | 6 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1174 | 11.6 | 35 | 6 | 7 | 10 | 13 | 18 | 21 | 30 |
| 80-84 | 516 | 12.4 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| 85+ | 289 | 14.0 | 53 | 6 | 7 | 13 | 17 | 23 | 29 | 39 |

Step 4. Since surgery is scheduled, use the second five lines of the table (Section 1.B.).

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 492 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 70-74 | 362 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 75-79 | 264 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 80-84 | 182 | 6.6 | 25 | 2 | 2 | 6 | 8 | 11 | 14 | 31 |
| 85+ | 165 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3260 | 9.4 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 24 |
| 70-74 | 2155 | 10.2 | 19 | 6 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1174 | 11.6 | 35 | 6 | 7 | 10 | 13 | 18 | 21 | 30 |
| 80-84 | 516 | 12.4 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| 85+ | 289 | 14.0 | 53 | 6 | 7 | 13 | 17 | 23 | 29 | 39 |

Step 5. The patient is 67 years old and therefore falls in the age group 65-69.

**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 492 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 70-74 | 362 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 75-79 | 264 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 80-84 | 182 | 6.6 | 25 | 2 | 2 | 6 | 8 | 11 | 14 | 31 |
| 85+ | 165 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3260 | 9.4 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 24 |
| 70-74 | 2155 | 10.2 | 19 | 6 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1174 | 11.6 | 35 | 6 | 7 | 10 | 13 | 18 | 21 | 30 |
| 80-84 | 516 | 12.4 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| 85+ | 289 | 14.0 | 53 | 6 | 7 | 13 | 17 | 23 | 29 | 39 |

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the eighth day after admission to be the day that this patient comes up for extended stay review.



**215: Gallbladder disease with calculus (574.0-574.2)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 492 | 4.7 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| 70-74 | 362 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 75-79 | 264 | 5.7 | 11 | 2 | 2 | 5 | 7 | 10 | 12 | 15 |
| 80-84 | 182 | 6.6 | 25 | 2 | 2 | 6 | 8 | 11 | 14 | 31 |
| 85+ | 165 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3260 | 9.4 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 24 |
| 70-74 | 2155 | 10.2 | 19 | 6 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1174 | 11.6 | 35 | 6 | 7 | 10 | 13 | 18 | 21 | 30 |
| 80-84 | 516 | 12.4 | 30 | 6 | 7 | 11 | 15 | 19 | 22 | 32 |
| 85+ | 289 | 14.0 | 53 | 6 | 7 | 13 | 17 | 23 | 29 | 39 |

The patient was admitted on 3 November; therefore, the eighth day will fall on 11 November. Prior to or on 11 November the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables
# Diagnosis Groups

1,409 Hospitals, United States, January–December 1981

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 54298 | 7.0 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 70-74 | 47166 | 7.3 | 48 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| 75-79 | 36732 | 7.6 | 54 | 1 | 2 | 6 | 9 | 15 | 20 | 38 |
| 80-84 | 25551 | 7.9 | 57 | 1 | 2 | 6 | 10 | 16 | 21 | 40 |
| 85+ | 21564 | 8.2 | 59 | 1 | 2 | 6 | 10 | 16 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 98888 | 6.7 | 43 | 1 | 2 | 4 | 9 | 14 | 19 | 31 |
| 70-74 | 81954 | 7.0 | 51 | 1 | 2 | 4 | 9 | 16 | 20 | 34 |
| 75-79 | 61245 | 7.4 | 59 | 1 | 2 | 4 | 10 | 17 | 22 | 37 |
| 80-84 | 36810 | 8.1 | 72 | 2 | 2 | 5 | 11 | 18 | 24 | 41 |
| 85+ | 25080 | 9.4 | 91 | 2 | 2 | 6 | 14 | 21 | 27 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 281864 | 8.9 | 63 | 2 | 2 | 7 | 11 | 17 | 23 | 42 |
| 70-74 | 290725 | 9.5 | 70 | 2 | 3 | 7 | 12 | 18 | 25 | 45 |
| 75-79 | 265895 | 10.1 | 78 | 2 | 3 | 8 | 13 | 20 | 26 | 49 |
| 80-84 | 207831 | 10.7 | 88 | 2 | 3 | 8 | 13 | 21 | 28 | 54 |
| 85+ | 187775 | 11.2 | 96 | 2 | 3 | 9 | 14 | 22 | 29 | 60 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 207022 | 11.8 | 132 | 2 | 2 | 9 | 15 | 25 | 34 | 64 |
| 70-74 | 186367 | 12.8 | 146 | 2 | 2 | 10 | 17 | 27 | 37 | 68 |
| 75-79 | 148588 | 13.8 | 163 | 2 | 3 | 10 | 18 | 29 | 40 | 74 |
| 80-84 | 96121 | 15.0 | 181 | 2 | 3 | 12 | 20 | 32 | 43 | 80 |
| 85+ | 71722 | 16.3 | 193 | 2 | 3 | 13 | 22 | 34 | 46 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 185311 | 7.4 | 51 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |
| B. *Operated* | 303977 | 7.3 | 56 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1234090 | 10.0 | 78 | 2 | 3 | 8 | 12 | 19 | 26 | 49 |
| B. *Operated* | 709820 | 13.4 | 157 | 2 | 2 | 10 | 18 | 28 | 39 | 72 |
| **1. SINGLE DX** | 489288 | 7.4 | 54 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| **2. MULTIPLE DX** | 1943910 | 11.2 | 110 | 2 | 3 | 8 | 14 | 23 | 31 | 60 |
| **A. NOT OPERATED** | 1419401 | 9.6 | 75 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| **B. OPERATED** | 1013797 | 11.6 | 135 | 2 | 2 | 8 | 15 | 25 | 34 | 64 |
| TOTAL 65-69 YRS | 642072 | 9.4 | 84 | 2 | 2 | 7 | 12 | 19 | 26 | 49 |
| 70-74 | 606212 | 10.0 | 93 | 2 | 2 | 7 | 13 | 21 | 28 | 53 |
| 75-79 | 512460 | 10.7 | 104 | 2 | 2 | 8 | 14 | 22 | 30 | 56 |
| 80-84 | 366313 | 11.4 | 114 | 2 | 3 | 8 | 14 | 24 | 32 | 62 |
| 85+ | 306141 | 12.0 | 122 | 2 | 3 | 9 | 15 | 25 | 34 | 67 |
| **GRAND TOTAL** | **2433198** | **10.4** | **101** | **2** | **2** | **8** | **13** | **22** | **29** | **56** |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 248 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 70-74 | 191 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 75-79 | 166 | 5.2 | 19 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |
| 80-84 | 118 | 5.0 | 19 | 1 | 2 | 4 | 6 | 10 | 14 | 22 |
| 85+ | 107 | 5.1 | 18 | 1 | 2 | | 6 | 10 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 8.2 | 20 | 2 | 2 | 9 | 11 | 14 | 14 | 14 |
| 70-74 | 7 | 10.7 | 72 | 2 | 2 | 6 | 17 | 24 | 25 | 25 |
| 75-79 | 6 | 8.2 | 57 | 2 | 2 | 5 | 11 | 21 | 22 | 22 |
| 80-84 | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 85+ | 3 | 22.0 | 259 | 4 | 4 | 27 | 33 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 996 | 6.0 | 27 | 2 | 2 | 5 | 7 | 11 | 14 | 23 |
| 70-74 | 1024 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 75-79 | 876 | 6.8 | 30 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| 80-84 | 700 | 7.6 | 46 | 2 | 2 | 5 | 9 | 16 | 20 | 37 |
| 85+ | 664 | 7.9 | 51 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 64 | 12.6 | 73 | 3 | 4 | 11 | 16 | 24 | 35 | 39 |
| 70-74 | 66 | 13.8 | 112 | 4 | 5 | 11 | 17 | 28 | 38 | 57 |
| 75-79 | 70 | 16.0 | 119 | 5 | 6 | 14 | 20 | 25 | 32 | 66 |
| 80-84 | 44 | 18.0 | 250 | 5 | 6 | 14 | 21 | 44 | 88 | 99+ |
| 85+ | 43 | 16.7 | 146 | 5 | 5 | 12 | 21 | 34 | 43 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 830 | 4.7 | 14 | 1 | 1 | 4 | 6 | 8 | 12 | 18 |
| B. *Operated* | 22 | 11.1 | 85 | 2 | 2 | 8 | 14 | 26 | 30 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4260 | 6.9 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| B. *Operated* | 287 | 15.2 | 133 | 4 | 5 | 12 | 19 | 28 | 40 | 78 |
| **1. SINGLE DX** | 852 | 4.8 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 4547 | 7.4 | 46 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| **A. NOT OPERATED** | 5090 | 6.5 | 33 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| **B. OPERATED** | 309 | 14.9 | 130 | 4 | 5 | 12 | 19 | 28 | 39 | 75 |
| TOTAL 65-69 YRS | 1313 | 6.0 | 28 | 1 | 2 | 5 | 7 | 11 | 15 | 26 |
| 70-74 | 1288 | 6.7 | 36 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 75-79 | 1118 | 7.2 | 39 | 2 | 2 | 5 | 9 | 14 | 19 | 32 |
| 80-84 | 863 | 7.8 | 59 | 2 | 2 | 5 | 9 | 16 | 21 | 44 |
| 85+ | 817 | 8.1 | 58 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| **GRAND TOTAL** | **5399** | **7.0** | **42** | **2** | **2** | **5** | **8** | **14** | **18** | **34** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 14.6 | 143 | 2 | 2 | 14 | 19 | 30 | 42 | 51 |
| 70-74 | 24 | 10.4 | 61 | 3 | 3 | 7 | 14 | 21 | 29 | 29 |
| 75-79 | 32 | 11.9 | 112 | 3 | 3 | 8 | 15 | 25 | 42 | 44 |
| 80-84 | 21 | 14.7 | 100 | <1 | 1 | 13 | 23 | 28 | 32 | 35 |
| 85+ | 21 | 14.9 | 76 | 4 | 5 | 13 | 22 | 27 | 29 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 10.9 | 47 | 2 | 2 | 10 | 16 | 22 | 25 | 28 |
| 70-74 | 28 | 15.6 | 104 | 4 | 5 | 14 | 19 | 25 | 34 | 55 |
| 75-79 | 25 | 13.4 | 108 | 2 | 3 | 11 | 19 | 27 | 32 | 44 |
| 80-84 | 12 | 16.2 | 292 | 3 | 3 | 12 | 16 | 42 | 61 | 64 |
| 85+ | 10 | 15.3 | 116 | 6 | 6 | 11 | 24 | 32 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 133 | 15.2 | 165 | 3 | 4 | 11 | 19 | 32 | 44 | 61 |
| 70-74 | 126 | 17.5 | 224 | 3 | 4 | 14 | 21 | 38 | 49 | 90 |
| 75-79 | 115 | 16.4 | 137 | 3 | 4 | 13 | 21 | 34 | 43 | 50 |
| 80-84 | 92 | 18.3 | 200 | 4 | 6 | 15 | 23 | 33 | 52 | 74 |
| 85+ | 70 | 18.7 | 137 | 4 | 5 | 17 | 26 | 41 | 44 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 103 | 18.9 | 188 | 3 | 4 | 16 | 26 | 39 | 44 | 61 |
| 70-74 | 91 | 22.3 | 332 | 5 | 6 | 18 | 28 | 41 | 57 | 99 |
| 75-79 | 80 | 22.9 | 329 | 3 | 4 | 18 | 31 | 52 | 63 | 96 |
| 80-84 | 53 | 24.1 | 294 | 5 | 7 | 20 | 35 | 45 | 62 | 79 |
| 85+ | 28 | 22.5 | 269 | 7 | 7 | 15 | 35 | 43 | 49 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 13.2 | 104 | 2 | 3 | 10 | 19 | 29 | 30 | 46 |
| B. *Operated* | 112 | 13.6 | 107 | 3 | 3 | 11 | 17 | 26 | 32 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 536 | 17.0 | 176 | 3 | 4 | 14 | 22 | 37 | 45 | 76 |
| B. *Operated* | 355 | 21.7 | 279 | 4 | 5 | 18 | 30 | 43 | 55 | 87 |
| **1. SINGLE DX** | 245 | 13.4 | 105 | 2 | 3 | 11 | 18 | 27 | 31 | 51 |
| **2. MULTIPLE DX** | 891 | 18.9 | 222 | 3 | 5 | 15 | 25 | 40 | 49 | 80 |
| **A. NOT OPERATED** | 669 | 16.2 | 154 | 3 | 4 | 14 | 21 | 34 | 44 | 72 |
| **B. OPERATED** | 467 | 19.8 | 250 | 3 | 5 | 15 | 26 | 41 | 53 | 79 |
| TOTAL 65-69 YRS | 308 | 15.9 | 161 | 3 | 4 | 12 | 21 | 35 | 43 | 59 |
| 70-74 | 269 | 18.3 | 244 | 3 | 5 | 15 | 22 | 36 | 53 | 96 |
| 75-79 | 252 | 17.6 | 206 | 3 | 4 | 14 | 24 | 40 | 46 | 77 |
| 80-84 | 178 | 19.5 | 229 | 3 | 5 | 15 | 26 | 39 | 55 | 75 |
| 85+ | 129 | 18.7 | 157 | 4 | 6 | 17 | 26 | 39 | 44 | 99+ |
| **GRAND TOTAL** | **1136** | **17.7** | **202** | **3** | **4** | **14** | **23** | **37** | **45** | **76** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 7.9 | 55 | 2 | 2 | 4 | 13 | 20 | 20 | 20 |
| 70-74 | 4 | 11.0 | 133 | 1 | 1 | 8 | 20 | 26 | 26 | 26 |
| 75-79 | 3 | 14.7 | 30 | 11 | 11 | 12 | 19 | 21 | 21 | 21 |
| 80-84 | 1 | 87.0 | | 87 | 87 | 87 | 87 | 87 | 87 | 87 |
| 85+ | 5 | 10.4 | 113 | 2 | 2 | 7 | 13 | 29 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 20.4 | 902 | <1 | 1 | 12 | 20 | 68 | 98 | 98 |
| 70-74 | 10 | 17.2 | 91 | 4 | 5 | 20 | 23 | 29 | 34 | 34 |
| 75-79 | 7 | 9.0 | 61 | <1 | <1 | 8 | 13 | 21 | 23 | 23 |
| 80-84 | 3 | 7.0 | 37 | 3 | 3 | 4 | 11 | 14 | 14 | 14 |
| 85+ | 3 | 13.3 | 64 | 5 | 5 | 14 | 19 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 14.1 | 179 | 2 | 3 | 10 | 16 | 41 | 46 | 46 |
| 70-74 | 16 | 15.2 | 228 | 3 | 4 | 11 | 19 | 33 | 54 | 62 |
| 75-79 | 6 | 14.5 | 112 | 2 | 2 | 14 | 20 | 29 | 30 | 30 |
| 80-84 | 13 | 12.4 | 193 | 2 | 3 | 9 | 12 | 26 | 50 | 56 |
| 85+ | 10 | 13.1 | 23 | 6 | 7 | 12 | 17 | 19 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 25.5 | 526 | 3 | 4 | 19 | 36 | 75 | 87 | 99+ |
| 70-74 | 20 | 19.9 | 249 | 2 | 3 | 18 | 39 | 68 | 99+ | 99+ |
| 75-79 | 16 | 25.9 | 367 | 2 | 4 | 28 | 36 | 70 | 91 | 99+ |
| 80-84 | 18 | 34.3 | 655 | 6 | 11 | 29 | 59 | 83 | 94 | 99+ |
| 85+ | 6 | 26.7 | 271 | 7 | 9 | 33 | 47 | 90 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 13.8 | 351 | 1 | 2 | 8 | 19 | 27 | 55 | 87 |
| B. *Operated* | 32 | 15.0 | 302 | <1 | 3 | 11 | 21 | 23 | 33 | 98 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 13.9 | 155 | 2 | 3 | 10 | 17 | 30 | 46 | 61 |
| B. *Operated* | 87 | 26.2 | 446 | 2 | 5 | 21 | 42 | 78 | 99+ | 99+ |
| **1. SINGLE DX** | 53 | 14.5 | 316 | 1 | 2 | 10 | 20 | 24 | 33 | 98 |
| **2. MULTIPLE DX** | 151 | 21.0 | 358 | 2 | 4 | 15 | 32 | 57 | 83 | 99+ |
| **A. NOT OPERATED** | 85 | 13.9 | 200 | 2 | 3 | 10 | 17 | 29 | 46 | 78 |
| **B. OPERATED** | 119 | 23.2 | 429 | 2 | 4 | 19 | 34 | 71 | 98 | 99+ |
| TOTAL 65-69 YRS | 63 | 19.1 | 437 | 2 | 3 | 12 | 22 | 47 | 80 | 99+ |
| 70-74 | 50 | 17.1 | 198 | 2 | 3 | 14 | 24 | 44 | 61 | 99+ |
| 75-79 | 32 | 19.0 | 262 | 2 | 2 | 15 | 29 | 45 | 71 | 99+ |
| 80-84 | 35 | 25.3 | 646 | 2 | 3 | 16 | 40 | 77 | 87 | 99+ |
| 85+ | 24 | 16.0 | 134 | 4 | 6 | 14 | 20 | 40 | 62 | 99+ |
| **GRAND TOTAL** | **204** | **19.3** | **354** | **2** | **3** | **14** | **24** | **53** | **78** | **99+** |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 13 | 13 |
| 70-74 | 8 | 5.4 | 2 | 4 | 4 | 5 | 6 | 8 | 8 | 8 |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 5.6 | 7 | 2 | 3 | 5 | 8 | 10 | 11 | 11 |
| 70-74 | 26 | 7.2 | 31 | 2 | 3 | 5 | 8 | 13 | 20 | 26 |
| 75-79 | 20 | 6.8 | 14 | 2 | 2 | 6 | 10 | 12 | 13 | 14 |
| 80-84 | 6 | 10.2 | 68 | 3 | 3 | 7 | 19 | 22 | 22 | 22 |
| 85+ | 2 | 10.0 | 128 | 2 | 2 | 10 | 18 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 70-74 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 75-79 | 3 | 10.0 | 27 | 4 | 4 | 13 | 13 | 13 | 13 | 13 |
| 80-84 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 85+ | 2 | 15.5 | 13 | 13 | 13 | 15 | 18 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 6.7 | 21 | 2 | 3 | 5 | 8 | 13 | 18 | 24 |
| B. *Operated* | 9 | 10.3 | 26 | 3 | 3 | 13 | 13 | 16 | 18 | 18 |
| **1. SINGLE DX** | 23 | 5.2 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 99 | 7.1 | 22 | 2 | 3 | 5 | 10 | 13 | 18 | 24 |
| **A. NOT OPERATED** | 113 | 6.4 | 18 | 2 | 3 | 5 | 8 | 12 | 14 | 23 |
| **B. OPERATED** | 9 | 10.3 | 26 | 3 | 3 | 13 | 13 | 16 | 18 | 18 |
| TOTAL 65-69 YRS | 49 | 5.6 | 9 | 2 | 2 | 5 | 8 | 10 | 11 | 13 |
| 70-74 | 35 | 6.7 | 24 | 2 | 3 | 5 | 7 | 13 | 17 | 26 |
| 75-79 | 24 | 7.0 | 16 | 2 | 3 | 6 | 11 | 13 | 14 | 14 |
| 80-84 | 8 | 9.6 | 52 | 3 | 3 | 7 | 15 | 21 | 22 | 22 |
| 85+ | 6 | 10.5 | 46 | 2 | 2 | 10 | 18 | 18 | 18 | 18 |
| **GRAND TOTAL** | **122** | **6.7** | **20** | **2** | **3** | **5** | **8** | **13** | **15** | **23** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 8.8 | 41 | 1 | 3 | 7 | 11 | 15 | 19 | 35 |
| 70-74 | 53 | 11.5 | 51 | 3 | 4 | 10 | 15 | 21 | 27 | 34 |
| 75-79 | 62 | 11.3 | 44 | 3 | 4 | 10 | 15 | 18 | 20 | 40 |
| 80-84 | 52 | 11.7 | 37 | 4 | 5 | 10 | 15 | 20 | 25 | 31 |
| 85+ | 58 | 11.5 | 42 | 4 | 5 | 9 | 15 | 21 | 26 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 30.0 | 288 | 18 | 18 | 30 | 42 | 42 | 42 | 42 |
| 70-74 | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 75-79 | 3 | 48.0 | 228 | 34 | 34 | 46 | 59 | 64 | 64 | 64 |
| 80-84 | 5 | 16.8 | 207 | 5 | 5 | 14 | 23 | 41 | 41 | 41 |
| 85+ | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 677 | 13.6 | 98 | 4 | 5 | 11 | 17 | 24 | 31 | 57 |
| 70-74 | 877 | 14.1 | 107 | 5 | 6 | 11 | 17 | 24 | 33 | 60 |
| 75-79 | 976 | 15.2 | 126 | 5 | 6 | 12 | 18 | 28 | 37 | 64 |
| 80-84 | 821 | 16.2 | 163 | 5 | 6 | 13 | 19 | 29 | 41 | 79 |
| 85+ | 974 | 15.5 | 118 | 5 | 6 | 13 | 19 | 28 | 37 | 74 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 183 | 24.4 | 293 | 7 | 9 | 20 | 29 | 49 | 69 | 99 |
| 70-74 | 219 | 27.2 | 371 | 8 | 10 | 23 | 36 | 65 | 93 | 99+ |
| 75-79 | 235 | 27.1 | 352 | 8 | 10 | 23 | 33 | 57 | 84 | 99+ |
| 80-84 | 166 | 26.3 | 278 | 8 | 9 | 22 | 35 | 56 | 73 | 99+ |
| 85+ | 169 | 25.2 | 224 | 9 | 11 | 21 | 33 | 46 | 55 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 262 | 11.1 | 43 | 3 | 4 | 10 | 15 | 19 | 25 | 34 |
| B. *Operated* | 13 | 25.7 | 331 | 5 | 7 | 18 | 41 | 50 | 61 | 64 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4325 | 15.0 | 123 | 5 | 6 | 12 | 18 | 27 | 36 | 66 |
| B. *Operated* | 972 | 26.2 | 310 | 8 | 10 | 21 | 34 | 54 | 73 | 99+ |
| **1. SINGLE DX** | 275 | 11.8 | 66 | 3 | 4 | 10 | 15 | 21 | 27 | 42 |
| **2. MULTIPLE DX** | 5297 | 17.0 | 176 | 5 | 6 | 13 | 20 | 33 | 44 | 84 |
| **A. NOT OPERATED** | 4587 | 14.8 | 120 | 4 | 6 | 12 | 17 | 26 | 35 | 64 |
| **B. OPERATED** | 985 | 26.2 | 310 | 8 | 10 | 21 | 34 | 54 | 73 | 99+ |
| TOTAL 65-69 YRS | 899 | 15.6 | 156 | 4 | 6 | 12 | 19 | 29 | 41 | 74 |
| 70-74 | 1151 | 16.4 | 182 | 5 | 6 | 13 | 19 | 32 | 46 | 93 |
| 75-79 | 1276 | 17.3 | 189 | 5 | 6 | 13 | 20 | 33 | 46 | 88 |
| 80-84 | 1044 | 17.6 | 190 | 5 | 6 | 14 | 21 | 34 | 45 | 80 |
| 85+ | 1202 | 16.7 | 141 | 5 | 6 | 14 | 20 | 31 | 41 | 73 |
| **GRAND TOTAL** | **5572** | **16.8** | **172** | **5** | **6** | **13** | **20** | **32** | **44** | **83** |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 39 | 8.5 | 39 | 2 | 3 | 5 | 12 | 20 | 21 | 25 |
| 70-74 | 24 | 7.7 | 26 | 2 | 3 | 7 | 9 | 13 | 20 | 24 |
| 75-79 | 15 | 8.5 | 26 | 4 | 4 | 6 | 10 | 18 | 19 | 19 |
| 80-84 | 11 | 7.9 | 23 | 2 | 3 | 6 | 10 | 16 | 18 | 18 |
| 85+ | 5 | 9.2 | 55 | 4 | 4 | 6 | 12 | 22 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 7.5 | 15 | <1 | <1 | 9 | 10 | 11 | 11 | 11 |
| 70-74 | 8 | 14.0 | 161 | 1 | 2 | 10 | 20 | 35 | 40 | 40 |
| 75-79 | 3 | 8.7 | 24 | 3 | 3 | 11 | 12 | 12 | 12 | 12 |
| 80-84 | 9 | 13.6 | 132 | 1 | 2 | 8 | 26 | 29 | 30 | 30 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 147 | 11.6 | 85 | 3 | 4 | 9 | 14 | 23 | 30 | 56 |
| 70-74 | 130 | 11.9 | 127 | 3 | 4 | 8 | 14 | 22 | 37 | 83 |
| 75-79 | 130 | 13.2 | 124 | 3 | 4 | 10 | 17 | 24 | 31 | 61 |
| 80-84 | 90 | 11.3 | 46 | 4 | 4 | 10 | 14 | 21 | 26 | 36 |
| 85+ | 68 | 13.0 | 88 | 4 | 5 | 10 | 18 | 23 | 31 | 55 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 20.4 | 236 | 7 | 8 | 17 | 26 | 43 | 69 | 99+ |
| 70-74 | 41 | 21.2 | 331 | 3 | 5 | 17 | 23 | 52 | 78 | 99+ |
| 75-79 | 47 | 19.3 | 137 | 6 | 7 | 17 | 26 | 37 | 48 | 99+ |
| 80-84 | 21 | 19.0 | 174 | 3 | 6 | 13 | 26 | 39 | 45 | 52 |
| 85+ | 11 | 24.3 | 323 | 8 | 9 | 21 | 31 | 47 | 68 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 8.2 | 31 | 2 | 3 | 6 | 10 | 18 | 21 | 25 |
| B. *Operated* | 26 | 11.7 | 101 | 1 | 1 | 9 | 16 | 28 | 32 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 565 | 12.1 | 98 | 3 | 4 | 10 | 15 | 23 | 31 | 56 |
| B. *Operated* | 170 | 20.4 | 225 | 4 | 7 | 17 | 26 | 41 | 61 | 99+ |
| **1. SINGLE DX** | 120 | 9.0 | 48 | 2 | 3 | 6 | 11 | 19 | 23 | 33 |
| **2. MULTIPLE DX** | 735 | 14.0 | 139 | 4 | 4 | 11 | 17 | 28 | 37 | 76 |
| **A. NOT OPERATED** | 659 | 11.6 | 90 | 3 | 4 | 9 | 14 | 22 | 29 | 56 |
| **B. OPERATED** | 196 | 19.2 | 217 | 3 | 6 | 16 | 26 | 40 | 55 | 99+ |
| TOTAL 65-69 YRS | 242 | 12.8 | 123 | 3 | 4 | 9 | 16 | 26 | 36 | 70 |
| 70-74 | 203 | 13.3 | 173 | 3 | 4 | 9 | 16 | 28 | 44 | 89 |
| 75-79 | 195 | 14.2 | 127 | 3 | 4 | 12 | 18 | 26 | 36 | 74 |
| 80-84 | 131 | 12.4 | 78 | 3 | 4 | 11 | 14 | 25 | 30 | 42 |
| 85+ | 84 | 14.3 | 129 | 4 | 5 | 11 | 19 | 29 | 32 | 67 |
| **GRAND TOTAL** | **855** | **13.3** | **129** | **3** | **4** | **10** | **17** | **26** | **36** | **72** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 4.0 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 70-74 | 6 | 7.7 | 26 | 2 | 2 | 7 | 10 | 15 | 16 | 16 |
| 75-79 | 4 | 10.0 | 39 | 2 | 2 | 10 | 14 | 17 | 17 | 17 |
| 80-84 | 2 | 12.0 | 50 | 7 | 7 | 12 | 17 | 17 | 17 | 17 |
| 85+ | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 12.1 | 113 | 4 | 6 | 9 | 14 | 19 | 41 | 47 |
| 70-74 | 14 | 14.7 | 133 | 4 | 5 | 12 | 20 | 31 | 42 | 45 |
| 75-79 | 12 | 13.2 | 19 | 5 | 7 | 14 | 16 | 18 | 20 | 20 |
| 80-84 | 4 | 27.3 | 1081 | 7 | 7 | 13 | 47 | 76 | 76 | 76 |
| 85+ | 8 | 14.4 | 111 | 2 | 2 | 13 | 21 | 30 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 11.4 | 9 | 8 | 8 | 10 | 14 | 15 | 15 | 15 |
| 70-74 | 4 | 50.3 | 928 | 23 | 23 | 49 | 76 | 80 | 80 | 80 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 13.5 | 221 | 3 | 3 | 13 | 24 | 24 | 24 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 7.6 | 27 | 2 | 2 | 7 | 10 | 17 | 17 | 17 |
| B. *Operated* | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 14.6 | 160 | 4 | 5 | 12 | 16 | 26 | 44 | 75 |
| B. *Operated* | 11 | 25.9 | 677 | 3 | 6 | 15 | 25 | 76 | 80 | 80 |
| **1. SINGLE DX** | 20 | 7.5 | 25 | 2 | 2 | 7 | 10 | 16 | 17 | 17 |
| **2. MULTIPLE DX** | 63 | 16.5 | 260 | 4 | 5 | 13 | 18 | 30 | 56 | 79 |
| **A. NOT OPERATED** | 70 | 12.8 | 134 | 2 | 3 | 10 | 16 | 22 | 32 | 70 |
| **B. OPERATED** | 13 | 22.9 | 619 | 3 | 3 | 14 | 24 | 74 | 79 | 80 |
| TOTAL 65-69 YRS | 23 | 10.5 | 79 | 2 | 4 | 9 | 13 | 15 | 27 | 47 |
| 70-74 | 26 | 17.9 | 395 | 3 | 3 | 11 | 23 | 43 | 74 | 80 |
| 75-79 | 16 | 12.4 | 24 | 3 | 5 | 13 | 16 | 17 | 19 | 20 |
| 80-84 | 6 | 22.2 | 721 | 7 | 7 | 12 | 18 | 70 | 76 | 76 |
| 85+ | 12 | 12.7 | 104 | 2 | 2 | 9 | 21 | 27 | 31 | 32 |
| **GRAND TOTAL** | **83** | **14.3** | **218** | **2** | **3** | **10** | **16** | **25** | **46** | **79** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 6.8 | 28 | 1 | 2 | 5 | 9 | 12 | 16 | 27 |
| 70-74 | 167 | 7.0 | 35 | 2 | 2 | 5 | 9 | 14 | 16 | 36 |
| 75-79 | 148 | 8.0 | 44 | 2 | 3 | 6 | 10 | 14 | 18 | 34 |
| 80-84 | 119 | 7.7 | 28 | 2 | 2 | 6 | 10 | 16 | 18 | 25 |
| 85+ | 97 | 7.8 | 29 | 1 | 3 | 7 | 10 | 14 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 7.3 | 34 | 1 | 1 | 6 | 10 | 16 | 20 | 21 |
| 70-74 | 12 | 10.6 | 133 | 1 | 2 | 9 | 12 | 23 | 41 | 44 |
| 75-79 | 7 | 9.3 | 17 | 3 | 3 | 10 | 13 | 14 | 14 | 14 |
| 80-84 | 4 | 18.8 | 110 | 7 | 7 | 19 | 27 | 29 | 29 | 29 |
| 85+ | 7 | 7.3 | 36 | 2 | 2 | 5 | 11 | 17 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 583 | 9.4 | 64 | 2 | 3 | 7 | 11 | 18 | 23 | 44 |
| 70-74 | 679 | 10.1 | 82 | 2 | 3 | 8 | 12 | 19 | 26 | 58 |
| 75-79 | 698 | 11.0 | 88 | 2 | 3 | 9 | 14 | 21 | 27 | 47 |
| 80-84 | 592 | 11.1 | 72 | 2 | 3 | 9 | 14 | 21 | 27 | 50 |
| 85+ | 522 | 12.5 | 116 | 3 | 3 | 9 | 16 | 25 | 31 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 14.2 | 199 | 3 | 3 | 11 | 17 | 26 | 36 | 78 |
| 70-74 | 78 | 15.3 | 141 | 3 | 3 | 12 | 21 | 30 | 36 | 66 |
| 75-79 | 72 | 19.0 | 230 | 2 | 4 | 17 | 27 | 43 | 79 | 99+ |
| 80-84 | 45 | 17.7 | 206 | 4 | 6 | 12 | 26 | 38 | 49 | 62 |
| 85+ | 51 | 18.9 | 187 | 5 | 8 | 14 | 23 | 37 | 51 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 702 | 7.4 | 33 | 2 | 2 | 6 | 9 | 14 | 17 | 31 |
| B. *Operated* | 43 | 9.6 | 71 | 1 | 2 | 7 | 13 | 19 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3074 | 10.8 | 85 | 2 | 3 | 8 | 13 | 21 | 28 | 55 |
| B. *Operated* | 313 | 16.8 | 192 | 3 | 4 | 13 | 23 | 35 | 49 | 91 |
| **1. SINGLE DX** | 745 | 7.5 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | 3387 | 11.3 | 98 | 3 | 3 | 9 | 14 | 22 | 30 | 58 |
| **A. NOT OPERATED** | 3776 | 10.1 | 77 | 2 | 3 | 8 | 12 | 19 | 26 | 51 |
| **B. OPERATED** | 356 | 16.0 | 183 | 2 | 3 | 12 | 21 | 34 | 44 | 85 |
| TOTAL 65-69 YRS | 834 | 9.2 | 70 | 2 | 3 | 7 | 11 | 17 | 23 | 44 |
| 70-74 | 936 | 10.0 | 83 | 2 | 3 | 8 | 12 | 19 | 27 | 56 |
| 75-79 | 925 | 11.1 | 97 | 2 | 3 | 9 | 14 | 22 | 29 | 61 |
| 80-84 | 760 | 11.0 | 78 | 2 | 3 | 9 | 14 | 22 | 28 | 50 |
| 85+ | 677 | 12.3 | 114 | 3 | 3 | 9 | 15 | 25 | 32 | 61 |
| **GRAND TOTAL** | **4132** | **10.6** | **89** | **2** | **3** | **8** | **13** | **21** | **28** | **55** |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 57 | 7.4 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 21 |
| 70-74 | 32 | 10.5 | 50 | 2 | 3 | 9 | 13 | 19 | 23 | 34 |
| 75-79 | 26 | 8.3 | 17 | 3 | 4 | 8 | 10 | 14 | 18 | 19 |
| 80-84 | 7 | 11.3 | 49 | 5 | 5 | 7 | 18 | 20 | 20 | 20 |
| 85+ | 6 | 7.7 | 14 | 5 | 5 | 6 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 12.6 | 116 | 1 | 3 | 9 | 18 | 31 | 34 | 34 |
| 70-74 | 5 | 18.8 | 150 | 10 | 10 | 16 | 23 | 40 | 40 | 40 |
| 75-79 | 6 | 12.3 | 75 | 2 | 2 | 12 | 21 | 23 | 23 | 23 |
| 80-84 | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 119 | 11.4 | 59 | 4 | 5 | 9 | 15 | 21 | 26 | 41 |
| 70-74 | 106 | 11.3 | 47 | 4 | 4 | 10 | 16 | 20 | 24 | 34 |
| 75-79 | 79 | 11.9 | 54 | 3 | 4 | 10 | 16 | 22 | 24 | 41 |
| 80-84 | 55 | 14.3 | 141 | 4 | 5 | 10 | 17 | 32 | 45 | 98 |
| 85+ | 43 | 13.3 | 81 | 4 | 6 | 12 | 15 | 24 | 34 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 43 | 17.6 | 184 | 5 | 7 | 13 | 24 | 29 | 55 | 64 |
| 70-74 | 34 | 14.7 | 98 | 3 | 4 | 13 | 22 | 27 | 37 | 39 |
| 75-79 | 14 | 17.6 | 223 | 2 | 3 | 15 | 19 | 31 | 57 | 64 |
| 80-84 | 8 | 19.8 | 234 | 2 | 4 | 12 | 36 | 39 | 40 | 40 |
| 85+ | 6 | 23.0 | 979 | 2 | 2 | 12 | 70 | 97 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 8.6 | 28 | 2 | 3 | 8 | 11 | 17 | 19 | 25 |
| B. *Operated* | 25 | 13.7 | 102 | 2 | 4 | 11 | 18 | 30 | 35 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 402 | 12.1 | 69 | 4 | 5 | 10 | 16 | 22 | 29 | 44 |
| B. *Operated* | 105 | 17.2 | 200 | 3 | 4 | 13 | 22 | 36 | 55 | 91 |
| **1. SINGLE DX** | 153 | 9.4 | 43 | 2 | 3 | 8 | 12 | 18 | 21 | 34 |
| **2. MULTIPLE DX** | 507 | 13.1 | 100 | 3 | 5 | 11 | 16 | 24 | 33 | 64 |
| **A. NOT OPERATED** | 530 | 11.2 | 61 | 3 | 4 | 9 | 14 | 20 | 25 | 42 |
| **B. OPERATED** | 130 | 16.5 | 182 | 2 | 4 | 13 | 22 | 34 | 40 | 87 |
| TOTAL 65-69 YRS | 231 | 11.6 | 84 | 3 | 4 | 9 | 14 | 23 | 28 | 55 |
| 70-74 | 177 | 12.0 | 62 | 3 | 4 | 10 | 16 | 22 | 27 | 40 |
| 75-79 | 125 | 11.8 | 70 | 3 | 4 | 10 | 15 | 22 | 23 | 47 |
| 80-84 | 72 | 14.6 | 140 | 4 | 5 | 10 | 18 | 36 | 43 | 92 |
| 85+ | 55 | 13.7 | 169 | 3 | 5 | 11 | 15 | 29 | 44 | 99 |
| **GRAND TOTAL** | **660** | **12.3** | **89** | **3** | **4** | **10** | **16** | **23** | **30** | **58** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 7.4 | 10 | 4 | 4 | 7 | 8 | 12 | 14 | 14 |
| 70-74 | 3 | 8.7 | 16 | 4 | 4 | 11 | 11 | 11 | 11 | 11 |
| 75-79 | 5 | 7.4 | 32 | 2 | 2 | 7 | 12 | 15 | 15 | 15 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 11.5 | 16 | 8 | 8 | 10 | 14 | 17 | 17 | 17 |
| 70-74 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 75-79 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 7.4 | 14 | 2 | 3 | 7 | 11 | 13 | 15 | 15 |
| B. *Operated* | 6 | 10.0 | 16 | 6 | 6 | 9 | 12 | 16 | 17 | 17 |
| **1. SINGLE DX** | 4 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | 24 | 8.0 | 15 | 2 | 4 | 7 | 11 | 14 | 16 | 17 |
| **A. NOT OPERATED** | 22 | 6.8 | 13 | 2 | 3 | 6 | 9 | 12 | 14 | 15 |
| **B. OPERATED** | 6 | 10.0 | 16 | 6 | 6 | 9 | 12 | 16 | 17 | 17 |
| TOTAL 65-69 YRS | 14 | 8.0 | 16 | 3 | 4 | 7 | 9 | 14 | 16 | 17 |
| 70-74 | 4 | 8.0 | 13 | 4 | 4 | 8 | 11 | 11 | 11 | 11 |
| 75-79 | 6 | 7.5 | 26 | 2 | 2 | 7 | 11 | 15 | 15 | 15 |
| 80-84 | | | | | | | | | | |
| 85+ | 4 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| **GRAND TOTAL** | **28** | **7.5** | **15** | **2** | **3** | **7** | **10** | **13** | **15** | **17** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 29 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 70-74 | 9 | 3.3 | 4 | 1 | 1 | 2 | 5 | 6 | 7 | 7 |
| 75-79 | 8 | 3.0 | 3 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 85+ | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 5 | 10.0 | 24 | 4 | 4 | 11 | 14 | 15 | 15 | 15 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 5.9 | 36 | 2 | 2 | 4 | 8 | 11 | 20 | 30 |
| 70-74 | 21 | 7.3 | 86 | 1 | 2 | 3 | 7 | 22 | 31 | 37 |
| 75-79 | 15 | 4.1 | 16 | 1 | 2 | 3 | 4 | 5 | 15 | 18 |
| 80-84 | 4 | 4.8 | 20 | <1 | <1 | 3 | 8 | 11 | 11 | 11 |
| 85+ | 7 | 11.0 | 255 | 3 | 3 | 6 | 7 | 39 | 47 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | 51 | 3.3 | 6 | <1 | 1 | 2 | 4 | 7 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 8.5 | 32 | 1 | 1 | 8 | 14 | 15 | 15 | 15 |
| B. *Operated* | 83 | 6.3 | 62 | 1 | 2 | 3 | 7 | 13 | 23 | 44 |
| **1. SINGLE DX** | 52 | 3.4 | 7 | <1 | 1 | 2 | 5 | 7 | 7 | 15 |
| **2. MULTIPLE DX** | 89 | 6.5 | 60 | 1 | 2 | 4 | 7 | 14 | 22 | 43 |
| **A. NOT OPERATED** | 7 | 6.3 | 27 | 1 | 2 | 7 | 13 | 15 | 15 | 15 |
| **B. OPERATED** | 134 | 5.2 | 43 | 1 | 2 | 3 | 5 | 10 | 17 | 39 |
| TOTAL 65-69 YRS | 66 | 4.8 | 25 | 1 | 2 | 3 | 6 | 10 | 15 | 29 |
| 70-74 | 35 | 6.7 | 59 | 1 | 2 | 4 | 7 | 15 | 24 | 37 |
| 75-79 | 24 | 3.8 | 12 | <1 | 1 | 3 | 5 | 6 | 10 | 18 |
| 80-84 | 6 | 3.7 | 15 | <1 | <1 | 2 | 5 | 10 | 11 | 11 |
| 85+ | 10 | 8.8 | 184 | 2 | 2 | 5 | 7 | 27 | 47 | 47 |
| **GRAND TOTAL** | 141 | 5.3 | 42 | 1 | 2 | 3 | 6 | 11 | 17 | 38 |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 119 | 5.0 | 11 | 2 | 2 | 4 | 6 | 10 | 11 | 17 |
| 70-74 | 67 | 4.9 | 62 | 1 | 2 | 4 | 5 | 7 | 8 | 56 |
| 75-79 | 94 | 5.2 | 24 | 1 | 2 | 4 | 6 | 8 | 13 | 31 |
| 80-84 | 48 | 5.9 | 23 | 2 | 2 | 4 | 8 | 11 | 15 | 26 |
| 85+ | 60 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 13 | 91 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 17.0 | 362 | 7 | 7 | 9 | 20 | 51 | 51 | 51 |
| 70-74 | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 75-79 | 4 | 22.0 | 849 | 3 | 3 | 10 | 40 | 65 | 65 | 65 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 592 | 6.8 | 41 | 2 | 2 | 5 | 8 | 12 | 16 | 32 |
| 70-74 | 647 | 7.1 | 41 | 2 | 2 | 5 | 9 | 13 | 17 | 32 |
| 75-79 | 594 | 7.4 | 31 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 80-84 | 477 | 8.2 | 51 | 2 | 3 | 6 | 10 | 15 | 18 | 45 |
| 85+ | 449 | 8.4 | 52 | 2 | 2 | 6 | 10 | 16 | 22 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 52 | 11.6 | 48 | 2 | 4 | 11 | 15 | 20 | 25 | 38 |
| 70-74 | 52 | 11.8 | 75 | 2 | 4 | 10 | 14 | 21 | 26 | 53 |
| 75-79 | 35 | 14.2 | 180 | 4 | 4 | 12 | 17 | 22 | 38 | 77 |
| 80-84 | 24 | 14.5 | 63 | 3 | 6 | 12 | 21 | 27 | 29 | 29 |
| 85+ | 12 | 11.3 | 43 | 5 | 5 | 9 | 15 | 20 | 27 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 388 | 5.1 | 24 | 1 | 2 | 4 | 6 | 9 | 11 | 26 |
| B. *Operated* | 14 | 13.7 | 372 | 2 | 3 | 7 | 9 | 52 | 62 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2759 | 7.5 | 43 | 2 | 3 | 6 | 9 | 14 | 18 | 34 |
| B. *Operated* | 175 | 12.5 | 84 | 3 | 4 | 11 | 16 | 22 | 27 | 51 |
| **1. SINGLE DX** | 402 | 5.4 | 38 | 1 | 2 | 4 | 6 | 9 | 13 | 43 |
| **2. MULTIPLE DX** | 2934 | 7.8 | 47 | 2 | 3 | 6 | 9 | 15 | 19 | 35 |
| **A. NOT OPERATED** | 3147 | 7.2 | 41 | 2 | 2 | 5 | 9 | 14 | 18 | 33 |
| **B. OPERATED** | 189 | 12.6 | 104 | 3 | 4 | 11 | 16 | 23 | 28 | 61 |
| TOTAL 65-69 YRS | 768 | 6.9 | 41 | 2 | 2 | 5 | 8 | 13 | 17 | 32 |
| 70-74 | 769 | 7.2 | 47 | 2 | 2 | 5 | 9 | 14 | 18 | 33 |
| 75-79 | 727 | 7.5 | 44 | 2 | 3 | 6 | 9 | 15 | 19 | 35 |
| 80-84 | 549 | 8.3 | 51 | 2 | 3 | 6 | 10 | 15 | 19 | 45 |
| 85+ | 523 | 8.0 | 49 | 2 | 2 | 6 | 10 | 16 | 22 | 36 |
| **GRAND TOTAL** | 3336 | 7.5 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 5.7 | 11 | 1 | 2 | 5 | 8 | 11 | 12 | 12 |
| 70-74 | 4 | 7.5 | 17 | 4 | 4 | 7 | 11 | 12 | 12 | 12 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 10.8 | 107 | 2 | 2 | 9 | 11 | 28 | 35 | 35 |
| 70-74 | 13 | 8.5 | 30 | 3 | 3 | 8 | 10 | 19 | 19 | 19 |
| 75-79 | 6 | 10.0 | 64 | 2 | 2 | 7 | 16 | 22 | 23 | 23 |
| 80-84 | 8 | 7.5 | 5 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| 85+ | 5 | 10.2 | 61 | 3 | 3 | 7 | 18 | 20 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 31.3 | 380 | 9 | 9 | 40 | 44 | 45 | 45 | 45 |
| 70-74 | 2 | 20.5 | 365 | 7 | 7 | 20 | 34 | 34 | 34 | 34 |
| 75-79 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 6.5 | 11 | 1 | 2 | 5 | 10 | 11 | 12 | 12 |
| B. *Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 9.2 | 45 | 2 | 3 | 8 | 11 | 19 | 21 | 35 |
| B. *Operated* | 7 | 22.3 | 278 | 7 | 7 | 13 | 38 | 44 | 45 | 45 |
| **1. SINGLE DX** | 18 | 6.4 | 11 | 1 | 2 | 6 | 10 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | 47 | 11.1 | 97 | 3 | 3 | 8 | 12 | 22 | 36 | 45 |
| **A. NOT OPERATED** | 57 | 8.4 | 36 | 2 | 3 | 7 | 10 | 17 | 20 | 34 |
| **B. OPERATED** | 8 | 20.3 | 271 | 6 | 6 | 11 | 37 | 43 | 45 | 45 |
| TOTAL 65-69 YRS | 22 | 11.0 | 151 | 1 | 2 | 7 | 10 | 36 | 42 | 45 |
| 70-74 | 20 | 9.4 | 55 | 3 | 3 | 7 | 11 | 19 | 27 | 34 |
| 75-79 | 7 | 9.7 | 54 | 2 | 2 | 8 | 14 | 22 | 23 | 23 |
| 80-84 | 9 | 7.4 | 5 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| 85+ | 7 | 10.6 | 42 | 3 | 3 | 10 | 16 | 19 | 20 | 20 |
| **GRAND TOTAL** | 65 | 9.8 | 77 | 2 | 3 | 7 | 10 | 19 | 34 | 44 |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 6.9 | 24 | 1 | 1 | 7 | 11 | 14 | 14 | 14 |
| 70-74 | 17 | 6.4 | 35 | <1 | 1 | 6 | 9 | 17 | 19 | 19 |
| 75-79 | 9 | 7.7 | 69 | 1 | 1 | 4 | 16 | 20 | 22 | 22 |
| 80-84 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 85+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 12.2 | 57 | 2 | 2 | 14 | 19 | 20 | 20 | 20 |
| 70-74 | 5 | 12.0 | 79 | 2 | 2 | 14 | 18 | 23 | 23 | 23 |
| 75-79 | 5 | 5.6 | 12 | 2 | 2 | 6 | 7 | 11 | 11 | 11 |
| 80-84 | 3 | 4.7 | 22 | <1 | <1 | 3 | 8 | 10 | 10 | 10 |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 6.9 | 27 | 1 | 1 | 5 | 10 | 16 | 19 | 99+ |
| 70-74 | 45 | 14.3 | 160 | 3 | 4 | 11 | 17 | 28 | 41 | 68 |
| 75-79 | 32 | 9.8 | 76 | 1 | 2 | 8 | 14 | 18 | 21 | 45 |
| 80-84 | 22 | 12.2 | 62 | 1 | 2 | 13 | 20 | 22 | 24 | 26 |
| 85+ | 14 | 10.1 | 79 | 1 | 2 | 7 | 17 | 24 | 29 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 9.0 | 71 | 2 | 2 | 6 | 10 | 23 | 29 | 34 |
| 70-74 | 21 | 22.3 | 321 | 3 | 4 | 18 | 29 | 49 | 65 | 71 |
| 75-79 | 14 | 12.0 | 54 | 2 | 3 | 13 | 19 | 25 | 81 | 99+ |
| 80-84 | 9 | 12.8 | 53 | 3 | 4 | 10 | 19 | 22 | 23 | 23 |
| 85+ | 6 | 12.7 | 72 | 3 | 3 | 13 | 14 | 26 | 27 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 6.5 | 38 | 1 | 1 | 4 | 9 | 17 | 19 | 22 |
| B. *Operated* | 20 | 9.0 | 49 | 1 | 2 | 6 | 14 | 19 | 21 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 146 | 10.9 | 95 | 1 | 2 | 8 | 15 | 22 | 28 | 69 |
| B. *Operated* | 72 | 14.2 | 162 | 2 | 3 | 12 | 19 | 29 | 40 | 93 |
| **1. SINGLE DX** | 57 | 7.3 | 42 | 1 | 1 | 5 | 11 | 18 | 20 | 23 |
| **2. MULTIPLE DX** | 218 | 12.0 | 119 | 2 | 2 | 9 | 17 | 24 | 34 | 80 |
| **A. NOT OPERATED** | 183 | 10.0 | 86 | 1 | 1 | 8 | 15 | 21 | 25 | 60 |
| **B. OPERATED** | 92 | 13.1 | 141 | 2 | 3 | 10 | 19 | 26 | 37 | 88 |
| TOTAL 65-69 YRS | 68 | 8.0 | 44 | 1 | 2 | 6 | 12 | 18 | 22 | 87 |
| 70-74 | 88 | 14.6 | 193 | 1 | 2 | 10 | 19 | 31 | 41 | 70 |
| 75-79 | 60 | 9.6 | 65 | 1 | 2 | 8 | 16 | 19 | 23 | 94 |
| 80-84 | 36 | 11.3 | 58 | 1 | 1 | 10 | 18 | 22 | 23 | 26 |
| 85+ | 23 | 9.8 | 73 | 1 | 2 | 7 | 14 | 24 | 28 | 31 |
| **GRAND TOTAL** | 275 | 11.0 | 106 | 1 | 2 | 8 | 16 | 22 | 30 | 70 |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 7.5 | 26 | 1 | 1 | 6 | 11 | 13 | 18 | 20 |
| 70-74 | 14 | 9.1 | 59 | 1 | 2 | 5 | 14 | 20 | 25 | 27 |
| 75-79 | 4 | 10.3 | 11 | 7 | 7 | 10 | 13 | 14 | 14 | 14 |
| 80-84 | 2 | 9.0 | 72 | 3 | 3 | 9 | 15 | 15 | 15 | 15 |
| 85+ | 3 | 7.0 | 19 | 4 | 4 | 5 | 10 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 28 | 13.2 | 188 | 2 | 3 | 9 | 13 | 38 | 45 | 58 |
| 70-74 | 18 | 8.6 | 32 | 1 | 2 | 8 | 10 | 16 | 21 | 23 |
| 75-79 | 9 | 8.7 | 91 | 3 | 3 | 5 | 10 | 24 | 33 | 33 |
| 80-84 | 6 | 7.3 | 31 | 1 | 1 | 7 | 10 | 15 | 16 | 16 |
| 85+ | 3 | 10.0 | 93 | 3 | 3 | 6 | 17 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 11.4 | 74 | 4 | 5 | 8 | 13 | 21 | 27 | 47 |
| 70-74 | 80 | 11.9 | 110 | 3 | 3 | 9 | 13 | 22 | 32 | 61 |
| 75-79 | 52 | 11.5 | 137 | 2 | 3 | 8 | 13 | 22 | 38 | 59 |
| 80-84 | 46 | 12.9 | 90 | 3 | 4 | 10 | 15 | 26 | 34 | 47 |
| 85+ | 40 | 11.1 | 52 | 2 | 3 | 10 | 14 | 22 | 26 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 15.4 | 384 | 1 | 2 | 8 | 19 | 47 | 74 | 99+ |
| 70-74 | 58 | 18.5 | 350 | 2 | 2 | 13 | 26 | 51 | 69 | 98 |
| 75-79 | 25 | 17.6 | 224 | 3 | 5 | 13 | 22 | 37 | 47 | 67 |
| 80-84 | 14 | 15.3 | 95 | 3 | 4 | 13 | 22 | 29 | 33 | 34 |
| 85+ | 12 | 15.9 | 456 | 3 | 4 | 9 | 15 | 41 | 75 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 8.4 | 36 | 1 | 3 | 6 | 12 | 17 | 20 | 27 |
| B. *Operated* | 64 | 10.6 | 112 | 2 | 2 | 8 | 11 | 21 | 36 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 308 | 11.7 | 92 | 3 | 4 | 9 | 14 | 22 | 29 | 53 |
| B. *Operated* | 177 | 16.8 | 328 | 2 | 3 | 11 | 21 | 42 | 70 | 99+ |
| **1. SINGLE DX** | 101 | 9.8 | 85 | 1 | 2 | 8 | 11 | 19 | 26 | 51 |
| **2. MULTIPLE DX** | 485 | 13.6 | 184 | 2 | 3 | 9 | 15 | 29 | 42 | 82 |
| **A. NOT OPERATED** | 345 | 11.4 | 87 | 3 | 4 | 9 | 14 | 22 | 28 | 51 |
| **B. OPERATED** | 241 | 15.1 | 277 | 2 | 2 | 10 | 18 | 40 | 66 | 99+ |
| TOTAL 65-69 YRS | 200 | 12.7 | 195 | 2 | 3 | 8 | 14 | 30 | 45 | 94 |
| 70-74 | 170 | 13.6 | 191 | 2 | 3 | 10 | 15 | 30 | 42 | 80 |
| 75-79 | 90 | 12.9 | 157 | 2 | 3 | 9 | 14 | 29 | 40 | 64 |
| 80-84 | 68 | 12.8 | 87 | 3 | 4 | 10 | 16 | 26 | 34 | 45 |
| 85+ | 58 | 11.8 | 132 | 2 | 3 | 10 | 15 | 22 | 26 | 77 |
| **GRAND TOTAL** | **586** | **12.9** | **168** | **2** | **3** | **9** | **15** | **27** | **42** | **78** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 8.1 | 12 | 3 | 4 | 8 | 11 | 12 | 12 | 12 |
| 70-74 | 3 | 7.3 | 6 | 5 | 5 | 7 | 9 | 10 | 10 | 10 |
| 75-79 | 10 | 12.5 | 137 | <1 | 1 | 10 | 16 | 29 | 41 | 41 |
| 80-84 | 7 | 9.1 | 5 | 7 | 7 | 9 | 11 | 12 | 12 | 12 |
| 85+ | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 19.5 | 203 | 6 | 7 | 14 | 26 | 44 | 48 | 48 |
| 70-74 | | | | | | | | | | |
| 75-79 | 5 | 10.0 | 2 | 8 | 8 | 10 | 11 | 12 | 12 | 12 |
| 80-84 | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 85+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 5.8 | 20 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| B. *Operated* | 2 | 12.5 | 265 | 1 | 1 | 12 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 9.6 | 52 | 3 | 4 | 8 | 12 | 15 | 18 | 41 |
| B. *Operated* | 15 | 17.0 | 133 | 6 | 8 | 12 | 20 | 34 | 44 | 48 |
| **1. SINGLE DX** | 6 | 8.0 | 77 | 1 | 1 | 6 | 10 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | 45 | 12.1 | 89 | 3 | 5 | 10 | 13 | 21 | 36 | 48 |
| **A. NOT OPERATED** | 34 | 9.2 | 49 | 1 | 3 | 8 | 11 | 15 | 18 | 41 |
| **B. OPERATED** | 17 | 16.5 | 135 | 3 | 6 | 12 | 22 | 33 | 43 | 48 |
| TOTAL 65-69 YRS | 17 | 13.2 | 133 | 3 | 4 | 11 | 13 | 31 | 43 | 48 |
| 70-74 | 4 | 11.5 | 74 | 5 | 5 | 8 | 17 | 24 | 24 | 24 |
| 75-79 | 18 | 10.3 | 86 | <1 | 1 | 9 | 14 | 17 | 32 | 41 |
| 80-84 | 9 | 11.3 | 43 | 7 | 7 | 10 | 11 | 22 | 28 | 28 |
| 85+ | 3 | 11.3 | 72 | 5 | 5 | 8 | 18 | 21 | 21 | 21 |
| **GRAND TOTAL** | **51** | **11.6** | **87** | **1** | **3** | **10** | **12** | **22** | **34** | **48** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 6.9 | 24 | 3 | 3 | 6 | 8 | 15 | 17 | 17 |
| 70-74 | 3 | 10.7 | 2 | 9 | 9 | 11 | 12 | 12 | 12 | 12 |
| 75-79 | 6 | 8.0 | 58 | 2 | 2 | 4 | 15 | 19 | 20 | 20 |
| 80-84 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 85+ | 3 | 10.0 | 9 | 7 | 7 | 10 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 6.6 | 7 | 2 | 3 | 8 | 9 | 9 | 10 | 10 |
| 70-74 | 20 | 6.8 | 21 | 1 | 2 | 6 | 10 | 12 | 16 | 20 |
| 75-79 | 8 | 13.3 | 78 | 3 | 4 | 11 | 18 | 28 | 30 | 30 |
| 80-84 | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 85+ | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 9.3 | 38 | 2 | 3 | 8 | 13 | 16 | 22 | 30 |
| 70-74 | 50 | 13.9 | 137 | 3 | 4 | 11 | 17 | 28 | 31 | 73 |
| 75-79 | 34 | 9.1 | 32 | 3 | 3 | 8 | 12 | 17 | 21 | 25 |
| 80-84 | 24 | 10.3 | 96 | 3 | 4 | 7 | 12 | 18 | 30 | 50 |
| 85+ | 23 | 16.7 | 233 | 4 | 4 | 14 | 18 | 32 | 49 | 74 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 16.1 | 193 | 2 | 3 | 11 | 27 | 35 | 37 | 62 |
| 70-74 | 33 | 16.5 | 174 | 3 | 3 | 13 | 21 | 33 | 36 | 66 |
| 75-79 | 17 | 20.5 | 152 | 5 | 6 | 17 | 25 | 41 | 47 | 50 |
| 80-84 | 8 | 13.4 | 176 | 3 | 3 | 8 | 17 | 35 | 43 | 43 |
| 85+ | 4 | 10.3 | 6 | 9 | 9 | 9 | 12 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 8.7 | 28 | 2 | 2 | 8 | 12 | 16 | 18 | 20 |
| B. *Operated* | 43 | 9.1 | 57 | 2 | 2 | 7 | 10 | 20 | 29 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 11.6 | 102 | 3 | 4 | 9 | 15 | 22 | 30 | 66 |
| B. *Operated* | 96 | 16.5 | 170 | 3 | 3 | 13 | 21 | 35 | 41 | 64 |
| **1. SINGLE DX** | 63 | 8.9 | 47 | 2 | 2 | 7 | 11 | 18 | 24 | 34 |
| **2. MULTIPLE DX** | 275 | 13.3 | 131 | 3 | 4 | 10 | 17 | 28 | 35 | 65 |
| **A. NOT OPERATED** | 199 | 11.3 | 96 | 3 | 3 | 9 | 14 | 20 | 29 | 62 |
| **B. OPERATED** | 139 | 14.2 | 146 | 2 | 3 | 10 | 18 | 33 | 37 | 62 |
| TOTAL 65-69 YRS | 102 | 11.1 | 97 | 2 | 3 | 8 | 13 | 27 | 34 | 49 |
| 70-74 | 106 | 13.2 | 133 | 2 | 3 | 10 | 15 | 28 | 33 | 69 |
| 75-79 | 65 | 12.5 | 93 | 3 | 3 | 10 | 16 | 25 | 31 | 49 |
| 80-84 | 34 | 11.7 | 114 | 3 | 4 | 8 | 15 | 22 | 40 | 50 |
| 85+ | 31 | 15.8 | 193 | 4 | 4 | 13 | 18 | 32 | 35 | 74 |
| **GRAND TOTAL** | 338 | 12.5 | 118 | 3 | 3 | 9 | 15 | 27 | 34 | 62 |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 70-74 | 3 | 7.0 | 108 | 1 | 1 | 1 | 15 | 19 | 19 | 19 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 12.0 | 120 | 2 | 3 | 11 | 13 | 24 | 41 | 44 |
| 70-74 | 16 | 9.5 | 62 | 2 | 3 | 7 | 12 | 20 | 28 | 32 |
| 75-79 | 4 | 5.3 | 10 | 3 | 3 | 4 | 7 | 10 | 10 | 10 |
| 80-84 | 8 | 10.3 | 25 | 5 | 5 | 9 | 14 | 18 | 19 | 19 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 15.0 | 48 | 5 | 7 | 15 | 17 | 26 | 29 | 29 |
| 70-74 | 8 | 18.8 | 243 | 2 | 2 | 19 | 28 | 42 | 46 | 46 |
| 75-79 | 4 | 20.5 | 364 | 9 | 9 | 12 | 31 | 49 | 49 | 49 |
| 80-84 | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 85+ | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 5 | 6.4 | 56 | 1 | 1 | 4 | 10 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 10.0 | 67 | 2 | 3 | 8 | 13 | 18 | 26 | 44 |
| B. *Operated* | 25 | 16.8 | 140 | 3 | 5 | 14 | 20 | 34 | 47 | 49 |
| **1. SINGLE DX** | 6 | 5.7 | 48 | 1 | 1 | 3 | 7 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | 65 | 12.6 | 104 | 3 | 3 | 11 | 15 | 22 | 36 | 49 |
| **A. NOT OPERATED** | 41 | 9.8 | 67 | 2 | 3 | 7 | 12 | 18 | 25 | 44 |
| **B. OPERATED** | 30 | 15.1 | 139 | 1 | 2 | 13 | 19 | 31 | 46 | 49 |
| TOTAL 65-69 YRS | 24 | 12.2 | 86 | 2 | 4 | 11 | 15 | 22 | 33 | 44 |
| 70-74 | 27 | 12.0 | 131 | 1 | 2 | 7 | 19 | 30 | 36 | 46 |
| 75-79 | 8 | 12.9 | 227 | 3 | 3 | 9 | 12 | 38 | 49 | 49 |
| 80-84 | 10 | 11.0 | 23 | 5 | 5 | 11 | 15 | 17 | 19 | 19 |
| 85+ | 2 | 12.5 | 5 | 11 | 11 | 12 | 14 | 14 | 14 | 14 |
| **GRAND TOTAL** | 71 | 12.0 | 103 | 2 | 3 | 10 | 15 | 21 | 34 | 48 |

### 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 88 | 6.9 | 72 | 1 | 1 | 4 | 8 | 16 | 31 | 77 |
| 70-74 | 60 | 6.7 | 35 | 1 | 1 | 5 | 8 | 16 | 22 | 25 |
| 75-79 | 54 | 6.1 | 32 | 1 | 2 | 4 | 7 | 11 | 16 | 32 |
| 80-84 | 24 | 9.9 | 88 | 3 | 3 | 7 | 12 | 16 | 32 | 45 |
| 85+ | 12 | 4.5 | 13 | 1 | 1 | 3 | 6 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 449 | 6.4 | 51 | 1 | 2 | 4 | 8 | 15 | 18 | 35 |
| 70-74 | 320 | 7.3 | 78 | 1 | 2 | 4 | 8 | 18 | 26 | 48 |
| 75-79 | 281 | 6.7 | 84 | 1 | 2 | 4 | 7 | 14 | 23 | 54 |
| 80-84 | 120 | 6.7 | 60 | 1 | 1 | 4 | 7 | 16 | 24 | 42 |
| 85+ | 85 | 5.7 | 22 | 1 | 2 | 4 | 8 | 14 | 16 | 72 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 250 | 9.8 | 144 | 1 | 1 | 5 | 13 | 26 | 33 | 71 |
| 70-74 | 180 | 9.2 | 116 | 1 | 2 | 6 | 11 | 18 | 28 | 66 |
| 75-79 | 157 | 7.8 | 52 | 1 | 2 | 6 | 9 | 17 | 21 | 37 |
| 80-84 | 69 | 12.6 | 161 | 2 | 3 | 8 | 15 | 26 | 43 | 64 |
| 85+ | 65 | 11.7 | 126 | 2 | 2 | 8 | 15 | 28 | 41 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 705 | 14.9 | 251 | 2 | 2 | 9 | 19 | 35 | 51 | 81 |
| 70-74 | 508 | 14.0 | 213 | 2 | 2 | 9 | 18 | 35 | 47 | 86 |
| 75-79 | 347 | 14.4 | 282 | 2 | 2 | 9 | 17 | 38 | 54 | 92 |
| 80-84 | 213 | 13.4 | 181 | 2 | 2 | 9 | 17 | 32 | 48 | 79 |
| 85+ | 139 | 13.1 | 187 | 2 | 2 | 9 | 15 | 26 | 43 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 6.8 | 53 | 1 | 1 | 5 | 8 | 14 | 25 | 42 |
| B. *Operated* | 1255 | 6.7 | 64 | 1 | 2 | 4 | 8 | 16 | 22 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 721 | 9.7 | 118 | 1 | 2 | 6 | 12 | 21 | 32 | 57 |
| B. *Operated* | 1912 | 14.3 | 234 | 2 | 2 | 9 | 18 | 35 | 49 | 82 |
| **1. SINGLE DX** | 1493 | 6.7 | 62 | 1 | 2 | 4 | 8 | 15 | 22 | 46 |
| **2. MULTIPLE DX** | 2633 | 13.0 | 206 | 2 | 2 | 8 | 16 | 32 | 45 | 79 |
| **A. NOT OPERATED** | 959 | 9.0 | 103 | 1 | 2 | 6 | 11 | 20 | 30 | 54 |
| **B. OPERATED** | 3167 | 11.3 | 180 | 1 | 2 | 6 | 14 | 27 | 41 | 75 |
| TOTAL 65-69 YRS | 1492 | 11.0 | 177 | 1 | 2 | 6 | 14 | 27 | 40 | 75 |
| 70-74 | 1068 | 10.8 | 156 | 1 | 2 | 6 | 13 | 26 | 38 | 73 |
| 75-79 | 839 | 10.1 | 170 | 1 | 2 | 6 | 12 | 23 | 38 | 74 |
| 80-84 | 426 | 11.2 | 146 | 2 | 2 | 7 | 14 | 27 | 40 | 64 |
| 85+ | 301 | 10.4 | 131 | 2 | 2 | 7 | 13 | 23 | 37 | 66 |
| **GRAND TOTAL** | 4126 | 10.7 | 163 | 1 | 2 | 6 | 13 | 26 | 38 | 73 |

### 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 43 | 7.4 | 26 | 1 | 3 | 6 | 9 | 12 | 14 | 30 |
| 70-74 | 39 | 7.8 | 65 | 1 | 2 | 6 | 9 | 16 | 18 | 49 |
| 75-79 | 39 | 7.1 | 66 | 1 | 2 | 5 | 9 | 13 | 25 | 42 |
| 80-84 | 23 | 8.6 | 96 | 2 | 3 | 6 | 10 | 15 | 30 | 49 |
| 85+ | 11 | 14.4 | 180 | 2 | 2 | 8 | 28 | 35 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 135 | 14.6 | 140 | 2 | 3 | 12 | 21 | 28 | 37 | 81 |
| 70-74 | 94 | 14.7 | 208 | 2 | 3 | 9 | 21 | 34 | 42 | 69 |
| 75-79 | 60 | 13.7 | 171 | 2 | 2 | 10 | 19 | 29 | 41 | 63 |
| 80-84 | 46 | 13.0 | 162 | 2 | 3 | 9 | 15 | 37 | 43 | 58 |
| 85+ | 17 | 19.5 | 378 | 2 | 2 | 10 | 39 | 47 | 56 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 148 | 12.0 | 123 | 2 | 3 | 9 | 15 | 26 | 30 | 61 |
| 70-74 | 127 | 10.5 | 103 | 1 | 2 | 7 | 13 | 25 | 35 | 49 |
| 75-79 | 92 | 10.9 | 102 | 2 | 3 | 8 | 13 | 26 | 30 | 52 |
| 80-84 | 71 | 11.4 | 100 | 2 | 3 | 8 | 15 | 24 | 38 | 43 |
| 85+ | 41 | 11.7 | 211 | 2 | 3 | 9 | 14 | 28 | 60 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 268 | 19.9 | 234 | 3 | 4 | 17 | 27 | 41 | 50 | 73 |
| 70-74 | 246 | 17.7 | 244 | 2 | 3 | 14 | 24 | 37 | 47 | 92 |
| 75-79 | 187 | 21.5 | 247 | 2 | 4 | 19 | 29 | 45 | 55 | 96 |
| 80-84 | 102 | 21.5 | 350 | 3 | 5 | 16 | 29 | 47 | 72 | 96 |
| 85+ | 49 | 24.1 | 333 | 6 | 8 | 17 | 35 | 56 | 59 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 8.1 | 68 | 1 | 2 | 6 | 9 | 14 | 27 | 48 |
| B. *Operated* | 352 | 14.5 | 177 | 2 | 2 | 10 | 20 | 32 | 43 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 479 | 11.3 | 117 | 2 | 3 | 8 | 14 | 25 | 35 | 58 |
| B. *Operated* | 852 | 20.1 | 261 | 2 | 4 | 16 | 27 | 43 | 55 | 92 |
| **1. SINGLE DX** | 507 | 12.6 | 152 | 2 | 2 | 8 | 17 | 28 | 39 | 62 |
| **2. MULTIPLE DX** | 1331 | 16.9 | 227 | 2 | 3 | 12 | 23 | 38 | 49 | 75 |
| **A. NOT OPERATED** | 634 | 10.5 | 107 | 2 | 2 | 7 | 13 | 22 | 33 | 52 |
| **B. OPERATED** | 1204 | 18.4 | 243 | 2 | 3 | 15 | 25 | 40 | 51 | 79 |
| TOTAL 65-69 YRS | 594 | 15.8 | 186 | 2 | 3 | 12 | 22 | 33 | 45 | 69 |
| 70-74 | 506 | 14.6 | 200 | 2 | 3 | 10 | 20 | 33 | 42 | 66 |
| 75-79 | 378 | 16.2 | 210 | 2 | 3 | 12 | 22 | 39 | 49 | 68 |
| 80-84 | 242 | 15.7 | 240 | 2 | 3 | 10 | 20 | 38 | 47 | 81 |
| 85+ | 118 | 18.2 | 307 | 2 | 3 | 10 | 26 | 48 | 59 | 89 |
| **GRAND TOTAL** | 1838 | 15.7 | 210 | 2 | 3 | 11 | 21 | 36 | 47 | 72 |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 7.2 | 72 | 1 | 1 | 5 | 8 | 19 | 23 | 45 |
| 70-74 | 58 | 6.0 | 22 | 1 | 2 | 4 | 7 | 14 | 17 | 21 |
| 75-79 | 50 | 8.7 | 60 | 2 | 2 | 6 | 11 | 20 | 27 | 36 |
| 80-84 | 39 | 9.4 | 99 | 1 | 1 | 6 | 13 | 19 | 29 | 52 |
| 85+ | 38 | 9.2 | 74 | 1 | 2 | 7 | 10 | 24 | 29 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 134 | 15.5 | 90 | 4 | 6 | 14 | 20 | 27 | 30 | 46 |
| 70-74 | 150 | 17.8 | 170 | 3 | 4 | 16 | 22 | 33 | 43 | 79 |
| 75-79 | 113 | 16.3 | 112 | 1 | 3 | 15 | 21 | 27 | 37 | 60 |
| 80-84 | 84 | 17.0 | 94 | 3 | 4 | 16 | 23 | 30 | 33 | 43 |
| 85+ | 59 | 16.0 | 132 | 2 | 3 | 14 | 22 | 33 | 39 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 301 | 8.3 | 71 | 1 | 1 | 6 | 10 | 18 | 24 | 40 |
| 70-74 | 251 | 10.6 | 102 | 1 | 2 | 7 | 14 | 24 | 33 | 49 |
| 75-79 | 252 | 9.3 | 70 | 1 | 2 | 7 | 13 | 18 | 27 | 42 |
| 80-84 | 195 | 11.6 | 112 | 2 | 3 | 9 | 15 | 22 | 28 | 61 |
| 85+ | 173 | 12.3 | 111 | 2 | 3 | 9 | 15 | 26 | 33 | 54 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 617 | 21.3 | 223 | 5 | 7 | 18 | 26 | 39 | 52 | 86 |
| 70-74 | 613 | 21.3 | 197 | 5 | 8 | 18 | 26 | 42 | 51 | 80 |
| 75-79 | 613 | 22.0 | 202 | 5 | 8 | 19 | 28 | 39 | 47 | 81 |
| 80-84 | 365 | 23.7 | 231 | 6 | 8 | 20 | 30 | 47 | 55 | 97 |
| 85+ | 269 | 23.8 | 252 | 5 | 8 | 21 | 31 | 47 | 59 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 233 | 7.9 | 62 | 1 | 2 | 6 | 9 | 18 | 24 | 40 |
| B. *Operated* | 540 | 16.6 | 122 | 2 | 4 | 15 | 21 | 30 | 35 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1172 | 10.2 | 92 | 1 | 2 | 7 | 13 | 21 | 29 | 49 |
| B. *Operated* | 2477 | 22.1 | 216 | 5 | 8 | 19 | 28 | 42 | 53 | 86 |
| **1. SINGLE DX** | 773 | 14.0 | 120 | 1 | 3 | 12 | 19 | 28 | 33 | 58 |
| **2. MULTIPLE DX** | 3649 | 18.3 | 207 | 2 | 4 | 15 | 24 | 37 | 48 | 78 |
| **A. NOT OPERATED** | 1405 | 9.8 | 88 | 1 | 2 | 7 | 13 | 21 | 29 | 48 |
| **B. OPERATED** | 3017 | 21.1 | 204 | 5 | 7 | 18 | 27 | 39 | 50 | 82 |
| TOTAL 65-69 YRS | 1100 | 16.4 | 194 | 1 | 3 | 13 | 22 | 32 | 42 | 78 |
| 70-74 | 1072 | 17.5 | 188 | 2 | 4 | 15 | 23 | 34 | 47 | 70 |
| 75-79 | 1028 | 17.6 | 185 | 2 | 4 | 15 | 23 | 35 | 42 | 70 |
| 80-84 | 683 | 18.6 | 205 | 3 | 4 | 16 | 25 | 37 | 49 | 72 |
| 85+ | 539 | 18.2 | 213 | 3 | 4 | 14 | 25 | 37 | 49 | 80 |
| **GRAND TOTAL** | **4422** | **17.5** | **195** | **2** | **4** | **14** | **23** | **35** | **46** | **75** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 5.7 | 14 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 70-74 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 75-79 | 3 | 8.7 | 37 | 2 | 2 | 10 | 13 | 14 | 14 | 14 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 15.6 | 33 | 9 | 10 | 14 | 19 | 24 | 28 | 29 |
| 70-74 | 9 | 19.3 | 45 | 9 | 11 | 22 | 24 | 27 | 28 | 28 |
| 75-79 | 3 | 14.3 | 14 | 10 | 10 | 16 | 17 | 17 | 17 | 17 |
| 80-84 | 3 | 24.3 | 30 | 19 | 19 | 24 | 28 | 30 | 30 | 30 |
| 85+ | 2 | 30.5 | 61 | 25 | 25 | 30 | 36 | 36 | 36 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 5.9 | 15 | 2 | 3 | 5 | 7 | 10 | 16 | 18 |
| 70-74 | 20 | 8.4 | 37 | 3 | 3 | 5 | 13 | 19 | 20 | 20 |
| 75-79 | 10 | 11.8 | 201 | 1 | 2 | 9 | 10 | 33 | 50 | 50 |
| 80-84 | 12 | 9.0 | 47 | 2 | 2 | 7 | 13 | 21 | 21 | 21 |
| 85+ | 10 | 22.1 | 630 | 3 | 3 | 11 | 37 | 63 | 80 | 80 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 86 | 20.5 | 175 | 6 | 8 | 17 | 27 | 39 | 52 | 87 |
| 70-74 | 72 | 23.8 | 264 | 9 | 10 | 20 | 28 | 38 | 59 | 95 |
| 75-79 | 57 | 26.0 | 291 | 8 | 9 | 21 | 35 | 49 | 63 | 78 |
| 80-84 | 37 | 24.6 | 164 | 8 | 9 | 22 | 34 | 44 | 50 | 51 |
| 85+ | 17 | 25.4 | 164 | 6 | 13 | 24 | 28 | 44 | 55 | 60 |
| **SURTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 6.0 | 22 | 1 | 1 | 4 | 10 | 13 | 14 | 14 |
| B. *Operated* | 34 | 18.1 | 49 | 9 | 10 | 17 | 24 | 28 | 30 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 10.5 | 162 | 2 | 3 | 6 | 11 | 20 | 38 | 75 |
| B. *Operated* | 269 | 23.4 | 223 | 8 | 9 | 20 | 30 | 44 | 57 | 81 |
| **1. SINGLE DX** | 42 | 15.8 | 66 | 3 | 4 | 15 | 22 | 27 | 29 | 36 |
| **2. MULTIPLE DX** | 336 | 20.8 | 237 | 4 | 5 | 17 | 27 | 42 | 52 | 80 |
| **A. NOT OPERATED** | 75 | 10.0 | 149 | 2 | 3 | 6 | 11 | 20 | 33 | 72 |
| **B. OPERATED** | 303 | 22.8 | 206 | 8 | 9 | 19 | 28 | 42 | 53 | 80 |
| TOTAL 65-69 YRS | 121 | 17.6 | 157 | 4 | 5 | 14 | 24 | 35 | 46 | 75 |
| 70-74 | 103 | 20.0 | 237 | 4 | 5 | 17 | 24 | 34 | 50 | 89 |
| 75-79 | 73 | 22.9 | 289 | 3 | 7 | 17 | 31 | 48 | 60 | 77 |
| 80-84 | 52 | 21.0 | 171 | 3 | 5 | 19 | 29 | 40 | 48 | 51 |
| 85+ | 29 | 24.6 | 303 | 3 | 4 | 23 | 30 | 47 | 61 | 80 |
| **GRAND TOTAL** | **378** | **20.3** | **220** | **3** | **5** | **17** | **28** | **39** | **51** | **80** |

## 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 103 | 7.0 | 45 | 1 | 2 | 5 | 8 | 14 | 20 | 39 |
| 70-74 | 100 | 7.1 | 51 | 1 | 2 | 5 | 8 | 13 | 16 | 43 |
| 75-79 | 101 | 7.9 | 53 | 1 | 2 | 6 | 9 | 16 | 26 | 35 |
| 80-84 | 61 | 9.6 | 105 | 1 | 2 | 6 | 10 | 28 | 34 | 44 |
| 85+ | 45 | 8.6 | 83 | 2 | 3 | 6 | 9 | 18 | 24 | 55 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 831 | 13.8 | 44 | 5 | 8 | 13 | 16 | 21 | 26 | 40 |
| 70-74 | 803 | 14.8 | 55 | 5 | 8 | 14 | 18 | 22 | 28 | 40 |
| 75-79 | 640 | 16.6 | 79 | 7 | 9 | 15 | 19 | 26 | 34 | 50 |
| 80-84 | 431 | 16.8 | 64 | 4 | 5 | 16 | 21 | 27 | 32 | 43 |
| 85+ | 273 | 18.9 | 121 | 4 | 9 | 17 | 22 | 31 | 42 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 741 | 9.5 | 86 | 2 | 2 | 7 | 12 | 20 | 26 | 53 |
| 70-74 | 721 | 9.7 | 80 | 2 | 2 | 7 | 12 | 20 | 28 | 45 |
| 75-79 | 626 | 10.2 | 91 | 2 | 3 | 7 | 13 | 21 | 28 | 54 |
| 80-84 | 478 | 11.4 | 103 | 2 | 3 | 8 | 14 | 23 | 34 | 53 |
| 85+ | 418 | 11.0 | 105 | 2 | 3 | 8 | 14 | 24 | 32 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2872 | 18.8 | 116 | 7 | 9 | 16 | 23 | 31 | 39 | 67 |
| 70-74 | 3151 | 19.5 | 133 | 7 | 9 | 17 | 24 | 33 | 42 | 74 |
| 75-79 | 2882 | 20.9 | 150 | 8 | 10 | 18 | 25 | 36 | 46 | 73 |
| 80-84 | 2112 | 22.7 | 169 | 8 | 11 | 20 | 28 | 39 | 50 | 76 |
| 85+ | 1400 | 24.0 | 188 | 9 | 11 | 21 | 30 | 42 | 50 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 410 | 7.8 | 62 | 1 | 2 | 5 | 9 | 15 | 25 | 43 |
| B. *Operated* | 2978 | 15.6 | 67 | 5 | 8 | 14 | 18 | 25 | 31 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2984 | 10.2 | 92 | 2 | 3 | 7 | 13 | 22 | 29 | 51 |
| B. *Operated* | 12417 | 20.7 | 148 | 8 | 10 | 18 | 25 | 36 | 45 | 75 |
| **1. SINGLE DX** | 3388 | 14.6 | 73 | 3 | 5 | 13 | 18 | 24 | 30 | 46 |
| **2. MULTIPLE DX** | 15401 | 18.7 | 155 | 4 | 6 | 16 | 24 | 34 | 43 | 72 |
| **A. NOT OPERATED** | 3394 | 9.9 | 89 | 2 | 2 | 7 | 12 | 21 | 29 | 49 |
| **B. OPERATED** | 15395 | 19.7 | 137 | 7 | 9 | 17 | 24 | 34 | 43 | 71 |
| TOTAL 65-69 YRS | 4547 | 16.1 | 111 | 3 | 5 | 14 | 20 | 28 | 36 | 61 |
| 70-74 | 4775 | 17.0 | 125 | 3 | 5 | 15 | 21 | 30 | 38 | 63 |
| 75-79 | 4249 | 18.3 | 146 | 4 | 6 | 16 | 23 | 33 | 43 | 67 |
| 80-84 | 3082 | 19.9 | 163 | 4 | 6 | 17 | 25 | 36 | 45 | 70 |
| 85+ | 2136 | 20.5 | 190 | 4 | 6 | 18 | 27 | 39 | 47 | 87 |
| **GRAND TOTAL** | **18789** | **17.9** | **142** | **3** | **6** | **16** | **22** | **32** | **41** | **67** |

## 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 91 | 5.6 | 20 | 1 | 1 | 5 | 7 | 11 | 12 | 26 |
| 70-74 | 84 | 7.1 | 82 | 1 | 2 | 5 | 7 | 13 | 19 | 57 |
| 75-79 | 57 | 7.9 | 55 | 1 | 2 | 5 | 10 | 20 | 23 | 34 |
| 80-84 | 40 | 10.7 | 158 | 1 | 2 | 6 | 11 | 26 | 46 | 54 |
| 85+ | 34 | 6.5 | 43 | 1 | 2 | 5 | 7 | 11 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 605 | 14.6 | 53 | 3 | 4 | 14 | 19 | 24 | 27 | 37 |
| 70-74 | 536 | 15.4 | 81 | 2 | 4 | 14 | 20 | 25 | 31 | 45 |
| 75-79 | 454 | 15.5 | 95 | 2 | 3 | 15 | 20 | 28 | 33 | 52 |
| 80-84 | 298 | 16.5 | 141 | 3 | 4 | 15 | 21 | 31 | 38 | 54 |
| 85+ | 215 | 16.4 | 136 | 3 | 3 | 15 | 23 | 33 | 37 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 393 | 10.6 | 136 | 1 | 2 | 7 | 12 | 23 | 37 | 56 |
| 70-74 | 454 | 10.8 | 126 | 2 | 3 | 7 | 13 | 22 | 33 | 63 |
| 75-79 | 358 | 11.3 | 108 | 2 | 3 | 8 | 15 | 26 | 35 | 58 |
| 80-84 | 276 | 11.0 | 95 | 2 | 3 | 8 | 14 | 21 | 28 | 41 |
| 85+ | 252 | 11.6 | 129 | 2 | 3 | 8 | 14 | 24 | 35 | 61 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1584 | 19.7 | 149 | 4 | 7 | 17 | 25 | 35 | 43 | 76 |
| 70-74 | 1665 | 20.0 | 148 | 5 | 8 | 18 | 25 | 35 | 43 | 74 |
| 75-79 | 1342 | 21.3 | 184 | 5 | 7 | 19 | 27 | 39 | 51 | 90 |
| 80-84 | 920 | 23.4 | 250 | 5 | 7 | 20 | 30 | 46 | 57 | 85 |
| 85+ | 670 | 23.4 | 240 | 4 | 7 | 20 | 30 | 43 | 52 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 306 | 7.2 | 66 | 1 | 2 | 5 | 9 | 13 | 23 | 48 |
| B. *Operated* | 2108 | 15.4 | 90 | 2 | 4 | 14 | 20 | 27 | 32 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1733 | 11.0 | 120 | 2 | 2 | 7 | 14 | 24 | 34 | 57 |
| B. *Operated* | 6181 | 21.1 | 184 | 4 | 7 | 19 | 26 | 38 | 48 | 84 |
| **1. SINGLE DX** | 2414 | 14.4 | 95 | 2 | 3 | 13 | 19 | 26 | 32 | 47 |
| **2. MULTIPLE DX** | 7914 | 18.9 | 187 | 3 | 5 | 16 | 25 | 36 | 46 | 79 |
| **A. NOT OPERATED** | 2039 | 10.4 | 114 | 2 | 2 | 7 | 13 | 22 | 33 | 56 |
| **B. OPERATED** | 8289 | 19.6 | 166 | 4 | 6 | 17 | 25 | 35 | 45 | 77 |
| TOTAL 65-69 YRS | 2673 | 16.7 | 137 | 2 | 4 | 15 | 22 | 30 | 39 | 64 |
| 70-74 | 2739 | 17.2 | 144 | 3 | 4 | 15 | 22 | 32 | 40 | 63 |
| 75-79 | 2211 | 18.1 | 168 | 3 | 4 | 16 | 24 | 34 | 44 | 82 |
| 80-84 | 1534 | 19.5 | 225 | 3 | 4 | 16 | 25 | 38 | 51 | 81 |
| 85+ | 1171 | 19.1 | 220 | 3 | 4 | 16 | 26 | 39 | 47 | 83 |
| **GRAND TOTAL** | **10328** | **17.8** | **169** | **3** | **4** | **16** | **23** | **34** | **43** | **73** |

### 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 44 | 8.4 | 39 | 2 | 2 | 7 | 11 | 17 | 21 | 28 |
| 70-74 | 36 | 8.9 | 92 | 2 | 2 | 5 | 11 | 18 | 33 | 47 |
| 75-79 | 46 | 11.6 | 201 | 2 | 3 | 8 | 13 | 26 | 35 | 87 |
| 80-84 | 16 | 8.4 | 30 | 2 | 2 | 7 | 10 | 17 | 20 | 21 |
| 85+ | 10 | 5.5 | 11 | 1 | 1 | 5 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 107 | 17.4 | 190 | 2 | 4 | 14 | 22 | 35 | 50 | 64 |
| 70-74 | 88 | 15.4 | 101 | 2 | 3 | 14 | 20 | 27 | 32 | 54 |
| 75-79 | 55 | 18.5 | 250 | 2 | 4 | 14 | 24 | 34 | 51 | 80 |
| 80-84 | 41 | 16.7 | 151 | 2 | 3 | 15 | 21 | 36 | 38 | 53 |
| 85+ | 18 | 18.1 | 157 | 1 | 4 | 17 | 22 | 40 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 10.3 | 109 | 1 | 2 | 7 | 13 | 23 | 31 | 44 |
| 70-74 | 174 | 10.8 | 84 | 2 | 3 | 8 | 13 | 21 | 30 | 49 |
| 75-79 | 137 | 12.1 | 85 | 2 | 4 | 10 | 15 | 22 | 29 | 52 |
| 80-84 | 115 | 10.9 | 80 | 3 | 3 | 8 | 13 | 22 | 30 | 43 |
| 85+ | 90 | 12.3 | 114 | 2 | 3 | 9 | 15 | 30 | 35 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 385 | 22.0 | 216 | 5 | 8 | 18 | 28 | 41 | 53 | 79 |
| 70-74 | 385 | 21.8 | 212 | 5 | 8 | 18 | 26 | 39 | 53 | 74 |
| 75-79 | 332 | 22.0 | 194 | 7 | 9 | 19 | 27 | 38 | 53 | 76 |
| 80-84 | 212 | 22.5 | 208 | 6 | 8 | 19 | 28 | 44 | 50 | 80 |
| 85+ | 146 | 22.3 | 189 | 7 | 9 | 19 | 27 | 41 | 48 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 9.3 | 99 | 2 | 2 | 7 | 11 | 19 | 26 | 47 |
| B. *Operated* | 309 | 17.0 | 167 | 2 | 3 | 14 | 21 | 33 | 40 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 687 | 11.2 | 94 | 2 | 3 | 8 | 14 | 22 | 31 | 48 |
| B. *Operated* | 1460 | 22.1 | 206 | 6 | 8 | 19 | 27 | 41 | 51 | 76 |
| **1. SINGLE DX** | 461 | 14.4 | 157 | 2 | 3 | 11 | 19 | 30 | 37 | 64 |
| **2. MULTIPLE DX** | 2147 | 18.6 | 196 | 3 | 5 | 15 | 24 | 36 | 47 | 73 |
| **A. NOT OPERATED** | 839 | 10.8 | 95 | 2 | 3 | 8 | 13 | 22 | 30 | 47 |
| **B. OPERATED** | 1769 | 21.2 | 202 | 5 | 8 | 18 | 26 | 40 | 51 | 75 |
| TOTAL 65-69 YRS | 707 | 17.6 | 204 | 2 | 4 | 14 | 23 | 36 | 46 | 72 |
| 70-74 | 683 | 17.5 | 185 | 3 | 4 | 15 | 23 | 34 | 45 | 69 |
| 75-79 | 570 | 18.4 | 193 | 3 | 5 | 15 | 24 | 34 | 50 | 75 |
| 80-84 | 384 | 17.8 | 185 | 3 | 4 | 14 | 24 | 38 | 47 | 72 |
| 85+ | 264 | 18.0 | 180 | 3 | 4 | 15 | 23 | 35 | 44 | 68 |
| **GRAND TOTAL** | 2608 | 17.8 | 191 | 3 | 4 | 15 | 23 | 35 | 46 | 70 |

### 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 99 | 8.7 | 70 | 1 | 1 | 5 | 12 | 21 | 25 | 39 |
| 70-74 | 58 | 9.7 | 56 | 1 | 2 | 8 | 13 | 22 | 25 | 34 |
| 75-79 | 50 | 8.9 | 45 | 1 | 2 | 7 | 13 | 19 | 23 | 28 |
| 80-84 | 32 | 8.9 | 37 | 2 | 3 | 7 | 12 | 16 | 16 | 32 |
| 85+ | 27 | 9.4 | 144 | 1 | 2 | 7 | 10 | 15 | 23 | 66 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 102 | 19.2 | 149 | 3 | 5 | 18 | 24 | 36 | 42 | 59 |
| 70-74 | 96 | 20.4 | 166 | 5 | 6 | 18 | 27 | 36 | 45 | 67 |
| 75-79 | 59 | 17.8 | 104 | 4 | 8 | 16 | 24 | 30 | 39 | 47 |
| 80-84 | 45 | 21.2 | 198 | 3 | 7 | 21 | 28 | 38 | 50 | 65 |
| 85+ | 24 | 21.3 | 205 | 4 | 7 | 18 | 30 | 41 | 48 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 327 | 9.0 | 61 | 1 | 2 | 7 | 12 | 18 | 26 | 38 |
| 70-74 | 346 | 10.7 | 125 | 1 | 2 | 8 | 15 | 22 | 28 | 57 |
| 75-79 | 271 | 11.9 | 100 | 2 | 2 | 9 | 16 | 24 | 34 | 49 |
| 80-84 | 184 | 11.4 | 94 | 2 | 3 | 8 | 16 | 23 | 28 | 50 |
| 85+ | 120 | 12.8 | 133 | 3 | 4 | 10 | 15 | 27 | 38 | 82 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 598 | 22.5 | 192 | 7 | 9 | 19 | 28 | 39 | 52 | 78 |
| 70-74 | 609 | 22.8 | 165 | 7 | 10 | 20 | 28 | 40 | 53 | 69 |
| 75-79 | 483 | 22.6 | 158 | 8 | 10 | 20 | 28 | 38 | 51 | 67 |
| 80-84 | 279 | 23.8 | 194 | 8 | 10 | 21 | 31 | 40 | 55 | 73 |
| 85+ | 186 | 22.9 | 155 | 7 | 10 | 20 | 30 | 41 | 45 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 9.0 | 65 | 1 | 2 | 7 | 12 | 19 | 23 | 38 |
| B. *Operated* | 326 | 19.7 | 156 | 3 | 6 | 18 | 26 | 35 | 44 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1248 | 10.8 | 100 | 1 | 2 | 8 | 14 | 22 | 29 | 54 |
| B. *Operated* | 2155 | 22.8 | 173 | 7 | 10 | 20 | 28 | 39 | 52 | 69 |
| **1. SINGLE DX** | 592 | 14.9 | 143 | 2 | 3 | 12 | 21 | 30 | 38 | 63 |
| **2. MULTIPLE DX** | 3403 | 18.4 | 180 | 3 | 4 | 16 | 24 | 35 | 44 | 68 |
| **A. NOT OPERATED** | 1514 | 10.5 | 95 | 1 | 2 | 8 | 14 | 22 | 28 | 52 |
| **B. OPERATED** | 2481 | 22.4 | 172 | 7 | 9 | 20 | 28 | 39 | 50 | 68 |
| TOTAL 65-69 YRS | 1126 | 17.1 | 180 | 2 | 3 | 14 | 23 | 34 | 42 | 66 |
| 70-74 | 1109 | 18.1 | 180 | 2 | 4 | 16 | 24 | 34 | 45 | 69 |
| 75-79 | 863 | 18.1 | 157 | 3 | 4 | 16 | 24 | 34 | 43 | 61 |
| 80-84 | 540 | 18.5 | 188 | 3 | 5 | 15 | 24 | 38 | 44 | 67 |
| 85+ | 357 | 18.4 | 177 | 4 | 5 | 15 | 24 | 36 | 44 | 66 |
| **GRAND TOTAL** | 3995 | 17.9 | 176 | 3 | 4 | 15 | 24 | 35 | 43 | 66 |

## 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 671 | 6.8 | 58 | 1 | 1 | 4 | 8 | 16 | 21 | 43 |
| 70-74 | 496 | 7.9 | 84 | 1 | 1 | 5 | 10 | 17 | 25 | 41 |
| 75-79 | 277 | 8.6 | 66 | 1 | 2 | 6 | 11 | 18 | 23 | 45 |
| 80-84 | 137 | 9.5 | 69 | 2 | 2 | 7 | 13 | 20 | 25 | 42 |
| 85+ | 70 | 9.8 | 76 | 1 | 2 | 8 | 12 | 19 | 32 | 42 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 1382 | 11.9 | 81 | 2 | 2 | 10 | 16 | 22 | 28 | 43 |
| 70-74 | 1071 | 12.5 | 102 | 2 | 3 | 10 | 17 | 24 | 30 | 52 |
| 75-79 | 623 | 12.7 | 100 | 2 | 2 | 11 | 17 | 24 | 34 | 51 |
| 80-84 | 242 | 11.2 | 78 | 2 | 2 | 10 | 16 | 23 | 29 | 42 |
| 85+ | 92 | 13.3 | 197 | 2 | 2 | 10 | 17 | 24 | 41 | 77 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3135 | 10.3 | 99 | 1 | 2 | 7 | 14 | 22 | 31 | 49 |
| 70-74 | 2611 | 10.8 | 93 | 2 | 2 | 8 | 14 | 23 | 31 | 47 |
| 75-79 | 1685 | 12.0 | 111 | 2 | 3 | 9 | 16 | 26 | 34 | 53 |
| 80-84 | 835 | 11.3 | 106 | 2 | 3 | 8 | 14 | 23 | 32 | 58 |
| 85+ | 416 | 12.9 | 127 | 3 | 4 | 9 | 16 | 27 | 36 | 61 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 4390 | 16.2 | 151 | 3 | 4 | 13 | 21 | 31 | 40 | 66 |
| 70-74 | 3555 | 16.8 | 152 | 3 | 4 | 14 | 22 | 32 | 41 | 63 |
| 75-79 | 2152 | 17.0 | 164 | 3 | 4 | 14 | 23 | 34 | 44 | 69 |
| 80-84 | 895 | 16.8 | 164 | 3 | 4 | 14 | 21 | 33 | 45 | 68 |
| 85+ | 357 | 17.1 | 123 | 3 | 5 | 16 | 22 | 32 | 40 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1651 | 7.8 | 70 | 1 | 1 | 5 | 10 | 17 | 23 | 42 |
| B. *Operated* | 3410 | 12.2 | 94 | 2 | 2 | 10 | 16 | 23 | 30 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8682 | 11.0 | 102 | 2 | 2 | 8 | 14 | 24 | 32 | 50 |
| B. *Operated* | 11349 | 16.6 | 154 | 3 | 4 | 14 | 22 | 32 | 42 | 66 |
| **1. SINGLE DX** | 5061 | 10.8 | 90 | 1 | 2 | 9 | 15 | 22 | 28 | 47 |
| **2. MULTIPLE DX** | 20031 | 14.2 | 139 | 2 | 3 | 11 | 19 | 29 | 38 | 61 |
| **A. NOT OPERATED** | 10333 | 10.5 | 98 | 1 | 2 | 7 | 14 | 23 | 31 | 49 |
| **B. OPERATED** | 14759 | 15.6 | 144 | 2 | 4 | 13 | 20 | 30 | 39 | 63 |
| TOTAL 65-69 YRS | 9578 | 13.0 | 127 | 2 | 2 | 10 | 17 | 27 | 35 | 59 |
| 70-74 | 7733 | 13.6 | 130 | 2 | 3 | 11 | 18 | 28 | 36 | 57 |
| 75-79 | 4737 | 14.2 | 139 | 2 | 3 | 11 | 19 | 29 | 39 | 58 |
| 80-84 | 2109 | 13.5 | 133 | 2 | 3 | 10 | 18 | 28 | 37 | 61 |
| 85+ | 935 | 14.3 | 133 | 2 | 3 | 11 | 19 | 28 | 38 | 62 |
| **GRAND TOTAL** | **25092** | **13.5** | **131** | **2** | **3** | **10** | **18** | **28** | **36** | **58** |

## 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 7.4 | 131 | 1 | 1 | 3 | 8 | 17 | 22 | 70 |
| 70-74 | 46 | 7.7 | 87 | 1 | 1 | 4 | 10 | 23 | 30 | 40 |
| 75-79 | 18 | 5.7 | 19 | 1 | 2 | 4 | 9 | 11 | 15 | 17 |
| 80-84 | 10 | 14.6 | 242 | 3 | 4 | 8 | 15 | 42 | 52 | 52 |
| 85+ | 5 | 8.6 | 51 | 2 | 2 | 5 | 14 | 19 | 19 | 19 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 458 | 7.6 | 80 | 1 | 1 | 3 | 12 | 18 | 24 | 39 |
| 70-74 | 303 | 7.8 | 71 | 1 | 1 | 3 | 13 | 19 | 26 | 41 |
| 75-79 | 215 | 7.5 | 110 | 1 | 1 | 3 | 12 | 18 | 28 | 42 |
| 80-84 | 83 | 7.7 | 95 | 1 | 1 | 3 | 11 | 18 | 27 | 50 |
| 85+ | 37 | 6.5 | 127 | 1 | 2 | 3 | 8 | 15 | 23 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 115 | 9.1 | 124 | 1 | 2 | 6 | 10 | 21 | 31 | 61 |
| 70-74 | 118 | 8.3 | 72 | 1 | 2 | 6 | 10 | 17 | 25 | 69 |
| 75-79 | 78 | 13.7 | 254 | 1 | 2 | 9 | 16 | 36 | 52 | 99+ |
| 80-84 | 34 | 13.5 | 159 | 2 | 2 | 9 | 16 | 34 | 40 | 52 |
| 85+ | 21 | 16.0 | 230 | 3 | 3 | 7 | 24 | 43 | 48 | 47 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 539 | 14.9 | 169 | 2 | 2 | 13 | 21 | 31 | 43 | 92 |
| 70-74 | 396 | 15.6 | 223 | 2 | 2 | 13 | 21 | 34 | 47 | 84 |
| 75-79 | 245 | 14.3 | 167 | 2 | 2 | 12 | 19 | 29 | 37 | 79 |
| 80-84 | 117 | 16.7 | 286 | 2 | 2 | 11 | 24 | 40 | 52 | 81 |
| 85+ | 69 | 15.7 | 267 | 2 | 2 | 11 | 24 | 43 | 57 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 7.9 | 106 | 1 | 1 | 4 | 9 | 18 | 30 | 56 |
| B. *Operated* | 1096 | 7.6 | 86 | 1 | 1 | 3 | 12 | 18 | 25 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 366 | 10.6 | 149 | 1 | 2 | 7 | 13 | 24 | 38 | 78 |
| B. *Operated* | 1366 | 15.2 | 199 | 2 | 2 | 13 | 21 | 33 | 48 | 86 |
| **1. SINGLE DX** | 1223 | 7.7 | 88 | 1 | 1 | 3 | 12 | 18 | 25 | 41 |
| **2. MULTIPLE DX** | 1732 | 14.2 | 192 | 2 | 2 | 11 | 20 | 32 | 44 | 85 |
| **A. NOT OPERATED** | 493 | 9.9 | 139 | 1 | 2 | 6 | 11 | 22 | 37 | 71 |
| **B. OPERATED** | 2462 | 11.8 | 163 | 1 | 2 | 8 | 17 | 28 | 37 | 69 |
| TOTAL 65-69 YRS | 1160 | 11.1 | 140 | 1 | 2 | 8 | 16 | 26 | 34 | 64 |
| 70-74 | 863 | 11.5 | 156 | 1 | 2 | 8 | 16 | 27 | 37 | 69 |
| 75-79 | 556 | 11.3 | 163 | 1 | 2 | 8 | 16 | 25 | 36 | 79 |
| 80-84 | 244 | 13.1 | 215 | 1 | 2 | 8 | 17 | 34 | 44 | 62 |
| 85+ | 132 | 12.9 | 228 | 2 | 2 | 6 | 19 | 38 | 46 | 75 |
| **GRAND TOTAL** | **2955** | **11.5** | **159** | **1** | **2** | **8** | **16** | **27** | **37** | **70** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 6.2 | 30 | <1 | 1 | 5 | 7 | 13 | 18 | 25 |
| 70-74 | 26 | 7.8 | 77 | 1 | 2 | 5 | 10 | 18 | 24 | 43 |
| 75-79 | 19 | 5.9 | 32 | 1 | 1 | 5 | 6 | 16 | 19 | 21 |
| 80-84 | 20 | 4.5 | 19 | 1 | 1 | 3 | 6 | 11 | 14 | 17 |
| 85+ | 4 | 8.3 | 46 | 1 | 1 | 8 | 14 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 148 | 11.8 | 191 | 2 | 2 | 7 | 13 | 28 | 41 | 78 |
| 70-74 | 130 | 8.9 | 76 | 1 | 2 | 6 | 12 | 19 | 26 | 48 |
| 75-79 | 90 | 8.9 | 85 | 1 | 2 | 6 | 12 | 18 | 26 | 51 |
| 80-84 | 67 | 9.9 | 70 | 1 | 2 | 8 | 14 | 24 | 29 | 35 |
| 85+ | 54 | 11.2 | 163 | <1 | 1 | 5 | 18 | 28 | 40 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 105 | 8.2 | 45 | 2 | 3 | 6 | 11 | 17 | 22 | 36 |
| 70-74 | 76 | 10.8 | 93 | 1 | 2 | 8 | 14 | 25 | 35 | 87 |
| 75-79 | 80 | 9.7 | 78 | 1 | 2 | 7 | 13 | 24 | 29 | 42 |
| 80-84 | 49 | 15.0 | 251 | 1 | 3 | 11 | 18 | 31 | 61 | 78 |
| 85+ | 32 | 10.9 | 139 | 2 | 2 | 7 | 15 | 21 | 33 | 60 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 156 | 17.6 | 244 | 3 | 4 | 13 | 23 | 35 | 49 | 89 |
| 70-74 | 141 | 15.4 | 179 | 2 | 3 | 12 | 20 | 35 | 46 | 74 |
| 75-79 | 139 | 16.3 | 200 | 2 | 4 | 13 | 22 | 34 | 48 | 99+ |
| 80-84 | 99 | 15.7 | 196 | 2 | 3 | 11 | 22 | 35 | 42 | 70 |
| 85+ | 67 | 14.2 | 204 | 2 | 2 | 9 | 18 | 36 | 41 | 73 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 91 | 6.3 | 42 | 1 | 1 | 4 | 7 | 15 | 18 | 36 |
| B. *Operated* | 489 | 10.2 | 122 | 1 | 2 | 7 | 13 | 24 | 31 | 54 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 342 | 10.4 | 105 | 1 | 2 | 7 | 13 | 22 | 30 | 61 |
| B. *Operated* | 602 | 16.1 | 206 | 2 | 3 | 12 | 21 | 35 | 46 | 87 |
| 1. SINGLE DX | 580 | 9.6 | 111 | 1 | 2 | 6 | 12 | 21 | 30 | 52 |
| 2. MULTIPLE DX | 944 | 14.0 | 177 | 2 | 3 | 10 | 18 | 30 | 40 | 82 |
| A. NOT OPERATED | 433 | 9.5 | 94 | 1 | 2 | 6 | 12 | 20 | 29 | 60 |
| B. OPERATED | 1091 | 13.5 | 177 | 2 | 2 | 9 | 18 | 30 | 40 | 77 |
| TOTAL 65-69 YRS | 431 | 12.7 | 182 | 2 | 2 | 8 | 16 | 28 | 39 | 81 |
| 70-74 | 373 | 11.7 | 127 | 2 | 2 | 9 | 16 | 26 | 37 | 63 |
| 75-79 | 328 | 12.1 | 142 | 1 | 2 | 8 | 16 | 26 | 36 | 84 |
| 80-84 | 235 | 12.9 | 168 | 1 | 2 | 9 | 17 | 29 | 37 | 68 |
| 85+ | 157 | 12.4 | 173 | 1 | 2 | 8 | 17 | 26 | 40 | 60 |
| GRAND TOTAL | 1524 | 12.3 | 157 | 1 | 2 | 8 | 16 | 28 | 37 | 72 |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 31 | 5.7 | 21 | 2 | 2 | 4 | 6 | 11 | 18 | 22 |
| 70-74 | 18 | 4.3 | 7 | 1 | 2 | 4 | 4 | 7 | 11 | 13 |
| 75-79 | 11 | 10.7 | 69 | 2 | 3 | 8 | 13 | 25 | 29 | 29 |
| 80-84 | 5 | 5.0 | 21 | 2 | 2 | 4 | 6 | 13 | 13 | 13 |
| 85+ | 4 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 184 | 7.1 | 34 | 1 | 2 | 6 | 9 | 14 | 19 | 30 |
| 70-74 | 157 | 6.3 | 28 | 1 | 2 | 5 | 8 | 13 | 16 | 29 |
| 75-79 | 126 | 7.8 | 54 | 1 | 2 | 6 | 10 | 17 | 22 | 39 |
| 80-84 | 68 | 7.9 | 28 | 2 | 2 | 7 | 11 | 13 | 15 | 28 |
| 85+ | 53 | 5.8 | 33 | 1 | 1 | 4 | 8 | 11 | 18 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 80 | 7.9 | 67 | 1 | 2 | 5 | 9 | 16 | 22 | 49 |
| 70-74 | 61 | 9.5 | 106 | 1 | 2 | 6 | 11 | 19 | 26 | 59 |
| 75-79 | 47 | 8.6 | 42 | 3 | 3 | 5 | 11 | 19 | 21 | 29 |
| 80-84 | 30 | 12.0 | 284 | 2 | 2 | 8 | 11 | 19 | 81 | 87 |
| 85+ | 23 | 13.2 | 107 | 2 | 3 | 12 | 17 | 24 | 34 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 179 | 10.1 | 64 | 2 | 2 | 8 | 13 | 21 | 27 | 85 |
| 70-74 | 155 | 11.1 | 109 | 2 | 2 | 9 | 14 | 19 | 31 | 51 |
| 75-79 | 146 | 12.2 | 99 | 2 | 2 | 10 | 17 | 25 | 33 | 40 |
| 80-84 | 83 | 13.7 | 156 | 2 | 3 | 10 | 20 | 28 | 31 | 71 |
| 85+ | 64 | 11.1 | 116 | 2 | 2 | 8 | 15 | 23 | 32 | 56 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 69 | 6.0 | 27 | 2 | 2 | 4 | 6 | 12 | 18 | 28 |
| B. *Operated* | 588 | 7.0 | 36 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 241 | 9.4 | 104 | 2 | 2 | 6 | 11 | 18 | 24 | 56 |
| B. *Operated* | 627 | 11.4 | 101 | 2 | 2 | 9 | 15 | 23 | 31 | 57 |
| 1. SINGLE DX | 657 | 6.9 | 35 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| 2. MULTIPLE DX | 868 | 10.9 | 103 | 2 | 2 | 8 | 14 | 22 | 30 | 56 |
| A. NOT OPERATED | 310 | 8.7 | 89 | 2 | 2 | 5 | 11 | 18 | 22 | 53 |
| B. OPERATED | 1215 | 9.3 | 75 | 2 | 2 | 7 | 12 | 20 | 26 | 43 |
| TOTAL 65-69 YRS | 474 | 8.2 | 52 | 2 | 2 | 6 | 11 | 18 | 22 | 30 |
| 70-74 | 391 | 8.6 | 77 | 1 | 2 | 6 | 11 | 17 | 22 | 49 |
| 75-79 | 330 | 9.9 | 76 | 2 | 2 | 7 | 13 | 21 | 26 | 39 |
| 80-84 | 186 | 11.1 | 133 | 2 | 2 | 9 | 13 | 23 | 29 | 70 |
| 85+ | 144 | 9.3 | 89 | 1 | 2 | 6 | 13 | 21 | 25 | 61 |
| GRAND TOTAL | 1525 | 9.2 | 78 | 2 | 2 | 7 | 12 | 19 | 25 | 48 |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 5.9 | 61 | <1 | <1 | 2 | 8 | 20 | 25 | 26 |
| 70-74 | 13 | 9.8 | 171 | 1 | 2 | 5 | 12 | 24 | 45 | 50 |
| 75-79 | 14 | 5.9 | 30 | <1 | 1 | 4 | 7 | 14 | 19 | 21 |
| 80-84 | 5 | 13.4 | 163 | 1 | 1 | 8 | 22 | 33 | 33 | 33 |
| 85+ | 10 | 10.5 | 103 | 3 | 3 | 7 | 12 | 27 | 36 | 36 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 603 | 3.3 | 17 | <1 | 1 | 2 | 3 | 6 | 10 | 20 |
| 70-74 | 664 | 3.6 | 22 | <1 | 1 | 2 | 4 | 7 | 11 | 25 |
| 75-79 | 530 | 3.9 | 22 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 80-84 | 419 | 3.7 | 17 | <1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 85+ | 431 | 4.4 | 25 | <1 | 1 | 2 | 6 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 7.6 | 58 | <1 | 1 | 5 | 11 | 18 | 24 | 35 |
| 70-74 | 49 | 10.3 | 122 | 1 | 2 | 6 | 13 | 23 | 39 | 47 |
| 75-79 | 54 | 11.4 | 149 | 1 | 1 | 7 | 15 | 34 | 41 | 49 |
| 80-84 | 43 | 9.2 | 62 | 2 | 2 | 7 | 13 | 23 | 28 | 99+ |
| 85+ | 55 | 12.5 | 217 | 1 | 2 | 7 | 15 | 37 | 57 | 98 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 659 | 5.7 | 45 | <1 | 1 | 3 | 7 | 13 | 19 | 35 |
| 70-74 | 729 | 6.6 | 75 | 1 | 1 | 3 | 8 | 14 | 22 | 44 |
| 75-79 | 673 | 7.2 | 80 | 1 | 1 | 4 | 9 | 15 | 23 | 45 |
| 80-84 | 609 | 7.7 | 92 | 1 | 2 | 4 | 9 | 17 | 23 | 53 |
| 85+ | 596 | 8.0 | 69 | 1 | 2 | 5 | 10 | 17 | 23 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 8.3 | 94 | <1 | 1 | 5 | 10 | 19 | 31 | 49 |
| B. *Operated* | 2647 | 3.7 | 21 | <1 | 1 | 2 | 4 | 8 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 236 | 10.5 | 131 | 1 | 2 | 6 | 14 | 27 | 40 | 70 |
| B. *Operated* | 3256 | 7.0 | 73 | 1 | 1 | 4 | 8 | 15 | 22 | 44 |
| **1. SINGLE DX** | 2703 | 3.8 | 23 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| **2. MULTIPLE DX** | 3502 | 7.2 | 77 | 1 | 1 | 4 | 9 | 16 | 23 | 46 |
| **A. NOT OPERATED** | 292 | 10.0 | 124 | 1 | 1 | 6 | 13 | 25 | 38 | 64 |
| **B. OPERATED** | 5913 | 5.5 | 52 | <1 | 1 | 3 | 6 | 13 | 18 | 38 |
| TOTAL 65-69 YRS | 1311 | 4.6 | 34 | <1 | 1 | 2 | 5 | 10 | 16 | 33 |
| 70-74 | 1455 | 5.4 | 56 | <1 | 1 | 3 | 6 | 12 | 18 | 40 |
| 75-79 | 1271 | 6.0 | 62 | <1 | 1 | 3 | 7 | 14 | 20 | 40 |
| 80-84 | 1076 | 6.2 | 66 | 1 | 1 | 3 | 7 | 14 | 21 | 48 |
| 85+ | 1092 | 6.9 | 64 | 1 | 1 | 4 | 9 | 15 | 22 | 43 |
| **GRAND TOTAL** | 6205 | 5.7 | 56 | <1 | 1 | 3 | 7 | 13 | 19 | 40 |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 129 | 6.4 | 61 | 1 | 1 | 4 | 7 | 15 | 21 | 39 |
| 70-74 | 106 | 7.0 | 58 | 1 | 1 | 4 | 9 | 18 | 25 | 36 |
| 75-79 | 69 | 7.5 | 60 | 1 | 1 | 5 | 9 | 16 | 24 | 40 |
| 80-84 | 47 | 8.4 | 90 | 1 | 1 | 6 | 10 | 16 | 38 | 41 |
| 85+ | 29 | 12.2 | 156 | 2 | 2 | 7 | 18 | 32 | 37 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1809 | 8.1 | 19 | 2 | 3 | 8 | 10 | 13 | 19 | 24 |
| 70-74 | 1472 | 8.5 | 21 | 2 | 4 | 8 | 10 | 13 | 19 | 23 |
| 75-79 | 1115 | 8.6 | 22 | 3 | 4 | 8 | 10 | 13 | 16 | 22 |
| 80-84 | 660 | 8.5 | 26 | 2 | 3 | 8 | 11 | 14 | 17 | 27 |
| 85+ | 494 | 8.3 | 29 | 2 | 3 | 8 | 10 | 14 | 17 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 896 | 10.7 | 108 | 1 | 2 | 8 | 14 | 24 | 33 | 51 |
| 70-74 | 829 | 10.6 | 106 | 1 | 2 | 7 | 14 | 23 | 30 | 53 |
| 75-79 | 569 | 10.8 | 112 | 1 | 2 | 7 | 14 | 24 | 32 | 65 |
| 80-84 | 380 | 12.8 | 166 | 2 | 3 | 9 | 16 | 29 | 41 | 83 |
| 85+ | 228 | 13.2 | 162 | 2 | 3 | 9 | 16 | 38 | 39 | 95 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2719 | 11.4 | 67 | 3 | 5 | 9 | 13 | 20 | 26 | 44 |
| 70-74 | 2437 | 12.3 | 90 | 4 | 5 | 10 | 14 | 21 | 28 | 56 |
| 75-79 | 1936 | 12.4 | 78 | 4 | 5 | 10 | 15 | 22 | 29 | 52 |
| 80-84 | 1270 | 12.7 | 95 | 4 | 5 | 10 | 15 | 23 | 30 | 61 |
| 85+ | 880 | 12.7 | 100 | 3 | 4 | 10 | 15 | 23 | 30 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 380 | 7.5 | 72 | 1 | 1 | 5 | 8 | 17 | 26 | 42 |
| B. *Operated* | 5550 | 8.4 | 22 | 2 | 4 | 8 | 10 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2902 | 11.2 | 121 | 1 | 2 | 8 | 14 | 24 | 33 | 60 |
| B. *Operated* | 9242 | 12.2 | 83 | 3 | 5 | 10 | 14 | 21 | 28 | 55 |
| **1. SINGLE DX** | 5930 | 8.3 | 25 | 2 | 3 | 8 | 10 | 13 | 16 | 27 |
| **2. MULTIPLE DX** | 12144 | 11.9 | 92 | 3 | 4 | 10 | 14 | 22 | 29 | 57 |
| **A. NOT OPERATED** | 3282 | 10.8 | 117 | 1 | 2 | 7 | 14 | 24 | 32 | 58 |
| **B. OPERATED** | 14792 | 10.7 | 53 | 3 | 4 | 9 | 13 | 18 | 24 | 45 |
| TOTAL 65-69 YRS | 5553 | 10.1 | 60 | 2 | 3 | 8 | 12 | 18 | 24 | 42 |
| 70-74 | 4844 | 10.7 | 74 | 2 | 4 | 9 | 13 | 19 | 25 | 49 |
| 75-79 | 3689 | 10.9 | 69 | 3 | 4 | 9 | 13 | 20 | 26 | 49 |
| 80-84 | 2357 | 11.5 | 90 | 3 | 4 | 9 | 14 | 20 | 28 | 61 |
| 85+ | 1631 | 11.4 | 92 | 3 | 4 | 9 | 14 | 22 | 29 | 59 |
| **GRAND TOTAL** | 18074 | 10.7 | 73 | 2 | 4 | 9 | 13 | 19 | 26 | 49 |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 136 | 4.2 | 12 | 1 | 2 | 4 | 4 | 6 | 8 | 22 |
| 70-74 | 76 | 4.6 | 9 | 2 | 2 | 4 | 5 | 8 | 12 | 17 |
| 75-79 | 51 | 4.4 | 9 | 1 | 1 | 4 | 5 | 8 | 9 | 19 |
| 80-84 | 41 | 5.3 | 31 | 1 | 2 | 4 | 5 | 9 | 18 | 31 |
| 85+ | 24 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 159 | 6.9 | 42 | 1 | 2 | 5 | 9 | 15 | 19 | 35 |
| 70-74 | 111 | 6.2 | 36 | 2 | 2 | 4 | 8 | 12 | 15 | 39 |
| 75-79 | 92 | 6.4 | 23 | 2 | 2 | 5 | 8 | 13 | 19 | 21 |
| 80-84 | 37 | 5.8 | 32 | 2 | 2 | 3 | 7 | 15 | 18 | 25 |
| 85+ | 29 | 6.7 | 45 | 2 | 3 | 4 | 7 | 15 | 19 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 152 | 7.6 | 49 | 2 | 2 | 5 | 10 | 15 | 21 | 34 |
| 70-74 | 146 | 9.1 | 80 | 2 | 2 | 6 | 12 | 20 | 25 | 52 |
| 75-79 | 112 | 10.8 | 149 | 2 | 3 | 6 | 11 | 25 | 38 | 61 |
| 80-84 | 65 | 11.0 | 136 | 2 | 2 | 7 | 15 | 24 | 33 | 60 |
| 85+ | 78 | 10.7 | 96 | 2 | 2 | 7 | 13 | 27 | 32 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 267 | 12.6 | 185 | 2 | 3 | 9 | 15 | 26 | 41 | 76 |
| 70-74 | 216 | 12.4 | 130 | 2 | 3 | 9 | 15 | 29 | 40 | 53 |
| 75-79 | 161 | 14.4 | 220 | 2 | 3 | 9 | 19 | 32 | 47 | 89 |
| 80-84 | 88 | 13.1 | 138 | 2 | 3 | 9 | 21 | 29 | 34 | 60 |
| 85+ | 51 | 15.5 | 263 | 2 | 3 | 10 | 16 | 42 | 52 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 328 | 4.4 | 13 | 1 | 2 | 4 | 5 | 7 | 10 | 20 |
| B. *Operated* | 428 | 6.5 | 36 | 2 | 2 | 4 | 8 | 13 | 18 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 553 | 9.5 | 95 | 2 | 2 | 6 | 12 | 21 | 29 | 54 |
| B. *Operated* | 783 | 13.2 | 177 | 2 | 3 | 9 | 16 | 30 | 42 | 69 |
| **1. SINGLE DX** | 756 | 5.6 | 27 | 1 | 2 | 4 | 6 | 11 | 16 | 31 |
| **2. MULTIPLE DX** | 1336 | 11.6 | 146 | 2 | 3 | 8 | 14 | 26 | 36 | 63 |
| **A. NOT OPERATED** | 881 | 7.6 | 71 | 1 | 2 | 5 | 9 | 17 | 25 | 46 |
| **B. OPERATED** | 1211 | 10.8 | 137 | 2 | 2 | 7 | 13 | 23 | 35 | 62 |
| TOTAL 65-69 YRS | 714 | 8.7 | 102 | 2 | 2 | 5 | 11 | 18 | 26 | 50 |
| 70-74 | 549 | 9.2 | 89 | 2 | 2 | 6 | 11 | 20 | 29 | 50 |
| 75-79 | 416 | 10.4 | 145 | 2 | 2 | 6 | 12 | 22 | 34 | 68 |
| 80-84 | 231 | 10.0 | 111 | 2 | 2 | 6 | 12 | 24 | 31 | 56 |
| 85+ | 182 | 10.6 | 136 | 2 | 2 | 6 | 12 | 26 | 36 | 59 |
| **GRAND TOTAL** | **2092** | **9.5** | **111** | **2** | **2** | **6** | **11** | **21** | **31** | **55** |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 176 | 4.6 | 41 | 1 | 2 | 3 | 5 | 6 | 12 | 48 |
| 70-74 | 115 | 5.0 | 33 | 1 | 2 | 4 | 4 | 7 | 15 | 36 |
| 75-79 | 78 | 4.8 | 26 | 2 | 2 | 4 | 5 | 8 | 11 | 32 |
| 80-84 | 43 | 6.7 | 60 | 2 | 3 | 4 | 7 | 15 | 21 | 45 |
| 85+ | 18 | 7.6 | 26 | 3 | 3 | 6 | 11 | 15 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 745 | 6.8 | 21 | 1 | 2 | 7 | 9 | 12 | 15 | 21 |
| 70-74 | 482 | 7.0 | 38 | 1 | 2 | 7 | 9 | 12 | 15 | 23 |
| 75-79 | 296 | 7.8 | 38 | 1 | 2 | 7 | 10 | 14 | 16 | 32 |
| 80-84 | 177 | 9.3 | 75 | 2 | 2 | 8 | 11 | 16 | 21 | 56 |
| 85+ | 89 | 7.9 | 33 | 2 | 2 | 7 | 11 | 15 | 20 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 248 | 7.1 | 75 | 1 | 2 | 4 | 8 | 16 | 21 | 49 |
| 70-74 | 167 | 9.3 | 114 | 1 | 2 | 6 | 10 | 23 | 32 | 61 |
| 75-79 | 147 | 10.1 | 86 | 2 | 3 | 7 | 12 | 27 | 33 | 99+ |
| 80-84 | 112 | 8.6 | 49 | 2 | 2 | 6 | 11 | 19 | 27 | 59 |
| 85+ | 81 | 13.1 | 169 | 3 | 3 | 10 | 16 | 26 | 37 | 72 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1317 | 9.9 | 61 | 2 | 2 | 8 | 12 | 18 | 24 | 40 |
| 70-74 | 1023 | 11.3 | 87 | 2 | 2 | 9 | 14 | 21 | 28 | 53 |
| 75-79 | 660 | 12.0 | 99 | 2 | 3 | 10 | 14 | 22 | 32 | 56 |
| 80-84 | 347 | 12.8 | 131 | 2 | 3 | 10 | 16 | 25 | 34 | 62 |
| 85+ | 192 | 14.8 | 179 | 2 | 3 | 11 | 19 | 29 | 40 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 430 | 5.1 | 38 | 1 | 2 | 4 | 5 | 9 | 15 | 36 |
| B. *Operated* | 1789 | 7.3 | 35 | 1 | 2 | 7 | 9 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 755 | 9.1 | 95 | 1 | 2 | 6 | 11 | 21 | 31 | 64 |
| B. *Operated* | 3539 | 11.2 | 91 | 2 | 2 | 9 | 14 | 21 | 28 | 55 |
| **1. SINGLE DX** | 2219 | 6.9 | 36 | 1 | 2 | 6 | 9 | 13 | 16 | 28 |
| **2. MULTIPLE DX** | 4294 | 10.8 | 92 | 2 | 2 | 9 | 13 | 21 | 29 | 55 |
| **A. NOT OPERATED** | 1185 | 7.6 | 78 | 1 | 2 | 4 | 9 | 17 | 27 | 51 |
| **B. OPERATED** | 5328 | 9.9 | 75 | 2 | 2 | 8 | 12 | 19 | 25 | 47 |
| TOTAL 65-69 YRS | 2486 | 8.3 | 52 | 1 | 2 | 7 | 10 | 16 | 21 | 38 |
| 70-74 | 1787 | 9.5 | 78 | 2 | 2 | 8 | 12 | 18 | 26 | 50 |
| 75-79 | 1181 | 10.2 | 82 | 2 | 2 | 8 | 12 | 20 | 28 | 53 |
| 80-84 | 679 | 10.8 | 103 | 2 | 2 | 8 | 14 | 20 | 30 | 58 |
| 85+ | 380 | 12.5 | 144 | 2 | 3 | 10 | 16 | 25 | 37 | 72 |
| **GRAND TOTAL** | **6513** | **9.5** | **77** | **2** | **2** | **8** | **12** | **18** | **25** | **47** |

### 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 302 | 2.8 | 10 | 1 | 1 | 2 | 3 | 5 | 8 | 21 |
| 70-74 | 179 | 3.2 | 13 | 1 | 1 | 2 | 3 | 8 | 12 | 17 |
| 75-79 | 105 | 3.8 | 19 | 1 | 1 | 2 | 4 | 11 | 14 | 21 |
| 80-84 | 51 | 5.7 | 75 | 1 | 1 | 3 | 6 | 12 | 16 | 50 |
| 85+ | 17 | 10.1 | 116 | <1 | 1 | 5 | 18 | 26 | 33 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 106 | 12.6 | 54 | 2 | 5 | 11 | 17 | 22 | 28 | 36 |
| 70-74 | 86 | 12.0 | 32 | 3 | 6 | 11 | 16 | 20 | 23 | 27 |
| 75-79 | 50 | 16.0 | 88 | 7 | 8 | 13 | 21 | 28 | 34 | 53 |
| 80-84 | 21 | 15.2 | 87 | 4 | 7 | 12 | 20 | 26 | 34 | 43 |
| 85+ | 10 | 20.3 | 197 | 4 | 5 | 16 | 30 | 42 | 48 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 561 | 5.4 | 42 | 1 | 1 | 3 | 6 | 12 | 19 | 35 |
| 70-74 | 459 | 6.0 | 60 | 1 | 1 | 3 | 8 | 14 | 22 | 41 |
| 75-79 | 278 | 7.5 | 95 | 1 | 1 | 4 | 9 | 19 | 26 | 64 |
| 80-84 | 139 | 10.7 | 147 | 1 | 2 | 7 | 13 | 25 | 29 | 73 |
| 85+ | 84 | 11.5 | 165 | 1 | 2 | 8 | 13 | 30 | 42 | 63 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 525 | 19.1 | 175 | 6 | 7 | 15 | 24 | 36 | 49 | 83 |
| 70-74 | 424 | 18.2 | 145 | 7 | 8 | 15 | 22 | 31 | 46 | 72 |
| 75-79 | 316 | 21.3 | 179 | 8 | 9 | 18 | 26 | 38 | 47 | 88 |
| 80-84 | 200 | 22.0 | 138 | 9 | 10 | 20 | 27 | 36 | 47 | 65 |
| 85+ | 102 | 23.4 | 163 | 10 | 12 | 20 | 29 | 40 | 52 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 654 | 3.5 | 22 | 1 | 1 | 2 | 3 | 7 | 12 | 23 |
| B. *Operated* | 273 | 13.5 | 64 | 3 | 6 | 12 | 17 | 23 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1521 | 6.8 | 77 | 1 | 1 | 3 | 8 | 16 | 24 | 44 |
| B. *Operated* | 1567 | 19.9 | 164 | 7 | 8 | 17 | 25 | 36 | 47 | 75 |
| **1. SINGLE DX** | 927 | 6.4 | 55 | 1 | 1 | 3 | 10 | 16 | 22 | 35 |
| **2. MULTIPLE DX** | 3088 | 13.5 | 164 | 1 | 2 | 10 | 19 | 29 | 40 | 68 |
| **A. NOT OPERATED** | 2175 | 5.8 | 62 | 1 | 1 | 3 | 7 | 14 | 21 | 42 |
| **B. OPERATED** | 1840 | 19.0 | 155 | 6 | 8 | 16 | 23 | 35 | 46 | 70 |
| TOTAL 65-69 YRS | 1494 | 10.2 | 131 | 1 | 1 | 6 | 15 | 24 | 34 | 64 |
| 70-74 | 1148 | 10.5 | 120 | 1 | 1 | 8 | 15 | 24 | 30 | 58 |
| 75-79 | 749 | 13.4 | 171 | 1 | 2 | 10 | 19 | 30 | 39 | 71 |
| 80-84 | 411 | 15.8 | 170 | 1 | 2 | 13 | 22 | 31 | 41 | 65 |
| 85+ | 213 | 17.5 | 195 | 2 | 3 | 14 | 24 | 37 | 47 | 63 |
| **GRAND TOTAL** | **4015** | **11.8** | **148** | **1** | **1** | **9** | **17** | **27** | **36** | **62** |

### 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 4.7 | 15 | 1 | 2 | 4 | 5 | 12 | 15 | 15 |
| 70-74 | 20 | 5.4 | 46 | 2 | 2 | 3 | 6 | 9 | 21 | 32 |
| 75-79 | 16 | 9.6 | 208 | 1 | 2 | 5 | 9 | 18 | 48 | 61 |
| 80-84 | 14 | 8.6 | 222 | 2 | 2 | 4 | 5 | 20 | 50 | 59 |
| 85+ | 6 | 8.7 | 92 | <1 | <1 | 6 | 10 | 25 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 8.3 | 86 | 2 | 2 | 4 | 9 | 24 | 29 | 46 |
| 70-74 | 57 | 7.4 | 48 | 2 | 2 | 5 | 10 | 19 | 23 | 30 |
| 75-79 | 68 | 11.0 | 111 | 2 | 2 | 7 | 16 | 26 | 30 | 49 |
| 80-84 | 59 | 10.7 | 96 | 2 | 2 | 6 | 14 | 24 | 31 | 45 |
| 85+ | 37 | 10.0 | 131 | 2 | 2 | 8 | 12 | 17 | 21 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 8.2 | 102 | 1 | 1 | 5 | 8 | 19 | 29 | 57 |
| 70-74 | 54 | 7.5 | 53 | 1 | 2 | 5 | 11 | 16 | 20 | 39 |
| 75-79 | 44 | 11.6 | 172 | 2 | 3 | 6 | 15 | 26 | 32 | 76 |
| 80-84 | 26 | 10.3 | 68 | 1 | 4 | 8 | 12 | 24 | 29 | 33 |
| 85+ | 19 | 10.1 | 58 | 1 | 3 | 10 | 11 | 21 | 28 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 107 | 18.5 | 271 | 2 | 3 | 15 | 23 | 35 | 63 | 98 |
| 70-74 | 132 | 16.5 | 208 | 2 | 3 | 14 | 23 | 37 | 42 | 93 |
| 75-79 | 124 | 19.1 | 290 | 3 | 4 | 14 | 24 | 44 | 56 | 83 |
| 80-84 | 94 | 15.4 | 150 | 2 | 3 | 11 | 22 | 32 | 46 | 81 |
| 85+ | 70 | 16.1 | 288 | 3 | 3 | 11 | 18 | 33 | 50 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 7.0 | 108 | 2 | 2 | 4 | 6 | 14 | 25 | 61 |
| B. *Operated* | 291 | 9.5 | 93 | 2 | 2 | 6 | 13 | 23 | 29 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 9.3 | 96 | 1 | 2 | 6 | 11 | 20 | 29 | 49 |
| B. *Operated* | 527 | 17.3 | 241 | 2 | 3 | 13 | 23 | 36 | 47 | 92 |
| **1. SINGLE DX** | 365 | 9.0 | 97 | 2 | 2 | 5 | 11 | 22 | 28 | 51 |
| **2. MULTIPLE DX** | 720 | 15.1 | 214 | 2 | 3 | 11 | 20 | 33 | 45 | 83 |
| **A. NOT OPERATED** | 267 | 8.6 | 100 | 1 | 2 | 5 | 11 | 19 | 28 | 59 |
| **B. OPERATED** | 818 | 14.5 | 202 | 2 | 2 | 10 | 19 | 32 | 44 | 79 |
| TOTAL 65-69 YRS | 245 | 12.5 | 193 | 2 | 2 | 8 | 17 | 29 | 38 | 76 |
| 70-74 | 263 | 11.9 | 151 | 2 | 2 | 7 | 17 | 29 | 38 | 72 |
| 75-79 | 252 | 15.0 | 230 | 2 | 2 | 10 | 19 | 33 | 45 | 78 |
| 80-84 | 193 | 12.8 | 133 | 2 | 3 | 9 | 18 | 30 | 38 | 59 |
| 85+ | 132 | 13.2 | 209 | 2 | 3 | 9 | 15 | 28 | 44 | 79 |
| **GRAND TOTAL** | **1085** | **13.1** | **183** | **2** | **2** | **9** | **17** | **30** | **39** | **76** |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 157 | 6.4 | 46 | 1 | 1 | 4 | 8 | 14 | 21 | 41 |
| 70-74 | 219 | 6.1 | 37 | 1 | 1 | 4 | 8 | 12 | 19 | 34 |
| 75-79 | 136 | 6.9 | 78 | 1 | 1 | 5 | 7 | 14 | 22 | 55 |
| 80-84 | 79 | 7.1 | 50 | 1 | 2 | 5 | 9 | 14 | 20 | 82 |
| 85+ | 63 | 8.1 | 105 | 1 | 2 | 5 | 9 | 15 | 21 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1691 | 7.7 | 34 | 2 | 2 | 7 | 10 | 15 | 18 | 28 |
| 70-74 | 1767 | 7.3 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 24 |
| 75-79 | 1379 | 8.1 | 34 | 2 | 2 | 7 | 10 | 14 | 18 | 30 |
| 80-84 | 809 | 8.6 | 39 | 2 | 3 | 8 | 11 | 14 | 19 | 32 |
| 85+ | 480 | 10.1 | 56 | 3 | 4 | 9 | 12 | 16 | 21 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 939 | 8.7 | 88 | 1 | 2 | 6 | 10 | 18 | 24 | 51 |
| 70-74 | 1226 | 9.7 | 92 | 2 | 2 | 7 | 12 | 20 | 28 | 52 |
| 75-79 | 1218 | 10.0 | 85 | 2 | 2 | 8 | 13 | 20 | 27 | 49 |
| 80-84 | 868 | 11.4 | 125 | 2 | 2 | 8 | 14 | 24 | 35 | 64 |
| 85+ | 707 | 11.2 | 103 | 2 | 3 | 9 | 14 | 24 | 33 | 74 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3077 | 11.4 | 89 | 2 | 3 | 9 | 14 | 22 | 29 | 52 |
| 70-74 | 3818 | 11.2 | 81 | 2 | 3 | 9 | 14 | 21 | 28 | 49 |
| 75-79 | 3480 | 12.2 | 99 | 3 | 4 | 9 | 15 | 24 | 31 | 57 |
| 80-84 | 2423 | 12.9 | 99 | 3 | 4 | 10 | 16 | 24 | 31 | 57 |
| 85+ | 1676 | 14.4 | 114 | 4 | 5 | 12 | 18 | 27 | 35 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 654 | 6.6 | 56 | 1 | 1 | 5 | 8 | 14 | 20 | 42 |
| B. *Operated* | 6126 | 8.0 | 35 | 2 | 2 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4958 | 10.1 | 98 | 2 | 2 | 7 | 13 | 21 | 29 | 53 |
| B. *Operated* | 14474 | 12.1 | 95 | 3 | 4 | 9 | 15 | 23 | 30 | 55 |
| **1. SINGLE DX** | 6780 | 7.9 | 37 | 2 | 2 | 7 | 10 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | 19432 | 11.6 | 96 | 2 | 3 | 9 | 15 | 23 | 30 | 55 |
| **A. NOT OPERATED** | 5612 | 9.7 | 94 | 1 | 2 | 7 | 12 | 20 | 28 | 53 |
| **B. OPERATED** | 20600 | 10.9 | 81 | 2 | 3 | 9 | 14 | 21 | 27 | 49 |
| TOTAL 65-69 YRS | 5864 | 9.8 | 75 | 2 | 2 | 8 | 12 | 19 | 25 | 45 |
| 70-74 | 7030 | 9.8 | 71 | 2 | 3 | 8 | 12 | 19 | 25 | 45 |
| 75-79 | 6213 | 10.8 | 85 | 2 | 3 | 8 | 13 | 21 | 28 | 52 |
| 80-84 | 4179 | 11.6 | 95 | 2 | 3 | 9 | 14 | 22 | 29 | 53 |
| 85+ | 2926 | 12.8 | 105 | 3 | 4 | 10 | 16 | 24 | 33 | 59 |
| **GRAND TOTAL** | **26212** | **10.6** | **84** | **2** | **3** | **8** | **13** | **21** | **27** | **50** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 5.7 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 70-74 | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 5.2 | 13 | <1 | 1 | 4 | 6 | 11 | 13 | 14 |
| 70-74 | 18 | 5.8 | 23 | 1 | 1 | 4 | 8 | 14 | 16 | 16 |
| 75-79 | 17 | 9.2 | 45 | 3 | 4 | 5 | 13 | 21 | 23 | 23 |
| 80-84 | 10 | 11.2 | 75 | 3 | 3 | 8 | 15 | 25 | 31 | 31 |
| 85+ | 9 | 12.1 | 396 | 2 | 3 | 7 | 7 | 42 | 65 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 10.0 | 97 | 2 | 2 | 7 | 17 | 21 | 21 | 21 |
| 70-74 | 11 | 5.4 | 8 | 1 | 1 | 5 | 7 | 9 | 11 | 11 |
| 75-79 | 6 | 9.3 | 25 | 4 | 4 | 7 | 14 | 17 | 17 | 17 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 10.4 | 89 | 2 | 2 | 9 | 12 | 20 | 23 | 57 |
| 70-74 | 38 | 12.4 | 146 | 2 | 3 | 9 | 15 | 20 | 40 | 63 |
| 75-79 | 27 | 15.3 | 327 | 2 | 3 | 10 | 14 | 41 | 53 | 86 |
| 80-84 | 17 | 11.2 | 56 | 3 | 4 | 9 | 14 | 21 | 29 | 33 |
| 85+ | 18 | 16.2 | 116 | 2 | 3 | 16 | 20 | 34 | 37 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 5.2 | 9 | 2 | 2 | 5 | 8 | 9 | 9 | 9 |
| B. *Operated* | 84 | 7.6 | 71 | 1 | 2 | 5 | 9 | 15 | 20 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 7.2 | 24 | 1 | 2 | 7 | 7 | 15 | 19 | 21 |
| B. *Operated* | 147 | 12.6 | 148 | 2 | 3 | 9 | 15 | 22 | 36 | 64 |
| **1. SINGLE DX** | 90 | 7.4 | 67 | 1 | 2 | 5 | 8 | 15 | 19 | 51 |
| **2. MULTIPLE DX** | 169 | 11.9 | 135 | 2 | 3 | 9 | 14 | 21 | 35 | 62 |
| **A. NOT OPERATED** | 28 | 6.8 | 21 | 2 | 2 | 6 | 8 | 13 | 17 | 21 |
| **B. OPERATED** | 231 | 10.8 | 125 | 2 | 2 | 8 | 13 | 20 | 33 | 63 |
| TOTAL 65-69 YRS | 83 | 8.3 | 63 | 1 | 2 | 6 | 10 | 15 | 21 | 49 |
| 70-74 | 70 | 9.3 | 98 | 1 | 2 | 7 | 12 | 18 | 21 | 61 |
| 75-79 | 50 | 12.5 | 200 | 2 | 4 | 9 | 14 | 22 | 42 | 86 |
| 80-84 | 28 | 11.0 | 59 | 3 | 4 | 8 | 14 | 21 | 31 | 33 |
| 85+ | 28 | 14.5 | 197 | 2 | 3 | 9 | 18 | 34 | 41 | 65 |
| **GRAND TOTAL** | **259** | **10.4** | **115** | **2** | **2** | **8** | **13** | **19** | **31** | **62** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 94 | 5.3 | 31 | <1 | 1 | 4 | 6 | 12 | 17 | 29 |
| 70-74 | 83 | 5.2 | 37 | 1 | 1 | 3 | 6 | 13 | 16 | 35 |
| 75-79 | 74 | 6.9 | 103 | 1 | 1 | 3 | 7 | 16 | 27 | 56 |
| 80-84 | 35 | 11.5 | 184 | 2 | 2 | 6 | 15 | 34 | 45 | 52 |
| 85+ | 36 | 8.2 | 43 | 1 | 2 | 6 | 10 | 15 | 26 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1882 | 5.7 | 33 | 1 | 2 | 4 | 7 | 13 | 18 | 28 |
| 70-74 | 1926 | 5.6 | 31 | 1 | 2 | 4 | 6 | 12 | 16 | 28 |
| 75-79 | 1530 | 6.0 | 40 | 1 | 2 | 4 | 7 | 12 | 18 | 33 |
| 80-84 | 1056 | 6.1 | 31 | 2 | 2 | 5 | 7 | 11 | 15 | 32 |
| 85+ | 746 | 6.9 | 39 | 2 | 2 | 5 | 8 | 14 | 18 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 303 | 7.9 | 70 | 1 | 1 | 5 | 10 | 18 | 24 | 46 |
| 70-74 | 323 | 9.8 | 112 | 1 | 2 | 6 | 13 | 21 | 28 | 55 |
| 75-79 | 330 | 10.0 | 104 | 2 | 2 | 7 | 12 | 23 | 31 | 47 |
| 80-84 | 262 | 10.8 | 110 | 1 | 2 | 8 | 13 | 25 | 36 | 64 |
| 85+ | 246 | 10.5 | 95 | 2 | 3 | 7 | 14 | 21 | 31 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2242 | 10.1 | 110 | 2 | 2 | 6 | 13 | 22 | 31 | 55 |
| 70-74 | 2509 | 9.9 | 96 | 2 | 2 | 7 | 13 | 22 | 30 | 50 |
| 75-79 | 2353 | 10.0 | 100 | 2 | 2 | 7 | 12 | 22 | 30 | 54 |
| 80-84 | 1625 | 11.0 | 116 | 2 | 3 | 8 | 14 | 23 | 30 | 55 |
| 85+ | 1349 | 11.2 | 102 | 2 | 3 | 8 | 14 | 23 | 30 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 322 | 6.6 | 70 | 1 | 1 | 4 | 7 | 15 | 23 | 47 |
| B. *Operated* | 7140 | 5.9 | 35 | 1 | 2 | 4 | 7 | 12 | 17 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1464 | 9.8 | 99 | 1 | 2 | 7 | 13 | 21 | 30 | 53 |
| B. *Operated* | 10078 | 10.3 | 104 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **1. SINGLE DX** | 7462 | 6.0 | 36 | 1 | 2 | 4 | 7 | 12 | 17 | 31 |
| **2. MULTIPLE DX** | 11542 | 10.3 | 104 | 2 | 2 | 7 | 13 | 22 | 30 | 54 |
| **A. NOT OPERATED** | 1786 | 9.2 | 95 | 1 | 2 | 6 | 12 | 20 | 28 | 52 |
| **B. OPERATED** | 17218 | 8.5 | 80 | 2 | 2 | 6 | 10 | 19 | 25 | 46 |
| TOTAL 65-69 YRS | 4521 | 8.0 | 78 | 1 | 2 | 5 | 10 | 18 | 25 | 45 |
| 70-74 | 4841 | 8.1 | 75 | 1 | 2 | 5 | 10 | 18 | 25 | 44 |
| 75-79 | 4287 | 8.5 | 82 | 2 | 2 | 5 | 10 | 19 | 26 | 46 |
| 80-84 | 2978 | 9.2 | 92 | 2 | 2 | 6 | 11 | 19 | 27 | 51 |
| 85+ | 2377 | 9.8 | 85 | 2 | 2 | 7 | 12 | 20 | 26 | 49 |
| **GRAND TOTAL** | **19004** | **8.6** | **81** | **2** | **2** | **6** | **10** | **19** | **26** | **47** |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 5.5 | 45 | <1 | 1 | 4 | 6 | 14 | 24 | 29 |
| 70-74 | 28 | 7.0 | 52 | 2 | 2 | 4 | 8 | 17 | 28 | 28 |
| 75-79 | 23 | 5.6 | 15 | 1 | 2 | 4 | 8 | 12 | 14 | 15 |
| 80-84 | 7 | 6.6 | 11 | 2 | 2 | 7 | 8 | 11 | 12 | 12 |
| 85+ | 8 | 10.8 | 94 | 1 | 1 | 7 | 18 | 26 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 241 | 12.2 | 43 | 2 | 4 | 12 | 15 | 20 | 24 | 30 |
| 70-74 | 188 | 12.2 | 53 | 2 | 3 | 11 | 15 | 21 | 26 | 37 |
| 75-79 | 124 | 13.3 | 67 | 2 | 3 | 13 | 17 | 23 | 28 | 43 |
| 80-84 | 71 | 13.2 | 96 | 2 | 3 | 10 | 18 | 27 | 34 | 45 |
| 85+ | 33 | 12.4 | 62 | 2 | 2 | 12 | 18 | 22 | 27 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 167 | 9.9 | 70 | 2 | 2 | 8 | 13 | 19 | 27 | 53 |
| 70-74 | 200 | 10.1 | 88 | 1 | 2 | 7 | 13 | 22 | 27 | 51 |
| 75-79 | 144 | 11.5 | 139 | 2 | 3 | 8 | 14 | 24 | 29 | 66 |
| 80-84 | 101 | 12.7 | 142 | 1 | 3 | 9 | 17 | 30 | 55 | 99+ |
| 85+ | 61 | 11.6 | 59 | 2 | 4 | 10 | 15 | 22 | 28 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 573 | 16.8 | 133 | 4 | 6 | 14 | 21 | 29 | 40 | 63 |
| 70-74 | 585 | 16.5 | 112 | 3 | 6 | 14 | 20 | 31 | 38 | 60 |
| 75-79 | 411 | 18.7 | 167 | 4 | 7 | 16 | 23 | 32 | 47 | 78 |
| 80-84 | 235 | 19.5 | 163 | 5 | 7 | 17 | 25 | 36 | 45 | 81 |
| 85+ | 155 | 18.1 | 160 | 3 | 5 | 15 | 24 | 35 | 45 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 88 | 6.6 | 42 | 1 | 2 | 4 | 8 | 15 | 22 | 29 |
| B. *Operated* | 657 | 12.5 | 57 | 2 | 3 | 12 | 16 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 673 | 10.9 | 100 | 2 | 2 | 8 | 14 | 23 | 29 | 62 |
| B. *Operated* | 1959 | 17.6 | 141 | 4 | 6 | 15 | 22 | 32 | 41 | 67 |
| **1. SINGLE DX** | 745 | 11.8 | 59 | 2 | 2 | 11 | 15 | 21 | 27 | 36 |
| **2. MULTIPLE DX** | 2632 | 15.8 | 139 | 3 | 4 | 13 | 20 | 30 | 39 | 66 |
| **A. NOT OPERATED** | 761 | 10.4 | 95 | 2 | 2 | 8 | 14 | 22 | 28 | 59 |
| **B. OPERATED** | 2616 | 16.3 | 124 | 3 | 5 | 14 | 20 | 29 | 37 | 64 |
| TOTAL 65-69 YRS | 1003 | 14.3 | 108 | 2 | 4 | 12 | 18 | 26 | 31 | 57 |
| 70-74 | 1001 | 14.2 | 103 | 2 | 3 | 12 | 18 | 27 | 33 | 54 |
| 75-79 | 702 | 15.9 | 152 | 2 | 4 | 14 | 20 | 28 | 38 | 74 |
| 80-84 | 414 | 16.5 | 155 | 3 | 4 | 14 | 22 | 34 | 43 | 99+ |
| 85+ | 257 | 15.6 | 130 | 2 | 4 | 13 | 21 | 31 | 36 | 51 |
| **GRAND TOTAL** | **3377** | **15.0** | **124** | **2** | **4** | **13** | **19** | **28** | **36** | **63** |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 5 | 5.6 | 6 | 4 | 4 | 5 | 6 | 10 | 10 | 10 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | 3 | 8.0 | 21 | 3 | 3 | 9 | 11 | 12 | 12 | 12 |
| 85+ | 1 | 49.0 | | 49 | 49 | 49 | 49 | 49 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 4.0 | 5 | <1 | 2 | 4 | 5 | 8 | 8 | 9 |
| 70-74 | 25 | 4.2 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 75-79 | 15 | 5.9 | 43 | 1 | 2 | 4 | 4 | 13 | 23 | 26 |
| 80-84 | 9 | 5.4 | 39 | 2 | 2 | 3 | 4 | 15 | 22 | 22 |
| 85+ | 7 | 7.0 | 48 | 2 | 2 | 4 | 13 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 8.7 | 123 | 2 | 2 | 6 | 9 | 23 | 39 | 41 |
| 70-74 | 11 | 8.4 | 35 | 1 | 3 | 7 | 12 | 17 | 22 | 22 |
| 75-79 | 7 | 3.9 | 6 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 80-84 | 8 | 8.5 | 11 | 6 | 6 | 7 | 12 | 13 | 13 | 13 |
| 85+ | 4 | 11.3 | 86 | 2 | 2 | 9 | 17 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 7.7 | 35 | 2 | 2 | 7 | 9 | 13 | 23 | 27 |
| 70-74 | 17 | 10.8 | 75 | 2 | 3 | 8 | 18 | 25 | 27 | 28 |
| 75-79 | 20 | 9.9 | 98 | <1 | 1 | 5 | 19 | 25 | 29 | 33 |
| 80-84 | 7 | 7.0 | 75 | 1 | 1 | 5 | 7 | 22 | 26 | 26 |
| 85+ | 12 | 12.8 | 153 | 2 | 3 | 7 | 20 | 34 | 37 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 10.3 | 196 | 2 | 2 | 5 | 10 | 30 | 49 | 49 |
| B. *Operated* | 83 | 4.8 | 19 | 1 | 2 | 4 | 5 | 8 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 8.0 | 53 | 1 | 2 | 6 | 10 | 13 | 23 | 41 |
| B. *Operated* | 82 | 9.6 | 78 | 1 | 2 | 6 | 11 | 25 | 27 | 36 |
| **1. SINGLE DX** | 93 | 5.4 | 39 | 2 | 2 | 4 | 5 | 10 | 16 | 39 |
| **2. MULTIPLE DX** | 123 | 9.0 | 70 | 1 | 2 | 6 | 11 | 23 | 27 | 39 |
| **A. NOT OPERATED** | 51 | 8.5 | 78 | 2 | 2 | 6 | 10 | 13 | 24 | 49 |
| **B. OPERATED** | 165 | 7.2 | 54 | 1 | 2 | 4 | 8 | 19 | 26 | 33 |
| TOTAL 65-69 YRS | 64 | 6.3 | 39 | 1 | 2 | 4 | 8 | 10 | 16 | 39 |
| 70-74 | 58 | 7.0 | 38 | 1 | 2 | 5 | 8 | 16 | 23 | 28 |
| 75-79 | 43 | 7.3 | 66 | 1 | 2 | 4 | 7 | 22 | 26 | 33 |
| 80-84 | 27 | 7.0 | 36 | 2 | 2 | 6 | 9 | 13 | 23 | 26 |
| 85+ | 24 | 12.4 | 164 | 2 | 2 | 7 | 17 | 33 | 41 | 49 |
| **GRAND TOTAL** | **216** | **7.5** | **60** | **1** | **2** | **5** | **9** | **19** | **25** | **39** |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 66 | 12.7 | 123 | 2 | 3 | 8 | 18 | 32 | 38 | 44 |
| 70-74 | 65 | 14.2 | 215 | 2 | 3 | 9 | 18 | 43 | 63 | 99+ |
| 75-79 | 38 | 13.8 | 236 | 2 | 3 | 8 | 19 | 25 | 33 | 90 |
| 80-84 | 15 | 17.8 | 431 | 3 | 5 | 11 | 20 | 29 | 72 | 87 |
| 85+ | 8 | 19.8 | 308 | 4 | 6 | 13 | 25 | 50 | 57 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 122 | 20.0 | 197 | 4 | 7 | 16 | 24 | 38 | 45 | 75 |
| 70-74 | 88 | 21.0 | 218 | 3 | 7 | 17 | 27 | 41 | 53 | 69 |
| 75-79 | 40 | 20.9 | 206 | 7 | 8 | 18 | 27 | 46 | 62 | 99+ |
| 80-84 | 21 | 19.9 | 111 | 3 | 8 | 18 | 27 | 37 | 40 | 42 |
| 85+ | 6 | 25.0 | 617 | 9 | 9 | 15 | 22 | 70 | 75 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 163 | 15.0 | 216 | 2 | 3 | 10 | 19 | 36 | 49 | 71 |
| 70-74 | 129 | 18.1 | 317 | 3 | 4 | 11 | 23 | 47 | 59 | 90 |
| 75-79 | 87 | 17.4 | 298 | 3 | 4 | 13 | 22 | 38 | 74 | 94 |
| 80-84 | 42 | 17.0 | 164 | 4 | 5 | 14 | 24 | 31 | 39 | 71 |
| 85+ | 14 | 9.9 | 33 | 2 | 4 | 9 | 15 | 17 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 168 | 29.4 | 450 | 7 | 10 | 23 | 40 | 67 | 77 | 98 |
| 70-74 | 112 | 27.5 | 344 | 7 | 11 | 22 | 40 | 65 | 89 | 99+ |
| 75-79 | 60 | 26.9 | 479 | 6 | 8 | 20 | 30 | 66 | 85 | 99+ |
| 80-84 | 32 | 28.7 | 309 | 7 | 8 | 25 | 38 | 57 | 59 | 74 |
| 85+ | 7 | 26.6 | 316 | 3 | 6 | 26 | 47 | 88 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 14.1 | 206 | 2 | 3 | 9 | 18 | 32 | 44 | 95 |
| B. *Operated* | 277 | 20.5 | 204 | 4 | 7 | 16 | 27 | 40 | 53 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 435 | 16.4 | 253 | 3 | 3 | 11 | 21 | 39 | 56 | 85 |
| B. *Operated* | 379 | 28.3 | 406 | 7 | 10 | 23 | 37 | 64 | 79 | 99+ |
| **1. SINGLE DX** | 469 | 17.9 | 214 | 3 | 4 | 14 | 23 | 38 | 51 | 86 |
| **2. MULTIPLE DX** | 814 | 22.0 | 359 | 3 | 5 | 16 | 28 | 53 | 69 | 99+ |
| **A. NOT OPERATED** | 627 | 15.7 | 239 | 3 | 3 | 10 | 20 | 38 | 54 | 88 |
| **B. OPERATED** | 656 | 25.0 | 335 | 6 | 8 | 20 | 31 | 56 | 70 | 99+ |
| TOTAL 65-69 YRS | 519 | 20.6 | 317 | 3 | 4 | 15 | 27 | 46 | 64 | 88 |
| 70-74 | 394 | 20.8 | 306 | 3 | 5 | 15 | 28 | 49 | 65 | 99+ |
| 75-79 | 225 | 19.9 | 337 | 3 | 5 | 15 | 25 | 40 | 74 | 99+ |
| 80-84 | 110 | 21.1 | 251 | 5 | 6 | 17 | 27 | 42 | 56 | 79 |
| 85+ | 35 | 18.1 | 274 | 3 | 4 | 14 | 23 | 55 | 70 | 99+ |
| **GRAND TOTAL** | **1283** | **20.5** | **310** | **3** | **4** | **15** | **27** | **47** | **65** | **99+** |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 11.7 | 82 | 2 | 2 | 13 | 18 | 20 | 20 | 20 |
| 70-74 | 2 | 18.0 | 242 | 7 | 7 | 18 | 29 | 29 | 29 | 29 |
| 75-79 | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 80-84 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 14.7 | 180 | 5 | 5 | 9 | 25 | 30 | 30 | 30 |
| 70-74 | 5 | 29.6 | 872 | 8 | 8 | 20 | 40 | 81 | 81 | 81 |
| 75-79 | 2 | 19.5 | 85 | 13 | 13 | 19 | 26 | 26 | 26 | 26 |
| 80-84 | 2 | 26.0 | 578 | 9 | 9 | 26 | 43 | 43 | 43 | 43 |
| 85+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 70-74 | 9 | 16.0 | 656 | 2 | 2 | 8 | 13 | 57 | 83 | 83 |
| 75-79 | 7 | 10.9 | 40 | 2 | 3 | 10 | 16 | 19 | 19 | 19 |
| 80-84 | 5 | 15.6 | 131 | 6 | 6 | 10 | 27 | 29 | 29 | 29 |
| 85+ | 2 | 34.0 | 162 | 25 | 25 | 34 | 43 | 43 | 43 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 28.0 | 389 | 5 | 7 | 20 | 42 | 59 | 62 | 64 |
| 70-74 | 23 | 21.8 | 252 | 5 | 6 | 21 | 31 | 65 | 99+ | 99+ |
| 75-79 | 10 | 25.1 | 344 | 12 | 12 | 18 | 25 | 57 | 71 | 71 |
| 80-84 | 3 | 38.3 | 849 | 11 | 11 | 35 | 60 | 69 | 69 | 69 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 9.6 | 75 | 2 | 2 | 6 | 13 | 24 | 29 | 29 |
| B. *Operated* | 13 | 23.4 | 415 | 5 | 7 | 20 | 27 | 51 | 75 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 15.7 | 306 | 2 | 3 | 10 | 18 | 30 | 55 | 83 |
| B. *Operated* | 54 | 25.4 | 337 | 5 | 7 | 21 | 37 | 64 | 70 | 99+ |
| **1. SINGLE DX** | 23 | 17.4 | 306 | 3 | 4 | 13 | 25 | 33 | 56 | 81 |
| **2. MULTIPLE DX** | 78 | 22.4 | 344 | 4 | 6 | 17 | 28 | 59 | 70 | 99+ |
| **A. NOT OPERATED** | 34 | 13.9 | 241 | 2 | 3 | 8 | 18 | 29 | 40 | 83 |
| **B. OPERATED** | 67 | 25.0 | 347 | 5 | 7 | 20 | 33 | 62 | 71 | 99+ |
| TOTAL 65-69 YRS | 25 | 23.8 | 346 | 4 | 5 | 19 | 32 | 59 | 60 | 64 |
| 70-74 | 39 | 21.3 | 398 | 3 | 5 | 16 | 27 | 71 | 91 | 99+ |
| 75-79 | 22 | 17.2 | 231 | 3 | 4 | 14 | 20 | 31 | 54 | 71 |
| 80-84 | 11 | 22.8 | 409 | 6 | 6 | 11 | 33 | 53 | 68 | 69 |
| 85+ | 4 | 24.0 | 220 | 7 | 7 | 23 | 34 | 43 | 43 | 43 |
| **GRAND TOTAL** | **101** | **21.3** | **336** | **3** | **5** | **16** | **27** | **57** | **70** | **99+** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 3.9 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 70-74 | 17 | 5.8 | 47 | <1 | <1 | 3 | 7 | 12 | 23 | 29 |
| 75-79 | 17 | 9.7 | 207 | 1 | 2 | 3 | 10 | 32 | 48 | 54 |
| 80-84 | 6 | 9.7 | 56 | 5 | 5 | 6 | 12 | 23 | 24 | 24 |
| 85+ | 3 | 5.7 | 10 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 55 | 6.7 | 17 | 2 | 4 | 5 | 9 | 12 | 15 | 19 |
| 70-74 | 46 | 7.6 | 22 | 3 | 3 | 6 | 9 | 16 | 17 | 22 |
| 75-79 | 36 | 8.5 | 41 | 3 | 3 | 5 | 10 | 21 | 23 | 25 |
| 80-84 | 10 | 9.1 | 20 | 4 | 4 | 8 | 11 | 16 | 17 | 17 |
| 85+ | 3 | 34.7 | 1874 | 3 | 3 | 17 | 67 | 84 | 84 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 45 | 8.7 | 123 | 1 | 2 | 5 | 12 | 17 | 24 | 65 |
| 70-74 | 50 | 7.9 | 53 | <1 | <1 | 5 | 13 | 17 | 31 | 99 |
| 75-79 | 29 | 9.2 | 53 | 1 | 2 | 7 | 14 | 17 | 21 | 34 |
| 80-84 | 27 | 9.1 | 24 | 3 | 3 | 9 | 13 | 17 | 17 | 18 |
| 85+ | 13 | 11.6 | 42 | 4 | 5 | 10 | 15 | 21 | 25 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 133 | 13.5 | 199 | 3 | 4 | 8 | 16 | 27 | 49 | 66 |
| 70-74 | 84 | 15.2 | 185 | 3 | 4 | 9 | 23 | 32 | 41 | 65 |
| 75-79 | 85 | 15.3 | 280 | 4 | 5 | 10 | 15 | 32 | 58 | 85 |
| 80-84 | 35 | 17.1 | 223 | 2 | 4 | 11 | 26 | 35 | 49 | 67 |
| 85+ | 20 | 23.7 | 481 | 3 | 4 | 15 | 30 | 65 | 72 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 6.8 | 83 | <1 | 1 | 3 | 7 | 14 | 27 | 52 |
| B. *Operated* | 150 | 8.1 | 64 | 3 | 3 | 6 | 10 | 16 | 19 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 8.8 | 66 | 1 | 2 | 7 | 13 | 17 | 20 | 61 |
| B. *Operated* | 357 | 15.2 | 235 | 3 | 4 | 10 | 18 | 32 | 51 | 74 |
| **1. SINGLE DX** | 209 | 7.8 | 69 | 2 | 2 | 5 | 9 | 16 | 20 | 43 |
| **2. MULTIPLE DX** | 521 | 13.2 | 191 | 2 | 3 | 8 | 16 | 29 | 42 | 74 |
| **A. NOT OPERATED** | 223 | 8.3 | 71 | 1 | 1 | 6 | 12 | 17 | 21 | 57 |
| **B. OPERATED** | 507 | 13.1 | 195 | 3 | 4 | 8 | 15 | 27 | 41 | 74 |
| TOTAL 65-69 YRS | 249 | 10.5 | 143 | 2 | 3 | 7 | 12 | 21 | 31 | 63 |
| 70-74 | 197 | 10.8 | 115 | 1 | 3 | 7 | 15 | 27 | 32 | 65 |
| 75-79 | 167 | 12.2 | 189 | 2 | 3 | 8 | 14 | 22 | 35 | 82 |
| 80-84 | 78 | 12.7 | 128 | 3 | 4 | 10 | 16 | 27 | 33 | 63 |
| 85+ | 39 | 19.1 | 416 | 3 | 4 | 13 | 20 | 53 | 73 | 84 |
| **GRAND TOTAL** | **730** | **11.7** | **162** | **2** | **3** | **7** | **14** | **24** | **35** | **72** |

### 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 323 | 8.5 | 74 | 1 | 2 | 6 | 10 | 21 | 27 | 41 |
| 70-74 | 297 | 9.2 | 101 | 1 | 2 | 6 | 11 | 23 | 32 | 49 |
| 75-79 | 230 | 8.8 | 68 | 1 | 2 | 7 | 11 | 17 | 23 | 42 |
| 80-84 | 108 | 10.4 | 96 | 2 | 3 | 7 | 14 | 22 | 29 | 51 |
| 85+ | 73 | 10.3 | 78 | 1 | 2 | 9 | 14 | 21 | 27 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 484 | 9.4 | 95 | 1 | 2 | 6 | 12 | 21 | 27 | 47 |
| 70-74 | 401 | 9.5 | 80 | 1 | 2 | 7 | 14 | 20 | 26 | 43 |
| 75-79 | 307 | 9.6 | 68 | 1 | 2 | 8 | 13 | 21 | 27 | 39 |
| 80-84 | 172 | 10.0 | 121 | 1 | 1 | 7 | 14 | 22 | 36 | 54 |
| 85+ | 122 | 8.7 | 83 | 1 | 2 | 6 | 11 | 16 | 25 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4161 | 10.6 | 105 | 2 | 2 | 7 | 14 | 23 | 31 | 50 |
| 70-74 | 3868 | 11.2 | 107 | 2 | 2 | 8 | 15 | 24 | 32 | 49 |
| 75-79 | 2852 | 11.9 | 116 | 2 | 3 | 8 | 16 | 25 | 33 | 56 |
| 80-84 | 1849 | 12.4 | 128 | 2 | 3 | 9 | 15 | 27 | 35 | 60 |
| 85+ | 1217 | 12.9 | 129 | 3 | 3 | 9 | 17 | 26 | 35 | 60 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3714 | 15.5 | 181 | 2 | 3 | 12 | 20 | 32 | 43 | 75 |
| 70-74 | 3234 | 15.9 | 183 | 2 | 3 | 12 | 21 | 34 | 43 | 73 |
| 75-79 | 2315 | 15.8 | 167 | 2 | 3 | 13 | 22 | 33 | 41 | 66 |
| 80-84 | 1244 | 16.5 | 177 | 3 | 4 | 13 | 22 | 34 | 43 | 74 |
| 85+ | 763 | 16.1 | 170 | 3 | 4 | 13 | 22 | 34 | 43 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1031 | 9.1 | 83 | 1 | 2 | 6 | 11 | 20 | 28 | 45 |
| B. *Operated* | 1486 | 9.5 | 87 | 1 | 2 | 7 | 13 | 21 | 27 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13947 | 11.5 | 114 | 2 | 3 | 8 | 15 | 25 | 33 | 54 |
| B. *Operated* | 11270 | 15.8 | 178 | 2 | 3 | 12 | 21 | 33 | 43 | 73 |
| **1. SINGLE DX** | 2517 | 9.3 | 86 | 1 | 2 | 6 | 12 | 21 | 27 | 46 |
| **2. MULTIPLE DX** | 25217 | 13.4 | 147 | 2 | 3 | 10 | 18 | 29 | 38 | 63 |
| **A. NOT OPERATED** | 14978 | 11.3 | 112 | 2 | 3 | 8 | 15 | 24 | 32 | 53 |
| **B. OPERATED** | 12756 | 15.1 | 171 | 2 | 3 | 12 | 20 | 32 | 41 | 71 |
| TOTAL 65-69 YRS | 8682 | 12.5 | 142 | 2 | 2 | 9 | 16 | 27 | 36 | 62 |
| 70-74 | 7800 | 13.0 | 143 | 2 | 3 | 9 | 17 | 28 | 36 | 60 |
| 75-79 | 5704 | 13.2 | 138 | 2 | 3 | 10 | 17 | 28 | 37 | 60 |
| 80-84 | 3373 | 13.7 | 150 | 2 | 3 | 10 | 18 | 29 | 39 | 63 |
| 85+ | 2175 | 13.7 | 143 | 2 | 3 | 10 | 18 | 29 | 38 | 66 |
| **GRAND TOTAL** | **27734** | **13.0** | **143** | **2** | **3** | **9** | **17** | **28** | **37** | **61** |

### 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 7.2 | 139 | <1 | 1 | 3 | 5 | 18 | 37 | 54 |
| 70-74 | 33 | 8.4 | 61 | 1 | 1 | 7 | 12 | 18 | 24 | 34 |
| 75-79 | 15 | 13.5 | 244 | <1 | 1 | 10 | 19 | 25 | 53 | 62 |
| 80-84 | 7 | 9.0 | 38 | 2 | 3 | 6 | 14 | 18 | 19 | 19 |
| 85+ | 5 | 10.2 | 89 | 2 | 2 | 9 | 14 | 26 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 60 | 9.3 | 42 | 2 | 2 | 8 | 13 | 19 | 23 | 92 |
| 70-74 | 49 | 11.0 | 111 | 2 | 3 | 8 | 12 | 27 | 31 | 53 |
| 75-79 | 31 | 14.5 | 287 | 3 | 4 | 10 | 15 | 26 | 49 | 89 |
| 80-84 | 14 | 12.2 | 63 | 3 | 3 | 11 | 17 | 20 | 30 | 33 |
| 85+ | 5 | 11.4 | 25 | 6 | 6 | 12 | 15 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 72 | 8.2 | 58 | <1 | 1 | 7 | 10 | 17 | 20 | 39 |
| 70-74 | 64 | 11.5 | 145 | 1 | 3 | 8 | 14 | 24 | 37 | 62 |
| 75-79 | 60 | 10.9 | 82 | 2 | 2 | 9 | 14 | 19 | 30 | 49 |
| 80-84 | 20 | 11.0 | 79 | 1 | 2 | 8 | 14 | 27 | 31 | 32 |
| 85+ | 17 | 7.8 | 99 | 1 | 1 | 4 | 12 | 21 | 32 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 101 | 19.3 | 211 | 4 | 5 | 16 | 25 | 35 | 46 | 77 |
| 70-74 | 84 | 16.7 | 97 | 3 | 4 | 17 | 22 | 32 | 40 | 81 |
| 75-79 | 55 | 20.7 | 233 | 3 | 5 | 17 | 28 | 36 | 48 | 76 |
| 80-84 | 22 | 23.3 | 228 | 5 | 7 | 22 | 30 | 38 | 53 | 72 |
| 85+ | 16 | 20.5 | 280 | 8 | 9 | 17 | 21 | 31 | 64 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 9.1 | 116 | 1 | 1 | 6 | 12 | 22 | 27 | 59 |
| B. *Operated* | 159 | 11.2 | 113 | 2 | 3 | 9 | 14 | 20 | 29 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 233 | 10.0 | 93 | 1 | 2 | 7 | 13 | 20 | 31 | 50 |
| B. *Operated* | 278 | 19.2 | 187 | 4 | 5 | 17 | 25 | 35 | 43 | 77 |
| **1. SINGLE DX** | 245 | 10.4 | 115 | 1 | 2 | 8 | 14 | 20 | 29 | 63 |
| **2. MULTIPLE DX** | 511 | 15.0 | 165 | 2 | 3 | 12 | 20 | 32 | 38 | 71 |
| **A. NOT OPERATED** | 319 | 9.8 | 99 | 1 | 1 | 7 | 13 | 21 | 31 | 52 |
| **B. OPERATED** | 437 | 16.3 | 174 | 3 | 4 | 13 | 21 | 33 | 40 | 79 |
| TOTAL 65-69 YRS | 259 | 12.7 | 149 | 1 | 2 | 10 | 17 | 29 | 35 | 70 |
| 70-74 | 230 | 12.8 | 116 | 2 | 3 | 10 | 17 | 27 | 33 | 55 |
| 75-79 | 161 | 15.2 | 202 | 2 | 3 | 11 | 18 | 33 | 42 | 75 |
| 80-84 | 63 | 15.3 | 154 | 2 | 3 | 11 | 22 | 31 | 36 | 68 |
| 85+ | 43 | 13.2 | 182 | 1 | 1 | 11 | 18 | 26 | 34 | 78 |
| **GRAND TOTAL** | **756** | **13.5** | **153** | **1** | **2** | **10** | **18** | **29** | **36** | **71** |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 52 | 5.7 | 31 | <1 | 1 | 4 | 8 | 13 | 17 | 29 |
| 70-74 | 56 | 6.7 | 45 | <1 | 1 | 4 | 9 | 13 | 18 | 37 |
| 75-79 | 54 | 8.6 | 86 | 1 | 2 | 6 | 11 | 18 | 24 | 57 |
| 80-84 | 33 | 7.4 | 49 | 1 | 2 | 5 | 9 | 17 | 24 | 29 |
| 85+ | 22 | 8.3 | 101 | <1 | 1 | 6 | 12 | 14 | 28 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 6.5 | 54 | 1 | 2 | 4 | 7 | 14 | 28 | 33 |
| 70-74 | 45 | 8.4 | 58 | 1 | 2 | 6 | 11 | 18 | 27 | 32 |
| 75-79 | 33 | 7.5 | 28 | 2 | 2 | 6 | 10 | 13 | 17 | 27 |
| 80-84 | 14 | 11.7 | 231 | 2 | 2 | 6 | 14 | 28 | 52 | 59 |
| 85+ | 7 | 10.9 | 51 | 2 | 2 | 15 | 17 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 253 | 8.4 | 68 | 1 | 1 | 6 | 11 | 17 | 24 | 37 |
| 70-74 | 281 | 10.6 | 138 | 1 | 2 | 7 | 14 | 21 | 30 | 73 |
| 75-79 | 300 | 9.0 | 60 | 1 | 2 | 7 | 12 | 18 | 24 | 36 |
| 80-84 | 232 | 10.3 | 100 | 2 | 2 | 8 | 13 | 21 | 27 | 57 |
| 85+ | 194 | 10.3 | 100 | 1 | 2 | 8 | 13 | 19 | 27 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 162 | 13.9 | 158 | 2 | 3 | 10 | 17 | 32 | 37 | 52 |
| 70-74 | 218 | 14.5 | 164 | 3 | 4 | 10 | 18 | 32 | 42 | 69 |
| 75-79 | 160 | 14.2 | 155 | 3 | 4 | 10 | 19 | 31 | 42 | 57 |
| 80-84 | 101 | 14.7 | 169 | 3 | 4 | 11 | 18 | 29 | 43 | 89 |
| 85+ | 77 | 14.3 | 167 | 2 | 3 | 11 | 19 | 27 | 39 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 217 | 7.2 | 58 | 1 | 1 | 5 | 10 | 15 | 20 | 41 |
| B. *Operated* | 135 | 8.1 | 67 | 2 | 2 | 5 | 10 | 18 | 26 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1260 | 9.7 | 93 | 1 | 2 | 7 | 13 | 20 | 26 | 49 |
| B. *Operated* | 718 | 14.3 | 161 | 2 | 4 | 10 | 18 | 31 | 40 | 70 |
| **1. SINGLE DX** | 352 | 7.6 | 62 | 1 | 2 | 5 | 10 | 17 | 24 | 37 |
| **2. MULTIPLE DX** | 1978 | 11.4 | 122 | 1 | 2 | 8 | 14 | 24 | 33 | 59 |
| **A. NOT OPERATED** | 1477 | 9.3 | 88 | 1 | 2 | 7 | 12 | 19 | 25 | 48 |
| **B. OPERATED** | 853 | 13.3 | 151 | 2 | 3 | 9 | 17 | 29 | 37 | 65 |
| TOTAL 65-69 YRS | 503 | 9.8 | 101 | 1 | 1 | 7 | 12 | 21 | 32 | 49 |
| 70-74 | 600 | 11.5 | 138 | 1 | 2 | 8 | 14 | 25 | 34 | 64 |
| 75-79 | 547 | 10.4 | 94 | 2 | 2 | 7 | 14 | 23 | 28 | 55 |
| 80-84 | 380 | 11.3 | 122 | 2 | 2 | 8 | 14 | 22 | 31 | 67 |
| 85+ | 300 | 11.2 | 119 | 1 | 2 | 9 | 15 | 24 | 29 | 71 |
| **GRAND TOTAL** | **2330** | **10.8** | **115** | **1** | **2** | **8** | **14** | **23** | **32** | **56** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 6.6 | 58 | 1 | 1 | 4 | 9 | 15 | 21 | 40 |
| 70-74 | 137 | 6.0 | 87 | <1 | 1 | 3 | 6 | 15 | 24 | 52 |
| 75-79 | 83 | 6.9 | 52 | 1 | 1 | 4 | 9 | 15 | 22 | 37 |
| 80-84 | 78 | 5.4 | 50 | <1 | <1 | 3 | 7 | 13 | 18 | 38 |
| 85+ | 36 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 15.3 | 177 | 2 | 2 | 10 | 24 | 35 | 42 | 53 |
| 70-74 | 62 | 15.1 | 293 | 2 | 3 | 9 | 18 | 36 | 61 | 76 |
| 75-79 | 43 | 15.8 | 292 | 2 | 4 | 7 | 24 | 41 | 54 | 65 |
| 80-84 | 26 | 12.4 | 59 | 4 | 5 | 11 | 14 | 22 | 31 | 36 |
| 85+ | 15 | 13.0 | 127 | 2 | 3 | 10 | 14 | 20 | 42 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 294 | 7.9 | 75 | 1 | 1 | 5 | 10 | 18 | 27 | 39 |
| 70-74 | 308 | 8.5 | 70 | 1 | 1 | 6 | 12 | 18 | 24 | 42 |
| 75-79 | 311 | 7.1 | 60 | 1 | 1 | 5 | 9 | 16 | 21 | 44 |
| 80-84 | 234 | 8.7 | 103 | 1 | 1 | 5 | 11 | 20 | 28 | 53 |
| 85+ | 149 | 9.3 | 112 | 1 | 1 | 6 | 13 | 20 | 32 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 216 | 22.3 | 418 | 2 | 3 | 16 | 33 | 54 | 73 | 99+ |
| 70-74 | 205 | 19.6 | 361 | 3 | 4 | 14 | 28 | 55 | 80 | 99+ |
| 75-79 | 190 | 17.7 | 243 | 3 | 4 | 13 | 24 | 37 | 50 | 90 |
| 80-84 | 112 | 16.4 | 275 | 3 | 5 | 11 | 19 | 31 | 43 | 94 |
| 85+ | 93 | 15.7 | 182 | 4 | 5 | 12 | 19 | 25 | 43 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 451 | 6.2 | 61 | <1 | 1 | 4 | 8 | 14 | 21 | 41 |
| B. *Operated* | 225 | 14.8 | 212 | 2 | 3 | 10 | 19 | 35 | 49 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1296 | 8.2 | 80 | 1 | 1 | 5 | 11 | 18 | 26 | 47 |
| B. *Operated* | 816 | 19.0 | 320 | 3 | 4 | 13 | 25 | 44 | 64 | 99+ |
| **1. SINGLE DX** | 676 | 9.1 | 128 | 1 | 1 | 5 | 11 | 22 | 34 | 59 |
| **2. MULTIPLE DX** | 2112 | 12.3 | 200 | 1 | 2 | 8 | 15 | 30 | 42 | 84 |
| **A. NOT OPERATED** | 1747 | 7.7 | 76 | 1 | 1 | 5 | 10 | 17 | 25 | 44 |
| **B. OPERATED** | 1041 | 18.1 | 299 | 3 | 4 | 12 | 24 | 42 | 60 | 98 |
| TOTAL 65-69 YRS | 706 | 12.9 | 233 | 1 | 1 | 8 | 16 | 34 | 46 | 81 |
| 70-74 | 712 | 11.8 | 205 | 1 | 1 | 7 | 14 | 30 | 44 | 88 |
| 75-79 | 627 | 10.9 | 154 | 1 | 2 | 7 | 14 | 27 | 36 | 66 |
| 80-84 | 450 | 10.3 | 148 | 1 | 1 | 7 | 13 | 22 | 31 | 71 |
| 85+ | 293 | 11.1 | 135 | 1 | 2 | 8 | 14 | 22 | 36 | 60 |
| **GRAND TOTAL** | **2788** | **11.6** | **185** | **1** | **1** | **7** | **14** | **28** | **40** | **80** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 346 | 7.0 | 66 | 1 | 1 | 4 | 9 | 18 | 24 | 33 |
| 70-74 | 325 | 7.5 | 57 | 1 | 1 | 5 | 9 | 18 | 23 | 36 |
| 75-79 | 266 | 8.3 | 106 | 1 | 1 | 5 | 11 | 20 | 27 | 55 |
| 80-84 | 161 | 8.1 | 78 | 1 | 1 | 5 | 9 | 19 | 23 | 37 |
| 85+ | 68 | 9.5 | 100 | 1 | 2 | 7 | 13 | 19 | 24 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 555 | 9.8 | 73 | 2 | 2 | 8 | 13 | 20 | 27 | 44 |
| 70-74 | 438 | 10.3 | 94 | 2 | 2 | 8 | 13 | 23 | 30 | 49 |
| 75-79 | 322 | 11.2 | 95 | 2 | 2 | 9 | 15 | 23 | 29 | 56 |
| 80-84 | 185 | 11.8 | 88 | 2 | 3 | 9 | 16 | 23 | 30 | 48 |
| 85+ | 89 | 8.7 | 38 | 2 | 3 | 8 | 11 | 19 | 23 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1038 | 9.2 | 88 | 1 | 1 | 6 | 12 | 21 | 28 | 44 |
| 70-74 | 1095 | 9.9 | 100 | 1 | 2 | 7 | 12 | 22 | 30 | 50 |
| 75-79 | 906 | 10.8 | 112 | 1 | 2 | 8 | 14 | 23 | 31 | 58 |
| 80-84 | 579 | 11.5 | 131 | 1 | 2 | 8 | 14 | 28 | 39 | 60 |
| 85+ | 283 | 10.9 | 131 | 1 | 2 | 8 | 13 | 22 | 34 | 63 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1003 | 16.9 | 204 | 3 | 4 | 12 | 22 | 35 | 47 | 83 |
| 70-74 | 1007 | 18.0 | 219 | 3 | 4 | 14 | 23 | 38 | 50 | 78 |
| 75-79 | 778 | 17.5 | 202 | 3 | 4 | 14 | 23 | 35 | 48 | 87 |
| 80-84 | 496 | 19.1 | 237 | 3 | 4 | 15 | 25 | 39 | 49 | 85 |
| 85+ | 246 | 17.5 | 209 | 4 | 5 | 14 | 22 | 33 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1166 | 7.7 | 77 | 1 | 1 | 5 | 10 | 19 | 25 | 41 |
| B. *Operated* | 1589 | 10.4 | 83 | 2 | 2 | 8 | 13 | 22 | 29 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3901 | 10.2 | 107 | 1 | 2 | 7 | 13 | 23 | 31 | 55 |
| B. *Operated* | 3530 | 17.7 | 213 | 3 | 4 | 14 | 23 | 37 | 49 | 83 |
| **1. SINGLE DX** | 2755 | 9.3 | 82 | 1 | 2 | 7 | 12 | 21 | 27 | 44 |
| **2. MULTIPLE DX** | 7431 | 13.8 | 171 | 1 | 2 | 10 | 18 | 30 | 41 | 72 |
| **A. NOT OPERATED** | 5067 | 9.7 | 101 | 1 | 1 | 7 | 12 | 22 | 30 | 54 |
| **B. OPERATED** | 5119 | 15.4 | 184 | 2 | 3 | 12 | 20 | 32 | 43 | 78 |
| TOTAL 65-69 YRS | 2942 | 11.7 | 137 | 1 | 2 | 8 | 15 | 26 | 35 | 60 |
| 70-74 | 2865 | 12.5 | 152 | 1 | 2 | 9 | 17 | 28 | 39 | 65 |
| 75-79 | 2272 | 12.8 | 151 | 1 | 2 | 10 | 17 | 28 | 37 | 73 |
| 80-84 | 1421 | 13.8 | 172 | 2 | 2 | 10 | 18 | 31 | 42 | 64 |
| 85+ | 686 | 12.9 | 156 | 2 | 3 | 10 | 16 | 27 | 37 | 77 |
| **GRAND TOTAL** | **10186** | **12.6** | **151** | **1** | **2** | **9** | **17** | **28** | **38** | **65** |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 284 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 70-74 | 179 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 75-79 | 108 | 4.2 | 5 | 2 | 2 | 4 | 5 | 6 | 9 | 14 |
| 80-84 | 53 | 4.3 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 12 |
| 85+ | 20 | 4.1 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 3.8 | 12 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 70-74 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 80-84 | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 153 | 5.2 | 14 | 2 | 2 | 4 | 6 | 9 | 13 | 22 |
| 70-74 | 172 | 6.5 | 47 | 2 | 2 | 5 | 7 | 11 | 17 | 40 |
| 75-79 | 95 | 6.5 | 23 | 2 | 2 | 5 | 8 | 14 | 16 | 24 |
| 80-84 | 47 | 7.3 | 34 | 2 | 2 | 6 | 9 | 16 | 20 | 31 |
| 85+ | 19 | 7.6 | 33 | 3 | 3 | 5 | 9 | 17 | 22 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 644 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 5.3 | 26 | <1 | <1 | 4 | 8 | 13 | 17 | 17 |
| B. *Operated* | 486 | 6.2 | 30 | 2 | 2 | 5 | 7 | 11 | 16 | 30 |
| **1. SINGLE DX** | 648 | 4.1 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | 496 | 6.2 | 30 | 2 | 2 | 5 | 7 | 11 | 16 | 29 |
| **A. NOT OPERATED** | 14 | 4.6 | 20 | <1 | <1 | 3 | 5 | 11 | 16 | 17 |
| **B. OPERATED** | 1130 | 5.0 | 17 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| TOTAL 65-69 YRS | 442 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| 70-74 | 353 | 5.4 | 27 | 2 | 2 | 4 | 6 | 9 | 12 | 31 |
| 75-79 | 205 | 5.3 | 15 | 2 | 2 | 4 | 6 | 10 | 14 | 19 |
| 80-84 | 102 | 5.8 | 22 | 2 | 2 | 5 | 7 | 10 | 16 | 27 |
| 85+ | 42 | 5.6 | 20 | 1 | 2 | 4 | 6 | 10 | 16 | 24 |
| **GRAND TOTAL** | **1144** | **5.0** | **17** | **2** | **2** | **4** | **6** | **9** | **12** | **22** |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 102 | 3.1 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 70-74 | 99 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 75-79 | 71 | 3.2 | 6 | 1 | 1 | 2 | 4 | 7 | 9 | 11 |
| 80-84 | 45 | 4.9 | 57 | 1 | 1 | 3 | 5 | 10 | 16 | 48 |
| 85+ | 13 | 4.8 | 25 | 1 | 1 | 3 | 5 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 875 | 4.0 | 19 | 1 | 1 | 2 | 4 | 10 | 13 | 21 |
| 70-74 | 746 | 4.3 | 27 | 1 | 1 | 2 | 4 | 11 | 15 | 24 |
| 75-79 | 470 | 4.6 | 32 | 1 | 1 | 2 | 5 | 11 | 15 | 27 |
| 80-84 | 266 | 5.4 | 52 | 1 | 1 | 3 | 5 | 14 | 18 | 28 |
| 85+ | 97 | 6.0 | 35 | 1 | 1 | 4 | 8 | 14 | 16 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 260 | 5.0 | 18 | 1 | 1 | 4 | 6 | 11 | 13 | 21 |
| 70-74 | 220 | 5.0 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 16 |
| 75-79 | 211 | 5.8 | 36 | 1 | 1 | 4 | 7 | 11 | 15 | 34 |
| 80-84 | 125 | 6.7 | 39 | 1 | 2 | 5 | 8 | 14 | 19 | 35 |
| 85+ | 102 | 7.1 | 30 | 1 | 2 | 6 | 9 | 13 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1433 | 7.6 | 62 | 1 | 1 | 5 | 11 | 17 | 22 | 38 |
| 70-74 | 1390 | 8.1 | 66 | 1 | 2 | 5 | 11 | 18 | 25 | 42 |
| 75-79 | 1091 | 9.0 | 90 | 1 | 2 | 6 | 12 | 21 | 27 | 44 |
| 80-84 | 609 | 9.6 | 90 | 1 | 2 | 7 | 13 | 21 | 28 | 40 |
| 85+ | 302 | 11.4 | 109 | 2 | 2 | 9 | 15 | 24 | 31 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 330 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 18 |
| B. *Operated* | 2454 | 4.4 | 28 | 1 | 1 | 2 | 5 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 918 | 5.6 | 28 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | 4825 | 8.6 | 77 | 1 | 2 | 6 | 12 | 19 | 25 | 41 |
| **1. SINGLE DX** | 2784 | 4.3 | 27 | 1 | 1 | 2 | 5 | 11 | 14 | 25 |
| **2. MULTIPLE DX** | 5743 | 8.1 | 70 | 1 | 2 | 5 | 11 | 18 | 24 | 39 |
| **A. NOT OPERATED** | 1248 | 5.0 | 26 | 1 | 1 | 3 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 7279 | 7.2 | 65 | 1 | 1 | 4 | 10 | 17 | 23 | 37 |
| TOTAL 65-69 YRS | 2670 | 6.0 | 45 | 1 | 1 | 3 | 8 | 14 | 19 | 32 |
| 70-74 | 2455 | 6.5 | 52 | 1 | 1 | 3 | 9 | 15 | 21 | 36 |
| 75-79 | 1843 | 7.3 | 70 | 1 | 1 | 4 | 10 | 17 | 24 | 39 |
| 80-84 | 1045 | 8.0 | 77 | 1 | 2 | 5 | 10 | 17 | 25 | 37 |
| 85+ | 514 | 9.4 | 83 | 1 | 2 | 7 | 12 | 20 | 27 | 45 |
| **GRAND TOTAL** | **8527** | **6.9** | **59** | **1** | **1** | **4** | **9** | **16** | **22** | **37** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 93 | 5.8 | 51 | <1 | 1 | 3 | 7 | 17 | 20 | 35 |
| 70-74 | 85 | 4.4 | 22 | <1 | 1 | 2 | 5 | 10 | 15 | 23 |
| 75-79 | 34 | 3.8 | 14 | <1 | 1 | 2 | 4 | 11 | 13 | 15 |
| 80-84 | 16 | 3.9 | 27 | 1 | 1 | 2 | 4 | 8 | 18 | 22 |
| 85+ | 8 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 70-74 | 7 | 4.9 | 10 | 1 | 1 | 5 | 7 | 9 | 10 | 10 |
| 75-79 | 4 | 14.8 | 350 | 2 | 2 | 7 | 27 | 42 | 42 | 42 |
| 80-84 | 2 | 12.5 | 41 | 8 | 8 | 12 | 17 | 17 | 17 | 17 |
| 85+ | 3 | 10.3 | 4 | 8 | 8 | 11 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 108 | 10.3 | 72 | 2 | 2 | 8 | 16 | 21 | 26 | 39 |
| 70-74 | 80 | 8.5 | 63 | 1 | 2 | 6 | 13 | 17 | 26 | 37 |
| 75-79 | 64 | 11.8 | 195 | 1 | 2 | 7 | 15 | 25 | 36 | 71 |
| 80-84 | 20 | 14.0 | 154 | 1 | 2 | 8 | 25 | 33 | 35 | 37 |
| 85+ | 12 | 8.4 | 25 | 2 | 2 | 8 | 11 | 15 | 18 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 236 | 4.8 | 32 | <1 | 1 | 2 | 5 | 13 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 8.3 | 87 | 1 | 1 | 6 | 11 | 15 | 31 | 42 |
| B. *Operated* | 284 | 10.3 | 102 | 1 | 2 | 7 | 15 | 23 | 28 | 47 |
| **1. SINGLE DX** | 245 | 4.7 | 31 | <1 | 1 | 2 | 5 | 12 | 17 | 26 |
| **2. MULTIPLE DX** | 303 | 10.2 | 101 | 1 | 2 | 7 | 14 | 23 | 28 | 46 |
| **A. NOT OPERATED** | 28 | 6.3 | 67 | 1 | 1 | 3 | 8 | 12 | 19 | 42 |
| **B. OPERATED** | 520 | 7.8 | 78 | 1 | 1 | 4 | 11 | 19 | 25 | 40 |
| TOTAL 65-69 YRS | 210 | 7.9 | 65 | 1 | 1 | 4 | 11 | 19 | 22 | 36 |
| 70-74 | 173 | 6.3 | 44 | 1 | 1 | 3 | 9 | 15 | 19 | 32 |
| 75-79 | 103 | 9.2 | 151 | 1 | 1 | 4 | 12 | 24 | 28 | 71 |
| 80-84 | 39 | 9.4 | 114 | 1 | 1 | 4 | 15 | 26 | 33 | 37 |
| 85+ | 23 | 6.8 | 21 | 2 | 2 | 6 | 11 | 12 | 15 | 19 |
| **GRAND TOTAL** | **548** | **7.7** | **77** | **1** | **1** | **4** | **11** | **19** | **25** | **41** |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 2.9 | 11 | <1 | <1 | 1 | 3 | 8 | 11 | 12 |
| 70-74 | 13 | 5.3 | 34 | 1 | 1 | 3 | 8 | 12 | 20 | 22 |
| 75-79 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 690 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 70-74 | 402 | 3.6 | 16 | <1 | 1 | 2 | 4 | 6 | 9 | 24 |
| 75-79 | 243 | 4.5 | 24 | <1 | 1 | 3 | 5 | 9 | 14 | 26 |
| 80-84 | 83 | 3.8 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 85+ | 41 | 4.4 | 21 | 1 | 1 | 2 | 6 | 10 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 32 | 5.9 | 27 | 1 | 1 | 5 | 6 | 12 | 20 | 22 |
| 70-74 | 26 | 6.1 | 25 | <1 | 1 | 5 | 7 | 16 | 17 | 18 |
| 75-79 | 31 | 6.5 | 23 | 1 | 1 | 5 | 9 | 14 | 18 | 18 |
| 80-84 | 19 | 6.3 | 18 | 1 | 2 | 5 | 9 | 13 | 14 | 15 |
| 85+ | 10 | 7.2 | 36 | 1 | 2 | 5 | 7 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 608 | 5.4 | 26 | 1 | 2 | 4 | 6 | 11 | 16 | 27 |
| 70-74 | 403 | 6.3 | 41 | 1 | 2 | 4 | 8 | 14 | 19 | 30 |
| 75-79 | 212 | 7.1 | 56 | 2 | 2 | 4 | 8 | 15 | 20 | 40 |
| 80-84 | 127 | 8.0 | 79 | 1 | 2 | 4 | 11 | 21 | 25 | 46 |
| 85+ | 60 | 7.7 | 49 | 2 | 2 | 5 | 12 | 17 | 21 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.8 | 19 | <1 | 1 | 2 | 6 | 8 | 11 | 22 |
| B. *Operated* | 1459 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 118 | 6.3 | 24 | 1 | 1 | 5 | 8 | 14 | 18 | 21 |
| B. *Operated* | 1410 | 6.2 | 41 | 1 | 2 | 4 | 7 | 14 | 19 | 34 |
| **1. SINGLE DX** | 1494 | 3.6 | 14 | <1 | 1 | 3 | 4 | 7 | 9 | 20 |
| **2. MULTIPLE DX** | 1528 | 6.2 | 40 | 1 | 2 | 4 | 7 | 14 | 19 | 32 |
| **A. NOT OPERATED** | 153 | 5.7 | 24 | 1 | 1 | 4 | 7 | 13 | 17 | 22 |
| **B. OPERATED** | 2869 | 4.9 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 28 |
| TOTAL 65-69 YRS | 1345 | 4.2 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| 70-74 | 844 | 5.0 | 30 | 1 | 1 | 3 | 5 | 11 | 16 | 28 |
| 75-79 | 489 | 5.7 | 39 | 1 | 2 | 4 | 6 | 13 | 18 | 36 |
| 80-84 | 232 | 6.3 | 51 | 1 | 2 | 3 | 7 | 15 | 22 | 39 |
| 85+ | 112 | 6.4 | 39 | 1 | 2 | 4 | 10 | 16 | 18 | 63 |
| **GRAND TOTAL** | **3022** | **4.9** | **29** | **1** | **1** | **3** | **5** | **11** | **16** | **28** |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 3.6 | 6 | 2 | 2 | 2 | 5 | 8 | 8 | 8 |
| 70-74 | 5 | 6.8 | 51 | 1 | 1 | 2 | 14 | 16 | 16 | 16 |
| 75-79 | 4 | 5.3 | 27 | 2 | 2 | 3 | 8 | 13 | 13 | 13 |
| 80-84 | 4 | 6.0 | 13 | 3 | 3 | 5 | 8 | 11 | 11 | 11 |
| 85+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 192 | 3.5 | 18 | <1 | <1 | 2 | 4 | 7 | 9 | 20 |
| 70-74 | 144 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| 75-79 | 100 | 4.9 | 53 | <1 | 1 | 2 | 4 | 9 | 23 | 37 |
| 80-84 | 54 | 3.9 | 14 | 1 | 1 | 3 | 4 | 8 | 10 | 22 |
| 85+ | 28 | 3.9 | 21 | <1 | <1 | 2 | 4 | 10 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 9.5 | 94 | <1 | 1 | 6 | 11 | 25 | 32 | 37 |
| 70-74 | 14 | 6.2 | 11 | 2 | 2 | 6 | 9 | 10 | 12 | 12 |
| 75-79 | 16 | 12.1 | 72 | 2 | 3 | 9 | 16 | 26 | 29 | 30 |
| 80-84 | 17 | 6.6 | 17 | 2 | 2 | 7 | 9 | 15 | 66 | 99+ |
| 85+ | 15 | 12.9 | 168 | 1 | 2 | 9 | 15 | 34 | 46 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 258 | 6.2 | 66 | <1 | 1 | 4 | 7 | 12 | 18 | 48 |
| 70-74 | 169 | 7.6 | 95 | 1 | 1 | 3 | 9 | 19 | 30 | 43 |
| 75-79 | 136 | 8.8 | 127 | 1 | 1 | 4 | 11 | 24 | 37 | 50 |
| 80-84 | 72 | 8.6 | 93 | <1 | 1 | 5 | 11 | 21 | 25 | 56 |
| 85+ | 46 | 10.6 | 152 | 1 | 2 | 6 | 13 | 27 | 40 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 4.9 | 20 | 1 | 2 | 3 | 6 | 13 | 14 | 16 |
| B. *Operated* | 518 | 3.8 | 23 | <1 | 1 | 2 | 4 | 8 | 11 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 9.5 | 77 | 1 | 2 | 7 | 12 | 24 | 32 | 84 |
| B. *Operated* | 681 | 7.6 | 95 | 1 | 1 | 4 | 9 | 17 | 28 | 49 |
| **1. SINGLE DX** | 540 | 3.9 | 23 | <1 | 1 | 2 | 4 | 8 | 12 | 27 |
| **2. MULTIPLE DX** | 762 | 7.3 | 94 | 1 | 1 | 4 | 9 | 18 | 29 | 50 |
| **A. NOT OPERATED** | 103 | 8.5 | 68 | 1 | 2 | 7 | 11 | 17 | 27 | 73 |
| **B. OPERATED** | 1199 | 6.0 | 68 | <1 | 1 | 3 | 7 | 14 | 22 | 43 |
| TOTAL 65-69 YRS | 476 | 5.2 | 49 | <1 | 1 | 3 | 6 | 11 | 16 | 39 |
| 70-74 | 332 | 5.7 | 59 | <1 | 1 | 3 | 6 | 13 | 21 | 38 |
| 75-79 | 256 | 7.4 | 97 | <1 | 1 | 3 | 9 | 19 | 32 | 46 |
| 80-84 | 147 | 6.6 | 57 | 1 | 1 | 4 | 9 | 15 | 24 | 65 |
| 85+ | 91 | 8.7 | 121 | <1 | 1 | 4 | 10 | 20 | 35 | 54 |
| **GRAND TOTAL** | **1302** | **6.2** | **68** | **<1** | **1** | **3** | **7** | **14** | **23** | **45** |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 190 | 2.7 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 10 |
| 70-74 | 119 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 8 |
| 75-79 | 76 | 3.0 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 9 |
| 80-84 | 40 | 2.8 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 85+ | 20 | 3.6 | 13 | 1 | 2 | 2 | 4 | 5 | 12 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 4.8 | 38 | <1 | <1 | 2 | 8 | 14 | 14 | 14 |
| 70-74 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 203 | 3.9 | 9 | 1 | 2 | 3 | 4 | 8 | 11 | 15 |
| 70-74 | 140 | 4.4 | 16 | 2 | 2 | 3 | 5 | 9 | 13 | 25 |
| 75-79 | 72 | 5.2 | 20 | 2 | 2 | 3 | 7 | 11 | 17 | 21 |
| 80-84 | 38 | 6.2 | 14 | 2 | 2 | 5 | 8 | 12 | 14 | 17 |
| 85+ | 22 | 5.2 | 24 | 1 | 2 | 4 | 6 | 9 | 15 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 445 | 2.8 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.6 | 23 | <1 | <1 | 2 | 7 | 13 | 14 | 14 |
| B. *Operated* | 475 | 4.5 | 14 | 2 | 2 | 3 | 5 | 9 | 12 | 20 |
| **1. SINGLE DX** | 448 | 2.8 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 483 | 4.5 | 14 | 2 | 2 | 3 | 5 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 11 | 3.9 | 18 | <1 | 1 | 2 | 4 | 12 | 14 | 14 |
| **B. OPERATED** | 920 | 3.7 | 9 | 1 | 2 | 3 | 4 | 7 | 10 | 17 |
| TOTAL 65-69 YRS | 398 | 3.3 | 6 | 1 | 2 | 2 | 3 | 6 | 9 | 14 |
| 70-74 | 260 | 3.7 | 10 | 2 | 2 | 3 | 4 | 7 | 10 | 18 |
| 75-79 | 148 | 4.1 | 12 | 2 | 2 | 3 | 5 | 8 | 10 | 20 |
| 80-84 | 82 | 4.4 | 11 | 1 | 2 | 3 | 5 | 9 | 12 | 16 |
| 85+ | 43 | 4.4 | 18 | 1 | 2 | 3 | 5 | 8 | 12 | 24 |
| **GRAND TOTAL** | **931** | **3.7** | **9** | **1** | **2** | **3** | **4** | **7** | **10** | **17** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 6.0 | 3 | 4 | 4 | 6 | 6 | 9 | 9 | 9 |
| 70-74 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 75-79 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 55 | 6.6 | 13 | 2 | 2 | 7 | 9 | 12 | 13 | 16 |
| 70-74 | 29 | 7.4 | 28 | 1 | 2 | 7 | 9 | 13 | 16 | 26 |
| 75-79 | 8 | 8.1 | 54 | 2 | 2 | 7 | 9 | 20 | 25 | 25 |
| 80-84 | 6 | 10.8 | 17 | 5 | 5 | 11 | 14 | 16 | 16 | 16 |
| 85+ | 7 | 7.1 | 23 | <1 | <1 | 7 | 12 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 8.8 | 69 | 2 | 2 | 6 | 11 | 20 | 29 | 31 |
| 70-74 | 16 | 6.5 | 16 | 1 | 1 | 6 | 9 | 12 | 14 | 15 |
| 75-79 | 15 | 4.8 | 9 | 2 | 2 | 4 | 6 | 10 | 11 | 12 |
| 80-84 | 14 | 7.9 | 30 | 1 | 2 | 7 | 13 | 14 | 18 | 19 |
| 85+ | 13 | 7.5 | 53 | 1 | 2 | 5 | 8 | 20 | 26 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 374 | 10.0 | 44 | 2 | 5 | 8 | 11 | 17 | 22 | 36 |
| 70-74 | 221 | 10.4 | 30 | 2 | 5 | 9 | 13 | 18 | 21 | 29 |
| 75-79 | 143 | 11.3 | 44 | 3 | 5 | 10 | 14 | 20 | 24 | 34 |
| 80-84 | 57 | 10.7 | 53 | 2 | 2 | 9 | 13 | 22 | 28 | 31 |
| 85+ | 36 | 13.7 | 110 | 5 | 5 | 11 | 17 | 23 | 35 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 5.1 | 4 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| B. *Operated* | 105 | 7.2 | 21 | 1 | 2 | 7 | 9 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 71 | 7.0 | 34 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| B. *Operated* | 831 | 10.5 | 44 | 2 | 5 | 9 | 13 | 18 | 22 | 35 |
| **1. SINGLE DX** | 116 | 7.0 | 20 | 2 | 2 | 7 | 9 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | 902 | 10.3 | 44 | 2 | 3 | 9 | 12 | 18 | 22 | 34 |
| **A. NOT OPERATED** | 82 | 6.8 | 30 | 1 | 2 | 5 | 9 | 13 | 17 | 30 |
| **B. OPERATED** | 936 | 10.2 | 43 | 2 | 3 | 9 | 12 | 18 | 22 | 33 |
| TOTAL 65-69 YRS | 448 | 9.5 | 42 | 2 | 3 | 8 | 11 | 16 | 21 | 35 |
| 70-74 | 269 | 9.8 | 31 | 2 | 3 | 9 | 12 | 16 | 21 | 28 |
| 75-79 | 167 | 10.6 | 44 | 2 | 3 | 9 | 13 | 19 | 24 | 33 |
| 80-84 | 78 | 10.1 | 47 | 2 | 2 | 9 | 13 | 20 | 25 | 30 |
| 85+ | 56 | 11.4 | 93 | 2 | 3 | 8 | 14 | 22 | 28 | 55 |
| **GRAND TOTAL** | **1018** | **9.9** | **43** | **2** | **3** | **8** | **12** | **17** | **22** | **32** |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 4.4 | 12 | 1 | 1 | 2 | 8 | 9 | 10 | 11 |
| 70-74 | 8 | 3.6 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 75-79 | 3 | 4.7 | 21 | 2 | 2 | 2 | 8 | 10 | 10 | 10 |
| 80-84 | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 3 | 7.7 | 16 | 4 | 4 | 7 | 11 | 12 | 12 | 12 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 6.3 | 30 | 1 | 2 | 3 | 10 | 15 | 18 | 21 |
| 70-74 | 14 | 7.6 | 19 | 2 | 3 | 7 | 12 | 14 | 15 | 15 |
| 75-79 | 14 | 8.4 | 26 | 2 | 2 | 8 | 12 | 14 | 18 | 19 |
| 80-84 | 7 | 7.3 | 42 | 1 | 1 | 4 | 12 | 17 | 18 | 18 |
| 85+ | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 32 | 4.1 | 9 | 1 | 1 | 3 | 7 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 5.0 | 22 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| B. *Operated* | 63 | 7.2 | 26 | 1 | 2 | 7 | 10 | 14 | 17 | 21 |
| **1. SINGLE DX** | 33 | 4.1 | 9 | 1 | 1 | 3 | 7 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | 67 | 7.1 | 26 | 1 | 2 | 7 | 10 | 14 | 17 | 21 |
| **A. NOT OPERATED** | 5 | 5.4 | 18 | 1 | 1 | 4 | 8 | 12 | 12 | 12 |
| **B. OPERATED** | 95 | 6.1 | 23 | 1 | 2 | 4 | 9 | 13 | 16 | 20 |
| TOTAL 65-69 YRS | 44 | 5.5 | 23 | 1 | 2 | 3 | 9 | 10 | 16 | 21 |
| 70-74 | 22 | 6.1 | 18 | 1 | 2 | 5 | 9 | 13 | 14 | 15 |
| 75-79 | 20 | 7.8 | 23 | 2 | 2 | 8 | 11 | 13 | 16 | 19 |
| 80-84 | 10 | 6.1 | 31 | 1 | 1 | 4 | 8 | 16 | 18 | 18 |
| 85+ | 4 | 5.0 | 11 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| **GRAND TOTAL** | **100** | **6.1** | **22** | **1** | **2** | **4** | **9** | **13** | **15** | **20** |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | 3 | 12.7 | 177 | 4 | 4 | 6 | 22 | 28 | 28 | 28 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 95 | 8.6 | 11 | 5 | 6 | 8 | 10 | 11 | 13 | 24 |
| 70-74 | 65 | 9.5 | 26 | 5 | 6 | 8 | 10 | 14 | 21 | 34 |
| 75-79 | 32 | 10.6 | 73 | 5 | 6 | 8 | 11 | 15 | 17 | 54 |
| 80-84 | 15 | 10.8 | 23 | 6 | 6 | 10 | 14 | 18 | 19 | 19 |
| 85+ | 11 | 16.3 | 521 | 3 | 4 | 10 | 14 | 43 | 80 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 75-79 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 80-84 | 2 | 16.0 | 50 | 11 | 11 | 16 | 21 | 21 | 21 | 21 |
| 85+ | 2 | 11.0 | 18 | 8 | 8 | 11 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 236 | 11.4 | 33 | 6 | 6 | 10 | 13 | 19 | 23 | 32 |
| 70-74 | 197 | 12.3 | 44 | 6 | 7 | 10 | 14 | 21 | 25 | 42 |
| 75-79 | 112 | 12.6 | 34 | 7 | 7 | 11 | 15 | 20 | 22 | 37 |
| 80-84 | 80 | 16.0 | 63 | 8 | 9 | 13 | 20 | 25 | 27 | 50 |
| 85+ | 38 | 17.7 | 121 | 7 | 8 | 15 | 19 | 36 | 45 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 7.3 | 105 | 1 | 1 | 3 | 6 | 26 | 28 | 28 |
| B. *Operated* | 218 | 9.7 | 51 | 5 | 6 | 8 | 10 | 14 | 17 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 10.6 | 30 | 5 | 5 | 9 | 13 | 20 | 21 | 21 |
| B. *Operated* | 663 | 12.8 | 48 | 6 | 7 | 11 | 15 | 21 | 26 | 41 |
| **1. SINGLE DX** | 224 | 9.6 | 52 | 5 | 6 | 8 | 10 | 14 | 17 | 41 |
| **2. MULTIPLE DX** | 670 | 12.8 | 48 | 6 | 7 | 11 | 15 | 21 | 26 | 41 |
| **A. NOT OPERATED** | 13 | 9.1 | 62 | 1 | 2 | 6 | 12 | 22 | 27 | 28 |
| **B. OPERATED** | 881 | 12.0 | 51 | 6 | 6 | 10 | 14 | 20 | 24 | 41 |
| TOTAL 65-69 YRS | 334 | 10.6 | 29 | 6 | 6 | 9 | 12 | 17 | 20 | 31 |
| 70-74 | 266 | 11.6 | 42 | 6 | 6 | 10 | 13 | 19 | 24 | 40 |
| 75-79 | 145 | 12.1 | 43 | 6 | 7 | 10 | 15 | 19 | 22 | 40 |
| 80-84 | 98 | 15.0 | 60 | 6 | 7 | 13 | 19 | 25 | 27 | 46 |
| 85+ | 51 | 17.2 | 196 | 6 | 7 | 14 | 18 | 35 | 48 | 84 |
| **GRAND TOTAL** | **894** | **12.0** | **51** | **6** | **6** | **10** | **14** | **20** | **25** | **41** |

### 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 5.0 | 13 | 2 | 2 | 3 | 7 | 11 | 13 | 13 |
| 70-74 | 13 | 3.0 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 9 |
| 75-79 | 5 | 2.6 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 5 | 4.6 | 10 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 85+ | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 6.6 | 22 | 1 | 2 | 6 | 10 | 14 | 15 | 15 |
| 70-74 | 9 | 5.1 | 21 | 2 | 2 | 4 | 6 | 13 | 16 | 16 |
| 75-79 | 12 | 8.0 | 19 | 3 | 3 | 7 | 10 | 15 | 16 | 16 |
| 80-84 | 3 | 9.0 | 3 | 8 | 8 | 8 | 10 | 11 | 11 | 11 |
| 85+ | 6 | 13.7 | 148 | 1 | 1 | 13 | 26 | 26 | 26 | 26 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 37 | 3.8 | 9 | 1 | 1 | 2 | 6 | 9 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 46 | 7.7 | 39 | 1 | 2 | 6 | 11 | 16 | 23 | 26 |
| 1. SINGLE DX | 37 | 3.8 | 9 | 1 | 1 | 2 | 6 | 9 | 10 | 13 |
| 2. MULTIPLE DX | 48 | 7.5 | 38 | 2 | 2 | 6 | 10 | 16 | 22 | 26 |
| A. NOT OPERATED | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. OPERATED | 83 | 6.0 | 29 | 1 | 2 | 4 | 8 | 13 | 16 | 26 |
| TOTAL 65-69 YRS | 29 | 5.8 | 18 | 2 | 2 | 4 | 9 | 13 | 14 | 15 |
| 70-74 | 23 | 3.8 | 13 | <1 | 1 | 2 | 5 | 8 | 11 | 16 |
| 75-79 | 17 | 6.4 | 20 | 2 | 2 | 5 | 9 | 14 | 16 | 16 |
| 80-84 | 8 | 6.3 | 12 | 1 | 1 | 7 | 9 | 10 | 11 | 11 |
| 85+ | 8 | 11.1 | 129 | 1 | 1 | 4 | 24 | 26 | 26 | 26 |
| GRAND TOTAL | 85 | 5.9 | 25 | 1 | 2 | 4 | 8 | 13 | 16 | 26 |

### 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 3.3 | 6 | <1 | <1 | 3 | 4 | 9 | 9 | 9 |
| 70-74 | 9 | 4.2 | 10 | 1 | 1 | 4 | 5 | 9 | 12 | 12 |
| 75-79 | 11 | 3.5 | 4 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 80-84 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 4.7 | 14 | 1 | 2 | 3 | 5 | 11 | 14 | 16 |
| 70-74 | 14 | 5.2 | 12 | 1 | 2 | 4 | 8 | 10 | 12 | 13 |
| 75-79 | 16 | 8.1 | 58 | <1 | 1 | 5 | 15 | 19 | 22 | 23 |
| 80-84 | 11 | 9.6 | 81 | 2 | 2 | 7 | 12 | 25 | 30 | 31 |
| 85+ | 2 | 17.5 | 265 | 6 | 6 | 17 | 29 | 29 | 29 | 29 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 48 | 3.6 | 6 | <1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 65 | 6.9 | 45 | 1 | 2 | 4 | 9 | 16 | 21 | 31 |
| 1. SINGLE DX | 49 | 3.5 | 6 | <1 | 1 | 3 | 4 | 8 | 9 | 12 |
| 2. MULTIPLE DX | 66 | 6.8 | 45 | 1 | 1 | 4 | 8 | 16 | 21 | 31 |
| A. NOT OPERATED | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. OPERATED | 113 | 5.5 | 31 | 1 | 1 | 3 | 7 | 12 | 18 | 30 |
| TOTAL 65-69 YRS | 49 | 3.8 | 10 | <1 | 1 | 3 | 4 | 9 | 10 | 16 |
| 70-74 | 23 | 4.8 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 13 |
| 75-79 | 27 | 6.2 | 40 | 1 | 1 | 3 | 8 | 18 | 20 | 23 |
| 80-84 | 14 | 8.4 | 70 | 2 | 2 | 6 | 9 | 22 | 29 | 31 |
| 85+ | 2 | 17.5 | 265 | 6 | 6 | 17 | 29 | 29 | 29 | 29 |
| GRAND TOTAL | 115 | 5.4 | 31 | 1 | 1 | 3 | 7 | 12 | 18 | 30 |

## 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 65 | 3.3 | 8 | 1 | 1 | 3 | 4 | 5 | 9 | 16 |
| 70-74 | 65 | 3.0 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| 75-79 | 42 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 80-84 | 26 | 4.3 | 16 | <1 | 1 | 3 | 6 | 12 | 14 | 15 |
| 85+ | 19 | 4.2 | 11 | 1 | 1 | 3 | 6 | 9 | 12 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 70-74 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 75-79 | 2 | 10.5 | 25 | 7 | 7 | 10 | 14 | 14 | 14 | 14 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 84 | 5.2 | 19 | 1 | 2 | 4 | 6 | 11 | 15 | 21 |
| 70-74 | 86 | 6.5 | 40 | 2 | 2 | 4 | 8 | 15 | 21 | 33 |
| 75-79 | 62 | 7.5 | 76 | 1 | 2 | 4 | 9 | 17 | 30 | 45 |
| 80-84 | 45 | 7.7 | 59 | 1 | 2 | 6 | 9 | 15 | 27 | 37 |
| 85+ | 21 | 10.9 | 88 | 1 | 2 | 7 | 18 | 26 | 28 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 217 | 3.4 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 6.7 | 16 | 2 | 2 | 6 | 8 | 13 | 14 | 14 |
| B. *Operated* | 298 | 6.8 | 49 | 1 | 2 | 4 | 8 | 15 | 22 | 36 |
| **1. SINGLE DX** | 219 | 3.4 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | 305 | 6.8 | 48 | 1 | 2 | 4 | 8 | 15 | 21 | 35 |
| **A. NOT OPERATED** | 9 | 5.6 | 17 | 1 | 1 | 6 | 7 | 12 | 14 | 14 |
| **B. OPERATED** | 515 | 5.4 | 35 | 1 | 2 | 3 | 6 | 13 | 16 | 31 |
| TOTAL 65-69 YRS | 153 | 4.4 | 14 | 1 | 1 | 3 | 5 | 10 | 13 | 18 |
| 70-74 | 153 | 5.0 | 28 | 1 | 1 | 3 | 6 | 10 | 15 | 28 |
| 75-79 | 106 | 5.8 | 51 | 1 | 2 | 4 | 6 | 13 | 18 | 40 |
| 80-84 | 71 | 6.4 | 45 | 1 | 1 | 4 | 8 | 14 | 16 | 36 |
| 85+ | 41 | 7.8 | 60 | 1 | 1 | 4 | 9 | 22 | 26 | 30 |
| **GRAND TOTAL** | **524** | **5.4** | **34** | **1** | **2** | **3** | **6** | **13** | **16** | **31** |

## 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 3.5 | 2 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 70-74 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 9 | 7.0 | 98 | 2 | 2 | 4 | 5 | 23 | 33 | 33 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 70-74 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 70-74 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 75-79 | 9 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 80-84 | 6 | 4.8 | 9 | 2 | 2 | 4 | 8 | 9 | 9 | 9 |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 22 | 4.5 | 43 | 1 | 1 | 3 | 4 | 6 | 17 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | 20 | 3.5 | 6 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| **1. SINGLE DX** | 22 | 4.5 | 43 | 1 | 1 | 3 | 4 | 6 | 17 | 33 |
| **2. MULTIPLE DX** | 22 | 3.6 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| **A. NOT OPERATED** | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| **B. OPERATED** | 42 | 4.0 | 25 | <1 | 1 | 3 | 4 | 7 | 9 | 33 |
| TOTAL 65-69 YRS | 9 | 3.7 | 3 | <1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 70-74 | 7 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 75-79 | 18 | 4.8 | 52 | <1 | 1 | 3 | 4 | 7 | 23 | 33 |
| 80-84 | 7 | 4.4 | 9 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 85+ | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **GRAND TOTAL** | **44** | **4.0** | **24** | **1** | **1** | **3** | **5** | **7** | **8** | **33** |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 6.5 | 41 | 1 | 1 | 4 | 8 | 18 | 21 | 22 |
| 70-74 | 10 | 6.1 | 23 | 2 | 2 | 4 | 7 | 14 | 17 | 17 |
| 75-79 | 12 | 6.3 | 18 | 2 | 2 | 5 | 10 | 12 | 15 | 15 |
| 80-84 | 9 | 7.4 | 13 | 2 | 2 | 7 | 10 | 12 | 14 | 14 |
| 85+ | 9 | 12.1 | 190 | 5 | 5 | 7 | 10 | 35 | 48 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 118 | 18.0 | 161 | 2 | 4 | 16 | 23 | 33 | 50 | 83 |
| 70-74 | 75 | 17.0 | 210 | 3 | 5 | 13 | 20 | 37 | 46 | 82 |
| 75-79 | 47 | 21.5 | 212 | 5 | 9 | 18 | 28 | 36 | 51 | 74 |
| 80-84 | 17 | 17.6 | 88 | 4 | 8 | 15 | 23 | 33 | 36 | 36 |
| 85+ | 8 | 20.4 | 289 | 3 | 3 | 15 | 32 | 46 | 52 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 8.6 | 82 | 2 | 3 | 6 | 9 | 14 | 21 | 53 |
| 70-74 | 61 | 11.7 | 144 | 2 | 3 | 8 | 15 | 19 | 40 | 68 |
| 75-79 | 62 | 11.0 | 75 | 2 | 3 | 8 | 14 | 24 | 33 | 38 |
| 80-84 | 70 | 14.9 | 228 | 4 | 4 | 10 | 18 | 25 | 45 | 84 |
| 85+ | 43 | 13.4 | 112 | 3 | 3 | 10 | 21 | 43 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 26.3 | 346 | 6 | 9 | 20 | 36 | 55 | 68 | 98 |
| 70-74 | 139 | 27.7 | 320 | 7 | 10 | 22 | 40 | 55 | 73 | 99+ |
| 75-79 | 106 | 31.9 | 566 | 6 | 9 | 24 | 46 | 80 | 91 | 99+ |
| 80-84 | 33 | 25.4 | 347 | 4 | 7 | 20 | 35 | 52 | 70 | 80 |
| 85+ | 19 | 18.7 | 148 | 3 | 5 | 16 | 26 | 36 | 44 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 7.4 | 52 | 2 | 2 | 6 | 9 | 15 | 18 | 46 |
| B. *Operated* | 265 | 18.4 | 183 | 3 | 5 | 15 | 23 | 34 | 47 | 75 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 270 | 12.3 | 139 | 2 | 3 | 9 | 16 | 24 | 39 | 96 |
| B. *Operated* | 468 | 27.6 | 386 | 6 | 9 | 22 | 38 | 56 | 77 | 99+ |
| **1. SINGLE DX** | 322 | 16.5 | 177 | 2 | 3 | 13 | 22 | 32 | 47 | 74 |
| **2. MULTIPLE DX** | 738 | 22.0 | 350 | 3 | 5 | 17 | 30 | 51 | 71 | 99+ |
| **A. NOT OPERATED** | 327 | 11.4 | 127 | 2 | 3 | 8 | 14 | 22 | 36 | 87 |
| **B. OPERATED** | 733 | 24.3 | 331 | 4 | 7 | 19 | 32 | 52 | 69 | 99+ |
| TOTAL 65-69 YRS | 340 | 20.6 | 282 | 3 | 4 | 17 | 27 | 48 | 59 | 92 |
| 70-74 | 285 | 20.7 | 294 | 3 | 4 | 16 | 29 | 45 | 57 | 97 |
| 75-79 | 227 | 22.7 | 419 | 3 | 4 | 16 | 29 | 50 | 79 | 99 |
| 80-84 | 129 | 17.4 | 249 | 3 | 4 | 13 | 22 | 36 | 52 | 82 |
| 85+ | 79 | 15.3 | 148 | 3 | 4 | 12 | 22 | 40 | 50 | 99+ |
| **GRAND TOTAL** | **1060** | **20.3** | **304** | **3** | **4** | **15** | **26** | **46** | **59** | **99+** |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 70-74 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 193 | 4.7 | 4 | 3 | 3 | 4 | 5 | 6 | 9 | 13 |
| 70-74 | 125 | 5.4 | 7 | 3 | 3 | 5 | 6 | 8 | 11 | 16 |
| 75-79 | 59 | 5.1 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 12 |
| 80-84 | 13 | 6.5 | 6 | 4 | 4 | 7 | 8 | 10 | 11 | 11 |
| 85+ | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 6.1 | 14 | 1 | 1 | 5 | 9 | 11 | 13 | 13 |
| 70-74 | 4 | 8.5 | 129 | 1 | 1 | 4 | 16 | 25 | 25 | 25 |
| 75-79 | 5 | 8.8 | 5 | 6 | 6 | 8 | 10 | 12 | 12 | 12 |
| 80-84 | 4 | 12.5 | 103 | 3 | 3 | 11 | 21 | 24 | 24 | 24 |
| 85+ | 6 | 5.7 | 9 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 155 | 7.6 | 53 | 3 | 3 | 6 | 8 | 13 | 19 | 34 |
| 70-74 | 101 | 7.6 | 19 | 3 | 4 | 6 | 9 | 15 | 17 | 21 |
| 75-79 | 79 | 7.7 | 28 | 4 | 4 | 6 | 9 | 15 | 21 | 27 |
| 80-84 | 30 | 8.6 | 33 | 4 | 4 | 6 | 13 | 18 | 21 | 23 |
| 85+ | 13 | 9.2 | 19 | 4 | 5 | 8 | 11 | 17 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 3.5 | 5 | 2 | 2 | 3 | 3 | 8 | 8 | 8 |
| B. *Operated* | 393 | 5.1 | 5 | 3 | 3 | 5 | 6 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 7.6 | 37 | 1 | 1 | 6 | 10 | 15 | 24 | 25 |
| B. *Operated* | 378 | 7.7 | 36 | 3 | 4 | 6 | 9 | 15 | 19 | 31 |
| **1. SINGLE DX** | 399 | 5.0 | 5 | 3 | 3 | 5 | 6 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | 408 | 7.7 | 36 | 3 | 4 | 6 | 9 | 15 | 19 | 30 |
| **A. NOT OPERATED** | 36 | 6.9 | 33 | 1 | 1 | 5 | 9 | 13 | 22 | 25 |
| **B. OPERATED** | 771 | 6.4 | 22 | 3 | 3 | 5 | 7 | 11 | 15 | 24 |
| TOTAL 65-69 YRS | 361 | 6.0 | 27 | 3 | 3 | 5 | 6 | 10 | 13 | 31 |
| 70-74 | 232 | 6.4 | 15 | 3 | 3 | 5 | 7 | 12 | 15 | 21 |
| 75-79 | 144 | 6.6 | 19 | 3 | 3 | 5 | 7 | 11 | 16 | 24 |
| 80-84 | 47 | 8.4 | 31 | 4 | 4 | 6 | 10 | 18 | 21 | 24 |
| 85+ | 23 | 7.6 | 18 | 2 | 3 | 7 | 9 | 14 | 17 | 19 |
| **GRAND TOTAL** | **807** | **6.4** | **22** | **3** | **3** | **5** | **7** | **11** | **15** | **25** |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 6.3 | 23 | 1 | 1 | 6 | 10 | 12 | 12 | 12 |
| 70-74 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 75-79 | 1 | 65.0 | | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 59 | 9.5 | 48 | 3 | 4 | 7 | 11 | 18 | 23 | 39 |
| 70-74 | 36 | 11.1 | 57 | 4 | 4 | 9 | 15 | 23 | 28 | 33 |
| 75-79 | 22 | 16.3 | 284 | 4 | 5 | 9 | 25 | 32 | 57 | 76 |
| 80-84 | 7 | 12.0 | 42 | 6 | 6 | 12 | 14 | 23 | 25 | 25 |
| 85+ | 3 | 11.0 | 28 | 7 | 7 | 9 | 15 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 8.4 | 22 | 2 | 3 | 8 | 11 | 14 | 17 | 19 |
| 70-74 | 16 | 10.7 | 68 | 2 | 3 | 9 | 13 | 22 | 31 | 34 |
| 75-79 | 9 | 11.6 | 28 | 5 | 6 | 11 | 12 | 20 | 24 | 24 |
| 80-84 | 9 | 16.6 | 364 | 2 | 3 | 14 | 17 | 47 | 65 | 65 |
| 85+ | 4 | 9.0 | 24 | 5 | 5 | 8 | 13 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 101 | 12.4 | 128 | 3 | 4 | 8 | 15 | 27 | 37 | 82 |
| 70-74 | 77 | 18.5 | 229 | 3 | 4 | 15 | 23 | 41 | 51 | 95 |
| 75-79 | 40 | 16.7 | 154 | 4 | 4 | 13 | 28 | 38 | 44 | 99+ |
| 80-84 | 12 | 17.7 | 224 | 3 | 4 | 9 | 28 | 39 | 48 | 50 |
| 85+ | 10 | 15.0 | 140 | 5 | 5 | 9 | 22 | 34 | 37 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 12.9 | 456 | 1 | 1 | 5 | 10 | 49 | 65 | 65 |
| B. *Operated* | 127 | 11.3 | 94 | 4 | 4 | 8 | 14 | 24 | 26 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 10.8 | 87 | 2 | 3 | 9 | 13 | 17 | 23 | 62 |
| B. *Operated* | 240 | 15.4 | 175 | 4 | 4 | 10 | 22 | 35 | 45 | 99+ |
| **1. SINGLE DX** | 135 | 11.4 | 112 | 3 | 4 | 8 | 14 | 24 | 28 | 67 |
| **2. MULTIPLE DX** | 300 | 14.5 | 160 | 3 | 4 | 10 | 19 | 34 | 43 | 90 |
| **A. NOT OPERATED** | 68 | 11.0 | 125 | 2 | 3 | 9 | 13 | 18 | 25 | 65 |
| **B. OPERATED** | 367 | 14.0 | 150 | 4 | 4 | 9 | 18 | 31 | 41 | 80 |
| TOTAL 65-69 YRS | 186 | 10.9 | 90 | 3 | 4 | 8 | 13 | 21 | 31 | 65 |
| 70-74 | 131 | 15.3 | 173 | 3 | 4 | 11 | 21 | 34 | 44 | 84 |
| 75-79 | 72 | 16.6 | 208 | 4 | 5 | 11 | 25 | 36 | 47 | 94 |
| 80-84 | 28 | 15.9 | 214 | 3 | 5 | 11 | 21 | 33 | 51 | 65 |
| 85+ | 18 | 12.3 | 95 | 3 | 5 | 8 | 17 | 29 | 35 | 37 |
| **GRAND TOTAL** | **435** | **13.5** | **147** | **3** | **4** | **9** | **17** | **30** | **40** | **77** |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 75-79 | 4 | 5.8 | 12 | 4 | 4 | 4 | 8 | 11 | 11 | 11 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 76 | 5.5 | 12 | 1 | 2 | 4 | 8 | 10 | 11 | 14 |
| 70-74 | 31 | 5.6 | 13 | 1 | 1 | 6 | 9 | 11 | 12 | 13 |
| 75-79 | 26 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 11 | 11 |
| 80-84 | 16 | 5.3 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 15 |
| 85+ | 8 | 4.3 | 5 | <1 | 1 | 4 | 6 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 75-79 | 5 | 2.8 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 108 | 7.3 | 19 | 2 | 2 | 7 | 10 | 14 | 16 | 18 |
| 70-74 | 76 | 8.7 | 73 | 2 | 2 | 7 | 10 | 14 | 18 | 57 |
| 75-79 | 39 | 9.5 | 52 | 2 | 2 | 8 | 12 | 19 | 25 | 35 |
| 80-84 | 15 | 7.8 | 60 | 2 | 2 | 6 | 10 | 17 | 27 | 31 |
| 85+ | 7 | 11.0 | 69 | 2 | 2 | 10 | 15 | 24 | 26 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 4.9 | 8 | 1 | 2 | 4 | 6 | 9 | 11 | 11 |
| B. *Operated* | 157 | 5.3 | 11 | 1 | 2 | 4 | 8 | 10 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 3.4 | 7 | 1 | 1 | 3 | 3 | 7 | 10 | 10 |
| B. *Operated* | 245 | 8.2 | 45 | 2 | 2 | 7 | 10 | 15 | 18 | 35 |
| **1. SINGLE DX** | 166 | 5.3 | 11 | 1 | 2 | 4 | 8 | 10 | 11 | 14 |
| **2. MULTIPLE DX** | 254 | 8.0 | 44 | 2 | 2 | 7 | 10 | 15 | 17 | 35 |
| **A. NOT OPERATED** | 18 | 4.2 | 7 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| **B. OPERATED** | 402 | 7.1 | 34 | 2 | 2 | 6 | 9 | 13 | 16 | 28 |
| TOTAL 65-69 YRS | 185 | 6.5 | 17 | 1 | 2 | 6 | 9 | 12 | 14 | 18 |
| 70-74 | 112 | 7.6 | 56 | 1 | 2 | 7 | 9 | 14 | 15 | 49 |
| 75-79 | 74 | 7.2 | 36 | 2 | 2 | 5 | 9 | 13 | 20 | 33 |
| 80-84 | 33 | 6.5 | 35 | 2 | 2 | 5 | 9 | 11 | 17 | 31 |
| 85+ | 16 | 7.4 | 42 | 1 | 2 | 6 | 9 | 16 | 23 | 26 |
| **GRAND TOTAL** | **420** | **6.9** | **33** | **1** | **2** | **6** | **9** | **13** | **16** | **27** |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 6 | 6.2 | 19 | 1 | 1 | 5 | 9 | 13 | 13 | 13 |
| 75-79 | 7 | 5.0 | 16 | 1 | 1 | 3 | 8 | 11 | 11 | 11 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 165 | 5.8 | 32 | <1 | 1 | 3 | 8 | 13 | 16 | 26 |
| 70-74 | 166 | 5.0 | 23 | 1 | 2 | 3 | 6 | 10 | 16 | 25 |
| 75-79 | 102 | 6.3 | 54 | 1 | 1 | 3 | 7 | 15 | 22 | 38 |
| 80-84 | 67 | 5.5 | 29 | 1 | 1 | 3 | 6 | 13 | 16 | 28 |
| 85+ | 43 | 5.0 | 13 | <1 | 1 | 3 | 7 | 11 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 6.3 | 14 | <1 | 1 | 5 | 9 | 11 | 12 | 12 |
| 70-74 | 14 | 6.6 | 21 | 1 | 2 | 5 | 11 | 12 | 16 | 17 |
| 75-79 | 12 | 16.8 | 375 | 1 | 2 | 9 | 25 | 45 | 64 | 67 |
| 80-84 | 5 | 14.6 | 150 | 5 | 5 | 11 | 18 | 36 | 36 | 36 |
| 85+ | 6 | 11.3 | 70 | 3 | 3 | 9 | 15 | 25 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 274 | 9.5 | 66 | 2 | 2 | 7 | 13 | 20 | 25 | 37 |
| 70-74 | 289 | 10.0 | 117 | 2 | 2 | 7 | 13 | 19 | 27 | 63 |
| 75-79 | 203 | 8.4 | 69 | 2 | 2 | 6 | 12 | 18 | 22 | 34 |
| 80-84 | 126 | 10.6 | 86 | 2 | 2 | 8 | 14 | 23 | 28 | 48 |
| 85+ | 82 | 10.6 | 151 | 2 | 2 | 8 | 13 | 19 | 28 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 4.8 | 15 | 1 | 1 | 3 | 8 | 11 | 12 | 13 |
| B. *Operated* | 543 | 5.6 | 32 | 1 | 1 | 3 | 7 | 13 | 17 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 10.7 | 142 | 1 | 3 | 8 | 11 | 26 | 36 | 67 |
| B. *Operated* | 974 | 9.6 | 91 | 2 | 2 | 7 | 13 | 19 | 26 | 52 |
| **1. SINGLE DX** | 559 | 5.5 | 31 | 1 | 1 | 3 | 7 | 13 | 16 | 29 |
| **2. MULTIPLE DX** | 1020 | 9.7 | 94 | 2 | 2 | 7 | 13 | 19 | 26 | 54 |
| **A. NOT OPERATED** | 62 | 9.2 | 115 | 1 | 1 | 6 | 11 | 19 | 30 | 63 |
| **B. OPERATED** | 1517 | 8.2 | 74 | 1 | 2 | 5 | 11 | 17 | 24 | 40 |
| TOTAL 65-69 YRS | 450 | 8.0 | 55 | 1 | 2 | 5 | 11 | 18 | 24 | 29 |
| 70-74 | 475 | 8.1 | 85 | 1 | 2 | 5 | 11 | 17 | 22 | 55 |
| 75-79 | 324 | 8.0 | 77 | 1 | 2 | 5 | 11 | 17 | 24 | 37 |
| 80-84 | 198 | 9.0 | 74 | 1 | 2 | 6 | 12 | 19 | 26 | 41 |
| 85+ | 132 | 8.7 | 108 | 1 | 2 | 6 | 11 | 17 | 22 | 60 |
| **GRAND TOTAL** | **1579** | **8.2** | **75** | **1** | **2** | **5** | **11** | **17** | **24** | **40** |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 109 | 5.2 | 31 | 1 | 1 | 4 | 6 | 12 | 15 | 30 |
| 70-74 | 139 | 7.1 | 109 | 1 | 1 | 4 | 8 | 12 | 19 | 64 |
| 75-79 | 98 | 6.0 | 35 | <1 | 1 | 3 | 7 | 14 | 19 | 29 |
| 80-84 | 73 | 6.3 | 33 | 1 | 1 | 4 | 8 | 15 | 20 | 24 |
| 85+ | 57 | 6.8 | 89 | <1 | 1 | 4 | 8 | 14 | 17 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 580 | 5.7 | 47 | 1 | 1 | 3 | 7 | 13 | 18 | 32 |
| 70-74 | 533 | 5.7 | 38 | 1 | 1 | 3 | 7 | 13 | 20 | 28 |
| 75-79 | 386 | 6.2 | 51 | 1 | 2 | 3 | 8 | 15 | 19 | 35 |
| 80-84 | 190 | 6.4 | 50 | 1 | 1 | 4 | 8 | 13 | 19 | 40 |
| 85+ | 122 | 6.2 | 38 | 1 | 1 | 4 | 9 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 372 | 7.7 | 71 | 1 | 2 | 6 | 10 | 16 | 21 | 39 |
| 70-74 | 451 | 7.8 | 55 | 1 | 2 | 6 | 10 | 15 | 20 | 30 |
| 75-79 | 439 | 8.7 | 94 | 1 | 2 | 6 | 11 | 18 | 24 | 51 |
| 80-84 | 343 | 10.6 | 125 | 1 | 2 | 8 | 12 | 21 | 34 | 65 |
| 85+ | 329 | 10.0 | 87 | 1 | 2 | 8 | 13 | 19 | 24 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 902 | 10.1 | 98 | 2 | 2 | 7 | 13 | 22 | 27 | 50 |
| 70-74 | 873 | 10.5 | 103 | 2 | 2 | 8 | 14 | 22 | 30 | 55 |
| 75-79 | 734 | 11.8 | 117 | 2 | 2 | 9 | 16 | 25 | 31 | 61 |
| 80-84 | 418 | 11.7 | 122 | 2 | 2 | 9 | 16 | 25 | 32 | 88 |
| 85+ | 300 | 14.9 | 178 | 2 | 3 | 11 | 19 | 30 | 41 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 476 | 6.3 | 62 | 1 | 1 | 4 | 8 | 14 | 19 | 50 |
| B. *Operated* | 1811 | 5.9 | 45 | 1 | 1 | 3 | 7 | 14 | 19 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1934 | 8.8 | 86 | 1 | 2 | 7 | 11 | 17 | 23 | 49 |
| B. *Operated* | 3227 | 11.2 | 116 | 2 | 2 | 8 | 15 | 23 | 31 | 57 |
| **1. SINGLE DX** | 2287 | 6.0 | 48 | 1 | 1 | 3 | 7 | 14 | 19 | 34 |
| **2. MULTIPLE DX** | 5161 | 10.3 | 106 | 2 | 2 | 7 | 13 | 21 | 29 | 55 |
| **A. NOT OPERATED** | 2410 | 8.3 | 82 | 1 | 2 | 6 | 10 | 17 | 22 | 49 |
| **B. OPERATED** | 5038 | 9.3 | 97 | 1 | 2 | 6 | 12 | 20 | 28 | 49 |
| TOTAL 65-69 YRS | 1963 | 8.1 | 78 | 1 | 2 | 5 | 10 | 18 | 24 | 43 |
| 70-74 | 1996 | 8.4 | 79 | 1 | 2 | 5 | 11 | 18 | 23 | 47 |
| 75-79 | 1657 | 9.3 | 96 | 1 | 2 | 6 | 12 | 20 | 27 | 47 |
| 80-84 | 1024 | 9.9 | 108 | 1 | 2 | 7 | 13 | 22 | 30 | 59 |
| 85+ | 808 | 11.0 | 124 | 1 | 2 | 8 | 14 | 23 | 33 | 56 |
| **GRAND TOTAL** | **7448** | **9.0** | **92** | **1** | **2** | **6** | **12** | **19** | **26** | **49** |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 24 | 4.3 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| 70-74 | 8 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 75-79 | 8 | 4.3 | 16 | 1 | 1 | 2 | 8 | 10 | 10 | 10 |
| 80-84 | 8 | 5.9 | 15 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 85+ | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 236 | 5.3 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| 70-74 | 149 | 5.5 | 10 | 3 | 3 | 5 | 6 | 8 | 10 | 20 |
| 75-79 | 61 | 7.0 | 27 | 3 | 3 | 5 | 8 | 11 | 18 | 30 |
| 80-84 | 20 | 5.2 | 7 | 2 | 3 | 5 | 6 | 9 | 11 | 12 |
| 85+ | 9 | 7.2 | 9 | 3 | 3 | 7 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 6.4 | 25 | 2 | 2 | 5 | 8 | 13 | 15 | 29 |
| 70-74 | 75 | 6.5 | 14 | 2 | 3 | 5 | 9 | 11 | 14 | 18 |
| 75-79 | 61 | 7.5 | 21 | 2 | 3 | 6 | 10 | 13 | 16 | 25 |
| 80-84 | 36 | 7.8 | 21 | 3 | 3 | 7 | 10 | 15 | 19 | 21 |
| 85+ | 26 | 12.9 | 334 | 3 | 4 | 8 | 14 | 19 | 42 | 98 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 258 | 7.6 | 40 | 3 | 3 | 6 | 9 | 13 | 17 | 36 |
| 70-74 | 161 | 9.3 | 67 | 3 | 4 | 7 | 11 | 16 | 24 | 53 |
| 75-79 | 100 | 8.8 | 41 | 3 | 4 | 7 | 10 | 14 | 18 | 41 |
| 80-84 | 40 | 9.9 | 90 | 2 | 3 | 6 | 12 | 22 | 32 | 45 |
| 85+ | 15 | 19.1 | 72 | 6 | 11 | 18 | 24 | 31 | 35 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 4.3 | 10 | 1 | 1 | 3 | 6 | 9 | 10 | 14 |
| B. *Operated* | 475 | 5.6 | 10 | 3 | 3 | 5 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 7.5 | 53 | 2 | 3 | 6 | 9 | 14 | 16 | 28 |
| B. *Operated* | 574 | 8.7 | 55 | 3 | 4 | 6 | 10 | 15 | 22 | 40 |
| **1. SINGLE DX** | 525 | 5.5 | 10 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 840 | 8.3 | 55 | 3 | 3 | 6 | 10 | 15 | 20 | 37 |
| **A. NOT OPERATED** | 316 | 7.0 | 47 | 2 | 2 | 5 | 9 | 13 | 15 | 27 |
| **B. OPERATED** | 1049 | 7.3 | 37 | 3 | 3 | 6 | 8 | 13 | 17 | 35 |
| TOTAL 65-69 YRS | 586 | 6.4 | 24 | 3 | 3 | 5 | 7 | 11 | 14 | 28 |
| 70-74 | 393 | 7.2 | 37 | 2 | 3 | 5 | 8 | 12 | 16 | 34 |
| 75-79 | 230 | 7.8 | 32 | 3 | 3 | 6 | 10 | 13 | 17 | 31 |
| 80-84 | 104 | 8.0 | 46 | 2 | 3 | 6 | 9 | 15 | 20 | 41 |
| 85+ | 52 | 13.4 | 203 | 4 | 4 | 10 | 15 | 25 | 31 | 97 |
| **GRAND TOTAL** | 1365 | 7.2 | 39 | 3 | 3 | 5 | 8 | 13 | 17 | 34 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 6.4 | 19 | 2 | 2 | 5 | 9 | 11 | 15 | 23 |
| 70-74 | 68 | 8.1 | 33 | 2 | 3 | 7 | 10 | 15 | 21 | 29 |
| 75-79 | 39 | 6.7 | 23 | 2 | 2 | 5 | 9 | 15 | 17 | 19 |
| 80-84 | 31 | 9.3 | 49 | 1 | 2 | 7 | 13 | 20 | 22 | 29 |
| 85+ | 19 | 9.8 | 60 | 3 | 3 | 6 | 14 | 19 | 28 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 88 | 5.5 | 7 | 3 | 3 | 5 | 6 | 9 | 11 | 15 |
| 70-74 | 38 | 7.2 | 27 | 3 | 3 | 5 | 8 | 14 | 18 | 28 |
| 75-79 | 19 | 7.0 | 68 | 3 | 3 | 5 | 7 | 10 | 27 | 40 |
| 80-84 | 4 | 7.0 | 22 | 2 | 2 | 6 | 10 | 13 | 13 | 13 |
| 85+ | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 563 | 9.7 | 68 | 2 | 3 | 8 | 11 | 17 | 23 | 49 |
| 70-74 | 505 | 10.7 | 100 | 2 | 3 | 8 | 13 | 22 | 30 | 54 |
| 75-79 | 476 | 11.2 | 83 | 3 | 4 | 9 | 13 | 20 | 27 | 46 |
| 80-84 | 331 | 12.4 | 115 | 3 | 4 | 10 | 16 | 23 | 32 | 87 |
| 85+ | 166 | 13.0 | 99 | 4 | 5 | 10 | 17 | 26 | 33 | 61 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 192 | 11.8 | 111 | 3 | 4 | 9 | 14 | 23 | 30 | 76 |
| 70-74 | 142 | 13.4 | 115 | 4 | 4 | 11 | 17 | 26 | 37 | 50 |
| 75-79 | 89 | 18.4 | 322 | 4 | 5 | 12 | 23 | 49 | 73 | 99+ |
| 80-84 | 54 | 19.9 | 303 | 5 | 7 | 15 | 21 | 38 | 79 | 99 |
| 85+ | 33 | 19.4 | 409 | 4 | 6 | 15 | 21 | 60 | 87 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 247 | 7.5 | 31 | 2 | 2 | 6 | 10 | 15 | 19 | 29 |
| B. *Operated* | 150 | 6.2 | 20 | 3 | 3 | 5 | 7 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2041 | 11.0 | 91 | 3 | 3 | 8 | 14 | 21 | 29 | 55 |
| B. *Operated* | 510 | 14.7 | 197 | 4 | 4 | 11 | 19 | 30 | 46 | 93 |
| **1. SINGLE DX** | 397 | 7.0 | 28 | 2 | 3 | 5 | 9 | 14 | 17 | 29 |
| **2. MULTIPLE DX** | 2551 | 11.7 | 114 | 3 | 4 | 9 | 14 | 22 | 31 | 68 |
| **A. NOT OPERATED** | 2288 | 10.6 | 85 | 2 | 3 | 8 | 13 | 20 | 27 | 52 |
| **B. OPERATED** | 660 | 12.8 | 170 | 3 | 4 | 9 | 15 | 27 | 38 | 88 |
| TOTAL 65-69 YRS | 933 | 9.4 | 70 | 2 | 3 | 7 | 11 | 17 | 23 | 50 |
| 70-74 | 753 | 10.8 | 95 | 2 | 3 | 8 | 14 | 22 | 30 | 52 |
| 75-79 | 623 | 11.8 | 121 | 3 | 3 | 9 | 14 | 22 | 31 | 71 |
| 80-84 | 420 | 13.1 | 140 | 3 | 4 | 11 | 16 | 24 | 35 | 89 |
| 85+ | 219 | 13.7 | 147 | 3 | 4 | 10 | 17 | 29 | 36 | 91 |
| **GRAND TOTAL** | 2948 | 11.1 | 105 | 3 | 3 | 8 | 14 | 21 | 30 | 63 |

## 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 627 | 7.3 | 19 | 2 | 3 | 6 | 9 | 13 | 15 | 21 |
| 70-74 | 525 | 7.3 | 19 | 2 | 3 | 6 | 9 | 12 | 15 | 22 |
| 75-79 | 348 | 8.3 | 31 | 3 | 3 | 7 | 10 | 15 | 19 | 28 |
| 80-84 | 209 | 8.8 | 33 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| 85+ | 107 | 8.4 | 30 | 2 | 3 | 7 | 10 | 18 | 20 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 7.8 | 24 | 2 | 2 | 6 | 11 | 14 | 17 | 18 |
| 70-74 | 9 | 13.6 | 56 | 5 | 5 | 12 | 22 | 23 | 24 | 24 |
| 75-79 | 5 | 7.8 | 58 | 2 | 2 | 5 | 10 | 21 | 21 | 21 |
| 80-84 | 4 | 11.0 | 23 | 8 | 8 | 9 | 14 | 18 | 18 | 18 |
| 85+ | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4515 | 8.8 | 37 | 3 | 3 | 8 | 11 | 15 | 19 | 32 |
| 70-74 | 4289 | 9.7 | 60 | 3 | 4 | 8 | 12 | 17 | 22 | 43 |
| 75-79 | 3279 | 10.1 | 61 | 3 | 4 | 8 | 12 | 18 | 24 | 47 |
| 80-84 | 2068 | 10.7 | 75 | 3 | 4 | 9 | 13 | 20 | 27 | 53 |
| 85+ | 1258 | 11.7 | 112 | 3 | 4 | 9 | 14 | 21 | 31 | 79 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 720 | 15.9 | 146 | 3 | 5 | 12 | 20 | 34 | 44 | 99+ |
| 70-74 | 584 | 16.7 | 170 | 3 | 5 | 13 | 22 | 33 | 42 | 94 |
| 75-79 | 381 | 17.7 | 152 | 3 | 6 | 15 | 22 | 33 | 41 | 77 |
| 80-84 | 238 | 18.2 | 153 | 5 | 7 | 15 | 23 | 35 | 47 | 73 |
| 85+ | 142 | 20.1 | 279 | 3 | 4 | 16 | 25 | 41 | 62 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1816 | 7.7 | 24 | 2 | 3 | 7 | 10 | 13 | 17 | 25 |
| B. *Operated* | 34 | 9.7 | 41 | 2 | 2 | 8 | 13 | 21 | 22 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15409 | 9.8 | 60 | 3 | 4 | 8 | 12 | 17 | 23 | 45 |
| B. *Operated* | 2065 | 17.0 | 165 | 3 | 5 | 14 | 22 | 34 | 44 | 88 |
| **1. SINGLE DX** | 1850 | 7.8 | 24 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | 17474 | 10.7 | 78 | 3 | 4 | 8 | 13 | 20 | 27 | 52 |
| **A. NOT OPERATED** | 17225 | 9.6 | 57 | 3 | 3 | 8 | 12 | 17 | 22 | 42 |
| **B. OPERATED** | 2099 | 16.9 | 164 | 3 | 5 | 14 | 22 | 34 | 44 | 88 |
| TOTAL 65-69 YRS | 5876 | 9.5 | 54 | 3 | 3 | 8 | 11 | 17 | 22 | 42 |
| 70-74 | 5407 | 10.2 | 73 | 3 | 4 | 8 | 12 | 19 | 25 | 50 |
| 75-79 | 4013 | 10.6 | 72 | 3 | 4 | 8 | 13 | 20 | 26 | 52 |
| 80-84 | 2519 | 11.2 | 84 | 3 | 4 | 9 | 14 | 21 | 29 | 53 |
| 85+ | 1509 | 12.3 | 129 | 3 | 4 | 9 | 15 | 22 | 34 | 83 |
| **GRAND TOTAL** | **19324** | **10.4** | **74** | **3** | **4** | **8** | **12** | **19** | **26** | **51** |

## 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 144 | 8.8 | 29 | 2 | 3 | 8 | 11 | 16 | 20 | 26 |
| 70-74 | 124 | 8.2 | 25 | 2 | 3 | 7 | 10 | 14 | 16 | 30 |
| 75-79 | 94 | 9.2 | 43 | 2 | 3 | 7 | 11 | 17 | 22 | 34 |
| 80-84 | 46 | 9.2 | 40 | 2 | 3 | 8 | 11 | 19 | 22 | 33 |
| 85+ | 27 | 12.2 | 129 | 2 | 3 | 9 | 15 | 28 | 34 | 54 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 34.0 | 338 | 21 | 21 | 34 | 47 | 47 | 47 | 47 |
| 70-74 | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 75-79 | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 605 | 11.3 | 60 | 3 | 4 | 10 | 14 | 19 | 25 | 45 |
| 70-74 | 556 | 11.8 | 90 | 4 | 4 | 9 | 15 | 21 | 29 | 56 |
| 75-79 | 477 | 13.3 | 107 | 3 | 4 | 11 | 17 | 25 | 34 | 57 |
| 80-84 | 326 | 13.6 | 115 | 4 | 5 | 11 | 17 | 25 | 34 | 74 |
| 85+ | 249 | 14.3 | 112 | 3 | 5 | 12 | 18 | 25 | 31 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 22.6 | 248 | 6 | 7 | 18 | 28 | 44 | 55 | 98 |
| 70-74 | 65 | 26.3 | 262 | 8 | 9 | 21 | 35 | 54 | 61 | 69 |
| 75-79 | 47 | 27.6 | 338 | 7 | 10 | 23 | 39 | 52 | 66 | 99+ |
| 80-84 | 42 | 21.6 | 117 | 9 | 11 | 18 | 28 | 39 | 42 | 50 |
| 85+ | 22 | 30.2 | 488 | 7 | 10 | 25 | 43 | 70 | 77 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 435 | 9.0 | 38 | 2 | 3 | 8 | 11 | 16 | 21 | 33 |
| B. *Operated* | 5 | 21.6 | 281 | 3 | 3 | 21 | 31 | 47 | 47 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2213 | 12.5 | 93 | 3 | 4 | 10 | 15 | 23 | 30 | 54 |
| B. *Operated* | 259 | 24.9 | 270 | 7 | 9 | 20 | 35 | 48 | 61 | 98 |
| **1. SINGLE DX** | 440 | 9.1 | 42 | 2 | 3 | 8 | 11 | 16 | 21 | 33 |
| **2. MULTIPLE DX** | 2472 | 13.8 | 125 | 4 | 4 | 11 | 17 | 27 | 36 | 62 |
| **A. NOT OPERATED** | 2648 | 11.9 | 85 | 3 | 4 | 10 | 15 | 22 | 29 | 52 |
| **B. OPERATED** | 264 | 24.8 | 269 | 7 | 9 | 20 | 35 | 48 | 60 | 97 |
| TOTAL 65-69 YRS | 834 | 12.0 | 88 | 3 | 4 | 10 | 15 | 21 | 29 | 51 |
| 70-74 | 747 | 12.4 | 114 | 3 | 4 | 9 | 15 | 24 | 34 | 62 |
| 75-79 | 619 | 13.8 | 132 | 3 | 4 | 11 | 17 | 29 | 38 | 59 |
| 80-84 | 414 | 13.9 | 115 | 4 | 5 | 11 | 17 | 27 | 36 | 64 |
| 85+ | 298 | 15.2 | 158 | 3 | 5 | 12 | 18 | 28 | 34 | 77 |
| **GRAND TOTAL** | **2912** | **13.1** | **116** | **3** | **4** | **10** | **16** | **28** | **34** | **60** |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 780 | 7.6 | 23 | 3 | 3 | 7 | 9 | 13 | 16 | 23 |
| 70-74 | 612 | 8.1 | 34 | 2 | 3 | 7 | 10 | 14 | 19 | 27 |
| 75-79 | 465 | 8.7 | 30 | 3 | 4 | 7 | 11 | 15 | 18 | 31 |
| 80-84 | 211 | 8.9 | 28 | 2 | 3 | 8 | 11 | 15 | 18 | 26 |
| 85+ | 109 | 9.2 | 48 | 2 | 3 | 7 | 12 | 18 | 25 | 65 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 142 | 7.6 | 87 | 1 | 2 | 3 | 9 | 19 | 28 | 44 |
| 70-74 | 120 | 7.8 | 143 | 2 | 2 | 3 | 8 | 17 | 25 | 71 |
| 75-79 | 78 | 5.2 | 40 | 1 | 2 | 4 | 5 | 12 | 16 | 38 |
| 80-84 | 30 | 8.4 | 89 | 2 | 2 | 5 | 10 | 20 | 23 | 47 |
| 85+ | 11 | 8.6 | 67 | 2 | 2 | 6 | 11 | 22 | 28 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5637 | 9.8 | 50 | 3 | 4 | 8 | 12 | 17 | 22 | 38 |
| 70-74 | 5163 | 10.4 | 61 | 3 | 4 | 9 | 13 | 18 | 24 | 42 |
| 75-79 | 3834 | 10.9 | 64 | 3 | 4 | 9 | 13 | 20 | 25 | 45 |
| 80-84 | 2290 | 11.5 | 78 | 3 | 4 | 9 | 14 | 20 | 27 | 51 |
| 85+ | 1232 | 12.2 | 103 | 3 | 4 | 10 | 14 | 22 | 30 | 84 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2082 | 20.9 | 288 | 3 | 5 | 16 | 28 | 46 | 58 | 99+ |
| 70-74 | 1807 | 21.6 | 291 | 3 | 5 | 17 | 30 | 50 | 68 | 99+ |
| 75-79 | 1241 | 22.9 | 309 | 3 | 5 | 19 | 32 | 52 | 74 | 99+ |
| 80-84 | 686 | 23.8 | 362 | 4 | 6 | 19 | 34 | 55 | 81 | 99+ |
| 85+ | 398 | 22.4 | 285 | 3 | 6 | 18 | 30 | 53 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2177 | 8.2 | 30 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* | 381 | 7.3 | 95 | 2 | 2 | 4 | 8 | 17 | 26 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18156 | 10.6 | 64 | 3 | 4 | 9 | 13 | 19 | 24 | 44 |
| B. *Operated* | 6214 | 21.9 | 302 | 3 | 5 | 17 | 30 | 50 | 67 | 99+ |
| **1. SINGLE DX** | 2558 | 8.0 | 39 | 2 | 3 | 7 | 10 | 14 | 18 | 32 |
| **2. MULTIPLE DX** | 24370 | 13.5 | 149 | 3 | 4 | 10 | 16 | 28 | 40 | 85 |
| **A. NOT OPERATED** | 20333 | 10.4 | 61 | 3 | 4 | 8 | 13 | 18 | 24 | 43 |
| **B. OPERATED** | 6595 | 21.1 | 301 | 3 | 4 | 17 | 29 | 49 | 65 | 99+ |
| TOTAL 65-69 YRS | 8641 | 12.3 | 130 | 3 | 4 | 9 | 14 | 25 | 36 | 67 |
| 70-74 | 7702 | 12.8 | 138 | 3 | 4 | 9 | 15 | 26 | 38 | 82 |
| 75-79 | 5618 | 13.3 | 142 | 3 | 4 | 10 | 16 | 28 | 40 | 86 |
| 80-84 | 3217 | 13.9 | 162 | 3 | 4 | 10 | 17 | 28 | 41 | 90 |
| 85+ | 1750 | 14.3 | 161 | 3 | 4 | 11 | 18 | 30 | 44 | 99+ |
| **GRAND TOTAL** | **26928** | **13.0** | **141** | **3** | **4** | **9** | **15** | **27** | **39** | **79** |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 9.5 | 145 | <1 | <1 | 9 | 18 | 18 | 18 | 18 |
| 70-74 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 75-79 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | 6 | 8.7 | 39 | <1 | <1 | 9 | 12 | 17 | 18 | 18 |
| **1. SINGLE DX** | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | 8 | 8.3 | 29 | <1 | 1 | 7 | 11 | 16 | 18 | 18 |
| **A. NOT OPERATED** | 3 | 6.3 | 1 | 5 | 5 | 7 | 7 | 7 | 7 | 7 |
| **B. OPERATED** | 6 | 8.7 | 39 | <1 | <1 | 9 | 12 | 17 | 18 | 18 |
| TOTAL 65-69 YRS | 3 | 8.0 | 79 | <1 | <1 | 5 | 15 | 18 | 18 | 18 |
| 70-74 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 75-79 | 3 | 8.3 | 5 | 7 | 7 | 7 | 10 | 11 | 11 | 11 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| **GRAND TOTAL** | **9** | **7.9** | **26** | **<1** | **1** | **7** | **11** | **16** | **18** | **18** |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 127 | 5.1 | 21 | 1 | 1 | 4 | 7 | 11 | 13 | 25 |
| 70-74 | 113 | 6.3 | 35 | 1 | 1 | 5 | 7 | 13 | 17 | 31 |
| 75-79 | 82 | 6.4 | 63 | 1 | 1 | 4 | 8 | 12 | 16 | 52 |
| 80-84 | 48 | 6.6 | 22 | 2 | 2 | 5 | 9 | 15 | 17 | 18 |
| 85+ | 56 | 6.6 | 21 | 2 | 2 | 6 | 10 | 13 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 32 | 7.0 | 13 | 2 | 3 | 6 | 8 | 12 | 16 | 18 |
| 70-74 | 27 | 10.0 | 51 | 3 | 4 | 7 | 13 | 19 | 26 | 33 |
| 75-79 | 6 | 6.8 | 49 | 3 | 3 | 4 | 5 | 19 | 21 | 21 |
| 80-84 | 3 | 18.7 | 241 | 6 | 6 | 14 | 30 | 36 | 36 | 36 |
| 85+ | 1 | 51.0 | | 51 | 51 | 51 | 51 | 51 | 51 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1050 | 7.6 | 42 | 1 | 2 | 6 | 9 | 14 | 20 | 36 |
| 70-74 | 1090 | 8.5 | 69 | 2 | 2 | 6 | 10 | 17 | 23 | 44 |
| 75-79 | 1045 | 8.6 | 61 | 2 | 2 | 7 | 11 | 17 | 21 | 36 |
| 80-84 | 727 | 8.8 | 51 | 2 | 3 | 7 | 12 | 17 | 23 | 33 |
| 85+ | 552 | 8.5 | 45 | 2 | 2 | 7 | 11 | 18 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 185 | 16.0 | 219 | 3 | 4 | 11 | 20 | 35 | 45 | 88 |
| 70-74 | 163 | 16.1 | 170 | 4 | 4 | 12 | 22 | 36 | 42 | 83 |
| 75-79 | 106 | 20.5 | 255 | 5 | 6 | 17 | 30 | 44 | 89 | 99+ |
| 80-84 | 65 | 21.1 | 308 | 5 | 5 | 15 | 29 | 47 | 64 | 96 |
| 85+ | 30 | 22.4 | 276 | 3 | 4 | 15 | 31 | 48 | 51 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 426 | 6.0 | 33 | 1 | 1 | 4 | 8 | 13 | 16 | 27 |
| B. *Operated* | 69 | 9.3 | 69 | 3 | 3 | 7 | 11 | 18 | 25 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4464 | 8.4 | 55 | 2 | 2 | 6 | 10 | 17 | 22 | 37 |
| B. *Operated* | 549 | 17.9 | 229 | 4 | 5 | 13 | 24 | 41 | 51 | 99+ |
| **1. SINGLE DX** | 495 | 6.5 | 39 | 1 | 2 | 5 | 8 | 13 | 17 | 32 |
| **2. MULTIPLE DX** | 5013 | 9.4 | 83 | 2 | 2 | 7 | 11 | 19 | 26 | 48 |
| **A. NOT OPERATED** | 4890 | 8.2 | 53 | 2 | 2 | 6 | 10 | 16 | 22 | 36 |
| **B. OPERATED** | 618 | 16.9 | 218 | 4 | 5 | 12 | 23 | 39 | 48 | 99+ |
| TOTAL 65-69 YRS | 1394 | 8.5 | 72 | 1 | 2 | 6 | 10 | 17 | 25 | 45 |
| 70-74 | 1393 | 9.3 | 84 | 2 | 2 | 7 | 11 | 19 | 27 | 47 |
| 75-79 | 1239 | 9.5 | 89 | 2 | 2 | 7 | 11 | 19 | 26 | 51 |
| 80-84 | 843 | 9.7 | 81 | 2 | 3 | 7 | 12 | 20 | 28 | 47 |
| 85+ | 639 | 9.1 | 65 | 2 | 2 | 7 | 11 | 19 | 24 | 46 |
| **GRAND TOTAL** | 5508 | 9.1 | 79 | 2 | 2 | 7 | 11 | 19 | 26 | 47 |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 7.2 | 23 | 1 | 2 | 6 | 9 | 13 | 19 | 20 |
| 70-74 | 20 | 9.8 | 32 | 2 | 3 | 9 | 15 | 18 | 20 | 21 |
| 75-79 | 18 | 6.6 | 22 | 2 | 2 | 6 | 7 | 15 | 17 | 17 |
| 80-84 | 8 | 11.5 | 360 | 2 | 2 | 5 | 8 | 43 | 58 | 58 |
| 85+ | 11 | 9.2 | 13 | 4 | 5 | 8 | 13 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 70-74 | 5 | 12.4 | 284 | <1 | <1 | 7 | 17 | 42 | 42 | 42 |
| 75-79 | 4 | 5.3 | 16 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 80-84 | 3 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 85+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 244 | 13.7 | 117 | 3 | 4 | 10 | 17 | 28 | 36 | 61 |
| 70-74 | 280 | 14.3 | 192 | 4 | 4 | 10 | 17 | 27 | 42 | 83 |
| 75-79 | 341 | 12.9 | 121 | 3 | 4 | 10 | 15 | 25 | 37 | 76 |
| 80-84 | 349 | 12.8 | 120 | 3 | 4 | 10 | 15 | 24 | 34 | 84 |
| 85+ | 391 | 12.7 | 112 | 3 | 4 | 10 | 16 | 24 | 31 | 79 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 60 | 23.7 | 242 | 4 | 7 | 22 | 33 | 47 | 62 | 97 |
| 70-74 | 76 | 22.1 | 252 | 4 | 7 | 19 | 28 | 46 | 71 | 99+ |
| 75-79 | 72 | 24.2 | 387 | 4 | 8 | 18 | 34 | 63 | 90 | 99+ |
| 80-84 | 54 | 21.8 | 374 | 6 | 7 | 16 | 27 | 64 | 89 | 99+ |
| 85+ | 61 | 20.3 | 374 | 3 | 4 | 16 | 26 | 41 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 8.6 | 60 | 2 | 2 | 7 | 10 | 16 | 19 | 51 |
| B. *Operated* | 16 | 7.9 | 91 | <1 | 1 | 6 | 9 | 10 | 32 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1605 | 13.2 | 130 | 3 | 4 | 10 | 16 | 26 | 35 | 77 |
| B. *Operated* | 323 | 22.5 | 321 | 4 | 7 | 18 | 29 | 52 | 76 | 99+ |
| **1. SINGLE DX** | 85 | 8.5 | 65 | 2 | 2 | 7 | 9 | 16 | 19 | 52 |
| **2. MULTIPLE DX** | 1928 | 14.8 | 174 | 3 | 4 | 11 | 18 | 29 | 42 | 98 |
| **A. NOT OPERATED** | 1674 | 13.0 | 128 | 3 | 4 | 10 | 16 | 25 | 34 | 75 |
| **B. OPERATED** | 339 | 21.8 | 320 | 4 | 6 | 17 | 28 | 51 | 74 | 99+ |
| TOTAL 65-69 YRS | 318 | 15.3 | 154 | 3 | 4 | 11 | 21 | 32 | 42 | 73 |
| 70-74 | 381 | 15.6 | 207 | 3 | 4 | 11 | 19 | 31 | 51 | 88 |
| 75-79 | 435 | 14.5 | 180 | 3 | 4 | 11 | 18 | 29 | 43 | 95 |
| 80-84 | 414 | 13.9 | 165 | 3 | 4 | 10 | 16 | 27 | 38 | 99 |
| 85+ | 465 | 13.6 | 150 | 3 | 4 | 11 | 17 | 26 | 35 | 97 |
| **GRAND TOTAL** | 2013 | 14.5 | 171 | 3 | 4 | 11 | 18 | 29 | 42 | 95 |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 8.6 | 35 | 2 | 3 | 7 | 11 | 17 | 19 | 29 |
| 70-74 | 40 | 9.3 | 57 | 1 | 3 | 7 | 11 | 17 | 24 | 41 |
| 75-79 | 24 | 9.7 | 36 | 2 | 3 | 8 | 12 | 19 | 23 | 26 |
| 80-84 | 17 | 9.2 | 18 | 3 | 3 | 11 | 12 | 15 | 16 | 17 |
| 85+ | 9 | 8.2 | 39 | 2 | 3 | 6 | 9 | 19 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 10.2 | 86 | 2 | 2 | 7 | 11 | 22 | 35 | 40 |
| 70-74 | 10 | 10.5 | 40 | 3 | 4 | 9 | 16 | 20 | 22 | 22 |
| 75-79 | 3 | 26.7 | 1752 | 2 | 2 | 3 | 57 | 75 | 75 | 75 |
| 80-84 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 85+ | 3 | 14.7 | 376 | 2 | 2 | 5 | 29 | 37 | 37 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 3 | 8.0 | 9 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 9.0 | 39 | 2 | 3 | 7 | 11 | 17 | 21 | 30 |
| B. *Operated* | 44 | 11.9 | 179 | 2 | 2 | 8 | 15 | 24 | 38 | 75 |
| **1. SINGLE DX** | 5 | 5.6 | 16 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | 201 | 9.6 | 70 | 2 | 3 | 7 | 12 | 18 | 23 | 40 |
| **A. NOT OPERATED** | 159 | 8.9 | 39 | 2 | 3 | 7 | 11 | 17 | 21 | 30 |
| **B. OPERATED** | 47 | 11.7 | 169 | 2 | 2 | 8 | 13 | 23 | 37 | 75 |
| TOTAL 65-69 YRS | 96 | 9.0 | 49 | 2 | 2 | 7 | 11 | 18 | 22 | 37 |
| 70-74 | 52 | 9.4 | 53 | 1 | 3 | 7 | 12 | 19 | 22 | 41 |
| 75-79 | 27 | 11.6 | 196 | 2 | 2 | 8 | 12 | 21 | 33 | 75 |
| 80-84 | 18 | 9.8 | 24 | 3 | 3 | 11 | 12 | 16 | 19 | 20 |
| 85+ | 13 | 9.7 | 97 | 2 | 2 | 6 | 10 | 25 | 35 | 37 |
| **GRAND TOTAL** | **206** | **9.5** | **69** | **2** | **3** | **7** | **11** | **18** | **22** | **40** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 6.1 | 21 | 1 | 1 | 5 | 8 | 13 | 14 | 21 |
| 70-74 | 40 | 5.1 | 25 | <1 | <1 | 4 | 6 | 11 | 14 | 27 |
| 75-79 | 29 | 4.9 | 10 | <1 | <1 | 4 | 7 | 10 | 10 | 11 |
| 80-84 | 36 | 5.7 | 37 | <1 | <1 | 4 | 7 | 11 | 23 | 27 |
| 85+ | 19 | 7.1 | 68 | 1 | 1 | 6 | 8 | 12 | 27 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 60 | 7.3 | 52 | 1 | 1 | 6 | 10 | 15 | 20 | 37 |
| 70-74 | 43 | 7.3 | 50 | 1 | 2 | 5 | 10 | 15 | 18 | 40 |
| 75-79 | 30 | 10.5 | 141 | 1 | 2 | 6 | 11 | 27 | 43 | 47 |
| 80-84 | 10 | 4.4 | 14 | 1 | 1 | 3 | 5 | 11 | 12 | 12 |
| 85+ | 5 | 5.4 | 29 | 2 | 2 | 3 | 7 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 307 | 9.8 | 72 | 2 | 3 | 8 | 12 | 19 | 26 | 48 |
| 70-74 | 291 | 9.5 | 50 | 2 | 3 | 8 | 12 | 19 | 24 | 38 |
| 75-79 | 224 | 8.6 | 44 | 2 | 3 | 7 | 11 | 17 | 21 | 31 |
| 80-84 | 175 | 10.0 | 114 | 2 | 3 | 7 | 12 | 18 | 25 | 70 |
| 85+ | 149 | 9.6 | 62 | 2 | 3 | 8 | 12 | 18 | 26 | 53 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 184 | 13.2 | 142 | 2 | 3 | 10 | 17 | 28 | 34 | 72 |
| 70-74 | 146 | 13.5 | 122 | 2 | 2 | 10 | 20 | 30 | 39 | 56 |
| 75-79 | 104 | 14.1 | 152 | 2 | 3 | 10 | 19 | 34 | 40 | 86 |
| 80-84 | 68 | 15.4 | 182 | 3 | 4 | 11 | 20 | 30 | 41 | 68 |
| 85+ | 36 | 16.2 | 126 | 3 | 6 | 13 | 22 | 36 | 38 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 5.7 | 29 | <1 | 1 | 4 | 7 | 11 | 14 | 27 |
| B. *Operated* | 148 | 7.7 | 67 | 1 | 1 | 5 | 10 | 16 | 23 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 9.5 | 66 | 2 | 3 | 8 | 12 | 18 | 24 | 46 |
| B. *Operated* | 538 | 13.9 | 142 | 2 | 3 | 10 | 19 | 30 | 38 | 70 |
| **1. SINGLE DX** | 308 | 6.6 | 48 | <1 | 1 | 5 | 8 | 13 | 20 | 39 |
| **2. MULTIPLE DX** | 1684 | 10.9 | 95 | 2 | 3 | 8 | 14 | 22 | 30 | 53 |
| **A. NOT OPERATED** | 1306 | 9.0 | 63 | 2 | 3 | 7 | 11 | 18 | 24 | 43 |
| **B. OPERATED** | 686 | 12.6 | 132 | 2 | 2 | 9 | 17 | 29 | 37 | 66 |
| TOTAL 65-69 YRS | 587 | 10.4 | 93 | 2 | 2 | 8 | 13 | 22 | 29 | 56 |
| 70-74 | 520 | 10.1 | 74 | 2 | 2 | 8 | 13 | 21 | 27 | 44 |
| 75-79 | 387 | 10.0 | 85 | 2 | 3 | 7 | 12 | 21 | 29 | 47 |
| 80-84 | 289 | 10.6 | 126 | 1 | 2 | 7 | 13 | 22 | 29 | 66 |
| 85+ | 209 | 10.4 | 80 | 2 | 3 | 8 | 13 | 22 | 32 | 49 |
| **GRAND TOTAL** | **1992** | **10.3** | **90** | **2** | **2** | **8** | **13** | **21** | **29** | **50** |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 76 | 5.5 | 19 | 1 | 2 | 5 | 7 | 9 | 12 | 27 |
| 70-74 | 83 | 6.0 | 16 | 2 | 2 | 5 | 8 | 11 | 12 | 23 |
| 75-79 | 41 | 4.8 | 9 | 1 | 2 | 4 | 5 | 10 | 12 | 14 |
| 80-84 | 37 | 5.5 | 12 | 2 | 2 | 4 | 7 | 11 | 13 | 17 |
| 85+ | 21 | 5.8 | 9 | 2 | 3 | 5 | 7 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 5.1 | 15 | <1 | 1 | 4 | 7 | 9 | 14 | 17 |
| 70-74 | 14 | 6.1 | 24 | 1 | 2 | 5 | 9 | 12 | 17 | 19 |
| 75-79 | 6 | 4.2 | 21 | <1 | <1 | 2 | 5 | 12 | 13 | 13 |
| 80-84 | 6 | 7.7 | 23 | 3 | 3 | 6 | 13 | 14 | 14 | 14 |
| 85+ | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 338 | 7.7 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 26 |
| 70-74 | 381 | 7.6 | 36 | 2 | 3 | 6 | 9 | 14 | 20 | 30 |
| 75-79 | 309 | 8.2 | 47 | 2 | 3 | 7 | 10 | 13 | 18 | 40 |
| 80-84 | 229 | 8.6 | 54 | 2 | 3 | 7 | 11 | 15 | 22 | 35 |
| 85+ | 150 | 9.5 | 54 | 2 | 3 | 8 | 12 | 18 | 24 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 61 | 10.6 | 75 | 2 | 3 | 9 | 15 | 22 | 41 | 99+ |
| 70-74 | 65 | 13.8 | 133 | 2 | 3 | 11 | 17 | 29 | 34 | 65 |
| 75-79 | 42 | 12.5 | 89 | 2 | 3 | 10 | 16 | 27 | 32 | 43 |
| 80-84 | 40 | 17.5 | 218 | 4 | 6 | 13 | 19 | 37 | 51 | 74 |
| 85+ | 16 | 11.3 | 78 | 4 | 4 | 9 | 11 | 23 | 34 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 5.6 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 46 | 5.5 | 19 | 1 | 2 | 4 | 7 | 13 | 15 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1407 | 8.1 | 41 | 2 | 3 | 7 | 10 | 14 | 20 | 37 |
| B. *Operated* | 224 | 13.2 | 124 | 2 | 3 | 10 | 17 | 28 | 39 | 80 |
| **1. SINGLE DX** | 304 | 5.6 | 15 | 1 | 2 | 4 | 7 | 11 | 12 | 19 |
| **2. MULTIPLE DX** | 1631 | 8.8 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| **A. NOT OPERATED** | 1665 | 7.7 | 38 | 2 | 3 | 6 | 10 | 14 | 18 | 35 |
| **B. OPERATED** | 270 | 11.9 | 114 | 2 | 3 | 9 | 16 | 24 | 34 | 73 |
| TOTAL 65-69 YRS | 493 | 7.7 | 34 | 2 | 3 | 6 | 10 | 15 | 20 | 36 |
| 70-74 | 543 | 8.1 | 49 | 2 | 3 | 6 | 10 | 15 | 22 | 35 |
| 75-79 | 398 | 8.2 | 50 | 2 | 3 | 7 | 10 | 14 | 20 | 40 |
| 80-84 | 312 | 9.4 | 79 | 2 | 3 | 7 | 11 | 17 | 25 | 49 |
| 85+ | 189 | 9.2 | 52 | 2 | 3 | 7 | 11 | 17 | 24 | 43 |
| **GRAND TOTAL** | **1935** | **8.3** | **51** | **2** | **3** | **7** | **10** | **16** | **21** | **40** |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 5.4 | 23 | 1 | 1 | 4 | 7 | 10 | 11 | 31 |
| 70-74 | 118 | 6.7 | 38 | 1 | 2 | 5 | 8 | 14 | 18 | 34 |
| 75-79 | 136 | 6.4 | 38 | 1 | 2 | 5 | 7 | 12 | 15 | 35 |
| 80-84 | 124 | 8.0 | 44 | 2 | 2 | 7 | 10 | 15 | 18 | 62 |
| 85+ | 171 | 8.3 | 63 | 2 | 3 | 7 | 10 | 16 | 20 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 15.3 | 171 | 3 | 3 | 13 | 25 | 32 | 32 | 32 |
| 70-74 | 5 | 17.0 | 57 | 8 | 8 | 15 | 23 | 27 | 27 | 27 |
| 75-79 | 2 | 16.5 | 61 | 11 | 11 | 16 | 22 | 22 | 22 | 22 |
| 80-84 | 3 | 21.7 | 152 | 8 | 8 | 28 | 66 | 99+ | 99+ | 99+ |
| 85+ | 2 | 16.0 | 32 | 12 | 12 | 16 | 20 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2176 | 8.8 | 64 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| 70-74 | 2777 | 9.4 | 67 | 2 | 3 | 7 | 12 | 18 | 24 | 47 |
| 75-79 | 3268 | 10.2 | 78 | 3 | 3 | 8 | 13 | 19 | 26 | 49 |
| 80-84 | 3328 | 10.8 | 85 | 3 | 4 | 8 | 13 | 20 | 28 | 56 |
| 85+ | 4197 | 11.4 | 91 | 3 | 4 | 9 | 14 | 22 | 29 | 72 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 253 | 16.5 | 187 | 2 | 4 | 13 | 22 | 33 | 42 | 67 |
| 70-74 | 280 | 19.1 | 184 | 4 | 6 | 16 | 26 | 38 | 52 | 99+ |
| 75-79 | 278 | 22.4 | 298 | 5 | 7 | 18 | 31 | 42 | 64 | 95 |
| 80-84 | 260 | 22.1 | 236 | 6 | 8 | 19 | 29 | 44 | 60 | 99+ |
| 85+ | 260 | 23.7 | 303 | 7 | 8 | 18 | 31 | 51 | 75 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 666 | 7.1 | 44 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| B. *Operated* | 16 | 17.3 | 81 | 4 | 7 | 19 | 25 | 32 | 76 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15746 | 10.3 | 80 | 3 | 3 | 8 | 13 | 20 | 27 | 52 |
| B. *Operated* | 1331 | 20.8 | 248 | 4 | 6 | 17 | 27 | 42 | 59 | 99+ |
| **1. SINGLE DX** | 682 | 7.3 | 47 | 1 | 2 | 5 | 9 | 14 | 20 | 45 |
| **2. MULTIPLE DX** | 17077 | 11.1 | 101 | 3 | 3 | 8 | 14 | 22 | 30 | 62 |
| **A. NOT OPERATED** | 16412 | 10.2 | 79 | 2 | 3 | 8 | 13 | 19 | 27 | 52 |
| **B. OPERATED** | 1347 | 20.7 | 246 | 4 | 6 | 17 | 27 | 42 | 59 | 99+ |
| TOTAL 65-69 YRS | 2550 | 9.4 | 80 | 2 | 3 | 7 | 11 | 19 | 26 | 44 |
| 70-74 | 3180 | 10.2 | 84 | 2 | 3 | 7 | 13 | 20 | 28 | 51 |
| 75-79 | 3684 | 11.0 | 104 | 2 | 3 | 8 | 13 | 21 | 30 | 60 |
| 80-84 | 3715 | 11.5 | 103 | 3 | 4 | 9 | 14 | 22 | 31 | 63 |
| 85+ | 4630 | 11.9 | 110 | 3 | 4 | 9 | 15 | 23 | 32 | 77 |
| **GRAND TOTAL** | **17759** | **11.0** | **99** | **2** | **3** | **8** | **13** | **21** | **30** | **62** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 91 | 5.2 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| 70-74 | 115 | 5.5 | 10 | 1 | 1 | 5 | 7 | 10 | 11 | 15 |
| 75-79 | 116 | 5.4 | 15 | 1 | 1 | 5 | 7 | 10 | 14 | 19 |
| 80-84 | 112 | 5.8 | 16 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| 85+ | 105 | 5.2 | 11 | 1 | 1 | 5 | 7 | 9 | 12 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 8.8 | 35 | 3 | 4 | 7 | 10 | 17 | 22 | 29 |
| 70-74 | 37 | 7.7 | 19 | 2 | 2 | 7 | 11 | 14 | 16 | 18 |
| 75-79 | 32 | 8.8 | 28 | 3 | 3 | 8 | 12 | 16 | 16 | 25 |
| 80-84 | 24 | 8.3 | 25 | 2 | 3 | 7 | 10 | 15 | 21 | 22 |
| 85+ | 20 | 9.8 | 40 | 3 | 4 | 7 | 14 | 20 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 819 | 7.6 | 31 | 2 | 2 | 7 | 9 | 14 | 16 | 26 |
| 70-74 | 1074 | 7.7 | 30 | 2 | 3 | 7 | 10 | 14 | 18 | 29 |
| 75-79 | 1201 | 8.3 | 49 | 2 | 3 | 7 | 10 | 16 | 19 | 33 |
| 80-84 | 1213 | 8.5 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 34 |
| 85+ | 1328 | 8.6 | 61 | 2 | 2 | 7 | 11 | 16 | 21 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 391 | 11.4 | 53 | 4 | 5 | 10 | 14 | 19 | 24 | 40 |
| 70-74 | 430 | 11.5 | 52 | 3 | 5 | 10 | 15 | 21 | 27 | 41 |
| 75-79 | 495 | 12.6 | 83 | 4 | 5 | 10 | 15 | 21 | 31 | 48 |
| 80-84 | 421 | 13.9 | 111 | 4 | 5 | 11 | 17 | 24 | 31 | 50 |
| 85+ | 372 | 14.9 | 160 | 5 | 6 | 12 | 17 | 29 | 38 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 539 | 5.4 | 12 | 1 | 1 | 5 | 7 | 10 | 12 | 16 |
| B. *Operated* | 143 | 8.6 | 28 | 2 | 3 | 7 | 11 | 16 | 20 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5635 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| B. *Operated* | 2109 | 12.8 | 92 | 4 | 5 | 10 | 15 | 22 | 30 | 50 |
| **1. SINGLE DX** | 682 | 6.1 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 7744 | 9.5 | 61 | 2 | 3 | 8 | 12 | 17 | 22 | 41 |
| **A. NOT OPERATED** | 6174 | 8.0 | 42 | 2 | 2 | 7 | 10 | 15 | 19 | 32 |
| **B. OPERATED** | 2252 | 12.6 | 89 | 4 | 5 | 10 | 15 | 22 | 29 | 49 |
| TOTAL 65-69 YRS | 1331 | 8.6 | 39 | 2 | 3 | 7 | 11 | 15 | 20 | 29 |
| 70-74 | 1656 | 8.5 | 37 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 75-79 | 1844 | 9.3 | 60 | 2 | 3 | 7 | 12 | 17 | 22 | 42 |
| 80-84 | 1770 | 9.6 | 62 | 2 | 3 | 8 | 12 | 18 | 23 | 39 |
| 85+ | 1825 | 9.7 | 86 | 2 | 3 | 7 | 12 | 18 | 24 | 54 |
| **GRAND TOTAL** | **8426** | **9.2** | **59** | **2** | **3** | **7** | **11** | **17** | **22** | **40** |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 5.0 | 6 | 3 | 3 | 4 | 7 | 8 | 8 | 8 |
| 70-74 | | | | | | | | | | |
| 75-79 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 13.3 | 58 | 5 | 6 | 10 | 18 | 25 | 27 | 27 |
| 70-74 | 4 | 8.3 | 11 | 5 | 5 | 8 | 11 | 12 | 12 | 12 |
| 75-79 | 5 | 8.8 | 44 | 3 | 3 | 7 | 12 | 20 | 20 | 20 |
| 80-84 | | | | | | | | | | |
| 85+ | 4 | 17.8 | 377 | 5 | 5 | 10 | 30 | 46 | 46 | 46 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 11.3 | 75 | 4 | 4 | 8 | 13 | 26 | 28 | 28 |
| 70-74 | 2 | 29.5 | 1 | 29 | 29 | 29 | 30 | 30 | 30 | 30 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.3 | 4 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 12.1 | 102 | 4 | 5 | 9 | 15 | 23 | 36 | 46 |
| B. *Operated* | 8 | 15.9 | 125 | 4 | 5 | 11 | 28 | 30 | 30 | 30 |
| **1. SINGLE DX** | 10 | 5.3 | 4 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | 28 | 13.1 | 107 | 4 | 5 | 9 | 17 | 29 | 32 | 46 |
| **A. NOT OPERATED** | 28 | 10.1 | 83 | 3 | 3 | 7 | 11 | 20 | 29 | 46 |
| **B. OPERATED** | 10 | 13.8 | 117 | 4 | 4 | 8 | 28 | 29 | 30 | 30 |
| TOTAL 65-69 YRS | 18 | 10.3 | 56 | 3 | 3 | 8 | 13 | 25 | 28 | 28 |
| 70-74 | 7 | 14.1 | 116 | 5 | 5 | 10 | 25 | 30 | 30 | 30 |
| 75-79 | 7 | 7.7 | 33 | 3 | 3 | 6 | 8 | 18 | 20 | 20 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 5 | 15.6 | 306 | 5 | 5 | 7 | 23 | 46 | 46 | 46 |
| **GRAND TOTAL** | 38 | 11.1 | 91 | 3 | 4 | 7 | 13 | 28 | 30 | 46 |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 314 | 4.3 | 38 | <1 | 1 | 2 | 6 | 9 | 12 | 26 |
| 70-74 | 352 | 3.5 | 14 | <1 | 1 | 2 | 5 | 8 | 10 | 19 |
| 75-79 | 365 | 4.5 | 22 | <1 | 1 | 3 | 6 | 10 | 12 | 26 |
| 80-84 | 406 | 4.1 | 24 | 1 | 1 | 2 | 5 | 9 | 12 | 17 |
| 85+ | 355 | 4.7 | 27 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 88 | 11.0 | 103 | 3 | 3 | 8 | 13 | 20 | 25 | 62 |
| 70-74 | 114 | 9.1 | 42 | 2 | 2 | 8 | 13 | 17 | 20 | 35 |
| 75-79 | 117 | 8.5 | 32 | 2 | 3 | 7 | 11 | 16 | 20 | 27 |
| 80-84 | 95 | 10.6 | 79 | 2 | 3 | 8 | 12 | 18 | 26 | 55 |
| 85+ | 75 | 9.9 | 54 | 2 | 3 | 8 | 13 | 19 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1509 | 6.6 | 50 | 1 | 1 | 5 | 9 | 14 | 18 | 35 |
| 70-74 | 1867 | 7.1 | 54 | 1 | 1 | 5 | 9 | 15 | 19 | 35 |
| 75-79 | 2126 | 7.7 | 60 | 1 | 1 | 5 | 10 | 17 | 22 | 39 |
| 80-84 | 1962 | 8.4 | 79 | 1 | 2 | 6 | 11 | 17 | 22 | 52 |
| 85+ | 2175 | 8.4 | 66 | 1 | 2 | 6 | 11 | 17 | 23 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 641 | 13.3 | 92 | 3 | 4 | 11 | 17 | 25 | 32 | 66 |
| 70-74 | 791 | 13.3 | 116 | 3 | 4 | 11 | 16 | 24 | 33 | 64 |
| 75-79 | 885 | 14.0 | 115 | 3 | 4 | 11 | 18 | 26 | 35 | 60 |
| 80-84 | 721 | 14.3 | 126 | 3 | 4 | 11 | 18 | 28 | 35 | 64 |
| 85+ | 609 | 15.6 | 160 | 3 | 5 | 12 | 19 | 31 | 40 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1792 | 4.2 | 25 | <1 | 1 | 3 | 6 | 9 | 12 | 22 |
| B. *Operated* | 489 | 9.7 | 60 | 2 | 3 | 8 | 12 | 17 | 23 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9639 | 7.7 | 63 | 1 | 1 | 6 | 10 | 16 | 21 | 40 |
| B. *Operated* | 3647 | 14.0 | 121 | 3 | 4 | 11 | 18 | 27 | 35 | 63 |
| **1. SINGLE DX** | 2281 | 5.4 | 37 | <1 | 1 | 3 | 7 | 12 | 16 | 28 |
| **2. MULTIPLE DX** | 13286 | 9.4 | 87 | 1 | 2 | 7 | 12 | 20 | 26 | 49 |
| **A. NOT OPERATED** | 11431 | 7.2 | 58 | 1 | 1 | 5 | 9 | 15 | 20 | 38 |
| **B. OPERATED** | 4136 | 13.5 | 116 | 3 | 4 | 11 | 17 | 25 | 34 | 62 |
| TOTAL 65-69 YRS | 2552 | 8.1 | 71 | 1 | 1 | 6 | 11 | 17 | 23 | 45 |
| 70-74 | 3124 | 8.3 | 74 | 1 | 1 | 6 | 11 | 17 | 23 | 41 |
| 75-79 | 3493 | 9.0 | 79 | 1 | 2 | 6 | 12 | 19 | 26 | 45 |
| 80-84 | 3184 | 9.2 | 92 | 1 | 2 | 7 | 12 | 19 | 26 | 55 |
| 85+ | 3214 | 9.4 | 90 | 1 | 2 | 7 | 12 | 19 | 27 | 52 |
| **GRAND TOTAL** | 15567 | 8.9 | 82 | 1 | 1 | 6 | 12 | 19 | 25 | 48 |

## 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 80-84 | 3 | 11.3 | 136 | <1 | <1 | 9 | 20 | 24 | 24 | 24 |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 | 1 | 29.0 |  | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 70-74 | 5 | 5.2 | 10 | 2 | 2 | 4 | 8 | 9 | 9 | 9 |
| 75-79 | 1 | 8.0 |  | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | 5 | 12.2 | 39 | 5 | 5 | 11 | 18 | 20 | 20 | 20 |
| 85+ | 1 | 25.0 |  | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 1 | 7.0 |  | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 70-74 | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 5 | 9.0 | 85 | <1 | <1 | 9 | 13 | 24 | 24 | 24 |
| B. *Operated* | 1 | 29.0 |  | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 14 | 9.1 | 49 | 2 | 3 | 8 | 11 | 20 | 24 | 25 |
| B. *Operated* | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| **1. SINGLE DX** | 6 | 12.3 | 134 | <1 | <1 | 9 | 24 | 28 | 29 | 29 |
| **2. MULTIPLE DX** | 16 | 8.9 | 43 | 2 | 3 | 8 | 10 | 20 | 23 | 25 |
| **A. NOT OPERATED** | 19 | 9.1 | 54 | 1 | 2 | 8 | 11 | 22 | 25 | 25 |
| **B. OPERATED** | 3 | 15.0 | 148 | 7 | 7 | 9 | 24 | 29 | 29 | 29 |
| TOTAL 65-69 YRS | 3 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 70-74 | 8 | 8.3 | 79 | 2 | 2 | 6 | 9 | 23 | 29 | 29 |
| 75-79 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 80-84 | 8 | 11.9 | 61 | <1 | 1 | 10 | 18 | 23 | 24 | 24 |
| 85+ | 1 | 25.0 |  | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| **GRAND TOTAL** | **22** | **9.9** | **65** | **1** | **2** | **8** | **11** | **24** | **27** | **29** |

## 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 93 | 4.8 | 30 | <1 | <1 | 3 | 7 | 12 | 13 | 31 |
| 70-74 | 86 | 5.2 | 31 | <1 | <1 | 3 | 8 | 12 | 15 | 29 |
| 75-79 | 85 | 4.8 | 17 | 1 | 1 | 4 | 7 | 10 | 14 | 18 |
| 80-84 | 40 | 6.6 | 45 | <1 | <1 | 4 | 9 | 17 | 21 | 26 |
| 85+ | 33 | 6.8 | 49 | 1 | 1 | 5 | 9 | 15 | 25 | 30 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 81 | 9.6 | 59 | 2 | 3 | 8 | 12 | 17 | 21 | 42 |
| 70-74 | 68 | 9.4 | 34 | 2 | 3 | 8 | 12 | 17 | 21 | 28 |
| 75-79 | 54 | 8.4 | 46 | 2 | 2 | 7 | 11 | 20 | 25 | 30 |
| 80-84 | 31 | 11.8 | 69 | 1 | 2 | 11 | 16 | 24 | 30 | 33 |
| 85+ | 26 | 10.0 | 24 | 4 | 5 | 9 | 12 | 16 | 20 | 24 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 523 | 7.8 | 47 | 1 | 1 | 6 | 10 | 15 | 22 | 39 |
| 70-74 | 506 | 8.4 | 59 | 1 | 2 | 6 | 11 | 18 | 24 | 38 |
| 75-79 | 522 | 8.2 | 62 | 1 | 2 | 6 | 11 | 17 | 23 | 40 |
| 80-84 | 335 | 9.2 | 85 | 1 | 2 | 6 | 12 | 20 | 30 | 46 |
| 85+ | 267 | 10.3 | 129 | 2 | 2 | 8 | 13 | 18 | 29 | 58 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 393 | 13.7 | 132 | 3 | 4 | 10 | 18 | 28 | 39 | 53 |
| 70-74 | 382 | 14.1 | 154 | 3 | 4 | 10 | 18 | 30 | 41 | 99 |
| 75-79 | 355 | 15.5 | 163 | 3 | 4 | 12 | 20 | 29 | 42 | 66 |
| 80-84 | 221 | 15.7 | 172 | 4 | 5 | 12 | 19 | 31 | 43 | 76 |
| 85+ | 136 | 16.1 | 176 | 3 | 4 | 12 | 20 | 35 | 45 | 64 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 337 | 5.3 | 31 | <1 | <1 | 3 | 7 | 12 | 16 | 27 |
| B. *Operated* | 260 | 9.6 | 48 | 2 | 2 | 8 | 12 | 19 | 23 | 36 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2153 | 8.6 | 70 | 1 | 2 | 6 | 11 | 18 | 23 | 42 |
| B. *Operated* | 1487 | 14.8 | 155 | 3 | 4 | 11 | 18 | 30 | 41 | 69 |
| **1. SINGLE DX** | 597 | 7.2 | 43 | <1 | 1 | 6 | 10 | 15 | 20 | 32 |
| **2. MULTIPLE DX** | 3640 | 11.1 | 114 | 1 | 2 | 8 | 14 | 23 | 32 | 57 |
| **A. NOT OPERATED** | 2490 | 8.1 | 66 | 1 | 1 | 6 | 10 | 17 | 22 | 41 |
| **B. OPERATED** | 1747 | 14.0 | 143 | 3 | 4 | 10 | 18 | 28 | 40 | 67 |
| TOTAL 65-69 YRS | 1090 | 9.8 | 87 | 1 | 2 | 7 | 12 | 20 | 27 | 46 |
| 70-74 | 1042 | 10.3 | 99 | 1 | 2 | 8 | 13 | 22 | 31 | 60 |
| 75-79 | 1016 | 10.5 | 107 | 1 | 2 | 8 | 13 | 22 | 29 | 51 |
| 80-84 | 627 | 11.5 | 123 | 1 | 2 | 8 | 15 | 24 | 33 | 63 |
| 85+ | 462 | 11.7 | 139 | 2 | 2 | 8 | 14 | 23 | 36 | 63 |
| **GRAND TOTAL** | **4237** | **10.5** | **106** | **1** | **2** | **8** | **13** | **22** | **31** | **53** |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 70-74 | 5 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 4 | 7.0 | 29 | 1 | 1 | 7 | 11 | 12 | 12 | 12 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 6.6 | 19 | 1 | 2 | 7 | 8 | 12 | 16 | 16 |
| 70-74 | 5 | 5.8 | 33 | 2 | 2 | 4 | 7 | 16 | 16 | 16 |
| 75-79 | 5 | 4.8 | 6 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| 80-84 | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 85+ | 5 | 6.2 | 16 | 2 | 2 | 6 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | 4 | 7.8 | 38 | 4 | 4 | 5 | 11 | 17 | 17 | 17 |
| 75-79 | 2 | 35.0 | 1458 | 8 | 8 | 35 | 62 | 62 | 62 | 62 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 3.3 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| B. *Operated* | 4 | 7.0 | 29 | 1 | 1 | 7 | 11 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 6.0 | 16 | 1 | 2 | 6 | 8 | 11 | 16 | 16 |
| B. *Operated* | 8 | 13.8 | 399 | 4 | 4 | 5 | 12 | 48 | 62 | 62 |
| **1. SINGLE DX** | 14 | 4.4 | 11 | 1 | 1 | 3 | 5 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | 35 | 7.8 | 105 | 1 | 2 | 5 | 8 | 16 | 17 | 62 |
| **A. NOT OPERATED** | 37 | 5.3 | 13 | 1 | 2 | 4 | 7 | 9 | 14 | 16 |
| **B. OPERATED** | 12 | 11.5 | 273 | 1 | 3 | 5 | 11 | 30 | 57 | 62 |
| TOTAL 65-69 YRS | 15 | 5.5 | 16 | 1 | 1 | 5 | 8 | 9 | 14 | 16 |
| 70-74 | 18 | 5.9 | 23 | 1 | 2 | 4 | 6 | 15 | 17 | 17 |
| 75-79 | 7 | 13.4 | 464 | 1 | 2 | 7 | 8 | 51 | 62 | 62 |
| 80-84 | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 85+ | 6 | 5.8 | 14 | 2 | 2 | 5 | 8 | 12 | 12 | 12 |
| **GRAND TOTAL** | **49** | **6.8** | **80** | **1** | **2** | **5** | **8** | **12** | **16** | **62** |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 5.3 | 7 | 3 | 3 | 4 | 7 | 9 | 9 | 9 |
| 70-74 | 4 | 5.0 | 7 | <1 | <1 | 6 | 7 | 7 | 7 | 7 |
| 75-79 | 7 | 4.3 | 9 | <1 | <1 | 3 | 6 | 9 | 10 | 10 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 4.5 | 26 | 1 | 2 | 3 | 5 | 11 | 13 | 26 |
| 70-74 | 15 | 5.0 | 67 | <1 | 1 | 2 | 5 | 6 | 27 | 34 |
| 75-79 | 15 | 3.3 | 5 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 80-84 | 5 | 6.4 | 26 | 1 | 1 | 6 | 11 | 13 | 13 | 13 |
| 85+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 6.4 | 24 | 1 | 1 | 4 | 10 | 13 | 16 | 17 |
| 70-74 | 14 | 6.4 | 44 | <1 | 1 | 5 | 6 | 19 | 23 | 24 |
| 75-79 | 5 | 4.8 | 7 | 3 | 3 | 3 | 7 | 9 | 9 | 9 |
| 80-84 | 4 | 8.5 | 34 | 3 | 3 | 7 | 13 | 16 | 16 | 16 |
| 85+ | 3 | 9.7 | 1 | 9 | 9 | 9 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 6.6 | 15 | 2 | 2 | 6 | 9 | 10 | 14 | 19 |
| 70-74 | 26 | 7.0 | 34 | 1 | 2 | 5 | 9 | 19 | 20 | 20 |
| 75-79 | 31 | 9.2 | 71 | 1 | 2 | 6 | 11 | 22 | 29 | 37 |
| 80-84 | 8 | 10.8 | 85 | 1 | 1 | 7 | 17 | 25 | 28 | 28 |
| 85+ | 5 | 7.8 | 34 | 3 | 3 | 4 | 13 | 16 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 4.8 | 7 | <1 | 1 | 5 | 6 | 9 | 10 | 10 |
| B. *Operated* | 66 | 4.5 | 30 | 1 | 1 | 3 | 5 | 10 | 13 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.7 | 28 | 1 | 1 | 5 | 9 | 14 | 18 | 24 |
| B. *Operated* | 104 | 7.8 | 43 | 1 | 2 | 6 | 9 | 17 | 20 | 33 |
| **1. SINGLE DX** | 83 | 4.6 | 25 | 1 | 1 | 3 | 5 | 9 | 12 | 31 |
| **2. MULTIPLE DX** | 143 | 7.5 | 39 | 1 | 2 | 6 | 9 | 17 | 20 | 30 |
| **A. NOT OPERATED** | 56 | 6.1 | 22 | <1 | 1 | 5 | 8 | 11 | 17 | 24 |
| **B. OPERATED** | 170 | 6.6 | 40 | 1 | 2 | 5 | 9 | 14 | 20 | 33 |
| TOTAL 65-69 YRS | 81 | 5.7 | 20 | 1 | 2 | 4 | 8 | 11 | 14 | 24 |
| 70-74 | 59 | 6.2 | 42 | <1 | 1 | 5 | 6 | 17 | 20 | 33 |
| 75-79 | 58 | 6.7 | 48 | 1 | 1 | 5 | 9 | 13 | 22 | 36 |
| 80-84 | 18 | 8.6 | 52 | 1 | 1 | 7 | 13 | 17 | 24 | 28 |
| 85+ | 10 | 8.4 | 16 | 3 | 3 | 8 | 11 | 14 | 16 | 16 |
| **GRAND TOTAL** | **226** | **6.4** | **36** | **1** | **2** | **5** | **9** | **13** | **19** | **30** |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 11.7 | 104 | <1 | 2 | 8 | 23 | 30 | 66 | 99+ |
| 70-74 | 20 | 18.2 | 488 | 2 | 3 | 11 | 18 | 48 | 77 | 91 |
| 75-79 | 16 | 12.3 | 140 | 2 | 3 | 7 | 16 | 37 | 39 | 39 |
| 80-84 | 14 | 14.1 | 283 | 1 | 2 | 10 | 20 | 28 | 57 | 65 |
| 85+ | 11 | 10.0 | 59 | <1 | 3 | 6 | 15 | 21 | 27 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 11.8 | 111 | 2 | 2 | 9 | 16 | 27 | 31 | 50 |
| 70-74 | 92 | 10.9 | 107 | 2 | 3 | 8 | 14 | 25 | 30 | 88 |
| 75-79 | 93 | 14.0 | 181 | 2 | 3 | 10 | 18 | 24 | 48 | 69 |
| 80-84 | 64 | 12.5 | 164 | 3 | 3 | 9 | 15 | 24 | 37 | 79 |
| 85+ | 62 | 8.3 | 51 | 1 | 2 | 7 | 10 | 18 | 19 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 15.1 | 36 | 9 | 9 | 13 | 20 | 24 | 25 | 25 |
| 70-74 | 13 | 15.3 | 166 | 4 | 5 | 11 | 19 | 35 | 46 | 48 |
| 75-79 | 15 | 13.2 | 55 | 4 | 6 | 12 | 18 | 26 | 28 | 29 |
| 80-84 | 8 | 18.3 | 198 | 6 | 6 | 12 | 28 | 40 | 45 | 45 |
| 85+ | 2 | 13.5 | 85 | 7 | 7 | 13 | 20 | 20 | 20 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 13.7 | 230 | 1 | 2 | 10 | 18 | 30 | 50 | 97 |
| B. *Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 11.7 | 128 | 2 | 3 | 9 | 15 | 23 | 32 | 65 |
| B. *Operated* | 45 | 15.0 | 104 | 5 | 6 | 12 | 19 | 29 | 35 | 48 |
| **1. SINGLE DX** | 81 | 13.5 | 228 | 1 | 2 | 9 | 18 | 29 | 49 | 97 |
| **2. MULTIPLE DX** | 446 | 12.0 | 126 | 2 | 3 | 9 | 16 | 25 | 32 | 60 |
| **A. NOT OPERATED** | 481 | 12.0 | 145 | 2 | 3 | 9 | 16 | 24 | 35 | 74 |
| **B. OPERATED** | 46 | 14.8 | 104 | 5 | 6 | 12 | 19 | 29 | 35 | 48 |
| TOTAL 65-69 YRS | 116 | 12.0 | 104 | 2 | 2 | 8 | 17 | 27 | 32 | 68 |
| 70-74 | 125 | 12.6 | 177 | 2 | 3 | 9 | 16 | 27 | 36 | 93 |
| 75-79 | 125 | 13.6 | 158 | 2 | 3 | 10 | 18 | 25 | 41 | 64 |
| 80-84 | 86 | 13.3 | 184 | 2 | 3 | 9 | 16 | 26 | 41 | 77 |
| 85+ | 75 | 8.7 | 53 | 1 | 2 | 7 | 11 | 18 | 21 | 41 |
| **GRAND TOTAL** | **527** | **12.3** | **142** | **2** | **3** | **9** | **16** | **25** | **35** | **72** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 304 | 13.6 | 207 | 2 | 2 | 9 | 17 | 33 | 49 | 71 |
| 70-74 | 489 | 12.1 | 127 | 2 | 2 | 9 | 16 | 28 | 37 | 70 |
| 75-79 | 580 | 13.6 | 215 | 2 | 3 | 9 | 17 | 28 | 43 | 82 |
| 80-84 | 516 | 11.8 | 153 | 2 | 3 | 8 | 15 | 25 | 36 | 89 |
| 85+ | 463 | 11.5 | 135 | 1 | 2 | 8 | 15 | 26 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 14.4 | 177 | 4 | 5 | 9 | 21 | 30 | 46 | 52 |
| 70-74 | 21 | 9.5 | 60 | 2 | 2 | 6 | 12 | 21 | 26 | 32 |
| 75-79 | 7 | 15.3 | 159 | 4 | 5 | 13 | 29 | 83 | 99+ | 99+ |
| 80-84 | 7 | 10.6 | 41 | 6 | 6 | 8 | 12 | 22 | 24 | 24 |
| 85+ | 8 | 11.8 | 92 | 1 | 1 | 9 | 18 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1278 | 13.7 | 159 | 3 | 3 | 10 | 17 | 28 | 42 | 89 |
| 70-74 | 2178 | 13.8 | 165 | 3 | 4 | 10 | 17 | 29 | 43 | 99+ |
| 75-79 | 3038 | 13.7 | 162 | 3 | 4 | 10 | 17 | 28 | 41 | 91 |
| 80-84 | 2838 | 13.0 | 148 | 3 | 4 | 9 | 16 | 28 | 42 | 99+ |
| 85+ | 2973 | 13.0 | 158 | 2 | 3 | 9 | 16 | 28 | 43 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 131 | 20.6 | 232 | 4 | 5 | 16 | 32 | 47 | 63 | 99+ |
| 70-74 | 220 | 23.5 | 312 | 4 | 6 | 18 | 32 | 53 | 66 | 99+ |
| 75-79 | 262 | 23.3 | 308 | 4 | 7 | 19 | 34 | 52 | 84 | 99+ |
| 80-84 | 232 | 22.6 | 287 | 5 | 8 | 19 | 36 | 71 | 99+ | 99+ |
| 85+ | 204 | 22.9 | 286 | 6 | 9 | 19 | 35 | 67 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2352 | 12.5 | 167 | 2 | 3 | 8 | 16 | 27 | 40 | 82 |
| B. *Operated* | 58 | 11.9 | 102 | 2 | 3 | 9 | 15 | 26 | 37 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12305 | 13.4 | 158 | 3 | 3 | 10 | 17 | 28 | 42 | 99+ |
| B. *Operated* | 1049 | 22.8 | 290 | 4 | 7 | 19 | 34 | 56 | 93 | 99+ |
| **1. SINGLE DX** | 2410 | 12.5 | 165 | 2 | 3 | 8 | 16 | 27 | 40 | 82 |
| **2. MULTIPLE DX** | 13354 | 14.1 | 175 | 3 | 4 | 10 | 18 | 31 | 46 | 99+ |
| **A. NOT OPERATED** | 14657 | 13.2 | 160 | 2 | 3 | 10 | 17 | 28 | 42 | 99+ |
| **B. OPERATED** | 1107 | 22.2 | 286 | 4 | 6 | 18 | 33 | 56 | 89 | 99+ |
| TOTAL 65-69 YRS | 1728 | 14.2 | 176 | 2 | 3 | 10 | 18 | 31 | 45 | 95 |
| 70-74 | 2908 | 14.2 | 176 | 2 | 3 | 10 | 18 | 32 | 45 | 99+ |
| 75-79 | 3887 | 14.3 | 186 | 3 | 4 | 10 | 18 | 31 | 44 | 99+ |
| 80-84 | 3593 | 13.5 | 163 | 3 | 3 | 10 | 17 | 30 | 46 | 99+ |
| 85+ | 3648 | 13.4 | 168 | 2 | 3 | 10 | 17 | 30 | 46 | 99+ |
| **GRAND TOTAL** | **15764** | **13.6** | **174** | **2** | **3** | **10** | **17** | **31** | **45** | **99+** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 12.5 | 124 | 2 | 3 | 9 | 15 | 31 | 38 | 42 |
| 70-74 | 17 | 12.3 | 90 | 3 | 4 | 10 | 14 | 29 | 33 | 35 |
| 75-79 | 25 | 12.2 | 43 | 4 | 5 | 12 | 16 | 18 | 24 | 31 |
| 80-84 | 20 | 16.7 | 365 | 2 | 4 | 9 | 17 | 48 | 63 | 77 |
| 85+ | 18 | 11.3 | 141 | 3 | 4 | 9 | 12 | 19 | 41 | 55 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 70-74 | 2 | 13.0 | 72 | 7 | 7 | 13 | 19 | 19 | 19 | 19 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 56 | 15.4 | 178 | 2 | 3 | 12 | 19 | 34 | 36 | 74 |
| 70-74 | 119 | 15.3 | 207 | 3 | 4 | 10 | 18 | 37 | 47 | 86 |
| 75-79 | 149 | 15.4 | 237 | 3 | 4 | 11 | 17 | 34 | 54 | 91 |
| 80-84 | 172 | 14.4 | 172 | 4 | 4 | 11 | 17 | 31 | 47 | 99+ |
| 85+ | 171 | 15.1 | 218 | 3 | 4 | 11 | 18 | 33 | 50 | 99 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 18.7 | 197 | 2 | 2 | 21 | 29 | 35 | 36 | 36 |
| 70-74 | 6 | 22.8 | 85 | 5 | 7 | 25 | 29 | 30 | 30 | 30 |
| 75-79 | 11 | 24.1 | 618 | 4 | 5 | 11 | 31 | 70 | 75 | 75 |
| 80-84 | 18 | 25.9 | 418 | 6 | 10 | 21 | 28 | 74 | 90 | 99+ |
| 85+ | 15 | 29.3 | 462 | 5 | 7 | 27 | 38 | 63 | 79 | 84 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 97 | 13.0 | 147 | 3 | 4 | 10 | 15 | 26 | 40 | 67 |
| B. *Operated* | 4 | 14.3 | 30 | 7 | 7 | 15 | 18 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 667 | 15.1 | 204 | 3 | 4 | 11 | 17 | 34 | 47 | 99 |
| B. *Operated* | 56 | 25.4 | 395 | 4 | 5 | 22 | 29 | 66 | 76 | 99 |
| 1. SINGLE DX | 101 | 13.1 | 142 | 3 | 4 | 10 | 15 | 25 | 38 | 66 |
| 2. MULTIPLE DX | 723 | 15.9 | 226 | 3 | 4 | 11 | 18 | 35 | 53 | 99+ |
| A. NOT OPERATED | 764 | 14.8 | 197 | 3 | 4 | 11 | 17 | 33 | 47 | 97 |
| B. OPERATED | 60 | 24.6 | 378 | 4 | 6 | 20 | 29 | 65 | 76 | 98 |
| TOTAL 65-69 YRS | 80 | 15.1 | 164 | 2 | 3 | 12 | 19 | 33 | 36 | 67 |
| 70-74 | 144 | 15.2 | 188 | 3 | 4 | 10 | 20 | 35 | 44 | 81 |
| 75-79 | 185 | 15.5 | 235 | 3 | 5 | 11 | 17 | 33 | 54 | 88 |
| 80-84 | 211 | 15.6 | 217 | 4 | 4 | 12 | 18 | 35 | 60 | 99+ |
| 85+ | 204 | 15.8 | 242 | 3 | 4 | 11 | 20 | 37 | 53 | 99 |
| GRAND TOTAL | 824 | 15.5 | 216 | 3 | 4 | 11 | 18 | 35 | 49 | 98 |

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 106 | 9.0 | 76 | 1 | 2 | 5 | 11 | 22 | 29 | 37 |
| 70-74 | 49 | 6.3 | 29 | 2 | 2 | 5 | 7 | 11 | 17 | 33 |
| 75-79 | 12 | 9.0 | 69 | 1 | 2 | 7 | 12 | 23 | 27 | 28 |
| 80-84 | 6 | 8.5 | 78 | 1 | 1 | 6 | 7 | 24 | 26 | 26 |
| 85+ | 3 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 525 | 10.2 | 85 | 2 | 3 | 7 | 13 | 22 | 28 | 56 |
| 70-74 | 271 | 10.9 | 131 | 2 | 3 | 8 | 12 | 23 | 28 | 65 |
| 75-79 | 133 | 10.4 | 76 | 3 | 3 | 8 | 14 | 23 | 36 | 99+ |
| 80-84 | 36 | 12.9 | 89 | 3 | 4 | 10 | 19 | 27 | 30 | 42 |
| 85+ | 15 | 8.8 | 34 | 2 | 2 | 9 | 13 | 18 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 28.0 | 551 | 5 | 7 | 20 | 41 | 59 | 89 | 94 |
| 70-74 | 27 | 19.6 | 176 | 5 | 6 | 15 | 31 | 44 | 51 | 99+ |
| 75-79 | 8 | 20.9 | 252 | 3 | 5 | 29 | 41 | 76 | 99+ | 99+ |
| 80-84 | 6 | 36.0 | 969 | 9 | 10 | 29 | 81 | 98 | 99+ | 99+ |
| 85+ | 4 | 20.5 | 186 | 7 | 7 | 18 | 31 | 38 | 38 | 38 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 176 | 8.1 | 62 | 1 | 2 | 5 | 9 | 20 | 27 | 35 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 980 | 10.5 | 96 | 2 | 3 | 7 | 13 | 22 | 28 | 59 |
| B. *Operated* | 87 | 25.0 | 424 | 5 | 6 | 19 | 39 | 57 | 93 | 99+ |
| 1. SINGLE DX | 177 | 8.1 | 62 | 1 | 2 | 5 | 9 | 20 | 27 | 35 |
| 2. MULTIPLE DX | 1067 | 11.7 | 138 | 2 | 3 | 8 | 14 | 25 | 35 | 92 |
| A. NOT OPERATED | 1156 | 10.1 | 92 | 2 | 3 | 7 | 13 | 22 | 28 | 56 |
| B. OPERATED | 88 | 24.7 | 424 | 4 | 6 | 19 | 39 | 57 | 93 | 99+ |
| TOTAL 65-69 YRS | 673 | 11.1 | 131 | 2 | 3 | 7 | 14 | 25 | 32 | 60 |
| 70-74 | 348 | 10.9 | 128 | 2 | 3 | 8 | 13 | 24 | 31 | 65 |
| 75-79 | 153 | 10.8 | 89 | 2 | 3 | 8 | 14 | 28 | 40 | 99+ |
| 80-84 | 48 | 15.3 | 243 | 3 | 4 | 11 | 21 | 30 | 59 | 99+ |
| 85+ | 22 | 10.0 | 80 | 1 | 2 | 8 | 14 | 20 | 30 | 38 |
| GRAND TOTAL | 1244 | 11.2 | 129 | 2 | 3 | 7 | 14 | 25 | 33 | 86 |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 9.1 | 126 | 2 | 2 | 6 | 8 | 29 | 34 | 34 |
| 70-74 | 7 | 5.6 | 31 | <1 | <1 | 5 | 7 | 15 | 17 | 17 |
| 75-79 | 6 | 11.3 | 76 | 1 | 1 | 9 | 16 | 25 | 26 | 26 |
| 80-84 | 8 | 6.4 | 12 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| 85+ | 8 | 8.4 | 99 | <1 | 1 | 6 | 8 | 25 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 66 | 9.5 | 45 | 3 | 3 | 8 | 12 | 19 | 25 | 33 |
| 70-74 | 84 | 10.7 | 89 | 2 | 4 | 7 | 13 | 22 | 30 | 52 |
| 75-79 | 51 | 11.8 | 117 | 2 | 3 | 7 | 15 | 25 | 43 | 47 |
| 80-84 | 35 | 12.8 | 134 | 3 | 3 | 9 | 17 | 27 | 43 | 52 |
| 85+ | 31 | 9.4 | 119 | 1 | 2 | 6 | 12 | 21 | 37 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 17.1 | 174 | 2 | 3 | 16 | 22 | 38 | 42 | 42 |
| 70-74 | 6 | 23.0 | 176 | 7 | 8 | 19 | 36 | 41 | 42 | 42 |
| 75-79 | 4 | 21.5 | 210 | 6 | 6 | 19 | 30 | 41 | 41 | 41 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 8.0 | 64 | <1 | 1 | 6 | 9 | 17 | 30 | 34 |
| B. *Operated* | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 10.7 | 93 | 2 | 3 | 7 | 13 | 22 | 30 | 50 |
| B. *Operated* | 19 | 19.0 | 166 | 2 | 4 | 19 | 22 | 41 | 42 | 42 |
| **1. SINGLE DX** | 37 | 8.1 | 62 | <1 | 1 | 6 | 9 | 17 | 30 | 34 |
| **2. MULTIPLE DX** | 286 | 11.3 | 102 | 2 | 3 | 8 | 14 | 22 | 34 | 49 |
| **A. NOT OPERATED** | 303 | 10.4 | 90 | 2 | 3 | 7 | 13 | 22 | 31 | 49 |
| **B. OPERATED** | 20 | 18.6 | 161 | 2 | 4 | 17 | 22 | 41 | 42 | 42 |
| TOTAL 65-69 YRS | 80 | 10.1 | 65 | 2 | 3 | 8 | 12 | 21 | 27 | 40 |
| 70-74 | 97 | 11.1 | 100 | 2 | 3 | 7 | 14 | 23 | 33 | 52 |
| 75-79 | 61 | 12.4 | 121 | 2 | 3 | 9 | 16 | 27 | 42 | 47 |
| 80-84 | 43 | 11.6 | 117 | 3 | 3 | 7 | 14 | 22 | 37 | 52 |
| 85+ | 42 | 9.2 | 106 | 1 | 2 | 6 | 10 | 21 | 34 | 50 |
| **GRAND TOTAL** | **323** | **10.9** | **98** | **2** | **3** | **7** | **14** | **22** | **33** | **48** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 102 | 16.3 | 152 | 2 | 4 | 14 | 22 | 35 | 39 | 65 |
| 70-74 | 52 | 15.4 | 123 | 2 | 4 | 14 | 22 | 29 | 33 | 55 |
| 75-79 | 17 | 12.4 | 121 | <1 | 1 | 9 | 16 | 27 | 37 | 42 |
| 80-84 | 11 | 13.4 | 122 | 3 | 4 | 7 | 24 | 30 | 33 | 33 |
| 85+ | 7 | 13.1 | 56 | 5 | 5 | 13 | 20 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 135 | 19.7 | 195 | 3 | 5 | 17 | 29 | 35 | 47 | 72 |
| 70-74 | 75 | 18.2 | 153 | 3 | 5 | 16 | 26 | 40 | 50 | 99+ |
| 75-79 | 52 | 18.7 | 224 | 4 | 6 | 14 | 24 | 37 | 67 | 99 |
| 80-84 | 11 | 18.7 | 90 | 5 | 7 | 19 | 22 | 33 | 38 | 39 |
| 85+ | 7 | 15.0 | 121 | 6 | 6 | 10 | 17 | 34 | 38 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 39.8 | 1113 | 6 | 7 | 51 | 84 | 98 | 99+ | 99+ |
| 70-74 | 7 | 22.4 | 34 | 13 | 14 | 24 | 28 | 79 | 99+ | 99+ |
| 75-79 | 2 | 23.5 | 13 | 21 | 21 | 23 | 26 | 26 | 26 | 26 |
| 80-84 | 3 | 39.0 | 588 | 17 | 17 | 35 | 57 | 65 | 65 | 65 |
| 85+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 189 | 15.4 | 135 | 2 | 3 | 13 | 22 | 32 | 39 | 65 |
| B. *Operated* | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 280 | 19.0 | 182 | 3 | 5 | 16 | 27 | 37 | 48 | 93 |
| B. *Operated* | 19 | 31.0 | 458 | 9 | 13 | 26 | 53 | 95 | 99+ | 99+ |
| **1. SINGLE DX** | 190 | 15.5 | 137 | 2 | 4 | 13 | 22 | 33 | 39 | 65 |
| **2. MULTIPLE DX** | 299 | 19.7 | 206 | 3 | 6 | 17 | 28 | 39 | 53 | 99+ |
| **A. NOT OPERATED** | 469 | 17.5 | 166 | 3 | 5 | 14 | 24 | 34 | 42 | 79 |
| **B. OPERATED** | 20 | 31.2 | 435 | 10 | 13 | 27 | 51 | 94 | 99+ | 99+ |
| TOTAL 65-69 YRS | 243 | 18.8 | 208 | 3 | 5 | 16 | 27 | 37 | 48 | 92 |
| 70-74 | 134 | 17.3 | 137 | 3 | 4 | 16 | 24 | 34 | 44 | 99+ |
| 75-79 | 72 | 17.6 | 201 | 3 | 5 | 14 | 24 | 35 | 51 | 94 |
| 80-84 | 25 | 18.8 | 202 | 4 | 5 | 17 | 27 | 35 | 45 | 65 |
| 85+ | 15 | 15.1 | 92 | 5 | 6 | 13 | 21 | 29 | 36 | 38 |
| **GRAND TOTAL** | **489** | **18.1** | **183** | **3** | **5** | **16** | **25** | **35** | **47** | **99+** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 22.0 | 89 | 11 | 11 | 23 | 30 | 33 | 33 | 33 |
| 70-74 | 3 | 13.0 | 277 | 1 | 1 | 6 | 25 | 32 | 32 | 32 |
| 75-79 | 2 | 15.5 | 85 | 9 | 9 | 15 | 22 | 22 | 22 | 22 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 12.5 | 115 | 2 | 2 | 11 | 17 | 30 | 34 | 34 |
| 70-74 | 4 | 12.3 | 67 | 5 | 5 | 11 | 19 | 22 | 22 | 22 |
| 75-79 | 3 | 16.0 | 9 | 13 | 13 | 16 | 18 | 19 | 19 | 19 |
| 80-84 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 85+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 17.2 | 124 | 1 | 4 | 14 | 27 | 32 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 12.4 | 74 | 1 | 2 | 11 | 17 | 22 | 30 | 34 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 11 | 17.2 | 124 | 1 | 4 | 14 | 27 | 32 | 33 | 33 |
| **2. MULTIPLE DX** | 17 | 12.4 | 74 | 1 | 2 | 11 | 17 | 22 | 30 | 34 |
| **A. NOT OPERATED** | 28 | 14.3 | 96 | 1 | 2 | 12 | 22 | 31 | 33 | 34 |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | 13 | 16.2 | 120 | 2 | 3 | 11 | 24 | 33 | 34 | 34 |
| 70-74 | 7 | 12.6 | 126 | 1 | 2 | 6 | 20 | 30 | 32 | 32 |
| 75-79 | 5 | 15.8 | 26 | 9 | 9 | 16 | 20 | 22 | 22 | 22 |
| 80-84 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 85+ | 2 | 10.5 | 5 | 9 | 9 | 10 | 12 | 12 | 12 | 12 |
| **GRAND TOTAL** | 28 | 14.3 | 96 | 1 | 2 | 12 | 22 | 31 | 33 | 34 |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 220 | 17.6 | 200 | 2 | 4 | 14 | 23 | 36 | 51 | 93 |
| 70-74 | 104 | 16.7 | 196 | 1 | 2 | 12 | 25 | 32 | 49 | 87 |
| 75-79 | 43 | 13.4 | 151 | 1 | 2 | 11 | 17 | 30 | 39 | 58 |
| 80-84 | 18 | 13.9 | 86 | 2 | 4 | 12 | 21 | 28 | 32 | 34 |
| 85+ | 9 | 15.1 | 214 | 2 | 2 | 5 | 27 | 36 | 41 | 41 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 318 | 18.9 | 237 | 3 | 5 | 15 | 25 | 37 | 50 | 91 |
| 70-74 | 175 | 17.1 | 177 | 4 | 5 | 14 | 22 | 35 | 53 | 86 |
| 75-79 | 88 | 17.3 | 182 | 4 | 5 | 14 | 25 | 32 | 36 | 78 |
| 80-84 | 44 | 20.8 | 248 | 3 | 3 | 16 | 29 | 44 | 56 | 82 |
| 85+ | 25 | 12.0 | 102 | 2 | 3 | 9 | 15 | 22 | 37 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 32.0 | 594 | 7 | 8 | 26 | 57 | 76 | 92 | 99+ |
| 70-74 | 17 | 24.7 | 144 | 7 | 9 | 29 | 34 | 41 | 43 | 43 |
| 75-79 | 7 | 14.6 | 45 | 8 | 8 | 13 | 16 | 26 | 28 | 28 |
| 80-84 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 85+ | 3 | 35.3 | 1192 | 12 | 12 | 19 | 61 | 75 | 75 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394 | 16.7 | 189 | 2 | 3 | 14 | 23 | 32 | 49 | 84 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 650 | 18.1 | 210 | 3 | 5 | 14 | 24 | 36 | 49 | 84 |
| B. *Operated* | 48 | 26.7 | 390 | 8 | 8 | 17 | 36 | 62 | 75 | 99+ |
| **1. SINGLE DX** | 394 | 16.7 | 189 | 2 | 3 | 14 | 23 | 32 | 49 | 84 |
| **2. MULTIPLE DX** | 698 | 18.6 | 227 | 3 | 5 | 15 | 25 | 37 | 51 | 87 |
| **A. NOT OPERATED** | 1044 | 17.5 | 203 | 3 | 4 | 14 | 24 | 35 | 49 | 84 |
| **B. OPERATED** | 48 | 26.7 | 390 | 8 | 8 | 17 | 36 | 62 | 75 | 99+ |
| TOTAL 65-69 YRS | 558 | 18.8 | 241 | 3 | 4 | 15 | 25 | 40 | 53 | 94 |
| 70-74 | 296 | 17.4 | 184 | 3 | 4 | 14 | 24 | 34 | 50 | 72 |
| 75-79 | 138 | 15.9 | 167 | 2 | 4 | 13 | 21 | 31 | 36 | 63 |
| 80-84 | 63 | 18.7 | 206 | 3 | 3 | 15 | 26 | 41 | 50 | 61 |
| 85+ | 37 | 14.6 | 222 | 2 | 2 | 11 | 19 | 34 | 44 | 75 |
| **GRAND TOTAL** | 1092 | 17.9 | 214 | 3 | 4 | 14 | 24 | 36 | 50 | 87 |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 710 | 19.4 | 197 | 2 | 4 | 17 | 26 | 39 | 46 | 65 |
| 70-74 | 555 | 21.0 | 190 | 3 | 6 | 19 | 29 | 38 | 47 | 69 |
| 75-79 | 345 | 20.5 | 216 | 2 | 4 | 17 | 28 | 42 | 50 | 63 |
| 80-84 | 131 | 19.2 | 225 | 3 | 4 | 17 | 26 | 34 | 53 | 97 |
| 85+ | 43 | 20.3 | 316 | 3 | 4 | 14 | 26 | 48 | 54 | 88 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 42.0 | 169 | 34 | 34 | 35 | 51 | 57 | 57 | 57 |
| 70-74 | 10 | 29.9 | 615 | 5 | 5 | 27 | 35 | 66 | 89 | 89 |
| 75-79 | 3 | 35.7 | 180 | 26 | 26 | 30 | 46 | 51 | 51 | 51 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1078 | 21.1 | 294 | 3 | 5 | 17 | 28 | 43 | 58 | 91 |
| 70-74 | 980 | 21.6 | 254 | 4 | 5 | 18 | 29 | 43 | 53 | 83 |
| 75-79 | 749 | 21.2 | 269 | 4 | 5 | 18 | 29 | 44 | 57 | 93 |
| 80-84 | 322 | 21.7 | 253 | 4 | 5 | 17 | 30 | 45 | 54 | 66 |
| 85+ | 117 | 19.4 | 218 | 3 | 5 | 16 | 26 | 35 | 46 | 87 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 99 | 37.1 | 416 | 11 | 15 | 34 | 54 | 72 | 91 | 99+ |
| 70-74 | 88 | 34.1 | 393 | 7 | 10 | 30 | 52 | 65 | 69 | 92 |
| 75-79 | 54 | 28.4 | 283 | 7 | 10 | 27 | 35 | 59 | 84 | 99+ |
| 80-84 | 29 | 29.2 | 362 | 5 | 8 | 29 | 43 | 70 | 99 | 99+ |
| 85+ | 16 | 26.3 | 179 | 10 | 11 | 24 | 32 | 46 | 52 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1784 | 20.1 | 203 | 2 | 5 | 17 | 28 | 39 | 49 | 69 |
| B. *Operated* | 16 | 33.3 | 439 | 5 | 6 | 32 | 40 | 56 | 79 | 89 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3246 | 21.3 | 269 | 4 | 5 | 17 | 29 | 43 | 56 | 90 |
| B. *Operated* | 286 | 33.1 | 375 | 8 | 11 | 30 | 47 | 66 | 80 | 99+ |
| **1. SINGLE DX** | 1800 | 20.2 | 207 | 3 | 5 | 17 | 28 | 39 | 49 | 71 |
| **2. MULTIPLE DX** | 3532 | 22.2 | 288 | 4 | 5 | 18 | 30 | 46 | 59 | 92 |
| **A. NOT OPERATED** | 5030 | 20.9 | 246 | 3 | 5 | 17 | 28 | 42 | 52 | 83 |
| **B. OPERATED** | 302 | 33.1 | 377 | 8 | 10 | 30 | 46 | 66 | 80 | 99+ |
| TOTAL 65-69 YRS | 1890 | 21.3 | 278 | 3 | 5 | 18 | 29 | 43 | 57 | 90 |
| 70-74 | 1633 | 22.1 | 250 | 4 | 6 | 19 | 30 | 43 | 54 | 79 |
| 75-79 | 1151 | 21.3 | 256 | 3 | 5 | 18 | 29 | 44 | 56 | 90 |
| 80-84 | 482 | 21.5 | 256 | 3 | 5 | 18 | 29 | 45 | 55 | 86 |
| 85+ | 176 | 20.2 | 240 | 3 | 5 | 17 | 27 | 39 | 50 | 86 |
| **GRAND TOTAL** | **5332** | **21.6** | **261** | **3** | **5** | **18** | **29** | **44** | **56** | **87** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 306 | 19.1 | 210 | 2 | 4 | 16 | 25 | 35 | 46 | 79 |
| 70-74 | 180 | 19.3 | 163 | 4 | 5 | 16 | 26 | 38 | 44 | 59 |
| 75-79 | 85 | 19.9 | 254 | 4 | 6 | 15 | 24 | 42 | 52 | 83 |
| 80-84 | 37 | 19.8 | 186 | 2 | 3 | 18 | 27 | 34 | 46 | 63 |
| 85+ | 17 | 19.4 | 168 | 4 | 7 | 16 | 30 | 40 | 43 | 44 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 22.7 | 94 | 10 | 11 | 20 | 28 | 38 | 40 | 40 |
| 70-74 | 2 | 17.0 | 18 | 14 | 14 | 17 | 20 | 20 | 20 | 20 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 423 | 19.8 | 218 | 4 | 5 | 16 | 25 | 40 | 52 | 88 |
| 70-74 | 278 | 21.5 | 215 | 4 | 6 | 18 | 29 | 42 | 50 | 76 |
| 75-79 | 151 | 22.4 | 299 | 5 | 7 | 18 | 29 | 43 | 70 | 79 |
| 80-84 | 64 | 17.0 | 114 | 4 | 6 | 15 | 22 | 33 | 40 | 93 |
| 85+ | 25 | 13.6 | 81 | 3 | 5 | 12 | 18 | 24 | 36 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 41 | 24.6 | 199 | 6 | 9 | 24 | 32 | 56 | 75 | 99+ |
| 70-74 | 37 | 26.6 | 323 | 5 | 10 | 23 | 30 | 52 | 68 | 81 |
| 75-79 | 13 | 35.2 | 459 | 12 | 14 | 30 | 49 | 73 | 76 | 77 |
| 80-84 | 4 | 38.0 | 345 | 15 | 15 | 51 | 66 | 99+ | 99+ | 99+ |
| 85+ | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 625 | 19.3 | 199 | 3 | 5 | 16 | 26 | 37 | 47 | 75 |
| B. *Operated* | 9 | 21.4 | 79 | 10 | 12 | 20 | 24 | 36 | 40 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 941 | 20.4 | 222 | 4 | 6 | 17 | 26 | 41 | 50 | 83 |
| B. *Operated* | 96 | 27.5 | 292 | 7 | 10 | 24 | 35 | 59 | 75 | 99+ |
| **1. SINGLE DX** | 634 | 19.4 | 197 | 3 | 5 | 16 | 26 | 37 | 47 | 75 |
| **2. MULTIPLE DX** | 1037 | 21.0 | 232 | 4 | 6 | 17 | 28 | 42 | 53 | 87 |
| **A. NOT OPERATED** | 1566 | 20.0 | 213 | 4 | 5 | 16 | 26 | 39 | 49 | 79 |
| **B. OPERATED** | 105 | 27.0 | 276 | 8 | 10 | 24 | 34 | 55 | 72 | 99+ |
| TOTAL 65-69 YRS | 777 | 19.8 | 214 | 3 | 5 | 17 | 26 | 39 | 53 | 84 |
| 70-74 | 497 | 21.1 | 206 | 4 | 6 | 18 | 29 | 41 | 49 | 73 |
| 75-79 | 249 | 22.2 | 300 | 5 | 6 | 18 | 28 | 45 | 61 | 81 |
| 80-84 | 105 | 18.8 | 160 | 3 | 5 | 16 | 27 | 36 | 51 | 99+ |
| 85+ | 43 | 16.3 | 126 | 3 | 3 | 13 | 22 | 36 | 39 | 44 |
| **GRAND TOTAL** | 1671 | 20.4 | 219 | 4 | 6 | 17 | 27 | 40 | 51 | 81 |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 174 | 14.6 | 214 | 1 | 2 | 10 | 20 | 35 | 42 | 68 |
| 70-74 | 196 | 12.8 | 112 | 1 | 2 | 10 | 19 | 28 | 34 | 49 |
| 75-79 | 135 | 13.6 | 130 | 2 | 3 | 10 | 20 | 31 | 37 | 62 |
| 80-84 | 88 | 13.5 | 202 | 1 | 2 | 9 | 19 | 30 | 40 | 70 |
| 85+ | 45 | 11.9 | 171 | 1 | 2 | 7 | 17 | 26 | 34 | 67 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 9 | 9.9 | 48 | 3 | 3 | 9 | 14 | 21 | 21 | 21 |
| 75-79 | 6 | 17.8 | 255 | 2 | 2 | 14 | 33 | 40 | 41 | 41 |
| 80-84 | 5 | 13.8 | 136 | 4 | 4 | 11 | 17 | 34 | 34 | 34 |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 549 | 14.6 | 163 | 2 | 3 | 11 | 19 | 30 | 40 | 69 |
| 70-74 | 578 | 13.6 | 147 | 3 | 4 | 10 | 17 | 27 | 37 | 64 |
| 75-79 | 619 | 12.7 | 127 | 2 | 3 | 9 | 17 | 27 | 35 | 59 |
| 80-84 | 477 | 13.4 | 187 | 2 | 3 | 9 | 16 | 28 | 38 | 73 |
| 85+ | 372 | 11.0 | 100 | 2 | 3 | 8 | 13 | 22 | 35 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 81 | 18.8 | 216 | 4 | 5 | 15 | 25 | 44 | 52 | 91 |
| 70-74 | 66 | 20.9 | 316 | 4 | 6 | 14 | 30 | 48 | 67 | 98 |
| 75-79 | 61 | 23.1 | 269 | 4 | 6 | 18 | 30 | 46 | 60 | 76 |
| 80-84 | 36 | 16.1 | 127 | 3 | 4 | 18 | 23 | 30 | 48 | 99+ |
| 85+ | 28 | 22.1 | 287 | 7 | 8 | 16 | 26 | 38 | 63 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 638 | 13.5 | 160 | 1 | 2 | 9 | 20 | 30 | 38 | 67 |
| B. *Operated* | 21 | 13.1 | 122 | 2 | 3 | 10 | 17 | 33 | 37 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2595 | 13.2 | 147 | 2 | 3 | 9 | 17 | 28 | 37 | 66 |
| B. *Operated* | 272 | 20.3 | 249 | 4 | 5 | 16 | 27 | 44 | 58 | 96 |
| **1. SINGLE DX** | 659 | 13.5 | 158 | 1 | 2 | 9 | 20 | 30 | 38 | 67 |
| **2. MULTIPLE DX** | 2867 | 13.8 | 161 | 2 | 3 | 10 | 18 | 29 | 40 | 71 |
| **A. NOT OPERATED** | 3233 | 13.2 | 150 | 2 | 3 | 9 | 17 | 28 | 38 | 66 |
| **B. OPERATED** | 293 | 19.7 | 243 | 4 | 5 | 15 | 26 | 42 | 56 | 93 |
| TOTAL 65-69 YRS | 804 | 15.0 | 181 | 2 | 3 | 11 | 20 | 31 | 42 | 70 |
| 70-74 | 849 | 14.0 | 155 | 2 | 3 | 10 | 18 | 29 | 39 | 66 |
| 75-79 | 821 | 13.7 | 146 | 2 | 3 | 10 | 18 | 30 | 38 | 63 |
| 80-84 | 606 | 13.6 | 185 | 2 | 3 | 9 | 18 | 29 | 39 | 73 |
| 85+ | 446 | 11.7 | 125 | 2 | 3 | 8 | 14 | 25 | 36 | 61 |
| **GRAND TOTAL** | 3526 | 13.8 | 161 | 2 | 3 | 10 | 18 | 29 | 40 | 70 |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 114 | 6.4 | 77 | 1 | 1 | 4 | 7 | 12 | 22 | 52 |
| 70-74 | 76 | 5.2 | 21 | 1 | 1 | 4 | 7 | 11 | 16 | 21 |
| 75-79 | 54 | 6.2 | 45 | 1 | 1 | 4 | 7 | 14 | 25 | 30 |
| 80-84 | 26 | 5.6 | 21 | 1 | 1 | 5 | 7 | 9 | 17 | 21 |
| 85+ | 21 | 3.9 | 12 | <1 | 1 | 3 | 4 | 8 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 18.5 | 41 | 14 | 14 | 18 | 23 | 23 | 23 | 23 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 572 | 6.8 | 49 | 1 | 2 | 5 | 8 | 14 | 21 | 36 |
| 70-74 | 524 | 7.1 | 58 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| 75-79 | 388 | 7.2 | 56 | 1 | 2 | 5 | 8 | 14 | 20 | 36 |
| 80-84 | 246 | 6.2 | 24 | 1 | 2 | 5 | 8 | 12 | 14 | 25 |
| 85+ | 118 | 5.3 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 11.4 | 64 | 3 | 4 | 9 | 16 | 23 | 27 | 30 |
| 70-74 | 23 | 12.7 | 80 | 3 | 4 | 10 | 18 | 26 | 33 | 34 |
| 75-79 | 17 | 11.8 | 82 | 1 | 2 | 11 | 16 | 23 | 31 | 36 |
| 80-84 | 10 | 14.2 | 42 | 6 | 6 | 15 | 19 | 23 | 26 | 26 |
| 85+ | 2 | 27.5 | 41 | 23 | 23 | 27 | 32 | 32 | 32 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 5.8 | 47 | 1 | 1 | 4 | 7 | 11 | 18 | 35 |
| B. *Operated* | 4 | 11.5 | 83 | 2 | 2 | 10 | 18 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1848 | 6.8 | 48 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| B. *Operated* | 77 | 12.6 | 73 | 3 | 4 | 10 | 19 | 24 | 31 | 35 |
| **1. SINGLE DX** | 295 | 5.9 | 47 | 1 | 1 | 4 | 7 | 12 | 19 | 35 |
| **2. MULTIPLE DX** | 1925 | 7.0 | 50 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| **A. NOT OPERATED** | 2139 | 6.7 | 48 | 1 | 2 | 5 | 8 | 13 | 19 | 35 |
| **B. OPERATED** | 81 | 12.6 | 72 | 3 | 4 | 10 | 19 | 24 | 31 | 35 |
| TOTAL 65-69 YRS | 712 | 6.9 | 55 | 1 | 2 | 5 | 8 | 14 | 22 | 39 |
| 70-74 | 624 | 7.1 | 56 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| 75-79 | 459 | 7.3 | 56 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| 80-84 | 284 | 6.5 | 28 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| 85+ | 141 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 24 |
| **GRAND TOTAL** | **2220** | **6.9** | **50** | **1** | **2** | **5** | **8** | **14** | **20** | **35** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 403 | 14.8 | 134 | 2 | 3 | 12 | 21 | 32 | 38 | 52 |
| 70-74 | 285 | 14.8 | 135 | 3 | 4 | 11 | 19 | 33 | 41 | 52 |
| 75-79 | 161 | 15.8 | 224 | 2 | 4 | 12 | 20 | 33 | 44 | 78 |
| 80-84 | 60 | 13.5 | 136 | 2 | 3 | 9 | 20 | 31 | 36 | 53 |
| 85+ | 29 | 9.2 | 37 | 2 | 2 | 8 | 13 | 18 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 24.0 | 18 | 21 | 21 | 24 | 27 | 27 | 27 | 27 |
| 70-74 | 4 | 11.5 | 66 | 4 | 4 | 9 | 16 | 23 | 23 | 23 |
| 75-79 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | 1 | 57.0 | | 57 | 57 | 57 | 57 | 57 | 57 | 57 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 974 | 13.1 | 141 | 3 | 3 | 9 | 17 | 28 | 36 | 57 |
| 70-74 | 788 | 12.5 | 124 | 2 | 3 | 9 | 15 | 26 | 37 | 58 |
| 75-79 | 576 | 12.5 | 116 | 3 | 4 | 9 | 15 | 26 | 34 | 51 |
| 80-84 | 286 | 11.8 | 117 | 3 | 3 | 8 | 14 | 23 | 33 | 67 |
| 85+ | 131 | 13.2 | 134 | 3 | 3 | 10 | 16 | 28 | 40 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 20.4 | 215 | 4 | 6 | 17 | 28 | 41 | 51 | 93 |
| 70-74 | 56 | 22.2 | 305 | 5 | 6 | 16 | 31 | 44 | 54 | 94 |
| 75-79 | 33 | 22.8 | 264 | 5 | 6 | 21 | 27 | 41 | 62 | 76 |
| 80-84 | 21 | 22.3 | 350 | 4 | 6 | 16 | 26 | 45 | 64 | 84 |
| 85+ | 9 | 25.7 | 175 | 4 | 10 | 27 | 32 | 44 | 52 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 938 | 14.7 | 148 | 2 | 3 | 11 | 20 | 32 | 40 | 54 |
| B. *Operated* | 8 | 19.9 | 293 | 4 | 5 | 15 | 25 | 48 | 57 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2755 | 12.6 | 128 | 3 | 3 | 9 | 16 | 27 | 36 | 57 |
| B. *Operated* | 202 | 21.7 | 257 | 5 | 6 | 18 | 29 | 42 | 54 | 90 |
| **1. SINGLE DX** | 946 | 14.7 | 149 | 2 | 3 | 11 | 20 | 32 | 40 | 54 |
| **2. MULTIPLE DX** | 2957 | 13.3 | 142 | 3 | 3 | 10 | 17 | 28 | 38 | 60 |
| **A. NOT OPERATED** | 3693 | 13.2 | 134 | 3 | 3 | 10 | 17 | 28 | 37 | 56 |
| **B. OPERATED** | 210 | 21.6 | 257 | 4 | 6 | 18 | 29 | 42 | 57 | 89 |
| TOTAL 65-69 YRS | 1462 | 14.0 | 146 | 3 | 3 | 10 | 19 | 30 | 39 | 60 |
| 70-74 | 1133 | 13.5 | 140 | 2 | 3 | 10 | 17 | 30 | 39 | 58 |
| 75-79 | 771 | 13.6 | 150 | 3 | 4 | 10 | 17 | 28 | 38 | 64 |
| 80-84 | 368 | 12.8 | 144 | 3 | 3 | 9 | 16 | 26 | 36 | 68 |
| 85+ | 169 | 13.2 | 129 | 2 | 3 | 10 | 16 | 28 | 33 | 55 |
| **GRAND TOTAL** | **3903** | **13.6** | **144** | **3** | **3** | **10** | **17** | **30** | **39** | **59** |

## 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 12.6 | 281 | 1 | 1 | 7 | 15 | 30 | 46 | 82 |
| 70-74 | 62 | 9.7 | 151 | 1 | 1 | 5 | 11 | 20 | 47 | 56 |
| 75-79 | 30 | 9.8 | 113 | 1 | 2 | 7 | 12 | 15 | 45 | 45 |
| 80-84 | 12 | 14.8 | 114 | 1 | 2 | 12 | 23 | 31 | 34 | 34 |
| 85+ | 9 | 6.0 | 21 | 1 | 1 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 5.3 | 13 | 1 | 2 | 4 | 7 | 8 | 14 | 18 |
| 70-74 | 10 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 75-79 | 7 | 8.4 | 20 | 4 | 4 | 8 | 8 | 16 | 18 | 18 |
| 80-84 | 4 | 6.3 | 54 | 1 | 1 | 3 | 11 | 17 | 17 | 17 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 257 | 11.4 | 121 | 1 | 2 | 8 | 15 | 26 | 36 | 64 |
| 70-74 | 211 | 11.3 | 115 | 2 | 3 | 8 | 15 | 26 | 31 | 71 |
| 75-79 | 154 | 11.3 | 108 | 2 | 3 | 8 | 15 | 24 | 33 | 52 |
| 80-84 | 88 | 9.7 | 78 | 2 | 2 | 7 | 13 | 20 | 31 | 83 |
| 85+ | 57 | 10.8 | 89 | 3 | 3 | 8 | 14 | 24 | 35 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 55 | 9.9 | 117 | 3 | 3 | 7 | 10 | 20 | 36 | 64 |
| 70-74 | 33 | 14.7 | 176 | 3 | 3 | 10 | 17 | 38 | 44 | 46 |
| 75-79 | 22 | 19.7 | 314 | 3 | 4 | 12 | 31 | 49 | 55 | 59 |
| 80-84 | 6 | 13.8 | 84 | 3 | 3 | 15 | 22 | 23 | 23 | 23 |
| 85+ | 4 | 13.8 | 128 | 2 | 2 | 12 | 21 | 29 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 11.0 | 187 | 1 | 1 | 7 | 13 | 26 | 45 | 74 |
| B. *Operated* | 44 | 5.5 | 16 | 1 | 2 | 4 | 7 | 9 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 767 | 11.1 | 109 | 2 | 3 | 8 | 15 | 25 | 34 | 63 |
| B. *Operated* | 120 | 13.3 | 176 | 3 | 3 | 9 | 15 | 37 | 44 | 61 |
| **1. SINGLE DX** | 227 | 9.9 | 158 | 1 | 2 | 6 | 12 | 23 | 36 | 63 |
| **2. MULTIPLE DX** | 887 | 11.4 | 119 | 2 | 3 | 8 | 15 | 26 | 35 | 62 |
| **A. NOT OPERATED** | 950 | 11.1 | 124 | 2 | 2 | 8 | 14 | 26 | 35 | 64 |
| **B. OPERATED** | 164 | 11.2 | 145 | 2 | 3 | 7 | 12 | 29 | 38 | 58 |
| TOTAL 65-69 YRS | 404 | 11.1 | 144 | 1 | 2 | 7 | 14 | 26 | 36 | 72 |
| 70-74 | 316 | 11.1 | 128 | 1 | 2 | 8 | 14 | 26 | 34 | 59 |
| 75-79 | 213 | 11.9 | 133 | 2 | 3 | 8 | 15 | 27 | 38 | 55 |
| 80-84 | 110 | 10.4 | 83 | 2 | 2 | 7 | 14 | 23 | 31 | 74 |
| 85+ | 71 | 10.3 | 83 | 1 | 3 | 8 | 13 | 23 | 31 | 41 |
| **GRAND TOTAL** | **1114** | **11.1** | **127** | **2** | **2** | **7** | **14** | **26** | **35** | **61** |

## 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 552 | 10.3 | 94 | 1 | 2 | 6 | 19 | 27 | 28 | 37 |
| 70-74 | 207 | 10.9 | 96 | 1 | 1 | 7 | 19 | 28 | 30 | 42 |
| 75-79 | 81 | 7.8 | 56 | <1 | 1 | 5 | 9 | 21 | 26 | 30 |
| 80-84 | 16 | 3.9 | 11 | <1 | <1 | 3 | 5 | 8 | 11 | 13 |
| 85+ | 9 | 8.4 | 57 | 3 | 4 | 7 | 8 | 20 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 10.0 | 93 | 3 | 3 | 13 | 60 | 99+ | 99+ | 99+ |
| 70-74 | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2540 | 12.1 | 104 | 2 | 3 | 8 | 19 | 28 | 31 | 45 |
| 70-74 | 1323 | 11.8 | 107 | 2 | 3 | 8 | 19 | 26 | 30 | 45 |
| 75-79 | 508 | 11.5 | 98 | 2 | 3 | 8 | 17 | 26 | 30 | 44 |
| 80-84 | 177 | 10.6 | 113 | 1 | 2 | 7 | 13 | 25 | 29 | 78 |
| 85+ | 51 | 11.4 | 148 | 1 | 2 | 7 | 15 | 27 | 30 | 71 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 159 | 19.9 | 138 | 5 | 7 | 19 | 27 | 33 | 42 | 69 |
| 70-74 | 76 | 19.8 | 147 | 5 | 7 | 18 | 28 | 35 | 38 | 60 |
| 75-79 | 35 | 18.1 | 147 | 1 | 4 | 16 | 27 | 33 | 49 | 99+ |
| 80-84 | 7 | 29.9 | 748 | 1 | 3 | 22 | 48 | 74 | 78 | 78 |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 865 | 10.1 | 90 | 1 | 2 | 6 | 16 | 27 | 28 | 37 |
| B. *Operated* | 4 | 14.3 | 134 | 3 | 3 | 21 | 45 | 99+ | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4599 | 11.9 | 105 | 2 | 3 | 8 | 18 | 27 | 31 | 45 |
| B. *Operated* | 278 | 19.8 | 157 | 3 | 6 | 19 | 27 | 34 | 44 | 76 |
| **1. SINGLE DX** | 869 | 10.1 | 90 | 1 | 2 | 6 | 17 | 27 | 28 | 37 |
| **2. MULTIPLE DX** | 4877 | 12.3 | 111 | 2 | 3 | 8 | 19 | 28 | 31 | 47 |
| **A. NOT OPERATED** | 5464 | 11.6 | 103 | 2 | 2 | 8 | 18 | 27 | 30 | 44 |
| **B. OPERATED** | 282 | 19.8 | 156 | 3 | 6 | 19 | 27 | 34 | 45 | 92 |
| TOTAL 65-69 YRS | 3254 | 12.2 | 107 | 2 | 3 | 8 | 20 | 28 | 31 | 46 |
| 70-74 | 1607 | 12.1 | 110 | 2 | 3 | 8 | 20 | 27 | 31 | 45 |
| 75-79 | 624 | 11.4 | 99 | 2 | 2 | 8 | 17 | 26 | 30 | 48 |
| 80-84 | 200 | 10.8 | 140 | 1 | 2 | 7 | 13 | 25 | 31 | 83 |
| 85+ | 61 | 10.8 | 133 | 1 | 2 | 7 | 15 | 27 | 29 | 67 |
| **GRAND TOTAL** | **5746** | **12.0** | **109** | **2** | **3** | **8** | **19** | **28** | **31** | **46** |

### 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 6.0 | 28 | 2 | 2 | 4 | 10 | 12 | 12 | 12 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 80-84 | 2 | 9.0 | 50 | 4 | 4 | 9 | 14 | 14 | 14 | 14 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 13.3 | 84 | 4 | 7 | 10 | 14 | 26 | 35 | 38 |
| 70-74 | 2 | 29.0 | 98 | 22 | 22 | 29 | 36 | 36 | 36 | 36 |
| 75-79 | 2 | 11.5 | 145 | 3 | 3 | 11 | 20 | 20 | 20 | 20 |
| 80-84 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 85+ | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 8.7 | 36 | 2 | 2 | 8 | 14 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 13.4 | 97 | 3 | 4 | 10 | 18 | 28 | 37 | 38 |
| B. *Operated* | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| **1. SINGLE DX** | 6 | 8.7 | 36 | 2 | 2 | 8 | 14 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | 25 | 13.1 | 91 | 3 | 4 | 10 | 16 | 26 | 36 | 38 |
| **A. NOT OPERATED** | 29 | 12.4 | 87 | 3 | 3 | 10 | 15 | 25 | 36 | 38 |
| **B. OPERATED** | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| TOTAL 65-69 YRS | 20 | 11.9 | 74 | 2 | 3 | 10 | 13 | 25 | 32 | 38 |
| 70-74 | 2 | 29.0 | 98 | 22 | 22 | 29 | 36 | 36 | 36 | 36 |
| 75-79 | 3 | 13.0 | 79 | 3 | 3 | 16 | 19 | 20 | 20 | 20 |
| 80-84 | 4 | 7.0 | 23 | 4 | 4 | 5 | 10 | 14 | 14 | 14 |
| 85+ | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| **GRAND TOTAL** | **31** | **12.3** | **82** | **3** | **3** | **10** | **14** | **25** | **35** | **38** |

### 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 8.8 | 56 | 2 | 2 | 7 | 13 | 21 | 21 | 21 |
| 70-74 | 2 | 11.5 | 221 | <1 | <1 | 11 | 22 | 22 | 22 | 22 |
| 75-79 | 3 | 12.3 | 140 | 5 | 5 | 6 | 21 | 26 | 26 | 26 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 14.8 | 108 | 3 | 4 | 14 | 19 | 23 | 36 | 52 |
| 70-74 | 26 | 12.2 | 74 | 2 | 3 | 9 | 17 | 28 | 28 | 28 |
| 75-79 | 12 | 15.3 | 171 | 3 | 3 | 12 | 19 | 31 | 48 | 51 |
| 80-84 | 6 | 15.3 | 142 | 4 | 4 | 13 | 16 | 36 | 38 | 38 |
| 85+ | 7 | 17.9 | 120 | 6 | 6 | 16 | 23 | 34 | 37 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 16.0 | 338 | 3 | 3 | 16 | 29 | 29 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 10.4 | 83 | <1 | 1 | 6 | 21 | 24 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 14.3 | 106 | 3 | 4 | 13 | 19 | 28 | 35 | 52 |
| B. *Operated* | 3 | 22.0 | 277 | 3 | 3 | 29 | 33 | 34 | 34 | 34 |
| **1. SINGLE DX** | 10 | 10.4 | 83 | <1 | 1 | 6 | 21 | 24 | 26 | 26 |
| **2. MULTIPLE DX** | 80 | 14.6 | 111 | 3 | 3 | 13 | 20 | 28 | 35 | 52 |
| **A. NOT OPERATED** | 87 | 13.9 | 104 | 2 | 3 | 12 | 19 | 27 | 35 | 52 |
| **B. OPERATED** | 3 | 22.0 | 277 | 3 | 3 | 29 | 33 | 34 | 34 | 34 |
| TOTAL 65-69 YRS | 31 | 13.9 | 102 | 2 | 3 | 13 | 19 | 22 | 32 | 52 |
| 70-74 | 28 | 12.1 | 77 | 1 | 2 | 9 | 19 | 27 | 28 | 28 |
| 75-79 | 16 | 15.9 | 169 | 3 | 3 | 12 | 21 | 33 | 46 | 51 |
| 80-84 | 6 | 15.3 | 142 | 4 | 4 | 13 | 16 | 36 | 38 | 38 |
| 85+ | 9 | 17.4 | 133 | 3 | 4 | 16 | 25 | 34 | 37 | 37 |
| **GRAND TOTAL** | **90** | **14.1** | **109** | **2** | **3** | **12** | **20** | **28** | **34** | **52** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 9 |
| 70-74 | 32 | 5.2 | 49 | 1 | 1 | 3 | 5 | 12 | 21 | 34 |
| 75-79 | 10 | 2.7 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 80-84 | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 85+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 122 | 5.9 | 30 | 1 | 1 | 4 | 8 | 12 | 17 | 26 |
| 70-74 | 104 | 4.7 | 21 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| 75-79 | 51 | 5.2 | 22 | <1 | 1 | 3 | 8 | 13 | 16 | 17 |
| 80-84 | 20 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 10 |
| 85+ | 14 | 4.2 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 9.7 | 209 | 1 | 2 | 5 | 9 | 23 | 50 | 56 |
| 70-74 | 8 | 8.4 | 38 | 2 | 3 | 7 | 11 | 18 | 21 | 21 |
| 75-79 | 4 | 6.8 | 91 | 1 | 1 | 2 | 12 | 21 | 21 | 21 |
| 80-84 | 3 | 6.7 | 44 | <1 | <1 | 5 | 12 | 14 | 14 | 14 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 9 | 29 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 311 | 5.2 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| B. *Operated* | 28 | 8.6 | 118 | 1 | 1 | 5 | 10 | 19 | 25 | 56 |
| **1. SINGLE DX** | 85 | 3.7 | 22 | <1 | 1 | 2 | 4 | 7 | 9 | 29 |
| **2. MULTIPLE DX** | 339 | 5.5 | 32 | 1 | 1 | 4 | 7 | 12 | 16 | 25 |
| **A. NOT OPERATED** | 396 | 4.9 | 24 | 1 | 1 | 3 | 6 | 10 | 15 | 25 |
| **B. OPERATED** | 28 | 8.6 | 118 | 1 | 1 | 5 | 10 | 19 | 25 | 56 |
| TOTAL 65-69 YRS | 171 | 5.6 | 40 | 1 | 1 | 4 | 7 | 12 | 15 | 30 |
| 70-74 | 144 | 5.0 | 28 | 1 | 1 | 3 | 6 | 10 | 16 | 26 |
| 75-79 | 65 | 4.9 | 23 | <1 | 1 | 3 | 6 | 12 | 16 | 20 |
| 80-84 | 27 | 3.9 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 14 |
| 85+ | 17 | 3.8 | 8 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| **GRAND TOTAL** | **424** | **5.1** | **30** | **1** | **1** | **3** | **7** | **11** | **15** | **25** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 6.0 | 20 | 1 | 1 | 5 | 8 | 13 | 14 | 14 |
| 70-74 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 75-79 | 4 | 6.5 | 42 | 2 | 2 | 4 | 10 | 16 | 16 | 16 |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 29 | 10.4 | 68 | 3 | 3 | 9 | 14 | 19 | 29 | 39 |
| 70-74 | 32 | 10.7 | 66 | 3 | 3 | 8 | 15 | 25 | 29 | 30 |
| 75-79 | 18 | 8.7 | 56 | 2 | 2 | 6 | 13 | 18 | 25 | 30 |
| 80-84 | 9 | 10.0 | 117 | 1 | 2 | 7 | 11 | 27 | 37 | 37 |
| 85+ | 6 | 6.8 | 9 | 4 | 4 | 6 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 22.7 | 30 | 19 | 19 | 20 | 27 | 29 | 29 | 29 |
| 70-74 | 2 | 19.5 | 421 | 5 | 5 | 19 | 34 | 34 | 34 | 34 |
| 75-79 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 80-84 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 85+ | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 6.3 | 19 | 1 | 2 | 5 | 8 | 14 | 16 | 16 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 9.9 | 64 | 2 | 3 | 7 | 13 | 19 | 29 | 38 |
| B. *Operated* | 8 | 18.5 | 131 | 5 | 5 | 19 | 28 | 32 | 34 | 34 |
| **1. SINGLE DX** | 14 | 6.1 | 19 | 1 | 2 | 5 | 8 | 14 | 16 | 16 |
| **2. MULTIPLE DX** | 102 | 10.6 | 74 | 2 | 3 | 8 | 14 | 25 | 29 | 38 |
| **A. NOT OPERATED** | 107 | 9.5 | 60 | 2 | 3 | 7 | 13 | 18 | 29 | 38 |
| **B. OPERATED** | 9 | 16.8 | 141 | 3 | 4 | 19 | 28 | 32 | 34 | 34 |
| TOTAL 65-69 YRS | 38 | 10.7 | 71 | 2 | 3 | 9 | 14 | 20 | 29 | 39 |
| 70-74 | 36 | 11.0 | 75 | 3 | 3 | 8 | 15 | 28 | 30 | 34 |
| 75-79 | 23 | 8.2 | 50 | 2 | 2 | 5 | 12 | 17 | 22 | 30 |
| 80-84 | 12 | 8.7 | 92 | 1 | 2 | 6 | 10 | 20 | 35 | 37 |
| 85+ | 7 | 9.9 | 71 | 4 | 4 | 6 | 11 | 28 | 28 | 28 |
| **GRAND TOTAL** | **116** | **10.1** | **69** | **2** | **3** | **7** | **14** | **21** | **29** | **38** |

## 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 5.5 | 24 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| 70-74 | 37 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 14 |
| 75-79 | 21 | 4.0 | 4 | <1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 80-84 | 16 | 5.1 | 4 | 2 | 2 | 5 | 6 | 8 | 9 | 9 |
| 85+ | 5 | 6.2 | 19 | 1 | 1 | 6 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 8.8 | 3 | 7 | 7 | 8 | 10 | 11 | 11 | 11 |
| 70-74 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 75-79 | 2 | 14.5 | 145 | 6 | 6 | 14 | 23 | 23 | 23 | 23 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 205 | 6.4 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| 70-74 | 219 | 6.7 | 22 | 2 | 2 | 6 | 9 | 12 | 15 | 25 |
| 75-79 | 166 | 6.4 | 32 | 1 | 2 | 5 | 7 | 12 | 18 | 29 |
| 80-84 | 93 | 7.0 | 35 | 2 | 3 | 5 | 8 | 14 | 20 | 30 |
| 85+ | 54 | 6.8 | 37 | 2 | 2 | 5 | 8 | 13 | 16 | 41 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 8.1 | 21 | 1 | 2 | 9 | 12 | 14 | 15 | 15 |
| 70-74 | 15 | 14.5 | 210 | 3 | 5 | 10 | 18 | 28 | 52 | 60 |
| 75-79 | 17 | 20.4 | 382 | 6 | 6 | 14 | 23 | 39 | 70 | 86 |
| 80-84 | 7 | 7.9 | 15 | 2 | 3 | 8 | 11 | 13 | 13 | 13 |
| 85+ | 2 | 26.0 | 98 | 19 | 19 | 26 | 33 | 33 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 4.9 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 17 |
| B. *Operated* | 8 | 9.3 | 35 | 4 | 5 | 7 | 10 | 19 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 737 | 6.6 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 58 | 13.9 | 201 | 2 | 4 | 10 | 17 | 27 | 38 | 84 |
| **1. SINGLE DX** | 134 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 23 |
| **2. MULTIPLE DX** | 795 | 7.1 | 45 | 2 | 2 | 5 | 8 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 863 | 6.4 | 28 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| **B. OPERATED** | 66 | 13.4 | 182 | 2 | 4 | 9 | 17 | 24 | 35 | 82 |
| TOTAL 65-69 YRS | 273 | 6.4 | 29 | 1 | 2 | 5 | 8 | 13 | 15 | 27 |
| 70-74 | 272 | 6.8 | 34 | 2 | 2 | 6 | 8 | 12 | 17 | 27 |
| 75-79 | 206 | 7.4 | 73 | 1 | 2 | 5 | 8 | 15 | 23 | 41 |
| 80-84 | 116 | 6.8 | 30 | 2 | 2 | 5 | 8 | 13 | 19 | 29 |
| 85+ | 62 | 7.3 | 47 | 2 | 2 | 5 | 8 | 14 | 18 | 41 |
| **GRAND TOTAL** | **929** | **6.9** | **42** | **2** | **2** | **5** | **8** | **13** | **18** | **32** |

## 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 9.3 | 90 | 1 | 1 | 5 | 13 | 25 | 33 | 36 |
| 70-74 | 40 | 12.8 | 98 | 1 | 2 | 10 | 19 | 30 | 34 | 99+ |
| 75-79 | 34 | 10.6 | 174 | 1 | 2 | 6 | 14 | 41 | 54 | 99+ |
| 80-84 | 26 | 9.2 | 105 | 1 | 1 | 6 | 10 | 26 | 35 | 43 |
| 85+ | 16 | 9.9 | 114 | 1 | 2 | 8 | 11 | 14 | 37 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 220 | 10.2 | 109 | 2 | 2 | 7 | 13 | 21 | 33 | 60 |
| 70-74 | 173 | 9.5 | 86 | 1 | 2 | 7 | 13 | 20 | 25 | 56 |
| 75-79 | 137 | 11.4 | 124 | 2 | 3 | 9 | 13 | 27 | 35 | 53 |
| 80-84 | 92 | 10.8 | 163 | 1 | 2 | 7 | 11 | 28 | 39 | 71 |
| 85+ | 51 | 10.8 | 141 | 1 | 2 | 8 | 13 | 21 | 26 | 78 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 21.3 | 434 | 3 | 4 | 12 | 30 | 57 | 62 | 62 |
| 70-74 | 12 | 19.4 | 157 | 3 | 4 | 17 | 28 | 37 | 44 | 45 |
| 75-79 | 7 | 17.4 | 105 | 8 | 8 | 12 | 27 | 33 | 33 | 33 |
| 80-84 | 3 | 23.7 | 184 | 8 | 8 | 31 | 32 | 32 | 32 | 32 |
| 85+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 10.3 | 110 | 1 | 1 | 7 | 14 | 28 | 35 | 83 |
| B. *Operated* | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 673 | 10.4 | 116 | 2 | 2 | 7 | 13 | 21 | 30 | 61 |
| B. *Operated* | 32 | 20.0 | 203 | 3 | 6 | 16 | 30 | 37 | 49 | 62 |
| **1. SINGLE DX** | 187 | 10.4 | 111 | 1 | 1 | 7 | 14 | 28 | 35 | 83 |
| **2. MULTIPLE DX** | 705 | 10.9 | 123 | 2 | 2 | 8 | 13 | 23 | 32 | 62 |
| **A. NOT OPERATED** | 859 | 10.4 | 114 | 1 | 2 | 7 | 13 | 22 | 32 | 61 |
| **B. OPERATED** | 33 | 20.2 | 199 | 4 | 6 | 17 | 29 | 36 | 49 | 62 |
| TOTAL 65-69 YRS | 299 | 10.4 | 117 | 1 | 2 | 7 | 13 | 22 | 33 | 60 |
| 70-74 | 226 | 10.7 | 97 | 2 | 2 | 7 | 15 | 25 | 30 | 58 |
| 75-79 | 178 | 11.5 | 133 | 2 | 3 | 8 | 14 | 28 | 39 | 74 |
| 80-84 | 121 | 10.8 | 153 | 1 | 2 | 7 | 11 | 29 | 37 | 68 |
| 85+ | 68 | 10.8 | 132 | 1 | 2 | 8 | 13 | 21 | 26 | 73 |
| **GRAND TOTAL** | **892** | **10.8** | **121** | **1** | **2** | **7** | **13** | **24** | **33** | **62** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 240 | 13.4 | 125 | 1 | 3 | 10 | 19 | 30 | 37 | 57 |
| 70-74 | 192 | 13.0 | 113 | 2 | 3 | 10 | 17 | 25 | 37 | 52 |
| 75-79 | 118 | 13.9 | 129 | 2 | 3 | 11 | 20 | 27 | 35 | 55 |
| 80-84 | 57 | 10.1 | 109 | 2 | 2 | 7 | 12 | 21 | 38 | 49 |
| 85+ | 32 | 14.4 | 306 | 3 | 4 | 8 | 19 | 27 | 29 | 99 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 15.3 | 152 | 2 | 2 | 9 | 28 | 31 | 32 | 32 |
| 70-74 | 6 | 22.5 | 468 | 3 | 3 | 15 | 48 | 50 | 50 | 50 |
| 75-79 | 3 | 9.0 | 39 | 4 | 4 | 7 | 14 | 16 | 16 | 16 |
| 80-84 | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 85+ | 2 | 13.5 | 113 | 6 | 6 | 13 | 21 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 775 | 12.5 | 140 | 2 | 3 | 8 | 16 | 29 | 38 | 58 |
| 70-74 | 720 | 11.6 | 120 | 2 | 3 | 8 | 14 | 25 | 34 | 57 |
| 75-79 | 559 | 10.8 | 99 | 2 | 3 | 8 | 13 | 22 | 31 | 57 |
| 80-84 | 330 | 13.0 | 167 | 3 | 3 | 8 | 15 | 30 | 43 | 67 |
| 85+ | 204 | 10.3 | 88 | 2 | 2 | 8 | 12 | 20 | 27 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 18.8 | 295 | 2 | 5 | 13 | 27 | 50 | 59 | 69 |
| 70-74 | 76 | 17.7 | 220 | 4 | 5 | 12 | 26 | 40 | 50 | 71 |
| 75-79 | 59 | 23.0 | 340 | 3 | 5 | 13 | 32 | 58 | 64 | 98 |
| 80-84 | 24 | 19.9 | 407 | 4 | 5 | 16 | 24 | 53 | 97 | 99+ |
| 85+ | 17 | 13.4 | 67 | 3 | 4 | 10 | 18 | 28 | 33 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 639 | 13.1 | 130 | 2 | 3 | 10 | 18 | 28 | 36 | 55 |
| B. *Operated* | 22 | 15.4 | 208 | 2 | 3 | 8 | 22 | 37 | 49 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2588 | 11.8 | 125 | 2 | 3 | 8 | 14 | 26 | 35 | 58 |
| B. *Operated* | 255 | 19.2 | 282 | 3 | 5 | 13 | 26 | 45 | 59 | 95 |
| **1. SINGLE DX** | 661 | 13.2 | 132 | 2 | 3 | 10 | 18 | 28 | 37 | 55 |
| **2. MULTIPLE DX** | 2843 | 12.4 | 144 | 2 | 3 | 8 | 15 | 28 | 37 | 62 |
| **A. NOT OPERATED** | 3227 | 12.0 | 127 | 2 | 3 | 8 | 15 | 26 | 35 | 58 |
| **B. OPERATED** | 277 | 18.9 | 276 | 3 | 4 | 13 | 26 | 44 | 58 | 92 |
| TOTAL 65-69 YRS | 1103 | 13.2 | 150 | 2 | 3 | 9 | 18 | 30 | 39 | 61 |
| 70-74 | 994 | 12.4 | 131 | 2 | 3 | 9 | 15 | 27 | 37 | 57 |
| 75-79 | 739 | 12.3 | 134 | 2 | 3 | 9 | 15 | 27 | 34 | 63 |
| 80-84 | 413 | 13.0 | 175 | 3 | 3 | 8 | 15 | 30 | 43 | 69 |
| 85+ | 255 | 11.0 | 116 | 2 | 3 | 8 | 14 | 22 | 28 | 62 |
| **GRAND TOTAL** | **3504** | **12.6** | **142** | **2** | **3** | **9** | **16** | **28** | **37** | **61** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 11.6 | 44 | 1 | 3 | 11 | 17 | 25 | 66 | 99+ |
| 70-74 | 9 | 11.0 | 42 | 2 | 2 | 13 | 16 | 19 | 20 | 20 |
| 75-79 | 5 | 17.0 | 362 | 4 | 4 | 7 | 27 | 49 | 49 | 49 |
| 80-84 | 6 | 11.3 | 65 | 3 | 3 | 9 | 20 | 22 | 22 | 22 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 21.7 | 940 | 2 | 2 | 6 | 44 | 57 | 57 | 57 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| B. *Operated* | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 12.1 | 81 | 2 | 3 | 11 | 17 | 23 | 38 | 99+ |
| B. *Operated* | 4 | 19.0 | 655 | 2 | 2 | 11 | 68 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | 3 | 19.7 | 522 | 5 | 5 | 8 | 36 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | 42 | 12.8 | 125 | 2 | 3 | 11 | 18 | 27 | 70 | 99+ |
| **A. NOT OPERATED** | 40 | 11.9 | 79 | 2 | 3 | 11 | 17 | 23 | 36 | 99+ |
| **B. OPERATED** | 5 | 24.4 | 637 | 2 | 2 | 28 | 57 | 96 | 99+ | 99+ |
| TOTAL 65-69 YRS | 23 | 14.3 | 180 | 1 | 2 | 11 | 17 | 47 | 70 | 99+ |
| 70-74 | 9 | 11.0 | 42 | 2 | 2 | 14 | 17 | 60 | 99+ | 99+ |
| 75-79 | 5 | 17.0 | 362 | 4 | 4 | 7 | 27 | 49 | 49 | 49 |
| 80-84 | 8 | 10.5 | 51 | 3 | 3 | 9 | 16 | 21 | 22 | 22 |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | **45** | **13.2** | **143** | **2** | **3** | **11** | **18** | **42** | **63** | **99+** |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 12.4 | 97 | 2 | 2 | 12 | 16 | 22 | 35 | 43 |
| 70-74 | 17 | 17.8 | 231 | 5 | 6 | 13 | 19 | 48 | 56 | 57 |
| 75-79 | 4 | 13.5 | 15 | 10 | 10 | 12 | 16 | 19 | 19 | 19 |
| 80-84 | 5 | 11.0 | 62 | 2 | 2 | 10 | 15 | 23 | 23 | 23 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 17.8 | 133 | 1 | 3 | 14 | 26 | 37 | 39 | 39 |
| 70-74 | 9 | 17.9 | 526 | 2 | 2 | 10 | 22 | 56 | 75 | 75 |
| 75-79 | 6 | 13.2 | 153 | 1 | 1 | 9 | 26 | 30 | 30 | 30 |
| 80-84 | 2 | 18.5 | 113 | 11 | 11 | 18 | 26 | 26 | 26 | 26 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 58 | 15.7 | 146 | 3 | 5 | 12 | 20 | 32 | 47 | 53 |
| 70-74 | 64 | 16.7 | 113 | 3 | 4 | 15 | 21 | 34 | 39 | 43 |
| 75-79 | 42 | 23.0 | 212 | 5 | 8 | 22 | 28 | 42 | 52 | 73 |
| 80-84 | 31 | 17.1 | 135 | 4 | 4 | 14 | 22 | 33 | 39 | 56 |
| 85+ | 21 | 17.7 | 124 | 3 | 5 | 18 | 24 | 29 | 38 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 46 | 26.6 | 413 | 2 | 2 | 21 | 44 | 56 | 64 | 82 |
| 70-74 | 33 | 31.3 | 488 | 4 | 9 | 20 | 41 | 68 | 79 | 88 |
| 75-79 | 28 | 34.9 | 514 | 5 | 6 | 39 | 59 | 85 | 99+ | 99+ |
| 80-84 | 11 | 32.3 | 529 | 9 | 11 | 27 | 46 | 64 | 84 | 86 |
| 85+ | 4 | 33.0 | 670 | 4 | 4 | 30 | 49 | 67 | 67 | 67 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 44 | 14.4 | 138 | 2 | 2 | 12 | 16 | 24 | 46 | 57 |
| B. *Operated* | 34 | 17.0 | 222 | 1 | 2 | 13 | 26 | 31 | 39 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 216 | 17.8 | 150 | 4 | 4 | 15 | 23 | 34 | 42 | 55 |
| B. *Operated* | 122 | 30.5 | 468 | 3 | 4 | 28 | 47 | 67 | 81 | 99+ |
| 1. SINGLE DX | 78 | 15.6 | 174 | 2 | 2 | 13 | 19 | 28 | 41 | 70 |
| 2. MULTIPLE DX | 338 | 22.4 | 301 | 4 | 4 | 18 | 32 | 49 | 61 | 89 |
| A. NOT OPERATED | 260 | 17.2 | 149 | 3 | 4 | 14 | 23 | 33 | 43 | 56 |
| B. OPERATED | 156 | 27.6 | 444 | 2 | 4 | 22 | 43 | 64 | 76 | 99+ |
| TOTAL 65-69 YRS | 139 | 19.1 | 252 | 2 | 3 | 14 | 26 | 45 | 52 | 70 |
| 70-74 | 123 | 20.9 | 292 | 3 | 4 | 17 | 28 | 41 | 54 | 83 |
| 75-79 | 80 | 25.9 | 349 | 4 | 6 | 23 | 39 | 61 | 74 | 99+ |
| 80-84 | 49 | 19.9 | 251 | 4 | 5 | 15 | 26 | 41 | 50 | 86 |
| 85+ | 25 | 20.1 | 220 | 3 | 4 | 21 | 27 | 31 | 52 | 67 |
| GRAND TOTAL | 416 | 21.1 | 284 | 3 | 4 | 16 | 28 | 48 | 57 | 87 |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 231 | 11.1 | 65 | 3 | 4 | 9 | 14 | 21 | 29 | 38 |
| 70-74 | 249 | 12.4 | 98 | 3 | 4 | 10 | 16 | 23 | 29 | 44 |
| 75-79 | 204 | 11.8 | 98 | 3 | 4 | 9 | 16 | 25 | 29 | 67 |
| 80-84 | 91 | 11.0 | 70 | 2 | 3 | 9 | 15 | 19 | 26 | 48 |
| 85+ | 33 | 9.4 | 32 | 3 | 4 | 7 | 14 | 18 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 14.9 | 225 | 1 | 3 | 7 | 23 | 37 | 48 | 50 |
| 70-74 | 8 | 12.6 | 233 | 5 | 5 | 7 | 10 | 38 | 50 | 50 |
| 75-79 | 5 | 20.2 | 503 | 3 | 3 | 9 | 34 | 57 | 57 | 57 |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 784 | 12.1 | 91 | 3 | 4 | 10 | 15 | 23 | 29 | 56 |
| 70-74 | 1243 | 13.1 | 129 | 3 | 4 | 10 | 16 | 26 | 35 | 87 |
| 75-79 | 1216 | 14.0 | 149 | 3 | 4 | 11 | 17 | 28 | 41 | 74 |
| 80-84 | 750 | 13.9 | 151 | 3 | 4 | 11 | 17 | 27 | 36 | 78 |
| 85+ | 351 | 12.8 | 108 | 3 | 4 | 10 | 16 | 27 | 36 | 98 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 119 | 20.2 | 256 | 5 | 6 | 17 | 27 | 53 | 82 | 99+ |
| 70-74 | 177 | 22.4 | 306 | 4 | 7 | 18 | 29 | 48 | 82 | 99+ |
| 75-79 | 160 | 22.7 | 267 | 4 | 7 | 19 | 31 | 51 | 64 | 99+ |
| 80-84 | 77 | 22.2 | 339 | 4 | 7 | 16 | 30 | 56 | 83 | 99+ |
| 85+ | 33 | 24.6 | 380 | 4 | 8 | 18 | 38 | 58 | 98 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 808 | 11.6 | 83 | 3 | 4 | 9 | 15 | 22 | 28 | 44 |
| B. *Operated* | 26 | 14.8 | 256 | 3 | 4 | 7 | 17 | 48 | 52 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 4344 | 13.3 | 130 | 3 | 4 | 10 | 16 | 26 | 36 | 74 |
| B. *Operated* | 566 | 22.1 | 292 | 4 | 7 | 18 | 30 | 53 | 77 | 99+ |
| 1. SINGLE DX | 834 | 11.7 | 88 | 3 | 4 | 9 | 15 | 22 | 29 | 50 |
| 2. MULTIPLE DX | 4910 | 14.3 | 157 | 3 | 4 | 11 | 18 | 29 | 42 | 92 |
| A. NOT OPERATED | 5152 | 13.0 | 123 | 3 | 4 | 10 | 16 | 26 | 34 | 73 |
| B. OPERATED | 592 | 21.8 | 293 | 4 | 6 | 17 | 30 | 51 | 76 | 99+ |
| TOTAL 65-69 YRS | 1146 | 12.8 | 111 | 3 | 4 | 10 | 16 | 25 | 32 | 77 |
| 70-74 | 1677 | 14.0 | 152 | 3 | 4 | 10 | 18 | 28 | 41 | 94 |
| 75-79 | 1585 | 14.6 | 163 | 3 | 4 | 11 | 18 | 29 | 44 | 76 |
| 80-84 | 919 | 14.3 | 165 | 3 | 4 | 11 | 18 | 28 | 39 | 87 |
| 85+ | 417 | 13.4 | 134 | 3 | 4 | 10 | 16 | 31 | 44 | 99+ |
| GRAND TOTAL | 5744 | 13.9 | 148 | 3 | 4 | 11 | 17 | 28 | 40 | 89 |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 12.8 | 267 | 1 | 3 | 10 | 14 | 19 | 33 | 99 |
| 70-74 | 7 | 7.1 | 15 | 3 | 3 | 6 | 11 | 13 | 13 | 13 |
| 75-79 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 18.0 | 2 | 17 | 17 | 18 | 19 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 8.0 | 39 | 1 | 1 | 10 | 12 | 13 | 13 | 13 |
| 70-74 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 112 | 12.8 | 119 | 3 | 4 | 10 | 18 | 25 | 32 | 99+ |
| 70-74 | 63 | 12.7 | 146 | 3 | 3 | 10 | 15 | 26 | 40 | 96 |
| 75-79 | 26 | 14.6 | 89 | 5 | 5 | 11 | 23 | 30 | 34 | 35 |
| 80-84 | 7 | 8.3 | 32 | 3 | 3 | 6 | 11 | 18 | 19 | 19 |
| 85+ | 3 | 18.3 | 537 | 3 | 3 | 7 | 35 | 45 | 45 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 44 | 22.3 | 407 | 2 | 3 | 14 | 32 | 55 | 72 | 81 |
| 70-74 | 17 | 15.4 | 76 | 3 | 5 | 17 | 27 | 99+ | 99+ | 99+ |
| 75-79 | 11 | 21.1 | 280 | 1 | 6 | 17 | 26 | 50 | 57 | 58 |
| 80-84 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 85+ | 2 | 10.5 | 113 | 3 | 3 | 10 | 18 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 11.9 | 212 | 2 | 3 | 10 | 14 | 18 | 22 | 99 |
| B. *Operated* | 5 | 10.8 | 84 | 1 | 1 | 10 | 16 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 12.9 | 124 | 3 | 4 | 10 | 16 | 26 | 34 | 99+ |
| B. *Operated* | 75 | 20.1 | 304 | 2 | 4 | 15 | 30 | 57 | 78 | 99+ |
| **1. SINGLE DX** | 52 | 11.8 | 198 | 1 | 3 | 10 | 14 | 19 | 24 | 98 |
| **2. MULTIPLE DX** | 286 | 14.8 | 180 | 3 | 4 | 11 | 19 | 32 | 54 | 99+ |
| **A. NOT OPERATED** | 258 | 12.7 | 139 | 3 | 4 | 10 | 15 | 25 | 33 | 99+ |
| **B. OPERATED** | 80 | 19.5 | 294 | 2 | 3 | 14 | 29 | 55 | 76 | 99+ |
| TOTAL 65-69 YRS | 195 | 14.9 | 223 | 2 | 3 | 11 | 18 | 31 | 48 | 99 |
| 70-74 | 88 | 12.7 | 123 | 3 | 4 | 10 | 16 | 30 | 72 | 99+ |
| 75-79 | 39 | 16.0 | 146 | 5 | 5 | 12 | 22 | 32 | 40 | 58 |
| 80-84 | 9 | 10.6 | 55 | 3 | 3 | 9 | 14 | 23 | 25 | 25 |
| 85+ | 7 | 16.0 | 212 | 3 | 3 | 17 | 19 | 40 | 45 | 45 |
| **GRAND TOTAL** | 338 | 14.3 | 183 | 3 | 4 | 11 | 18 | 31 | 47 | 99+ |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 130 | 5.2 | 26 | 1 | 1 | 3 | 7 | 11 | 15 | 28 |
| 70-74 | 121 | 6.4 | 43 | 1 | 2 | 4 | 7 | 13 | 21 | 35 |
| 75-79 | 68 | 4.9 | 12 | 1 | 2 | 4 | 6 | 10 | 13 | 16 |
| 80-84 | 36 | 4.8 | 14 | <1 | 1 | 3 | 6 | 10 | 13 | 17 |
| 85+ | 13 | 5.9 | 28 | 1 | 1 | 6 | 7 | 12 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 7.8 | 56 | 4 | 4 | 4 | 12 | 19 | 19 | 19 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 7 | 6.6 | 5 | 4 | 4 | 7 | 8 | 10 | 10 | 10 |
| 80-84 | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 726 | 9.0 | 80 | 2 | 2 | 7 | 11 | 18 | 26 | 59 |
| 70-74 | 615 | 8.4 | 66 | 2 | 2 | 6 | 10 | 17 | 24 | 44 |
| 75-79 | 496 | 8.1 | 66 | 2 | 2 | 6 | 10 | 15 | 20 | 37 |
| 80-84 | 324 | 9.5 | 81 | 2 | 3 | 7 | 11 | 18 | 24 | 53 |
| 85+ | 227 | 9.1 | 72 | 2 | 2 | 7 | 12 | 19 | 26 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 14.5 | 163 | 2 | 3 | 11 | 20 | 35 | 40 | 92 |
| 70-74 | 55 | 17.8 | 226 | 3 | 4 | 13 | 22 | 41 | 54 | 62 |
| 75-79 | 43 | 19.1 | 293 | 3 | 5 | 15 | 23 | 35 | 76 | 99+ |
| 80-84 | 22 | 18.5 | 98 | 4 | 5 | 19 | 26 | 35 | 59 | 99+ |
| 85+ | 17 | 22.6 | 429 | 2 | 3 | 15 | 35 | 59 | 62 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 368 | 5.5 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 30 |
| B. *Operated* | 14 | 6.4 | 18 | 2 | 3 | 5 | 7 | 11 | 17 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2388 | 8.7 | 73 | 2 | 2 | 6 | 10 | 17 | 24 | 51 |
| B. *Operated* | 216 | 17.3 | 221 | 3 | 4 | 14 | 22 | 38 | 56 | 99+ |
| **1. SINGLE DX** | 382 | 5.5 | 28 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **2. MULTIPLE DX** | 2604 | 9.5 | 91 | 2 | 2 | 7 | 11 | 19 | 27 | 59 |
| **A. NOT OPERATED** | 2756 | 8.3 | 68 | 2 | 2 | 6 | 10 | 17 | 23 | 45 |
| **B. OPERATED** | 230 | 16.7 | 215 | 3 | 4 | 13 | 22 | 37 | 54 | 99+ |
| TOTAL 65-69 YRS | 939 | 9.0 | 83 | 2 | 2 | 6 | 11 | 19 | 26 | 58 |
| 70-74 | 792 | 8.7 | 80 | 2 | 2 | 6 | 10 | 18 | 26 | 45 |
| 75-79 | 614 | 8.5 | 84 | 2 | 2 | 6 | 10 | 17 | 23 | 44 |
| 80-84 | 384 | 9.5 | 82 | 2 | 2 | 7 | 11 | 19 | 25 | 54 |
| 85+ | 257 | 9.9 | 104 | 2 | 2 | 7 | 12 | 20 | 34 | 96 |
| **GRAND TOTAL** | 2986 | 9.0 | 84 | 2 | 2 | 6 | 11 | 18 | 26 | 56 |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 342 | 8.2 | 61 | 1 | 2 | 6 | 10 | 16 | 24 | 40 |
| 70-74 | 337 | 8.3 | 54 | 2 | 2 | 6 | 10 | 18 | 22 | 35 |
| 75-79 | 255 | 9.6 | 119 | 2 | 2 | 7 | 11 | 17 | 27 | 67 |
| 80-84 | 147 | 8.9 | 67 | 2 | 3 | 7 | 10 | 17 | 24 | 64 |
| 85+ | 94 | 10.1 | 136 | 2 | 2 | 7 | 12 | 20 | 26 | 72 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 247 | 9.7 | 131 | 1 | 2 | 6 | 13 | 23 | 28 | 59 |
| 70-74 | 183 | 11.3 | 120 | 2 | 2 | 8 | 16 | 24 | 33 | 50 |
| 75-79 | 160 | 12.1 | 188 | 1 | 2 | 8 | 16 | 28 | 34 | 79 |
| 80-84 | 83 | 12.1 | 96 | 2 | 3 | 8 | 17 | 26 | 30 | 43 |
| 85+ | 28 | 11.9 | 328 | 2 | 2 | 6 | 10 | 30 | 64 | 79 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1563 | 12.6 | 148 | 2 | 3 | 9 | 16 | 27 | 39 | 81 |
| 70-74 | 1818 | 12.9 | 138 | 3 | 3 | 10 | 16 | 27 | 36 | 72 |
| 75-79 | 1839 | 13.3 | 146 | 3 | 4 | 10 | 17 | 28 | 38 | 81 |
| 80-84 | 1338 | 13.0 | 121 | 3 | 4 | 10 | 16 | 26 | 36 | 66 |
| 85+ | 931 | 13.2 | 126 | 3 | 4 | 10 | 17 | 26 | 37 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 800 | 17.1 | 287 | 2 | 3 | 11 | 22 | 43 | 58 | 99 |
| 70-74 | 796 | 17.9 | 261 | 2 | 3 | 13 | 25 | 41 | 56 | 89 |
| 75-79 | 728 | 19.2 | 277 | 2 | 3 | 14 | 27 | 43 | 57 | 97 |
| 80-84 | 358 | 21.8 | 367 | 3 | 5 | 16 | 31 | 57 | 73 | 99+ |
| 85+ | 208 | 17.4 | 229 | 3 | 4 | 13 | 24 | 41 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1175 | 8.8 | 79 | 2 | 2 | 6 | 11 | 17 | 24 | 47 |
| B. *Operated* | 701 | 11.0 | 145 | 1 | 2 | 7 | 14 | 25 | 33 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7489 | 13.0 | 137 | 3 | 4 | 10 | 16 | 27 | 37 | 77 |
| B. *Operated* | 2890 | 18.4 | 285 | 2 | 3 | 13 | 25 | 44 | 59 | 99+ |
| **1. SINGLE DX** | 1876 | 9.6 | 104 | 2 | 2 | 7 | 12 | 21 | 28 | 56 |
| **2. MULTIPLE DX** | 10379 | 14.5 | 185 | 3 | 3 | 10 | 18 | 32 | 45 | 89 |
| **A. NOT OPERATED** | 8664 | 12.4 | 131 | 2 | 3 | 9 | 15 | 26 | 35 | 74 |
| **B. OPERATED** | 3591 | 17.0 | 266 | 2 | 3 | 12 | 23 | 40 | 56 | 98 |
| TOTAL 65-69 YRS | 2952 | 13.1 | 182 | 2 | 3 | 9 | 16 | 29 | 43 | 85 |
| 70-74 | 3134 | 13.5 | 168 | 2 | 3 | 10 | 17 | 29 | 41 | 74 |
| 75-79 | 2982 | 14.4 | 186 | 2 | 3 | 10 | 18 | 32 | 44 | 84 |
| 80-84 | 1926 | 14.3 | 175 | 3 | 4 | 10 | 18 | 31 | 44 | 89 |
| 85+ | 1261 | 13.7 | 151 | 3 | 4 | 10 | 17 | 28 | 42 | 99+ |
| **GRAND TOTAL** | 12255 | 13.8 | 175 | 2 | 3 | 10 | 17 | 30 | 43 | 84 |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 54 | 4.0 | 7 | 1 | 2 | 3 | 5 | 8 | 10 | 12 |
| 70-74 | 31 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 11 |
| 75-79 | 25 | 4.2 | 8 | 1 | 2 | 3 | 6 | 8 | 10 | 12 |
| 80-84 | 5 | 2.6 | 3 | 1 | 1 | 2 | 4 | 6 | 5 | 5 |
| 85+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 5.1 | 8 | 2 | 2 | 4 | 8 | 9 | 10 | 10 |
| 70-74 | 6 | 5.5 | 21 | 2 | 2 | 4 | 7 | 13 | 14 | 14 |
| 75-79 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 179 | 5.9 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 70-74 | 95 | 6.2 | 20 | 2 | 2 | 5 | 7 | 13 | 16 | 22 |
| 75-79 | 59 | 6.4 | 19 | 1 | 2 | 5 | 9 | 12 | 16 | 19 |
| 80-84 | 35 | 5.4 | 12 | 1 | 2 | 6 | 7 | 9 | 12 | 17 |
| 85+ | 24 | 8.1 | 35 | 1 | 2 | 8 | 10 | 14 | 20 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 6.8 | 17 | 2 | 3 | 6 | 9 | 14 | 16 | 16 |
| 70-74 | 15 | 10.1 | 35 | 3 | 4 | 8 | 13 | 20 | 21 | 22 |
| 75-79 | 15 | 16.9 | 563 | 2 | 3 | 11 | 18 | 35 | 81 | 97 |
| 80-84 | 3 | 15.7 | 20 | 11 | 11 | 16 | 19 | 20 | 20 | 20 |
| 85+ | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 4.2 | 7 | 1 | 2 | 3 | 5 | 9 | 10 | 12 |
| B. *Operated* | 23 | 4.9 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 392 | 6.1 | 18 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| B. *Operated* | 52 | 11.4 | 188 | 3 | 3 | 8 | 14 | 19 | 22 | 96 |
| **1. SINGLE DX** | 140 | 4.3 | 8 | 1 | 2 | 3 | 6 | 9 | 10 | 12 |
| **2. MULTIPLE DX** | 444 | 6.7 | 41 | 2 | 2 | 5 | 9 | 13 | 16 | 24 |
| **A. NOT OPERATED** | 509 | 5.7 | 16 | 1 | 2 | 5 | 7 | 11 | 14 | 19 |
| **B. OPERATED** | 75 | 9.4 | 142 | 2 | 2 | 7 | 11 | 19 | 20 | 81 |
| TOTAL 65-69 YRS | 263 | 5.5 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 17 |
| 70-74 | 147 | 6.3 | 21 | 2 | 2 | 5 | 8 | 13 | 17 | 22 |
| 75-79 | 102 | 7.3 | 108 | 1 | 2 | 5 | 9 | 13 | 18 | 65 |
| 80-84 | 44 | 5.8 | 19 | 1 | 1 | 5 | 7 | 11 | 16 | 20 |
| 85+ | 28 | 8.1 | 33 | 1 | 2 | 8 | 11 | 15 | 17 | 28 |
| **GRAND TOTAL** | 584 | 6.2 | 34 | 1 | 2 | 5 | 8 | 12 | 15 | 21 |

## 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 4.3 | 11 | 1 | 1 | 4 | 5 | 9 | 13 | 13 |
| 70-74 | 7 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 75-79 | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 80-84 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 85+ | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 946 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 70-74 | 754 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 75-79 | 604 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 80-84 | 318 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 85+ | 139 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 4.7 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 13 |
| 70-74 | 35 | 4.6 | 14 | <1 | <1 | 3 | 7 | 9 | 11 | 18 |
| 75-79 | 18 | 7.3 | 44 | <1 | 1 | 5 | 9 | 18 | 21 | 23 |
| 80-84 | 14 | 5.9 | 19 | <1 | 1 | 5 | 9 | 12 | 14 | 15 |
| 85+ | 11 | 8.6 | 39 | 1 | 3 | 8 | 11 | 19 | 22 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 701 | 3.9 | 15 | 1 | 2 | 3 | 4 | 8 | 12 | 20 |
| 70-74 | 546 | 4.0 | 24 | 1 | 2 | 3 | 4 | 8 | 11 | 22 |
| 75-79 | 420 | 4.4 | 20 | 1 | 2 | 3 | 5 | 9 | 13 | 25 |
| 80-84 | 229 | 4.7 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 26 |
| 85+ | 109 | 5.4 | 22 | 1 | 2 | 4 | 7 | 11 | 12 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 3.5 | 7 | 1 | 1 | 3 | 5 | 6 | 9 | 13 |
| B. *Operated* | 2761 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 5.5 | 21 | <1 | 1 | 4 | 8 | 11 | 15 | 22 |
| B. *Operated* | 2005 | 4.2 | 21 | 1 | 2 | 3 | 4 | 9 | 12 | 23 |
| **1. SINGLE DX** | 2788 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **2. MULTIPLE DX** | 2131 | 4.3 | 21 | 1 | 2 | 3 | 5 | 9 | 12 | 22 |
| **A. NOT OPERATED** | 153 | 5.2 | 19 | <1 | 1 | 4 | 7 | 11 | 13 | 22 |
| **B. OPERATED** | 4766 | 3.3 | 12 | 1 | 1 | 2 | 3 | 6 | 9 | 18 |
| TOTAL 65-69 YRS | 1706 | 3.2 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 70-74 | 1342 | 3.2 | 13 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 75-79 | 1046 | 3.5 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 20 |
| 80-84 | 564 | 3.6 | 16 | 1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 85+ | 261 | 4.1 | 16 | 1 | 1 | 3 | 4 | 9 | 11 | 22 |
| **GRAND TOTAL** | **4919** | **3.3** | **12** | **1** | **1** | **2** | **3** | **6** | **9** | **18** |

## 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 269 | 7.0 | 48 | 1 | 2 | 5 | 8 | 15 | 21 | 30 |
| 70-74 | 247 | 7.3 | 48 | 1 | 2 | 5 | 9 | 14 | 20 | 37 |
| 75-79 | 158 | 7.5 | 50 | 2 | 2 | 5 | 10 | 16 | 20 | 35 |
| 80-84 | 78 | 8.3 | 103 | 2 | 3 | 6 | 8 | 16 | 22 | 68 |
| 85+ | 38 | 8.3 | 31 | 2 | 2 | 7 | 12 | 16 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 644 | 4.5 | 20 | 1 | 2 | 3 | 5 | 10 | 13 | 21 |
| 70-74 | 383 | 4.7 | 24 | 1 | 2 | 3 | 5 | 9 | 12 | 31 |
| 75-79 | 232 | 5.5 | 33 | 1 | 2 | 3 | 6 | 13 | 19 | 35 |
| 80-84 | 101 | 6.0 | 31 | 1 | 2 | 4 | 8 | 12 | 18 | 28 |
| 85+ | 51 | 5.4 | 20 | 2 | 2 | 3 | 8 | 11 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 925 | 9.5 | 76 | 2 | 3 | 7 | 12 | 19 | 27 | 50 |
| 70-74 | 866 | 9.4 | 67 | 2 | 3 | 7 | 12 | 18 | 24 | 41 |
| 75-79 | 678 | 10.4 | 100 | 2 | 3 | 8 | 12 | 21 | 28 | 51 |
| 80-84 | 451 | 10.1 | 95 | 2 | 3 | 8 | 12 | 20 | 26 | 57 |
| 85+ | 272 | 10.5 | 74 | 2 | 3 | 8 | 13 | 21 | 28 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 689 | 9.6 | 124 | 2 | 2 | 6 | 11 | 23 | 32 | 69 |
| 70-74 | 514 | 11.8 | 137 | 2 | 2 | 8 | 16 | 29 | 40 | 96 |
| 75-79 | 301 | 14.1 | 226 | 2 | 2 | 9 | 19 | 34 | 50 | 99+ |
| 80-84 | 159 | 13.4 | 151 | 2 | 3 | 10 | 17 | 30 | 37 | 69 |
| 85+ | 71 | 15.1 | 184 | 2 | 3 | 11 | 22 | 30 | 48 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 790 | 7.4 | 53 | 2 | 2 | 5 | 9 | 15 | 20 | 36 |
| B. *Operated* | 1411 | 4.8 | 24 | 1 | 2 | 3 | 5 | 10 | 14 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3192 | 9.8 | 81 | 2 | 3 | 7 | 12 | 19 | 26 | 50 |
| B. *Operated* | 1734 | 11.6 | 154 | 2 | 2 | 7 | 15 | 29 | 39 | 84 |
| **1. SINGLE DX** | 2201 | 5.8 | 36 | 1 | 2 | 4 | 7 | 12 | 18 | 31 |
| **2. MULTIPLE DX** | 4926 | 10.5 | 107 | 2 | 3 | 7 | 13 | 22 | 31 | 62 |
| **A. NOT OPERATED** | 3982 | 9.3 | 77 | 2 | 3 | 7 | 11 | 19 | 25 | 48 |
| **B. OPERATED** | 3145 | 8.6 | 107 | 2 | 2 | 5 | 10 | 20 | 30 | 65 |
| TOTAL 65-69 YRS | 2527 | 8.0 | 76 | 2 | 2 | 5 | 10 | 17 | 25 | 52 |
| 70-74 | 2010 | 8.9 | 80 | 2 | 2 | 6 | 11 | 19 | 28 | 49 |
| 75-79 | 1369 | 10.1 | 119 | 2 | 2 | 7 | 12 | 23 | 32 | 67 |
| 80-84 | 789 | 10.1 | 103 | 2 | 3 | 7 | 12 | 21 | 28 | 62 |
| 85+ | 432 | 10.5 | 88 | 2 | 3 | 8 | 13 | 22 | 29 | 48 |
| **GRAND TOTAL** | **7127** | **9.0** | **90** | **2** | **2** | **6** | **11** | **19** | **28** | **55** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 3.5 | 7 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| 70-74 | 13 | 5.0 | 12 | <1 | <1 | 5 | 7 | 10 | 12 | 12 |
| 75-79 | 6 | 3.8 | 8 | <1 | <1 | 3 | 5 | 9 | 9 | 9 |
| 80-84 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 753 | 5.0 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 14 |
| 70-74 | 498 | 5.5 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 14 |
| 75-79 | 286 | 5.5 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 14 |
| 80-84 | 127 | 5.5 | 5 | 2 | 3 | 5 | 7 | 8 | 9 | 13 |
| 85+ | 51 | 5.2 | 5 | 2 | 2 | 5 | 7 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 4.0 | 11 | <1 | 1 | 3 | 5 | 9 | 11 | 13 |
| 70-74 | 15 | 3.9 | 7 | 1 | 1 | 3 | 6 | 7 | 9 | 10 |
| 75-79 | 5 | 6.0 | 47 | 1 | 1 | 3 | 8 | 18 | 18 | 18 |
| 80-84 | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 85+ | 6 | 2.5 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 669 | 5.9 | 13 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| 70-74 | 558 | 6.5 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 22 |
| 75-79 | 399 | 6.5 | 14 | 3 | 3 | 6 | 8 | 11 | 14 | 21 |
| 80-84 | 172 | 6.8 | 23 | 2 | 3 | 5 | 8 | 13 | 16 | 29 |
| 85+ | 70 | 7.9 | 34 | 2 | 3 | 7 | 10 | 14 | 16 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 4.3 | 9 | <1 | <1 | 3 | 6 | 9 | 10 | 12 |
| B. *Operated* | 1715 | 5.3 | 7 | 2 | 2 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 1868 | 6.4 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| **1. SINGLE DX** | 1742 | 5.3 | 7 | 2 | 2 | 5 | 7 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 1915 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| **A. NOT OPERATED** | 74 | 4.0 | 10 | <1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 3583 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| TOTAL 65-69 YRS | 1446 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 70-74 | 1084 | 6.0 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 75-79 | 696 | 6.1 | 12 | 2 | 3 | 5 | 7 | 10 | 13 | 19 |
| 80-84 | 304 | 6.2 | 16 | 2 | 3 | 5 | 7 | 10 | 13 | 23 |
| 85+ | 127 | 6.5 | 23 | 2 | 3 | 5 | 8 | 12 | 14 | 30 |
| **GRAND TOTAL** | 3657 | 5.8 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 40 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 70-74 | 36 | 2.6 | 4 | 1 | 1 | 3 | 3 | 4 | 6 | 11 |
| 75-79 | 34 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 80-84 | 23 | 3.3 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 9 |
| 85+ | 14 | 4.6 | 16 | 1 | 1 | 3 | 6 | 10 | 15 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 578 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 70-74 | 536 | 3.1 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 75-79 | 461 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 80-84 | 238 | 3.5 | 6 | 1 | 2 | 3 | 4 | 7 | 9 | 14 |
| 85+ | 87 | 3.7 | 6 | 1 | 1 | 3 | 4 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 4.9 | 17 | 1 | 1 | 4 | 7 | 9 | 12 | 20 |
| 70-74 | 41 | 3.6 | 10 | 1 | 1 | 2 | 5 | 7 | 11 | 16 |
| 75-79 | 43 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 80-84 | 27 | 5.4 | 17 | 1 | 1 | 4 | 8 | 12 | 14 | 15 |
| 85+ | 24 | 4.8 | 12 | 1 | 2 | 4 | 6 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 402 | 4.8 | 17 | 1 | 2 | 3 | 6 | 9 | 13 | 21 |
| 70-74 | 406 | 4.7 | 14 | 2 | 2 | 3 | 6 | 9 | 12 | 20 |
| 75-79 | [illegible] | 4.9 | 18 | 1 | 2 | 3 | 6 | 10 | 13 | 22 |
| 80-84 | [illegible] | 5.4 | 22 | 2 | 2 | 4 | 6 | 11 | 14 | 25 |
| 85+ | [illegible] | 5.6 | 41 | 2 | 2 | 4 | 7 | 9 | 11 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 147 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 1900 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 168 | 4.4 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 16 |
| B. *Operated* | 1591 | 4.9 | 19 | 2 | 2 | 3 | 6 | 10 | 13 | 23 |
| **1. SINGLE DX** | 2047 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 1759 | 4.9 | 19 | 1 | 2 | 3 | 6 | 10 | 13 | 21 |
| **A. NOT OPERATED** | 315 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 3491 | 4.0 | 12 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| TOTAL 65-69 YRS | 1053 | 3.8 | 10 | 1 | 2 | 3 | 4 | 8 | 10 | 17 |
| 70-74 | 1019 | 3.8 | 9 | 1 | 2 | 3 | 4 | 7 | 9 | 15 |
| 75-79 | 922 | 3.9 | 11 | 1 | 2 | 3 | 4 | 7 | 11 | 17 |
| 80-84 | 545 | 4.4 | 15 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| 85+ | 267 | 4.8 | 26 | 1 | 2 | 4 | 6 | 9 | 11 | 32 |
| **GRAND TOTAL** | 3806 | 4.0 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 15 |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 3.1 | 9 | 1 | 1 | 2 | 4 | 8 | 10 | 11 |
| 70-74 | 15 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 75-79 | 15 | 3.1 | 5 | <1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 80-84 | 9 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 85+ | 8 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 299 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 70-74 | 259 | 3.3 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 75-79 | 205 | 3.1 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 80-84 | 117 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 85+ | 53 | 3.7 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 14 | 22 |
| 70-74 | 40 | 5.0 | 14 | <1 | 1 | 4 | 8 | 10 | 12 | 16 |
| 75-79 | 33 | 7.8 | 152 | 1 | 1 | 4 | 7 | 12 | 37 | 64 |
| 80-84 | 26 | 7.7 | 45 | 1 | 2 | 6 | 12 | 15 | 22 | 30 |
| 85+ | 28 | 4.8 | 13 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 247 | 4.9 | 28 | 1 | 2 | 3 | 6 | 10 | 14 | 29 |
| 70-74 | 237 | 5.0 | 20 | 1 | 2 | 3 | 6 | 9 | 13 | 25 |
| 75-79 | 197 | 5.2 | 33 | 1 | 2 | 3 | 5 | 10 | 15 | 27 |
| 80-84 | 136 | 5.3 | 24 | 2 | 2 | 4 | 6 | 11 | 15 | 25 |
| 85+ | 97 | 5.9 | 26 | 1 | 2 | 4 | 8 | 15 | 18 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 2.7 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 933 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 6.0 | 49 | 1 | 1 | 4 | 7 | 12 | 15 | 40 |
| B. *Operated* | 914 | 5.1 | 26 | 1 | 2 | 3 | 6 | 11 | 15 | 26 |
| **1. SINGLE DX** | 994 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | 1075 | 5.3 | 30 | 1 | 2 | 4 | 6 | 11 | 15 | 29 |
| **A. NOT OPERATED** | 222 | 5.1 | 39 | 1 | 1 | 3 | 6 | 10 | 13 | 33 |
| **B. OPERATED** | 1847 | 4.2 | 17 | 1 | 2 | 3 | 5 | 8 | 12 | 21 |
| TOTAL 65-69 YRS | 594 | 4.1 | 17 | 1 | 2 | 3 | 4 | 8 | 11 | 20 |
| 70-74 | 551 | 4.1 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| 75-79 | 450 | 4.3 | 30 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 80-84 | 288 | 4.5 | 19 | 1 | 2 | 3 | 5 | 8 | 13 | 24 |
| 85+ | 186 | 5.0 | 20 | 1 | 2 | 3 | 6 | 12 | 16 | 24 |
| **GRAND TOTAL** | **2069** | **4.3** | **19** | **1** | **2** | **3** | **5** | **8** | **12** | **22** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 53 | 2.4 | 5 | <1 | <1 | 1 | 3 | 4 | 6 | 14 |
| 70-74 | 57 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 75-79 | 50 | 2.5 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 16 |
| 80-84 | 40 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 85+ | 31 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12265 | 2.7 | 2 | 2 | 2 | 2 | 3 | 4 | 5 | 8 |
| 70-74 | 14514 | 2.8 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 75-79 | 14133 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| 80-84 | 10054 | 2.9 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 85+ | 6402 | 3.1 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 283 | 2.9 | 14 | <1 | <1 | 2 | 3 | 6 | 8 | 21 |
| 70-74 | 363 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 10 | 17 |
| 75-79 | 384 | 3.0 | 17 | <1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 80-84 | 267 | 3.3 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 85+ | 223 | 3.5 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9679 | 3.4 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| 70-74 | 12023 | 3.6 | 10 | 2 | 2 | 3 | 4 | 5 | 8 | 16 |
| 75-79 | 12173 | 3.7 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |
| 80-84 | 8985 | 3.8 | 11 | 2 | 2 | 3 | 4 | 6 | 9 | 17 |
| 85+ | 6077 | 4.0 | 14 | 2 | 2 | 3 | 4 | 7 | 10 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 231 | 2.5 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| B. *Operated* | 57368 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1520 | 3.1 | 16 | <1 | 1 | 2 | 3 | 7 | 10 | 18 |
| B. *Operated* | 48937 | 3.7 | 10 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| **1. SINGLE DX** | 57599 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 50457 | 3.7 | 11 | 2 | 2 | 3 | 4 | 6 | 8 | 17 |
| **A. NOT OPERATED** | 1751 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| **B. OPERATED** | 106305 | 3.2 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| TOTAL 65-69 YRS | 22280 | 3.1 | 5 | 2 | 2 | 3 | 3 | 4 | 6 | 11 |
| 70-74 | 26957 | 3.1 | 6 | 2 | 2 | 3 | 3 | 5 | 6 | 12 |
| 75-79 | 26740 | 3.2 | 6 | 2 | 2 | 3 | 4 | 5 | 6 | 12 |
| 80-84 | 19346 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 85+ | 12733 | 3.5 | 9 | 2 | 2 | 3 | 4 | 5 | 8 | 15 |
| **GRAND TOTAL** | **108056** | **3.2** | **6** | **2** | **2** | **3** | **4** | **5** | **6** | **13** |

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 75-79 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 183 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 70-74 | 154 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 75-79 | 165 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 80-84 | 101 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 85+ | 76 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 75-79 | 3 | 3.3 | 10 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 80-84 | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 85+ | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 3.0 | 5 | 1 | 2 | 2 | 3 | 5 | 7 | 18 |
| 70-74 | 180 | 2.9 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 11 |
| 75-79 | 176 | 3.3 | 9 | 1 | 2 | 3 | 4 | 5 | 7 | 21 |
| 80-84 | 144 | 3.3 | 10 | 1 | 1 | 2 | 4 | 5 | 8 | 16 |
| 85+ | 88 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 10 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | 679 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.2 | 3 | <1 | 1 | 2 | 2 | 6 | 7 | 7 |
| B. *Operated* | 759 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| **1. SINGLE DX** | 683 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | 774 | 3.1 | 6 | 1 | 2 | 2 | 3 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 19 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 7 |
| **B. OPERATED** | 1438 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 65-69 YRS | 356 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 70-74 | 340 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 75-79 | 346 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 80-84 | 249 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 85+ | 166 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **GRAND TOTAL** | 1457 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 4.8 | 7 | 1 | 2 | 5 | 7 | 9 | 10 | 10 |
| 70-74 | 14 | 5.5 | 16 | <1 | 1 | 4 | 9 | 12 | 13 | 13 |
| 75-79 | 18 | 4.1 | 3 | 1 | 2 | 4 | 6 | 7 | 7 | 7 |
| 80-84 | 5 | 4.6 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 77 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 70-74 | 41 | 2.9 | 6 | 1 | 2 | 2 | 3 | 4 | 8 | 13 |
| 75-79 | 30 | 3.2 | 9 | 1 | 1 | 2 | 3 | 7 | 12 | 13 |
| 80-84 | 21 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 85+ | 12 | 2.2 | 4 | <1 | 1 | 2 | 2 | 26 | 86 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 69 | 7.2 | 30 | 1 | 2 | 6 | 10 | 15 | 19 | 25 |
| 70-74 | 54 | 6.7 | 22 | 1 | 2 | 5 | 9 | 13 | 19 | 22 |
| 75-79 | 50 | 7.2 | 34 | 2 | 2 | 5 | 10 | 13 | 14 | 35 |
| 80-84 | 28 | 8.3 | 38 | 1 | 2 | 6 | 13 | 19 | 21 | 22 |
| 85+ | 17 | 5.2 | 8 | <1 | <1 | 5 | 7 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 72 | 4.1 | 15 | 1 | 2 | 2 | 5 | 9 | 14 | 19 |
| 70-74 | 72 | 4.3 | 16 | 1 | 2 | 2 | 5 | 11 | 13 | 19 |
| 75-79 | 40 | 5.1 | 27 | 2 | 2 | 3 | 6 | 13 | 18 | 23 |
| 80-84 | 15 | 5.3 | 30 | <1 | 2 | 3 | 9 | 11 | 18 | 21 |
| 85+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 4.7 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 13 |
| B. *Operated* | 181 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 7.1 | 28 | 1 | 2 | 6 | 10 | 14 | 18 | 24 |
| B. *Operated* | 201 | 4.5 | 18 | 1 | 2 | 2 | 5 | 11 | 14 | 21 |
| **1. SINGLE DX** | 237 | 3.1 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 13 |
| **2. MULTIPLE DX** | 419 | 5.8 | 25 | 1 | 2 | 4 | 8 | 13 | 16 | 22 |
| **A. NOT OPERATED** | 274 | 6.6 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| **B. OPERATED** | 382 | 3.6 | 13 | 1 | 1 | 2 | 3 | 8 | 12 | 21 |
| TOTAL 65-69 YRS | 237 | 4.5 | 18 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| 70-74 | 181 | 4.8 | 17 | 1 | 2 | 3 | 6 | 12 | 13 | 21 |
| 75-79 | 138 | 5.3 | 24 | 1 | 2 | 3 | 6 | 12 | 14 | 24 |
| 80-84 | 69 | 5.6 | 29 | 1 | 1 | 3 | 7 | 13 | 19 | 22 |
| 85+ | 31 | 5.8 | 8 | <1 | 1 | 3 | 7 | 8 | 10 | 99+ |
| **GRAND TOTAL** | 656 | 4.8 | 20 | 1 | 2 | 3 | 6 | 11 | 14 | 22 |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 53 | 5.2 | 14 | <1 | 1 | 5 | 8 | 10 | 14 | 15 |
| 70-74 | 49 | 5.7 | 12 | 1 | 2 | 5 | 7 | 10 | 11 | 19 |
| 75-79 | 50 | 5.2 | 15 | 1 | 1 | 5 | 7 | 11 | 13 | 15 |
| 80-84 | 31 | 6.6 | 29 | 1 | 2 | 5 | 9 | 15 | 16 | 25 |
| 85+ | 37 | 8.8 | 56 | 1 | 2 | 7 | 10 | 21 | 26 | 32 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 787 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 70-74 | 782 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 75-79 | 686 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 5 | 11 |
| 80-84 | 461 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 85+ | 346 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 115 | 5.6 | 33 | 1 | 1 | 4 | 6 | 11 | 16 | 32 |
| 70-74 | 116 | 6.2 | 25 | 1 | 2 | 5 | 9 | 12 | 15 | 27 |
| 75-79 | 109 | 6.9 | 34 | 1 | 1 | 6 | 8 | 14 | 21 | 30 |
| 80-84 | 89 | 6.9 | 52 | <1 | 1 | 6 | 9 | 13 | 15 | 44 |
| 85+ | 101 | 7.3 | 44 | 1 | 1 | 5 | 10 | 14 | 19 | 37 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 868 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 70-74 | 842 | 3.7 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 75-79 | 824 | 4.1 | 26 | 1 | 2 | 3 | 5 | 7 | 10 | 20 |
| 80-84 | 551 | 4.3 | 17 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| 85+ | 442 | 4.3 | 15 | 1 | 2 | 3 | 5 | 9 | 11 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 220 | 6.1 | 24 | 1 | 1 | 5 | 8 | 12 | 15 | 26 |
| *B. Operated* | 3062 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 530 | 6.5 | 37 | 1 | 1 | 5 | 8 | 12 | 18 | 29 |
| *B. Operated* | 3527 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **1. SINGLE DX** | 3282 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | 4057 | 4.2 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 750 | 6.4 | 33 | 1 | 1 | 5 | 8 | 12 | 17 | 28 |
| **B. OPERATED** | 6589 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| TOTAL 65-69 YRS | 1823 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 70-74 | 1789 | 3.4 | 11 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 75-79 | 1669 | 3.7 | 21 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 80-84 | 1132 | 3.9 | 16 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| 85+ | 926 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| **GRAND TOTAL** | 7339 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 9 | 19 |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 85 | 4.3 | 11 | 1 | 1 | 4 | 6 | 7 | 10 | 18 |
| 70-74 | 80 | 4.3 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 16 |
| 75-79 | 48 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 12 | 16 |
| 80-84 | 38 | 4.8 | 12 | 1 | 1 | 4 | 6 | 11 | 12 | 15 |
| 85+ | 27 | 6.4 | 19 | 1 | 2 | 5 | 9 | 14 | 15 | 18 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 662 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 70-74 | 665 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 75-79 | 607 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 80-84 | 376 | 3.0 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 16 |
| 85+ | 216 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 245 | 6.1 | 20 | 1 | 1 | 5 | 8 | 12 | 18 | 23 |
| 70-74 | 216 | 7.2 | 61 | 1 | 2 | 6 | 9 | 13 | 16 | 33 |
| 75-79 | 174 | 6.9 | 27 | 1 | 2 | 6 | 8 | 13 | 16 | 24 |
| 80-84 | 124 | 6.9 | 30 | 1 | 2 | 5 | 9 | 15 | 19 | 24 |
| 85+ | 86 | 7.9 | 113 | 1 | 2 | 6 | 9 | 15 | 19 | 70 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 847 | 4.7 | 25 | 1 | 2 | 3 | 5 | 10 | 14 | 23 |
| 70-74 | 818 | 4.8 | 24 | 1 | 2 | 3 | 5 | 10 | 13 | 31 |
| 75-79 | 700 | 4.5 | 29 | 1 | 2 | 3 | 5 | 9 | 12 | 27 |
| 80-84 | 459 | 4.6 | 25 | 1 | 2 | 3 | 5 | 9 | 14 | 29 |
| 85+ | 249 | 5.5 | 29 | 1 | 2 | 3 | 7 | 14 | 17 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 278 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 16 |
| *B. Operated* | 2526 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 845 | 6.8 | 43 | 1 | 2 | 5 | 9 | 13 | 16 | 27 |
| *B. Operated* | 3073 | 4.7 | 26 | 1 | 2 | 3 | 5 | 10 | 14 | 27 |
| **1. SINGLE DX** | 2804 | 3.1 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **2. MULTIPLE DX** | 3918 | 5.2 | 31 | 1 | 2 | 3 | 6 | 11 | 14 | 27 |
| **A. NOT OPERATED** | 1123 | 6.3 | 36 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| **B. OPERATED** | 5599 | 3.9 | 18 | 1 | 2 | 3 | 4 | 8 | 11 | 21 |
| TOTAL 65-69 YRS | 1839 | 4.3 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 21 |
| 70-74 | 1779 | 4.3 | 23 | 1 | 2 | 3 | 5 | 9 | 12 | 29 |
| 75-79 | 1529 | 4.2 | 20 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| 80-84 | 997 | 4.3 | 19 | 1 | 2 | 3 | 5 | 9 | 13 | 23 |
| 85+ | 578 | 5.0 | 36 | 1 | 1 | 3 | 6 | 12 | 16 | 26 |
| **GRAND TOTAL** | 6722 | 4.3 | 21 | 1 | 2 | 3 | 5 | 9 | 12 | 23 |

### 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 4.8 | 15 | 1 | 1 | 4 | 6 | 10 | 14 | 16 |
| 70-74 | 17 | 4.8 | 6 | 2 | 3 | 4 | 6 | 8 | 10 | 11 |
| 75-79 | 20 | 3.5 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 80-84 | 13 | 4.1 | 8 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 85+ | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 3.4 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 70-74 | 27 | 3.7 | 5 | 1 | 2 | 3 | 4 | 7 | 9 | 9 |
| 75-79 | 20 | 2.9 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 80-84 | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 85+ | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 78 | 5.0 | 13 | 2 | 2 | 4 | 7 | 10 | 12 | 20 |
| 70-74 | 82 | 6.6 | 24 | 2 | 2 | 6 | 8 | 13 | 16 | 26 |
| 75-79 | 72 | 7.7 | 68 | 2 | 2 | 5 | 9 | 14 | 19 | 45 |
| 80-84 | 42 | 7.8 | 36 | 2 | 2 | 6 | 10 | 17 | 20 | 28 |
| 85+ | 25 | 8.7 | 35 | 1 | 3 | 8 | 13 | 14 | 22 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 77 | 5.6 | 35 | 2 | 2 | 3 | 6 | 14 | 19 | 30 |
| 70-74 | 71 | 5.2 | 32 | 2 | 2 | 4 | 6 | 10 | 13 | 38 |
| 75-79 | 51 | 6.5 | 98 | 1 | 2 | 3 | 7 | 14 | 21 | 67 |
| 80-84 | 44 | 6.3 | 32 | 1 | 2 | 4 | 8 | 12 | 20 | 28 |
| 85+ | 24 | 6.5 | 28 | 2 | 2 | 5 | 8 | 15 | 17 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 78 | 4.2 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 95 | 3.3 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 299 | 6.8 | 35 | 2 | 2 | 5 | 9 | 13 | 17 | 33 |
| B. *Operated* | 267 | 5.8 | 44 | 2 | 2 | 4 | 7 | 12 | 18 | 31 |
| **1. SINGLE DX** | 173 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 566 | 6.3 | 40 | 2 | 2 | 4 | 8 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 377 | 6.3 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| **B. OPERATED** | 362 | 5.2 | 36 | 1 | 2 | 3 | 6 | 10 | 16 | 28 |
| TOTAL 65-69 YRS | 211 | 4.9 | 21 | 1 | 2 | 3 | 6 | 10 | 15 | 23 |
| 70-74 | 197 | 5.5 | 23 | 2 | 2 | 4 | 7 | 11 | 14 | 25 |
| 75-79 | 163 | 6.2 | 64 | 1 | 2 | 4 | 7 | 11 | 17 | 46 |
| 80-84 | 107 | 6.3 | 30 | 1 | 2 | 4 | 8 | 12 | 18 | 28 |
| 85+ | 61 | 6.6 | 30 | 2 | 2 | 4 | 9 | 14 | 18 | 24 |
| **GRAND TOTAL** | **739** | **5.7** | **33** | **1** | **2** | **4** | **7** | **11** | **16** | **28** |

### 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 4.3 | 14 | 1 | 1 | 3 | 8 | 10 | 10 | 10 |
| 70-74 | 9 | 5.2 | 5 | 2 | 2 | 6 | 6 | 9 | 10 | 10 |
| 75-79 | 5 | 4.8 | 11 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| 80-84 | 5 | 3.8 | 6 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 85+ | 4 | 3.3 | 4 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 239 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 70-74 | 108 | 2.2 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 75-79 | 69 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 12 |
| 80-84 | 28 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 85+ | 20 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 6.9 | 37 | 1 | 2 | 5 | 9 | 15 | 19 | 33 |
| 70-74 | 56 | 5.7 | 13 | 1 | 2 | 5 | 7 | 11 | 14 | 16 |
| 75-79 | 53 | 8.3 | 54 | 1 | 2 | 7 | 11 | 16 | 19 | 44 |
| 80-84 | 33 | 11.8 | 187 | 2 | 3 | 7 | 12 | 29 | 45 | 64 |
| 85+ | 37 | 9.3 | 55 | 2 | 3 | 7 | 11 | 19 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 294 | 3.3 | 16 | 1 | 2 | 2 | 3 | 5 | 7 | 20 |
| 70-74 | 159 | 3.8 | 13 | 1 | 2 | 3 | 4 | 9 | 13 | 19 |
| 75-79 | 75 | 4.6 | 68 | 1 | 1 | 2 | 4 | 9 | 13 | 56 |
| 80-84 | 35 | 3.4 | 13 | 1 | 1 | 3 | 3 | 5 | 10 | 21 |
| 85+ | 13 | 3.4 | 20 | 1 | 1 | 2 | 3 | 7 | 16 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.4 | 7 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| B. *Operated* | 464 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 241 | 8.0 | 61 | 1 | 2 | 6 | 9 | 16 | 21 | 45 |
| B. *Operated* | 576 | 3.6 | 22 | 1 | 1 | 2 | 3 | 6 | 11 | 20 |
| **1. SINGLE DX** | 494 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 817 | 4.9 | 37 | 1 | 2 | 3 | 5 | 11 | 15 | 35 |
| **A. NOT OPERATED** | 271 | 7.6 | 56 | 1 | 2 | 6 | 9 | 15 | 19 | 44 |
| **B. OPERATED** | 1040 | 3.0 | 13 | 1 | 1 | 2 | 3 | 4 | 7 | 17 |
| TOTAL 65-69 YRS | 602 | 3.2 | 14 | 1 | 1 | 2 | 3 | 5 | 9 | 20 |
| 70-74 | 332 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 11 | 16 |
| 75-79 | 202 | 4.8 | 45 | 1 | 1 | 3 | 5 | 11 | 15 | 34 |
| 80-84 | 101 | 5.8 | 83 | <1 | 1 | 3 | 5 | 12 | 21 | 55 |
| 85+ | 74 | 5.8 | 44 | <1 | 1 | 3 | 8 | 16 | 19 | 34 |
| **GRAND TOTAL** | **1311** | **3.9** | **25** | **1** | **1** | **2** | **4** | **8** | **12** | **22** |

## 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 10.1 | 90 | 1 | 2 | 6 | 14 | 27 | 28 | 28 |
| 70-74 | 7 | 6.6 | 20 | 2 | 2 | 6 | 10 | 13 | 14 | 14 |
| 75-79 | 8 | 5.3 | 3 | 2 | 3 | 5 | 6 | 7 | 8 | 8 |
| 80-84 | 5 | 6.2 | 7 | 4 | 4 | 5 | 8 | 10 | 10 | 10 |
| 85+ | 6 | 7.8 | 25 | 3 | 3 | 6 | 14 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 4.1 | 15 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 70-74 | 30 | 3.5 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 10 |
| 75-79 | 22 | 6.0 | 42 | <1 | 1 | 4 | 7 | 13 | 20 | 29 |
| 80-84 | 16 | 4.7 | 14 | 2 | 2 | 3 | 6 | 12 | 13 | 13 |
| 85+ | 9 | 5.9 | 13 | 2 | 2 | 5 | 7 | 12 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 55 | 8.8 | 79 | 3 | 4 | 6 | 10 | 14 | 23 | 58 |
| 70-74 | 51 | 11.0 | 117 | 2 | 3 | 7 | 12 | 25 | 40 | 55 |
| 75-79 | 37 | 8.9 | 53 | 2 | 2 | 7 | 10 | 21 | 24 | 33 |
| 80-84 | 24 | 8.9 | 60 | 1 | 2 | 6 | 13 | 16 | 23 | 36 |
| 85+ | 25 | 12.8 | 122 | 2 | 2 | 11 | 15 | 23 | 42 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 72 | 7.3 | 67 | 2 | 2 | 4 | 8 | 18 | 26 | 41 |
| 70-74 | 57 | 8.3 | 69 | 1 | 2 | 5 | 10 | 18 | 26 | 42 |
| 75-79 | 51 | 15.3 | 254 | 1 | 2 | 8 | 23 | 41 | 49 | 59 |
| 80-84 | 24 | 16.8 | 302 | 2 | 3 | 9 | 26 | 46 | 60 | 62 |
| 85+ | 13 | 12.5 | 215 | 1 | 2 | 7 | 15 | 35 | 49 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 7.5 | 37 | 2 | 2 | 6 | 8 | 14 | 23 | 28 |
| B. *Operated* | 125 | 4.5 | 18 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 9.9 | 88 | 2 | 3 | 7 | 12 | 22 | 29 | 50 |
| B. *Operated* | 217 | 10.8 | 157 | 1 | 2 | 5 | 14 | 27 | 41 | 59 |
| **1. SINGLE DX** | 162 | 5.2 | 24 | 1 | 1 | 4 | 6 | 11 | 14 | 28 |
| **2. MULTIPLE DX** | 409 | 10.4 | 125 | 2 | 2 | 6 | 13 | 24 | 36 | 58 |
| **A. NOT OPERATED** | 229 | 9.6 | 80 | 2 | 2 | 7 | 11 | 20 | 27 | 46 |
| **B. OPERATED** | 342 | 8.5 | 116 | 1 | 2 | 4 | 9 | 21 | 32 | 57 |
| TOTAL 65-69 YRS | 186 | 7.1 | 61 | 1 | 2 | 4 | 8 | 15 | 22 | 40 |
| 70-74 | 145 | 8.2 | 77 | 1 | 2 | 6 | 9 | 17 | 26 | 43 |
| 75-79 | 118 | 10.9 | 149 | 1 | 2 | 6 | 13 | 27 | 39 | 58 |
| 80-84 | 69 | 10.5 | 151 | 2 | 2 | 6 | 13 | 26 | 36 | 61 |
| 85+ | 53 | 11.0 | 118 | 2 | 2 | 7 | 14 | 23 | 40 | 52 |
| **GRAND TOTAL** | **571** | **8.9** | **101** | **1** | **2** | **5** | **11** | **21** | **30** | **54** |

## 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 393 | 3.8 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| 70-74 | 363 | 4.0 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 14 |
| 75-79 | 252 | 4.5 | 11 | 1 | 2 | 3 | 6 | 8 | 12 | 17 |
| 80-84 | 152 | 5.1 | 15 | 1 | 2 | 4 | 6 | 10 | 14 | 21 |
| 85+ | 73 | 5.1 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 63 | 3.6 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 70-74 | 51 | 5.0 | 11 | 2 | 2 | 4 | 6 | 10 | 13 | 17 |
| 75-79 | 23 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 80-84 | 11 | 4.5 | 16 | 2 | 2 | 3 | 5 | 12 | 13 | 13 |
| 85+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1308 | 5.6 | 15 | 2 | 2 | 5 | 7 | 11 | 13 | 20 |
| 70-74 | 1300 | 5.6 | 14 | 2 | 2 | 5 | 7 | 10 | 13 | 19 |
| 75-79 | 1107 | 6.0 | 20 | 2 | 2 | 5 | 8 | 12 | 14 | 21 |
| 80-84 | 728 | 6.7 | 25 | 2 | 2 | 5 | 8 | 12 | 17 | 26 |
| 85+ | 462 | 7.2 | 31 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 8.3 | 31 | 2 | 3 | 7 | 12 | 15 | 17 | 30 |
| 70-74 | 68 | 8.5 | 23 | 2 | 3 | 8 | 11 | 15 | 18 | 22 |
| 75-79 | 78 | 11.2 | 68 | 3 | 4 | 8 | 15 | 20 | 23 | 48 |
| 80-84 | 30 | 8.5 | 31 | 3 | 3 | 7 | 11 | 16 | 17 | 27 |
| 85+ | 26 | 11.8 | 41 | 4 | 4 | 12 | 15 | 21 | 25 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1233 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | 149 | 4.3 | 8 | 2 | 2 | 3 | 5 | 7 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4905 | 6.0 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 319 | 9.3 | 41 | 2 | 3 | 8 | 13 | 17 | 20 | 33 |
| **1. SINGLE DX** | 1382 | 4.2 | 11 | 1 | 2 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 5224 | 6.2 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| **A. NOT OPERATED** | 6138 | 5.7 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 468 | 7.7 | 36 | 2 | 2 | 6 | 11 | 16 | 18 | 27 |
| TOTAL 65-69 YRS | 1881 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 70-74 | 1782 | 5.4 | 14 | 2 | 2 | 4 | 7 | 10 | 13 | 19 |
| 75-79 | 1460 | 6.0 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| 80-84 | 921 | 6.4 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 26 |
| 85+ | 562 | 7.1 | 32 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| **GRAND TOTAL** | **6606** | **5.8** | **20** | **2** | **2** | **5** | **7** | **11** | **14** | **22** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 327 | 2.5 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| 70-74 | 180 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| 75-79 | 95 | 2.6 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 7 |
| 80-84 | 40 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 85+ | 11 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 3.5 | 17 | 1 | 1 | 2 | 6 | 10 | 11 | 11 |
| 70-74 | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 75-79 | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 80-84 | 3 | 5.7 | 2 | 4 | 4 | 6 | 7 | 7 | 7 | 7 |
| 85+ | 3 | 8.3 | 6 | 6 | 6 | 8 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 96 | 3.4 | 12 | 2 | 2 | 2 | 3 | 5 | 7 | 23 |
| 70-74 | 66 | 3.3 | 5 | 1 | 2 | 3 | 3 | 6 | 8 | 13 |
| 75-79 | 26 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 19 | 99+ |
| 80-84 | 12 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 7 |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | 653 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 4.7 | 12 | <1 | 1 | 4 | 7 | 10 | 11 | 11 |
| B. *Operated* | 201 | 3.3 | 7 | 2 | 2 | 3 | 3 | 5 | 7 | 22 |
| **1. SINGLE DX** | 658 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 220 | 3.4 | 8 | 1 | 2 | 3 | 3 | 6 | 8 | 20 |
| **A. NOT OPERATED** | 24 | 4.1 | 11 | <1 | 1 | 3 | 7 | 9 | 11 | 11 |
| **B. OPERATED** | 854 | 2.7 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| TOTAL 65-69 YRS | 434 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 70-74 | 250 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 6 | 8 |
| 75-79 | 124 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 31 |
| 80-84 | 55 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 7 |
| 85+ | 15 | 4.1 | 8 | 1 | 2 | 3 | 6 | 8 | 10 | 11 |
| **GRAND TOTAL** | **878** | **2.8** | **3** | **1** | **1** | **3** | **3** | **4** | **5** | **9** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 49 | 3.8 | 6 | 1 | 1 | 4 | 4 | 6 | 8 | 12 |
| 70-74 | 35 | 3.7 | 8 | 1 | 1 | 3 | 4 | 8 | 12 | 13 |
| 75-79 | 13 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 8 | 9 |
| 80-84 | 11 | 4.9 | 8 | 2 | 2 | 4 | 7 | 9 | 11 | 11 |
| 85+ | 6 | 4.0 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 238 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 70-74 | 124 | 2.9 | 8 | 1 | 1 | 2 | 3 | 4 | 10 | 16 |
| 75-79 | 68 | 2.5 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 10 |
| 80-84 | 24 | 2.7 | 5 | <1 | 1 | 2 | 3 | 3 | 7 | 13 |
| 85+ | 9 | 2.9 | 3 | 2 | 2 | 2 | 3 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 4.9 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 70-74 | 74 | 6.0 | 28 | 2 | 2 | 5 | 8 | 9 | 14 | 32 |
| 75-79 | 39 | 5.7 | 22 | 1 | 1 | 4 | 7 | 11 | 13 | 26 |
| 80-84 | 35 | 7.9 | 35 | 1 | 2 | 7 | 10 | 15 | 18 | 30 |
| 85+ | 29 | 7.7 | 66 | 1 | 2 | 5 | 9 | 14 | 17 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 268 | 3.6 | 10 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| 70-74 | 143 | 3.5 | 14 | 1 | 1 | 3 | 3 | 6 | 9 | 20 |
| 75-79 | 78 | 3.4 | 6 | 1 | 2 | 3 | 3 | 6 | 9 | 14 |
| 80-84 | 26 | 4.5 | 15 | 1 | 2 | 3 | 5 | 12 | 13 | 15 |
| 85+ | 8 | 5.0 | 34 | 2 | 2 | 3 | 5 | 15 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 3.8 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | 463 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 260 | 6.1 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 30 |
| B. *Operated* | 523 | 3.6 | 11 | 1 | 2 | 3 | 4 | 6 | 9 | 19 |
| **1. SINGLE DX** | 577 | 2.9 | 6 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| **2. MULTIPLE DX** | 783 | 4.4 | 18 | 1 | 2 | 3 | 5 | 8 | 12 | 20 |
| **A. NOT OPERATED** | 374 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 28 |
| **B. OPERATED** | 986 | 3.2 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| TOTAL 65-69 YRS | 638 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 70-74 | 376 | 3.8 | 15 | 1 | 1 | 3 | 4 | 8 | 11 | 20 |
| 75-79 | 198 | 3.5 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 80-84 | 96 | 5.3 | 23 | 1 | 2 | 3 | 7 | 12 | 15 | 24 |
| 85+ | 52 | 6.0 | 45 | 1 | 2 | 4 | 7 | 12 | 15 | 44 |
| **GRAND TOTAL** | **1360** | **3.8** | **13** | **1** | **1** | **3** | **4** | **8** | **10** | **19** |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 12.0 | 162 | 3 | 3 | 12 | 21 | 21 | 21 | 21 |
| 70-74 | 4 | 10.5 | 15 | 5 | 5 | 11 | 13 | 14 | 14 | 14 |
| 75-79 | 1 | 53.0 | | 53 | 53 | 53 | 53 | 53 | 53 | 53 |
| 80-84 | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| 85+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 63 | 11.7 | 111 | 3 | 4 | 8 | 14 | 23 | 26 | 67 |
| 70-74 | 54 | 10.4 | 53 | 3 | 4 | 9 | 12 | 17 | 31 | 36 |
| 75-79 | 42 | 10.8 | 103 | 2 | 3 | 8 | 12 | 23 | 33 | 54 |
| 80-84 | 33 | 13.5 | 210 | 3 | 3 | 7 | 15 | 40 | 47 | 64 |
| 85+ | 9 | 8.4 | 22 | 2 | 3 | 9 | 10 | 15 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 14.9 | 76 | 3 | 4 | 14 | 20 | 29 | 30 | 30 |
| 70-74 | 15 | 20.7 | 291 | 3 | 3 | 15 | 35 | 47 | 50 | 51 |
| 75-79 | 6 | 17.7 | 77 | 6 | 7 | 17 | 21 | 31 | 32 | 32 |
| 80-84 | 4 | 19.5 | 86 | 7 | 7 | 22 | 26 | 27 | 27 | 27 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 15.0 | 203 | 3 | 4 | 11 | 14 | 37 | 53 | 53 |
| B. *Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 11.3 | 106 | 3 | 3 | 8 | 13 | 22 | 31 | 59 |
| B. *Operated* | 45 | 17.6 | 147 | 3 | 4 | 15 | 24 | 32 | 46 | 51 |
| **1. SINGLE DX** | 12 | 12.9 | 190 | 2 | 3 | 11 | 13 | 31 | 50 | 53 |
| **2. MULTIPLE DX** | 246 | 12.5 | 119 | 3 | 4 | 9 | 15 | 27 | 33 | 54 |
| **A. NOT OPERATED** | 211 | 11.5 | 110 | 3 | 3 | 9 | 13 | 22 | 31 | 58 |
| **B. OPERATED** | 47 | 16.9 | 150 | 3 | 3 | 15 | 23 | 32 | 46 | 51 |
| TOTAL 65-69 YRS | 86 | 12.3 | 103 | 3 | 4 | 9 | 17 | 24 | 29 | 58 |
| 70-74 | 74 | 12.4 | 114 | 3 | 4 | 10 | 14 | 30 | 37 | 50 |
| 75-79 | 49 | 12.5 | 136 | 3 | 3 | 9 | 15 | 31 | 35 | 54 |
| 80-84 | 39 | 13.9 | 188 | 3 | 3 | 11 | 16 | 35 | 45 | 64 |
| 85+ | 10 | 8.7 | 20 | 2 | 3 | 9 | 11 | 15 | 18 | 18 |
| **GRAND TOTAL** | **258** | **12.5** | **121** | **3** | **3** | **9** | **15** | **27** | **33** | **54** |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 29 | 6.9 | 27 | 1 | 2 | 5 | 10 | 14 | 19 | 20 |
| 70-74 | 19 | 10.4 | 38 | 3 | 4 | 8 | 13 | 20 | 23 | 26 |
| 75-79 | 18 | 9.2 | 21 | 3 | 4 | 9 | 13 | 16 | 16 | 16 |
| 80-84 | 9 | 6.0 | 10 | 3 | 3 | 5 | 8 | 11 | 12 | 12 |
| 85+ | 4 | 6.3 | 11 | 4 | 4 | 5 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 125 | 8.4 | 65 | 2 | 2 | 4 | 14 | 19 | 26 | 33 |
| 70-74 | 49 | 10.9 | 118 | 2 | 2 | 9 | 19 | 22 | 25 | 59 |
| 75-79 | 16 | 16.5 | 99 | 1 | 2 | 18 | 22 | 28 | 33 | 35 |
| 80-84 | 4 | 7.0 | 11 | 2 | 2 | 8 | 9 | 9 | 9 | 9 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 559 | 9.1 | 51 | 2 | 3 | 7 | 12 | 17 | 22 | 38 |
| 70-74 | 552 | 10.0 | 77 | 2 | 3 | 8 | 13 | 19 | 25 | 47 |
| 75-79 | 423 | 10.9 | 81 | 3 | 3 | 8 | 14 | 21 | 28 | 44 |
| 80-84 | 236 | 10.8 | 86 | 3 | 3 | 9 | 13 | 20 | 27 | 55 |
| 85+ | 137 | 10.0 | 48 | 3 | 4 | 8 | 13 | 19 | 23 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 605 | 13.6 | 174 | 2 | 2 | 11 | 19 | 29 | 40 | 79 |
| 70-74 | 344 | 14.9 | 158 | 2 | 2 | 12 | 20 | 29 | 45 | 63 |
| 75-79 | 154 | 14.5 | 201 | 2 | 2 | 11 | 18 | 31 | 42 | 75 |
| 80-84 | 32 | 18.8 | 257 | 4 | 5 | 14 | 28 | 47 | 68 | 99+ |
| 85+ | 21 | 21.5 | 326 | 5 | 6 | 11 | 31 | 48 | 59 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 8.1 | 27 | 2 | 3 | 7 | 11 | 15 | 19 | 24 |
| B. *Operated* | 194 | 9.7 | 84 | 2 | 2 | 5 | 15 | 22 | 26 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1907 | 10.0 | 70 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| B. *Operated* | 1156 | 14.4 | 179 | 2 | 2 | 12 | 19 | 31 | 44 | 71 |
| **1. SINGLE DX** | 273 | 9.2 | 68 | 2 | 2 | 6 | 14 | 20 | 26 | 34 |
| **2. MULTIPLE DX** | 3063 | 11.7 | 115 | 2 | 3 | 9 | 15 | 24 | 32 | 57 |
| **A. NOT OPERATED** | 1986 | 10.0 | 68 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| **B. OPERATED** | 1350 | 13.7 | 168 | 2 | 2 | 11 | 18 | 29 | 41 | 69 |
| TOTAL 65-69 YRS | 1318 | 11.0 | 114 | 2 | 2 | 8 | 14 | 23 | 31 | 57 |
| 70-74 | 964 | 11.8 | 112 | 2 | 2 | 9 | 15 | 24 | 32 | 54 |
| 75-79 | 611 | 11.9 | 112 | 2 | 3 | 9 | 15 | 25 | 31 | 51 |
| 80-84 | 281 | 11.5 | 108 | 3 | 3 | 9 | 14 | 22 | 33 | 67 |
| 85+ | 162 | 11.4 | 97 | 3 | 4 | 8 | 14 | 22 | 28 | 53 |
| **GRAND TOTAL** | **3336** | **11.5** | **112** | **2** | **2** | **9** | **15** | **23** | **31** | **57** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 541 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 70-74 | 445 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| 75-79 | 290 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 21 |
| 80-84 | 138 | 5.7 | 18 | 2 | 2 | 5 | 7 | 10 | 15 | 22 |
| 85+ | 90 | 6.1 | 24 | 1 | 2 | 5 | 8 | 10 | 14 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 6.2 | 44 | 1 | 1 | 4 | 8 | 13 | 18 | 34 |
| 70-74 | 24 | 6.5 | 37 | 1 | 2 | 4 | 9 | 17 | 20 | 20 |
| 75-79 | 13 | 6.7 | 29 | 2 | 2 | 5 | 8 | 12 | 20 | 22 |
| 80-84 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4438 | 7.1 | 30 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 70-74 | 3808 | 7.5 | 35 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| 75-79 | 3085 | 8.2 | 55 | 2 | 3 | 6 | 10 | 15 | 20 | 40 |
| 80-84 | 1981 | 8.6 | 65 | 2 | 3 | 7 | 10 | 16 | 22 | 45 |
| 85+ | 1310 | 8.8 | 70 | 2 | 3 | 7 | 11 | 16 | 22 | 51 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 712 | 11.1 | 98 | 2 | 3 | 9 | 14 | 21 | 28 | 54 |
| 70-74 | 520 | 13.4 | 152 | 2 | 3 | 10 | 17 | 26 | 36 | 82 |
| 75-79 | 366 | 13.8 | 107 | 3 | 4 | 11 | 18 | 28 | 34 | 65 |
| 80-84 | 175 | 14.4 | 104 | 3 | 4 | 12 | 19 | 29 | 37 | 53 |
| 85+ | 113 | 15.2 | 216 | 2 | 3 | 10 | 21 | 32 | 53 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1504 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 76 | 6.5 | 37 | 1 | 1 | 4 | 9 | 15 | 20 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14622 | 7.8 | 45 | 2 | 3 | 6 | 9 | 14 | 19 | 34 |
| B. *Operated* | 1886 | 12.8 | 124 | 2 | 3 | 10 | 16 | 25 | 34 | 68 |
| **1. SINGLE DX** | 1580 | 5.4 | 16 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 16508 | 8.4 | 57 | 2 | 3 | 6 | 10 | 16 | 21 | 40 |
| **A. NOT OPERATED** | 16126 | 7.6 | 43 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| **B. OPERATED** | 1962 | 12.6 | 122 | 2 | 3 | 10 | 16 | 25 | 33 | 67 |
| TOTAL 65-69 YRS | 5728 | 7.4 | 39 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 70-74 | 4797 | 7.9 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 75-79 | 3754 | 8.5 | 60 | 2 | 3 | 7 | 10 | 16 | 21 | 40 |
| 80-84 | 2295 | 8.9 | 68 | 2 | 3 | 7 | 11 | 17 | 23 | 44 |
| 85+ | 1514 | 9.1 | 82 | 2 | 3 | 7 | 11 | 18 | 25 | 54 |
| **GRAND TOTAL** | **18088** | **8.1** | **54** | **2** | **3** | **6** | **10** | **15** | **20** | **38** |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 215 | 6.6 | 21 | 2 | 3 | 5 | 8 | 12 | 14 | 26 |
| 70-74 | 240 | 7.5 | 59 | 2 | 2 | 6 | 9 | 13 | 18 | 37 |
| 75-79 | 179 | 7.5 | 34 | 2 | 3 | 6 | 9 | 13 | 19 | 32 |
| 80-84 | 151 | 7.6 | 37 | 2 | 3 | 6 | 9 | 14 | 21 | 31 |
| 85+ | 105 | 7.4 | 22 | 2 | 3 | 6 | 9 | 12 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 32 | 4.2 | 13 | 1 | 2 | 3 | 6 | 10 | 12 | 16 |
| 70-74 | 7 | 5.1 | 19 | 1 | 1 | 3 | 9 | 12 | 12 | 12 |
| 75-79 | 9 | 7.2 | 15 | 2 | 3 | 7 | 9 | 13 | 15 | 15 |
| 80-84 | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2939 | 9.1 | 50 | 3 | 3 | 7 | 11 | 17 | 21 | 37 |
| 70-74 | 3417 | 9.9 | 63 | 3 | 3 | 8 | 12 | 18 | 24 | 42 |
| 75-79 | 3271 | 10.5 | 64 | 3 | 4 | 8 | 13 | 20 | 26 | 41 |
| 80-84 | 2504 | 10.8 | 82 | 3 | 4 | 9 | 13 | 20 | 27 | 56 |
| 85+ | 1879 | 11.6 | 103 | 3 | 4 | 9 | 14 | 22 | 30 | 60 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 462 | 13.6 | 128 | 2 | 3 | 11 | 18 | 28 | 37 | 63 |
| 70-74 | 435 | 16.0 | 166 | 2 | 4 | 13 | 20 | 33 | 42 | 76 |
| 75-79 | 343 | 18.2 | 195 | 5 | 6 | 14 | 23 | 35 | 48 | 81 |
| 80-84 | 284 | 19.0 | 205 | 5 | 6 | 15 | 24 | 39 | 56 | 91 |
| 85+ | 153 | 18.7 | 243 | 4 | 6 | 15 | 22 | 35 | 50 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 890 | 7.3 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 30 |
| B. *Operated* | 50 | 4.9 | 15 | 1 | 2 | 3 | 8 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14010 | 10.3 | 70 | 3 | 3 | 8 | 13 | 19 | 26 | 46 |
| B. *Operated* | 1677 | 16.5 | 179 | 3 | 4 | 13 | 21 | 33 | 44 | 77 |
| **1. SINGLE DX** | 940 | 7.2 | 36 | 2 | 3 | 6 | 9 | 12 | 17 | 30 |
| **2. MULTIPLE DX** | 15687 | 10.9 | 85 | 3 | 4 | 8 | 13 | 21 | 28 | 53 |
| **A. NOT OPERATED** | 14900 | 10.1 | 68 | 3 | 3 | 8 | 12 | 19 | 25 | 45 |
| **B. OPERATED** | 1727 | 16.2 | 178 | 2 | 4 | 13 | 20 | 33 | 43 | 77 |
| TOTAL 65-69 YRS | 3648 | 9.5 | 61 | 2 | 3 | 7 | 12 | 18 | 24 | 43 |
| 70-74 | 4099 | 10.4 | 77 | 3 | 3 | 8 | 13 | 20 | 26 | 47 |
| 75-79 | 3802 | 11.0 | 79 | 3 | 4 | 8 | 14 | 22 | 28 | 51 |
| 80-84 | 2941 | 11.4 | 98 | 3 | 4 | 9 | 14 | 22 | 30 | 63 |
| 85+ | 2137 | 11.9 | 114 | 3 | 4 | 9 | 14 | 23 | 31 | 53 |
| **GRAND TOTAL** | **16627** | **10.7** | **83** | **3** | **3** | **8** | **13** | **21** | **27** | **52** |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 46 | 8.8 | 57 | 2 | 2 | 6 | 13 | 18 | 24 | 35 |
| 70-74 | 33 | 9.0 | 45 | 2 | 3 | 7 | 11 | 17 | 25 | 29 |
| 75-79 | 22 | 7.5 | 19 | 2 | 3 | 7 | 10 | 14 | 16 | 18 |
| 80-84 | 19 | 9.6 | 59 | 3 | 3 | 6 | 13 | 23 | 27 | 29 |
| 85+ | 15 | 12.9 | 219 | 3 | 4 | 8 | 14 | 17 | 52 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 51 | 9.5 | 55 | 2 | 2 | 8 | 14 | 17 | 25 | 39 |
| 70-74 | 26 | 11.6 | 121 | <1 | <1 | 8 | 20 | 31 | 34 | 35 |
| 75-79 | 17 | 11.6 | 70 | 3 | 3 | 8 | 19 | 24 | 26 | 27 |
| 80-84 | 7 | 12.3 | 218 | <1 | <1 | 4 | 23 | 36 | 38 | 38 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 356 | 11.0 | 69 | 2 | 3 | 8 | 15 | 22 | 28 | 38 |
| 70-74 | 371 | 11.3 | 99 | 2 | 3 | 9 | 14 | 22 | 26 | 54 |
| 75-79 | 319 | 12.2 | 88 | 3 | 3 | 10 | 16 | 25 | 30 | 53 |
| 80-84 | 249 | 13.9 | 151 | 3 | 4 | 10 | 17 | 27 | 49 | 73 |
| 85+ | 214 | 14.9 | 234 | 3 | 4 | 10 | 19 | 28 | 46 | 95 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 335 | 17.6 | 268 | 2 | 3 | 13 | 24 | 37 | 51 | 91 |
| 70-74 | 227 | 17.1 | 204 | 3 | 4 | 13 | 21 | 37 | 49 | 66 |
| 75-79 | 134 | 20.7 | 267 | 3 | 3 | 16 | 29 | 51 | 57 | 99+ |
| 80-84 | 59 | 25.2 | 453 | 2 | 4 | 16 | 39 | 58 | 66 | 83 |
| 85+ | 33 | 17.1 | 127 | 2 | 5 | 14 | 22 | 39 | 41 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 9.2 | 66 | 2 | 2 | 7 | 12 | 17 | 25 | 39 |
| B. *Operated* | 101 | 10.6 | 83 | 1 | 2 | 8 | 15 | 24 | 29 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1509 | 12.4 | 119 | 2 | 3 | 9 | 16 | 24 | 33 | 69 |
| B. *Operated* | 788 | 18.5 | 261 | 2 | 3 | 14 | 24 | 41 | 54 | 82 |
| **1. SINGLE DX** | 236 | 9.8 | 73 | 2 | 2 | 7 | 14 | 22 | 27 | 38 |
| **2. MULTIPLE DX** | 2297 | 14.5 | 176 | 2 | 3 | 10 | 18 | 30 | 41 | 73 |
| **A. NOT OPERATED** | 1644 | 12.1 | 115 | 2 | 3 | 9 | 15 | 24 | 32 | 67 |
| **B. OPERATED** | 889 | 17.6 | 247 | 2 | 3 | 13 | 23 | 39 | 52 | 80 |
| TOTAL 65-69 YRS | 788 | 13.6 | 164 | 2 | 3 | 9 | 17 | 29 | 38 | 70 |
| 70-74 | 657 | 13.2 | 141 | 2 | 3 | 10 | 17 | 26 | 35 | 63 |
| 75-79 | 492 | 14.3 | 149 | 3 | 3 | 11 | 18 | 29 | 39 | 70 |
| 80-84 | 334 | 15.6 | 219 | 2 | 4 | 11 | 19 | 38 | 50 | 79 |
| 85+ | 262 | 15.0 | 219 | 3 | 4 | 10 | 19 | 30 | 41 | 94 |
| **GRAND TOTAL** | **2533** | **14.0** | **169** | **2** | **3** | **10** | **18** | **29** | **40** | **72** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2619 | 12.6 | 23 | 6 | 7 | 12 | 15 | 18 | 21 | 27 |
| 70-74 | 2041 | 12.5 | 24 | 5 | 7 | 12 | 15 | 19 | 21 | 29 |
| 75-79 | 1387 | 12.7 | 26 | 6 | 7 | 12 | 15 | 19 | 22 | 29 |
| 80-84 | 796 | 13.7 | 42 | 6 | 8 | 13 | 16 | 21 | 25 | 36 |
| 85+ | 458 | 13.3 | 37 | 6 | 7 | 12 | 16 | 21 | 24 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 162 | 14.9 | 52 | 2 | 7 | 14 | 17 | 26 | 29 | 36 |
| 70-74 | 87 | 16.7 | 71 | 2 | 9 | 15 | 19 | 29 | 36 | 40 |
| 75-79 | 56 | 15.3 | 52 | 4 | 7 | 14 | 19 | 25 | 29 | 37 |
| 80-84 | 28 | 20.0 | 119 | 9 | 10 | 17 | 25 | 31 | 43 | 57 |
| 85+ | 7 | 25.6 | 160 | 14 | 15 | 20 | 33 | 47 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11431 | 14.2 | 45 | 6 | 7 | 13 | 17 | 22 | 26 | 39 |
| 70-74 | 10992 | 14.6 | 51 | 6 | 8 | 13 | 17 | 22 | 27 | 41 |
| 75-79 | 8780 | 15.2 | 61 | 6 | 8 | 14 | 18 | 24 | 30 | 46 |
| 80-84 | 5887 | 15.8 | 76 | 6 | 8 | 14 | 19 | 26 | 32 | 51 |
| 85+ | 3864 | 16.4 | 93 | 6 | 8 | 14 | 19 | 27 | 34 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1781 | 19.3 | 151 | 5 | 9 | 16 | 23 | 34 | 43 | 80 |
| 70-74 | 1468 | 21.0 | 145 | 7 | 10 | 18 | 26 | 37 | 46 | 75 |
| 75-79 | 1063 | 22.3 | 144 | 9 | 11 | 19 | 27 | 39 | 47 | 70 |
| 80-84 | 629 | 23.1 | 173 | 9 | 11 | 20 | 28 | 40 | 51 | 97 |
| 85+ | 364 | 23.3 | 173 | 10 | 11 | 20 | 29 | 42 | 50 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7301 | 12.8 | 27 | 6 | 7 | 12 | 15 | 19 | 22 | 29 |
| B. *Operated* | 340 | 16.0 | 68 | 3 | 8 | 14 | 19 | 27 | 31 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40954 | 14.9 | 59 | 6 | 8 | 14 | 18 | 23 | 29 | 45 |
| B. *Operated* | 5305 | 21.1 | 154 | 8 | 10 | 18 | 26 | 37 | 46 | 90 |
| **1. SINGLE DX** | 7641 | 12.9 | 29 | 6 | 7 | 12 | 15 | 19 | 22 | 31 |
| **2. MULTIPLE DX** | 46259 | 15.7 | 74 | 6 | 8 | 14 | 19 | 25 | 31 | 50 |
| **A. NOT OPERATED** | 48255 | 14.6 | 55 | 6 | 8 | 13 | 17 | 23 | 28 | 43 |
| **B. OPERATED** | 5645 | 20.8 | 150 | 7 | 10 | 18 | 25 | 37 | 45 | 78 |
| TOTAL 65-69 YRS | 15993 | 14.5 | 57 | 6 | 8 | 13 | 17 | 22 | 27 | 44 |
| 70-74 | 14588 | 14.9 | 62 | 6 | 8 | 14 | 18 | 23 | 29 | 46 |
| 75-79 | 11286 | 15.6 | 69 | 6 | 8 | 14 | 18 | 25 | 31 | 49 |
| 80-84 | 7340 | 16.2 | 85 | 6 | 8 | 14 | 19 | 26 | 34 | 53 |
| 85+ | 4693 | 16.6 | 98 | 6 | 8 | 14 | 20 | 28 | 35 | 59 |
| **GRAND TOTAL** | **53900** | **15.3** | **69** | **6** | **8** | **14** | **18** | **24** | **30** | **49** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 854 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 70-74 | 728 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 12 | 17 |
| 75-79 | 511 | 5.1 | 17 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| 80-84 | 331 | 5.1 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 85+ | 182 | 4.7 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 154 | 4.8 | 23 | 1 | 2 | 2 | 7 | 10 | 13 | 22 |
| 70-74 | 92 | 5.5 | 38 | 1 | 1 | 3 | 7 | 15 | 17 | 31 |
| 75-79 | 29 | 7.3 | 34 | 2 | 2 | 6 | 8 | 17 | 22 | 23 |
| 80-84 | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 85+ | 3 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7429 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 70-74 | 7383 | 6.6 | 23 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| 75-79 | 6220 | 6.9 | 26 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| 80-84 | 4044 | 7.2 | 36 | 2 | 2 | 6 | 9 | 13 | 17 | 30 |
| 85+ | 2461 | 7.3 | 36 | 2 | 3 | 6 | 9 | 13 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2640 | 9.1 | 70 | 2 | 2 | 7 | 13 | 19 | 24 | 40 |
| 70-74 | 1548 | 10.5 | 94 | 2 | 2 | 8 | 14 | 23 | 29 | 43 |
| 75-79 | 660 | 12.9 | 116 | 2 | 2 | 11 | 17 | 26 | 34 | 54 |
| 80-84 | 287 | 14.1 | 167 | 2 | 3 | 11 | 17 | 26 | 39 | 82 |
| 85+ | 140 | 14.3 | 104 | 4 | 4 | 12 | 19 | 28 | 33 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2606 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 280 | 5.3 | 29 | 1 | 2 | 3 | 8 | 12 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27537 | 6 7 | 26 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| B. *Operated* | 5275 | 10.4 | 91 | 2 | 2 | 8 | 14 | 22 | 28 | 48 |
| **1. SINGLE DX** | 2886 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 32812 | 7.3 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| **A. NOT OPERATED** | 30143 | 6.6 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 5555 | 10.2 | 90 | 2 | 2 | 8 | 14 | 21 | 28 | 47 |
| TOTAL 65-69 YRS | 11077 | 6.8 | 32 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| 70-74 | 9751 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 18 | 31 |
| 75-79 | 7420 | 7.3 | 37 | 2 | 2 | 6 | 9 | 14 | 18 | 32 |
| 80-84 | 4664 | 7.5 | 45 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 85+ | 2786 | 7.5 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| **GRAND TOTAL** | **35698** | **7.1** | **37** | **2** | **2** | **6** | **9** | **14** | **18** | **31** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 743 | 6.1 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 19 |
| 70-74 | 653 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| 75-79 | 483 | 6.4 | 22 | 2 | 3 | 5 | 8 | 11 | 14 | 25 |
| 80-84 | 269 | 6.2 | 16 | 2 | 2 | 5 | 7 | 11 | 14 | 20 |
| 85+ | 147 | 6.6 | 21 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 125 | 8.9 | 45 | 2 | 2 | 8 | 13 | 19 | 22 | 30 |
| 70-74 | 84 | 8.8 | 38 | 2 | 2 | 8 | 11 | 17 | 19 | 34 |
| 75-79 | 15 | 8.5 | 38 | 1 | 2 | 8 | 12 | 17 | 20 | 21 |
| 80-84 | 6 | 5.7 | 7 | 3 | 3 | 5 | 9 | 9 | 9 | 9 |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6016 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 70-74 | 5902 | 8.2 | 31 | 2 | 3 | 7 | 10 | 15 | 18 | 27 |
| 75-79 | 4884 | 8.5 | 33 | 3 | 3 | 7 | 11 | 15 | 19 | 29 |
| 80-84 | 3194 | 8.9 | 43 | 3 | 3 | 7 | 11 | 16 | 21 | 34 |
| 85+ | 1903 | 9.2 | 46 | 3 | 3 | 8 | 12 | 17 | 21 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1472 | 13.2 | 96 | 2 | 3 | 11 | 18 | 25 | 31 | 49 |
| 70-74 | 885 | 14.7 | 113 | 2 | 4 | 13 | 18 | 26 | 34 | 56 |
| 75-79 | 530 | 16.4 | 123 | 3 | 5 | 14 | 21 | 31 | 38 | 58 |
| 80-84 | 207 | 17.1 | 135 | 5 | 6 | 14 | 21 | 33 | 48 | 99+ |
| 85+ | 111 | 18.5 | 141 | 5 | 6 | 15 | 26 | 37 | 45 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2295 | 6.2 | 16 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | 231 | 8.7 | 41 | 2 | 2 | 5 | 12 | 17 | 20 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21899 | 8.4 | 33 | 3 | 3 | 7 | 10 | 15 | 19 | 29 |
| B. *Operated* | 3205 | 14.6 | 111 | 2 | 3 | 13 | 19 | 27 | 35 | 56 |
| **1. SINGLE DX** | 2526 | 6.4 | 19 | 2 | 2 | 5 | 8 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | 25104 | 9.1 | 48 | 2 | 3 | 7 | 11 | 17 | 22 | 36 |
| **A. NOT OPERATED** | 24194 | 8.2 | 32 | 2 | 3 | 7 | 10 | 15 | 18 | 29 |
| **B. OPERATED** | 3436 | 14.2 | 109 | 2 | 3 | 12 | 18 | 27 | 34 | 56 |
| TOTAL 65-69 YRS | 8356 | 8.6 | 43 | 2 | 3 | 7 | 11 | 16 | 21 | 33 |
| 70-74 | 7524 | 8.8 | 44 | 2 | 3 | 7 | 11 | 16 | 20 | 34 |
| 75-79 | 5912 | 9.1 | 45 | 3 | 3 | 7 | 11 | 17 | 21 | 35 |
| 80-84 | 3676 | 9.2 | 51 | 3 | 3 | 7 | 11 | 17 | 22 | 39 |
| 85+ | 2162 | 9.5 | 53 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| **GRAND TOTAL** | **27630** | **8.9** | **46** | **2** | **3** | **7** | **11** | **16** | **21** | **35** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 543 | 5.6 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 70-74 | 431 | 6.2 | 25 | 2 | 2 | 5 | 8 | 11 | 14 | 18 |
| 75-79 | 387 | 6.6 | 30 | 1 | 2 | 5 | 8 | 12 | 16 | 27 |
| 80-84 | 255 | 7.1 | 30 | 2 | 2 | 6 | 9 | 14 | 17 | 27 |
| 85+ | 205 | 6.6 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2289 | 7.6 | 46 | 2 | 2 | 5 | 12 | 16 | 20 | 28 |
| 70-74 | 1015 | 8.3 | 58 | 1 | 2 | 6 | 13 | 17 | 22 | 34 |
| 75-79 | 286 | 9.1 | 58 | 2 | 2 | 8 | 14 | 18 | 23 | 37 |
| 80-84 | 48 | 10.4 | 114 | 2 | 2 | 9 | 14 | 22 | 27 | 60 |
| 85+ | 14 | 11.1 | 74 | 2 | 2 | 9 | 14 | 21 | 31 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8068 | 7.9 | 39 | 2 | 3 | 7 | 10 | 15 | 18 | 30 |
| 70-74 | 8842 | 8.4 | 40 | 2 | 3 | 7 | 11 | 15 | 20 | 33 |
| 75-79 | 8292 | 9.0 | 52 | 2 | 3 | 7 | 11 | 16 | 22 | 38 |
| 80-84 | 6622 | 9.7 | 60 | 2 | 3 | 8 | 12 | 19 | 24 | 40 |
| 85+ | 5681 | 10.5 | 80 | 3 | 3 | 8 | 13 | 20 | 27 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6567 | 10.5 | 91 | 2 | 2 | 9 | 15 | 22 | 27 | 47 |
| 70-74 | 3737 | 12.4 | 112 | 2 | 2 | 11 | 17 | 25 | 33 | 51 |
| 75-79 | 1692 | 14.1 | 137 | 2 | 2 | 12 | 18 | 28 | 38 | 59 |
| 80-84 | 833 | 16.0 | 164 | 2 | 4 | 13 | 21 | 32 | 44 | 64 |
| 85+ | 597 | 17.2 | 156 | 4 | 6 | 14 | 22 | 32 | 42 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1821 | 6.3 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | 3652 | 7.9 | 51 | 2 | 2 | 5 | 12 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37505 | 9.0 | 53 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | 13426 | 12.1 | 114 | 2 | 2 | 10 | 16 | 24 | 32 | 53 |
| **1. SINGLE DX** | 5473 | 7.4 | 43 | 2 | 2 | 5 | 11 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | 50931 | 9.8 | 71 | 2 | 3 | 8 | 12 | 19 | 25 | 44 |
| **A. NOT OPERATED** | 39326 | 8.9 | 52 | 2 | 3 | 7 | 11 | 16 | 22 | 37 |
| **B. OPERATED** | 17078 | 11.2 | 103 | 2 | 2 | 10 | 15 | 23 | 30 | 50 |
| TOTAL 65-69 YRS | 17467 | 8.8 | 61 | 2 | 2 | 7 | 12 | 18 | 23 | 37 |
| 70-74 | 14025 | 9.4 | 63 | 2 | 2 | 7 | 12 | 19 | 24 | 40 |
| 75-79 | 10657 | 9.7 | 68 | 2 | 3 | 7 | 12 | 18 | 25 | 42 |
| 80-84 | 7758 | 10.3 | 74 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |
| 85+ | 6497 | 11.0 | 89 | 3 | 3 | 8 | 14 | 21 | 28 | 53 |
| **GRAND TOTAL** | **56404** | **9.6** | **69** | **2** | **2** | **8** | **12** | **19** | **25** | **42** |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 234 | 11.2 | 18 | 5 | 6 | 11 | 13 | 16 | 19 | 24 |
| 70-74 | 189 | 11.5 | 29 | 4 | 5 | 11 | 14 | 18 | 20 | 31 |
| 75-79 | 164 | 11.6 | 29 | 5 | 6 | 11 | 14 | 18 | 22 | 29 |
| 80-84 | 76 | 13.3 | 45 | 5 | 7 | 12 | 15 | 21 | 27 | 40 |
| 85+ | 61 | 12.3 | 33 | 5 | 6 | 12 | 16 | 20 | 23 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 14.1 | 41 | 3 | 4 | 15 | 19 | 21 | 24 | 29 |
| 70-74 | 27 | 12.6 | 35 | 4 | 5 | 13 | 15 | 20 | 22 | 30 |
| 75-79 | 17 | 14.8 | 38 | 6 | 6 | 13 | 20 | 23 | 26 | 27 |
| 80-84 | 4 | 12.5 | 177 | 1 | 1 | 9 | 22 | 31 | 31 | 31 |
| 85+ | 7 | 16.6 | 68 | 10 | 10 | 14 | 18 | 31 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1145 | 13.6 | 51 | 6 | 7 | 12 | 16 | 22 | 27 | 41 |
| 70-74 | 1273 | 14.3 | 64 | 6 | 7 | 13 | 17 | 23 | 28 | 46 |
| 75-79 | 1024 | 15.0 | 78 | 6 | 7 | 13 | 18 | 24 | 31 | 53 |
| 80-84 | 684 | 16.5 | 102 | 7 | 8 | 14 | 20 | 27 | 33 | 64 |
| 85+ | 471 | 16.2 | 81 | 6 | 7 | 14 | 20 | 27 | 35 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 295 | 18.5 | 116 | 7 | 9 | 15 | 23 | 33 | 42 | 58 |
| 70-74 | 272 | 19.8 | 147 | 8 | 9 | 17 | 24 | 33 | 45 | 79 |
| 75-79 | 190 | 20.4 | 151 | 7 | 9 | 17 | 26 | 39 | 43 | 68 |
| 80-84 | 102 | 23.5 | 252 | 6 | 8 | 18 | 31 | 46 | 55 | 77 |
| 85+ | 77 | 24.3 | 313 | 8 | 9 | 18 | 34 | 51 | 69 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 724 | 11.7 | 28 | 5 | 6 | 11 | 14 | 18 | 21 | 30 |
| B. *Operated* | 92 | 13.9 | 44 | 3 | 5 | 14 | 17 | 22 | 27 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4597 | 14.8 | 72 | 6 | 7 | 13 | 18 | 24 | 30 | 50 |
| B. *Operated* | 936 | 20.3 | 165 | 7 | 9 | 17 | 25 | 38 | 47 | 71 |
| **1. SINGLE DX** | 816 | 11.9 | 30 | 4 | 6 | 11 | 14 | 19 | 22 | 31 |
| **2. MULTIPLE DX** | 5533 | 15.7 | 92 | 6 | 7 | 13 | 19 | 27 | 34 | 56 |
| **A. NOT OPERATED** | 5321 | 14.4 | 67 | 6 | 7 | 13 | 17 | 23 | 29 | 48 |
| **B. OPERATED** | 1028 | 19.7 | 158 | 7 | 9 | 16 | 24 | 37 | 45 | 67 |
| TOTAL 65-69 YRS | 1711 | 14.1 | 62 | 6 | 7 | 12 | 17 | 23 | 29 | 45 |
| 70-74 | 1761 | 14.9 | 78 | 6 | 7 | 13 | 18 | 25 | 30 | 51 |
| 75-79 | 1395 | 15.3 | 87 | 6 | 7 | 13 | 18 | 26 | 33 | 56 |
| 80-84 | 866 | 17.0 | 121 | 7 | 8 | 14 | 20 | 29 | 39 | 63 |
| 85+ | 616 | 16.8 | 114 | 6 | 7 | 14 | 20 | 28 | 41 | 77 |
| **GRAND TOTAL** | **6349** | **15.2** | **86** | **6** | **7** | **13** | **18** | **25** | **33** | **56** |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 36.0 | 302 | 4 | 9 | 36 | 51 | 55 | 55 | 55 |
| 70-74 | 14 | 21.4 | 205 | 4 | 5 | 20 | 32 | 38 | 50 | 53 |
| 75-79 | 8 | 39.8 | 795 | 6 | 9 | 35 | 60 | 82 | 84 | 84 |
| 80-84 | 4 | 15.5 | 139 | 3 | 3 | 16 | 25 | 27 | 27 | 27 |
| 85+ | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 70-74 | 4 | 35.3 | 216 | 14 | 14 | 40 | 45 | 46 | 46 | 46 |
| 75-79 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 99 | 31.6 | 201 | 9 | 13 | 31 | 43 | 48 | 55 | 84 |
| 70-74 | 85 | 29.9 | 209 | 5 | 9 | 30 | 37 | 46 | 56 | 72 |
| 75-79 | 76 | 31.7 | 184 | 12 | 15 | 30 | 40 | 47 | 58 | 74 |
| 80-84 | 47 | 30.2 | 349 | 7 | 10 | 28 | 40 | 55 | 94 | 99+ |
| 85+ | 19 | 36.1 | 178 | 13 | 17 | 36 | 44 | 52 | 59 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 36.7 | 234 | 5 | 23 | 35 | 46 | 58 | 69 | 99+ |
| 70-74 | 38 | 41.5 | 188 | 25 | 28 | 39 | 49 | 61 | 68 | 78 |
| 75-79 | 23 | 40.3 | 252 | 20 | 22 | 38 | 54 | 63 | 87 | 99+ |
| 80-84 | 15 | 47.2 | 534 | 8 | 14 | 50 | 76 | 96 | 99+ | 99+ |
| 85+ | 6 | 37.2 | 213 | 22 | 22 | 32 | 51 | 58 | 59 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 27.8 | 408 | 4 | 5 | 26 | 36 | 53 | 73 | 84 |
| B. *Operated* | 6 | 33.5 | 215 | 14 | 14 | 40 | 44 | 46 | 46 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 31.2 | 218 | 8 | 13 | 30 | 42 | 49 | 58 | 95 |
| B. *Operated* | 119 | 40.3 | 261 | 15 | 24 | 37 | 52 | 64 | 79 | 99+ |
| **1. SINGLE DX** | 40 | 28.7 | 377 | 4 | 5 | 27 | 43 | 53 | 66 | 84 |
| **2. MULTIPLE DX** | 445 | 33.7 | 245 | 9 | 14 | 32 | 43 | 55 | 64 | 99+ |
| **A. NOT OPERATED** | 360 | 30.9 | 236 | 7 | 12 | 30 | 42 | 49 | 58 | 94 |
| **B. OPERATED** | 125 | 39.9 | 259 | 15 | 23 | 37 | 51 | 62 | 78 | 99+ |
| TOTAL 65-69 YRS | 144 | 33.2 | 215 | 7 | 14 | 32 | 44 | 54 | 58 | 99+ |
| 70-74 | 141 | 32.3 | 237 | 6 | 11 | 32 | 42 | 52 | 59 | 78 |
| 75-79 | 108 | 33.9 | 251 | 13 | 16 | 31 | 43 | 55 | 69 | 91 |
| 80-84 | 66 | 33.2 | 440 | 7 | 9 | 30 | 48 | 78 | 99+ | 99+ |
| 85+ | 26 | 35.5 | 192 | 13 | 15 | 35 | 44 | 53 | 60 | 64 |
| **GRAND TOTAL** | **485** | **33.2** | **257** | **7** | **13** | **32** | **43** | **55** | **64** | **99+** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 192 | 3.6 | 20 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 70-74 | 134 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 75-79 | 89 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 80-84 | 66 | 4.8 | 14 | 1 | 1 | 4 | 7 | 11 | 12 | 17 |
| 85+ | 30 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 5.6 | 7 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 70-74 | 5 | 6.6 | 8 | 2 | 2 | 8 | 8 | 9 | 9 | 9 |
| 75-79 | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 808 | 5.4 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 70-74 | 712 | 6.0 | 24 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| 75-79 | 577 | 6.4 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 22 |
| 80-84 | 371 | 6.9 | 42 | 1 | 2 | 5 | 9 | 13 | 17 | 45 |
| 85+ | 233 | 7.1 | 27 | 2 | 2 | 6 | 9 | 13 | 15 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 57 | 11.6 | 65 | 3 | 4 | 9 | 15 | 22 | 25 | 48 |
| 70-74 | 48 | 12.0 | 46 | 5 | 6 | 10 | 14 | 21 | 25 | 36 |
| 75-79 | 34 | 13.1 | 76 | 2 | 3 | 11 | 17 | 23 | 30 | 44 |
| 80-84 | 26 | 15.2 | 103 | 4 | 4 | 14 | 18 | 22 | 38 | 53 |
| 85+ | 16 | 12.8 | 60 | 5 | 6 | 11 | 16 | 24 | 31 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 511 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | 12 | 7.8 | 30 | 1 | 2 | 7 | 9 | 14 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2701 | 6.1 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| B. *Operated* | 181 | 12.6 | 67 | 3 | 5 | 10 | 16 | 22 | 27 | 47 |
| **1. SINGLE DX** | 523 | 3.9 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 2882 | 6.5 | 30 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| **A. NOT OPERATED** | 3212 | 5.7 | 23 | 1 | 2 | 4 | 8 | 11 | 14 | 23 |
| **B. OPERATED** | 193 | 12.3 | 66 | 3 | 5 | 10 | 16 | 22 | 27 | 47 |
| TOTAL 65-69 YRS | 1062 | 5.4 | 23 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 70-74 | 899 | 5.9 | 25 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 75-79 | 701 | 6.4 | 26 | 1 | 2 | 5 | 8 | 12 | 16 | 25 |
| 80-84 | 464 | 7.1 | 46 | 1 | 2 | 5 | 9 | 14 | 17 | 45 |
| 85+ | 279 | 7.1 | 29 | 1 | 2 | 6 | 9 | 14 | 18 | 28 |
| **GRAND TOTAL** | **3405** | **6.1** | **28** | **1** | **2** | **5** | **8** | **12** | **15** | **26** |

## 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 620 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 70-74 | 450 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 75-79 | 400 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 80-84 | 223 | 5.5 | 19 | 1 | 2 | 5 | 7 | 11 | 13 | 24 |
| 85+ | 156 | 5.0 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 11 | 13 |
| 70-74 | 19 | 4.8 | 12 | <1 | 1 | 4 | 7 | 8 | 13 | 16 |
| 75-79 | 16 | 6.2 | 19 | 1 | 2 | 5 | 9 | 14 | 15 | 15 |
| 80-84 | 14 | 9.9 | 36 | 3 | 3 | 8 | 13 | 18 | 22 | 23 |
| 85+ | 7 | 14.0 | 438 | 3 | 3 | 6 | 10 | 51 | 61 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3902 | 6.6 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 27 |
| 70-74 | 4272 | 7.2 | 34 | 2 | 2 | 6 | 9 | 14 | 17 | 27 |
| 75-79 | 3928 | 8.0 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 80-84 | 2995 | 8.4 | 54 | 2 | 3 | 7 | 10 | 16 | 21 | 39 |
| 85+ | 2573 | 9.4 | 72 | 2 | 3 | 7 | 11 | 18 | 25 | 52 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 394 | 13.3 | 131 | 2 | 3 | 11 | 16 | 27 | 35 | 69 |
| 70-74 | 445 | 14.6 | 115 | 3 | 4 | 12 | 18 | 26 | 35 | 60 |
| 75-79 | 430 | 15.4 | 146 | 3 | 5 | 12 | 19 | 30 | 45 | 78 |
| 80-84 | 361 | 16.7 | 158 | 4 | 5 | 14 | 20 | 32 | 43 | 69 |
| 85+ | 278 | 17.3 | 211 | 4 | 6 | 13 | 21 | 35 | 51 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1849 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| B. *Operated* | 74 | 6.9 | 60 | 2 | 2 | 5 | 8 | 13 | 17 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17670 | 7.8 | 46 | 2 | 2 | 6 | 10 | 15 | 19 | 35 |
| B. *Operated* | 1908 | 15.3 | 149 | 3 | 5 | 12 | 19 | 30 | 39 | 75 |
| **1. SINGLE DX** | 1923 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 19578 | 8.5 | 61 | 2 | 2 | 6 | 11 | 16 | 22 | 42 |
| **A. NOT OPERATED** | 19519 | 7.4 | 44 | 1 | 2 | 6 | 9 | 14 | 19 | 33 |
| **B. OPERATED** | 1982 | 15.0 | 148 | 3 | 4 | 12 | 18 | 29 | 38 | 73 |
| TOTAL 65-69 YRS | 4934 | 6.7 | 41 | 1 | 2 | 5 | 8 | 14 | 18 | 32 |
| 70-74 | 5186 | 7.6 | 44 | 1 | 2 | 6 | 10 | 15 | 19 | 32 |
| 75-79 | 4774 | 8.3 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 41 |
| 80-84 | 3593 | 9.0 | 69 | 2 | 3 | 7 | 11 | 18 | 23 | 47 |
| 85+ | 3014 | 9.9 | 89 | 2 | 3 | 7 | 12 | 19 | 27 | 57 |
| **GRAND TOTAL** | **21501** | **8.1** | **58** | **1** | **2** | **6** | **10** | **16** | **21** | **40** |

## 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 588 | 5.0 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| 70-74 | 496 | 5.2 | 16 | 1 | 1 | 4 | 7 | 9 | 12 | 21 |
| 75-79 | 398 | 5.1 | 11 | 1 | 2 | 4 | 7 | 9 | 11 | 17 |
| 80-84 | 276 | 6.1 | 27 | 1 | 2 | 4 | 8 | 12 | 15 | 31 |
| 85+ | 227 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 400 | 7.4 | 25 | 2 | 3 | 6 | 9 | 14 | 16 | 27 |
| 70-74 | 498 | 7.5 | 21 | 2 | 3 | 6 | 10 | 14 | 16 | 21 |
| 75-79 | 558 | 7.5 | 21 | 3 | 3 | 6 | 9 | 14 | 16 | 26 |
| 80-84 | 449 | 8.0 | 27 | 2 | 3 | 7 | 10 | 15 | 19 | 25 |
| 85+ | 377 | 8.9 | 38 | 3 | 3 | 7 | 11 | 17 | 19 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4984 | 7.3 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 70-74 | 5215 | 7.7 | 38 | 2 | 2 | 6 | 10 | 15 | 19 | 31 |
| 75-79 | 4660 | 8.3 | 45 | 2 | 3 | 7 | 10 | 16 | 21 | 34 |
| 80-84 | 3404 | 8.7 | 50 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| 85+ | 2833 | 9.0 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2104 | 11.6 | 90 | 3 | 4 | 9 | 14 | 21 | 28 | 57 |
| 70-74 | 2731 | 11.8 | 78 | 3 | 4 | 10 | 15 | 22 | 29 | 47 |
| 75-79 | 3148 | 12.6 | 96 | 3 | 4 | 10 | 15 | 23 | 30 | 52 |
| 80-84 | 2682 | 13.2 | 92 | 4 | 5 | 11 | 16 | 24 | 31 | 50 |
| 85+ | 2202 | 13.6 | 106 | 4 | 5 | 11 | 17 | 25 | 31 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1985 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 2282 | 7.8 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21096 | 8.1 | 44 | 2 | 3 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | 12867 | 12.6 | 92 | 3 | 4 | 10 | 15 | 23 | 30 | 51 |
| **1. SINGLE DX** | 4267 | 6.7 | 23 | 1 | 2 | 5 | 9 | 13 | 16 | 24 |
| **2. MULTIPLE DX** | 33963 | 9.8 | 67 | 2 | 3 | 8 | 12 | 19 | 25 | 43 |
| **A. NOT OPERATED** | 23081 | 7.9 | 42 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| **B. OPERATED** | 15149 | 11.8 | 85 | 3 | 4 | 9 | 15 | 22 | 28 | 49 |
| TOTAL 65-69 YRS | 8076 | 8.3 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 36 |
| 70-74 | 8940 | 8.8 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| 75-79 | 8764 | 9.6 | 66 | 2 | 3 | 8 | 12 | 18 | 24 | 42 |
| 80-84 | 6811 | 10.3 | 69 | 2 | 3 | 8 | 13 | 20 | 25 | 43 |
| 85+ | 5639 | 10.7 | 78 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |
| **GRAND TOTAL** | **38230** | **9.4** | **63** | **2** | **3** | **7** | **12** | **18** | **24** | **41** |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 785 | 7.5 | 29 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 70-74 | 1115 | 7.6 | 29 | 2 | 3 | 6 | 10 | 14 | 18 | 29 |
| 75-79 | 1272 | 7.9 | 37 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| 80-84 | 1240 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 19 | 40 |
| 85+ | 1309 | 8.4 | 46 | 2 | 3 | 7 | 10 | 16 | 20 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 10.1 | 71 | 2 | 2 | 8 | 12 | 25 | 27 | 30 |
| 70-74 | 32 | 11.3 | 54 | 2 | 3 | 10 | 15 | 20 | 29 | 32 |
| 75-79 | 32 | 13.8 | 63 | 2 | 5 | 13 | 18 | 23 | 28 | 38 |
| 80-84 | 11 | 12.5 | 22 | 6 | 6 | 14 | 16 | 17 | 18 | 18 |
| 85+ | 20 | 19.0 | 194 | 5 | 6 | 14 | 27 | 39 | 48 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 14067 | 10.0 | 56 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |
| 70-74 | 18394 | 10.4 | 64 | 3 | 4 | 8 | 13 | 19 | 25 | 43 |
| 75-79 | 19896 | 10.9 | 71 | 3 | 4 | 9 | 13 | 20 | 27 | 46 |
| 80-84 | 18180 | 11.3 | 80 | 3 | 4 | 9 | 14 | 21 | 28 | 50 |
| 85+ | 18516 | 11.9 | 95 | 3 | 4 | 9 | 15 | 22 | 30 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1552 | 17.5 | 158 | 4 | 5 | 15 | 22 | 34 | 43 | 71 |
| 70-74 | 1815 | 18.8 | 196 | 5 | 6 | 15 | 23 | 36 | 48 | 84 |
| 75-79 | 1840 | 19.4 | 170 | 6 | 7 | 16 | 25 | 36 | 47 | 76 |
| 80-84 | 1588 | 20.4 | 187 | 6 | 7 | 17 | 26 | 39 | 52 | 99+ |
| 85+ | 1435 | 21.5 | 246 | 5 | 7 | 18 | 27 | 45 | 62 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5721 | 8.0 | 38 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| B. *Operated* | 121 | 13.1 | 86 | 2 | 3 | 11 | 16 | 26 | 31 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89053 | 10.9 | 75 | 3 | 4 | 9 | 14 | 20 | 27 | 47 |
| B. *Operated* | 8230 | 19.5 | 192 | 5 | 7 | 16 | 25 | 38 | 50 | 88 |
| **1. SINGLE DX** | 5842 | 8.1 | 39 | 2 | 3 | 7 | 10 | 15 | 19 | 33 |
| **2. MULTIPLE DX** | 97283 | 11.7 | 90 | 3 | 4 | 9 | 14 | 22 | 29 | 54 |
| **A. NOT OPERATED** | 94774 | 10.8 | 73 | 3 | 4 | 8 | 13 | 20 | 26 | 47 |
| **B. OPERATED** | 8351 | 19.4 | 191 | 5 | 7 | 16 | 25 | 38 | 49 | 88 |
| TOTAL 65-69 YRS | 16430 | 10.6 | 70 | 3 | 4 | 8 | 13 | 20 | 26 | 44 |
| 70-74 | 21356 | 11.0 | 80 | 3 | 4 | 8 | 14 | 21 | 27 | 48 |
| 75-79 | 23040 | 11.4 | 83 | 3 | 4 | 9 | 14 | 22 | 29 | 50 |
| 80-84 | 21019 | 11.8 | 93 | 3 | 4 | 9 | 14 | 23 | 30 | 55 |
| 85+ | 21280 | 12.3 | 109 | 3 | 4 | 9 | 15 | 23 | 32 | 66 |
| **GRAND TOTAL** | **103125** | **11.5** | **88** | **3** | **4** | **9** | **14** | **22** | **29** | **53** |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 242 | 7.2 | 37 | 2 | 2 | 6 | 9 | 14 | 20 | 30 |
| 70-74 | 232 | 7.2 | 41 | 2 | 2 | 6 | 9 | 13 | 18 | 28 |
| 75-79 | 156 | 6.9 | 21 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| 80-84 | 73 | 7.8 | 42 | 2 | 3 | 7 | 9 | 14 | 20 | 40 |
| 85+ | 58 | 7.7 | 61 | 2 | 2 | 6 | 9 | 13 | 21 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 403 | 7.6 | 68 | 2 | 2 | 3 | 12 | 18 | 21 | 43 |
| 70-74 | 207 | 7.6 | 51 | 2 | 2 | 4 | 13 | 18 | 23 | 27 |
| 75-79 | 91 | 9.3 | 83 | 2 | 2 | 4 | 15 | 24 | 27 | 38 |
| 80-84 | 33 | 9.5 | 63 | 2 | 2 | 8 | 14 | 21 | 26 | 30 |
| 85+ | 5 | 10.2 | 28 | 2 | 2 | 11 | 14 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2705 | 9.5 | 58 | 2 | 3 | 7 | 12 | 18 | 24 | 39 |
| 70-74 | 2611 | 9.8 | 58 | 2 | 3 | 8 | 12 | 19 | 24 | 38 |
| 75-79 | 2115 | 10.1 | 66 | 3 | 3 | 8 | 12 | 20 | 26 | 43 |
| 80-84 | 1686 | 10.3 | 72 | 3 | 3 | 8 | 13 | 19 | 25 | 43 |
| 85+ | 1298 | 11.2 | 99 | 3 | 3 | 8 | 14 | 21 | 29 | 62 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1810 | 12.2 | 120 | 2 | 2 | 10 | 17 | 25 | 32 | 52 |
| 70-74 | 1260 | 13.4 | 142 | 2 | 2 | 11 | 18 | 29 | 36 | 61 |
| 75-79 | 727 | 15.0 | 172 | 2 | 2 | 12 | 20 | 31 | 42 | 79 |
| 80-84 | 305 | 17.4 | 204 | 2 | 4 | 14 | 23 | 40 | 49 | 99+ |
| 85+ | 153 | 17.4 | 206 | 3 | 5 | 13 | 23 | 40 | 50 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 761 | 7.2 | 37 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| B. *Operated* | 739 | 7.9 | 65 | 2 | 2 | 4 | 13 | 18 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10415 | 10.0 | 67 | 2 | 3 | 8 | 12 | 19 | 25 | 42 |
| B. *Operated* | 4255 | 13.6 | 147 | 2 | 2 | 11 | 18 | 29 | 37 | 62 |
| **1. SINGLE DX** | 1500 | 7.6 | 51 | 2 | 2 | 5 | 10 | 16 | 21 | 32 |
| **2. MULTIPLE DX** | 14670 | 11.1 | 93 | 2 | 3 | 8 | 14 | 22 | 29 | 50 |
| **A. NOT OPERATED** | 11176 | 9.8 | 66 | 2 | 3 | 8 | 12 | 19 | 24 | 42 |
| **B. OPERATED** | 4994 | 12.8 | 139 | 2 | 2 | 10 | 17 | 27 | 35 | 61 |
| TOTAL 65-69 YRS | 5160 | 10.2 | 82 | 2 | 2 | 8 | 13 | 21 | 27 | 43 |
| 70-74 | 4310 | 10.6 | 85 | 2 | 2 | 8 | 14 | 22 | 29 | 45 |
| 75-79 | 3089 | 11.1 | 94 | 2 | 3 | 8 | 14 | 22 | 30 | 51 |
| 80-84 | 2097 | 11.2 | 96 | 2 | 3 | 9 | 14 | 22 | 28 | 55 |
| 85+ | 1514 | 11.7 | 112 | 2 | 3 | 9 | 14 | 23 | 31 | 63 |
| **GRAND TOTAL** | **16170** | **10.7** | **90** | **2** | **2** | **8** | **14** | **22** | **28** | **50** |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 29 | 6.9 | 46 | 2 | 2 | 5 | 8 | 14 | 17 | 35 |
| 70-74 | 45 | 7.6 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 38 |
| 75-79 | 45 | 8.1 | 47 | 1 | 2 | 6 | 11 | 17 | 23 | 35 |
| 80-84 | 36 | 6.3 | 19 | 2 | 2 | 5 | 9 | 12 | 15 | 20 |
| 85+ | 34 | 7.2 | 50 | 2 | 2 | 5 | 9 | 18 | 26 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 24 | 6.7 | 36 | 1 | 2 | 3 | 11 | 14 | 21 | 21 |
| 70-74 | 14 | 9.6 | 32 | 2 | 2 | 10 | 15 | 16 | 19 | 20 |
| 75-79 | 13 | 7.0 | 57 | 2 | 2 | 3 | 10 | 20 | 25 | 26 |
| 80-84 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 85+ | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1171 | 8.3 | 42 | 2 | 3 | 7 | 10 | 16 | 21 | 36 |
| 70-74 | 1558 | 9.2 | 61 | 2 | 3 | 7 | 11 | 17 | 22 | 44 |
| 75-79 | 1698 | 10.0 | 73 | 2 | 3 | 8 | 12 | 19 | 25 | 49 |
| 80-84 | 1526 | 10.6 | 98 | 2 | 3 | 8 | 13 | 20 | 28 | 61 |
| 85+ | 1527 | 11.1 | 112 | 2 | 3 | 8 | 13 | 21 | 30 | 68 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 336 | 10.9 | 101 | 2 | 2 | 9 | 14 | 23 | 32 | 51 |
| 70-74 | 312 | 14.6 | 128 | 2 | 4 | 12 | 19 | 29 | 36 | 56 |
| 75-79 | 280 | 15.4 | 160 | 3 | 4 | 12 | 19 | 30 | 39 | 77 |
| 80-84 | 201 | 16.4 | 182 | 3 | 5 | 13 | 21 | 31 | 43 | 78 |
| 85+ | 171 | 19.1 | 183 | 5 | 6 | 15 | 25 | 38 | 44 | 71 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 189 | 7.3 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| B. *Operated* | 56 | 7.5 | 38 | 2 | 2 | 5 | 11 | 16 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7480 | 9.9 | 80 | 2 | 3 | 8 | 12 | 19 | 25 | 52 |
| B. *Operated* | 1300 | 14.7 | 150 | 2 | 3 | 12 | 19 | 29 | 38 | 67 |
| **1. SINGLE DX** | 245 | 7.3 | 39 | 2 | 2 | 5 | 10 | 15 | 20 | 35 |
| **2. MULTIPLE DX** | 8780 | 10.6 | 93 | 2 | 3 | 8 | 13 | 21 | 28 | 55 |
| **A. NOT OPERATED** | 7669 | 9.9 | 79 | 2 | 3 | 8 | 12 | 19 | 25 | 51 |
| **B. OPERATED** | 1356 | 14.4 | 147 | 2 | 3 | 12 | 18 | 29 | 37 | 66 |
| TOTAL 65-69 YRS | 1560 | 8.8 | 56 | 2 | 2 | 7 | 11 | 17 | 23 | 39 |
| 70-74 | 1929 | 10.0 | 75 | 2 | 3 | 8 | 12 | 20 | 25 | 48 |
| 75-79 | 2036 | 10.7 | 88 | 2 | 3 | 8 | 13 | 21 | 28 | 52 |
| 80-84 | 1765 | 11.2 | 109 | 2 | 3 | 8 | 13 | 22 | 30 | 61 |
| 85+ | 1735 | 11.8 | 124 | 2 | 3 | 9 | 14 | 23 | 33 | 67 |
| **GRAND TOTAL** | **9025** | **10.5** | **92** | **2** | **3** | **8** | **13** | **21** | **28** | **54** |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 8.9 | 87 | <1 | <1 | 6 | 14 | 24 | 30 | 30 |
| 70-74 | 7 | 13.7 | 198 | 1 | 1 | 8 | 22 | 36 | 39 | 39 |
| 75-79 | 3 | 21.0 | 1029 | 1 | 1 | 4 | 44 | 58 | 58 | 58 |
| 80-84 | 6 | 24.7 | 187 | 9 | 10 | 22 | 26 | 48 | 50 | 50 |
| 85+ | 2 | 26.5 | 265 | 15 | 15 | 26 | 38 | 38 | 38 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 26.2 | 380 | 2 | 7 | 21 | 33 | 59 | 67 | 69 |
| 70-74 | 12 | 24.8 | 175 | 3 | 6 | 25 | 37 | 55 | 92 | 99+ |
| 75-79 | 6 | 21.3 | 140 | 5 | 6 | 22 | 23 | 39 | 41 | 41 |
| 80-84 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 85+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 38 | 17.6 | 183 | 1 | 3 | 16 | 24 | 35 | 43 | 63 |
| 70-74 | 47 | 20.2 | 224 | 3 | 4 | 16 | 26 | 41 | 50 | 75 |
| 75-79 | 27 | 24.8 | 196 | <1 | 4 | 29 | 36 | 45 | 53 | 99+ |
| 80-84 | 21 | 24.6 | 560 | 2 | 3 | 20 | 35 | 79 | 98 | 99+ |
| 85+ | 15 | 20.3 | 257 | 1 | 3 | 15 | 33 | 40 | 52 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 36.4 | 504 | 9 | 14 | 30 | 58 | 78 | 90 | 99+ |
| 70-74 | 57 | 31.7 | 402 | 8 | 12 | 26 | 49 | 64 | 76 | 99 |
| 75-79 | 28 | 41.6 | 390 | 15 | 23 | 36 | 58 | 72 | 79 | 88 |
| 80-84 | 16 | 40.3 | 346 | 14 | 15 | 44 | 56 | 66 | 88 | 99+ |
| 85+ | 4 | 22.0 | 203 | 10 | 10 | 18 | 32 | 42 | 42 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 16.0 | 241 | 1 | 1 | 11 | 23 | 39 | 51 | 58 |
| B. *Operated* | 33 | 24.1 | 235 | 3 | 7 | 22 | 35 | 45 | 67 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 21.0 | 259 | 2 | 4 | 18 | 30 | 43 | 53 | 99+ |
| B. *Operated* | 184 | 35.8 | 443 | 10 | 14 | 31 | 54 | 73 | 83 | 99+ |
| **1. SINGLE DX** | 61 | 20.4 | 250 | 1 | 2 | 19 | 31 | 42 | 57 | 96 |
| **2. MULTIPLE DX** | 332 | 29.2 | 414 | 4 | 8 | 25 | 41 | 64 | 78 | 99+ |
| **A. NOT OPERATED** | 176 | 20.2 | 258 | 1 | 3 | 17 | 30 | 42 | 52 | 99 |
| **B. OPERATED** | 217 | 34.0 | 428 | 8 | 12 | 30 | 51 | 70 | 81 | 99+ |
| TOTAL 65-69 YRS | 140 | 28.4 | 466 | 2 | 5 | 23 | 39 | 69 | 79 | 99+ |
| 70-74 | 123 | 25.6 | 331 | 3 | 8 | 20 | 37 | 53 | 71 | 99+ |
| 75-79 | 64 | 31.7 | 371 | 2 | 5 | 31 | 39 | 61 | 75 | 98 |
| 80-84 | 44 | 30.1 | 466 | 4 | 7 | 24 | 50 | 66 | 97 | 99+ |
| 85+ | 22 | 20.8 | 220 | 2 | 5 | 15 | 34 | 41 | 48 | 56 |
| **GRAND TOTAL** | **393** | **27.8** | **398** | **2** | **6** | **23** | **39** | **62** | **76** | **99+** |

### 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 19.3 | 149 | 6 | 6 | 22 | 28 | 30 | 30 | 30 |
| 70-74 | 2 | 15.0 | 18 | 12 | 12 | 15 | 18 | 18 | 18 | 18 |
| 75-79 | 2 | 46.0 | 1352 | 20 | 20 | 46 | 72 | 72 | 72 | 72 |
| 80-84 | 2 | 37.5 | 761 | 18 | 18 | 37 | 57 | 57 | 57 | 57 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 54.4 | 722 | 20 | 26 | 56 | 90 | 99 | 99+ | 99+ |
| 70-74 | 4 | 39.5 | 756 | 1 | 1 | 51 | 74 | 99+ | 99+ | 99+ |
| 75-79 | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 80-84 | 2 | 20.5 | 85 | 14 | 14 | 27 | 82 | 99+ | 99+ | 99+ |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 28.3 | 478 | 6 | 8 | 20 | 37 | 66 | 72 | 72 |
| B. *Operated* | 16 | 44.4 | 719 | 7 | 16 | 51 | 84 | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 25 | 38.6 | 670 | 5 | 13 | 35 | 66 | 99 | 99+ | 99+ |
| **A. NOT OPERATED** | 9 | 28.3 | 478 | 6 | 8 | 20 | 37 | 66 | 72 | 72 |
| **B. OPERATED** | 16 | 44.4 | 719 | 7 | 16 | 51 | 84 | 99+ | 99+ | 99+ |
| TOTAL 65-69 YRS | 12 | 45.7 | 805 | 8 | 17 | 36 | 73 | 98 | 99+ | 99+ |
| 70-74 | 6 | 31.3 | 617 | 1 | 3 | 41 | 61 | 93 | 99+ | 99+ |
| 75-79 | 3 | 38.0 | 868 | 20 | 20 | 22 | 59 | 72 | 72 | 72 |
| 80-84 | 4 | 29.0 | 378 | 14 | 14 | 27 | 68 | 99+ | 99+ | 99+ |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | **25** | **38.6** | **670** | **5** | **13** | **35** | **66** | **99** | **99+** | **99+** |

### 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 39 | 15.5 | 260 | 1 | 1 | 12 | 20 | 32 | 46 | 83 |
| 70-74 | 41 | 12.0 | 157 | 1 | 2 | 8 | 16 | 36 | 44 | 99+ |
| 75-79 | 48 | 14.4 | 104 | 4 | 4 | 11 | 18 | 30 | 36 | 46 |
| 80-84 | 38 | 10.8 | 44 | 1 | 4 | 10 | 16 | 23 | 27 | 99+ |
| 85+ | 33 | 14.9 | 162 | 1 | 3 | 12 | 21 | 29 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 17.1 | 254 | 5 | 6 | 13 | 19 | 35 | 48 | 91 |
| 70-74 | 88 | 15.3 | 187 | 4 | 5 | 12 | 16 | 30 | 55 | 93 |
| 75-79 | 72 | 15.5 | 99 | 3 | 6 | 13 | 21 | 31 | 41 | 99+ |
| 80-84 | 39 | 18.8 | 162 | 5 | 7 | 15 | 25 | 33 | 41 | 67 |
| 85+ | 25 | 16.0 | 57 | 7 | 8 | 15 | 21 | 27 | 30 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 178 | 18.4 | 247 | 2 | 4 | 14 | 24 | 43 | 49 | 90 |
| 70-74 | 258 | 18.9 | 261 | 3 | 4 | 14 | 25 | 36 | 53 | 95 |
| 75-79 | 217 | 17.8 | 180 | 3 | 4 | 15 | 24 | 36 | 51 | 81 |
| 80-84 | 153 | 19.9 | 191 | 4 | 6 | 17 | 27 | 40 | 50 | 99 |
| 85+ | 153 | 21.3 | 256 | 5 | 6 | 18 | 28 | 43 | 50 | 94 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 176 | 26.0 | 329 | 6 | 9 | 21 | 35 | 56 | 79 | 99+ |
| 70-74 | 176 | 25.3 | 298 | 7 | 8 | 20 | 35 | 57 | 65 | 99+ |
| 75-79 | 137 | 28.5 | 398 | 8 | 9 | 22 | 39 | 65 | 78 | 99+ |
| 80-84 | 108 | 27.8 | 301 | 7 | 9 | 23 | 39 | 57 | 81 | 99+ |
| 85+ | 67 | 27.3 | 252 | 8 | 11 | 25 | 36 | 46 | 53 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 199 | 13.5 | 144 | 1 | 2 | 10 | 18 | 30 | 38 | 99+ |
| B. *Operated* | 292 | 16.3 | 166 | 4 | 6 | 13 | 20 | 32 | 46 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 959 | 19.1 | 228 | 3 | 5 | 15 | 25 | 39 | 50 | 95 |
| B. *Operated* | 664 | 26.7 | 322 | 7 | 9 | 21 | 37 | 57 | 74 | 99+ |
| **1. SINGLE DX** | 491 | 15.2 | 159 | 2 | 4 | 12 | 19 | 30 | 43 | 99+ |
| **2. MULTIPLE DX** | 1623 | 22.2 | 281 | 4 | 6 | 18 | 30 | 48 | 60 | 99+ |
| **A. NOT OPERATED** | 1158 | 18.1 | 218 | 2 | 4 | 14 | 24 | 38 | 50 | 95 |
| **B. OPERATED** | 956 | 23.6 | 297 | 6 | 8 | 19 | 33 | 51 | 67 | 99+ |
| TOTAL 65-69 YRS | 461 | 20.9 | 296 | 4 | 5 | 15 | 28 | 45 | 60 | 99 |
| 70-74 | 563 | 19.8 | 270 | 3 | 5 | 15 | 26 | 46 | 58 | 99 |
| 75-79 | 474 | 20.2 | 251 | 4 | 6 | 16 | 27 | 44 | 58 | 99+ |
| 80-84 | 338 | 21.3 | 232 | 5 | 6 | 18 | 29 | 46 | 59 | 99+ |
| 85+ | 278 | 21.5 | 240 | 5 | 7 | 18 | 28 | 43 | 50 | 91 |
| **GRAND TOTAL** | **2114** | **20.6** | **261** | **4** | **6** | **16** | **27** | **45** | **58** | **99+** |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 66 | 26.4 | 310 | 8 | 8 | 22 | 34 | 47 | 63 | 93 |
| 70-74 | 66 | 26.1 | 231 | 4 | 7 | 25 | 36 | 49 | 64 | 99+ |
| 75-79 | 99 | 25.4 | 259 | 8 | 9 | 21 | 34 | 49 | 62 | 95 |
| 80-84 | 67 | 25.9 | 237 | 6 | 8 | 24 | 32 | 50 | 70 | 99+ |
| 85+ | 49 | 23.9 | 172 | 7 | 9 | 21 | 31 | 38 | 49 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 44.5 | 810 | 4 | 8 | 45 | 70 | 95 | 99+ | 99+ |
| 70-74 | 44 | 37.4 | 441 | 13 | 15 | 30 | 54 | 69 | 78 | 79 |
| 75-79 | 26 | 37.0 | 600 | 10 | 15 | 33 | 48 | 85 | 91 | 99+ |
| 80-84 | 15 | 37.5 | 587 | 10 | 19 | 31 | 44 | 84 | 94 | 97 |
| 85+ | 16 | 32.2 | 209 | 9 | 11 | 32 | 45 | 49 | 50 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 25.6 | 245 | 6 | 9 | 22 | 34 | 48 | 62 | 99+ |
| B. *Operated* | 127 | 38.1 | 534 | 8 | 14 | 34 | 52 | 79 | 89 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 474 | 29.0 | 352 | 7 | 10 | 25 | 37 | 58 | 77 | 99+ |
| **A. NOT OPERATED** | 347 | 25.6 | 245 | 6 | 9 | 22 | 34 | 48 | 62 | 99+ |
| **B. OPERATED** | 127 | 38.1 | 534 | 8 | 14 | 34 | 52 | 79 | 89 | 99+ |
| TOTAL 65-69 YRS | 92 | 31.5 | 512 | 7 | 8 | 24 | 43 | 66 | 89 | 99+ |
| 70-74 | 110 | 30.6 | 343 | 5 | 11 | 27 | 45 | 60 | 73 | 99+ |
| 75-79 | 125 | 27.8 | 348 | 8 | 10 | 23 | 36 | 56 | 76 | 99+ |
| 80-84 | 82 | 28.0 | 315 | 6 | 9 | 26 | 34 | 52 | 84 | 99+ |
| 85+ | 65 | 25.9 | 191 | 8 | 10 | 23 | 34 | 48 | 49 | 64 |
| **GRAND TOTAL** | **474** | **29.0** | **352** | **7** | **10** | **25** | **37** | **58** | **77** | **99+** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 87 | 5.3 | 50 | 2 | 2 | 3 | 6 | 9 | 15 | 45 |
| 70-74 | 56 | 5.8 | 59 | 2 | 2 | 3 | 6 | 11 | 16 | 44 |
| 75-79 | 44 | 5.1 | 50 | 1 | 1 | 4 | 6 | 9 | 11 | 47 |
| 80-84 | 20 | 5.9 | 11 | <1 | 1 | 6 | 8 | 9 | 12 | 14 |
| 85+ | 7 | 5.4 | 11 | 2 | 2 | 4 | 8 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1319 | 7.4 | 26 | 2 | 2 | 6 | 9 | 14 | 18 | 24 |
| 70-74 | 1023 | 7.4 | 26 | 2 | 2 | 6 | 9 | 14 | 17 | 25 |
| 75-79 | 668 | 7.5 | 26 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| 80-84 | 209 | 8.3 | 49 | 2 | 2 | 7 | 9 | 16 | 20 | 39 |
| 85+ | 56 | 7.8 | 42 | 2 | 2 | 5 | 8 | 19 | 22 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 293 | 7.4 | 36 | 1 | 2 | 6 | 10 | 15 | 18 | 31 |
| 70-74 | 313 | 7.8 | 52 | 2 | 2 | 6 | 10 | 15 | 22 | 39 |
| 75-79 | 271 | 8.2 | 55 | 2 | 2 | 6 | 10 | 16 | 24 | 40 |
| 80-84 | 196 | 10.8 | 108 | 2 | 3 | 8 | 13 | 20 | 29 | 77 |
| 85+ | 130 | 12.4 | 150 | 3 | 4 | 9 | 15 | 27 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2705 | 10.2 | 74 | 2 | 3 | 8 | 13 | 20 | 25 | 46 |
| 70-74 | 2389 | 10.6 | 75 | 2 | 3 | 8 | 14 | 21 | 26 | 44 |
| 75-79 | 1502 | 11.6 | 89 | 2 | 3 | 9 | 15 | 23 | 29 | 51 |
| 80-84 | 517 | 12.6 | 103 | 2 | 3 | 10 | 16 | 26 | 34 | 47 |
| 85+ | 156 | 14.6 | 169 | 2 | 3 | 11 | 19 | 29 | 38 | 76 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 5.5 | 47 | 1 | 2 | 4 | 7 | 10 | 15 | 45 |
| B. *Operated* | 3275 | 7.5 | 27 | 2 | 2 | 6 | 9 | 14 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1203 | 8.8 | 71 | 2 | 2 | 7 | 11 | 17 | 25 | 45 |
| B. *Operated* | 7269 | 10.9 | 82 | 2 | 3 | 8 | 14 | 21 | 27 | 47 |
| **1. SINGLE DX** | 3489 | 7.3 | 29 | 2 | 2 | 6 | 9 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | 8472 | 10.6 | 81 | 2 | 2 | 8 | 13 | 21 | 27 | 47 |
| **A. NOT OPERATED** | 1417 | 8.3 | 69 | 2 | 2 | 6 | 10 | 16 | 23 | 45 |
| **B. OPERATED** | 10544 | 9.8 | 68 | 2 | 2 | 8 | 12 | 19 | 24 | 43 |
| TOTAL 65-69 YRS | 4404 | 9.1 | 59 | 2 | 2 | 7 | 11 | 17 | 22 | 40 |
| 70-74 | 3781 | 9.4 | 62 | 2 | 2 | 7 | 12 | 18 | 23 | 40 |
| 75-79 | 2485 | 10.0 | 72 | 2 | 2 | 8 | 13 | 20 | 26 | 47 |
| 80-84 | 942 | 11.2 | 94 | 2 | 2 | 8 | 14 | 23 | 30 | 49 |
| 85+ | 349 | 12.5 | 144 | 2 | 3 | 9 | 16 | 26 | 35 | 82 |
| **GRAND TOTAL** | **11961** | **9.6** | **68** | **2** | **2** | **8** | **12** | **19** | **24** | **44** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 14.3 | 152 | 1 | 2 | 13 | 20 | 47 | 85 | 99+ |
| 70-74 | 36 | 17.1 | 199 | 2 | 2 | 14 | 23 | 38 | 44 | 63 |
| 75-79 | 20 | 21.0 | 473 | 2 | 3 | 13 | 25 | 57 | 71 | 77 |
| 80-84 | 18 | 15.5 | 128 | 3 | 5 | 12 | 22 | 33 | 39 | 41 |
| 85+ | 17 | 16.6 | 90 | 5 | 6 | 15 | 24 | 31 | 35 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 139 | 15.8 | 154 | 2 | 3 | 13 | 21 | 30 | 46 | 69 |
| 70-74 | 108 | 19.8 | 255 | 3 | 5 | 16 | 29 | 39 | 71 | 99+ |
| 75-79 | 77 | 20.5 | 241 | 2 | 4 | 18 | 32 | 42 | 63 | 99+ |
| 80-84 | 25 | 25.8 | 281 | 6 | 7 | 21 | 46 | 49 | 65 | 99+ |
| 85+ | 11 | 27.4 | 609 | 4 | 4 | 19 | 43 | 63 | 83 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 17.1 | 211 | 2 | 4 | 13 | 23 | 38 | 50 | 87 |
| B. *Operated* | 360 | 19.1 | 232 | 2 | 4 | 15 | 27 | 42 | 56 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 466 | 18.6 | 227 | 2 | 4 | 15 | 26 | 41 | 56 | 99+ |
| **A. NOT OPERATED** | 106 | 17.1 | 211 | 2 | 4 | 13 | 23 | 38 | 50 | 87 |
| **B. OPERATED** | 360 | 19.1 | 232 | 2 | 4 | 15 | 27 | 42 | 56 | 99+ |
| TOTAL 65-69 YRS | 154 | 15.6 | 153 | 2 | 3 | 13 | 20 | 30 | 49 | 98 |
| 70-74 | 144 | 19.1 | 241 | 2 | 4 | 15 | 27 | 39 | 64 | 99+ |
| 75-79 | 97 | 20.6 | 284 | 2 | 4 | 15 | 32 | 49 | 66 | 99+ |
| 80-84 | 43 | 21.5 | 239 | 4 | 5 | 18 | 36 | 49 | 51 | 99+ |
| 85+ | 28 | 20.9 | 307 | 4 | 5 | 15 | 26 | 43 | 52 | 85 |
| **GRAND TOTAL** | **466** | **18.6** | **227** | **2** | **4** | **15** | **26** | **41** | **56** | **99+** |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 200 | 10.3 | 72 | 2 | 3 | 8 | 14 | 21 | 26 | 37 |
| 70-74 | 258 | 10.8 | 96 | 2 | 3 | 8 | 13 | 21 | 30 | 65 |
| 75-79 | 245 | 14.0 | 206 | 3 | 3 | 9 | 16 | 32 | 47 | 91 |
| 80-84 | 183 | 13.3 | 116 | 3 | 4 | 10 | 17 | 28 | 35 | 54 |
| 85+ | 149 | 12.8 | 88 | 3 | 4 | 11 | 16 | 25 | 32 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 54 | 11.7 | 221 | 2 | 3 | 7 | 14 | 23 | 40 | 88 |
| 70-74 | 47 | 11.5 | 255 | 1 | 2 | 7 | 10 | 15 | 60 | 70 |
| 75-79 | 33 | 13.4 | 143 | 2 | 2 | 10 | 20 | 37 | 45 | 99+ |
| 80-84 | 6 | 17.3 | 237 | 3 | 3 | 14 | 22 | 43 | 45 | 45 |
| 85+ | 4 | 13.5 | 30 | 9 | 9 | 12 | 17 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1580 | 13.8 | 129 | 3 | 4 | 10 | 17 | 29 | 39 | 65 |
| 70-74 | 1904 | 15.3 | 175 | 3 | 4 | 11 | 19 | 32 | 46 | 94 |
| 75-79 | 2071 | 15.9 | 174 | 4 | 5 | 12 | 20 | 33 | 45 | 83 |
| 80-84 | 1713 | 17.0 | 188 | 4 | 5 | 13 | 22 | 36 | 48 | 99+ |
| 85+ | 1405 | 16.9 | 190 | 4 | 5 | 14 | 21 | 36 | 52 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 369 | 18.4 | 265 | 3 | 5 | 13 | 23 | 41 | 62 | 99+ |
| 70-74 | 352 | 19.8 | 254 | 4 | 6 | 15 | 28 | 49 | 65 | 99+ |
| 75-79 | 308 | 22.1 | 369 | 3 | 5 | 15 | 32 | 58 | 82 | 99+ |
| 80-84 | 173 | 26.5 | 373 | 5 | 8 | 21 | 37 | 59 | 78 | 99+ |
| 85+ | 100 | 25.8 | 256 | 6 | 8 | 22 | 41 | 53 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1035 | 12.2 | 121 | 3 | 3 | 9 | 15 | 26 | 34 | 65 |
| B. *Operated* | 144 | 12.3 | 206 | 2 | 2 | 8 | 14 | 23 | 49 | 90 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8673 | 15.8 | 173 | 4 | 5 | 12 | 20 | 33 | 46 | 91 |
| B. *Operated* | 1302 | 21.3 | 308 | 3 | 6 | 16 | 30 | 52 | 70 | 99+ |
| **1. SINGLE DX** | 1179 | 12.2 | 132 | 2 | 3 | 9 | 15 | 25 | 35 | 67 |
| **2. MULTIPLE DX** | 9975 | 16.5 | 194 | 4 | 5 | 12 | 21 | 36 | 50 | 99+ |
| **A. NOT OPERATED** | 9708 | 15.4 | 169 | 3 | 4 | 12 | 19 | 32 | 44 | 89 |
| **B. OPERATED** | 1446 | 20.4 | 305 | 3 | 5 | 15 | 28 | 51 | 68 | 99+ |
| TOTAL 65-69 YRS | 2203 | 14.2 | 154 | 3 | 4 | 10 | 18 | 31 | 41 | 75 |
| 70-74 | 2561 | 15.4 | 184 | 3 | 4 | 11 | 19 | 33 | 50 | 99+ |
| 75-79 | 2657 | 16.4 | 204 | 4 | 5 | 12 | 20 | 36 | 50 | 96 |
| 80-84 | 2075 | 17.5 | 205 | 4 | 5 | 14 | 22 | 37 | 50 | 99+ |
| 85+ | 1658 | 17.1 | 191 | 4 | 5 | 14 | 22 | 36 | 52 | 99+ |
| **GRAND TOTAL** | **11154** | **16.0** | **189** | **3** | **4** | **12** | **20** | **35** | **49** | **99+** |

### 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 643 | 19.7 | 249 | 4 | 6 | 15 | 26 | 43 | 53 | 91 |
| 70-74 | 848 | 20.5 | 226 | 5 | 6 | 17 | 27 | 42 | 56 | 99+ |
| 75-79 | 880 | 21.0 | 238 | 5 | 6 | 17 | 28 | 43 | 59 | 99+ |
| 80-84 | 790 | 21.7 | 225 | 5 | 7 | 18 | 28 | 43 | 58 | 99+ |
| 85+ | 625 | 21.3 | 240 | 5 | 8 | 17 | 27 | 40 | 58 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 135 | 28.2 | 385 | 7 | 9 | 22 | 40 | 63 | 89 | 99+ |
| 70-74 | 120 | 28.8 | 309 | 7 | 10 | 26 | 38 | 64 | 83 | 99+ |
| 75-79 | 121 | 30.2 | 446 | 8 | 11 | 24 | 41 | 68 | 85 | 99+ |
| 80-84 | 65 | 29.6 | 341 | 8 | 10 | 25 | 40 | 59 | 72 | 97 |
| 85+ | 36 | 24.5 | 173 | 8 | 12 | 21 | 33 | 46 | 58 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3786 | 20.9 | 235 | 5 | 6 | 17 | 28 | 43 | 57 | 99+ |
| B. *Operated* | 477 | 28.8 | 359 | 8 | 10 | 24 | 39 | 61 | 83 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 4263 | 21.8 | 255 | 5 | 7 | 18 | 29 | 45 | 60 | 99+ |
| **A. NOT OPERATED** | 3786 | 20.9 | 235 | 5 | 6 | 17 | 28 | 43 | 57 | 99+ |
| **B. OPERATED** | 477 | 28.8 | 359 | 8 | 10 | 24 | 39 | 61 | 83 | 99+ |
| TOTAL 65-69 YRS | 778 | 21.2 | 282 | 4 | 6 | 16 | 28 | 47 | 59 | 99+ |
| 70-74 | 968 | 21.6 | 244 | 5 | 7 | 18 | 29 | 46 | 62 | 99+ |
| 75-79 | 1001 | 22.1 | 272 | 5 | 7 | 18 | 30 | 44 | 61 | 99+ |
| 80-84 | 855 | 22.3 | 238 | 6 | 7 | 19 | 29 | 46 | 60 | 99+ |
| 85+ | 661 | 21.4 | 236 | 6 | 8 | 17 | 28 | 41 | 58 | 99+ |
| **GRAND TOTAL** | **4263** | **21.8** | **255** | **5** | **7** | **18** | **29** | **45** | **60** | **99+** |

### 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 766 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 70-74 | 934 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 75-79 | 891 | 5.2 | 15 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| 80-84 | 750 | 5.7 | 29 | 1 | 2 | 4 | 7 | 11 | 14 | 28 |
| 85+ | 676 | 5.7 | 34 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 368 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 25 |
| 70-74 | 307 | 6.1 | 32 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| 75-79 | 185 | 6.1 | 21 | 1 | 2 | 5 | 7 | 13 | 17 | 22 |
| 80-84 | 68 | 6.6 | 23 | 2 | 2 | 5 | 9 | 13 | 17 | 23 |
| 85+ | 30 | 7.0 | 49 | 1 | 1 | 5 | 9 | 12 | 16 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4170 | 6.9 | 28 | 2 | 2 | 6 | 8 | 13 | 16 | 26 |
| 70-74 | 5592 | 7.4 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 75-79 | 6386 | 7.9 | 42 | 2 | 3 | 6 | 10 | 15 | 19 | 34 |
| 80-84 | 6061 | 8.5 | 67 | 2 | 3 | 7 | 10 | 16 | 21 | 53 |
| 85+ | 5654 | 9.1 | 77 | 2 | 3 | 7 | 11 | 17 | 24 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1395 | 9.8 | 66 | 2 | 2 | 8 | 12 | 19 | 24 | 44 |
| 70-74 | 1375 | 11.0 | 98 | 2 | 3 | 8 | 14 | 22 | 28 | 54 |
| 75-79 | 1074 | 12.5 | 106 | 2 | 3 | 10 | 16 | 24 | 32 | 57 |
| 80-84 | 657 | 14.0 | 158 | 2 | 4 | 11 | 17 | 28 | 40 | 90 |
| 85+ | 394 | 15.7 | 172 | 3 | 4 | 13 | 20 | 33 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4017 | 5.2 | 20 | 1 | 2 | 4 | 7 | 9 | 12 | 20 |
| B. *Operated* | 958 | 5.9 | 27 | 1 | 2 | 4 | 8 | 11 | 16 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27863 | 8.0 | 52 | 2 | 3 | 6 | 10 | 15 | 20 | 39 |
| B. *Operated* | 4895 | 11.8 | 108 | 2 | 3 | 9 | 15 | 23 | 31 | 64 |
| **1. SINGLE DX** | 4975 | 5.3 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 32758 | 8.6 | 62 | 2 | 3 | 7 | 11 | 16 | 22 | 45 |
| **A. NOT OPERATED** | 31880 | 7.7 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| **B. OPERATED** | 5853 | 10.8 | 99 | 2 | 2 | 8 | 14 | 22 | 29 | 58 |
| TOTAL 65-69 YRS | 6699 | 7.1 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| 70-74 | 8208 | 7.7 | 47 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| 75-79 | 8536 | 8.1 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 38 |
| 80-84 | 7536 | 8.7 | 74 | 2 | 2 | 6 | 11 | 16 | 22 | 54 |
| 85+ | 6754 | 9.1 | 82 | 2 | 3 | 7 | 11 | 18 | 25 | 62 |
| **GRAND TOTAL** | **37733** | **8.1** | **58** | **2** | **2** | **6** | **10** | **15** | **21** | **42** |

### 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 674 | 11.4 | 114 | 2 | 3 | 9 | 14 | 23 | 31 | 61 |
| 70-74 | 846 | 12.4 | 133 | 2 | 3 | 9 | 16 | 26 | 40 | 85 |
| 75-79 | 875 | 12.5 | 136 | 2 | 3 | 9 | 16 | 25 | 35 | 64 |
| 80-84 | 793 | 14.0 | 152 | 2 | 3 | 10 | 18 | 31 | 43 | 82 |
| 85+ | 712 | 13.3 | 139 | 2 | 3 | 10 | 17 | 28 | 39 | 79 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 97 | 11.1 | 95 | 2 | 2 | 8 | 15 | 23 | 29 | 52 |
| 70-74 | 103 | 13.9 | 206 | 2 | 2 | 10 | 17 | 36 | 41 | 94 |
| 75-79 | 79 | 16.3 | 272 | 2 | 3 | 12 | 22 | 34 | 62 | 98 |
| 80-84 | 34 | 19.7 | 339 | 2 | 5 | 14 | 25 | 61 | 77 | 99+ |
| 85+ | 16 | 18.7 | 221 | 7 | 8 | 14 | 20 | 34 | 56 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3501 | 14.7 | 164 | 3 | 4 | 11 | 18 | 30 | 42 | 82 |
| 70-74 | 4625 | 15.3 | 170 | 3 | 4 | 12 | 19 | 32 | 43 | 87 |
| 75-79 | 5216 | 15.7 | 170 | 3 | 4 | 12 | 20 | 33 | 45 | 95 |
| 80-84 | 4853 | 16.7 | 196 | 4 | 5 | 13 | 21 | 35 | 45 | 96 |
| 85+ | 4669 | 16.3 | 178 | 4 | 5 | 13 | 21 | 34 | 46 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 685 | 20.7 | 288 | 4 | 5 | 16 | 28 | 46 | 65 | 99+ |
| 70-74 | 726 | 22.2 | 344 | 4 | 6 | 17 | 30 | 55 | 77 | 99+ |
| 75-79 | 678 | 24.3 | 363 | 4 | 6 | 19 | 34 | 57 | 80 | 99+ |
| 80-84 | 469 | 25.8 | 321 | 6 | 8 | 22 | 36 | 61 | 77 | 99+ |
| 85+ | 367 | 25.9 | 279 | 8 | 9 | 23 | 33 | 54 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3900 | 12.7 | 136 | 2 | 3 | 9 | 16 | 27 | 38 | 72 |
| B. *Operated* | 329 | 14.5 | 209 | 2 | 2 | 11 | 18 | 32 | 40 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22864 | 15.8 | 177 | 3 | 5 | 12 | 20 | 33 | 45 | 94 |
| B. *Operated* | 2925 | 23.4 | 327 | 4 | 7 | 18 | 32 | 55 | 75 | 99+ |
| **1. SINGLE DX** | 4229 | 12.9 | 142 | 2 | 3 | 9 | 16 | 27 | 38 | 77 |
| **2. MULTIPLE DX** | 25789 | 16.7 | 199 | 3 | 5 | 13 | 21 | 35 | 49 | 99+ |
| **A. NOT OPERATED** | 26764 | 15.4 | 172 | 3 | 4 | 12 | 19 | 32 | 44 | 91 |
| **B. OPERATED** | 3254 | 22.5 | 322 | 4 | 6 | 18 | 31 | 53 | 73 | 99+ |
| TOTAL 65-69 YRS | 4957 | 15.0 | 180 | 3 | 4 | 11 | 19 | 32 | 44 | 85 |
| 70-74 | 6300 | 15.7 | 192 | 3 | 4 | 12 | 20 | 34 | 47 | 99 |
| 75-79 | 6848 | 16.2 | 195 | 3 | 4 | 12 | 21 | 35 | 48 | 99+ |
| 80-84 | 6149 | 17.0 | 208 | 3 | 5 | 13 | 22 | 36 | 51 | 99+ |
| 85+ | 5764 | 16.6 | 186 | 3 | 5 | 13 | 21 | 35 | 47 | 99+ |
| **GRAND TOTAL** | **30018** | **16.1** | **193** | **3** | **4** | **12** | **21** | **34** | **48** | **99** |

### 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1488 | 19.2 | 250 | 4 | 5 | 15 | 26 | 41 | 58 | 98 |
| 70-74 | 1875 | 20.0 | 253 | 4 | 6 | 15 | 26 | 42 | 57 | 99+ |
| 75-79 | 2102 | 20.5 | 240 | 5 | 6 | 17 | 27 | 43 | 57 | 99+ |
| 80-84 | 1779 | 20.3 | 214 | 5 | 6 | 17 | 26 | 41 | 53 | 99 |
| 85+ | 1674 | 20.6 | 245 | 5 | 6 | 17 | 27 | 42 | 57 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 214 | 26.5 | 340 | 6 | 8 | 23 | 39 | 59 | 85 | 99+ |
| 70-74 | 284 | 30.1 | 431 | 6 | 9 | 26 | 41 | 65 | 81 | 99+ |
| 75-79 | 259 | 30.0 | 373 | 8 | 11 | 25 | 45 | 68 | 99+ | 99+ |
| 80-84 | 162 | 31.6 | 401 | 9 | 11 | 29 | 45 | 71 | 89 | 99+ |
| 85+ | 123 | 30.9 | 370 | 8 | 10 | 28 | 41 | 68 | 97 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8918 | 20.2 | 240 | 4 | 6 | 16 | 26 | 42 | 56 | 99+ |
| B. *Operated* | 1042 | 29.7 | 387 | 7 | 9 | 26 | 42 | 66 | 90 | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 9960 | 21.2 | 264 | 4 | 6 | 17 | 28 | 45 | 61 | 99+ |
| **A. NOT OPERATED** | 8918 | 20.2 | 240 | 4 | 6 | 16 | 26 | 42 | 56 | 99+ |
| **B. OPERATED** | 1042 | 29.7 | 387 | 7 | 9 | 26 | 42 | 66 | 90 | 99+ |
| TOTAL 65-69 YRS | 1702 | 20.1 | 267 | 4 | 5 | 15 | 27 | 45 | 61 | 99+ |
| 70-74 | 2159 | 21.3 | 288 | 4 | 6 | 16 | 28 | 45 | 63 | 99+ |
| 75-79 | 2361 | 21.6 | 263 | 5 | 7 | 17 | 28 | 46 | 62 | 99+ |
| 80-84 | 1941 | 21.2 | 239 | 5 | 7 | 17 | 27 | 44 | 57 | 99+ |
| 85+ | 1797 | 21.3 | 260 | 5 | 7 | 17 | 28 | 44 | 60 | 99+ |
| **GRAND TOTAL** | **9960** | **21.2** | **264** | **4** | **6** | **17** | **28** | **45** | **61** | **99+** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 206 | 5.9 | 30 | 1 | 2 | 5 | 7 | 11 | 14 | 33 |
| 70-74 | 272 | 6.6 | 30 | 2 | 2 | 5 | 8 | 13 | 18 | 47 |
| 75-79 | 294 | 7.3 | 55 | 1 | 2 | 5 | 8 | 15 | 20 | 42 |
| 80-84 | 269 | 7.4 | 30 | 2 | 2 | 6 | 10 | 15 | 18 | 35 |
| 85+ | 213 | 7.8 | 57 | 2 | 2 | 6 | 9 | 15 | 22 | 46 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 224 | 6.2 | 31 | 2 | 2 | 4 | 8 | 14 | 17 | 24 |
| 70-74 | 187 | 7.4 | 71 | 2 | 2 | 5 | 9 | 16 | 19 | 43 |
| 75-79 | 125 | 7.2 | 52 | 2 | 2 | 5 | 9 | 16 | 19 | 34 |
| 80-84 | 49 | 6.6 | 31 | 2 | 2 | 5 | 9 | 15 | 19 | 24 |
| 85+ | 14 | 10.9 | 332 | 2 | 2 | 6 | 10 | 19 | 61 | 73 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2071 | 10.3 | 111 | 2 | 3 | 7 | 12 | 20 | 29 | 60 |
| 70-74 | 3052 | 10.7 | 103 | 2 | 3 | 8 | 13 | 21 | 30 | 62 |
| 75-79 | 3599 | 11.2 | 121 | 2 | 3 | 8 | 13 | 23 | 32 | 63 |
| 80-84 | 3615 | 11.3 | 114 | 3 | 3 | 8 | 14 | 24 | 33 | 94 |
| 85+ | 3720 | 11.6 | 114 | 3 | 3 | 8 | 14 | 23 | 33 | 83 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 764 | 12.9 | 178 | 2 | 2 | 9 | 16 | 27 | 40 | 91 |
| 70-74 | 742 | 13.8 | 176 | 2 | 3 | 10 | 17 | 32 | 42 | 99+ |
| 75-79 | 625 | 15.4 | 191 | 2 | 3 | 12 | 20 | 33 | 44 | 89 |
| 80-84 | 416 | 17.9 | 216 | 3 | 4 | 14 | 26 | 40 | 56 | 99+ |
| 85+ | 238 | 19.8 | 252 | 3 | 5 | 16 | 28 | 45 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1254 | 7.0 | 41 | 1 | 2 | 5 | 9 | 13 | 19 | 41 |
| B. *Operated* | 599 | 6.9 | 55 | 2 | 2 | 5 | 9 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16057 | 11.1 | 113 | 2 | 3 | 8 | 13 | 22 | 32 | 70 |
| B. *Operated* | 2785 | 15.0 | 197 | 2 | 3 | 11 | 20 | 34 | 46 | 99+ |
| **1. SINGLE DX** | 1853 | 7.0 | 45 | 2 | 2 | 5 | 9 | 14 | 19 | 40 |
| **2. MULTIPLE DX** | 18842 | 11.7 | 128 | 2 | 3 | 8 | 14 | 24 | 35 | 80 |
| **A. NOT OPERATED** | 17311 | 10.8 | 109 | 2 | 3 | 8 | 13 | 22 | 31 | 69 |
| **B. OPERATED** | 3384 | 13.6 | 181 | 2 | 2 | 10 | 18 | 31 | 43 | 99+ |
| TOTAL 65-69 YRS | 3265 | 10.3 | 120 | 2 | 2 | 7 | 13 | 20 | 30 | 67 |
| 70-74 | 4253 | 10.8 | 113 | 2 | 3 | 8 | 13 | 22 | 32 | 68 |
| 75-79 | 4643 | 11.4 | 128 | 2 | 3 | 8 | 14 | 24 | 34 | 63 |
| 80-84 | 4349 | 11.7 | 123 | 2 | 3 | 8 | 14 | 25 | 36 | 99+ |
| 85+ | 4185 | 11.9 | 124 | 2 | 3 | 9 | 15 | 24 | 36 | 95 |
| **GRAND TOTAL** | **20695** | **11.3** | **122** | **2** | **3** | **8** | **14** | **23** | **34** | **76** |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 5.9 | 168 | 1 | 1 | 3 | 6 | 9 | 11 | 93 |
| 70-74 | 28 | 4.9 | 10 | 2 | 2 | 4 | 7 | 10 | 11 | 13 |
| 75-79 | 45 | 5.5 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 33 |
| 80-84 | 36 | 6.2 | 32 | 1 | 1 | 5 | 8 | 13 | 15 | 30 |
| 85+ | 52 | 9.1 | 169 | 1 | 2 | 5 | 10 | 17 | 23 | 74 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 285 | 7.8 | 53 | 1 | 2 | 6 | 12 | 17 | 20 | 27 |
| 70-74 | 224 | 9.5 | 63 | 1 | 2 | 8 | 14 | 20 | 26 | 35 |
| 75-79 | 160 | 9.0 | 74 | 1 | 2 | 7 | 13 | 17 | 25 | 43 |
| 80-84 | 66 | 9.1 | 60 | 1 | 1 | 7 | 15 | 21 | 24 | 29 |
| 85+ | 42 | 10.3 | 100 | 2 | 2 | 7 | 14 | 23 | 28 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 451 | 8.9 | 64 | 2 | 2 | 7 | 11 | 17 | 23 | 53 |
| 70-74 | 654 | 8.7 | 69 | 2 | 2 | 6 | 11 | 17 | 23 | 46 |
| 75-79 | 857 | 9.5 | 69 | 2 | 3 | 7 | 12 | 18 | 24 | 53 |
| 80-84 | 948 | 11.3 | 121 | 2 | 3 | 8 | 13 | 22 | 34 | 89 |
| 85+ | 1194 | 11.4 | 110 | 2 | 3 | 8 | 14 | 25 | 33 | 85 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1644 | 16.1 | 224 | 2 | 2 | 12 | 20 | 35 | 50 | 84 |
| 70-74 | 1521 | 17.3 | 234 | 2 | 2 | 14 | 22 | 37 | 50 | 95 |
| 75-79 | 1129 | 18.9 | 262 | 2 | 3 | 15 | 25 | 44 | 56 | 88 |
| 80-84 | 769 | 21.1 | 276 | 3 | 5 | 17 | 28 | 46 | 60 | 99+ |
| 85+ | 700 | 21.9 | 274 | 4 | 6 | 18 | 30 | 45 | 65 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 211 | 6.5 | 95 | 1 | 1 | 4 | 7 | 12 | 15 | 66 |
| B. *Operated* | 777 | 8.8 | 64 | 1 | 2 | 7 | 13 | 18 | 23 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4104 | 10.3 | 94 | 2 | 3 | 8 | 13 | 20 | 29 | 67 |
| B. *Operated* | 5763 | 18.3 | 251 | 2 | 3 | 14 | 24 | 40 | 55 | 95 |
| **1. SINGLE DX** | 988 | 8.3 | 71 | 1 | 2 | 6 | 12 | 17 | 23 | 38 |
| **2. MULTIPLE DX** | 9867 | 15.0 | 201 | 2 | 3 | 11 | 19 | 34 | 47 | 89 |
| **A. NOT OPERATED** | 4315 | 10.1 | 94 | 2 | 3 | 7 | 12 | 20 | 29 | 67 |
| **B. OPERATED** | 6540 | 17.2 | 238 | 2 | 2 | 13 | 22 | 38 | 52 | 92 |
| TOTAL 65-69 YRS | 2430 | 13.6 | 186 | 2 | 2 | 10 | 17 | 30 | 42 | 80 |
| 70-74 | 2427 | 14.1 | 188 | 2 | 2 | 11 | 18 | 32 | 43 | 82 |
| 75-79 | 2191 | 14.2 | 191 | 2 | 2 | 10 | 18 | 32 | 47 | 77 |
| 80-84 | 1819 | 15.2 | 208 | 2 | 3 | 11 | 20 | 34 | 49 | 97 |
| 85+ | 1988 | 15.0 | 195 | 2 | 3 | 11 | 19 | 33 | 47 | 99+ |
| **GRAND TOTAL** | **10855** | **14.4** | **193** | **2** | **3** | **11** | **18** | **32** | **45** | **86** |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 3.2 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 15 |
| 70-74 | 63 | 4.4 | 19 | <1 | 1 | 3 | 5 | 8 | 14 | 26 |
| 75-79 | 41 | 4.5 | 15 | <1 | 1 | 3 | 6 | 10 | 13 | 18 |
| 80-84 | 34 | 5.6 | 18 | 2 | 2 | 5 | 6 | 10 | 17 | 20 |
| 85+ | 34 | 6.0 | 16 | 2 | 2 | 5 | 8 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 463 | 11.7 | 36 | 2 | 3 | 11 | 14 | 19 | 22 | 26 |
| 70-74 | 369 | 12.9 | 64 | 2 | 3 | 12 | 16 | 21 | 27 | 55 |
| 75-79 | 287 | 14.0 | 73 | 2 | 3 | 14 | 17 | 22 | 27 | 41 |
| 80-84 | 136 | 13.5 | 55 | 2 | 2 | 14 | 18 | 24 | 25 | 35 |
| 85+ | 29 | 15.9 | 72 | 1 | 5 | 17 | 19 | 23 | 30 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 231 | 7.1 | 54 | 1 | 2 | 5 | 10 | 13 | 17 | 32 |
| 70-74 | 294 | 7.2 | 35 | 1 | 2 | 5 | 9 | 15 | 19 | 28 |
| 75-79 | 296 | 8.3 | 53 | 2 | 2 | 6 | 10 | 15 | 24 | 40 |
| 80-84 | 254 | 8.8 | 84 | 2 | 2 | 6 | 11 | 16 | 26 | 58 |
| 85+ | 227 | 8.9 | 56 | 2 | 2 | 6 | 11 | 19 | 24 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1465 | 16.1 | 138 | 3 | 6 | 13 | 19 | 27 | 36 | 81 |
| 70-74 | 1449 | 16.9 | 127 | 3 | 6 | 14 | 20 | 30 | 37 | 69 |
| 75-79 | 1064 | 18.1 | 172 | 2 | 5 | 15 | 22 | 33 | 43 | 80 |
| 80-84 | 420 | 18.3 | 156 | 3 | 6 | 16 | 23 | 33 | 42 | 87 |
| 85+ | 165 | 20.5 | 190 | 4 | 5 | 18 | 25 | 39 | 47 | 68 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 214 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| B. *Operated* | 1284 | 12.8 | 56 | 2 | 3 | 12 | 16 | 21 | 24 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1302 | 8.0 | 56 | 1 | 2 | 6 | 10 | 16 | 22 | 40 |
| B. *Operated* | 4563 | 17.2 | 147 | 3 | 6 | 14 | 21 | 31 | 40 | 76 |
| **1. SINGLE DX** | 1498 | 11.7 | 58 | 2 | 2 | 11 | 15 | 20 | 24 | 37 |
| **2. MULTIPLE DX** | 5865 | 15.2 | 141 | 2 | 3 | 13 | 19 | 28 | 37 | 72 |
| **A. NOT OPERATED** | 1516 | 7.6 | 52 | 1 | 2 | 6 | 9 | 15 | 20 | 39 |
| **B. OPERATED** | 5847 | 16.2 | 130 | 2 | 5 | 14 | 19 | 28 | 37 | 72 |
| TOTAL 65-69 YRS | 2201 | 14.0 | 117 | 2 | 3 | 12 | 17 | 24 | 31 | 71 |
| 70-74 | 2175 | 14.5 | 115 | 2 | 3 | 13 | 18 | 26 | 34 | 60 |
| 75-79 | 1688 | 15.4 | 147 | 2 | 3 | 13 | 19 | 29 | 38 | 72 |
| 80-84 | 844 | 14.2 | 132 | 2 | 3 | 12 | 19 | 27 | 35 | 59 |
| 85+ | 455 | 13.3 | 135 | 2 | 3 | 10 | 18 | 27 | 39 | 64 |
| **GRAND TOTAL** | **7363** | **14.4** | **126** | **2** | **3** | **12** | **18** | **26** | **35** | **65** |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 5.0 | 18 | 1 | 1 | 4 | 6 | 12 | 14 | 14 |
| 70-74 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 75-79 | 8 | 3.8 | 7 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 80-84 | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 85+ | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 100 | 9.2 | 50 | 2 | 2 | 8 | 13 | 22 | 24 | 29 |
| 70-74 | 94 | 10.1 | 48 | 2 | 2 | 9 | 14 | 17 | 24 | 36 |
| 75-79 | 62 | 11.6 | 80 | 2 | 2 | 11 | 13 | 18 | 29 | 51 |
| 80-84 | 30 | 13.3 | 77 | 2 | 2 | 12 | 18 | 26 | 32 | 33 |
| 85+ | 7 | 12.1 | 51 | 2 | 3 | 12 | 17 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 6.2 | 46 | 1 | 1 | 5 | 7 | 14 | 24 | 26 |
| 70-74 | 29 | 7.4 | 70 | 1 | 2 | 5 | 10 | 12 | 23 | 43 |
| 75-79 | 33 | 6.8 | 34 | 1 | 2 | 6 | 8 | 12 | 20 | 30 |
| 80-84 | 15 | 7.3 | 15 | 2 | 2 | 6 | 11 | 12 | 13 | 14 |
| 85+ | 16 | 6.4 | 11 | 2 | 3 | 6 | 9 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 243 | 14.1 | 145 | 2 | 3 | 11 | 18 | 28 | 40 | 64 |
| 70-74 | 241 | 15.9 | 194 | 2 | 3 | 12 | 20 | 35 | 45 | 67 |
| 75-79 | 171 | 17.4 | 227 | 2 | 4 | 13 | 23 | 37 | 46 | 83 |
| 80-84 | 73 | 16.1 | 110 | 2 | 4 | 14 | 23 | 31 | 37 | 46 |
| 85+ | 34 | 19.9 | 283 | 3 | 4 | 15 | 21 | 37 | 51 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 3.8 | 10 | <1 | <1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | 293 | 10.5 | 59 | 2 | 2 | 9 | 13 | 21 | 25 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 105 | 6.9 | 38 | 1 | 2 | 6 | 9 | 12 | 16 | 36 |
| B. *Operated* | 762 | 15.9 | 183 | 2 | 3 | 12 | 20 | 33 | 43 | 67 |
| **1. SINGLE DX** | 316 | 10.0 | 59 | 2 | 2 | 9 | 13 | 20 | 24 | 37 |
| **2. MULTIPLE DX** | 867 | 14.8 | 174 | 2 | 3 | 11 | 18 | 32 | 41 | 65 |
| **A. NOT OPERATED** | 128 | 6.3 | 34 | 1 | 1 | 5 | 9 | 12 | 14 | 33 |
| **B. OPERATED** | 1055 | 14.4 | 155 | 2 | 3 | 11 | 18 | 30 | 39 | 64 |
| TOTAL 65-69 YRS | 363 | 12.3 | 120 | 2 | 2 | 10 | 16 | 24 | 31 | 63 |
| 70-74 | 366 | 13.7 | 156 | 2 | 2 | 10 | 16 | 28 | 38 | 63 |
| 75-79 | 274 | 14.4 | 181 | 2 | 2 | 11 | 17 | 32 | 42 | 67 |
| 80-84 | 121 | 14.0 | 98 | 2 | 3 | 12 | 19 | 29 | 33 | 45 |
| 85+ | 59 | 14.7 | 211 | 2 | 3 | 12 | 18 | 30 | 42 | 86 |
| **GRAND TOTAL** | **1183** | **13.5** | **148** | **2** | **2** | **11** | **17** | **28** | **37** | **63** |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 49 | 5.2 | 22 | 1 | 1 | 3 | 8 | 11 | 15 | 20 |
| 70-74 | 48 | 6.5 | 115 | <1 | 1 | 3 | 8 | 13 | 15 | 73 |
| 75-79 | 41 | 7.2 | 28 | 1 | 2 | 7 | 11 | 15 | 18 | 20 |
| 80-84 | 21 | 7.2 | 24 | 1 | 2 | 7 | 10 | 15 | 16 | 18 |
| 85+ | 27 | 8.6 | 23 | 1 | 2 | 8 | 12 | 14 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 724 | 9.8 | 54 | 1 | 2 | 9 | 13 | 17 | 21 | 36 |
| 70-74 | 514 | 9.9 | 62 | 1 | 2 | 9 | 13 | 18 | 24 | 42 |
| 75-79 | 341 | 10.6 | 54 | 2 | 2 | 10 | 14 | 20 | 23 | 38 |
| 80-84 | 173 | 11.0 | 53 | 2 | 3 | 10 | 15 | 20 | 23 | 36 |
| 85+ | 154 | 12.4 | 123 | 2 | 2 | 10 | 16 | 25 | 35 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 192 | 7.8 | 36 | 1 | 2 | 7 | 11 | 16 | 19 | 29 |
| 70-74 | 197 | 9.0 | 78 | 1 | 2 | 7 | 12 | 18 | 26 | 46 |
| 75-79 | 182 | 10.0 | 61 | 2 | 3 | 9 | 13 | 17 | 23 | 39 |
| 80-84 | 160 | 10.4 | 58 | 2 | 3 | 9 | 13 | 19 | 23 | 43 |
| 85+ | 131 | 11.6 | 114 | 2 | 3 | 10 | 14 | 21 | 26 | 96 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2070 | 14.9 | 147 | 2 | 3 | 12 | 19 | 30 | 38 | 71 |
| 70-74 | 1877 | 16.5 | 180 | 2 | 3 | 13 | 20 | 33 | 46 | 88 |
| 75-79 | 1306 | 17.1 | 198 | 2 | 3 | 13 | 22 | 35 | 46 | 75 |
| 80-84 | 750 | 17.2 | 173 | 3 | 5 | 14 | 22 | 34 | 47 | 99+ |
| 85+ | 584 | 17.5 | 163 | 3 | 5 | 14 | 22 | 34 | 45 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 6.7 | 48 | 1 | 1 | 5 | 9 | 14 | 16 | 21 |
| B. *Operated* | 1906 | 10.3 | 62 | 2 | 2 | 9 | 14 | 19 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 862 | 9.6 | 68 | 1 | 2 | 8 | 13 | 18 | 23 | 41 |
| B. *Operated* | 6587 | 16.3 | 172 | 2 | 3 | 13 | 21 | 32 | 44 | 81 |
| **1. SINGLE DX** | 2092 | 10.0 | 62 | 1 | 2 | 9 | 14 | 18 | 23 | 38 |
| **2. MULTIPLE DX** | 7449 | 15.5 | 164 | 2 | 3 | 12 | 20 | 31 | 42 | 79 |
| **A. NOT OPERATED** | 1048 | 9.1 | 66 | 1 | 2 | 8 | 12 | 17 | 22 | 41 |
| **B. OPERATED** | 8493 | 14.9 | 153 | 2 | 3 | 12 | 19 | 30 | 40 | 75 |
| TOTAL 65-69 YRS | 3035 | 13.1 | 123 | 2 | 2 | 11 | 16 | 26 | 34 | 62 |
| 70-74 | 2636 | 14.5 | 158 | 2 | 2 | 12 | 18 | 29 | 41 | 78 |
| 75-79 | 1870 | 15.0 | 165 | 2 | 3 | 12 | 19 | 30 | 41 | 68 |
| 80-84 | 1104 | 15.0 | 145 | 2 | 4 | 12 | 19 | 30 | 41 | 82 |
| 85+ | 896 | 15.5 | 152 | 2 | 4 | 13 | 20 | 30 | 41 | 84 |
| **GRAND TOTAL** | **9541** | **14.3** | **147** | **2** | **3** | **12** | **18** | **29** | **39** | **72** |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 110 | 5.7 | 21 | 1 | 2 | 4 | 8 | 12 | 15 | 21 |
| 70-74 | 109 | 4.9 | 22 | <1 | 1 | 4 | 6 | 10 | 12 | 27 |
| 75-79 | 86 | 5.6 | 40 | 1 | 1 | 4 | 6 | 11 | 17 | 38 |
| 80-84 | 53 | 5.1 | 23 | 1 | 1 | 4 | 7 | 8 | 13 | 31 |
| 85+ | 43 | 7.9 | 47 | 1 | 2 | 6 | 10 | 13 | 28 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 534 | 8.0 | 62 | 1 | 2 | 6 | 11 | 17 | 23 | 42 |
| 70-74 | 439 | 8.7 | 93 | 1 | 2 | 6 | 11 | 18 | 25 | 58 |
| 75-79 | 287 | 9.3 | 98 | 1 | 2 | 6 | 12 | 20 | 32 | 47 |
| 80-84 | 182 | 8.7 | 44 | 1 | 2 | 7 | 14 | 18 | 21 | 23 |
| 85+ | 76 | 10.9 | 75 | 1 | 2 | 9 | 16 | 23 | 26 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 583 | 8.6 | 64 | 2 | 2 | 7 | 11 | 18 | 25 | 41 |
| 70-74 | 658 | 9.2 | 68 | 2 | 2 | 7 | 11 | 19 | 24 | 39 |
| 75-79 | 566 | 9.8 | 88 | 2 | 2 | 7 | 13 | 20 | 26 | 48 |
| 80-84 | 453 | 10.7 | 105 | 2 | 3 | 8 | 13 | 22 | 29 | 63 |
| 85+ | 405 | 12.1 | 116 | 3 | 3 | 9 | 16 | 25 | 34 | 81 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1901 | 14.7 | 196 | 2 | 2 | 11 | 19 | 33 | 46 | 86 |
| 70-74 | 1629 | 15.7 | 226 | 2 | 2 | 12 | 19 | 36 | 50 | 91 |
| 75-79 | 1294 | 16.9 | 243 | 2 | 3 | 12 | 23 | 39 | 54 | 99+ |
| 80-84 | 668 | 19.6 | 256 | 2 | 4 | 16 | 26 | 44 | 63 | 99+ |
| 85+ | 451 | 20.7 | 275 | 3 | 5 | 17 | 28 | 43 | 57 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 401 | 5.6 | 29 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| B. *Operated* | 1518 | 8.7 | 76 | 1 | 2 | 6 | 12 | 18 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2665 | 9.9 | 86 | 2 | 2 | 7 | 12 | 20 | 27 | 57 |
| B. *Operated* | 5943 | 16.5 | 231 | 2 | 3 | 12 | 21 | 38 | 52 | 96 |
| **1. SINGLE DX** | 1919 | 8.0 | 68 | 1 | 2 | 5 | 11 | 17 | 23 | 41 |
| **2. MULTIPLE DX** | 8608 | 14.4 | 195 | 2 | 3 | 10 | 19 | 32 | 46 | 90 |
| **A. NOT OPERATED** | 3066 | 9.3 | 81 | 2 | 2 | 7 | 12 | 20 | 26 | 49 |
| **B. OPERATED** | 7461 | 14.9 | 209 | 2 | 2 | 11 | 19 | 34 | 48 | 90 |
| TOTAL 65-69 YRS | 3128 | 12.1 | 153 | 2 | 2 | 9 | 16 | 26 | 38 | 74 |
| 70-74 | 2835 | 12.7 | 173 | 2 | 2 | 9 | 16 | 28 | 40 | 76 |
| 75-79 | 2233 | 13.7 | 192 | 2 | 2 | 9 | 18 | 32 | 45 | 83 |
| 80-84 | 1356 | 14.6 | 193 | 2 | 2 | 11 | 19 | 34 | 48 | 99+ |
| 85+ | 975 | 15.8 | 205 | 2 | 3 | 11 | 21 | 35 | 46 | 96 |
| **GRAND TOTAL** | **10527** | **13.3** | **178** | **2** | **2** | **9** | **17** | **30** | **42** | **84** |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 732 | 9.1 | 22 | 3 | 4 | 8 | 11 | 15 | 17 | 24 |
| 70-74 | 627 | 9.4 | 21 | 4 | 4 | 9 | 12 | 15 | 17 | 23 |
| 75-79 | 436 | 9.5 | 20 | 4 | 5 | 9 | 12 | 15 | 18 | 25 |
| 80-84 | 272 | 9.6 | 20 | 3 | 4 | 9 | 12 | 15 | 18 | 22 |
| 85+ | 201 | 10.0 | 37 | 3 | 4 | 9 | 13 | 17 | 21 | 73 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 235 | 9.4 | 28 | 2 | 3 | 8 | 13 | 17 | 19 | 24 |
| 70-74 | 183 | 9.7 | 36 | 2 | 3 | 9 | 13 | 17 | 21 | 29 |
| 75-79 | 110 | 10.9 | 76 | 2 | 3 | 9 | 13 | 19 | 27 | 50 |
| 80-84 | 64 | 10.6 | 37 | 3 | 4 | 9 | 14 | 16 | 20 | 37 |
| 85+ | 32 | 10.0 | 36 | 2 | 3 | 9 | 15 | 20 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2238 | 11.0 | 41 | 4 | 5 | 10 | 13 | 18 | 22 | 36 |
| 70-74 | 2088 | 11.2 | 42 | 4 | 5 | 10 | 14 | 19 | 23 | 36 |
| 75-79 | 1751 | 11.5 | 48 | 4 | 5 | 10 | 14 | 19 | 24 | 37 |
| 80-84 | 1167 | 12.4 | 56 | 4 | 5 | 11 | 15 | 21 | 26 | 42 |
| 85+ | 834 | 13.1 | 89 | 4 | 5 | 11 | 16 | 22 | 30 | 62 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 851 | 13.6 | 95 | 3 | 5 | 12 | 17 | 24 | 29 | 58 |
| 70-74 | 720 | 14.7 | 106 | 4 | 6 | 12 | 18 | 27 | 34 | 61 |
| 75-79 | 546 | 15.0 | 109 | 4 | 6 | 12 | 18 | 26 | 35 | 54 |
| 80-84 | 345 | 15.8 | 122 | 4 | 5 | 13 | 21 | 28 | 38 | 66 |
| 85+ | 236 | 16.9 | 142 | 5 | 6 | 14 | 21 | 30 | 39 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2268 | 9.4 | 22 | 3 | 4 | 9 | 12 | 15 | 18 | 25 |
| B. *Operated* | 624 | 9.9 | 40 | 2 | 3 | 9 | 13 | 17 | 21 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8078 | 11.6 | 50 | 4 | 5 | 10 | 14 | 19 | 24 | 40 |
| B. *Operated* | 2698 | 14.7 | 109 | 4 | 6 | 12 | 18 | 26 | 34 | 59 |
| **1. SINGLE DX** | 2892 | 9.5 | 26 | 3 | 4 | 9 | 12 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | 10776 | 12.4 | 67 | 4 | 5 | 11 | 15 | 21 | 27 | 46 |
| **A. NOT OPERATED** | 10346 | 11.1 | 45 | 4 | 5 | 10 | 14 | 18 | 23 | 38 |
| **B. OPERATED** | 3322 | 13.8 | 100 | 3 | 5 | 12 | 17 | 25 | 32 | 55 |
| TOTAL 65-69 YRS | 4056 | 11.1 | 50 | 4 | 5 | 10 | 14 | 19 | 23 | 36 |
| 70-74 | 3618 | 11.5 | 54 | 4 | 5 | 10 | 14 | 20 | 25 | 42 |
| 75-79 | 2843 | 11.8 | 59 | 4 | 5 | 10 | 14 | 20 | 25 | 44 |
| 80-84 | 1848 | 12.6 | 66 | 4 | 5 | 11 | 15 | 22 | 27 | 44 |
| 85+ | 1303 | 13.3 | 94 | 4 | 5 | 11 | 16 | 23 | 31 | 60 |
| **GRAND TOTAL** | **13668** | **11.8** | **60** | **4** | **5** | **10** | **14** | **20** | **25** | **44** |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 76 | 13.6 | 120 | 2 | 3 | 10 | 18 | 28 | 33 | 53 |
| 70-74 | 118 | 13.1 | 109 | 1 | 1 | 12 | 18 | 27 | 31 | 50 |
| 75-79 | 102 | 13.2 | 133 | 2 | 3 | 11 | 17 | 24 | 29 | 72 |
| 80-84 | 96 | 11.8 | 119 | 1 | 3 | 9 | 15 | 22 | 30 | 66 |
| 85+ | 69 | 12.0 | 44 | 4 | 5 | 12 | 15 | 20 | 24 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 576 | 7.9 | 70 | 2 | 3 | 5 | 8 | 17 | 26 | 44 |
| 70-74 | 309 | 10.3 | 88 | 2 | 3 | 6 | 14 | 23 | 32 | 44 |
| 75-79 | 188 | 15.3 | 171 | 3 | 3 | 11 | 22 | 31 | 42 | 61 |
| 80-84 | 84 | 16.4 | 199 | 3 | 3 | 14 | 25 | 33 | 40 | 99+ |
| 85+ | 54 | 19.8 | 180 | 3 | 5 | 18 | 26 | 39 | 46 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 388 | 12.8 | 90 | 3 | 4 | 11 | 17 | 26 | 32 | 49 |
| 70-74 | 459 | 14.4 | 118 | 3 | 4 | 12 | 19 | 29 | 37 | 56 |
| 75-79 | 459 | 14.6 | 164 | 3 | 4 | 11 | 18 | 29 | 37 | 81 |
| 80-84 | 454 | 15.1 | 122 | 4 | 5 | 12 | 20 | 28 | 37 | 59 |
| 85+ | 456 | 15.4 | 130 | 4 | 5 | 12 | 20 | 30 | 40 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 597 | 13.4 | 176 | 3 | 3 | 9 | 18 | 31 | 40 | 67 |
| 70-74 | 433 | 18.1 | 238 | 3 | 4 | 13 | 24 | 41 | 50 | 68 |
| 75-79 | 336 | 21.2 | 248 | 4 | 5 | 17 | 28 | 44 | 53 | 88 |
| 80-84 | 243 | 22.9 | 219 | 5 | 6 | 21 | 34 | 45 | 54 | 99+ |
| 85+ | 147 | 23.6 | 214 | 5 | 7 | 21 | 34 | 44 | 56 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 461 | 12.8 | 108 | 1 | 3 | 11 | 16 | 24 | 31 | 53 |
| B. *Operated* | 1211 | 10.8 | 117 | 2 | 3 | 6 | 14 | 26 | 33 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2216 | 14.5 | 126 | 3 | 4 | 12 | 19 | 29 | 36 | 58 |
| B. *Operated* | 1756 | 18.2 | 229 | 3 | 4 | 14 | 26 | 40 | 49 | 82 |
| **1. SINGLE DX** | 1672 | 11.3 | 115 | 2 | 3 | 7 | 15 | 25 | 32 | 52 |
| **2. MULTIPLE DX** | 3972 | 16.2 | 175 | 3 | 4 | 12 | 22 | 34 | 44 | 67 |
| **A. NOT OPERATED** | 2677 | 14.2 | 123 | 3 | 4 | 11 | 18 | 28 | 35 | 58 |
| **B. OPERATED** | 2967 | 15.2 | 196 | 3 | 3 | 10 | 22 | 35 | 44 | 69 |
| TOTAL 65-69 YRS | 1637 | 11.3 | 122 | 2 | 3 | 7 | 14 | 26 | 33 | 55 |
| 70-74 | 1319 | 14.5 | 158 | 3 | 3 | 11 | 19 | 31 | 41 | 59 |
| 75-79 | 1085 | 16.6 | 198 | 3 | 4 | 13 | 23 | 34 | 45 | 76 |
| 80-84 | 877 | 17.0 | 170 | 3 | 5 | 14 | 23 | 36 | 44 | 82 |
| 85+ | 726 | 17.1 | 155 | 4 | 5 | 14 | 23 | 34 | 44 | 63 |
| **GRAND TOTAL** | **5644** | **14.7** | **162** | **3** | **4** | **11** | **20** | **31** | **41** | **64** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 70-74 | 56 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 75-79 | 48 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 80-84 | 33 | 4.7 | 14 | <1 | 1 | 3 | 7 | 9 | 11 | 19 |
| 85+ | 19 | 4.7 | 13 | 1 | 1 | 4 | 6 | 10 | 13 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 332 | 5.4 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| 70-74 | 169 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 10 | 15 |
| 75-79 | 87 | 6.2 | 10 | 2 | 3 | 5 | 8 | 11 | 12 | 19 |
| 80-84 | 31 | 7.2 | 13 | 2 | 3 | 6 | 8 | 13 | 15 | 15 |
| 85+ | 26 | 6.9 | 13 | 1 | 3 | 7 | 8 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 370 | 4.9 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 19 |
| 70-74 | 373 | 5.4 | 18 | 1 | 2 | 4 | 7 | 10 | 14 | 23 |
| 75-79 | 280 | 6.2 | 27 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 80-84 | 227 | 6.2 | 21 | 1 | 2 | 5 | 8 | 12 | 15 | 24 |
| 85+ | 194 | 7.6 | 68 | 2 | 2 | 6 | 8 | 14 | 19 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1760 | 6.9 | 17 | 3 | 3 | 6 | 8 | 12 | 15 | 22 |
| 70-74 | 1095 | 7.7 | 27 | 3 | 4 | 6 | 9 | 13 | 18 | 26 |
| 75-79 | 645 | 8.4 | 38 | 3 | 3 | 7 | 10 | 15 | 18 | 34 |
| 80-84 | 289 | 9.3 | 42 | 3 | 4 | 8 | 12 | 17 | 24 | 34 |
| 85+ | 171 | 10.7 | 49 | 3 | 4 | 9 | 14 | 20 | 25 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 246 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| B. *Operated* | 645 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1444 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 15 | 25 |
| B. *Operated* | 3960 | 7.7 | 27 | 3 | 3 | 6 | 9 | 14 | 18 | 29 |
| **1. SINGLE DX** | 891 | 5.0 | 9 | 1 | 2 | 5 | 6 | 8 | 11 | 15 |
| **2. MULTIPLE DX** | 5404 | 7.2 | 28 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| **A. NOT OPERATED** | 1690 | 5.5 | 24 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **B. OPERATED** | 4605 | 7.4 | 25 | 3 | 3 | 6 | 9 | 13 | 17 | 27 |
| TOTAL 65-69 YRS | 2552 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| 70-74 | 1693 | 6.8 | 24 | 2 | 3 | 6 | 8 | 13 | 17 | 24 |
| 75-79 | 1060 | 7.4 | 33 | 2 | 3 | 6 | 9 | 14 | 17 | 32 |
| 80-84 | 580 | 7.7 | 33 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| 85+ | 410 | 8.7 | 57 | 2 | 3 | 7 | 11 | 17 | 23 | 49 |
| **GRAND TOTAL** | **6295** | **6.9** | **26** | **2** | **3** | **6** | **8** | **13** | **16** | **26** |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 261 | 7.7 | 27 | 1 | 2 | 7 | 10 | 15 | 17 | 32 |
| 70-74 | 209 | 7.5 | 38 | 1 | 2 | 6 | 10 | 16 | 21 | 29 |
| 75-79 | 167 | 7.3 | 28 | 2 | 2 | 6 | 9 | 13 | 17 | 27 |
| 80-84 | 114 | 7.2 | 29 | 2 | 2 | 6 | 9 | 14 | 16 | 32 |
| 85+ | 90 | 8.1 | 20 | 2 | 3 | 7 | 11 | 14 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 174 | 9.1 | 66 | 1 | 2 | 8 | 12 | 18 | 22 | 50 |
| 70-74 | 151 | 10.0 | 85 | 2 | 2 | 8 | 13 | 19 | 24 | 58 |
| 75-79 | 98 | 8.9 | 40 | 1 | 2 | 8 | 13 | 18 | 21 | 28 |
| 80-84 | 44 | 10.8 | 87 | 1 | 2 | 10 | 14 | 21 | 28 | 45 |
| 85+ | 22 | 18.4 | 232 | 2 | 3 | 13 | 25 | 42 | 49 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1307 | 8.9 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| 70-74 | 1381 | 8.9 | 45 | 2 | 3 | 7 | 11 | 17 | 22 | 35 |
| 75-79 | 1394 | 9.1 | 56 | 2 | 3 | 7 | 11 | 17 | 23 | 38 |
| 80-84 | 1077 | 9.6 | 66 | 2 | 3 | 8 | 12 | 18 | 23 | 40 |
| 85+ | 871 | 9.2 | 54 | 2 | 3 | 7 | 12 | 18 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 728 | 14.4 | 146 | 2 | 3 | 11 | 18 | 29 | 38 | 62 |
| 70-74 | 651 | 15.1 | 148 | 2 | 4 | 12 | 19 | 31 | 40 | 78 |
| 75-79 | 562 | 15.6 | 172 | 2 | 4 | 12 | 20 | 32 | 42 | 74 |
| 80-84 | 347 | 15.5 | 129 | 3 | 5 | 13 | 20 | 30 | 42 | 67 |
| 85+ | 252 | 16.3 | 166 | 4 | 6 | 13 | 21 | 31 | 38 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 841 | 7.6 | 29 | 1 | 2 | 7 | 10 | 14 | 17 | 29 |
| B. *Operated* | 489 | 9.9 | 79 | 1 | 2 | 8 | 13 | 20 | 24 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6030 | 9.1 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | 2540 | 15.2 | 152 | 2 | 4 | 12 | 19 | 30 | 40 | 71 |
| **1. SINGLE DX** | 1330 | 8.4 | 49 | 1 | 2 | 7 | 11 | 16 | 21 | 37 |
| **2. MULTIPLE DX** | 8570 | 10.9 | 91 | 2 | 3 | 8 | 14 | 22 | 29 | 49 |
| **A. NOT OPERATED** | 6871 | 8.9 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| **B. OPERATED** | 3029 | 14.3 | 144 | 2 | 3 | 11 | 18 | 29 | 39 | 67 |
| TOTAL 65-69 YRS | 2470 | 10.4 | 85 | 2 | 3 | 8 | 13 | 20 | 27 | 47 |
| 70-74 | 2392 | 10.5 | 83 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| 75-79 | 2221 | 10.6 | 91 | 2 | 3 | 8 | 13 | 21 | 28 | 47 |
| 80-84 | 1582 | 10.8 | 84 | 2 | 3 | 8 | 14 | 20 | 29 | 49 |
| 85+ | 1235 | 10.7 | 87 | 2 | 3 | 8 | 14 | 21 | 28 | 46 |
| **GRAND TOTAL** | **9900** | **10.6** | **86** | **2** | **3** | **8** | **13** | **21** | **28** | **48** |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 114 | 5.1 | 25 | 2 | 2 | 4 | 5 | 9 | 11 | 32 |
| 70-74 | 90 | 5.0 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 13 |
| 75-79 | 100 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 12 | 18 |
| 80-84 | 74 | 5.5 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 85+ | 92 | 5.2 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 4.0 | 21 | 1 | 1 | 3 | 4 | 7 | 16 | 24 |
| 70-74 | 25 | 3.8 | 9 | 1 | 2 | 2 | 6 | 9 | 10 | 12 |
| 75-79 | 9 | 6.0 | 19 | 2 | 2 | 5 | 8 | 13 | 14 | 14 |
| 80-84 | 3 | 5.3 | 14 | 1 | 1 | 7 | 8 | 8 | 8 | 8 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1102 | 6.9 | 21 | 2 | 3 | 6 | 9 | 12 | 16 | 24 |
| 70-74 | 1010 | 7.8 | 40 | 2 | 3 | 6 | 9 | 14 | 18 | 36 |
| 75-79 | 943 | 7.8 | 30 | 2 | 3 | 6 | 10 | 14 | 18 | 28 |
| 80-84 | 777 | 8.5 | 45 | 2 | 3 | 7 | 11 | 16 | 19 | 34 |
| 85+ | 835 | 8.6 | 33 | 3 | 3 | 7 | 11 | 16 | 21 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 136 | 11.5 | 174 | 2 | 2 | 8 | 14 | 24 | 38 | 84 |
| 70-74 | 107 | 11.9 | 105 | 2 | 2 | 10 | 14 | 23 | 34 | 52 |
| 75-79 | 83 | 12.2 | 149 | 2 | 2 | 8 | 15 | 30 | 38 | 61 |
| 80-84 | 51 | 17.1 | 144 | 3 | 5 | 14 | 24 | 30 | 33 | 69 |
| 85+ | 33 | 23.1 | 436 | 5 | 6 | 17 | 28 | 48 | 81 | 88 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 470 | 5.2 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| B. *Operated* | 79 | 4.2 | 17 | 1 | 1 | 3 | 6 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4667 | 7.8 | 33 | 2 | 3 | 6 | 10 | 14 | 18 | 30 |
| B. *Operated* | 410 | 13.4 | 178 | 2 | 2 | 10 | 17 | 29 | 39 | 81 |
| **1. SINGLE DX** | 549 | 5.1 | 16 | 1 | 2 | 4 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 5077 | 8.3 | 47 | 2 | 3 | 7 | 10 | 16 | 20 | 37 |
| **A. NOT OPERATED** | 5137 | 7.6 | 32 | 2 | 3 | 6 | 9 | 14 | 18 | 29 |
| **B. OPERATED** | 489 | 11.9 | 163 | 2 | 2 | 8 | 15 | 26 | 37 | 76 |
| TOTAL 65-69 YRS | 1394 | 7.1 | 39 | 2 | 2 | 6 | 9 | 13 | 17 | 33 |
| 70-74 | 1232 | 7.9 | 45 | 2 | 3 | 6 | 9 | 14 | 19 | 38 |
| 75-79 | 1135 | 7.9 | 39 | 2 | 3 | 6 | 10 | 15 | 19 | 32 |
| 80-84 | 905 | 8.7 | 52 | 2 | 3 | 7 | 11 | 17 | 21 | 35 |
| 85+ | 960 | 8.8 | 53 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| **GRAND TOTAL** | **5626** | **8.0** | **45** | **2** | **3** | **6** | **10** | **15** | **19** | **36** |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 354 | 5.5 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 13 |
| 70-74 | 330 | 5.9 | 12 | 2 | 3 | 5 | 7 | 10 | 12 | 20 |
| 75-79 | 251 | 6.3 | 17 | 2 | 3 | 5 | 8 | 10 | 14 | 24 |
| 80-84 | 208 | 6.3 | 14 | 2 | 3 | 6 | 8 | 10 | 11 | 21 |
| 85+ | 191 | 7.2 | 46 | 3 | 3 | 5 | 8 | 13 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 6.2 | 35 | 1 | 2 | 4 | 8 | 10 | 15 | 32 |
| 70-74 | 18 | 7.8 | 46 | 2 | 2 | 5 | 9 | 18 | 24 | 27 |
| 75-79 | 11 | 10.8 | 231 | <1 | 1 | 6 | 11 | 31 | 53 | 55 |
| 80-84 | 4 | 7.3 | 14 | 3 | 3 | 7 | 10 | 12 | 12 | 12 |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4447 | 8.4 | 38 | 3 | 3 | 7 | 10 | 15 | 19 | 31 |
| 70-74 | 4500 | 8.6 | 32 | 3 | 3 | 7 | 11 | 15 | 19 | 31 |
| 75-79 | 3798 | 9.0 | 44 | 3 | 4 | 7 | 11 | 16 | 20 | 32 |
| 80-84 | 2717 | 9.4 | 45 | 3 | 4 | 8 | 12 | 17 | 21 | 34 |
| 85+ | 2517 | 10.0 | 60 | 3 | 4 | 8 | 12 | 18 | 23 | 52 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 361 | 12.5 | 110 | 3 | 4 | 10 | 15 | 23 | 30 | 61 |
| 70-74 | 337 | 13.5 | 126 | 3 | 4 | 10 | 17 | 24 | 38 | 56 |
| 75-79 | 276 | 15.0 | 147 | 4 | 5 | 12 | 17 | 30 | 41 | 91 |
| 80-84 | 139 | 17.6 | 183 | 4 | 6 | 14 | 23 | 34 | 38 | 81 |
| 85+ | 120 | 15.1 | 70 | 3 | 6 | 14 | 20 | 28 | 32 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1334 | 6.1 | 17 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 60 | 7.5 | 72 | 1 | 2 | 5 | 9 | 13 | 23 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17979 | 9.0 | 42 | 3 | 4 | 7 | 11 | 16 | 20 | 34 |
| B. *Operated* | 1233 | 14.2 | 129 | 3 | 4 | 12 | 17 | 26 | 36 | 75 |
| **1. SINGLE DX** | 1394 | 6.2 | 19 | 2 | 3 | 5 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 19212 | 9.3 | 49 | 3 | 4 | 8 | 11 | 17 | 21 | 38 |
| **A. NOT OPERATED** | 19313 | 8.8 | 41 | 3 | 3 | 7 | 11 | 16 | 20 | 33 |
| **B. OPERATED** | 1293 | 13.9 | 128 | 3 | 4 | 11 | 17 | 26 | 36 | 72 |
| TOTAL 65-69 YRS | 5188 | 8.5 | 42 | 3 | 3 | 7 | 10 | 15 | 19 | 34 |
| 70-74 | 5185 | 8.8 | 39 | 3 | 3 | 7 | 11 | 16 | 20 | 34 |
| 75-79 | 4336 | 9.2 | 52 | 3 | 4 | 7 | 11 | 16 | 21 | 38 |
| 80-84 | 3068 | 9.5 | 53 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| 85+ | 2829 | 10.1 | 61 | 3 | 4 | 8 | 12 | 18 | 24 | 52 |
| **GRAND TOTAL** | **20606** | **9.1** | **48** | **3** | **3** | **7** | **11** | **16** | **21** | **37** |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 186 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 70-74 | 90 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 75-79 | 35 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 80-84 | 10 | 2.6 | 1 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| 85+ | 5 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 2.9 | 8 | 1 | 1 | 2 | 3 | 6 | 10 | 11 |
| 70-74 | 8 | 6.0 | 29 | 1 | 1 | 5 | 8 | 15 | 17 | 17 |
| 75-79 | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 452 | 3.6 | 11 | 1 | 2 | 3 | 4 | 5 | 8 | 19 |
| 70-74 | 202 | 3.2 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 17 |
| 75-79 | 76 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 11 |
| 80-84 | 18 | 3.7 | 4 | 2 | 2 | 3 | 5 | 5 | 8 | 10 |
| 85+ | 9 | 5.1 | 16 | 2 | 2 | 3 | 6 | 11 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | 326 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 17 |
| B. *Operated* | 757 | 3.6 | 9 | 1 | 2 | 3 | 4 | 5 | 8 | 18 |
| **1. SINGLE DX** | 328 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **2. MULTIPLE DX** | 781 | 3.6 | 9 | 1 | 2 | 3 | 4 | 5 | 8 | 18 |
| **A. NOT OPERATED** | 26 | 4.0 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 17 |
| **B. OPERATED** | 1083 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| TOTAL 65-69 YRS | 652 | 3.3 | 9 | 1 | 1 | 3 | 4 | 5 | 7 | 17 |
| 70-74 | 300 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 17 |
| 75-79 | 114 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 80-84 | 28 | 3.3 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| 85+ | 15 | 4.5 | 10 | 2 | 2 | 3 | 5 | 6 | 13 | 15 |
| **GRAND TOTAL** | 1109 | 3.3 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 147 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 70-74 | 91 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 75-79 | 73 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 80-84 | 25 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 85+ | 15 | 3.0 | 8 | <1 | 1 | 2 | 3 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 3.5 | 6 | <1 | <1 | 4 | 5 | 7 | 8 | 8 |
| 70-74 | 5 | 4.8 | 17 | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| 75-79 | 9 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 80-84 | 3 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 85+ | 3 | 6.3 | 70 | 1 | 1 | 2 | 12 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 281 | 3.5 | 7 | 1 | 2 | 3 | 4 | 5 | 7 | 18 |
| 70-74 | 229 | 3.6 | 15 | 1 | 2 | 3 | 4 | 6 | 7 | 18 |
| 75-79 | 116 | 4.5 | 24 | 1 | 2 | 3 | 5 | 8 | 14 | 27 |
| 80-84 | 36 | 5.1 | 32 | <1 | 1 | 3 | 6 | 12 | 18 | 27 |
| 85+ | 19 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 351 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 4.0 | 12 | <1 | <1 | 3 | 6 | 8 | 11 | 16 |
| B. *Operated* | 681 | 3.8 | 14 | 1 | 2 | 3 | 4 | 6 | 9 | 22 |
| **1. SINGLE DX** | 357 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 712 | 3.8 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 21 |
| **A. NOT OPERATED** | 37 | 3.7 | 11 | <1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 1032 | 3.3 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 20 |
| TOTAL 65-69 YRS | 442 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 70-74 | 327 | 3.3 | 11 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 75-79 | 199 | 3.6 | 16 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| 80-84 | 64 | 3.9 | 20 | <1 | 1 | 2 | 4 | 8 | 13 | 26 |
| 85+ | 37 | 3.5 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 16 |
| **GRAND TOTAL** | 1069 | 3.3 | 10 | 1 | 1 | 2 | 4 | 5 | 7 | 19 |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 46 | 2.3 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 14 |
| 70-74 | 24 | 3.1 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 75-79 | 27 | 2.1 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 80-84 | 8 | 3.0 | 17 | <1 | <1 | 2 | 2 | 10 | 13 | 13 |
| 85+ | 24 | 5.8 | 355 | <1 | 1 | 2 | 2 | 4 | 34 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 70-74 | 6 | 8.8 | 58 | 3 | 3 | 5 | 12 | 22 | 23 | 23 |
| 75-79 | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| 85+ | 3 | 8.7 | 20 | 4 | 4 | 9 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 4.2 | 14 | 1 | 2 | 2 | 5 | 10 | 14 | 16 |
| 70-74 | 21 | 8.9 | 387 | <1 | <1 | 2 | 4 | 24 | 55 | 89 |
| 75-79 | 10 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 4 | 5.3 | 16 | 2 | 2 | 4 | 8 | 11 | 11 | 11 |
| 85+ | 14 | 2.5 | 10 | <1 | 1 | 2 | 2 | 4 | 11 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | 129 | 3.1 | 69 | <1 | 1 | 2 | 2 | 4 | 7 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 8.2 | 33 | 3 | 3 | 5 | 12 | 16 | 21 | 23 |
| B. *Operated* | 85 | 4.9 | 106 | <1 | 1 | 2 | 4 | 11 | 15 | 68 |
| **1. SINGLE DX** | 132 | 3.1 | 68 | <1 | 1 | 2 | 2 | 4 | 7 | 28 |
| **2. MULTIPLE DX** | 100 | 5.4 | 96 | 1 | 1 | 2 | 5 | 12 | 16 | 58 |
| **A. NOT OPERATED** | 18 | 7.3 | 32 | 1 | 2 | 5 | 11 | 15 | 20 | 23 |
| **B. OPERATED** | 214 | 3.8 | 84 | <1 | 1 | 2 | 3 | 6 | 11 | 50 |
| TOTAL 65-69 YRS | 85 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 12 | 16 |
| 70-74 | 51 | 6.1 | 172 | <1 | 1 | 2 | 5 | 12 | 23 | 88 |
| 75-79 | 41 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 80-84 | 14 | 4.3 | 17 | <1 | <1 | 2 | 5 | 11 | 13 | 13 |
| 85+ | 41 | 4.9 | 212 | <1 | 1 | 2 | 3 | 8 | 13 | 94 |
| **GRAND TOTAL** | **232** | **4.1** | **81** | **1** | **1** | **2** | **3** | **8** | **13** | **39** |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 100 | 3.1 | 16 | <1 | 1 | 2 | 4 | 5 | 6 | 28 |
| 70-74 | 60 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| 75-79 | 45 | 3.2 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 80-84 | 16 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 85+ | 15 | 4.3 | 10 | 1 | 2 | 3 | 5 | 9 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 758 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 70-74 | 493 | 2.8 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 18 |
| 75-79 | 224 | 2.6 | 5 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 80-84 | 74 | 3.9 | 82 | 1 | 2 | 2 | 3 | 5 | 10 | 63 |
| 85+ | 39 | 2.8 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 303 | 6.2 | 31 | 1 | 2 | 5 | 8 | 11 | 14 | 34 |
| 70-74 | 268 | 6.1 | 17 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| 75-79 | 162 | 6.6 | 36 | 1 | 2 | 5 | 8 | 12 | 14 | 35 |
| 80-84 | 118 | 6.7 | 22 | 2 | 2 | 6 | 9 | 14 | 14 | 25 |
| 85+ | 68 | 7.5 | 41 | 2 | 2 | 5 | 9 | 16 | 19 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 857 | 4.9 | 39 | 1 | 2 | 3 | 5 | 11 | 16 | 31 |
| 70-74 | 540 | 4.9 | 38 | 1 | 2 | 3 | 5 | 10 | 16 | 32 |
| 75-79 | 297 | 5.6 | 42 | 1 | 2 | 3 | 7 | 12 | 18 | 34 |
| 80-84 | 133 | 7.4 | 73 | 2 | 2 | 5 | 8 | 15 | 22 | 43 |
| 85+ | 54 | 8.5 | 101 | 2 | 2 | 5 | 12 | 21 | 25 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 236 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 1588 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 919 | 6.4 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | 1881 | 5.3 | 44 | 1 | 2 | 3 | 6 | 12 | 17 | 35 |
| **1. SINGLE DX** | 1824 | 2.8 | 10 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| **2. MULTIPLE DX** | 2800 | 5.7 | 39 | 1 | 2 | 4 | 7 | 12 | 16 | 33 |
| **A. NOT OPERATED** | 1155 | 5.8 | 25 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| **B. OPERATED** | 3469 | 4.1 | 30 | 1 | 1 | 2 | 4 | 8 | 13 | 27 |
| TOTAL 65-69 YRS | 2018 | 4.1 | 25 | 1 | 1 | 2 | 4 | 8 | 12 | 26 |
| 70-74 | 1361 | 4.3 | 25 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| 75-79 | 728 | 4.7 | 30 | 1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 80-84 | 341 | 6.2 | 56 | 1 | 2 | 4 | 8 | 13 | 16 | 38 |
| 85+ | 176 | 6.5 | 53 | 1 | 2 | 4 | 8 | 15 | 21 | 32 |
| **GRAND TOTAL** | **4624** | **4.5** | **29** | **1** | **1** | **3** | **5** | **9** | **14** | **27** |

### 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1794 | 7.6 | 19 | 3 | 3 | 7 | 9 | 13 | 15 | 24 |
| 70-74 | 1724 | 7.9 | 22 | 3 | 4 | 7 | 10 | 13 | 16 | 25 |
| 75-79 | 1480 | 8.4 | 25 | 3 | 4 | 7 | 10 | 14 | 17 | 26 |
| 80-84 | 1264 | 8.8 | 28 | 3 | 4 | 8 | 11 | 15 | 19 | 27 |
| 85+ | 1550 | 9.4 | 42 | 3 | 4 | 8 | 12 | 16 | 21 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 189 | 9.9 | 43 | 2 | 2 | 9 | 14 | 19 | 21 | 29 |
| 70-74 | 133 | 11.4 | 69 | 2 | 2 | 10 | 16 | 23 | 26 | 38 |
| 75-79 | 97 | 13.0 | 83 | 2 | 3 | 12 | 17 | 24 | 29 | 48 |
| 80-84 | 60 | 14.4 | 99 | 2 | 3 | 13 | 19 | 26 | 35 | 50 |
| 85+ | 49 | 14.1 | 92 | 2 | 3 | 12 | 18 | 28 | 37 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8911 | 10.2 | 49 | 3 | 4 | 9 | 13 | 18 | 23 | 37 |
| 70-74 | 10419 | 11.1 | 61 | 4 | 4 | 9 | 13 | 20 | 25 | 42 |
| 75-79 | 10705 | 11.7 | 68 | 4 | 5 | 10 | 14 | 21 | 27 | 45 |
| 80-84 | 10091 | 12.5 | 78 | 4 | 5 | 10 | 15 | 22 | 28 | 49 |
| 85+ | 12327 | 13.3 | 89 | 4 | 5 | 11 | 16 | 23 | 31 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1462 | 18.2 | 188 | 4 | 6 | 15 | 22 | 34 | 47 | 82 |
| 70-74 | 1474 | 19.3 | 187 | 5 | 7 | 16 | 24 | 38 | 48 | 89 |
| 75-79 | 1379 | 20.9 | 205 | 6 | 8 | 17 | 26 | 41 | 51 | 89 |
| 80-84 | 1034 | 21.9 | 200 | 7 | 9 | 19 | 27 | 41 | 55 | 99+ |
| 85+ | 970 | 23.1 | 229 | 7 | 9 | 19 | 29 | 45 | 59 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7812 | 8.4 | 27 | 3 | 4 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | 528 | 11.7 | 70 | 2 | 2 | 10 | 16 | 22 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52453 | 11.9 | 71 | 4 | 5 | 10 | 14 | 21 | 27 | 47 |
| B. *Operated* | 6319 | 20.4 | 203 | 6 | 7 | 17 | 26 | 40 | 52 | 93 |
| **1. SINGLE DX** | 8340 | 8.6 | 31 | 3 | 4 | 7 | 11 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 58772 | 12.8 | 92 | 4 | 5 | 10 | 15 | 23 | 31 | 56 |
| **A. NOT OPERATED** | 60265 | 11.4 | 67 | 3 | 4 | 9 | 14 | 20 | 26 | 45 |
| **B. OPERATED** | 6847 | 19.7 | 198 | 5 | 7 | 16 | 25 | 39 | 50 | 91 |
| TOTAL 65-69 YRS | 12356 | 10.8 | 69 | 3 | 4 | 9 | 13 | 19 | 25 | 45 |
| 70-74 | 13750 | 11.6 | 78 | 3 | 4 | 9 | 14 | 21 | 28 | 49 |
| 75-79 | 13661 | 12.3 | 86 | 4 | 5 | 10 | 15 | 23 | 30 | 52 |
| 80-84 | 12449 | 12.9 | 92 | 4 | 5 | 10 | 16 | 24 | 31 | 55 |
| 85+ | 14896 | 13.5 | 101 | 4 | 5 | 11 | 16 | 24 | 32 | 62 |
| **GRAND TOTAL** | **67112** | **12.3** | **87** | **4** | **5** | **10** | **15** | **22** | **29** | **53** |

### 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 202 | 5.1 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 15 |
| 70-74 | 222 | 5.3 | 14 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 75-79 | 184 | 5.9 | 14 | 2 | 2 | 5 | 8 | 11 | 12 | 17 |
| 80-84 | 154 | 6.7 | 33 | 2 | 3 | 5 | 8 | 12 | 16 | 29 |
| 85+ | 170 | 6.7 | 32 | 2 | 2 | 5 | 8 | 12 | 14 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 70-74 | | | | | | | | | | |
| 75-79 | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1263 | 7.4 | 31 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 70-74 | 1347 | 7.7 | 34 | 2 | 3 | 6 | 9 | 14 | 18 | 32 |
| 75-79 | 1304 | 8.6 | 38 | 3 | 3 | 7 | 11 | 16 | 20 | 32 |
| 80-84 | 1258 | 9.1 | 48 | 3 | 3 | 7 | 11 | 17 | 23 | 36 |
| 85+ | 1194 | 9.8 | 54 | 3 | 3 | 8 | 12 | 18 | 24 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 57 | 17.8 | 243 | 4 | 5 | 11 | 23 | 44 | 47 | 81 |
| 70-74 | 65 | 15.1 | 93 | 4 | 5 | 12 | 21 | 29 | 34 | 45 |
| 75-79 | 60 | 18.0 | 119 | 5 | 7 | 15 | 20 | 34 | 42 | 54 |
| 80-84 | 66 | 17.6 | 164 | 5 | 6 | 15 | 20 | 37 | 51 | 95 |
| 85+ | 48 | 18.6 | 160 | 5 | 7 | 15 | 26 | 37 | 41 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 932 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| B. *Operated* | 4 | 6.5 | 6 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6366 | 8.5 | 42 | 2 | 3 | 7 | 10 | 16 | 20 | 34 |
| B. *Operated* | 296 | 17.3 | 153 | 5 | 6 | 14 | 21 | 34 | 46 | 66 |
| **1. SINGLE DX** | 936 | 5.9 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| **2. MULTIPLE DX** | 6662 | 8.9 | 50 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| **A. NOT OPERATED** | 7298 | 8.2 | 40 | 2 | 3 | 7 | 10 | 15 | 20 | 33 |
| **B. OPERATED** | 300 | 17.2 | 153 | 5 | 6 | 14 | 21 | 34 | 45 | 66 |
| TOTAL 65-69 YRS | 1523 | 7.5 | 41 | 2 | 3 | 6 | 9 | 14 | 18 | 33 |
| 70-74 | 1634 | 7.7 | 37 | 2 | 3 | 6 | 9 | 14 | 19 | 33 |
| 75-79 | 1550 | 8.7 | 42 | 3 | 3 | 7 | 11 | 16 | 20 | 34 |
| 80-84 | 1479 | 9.2 | 56 | 3 | 3 | 7 | 11 | 18 | 24 | 42 |
| 85+ | 1412 | 9.8 | 58 | 3 | 3 | 8 | 12 | 19 | 25 | 43 |
| **GRAND TOTAL** | **7598** | **8.5** | **47** | **2** | **3** | **7** | **10** | **16** | **21** | **36** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 554 | 6.8 | 24 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| 70-74 | 460 | 7.0 | 25 | 2 | 3 | 6 | 9 | 13 | 15 | 26 |
| 75-79 | 357 | 6.7 | 16 | 2 | 3 | 6 | 9 | 12 | 15 | 21 |
| 80-84 | 192 | 7.8 | 29 | 2 | 3 | 6 | 10 | 14 | 19 | 29 |
| 85+ | 140 | 7.1 | 19 | 2 | 3 | 6 | 8 | 13 | 16 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 95 | 5.5 | 29 | 1 | 1 | 4 | 8 | 12 | 15 | 31 |
| 70-74 | 86 | 6.3 | 36 | <1 | 2 | 4 | 9 | 15 | 19 | 29 |
| 75-79 | 43 | 7.0 | 52 | 1 | 2 | 5 | 9 | 15 | 22 | 36 |
| 80-84 | 19 | 8.5 | 54 | <1 | 1 | 9 | 12 | 17 | 24 | 29 |
| 85+ | 8 | 6.4 | 27 | <1 | <1 | 5 | 9 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2946 | 8.5 | 40 | 3 | 3 | 7 | 10 | 15 | 19 | 32 |
| 70-74 | 2923 | 9.0 | 42 | 3 | 3 | 7 | 11 | 16 | 20 | 39 |
| 75-79 | 2348 | 9.2 | 50 | 3 | 3 | 7 | 11 | 17 | 22 | 37 |
| 80-84 | 1560 | 9.6 | 56 | 3 | 3 | 8 | 12 | 18 | 23 | 39 |
| 85+ | 1316 | 9.6 | 62 | 3 | 3 | 8 | 12 | 17 | 23 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 502 | 11.7 | 131 | 2 | 3 | 9 | 14 | 25 | 32 | 58 |
| 70-74 | 455 | 13.0 | 139 | 2 | 2 | 10 | 17 | 28 | 38 | 60 |
| 75-79 | 307 | 13.5 | 157 | 2 | 3 | 10 | 17 | 28 | 41 | 99+ |
| 80-84 | 180 | 14.8 | 183 | 3 | 3 | 12 | 20 | 30 | 59 | 99+ |
| 85+ | 92 | 13.1 | 66 | 3 | 4 | 12 | 19 | 25 | 31 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1703 | 7.0 | 23 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| B. *Operated* | 251 | 6.3 | 37 | 1 | 1 | 4 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11093 | 9.1 | 48 | 3 | 3 | 7 | 11 | 16 | 21 | 36 |
| B. *Operated* | 1536 | 12.9 | 141 | 2 | 3 | 10 | 16 | 27 | 36 | 86 |
| **1. SINGLE DX** | 1954 | 6.9 | 25 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 12629 | 9.5 | 61 | 3 | 3 | 8 | 12 | 17 | 23 | 42 |
| **A. NOT OPERATED** | 12796 | 8.8 | 45 | 3 | 3 | 7 | 11 | 16 | 20 | 35 |
| **B. OPERATED** | 1787 | 12.0 | 132 | 2 | 2 | 9 | 15 | 25 | 35 | 77 |
| TOTAL 65-69 YRS | 4097 | 8.6 | 51 | 2 | 3 | 7 | 10 | 16 | 20 | 36 |
| 70-74 | 3924 | 9.1 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| 75-79 | 3055 | 9.3 | 59 | 2 | 3 | 7 | 11 | 17 | 23 | 42 |
| 80-84 | 1951 | 9.9 | 68 | 3 | 3 | 8 | 12 | 19 | 24 | 50 |
| 85+ | 1556 | 9.6 | 59 | 3 | 3 | 8 | 12 | 18 | 23 | 36 |
| **GRAND TOTAL** | **14583** | **9.2** | **57** | **2** | **3** | **7** | **11** | **17** | **22** | **40** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 287 | 8.5 | 43 | 2 | 3 | 7 | 11 | 15 | 21 | 28 |
| 70-74 | 275 | 8.2 | 40 | 2 | 3 | 6 | 10 | 14 | 21 | 36 |
| 75-79 | 168 | 8.7 | 54 | 2 | 3 | 7 | 11 | 16 | 20 | 25 |
| 80-84 | 76 | 8.6 | 42 | 1 | 2 | 7 | 12 | 16 | 25 | 29 |
| 85+ | 27 | 8.0 | 36 | 2 | 3 | 7 | 12 | 15 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 14.1 | 107 | 3 | 3 | 12 | 22 | 28 | 31 | 32 |
| 70-74 | 6 | 12.5 | 92 | 2 | 2 | 13 | 20 | 24 | 24 | 24 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | | | | | | | | | | |
| 85+ | 3 | 14.0 | 52 | 8 | 8 | 12 | 19 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1830 | 10.5 | 61 | 3 | 4 | 8 | 13 | 20 | 26 | 51 |
| 70-74 | 1792 | 10.6 | 82 | 3 | 3 | 8 | 13 | 20 | 27 | 55 |
| 75-79 | 1253 | 10.8 | 78 | 3 | 3 | 8 | 13 | 20 | 29 | 45 |
| 80-84 | 715 | 10.5 | 76 | 3 | 4 | 8 | 13 | 19 | 26 | 44 |
| 85+ | 345 | 11.2 | 98 | 3 | 3 | 8 | 14 | 22 | 33 | 82 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 243 | 19.2 | 252 | 3 | 5 | 15 | 24 | 44 | 56 | 96 |
| 70-74 | 200 | 19.9 | 256 | 5 | 6 | 15 | 24 | 44 | 62 | 90 |
| 75-79 | 155 | 20.5 | 249 | 5 | 6 | 16 | 26 | 41 | 56 | 98 |
| 80-84 | 66 | 20.4 | 326 | 5 | 7 | 14 | 24 | 51 | 63 | 89 |
| 85+ | 19 | 17.9 | 136 | 4 | 7 | 15 | 23 | 37 | 44 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 833 | 8.4 | 44 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| B. *Operated* | 22 | 13.0 | 91 | 2 | 3 | 10 | 22 | 25 | 28 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5935 | 10.6 | 81 | 2 | 3 | 8 | 13 | 20 | 27 | 51 |
| B. *Operated* | 683 | 19.8 | 256 | 4 | 6 | 15 | 24 | 43 | 57 | 93 |
| **1. SINGLE DX** | 855 | 8.5 | 45 | 2 | 3 | 7 | 11 | 16 | 21 | 30 |
| **2. MULTIPLE DX** | 6618 | 11.6 | 107 | 3 | 4 | 9 | 14 | 23 | 31 | 61 |
| **A. NOT OPERATED** | 6768 | 10.4 | 77 | 3 | 3 | 8 | 13 | 20 | 26 | 49 |
| **B. OPERATED** | 705 | 19.6 | 252 | 4 | 6 | 15 | 24 | 42 | 56 | 92 |
| TOTAL 65-69 YRS | 2372 | 11.2 | 102 | 3 | 3 | 8 | 14 | 22 | 29 | 60 |
| 70-74 | 2273 | 11.2 | 100 | 3 | 3 | 8 | 13 | 22 | 30 | 61 |
| 75-79 | 1577 | 11.5 | 101 | 3 | 3 | 9 | 14 | 22 | 31 | 55 |
| 80-84 | 857 | 11.1 | 99 | 3 | 4 | 8 | 13 | 21 | 28 | 58 |
| 85+ | 394 | 11.4 | 98 | 3 | 3 | 8 | 14 | 23 | 32 | 74 |
| **GRAND TOTAL** | **7473** | **11.2** | **100** | **3** | **3** | **8** | **14** | **22** | **30** | **59** |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1546 | 6.6 | 16 | 2 | 3 | 6 | 8 | 12 | 14 | 20 |
| 70-74 | 1129 | 6.5 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| 75-79 | 661 | 6.8 | 21 | 2 | 3 | 6 | 9 | 12 | 15 | 24 |
| 80-84 | 308 | 7.2 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 85+ | 166 | 7.6 | 20 | 2 | 3 | 7 | 11 | 14 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 9.2 | 73 | 1 | 2 | 7 | 10 | 19 | 32 | 34 |
| 70-74 | 16 | 11.8 | 42 | 2 | 3 | 13 | 16 | 20 | 22 | 23 |
| 75-79 | 5 | 10.0 | 60 | 3 | 3 | 8 | 13 | 23 | 23 | 23 |
| 80-84 | 2 | 17.0 | 32 | 13 | 13 | 17 | 21 | 21 | 21 | 21 |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5154 | 8.7 | 38 | 2 | 3 | 7 | 11 | 15 | 19 | 31 |
| 70-74 | 4168 | 8.9 | 42 | 3 | 3 | 7 | 11 | 16 | 20 | 32 |
| 75-79 | 2844 | 9.2 | 43 | 3 | 3 | 8 | 11 | 16 | 21 | 35 |
| 80-84 | 1523 | 9.6 | 50 | 3 | 3 | 8 | 12 | 18 | 22 | 39 |
| 85+ | 845 | 10.4 | 61 | 2 | 3 | 9 | 13 | 19 | 25 | 46 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 292 | 15.5 | 107 | 4 | 5 | 13 | 20 | 30 | 41 | 99+ |
| 70-74 | 238 | 15.5 | 136 | 4 | 6 | 12 | 19 | 30 | 37 | 78 |
| 75-79 | 146 | 17.3 | 157 | 5 | 6 | 13 | 21 | 33 | 46 | 65 |
| 80-84 | 108 | 19.8 | 212 | 5 | 6 | 15 | 25 | 42 | 53 | 95 |
| 85+ | 50 | 18.6 | 146 | 5 | 7 | 14 | 27 | 33 | 36 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3810 | 6.7 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| B. *Operated* | 49 | 10.3 | 60 | 2 | 2 | 8 | 14 | 21 | 24 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14534 | 9.0 | 43 | 3 | 3 | 8 | 11 | 16 | 21 | 34 |
| B. *Operated* | 834 | 16.6 | 142 | 4 | 6 | 14 | 21 | 32 | 42 | 77 |
| **1. SINGLE DX** | 3859 | 6.8 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | 15368 | 9.5 | 51 | 3 | 3 | 8 | 12 | 17 | 22 | 38 |
| **A. NOT OPERATED** | 18344 | 8.6 | 39 | 2 | 3 | 7 | 11 | 15 | 19 | 32 |
| **B. OPERATED** | 883 | 16.2 | 139 | 4 | 5 | 13 | 20 | 32 | 41 | 75 |
| TOTAL 65-69 YRS | 7017 | 8.5 | 39 | 2 | 3 | 7 | 11 | 15 | 19 | 32 |
| 70-74 | 5551 | 8.7 | 43 | 2 | 3 | 7 | 11 | 16 | 20 | 34 |
| 75-79 | 3656 | 9.1 | 47 | 2 | 3 | 7 | 11 | 16 | 21 | 37 |
| 80-84 | 1941 | 9.8 | 62 | 2 | 3 | 8 | 12 | 18 | 24 | 43 |
| 85+ | 1062 | 10.4 | 63 | 2 | 3 | 9 | 13 | 19 | 26 | 45 |
| **GRAND TOTAL** | **19227** | **8.9** | **46** | **2** | **3** | **7** | **11** | **16** | **21** | **35** |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1883 | 7.9 | 38 | 2 | 3 | 7 | 10 | 14 | 18 | 33 |
| 70-74 | 1666 | 8.1 | 41 | 2 | 3 | 7 | 10 | 15 | 19 | 29 |
| 75-79 | 1086 | 8.3 | 43 | 2 | 3 | 7 | 10 | 15 | 19 | 34 |
| 80-84 | 503 | 8.1 | 42 | 2 | 3 | 7 | 10 | 15 | 20 | 32 |
| 85+ | 189 | 7.2 | 29 | 2 | 2 | 6 | 9 | 13 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 82 | 8.4 | 63 | 1 | 2 | 6 | 11 | 19 | 24 | 38 |
| 70-74 | 77 | 8.9 | 66 | 2 | 2 | 7 | 13 | 17 | 19 | 51 |
| 75-79 | 42 | 10.9 | 116 | 2 | 3 | 8 | 12 | 18 | 35 | 61 |
| 80-84 | 15 | 10.5 | 85 | 2 | 3 | 8 | 15 | 18 | 33 | 38 |
| 85+ | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9738 | 9.9 | 60 | 3 | 3 | 8 | 12 | 19 | 24 | 41 |
| 70-74 | 9463 | 10.2 | 67 | 3 | 3 | 8 | 13 | 19 | 25 | 44 |
| 75-79 | 7100 | 10.4 | 73 | 3 | 3 | 8 | 13 | 20 | 26 | 48 |
| 80-84 | 3783 | 10.8 | 72 | 3 | 3 | 9 | 13 | 21 | 27 | 45 |
| 85+ | 2023 | 11.3 | 97 | 3 | 3 | 9 | 14 | 22 | 28 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1200 | 16.8 | 214 | 3 | 4 | 13 | 21 | 38 | 52 | 99+ |
| 70-74 | 1190 | 17.6 | 239 | 3 | 5 | 14 | 21 | 37 | 57 | 99+ |
| 75-79 | 795 | 17.5 | 180 | 3 | 5 | 14 | 22 | 34 | 48 | 92 |
| 80-84 | 345 | 18.9 | 196 | 4 | 5 | 15 | 26 | 39 | 47 | 99+ |
| 85+ | 166 | 19.0 | 208 | 4 | 5 | 16 | 23 | 39 | 53 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5327 | 8.0 | 40 | 2 | 3 | 7 | 10 | 14 | 19 | 32 |
| B. *Operated* | 218 | 9.2 | 75 | 2 | 2 | 7 | 12 | 18 | 24 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32107 | 10.3 | 69 | 3 | 3 | 8 | 13 | 19 | 26 | 45 |
| B. *Operated* | 3696 | 17.5 | 213 | 3 | 5 | 14 | 22 | 37 | 51 | 99+ |
| **1. SINGLE DX** | 5545 | 8.1 | 41 | 2 | 3 | 7 | 10 | 15 | 19 | 32 |
| **2. MULTIPLE DX** | 35803 | 11.0 | 89 | 3 | 4 | 8 | 13 | 21 | 28 | 55 |
| **A. NOT OPERATED** | 37434 | 10.0 | 65 | 3 | 3 | 8 | 12 | 19 | 25 | 43 |
| **B. OPERATED** | 3914 | 17.0 | 209 | 3 | 4 | 13 | 21 | 36 | 50 | 98 |
| TOTAL 65-69 YRS | 12903 | 10.2 | 75 | 3 | 3 | 8 | 12 | 20 | 26 | 51 |
| 70-74 | 12396 | 10.6 | 86 | 3 | 3 | 8 | 13 | 20 | 27 | 56 |
| 75-79 | 9023 | 10.8 | 84 | 3 | 3 | 8 | 13 | 21 | 28 | 52 |
| 80-84 | 4646 | 11.1 | 83 | 3 | 3 | 9 | 14 | 22 | 29 | 49 |
| 85+ | 2380 | 11.5 | 104 | 3 | 3 | 9 | 14 | 22 | 29 | 60 |
| **GRAND TOTAL** | **41348** | **10.6** | **83** | **3** | **3** | **8** | **13** | **20** | **27** | **52** |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 23 | 5.3 | 10 | 2 | 2 | 4 | 8 | 9 | 12 | 14 |
| 70-74 | 18 | 10.3 | 138 | 2 | 3 | 6 | 12 | 22 | 40 | 50 |
| 75-79 | 16 | 8.9 | 33 | 2 | 3 | 6 | 13 | 18 | 19 | 20 |
| 80-84 | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 85+ | 3 | 6.7 | 44 | 1 | 1 | 5 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 9.0 | 57 | 3 | 3 | 7 | 11 | 16 | 22 | 41 |
| 70-74 | 53 | 8.4 | 41 | 3 | 3 | 6 | 10 | 19 | 24 | 28 |
| 75-79 | 36 | 9.9 | 59 | 4 | 4 | 6 | 13 | 19 | 28 | 37 |
| 80-84 | 16 | 10.4 | 74 | 4 | 4 | 6 | 13 | 23 | 31 | 34 |
| 85+ | 13 | 7.2 | 68 | 1 | 2 | 5 | 7 | 16 | 30 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 11.2 | 91 | 3 | 4 | 8 | 13 | 26 | 32 | 48 |
| 70-74 | 93 | 10.6 | 100 | 3 | 3 | 8 | 13 | 20 | 25 | 61 |
| 75-79 | 75 | 11.9 | 86 | 3 | 4 | 9 | 15 | 23 | 34 | 45 |
| 80-84 | 45 | 12.2 | 103 | 3 | 3 | 9 | 16 | 27 | 34 | 46 |
| 85+ | 30 | 10.8 | 63 | 2 | 3 | 9 | 13 | 23 | 25 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 306 | 14.1 | 142 | 4 | 4 | 10 | 18 | 28 | 36 | 66 |
| 70-74 | 274 | 14.7 | 132 | 4 | 5 | 11 | 19 | 28 | 38 | 67 |
| 75-79 | 180 | 16.9 | 171 | 4 | 5 | 13 | 21 | 33 | 44 | 63 |
| 80-84 | 103 | 16.4 | 191 | 4 | 5 | 11 | 19 | 34 | 42 | 74 |
| 85+ | 62 | 12.3 | 60 | 4 | 5 | 11 | 15 | 21 | 29 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 7.6 | 55 | 2 | 2 | 5 | 9 | 16 | 19 | 46 |
| B. *Operated* | 188 | 9.0 | 54 | 3 | 3 | 6 | 11 | 19 | 24 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 305 | 11.3 | 91 | 3 | 4 | 8 | 14 | 23 | 30 | 46 |
| B. *Operated* | 925 | 15.0 | 146 | 4 | 5 | 11 | 18 | 30 | 38 | 66 |
| **1. SINGLE DX** | 252 | 8.7 | 55 | 2 | 3 | 6 | 11 | 18 | 24 | 39 |
| **2. MULTIPLE DX** | 1230 | 14.0 | 134 | 3 | 4 | 11 | 17 | 28 | 37 | 64 |
| **A. NOT OPERATED** | 369 | 10.7 | 86 | 3 | 3 | 8 | 13 | 21 | 29 | 46 |
| **B. OPERATED** | 1113 | 14.0 | 135 | 3 | 4 | 10 | 18 | 28 | 37 | 64 |
| TOTAL 65-69 YRS | 461 | 12.5 | 121 | 3 | 4 | 9 | 15 | 26 | 34 | 55 |
| 70-74 | 438 | 12.9 | 120 | 3 | 4 | 9 | 16 | 25 | 34 | 65 |
| 75-79 | 307 | 14.4 | 138 | 4 | 4 | 11 | 18 | 30 | 40 | 54 |
| 80-84 | 168 | 14.4 | 158 | 3 | 4 | 10 | 18 | 33 | 40 | 66 |
| 85+ | 108 | 11.1 | 63 | 3 | 4 | 10 | 13 | 21 | 28 | 40 |
| **GRAND TOTAL** | **1482** | **13.1** | **125** | **3** | **4** | **10** | **16** | **27** | **35** | **58** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 380 | 6.2 | 21 | 1 | 2 | 5 | 8 | 11 | 15 | 24 |
| 70-74 | 370 | 7.0 | 30 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| 75-79 | 295 | 6.8 | 36 | 1 | 2 | 5 | 9 | 14 | 17 | 33 |
| 80-84 | 224 | 8.4 | 78 | 2 | 2 | 7 | 10 | 14 | 24 | 45 |
| 85+ | 204 | 8.6 | 48 | 2 | 3 | 7 | 11 | 16 | 22 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 450 | 8.5 | 61 | 1 | 2 | 7 | 12 | 19 | 22 | 35 |
| 70-74 | 336 | 8.5 | 70 | 1 | 2 | 6 | 12 | 18 | 24 | 37 |
| 75-79 | 227 | 9.4 | 78 | 1 | 2 | 7 | 13 | 20 | 26 | 43 |
| 80-84 | 99 | 10.0 | 63 | 1 | 2 | 8 | 14 | 20 | 27 | 35 |
| 85+ | 42 | 11.5 | 155 | 2 | 2 | 9 | 15 | 20 | 26 | 79 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3422 | 9.4 | 57 | 2 | 3 | 7 | 12 | 18 | 23 | 37 |
| 70-74 | 3542 | 9.5 | 56 | 2 | 3 | 8 | 12 | 18 | 24 | 38 |
| 75-79 | 3350 | 10.7 | 70 | 3 | 3 | 9 | 13 | 20 | 26 | 43 |
| 80-84 | 2549 | 11.5 | 83 | 3 | 3 | 9 | 14 | 22 | 28 | 52 |
| 85+ | 2477 | 11.7 | 86 | 3 | 4 | 9 | 15 | 22 | 29 | 49 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1574 | 14.3 | 163 | 2 | 3 | 11 | 18 | 30 | 41 | 66 |
| 70-74 | 1477 | 14.9 | 163 | 2 | 3 | 12 | 19 | 32 | 42 | 77 |
| 75-79 | 1067 | 15.7 | 163 | 2 | 3 | 12 | 21 | 33 | 43 | 69 |
| 80-84 | 658 | 17.9 | 213 | 3 | 4 | 14 | 24 | 38 | 50 | 95 |
| 85+ | 439 | 19.8 | 202 | 4 | 7 | 16 | 27 | 40 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1473 | 7.2 | 39 | 1 | 2 | 6 | 9 | 14 | 18 | 32 |
| B. *Operated* | 1154 | 8.9 | 71 | 1 | 2 | 7 | 12 | 19 | 24 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15340 | 10.4 | 69 | 2 | 3 | 8 | 13 | 20 | 26 | 43 |
| B. *Operated* | 5215 | 15.7 | 175 | 2 | 3 | 12 | 21 | 33 | 43 | 77 |
| **1. SINGLE DX** | 2627 | 7.9 | 54 | 1 | 2 | 6 | 10 | 16 | 21 | 35 |
| **2. MULTIPLE DX** | 20555 | 11.8 | 101 | 2 | 3 | 9 | 15 | 23 | 31 | 56 |
| **A. NOT OPERATED** | 16813 | 10.1 | 67 | 2 | 3 | 8 | 13 | 19 | 25 | 42 |
| **B. OPERATED** | 6369 | 14.4 | 163 | 2 | 3 | 11 | 19 | 31 | 41 | 73 |
| TOTAL 65-69 YRS | 5826 | 10.4 | 90 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| 70-74 | 5725 | 10.7 | 89 | 2 | 3 | 8 | 14 | 21 | 29 | 51 |
| 75-79 | 4939 | 11.5 | 94 | 2 | 3 | 9 | 14 | 23 | 31 | 53 |
| 80-84 | 3530 | 12.4 | 114 | 2 | 3 | 9 | 16 | 25 | 33 | 61 |
| 85+ | 3162 | 12.6 | 109 | 3 | 4 | 10 | 16 | 25 | 33 | 61 |
| **GRAND TOTAL** | **23182** | **11.3** | **97** | **2** | **3** | **9** | **14** | **23** | **30** | **54** |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 4.9 | 30 | 1 | 1 | 3 | 6 | 10 | 18 | 25 |
| 70-74 | 11 | 3.9 | 14 | <1 | <1 | 3 | 5 | 9 | 14 | 14 |
| 75-79 | 9 | 3.2 | 4 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 80-84 | 5 | 3.4 | 4 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 85+ | 4 | 8.8 | 75 | <1 | <1 | 6 | 14 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 299 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 70-74 | 193 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 12 |
| 75-79 | 117 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 80-84 | 86 | 3.6 | 85 | 1 | 1 | 2 | 3 | 4 | 6 | 61 |
| 85+ | 69 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 4.5 | 13 | <1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 70-74 | 68 | 5.0 | 14 | 1 | 1 | 4 | 7 | 11 | 14 | 15 |
| 75-79 | 61 | 6.5 | 32 | 1 | 1 | 5 | 9 | 14 | 17 | 29 |
| 80-84 | 39 | 5.8 | 12 | 1 | 2 | 5 | 7 | 12 | 13 | 14 |
| 85+ | 38 | 7.5 | 55 | 1 | 1 | 4 | 12 | 20 | 29 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 906 | 3.7 | 23 | 1 | 2 | 2 | 3 | 7 | 11 | 23 |
| 70-74 | 746 | 3.9 | 22 | 1 | 2 | 2 | 4 | 8 | 12 | 23 |
| 75-79 | 492 | 3.9 | 17 | 1 | 2 | 3 | 4 | 9 | 11 | 22 |
| 80-84 | 282 | 3.9 | 12 | 2 | 2 | 3 | 4 | 7 | 11 | 15 |
| 85+ | 220 | 4.7 | 29 | 1 | 2 | 3 | 5 | 10 | 15 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 4.5 | 22 | 1 | 1 | 3 | 5 | 9 | 14 | 25 |
| B. *Operated* | 764 | 2.8 | 13 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 289 | 5.6 | 23 | 1 | 1 | 4 | 7 | 12 | 15 | 29 |
| B. *Operated* | 2646 | 3.9 | 21 | 1 | 2 | 2 | 4 | 8 | 12 | 23 |
| **1. SINGLE DX** | 813 | 2.9 | 14 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 2935 | 4.1 | 21 | 1 | 2 | 3 | 4 | 9 | 12 | 24 |
| **A. NOT OPERATED** | 338 | 5.4 | 23 | 1 | 1 | 4 | 7 | 12 | 15 | 28 |
| **B. OPERATED** | 3410 | 3.7 | 19 | 1 | 2 | 2 | 4 | 7 | 11 | 21 |
| TOTAL 65-69 YRS | 1308 | 3.6 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 21 |
| 70-74 | 1018 | 3.8 | 18 | 1 | 2 | 2 | 4 | 7 | 11 | 21 |
| 75-79 | 679 | 3.9 | 17 | 1 | 2 | 2 | 4 | 9 | 11 | 22 |
| 80-84 | 412 | 4.0 | 27 | 1 | 2 | 3 | 4 | 7 | 11 | 16 |
| 85+ | 331 | 4.6 | 29 | 1 | 2 | 3 | 5 | 10 | 16 | 33 |
| **GRAND TOTAL** | **3748** | **3.8** | **20** | **1** | **2** | **2** | **4** | **7** | **11** | **23** |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 5.5 | 35 | 2 | 2 | 4 | 6 | 8 | 9 | 35 |
| 70-74 | 27 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 8 | 9 |
| 75-79 | 14 | 5.6 | 32 | 1 | 1 | 3 | 7 | 14 | 19 | 21 |
| 80-84 | 17 | 5.5 | 11 | <1 | 1 | 5 | 7 | 10 | 12 | 13 |
| 85+ | 19 | 7.2 | 51 | 2 | 3 | 5 | 8 | 10 | 24 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 279 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 14 |
| 70-74 | 186 | 4.2 | 23 | 1 | 2 | 3 | 5 | 8 | 10 | 34 |
| 75-79 | 109 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 80-84 | 55 | 3.9 | 7 | 1 | 2 | 3 | 4 | 6 | 11 | 14 |
| 85+ | 29 | 4.2 | 6 | 1 | 2 | 4 | 6 | 9 | 9 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 116 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 14 | 30 |
| 70-74 | 119 | 8.0 | 28 | 2 | 2 | 7 | 11 | 16 | 19 | 23 |
| 75-79 | 116 | 9.2 | 64 | 2 | 2 | 7 | 11 | 20 | 25 | 43 |
| 80-84 | 80 | 10.0 | 83 | 3 | 4 | 8 | 10 | 15 | 23 | 57 |
| 85+ | 115 | 9.5 | 27 | 3 | 4 | 8 | 12 | 17 | 19 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 244 | 5.2 | 20 | 2 | 2 | 4 | 6 | 11 | 15 | 23 |
| 70-74 | 195 | 6.1 | 43 | 1 | 2 | 4 | 7 | 14 | 17 | 34 |
| 75-79 | 179 | 6.9 | 72 | 2 | 2 | 4 | 8 | 14 | 20 | 39 |
| 80-84 | 95 | 7.6 | 58 | 2 | 2 | 4 | 9 | 19 | 23 | 35 |
| 85+ | 64 | 10.8 | 102 | 2 | 3 | 8 | 13 | 26 | 43 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 5.5 | 26 | 1 | 1 | 4 | 6 | 9 | 11 | 35 |
| B. *Operated* | 658 | 3.8 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 546 | 8.5 | 44 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| B. *Operated* | 777 | 6.6 | 51 | 2 | 2 | 4 | 8 | 14 | 19 | 39 |
| **1. SINGLE DX** | 765 | 4.0 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| **2. MULTIPLE DX** | 1323 | 7.4 | 49 | 2 | 2 | 5 | 9 | 15 | 19 | 36 |
| **A. NOT OPERATED** | 653 | 8.0 | 42 | 2 | 3 | 7 | 10 | 15 | 19 | 35 |
| **B. OPERATED** | 1435 | 5.3 | 35 | 1 | 2 | 3 | 6 | 11 | 16 | 32 |
| TOTAL 65-69 YRS | 669 | 4.8 | 17 | 1 | 2 | 3 | 5 | 10 | 13 | 21 |
| 70-74 | 527 | 5.8 | 32 | 1 | 2 | 4 | 7 | 12 | 17 | 27 |
| 75-79 | 418 | 6.6 | 55 | 1 | 2 | 4 | 8 | 13 | 20 | 36 |
| 80-84 | 247 | 7.4 | 56 | 2 | 2 | 5 | 9 | 14 | 20 | 36 |
| 85+ | 227 | 9.0 | 51 | 2 | 3 | 7 | 11 | 17 | 24 | 59 |
| **GRAND TOTAL** | **2088** | **6.2** | **39** | **1** | **2** | **4** | **8** | **13** | **17** | **34** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 251 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 70-74 | 200 | 4.3 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 75-79 | 147 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 80-84 | 97 | 5.3 | 19 | 1 | 1 | 4 | 7 | 11 | 13 | 22 |
| 85+ | 92 | 4.5 | 15 | 1 | 1 | 4 | 6 | 8 | 12 | 22 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 286 | 6.4 | 46 | 1 | 1 | 4 | 9 | 12 | 18 | 41 |
| 70-74 | 307 | 6.6 | 35 | 1 | 1 | 5 | 9 | 13 | 19 | 29 |
| 75-79 | 209 | 6.6 | 30 | 1 | 2 | 5 | 9 | 15 | 18 | 25 |
| 80-84 | 142 | 7.3 | 48 | <1 | 1 | 6 | 9 | 16 | 19 | 40 |
| 85+ | 96 | 6.7 | 53 | <1 | 1 | 5 | 9 | 13 | 17 | 44 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 1483 | 6.2 | 26 | 2 | 2 | 5 | 8 | 12 | 14 | 24 |
| 70-74 | 1445 | 6.4 | 24 | 1 | 2 | 5 | 8 | 12 | 15 | 25 |
| 75-79 | 1193 | 7.2 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| 80-84 | 891 | 7.6 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 29 |
| 85+ | 741 | 8.1 | 55 | 2 | 2 | 6 | 10 | 16 | 20 | 38 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 1212 | 10.8 | 115 | 2 | 2 | 8 | 13 | 23 | 31 | 70 |
| 70-74 | 1143 | 10.6 | 105 | 2 | 2 | 8 | 13 | 22 | 31 | 56 |
| 75-79 | 947 | 11.4 | 127 | 2 | 2 | 8 | 14 | 25 | 35 | 60 |
| 80-84 | 595 | 11.1 | 109 | 2 | 2 | 8 | 14 | 23 | 32 | 57 |
| 85+ | 456 | 14.1 | 191 | 2 | 3 | 10 | 18 | 30 | 41 | 83 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 787 | 4.3 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | 1040 | 6.6 | 40 | 1 | 1 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 5753 | 6.9 | 34 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| B. *Operated* | 4353 | 11.3 | 123 | 2 | 2 | 8 | 14 | 24 | 33 | 63 |
| **1. SINGLE DX** | 1827 | 5.6 | 30 | 1 | 1 | 4 | 7 | 11 | 16 | 27 |
| **2. MULTIPLE DX** | 10106 | 8.8 | 77 | 2 | 2 | 6 | 11 | 18 | 25 | 48 |
| **A. NOT OPERATED** | 6540 | 6.6 | 32 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| **B. OPERATED** | 5393 | 10.4 | 111 | 1 | 2 | 8 | 13 | 22 | 31 | 58 |
| TOTAL 65-69 YRS | 3232 | 7.8 | 66 | 1 | 2 | 5 | 9 | 15 | 22 | 45 |
| 70-74 | 3095 | 7.8 | 59 | 1 | 2 | 6 | 10 | 16 | 22 | 41 |
| 75-79 | 2496 | 8.6 | 75 | 1 | 2 | 6 | 10 | 18 | 25 | 48 |
| 80-84 | 1725 | 8.7 | 64 | 2 | 2 | 7 | 11 | 17 | 23 | 42 |
| 85+ | 1385 | 9.8 | 107 | 2 | 2 | 7 | 12 | 20 | 28 | 60 |
| **GRAND TOTAL** | 11933 | 8.3 | 71 | 1 | 2 | 6 | 10 | 17 | 23 | 46 |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 192 | 5.8 | 15 | 1 | 2 | 5 | 8 | 10 | 12 | 22 |
| 70-74 | 180 | 5.7 | 17 | 1 | 2 | 4 | 7 | 11 | 13 | 19 |
| 75-79 | 110 | 6.4 | 31 | 1 | 2 | 6 | 8 | 10 | 14 | 33 |
| 80-84 | 77 | 6.8 | 22 | 1 | 2 | 5 | 9 | 13 | 17 | 22 |
| 85+ | 65 | 6.9 | 24 | 1 | 2 | 6 | 9 | 14 | 17 | 24 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 173 | 8.4 | 36 | 1 | 2 | 7 | 10 | 16 | 21 | 31 |
| 70-74 | 135 | 8.5 | 59 | 1 | 2 | 7 | 11 | 16 | 20 | 49 |
| 75-79 | 107 | 8.3 | 42 | 1 | 2 | 6 | 10 | 17 | 24 | 29 |
| 80-84 | 60 | 11.3 | 137 | 1 | 1 | 9 | 14 | 21 | 29 | 73 |
| 85+ | 30 | 6.8 | 16 | 1 | 2 | 6 | 8 | 13 | 16 | 16 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 748 | 7.6 | 25 | 2 | 3 | 6 | 10 | 14 | 17 | 25 |
| 70-74 | 772 | 7.8 | 28 | 2 | 3 | 7 | 10 | 14 | 17 | 29 |
| 75-79 | 686 | 8.7 | 42 | 2 | 3 | 7 | 11 | 15 | 20 | 33 |
| 80-84 | 555 | 9.4 | 47 | 3 | 3 | 8 | 12 | 18 | 24 | 31 |
| 85+ | 442 | 9.7 | 43 | 3 | 3 | 8 | 12 | 17 | 22 | 34 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 721 | 11.3 | 82 | 2 | 4 | 9 | 14 | 21 | 27 | 48 |
| 70-74 | 653 | 12.0 | 96 | 3 | 4 | 9 | 15 | 24 | 29 | 51 |
| 75-79 | 542 | 13.0 | 102 | 3 | 4 | 10 | 16 | 24 | 34 | 52 |
| 80-84 | 364 | 13.7 | 102 | 3 | 4 | 11 | 17 | 27 | 37 | 49 |
| 85+ | 235 | 13.2 | 89 | 3 | 4 | 11 | 16 | 28 | 33 | 46 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 624 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 505 | 8.6 | 55 | 1 | 2 | 7 | 11 | 16 | 22 | 35 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3203 | 8.5 | 36 | 2 | 3 | 7 | 11 | 15 | 20 | 31 |
| B. *Operated* | 2515 | 12.4 | 94 | 3 | 4 | 10 | 15 | 24 | 31 | 50 |
| **1. SINGLE DX** | 1129 | 7.2 | 37 | 1 | 2 | 6 | 9 | 14 | 17 | 30 |
| **2. MULTIPLE DX** | 5718 | 10.2 | 66 | 2 | 3 | 8 | 13 | 19 | 25 | 42 |
| **A. NOT OPERATED** | 3827 | 8.1 | 34 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| **B. OPERATED** | 3020 | 11.8 | 90 | 2 | 3 | 9 | 15 | 23 | 29 | 48 |
| TOTAL 65-69 YRS | 1834 | 8.9 | 52 | 2 | 3 | 7 | 11 | 16 | 22 | 34 |
| 70-74 | 1740 | 9.2 | 60 | 2 | 3 | 7 | 11 | 17 | 24 | 39 |
| 75-79 | 1445 | 10.1 | 69 | 2 | 3 | 8 | 12 | 19 | 25 | 46 |
| 80-84 | 1056 | 10.8 | 74 | 2 | 3 | 9 | 13 | 22 | 28 | 44 |
| 85+ | 772 | 10.4 | 59 | 2 | 3 | 9 | 13 | 19 | 26 | 42 |
| **GRAND TOTAL** | 6847 | 9.7 | 62 | 2 | 3 | 8 | 12 | 18 | 25 | 40 |

## 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 151 | 6.2 | 9 | 2 | 3 | 6 | 7 | 11 | 12 | 14 |
| 70-74 | 132 | 7.1 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 25 |
| 75-79 | 131 | 7.4 | 12 | 2 | 3 | 7 | 9 | 13 | 14 | 18 |
| 80-84 | 88 | 8.0 | 21 | 3 | 4 | 7 | 9 | 14 | 18 | 24 |
| 85+ | 72 | 8.7 | 18 | 3 | 4 | 8 | 11 | 13 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 128 | 10.4 | 43 | 3 | 4 | 10 | 13 | 17 | 20 | 41 |
| 70-74 | 129 | 11.7 | 62 | 4 | 5 | 10 | 15 | 20 | 23 | 42 |
| 75-79 | 93 | 11.4 | 64 | 3 | 5 | 10 | 14 | 21 | 24 | 46 |
| 80-84 | 68 | 11.8 | 36 | 4 | 5 | 11 | 15 | 21 | 23 | 28 |
| 85+ | 55 | 15.5 | 78 | 6 | 6 | 13 | 20 | 28 | 34 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 556 | 8.7 | 31 | 3 | 4 | 7 | 11 | 16 | 20 | 30 |
| 70-74 | 603 | 9.0 | 36 | 3 | 4 | 8 | 11 | 15 | 19 | 34 |
| 75-79 | 534 | 9.9 | 61 | 3 | 4 | 8 | 12 | 17 | 23 | 47 |
| 80-84 | 453 | 10.4 | 50 | 3 | 4 | 8 | 13 | 19 | 24 | 44 |
| 85+ | 399 | 11.9 | 65 | 3 | 4 | 10 | 15 | 20 | 26 | 46 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 616 | 14.3 | 108 | 4 | 5 | 11 | 17 | 28 | 35 | 56 |
| 70-74 | 595 | 15.6 | 160 | 4 | 5 | 12 | 19 | 29 | 43 | 82 |
| 75-79 | 539 | 15.5 | 130 | 4 | 6 | 13 | 19 | 30 | 36 | 72 |
| 80-84 | 430 | 16.2 | 142 | 5 | 6 | 13 | 20 | 29 | 39 | 67 |
| 85+ | 324 | 17.4 | 141 | 5 | 7 | 14 | 23 | 34 | 41 | 74 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 574 | 7.2 | 15 | 3 | 3 | 6 | 9 | 12 | 14 | 22 |
| B. *Operated* | 473 | 11.7 | 57 | 4 | 5 | 10 | 15 | 21 | 24 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2545 | 9.8 | 48 | 3 | 4 | 8 | 12 | 18 | 22 | 37 |
| B. *Operated* | 2504 | 15.6 | 136 | 4 | 5 | 13 | 19 | 30 | 39 | 69 |
| 1. SINGLE DX | 1047 | 9.3 | 39 | 3 | 4 | 8 | 12 | 17 | 21 | 32 |
| 2. MULTIPLE DX | 5049 | 12.7 | 100 | 3 | 4 | 10 | 16 | 24 | 32 | 58 |
| A. NOT OPERATED | 3119 | 9.4 | 43 | 3 | 4 | 8 | 11 | 17 | 21 | 35 |
| B. OPERATED | 2977 | 15.0 | 125 | 4 | 5 | 12 | 18 | 29 | 37 | 64 |
| TOTAL 65-69 YRS | 1451 | 11.0 | 71 | 3 | 4 | 9 | 13 | 21 | 28 | 45 |
| 70-74 | 1459 | 11.8 | 98 | 3 | 4 | 9 | 14 | 22 | 29 | 62 |
| 75-79 | 1297 | 12.1 | 94 | 3 | 4 | 9 | 15 | 23 | 31 | 56 |
| 80-84 | 1039 | 12.7 | 94 | 4 | 5 | 10 | 16 | 24 | 29 | 54 |
| 85+ | 850 | 13.9 | 100 | 4 | 5 | 11 | 17 | 27 | 35 | 54 |
| GRAND TOTAL | 6096 | 12.1 | 91 | 3 | 4 | 9 | 15 | 23 | 30 | 55 |

## 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 422 | 5.5 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| 70-74 | 301 | 5.3 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| 75-79 | 209 | 6.4 | 40 | 2 | 3 | 5 | 8 | 12 | 13 | 22 |
| 80-84 | 138 | 6.6 | 18 | 2 | 2 | 6 | 9 | 12 | 15 | 22 |
| 85+ | 94 | 6.5 | 26 | 2 | 3 | 5 | 7 | 12 | 14 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 11.3 | 105 | 2 | 3 | 9 | 14 | 20 | 26 | 61 |
| 70-74 | 53 | 10.7 | 40 | 3 | 4 | 9 | 14 | 21 | 25 | 30 |
| 75-79 | 43 | 10.1 | 58 | 1 | 2 | 8 | 14 | 21 | 28 | 32 |
| 80-84 | 18 | 11.4 | 56 | 3 | 5 | 10 | 12 | 22 | 29 | 33 |
| 85+ | 19 | 10.2 | 100 | 2 | 2 | 7 | 10 | 28 | 37 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1663 | 7.3 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 70-74 | 1477 | 7.4 | 24 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| 75-79 | 1240 | 8.0 | 31 | 3 | 3 | 7 | 10 | 14 | 17 | 29 |
| 80-84 | 863 | 9.1 | 39 | 3 | 3 | 8 | 11 | 17 | 21 | 31 |
| 85+ | 637 | 9.8 | 51 | 3 | 4 | 8 | 12 | 18 | 26 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 506 | 12.4 | 100 | 3 | 4 | 10 | 15 | 24 | 29 | 48 |
| 70-74 | 405 | 13.7 | 107 | 4 | 5 | 11 | 17 | 26 | 32 | 64 |
| 75-79 | 300 | 14.4 | 114 | 4 | 5 | 11 | 18 | 29 | 34 | 61 |
| 80-84 | 185 | 15.0 | 164 | 4 | 5 | 11 | 18 | 26 | 41 | 88 |
| 85+ | 113 | 15.8 | 114 | 4 | 6 | 13 | 20 | 30 | 41 | 72 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1164 | 5.8 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| B. *Operated* | 212 | 10.8 | 74 | 2 | 3 | 9 | 13 | 21 | 27 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5880 | 8.0 | 32 | 2 | 3 | 7 | 10 | 14 | 18 | 31 |
| B. *Operated* | 1509 | 13.7 | 114 | 3 | 5 | 11 | 17 | 26 | 34 | 63 |
| 1. SINGLE DX | 1376 | 6.6 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| 2. MULTIPLE DX | 7389 | 9.2 | 54 | 3 | 3 | 7 | 11 | 17 | 23 | 39 |
| A. NOT OPERATED | 7044 | 7.7 | 30 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| B. OPERATED | 1721 | 13.4 | 110 | 3 | 4 | 11 | 17 | 26 | 32 | 61 |
| TOTAL 65-69 YRS | 2670 | 8.1 | 45 | 2 | 3 | 6 | 10 | 15 | 20 | 35 |
| 70-74 | 2236 | 8.4 | 45 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| 75-79 | 1792 | 9.0 | 53 | 3 | 3 | 7 | 11 | 16 | 22 | 37 |
| 80-84 | 1204 | 9.7 | 61 | 3 | 3 | 8 | 12 | 19 | 24 | 42 |
| 85+ | 863 | 10.2 | 63 | 3 | 3 | 8 | 13 | 20 | 28 | 55 |
| GRAND TOTAL | 8765 | 8.8 | 51 | 2 | 3 | 7 | 11 | 16 | 22 | 38 |

### 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 408 | 6.2 | 10 | 2 | 3 | 5 | 7 | 11 | 13 | 15 |
| 70-74 | 363 | 6.6 | 12 | 2 | 3 | 6 | 8 | 10 | 13 | 17 |
| 75-79 | 270 | 7.0 | 24 | 2 | 3 | 6 | 8 | 11 | 13 | 30 |
| 80-84 | 155 | 7.4 | 15 | 3 | 3 | 7 | 10 | 12 | 15 | 19 |
| 85+ | 129 | 9.1 | 49 | 3 | 3 | 8 | 11 | 14 | 16 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 194 | 10.7 | 40 | 4 | 5 | 9 | 13 | 19 | 22 | 34 |
| 70-74 | 138 | 12.0 | 32 | 4 | 6 | 11 | 15 | 20 | 24 | 28 |
| 75-79 | 88 | 12.6 | 35 | 5 | 7 | 11 | 15 | 19 | 23 | 33 |
| 80-84 | 73 | 13.3 | 23 | 6 | 7 | 13 | 16 | 20 | 22 | 25 |
| 85+ | 57 | 16.3 | 132 | 6 | 7 | 14 | 18 | 28 | 37 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1106 | 8.2 | 28 | 3 | 4 | 7 | 10 | 14 | 18 | 28 |
| 70-74 | 1094 | 8.8 | 40 | 3 | 4 | 7 | 11 | 15 | 20 | 37 |
| 75-79 | 1016 | 9.5 | 51 | 3 | 4 | 8 | 12 | 15 | 19 | 37 |
| 80-84 | 767 | 10.4 | 49 | 3 | 4 | 9 | 13 | 18 | 24 | 41 |
| 85+ | 718 | 11.8 | 81 | 4 | 4 | 9 | 14 | 21 | 28 | 49 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 574 | 17.0 | 194 | 5 | 6 | 12 | 20 | 33 | 42 | 81 |
| 70-74 | 582 | 17.5 | 167 | 5 | 7 | 14 | 21 | 33 | 45 | 75 |
| 75-79 | 500 | 17.7 | 129 | 6 | 8 | 15 | 22 | 32 | 43 | 87 |
| 80-84 | 361 | 20.2 | 208 | 5 | 7 | 16 | 26 | 39 | 49 | 91 |
| 85+ | 285 | 21.7 | 247 | 6 | 8 | 17 | 28 | 43 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1325 | 6.9 | 19 | 2 | 3 | 6 | 9 | 11 | 14 | 18 |
| B. *Operated* | 550 | 12.3 | 47 | 4 | 6 | 11 | 15 | 20 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4701 | 9.6 | 49 | 3 | 4 | 8 | 11 | 17 | 21 | 39 |
| B. *Operated* | 2302 | 18.4 | 184 | 5 | 7 | 14 | 23 | 35 | 47 | 88 |
| **1. SINGLE DX** | 1875 | 8.5 | 33 | 3 | 3 | 7 | 11 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 7003 | 12.4 | 110 | 3 | 4 | 9 | 15 | 24 | 33 | 61 |
| **A. NOT OPERATED** | 6026 | 9.0 | 43 | 3 | 4 | 7 | 11 | 15 | 20 | 37 |
| **B. OPERATED** | 2852 | 17.2 | 163 | 5 | 7 | 14 | 21 | 33 | 43 | 81 |
| TOTAL 65-69 YRS | 2282 | 10.3 | 84 | 3 | 4 | 8 | 12 | 19 | 26 | 50 |
| 70-74 | 2177 | 11.0 | 85 | 3 | 4 | 8 | 13 | 20 | 28 | 52 |
| 75-79 | 1874 | 11.5 | 83 | 3 | 4 | 9 | 14 | 21 | 28 | 57 |
| 80-84 | 1356 | 12.8 | 107 | 4 | 4 | 10 | 16 | 24 | 34 | 59 |
| 85+ | 1189 | 14.1 | 139 | 4 | 5 | 11 | 17 | 27 | 38 | 73 |
| **GRAND TOTAL** | 8878 | 11.6 | 96 | 3 | 4 | 9 | 14 | 22 | 30 | 57 |

### 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 6.4 | 7 | 2 | 3 | 7 | 8 | 10 | 11 | 11 |
| 70-74 | 31 | 8.1 | 27 | 2 | 2 | 7 | 11 | 15 | 18 | 25 |
| 75-79 | 22 | 7.4 | 13 | 3 | 4 | 6 | 9 | 13 | 14 | 15 |
| 80-84 | 22 | 8.3 | 17 | 2 | 3 | 8 | 12 | 15 | 16 | 16 |
| 85+ | 7 | 16.0 | 594 | 3 | 4 | 7 | 10 | 59 | 71 | 71 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 16.6 | 116 | 6 | 7 | 14 | 20 | 29 | 36 | 59 |
| 70-74 | 53 | 17.2 | 90 | 9 | 9 | 14 | 22 | 34 | 38 | 44 |
| 75-79 | 43 | 17.6 | 49 | 8 | 10 | 17 | 27 | 26 | 31 | 38 |
| 80-84 | 14 | 21.9 | 292 | 6 | 7 | 17 | 29 | 42 | 64 | 70 |
| 85+ | 7 | 16.3 | 75 | 1 | 3 | 22 | 22 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 101 | 10.0 | 45 | 3 | 4 | 9 | 12 | 19 | 23 | 37 |
| 70-74 | 93 | 9.6 | 32 | 3 | 4 | 8 | 12 | 17 | 20 | 31 |
| 75-79 | 79 | 10.2 | 40 | 3 | 4 | 8 | 13 | 19 | 21 | 30 |
| 80-84 | 64 | 12.3 | 80 | 3 | 4 | 10 | 15 | 24 | 26 | 48 |
| 85+ | 63 | 13.6 | 169 | 4 | 5 | 10 | 16 | 25 | 32 | 77 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 203 | 19.2 | 198 | 6 | 8 | 15 | 22 | 42 | 52 | 91 |
| 70-74 | 178 | 20.2 | 154 | 7 | 8 | 16 | 26 | 38 | 46 | 73 |
| 75-79 | 163 | 21.0 | 214 | 6 | 9 | 17 | 26 | 42 | 58 | 80 |
| 80-84 | 104 | 23.0 | 239 | 7 | 9 | 18 | 32 | 46 | 58 | 96 |
| 85+ | 67 | 24.3 | 294 | 8 | 9 | 20 | 29 | 48 | 58 | 87 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 8.1 | 53 | 3 | 3 | 7 | 10 | 12 | 15 | 44 |
| B. *Operated* | 187 | 17.4 | 105 | 6 | 8 | 15 | 22 | 30 | 36 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 400 | 10.9 | 68 | 3 | 4 | 9 | 13 | 20 | 25 | 40 |
| B. *Operated* | 715 | 20.9 | 207 | 7 | 8 | 17 | 26 | 42 | 52 | 86 |
| **1. SINGLE DX** | 295 | 14.0 | 106 | 3 | 4 | 11 | 18 | 26 | 34 | 56 |
| **2. MULTIPLE DX** | 1115 | 17.3 | 180 | 4 | 6 | 14 | 21 | 34 | 47 | 77 |
| **A. NOT OPERATED** | 508 | 10.3 | 66 | 3 | 4 | 8 | 12 | 19 | 24 | 40 |
| **B. OPERATED** | 902 | 20.2 | 188 | 7 | 8 | 16 | 25 | 39 | 49 | 82 |
| TOTAL 65-69 YRS | 400 | 15.6 | 153 | 4 | 5 | 12 | 19 | 29 | 47 | 74 |
| 70-74 | 355 | 15.9 | 126 | 4 | 5 | 13 | 21 | 33 | 39 | 61 |
| 75-79 | 307 | 16.7 | 158 | 4 | 5 | 14 | 21 | 30 | 43 | 71 |
| 80-84 | 204 | 18.0 | 201 | 4 | 6 | 14 | 23 | 36 | 49 | 80 |
| 85+ | 144 | 18.8 | 264 | 4 | 6 | 14 | 23 | 36 | 52 | 85 |
| **GRAND TOTAL** | 1410 | 16.6 | 166 | 4 | 5 | 13 | 21 | 33 | 46 | 72 |

## 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 472 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 70-74 | 353 | 4.5 | 9 | 1 | 1 | 4 | 6 | 8 | 12 | 15 |
| 75-79 | 259 | 4.8 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 80-84 | 171 | 5.1 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 85+ | 124 | 5.5 | 17 | 1 | 2 | 4 | 7 | 10 | 15 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 98 | 7.6 | 34 | 1 | 1 | 6 | 10 | 16 | 21 | 24 |
| 70-74 | 84 | 7.4 | 56 | <1 | 1 | 5 | 10 | 16 | 24 | 36 |
| 75-79 | 61 | 6.3 | 41 | <1 | <1 | 5 | 9 | 14 | 16 | 33 |
| 80-84 | 41 | 9.7 | 70 | 2 | 3 | 8 | 11 | 18 | 29 | 44 |
| 85+ | 19 | 10.6 | 27 | 5 | 6 | 8 | 15 | 18 | 21 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3151 | 6.4 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 70-74 | 2821 | 7.2 | 31 | 2 | 3 | 6 | 9 | 13 | 16 | 27 |
| 75-79 | 2307 | 7.4 | 32 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| 80-84 | 1658 | 8.0 | 37 | 2 | 3 | 7 | 10 | 15 | 19 | 31 |
| 85+ | 1434 | 8.6 | 45 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 908 | 11.0 | 76 | 2 | 3 | 9 | 14 | 21 | 26 | 52 |
| 70-74 | 753 | 11.7 | 104 | 2 | 3 | 9 | 14 | 21 | 31 | 67 |
| 75-79 | 615 | 11.9 | 92 | 3 | 4 | 10 | 14 | 22 | 30 | 69 |
| 80-84 | 364 | 12.7 | 98 | 3 | 4 | 10 | 16 | 24 | 30 | 55 |
| 85+ | 236 | 14.3 | 129 | 3 | 5 | 12 | 18 | 30 | 41 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1379 | 4.7 | 12 | 1 | 1 | 4 | 6 | 8 | 12 | 17 |
| B. *Operated* | 303 | 7.8 | 47 | <1 | 1 | 6 | 10 | 16 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 11371 | 7.3 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| B. *Operated* | 2876 | 11.9 | 94 | 3 | 4 | 9 | 14 | 22 | 30 | 61 |
| 1. SINGLE DX | 1682 | 5.3 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| 2. MULTIPLE DX | 14247 | 8.2 | 47 | 2 | 3 | 7 | 10 | 15 | 20 | 37 |
| A. NOT OPERATED | 12750 | 7.0 | 30 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. OPERATED | 3179 | 11.5 | 91 | 2 | 3 | 9 | 14 | 22 | 29 | 60 |
| TOTAL 65-69 YRS | 4629 | 7.2 | 34 | 2 | 2 | 6 | 9 | 13 | 17 | 29 |
| 70-74 | 4011 | 7.8 | 48 | 2 | 2 | 6 | 10 | 14 | 19 | 37 |
| 75-79 | 3242 | 8.0 | 46 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| 80-84 | 2234 | 8.6 | 50 | 2 | 3 | 7 | 11 | 16 | 21 | 34 |
| 85+ | 1813 | 9.1 | 58 | 2 | 3 | 7 | 11 | 17 | 23 | 43 |
| GRAND TOTAL | 15929 | 7.9 | 48 | 2 | 3 | 6 | 10 | 15 | 19 | 35 |

## 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 143 | 5.1 | 16 | 1 | 2 | 4 | 6 | 9 | 14 | 19 |
| 70-74 | 126 | 4.7 | 14 | 1 | 1 | 4 | 6 | 10 | 13 | 17 |
| 75-79 | 94 | 4.6 | 9 | 1 | 1 | 4 | 7 | 9 | 9 | 15 |
| 80-84 | 49 | 5.7 | 17 | 1 | 1 | 4 | 7 | 13 | 14 | 17 |
| 85+ | 32 | 6.3 | 22 | 1 | 1 | 6 | 11 | 15 | 16 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 12.7 | 55 | <1 | 2 | 12 | 16 | 23 | 27 | 30 |
| 70-74 | 39 | 14.7 | 155 | <1 | 1 | 12 | 20 | 32 | 45 | 60 |
| 75-79 | 22 | 15.4 | 234 | 1 | 2 | 11 | 18 | 31 | 47 | 69 |
| 80-84 | 16 | 12.7 | 73 | 3 | 4 | 13 | 17 | 28 | 30 | 30 |
| 85+ | 9 | 20.8 | 402 | 4 | 5 | 11 | 27 | 52 | 68 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 654 | 6.4 | 25 | 2 | 2 | 5 | 8 | 12 | 14 | 30 |
| 70-74 | 564 | 6.5 | 29 | 2 | 2 | 5 | 8 | 12 | 16 | 27 |
| 75-79 | 516 | 8.0 | 34 | 2 | 3 | 6 | 10 | 16 | 21 | 31 |
| 80-84 | 366 | 9.2 | 55 | 2 | 3 | 7 | 12 | 18 | 22 | 36 |
| 85+ | 296 | 8.5 | 61 | 2 | 3 | 6 | 10 | 16 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 286 | 17.4 | 158 | 3 | 5 | 14 | 23 | 33 | 46 | 57 |
| 70-74 | 252 | 17.2 | 155 | 3 | 4 | 14 | 23 | 34 | 41 | 62 |
| 75-79 | 208 | 19.8 | 251 | 4 | 6 | 16 | 23 | 39 | 55 | 87 |
| 80-84 | 125 | 20.0 | 288 | 3 | 5 | 16 | 26 | 41 | 51 | 86 |
| 85+ | 98 | 18.6 | 150 | 4 | 6 | 16 | 23 | 37 | 43 | 61 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 444 | 5.0 | 14 | 1 | 1 | 4 | 6 | 10 | 13 | 17 |
| B. *Operated* | 128 | 14.4 | 141 | 1 | 2 | 12 | 18 | 29 | 33 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2396 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | 969 | 18.3 | 194 | 3 | 5 | 15 | 24 | 36 | 46 | 69 |
| 1. SINGLE DX | 572 | 7.1 | 58 | 1 | 1 | 5 | 9 | 16 | 20 | 42 |
| 2. MULTIPLE DX | 3365 | 10.6 | 107 | 2 | 3 | 7 | 13 | 23 | 30 | 54 |
| A. NOT OPERATED | 2840 | 7.1 | 35 | 2 | 2 | 5 | 9 | 13 | 18 | 30 |
| B. OPERATED | 1097 | 17.9 | 189 | 3 | 5 | 14 | 23 | 35 | 45 | 69 |
| TOTAL 65-69 YRS | 1125 | 9.3 | 83 | 2 | 2 | 6 | 11 | 20 | 28 | 46 |
| 70-74 | 981 | 9.3 | 89 | 2 | 2 | 6 | 11 | 20 | 28 | 50 |
| 75-79 | 840 | 10.7 | 120 | 2 | 3 | 7 | 13 | 22 | 30 | 60 |
| 80-84 | 556 | 11.4 | 127 | 2 | 3 | 8 | 14 | 24 | 33 | 60 |
| 85+ | 435 | 10.9 | 105 | 2 | 3 | 8 | 13 | 24 | 31 | 61 |
| GRAND TOTAL | 3937 | 10.1 | 101 | 2 | 2 | 7 | 12 | 22 | 29 | 52 |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 70-74 | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 75-79 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 239 | 6.3 | 14 | 2 | 3 | 5 | 7 | 11 | 13 | 21 |
| 70-74 | 140 | 6.6 | 10 | 3 | 3 | 6 | 8 | 11 | 13 | 16 |
| 75-79 | 81 | 7.1 | 20 | 2 | 3 | 6 | 8 | 12 | 16 | 25 |
| 80-84 | 42 | 7.8 | 12 | 3 | 4 | 7 | 9 | 14 | 15 | 18 |
| 85+ | 32 | 6.6 | 12 | 3 | 3 | 6 | 8 | 12 | 14 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 8.0 | 38 | 1 | 2 | 6 | 11 | 18 | 20 | 20 |
| 70-74 | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 75-79 | 3 | 14.3 | 142 | 6 | 6 | 9 | 23 | 28 | 28 | 28 |
| 80-84 | 5 | 15.6 | 123 | 6 | 6 | 11 | 23 | 33 | 33 | 33 |
| 85+ | 6 | 11.5 | 34 | 8 | 8 | 9 | 12 | 22 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 195 | 9.7 | 35 | 3 | 4 | 8 | 13 | 18 | 22 | 30 |
| 70-74 | 148 | 11.1 | 67 | 4 | 4 | 9 | 14 | 20 | 23 | 37 |
| 75-79 | 95 | 10.7 | 33 | 4 | 5 | 10 | 13 | 17 | 21 | 34 |
| 80-84 | 62 | 13.2 | 61 | 5 | 6 | 12 | 16 | 23 | 31 | 41 |
| 85+ | 49 | 14.9 | 98 | 3 | 5 | 13 | 18 | 30 | 35 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.9 | 12 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| B. *Operated* | 534 | 6.6 | 14 | 3 | 3 | 6 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 11.4 | 68 | 1 | 3 | 9 | 15 | 23 | 29 | 33 |
| B. *Operated* | 549 | 11.1 | 54 | 4 | 4 | 9 | 14 | 20 | 25 | 36 |
| **1. SINGLE DX** | 542 | 6.6 | 14 | 3 | 3 | 6 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 573 | 11.1 | 54 | 4 | 4 | 9 | 14 | 20 | 25 | 36 |
| **A. NOT OPERATED** | 32 | 9.8 | 62 | 1 | 2 | 8 | 11 | 21 | 27 | 33 |
| **B. OPERATED** | 1083 | 8.9 | 39 | 3 | 4 | 7 | 11 | 16 | 21 | 34 |
| TOTAL 65-69 YRS | 444 | 7.8 | 26 | 3 | 4 | 6 | 9 | 15 | 19 | 28 |
| 70-74 | 293 | 8.9 | 44 | 3 | 4 | 7 | 11 | 15 | 20 | 32 |
| 75-79 | 180 | 9.1 | 32 | 3 | 4 | 8 | 12 | 16 | 20 | 29 |
| 80-84 | 109 | 11.2 | 51 | 4 | 5 | 9 | 14 | 19 | 26 | 38 |
| 85+ | 89 | 11.5 | 76 | 3 | 3 | 9 | 14 | 22 | 31 | 45 |
| **GRAND TOTAL** | **1115** | **8.9** | **40** | **3** | **4** | **7** | **11** | **16** | **21** | **34** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 7.0 | 11 | 2 | 3 | 6 | 9 | 12 | 13 | 13 |
| 70-74 | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 75-79 | 4 | 6.5 | 25 | <1 | <1 | 6 | 10 | 13 | 13 | 13 |
| 80-84 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 209 | 10.7 | 26 | 5 | 6 | 9 | 13 | 18 | 22 | 29 |
| 70-74 | 146 | 11.3 | 35 | 6 | 6 | 10 | 14 | 19 | 22 | 38 |
| 75-79 | 85 | 11.7 | 39 | 6 | 6 | 10 | 13 | 17 | 23 | 42 |
| 80-84 | 45 | 13.4 | 52 | 6 | 6 | 13 | 16 | 23 | 27 | 42 |
| 85+ | 25 | 12.9 | 88 | 4 | 4 | 10 | 15 | 28 | 34 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 11.1 | 27 | 3 | 5 | 10 | 13 | 19 | 22 | 22 |
| 70-74 | 8 | 9.9 | 100 | 2 | 3 | 7 | 9 | 26 | 34 | 34 |
| 75-79 | 5 | 9.2 | 5 | 7 | 7 | 8 | 11 | 12 | 12 | 12 |
| 80-84 | 3 | 14.7 | 81 | 6 | 6 | 14 | 21 | 24 | 24 | 24 |
| 85+ | 3 | 16.0 | 9 | 13 | 13 | 16 | 18 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 381 | 15.6 | 112 | 6 | 7 | 13 | 18 | 28 | 37 | 49 |
| 70-74 | 294 | 16.1 | 118 | 6 | 7 | 13 | 18 | 28 | 37 | 72 |
| 75-79 | 207 | 17.8 | 131 | 7 | 8 | 14 | 22 | 30 | 36 | 66 |
| 80-84 | 166 | 20.2 | 166 | 8 | 9 | 17 | 24 | 33 | 43 | 73 |
| 85+ | 96 | 19.7 | 141 | 7 | 9 | 16 | 24 | 34 | 42 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 7.1 | 14 | 1 | 2 | 6 | 10 | 13 | 13 | 13 |
| B. *Operated* | 510 | 11.4 | 37 | 5 | 6 | 10 | 13 | 19 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 11.3 | 45 | 3 | 5 | 9 | 13 | 20 | 24 | 34 |
| B. *Operated* | 1144 | 17.1 | 130 | 7 | 8 | 14 | 21 | 30 | 38 | 70 |
| **1. SINGLE DX** | 526 | 11.3 | 36 | 5 | 6 | 10 | 13 | 18 | 22 | 33 |
| **2. MULTIPLE DX** | 1174 | 17.0 | 129 | 6 | 7 | 14 | 21 | 30 | 38 | 69 |
| **A. NOT OPERATED** | 46 | 9.8 | 38 | 2 | 3 | 8 | 13 | 17 | 22 | 34 |
| **B. OPERATED** | 1654 | 15.4 | 108 | 6 | 7 | 12 | 18 | 27 | 35 | 63 |
| TOTAL 65-69 YRS | 610 | 13.7 | 86 | 5 | 6 | 11 | 16 | 24 | 30 | 48 |
| 70-74 | 450 | 14.4 | 96 | 6 | 7 | 12 | 16 | 25 | 34 | 56 |
| 75-79 | 301 | 15.8 | 111 | 6 | 7 | 13 | 19 | 27 | 35 | 59 |
| 80-84 | 215 | 18.7 | 147 | 7 | 8 | 15 | 23 | 31 | 40 | 71 |
| 85+ | 124 | 18.3 | 134 | 6 | 8 | 15 | 22 | 32 | 41 | 77 |
| **GRAND TOTAL** | **1700** | **15.2** | **107** | **6** | **7** | **12** | **18** | **27** | **34** | **63** |

### 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 4.6 | 6 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 70-74 | 3 | 4.7 | | 4 | 4 | 5 | 5 | 5 | 5 | 5 |
| 75-79 | 4 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 80-84 | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 5.9 | 11 | 2 | 2 | 6 | 7 | 11 | 12 | 16 |
| 70-74 | 10 | 6.0 | 12 | 3 | 3 | 5 | 6 | 11 | 15 | 15 |
| 75-79 | 9 | 7.4 | 12 | 5 | 5 | 6 | 10 | 13 | 14 | 14 |
| 80-84 | 7 | 10.4 | 34 | 5 | 5 | 10 | 12 | 20 | 22 | 22 |
| 85+ | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 70-74 | 10 | 11.0 | 131 | 3 | 3 | 8 | 11 | 28 | 42 | 42 |
| 75-79 | 3 | 5.3 | 20 | 1 | 1 | 5 | 9 | 10 | 10 | 10 |
| 80-84 | 4 | 8.5 | 3 | 7 | 7 | 8 | 10 | 11 | 11 | 11 |
| 85+ | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 41 | 9.3 | 33 | 4 | 4 | 7 | 11 | 19 | 22 | 26 |
| 70-74 | 28 | 10.9 | 37 | 4 | 4 | 9 | 15 | 20 | 23 | 23 |
| 75-79 | 25 | 11.8 | 39 | 4 | 4 | 11 | 14 | 21 | 26 | 26 |
| 80-84 | 10 | 22.0 | 300 | 8 | 9 | 15 | 24 | 52 | 62 | 62 |
| 85+ | 14 | 14.6 | 82 | 3 | 5 | 12 | 19 | 29 | 31 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.9 | 5 | <1 | 1 | 4 | 5 | 7 | 8 | 9 |
| B. *Operated* | 55 | 6.8 | 15 | 2 | 3 | 6 | 8 | 12 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 7.8 | 65 | 1 | 2 | 6 | 9 | 12 | 22 | 42 |
| B. *Operated* | 118 | 11.9 | 72 | 4 | 5 | 10 | 15 | 22 | 26 | 49 |
| **1. SINGLE DX** | 74 | 6.1 | 14 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 142 | 11.2 | 73 | 3 | 4 | 9 | 14 | 21 | 26 | 45 |
| **A. NOT OPERATED** | 43 | 6.1 | 41 | 1 | 1 | 5 | 8 | 10 | 12 | 42 |
| **B. OPERATED** | 173 | 10.3 | 60 | 3 | 4 | 8 | 13 | 19 | 25 | 40 |
| TOTAL 65-69 YRS | 82 | 7.3 | 25 | 2 | 3 | 6 | 8 | 13 | 19 | 26 |
| 70-74 | 51 | 9.6 | 51 | 3 | 4 | 7 | 14 | 17 | 23 | 42 |
| 75-79 | 41 | 9.5 | 37 | 2 | 3 | 9 | 12 | 18 | 23 | 26 |
| 80-84 | 23 | 14.4 | 183 | 3 | 5 | 10 | 16 | 28 | 50 | 62 |
| 85+ | 19 | 12.3 | 77 | 2 | 3 | 10 | 15 | 28 | 30 | 32 |
| **GRAND TOTAL** | **216** | **9.5** | **59** | **2** | **3** | **7** | **12** | **19** | **24** | **42** |

### 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 3.2 | 6 | <1 | 1 | 2 | 5 | 6 | 8 | 9 |
| 70-74 | 25 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 75-79 | 16 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 10 |
| 80-84 | 17 | 4.4 | 13 | <1 | <1 | 3 | 8 | 9 | 11 | 12 |
| 85+ | 11 | 5.2 | 21 | <1 | <1 | 4 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5510 | 4.6 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 70-74 | 4114 | 4.8 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| 75-79 | 2821 | 5.1 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 80-84 | 1317 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 85+ | 645 | 6.2 | 19 | 2 | 3 | 5 | 8 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 129 | 4.8 | 47 | <1 | 1 | 3 | 5 | 9 | 13 | 41 |
| 70-74 | 141 | 4.1 | 12 | <1 | 1 | 3 | 6 | 8 | 9 | 20 |
| 75-79 | 134 | 4.7 | 17 | <1 | 1 | 4 | 6 | 10 | 13 | 20 |
| 80-84 | 97 | 5.7 | 31 | 1 | 2 | 3 | 7 | 14 | 19 | 27 |
| 85+ | 101 | 7.1 | 41 | 1 | 1 | 6 | 10 | 14 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5425 | 6.3 | 19 | 3 | 3 | 5 | 7 | 10 | 13 | 22 |
| 70-74 | 4771 | 7.1 | 27 | 3 | 3 | 6 | 8 | 12 | 16 | 28 |
| 75-79 | 3522 | 7.8 | 34 | 3 | 3 | 6 | 9 | 14 | 18 | 29 |
| 80-84 | 1862 | 8.4 | 43 | 3 | 4 | 7 | 10 | 14 | 19 | 33 |
| 85+ | 1039 | 10.1 | 79 | 3 | 4 | 8 | 11 | 19 | 24 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| B. *Operated* | 14407 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 602 | 5.1 | 29 | 1 | 1 | 4 | 6 | 11 | 14 | 29 |
| B. *Operated* | 16619 | 7.3 | 32 | 3 | 3 | 6 | 8 | 13 | 17 | 29 |
| **1. SINGLE DX** | 14501 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 17221 | 7.2 | 32 | 3 | 3 | 6 | 8 | 13 | 16 | 29 |
| **A. NOT OPERATED** | 696 | 4.9 | 27 | 1 | 1 | 3 | 6 | 11 | 14 | 27 |
| **B. OPERATED** | 31026 | 6.2 | 22 | 2 | 3 | 5 | 7 | 10 | 14 | 24 |
| TOTAL 65-69 YRS | 11089 | 5.4 | 13 | 2 | 3 | 5 | 6 | 9 | 11 | 18 |
| 70-74 | 9051 | 6.0 | 18 | 2 | 3 | 5 | 7 | 10 | 13 | 23 |
| 75-79 | 6493 | 6.6 | 24 | 2 | 3 | 5 | 8 | 11 | 15 | 25 |
| 80-84 | 3293 | 7.2 | 30 | 2 | 3 | 6 | 8 | 12 | 16 | 28 |
| 85+ | 1796 | 8.5 | 59 | 2 | 3 | 7 | 10 | 15 | 21 | 42 |
| **GRAND TOTAL** | **31722** | **6.2** | **22** | **2** | **3** | **5** | **7** | **10** | **14** | **24** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 2.3 | 5 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| 70-74 | 10 | 3.0 | 7 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| 75-79 | 9 | 3.0 | 18 | <1 | <1 | 1 | 3 | 10 | 14 | 14 |
| 80-84 | 10 | 1.8 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 85+ | 13 | 3.2 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 283 | 5.6 | 10 | 2 | 3 | 5 | 7 | 9 | 10 | 21 |
| 70-74 | 271 | 6.3 | 12 | 3 | 3 | 5 | 8 | 11 | 13 | 19 |
| 75-79 | 244 | 6.5 | 10 | 3 | 3 | 6 | 8 | 11 | 12 | 18 |
| 80-84 | 206 | 7.2 | 18 | 3 | 4 | 6 | 8 | 12 | 14 | 21 |
| 85+ | 191 | 7.2 | 17 | 2 | 3 | 6 | 9 | 13 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 23 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 12 |
| 70-74 | 25 | 6.5 | 46 | <1 | 1 | 3 | 10 | 16 | 22 | 24 |
| 75-79 | 19 | 8.4 | 100 | <1 | <1 | 4 | 9 | 27 | 33 | 34 |
| 80-84 | 34 | 7.8 | 94 | 1 | 1 | 5 | 8 | 17 | 31 | 45 |
| 85+ | 43 | 9.5 | 107 | 1 | 2 | 7 | 14 | 19 | 24 | 61 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 406 | 9.4 | 56 | 3 | 4 | 7 | 11 | 17 | 22 | 39 |
| 70-74 | 438 | 10.3 | 74 | 3 | 4 | 8 | 12 | 19 | 24 | 58 |
| 75-79 | 450 | 10.9 | 67 | 3 | 4 | 9 | 13 | 20 | 26 | 44 |
| 80-84 | 425 | 11.8 | 102 | 4 | 5 | 9 | 14 | 22 | 28 | 58 |
| 85+ | 415 | 13.3 | 87 | 4 | 5 | 10 | 16 | 27 | 34 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 45 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 9 | 14 |
| B. *Operated* | 1195 | 6.5 | 13 | 2 | 3 | 6 | 8 | 11 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 7.7 | 77 | 1 | 1 | 5 | 9 | 17 | 24 | 46 |
| B. *Operated* | 2134 | 11.1 | 79 | 3 | 4 | 9 | 13 | 21 | 28 | 55 |
| **1. SINGLE DX** | 1240 | 6.3 | 14 | 2 | 3 | 6 | 8 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 2278 | 10.9 | 80 | 3 | 4 | 9 | 13 | 21 | 28 | 55 |
| **A. NOT OPERATED** | 189 | 6.5 | 65 | 1 | 1 | 4 | 8 | 16 | 22 | 41 |
| **B. OPERATED** | 3329 | 9.5 | 60 | 3 | 4 | 7 | 11 | 18 | 23 | 43 |
| TOTAL 65-69 YRS | 715 | 7.7 | 40 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| 70-74 | 744 | 8.6 | 54 | 3 | 3 | 7 | 10 | 15 | 21 | 37 |
| 75-79 | 722 | 9.2 | 52 | 3 | 3 | 7 | 11 | 17 | 23 | 41 |
| 80-84 | 675 | 10.1 | 80 | 3 | 4 | 8 | 11 | 18 | 26 | 47 |
| 85+ | 662 | 11.1 | 75 | 3 | 4 | 9 | 14 | 22 | 29 | 53 |
| **GRAND TOTAL** | 3518 | 9.3 | 61 | 3 | 3 | 7 | 11 | 17 | 23 | 43 |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 5 | 4.4 | 30 | 1 | 1 | 3 | 6 | 14 | 14 | 14 |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 157 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 70-74 | 115 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 17 |
| 75-79 | 60 | 6.2 | 24 | 2 | 2 | 5 | 7 | 9 | 13 | 32 |
| 80-84 | 21 | 6.0 | 9 | 2 | 3 | 5 | 8 | 10 | 12 | 13 |
| 85+ | 11 | 7.5 | 28 | 2 | 3 | 6 | 9 | 16 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 5.5 | 14 | 1 | 1 | 5 | 7 | 12 | 12 | 14 |
| 70-74 | 19 | 7.9 | 27 | 3 | 3 | 6 | 9 | 18 | 20 | 21 |
| 75-79 | 12 | 5.8 | 21 | 1 | 1 | 5 | 8 | 12 | 16 | 17 |
| 80-84 | 11 | 7.3 | 32 | 2 | 2 | 5 | 10 | 17 | 19 | 19 |
| 85+ | 10 | 11.3 | 104 | 2 | 2 | 7 | 16 | 28 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 262 | 7.1 | 24 | 2 | 3 | 6 | 8 | 12 | 16 | 29 |
| 70-74 | 189 | 8.5 | 44 | 3 | 3 | 6 | 11 | 16 | 20 | 37 |
| 75-79 | 103 | 9.6 | 43 | 3 | 4 | 8 | 11 | 20 | 24 | 34 |
| 80-84 | 42 | 8.4 | 30 | 2 | 4 | 7 | 10 | 15 | 26 | 99+ |
| 85+ | 27 | 12.0 | 70 | 4 | 4 | 8 | 16 | 27 | 30 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 4.2 | 16 | 1 | 1 | 3 | 4 | 11 | 14 | 14 |
| B. *Operated* | 364 | 5.2 | 11 | 2 | 2 | 5 | 6 | 9 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 7.0 | 33 | 1 | 2 | 5 | 9 | 16 | 18 | 30 |
| B. *Operated* | 623 | 8.2 | 37 | 3 | 3 | 7 | 10 | 15 | 21 | 33 |
| **1. SINGLE DX** | 374 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | 705 | 8.1 | 37 | 2 | 3 | 6 | 10 | 15 | 20 | 32 |
| **A. NOT OPERATED** | 92 | 6.7 | 31 | 1 | 2 | 5 | 8 | 15 | 18 | 29 |
| **B. OPERATED** | 987 | 7.1 | 29 | 2 | 3 | 6 | 8 | 13 | 18 | 31 |
| TOTAL 65-69 YRS | 452 | 6.1 | 18 | 2 | 2 | 5 | 7 | 11 | 14 | 28 |
| 70-74 | 328 | 7.1 | 33 | 2 | 3 | 5 | 8 | 14 | 18 | 31 |
| 75-79 | 175 | 8.2 | 38 | 2 | 3 | 7 | 10 | 15 | 21 | 33 |
| 80-84 | 76 | 7.5 | 25 | 2 | 3 | 6 | 10 | 13 | 18 | 81 |
| 85+ | 48 | 10.9 | 68 | 2 | 4 | 8 | 14 | 25 | 30 | 33 |
| **GRAND TOTAL** | 1079 | 7.1 | 30 | 2 | 3 | 6 | 8 | 13 | 18 | 31 |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 3.7 | 5 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 70-74 | 12 | 4.8 | 13 | 1 | 2 | 4 | 6 | 11 | 13 | 13 |
| 75-79 | 14 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 80-84 | 10 | 4.8 | 14 | 2 | 2 | 3 | 6 | 11 | 14 | 14 |
| 85+ | 3 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 852 | 6.8 | 11 | 3 | 3 | 6 | 9 | 10 | 13 | 18 |
| 70-74 | 612 | 7.0 | 14 | 3 | 3 | 7 | 9 | 11 | 14 | 20 |
| 75-79 | 344 | 7.3 | 13 | 3 | 3 | 7 | 9 | 12 | 15 | 20 |
| 80-84 | 137 | 8.0 | 22 | 3 | 4 | 7 | 10 | 14 | 17 | 30 |
| 85+ | 57 | 8.1 | 24 | 2 | 3 | 7 | 11 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 5.8 | 32 | 1 | 1 | 4 | 7 | 12 | 14 | 32 |
| 70-74 | 106 | 6.4 | 72 | 1 | 1 | 4 | 7 | 12 | 19 | 48 |
| 75-79 | 86 | 7.0 | 30 | 2 | 2 | 6 | 10 | 12 | 19 | 28 |
| 80-84 | 49 | 8.8 | 201 | 1 | 2 | 5 | 9 | 13 | 19 | 96 |
| 85+ | 53 | 7.0 | 27 | 2 | 2 | 5 | 9 | 15 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1230 | 10.0 | 55 | 3 | 4 | 8 | 12 | 17 | 22 | 39 |
| 70-74 | 914 | 10.0 | 49 | 3 | 4 | 9 | 12 | 16 | 20 | 42 |
| 75-79 | 582 | 11.1 | 65 | 4 | 4 | 9 | 13 | 19 | 25 | 47 |
| 80-84 | 260 | 11.2 | 37 | 4 | 5 | 10 | 14 | 19 | 22 | 33 |
| 85+ | 129 | 12.6 | 90 | 4 | 4 | 11 | 16 | 21 | 27 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 14 |
| B. *Operated* | 2002 | 7.1 | 13 | 3 | 3 | 7 | 9 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 384 | 6.8 | 63 | 1 | 2 | 5 | 8 | 13 | 18 | 32 |
| B. *Operated* | 3115 | 10.4 | 56 | 3 | 4 | 9 | 12 | 18 | 23 | 41 |
| **1. SINGLE DX** | 2053 | 7.0 | 13 | 3 | 3 | 6 | 9 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 3499 | 10.0 | 58 | 3 | 4 | 8 | 12 | 17 | 22 | 41 |
| **A. NOT OPERATED** | 435 | 6.5 | 58 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| **B. OPERATED** | 5117 | 9.1 | 42 | 3 | 4 | 8 | 11 | 15 | 19 | 34 |
| TOTAL 65-69 YRS | 2184 | 8.6 | 40 | 3 | 3 | 7 | 10 | 15 | 19 | 32 |
| 70-74 | 1644 | 8.6 | 40 | 3 | 3 | 7 | 10 | 15 | 18 | 30 |
| 75-79 | 1026 | 9.4 | 48 | 3 | 4 | 8 | 11 | 17 | 21 | 38 |
| 80-84 | 456 | 9.8 | 52 | 3 | 4 | 8 | 13 | 17 | 20 | 33 |
| 85+ | 242 | 10.2 | 66 | 2 | 3 | 8 | 14 | 19 | 22 | 41 |
| **GRAND TOTAL** | 5552 | 8.9 | 44 | 3 | 3 | 8 | 11 | 15 | 19 | 34 |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 234 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 70-74 | 184 | 4.4 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 75-79 | 152 | 4.8 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 20 |
| 80-84 | 100 | 5.9 | 83 | 1 | 2 | 5 | 7 | 9 | 11 | 53 |
| 85+ | 63 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 73 | 9.6 | 22 | 3 | 4 | 9 | 12 | 14 | 18 | 26 |
| 70-74 | 57 | 11.3 | 64 | 2 | 4 | 9 | 14 | 21 | 31 | 35 |
| 75-79 | 33 | 11.4 | 50 | <1 | 2 | 11 | 18 | 20 | 22 | 25 |
| 80-84 | 12 | 11.5 | 21 | 3 | 4 | 12 | 15 | 17 | 18 | 18 |
| 85+ | 5 | 12.8 | 98 | 1 | 1 | 12 | 19 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2261 | 5.9 | 16 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| 70-74 | 2077 | 6.1 | 19 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 75-79 | 1875 | 6.8 | 27 | 2 | 3 | 6 | 8 | 12 | 15 | 24 |
| 80-84 | 1270 | 7.0 | 22 | 2 | 3 | 6 | 9 | 12 | 16 | 27 |
| 85+ | 944 | 7.8 | 34 | 2 | 3 | 6 | 9 | 15 | 20 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 752 | 10.9 | 67 | 2 | 3 | 9 | 14 | 20 | 25 | 43 |
| 70-74 | 622 | 11.3 | 74 | 2 | 3 | 9 | 14 | 20 | 28 | 48 |
| 75-79 | 450 | 11.9 | 82 | 3 | 4 | 10 | 15 | 22 | 28 | 52 |
| 80-84 | 219 | 13.7 | 108 | 3 | 4 | 11 | 17 | 26 | 34 | 52 |
| 85+ | 131 | 13.8 | 120 | 3 | 4 | 11 | 17 | 28 | 33 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 733 | 4.8 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 180 | 10.7 | 42 | 2 | 3 | 10 | 14 | 19 | 23 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8427 | 6.5 | 22 | 2 | 3 | 5 | 8 | 12 | 15 | 24 |
| B. *Operated* | 2174 | 11.7 | 80 | 2 | 3 | 10 | 15 | 22 | 28 | 50 |
| **1. SINGLE DX** | 913 | 5.9 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 25 |
| **2. MULTIPLE DX** | 10601 | 7.6 | 39 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |
| **A. NOT OPERATED** | 9160 | 6.4 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| **B. OPERATED** | 2354 | 11.6 | 77 | 2 | 3 | 10 | 15 | 21 | 28 | 49 |
| TOTAL 65-69 YRS | 3320 | 7.0 | 32 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| 70-74 | 2940 | 7.2 | 35 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| 75-79 | 2510 | 7.7 | 41 | 2 | 3 | 6 | 9 | 14 | 19 | 30 |
| 80-84 | 1601 | 7.9 | 43 | 2 | 3 | 6 | 10 | 15 | 19 | 33 |
| 85+ | 1143 | 8.4 | 47 | 2 | 3 | 6 | 10 | 16 | 21 | 34 |
| **GRAND TOTAL** | 11514 | 7.5 | 38 | 2 | 3 | 6 | 9 | 14 | 18 | 31 |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 3.3 | 4 | <1 | <1 | 3 | 5 | 5 | 5 | 5 |
| 70-74 | 5 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 75-79 | 5 | 4.8 | 7 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 80-84 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 85+ | 5 | 3.4 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 207 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 14 |
| 70-74 | 137 | 5.4 | 9 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| 75-79 | 107 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 80-84 | 60 | 6.6 | 13 | 2 | 3 | 6 | 8 | 12 | 14 | 21 |
| 85+ | 49 | 6.6 | 10 | 3 | 3 | 6 | 8 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 5.2 | 14 | <1 | 1 | 4 | 7 | 10 | 14 | 16 |
| 70-74 | 29 | 6.0 | 17 | 1 | 2 | 4 | 9 | 12 | 13 | 16 |
| 75-79 | 26 | 8.8 | 50 | 1 | 1 | 7 | 12 | 19 | 22 | 28 |
| 80-84 | 21 | 6.3 | 15 | 2 | 2 | 6 | 7 | 13 | 14 | 14 |
| 85+ | 8 | 4.9 | 22 | 2 | 2 | 3 | 5 | 13 | 16 | 16 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 166 | 7.2 | 23 | 3 | 3 | 6 | 8 | 13 | 17 | 28 |
| 70-74 | 187 | 8.1 | 30 | 3 | 4 | 7 | 10 | 15 | 21 | 35 |
| 75-79 | 133 | 8.8 | 30 | 3 | 4 | 8 | 10 | 16 | 18 | 33 |
| 80-84 | 89 | 12.0 | 129 | 3 | 4 | 9 | 13 | 23 | 38 | 60 |
| 85+ | 60 | 11.5 | 154 | 3 | 5 | 9 | 13 | 16 | 28 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 21 | 3.6 | 4 | <1 | 1 | 4 | 5 | 6 | 7 | 8 |
| *B. Operated* | 560 | 5.6 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 103 | 6.5 | 26 | 1 | 2 | 5 | 9 | 14 | 17 | 24 |
| *B. Operated* | 635 | 8.9 | 56 | 3 | 4 | 7 | 10 | 16 | 21 | 42 |
| **1. SINGLE DX** | 581 | 5.5 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | 738 | 8.6 | 52 | 3 | 3 | 7 | 10 | 16 | 19 | 39 |
| **A. NOT OPERATED** | 124 | 6.0 | 23 | 1 | 2 | 5 | 8 | 12 | 16 | 23 |
| **B. OPERATED** | 1195 | 7.3 | 36 | 2 | 3 | 6 | 8 | 13 | 16 | 32 |
| TOTAL 65-69 YRS | 396 | 5.9 | 15 | 2 | 3 | 5 | 7 | 9 | 13 | 23 |
| 70-74 | 358 | 6.8 | 22 | 2 | 3 | 5 | 8 | 13 | 16 | 26 |
| 75-79 | 271 | 7.5 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 30 |
| 80-84 | 172 | 9.3 | 81 | 3 | 3 | 7 | 10 | 15 | 23 | 57 |
| 85+ | 122 | 8.8 | 88 | 2 | 3 | 7 | 9 | 15 | 17 | 55 |
| **GRAND TOTAL** | 1319 | 7.2 | 35 | 2 | 3 | 6 | 8 | 13 | 16 | 31 |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 3.7 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 70-74 | 20 | 4.8 | 5 | 1 | 2 | 5 | 6 | 8 | 9 | 9 |
| 75-79 | 25 | 5.9 | 21 | 1 | 2 | 5 | 6 | 12 | 17 | 22 |
| 80-84 | 12 | 4.7 | 8 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| 85+ | 20 | 5.3 | 14 | 1 | 1 | 4 | 7 | 11 | 13 | 14 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 357 | 7.2 | 19 | 2 | 3 | 6 | 9 | 12 | 16 | 24 |
| 70-74 | 274 | 8.3 | 30 | 2 | 4 | 7 | 10 | 15 | 19 | 28 |
| 75-79 | 252 | 8.2 | 16 | 3 | 4 | 7 | 10 | 14 | 16 | 21 |
| 80-84 | 176 | 10.6 | 72 | 3 | 4 | 9 | 13 | 20 | 25 | 35 |
| 85+ | 157 | 10.6 | 45 | 4 | 4 | 9 | 13 | 18 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 8.4 | 124 | 2 | 3 | 7 | 9 | 13 | 18 | 80 |
| 70-74 | 92 | 7.2 | 52 | 1 | 2 | 6 | 9 | 12 | 18 | 46 |
| 75-79 | 85 | 9.0 | 64 | 2 | 2 | 7 | 11 | 18 | 25 | 43 |
| 80-84 | 108 | 7.9 | 48 | 2 | 3 | 6 | 9 | 14 | 21 | 45 |
| 85+ | 90 | 9.2 | 100 | 2 | 3 | 6 | 10 | 16 | 27 | 86 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 618 | 12.8 | 122 | 4 | 5 | 10 | 15 | 23 | 31 | 70 |
| 70-74 | 648 | 13.7 | 118 | 4 | 5 | 11 | 16 | 25 | 32 | 63 |
| 75-79 | 555 | 15.1 | 144 | 4 | 5 | 11 | 18 | 29 | 40 | 67 |
| 80-84 | 468 | 15.6 | 136 | 5 | 6 | 13 | 19 | 29 | 38 | 96 |
| 85+ | 371 | 16.7 | 129 | 5 | 6 | 14 | 21 | 31 | 37 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 93 | 5.0 | 12 | 1 | 1 | 4 | 6 | 9 | 12 | 19 |
| *B. Operated* | 1216 | 8.6 | 33 | 3 | 4 | 7 | 10 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 437 | 8.3 | 73 | 2 | 2 | 6 | 9 | 15 | 21 | 51 |
| *B. Operated* | 2660 | 14.5 | 131 | 4 | 5 | 11 | 18 | 27 | 36 | 70 |
| **1. SINGLE DX** | 1309 | 8.3 | 33 | 2 | 3 | 7 | 10 | 15 | 18 | 29 |
| **2. MULTIPLE DX** | 3097 | 13.6 | 127 | 3 | 5 | 10 | 17 | 26 | 35 | 66 |
| **A. NOT OPERATED** | 530 | 7.7 | 64 | 1 | 2 | 6 | 9 | 14 | 20 | 48 |
| **B. OPERATED** | 3876 | 12.7 | 108 | 3 | 4 | 10 | 15 | 24 | 31 | 59 |
| TOTAL 65-69 YRS | 1053 | 10.5 | 93 | 2 | 3 | 8 | 12 | 19 | 25 | 63 |
| 70-74 | 1034 | 11.5 | 94 | 3 | 4 | 9 | 14 | 22 | 28 | 55 |
| 75-79 | 917 | 12.4 | 110 | 3 | 4 | 9 | 15 | 24 | 34 | 54 |
| 80-84 | 764 | 13.2 | 117 | 3 | 4 | 10 | 16 | 25 | 33 | 70 |
| 85+ | 638 | 13.8 | 113 | 3 | 4 | 10 | 17 | 27 | 35 | 54 |
| **GRAND TOTAL** | 4406 | 12.1 | 105 | 3 | 4 | 9 | 15 | 23 | 30 | 57 |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 649 | 5.8 | 14 | [illegible] | 2 | 5 | 7 | 10 | 13 | 17 |
| 70-74 | 567 | 6.2 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 21 |
| 75-79 | 410 | 6.4 | 23 | 2 | [illegible] | 5 | 8 | 12 | 14 | 25 |
| 80-84 | 307 | 6.7 | 25 | 1 | [illegible] | 6 | 9 | 12 | 16 | 25 |
| 85+ | 260 | 7.7 | 31 | 2 | 3 | 7 | 10 | 13 | 16 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 367 | 13.6 | 52 | 6 | 7 | [illegible] | 16 | 22 | 29 | 40 |
| 70-74 | 331 | 13.8 | 58 | 6 | 7 | 12 | 16 | 21 | 26 | 36 |
| 75-79 | 260 | 13.5 | 40 | 7 | 8 | 12 | 16 | 22 | 26 | 40 |
| 80-84 | 193 | 14.8 | 69 | 6 | 8 | 13 | [illegible] | 26 | 30 | 48 |
| 85+ | 185 | 17.1 | 99 | 7 | 9 | 15 | [illegible] | 28 | 34 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1500 | 8.2 | 46 | 2 | 3 | 7 | 10 | 15 | [illegible] | 31 |
| 70-74 | 1589 | 8.5 | 37 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| 75-79 | 1535 | 9.2 | 57 | 2 | 3 | 7 | 11 | 16 | 21 | 42 |
| 80-84 | 1336 | 10.1 | 60 | 3 | 3 | 8 | 13 | [illegible] | 24 | 41 |
| 85+ | 1423 | 10.5 | 68 | 3 | 3 | 8 | 13 | 19 | 26 | 44 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1288 | [illegible] | 166 | 7 | 8 | 15 | 23 | 37 | 47 | 80 |
| 70-74 | 1306 | [illegible] | 189 | 8 | 9 | 16 | 23 | 37 | 50 | 88 |
| 75-79 | 1261 | [illegible] | 180 | 7 | 9 | 17 | 26 | [illegible] | 49 | 88 |
| 80-84 | 1025 | [illegible] | 185 | 8 | 9 | [illegible] | [illegible] | [illegible] | 50 | 88 |
| 85+ | 857 | [illegible] | 166 | 8 | [illegible] | 18 | 26 | 39 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2193 | 6.4 | 21 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| B. *Operated* | 1336 | 14.3 | 61 | 6 | 8 | 12 | 17 | 23 | 28 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7383 | 9.3 | 54 | 2 | 3 | 7 | 11 | 17 | 22 | 39 |
| B. *Operated* | 5737 | 20.4 | 178 | 7 | 9 | 17 | 25 | 38 | 49 | 88 |
| **1. SINGLE DX** | 3529 | 9.4 | 51 | 2 | 3 | 8 | 12 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | 13120 | 14.1 | 139 | 3 | 4 | 11 | 18 | 28 | 38 | 68 |
| **A. NOT OPERATED** | 9576 | 8.6 | 48 | 2 | 3 | 7 | 11 | 16 | 20 | 36 |
| **B. OPERATED** | 7073 | 19.3 | 162 | 7 | 8 | 16 | 23 | 35 | 46 | 81 |
| TOTAL 65-69 YRS | 3804 | 12.0 | 111 | 2 | 3 | 9 | 15 | 24 | 32 | 59 |
| 70-74 | 3793 | 12.6 | 121 | 2 | 3 | 10 | 16 | 24 | 33 | 64 |
| 75-79 | 3466 | 13.4 | 130 | 3 | 4 | 10 | 17 | 27 | 36 | 61 |
| 80-84 | 2861 | 14.1 | 134 | 3 | 4 | 11 | 18 | 28 | 37 | 65 |
| 85+ | 2725 | 14.1 | 125 | 3 | 4 | 11 | 18 | 28 | 38 | 66 |
| **GRAND TOTAL** | 16649 | 13.1 | 124 | 3 | 4 | 10 | 16 | 26 | 35 | 64 |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 861 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 70-74 | 751 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 11 | 16 |
| 75-79 | 662 | 4.5 | 14 | 1 | 2 | 4 | 6 | 8 | 10 | 21 |
| 80-84 | 407 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 85+ | 446 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 59 | 9.3 | 74 | 1 | 2 | 7 | 13 | 16 | 23 | 49 |
| 70-74 | 57 | 10.2 | 66 | 1 | 3 | 9 | 13 | 17 | 24 | 48 |
| 75-79 | 33 | 8.9 | 81 | 1 | 3 | 6 | 10 | 17 | 23 | 49 |
| 80-84 | 30 | 9.6 | 52 | 1 | 2 | 9 | 11 | 16 | 20 | 39 |
| 85+ | 11 | 13.3 | 368 | 1 | 3 | 9 | 12 | 36 | 67 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3897 | 6.5 | 30 | 2 | 2 | 5 | 8 | 12 | 16 | 28 |
| 70-74 | 3985 | 6.8 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 28 |
| 75-79 | 3917 | 7.3 | 35 | 2 | 2 | 6 | 9 | 14 | 18 | 30 |
| 80-84 | 3227 | 7.8 | 43 | 2 | 3 | 6 | 10 | 14 | 19 | 34 |
| 85+ | 3085 | 8.3 | 55 | 2 | 3 | 6 | 10 | 15 | 21 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 493 | 13.0 | 110 | 2 | 4 | 10 | 16 | 25 | 36 | 53 |
| 70-74 | 435 | 14.3 | 171 | 3 | 4 | 11 | 17 | 28 | 47 | 78 |
| 75-79 | 406 | 13.9 | 113 | 4 | 5 | 12 | 18 | 26 | 35 | 90 |
| 80-84 | 278 | 15.4 | 136 | 3 | 5 | 13 | 20 | 32 | 36 | 81 |
| 85+ | 198 | 16.9 | 184 | 4 | 6 | 14 | 19 | 33 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3127 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 190 | 9.8 | 84 | 1 | 2 | 8 | 12 | 17 | 23 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18111 | 7.3 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| B. *Operated* | 1810 | 14.3 | 136 | 3 | 4 | 11 | 18 | 28 | 42 | 79 |
| **1. SINGLE DX** | 3317 | 4.9 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 19921 | 7.9 | 51 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| **A. NOT OPERATED** | 21238 | 6.9 | 35 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| **B. OPERATED** | 2000 | 13.9 | 135 | 3 | 4 | 11 | 17 | 27 | 41 | 77 |
| TOTAL 65-69 YRS | 5310 | 6.8 | 39 | 2 | 2 | 5 | 8 | 13 | 17 | 34 |
| 70-74 | 5228 | 7.1 | 45 | 2 | 2 | 5 | 9 | 14 | 18 | 37 |
| 75-79 | 5018 | 7.5 | 43 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| 80-84 | 3942 | 8.0 | 52 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |
| 85+ | 3740 | 8.4 | 63 | 2 | 3 | 6 | 10 | 16 | 21 | 45 |
| **GRAND TOTAL** | 23238 | 7.5 | 48 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1341 | 5.3 | 11 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 70-74 | 1301 | 5.3 | 14 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| 75-79 | 1037 | 5.5 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 17 |
| 80-84 | 748 | 5.7 | 15 | 1 | 2 | 5 | 7 | 11 | 14 | 19 |
| 85+ | 535 | 6.2 | 24 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 367 | 13.1 | 47 | 3 | 6 | 12 | 15 | 23 | 27 | 35 |
| 70-74 | 297 | 13.3 | 52 | 2 | 5 | 12 | 16 | 23 | 25 | 40 |
| 75-79 | 220 | 13.6 | 46 | 2 | 4 | 13 | 18 | 22 | 27 | 32 |
| 80-84 | 96 | 17.9 | 142 | 5 | 8 | 14 | 22 | 32 | 38 | 73 |
| 85+ | 50 | 15.9 | 92 | 3 | 4 | 15 | 20 | 28 | 34 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4089 | 6.8 | 25 | 2 | 2 | 6 | 8 | 12 | 15 | 25 |
| 70-74 | 4836 | 7.0 | 26 | 2 | 3 | 6 | 9 | 13 | 16 | 24 |
| 75-79 | 4808 | 7.4 | 30 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 80-84 | 4051 | 8.0 | 37 | 2 | 3 | 7 | 10 | 14 | 18 | 33 |
| 85+ | 3629 | 8.9 | 54 | 2 | 3 | 7 | 11 | 16 | 21 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1771 | 15.7 | 128 | 4 | 5 | 13 | 19 | 28 | 35 | 63 |
| 70-74 | 1868 | 16.9 | 145 | 4 | 6 | 14 | 21 | 33 | 42 | 70 |
| 75-79 | 1488 | 17.2 | 164 | 4 | 5 | 14 | 21 | 33 | 43 | 74 |
| 80-84 | 908 | 17.7 | 160 | 4 | 6 | 15 | 23 | 35 | 44 | 75 |
| 85+ | 665 | 19.1 | 177 | 5 | 6 | 15 | 25 | 37 | 47 | 80 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 4962 | 5.5 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 1030 | 13.8 | 61 | 3 | 6 | 13 | 17 | 24 | 28 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 21413 | 7.6 | 34 | 2 | 3 | 6 | 9 | 14 | 17 | 29 |
| B. *Operated* | 6700 | 17.0 | 151 | 4 | 6 | 14 | 21 | 32 | 42 | 71 |
| 1. SINGLE DX | 5992 | 7.0 | 32 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| 2. MULTIPLE DX | 28113 | 9.8 | 78 | 2 | 3 | 7 | 12 | 19 | 26 | 48 |
| A. NOT OPERATED | 26375 | 7.2 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 27 |
| B. OPERATED | 7730 | 16.6 | 140 | 4 | 6 | 14 | 21 | 31 | 41 | 69 |
| TOTAL 65-69 YRS | 7568 | 8.9 | 64 | 2 | 3 | 7 | 11 | 17 | 23 | 41 |
| 70-74 | 8302 | 9.2 | 71 | 2 | 3 | 7 | 11 | 18 | 24 | 45 |
| 75-79 | 7553 | 9.3 | 71 | 2 | 3 | 7 | 12 | 18 | 25 | 46 |
| 80-84 | 5803 | 9.4 | 70 | 2 | 3 | 7 | 11 | 18 | 25 | 47 |
| 85+ | 4879 | 10.0 | 82 | 2 | 3 | 7 | 12 | 20 | 27 | 51 |
| GRAND TOTAL | 34105 | 9.3 | 71 | 2 | 3 | 7 | 11 | 18 | 25 | 46 |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 21 | 5.1 | 14 | <1 | 1 | 5 | 7 | 8 | 13 | 18 |
| 70-74 | 16 | 5.7 | 19 | 1 | 2 | 4 | 8 | 13 | 14 | 14 |
| 75-79 | 13 | 4.5 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 80-84 | 8 | 9.3 | 7 | 5 | 6 | 9 | 11 | 13 | 13 | 13 |
| 85+ | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 406 | 4.7 | 14 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 70-74 | 209 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 75-79 | 107 | 5.2 | 15 | 1 | 2 | 4 | 7 | 9 | 12 | 23 |
| 80-84 | 31 | 5.5 | 10 | 2 | 3 | 4 | 7 | 11 | 13 | 14 |
| 85+ | 31 | 9.3 | 109 | 1 | 2 | 6 | 10 | 23 | 29 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 124 | 6.3 | 35 | 1 | 1 | 5 | 8 | 13 | 17 | 34 |
| 70-74 | 75 | 6.9 | 26 | 2 | 2 | 6 | 8 | 14 | 18 | 26 |
| 75-79 | 74 | 7.1 | 22 | 2 | 3 | 6 | 9 | 13 | 19 | 21 |
| 80-84 | 36 | 9.8 | 75 | 2 | 2 | 8 | 12 | 16 | 32 | 42 |
| 85+ | 48 | 11.6 | 134 | 2 | 3 | 8 | 16 | 23 | 29 | 65 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 790 | 7.3 | 54 | 2 | 3 | 5 | 8 | 14 | 20 | 41 |
| 70-74 | 551 | 8.4 | 81 | 2 | 3 | 6 | 9 | 15 | 22 | 55 |
| 75-79 | 304 | 10.1 | 121 | 2 | 3 | 7 | 12 | 19 | 27 | 63 |
| 80-84 | 135 | 11.7 | 135 | 3 | 4 | 8 | 14 | 25 | 34 | 63 |
| 85+ | 67 | 14.9 | 122 | 3 | 4 | 12 | 19 | 36 | 46 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 61 | 5.6 | 14 | 1 | 2 | 5 | 7 | 11 | 13 | 18 |
| B. *Operated* | 784 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 357 | 7.6 | 50 | 1 | 2 | 6 | 9 | 16 | 20 | 38 |
| B. *Operated* | 1847 | 8.7 | 85 | 2 | 3 | 6 | 10 | 17 | 24 | 53 |
| 1. SINGLE DX | 845 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 2. MULTIPLE DX | 2204 | 8.5 | 79 | 2 | 3 | 6 | 10 | 17 | 24 | 50 |
| A. NOT OPERATED | 418 | 7.3 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| B. OPERATED | 2631 | 7.6 | 67 | 2 | 2 | 5 | 9 | 15 | 21 | 46 |
| TOTAL 65-69 YRS | 1341 | 6.4 | 41 | 2 | 2 | 5 | 7 | 12 | 17 | 38 |
| 70-74 | 851 | 7.3 | 60 | 2 | 2 | 5 | 8 | 13 | 19 | 47 |
| 75-79 | 498 | 8.4 | 85 | 2 | 3 | 6 | 10 | 16 | 22 | 46 |
| 80-84 | 210 | 10.4 | 106 | 3 | 3 | 8 | 12 | 22 | 31 | 58 |
| 85+ | 149 | 12.4 | 126 | 2 | 3 | 9 | 16 | 27 | 41 | 99 |
| GRAND TOTAL | 3049 | 7.5 | 64 | 2 | 2 | 5 | 9 | 15 | 21 | 48 |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 835 | 4.9 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 25 |
| 70-74 | 721 | 5.1 | 22 | 1 | 1 | 4 | 7 | 10 | 14 | 22 |
| 75-79 | 579 | 4.9 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| 80-84 | 437 | 5.4 | 37 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| 85+ | 395 | 5.1 | 16 | 1 | 1 | 4 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 589 | 9.4 | 70 | 1 | 2 | 7 | 12 | 21 | 26 | 38 |
| 70-74 | 449 | 9.5 | 101 | 1 | 2 | 6 | 13 | 21 | 29 | 50 |
| 75-79 | 373 | 10.1 | 123 | 1 | 2 | 7 | 13 | 21 | 29 | 62 |
| 80-84 | 207 | 12.1 | 141 | 2 | 2 | 10 | 15 | 23 | 31 | 76 |
| 85+ | 143 | 11.7 | 107 | 2 | 2 | 9 | 15 | 25 | 33 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3412 | 6.8 | 31 | 1 | 2 | 5 | 9 | 13 | 17 | 29 |
| 70-74 | 3527 | 7.1 | 40 | 1 | 2 | 5 | 9 | 13 | 18 | 33 |
| 75-79 | 3549 | 7.4 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| 80-84 | 2950 | 7.9 | 52 | 2 | 2 | 6 | 10 | 15 | 20 | 37 |
| 85+ | 2994 | 8.5 | 65 | 2 | 2 | 6 | 11 | 17 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2226 | 14.3 | 178 | 2 | 3 | 10 | 18 | 30 | 42 | 84 |
| 70-74 | 2037 | 15.3 | 193 | 3 | 4 | 11 | 19 | 33 | 47 | 78 |
| 75-79 | 1687 | 15.3 | 171 | 3 | 4 | 12 | 19 | 31 | 43 | 77 |
| 80-84 | 1130 | 17.7 | 222 | 3 | 4 | 14 | 22 | 35 | 50 | 88 |
| 85+ | 834 | 16.9 | 172 | 3 | 5 | 14 | 22 | 34 | 44 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2967 | 5.0 | 22 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | 1761 | 10.1 | 101 | 1 | 2 | 7 | 13 | 21 | 28 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16432 | 7.5 | 45 | 2 | 2 | 6 | 9 | 14 | 19 | 34 |
| B. *Operated* | 7914 | 15.5 | 187 | 3 | 4 | 12 | 20 | 32 | 45 | 82 |
| **1. SINGLE DX** | 4728 | 6.9 | 57 | 1 | 1 | 5 | 9 | 15 | 20 | 37 |
| **2. MULTIPLE DX** | 24346 | 10.1 | 105 | 2 | 2 | 7 | 12 | 21 | 29 | 59 |
| **A. NOT OPERATED** | 19399 | 7.1 | 42 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 9675 | 14.5 | 176 | 2 | 3 | 11 | 19 | 30 | 42 | 78 |
| TOTAL 65-69 YRS | 7062 | 9.2 | 93 | 2 | 2 | 6 | 11 | 19 | 27 | 53 |
| 70-74 | 6734 | 9.5 | 104 | 1 | 2 | 6 | 11 | 20 | 29 | 59 |
| 75-79 | 6188 | 9.5 | 91 | 2 | 2 | 7 | 12 | 20 | 27 | 54 |
| 80-84 | 4724 | 10.2 | 114 | 2 | 2 | 7 | 12 | 21 | 29 | 63 |
| 85+ | 4366 | 9.9 | 95 | 2 | 2 | 7 | 13 | 21 | 28 | 54 |
| **GRAND TOTAL** | **29074** | **9.6** | **99** | **2** | **2** | **7** | **12** | **20** | **28** | **57** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 11.2 | 85 | 2 | 3 | 8 | 17 | 21 | 31 | 48 |
| 70-74 | 47 | 10.5 | 69 | 3 | 4 | 8 | 12 | 18 | 31 | 41 |
| 75-79 | 18 | 16.1 | 259 | 4 | 5 | 12 | 15 | 39 | 60 | 67 |
| 80-84 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 85+ | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 38 | 9.4 | 56 | 1 | 1 | 8 | 14 | 22 | 28 | 99+ |
| 70-74 | 15 | 10.3 | 148 | 1 | 2 | 7 | 14 | 19 | 41 | 49 |
| 75-79 | 9 | 9.0 | 30 | 1 | 1 | 10 | 13 | 16 | 17 | 17 |
| 80-84 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 887 | 14.0 | 136 | 3 | 4 | 11 | 17 | 28 | 35 | 70 |
| 70-74 | 444 | 13.9 | 128 | 3 | 4 | 11 | 18 | 28 | 36 | 54 |
| 75-79 | 196 | 13.3 | 111 | 3 | 4 | 10 | 17 | 26 | 34 | 59 |
| 80-84 | 46 | 15.4 | 236 | 3 | 4 | 10 | 18 | 26 | 58 | 72 |
| 85+ | 19 | 9.6 | 36 | 3 | 4 | 8 | 12 | 20 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 276 | 18.8 | 186 | 3 | 5 | 16 | 26 | 36 | 46 | 83 |
| 70-74 | 124 | 19.0 | 187 | 3 | 5 | 16 | 24 | 35 | 43 | 68 |
| 75-79 | 39 | 21.7 | 244 | 3 | 6 | 17 | 33 | 47 | 55 | 99+ |
| 80-84 | 18 | 25.4 | 491 | 8 | 9 | 19 | 34 | 80 | 99 | 99+ |
| 85+ | 8 | 18.3 | 134 | 3 | 4 | 16 | 25 | 36 | 39 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 11.5 | 102 | 3 | 3 | 8 | 14 | 21 | 32 | 52 |
| B. *Operated* | 63 | 9.6 | 71 | 1 | 1 | 8 | 14 | 20 | 27 | 93 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1592 | 13.9 | 133 | 3 | 4 | 11 | 17 | 27 | 35 | 66 |
| B. *Operated* | 465 | 19.3 | 202 | 3 | 5 | 16 | 26 | 38 | 49 | 97 |
| **1. SINGLE DX** | 199 | 10.9 | 93 | 1 | 2 | 8 | 14 | 20 | 30 | 58 |
| **2. MULTIPLE DX** | 2057 | 15.1 | 153 | 3 | 4 | 12 | 19 | 30 | 40 | 68 |
| **A. NOT OPERATED** | 1728 | 13.7 | 130 | 3 | 4 | 10 | 17 | 27 | 35 | 65 |
| **B. OPERATED** | 528 | 18.1 | 196 | 2 | 4 | 15 | 25 | 37 | 48 | 98 |
| TOTAL 65-69 YRS | 1269 | 14.8 | 147 | 3 | 4 | 12 | 19 | 30 | 38 | 72 |
| 70-74 | 630 | 14.5 | 141 | 3 | 4 | 11 | 19 | 29 | 38 | 54 |
| 75-79 | 262 | 14.6 | 146 | 3 | 4 | 11 | 18 | 31 | 44 | 66 |
| 80-84 | 66 | 17.9 | 316 | 3 | 4 | 11 | 20 | 47 | 69 | 99+ |
| 85+ | 29 | 11.9 | 74 | 3 | 4 | 9 | 15 | 24 | 29 | 39 |
| **GRAND TOTAL** | **2256** | **14.7** | **149** | **3** | **4** | **11** | **19** | **30** | **40** | **67** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 95 | 9.1 | 86 | 2 | 2 | 7 | 10 | 18 | 33 | 45 |
| 70-74 | 57 | 8.4 | 35 | 1 | 2 | 7 | 10 | 19 | 22 | 23 |
| 75-79 | 36 | 10.6 | 101 | 3 | 3 | 8 | 15 | 19 | 27 | 56 |
| 80-84 | 20 | 10.7 | 31 | 3 | 3 | 11 | 15 | 18 | 19 | 19 |
| 85+ | 7 | 9.9 | 7 | 7 | 7 | 9 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 120 | 6.8 | 81 | 1 | 1 | 3 | 10 | 16 | 22 | 53 |
| 70-74 | 70 | 7.5 | 74 | 1 | 1 | 3 | 10 | 21 | 29 | 34 |
| 75-79 | 48 | 9.8 | 74 | 1 | 2 | 7 | 15 | 22 | 27 | 39 |
| 80-84 | 17 | 8.5 | 52 | 1 | 1 | 5 | 15 | 19 | 20 | 21 |
| 85+ | 3 | 6.0 | 16 | 2 | 2 | 6 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 728 | 12.2 | 93 | 3 | 4 | 10 | 16 | 24 | 31 | 47 |
| 70-74 | 585 | 12.4 | 88 | 3 | 4 | 10 | 16 | 24 | 30 | 48 |
| 75-79 | 387 | 12.8 | 86 | 3 | 4 | 11 | 16 | 24 | 32 | 45 |
| 80-84 | 175 | 14.4 | 117 | 4 | 5 | 12 | 18 | 26 | 32 | 51 |
| 85+ | 98 | 15.9 | 204 | 3 | 4 | 13 | 19 | 32 | 55 | 96 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 548 | 14.2 | 157 | 2 | 2 | 11 | 19 | 30 | 38 | 61 |
| 70-74 | 346 | 15.0 | 153 | 2 | 3 | 12 | 20 | 29 | 40 | 59 |
| 75-79 | 243 | 16.6 | 164 | 2 | 3 | 13 | 21 | 36 | 44 | 57 |
| 80-84 | 81 | 18.7 | 286 | 3 | 4 | 14 | 23 | 47 | 68 | 92 |
| 85+ | 30 | 21.1 | 125 | 4 | 7 | 19 | 28 | 38 | 40 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 215 | 9.4 | 67 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| B. *Operated* | 258 | 7.7 | 76 | 1 | 1 | 4 | 11 | 19 | 25 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1973 | 12.7 | 98 | 3 | 4 | 10 | 16 | 24 | 32 | 52 |
| B. *Operated* | 1248 | 15.4 | 167 | 2 | 3 | 12 | 20 | 32 | 41 | 65 |
| **1. SINGLE DX** | 473 | 8.4 | 72 | 1 | 1 | 6 | 11 | 19 | 24 | 41 |
| **2. MULTIPLE DX** | 3221 | 13.8 | 126 | 2 | 3 | 11 | 18 | 28 | 36 | 58 |
| **A. NOT OPERATED** | 2188 | 12.4 | 96 | 3 | 4 | 10 | 16 | 24 | 31 | 51 |
| **B. OPERATED** | 1506 | 14.0 | 160 | 1 | 2 | 11 | 19 | 30 | 39 | 61 |
| TOTAL 65-69 YRS | 1491 | 12.3 | 119 | 2 | 2 | 9 | 16 | 26 | 34 | 56 |
| 70-74 | 1058 | 12.7 | 110 | 2 | 3 | 10 | 17 | 26 | 32 | 56 |
| 75-79 | 714 | 13.8 | 117 | 2 | 3 | 11 | 17 | 29 | 38 | 52 |
| 80-84 | 293 | 15.0 | 160 | 3 | 4 | 12 | 18 | 28 | 44 | 74 |
| 85+ | 138 | 16.5 | 181 | 3 | 4 | 13 | 20 | 33 | 41 | 93 |
| **GRAND TOTAL** | **3694** | **13.1** | **123** | **2** | **3** | **10** | **17** | **27** | **35** | **57** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 105 | 8.8 | 53 | 2 | 3 | 7 | 10 | 17 | 21 | 43 |
| 70-74 | 66 | 7.2 | 20 | 2 | 2 | 7 | 9 | 13 | 16 | 22 |
| 75-79 | 40 | 9.7 | 58 | 3 | 4 | 7 | 11 | 19 | 23 | 44 |
| 80-84 | 19 | 9.8 | 45 | 3 | 3 | 8 | 12 | 20 | 24 | 28 |
| 85+ | 15 | 8.1 | 16 | 2 | 4 | 7 | 12 | 14 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 58 | 9.4 | 66 | 1 | 1 | 7 | 16 | 21 | 27 | 29 |
| 70-74 | 38 | 10.4 | 81 | 1 | 1 | 9 | 16 | 23 | 29 | 35 |
| 75-79 | 20 | 10.7 | 56 | 1 | 1 | 10 | 18 | 21 | 22 | 23 |
| 80-84 | 9 | 12.4 | 62 | 2 | 3 | 13 | 18 | 23 | 25 | 25 |
| 85+ | 4 | 16.5 | 34 | 9 | 9 | 17 | 21 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 624 | 11.2 | 74 | 3 | 4 | 9 | 14 | 22 | 27 | 48 |
| 70-74 | 461 | 11.1 | 70 | 3 | 4 | 9 | 14 | 21 | 29 | 42 |
| 75-79 | 299 | 12.5 | 139 | 3 | 4 | 9 | 15 | 24 | 33 | 77 |
| 80-84 | 166 | 12.2 | 103 | 3 | 4 | 9 | 15 | 24 | 29 | 62 |
| 85+ | 129 | 13.2 | 116 | 4 | 5 | 10 | 16 | 24 | 33 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 236 | 16.2 | 186 | 2 | 3 | 13 | 20 | 34 | 43 | 70 |
| 70-74 | 217 | 17.5 | 216 | 2 | 4 | 14 | 23 | 34 | 42 | 87 |
| 75-79 | 125 | 17.3 | 125 | 3 | 6 | 15 | 23 | 32 | 37 | 58 |
| 80-84 | 66 | 17.7 | 138 | 3 | 6 | 14 | 25 | 36 | 41 | 93 |
| 85+ | 33 | 29.9 | 610 | 5 | 10 | 20 | 45 | 76 | 95 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 8.6 | 42 | 2 | 3 | 7 | 10 | 16 | 20 | 39 |
| B. *Operated* | 129 | 10.3 | 68 | 1 | 1 | 8 | 17 | 22 | 27 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1679 | 11.6 | 91 | 3 | 4 | 9 | 14 | 22 | 30 | 53 |
| B. *Operated* | 677 | 17.6 | 207 | 2 | 4 | 14 | 23 | 34 | 44 | 83 |
| **1. SINGLE DX** | 374 | 9.2 | 52 | 2 | 2 | 7 | 12 | 19 | 22 | 34 |
| **2. MULTIPLE DX** | 2356 | 13.4 | 131 | 3 | 4 | 10 | 17 | 27 | 35 | 63 |
| **A. NOT OPERATED** | 1924 | 11.3 | 86 | 3 | 4 | 9 | 14 | 22 | 29 | 51 |
| **B. OPERATED** | 806 | 16.5 | 192 | 2 | 3 | 13 | 22 | 33 | 42 | 82 |
| TOTAL 65-69 YRS | 1023 | 12.0 | 103 | 2 | 3 | 9 | 15 | 24 | 32 | 53 |
| 70-74 | 782 | 12.5 | 117 | 2 | 3 | 9 | 16 | 26 | 33 | 47 |
| 75-79 | 484 | 13.4 | 131 | 3 | 4 | 11 | 17 | 26 | 34 | 63 |
| 80-84 | 260 | 13.4 | 112 | 3 | 4 | 10 | 18 | 27 | 35 | 63 |
| 85+ | 181 | 15.9 | 239 | 4 | 5 | 11 | 18 | 33 | 52 | 93 |
| **GRAND TOTAL** | **2730** | **12.8** | **123** | **2** | **4** | **10** | **16** | **25** | **34** | **62** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 465 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| 70-74 | 339 | 5.0 | 9 | 1 | 2 | 5 | 7 | 8 | 9 | 19 |
| 75-79 | 270 | 5.6 | 16 | 2 | 2 | 5 | 7 | 10 | 12 | 21 |
| 80-84 | 198 | 6.0 | 15 | 2 | 2 | 5 | 7 | 12 | 15 | 19 |
| 85+ | 182 | 7.3 | 19 | 2 | 3 | 7 | 9 | 13 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3074 | 9.3 | 16 | 5 | 6 | 8 | 11 | 14 | 17 | 23 |
| 70-74 | 2040 | 10.1 | 21 | 5 | 6 | 9 | 12 | 16 | 19 | 26 |
| 75-79 | 1183 | 10.8 | 24 | 6 | 6 | 10 | 13 | 17 | 20 | 27 |
| 80-84 | 539 | 12.6 | 31 | 6 | 7 | 11 | 15 | 20 | 23 | 30 |
| 85+ | 267 | 13.7 | 48 | 6 | 7 | 12 | 17 | 21 | 25 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1646 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| 70-74 | 1639 | 7.1 | 27 | 2 | 2 | 6 | 9 | 13 | 16 | 29 |
| 75-79 | 1534 | 7.8 | 32 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| 80-84 | 1321 | 8.5 | 38 | 2 | 3 | 7 | 11 | 15 | 19 | 30 |
| 85+ | 1299 | 9.7 | 59 | 3 | 3 | 8 | 12 | 18 | 24 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6390 | 12.9 | 55 | 6 | 7 | 11 | 15 | 21 | 26 | 42 |
| 70-74 | 5327 | 14.0 | 60 | 6 | 7 | 12 | 17 | 23 | 28 | 45 |
| 75-79 | 3741 | 15.9 | 86 | 7 | 8 | 14 | 19 | 26 | 32 | 53 |
| 80-84 | 2097 | 17.7 | 103 | 8 | 9 | 15 | 21 | 29 | 37 | 62 |
| 85+ | 1339 | 19.7 | 128 | 8 | 10 | 17 | 24 | 34 | 43 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1454 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| B. *Operated* | 7103 | 10.2 | 23 | 5 | 6 | 9 | 12 | 16 | 19 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7439 | 7.8 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 32 |
| B. *Operated* | 18894 | 14.8 | 77 | 6 | 7 | 13 | 18 | 25 | 31 | 50 |
| **1. SINGLE DX** | 8557 | 9.4 | 24 | 3 | 5 | 8 | 11 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | 26333 | 12.8 | 75 | 3 | 5 | 11 | 16 | 23 | 29 | 47 |
| **A. NOT OPERATED** | 8893 | 7.4 | 32 | 2 | 2 | 6 | 9 | 14 | 17 | 30 |
| **B. OPERATED** | 25997 | 13.5 | 67 | 6 | 7 | 11 | 16 | 23 | 28 | 46 |
| TOTAL 65-69 YRS | 11575 | 10.6 | 45 | 3 | 5 | 9 | 13 | 18 | 22 | 36 |
| 70-74 | 9345 | 11.6 | 53 | 3 | 5 | 10 | 14 | 20 | 25 | 39 |
| 75-79 | 6728 | 12.7 | 74 | 3 | 5 | 11 | 16 | 23 | 28 | 46 |
| 80-84 | 4155 | 13.6 | 88 | 3 | 5 | 12 | 17 | 24 | 30 | 49 |
| 85+ | 3087 | 14.3 | 110 | 3 | 5 | 12 | 18 | 27 | 34 | 59 |
| **GRAND TOTAL** | **34890** | **12.0** | **65** | **3** | **5** | **10** | **15** | **21** | **27** | **44** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 272 | 5.0 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 70-74 | 208 | 5.2 | 9 | 1 | 2 | 4 | 7 | 10 | 11 | 14 |
| 75-79 | 172 | 5.9 | 13 | 2 | 2 | 5 | 8 | 11 | 12 | 20 |
| 80-84 | 112 | 6.3 | 13 | 2 | 2 | 6 | 8 | 11 | 14 | 16 |
| 85+ | 116 | 6.5 | 16 | 1 | 2 | 6 | 9 | 12 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 307 | 10.3 | 20 | 5 | 6 | 9 | 13 | 15 | 18 | 26 |
| 70-74 | 270 | 11.1 | 26 | 5 | 6 | 10 | 13 | 17 | 20 | 31 |
| 75-79 | 151 | 12.2 | 31 | 6 | 7 | 11 | 15 | 19 | 23 | 37 |
| 80-84 | 79 | 14.0 | 46 | 7 | 8 | 12 | 16 | 25 | 30 | 35 |
| 85+ | 53 | 14.8 | 45 | 7 | 9 | 12 | 19 | 23 | 31 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 851 | 6.8 | 24 | 2 | 2 | 6 | 8 | 12 | 16 | 24 |
| 70-74 | 800 | 7.5 | 25 | 2 | 3 | 6 | 9 | 13 | 17 | 28 |
| 75-79 | 736 | 8.5 | 33 | 2 | 3 | 7 | 11 | 15 | 20 | 31 |
| 80-84 | 571 | 9.2 | 46 | 3 | 3 | 7 | 11 | 17 | 22 | 36 |
| 85+ | 645 | 10.2 | 68 | 3 | 4 | 8 | 12 | 18 | 23 | 54 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 957 | 13.9 | 68 | 6 | 7 | 12 | 17 | 24 | 30 | 46 |
| 70-74 | 819 | 15.6 | 79 | 6 | 7 | 13 | 19 | 27 | 32 | 48 |
| 75-79 | 654 | 17.8 | 134 | 7 | 8 | 15 | 21 | 31 | 41 | 75 |
| 80-84 | 342 | 19.6 | 157 | 8 | 9 | 16 | 23 | 36 | 48 | 90 |
| 85+ | 299 | 20.9 | 174 | 7 | 9 | 18 | 25 | 40 | 51 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 880 | 5.6 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 16 |
| B. *Operated* | 860 | 11.5 | 30 | 5 | 6 | 10 | 14 | 18 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3603 | 8.3 | 39 | 2 | 3 | 7 | 10 | 15 | 20 | 34 |
| B. *Operated* | 3071 | 16.5 | 111 | 7 | 8 | 14 | 20 | 29 | 37 | 67 |
| **1. SINGLE DX** | 1740 | 8.5 | 29 | 2 | 3 | 8 | 11 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 6674 | 12.1 | 89 | 3 | 4 | 10 | 15 | 23 | 30 | 53 |
| **A. NOT OPERATED** | 4483 | 7.7 | 35 | 2 | 3 | 6 | 10 | 14 | 18 | 31 |
| **B. OPERATED** | 3931 | 15.4 | 97 | 6 | 7 | 13 | 18 | 27 | 34 | 62 |
| TOTAL 65-69 YRS | 2387 | 9.9 | 52 | 2 | 3 | 8 | 13 | 18 | 23 | 36 |
| 70-74 | 2097 | 10.9 | 61 | 3 | 4 | 9 | 14 | 20 | 26 | 43 |
| 75-79 | 1713 | 12.1 | 91 | 3 | 4 | 10 | 15 | 23 | 30 | 57 |
| 80-84 | 1104 | 12.5 | 102 | 3 | 4 | 10 | 15 | 24 | 33 | 52 |
| 85+ | 1113 | 12.9 | 115 | 3 | 4 | 10 | 16 | 24 | 33 | 71 |
| **GRAND TOTAL** | **8414** | **11.3** | **79** | **3** | **4** | **9** | **14** | **21** | **28** | **48** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 51 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 70-74 | 47 | 5.6 | 6 | 2 | 2 | 6 | 8 | 9 | 10 | 10 |
| 75-79 | 49 | 5.8 | 22 | 1 | 1 | 4 | 9 | 11 | 12 | 27 |
| 80-84 | 23 | 6.5 | 12 | 1 | 2 | 5 | 9 | 11 | 12 | 13 |
| 85+ | 54 | 5.9 | 13 | 2 | 3 | 5 | 8 | 11 | 12 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 194 | 10.7 | 40 | 2 | 3 | 9 | 14 | 18 | 22 | 29 |
| 70-74 | 207 | 12.2 | 64 | 2 | 3 | 11 | 16 | 21 | 26 | 29 |
| 75-79 | 168 | 13.9 | 47 | 4 | 6 | 13 | 18 | 22 | 25 | 35 |
| 80-84 | 120 | 13.8 | 70 | 2 | 3 | 13 | 18 | 25 | 27 | 39 |
| 85+ | 94 | 15.1 | 62 | 2 | 3 | 16 | 20 | 25 | 28 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 136 | 7.5 | 37 | 1 | 2 | 6 | 9 | 13 | 18 | 36 |
| 70-74 | 149 | 8.5 | 57 | 2 | 2 | 7 | 10 | 17 | 21 | 66 |
| 75-79 | 151 | 7.8 | 22 | 2 | 3 | 7 | 10 | 14 | 17 | 21 |
| 80-84 | 141 | 8.2 | 20 | 3 | 3 | 7 | 11 | 15 | 17 | 21 |
| 85+ | 188 | 9.7 | 49 | 3 | 3 | 8 | 12 | 18 | 24 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 512 | 16.3 | 100 | 5 | 7 | 14 | 19 | 28 | 37 | 56 |
| 70-74 | 549 | 17.1 | 97 | 6 | 7 | 16 | 21 | 29 | 36 | 55 |
| 75-79 | 491 | 17.8 | 100 | 5 | 8 | 16 | 22 | 30 | 36 | 55 |
| 80-84 | 386 | 19.3 | 117 | 6 | 9 | 17 | 23 | 31 | 40 | 63 |
| 85+ | 294 | 21.6 | 164 | 6 | 9 | 19 | 26 | 36 | 44 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 224 | 5.4 | 13 | 1 | 2 | 5 | 8 | 10 | 11 | 17 |
| B. *Operated* | 783 | 12.8 | 57 | 2 | 4 | 12 | 17 | 22 | 25 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 765 | 8.4 | 38 | 2 | 3 | 7 | 11 | 16 | 19 | 34 |
| B. *Operated* | 2232 | 18.0 | 113 | 5 | 8 | 16 | 22 | 30 | 38 | 59 |
| **1. SINGLE DX** | 1007 | 11.1 | 57 | 2 | 3 | 10 | 16 | 21 | 25 | 30 |
| **2. MULTIPLE DX** | 2997 | 15.6 | 112 | 3 | 5 | 14 | 20 | 28 | 35 | 58 |
| **A. NOT OPERATED** | 989 | 7.8 | 34 | 2 | 2 | 7 | 10 | 14 | 18 | 29 |
| **B. OPERATED** | 3015 | 16.7 | 104 | 4 | 6 | 15 | 21 | 28 | 35 | 58 |
| TOTAL 65-69 YRS | 893 | 13.0 | 89 | 2 | 3 | 11 | 16 | 23 | 30 | 48 |
| 70-74 | 952 | 14.2 | 93 | 2 | 4 | 12 | 18 | 25 | 30 | 51 |
| 75-79 | 859 | 14.6 | 90 | 3 | 4 | 13 | 19 | 26 | 32 | 52 |
| 80-84 | 670 | 15.6 | 107 | 3 | 5 | 14 | 21 | 27 | 33 | 60 |
| 85+ | 630 | 15.7 | 136 | 3 | 4 | 14 | 21 | 29 | 36 | 60 |
| **GRAND TOTAL** | 4004 | 14.5 | 101 | 3 | 4 | 13 | 19 | 26 | 32 | 53 |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 72 | 6.0 | 14 | 1 | 2 | 5 | 8 | 11 | 12 | 20 |
| 70-74 | 52 | 5.7 | 16 | 1 | 2 | 5 | 8 | 11 | 12 | 23 |
| 75-79 | 53 | 6.2 | 19 | 1 | 2 | 5 | 8 | 13 | 14 | 22 |
| 80-84 | 40 | 7.4 | 24 | 1 | 2 | 6 | 9 | 15 | 18 | 20 |
| 85+ | 41 | 7.4 | 75 | 1 | 2 | 5 | 8 | 11 | 23 | 52 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 12.6 | 97 | 2 | 2 | 10 | 19 | 26 | 31 | 45 |
| 70-74 | 38 | 15.1 | 73 | 1 | 5 | 13 | 23 | 26 | 30 | 32 |
| 75-79 | 27 | 13.8 | 102 | 1 | 2 | 12 | 22 | 30 | 32 | 33 |
| 80-84 | 18 | 14.4 | 79 | 2 | 2 | 16 | 19 | 27 | 30 | 31 |
| 85+ | 10 | 24.9 | 261 | 3 | 4 | 20 | 38 | 48 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 226 | 8.6 | 38 | 2 | 3 | 7 | 10 | 16 | 21 | 33 |
| 70-74 | 225 | 8.3 | 29 | 2 | 3 | 7 | 11 | 16 | 18 | 26 |
| 75-79 | 246 | 10.8 | 68 | 2 | 3 | 9 | 13 | 21 | 25 | 46 |
| 80-84 | 219 | 11.5 | 98 | 3 | 3 | 9 | 15 | 23 | 29 | 62 |
| 85+ | 240 | 12.8 | 140 | 3 | 4 | 10 | 18 | 22 | 34 | 68 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 257 | 20.4 | 171 | 4 | 7 | 17 | 26 | 38 | 46 | 70 |
| 70-74 | 290 | 21.0 | 185 | 5 | 7 | 19 | 26 | 37 | 46 | 81 |
| 75-79 | 261 | 19.1 | 155 | 4 | 7 | 16 | 24 | 35 | 45 | 79 |
| 80-84 | 162 | 21.3 | 173 | 6 | 9 | 19 | 27 | 38 | 47 | 77 |
| 85+ | 149 | 22.9 | 222 | 7 | 9 | 20 | 29 | 42 | 50 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 6.4 | 27 | 1 | 2 | 5 | 8 | 11 | 15 | 23 |
| B. *Operated* | 140 | 14.6 | 106 | 1 | 2 | 13 | 22 | 28 | 32 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1156 | 10.4 | 78 | 2 | 3 | 8 | 13 | 19 | 25 | 46 |
| B. *Operated* | 1119 | 20.7 | 179 | 5 | 8 | 18 | 26 | 38 | 47 | 79 |
| **1. SINGLE DX** | 398 | 9.3 | 70 | 1 | 2 | 7 | 12 | 22 | 26 | 42 |
| **2. MULTIPLE DX** | 2275 | 15.5 | 154 | 3 | 4 | 12 | 20 | 31 | 40 | 69 |
| **A. NOT OPERATED** | 1414 | 9.7 | 71 | 2 | 3 | 8 | 12 | 18 | 23 | 48 |
| **B. OPERATED** | 1259 | 20.0 | 174 | 4 | 7 | 17 | 25 | 37 | 46 | 79 |
| TOTAL 65-69 YRS | 602 | 13.6 | 132 | 2 | 3 | 10 | 18 | 27 | 37 | 52 |
| 70-74 | 605 | 14.4 | 146 | 2 | 3 | 11 | 20 | 28 | 36 | 69 |
| 75-79 | 587 | 14.2 | 125 | 2 | 3 | 12 | 18 | 28 | 36 | 63 |
| 80-84 | 439 | 14.9 | 144 | 3 | 4 | 11 | 19 | 29 | 39 | 65 |
| 85+ | 440 | 16.0 | 194 | 3 | 4 | 12 | 19 | 34 | 45 | 79 |
| **GRAND TOTAL** | 2673 | 14.5 | 146 | 3 | 4 | 11 | 19 | 29 | 38 | 65 |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 378 | 7.3 | 21 | 2 | 3 | 6 | 9 | 12 | 14 | 27 |
| 70-74 | 298 | 7.6 | 24 | 2 | 3 | 7 | 10 | 13 | 16 | 27 |
| 75-79 | 182 | 7.8 | 29 | 2 | 3 | 7 | 10 | 13 | 17 | 27 |
| 80-84 | 137 | 7.5 | 32 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| 85+ | 95 | 8.1 | 33 | 2 | 3 | 7 | 10 | 14 | 17 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 51 | 13.0 | 177 | 2 | 2 | 9 | 17 | 27 | 39 | 66 |
| 70-74 | 54 | 12.4 | 115 | 2 | 2 | 10 | 17 | 22 | 40 | 50 |
| 75-79 | 26 | 14.7 | 100 | 1 | 2 | 13 | 20 | 26 | 35 | 42 |
| 80-84 | 16 | 13.9 | 136 | 1 | 2 | 11 | 21 | 31 | 38 | 41 |
| 85+ | 10 | 15.6 | 102 | 1 | 2 | 13 | 24 | 28 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1232 | 9.2 | 42 | 3 | 4 | 8 | 11 | 16 | 21 | 32 |
| 70-74 | 1077 | 10.1 | 60 | 3 | 4 | 8 | 12 | 18 | 23 | 44 |
| 75-79 | 859 | 10.3 | 52 | 3 | 4 | 9 | 13 | 18 | 24 | 36 |
| 80-84 | 611 | 10.3 | 48 | 3 | 4 | 8 | 13 | 18 | 24 | 42 |
| 85+ | 524 | 11.2 | 59 | 3 | 4 | 10 | 14 | 20 | 25 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 435 | 20.4 | 247 | 5 | 7 | 17 | 24 | 40 | 51 | 91 |
| 70-74 | 306 | 20.4 | 199 | 5 | 8 | 17 | 25 | 40 | 51 | 90 |
| 75-79 | 213 | 21.2 | 223 | 6 | 8 | 17 | 26 | 43 | 56 | 99+ |
| 80-84 | 140 | 21.7 | 157 | 6 | 10 | 19 | 28 | 38 | 55 | 99+ |
| 85+ | 99 | 23.6 | 269 | 7 | 11 | 19 | 28 | 51 | 63 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1090 | 7.6 | 25 | 2 | 3 | 6 | 9 | 13 | 16 | 28 |
| B. *Operated* | 157 | 13.4 | 132 | 1 | 2 | 11 | 18 | 27 | 39 | 56 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4303 | 10.0 | 52 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |
| B. *Operated* | 1193 | 21.0 | 222 | 6 | 8 | 17 | 26 | 41 | 54 | 98 |
| **1. SINGLE DX** | 1247 | 8.3 | 42 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| **2. MULTIPLE DX** | 5496 | 12.4 | 109 | 3 | 4 | 10 | 15 | 24 | 32 | 62 |
| **A. NOT OPERATED** | 5393 | 9.5 | 48 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| **B. OPERATED** | 1350 | 20.1 | 217 | 4 | 6 | 17 | 25 | 39 | 52 | 98 |
| TOTAL 65-69 YRS | 2096 | 11.3 | 107 | 3 | 4 | 8 | 13 | 22 | 28 | 57 |
| 70-74 | 1735 | 11.6 | 98 | 3 | 4 | 9 | 14 | 22 | 30 | 57 |
| 75-79 | 1280 | 11.9 | 96 | 3 | 4 | 9 | 14 | 23 | 32 | 58 |
| 80-84 | 904 | 11.7 | 83 | 3 | 4 | 9 | 14 | 24 | 31 | 56 |
| 85+ | 728 | 12.5 | 105 | 3 | 4 | 10 | 15 | 23 | 31 | 62 |
| **GRAND TOTAL** | 6743 | 11.7 | 99 | 3 | 4 | 9 | 14 | 22 | 30 | 58 |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 354 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 21 |
| 70-74 | 299 | 6.3 | 32 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| 75-79 | 354 | 5.9 | 14 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| 80-84 | 276 | 6.4 | 22 | 1 | 2 | 5 | 8 | 13 | 15 | 25 |
| 85+ | 291 | 7.3 | 26 | 2 | 2 | 6 | 9 | 14 | 16 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 9.1 | 60 | 2 | 3 | 7 | 11 | 22 | 26 | 37 |
| 70-74 | 53 | 10.0 | 52 | 1 | 3 | 9 | 13 | 21 | 27 | 31 |
| 75-79 | 57 | 8.7 | 34 | 2 | 3 | 7 | 12 | 17 | 20 | 30 |
| 80-84 | 27 | 10.9 | 27 | 4 | 4 | 10 | 15 | 16 | 21 | 24 |
| 85+ | 18 | 12.2 | 113 | 3 | 3 | 9 | 13 | 30 | 38 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2417 | 7.4 | 30 | 2 | 3 | 6 | 9 | 13 | 17 | 27 |
| 70-74 | 2678 | 8.0 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 34 |
| 75-79 | 2608 | 8.5 | 48 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| 80-84 | 2392 | 9.2 | 51 | 2 | 3 | 7 | 11 | 17 | 22 | 37 |
| 85+ | 2820 | 9.6 | 57 | 3 | 3 | 8 | 12 | 18 | 24 | 41 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 777 | 12.8 | 109 | 3 | 4 | 9 | 16 | 25 | 34 | 54 |
| 70-74 | 816 | 13.8 | 141 | 3 | 4 | 10 | 17 | 26 | 35 | 66 |
| 75-79 | 739 | 14.8 | 135 | 3 | 5 | 11 | 18 | 29 | 38 | 61 |
| 80-84 | 512 | 15.2 | 146 | 3 | 5 | 12 | 19 | 30 | 41 | 67 |
| 85+ | 449 | 16.4 | 136 | 5 | 6 | 13 | 20 | 32 | 43 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1574 | 6.2 | 22 | 1 | 2 | 5 | 8 | 12 | 14 | 22 |
| B. *Operated* | 202 | 9.8 | 51 | 2 | 3 | 8 | 12 | 19 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12915 | 8.6 | 46 | 2 | 3 | 7 | 10 | 16 | 20 | 35 |
| B. *Operated* | 3293 | 14.4 | 133 | 3 | 5 | 11 | 18 | 28 | 38 | 64 |
| **1. SINGLE DX** | 1776 | 6.6 | 26 | 1 | 2 | 5 | 8 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 16208 | 9.7 | 69 | 2 | 3 | 8 | 12 | 18 | 25 | 46 |
| **A. NOT OPERATED** | 14489 | 8.3 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 35 |
| **B. OPERATED** | 3495 | 14.1 | 130 | 3 | 5 | 11 | 18 | 28 | 37 | 64 |
| TOTAL 65-69 YRS | 3595 | 8.4 | 52 | 2 | 3 | 7 | 10 | 16 | 21 | 38 |
| 70-74 | 3846 | 9.1 | 67 | 2 | 3 | 7 | 11 | 17 | 23 | 46 |
| 75-79 | 3758 | 9.5 | 69 | 2 | 3 | 7 | 11 | 18 | 24 | 45 |
| 80-84 | 3207 | 9.9 | 70 | 2 | 3 | 8 | 12 | 18 | 25 | 46 |
| 85+ | 3578 | 10.3 | 71 | 3 | 3 | 8 | 13 | 20 | 26 | 48 |
| **GRAND TOTAL** | 17984 | 9.4 | 66 | 2 | 3 | 7 | 11 | 18 | 24 | 45 |

## 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 12.0 | 166 | 1 | 2 | 6 | 17 | 37 | 38 | 38 |
| 70-74 | 19 | 8.6 | 27 | 2 | 3 | 8 | 12 | 17 | 19 | 19 |
| 75-79 | 15 | 8.3 | 42 | <1 | <1 | 6 | 14 | 19 | 20 | 21 |
| 80-84 | 4 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 85+ | 2 | 21.0 | 338 | 8 | 8 | 21 | 34 | 34 | 34 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 11.4 | 96 | 1 | 1 | 8 | 16 | 24 | 35 | 38 |
| 70-74 | 8 | 10.9 | 168 | 1 | 1 | 6 | 14 | 33 | 40 | 40 |
| 75-79 | 7 | 16.0 | 80 | 9 | 9 | 9 | 24 | 28 | 29 | 29 |
| 80-84 | 3 | 6.3 | 9 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 85+ | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 94 | 11.7 | 107 | 3 | 3 | 8 | 16 | 27 | 38 | 46 |
| 70-74 | 90 | 10.4 | 48 | 3 | 4 | 9 | 14 | 19 | 24 | 36 |
| 75-79 | 71 | 9.9 | 55 | 2 | 3 | 8 | 13 | 21 | 26 | 35 |
| 80-84 | 44 | 13.2 | 111 | 2 | 3 | 11 | 18 | 22 | 32 | 60 |
| 85+ | 32 | 13.6 | 87 | 3 | 4 | 12 | 16 | 27 | 35 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 61 | 18.2 | 244 | 4 | 5 | 13 | 24 | 34 | 52 | 79 |
| 70-74 | 46 | 18.2 | 176 | 5 | 6 | 17 | 25 | 34 | 59 | 99+ |
| 75-79 | 41 | 19.7 | 348 | 4 | 4 | 13 | 26 | 48 | 62 | 86 |
| 80-84 | 12 | 17.8 | 58 | 7 | 9 | 18 | 21 | 29 | 33 | 34 |
| 85+ | 12 | 23.9 | 194 | 8 | 9 | 22 | 37 | 44 | 47 | 47 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 56 | 9.6 | 81 | 1 | 2 | 7 | 12 | 19 | 34 | 38 |
| B. *Operated* | 33 | 11.9 | 99 | 1 | 2 | 9 | 16 | 26 | 37 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 331 | 11.4 | 79 | 3 | 3 | 9 | 15 | 22 | 29 | 44 |
| B. *Operated* | 172 | 18.9 | 232 | 4 | 5 | 15 | 25 | 39 | 53 | 84 |
| 1. SINGLE DX | 89 | 10.4 | 88 | 1 | 2 | 8 | 15 | 22 | 34 | 39 |
| 2. MULTIPLE DX | 503 | 13.9 | 144 | 3 | 4 | 11 | 18 | 27 | 38 | 69 |
| A. NOT OPERATED | 387 | 11.1 | 80 | 2 | 3 | 9 | 15 | 22 | 30 | 43 |
| B. OPERATED | 205 | 17.8 | 217 | 4 | 5 | 14 | 24 | 37 | 50 | 82 |
| TOTAL 65-69 YRS | 185 | 13.9 | 164 | 3 | 3 | 10 | 18 | 29 | 40 | 68 |
| 70-74 | 163 | 12.4 | 99 | 3 | 4 | 10 | 17 | 26 | 32 | 71 |
| 75-79 | 134 | 13.0 | 163 | 2 | 3 | 9 | 16 | 26 | 35 | 68 |
| 80-84 | 63 | 13.1 | 100 | 2 | 3 | 11 | 18 | 22 | 32 | 57 |
| 85+ | 47 | 16.5 | 134 | 3 | 4 | 13 | 22 | 35 | 42 | 47 |
| GRAND TOTAL | 592 | 13.4 | 137 | 3 | 3 | 10 | 18 | 27 | 37 | 63 |

## 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 7.4 | 29 | 1 | 2 | 7 | 11 | 14 | 19 | 22 |
| 70-74 | 20 | 7.0 | 24 | 1 | 2 | 6 | 9 | 13 | 17 | 21 |
| 75-79 | 8 | 6.5 | 14 | 3 | 3 | 6 | 8 | 12 | 14 | 14 |
| 80-84 | 7 | 7.6 | 20 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 85+ | 5 | 16.0 | 378 | <1 | <1 | 11 | 21 | 90 | 90 | 90 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 6.1 | 18 | 1 | 2 | 5 | 9 | 13 | 13 | 14 |
| 70-74 | 22 | 8.2 | 66 | 1 | 2 | 5 | 11 | 18 | 27 | 35 |
| 75-79 | 6 | 10.3 | 134 | 2 | 2 | 5 | 15 | 30 | 32 | 32 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 2 | 16.5 | 85 | 10 | 10 | 16 | 23 | 23 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 148 | 9.9 | 46 | 2 | 3 | 8 | 13 | 19 | 23 | 32 |
| 70-74 | 129 | 11.9 | 89 | 2 | 3 | 9 | 16 | 24 | 32 | 48 |
| 75-79 | 115 | 11.5 | 98 | 1 | 2 | 9 | 15 | 22 | 37 | 67 |
| 80-84 | 94 | 13.7 | 168 | 3 | 4 | 10 | 16 | 28 | 36 | 74 |
| 85+ | 84 | 15.0 | 204 | 2 | 3 | 11 | 17 | 29 | 53 | 70 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 13.3 | 135 | 2 | 3 | 11 | 17 | 25 | 37 | 57 |
| 70-74 | 120 | 14.6 | 184 | 1 | 3 | 12 | 18 | 33 | 50 | 99+ |
| 75-79 | 86 | 19.9 | 236 | 4 | 5 | 16 | 26 | 38 | 52 | 73 |
| 80-84 | 25 | 20.6 | 233 | 3 | 7 | 17 | 25 | 39 | 55 | 64 |
| 85+ | 14 | 22.0 | 238 | 3 | 5 | 19 | 30 | 48 | 54 | 96 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 59 | 7.9 | 93 | 1 | 2 | 7 | 10 | 14 | 18 | 47 |
| B. *Operated* | 57 | 7.7 | 91 | 1 | 2 | 5 | 11 | 16 | 22 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 570 | 12.0 | 112 | 2 | 3 | 9 | 15 | 23 | 32 | 62 |
| B. *Operated* | 416 | 15.8 | 187 | 2 | 3 | 13 | 20 | 34 | 48 | 71 |
| 1. SINGLE DX | 116 | 7.8 | 92 | 1 | 2 | 6 | 10 | 14 | 21 | 40 |
| 2. MULTIPLE DX | 986 | 13.6 | 147 | 2 | 3 | 10 | 17 | 28 | 38 | 69 |
| A. NOT OPERATED | 629 | 11.7 | 108 | 2 | 3 | 9 | 15 | 23 | 31 | 61 |
| B. OPERATED | 473 | 14.8 | 177 | 2 | 3 | 12 | 18 | 32 | 48 | 70 |
| TOTAL 65-69 YRS | 364 | 11.1 | 90 | 2 | 3 | 9 | 14 | 22 | 29 | 55 |
| 70-74 | 291 | 12.4 | 127 | 1 | 2 | 10 | 16 | 26 | 35 | 72 |
| 75-79 | 215 | 14.6 | 169 | 2 | 3 | 11 | 19 | 30 | 43 | 72 |
| 80-84 | 127 | 14.7 | 180 | 3 | 4 | 11 | 17 | 33 | 40 | 73 |
| 85+ | 105 | 16.0 | 214 | 2 | 3 | 12 | 20 | 30 | 52 | 69 |
| GRAND TOTAL | 1102 | 13.8 | 140 | 2 | 3 | 10 | 16 | 27 | 36 | 68 |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 10.5 | 95 | 4 | 4 | 6 | 16 | 25 | 25 | 25 |
| 70-74 | 3 | 10.3 | 64 | 2 | 2 | 11 | 16 | 18 | 18 | 18 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 9.0 | 46 | 3 | 3 | 6 | 11 | 19 | 26 | 28 |
| 70-74 | 9 | 15.2 | 170 | 1 | 2 | 10 | 25 | 35 | 39 | 39 |
| 75-79 | 16 | 14.4 | 145 | 3 | 3 | 10 | 19 | 38 | 40 | 40 |
| 80-84 | 12 | 15.5 | 154 | 3 | 3 | 13 | 21 | 37 | 38 | 38 |
| 85+ | 11 | 12.0 | 38 | 4 | 4 | 11 | 17 | 21 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 14.4 | 93 | 3 | 5 | 12 | 19 | 28 | 35 | 38 |
| 70-74 | 22 | 16.4 | 258 | 2 | 2 | 11 | 19 | 42 | 55 | 65 |
| 75-79 | 7 | 17.1 | 149 | 2 | 3 | 11 | 29 | 32 | 33 | 33 |
| 80-84 | 11 | 19.9 | 91 | 7 | 9 | 19 | 27 | 33 | 38 | 38 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| B. *Operated* | 7 | 10.4 | 69 | 2 | 2 | 7 | 16 | 24 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 12.6 | 103 | 3 | 3 | 10 | 17 | 28 | 38 | 40 |
| B. *Operated* | 56 | 16.6 | 160 | 2 | 4 | 12 | 24 | 33 | 39 | 64 |
| **1. SINGLE DX** | 9 | 9.9 | 57 | 2 | 3 | 7 | 13 | 22 | 25 | 25 |
| **2. MULTIPLE DX** | 126 | 14.4 | 131 | 2 | 4 | 11 | 20 | 29 | 38 | 53 |
| **A. NOT OPERATED** | 72 | 12.5 | 101 | 3 | 3 | 10 | 17 | 28 | 36 | 40 |
| **B. OPERATED** | 63 | 15.9 | 153 | 2 | 3 | 12 | 22 | 31 | 39 | 63 |
| TOTAL 65-69 YRS | 44 | 11.1 | 69 | 3 | 4 | 9 | 13 | 25 | 28 | 38 |
| 70-74 | 34 | 16.6 | 213 | 2 | 2 | 11 | 19 | 39 | 47 | 65 |
| 75-79 | 23 | 15.3 | 141 | 2 | 3 | 11 | 25 | 34 | 39 | 40 |
| 80-84 | 23 | 17.6 | 123 | 3 | 4 | 16 | 25 | 37 | 38 | 38 |
| 85+ | 11 | 12.0 | 38 | 4 | 4 | 11 | 17 | 21 | 23 | 23 |
| **GRAND TOTAL** | 135 | 14.1 | 127 | 2 | 4 | 11 | 19 | 29 | 38 | 51 |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 5.5 | 29 | 1 | 1 | 3 | 8 | 13 | 16 | 23 |
| 70-74 | 79 | 4.4 | 42 | <1 | 1 | 2 | 4 | 11 | 13 | 37 |
| 75-79 | 52 | 5.6 | 72 | <1 | <1 | 2 | 7 | 12 | 21 | 50 |
| 80-84 | 20 | 5.2 | 59 | <1 | <1 | 3 | 9 | 10 | 23 | 35 |
| 85+ | 12 | 7.3 | 37 | 1 | 2 | 5 | 10 | 16 | 21 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 145 | 6.5 | 90 | 1 | 2 | 4 | 8 | 15 | 21 | 28 |
| 70-74 | 94 | 6.8 | 76 | 1 | 2 | 4 | 8 | 15 | 21 | 95 |
| 75-79 | 52 | 9.2 | 99 | 1 | 2 | 5 | 14 | 23 | 31 | 40 |
| 80-84 | 25 | 6.9 | 79 | 1 | 1 | 4 | 9 | 13 | 24 | 44 |
| 85+ | 10 | 8.1 | 63 | 1 | 1 | 6 | 8 | 21 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 420 | 9.2 | 70 | 1 | 2 | 7 | 12 | 19 | 26 | 38 |
| 70-74 | 600 | 8.9 | 84 | 1 | 1 | 7 | 12 | 19 | 27 | 39 |
| 75-79 | 413 | 10.3 | 94 | 1 | 2 | 8 | 14 | 21 | 28 | 52 |
| 80-84 | 339 | 10.1 | 75 | 1 | 1 | 8 | 13 | 21 | 28 | 44 |
| 85+ | 264 | 14.2 | 134 | 2 | 3 | 11 | 19 | 28 | 39 | 96 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 878 | 13.8 | 209 | 1 | 2 | 9 | 18 | 31 | 48 | 77 |
| 70-74 | 604 | 15.6 | 242 | 2 | 2 | 11 | 21 | 40 | 53 | 99+ |
| 75-79 | 380 | 17.1 | 259 | 2 | 3 | 12 | 22 | 39 | 56 | 94 |
| 80-84 | 183 | 17.0 | 285 | 1 | 2 | 12 | 23 | 38 | 61 | 96 |
| 85+ | 77 | 17.0 | 156 | 3 | 4 | 15 | 23 | 33 | 40 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 5.2 | 49 | <1 | <1 | 2 | 6 | 11 | 19 | 37 |
| B. *Operated* | 326 | 7.1 | 68 | 1 | 2 | 4 | 8 | 16 | 22 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2036 | 10.1 | 91 | 1 | 1 | 8 | 13 | 22 | 29 | 48 |
| B. *Operated* | 2122 | 15.3 | 234 | 2 | 2 | 10 | 20 | 36 | 50 | 90 |
| **1. SINGLE DX** | 519 | 6.4 | 62 | <1 | 1 | 3 | 8 | 15 | 22 | 41 |
| **2. MULTIPLE DX** | 4158 | 12.8 | 170 | 1 | 2 | 9 | 17 | 29 | 40 | 77 |
| **A. NOT OPERATED** | 2229 | 9.7 | 89 | 1 | 1 | 7 | 13 | 21 | 28 | 47 |
| **B. OPERATED** | 2448 | 14.2 | 219 | 2 | 2 | 9 | 19 | 33 | 47 | 86 |
| TOTAL 65-69 YRS | 1473 | 11.6 | 158 | 1 | 2 | 8 | 15 | 26 | 36 | 67 |
| 70-74 | 1377 | 11.5 | 165 | 1 | 1 | 8 | 15 | 28 | 40 | 80 |
| 75-79 | 897 | 12.9 | 177 | 1 | 2 | 9 | 17 | 29 | 40 | 77 |
| 80-84 | 567 | 12.0 | 155 | 1 | 1 | 9 | 16 | 27 | 36 | 77 |
| 85+ | 363 | 14.4 | 137 | 2 | 3 | 11 | 20 | 31 | 39 | 56 |
| **GRAND TOTAL** | 4677 | 12.1 | 162 | 1 | 2 | 8 | 16 | 28 | 39 | 73 |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 8.3 | 83 | <1 | 1 | 6 | 10 | 14 | 35 | 35 |
| 70-74 | 32 | 6.9 | 44 | 1 | 1 | 4 | 10 | 19 | 20 | 25 |
| 75-79 | 27 | 7.3 | 48 | <1 | <1 | 6 | 10 | 17 | 21 | 30 |
| 80-84 | 27 | 11.4 | 55 | 2 | 3 | 9 | 14 | 24 | 28 | 31 |
| 85+ | 23 | 9.9 | 51 | 2 | 4 | 8 | 12 | 17 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 28 | 10.3 | 134 | <1 | 1 | 6 | 15 | 25 | 35 | 49 |
| 70-74 | 25 | 13.0 | 378 | 1 | 1 | 6 | 13 | 29 | 48 | 96 |
| 75-79 | 12 | 10.0 | 79 | 1 | 1 | 7 | 18 | 23 | 26 | 27 |
| 80-84 | 5 | 13.0 | 28 | 8 | 8 | 12 | 18 | 19 | 19 | 19 |
| 85+ | 3 | 33.3 | 186 | 24 | 24 | 27 | 43 | 49 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 270 | 11.1 | 90 | 2 | 2 | 9 | 15 | 25 | 30 | 50 |
| 70-74 | 409 | 13.7 | 169 | 2 | 3 | 10 | 17 | 31 | 39 | 69 |
| 75-79 | 453 | 13.4 | 139 | 2 | 4 | 10 | 16 | 27 | 35 | 77 |
| 80-84 | 388 | 13.8 | 119 | 2 | 4 | 11 | 18 | 28 | 37 | 75 |
| 85+ | 472 | 14.6 | 116 | 3 | 4 | 12 | 19 | 29 | 34 | 52 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 232 | 21.0 | 294 | 3 | 5 | 17 | 28 | 49 | 62 | 99+ |
| 70-74 | 212 | 21.8 | 285 | 3 | 4 | 17 | 29 | 44 | 60 | 85 |
| 75-79 | 208 | 23.3 | 313 | 3 | 5 | 18 | 35 | 50 | 68 | 99+ |
| 80-84 | 126 | 25.0 | 245 | 6 | 9 | 22 | 33 | 51 | 61 | 99+ |
| 85+ | 85 | 23.5 | 217 | 5 | 7 | 22 | 30 | 41 | 43 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 8.7 | 57 | <1 | 1 | 7 | 11 | 18 | 26 | 35 |
| B. *Operated* | 73 | 12.3 | 216 | 1 | 1 | 8 | 18 | 27 | 34 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operatud* | 1992 | 13.5 | 130 | 2 | 3 | 10 | 17 | 28 | 36 | 62 |
| B. *Operated* | 863 | 22.6 | 282 | 3 | 6 | 19 | 31 | 47 | 61 | 99+ |
| **1. SINGLE DX** | 207 | 9.9 | 115 | 1 | 1 | 7 | 12 | 21 | 29 | 49 |
| **2. MULTIPLE DX** | 2855 | 16.3 | 193 | 2 | 4 | 12 | 21 | 34 | 46 | 81 |
| **A. NOT OPERATED** | 2126 | 13.2 | 127 | 2 | 3 | 10 | 17 | 28 | [illegible] | [illegible] |
| **B. OPERATED** | 936 | 21.8 | 285 | 3 | 5 | 18 | 30 | 47 | 59 | 99+ |
| TOTAL 65-69 YRS | 555 | 15.1 | 202 | 2 | 3 | 11 | 21 | 33 | 49 | 94 |
| 70-74 | 678 | 15.9 | 224 | 2 | 3 | 11 | 21 | 34 | 45 | 79 |
| 75-79 | 700 | 16.0 | 209 | 2 | 4 | 11 | 19 | 35 | 49 | 83 |
| 80-84 | 546 | 16.3 | 166 | 3 | 4 | 13 | 22 | 35 | 46 | 99 |
| 85+ | 583 | 15.8 | 140 | 3 | 5 | 12 | 21 | 31 | 38 | 58 |
| **GRAND TOTAL** | **3062** | **15.8** | **190** | **2** | **3** | **12** | **21** | **34** | **45** | **81** |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 72 | 6.3 | 19 | 2 | 3 | 5 | 7 | 10 | 12 | 31 |
| 70-74 | 76 | 6.5 | 12 | 2 | 3 | 6 | 7 | 11 | 13 | 19 |
| 75-79 | 42 | 6.9 | 10 | 3 | 4 | 7 | 8 | 10 | 13 | 18 |
| 80-84 | 45 | 6.7 | 8 | 3 | 3 | 6 | 8 | 10 | 14 | 15 |
| 85+ | 39 | 8.9 | 63 | 3 | 3 | 6 | 9 | 19 | 28 | 40 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 10.0 | 7 | 8 | 8 | 9 | 12 | 14 | 14 | 14 |
| 70-74 | 6 | 9.0 | 5 | 5 | 5 | 9 | 11 | 11 | 11 | 11 |
| 75-79 | 7 | 6.4 | 14 | 1 | 2 | 6 | 9 | 12 | 12 | 12 |
| 80-84 | 4 | 7.0 | 11 | 5 | 5 | 6 | 9 | 12 | 12 | 12 |
| 85+ | 2 | 10.0 | 2 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 436 | 8.5 | 31 | 3 | 4 | 7 | 10 | 15 | 19 | 28 |
| 70-74 | 495 | 8.9 | 36 | 3 | 4 | 8 | 11 | 15 | 19 | 28 |
| 75-79 | 453 | 9.9 | 45 | 3 | 4 | 8 | 12 | 18 | 23 | 34 |
| 80-84 | 366 | 10.0 | 37 | 4 | 4 | 8 | 12 | 19 | 23 | 32 |
| 85+ | 350 | 11.0 | 62 | 3 | 5 | 9 | 13 | 19 | 25 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 131 | 14.4 | 109 | 5 | 6 | 11 | 18 | 25 | 33 | 60 |
| 70-74 | 152 | 16.6 | 142 | 6 | 7 | 14 | 20 | 32 | 44 | 77 |
| 75-79 | 91 | 17.2 | 127 | 5 | 6 | 15 | 21 | 29 | 42 | 61 |
| 80-84 | 54 | 17.7 | 155 | 5 | 6 | 14 | 24 | 34 | 42 | 66 |
| 85+ | 44 | 16.9 | 172 | 5 | 5 | 13 | 18 | 31 | 47 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 274 | 6.9 | 20 | 3 | 3 | 6 | 8 | 11 | 14 | 31 |
| B. *Operated* | 23 | 8.1 | 10 | 3 | 4 | 9 | 11 | 12 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2100 | 9.6 | 42 | 3 | 4 | 8 | 12 | 17 | 22 | 33 |
| B. *Operated* | 472 | 16.3 | 134 | 5 | 6 | 13 | 20 | 30 | 39 | 66 |
| **1. SINGLE DX** | 297 | 7.0 | 20 | 3 | 3 | 6 | 8 | 11 | 14 | 28 |
| **2. MULTIPLE DX** | 2572 | 10.8 | 66 | 3 | 4 | 9 | 13 | 20 | 26 | 45 |
| **A. NOT OPERATED** | 2374 | 9.3 | 40 | 3 | 4 | 8 | 11 | 17 | 21 | 33 |
| **B. OPERATED** | 495 | 15.9 | 131 | 5 | 6 | 12 | 19 | 30 | 39 | 66 |
| TOTAL 65-69 YRS | 643 | 9.5 | 52 | 3 | 4 | 8 | 11 | 18 | 22 | 38 |
| 70-74 | 729 | 10.3 | 66 | 3 | 4 | 8 | 12 | 18 | 24 | 49 |
| 75-79 | 593 | 10.8 | 62 | 3 | 4 | 8 | 13 | 21 | 26 | 44 |
| 80-84 | 469 | 10.6 | 55 | 4 | 4 | 8 | 12 | 20 | 25 | 39 |
| 85+ | 435 | 11.4 | 76 | 3 | 5 | 9 | 14 | 20 | 27 | 48 |
| **GRAND TOTAL** | **2869** | **10.4** | **62** | **3** | **4** | **8** | **12** | **19** | **25** | **44** |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 97 | 5.5 | 10 | 2 | 2 | 5 | 7 | 9 | 12 | 16 |
| 70-74 | 70 | 6.2 | 17 | 2 | 3 | 5 | 7 | 10 | 14 | 25 |
| 75-79 | 62 | 6.5 | 22 | 1 | 2 | 5 | 9 | 12 | 18 | 22 |
| 80-84 | 41 | 7.1 | 30 | 2 | 3 | 6 | 7 | 10 | 18 | 34 |
| 85+ | 37 | 8.2 | 27 | 2 | 3 | 7 | 9 | 13 | 22 | 25 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 10.0 | 104 | 2 | 2 | 8 | 13 | 20 | 22 | 55 |
| 70-74 | 27 | 12.6 | 53 | 3 | 6 | 11 | 15 | 27 | 28 | 28 |
| 75-79 | 21 | 11.7 | 176 | 2 | 2 | 8 | 12 | 24 | 46 | 60 |
| 80-84 | 12 | 13.4 | 74 | <1 | 3 | 11 | 20 | 26 | 29 | 30 |
| 85+ | 3 | 12.3 | 46 | 7 | 7 | 10 | 17 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 519 | 8.5 | 25 | 3 | 4 | 7 | 10 | 15 | 20 | 26 |
| 70-74 | 485 | 9.0 | 47 | 3 | 3 | 7 | 11 | 15 | 20 | 41 |
| 75-79 | 487 | 10.3 | 63 | 3 | 4 | 8 | 12 | 20 | 26 | 50 |
| 80-84 | 377 | 10.2 | 47 | 3 | 4 | 9 | 12 | 18 | 23 | 38 |
| 85+ | 361 | 10.5 | 52 | 3 | 4 | 8 | 13 | 19 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 272 | 14.4 | 150 | 3 | 4 | 11 | 16 | 29 | 40 | 74 |
| 70-74 | 229 | 16.3 | 155 | 3 | 5 | 13 | 21 | 32 | 40 | 75 |
| 75-79 | 220 | 15.0 | 128 | <1 | 3 | 13 | 19 | 29 | 39 | 58 |
| 80-84 | 124 | 16.9 | 186 | 3 | 5 | 13 | 21 | 32 | 47 | 70 |
| 85+ | 89 | 17.0 | 138 | 3 | 5 | 15 | 23 | 29 | 37 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 307 | 6.4 | 19 | 2 | 2 | 5 | 8 | 11 | 15 | 23 |
| B. *Operated* | 96 | 11.6 | 98 | 2 | 2 | 9 | 15 | 22 | 28 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2229 | 9.6 | 47 | 3 | 4 | 8 | 12 | 17 | 22 | 39 |
| B. *Operated* | 934 | 15.6 | 150 | 3 | 4 | 13 | 20 | 31 | 40 | 74 |
| **1. SINGLE DX** | 403 | 7.6 | 43 | 2 | 2 | 6 | 9 | 14 | 20 | 32 |
| **2. MULTIPLE DX** | 3163 | 11.4 | 84 | 3 | 4 | 9 | 14 | 22 | 29 | 52 |
| **A. NOT OPERATED** | 2536 | 9.2 | 44 | 3 | 4 | 8 | 11 | 17 | 21 | 36 |
| **B. OPERATED** | 1030 | 15.2 | 146 | 2 | 4 | 12 | 19 | 30 | 40 | 72 |
| TOTAL 65-69 YRS | 921 | 10.0 | 72 | 3 | 3 | 8 | 12 | 18 | 24 | 46 |
| 70-74 | 811 | 10.9 | 87 | 3 | 4 | 8 | 13 | 21 | 29 | 52 |
| 75-79 | 790 | 11.4 | 87 | 2 | 4 | 9 | 14 | 22 | 29 | 56 |
| 80-84 | 554 | 11.6 | 86 | 3 | 4 | 9 | 13 | 22 | 31 | 49 |
| 85+ | 490 | 11.5 | 72 | 3 | 4 | 9 | 15 | 22 | 27 | 44 |
| **GRAND TOTAL** | **3566** | **11.0** | **81** | **3** | **4** | **9** | **13** | **21** | **28** | **51** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 219 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 70-74 | 133 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 75-79 | 68 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 80-84 | 34 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| 85+ | 28 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 291 | 9.8 | 25 | 2 | 3 | 9 | 12 | 15 | 18 | 26 |
| 70-74 | 159 | 10.0 | 38 | 2 | 2 | 10 | 12 | 18 | 22 | 29 |
| 75-79 | 91 | 10.5 | 33 | 2 | 3 | 10 | 13 | 17 | 22 | 29 |
| 80-84 | 30 | 8.0 | 30 | 2 | 2 | 7 | 11 | 17 | 18 | 21 |
| 85+ | 19 | 11.8 | 74 | 2 | 3 | 8 | 18 | 26 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 418 | 4.8 | 28 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 70-74 | 349 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 14 | 29 |
| 75-79 | 267 | 6.4 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 33 |
| 80-84 | 151 | 8.0 | 71 | 2 | 2 | 6 | 10 | 15 | 18 | 27 |
| 85+ | 103 | 7.3 | 20 | 2 | 3 | 6 | 10 | 14 | 17 | 23 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 752 | 12.0 | 84 | 2 | 3 | 10 | 14 | 22 | 27 | 47 |
| 70-74 | 519 | 12.8 | 80 | 2 | 3 | 11 | 17 | 24 | 29 | 41 |
| 75-79 | 379 | 14.3 | 143 | 2 | 3 | 11 | 18 | 27 | 35 | 66 |
| 80-84 | 188 | 13.7 | 111 | 2 | 3 | 11 | 17 | 26 | 36 | 52 |
| 85+ | 103 | 14.9 | 140 | 2 | 3 | 12 | 20 | 28 | 40 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 482 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | 590 | 9.9 | 32 | 2 | 3 | 9 | 12 | 17 | 21 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1288 | 6.0 | 34 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| B. *Operated* | 1941 | 13.0 | 101 | 2 | 3 | 11 | 16 | 24 | 31 | 53 |
| **1. SINGLE DX** | 1072 | 7.0 | 31 | 1 | 1 | 6 | 10 | 14 | 18 | 26 |
| **2. MULTIPLE DX** | 3229 | 10.2 | 86 | 2 | 2 | 8 | 13 | 21 | 26 | 45 |
| **A. NOT OPERATED** | 1770 | 5.3 | 28 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| **B. OPERATED** | 2531 | 12.3 | 86 | 2 | 3 | 10 | 15 | 23 | 28 | 47 |
| TOTAL 65-69 YRS | 1680 | 8.7 | 62 | 1 | 2 | 7 | 11 | 17 | 22 | 41 |
| 70-74 | 1160 | 9.2 | 63 | 1 | 2 | 7 | 12 | 19 | 24 | 37 |
| 75-79 | 805 | 10.4 | 98 | 2 | 2 | 8 | 13 | 21 | 28 | 46 |
| 80-84 | 403 | 10.3 | 92 | 2 | 2 | 8 | 14 | 21 | 26 | 49 |
| 85+ | 253 | 10.3 | 88 | 2 | 2 | 7 | 13 | 22 | 28 | 53 |
| **GRAND TOTAL** | **4301** | **9.4** | **74** | **1** | **2** | **8** | **12** | **19** | **24** | **42** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 706 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 70-74 | 400 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 75-79 | 173 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 80-84 | 69 | 3.1 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 85+ | 28 | 3.0 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 732 | 7.0 | 25 | 2 | 2 | 6 | 9 | 13 | 15 | 23 |
| 70-74 | 441 | 7.7 | 27 | 2 | 2 | 7 | 10 | 14 | 17 | 26 |
| 75-79 | 221 | 8.6 | 33 | 2 | 3 | 7 | 11 | 15 | 18 | 33 |
| 80-84 | 94 | 8.1 | 33 | 2 | 2 | 7 | 10 | 17 | 19 | 27 |
| 85+ | 26 | 7.2 | 24 | 1 | 2 | 6 | 10 | 13 | 18 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 688 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 70-74 | 479 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 75-79 | 256 | 4.4 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| 80-84 | 113 | 5.1 | 16 | 1 | 2 | 4 | 6 | 12 | 13 | 21 |
| 85+ | 62 | 6.1 | 25 | 1 | 2 | 5 | 7 | 11 | 17 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1033 | 10.1 | 51 | 3 | 3 | 9 | 13 | 18 | 23 | 35 |
| 70-74 | 780 | 10.4 | 50 | 3 | 3 | 9 | 13 | 18 | 23 | 35 |
| 75-79 | 434 | 12.2 | 60 | 3 | 4 | 11 | 16 | 23 | 27 | 39 |
| 80-84 | 225 | 13.0 | 82 | 3 | 4 | 11 | 17 | 25 | 29 | 45 |
| 85+ | 101 | 14.4 | 126 | 4 | 5 | 11 | 18 | 27 | 34 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1376 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 1514 | 7.5 | 28 | 2 | 2 | 7 | 10 | 14 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1598 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | 2573 | 11.0 | 59 | 3 | 4 | 9 | 14 | 20 | 25 | 39 |
| **1. SINGLE DX** | 2890 | 5.3 | 22 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 4171 | 8.3 | 52 | 1 | 2 | 6 | 11 | 17 | 22 | 34 |
| **A. NOT OPERATED** | 2974 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 4087 | 9.7 | 50 | 2 | 3 | 8 | 12 | 18 | 23 | 35 |
| TOTAL 65-69 YRS | 3159 | 6.4 | 34 | 1 | 2 | 5 | 9 | 13 | 17 | 27 |
| 70-74 | 2100 | 6.9 | 37 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| 75-79 | 1084 | 8.1 | 49 | 1 | 2 | 6 | 11 | 17 | 23 | 32 |
| 80-84 | 501 | 8.9 | 62 | 2 | 2 | 6 | 12 | 19 | 25 | 40 |
| 85+ | 217 | 9.7 | 89 | 2 | 2 | 6 | 12 | 21 | 26 | 52 |
| **GRAND TOTAL** | **7061** | **7.1** | **42** | **1** | **2** | **5** | **9** | **15** | **19** | **31** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 75 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 70-74 | 61 | 5.3 | 13 | 1 | 1 | 5 | 8 | 10 | 12 | 15 |
| 75-79 | 37 | 4.9 | 20 | 1 | 1 | 4 | 6 | 11 | 15 | 21 |
| 80-84 | 22 | 4.9 | 13 | 1 | 1 | 4 | 7 | 10 | 12 | 14 |
| 85+ | 23 | 8.7 | 54 | 1 | 2 | 6 | 13 | 19 | 25 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 216 | 6.5 | 44 | 1 | 1 | 4 | 9 | 15 | 18 | 31 |
| 70-74 | 189 | 7.8 | 68 | 1 | 1 | 6 | 11 | 17 | 22 | 27 |
| 75-79 | 109 | 8.7 | 69 | 1 | 2 | 6 | 13 | 19 | 22 | 41 |
| 80-84 | 47 | 7.9 | 43 | 1 | 2 | 5 | 14 | 17 | 19 | 29 |
| 85+ | 32 | 9.2 | 49 | 2 | 2 | 7 | 13 | 19 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 333 | 8.8 | 65 | 2 | 2 | 7 | 12 | 18 | 25 | 52 |
| 70-74 | 387 | 9.6 | 77 | 2 | 2 | 7 | 13 | 17 | 25 | 42 |
| 75-79 | 342 | 10.2 | 95 | 2 | 3 | 7 | 12 | 20 | 28 | 57 |
| 80-84 | 301 | 10.9 | 96 | 3 | 3 | 8 | 13 | 21 | 27 | 50 |
| 85+ | 266 | 11.0 | 77 | 3 | 3 | 9 | 14 | 21 | 27 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 873 | 12.0 | 111 | 2 | 2 | 9 | 16 | 26 | 33 | 52 |
| 70-74 | 733 | 12.6 | 147 | 2 | 2 | 10 | 17 | 24 | 34 | 60 |
| 75-79 | 531 | 12.9 | 115 | 2 | 3 | 10 | 16 | 26 | 35 | 56 |
| 80-84 | 278 | 14.7 | 132 | 2 | 3 | 12 | 21 | 30 | 35 | 57 |
| 85+ | 188 | 14.6 | 153 | 2 | 3 | 11 | 19 | 31 | 39 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 218 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 14 | 23 |
| B. *Operated* | 593 | 7.6 | 57 | 1 | 1 | 5 | 11 | 17 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1629 | 10.0 | 83 | 2 | 3 | 8 | 13 | 20 | 26 | 51 |
| B. *Operated* | 2603 | 12.8 | 128 | 2 | 2 | 10 | 17 | 26 | 34 | 55 |
| **1. SINGLE DX** | 811 | 6.9 | 48 | 1 | 1 | 5 | 9 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | 4232 | 11.7 | 112 | 2 | 3 | 9 | 15 | 24 | 32 | 53 |
| **A. NOT OPERATED** | 1847 | 9.4 | 78 | 2 | 2 | 7 | 12 | 19 | 25 | 50 |
| **B. OPERATED** | 3196 | 11.8 | 119 | 2 | 2 | 9 | 16 | 25 | 32 | 52 |
| TOTAL 65-69 YRS | 1497 | 10.1 | 92 | 1 | 2 | 7 | 13 | 22 | 29 | 50 |
| 70-74 | 1370 | 10.8 | 115 | 2 | 2 | 8 | 14 | 22 | 29 | 52 |
| 75-79 | 1019 | 11.2 | 104 | 2 | 2 | 9 | 14 | 24 | 32 | 55 |
| 80-84 | 648 | 12.1 | 111 | 2 | 3 | 9 | 16 | 25 | 31 | 49 |
| 85+ | 509 | 12.1 | 106 | 2 | 3 | 9 | 15 | 24 | 32 | 59 |
| **GRAND TOTAL** | **5043** | **11.0** | **105** | **2** | **2** | **8** | **14** | **23** | **30** | **51** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 63 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 70-74 | 32 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 9 | 10 |
| 75-79 | 10 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 80-84 | 12 | 4.2 | 5 | <1 | 1 | 4 | 6 | 7 | 8 | 8 |
| 85+ | 8 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 108 | 5.7 | 18 | 1 | 2 | 4 | 9 | 11 | 12 | 21 |
| 70-74 | 101 | 5.9 | 20 | 2 | 2 | 4 | 8 | 12 | 14 | 23 |
| 75-79 | 74 | 6.7 | 35 | 1 | 1 | 5 | 9 | 14 | 16 | 28 |
| 80-84 | 42 | 6.2 | 17 | 2 | 2 | 5 | 9 | 12 | 13 | 19 |
| 85+ | 30 | 8.5 | 31 | 2 | 3 | 7 | 11 | 15 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 80 | 4.4 | 16 | 1 | 1 | 4 | 5 | 7 | 8 | 28 |
| 70-74 | 62 | 5.5 | 28 | 1 | 2 | 4 | 6 | 10 | 15 | 34 |
| 75-79 | 44 | 6.0 | 31 | 2 | 2 | 4 | 7 | 12 | 19 | 29 |
| 80-84 | 31 | 9.5 | 64 | 2 | 2 | 8 | 11 | 19 | 29 | 37 |
| 85+ | 26 | 7.7 | 39 | 2 | 2 | 6 | 11 | 17 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 369 | 8.5 | 39 | 2 | 2 | 7 | 11 | 16 | 19 | 31 |
| 70-74 | 345 | 9.3 | 53 | 2 | 2 | 8 | 12 | 18 | 24 | 40 |
| 75-79 | 304 | 10.8 | 95 | 2 | 3 | 9 | 14 | 19 | 28 | 51 |
| 80-84 | 212 | 11.2 | 92 | 2 | 3 | 9 | 15 | 22 | 33 | 55 |
| 85+ | 139 | 13.3 | 88 | 3 | 4 | 11 | 17 | 28 | 33 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | 355 | 6.3 | 23 | 1 | 2 | 5 | 9 | 12 | 15 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 243 | 6.0 | 33 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |
| B. *Operated* | 1369 | 10.1 | 70 | 2 | 3 | 8 | 13 | 19 | 26 | 44 |
| **1. SINGLE DX** | 480 | 5.4 | 20 | 1 | 1 | 4 | 8 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | 1612 | 9.5 | 67 | 2 | 2 | 7 | 12 | 18 | 25 | 42 |
| **A. NOT OPERATED** | 368 | 5.0 | 25 | 1 | 1 | 4 | 6 | 9 | 14 | 29 |
| **B. OPERATED** | 1724 | 9.3 | 63 | 2 | 2 | 8 | 12 | 18 | 24 | 41 |
| TOTAL 65-69 YRS | 620 | 6.9 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| 70-74 | 540 | 7.8 | 45 | 2 | 2 | 6 | 10 | 16 | 20 | 37 |
| 75-79 | 432 | 9.5 | 81 | 2 | 2 | 7 | 12 | 18 | 26 | 47 |
| 80-84 | 297 | 10.1 | 79 | 2 | 2 | 8 | 13 | 20 | 28 | 45 |
| 85+ | 203 | 11.5 | 78 | 2 | 3 | 9 | 15 | 24 | 31 | 42 |
| **GRAND TOTAL** | **2092** | **8.6** | **59** | **2** | **2** | **6** | **11** | **17** | **23** | **39** |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 59 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 70-74 | 67 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 75-79 | 54 | 5.8 | 18 | 1 | 1 | 5 | 7 | 13 | 15 | 23 |
| 80-84 | 31 | 5.5 | 15 | 1 | 2 | 5 | 6 | 12 | 14 | 16 |
| 85+ | 56 | 5.4 | 14 | 1 | 2 | 4 | 7 | 12 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 441 | 3.7 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 70-74 | 402 | 4.2 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 21 |
| 75-79 | 293 | 4.9 | 18 | 1 | 1 | 4 | 6 | 10 | 15 | 21 |
| 80-84 | 188 | 5.3 | 21 | 2 | 2 | 4 | 7 | 10 | 15 | 24 |
| 85+ | 131 | 5.7 | 14 | 1 | 2 | 5 | 8 | 11 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 396 | 6.9 | 19 | 2 | 3 | 6 | 9 | 13 | 15 | 23 |
| 70-74 | 468 | 7.6 | 28 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| 75-79 | 509 | 8.8 | 61 | 2 | 3 | 7 | 11 | 16 | 22 | 45 |
| 80-84 | 449 | 9.0 | 51 | 2 | 3 | 7 | 11 | 16 | 23 | 40 |
| 85+ | 556 | 9.9 | 60 | 3 | 3 | 8 | 13 | 19 | 26 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1303 | 6.3 | 41 | 1 | 2 | 4 | 8 | 12 | 19 | 34 |
| 70-74 | 1307 | 7.2 | 63 | 1 | 2 | 5 | 9 | 14 | 21 | 40 |
| 75-79 | 1196 | 7.7 | 54 | 2 | 2 | 5 | 10 | 16 | 22 | 38 |
| 80-84 | 813 | 8.8 | 53 | 2 | 2 | 7 | 11 | 18 | 23 | 37 |
| 85+ | 699 | 10.0 | 91 | 2 | 2 | 8 | 12 | 19 | 26 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 5.1 | 13 | 1 | 2 | 4 | 7 | 9 | 13 | 18 |
| B. *Operated* | 1455 | 4.5 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2378 | 8.5 | 46 | 2 | 3 | 7 | 10 | 15 | 21 | 40 |
| B. *Operated* | 5318 | 7.7 | 59 | 2 | 2 | 5 | 10 | 16 | 22 | 40 |
| **1. SINGLE DX** | 1722 | 4.6 | 16 | 1 | 2 | 3 | 6 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | 7696 | 8.0 | 55 | 2 | 2 | 6 | 10 | 16 | 21 | 40 |
| **A. NOT OPERATED** | 2645 | 8.2 | 44 | 2 | 3 | 7 | 10 | 15 | 20 | 38 |
| **B. OPERATED** | 6773 | 7.0 | 51 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |
| TOTAL 65-69 YRS | 2199 | 5.8 | 32 | 1 | 2 | 4 | 7 | 11 | 16 | 29 |
| 70-74 | 2244 | 6.7 | 47 | 1 | 2 | 5 | 8 | 13 | 18 | 35 |
| 75-79 | 2052 | 7.5 | 51 | 2 | 2 | 5 | 9 | 15 | 20 | 38 |
| 80-84 | 1481 | 8.4 | 49 | 2 | 2 | 7 | 10 | 16 | 22 | 38 |
| 85+ | 1442 | 9.4 | 71 | 2 | 3 | 7 | 12 | 18 | 24 | 56 |
| **GRAND TOTAL** | **9418** | **7.3** | **50** | **2** | **2** | **5** | **9** | **15** | **20** | **37** |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 8 |
| 70-74 | 13 | 6.1 | 20 | 1 | 1 | 6 | 7 | 13 | 16 | 17 |
| 75-79 | 12 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 80-84 | 13 | 3.5 | 6 | <1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 85+ | 11 | 4.5 | 10 | 2 | 2 | 4 | 5 | 9 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 481 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 70-74 | 425 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 75-79 | 310 | 4.5 | 13 | 1 | 2 | 3 | 6 | 9 | 11 | 18 |
| 80-84 | 191 | 5.0 | 14 | 1 | 2 | 4 | 6 | 10 | 13 | 17 |
| 85+ | 133 | 5.6 | 25 | 1 | 2 | 4 | 7 | 10 | 14 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 5.1 | 28 | 1 | 1 | 4 | 6 | 10 | 13 | 31 |
| 70-74 | 78 | 5.1 | 23 | 1 | 2 | 4 | 6 | 8 | 9 | 33 |
| 75-79 | 71 | 7.4 | 33 | 2 | 3 | 6 | 8 | 16 | 22 | 27 |
| 80-84 | 45 | 6.6 | 23 | 1 | 2 | 5 | 9 | 13 | 19 | 99+ |
| 85+ | 61 | 7.1 | 41 | 1 | 2 | 6 | 9 | 14 | 18 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1246 | 6.0 | 30 | 1 | 2 | 4 | 8 | 12 | 16 | 30 |
| 70-74 | 1239 | 6.9 | 43 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| 75-79 | 1010 | 7.2 | 45 | 2 | 2 | 5 | 9 | 14 | 19 | 31 |
| 80-84 | 658 | 8.8 | 71 | 2 | 2 | 7 | 10 | 17 | 22 | 48 |
| 85+ | 481 | 9.0 | 57 | 2 | 2 | 7 | 12 | 18 | 23 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 4.1 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| B. *Operated* | 1540 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 303 | 6.3 | 30 | 1 | 2 | 5 | 7 | 12 | 18 | 34 |
| B. *Operated* | 4634 | 7.2 | 46 | 2 | 2 | 5 | 9 | 15 | 19 | 33 |
| **1. SINGLE DX** | 1606 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 4937 | 7.1 | 45 | 2 | 2 | 5 | 9 | 14 | 19 | 33 |
| **A. NOT OPERATED** | 369 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 17 | 30 |
| **B. OPERATED** | 6174 | 6.5 | 40 | 1 | 2 | 5 | 8 | 13 | 17 | 31 |
| TOTAL 65-69 YRS | 1792 | 5.5 | 26 | 1 | 2 | 4 | 7 | 11 | 14 | 27 |
| 70-74 | 1755 | 6.1 | 36 | 1 | 2 | 4 | 8 | 12 | 17 | 31 |
| 75-79 | 1403 | 6.6 | 38 | 2 | 2 | 5 | 8 | 13 | 17 | 30 |
| 80-84 | 907 | 7.8 | 59 | 2 | 2 | 6 | 10 | 16 | 21 | 42 |
| 85+ | 686 | 8.1 | 51 | 2 | 2 | 6 | 11 | 16 | 22 | 34 |
| **GRAND TOTAL** | **6543** | **6.5** | **39** | **1** | **2** | **5** | **8** | **13** | **17** | **31** |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 373 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| 70-74 | 357 | 5.3 | 14 | 1 | 2 | 5 | 7 | 10 | 12 | 21 |
| 75-79 | 337 | 5.9 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 80-84 | 298 | 6.5 | 27 | 2 | 2 | 5 | 8 | 12 | 15 | 32 |
| 85+ | 346 | 6.9 | 27 | 2 | 2 | 6 | 9 | 13 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 870 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 70-74 | 773 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 75-79 | 538 | 5.1 | 19 | 1 | 2 | 4 | 6 | 10 | 15 | 23 |
| 80-84 | 323 | 5.7 | 24 | 1 | 2 | 4 | 7 | 12 | 14 | 21 |
| 85+ | 184 | 6.6 | 75 | 1 | 2 | 4 | 7 | 11 | 18 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2816 | 8.1 | 46 | 2 | 3 | 6 | 10 | 15 | 19 | 34 |
| 70-74 | 3605 | 8.7 | 53 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| 75-79 | 4077 | 9.7 | 66 | 2 | 3 | 8 | 12 | 18 | 23 | 44 |
| 80-84 | 4007 | 10.2 | 69 | 3 | 3 | 8 | 13 | 18 | 24 | 47 |
| 85+ | 4660 | 10.5 | 68 | 3 | 4 | 8 | 13 | 19 | 25 | 48 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3095 | 7.8 | 54 | 1 | 2 | 6 | 10 | 16 | 21 | 37 |
| 70-74 | 3181 | 9.1 | 83 | 2 | 2 | 6 | 12 | 19 | 26 | 48 |
| 75-79 | 2815 | 10.1 | 93 | 2 | 2 | 7 | 13 | 21 | 28 | 56 |
| 80-84 | 1949 | 11.7 | 119 | 2 | 3 | 9 | 15 | 24 | 33 | 68 |
| 85+ | 1486 | 12.7 | 115 | 2 | 3 | 10 | 17 | 25 | 33 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1711 | 5.8 | 20 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 2688 | 4.7 | 20 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19165 | 9.6 | 62 | 2 | 3 | 8 | 12 | 18 | 23 | 43 |
| B. *Operated* | 12526 | 9.8 | 90 | 2 | 2 | 7 | 13 | 20 | 27 | 51 |
| **1. SINGLE DX** | 4399 | 5.2 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| **2. MULTIPLE DX** | 31691 | 9.7 | 73 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| **A. NOT OPERATED** | 20876 | 9.3 | 60 | 2 | 3 | 7 | 11 | 17 | 22 | 42 |
| **B. OPERATED** | 15214 | 8.9 | 82 | 2 | 2 | 6 | 11 | 19 | 26 | 49 |
| TOTAL 65-69 YRS | 7154 | 7.3 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 35 |
| 70-74 | 7916 | 8.3 | 62 | 2 | 2 | 6 | 10 | 16 | 22 | 41 |
| 75-79 | 7767 | 9.3 | 72 | 2 | 3 | 7 | 12 | 18 | 24 | 47 |
| 80-84 | 6577 | 10.3 | 82 | 2 | 3 | 8 | 13 | 19 | 27 | 52 |
| 85+ | 6676 | 10.7 | 78 | 2 | 3 | 8 | 13 | 20 | 27 | 51 |
| **GRAND TOTAL** | **36090** | **9.1** | **69** | **2** | **2** | **7** | **11** | **18** | **24** | **45** |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 70-74 | 80 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 75-79 | 44 | 3.9 | 8 | 1 | 2 | 3 | 5 | 9 | 11 | 13 |
| 80-84 | 33 | 2.7 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 85+ | 26 | 4.1 | 16 | <1 | 1 | 2 | 5 | 8 | 15 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5607 | 6.7 | 13 | 2 | 2 | 6 | 8 | 11 | 13 | 19 |
| 70-74 | 4869 | 7.1 | 16 | 2 | 3 | 6 | 9 | 12 | 14 | 21 |
| 75-79 | 3216 | 7.5 | 18 | 2 | 3 | 7 | 9 | 13 | 15 | 21 |
| 80-84 | 1533 | 8.2 | 25 | 2 | 4 | 7 | 10 | 14 | 16 | 27 |
| 85+ | 770 | 9.6 | 33 | 3 | 4 | 8 | 12 | 17 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 435 | 5.6 | 36 | 1 | 1 | 4 | 7 | 11 | 17 | 33 |
| 70-74 | 491 | 6.1 | 42 | 1 | 1 | 4 | 7 | 12 | 17 | 28 |
| 75-79 | 474 | 7.2 | 67 | 1 | 2 | 5 | 9 | 14 | 18 | 36 |
| 80-84 | 346 | 8.2 | 68 | 1 | 2 | 6 | 10 | 19 | 32 | 99+ |
| 85+ | 384 | 9.3 | 85 | 1 | 2 | 7 | 12 | 18 | 26 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 10261 | 8.8 | 35 | 2 | 3 | 8 | 11 | 16 | 19 | 31 |
| 70-74 | 10121 | 9.8 | 46 | 2 | 4 | 8 | 12 | 17 | 22 | 35 |
| 75-79 | 7751 | 10.8 | 60 | 3 | 4 | 9 | 13 | 19 | 25 | 40 |
| 80-84 | 4503 | 12.4 | 82 | 4 | 5 | 10 | 15 | 22 | 29 | 51 |
| 85+ | 2680 | 13.9 | 84 | 4 | 6 | 11 | 17 | 26 | 32 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 3.7 | 9 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| B. *Operated* | 15995 | 7.3 | 17 | 2 | 3 | 7 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2130 | 7.1 | 60 | 1 | 1 | 5 | 9 | 15 | 21 | 43 |
| B. *Operated* | 35316 | 10.4 | 55 | 3 | 4 | 8 | 13 | 19 | 24 | 39 |
| **1. SINGLE DX** | 16240 | 7.2 | 17 | 2 | 3 | 6 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | 37446 | 10.2 | 56 | 2 | 4 | 8 | 13 | 19 | 24 | 39 |
| **A. NOT OPERATED** | 2375 | 6.8 | 56 | 1 | 1 | 5 | 8 | 14 | 20 | 41 |
| **B. OPERATED** | 51311 | 9.4 | 46 | 2 | 4 | 8 | 11 | 17 | 21 | 35 |
| TOTAL 65-69 YRS | 16365 | 8.0 | 28 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| 70-74 | 15561 | 8.8 | 38 | 2 | 3 | 7 | 11 | 16 | 20 | 32 |
| 75-79 | 11485 | 9.7 | 51 | 2 | 4 | 8 | 12 | 17 | 23 | 37 |
| 80-84 | 6415 | 11.1 | 71 | 3 | 4 | 9 | 14 | 20 | 26 | 45 |
| 85+ | 3860 | 12.5 | 78 | 3 | 4 | 10 | 16 | 23 | 29 | 48 |
| **GRAND TOTAL** | **53686** | **9.3** | **46** | **2** | **3** | **8** | **11** | **17** | **21** | **35** |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 70-74 | 40 | 4.7 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 10 |
| 75-79 | 28 | 5.0 | 7 | 1 | 2 | 5 | 6 | 10 | 10 | 11 |
| 80-84 | 15 | 4.1 | 5 | 1 | 2 | 3 | 5 | 8 | 9 | 9 |
| 85+ | 10 | 5.1 | 8 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 137 | 3.9 | 15 | 1 | 1 | 2 | 5 | 8 | 11 | 22 |
| 70-74 | 116 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| 75-79 | 72 | 5.0 | 22 | 1 | 1 | 4 | 6 | 11 | 15 | 24 |
| 80-84 | 33 | 6.3 | 19 | 1 | 2 | 6 | 8 | 14 | 16 | 18 |
| 85+ | 12 | 9.8 | 173 | 3 | 3 | 5 | 10 | 25 | 46 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 261 | 6.3 | 20 | 2 | 3 | 5 | 7 | 11 | 15 | 24 |
| 70-74 | 168 | 5.9 | 11 | 2 | 3 | 5 | 7 | 10 | 13 | 19 |
| 75-79 | 134 | 6.4 | 25 | 2 | 2 | 5 | 8 | 12 | 17 | 27 |
| 80-84 | 69 | 7.4 | 24 | 2 | 3 | 6 | 9 | 12 | 17 | 31 |
| 85+ | 67 | 6.9 | 29 | 2 | 2 | 6 | 7 | 11 | 17 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 495 | 6.7 | 41 | 2 | 2 | 5 | 8 | 13 | 16 | 32 |
| 70-74 | 395 | 7.6 | 46 | 1 | 2 | 6 | 9 | 15 | 21 | 35 |
| 75-79 | 307 | 7.7 | 34 | 2 | 2 | 7 | 10 | 14 | 16 | 37 |
| 80-84 | 155 | 9.9 | 76 | 2 | 3 | 7 | 12 | 20 | 26 | 51 |
| 85+ | 82 | 12.1 | 111 | 3 | 4 | 9 | 16 | 23 | 29 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 4.3 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| B. *Operated* | 370 | 4.6 | 22 | 1 | 1 | 3 | 6 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 699 | 6.4 | 20 | 2 | 3 | 5 | 7 | 11 | 14 | 24 |
| B. *Operated* | 1434 | 7.8 | 51 | 2 | 2 | 6 | 10 | 15 | 20 | 39 |
| **1. SINGLE DX** | 530 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 11 | 22 |
| **2. MULTIPLE DX** | 2133 | 7.3 | 41 | 2 | 2 | 6 | 9 | 14 | 18 | 35 |
| **A. NOT OPERATED** | 859 | 6.0 | 18 | 2 | 2 | 5 | 7 | 10 | 14 | 22 |
| **B. OPERATED** | 1804 | 7.1 | 46 | 1 | 2 | 5 | 9 | 14 | 19 | 36 |
| TOTAL 65-69 YRS | 960 | 6.0 | 30 | 1 | 2 | 5 | 7 | 11 | 14 | 26 |
| 70-74 | 719 | 6.5 | 32 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| 75-79 | 541 | 6.9 | 30 | 2 | 2 | 6 | 8 | 13 | 16 | 30 |
| 80-84 | 272 | 8.5 | 55 | 2 | 3 | 6 | 10 | 17 | 22 | 41 |
| 85+ | 171 | 9.5 | 83 | 2 | 3 | 7 | 11 | 17 | 25 | 47 |
| **GRAND TOTAL** | **2663** | **6.8** | **38** | **2** | **2** | **5** | **8** | **13** | **17** | **32** |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 3 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 322 | 3.8 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 70-74 | 190 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 75-79 | 108 | 4.0 | 4 | 2 | 2 | 3 | 5 | 7 | 7 | 11 |
| 80-84 | 35 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 85+ | 20 | 5.0 | 7 | 2 | 3 | 5 | 6 | 6 | 11 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 7.4 | 88 | 2 | 2 | 6 | 6 | 14 | 33 | 38 |
| 70-74 | 12 | 2.8 | 5 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 75-79 | 13 | 5.2 | 26 | <1 | 1 | 3 | 8 | 11 | 18 | 19 |
| 80-84 | 5 | 6.6 | 26 | 2 | 2 | 6 | 9 | 15 | 15 | 15 |
| 85+ | 5 | 9.4 | 28 | 3 | 3 | 10 | 12 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 380 | 5.6 | 16 | 2 | 2 | 4 | 6 | 11 | 13 | 20 |
| 70-74 | 281 | 6.2 | 24 | 2 | 3 | 5 | 8 | 12 | 15 | 26 |
| 75-79 | 172 | 7.7 | 72 | 2 | 3 | 5 | 9 | 15 | 20 | 28 |
| 80-84 | 73 | 6.8 | 21 | 2 | 3 | 5 | 9 | 14 | 17 | 19 |
| 85+ | 35 | 9.8 | 50 | 2 | 3 | 9 | 12 | 15 | 17 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 2.6 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 675 | 3.9 | 6 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 5.8 | 39 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| B. *Operated* | 941 | 6.4 | 31 | 2 | 3 | 5 | 8 | 13 | 16 | 26 |
| **1. SINGLE DX** | 680 | 3.9 | 6 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 989 | 6.4 | 32 | 2 | 2 | 5 | 8 | 13 | 16 | 26 |
| **A. NOT OPERATED** | 53 | 5.5 | 37 | 1 | 1 | 4 | 6 | 10 | 17 | 37 |
| **B. OPERATED** | 1616 | 5.4 | 22 | 2 | 2 | 4 | 6 | 10 | 13 | 22 |
| TOTAL 65-69 YRS | 715 | 4.8 | 15 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |
| 70-74 | 486 | 5.2 | 17 | 2 | 2 | 4 | 6 | 9 | 13 | 24 |
| 75-79 | 294 | 6.2 | 48 | 2 | 2 | 4 | 7 | 12 | 16 | 27 |
| 80-84 | 114 | 6.1 | 17 | 2 | 2 | 5 | 8 | 12 | 15 | 19 |
| 85+ | 60 | 8.2 | 38 | 2 | 3 | 6 | 11 | 15 | 16 | 40 |
| **GRAND TOTAL** | **1669** | **5.4** | **22** | **2** | **2** | **4** | **6** | **10** | **13** | **22** |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 6.1 | 7 | 3 | 3 | 6 | 8 | 9 | 10 | 15 |
| 70-74 | 72 | 5.8 | 10 | 2 | 3 | 6 | 7 | 10 | 11 | 17 |
| 75-79 | 58 | 6.5 | 12 | 2 | 3 | 6 | 7 | 12 | 14 | 19 |
| 80-84 | 23 | 5.8 | 6 | 2 | 3 | 5 | 7 | 10 | 11 | 11 |
| 85+ | 12 | 6.3 | 15 | 2 | 2 | 5 | 8 | 13 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 63 | 5.9 | 15 | 2 | 3 | 5 | 7 | 12 | 14 | 20 |
| 70-74 | 47 | 7.0 | 39 | 2 | 2 | 5 | 7 | 17 | 19 | 26 |
| 75-79 | 32 | 6.3 | 31 | 2 | 2 | 4 | 7 | 14 | 19 | 28 |
| 80-84 | 14 | 7.4 | 14 | 3 | 4 | 6 | 10 | 14 | 14 | 14 |
| 85+ | 4 | 10.0 | 145 | 3 | 3 | 4 | 16 | 28 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 229 | 7.8 | 25 | 3 | 4 | 7 | 9 | 12 | 16 | 27 |
| 70-74 | 189 | 7.8 | 20 | 3 | 4 | 7 | 10 | 13 | 16 | 24 |
| 75-79 | 144 | 8.1 | 24 | 3 | 3 | 7 | 10 | 15 | 18 | 26 |
| 80-84 | 66 | 8.8 | 39 | 3 | 3 | 8 | 10 | 14 | 18 | 40 |
| 85+ | 54 | 10.4 | 39 | 4 | 5 | 8 | 13 | 21 | 24 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 147 | 8.8 | 37 | 2 | 3 | 8 | 11 | 17 | 20 | 27 |
| 70-74 | 158 | 9.2 | 39 | 2 | 3 | 8 | 13 | 17 | 20 | 26 |
| 75-79 | 88 | 10.9 | 67 | 3 | 3 | 8 | 15 | 19 | 28 | 45 |
| 80-84 | 61 | 11.8 | 89 | 2 | 3 | 9 | 14 | 26 | 34 | 42 |
| 85+ | 36 | 12.8 | 57 | 3 | 4 | 11 | 20 | 22 | 27 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 282 | 6.1 | 9 | 2 | 3 | 6 | 7 | 10 | 12 | 17 |
| B. *Operated* | 160 | 6.5 | 28 | 2 | 2 | 5 | 8 | 14 | 17 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 682 | 8.2 | 26 | 3 | 4 | 7 | 10 | 14 | 17 | 27 |
| B. *Operated* | 490 | 10.0 | 52 | 2 | 3 | 8 | 13 | 19 | 24 | 37 |
| **1. SINGLE DX** | 442 | 6.3 | 16 | 2 | 3 | 5 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 1172 | 8.9 | 38 | 3 | 3 | 7 | 11 | 16 | 21 | 31 |
| **A. NOT OPERATED** | 964 | 7.6 | 22 | 3 | 3 | 7 | 9 | 13 | 16 | 26 |
| **B. OPERATED** | 650 | 9.1 | 48 | 2 | 3 | 7 | 12 | 18 | 22 | 34 |
| TOTAL 65-69 YRS | 556 | 7.5 | 24 | 2 | 3 | 6 | 9 | 13 | 17 | 26 |
| 70-74 | 466 | 7.9 | 28 | 2 | 3 | 6 | 10 | 15 | 17 | 26 |
| 75-79 | 322 | 8.4 | 37 | 2 | 3 | 7 | 11 | 16 | 19 | 30 |
| 80-84 | 164 | 9.4 | 55 | 3 | 3 | 7 | 12 | 17 | 26 | 42 |
| 85+ | 106 | 10.7 | 48 | 3 | 4 | 9 | 14 | 22 | 26 | 29 |
| **GRAND TOTAL** | **1614** | **8.2** | **33** | **2** | **3** | **7** | **10** | **15** | **19** | **29** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 32 | 2.7 | 6 | 1 | 1 | 2 | 3 | 4 | 7 | 15 |
| 70-74 | 20 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 18 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 80-84 | 9 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 85+ | 5 | 3.2 | 8 | <1 | <1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 94 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 70-74 | 66 | 2.3 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 75-79 | 35 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 80-84 | 30 | 2.7 | 1 | 1 | 2 | 2 | 3 | 5 | 5 | 5 |
| 85+ | 19 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 49 | 3.3 | 13 | 1 | 1 | 3 | 3 | 5 | 8 | 25 |
| 70-74 | 35 | 3.6 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 75-79 | 20 | 4.3 | 37 | 1 | 1 | 3 | 4 | 7 | 18 | 29 |
| 80-84 | 17 | 3.2 | 6 | 1 | 1 | 3 | 3 | 5 | 10 | 12 |
| 85+ | 13 | 6.3 | 41 | 2 | 2 | 3 | 8 | 17 | 19 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 216 | 4.4 | 26 | 1 | 2 | 3 | 5 | 9 | 13 | 35 |
| 70-74 | 189 | 4.6 | 17 | 1 | 2 | 3 | 6 | 10 | 13 | 23 |
| 75-79 | 128 | 5.0 | 20 | 1 | 2 | 3 | 6 | 12 | 14 | 23 |
| 80-84 | 86 | 6.8 | 36 | 2 | 2 | 5 | 9 | 14 | 22 | 28 |
| 85+ | 69 | 7.7 | 57 | 2 | 2 | 5 | 10 | 18 | 22 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| B. *Operated* | 244 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 134 | 3.8 | 17 | 1 | 1 | 3 | 4 | 6 | 11 | 26 |
| B. *Operated* | 688 | 5.2 | 28 | 1 | 2 | 3 | 6 | 11 | 15 | 27 |
| **1. SINGLE DX** | 328 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 822 | 5.0 | 26 | 1 | 2 | 3 | 6 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 218 | 3.3 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 22 |
| **B. OPERATED** | 932 | 4.5 | 22 | 1 | 2 | 3 | 5 | 9 | 14 | 25 |
| TOTAL 65-69 YRS | 391 | 3.6 | 18 | 1 | 1 | 2 | 3 | 7 | 10 | 25 |
| 70-74 | 310 | 3.9 | 12 | 1 | 2 | 3 | 4 | 8 | 11 | 18 |
| 75-79 | 201 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 13 | 23 |
| 80-84 | 142 | 5.3 | 27 | 1 | 2 | 3 | 6 | 11 | 18 | 24 |
| 85+ | 106 | 6.4 | 46 | 2 | 2 | 3 | 8 | 16 | 20 | 35 |
| **GRAND TOTAL** | **1150** | **4.2** | **21** | **1** | **1** | **3** | **5** | **9** | **13** | **25** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 28 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 70-74 | 18 | 4.2 | 14 | 1 | 1 | 3 | 5 | 8 | 13 | 16 |
| 75-79 | 15 | 4.7 | 26 | 1 | 1 | 3 | 6 | 8 | 18 | 21 |
| 80-84 | 10 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 9 | 9 |
| 85+ | 4 | 8.3 | 12 | 5 | 5 | 7 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 255 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 70-74 | 154 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| 75-79 | 69 | 4.4 | 34 | 1 | 2 | 3 | 5 | 7 | 11 | 38 |
| 80-84 | 29 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 10 | 12 |
| 85+ | 13 | 5.4 | 18 | 1 | 1 | 5 | 7 | 10 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 5.7 | 22 | 1 | 1 | 4 | 7 | 12 | 13 | 23 |
| 70-74 | 56 | 5.3 | 28 | 1 | 1 | 3 | 7 | 10 | 15 | 31 |
| 75-79 | 46 | 7.4 | 37 | 1 | 1 | 6 | 11 | 15 | 18 | 33 |
| 80-84 | 36 | 9.5 | 98 | 1 | 2 | 6 | 11 | 23 | 33 | 46 |
| 85+ | 32 | 9.9 | 77 | 2 | 2 | 6 | 13 | 28 | 30 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 482 | 6.1 | 47 | 2 | 2 | 4 | 7 | 12 | 17 | 37 |
| 70-74 | 284 | 6.6 | 49 | 2 | 2 | 4 | 8 | 13 | 21 | 41 |
| 75-79 | 183 | 8.9 | 110 | 2 | 2 | 6 | 9 | 19 | 29 | 53 |
| 80-84 | 85 | 12.7 | 233 | 2 | 2 | 8 | 15 | 27 | 37 | 82 |
| 85+ | 60 | 10.5 | 98 | 2 | 2 | 7 | 15 | 24 | 33 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 9 | 20 |
| B. *Operated* | 520 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 232 | 7.1 | 48 | 1 | 2 | 5 | 9 | 14 | 21 | 33 |
| B. *Operated* | 1094 | 7.5 | 79 | 2 | 2 | 5 | 8 | 16 | 25 | 52 |
| **1. SINGLE DX** | 595 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | 1326 | 7.4 | 74 | 2 | 2 | 5 | 8 | 15 | 24 | 47 |
| **A. NOT OPERATED** | 307 | 6.4 | 41 | 1 | 1 | 5 | 8 | 13 | 19 | 33 |
| **B. OPERATED** | 1614 | 6.4 | 60 | 2 | 2 | 4 | 7 | 13 | 19 | 42 |
| TOTAL 65-69 YRS | 827 | 5.3 | 33 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| 70-74 | 512 | 5.5 | 34 | 1 | 2 | 4 | 6 | 10 | 15 | 37 |
| 75-79 | 313 | 7.5 | 81 | 1 | 2 | 5 | 9 | 15 | 21 | 51 |
| 80-84 | 160 | 9.9 | 159 | 1 | 2 | 6 | 12 | 23 | 33 | 78 |
| 85+ | 109 | 9.6 | 80 | 2 | 2 | 6 | 13 | 21 | 30 | 44 |
| **GRAND TOTAL** | **1921** | **6.4** | **57** | **1** | **2** | **4** | **7** | **13** | **19** | **40** |

## 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 75-79 | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 80-84 | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 85+ | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 816 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| 70-74 | 511 | 2.8 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 75-79 | 262 | 2.8 | 2 | 1 | 2 | 2 | 3 | 4 | 6 | 8 |
| 80-84 | 121 | 3.1 | 4 | 1 | 2 | 2 | 4 | 5 | 7 | 13 |
| 85+ | 37 | 3.7 | 8 | 1 | 2 | 2 | 4 | 9 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 3.1 | 5 | <1 | <1 | 3 | 4 | 5 | 8 | 10 |
| 70-74 | 12 | 4.5 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| 75-79 | 6 | 5.8 | 14 | 2 | 2 | 5 | 9 | 11 | 11 | 11 |
| 80-84 | 3 | 8.0 | 31 | 2 | 2 | 9 | 12 | 13 | 13 | 13 |
| 85+ | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 725 | 4.1 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 70-74 | 506 | 4.5 | 14 | 2 | 2 | 3 | 5 | 9 | 12 | 21 |
| 75-79 | 289 | 5.1 | 26 | 2 | 2 | 3 | 6 | 10 | 13 | 36 |
| 80-84 | 113 | 5.6 | 69 | 2 | 2 | 4 | 6 | 10 | 13 | 49 |
| 85+ | 76 | 6.9 | 108 | 2 | 2 | 4 | 8 | 12 | 16 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| B. *Operated* | 1747 | 2.7 | 3 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 4.3 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 13 |
| B. *Operated* | 1709 | 4.6 | 24 | 2 | 2 | 3 | 5 | 9 | 11 | 23 |
| **1. SINGLE DX** | 1762 | 2.7 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 1752 | 4.6 | 23 | 2 | 2 | 3 | 5 | 9 | 11 | 23 |
| **A. NOT OPERATED** | 58 | 3.9 | 9 | <1 | 1 | 3 | 5 | 9 | 10 | 13 |
| **B. OPERATED** | 3456 | 3.7 | 14 | 1 | 2 | 3 | 4 | 7 | 9 | 18 |
| TOTAL 65-69 YRS | 1566 | 3.3 | 8 | 1 | 2 | 2 | 4 | 6 | 8 | 15 |
| 70-74 | 1032 | 3.6 | 10 | 1 | 2 | 3 | 4 | 7 | 9 | 17 |
| 75-79 | 560 | 4.0 | 16 | 2 | 2 | 3 | 4 | 7 | 10 | 26 |
| 80-84 | 239 | 4.3 | 36 | 1 | 2 | 3 | 4 | 8 | 11 | 21 |
| 85+ | 117 | 5.8 | 75 | 2 | 2 | 3 | 7 | 10 | 14 | 49 |
| **GRAND TOTAL** | **3514** | **3.7** | **14** | **1** | **2** | **3** | **4** | **7** | **9** | **18** |

## 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 4.4 | 13 | 1 | 1 | 3 | 6 | 10 | 12 | 13 |
| 70-74 | 7 | 3.1 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 75-79 | 13 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 80-84 | 5 | 4.0 | 2 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 85+ | 5 | 4.8 | 6 | 1 | 1 | 6 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 343 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 70-74 | 276 | 3.0 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 75-79 | 154 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 80-84 | 55 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 85+ | 29 | 3.9 | 7 | 2 | 2 | 3 | 5 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 4.3 | 13 | <1 | 1 | 3 | 7 | 9 | 11 | 16 |
| 70-74 | 53 | 4.6 | 13 | <1 | 1 | 4 | 7 | 10 | 12 | 15 |
| 75-79 | 35 | 5.2 | 29 | 1 | 1 | 3 | 7 | 11 | 17 | 26 |
| 80-84 | 30 | 6.1 | 14 | <1 | 1 | 6 | 8 | 10 | 14 | 15 |
| 85+ | 14 | 6.6 | 26 | 2 | 2 | 6 | 9 | 11 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 395 | 4.6 | 18 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| 70-74 | 281 | 4.6 | 17 | 2 | 2 | 3 | 5 | 9 | 14 | 25 |
| 75-79 | 169 | 6.1 | 40 | 2 | 2 | 4 | 7 | 14 | 18 | 28 |
| 80-84 | 83 | 6.4 | 32 | 2 | 2 | 4 | 9 | 13 | 18 | 28 |
| 85+ | 59 | 6.5 | 29 | 2 | 2 | 5 | 8 | 14 | 18 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 47 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 857 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 182 | 5.0 | 17 | <1 | 1 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 987 | 5.1 | 24 | 2 | 2 | 3 | 6 | 10 | 15 | 26 |
| **1. SINGLE DX** | 904 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 1169 | 5.1 | 23 | 1 | 2 | 4 | 6 | 10 | 15 | 26 |
| **A. NOT OPERATED** | 229 | 4.8 | 15 | <1 | 1 | 4 | 7 | 10 | 12 | 19 |
| **B. OPERATED** | 1844 | 4.2 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| TOTAL 65-69 YRS | 805 | 3.9 | 12 | 1 | 2 | 3 | 5 | 8 | 10 | 16 |
| 70-74 | 617 | 3.9 | 12 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 75-79 | 371 | 4.7 | 25 | 1 | 1 | 3 | 5 | 9 | 15 | 26 |
| 80-84 | 173 | 5.3 | 22 | 1 | 2 | 4 | 7 | 10 | 15 | 27 |
| 85+ | 107 | 5.7 | 22 | 2 | 2 | 4 | 8 | 10 | 15 | 25 |
| **GRAND TOTAL** | **2073** | **4.3** | **16** | **1** | **2** | **3** | **5** | **8** | **11** | **20** |

### 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 70-74 | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 53 | 8.1 | 18 | 2 | 4 | 7 | 9 | 14 | 18 | 23 |
| 70-74 | 46 | 10.0 | 13 | 5 | 5 | 9 | 12 | 15 | 17 | 20 |
| 75-79 | 19 | 9.5 | 14 | 6 | 6 | 9 | 10 | 16 | 19 | 19 |
| 80-84 | 11 | 11.7 | 29 | 2 | 5 | 11 | 16 | 19 | 20 | 20 |
| 85+ | 4 | 15.0 | 74 | 5 | 5 | 14 | 20 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 4.1 | 4 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 70-74 | 7 | 4.4 | 15 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 75-79 | 4 | 6.3 | 23 | 1 | 1 | 6 | 10 | 12 | 12 | 12 |
| 80-84 | 6 | 5.5 | 3 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 85+ | 11 | 7.8 | 38 | 2 | 3 | 6 | 9 | 16 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 106 | 10.5 | 23 | 5 | 6 | 9 | 14 | 18 | 20 | 59 |
| 70-74 | 111 | 11.9 | 68 | 6 | 6 | 9 | 14 | 20 | 28 | 52 |
| 75-79 | 60 | 13.0 | 57 | 5 | 6 | 10 | 16 | 25 | 27 | 43 |
| 80-84 | 41 | 16.0 | 103 | 7 | 8 | 13 | 18 | 27 | 35 | 60 |
| 85+ | 22 | 19.9 | 183 | 7 | 7 | 14 | 34 | 40 | 45 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | 133 | 9.5 | 19 | 4 | 5 | 9 | 11 | 15 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 5.8 | 19 | 1 | 1 | 5 | 8 | 10 | 12 | 25 |
| B. *Operated* | 340 | 12.7 | 69 | 6 | 6 | 10 | 15 | 22 | 29 | 52 |
| **1. SINGLE DX** | 141 | 9.1 | 20 | 3 | 5 | 8 | 11 | 15 | 18 | 23 |
| **2. MULTIPLE DX** | 375 | 12.0 | 68 | 4 | 6 | 9 | 14 | 21 | 28 | 49 |
| **A. NOT OPERATED** | 43 | 5.4 | 17 | 1 | 2 | 5 | 7 | 9 | 11 | 25 |
| **B. OPERATED** | 473 | 11.8 | 57 | 5 | 6 | 9 | 14 | 20 | 26 | 44 |
| TOTAL 65-69 YRS | 169 | 9.4 | 23 | 3 | 5 | 8 | 11 | 17 | 20 | 27 |
| 70-74 | 166 | 11.0 | 53 | 5 | 6 | 9 | 13 | 17 | 24 | 42 |
| 75-79 | 83 | 11.8 | 49 | 5 | 6 | 9 | 14 | 22 | 25 | 40 |
| 80-84 | 60 | 13.7 | 90 | 3 | 5 | 11 | 16 | 26 | 30 | 58 |
| 85+ | 38 | 15.4 | 154 | 3 | 4 | 11 | 20 | 38 | 40 | 51 |
| **GRAND TOTAL** | **516** | **11.2** | **57** | **4** | **5** | **9** | **14** | **19** | **25** | **44** |

### 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 5.4 | 10 | 3 | 3 | 5 | 7 | 11 | 11 | 11 |
| 70-74 | 6 | 5.8 | 9 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 75-79 | 4 | 4.5 | 3 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 6 | 11.0 | 130 | <1 | <1 | 5 | 20 | 29 | 30 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 7.3 | 25 | 1 | 2 | 7 | 9 | 15 | 19 | 20 |
| 70-74 | 11 | 9.2 | 27 | 3 | 3 | 8 | 11 | 18 | 20 | 20 |
| 75-79 | 12 | 9.8 | 62 | 1 | 2 | 8 | 13 | 22 | 27 | 28 |
| 80-84 | 3 | 7.3 | 24 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| 85+ | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 31 | 7.1 | 16 | 2 | 3 | 6 | 8 | 13 | 15 | 19 |
| 70-74 | 24 | 8.7 | 34 | 2 | 3 | 7 | 12 | 18 | 21 | 22 |
| 75-79 | 15 | 8.9 | 23 | 3 | 4 | 8 | 12 | 17 | 19 | 20 |
| 80-84 | 10 | 9.7 | 29 | 3 | 3 | 9 | 12 | 18 | 19 | 19 |
| 85+ | 10 | 8.5 | 30 | 3 | 3 | 7 | 11 | 17 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 96 | 12.9 | 89 | 3 | 5 | 10 | 16 | 26 | 33 | 45 |
| 70-74 | 57 | 19.5 | 280 | 4 | 5 | 15 | 27 | 41 | 63 | 73 |
| 75-79 | 44 | 15.1 | 101 | 2 | 6 | 12 | 21 | 35 | 38 | 99+ |
| 80-84 | 15 | 27.1 | 124 | 6 | 17 | 28 | 30 | 40 | 48 | 51 |
| 85+ | 12 | 14.1 | 327 | <1 | 1 | 7 | 17 | 42 | 60 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 6.7 | 37 | 2 | 3 | 5 | 7 | 11 | 22 | 30 |
| B. *Operated* | 55 | 8.1 | 33 | 1 | 2 | 7 | 11 | 16 | 20 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 8.3 | 25 | 3 | 3 | 7 | 11 | 16 | 19 | 21 |
| B. *Operated* | 224 | 16.0 | 167 | 3 | 5 | 12 | 22 | 34 | 42 | 68 |
| **1. SINGLE DX** | 81 | 7.6 | 34 | 1 | 2 | 6 | 9 | 16 | 20 | 29 |
| **2. MULTIPLE DX** | 314 | 13.8 | 139 | 3 | 4 | 10 | 18 | 30 | 37 | 65 |
| **A. NOT OPERATED** | 116 | 7.9 | 28 | 2 | 3 | 7 | 11 | 16 | 19 | 25 |
| **B. OPERATED** | 279 | 14.5 | 151 | 2 | 3 | 10 | 19 | 31 | 39 | 66 |
| TOTAL 65-69 YRS | 163 | 10.5 | 68 | 2 | 3 | 8 | 13 | 21 | 30 | 43 |
| 70-74 | 98 | 14.9 | 204 | 3 | 3 | 10 | 19 | 33 | 44 | 70 |
| 75-79 | 75 | 12.4 | 84 | 2 | 3 | 10 | 16 | 28 | 36 | 85 |
| 80-84 | 29 | 18.3 | 158 | 3 | 4 | 17 | 28 | 34 | 41 | 51 |
| 85+ | 30 | 10.9 | 166 | <1 | 2 | 6 | 11 | 27 | 33 | 63 |
| **GRAND TOTAL** | **395** | **12.5** | **123** | **2** | **3** | **9** | **16** | **28** | **35** | **64** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 4.6 | 21 | <1 | <1 | 2 | 7 | 13 | 13 | 13 |
| 70-74 | 8 | 3.3 | 4 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 78 | 8.9 | 34 | 3 | 5 | 8 | 9 | 15 | 19 | 39 |
| 70-74 | 46 | 9.1 | 14 | 3 | 6 | 8 | 10 | 15 | 17 | 22 |
| 75-79 | 22 | 11.6 | 122 | 2 | 2 | 7 | 14 | 32 | 37 | 41 |
| 80-84 | 6 | 10.5 | 26 | 5 | 5 | 9 | 14 | 18 | 19 | 19 |
| 85+ | 9 | 5.7 | 15 | 2 | 2 | 5 | 6 | 12 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 21 | 4.2 | 14 | <1 | 1 | 2 | 6 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 161 | 9.2 | 40 | 2 | 4 | 8 | 10 | 16 | 20 | 40 |
| **1. SINGLE DX** | 21 | 4.2 | 14 | <1 | 1 | 2 | 6 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | 164 | 9.1 | 39 | 2 | 4 | 8 | 10 | 16 | 20 | 40 |
| **A. NOT OPERATED** | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| **B. OPERATED** | 182 | 8.6 | 39 | 2 | 2 | 8 | 10 | 15 | 19 | 39 |
| TOTAL 65-69 YRS | 89 | 8.4 | 34 | 2 | 2 | 8 | 9 | 14 | 18 | 36 |
| 70-74 | 56 | 8.1 | 17 | 2 | 2 | 8 | 10 | 11 | 16 | 22 |
| 75-79 | 22 | 11.6 | 122 | 2 | 2 | 7 | 14 | 32 | 37 | 41 |
| 80-84 | 7 | 9.6 | 28 | 4 | 4 | 8 | 13 | 18 | 19 | 19 |
| 85+ | 11 | 5.7 | 15 | 2 | 2 | 5 | 7 | 12 | 15 | 15 |
| **GRAND TOTAL** | **185** | **8.6** | **39** | **2** | **2** | **8** | **10** | **15** | **19** | **39** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 54 | 2.4 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 70-74 | 23 | 3.3 | 8 | <1 | 1 | 2 | 4 | 7 | 10 | 13 |
| 75-79 | 10 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 6.8 | 8 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| 70-74 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 75-79 | 3 | 8.0 | 3 | 7 | 7 | 7 | 9 | 10 | 10 | 10 |
| 80-84 | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 156 | 5.5 | 22 | 1 | 2 | 4 | 8 | 11 | 13 | 25 |
| 70-74 | 106 | 5.5 | 19 | 1 | 2 | 3 | 8 | 12 | 14 | 21 |
| 75-79 | 59 | 6.1 | 17 | 2 | 2 | 5 | 8 | 12 | 15 | 20 |
| 80-84 | 28 | 6.3 | 31 | 2 | 2 | 4 | 8 | 11 | 21 | 26 |
| 85+ | 16 | 10.8 | 154 | 2 | 2 | 6 | 12 | 30 | 43 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 89 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 6.7 | 8 | <1 | 2 | 7 | 8 | 10 | 10 | 10 |
| B. *Operated* | 365 | 5.9 | 28 | 2 | 2 | 4 | 8 | 11 | 15 | 26 |
| **1. SINGLE DX** | 89 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | 375 | 5.9 | 27 | 2 | 2 | 4 | 8 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 10 | 6.7 | 8 | <1 | 2 | 7 | 8 | 10 | 10 | 10 |
| **B. OPERATED** | 454 | 5.3 | 25 | 1 | 2 | 3 | 8 | 11 | 14 | 26 |
| TOTAL 65-69 YRS | 214 | 4.7 | 19 | 1 | 2 | 3 | 7 | 10 | 12 | 20 |
| 70-74 | 130 | 5.1 | 18 | 1 | 2 | 3 | 8 | 11 | 13 | 21 |
| 75-79 | 72 | 5.7 | 16 | 2 | 2 | 5 | 8 | 10 | 15 | 19 |
| 80-84 | 31 | 6.2 | 29 | 2 | 2 | 4 | 8 | 11 | 20 | 26 |
| 85+ | 17 | 10.5 | 145 | 2 | 2 | 7 | 10 | 28 | 42 | 48 |
| **GRAND TOTAL** | **464** | **5.3** | **24** | **1** | **2** | **3** | **8** | **10** | **14** | **25** |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 5.7 | 17 | 1 | 1 | 5 | 6 | 12 | 14 | 14 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 5 | 6.8 | 14 | 1 | 1 | 8 | 9 | 11 | 11 | 11 |
| 80-84 | 4 | 20.0 | 731 | 3 | 3 | 8 | 36 | 60 | 60 | 60 |
| 85+ | 12 | 4.9 | 5 | 1 | 2 | 6 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 57 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 70-74 | 35 | 3.2 | 4 | <1 | 1 | 3 | 4 | 7 | 7 | 9 |
| 75-79 | 22 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 80-84 | 12 | 4.2 | 6 | 2 | 2 | 4 | 5 | 8 | 10 | 10 |
| 85+ | 11 | 4.6 | 15 | 2 | 2 | 3 | 6 | 11 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 38 | 7.8 | 29 | 1 | 2 | 7 | 11 | 16 | 18 | 25 |
| 70-74 | 26 | 9.0 | 30 | 2 | 3 | 7 | 14 | 17 | 18 | 21 |
| 75-79 | 32 | 7.2 | 17 | 1 | 2 | 7 | 10 | 13 | 15 | 16 |
| 80-84 | 23 | 10.3 | 47 | 3 | 4 | 8 | 12 | 22 | 28 | 29 |
| 85+ | 36 | 9.2 | 25 | 2 | 3 | 9 | 12 | 17 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 80 | 7.7 | 73 | 1 | 2 | 6 | 10 | 13 | 24 | 51 |
| 70-74 | 73 | 5.9 | 32 | 1 | 2 | 4 | 9 | 11 | 19 | 29 |
| 75-79 | 49 | 6.9 | 61 | 1 | 2 | 5 | 7 | 14 | 28 | 37 |
| 80-84 | 30 | 9.7 | 66 | 2 | 3 | 7 | 13 | 22 | 28 | 34 |
| 85+ | 23 | 8.6 | 45 | 1 | 2 | 8 | 13 | 21 | 47 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 7.4 | 113 | 1 | 1 | 6 | 8 | 12 | 16 | 60 |
| B. *Operated* | 137 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 155 | 8.6 | 29 | 2 | 3 | 7 | 12 | 16 | 19 | 27 |
| B. *Operated* | 255 | 7.3 | 56 | 1 | 2 | 5 | 10 | 15 | 24 | 40 |
| **1. SINGLE DX** | 166 | 4.0 | 27 | 1 | 1 | 3 | 5 | 8 | 9 | 17 |
| **2. MULTIPLE DX** | 410 | 7.8 | 46 | 2 | 2 | 6 | 10 | 16 | 21 | 35 |
| **A. NOT OPERATED** | 184 | 8.4 | 42 | 2 | 2 | 7 | 11 | 15 | 19 | 28 |
| **B. OPERATED** | 392 | 5.9 | 42 | 1 | 2 | 3 | 7 | 12 | 20 | 36 |
| TOTAL 65-69 YRS | 182 | 6.2 | 45 | 1 | 2 | 4 | 8 | 12 | 17 | 37 |
| 70-74 | 135 | 5.8 | 27 | 1 | 2 | 4 | 7 | 13 | 17 | 25 |
| 75-79 | 108 | 6.1 | 36 | 1 | 1 | 5 | 8 | 13 | 15 | 35 |
| 80-84 | 69 | 9.5 | 88 | 2 | 2 | 7 | 11 | 21 | 28 | 55 |
| 85+ | 82 | 7.8 | 29 | 2 | 2 | 7 | 10 | 16 | 20 | 75 |
| **GRAND TOTAL** | **576** | **6.7** | **44** | **1** | **2** | **5** | **9** | **14** | **19** | **34** |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 5.8 | 19 | 2 | 2 | 4 | 7 | 13 | 14 | 14 |
| 70-74 | 10 | 5.3 | 14 | 1 | 1 | 5 | 7 | 11 | 14 | 14 |
| 75-79 | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 80-84 | 7 | 4.0 | 5 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 85+ | 5 | 5.2 | 20 | 2 | 2 | 4 | 6 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1221 | 7.9 | 9 | 4 | 5 | 7 | 9 | 11 | 13 | 18 |
| 70-74 | 993 | 8.1 | 10 | 4 | 5 | 8 | 9 | 12 | 14 | 21 |
| 75-79 | 589 | 8.3 | 14 | 4 | 5 | 8 | 9 | 12 | 14 | 23 |
| 80-84 | 246 | 8.7 | 11 | 4 | 5 | 8 | 10 | 13 | 16 | 19 |
| 85+ | 81 | 8.8 | 22 | 4 | 5 | 8 | 11 | 14 | 15 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 91 | 3.7 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 70-74 | 91 | 4.8 | 18 | 1 | 1 | 4 | 7 | 11 | 12 | 23 |
| 75-79 | 91 | 6.7 | 84 | 1 | 1 | 4 | 7 | 12 | 24 | 57 |
| 80-84 | 61 | 7.3 | 49 | 1 | 1 | 6 | 11 | 15 | 20 | 93 |
| 85+ | 62 | 7.9 | 54 | 1 | 2 | 6 | 10 | 16 | 25 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2937 | 9.2 | 19 | 5 | 6 | 8 | 10 | 14 | 17 | 25 |
| 70-74 | 2372 | 9.7 | 23 | 5 | 6 | 9 | 11 | 15 | 18 | 26 |
| 75-79 | 1530 | 10.0 | 27 | 5 | 6 | 9 | 11 | 15 | 18 | 30 |
| 80-84 | 614 | 12.0 | 59 | 5 | 6 | 10 | 14 | 20 | 27 | 42 |
| 85+ | 248 | 12.1 | 53 | 4 | 5 | 10 | 15 | 21 | 25 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 4.9 | 13 | 1 | 2 | 4 | 6 | 13 | 14 | 14 |
| B. *Operated* | 3130 | 8.1 | 11 | 4 | 5 | 8 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 396 | 5.9 | 44 | 1 | 1 | 4 | 7 | 12 | 16 | 43 |
| B. *Operated* | 7701 | 9.8 | 27 | 5 | 6 | 9 | 11 | 15 | 19 | 30 |
| **1. SINGLE DX** | 3165 | 8.1 | 11 | 4 | 5 | 8 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 8097 | 9.7 | 28 | 4 | 5 | 9 | 11 | 15 | 18 | 30 |
| **A. NOT OPERATED** | 431 | 5.8 | 41 | 1 | 1 | 4 | 7 | 12 | 16 | 42 |
| **B. OPERATED** | 10831 | 9.3 | 23 | 5 | 5 | 8 | 11 | 14 | 17 | 27 |
| TOTAL 65-69 YRS | 4259 | 8.7 | 17 | 4 | 5 | 8 | 10 | 13 | 16 | 24 |
| 70-74 | 3466 | 9.1 | 20 | 4 | 5 | 8 | 10 | 14 | 17 | 24 |
| 75-79 | 2213 | 9.4 | 27 | 4 | 5 | 8 | 11 | 14 | 18 | 28 |
| 80-84 | 928 | 10.8 | 49 | 4 | 5 | 9 | 13 | 18 | 24 | 40 |
| 85+ | 396 | 10.7 | 50 | 3 | 4 | 9 | 13 | 19 | 24 | 44 |
| **GRAND TOTAL** | **11262** | **9.2** | **24** | **4** | **5** | **8** | **11** | **14** | **17** | **27** |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 70-74 | 8 | 3.8 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 75-79 | 7 | 2.7 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 80-84 | 12 | 2.3 | 3 | 1 | 1 | 2 | 2 | 6 | 6 | 6 |
| 85+ | 6 | 7.2 | 44 | 2 | 2 | 5 | 12 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 685 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 70-74 | 408 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 75-79 | 231 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 80-84 | 92 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 85+ | 48 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 61 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 70-74 | 50 | 5.4 | 27 | 1 | 1 | 3 | 8 | 11 | 15 | 25 |
| 75-79 | 44 | 4.8 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 14 |
| 80-84 | 36 | 6.1 | 43 | 1 | 1 | 4 | 8 | 14 | 30 | 99+ |
| 85+ | 47 | 6.3 | 16 | 2 | 2 | 6 | 8 | 10 | 11 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1131 | 3.7 | 12 | 1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 70-74 | 777 | 4.2 | 24 | 1 | 1 | 2 | 4 | 9 | 13 | 21 |
| 75-79 | 495 | 4.5 | 25 | 1 | 1 | 3 | 5 | 10 | 14 | 24 |
| 80-84 | 242 | 4.4 | 14 | 1 | 2 | 3 | 5 | 9 | 12 | 20 |
| 85+ | 122 | 5.4 | 18 | 2 | 2 | 4 | 7 | 11 | 14 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 3.2 | 11 | <1 | 1 | 2 | 3 | 7 | 9 | 18 |
| B. *Operated* | 1464 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 5.2 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 27 |
| B. *Operated* | 2767 | 4.1 | 18 | 1 | 1 | 2 | 5 | 9 | 12 | 20 |
| **1. SINGLE DX** | 1507 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 3005 | 4.2 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 20 |
| **A. NOT OPERATED** | 281 | 4.9 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 26 |
| **B. OPERATED** | 4231 | 3.5 | 14 | 1 | 1 | 2 | 3 | 8 | 10 | 18 |
| TOTAL 65-69 YRS | 1887 | 3.1 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 15 |
| 70-74 | 1243 | 3.6 | 18 | 1 | 1 | 2 | 3 | 8 | 11 | 19 |
| 75-79 | 777 | 3.9 | 19 | 1 | 1 | 2 | 4 | 8 | 12 | 20 |
| 80-84 | 382 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 85+ | 223 | 5.1 | 18 | 1 | 2 | 4 | 6 | 10 | 13 | 22 |
| **GRAND TOTAL** | **4512** | **3.5** | **14** | **1** | **1** | **2** | **4** | **8** | **11** | **18** |

## 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 3.7 | 12 | 1 | 1 | 3 | 4 | 9 | 13 | 13 |
| 70-74 | 5 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 7 | 3.1 | 5 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 80-84 | 9 | 4.8 | 29 | <1 | <1 | 4 | 6 | 13 | 18 | 18 |
| 85+ | 13 | 4.8 | 19 | <1 | 1 | 4 | 6 | 9 | 16 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 538 | 3.4 | 29 | <1 | 1 | 2 | 3 | 7 | 9 | 19 |
| 70-74 | 318 | 3.4 | 16 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| 75-79 | 174 | 3.4 | 19 | 1 | 1 | 2 | 3 | 6 | 10 | 23 |
| 80-84 | 65 | 4.3 | 24 | 1 | 2 | 3 | 4 | 11 | 16 | 27 |
| 85+ | 45 | 5.1 | 26 | 1 | 2 | 3 | 5 | 12 | 15 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 62 | 4.8 | 37 | 1 | 1 | 3 | 5 | 8 | 16 | 37 |
| 70-74 | 58 | 7.5 | 69 | 1 | 2 | 5 | 8 | 15 | 22 | 49 |
| 75-79 | 60 | 8.6 | 60 | 1 | 2 | 6 | 12 | 17 | 21 | 46 |
| 80-84 | 54 | 5.9 | 17 | 1 | 2 | 5 | 8 | 12 | 13 | 22 |
| 85+ | 87 | 9.2 | 117 | 2 | 3 | 7 | 10 | 17 | 28 | 89 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1177 | 6.0 | 48 | 1 | 2 | 3 | 8 | 13 | 18 | 36 |
| 70-74 | 808 | 7.4 | 68 | 1 | 2 | 5 | 9 | 16 | 22 | 45 |
| 75-79 | 478 | 8.2 | 96 | 1 | 2 | 5 | 10 | 18 | 26 | 49 |
| 80-84 | 244 | 9.5 | 103 | 2 | 2 | 6 | 12 | 23 | 32 | 49 |
| 85+ | 157 | 10.1 | 122 | 1 | 2 | 6 | 12 | 23 | 32 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 4.0 | 15 | <1 | 1 | 3 | 6 | 7 | 14 | 18 |
| B. *Operated* | 1140 | 3.5 | 23 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 321 | 7.4 | 67 | 1 | 2 | 5 | 8 | 15 | 20 | 55 |
| B. *Operated* | 2864 | 7.3 | 72 | 1 | 2 | 4 | 9 | 16 | 23 | 44 |
| **1. SINGLE DX** | 1184 | 3.5 | 23 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **2. MULTIPLE DX** | 3185 | 7.3 | 72 | 1 | 2 | 4 | 9 | 16 | 23 | 45 |
| **A. NOT OPERATED** | 365 | 6.9 | 62 | 1 | 1 | 5 | 8 | 14 | 19 | 50 |
| **B. OPERATED** | 4004 | 6.2 | 61 | 1 | 1 | 3 | 8 | 14 | 20 | 41 |
| TOTAL 65-69 YRS | 1787 | 5.2 | 43 | 1 | 1 | 3 | 7 | 11 | 16 | 33 |
| 70-74 | 1189 | 6.3 | 57 | 1 | 2 | 3 | 8 | 14 | 19 | 42 |
| 75-79 | 719 | 7.0 | 78 | 1 | 1 | 4 | 8 | 16 | 22 | 45 |
| 80-84 | 372 | 8.0 | 80 | 1 | 2 | 4 | 10 | 18 | 25 | 44 |
| 85+ | 302 | 8.9 | 105 | 1 | 2 | 6 | 11 | 19 | 29 | 69 |
| **GRAND TOTAL** | **4369** | **6.3** | **61** | **1** | **1** | **3** | **8** | **14** | **20** | **41** |

## 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 4.1 | 12 | <1 | 1 | 4 | 4 | 11 | 11 | 11 |
| 70-74 | 15 | 4.1 | 7 | 2 | 2 | 3 | 5 | 9 | 10 | 10 |
| 75-79 | 8 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 80-84 | 5 | 7.8 | 75 | 1 | 1 | 4 | 13 | 22 | 22 | 22 |
| 85+ | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 322 | 8.6 | 18 | 2 | 4 | 8 | 10 | 13 | 16 | 23 |
| 70-74 | 206 | 8.9 | 20 | 2 | 4 | 9 | 10 | 13 | 17 | 26 |
| 75-79 | 124 | 9.5 | 17 | 3 | 5 | 9 | 11 | 14 | 16 | 24 |
| 80-84 | 61 | 10.5 | 32 | 2 | 4 | 10 | 14 | 19 | 20 | 33 |
| 85+ | 28 | 9.3 | 21 | 1 | 3 | 9 | 12 | 14 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 5.5 | 17 | 1 | 1 | 4 | 9 | 11 | 13 | 17 |
| 70-74 | 38 | 6.5 | 19 | 1 | 1 | 5 | 8 | 14 | 15 | 16 |
| 75-79 | 18 | 9.9 | 149 | <1 | 1 | 5 | 10 | 24 | 40 | 50 |
| 80-84 | 22 | 8.5 | 41 | 2 | 3 | 6 | 11 | 19 | 22 | 25 |
| 85+ | 24 | 7.2 | 42 | 1 | 2 | 6 | 8 | 14 | 22 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 505 | 9.8 | 28 | 3 | 4 | 9 | 12 | 17 | 19 | 26 |
| 70-74 | 398 | 10.7 | 40 | 3 | 5 | 9 | 13 | 17 | 21 | 32 |
| 75-79 | 286 | 10.7 | 38 | 2 | 3 | 10 | 13 | 18 | 23 | 31 |
| 80-84 | 99 | 11.7 | 62 | 3 | 3 | 10 | 14 | 18 | 24 | 47 |
| 85+ | 58 | 9.6 | 64 | 1 | 2 | 8 | 13 | 18 | 29 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 4.2 | 15 | 1 | 1 | 3 | 5 | 10 | 11 | 22 |
| B. *Operated* | 741 | 9.0 | 20 | 2 | 4 | 9 | 11 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 137 | 7.1 | 44 | 1 | 1 | 5 | 9 | 15 | 19 | 33 |
| B. *Operated* | 1346 | 10.4 | 38 | 2 | 4 | 9 | 13 | 17 | 22 | 33 |
| **1. SINGLE DX** | 784 | 8.7 | 21 | 2 | 3 | 8 | 11 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | 1483 | 10.1 | 39 | 2 | 3 | 9 | 12 | 17 | 21 | 33 |
| **A. NOT OPERATED** | 180 | 6.4 | 38 | 1 | 1 | 5 | 8 | 13 | 19 | 29 |
| **B. OPERATED** | 2087 | 9.9 | 32 | 2 | 4 | 9 | 12 | 16 | 19 | 31 |
| TOTAL 65-69 YRS | 874 | 9.1 | 25 | 2 | 4 | 8 | 11 | 15 | 18 | 25 |
| 70-74 | 657 | 9.7 | 34 | 2 | 4 | 9 | 11 | 16 | 19 | 31 |
| 75-79 | 436 | 10.2 | 37 | 2 | 3 | 9 | 13 | 16 | 22 | 30 |
| 80-84 | 187 | 10.8 | 51 | 2 | 3 | 10 | 14 | 19 | 21 | 42 |
| 85+ | 113 | 8.8 | 48 | 1 | 2 | 8 | 12 | 17 | 25 | 65 |
| **GRAND TOTAL** | **2267** | **9.6** | **33** | **2** | **3** | **9** | **12** | **16** | **19** | **31** |

## 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. NOT OPERATED** |  |  |  |  |  |  |  |  |  |  |
| **B. OPERATED** |  |  |  |  |  |  |  |  |  |  |
| TOTAL 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** |  |  |  |  |  |  |  |  |  |  |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| **A. NOT OPERATED** |  |  |  |  |  |  |  |  |  |  |
| **B. OPERATED** |  |  |  |  |  |  |  |  |  |  |
| TOTAL 65-69 YRS |  |  |  |  |  |  |  |  |  |  |
| 70-74 |  |  |  |  |  |  |  |  |  |  |
| 75-79 |  |  |  |  |  |  |  |  |  |  |
| 80-84 |  |  |  |  |  |  |  |  |  |  |
| 85+ |  |  |  |  |  |  |  |  |  |  |
| **GRAND TOTAL** |  |  |  |  |  |  |  |  |  |  |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. NOT OPERATED | | | | | | | | | | |
| B. OPERATED | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

### 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. NOT OPERATED | | | | | | | | | | |
| B. OPERATED | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 356 | 6.7 | 17 | 2 | 3 | 5 | 8 | 11 | 14 | 20 |
| 70-74 | 354 | 7.3 | 18 | 3 | 3 | 6 | 9 | 13 | 15 | 22 |
| 75-79 | 245 | 7.8 | 42 | 2 | 3 | 6 | 9 | 13 | 21 | 33 |
| 80-84 | 205 | 7.6 | 26 | 2 | 3 | 6 | 9 | 16 | 18 | 26 |
| 85+ | 187 | 8.9 | 31 | 3 | 4 | 7 | 11 | 17 | 21 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 202 | 9.3 | 83 | 2 | 3 | 7 | 10 | 20 | 27 | 48 |
| 70-74 | 151 | 9.5 | 93 | 2 | 3 | 7 | 14 | 20 | 24 | 41 |
| 75-79 | 122 | 10.3 | 78 | 2 | 3 | 8 | 13 | 20 | 29 | 44 |
| 80-84 | 76 | 10.5 | 71 | 1 | 2 | 9 | 14 | 20 | 32 | 86 |
| 85+ | 61 | 10.5 | 56 | 2 | 3 | 8 | 14 | 23 | 26 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1724 | 9.9 | 56 | 3 | 4 | 8 | 12 | 18 | 24 | 40 |
| 70-74 | 1700 | 10.7 | 67 | 3 | 4 | 9 | 13 | 19 | 24 | 44 |
| 75-79 | 1568 | 11.1 | 72 | 3 | 4 | 9 | 14 | 20 | 26 | 46 |
| 80-84 | 1372 | 11.4 | 69 | 3 | 4 | 9 | 14 | 21 | 27 | 52 |
| 85+ | 1431 | 11.8 | 89 | 3 | 4 | 9 | 15 | 22 | 29 | 70 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 808 | 15.7 | 190 | 3 | 4 | 12 | 20 | 34 | 46 | 85 |
| 70-74 | 696 | 17.9 | 241 | 4 | 5 | 13 | 22 | 41 | 56 | 99+ |
| 75-79 | 557 | 18.1 | 220 | 4 | 5 | 14 | 23 | 38 | 51 | 89 |
| 80-84 | 385 | 19.2 | 236 | 4 | 6 | 15 | 24 | 37 | 55 | 90 |
| 85+ | 371 | 21.0 | 285 | 5 | 7 | 15 | 26 | 46 | 60 | 94 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1347 | 7.5 | 26 | 2 | 3 | 6 | 9 | 13 | 17 | 29 |
| B. *Operated* | 612 | 9.8 | 70 | 2 | 3 | 7 | 13 | 21 | 26 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7795 | 10.9 | 71 | 3 | 4 | 9 | 13 | 20 | 26 | 49 |
| B. *Operated* | 2817 | 17.9 | 230 | 4 | 5 | 14 | 22 | 38 | 52 | 93 |
| **1. SINGLE DX** | 1959 | 8.2 | 41 | 2 | 3 | 7 | 10 | 16 | 21 | 33 |
| **2. MULTIPLE DX** | 10612 | 12.8 | 122 | 3 | 4 | 10 | 15 | 25 | 34 | 68 |
| **A. NOT OPERATED** | 9142 | 10.4 | 65 | 3 | 4 | 8 | 13 | 19 | 25 | 46 |
| **B. OPERATED** | 3429 | 16.5 | 211 | 3 | 4 | 12 | 21 | 35 | 50 | 89 |
| TOTAL 65-69 YRS | 3090 | 11.0 | 97 | 3 | 3 | 8 | 13 | 21 | 29 | 57 |
| 70-74 | 2901 | 12.0 | 114 | 3 | 4 | 9 | 14 | 23 | 31 | 65 |
| 75-79 | 2492 | 12.3 | 113 | 3 | 4 | 9 | 15 | 24 | 33 | 64 |
| 80-84 | 2038 | 12.5 | 108 | 3 | 4 | 9 | 15 | 24 | 33 | 63 |
| 85+ | 2050 | 13.2 | 132 | 3 | 4 | 10 | 16 | 25 | 34 | 79 |
| **GRAND TOTAL** | 12571 | 12.1 | 112 | 3 | 4 | 9 | 15 | 23 | 32 | 64 |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 8.0 | 53 | 2 | 2 | 5 | 11 | 19 | 23 | 32 |
| 70-74 | 63 | 7.2 | 27 | 2 | 2 | 7 | 9 | 12 | 16 | 34 |
| 75-79 | 28 | 8.3 | 55 | 2 | 2 | 6 | 10 | 17 | 27 | 32 |
| 80-84 | 34 | 8.4 | 27 | 3 | 3 | 7 | 10 | 16 | 21 | 23 |
| 85+ | 35 | 8.3 | 31 | 2 | 3 | 6 | 11 | 18 | 20 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 95 | 6.9 | 71 | 1 | 2 | 4 | 9 | 15 | 19 | 50 |
| 70-74 | 96 | 6.2 | 61 | <1 | 1 | 4 | 7 | 12 | 26 | 41 |
| 75-79 | 50 | 6.7 | 37 | 1 | 1 | 5 | 9 | 14 | 15 | 29 |
| 80-84 | 30 | 11.5 | 510 | 1 | 1 | 3 | 8 | 32 | 80 | 96 |
| 85+ | 22 | 5.8 | 18 | 1 | 1 | 4 | 9 | 13 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 270 | 10.0 | 61 | 3 | 4 | 8 | 13 | 17 | 22 | 44 |
| 70-74 | 273 | 10.9 | 72 | 3 | 4 | 9 | 13 | 21 | 29 | 53 |
| 75-79 | 224 | 9.5 | 64 | 2 | 3 | 8 | 11 | 17 | 22 | 57 |
| 80-84 | 192 | 9.7 | 53 | 3 | 3 | 8 | 12 | 17 | 21 | 32 |
| 85+ | 229 | 10.7 | 62 | 2 | 3 | 9 | 14 | 21 | 23 | 40 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 309 | 14.6 | 166 | 2 | 4 | 11 | 19 | 31 | 44 | 67 |
| 70-74 | 232 | 13.7 | 152 | 2 | 3 | 10 | 16 | 29 | 37 | 66 |
| 75-79 | 181 | 15.6 | 205 | 2 | 3 | 11 | 22 | 34 | 58 | 99+ |
| 80-84 | 117 | 15.2 | 159 | 3 | 4 | 11 | 20 | 30 | 39 | 69 |
| 85+ | 96 | 17.1 | 286 | 2 | 2 | 12 | 21 | 46 | 56 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 7.9 | 37 | 2 | 2 | 6 | 10 | 16 | 21 | 32 |
| B. *Operated* | 293 | 7.0 | 103 | 1 | 1 | 4 | 8 | 14 | 24 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1188 | 10.2 | 63 | 3 | 4 | 8 | 13 | 19 | 24 | 46 |
| B. *Operated* | 935 | 14.9 | 182 | 2 | 3 | 11 | 19 | 32 | 45 | 73 |
| **1. SINGLE DX** | 503 | 7.4 | 76 | 1 | 2 | 5 | 9 | 15 | 21 | 43 |
| **2. MULTIPLE DX** | 2123 | 12.3 | 121 | 2 | 3 | 9 | 15 | 24 | 34 | 67 |
| **A. NOT OPERATED** | 1398 | 9.8 | 60 | 2 | 3 | 8 | 12 | 18 | 23 | 41 |
| **B. OPERATED** | 1228 | 13.0 | 174 | 2 | 2 | 9 | 17 | 29 | 41 | 72 |
| TOTAL 65-69 YRS | 724 | 11.4 | 115 | 2 | 3 | 8 | 14 | 23 | 33 | 59 |
| 70-74 | 664 | 10.8 | 101 | 2 | 2 | 8 | 13 | 23 | 32 | 54 |
| 75-79 | 483 | 11.4 | 124 | 2 | 3 | 8 | 14 | 25 | 34 | 72 |
| 80-84 | 373 | 11.4 | 126 | 2 | 3 | 9 | 14 | 22 | 31 | 68 |
| 85+ | 382 | 11.8 | 123 | 2 | 3 | 9 | 15 | 23 | 32 | 60 |
| **GRAND TOTAL** | 2626 | 11.3 | 116 | 2 | 3 | 8 | 14 | 23 | 32 | 64 |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 4.2 | 3 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| 70-74 | 18 | 5.3 | 22 | 1 | 2 | 4 | 6 | 9 | 17 | 22 |
| 75-79 | 5 | 4.0 | 6 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 80-84 | 6 | 5.8 | 14 | 2 | 2 | 5 | 8 | 12 | 12 | 12 |
| 85+ | 3 | 7.0 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 5.7 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 70-74 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 75-79 | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 24 | 8.0 | 105 | 2 | 3 | 5 | 9 | 12 | 28 | 53 |
| 70-74 | 17 | 7.9 | 33 | 2 | 3 | 5 | 12 | 14 | 20 | 23 |
| 75-79 | 6 | 11.5 | 26 | 3 | 4 | 11 | 15 | 18 | 18 | 18 |
| 80-84 | 5 | 10.8 | 154 | <1 | <1 | 6 | 16 | 32 | 32 | 32 |
| 85+ | 3 | 10.0 | 48 | 6 | 6 | 6 | 15 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 58 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 5.5 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 9 |
| B. *Operated* | 55 | 8.7 | 72 | 2 | 3 | 6 | 11 | 17 | 22 | 52 |
| **1. SINGLE DX** | 61 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 63 | 8.3 | 64 | 2 | 3 | 6 | 11 | 15 | 20 | 50 |
| **A. NOT OPERATED** | 11 | 4.6 | 5 | 1 | 2 | 5 | 6 | 7 | 9 | 9 |
| **B. OPERATED** | 113 | 6.7 | 44 | 2 | 2 | 5 | 8 | 12 | 18 | 40 |
| TOTAL 65-69 YRS | 54 | 5.9 | 51 | 2 | 3 | 4 | 6 | 10 | 11 | 52 |
| 70-74 | 38 | 6.4 | 26 | 2 | 2 | 4 | 9 | 13 | 19 | 23 |
| 75-79 | 13 | 8.0 | 26 | 2 | 2 | 7 | 11 | 16 | 18 | 18 |
| 80-84 | 12 | 7.7 | 70 | <1 | 1 | 5 | 9 | 18 | 30 | 32 |
| 85+ | 7 | 7.7 | 23 | 3 | 4 | 6 | 8 | 16 | 18 | 18 |
| **GRAND TOTAL** | **124** | **6.5** | **40** | **2** | **2** | **5** | **8** | **12** | **17** | **37** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 4.6 | 7 | 1 | 1 | 5 | 7 | 7 | 7 | 7 |
| 70-74 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 180 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 70-74 | 110 | 2.6 | 14 | <1 | <1 | 2 | 3 | 4 | 7 | 25 |
| 75-79 | 75 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 10 |
| 80-84 | 29 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 9 |
| 85+ | 17 | 3.4 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 3.4 | 2 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 70-74 | 5 | 6.0 | 7 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 75-79 | 8 | 8.3 | 25 | 3 | 4 | 7 | 10 | 17 | 19 | 19 |
| 80-84 | 5 | 6.8 | 12 | 2 | 2 | 7 | 10 | 10 | 10 | 10 |
| 85+ | 4 | 6.5 | 4 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 148 | 5.5 | 74 | <1 | 1 | 3 | 6 | 11 | 19 | 62 |
| 70-74 | 104 | 4.2 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 19 |
| 75-79 | 62 | 5.5 | 34 | <1 | 1 | 3 | 6 | 14 | 16 | 29 |
| 80-84 | 42 | 8.4 | 90 | 1 | 2 | 6 | 10 | 18 | 23 | 56 |
| 85+ | 22 | 6.8 | 37 | 1 | 1 | 4 | 10 | 13 | 20 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 4.0 | 8 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | 411 | 2.3 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 6.4 | 13 | 2 | 2 | 6 | 8 | 10 | 12 | 19 |
| B. *Operated* | 378 | 5.5 | 51 | <1 | 1 | 3 | 6 | 12 | 17 | 39 |
| **1. SINGLE DX** | 420 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 7 | 11 |
| **2. MULTIPLE DX** | 405 | 5.6 | 49 | 1 | 1 | 3 | 6 | 12 | 16 | 35 |
| **A. NOT OPERATED** | 36 | 5.8 | 13 | 1 | 2 | 5 | 8 | 10 | 11 | 19 |
| **B. OPERATED** | 789 | 3.9 | 30 | <1 | <1 | 2 | 4 | 8 | 12 | 25 |
| TOTAL 65-69 YRS | 338 | 3.6 | 36 | <1 | <1 | 2 | 4 | 7 | 10 | 26 |
| 70-74 | 221 | 3.4 | 14 | <1 | <1 | 2 | 4 | 8 | 10 | 22 |
| 75-79 | 146 | 4.0 | 21 | <1 | <1 | 2 | 5 | 9 | 14 | 26 |
| 80-84 | 76 | 6.0 | 60 | <1 | 1 | 4 | 7 | 12 | 19 | 47 |
| 85+ | 44 | 5.3 | 25 | <1 | <1 | 3 | 8 | 11 | 13 | 27 |
| **GRAND TOTAL** | **825** | **3.9** | **30** | **<1** | **<1** | **2** | **4** | **8** | **12** | **25** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 245 | 9.9 | 92 | 2 | 3 | 7 | 12 | 20 | 27 | 65 |
| 70-74 | 229 | 10.6 | 104 | 2 | 2 | 7 | 14 | 21 | 27 | 60 |
| 75-79 | 173 | 11.5 | 109 | 2 | 3 | 8 | 15 | 22 | 33 | 56 |
| 80-84 | 180 | 11.7 | 121 | 2 | 3 | 8 | 15 | 25 | 31 | 51 |
| 85+ | 158 | 13.1 | 136 | 3 | 4 | 9 | 16 | 27 | 37 | 65 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 711 | 6.7 | 84 | <1 | 1 | 3 | 7 | 18 | 25 | 41 |
| 70-74 | 541 | 7.9 | 133 | <1 | 1 | 3 | 9 | 19 | 30 | 64 |
| 75-79 | 394 | 10.8 | 191 | <1 | 1 | 5 | 15 | 27 | 38 | 73 |
| 80-84 | 276 | 11.7 | 202 | 1 | 2 | 6 | 16 | 30 | 38 | 66 |
| 85+ | 204 | 13.9 | 182 | 1 | 1 | 10 | 21 | 33 | 38 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1276 | 12.0 | 131 | 2 | 3 | 9 | 15 | 24 | 33 | 66 |
| 70-74 | 1317 | 13.2 | 136 | 3 | 4 | 10 | 16 | 28 | 40 | 80 |
| 75-79 | 1420 | 13.7 | 151 | 3 | 4 | 10 | 17 | 27 | 37 | 87 |
| 80-84 | 1249 | 15.1 | 190 | 3 | 4 | 11 | 19 | 33 | 47 | 93 |
| 85+ | 1233 | 15.1 | 167 | 3 | 5 | 12 | 19 | 31 | 43 | 95 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1576 | 15.8 | 290 | 1 | 2 | 10 | 22 | 40 | 57 | 94 |
| 70-74 | 1370 | 19.3 | 357 | 2 | 2 | 13 | 27 | 49 | 65 | 99+ |
| 75-79 | 1266 | 19.2 | 307 | 2 | 3 | 15 | 26 | 47 | 69 | 99+ |
| 80-84 | 922 | 22.2 | 355 | 2 | 4 | 17 | 33 | 55 | 74 | 99+ |
| 85+ | 918 | 24.7 | 400 | 2 | 5 | 20 | 33 | 57 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 985 | 11.2 | 111 | 2 | 3 | 8 | 14 | 22 | 31 | 58 |
| B. *Operated* | 2126 | 9.1 | 146 | <1 | 1 | 4 | 12 | 24 | 33 | 63 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6495 | 13.8 | 156 | 3 | 4 | 10 | 17 | 29 | 40 | 86 |
| B. *Operated* | 6052 | 19.6 | 344 | 2 | 2 | 14 | 28 | 49 | 67 | 99+ |
| **1. SINGLE DX** | 3111 | 9.8 | 136 | 1 | 1 | 5 | 13 | 24 | 33 | 61 |
| **2. MULTIPLE DX** | 12547 | 16.6 | 255 | 2 | 3 | 12 | 22 | 39 | 56 | 99+ |
| **A. NOT OPERATED** | 7480 | 13.5 | 151 | 3 | 4 | 10 | 17 | 28 | 39 | 82 |
| **B. OPERATED** | 8178 | 16.9 | 314 | 1 | 2 | 11 | 24 | 44 | 61 | 99+ |
| TOTAL 65-69 YRS | 3808 | 12.4 | 197 | 1 | 2 | 8 | 16 | 30 | 43 | 78 |
| 70-74 | 3457 | 14.6 | 238 | 2 | 2 | 10 | 19 | 37 | 51 | 94 |
| 75-79 | 3253 | 15.4 | 224 | 2 | 3 | 11 | 20 | 34 | 53 | 99+ |
| 80-84 | 2627 | 17.0 | 260 | 2 | 3 | 12 | 23 | 41 | 57 | 99+ |
| 85+ | 2513 | 18.4 | 275 | 3 | 4 | 13 | 24 | 42 | 58 | 98 |
| **GRAND TOTAL** | **15658** | **15.3** | **239** | **2** | **2** | **10** | **20** | **36** | **52** | **98** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 9.2 | 57 | 2 | 3 | 7 | 10 | 15 | 32 | 36 |
| 70-74 | 25 | 11.1 | 71 | 3 | 3 | 9 | 14 | 20 | 29 | 39 |
| 75-79 | 16 | 9.1 | 38 | 3 | 3 | 9 | 11 | 14 | 24 | 28 |
| 80-84 | 6 | 6.5 | 6 | 5 | 5 | 6 | 7 | 11 | 11 | 11 |
| 85+ | 4 | 7.8 | 58 | 2 | 2 | 5 | 12 | 19 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 12.0 | 132 | 1 | 2 | 7 | 14 | 29 | 39 | 45 |
| 70-74 | 24 | 12.5 | 105 | 2 | 3 | 10 | 14 | 29 | 36 | 45 |
| 75-79 | 13 | 9.2 | 64 | 1 | 2 | 9 | 13 | 21 | 25 | 26 |
| 80-84 | 3 | 9.0 | 28 | 5 | 5 | 7 | 13 | 15 | 15 | 15 |
| 85+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 256 | 11.9 | 111 | 2 | 3 | 9 | 14 | 25 | 33 | 56 |
| 70-74 | 204 | 12.2 | 107 | 3 | 4 | 9 | 15 | 26 | 34 | 51 |
| 75-79 | 130 | 11.7 | 47 | 3 | 4 | 9 | 16 | 22 | 26 | 31 |
| 80-84 | 55 | 12.5 | 104 | 4 | 4 | 9 | 14 | 33 | 40 | 43 |
| 85+ | 22 | 10.8 | 71 | 3 | 3 | 9 | 11 | 21 | 34 | 36 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 167 | 18.8 | 264 | 3 | 5 | 15 | 23 | 34 | 57 | 80 |
| 70-74 | 104 | 20.0 | 250 | 4 | 5 | 16 | 26 | 43 | 56 | 77 |
| 75-79 | 69 | 19.7 | 292 | 4 | 5 | 15 | 25 | 39 | 48 | 91 |
| 80-84 | 34 | 22.9 | 278 | 3 | 8 | 19 | 30 | 50 | 58 | 73 |
| 85+ | 3 | 13.0 | 169 | 5 | 5 | 6 | 22 | 28 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 9.4 | 54 | 2 | 3 | 7 | 11 | 18 | 27 | 38 |
| B. *Operated* | 67 | 11.6 | 101 | 1 | 2 | 9 | 15 | 26 | 33 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 667 | 12.0 | 95 | 3 | 3 | 9 | 15 | 24 | 33 | 51 |
| B. *Operated* | 377 | 19.6 | 265 | 3 | 5 | 16 | 25 | 38 | 57 | 83 |
| **1. SINGLE DX** | 165 | 10.3 | 74 | 2 | 3 | 8 | 12 | 21 | 30 | 44 |
| **2. MULTIPLE DX** | 1044 | 14.7 | 170 | 3 | 4 | 11 | 19 | 30 | 39 | 70 |
| **A. NOT OPERATED** | 765 | 11.6 | 91 | 3 | 3 | 9 | 14 | 24 | 32 | 50 |
| **B. OPERATED** | 444 | 18.4 | 248 | 3 | 4 | 14 | 24 | 37 | 50 | 81 |
| TOTAL 65-69 YRS | 496 | 14.0 | 170 | 3 | 3 | 10 | 18 | 28 | 37 | 74 |
| 70-74 | 357 | 14.4 | 158 | 3 | 4 | 10 | 17 | 31 | 42 | 62 |
| 75-79 | 228 | 13.8 | 136 | 3 | 4 | 10 | 18 | 27 | 33 | 65 |
| 80-84 | 98 | 15.7 | 184 | 4 | 5 | 11 | 20 | 35 | 43 | 66 |
| 85+ | 30 | 10.8 | 72 | 3 | 3 | 8 | 14 | 23 | 33 | 36 |
| **GRAND TOTAL** | **1209** | **14.1** | **159** | **3** | **4** | **10** | **17** | **29** | **38** | **68** |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 240 | 10.2 | 55 | 3 | 4 | 8 | 13 | 19 | 22 | 41 |
| 70-74 | 199 | 9.8 | 53 | 3 | 3 | 8 | 12 | 18 | 26 | 36 |
| 75-79 | 118 | 10.0 | 47 | 3 | 4 | 8 | 13 | 19 | 25 | 36 |
| 80-84 | 59 | 9.5 | 67 | 2 | 3 | 8 | 12 | 19 | 24 | 50 |
| 85+ | 30 | 7.4 | 18 | 2 | 3 | 7 | 9 | 13 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 461 | 13.0 | 87 | 2 | 3 | 12 | 17 | 24 | 29 | 47 |
| 70-74 | 277 | 13.3 | 101 | 2 | 3 | 12 | 18 | 26 | 31 | 49 |
| 75-79 | 102 | 14.2 | 91 | 3 | 3 | 12 | 20 | 28 | 31 | 44 |
| 80-84 | 42 | 17.1 | 99 | 4 | 6 | 16 | 23 | 31 | 35 | 47 |
| 85+ | 8 | 18.0 | 240 | 4 | 4 | 12 | 33 | 39 | 41 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1119 | 11.1 | 74 | 3 | 4 | 9 | 14 | 20 | 26 | 42 |
| 70-74 | 1040 | 11.4 | 78 | 3 | 4 | 9 | 14 | 21 | 27 | 52 |
| 75-79 | 741 | 11.2 | 74 | 3 | 4 | 9 | 14 | 21 | 28 | 53 |
| 80-84 | 404 | 11.4 | 87 | 3 | 3 | 9 | 15 | 22 | 35 | 59 |
| 85+ | 164 | 11.7 | 66 | 3 | 4 | 10 | 14 | 21 | 28 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 793 | 15.1 | 165 | 3 | 4 | 12 | 19 | 30 | 43 | 63 |
| 70-74 | 617 | 16.9 | 197 | 3 | 4 | 14 | 22 | 36 | 52 | 94 |
| 75-79 | 310 | 19.8 | 241 | 3 | 5 | 16 | 25 | 42 | 58 | 99+ |
| 80-84 | 112 | 18.1 | 280 | 3 | 5 | 13 | 22 | 47 | 69 | 99+ |
| 85+ | 39 | 17.6 | 191 | 5 | 6 | 13 | 22 | 43 | 48 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 646 | 9.9 | 52 | 3 | 3 | 8 | 12 | 19 | 23 | 35 |
| B. *Operated* | 890 | 13.5 | 94 | 2 | 3 | 12 | 18 | 26 | 31 | 48 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3468 | 11.3 | 76 | 3 | 4 | 9 | 14 | 21 | 27 | 52 |
| B. *Operated* | 1871 | 16.7 | 198 | 3 | 4 | 13 | 21 | 35 | 50 | 87 |
| **1. SINGLE DX** | 1536 | 12.0 | 80 | 2 | 3 | 10 | 16 | 23 | 29 | 42 |
| **2. MULTIPLE DX** | 5339 | 13.2 | 126 | 3 | 4 | 10 | 17 | 25 | 36 | 67 |
| **A. NOT OPERATED** | 4114 | 11.0 | 73 | 3 | 4 | 9 | 14 | 21 | 26 | 51 |
| **B. OPERATED** | 2761 | 15.7 | 167 | 3 | 4 | 13 | 20 | 31 | 44 | 80 |
| TOTAL 65-69 YRS | 2613 | 12.5 | 106 | 3 | 4 | 10 | 16 | 24 | 30 | 53 |
| 70-74 | 2133 | 13.1 | 120 | 3 | 4 | 10 | 17 | 25 | 34 | 60 |
| 75-79 | 1271 | 13.4 | 127 | 3 | 4 | 10 | 17 | 27 | 36 | 72 |
| 80-84 | 617 | 12.9 | 129 | 3 | 4 | 10 | 16 | 25 | 39 | 85 |
| 85+ | 241 | 12.3 | 93 | 3 | 4 | 10 | 15 | 23 | 34 | 60 |
| **GRAND TOTAL** | **6875** | **12.9** | **116** | **3** | **4** | **10** | **17** | **25** | **34** | **62** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 211 | 6.3 | 25 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| 70-74 | 245 | 6.8 | 20 | 1 | 2 | 6 | 9 | 13 | 15 | 22 |
| 75-79 | 236 | 7.7 | 33 | 2 | 2 | 7 | 10 | 14 | 20 | 30 |
| 80-84 | 190 | 8.0 | 37 | 1 | 2 | 7 | 11 | 16 | 21 | 28 |
| 85+ | 202 | 7.8 | 37 | 2 | 2 | 7 | 10 | 15 | 18 | 67 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2779 | 13.7 | 54 | 2 | 4 | 14 | 17 | 22 | 25 | 37 |
| 70-74 | 2573 | 15.2 | 50 | 3 | 6 | 15 | 19 | 24 | 27 | 38 |
| 75-79 | 1808 | 16.1 | 56 | 4 | 8 | 16 | 20 | 24 | 28 | 39 |
| 80-84 | 763 | 18.1 | 72 | 5 | 9 | 17 | 21 | 27 | 33 | 55 |
| 85+ | 230 | 19.6 | 91 | 9 | 10 | 17 | 23 | 29 | 38 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1400 | 7.8 | 37 | 2 | 3 | 6 | 10 | 14 | 18 | 29 |
| 70-74 | 1730 | 8.6 | 42 | 2 | 3 | 7 | 11 | 15 | 20 | 33 |
| 75-79 | 1921 | 9.0 | 51 | 2 | 3 | 7 | 11 | 17 | 21 | 39 |
| 80-84 | 1698 | 10.1 | 81 | 2 | 3 | 8 | 12 | 19 | 25 | 57 |
| 85+ | 1495 | 10.8 | 106 | 2 | 3 | 8 | 13 | 21 | 29 | 69 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3008 | 15.6 | 96 | 3 | 4 | 14 | 19 | 27 | 34 | 51 |
| 70-74 | 3014 | 17.7 | 115 | 3 | 6 | 16 | 22 | 30 | 38 | 60 |
| 75-79 | 2402 | 19.7 | 132 | 4 | 8 | 18 | 24 | 33 | 41 | 73 |
| 80-84 | 1288 | 20.8 | 139 | 6 | 9 | 19 | 25 | 34 | 43 | 69 |
| 85+ | 483 | 22.5 | 183 | 6 | 8 | 19 | 28 | 40 | 50 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1084 | 7.3 | 30 | 1 | 2 | 6 | 10 | 14 | 18 | 28 |
| B. *Operated* | 8153 | 15.3 | 58 | 3 | 6 | 15 | 19 | 26 | 28 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8244 | 9.2 | 64 | 2 | 3 | 7 | 11 | 17 | 22 | 45 |
| B. *Operated* | 10195 | 18.2 | 124 | 3 | 6 | 16 | 23 | 31 | 39 | 63 |
| **1. SINGLE DX** | 9237 | 14.3 | 61 | 3 | 4 | 14 | 18 | 23 | 27 | 39 |
| **2. MULTIPLE DX** | 18439 | 14.2 | 117 | 3 | 4 | 12 | 18 | 27 | 34 | 58 |
| **A. NOT OPERATED** | 9328 | 9.0 | 60 | 2 | 3 | 7 | 11 | 17 | 22 | 43 |
| **B. OPERATED** | 18348 | 16.9 | 97 | 3 | 6 | 16 | 21 | 28 | 34 | 55 |
| TOTAL 65-69 YRS | 7398 | 13.2 | 76 | 2 | 3 | 12 | 17 | 23 | 28 | 44 |
| 70-74 | 7562 | 14.4 | 87 | 3 | 4 | 14 | 18 | 25 | 31 | 48 |
| 75-79 | 6367 | 15.0 | 104 | 3 | 4 | 14 | 19 | 26 | 33 | 55 |
| 80-84 | 3939 | 15.0 | 122 | 3 | 4 | 13 | 20 | 28 | 35 | 61 |
| 85+ | 2410 | 13.7 | 141 | 3 | 3 | 10 | 18 | 28 | 38 | 71 |
| **GRAND TOTAL** | **27676** | **14.2** | **98** | **3** | **4** | **13** | **18** | **25** | **32** | **52** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 104 | 6.3 | 20 | 1 | 2 | 5 | 8 | 13 | 15 | 21 |
| 70-74 | 95 | 7.7 | 64 | 1 | 2 | 4 | 9 | 18 | 27 | 39 |
| 75-79 | 74 | 6.2 | 20 | 1 | 1 | 5 | 8 | 13 | 16 | 19 |
| 80-84 | 65 | 7.3 | 25 | 2 | 2 | 6 | 10 | 15 | 18 | 21 |
| 85+ | 73 | 7.8 | 34 | 1 | 2 | 6 | 10 | 15 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 235 | 11.9 | 71 | 2 | 3 | 11 | 17 | 21 | 26 | 39 |
| 70-74 | 197 | 14.7 | 105 | 3 | 3 | 14 | 18 | 25 | 34 | 62 |
| 75-79 | 135 | 16.4 | 81 | 4 | 7 | 16 | 19 | 25 | 30 | 52 |
| 80-84 | 52 | 15.5 | 103 | 3 | 4 | 15 | 19 | 29 | 40 | 48 |
| 85+ | 20 | 17.8 | 94 | 2 | 4 | 17 | 22 | 34 | 36 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 396 | 8.7 | 53 | 2 | 3 | 7 | 11 | 16 | 23 | 39 |
| 70-74 | 425 | 9.6 | 81 | 2 | 3 | 7 | 12 | 18 | 25 | 51 |
| 75-79 | 423 | 10.5 | 84 | 2 | 3 | 8 | 13 | 21 | 28 | 47 |
| 80-84 | 368 | 10.6 | 88 | 2 | 3 | 8 | 13 | 21 | 28 | 48 |
| 85+ | 325 | 9.3 | 44 | 2 | 3 | 8 | 12 | 18 | 23 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 313 | 16.4 | 231 | 2 | 3 | 12 | 21 | 36 | 49 | 79 |
| 70-74 | 258 | 18.9 | 201 | 3 | 4 | 17 | 24 | 34 | 48 | 83 |
| 75-79 | 205 | 20.4 | 199 | 4 | 5 | 18 | 28 | 41 | 51 | 84 |
| 80-84 | 132 | 20.8 | 221 | 3 | 4 | 18 | 26 | 38 | 57 | 71 |
| 85+ | 71 | 22.5 | 265 | 3 | 6 | 17 | 32 | 43 | 46 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 411 | 7.0 | 33 | 1 | 2 | 5 | 9 | 14 | 18 | 29 |
| B. *Operated* | 639 | 14.2 | 90 | 3 | 3 | 14 | 18 | 24 | 31 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1937 | 9.8 | 71 | 2 | 3 | 7 | 12 | 19 | 26 | 46 |
| B. *Operated* | 979 | 18.9 | 221 | 3 | 4 | 16 | 25 | 38 | 50 | 74 |
| **1. SINGLE DX** | 1050 | 11.4 | 80 | 2 | 3 | 10 | 16 | 21 | 27 | 46 |
| **2. MULTIPLE DX** | 2916 | 12.8 | 140 | 2 | 3 | 9 | 17 | 28 | 37 | 64 |
| **A. NOT OPERATED** | 2348 | 9.3 | 66 | 2 | 3 | 7 | 12 | 18 | 24 | 43 |
| **B. OPERATED** | 1618 | 17.1 | 174 | 3 | 4 | 15 | 21 | 33 | 44 | 70 |
| TOTAL 65-69 YRS | 1048 | 11.5 | 119 | 2 | 3 | 8 | 15 | 23 | 33 | 58 |
| 70-74 | 975 | 12.9 | 133 | 2 | 3 | 10 | 17 | 26 | 34 | 65 |
| 75-79 | 837 | 13.5 | 128 | 2 | 3 | 10 | 17 | 28 | 36 | 60 |
| 80-84 | 617 | 12.9 | 131 | 2 | 3 | 9 | 17 | 26 | 36 | 62 |
| 85+ | 489 | 11.3 | 100 | 2 | 3 | 8 | 14 | 23 | 32 | 46 |
| **GRAND TOTAL** | **3966** | **12.4** | **125** | **2** | **3** | **9** | **16** | **25** | **34** | **60** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 5.6 | 13 | 2 | 2 | 5 | 6 | 12 | 14 | 14 |
| 70-74 | 12 | 5.5 | 27 | 1 | 1 | 3 | 9 | 14 | 15 | 15 |
| 75-79 | 7 | 3.3 | 6 | <1 | <1 | 3 | 4 | 7 | 8 | 8 |
| 80-84 | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 274 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| 70-74 | 136 | 6.0 | 24 | 2 | 2 | 5 | 7 | 10 | 19 | 24 |
| 75-79 | 79 | 5.8 | 25 | 1 | 1 | 4 | 8 | 15 | 17 | 23 |
| 80-84 | 22 | 8.3 | 137 | 2 | 2 | 5 | 7 | 17 | 35 | 56 |
| 85+ | 9 | 7.0 | 31 | 1 | 2 | 6 | 9 | 16 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 26 | 5.7 | 18 | 1 | 1 | 5 | 8 | 12 | 14 | 18 |
| 70-74 | 32 | 8.2 | 49 | 1 | 2 | 7 | 10 | 16 | 25 | 33 |
| 75-79 | 14 | 6.4 | 29 | <1 | 1 | 5 | 9 | 14 | 17 | 18 |
| 80-84 | 18 | 8.3 | 31 | 2 | 2 | 8 | 12 | 16 | 19 | 21 |
| 85+ | 12 | 7.8 | 8 | 2 | 4 | 8 | 10 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 569 | 4.8 | 16 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| 70-74 | 321 | 6.3 | 35 | 2 | 2 | 5 | 8 | 12 | 16 | 25 |
| 75-79 | 178 | 6.6 | 26 | 1 | 2 | 5 | 9 | 14 | 16 | 27 |
| 80-84 | 63 | 8.5 | 63 | 2 | 2 | 6 | 12 | 17 | 23 | 42 |
| 85+ | 31 | 9.9 | 123 | 2 | 2 | 7 | 11 | 21 | 37 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 5.7 | 28 | 1 | 1 | 4 | 7 | 14 | 15 | 24 |
| B. *Operated* | 520 | 5.2 | 22 | 1 | 2 | 4 | 6 | 9 | 16 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 7.3 | 31 | 1 | 2 | 7 | 9 | 14 | 17 | 29 |
| B. *Operated* | 1162 | 5.8 | 30 | 1 | 2 | 4 | 7 | 12 | 16 | 27 |
| **1. SINGLE DX** | 550 | 5.3 | 23 | 1 | 2 | 4 | 6 | 10 | 16 | 23 |
| **2. MULTIPLE DX** | 1264 | 6.0 | 30 | 1 | 2 | 4 | 8 | 12 | 16 | 27 |
| **A. NOT OPERATED** | 132 | 6.9 | 30 | 1 | 1 | 6 | 9 | 14 | 17 | 27 |
| **B. OPERATED** | 1682 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 16 | 24 |
| TOTAL 65-69 YRS | 877 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 19 |
| 70-74 | 501 | 6.3 | 33 | 2 | 2 | 5 | 8 | 12 | 18 | 25 |
| 75-79 | 278 | 6.2 | 25 | 1 | 2 | 5 | 8 | 14 | 16 | 24 |
| 80-84 | 105 | 8.4 | 70 | 2 | 2 | 6 | 11 | 16 | 21 | 49 |
| 85+ | 53 | 9.2 | 83 | 2 | 2 | 7 | 10 | 20 | 24 | 54 |
| **GRAND TOTAL** | **1814** | **5.7** | **28** | **1** | **2** | **4** | **7** | **11** | **16** | **25** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 92 | 6.2 | 39 | 1 | 1 | 4 | 8 | 13 | 19 | 35 |
| 70-74 | 90 | 6.0 | 12 | 1 | 2 | 6 | 8 | 11 | 12 | 17 |
| 75-79 | 89 | 6.9 | 41 | 1 | 1 | 4 | 10 | 14 | 20 | 30 |
| 80-84 | 72 | 7.0 | 29 | 1 | 2 | 6 | 9 | 13 | 20 | 28 |
| 85+ | 66 | 7.1 | 35 | 1 | 2 | 6 | 9 | 15 | 22 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 258 | 6.8 | 53 | 1 | 1 | 4 | 8 | 16 | 19 | 32 |
| 70-74 | 171 | 8.4 | 78 | 1 | 1 | 5 | 11 | 18 | 24 | 49 |
| 75-79 | 115 | 9.3 | 96 | 1 | 2 | 5 | 13 | 18 | 25 | 52 |
| 80-84 | 46 | 10.3 | 141 | 1 | 2 | 6 | 13 | 23 | 40 | 58 |
| 85+ | 33 | 12.4 | 130 | 1 | 2 | 9 | 20 | 35 | 41 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 286 | 8.4 | 48 | 2 | 2 | 7 | 10 | 18 | 22 | 32 |
| 70-74 | 294 | 8.5 | 40 | 2 | 2 | 7 | 11 | 18 | 21 | 32 |
| 75-79 | 307 | 9.0 | 76 | 2 | 3 | 7 | 11 | 17 | 22 | 40 |
| 80-84 | 266 | 9.0 | 52 | 2 | 3 | 7 | 12 | 17 | 24 | 37 |
| 85+ | 265 | 9.0 | 63 | 2 | 3 | 7 | 11 | 16 | 22 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 335 | 10.4 | 102 | 2 | 2 | 7 | 14 | 23 | 29 | 52 |
| 70-74 | 282 | 12.4 | 168 | 2 | 2 | 8 | 17 | 27 | 35 | 66 |
| 75-79 | 193 | 13.8 | 148 | 2 | 3 | 11 | 17 | 30 | 38 | 76 |
| 80-84 | 107 | 14.9 | 203 | 2 | 3 | 11 | 18 | 31 | 37 | 78 |
| 85+ | 70 | 16.1 | 206 | 2 | 4 | 14 | 21 | 36 | 48 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 6.6 | 31 | 1 | 1 | 5 | 8 | 13 | 19 | 28 |
| B. *Operated* | 623 | 8.2 | 80 | 1 | 1 | 5 | 11 | 18 | 24 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1418 | 8.8 | 56 | 2 | 2 | 7 | 11 | 17 | 22 | 36 |
| B. *Operated* | 987 | 12.5 | 151 | 2 | 2 | 9 | 17 | 27 | 36 | 68 |
| **1. SINGLE DX** | 1032 | 7.6 | 61 | 1 | 1 | 5 | 10 | 17 | 22 | 43 |
| **2. MULTIPLE DX** | 2405 | 10.3 | 98 | 2 | 2 | 7 | 13 | 21 | 29 | 55 |
| **A. NOT OPERATED** | 1827 | 8.3 | 51 | 1 | 2 | 7 | 11 | 16 | 22 | 34 |
| **B. OPERATED** | 1610 | 10.9 | 128 | 1 | 2 | 7 | 15 | 23 | 33 | 60 |
| TOTAL 65-69 YRS | 971 | 8.5 | 70 | 1 | 2 | 6 | 11 | 19 | 23 | 40 |
| 70-74 | 837 | 9.5 | 93 | 1 | 2 | 7 | 12 | 20 | 27 | 50 |
| 75-79 | 704 | 10.1 | 100 | 2 | 2 | 7 | 13 | 20 | 29 | 53 |
| 80-84 | 491 | 10.1 | 96 | 2 | 2 | 7 | 13 | 21 | 29 | 58 |
| 85+ | 434 | 10.1 | 94 | 1 | 2 | 7 | 13 | 22 | 32 | 60 |
| **GRAND TOTAL** | **3437** | **9.5** | **89** | **1** | **2** | **7** | **12** | **20** | **26** | **51** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 70-74 | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 75-79 | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 80-84 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 85+ | 2 | 22.0 | 578 | 5 | 5 | 22 | 39 | 39 | 39 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 15.0 | 8 | 13 | 13 | 15 | 17 | 17 | 17 | 17 |
| 70-74 | 2 | 20.5 | 41 | 16 | 16 | 20 | 25 | 25 | 25 | 25 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 10.7 | 29 | 3 | 4 | 11 | 14 | 20 | 20 | 21 |
| 70-74 | 33 | 10.8 | 53 | 2 | 3 | 9 | 16 | 23 | 29 | 99+ |
| 75-79 | 17 | 9.8 | 38 | 2 | 3 | 9 | 13 | 20 | 22 | 22 |
| 80-84 | 10 | 9.8 | 23 | 3 | 3 | 9 | 15 | 16 | 17 | 17 |
| 85+ | 8 | 16.9 | 412 | 5 | 5 | 8 | 18 | 52 | 65 | 65 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 14.4 | 132 | 3 | 6 | 11 | 14 | 27 | 43 | 48 |
| 70-74 | 7 | 13.0 | 52 | 5 | 5 | 12 | 18 | 24 | 25 | 25 |
| 75-79 | 3 | 20.3 | 160 | 9 | 9 | 18 | 30 | 34 | 34 | 34 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 9.2 | 130 | 2 | 2 | 5 | 8 | 27 | 39 | 39 |
| B. *Operated* | 4 | 17.8 | 26 | 13 | 13 | 16 | 21 | 25 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 11.0 | 70 | 3 | 3 | 9 | 15 | 21 | 23 | 85 |
| B. *Operated* | 25 | 14.5 | 104 | 4 | 7 | 11 | 18 | 25 | 37 | 48 |
| **1. SINGLE DX** | 13 | 11.8 | 110 | 2 | 3 | 8 | 16 | 28 | 37 | 39 |
| **2. MULTIPLE DX** | 118 | 11.7 | 78 | 3 | 3 | 10 | 15 | 22 | 26 | 76 |
| **A. NOT OPERATED** | 102 | 10.8 | 74 | 2 | 3 | 9 | 15 | 21 | 24 | 81 |
| **B. OPERATED** | 29 | 15.0 | 93 | 5 | 7 | 12 | 18 | 25 | 35 | 48 |
| TOTAL 65-69 YRS | 43 | 11.8 | 64 | 3 | 4 | 11 | 14 | 20 | 24 | 48 |
| 70-74 | 44 | 11.5 | 52 | 2 | 3 | 9 | 16 | 25 | 27 | 99+ |
| 75-79 | 22 | 10.6 | 64 | 2 | 3 | 9 | 15 | 21 | 27 | 34 |
| 80-84 | 12 | 9.7 | 19 | 3 | 4 | 9 | 13 | 16 | 17 | 17 |
| 85+ | 10 | 17.9 | 389 | 5 | 5 | 8 | 22 | 52 | 65 | 65 |
| **GRAND TOTAL** | **131** | **11.8** | **80** | **3** | **3** | **10** | **15** | **22** | **26** | **71** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 314 | 7.2 | 20 | 2 | 3 | 6 | 10 | 12 | 15 | 26 |
| 70-74 | 291 | 7.3 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 23 |
| 75-79 | 217 | 7.4 | 25 | 2 | 3 | 6 | 9 | 13 | 19 | 24 |
| 80-84 | 155 | 8.0 | 39 | 2 | 2 | 7 | 10 | 14 | 19 | 36 |
| 85+ | 108 | 7.9 | 30 | 2 | 2 | 7 | 10 | 15 | 18 | 62 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 280 | 10.0 | 77 | 2 | 2 | 8 | 13 | 20 | 25 | 44 |
| 70-74 | 177 | 10.8 | 109 | 2 | 2 | 9 | 13 | 23 | 32 | 56 |
| 75-79 | 96 | 11.1 | 80 | 2 | 3 | 9 | 15 | 23 | 29 | 45 |
| 80-84 | 33 | 13.4 | 105 | 2 | 3 | 11 | 18 | 27 | 38 | 40 |
| 85+ | 12 | 10.8 | 213 | 1 | 2 | 7 | 12 | 26 | 51 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1669 | 8.2 | 30 | 2 | 3 | 7 | 10 | 14 | 18 | 28 |
| 70-74 | 1785 | 9.0 | 44 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| 75-79 | 1756 | 9.4 | 44 | 3 | 3 | 8 | 12 | 17 | 22 | 32 |
| 80-84 | 1350 | 10.0 | 58 | 3 | 4 | 8 | 13 | 19 | 23 | 35 |
| 85+ | 1090 | 11.0 | 94 | 3 | 3 | 8 | 14 | 21 | 30 | 61 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 753 | 13.3 | 137 | 2 | 3 | 10 | 16 | 26 | 35 | 72 |
| 70-74 | 602 | 15.2 | 146 | 3 | 4 | 12 | 19 | 29 | 39 | 75 |
| 75-79 | 439 | 16.7 | 186 | 3 | 4 | 13 | 21 | 35 | 46 | 80 |
| 80-84 | 194 | 16.6 | 172 | 4 | 5 | 13 | 21 | 31 | 41 | 86 |
| 85+ | 88 | 15.1 | 104 | 4 | 6 | 13 | 21 | 28 | 43 | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1085 | 7.4 | 26 | 2 | 3 | 6 | 10 | 13 | 16 | 27 |
| B. *Operated* | 598 | 10.6 | 91 | 2 | 2 | 8 | 14 | 22 | 27 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 7650 | 9.4 | 52 | 3 | 3 | 8 | 12 | 17 | 22 | 36 |
| B. *Operated* | 2076 | 14.9 | 154 | 3 | 4 | 12 | 19 | 29 | 41 | 78 |
| 1. SINGLE DX | 1683 | 8.6 | 51 | 2 | 2 | 7 | 11 | 16 | 22 | 37 |
| 2. MULTIPLE DX | 9726 | 10.6 | 78 | 3 | 3 | 8 | 13 | 20 | 26 | 47 |
| A. NOT OPERATED | 8735 | 9.1 | 49 | 2 | 3 | 7 | 11 | 17 | 22 | 35 |
| B. OPERATED | 2674 | 14.0 | 143 | 2 | 3 | 11 | 18 | 27 | 38 | 74 |
| TOTAL 65-69 YRS | 3016 | 9.5 | 65 | 2 | 3 | 8 | 12 | 18 | 23 | 42 |
| 70-74 | 2855 | 10.2 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 45 |
| 75-79 | 2508 | 10.6 | 77 | 2 | 3 | 8 | 13 | 20 | 26 | 48 |
| 80-84 | 1732 | 10.6 | 75 | 3 | 3 | 8 | 13 | 20 | 26 | 44 |
| 85+ | 1298 | 11.1 | 92 | 3 | 3 | 9 | 14 | 21 | 30 | 62 |
| GRAND TOTAL | 11409 | 10.3 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 388 | 9.1 | 35 | 2 | 3 | 8 | 12 | 16 | 19 | 27 |
| 70-74 | 284 | 9.7 | 39 | 2 | 4 | 8 | 12 | 16 | 21 | 32 |
| 75-79 | 158 | 10.1 | 36 | 2 | 3 | 9 | 14 | 18 | 21 | 26 |
| 80-84 | 57 | 9.0 | 44 | 1 | 3 | 7 | 12 | 16 | 19 | 36 |
| 85+ | 33 | 11.3 | 55 | 2 | 3 | 11 | 15 | 21 | 28 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 926 | 11.2 | 54 | 2 | 3 | 10 | 15 | 20 | 24 | 36 |
| 70-74 | 457 | 12.5 | 66 | 2 | 3 | 11 | 16 | 22 | 28 | 37 |
| 75-79 | 207 | 13.7 | 73 | 2 | 3 | 13 | 18 | 25 | 30 | 38 |
| 80-84 | 62 | 16.8 | 136 | 2 | 4 | 15 | 21 | 32 | 45 | 49 |
| 85+ | 25 | 12.6 | 56 | 2 | 3 | 14 | 18 | 21 | 24 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1017 | 10.1 | 36 | 3 | 4 | 9 | 13 | 18 | 21 | 29 |
| 70-74 | 827 | 10.6 | 54 | 3 | 4 | 9 | 14 | 19 | 24 | 35 |
| 75-79 | 655 | 11.0 | 45 | 3 | 4 | 10 | 14 | 20 | 24 | 36 |
| 80-84 | 386 | 11.2 | 56 | 3 | 4 | 10 | 14 | 20 | 25 | 37 |
| 85+ | 240 | 11.5 | 61 | 3 | 4 | 9 | 15 | 22 | 27 | 41 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1196 | 14.9 | 109 | 3 | 4 | 13 | 19 | 28 | 36 | 51 |
| 70-74 | 761 | 17.2 | 133 | 3 | 5 | 15 | 23 | 31 | 38 | 58 |
| 75-79 | 418 | 18.3 | 146 | 3 | 5 | 16 | 23 | 33 | 40 | 69 |
| 80-84 | 162 | 19.5 | 181 | 4 | 6 | 17 | 23 | 39 | 47 | 73 |
| 85+ | 53 | 17.2 | 192 | 2 | 4 | 15 | 21 | 35 | 60 | 99 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 920 | 9.5 | 37 | 2 | 3 | 8 | 12 | 17 | 20 | 30 |
| B. *Operated* | 1677 | 12.1 | 64 | 2 | 3 | 11 | 16 | 21 | 27 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 3125 | 10.7 | 47 | 3 | 4 | 9 | 14 | 19 | 24 | 34 |
| B. *Operated* | 2590 | 16.4 | 130 | 3 | 5 | 14 | 21 | 31 | 38 | 60 |
| 1. SINGLE DX | 2597 | 11.2 | 56 | 2 | 3 | 10 | 15 | 20 | 25 | 37 |
| 2. MULTIPLE DX | 5715 | 13.3 | 93 | 3 | 4 | 11 | 17 | 25 | 31 | 49 |
| A. NOT OPERATED | 4045 | 10.4 | 45 | 3 | 4 | 9 | 13 | 19 | 23 | 33 |
| B. OPERATED | 4267 | 14.7 | 109 | 2 | 4 | 13 | 19 | 28 | 34 | 53 |
| TOTAL 65-69 YRS | 3527 | 11.9 | 70 | 2 | 4 | 10 | 15 | 22 | 27 | 40 |
| 70-74 | 2329 | 13.0 | 90 | 3 | 4 | 11 | 17 | 25 | 30 | 49 |
| 75-79 | 1438 | 13.4 | 88 | 3 | 4 | 11 | 18 | 25 | 31 | 47 |
| 80-84 | 667 | 13.6 | 107 | 3 | 4 | 11 | 17 | 25 | 32 | 51 |
| 85+ | 351 | 12.4 | 83 | 3 | 4 | 11 | 17 | 23 | 28 | 64 |
| GRAND TOTAL | 8312 | 12.6 | 83 | 2 | 4 | 11 | 16 | 24 | 29 | 47 |

### 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 151 | 7.7 | 22 | 2 | 3 | 7 | 10 | 14 | 17 | 23 |
| 70-74 | 105 | 8.1 | 20 | 3 | 4 | 7 | 10 | 14 | 18 | 23 |
| 75-79 | 59 | 8.5 | 41 | 2 | 3 | 7 | 11 | 16 | 19 | 35 |
| 80-84 | 29 | 9.9 | 32 | 5 | 5 | 8 | 12 | 17 | 25 | 27 |
| 85+ | 7 | 8.3 | 49 | 3 | 3 | 5 | 13 | 20 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 187 | 9.9 | 39 | 2 | 3 | 9 | 13 | 19 | 22 | 31 |
| 70-74 | 80 | 10.1 | 72 | 1 | 2 | 9 | 13 | 22 | 28 | 40 |
| 75-79 | 31 | 13.2 | 156 | 3 | 4 | 11 | 15 | 18 | 34 | 71 |
| 80-84 | 2 | 5.0 | 32 | 1 | 1 | 5 | 9 | 9 | 9 | 9 |
| 85+ | 3 | 9.3 | 140 | 2 | 2 | 3 | 18 | 23 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 456 | 9.2 | 38 | 2 | 3 | 8 | 11 | 16 | 21 | 39 |
| 70-74 | 370 | 9.5 | 46 | 2 | 3 | 8 | 12 | 18 | 24 | 34 |
| 75-79 | 271 | 9.7 | 39 | 3 | 3 | 8 | 13 | 17 | 22 | 26 |
| 80-84 | 176 | 10.9 | 70 | 2 | 4 | 9 | 14 | 21 | 25 | 41 |
| 85+ | 126 | 9.4 | 26 | 3 | 4 | 9 | 12 | 16 | 19 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 281 | 13.7 | 88 | 3 | 3 | 12 | 18 | 26 | 32 | 44 |
| 70-74 | 158 | 17.3 | 237 | 3 | 5 | 14 | 22 | 33 | 48 | 95 |
| 75-79 | 87 | 15.8 | 125 | 2 | 4 | 13 | 21 | 31 | 40 | 50 |
| 80-84 | 25 | 20.7 | 347 | 2 | 5 | 16 | 28 | 39 | 96 | 99+ |
| 85+ | 14 | 15.3 | 309 | 2 | 4 | 9 | 11 | 55 | 57 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 351 | 8.2 | 26 | 2 | 3 | 7 | 10 | 14 | 18 | 27 |
| B. *Operated* | 303 | 10.3 | 61 | 2 | 2 | 9 | 13 | 20 | 24 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1399 | 9.6 | 43 | 2 | 3 | 8 | 12 | 17 | 22 | 33 |
| B. *Operated* | 565 | 15.4 | 154 | 3 | 4 | 12 | 20 | 30 | 40 | 80 |
| **1. SINGLE DX** | 654 | 9.1 | 43 | 2 | 3 | 8 | 12 | 16 | 21 | 31 |
| **2. MULTIPLE DX** | 1964 | 11.2 | 82 | 2 | 3 | 9 | 14 | 21 | 28 | 45 |
| **A. NOT OPERATED** | 1750 | 9.3 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 32 |
| **B. OPERATED** | 868 | 13.6 | 127 | 2 | 3 | 11 | 17 | 27 | 33 | 57 |
| TOTAL 65-69 YRS | 1075 | 10.3 | 53 | 2 | 3 | 9 | 13 | 20 | 25 | 39 |
| 70-74 | 713 | 11.1 | 98 | 2 | 3 | 9 | 14 | 22 | 28 | 49 |
| 75-79 | 448 | 11.0 | 70 | 3 | 3 | 9 | 14 | 20 | 26 | 43 |
| 80-84 | 232 | 11.8 | 103 | 2 | 4 | 9 | 14 | 24 | 29 | 73 |
| 85+ | 150 | 9.9 | 56 | 3 | 4 | 8 | 12 | 17 | 20 | 55 |
| **GRAND TOTAL** | 2618 | 10.7 | 73 | 2 | 3 | 9 | 13 | 20 | 26 | 43 |

### 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 56 | 7.3 | 30 | 1 | 2 | 7 | 10 | 12 | 13 | 34 |
| 70-74 | 36 | 7.5 | 22 | 2 | 2 | 7 | 9 | 14 | 16 | 22 |
| 75-79 | 26 | 8.4 | 23 | 3 | 5 | 7 | 10 | 13 | 19 | 25 |
| 80-84 | 14 | 6.3 | 12 | 1 | 2 | 7 | 9 | 10 | 12 | 12 |
| 85+ | 6 | 7.0 | 26 | 2 | 2 | 6 | 8 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 8.8 | 54 | 1 | 1 | 9 | 13 | 23 | 24 | 24 |
| 70-74 | 4 | 13.0 | 113 | 3 | 3 | 10 | 19 | 28 | 28 | 28 |
| 75-79 | 2 | 12.0 | 18 | 9 | 9 | 12 | 15 | 15 | 15 | 15 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 142 | 9.2 | 25 | 3 | 3 | 8 | 12 | 15 | 19 | 28 |
| 70-74 | 108 | 8.8 | 31 | 3 | 3 | 7 | 11 | 16 | 20 | 31 |
| 75-79 | 113 | 11.4 | 50 | 3 | 5 | 10 | 13 | 20 | 28 | 36 |
| 80-84 | 64 | 10.5 | 42 | 3 | 3 | 9 | 14 | 19 | 24 | 31 |
| 85+ | 47 | 10.5 | 28 | 3 | 4 | 10 | 14 | 17 | 21 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 12.0 | 39 | 4 | 5 | 10 | 17 | 18 | 26 | 28 |
| 70-74 | 16 | 16.6 | 137 | 5 | 6 | 14 | 21 | 34 | 42 | 45 |
| 75-79 | 12 | 13.3 | 68 | 4 | 5 | 12 | 18 | 24 | 31 | 32 |
| 80-84 | 3 | 14.7 | 36 | 9 | 9 | 14 | 19 | 21 | 21 | 21 |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 7.4 | 24 | 1 | 2 | 7 | 9 | 13 | 15 | 26 |
| B. *Operated* | 21 | 9.9 | 59 | 1 | 2 | 9 | 13 | 23 | 26 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 474 | 9.9 | 36 | 3 | 3 | 9 | 13 | 17 | 22 | 31 |
| B. *Operated* | 65 | 13.4 | 69 | 4 | 5 | 12 | 17 | 22 | 30 | 43 |
| **1. SINGLE DX** | 159 | 7.8 | 29 | 1 | 2 | 7 | 10 | 13 | 17 | 28 |
| **2. MULTIPLE DX** | 539 | 10.3 | 41 | 3 | 4 | 9 | 13 | 18 | 23 | 32 |
| **A. NOT OPERATED** | 612 | 9.4 | 34 | 2 | 3 | 8 | 12 | 16 | 21 | 31 |
| **B. OPERATED** | 86 | 12.5 | 68 | 3 | 4 | 11 | 17 | 23 | 28 | 41 |
| TOTAL 65-69 YRS | 246 | 9.1 | 32 | 2 | 3 | 8 | 12 | 16 | 19 | 28 |
| 70-74 | 164 | 9.4 | 46 | 2 | 3 | 7 | 12 | 17 | 22 | 35 |
| 75-79 | 153 | 11.0 | 47 | 3 | 5 | 9 | 13 | 19 | 27 | 35 |
| 80-84 | 81 | 9.9 | 40 | 2 | 3 | 9 | 12 | 18 | 24 | 30 |
| 85+ | 54 | 10.1 | 28 | 3 | 3 | 9 | 14 | 16 | 21 | 24 |
| **GRAND TOTAL** | 698 | 9.7 | 39 | 2 | 3 | 8 | 12 | 17 | 22 | 32 |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 111 | 7.5 | 25 | 2 | 2 | 7 | 10 | 14 | 18 | 23 |
| 70-74 | 81 | 8.7 | 42 | 2 | 3 | 7 | 11 | 16 | 21 | 38 |
| 75-79 | 57 | 9.5 | 42 | 2 | 3 | 7 | 14 | 18 | 24 | 29 |
| 80-84 | 22 | 8.8 | 42 | 2 | 3 | 7 | 11 | 21 | 23 | 25 |
| 85+ | 16 | 8.7 | 48 | 1 | 2 | 6 | 13 | 19 | 23 | 25 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 8.0 | 59 | 1 | 2 | 5 | 12 | 22 | 26 | 28 |
| 70-74 | 24 | 9.3 | 38 | 1 | 2 | 8 | 14 | 18 | 20 | 22 |
| 75-79 | 7 | 12.0 | 33 | 2 | 3 | 13 | 17 | 19 | 19 | 19 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | 3 | 13.3 | 20 | 9 | 9 | 13 | 17 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 299 | 9.6 | 34 | 3 | 4 | 8 | 12 | 18 | 22 | 27 |
| 70-74 | 287 | 10.1 | 40 | 3 | 4 | 9 | 13 | 18 | 25 | 32 |
| 75-79 | 251 | 10.5 | 37 | 4 | 4 | 9 | 13 | 18 | 24 | 30 |
| 80-84 | 143 | 11.4 | 50 | 3 | 4 | 10 | 14 | 21 | 26 | 36 |
| 85+ | 107 | 11.6 | 64 | 3 | 4 | 10 | 14 | 25 | 29 | 67 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 87 | 15.4 | 100 | 3 | 4 | 14 | 20 | 31 | 36 | 45 |
| 70-74 | 66 | 15.1 | 72 | 3 | 5 | 14 | 21 | 27 | 29 | 35 |
| 75-79 | 38 | 14.2 | 65 | 5 | 5 | 13 | 18 | 21 | 33 | 39 |
| 80-84 | 18 | 20.2 | 117 | 7 | 10 | 17 | 23 | 35 | 44 | 49 |
| 85+ | 10 | 19.2 | 143 | 6 | 6 | 16 | 27 | 38 | 39 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 287 | 8.4 | 36 | 2 | 2 | 7 | 11 | 16 | 21 | 27 |
| *B. Operated* | 68 | 9.1 | 47 | 1 | 2 | 8 | 14 | 19 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1087 | 10.4 | 42 | 3 | 4 | 9 | 13 | 19 | 24 | 32 |
| *B. Operated* | 219 | 15.7 | 90 | 3 | 5 | 14 | 20 | 29 | 36 | 43 |
| **1. SINGLE DX** | 355 | 8.5 | 38 | 2 | 2 | 7 | 12 | 17 | 21 | 28 |
| **2. MULTIPLE DX** | 1306 | 11.3 | 54 | 3 | 4 | 9 | 14 | 21 | 27 | 38 |
| **A. NOT OPERATED** | 1374 | 10.0 | 41 | 3 | 4 | 8 | 13 | 18 | 24 | 32 |
| **B. OPERATED** | 287 | 14.1 | 87 | 2 | 3 | 13 | 19 | 27 | 33 | 41 |
| TOTAL 65-69 YRS | 530 | 10.0 | 51 | 2 | 3 | 8 | 13 | 20 | 24 | 36 |
| 70-74 | 458 | 10.5 | 49 | 3 | 4 | 9 | 14 | 19 | 25 | 34 |
| 75-79 | 353 | 10.8 | 42 | 3 | 4 | 9 | 14 | 19 | 24 | 31 |
| 80-84 | 184 | 12.0 | 63 | 3 | 4 | 10 | 15 | 22 | 29 | 40 |
| 85+ | 136 | 11.9 | 70 | 3 | 4 | 10 | 15 | 25 | 30 | 50 |
| **GRAND TOTAL** | **1661** | **10.7** | **52** | **3** | **4** | **9** | **14** | **20** | **25** | **36** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 566 | 8.2 | 34 | 2 | 2 | 7 | 10 | 15 | 19 | 30 |
| 70-74 | 412 | 8.1 | 28 | 2 | 2 | 7 | 11 | 15 | 18 | 24 |
| 75-79 | 270 | 8.3 | 32 | 2 | 2 | 7 | 11 | 16 | 20 | 25 |
| 80-84 | 176 | 8.5 | 37 | 1 | 2 | 7 | 12 | 17 | 21 | 26 |
| 85+ | 114 | 8.3 | 49 | 1 | 2 | 7 | 11 | 17 | 20 | 38 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 526 | 9.6 | 61 | 1 | 2 | 9 | 13 | 18 | 24 | 38 |
| 70-74 | 377 | 10.2 | 70 | 1 | 2 | 9 | 14 | 20 | 28 | 39 |
| 75-79 | 209 | 11.6 | 71 | 2 | 2 | 10 | 16 | 22 | 28 | 40 |
| 80-84 | 68 | 11.1 | 68 | 1 | 2 | 10 | 14 | 22 | 27 | 38 |
| 85+ | 27 | 14.5 | 179 | 2 | 2 | 12 | 20 | 29 | 41 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1701 | 8.8 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| 70-74 | 1574 | 9.5 | 49 | 2 | 3 | 8 | 12 | 18 | 23 | 34 |
| 75-79 | 1282 | 9.9 | 59 | 2 | 3 | 8 | 13 | 19 | 23 | 38 |
| 80-84 | 910 | 10.2 | 61 | 2 | 3 | 8 | 13 | 20 | 24 | 40 |
| 85+ | 692 | 10.4 | 66 | 2 | 3 | 8 | 13 | 19 | 24 | 36 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 1051 | 13.3 | 102 | 2 | 3 | 11 | 17 | 26 | 33 | 48 |
| 70-74 | 818 | 15.6 | 153 | 2 | 3 | 12 | 21 | 32 | 40 | 59 |
| 75-79 | 504 | 16.4 | 140 | 3 | 4 | 14 | 23 | 32 | 40 | 65 |
| 80-84 | 224 | 17.7 | 159 | 3 | 4 | 16 | 23 | 33 | 44 | 70 |
| 85+ | 78 | 19.6 | 134 | 3 | 7 | 20 | 26 | 36 | 47 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1538 | 8.2 | 33 | 2 | 2 | 7 | 11 | 16 | 20 | 26 |
| *B. Operated* | 1207 | 10.3 | 69 | 1 | 2 | 9 | 14 | 20 | 26 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 6159 | 9.6 | 53 | 2 | 3 | 8 | 12 | 18 | 23 | 36 |
| *B. Operated* | 2675 | 15.1 | 133 | 2 | 3 | 12 | 20 | 30 | 38 | 58 |
| **1. SINGLE DX** | 2745 | 9.1 | 50 | 1 | 2 | 8 | 12 | 17 | 23 | 35 |
| **2. MULTIPLE DX** | 8834 | 11.3 | 84 | 2 | 3 | 9 | 14 | 22 | 29 | 47 |
| **A. NOT OPERATED** | 7697 | 9.3 | 49 | 2 | 3 | 8 | 12 | 18 | 22 | 35 |
| **B. OPERATED** | 3882 | 13.6 | 118 | 2 | 3 | 11 | 18 | 27 | 35 | 55 |
| TOTAL 65-69 YRS | 3844 | 10.0 | 63 | 2 | 3 | 8 | 13 | 19 | 25 | 40 |
| 70-74 | 3181 | 11.0 | 83 | 2 | 3 | 9 | 14 | 22 | 29 | 49 |
| 75-79 | 2265 | 11.3 | 83 | 2 | 3 | 9 | 15 | 22 | 28 | 44 |
| 80-84 | 1378 | 11.2 | 82 | 2 | 3 | 9 | 15 | 22 | 28 | 47 |
| 85+ | 911 | 11.0 | 80 | 2 | 3 | 9 | 14 | 22 | 28 | 50 |
| **GRAND TOTAL** | **11579** | **10.8** | **76** | **2** | **3** | **9** | **14** | **21** | **27** | **44** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 141 | 5.5 | 12 | 1 | 2 | 5 | 8 | 10 | 12 | 17 |
| 70-74 | 106 | 5.7 | 27 | 1 | 2 | 4 | 7 | 12 | 17 | 27 |
| 75-79 | 94 | 5.8 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 20 |
| 80-84 | 48 | 5.7 | 19 | 2 | 2 | 4 | 8 | 12 | 14 | 18 |
| 85+ | 46 | 6.1 | 16 | 1 | 2 | 5 | 8 | 11 | 13 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 733 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 70-74 | 402 | 3.6 | 11 | <1 | <1 | 3 | 4 | 7 | 10 | 19 |
| 75-79 | 198 | 3.6 | 10 | <1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 80-84 | 95 | 4.6 | 39 | <1 | 1 | 3 | 5 | 9 | 12 | 41 |
| 85+ | 23 | 5.0 | 14 | 1 | 1 | 3 | 9 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 419 | 7.9 | 29 | 2 | 2 | 7 | 10 | 14 | 18 | 28 |
| 70-74 | 387 | 7.5 | 23 | 2 | 3 | 6 | 10 | 14 | 17 | 22 |
| 75-79 | 338 | 8.5 | 35 | 2 | 3 | 7 | 11 | 16 | 20 | 27 |
| 80-84 | 234 | 8.8 | 50 | 2 | 3 | 7 | 11 | 18 | 21 | 37 |
| 85+ | 177 | 9.1 | 39 | 2 | 3 | 8 | 12 | 16 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 702 | 6.0 | 50 | 1 | 2 | 4 | 7 | 11 | 17 | 37 |
| 70-74 | 424 | 6.7 | 54 | 1 | 2 | 4 | 8 | 15 | 21 | 39 |
| 75-79 | 268 | 7.8 | 74 | 2 | 2 | 5 | 9 | 18 | 24 | 51 |
| 80-84 | 97 | 7.8 | 55 | 2 | 2 | 6 | 9 | 16 | 26 | 37 |
| 85+ | 42 | 10.7 | 119 | 1 | 2 | 6 | 14 | 26 | 39 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 435 | 5.7 | 17 | 1 | 2 | 5 | 7 | 11 | 13 | 20 |
| B. *Operated* | 1451 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1555 | 8.2 | 33 | 2 | 3 | 7 | 11 | 15 | 19 | 29 |
| B. *Operated* | 1533 | 6.8 | 58 | 1 | 2 | 4 | 8 | 15 | 21 | 41 |
| **1. SINGLE DX** | 1886 | 4.1 | 14 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | 3089 | 7.5 | 46 | 2 | 2 | 5 | 9 | 15 | 20 | 35 |
| **A. NOT OPERATED** | 1990 | 7.6 | 31 | 2 | 2 | 6 | 10 | 14 | 18 | 28 |
| **B. OPERATED** | 2984 | 5.2 | 38 | <1 | 1 | 3 | 6 | 11 | 16 | 32 |
| TOTAL 65-69 YRS | 1995 | 5.4 | 31 | <1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 70-74 | 1319 | 5.9 | 32 | 1 | 2 | 4 | 7 | 12 | 17 | 27 |
| 75-79 | 898 | 6.9 | 43 | 1 | 2 | 5 | 9 | 14 | 19 | 29 |
| 80-84 | 474 | 7.5 | 48 | 1 | 2 | 5 | 10 | 16 | 19 | 35 |
| 85+ | 288 | 8.5 | 47 | 2 | 2 | 7 | 11 | 16 | 21 | 42 |
| **GRAND TOTAL** | 4974 | 6.2 | 37 | 1 | 2 | 4 | 8 | 13 | 17 | 30 |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 75-79 | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 80-84 | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 841 | 4.4 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 70-74 | 498 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 75-79 | 321 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 11 | 15 |
| 80-84 | 127 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| 85+ | 44 | 5.3 | 35 | 1 | 2 | 4 | 6 | 11 | 12 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 2.5 | 7 | <1 | <1 | 1 | 3 | 6 | 7 | 13 |
| 70-74 | 32 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 75-79 | 22 | 5.5 | 40 | <1 | <1 | 3 | 9 | 15 | 20 | 22 |
| 80-84 | 17 | 5.7 | 23 | <1 | <1 | 4 | 9 | 12 | 16 | 18 |
| 85+ | 7 | 6.0 | 33 | <1 | <1 | 5 | 14 | 74 | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2172 | 5.4 | 16 | 2 | 3 | 5 | 6 | 8 | 10 | 20 |
| 70-74 | 1369 | 5.7 | 14 | 2 | 3 | 5 | 7 | 9 | 12 | 21 |
| 75-79 | 748 | 6.3 | 34 | 2 | 3 | 5 | 7 | 11 | 15 | 28 |
| 80-84 | 311 | 7.0 | 62 | 2 | 2 | 5 | 7 | 11 | 21 | 37 |
| 85+ | 104 | 7.4 | 39 | 2 | 2 | 6 | 8 | 15 | 24 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 11 |
| B. *Operated* | 1831 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 115 | 3.7 | 18 | <1 | <1 | 2 | 5 | 10 | 14 | 48 |
| B. *Operated* | 4704 | 5.8 | 22 | 2 | 3 | 5 | 7 | 9 | 12 | 25 |
| **1. SINGLE DX** | 1853 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 4819 | 5.7 | 22 | 2 | 2 | 5 | 7 | 9 | 12 | 25 |
| **A. NOT OPERATED** | 137 | 3.4 | 16 | <1 | <1 | 2 | 4 | 9 | 14 | 31 |
| **B. OPERATED** | 6535 | 5.4 | 18 | 2 | 2 | 5 | 6 | 9 | 11 | 22 |
| TOTAL 65-69 YRS | 3059 | 5.1 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 70-74 | 1906 | 5.3 | 13 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| 75-79 | 1095 | 5.7 | 27 | 2 | 2 | 5 | 7 | 10 | 13 | 24 |
| 80-84 | 456 | 6.2 | 46 | 2 | 2 | 5 | 7 | 10 | 15 | 32 |
| 85+ | 156 | 6.7 | 38 | 2 | 2 | 5 | 8 | 14 | 21 | 38 |
| **GRAND TOTAL** | 6672 | 5.3 | 18 | 2 | 2 | 5 | 6 | 9 | 11 | 22 |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 3.7 | 21 | <1 | <1 | 1 | 7 | 9 | 9 | 9 |
| 70-74 | 5 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 309 | 2.9 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 16 |
| 70-74 | 187 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 14 |
| 75-79 | 93 | 3.2 | 11 | <1 | 1 | 2 | 4 | 6 | 7 | 22 |
| 80-84 | 50 | 4.7 | 15 | <1 | 1 | 4 | 6 | 9 | 13 | 18 |
| 85+ | 22 | 3.4 | 8 | 1 | 1 | 2 | 4 | 8 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 6.9 | 12 | 3 | 3 | 6 | 8 | 13 | 14 | 14 |
| 70-74 | 16 | 7.5 | 32 | 1 | 2 | 6 | 9 | 16 | 20 | 22 |
| 75-79 | 8 | 6.5 | 16 | <1 | 1 | 5 | 10 | 12 | 12 | 12 |
| 80-84 | 8 | 5.9 | 15 | 2 | 2 | 5 | 7 | 12 | 14 | 14 |
| 85+ | 2 | 10.5 | 61 | 5 | 5 | 10 | 16 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 238 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 70-74 | 155 | 5.2 | 53 | <1 | 1 | 3 | 6 | 9 | 12 | 49 |
| 75-79 | 120 | 7.0 | 63 | 1 | 1 | 4 | 9 | 16 | 22 | 41 |
| 80-84 | 54 | 8.6 | 188 | 1 | 2 | 4 | 8 | 17 | 29 | 74 |
| 85+ | 22 | 7.5 | 62 | <1 | 1 | 4 | 8 | 23 | 25 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 3.3 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 9 |
| B. *Operated* | 661 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 51 | 7.0 | 20 | 2 | 2 | 6 | 9 | 14 | 16 | 22 |
| B. *Operated* | 589 | 5.5 | 52 | 1 | 1 | 3 | 6 | 11 | 16 | 39 |
| **1. SINGLE DX** | 670 | 3.1 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | 640 | 5.6 | 50 | 1 | 1 | 3 | 7 | 11 | 16 | 37 |
| **A. NOT OPERATED** | 60 | 6.5 | 20 | 1 | 2 | 5 | 9 | 13 | 15 | 21 |
| **B. OPERATED** | 1250 | 4.3 | 30 | <1 | 1 | 3 | 5 | 8 | 12 | 25 |
| TOTAL 65-69 YRS | 567 | 3.5 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 70-74 | 363 | 4.2 | 28 | <1 | 1 | 3 | 4 | 8 | 10 | 24 |
| 75-79 | 222 | 5.4 | 42 | <1 | 1 | 3 | 6 | 13 | 17 | 38 |
| 80-84 | 112 | 6.7 | 101 | <1 | 1 | 4 | 7 | 13 | 18 | 71 |
| 85+ | 46 | 5.7 | 39 | 1 | 1 | 3 | 7 | 16 | 22 | 26 |
| **GRAND TOTAL** | **1310** | **4.4** | **30** | **<1** | **1** | **3** | **5** | **9** | **13** | **25** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 16.1 | 172 | 3 | 4 | 11 | 21 | 41 | 47 | 49 |
| 70-74 | 27 | 13.0 | 100 | 2 | 4 | 10 | 20 | 25 | 31 | 45 |
| 75-79 | 16 | 14.8 | 69 | 4 | 8 | 13 | 19 | 25 | 33 | 37 |
| 80-84 | 16 | 13.3 | 115 | 1 | 1 | 12 | 18 | 30 | 33 | 35 |
| 85+ | 16 | 12.6 | 93 | 1 | 2 | 10 | 16 | 24 | 34 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 89 | 13.8 | 164 | 2 | 3 | 9 | 17 | 36 | 46 | 84 |
| 70-74 | 72 | 19.5 | 239 | 3 | 4 | 16 | 26 | 41 | 57 | 70 |
| 75-79 | 66 | 12.6 | 101 | 2 | 4 | 10 | 15 | 22 | 34 | 59 |
| 80-84 | 31 | 20.3 | 402 | 2 | 3 | 11 | 27 | 57 | 60 | 75 |
| 85+ | 20 | 13.4 | 133 | 1 | 2 | 9 | 19 | 32 | 37 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 122 | 15.3 | 130 | 3 | 4 | 12 | 20 | 30 | 38 | 53 |
| 70-74 | 99 | 14.4 | 147 | 2 | 3 | 11 | 17 | 33 | 43 | 56 |
| 75-79 | 73 | 20.6 | 170 | 3 | 6 | 18 | 30 | 42 | 45 | 89 |
| 80-84 | 62 | 16.5 | 152 | 5 | 6 | 14 | 20 | 34 | 48 | 96 |
| 85+ | 63 | 17.9 | 276 | 3 | 4 | 13 | 20 | 42 | 89 | 79 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 310 | 23.7 | 304 | 4 | 5 | 20 | 33 | 51 | 59 | 99 |
| 70-74 | 262 | 24.2 | 333 | 4 | 6 | 21 | 34 | 52 | 68 | 99+ |
| 75-79 | 197 | 25.0 | 299 | 5 | 6 | 23 | 35 | 50 | 68 | 99+ |
| 80-84 | 124 | 24.7 | 288 | 6 | 7 | 19 | 34 | 56 | 69 | 99+ |
| 85+ | 94 | 25.3 | 277 | 6 | 8 | 21 | 32 | 56 | 64 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 14.3 | 119 | 2 | 4 | 12 | 20 | 28 | 39 | 48 |
| B. *Operated* | 278 | 15.7 | 200 | 2 | 3 | 11 | 21 | 37 | 46 | 70 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 419 | 16.6 | 169 | 3 | 4 | 13 | 21 | 36 | 44 | 64 |
| B. *Operated* | 987 | 24.4 | 305 | 4 | 6 | 21 | 34 | 51 | 65 | 99+ |
| **1. SINGLE DX** | 390 | 15.3 | 176 | 2 | 4 | 11 | 21 | 35 | 45 | 65 |
| **2. MULTIPLE DX** | 1406 | 22.0 | 277 | 4 | 5 | 18 | 31 | 47 | 59 | 99+ |
| **A. NOT OPERATED** | 531 | 16.1 | 159 | 3 | 4 | 13 | 21 | 35 | 43 | 60 |
| **B. OPERATED** | 1265 | 22.5 | 295 | 4 | 5 | 18 | 32 | 49 | 62 | 99+ |
| TOTAL 65-69 YRS | 558 | 19.8 | 253 | 3 | 4 | 15 | 28 | 45 | 54 | 86 |
| 70-74 | 460 | 20.7 | 283 | 3 | 5 | 16 | 28 | 46 | 57 | 99 |
| 75-79 | 352 | 21.3 | 247 | 4 | 5 | 17 | 31 | 44 | 56 | 98 |
| 80-84 | 233 | 21.1 | 269 | 4 | 6 | 17 | 29 | 48 | 63 | 99+ |
| 85+ | 193 | 20.6 | 267 | 3 | 5 | 16 | 27 | 42 | 59 | 82 |
| **GRAND TOTAL** | **1796** | **20.6** | **263** | **3** | **5** | **16** | **29** | **45** | **57** | **99** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 229 | 7.2 | 60 | 1 | 2 | 6 | 9 | 14 | 17 | 31 |
| 70-74 | 271 | 8.3 | 36 | 2 | 2 | 7 | 11 | 15 | 19 | 32 |
| 75-79 | 220 | 9.5 | 47 | 2 | 3 | 8 | 12 | 18 | 22 | 36 |
| 80-84 | 209 | 9.4 | 47 | 2 | 2 | 8 | 12 | 17 | 24 | 38 |
| 85+ | 187 | 9.5 | 47 | 2 | 3 | 8 | 13 | 17 | 20 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 433 | 10.2 | 67 | 2 | 2 | 9 | 15 | 19 | 27 | 40 |
| 70-74 | 352 | 11.9 | 107 | 2 | 2 | 10 | 16 | 24 | 30 | 54 |
| 75-79 | 236 | 13.3 | 120 | 2 | 3 | 12 | 17 | 25 | 31 | 61 |
| 80-84 | 131 | 14.9 | 88 | 2 | 2 | 15 | 20 | 26 | 33 | 45 |
| 85+ | 92 | 16.6 | 74 | 3 | 6 | 15 | 20 | 29 | 36 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1442 | 9.8 | 60 | 2 | 3 | 8 | 13 | 18 | 23 | 43 |
| 70-74 | 1959 | 10.8 | 60 | 3 | 3 | 9 | 14 | 20 | 25 | 40 |
| 75-79 | 2300 | 11.7 | 84 | 3 | 4 | 10 | 15 | 22 | 28 | 52 |
| 80-84 | 2044 | 12.0 | 77 | 3 | 4 | 10 | 15 | 22 | 29 | 46 |
| 85+ | 2040 | 12.4 | 98 | 3 | 4 | 10 | 16 | 23 | 29 | 65 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 890 | 16.2 | 180 | 2 | 3 | 14 | 21 | 32 | 41 | 86 |
| 70-74 | 910 | 18.8 | 193 | 3 | 5 | 16 | 24 | 35 | 47 | 77 |
| 75-79 | 826 | 19.0 | 173 | 4 | 5 | 16 | 24 | 36 | 49 | 78 |
| 80-84 | 552 | 20.6 | 187 | 4 | 7 | 18 | 26 | 39 | 51 | 99 |
| 85+ | 371 | 20.9 | 176 | 5 | 7 | 18 | 26 | 39 | 48 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1116 | 8.7 | 48 | 2 | 2 | 7 | 11 | 16 | 20 | 36 |
| B. *Operated* | 1244 | 12.2 | 94 | 2 | 2 | 11 | 17 | 24 | 30 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9785 | 11.5 | 78 | 3 | 4 | 9 | 14 | 21 | 28 | 48 |
| B. *Operated* | 3549 | 18.7 | 185 | 3 | 5 | 16 | 24 | 36 | 46 | 86 |
| **1. SINGLE DX** | 2360 | 10.6 | 75 | 2 | 2 | 9 | 15 | 20 | 26 | 41 |
| **2. MULTIPLE DX** | 13334 | 13.4 | 117 | 3 | 4 | 11 | 17 | 26 | 34 | 63 |
| **A. NOT OPERATED** | 10901 | 11.2 | 76 | 3 | 3 | 9 | 14 | 21 | 27 | 46 |
| **B. OPERATED** | 4793 | 17.0 | 169 | 2 | 4 | 15 | 22 | 33 | 42 | 77 |
| TOTAL 65-69 YRS | 2994 | 11.6 | 106 | 2 | 3 | 9 | 15 | 23 | 30 | 53 |
| 70-74 | 3492 | 12.8 | 111 | 2 | 3 | 10 | 17 | 25 | 33 | 57 |
| 75-79 | 3582 | 13.3 | 114 | 3 | 4 | 11 | 17 | 26 | 35 | 61 |
| 80-84 | 2936 | 13.6 | 109 | 3 | 4 | 11 | 17 | 26 | 34 | 61 |
| 85+ | 2690 | 13.5 | 114 | 3 | 4 | 11 | 17 | 26 | 34 | 67 |
| **GRAND TOTAL** | 15694 | 12.9 | 111 | 3 | 3 | 10 | 17 | 25 | 33 | 60 |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 4 | 4.0 | 22 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| 75-79 | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| 80-84 | 2 | 14.5 | 181 | 5 | 5 | 14 | 24 | 24 | 24 | 24 |
| 85+ | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 53 | 5.0 | 18 | <1 | 1 | 3 | 7 | 12 | 13 | 22 |
| 70-74 | 41 | 7.0 | 43 | 2 | 2 | 5 | 8 | 18 | 23 | 29 |
| 75-79 | 21 | 9.8 | 59 | 1 | 2 | 6 | 16 | 21 | 23 | 24 |
| 80-84 | 10 | 7.4 | 24 | 3 | 3 | 6 | 10 | 18 | 18 | 18 |
| 85+ | 6 | 3.7 | 7 | 2 | 2 | 2 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 21 | 10.9 | 105 | 1 | 2 | 7 | 14 | 29 | 35 | 38 |
| 70-74 | 27 | 13.0 | 213 | 1 | 2 | 9 | 16 | 32 | 77 | 99+ |
| 75-79 | 14 | 20.5 | 671 | 2 | 4 | 12 | 18 | 58 | 90 | 99 |
| 80-84 | 11 | 13.5 | 248 | 3 | 3 | 10 | 16 | 35 | 56 | 58 |
| 85+ | 11 | 14.5 | 72 | 3 | 5 | 13 | 21 | 27 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 190 | 8.8 | 77 | 2 | 2 | 6 | 10 | 17 | 25 | 51 |
| 70-74 | 107 | 9.8 | 70 | 2 | 2 | 7 | 13 | 24 | 27 | 41 |
| 75-79 | 61 | 12.7 | 97 | 2 | 2 | 10 | 16 | 26 | 34 | 47 |
| 80-84 | 20 | 18.9 | 394 | 2 | 3 | 16 | 23 | 63 | 91 | 99+ |
| 85+ | 7 | 11.3 | 125 | 2 | 2 | 8 | 16 | 30 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 6.0 | 47 | 1 | 1 | 2 | 7 | 17 | 23 | 24 |
| B. *Operated* | 131 | 6.5 | 35 | 1 | 2 | 4 | 9 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 14.0 | 246 | 1 | 3 | 10 | 17 | 29 | 55 | 99+ |
| B. *Operated* | 385 | 10.3 | 100 | 2 | 2 | 7 | 14 | 22 | 30 | 52 |
| **1. SINGLE DX** | 144 | 6.5 | 35 | 1 | 2 | 4 | 8 | 15 | 19 | 29 |
| **2. MULTIPLE DX** | 469 | 10.9 | 128 | 2 | 2 | 8 | 14 | 23 | 33 | 71 |
| **A. NOT OPERATED** | 97 | 12.9 | 226 | 1 | 2 | 9 | 16 | 27 | 48 | 99+ |
| **B. OPERATED** | 516 | 9.3 | 86 | 2 | 2 | 6 | 12 | 20 | 28 | 49 |
| TOTAL 65-69 YRS | 266 | 8.2 | 70 | 1 | 2 | 5 | 10 | 16 | 23 | 48 |
| 70-74 | 179 | 9.5 | 87 | 2 | 2 | 7 | 12 | 22 | 28 | 65 |
| 75-79 | 98 | 13.1 | 174 | 2 | 2 | 10 | 17 | 23 | 35 | 77 |
| 80-84 | 43 | 14.6 | 268 | 2 | 3 | 10 | 18 | 45 | 65 | 99+ |
| 85+ | 27 | 10.1 | 80 | 2 | 2 | 7 | 14 | 25 | 30 | 33 |
| **GRAND TOTAL** | 613 | 9.9 | 109 | 2 | 2 | 7 | 13 | 21 | 29 | 56 |

### 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 7.5 | 29 | 2 | 3 | 5 | 10 | 14 | 21 | 23 |
| 70-74 | 31 | 8.8 | 49 | 2 | 2 | 8 | 12 | 15 | 18 | 37 |
| 75-79 | 13 | 5.8 | 18 | 1 | 2 | 5 | 7 | 13 | 15 | 16 |
| 80-84 | 11 | 7.4 | 25 | 2 | 3 | 5 | 9 | 16 | 17 | 17 |
| 85+ | 4 | 10.3 | 21 | 5 | 5 | 10 | 13 | 16 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 7.7 | 40 | 2 | 2 | 5 | 13 | 17 | 19 | 22 |
| 70-74 | 13 | 9.8 | 77 | 2 | 2 | 9 | 13 | 26 | 28 | 28 |
| 75-79 | 10 | 7.8 | 43 | 1 | 1 | 6 | 8 | 19 | 22 | 22 |
| 80-84 | 2 | 11.0 | 98 | 4 | 4 | 11 | 18 | 18 | 18 | 18 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 122 | 9.7 | 55 | 2 | 3 | 7 | 13 | 18 | 23 | 40 |
| 70-74 | 122 | 8.0 | 34 | 2 | 3 | 7 | 10 | 14 | 18 | 34 |
| 75-79 | 95 | 10.6 | 71 | 2 | 3 | 8 | 14 | 18 | 31 | 45 |
| 80-84 | 74 | 9.7 | 54 | 1 | 2 | 9 | 12 | 20 | 25 | 36 |
| 85+ | 52 | 9.7 | 52 | 3 | 3 | 8 | 12 | 22 | 24 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 43 | 14.4 | 158 | 3 | 4 | 11 | 19 | 23 | 26 | 82 |
| 70-74 | 27 | 11.4 | 50 | 3 | 4 | 10 | 14 | 24 | 26 | 27 |
| 75-79 | 16 | 12.5 | 133 | 3 | 4 | 9 | 16 | 21 | 41 | 50 |
| 80-84 | 11 | 10.6 | 23 | 3 | 4 | 12 | 15 | 16 | 16 | 16 |
| 85+ | 6 | 33.8 | 847 | 14 | 15 | 22 | 32 | 86 | 92 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 94 | 7.8 | 33 | 2 | 2 | 6 | 11 | 16 | 18 | 31 |
| B. *Operated* | 56 | 8.3 | 48 | 2 | 2 | 6 | 13 | 18 | 22 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 465 | 9.4 | 53 | 2 | 3 | 7 | 12 | 17 | 23 | 37 |
| B. *Operated* | 103 | 14.0 | 168 | 3 | 4 | 11 | 18 | 24 | 27 | 87 |
| **1. SINGLE DX** | 150 | 8.0 | 38 | 2 | 2 | 6 | 11 | 17 | 19 | 28 |
| **2. MULTIPLE DX** | 568 | 10.3 | 76 | 2 | 3 | 8 | 13 | 20 | 24 | 45 |
| **A. NOT OPERATED** | 559 | 9.2 | 50 | 2 | 3 | 7 | 12 | 17 | 23 | 37 |
| **B. OPERATED** | 159 | 12.0 | 132 | 2 | 2 | 10 | 16 | 22 | 26 | 79 |
| TOTAL 65-69 YRS | 230 | 10.0 | 72 | 2 | 3 | 8 | 14 | 20 | 22 | 39 |
| 70-74 | 193 | 8.7 | 42 | 2 | 3 | 7 | 11 | 16 | 22 | 34 |
| 75-79 | 134 | 10.2 | 73 | 2 | 3 | 7 | 13 | 18 | 28 | 46 |
| 80-84 | 98 | 9.6 | 47 | 2 | 3 | 8 | 12 | 17 | 24 | 36 |
| 85+ | 63 | 11.9 | 164 | 3 | 3 | 9 | 14 | 24 | 28 | 85 |
| **GRAND TOTAL** | 718 | 9.8 | 69 | 2 | 3 | 8 | 12 | 19 | 24 | 39 |

### 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 217 | 5.6 | 14 | 1 | 2 | 5 | 8 | 11 | 12 | 19 |
| 70-74 | 186 | 6.1 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| 75-79 | 127 | 6.1 | 18 | 1 | 2 | 5 | 9 | 11 | 15 | 19 |
| 80-84 | 77 | 6.3 | 20 | 1 | 2 | 5 | 8 | 13 | 16 | 23 |
| 85+ | 63 | 6.3 | 17 | 2 | 2 | 5 | 9 | 12 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 744 | 3.7 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 70-74 | 498 | 4.2 | 34 | 1 | 1 | 3 | 4 | 8 | 12 | 30 |
| 75-79 | 242 | 5.1 | 46 | 1 | 2 | 3 | 5 | 11 | 17 | 30 |
| 80-84 | 79 | 5.7 | 46 | 1 | 2 | 3 | 5 | 15 | 23 | 33 |
| 85+ | 38 | 6.2 | 137 | 1 | 1 | 3 | 6 | 9 | 21 | 71 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 882 | 7.2 | 33 | 2 | 2 | 6 | 9 | 14 | 17 | 28 |
| 70-74 | 901 | 8.0 | 36 | 2 | 2 | 6 | 10 | 16 | 20 | 30 |
| 75-79 | 736 | 7.9 | 35 | 2 | 3 | 6 | 10 | 16 | 20 | 28 |
| 80-84 | 521 | 9.4 | 90 | 2 | 3 | 8 | 12 | 18 | 22 | 37 |
| 85+ | 370 | 8.9 | 61 | 2 | 3 | 7 | 10 | 16 | 22 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 762 | 7.6 | 66 | 1 | 2 | 4 | 10 | 17 | 24 | 42 |
| 70-74 | 575 | 8.7 | 89 | 2 | 2 | 5 | 11 | 20 | 26 | 46 |
| 75-79 | 389 | 9.7 | 101 | 2 | 2 | 6 | 12 | 21 | 33 | 53 |
| 80-84 | 172 | 11.7 | 142 | 1 | 2 | 8 | 15 | 26 | 36 | 60 |
| 85+ | 88 | 12.0 | 206 | 2 | 2 | 8 | 14 | 29 | 38 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 670 | 5.9 | 17 | 1 | 2 | 5 | 8 | 11 | 14 | 20 |
| B. *Operated* | 1601 | 4.2 | 32 | 1 | 1 | 3 | 4 | 8 | 12 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3410 | 8.1 | 41 | 2 | 2 | 7 | 10 | 16 | 20 | 31 |
| B. *Operated* | 1986 | 8.9 | 94 | 2 | 2 | 5 | 12 | 20 | 28 | 52 |
| **1. SINGLE DX** | 2271 | 4.7 | 28 | 1 | 1 | 3 | 5 | 10 | 13 | 24 |
| **2. MULTIPLE DX** | 5396 | 8.4 | 60 | 2 | 2 | 6 | 11 | 17 | 22 | 40 |
| **A. NOT OPERATED** | 4080 | 7.7 | 37 | 2 | 2 | 6 | 10 | 15 | 19 | 30 |
| **B. OPERATED** | 3587 | 6.8 | 72 | 1 | 2 | 4 | 8 | 16 | 22 | 48 |
| TOTAL 65-69 YRS | 2605 | 6.2 | 40 | 1 | 2 | 4 | 8 | 13 | 17 | 33 |
| 70-74 | 2160 | 7.1 | 51 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| 75-79 | 1494 | 7.8 | 55 | 2 | 2 | 5 | 10 | 16 | 21 | 40 |
| 80-84 | 849 | 9.3 | 69 | 2 | 2 | 7 | 12 | 19 | 28 | 40 |
| 85+ | 559 | 8.9 | 86 | 2 | 2 | 7 | 10 | 16 | 24 | 55 |
| **GRAND TOTAL** | 7667 | 7.3 | 54 | 1 | 2 | 5 | 9 | 15 | 20 | 37 |

### 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 6.3 | 9 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 70-74 | 4 | 8.8 | 31 | 3 | 3 | 9 | 13 | 14 | 14 | 14 |
| 75-79 | 4 | 3.8 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 27 | 7.0 | 14 | 2 | 3 | 6 | 9 | 12 | 15 | 16 |
| 70-74 | 16 | 6.9 | 5 | 3 | 4 | 7 | 8 | 10 | 11 | 11 |
| 75-79 | 15 | 9.8 | 115 | 1 | 3 | 9 | 11 | 13 | 38 | 46 |
| 80-84 | 6 | 12.2 | 47 | 3 | 3 | 13 | 16 | 21 | 22 | 22 |
| 85+ | 5 | 8.8 | 21 | 6 | 6 | 7 | 10 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 6.3 | 14 | 2 | 2 | 6 | 8 | 12 | 13 | 13 |
| 70-74 | 3 | 19.7 | 225 | 5 | 5 | 19 | 31 | 35 | 35 | 35 |
| 75-79 | 2 | 16.0 | 2 | 15 | 15 | 16 | 17 | 17 | 17 | 17 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 13 | 6.8 | 16 | 2 | 3 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 69 | 8.1 | 38 | 2 | 3 | 7 | 10 | 14 | 16 | 41 |
| B. *Operated* | 12 | 11.3 | 88 | 2 | 3 | 8 | 16 | 24 | 33 | 35 |
| 1. SINGLE DX | 14 | 6.4 | 17 | 1 | 2 | 5 | 9 | 13 | 14 | 14 |
| 2. MULTIPLE DX | 81 | 8.6 | 46 | 2 | 3 | 7 | 10 | 15 | 18 | 43 |
| A. NOT OPERATED | 82 | 7.9 | 34 | 2 | 3 | 7 | 10 | 13 | 16 | 38 |
| B. OPERATED | 13 | 10.5 | 89 | 1 | 2 | 6 | 15 | 22 | 33 | 35 |
| TOTAL 65-69 YRS | 38 | 6.6 | 14 | 1 | 2 | 6 | 9 | 12 | 14 | 16 |
| 70-74 | 23 | 8.9 | 47 | 3 | 4 | 7 | 10 | 15 | 25 | 35 |
| 75-79 | 21 | 9.2 | 92 | 2 | 2 | 6 | 12 | 16 | 30 | 46 |
| 80-84 | 8 | 11.5 | 36 | 3 | 4 | 11 | 15 | 20 | 22 | 22 |
| 85+ | 5 | 8.8 | 21 | 6 | 6 | 7 | 10 | 17 | 17 | 17 |
| GRAND TOTAL | 95 | 8.3 | 42 | 2 | 3 | 7 | 10 | 15 | 17 | 41 |

### 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 75-79 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 80-84 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 15.3 | 86 | 9 | 9 | 11 | 22 | 26 | 26 | 26 |
| 70-74 | 2 | 13.0 | 2 | 12 | 12 | 13 | 14 | 14 | 14 | 14 |
| 75-79 | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 9.0 | 28 | 3 | 3 | 12 | 56 | 99+ | 99+ | 99+ |
| 70-74 | 16 | 5.6 | 29 | <1 | <1 | 4 | 8 | 13 | 17 | 19 |
| 75-79 | 10 | 8.8 | 22 | 5 | 5 | 6 | 13 | 15 | 17 | 17 |
| 80-84 | 11 | 9.1 | 121 | 1 | 1 | 4 | 12 | 27 | 36 | 37 |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 20.9 | 468 | 5 | 6 | 12 | 21 | 62 | 68 | 69 |
| 70-74 | 5 | 14.0 | 39 | 5 | 5 | 15 | 17 | 22 | 22 | 22 |
| 75-79 | 5 | 23.2 | 207 | 8 | 8 | 23 | 36 | 40 | 40 | 40 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 3 | 19.0 | 217 | 10 | 10 | 11 | 30 | 36 | 36 | 36 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 9 | 4.0 | 12 | 1 | 1 | 3 | 5 | 10 | 12 | 12 |
| B. *Operated* | 7 | 11.7 | 54 | 2 | 3 | 11 | 13 | 24 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 41 | 7.6 | 50 | <1 | 1 | 5 | 13 | 18 | 27 | 99+ |
| B. *Operated* | 25 | 19.1 | 274 | 5 | 5 | 12 | 22 | 40 | 60 | 69 |
| 1. SINGLE DX | 16 | 7.4 | 44 | 1 | 2 | 5 | 11 | 14 | 22 | 26 |
| 2. MULTIPLE DX | 66 | 11.9 | 164 | 1 | 2 | 9 | 14 | 33 | 43 | 95 |
| A. NOT OPERATED | 50 | 6.9 | 45 | <1 | 1 | 5 | 12 | 15 | 20 | 99 |
| B. OPERATED | 32 | 17.5 | 232 | 4 | 5 | 12 | 22 | 37 | 55 | 69 |
| TOTAL 65-69 YRS | 18 | 16.9 | 326 | 2 | 4 | 11 | 21 | 64 | 68 | 99+ |
| 70-74 | 25 | 7.8 | 39 | <1 | <1 | 6 | 13 | 16 | 20 | 22 |
| 75-79 | 19 | 11.6 | 112 | 2 | 3 | 8 | 14 | 30 | 38 | 40 |
| 80-84 | 15 | 7.3 | 96 | 1 | 2 | 3 | 9 | 20 | 33 | 37 |
| 85+ | 5 | 15.0 | 143 | 6 | 6 | 11 | 18 | 36 | 36 | 36 |
| GRAND TOTAL | 82 | 11.0 | 143 | 1 | 2 | 8 | 13 | 24 | 38 | 90 |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 80-84 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 85+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 174 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 70-74 | 156 | 3.0 | 3 | 2 | 2 | 3 | 3 | 4 | 5 | 10 |
| 75-79 | 111 | 2.9 | 2 | 1 | 2 | 3 | 4 | 4 | 6 | 9 |
| 80-84 | 56 | 3.5 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 85+ | 37 | 3.1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 1.7 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 70-74 | 6 | 5.3 | 28 | 1 | 1 | 3 | 11 | 13 | 13 | 13 |
| 75-79 | 4 | 5.0 | 25 | 1 | 1 | 3 | 8 | 12 | 12 | 12 |
| 80-84 | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 85+ | 3 | 9.7 | 225 | <1 | <1 | 1 | 20 | 27 | 27 | 27 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 202 | 3.3 | 8 | 2 | 2 | 3 | 4 | 5 | 6 | 14 |
| 70-74 | 190 | 3.4 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |
| 75-79 | 186 | 3.2 | 5 | 2 | 2 | 3 | 3 | 5 | 7 | 14 |
| 80-84 | 107 | 3.4 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 17 |
| 85+ | 62 | 3.6 | 7 | 2 | 2 | 3 | 4 | 7 | 9 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| *B. Operated* | 534 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 23 | 4.4 | 37 | <1 | 1 | 2 | 4 | 12 | 18 | 27 |
| *B. Operated* | 747 | 3.3 | 6 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| **1. SINGLE DX** | 537 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 770 | 3.4 | 7 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| **A. NOT OPERATED** | 26 | 4.0 | 34 | <1 | <1 | 2 | 4 | 12 | 16 | 27 |
| **B. OPERATED** | 1281 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| TOTAL 65-69 YRS | 383 | 3.0 | 5 | 2 | 2 | 3 | 3 | 4 | 5 | 11 |
| 70-74 | 352 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 14 |
| 75-79 | 302 | 3.1 | 4 | 2 | 2 | 3 | 3 | 5 | 7 | 13 |
| 80-84 | 167 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 7 | 14 |
| 85+ | 103 | 3.6 | 10 | 1 | 2 | 3 | 4 | 6 | 9 | 21 |
| **GRAND TOTAL** | 1307 | 3.2 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 3.9 | 10 | 1 | 1 | 2 | 6 | 9 | 10 | 10 |
| 70-74 | 11 | 3.6 | 4 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 75-79 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 80-84 | 2 | 11.0 | 72 | 5 | 5 | 11 | 17 | 17 | 17 | 17 |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 5.3 | 26 | 1 | 2 | 3 | 6 | 12 | 18 | 21 |
| 70-74 | 16 | 5.4 | 25 | 2 | 2 | 3 | 8 | 14 | 17 | 18 |
| 75-79 | 8 | 7.6 | 23 | 2 | 2 | 8 | 12 | 13 | 13 | 13 |
| 80-84 | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 85+ | 3 | 8.7 | 74 | 1 | 1 | 7 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 78 | 7.1 | 25 | 2 | 2 | 6 | 9 | 15 | 17 | 24 |
| 70-74 | 73 | 5.9 | 26 | 1 | 2 | 6 | 8 | 13 | 15 | 27 |
| 75-79 | 45 | 8.6 | 39 | 2 | 2 | 7 | 10 | 17 | 20 | 31 |
| 80-84 | 37 | 9.9 | 70 | 1 | 2 | 9 | 11 | 20 | 30 | 41 |
| 85+ | 40 | 6.9 | 24 | 2 | 2 | 5 | 10 | 14 | 16 | 22 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 11.3 | 104 | 2 | 2 | 9 | 15 | 26 | 34 | 48 |
| 70-74 | 66 | 13.9 | 222 | 2 | 2 | 11 | 17 | 28 | 39 | 82 |
| 75-79 | 37 | 13.8 | 257 | 2 | 2 | 12 | 17 | 28 | 32 | 96 |
| 80-84 | 15 | 15.3 | 119 | 2 | 4 | 14 | 20 | 29 | 35 | 43 |
| 85+ | 17 | 14.4 | 117 | 1 | 3 | 12 | 17 | 32 | 39 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 22 | 4.5 | 13 | 1 | 1 | 4 | 6 | 9 | 13 | 17 |
| *B. Operated* | 64 | 5.8 | 27 | 1 | 2 | 3 | 9 | 13 | 18 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 273 | 7.7 | 34 | 2 | 2 | 6 | 9 | 15 | 19 | 30 |
| *B. Operated* | 252 | 12.8 | 199 | 2 | 2 | 10 | 17 | 28 | 34 | 69 |
| **1. SINGLE DX** | 86 | 5.5 | 23 | 1 | 2 | 3 | 7 | 12 | 17 | 21 |
| **2. MULTIPLE DX** | 525 | 10.1 | 100 | 2 | 2 | 7 | 13 | 20 | 29 | 46 |
| **A. NOT OPERATED** | 295 | 7.4 | 33 | 2 | 2 | 6 | 9 | 15 | 18 | 30 |
| **B. OPERATED** | 316 | 11.4 | 140 | 2 | 2 | 9 | 15 | 24 | 33 | 60 |
| TOTAL 65-69 YRS | 238 | 8.8 | 70 | 2 | 2 | 6 | 12 | 18 | 26 | 39 |
| 70-74 | 166 | 9.3 | 116 | 2 | 2 | 6 | 11 | 19 | 26 | 67 |
| 75-79 | 91 | 10.6 | 131 | 2 | 2 | 8 | 14 | 19 | 29 | 70 |
| 80-84 | 56 | 11.3 | 85 | 1 | 2 | 9 | 14 | 23 | 32 | 43 |
| 85+ | 60 | 9.1 | 61 | 1 | 2 | 7 | 12 | 17 | 24 | 41 |
| **GRAND TOTAL** | 611 | 9.5 | 92 | 2 | 2 | 7 | 12 | 19 | 27 | 43 |

### 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 3 | 7.0 | 7 | 5 | 5 | 6 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| *B. Operated* | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| **1. SINGLE DX** | 4 | 5.8 | 11 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | 4 | 3.5 | 10 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| **A. NOT OPERATED** | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **B. OPERATED** | 7 | 5.1 | 9 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| TOTAL 65-69 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 5 | 6.0 | 12 | <1 | <1 | 6 | 8 | 10 | 10 | 10 |
| **GRAND TOTAL** | **8** | **4.6** | **10** | **<1** | **1** | **4** | **7** | **9** | **10** | **10** |

### 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 70-74 | 6 | 2.5 | 4 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 75-79 | 8 | 4.4 | 12 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 80-84 | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 85+ | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 31 | 8.8 | 47 | 1 | 2 | 8 | 12 | 20 | 23 | 25 |
| 70-74 | 26 | 8.3 | 66 | 1 | 2 | 5 | 11 | 18 | 27 | 36 |
| 75-79 | 15 | 4.5 | 24 | 1 | 2 | 3 | 5 | 7 | 17 | 21 |
| 80-84 | 6 | 3.5 | 8 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 85+ | 8 | 11.5 | 137 | 1 | 1 | 11 | 14 | 30 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 66 | 6.6 | 27 | 1 | 2 | 5 | 9 | 13 | 20 | 23 |
| 70-74 | 54 | 6.3 | 15 | 1 | 2 | 6 | 8 | 13 | 13 | 18 |
| 75-79 | 48 | 6.7 | 39 | 2 | 2 | 4 | 8 | 16 | 20 | 30 |
| 80-84 | 29 | 7.3 | 40 | 2 | 2 | 5 | 8 | 20 | 21 | 26 |
| 85+ | 33 | 7.6 | 26 | 2 | 3 | 6 | 9 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 86 | 15.2 | 144 | 2 | 3 | 12 | 20 | 30 | 40 | 60 |
| 70-74 | 67 | 12.3 | 86 | 2 | 3 | 10 | 17 | 24 | 30 | 46 |
| 75-79 | 55 | 13.6 | 115 | 1 | 2 | 12 | 18 | 28 | 30 | 59 |
| 80-84 | 36 | 14.4 | 163 | 2 | 3 | 9 | 20 | 30 | 48 | 51 |
| 85+ | 24 | 24.5 | 392 | 6 | 7 | 18 | 30 | 53 | 73 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 3.3 | 7 | <1 | <1 | 2 | 5 | 7 | 8 | 11 |
| B. *Operated* | 86 | 7.8 | 57 | 1 | 2 | 5 | 10 | 18 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 6.8 | 28 | 1 | 2 | 5 | 8 | 13 | 19 | 26 |
| B. *Operated* | 268 | 14.9 | 156 | 2 | 3 | 12 | 19 | 30 | 40 | 62 |
| **1. SINGLE DX** | 117 | 6.6 | 47 | 1 | 1 | 4 | 8 | 15 | 22 | 36 |
| **2. MULTIPLE DX** | 498 | 11.1 | 113 | 2 | 2 | 8 | 15 | 23 | 30 | 54 |
| **A. NOT OPERATED** | 261 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 18 | 26 |
| **B. OPERATED** | 354 | 13.1 | 141 | 2 | 2 | 10 | 18 | 27 | 36 | 60 |
| TOTAL 65-69 YRS | 194 | 10.5 | 99 | 1 | 2 | 8 | 15 | 23 | 29 | 54 |
| 70-74 | 153 | 9.1 | 63 | 1 | 2 | 7 | 12 | 19 | 25 | 39 |
| 75-79 | 126 | 9.3 | 83 | 1 | 2 | 6 | 13 | 21 | 28 | 44 |
| 80-84 | 74 | 10.3 | 111 | 2 | 2 | 7 | 14 | 21 | 30 | 51 |
| 85+ | 68 | 13.9 | 226 | 2 | 3 | 8 | 16 | 31 | 50 | 74 |
| **GRAND TOTAL** | **615** | **10.3** | **103** | **1** | **2** | **7** | **13** | **22** | **29** | **51** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 70-74 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 5.5 | 24 | 2 | 2 | 4 | 6 | 14 | 17 | 17 |
| 70-74 | 5 | 5.0 | 4 | 2 | 2 | 6 | 6 | 7 | 7 | 7 |
| 75-79 | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 4 | 5.0 | 8 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 15 | 5.7 | 15 | 2 | 2 | 6 | 7 | 10 | 15 | 17 |
| **1. SINGLE DX** | 4 | 5.0 | 8 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | 16 | 5.5 | 15 | 2 | 2 | 5 | 7 | 10 | 15 | 17 |
| **A. NOT OPERATED** | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 19 | 5.6 | 13 | 1 | 2 | 6 | 7 | 9 | 14 | 17 |
| TOTAL 65-69 YRS | 10 | 5.6 | 19 | 2 | 2 | 4 | 6 | 12 | 17 | 17 |
| 70-74 | 6 | 4.3 | 6 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 75-79 | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **GRAND TOTAL** | **20** | **5.4** | **13** | **1** | **2** | **5** | **7** | **9** | **13** | **17** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 5.4 | 24 | 1 | 1 | 3 | 9 | 13 | 15 | 15 |
| 70-74 | 11 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 11 | 11 |
| 75-79 | 8 | 7.3 | 31 | 1 | 1 | 7 | 11 | 15 | 16 | 16 |
| 80-84 | 3 | 6.0 | 37 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 41 | 5.9 | 31 | 1 | 1 | 4 | 9 | 12 | 18 | 26 |
| 70-74 | 30 | 5.9 | 23 | 2 | 2 | 4 | 8 | 12 | 15 | 22 |
| 75-79 | 16 | 7.6 | 38 | 1 | 2 | 5 | 13 | 16 | 18 | 19 |
| 80-84 | 7 | 5.7 | 29 | <1 | <1 | 3 | 9 | 14 | 15 | 15 |
| 85+ | 6 | 4.8 | 9 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 47 | 6.5 | 24 | 1 | 2 | 5 | 9 | 12 | 17 | 26 |
| 70-74 | 48 | 8.4 | 54 | 3 | 3 | 6 | 10 | 17 | 23 | 42 |
| 75-79 | 38 | 10.2 | 61 | 2 | 3 | 8 | 15 | 19 | 28 | 35 |
| 80-84 | 21 | 8.4 | 78 | 2 | 3 | 6 | 9 | 15 | 29 | 43 |
| 85+ | 26 | 6.9 | 34 | 2 | 2 | 5 | 9 | 13 | 18 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 147 | 9.0 | 63 | 1 | 2 | 7 | 12 | 19 | 23 | 50 |
| 70-74 | 114 | 9.4 | 91 | 1 | 2 | 7 | 13 | 21 | 27 | 55 |
| 75-79 | 53 | 11.2 | 108 | 2 | 2 | 8 | 16 | 25 | 30 | 54 |
| 80-84 | 37 | 12.8 | 183 | 2 | 3 | 8 | 16 | 26 | 43 | 69 |
| 85+ | 23 | 13.3 | 74 | 2 | 3 | 13 | 20 | 27 | 52 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 34 | 5.2 | 20 | 1 | 1 | 3 | 10 | 12 | 15 | 16 |
| B. *Operated* | 100 | 6.1 | 28 | 1 | 2 | 4 | 9 | 14 | 16 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 180 | 8.1 | 48 | 2 | 3 | 6 | 9 | 17 | 21 | 40 |
| B. *Operated* | 374 | 10.1 | 92 | 1 | 2 | 7 | 14 | 21 | 27 | 55 |
| **1. SINGLE DX** | 134 | 5.9 | 26 | 1 | 2 | 4 | 9 | 13 | 15 | 23 |
| **2. MULTIPLE DX** | 554 | 9.4 | 78 | 2 | 2 | 7 | 12 | 19 | 26 | 55 |
| **A. NOT OPERATED** | 214 | 7.6 | 45 | 2 | 2 | 5 | 9 | 16 | 19 | 38 |
| **B. OPERATED** | 474 | 9.2 | 81 | 1 | 2 | 7 | 12 | 20 | 26 | 55 |
| TOTAL 65-69 YRS | 246 | 7.8 | 50 | 1 | 2 | 6 | 10 | 17 | 21 | 43 |
| 70-74 | 203 | 8.3 | 70 | 1 | 2 | 6 | 10 | 17 | 24 | 48 |
| 75-79 | 115 | 10.1 | 78 | 2 | 2 | 8 | 15 | 19 | 27 | 43 |
| 80-84 | 68 | 10.4 | 133 | 2 | 2 | 8 | 13 | 18 | 29 | 66 |
| 85+ | 56 | 9.3 | 58 | 2 | 2 | 6 | 13 | 23 | 28 | 95 |
| **GRAND TOTAL** | **688** | **8.7** | **70** | **1** | **2** | **6** | **11** | **18** | **25** | **51** |

## 326: Clubfoot (754.5-754.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 5.7 | 9 | <1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 70-74 | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 75-79 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 5.5 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 70-74 | 25 | 7.6 | 69 | 3 | 3 | 6 | 7 | 10 | 19 | 46 |
| 75-79 | 10 | 7.0 | 21 | 3 | 3 | 6 | 8 | 14 | 19 | 19 |
| 80-84 | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 85+ | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 13 | 5.2 | 6 | <1 | 2 | 5 | 6 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 9.0 | 13 | 6 | 6 | 8 | 12 | 13 | 13 | 13 |
| B. *Operated* | 105 | 6.1 | 24 | 2 | 3 | 5 | 7 | 10 | 11 | 31 |
| **1. SINGLE DX** | 13 | 5.2 | 6 | <1 | 2 | 5 | 6 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | 108 | 6.2 | 24 | 2 | 3 | 5 | 7 | 10 | 11 | 30 |
| **A. NOT OPERATED** | 3 | 9.0 | 13 | 6 | 6 | 8 | 12 | 13 | 13 | 13 |
| **B. OPERATED** | 118 | 6.0 | 22 | 2 | 3 | 5 | 7 | 10 | 11 | 28 |
| TOTAL 65-69 YRS | 75 | 5.6 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| 70-74 | 27 | 7.4 | 64 | 3 | 3 | 6 | 7 | 10 | 16 | 46 |
| 75-79 | 12 | 6.8 | 18 | 3 | 3 | 6 | 8 | 12 | 18 | 19 |
| 80-84 | 3 | 9.7 | 12 | 6 | 6 | 10 | 12 | 13 | 13 | 13 |
| 85+ | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| **GRAND TOTAL** | **121** | **6.1** | **22** | **2** | **3** | **5** | **7** | **10** | **11** | **27** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 8.8 | 44 | 2 | 3 | 6 | 12 | 19 | 22 | 24 |
| 70-74 | 20 | 9.1 | 49 | 1 | 3 | 7 | 11 | 19 | 26 | 29 |
| 75-79 | 13 | 5.4 | 7 | 1 | 2 | 6 | 7 | 9 | 9 | 9 |
| 80-84 | 6 | 8.5 | 196 | 2 | 2 | 3 | 4 | 34 | 37 | 37 |
| 85+ | 11 | 9.9 | 68 | 2 | 2 | 6 | 13 | 24 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 6.3 | 38 | 1 | 2 | 4 | 8 | 14 | 17 | 33 |
| 70-74 | 51 | 8.6 | 55 | 2 | 2 | 7 | 12 | 18 | 24 | 34 |
| 75-79 | 32 | 9.4 | 85 | 2 | 2 | 5 | 13 | 24 | 33 | 35 |
| 80-84 | 14 | 10.2 | 104 | 1 | 1 | 7 | 14 | 28 | 33 | 34 |
| 85+ | 8 | 8.3 | 70 | 2 | 2 | 6 | 8 | 22 | 28 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 136 | 8.6 | 30 | 2 | 3 | 8 | 11 | 17 | 22 | 24 |
| 70-74 | 111 | 8.5 | 62 | 2 | 3 | 7 | 10 | 16 | 18 | 46 |
| 75-79 | 93 | 11.1 | 123 | 2 | 4 | 9 | 13 | 21 | 26 | 67 |
| 80-84 | 47 | 10.7 | 31 | 4 | 4 | 9 | 14 | 18 | 22 | 25 |
| 85+ | 37 | 8.4 | 26 | 1 | 2 | 8 | 11 | 14 | 18 | 22 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 169 | 11.2 | 131 | 2 | 2 | 8 | 14 | 24 | 33 | 82 |
| 70-74 | 140 | 13.2 | 204 | 2 | 2 | 10 | 15 | 30 | 38 | 87 |
| 75-79 | 72 | 15.1 | 189 | 1 | 2 | 10 | 24 | 35 | 40 | 63 |
| 80-84 | 35 | 16.9 | 183 | 3 | 5 | 13 | 21 | 38 | 53 | 56 |
| 85+ | 10 | 14.9 | 124 | 4 | 4 | 11 | 21 | 33 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 8.4 | 52 | 2 | 2 | 6 | 10 | 19 | 24 | 35 |
| B. *Operated* | 222 | 7.6 | 54 | 1 | 2 | 5 | 10 | 17 | 25 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 424 | 9.3 | 59 | 2 | 3 | 8 | 12 | 18 | 22 | 30 |
| B. *Operated* | 426 | 13.1 | 171 | 2 | 2 | 10 | 16 | 30 | 38 | 76 |
| **1. SINGLE DX** | 297 | 7.8 | 54 | 1 | 2 | 5 | 10 | 17 | 24 | 35 |
| **2. MULTIPLE DX** | 850 | 11.2 | 119 | 2 | 3 | 8 | 14 | 23 | 31 | 57 |
| **A. NOT OPERATED** | 499 | 9.2 | 58 | 2 | 3 | 7 | 12 | 18 | 22 | 31 |
| **B. OPERATED** | 648 | 11.2 | 137 | 2 | 2 | 8 | 14 | 26 | 34 | 57 |
| TOTAL 65-69 YRS | 447 | 9.0 | 74 | 2 | 2 | 6 | 11 | 19 | 24 | 41 |
| 70-74 | 322 | 10.6 | 126 | 2 | 2 | 8 | 12 | 20 | 30 | 61 |
| 75-79 | 210 | 11.8 | 139 | 2 | 2 | 8 | 15 | 27 | 34 | 58 |
| 80-84 | 102 | 12.7 | 109 | 2 | 3 | 10 | 16 | 23 | 35 | 55 |
| 85+ | 66 | 9.6 | 55 | 2 | 3 | 8 | 12 | 21 | 28 | 33 |
| **GRAND TOTAL** | **1147** | **10.3** | **104** | **2** | **2** | **8** | **13** | **22** | **29** | **55** |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes geriatric patients from this diagnosis group because of clinical implausibility.

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 284 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| 70-74 | 265 | 4.6 | 14 | 1 | 1 | 4 | 6 | 9 | 12 | 20 |
| 75-79 | 191 | 5.2 | 21 | 1 | 1 | 4 | 6 | 9 | 13 | 28 |
| 80-84 | 94 | 5.4 | 26 | 1 | 2 | 4 | 7 | 9 | 13 | 33 |
| 85+ | 81 | 5.5 | 17 | 1 | 2 | 4 | 7 | 11 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 6.7 | 27 | 3 | 3 | 5 | 6 | 14 | 21 | 22 |
| 70-74 | 19 | 5.2 | 5 | 2 | 2 | 5 | 6 | 9 | 9 | 9 |
| 75-79 | 8 | 10.5 | 62 | <1 | 1 | 8 | 17 | 22 | 22 | 22 |
| 80-84 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 85+ | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1339 | 7.7 | 58 | 2 | 2 | 6 | 9 | 14 | 20 | 41 |
| 70-74 | 1269 | 8.2 | 65 | 2 | 3 | 6 | 10 | 16 | 22 | 42 |
| 75-79 | 1070 | 8.7 | 65 | 2 | 3 | 7 | 11 | 17 | 22 | 42 |
| 80-84 | 706 | 8.9 | 59 | 2 | 3 | 7 | 11 | 17 | 24 | 41 |
| 85+ | 550 | 9.9 | 97 | 2 | 3 | 7 | 12 | 20 | 27 | 51 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 143 | 14.4 | 166 | 3 | 4 | 11 | 18 | 30 | 48 | 99+ |
| 70-74 | 102 | 17.1 | 216 | 3 | 4 | 14 | 22 | 36 | 71 | 99+ |
| 75-79 | 106 | 17.0 | 188 | 4 | 6 | 13 | 22 | 31 | 47 | 95 |
| 80-84 | 49 | 15.9 | 180 | 4 | 5 | 13 | 17 | 30 | 50 | 69 |
| 85+ | 36 | 20.9 | 355 | 4 | 4 | 16 | 29 | 65 | 94 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 915 | 5.0 | 19 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |
| B. *Operated* | 41 | 7.4 | 40 | 2 | 3 | 6 | 8 | 17 | 22 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4934 | 8.5 | 66 | 2 | 3 | 6 | 10 | 16 | 22 | 42 |
| B. *Operated* | 436 | 16.4 | 201 | 4 | 5 | 13 | 21 | 34 | 53 | 99+ |
| **1. SINGLE DX** | 956 | 5.1 | 20 | 1 | 2 | 4 | 6 | 9 | 13 | 24 |
| **2. MULTIPLE DX** | 5370 | 9.1 | 82 | 2 | 3 | 7 | 11 | 18 | 25 | 53 |
| **A. NOT OPERATED** | 5849 | 7.9 | 60 | 2 | 2 | 6 | 10 | 15 | 21 | 41 |
| **B. OPERATED** | 477 | 15.6 | 194 | 3 | 4 | 12 | 20 | 33 | 52 | 99+ |
| TOTAL 65-69 YRS | 1778 | 7.8 | 65 | 2 | 2 | 6 | 9 | 15 | 21 | 46 |
| 70-74 | 1655 | 8.2 | 72 | 2 | 2 | 6 | 10 | 16 | 23 | 50 |
| 75-79 | 1375 | 8.9 | 75 | 2 | 2 | 6 | 11 | 18 | 24 | 45 |
| 80-84 | 850 | 9.0 | 67 | 2 | 3 | 7 | 11 | 17 | 25 | 43 |
| 85+ | 668 | 10.0 | 109 | 2 | 3 | 7 | 12 | 21 | 30 | 64 |
| **GRAND TOTAL** | **6326** | **8.5** | **74** | **2** | **2** | **6** | **10** | **17** | **24** | **50** |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 134 | 6.0 | 18 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| 70-74 | 120 | 6.3 | 23 | 2 | 2 | 5 | 8 | 11 | 15 | 26 |
| 75-79 | 86 | 6.7 | 38 | 2 | 3 | 5 | 7 | 13 | 18 | 37 |
| 80-84 | 63 | 6.0 | 14 | 2 | 3 | 5 | 7 | 11 | 13 | 22 |
| 85+ | 61 | 8.3 | 130 | 2 | 2 | 6 | 9 | 13 | 21 | 81 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 9.3 | 32 | 1 | 2 | 8 | 13 | 18 | 21 | 22 |
| 70-74 | 18 | 11.3 | 32 | 2 | 4 | 11 | 14 | 20 | 21 | 21 |
| 75-79 | 6 | 19.2 | 148 | 6 | 6 | 17 | 23 | 39 | 41 | 41 |
| 80-84 | 3 | 15.3 | 121 | 4 | 4 | 16 | 23 | 26 | 26 | 26 |
| 85+ | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 703 | 7.9 | 40 | 2 | 3 | 6 | 10 | 15 | 19 | 37 |
| 70-74 | 764 | 7.9 | 38 | 2 | 3 | 6 | 10 | 14 | 18 | 33 |
| 75-79 | 622 | 8.1 | 44 | 2 | 3 | 7 | 10 | 14 | 19 | 36 |
| 80-84 | 504 | 9.7 | 74 | 2 | 3 | 7 | 12 | 19 | 26 | 54 |
| 85+ | 469 | 8.7 | 49 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 176 | 15.9 | 180 | 4 | 5 | 13 | 19 | 30 | 44 | 84 |
| 70-74 | 153 | 16.4 | 200 | 3 | 4 | 12 | 18 | 39 | 55 | 73 |
| 75-79 | 98 | 20.3 | 309 | 4 | 5 | 14 | 24 | 51 | 58 | 82 |
| 80-84 | 56 | 18.0 | 167 | 5 | 6 | 14 | 23 | 40 | 47 | 97 |
| 85+ | 35 | 20.5 | 258 | 5 | 7 | 15 | 26 | 40 | 57 | 79 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 464 | 6.5 | 37 | 2 | 2 | 5 | 8 | 11 | 16 | 27 |
| B. *Operated* | 47 | 11.9 | 57 | 2 | 3 | 11 | 16 | 21 | 23 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3062 | 8.4 | 47 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| B. *Operated* | 518 | 17.4 | 216 | 3 | 5 | 13 | 21 | 40 | 54 | 81 |
| **1. SINGLE DX** | 511 | 7.0 | 41 | 2 | 2 | 5 | 9 | 13 | 18 | 28 |
| **2. MULTIPLE DX** | 3580 | 9.7 | 82 | 2 | 3 | 7 | 12 | 18 | 26 | 55 |
| **A. NOT OPERATED** | 3526 | 8.1 | 46 | 2 | 3 | 6 | 10 | 15 | 19 | 35 |
| **B. OPERATED** | 565 | 17.0 | 205 | 3 | 5 | 13 | 20 | 39 | 52 | 79 |
| TOTAL 65-69 YRS | 1032 | 9.0 | 71 | 2 | 3 | 7 | 11 | 17 | 25 | 45 |
| 70-74 | 1055 | 9.0 | 69 | 2 | 3 | 7 | 11 | 16 | 22 | 55 |
| 75-79 | 812 | 9.5 | 92 | 2 | 3 | 7 | 11 | 18 | 26 | 55 |
| 80-84 | 626 | 10.1 | 83 | 2 | 3 | 8 | 12 | 21 | 28 | 54 |
| 85+ | 566 | 9.4 | 78 | 2 | 3 | 7 | 11 | 18 | 23 | 40 |
| **GRAND TOTAL** | **4091** | **9.3** | **77** | **2** | **3** | **7** | **11** | **18** | **25** | **53** |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 96 | 4.5 | 16 | 1 | 1 | 3 | 5 | 11 | 12 | 21 |
| 70-74 | 77 | 4.2 | 9 | 1 | 2 | 3 | 5 | 7 | 10 | 17 |
| 75-79 | 44 | 4.0 | 6 | 1 | 2 | 3 | 4 | 7 | 9 | 13 |
| 80-84 | 32 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 10 | 10 |
| 85+ | 18 | 4.8 | 20 | 1 | 1 | 3 | 6 | 9 | 16 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 5.6 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 16 |
| 70-74 | 18 | 5.7 | 29 | 1 | 1 | 3 | 8 | 15 | 17 | 18 |
| 75-79 | 11 | 8.1 | 103 | 1 | 1 | 4 | 10 | 23 | 35 | 36 |
| 80-84 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 85+ | 4 | 7.3 | 33 | 2 | 2 | 6 | 11 | 15 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 473 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| 70-74 | 402 | 6.5 | 23 | 1 | 2 | 5 | 8 | 12 | 15 | 26 |
| 75-79 | 290 | 6.5 | 18 | 2 | 2 | 5 | 8 | 12 | 15 | 21 |
| 80-84 | 176 | 7.9 | 78 | 2 | 2 | 6 | 10 | 14 | 17 | 36 |
| 85+ | 110 | 7.4 | 54 | 2 | 2 | 5 | 9 | 13 | 18 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 89 | 8.5 | 29 | 2 | 3 | 8 | 11 | 16 | 21 | 26 |
| 70-74 | 64 | 10.8 | 103 | 2 | 3 | 8 | 13 | 16 | 31 | 64 |
| 75-79 | 54 | 10.9 | 37 | 2 | 4 | 10 | 14 | 19 | 23 | 32 |
| 80-84 | 23 | 10.6 | 82 | 2 | 2 | 8 | 12 | 26 | 33 | 35 |
| 85+ | 13 | 11.3 | 116 | <1 | 2 | 8 | 13 | 27 | 38 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 267 | 4.3 | 11 | 1 | 2 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | 59 | 6.3 | 35 | 1 | 2 | 4 | 8 | 14 | 16 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1451 | 6.7 | 30 | 2 | 2 | 5 | 8 | 12 | 15 | 26 |
| B. *Operated* | 243 | 10.0 | 60 | 2 | 3 | 8 | 12 | 19 | 24 | 38 |
| **1. SINGLE DX** | 326 | 4.7 | 16 | 1 | 2 | 4 | 5 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 1694 | 7.2 | 36 | 2 | 2 | 6 | 9 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 1718 | 6.3 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| **B. OPERATED** | 302 | 9.2 | 57 | 2 | 2 | 8 | 12 | 17 | 23 | 37 |
| TOTAL 65-69 YRS | 683 | 6.3 | 21 | 2 | 2 | 5 | 8 | 11 | 15 | 22 |
| 70-74 | 561 | 6.7 | 33 | 1 | 2 | 5 | 8 | 13 | 16 | 30 |
| 75-79 | 399 | 6.9 | 25 | 2 | 2 | 5 | 9 | 13 | 17 | 25 |
| 80-84 | 232 | 7.7 | 70 | 2 | 2 | 6 | 10 | 14 | 19 | 35 |
| 85+ | 145 | 7.5 | 55 | 1 | 2 | 5 | 9 | 14 | 20 | 41 |
| **GRAND TOTAL** | **2020** | **6.8** | **33** | **2** | **2** | **5** | **9** | **13** | **16** | **29** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 219 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 70-74 | 219 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 75-79 | 133 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 7 | 17 |
| 80-84 | 111 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 85+ | 96 | 3.6 | 8 | <1 | 1 | 3 | 5 | 6 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 168 | 5.0 | 16 | 1 | 1 | 4 | 6 | 9 | 10 | 21 |
| 70-74 | 128 | 5.3 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| 75-79 | 75 | 5.4 | 13 | 1 | 2 | 5 | 7 | 9 | 13 | 20 |
| 80-84 | 48 | 5.5 | 11 | 1 | 2 | 5 | 7 | 10 | 11 | 18 |
| 85+ | 37 | 4.8 | 18 | 1 | 2 | 4 | 5 | 9 | 9 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 548 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 70-74 | 540 | 4.9 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 75-79 | 471 | 5.3 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 21 |
| 80-84 | 369 | 5.7 | 22 | 1 | 2 | 4 | 7 | 11 | 14 | 26 |
| 85+ | 380 | 6.4 | 45 | 1 | 2 | 5 | 8 | 12 | 18 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 300 | 7.2 | 37 | 2 | 3 | 6 | 9 | 13 | 17 | 35 |
| 70-74 | 267 | 7.0 | 29 | 2 | 2 | 5 | 9 | 13 | 17 | 29 |
| 75-79 | 179 | 8.1 | 41 | 2 | 3 | 6 | 9 | 15 | 22 | 34 |
| 80-84 | 126 | 6.7 | 26 | 2 | 2 | 5 | 8 | 13 | 18 | 30 |
| 85+ | 117 | 8.0 | 59 | 1 | 2 | 6 | 10 | 17 | 24 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 778 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 456 | 5.2 | 13 | 1 | 2 | 4 | 7 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2308 | 5.4 | 23 | 1 | 2 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 989 | 7.4 | 37 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| **1. SINGLE DX** | 1234 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 3297 | 6.0 | 28 | 1 | 2 | 5 | 7 | 11 | 15 | 28 |
| **A. NOT OPERATED** | 3086 | 5.0 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 1445 | 6.7 | 31 | 1 | 2 | 5 | 8 | 12 | 17 | 30 |
| TOTAL 65-69 YRS | 1235 | 5.4 | 19 | 1 | 2 | 4 | 7 | 9 | 12 | 21 |
| 70-74 | 1154 | 5.2 | 20 | 1 | 1 | 4 | 6 | 9 | 12 | 23 |
| 75-79 | 858 | 5.7 | 24 | 1 | 2 | 4 | 7 | 11 | 15 | 26 |
| 80-84 | 654 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 85+ | 630 | 6.2 | 42 | 1 | 1 | 5 | 7 | 12 | 18 | 33 |
| **GRAND TOTAL** | **4531** | **5.5** | **24** | **1** | **2** | **4** | **7** | **10** | **14** | **25** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 48 | 3.9 | 13 | 1 | 1 | 3 | 4 | 8 | 13 | 17 |
| 70-74 | 35 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 75-79 | 23 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 13 |
| 80-84 | 14 | 4.9 | 17 | 1 | 2 | 4 | 7 | 9 | 15 | 17 |
| 85+ | 9 | 5.1 | 19 | 1 | 1 | 4 | 7 | 12 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 110 | 3.4 | 10 | <1 | 1 | 2 | 4 | 6 | 10 | 19 |
| 70-74 | 72 | 3.8 | 13 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| 75-79 | 42 | 4.1 | 13 | <1 | 1 | 2 | 5 | 11 | 12 | 14 |
| 80-84 | 27 | 4.8 | 22 | <1 | 1 | 3 | 6 | 13 | 15 | 19 |
| 85+ | 5 | 7.4 | 23 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 278 | 6.7 | 45 | 1 | 2 | 4 | 8 | 16 | 20 | 34 |
| 70-74 | 255 | 7.7 | 57 | 1 | 2 | 5 | 9 | 19 | 23 | 39 |
| 75-79 | 207 | 8.1 | 50 | 2 | 2 | 6 | 11 | 17 | 21 | 39 |
| 80-84 | 139 | 8.9 | 64 | 1 | 2 | 6 | 13 | 21 | 24 | 42 |
| 85+ | 122 | 11.5 | 134 | 1 | 2 | 8 | 15 | 26 | 36 | 55 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 146 | 8.9 | 114 | 2 | 2 | 5 | 12 | 20 | 37 | 78 |
| 70-74 | 134 | 10.1 | 92 | 1 | 2 | 6 | 16 | 25 | 33 | 52 |
| 75-79 | 90 | 12.2 | 302 | 1 | 1 | 6 | 11 | 33 | 58 | 81 |
| 80-84 | 55 | 13.8 | 326 | 1 | 2 | 6 | 15 | 40 | 52 | 84 |
| 85+ | 23 | 14.9 | 319 | 2 | 3 | 9 | 15 | 38 | 57 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 129 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| B. *Operated* | 256 | 3.8 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1001 | 8.1 | 64 | 1 | 2 | 5 | 10 | 18 | 23 | 41 |
| B. *Operated* | 448 | 10.8 | 183 | 1 | 2 | 6 | 13 | 26 | 40 | 80 |
| **1. SINGLE DX** | 385 | 3.9 | 12 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| **2. MULTIPLE DX** | 1449 | 9.0 | 103 | 1 | 2 | 6 | 11 | 20 | 28 | 53 |
| **A. NOT OPERATED** | 1130 | 7.7 | 60 | 1 | 2 | 5 | 10 | 17 | 22 | 40 |
| **B. OPERATED** | 704 | 8.3 | 133 | 1 | 2 | 4 | 10 | 19 | 33 | 72 |
| TOTAL 65-69 YRS | 582 | 6.4 | 57 | 1 | 1 | 4 | 7 | 15 | 20 | 38 |
| 70-74 | 496 | 7.5 | 61 | 1 | 2 | 5 | 9 | 18 | 25 | 40 |
| 75-79 | 362 | 8.4 | 112 | 1 | 2 | 5 | 10 | 17 | 24 | 59 |
| 80-84 | 235 | 9.4 | 125 | 1 | 2 | 6 | 12 | 21 | 29 | 55 |
| 85+ | 159 | 11.5 | 153 | 1 | 2 | 7 | 15 | 26 | 37 | 66 |
| **GRAND TOTAL** | **1834** | **7.9** | **88** | **1** | **2** | **5** | **10** | **18** | **25** | **49** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 9.8 | 87 | 2 | 3 | 7 | 10 | 25 | 33 | 33 |
| 70-74 | 9 | 14.0 | 152 | <1 | 1 | 8 | 24 | 33 | 35 | 35 |
| 75-79 | 10 | 6.7 | 27 | 1 | 1 | 6 | 11 | 14 | 15 | 15 |
| 80-84 | 7 | 7.4 | 14 | 2 | 2 | 9 | 11 | 12 | 12 | 12 |
| 85+ | 22 | 8.3 | 57 | 1 | 2 | 6 | 11 | 16 | 25 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 97 | 16.7 | 201 | 2 | 4 | 12 | 22 | 38 | 48 | 63 |
| 70-74 | 137 | 18.7 | 181 | 4 | 6 | 15 | 25 | 37 | 45 | 76 |
| 75-79 | 134 | 19.6 | 264 | 3 | 5 | 15 | 25 | 40 | 50 | 93 |
| 80-84 | 73 | 19.9 | 298 | 3 | 5 | 14 | 23 | 49 | 67 | 93 |
| 85+ | 128 | 17.8 | 168 | 4 | 6 | 14 | 23 | 35 | 43 | 79 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 82 | 10.0 | 106 | 2 | 3 | 8 | 12 | 17 | 21 | 69 |
| 70-74 | 105 | 12.5 | 136 | 3 | 4 | 9 | 14 | 20 | 34 | 72 |
| 75-79 | 103 | 14.0 | 179 | 2 | 4 | 9 | 17 | 29 | 42 | 70 |
| 80-84 | 109 | 14.3 | 160 | 3 | 4 | 10 | 17 | 30 | 44 | 92 |
| 85+ | 144 | 14.1 | 159 | 3 | 4 | 11 | 17 | 27 | 38 | 72 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 695 | 26.6 | 364 | 6 | 8 | 21 | 36 | 58 | 76 | 99+ |
| 70-74 | 749 | 26.5 | 343 | 5 | 8 | 22 | 35 | 59 | 77 | 99+ |
| 75-79 | 709 | 26.6 | 384 | 6 | 9 | 21 | 35 | 57 | 75 | 99+ |
| 80-84 | 555 | 25.4 | 307 | 7 | 8 | 21 | 33 | 52 | 67 | 99 |
| 85+ | 655 | 23.2 | 267 | 6 | 8 | 19 | 29 | 47 | 61 | 92 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 9.0 | 67 | 1 | 2 | 7 | 11 | 18 | 32 | 35 |
| B. *Operated* | 569 | 18.5 | 216 | 3 | 5 | 14 | 24 | 38 | 49 | 76 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 543 | 13.2 | 152 | 3 | 4 | 10 | 16 | 27 | 38 | 74 |
| B. *Operated* | 3363 | 25.7 | 337 | 6 | 8 | 21 | 34 | 55 | 73 | 99+ |
| **1. SINGLE DX** | 626 | 17.7 | 209 | 2 | 4 | 14 | 23 | 37 | 47 | 75 |
| **2. MULTIPLE DX** | 3906 | 24.0 | 330 | 5 | 7 | 19 | 32 | 52 | 70 | 99+ |
| **A. NOT OPERATED** | 600 | 12.8 | 145 | 2 | 3 | 9 | 15 | 26 | 36 | 73 |
| **B. OPERATED** | 3932 | 24.7 | 325 | 5 | 8 | 20 | 32 | 52 | 70 | 99+ |
| TOTAL 65-69 YRS | 883 | 23.8 | 350 | 4 | 6 | 18 | 33 | 54 | 70 | 99+ |
| 70-74 | 1000 | 23.8 | 320 | 4 | 7 | 20 | 32 | 50 | 72 | 99+ |
| 75-79 | 956 | 24.1 | 363 | 4 | 7 | 18 | 31 | 53 | 72 | 99+ |
| 80-84 | 744 | 23.1 | 300 | 5 | 7 | 18 | 31 | 48 | 65 | 99+ |
| 85+ | 949 | 20.8 | 248 | 4 | 6 | 17 | 27 | 43 | 55 | 90 |
| **GRAND TOTAL** | **4532** | **23.1** | **318** | **4** | **7** | **18** | **30** | **49** | **67** | **99+** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 926 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 70-74 | 618 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| 75-79 | 379 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| 80-84 | 247 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 85+ | 150 | 4.8 | 64 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 270 | 3.5 | 12 | 1 | 2 | 2 | 4 | 7 | 10 | 16 |
| 70-74 | 80 | 3.9 | 10 | 1 | 2 | 2 | 5 | 9 | 10 | 16 |
| 75-79 | 27 | 5.4 | 28 | 1 | 2 | 3 | 7 | 13 | 19 | 20 |
| 80-84 | 3 | 25.3 | 960 | 5 | 5 | 10 | 48 | 61 | 61 | 61 |
| 85+ | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4560 | 5.2 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 70-74 | 3429 | 5.3 | 16 | 2 | 2 | 4 | 7 | 10 | 12 | 19 |
| 75-79 | 2329 | 5.6 | 21 | 2 | 2 | 4 | 7 | 10 | 14 | 21 |
| 80-84 | 1442 | 5.8 | 21 | 2 | 2 | 4 | 7 | 11 | 14 | 26 |
| 85+ | 982 | 6.4 | 35 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 796 | 6.8 | 43 | 2 | 2 | 5 | 9 | 15 | 19 | 32 |
| 70-74 | 397 | 8.6 | 59 | 2 | 2 | 7 | 11 | 18 | 22 | 39 |
| 75-79 | 177 | 11.0 | 84 | 2 | 2 | 9 | 15 | 21 | 26 | 54 |
| 80-84 | 75 | 12.0 | 88 | 2 | 3 | 8 | 17 | 22 | 28 | 48 |
| 85+ | 59 | 14.1 | 210 | 2 | 3 | 9 | 18 | 28 | 44 | 83 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2320 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| B. *Operated* | 382 | 3.9 | 22 | 1 | 2 | 2 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12742 | 5.5 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 21 |
| B. *Operated* | 1504 | 8.3 | 65 | 2 | 2 | 6 | 11 | 17 | 22 | 41 |
| **1. SINGLE DX** | 2702 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **2. MULTIPLE DX** | 14246 | 5.8 | 24 | 2 | 2 | 4 | 7 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 15062 | 5.2 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| **B. OPERATED** | 1886 | 7.4 | 59 | 2 | 2 | 5 | 10 | 16 | 21 | 40 |
| TOTAL 65-69 YRS | 6552 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| 70-74 | 4524 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 75-79 | 2912 | 5.7 | 25 | 2 | 2 | 4 | 7 | 11 | 15 | 25 |
| 80-84 | 1767 | 5.9 | 26 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 85+ | 1193 | 6.6 | 50 | 1 | 2 | 5 | 8 | 12 | 16 | 35 |
| **GRAND TOTAL** | **16948** | **5.5** | **23** | **1** | **2** | **4** | **7** | **10** | **14** | **23** |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 115 | 4.5 | 15 | 1 | 1 | 3 | 6 | 8 | 11 | 23 |
| 70-74 | 87 | 5.0 | 23 | 1 | 1 | 3 | 7 | 12 | 15 | 25 |
| 75-79 | 66 | 5.4 | 49 | 1 | 1 | 3 | 7 | 10 | 13 | 48 |
| 80-84 | 47 | 6.5 | 80 | 1 | 1 | 4 | 8 | 11 | 19 | 56 |
| 85+ | 37 | 6.4 | 52 | 2 | 2 | 5 | 7 | 11 | 13 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 184 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 70-74 | 134 | 4.6 | 24 | 1 | 2 | 3 | 5 | 9 | 14 | 29 |
| 75-79 | 70 | 5.5 | 18 | 1 | 2 | 5 | 8 | 10 | 14 | 22 |
| 80-84 | 38 | 5.2 | 23 | 1 | 2 | 3 | 7 | 11 | 17 | 21 |
| 85+ | 11 | 7.1 | 27 | 1 | 1 | 6 | 11 | 15 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 900 | 8.0 | 63 | 2 | 2 | 6 | 10 | 17 | 21 | 35 |
| 70-74 | 866 | 7.9 | 42 | 2 | 2 | 6 | 10 | 15 | 21 | 31 |
| 75-79 | 719 | 7.7 | 44 | 2 | 2 | 6 | 10 | 15 | 19 | 32 |
| 80-84 | 462 | 7.8 | 50 | 1 | 2 | 6 | 10 | 15 | 19 | 39 |
| 85+ | 350 | 8.3 | 61 | 2 | 2 | 6 | 10 | 18 | 21 | 42 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 531 | 8.5 | 73 | 1 | 2 | 6 | 10 | 19 | 24 | 45 |
| 70-74 | 458 | 9.0 | 69 | 1 | 2 | 7 | 12 | 19 | 25 | 41 |
| 75-79 | 279 | 10.7 | 125 | 2 | 2 | 8 | 13 | 21 | 31 | 60 |
| 80-84 | 173 | 11.3 | 154 | 2 | 3 | 8 | 14 | 24 | 35 | 74 |
| 85+ | 73 | 12.0 | 142 | 1 | 2 | 8 | 17 | 26 | 36 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 352 | 5.3 | 36 | 1 | 1 | 4 | 7 | 10 | 14 | 29 |
| B. *Operated* | 437 | 4.8 | 19 | 1 | 1 | 3 | 6 | 10 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3297 | 7.9 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 35 |
| B. *Operated* | 1514 | 9.5 | 95 | 2 | 2 | 7 | 12 | 20 | 29 | 48 |
| **1. SINGLE DX** | 789 | 5.0 | 27 | 1 | 1 | 3 | 7 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | 4811 | 8.4 | 66 | 2 | 2 | 6 | 10 | 17 | 22 | 41 |
| **A. NOT OPERATED** | 3649 | 7.7 | 50 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| **B. OPERATED** | 1951 | 8.5 | 82 | 1 | 2 | 6 | 11 | 18 | 24 | 44 |
| TOTAL 65-69 YRS | 1730 | 7.5 | 59 | 1 | 2 | 5 | 9 | 16 | 21 | 38 |
| 70-74 | 1545 | 7.8 | 49 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| 75-79 | 1134 | 8.2 | 65 | 2 | 2 | 6 | 10 | 16 | 21 | 44 |
| 80-84 | 720 | 8.4 | 78 | 1 | 2 | 6 | 10 | 16 | 21 | 44 |
| 85+ | 471 | 8.7 | 74 | 2 | 2 | 6 | 10 | 18 | 24 | 45 |
| **GRAND TOTAL** | **5600** | **7.9** | **61** | **1** | **2** | **6** | **10** | **16** | **21** | **41** |

### 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 207 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 70-74 | 145 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 75-79 | 137 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| 80-84 | 67 | 4.9 | 13 | 1 | 1 | 4 | 6 | 10 | 13 | 18 |
| 85+ | 77 | 5.4 | 33 | 1 | 1 | 3 | 6 | 11 | 15 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 110 | 7.1 | 34 | 1 | 2 | 6 | 9 | 14 | 16 | 33 |
| 70-74 | 123 | 7.1 | 23 | 1 | 2 | 6 | 10 | 13 | 17 | 22 |
| 75-79 | 82 | 7.6 | 26 | 1 | 2 | 6 | 10 | 16 | 19 | 22 |
| 80-84 | 43 | 8.4 | 29 | 1 | 2 | 7 | 11 | 17 | 19 | 21 |
| 85+ | 35 | 8.5 | 63 | 1 | 3 | 7 | 9 | 13 | 25 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 570 | 5.3 | 33 | 1 | 2 | 4 | 6 | 10 | 13 | 29 |
| 70-74 | 599 | 6.2 | 29 | 1 | 2 | 5 | 8 | 13 | 17 | 28 |
| 75-79 | 571 | 7.7 | 45 | 1 | 2 | 6 | 10 | 17 | 21 | 31 |
| 80-84 | 465 | 7.9 | 53 | 1 | 2 | 6 | 10 | 16 | 19 | 37 |
| 85+ | 451 | 8.4 | 68 | 2 | 2 | 6 | 10 | 15 | 22 | 55 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 601 | 10.1 | 57 | 2 | 3 | 8 | 13 | 18 | 24 | 40 |
| 70-74 | 673 | 10.8 | 59 | 2 | 4 | 9 | 14 | 20 | 25 | 44 |
| 75-79 | 598 | 12.2 | 104 | 2 | 3 | 10 | 15 | 22 | 29 | 62 |
| 80-84 | 446 | 13.0 | 103 | 2 | 4 | 10 | 16 | 26 | 33 | 53 |
| 85+ | 373 | 12.7 | 81 | 3 | 4 | 11 | 16 | 26 | 30 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 633 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | 393 | 7.5 | 31 | 1 | 2 | 6 | 10 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2656 | 7.0 | 45 | 1 | 2 | 5 | 9 | 14 | 19 | 32 |
| B. *Operated* | 2691 | 11.6 | 80 | 2 | 3 | 9 | 15 | 22 | 28 | 49 |
| **1. SINGLE DX** | 1026 | 5.2 | 23 | 1 | 1 | 4 | 7 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 5347 | 9.3 | 68 | 2 | 2 | 7 | 12 | 19 | 24 | 42 |
| **A. NOT OPERATED** | 3289 | 6.4 | 40 | 1 | 2 | 4 | 8 | 13 | 18 | 30 |
| **B. OPERATED** | 3084 | 11.1 | 75 | 2 | 3 | 9 | 14 | 21 | 27 | 44 |
| TOTAL 65-69 YRS | 1488 | 7.1 | 46 | 1 | 2 | 5 | 9 | 14 | 18 | 35 |
| 70-74 | 1540 | 8.0 | 46 | 1 | 2 | 6 | 11 | 16 | 21 | 36 |
| 75-79 | 1388 | 9.2 | 73 | 1 | 2 | 7 | 12 | 19 | 24 | 42 |
| 80-84 | 1021 | 9.9 | 79 | 2 | 2 | 7 | 13 | 20 | 26 | 44 |
| 85+ | 936 | 9.9 | 75 | 2 | 2 | 8 | 13 | 20 | 27 | 46 |
| **GRAND TOTAL** | **6373** | **8.6** | **63** | **1** | **2** | **6** | **11** | **18** | **23** | **40** |

### 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 738 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 10 | 13 |
| 70-74 | 642 | 4.2 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| 75-79 | 479 | 4.6 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| 80-84 | 279 | 5.0 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 24 |
| 85+ | 222 | 4.7 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 103 | 6.1 | 17 | 1 | 2 | 5 | 9 | 11 | 13 | 19 |
| 70-74 | 75 | 7.5 | 36 | 1 | 2 | 6 | 9 | 17 | 21 | 27 |
| 75-79 | 41 | 8.4 | 30 | 2 | 2 | 8 | 12 | 15 | 17 | 25 |
| 80-84 | 25 | 6.9 | 22 | 1 | 2 | 7 | 9 | 14 | 15 | 17 |
| 85+ | 8 | 11.4 | 70 | 2 | 3 | 9 | 14 | 25 | 29 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2425 | 5.8 | 21 | 1 | 2 | 5 | 7 | 11 | 14 | 22 |
| 70-74 | 2278 | 6.3 | 27 | 1 | 2 | 5 | 8 | 12 | 15 | 23 |
| 75-79 | 1962 | 6.3 | 22 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 80-84 | 1444 | 6.8 | 32 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 85+ | 1159 | 7.0 | 33 | 2 | 2 | 6 | 9 | 13 | 17 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 424 | 10.4 | 67 | 2 | 3 | 9 | 13 | 19 | 24 | 52 |
| 70-74 | 354 | 11.6 | 90 | 3 | 4 | 9 | 14 | 22 | 30 | 65 |
| 75-79 | 266 | 12.5 | 109 | 3 | 4 | 10 | 15 | 24 | 32 | 51 |
| 80-84 | 156 | 12.8 | 87 | 3 | 4 | 10 | 16 | 26 | 30 | 45 |
| 85+ | 123 | 12.6 | 61 | 3 | 4 | 11 | 17 | 24 | 29 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2360 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | 252 | 7.1 | 28 | 1 | 2 | 6 | 10 | 14 | 17 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9268 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | 1323 | 11.6 | 84 | 3 | 4 | 9 | 15 | 22 | 29 | 51 |
| **1. SINGLE DX** | 2612 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 10591 | 7.0 | 36 | 2 | 2 | 5 | 9 | 13 | 17 | 31 |
| **A. NOT OPERATED** | 11628 | 5.9 | 23 | 1 | 2 | 5 | 7 | 11 | 14 | 23 |
| **B. OPERATED** | 1575 | 10.9 | 78 | 2 | 3 | 9 | 14 | 21 | 28 | 49 |
| TOTAL 65-69 YRS | 3690 | 6.0 | 26 | 1 | 2 | 5 | 7 | 11 | 15 | 24 |
| 70-74 | 3349 | 6.4 | 34 | 1 | 2 | 5 | 8 | 12 | 16 | 29 |
| 75-79 | 2748 | 6.7 | 33 | 2 | 2 | 5 | 8 | 13 | 16 | 30 |
| 80-84 | 1904 | 7.0 | 38 | 2 | 2 | 5 | 9 | 13 | 17 | 32 |
| 85+ | 1512 | 7.2 | 36 | 2 | 2 | 6 | 9 | 14 | 18 | 33 |
| **GRAND TOTAL** | **13203** | **6.5** | **33** | **1** | **2** | **5** | **8** | **12** | **16** | **29** |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 135 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 70-74 | 134 | 5.0 | 32 | 1 | 1 | 4 | 6 | 10 | 14 | 32 |
| 75-79 | 113 | 4.5 | 12 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 80-84 | 90 | 5.0 | 21 | 1 | 1 | 4 | 6 | 12 | 14 | 22 |
| 85+ | 72 | 5.0 | 19 | 1 | 1 | 4 | 7 | 10 | 12 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 5.4 | 26 | <1 | 1 | 4 | 7 | 12 | 16 | 27 |
| 70-74 | 43 | 6.9 | 32 | 1 | 2 | 5 | 10 | 14 | 18 | 25 |
| 75-79 | 45 | 8.0 | 54 | 1 | 1 | 6 | 10 | 19 | 27 | 31 |
| 80-84 | 17 | 5.9 | 19 | 1 | 2 | 4 | 10 | 13 | 14 | 14 |
| 85+ | 12 | 6.7 | 32 | 2 | 2 | 5 | 10 | 14 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 938 | 6.8 | 34 | 1 | 2 | 5 | 8 | 13 | 17 | 30 |
| 70-74 | 1108 | 7.1 | 40 | 2 | 2 | 6 | 8 | 14 | 18 | 31 |
| 75-79 | 992 | 7.5 | 44 | 2 | 2 | 6 | 9 | 14 | 20 | 37 |
| 80-84 | 834 | 7.4 | 38 | 2 | 2 | 6 | 9 | 14 | 19 | 33 |
| 85+ | 724 | 7.7 | 36 | 2 | 2 | 6 | 10 | 15 | 19 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 328 | 11.9 | 119 | 1 | 2 | 9 | 16 | 25 | 32 | 51 |
| 70-74 | 263 | 12.6 | 151 | 2 | 3 | 9 | 15 | 26 | 36 | 61 |
| 75-79 | 214 | 12.8 | 145 | 2 | 3 | 10 | 17 | 27 | 35 | 73 |
| 80-84 | 127 | 13.1 | 118 | 2 | 3 | 10 | 17 | 26 | 35 | 53 |
| 85+ | 101 | 15.0 | 196 | 2 | 4 | 11 | 20 | 35 | 42 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 544 | 4.7 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| B. *Operated* | 185 | 6.5 | 34 | 1 | 1 | 5 | 9 | 14 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4596 | 7.3 | 39 | 2 | 2 | 6 | 9 | 14 | 19 | 32 |
| B. *Operated* | 1033 | 12.7 | 140 | 2 | 3 | 10 | 16 | 26 | 35 | 63 |
| **1. SINGLE DX** | 729 | 5.1 | 24 | 1 | 1 | 4 | 6 | 11 | 14 | 26 |
| **2. MULTIPLE DX** | 5629 | 8.3 | 62 | 2 | 2 | 6 | 10 | 16 | 23 | 39 |
| **A. NOT OPERATED** | 5140 | 7.0 | 37 | 1 | 2 | 5 | 9 | 14 | 18 | 32 |
| **B. OPERATED** | 1218 | 11.8 | 129 | 2 | 2 | 9 | 15 | 25 | 34 | 58 |
| TOTAL 65-69 YRS | 1469 | 7.6 | 57 | 1 | 2 | 5 | 9 | 16 | 22 | 36 |
| 70-74 | 1548 | 7.8 | 63 | 1 | 2 | 6 | 9 | 15 | 21 | 41 |
| 75-79 | 1364 | 8.1 | 62 | 1 | 2 | 6 | 10 | 16 | 23 | 42 |
| 80-84 | 1068 | 7.8 | 50 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 85+ | 909 | 8.3 | 58 | 2 | 2 | 6 | 10 | 16 | 23 | 39 |
| **GRAND TOTAL** | **6358** | **7.9** | **59** | **1** | **2** | **6** | **10** | **16** | **22** | **39** |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1333 | 5.7 | 44 | 1 | 1 | 4 | 7 | 11 | 15 | 34 |
| 70-74 | 1189 | 5.9 | 39 | 1 | 1 | 4 | 7 | 12 | 16 | 33 |
| 75-79 | 1005 | 6.3 | 52 | 1 | 2 | 4 | 7 | 12 | 18 | 39 |
| 80-84 | 753 | 6.3 | 44 | 1 | 2 | 4 | 7 | 13 | 20 | 36 |
| 85+ | 583 | 6.7 | 51 | 1 | 2 | 5 | 8 | 14 | 19 | 37 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 326 | 5.3 | 45 | 1 | 1 | 3 | 6 | 11 | 18 | 34 |
| 70-74 | 247 | 6.9 | 77 | 1 | 2 | 4 | 7 | 16 | 25 | 44 |
| 75-79 | 148 | 6.7 | 62 | 1 | 2 | 4 | 8 | 14 | 22 | 40 |
| 80-84 | 81 | 7.1 | 85 | 1 | 2 | 4 | 9 | 17 | 22 | 57 |
| 85+ | 49 | 8.9 | 52 | 1 | 1 | 7 | 14 | 19 | 22 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 6249 | 7.2 | 44 | 2 | 2 | 5 | 9 | 14 | 19 | 35 |
| 70-74 | 6903 | 7.4 | 46 | 2 | 2 | 6 | 9 | 14 | 19 | 37 |
| 75-79 | 6594 | 7.7 | 45 | 2 | 2 | 6 | 9 | 15 | 19 | 34 |
| 80-84 | 5096 | 7.8 | 47 | 2 | 2 | 6 | 10 | 15 | 19 | 33 |
| 85+ | 4567 | 8.3 | 56 | 2 | 2 | 6 | 10 | 16 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1136 | 11.7 | 175 | 2 | 2 | 8 | 14 | 28 | 43 | 85 |
| 70-74 | 1133 | 12.1 | 155 | 2 | 2 | 8 | 16 | 26 | 39 | 67 |
| 75-79 | 933 | 12.5 | 128 | 2 | 3 | 10 | 16 | 25 | 35 | 63 |
| 80-84 | 621 | 14.4 | 159 | 3 | 4 | 11 | 18 | 30 | 44 | 99+ |
| 85+ | 479 | 14.4 | 145 | 3 | 4 | 12 | 18 | 28 | 42 | 95 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4863 | 6.1 | 45 | 1 | 2 | 4 | 7 | 12 | 18 | 35 |
| B. *Operated* | 851 | 6.4 | 62 | 1 | 1 | 3 | 8 | 14 | 21 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29409 | 7.6 | 47 | 2 | 2 | 6 | 9 | 15 | 20 | 35 |
| B. *Operated* | 4302 | 12.7 | 155 | 2 | 3 | 9 | 16 | 27 | 40 | 80 |
| **1. SINGLE DX** | 5714 | 6.1 | 48 | 1 | 1 | 4 | 7 | 12 | 18 | 37 |
| **2. MULTIPLE DX** | 33711 | 8.3 | 64 | 2 | 2 | 6 | 10 | 16 | 22 | 44 |
| **A. NOT OPERATED** | 34272 | 7.4 | 47 | 2 | 2 | 6 | 9 | 14 | 19 | 35 |
| **B. OPERATED** | 5153 | 11.6 | 145 | 2 | 2 | 8 | 15 | 25 | 37 | 74 |
| TOTAL 65-69 YRS | 9044 | 7.5 | 63 | 1 | 2 | 5 | 9 | 15 | 21 | 43 |
| 70-74 | 9472 | 7.8 | 62 | 1 | 2 | 6 | 9 | 16 | 21 | 44 |
| 75-79 | 8680 | 8.0 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 41 |
| 80-84 | 6551 | 8.3 | 62 | 2 | 2 | 6 | 10 | 16 | 22 | 42 |
| 85+ | 5678 | 8.7 | 66 | 2 | 2 | 7 | 11 | 17 | 23 | 48 |
| **GRAND TOTAL** | **39425** | **8.0** | **62** | **2** | **2** | **6** | **10** | **16** | **22** | **43** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 4.4 | 5 | <1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 70-74 | 6 | 4.8 | 9 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 75-79 | 6 | 8.5 | 56 | 1 | 1 | 7 | 11 | 21 | 22 | 22 |
| 80-84 | 6 | 9.8 | 57 | 1 | 1 | 10 | 15 | 19 | 20 | 20 |
| 85+ | 3 | 4.3 | 10 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 14.8 | 318 | 1 | 1 | 8 | 19 | 46 | 49 | 49 |
| 70-74 | 4 | 21.0 | 279 | 6 | 6 | 17 | 33 | 44 | 44 | 44 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 38.0 | | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 11.2 | 147 | 2 | 3 | 7 | 13 | 25 | 36 | 63 |
| 70-74 | 31 | 13.3 | 150 | 1 | 3 | 11 | 19 | 24 | 26 | 65 |
| 75-79 | 27 | 11.6 | 109 | 2 | 2 | 9 | 17 | 26 | 31 | 47 |
| 80-84 | 33 | 12.7 | 213 | 1 | 2 | 8 | 13 | 30 | 52 | 64 |
| 85+ | 19 | 11.1 | 72 | 2 | 3 | 9 | 16 | 24 | 31 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 34 | 25.1 | 644 | 1 | 5 | 14 | 40 | 74 | 92 | 99+ |
| 70-74 | 18 | 27.1 | 370 | 5 | 10 | 23 | 35 | 61 | 70 | 72 |
| 75-79 | 14 | 28.7 | 641 | 1 | 3 | 24 | 50 | 87 | 97 | 99+ |
| 80-84 | 14 | 26.6 | 664 | 2 | 4 | 16 | 52 | 58 | 81 | 88 |
| 85+ | 8 | 14.8 | 223 | 1 | 1 | 11 | 21 | 38 | 45 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 6.3 | 28 | 1 | 1 | 5 | 8 | 14 | 19 | 22 |
| B. *Operated* | 11 | 19.2 | 291 | 1 | 3 | 12 | 34 | 46 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 12.0 | 143 | 2 | 2 | 8 | 16 | 25 | 32 | 64 |
| B. *Operated* | 88 | 25.4 | 542 | 2 | 3 | 16 | 39 | 69 | 87 | 99+ |
| **1. SINGLE DX** | 43 | 9.6 | 122 | 1 | 1 | 6 | 11 | 22 | 40 | 49 |
| **2. MULTIPLE DX** | 240 | 16.9 | 330 | 2 | 3 | 11 | 23 | 45 | 63 | 96 |
| **A. NOT OPERATED** | 184 | 11.0 | 128 | 1 | 2 | 8 | 14 | 24 | 30 | 64 |
| **B. OPERATED** | 99 | 24.7 | 515 | 2 | 3 | 16 | 38 | 62 | 84 | 99+ |
| TOTAL 65-69 YRS | 93 | 15.7 | 371 | 1 | 2 | 8 | 18 | 44 | 71 | 98 |
| 70-74 | 59 | 17.2 | 257 | 2 | 3 | 12 | 23 | 35 | 59 | 71 |
| 75-79 | 47 | 16.3 | 317 | 2 | 2 | 10 | 22 | 48 | 63 | 99+ |
| 80-84 | 53 | 16.1 | 344 | 1 | 2 | 9 | 20 | 52 | 55 | 87 |
| 85+ | 31 | 12.2 | 127 | 2 | 2 | 8 | 17 | 30 | 38 | 45 |
| **GRAND TOTAL** | **283** | **15.8** | **305** | **1** | **2** | **9** | **21** | **42** | **56** | **93** |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 9.2 | 45 | 1 | 1 | 9 | 13 | 17 | 22 | 23 |
| 70-74 | 9 | 4.8 | 18 | 1 | 1 | 4 | 5 | 12 | 15 | 15 |
| 75-79 | 4 | 8.5 | 14 | 5 | 5 | 8 | 11 | 13 | 13 | 13 |
| 80-84 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 13.0 | 62 | 5 | 5 | 12 | 19 | 22 | 22 | 22 |
| 70-74 | 3 | 11.7 | 82 | 5 | 5 | 8 | 18 | 22 | 22 | 22 |
| 75-79 | 5 | 15.0 | 69 | 5 | 5 | 16 | 19 | 27 | 27 | 27 |
| 80-84 | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 41 | 10.8 | 113 | 1 | 2 | 6 | 16 | 25 | 32 | 52 |
| 70-74 | 40 | 11.3 | 67 | 1 | 2 | 9 | 15 | 23 | 27 | 34 |
| 75-79 | 40 | 10.9 | 76 | 2 | 3 | 8 | 17 | 23 | 31 | 37 |
| 80-84 | 26 | 11.8 | 97 | 2 | 3 | 9 | 17 | 22 | 34 | 44 |
| 85+ | 22 | 14.8 | 189 | 2 | 3 | 12 | 15 | 31 | 45 | 62 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 26.9 | 327 | 6 | 8 | 25 | 42 | 59 | 87 | 99+ |
| 70-74 | 14 | 24.2 | 623 | 6 | 6 | 17 | 28 | 54 | 88 | 98 |
| 75-79 | 21 | 17.6 | 357 | 2 | 2 | 9 | 25 | 51 | 57 | 63 |
| 80-84 | 8 | 36.0 | 444 | 11 | 14 | 30 | 52 | 68 | 70 | 70 |
| 85+ | 6 | 15.5 | 161 | 1 | 1 | 13 | 30 | 31 | 31 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 7.7 | 31 | 1 | 1 | 7 | 12 | 15 | 16 | 23 |
| B. *Operated* | 14 | 12.2 | 60 | 4 | 5 | 9 | 17 | 23 | 26 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 169 | 11.6 | 100 | 2 | 3 | 8 | 16 | 25 | 31 | 50 |
| B. *Operated* | 69 | 23.6 | 411 | 3 | 4 | 19 | 35 | 51 | 70 | 99+ |
| **1. SINGLE DX** | 41 | 9.2 | 45 | 1 | 2 | 8 | 13 | 19 | 23 | 27 |
| **2. MULTIPLE DX** | 238 | 15.1 | 218 | 2 | 3 | 10 | 20 | 34 | 46 | 78 |
| **A. NOT OPERATED** | 196 | 11.1 | 92 | 2 | 2 | 8 | 15 | 23 | 31 | 48 |
| **B. OPERATED** | 83 | 21.7 | 369 | 3 | 5 | 17 | 30 | 49 | 65 | 99 |
| TOTAL 65-69 YRS | 77 | 14.8 | 202 | 1 | 2 | 10 | 20 | 40 | 46 | 93 |
| 70-74 | 66 | 13.2 | 208 | 2 | 2 | 8 | 16 | 27 | 34 | 90 |
| 75-79 | 70 | 13.0 | 162 | 2 | 3 | 8 | 18 | 29 | 43 | 61 |
| 80-84 | 37 | 16.6 | 263 | 2 | 3 | 11 | 20 | 40 | 56 | 70 |
| 85+ | 29 | 14.7 | 171 | 2 | 3 | 12 | 17 | 31 | 35 | 62 |
| **GRAND TOTAL** | **279** | **14.2** | **197** | **2** | **3** | **10** | **19** | **31** | **43** | **74** |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 3.8 | 8 | <1 | <1 | 2 | 6 | 8 | 9 | 9 |
| 70-74 | 9 | 4.6 | 18 | 1 | 1 | 3 | 6 | 11 | 14 | 14 |
| 75-79 | 10 | 6.3 | 54 | <1 | <1 | 4 | 6 | 17 | 26 | 26 |
| 80-84 | 7 | 3.7 | 6 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 85+ | 14 | 7.1 | 50 | 1 | 2 | 5 | 8 | 20 | 24 | 25 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 4.8 | 21 | 1 | 1 | 3 | 5 | 11 | 14 | 25 |
| 70-74 | 71 | 5.3 | 23 | 1 | 2 | 3 | 7 | 12 | 15 | 25 |
| 75-79 | 49 | 3.8 | 13 | 1 | 1 | 3 | 4 | 8 | 9 | 23 |
| 80-84 | 25 | 7.8 | 54 | 1 | 1 | 4 | 10 | 22 | 24 | 26 |
| 85+ | 15 | 7.5 | 49 | 1 | 1 | 4 | 13 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 101 | 5.5 | 20 | 1 | 1 | 5 | 7 | 10 | 13 | 24 |
| 70-74 | 101 | 7.1 | 68 | 1 | 1 | 5 | 8 | 13 | 20 | 48 |
| 75-79 | 107 | 7.6 | 54 | 1 | 2 | 6 | 10 | 15 | 20 | 42 |
| 80-84 | 118 | 7.8 | 43 | 1 | 2 | 6 | 10 | 17 | 22 | 31 |
| 85+ | 151 | 8.8 | 105 | 1 | 2 | 6 | 10 | 15 | 22 | 68 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 171 | 10.1 | 140 | 1 | 2 | 7 | 12 | 22 | 33 | 58 |
| 70-74 | 172 | 10.3 | 130 | 2 | 2 | 6 | 13 | 22 | 32 | 57 |
| 75-79 | 136 | 10.7 | 107 | 2 | 3 | 8 | 13 | 23 | 33 | 82 |
| 80-84 | 110 | 11.3 | 120 | 2 | 3 | 8 | 14 | 27 | 35 | 57 |
| 85+ | 84 | 14.8 | 253 | 2 | 3 | 10 | 16 | 33 | 51 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 5.2 | 28 | <1 | 1 | 3 | 7 | 9 | 18 | 26 |
| B. *Operated* | 243 | 5.2 | 26 | 1 | 1 | 3 | 7 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 578 | 7.5 | 62 | 1 | 2 | 5 | 9 | 15 | 21 | 36 |
| B. *Operated* | 673 | 11.0 | 143 | 2 | 2 | 7 | 14 | 24 | 34 | 68 |
| **1. SINGLE DX** | 300 | 5.2 | 26 | 1 | 1 | 3 | 7 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | 1251 | 9.4 | 109 | 1 | 2 | 6 | 11 | 19 | 29 | 58 |
| **A. NOT OPERATED** | 635 | 7.3 | 60 | 1 | 2 | 5 | 9 | 14 | 20 | 35 |
| **B. OPERATED** | 916 | 9.5 | 119 | 1 | 2 | 6 | 12 | 21 | 30 | 58 |
| TOTAL 65-69 YRS | 372 | 7.4 | 81 | 1 | 2 | 5 | 9 | 15 | 22 | 48 |
| 70-74 | 353 | 8.2 | 92 | 1 | 2 | 5 | 10 | 18 | 27 | 56 |
| 75-79 | 302 | 8.3 | 77 | 1 | 2 | 6 | 10 | 18 | 25 | 50 |
| 80-84 | 260 | 9.2 | 78 | 1 | 2 | 6 | 12 | 19 | 28 | 40 |
| 85+ | 264 | 10.5 | 154 | 1 | 2 | 7 | 12 | 20 | 31 | 71 |
| **GRAND TOTAL** | **1551** | **8.6** | **96** | **1** | **2** | **6** | **10** | **18** | **26** | **56** |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 415 | 9.2 | 36 | 2 | 3 | 8 | 12 | 16 | 20 | 31 |
| 70-74 | 399 | 10.4 | 42 | 3 | 4 | 9 | 14 | 18 | 21 | 33 |
| 75-79 | 448 | 10.5 | 45 | 3 | 4 | 9 | 13 | 17 | 21 | 35 |
| 80-84 | 338 | 11.4 | 38 | 3 | 4 | 10 | 15 | 20 | 24 | 28 |
| 85+ | 341 | 10.7 | 44 | 3 | 4 | 10 | 14 | 18 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 19.3 | 216 | 3 | 5 | 16 | 25 | 43 | 54 | 57 |
| 70-74 | 22 | 19.9 | 201 | 3 | 7 | 17 | 21 | 37 | 56 | 64 |
| 75-79 | 17 | 20.4 | 181 | 4 | 7 | 18 | 26 | 45 | 49 | 50 |
| 80-84 | 7 | 17.3 | 101 | 7 | 8 | 12 | 27 | 32 | 32 | 32 |
| 85+ | 8 | 15.6 | 221 | 4 | 4 | 10 | 20 | 41 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1152 | 11.7 | 63 | 3 | 4 | 10 | 15 | 21 | 26 | 39 |
| 70-74 | 1573 | 12.6 | 69 | 3 | 5 | 11 | 16 | 23 | 29 | 42 |
| 75-79 | 1812 | 13.1 | 74 | 4 | 5 | 11 | 17 | 24 | 28 | 49 |
| 80-84 | 1804 | 13.8 | 98 | 4 | 5 | 11 | 17 | 25 | 33 | 57 |
| 85+ | 1781 | 13.6 | 92 | 3 | 5 | 12 | 17 | 25 | 32 | 59 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 172 | 21.3 | 253 | 4 | 7 | 16 | 28 | 45 | 56 | 94 |
| 70-74 | 196 | 22.9 | 333 | 5 | 7 | 19 | 29 | 49 | 78 | 99+ |
| 75-79 | 182 | 23.7 | 252 | 5 | 8 | 21 | 31 | 44 | 56 | 86 |
| 80-84 | 173 | 24.9 | 235 | 8 | 9 | 21 | 33 | 46 | 59 | 89 |
| 85+ | 135 | 21.8 | 196 | 7 | 9 | 19 | 28 | 41 | 69 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1941 | 10.4 | 41 | 3 | 4 | 9 | 13 | 18 | 22 | 31 |
| B. *Operated* | 73 | 19.1 | 185 | 4 | 6 | 17 | 22 | 37 | 50 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8122 | 13.1 | 81 | 3 | 5 | 11 | 16 | 24 | 30 | 51 |
| B. *Operated* | 858 | 23.0 | 259 | 5 | 8 | 19 | 30 | 45 | 64 | 99+ |
| **1. SINGLE DX** | 2014 | 10.7 | 49 | 3 | 4 | 9 | 14 | 19 | 23 | 35 |
| **2. MULTIPLE DX** | 8980 | 14.0 | 107 | 4 | 5 | 12 | 17 | 26 | 34 | 60 |
| **A. NOT OPERATED** | 10063 | 12.6 | 75 | 3 | 4 | 11 | 16 | 23 | 28 | 49 |
| **B. OPERATED** | 931 | 22.7 | 254 | 5 | 8 | 19 | 29 | 44 | 59 | 99+ |
| TOTAL 65-69 YRS | 1758 | 12.1 | 87 | 3 | 4 | 10 | 15 | 23 | 30 | 50 |
| 70-74 | 2190 | 13.2 | 99 | 3 | 5 | 11 | 16 | 24 | 31 | 64 |
| 75-79 | 2459 | 13.5 | 93 | 4 | 5 | 11 | 17 | 25 | 31 | 53 |
| 80-84 | 2322 | 14.3 | 109 | 4 | 5 | 12 | 18 | 26 | 35 | 58 |
| 85+ | 2265 | 13.7 | 96 | 3 | 5 | 11 | 17 | 25 | 33 | 61 |
| **GRAND TOTAL** | **10994** | **13.4** | **98** | **3** | **5** | **11** | **17** | **25** | **32** | **57** |

### 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 10.7 | 36 | 4 | 6 | 8 | 14 | 22 | 23 | 24 |
| 70-74 | 15 | 11.1 | 59 | 2 | 2 | 11 | 15 | 18 | 28 | 32 |
| 75-79 | 9 | 8.8 | 10 | 4 | 5 | 8 | 11 | 13 | 14 | 14 |
| 80-84 | 7 | 9.4 | 29 | 4 | 4 | 10 | 10 | 18 | 20 | 20 |
| 85+ | 7 | 8.0 | 3 | 7 | 7 | 7 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 38.8 | 1784 | <1 | <1 | 30 | 71 | 94 | 94 | 94 |
| 70-74 | 1 | 34.0 | | 34 | 34 | 34 | 34 | 34 | 34 | 34 |
| 75-79 | 4 | 24.3 | 194 | 11 | 11 | 21 | 34 | 43 | 43 | 43 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 39 | 12.4 | 145 | 3 | 4 | 9 | 14 | 19 | 23 | 78 |
| 70-74 | 42 | 15.6 | 121 | 5 | 6 | 13 | 18 | 34 | 43 | 49 |
| 75-79 | 52 | 14.5 | 83 | 4 | 6 | 13 | 16 | 26 | 32 | 47 |
| 80-84 | 37 | 15.2 | 181 | 3 | 4 | 11 | 20 | 45 | 56 | 99+ |
| 85+ | 46 | 12.2 | 88 | 3 | 4 | 10 | 16 | 23 | 37 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 38.4 | 418 | 10 | 13 | 39 | 50 | 83 | 96 | 99+ |
| 70-74 | 15 | 39.0 | 692 | 7 | 13 | 40 | 71 | 97 | 99+ | 99+ |
| 75-79 | 11 | 21.1 | 201 | 4 | 6 | 20 | 27 | 42 | 52 | 53 |
| 80-84 | 9 | 28.4 | 766 | 5 | 8 | 21 | 27 | 73 | 99 | 99+ |
| 85+ | 4 | 21.8 | 123 | 10 | 11 | 30 | 99+ | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 53 | 9.9 | 32 | 4 | 4 | 8 | 12 | 16 | 22 | 32 |
| B. *Operated* | 9 | 31.8 | 795 | <1 | 4 | 26 | 44 | 76 | 94 | 94 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 14.0 | 119 | 4 | 5 | 11 | 16 | 24 | 43 | 85 |
| B. *Operated* | 53 | 32.0 | 515 | 6 | 9 | 27 | 49 | 96 | 99+ | 99+ |
| **1. SINGLE DX** | 62 | 13.1 | 192 | 3 | 4 | 10 | 15 | 25 | 38 | 89 |
| **2. MULTIPLE DX** | 269 | 17.5 | 247 | 4 | 5 | 13 | 22 | 45 | 64 | 99+ |
| **A. NOT OPERATED** | 269 | 13.2 | 104 | 4 | 5 | 11 | 16 | 23 | 34 | 74 |
| **B. OPERATED** | 62 | 32.0 | 543 | 5 | 9 | 27 | 49 | 93 | 99+ | 99+ |
| TOTAL 65-69 YRS | 72 | 18.5 | 371 | 3 | 5 | 11 | 22 | 48 | 76 | 99 |
| 70-74 | 73 | 19.7 | 321 | 4 | 5 | 14 | 25 | 49 | 80 | 99+ |
| 75-79 | 76 | 15.3 | 107 | 4 | 6 | 13 | 19 | 28 | 41 | 51 |
| 80-84 | 53 | 16.7 | 279 | 4 | 4 | 11 | 21 | 36 | 57 | 99+ |
| 85+ | 57 | 12.3 | 87 | 3 | 4 | 10 | 16 | 29 | 78 | 99+ |
| **GRAND TOTAL** | **331** | **16.7** | **239** | **4** | **5** | **12** | **20** | **41** | **57** | **99+** |

### 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 118 | 4.5 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 70-74 | 140 | 5.4 | 13 | 1 | 2 | 5 | 6 | 10 | 12 | 21 |
| 75-79 | 90 | 6.8 | 24 | 2 | 2 | 5 | 8 | 14 | 18 | 24 |
| 80-84 | 119 | 6.7 | 21 | 1 | 2 | 6 | 9 | 13 | 17 | 22 |
| 85+ | 129 | 7.1 | 51 | 1 | 2 | 5 | 9 | 12 | 19 | 46 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 9.2 | 64 | 4 | 4 | 6 | 9 | 23 | 25 | 25 |
| 70-74 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 75-79 | 3 | 12.0 | 28 | 8 | 8 | 10 | 16 | 18 | 18 | 18 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 873 | 8.0 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 37 |
| 70-74 | 956 | 9.5 | 73 | 2 | 3 | 7 | 12 | 18 | 24 | 40 |
| 75-79 | 994 | 9.7 | 57 | 2 | 3 | 8 | 13 | 19 | 23 | 38 |
| 80-84 | 970 | 10.0 | 63 | 2 | 3 | 8 | 12 | 18 | 25 | 39 |
| 85+ | 1162 | 10.7 | 73 | 2 | 3 | 9 | 13 | 20 | 27 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 172 | 15.2 | 178 | 2 | 3 | 11 | 21 | 32 | 43 | 69 |
| 70-74 | 180 | 17.5 | 261 | 3 | 4 | 13 | 22 | 41 | 54 | 99 |
| 75-79 | 185 | 17.0 | 163 | 3 | 4 | 13 | 22 | 34 | 48 | 57 |
| 80-84 | 116 | 19.9 | 239 | 5 | 6 | 16 | 27 | 44 | 59 | 99+ |
| 85+ | 96 | 18.9 | 165 | 5 | 6 | 17 | 25 | 39 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 596 | 6.1 | 25 | 1 | 2 | 5 | 8 | 11 | 18 | 25 |
| B. *Operated* | 11 | 10.1 | 52 | 2 | 3 | 8 | 16 | 21 | 25 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4955 | 9.6 | 64 | 2 | 3 | 8 | 12 | 18 | 24 | 41 |
| B. *Operated* | 749 | 17.4 | 203 | 3 | 5 | 13 | 23 | 37 | 50 | 97 |
| **1. SINGLE DX** | 607 | 6.1 | 25 | 1 | 2 | 5 | 8 | 11 | 18 | 25 |
| **2. MULTIPLE DX** | 5704 | 10.7 | 89 | 2 | 3 | 8 | 13 | 21 | 28 | 53 |
| **A. NOT OPERATED** | 5551 | 9.3 | 61 | 2 | 3 | 7 | 12 | 18 | 23 | 40 |
| **B. OPERATED** | 760 | 17.3 | 202 | 3 | 5 | 13 | 23 | 36 | 50 | 97 |
| TOTAL 65-69 YRS | 1169 | 8.7 | 71 | 2 | 2 | 6 | 11 | 18 | 24 | 44 |
| 70-74 | 1277 | 10.2 | 103 | 2 | 3 | 7 | 12 | 20 | 29 | 58 |
| 75-79 | 1272 | 10.5 | 77 | 2 | 3 | 8 | 14 | 21 | 27 | 51 |
| 80-84 | 1205 | 10.7 | 85 | 2 | 3 | 8 | 13 | 21 | 27 | 52 |
| 85+ | 1388 | 10.9 | 83 | 2 | 3 | 9 | 14 | 21 | 29 | 50 |
| **GRAND TOTAL** | **6311** | **10.2** | **85** | **2** | **3** | **8** | **13** | **20** | **27** | **51** |

## 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 203 | 12.5 | 86 | 4 | 5 | 10 | 16 | 22 | 26 | 48 |
| 70-74 | 257 | 12.5 | 71 | 3 | 5 | 11 | 16 | 21 | 26 | 42 |
| 75-79 | 322 | 12.7 | 68 | 3 | 4 | 11 | 16 | 24 | 29 | 43 |
| 80-84 | 379 | 13.4 | 78 | 4 | 5 | 12 | 17 | 24 | 28 | 49 |
| 85+ | 490 | 13.7 | 79 | 3 | 4 | 12 | 18 | 25 | 30 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 70-74 | 4 | 15.5 | 67 | 8 | 8 | 15 | 22 | 24 | 24 | 24 |
| 75-79 | 9 | 24.1 | 103 | 11 | 11 | 26 | 34 | 36 | 37 | 37 |
| 80-84 | 7 | 16.7 | 7 | 12 | 13 | 17 | 19 | 20 | 20 | 20 |
| 85+ | 5 | 15.8 | 83 | 8 | 8 | 12 | 20 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 470 | 16.0 | 118 | 4 | 5 | 14 | 21 | 29 | 37 | 61 |
| 70-74 | 689 | 16.3 | 133 | 4 | 6 | 14 | 20 | 30 | 37 | 61 |
| 75-79 | 926 | 16.6 | 103 | 4 | 6 | 14 | 21 | 29 | 35 | 54 |
| 80-84 | 1111 | 17.[illegible] | 133 | 5 | 6 | 15 | 22 | 32 | 41 | 70 |
| 85+ | 1563 | 16.8 | 143 | 4 | 6 | 14 | 21 | 31 | 38 | 78 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 92 | 27.1 | 315 | 7 | 10 | 22 | 35 | 50 | 56 | 95 |
| 70-74 | 112 | 30.6 | 435 | 8 | 11 | 25 | 41 | 58 | 87 | 96 |
| 75-79 | 115 | 29.0 | 268 | 11 | 13 | 26 | 40 | 60 | 78 | 99+ |
| 80-84 | 130 | 29.1 | 260 | 9 | 12 | 25 | 38 | 54 | 59 | 91 |
| 85+ | 136 | 26.4 | 328 | 4 | 8 | 23 | 33 | 50 | 70 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1651 | 13.1 | 76 | 3 | 5 | 11 | 17 | 23 | 28 | 44 |
| B. *Operated* | 26 | 19.0 | 71 | 8 | 9 | 17 | 24 | 34 | 35 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4759 | 16.7 | 129 | 4 | 6 | 14 | 21 | 30 | 38 | 67 |
| B. *Operated* | 585 | 28.4 | 320 | 8 | 11 | 24 | 38 | 55 | 71 | 99+ |
| **1. SINGLE DX** | 1677 | 13.2 | 77 | 3 | 5 | 12 | 17 | 24 | 29 | 43 |
| **2. MULTIPLE DX** | 5344 | 18.0 | 163 | 4 | 6 | 15 | 23 | 33 | 44 | 77 |
| **A. NOT OPERATED** | 6410 | 15.8 | 118 | 4 | 5 | 14 | 20 | 29 | 36 | 62 |
| **B. OPERATED** | 611 | 28.0 | 313 | 8 | 10 | 23 | 36 | 54 | 69 | 99+ |
| TOTAL 65-69 YRS | 766 | 16.4 | 151 | 4 | 5 | 13 | 21 | 31 | 40 | 68 |
| 70-74 | 1062 | 16.9 | 174 | 4 | 6 | 14 | 21 | 31 | 42 | 75 |
| 75-79 | 1372 | 16.6 | 125 | 4 | 6 | 14 | 21 | 31 | 38 | 63 |
| 80-84 | 1627 | 17.3 | 144 | 4 | 6 | 15 | 22 | 32 | 42 | 68 |
| 85+ | 2194 | 16.7 | 148 | 4 | 6 | 14 | 21 | 31 | 39 | 77 |
| **GRAND TOTAL** | 7021 | 16.8 | 147 | 4 | 6 | 14 | 21 | 31 | 40 | 72 |

## 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 217 | 5.4 | 32 | 1 | 1 | 4 | 7 | 10 | 15 | 27 |
| 70-74 | 262 | 5.2 | 23 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| 75-79 | 282 | 6.8 | 74 | 1 | 1 | 5 | 8 | 13 | 18 | 55 |
| 80-84 | 297 | 6.4 | 31 | 1 | 2 | 5 | 9 | 12 | 15 | 25 |
| 85+ | 312 | 7.8 | 77 | 1 | 2 | 5 | 9 | 16 | 23 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 311 | 6.0 | 25 | 1 | 2 | 5 | 7 | 12 | 15 | 28 |
| 70-74 | 290 | 7.2 | 35 | 1 | 2 | 6 | 9 | 15 | 19 | 29 |
| 75-79 | 275 | 8.9 | 65 | 1 | 2 | 6 | 11 | 20 | 24 | 39 |
| 80-84 | 219 | 8.6 | 60 | 1 | 1 | 7 | 11 | 19 | 24 | 35 |
| 85+ | 156 | 9.9 | 102 | 1 | 2 | 7 | 12 | 19 | 28 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 401 | 8.8 | 70 | 1 | 2 | 6 | 11 | 18 | 26 | 43 |
| 70-74 | 612 | 10.0 | 71 | 2 | 2 | 7 | 13 | 22 | 28 | 44 |
| 75-79 | 739 | 10.9 | 100 | 2 | 3 | 8 | 14 | 22 | 34 | 48 |
| 80-84 | 793 | 12.4 | 131 | 2 | 3 | 9 | 15 | 26 | 36 | 78 |
| 85+ | 879 | 11.6 | 103 | 2 | 3 | 9 | 14 | 24 | 32 | 63 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 450 | 12.8 | 129 | 2 | 3 | 10 | 17 | 26 | 38 | 60 |
| 70-74 | 513 | 14.8 | 183 | 2 | 3 | 10 | 20 | 33 | 44 | 80 |
| 75-79 | 517 | 14.7 | 149 | 2 | 4 | 11 | 20 | 34 | 41 | 80 |
| 80-84 | 464 | 16.4 | 199 | 3 | 4 | 12 | 21 | 34 | 49 | 88 |
| 85+ | 387 | 16.2 | 203 | 3 | 4 | 12 | 21 | 36 | 50 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1370 | 6.4 | 50 | 1 | 1 | 5 | 8 | 13 | 17 | 32 |
| B. *Operated* | 1251 | 7.9 | 53 | 1 | 2 | 6 | 10 | 17 | 21 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3424 | 11.0 | 100 | 2 | 3 | 8 | 14 | 23 | 31 | 55 |
| B. *Operated* | 2331 | 14.9 | 173 | 2 | 4 | 11 | 20 | 33 | 44 | 81 |
| **1. SINGLE DX** | 2621 | 7.1 | 52 | 1 | 2 | 5 | 9 | 15 | 20 | 33 |
| **2. MULTIPLE DX** | 5755 | 12.6 | 133 | 2 | 3 | 9 | 16 | 27 | 37 | 67 |
| **A. NOT OPERATED** | 4794 | 9.7 | 90 | 2 | 2 | 7 | 12 | 20 | 28 | 51 |
| **B. OPERATED** | 3582 | 12.5 | 142 | 2 | 2 | 9 | 16 | 27 | 38 | 67 |
| TOTAL 65-69 YRS | 1379 | 9.0 | 81 | 1 | 2 | 6 | 11 | 20 | 27 | 48 |
| 70-74 | 1677 | 10.3 | 103 | 2 | 2 | 7 | 13 | 22 | 30 | 52 |
| 75-79 | 1813 | 11.0 | 112 | 2 | 2 | 8 | 14 | 23 | 34 | 37 |
| 80-84 | 1773 | 12.0 | 135 | 2 | 3 | 9 | 15 | 25 | 35 | 74 |
| 85+ | 1734 | 11.8 | 128 | 2 | 3 | 9 | 15 | 25 | 35 | 68 |
| **GRAND TOTAL** | 8376 | 10.9 | 114 | 2 | 2 | 8 | 14 | 23 | 33 | 61 |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 10 | 14 |
| 70-74 | 62 | 4.1 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 19 |
| 75-79 | 58 | 3.9 | 11 | <1 | 1 | 2 | 6 | 7 | 10 | 18 |
| 80-84 | 67 | 4.3 | 12 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| 85+ | 74 | 5.4 | 67 | 1 | 1 | 3 | 7 | 11 | 15 | 54 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 815 | 3.2 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 70-74 | 672 | 3.8 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 75-79 | 523 | 3.9 | 18 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 80-84 | 346 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| 85+ | 243 | 4.8 | 24 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 166 | 7.2 | 35 | 1 | 1 | 5 | 10 | 16 | 22 | 27 |
| 70-74 | 178 | 9.5 | 92 | 2 | 2 | 7 | 11 | 19 | 23 | 56 |
| 75-79 | 209 | 9.5 | 94 | 2 | 3 | 7 | 12 | 19 | 27 | 68 |
| 80-84 | 206 | 9.1 | 54 | 1 | 2 | 7 | 13 | 20 | 30 | 99+ |
| 85+ | 230 | 10.2 | 78 | 2 | 2 | 8 | 14 | 22 | 33 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 661 | 7.6 | 67 | 1 | 2 | 5 | 9 | 16 | 21 | 48 |
| 70-74 | 626 | 8.7 | 92 | 1 | 2 | 5 | 10 | 20 | 27 | 53 |
| 75-79 | 595 | 9.3 | 103 | 1 | 2 | 6 | 12 | 22 | 28 | 55 |
| 80-84 | 484 | 9.6 | 111 | 1 | 2 | 6 | 11 | 22 | 29 | 57 |
| 85+ | 449 | 10.2 | 97 | 2 | 2 | 7 | 13 | 22 | 28 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 328 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 18 |
| B. *Operated* | 2599 | 3.8 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 989 | 9.2 | 72 | 1 | 2 | 7 | 12 | 20 | 26 | 86 |
| B. *Operated* | 2815 | 9.0 | 93 | 1 | 2 | 6 | 11 | 20 | 27 | 55 |
| **1. SINGLE DX** | 2927 | 3.8 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 3804 | 9.0 | 88 | 1 | 2 | 6 | 11 | 20 | 27 | 55 |
| **A. NOT OPERATED** | 1317 | 8.0 | 65 | 1 | 1 | 6 | 10 | 18 | 24 | 52 |
| **B. OPERATED** | 5414 | 6.5 | 62 | 1 | 1 | 4 | 8 | 14 | 21 | 43 |
| TOTAL 65-69 YRS | 1709 | 5.3 | 38 | 1 | 1 | 3 | 6 | 12 | 16 | 30 |
| 70-74 | 1538 | 6.5 | 61 | 1 | 1 | 4 | 7 | 14 | 21 | 43 |
| 75-79 | 1385 | 7.2 | 73 | 1 | 1 | 4 | 8 | 16 | 23 | 49 |
| 80-84 | 1103 | 7.5 | 70 | 1 | 1 | 5 | 9 | 17 | 24 | 52 |
| 85+ | 996 | 8.5 | 79 | 1 | 2 | 6 | 11 | 19 | 26 | 52 |
| **GRAND TOTAL** | **6731** | **6.8** | **63** | **1** | **1** | **4** | **8** | **15** | **22** | **45** |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 3.0 | 4 | <1 | <1 | 2 | 4 | 7 | 8 | 8 |
| 70-74 | 23 | 3.2 | 4 | <1 | 1 | 2 | 5 | 6 | 7 | 8 |
| 75-79 | 15 | 5.0 | 9 | 1 | 1 | 4 | 8 | 9 | 10 | 10 |
| 80-84 | 11 | 3.7 | 4 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 85+ | 19 | 5.8 | 37 | <1 | 1 | 4 | 8 | 11 | 21 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 148 | 3.0 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 16 |
| 70-74 | 119 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 75-79 | 89 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 80-84 | 40 | 2.9 | 6 | <1 | <1 | 2 | 4 | 5 | 9 | 11 |
| 85+ | 29 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 66 | 7.8 | 56 | 1 | 1 | 5 | 10 | 19 | 24 | 34 |
| 70-74 | 61 | 8.6 | 80 | 1 | 2 | 6 | 11 | 18 | 26 | 51 |
| 75-79 | 81 | 8.7 | 92 | 1 | 2 | 6 | 11 | 18 | 26 | 89 |
| 80-84 | 76 | 11.2 | 122 | 1 | 2 | 8 | 16 | 22 | 28 | 57 |
| 85+ | 85 | 10.9 | 106 | 2 | 3 | 9 | 12 | 28 | 32 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 175 | 5.6 | 43 | 1 | 1 | 4 | 7 | 12 | 17 | 38 |
| 70-74 | 142 | 6.7 | 48 | 1 | 1 | 5 | 8 | 15 | 19 | 33 |
| 75-79 | 127 | 7.3 | 67 | 1 | 2 | 4 | 10 | 16 | 21 | 44 |
| 80-84 | 86 | 8.9 | 74 | 1 | 1 | 6 | 11 | 21 | 30 | 40 |
| 85+ | 76 | 9.6 | 138 | 1 | 1 | 6 | 11 | 23 | 35 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 4.1 | 13 | <1 | 1 | 3 | 6 | 8 | 9 | 22 |
| B. *Operated* | 425 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 369 | 9.6 | 94 | 1 | 2 | 7 | 12 | 20 | 29 | 58 |
| B. *Operated* | 606 | 7.2 | 67 | 1 | 1 | 4 | 9 | 16 | 23 | 43 |
| **1. SINGLE DX** | 509 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 975 | 8.1 | 78 | 1 | 1 | 5 | 10 | 17 | 25 | 51 |
| **A. NOT OPERATED** | 453 | 8.6 | 83 | 1 | 2 | 6 | 11 | 19 | 27 | 56 |
| **B. OPERATED** | 1031 | 5.5 | 46 | 1 | 1 | 3 | 7 | 12 | 17 | 37 |
| TOTAL 65-69 YRS | 405 | 4.9 | 34 | 1 | 1 | 3 | 6 | 11 | 16 | 33 |
| 70-74 | 345 | 5.6 | 41 | 1 | 1 | 3 | 7 | 14 | 18 | 32 |
| 75-79 | 312 | 6.3 | 58 | 1 | 1 | 4 | 8 | 14 | 19 | 48 |
| 80-84 | 213 | 8.3 | 84 | 1 | 1 | 5 | 10 | 20 | 25 | 50 |
| 85+ | 209 | 8.9 | 103 | 1 | 1 | 6 | 11 | 17 | 29 | 56 |
| **GRAND TOTAL** | **1484** | **6.4** | **60** | **1** | **1** | **4** | **8** | **14** | **20** | **41** |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 117 | 9.9 | 67 | 1 | 1 | 9 | 13 | 20 | 25 | 42 |
| 70-74 | 133 | 11.5 | 132 | 1 | 1 | 9 | 15 | 22 | 27 | 69 |
| 75-79 | 177 | 12.1 | 155 | 1 | 1 | 9 | 15 | 26 | 35 | 60 |
| 80-84 | 199 | 12.8 | 177 | 1 | 2 | 10 | 16 | 23 | 35 | 93 |
| 85+ | 310 | 12.3 | 125 | 1 | 2 | 10 | 16 | 23 | 34 | 60 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1527 | 15.6 | 63 | 7 | 8 | 14 | 19 | 25 | 30 | 47 |
| 70-74 | 2152 | 17.0 | 67 | 8 | 9 | 15 | 20 | 26 | 33 | 50 |
| 75-79 | 2878 | 17.8 | 82 | 8 | 10 | 16 | 21 | 27 | 35 | 60 |
| 80-84 | 3330 | 18.8 | 93 | 9 | 10 | 17 | 22 | 30 | 37 | 61 |
| 85+ | 4512 | 18.9 | 100 | 8 | 10 | 17 | 22 | 30 | 38 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 189 | 16.9 | 233 | 2 | 2 | 12 | 22 | 42 | 58 | 99+ |
| 70-74 | 327 | 16.5 | 185 | 2 | 4 | 13 | 22 | 36 | 45 | 88 |
| 75-79 | 485 | 17.9 | 278 | 2 | 4 | 14 | 22 | 41 | 61 | 99+ |
| 80-84 | 567 | 18.3 | 242 | 2 | 4 | 14 | 24 | 39 | 53 | 99+ |
| 85+ | 919 | 16.5 | 208 | 3 | 4 | 13 | 21 | 35 | 51 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2569 | 21.4 | 166 | 9 | 10 | 18 | 25 | 37 | 49 | 81 |
| 70-74 | 4004 | 21.8 | 158 | 9 | 11 | 19 | 26 | 38 | 49 | 95 |
| 75-79 | 5752 | 23.1 | 178 | 9 | 11 | 20 | 28 | 41 | 54 | 99+ |
| 80-84 | 7100 | 23.3 | 184 | 9 | 11 | 20 | 28 | 42 | 56 | 99+ |
| 85+ | 10081 | 22.9 | 184 | 9 | 11 | 19 | 28 | 41 | 55 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 936 | 12.0 | 136 | 1 | 2 | 9 | 15 | 23 | 31 | 66 |
| B. *Operated* | 14399 | 18.0 | 87 | 8 | 9 | 16 | 21 | 28 | 35 | 61 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2487 | 17.2 | 229 | 2 | 4 | 14 | 22 | 37 | 53 | 99+ |
| B. *Operated* | 29506 | 22.8 | 178 | 9 | 11 | 19 | 27 | 40 | 54 | 99+ |
| **1. SINGLE DX** | 15335 | 17.6 | 92 | 7 | 9 | 16 | 21 | 28 | 35 | 61 |
| **2. MULTIPLE DX** | 31993 | 22.3 | 184 | 8 | 10 | 19 | 27 | 40 | 54 | 99+ |
| **A. NOT OPERATED** | 3423 | 15.8 | 208 | 2 | 3 | 12 | 20 | 34 | 49 | 99+ |
| **B. OPERATED** | 43905 | 21.2 | 153 | 9 | 10 | 18 | 25 | 37 | 48 | 93 |
| TOTAL 65-69 YRS | 4402 | 18.8 | 140 | 7 | 9 | 16 | 22 | 33 | 42 | 76 |
| 70-74 | 6616 | 19.8 | 136 | 7 | 9 | 17 | 23 | 34 | 44 | 80 |
| 75-79 | 9292 | 21.0 | 160 | 8 | 10 | 18 | 25 | 37 | 49 | 94 |
| 80-84 | 11196 | 21.5 | 166 | 8 | 10 | 18 | 26 | 38 | 50 | 95 |
| 85+ | 15822 | 21.2 | 166 | 8 | 10 | 18 | 25 | 37 | 50 | 99+ |
| **GRAND TOTAL** | **47328** | **20.8** | **159** | **8** | **10** | **18** | **25** | **37** | **48** | **94** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 60 | 18.6 | 315 | 2 | 4 | 13 | 26 | 42 | 59 | 79 |
| 70-74 | 72 | 24.1 | 395 | 4 | 6 | 15 | 34 | 55 | 70 | 97 |
| 75-79 | 73 | 17.6 | 193 | 3 | 5 | 14 | 22 | 39 | 54 | 90 |
| 80-84 | 79 | 20.1 | 431 | 2 | 4 | 13 | 23 | 55 | 68 | 98 |
| 85+ | 125 | 15.7 | 209 | 2 | 2 | 10 | 22 | 38 | 43 | 66 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 140 | 21.6 | 225 | 6 | 8 | 17 | 26 | 42 | 55 | 80 |
| 70-74 | 172 | 20.7 | 218 | 7 | 8 | 16 | 25 | 37 | 53 | 98 |
| 75-79 | 191 | 20.9 | 182 | 7 | 10 | 18 | 25 | 38 | 60 | 99+ |
| 80-84 | 200 | 23.2 | 186 | 7 | 10 | 20 | 29 | 43 | 53 | 74 |
| 85+ | 248 | 19.0 | 132 | 6 | 8 | 17 | 24 | 34 | 49 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 111 | 27.3 | 585 | 3 | 4 | 19 | 43 | 71 | 89 | 99+ |
| 70-74 | 145 | 27.7 | 547 | 4 | 6 | 19 | 46 | 69 | 89 | 99+ |
| 75-79 | 164 | 25.1 | 473 | 3 | 4 | 19 | 38 | 68 | 84 | 99+ |
| 80-84 | 193 | 24.0 | 459 | 3 | 4 | 17 | 40 | 65 | 74 | 99+ |
| 85+ | 286 | 21.0 | 406 | 2 | 4 | 14 | 28 | 55 | 68 | 98 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 318 | 28.5 | 333 | 9 | 11 | 24 | 38 | 65 | 92 | 99+ |
| 70-74 | 347 | 28.7 | 362 | 9 | 11 | 23 | 38 | 61 | 88 | 99+ |
| 75-79 | 428 | 29.8 | 361 | 9 | 12 | 26 | 42 | 67 | 93 | 99+ |
| 80-84 | 413 | 27.9 | 333 | 8 | 11 | 22 | 38 | 64 | 78 | 99+ |
| 85+ | 590 | 26.2 | 318 | 8 | 10 | 21 | 34 | 57 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 409 | 18.8 | 302 | 2 | 4 | 13 | 26 | 47 | 59 | 91 |
| B. *Operated* | 951 | 21.0 | 184 | 7 | 9 | 17 | 26 | 38 | 53 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 899 | 24.3 | 479 | 3 | 5 | 17 | 36 | 65 | 81 | 99+ |
| B. *Operated* | 2096 | 28.1 | 340 | 9 | 11 | 23 | 38 | 63 | 87 | 99+ |
| **1. SINGLE DX** | 1360 | 20.3 | 220 | 4 | 7 | 16 | 26 | 41 | 55 | 97 |
| **2. MULTIPLE DX** | 2995 | 26.9 | 385 | 5 | 8 | 21 | 38 | 64 | 85 | 99+ |
| **A. NOT OPERATED** | 1308 | 22.6 | 430 | 2 | 4 | 15 | 32 | 60 | 74 | 99+ |
| **B. OPERATED** | 3047 | 25.8 | 302 | 8 | 10 | 21 | 33 | 56 | 73 | 99+ |
| TOTAL 65-69 YRS | 629 | 25.8 | 363 | 5 | 8 | 21 | 36 | 60 | 79 | 99+ |
| 70-74 | 736 | 26.2 | 377 | 6 | 8 | 20 | 34 | 61 | 82 | 99+ |
| 75-79 | 856 | 25.9 | 347 | 6 | 8 | 21 | 36 | 62 | 81 | 99+ |
| 80-84 | 885 | 25.3 | 342 | 5 | 7 | 20 | 34 | 59 | 71 | 99+ |
| 85+ | 1249 | 22.6 | 304 | 4 | 7 | 18 | 29 | 50 | 67 | 99+ |
| **GRAND TOTAL** | **4355** | **24.9** | **343** | **5** | **7** | **20** | **33** | **57** | **73** | **99+** |

### 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 150 | 8.2 | 42 | 2 | 3 | 6 | 10 | 17 | 21 | 36 |
| 70-74 | 155 | 10.3 | 68 | 1 | 3 | 8 | 13 | 21 | 29 | 40 |
| 75-79 | 116 | 11.2 | 95 | 3 | 3 | 8 | 13 | 22 | 33 | 51 |
| 80-84 | 81 | 11.6 | 99 | 2 | 3 | 9 | 14 | 21 | 37 | 50 |
| 85+ | 90 | 10.9 | 102 | 2 | 3 | 8 | 14 | 22 | 30 | 58 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 274 | 11.4 | 89 | 3 | 4 | 9 | 13 | 19 | 29 | 59 |
| 70-74 | 165 | 11.7 | 84 | 3 | 4 | 9 | 15 | 23 | 29 | 56 |
| 75-79 | 140 | 13.6 | 132 | 3 | 4 | 10 | 18 | 28 | 36 | 51 |
| 80-84 | 73 | 12.4 | 97 | 2 | 4 | 11 | 16 | 23 | 28 | 60 |
| 85+ | 46 | 10.9 | 70 | 2 | 3 | 9 | 14 | 23 | 29 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 226 | 12.9 | 110 | 3 | 3 | 10 | 18 | 27 | 37 | 80 |
| 70-74 | 216 | 12.2 | 92 | 2 | 4 | 10 | 16 | 24 | 33 | 51 |
| 75-79 | 253 | 13.1 | 122 | 3 | 4 | 9 | 16 | 26 | 33 | 60 |
| 80-84 | 182 | 15.0 | 175 | 3 | 4 | 11 | 18 | 32 | 41 | 70 |
| 85+ | 223 | 13.2 | 149 | 3 | 4 | 10 | 18 | 30 | 39 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 397 | 17.7 | 208 | 3 | 4 | 14 | 23 | 37 | 46 | 73 |
| 70-74 | 278 | 18.6 | 217 | 4 | 6 | 15 | 23 | 35 | 49 | 96 |
| 75-79 | 247 | 20.7 | 267 | 4 | 6 | 16 | 27 | 45 | 64 | 99+ |
| 80-84 | 145 | 22.5 | 312 | 5 | 7 | 17 | 29 | 47 | 60 | 85 |
| 85+ | 137 | 19.0 | 292 | 3 | 4 | 14 | 27 | 43 | 63 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 592 | 10.2 | 77 | 2 | 3 | 8 | 13 | 20 | 28 | 46 |
| B. *Operated* | 698 | 12.0 | 96 | 3 | 4 | 9 | 15 | 23 | 30 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1100 | 13.2 | 128 | 3 | 4 | 10 | 17 | 27 | 36 | 77 |
| B. *Operated* | 1204 | 19.2 | 246 | 4 | 5 | 15 | 25 | 41 | 56 | 98 |
| **1. SINGLE DX** | 1290 | 11.2 | 88 | 2 | 3 | 9 | 14 | 22 | 30 | 50 |
| **2. MULTIPLE DX** | 2304 | 16.4 | 198 | 3 | 4 | 12 | 21 | 35 | 47 | 96 |
| **A. NOT OPERATED** | 1692 | 12.2 | 112 | 2 | 3 | 9 | 16 | 24 | 34 | 61 |
| **B. OPERATED** | 1902 | 16.6 | 203 | 3 | 4 | 12 | 21 | 35 | 48 | 88 |
| TOTAL 65-69 YRS | 1047 | 13.6 | 143 | 3 | 4 | 10 | 17 | 28 | 38 | 70 |
| 70-74 | 814 | 13.9 | 140 | 3 | 4 | 11 | 18 | 27 | 36 | 69 |
| 75-79 | 756 | 15.4 | 180 | 3 | 4 | 11 | 19 | 32 | 46 | 86 |
| 80-84 | 481 | 16.3 | 209 | 3 | 4 | 12 | 19 | 34 | 46 | 74 |
| 85+ | 496 | 14.2 | 181 | 3 | 3 | 10 | 19 | 32 | 45 | 99+ |
| **GRAND TOTAL** | **3594** | **14.5** | **165** | **3** | **4** | **11** | **18** | **31** | **42** | **80** |

### 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 223 | 5.7 | 32 | 1 | 2 | 5 | 7 | 11 | 13 | 30 |
| 70-74 | 201 | 5.7 | 17 | 1 | 2 | 4 | 8 | 11 | 14 | 20 |
| 75-79 | 171 | 6.5 | 28 | 1 | 2 | 6 | 8 | 12 | 16 | 27 |
| 80-84 | 112 | 7.6 | 35 | 1 | 2 | 6 | 10 | 15 | 20 | 30 |
| 85+ | 99 | 8.5 | 53 | 1 | 1 | 7 | 12 | 17 | 22 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 940 | 7.5 | 33 | 2 | 3 | 6 | 9 | 13 | 17 | 31 |
| 70-74 | 642 | 8.5 | 29 | 3 | 3 | 7 | 11 | 15 | 19 | 27 |
| 75-79 | 395 | 10.0 | 57 | 2 | 3 | 9 | 13 | 18 | 22 | 37 |
| 80-84 | 217 | 12.6 | 98 | 3 | 4 | 10 | 16 | 22 | 30 | 53 |
| 85+ | 118 | 11.7 | 121 | 3 | 3 | 9 | 14 | 20 | 25 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 363 | 8.4 | 70 | 2 | 2 | 6 | 10 | 16 | 22 | 52 |
| 70-74 | 392 | 9.7 | 80 | 2 | 3 | 7 | 12 | 18 | 25 | 45 |
| 75-79 | 390 | 10.4 | 118 | 2 | 3 | 8 | 12 | 19 | 26 | 67 |
| 80-84 | 314 | 10.8 | 79 | 3 | 3 | 9 | 14 | 21 | 27 | 88 |
| 85+ | 269 | 11.7 | 91 | 2 | 3 | 8 | 16 | 23 | 32 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 913 | 11.7 | 96 | 3 | 4 | 9 | 14 | 22 | 31 | 62 |
| 70-74 | 704 | 13.2 | 122 | 3 | 5 | 10 | 16 | 24 | 35 | 69 |
| 75-79 | 532 | 15.3 | 190 | 4 | 5 | 11 | 18 | 30 | 46 | 93 |
| 80-84 | 355 | 17.0 | 211 | 4 | 6 | 13 | 19 | 32 | 44 | 86 |
| 85+ | 229 | 20.0 | 268 | 4 | 5 | 15 | 27 | 43 | 66 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 806 | 6.5 | 31 | 1 | 2 | 5 | 8 | 13 | 16 | 28 |
| B. *Operated* | 2312 | 8.9 | 49 | 2 | 3 | 7 | 11 | 16 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1728 | 10.1 | 89 | 2 | 3 | 8 | 12 | 19 | 26 | 56 |
| B. *Operated* | 2733 | 14.2 | 157 | 3 | 5 | 11 | 17 | 27 | 39 | 77 |
| **1. SINGLE DX** | 3118 | 8.3 | 46 | 2 | 3 | 7 | 10 | 15 | 19 | 35 |
| **2. MULTIPLE DX** | 4461 | 12.6 | 134 | 3 | 4 | 9 | 15 | 25 | 34 | 73 |
| **A. NOT OPERATED** | 2534 | 8.9 | 74 | 2 | 2 | 7 | 11 | 17 | 23 | 47 |
| **B. OPERATED** | 5045 | 11.8 | 114 | 3 | 4 | 9 | 14 | 22 | 31 | 67 |
| TOTAL 65-69 YRS | 2439 | 9.1 | 67 | 2 | 3 | 7 | 11 | 17 | 23 | 45 |
| 70-74 | 1939 | 10.1 | 78 | 2 | 3 | 8 | 12 | 18 | 25 | 46 |
| 75-79 | 1488 | 11.6 | 126 | 2 | 3 | 9 | 14 | 22 | 30 | 70 |
| 80-84 | 998 | 13.0 | 136 | 3 | 4 | 10 | 16 | 24 | 34 | 79 |
| 85+ | 715 | 13.9 | 166 | 2 | 3 | 10 | 17 | 29 | 40 | 74 |
| **GRAND TOTAL** | **7579** | **10.8** | **102** | **2** | **3** | **8** | **13** | **20** | **29** | **63** |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 12 | 14 |
| 70-74 | 26 | 4.7 | 21 | 1 | 1 | 3 | 6 | 14 | 14 | 15 |
| 75-79 | 19 | 7.7 | 59 | 1 | 2 | 5 | 11 | 20 | 27 | 29 |
| 80-84 | 23 | 6.1 | 22 | 1 | 1 | 5 | 9 | 10 | 14 | 22 |
| 85+ | 23 | 7.0 | 112 | 1 | 2 | 4 | 7 | 11 | 28 | 53 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 8.2 | 90 | 1 | 1 | 5 | 10 | 22 | 33 | 33 |
| 70-74 | 7 | 6.1 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 10 |
| 75-79 | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 80-84 | 4 | 10.5 | 38 | 5 | 5 | 9 | 15 | 18 | 18 | 18 |
| 85+ | 3 | 6.7 | 30 | 3 | 3 | 4 | 11 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 130 | 8.8 | 62 | 1 | 2 | 7 | 10 | 19 | 26 | 42 |
| 70-74 | 140 | 9.7 | 104 | 1 | 2 | 7 | 12 | 19 | 24 | 60 |
| 75-79 | 155 | 9.3 | 57 | 2 | 3 | 7 | 12 | 20 | 28 | 96 |
| 80-84 | 164 | 10.8 | 91 | 2 | 2 | 8 | 14 | 22 | 27 | 69 |
| 85+ | 161 | 10.6 | 85 | 2 | 3 | 8 | 14 | 23 | 29 | 96 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 41 | 12.6 | 93 | 1 | 2 | 11 | 20 | 26 | 29 | 39 |
| 70-74 | 40 | 19.9 | 355 | 3 | 4 | 14 | 24 | 49 | 61 | 84 |
| 75-79 | 31 | 20.1 | 412 | 2 | 3 | 14 | 30 | 65 | 79 | 99+ |
| 80-84 | 27 | 16.7 | 155 | 2 | 3 | 14 | 26 | 41 | 51 | 99+ |
| 85+ | 27 | 15.7 | 175 | 2 | 4 | 14 | 19 | 45 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 5.8 | 45 | 1 | 1 | 4 | 8 | 12 | 15 | 39 |
| B. *Operated* | 28 | 7.4 | 41 | 2 | 3 | 5 | 9 | 13 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 750 | 9.9 | 80 | 2 | 2 | 8 | 13 | 20 | 27 | 69 |
| B. *Operated* | 166 | 16.9 | 242 | 2 | 3 | 13 | 21 | 42 | 56 | 99+ |
| **1. SINGLE DX** | 138 | 6.2 | 44 | 1 | 1 | 4 | 8 | 13 | 15 | 35 |
| **2. MULTIPLE DX** | 916 | 11.2 | 117 | 2 | 3 | 8 | 14 | 24 | 33 | 84 |
| **A. NOT OPERATED** | 860 | 9.4 | 78 | 1 | 2 | 7 | 12 | 20 | 26 | 56 |
| **B. OPERATED** | 194 | 15.5 | 224 | 2 | 3 | 11 | 20 | 37 | 52 | 99+ |
| TOTAL 65-69 YRS | 200 | 9.1 | 69 | 1 | 2 | 6 | 12 | 21 | 27 | 40 |
| 70-74 | 213 | 10.9 | 157 | 1 | 2 | 7 | 13 | 23 | 30 | 73 |
| 75-79 | 209 | 10.7 | 123 | 2 | 2 | 7 | 14 | 25 | 34 | 99+ |
| 80-84 | 218 | 11.0 | 97 | 1 | 2 | 9 | 14 | 23 | 33 | 80 |
| 85+ | 214 | 10.8 | 102 | 2 | 3 | 8 | 14 | 24 | 36 | 99+ |
| **GRAND TOTAL** | **1054** | **10.5** | **110** | **1** | **2** | **7** | **14** | **23** | **31** | **79** |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 70-74 | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| 75-79 | 3 | 8.7 | 2 | 7 | 7 | 9 | 10 | 10 | 10 | 10 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 2 | 18.0 | 450 | 3 | 3 | 18 | 33 | 33 | 33 | 33 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 8.2 | 38 | 1 | 1 | 10 | 12 | 16 | 16 | 16 |
| 70-74 | 5 | 12.0 | 26 | 3 | 3 | 14 | 15 | 15 | 15 | 15 |
| 75-79 | 9 | 13.1 | 146 | 4 | 4 | 8 | 17 | 34 | 38 | 38 |
| 80-84 | 2 | 30.0 | 648 | 12 | 12 | 30 | 48 | 48 | 48 | 48 |
| 85+ | 11 | 18.6 | 256 | <1 | 2 | 18 | 25 | 41 | 56 | 57 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 34.3 | 716 | 10 | 10 | 30 | 55 | 63 | 63 | 63 |
| 70-74 | 4 | 19.0 | 79 | 12 | 12 | 16 | 24 | 32 | 32 | 32 |
| 75-79 | 4 | 32.0 | 1431 | 6 | 6 | 17 | 54 | 88 | 88 | 88 |
| 80-84 | 4 | 38.3 | 630 | 6 | 6 | 40 | 55 | 67 | 67 | 67 |
| 85+ | 4 | 30.5 | 520 | 12 | 12 | 37 | 70 | 99+ | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 8.0 | 9 | 2 | 3 | 9 | 10 | 11 | 11 | 11 |
| B. *Operated* | 3 | 20.7 | 246 | 3 | 3 | 26 | 31 | 33 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32 | 15.1 | 178 | 1 | 3 | 12 | 18 | 33 | 47 | 57 |
| B. *Operated* | 19 | 30.6 | 569 | 6 | 8 | 25 | 51 | 77 | 94 | 99+ |
| **1. SINGLE DX** | 10 | 11.8 | 98 | 2 | 2 | 9 | 11 | 29 | 33 | 33 |
| **2. MULTIPLE DX** | 51 | 20.9 | 373 | 3 | 4 | 14 | 30 | 58 | 67 | 99+ |
| **A. NOT OPERATED** | 39 | 13.8 | 155 | 1 | 3 | 10 | 16 | 30 | 43 | 57 |
| **B. OPERATED** | 22 | 29.3 | 523 | 5 | 6 | 26 | 42 | 71 | 92 | 99+ |
| TOTAL 65-69 YRS | 10 | 15.6 | 347 | 1 | 1 | 10 | 16 | 46 | 63 | 63 |
| 70-74 | 11 | 14.0 | 52 | 3 | 5 | 14 | 15 | 23 | 31 | 32 |
| 75-79 | 18 | 17.1 | 421 | 3 | 4 | 9 | 21 | 36 | 68 | 88 |
| 80-84 | 6 | 35.5 | 526 | 6 | 7 | 40 | 48 | 65 | 67 | 67 |
| 85+ | 16 | 22.1 | 303 | 1 | 4 | 19 | 32 | 59 | 86 | 99+ |
| **GRAND TOTAL** | **61** | **19.4** | **337** | **2** | **3** | **13** | **29** | **51** | **65** | **99** |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | 11 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 11 | 4.5 | 22 | <1 | <1 | 3 | 5 | 13 | 15 | 15 |
| 80-84 | 11 | 4.1 | 16 | 1 | 1 | 2 | 6 | 11 | 13 | 13 |
| 85+ | 7 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 75 | 2.7 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| 70-74 | 77 | 3.1 | 12 | <1 | 1 | 2 | 3 | 8 | 11 | 17 |
| 75-79 | 49 | 3.8 | 17 | <1 | 1 | 2 | 4 | 9 | 16 | 18 |
| 80-84 | 40 | 3.8 | 61 | <1 | 1 | 2 | 3 | 6 | 12 | 49 |
| 85+ | 37 | 4.4 | 39 | <1 | 1 | 2 | 4 | 14 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 32 | 8.0 | 41 | 1 | 1 | 7 | 11 | 16 | 23 | 26 |
| 70-74 | 33 | 8.3 | 67 | 1 | 1 | 6 | 10 | 21 | 27 | 35 |
| 75-79 | 38 | 6.0 | 20 | 1 | 2 | 4 | 7 | 15 | 16 | 16 |
| 80-84 | 28 | 8.6 | 52 | 1 | 1 | 8 | 11 | 21 | 26 | 28 |
| 85+ | 28 | 7.9 | 58 | 1 | 2 | 5 | 12 | 21 | 38 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 92 | 7.1 | 77 | 1 | 1 | 4 | 8 | 21 | 27 | 77 |
| 70-74 | 107 | 7.7 | 69 | 1 | 1 | 4 | 10 | 21 | 26 | 36 |
| 75-79 | 80 | 7.5 | 78 | 1 | 1 | 4 | 9 | 17 | 27 | 43 |
| 80-84 | 82 | 9.8 | 133 | 1 | 2 | 5 | 13 | 28 | 33 | 86 |
| 85+ | 74 | 8.7 | 158 | 1 | 1 | 4 | 11 | 18 | 29 | 72 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 3.2 | 11 | 1 | 1 | 2 | 4 | 7 | 12 | 15 |
| B. *Operated* | 278 | 3.4 | 22 | 1 | 1 | 2 | 4 | 8 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 7.7 | 46 | 1 | 1 | 6 | 10 | 16 | 25 | 35 |
| B. *Operated* | 435 | 8.1 | 99 | 1 | 1 | 4 | 10 | 21 | 30 | 57 |
| **1. SINGLE DX** | 326 | 3.4 | 20 | 1 | 1 | 2 | 4 | 8 | 12 | 20 |
| **2. MULTIPLE DX** | 594 | 8.0 | 85 | 1 | 1 | 5 | 10 | 21 | 27 | 57 |
| **A. NOT OPERATED** | 207 | 6.6 | 41 | 1 | 1 | 5 | 9 | 15 | 24 | 35 |
| **B. OPERATED** | 713 | 6.3 | 74 | 1 | 1 | 3 | 7 | 17 | 24 | 48 |
| TOTAL 65-69 YRS | 207 | 5.4 | 48 | 1 | 1 | 3 | 6 | 13 | 21 | 42 |
| 70-74 | 228 | 6.0 | 52 | 1 | 1 | 3 | 7 | 15 | 23 | 35 |
| 75-79 | 178 | 5.9 | 47 | 1 | 1 | 4 | 7 | 15 | 17 | 41 |
| 80-84 | 161 | 7.7 | 99 | 1 | 1 | 4 | 10 | 22 | 29 | 59 |
| 85+ | 146 | 7.2 | 104 | 1 | 1 | 4 | 8 | 17 | 25 | 78 |
| **GRAND TOTAL** | **920** | **6.3** | **67** | **1** | **1** | **3** | **8** | **16** | **24** | **46** |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 3.6 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 70-74 | 5 | 3.4 | 7 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| 75-79 | 4 | 9.0 | 130 | 2 | 2 | 4 | 15 | 26 | 26 | 26 |
| 80-84 | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 2 | 18.0 | 200 | 8 | 8 | 18 | 28 | 28 | 28 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 200 | 5.1 | 33 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 70-74 | 115 | 6.2 | 18 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| 75-79 | 62 | 6.9 | 31 | 1 | 2 | 6 | 8 | 13 | 17 | 31 |
| 80-84 | 19 | 6.6 | 32 | 2 | 2 | 5 | 8 | 16 | 22 | 22 |
| 85+ | 12 | 4.8 | 14 | <1 | 1 | 3 | 8 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 3.8 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 70-74 | 8 | 7.9 | 59 | 1 | 2 | 6 | 8 | 21 | 26 | 26 |
| 75-79 | 7 | 13.7 | 480 | 1 | 2 | 7 | 9 | 52 | 63 | 63 |
| 80-84 | 8 | 10.3 | 44 | 3 | 4 | 8 | 14 | 21 | 22 | 22 |
| 85+ | 2 | 25.0 | 128 | 17 | 17 | 25 | 33 | 33 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 324 | 5.8 | 26 | 2 | 2 | 4 | 7 | 11 | 14 | 25 |
| 70-74 | 190 | 6.6 | 29 | 2 | 2 | 5 | 8 | 13 | 19 | 27 |
| 75-79 | 110 | 8.9 | 63 | 2 | 2 | 6 | 12 | 19 | 30 | 36 |
| 80-84 | 30 | 11.5 | 124 | 2 | 2 | 6 | 18 | 25 | 36 | 46 |
| 85+ | 17 | 12.3 | 222 | 2 | 2 | 8 | 12 | 31 | 52 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1 [illegible]NGLE DX** | | | | | | | | | | |
| [illegible] *Not Operated* | 18 | 6.3 | 61 | 1 | 2 | 3 | 6 | 21 | 27 | 28 |
| B. *Operated* | 408 | 5.8 | 28 | 1 | 2 | 5 | 7 | 10 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 36 | 9.3 | 136 | 1 | 1 | 6 | 9 | 22 | 31 | 63 |
| B. *Operated* | 671 | 7.0 | 45 | 2 | 2 | 5 | 8 | 14 | 20 | 34 |
| **1. SINGLE DX** | 426 | 5.8 | 29 | 1 | 2 | 5 | 7 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | 707 | 7.1 | 49 | 2 | 2 | 5 | 8 | 15 | 21 | 34 |
| **A. NOT OPERATED** | 54 | 8.3 | 111 | 1 | 2 | 5 | 8 | 22 | 28 | 62 |
| **B. OPERATED** | 1079 | 6.5 | 39 | 2 | 2 | 5 | 8 | 13 | 17 | 31 |
| TOTAL 65-69 YRS | 540 | 5.5 | 28 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 70-74 | 318 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 17 | 26 |
| 75-79 | 183 | 8.4 | 68 | 1 | 2 | 6 | 10 | 17 | 26 | 36 |
| 80-84 | 59 | 9.4 | 83 | 2 | 2 | 6 | 14 | 22 | 25 | 45 |
| 85+ | 33 | 10.7 | 157 | 1 | 2 | 7 | 12 | 29 | 34 | 62 |
| **GRAND TOTAL** | **1133** | **6.6** | **42** | **2** | **2** | **5** | **8** | **13** | **18** | **32** |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 4.9 | 12 | <1 | 1 | 4 | 7 | 8 | 11 | 16 |
| 70-74 | 14 | 12.4 | 154 | 1 | 2 | 7 | 15 | 32 | 41 | 44 |
| 75-79 | 9 | 10.0 | 61 | 1 | 2 | 8 | 13 | 23 | 27 | 27 |
| 80-84 | 4 | 4.8 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 85+ | 4 | 6.5 | 18 | 2 | 2 | 6 | 10 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 79 | 5.6 | 54 | <1 | 1 | 3 | 6 | 13 | 18 | 44 |
| 70-74 | 67 | 5.6 | 24 | 1 | 2 | 4 | 7 | 13 | 17 | 22 |
| 75-79 | 41 | 6.8 | 75 | <1 | 1 | 3 | 9 | 16 | 26 | 41 |
| 80-84 | 29 | 12.4 | 304 | 1 | 1 | 5 | 12 | 33 | 51 | 79 |
| 85+ | 29 | 8.0 | 70 | 1 | 1 | 5 | 10 | 18 | 26 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 10.5 | 69 | 2 | 4 | 8 | 12 | 21 | 28 | 43 |
| 70-74 | 32 | 8.6 | 88 | 1 | 2 | 6 | 11 | 16 | 18 | 53 |
| 75-79 | 36 | 11.7 | 113 | 2 | 2 | 7 | 19 | 22 | 33 | 49 |
| 80-84 | 32 | 13.3 | 141 | 1 | 3 | 10 | 16 | 27 | 46 | 51 |
| 85+ | 27 | 10.1 | 143 | 1 | 1 | 7 | 12 | 25 | 33 | 56 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 128 | 11.2 | 134 | 1 | 2 | 6 | 16 | 31 | 39 | 50 |
| 70-74 | 84 | 15.7 | 320 | 1 | 2 | 8 | 22 | 35 | 55 | 88 |
| 75-79 | 82 | 18.3 | 297 | 1 | 3 | 13 | 23 | 47 | 59 | 68 |
| 80-84 | 58 | 15.5 | 251 | 1 | 3 | 11 | 19 | 40 | 54 | 68 |
| 85+ | 28 | 18.0 | 222 | 2 | 2 | 16 | 22 | 32 | 54 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 7.7 | 62 | 1 | 1 | 6 | 8 | 16 | 26 | 43 |
| B. *Operated* | 245 | 6.9 | 84 | 1 | 1 | 4 | 8 | 16 | 21 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 169 | 10.9 | 107 | 1 | 2 | 8 | 13 | 22 | 31 | 53 |
| B. *Operated* | 380 | 14.9 | 240 | 1 | 2 | 9 | 20 | 37 | 50 | 68 |
| **1. SINGLE DX** | 301 | 7.0 | 79 | 1 | 1 | 4 | 8 | 16 | 24 | 47 |
| **2. MULTIPLE DX** | 549 | 13.6 | 202 | 1 | 2 | 8 | 18 | 32 | 46 | 63 |
| **A. NOT OPERATED** | 225 | 10.1 | 97 | 1 | 2 | 7 | 12 | 22 | 29 | 51 |
| **B. OPERATED** | 625 | 11.7 | 194 | 1 | 1 | 6 | 16 | 31 | 41 | 64 |
| TOTAL 65-69 YRS | 274 | 8.9 | 97 | 1 | 1 | 6 | 11 | 22 | 32 | 48 |
| 70-74 | 197 | 10.9 | 188 | 1 | 2 | 6 | 12 | 28 | 38 | 73 |
| 75-79 | 168 | 13.6 | 212 | 1 | 2 | 9 | 18 | 36 | 49 | 63 |
| 80-84 | 123 | 13.9 | 228 | 1 | 2 | 10 | 17 | 32 | 50 | 72 |
| 85+ | 88 | 11.8 | 154 | 1 | 1 | 8 | 17 | 26 | 32 | 63 |
| **GRAND TOTAL** | **850** | **11.3** | **169** | **1** | **1** | **7** | **15** | **28** | **40** | **63** |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 38 | 5.2 | 11 | 1 | 1 | 4 | 7 | 10 | 12 | 13 |
| 70-74 | 26 | 8.4 | 128 | 1 | 2 | 5 | 8 | 15 | 34 | 57 |
| 75-79 | 17 | 6.2 | 13 | 1 | 2 | 6 | 7 | 11 | 15 | 16 |
| 80-84 | 19 | 6.3 | 20 | 2 | 2 | 5 | 9 | 14 | 17 | 17 |
| 85+ | 21 | 6.9 | 17 | 2 | 3 | 6 | 10 | 12 | 15 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 7.6 | 108 | 1 | 2 | 5 | 8 | 13 | 27 | 58 |
| 70-74 | 22 | 7.7 | 11 | 3 | 4 | 7 | 10 | 12 | 15 | 16 |
| 75-79 | 17 | 10.8 | 48 | 1 | 2 | 12 | 15 | 18 | 23 | 25 |
| 80-84 | 7 | 7.1 | 20 | 4 | 4 | 6 | 7 | 15 | 17 | 17 |
| 85+ | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 85 | 7.9 | 41 | 2 | 2 | 6 | 11 | 16 | 19 | 31 |
| 70-74 | 95 | 10.4 | 101 | 2 | 3 | 8 | 11 | 18 | 24 | 67 |
| 75-79 | 105 | 8.1 | 39 | 2 | 3 | 6 | 10 | 15 | 18 | 35 |
| 80-84 | 105 | 9.0 | 38 | 2 | 3 | 8 | 11 | 18 | 22 | 29 |
| 85+ | 86 | 9.9 | 50 | 3 | 3 | 9 | 14 | 19 | 25 | 78 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 10.4 | 42 | 2 | 3 | 9 | 15 | 20 | 23 | 25 |
| 70-74 | 36 | 9.0 | 43 | 1 | 2 | 8 | 13 | 19 | 23 | 25 |
| 75-79 | 27 | 13.9 | 179 | 4 | 5 | 10 | 15 | 30 | 46 | 63 |
| 80-84 | 13 | 16.5 | 299 | 2 | 2 | 14 | 19 | 37 | 61 | 66 |
| 85+ | 14 | 12.3 | 39 | 2 | 3 | 12 | 18 | 20 | 22 | 22 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 121 | 6.5 | 39 | 1 | 2 | 5 | 8 | 12 | 16 | 36 |
| B. *Operated* | 80 | 8.2 | 60 | 2 | 3 | 6 | 10 | 15 | 18 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 476 | 9.0 | 54 | 2 | 3 | 7 | 11 | 17 | 23 | 36 |
| B. *Operated* | 158 | 11.4 | 88 | 2 | 3 | 9 | 16 | 22 | 25 | 61 |
| **1. SINGLE DX** | 201 | 7.2 | 48 | 1 | 2 | 6 | 9 | 13 | 17 | 43 |
| **2. MULTIPLE DX** | 634 | 9.6 | 63 | 2 | 3 | 8 | 12 | 18 | 24 | 41 |
| **A. NOT OPERATED** | 597 | 8.5 | 52 | 2 | 3 | 7 | 11 | 16 | 20 | 35 |
| **B. OPERATED** | 238 | 10.3 | 81 | 2 | 3 | 8 | 14 | 19 | 25 | 59 |
| TOTAL 65-69 YRS | 224 | 8.2 | 48 | 2 | 2 | 6 | 11 | 17 | 20 | 30 |
| 70-74 | 179 | 9.5 | 82 | 2 | 3 | 8 | 11 | 17 | 24 | 57 |
| 75-79 | 166 | 9.1 | 64 | 2 | 3 | 7 | 11 | 16 | 24 | 42 |
| 80-84 | 144 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 25 | 33 |
| 85+ | 122 | 9.6 | 44 | 3 | 3 | 8 | 13 | 18 | 22 | 57 |
| **GRAND TOTAL** | **835** | **9.0** | **60** | **2** | **3** | **7** | **11** | **17** | **23** | **41** |

### 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 288 | 6.9 | 20 | 2 | 3 | 6 | 9 | 12 | 15 | 23 |
| 70-74 | 181 | 6.6 | 14 | 2 | 2 | 6 | 8 | 11 | 14 | 18 |
| 75-79 | 104 | 7.3 | 26 | 2 | 2 | 6 | 9 | 13 | 17 | 28 |
| 80-84 | 85 | 7.9 | 41 | 1 | 2 | 6 | 10 | 15 | 20 | 35 |
| 85+ | 56 | 7.5 | 40 | 1 | 2 | 5 | 11 | 16 | 20 | 31 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 10.0 | 42 | <1 | 2 | 10 | 14 | 18 | 23 | 24 |
| 70-74 | 4 | 10.8 | 109 | 1 | 1 | 9 | 19 | 24 | 24 | 24 |
| 75-79 | 2 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 80-84 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 818 | 8.3 | 25 | 2 | 3 | 7 | 10 | 15 | 17 | 26 |
| 70-74 | 722 | 8.9 | 39 | 3 | 3 | 7 | 11 | 16 | 20 | 32 |
| 75-79 | 662 | 9.2 | 36 | 2 | 3 | 8 | 12 | 16 | 20 | 30 |
| 80-84 | 459 | 10.0 | 48 | 3 | 4 | 9 | 13 | 18 | 22 | 32 |
| 85+ | 434 | 10.3 | 52 | 3 | 4 | 9 | 13 | 19 | 24 | 36 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 77 | 14.0 | 64 | 5 | 5 | 12 | 17 | 25 | 31 | 43 |
| 70-74 | 57 | 14.3 | 102 | 4 | 5 | 12 | 17 | 24 | 37 | 56 |
| 75-79 | 36 | 17.4 | 79 | 8 | 8 | 16 | 20 | 30 | 34 | 48 |
| 80-84 | 22 | 19.0 | 396 | 5 | 6 | 13 | 19 | 40 | 75 | 87 |
| 85+ | 19 | 16.4 | 158 | 3 | 4 | 13 | 24 | 42 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 714 | 7.0 | 23 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| B. *Operated* | 20 | 10.7 | 45 | <1 | 2 | 12 | 14 | 20 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3095 | 9.2 | 38 | 2 | 3 | 8 | 12 | 16 | 20 | 32 |
| B. *Operated* | 211 | 15.4 | 120 | 4 | 6 | 13 | 18 | 27 | 36 | 75 |
| **1. SINGLE DX** | 734 | 7.1 | 24 | 2 | 2 | 6 | 9 | 13 | 16 | 25 |
| **2. MULTIPLE DX** | 3306 | 9.6 | 46 | 3 | 3 | 8 | 12 | 17 | 21 | 35 |
| **A. NOT OPERATED** | 3809 | 8.8 | 36 | 2 | 3 | 7 | 11 | 16 | 19 | 31 |
| **B. OPERATED** | 231 | 15.0 | 115 | 4 | 5 | 13 | 18 | 26 | 36 | 71 |
| TOTAL 65-69 YRS | 1196 | 8.3 | 29 | 2 | 3 | 7 | 10 | 15 | 18 | 28 |
| 70-74 | 964 | 8.8 | 41 | 2 | 3 | 7 | 11 | 16 | 20 | 33 |
| 75-79 | 804 | 9.3 | 40 | 2 | 3 | 8 | 12 | 17 | 21 | 33 |
| 80-84 | 567 | 10.1 | 64 | 2 | 3 | 8 | 13 | 18 | 22 | 35 |
| 85+ | 509 | 10.2 | 56 | 2 | 3 | 9 | 13 | 20 | 24 | 41 |
| **GRAND TOTAL** | **4040** | **9.1** | **43** | **2** | **3** | **8** | **12** | **16** | **21** | **33** |

### 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 155 | 6.5 | 16 | 1 | 2 | 6 | 9 | 12 | 14 | 17 |
| 70-74 | 89 | 6.8 | 23 | 2 | 2 | 5 | 10 | 14 | 17 | 22 |
| 75-79 | 69 | 6.6 | 21 | 1 | 2 | 6 | 8 | 13 | 17 | 20 |
| 80-84 | 50 | 7.5 | 21 | 2 | 3 | 7 | 10 | 14 | 16 | 20 |
| 85+ | 40 | 6.7 | 24 | 1 | 2 | 5 | 10 | 12 | 19 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 8.7 | 16 | 4 | 5 | 8 | 9 | 15 | 18 | 18 |
| 70-74 | 8 | 8.5 | 33 | 2 | 3 | 6 | 14 | 17 | 17 | 17 |
| 75-79 | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 597 | 7.7 | 26 | 2 | 3 | 7 | 10 | 14 | 17 | 26 |
| 70-74 | 482 | 7.6 | 25 | 2 | 3 | 7 | 9 | 14 | 16 | 28 |
| 75-79 | 428 | 8.5 | 36 | 2 | 3 | 7 | 11 | 16 | 20 | 29 |
| 80-84 | 345 | 8.7 | 33 | 2 | 3 | 7 | 12 | 16 | 21 | 27 |
| 85+ | 289 | 9.2 | 53 | 2 | 3 | 7 | 12 | 18 | 20 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 46 | 13.7 | 108 | 4 | 5 | 12 | 16 | 21 | 31 | 63 |
| 70-74 | 39 | 12.0 | 40 | 3 | 4 | 11 | 15 | 19 | 22 | 35 |
| 75-79 | 31 | 13.7 | 128 | 3 | 4 | 11 | 18 | 29 | 32 | 56 |
| 80-84 | 14 | 13.1 | 96 | 2 | 4 | 11 | 17 | 23 | 36 | 40 |
| 85+ | 16 | 17.6 | 392 | 1 | 2 | 13 | 26 | 70 | 92 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 403 | 6.8 | 20 | 1 | 2 | 6 | 9 | 13 | 16 | 20 |
| B. *Operated* | 21 | 8.8 | 19 | 3 | 4 | 7 | 12 | 16 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2141 | 8.2 | 33 | 2 | 3 | 7 | 10 | 15 | 19 | 30 |
| B. *Operated* | 146 | 13.6 | 122 | 3 | 4 | 11 | 16 | 23 | 37 | 78 |
| **1. SINGLE DX** | 424 | 6.9 | 20 | 1 | 2 | 6 | 9 | 13 | 16 | 19 |
| **2. MULTIPLE DX** | 2287 | 8.5 | 40 | 2 | 3 | 7 | 11 | 16 | 19 | 33 |
| **A. NOT OPERATED** | 2544 | 8.0 | 31 | 2 | 3 | 7 | 10 | 15 | 18 | 28 |
| **B. OPERATED** | 167 | 13.0 | 112 | 3 | 4 | 11 | 16 | 22 | 35 | 74 |
| TOTAL 65-69 YRS | 808 | 7.8 | 31 | 2 | 3 | 7 | 10 | 14 | 17 | 27 |
| 70-74 | 618 | 7.7 | 27 | 2 | 2 | 7 | 10 | 14 | 17 | 28 |
| 75-79 | 529 | 8.6 | 41 | 2 | 3 | 7 | 11 | 17 | 20 | 31 |
| 80-84 | 410 | 8.7 | 34 | 2 | 3 | 7 | 11 | 16 | 21 | 28 |
| 85+ | 346 | 9.3 | 68 | 1 | 2 | 7 | 12 | 18 | 22 | 56 |
| **GRAND TOTAL** | **2711** | **8.3** | **37** | **2** | **3** | **7** | **11** | **15** | **19** | **31** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 68 | 4.9 | 15 | 1 | 1 | 4 | 7 | 11 | 13 | 19 |
| 70-74 | 60 | 5.0 | 14 | 1 | 1 | 4 | 7 | 9 | 14 | 19 |
| 75-79 | 53 | 5.0 | 19 | 1 | 1 | 3 | 6 | 11 | 16 | 17 |
| 80-84 | 36 | 5.3 | 28 | 1 | 1 | 4 | 6 | 9 | 17 | 28 |
| 85+ | 41 | 5.6 | 14 | 1 | 2 | 4 | 8 | 10 | 14 | 16 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 239 | 5.7 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 26 |
| 70-74 | 134 | 6.2 | 14 | 2 | 3 | 5 | 8 | 11 | 13 | 18 |
| 75-79 | 63 | 6.3 | 38 | 2 | 2 | 4 | 7 | 10 | 19 | 35 |
| 80-84 | 22 | 6.5 | 12 | 2 | 3 | 6 | 9 | 12 | 14 | 14 |
| 85+ | 11 | 6.4 | 18 | 2 | 3 | 4 | 10 | 13 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 207 | 6.2 | 21 | 2 | 2 | 5 | 8 | 11 | 16 | 24 |
| 70-74 | 238 | 7.7 | 37 | 1 | 2 | 6 | 10 | 16 | 20 | 30 |
| 75-79 | 205 | 8.2 | 55 | 2 | 2 | 6 | 10 | 16 | 19 | 32 |
| 80-84 | 211 | 8.1 | 59 | 2 | 2 | 6 | 10 | 16 | 22 | 53 |
| 85+ | 283 | 8.6 | 46 | 2 | 2 | 7 | 12 | 16 | 23 | 36 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 181 | 6.5 | 20 | 2 | 2 | 5 | 8 | 12 | 16 | 22 |
| 70-74 | 140 | 10.7 | 137 | 2 | 3 | 7 | 12 | 20 | 34 | 65 |
| 75-79 | 69 | 9.9 | 72 | 3 | 3 | 7 | 13 | 19 | 28 | 46 |
| 80-84 | 42 | 16.1 | 179 | 3 | 4 | 11 | 21 | 36 | 48 | 54 |
| 85+ | 19 | 13.5 | 115 | 3 | 4 | 8 | 20 | 28 | 36 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 258 | 5.1 | 17 | 1 | 1 | 4 | 7 | 10 | 15 | 19 |
| B. *Operated* | 469 | 6.0 | 18 | 2 | 3 | 5 | 7 | 10 | 13 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1144 | 7.8 | 44 | 2 | 2 | 6 | 10 | 15 | 20 | 34 |
| B. *Operated* | 451 | 9.5 | 91 | 2 | 3 | 6 | 11 | 19 | 28 | 54 |
| **1. SINGLE DX** | 727 | 5.7 | 18 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | 1595 | 8.3 | 58 | 2 | 2 | 6 | 10 | 17 | 22 | 39 |
| **A. NOT OPERATED** | 1402 | 7.3 | 40 | 1 | 2 | 6 | 9 | 15 | 18 | 30 |
| **B. OPERATED** | 920 | 7.7 | 57 | 2 | 3 | 6 | 9 | 15 | 20 | 40 |
| TOTAL 65-69 YRS | 695 | 6.0 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 70-74 | 572 | 7.8 | 57 | 2 | 2 | 6 | 9 | 16 | 20 | 38 |
| 75-79 | 390 | 7.7 | 52 | 2 | 2 | 6 | 10 | 16 | 19 | 35 |
| 80-84 | 311 | 8.8 | 77 | 2 | 2 | 6 | 11 | 18 | 26 | 54 |
| 85+ | 354 | 8.4 | 47 | 2 | 2 | 6 | 11 | 16 | 24 | 37 |
| **GRAND TOTAL** | **2322** | **7.5** | **47** | **2** | **2** | **6** | **9** | **15** | **19** | **36** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 90 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 70-74 | 69 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| 75-79 | 47 | 4.0 | 23 | 1 | 1 | 3 | 5 | 8 | 9 | 32 |
| 80-84 | 40 | 5.4 | 37 | 1 | 1 | 3 | 7 | 13 | 19 | 29 |
| 85+ | 46 | 5.1 | 86 | 1 | 1 | 3 | 5 | 8 | 12 | 63 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 4 | 6.3 | 19 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 591 | 5.6 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 23 |
| 70-74 | 590 | 6.7 | 39 | 1 | 1 | 5 | 9 | 15 | 20 | 33 |
| 75-79 | 543 | 7.3 | 53 | 1 | 1 | 5 | 9 | 16 | 23 | 35 |
| 80-84 | 470 | 8.6 | 66 | 1 | 2 | 6 | 11 | 18 | 25 | 40 |
| 85+ | 480 | 9.3 | 89 | 2 | 2 | 7 | 11 | 19 | 26 | 68 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 189 | 8.6 | 111 | 1 | 1 | 5 | 12 | 20 | 34 | 88 |
| 70-74 | 187 | 8.9 | 96 | 1 | 1 | 6 | 11 | 21 | 31 | 60 |
| 75-79 | 182 | 11.6 | 181 | 1 | 2 | 6 | 14 | 29 | 43 | 86 |
| 80-84 | 135 | 12.7 | 245 | 2 | 2 | 7 | 15 | 28 | 51 | 88 |
| 85+ | 133 | 10.8 | 138 | 1 | 2 | 7 | 14 | 26 | 46 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| B. *Operated* | 5 | 5.8 | 15 | 2 | 2 | 4 | 8 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2674 | 7.4 | 55 | 1 | 1 | 5 | 9 | 16 | 21 | 38 |
| B. *Operated* | 826 | 10.3 | 151 | 1 | 2 | 6 | 13 | 24 | 36 | 88 |
| **1. SINGLE DX** | 297 | 3.9 | 28 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| **2. MULTIPLE DX** | 3500 | 8.1 | 79 | 1 | 1 | 5 | 10 | 17 | 24 | 51 |
| **A. NOT OPERATED** | 2966 | 7.0 | 53 | 1 | 1 | 5 | 9 | 15 | 21 | 38 |
| **B. OPERATED** | 831 | 10.3 | 150 | 1 | 2 | 6 | 13 | 24 | 36 | 87 |
| TOTAL 65-69 YRS | 870 | 6.0 | 47 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| 70-74 | 850 | 6.9 | 51 | 1 | 1 | 5 | 9 | 15 | 21 | 39 |
| 75-79 | 773 | 8.1 | 66 | 1 | 1 | 5 | 10 | 17 | 27 | 48 |
| 80-84 | 645 | 9.2 | 105 | 1 | 2 | 6 | 11 | 19 | 28 | 52 |
| 85+ | 659 | 9.3 | 100 | 1 | 2 | 6 | 12 | 20 | 29 | 69 |
| **GRAND TOTAL** | **3797** | **7.8** | **76** | **1** | **1** | **5** | **10** | **17** | **24** | **50** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 7.4 | 64 | 1 | 1 | 5 | 9 | 20 | 25 | 34 |
| 70-74 | 51 | 5.4 | 32 | <1 | 1 | 3 | 7 | 12 | 20 | 25 |
| 75-79 | 38 | 4.9 | 33 | 1 | 1 | 3 | 6 | 10 | 19 | 27 |
| 80-84 | 38 | 8.6 | 68 | 1 | 2 | 5 | 13 | 20 | 25 | 39 |
| 85+ | 36 | 5.9 | 33 | <1 | 1 | 4 | 8 | 13 | 17 | 28 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 13.6 | 157 | 3 | 6 | 13 | 16 | 29 | 90 | 99+ |
| 70-74 | 69 | 15.7 | 250 | 2 | 5 | 11 | 17 | 47 | 85 | 99+ |
| 75-79 | 47 | 20.2 | 273 | 5 | 6 | 15 | 27 | 44 | 74 | 99+ |
| 80-84 | 33 | 17.7 | 197 | 4 | 6 | 13 | 22 | 37 | 49 | 70 |
| 85+ | 26 | 24.0 | 270 | 3 | 8 | 18 | 35 | 48 | 53 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 264 | 8.4 | 109 | 1 | 1 | 5 | 10 | 18 | 26 | 54 |
| 70-74 | 306 | 8.3 | 67 | 1 | 1 | 6 | 10 | 20 | 29 | 42 |
| 75-79 | 278 | 10.7 | 128 | 1 | 2 | 7 | 14 | 26 | 39 | 91 |
| 80-84 | 258 | 12.0 | 181 | 1 | 2 | 8 | 16 | 27 | 40 | 83 |
| 85+ | 286 | 9.7 | 74 | 1 | 2 | 7 | 13 | 20 | 27 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 167 | 21.9 | 364 | 2 | 4 | 17 | 32 | 57 | 85 | 99+ |
| 70-74 | 155 | 21.6 | 344 | 2 | 3 | 16 | 31 | 54 | 72 | 99+ |
| 75-79 | 154 | 24.8 | 459 | 2 | 3 | 20 | 36 | 52 | 85 | 99+ |
| 80-84 | 132 | 22.2 | 330 | 2 | 3 | 20 | 33 | 62 | 92 | 99+ |
| 85+ | 122 | 16.6 | 182 | 2 | 2 | 14 | 24 | 36 | 45 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 205 | 6.4 | 46 | 1 | 1 | 4 | 8 | 14 | 22 | 31 |
| B. *Operated* | 212 | 17.7 | 239 | 4 | 6 | 13 | 22 | 44 | 68 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1392 | 9.8 | 111 | 1 | 2 | 6 | 13 | 21 | 31 | 60 |
| B. *Operated* | 730 | 21.6 | 348 | 2 | 3 | 17 | 31 | 53 | 78 | 99+ |
| **1. SINGLE DX** | 417 | 12.1 | 176 | 1 | 1 | 8 | 15 | 30 | 45 | 99+ |
| **2. MULTIPLE DX** | 2122 | 13.8 | 224 | 1 | 2 | 9 | 19 | 35 | 50 | 99+ |
| **A. NOT OPERATED** | 1597 | 9.3 | 104 | 1 | 1 | 6 | 12 | 21 | 30 | 55 |
| **B. OPERATED** | 942 | 20.7 | 326 | 2 | 4 | 15 | 30 | 51 | 74 | 99+ |
| TOTAL 65-69 YRS | 510 | 13.1 | 231 | 1 | 2 | 8 | 17 | 33 | 55 | 99+ |
| 70-74 | 581 | 12.5 | 196 | 1 | 2 | 8 | 16 | 32 | 49 | 99+ |
| 75-79 | 517 | 15.3 | 280 | 1 | 2 | 9 | 21 | 39 | 52 | 99+ |
| 80-84 | 461 | 15.0 | 238 | 1 | 2 | 10 | 21 | 38 | 56 | 99+ |
| 85+ | 470 | 12.0 | 128 | 1 | 2 | 8 | 15 | 27 | 36 | 62 |
| **GRAND TOTAL** | **2539** | **13.6** | **217** | **1** | **2** | **9** | **18** | **34** | **50** | **99+** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 3.8 | 9 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| 70-74 | 8 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 75-79 | 3 | 8.7 | 50 | 1 | 1 | 10 | 14 | 15 | 15 | 15 |
| 80-84 | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 9.1 | 99 | 2 | 2 | 6 | 10 | 20 | 36 | 39 |
| 70-74 | 7 | 7.6 | 18 | 4 | 4 | 6 | 7 | 15 | 17 | 17 |
| 75-79 | 2 | 9.5 | 61 | 4 | 4 | 9 | 15 | 15 | 15 | 15 |
| 80-84 | 5 | 12.4 | 104 | 4 | 4 | 7 | 23 | 24 | 24 | 24 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 77 | 7.2 | 29 | 1 | 2 | 6 | 9 | 14 | 18 | 26 |
| 70-74 | 69 | 8.8 | 117 | 2 | 2 | 6 | 9 | 15 | 19 | 69 |
| 75-79 | 51 | 9.7 | 31 | 2 | 3 | 9 | 13 | 18 | 20 | 24 |
| 80-84 | 39 | 9.9 | 65 | 2 | 3 | 8 | 12 | 20 | 29 | 37 |
| 85+ | 30 | 12.2 | 82 | 3 | 3 | 9 | 17 | 25 | 30 | 39 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 76 | 15.2 | 256 | 3 | 5 | 9 | 18 | 37 | 50 | 85 |
| 70-74 | 64 | 15.5 | 221 | 3 | 4 | 13 | 18 | 33 | 49 | 98 |
| 75-79 | 45 | 19.4 | 337 | 3 | 4 | 11 | 30 | 41 | 54 | 88 |
| 80-84 | 36 | 16.2 | 202 | 3 | 3 | 11 | 21 | 35 | 46 | 66 |
| 85+ | 23 | 14.7 | 70 | 4 | 4 | 14 | 20 | 25 | 31 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 3.9 | 13 | <1 | 1 | 3 | 5 | 9 | 11 | 15 |
| B. *Operated* | 26 | 9.3 | 70 | 2 | 4 | 6 | 11 | 22 | 27 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 9.1 | 65 | 2 | 3 | 7 | 11 | 18 | 23 | 39 |
| B. *Operated* | 244 | 16.2 | 235 | 3 | 4 | 11 | 20 | 35 | 47 | 88 |
| **1. SINGLE DX** | 52 | 6.6 | 48 | 1 | 1 | 5 | 7 | 15 | 22 | 39 |
| **2. MULTIPLE DX** | 510 | 12.5 | 159 | 2 | 3 | 9 | 14 | 27 | 37 | 73 |
| **A. NOT OPERATED** | 292 | 8.6 | 62 | 1 | 2 | 7 | 11 | 17 | 21 | 38 |
| **B. OPERATED** | 270 | 15.5 | 223 | 3 | 4 | 10 | 19 | 35 | 43 | 88 |
| TOTAL 65-69 YRS | 176 | 10.6 | 146 | 1 | 2 | 7 | 12 | 23 | 37 | 67 |
| 70-74 | 148 | 11.4 | 165 | 2 | 3 | 7 | 14 | 26 | 39 | 87 |
| 75-79 | 101 | 14.0 | 189 | 2 | 4 | 10 | 16 | 31 | 39 | 81 |
| 80-84 | 83 | 12.5 | 134 | 2 | 3 | 9 | 16 | 27 | 36 | 61 |
| 85+ | 54 | 13.1 | 78 | 3 | 4 | 11 | 19 | 25 | 30 | 39 |
| **GRAND TOTAL** | **562** | **11.9** | **151** | **2** | **3** | **8** | **14** | **25** | **36** | **72** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 4.6 | 34 | <1 | 1 | 3 | 6 | 10 | 20 | 23 |
| 70-74 | 11 | 3.0 | 7 | 1 | 1 | 2 | 3 | 8 | 8 | 8 |
| 75-79 | 4 | 8.5 | 83 | 2 | 2 | 5 | 14 | 22 | 22 | 22 |
| 80-84 | 6 | 5.7 | 38 | <1 | <1 | 3 | 13 | 14 | 14 | 14 |
| 85+ | 7 | 5.7 | 19 | 1 | 1 | 6 | 8 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 11.6 | 87 | 2 | 3 | 9 | 12 | 27 | 34 | 38 |
| 70-74 | 8 | 7.5 | 12 | 1 | 2 | 7 | 9 | 12 | 13 | 13 |
| 75-79 | 6 | 16.0 | 324 | 5 | 5 | 10 | 14 | 48 | 52 | 52 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | 3 | 8.7 | 114 | 2 | 2 | 3 | 16 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 63 | 5.9 | 13 | 1 | 2 | 5 | 9 | 11 | 12 | 17 |
| 70-74 | 49 | 6.7 | 33 | 1 | 2 | 5 | 9 | 13 | 17 | 32 |
| 75-79 | 49 | 8.0 | 44 | 1 | 2 | 6 | 12 | 16 | 21 | 34 |
| 80-84 | 30 | 8.3 | 66 | 1 | 2 | 7 | 10 | 17 | 23 | 42 |
| 85+ | 37 | 8.5 | 69 | 2 | 2 | 6 | 11 | 16 | 18 | 50 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 95 | 20.0 | 292 | 4 | 6 | 14 | 25 | 43 | 57 | 85 |
| 70-74 | 80 | 20.4 | 269 | 5 | 7 | 15 | 28 | 39 | 64 | 98 |
| 75-79 | 55 | 19.4 | 248 | 3 | 5 | 16 | 24 | 43 | 57 | 99 |
| 80-84 | 35 | 18.5 | 153 | 4 | 5 | 17 | 27 | 39 | 50 | 99+ |
| 85+ | 25 | 15.2 | 67 | 5 | 6 | 15 | 18 | 23 | 31 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 4.9 | 28 | <1 | 1 | 3 | 6 | 13 | 18 | 23 |
| B. *Operated* | 36 | 11.0 | 106 | 2 | 2 | 8 | 12 | 22 | 35 | 52 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 228 | 7.3 | 40 | 1 | 2 | 6 | 10 | 13 | 18 | 36 |
| B. *Operated* | 290 | 19.4 | 240 | 4 | 6 | 15 | 24 | 39 | 58 | 98 |
| **1. SINGLE DX** | 77 | 7.7 | 73 | 1 | 1 | 6 | 10 | 14 | 23 | 48 |
| **2. MULTIPLE DX** | 518 | 14.1 | 189 | 2 | 3 | 10 | 18 | 32 | 43 | 87 |
| **A. NOT OPERATED** | 269 | 6.9 | 39 | 1 | 2 | 5 | 9 | 13 | 18 | 34 |
| **B. OPERATED** | 326 | 18.5 | 232 | 4 | 5 | 14 | 24 | 39 | 54 | 96 |
| TOTAL 65-69 YRS | 189 | 13.5 | 207 | 2 | 2 | 9 | 14 | 31 | 43 | 69 |
| 70-74 | 148 | 13.9 | 208 | 2 | 2 | 10 | 17 | 31 | 40 | 95 |
| 75-79 | 114 | 13.9 | 185 | 2 | 3 | 10 | 19 | 32 | 49 | 90 |
| 80-84 | 72 | 13.0 | 133 | 1 | 2 | 9 | 18 | 33 | 41 | 89 |
| 85+ | 72 | 10.6 | 75 | 2 | 2 | 9 | 14 | 20 | 23 | 48 |
| **GRAND TOTAL** | **595** | **13.3** | **178** | **2** | **2** | **9** | **17** | **30** | **42** | **79** |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 70-74 | 1 | 47.0 | | 47 | 47 | 47 | 47 | 47 | 47 | 47 |
| 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 3.8 | 10 | <1 | 1 | 3 | 4 | 10 | 12 | 13 |
| 70-74 | 18 | 3.1 | 7 | <1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 75-79 | 16 | 4.1 | 19 | 1 | 1 | 3 | 5 | 9 | 15 | 18 |
| 80-84 | 10 | 2.2 | 3 | 1 | 1 | 2 | 2 | 5 | 7 | 7 |
| 85+ | 15 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 70-74 | 8 | 6.0 | 11 | 3 | 3 | 5 | 8 | 11 | 11 | 11 |
| 75-79 | 6 | 4.2 | 13 | 1 | 1 | 3 | 5 | 10 | 11 | 11 |
| 80-84 | 4 | 12.3 | 12 | 8 | 8 | 12 | 15 | 16 | 16 | 16 |
| 85+ | 11 | 6.4 | 15 | 1 | 2 | 8 | 8 | 11 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 54 | 6.1 | 38 | 1 | 2 | 5 | 7 | 9 | 24 | 31 |
| 70-74 | 57 | 7.3 | 101 | 1 | 1 | 4 | 8 | 12 | 24 | 57 |
| 75-79 | 48 | 8.0 | 43 | 1 | 2 | 5 | 12 | 21 | 24 | 99+ |
| 80-84 | 21 | 7.8 | 23 | 2 | 3 | 6 | 12 | 15 | 16 | 17 |
| 85+ | 39 | 6.2 | 23 | 1 | 1 | 5 | 8 | 12 | 17 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 9.0 | 283 | 1 | 1 | 4 | 4 | 38 | 47 | 47 |
| B. *Operated* | 81 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 5.9 | 16 | 1 | 2 | 5 | 8 | 11 | 14 | 16 |
| B. *Operated* | 219 | 7.0 | 51 | 1 | 2 | 5 | 9 | 14 | 21 | 52 |
| **1. SINGLE DX** | 88 | 3.9 | 30 | 1 | 1 | 3 | 4 | 8 | 9 | 36 |
| **2. MULTIPLE DX** | 256 | 6.9 | 46 | 1 | 2 | 5 | 8 | 14 | 20 | 49 |
| **A. NOT OPERATED** | 44 | 6.4 | 54 | 1 | 1 | 4 | 8 | 12 | 15 | 47 |
| **B. OPERATED** | 300 | 6.0 | 42 | 1 | 1 | 4 | 7 | 13 | 19 | 40 |
| TOTAL 65-69 YRS | 88 | 5.1 | 28 | 1 | 1 | 4 | 6 | 9 | 11 | 30 |
| 70-74 | 84 | 6.7 | 93 | 1 | 1 | 4 | 7 | 12 | 19 | 55 |
| 75-79 | 71 | 6.7 | 38 | 1 | 1 | 4 | 10 | 19 | 21 | 83 |
| 80-84 | 36 | 6.6 | 25 | 1 | 1 | 5 | 10 | 15 | 16 | 17 |
| 85+ | 65 | 5.6 | 18 | 1 | 1 | 4 | 8 | 11 | 13 | 21 |
| **GRAND TOTAL** | **344** | **6.1** | **44** | **1** | **1** | **4** | **8** | **13** | **17** | **47** |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 23 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 8 | 9 |
| 70-74 | 16 | 2.8 | 11 | <1 | <1 | 2 | 3 | 8 | 11 | 13 |
| 75-79 | 15 | 4.9 | 60 | <1 | <1 | 1 | 5 | 14 | 25 | 29 |
| 80-84 | 12 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 85+ | 20 | 2.8 | 9 | <1 | 1 | 2 | 3 | 6 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 30 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 70-74 | 23 | 4.6 | 34 | 1 | 1 | 2 | 5 | 12 | 18 | 25 |
| 75-79 | 23 | 3.5 | 13 | <1 | 1 | 3 | 4 | 9 | 12 | 16 |
| 80-84 | 23 | 3.3 | 15 | <1 | <1 | 2 | 5 | 7 | 12 | 18 |
| 85+ | 23 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 180 | 5.9 | 30 | 1 | 1 | 4 | 8 | 12 | 15 | 31 |
| 70-74 | 210 | 6.3 | 36 | 1 | 1 | 4 | 8 | 15 | 18 | 29 |
| 75-79 | 218 | 6.2 | 30 | 1 | 1 | 4 | 8 | 14 | 18 | 28 |
| 80-84 | 228 | 7.8 | 101 | 1 | 2 | 5 | 9 | 13 | 19 | 64 |
| 85+ | 286 | 7.0 | 53 | 1 | 1 | 5 | 9 | 15 | 19 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 286 | 6.6 | 76 | 1 | 1 | 4 | 7 | 14 | 22 | 48 |
| 70-74 | 279 | 7.7 | 85 | 1 | 1 | 4 | 9 | 17 | 26 | 49 |
| 75-79 | 291 | 7.8 | 77 | 1 | 1 | 5 | 10 | 17 | 25 | 44 |
| 80-84 | 245 | 7.8 | 71 | 1 | 2 | 5 | 10 | 15 | 24 | 52 |
| 85+ | 340 | 8.7 | 93 | 1 | 2 | 6 | 11 | 19 | 26 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 86 | 3.2 | 16 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| B. *Operated* | 122 | 3.4 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1122 | 6.7 | 52 | 1 | 1 | 5 | 8 | 14 | 18 | 36 |
| B. *Operated* | 1441 | 7.8 | 81 | 1 | 1 | 5 | 10 | 17 | 24 | 49 |
| **1. SINGLE DX** | 208 | 3.3 | 15 | <1 | 1 | 2 | 4 | 7 | 11 | 21 |
| **2. MULTIPLE DX** | 2563 | 7.3 | 69 | 1 | 1 | 5 | 9 | 15 | 22 | 46 |
| **A. NOT OPERATED** | 1208 | 6.4 | 50 | 1 | 1 | 4 | 8 | 14 | 18 | 35 |
| **B. OPERATED** | 1563 | 7.4 | 77 | 1 | 1 | 5 | 9 | 16 | 24 | 48 |
| TOTAL 65-69 YRS | 519 | 6.0 | 54 | 1 | 1 | 4 | 7 | 13 | 20 | 37 |
| 70-74 | 528 | 6.8 | 62 | 1 | 1 | 4 | 9 | 15 | 21 | 41 |
| 75-79 | 547 | 6.9 | 56 | 1 | 1 | 4 | 9 | 16 | 21 | 42 |
| 80-84 | 508 | 7.5 | 82 | 1 | 1 | 5 | 9 | 14 | 22 | 54 |
| 85+ | 669 | 7.6 | 72 | 1 | 1 | 5 | 10 | 16 | 23 | 45 |
| **GRAND TOTAL** | 2771 | 7.0 | 66 | 1 | 1 | 4 | 9 | 15 | 21 | 45 |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 21 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 70-74 | 7 | 5.9 | 89 | <1 | <1 | 2 | 4 | 23 | 27 | 27 |
| 75-79 | 5 | 7.0 | 12 | 3 | 3 | 8 | 9 | 11 | 11 | 11 |
| 80-84 | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 85+ | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 7.6 | 53 | 1 | 1 | 6 | 10 | 17 | 26 | 31 |
| 70-74 | 20 | 6.6 | 65 | 1 | 1 | 3 | 9 | 19 | 25 | 29 |
| 75-79 | 7 | 8.1 | 117 | 2 | 2 | 4 | 8 | 27 | 32 | 32 |
| 80-84 | 3 | 6.7 | 12 | 3 | 3 | 7 | 9 | 10 | 10 | 10 |
| 85+ | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 33 | 6.3 | 34 | 1 | 1 | 5 | 8 | 14 | 16 | 28 |
| 70-74 | 30 | 9.2 | 95 | 1 | 2 | 7 | 11 | 16 | 39 | 44 |
| 75-79 | 28 | 6.3 | 23 | 1 | 2 | 6 | 8 | 13 | 15 | 21 |
| 80-84 | 20 | 8.9 | 28 | 2 | 3 | 8 | 11 | 19 | 19 | 19 |
| 85+ | 22 | 13.9 | 271 | 2 | 2 | 8 | 18 | 32 | 54 | 71 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 64 | 13.1 | 205 | 2 | 2 | 9 | 17 | 24 | 38 | 90 |
| 70-74 | 42 | 16.2 | 316 | 2 | 2 | 8 | 22 | 50 | 58 | 64 |
| 75-79 | 26 | 15.1 | 243 | 2 | 2 | 9 | 20 | 43 | 49 | 62 |
| 80-84 | 18 | 14.2 | 166 | 2 | 3 | 9 | 15 | 41 | 42 | 42 |
| 85+ | 15 | 7.7 | 51 | 1 | 1 | 5 | 10 | 16 | 24 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 4.0 | 24 | 1 | 1 | 3 | 4 | 9 | 13 | 27 |
| B. *Operated* | 58 | 7.0 | 58 | 1 | 1 | 4 | 9 | 17 | 27 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 8.6 | 88 | 1 | 2 | 6 | 11 | 17 | 24 | 49 |
| B. *Operated* | 165 | 13.8 | 222 | 2 | 2 | 9 | 17 | 35 | 46 | 64 |
| **1. SINGLE DX** | 96 | 5.8 | 46 | 1 | 1 | 3 | 7 | 15 | 23 | 32 |
| **2. MULTIPLE DX** | 298 | 11.5 | 168 | 2 | 2 | 8 | 14 | 26 | 42 | 63 |
| **A. NOT OPERATED** | 171 | 7.6 | 77 | 1 | 1 | 5 | 9 | 15 | 23 | 44 |
| **B. OPERATED** | 223 | 12.1 | 187 | 1 | 2 | 8 | 15 | 29 | 42 | 63 |
| TOTAL 65-69 YRS | 143 | 9.0 | 124 | 1 | 1 | 6 | 11 | 19 | 28 | 50 |
| 70-74 | 99 | 11.4 | 197 | 1 | 1 | 6 | 14 | 29 | 46 | 82 |
| 75-79 | 66 | 10.0 | 132 | 1 | 2 | 7 | 11 | 25 | 35 | 59 |
| 80-84 | 44 | 10.5 | 90 | 2 | 3 | 8 | 12 | 19 | 39 | 42 |
| 85+ | 42 | 10.6 | 172 | 1 | 2 | 6 | 15 | 25 | 34 | 71 |
| **GRAND TOTAL** | 394 | 10.1 | 144 | 1 | 2 | 7 | 12 | 23 | 36 | 61 |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 18 | 4.3 | 7 | <1 | 1 | 4 | 5 | 8 | 10 | 11 |
| 70-74 | 15 | 3.4 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 75-79 | 14 | 7.1 | 84 | 1 | 1 | 4 | 10 | 13 | 31 | 36 |
| 80-84 | 15 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 85+ | 6 | 2.7 | 5 | 1 | 1 | 2 | 2 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 241 | 3.2 | 21 | 1 | 1 | 2 | 3 | 6 | 9 | 30 |
| 70-74 | 154 | 3.1 | 17 | 1 | 1 | 2 | 3 | 6 | 10 | 24 |
| 75-79 | 101 | 2.7 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 11 |
| 80-84 | 39 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 85+ | 30 | 7.5 | 64 | 1 | 1 | 4 | 13 | 18 | 35 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 56 | 5.7 | 17 | 1 | 1 | 5 | 7 | 14 | 16 | 94 |
| 70-74 | 45 | 7.3 | 38 | 1 | 2 | 5 | 9 | 17 | 19 | 30 |
| 75-79 | 45 | 9.3 | 85 | 1 | 2 | 6 | 12 | 21 | 33 | 38 |
| 80-84 | 43 | 6.0 | 26 | 1 | 2 | 4 | 7 | 12 | 17 | 26 |
| 85+ | 57 | 8.1 | 59 | 1 | 2 | 6 | 10 | 18 | 20 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 265 | 5.8 | 70 | 1 | 1 | 3 | 6 | 12 | 22 | 41 |
| 70-74 | 182 | 5.5 | 60 | 1 | 1 | 3 | 6 | 13 | 20 | 47 |
| 75-79 | 110 | 6.3 | 91 | 1 | 1 | 3 | 6 | 14 | 21 | 57 |
| 80-84 | 68 | 6.8 | 81 | 1 | 1 | 4 | 8 | 14 | 26 | 45 |
| 85+ | 67 | 9.2 | 54 | 1 | 2 | 8 | 13 | 20 | 25 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 68 | 4.3 | 22 | 1 | 1 | 3 | 5 | 9 | 10 | 31 |
| B. *Operated* | 565 | 3.3 | 20 | 1 | 1 | 2 | 3 | 7 | 11 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 246 | 7.3 | 46 | 1 | 2 | 5 | 9 | 17 | 20 | 38 |
| B. *Operated* | 692 | 6.2 | 71 | 1 | 1 | 3 | 7 | 14 | 22 | 42 |
| **1. SINGLE DX** | 633 | 3.4 | 20 | 1 | 1 | 2 | 4 | 7 | 11 | 30 |
| **2. MULTIPLE DX** | 938 | 6.5 | 64 | 1 | 1 | 4 | 8 | 15 | 21 | 42 |
| **A. NOT OPERATED** | 314 | 6.6 | 42 | 1 | 1 | 5 | 8 | 15 | 19 | 37 |
| **B. OPERATED** | 1257 | 4.9 | 50 | 1 | 1 | 2 | 5 | 11 | 17 | 40 |
| TOTAL 65-69 YRS | 580 | 4.7 | 44 | 1 | 1 | 2 | 5 | 10 | 16 | 40 |
| 70-74 | 396 | 4.7 | 41 | 1 | 1 | 3 | 5 | 11 | 17 | 32 |
| 75-79 | 270 | 5.5 | 63 | 1 | 1 | 3 | 6 | 12 | 19 | 38 |
| 80-84 | 165 | 5.4 | 44 | 1 | 1 | 3 | 6 | 11 | 15 | 42 |
| 85+ | 160 | 8.3 | 57 | 1 | 1 | 7 | 12 | 18 | 24 | 48 |
| **GRAND TOTAL** | **1571** | **5.3** | **49** | **1** | **1** | **3** | **6** | **12** | **18** | **39** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 25 | 5.0 | 18 | 1 | 1 | 4 | 7 | 14 | 15 | 16 |
| 70-74 | 21 | 4.3 | 14 | 1 | 1 | 3 | 6 | 10 | 13 | 15 |
| 75-79 | 23 | 7.3 | 96 | 1 | 1 | 4 | 6 | 21 | 30 | 45 |
| 80-84 | 9 | 3.2 | 7 | <1 | <1 | 2 | 5 | 8 | 8 | 8 |
| 85+ | 9 | 5.6 | 15 | 1 | 1 | 6 | 8 | 11 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 8.1 | 85 | 1 | 1 | 4 | 9 | 21 | 32 | 40 |
| 70-74 | 47 | 8.6 | 42 | 2 | 2 | 7 | 12 | 16 | 20 | 33 |
| 75-79 | 48 | 12.0 | 154 | 1 | 1 | 9 | 14 | 22 | 36 | 67 |
| 80-84 | 22 | 12.2 | 111 | 2 | 3 | 9 | 16 | 27 | 38 | 41 |
| 85+ | 20 | 9.1 | 97 | 1 | 1 | 6 | 11 | 25 | 33 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 67 | 8.5 | 33 | 2 | 2 | 7 | 12 | 18 | 21 | 24 |
| 70-74 | 57 | 8.7 | 51 | 1 | 2 | 8 | 12 | 18 | 21 | 38 |
| 75-79 | 68 | 8.6 | 36 | 2 | 3 | 7 | 11 | 15 | 21 | 32 |
| 80-84 | 49 | 10.6 | 139 | 2 | 3 | 8 | 12 | 18 | 22 | 83 |
| 85+ | 62 | 11.3 | 179 | 2 | 3 | 7 | 14 | 19 | 25 | 78 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 115 | 14.6 | 240 | 2 | 2 | 9 | 19 | 38 | 46 | 81 |
| 70-74 | 99 | 13.7 | 197 | 1 | 2 | 8 | 19 | 31 | 41 | 75 |
| 75-79 | 92 | 15.6 | 198 | 3 | 4 | 10 | 22 | 38 | 45 | 94 |
| 80-84 | 67 | 18.8 | 335 | 2 | 2 | 13 | 27 | 48 | 55 | 70 |
| 85+ | 46 | 19.7 | 242 | 2 | 4 | 16 | 32 | 42 | 54 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 5.3 | 37 | 1 | 1 | 4 | 7 | 12 | 15 | 36 |
| B. *Operated* | 204 | 9.7 | 97 | 1 | 2 | 7 | 13 | 20 | 32 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 303 | 9.5 | 84 | 2 | 2 | 7 | 12 | 18 | 21 | 56 |
| B. *Operated* | 419 | 15.8 | 238 | 2 | 2 | 10 | 22 | 39 | 48 | 84 |
| **1. SINGLE DX** | 291 | 8.4 | 82 | 1 | 1 | 5 | 11 | 18 | 25 | 43 |
| **2. MULTIPLE DX** | 722 | 13.2 | 183 | 2 | 2 | 8 | 16 | 31 | 43 | 79 |
| **A. NOT OPERATED** | 390 | 8.5 | 76 | 1 | 2 | 7 | 11 | 17 | 21 | 43 |
| **B. OPERATED** | 623 | 13.8 | 200 | 1 | 2 | 9 | 18 | 36 | 44 | 73 |
| TOTAL 65-69 YRS | 274 | 10.6 | 142 | 1 | 2 | 7 | 13 | 23 | 38 | 54 |
| 70-74 | 224 | 10.5 | 119 | 1 | 2 | 7 | 13 | 23 | 32 | 52 |
| 75-79 | 231 | 12.0 | 140 | 2 | 3 | 8 | 14 | 27 | 39 | 71 |
| 80-84 | 147 | 14.1 | 236 | 2 | 2 | 8 | 17 | 38 | 49 | 71 |
| 85+ | 137 | 13.4 | 197 | 1 | 2 | 8 | 17 | 33 | 42 | 81 |
| **GRAND TOTAL** | **1013** | **11.8** | **159** | **1** | **2** | **7** | **15** | **27** | **40** | **68** |

## 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 3 | 7.0 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 80-84 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 6.2 | 70 | <1 | <1 | 3 | 5 | 21 | 23 | 23 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 80-84 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 10 | 9.9 | 106 | 2 | 2 | 5 | 12 | 28 | 32 | 32 |
| 70-74 | 11 | 7.2 | 27 | 1 | 2 | 6 | 9 | 16 | 17 | 17 |
| 75-79 | 6 | 13.8 | 165 | <1 | <1 | 9 | 23 | 34 | 35 | 35 |
| 80-84 | 7 | 10.7 | 30 | 5 | 5 | 8 | 13 | 20 | 21 | 21 |
| 85+ | 6 | 5.5 | 36 | <1 | <1 | 3 | 7 | 16 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 15 | 9.8 | 73 | <1 | 1 | 8 | 18 | 28 | 78 | 99+ |
| 70-74 | 8 | 18.5 | 599 | 1 | 1 | 7 | 29 | 61 | 69 | 69 |
| 75-79 | 6 | 19.0 | 360 | 3 | 3 | 14 | 21 | 52 | 55 | 55 |
| 80-84 | 3 | 7.0 | 43 | 1 | 1 | 10 | 57 | 99+ | 99+ | 99+ |
| 85+ | 7 | 14.4 | 75 | 3 | 4 | 13 | 19 | 28 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 5.7 | 11 | 2 | 2 | 6 | 8 | 10 | 11 | 11 |
| B. *Operated* | 8 | 7.4 | 62 | <1 | 1 | 4 | 11 | 21 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 9.2 | 69 | 1 | 2 | 6 | 12 | 22 | 28 | 35 |
| B. *Operated* | 39 | 13.6 | 218 | 1 | 2 | 9 | 20 | 47 | 83 | 99+ |
| **1. SINGLE DX** | 15 | 6.6 | 36 | <1 | 2 | 5 | 8 | 16 | 21 | 23 |
| **2. MULTIPLE DX** | 79 | 11.4 | 145 | 1 | 2 | 7 | 16 | 29 | 48 | 99+ |
| **A. NOT OPERATED** | 47 | 8.7 | 62 | 1 | 2 | 6 | 11 | 20 | 26 | 35 |
| **B. OPERATED** | 47 | 12.6 | 195 | 1 | 1 | 9 | 19 | 37 | 71 | 99+ |
| TOTAL 65-69 YRS | 33 | 9.0 | 77 | <1 | 2 | 6 | 12 | 25 | 31 | 99+ |
| 70-74 | 20 | 11.5 | 271 | 1 | 1 | 5 | 13 | 30 | 55 | 69 |
| 75-79 | 16 | 14.6 | 195 | 1 | 3 | 8 | 20 | 34 | 49 | 55 |
| 80-84 | 12 | 8.8 | 30 | 1 | 3 | 8 | 14 | 37 | 88 | 99+ |
| 85+ | 13 | 10.3 | 74 | <1 | 1 | 9 | 15 | 22 | 28 | 30 |
| **GRAND TOTAL** | **94** | **10.6** | **131** | **1** | **2** | **7** | **15** | **25** | **40** | **99+** |

## 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 5.8 | 13 | 1 | 2 | 6 | 8 | 23 | 83 | 99+ |
| 70-74 | 16 | 11.3 | 95 | 1 | 2 | 10 | 14 | 16 | 35 | 43 |
| 75-79 | 16 | 8.7 | 33 | 1 | 1 | 7 | 14 | 16 | 18 | 19 |
| 80-84 | 16 | 10.9 | 98 | 3 | 4 | 8 | 11 | 32 | 35 | 36 |
| 85+ | 16 | 14.9 | 94 | 2 | 3 | 13 | 23 | 28 | 31 | 32 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 70 | 5.8 | 26 | 1 | 1 | 4 | 7 | 15 | 16 | 20 |
| 70-74 | 64 | 7.7 | 50 | 1 | 2 | 5 | 11 | 15 | 26 | 32 |
| 75-79 | 32 | 9.0 | 63 | <1 | 1 | 6 | 13 | 22 | 24 | 28 |
| 80-84 | 22 | 9.4 | 58 | 1 | 2 | 7 | 14 | 18 | 27 | 33 |
| 85+ | 19 | 8.5 | 41 | 2 | 2 | 8 | 13 | 17 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 82 | 10.7 | 128 | 2 | 3 | 8 | 13 | 19 | 29 | 72 |
| 70-74 | 89 | 12.9 | 148 | 2 | 3 | 9 | 18 | 25 | 37 | 89 |
| 75-79 | 105 | 14.2 | 210 | 2 | 3 | 10 | 16 | 30 | 38 | 82 |
| 80-84 | 62 | 15.5 | 118 | 3 | 5 | 13 | 23 | 30 | 35 | 95 |
| 85+ | 72 | 14.1 | 105 | 2 | 3 | 11 | 22 | 28 | 35 | 38 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 132 | 11.1 | 145 | 2 | 2 | 7 | 16 | 24 | 37 | 64 |
| 70-74 | 110 | 13.5 | 174 | 2 | 2 | 10 | 17 | 29 | 45 | 59 |
| 75-79 | 79 | 15.3 | 163 | 2 | 3 | 12 | 21 | 31 | 43 | 60 |
| 80-84 | 52 | 17.0 | 171 | 2 | 3 | 16 | 21 | 39 | 65 | 99+ |
| 85+ | 37 | 19.5 | 337 | 4 | 4 | 14 | 27 | 45 | 78 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 10.5 | 74 | 1 | 3 | 8 | 14 | 24 | 33 | 84 |
| B. *Operated* | 207 | 7.5 | 45 | 1 | 2 | 5 | 11 | 16 | 22 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 410 | 13.4 | 149 | 2 | 3 | 10 | 18 | 28 | 35 | 82 |
| B. *Operated* | 410 | 14.1 | 182 | 2 | 2 | 10 | 19 | 31 | 46 | 78 |
| **1. SINGLE DX** | 284 | 8.3 | 54 | 1 | 2 | 6 | 12 | 17 | 24 | 35 |
| **2. MULTIPLE DX** | 820 | 13.7 | 165 | 2 | 3 | 10 | 18 | 29 | 38 | 79 |
| **A. NOT OPERATED** | 487 | 12.9 | 138 | 2 | 3 | 9 | 17 | 27 | 34 | 83 |
| **B. OPERATED** | 617 | 11.9 | 145 | 2 | 2 | 8 | 16 | 27 | 37 | 68 |
| TOTAL 65-69 YRS | 297 | 9.5 | 111 | 1 | 2 | 6 | 12 | 21 | 28 | 66 |
| 70-74 | 279 | 11.9 | 137 | 2 | 2 | 8 | 15 | 25 | 36 | 62 |
| 75-79 | 232 | 13.5 | 166 | 2 | 3 | 10 | 18 | 28 | 36 | 78 |
| 80-84 | 152 | 14.6 | 131 | 2 | 4 | 12 | 20 | 31 | 39 | 99+ |
| 85+ | 144 | 14.8 | 163 | 2 | 3 | 12 | 21 | 32 | 37 | 80 |
| **GRAND TOTAL** | **1104** | **12.3** | **142** | **2** | **2** | **9** | **17** | **27** | **35** | **77** |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 21 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 11 |
| 70-74 | 9 | 3.8 | 8 | 1 | 1 | 2 | 6 | 8 | 9 | 9 |
| 75-79 | 3 | 4.3 | 1 | 3 | 3 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 85+ | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 3.5 | 11 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 70-74 | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 80-84 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 85+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 6.8 | 99 | 1 | 2 | 4 | 7 | 14 | 17 | 61 |
| 70-74 | 26 | 8.7 | 111 | 2 | 2 | 5 | 11 | 18 | 28 | 54 |
| 75-79 | 30 | 6.9 | 40 | 2 | 2 | 5 | 8 | 14 | 18 | 32 |
| 80-84 | 35 | 9.0 | 78 | 2 | 2 | 6 | 10 | 18 | 34 | 39 |
| 85+ | 39 | 8.7 | 58 | 2 | 2 | 6 | 10 | 20 | 27 | 35 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 7.4 | 45 | 1 | 1 | 6 | 7 | 19 | 25 | 25 |
| 70-74 | 17 | 11.4 | 112 | 2 | 3 | 7 | 18 | 30 | 36 | 37 |
| 75-79 | 10 | 9.5 | 42 | <1 | 2 | 8 | 14 | 19 | 21 | 21 |
| 80-84 | 5 | 11.4 | 91 | 2 | 2 | 11 | 17 | 26 | 26 | 26 |
| 85+ | 6 | 6.5 | 49 | 1 | 1 | 3 | 15 | 16 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | 11 | 3.8 | 10 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 167 | 8.0 | 75 | 2 | 2 | 5 | 9 | 17 | 25 | 51 |
| B. *Operated* | 57 | 9.2 | 68 | 1 | 1 | 7 | 12 | 21 | 26 | 37 |
| **1. SINGLE DX** | 49 | 4.1 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| **2. MULTIPLE DX** | 224 | 8.3 | 73 | 1 | 2 | 5 | 10 | 18 | 25 | 43 |
| **A. NOT OPERATED** | 205 | 7.3 | 65 | 1 | 2 | 5 | 8 | 15 | 20 | 46 |
| **B. OPERATED** | 68 | 8.3 | 62 | 1 | 1 | 6 | 11 | 20 | 25 | 36 |
| TOTAL 65-69 YRS | 81 | 6.2 | 58 | 1 | 1 | 4 | 7 | 11 | 16 | 50 |
| 70-74 | 55 | 8.4 | 94 | 1 | 2 | 5 | 9 | 20 | 30 | 53 |
| 75-79 | 44 | 7.2 | 38 | 1 | 2 | 5 | 9 | 15 | 19 | 32 |
| 80-84 | 43 | 8.9 | 75 | 1 | 2 | 6 | 11 | 19 | 30 | 39 |
| 85+ | 50 | 7.9 | 54 | 1 | 2 | 5 | 10 | 19 | 26 | 35 |
| **GRAND TOTAL** | **273** | **7.6** | **64** | **1** | **2** | **5** | **8** | **16** | **24** | **39** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 230 | 4.4 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 16 |
| 70-74 | 204 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 17 |
| 75-79 | 223 | 5.2 | 18 | 1 | 1 | 4 | 7 | 11 | 14 | 20 |
| 80-84 | 242 | 5.9 | 45 | 1 | 1 | 4 | 7 | 11 | 16 | 32 |
| 85+ | 295 | 5.7 | 26 | 1 | 1 | 4 | 8 | 12 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 53 | 6.5 | 37 | 1 | 2 | 5 | 9 | 11 | 14 | 39 |
| 70-74 | 41 | 7.5 | 59 | 1 | 2 | 5 | 8 | 16 | 21 | 40 |
| 75-79 | 25 | 8.9 | 66 | 1 | 2 | 6 | 12 | 23 | 25 | 29 |
| 80-84 | 18 | 7.9 | 19 | 3 | 3 | 7 | 10 | 15 | 17 | 17 |
| 85+ | 21 | 7.5 | 58 | 1 | 1 | 5 | 9 | 19 | 24 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1325 | 6.7 | 43 | 1 | 2 | 5 | 8 | 13 | 18 | 33 |
| 70-74 | 1584 | 7.7 | 44 | 1 | 2 | 6 | 10 | 16 | 21 | 33 |
| 75-79 | 1886 | 8.4 | 59 | 2 | 2 | 6 | 11 | 17 | 21 | 36 |
| 80-84 | 1902 | 8.8 | 68 | 2 | 2 | 7 | 11 | 17 | 23 | 48 |
| 85+ | 2558 | 9.3 | 84 | 2 | 2 | 7 | 12 | 18 | 24 | 53 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 189 | 12.8 | 208 | 2 | 2 | 9 | 15 | 24 | 33 | 90 |
| 70-74 | 221 | 15.1 | 231 | 2 | 3 | 10 | 20 | 32 | 39 | 86 |
| 75-79 | 211 | 15.3 | 196 | 2 | 3 | 11 | 20 | 30 | 40 | 87 |
| 80-84 | 189 | 14.0 | 128 | 2 | 3 | 11 | 18 | 28 | 38 | 54 |
| 85+ | 182 | 16.2 | 199 | 2 | 3 | 14 | 20 | 31 | 37 | 86 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1194 | 5.3 | 24 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| B. *Operated* | 158 | 7.4 | 47 | 1 | 2 | 5 | 9 | 17 | 20 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9255 | 8.4 | 64 | 2 | 2 | 6 | 11 | 17 | 22 | 43 |
| B. *Operated* | 992 | 14.7 | 194 | 2 | 3 | 11 | 19 | 30 | 38 | 83 |
| **1. SINGLE DX** | 1352 | 5.6 | 27 | 1 | 1 | 4 | 7 | 11 | 15 | 24 |
| **2. MULTIPLE DX** | 10247 | 9.0 | 80 | 2 | 2 | 7 | 11 | 18 | 24 | 50 |
| **A. NOT OPERATED** | 10449 | 8.0 | 60 | 1 | 2 | 6 | 10 | 16 | 21 | 41 |
| **B. OPERATED** | 1150 | 13.7 | 180 | 2 | 3 | 10 | 18 | 28 | 37 | 80 |
| TOTAL 65-69 YRS | 1797 | 7.1 | 61 | 1 | 2 | 5 | 9 | 14 | 19 | 38 |
| 70-74 | 2050 | 8.2 | 67 | 1 | 2 | 6 | 10 | 17 | 23 | 40 |
| 75-79 | 2345 | 8.7 | 73 | 1 | 2 | 6 | 11 | 18 | 23 | 43 |
| 80-84 | 2351 | 9.0 | 73 | 2 | 2 | 7 | 11 | 18 | 24 | 50 |
| 85+ | 3056 | 9.4 | 89 | 2 | 2 | 7 | 12 | 19 | 24 | 52 |
| **GRAND TOTAL** | **11599** | **8.6** | **75** | **1** | **2** | **6** | **11** | **17** | **23** | **47** |

## 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 4.3 | 33 | 1 | 1 | 1 | 9 | 11 | 11 | 11 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 4 | 3.3 | 11 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 85+ | 4 | 4.8 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 14 | 6.1 | 56 | 1 | 1 | 2 | 8 | 16 | 25 | 27 |
| 70-74 | 6 | 7.7 | 52 | <1 | <1 | 5 | 14 | 18 | 19 | 19 |
| 75-79 | 3 | 8.0 | 49 | 1 | 1 | 8 | 13 | 15 | 15 | 15 |
| 80-84 | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 13 | 6.3 | 21 | 1 | 2 | 6 | 7 | 13 | 17 | 18 |
| 70-74 | 10 | 8.6 | 34 | 3 | 3 | 7 | 11 | 17 | 23 | 23 |
| 75-79 | 9 | 18.1 | 313 | 2 | 2 | 10 | 32 | 45 | 51 | 51 |
| 80-84 | 6 | 7.0 | 7 | 4 | 4 | 6 | 7 | 12 | 12 | 12 |
| 85+ | 4 | 6.3 | 52 | 2 | 2 | 3 | 10 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 16 | 10.9 | 282 | <1 | 1 | 4 | 8 | 47 | 52 | 53 |
| 70-74 | 11 | 12.4 | 47 | 3 | 4 | 14 | 17 | 22 | 23 | 23 |
| 75-79 | 7 | 14.6 | 432 | 1 | 1 | 8 | 40 | 87 | 99+ | 99+ |
| 80-84 | 5 | 22.0 | 311 | 2 | 2 | 16 | 40 | 41 | 41 | 41 |
| 85+ | 4 | 6.8 | 61 | 1 | 1 | 4 | 12 | 18 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 4.1 | 12 | 1 | 1 | 3 | 7 | 9 | 11 | 11 |
| B. *Operated* | 28 | 6.0 | 44 | 1 | 1 | 3 | 8 | 15 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 9.5 | 101 | 2 | 2 | 6 | 11 | 20 | 33 | 51 |
| B. *Operated* | 43 | 12.8 | 223 | 1 | 2 | 6 | 18 | 42 | 54 | 99+ |
| **1. SINGLE DX** | 39 | 5.5 | 35 | 1 | 1 | 3 | 7 | 14 | 17 | 27 |
| **2. MULTIPLE DX** | 85 | 11.2 | 163 | 1 | 2 | 6 | 15 | 30 | 49 | 85 |
| **A. NOT OPERATED** | 53 | 8.4 | 87 | 1 | 2 | 6 | 9 | 18 | 30 | 51 |
| **B. OPERATED** | 71 | 10.1 | 162 | 1 | 1 | 5 | 15 | 26 | 48 | 91 |
| TOTAL 65-69 YRS | 46 | 7.7 | 123 | 1 | 1 | 4 | 8 | 18 | 31 | 53 |
| 70-74 | 27 | 9.9 | 44 | 2 | 3 | 7 | 15 | 21 | 23 | 23 |
| 75-79 | 19 | 15.2 | 302 | 1 | 1 | 9 | 27 | 54 | 79 | 99+ |
| 80-84 | 18 | 9.5 | 144 | 1 | 1 | 6 | 11 | 33 | 41 | 41 |
| 85+ | 14 | 5.6 | 29 | 1 | 2 | 4 | 6 | 17 | 18 | 18 |
| **GRAND TOTAL** | **124** | **9.4** | **129** | **1** | **1** | **6** | **12** | **23** | **40** | **68** |

## 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **1. SINGLE DX** | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| **A. NOT OPERATED** | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| **B. OPERATED** | 3 | 6.0 | 37 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| TOTAL 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 75-79 | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **GRAND TOTAL** | **5** | **5.0** | **21** | **2** | **2** | **3** | **6** | **13** | **13** | **13** |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 164 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 70-74 | 134 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 5 | 15 |
| 75-79 | 104 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 80-84 | 70 | 1.8 | 2 | 1 | 1 | 1 | 2 | 4 | 4 | 7 |
| 85+ | 42 | 2.3 | 5 | <1 | 1 | 1 | 2 | 5 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 3.0 | 12 | 1 | 1 | 2 | 3 | 8 | 10 | 17 |
| 70-74 | 25 | 3.1 | 11 | <1 | 1 | 2 | 3 | 9 | 10 | 13 |
| 75-79 | 20 | 5.8 | 30 | 1 | 1 | 3 | 11 | 15 | 16 | 16 |
| 80-84 | 13 | 4.7 | 34 | 1 | 1 | 2 | 6 | 14 | 19 | 20 |
| 85+ | 9 | 5.1 | 18 | 2 | 2 | 3 | 6 | 12 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 176 | 3.8 | 16 | 1 | 1 | 2 | 5 | 9 | 13 | 20 |
| 70-74 | 165 | 4.0 | 15 | 1 | 1 | 3 | 5 | 10 | 12 | 16 |
| 75-79 | 170 | 4.4 | 24 | 1 | 1 | 3 | 5 | 10 | 15 | 28 |
| 80-84 | 134 | 5.6 | 34 | 1 | 1 | 4 | 7 | 13 | 17 | 33 |
| 85+ | 132 | 4.9 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 105 | 7.7 | 121 | 1 | 1 | 4 | 9 | 16 | 22 | 65 |
| 70-74 | 99 | 7.9 | 65 | 1 | 1 | 5 | 12 | 18 | 27 | 36 |
| 75-79 | 108 | 8.7 | 133 | 1 | 1 | 4 | 9 | 25 | 28 | 63 |
| 80-84 | 61 | 8.7 | 48 | 1 | 2 | 6 | 12 | 20 | 24 | 28 |
| 85+ | 53 | 7.0 | 45 | 2 | 2 | 5 | 9 | 17 | 20 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 514 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| B. *Operated* | 102 | 4.0 | 19 | 1 | 1 | 2 | 5 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 777 | 4.5 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 22 |
| B. *Operated* | 426 | 8.1 | 91 | 1 | 1 | 5 | 10 | 19 | 26 | 57 |
| **1. SINGLE DX** | 616 | 2.2 | 7 | <1 | 1 | 1 | 2 | 4 | 7 | 15 |
| **2. MULTIPLE DX** | 1203 | 5.8 | 49 | 1 | 1 | 3 | 7 | 13 | 18 | 33 |
| **A. NOT OPERATED** | 1291 | 3.5 | 16 | 1 | 1 | 2 | 4 | 8 | 11 | 19 |
| **B. OPERATED** | 528 | 7.3 | 79 | 1 | 1 | 4 | 9 | 17 | 23 | 49 |
| TOTAL 65-69 YRS | 480 | 3.9 | 39 | 1 | 1 | 2 | 4 | 9 | 13 | 23 |
| 70-74 | 423 | 4.2 | 28 | 1 | 1 | 2 | 5 | 11 | 14 | 28 |
| 75-79 | 402 | 5.0 | 54 | 1 | 1 | 2 | 5 | 12 | 17 | 35 |
| 80-84 | 278 | 5.3 | 34 | 1 | 1 | 3 | 7 | 14 | 18 | 28 |
| 85+ | 236 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| **GRAND TOTAL** | **1819** | **4.6** | **37** | **1** | **1** | **2** | **5** | **11** | **15** | **30** |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 12 | 11.8 | 84 | 2 | 2 | 10 | 18 | 24 | 31 | 32 |
| 70-74 | 5 | 22.2 | 317 | 8 | 8 | 11 | 36 | 49 | 49 | 49 |
| 75-79 | 3 | 40.3 | 289 | 21 | 21 | 47 | 51 | 53 | 53 | 53 |
| 80-84 | 7 | 17.7 | 87 | 5 | 5 | 19 | 26 | 28 | 28 | 28 |
| 85+ | 6 | 11.0 | 86 | 3 | 3 | 7 | 17 | 26 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 36 | 25.0 | 454 | 4 | 6 | 19 | 39 | 53 | 67 | 85 |
| 70-74 | 21 | 19.5 | 211 | 1 | 2 | 13 | 34 | 40 | 41 | 42 |
| 75-79 | 16 | 21.3 | 322 | 5 | 6 | 18 | 24 | 30 | 66 | 82 |
| 80-84 | 12 | 25.3 | 315 | 4 | 5 | 21 | 41 | 51 | 52 | 52 |
| 85+ | 7 | 17.1 | 88 | 6 | 7 | 17 | 22 | 32 | 34 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 37 | 15.4 | 139 | 3 | 4 | 10 | 25 | 32 | 34 | 52 |
| 70-74 | 19 | 15.0 | 144 | 3 | 4 | 11 | 19 | 37 | 41 | 43 |
| 75-79 | 22 | 10.1 | 60 | 1 | 2 | 8 | 17 | 21 | 26 | 27 |
| 80-84 | 20 | 21.2 | 208 | 7 | 8 | 15 | 28 | 46 | 53 | 56 |
| 85+ | 18 | 17.3 | 52 | 6 | 9 | 17 | 21 | 27 | 31 | 33 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 87 | 29.2 | 538 | 6 | 7 | 23 | 44 | 80 | 99+ | 99+ |
| 70-74 | 101 | 26.6 | 360 | 6 | 8 | 21 | 35 | 52 | 70 | 97 |
| 75-79 | 55 | 35.3 | 329 | 7 | 16 | 35 | 49 | 57 | 72 | 99+ |
| 80-84 | 50 | 36.5 | 509 | 5 | 8 | 36 | 58 | 73 | 99 | 99+ |
| 85+ | 39 | 36.5 | 339 | 10 | 14 | 35 | 48 | 68 | 77 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 17.1 | 188 | 2 | 4 | 13 | 24 | 35 | 49 | 53 |
| B. *Operated* | 92 | 22.5 | 326 | 4 | 5 | 17 | 33 | 50 | 53 | 84 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 15.6 | 131 | 3 | 4 | 12 | 23 | 31 | 37 | 53 |
| B. *Operated* | 332 | 31.4 | 435 | 6 | 9 | 28 | 46 | 69 | 92 | 99+ |
| **1. SINGLE DX** | 125 | 21.1 | 294 | 3 | 5 | 16 | 29 | 47 | 52 | 83 |
| **2. MULTIPLE DX** | 448 | 27.3 | 403 | 5 | 7 | 22 | 39 | 60 | 75 | 99+ |
| **A. NOT OPERATED** | 149 | 15.9 | 143 | 3 | 4 | 12 | 23 | 32 | 42 | 53 |
| **B. OPERATED** | 424 | 29.5 | 423 | 5 | 7 | 25 | 42 | 64 | 81 | 99+ |
| TOTAL 65-69 YRS | 172 | 24.1 | 439 | 4 | 6 | 18 | 33 | 66 | 84 | 99+ |
| 70-74 | 146 | 23.9 | 322 | 5 | 6 | 18 | 34 | 48 | 60 | 95 |
| 75-79 | 96 | 27.4 | 375 | 3 | 5 | 22 | 39 | 55 | 62 | 99 |
| 80-84 | 89 | 30.1 | 430 | 5 | 7 | 27 | 45 | 68 | 75 | 99+ |
| 85+ | 70 | 27.4 | 221 | 4 | 8 | 23 | 38 | 54 | 72 | 96 |
| **GRAND TOTAL** | **573** | **25.9** | **385** | **4** | **6** | **21** | **37** | **56** | **74** | **99+** |

## 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 40 | 9.4 | 89 | 1 | 1 | 6 | 15 | 19 | 27 | 44 |
| 70-74 | 26 | 11.0 | 126 | 1 | 1 | 6 | 16 | 29 | 37 | 43 |
| 75-79 | 26 | 9.6 | 69 | 1 | 2 | 7 | 13 | 25 | 29 | 30 |
| 80-84 | 9 | 15.1 | 85 | 5 | 5 | 14 | 26 | 64 | 99+ | 99+ |
| 85+ | 16 | 11.8 | 56 | 1 | 2 | 13 | 16 | 22 | 23 | 24 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 11 | 12.9 | 132 | <1 | 1 | 11 | 15 | 33 | 38 | 38 |
| 70-74 | 13 | 16.7 | 209 | 1 | 1 | 10 | 26 | 41 | 47 | 48 |
| 75-79 | 7 | 18.6 | 201 | 6 | 7 | 14 | 22 | 43 | 48 | 48 |
| 80-84 | 2 | 42.5 | 221 | 32 | 32 | 42 | 53 | 53 | 53 | 53 |
| 85+ | 4 | 8.3 | 35 | 4 | 4 | 6 | 12 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 138 | 12.0 | 132 | 1 | 2 | 9 | 17 | 23 | 30 | 82 |
| 70-74 | 124 | 13.9 | 288 | 2 | 2 | 9 | 15 | 31 | 45 | 95 |
| 75-79 | 121 | 13.1 | 119 | 1 | 2 | 10 | 17 | 28 | 32 | 57 |
| 80-84 | 78 | 15.6 | 246 | 2 | 3 | 12 | 17 | 33 | 48 | 88 |
| 85+ | 89 | 16.8 | 183 | 3 | 4 | 13 | 22 | 37 | 43 | 67 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 58 | 28.8 | 396 | 4 | 6 | 25 | 44 | 59 | 74 | 99 |
| 70-74 | 47 | 27.1 | 384 | 4 | 5 | 27 | 38 | 53 | 70 | 72 |
| 75-79 | 51 | 30.6 | 441 | 5 | 9 | 23 | 45 | 64 | 74 | 87 |
| 80-84 | 41 | 34.4 | 796 | 2 | 5 | 27 | 56 | 89 | 95 | 99+ |
| 85+ | 22 | 37.0 | 635 | 7 | 8 | 35 | 57 | 81 | 96 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 117 | 10.6 | 88 | 1 | 1 | 8 | 15 | 25 | 30 | 62 |
| B. *Operated* | 37 | 16.4 | 199 | 1 | 2 | 11 | 25 | 39 | 48 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 550 | 13.9 | 190 | 2 | 3 | 10 | 17 | 29 | 39 | 79 |
| B. *Operated* | 219 | 30.7 | 503 | 4 | 6 | 26 | 46 | 69 | 80 | 99+ |
| **1. SINGLE DX** | 154 | 12.0 | 120 | 1 | 1 | 10 | 16 | 29 | 37 | 53 |
| **2. MULTIPLE DX** | 769 | 18.7 | 337 | 2 | 3 | 13 | 24 | 45 | 64 | 95 |
| **A. NOT OPERATED** | 667 | 13.4 | 174 | 1 | 2 | 10 | 17 | 28 | 38 | 78 |
| **B. OPERATED** | 256 | 28.7 | 484 | 4 | 6 | 24 | 43 | 65 | 76 | 99 |
| TOTAL 65-69 YRS | 247 | 15.5 | 240 | 1 | 2 | 11 | 20 | 37 | 51 | 87 |
| 70-74 | 210 | 16.7 | 315 | 2 | 2 | 11 | 23 | 39 | 51 | 81 |
| 75-79 | 205 | 17.2 | 255 | 2 | 3 | 13 | 22 | 38 | 50 | 78 |
| 80-84 | 130 | 21.9 | 485 | 2 | 4 | 14 | 29 | 58 | 86 | 99+ |
| 85+ | 131 | 19.3 | 302 | 3 | 4 | 14 | 26 | 42 | 58 | 95 |
| **GRAND TOTAL** | **923** | **17.6** | **307** | **2** | **2** | **12** | **23** | **42** | **57** | **94** |

## 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 3.6 | 26 | 1 | 1 | 2 | 3 | 12 | 16 | 16 |
| 70-74 | 7 | 6.4 | 22 | 2 | 2 | 4 | 9 | 14 | 15 | 15 |
| 75-79 | 6 | 13.8 | 85 | 4 | 4 | 12 | 16 | 29 | 30 | 30 |
| 80-84 | 2 | 18.0 | 288 | 6 | 6 | 18 | 30 | 30 | 30 | 30 |
| 85+ | 8 | 14.0 | 439 | 2 | 2 | 6 | 15 | 50 | 64 | 64 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 22 | 6.8 | 127 | 1 | 1 | 3 | 8 | 14 | 33 | 53 |
| 70-74 | 13 | 4.1 | 17 | 1 | 1 | 3 | 4 | 12 | 14 | 14 |
| 75-79 | 3 | 3.0 | 12 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 38 | 9.9 | 81 | 2 | 3 | 7 | 10 | 22 | 32 | 43 |
| 70-74 | 35 | 10.9 | 126 | 2 | 2 | 9 | 12 | 18 | 32 | 64 |
| 75-79 | 41 | 15.5 | 403 | 3 | 4 | 8 | 15 | 32 | 71 | 91 |
| 80-84 | 45 | 11.3 | 76 | 3 | 4 | 8 | 18 | 27 | 33 | 99+ |
| 85+ | 48 | 12.3 | 82 | 2 | 4 | 9 | 18 | 27 | 31 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 35 | 13.9 | 267 | 2 | 2 | 6 | 21 | 36 | 48 | 66 |
| 70-74 | 24 | 10.8 | 192 | <1 | 1 | 5 | 17 | 35 | 68 | 99+ |
| 75-79 | 15 | 21.6 | 582 | 1 | 2 | 14 | 26 | 73 | 77 | 78 |
| 80-84 | 8 | 16.5 | 132 | 2 | 2 | 14 | 25 | 32 | 35 | 35 |
| 85+ | 11 | 17.1 | 416 | 2 | 3 | 8 | 35 | 76 | 97 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 9.8 | 162 | 1 | 1 | 4 | 15 | 22 | 30 | 64 |
| B. *Operated* | 41 | 5.7 | 75 | <1 | 1 | 3 | 7 | 12 | 16 | 53 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 207 | 12.0 | 152 | 2 | 3 | 8 | 14 | 25 | 36 | 95 |
| B. *Operated* | 93 | 14.9 | 303 | 1 | 2 | 7 | 24 | 40 | 66 | 99+ |
| **1. SINGLE DX** | 72 | 7.5 | 115 | 1 | 1 | 3 | 9 | 16 | 29 | 62 |
| **2. MULTIPLE DX** | 300 | 12.9 | 200 | 2 | 2 | 8 | 16 | 31 | 42 | 99+ |
| **A. NOT OPERATED** | 238 | 11.7 | 153 | 2 | 3 | 8 | 14 | 25 | 35 | 92 |
| **B. OPERATED** | 134 | 12.1 | 251 | 1 | 1 | 5 | 15 | 35 | 56 | 99+ |
| TOTAL 65-69 YRS | 103 | 10.1 | 157 | 1 | 2 | 6 | 11 | 30 | 38 | 59 |
| 70-74 | 79 | 9.4 | 123 | 1 | 1 | 7 | 12 | 21 | 35 | 89 |
| 75-79 | 65 | 16.2 | 402 | 1 | 2 | 9 | 16 | 36 | 74 | 91 |
| 80-84 | 56 | 12.1 | 89 | 3 | 3 | 8 | 18 | 29 | 34 | 96 |
| 85+ | 69 | 13.2 | 167 | 2 | 3 | 9 | 18 | 30 | 63 | 99+ |
| **GRAND TOTAL** | **372** | **11.9** | **188** | **1** | **2** | **8** | **15** | **29** | **41** | **97** |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 50 | 4.7 | 12 | 1 | 1 | 4 | 7 | 10 | 11 | 16 |
| 70-74 | 52 | 5.2 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| 75-79 | 42 | 6.0 | 26 | 1 | 2 | 5 | 8 | 11 | 17 | 24 |
| 80-84 | 39 | 7.8 | 66 | 1 | 1 | 6 | 10 | 17 | 25 | 41 |
| 85+ | 52 | 5.5 | 26 | 1 | 1 | 4 | 7 | 14 | 18 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 20 | 3.7 | 26 | <1 | <1 | 2 | 4 | 8 | 17 | 23 |
| 70-74 | 19 | 8.6 | 149 | 1 | 1 | 3 | 6 | 32 | 37 | 38 |
| 75-79 | 9 | 6.4 | 58 | 1 | 1 | 4 | 8 | 20 | 21 | 21 |
| 80-84 | 9 | 15.2 | 158 | 1 | 1 | 9 | 29 | 32 | 33 | 33 |
| 85+ | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 231 | 7.4 | 41 | 1 | 2 | 6 | 10 | 14 | 17 | 35 |
| 70-74 | 241 | 8.2 | 49 | 2 | 2 | 6 | 11 | 16 | 18 | 36 |
| 75-79 | 243 | 9.4 | 88 | 2 | 2 | 7 | 12 | 19 | 23 | 53 |
| 80-84 | 258 | 9.9 | 69 | 2 | 2 | 8 | 13 | 19 | 29 | 67 |
| 85+ | 303 | 9.2 | 64 | 2 | 2 | 7 | 11 | 18 | 25 | 45 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 83 | 16.4 | 336 | 2 | 3 | 9 | 22 | 45 | 75 | 99+ |
| 70-74 | 71 | 17.7 | 326 | 1 | 2 | 12 | 24 | 46 | 59 | 79 |
| 75-79 | 59 | 18.6 | 300 | 3 | 4 | 14 | 21 | 40 | 56 | 85 |
| 80-84 | 53 | 20.8 | 400 | 2 | 3 | 15 | 33 | 49 | 81 | 99+ |
| 85+ | 32 | 18.1 | 332 | 2 | 3 | 14 | 24 | 38 | 42 | 96 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 235 | 5.7 | 28 | 1 | 1 | 4 | 8 | 11 | 16 | 24 |
| B. *Operated* | 59 | 7.5 | 100 | 1 | 1 | 3 | 8 | 25 | 32 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1276 | 8.9 | 63 | 2 | 2 | 7 | 11 | 17 | 23 | 43 |
| B. *Operated* | 298 | 18.1 | 335 | 2 | 3 | 12 | 23 | 44 | 63 | 98 |
| **1. SINGLE DX** | 294 | 6.1 | 42 | 1 | 1 | 4 | 8 | 13 | 21 | 35 |
| **2. MULTIPLE DX** | 1574 | 10.6 | 128 | 2 | 2 | 8 | 13 | 22 | 33 | 73 |
| **A. NOT OPERATED** | 1511 | 8.4 | 59 | 1 | 2 | 6 | 11 | 16 | 22 | 41 |
| **B. OPERATED** | 357 | 16.4 | 312 | 1 | 2 | 10 | 22 | 39 | 58 | 96 |
| TOTAL 65-69 YRS | 384 | 8.8 | 117 | 1 | 2 | 6 | 11 | 18 | 27 | 80 |
| 70-74 | 383 | 9.6 | 116 | 1 | 2 | 6 | 12 | 19 | 27 | 61 |
| 75-79 | 353 | 10.5 | 129 | 1 | 2 | 7 | 12 | 21 | 32 | 63 |
| 80-84 | 359 | 11.4 | 135 | 1 | 2 | 8 | 15 | 26 | 35 | 86 |
| 85+ | 389 | 9.4 | 88 | 1 | 2 | 7 | 12 | 19 | 26 | 45 |
| **GRAND TOTAL** | **1868** | **9.9** | **117** | **1** | **2** | **7** | **12** | **21** | **31** | **70** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 112 | 4.5 | 15 | 1 | 1 | 4 | 5 | 9 | 11 | 22 |
| 70-74 | 106 | 4.6 | 19 | 1 | 1 | 4 | 5 | 9 | 15 | 23 |
| 75-79 | 120 | 5.3 | 14 | 1 | 1 | 5 | 7 | 9 | 12 | 21 |
| 80-84 | 86 | 4.4 | 16 | 1 | 1 | 3 | 6 | 8 | 10 | 25 |
| 85+ | 72 | 5.6 | 15 | 1 | 2 | 5 | 7 | 9 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 7.5 | 41 | 1 | 1 | 5 | 12 | 17 | 18 | 18 |
| 70-74 | 4 | 5.5 | 20 | 2 | 2 | 4 | 8 | 12 | 12 | 12 |
| 75-79 | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| 80-84 | | | | | | | | | | |
| 85+ | 5 | 9.8 | 17 | 3 | 3 | 11 | 13 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 1125 | 7.4 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 36 |
| 70-74 | 1113 | 8.0 | 53 | 1 | 2 | 6 | 10 | 15 | 21 | 35 |
| 75-79 | 1141 | 8.3 | 47 | 2 | 2 | 7 | 10 | 15 | 20 | 36 |
| 80-84 | 861 | 8.3 | 51 | 2 | 2 | 6 | 10 | 16 | 23 | 35 |
| 85+ | 814 | 8.8 | 56 | 2 | 3 | 7 | 11 | 16 | 22 | 44 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 115 | 15.6 | 181 | 2 | 4 | 13 | 18 | 29 | 42 | 72 |
| 70-74 | 112 | 16.4 | 184 | 3 | 4 | 12 | 23 | 38 | 55 | 99+ |
| 75-79 | 96 | 16.4 | 140 | 5 | 6 | 13 | 19 | 32 | 44 | 61 |
| 80-84 | 70 | 18.4 | 275 | 4 | 5 | 13 | 21 | 44 | 51 | 84 |
| 85+ | 49 | 16.9 | 161 | 5 | 7 | 14 | 20 | 31 | 43 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 496 | 4.9 | 16 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| B. *Operated* | 17 | 7.9 | 25 | 1 | 2 | 7 | 12 | 13 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5054 | 8.1 | 51 | 2 | 2 | 6 | 10 | 15 | 21 | 36 |
| B. *Operated* | 442 | 16.6 | 185 | 3 | 5 | 13 | 21 | 34 | 47 | 73 |
| **1. SINGLE DX** | 513 | 5.0 | 17 | 1 | 1 | 4 | 6 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | 5496 | 8.8 | 67 | 2 | 2 | 7 | 11 | 17 | 24 | 44 |
| **A. NOT OPERATED** | 5550 | 7.8 | 49 | 1 | 2 | 6 | 10 | 15 | 20 | 36 |
| **B. OPERATED** | 459 | 16.3 | 181 | 3 | 5 | 12 | 20 | 33 | 46 | 73 |
| TOTAL 65-69 YRS | 1358 | 7.9 | 64 | 1 | 2 | 6 | 9 | 16 | 22 | 42 |
| 70-74 | 1335 | 8.4 | 68 | 1 | 2 | 6 | 10 | 17 | 24 | 45 |
| 75-79 | 1359 | 8.6 | 56 | 2 | 2 | 7 | 11 | 16 | 21 | 39 |
| 80-84 | 1017 | 8.7 | 72 | 1 | 2 | 6 | 10 | 17 | 25 | 43 |
| 85+ | 940 | 9.0 | 62 | 2 | 3 | 7 | 11 | 16 | 23 | 46 |
| **GRAND TOTAL** | **6009** | **8.5** | **64** | **1** | **2** | **6** | **10** | **16** | **23** | **43** |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 86 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 70-74 | 63 | 2.4 | 11 | <1 | 1 | 1 | 2 | 3 | 9 | 19 |
| 75-79 | 34 | 2.2 | 5 | 1 | 1 | 1 | 2 | 4 | 7 | 12 |
| 80-84 | 28 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 85+ | 12 | 2.7 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 10 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 70-74 | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 75-79 | 3 | 18.0 | 327 | 1 | 1 | 16 | 32 | 37 | 37 | 37 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 218 | 6.0 | 47 | 1 | 1 | 3 | 8 | 13 | 17 | 38 |
| 70-74 | 149 | 7.2 | 87 | 1 | 1 | 4 | 9 | 18 | 28 | 99 |
| 75-79 | 123 | 5.9 | 60 | 1 | 1 | 4 | 7 | 11 | 16 | 48 |
| 80-84 | 71 | 6.3 | 53 | 1 | 1 | 4 | 7 | 15 | 17 | 38 |
| 85+ | 65 | 8.4 | 91 | 1 | 1 | 6 | 11 | 17 | 32 | 50 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 19 | 24.1 | 317 | 3 | 6 | 23 | 37 | 82 | 99+ | 99+ |
| 70-74 | 23 | 24.6 | 440 | 3 | 7 | 22 | 37 | 47 | 66 | 94 |
| 75-79 | 4 | 20.5 | 330 | 4 | 4 | 18 | 35 | 42 | 42 | 42 |
| 80-84 | 6 | 29.7 | 157 | 17 | 17 | 27 | 41 | 46 | 47 | 47 |
| 85+ | 6 | 27.8 | 415 | 7 | 7 | 24 | 39 | 59 | 61 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 223 | 2.5 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| *B. Operated* | 7 | 10.9 | 157 | 1 | 1 | 6 | 14 | 33 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 626 | 6.6 | 65 | 1 | 1 | 4 | 8 | 15 | 19 | 53 |
| *B. Operated* | 58 | 25.0 | 343 | 3 | 7 | 22 | 39 | 55 | 82 | 99+ |
| **1. SINGLE DX** | 230 | 2.7 | 13 | 1 | 1 | 2 | 3 | 5 | 9 | 17 |
| **2. MULTIPLE DX** | 684 | 8.1 | 114 | 1 | 1 | 4 | 10 | 19 | 33 | 62 |
| **A. NOT OPERATED** | 849 | 5.5 | 53 | 1 | 1 | 3 | 6 | 12 | 17 | 45 |
| **B. OPERATED** | 65 | 23.5 | 339 | 3 | 4 | 20 | 37 | 50 | 74 | 99+ |
| **TOTAL** 65-69 YRS | 325 | 6.2 | 73 | 1 | 1 | 3 | 8 | 15 | 20 | 63 |
| 70-74 | 237 | 7.6 | 134 | 1 | 1 | 3 | 9 | 21 | 31 | 95 |
| 75-79 | 164 | 5.7 | 67 | 1 | 1 | 3 | 6 | 11 | 17 | 45 |
| 80-84 | 105 | 6.6 | 80 | 1 | 1 | 3 | 7 | 17 | 30 | 44 |
| 85+ | 83 | 9.0 | 129 | 1 | 1 | 5 | 11 | 19 | 38 | 58 |
| **GRAND TOTAL** | 914 | 6.8 | 94 | 1 | 1 | 3 | 8 | 16 | 28 | 59 |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 145 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| 70-74 | 116 | 4.2 | 27 | 1 | 1 | 3 | 5 | 8 | 13 | 29 |
| 75-79 | 80 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 80-84 | 68 | 5.0 | 16 | 1 | 1 | 4 | 6 | 11 | 14 | 18 |
| 85+ | 65 | 6.3 | 38 | 1 | 2 | 4 | 7 | 13 | 25 | 30 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 8.9 | 126 | <1 | <1 | 4 | 13 | 29 | 31 | 31 |
| 70-74 | 5 | 35.6 | 1375 | 9 | 9 | 21 | 52 | 99 | 99 | 99+ |
| 75-79 | 6 | 12.2 | 265 | 2 | 2 | 4 | 15 | 41 | 44 | 44 |
| 80-84 | 5 | 9.0 | 37 | 1 | 1 | 8 | 12 | 18 | 18 | 18 |
| 85+ | 1 | 65.0 | | 65 | 65 | 65 | 65 | 65 | 65 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 65-69 YRS | 764 | 6.3 | 27 | 1 | 2 | 5 | 8 | 13 | 16 | 26 |
| 70-74 | 825 | 7.8 | 54 | 2 | 2 | 6 | 9 | 15 | 20 | 38 |
| 75-79 | 779 | 8.2 | 51 | 2 | 2 | 6 | 10 | 16 | 21 | 38 |
| 80-84 | 639 | 8.6 | 61 | 2 | 2 | 7 | 10 | 17 | 23 | 43 |
| 85+ | 963 | 9.8 | 83 | 2 | 3 | 7 | 13 | 18 | 26 | 51 |
| *B. Operated* | | | | | | | | | | |
| 65-69 YRS | 114 | 15.0 | 146 | 2 | 4 | 12 | 20 | 27 | 49 | 73 |
| 70-74 | 106 | 16.6 | 275 | 2 | 3 | 13 | 19 | 44 | 70 | 99+ |
| 75-79 | 86 | 18.8 | 249 | 2 | 4 | 15 | 28 | 55 | 99 | 99+ |
| 80-84 | 67 | 16.0 | 203 | 3 | 4 | 12 | 20 | 33 | 59 | 96 |
| 85+ | 40 | 18.8 | 190 | 4 | 6 | 14 | 24 | 43 | 52 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 474 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 13 | 25 |
| *B. Operated* | 26 | 17.0 | 523 | <1 | 1 | 8 | 21 | 43 | 72 | 99 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 3570 | 8.0 | 56 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |
| *B. Operated* | 413 | 16.7 | 214 | 3 | 4 | 13 | 21 | 42 | 60 | 99+ |
| **1. SINGLE DX** | 500 | 5.1 | 54 | 1 | 1 | 3 | 6 | 9 | 14 | 34 |
| **2. MULTIPLE DX** | 3983 | 8.9 | 78 | 2 | 2 | 7 | 11 | 18 | 25 | 57 |
| **A. NOT OPERATED** | 4044 | 7.6 | 52 | 1 | 2 | 6 | 9 | 15 | 20 | 38 |
| **B. OPERATED** | 439 | 16.7 | 231 | 2 | 4 | 13 | 21 | 42 | 62 | 99+ |
| **TOTAL** 65-69 YRS | 1032 | 6.9 | 48 | 1 | 1 | 5 | 8 | 15 | 21 | 34 |
| 70-74 | 1052 | 8.4 | 91 | 1 | 2 | 6 | 10 | 17 | 22 | 62 |
| 75-79 | 951 | 8.8 | 78 | 1 | 2 | 7 | 11 | 19 | 25 | 66 |
| 80-84 | 779 | 8.9 | 75 | 2 | 2 | 7 | 11 | 18 | 25 | 57 |
| 85+ | 669 | 10.1 | 95 | 2 | 3 | 7 | 13 | 20 | 29 | 57 |
| **GRAND TOTAL** | 4483 | 8.5 | 77 | 1 | 2 | 6 | 10 | 17 | 24 | 56 |

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 106 | 6.8 | 53 | 1 | 1 | 4 | 9 | 17 | 22 | 37 |
| 70-74 | 114 | 6.1 | 25 | 1 | 1 | 5 | 9 | 13 | 16 | 54 |
| 75-79 | 99 | 6.5 | 32 | 1 | 1 | 5 | 8 | 13 | 19 | 29 |
| 80-84 | 69 | 6.1 | 31 | 1 | 1 | 5 | 8 | 13 | 16 | 29 |
| 85+ | 56 | 8.8 | 154 | 1 | 2 | 5 | 11 | 15 | 30 | 78 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1135 | 9.2 | 80 | 1 | 2 | 6 | 13 | 19 | 25 | 45 |
| 70-74 | 1122 | 9.6 | 96 | 1 | 2 | 6 | 14 | 21 | 28 | 42 |
| 75-79 | 1010 | 9.5 | 94 | 1 | 2 | 6 | 14 | 22 | 28 | 46 |
| 80-84 | 708 | 8.7 | 90 | 1 | 2 | 5 | 11 | 21 | 26 | 53 |
| 85+ | 613 | 8.6 | 80 | 1 | 2 | 5 | 11 | 21 | 28 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 240 | 7.8 | 60 | 1 | 1 | 6 | 10 | 16 | 22 | 56 |
| 70-74 | 269 | 7.8 | 72 | 1 | 1 | 5 | 9 | 16 | 21 | 47 |
| 75-79 | 243 | 8.7 | 96 | 1 | 1 | 6 | 11 | 19 | 28 | 59 |
| 80-84 | 217 | 11.5 | 118 | 2 | 2 | 8 | 14 | 26 | 32 | 51 |
| 85+ | 201 | 11.0 | 127 | 2 | 2 | 7 | 13 | 27 | 36 | 51 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 2246 | 12.6 | 159 | 1 | 2 | 9 | 17 | 28 | 41 | 70 |
| 70-74 | 2130 | 13.3 | 187 | 2 | 2 | 9 | 18 | 29 | 42 | 75 |
| 75-79 | 1827 | 13.7 | 194 | 2 | 2 | 9 | 18 | 31 | 44 | 83 |
| 80-84 | 1287 | 13.7 | 191 | 2 | 2 | 9 | 19 | 32 | 46 | 80 |
| 85+ | 1024 | 13.0 | 175 | 2 | 2 | 9 | 18 | 29 | 39 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 444 | 6.7 | 51 | 1 | 1 | 5 | 9 | 14 | 19 | 37 |
| B. *Operated* | 4588 | 9.2 | 88 | 1 | 2 | 6 | 13 | 21 | 27 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1170 | 9.2 | 95 | 1 | 2 | 6 | 11 | 20 | 28 | 49 |
| B. *Operated* | 8514 | 13.2 | 181 | 2 | 2 | 9 | 18 | 29 | 42 | 77 |
| **1. SINGLE DX** | 5032 | 9.0 | 86 | 1 | 2 | 6 | 13 | 20 | 27 | 44 |
| **2. MULTIPLE DX** | 9684 | 12.8 | 172 | 2 | 2 | 9 | 17 | 29 | 41 | 75 |
| **A. NOT OPERATED** | 1614 | 8.5 | 84 | 1 | 1 | 6 | 11 | 18 | 27 | 49 |
| **B. OPERATED** | 13102 | 11.8 | 152 | 1 | 2 | 8 | 16 | 26 | 36 | 69 |
| **TOTAL** 65-69 YRS | 3727 | 11.1 | 129 | 1 | 2 | 8 | 15 | 24 | 33 | 59 |
| 70-74 | 3635 | 11.5 | 150 | 1 | 2 | 8 | 16 | 25 | 35 | 69 |
| 75-79 | 3179 | 11.8 | 155 | 1 | 2 | 8 | 16 | 27 | 37 | 70 |
| 80-84 | 2281 | 11.7 | 153 | 1 | 2 | 8 | 16 | 27 | 38 | 69 |
| 85+ | 1894 | 11.3 | 143 | 2 | 2 | 7 | 14 | 26 | 34 | 67 |
| **GRAND TOTAL** | 14716 | 11.5 | 146 | 1 | 2 | 8 | 15 | 26 | 35 | 68 |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 297 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 70-74 | 246 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| 75-79 | 206 | 4.3 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 12 |
| 80-84 | 106 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 17 |
| 85+ | 60 | 6.0 | 44 | 1 | 2 | 5 | 7 | 10 | 12 | 47 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 121 | 5.3 | 15 | 1 | 1 | 4 | 7 | 11 | 14 | 19 |
| 70-74 | 95 | 5.3 | 25 | 1 | 2 | 4 | 6 | 11 | 15 | 28 |
| 75-79 | 62 | 6.5 | 30 | 1 | 2 | 6 | 8 | 12 | 14 | 35 |
| 80-84 | 30 | 6.9 | 22 | 1 | 2 | 6 | 8 | 14 | 15 | 20 |
| 85+ | 16 | 5.1 | 20 | 1 | 1 | 4 | 7 | 13 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 290 | 5.3 | 16 | 1 | 2 | 4 | 7 | 9 | 13 | 22 |
| 70-74 | 236 | 5.6 | 23 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| 75-79 | 180 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |
| 80-84 | 146 | 6.1 | 28 | 1 | 2 | 5 | 7 | 11 | 15 | 32 |
| 85+ | 98 | 6.1 | 27 | 1 | 2 | 5 | 7 | 11 | 16 | 30 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 122 | 9.1 | 123 | 1 | 2 | 6 | 11 | 18 | 28 | 55 |
| 70-74 | 135 | 8.2 | 57 | 1 | 2 | 6 | 10 | 18 | 21 | 46 |
| 75-79 | 115 | 11.1 | 103 | 2 | 3 | 8 | 13 | 28 | 33 | 48 |
| 80-84 | 56 | 9.4 | 78 | 1 | 2 | 7 | 11 | 19 | 31 | 44 |
| 85+ | 44 | 8.6 | 46 | 1 | 3 | 7 | 9 | 20 | 26 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 915 | 4.3 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| B. *Operated* | 324 | 5.7 | 22 | 1 | 2 | 4 | 7 | 12 | 14 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 950 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 14 | 26 |
| B. *Operated* | 472 | 9.3 | 87 | 1 | 2 | 7 | 11 | 20 | 28 | 45 |
| **1. SINGLE DX** | 1239 | 4.6 | 13 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | 1422 | 6.8 | 46 | 1 | 2 | 5 | 8 | 13 | 19 | 36 |
| **A. NOT OPERATED** | 1865 | 4.9 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| **B. OPERATED** | 796 | 7.6 | 64 | 1 | 2 | 6 | 9 | 16 | 22 | 39 |
| **TOTAL** 65-69 YRS | 830 | 5.4 | 31 | 1 | 2 | 4 | 6 | 10 | 14 | 26 |
| 70-74 | 712 | 5.5 | 26 | 1 | 2 | 4 | 6 | 10 | 14 | 28 |
| 75-79 | 563 | 6.3 | 39 | 1 | 2 | 5 | 7 | 11 | 19 | 35 |
| 80-84 | 338 | 6.2 | 32 | 1 | 2 | 5 | 7 | 12 | 16 | 36 |
| 85+ | 218 | 6.5 | 36 | 1 | 2 | 5 | 8 | 12 | 17 | 32 |
| **GRAND TOTAL** | 2661 | 5.8 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 31 |

# Length of Stay Tables
# Operation Groups

## SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 120759 | 6.8 | 43 | 1 | 2 | 5 | 9 | 14 | 19 | 31 |
| 70-74 | 100936 | 7.2 | 50 | 1 | 2 | 5 | 9 | 16 | 20 | 34 |
| 75-79 | 76209 | 7.5 | 57 | 1 | 2 | 5 | 10 | 17 | 21 | 37 |
| 80-84 | 47091 | 8.2 | 70 | 2 | 2 | 5 | 11 | 18 | 24 | 41 |
| 85+ | 33547 | 9.3 | 85 | 2 | 2 | 6 | 13 | 20 | 26 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 341746 | 11.0 | 107 | 2 | 2 | 8 | 14 | 22 | 30 | 57 |
| 70-74 | 327137 | 11.7 | 117 | 2 | 3 | 9 | 15 | 24 | 32 | 61 |
| 75-79 | 277585 | 12.4 | 127 | 2 | 3 | 9 | 16 | 25 | 35 | 64 |
| 80-84 | 196316 | 13.2 | 138 | 2 | 3 | 10 | 17 | 27 | 37 | 69 |
| 85+ | 158824 | 13.9 | 144 | 2 | 3 | 11 | 18 | 28 | 38 | 74 |
| TOT. SINGLE DX | 378542 | 7.4 | 55 | 1 | 2 | 5 | 10 | 16 | 21 | 36 |
| " MULTIPLE DX | 1301608 | 12.2 | 124 | 2 | 3 | 9 | 15 | 25 | 34 | 63 |
| TOTAL 65-69 YRS | 462505 | 9.9 | 93 | 2 | 2 | 7 | 13 | 20 | 28 | 52 |
| 70-74 | 428073 | 10.6 | 105 | 2 | 2 | 8 | 14 | 22 | 30 | 56 |
| 75-79 | 353794 | 11.4 | 116 | 2 | 2 | 8 | 15 | 24 | 32 | 60 |
| 80-84 | 243407 | 12.2 | 128 | 2 | 3 | 9 | 16 | 25 | 34 | 65 |
| 85+ | 192371 | 13.1 | 137 | 2 | 3 | 10 | 17 | 27 | 36 | 69 |
| GRAND TOTAL | 1680150 | 11.1 | 112 | 2 | 2 | 8 | 14 | 23 | 31 | 59 |

## 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 152 | 9.0 | 58 | 2 | 3 | 7 | 11 | 18 | 23 | 44 |
| 70-74 | 85 | 8.2 | 31 | 2 | 3 | 7 | 10 | 17 | 20 | 28 |
| 75-79 | 76 | 9.3 | 44 | 2 | 3 | 7 | 13 | 16 | 19 | 36 |
| 80-84 | 33 | 9.2 | 70 | 2 | 3 | 7 | 10 | 17 | 25 | 46 |
| 85+ | 27 | 10.0 | 34 | 1 | 4 | 10 | 13 | 19 | 20 | 21 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 133 | 10.9 | 126 | 1 | 2 | 8 | 14 | 22 | 31 | 51 |
| 70-74 | 115 | 11.2 | 103 | 2 | 2 | 8 | 14 | 23 | 34 | 50 |
| 75-79 | 50 | 15.2 | 219 | 2 | 3 | 11 | 19 | 32 | 42 | 88 |
| 80-84 | 33 | 13.1 | 106 | 1 | 3 | 13 | 17 | 30 | 35 | 43 |
| 85+ | 12 | 14.0 | 176 | 3 | 4 | 9 | 19 | 34 | 45 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 253 | 10.4 | 57 | 3 | 4 | 8 | 13 | 20 | 25 | 38 |
| 70-74 | 212 | 12.1 | 99 | 3 | 4 | 9 | 15 | 23 | 28 | 59 |
| 75-79 | 156 | 12.3 | 130 | 4 | 4 | 9 | 14 | 22 | 35 | 68 |
| 80-84 | 109 | 12.7 | 98 | 2 | 3 | 10 | 16 | 28 | 33 | 48 |
| 85+ | 53 | 13.2 | 70 | 3 | 5 | 11 | 19 | 28 | 31 | 97 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 286 | 18.9 | 240 | 3 | 5 | 14 | 26 | 43 | 54 | 96 |
| 70-74 | 215 | 18.4 | 234 | 3 | 4 | 14 | 24 | 48 | 56 | 99+ |
| 75-79 | 171 | 18.5 | 305 | 3 | 4 | 13 | 23 | 41 | 58 | 87 |
| 80-84 | 88 | 18.0 | 217 | 3 | 5 | 13 | 21 | 42 | 51 | 88 |
| 85+ | 43 | 19.6 | 164 | 2 | 4 | 17 | 27 | 36 | 43 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 373 | 9.0 | 48 | 2 | 3 | 7 | 11 | 17 | 22 | 38 |
| B. *Operated* | 343 | 12.0 | 133 | 2 | 2 | 9 | 15 | 24 | 36 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 783 | 11.8 | 90 | 3 | 4 | 9 | 14 | 23 | 28 | 57 |
| B. *Operated* | 803 | 18.6 | 245 | 3 | 4 | 14 | 25 | 43 | 55 | 91 |
| **1. SINGLE DX** | 716 | 10.4 | 91 | 2 | 3 | 8 | 13 | 20 | 29 | 45 |
| **2. MULTIPLE DX** | 1586 | 15.2 | 180 | 3 | 4 | 11 | 19 | 33 | 47 | 73 |
| **A. NOT OPERATED** | 1156 | 10.9 | 78 | 2 | 4 | 9 | 13 | 21 | 27 | 49 |
| **B. OPERATED** | 1146 | 16.6 | 220 | 2 | 3 | 12 | 22 | 38 | 50 | 86 |
| TOTAL 65-69 YRS | 824 | 13.2 | 149 | 2 | 3 | 9 | 16 | 28 | 41 | 63 |
| 70-74 | 627 | 13.6 | 150 | 3 | 4 | 10 | 17 | 29 | 45 | 68 |
| 75-79 | 453 | 14.5 | 203 | 3 | 4 | 11 | 17 | 30 | 45 | 82 |
| 80-84 | 263 | 14.1 | 143 | 2 | 3 | 11 | 18 | 31 | 40 | 66 |
| 85+ | 135 | 14.6 | 113 | 2 | 4 | 12 | 20 | 29 | 36 | 64 |
| **GRAND TOTAL** | **2302** | **13.7** | **157** | **2** | **3** | **10** | **17** | **29** | **42** | **68** |

## 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 114 | 6.4 | 45 | 1 | 2 | 5 | 9 | 12 | 16 | 36 |
| 70-74 | 85 | 5.9 | 21 | 1 | 1 | 4 | 8 | 13 | 16 | 21 |
| 75-79 | 55 | 7.4 | 55 | 1 | 2 | 5 | 9 | 15 | 23 | 41 |
| 80-84 | 43 | 6.8 | 28 | 1 | 2 | 5 | 9 | 14 | 19 | 25 |
| 85+ | 39 | 6.7 | 31 | 1 | 2 | 5 | 8 | 15 | 19 | 26 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 261 | 7.1 | 63 | 1 | 1 | 5 | 9 | 16 | 21 | 44 |
| 70-74 | 204 | 7.9 | 76 | 1 | 1 | 5 | 10 | 17 | 24 | 44 |
| 75-79 | 148 | 8.4 | 116 | 1 | 1 | 4 | 11 | 23 | 31 | 46 |
| 80-84 | 95 | 7.9 | 87 | 1 | 1 | 4 | 11 | 19 | 23 | 52 |
| 85+ | 60 | 9.1 | 131 | 1 | 2 | 5 | 10 | 20 | 28 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 338 | 9.3 | 83 | 1 | 2 | 6 | 12 | 19 | 29 | 45 |
| 70-74 | 310 | 9.3 | 80 | 1 | 2 | 7 | 13 | 17 | 22 | 45 |
| 75-79 | 226 | 9.4 | 62 | 2 | 2 | 7 | 12 | 19 | 24 | 36 |
| 80-84 | 136 | 9.7 | 74 | 2 | 2 | 6 | 14 | 22 | 27 | 43 |
| 85+ | 102 | 10.7 | 72 | 2 | 3 | 8 | 14 | 21 | 25 | 44 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 683 | 13.8 | 184 | 2 | 2 | 9 | 18 | 34 | 46 | 85 |
| 70-74 | 589 | 13.8 | 187 | 1 | 2 | 10 | 18 | 31 | 45 | 75 |
| 75-79 | 423 | 14.7 | 186 | 2 | 2 | 11 | 21 | 32 | 45 | 75 |
| 80-84 | 214 | 15.2 | 224 | 1 | 2 | 11 | 21 | 41 | 47 | 98 |
| 85+ | 141 | 15.9 | 294 | 2 | 2 | 11 | 21 | 38 | 57 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 336 | 6.5 | 37 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| B. *Operated* | 768 | 7.8 | 85 | 1 | 1 | 5 | 10 | 18 | 24 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1112 | 9.5 | 76 | 1 | 2 | 7 | 13 | 19 | 25 | 43 |
| B. *Operated* | 2050 | 14.3 | 197 | 2 | 2 | 10 | 19 | 33 | 46 | 86 |
| **1. SINGLE DX** | 1104 | 7.4 | 70 | 1 | 1 | 5 | 9 | 16 | 23 | 44 |
| **2. MULTIPLE DX** | 3162 | 12.6 | 160 | 2 | 2 | 9 | 17 | 28 | 41 | 72 |
| **A. NOT OPERATED** | 1448 | 8.8 | 68 | 1 | 2 | 6 | 11 | 18 | 23 | 42 |
| **B. OPERATED** | 2818 | 12.5 | 175 | 1 | 2 | 8 | 17 | 29 | 42 | 73 |
| TOTAL 65-69 YRS | 1396 | 10.9 | 135 | 1 | 2 | 7 | 14 | 25 | 37 | 68 |
| 70-74 | 1188 | 11.1 | 136 | 1 | 2 | 8 | 15 | 24 | 34 | 64 |
| 75-79 | 852 | 11.8 | 141 | 1 | 2 | 8 | 16 | 26 | 37 | 64 |
| 80-84 | 488 | 11.5 | 149 | 1 | 2 | 7 | 16 | 27 | 41 | 61 |
| 85+ | 342 | 12.1 | 179 | 2 | 2 | 8 | 15 | 26 | 38 | 93 |
| **GRAND TOTAL** | **4266** | **11.3** | **142** | **1** | **2** | **7** | **15** | **25** | **36** | **65** |

### 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7 | 5.4 | 14 | 1 | 1 | 4 | 8 | 11 | 12 | 12 |
| 70-74 | 5 | 2.6 | 6 | 1 | 1 | 2 | 3 | 7 | 7 | 7 |
| 75-79 | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 3.3 | 16 | <1 | <1 | 1 | 6 | 8 | 8 | 8 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 42 | 5.3 | 22 | 1 | 1 | 4 | 7 | 11 | 16 | 21 |
| 70-74 | 48 | 4.9 | 16 | 1 | 1 | 4 | 7 | 11 | 13 | 16 |
| 75-79 | 26 | 4.7 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| 80-84 | 17 | 3.4 | 8 | <1 | 1 | 2 | 5 | 7 | 10 | 11 |
| 85+ | 24 | 4.5 | 23 | 1 | 1 | 3 | 6 | 13 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 17 | 9.2 | 66 | 3 | 3 | 5 | 13 | 23 | 28 | 29 |
| 70-74 | 17 | 11.5 | 73 | 2 | 3 | 9 | 17 | 31 | 74 | 99+ |
| 75-79 | 14 | 9.0 | 44 | 1 | 2 | 8 | 14 | 18 | 22 | 23 |
| 80-84 | 6 | 8.5 | 12 | 4 | 4 | 9 | 11 | 13 | 13 | 13 |
| 85+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 4.4 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 12 |
| B. *Operated* | 5 | 3.4 | 9 | <1 | <1 | 2 | 6 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 157 | 4.7 | 17 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| B. *Operated* | 54 | 9.8 | 55 | 2 | 3 | 8 | 15 | 23 | 28 | 97 |
| **1. SINGLE DX** | 22 | 4.2 | 10 | <1 | 1 | 3 | 7 | 8 | 10 | 12 |
| **2. MULTIPLE DX** | 211 | 6.0 | 31 | 1 | 1 | 4 | 8 | 14 | 18 | 31 |
| **A. NOT OPERATED** | 174 | 4.7 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 19 |
| **B. OPERATED** | 59 | 9.3 | 54 | 1 | 2 | 7 | 14 | 21 | 27 | 93 |
| TOTAL 65-69 YRS | 69 | 6.2 | 34 | 1 | 1 | 4 | 9 | 14 | 18 | 28 |
| 70-74 | 71 | 6.2 | 37 | 1 | 1 | 5 | 9 | 16 | 18 | 85 |
| 75-79 | 44 | 6.0 | 25 | 1 | 1 | 5 | 8 | 14 | 17 | 23 |
| 80-84 | 24 | 4.8 | 13 | <1 | 1 | 4 | 7 | 11 | 12 | 13 |
| 85+ | 25 | 4.5 | 22 | 1 | 1 | 3 | 6 | 13 | 15 | 19 |
| **GRAND TOTAL** | **233** | **5.9** | **30** | **1** | **1** | **4** | **8** | **13** | **17** | **30** |

### 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 6 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 8 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 5 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 85+ | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 18 | 2.1 | 2 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 10 | 4.9 | 73 | <1 | <1 | 2 | 4 | 17 | 29 | 29 |
| **1. SINGLE DX** | 18 | 2.1 | 2 | <1 | <1 | 2 | 3 | 3 | 5 | 6 |
| **2. MULTIPLE DX** | 10 | 4.9 | 73 | <1 | <1 | 2 | 4 | 17 | 29 | 29 |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | 28 | 3.1 | 27 | <1 | <1 | 2 | 3 | 5 | 8 | 29 |
| TOTAL 65-69 YRS | 11 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 70-74 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | 2 | 15.5 | 365 | 2 | 2 | 15 | 29 | 29 | 29 | 29 |
| 85+ | 11 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| **GRAND TOTAL** | **28** | **3.1** | **27** | **<1** | **<1** | **2** | **3** | **5** | **8** | **29** |

## 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

## 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 8 | 5.0 | 17 | 1 | 1 | 3 | 7 | 11 | 13 | 13 |
| 70-74 | 6 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 4 | 4 |
| 75-79 | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 4 | 12.8 | 119 | 1 | 1 | 11 | 20 | 27 | 27 | 27 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 441 | 4.0 | 18 | <1 | 1 | 3 | 4 | 8 | 12 | 24 |
| 70-74 | 365 | 4.6 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 75-79 | 281 | 5.6 | 24 | 1 | 2 | 4 | 7 | 11 | 16 | 26 |
| 80-84 | 146 | 7.1 | 54 | 2 | 2 | 5 | 9 | 14 | 16 | 46 |
| 85+ | 129 | 7.0 | 32 | 2 | 2 | 5 | 9 | 14 | 18 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 9 | 5.4 | 26 | 1 | 1 | 4 | 7 | 14 | 17 | 17 |
| 70-74 | 8 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| 75-79 | 3 | 4.0 | 9 | <1 | <1 | 4 | 6 | 7 | 7 | 7 |
| 80-84 | 3 | 10.3 | 22 | 5 | 5 | 12 | 13 | 14 | 14 | 14 |
| 85+ | 3 | 4.7 | 10 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 188 | 6.6 | 52 | 1 | 1 | 4 | 8 | 15 | 22 | 39 |
| 70-74 | 180 | 9.0 | 89 | 2 | 2 | 6 | 12 | 21 | 27 | 63 |
| 75-79 | 153 | 8.9 | 111 | 1 | 2 | 6 | 11 | 17 | 23 | 71 |
| 80-84 | 108 | 10.7 | 117 | 2 | 3 | 7 | 14 | 23 | 30 | 62 |
| 85+ | 99 | 12.4 | 138 | 2 | 3 | 8 | 16 | 25 | 40 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.9 | 37 | <1 | 1 | 2 | 5 | 13 | 19 | 27 |
| B. *Operated* | 1362 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 26 | 5.2 | 17 | <1 | 1 | 4 | 7 | 12 | 15 | 17 |
| B. *Operated* | 728 | 9.1 | 98 | 2 | 2 | 6 | 12 | 20 | 26 | 58 |
| **1. SINGLE DX** | 1385 | 5.1 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| **2. MULTIPLE DX** | 754 | 9.0 | 96 | 1 | 2 | 6 | 12 | 19 | 26 | 55 |
| **A. NOT OPERATED** | 49 | 5.1 | 26 | 1 | 1 | 3 | 7 | 13 | 14 | 27 |
| **B. OPERATED** | 2090 | 6.5 | 55 | 1 | 2 | 4 | 8 | 14 | 18 | 39 |
| TOTAL 65-69 YRS | 646 | 4.8 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 31 |
| 70-74 | 559 | 6.0 | 49 | 1 | 1 | 4 | 7 | 13 | 18 | 43 |
| 75-79 | 441 | 6.7 | 56 | 1 | 2 | 5 | 8 | 14 | 17 | 33 |
| 80-84 | 258 | 8.6 | 83 | 2 | 2 | 6 | 11 | 16 | 23 | 49 |
| 85+ | 235 | 9.3 | 85 | 2 | 2 | 7 | 12 | 18 | 27 | 57 |
| **GRAND TOTAL** | 2139 | 6.5 | 55 | 1 | 2 | 4 | 8 | 14 | 18 | 38 |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 29 | 1.2 | | <1 | 1 | 1 | 1 | 2 | 2 | 3 |
| 75-79 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 4 | 2.0 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 70-74 | 16 | 2.3 | 13 | <1 | <1 | <1 | <1 | 10 | 12 | 12 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 283 | 1.6 | 2 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| 70-74 | 265 | 1.6 | 11 | 1 | 1 | 1 | 2 | 2 | 3 | 8 |
| 75-79 | 176 | 1.8 | 2 | 1 | 1 | 2 | 2 | 2 | 3 | 11 |
| 80-84 | 17 | 3.0 | 18 | 1 | 1 | 1 | 3 | 10 | 14 | 16 |
| 85+ | 35 | 1.1 | | 1 | 1 | 1 | 1 | 1 | 1 | 3 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 59 | 3.3 | 22 | <1 | <1 | 1 | 4 | 8 | 9 | 29 |
| 70-74 | 14 | 10.1 | 331 | 1 | 1 | 5 | 10 | 17 | 60 | 72 |
| 75-79 | 5 | 3.8 | 4 | 2 | 2 | 3 | 6 | 6 | 6 | 6 |
| 80-84 | 7 | 9.6 | 53 | <1 | 1 | 9 | 19 | 76 | 99+ | 99+ |
| 85+ | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 1.3 | | 1 | 1 | 1 | 1 | 2 | 3 | 3 |
| B. *Operated* | 21 | 2.2 | 10 | <1 | <1 | <1 | 1 | 7 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 776 | 1.7 | 5 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| B. *Operated* | 87 | 5.0 | 77 | <1 | <1 | 2 | 6 | 10 | 17 | 89 |
| **1. SINGLE DX** | 56 | 1.6 | 4 | <1 | <1 | 1 | 1 | 2 | 4 | 12 |
| **2. MULTIPLE DX** | 863 | 2.0 | 13 | 1 | 1 | 1 | 2 | 3 | 5 | 13 |
| **A. NOT OPERATED** | 811 | 1.6 | 5 | 1 | 1 | 1 | 2 | 2 | 3 | 9 |
| **B. OPERATED** | 108 | 4.4 | 65 | <1 | <1 | 1 | 6 | 10 | 14 | 83 |
| TOTAL 65-69 YRS | 349 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 6 | 9 |
| 70-74 | 324 | 2.0 | 26 | <1 | 1 | 1 | 2 | 3 | 4 | 12 |
| 75-79 | 184 | 1.8 | 2 | 1 | 1 | 2 | 2 | 2 | 4 | 11 |
| 80-84 | 24 | 4.9 | 35 | <1 | 1 | 2 | 9 | 17 | 41 | 99+ |
| 85+ | 38 | 1.3 | 1 | 1 | 1 | 1 | 1 | 2 | 3 | 8 |
| **GRAND TOTAL** | 919 | 2.0 | 13 | <1 | 1 | 1 | 2 | 3 | 5 | 13 |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 962 | 3.9 | 52 | <1 | 1 | 2 | 4 | 7 | 12 | 46 |
| 70-74 | 746 | 4.6 | 67 | <1 | 1 | 2 | 5 | 10 | 16 | 71 |
| 75-79 | 506 | 4.8 | 54 | 1 | 1 | 3 | 5 | 10 | 18 | 79 |
| 80-84 | 273 | 7.9 | 170 | <1 | 1 | 3 | 8 | 19 | 40 | 99+ |
| 85+ | 223 | 9.4 | 247 | <1 | 1 | 4 | 11 | 28 | 84 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 1284 | 4.3 | 22 | 1 | 1 | 2 | 5 | 11 | 13 | 21 |
| 70-74 | 1038 | 4.5 | 24 | 1 | 1 | 2 | 7 | 11 | 14 | 23 |
| 75-79 | 738 | 4.8 | 24 | 1 | 1 | 2 | 7 | 12 | 14 | 23 |
| 80-84 | 433 | 5.3 | 61 | 1 | 1 | 2 | 6 | 12 | 17 | 36 |
| 85+ | 198 | 4.3 | 24 | 1 | 1 | 2 | 5 | 11 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 65-69 YRS | 7736 | 5.2 | 61 | 1 | 1 | 3 | 5 | 11 | 18 | 44 |
| 70-74 | 5565 | 5.8 | 66 | 1 | 1 | 3 | 6 | 13 | 22 | 44 |
| 75-79 | 3512 | 7.2 | 103 | 1 | 1 | 4 | 7 | 16 | 27 | 60 |
| 80-84 | 1593 | 8.8 | 127 | 1 | 1 | 5 | 10 | 22 | 33 | 68 |
| 85+ | 1052 | 10.4 | 167 | 1 | 2 | 6 | 13 | 26 | 39 | 96 |
| B. *Operated* | | | | | | | | | | |
| 65-69 YRS | 3444 | 6.9 | 87 | 1 | 1 | 3 | 9 | 16 | 23 | 54 |
| 70-74 | 2883 | 7.2 | 96 | 1 | 1 | 3 | 9 | 16 | 26 | 52 |
| 75-79 | 2095 | 7.6 | 103 | 1 | 1 | 3 | 10 | 18 | 25 | 53 |
| 80-84 | 1177 | 7.7 | 82 | 1 | 1 | 4 | 11 | 18 | 25 | 46 |
| 85+ | 599 | 8.8 | 101 | 1 | 1 | 5 | 12 | 22 | 28 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2710 | 5.1 | 87 | <1 | 1 | 2 | 5 | 11 | 21 | 86 |
| B. *Operated* | 3691 | 4.6 | 28 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19458 | 6.3 | 83 | 1 | 1 | 4 | 6 | 14 | 23 | 52 |
| B. *Operated* | 10198 | 7.3 | 93 | 1 | 1 | 3 | 10 | 17 | 25 | 51 |
| **1. SINGLE DX** | 6401 | 4.8 | 53 | 1 | 1 | 2 | 5 | 11 | 16 | 46 |
| **2. MULTIPLE DX** | 29656 | 6.6 | 87 | 1 | 1 | 3 | 7 | 15 | 24 | 52 |
| **A. NOT OPERATED** | 22168 | 6.2 | 84 | 1 | 1 | 3 | 6 | 14 | 23 | 55 |
| **B. OPERATED** | 13889 | 6.6 | 77 | 1 | 1 | 3 | 9 | 15 | 22 | 47 |
| TOTAL 65-69 YRS | 13426 | 5.5 | 64 | 1 | 1 | 3 | 6 | 12 | 18 | 45 |
| 70-74 | 10232 | 5.9 | 71 | 1 | 1 | 3 | 6 | 14 | 21 | 49 |
| 75-79 | 6851 | 6.9 | 92 | 1 | 1 | 3 | 8 | 16 | 24 | 56 |
| 80-84 | 3476 | 7.9 | 108 | 1 | 1 | 4 | 10 | 19 | 29 | 58 |
| 85+ | 2072 | 9.2 | 146 | 1 | 1 | 5 | 12 | 23 | 33 | 95 |
| **GRAND TOTAL** | 36057 | 6.3 | 81 | 1 | 1 | 3 | 7 | 15 | 23 | 52 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 233 | 18.5 | 136 | 5 | 7 | 16 | 23 | 34 | 42 | 64 |
| 70-74 | 207 | 20.4 | 221 | 7 | 8 | 15 | 25 | 43 | 51 | 82 |
| 75-79 | 108 | 19.2 | 192 | 5 | 6 | 15 | 25 | 36 | 52 | 86 |
| 80-84 | 72 | 18.6 | 138 | 3 | 8 | 15 | 22 | 36 | 42 | 63 |
| 85+ | 34 | 20.5 | 238 | 3 | 8 | 16 | 25 | 43 | 50 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 496 | 28.7 | 370 | 8 | 10 | 24 | 40 | 59 | 78 | 99+ |
| 70-74 | 414 | 28.8 | 333 | 8 | 10 | 23 | 42 | 57 | 72 | 99+ |
| 75-79 | 283 | 31.2 | 432 | 9 | 11 | 26 | 41 | 63 | 87 | 99+ |
| 80-84 | 163 | 30.2 | 371 | 7 | 9 | 25 | 42 | 62 | 80 | 99+ |
| 85+ | 88 | 23.5 | 144 | 9 | 11 | 22 | 31 | 41 | 50 | 86 |
| TOT. SINGLE DX | 654 | 19.3 | 178 | 5 | 7 | 15 | 24 | 38 | 48 | 76 |
| " MULTIPLE DX | 1444 | 29.1 | 361 | 8 | 10 | 24 | 40 | 58 | 77 | 99+ |
| TOTAL 65-69 YRS | 729 | 25.4 | 318 | 6 | 9 | 20 | 33 | 53 | 69 | 99+ |
| 70-74 | 621 | 26.0 | 312 | 7 | 9 | 21 | 37 | 54 | 67 | 99+ |
| 75-79 | 391 | 27.9 | 395 | 7 | 9 | 23 | 37 | 56 | 79 | 99+ |
| 80-84 | 235 | 26.6 | 328 | 7 | 9 | 22 | 36 | 56 | 74 | 99+ |
| 85+ | 122 | 22.7 | 171 | 8 | 10 | 19 | 30 | 43 | 50 | 82 |
| GRAND TOTAL | 2098 | 26.0 | 324 | 7 | 9 | 21 | 35 | 53 | 70 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 105 | 21.1 | 332 | 6 | 8 | 15 | 24 | 47 | 73 | 97 |
| 70-74 | 118 | 17.8 | 309 | 5 | 6 | 11 | 19 | 49 | 67 | 99+ |
| 75-79 | 95 | 19.8 | 217 | 7 | 8 | 15 | 26 | 42 | 67 | 99+ |
| 80-84 | 37 | 20.6 | 161 | 6 | 7 | 21 | 27 | 34 | 38 | 70 |
| 85+ | 30 | 18.9 | 170 | 3 | 8 | 16 | 22 | 35 | 43 | 65 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 252 | 31.0 | 457 | 8 | 10 | 26 | 46 | 73 | 92 | 99+ |
| 70-74 | 193 | 29.0 | 391 | 8 | 10 | 22 | 42 | 65 | 84 | 99+ |
| 75-79 | 144 | 29.6 | 408 | 7 | 10 | 25 | 40 | 76 | 88 | 99+ |
| 80-84 | 110 | 27.7 | 341 | 8 | 10 | 23 | 40 | 65 | 87 | 99+ |
| 85+ | 72 | 27.7 | 332 | 7 | 10 | 24 | 37 | 47 | 73 | 87 |
| TOT. SINGLE DX | 385 | 19.6 | 267 | 6 | 7 | 14 | 24 | 42 | 66 | 99+ |
| " MULTIPLE DX | 771 | 29.5 | 403 | 8 | 10 | 24 | 40 | 66 | 86 | 99+ |
| TOTAL 65-69 YRS | 357 | 28.1 | 441 | 8 | 9 | 22 | 39 | 67 | 84 | 99+ |
| 70-74 | 311 | 24.8 | 389 | 6 | 8 | 18 | 35 | 61 | 76 | 99+ |
| 75-79 | 239 | 25.7 | 354 | 7 | 9 | 21 | 36 | 63 | 85 | 99+ |
| 80-84 | 147 | 25.9 | 305 | 7 | 9 | 22 | 35 | 59 | 78 | 99+ |
| 85+ | 102 | 25.1 | 299 | 7 | 9 | 21 | 35 | 44 | 62 | 85 |
| GRAND TOTAL | 1156 | 26.2 | 380 | 7 | 8 | 20 | 36 | 63 | 80 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 12 | 9.8 | 44 | 3 | 3 | 8 | 14 | 18 | 25 | 26 |
| 70-74 | 11 | 9.1 | 18 | 5 | 5 | 8 | 11 | 15 | 20 | 20 |
| 75-79 | 6 | 8.2 | 22 | 4 | 4 | 6 | 10 | 16 | 17 | 17 |
| 80-84 | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 24 | 20.9 | 445 | 4 | 5 | 13 | 26 | 43 | 66 | 96 |
| 70-74 | 14 | 16.6 | 260 | 3 | 4 | 11 | 15 | 49 | 56 | 58 |
| 75-79 | 6 | 26.8 | 765 | 4 | 4 | 13 | 57 | 66 | 67 | 67 |
| 80-84 | 7 | 29.3 | 493 | 6 | 6 | 22 | 49 | 61 | 63 | 63 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 31 | 9.0 | 27 | 4 | 4 | 8 | 12 | 16 | 20 | 26 |
| " MULTIPLE DX | 51 | 21.6 | 427 | 4 | 5 | 13 | 27 | 56 | 63 | 96 |
| TOTAL 65-69 YRS | 36 | 17.2 | 335 | 3 | 4 | 10 | 23 | 40 | 50 | 96 |
| 70-74 | 25 | 13.3 | 163 | 4 | 5 | 9 | 13 | 20 | 50 | 58 |
| 75-79 | 12 | 17.5 | 453 | 4 | 4 | 8 | 16 | 60 | 66 | 67 |
| 80-84 | 9 | 24.2 | 471 | 5 | 5 | 19 | 38 | 60 | 63 | 63 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 82 | 16.8 | 311 | 4 | 4 | 10 | 19 | 44 | 57 | 87 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 43 | 18.5 | 278 | 5 | 7 | 14 | 22 | 38 | 49 | 98 |
| 70-74 | 37 | 20.7 | 184 | 8 | 8 | 16 | 27 | 47 | 50 | 50 |
| 75-79 | 40 | 19.5 | 117 | 6 | 7 | 17 | 27 | 33 | 39 | 52 |
| 80-84 | 22 | 17.7 | 64 | 6 | 9 | 14 | 23 | 28 | 32 | 37 |
| 85+ | 2 | 19.0 | 18 | 16 | 16 | 19 | 22 | 22 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 114 | 29.1 | 342 | 7 | 10 | 25 | 42 | 62 | 89 | 99+ |
| 70-74 | 146 | 30.8 | 349 | 8 | 9 | 28 | 41 | 58 | 75 | 99+ |
| 75-79 | 133 | 31.7 | 320 | 9 | 11 | 28 | 43 | 58 | 73 | 99+ |
| 80-84 | 61 | 35.2 | 408 | 10 | 13 | 30 | 44 | 65 | 77 | 85 |
| 85+ | 19 | 30.4 | 210 | 9 | 10 | 31 | 36 | 48 | 59 | 65 |
| TOT. SINGLE DX | 144 | 19.2 | 171 | 7 | 8 | 15 | 25 | 35 | 48 | 55 |
| " MULTIPLE DX | 473 | 31.2 | 342 | 9 | 10 | 28 | 42 | 61 | 75 | 99+ |
| TOTAL 65-69 YRS | 157 | 26.2 | 345 | 6 | 8 | 22 | 40 | 58 | 84 | 99+ |
| 70-74 | 183 | 28.7 | 332 | 8 | 9 | 26 | 38 | 54 | 69 | 99 |
| 75-79 | 173 | 28.8 | 299 | 8 | 9 | 25 | 39 | 56 | 69 | 99+ |
| 80-84 | 83 | 30.6 | 376 | 9 | 12 | 25 | 38 | 62 | 72 | 84 |
| 85+ | 21 | 29.3 | 202 | 9 | 10 | 28 | 36 | 47 | 58 | 65 |
| GRAND TOTAL | 617 | 28.4 | 327 | 8 | 9 | 25 | 38 | 57 | 70 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 32 | 18.6 | 321 | 4 | 4 | 14 | 24 | 34 | 49 | 94 |
| 70-74 | 24 | 14.3 | 105 | 3 | 3 | 12 | 17 | 25 | 35 | 51 |
| 75-79 | 21 | 14.9 | 77 | 5 | 5 | 13 | 21 | 28 | 32 | 34 |
| 80-84 | 7 | 18.6 | 234 | 4 | 4 | 16 | 21 | 45 | 50 | 50 |
| 85+ | 2 | 11.0 | 128 | 3 | 3 | 11 | 19 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 75 | 20.6 | 156 | 6 | 7 | 17 | 28 | 42 | 49 | 99+ |
| 70-74 | 71 | 22.7 | 281 | 3 | 4 | 19 | 34 | 53 | 79 | 99+ |
| 75-79 | 47 | 20.9 | 270 | 3 | 4 | 16 | 32 | 40 | 58 | 71 |
| 80-84 | 24 | 27.0 | 383 | 3 | 7 | 20 | 38 | 59 | 61 | 65 |
| 85+ | 12 | 33.7 | 375 | 7 | 15 | 29 | 45 | 85 | 97 | 99+ |
| TOT. SINGLE DX | 86 | 16.3 | 187 | 3 | 4 | 13 | 21 | 28 | 44 | 78 |
| " MULTIPLE DX | 229 | 22.7 | 259 | 3 | 5 | 19 | 33 | 49 | 60 | 99+ |
| TOTAL 65-69 YRS | 107 | 20.0 | 204 | 4 | 6 | 17 | 27 | 42 | 49 | 99+ |
| 70-74 | 95 | 20.6 | 249 | 3 | 4 | 17 | 31 | 49 | 56 | 99+ |
| 75-79 | 68 | 19.0 | 217 | 3 | 4 | 16 | 25 | 38 | 43 | 70 |
| 80-84 | 31 | 25.1 | 354 | 3 | 5 | 19 | 33 | 58 | 59 | 65 |
| 85+ | 14 | 30.4 | 395 | 3 | 5 | 29 | 42 | 81 | 95 | 99+ |
| GRAND TOTAL | 315 | 20.9 | 247 | 3 | 5 | 17 | 29 | 45 | 57 | 99+ |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 348 | 14.2 | 66 | 6 | 7 | 12 | 17 | 25 | 29 | 49 |
| 70-74 | 251 | 15.2 | 89 | 7 | 8 | 12 | 18 | 26 | 33 | 66 |
| 75-79 | 151 | 16.7 | 90 | 7 | 8 | 14 | 21 | 29 | 35 | 50 |
| 80-84 | 46 | 19.2 | 169 | 7 | 7 | 15 | 24 | 38 | 41 | 75 |
| 85+ | 7 | 13.3 | 18 | 7 | 8 | 14 | 14 | 20 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 746 | 20.4 | 219 | 7 | 8 | 16 | 25 | 39 | 56 | 90 |
| 70-74 | 598 | 23.1 | 251 | 8 | 9 | 18 | 30 | 45 | 61 | 99+ |
| 75-79 | 353 | 24.4 | 216 | 8 | 10 | 21 | 31 | 47 | 57 | 99 |
| 80-84 | 131 | 25.9 | 221 | 10 | 11 | 23 | 31 | 43 | 60 | 93 |
| 85+ | 34 | 27.9 | 217 | 8 | 10 | 25 | 38 | 56 | 93 | 99+ |
| TOT. SINGLE DX | 803 | 15.3 | 85 | 6 | 7 | 13 | 18 | 26 | 33 | 52 |
| " MULTIPLE DX | 1862 | 22.5 | 233 | 8 | 9 | 18 | 29 | 43 | 58 | 99+ |
| TOTAL 65-69 YRS | 1094 | 18.5 | 179 | 7 | 8 | 15 | 23 | 35 | 46 | 86 |
| 70-74 | 849 | 20.7 | 216 | 7 | 9 | 16 | 26 | 40 | 56 | 99+ |
| 75-79 | 504 | 22.1 | 191 | 8 | 9 | 18 | 28 | 42 | 54 | 82 |
| 80-84 | 177 | 24.1 | 215 | 8 | 10 | 21 | 30 | 41 | 56 | 88 |
| 85+ | 41 | 25.4 | 213 | 8 | 9 | 23 | 35 | 53 | 84 | 99+ |
| GRAND TOTAL | 2665 | 20.4 | 199 | 7 | 8 | 16 | 25 | 39 | 53 | 93 |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 71 | 11.2 | 101 | 2 | 2 | 9 | 14 | 24 | 31 | 50 |
| 70-74 | 34 | 9.9 | 48 | 1 | 3 | 9 | 13 | 21 | 24 | 28 |
| 75-79 | 27 | 17.2 | 127 | 3 | 4 | 15 | 27 | 33 | 39 | 45 |
| 80-84 | 6 | 13.5 | 235 | 3 | 3 | 7 | 17 | 40 | 43 | 43 |
| 85+ | 6 | 18.3 | 389 | 2 | 2 | 13 | 28 | 50 | 52 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 171 | 22.3 | 305 | 3 | 4 | 17 | 33 | 45 | 59 | 84 |
| 70-74 | 127 | 22.4 | 229 | 3 | 7 | 19 | 30 | 45 | 53 | 83 |
| 75-79 | 87 | 24.7 | 380 | 4 | 5 | 21 | 31 | 53 | 74 | 98 |
| 80-84 | 27 | 23.1 | 334 | 4 | 5 | 17 | 35 | 60 | 74 | 99+ |
| 85+ | 9 | 37.7 | 530 | 12 | 13 | 38 | 63 | 89 | 99+ | 99+ |
| TOT. SINGLE DX | 144 | 12.4 | 114 | 2 | 2 | 10 | 15 | 28 | 33 | 51 |
| " MULTIPLE DX | 421 | 23.2 | 307 | 3 | 5 | 19 | 32 | 50 | 64 | 99+ |
| TOTAL 65-69 YRS | 242 | 19.0 | 271 | 2 | 3 | 14 | 27 | 41 | 58 | 82 |
| 70-74 | 161 | 19.8 | 217 | 3 | 5 | 16 | 26 | 42 | 61 | 77 |
| 75-79 | 114 | 22.9 | 329 | 3 | 5 | 19 | 29 | 43 | 71 | 96 |
| 80-84 | 33 | 21.3 | 322 | 3 | 4 | 16 | 33 | 51 | 70 | 99+ |
| 85+ | 15 | 29.9 | 538 | 2 | 3 | 25 | 50 | 77 | 94 | 99+ |
| GRAND TOTAL | 565 | 20.4 | 280 | 2 | 4 | 16 | 28 | 44 | 59 | 93 |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 357 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 10 | 17 |
| 70-74 | 236 | 4.1 | 13 | 1 | 2 | 3 | 5 | 7 | 11 | 18 |
| 75-79 | 119 | 4.5 | 21 | 1 | 2 | 3 | 5 | 9 | 16 | 26 |
| 80-84 | 59 | 6.0 | 39 | 1 | 2 | 4 | 7 | 12 | 23 | 30 |
| 85+ | 31 | 4.9 | 12 | 1 | 2 | 4 | 6 | 10 | 12 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 319 | 7.6 | 74 | 2 | 2 | 4 | 9 | 18 | 24 | 44 |
| 70-74 | 166 | 8.0 | 60 | 2 | 2 | 5 | 10 | 19 | 25 | 37 |
| 75-79 | 111 | 7.4 | 56 | 2 | 2 | 5 | 8 | 17 | 27 | 63 |
| 80-84 | 50 | 9.9 | 79 | 2 | 3 | 6 | 12 | 25 | 30 | 36 |
| 85+ | 19 | 9.3 | 66 | 2 | 3 | 8 | 11 | 23 | 26 | 28 |
| TOT. SINGLE DX | 802 | 4.1 | 16 | 1 | 2 | 3 | 4 | 8 | 11 | 20 |
| " MULTIPLE DX | 665 | 7.9 | 68 | 2 | 2 | 5 | 10 | 19 | 26 | 41 |
| TOTAL 65-69 YRS | 676 | 5.5 | 45 | 1 | 2 | 3 | 6 | 11 | 18 | 37 |
| 70-74 | 402 | 5.7 | 37 | 1 | 2 | 4 | 6 | 13 | 18 | 32 |
| 75-79 | 230 | 5.9 | 41 | 1 | 2 | 4 | 6 | 13 | 20 | 39 |
| 80-84 | 109 | 7.8 | 61 | 2 | 2 | 5 | 10 | 19 | 27 | 38 |
| 85+ | 50 | 6.6 | 37 | 2 | 2 | 4 | 8 | 14 | 21 | 28 |
| GRAND TOTAL | 1467 | 5.8 | 43 | 1 | 2 | 4 | 6 | 12 | 19 | 36 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1132 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 70-74 | 866 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 75-79 | 662 | 2.9 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 80-84 | 343 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 85+ | 153 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 974 | 5.2 | 31 | 1 | 2 | 3 | 6 | 12 | 16 | 30 |
| 70-74 | 741 | 5.7 | 59 | 1 | 2 | 3 | 6 | 13 | 18 | 45 |
| 75-79 | 525 | 6.4 | 71 | 1 | 2 | 3 | 7 | 15 | 23 | 40 |
| 80-84 | 281 | 6.0 | 51 | 1 | 2 | 3 | 7 | 13 | 19 | 35 |
| 85+ | 145 | 7.5 | 66 | 1 | 2 | 5 | 10 | 17 | 22 | 44 |
| TOT. SINGLE DX | 3156 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| " MULTIPLE DX | 2666 | 5.8 | 52 | 1 | 2 | 3 | 6 | 13 | 19 | 38 |
| TOTAL 65-69 YRS | 2106 | 3.8 | 18 | 1 | 1 | 2 | 4 | 8 | 12 | 23 |
| 70-74 | 1607 | 4.1 | 32 | 1 | 1 | 2 | 4 | 8 | 13 | 28 |
| 75-79 | 1187 | 4.5 | 40 | 1 | 1 | 3 | 4 | 9 | 15 | 32 |
| 80-84 | 624 | 4.4 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 26 |
| 85+ | 298 | 5.2 | 40 | 1 | 1 | 3 | 6 | 11 | 17 | 33 |
| GRAND TOTAL | 5822 | 4.2 | 29 | 1 | 1 | 3 | 4 | 8 | 13 | 28 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 66 | 10.6 | 54 | 3 | 4 | 9 | 12 | 18 | 27 | 44 |
| 70-74 | 61 | 12.3 | 46 | 4 | 6 | 11 | 15 | 20 | 25 | 41 |
| 75-79 | 30 | 11.2 | 38 | 5 | 5 | 10 | 15 | 19 | 24 | 27 |
| 80-84 | 23 | 12.1 | 47 | 4 | 5 | 11 | 16 | 23 | 26 | 29 |
| 85+ | 16 | 12.4 | 56 | 4 | 4 | 11 | 16 | 23 | 27 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 325 | 19.3 | 185 | 6 | 7 | 15 | 23 | 39 | 46 | 82 |
| 70-74 | 307 | 18.8 | 194 | 6 | 8 | 14 | 23 | 36 | 48 | 72 |
| 75-79 | 266 | 20.1 | 192 | 7 | 7 | 17 | 25 | 39 | 59 | 96 |
| 80-84 | 164 | 21.7 | 229 | 7 | 9 | 17 | 28 | 41 | 56 | 76 |
| 85+ | 74 | 22.4 | 176 | 10 | 10 | 19 | 29 | 40 | 47 | 77 |
| TOT. SINGLE DX | 196 | 11.6 | 49 | 4 | 5 | 9 | 15 | 21 | 25 | 37 |
| " MULTIPLE DX | 1136 | 19.9 | 196 | 7 | 8 | 16 | 25 | 39 | 51 | 78 |
| TOTAL 65-69 YRS | 391 | 17.8 | 174 | 5 | 7 | 14 | 22 | 36 | 45 | 77 |
| 70-74 | 368 | 17.8 | 176 | 6 | 7 | 14 | 21 | 35 | 45 | 70 |
| 75-79 | 296 | 19.2 | 184 | 6 | 7 | 16 | 24 | 36 | 54 | 91 |
| 80-84 | 187 | 20.5 | 217 | 6 | 8 | 16 | 26 | 40 | 52 | 74 |
| 85+ | 90 | 20.6 | 169 | 6 | 8 | 17 | 27 | 36 | 41 | 74 |
| GRAND TOTAL | 1332 | 18.7 | 183 | 6 | 7 | 15 | 23 | 36 | 48 | 76 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 31 | 6.9 | 48 | 1 | 2 | 4 | 8 | 17 | 20 | 32 |
| 70-74 | 20 | 10.9 | 144 | <1 | <1 | 7 | 12 | 31 | 41 | 45 |
| 75-79 | 18 | 7.2 | 31 | 2 | 2 | 5 | 11 | 15 | 20 | 22 |
| 80-84 | 9 | 8.8 | 72 | 1 | 1 | 6 | 13 | 22 | 27 | 27 |
| 85+ | 6 | 12.7 | 223 | 2 | 2 | 7 | 13 | 39 | 42 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 70 | 9.9 | 53 | 1 | 2 | 9 | 11 | 19 | 29 | 33 |
| 70-74 | 39 | 13.8 | 217 | 2 | 3 | 10 | 18 | 28 | 50 | 69 |
| 75-79 | 32 | 21.3 | 397 | 3 | 3 | 13 | 26 | 59 | 66 | 68 |
| 80-84 | 31 | 13.9 | 102 | 3 | 4 | 12 | 19 | 28 | 34 | 44 |
| 85+ | 10 | 13.9 | 60 | 2 | 4 | 13 | 20 | 24 | 28 | 28 |
| TOT. SINGLE DX | 84 | 8.5 | 81 | 1 | 2 | 6 | 11 | 18 | 28 | 44 |
| " MULTIPLE DX | 182 | 13.6 | 170 | 2 | 3 | 10 | 17 | 28 | 34 | 67 |
| TOTAL 65-69 YRS | 101 | 9.0 | 53 | 1 | 2 | 8 | 11 | 17 | 27 | 33 |
| 70-74 | 59 | 12.8 | 192 | 1 | 2 | 8 | 16 | 29 | 41 | 68 |
| 75-79 | 50 | 16.2 | 309 | 2 | 2 | 9 | 23 | 42 | 65 | 68 |
| 80-84 | 40 | 12.7 | 98 | 1 | 2 | 10 | 17 | 28 | 31 | 44 |
| 85+ | 16 | 13.4 | 111 | 2 | 2 | 11 | 19 | 27 | 38 | 42 |
| GRAND TOTAL | 266 | 12.0 | 147 | 1 | 2 | 9 | 18 | 26 | 33 | 66 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 556 | 5.2 | 5 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| 70-74 | 340 | 5.7 | 11 | 3 | 3 | 5 | 6 | 8 | 11 | 20 |
| 75-79 | 157 | 6.4 | 19 | 3 | 3 | 5 | 7 | 11 | 14 | 26 |
| 80-84 | 47 | 6.6 | 10 | 3 | 3 | 5 | 9 | 11 | 12 | 15 |
| 85+ | 12 | 13.0 | 508 | 3 | 3 | 6 | 10 | 33 | 77 | 84 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 606 | 8.7 | 60 | 3 | 4 | 6 | 10 | 17 | 22 | 42 |
| 70-74 | 393 | 10.4 | 78 | 4 | 4 | 7 | 13 | 21 | 30 | 47 |
| 75-79 | 258 | 10.9 | 103 | 4 | 4 | 8 | 13 | 19 | 29 | 61 |
| 80-84 | 99 | 11.9 | 86 | 4 | 4 | 9 | 15 | 23 | 29 | 48 |
| 85+ | 42 | 15.7 | 158 | 4 | 5 | 13 | 19 | 28 | 40 | 71 |
| TOT. SINGLE DX | 1112 | 5.7 | 15 | 3 | 3 | 5 | 6 | 9 | 11 | 20 |
| " MULTIPLE DX | 1398 | 10.0 | 80 | 3 | 4 | 7 | 12 | 19 | 27 | 48 |
| TOTAL 65-69 YRS | 1162 | 7.0 | 37 | 3 | 3 | 5 | 8 | 12 | 17 | 38 |
| 70-74 | 733 | 8.2 | 52 | 3 | 4 | 6 | 9 | 15 | 22 | 41 |
| 75-79 | 415 | 9.2 | 76 | 3 | 4 | 6 | 10 | 17 | 24 | 50 |
| 80-84 | 146 | 10.2 | 68 | 3 | 4 | 7 | 12 | 20 | 26 | 45 |
| 85+ | 54 | 15.1 | 229 | 4 | 4 | 11 | 17 | 27 | 43 | 83 |
| GRAND TOTAL | 2510 | 9.1 | 56 | 3 | 3 | 6 | 9 | 15 | 21 | 42 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 90 | 5.4 | 8 | 2 | 3 | 5 | 7 | 9 | 10 | 17 |
| 70-74 | 60 | 8.0 | 34 | 2 | 3 | 6 | 10 | 16 | 18 | 32 |
| 75-79 | 34 | 5.9 | 21 | 2 | 3 | 5 | 6 | 9 | 16 | 26 |
| 80-84 | 11 | 9.9 | 82 | 4 | 4 | 7 | 9 | 23 | 35 | 36 |
| 85+ | 7 | 8.1 | 46 | 1 | 1 | 7 | 15 | 17 | 17 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 230 | 12.4 | 161 | 3 | 4 | 8 | 14 | 31 | 38 | 68 |
| 70-74 | 145 | 13.2 | 143 | 3 | 4 | 8 | 17 | 29 | 38 | 63 |
| 75-79 | 127 | 16.8 | 212 | 4 | 4 | 11 | 23 | 37 | 42 | 69 |
| 80-84 | 45 | 17.6 | 236 | 4 | 5 | 12 | 27 | 44 | 63 | 99+ |
| 85+ | 30 | 13.9 | 149 | 2 | 5 | 10 | 19 | 25 | 37 | 63 |
| TOT. SINGLE DX | 202 | 6.6 | 25 | 2 | 3 | 5 | 7 | 12 | 17 | 29 |
| " MULTIPLE DX | 577 | 14.1 | 176 | 3 | 4 | 9 | 18 | 33 | 42 | 65 |
| TOTAL 65-69 YRS | 320 | 10.5 | 128 | 2 | 3 | 6 | 11 | 25 | 35 | 65 |
| 70-74 | 205 | 11.7 | 117 | 2 | 4 | 8 | 15 | 26 | 36 | 56 |
| 75-79 | 161 | 14.5 | 192 | 3 | 4 | 9 | 21 | 34 | 42 | 63 |
| 80-84 | 56 | 16.1 | 214 | 4 | 5 | 10 | 26 | 36 | 58 | 98 |
| 85+ | 37 | 12.8 | 134 | 2 | 2 | 10 | 17 | 24 | 33 | 63 |
| GRAND TOTAL | 779 | 12.1 | 147 | 2 | 3 | 7 | 15 | 29 | 37 | 64 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 31 | 17.6 | 243 | 4 | 6 | 13 | 19 | 32 | 58 | 78 |
| 70-74 | 22 | 14.8 | 63 | 5 | 8 | 12 | 21 | 26 | 31 | 33 |
| 75-79 | 11 | 20.5 | 133 | 6 | 8 | 17 | 25 | 38 | 44 | 45 |
| 80-84 | 4 | 16.8 | 65 | 8 | 8 | 17 | 23 | 25 | 25 | 25 |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 88 | 20.9 | 244 | 6 | 8 | 15 | 26 | 42 | 56 | 80 |
| 70-74 | 64 | 20.9 | 224 | 6 | 9 | 16 | 23 | 41 | 51 | 79 |
| 75-79 | 29 | 18.7 | 141 | 4 | 6 | 15 | 25 | 37 | 45 | 47 |
| 80-84 | 9 | 29.3 | 244 | 14 | 16 | 27 | 33 | 84 | 99+ | 99+ |
| 85+ | 3 | 23.3 | 186 | 11 | 11 | 21 | 34 | 38 | 38 | 38 |
| TOT. SINGLE DX | 69 | 17.0 | 154 | 6 | 7 | 13 | 22 | 28 | 40 | 74 |
| " MULTIPLE DX | 193 | 21.0 | 221 | 6 | 8 | 16 | 26 | 41 | 54 | 85 |
| TOTAL 65-69 YRS | 119 | 20.0 | 244 | 6 | 7 | 15 | 24 | 41 | 57 | 81 |
| 70-74 | 86 | 19.3 | 189 | 6 | 8 | 15 | 22 | 39 | 48 | 75 |
| 75-79 | 40 | 19.2 | 136 | 5 | 7 | 15 | 25 | 36 | 45 | 47 |
| 80-84 | 13 | 25.5 | 216 | 9 | 12 | 24 | 30 | 71 | 94 | 99+ |
| 85+ | 4 | 19.8 | 176 | 9 | 9 | 16 | 29 | 38 | 38 | 38 |
| GRAND TOTAL | 262 | 19.9 | 206 | 6 | 8 | 15 | 25 | 39 | 51 | 81 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 139 | 2.2 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 70-74 | 153 | 2.2 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 10 |
| 75-79 | 124 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 80-84 | 90 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 85+ | 80 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 190 | 6.1 | 67 | 1 | 1 | 3 | 8 | 13 | 18 | 43 |
| 70-74 | 149 | 6.5 | 68 | 1 | 1 | 3 | 8 | 16 | 21 | 32 |
| 75-79 | 173 | 5.8 | 58 | <1 | 1 | 3 | 7 | 15 | 22 | 88 |
| 80-84 | 124 | 8.1 | 79 | 1 | 1 | 4 | 12 | 20 | 24 | 44 |
| 85+ | 89 | 7.1 | 69 | 1 | 2 | 4 | 9 | 15 | 22 | 45 |
| TOT. SINGLE DX | 586 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 725 | 6.6 | 68 | 1 | 1 | 3 | 8 | 15 | 23 | 49 |
| TOTAL 65-69 YRS | 329 | 4.4 | 43 | <1 | 1 | 2 | 4 | 10 | 14 | 37 |
| 70-74 | 302 | 4.3 | 40 | <1 | 1 | 2 | 4 | 10 | 16 | 29 |
| 75-79 | 297 | 4.3 | 38 | <1 | 1 | 2 | 4 | 10 | 15 | 51 |
| 80-84 | 214 | 5.8 | 54 | <1 | 1 | 3 | 7 | 14 | 21 | 35 |
| 85+ | 169 | 4.9 | 44 | 1 | 1 | 3 | 5 | 11 | 15 | 38 |
| GRAND TOTAL | 1311 | 4.7 | 43 | <1 | 1 | 2 | 5 | 11 | 16 | 37 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 492 | 2.1 | | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 70-74 | 478 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 75-79 | 416 | 2.2 | 14 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 80-84 | 299 | 2.3 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 85+ | 235 | 2.3 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 632 | 4.1 | 29 | 1 | 1 | 2 | 4 | 8 | 13 | 34 |
| 70-74 | 586 | 4.9 | 65 | 1 | 1 | 2 | 4 | 10 | 18 | 56 |
| 75-79 | 564 | 5.5 | 68 | 1 | 1 | 2 | 5 | 13 | 22 | 61 |
| 80-84 | 381 | 5.4 | 46 | 1 | 1 | 3 | 6 | 13 | 21 | 39 |
| 85+ | 348 | 7.0 | 86 | 1 | 1 | 3 | 9 | 18 | 26 | 58 |
| TOT. SINGLE DX | 1920 | 2.1 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 2511 | 5.2 | 98 | 1 | 1 | 2 | 5 | 12 | 20 | 50 |
| TOTAL 65-69 YRS | 1124 | 3.2 | 18 | 1 | 1 | 2 | 3 | 5 | 9 | 23 |
| 70-74 | 1064 | 3.6 | 38 | <1 | 1 | 2 | 3 | 6 | 12 | 36 |
| 75-79 | 980 | 4.1 | 48 | <1 | 1 | 2 | 3 | 9 | 15 | 52 |
| 80-84 | 680 | 4.0 | 31 | <1 | 1 | 2 | 3 | 9 | 15 | 33 |
| 85+ | 583 | 5.1 | 88 | 1 | 1 | 2 | 5 | 13 | 20 | 54 |
| GRAND TOTAL | 4431 | 3.9 | 37 | <1 | 1 | 2 | 3 | 8 | 14 | 36 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 85 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 6 | 8 |
| 70-74 | 92 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 75-79 | 73 | 2.6 | | 1 | 2 | 2 | 3 | 4 | 4 | 5 |
| 80-84 | 50 | 3.9 | 40 | 2 | 2 | 3 | 4 | 5 | 6 | 47 |
| 85+ | 37 | 3.3 | 3 | 2 | 2 | 3 | 4 | 6 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 97 | 3.2 | 4 | 1 | 2 | 3 | 3 | 5 | 6 | 14 |
| 70-74 | 95 | 3.6 | 8 | 2 | 2 | 3 | 4 | 6 | 10 | 16 |
| 75-79 | 105 | 3.9 | 10 | 2 | 2 | 3 | 4 | 7 | 10 | 18 |
| 80-84 | 81 | 4.7 | 15 | 2 | 2 | 3 | 6 | 8 | 12 | 23 |
| 85+ | 63 | 4.4 | 10 | 2 | 2 | 3 | 6 | 8 | 11 | 15 |
| TOT. SINGLE DX | 337 | 2.9 | 7 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 441 | 3.9 | 10 | 2 | 2 | 3 | 4 | 7 | 10 | 16 |
| TOTAL 65-69 YRS | 182 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| 70-74 | 187 | 3.1 | 5 | 1 | 2 | 2 | 3 | 5 | 6 | 15 |
| 75-79 | 178 | 3.4 | 7 | 2 | 2 | 3 | 3 | 6 | 9 | 15 |
| 80-84 | 131 | 4.4 | 25 | 2 | 2 | 3 | 5 | 7 | 9 | 28 |
| 85+ | 100 | 4.0 | 6 | 2 | 2 | 3 | 5 | 8 | 9 | 15 |
| GRAND TOTAL | 778 | 3.5 | 9 | 2 | 2 | 3 | 4 | 6 | 8 | 16 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 27 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 70-74 | 16 | 2.8 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 10 |
| 75-79 | 13 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 5 | 6 |
| 80-84 | 7 | 3.0 | 10 | 1 | 1 | 2 | 3 | 9 | 10 | 10 |
| 85+ | 11 | 2.6 | 5 | 1 | 1 | 2 | 3 | 6 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 22 | 4.4 | 20 | <1 | 1 | 2 | 6 | 11 | 16 | 18 |
| 70-74 | 14 | 4.7 | 23 | 1 | 1 | 3 | 5 | 11 | 17 | 19 |
| 75-79 | 24 | 4.8 | 32 | 1 | 2 | 3 | 5 | 7 | 21 | 26 |
| 80-84 | 18 | 7.6 | 74 | 2 | 2 | 3 | 13 | 22 | 26 | 28 |
| 85+ | 14 | 5.9 | 14 | 2 | 2 | 5 | 10 | 12 | 12 | 12 |
| TOT. SINGLE DX | 74 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 7 | 10 |
| " MULTIPLE DX | 92 | 5.4 | 34 | 1 | 2 | 3 | 6 | 13 | 19 | 27 |
| TOTAL 65-69 YRS | 49 | 3.2 | 11 | <1 | <1 | 2 | 3 | 7 | 9 | 18 |
| 70-74 | 30 | 3.7 | 14 | <1 | 1 | 2 | 4 | 9 | 10 | 19 |
| 75-79 | 37 | 3.8 | 23 | 1 | 1 | 2 | 4 | 6 | 15 | 26 |
| 80-84 | 25 | 6.3 | 60 | 1 | 1 | 2 | 8 | 21 | 23 | 28 |
| 85+ | 25 | 4.4 | 13 | 1 | 1 | 3 | 6 | 11 | 12 | 12 |
| GRAND TOTAL | 166 | 4.1 | 22 | <1 | 1 | 2 | 4 | 10 | 15 | 25 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 101 | 4.3 | 6 | 2 | 2 | 3 | 6 | 8 | 10 | 14 |
| 70-74 | 142 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 75-79 | 139 | 4.4 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 21 |
| 80-84 | 81 | 4.4 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 85+ | 48 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 208 | 5.0 | 7 | 2 | 2 | 5 | 6 | 8 | 11 | 16 |
| 70-74 | 242 | 5.3 | 14 | 2 | 2 | 5 | 6 | 8 | 10 | 17 |
| 75-79 | 237 | 5.8 | 33 | 2 | 3 | 5 | 6 | 9 | 13 | 27 |
| 80-84 | 159 | 6.2 | 57 | 2 | 2 | 5 | 6 | 9 | 14 | 41 |
| 85+ | 97 | 5.5 | 11 | 2 | 2 | 5 | 6 | 9 | 11 | 22 |
| TOT. SINGLE DX | 511 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| " MULTIPLE DX | 943 | 5.5 | 25 | 2 | 2 | 5 | 6 | 8 | 11 | 22 |
| TOTAL 65-69 YRS | 309 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 70-74 | 384 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| 75-79 | 376 | 5.3 | 25 | 2 | 2 | 4 | 6 | 8 | 12 | 23 |
| 80-84 | 240 | 5.6 | 41 | 2 | 2 | 5 | 6 | 9 | 12 | 26 |
| 85+ | 145 | 5.1 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| GRAND TOTAL | 1454 | 5.1 | 19 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 136 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 70-74 | 104 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 75-79 | 70 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 80-84 | 40 | 3.2 | 6 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 85+ | 30 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 98 | 4.3 | 19 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| 70-74 | 115 | 4.3 | 20 | 1 | 1 | 3 | 5 | 10 | 12 | 28 |
| 75-79 | 82 | 5.2 | 53 | 1 | 1 | 3 | 6 | 11 | 15 | 46 |
| 80-84 | 77 | 4.8 | 25 | 1 | 1 | 3 | 5 | 9 | 16 | 28 |
| 85+ | 69 | 5.1 | 34 | 1 | 1 | 3 | 6 | 12 | 15 | 35 |
| TOT. SINGLE DX | 380 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| " MULTIPLE DX | 441 | 4.7 | 29 | 1 | 1 | 3 | 5 | 10 | 14 | 28 |
| TOTAL 65-69 YRS | 234 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 9 | 17 |
| 70-74 | 219 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 75-79 | 152 | 4.0 | 32 | 1 | 1 | 2 | 4 | 10 | 12 | 25 |
| 80-84 | 117 | 4.2 | 20 | 1 | 1 | 3 | 5 | 9 | 14 | 24 |
| 85+ | 99 | 4.7 | 28 | 1 | 1 | 3 | 6 | 10 | 14 | 31 |
| GRAND TOTAL | 821 | 3.7 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 28 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 537 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 70-74 | 489 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| 75-79 | 418 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 8 | 13 |
| 80-84 | 220 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 13 |
| 85+ | 83 | 3.8 | 8 | 1 | 2 | 3 | 4 | 6 | 8 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 401 | 4.7 | 14 | 2 | 2 | 3 | 5 | 9 | 13 | 19 |
| 70-74 | 402 | 5.2 | 25 | 1 | 2 | 4 | 6 | 10 | 13 | 29 |
| 75-79 | 351 | 4.5 | 14 | 2 | 2 | 3 | 5 | 9 | 13 | 20 |
| 80-84 | 239 | 5.5 | 26 | 2 | 2 | 4 | 6 | 11 | 15 | 27 |
| 85+ | 100 | 5.2 | 17 | 1 | 2 | 4 | 6 | 10 | 15 | 21 |
| TOT. SINGLE DX | 1747 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 1493 | 4.9 | 20 | 2 | 2 | 3 | 6 | 10 | 13 | 24 |
| TOTAL 65-69 YRS | 938 | 4.0 | 10 | 1 | 2 | 3 | 4 | 8 | 10 | 16 |
| 70-74 | 891 | 4.2 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 23 |
| 75-79 | 769 | 3.8 | 10 | 1 | 2 | 3 | 4 | 7 | 11 | 17 |
| 80-84 | 459 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 13 | 24 |
| 85+ | 183 | 4.6 | 14 | 1 | 2 | 3 | 5 | 8 | 13 | 21 |
| GRAND TOTAL | 3240 | 4.1 | 13 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 391 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 13 |
| 70-74 | 367 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 75-79 | 313 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 80-84 | 169 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 85+ | 77 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 331 | 5.5 | 45 | 1 | 2 | 3 | 6 | 11 | 17 | 37 |
| 70-74 | 279 | 4.5 | 17 | 1 | 2 | 3 | 5 | 9 | 13 | 22 |
| 75-79 | 284 | 5.1 | 25 | 1 | 1 | 3 | 7 | 11 | 14 | 32 |
| 80-84 | 200 | 5.7 | 40 | 1 | 1 | 4 | 7 | 12 | 20 | 44 |
| 85+ | 108 | 6.1 | 50 | 1 | 2 | 4 | 8 | 13 | 17 | 72 |
| TOT. SINGLE DX | 1317 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| " MULTIPLE DX | 1202 | 5.3 | 34 | 1 | 2 | 3 | 6 | 11 | 16 | 34 |
| TOTAL 65-69 YRS | 722 | 4.2 | 25 | 1 | 1 | 3 | 4 | 8 | 12 | 27 |
| 70-74 | 646 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 75-79 | 597 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 80-84 | 369 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 15 | 28 |
| 85+ | 185 | 5.1 | 35 | 1 | 2 | 3 | 6 | 10 | 14 | 46 |
| GRAND TOTAL | 2519 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 8001 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 70-74 | 9412 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| 75-79 | 9330 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 9 |
| 80-84 | 6665 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 10 |
| 85+ | 4388 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 7072 | 3.9 | 14 | 2 | 2 | 3 | 4 | 6 | 9 | 20 |
| 70-74 | 8745 | 4.0 | 16 | 2 | 2 | 3 | 4 | 6 | 9 | 21 |
| 75-79 | 9029 | 4.2 | 17 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |
| 80-84 | 6704 | 4.4 | 21 | 2 | 2 | 3 | 4 | 7 | 11 | 24 |
| 85+ | 4639 | 4.6 | 23 | 2 | 2 | 3 | 5 | 8 | 12 | 26 |
| TOT. SINGLE DX | 37796 | 3.1 | 2 | 2 | 2 | 3 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 36189 | 4.2 | 18 | 2 | 2 | 3 | 4 | 7 | 10 | 22 |
| TOTAL 65-69 YRS | 15073 | 3.4 | 8 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| 70-74 | 18157 | 3.5 | 9 | 2 | 2 | 3 | 4 | 5 | 7 | 15 |
| 75-79 | 18359 | 3.6 | 10 | 2 | 2 | 3 | 4 | 5 | 7 | 16 |
| 80-84 | 13369 | 3.8 | 12 | 2 | 2 | 3 | 4 | 6 | 8 | 18 |
| 85+ | 9027 | 4.0 | 14 | 2 | 2 | 3 | 4 | 6 | 9 | 21 |
| GRAND TOTAL | 73985 | 3.6 | 10 | 2 | 2 | 3 | 4 | 5 | 8 | 17 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 4373 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 70-74 | 5125 | 2.4 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 75-79 | 4754 | 2.5 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| 80-84 | 3301 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 7 |
| 85+ | 1967 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 3100 | 3.0 | 8 | 1 | 2 | 2 | 3 | 4 | 7 | 14 |
| 70-74 | 3740 | 3.1 | 8 | 2 | 2 | 2 | 3 | 5 | 7 | 19 |
| 75-79 | 3608 | 3.2 | 6 | 2 | 2 | 2 | 3 | 5 | 7 | 15 |
| 80-84 | 2575 | 3.4 | 10 | 2 | 2 | 3 | 3 | 5 | 8 | 19 |
| 85+ | 1690 | 3.7 | 21 | 2 | 2 | 3 | 4 | 6 | 9 | 22 |
| TOT. SINGLE DX | 19520 | 2.5 | 2 | 1 | 2 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 14713 | 3.2 | 10 | 2 | 2 | 2 | 3 | 5 | 7 | 17 |
| TOTAL 65-69 YRS | 7473 | 2.6 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 10 |
| 70-74 | 8865 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |
| 75-79 | 8362 | 2.8 | 4 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 80-84 | 5876 | 2.9 | 6 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 85+ | 3657 | 3.1 | 11 | 1 | 2 | 2 | 3 | 4 | 6 | 18 |
| GRAND TOTAL | 34233 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 12 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 811 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 4 | 9 |
| 70-74 | 909 | 2.7 | 10 | 1 | 2 | 2 | 3 | 4 | 5 | 6 |
| 75-79 | 843 | 2.7 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 80-84 | 564 | 2.9 | 8 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| 85+ | 340 | 2.9 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 516 | 3.6 | 12 | 1 | 2 | 3 | 4 | 6 | 10 | 19 |
| 70-74 | 674 | 3.4 | 13 | 1 | 2 | 3 | 4 | 5 | 8 | 17 |
| 75-79 | 614 | 3.6 | 14 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| 80-84 | 462 | 3.7 | 27 | 2 | 2 | 3 | 4 | 6 | 9 | 18 |
| 85+ | 268 | 4.7 | 37 | 2 | 2 | 3 | 5 | 9 | 14 | 28 |
| TOT. SINGLE DX | 3467 | 2.7 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 2534 | 3.7 | 19 | 1 | 2 | 3 | 4 | 6 | 10 | 18 |
| TOTAL 65-69 YRS | 1327 | 3.0 | 6 | 1 | 2 | 2 | 3 | 4 | 6 | 15 |
| 70-74 | 1583 | 3.0 | 12 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| 75-79 | 1457 | 3.1 | 7 | 1 | 2 | 3 | 3 | 4 | 6 | 13 |
| 80-84 | 1026 | 3.3 | 17 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| 85+ | 608 | 3.7 | 18 | 1 | 2 | 3 | 4 | 6 | 9 | 18 |
| GRAND TOTAL | 6001 | 3.1 | 11 | 1 | 2 | 3 | 3 | 5 | 6 | 14 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 768 | 4.9 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 15 |
| 70-74 | 498 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 11 | 14 |
| 75-79 | 294 | 5.4 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 14 |
| 80-84 | 129 | 5.5 | 5 | 2 | 3 | 5 | 7 | 8 | 10 | 13 |
| 85+ | 52 | 5.4 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 737 | 5.9 | 12 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| 70-74 | 595 | 6.3 | 15 | 2 | 3 | 5 | 8 | 10 | 13 | 22 |
| 75-79 | 419 | 6.5 | 16 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| 80-84 | 181 | 6.7 | 22 | 2 | 3 | 5 | 8 | 12 | 15 | 29 |
| 85+ | 74 | 7.5 | 32 | 2 | 3 | 6 | 9 | 13 | 16 | 33 |
| TOT. SINGLE DX | 1741 | 5.2 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| " MULTIPLE DX | 2006 | 6.3 | 16 | 2 | 3 | 5 | 8 | 11 | 14 | 21 |
| TOTAL 65-69 YRS | 1505 | 5.4 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| 70-74 | 1093 | 5.9 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 20 |
| 75-79 | 713 | 6.0 | 13 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 80-84 | 310 | 6.2 | 15 | 2 | 3 | 5 | 7 | 10 | 13 | 23 |
| 85+ | 126 | 6.7 | 23 | 2 | 3 | 5 | 8 | 13 | 14 | 30 |
| GRAND TOTAL | 3747 | 5.8 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |

## 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 148 | 3.6 | 6 | 1 | 2 | 3 | 4 | 7 | 9 | 13 |
| 70-74 | 128 | 3.4 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 75-79 | 117 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 80-84 | 65 | 3.4 | 8 | 1 | 2 | 2 | 4 | 6 | 8 | 17 |
| 85+ | 42 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 311 | 5.3 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 22 |
| 70-74 | 279 | 5.6 | 39 | 1 | 2 | 4 | 6 | 11 | 14 | 41 |
| 75-79 | 228 | 5.8 | 75 | 1 | 2 | 4 | 7 | 11 | 14 | 35 |
| 80-84 | 132 | 4.8 | 17 | 1 | 2 | 3 | 6 | 10 | 14 | 24 |
| 85+ | 62 | 5.9 | 24 | 1 | 2 | 4 | 7 | 14 | 19 | 90 |
| TOT. SINGLE DX | 500 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 8 | 14 |
| " MULTIPLE DX | 1012 | 5.5 | 42 | 1 | 2 | 4 | 6 | 11 | 14 | 25 |
| TOTAL 65-69 YRS | 459 | 4.7 | 24 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 70-74 | 407 | 4.9 | 31 | 1 | 2 | 3 | 5 | 10 | 13 | 27 |
| 75-79 | 345 | 5.0 | 53 | 1 | 2 | 3 | 5 | 9 | 12 | 19 |
| 80-84 | 197 | 4.3 | 15 | 1 | 2 | 3 | 5 | 8 | 13 | 20 |
| 85+ | 104 | 5.0 | 18 | 1 | 1 | 4 | 6 | 12 | 15 | 58 |
| GRAND TOTAL | 1512 | 4.8 | 31 | 1 | 2 | 3 | 6 | 9 | 13 | 22 |

## 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 76 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 70-74 | 42 | 2.5 | 1 | 1 | 2 | 2 | 2 | 4 | 5 | 9 |
| 75-79 | 30 | 2.1 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 80-84 | 18 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 85+ | 9 | 1.7 | | <1 | <1 | 2 | 2 | 51 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 63 | 4.7 | 155 | 1 | 2 | 2 | 3 | 8 | 14 | 88 |
| 70-74 | 64 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 75-79 | 38 | 2.8 | 3 | 2 | 2 | 2 | 3 | 5 | 6 | 11 |
| 80-84 | 14 | 4.0 | 14 | <1 | 1 | 2 | 3 | 11 | 13 | 13 |
| 85+ | 4 | 4.3 | 11 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| TOT. SINGLE DX | 175 | 2.2 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| " MULTIPLE DX | 183 | 3.5 | 56 | 1 | 2 | 2 | 3 | 5 | 8 | 20 |
| TOTAL 65-69 YRS | 139 | 3.3 | 72 | 1 | 1 | 2 | 3 | 4 | 7 | 29 |
| 70-74 | 106 | 2.5 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 75-79 | 68 | 2.5 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |
| 80-84 | 32 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 11 | 13 |
| 85+ | 13 | 2.5 | 4 | <1 | 1 | 2 | 2 | 18 | 82 | 99+ |
| GRAND TOTAL | 358 | 2.8 | 30 | 1 | 1 | 2 | 3 | 4 | 6 | 18 |

## 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 6 | 2.5 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| " MULTIPLE DX | 6 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| TOTAL 65-69 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 70-74 | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 75-79 | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 80-84 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 85+ | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| GRAND TOTAL | 12 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |

## 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 137 | 4.1 | 18 | 1 | 2 | 3 | 4 | 8 | 11 | 26 |
| 70-74 | 111 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 75-79 | 115 | 3.8 | 11 | 1 | 2 | 3 | 4 | 7 | 9 | 21 |
| 80-84 | 70 | 3.6 | 13 | 1 | 1 | 3 | 4 | 5 | 10 | 21 |
| 85+ | 47 | 4.4 | 17 | 1 | 1 | 3 | 4 | 12 | 14 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 197 | 5.7 | 38 | 1 | 2 | 4 | 6 | 11 | 18 | 33 |
| 70-74 | 187 | 7.5 | 96 | 1 | 2 | 4 | 8 | 20 | 29 | 69 |
| 75-79 | 174 | 7.7 | 78 | 2 | 2 | 4 | 9 | 19 | 25 | 44 |
| 80-84 | 126 | 6.2 | 49 | 2 | 2 | 4 | 7 | 14 | 20 | 44 |
| 85+ | 133 | 8.5 | 63 | 1 | 2 | 5 | 12 | 18 | 25 | 39 |
| TOT. SINGLE DX | 480 | 3.9 | 13 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| " MULTIPLE DX | 817 | 7.1 | 67 | 2 | 2 | 4 | 8 | 16 | 24 | 43 |
| TOTAL 65-69 YRS | 334 | 5.0 | 31 | 1 | 2 | 3 | 5 | 10 | 13 | 33 |
| 70-74 | 298 | 6.0 | 66 | 1 | 2 | 3 | 6 | 13 | 22 | 50 |
| 75-79 | 289 | 6.2 | 55 | 2 | 2 | 4 | 7 | 13 | 21 | 38 |
| 80-84 | 196 | 5.3 | 38 | 1 | 2 | 3 | 6 | 10 | 18 | 35 |
| 85+ | 180 | 7.4 | 54 | 1 | 2 | 5 | 10 | 16 | 20 | 39 |
| GRAND TOTAL | 1297 | 5.9 | 49 | 1 | 2 | 4 | 6 | 13 | 20 | 38 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 137 | 3.3 | 15 | <1 | 1 | 2 | 3 | 8 | 11 | 22 |
| 70-74 | 129 | 3.5 | 16 | <1 | 1 | 2 | 3 | 8 | 10 | 21 |
| 75-79 | 99 | 3.8 | 23 | <1 | <1 | 2 | 4 | 8 | 13 | 29 |
| 80-84 | 76 | 4.4 | 22 | <1 | 1 | 3 | 6 | 10 | 14 | 26 |
| 85+ | 85 | 4.3 | 17 | <1 | 1 | 3 | 5 | 9 | 12 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 171 | 7.5 | 65 | 1 | 2 | 4 | 9 | 17 | 23 | 43 |
| 70-74 | 175 | 7.6 | 84 | 1 | 1 | 4 | 10 | 16 | 25 | 48 |
| 75-79 | 155 | 10.4 | 158 | 1 | 2 | 6 | 12 | 25 | 35 | 76 |
| 80-84 | 146 | 10.1 | 139 | 1 | 2 | 6 | 12 | 24 | 35 | 56 |
| 85+ | 135 | 8.5 | 72 | 1 | 2 | 6 | 11 | 21 | 27 | 57 |
| TOT. SINGLE DX | 526 | 3.8 | 19 | <1 | 1 | 2 | 4 | 8 | 12 | 24 |
| " MULTIPLE DX | 782 | 8.8 | 104 | 1 | 2 | 5 | 11 | 20 | 29 | 51 |
| TOTAL 65-69 YRS | 308 | 5.6 | 47 | 1 | 1 | 3 | 7 | 14 | 19 | 35 |
| 70-74 | 304 | 5.9 | 60 | <1 | 1 | 3 | 7 | 13 | 20 | 44 |
| 75-79 | 254 | 7.8 | 116 | <1 | 1 | 4 | 9 | 19 | 29 | 49 |
| 80-84 | 222 | 8.1 | 106 | 1 | 1 | 4 | 9 | 19 | 28 | 54 |
| 85+ | 220 | 6.9 | 56 | 1 | 1 | 4 | 9 | 16 | 25 | 41 |
| GRAND TOTAL | 1308 | 6.7 | 76 | 1 | 1 | 3 | 8 | 16 | 25 | 46 |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 371 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 70-74 | 192 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 7 |
| 75-79 | 103 | 2.6 | | 1 | 2 | 3 | 3 | 3 | 4 | 7 |
| 80-84 | 45 | 2.6 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 12 |
| 85+ | 12 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 131 | 3.5 | 13 | 1 | 2 | 3 | 3 | 5 | 8 | 26 |
| 70-74 | 81 | 3.4 | 5 | 2 | 2 | 3 | 3 | 6 | 9 | 14 |
| 75-79 | 37 | 2.9 | 1 | 2 | 2 | 3 | 3 | 5 | 8 | 99+ |
| 80-84 | 14 | 3.0 | 1 | 2 | 2 | 3 | 3 | 5 | 6 | 7 |
| 85+ | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| TOT. SINGLE DX | 723 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 265 | 3.3 | 9 | 2 | 2 | 3 | 3 | 5 | 8 | 25 |
| TOTAL 65-69 YRS | 502 | 2.7 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 70-74 | 273 | 2.9 | 3 | 1 | 2 | 3 | 3 | 4 | 6 | 11 |
| 75-79 | 140 | 2.7 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 17 |
| 80-84 | 59 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 85+ | 14 | 2.9 | 2 | 1 | 2 | 3 | 3 | 5 | 6 | 7 |
| GRAND TOTAL | 988 | 2.8 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 262 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 70-74 | 115 | 2.3 | | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| 75-79 | 68 | 2.5 | 1 | 1 | 2 | 2 | 3 | 4 | 5 | 7 |
| 80-84 | 22 | 2.4 | | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 85+ | 7 | 2.6 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 262 | 2.8 | 8 | 1 | 2 | 2 | 3 | 4 | 5 | 11 |
| 70-74 | 149 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 16 |
| 75-79 | 72 | 2.7 | 1 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 80-84 | 24 | 3.3 | 11 | 1 | 1 | 2 | 3 | 6 | 13 | 15 |
| 85+ | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| TOT. SINGLE DX | 474 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 510 | 2.9 | 7 | 1 | 2 | 2 | 3 | 4 | 5 | 13 |
| TOTAL 65-69 YRS | 524 | 2.6 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 9 |
| 70-74 | 264 | 2.6 | 3 | 1 | 2 | 2 | 3 | 3 | 5 | 13 |
| 75-79 | 140 | 2.6 | 2 | 1 | 2 | 2 | 3 | 4 | 5 | 8 |
| 80-84 | 46 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 85+ | 10 | 2.4 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| GRAND TOTAL | 984 | 2.6 | 4 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 68 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 70-74 | 50 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 75-79 | 25 | 2.0 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 80-84 | 22 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 85+ | 22 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 103 | 7.0 | 104 | 1 | 1 | 3 | 8 | 21 | 32 | 49 |
| 70-74 | 75 | 7.7 | 87 | <1 | 1 | 3 | 11 | 20 | 33 | 86 |
| 75-79 | 47 | 9.9 | 120 | 1 | 1 | 7 | 13 | 22 | 25 | 59 |
| 80-84 | 23 | 12.7 | 157 | 1 | 2 | 10 | 21 | 38 | 64 | 99+ |
| 85+ | 16 | 15.6 | 329 | 1 | 2 | 8 | 25 | 33 | 58 | 69 |
| TOT. SINGLE DX | 187 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 264 | 8.8 | 124 | 1 | 1 | 4 | 11 | 23 | 37 | 67 |
| TOTAL 65-69 YRS | 171 | 5.0 | 70 | <1 | 1 | 2 | 4 | 10 | 23 | 43 |
| 70-74 | 125 | 5.4 | 61 | <1 | 1 | 2 | 7 | 15 | 21 | 60 |
| 75-79 | 72 | 7.2 | 93 | 1 | 1 | 2 | 11 | 20 | 22 | 54 |
| 80-84 | 45 | 7.6 | 108 | <1 | <1 | 3 | 11 | 25 | 39 | 99+ |
| 85+ | 38 | 7.4 | 183 | <1 | <1 | 2 | 4 | 25 | 32 | 69 |
| GRAND TOTAL | 451 | 5.9 | 85 | <1 | 1 | 2 | 6 | 17 | 25 | 56 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 81 | 3.9 | 8 | 2 | 2 | 3 | 4 | 7 | 9 | 16 |
| 70-74 | 40 | 3.6 | 6 | 1 | 2 | 3 | 4 | 6 | 11 | 13 |
| 75-79 | 28 | 4.0 | 9 | 2 | 2 | 3 | 4 | 9 | 13 | 13 |
| 80-84 | 7 | 4.3 | 15 | 2 | 2 | 3 | 4 | 11 | 13 | 13 |
| 85+ | 4 | 7.5 | 35 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 178 | 5.1 | 43 | 2 | 2 | 3 | 5 | 10 | 16 | 37 |
| 70-74 | 104 | 5.8 | 30 | 2 | 2 | 4 | 6 | 13 | 17 | 30 |
| 75-79 | 50 | 10.8 | 255 | 2 | 2 | 4 | 11 | 23 | 59 | 68 |
| 80-84 | 26 | 9.1 | 156 | 2 | 2 | 5 | 8 | 24 | 34 | 62 |
| 85+ | 12 | 6.2 | 32 | 2 | 2 | 5 | 7 | 14 | 21 | 22 |
| TOT. SINGLE DX | 160 | 3.9 | 9 | 2 | 2 | 3 | 4 | 8 | 12 | 15 |
| " MULTIPLE DX | 370 | 6.4 | 79 | 2 | 2 | 4 | 6 | 13 | 20 | 60 |
| TOTAL 65-69 YRS | 259 | 4.7 | 33 | 2 | 2 | 3 | 4 | 8 | 14 | 33 |
| 70-74 | 144 | 5.1 | 25 | 2 | 2 | 3 | 5 | 11 | 16 | 24 |
| 75-79 | 78 | 8.4 | 177 | 2 | 2 | 3 | 7 | 16 | 44 | 66 |
| 80-84 | 33 | 8.1 | 129 | 2 | 2 | 4 | 8 | 16 | 27 | 62 |
| 85+ | 16 | 6.5 | 31 | 2 | 2 | 5 | 9 | 14 | 20 | 22 |
| GRAND TOTAL | 530 | 5.6 | 59 | 2 | 2 | 3 | 5 | 12 | 16 | 57 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 104 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 70-74 | 69 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 11 | 13 |
| 75-79 | 37 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 80-84 | 12 | 3.3 | 8 | 1 | 1 | 2 | 3 | 7 | 11 | 12 |
| 85+ | 4 | 6.8 | 103 | <1 | <1 | 2 | 12 | 22 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 79 | 6.7 | 144 | 1 | 2 | 3 | 5 | 15 | 27 | 74 |
| 70-74 | 45 | 9.6 | 362 | 1 | 2 | 3 | 8 | 19 | 39 | 97 |
| 75-79 | 27 | 4.6 | 20 | 1 | 1 | 3 | 5 | 10 | 18 | 19 |
| 80-84 | 15 | 8.3 | 75 | 1 | 1 | 4 | 14 | 21 | 27 | 29 |
| 85+ | 7 | 6.4 | 28 | 2 | 2 | 4 | 8 | 15 | 17 | 17 |
| TOT. SINGLE DX | 226 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| " MULTIPLE DX | 173 | 7.3 | 172 | 1 | 2 | 3 | 6 | 18 | 23 | 87 |
| TOTAL 65-69 YRS | 183 | 4.5 | 67 | 1 | 1 | 3 | 4 | 6 | 13 | 49 |
| 70-74 | 114 | 6.0 | 154 | 1 | 1 | 3 | 5 | 11 | 18 | 92 |
| 75-79 | 64 | 3.9 | 11 | 1 | 1 | 3 | 4 | 8 | 9 | 19 |
| 80-84 | 27 | 6.0 | 51 | 1 | 1 | 3 | 6 | 17 | 22 | 29 |
| 85+ | 11 | 6.5 | 48 | <1 | 1 | 3 | 8 | 19 | 22 | 22 |
| GRAND TOTAL | 399 | 5.0 | 82 | 1 | 1 | 3 | 4 | 9 | 17 | 46 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 69 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 70-74 | 31 | 2.9 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 75-79 | 15 | 2.6 | 1 | 1 | 1 | 3 | 3 | 3 | 5 | 5 |
| 80-84 | 5 | 4.2 | 8 | <1 | <1 | 4 | 5 | 9 | 9 | 9 |
| 85+ | 3 | 6.7 | 14 | 4 | 4 | 5 | 9 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 199 | 4.5 | 15 | 1 | 2 | 3 | 5 | 8 | 12 | 24 |
| 70-74 | 83 | 4.5 | 57 | 1 | 2 | 3 | 4 | 9 | 14 | 89 |
| 75-79 | 29 | 3.8 | 4 | 2 | 2 | 3 | 4 | 7 | 9 | 10 |
| 80-84 | 13 | 6.2 | 20 | 2 | 3 | 4 | 8 | 11 | 18 | 19 |
| 85+ | 5 | 4.0 | 8 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| TOT. SINGLE DX | 123 | 2.9 | 3 | 1 | 1 | 3 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 329 | 4.5 | 25 | 1 | 2 | 3 | 5 | 8 | 12 | 26 |
| TOTAL 65-69 YRS | 268 | 4.0 | 13 | 1 | 2 | 3 | 4 | 7 | 9 | 23 |
| 70-74 | 114 | 4.1 | 42 | 1 | 2 | 3 | 4 | 7 | 11 | 79 |
| 75-79 | 44 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 8 | 10 |
| 80-84 | 18 | 5.7 | 18 | 1 | 2 | 4 | 8 | 9 | 15 | 19 |
| 85+ | 8 | 5.0 | 11 | 2 | 2 | 4 | 7 | 10 | 11 | 1[illegible] |
| GRAND TOTAL | 452 | 4.1 | 19 | 1 | 2 | 3 | 4 | 7 | 10 | 24 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 184 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 9 |
| 70-74 | 104 | 2.9 | 6 | 1 | 1 | 2 | 3 | 4 | 8 | 16 |
| 75-79 | 44 | 4.0 | 16 | 1 | 1 | 3 | 4 | 9 | 12 | 23 |
| 80-84 | 13 | 2.7 | 2 | <1 | 1 | 3 | 3 | 5 | 7 | 7 |
| 85+ | 17 | 5.1 | 49 | 2 | 2 | 3 | 4 | 9 | 23 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 484 | 4.2 | 35 | 1 | 2 | 3 | 4 | 7 | 11 | 21 |
| 70-74 | 227 | 4.3 | 23 | 1 | 2 | 3 | 4 | 10 | 12 | 26 |
| 75-79 | 129 | 5.5 | 28 | 1 | 2 | 4 | 6 | 10 | 17 | 33 |
| 80-84 | 61 | 6.5 | 32 | 1 | 2 | 5 | 8 | 15 | 19 | 27 |
| 85+ | 35 | 7.7 | 119 | 1 | 2 | 5 | 8 | 14 | 34 | 56 |
| TOT. SINGLE DX | 362 | 2.9 | 8 | 1 | 1 | 2 | 3 | 4 | 7 | 13 |
| " MULTIPLE DX | 936 | 4.7 | 35 | 1 | 2 | 3 | 5 | 9 | 14 | 28 |
| TOTAL 65-69 YRS | 668 | 3.8 | 27 | 1 | 1 | 3 | 4 | 6 | 9 | 20 |
| 70-74 | 331 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| 75-79 | 173 | 5.1 | 26 | 1 | 2 | 3 | 6 | 10 | 14 | 31 |
| 80-84 | 74 | 5.9 | 29 | 1 | 2 | 4 | 7 | 13 | 18 | 26 |
| 85+ | 52 | 6.9 | 96 | 1 | 2 | 4 | 7 | 12 | 29 | 56 |
| GRAND TOTAL | 1298 | 4.2 | 28 | 1 | 2 | 3 | 4 | 8 | 11 | 26 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 345 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 7 | 32 |
| 70-74 | 282 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 75-79 | 217 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 80-84 | 138 | 2.9 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 85+ | 101 | 3.8 | 20 | 1 | 1 | 2 | 4 | 8 | 11 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 527 | 4.8 | 22 | 1 | 1 | 3 | 5 | 11 | 15 | 23 |
| 70-74 | 499 | 6.1 | 71 | 1 | 2 | 3 | 6 | 13 | 20 | 49 |
| 75-79 | 339 | 7.0 | 100 | 1 | 2 | 4 | 8 | 15 | 21 | 47 |
| 80-84 | 231 | 8.3 | 116 | 1 | 2 | 5 | 11 | 17 | 25 | 55 |
| 85+ | 219 | 9.9 | 132 | 1 | 2 | 7 | 13 | 20 | 28 | 64 |
| TOT. SINGLE DX | 1083 | 3.0 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| " MULTIPLE DX | 1815 | 6.6 | 78 | 1 | 2 | 4 | 8 | 15 | 20 | 44 |
| TOTAL 65-69 YRS | 872 | 4.1 | 22 | 1 | 1 | 3 | 4 | 8 | 14 | 24 |
| 70-74 | 781 | 4.8 | 50 | 1 | 1 | 3 | 5 | 10 | 15 | 42 |
| 75-79 | 556 | 5.4 | 69 | 1 | 1 | 3 | 6 | 11 | 16 | 43 |
| 80-84 | 369 | 6.3 | 82 | 1 | 1 | 3 | 8 | 14 | 18 | 37 |
| 85+ | 320 | 8.0 | 105 | 1 | 1 | 5 | 10 | 18 | 25 | 42 |
| GRAND TOTAL | 2898 | 5.3 | 57 | 1 | 1 | 3 | 6 | 12 | 17 | 36 |

## 544: Miscellaneous operations on nose (21.02-21.0[illegible]; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 180 | 4.6 | 16 | 1 | 1 | 4 | 6 | 8 | 10 | 22 |
| 70-74 | 142 | 5.3 | 14 | 1 | 2 | 4 | 7 | 10 | 12 | 19 |
| 75-79 | 94 | 4.3 | 9 | 1 | 1 | 4 | 5 | 8 | 11 | 15 |
| 80-84 | 49 | 5.2 | 9 | 1 | 2 | 4 | 6 | 10 | 10 | 18 |
| 85+ | 35 | 4.0 | 4 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 333 | 7.3 | 52 | 1 | 2 | 6 | 8 | 13 | 18 | 47 |
| 70-74 | 325 | 8.0 | 49 | 2 | 2 | 6 | 9 | 15 | 24 | 35 |
| 75-79 | 242 | 8.4 | 63 | 2 | 3 | 6 | 10 | 15 | 21 | 43 |
| 80-84 | 171 | 9.4 | 132 | 2 | 3 | 6 | 10 | 20 | 35 | 89 |
| 85+ | 158 | 7.6 | 52 | 1 | 2 | 6 | 10 | 15 | 21 | 41 |
| TOT. SINGLE DX | 500 | 4.8 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| " MULTIPLE DX | 1229 | 8.0 | 65 | 2 | 2 | 6 | 9 | 15 | 23 | 44 |
| TOTAL 65-69 YRS | 513 | 6.3 | 41 | 1 | 2 | 5 | 7 | 11 | 15 | 41 |
| 70-74 | 467 | 7.1 | 40 | 1 | 2 | 5 | 9 | 14 | 21 | 32 |
| 75-79 | 336 | 7.3 | 52 | 1 | 2 | 5 | 9 | 14 | 18 | 39 |
| 80-84 | 220 | 8.5 | 108 | 1 | 2 | 5 | 9 | 16 | 32 | 69 |
| 85+ | 193 | 7.0 | 46 | 1 | 2 | 5 | 8 | 13 | 18 | 37 |
| GRAND TOTAL | 1729 | 7.1 | 52 | 1 | 2 | 5 | 8 | 13 | 19 | 41 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 128 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 70-74 | 86 | 3.8 | 13 | 1 | 2 | 3 | 4 | 6 | 9 | 23 |
| 75-79 | 21 | 3.3 | 4 | 1 | 2 | 3 | 3 | 6 | 9 | 11 |
| 80-84 | 16 | 5.3 | 33 | 1 | 2 | 3 | 6 | 14 | 20 | 22 |
| 85+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 172 | 5.2 | 23 | 2 | 2 | 3 | 5 | 12 | 17 | 26 |
| 70-74 | 105 | 5.7 | 38 | 2 | 2 | 4 | 6 | 12 | 18 | 34 |
| 75-79 | 68 | 5.9 | 40 | 2 | 2 | 4 | 7 | 12 | 16 | 40 |
| 80-84 | 28 | 7.1 | 29 | 2 | 2 | 5 | 11 | 14 | 15 | 24 |
| 85+ | 9 | 12.2 | 79 | 2 | 3 | 8 | 22 | 24 | 25 | 25 |
| TOT. SINGLE DX | 253 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| " MULTIPLE DX | 382 | 5.8 | 33 | 2 | 2 | 4 | 6 | 13 | 18 | 27 |
| TOTAL 65-69 YRS | 300 | 4.4 | 16 | 2 | 2 | 3 | 4 | 9 | 13 | 23 |
| 70-74 | 191 | 4.9 | 28 | 1 | 2 | 3 | 5 | 8 | 16 | 28 |
| 75-79 | 89 | 5.3 | 33 | 2 | 2 | 3 | 5 | 11 | 13 | 36 |
| 80-84 | 44 | 6.5 | 31 | 2 | 2 | 4 | 10 | 14 | 17 | 24 |
| 85+ | 11 | 10.4 | 80 | 2 | 2 | 7 | 20 | 23 | 25 | 25 |
| GRAND TOTAL | 635 | 4.9 | 25 | 2 | 2 | 3 | 5 | 11 | 14 | 26 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 123 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 70-74 | 71 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| 75-79 | 49 | 6.8 | 54 | 1 | 1 | 4 | 8 | 14 | 22 | 38 |
| 80-84 | 17 | 6.0 | 28 | 2 | 2 | 3 | 8 | 16 | 17 | 18 |
| 85+ | 9 | 3.7 | 11 | 1 | 1 | 3 | 4 | 9 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 219 | 7.4 | 92 | 1 | 2 | 4 | 9 | 16 | 22 | 52 |
| 70-74 | 144 | 6.5 | 39 | 1 | 2 | 5 | 9 | 13 | 17 | 33 |
| 75-79 | 78 | 8.3 | 89 | 2 | 2 | 5 | 10 | 19 | 30 | 89 |
| 80-84 | 38 | 11.3 | 111 | 2 | 2 | 7 | 16 | 25 | 35 | 50 |
| 85+ | 21 | 9.8 | 55 | 2 | 2 | 9 | 15 | 21 | 26 | 27 |
| TOT. SINGLE DX | 269 | 4.6 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 26 |
| " MULTIPLE DX | 500 | 7.7 | 78 | 1 | 2 | 5 | 10 | 17 | 23 | 49 |
| TOTAL 65-69 YRS | 342 | 6.1 | 65 | 1 | 2 | 4 | 7 | 13 | 17 | 38 |
| 70-74 | 215 | 5.7 | 33 | 1 | 2 | 4 | 8 | 12 | 15 | 29 |
| 75-79 | 127 | 7.7 | 76 | 1 | 2 | 4 | 10 | 18 | 27 | 70 |
| 80-84 | 55 | 9.7 | 91 | 2 | 2 | 6 | 14 | 19 | 29 | 49 |
| 85+ | 30 | 8.0 | 50 | 2 | 2 | 5 | 12 | 18 | 25 | 27 |
| GRAND TOTAL | 769 | 6.6 | 60 | 1 | 2 | 4 | 8 | 14 | 19 | 38 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 167 | 2.7 | 14 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 70-74 | 125 | 2.8 | 9 | 1 | 1 | 2 | 3 | 4 | 6 | 20 |
| 75-79 | 89 | 2.8 | 12 | 1 | 1 | 2 | 3 | 4 | 5 | 24 |
| 80-84 | 70 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 12 |
| 85+ | 65 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 7 | 85 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 941 | 6.3 | 89 | 1 | 2 | 3 | 6 | 16 | 23 | 66 |
| 70-74 | 805 | 6.5 | 77 | 1 | 2 | 3 | 7 | 17 | 28 | 80 |
| 75-79 | 633 | 8.1 | 104 | 2 | 2 | 4 | 11 | 21 | 29 | 69 |
| 80-84 | 410 | 9.0 | 123 | 2 | 2 | 4 | 12 | 22 | 34 | 73 |
| 85+ | 301 | 9.1 | 134 | 2 | 2 | 5 | 12 | 25 | 34 | 99+ |
| TOT. SINGLE DX | 516 | 2.7 | 10 | 1 | 1 | 2 | 3 | 4 | 5 | 17 |
| " MULTIPLE DX | 3090 | 7.3 | 100 | 1 | 2 | 3 | 9 | 19 | 28 | 71 |
| TOTAL 65-69 YRS | 1108 | 5.7 | 80 | 1 | 2 | 2 | 5 | 15 | 21 | 59 |
| 70-74 | 930 | 6.0 | 70 | 1 | 2 | 3 | 6 | 16 | 25 | 58 |
| 75-79 | 722 | 7.5 | 96 | 1 | 2 | 3 | 10 | 19 | 28 | 68 |
| 80-84 | 480 | 8.0 | 111 | 2 | 2 | 4 | 10 | 20 | 31 | 70 |
| 85+ | 366 | 7.9 | 117 | 1 | 2 | 3 | 9 | 23 | 32 | 99+ |
| GRAND TOTAL | 3606 | 6.7 | 89 | 1 | 2 | 3 | 7 | 18 | 27 | 68 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 7 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 70-74 | 4 | 3.0 | 4 | 2 | 2 | 2 | 4 | 6 | 6 | 6 |
| 75-79 | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 10 | 6.4 | 59 | <1 | <1 | 3 | 10 | 18 | 26 | 26 |
| 70-74 | 10 | 4.6 | 23 | 1 | 1 | 3 | 5 | 12 | 17 | 17 |
| 75-79 | 5 | 8.6 | 59 | 2 | 2 | 4 | 17 | 17 | 17 | 17 |
| 80-84 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 85+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| TOT. SINGLE DX | 14 | 2.6 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| " MULTIPLE DX | 29 | 5.6 | 39 | 1 | 1 | 3 | 7 | 17 | 18 | 26 |
| TOTAL 65-69 YRS | 17 | 4.8 | 38 | <1 | 1 | 2 | 5 | 10 | 20 | 26 |
| 70-74 | 14 | 4.1 | 18 | 1 | 1 | 3 | 5 | 9 | 15 | 17 |
| 75-79 | 7 | 7.1 | 48 | 1 | 1 | 4 | 14 | 17 | 17 | 17 |
| 80-84 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 85+ | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| GRAND TOTAL | 43 | 4.7 | 29 | 1 | 1 | 2 | 5 | 12 | 17 | 26 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 85 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| 70-74 | 41 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| 75-79 | 23 | 3.0 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 80-84 | 13 | 3.2 | 9 | 1 | 1 | 3 | 3 | 6 | 12 | 13 |
| 85+ | 10 | 4.3 | 6 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 117 | 5.1 | 46 | 1 | 2 | 3 | 5 | 10 | 14 | 39 |
| 70-74 | 104 | 5.1 | 25 | 1 | 2 | 3 | 6 | 12 | 18 | 60 |
| 75-79 | 68 | 5.8 | 33 | 1 | 2 | 3 | 7 | 14 | 17 | 29 |
| 80-84 | 32 | 9.3 | 180 | 2 | 2 | 4 | 10 | 22 | 32 | 71 |
| 85+ | 29 | 9.0 | 102 | 1 | 1 | 7 | 11 | 19 | 24 | 52 |
| TOT. SINGLE DX | 172 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| " MULTIPLE DX | 350 | 5.9 | 56 | 1 | 2 | 3 | 7 | 13 | 20 | 52 |
| TOTAL 65-69 YRS | 202 | 4.2 | 29 | 1 | 2 | 3 | 4 | 7 | 11 | 27 |
| 70-74 | 145 | 4.5 | 20 | 1 | 2 | 3 | 4 | 10 | 15 | 31 |
| 75-79 | 91 | 5.1 | 27 | 1 | 1 | 3 | 6 | 13 | 16 | 27 |
| 80-84 | 45 | 7.6 | 137 | 1 | 2 | 3 | 9 | 14 | 29 | 71 |
| 85+ | 39 | 7.8 | 82 | 1 | 2 | 6 | 10 | 14 | 23 | 52 |
| GRAND TOTAL | 522 | 5.0 | 40 | 1 | 2 | 3 | 5 | 11 | 15 | 31 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 505 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 10 | 15 |
| 70-74 | 341 | 4.8 | 14 | 2 | 2 | 4 | 5 | 9 | 10 | 19 |
| 75-79 | 204 | 4.9 | 20 | 2 | 2 | 4 | 5 | 7 | 10 | 17 |
| 80-84 | 100 | 6.0 | 56 | 2 | 2 | 4 | 6 | 9 | 12 | 51 |
| 85+ | 56 | 6.4 | 19 | 2 | 3 | 5 | 9 | 11 | 20 | 95 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 412 | 7.1 | 56 | 2 | 2 | 5 | 8 | 15 | 20 | 43 |
| 70-74 | 354 | 7.3 | 44 | 2 | 3 | 5 | 8 | 14 | 20 | 36 |
| 75-79 | 253 | 8.3 | 50 | 2 | 3 | 6 | 10 | 17 | 22 | 98 |
| 80-84 | 141 | 9.5 | 84 | 2 | 2 | 6 | 13 | 21 | 30 | 39 |
| 85+ | 100 | 9.6 | 95 | 3 | 3 | 7 | 12 | 16 | 24 | 60 |
| TOT. SINGLE DX | 1206 | 4.8 | 17 | 2 | 2 | 4 | 5 | 8 | 11 | 19 |
| " MULTIPLE DX | 1260 | 7.9 | 59 | 2 | 3 | 5 | 9 | 16 | 22 | 45 |
| TOTAL 65-69 YRS | 917 | 5.6 | 32 | 2 | 2 | 4 | 6 | 11 | 15 | 29 |
| 70-74 | 695 | 6.0 | 31 | 2 | 2 | 4 | 7 | 11 | 16 | 33 |
| 75-79 | 457 | 6.8 | 40 | 2 | 3 | 5 | 8 | 13 | 18 | 56 |
| 80-84 | 241 | 8.0 | 76 | 2 | 2 | 5 | 9 | 17 | 27 | 43 |
| 85+ | 156 | 8.5 | 70 | 2 | 3 | 6 | 10 | 15 | 23 | 61 |
| GRAND TOTAL | 2466 | 6.4 | 41 | 2 | 2 | 4 | 7 | 12 | 17 | 36 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 3 | 5.7 | 30 | 2 | 2 | 3 | 10 | 12 | 12 | 12 |
| 70-74 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 75-79 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| TOT. SINGLE DX | 7 | 4.6 | 20 | 1 | 1 | 2 | 8 | 12 | 12 | 12 |
| " MULTIPLE DX | 6 | 6.5 | 16 | 3 | 3 | 6 | 8 | 13 | 13 | 13 |
| TOTAL 65-69 YRS | 4 | 5.0 | 22 | 2 | 2 | 3 | 8 | 12 | 12 | 12 |
| 70-74 | 5 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 80-84 | | | | | | | | | | |
| 85+ | 3 | 10.3 | 6 | 8 | 8 | 10 | 12 | 13 | 13 | 13 |
| GRAND TOTAL | 13 | 5.5 | 17 | 1 | 2 | 3 | 9 | 12 | 13 | 13 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 481 | 5.2 | 66 | 1 | 1 | 3 | 5 | 11 | 15 | 43 |
| 70-74 | 332 | 4.4 | 41 | <1 | 1 | 3 | 5 | 9 | 14 | 29 |
| 75-79 | 261 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 13 | 21 |
| 80-84 | 138 | 5.3 | 43 | 1 | 1 | 3 | 6 | 11 | 18 | 40 |
| 85+ | 90 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 653 | 9.5 | 119 | 1 | 2 | 5 | 13 | 23 | 32 | 66 |
| 70-74 | 492 | 8.5 | 101 | 1 | 2 | 5 | 11 | 20 | 28 | 50 |
| 75-79 | 433 | 9.8 | 138 | 1 | 2 | 6 | 12 | 21 | 34 | 69 |
| 80-84 | 268 | 10.5 | 115 | 2 | 2 | 6 | 14 | 26 | 36 | 52 |
| 85+ | 203 | 11.8 | 152 | 2 | 2 | 9 | 15 | 26 | 35 | 65 |
| TOT. SINGLE DX | 1302 | 4.7 | 44 | 1 | 1 | 3 | 5 | 10 | 14 | 32 |
| " MULTIPLE DX | 2049 | 9.7 | 123 | 1 | 2 | 6 | 12 | 23 | 32 | 59 |
| TOTAL 65-69 YRS | 1134 | 7.7 | 101 | 1 | 2 | 4 | 9 | 18 | 28 | 54 |
| 70-74 | 824 | 6.9 | 81 | 1 | 2 | 4 | 8 | 15 | 23 | 49 |
| 75-79 | 694 | 7.7 | 100 | 1 | 1 | 4 | 10 | 17 | 24 | 55 |
| 80-84 | 406 | 8.7 | 97 | 1 | 2 | 5 | 11 | 22 | 33 | 48 |
| 85+ | 293 | 9.5 | 121 | 1 | 2 | 6 | 12 | 22 | 29 | 53 |
| GRAND TOTAL | 3351 | 7.7 | 98 | 1 | 2 | 4 | 9 | 18 | 27 | 52 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 33 | 3.3 | 23 | 1 | 2 | 2 | 3 | 4 | 6 | 30 |
| 70-74 | 19 | 5.4 | 99 | <1 | 1 | 2 | 5 | 10 | 29 | 45 |
| 75-79 | 22 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 9 | 11 |
| 80-84 | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 85+ | 11 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 27 | 8.7 | 80 | 2 | 2 | 3 | 16 | 24 | 27 | 31 |
| 70-74 | 12 | 3.1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 5 |
| 75-79 | 11 | 15.3 | 746 | 1 | 1 | 3 | 15 | 57 | 89 | 92 |
| 80-84 | 5 | 15.8 | 489 | 3 | 3 | 5 | 22 | 55 | 55 | 55 |
| 85+ | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 88 | 3.5 | 32 | 1 | 1 | 2 | 3 | 5 | 9 | 39 |
| " MULTIPLE DX | 57 | 9.2 | 227 | 1 | 2 | 3 | 9 | 24 | 33 | 89 |
| TOTAL 65-69 YRS | 60 | 5.7 | 56 | 2 | 2 | 3 | 4 | 17 | 25 | 31 |
| 70-74 | 31 | 4.5 | 61 | 1 | 1 | 3 | 4 | 8 | 10 | 45 |
| 75-79 | 33 | 7.0 | 272 | 1 | 1 | 2 | 4 | 12 | 31 | 92 |
| 80-84 | 8 | 10.9 | 327 | 1 | 1 | 5 | 8 | 42 | 55 | 55 |
| 85+ | 13 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| GRAND TOTAL | 145 | 5.7 | 115 | 1 | 1 | 3 | 4 | 11 | 25 | 57 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 2.2 | 1 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| 70-74 | 6 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 80-84 | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 14 | 8.7 | 605 | <1 | 1 | 2 | 2 | 17 | 77 | 94 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 6 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 8 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 38 | 4.4 | 224 | <1 | 1 | 2 | 2 | 4 | 7 | 94 |
| " MULTIPLE DX | 20 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| TOTAL 65-69 YRS | 19 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 70-74 | 9 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 80-84 | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 85+ | 22 | 6.1 | 387 | <1 | <1 | 2 | 2 | 4 | 42 | 94 |
| GRAND TOTAL | 58 | 3.5 | 147 | <1 | 1 | 2 | 2 | 3 | 5 | 87 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 70-74 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | 5 | 1.4 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| TOT. SINGLE DX | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| " MULTIPLE DX | 13 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 5 |
| TOTAL 65-69 YRS | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 70-74 | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 75-79 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 80-84 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 85+ | 5 | 1.4 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| GRAND TOTAL | 16 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 142 | 4.4 | 17 | 1 | 2 | 3 | 5 | 11 | 15 | 28 |
| 70-74 | 115 | 6.1 | 53 | 1 | 1 | 4 | 8 | 11 | 17 | 42 |
| 75-79 | 80 | 4.3 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| 80-84 | 22 | 4.7 | 12 | 1 | 2 | 4 | 7 | 8 | 12 | 16 |
| 85+ | 17 | 5.8 | 16 | 2 | 2 | 5 | 8 | 11 | 15 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 214 | 11.7 | 244 | 2 | 2 | 6 | 13 | 32 | 48 | 80 |
| 70-74 | 194 | 10.5 | 183 | 1 | 2 | 5 | 14 | 22 | 44 | 76 |
| 75-79 | 120 | 12.5 | 187 | 2 | 2 | 10 | 15 | 26 | 38 | 75 |
| 80-84 | 46 | 11.2 | 144 | 2 | 2 | 8 | 16 | 23 | 35 | 67 |
| 85+ | 33 | 20.6 | 375 | 2 | 3 | 14 | 29 | 45 | 71 | 74 |
| TOT. SINGLE DX | 376 | 5.0 | 28 | 1 | 2 | 3 | 7 | 10 | 15 | 29 |
| " MULTIPLE DX | 607 | 11.9 | 216 | 2 | 2 | 7 | 15 | 28 | 46 | 78 |
| TOTAL 65-69 YRS | 356 | 8.8 | 166 | 1 | 2 | 4 | 10 | 20 | 38 | 79 |
| 70-74 | 309 | 8.9 | 139 | 1 | 2 | 5 | 10 | 20 | 35 | 66 |
| 75-79 | 200 | 9.2 | 134 | 1 | 2 | 6 | 12 | 19 | 29 | 63 |
| 80-84 | 68 | 9.1 | 110 | 2 | 2 | 6 | 11 | 19 | 24 | 62 |
| 85+ | 50 | 15.6 | 301 | 2 | 2 | 9 | 20 | 39 | 55 | 74 |
| GRAND TOTAL | 983 | 9.3 | 156 | 1 | 2 | 5 | 11 | 20 | 37 | 73 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 85 | 4.4 | 18 | 1 | 1 | 4 | 5 | 8 | 9 | 28 |
| 70-74 | 76 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 75-79 | 40 | 4.8 | 23 | <1 | 1 | 4 | 6 | 8 | 16 | 25 |
| 80-84 | 34 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| 85+ | 26 | 3.7 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 158 | 5.5 | 18 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| 70-74 | 142 | 6.7 | 40 | 1 | 2 | 5 | 8 | 13 | 17 | 39 |
| 75-79 | 123 | 6.8 | 48 | 1 | 2 | 5 | 8 | 13 | 19 | 44 |
| 80-84 | 97 | 8.3 | 48 | 1 | 2 | 6 | 11 | 18 | 24 | 31 |
| 85+ | 88 | 5.4 | 12 | 1 | 2 | 5 | 6 | 10 | 13 | 18 |
| TOT. SINGLE DX | 261 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 24 |
| " MULTIPLE DX | 608 | 6.5 | 35 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| TOTAL 65-69 YRS | 243 | 5.1 | 19 | 1 | 1 | 4 | 6 | 9 | 12 | 27 |
| 70-74 | 218 | 5.6 | 30 | 1 | 2 | 4 | 6 | 11 | 14 | 32 |
| 75-79 | 163 | 6.3 | 43 | 1 | 2 | 5 | 7 | 11 | 19 | 41 |
| 80-84 | 131 | 7.0 | 42 | 1 | 2 | 5 | 9 | 16 | 22 | 30 |
| 85+ | 114 | 5.0 | 12 | 1 | 1 | 4 | 6 | 9 | 13 | 17 |
| GRAND TOTAL | 869 | 5.7 | 29 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 687 | 2.3 | 5 | <1 | 1 | 2 | 2 | 3 | 5 | 13 |
| 70-74 | 449 | 2.4 | 5 | 1 | 1 | 2 | 2 | 3 | 5 | 14 |
| 75-79 | 254 | 2.8 | 13 | 1 | 1 | 2 | 2 | 4 | 7 | 21 |
| 80-84 | 98 | 3.4 | 38 | 1 | 1 | 2 | 3 | 5 | 11 | 41 |
| 85+ | 42 | 3.3 | 9 | 1 | 2 | 2 | 3 | 7 | 8 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 633 | 5.6 | 58 | 1 | 1 | 2 | 7 | 13 | 20 | 39 |
| 70-74 | 413 | 5.8 | 53 | 1 | 1 | 2 | 6 | 14 | 23 | 37 |
| 75-79 | 245 | 7.0 | 90 | 1 | 1 | 3 | 9 | 18 | 26 | 67 |
| 80-84 | 105 | 8.8 | 161 | 1 | 2 | 3 | 10 | 25 | 35 | 65 |
| 85+ | 44 | 11.0 | 263 | 1 | 2 | 4 | 14 | 28 | 45 | 87 |
| TOT. SINGLE DX | 1530 | 2.5 | 9 | 1 | 1 | 2 | 2 | 4 | 6 | 15 |
| " MULTIPLE DX | 1440 | 6.3 | 77 | 1 | 1 | 3 | 7 | 15 | 24 | 44 |
| TOTAL 65-69 YRS | 1320 | 3.9 | 34 | 1 | 1 | 2 | 3 | 9 | 14 | 30 |
| 70-74 | 862 | 4.0 | 32 | 1 | 1 | 2 | 3 | 9 | 15 | 31 |
| 75-79 | 499 | 4.8 | 56 | 1 | 1 | 2 | 4 | 13 | 19 | 38 |
| 80-84 | 203 | 6.2 | 109 | 1 | 1 | 2 | 5 | 13 | 26 | 57 |
| 85+ | 86 | 7.2 | 153 | 1 | 2 | 2 | 6 | 19 | 28 | 72 |
| GRAND TOTAL | 2970 | 4.3 | 46 | 1 | 1 | 2 | 4 | 10 | 16 | 35 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 73 | 11.3 | 140 | 1 | 2 | 10 | 16 | 21 | 25 | 76 |
| 70-74 | 48 | 9.8 | 65 | 2 | 2 | 9 | 14 | 21 | 29 | 30 |
| 75-79 | 28 | 13.9 | 342 | 1 | 2 | 11 | 16 | 26 | 46 | 96 |
| 80-84 | 10 | 16.8 | 567 | 1 | 1 | 9 | 12 | 57 | 78 | 78 |
| 85+ | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 112 | 16.3 | 202 | 2 | 2 | 14 | 22 | 30 | 44 | 82 |
| 70-74 | 60 | 18.9 | 222 | 2 | 3 | 16 | 22 | 33 | 51 | 83 |
| 75-79 | 43 | 13.9 | 134 | 1 | 2 | 12 | 19 | 32 | 36 | 51 |
| 80-84 | 13 | 28.9 | 239 | 10 | 12 | 27 | 39 | 54 | 59 | 60 |
| 85+ | 4 | 32.0 | 1926 | 2 | 2 | 14 | 58 | 97 | 97 | 97 |
| TOT. SINGLE DX | 161 | 11.5 | 177 | 1 | 2 | 10 | 16 | 23 | 29 | 87 |
| " MULTIPLE DX | 232 | 17.5 | 231 | 2 | 2 | 15 | 22 | 33 | 47 | 85 |
| TOTAL 65-69 YRS | 185 | 14.3 | 183 | 2 | 2 | 12 | 18 | 27 | 33 | 83 |
| 70-74 | 108 | 14.8 | 173 | 2 | 2 | 13 | 20 | 29 | 35 | 70 |
| 75-79 | 71 | 13.9 | 213 | 1 | 2 | 12 | 17 | 30 | 37 | 87 |
| 80-84 | 23 | 23.7 | 400 | 2 | 4 | 17 | 36 | 54 | 66 | 78 |
| 85+ | 6 | 22.3 | 1380 | 2 | 2 | 7 | 19 | 89 | 97 | 97 |
| GRAND TOTAL | 393 | 15.1 | 217 | 2 | 2 | 13 | 19 | 30 | 40 | 86 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 83 | 16.7 | 56 | 10 | 11 | 14 | 18 | 25 | 33 | 45 |
| 70-74 | 60 | 17.8 | 70 | 9 | 11 | 15 | 20 | 33 | 41 | 94 |
| 75-79 | 26 | 18.8 | 69 | 10 | 11 | 15 | 24 | 34 | 34 | 35 |
| 80-84 | 9 | 20.1 | 64 | 13 | 13 | 16 | 26 | 33 | 36 | 36 |
| 85+ | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 176 | 24.8 | 162 | 11 | 13 | 21 | 30 | 45 | 57 | 90 |
| 70-74 | 112 | 24.5 | 231 | 11 | 13 | 20 | 28 | 47 | 67 | 99+ |
| 75-79 | 64 | 26.1 | 302 | 10 | 12 | 22 | 35 | 49 | 91 | 99+ |
| 80-84 | 25 | 23.6 | 115 | 11 | 11 | 23 | 29 | 41 | 44 | 44 |
| 85+ | 11 | 35.9 | 452 | 12 | 13 | 31 | 54 | 69 | 70 | 70 |
| TOT. SINGLE DX | 179 | 17.5 | 63 | 10 | 11 | 15 | 20 | 31 | 36 | 48 |
| " MULTIPLE DX | 388 | 25.2 | 212 | 11 | 13 | 21 | 31 | 46 | 63 | 99+ |
| TOTAL 65-69 YRS | 259 | 22.2 | 143 | 10 | 11 | 19 | 27 | 39 | 52 | 65 |
| 70-74 | 172 | 22.2 | 185 | 10 | 11 | 19 | 26 | 39 | 60 | 99+ |
| 75-79 | 90 | 24.0 | 245 | 10 | 11 | 20 | 31 | 41 | 72 | 99+ |
| 80-84 | 34 | 22.6 | 102 | 11 | 12 | 21 | 28 | 40 | 43 | 44 |
| 85+ | 12 | 34.9 | 423 | 12 | 13 | 28 | 50 | 69 | 70 | 70 |
| GRAND TOTAL | 567 | 22.8 | 177 | 10 | 11 | 19 | 28 | 40 | 55 | 99+ |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 2 | 19.0 | 288 | 7 | 7 | 19 | 31 | 31 | 31 | 31 |
| | 70-74 | 3 | 17.7 | 142 | 8 | 8 | 14 | 27 | 31 | 31 | 31 |
| | 75-79 | 6 | 16.5 | 164 | 4 | 4 | 14 | 23 | 36 | 37 | 37 |
| | 80-84 | | | | | | | | | | |
| | 85+ | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 53 | 35.9 | 584 | 6 | 9 | 35 | 54 | 82 | 99+ | 99+ |
| | 70-74 | 48 | 36.2 | 654 | 6 | 11 | 36 | 66 | 99+ | 99+ | 99+ |
| | 75-79 | 21 | 34.8 | 396 | 13 | 14 | 33 | 45 | 75 | 87 | 99+ |
| | 80-84 | 19 | 31.0 | 383 | 5 | 9 | 32 | 50 | 87 | 99+ | 99+ |
| | 85+ | 5 | 46.2 | 885 | 16 | 20 | 71 | 99+ | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | | 12 | 18.3 | 139 | 4 | 6 | 17 | 30 | 33 | 36 | 37 |
| " MULTIPLE DX | | 146 | 35.6 | 555 | 7 | 11 | 35 | 57 | 97 | 99+ | 99+ |
| TOTAL | 65-69 YRS | 55 | 35.3 | 578 | 6 | 9 | 34 | 54 | 82 | 99+ | 99+ |
| | 70-74 | 51 | 35.1 | 640 | 7 | 9 | 35 | 61 | 99 | 99+ | 99+ |
| | 75-79 | 27 | 30.7 | 396 | 6 | 9 | 29 | 41 | 72 | 80 | 99+ |
| | 80-84 | 19 | 31.0 | 384 | 5 | 9 | 32 | 50 | 87 | 99+ | 99+ |
| | 85+ | 6 | 43.3 | 758 | 16 | 21 | 47 | 99+ | 99+ | 99+ | 99+ |
| GRAND TOTAL | | 158 | 34.3 | 544 | 7 | 9 | 33 | 55 | 96 | 99+ | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 64 | 7.7 | 95 | 1 | 1 | 4 | 12 | 21 | 29 | 94 |
| | 70-74 | 47 | 11.8 | 263 | 1 | 1 | 4 | 15 | 38 | 59 | 63 |
| | 75-79 | 32 | 18.3 | 755 | 1 | 2 | 4 | 24 | 82 | 98 | 99+ |
| | 80-84 | 14 | 9.7 | 65 | 2 | 2 | 8 | 13 | 22 | 28 | 30 |
| | 85+ | 5 | 36.8 | 758 | 2 | 3 | 50 | 65 | 96 | 99+ | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 421 | 33.7 | 622 | 2 | 3 | 33 | 54 | 77 | 95 | 99+ |
| | 70-74 | 286 | 36.9 | 718 | 2 | 3 | 37 | 60 | 87 | 99+ | 99+ |
| | 75-79 | 207 | 38.4 | 669 | 2 | 4 | 39 | 60 | 91 | 99+ | 99+ |
| | 80-84 | 85 | 33.2 | 413 | 4 | 8 | 37 | 60 | 99+ | 99+ | 99+ |
| | 85+ | 50 | 39.3 | 434 | 6 | 13 | 42 | 52 | 82 | 92 | 99+ |
| TOT. SINGLE DX | | 162 | 12.0 | 317 | 1 | 1 | 5 | 15 | 43 | 66 | 99+ |
| " MULTIPLE DX | | 1049 | 35.7 | 635 | 2 | 4 | 36 | 57 | 85 | 99+ | 99+ |
| TOTAL | 65-69 YRS | 485 | 30.3 | 630 | 2 | 2 | 29 | 51 | 74 | 94 | 99+ |
| | 70-74 | 333 | 33.3 | 730 | 2 | 2 | 32 | 57 | 83 | 99+ | 99+ |
| | 75-79 | 239 | 35.7 | 726 | 2 | 3 | 37 | 59 | 91 | 99+ | 99+ |
| | 80-84 | 99 | 29.9 | 430 | 2 | 6 | 34 | 55 | 99+ | 99+ | 99+ |
| | 85+ | 55 | 39.1 | 451 | 5 | 12 | 42 | 54 | 84 | 97 | 99+ |
| GRAND TOTAL | | 1211 | 32.5 | 657 | 2 | 2 | 32 | 55 | 83 | 99+ | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 761 | 8.3 | 70 | 1 | 2 | 6 | 11 | 18 | 23 | 42 |
| | 70-74 | 642 | 8.9 | 61 | 1 | 2 | 7 | 12 | 19 | 24 | 39 |
| | 75-79 | 401 | 8.8 | 58 | 1 | 2 | 7 | 12 | 18 | 23 | 39 |
| | 80-84 | 192 | 8.3 | 57 | 1 | 2 | 6 | 11 | 16 | 21 | 33 |
| | 85+ | 75 | 11.3 | 141 | 2 | 2 | 8 | 16 | 23 | 30 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 3002 | 13.7 | 126 | 2 | 3 | 11 | 18 | 28 | 36 | 60 |
| | 70-74 | 2634 | 14.0 | 134 | 2 | 3 | 11 | 18 | 28 | 37 | 60 |
| | 75-79 | 1791 | 14.9 | 148 | 2 | 3 | 12 | 20 | 31 | 40 | 68 |
| | 80-84 | 971 | 16.0 | 165 | 3 | 4 | 13 | 21 | 33 | 44 | 83 |
| | 85+ | 444 | 17.3 | 151 | 3 | 5 | 14 | 22 | 34 | 42 | 65 |
| TOT. SINGLE DX | | 2071 | 8.7 | 67 | 1 | 2 | 6 | 12 | 18 | 23 | 39 |
| " MULTIPLE DX | | 8842 | 14.5 | 140 | 2 | 3 | 11 | 19 | 29 | 39 | 64 |
| TOTAL | 65-69 YRS | 3763 | 12.6 | 120 | 2 | 3 | 10 | 16 | 26 | 34 | 58 |
| | 70-74 | 3276 | 13.0 | 124 | 2 | 3 | 10 | 17 | 26 | 35 | 58 |
| | 75-79 | 2192 | 13.8 | 137 | 2 | 3 | 11 | 18 | 29 | 37 | 65 |
| | 80-84 | 1163 | 14.7 | 156 | 2 | 3 | 12 | 19 | 30 | 41 | 78 |
| | 85+ | 519 | 16.4 | 154 | 2 | 4 | 14 | 22 | 32 | 42 | 66 |
| GRAND TOTAL | | 10913 | 13.4 | 131 | 2 | 3 | 10 | 17 | 28 | 36 | 60 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | | | | | | | | | | |
| | 70-74 | | | | | | | | | | |
| | 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| | 80-84 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| | 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 6 | 9.3 | 17 | 2 | 3 | 10 | 12 | 14 | 14 | 14 |
| | 70-74 | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| | 75-79 | 3 | 22.3 | 220 | 6 | 6 | 26 | 33 | 35 | 35 | 35 |
| | 80-84 | | | | | | | | | | |
| | 85+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| TOT. SINGLE DX | | 2 | 12.5 | 145 | 4 | 4 | 12 | 21 | 21 | 21 | 21 |
| " MULTIPLE DX | | 11 | 15.6 | 108 | 2 | 4 | 12 | 25 | 31 | 35 | 35 |
| TOTAL | 65-69 YRS | 6 | 9.3 | 17 | 2 | 3 | 10 | 12 | 14 | 14 | 14 |
| | 70-74 | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| | 75-79 | 4 | 17.8 | 231 | 4 | 4 | 16 | 30 | 35 | 35 | 35 |
| | 80-84 | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| | 85+ | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| GRAND TOTAL | | 13 | 15.2 | 103 | 2 | 4 | 12 | 22 | 29 | 34 | 35 |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 475 | 11.7 | 63 | 1 | 2 | 10 | 15 | 21 | 26 | 40 |
| 70-74 | 356 | 12.4 | 88 | 1 | 2 | 11 | 18 | 24 | 27 | 50 |
| 75-79 | 213 | 12.6 | 94 | 1 | 2 | 11 | 18 | 24 | 31 | 46 |
| 80-84 | 92 | 12.8 | 95 | 2 | 3 | 10 | 19 | 28 | 33 | 41 |
| 85+ | 34 | 12.4 | 103 | 2 | 3 | 9 | 17 | 24 | 34 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1432 | 16.4 | 143 | 3 | 4 | 14 | 22 | 31 | 39 | 66 |
| 70-74 | 1185 | 17.6 | 157 | 3 | 5 | 15 | 23 | 33 | 41 | 63 |
| 75-79 | 742 | 17.0 | 146 | 2 | 4 | 15 | 23 | 33 | 41 | 59 |
| 80-84 | 343 | 17.8 | 202 | 2 | 4 | 15 | 23 | 36 | 46 | 75 |
| 85+ | 130 | 16.6 | 180 | 3 | 4 | 13 | 20 | 36 | 45 | 94 |
| TOT. SINGLE DX | 1170 | 12.2 | 80 | 1 | 2 | 10 | 17 | 23 | 28 | 46 |
| " MULTIPLE DX | 3832 | 17.0 | 155 | 3 | 4 | 14 | 22 | 32 | 41 | 66 |
| TOTAL 65-69 YRS | 1907 | 15.2 | 128 | 2 | 4 | 13 | 20 | 29 | 35 | 62 |
| 70-74 | 1541 | 16.4 | 146 | 2 | 4 | 14 | 22 | 31 | 38 | 59 |
| 75-79 | 955 | 16.0 | 138 | 2 | 3 | 14 | 22 | 32 | 40 | 57 |
| 80-84 | 435 | 16.7 | 184 | 2 | 3 | 14 | 22 | 33 | 41 | 74 |
| 85+ | 164 | 15.7 | 167 | 3 | 4 | 12 | 20 | 35 | 44 | 87 |
| GRAND TOTAL | 5002 | 15.9 | 142 | 2 | 4 | 13 | 21 | 30 | 38 | 62 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 287 | 15.9 | 46 | 8 | 9 | 15 | 19 | 26 | 29 | 40 |
| 70-74 | 197 | 17.0 | 70 | 8 | 9 | 15 | 20 | 27 | 32 | 51 |
| 75-79 | 95 | 19.0 | 86 | 9 | 10 | 17 | 22 | 30 | 36 | 57 |
| 80-84 | 16 | 19.3 | 54 | 10 | 11 | 18 | 21 | 29 | 36 | 39 |
| 85+ | 5 | 17.8 | 60 | 9 | 9 | 21 | 24 | 26 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 769 | 20.8 | 144 | 9 | 10 | 18 | 25 | 35 | 44 | 75 |
| 70-74 | 533 | 21.2 | 137 | 9 | 10 | 19 | 25 | 34 | 44 | 72 |
| 75-79 | 277 | 21.9 | 126 | 9 | 10 | 19 | 27 | 36 | 43 | 63 |
| 80-84 | 64 | 23.8 | 225 | 9 | 10 | 19 | 29 | 42 | 61 | 76 |
| 85+ | 14 | 27.6 | 204 | 7 | 9 | 26 | 39 | 45 | 54 | 56 |
| TOT. SINGLE DX | 600 | 16.9 | 62 | 8 | 9 | 15 | 20 | 27 | 31 | 47 |
| " MULTIPLE DX | 1657 | 21.3 | 143 | 9 | 10 | 18 | 26 | 35 | 44 | 73 |
| TOTAL 65-69 YRS | 1056 | 19.5 | 122 | 8 | 9 | 17 | 24 | 32 | 40 | 71 |
| 70-74 | 730 | 20.1 | 122 | 9 | 10 | 18 | 24 | 33 | 41 | 68 |
| 75-79 | 372 | 21.1 | 118 | 9 | 10 | 18 | 26 | 36 | 41 | 61 |
| 80-84 | 80 | 22.9 | 193 | 9 | 11 | 18 | 27 | 39 | 57 | 74 |
| 85+ | 19 | 25.1 | 181 | 7 | 9 | 24 | 32 | 44 | 51 | 56 |
| GRAND TOTAL | 2257 | 20.1 | 125 | 9 | 10 | 17 | 24 | 33 | 41 | 68 |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 783 | 7.4 | 49 | 1 | 1 | 5 | 10 | 17 | 22 | 36 |
| 70-74 | 608 | 8.3 | 72 | 1 | 2 | 5 | 11 | 18 | 25 | 43 |
| 75-79 | 364 | 8.5 | 63 | 1 | 2 | 6 | 11 | 19 | 24 | 38 |
| 80-84 | 160 | 9.3 | 61 | 1 | 2 | 8 | 14 | 19 | 24 | 36 |
| 85+ | 79 | 11.3 | 82 | 1 | 1 | 9 | 15 | 23 | 30 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2805 | 13.1 | 135 | 2 | 3 | 10 | 17 | 26 | 35 | 64 |
| 70-74 | 2526 | 14.1 | 151 | 2 | 3 | 11 | 18 | 29 | 39 | 74 |
| 75-79 | 1766 | 15.6 | 169 | 2 | 4 | 12 | 20 | 32 | 43 | 78 |
| 80-84 | 931 | 16.8 | 177 | 3 | 4 | 14 | 22 | 33 | 46 | 85 |
| 85+ | 540 | 17.9 | 189 | 3 | 5 | 14 | 24 | 36 | 49 | 99+ |
| TOT. SINGLE DX | 1994 | 8.2 | 62 | 1 | 2 | 6 | 11 | 18 | 23 | 37 |
| " MULTIPLE DX | 8568 | 14.6 | 157 | 2 | 3 | 11 | 19 | 30 | 40 | 74 |
| TOTAL 65-69 YRS | 3588 | 11.9 | 122 | 2 | 2 | 9 | 16 | 24 | 33 | 62 |
| 70-74 | 3134 | 13.0 | 141 | 2 | 2 | 10 | 17 | 27 | 37 | 66 |
| 75-79 | 2130 | 14.4 | 158 | 2 | 3 | 11 | 19 | 30 | 41 | 73 |
| 80-84 | 1091 | 15.7 | 167 | 2 | 3 | 13 | 21 | 32 | 43 | 84 |
| 85+ | 619 | 17.1 | 180 | 3 | 4 | 14 | 22 | 35 | 45 | 88 |
| GRAND TOTAL | 10562 | 13.4 | 146 | 2 | 2 | 10 | 18 | 28 | 37 | 68 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 26 | 9.9 | 51 | 1 | 1 | 9 | 14 | 22 | 24 | 26 |
| 70-74 | 16 | 9.1 | 39 | 1 | 2 | 9 | 14 | 19 | 20 | 20 |
| 75-79 | 6 | 16.8 | 191 | 5 | 5 | 13 | 16 | 41 | 44 | 44 |
| 80-84 | 5 | 11.8 | 79 | 4 | 4 | 10 | 15 | 27 | 27 | 27 |
| 85+ | 2 | 6.5 | 61 | 1 | 1 | 6 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 90 | 15.5 | 238 | 2 | 3 | 9 | 21 | 35 | 46 | 78 |
| 70-74 | 104 | 14.6 | 148 | 2 | 3 | 11 | 18 | 32 | 42 | 79 |
| 75-79 | 74 | 14.9 | 101 | 3 | 5 | 13 | 20 | 29 | 35 | 52 |
| 80-84 | 40 | 18.8 | 243 | 2 | 3 | 14 | 24 | 39 | 53 | 74 |
| 85+ | 23 | 19.5 | 362 | 3 | 4 | 13 | 27 | 48 | 70 | 71 |
| TOT. SINGLE DX | 55 | 10.5 | 65 | 1 | 2 | 10 | 14 | 20 | 25 | 43 |
| " MULTIPLE DX | 331 | 15.8 | 189 | 2 | 4 | 12 | 21 | 32 | 44 | 75 |
| TOTAL 65-69 YRS | 116 | 14.3 | 202 | 1 | 2 | 9 | 19 | 28 | 41 | 77 |
| 70-74 | 120 | 13.9 | 137 | 2 | 2 | 11 | 18 | 31 | 41 | 73 |
| 75-79 | 80 | 15.1 | 106 | 3 | 5 | 13 | 20 | 30 | 35 | 53 |
| 80-84 | 45 | 18.0 | 228 | 2 | 4 | 13 | 23 | 34 | 51 | 74 |
| 85+ | 25 | 18.5 | 348 | 2 | 3 | 12 | 26 | 42 | 70 | 71 |
| GRAND TOTAL | 386 | 15.0 | 175 | 2 | 3 | 11 | 20 | 31 | 42 | 73 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 198 | 12.9 | 76 | 3 | 4 | 11 | 18 | 26 | 32 | 39 |
| 70-74 | 145 | 12.2 | 74 | 3 | 4 | 10 | 17 | 23 | 29 | 40 |
| 75-79 | 92 | 13.9 | 107 | 4 | 5 | 11 | 18 | 28 | 37 | 49 |
| 80-84 | 40 | 10.6 | 53 | 2 | 4 | 8 | 15 | 21 | 24 | 34 |
| 85+ | 21 | 11.4 | 133 | 2 | 3 | 7 | 20 | 29 | 39 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1023 | 16.6 | 161 | 4 | 5 | 13 | 22 | 33 | 43 | 65 |
| 70-74 | 934 | 17.9 | 200 | 4 | 5 | 14 | 23 | 38 | 50 | 79 |
| 75-79 | 705 | 18.5 | 179 | 4 | 6 | 15 | 24 | 37 | 46 | 73 |
| 80-84 | 381 | 18.8 | 204 | 4 | 5 | 15 | 25 | 36 | 48 | 70 |
| 85+ | 271 | 19.9 | 210 | 5 | 7 | 16 | 24 | 41 | 54 | 74 |
| TOT. SINGLE DX | 496 | 12.6 | 82 | 3 | 4 | 10 | 18 | 24 | 32 | 40 |
| " MULTIPLE DX | 3314 | 17.9 | 186 | 4 | 5 | 14 | 23 | 36 | 46 | 71 |
| TOTAL 65-69 YRS | 1221 | 16.0 | 149 | 4 | 5 | 12 | 21 | 32 | 40 | 64 |
| 70-74 | 1079 | 17.2 | 187 | 4 | 5 | 13 | 22 | 36 | 47 | 77 |
| 75-79 | 797 | 17.9 | 174 | 4 | 5 | 14 | 24 | 36 | 45 | 71 |
| 80-84 | 421 | 18.0 | 196 | 4 | 5 | 15 | 23 | 35 | 46 | 69 |
| 85+ | 292 | 19.3 | 210 | 4 | 6 | 15 | 24 | 39 | 51 | 71 |
| GRAND TOTAL | 3810 | 17.2 | 176 | 4 | 5 | 14 | 22 | 35 | 44 | 68 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 269 | 9.3 | 65 | 1 | 2 | 8 | 13 | 20 | 22 | 50 |
| 70-74 | 182 | 10.5 | 116 | 1 | 2 | 6 | 14 | 25 | 33 | 52 |
| 75-79 | 122 | 11.2 | 102 | 1 | 2 | 9 | 15 | 22 | 31 | 51 |
| 80-84 | 60 | 8.5 | 40 | 1 | 2 | 6 | 14 | 19 | 20 | 24 |
| 85+ | 32 | 11.5 | 166 | 2 | 2 | 7 | 15 | 26 | 33 | 65 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 881 | 14.9 | 143 | 2 | 3 | 12 | 19 | 30 | 38 | 61 |
| 70-74 | 767 | 15.6 | 159 | 3 | 3 | 12 | 21 | 31 | 38 | 61 |
| 75-79 | 610 | 16.5 | 182 | 2 | 4 | 13 | 21 | 34 | 45 | 81 |
| 80-84 | 340 | 17.7 | 201 | 3 | 4 | 14 | 23 | 38 | 48 | 69 |
| 85+ | 219 | 16.8 | 157 | 4 | 5 | 14 | 22 | 32 | 41 | 96 |
| TOT. SINGLE DX | 665 | 10.0 | 89 | 1 | 2 | 8 | 13 | 21 | 28 | 52 |
| " MULTIPLE DX | 2817 | 15.9 | 165 | 3 | 4 | 13 | 21 | 32 | 41 | 70 |
| TOTAL 65-69 YRS | 1150 | 13.6 | 131 | 2 | 3 | 11 | 18 | 28 | 35 | 61 |
| 70-74 | 949 | 14.6 | 155 | 2 | 3 | 11 | 20 | 30 | 38 | 59 |
| 75-79 | 732 | 15.6 | 173 | 2 | 3 | 13 | 21 | 33 | 43 | 79 |
| 80-84 | 400 | 16.3 | 188 | 3 | 3 | 13 | 21 | 35 | 46 | 68 |
| 85+ | 251 | 16.2 | 161 | 3 | 4 | 13 | 22 | 32 | 41 | 94 |
| GRAND TOTAL | 3482 | 14.8 | 156 | 2 | 3 | 12 | 20 | 30 | 40 | 66 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 160 | 16.4 | 59 | 10 | 10 | 14 | 18 | 25 | 30 | 52 |
| 70-74 | 82 | 17.4 | 54 | 9 | 10 | 15 | 21 | 25 | 27 | 52 |
| 75-79 | 40 | 19.9 | 60 | 11 | 12 | 18 | 25 | 32 | 36 | 38 |
| 80-84 | 11 | 17.5 | 38 | 12 | 12 | 14 | 22 | 28 | 30 | 30 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 839 | 21.4 | 162 | 10 | 11 | 18 | 26 | 37 | 50 | 82 |
| 70-74 | 505 | 22.7 | 148 | 11 | 12 | 19 | 28 | 40 | 49 | 80 |
| 75-79 | 235 | 23.5 | 195 | 10 | 12 | 19 | 28 | 45 | 56 | 85 |
| 80-84 | 57 | 28.2 | 186 | 12 | 13 | 23 | 39 | 50 | 67 | 99+ |
| 85+ | 9 | 19.9 | 159 | 7 | 8 | 19 | 22 | 40 | 50 | 50 |
| TOT. SINGLE DX | 293 | 17.2 | 58 | 10 | 10 | 15 | 20 | 26 | 30 | 52 |
| " MULTIPLE DX | 1645 | 22.3 | 165 | 10 | 11 | 18 | 27 | 40 | 51 | 83 |
| TOTAL 65-69 YRS | 999 | 20.6 | 149 | 10 | 11 | 17 | 24 | 35 | 47 | 80 |
| 70-74 | 587 | 21.9 | 139 | 10 | 11 | 18 | 27 | 39 | 48 | 74 |
| 75-79 | 275 | 23.0 | 178 | 11 | 12 | 19 | 27 | 43 | 55 | 81 |
| 80-84 | 68 | 26.5 | 177 | 12 | 13 | 22 | 36 | 48 | 63 | 99+ |
| 85+ | 9 | 19.9 | 159 | 7 | 8 | 19 | 22 | 40 | 50 | 50 |
| GRAND TOTAL | 1938 | 21.5 | 152 | 10 | 11 | 18 | 26 | 37 | 50 | 80 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1046 | 13.5 | 29 | 8 | 9 | 12 | 15 | 20 | 24 | 30 |
| 70-74 | 484 | 14.6 | 39 | 8 | 9 | 13 | 17 | 22 | 26 | 40 |
| 75-79 | 122 | 15.7 | 37 | 9 | 10 | 14 | 18 | 23 | 29 | 38 |
| 80-84 | 15 | 18.5 | 161 | 9 | 9 | 14 | 22 | 26 | 51 | 60 |
| 85+ | 3 | 10.0 | 12 | 8 | 8 | 8 | 13 | 14 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 4272 | 17.2 | 89 | 9 | 9 | 14 | 20 | 28 | 36 | 60 |
| 70-74 | 2208 | 18.9 | 114 | 9 | 10 | 16 | 23 | 32 | 39 | 66 |
| 75-79 | 693 | 21.3 | 158 | 9 | 11 | 17 | 25 | 38 | 46 | 71 |
| 80-84 | 107 | 22.0 | 139 | 10 | 11 | 18 | 27 | 42 | 50 | 82 |
| 85+ | 15 | 26.1 | 218 | 10 | 12 | 20 | 33 | 45 | 58 | 62 |
| TOT. SINGLE DX | 1670 | 14.1 | 35 | 8 | 9 | 13 | 16 | 21 | 25 | 37 |
| " MULTIPLE DX | 7295 | 18.2 | 107 | 9 | 10 | 15 | 21 | 31 | 38 | 63 |
| TOTAL 65-69 YRS | 5318 | 16.5 | 80 | 9 | 9 | 14 | 19 | 27 | 34 | 58 |
| 70-74 | 2692 | 18.1 | 104 | 9 | 10 | 15 | 21 | 30 | 37 | 61 |
| 75-79 | 815 | 20.4 | 144 | 9 | 10 | 16 | 24 | 37 | 44 | 69 |
| 80-84 | 122 | 21.6 | 142 | 10 | 11 | 17 | 26 | 41 | 50 | 77 |
| 85+ | 18 | 23.4 | 219 | 8 | 8 | 19 | 29 | 45 | 55 | 62 |
| GRAND TOTAL | 8965 | 17.4 | 96 | 9 | 9 | 14 | 20 | 29 | 37 | 60 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2225 | 3.8 | 17 | 1 | 2 | 2 | 3 | 8 | 12 | 21 |
| 70-74 | 943 | 3.7 | 15 | 1 | 2 | 2 | 4 | 8 | 11 | 19 |
| 75-79 | 266 | 4.9 | 21 | 2 | 2 | 3 | 6 | 11 | 15 | 23 |
| 80-84 | 50 | 4.9 | 15 | 2 | 2 | 3 | 7 | 10 | 14 | 17 |
| 85+ | 8 | 6.8 | 34 | 1 | 1 | 5 | 10 | 16 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 8103 | 6.2 | 48 | 2 | 2 | 3 | 8 | 14 | 19 | 33 |
| 70-74 | 4129 | 7.4 | 62 | 2 | 2 | 4 | 10 | 17 | 22 | 39 |
| 75-79 | 1447 | 8.5 | 68 | 2 | 2 | 5 | 12 | 19 | 25 | 41 |
| 80-84 | 320 | 10.3 | 117 | 2 | 2 | 7 | 14 | 26 | 31 | 56 |
| 85+ | 89 | 14.8 | 208 | 2 | 2 | 10 | 20 | 36 | 48 | 64 |
| TOT. SINGLE DX | 3492 | 3.8 | 17 | 1 | 2 | 2 | 4 | 9 | 12 | 21 |
| " MULTIPLE DX | 14088 | 6.9 | 59 | 2 | 2 | 4 | 9 | 16 | 21 | 37 |
| TOTAL 65-69 YRS | 10328 | 5.7 | 43 | 2 | 2 | 3 | 7 | 13 | 18 | 31 |
| 70-74 | 5072 | 6.7 | 55 | 2 | 2 | 3 | 9 | 16 | 21 | 37 |
| 75-79 | 1713 | 7.9 | 63 | 2 | 2 | 5 | 11 | 18 | 24 | 39 |
| 80-84 | 370 | 9.6 | 107 | 2 | 2 | 6 | 13 | 24 | 30 | 47 |
| 85+ | 97 | 14.1 | 199 | 1 | 2 | 10 | 19 | 34 | 47 | 62 |
| GRAND TOTAL | 17580 | 6.3 | 52 | 2 | 2 | 3 | 8 | 15 | 20 | 35 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 702 | 7.2 | 34 | 2 | 2 | 6 | 9 | 15 | 18 | 29 |
| 70-74 | 948 | 7.2 | 35 | 2 | 2 | 5 | 9 | 15 | 18 | 31 |
| 75-79 | 1061 | 6.8 | 27 | 2 | 2 | 5 | 9 | 13 | 16 | 27 |
| 80-84 | 903 | 7.1 | 31 | 2 | 2 | 5 | 9 | 14 | 18 | 27 |
| 85+ | 771 | 7.1 | 38 | 2 | 2 | 6 | 9 | 14 | 18 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 3731 | 13.4 | 97 | 3 | 4 | 11 | 17 | 25 | 31 | 51 |
| 70-74 | 5116 | 13.5 | 105 | 3 | 4 | 11 | 17 | 26 | 33 | 55 |
| 75-79 | 5776 | 14.0 | 114 | 3 | 4 | 11 | 18 | 27 | 34 | 58 |
| 80-84 | 5044 | 14.1 | 110 | 3 | 4 | 12 | 18 | 27 | 34 | 54 |
| 85+ | 4172 | 14.4 | 128 | 3 | 4 | 12 | 18 | 28 | 35 | 64 |
| TOT. SINGLE DX | 4385 | 7.1 | 33 | 2 | 2 | 5 | 9 | 14 | 18 | 28 |
| " MULTIPLE DX | 23839 | 13.9 | 112 | 3 | 4 | 11 | 18 | 26 | 34 | 57 |
| TOTAL 65-69 YRS | 4433 | 12.4 | 93 | 2 | 3 | 10 | 16 | 24 | 29 | 49 |
| 70-74 | 6064 | 12.5 | 100 | 2 | 3 | 10 | 16 | 24 | 31 | 52 |
| 75-79 | 6837 | 12.9 | 107 | 3 | 3 | 10 | 17 | 25 | 33 | 55 |
| 80-84 | 5947 | 13.0 | 105 | 2 | 4 | 11 | 17 | 25 | 32 | 52 |
| 85+ | 4943 | 13.3 | 121 | 2 | 3 | 10 | 17 | 26 | 34 | 61 |
| GRAND TOTAL | 28224 | 12.8 | 105 | 2 | 3 | 10 | 17 | 25 | 32 | 53 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 57 | 11.4 | 76 | 2 | 2 | 9 | 17 | 20 | 28 | 41 |
| 70-74 | 18 | 10.3 | 103 | 3 | 3 | 7 | 14 | 23 | 36 | 43 |
| 75-79 | 10 | 10.3 | 56 | <1 | 2 | 7 | 15 | 22 | 24 | 24 |
| 80-84 | 4 | 8.0 | 25 | 3 | 3 | 7 | 11 | 15 | 15 | 15 |
| 85+ | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 247 | 15.4 | 132 | 2 | 4 | 13 | 20 | 28 | 38 | 63 |
| 70-74 | 182 | 18.8 | 182 | 4 | 5 | 15 | 25 | 39 | 44 | 80 |
| 75-79 | 71 | 17.0 | 125 | 4 | 5 | 14 | 23 | 33 | 39 | 53 |
| 80-84 | 39 | 21.2 | 222 | 6 | 7 | 19 | 25 | 38 | 49 | 83 |
| 85+ | 20 | 23.5 | 405 | 2 | 4 | 19 | 28 | 58 | 67 | 70 |
| TOT. SINGLE DX | 90 | 10.9 | 75 | 2 | 2 | 8 | 16 | 20 | 25 | 42 |
| " MULTIPLE DX | 559 | 17.4 | 167 | 3 | 5 | 14 | 22 | 35 | 43 | 70 |
| TOTAL 65-69 YRS | 304 | 14.6 | 124 | 2 | 3 | 13 | 19 | 28 | 38 | 62 |
| 70-74 | 200 | 18.0 | 181 | 3 | 5 | 14 | 24 | 38 | 43 | 77 |
| 75-79 | 81 | 16.1 | 121 | 3 | 4 | 13 | 22 | 32 | 39 | 52 |
| 80-84 | 43 | 20.0 | 218 | 5 | 7 | 16 | 25 | 37 | 47 | 83 |
| 85+ | 21 | 23.1 | 388 | 3 | 5 | 19 | 28 | 57 | 67 | 70 |
| GRAND TOTAL | 649 | 16.5 | 159 | 2 | 4 | 14 | 21 | 33 | 41 | 68 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 501 | 5.0 | 51 | 1 | 1 | 2 | 5 | 13 | 17 | 34 |
| 70-74 | 353 | 6.1 | 79 | 1 | 1 | 2 | 7 | 15 | 20 | 50 |
| 75-79 | 233 | 6.7 | 83 | 1 | 1 | 3 | 9 | 17 | 23 | 55 |
| 80-84 | 139 | 9.1 | 120 | 1 | 1 | 6 | 13 | 22 | 27 | 55 |
| 85+ | 99 | 7.6 | 54 | 1 | 1 | 5 | 10 | 19 | 23 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1944 | 12.3 | 119 | 2 | 2 | 9 | 17 | 26 | 34 | 57 |
| 70-74 | 1915 | 13.5 | 139 | 2 | 2 | 10 | 18 | 29 | 37 | 60 |
| 75-79 | 1691 | 15.0 | 150 | 2 | 3 | 12 | 21 | 31 | 40 | 66 |
| 80-84 | 1398 | 16.0 | 158 | 3 | 4 | 13 | 21 | 32 | 41 | 64 |
| 85+ | 1232 | 16.9 | 162 | 3 | 5 | 14 | 22 | 33 | 44 | 73 |
| TOT. SINGLE DX | 1325 | 6.2 | 73 | 1 | 1 | 3 | 8 | 16 | 22 | 44 |
| " MULTIPLE DX | 8180 | 14.5 | 146 | 2 | 3 | 11 | 19 | 30 | 39 | 63 |
| TOTAL 65-69 YRS | 2445 | 10.8 | 114 | 1 | 2 | 8 | 15 | 24 | 32 | 55 |
| 70-74 | 2268 | 12.4 | 137 | 1 | 2 | 9 | 16 | 27 | 36 | 58 |
| 75-79 | 1924 | 14.0 | 150 | 2 | 2 | 11 | 19 | 30 | 39 | 61 |
| 80-84 | 1537 | 15.4 | 159 | 2 | 3 | 12 | 20 | 31 | 40 | 64 |
| 85+ | 1331 | 16.2 | 160 | 2 | 4 | 13 | 21 | 33 | 42 | 70 |
| GRAND TOTAL | 9505 | 13.3 | 144 | 2 | 2 | 10 | 18 | 29 | 37 | 61 |

## 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 496 | 6.0 | 26 | 2 | 3 | 5 | 7 | 10 | 13 | 28 |
| 70-74 | 224 | 7.0 | 42 | 2 | 3 | 5 | 8 | 13 | 18 | 40 |
| 75-79 | 95 | 9.1 | 81 | 2 | 3 | 6 | 11 | 17 | 29 | 52 |
| 80-84 | 33 | 6.8 | 20 | 2 | 3 | 6 | 8 | 13 | 18 | 21 |
| 85+ | 15 | 11.9 | 167 | 1 | 3 | 8 | 17 | 25 | 44 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 440 | 9.3 | 59 | 3 | 3 | 7 | 12 | 18 | 25 | 38 |
| 70-74 | 246 | 11.6 | 125 | 3 | 4 | 8 | 15 | 21 | 34 | 55 |
| 75-79 | 140 | 15.0 | 166 | 3 | 3 | 11 | 20 | 30 | 38 | 58 |
| 80-84 | 69 | 16.1 | 153 | 3 | 4 | 13 | 23 | 37 | 40 | 53 |
| 85+ | 34 | 20.1 | 220 | 4 | 6 | 18 | 25 | 35 | 40 | 80 |
| TOT. SINGLE DX | 863 | 6.7 | 40 | 2 | 3 | 5 | 7 | 12 | 17 | 37 |
| " MULTIPLE DX | 929 | 11.7 | 113 | 3 | 3 | 8 | 15 | 24 | 34 | 53 |
| TOTAL 65-69 YRS | 936 | 7.5 | 44 | 2 | 3 | 5 | 9 | 15 | 20 | 37 |
| 70-74 | 470 | 9.4 | 91 | 2 | 3 | 6 | 11 | 19 | 25 | 51 |
| 75-79 | 235 | 12.6 | 140 | 3 | 3 | 9 | 16 | 28 | 35 | 55 |
| 80-84 | 102 | 13.1 | 129 | 3 | 3 | 9 | 18 | 29 | 39 | 52 |
| 85+ | 49 | 17.6 | 215 | 3 | 4 | 15 | 24 | 34 | 41 | 80 |
| GRAND TOTAL | 1792 | 9.3 | 84 | 2 | 3 | 6 | 11 | 19 | 27 | 50 |

## 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 750 | 12.5 | 57 | 3 | 6 | 11 | 15 | 20 | 24 | 46 |
| 70-74 | 489 | 13.8 | 110 | 3 | 5 | 12 | 15 | 24 | 31 | 60 |
| 75-79 | 321 | 13.9 | 53 | 4 | 6 | 13 | 17 | 22 | 28 | 39 |
| 80-84 | 130 | 14.1 | 34 | 6 | 7 | 14 | 17 | 21 | 23 | 35 |
| 85+ | 53 | 17.9 | 80 | 6 | 8 | 16 | 24 | 30 | 36 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2891 | 18.8 | 185 | 6 | 8 | 15 | 22 | 35 | 47 | 84 |
| 70-74 | 2371 | 20.0 | 208 | 6 | 8 | 16 | 24 | 40 | 55 | 99+ |
| 75-79 | 1436 | 21.6 | 201 | 7 | 9 | 18 | 27 | 42 | 54 | 82 |
| 80-84 | 699 | 23.9 | 239 | 7 | 10 | 20 | 30 | 46 | 66 | 99+ |
| 85+ | 315 | 24.3 | 195 | 10 | 11 | 20 | 29 | 43 | 54 | 75 |
| TOT. SINGLE DX | 1743 | 13.4 | 71 | 4 | 6 | 12 | 16 | 22 | 28 | 46 |
| " MULTIPLE DX | 7712 | 20.4 | 204 | 6 | 8 | 16 | 25 | 39 | 52 | 89 |
| TOTAL 65-69 YRS | 3641 | 17.5 | 166 | 5 | 7 | 14 | 21 | 32 | 44 | 80 |
| 70-74 | 2860 | 18.9 | 197 | 5 | 8 | 15 | 22 | 37 | 51 | 96 |
| 75-79 | 1757 | 20.2 | 183 | 6 | 8 | 16 | 25 | 38 | 50 | 80 |
| 80-84 | 829 | 22.4 | 220 | 7 | 9 | 18 | 28 | 42 | 57 | 99+ |
| 85+ | 368 | 23.3 | 184 | 9 | 11 | 20 | 28 | 41 | 52 | 74 |
| GRAND TOTAL | 9455 | 19.1 | 187 | 6 | 8 | 15 | 23 | 36 | 49 | 86 |

## 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 3 | 16.0 | 49 | 8 | 8 | 19 | 20 | 21 | 21 | 21 |
| 70-74 | 8 | 23.0 | 113 | 9 | 10 | 21 | 33 | 36 | 37 | 37 |
| 75-79 | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 14 | 16.9 | 191 | 8 | 8 | 13 | 21 | 61 | 90 | 99+ |
| 70-74 | 7 | 22.9 | 510 | 9 | 9 | 15 | 21 | 63 | 73 | 73 |
| 75-79 | 4 | 16.8 | 75 | 9 | 9 | 14 | 22 | 29 | 29 | 29 |
| 80-84 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 12 | 20.8 | 92 | 8 | 9 | 19 | 28 | 35 | 37 | 37 |
| " MULTIPLE DX | 26 | 18.5 | 238 | 8 | 9 | 14 | 21 | 55 | 77 | 99+ |
| TOTAL 65-69 YRS | 17 | 16.8 | 162 | 8 | 8 | 13 | 21 | 51 | 84 | 99+ |
| 70-74 | 15 | 22.9 | 276 | 9 | 9 | 18 | 31 | 37 | 64 | 73 |
| 75-79 | 5 | 17.0 | 57 | 9 | 9 | 16 | 21 | 29 | 29 | 29 |
| 80-84 | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 38 | 19.2 | 190 | 8 | 9 | 16 | 22 | 36 | 68 | 99+ |

## 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 40 | 5.9 | 35 | <1 | 1 | 4 | 7 | 15 | 20 | 26 |
| 70-74 | 68 | 5.0 | 28 | <1 | <1 | 3 | 7 | 12 | 15 | 26 |
| 75-79 | 23 | 10.7 | 82 | 1 | 1 | 8 | 17 | 25 | 28 | 30 |
| 80-84 | 11 | 5.2 | 58 | <1 | <1 | 2 | 4 | 17 | 26 | 27 |
| 85+ | 3 | 28.0 | 421 | 8 | 8 | 27 | 43 | 49 | 49 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1322 | 9.5 | 118 | 1 | 2 | 7 | 11 | 20 | 29 | 68 |
| 70-74 | 817 | 10.0 | 140 | 1 | 2 | 7 | 12 | 21 | 32 | 74 |
| 75-79 | 466 | 11.0 | 135 | 1 | 2 | 8 | 13 | 24 | 35 | 64 |
| 80-84 | 180 | 10.7 | 132 | <1 | 2 | 7 | 14 | 22 | 31 | 69 |
| 85+ | 48 | 10.6 | 128 | 2 | 3 | 7 | 11 | 26 | 31 | 63 |
| TOT. SINGLE DX | 145 | 6.7 | 59 | <1 | <1 | 4 | 8 | 16 | 24 | 31 |
| " MULTIPLE DX | 2833 | 10.0 | 129 | 1 | 2 | 7 | 12 | 21 | 31 | 71 |
| TOTAL 65-69 YRS | 1362 | 9.4 | 117 | 1 | 2 | 6 | 11 | 20 | 29 | 67 |
| 70-74 | 885 | 9.6 | 134 | 1 | 2 | 6 | 11 | 21 | 31 | 72 |
| 75-79 | 489 | 11.0 | 133 | 1 | 2 | 8 | 13 | 24 | 34 | 62 |
| 80-84 | 191 | 10.4 | 129 | <1 | 1 | 7 | 14 | 22 | 29 | 68 |
| 85+ | 51 | 11.6 | 154 | 2 | 3 | 7 | 13 | 29 | 36 | 63 |
| GRAND TOTAL | 2978 | 9.8 | 126 | 1 | 2 | 7 | 12 | 21 | 31 | 70 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2160 | 10.0 | 45 | 2 | 4 | 9 | 12 | 17 | 22 | 35 |
| 70-74 | 1754 | 10.5 | 55 | 2 | 4 | 9 | 13 | 19 | 24 | 37 |
| 75-79 | 1197 | 10.9 | 55 | 3 | 4 | 9 | 14 | 19 | 24 | 40 |
| 80-84 | 516 | 11.4 | 54 | 2 | 3 | 9 | 15 | 21 | 24 | 36 |
| 85+ | 236 | 11.8 | 117 | 2 | 3 | 9 | 15 | 22 | 28 | 71 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 7602 | 15.1 | 159 | 3 | 4 | 12 | 18 | 29 | 40 | 76 |
| 70-74 | 6615 | 16.4 | 160 | 4 | 5 | 13 | 20 | 32 | 43 | 73 |
| 75-79 | 4599 | 17.2 | 182 | 4 | 5 | 14 | 22 | 34 | 46 | 83 |
| 80-84 | 2079 | 18.3 | 179 | 4 | 6 | 15 | 24 | 37 | 48 | 96 |
| 85+ | 1237 | 19.3 | 214 | 4 | 6 | 15 | 25 | 40 | 51 | 93 |
| TOT. SINGLE DX | 5863 | 10.5 | 54 | 2 | 4 | 9 | 13 | 19 | 23 | 38 |
| " MULTIPLE DX | 22132 | 16.5 | 171 | 4 | 5 | 13 | 21 | 33 | 44 | 79 |
| TOTAL 65-69 YRS | 9762 | 14.0 | 139 | 3 | 4 | 11 | 17 | 27 | 37 | 70 |
| 70-74 | 8369 | 15.1 | 144 | 3 | 5 | 12 | 19 | 29 | 39 | 70 |
| 75-79 | 5796 | 15.9 | 163 | 3 | 5 | 13 | 20 | 32 | 42 | 77 |
| 80-84 | 2595 | 16.9 | 163 | 3 | 5 | 14 | 22 | 34 | 45 | 81 |
| 85+ | 1473 | 18.1 | 206 | 3 | 5 | 15 | 23 | 36 | 48 | 91 |
| GRAND TOTAL | 27995 | 15.2 | 153 | 3 | 5 | 12 | 19 | 30 | 40 | 74 |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 598 | 7.0 | 36 | 1 | 2 | 5 | 10 | 15 | 18 | 28 |
| 70-74 | 401 | 7.3 | 43 | 1 | 2 | 5 | 10 | 15 | 20 | 31 |
| 75-79 | 248 | 8.6 | 100 | 1 | 2 | 5 | 11 | 19 | 26 | 52 |
| 80-84 | 130 | 7.9 | 50 | 1 | 2 | 5 | 11 | 18 | 25 | 46 |
| 85+ | 68 | 8.6 | 49 | 1 | 2 | 7 | 11 | 18 | 23 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1356 | 12.2 | 115 | 2 | 3 | 10 | 16 | 25 | 31 | 61 |
| 70-74 | 1174 | 13.2 | 146 | 2 | 3 | 10 | 17 | 26 | 35 | 70 |
| 75-79 | 769 | 13.5 | 171 | 2 | 3 | 10 | 17 | 28 | 42 | 69 |
| 80-84 | 457 | 13.9 | 153 | 3 | 4 | 10 | 17 | 27 | 38 | 69 |
| 85+ | 271 | 15.1 | 167 | 2 | 4 | 12 | 20 | 30 | 40 | 77 |
| TOT. SINGLE DX | 1445 | 7.5 | 52 | 1 | 2 | 5 | 10 | 16 | 21 | 33 |
| " MULTIPLE DX | 4027 | 13.1 | 144 | 2 | 3 | 10 | 17 | 26 | 36 | 68 |
| TOTAL 65-69 YRS | 1954 | 10.6 | 97 | 2 | 2 | 8 | 14 | 22 | 28 | 55 |
| 70-74 | 1575 | 11.7 | 127 | 2 | 2 | 9 | 15 | 24 | 32 | 64 |
| 75-79 | 1017 | 12.3 | 158 | 2 | 2 | 9 | 16 | 26 | 38 | 66 |
| 80-84 | 587 | 12.5 | 136 | 2 | 3 | 10 | 15 | 25 | 33 | 68 |
| 85+ | 339 | 13.8 | 150 | 2 | 3 | 10 | 19 | 27 | 39 | 73 |
| GRAND TOTAL | 5472 | 11.6 | 125 | 2 | 2 | 9 | 15 | 24 | 31 | 63 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 137 | 10.3 | 86 | 2 | 3 | 8 | 12 | 19 | 26 | 46 |
| 70-74 | 74 | 9.8 | 51 | 2 | 4 | 8 | 12 | 18 | 21 | 45 |
| 75-79 | 49 | 13.0 | 84 | 4 | 5 | 10 | 16 | 27 | 33 | 47 |
| 80-84 | 15 | 15.1 | 89 | 4 | 6 | 14 | 19 | 27 | 35 | 38 |
| 85+ | 10 | 9.8 | 37 | 4 | 4 | 7 | 15 | 19 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 338 | 13.5 | 143 | 3 | 5 | 10 | 16 | 26 | 36 | 82 |
| 70-74 | 244 | 14.8 | 127 | 3 | 5 | 11 | 18 | 32 | 40 | 56 |
| 75-79 | 163 | 15.5 | 185 | 5 | 5 | 12 | 18 | 32 | 43 | 88 |
| 80-84 | 96 | 15.9 | 196 | 3 | 5 | 13 | 21 | 32 | 40 | 95 |
| 85+ | 43 | 12.8 | 125 | 4 | 5 | 10 | 15 | 21 | 37 | 65 |
| TOT. SINGLE DX | 285 | 10.9 | 77 | 3 | 4 | 8 | 13 | 20 | 27 | 45 |
| " MULTIPLE DX | 884 | 14.5 | 152 | 3 | 5 | 11 | 18 | 30 | 40 | 82 |
| TOTAL 65-69 YRS | 475 | 12.6 | 129 | 3 | 4 | 9 | 15 | 24 | 35 | 79 |
| 70-74 | 318 | 13.6 | 114 | 3 | 4 | 10 | 17 | 30 | 37 | 55 |
| 75-79 | 212 | 14.9 | 163 | 4 | 5 | 11 | 18 | 30 | 39 | 86 |
| 80-84 | 111 | 15.8 | 181 | 3 | 5 | 13 | 20 | 32 | 40 | 93 |
| 85+ | 53 | 12.2 | 110 | 4 | 5 | 9 | 15 | 20 | 33 | 64 |
| GRAND TOTAL | 1169 | 13.6 | 136 | 3 | 4 | 10 | 17 | 27 | 36 | 74 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 70-74 | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 70-74 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 3 | 6.3 | 34 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |
| " MULTIPLE DX | 4 | 6.3 | 19 | 2 | 2 | 5 | 9 | 12 | 12 | 12 |
| TOTAL 65-69 YRS | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 70-74 | 3 | 6.3 | 34 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |
| 75-79 | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 7 | 6.3 | 21 | 2 | 2 | 4 | 11 | 13 | 13 | 13 |

### 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| TOTAL 65-69 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |

### 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 604 | 10.4 | 83 | 2 | 3 | 8 | 13 | 21 | 29 | 45 |
| 70-74 | 610 | 10.5 | 85 | 2 | 3 | 8 | 13 | 20 | 28 | 50 |
| 75-79 | 440 | 10.6 | 82 | 2 | 3 | 8 | 13 | 22 | 29 | 47 |
| 80-84 | 274 | 11.7 | 107 | 2 | 3 | 9 | 14 | 22 | 32 | 57 |
| 85+ | 201 | 10.4 | 50 | 2 | 3 | 9 | 14 | 19 | 22 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 3754 | 14.2 | 130 | 3 | 4 | 11 | 18 | 27 | 38 | 64 |
| 70-74 | 4016 | 14.9 | 147 | 3 | 4 | 12 | 19 | 30 | 41 | 80 |
| 75-79 | 3916 | 15.4 | 144 | 4 | 5 | 12 | 19 | 30 | 40 | 70 |
| 80-84 | 2851 | 15.8 | 153 | 4 | 5 | 13 | 20 | 30 | 40 | 77 |
| 85+ | 2167 | 16.2 | 151 | 4 | 5 | 13 | 20 | 31 | 42 | 81 |
| TOT. SINGLE DX | 2129 | 10.7 | 84 | 2 | 3 | 8 | 13 | 21 | 28 | 49 |
| " MULTIPLE DX | 16704 | 15.2 | 145 | 3 | 5 | 12 | 19 | 30 | 40 | 74 |
| TOTAL 65-69 YRS | 4358 | 13.7 | 126 | 3 | 4 | 11 | 17 | 27 | 37 | 62 |
| 70-74 | 4626 | 14.3 | 142 | 3 | 4 | 11 | 18 | 29 | 40 | 77 |
| 75-79 | 4356 | 14.9 | 140 | 3 | 4 | 12 | 19 | 30 | 39 | 69 |
| 80-84 | 3125 | 15.4 | 151 | 4 | 5 | 12 | 19 | 29 | 40 | 75 |
| 85+ | 2368 | 15.7 | 146 | 4 | 5 | 13 | 20 | 30 | 41 | 78 |
| GRAND TOTAL | 18833 | 14.7 | 140 | 3 | 4 | 12 | 18 | 29 | 39 | 71 |

### 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 34 | 17.6 | 328 | 1 | 2 | 9 | 27 | 46 | 56 | 75 |
| 70-74 | 24 | 16.4 | 345 | 1 | 3 | 12 | 18 | 42 | 65 | 77 |
| 75-79 | 28 | 14.4 | 184 | 2 | 2 | 13 | 18 | 31 | 41 | 64 |
| 80-84 | 5 | 7.6 | 37 | 2 | 2 | 5 | 13 | 16 | 16 | 16 |
| 85+ | 8 | 20.9 | 576 | 1 | 1 | 10 | 34 | 61 | 70 | 70 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 364 | 18.6 | 247 | 2 | 4 | 14 | 25 | 40 | 52 | 89 |
| 70-74 | 287 | 20.5 | 262 | 3 | 5 | 16 | 28 | 43 | 51 | 77 |
| 75-79 | 238 | 20.0 | 237 | 5 | 6 | 16 | 26 | 41 | 54 | 77 |
| 80-84 | 136 | 23.7 | 315 | 4 | 6 | 18 | 34 | 46 | 56 | 86 |
| 85+ | 110 | 23.4 | 316 | 5 | 7 | 19 | 30 | 41 | 59 | 92 |
| TOT. SINGLE DX | 99 | 16.2 | 292 | 1 | 2 | 11 | 20 | 39 | 59 | 76 |
| " MULTIPLE DX | 1135 | 20.5 | 266 | 3 | 5 | 16 | 27 | 42 | 53 | 82 |
| TOTAL 65-69 YRS | 398 | 18.5 | 254 | 2 | 4 | 14 | 25 | 40 | 52 | 86 |
| 70-74 | 311 | 20.2 | 269 | 3 | 4 | 15 | 27 | 43 | 52 | 79 |
| 75-79 | 266 | 19.4 | 234 | 4 | 5 | 16 | 25 | 40 | 54 | 75 |
| 80-84 | 141 | 23.1 | 314 | 3 | 5 | 17 | 34 | 46 | 56 | 85 |
| 85+ | 118 | 23.2 | 330 | 4 | 6 | 19 | 30 | 42 | 66 | 92 |
| GRAND TOTAL | 1234 | 20.1 | 269 | 3 | 5 | 16 | 27 | 42 | 54 | 81 |

### 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 328 | 8.1 | 79 | 1 | 1 | 5 | 10 | 20 | 26 | 43 |
| 70-74 | 322 | 8.2 | 90 | 1 | 1 | 5 | 10 | 19 | 28 | 48 |
| 75-79 | 221 | 6.5 | 44 | 1 | 2 | 5 | 9 | 14 | 18 | 28 |
| 80-84 | 149 | 8.4 | 82 | 1 | 1 | 6 | 11 | 18 | 25 | 45 |
| 85+ | 100 | 8.3 | 126 | <1 | 1 | 5 | 9 | 15 | 39 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1370 | 11.8 | 126 | 2 | 2 | 9 | 15 | 26 | 36 | 57 |
| 70-74 | 1326 | 12.1 | 142 | 2 | 2 | 9 | 15 | 25 | 35 | 67 |
| 75-79 | 1164 | 12.7 | 152 | 2 | 2 | 9 | 16 | 28 | 38 | 72 |
| 80-84 | 718 | 13.2 | 144 | 2 | 3 | 9 | 17 | 28 | 37 | 65 |
| 85+ | 515 | 14.4 | 182 | 2 | 3 | 11 | 18 | 29 | 44 | 78 |
| TOT. SINGLE DX | 1120 | 7.9 | 80 | 1 | 1 | 5 | 10 | 18 | 24 | 47 |
| " MULTIPLE DX | 5093 | 12.5 | 145 | 2 | 2 | 9 | 16 | 27 | 37 | 66 |
| TOTAL 65-69 YRS | 1698 | 11.1 | 120 | 1 | 2 | 8 | 14 | 24 | 34 | 55 |
| 70-74 | 1648 | 11.3 | 135 | 2 | 2 | 8 | 14 | 24 | 34 | 65 |
| 75-79 | 1385 | 11.7 | 140 | 2 | 2 | 8 | 14 | 27 | 35 | 65 |
| 80-84 | 867 | 12.4 | 137 | 2 | 2 | 9 | 16 | 26 | 36 | 60 |
| 85+ | 615 | 13.4 | 178 | 2 | 2 | 10 | 17 | 29 | 44 | 74 |
| GRAND TOTAL | 6213 | 11.7 | 137 | 2 | 2 | 8 | 15 | 25 | 35 | 63 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 10 | 15.0 | 39 | 7 | 8 | 14 | 17 | 25 | 27 | 27 |
| 70-74 | 11 | 16.5 | 50 | 5 | 7 | 15 | 22 | 25 | 29 | 29 |
| 75-79 | 6 | 19.0 | 34 | 11 | 11 | 18 | 24 | 27 | 27 | 27 |
| 80-84 | 4 | 15.3 | 101 | 4 | 4 | 14 | 22 | 28 | 28 | 28 |
| 85+ | 4 | 28.0 | 342 | 4 | 4 | 29 | 40 | 49 | 49 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 40 | 21.3 | 366 | 8 | 8 | 14 | 23 | 39 | 72 | 90 |
| 70-74 | 30 | 21.5 | 348 | 8 | 8 | 16 | 24 | 37 | 70 | 94 |
| 75-79 | 33 | 22.5 | 200 | 6 | 9 | 21 | 27 | 46 | 55 | 60 |
| 80-84 | 17 | 21.8 | 102 | 6 | 12 | 19 | 27 | 39 | 41 | 42 |
| 85+ | 18 | 31.4 | 548 | 8 | 10 | 22 | 44 | 70 | 83 | 89 |
| TOT. SINGLE DX | 35 | 17.7 | 85 | 4 | 7 | 15 | 24 | 28 | 30 | 49 |
| " MULTIPLE DX | 138 | 23.0 | 316 | 8 | 9 | 18 | 25 | 44 | 60 | 91 |
| TOTAL 65-69 YRS | 50 | 20.0 | 305 | 8 | 8 | 14 | 23 | 36 | 55 | 90 |
| 70-74 | 41 | 20.2 | 271 | 7 | 8 | 15 | 23 | 29 | 57 | 94 |
| 75-79 | 39 | 22.0 | 175 | 6 | 9 | 19 | 25 | 40 | 55 | 60 |
| 80-84 | 21 | 20.6 | 104 | 4 | 8 | 19 | 27 | 36 | 41 | 42 |
| 85+ | 22 | 30.8 | 495 | 6 | 9 | 23 | 44 | 64 | 81 | 89 |
| GRAND TOTAL | 173 | 21.9 | 273 | 7 | 9 | 17 | 25 | 41 | 55 | 90 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 35 | 15.9 | 124 | 3 | 5 | 14 | 22 | 30 | 50 | 99+ |
| 70-74 | 32 | 23.5 | 256 | 7 | 7 | 20 | 38 | 58 | 94 | 99+ |
| 75-79 | 43 | 19.7 | 330 | 4 | 6 | 13 | 27 | 56 | 94 | 99+ |
| 80-84 | 22 | 17.7 | 227 | 5 | 6 | 13 | 20 | 51 | 75 | 99+ |
| 85+ | 23 | 16.8 | 263 | 4 | 6 | 10 | 21 | 31 | 54 | 79 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 268 | 28.0 | 355 | 7 | 9 | 24 | 39 | 67 | 85 | 99+ |
| 70-74 | 324 | 27.5 | 374 | 6 | 8 | 24 | 40 | 66 | 99 | 99+ |
| 75-79 | 334 | 29.8 | 388 | 6 | 9 | 26 | 43 | 68 | 87 | 99+ |
| 80-84 | 293 | 27.9 | 408 | 6 | 9 | 24 | 42 | 74 | 99+ | 99+ |
| 85+ | 386 | 27.2 | 298 | 5 | 8 | 25 | 39 | 56 | 70 | 99+ |
| TOT. SINGLE DX | 155 | 18.9 | 246 | 5 | 6 | 15 | 26 | 47 | 75 | 99+ |
| " MULTIPLE DX | 1605 | 28.1 | 362 | 6 | 8 | 25 | 41 | 65 | 90 | 99+ |
| TOTAL 65-69 YRS | 303 | 26.6 | 343 | 6 | 8 | 22 | 37 | 64 | 84 | 99+ |
| 70-74 | 356 | 27.1 | 364 | 6 | 8 | 23 | 40 | 65 | 99 | 99+ |
| 75-79 | 377 | 28.7 | 391 | 5 | 8 | 25 | 42 | 66 | 90 | 99+ |
| 80-84 | 315 | 27.1 | 402 | 6 | 8 | 23 | 42 | 73 | 99+ | 99+ |
| 85+ | 409 | 26.6 | 302 | 5 | 8 | 23 | 39 | 56 | 70 | 99+ |
| GRAND TOTAL | 1760 | 27.3 | 359 | 6 | 8 | 23 | 40 | 64 | 88 | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 360 | 7.2 | 28 | 1 | 2 | 6 | 9 | 13 | 17 | 27 |
| 70-74 | 348 | 7.5 | 32 | 1 | 1 | 6 | 10 | 14 | 18 | 29 |
| 75-79 | 257 | 7.7 | 39 | <1 | 1 | 6 | 10 | 16 | 21 | 33 |
| 80-84 | 169 | 9.2 | 43 | 1 | 2 | 8 | 12 | 17 | 22 | 31 |
| 85+ | 100 | 10.4 | 83 | 2 | 3 | 8 | 12 | 16 | 23 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2599 | 11.6 | 83 | 3 | 4 | 9 | 14 | 22 | 29 | 49 |
| 70-74 | 2531 | 12.2 | 83 | 3 | 4 | 10 | 15 | 23 | 30 | 47 |
| 75-79 | 2255 | 13.0 | 102 | 3 | 4 | 10 | 16 | 24 | 32 | 56 |
| 80-84 | 1504 | 14.2 | 124 | 3 | 5 | 11 | 17 | 27 | 37 | 65 |
| 85+ | 1145 | 14.9 | 136 | 4 | 5 | 12 | 19 | 28 | 37 | 77 |
| TOT. SINGLE DX | 1234 | 7.9 | 39 | 1 | 2 | 7 | 10 | 15 | 19 | 30 |
| " MULTIPLE DX | 10034 | 12.8 | 101 | 3 | 4 | 10 | 16 | 24 | 32 | 56 |
| TOTAL 65-69 YRS | 2959 | 11.0 | 79 | 2 | 3 | 9 | 13 | 21 | 27 | 48 |
| 70-74 | 2879 | 11.6 | 79 | 2 | 4 | 9 | 14 | 22 | 29 | 46 |
| 75-79 | 2512 | 12.5 | 98 | 2 | 4 | 10 | 16 | 24 | 31 | 55 |
| 80-84 | 1673 | 13.7 | 119 | 3 | 4 | 11 | 16 | 26 | 34 | 60 |
| 85+ | 1245 | 14.6 | 134 | 4 | 5 | 11 | 18 | 28 | 37 | 77 |
| GRAND TOTAL | 11268 | 12.3 | 97 | 3 | 4 | 10 | 15 | 23 | 30 | 54 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 217 | 16.2 | 71 | 8 | 9 | 14 | 19 | 26 | 30 | 53 |
| 70-74 | 186 | 18.5 | 118 | 9 | 10 | 16 | 21 | 30 | 40 | 65 |
| 75-79 | 108 | 17.6 | 68 | 9 | 10 | 16 | 20 | 27 | 31 | 52 |
| 80-84 | 61 | 21.6 | 144 | 11 | 12 | 20 | 24 | 32 | 42 | 76 |
| 85+ | 33 | 22.5 | 91 | 11 | 11 | 21 | 29 | 35 | 40 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 791 | 23.4 | 231 | 9 | 10 | 19 | 28 | 45 | 60 | 94 |
| 70-74 | 697 | 24.5 | 233 | 9 | 11 | 20 | 30 | 46 | 59 | 91 |
| 75-79 | 592 | 25.5 | 220 | 11 | 12 | 21 | 31 | 47 | 62 | 89 |
| 80-84 | 355 | 26.9 | 209 | 10 | 13 | 24 | 33 | 46 | 59 | 99+ |
| 85+ | 203 | 28.9 | 210 | 13 | 14 | 27 | 36 | 51 | 72 | 99+ |
| TOT. SINGLE DX | 605 | 18.0 | 97 | 9 | 10 | 16 | 21 | 28 | 34 | 63 |
| " MULTIPLE DX | 2638 | 25.0 | 227 | 10 | 11 | 21 | 31 | 46 | 60 | 96 |
| TOTAL 65-69 YRS | 1008 | 21.8 | 205 | 9 | 10 | 17 | 26 | 39 | 57 | 91 |
| 70-74 | 883 | 23.2 | 215 | 9 | 10 | 19 | 28 | 43 | 57 | 88 |
| 75-79 | 700 | 24.2 | 205 | 10 | 11 | 20 | 30 | 43 | 58 | 85 |
| 80-84 | 416 | 26.1 | 203 | 11 | 13 | 23 | 31 | 45 | 58 | 99 |
| 85+ | 236 | 28.0 | 199 | 12 | 14 | 25 | 34 | 49 | 61 | 99+ |
| GRAND TOTAL | 3243 | 23.7 | 210 | 9 | 11 | 20 | 29 | 43 | 58 | 92 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 31 | 21.3 | 151 | 11 | 12 | 18 | 25 | 29 | 35 | 78 |
| 70-74 | 36 | 23.6 | 121 | 12 | 13 | 20 | 30 | 37 | 57 | 99+ |
| 75-79 | 25 | 22.8 | 65 | 12 | 14 | 22 | 26 | 33 | 38 | 50 |
| 80-84 | 9 | 22.8 | 56 | 12 | 13 | 23 | 29 | 31 | 33 | 33 |
| 85+ | 2 | 20.0 | 72 | 14 | 14 | 20 | 26 | 26 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 132 | 28.1 | 255 | 12 | 14 | 24 | 33 | 48 | 56 | 92 |
| 70-74 | 108 | 28.9 | 219 | 12 | 14 | 25 | 37 | 51 | 66 | 99+ |
| 75-79 | 111 | 28.7 | 219 | 11 | 13 | 25 | 36 | 46 | 65 | 79 |
| 80-84 | 26 | 26.3 | 152 | 12 | 17 | 23 | 34 | 39 | 47 | 71 |
| 85+ | 12 | 31.0 | 220 | 13 | 16 | 25 | 42 | 56 | 56 | 56 |
| TOT. SINGLE DX | 103 | 22.6 | 108 | 12 | 13 | 21 | 27 | 34 | 41 | 88 |
| " MULTIPLE DX | 389 | 28.4 | 226 | 12 | 14 | 24 | 35 | 48 | 64 | 93 |
| TOTAL 65-69 YRS | 163 | 26.8 | 242 | 12 | 14 | 23 | 31 | 46 | 53 | 90 |
| 70-74 | 144 | 27.5 | 199 | 12 | 14 | 24 | 34 | 49 | 64 | 99+ |
| 75-79 | 136 | 27.6 | 196 | 12 | 13 | 24 | 33 | 42 | 55 | 75 |
| 80-84 | 35 | 25.4 | 128 | 12 | 14 | 23 | 29 | 39 | 41 | 71 |
| 85+ | 14 | 29.4 | 208 | 12 | 14 | 25 | 42 | 56 | 56 | 56 |
| GRAND TOTAL | 492 | 27.2 | 207 | 12 | 14 | 23 | 33 | 45 | 57 | 93 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 72 | 15.3 | 89 | 6 | 7 | 13 | 18 | 23 | 39 | 52 |
| 70-74 | 61 | 15.7 | 67 | 8 | 8 | 14 | 18 | 26 | 33 | 49 |
| 75-79 | 35 | 17.0 | 59 | 9 | 10 | 15 | 20 | 29 | 34 | 38 |
| 80-84 | 27 | 15.3 | 26 | 9 | 10 | 15 | 17 | 22 | 41 | 99+ |
| 85+ | 7 | 27.4 | 124 | 9 | 11 | 30 | 37 | 39 | 39 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 237 | 19.9 | 156 | 8 | 9 | 16 | 23 | 39 | 50 | 99+ |
| 70-74 | 211 | 21.1 | 144 | 8 | 10 | 18 | 24 | 38 | 47 | 66 |
| 75-79 | 145 | 21.8 | 121 | 10 | 11 | 19 | 27 | 37 | 50 | 99+ |
| 80-84 | 95 | 25.9 | 252 | 10 | 12 | 22 | 33 | 40 | 50 | 95 |
| 85+ | 47 | 24.2 | 157 | 11 | 11 | 19 | 30 | 43 | 49 | 67 |
| TOT. SINGLE DX | 202 | 16.1 | 74 | 7 | 8 | 14 | 19 | 27 | 37 | 51 |
| " MULTIPLE DX | 735 | 21.7 | 162 | 9 | 10 | 18 | 26 | 39 | 49 | 85 |
| TOTAL 65-69 YRS | 309 | 18.9 | 145 | 7 | 9 | 16 | 22 | 37 | 48 | 88 |
| 70-74 | 272 | 19.9 | 132 | 8 | 9 | 17 | 24 | 35 | 45 | 63 |
| 75-79 | 180 | 20.9 | 113 | 10 | 11 | 18 | 26 | 35 | 47 | 87 |
| 80-84 | 122 | 23.5 | 221 | 10 | 11 | 19 | 29 | 38 | 50 | 98 |
| 85+ | 54 | 24.6 | 152 | 10 | 11 | 20 | 31 | 42 | 48 | 66 |
| GRAND TOTAL | 937 | 20.5 | 148 | 8 | 10 | 17 | 24 | 37 | 47 | 81 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 184 | 13.0 | 68 | 6 | 7 | 10 | 16 | 23 | 29 | 49 |
| 70-74 | 138 | 15.4 | 106 | 6 | 7 | 12 | 19 | 26 | 35 | 66 |
| 75-79 | 103 | 14.7 | 71 | 7 | 8 | 13 | 18 | 23 | 30 | 52 |
| 80-84 | 65 | 14.8 | 62 | 5 | 6 | 13 | 17 | 25 | 33 | 39 |
| 85+ | 64 | 18.7 | 148 | 5 | 8 | 16 | 23 | 33 | 41 | 67 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 662 | 20.4 | 245 | 7 | 8 | 15 | 24 | 41 | 55 | 91 |
| 70-74 | 590 | 21.8 | 206 | 8 | 9 | 18 | 27 | 40 | 56 | 84 |
| 75-79 | 485 | 23.0 | 214 | 8 | 10 | 19 | 29 | 45 | 54 | 86 |
| 80-84 | 309 | 26.4 | 290 | 8 | 10 | 22 | 35 | 50 | 64 | 94 |
| 85+ | 266 | 24.6 | 209 | 9 | 11 | 21 | 31 | 44 | 54 | 87 |
| TOT. SINGLE DX | 554 | 14.8 | 89 | 6 | 7 | 12 | 17 | 26 | 32 | 56 |
| " MULTIPLE DX | 2312 | 22.6 | 234 | 8 | 9 | 18 | 29 | 44 | 57 | 88 |
| TOTAL 65-69 YRS | 846 | 18.8 | 216 | 6 | 7 | 14 | 23 | 37 | 51 | 86 |
| 70-74 | 728 | 20.6 | 193 | 7 | 8 | 16 | 25 | 38 | 54 | 78 |
| 75-79 | 588 | 21.6 | 199 | 8 | 9 | 17 | 27 | 40 | 53 | 83 |
| 80-84 | 374 | 24.4 | 270 | 8 | 9 | 19 | 33 | 48 | 62 | 93 |
| 85+ | 330 | 23.5 | 203 | 8 | 10 | 19 | 30 | 42 | 53 | 86 |
| GRAND TOTAL | 2866 | 21.1 | 216 | 7 | 8 | 17 | 26 | 41 | 54 | 86 |

## 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 961 | 4.6 | 25 | 1 | 1 | 2 | 6 | 11 | 15 | 24 |
| 70-74 | 838 | 4.8 | 29 | 1 | 1 | 2 | 6 | 11 | 16 | 26 |
| 75-79 | 535 | 5.8 | 52 | 1 | 1 | 3 | 7 | 14 | 20 | 31 |
| 80-84 | 322 | 6.3 | 55 | 1 | 1 | 3 | 8 | 14 | 20 | 35 |
| 85+ | 154 | 7.7 | 53 | 1 | 1 | 4 | 11 | 17 | 23 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 3023 | 10.1 | 94 | 1 | 2 | 8 | 13 | 21 | 28 | 49 |
| 70-74 | 3092 | 10.9 | 99 | 1 | 2 | 9 | 14 | 22 | 30 | 56 |
| 75-79 | 2573 | 11.8 | 117 | 2 | 2 | 9 | 15 | 24 | 32 | 56 |
| 80-84 | 1693 | 13.2 | 132 | 2 | 3 | 10 | 17 | 28 | 35 | 73 |
| 85+ | 1030 | 14.4 | 138 | 3 | 4 | 12 | 18 | 28 | 38 | 69 |
| TOT. SINGLE DX | 2810 | 5.3 | 38 | 1 | 1 | 3 | 7 | 13 | 17 | 29 |
| " MULTIPLE DX | 11411 | 11.5 | 112 | 2 | 2 | 9 | 15 | 24 | 32 | 58 |
| TOTAL 65-69 YRS | 3984 | 8.7 | 83 | 1 | 1 | 6 | 11 | 19 | 25 | 47 |
| 70-74 | 3930 | 9.6 | 91 | 1 | 2 | 7 | 13 | 21 | 27 | 50 |
| 75-79 | 3108 | 10.8 | 111 | 1 | 2 | 8 | 14 | 23 | 31 | 55 |
| 80-84 | 2015 | 12.1 | 127 | 1 | 2 | 9 | 16 | 25 | 34 | 71 |
| 85+ | 1184 | 13.5 | 133 | 2 | 3 | 11 | 17 | 26 | 36 | 67 |
| GRAND TOTAL | 14221 | 10.3 | 104 | 1 | 2 | 8 | 14 | 22 | 30 | 55 |

## 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 121 | 16.1 | 120 | 7 | 8 | 14 | 19 | 24 | 33 | 69 |
| 70-74 | 74 | 16.7 | 142 | 6 | 8 | 14 | 19 | 25 | 29 | 85 |
| 75-79 | 68 | 15.6 | 63 | 7 | 8 | 14 | 18 | 25 | 30 | 52 |
| 80-84 | 52 | 17.7 | 83 | 8 | 8 | 16 | 23 | 29 | 35 | 49 |
| 85+ | 40 | 18.2 | 141 | 6 | 7 | 17 | 21 | 26 | 40 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 516 | 22.6 | 241 | 8 | 9 | 18 | 28 | 46 | 61 | 99+ |
| 70-74 | 501 | 23.5 | 239 | 8 | 10 | 19 | 30 | 44 | 60 | 99+ |
| 75-79 | 464 | 23.8 | 238 | 9 | 10 | 19 | 30 | 45 | 60 | 98 |
| 80-84 | 346 | 23.0 | 202 | 9 | 10 | 19 | 29 | 41 | 53 | 99+ |
| 85+ | 251 | 23.8 | 163 | 10 | 11 | 21 | 29 | 41 | 51 | 98 |
| TOT. SINGLE DX | 355 | 16.6 | 110 | 7 | 8 | 14 | 19 | 26 | 33 | 61 |
| " MULTIPLE DX | 2078 | 23.3 | 224 | 9 | 10 | 19 | 29 | 44 | 58 | 99+ |
| TOTAL 65-69 YRS | 637 | 21.4 | 225 | 7 | 9 | 17 | 26 | 41 | 55 | 97 |
| 70-74 | 575 | 22.6 | 232 | 8 | 10 | 18 | 28 | 42 | 59 | 99+ |
| 75-79 | 532 | 22.8 | 223 | 8 | 10 | 18 | 29 | 43 | 58 | 94 |
| 80-84 | 398 | 22.3 | 189 | 9 | 10 | 19 | 28 | 39 | 50 | 99+ |
| 85+ | 291 | 23.0 | 164 | 9 | 10 | 20 | 28 | 40 | 50 | 89 |
| GRAND TOTAL | 2433 | 22.3 | 213 | 8 | 10 | 18 | 28 | 42 | 55 | 99+ |

## 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1233 | 14.3 | 34 | 8 | 9 | 13 | 16 | 21 | 26 | 36 |
| 70-74 | 1115 | 15.2 | 40 | 9 | 9 | 14 | 18 | 23 | 27 | 39 |
| 75-79 | 875 | 17.1 | 81 | 9 | 10 | 15 | 19 | 26 | 33 | 56 |
| 80-84 | 525 | 18.2 | 76 | 9 | 11 | 16 | 21 | 28 | 35 | 51 |
| 85+ | 312 | 20.0 | 106 | 10 | 11 | 18 | 23 | 33 | 42 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 4169 | 19.4 | 120 | 9 | 10 | 16 | 23 | 32 | 41 | 75 |
| 70-74 | 4462 | 20.8 | 141 | 9 | 10 | 18 | 25 | 35 | 45 | 82 |
| 75-79 | 3900 | 22.2 | 163 | 10 | 11 | 19 | 26 | 39 | 50 | 83 |
| 80-84 | 2624 | 24.0 | 176 | 10 | 12 | 21 | 28 | 41 | 53 | 83 |
| 85+ | 1645 | 25.6 | 180 | 11 | 13 | 22 | 32 | 44 | 53 | 99+ |
| TOT. SINGLE DX | 4060 | 16.1 | 60 | 9 | 10 | 14 | 18 | 25 | 30 | 48 |
| " MULTIPLE DX | 16800 | 21.7 | 155 | 10 | 11 | 18 | 26 | 38 | 48 | 83 |
| TOTAL 65-69 YRS | 5402 | 18.2 | 106 | 9 | 10 | 15 | 21 | 30 | 39 | 67 |
| 70-74 | 5577 | 19.7 | 126 | 9 | 10 | 17 | 23 | 33 | 42 | 77 |
| 75-79 | 4775 | 21.3 | 152 | 10 | 11 | 18 | 25 | 37 | 47 | 78 |
| 80-84 | 3149 | 23.0 | 164 | 10 | 11 | 20 | 27 | 39 | 50 | 82 |
| 85+ | 1957 | 24.7 | 173 | 11 | 12 | 21 | 30 | 43 | 51 | 98 |
| GRAND TOTAL | 20860 | 20.6 | 141 | 9 | 10 | 17 | 24 | 35 | 45 | 78 |

## 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 45 | 15.2 | 57 | 8 | 8 | 12 | 21 | 29 | 30 | 34 |
| 70-74 | 45 | 17.6 | 132 | 5 | 8 | 13 | 21 | 32 | 45 | 52 |
| 75-79 | 36 | 12.6 | 53 | 6 | 8 | 11 | 14 | 17 | 23 | 48 |
| 80-84 | 21 | 17.1 | 52 | 8 | 9 | 15 | 21 | 29 | 30 | 32 |
| 85+ | 23 | 19.7 | 157 | 7 | 9 | 16 | 23 | 37 | 47 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 236 | 22.8 | 232 | 8 | 10 | 19 | 26 | 41 | 56 | 83 |
| 70-74 | 245 | 22.4 | 200 | 8 | 10 | 19 | 28 | 40 | 53 | 76 |
| 75-79 | 213 | 23.5 | 162 | 9 | 11 | 21 | 29 | 41 | 54 | 86 |
| 80-84 | 153 | 25.5 | 194 | 9 | 12 | 23 | 31 | 50 | 58 | 98 |
| 85+ | 149 | 25.1 | 194 | 9 | 11 | 22 | 33 | 43 | 61 | 99+ |
| TOT. SINGLE DX | 170 | 16.1 | 92 | 7 | 8 | 13 | 20 | 29 | 35 | 51 |
| " MULTIPLE DX | 996 | 23.6 | 199 | 9 | 10 | 20 | 30 | 43 | 55 | 80 |
| TOTAL 65-69 YRS | 281 | 21.6 | 212 | 8 | 9 | 17 | 25 | 38 | 54 | 80 |
| 70-74 | 290 | 21.7 | 193 | 8 | 9 | 17 | 27 | 40 | 52 | 75 |
| 75-79 | 249 | 21.9 | 161 | 8 | 10 | 19 | 28 | 39 | 52 | 79 |
| 80-84 | 174 | 24.5 | 185 | 9 | 11 | 21 | 30 | 47 | 56 | 93 |
| 85+ | 172 | 24.3 | 192 | 9 | 11 | 21 | 32 | 43 | 58 | 94 |
| GRAND TOTAL | 1166 | 22.5 | 190 | 8 | 10 | 19 | 28 | 41 | 53 | 78 |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 317 | 11.0 | 23 | 5 | 6 | 11 | 13 | 16 | 19 | 29 |
| 70-74 | 319 | 11.3 | 36 | 3 | 5 | 10 | 14 | 19 | 23 | 38 |
| 75-79 | 244 | 12.1 | 44 | 4 | 5 | 11 | 14 | 18 | 23 | 40 |
| 80-84 | 128 | 13.8 | 52 | 7 | 8 | 12 | 15 | 23 | 26 | 48 |
| 85+ | 66 | 13.9 | 89 | 4 | 6 | 11 | 15 | 27 | 32 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 927 | 16.7 | 146 | 6 | 7 | 13 | 20 | 32 | 44 | 68 |
| 70-74 | 952 | 17.4 | 163 | 6 | 8 | 14 | 20 | 32 | 46 | 76 |
| 75-79 | 777 | 18.1 | 151 | 7 | 8 | 15 | 22 | 32 | 41 | 88 |
| 80-84 | 467 | 18.4 | 170 | 7 | 8 | 14 | 21 | 35 | 45 | 67 |
| 85+ | 327 | 20.4 | 191 | 7 | 9 | 16 | 24 | 41 | 48 | 72 |
| TOT. SINGLE DX | 1074 | 11.8 | 41 | 4 | 6 | 11 | 14 | 19 | 24 | 39 |
| " MULTIPLE DX | 3450 | 17.8 | 161 | 6 | 8 | 14 | 21 | 33 | 45 | 76 |
| TOTAL 65-69 YRS | 1244 | 15.3 | 121 | 6 | 7 | 12 | 17 | 28 | 38 | 65 |
| 70-74 | 1271 | 15.9 | 139 | 5 | 7 | 12 | 18 | 29 | 42 | 75 |
| 75-79 | 1021 | 16.5 | 133 | 6 | 7 | 14 | 20 | 30 | 38 | 79 |
| 80-84 | 595 | 17.4 | 149 | 7 | 8 | 14 | 20 | 32 | 42 | 66 |
| 85+ | 393 | 19.3 | 180 | 6 | 8 | 15 | 23 | 37 | 47 | 71 |
| GRAND TOTAL | 4524 | 16.4 | 139 | 6 | 7 | 13 | 19 | 30 | 41 | 70 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 86 | 16.3 | 56 | 8 | 9 | 14 | 21 | 28 | 33 | 78 |
| 70-74 | 81 | 20.6 | 89 | 8 | 9 | 20 | 25 | 32 | 39 | 48 |
| 75-79 | 74 | 18.1 | 67 | 7 | 9 | 17 | 24 | 28 | 32 | 46 |
| 80-84 | 47 | 20.0 | 92 | 8 | 10 | 17 | 26 | 36 | 38 | 44 |
| 85+ | 46 | 21.7 | 121 | 7 | 10 | 21 | 27 | 37 | 40 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 580 | 26.0 | 255 | 10 | 11 | 21 | 33 | 48 | 65 | 99+ |
| 70-74 | 547 | 25.5 | 236 | 10 | 11 | 22 | 32 | 48 | 67 | 99+ |
| 75-79 | 472 | 27.0 | 242 | 10 | 12 | 23 | 35 | 50 | 67 | 99+ |
| 80-84 | 349 | 28.5 | 258 | 10 | 12 | 24 | 36 | 55 | 66 | 99+ |
| 85+ | 312 | 28.6 | 261 | 11 | 13 | 25 | 36 | 52 | 69 | 99+ |
| TOT. SINGLE DX | 334 | 19.0 | 84 | 8 | 9 | 17 | 24 | 32 | 37 | 49 |
| " MULTIPLE DX | 2260 | 26.8 | 251 | 10 | 12 | 23 | 34 | 50 | 66 | 99+ |
| TOTAL 65-69 YRS | 666 | 24.7 | 240 | 9 | 11 | 20 | 31 | 47 | 60 | 99+ |
| 70-74 | 628 | 24.9 | 220 | 9 | 11 | 22 | 31 | 46 | 62 | 99+ |
| 75-79 | 546 | 25.8 | 228 | 9 | 11 | 22 | 33 | 47 | 63 | 99+ |
| 80-84 | 396 | 27.5 | 247 | 10 | 12 | 24 | 35 | 52 | 63 | 99+ |
| 85+ | 358 | 27.7 | 249 | 10 | 13 | 24 | 35 | 50 | 66 | 99+ |
| GRAND TOTAL | 2594 | 25.8 | 236 | 9 | 11 | 22 | 33 | 48 | 63 | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 468 | 8.0 | 22 | 3 | 4 | 7 | 10 | 14 | 17 | 27 |
| 70-74 | 286 | 8.4 | 19 | 3 | 4 | 7 | 11 | 15 | 17 | 22 |
| 75-79 | 174 | 9.2 | 35 | 3 | 4 | 8 | 11 | 15 | 20 | 29 |
| 80-84 | 92 | 10.7 | 41 | 4 | 5 | 8 | 14 | 19 | 23 | 36 |
| 85+ | 56 | 9.3 | 54 | 3 | 4 | 7 | 11 | 16 | 26 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 600 | 13.0 | 75 | 4 | 5 | 11 | 16 | 24 | 30 | 48 |
| 70-74 | 469 | 13.7 | 98 | 5 | 5 | 12 | 16 | 23 | 29 | 73 |
| 75-79 | 325 | 15.1 | 110 | 5 | 6 | 12 | 18 | 27 | 34 | 60 |
| 80-84 | 230 | 17.2 | 119 | 6 | 8 | 14 | 21 | 30 | 39 | 65 |
| 85+ | 161 | 17.6 | 125 | 5 | 7 | 15 | 22 | 33 | 39 | 69 |
| TOT. SINGLE DX | 1076 | 8.6 | 28 | 3 | 4 | 7 | 11 | 15 | 19 | 28 |
| " MULTIPLE DX | 1785 | 14.5 | 101 | 5 | 6 | 12 | 18 | 26 | 33 | 59 |
| TOTAL 65-69 YRS | 1068 | 10.8 | 59 | 4 | 4 | 9 | 13 | 20 | 25 | 40 |
| 70-74 | 755 | 11.7 | 75 | 4 | 5 | 10 | 15 | 21 | 24 | 49 |
| 75-79 | 499 | 13.0 | 91 | 4 | 5 | 10 | 16 | 25 | 29 | 55 |
| 80-84 | 322 | 15.3 | 106 | 5 | 6 | 13 | 18 | 28 | 33 | 63 |
| 85+ | 217 | 15.4 | 120 | 4 | 5 | 12 | 20 | 31 | 37 | 66 |
| GRAND TOTAL | 2861 | 12.3 | 81 | 4 | 5 | 10 | 15 | 22 | 29 | 49 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 7 | 11.3 | 9 | 8 | 8 | 12 | 14 | 15 | 15 | 15 |
| 70-74 | 4 | 8.3 | 2 | 7 | 7 | 8 | 9 | 10 | 10 | 10 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 36.0 | | 36 | 36 | 36 | 36 | 36 | 36 | 36 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 20 | 18.5 | 93 | 6 | 7 | 17 | 24 | 33 | 36 | 37 |
| 70-74 | 12 | 19.6 | 515 | 4 | 5 | 11 | 23 | 55 | 77 | 81 |
| 75-79 | 11 | 19.4 | 260 | 5 | 6 | 14 | 21 | 48 | 56 | 57 |
| 80-84 | 2 | 19.0 | 72 | 13 | 13 | 19 | 25 | 25 | 25 | 25 |
| 85+ | 6 | 15.2 | 24 | 9 | 9 | 15 | 20 | 21 | 21 | 21 |
| TOT. SINGLE DX | 12 | 12.3 | 63 | 7 | 7 | 10 | 13 | 21 | 34 | 36 |
| " MULTIPLE DX | 51 | 18.5 | 207 | 5 | 6 | 14 | 23 | 36 | 44 | 81 |
| TOTAL 65-69 YRS | 27 | 16.6 | 81 | 7 | 8 | 13 | 23 | 30 | 36 | 37 |
| 70-74 | 16 | 16.8 | 404 | 4 | 5 | 9 | 15 | 43 | 70 | 81 |
| 75-79 | 11 | 19.4 | 260 | 5 | 6 | 14 | 21 | 48 | 55 | 57 |
| 80-84 | 3 | 24.7 | 132 | 13 | 13 | 25 | 33 | 36 | 36 | 36 |
| 85+ | 6 | 15.2 | 25 | 9 | 9 | 15 | 20 | 21 | 21 | 21 |
| GRAND TOTAL | 63 | 17.4 | 184 | 5 | 6 | 13 | 21 | 36 | 43 | 78 |

### 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 8 | 13.1 | 38 | 5 | 6 | 12 | 16 | 23 | 25 | 25 |
| 70-74 | 8 | 19.8 | 161 | 7 | 7 | 17 | 27 | 39 | 43 | 43 |
| 75-79 | 5 | 7.8 | 30 | 2 | 2 | 10 | 12 | 14 | 14 | 14 |
| 80-84 | 2 | 14.0 | 18 | 11 | 11 | 14 | 17 | 17 | 17 | 17 |
| 85+ | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 16.6 | 107 | 6 | 8 | 15 | 18 | 26 | 44 | 48 |
| 70-74 | 12 | 17.8 | 146 | 6 | 7 | 15 | 25 | 37 | 40 | 41 |
| 75-79 | 2 | 25.0 | 72 | 19 | 19 | 25 | 31 | 31 | 31 | 31 |
| 80-84 | 10 | 23.5 | 82 | 10 | 11 | 25 | 33 | 34 | 35 | 35 |
| 85+ | 4 | 22.8 | 195 | 13 | 13 | 17 | 32 | 43 | 43 | 43 |
| TOT. SINGLE DX | 24 | 14.4 | 87 | 2 | 5 | 12 | 17 | 26 | 33 | 43 |
| " MULTIPLE DX | 41 | 19.7 | 118 | 7 | 8 | 17 | 27 | 35 | 42 | 48 |
| TOTAL 65-69 YRS | 21 | 15.3 | 81 | 5 | 6 | 15 | 17 | 23 | 35 | 48 |
| 70-74 | 20 | 18.6 | 145 | 6 | 7 | 15 | 27 | 38 | 42 | 43 |
| 75-79 | 7 | 12.7 | 103 | 2 | 2 | 11 | 18 | 29 | 31 | 31 |
| 80-84 | 12 | 21.9 | 83 | 10 | 11 | 20 | 30 | 34 | 35 | 35 |
| 85+ | 5 | 21.2 | 158 | 13 | 13 | 15 | 26 | 43 | 43 | 43 |
| GRAND TOTAL | 65 | 17.7 | 111 | 5 | 7 | 15 | 23 | 33 | 41 | 47 |

### 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 343 | 6.1 | 52 | 1 | 2 | 4 | 7 | 14 | 19 | 38 |
| 70-74 | 330 | 5.5 | 47 | 1 | 1 | 4 | 7 | 11 | 15 | 26 |
| 75-79 | 310 | 6.0 | 43 | 1 | 2 | 4 | 7 | 12 | 17 | 35 |
| 80-84 | 191 | 7.2 | 45 | 2 | 2 | 5 | 9 | 14 | 19 | 38 |
| 85+ | 155 | 9.1 | 87 | 2 | 2 | 6 | 11 | 20 | 25 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 863 | 10.3 | 97 | 2 | 3 | 7 | 13 | 21 | 28 | 59 |
| 70-74 | 938 | 10.6 | 106 | 2 | 3 | 8 | 13 | 21 | 31 | 60 |
| 75-79 | 858 | 11.0 | 105 | 2 | 2 | 8 | 14 | 23 | 29 | 49 |
| 80-84 | 626 | 13.0 | 147 | 2 | 3 | 10 | 17 | 26 | 34 | 76 |
| 85+ | 566 | 14.5 | 153 | 3 | 4 | 11 | 18 | 30 | 39 | 84 |
| TOT. SINGLE DX | 1329 | 6.5 | 53 | 1 | 2 | 4 | 8 | 14 | 19 | 37 |
| " MULTIPLE DX | 3851 | 11.6 | 120 | 2 | 3 | 8 | 15 | 24 | 32 | 62 |
| TOTAL 65-69 YRS | 1206 | 9.1 | 88 | 2 | 2 | 6 | 11 | 19 | 25 | 52 |
| 70-74 | 1268 | 9.3 | 96 | 2 | 2 | 7 | 11 | 19 | 27 | 48 |
| 75-79 | 1168 | 9.7 | 94 | 2 | 2 | 7 | 12 | 21 | 28 | 45 |
| 80-84 | 817 | 11.7 | 130 | 2 | 2 | 8 | 15 | 24 | 31 | 67 |
| 85+ | 721 | 13.4 | 144 | 2 | 3 | 10 | 17 | 29 | 37 | 74 |
| GRAND TOTAL | 5180 | 10.3 | 108 | 2 | 2 | 7 | 13 | 22 | 30 | 57 |

### 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 87 | 5.5 | 10 | 2 | 2 | 5 | 6 | 9 | 14 | 16 |
| 70-74 | 37 | 6.4 | 46 | 2 | 2 | 4 | 7 | 12 | 21 | 37 |
| 75-79 | 25 | 6.6 | 21 | 1 | 2 | 5 | 8 | 14 | 16 | 22 |
| 80-84 | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 85+ | 11 | 11.2 | 96 | 1 | 3 | 8 | 14 | 28 | 33 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 122 | 9.4 | 130 | 2 | 2 | 6 | 11 | 18 | 23 | 66 |
| 70-74 | 94 | 11.3 | 115 | 2 | 3 | 9 | 13 | 23 | 27 | 63 |
| 75-79 | 59 | 14.3 | 185 | 2 | 3 | 11 | 17 | 27 | 34 | 86 |
| 80-84 | 30 | 16.0 | 248 | 3 | 4 | 10 | 25 | 57 | 97 | 99+ |
| 85+ | 21 | 18.5 | 126 | 3 | 5 | 16 | 24 | 35 | 42 | 44 |
| TOT. SINGLE DX | 162 | 6.2 | 28 | 2 | 2 | 5 | 8 | 12 | 15 | 33 |
| " MULTIPLE DX | 326 | 12.0 | 153 | 2 | 3 | 9 | 15 | 25 | 33 | 90 |
| TOTAL 65-69 YRS | 209 | 7.7 | 84 | 2 | 2 | 5 | 9 | 15 | 20 | 53 |
| 70-74 | 131 | 9.9 | 100 | 2 | 2 | 7 | 12 | 22 | 25 | 54 |
| 75-79 | 84 | 12.0 | 149 | 2 | 3 | 9 | 15 | 25 | 31 | 74 |
| 80-84 | 32 | 15.2 | 242 | 2 | 3 | 10 | 25 | 52 | 95 | 99+ |
| 85+ | 32 | 16.0 | 125 | 2 | 4 | 14 | 21 | 33 | 39 | 44 |
| GRAND TOTAL | 488 | 10.1 | 118 | 2 | 2 | 7 | 12 | 22 | 30 | 76 |

### 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 341 | 17.2 | 40 | 9 | 10 | 16 | 20 | 25 | 30 | 38 |
| 70-74 | 291 | 18.5 | 70 | 9 | 11 | 17 | 22 | 29 | 34 | 45 |
| 75-79 | 227 | 19.0 | 73 | 10 | 11 | 17 | 23 | 29 | 33 | 53 |
| 80-84 | 119 | 21.7 | 163 | 10 | 11 | 19 | 25 | 35 | 43 | 78 |
| 85+ | 70 | 22.2 | 126 | 9 | 12 | 19 | 27 | 38 | 49 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 921 | 22.5 | 142 | 10 | 11 | 20 | 27 | 38 | 48 | 79 |
| 70-74 | 946 | 23.1 | 148 | 10 | 12 | 20 | 28 | 38 | 47 | 78 |
| 75-79 | 696 | 24.8 | 165 | 10 | 13 | 22 | 30 | 42 | 53 | 88 |
| 80-84 | 446 | 28.2 | 254 | 12 | 13 | 24 | 34 | 53 | 65 | 91 |
| 85+ | 251 | 27.8 | 239 | 11 | 13 | 24 | 33 | 48 | 65 | 90 |
| TOT. SINGLE DX | 1048 | 18.8 | 78 | 9 | 11 | 17 | 22 | 29 | 34 | 52 |
| " MULTIPLE DX | 3260 | 24.4 | 176 | 10 | 12 | 21 | 29 | 42 | 53 | 85 |
| TOTAL 65-69 YRS | 1262 | 21.1 | 120 | 10 | 11 | 19 | 25 | 35 | 43 | 69 |
| 70-74 | 1237 | 22.0 | 134 | 10 | 11 | 19 | 27 | 37 | 45 | 71 |
| 75-79 | 923 | 23.4 | 149 | 10 | 12 | 20 | 28 | 39 | 49 | 82 |
| 80-84 | 565 | 26.8 | 242 | 11 | 13 | 23 | 32 | 49 | 62 | 90 |
| 85+ | 321 | 26.6 | 220 | 10 | 13 | 23 | 31 | 47 | 57 | 86 |
| GRAND TOTAL | 4308 | 23.0 | 158 | 10 | 12 | 20 | 27 | 39 | 49 | 79 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 937 | 6.3 | 29 | 1 | 1 | 5 | 8 | 12 | 15 | 30 |
| 70-74 | 786 | 6.1 | 26 | 1 | 1 | 5 | 8 | 12 | 15 | 28 |
| 75-79 | 549 | 6.9 | 32 | 1 | 2 | 6 | 9 | 13 | 17 | 26 |
| 80-84 | 347 | 7.4 | 31 | 1 | 2 | 6 | 10 | 14 | 17 | 28 |
| 85+ | 200 | 9.3 | 66 | 2 | 3 | 8 | 11 | 16 | 21 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 5671 | 9.7 | 59 | 2 | 3 | 8 | 12 | 19 | 24 | 40 |
| 70-74 | 5241 | 10.3 | 67 | 2 | 3 | 8 | 13 | 19 | 26 | 43 |
| 75-79 | 4299 | 11.2 | 82 | 3 | 4 | 9 | 14 | 21 | 29 | 50 |
| 80-84 | 2921 | 12.1 | 93 | 3 | 4 | 9 | 15 | 23 | 30 | 53 |
| 85+ | 2058 | 13.0 | 102 | 3 | 4 | 10 | 16 | 25 | 32 | 61 |
| TOT. SINGLE DX | 2819 | 6.7 | 33 | 1 | 1 | 5 | 9 | 13 | 16 | 30 |
| " MULTIPLE DX | 20190 | 10.8 | 77 | 2 | 3 | 9 | 13 | 21 | 27 | 48 |
| TOTAL 65-69 YRS | 6608 | 9.2 | 57 | 2 | 3 | 7 | 11 | 18 | 23 | 39 |
| 70-74 | 6027 | 9.8 | 64 | 2 | 3 | 8 | 12 | 18 | 25 | 41 |
| 75-79 | 4848 | 10.7 | 78 | 2 | 3 | 8 | 13 | 20 | 28 | 49 |
| 80-84 | 3268 | 11.6 | 89 | 3 | 4 | 9 | 14 | 22 | 30 | 52 |
| 85+ | 2258 | 12.7 | 100 | 3 | 4 | 10 | 16 | 24 | 31 | 61 |
| GRAND TOTAL | 23009 | 10.3 | 73 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 141 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| 70-74 | 86 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 15 |
| 75-79 | 35 | 5.3 | 33 | <1 | 1 | 4 | 6 | 10 | 17 | 31 |
| 80-84 | 7 | 4.0 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 85+ | 8 | 9.3 | 301 | <1 | <1 | 3 | 5 | 38 | 52 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 236 | 6.7 | 53 | 2 | 2 | 4 | 7 | 12 | 18 | 33 |
| 70-74 | 151 | 7.9 | 92 | 3 | 3 | 5 | 9 | 14 | 20 | 55 |
| 75-79 | 87 | 9.3 | 88 | 3 | 3 | 6 | 11 | 23 | 37 | 83 |
| 80-84 | 42 | 9.9 | 95 | 3 | 4 | 8 | 11 | 15 | 40 | 47 |
| 85+ | 12 | 18.4 | 417 | 3 | 3 | 11 | 21 | 58 | 61 | 62 |
| TOT. SINGLE DX | 277 | 4.3 | 17 | 1 | 2 | 4 | 5 | 6 | 8 | 19 |
| " MULTIPLE DX | 528 | 8.0 | 85 | 2 | 3 | 5 | 9 | 15 | 24 | 56 |
| TOTAL 65-69 YRS | 377 | 5.6 | 37 | 2 | 2 | 4 | 6 | 10 | 14 | 30 |
| 70-74 | 237 | 6.5 | 64 | 2 | 2 | 5 | 7 | 11 | 16 | 37 |
| 75-79 | 122 | 8.2 | 76 | 2 | 2 | 5 | 9 | 17 | 30 | 67 |
| 80-84 | 49 | 9.1 | 86 | 3 | 3 | 7 | 9 | 14 | 40 | 47 |
| 85+ | 20 | 14.8 | 374 | 1 | 2 | 6 | 12 | 54 | 59 | 62 |
| GRAND TOTAL | 805 | 6.7 | 64 | 2 | 2 | 4 | 7 | 12 | 18 | 49 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 80 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 21 |
| 70-74 | 64 | 4.5 | 12 | 1 | 2 | 4 | 5 | 8 | 9 | 22 |
| 75-79 | 32 | 4.9 | 14 | 2 | 2 | 4 | 5 | 9 | 10 | 22 |
| 80-84 | 25 | 5.0 | 8 | 2 | 3 | 4 | 6 | 10 | 11 | 14 |
| 85+ | 11 | 5.3 | 24 | 2 | 2 | 4 | 6 | 12 | 18 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 341 | 6.6 | 68 | 2 | 3 | 5 | 7 | 11 | 14 | 32 |
| 70-74 | 244 | 7.6 | 65 | 2 | 3 | 5 | 8 | 14 | 22 | 54 |
| 75-79 | 138 | 8.7 | 59 | 2 | 3 | 6 | 11 | 16 | 23 | 51 |
| 80-84 | 84 | 11.3 | 105 | 3 | 3 | 8 | 14 | 24 | 33 | 89 |
| 85+ | 49 | 11.5 | 125 | 3 | 4 | 8 | 13 | 22 | 26 | 63 |
| TOT. SINGLE DX | 212 | 4.7 | 12 | 2 | 2 | 4 | 5 | 8 | 10 | 22 |
| " MULTIPLE DX | 856 | 7.9 | 75 | 2 | 3 | 5 | 9 | 14 | 22 | 54 |
| TOTAL 65-69 YRS | 421 | 6.2 | 58 | 2 | 3 | 5 | 7 | 10 | 13 | 28 |
| 70-74 | 308 | 7.0 | 56 | 2 | 2 | 5 | 7 | 13 | 20 | 48 |
| 75-79 | 170 | 8.0 | 53 | 2 | 3 | 5 | 10 | 15 | 22 | 47 |
| 80-84 | 109 | 9.8 | 90 | 3 | 3 | 6 | 11 | 23 | 31 | 81 |
| 85+ | 60 | 10.3 | 112 | 2 | 3 | 7 | 12 | 20 | 24 | 62 |
| GRAND TOTAL | 1068 | 7.3 | 64 | 2 | 3 | 5 | 8 | 14 | 20 | 51 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 315 | 5.5 | 6 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| 70-74 | 154 | 5.5 | 7 | 2 | 3 | 5 | 7 | 9 | 10 | 15 |
| 75-79 | 81 | 6.1 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 19 |
| 80-84 | 32 | 7.7 | 15 | 2 | 3 | 7 | 10 | 14 | 15 | 16 |
| 85+ | 24 | 7.0 | 16 | 1 | 3 | 7 | 8 | 11 | 16 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1800 | 7.4 | 27 | 3 | 3 | 6 | 9 | 13 | 17 | 26 |
| 70-74 | 1121 | 7.9 | 32 | 3 | 4 | 6 | 9 | 14 | 18 | 29 |
| 75-79 | 644 | 9.0 | 42 | 3 | 4 | 7 | 11 | 16 | 21 | 37 |
| 80-84 | 301 | 11.3 | 91 | 3 | 4 | 8 | 14 | 23 | 32 | 51 |
| 85+ | 176 | 12.2 | 83 | 3 | 4 | 10 | 15 | 25 | 33 | 54 |
| TOT. SINGLE DX | 606 | 5.7 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| " MULTIPLE DX | 4042 | 8.3 | 40 | 3 | 4 | 6 | 10 | 15 | 20 | 34 |
| TOTAL 65-69 YRS | 2115 | 7.1 | 25 | 3 | 3 | 6 | 8 | 12 | 16 | 25 |
| 70-74 | 1275 | 7.6 | 30 | 3 | 3 | 6 | 9 | 13 | 18 | 27 |
| 75-79 | 725 | 8.6 | 39 | 3 | 4 | 7 | 11 | 16 | 20 | 35 |
| 80-84 | 333 | 11.0 | 86 | 3 | 4 | 8 | 14 | 22 | 31 | 48 |
| 85+ | 200 | 11.6 | 78 | 3 | 4 | 9 | 14 | 24 | 30 | 50 |
| GRAND TOTAL | 4648 | 8.0 | 37 | 3 | 3 | 6 | 9 | 14 | 19 | 33 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 159 | 4.9 | 21 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| 70-74 | 87 | 4.8 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 75-79 | 56 | 5.7 | 18 | 2 | 2 | 5 | 7 | 9 | 14 | 26 |
| 80-84 | 32 | 7.0 | 23 | 2 | 3 | 6 | 9 | 14 | 19 | 23 |
| 85+ | 29 | 7.1 | 32 | 2 | 2 | 6 | 7 | 13 | 20 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 321 | 9.2 | 74 | 2 | 3 | 6 | 11 | 19 | 25 | 50 |
| 70-74 | 270 | 9.9 | 81 | 2 | 3 | 7 | 13 | 21 | 30 | 46 |
| 75-79 | 189 | 8.8 | 40 | 2 | 3 | 7 | 13 | 17 | 22 | 28 |
| 80-84 | 112 | 13.3 | 180 | 3 | 3 | 9 | 15 | 26 | 36 | 74 |
| 85+ | 88 | 11.2 | 54 | 2 | 3 | 9 | 15 | 23 | 27 | 30 |
| TOT. SINGLE DX | 363 | 5.4 | 20 | 1 | 2 | 4 | 6 | 10 | 13 | 23 |
| " MULTIPLE DX | 980 | 10.0 | 82 | 2 | 3 | 7 | 13 | 21 | 27 | 46 |
| TOTAL 65-69 YRS | 480 | 7.8 | 61 | 1 | 2 | 5 | 10 | 16 | 23 | 44 |
| 70-74 | 357 | 8.7 | 69 | 2 | 2 | 6 | 11 | 18 | 26 | 44 |
| 75-79 | 245 | 8.1 | 37 | 2 | 3 | 6 | 11 | 17 | 20 | 28 |
| 80-84 | 144 | 11.9 | 152 | 3 | 3 | 8 | 14 | 24 | 31 | 62 |
| 85+ | 117 | 10.2 | 52 | 2 | 3 | 8 | 14 | 22 | 26 | 30 |
| GRAND TOTAL | 1343 | 8.7 | 69 | 2 | 2 | 6 | 11 | 18 | 25 | 43 |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 16.0 | 106 | <1 | 1 | 17 | 27 | 29 | 29 | 29 |
| 70-74 | 3 | 4.7 | 30 | <1 | <1 | 2 | 9 | 11 | 11 | 11 |
| 75-79 | 6 | 10.8 | 93 | 1 | 1 | 9 | 21 | 23 | 23 | 23 |
| 80-84 | 3 | 21.0 | 16 | 17 | 17 | 21 | 24 | 25 | 25 | 25 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 34 | 28.4 | 362 | 5 | 10 | 26 | 35 | 54 | 70 | 88 |
| 70-74 | 40 | 23.1 | 378 | 3 | 4 | 18 | 31 | 45 | 61 | 96 |
| 75-79 | 24 | 21.6 | 134 | 5 | 9 | 22 | 27 | 45 | 65 | 99+ |
| 80-84 | 7 | 28.0 | 31 | 22 | 22 | 27 | 32 | 36 | 37 | 37 |
| 85+ | 11 | 30.4 | 322 | 10 | 10 | 26 | 44 | 56 | 62 | 63 |
| TOT. SINGLE DX | 25 | 14.0 | 98 | <1 | 1 | 15 | 22 | 27 | 29 | 29 |
| " MULTIPLE DX | 116 | 25.3 | 299 | 4 | 7 | 22 | 34 | 46 | 63 | 97 |
| TOTAL 65-69 YRS | 47 | 25.0 | 319 | 2 | 5 | 23 | 33 | 43 | 64 | 88 |
| 70-74 | 43 | 21.8 | 376 | 2 | 3 | 17 | 31 | 45 | 60 | 96 |
| 75-79 | 30 | 19.5 | 142 | 2 | 4 | 20 | 25 | 38 | 53 | 99+ |
| 80-84 | 10 | 25.9 | 36 | 17 | 19 | 25 | 28 | 35 | 37 | 37 |
| 85+ | 11 | 30.4 | 322 | 10 | 10 | 26 | 44 | 56 | 62 | 63 |
| GRAND TOTAL | 141 | 23.3 | 281 | 2 | 4 | 21 | 31 | 45 | 60 | 96 |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 346 | 8.4 | 76 | 1 | 1 | 6 | 12 | 18 | 23 | 37 |
| 70-74 | 229 | 8.2 | 68 | 1 | 1 | 6 | 12 | 18 | 22 | 29 |
| 75-79 | 146 | 10.3 | 83 | 1 | 2 | 8 | 15 | 22 | 26 | 52 |
| 80-84 | 66 | 10.8 | 105 | 1 | 1 | 7 | 16 | 22 | 27 | 50 |
| 85+ | 22 | 14.1 | 192 | 1 | 2 | 11 | 17 | 29 | 50 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1758 | 14.1 | 133 | 2 | 3 | 11 | 19 | 29 | 38 | 60 |
| 70-74 | 1329 | 15.2 | 140 | 2 | 3 | 13 | 20 | 29 | 37 | 59 |
| 75-79 | 961 | 15.8 | 164 | 2 | 3 | 13 | 20 | 31 | 41 | 67 |
| 80-84 | 428 | 18.0 | 180 | 3 | 5 | 14 | 24 | 35 | 43 | 72 |
| 85+ | 219 | 19.4 | 174 | 4 | 6 | 18 | 25 | 37 | 47 | 89 |
| TOT. SINGLE DX | 809 | 9.0 | 82 | 1 | 1 | 7 | 13 | 20 | 24 | 46 |
| " MULTIPLE DX | 4695 | 15.4 | 150 | 2 | 3 | 12 | 20 | 31 | 39 | 63 |
| TOTAL 65-69 YRS | 2104 | 13.2 | 129 | 1 | 2 | 11 | 17 | 28 | 37 | 58 |
| 70-74 | 1558 | 14.2 | 136 | 1 | 2 | 11 | 19 | 28 | 36 | 58 |
| 75-79 | 1107 | 15.1 | 158 | 2 | 3 | 12 | 20 | 30 | 39 | 65 |
| 80-84 | 494 | 17.0 | 176 | 2 | 4 | 13 | 23 | 34 | 42 | 70 |
| 85+ | 241 | 18.9 | 178 | 3 | 5 | 17 | 25 | 37 | 47 | 85 |
| GRAND TOTAL | 5504 | 14.4 | 145 | 2 | 2 | 12 | 19 | 29 | 38 | 62 |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 3433 | 9.5 | 18 | 5 | 6 | 8 | 11 | 15 | 17 | 24 |
| 70-74 | 2370 | 10.4 | 23 | 5 | 6 | 9 | 12 | 16 | 20 | 27 |
| 75-79 | 1400 | 11.2 | 25 | 6 | 6 | 10 | 13 | 18 | 20 | 28 |
| 80-84 | 657 | 13.3 | 38 | 7 | 7 | 12 | 16 | 21 | 25 | 34 |
| 85+ | 326 | 14.5 | 48 | 7 | 7 | 13 | 17 | 23 | 28 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 7806 | 13.8 | 69 | 6 | 7 | 12 | 16 | 23 | 29 | 48 |
| 70-74 | 6742 | 15.3 | 82 | 7 | 7 | 13 | 18 | 25 | 31 | 53 |
| 75-79 | 4831 | 17.1 | 103 | 7 | 8 | 15 | 21 | 29 | 36 | 62 |
| 80-84 | 2729 | 19.0 | 119 | 8 | 9 | 16 | 23 | 32 | 41 | 66 |
| 85+ | 1793 | 21.0 | 139 | 9 | 10 | 18 | 26 | 35 | 45 | 72 |
| TOT. SINGLE DX | 8186 | 10.5 | 25 | 5 | 6 | 9 | 12 | 17 | 20 | 28 |
| " MULTIPLE DX | 23901 | 16.0 | 96 | 7 | 8 | 14 | 19 | 27 | 35 | 58 |
| TOTAL 65-69 YRS | 11239 | 12.5 | 57 | 6 | 6 | 10 | 15 | 21 | 26 | 44 |
| 70-74 | 9112 | 14.0 | 71 | 6 | 7 | 12 | 17 | 24 | 29 | 49 |
| 75-79 | 6231 | 15.8 | 92 | 7 | 8 | 13 | 19 | 27 | 34 | 58 |
| 80-84 | 3386 | 17.9 | 109 | 8 | 8 | 15 | 22 | 30 | 39 | 63 |
| 85+ | 2119 | 20.0 | 131 | 8 | 9 | 17 | 24 | 34 | 43 | 69 |
| GRAND TOTAL | 32087 | 14.6 | 83 | 6 | 7 | 12 | 18 | 25 | 31 | 53 |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 171 | 13.6 | 69 | 2 | 3 | 12 | 19 | 24 | 28 | 43 |
| 70-74 | 184 | 14.2 | 92 | 2 | 3 | 13 | 18 | 27 | 35 | 44 |
| 75-79 | 124 | 15.8 | 112 | 2 | 4 | 14 | 21 | 26 | 31 | 60 |
| 80-84 | 110 | 17.1 | 140 | 2 | 4 | 15 | 22 | 31 | 37 | 64 |
| 85+ | 79 | 17.6 | 86 | 4 | 5 | 17 | 24 | 31 | 35 | 43 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 656 | 21.2 | 175 | 7 | 9 | 18 | 26 | 36 | 45 | 74 |
| 70-74 | 692 | 20.1 | 133 | 7 | 9 | 18 | 25 | 33 | 41 | 69 |
| 75-79 | 603 | 21.4 | 155 | 7 | 9 | 19 | 26 | 37 | 46 | 69 |
| 80-84 | 453 | 22.8 | 180 | 9 | 10 | 20 | 28 | 40 | 54 | 83 |
| 85+ | 367 | 24.1 | 215 | 8 | 10 | 20 | 30 | 43 | 57 | 90 |
| TOT. SINGLE DX | 668 | 15.2 | 99 | 2 | 4 | 14 | 21 | 27 | 33 | 45 |
| " MULTIPLE DX | 2771 | 21.6 | 168 | 7 | 9 | 19 | 26 | 37 | 48 | 77 |
| TOTAL 65-69 YRS | 827 | 19.6 | 163 | 4 | 8 | 17 | 24 | 34 | 44 | 70 |
| 70-74 | 876 | 18.8 | 130 | 4 | 7 | 17 | 24 | 33 | 40 | 64 |
| 75-79 | 727 | 20.4 | 152 | 5 | 8 | 18 | 25 | 35 | 44 | 68 |
| 80-84 | 563 | 21.7 | 177 | 6 | 9 | 19 | 26 | 38 | 52 | 83 |
| 85+ | 446 | 23.0 | 198 | 7 | 9 | 20 | 29 | 42 | 53 | 90 |
| GRAND TOTAL | 3439 | 20.4 | 161 | 5 | 8 | 18 | 25 | 36 | 45 | 74 |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 136 | 12.1 | 168 | 1 | 2 | 8 | 15 | 30 | 40 | 62 |
| 70-74 | 120 | 13.1 | 133 | 1 | 2 | 10 | 20 | 26 | 33 | 55 |
| 75-79 | 72 | 13.0 | 127 | 1 | 2 | 10 | 19 | 25 | 43 | 50 |
| 80-84 | 44 | 8.4 | 72 | 1 | 1 | 4 | 12 | 24 | 28 | 32 |
| 85+ | 32 | 12.3 | 188 | 1 | 2 | 7 | 18 | 25 | 43 | 65 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 489 | 18.8 | 224 | 2 | 3 | 15 | 26 | 38 | 50 | 76 |
| 70-74 | 397 | 19.3 | 240 | 2 | 3 | 16 | 26 | 40 | 54 | 84 |
| 75-79 | 305 | 19.3 | 242 | 3 | 5 | 15 | 25 | 37 | 52 | 95 |
| 80-84 | 161 | 17.8 | 174 | 3 | 5 | 14 | 25 | 37 | 50 | 96 |
| 85+ | 92 | 17.1 | 165 | 3 | 4 | 14 | 24 | 32 | 46 | 62 |
| TOT. SINGLE DX | 404 | 12.2 | 142 | 1 | 2 | 9 | 18 | 26 | 38 | 59 |
| " MULTIPLE DX | 1444 | 18.8 | 223 | 2 | 4 | 15 | 25 | 38 | 51 | 79 |
| TOTAL 65-69 YRS | 625 | 17.4 | 220 | 2 | 2 | 13 | 24 | 38 | 48 | 75 |
| 70-74 | 517 | 17.9 | 222 | 2 | 2 | 14 | 25 | 37 | 51 | 80 |
| 75-79 | 377 | 18.1 | 227 | 2 | 4 | 14 | 24 | 36 | 48 | 88 |
| 80-84 | 205 | 15.8 | 167 | 2 | 2 | 12 | 23 | 34 | 41 | 82 |
| 85+ | 124 | 15.8 | 175 | 2 | 3 | 12 | 22 | 31 | 45 | 65 |
| GRAND TOTAL | 1848 | 17.4 | 213 | 2 | 3 | 14 | 24 | 37 | 48 | 76 |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 1703 | 5.6 | 33 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| 70-74 | 1526 | 5.9 | 39 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| 75-79 | 1149 | 6.0 | 33 | 1 | 1 | 4 | 8 | 11 | 16 | 29 |
| 80-84 | 747 | 6.9 | 36 | 1 | 2 | 5 | 9 | 14 | 18 | 31 |
| 85+ | 502 | 7.4 | 43 | 2 | 2 | 6 | 9 | 14 | 19 | 38 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 8642 | 8.6 | 59 | 2 | 2 | 7 | 11 | 16 | 23 | 40 |
| 70-74 | 9111 | 9.1 | 63 | 2 | 3 | 7 | 11 | 17 | 23 | 42 |
| 75-79 | 8331 | 9.8 | 69 | 2 | 3 | 8 | 12 | 19 | 25 | 46 |
| 80-84 | 6365 | 10.6 | 86 | 2 | 3 | 8 | 13 | 20 | 28 | 54 |
| 85+ | 4773 | 11.2 | 88 | 3 | 3 | 9 | 14 | 21 | 28 | 54 |
| TOT. SINGLE DX | 5627 | 6.1 | 36 | 1 | 1 | 5 | 8 | 12 | 16 | 29 |
| " MULTIPLE DX | 37222 | 9.7 | 72 | 2 | 3 | 7 | 12 | 19 | 25 | 47 |
| TOTAL 65-69 YRS | 10345 | 8.1 | 57 | 2 | 2 | 6 | 10 | 16 | 21 | 39 |
| 70-74 | 10637 | 8.6 | 61 | 2 | 2 | 7 | 11 | 17 | 22 | 41 |
| 75-79 | 9480 | 9.4 | 67 | 2 | 3 | 7 | 12 | 18 | 24 | 44 |
| 80-84 | 7112 | 10.2 | 82 | 2 | 3 | 8 | 12 | 20 | 27 | 51 |
| 85+ | 5275 | 10.8 | 86 | 2 | 3 | 8 | 13 | 21 | 28 | 52 |
| GRAND TOTAL | 42849 | 9.2 | 69 | 2 | 2 | 7 | 11 | 18 | 24 | 45 |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 5087 | 4.5 | 5 | 2 | 3 | 4 | 5 | 7 | 8 | 11 |
| 70-74 | 3858 | 4.8 | 5 | 2 | 3 | 4 | 6 | 7 | 9 | 13 |
| 75-79 | 2723 | 5.2 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 14 |
| 80-84 | 1374 | 5.8 | 8 | 2 | 3 | 5 | 7 | 9 | 11 | 16 |
| 85+ | 746 | 6.4 | 18 | 2 | 3 | 5 | 8 | 10 | 13 | 21 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 65-69 YRS | 5180 | 6.7 | 28 | 3 | 3 | 5 | 8 | 11 | 16 | 28 |
| 70-74 | 4683 | 7.6 | 39 | 3 | 3 | 6 | 9 | 14 | 18 | 34 |
| 75-79 | 3574 | 8.4 | 47 | 3 | 3 | 6 | 10 | 15 | 20 | 36 |
| 80-84 | 2136 | 9.5 | 67 | 3 | 4 | 7 | 11 | 17 | 24 | 55 |
| 85+ | 1369 | 11.8 | 108 | 3 | 4 | 9 | 14 | 23 | 32 | 68 |
| TOT. SINGLE DX | 13788 | 5.0 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| " MULTIPLE DX | 16942 | 8.1 | 49 | 3 | 3 | 6 | 9 | 15 | 20 | 39 |
| TOTAL 65-69 YRS | 10267 | 5.6 | 18 | 2 | 3 | 5 | 6 | 9 | 12 | 22 |
| 70-74 | 8541 | 6.4 | 26 | 2 | 3 | 5 | 7 | 11 | 15 | 26 |
| 75-79 | 6297 | 7.0 | 33 | 3 | 3 | 5 | 8 | 12 | 16 | 30 |
| 80-84 | 3510 | 8.1 | 48 | 3 | 3 | 6 | 9 | 14 | 19 | 41 |
| 85+ | 2115 | 9.9 | 83 | 3 | 4 | 7 | 11 | 19 | 27 | 59 |
| GRAND TOTAL | 30730 | 6.7 | 33 | 2 | 3 | 5 | 8 | 12 | 16 | 30 |

### 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 693 | 5.2 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| 70-74 | 524 | 5.6 | 6 | 3 | 3 | 5 | 7 | 8 | 10 | 16 |
| 75-79 | 327 | 5.7 | 6 | 3 | 3 | 5 | 7 | 9 | 11 | 15 |
| 80-84 | 147 | 6.3 | 7 | 3 | 4 | 6 | 8 | 10 | 11 | 16 |
| 85+ | 94 | 6.9 | 12 | 2 | 4 | 6 | 9 | 12 | 14 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 760 | 6.9 | 15 | 3 | 3 | 6 | 8 | 12 | 14 | 23 |
| 70-74 | 667 | 8.2 | 35 | 3 | 4 | 6 | 10 | 15 | 20 | 32 |
| 75-79 | 517 | 9.0 | 39 | 3 | 4 | 7 | 10 | 17 | 21 | 35 |
| 80-84 | 274 | 10.3 | 61 | 3 | 4 | 8 | 12 | 19 | 28 | 50 |
| 85+ | 174 | 13.2 | 124 | 4 | 5 | 10 | 15 | 23 | 37 | 66 |
| TOT. SINGLE DX | 1765 | 5.6 | 7 | 3 | 3 | 5 | 7 | 9 | 10 | 16 |
| " MULTIPLE DX | 2392 | 8.6 | 42 | 3 | 4 | 7 | 10 | 15 | 21 | 36 |
| TOTAL 65-69 YRS | 1453 | 6.1 | 12 | 3 | 3 | 5 | 7 | 10 | 12 | 20 |
| 70-74 | 1191 | 7.1 | 25 | 3 | 3 | 6 | 8 | 12 | 16 | 27 |
| 75-79 | 844 | 7.8 | 29 | 3 | 3 | 6 | 9 | 14 | 18 | 31 |
| 80-84 | 421 | 8.9 | 46 | 3 | 4 | 7 | 11 | 15 | 21 | 40 |
| 85+ | 268 | 11.0 | 94 | 3 | 4 | 8 | 12 | 20 | 27 | 63 |
| GRAND TOTAL | 4177 | 7.3 | 29 | 3 | 3 | 6 | 8 | 13 | 17 | 29 |

### 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 288 | 5.4 | 9 | 2 | 2 | 5 | 7 | 8 | 11 | 19 |
| 70-74 | 226 | 6.3 | 25 | 2 | 3 | 5 | 7 | 10 | 15 | 30 |
| 75-79 | 203 | 6.5 | 8 | 3 | 3 | 6 | 8 | 11 | 12 | 15 |
| 80-84 | 133 | 7.9 | 28 | 3 | 4 | 7 | 9 | 13 | 18 | 32 |
| 85+ | 127 | 8.0 | 19 | 3 | 4 | 7 | 9 | 14 | 17 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 257 | 8.6 | 48 | 3 | 3 | 7 | 10 | 17 | 22 | 35 |
| 70-74 | 325 | 9.7 | 61 | 3 | 4 | 8 | 12 | 17 | 22 | 37 |
| 75-79 | 279 | 11.6 | 126 | 3 | 4 | 9 | 13 | 21 | 35 | 57 |
| 80-84 | 261 | 13.4 | 112 | 4 | 5 | 10 | 16 | 28 | 35 | 99 |
| 85+ | 233 | 15.1 | 112 | 4 | 6 | 12 | 20 | 29 | 36 | 50 |
| TOT. SINGLE DX | 977 | 6.5 | 18 | 2 | 3 | 6 | 8 | 11 | 14 | 22 |
| " MULTIPLE DX | 1355 | 11.5 | 96 | 3 | 4 | 8 | 14 | 23 | 31 | 54 |
| TOTAL 65-69 YRS | 545 | 6.9 | 31 | 2 | 3 | 6 | 8 | 12 | 18 | 29 |
| 70-74 | 551 | 8.3 | 50 | 3 | 3 | 6 | 10 | 16 | 21 | 37 |
| 75-79 | 482 | 9.5 | 83 | 3 | 3 | 7 | 10 | 16 | 23 | 49 |
| 80-84 | 394 | 11.5 | 91 | 3 | 4 | 8 | 14 | 24 | 31 | 79 |
| 85+ | 360 | 12.6 | 91 | 4 | 5 | 9 | 15 | 25 | 32 | 46 |
| GRAND TOTAL | 2332 | 9.4 | 69 | 3 | 3 | 7 | 11 | 18 | 26 | 45 |

### 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 232 | 5.3 | 11 | 2 | 2 | 5 | 6 | 9 | 11 | 19 |
| 70-74 | 164 | 5.6 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 18 |
| 75-79 | 109 | 6.5 | 18 | 2 | 2 | 6 | 8 | 10 | 13 | 26 |
| 80-84 | 50 | 8.7 | 137 | 2 | 3 | 6 | 10 | 14 | 15 | 85 |
| 85+ | 25 | 8.0 | 21 | 2 | 3 | 7 | 10 | 16 | 17 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 452 | 9.8 | 67 | 3 | 3 | 7 | 12 | 19 | 24 | 51 |
| 70-74 | 326 | 10.8 | 76 | 3 | 3 | 9 | 13 | 21 | 26 | 50 |
| 75-79 | 198 | 11.3 | 73 | 3 | 4 | 9 | 13 | 23 | 29 | 46 |
| 80-84 | 115 | 12.7 | 129 | 3 | 4 | 10 | 16 | 25 | 35 | 99+ |
| 85+ | 79 | 13.5 | 131 | 4 | 5 | 9 | 17 | 27 | 32 | 71 |
| TOT. SINGLE DX | 580 | 6.0 | 25 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| " MULTIPLE DX | 1170 | 10.9 | 82 | 3 | 4 | 8 | 13 | 21 | 28 | 55 |
| TOTAL 65-69 YRS | 684 | 8.2 | 53 | 2 | 3 | 6 | 10 | 16 | 20 | 34 |
| 70-74 | 490 | 9.0 | 61 | 2 | 3 | 7 | 11 | 18 | 23 | 44 |
| 75-79 | 307 | 9.6 | 59 | 2 | 4 | 8 | 11 | 20 | 26 | 36 |
| 80-84 | 165 | 11.5 | 134 | 3 | 3 | 9 | 13 | 23 | 29 | 99 |
| 85+ | 104 | 12.2 | 110 | 4 | 4 | 9 | 15 | 24 | 29 | 65 |
| GRAND TOTAL | 1750 | 9.2 | 69 | 2 | 3 | 7 | 11 | 18 | 24 | 46 |

### 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 978 | 7.0 | 11 | 3 | 3 | 6 | 9 | 11 | 13 | 19 |
| 70-74 | 690 | 7.3 | 14 | 3 | 3 | 7 | 9 | 12 | 14 | 20 |
| 75-79 | 400 | 7.6 | 14 | 3 | 4 | 7 | 9 | 12 | 16 | 21 |
| 80-84 | 170 | 8.5 | 23 | 3 | 4 | 7 | 10 | 15 | 17 | 28 |
| 85+ | 80 | 9.4 | 85 | 2 | 3 | 8 | 11 | 15 | 19 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1489 | 10.7 | 74 | 3 | 4 | 9 | 12 | 18 | 25 | 45 |
| 70-74 | 1191 | 11.3 | 73 | 4 | 5 | 9 | 13 | 20 | 25 | 46 |
| 75-79 | 795 | 12.4 | 75 | 4 | 5 | 10 | 15 | 23 | 31 | 46 |
| 80-84 | 411 | 13.3 | 73 | 4 | 6 | 11 | 16 | 24 | 28 | 51 |
| 85+ | 215 | 14.2 | 105 | 4 | 5 | 12 | 18 | 24 | 32 | 92 |
| TOT. SINGLE DX | 2318 | 7.4 | 17 | 3 | 3 | 7 | 9 | 12 | 15 | 21 |
| " MULTIPLE DX | 4101 | 11.6 | 77 | 4 | 5 | 9 | 14 | 21 | 26 | 47 |
| TOTAL 65-69 YRS | 2467 | 9.2 | 53 | 3 | 4 | 8 | 11 | 16 | 20 | 36 |
| 70-74 | 1881 | 9.8 | 55 | 3 | 4 | 8 | 11 | 17 | 22 | 41 |
| 75-79 | 1195 | 10.8 | 60 | 4 | 4 | 9 | 13 | 19 | 26 | 42 |
| 80-84 | 581 | 11.9 | 63 | 4 | 5 | 10 | 15 | 22 | 26 | 43 |
| 85+ | 295 | 12.9 | 104 | 3 | 4 | 11 | 16 | 22 | 30 | 84 |
| GRAND TOTAL | 6419 | 10.1 | 59 | 3 | 4 | 8 | 12 | 18 | 23 | 40 |

## 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 96 | 9.1 | 20 | 3 | 4 | 9 | 12 | 14 | 17 | 24 |
| 70-74 | 70 | 11.4 | 48 | 4 | 5 | 9 | 15 | 21 | 26 | 34 |
| 75-79 | 40 | 12.1 | 30 | 4 | 5 | 12 | 16 | 20 | 21 | 25 |
| 80-84 | 19 | 12.4 | 42 | 3 | 5 | 11 | 15 | 20 | 27 | 31 |
| 85+ | 17 | 15.1 | 70 | 3 | 5 | 14 | 17 | 27 | 33 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 354 | 15.0 | 75 | 6 | 7 | 13 | 18 | 25 | 32 | 60 |
| 70-74 | 260 | 15.7 | 96 | 7 | 8 | 13 | 19 | 28 | 33 | 54 |
| 75-79 | 174 | 18.8 | 154 | 7 | 8 | 16 | 22 | 33 | 42 | 90 |
| 80-84 | 97 | 22.0 | 197 | 5 | 8 | 18 | 27 | 45 | 54 | 85 |
| 85+ | 54 | 20.7 | 184 | 6 | 9 | 16 | 26 | 36 | 44 | 75 |
| TOT. SINGLE DX | 242 | 10.9 | 38 | 3 | 4 | 10 | 14 | 18 | 23 | 33 |
| " MULTIPLE DX | 939 | 16.9 | 120 | 6 | 8 | 14 | 21 | 30 | 39 | 64 |
| TOTAL 65-69 YRS | 450 | 13.7 | 69 | 4 | 6 | 12 | 17 | 23 | 29 | 45 |
| 70-74 | 330 | 14.8 | 89 | 5 | 7 | 12 | 18 | 27 | 33 | 53 |
| 75-79 | 214 | 17.5 | 138 | 6 | 8 | 15 | 21 | 31 | 41 | 79 |
| 80-84 | 116 | 20.4 | 184 | 5 | 8 | 17 | 25 | 42 | 52 | 79 |
| 85+ | 71 | 19.3 | 162 | 4 | 8 | 15 | 26 | 34 | 42 | 73 |
| GRAND TOTAL | 1181 | 15.7 | 109 | 5 | 7 | 13 | 19 | 28 | 36 | 62 |

## 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 334 | 10.0 | 79 | 1 | 2 | 7 | 13 | 21 | 28 | 42 |
| 70-74 | 260 | 10.9 | 91 | 2 | 2 | 8 | 14 | 20 | 31 | 47 |
| 75-79 | 177 | 9.9 | 92 | 1 | 2 | 8 | 12 | 20 | 26 | 58 |
| 80-84 | 92 | 10.8 | 73 | 2 | 2 | 10 | 14 | 21 | 34 | 78 |
| 85+ | 67 | 11.1 | 77 | 2 | 3 | 9 | 14 | 20 | 27 | 52 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1529 | 15.1 | 160 | 2 | 3 | 12 | 20 | 31 | 40 | 66 |
| 70-74 | 1315 | 15.6 | 156 | 2 | 4 | 13 | 21 | 31 | 42 | 68 |
| 75-79 | 1064 | 15.9 | 164 | 2 | 3 | 13 | 21 | 33 | 41 | 67 |
| 80-84 | 562 | 17.7 | 192 | 3 | 4 | 15 | 22 | 37 | 47 | 77 |
| 85+ | 388 | 17.4 | 171 | 3 | 4 | 14 | 22 | 35 | 45 | 75 |
| TOT. SINGLE DX | 930 | 10.4 | 84 | 2 | 2 | 8 | 13 | 21 | 28 | 50 |
| " MULTIPLE DX | 4858 | 15.9 | [illegible] | 2 | 4 | 13 | 21 | 32 | 42 | 68 |
| TOTAL 65-69 YRS | 1863 | 14.2 | 149 | 2 | 3 | 11 | 19 | 29 | 38 | 61 |
| 70-74 | 1575 | 14.8 | 149 | 2 | 3 | 12 | 19 | 29 | 40 | 65 |
| 75-79 | 1241 | 15.1 | 158 | 2 | 3 | 12 | 20 | 32 | 39 | 63 |
| 80-84 | 654 | 16.7 | 181 | 2 | 3 | 14 | 21 | 36 | 45 | 78 |
| 85+ | 455 | 16.5 | 163 | 3 | 4 | 14 | 21 | 34 | 41 | 73 |
| GRAND TOTAL | 5788 | 15.0 | 156 | 2 | 3 | 12 | 20 | 31 | 40 | 66 |

## 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 260 | 13.0 | 77 | 4 | 5 | 11 | 16 | 22 | 29 | 49 |
| 70-74 | 173 | 13.8 | 74 | 4 | 6 | 12 | 17 | 26 | 31 | 46 |
| 75-79 | 172 | 15.1 | 89 | 5 | 6 | 12 | 18 | 29 | 35 | 49 |
| 80-84 | 88 | 17.6 | 152 | 6 | 7 | 15 | 21 | 30 | 39 | 76 |
| 85+ | 66 | 16.7 | 67 | 7 | 9 | 14 | 21 | 30 | 35 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 944 | 20.7 | 217 | 6 | 8 | 17 | 25 | 39 | 54 | 91 |
| 70-74 | 815 | 20.5 | 182 | 7 | 9 | 17 | 25 | 37 | 52 | 89 |
| 75-79 | 611 | 22.0 | 188 | 8 | 9 | 18 | 28 | 40 | 52 | 77 |
| 80-84 | 379 | 23.9 | 241 | 8 | 10 | 20 | 30 | 43 | 58 | 97 |
| 85+ | 277 | 24.7 | 269 | 8 | 10 | 21 | 30 | 44 | 61 | 94 |
| TOT. SINGLE DX | 759 | 14.5 | 89 | 4 | 6 | 12 | 18 | 26 | 32 | 50 |
| " MULTIPLE DX | 3026 | 21.7 | 212 | 7 | 9 | 18 | 27 | 40 | 54 | 90 |
| TOTAL 65-69 YRS | 1204 | 19.0 | 197 | 6 | 7 | 15 | 23 | 37 | 50 | 85 |
| 70-74 | 988 | 19.3 | 170 | 6 | 8 | 16 | 24 | 35 | 49 | 84 |
| 75-79 | 783 | 20.5 | 175 | 7 | 8 | 17 | 26 | 39 | 48 | 75 |
| 80-84 | 467 | 22.7 | 231 | 7 | 9 | 19 | 29 | 42 | 54 | 93 |
| 85+ | 343 | 23.2 | 241 | 7 | 9 | 20 | 28 | 41 | 57 | 89 |
| GRAND TOTAL | 3785 | 20.2 | 195 | 6 | 8 | 16 | 25 | 38 | 51 | 87 |

## 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 47 | 4.8 | 22 | 1 | 1 | 3 | 7 | 12 | 15 | 23 |
| 70-74 | 28 | 5.6 | 36 | 1 | 1 | 3 | 7 | 15 | 17 | 27 |
| 75-79 | 15 | 7.3 | 152 | 1 | 1 | 2 | 6 | 27 | 40 | 45 |
| 80-84 | 6 | 11.7 | 167 | 1 | 1 | 7 | 19 | 32 | 34 | 34 |
| 85+ | 9 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 99 | 10.6 | 157 | 1 | 1 | 6 | 14 | 25 | 38 | 86 |
| 70-74 | 80 | 12.2 | 186 | 1 | 2 | 9 | 16 | 28 | 35 | 78 |
| 75-79 | 64 | 12.0 | 182 | 2 | 2 | 10 | 14 | 21 | 40 | 99 |
| 80-84 | 25 | 12.2 | 92 | 1 | 1 | 11 | 17 | 29 | 31 | 31 |
| 85+ | 17 | 14.2 | 226 | 1 | 1 | 12 | 21 | 26 | 50 | 62 |
| TOT. SINGLE DX | 105 | 5.5 | 52 | 1 | 1 | 2 | 7 | 12 | 20 | 39 |
| " MULTIPLE DX | 285 | 11.7 | 168 | 1 | 2 | 9 | 15 | 26 | 37 | 93 |
| TOTAL 65-69 YRS | 146 | 8.7 | 121 | 1 | 1 | 5 | 12 | 19 | 30 | 74 |
| 70-74 | 108 | 10.5 | 155 | 1 | 2 | 6 | 14 | 25 | 31 | 68 |
| 75-79 | 79 | 11.1 | 178 | 1 | 2 | 9 | 14 | 22 | 41 | 98 |
| 80-84 | 31 | 12.1 | 102 | 1 | 1 | 11 | 18 | 30 | 31 | 34 |
| 85+ | 26 | 10.1 | 180 | <1 | 1 | 3 | 14 | 24 | 34 | 62 |
| GRAND TOTAL | 390 | 10.1 | 144 | 1 | 1 | 6 | 14 | 24 | 32 | 82 |

### 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 322 | 11.5 | 48 | 4 | 5 | 10 | 14 | 19 | 23 | 44 |
| 70-74 | 254 | 12.8 | 31 | 5 | 7 | 12 | 16 | 20 | 23 | 30 |
| 75-79 | 180 | 13.4 | 52 | 4 | 7 | 12 | 17 | 23 | 26 | 36 |
| 80-84 | 121 | 13.8 | 50 | 7 | 8 | 12 | 16 | 21 | 28 | 41 |
| 85+ | 104 | 15.9 | 75 | 7 | 8 | 14 | 19 | 26 | 31 | 53 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1130 | 18.3 | 180 | 5 | 7 | 14 | 22 | 34 | 47 | 75 |
| 70-74 | 927 | 19.8 | 197 | 7 | 8 | 16 | 23 | 38 | 51 | 79 |
| 75-79 | 783 | 20.7 | 202 | 7 | 9 | 17 | 25 | 38 | 50 | 84 |
| 80-84 | 516 | 20.9 | 176 | 7 | 9 | 18 | 26 | 38 | 50 | 96 |
| 85+ | 354 | 21.5 | 184 | 8 | 10 | 18 | 26 | 41 | 52 | 99 |
| TOT. SINGLE DX | 981 | 12.9 | 49 | 5 | 6 | 12 | 16 | 21 | 26 | 39 |
| " MULTIPLE DX | 3710 | 19.8 | 190 | 6 | 8 | 16 | 24 | 37 | 50 | 79 |
| TOTAL 65-69 YRS | 1452 | 16.8 | 159 | 5 | 6 | 13 | 20 | 32 | 43 | 69 |
| 70-74 | 1181 | 18.3 | 170 | 6 | 8 | 15 | 21 | 34 | 47 | 76 |
| 75-79 | 963 | 19.3 | 183 | 6 | 8 | 15 | 24 | 35 | 46 | 79 |
| 80-84 | 637 | 19.5 | 160 | 7 | 9 | 16 | 24 | 35 | 46 | 84 |
| 85+ | 458 | 20.2 | 165 | 7 | 9 | 17 | 25 | 37 | 50 | 86 |
| GRAND TOTAL | 4691 | 18.4 | 169 | 6 | 8 | 15 | 22 | 34 | 46 | 76 |

### 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 225 | 13.4 | 27 | 7 | 8 | 12 | 16 | 21 | 25 | 29 |
| 70-74 | 172 | 14.7 | 66 | 7 | 9 | 13 | 17 | 24 | 28 | 42 |
| 75-79 | 106 | 15.9 | 62 | 8 | 9 | 14 | 19 | 26 | 35 | 44 |
| 80-84 | 47 | 14.9 | 38 | 8 | 9 | 14 | 18 | 25 | 28 | 31 |
| 85+ | 23 | 17.3 | 38 | 9 | 11 | 15 | 21 | 28 | 29 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 703 | 18.5 | 143 | 8 | 9 | 15 | 22 | 31 | 43 | 74 |
| 70-74 | 616 | 19.1 | 120 | 8 | 9 | 16 | 23 | 32 | 41 | 65 |
| 75-79 | 445 | 20.8 | 146 | 9 | 10 | 18 | 25 | 35 | 46 | 71 |
| 80-84 | 235 | 22.0 | 128 | 9 | 11 | 19 | 27 | 36 | 45 | 68 |
| 85+ | 123 | 22.5 | 140 | 9 | 11 | 20 | 27 | 37 | 48 | 87 |
| TOT. SINGLE DX | 573 | 14.5 | 48 | 8 | 8 | 13 | 17 | 23 | 27 | 39 |
| " MULTIPLE DX | 2122 | 19.8 | 137 | 8 | 9 | 17 | 24 | 34 | 43 | 70 |
| TOTAL 65-69 YRS | 928 | 17.2 | 120 | 8 | 9 | 14 | 20 | 29 | 39 | 68 |
| 70-74 | 788 | 18.2 | 112 | 8 | 9 | 15 | 21 | 31 | 39 | 63 |
| 75-79 | 551 | 19.9 | 134 | 9 | 9 | 17 | 24 | 34 | 44 | 64 |
| 80-84 | 282 | 20.8 | 121 | 9 | 10 | 18 | 26 | 34 | 42 | 66 |
| 85+ | 146 | 21.7 | 128 | 10 | 11 | 19 | 26 | 35 | 47 | 83 |
| GRAND TOTAL | 2695 | 18.7 | 123 | 8 | 9 | 16 | 22 | 31 | 41 | 66 |

### 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 329 | 10.3 | 38 | 2 | 3 | 10 | 13 | 17 | 22 | 27 |
| 70-74 | 194 | 10.8 | 46 | 2 | 2 | 10 | 14 | 19 | 23 | 37 |
| 75-79 | 108 | 10.7 | 45 | 2 | 2 | 10 | 13 | 17 | 26 | 32 |
| 80-84 | 36 | 10.3 | 58 | 1 | 2 | 9 | 15 | 19 | 25 | 32 |
| 85+ | 13 | 13.8 | 58 | 4 | 6 | 11 | 19 | 24 | 29 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 834 | 14.6 | 104 | 3 | 4 | 12 | 18 | 26 | 35 | 56 |
| 70-74 | 647 | 16.5 | 129 | 3 | 5 | 14 | 21 | 32 | 38 | 53 |
| 75-79 | 387 | 16.7 | 130 | 4 | 6 | 14 | 20 | 31 | 42 | 66 |
| 80-84 | 182 | 19.8 | 179 | 4 | 6 | 16 | 27 | 38 | 44 | 82 |
| 85+ | 83 | 19.6 | 170 | 4 | 8 | 17 | 25 | 38 | 43 | 63 |
| TOT. SINGLE DX | 680 | 10.6 | 43 | 2 | 2 | 10 | 13 | 18 | 23 | 31 |
| " MULTIPLE DX | 2133 | 16.2 | 128 | 3 | 5 | 14 | 21 | 31 | 39 | 60 |
| TOTAL 65-69 YRS | 1163 | 13.4 | 89 | 2 | 4 | 11 | 16 | 24 | 32 | 53 |
| 70-74 | 841 | 15.2 | 116 | 2 | 4 | 13 | 19 | 29 | 35 | 51 |
| 75-79 | 495 | 15.4 | 118 | 2 | 4 | 13 | 19 | 28 | 39 | 60 |
| 80-84 | 218 | 18.2 | 172 | 3 | 5 | 15 | 25 | 36 | 42 | 75 |
| 85+ | 96 | 18.8 | 158 | 4 | 7 | 16 | 23 | 37 | 40 | 62 |
| GRAND TOTAL | 2813 | 14.8 | 113 | 2 | 4 | 12 | 19 | 28 | 36 | 56 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 260 | 10.0 | 19 | 4 | 5 | 9 | 12 | 15 | 17 | 27 |
| 70-74 | 164 | 10.7 | 27 | 4 | 6 | 10 | 12 | 16 | 18 | 31 |
| 75-79 | 93 | 12.3 | 49 | 4 | 6 | 11 | 14 | 19 | 25 | 42 |
| 80-84 | 30 | 11.4 | 22 | 4 | 5 | 10 | 15 | 18 | 19 | 21 |
| 85+ | 10 | 12.0 | 54 | 3 | 4 | 10 | 13 | 24 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 489 | 13.5 | 72 | 4 | 6 | 11 | 16 | 22 | 27 | 55 |
| 70-74 | 364 | 14.3 | 93 | 4 | 6 | 12 | 17 | 25 | 34 | 51 |
| 75-79 | 226 | 17.1 | 121 | 5 | 7 | 14 | 21 | 29 | 34 | 61 |
| 80-84 | 107 | 16.8 | 102 | 4 | 8 | 15 | 23 | 28 | 40 | 51 |
| 85+ | 55 | 18.9 | 142 | 6 | 7 | 15 | 26 | 33 | 47 | 53 |
| TOT. SINGLE DX | 557 | 10.7 | 28 | 4 | 5 | 10 | 13 | 17 | 19 | 32 |
| " MULTIPLE DX | 1241 | 14.9 | 96 | 4 | 6 | 12 | 18 | 25 | 33 | 55 |
| TOTAL 65-69 YRS | 749 | 12.2 | 57 | 4 | 6 | 11 | 15 | 20 | 24 | 42 |
| 70-74 | 528 | 13.2 | 76 | 4 | 6 | 11 | 16 | 22 | 29 | 49 |
| 75-79 | 319 | 15.7 | 105 | 5 | 7 | 13 | 19 | 27 | 34 | 58 |
| 80-84 | 137 | 15.6 | 89 | 4 | 7 | 13 | 21 | 26 | 35 | 50 |
| 85+ | 65 | 17.8 | 134 | 5 | 6 | 14 | 25 | 33 | 46 | 52 |
| GRAND TOTAL | 1798 | 13.6 | 78 | 4 | 6 | 11 | 16 | 24 | 29 | 51 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 30 | 12.5 | 36 | 2 | 4 | 13 | 18 | 20 | 20 | 21 |
| 70-74 | 35 | 17.1 | 118 | 5 | 8 | 15 | 21 | 29 | 42 | 55 |
| 75-79 | 10 | 21.7 | 268 | 3 | 4 | 18 | 28 | 46 | 61 | 61 |
| 80-84 | 7 | 17.1 | 56 | 5 | 6 | 18 | 22 | 27 | 28 | 28 |
| 85+ | 3 | 16.7 | 126 | 7 | 7 | 14 | 25 | 29 | 29 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 128 | 24.3 | 231 | 5 | 9 | 22 | 32 | 49 | 55 | 86 |
| 70-74 | 102 | 22.0 | 150 | 8 | 10 | 19 | 28 | 38 | 41 | 69 |
| 75-79 | 79 | 23.4 | 198 | 7 | 9 | 21 | 31 | 41 | 52 | 71 |
| 80-84 | 28 | 24.8 | 184 | 8 | 11 | 22 | 32 | 43 | 53 | 66 |
| 85+ | 16 | 17.8 | 93 | 5 | 6 | 17 | 25 | 33 | 35 | 35 |
| TOT. SINGLE DX | 85 | 16.0 | 105 | 3 | 5 | 15 | 20 | 28 | 33 | 59 |
| " MULTIPLE DX | 353 | 23.2 | 191 | 7 | 9 | 20 | 31 | 40 | 53 | 73 |
| TOTAL 65-69 YRS | 158 | 22.1 | 215 | 4 | 8 | 19 | 29 | 44 | 54 | 83 |
| 70-74 | 137 | 20.7 | 146 | 8 | 9 | 18 | 25 | 37 | 42 | 66 |
| 75-79 | 89 | 23.2 | 203 | 7 | 9 | 20 | 31 | 41 | 57 | 70 |
| 80-84 | 35 | 23.2 | 166 | 6 | 11 | 21 | 28 | 36 | 50 | 66 |
| 85+ | 19 | 17.6 | 92 | 5 | 6 | 16 | 26 | 32 | 35 | 35 |
| GRAND TOTAL | 438 | 21.8 | 182 | 5 | 9 | 19 | 28 | 39 | 52 | 67 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 259 | 5.4 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 17 |
| 70-74 | 163 | 6.0 | 20 | 1 | 2 | 5 | 8 | 12 | 16 | 23 |
| 75-79 | 88 | 7.4 | 25 | 2 | 3 | 6 | 9 | 14 | 17 | 26 |
| 80-84 | 31 | 6.3 | 29 | 2 | 2 | 5 | 8 | 10 | 13 | 31 |
| 85+ | 19 | 6.0 | 10 | 2 | 2 | 6 | 8 | 11 | 12 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 388 | 8.8 | 52 | 2 | 3 | 7 | 11 | 17 | 22 | 49 |
| 70-74 | 313 | 10.1 | 79 | 2 | 3 | 8 | 13 | 22 | 27 | 52 |
| 75-79 | 180 | 11.7 | 99 | 3 | 4 | 9 | 13 | 23 | 32 | 61 |
| 80-84 | 99 | 11.2 | 51 | 2 | 4 | 10 | 14 | 24 | 27 | 30 |
| 85+ | 49 | 14.7 | 143 | 2 | 3 | 10 | 20 | 33 | 41 | 51 |
| TOT. SINGLE DX | 560 | 6.0 | 19 | 1 | 2 | 5 | 8 | 12 | 14 | 23 |
| " MULTIPLE DX | 1029 | 10.2 | 75 | 2 | 3 | 8 | 13 | 21 | 26 | 50 |
| TOTAL 65-69 YRS | 647 | 7.4 | 40 | 2 | 2 | 6 | 9 | 14 | 19 | 39 |
| 70-74 | 476 | 8.7 | 63 | 2 | 2 | 6 | 11 | 17 | 24 | 48 |
| 75-79 | 268 | 10.3 | 79 | 3 | 3 | 8 | 13 | 20 | 25 | 49 |
| 80-84 | 130 | 10.1 | 50 | 2 | 3 | 9 | 13 | 21 | 27 | 30 |
| 85+ | 68 | 12.3 | 121 | 2 | 2 | 8 | 15 | 29 | 39 | 50 |
| GRAND TOTAL | 1589 | 8.7 | 60 | 2 | 2 | 6 | 11 | 17 | 24 | 42 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2666 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 70-74 | 2355 | 4.5 | 20 | 1 | 1 | 3 | 6 | 10 | 13 | 22 |
| 75-79 | 1737 | 4.9 | 26 | 1 | 1 | 3 | 6 | 11 | 15 | 24 |
| 80-84 | 1030 | 5.6 | 37 | 1 | 1 | 3 | 7 | 12 | 16 | 29 |
| 85+ | 602 | 6.3 | 48 | 1 | 1 | 4 | 8 | 13 | 18 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 8449 | 8.5 | 82 | 1 | 2 | 6 | 11 | 18 | 25 | 46 |
| 70-74 | 8431 | 9.3 | 95 | 1 | 2 | 7 | 12 | 20 | 28 | 53 |
| 75-79 | 7347 | 10.6 | 110 | 1 | 2 | 8 | 14 | 23 | 32 | 60 |
| 80-84 | 4957 | 12.3 | 145 | 2 | 2 | 9 | 16 | 26 | 35 | 71 |
| 85+ | 3694 | 13.2 | 138 | 2 | 3 | 10 | 17 | 27 | 37 | 71 |
| TOT. SINGLE DX | 8390 | 4.8 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 24 |
| " MULTIPLE DX | 32978 | 10.3 | 110 | 1 | 2 | 7 | 13 | 22 | 31 | 58 |
| TOTAL 65-69 YRS | 11115 | 7.5 | 71 | 1 | 1 | 5 | 9 | 16 | 23 | 44 |
| 70-74 | 10786 | 8.3 | 83 | 1 | 2 | 6 | 11 | 18 | 25 | 49 |
| 75-79 | 9084 | 9.5 | 100 | 1 | 2 | 7 | 12 | 21 | 29 | 55 |
| 80-84 | 5987 | 11.1 | 133 | 1 | 2 | 8 | 14 | 24 | 33 | 66 |
| 85+ | 4296 | 12.2 | 132 | 2 | 2 | 9 | 16 | 26 | 36 | 67 |
| GRAND TOTAL | 41268 | 9.2 | 98 | 1 | 2 | 6 | 12 | 20 | 28 | 53 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1970 | 4.4 | 13 | 1 | 2 | 3 | 5 | 8 | 10 | 18 |
| 70-74 | 1985 | 4.5 | 14 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 75-79 | 1503 | 5.2 | 24 | 1 | 2 | 4 | 6 | 9 | 13 | 24 |
| 80-84 | 1056 | 5.4 | 19 | 2 | 2 | 4 | 7 | 10 | 13 | 23 |
| 85+ | 753 | 6.4 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2866 | 7.4 | 63 | 2 | 2 | 5 | 9 | 15 | 21 | 41 |
| 70-74 | 3253 | 7.7 | 62 | 2 | 2 | 5 | 9 | 16 | 22 | 42 |
| 75-79 | 2899 | 8.7 | 79 | 2 | 2 | 6 | 10 | 18 | 25 | 47 |
| 80-84 | 2016 | 9.8 | 89 | 2 | 2 | 7 | 12 | 20 | 27 | 56 |
| 85+ | 1610 | 11.2 | 119 | 2 | 3 | 8 | 14 | 23 | 30 | 63 |
| TOT. SINGLE DX | 7267 | 4.9 | 19 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| " MULTIPLE DX | 12644 | 8.7 | 80 | 2 | 2 | 6 | 10 | 18 | 25 | 50 |
| TOTAL 65-69 YRS | 4836 | 6.2 | 45 | 1 | 2 | 4 | 7 | 12 | 17 | 36 |
| 70-74 | 5238 | 6.5 | 47 | 1 | 2 | 4 | 8 | 13 | 19 | 36 |
| 75-79 | 4402 | 7.5 | 63 | 2 | 2 | 5 | 9 | 15 | 22 | 41 |
| 80-84 | 3072 | 8.3 | 70 | 2 | 2 | 6 | 10 | 17 | 23 | 50 |
| 85+ | 2363 | 9.7 | 96 | 2 | 2 | 7 | 12 | 19 | 26 | 54 |
| GRAND TOTAL | 19911 | 7.3 | 61 | 2 | 2 | 5 | 9 | 15 | 21 | 41 |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 560 | 8.7 | 70 | 1 | 2 | 5 | 12 | 20 | 25 | 36 |
| 70-74 | 489 | 7.7 | 49 | 1 | 2 | 5 | 11 | 17 | 20 | 33 |
| 75-79 | 382 | 8.4 | 57 | 1 | 2 | 6 | 12 | 19 | 22 | 35 |
| 80-84 | 211 | 8.5 | 68 | 2 | 2 | 6 | 12 | 17 | 21 | 45 |
| 85+ | 138 | 8.7 | 69 | 1 | 2 | 7 | 12 | 17 | 22 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1407 | 12.5 | 133 | 2 | 2 | 10 | 17 | 26 | 35 | 62 |
| 70-74 | 1510 | 13.9 | 165 | 2 | 3 | 10 | 18 | 31 | 40 | 74 |
| 75-79 | 1370 | 13.8 | 166 | 2 | 3 | 11 | 18 | 29 | 41 | 94 |
| 80-84 | 883 | 14.3 | 138 | 2 | 3 | 11 | 20 | 30 | 39 | 76 |
| 85+ | 730 | 15.4 | 146 | 3 | 4 | 12 | 21 | 31 | 41 | 86 |
| TOT. SINGLE DX | 1780 | 8.3 | 62 | 1 | 2 | 6 | 12 | 18 | 23 | 36 |
| " MULTIPLE DX | 5900 | 13.8 | 152 | 2 | 3 | 11 | 18 | 30 | 39 | 78 |
| TOTAL 65-69 YRS | 1967 | 11.4 | 118 | 2 | 2 | 9 | 15 | 25 | 32 | 55 |
| 70-74 | 1999 | 12.3 | 144 | 2 | 2 | 9 | 16 | 28 | 37 | 66 |
| 75-79 | 1752 | 12.6 | 148 | 2 | 2 | 10 | 17 | 27 | 37 | 87 |
| 80-84 | 1094 | 13.2 | 130 | 2 | 3 | 10 | 18 | 28 | 38 | 69 |
| 85+ | 868 | 14.3 | 140 | 2 | 3 | 11 | 20 | 29 | 39 | 82 |
| GRAND TOTAL | 7680 | 12.5 | 137 | 2 | 2 | 9 | 17 | 27 | 36 | 68 |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 17 | 3.5 | 5 | <1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 70-74 | 22 | 3.6 | 8 | <1 | 1 | 3 | 5 | 6 | 9 | 14 |
| 75-79 | 12 | 3.3 | 7 | <1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 79 | 5.9 | 27 | 1 | 2 | 4 | 7 | 14 | 17 | 25 |
| 70-74 | 45 | 5.9 | 40 | 1 | 2 | 4 | 7 | 12 | 16 | 37 |
| 75-79 | 40 | 5.8 | 16 | 2 | 2 | 5 | 8 | 11 | 15 | 17 |
| 80-84 | 21 | 11.7 | 291 | 1 | 2 | 5 | 12 | 28 | 55 | 75 |
| 85+ | 20 | 13.6 | 93 | 2 | 3 | 13 | 20 | 31 | 66 | 99+ |
| TOT. SINGLE DX | 55 | 3.5 | 7 | <1 | 1 | 2 | 5 | 7 | 8 | 14 |
| " MULTIPLE DX | 205 | 7.2 | 67 | 2 | 2 | 5 | 9 | 16 | 21 | 55 |
| TOTAL 65-69 YRS | 96 | 5.5 | 24 | 1 | 2 | 4 | 7 | 13 | 15 | 24 |
| 70-74 | 67 | 5.1 | 31 | 1 | 2 | 3 | 6 | 11 | 14 | 34 |
| 75-79 | 52 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 17 |
| 80-84 | 22 | 11.5 | 279 | 1 | 2 | 6 | 11 | 26 | 53 | 75 |
| 85+ | 23 | 12.2 | 96 | 1 | 2 | 11 | 19 | 27 | 57 | 99+ |
| GRAND TOTAL | 260 | 6.4 | 57 | 1 | 2 | 4 | 8 | 14 | 20 | 39 |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 161 | 5.0 | 26 | 2 | 2 | 4 | 6 | 9 | 11 | 27 |
| 70-74 | 182 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 75-79 | 110 | 5.1 | 19 | 1 | 1 | 4 | 6 | 10 | 14 | 23 |
| 80-84 | 64 | 5.2 | 27 | 1 | 2 | 4 | 6 | 10 | 15 | 29 |
| 85+ | 30 | 5.5 | 27 | 1 | 1 | 4 | 7 | 10 | 12 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 341 | 6.9 | 45 | 1 | 2 | 5 | 8 | 15 | 19 | 32 |
| 70-74 | 308 | 8.1 | 74 | 2 | 2 | 5 | 11 | 16 | 21 | 46 |
| 75-79 | 268 | 8.3 | 77 | 2 | 2 | 6 | 10 | 17 | 25 | 42 |
| 80-84 | 194 | 9.2 | 71 | 2 | 2 | 7 | 11 | 19 | 28 | 45 |
| 85+ | 120 | 11.7 | 101 | 2 | 3 | 8 | 15 | 26 | 30 | 47 |
| TOT. SINGLE DX | 547 | 5.0 | 21 | 1 | 2 | 4 | 6 | 9 | 13 | 28 |
| " MULTIPLE DX | 1231 | 8.3 | 71 | 2 | 2 | 6 | 10 | 17 | 25 | 42 |
| TOTAL 65-69 YRS | 502 | 6.3 | 40 | 1 | 2 | 4 | 7 | 13 | 17 | 31 |
| 70-74 | 490 | 7.0 | 55 | 2 | 2 | 4 | 9 | 14 | 18 | 36 |
| 75-79 | 378 | 7.4 | 63 | 1 | 2 | 5 | 9 | 15 | 22 | 40 |
| 80-84 | 258 | 8.2 | 64 | 2 | 2 | 6 | 10 | 17 | 27 | 42 |
| 85+ | 150 | 10.5 | 93 | 2 | 3 | 7 | 13 | 25 | 29 | 37 |
| GRAND TOTAL | 1778 | 7.3 | 58 | 2 | 2 | 5 | 9 | 15 | 22 | 36 |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 263 | 3.7 | 13 | <1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 70-74 | 225 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| 75-79 | 168 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 80-84 | 89 | 6.5 | 46 | 1 | 2 | 5 | 7 | 12 | 19 | 36 |
| 85+ | 83 | 6.4 | 32 | 1 | 2 | 5 | 8 | 14 | 17 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1412 | 7.8 | 68 | 1 | 2 | 5 | 10 | 16 | 21 | 44 |
| 70-74 | 1454 | 9.2 | 91 | 1 | 2 | 7 | 12 | 19 | 26 | 52 |
| 75-79 | 1243 | 9.7 | 82 | 2 | 2 | 7 | 13 | 19 | 25 | 50 |
| 80-84 | 855 | 11.3 | 111 | 2 | 2 | 8 | 15 | 24 | 32 | 58 |
| 85+ | 681 | 12.3 | 106 | 2 | 3 | 10 | 16 | 24 | 31 | 50 |
| TOT. SINGLE DX | 828 | 4.4 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| " MULTIPLE DX | 5645 | 9.6 | 91 | 2 | 2 | 7 | 13 | 20 | 27 | 50 |
| TOTAL 65-69 YRS | 1675 | 7.1 | 62 | 1 | 2 | 5 | 9 | 15 | 20 | 43 |
| 70-74 | 1679 | 8.5 | 84 | 1 | 2 | 6 | 11 | 18 | 24 | 47 |
| 75-79 | 1411 | 9.1 | 77 | 2 | 2 | 7 | 12 | 18 | 23 | 50 |
| 80-84 | 944 | 10.8 | 107 | 2 | 2 | 8 | 14 | 23 | 31 | 57 |
| 85+ | 764 | 11.6 | 102 | 2 | 3 | 9 | 15 | 23 | 29 | 49 |
| GRAND TOTAL | 6473 | 9.0 | 85 | 1 | 2 | 6 | 12 | 19 | 25 | 48 |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 190 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 70-74 | 164 | 5.2 | 18 | 2 | 2 | 4 | 6 | 9 | 12 | 27 |
| 75-79 | 118 | 5.8 | 25 | 2 | 2 | 5 | 7 | 10 | 15 | 29 |
| 80-84 | 79 | 5.6 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 18 |
| 85+ | 38 | 6.1 | 9 | 2 | 3 | 6 | 8 | 9 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 481 | 8.2 | 65 | 2 | 2 | 6 | 10 | 16 | 23 | 39 |
| 70-74 | 484 | 8.6 | 72 | 2 | 2 | 6 | 11 | 17 | 24 | 49 |
| 75-79 | 388 | 9.2 | 78 | 2 | 3 | 6 | 11 | 20 | 26 | 50 |
| 80-84 | 233 | 11.0 | 135 | 2 | 3 | 8 | 13 | 20 | 30 | 63 |
| 85+ | 180 | 10.5 | 79 | 3 | 3 | 8 | 13 | 23 | 34 | 84 |
| TOT. SINGLE DX | 589 | 5.2 | 16 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| " MULTIPLE DX | 1766 | 9.1 | 82 | 2 | 2 | 6 | 11 | 19 | 26 | 49 |
| TOTAL 65-69 YRS | 671 | 7.2 | 52 | 2 | 2 | 5 | 9 | 14 | 20 | 38 |
| 70-74 | 648 | 7.7 | 61 | 2 | 2 | 5 | 10 | 16 | 20 | 38 |
| 75-79 | 506 | 8.4 | 68 | 2 | 2 | 6 | 10 | 18 | 24 | 42 |
| 80-84 | 312 | 9.6 | 110 | 2 | 3 | 7 | 11 | 18 | 25 | 57 |
| 85+ | 218 | 9.7 | 70 | 3 | 3 | 7 | 12 | 20 | 30 | 65 |
| GRAND TOTAL | 2355 | 8.2 | 68 | 2 | 2 | 6 | 10 | 16 | 23 | 44 |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 210 | 9.5 | 17 | 5 | 6 | 9 | 11 | 13 | 16 | 27 |
| 70-74 | 145 | 10.3 | 19 | 5 | 6 | 9 | 12 | 16 | 20 | 26 |
| 75-79 | 86 | 10.3 | 8 | 6 | 7 | 10 | 12 | 14 | 16 | 19 |
| 80-84 | 28 | 10.7 | 16 | 5 | 5 | 11 | 13 | 16 | 19 | 20 |
| 85+ | 11 | 12.3 | 66 | 6 | 6 | 10 | 13 | 25 | 33 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 379 | 11.9 | 45 | 6 | 6 | 10 | 14 | 20 | 24 | 41 |
| 70-74 | 300 | 12.4 | 44 | 6 | 7 | 11 | 15 | 20 | 23 | 33 |
| 75-79 | 203 | 13.1 | 72 | 7 | 7 | 11 | 15 | 22 | 26 | 69 |
| 80-84 | 80 | 14.4 | 58 | 7 | 8 | 12 | 18 | 23 | 31 | 45 |
| 85+ | 21 | 17.3 | 100 | 7 | 8 | 16 | 22 | 31 | 40 | 46 |
| TOT. SINGLE DX | 480 | 10.0 | 17 | 5 | 6 | 9 | 11 | 15 | 18 | 27 |
| " MULTIPLE DX | 983 | 12.6 | 54 | 6 | 7 | 10 | 15 | 21 | 25 | 42 |
| TOTAL 65-69 YRS | 589 | 11.0 | 37 | 6 | 6 | 9 | 12 | 18 | 22 | 37 |
| 70-74 | 445 | 11.7 | 37 | 6 | 7 | 10 | 14 | 19 | 22 | 32 |
| 75-79 | 289 | 12.3 | 55 | 7 | 7 | 10 | 14 | 19 | 24 | 61 |
| 80-84 | 108 | 13.4 | 50 | 6 | 7 | 11 | 16 | 20 | 26 | 42 |
| 85+ | 32 | 15.6 | 92 | 6 | 7 | 13 | 19 | 30 | 35 | 46 |
| GRAND TOTAL | 1463 | 11.8 | 43 | 6 | 7 | 10 | 14 | 19 | 23 | 36 |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 63 | 8.9 | 15 | 3 | 5 | 9 | 11 | 15 | 16 | 18 |
| 70-74 | 45 | 9.6 | 14 | 4 | 6 | 9 | 11 | 14 | 17 | 25 |
| 75-79 | 30 | 8.3 | 22 | 3 | 4 | 8 | 10 | 12 | 16 | 28 |
| 80-84 | 9 | 10.8 | 9 | 7 | 7 | 11 | 12 | 15 | 16 | 16 |
| 85+ | 9 | 9.3 | 11 | 5 | 5 | 10 | 12 | 14 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 113 | 10.1 | 24 | 4 | 5 | 9 | 12 | 17 | 20 | 24 |
| 70-74 | 79 | 11.8 | 78 | 5 | 6 | 10 | 14 | 22 | 28 | 91 |
| 75-79 | 73 | 11.0 | 32 | 5 | 6 | 9 | 14 | 18 | 21 | 33 |
| 80-84 | 36 | 13.0 | 69 | 6 | 7 | 11 | 15 | 18 | 29 | 50 |
| 85+ | 19 | 10.8 | 38 | 2 | 3 | 9 | 14 | 21 | 24 | 25 |
| TOT. SINGLE DX | 156 | 9.1 | 16 | 4 | 5 | 9 | 11 | 14 | 16 | 25 |
| " MULTIPLE DX | 320 | 11.1 | 46 | 4 | 5 | 9 | 14 | 18 | 23 | 40 |
| TOTAL 65-69 YRS | 176 | 9.6 | 21 | 4 | 5 | 9 | 12 | 16 | 19 | 24 |
| 70-74 | 124 | 11.0 | 56 | 5 | 6 | 9 | 12 | 18 | 24 | 77 |
| 75-79 | 103 | 10.2 | 31 | 4 | 5 | 8 | 12 | 17 | 21 | 32 |
| 80-84 | 45 | 12.6 | 58 | 6 | 7 | 11 | 15 | 17 | 27 | 50 |
| 85+ | 28 | 10.3 | 30 | 3 | 4 | 10 | 13 | 17 | 23 | 25 |
| GRAND TOTAL | 476 | 10.4 | 37 | 4 | 5 | 9 | 12 | 17 | 21 | 32 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 15 | 7.7 | 74 | 1 | 1 | 3 | 11 | 26 | 27 | 27 |
| 70-74 | 13 | 6.9 | 9 | 3 | 4 | 6 | 9 | 11 | 13 | 14 |
| 75-79 | 15 | 5.7 | 14 | 2 | 2 | 5 | 7 | 11 | 14 | 15 |
| 80-84 | 7 | 10.3 | 72 | 2 | 2 | 9 | 18 | 22 | 23 | 23 |
| 85+ | 4 | 8.5 | 69 | 4 | 4 | 5 | 13 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 91 | 10.4 | 85 | 2 | 2 | 8 | 14 | 21 | 27 | 51 |
| 70-74 | 56 | 12.8 | 92 | 2 | 3 | 10 | 20 | 25 | 34 | 40 |
| 75-79 | 55 | 12.6 | 129 | 2 | 2 | 9 | 17 | 27 | 37 | 51 |
| 80-84 | 25 | 17.6 | 182 | 3 | 4 | 16 | 23 | 43 | 49 | 50 |
| 85+ | 19 | 13.3 | 83 | 3 | 5 | 11 | 16 | 28 | 36 | 38 |
| TOT. SINGLE DX | 54 | 7.4 | 40 | 2 | 2 | 5 | 10 | 15 | 23 | 27 |
| " MULTIPLE DX | 246 | 12.4 | 109 | 2 | 2 | 9 | 17 | 25 | 36 | 50 |
| TOTAL 65-69 YRS | 106 | 10.0 | 84 | 2 | 2 | 8 | 13 | 22 | 27 | 48 |
| 70-74 | 69 | 11.7 | 82 | 2 | 3 | 9 | 15 | 25 | 29 | 40 |
| 75-79 | 70 | 11.1 | 112 | 2 | 2 | 7 | 15 | 27 | 36 | 50 |
| 80-84 | 32 | 16.0 | 165 | 2 | 3 | 14 | 21 | 35 | 48 | 50 |
| 85+ | 23 | 12.4 | 82 | 3 | 4 | 11 | 16 | 24 | 35 | 38 |
| GRAND TOTAL | 300 | 11.5 | 100 | 2 | 2 | 9 | 16 | 25 | 32 | 49 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 9 | 8.1 | 46 | 1 | 1 | 8 | 14 | 18 | 18 | 18 |
| 70-74 | 5 | 9.4 | 9 | 5 | 5 | 10 | 12 | 12 | 12 | 12 |
| 75-79 | 5 | 16.2 | 192 | 5 | 5 | 16 | 22 | 39 | 39 | 39 |
| 80-84 | 5 | 19.6 | 386 | 5 | 5 | 7 | 34 | 50 | 50 | 50 |
| 85+ | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 42 | 18.3 | 69 | 5 | 6 | 19 | 23 | 29 | 33 | 39 |
| 70-74 | 43 | 17.3 | 230 | 1 | 4 | 14 | 23 | 28 | 43 | 92 |
| 75-79 | 29 | 18.3 | 344 | <1 | 1 | 16 | 23 | 41 | 67 | 77 |
| 80-84 | 23 | 18.0 | 214 | 3 | 3 | 16 | 24 | 33 | 53 | 63 |
| 85+ | 15 | 12.6 | 59 | 4 | 5 | 12 | 16 | 24 | 30 | 32 |
| TOT. SINGLE DX | 25 | 12.9 | 140 | 1 | 2 | 10 | 16 | 29 | 42 | 50 |
| " MULTIPLE DX | 152 | 17.4 | 186 | 2 | 3 | 16 | 23 | 29 | 42 | 77 |
| TOTAL 65-69 YRS | 51 | 16.5 | 80 | 2 | 4 | 18 | 22 | 28 | 32 | 39 |
| 70-74 | 48 | 16.5 | 213 | 2 | 5 | 13 | 20 | 28 | 43 | 92 |
| 75-79 | 34 | 18.0 | 316 | <1 | 1 | 16 | 23 | 39 | 61 | 77 |
| 80-84 | 28 | 18.3 | 233 | 3 | 3 | 15 | 24 | 42 | 51 | 63 |
| 85+ | 16 | 13.3 | 62 | 4 | 5 | 12 | 17 | 24 | 30 | 32 |
| GRAND TOTAL | 177 | 16.8 | 181 | 2 | 3 | 15 | 22 | 29 | 41 | 74 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 4813 | 7.1 | 10 | 4 | 4 | 6 | 8 | 11 | 13 | 19 |
| 70-74 | 4510 | 7.6 | 12 | 4 | 4 | 7 | 9 | 12 | 14 | 21 |
| 75-79 | 3256 | 8.1 | 18 | 4 | 5 | 7 | 9 | 12 | 15 | 23 |
| 80-84 | 1723 | 8.7 | 22 | 4 | 5 | 8 | 10 | 14 | 16 | 27 |
| 85+ | 921 | 9.7 | 29 | 4 | 5 | 8 | 12 | 16 | 19 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 10359 | 10.2 | 53 | 4 | 5 | 8 | 12 | 18 | 23 | 42 |
| 70-74 | 11205 | 11.3 | 69 | 4 | 5 | 9 | 13 | 21 | 27 | 48 |
| 75-79 | 9445 | 12.4 | 87 | 4 | 5 | 10 | 15 | 23 | 30 | 54 |
| 80-84 | 6095 | 14.1 | 105 | 5 | 6 | 11 | 17 | 26 | 34 | 58 |
| 85+ | 4031 | 16.0 | 119 | 5 | 6 | 13 | 20 | 30 | 39 | 60 |
| TOT. SINGLE DX | 15223 | 7.8 | 16 | 4 | 4 | 7 | 9 | 12 | 15 | 22 |
| " MULTIPLE DX | 41135 | 12.1 | 83 | 4 | 5 | 9 | 14 | 23 | 30 | 52 |
| TOTAL 65-69 YRS | 15172 | 9.2 | 42 | 4 | 5 | 7 | 10 | 16 | 21 | 37 |
| 70-74 | 15715 | 10.2 | 56 | 4 | 5 | 8 | 12 | 18 | 24 | 42 |
| 75-79 | 12701 | 11.3 | 73 | 4 | 5 | 9 | 13 | 20 | 27 | 49 |
| 80-84 | 7818 | 12.9 | 92 | 5 | 5 | 10 | 15 | 24 | 31 | 56 |
| 85+ | 4952 | 14.9 | 109 | 5 | 6 | 12 | 18 | 28 | 36 | 59 |
| GRAND TOTAL | 56358 | 11.0 | 69 | 4 | 5 | 8 | 13 | 20 | 27 | 47 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 626 | 12.9 | 26 | 7 | 8 | 12 | 15 | 18 | 22 | 29 |
| 70-74 | 472 | 12.4 | 21 | 7 | 8 | 11 | 15 | 19 | 21 | 27 |
| 75-79 | 308 | 12.6 | 21 | 6 | 8 | 12 | 15 | 19 | 22 | 28 |
| 80-84 | 119 | 13.4 | 43 | 5 | 7 | 13 | 16 | 21 | 23 | 42 |
| 85+ | 68 | 15.5 | 44 | 7 | 9 | 15 | 18 | 23 | 27 | 46 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1303 | 14.6 | 50 | 7 | 8 | 13 | 17 | 23 | 27 | 38 |
| 70-74 | 1354 | 15.4 | 59 | 8 | 9 | 14 | 18 | 24 | 30 | 48 |
| 75-79 | 1007 | 16.6 | 70 | 8 | 9 | 14 | 19 | 26 | 33 | 50 |
| 80-84 | 540 | 19.2 | 125 | 8 | 10 | 17 | 23 | 31 | 40 | 73 |
| 85+ | 271 | 21.0 | 112 | 8 | 10 | 15 | 25 | 33 | 42 | 59 |
| TOT. SINGLE DX | 1593 | 12.8 | 26 | 7 | 8 | 12 | 15 | 19 | 22 | 29 |
| " MULTIPLE DX | 4475 | 16.2 | 74 | 7 | 9 | 14 | 19 | 26 | 32 | 52 |
| TOTAL 65-69 YRS | 1929 | 14.0 | 43 | 7 | 8 | 13 | 17 | 21 | 26 | 35 |
| 70-74 | 1826 | 14.6 | 51 | 7 | 8 | 13 | 17 | 23 | 28 | 46 |
| 75-79 | 1315 | 15.6 | 62 | 7 | 9 | 14 | 18 | 25 | 30 | 46 |
| 80-84 | 659 | 18.1 | 116 | 7 | 9 | 16 | 21 | 29 | 37 | 71 |
| 85+ | 339 | 19.9 | 104 | 8 | 10 | 18 | 24 | 31 | 41 | 54 |
| GRAND TOTAL | 6068 | 15.3 | 64 | 7 | 8 | 13 | 18 | 24 | 29 | 49 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1033 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 70-74 | 931 | 3.7 | 13 | 1 | 1 | 3 | 4 | 8 | 10 | 21 |
| 75-79 | 506 | 4.1 | 18 | 1 | 1 | 3 | 4 | 8 | 12 | 21 |
| 80-84 | 243 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 85+ | 101 | 6.9 | 50 | 1 | 2 | 5 | 8 | 13 | 23 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1392 | 7.0 | 47 | 1 | 2 | 5 | 9 | 16 | 20 | 38 |
| 70-74 | 1330 | 7.8 | 65 | 1 | 2 | 5 | 10 | 17 | 22 | 41 |
| 75-79 | 1026 | 9.5 | 91 | 2 | 2 | 6 | 13 | 21 | 26 | 43 |
| 80-84 | 585 | 11.1 | 126 | 2 | 2 | 8 | 14 | 23 | 30 | 60 |
| 85+ | 314 | 12.7 | 119 | 2 | 3 | 10 | 17 | 25 | 34 | 55 |
| TOT. SINGLE DX | 2814 | 3.8 | 16 | 1 | 1 | 3 | 4 | 8 | 10 | 21 |
| " MULTIPLE DX | 4647 | 8.7 | 80 | 2 | 2 | 6 | 11 | 19 | 25 | 45 |
| TOTAL 65-69 YRS | 2425 | 5.4 | 35 | 1 | 2 | 3 | 7 | 12 | 17 | 30 |
| 70-74 | 2261 | 6.1 | 48 | 1 | 2 | 4 | 7 | 14 | 20 | 36 |
| 75-79 | 1532 | 7.7 | 74 | 1 | 2 | 4 | 10 | 18 | 23 | 39 |
| 80-84 | 828 | 9.1 | 105 | 2 | 2 | 6 | 12 | 20 | 26 | 56 |
| 85+ | 415 | 11.3 | 109 | 2 | 2 | 8 | 14 | 24 | 32 | 51 |
| GRAND TOTAL | 7461 | 6.8 | 61 | 1 | 2 | 4 | 9 | 16 | 21 | 39 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 115 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 9 | 14 |
| 70-74 | 69 | 4.4 | 10 | 1 | 2 | 3 | 5 | 8 | 10 | 20 |
| 75-79 | 35 | 5.9 | 56 | 1 | 2 | 3 | 6 | 14 | 18 | 42 |
| 80-84 | 14 | 5.9 | 25 | 1 | 2 | 4 | 8 | 13 | 17 | 18 |
| 85+ | 4 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 137 | 7.9 | 65 | 2 | 2 | 5 | 9 | 16 | 21 | 45 |
| 70-74 | 123 | 10.3 | 158 | 2 | 3 | 5 | 11 | 21 | 39 | 63 |
| 75-79 | 87 | 14.7 | 231 | 2 | 3 | 10 | 18 | 32 | 40 | 88 |
| 80-84 | 62 | 14.5 | 235 | 2 | 3 | 9 | 18 | 30 | 45 | 82 |
| 85+ | 31 | 11.8 | 78 | 3 | 4 | 9 | 15 | 27 | 31 | 36 |
| TOT. SINGLE DX | 237 | 4.6 | 16 | 1 | 2 | 4 | 5 | 8 | 11 | 19 |
| " MULTIPLE DX | 440 | 11.1 | 155 | 2 | 3 | 7 | 13 | 24 | 36 | 72 |
| TOTAL 65-69 YRS | 252 | 6.2 | 42 | 2 | 2 | 4 | 7 | 12 | 16 | 37 |
| 70-74 | 192 | 8.2 | 113 | 2 | 2 | 4 | 9 | 15 | 27 | 58 |
| 75-79 | 122 | 12.2 | 196 | 2 | 2 | 8 | 14 | 27 | 39 | 82 |
| 80-84 | 76 | 12.9 | 207 | 2 | 3 | 8 | 16 | 27 | 40 | 81 |
| 85+ | 35 | 10.9 | 75 | 2 | 3 | 8 | 14 | 25 | 30 | 36 |
| GRAND TOTAL | 677 | 8.8 | 116 | 2 | 2 | 5 | 10 | 18 | 28 | 58 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 234 | 6.2 | 28 | 1 | 2 | 4 | 8 | 12 | 14 | 25 |
| 70-74 | 254 | 5.7 | 31 | 2 | 2 | 4 | 7 | 13 | 17 | 25 |
| 75-79 | 210 | 6.3 | 34 | 2 | 2 | 4 | 8 | 13 | 20 | 37 |
| 80-84 | 106 | 5.5 | 16 | 2 | 2 | 4 | 7 | 11 | 13 | 21 |
| 85+ | 45 | 8.4 | 50 | 1 | 2 | 7 | 10 | 20 | 25 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 548 | 10.5 | 109 | 2 | 2 | 7 | 14 | 22 | 30 | 63 |
| 70-74 | 670 | 9.9 | 80 | 2 | 3 | 7 | 13 | 21 | 28 | 49 |
| 75-79 | 596 | 12.0 | 145 | 2 | 3 | 8 | 16 | 27 | 34 | 66 |
| 80-84 | 405 | 12.5 | 103 | 3 | 3 | 10 | 17 | 26 | 30 | 55 |
| 85+ | 237 | 13.1 | 108 | 3 | 3 | 10 | 18 | 28 | 33 | 50 |
| TOT. SINGLE DX | 849 | 6.1 | 31 | 2 | 2 | 4 | 8 | 13 | 17 | 28 |
| " MULTIPLE DX | 2456 | 11.3 | 110 | 2 | 3 | 8 | 15 | 24 | 31 | 56 |
| TOTAL 65-69 YRS | 782 | 9.2 | 89 | 2 | 2 | 6 | 12 | 20 | 26 | 50 |
| 70-74 | 924 | 8.8 | 70 | 2 | 2 | 6 | 12 | 18 | 24 | 44 |
| 75-79 | 806 | 10.5 | 123 | 2 | 2 | 7 | 13 | 24 | 32 | 62 |
| 80-84 | 511 | 11.0 | 94 | 2 | 3 | 9 | 14 | 24 | 29 | 51 |
| 85+ | 282 | 12.3 | 102 | 2 | 3 | 9 | 16 | 27 | 31 | 49 |
| GRAND TOTAL | 3305 | 9.9 | 95 | 2 | 2 | 7 | 13 | 22 | 29 | 51 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 70-74 | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 70-74 | 4 | 27.5 | 2213 | 2 | 2 | 5 | 52 | 98 | 98 | 98 |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 19.0 | 512 | 3 | 3 | 19 | 35 | 35 | 35 | 35 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 4 | 5.3 | 12 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| " MULTIPLE DX | 8 | 19.5 | 1127 | 2 | 2 | 4 | 21 | 79 | 98 | 98 |
| TOTAL 65-69 YRS | 3 | 4.7 | 4 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 70-74 | 5 | 22.2 | 1801 | 1 | 1 | 3 | 30 | 98 | 98 | 98 |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 3 | 15.7 | 289 | 3 | 3 | 9 | 28 | 35 | 35 | 35 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 12 | 14.8 | 770 | 1 | 2 | 4 | 8 | 54 | 92 | 98 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 3.8 | 5 | 2 | 2 | 3 | 4 | 9 | 9 | 9 |
| 70-74 | 10 | 8.7 | 52 | 2 | 2 | 5 | 14 | 20 | 21 | 21 |
| 75-79 | 9 | 13.6 | 201 | 3 | 3 | 6 | 21 | 38 | 44 | 44 |
| 80-84 | | | | | | | | | | |
| 85+ | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 22 | 7.9 | 57 | 2 | 2 | 5 | 9 | 22 | 27 | 29 |
| 70-74 | 15 | 8.2 | 115 | 1 | 2 | 5 | 11 | 15 | 37 | 44 |
| 75-79 | 8 | 18.0 | 276 | 3 | 4 | 9 | 33 | 42 | 46 | 46 |
| 80-84 | 10 | 20.2 | 224 | 6 | 6 | 13 | 39 | 41 | 42 | 42 |
| 85+ | 6 | 9.7 | 43 | 4 | 4 | 9 | 10 | 21 | 22 | 22 |
| TOT. SINGLE DX | 35 | 7.6 | 81 | 2 | 2 | 4 | 9 | 20 | 26 | 44 |
| " MULTIPLE DX | 61 | 11.5 | 142 | 2 | 3 | 6 | 12 | 33 | 41 | 46 |
| TOTAL 65-69 YRS | 35 | 6.4 | 42 | 2 | 2 | 4 | 8 | 12 | 24 | 29 |
| 70-74 | 25 | 8.4 | 87 | 2 | 2 | 5 | 12 | 20 | 27 | 44 |
| 75-79 | 17 | 15.6 | 227 | 3 | 3 | 7 | 29 | 42 | 45 | 46 |
| 80-84 | 10 | 20.2 | 224 | 6 | 6 | 13 | 39 | 41 | 42 | 42 |
| 85+ | 9 | 7.3 | 41 | 1 | 1 | 5 | 9 | 17 | 22 | 22 |
| GRAND TOTAL | 96 | 10.1 | 123 | 2 | 2 | 5 | 12 | 28 | 40 | 45 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 7 | 8.6 | 20 | 3 | 3 | 8 | 12 | 15 | 16 | 16 |
| 70-74 | 13 | 10.3 | 35 | 2 | 3 | 8 | 15 | 19 | 21 | 21 |
| 75-79 | 8 | 6.0 | 5 | 2 | 3 | 6 | 8 | 9 | 9 | 9 |
| 80-84 | 4 | 8.5 | 33 | 5 | 5 | 6 | 12 | 17 | 17 | 17 |
| 85+ | 3 | 4.3 | 9 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 36 | 9.5 | 50 | 2 | 2 | 8 | 12 | 16 | 27 | 35 |
| 70-74 | 33 | 11.5 | 86 | 5 | 6 | 7 | 14 | 20 | 27 | 52 |
| 75-79 | 31 | 12.4 | 64 | 5 | 6 | 11 | 14 | 18 | 34 | 42 |
| 80-84 | 24 | 18.4 | 232 | 6 | 6 | 16 | 22 | 32 | 57 | 70 |
| 85+ | 15 | 14.0 | 42 | 7 | 9 | 12 | 16 | 28 | 28 | 28 |
| TOT. SINGLE DX | 35 | 8.3 | 25 | 2 | 3 | 7 | 10 | 16 | 18 | 21 |
| " MULTIPLE DX | 139 | 12.6 | 99 | 4 | 5 | 10 | 15 | 22 | 31 | 54 |
| TOTAL 65-69 YRS | 43 | 9.3 | 45 | 2 | 3 | 8 | 12 | 16 | 22 | 35 |
| 70-74 | 46 | 11.2 | 71 | 4 | 5 | 8 | 14 | 20 | 23 | 52 |
| 75-79 | 39 | 11.1 | 58 | 3 | 5 | 9 | 14 | 16 | 28 | 42 |
| 80-84 | 28 | 17.0 | 214 | 5 | 5 | 13 | 22 | 29 | 54 | 70 |
| 85+ | 18 | 12.4 | 50 | 3 | 5 | 10 | 15 | 25 | 28 | 28 |
| GRAND TOTAL | 174 | 11.8 | 87 | 3 | 5 | 9 | 14 | 21 | 29 | 52 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 371 | 3.7 | 6 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 70-74 | 204 | 4.0 | 6 | 2 | 2 | 3 | 5 | 6 | 7 | 16 |
| 75-79 | 105 | 4.0 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 11 |
| 80-84 | 40 | 4.7 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| 85+ | 19 | 5.2 | 6 | 3 | 3 | 5 | 6 | 6 | 11 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 471 | 5.8 | 18 | 2 | 2 | 4 | 7 | 12 | 16 | 21 |
| 70-74 | 301 | 6.2 | 19 | 2 | 3 | 5 | 7 | 12 | 16 | 23 |
| 75-79 | 198 | 8.1 | 76 | 2 | 3 | 5 | 9 | 14 | 23 | 35 |
| 80-84 | 63 | 7.9 | 46 | 2 | 3 | 5 | 11 | 17 | 19 | 38 |
| 85+ | 29 | 11.4 | 64 | 3 | 4 | 10 | 14 | 18 | 21 | 45 |
| TOT. SINGLE DX | 739 | 3.9 | 6 | 2 | 2 | 3 | 5 | 6 | 7 | 12 |
| " MULTIPLE DX | 1062 | 6.6 | 34 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| TOTAL 65-69 YRS | 842 | 4.9 | 15 | 2 | 2 | 4 | 5 | 9 | 12 | 20 |
| 70-74 | 505 | 5.3 | 15 | 2 | 2 | 4 | 6 | 10 | 14 | 21 |
| 75-79 | 303 | 6.7 | 55 | 2 | 2 | 5 | 7 | 13 | 17 | 34 |
| 80-84 | 103 | 6.7 | 33 | 2 | 3 | 5 | 8 | 14 | 18 | 30 |
| 85+ | 48 | 8.9 | 50 | 3 | 3 | 6 | 12 | 16 | 18 | 48 |
| GRAND TOTAL | 1801 | 5.5 | 24 | 2 | 2 | 4 | 6 | 11 | 14 | 24 |

## 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 120 | 2.3 | | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 70-74 | 94 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 75-79 | 53 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 80-84 | 37 | 4.0 | 48 | 1 | 2 | 2 | 3 | 5 | 8 | 44 |
| 85+ | 20 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 330 | 5.3 | 35 | 1 | 2 | 3 | 6 | 13 | 19 | 30 |
| 70-74 | 261 | 5.8 | 32 | 1 | 2 | 3 | 8 | 14 | 19 | 28 |
| 75-79 | 186 | 6.3 | 51 | 1 | 2 | 4 | 8 | 15 | 20 | 43 |
| 80-84 | 125 | 8.0 | 55 | 1 | 2 | 6 | 11 | 19 | 25 | 33 |
| 85+ | 92 | 9.4 | 127 | 2 | 2 | 6 | 12 | 20 | 24 | 69 |
| TOT. SINGLE DX | 429 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 1182 | 6.4 | 53 | 1 | 2 | 3 | 8 | 15 | 22 | 36 |
| TOTAL 65-69 YRS | 550 | 4.5 | 32 | 1 | 1 | 3 | 4 | 11 | 15 | 30 |
| 70-74 | 428 | 4.8 | 27 | 1 | 2 | 3 | 5 | 11 | 17 | 28 |
| 75-79 | 296 | 5.4 | 44 | 1 | 1 | 3 | 6 | 13 | 19 | 38 |
| 80-84 | 196 | 7.1 | 58 | 1 | 2 | 4 | 9 | 16 | 24 | 39 |
| 85+ | 141 | 8.1 | 97 | 2 | 2 | 5 | 10 | 19 | 23 | 54 |
| GRAND TOTAL | 1611 | 5.4 | 43 | 1 | 2 | 3 | 6 | 12 | 19 | 33 |

## 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 162 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 16 |
| 70-74 | 67 | 5.0 | 11 | 1 | 1 | 4 | 6 | 10 | 12 | 16 |
| 75-79 | 45 | 5.5 | 17 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| 80-84 | 17 | 7.8 | 60 | 2 | 2 | 5 | 9 | 18 | 27 | 31 |
| 85+ | 9 | 11.6 | 405 | 2 | 2 | 5 | 7 | 42 | 65 | 65 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 300 | 6.7 | 34 | 2 | 2 | 5 | 8 | 13 | 16 | 29 |
| 70-74 | 167 | 8.8 | 86 | 2 | 3 | 6 | 10 | 18 | 26 | 50 |
| 75-79 | 80 | 11.5 | 255 | 2 | 2 | 6 | 11 | 30 | 44 | 87 |
| 80-84 | 36 | 14.1 | 298 | 2 | 3 | 8 | 14 | 35 | 59 | 79 |
| 85+ | 27 | 14.5 | 78 | 3 | 3 | 16 | 19 | 24 | 32 | 38 |
| TOT. SINGLE DX | 300 | 5.4 | 28 | 1 | 2 | 4 | 7 | 10 | 13 | 27 |
| " MULTIPLE DX | 610 | 8.7 | 100 | 2 | 2 | 6 | 9 | 17 | 26 | 55 |
| TOTAL 65-69 YRS | 462 | 6.0 | 28 | 1 | 2 | 5 | 7 | 10 | 14 | 28 |
| 70-74 | 234 | 7.7 | 67 | 2 | 2 | 5 | 9 | 15 | 24 | 47 |
| 75-79 | 125 | 9.4 | 176 | 2 | 2 | 6 | 9 | 18 | 36 | 86 |
| 80-84 | 53 | 12.1 | 228 | 2 | 2 | 7 | 13 | 31 | 39 | 79 |
| 85+ | 36 | 13.8 | 152 | 2 | 3 | 12 | 17 | 24 | 36 | 65 |
| GRAND TOTAL | 910 | 7.6 | 79 | 2 | 2 | 5 | 8 | 14 | 21 | 49 |

## 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 33 | 11.1 | 54 | 3 | 5 | 9 | 13 | 24 | 26 | 35 |
| 70-74 | 22 | 12.0 | 47 | 5 | 6 | 10 | 15 | 18 | 28 | 36 |
| 75-79 | 10 | 13.6 | 71 | 4 | 6 | 13 | 18 | 26 | 32 | 32 |
| 80-84 | 5 | 11.8 | 26 | 7 | 7 | 12 | 14 | 20 | 20 | 20 |
| 85+ | 6 | 19.0 | 215 | 7 | 7 | 14 | 18 | 45 | 48 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 86 | 16.6 | 143 | 6 | 7 | 12 | 20 | 30 | 43 | 63 |
| 70-74 | 76 | 16.9 | 120 | 6 | 7 | 14 | 20 | 29 | 42 | 58 |
| 75-79 | 59 | 19.4 | 122 | 7 | 8 | 17 | 24 | 36 | 44 | 54 |
| 80-84 | 37 | 20.2 | 126 | 9 | 9 | 19 | 23 | 32 | 45 | 60 |
| 85+ | 36 | 26.8 | 235 | 8 | 11 | 22 | 35 | 54 | 60 | 63 |
| TOT. SINGLE DX | 76 | 12.4 | 65 | 5 | 6 | 10 | 15 | 22 | 30 | 45 |
| " MULTIPLE DX | 294 | 18.9 | 151 | 6 | 8 | 15 | 23 | 35 | 47 | 61 |
| TOTAL 65-69 YRS | 119 | 15.1 | 124 | 5 | 6 | 11 | 19 | 29 | 41 | 57 |
| 70-74 | 98 | 15.8 | 107 | 6 | 7 | 13 | 19 | 27 | 39 | 57 |
| 75-79 | 69 | 18.6 | 118 | 6 | 7 | 16 | 23 | 36 | 42 | 53 |
| 80-84 | 42 | 19.2 | 121 | 8 | 9 | 17 | 23 | 31 | 41 | 60 |
| 85+ | 42 | 25.7 | 235 | 8 | 10 | 21 | 35 | 50 | 58 | 63 |
| GRAND TOTAL | 370 | 17.6 | 140 | 6 | 7 | 14 | 22 | 35 | 43 | 60 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 47 | 9.3 | 21 | 5 | 5 | 8 | 11 | 17 | 18 | 28 |
| 70-74 | 42 | 10.5 | 15 | 5 | 6 | 9 | 13 | 17 | 19 | 20 |
| 75-79 | 23 | 11.0 | 27 | 6 | 7 | 9 | 13 | 17 | 22 | 29 |
| 80-84 | 13 | 15.2 | 32 | 6 | 8 | 17 | 19 | 22 | 24 | 25 |
| 85+ | 12 | 11.0 | 45 | 3 | 4 | 9 | 14 | 21 | 25 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 143 | 15.3 | 113 | 6 | 7 | 13 | 18 | 28 | 34 | 82 |
| 70-74 | 142 | 17.2 | 155 | 6 | 7 | 13 | 21 | 32 | 48 | 72 |
| 75-79 | 83 | 18.3 | 187 | 6 | 8 | 14 | 23 | 35 | 48 | 75 |
| 80-84 | 66 | 19.0 | 141 | 7 | 8 | 17 | 22 | 29 | 36 | 72 |
| 85+ | 40 | 21.1 | 133 | 7 | 9 | 19 | 25 | 40 | 47 | 51 |
| TOT. SINGLE DX | 137 | 10.6 | 26 | 5 | 6 | 9 | 13 | 18 | 20 | 28 |
| " MULTIPLE DX | 474 | 17.4 | 146 | 6 | 7 | 14 | 21 | 32 | 44 | 72 |
| TOTAL 65-69 YRS | 190 | 13.8 | 97 | 5 | 6 | 11 | 17 | 24 | 32 | 74 |
| 70-74 | 184 | 15.6 | 132 | 6 | 7 | 12 | 18 | 29 | 42 | 68 |
| 75-79 | 106 | 16.7 | 161 | 6 | 7 | 12 | 20 | 33 | 45 | 70 |
| 80-84 | 79 | 18.3 | 125 | 7 | 8 | 17 | 22 | 28 | 32 | 71 |
| 85+ | 52 | 18.7 | 130 | 4 | 7 | 16 | 23 | 37 | 44 | 51 |
| GRAND TOTAL | 611 | 15.9 | 127 | 6 | 7 | 13 | 19 | 29 | 39 | 68 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 68 | 9.6 | 18 | 6 | 6 | 9 | 10 | 14 | 17 | 30 |
| 70-74 | 57 | 10.5 | 20 | 6 | 6 | 9 | 12 | 16 | 19 | 27 |
| 75-79 | 27 | 9.7 | 18 | 5 | 6 | 9 | 11 | 17 | 19 | 22 |
| 80-84 | 10 | 12.4 | 51 | 6 | 6 | 10 | 16 | 24 | 27 | 27 |
| 85+ | 6 | 28.7 | 787 | 10 | 10 | 18 | 30 | 79 | 84 | 84 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 206 | 14.9 | 101 | 6 | 6 | 12 | 19 | 29 | 35 | 84 |
| 70-74 | 165 | 14.8 | 96 | 7 | 7 | 11 | 17 | 25 | 38 | 48 |
| 75-79 | 122 | 18.7 | 113 | 8 | 9 | 16 | 23 | 33 | 44 | 75 |
| 80-84 | 67 | 20.1 | 145 | 8 | 9 | 17 | 24 | 36 | 41 | 73 |
| 85+ | 42 | 19.2 | 101 | 7 | 9 | 16 | 25 | 35 | 40 | 49 |
| TOT. SINGLE DX | 168 | 10.8 | 56 | 6 | 6 | 9 | 12 | 17 | 21 | 32 |
| " MULTIPLE DX | 602 | 16.5 | 111 | 6 | 7 | 14 | 20 | 31 | 39 | 67 |
| TOTAL 65-69 YRS | 274 | 13.6 | 86 | 6 | 6 | 10 | 17 | 27 | 33 | 67 |
| 70-74 | 222 | 13.7 | 80 | 6 | 7 | 11 | 16 | 23 | 34 | 47 |
| 75-79 | 149 | 17.0 | 108 | 6 | 8 | 15 | 21 | 31 | 39 | 66 |
| 80-84 | 77 | 19.1 | 139 | 7 | 8 | 16 | 23 | 31 | 40 | 71 |
| 85+ | 48 | 20.4 | 182 | 8 | 9 | 16 | 25 | 37 | 42 | 84 |
| GRAND TOTAL | 770 | 15.3 | 105 | 6 | 7 | 12 | 18 | 29 | 37 | 64 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 2 | 14.5 | 25 | 11 | 11 | 14 | 18 | 18 | 18 | 18 |
| 70-74 | 3 | 6.7 | 65 | 2 | 2 | 2 | 13 | 16 | 16 | 16 |
| 75-79 | | | | | | | | | | |
| 80-84 | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 8 | 14.9 | 107 | 3 | 3 | 14 | 19 | 31 | 35 | 35 |
| 70-74 | 5 | 15.0 | 106 | 3 | 3 | 15 | 23 | 28 | 28 | 28 |
| 75-79 | 5 | 13.8 | 172 | 6 | 6 | 10 | 17 | 37 | 37 | 37 |
| 80-84 | 5 | 18.8 | 215 | 3 | 3 | 16 | 23 | 43 | 43 | 43 |
| 85+ | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| TOT. SINGLE DX | 7 | 9.4 | 39 | 2 | 2 | 10 | 15 | 18 | 18 | 18 |
| " MULTIPLE DX | 25 | 15.1 | 119 | 3 | 3 | 13 | 19 | 35 | 38 | 43 |
| TOTAL 65-69 YRS | 10 | 14.8 | 86 | 3 | 3 | 14 | 18 | 28 | 35 | 35 |
| 70-74 | 8 | 11.9 | 98 | 2 | 2 | 11 | 19 | 26 | 28 | 28 |
| 75-79 | 5 | 13.8 | 172 | 6 | 6 | 10 | 17 | 37 | 37 | 37 |
| 80-84 | 6 | 16.8 | 195 | 3 | 3 | 15 | 17 | 40 | 43 | 43 |
| 85+ | 3 | 10.0 | 4 | 8 | 8 | 10 | 11 | 12 | 12 | 12 |
| GRAND TOTAL | 32 | 13.8 | 106 | 2 | 3 | 11 | 17 | 30 | 37 | 43 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 6 | 10.2 | 41 | 4 | 4 | 8 | 16 | 20 | 20 | 20 |
| 70-74 | 2 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 75-79 | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | 6 | 9.3 | 63 | 2 | 2 | 7 | 17 | 21 | 21 | 21 |
| 75-79 | 8 | 15.0 | 70 | 5 | 6 | 14 | 21 | 27 | 27 | 27 |
| 80-84 | 2 | 15.5 | 265 | 4 | 4 | 15 | 27 | 27 | 27 | 27 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 9 | 10.9 | 28 | 4 | 4 | 11 | 15 | 18 | 20 | 20 |
| " MULTIPLE DX | 17 | 12.5 | 78 | 2 | 3 | 9 | 18 | 27 | 27 | 27 |
| TOTAL 65-69 YRS | 7 | 9.4 | 38 | 4 | 4 | 8 | 14 | 19 | 20 | 20 |
| 70-74 | 8 | 9.8 | 46 | 2 | 2 | 9 | 14 | 20 | 21 | 21 |
| 75-79 | 9 | 15.0 | 61 | 5 | 6 | 15 | 19 | 27 | 27 | 27 |
| 80-84 | 2 | 15.5 | 265 | 4 | 4 | 15 | 27 | 27 | 27 | 27 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 26 | 11.9 | 60 | 2 | 4 | 10 | 16 | 26 | 27 | 27 |

## 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 109 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 15 |
| 70-74 | 52 | 3.5 | 25 | 1 | 1 | 2 | 3 | 7 | 7 | 36 |
| 75-79 | 22 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 8 | 12 |
| 80-84 | 14 | 3.8 | 12 | <1 | 1 | 3 | 4 | 7 | 13 | 15 |
| 85+ | 8 | 6.3 | 30 | <1 | 1 | 4 | 11 | 15 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 96 | 4.9 | 34 | 1 | 2 | 3 | 5 | 10 | 16 | 37 |
| 70-74 | 86 | 6.8 | 122 | 1 | 2 | 3 | 7 | 14 | 23 | 66 |
| 75-79 | 43 | 5.9 | 38 | 1 | 2 | 3 | 7 | 13 | 21 | 31 |
| 80-84 | 21 | 8.5 | 117 | 1 | 2 | 4 | 9 | 23 | 37 | 44 |
| 85+ | 11 | 7.1 | 27 | 1 | 1 | 8 | 10 | 15 | 17 | 17 |
| TOT. SINGLE DX | 205 | 3.4 | 13 | 1 | 1 | 2 | 3 | 6 | 9 | 17 |
| " MULTIPLE DX | 257 | 6.1 | 71 | 1 | 2 | 3 | 6 | 13 | 18 | 44 |
| TOTAL 65-69 YRS | 205 | 3.9 | 21 | 1 | 1 | 3 | 4 | 8 | 11 | 23 |
| 70-74 | 138 | 5.6 | 88 | 1 | 1 | 3 | 5 | 11 | 15 | 50 |
| 75-79 | 65 | 5.0 | 28 | 1 | 2 | 3 | 5 | 12 | 15 | 30 |
| 80-84 | 35 | 6.6 | 79 | 1 | 2 | 3 | 7 | 16 | 28 | 44 |
| 85+ | 19 | 6.7 | 27 | <1 | 1 | 4 | 10 | 15 | 16 | 17 |
| GRAND TOTAL | 462 | 4.9 | 47 | 1 | 1 | 3 | 4 | 10 | 15 | 42 |

## 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 275 | 3.9 | 13 | 1 | 1 | 2 | 5 | 9 | 11 | 15 |
| 70-74 | 165 | 4.4 | 35 | 1 | 1 | 3 | 5 | 9 | 11 | 28 |
| 75-79 | 123 | 4.9 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| 80-84 | 44 | 5.9 | 20 | 1 | 2 | 4 | 8 | 12 | 16 | 20 |
| 85+ | 31 | 7.4 | 42 | 2 | 2 | 6 | 9 | 14 | 18 | 34 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 557 | 6.4 | 47 | 1 | 2 | 4 | 8 | 14 | 18 | 35 |
| 70-74 | 416 | 8.0 | 74 | 2 | 2 | 6 | 10 | 16 | 24 | 45 |
| 75-79 | 330 | 9.0 | 101 | 2 | 2 | 7 | 11 | 16 | 23 | 52 |
| 80-84 | 171 | 10.2 | 117 | 2 | 2 | 7 | 12 | 23 | 34 | 65 |
| 85+ | 94 | 11.6 | 159 | 2 | 2 | 8 | 14 | 24 | 41 | 90 |
| TOT. SINGLE DX | 638 | 4.5 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| " MULTIPLE DX | 1568 | 8.1 | 83 | 2 | 2 | 6 | 10 | 16 | 24 | 53 |
| TOTAL 65-69 YRS | 832 | 5.5 | 38 | 1 | 2 | 3 | 7 | 12 | 15 | 30 |
| 70-74 | 581 | 7.0 | 66 | 1 | 2 | 4 | 9 | 13 | 21 | 43 |
| 75-79 | 453 | 7.9 | 82 | 1 | 2 | 6 | 10 | 15 | 21 | 47 |
| 80-84 | 215 | 9.3 | 101 | 2 | 2 | 6 | 11 | 21 | 28 | 64 |
| 85+ | 125 | 10.5 | 133 | 2 | 2 | 7 | 13 | 22 | 36 | 83 |
| GRAND TOTAL | 2206 | 7.0 | 68 | 1 | 2 | 4 | 9 | 14 | 21 | 45 |

## 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| TOT. SINGLE DX | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| " MULTIPLE DX | 4 | 7.0 | 18 | 3 | 3 | 6 | 10 | 13 | 13 | 13 |
| TOTAL 65-69 YRS | 3 | 4.7 | 2 | 3 | 3 | 5 | 6 | 6 | 6 | 6 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 80-84 | | | | | | | | | | |
| 85+ | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| GRAND TOTAL | 5 | 6.6 | 14 | 3 | 3 | 6 | 8 | 13 | 13 | 13 |

## 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 30 | 3.9 | 8 | 1 | 2 | 3 | 6 | 10 | 10 | 11 |
| 70-74 | 18 | 8.3 | 365 | 1 | 1 | 2 | 4 | 16 | 57 | 83 |
| 75-79 | 14 | 4.4 | 21 | 2 | 2 | 2 | 4 | 14 | 16 | 16 |
| 80-84 | 7 | 4.6 | 8 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 85+ | 7 | 3.6 | 8 | 2 | 2 | 3 | 3 | 9 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 65 | 9.0 | 157 | 1 | 2 | 5 | 12 | 20 | 25 | 81 |
| 70-74 | 76 | 8.3 | 85 | 1 | 2 | 4 | 12 | 18 | 26 | 48 |
| 75-79 | 44 | 9.4 | 169 | 1 | 2 | 4 | 11 | 22 | 44 | 63 |
| 80-84 | 35 | 11.3 | 127 | 2 | 2 | 6 | 18 | 30 | 43 | 99+ |
| 85+ | 20 | 18.0 | 485 | <1 | 1 | 10 | 20 | 49 | 70 | 87 |
| TOT. SINGLE DX | 76 | 5.1 | 95 | 1 | 2 | 3 | 5 | 10 | 13 | 66 |
| " MULTIPLE DX | 240 | 9.9 | 163 | 1 | 2 | 5 | 13 | 22 | 40 | 87 |
| TOTAL 65-69 YRS | 95 | 7.4 | 115 | 1 | 2 | 4 | 10 | 18 | 22 | 64 |
| 70-74 | 94 | 8.3 | 136 | 1 | 2 | 4 | 11 | 18 | 27 | 68 |
| 75-79 | 58 | 8.2 | 137 | 2 | 2 | 4 | 9 | 16 | 33 | 62 |
| 80-84 | 42 | 10.1 | 113 | 2 | 2 | 5 | 16 | 27 | 43 | 99+ |
| 85+ | 27 | 14.2 | 398 | 1 | 2 | 6 | 12 | 44 | 58 | 87 |
| GRAND TOTAL | 316 | 8.8 | 150 | 1 | 2 | 4 | 11 | 20 | 31 | 84 |

## 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 656 | 9.2 | 14 | 5 | 6 | 8 | 10 | 13 | 16 | 25 |
| 70-74 | 415 | 9.5 | 12 | 6 | 6 | 9 | 11 | 14 | 17 | 23 |
| 75-79 | 219 | 11.1 | 41 | 6 | 7 | 9 | 13 | 16 | 22 | 43 |
| 80-84 | 127 | 11.6 | 31 | 6 | 7 | 10 | 14 | 18 | 24 | 32 |
| 85+ | 41 | 12.3 | 26 | 6 | 7 | 12 | 14 | 18 | 23 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2309 | 11.6 | 58 | 6 | 6 | 9 | 13 | 19 | 24 | 46 |
| 70-74 | 1593 | 12.7 | 67 | 6 | 7 | 10 | 15 | 21 | 27 | 47 |
| 75-79 | 902 | 14.1 | 72 | 6 | 7 | 11 | 17 | 24 | 32 | 47 |
| 80-84 | 394 | 15.9 | 91 | 7 | 8 | 13 | 19 | 27 | 34 | 51 |
| 85+ | 200 | 16.2 | 114 | 6 | 7 | 13 | 21 | 30 | 39 | 85 |
| TOT. SINGLE DX | 1458 | 9.9 | 21 | 6 | 6 | 9 | 11 | 15 | 18 | 26 |
| " MULTIPLE DX | 5398 | 12.8 | 70 | 6 | 7 | 10 | 15 | 22 | 28 | 49 |
| TOTAL 65-69 YRS | 2965 | 11.0 | 50 | 6 | 6 | 9 | 12 | 18 | 23 | 41 |
| 70-74 | 2008 | 12.1 | 58 | 6 | 7 | 10 | 14 | 20 | 25 | 44 |
| 75-79 | 1121 | 13.5 | 68 | 6 | 7 | 11 | 16 | 23 | 30 | 47 |
| 80-84 | 521 | 14.9 | 80 | 7 | 7 | 12 | 18 | 25 | 31 | 49 |
| 85+ | 241 | 15.6 | 101 | 6 | 7 | 13 | 19 | 29 | 37 | 73 |
| GRAND TOTAL | 6856 | 12.2 | 61 | 6 | 7 | 10 | 14 | 20 | 26 | 46 |

## 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 480 | 8.4 | 8 | 5 | 6 | 8 | 9 | 12 | 14 | 18 |
| 70-74 | 361 | 8.6 | 7 | 5 | 6 | 8 | 10 | 12 | 14 | 20 |
| 75-79 | 220 | 9.3 | 19 | 5 | 6 | 8 | 10 | 13 | 16 | 28 |
| 80-84 | 91 | 9.5 | 15 | 6 | 6 | 9 | 11 | 13 | 15 | 29 |
| 85+ | 29 | 9.5 | 16 | 5 | 5 | 9 | 11 | 14 | 16 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1492 | 9.4 | 20 | 6 | 6 | 8 | 10 | 14 | 16 | 25 |
| 70-74 | 1216 | 9.9 | 20 | 6 | 6 | 9 | 11 | 15 | 17 | 27 |
| 75-79 | 741 | 10.5 | 27 | 6 | 6 | 9 | 12 | 16 | 19 | 30 |
| 80-84 | 290 | 13.0 | 70 | 6 | 7 | 10 | 15 | 24 | 29 | 54 |
| 85+ | 110 | 14.8 | 119 | 6 | 7 | 11 | 16 | 25 | 36 | 59 |
| TOT. SINGLE DX | 1181 | 8.7 | 11 | 5 | 6 | 8 | 10 | 12 | 14 | 23 |
| " MULTIPLE DX | 3849 | 10.2 | 30 | 6 | 6 | 9 | 11 | 15 | 19 | 31 |
| TOTAL 65-69 YRS | 1972 | 9.2 | 18 | 5 | 6 | 8 | 10 | 13 | 16 | 24 |
| 70-74 | 1577 | 9.6 | 18 | 6 | 6 | 9 | 11 | 14 | 17 | 25 |
| 75-79 | 961 | 10.2 | 26 | 6 | 6 | 9 | 11 | 15 | 18 | 30 |
| 80-84 | 381 | 12.2 | 59 | 6 | 7 | 10 | 14 | 22 | 27 | 42 |
| 85+ | 139 | 13.7 | 103 | 5 | 6 | 11 | 16 | 24 | 34 | 53 |
| GRAND TOTAL | 5030 | 9.9 | 26 | 6 | 6 | 9 | 11 | 15 | 18 | 29 |

### 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 25 | 14.6 | 44 | 6 | 9 | 14 | 17 | 21 | 29 | 37 |
| 70-74 | 13 | 17.8 | 96 | 7 | 9 | 17 | 21 | 28 | 43 | 46 |
| 75-79 | 9 | 16.1 | 53 | 6 | 7 | 15 | 19 | 27 | 31 | 31 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 47 | 20.2 | 268 | 8 | 8 | 15 | 20 | 39 | 59 | 87 |
| 70-74 | 21 | 21.1 | 146 | 7 | 9 | 20 | 27 | 39 | 44 | 50 |
| 75-79 | 13 | 22.9 | 193 | 8 | 9 | 20 | 25 | 46 | 52 | 54 |
| 80-84 | 7 | 23.9 | 91 | 16 | 16 | 19 | 31 | 39 | 40 | 40 |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | 47 | 15.7 | 60 | 7 | 9 | 14 | 19 | 23 | 32 | 46 |
| " MULTIPLE DX | 88 | 21.1 | 210 | 8 | 9 | 17 | 23 | 40 | 50 | 82 |
| TOTAL 65-69 YRS | 72 | 18.3 | 196 | 8 | 9 | 15 | 19 | 33 | 41 | 84 |
| 70-74 | 34 | 19.9 | 127 | 7 | 9 | 18 | 23 | 39 | 45 | 50 |
| 75-79 | 22 | 20.1 | 143 | 7 | 9 | 18 | 21 | 40 | 48 | 54 |
| 80-84 | 7 | 23.9 | 91 | 16 | 16 | 19 | 31 | 39 | 40 | 40 |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | 135 | 19.3 | 164 | 8 | 9 | 16 | 21 | 37 | 43 | 77 |

### 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

### 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1263 | 2.4 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 12 |
| 70-74 | 801 | 2.9 | 6 | 1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 75-79 | 473 | 3.3 | 11 | 1 | 1 | 2 | 3 | 7 | 10 | 16 |
| 80-84 | 221 | 4.4 | 51 | 1 | 2 | 2 | 4 | 8 | 12 | 50 |
| 85+ | 137 | 4.3 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2126 | 4.3 | 26 | 1 | 1 | 2 | 4 | 10 | 14 | 25 |
| 70-74 | 1539 | 5.6 | 56 | 1 | 1 | 3 | 6 | 13 | 19 | 35 |
| 75-79 | 979 | 6.2 | 64 | 1 | 2 | 3 | 7 | 14 | 21 | 36 |
| 80-84 | 527 | 6.6 | 63 | 1 | 2 | 4 | 8 | 15 | 22 | 53 |
| 85+ | 301 | 8.5 | 103 | 2 | 2 | 5 | 12 | 19 | 25 | 59 |
| TOT. SINGLE DX | 2895 | 2.9 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| " MULTIPLE DX | 5472 | 5.5 | 51 | 1 | 1 | 3 | 6 | 12 | 18 | 36 |
| TOTAL 65-69 YRS | 3389 | 3.6 | 20 | <1 | 1 | 2 | 3 | 8 | 11 | 24 |
| 70-74 | 2340 | 4.7 | 41 | 1 | 1 | 2 | 5 | 10 | 15 | 32 |
| 75-79 | 1452 | 5.3 | 49 | 1 | 1 | 3 | 6 | 12 | 17 | 34 |
| 80-84 | 748 | 6.0 | 61 | 1 | 2 | 3 | 7 | 13 | 21 | 53 |
| 85+ | 438 | 7.2 | 80 | 1 | 2 | 4 | 9 | 17 | 22 | 47 |
| GRAND TOTAL | 8367 | 4.6 | 39 | 1 | 1 | 2 | 5 | 10 | 15 | 32 |

### 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 70-74 | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 75-79 | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 7 | 4.6 | 12 | 2 | 2 | 4 | 5 | 11 | 12 | 12 |
| 70-74 | 7 | 7.3 | 13 | 3 | 3 | 8 | 10 | 12 | 13 | 13 |
| 75-79 | 6 | 27.2 | 670 | 3 | 3 | 20 | 42 | 67 | 70 | 70 |
| 80-84 | 5 | 8.4 | 39 | 2 | 2 | 10 | 13 | 16 | 16 | 16 |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| TOT. SINGLE DX | 6 | 2.5 | 5 | 1 | 1 | 2 | 2 | 7 | 7 | 7 |
| " MULTIPLE DX | 26 | 11.5 | 226 | 2 | 2 | 8 | 12 | 29 | 48 | 70 |
| TOTAL 65-69 YRS | 8 | 4.1 | 12 | 1 | 1 | 3 | 5 | 10 | 12 | 12 |
| 70-74 | 10 | 6.1 | 15 | 1 | 1 | 6 | 8 | 11 | 13 | 13 |
| 75-79 | 8 | 20.9 | 614 | 2 | 2 | 8 | 36 | 62 | 70 | 70 |
| 80-84 | 5 | 8.4 | 39 | 2 | 2 | 10 | 13 | 16 | 16 | 16 |
| 85+ | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| GRAND TOTAL | 32 | 9.8 | 195 | 1 | 2 | 5 | 10 | 20 | 41 | 70 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 8 | 7.3 | 4 | 3 | 4 | 7 | 9 | 10 | 10 | 10 |
| 70-74 | 5 | 8.4 | 2 | 6 | 6 | 9 | 9 | 10 | 10 | 10 |
| 75-79 | 5 | 12.6 | 41 | 7 | 7 | 11 | 16 | 23 | 23 | 23 |
| 80-84 | 2 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 85+ | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 12 | 10.3 | 38 | 5 | 6 | 8 | 11 | 18 | 27 | 28 |
| 70-74 | 13 | 14.1 | 78 | 7 | 7 | 10 | 17 | 26 | 36 | 38 |
| 75-79 | 8 | 10.0 | 8 | 7 | 7 | 9 | 11 | 15 | 16 | 16 |
| 80-84 | 2 | 27.5 | 1013 | 5 | 5 | 27 | 50 | 50 | 50 | 50 |
| 85+ | 5 | 13.2 | 78 | 9 | 9 | 9 | 15 | 29 | 29 | 29 |
| TOT. SINGLE DX | 21 | 9.5 | 16 | 5 | 6 | 9 | 11 | 13 | 18 | 23 |
| " MULTIPLE DX | 40 | 12.7 | 86 | 5 | 6 | 9 | 14 | 25 | 33 | 50 |
| TOTAL 65-69 YRS | 20 | 9.1 | 26 | 4 | 5 | 8 | 10 | 13 | 21 | 28 |
| 70-74 | 18 | 12.5 | 63 | 6 | 7 | 9 | 15 | 22 | 32 | 38 |
| 75-79 | 13 | 11.0 | 21 | 7 | 7 | 9 | 13 | 17 | 22 | 23 |
| 80-84 | 4 | 19.8 | 418 | 5 | 5 | 12 | 31 | 50 | 50 | 50 |
| 85+ | 6 | 13.0 | 63 | 9 | 9 | 10 | 12 | 27 | 29 | 29 |
| GRAND TOTAL | 61 | 11.6 | 63 | 5 | 6 | 9 | 12 | 20 | 28 | 49 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 39 | 4.4 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 14 |
| 70-74 | 32 | 4.4 | 8 | 2 | 3 | 4 | 4 | 6 | 8 | 19 |
| 75-79 | 20 | 3.9 | 2 | 1 | 2 | 4 | 4 | 6 | 7 | 8 |
| 80-84 | 5 | 3.8 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 85+ | 7 | 3.9 | | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 52 | 4.2 | 14 | 1 | 2 | 4 | 4 | 6 | 8 | 27 |
| 70-74 | 49 | 6.2 | 35 | 2 | 2 | 4 | 7 | 13 | 15 | 37 |
| 75-79 | 38 | 5.6 | 47 | 1 | 2 | 4 | 5 | 11 | 15 | 42 |
| 80-84 | 14 | 10.7 | 140 | 2 | 3 | 6 | 9 | 33 | 38 | 40 |
| 85+ | 21 | 11.1 | 228 | 3 | 3 | 5 | 13 | 23 | 44 | 70 |
| TOT. SINGLE DX | 103 | 4.2 | 5 | 2 | 3 | 4 | 5 | 6 | 7 | 16 |
| " MULTIPLE DX | 174 | 6.4 | 67 | 2 | 2 | 4 | 6 | 13 | 22 | 42 |
| TOTAL 65-69 YRS | 91 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 8 | 22 |
| 70-74 | 81 | 5.5 | 25 | 2 | 3 | 4 | 5 | 11 | 15 | 31 |
| 75-79 | 58 | 5.0 | 32 | 1 | 2 | 4 | 5 | 8 | 13 | 40 |
| 80-84 | 19 | 8.9 | 112 | 2 | 2 | 5 | 7 | 28 | 36 | 40 |
| 85+ | 28 | 9.3 | 180 | 3 | 3 | 5 | 8 | 23 | 28 | 70 |
| GRAND TOTAL | 277 | 5.6 | 45 | 2 | 2 | 4 | 5 | 8 | 15 | 39 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 573 | 7.4 | 9 | 4 | 4 | 7 | 9 | 11 | 13 | 19 |
| 70-74 | 418 | 7.6 | 10 | 4 | 4 | 7 | 9 | 11 | 14 | 21 |
| 75-79 | 253 | 7.8 | 9 | 4 | 5 | 7 | 9 | 11 | 14 | 19 |
| 80-84 | 84 | 8.5 | 11 | 4 | 5 | 8 | 10 | 13 | 16 | 19 |
| 85+ | 21 | 8.8 | 13 | 4 | 5 | 8 | 11 | 14 | 17 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 961 | 9.3 | 25 | 5 | 5 | 8 | 11 | 14 | 18 | 26 |
| 70-74 | 798 | 9.6 | 26 | 5 | 5 | 8 | 11 | 15 | 18 | 25 |
| 75-79 | 469 | 10.3 | 46 | 5 | 6 | 9 | 12 | 15 | 20 | 44 |
| 80-84 | 184 | 11.8 | 78 | 5 | 6 | 10 | 13 | 17 | 25 | 50 |
| 85+ | 70 | 12.3 | 47 | 6 | 6 | 10 | 15 | 21 | 27 | 89 |
| TOT. SINGLE DX | 1349 | 7.7 | 10 | 4 | 4 | 7 | 9 | 11 | 14 | 19 |
| " MULTIPLE DX | 2482 | 9.8 | 35 | 5 | 5 | 9 | 11 | 15 | 19 | 31 |
| TOTAL 65-69 YRS | 1534 | 8.6 | 20 | 4 | 5 | 8 | 10 | 13 | 16 | 25 |
| 70-74 | 1216 | 8.9 | 22 | 4 | 5 | 8 | 10 | 14 | 17 | 23 |
| 75-79 | 722 | 9.4 | 35 | 4 | 5 | 8 | 11 | 14 | 17 | 29 |
| 80-84 | 268 | 10.8 | 60 | 5 | 5 | 9 | 12 | 17 | 20 | 43 |
| 85+ | 91 | 11.5 | 41 | 5 | 6 | 10 | 14 | 20 | 23 | 77 |
| GRAND TOTAL | 3831 | 9.1 | 27 | 4 | 5 | 8 | 10 | 14 | 17 | 26 |

## 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 53 | 7.6 | 26 | 2 | 3 | 7 | 9 | 13 | 17 | 29 |
| | 70-74 | 26 | 6.4 | 11 | 1 | 2 | 7 | 8 | 9 | 11 | 18 |
| | 75-79 | 15 | 7.9 | 12 | 2 | 4 | 8 | 9 | 10 | 16 | 18 |
| | 80-84 | 9 | 7.7 | 9 | 4 | 4 | 7 | 9 | 13 | 13 | 13 |
| | 85+ | 4 | 6.5 | 41 | 1 | 1 | 5 | 11 | 15 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 83 | 9.4 | 83 | 3 | 3 | 8 | 11 | 16 | 21 | 62 |
| | 70-74 | 74 | 11.3 | 82 | 3 | 4 | 9 | 14 | 20 | 31 | 51 |
| | 75-79 | 55 | 13.6 | 222 | 3 | 4 | 9 | 15 | 23 | 42 | 94 |
| | 80-84 | 24 | 10.7 | 47 | 3 | 3 | 8 | 13 | 19 | 26 | 32 |
| | 85+ | 18 | 16.1 | 142 | 1 | 3 | 15 | 24 | 36 | 37 | 37 |
| TOT. SINGLE DX | | 107 | 7.3 | 20 | 2 | 2 | 7 | 9 | 12 | 17 | 27 |
| " MULTIPLE DX | | 254 | 11.5 | 116 | 3 | 4 | 8 | 14 | 22 | 31 | 53 |
| TOTAL | 65-69 YRS | 136 | 8.7 | 62 | 2 | 3 | 7 | 10 | 15 | 20 | 36 |
| | 70-74 | 100 | 10.0 | 69 | 2 | 4 | 8 | 10 | 18 | 27 | 49 |
| | 75-79 | 70 | 12.4 | 182 | 3 | 4 | 9 | 14 | 22 | 33 | 87 |
| | 80-84 | 33 | 9.8 | 38 | 3 | 4 | 8 | 12 | 17 | 22 | 32 |
| | 85+ | 22 | 14.4 | 136 | 1 | 2 | 13 | 19 | 34 | 37 | 37 |
| GRAND TOTAL | | 361 | 10.2 | 91 | 2 | 3 | 8 | 11 | 18 | 27 | 49 |

## 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 158 | 5.1 | 11 | 1 | 2 | 4 | 7 | 10 | 11 | 16 |
| | 70-74 | 161 | 6.5 | 26 | 2 | 2 | 6 | 8 | 11 | 15 | 33 |
| | 75-79 | 111 | 5.5 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| | 80-84 | 71 | 6.3 | 15 | 2 | 2 | 6 | 8 | 12 | 13 | 19 |
| | 85+ | 35 | 5.7 | 12 | 2 | 2 | 5 | 8 | 11 | 13 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 370 | 8.6 | 66 | 2 | 2 | 7 | 10 | 17 | 26 | 46 |
| | 70-74 | 314 | 10.1 | 86 | 2 | 3 | 7 | 11 | 23 | 32 | 50 |
| | 75-79 | 286 | 10.1 | 79 | 2 | 3 | 8 | 12 | 19 | 28 | 46 |
| | 80-84 | 180 | 11.6 | 77 | 3 | 4 | 9 | 15 | 23 | 29 | 47 |
| | 85+ | 104 | 11.9 | 130 | 2 | 2 | 10 | 15 | 23 | 32 | 63 |
| TOT. SINGLE DX | | 536 | 5.8 | 17 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| " MULTIPLE DX | | 1254 | 10.0 | 82 | 2 | 3 | 8 | 12 | 21 | 29 | 49 |
| TOTAL | 65-69 YRS | 528 | 7.6 | 52 | 2 | 2 | 6 | 9 | 14 | 21 | 44 |
| | 70-74 | 475 | 8.9 | 69 | 2 | 2 | 7 | 10 | 18 | 28 | 46 |
| | 75-79 | 397 | 8.8 | 65 | 2 | 2 | 7 | 10 | 16 | 25 | 45 |
| | 80-84 | 251 | 10.1 | 66 | 2 | 3 | 8 | 13 | 21 | 25 | 40 |
| | 85+ | 139 | 10.3 | 108 | 2 | 2 | 8 | 13 | 20 | 29 | 61 |
| GRAND TOTAL | | 1790 | 8.8 | 67 | 2 | 2 | 7 | 10 | 17 | 25 | 46 |

## 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 140 | 3.3 | 12 | 1 | 1 | 2 | 3 | 6 | 8 | 26 |
| | 70-74 | 117 | 3.6 | 12 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| | 75-79 | 85 | 3.7 | 16 | 1 | 1 | 2 | 4 | 7 | 13 | 24 |
| | 80-84 | 48 | 4.8 | 19 | 1 | 1 | 3 | 6 | 11 | 14 | 21 |
| | 85+ | 31 | 6.3 | 49 | 1 | 1 | 4 | 8 | 12 | 22 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 185 | 8.6 | 110 | 1 | 2 | 4 | 10 | 19 | 35 | 53 |
| | 70-74 | 188 | 7.6 | 71 | 2 | 2 | 5 | 10 | 16 | 20 | 51 |
| | 75-79 | 128 | 10.8 | 137 | 2 | 2 | 7 | 14 | 23 | 30 | 74 |
| | 80-84 | 86 | 10.2 | 122 | 2 | 2 | 7 | 12 | 24 | 38 | 86 |
| | 85+ | 64 | 10.6 | 70 | 2 | 3 | 9 | 15 | 25 | 34 | 99+ |
| TOT. SINGLE DX | | 421 | 3.9 | 17 | 1 | 1 | 3 | 4 | 8 | 11 | 24 |
| " MULTIPLE DX | | 651 | 9.1 | 103 | 2 | 2 | 6 | 12 | 19 | 29 | 61 |
| TOTAL | 65-69 YRS | 325 | 6.3 | 75 | 1 | 1 | 3 | 7 | 14 | 21 | 49 |
| | 70-74 | 305 | 6.1 | 53 | 1 | 2 | 3 | 7 | 14 | 18 | 35 |
| | 75-79 | 213 | 8.0 | 101 | 1 | 2 | 4 | 10 | 17 | 25 | 60 |
| | 80-84 | 134 | 8.3 | 92 | 1 | 2 | 6 | 9 | 18 | 28 | 67 |
| | 85+ | 95 | 9.2 | 67 | 1 | 2 | 6 | 13 | 21 | 32 | 99+ |
| GRAND TOTAL | | 1072 | 7.1 | 76 | 1 | 2 | 4 | 9 | 16 | 23 | 54 |

## 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | | |
| | 65-69 YRS | 36 | 9.0 | 91 | 2 | 2 | 6 | 10 | 21 | 29 | 48 |
| | 70-74 | 38 | 8.2 | 51 | 1 | 2 | 6 | 10 | 20 | 24 | 30 |
| | 75-79 | 31 | 16.2 | 147 | 2 | 3 | 14 | 24 | 30 | 40 | 51 |
| | 80-84 | 18 | 13.6 | 135 | 1 | 2 | 10 | 19 | 33 | 39 | 41 |
| | 85+ | 17 | 10.2 | 30 | 3 | 4 | 9 | 16 | 17 | 19 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | | |
| | 65-69 YRS | 52 | 18.3 | 324 | 3 | 4 | 16 | 25 | 42 | 67 | 99+ |
| | 70-74 | 63 | 19.5 | 210 | 2 | 3 | 17 | 29 | 39 | 41 | 72 |
| | 75-79 | 55 | 21.8 | 366 | 3 | 5 | 15 | 32 | 45 | 65 | 89 |
| | 80-84 | 43 | 20.0 | 279 | 6 | 7 | 15 | 27 | 44 | 68 | 99+ |
| | 85+ | 35 | 20.1 | 267 | 4 | 5 | 14 | 27 | 45 | 54 | 75 |
| TOT. SINGLE DX | | 140 | 11.1 | 99 | 2 | 2 | 8 | 16 | 25 | 30 | 48 |
| " MULTIPLE DX | | 248 | 19.9 | 286 | 3 | 5 | 16 | 27 | 43 | 56 | 96 |
| TOTAL | 65-69 YRS | 88 | 14.5 | 248 | 2 | 2 | 9 | 20 | 31 | 49 | 98 |
| | 70-74 | 101 | 15.2 | 180 | 2 | 3 | 11 | 23 | 36 | 39 | 60 |
| | 75-79 | 86 | 19.8 | 292 | 3 | 3 | 15 | 25 | 44 | 51 | 86 |
| | 80-84 | 61 | 18.1 | 243 | 3 | 5 | 13 | 24 | 39 | 51 | 99 |
| | 85+ | 52 | 16.8 | 209 | 4 | 5 | 14 | 19 | 36 | 49 | 75 |
| GRAND TOTAL | | 388 | 16.7 | 236 | 2 | 3 | 12 | 22 | 38 | 45 | 92 |

### 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 10 | 2.7 | 3 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 70-74 | 6 | 12.2 | 349 | 1 | 1 | 5 | 8 | 46 | 50 | 50 |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | 3 | 11.3 | 56 | 4 | 4 | 11 | 17 | 19 | 19 | 19 |
| 85+ | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 11 | 12.1 | 188 | 1 | 2 | 9 | 18 | 31 | 47 | 48 |
| 70-74 | 6 | 15.5 | 199 | 2 | 2 | 10 | 24 | 38 | 40 | 40 |
| 75-79 | 8 | 9.4 | 69 | 2 | 3 | 8 | 9 | 23 | 29 | 29 |
| 80-84 | 3 | 5.3 | 17 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 85+ | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| TOT. SINGLE DX | 22 | 6.9 | 111 | <1 | 1 | 4 | 6 | 14 | 31 | 50 |
| " MULTIPLE DX | 29 | 11.2 | 130 | 2 | 2 | 9 | 12 | 27 | 40 | 48 |
| TOTAL 65-69 YRS | 21 | 7.6 | 119 | <1 | 1 | 3 | 9 | 19 | 33 | 48 |
| 70-74 | 12 | 13.8 | 252 | 1 | 2 | 7 | 17 | 43 | 49 | 50 |
| 75-79 | 9 | 8.7 | 65 | 2 | 2 | 7 | 9 | 21 | 29 | 29 |
| 80-84 | 6 | 8.3 | 40 | 2 | 2 | 7 | 11 | 18 | 19 | 19 |
| 85+ | 3 | 7.7 | 17 | 3 | 3 | 9 | 10 | 11 | 11 | 11 |
| GRAND TOTAL | 51 | 9.4 | 125 | 1 | 1 | 6 | 10 | 22 | 39 | 50 |

### 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 70-74 | | | | | | | | | | |
| 75-79 | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 80-84 | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 11 | 3.5 | 9 | 1 | 1 | 2 | 5 | 8 | 11 | 11 |
| 70-74 | 11 | 8.3 | 83 | 1 | 1 | 5 | 11 | 20 | 32 | 33 |
| 75-79 | 7 | 16.7 | 481 | 2 | 2 | 6 | 27 | 54 | 60 | 60 |
| 80-84 | 3 | 10.3 | 129 | 1 | 1 | 7 | 19 | 23 | 23 | 23 |
| 85+ | 7 | 17.9 | 288 | 4 | 4 | 11 | 22 | 47 | 53 | 53 |
| TOT. SINGLE DX | 5 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| " MULTIPLE DX | 39 | 10.3 | 185 | 1 | 1 | 5 | 11 | 28 | 44 | 60 |
| TOTAL 65-69 YRS | 14 | 3.4 | 7 | 1 | 1 | 3 | 4 | 7 | 10 | 11 |
| 70-74 | 11 | 8.3 | 84 | 1 | 1 | 5 | 11 | 20 | 32 | 33 |
| 75-79 | 8 | 14.9 | 439 | 2 | 2 | 4 | 22 | 52 | 60 | 60 |
| 80-84 | 4 | 8.0 | 108 | <1 | <1 | 4 | 15 | 23 | 23 | 23 |
| 85+ | 7 | 17.9 | 288 | 4 | 4 | 11 | 22 | 47 | 53 | 53 |
| GRAND TOTAL | 44 | 9.4 | 170 | 1 | 1 | 4 | 11 | 24 | 39 | 60 |

### 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

### 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

CPHA excludes geriatric patients from this operation group because of clinical implausibility.

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 54 | 7.6 | 67 | 2 | 2 | 4 | 9 | 17 | 23 | 41 |
| 70-74 | 42 | 7.4 | 64 | 2 | 2 | 5 | 11 | 16 | 19 | 46 |
| 75-79 | 26 | 8.3 | 117 | 1 | 2 | 5 | 9 | 17 | 34 | 51 |
| 80-84 | 10 | 9.4 | 69 | 2 | 2 | 6 | 9 | 24 | 27 | 27 |
| 85+ | 9 | 12.6 | 294 | 2 | 2 | 5 | 16 | 41 | 55 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 120 | 11.0 | 181 | 2 | 2 | 6 | 16 | 23 | 30 | 79 |
| 70-74 | 66 | 10.7 | 199 | 2 | 2 | 5 | 13 | 33 | 43 | 97 |
| 75-79 | 56 | 10.0 | 104 | 2 | 2 | 8 | 13 | 24 | 43 | 96 |
| 80-84 | 31 | 11.7 | 216 | 2 | 2 | 7 | 13 | 24 | 49 | 72 |
| 85+ | 27 | 12.0 | 114 | 2 | 2 | 9 | 17 | 26 | 31 | 45 |
| TOT. SINGLE DX | 141 | 8.1 | 88 | 2 | 2 | 5 | 10 | 18 | 25 | 51 |
| " MULTIPLE DX | 300 | 10.9 | 167 | 2 | 2 | 6 | 14 | 25 | 38 | 84 |
| TOTAL 65-69 YRS | 174 | 9.9 | 148 | 2 | 2 | 5 | 13 | 22 | 29 | 73 |
| 70-74 | 108 | 9.4 | 149 | 2 | 2 | 5 | 11 | 23 | 36 | 89 |
| 75-79 | 82 | 9.4 | 108 | 2 | 2 | 6 | 12 | 23 | 42 | 84 |
| 80-84 | 41 | 11.1 | 179 | 2 | 2 | 7 | 12 | 24 | 37 | 72 |
| 85+ | 36 | 12.1 | 152 | 2 | 2 | 7 | 17 | 26 | 40 | 55 |
| GRAND TOTAL | 441 | 10.0 | 143 | 2 | 2 | 5 | 13 | 23 | 33 | 75 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 33 | 5.6 | 18 | 2 | 3 | 4 | 7 | 11 | 15 | 22 |
| 70-74 | 16 | 5.9 | 25 | 2 | 2 | 4 | 6 | 15 | 18 | 19 |
| 75-79 | 4 | 9.3 | 33 | 3 | 3 | 8 | 13 | 17 | 17 | 17 |
| 80-84 | 2 | 20.0 | 128 | 12 | 12 | 20 | 28 | 28 | 28 | 28 |
| 85+ | 2 | 10.5 | 145 | 2 | 2 | 10 | 19 | 19 | 19 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 39 | 7.6 | 53 | 2 | 2 | 5 | 11 | 19 | 24 | 33 |
| 70-74 | 23 | 13.1 | 392 | 1 | 2 | 6 | 13 | 69 | 81 | 99+ |
| 75-79 | 10 | 12.0 | 222 | 2 | 2 | 4 | 13 | 39 | 41 | 41 |
| 80-84 | 2 | 15.5 | 13 | 13 | 13 | 15 | 18 | 18 | 18 | 18 |
| 85+ | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| TOT. SINGLE DX | 57 | 6.6 | 32 | 2 | 2 | 4 | 8 | 16 | 19 | 28 |
| " MULTIPLE DX | 75 | 10.4 | 186 | 2 | 2 | 6 | 12 | 32 | 40 | 93 |
| TOTAL 65-69 YRS | 72 | 6.7 | 38 | 2 | 2 | 4 | 8 | 13 | 22 | 31 |
| 70-74 | 39 | 10.2 | 250 | 2 | 2 | 5 | 10 | 28 | 71 | 99+ |
| 75-79 | 14 | 11.2 | 163 | 2 | 2 | 6 | 13 | 38 | 40 | 41 |
| 80-84 | 4 | 17.8 | 54 | 12 | 12 | 15 | 23 | 28 | 28 | 28 |
| 85+ | 3 | 18.0 | 241 | 2 | 2 | 19 | 29 | 33 | 33 | 33 |
| GRAND TOTAL | 132 | 8.8 | 122 | 2 | 2 | 4 | 11 | 20 | 33 | 78 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 12 | 3.5 | 3 | <1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 70-74 | 12 | 3.8 | 13 | 1 | 1 | 3 | 4 | 10 | 13 | 14 |
| 75-79 | 9 | 6.9 | 43 | 1 | 1 | 6 | 8 | 17 | 23 | 23 |
| 80-84 | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 85+ | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 24 | 9.3 | 151 | 1 | 2 | 7 | 9 | 15 | 30 | 64 |
| 70-74 | 31 | 12.2 | 142 | 2 | 3 | 6 | 15 | 29 | 34 | 53 |
| 75-79 | 18 | 10.8 | 62 | 3 | 4 | 8 | 15 | 21 | 29 | 34 |
| 80-84 | 20 | 10.0 | 62 | 3 | 3 | 8 | 13 | 18 | 28 | 37 |
| 85+ | 12 | 19.7 | 398 | 2 | 2 | 14 | 24 | 51 | 68 | 71 |
| TOT. SINGLE DX | 38 | 4.5 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 23 |
| " MULTIPLE DX | 105 | 11.7 | 148 | 2 | 3 | 7 | 14 | 26 | 35 | 67 |
| TOTAL 65-69 YRS | 36 | 7.4 | 108 | 1 | 2 | 5 | 8 | 14 | 16 | 64 |
| 70-74 | 43 | 9.8 | 120 | 1 | 2 | 5 | 13 | 26 | 33 | 53 |
| 75-79 | 27 | 9.5 | 58 | 2 | 3 | 7 | 12 | 21 | 25 | 34 |
| 80-84 | 23 | 9.2 | 60 | 2 | 3 | 7 | 12 | 17 | 25 | 37 |
| 85+ | 14 | 17.6 | 365 | 2 | 2 | 10 | 22 | 45 | 65 | 71 |
| GRAND TOTAL | 143 | 9.8 | 123 | 1 | 2 | 6 | 12 | 22 | 33 | 64 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 36 | 6.5 | 19 | 1 | 2 | 5 | 10 | 14 | 15 | 17 |
| 70-74 | 29 | 6.2 | 40 | 2 | 2 | 4 | 8 | 13 | 16 | 33 |
| 75-79 | 14 | 5.6 | 34 | 2 | 2 | 4 | 5 | 10 | 22 | 25 |
| 80-84 | 12 | 7.3 | 49 | 2 | 2 | 4 | 10 | 19 | 23 | 24 |
| 85+ | 6 | 13.0 | 40 | 5 | 5 | 13 | 20 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 79 | 11.8 | 184 | 2 | 2 | 8 | 14 | 24 | 35 | 82 |
| 70-74 | 65 | 11.4 | 93 | 2 | 3 | 8 | 15 | 23 | 31 | 54 |
| 75-79 | 42 | 12.2 | 106 | 3 | 4 | 9 | 14 | 28 | 40 | 42 |
| 80-84 | 31 | 15.9 | 284 | 3 | 3 | 11 | 17 | 36 | 63 | 76 |
| 85+ | 16 | 14.3 | 133 | 4 | 5 | 11 | 15 | 32 | 44 | 49 |
| TOT. SINGLE DX | 97 | 6.8 | 34 | 2 | 2 | 5 | 8 | 15 | 19 | 29 |
| " MULTIPLE DX | 233 | 12.5 | 154 | 2 | 3 | 9 | 14 | 25 | 36 | 66 |
| TOTAL 65-69 YRS | 115 | 10.2 | 138 | 2 | 2 | 7 | 11 | 17 | 31 | 70 |
| 70-74 | 94 | 9.8 | 82 | 2 | 2 | 7 | 14 | 20 | 30 | 47 |
| 75-79 | 56 | 10.6 | 95 | 2 | 3 | 7 | 13 | 24 | 38 | 42 |
| 80-84 | 43 | 13.5 | 231 | 2 | 3 | 9 | 16 | 30 | 46 | 76 |
| 85+ | 22 | 14.0 | 105 | 4 | 5 | 12 | 15 | 24 | 40 | 49 |
| GRAND TOTAL | 330 | 10.8 | 125 | 2 | 2 | 8 | 14 | 21 | 33 | 59 |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 4.8 | 8 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| 70-74 | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 75-79 | 5 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 80-84 | 2 | 11.0 | 162 | 2 | 2 | 11 | 20 | 20 | 20 | 20 |
| 85+ | 2 | 9.5 | 85 | 3 | 3 | 9 | 16 | 16 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 17 | 6.5 | 25 | 2 | 2 | 5 | 9 | 13 | 19 | 21 |
| 70-74 | 13 | 7.0 | 23 | 3 | 3 | 5 | 8 | 14 | 19 | 20 |
| 75-79 | 10 | 10.1 | 108 | 1 | 1 | 6 | 16 | 27 | 30 | 30 |
| 80-84 | 5 | 3.2 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 85+ | 5 | 4.6 | 5 | 1 | 1 | 6 | 6 | 6 | 6 | 6 |
| TOT. SINGLE DX | 26 | 4.7 | 22 | 1 | 1 | 3 | 6 | 10 | 17 | 20 |
| " MULTIPLE DX | 50 | 6.8 | 39 | 1 | 2 | 5 | 8 | 15 | 21 | 30 |
| TOTAL 65-69 YRS | 30 | 5.8 | 18 | 2 | 2 | 4 | 8 | 10 | 14 | 21 |
| 70-74 | 17 | 5.9 | 22 | 1 | 2 | 4 | 7 | 12 | 18 | 20 |
| 75-79 | 15 | 7.4 | 86 | 1 | 1 | 3 | 10 | 25 | 29 | 30 |
| 80-84 | 7 | 5.4 | 43 | <1 | <1 | 3 | 5 | 17 | 20 | 20 |
| 85+ | 7 | 6.0 | 23 | 1 | 1 | 6 | 6 | 14 | 16 | 16 |
| GRAND TOTAL | 76 | 6.1 | 34 | 1 | 2 | 4 | 8 | 14 | 20 | 29 |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 271 | 7.5 | 36 | 2 | 3 | 6 | 9 | 13 | 18 | 46 |
| 70-74 | 143 | 9.8 | 73 | 2 | 3 | 8 | 11 | 22 | 28 | 42 |
| 75-79 | 74 | 12.1 | 114 | 2 | 3 | 8 | 17 | 22 | 25 | 68 |
| 80-34 | 36 | 14.0 | 101 | 3 | 4 | 12 | 18 | 26 | 36 | 46 |
| 85+ | 39 | 17.0 | 140 | 3 | 4 | 14 | 22 | 33 | 42 | 57 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 333 | 10.6 | 112 | 2 | 3 | 8 | 13 | 21 | 28 | 62 |
| 70-74 | 245 | 13.0 | 143 | 2 | 3 | 10 | 17 | 31 | 40 | 99+ |
| 75-79 | 149 | 15.1 | 168 | 2 | 3 | 11 | 20 | 37 | 42 | 99+ |
| 80-84 | 60 | 18.8 | 173 | 4 | 4 | 16 | 26 | 41 | 57 | 99+ |
| 85+ | 52 | 23.9 | 248 | 8 | 9 | 20 | 32 | 53 | 61 | 99 |
| TOT. SINGLE DX | 563 | 9.7 | 75 | 2 | 3 | 8 | 12 | 20 | 25 | 47 |
| " MULTIPLE DX | 839 | 13.5 | 156 | 2 | 3 | 10 | 18 | 30 | 42 | 98 |
| TOTAL 65-69 YRS | 604 | 9.2 | 81 | 2 | 3 | 7 | 11 | 18 | 23 | 48 |
| 70-74 | 388 | 11.8 | 120 | 2 | 3 | 8 | 15 | 28 | 35 | 73 |
| 75-79 | 223 | 14.1 | 152 | 2 | 3 | 11 | 18 | 32 | 40 | 89 |
| 80-84 | 96 | 17.0 | 151 | 4 | 4 | 15 | 23 | 36 | 46 | 99+ |
| 85+ | 91 | 20.9 | 212 | 4 | 8 | 17 | 25 | 48 | 57 | 87 |
| GRAND TOTAL | 1402 | 12.0 | 127 | 2 | 3 | 9 | 15 | 26 | 37 | 69 |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 524 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 70-74 | 299 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 75-79 | 165 | 5.5 | 12 | 2 | 2 | 5 | 6 | 11 | 13 | 20 |
| 80-84 | 55 | 6.9 | 63 | 2 | 3 | 5 | 8 | 10 | 14 | 45 |
| 85+ | 18 | 7.6 | 69 | 2 | 2 | 5 | 10 | 12 | 28 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1781 | 5.8 | 24 | 2 | 3 | 5 | 7 | 9 | 11 | 26 |
| 70-74 | 1078 | 6.3 | 27 | 2 | 3 | 5 | 7 | 10 | 14 | 28 |
| 75-79 | 568 | 7.5 | 59 | 2 | 3 | 5 | 8 | 14 | 21 | 37 |
| 80-84 | 192 | 8.3 | 54 | 2 | 3 | 6 | 9 | 20 | 29 | 38 |
| 85+ | 64 | 11.5 | 120 | 2 | 3 | 7 | 16 | 28 | 31 | 59 |
| TOT. SINGLE DX | 1061 | 5.1 | 13 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| " MULTIPLE DX | 3683 | 6.5 | 35 | 2 | 3 | 5 | 7 | 10 | 15 | 32 |
| TOTAL 65-69 YRS | 2305 | 5.6 | 21 | 2 | 3 | 5 | 6 | 9 | 11 | 25 |
| 70-74 | 1377 | 6.0 | 24 | 2 | 3 | 5 | 7 | 9 | 13 | 26 |
| 75-79 | 733 | 7.1 | 50 | 2 | 3 | 5 | 8 | 13 | 18 | 37 |
| 80-84 | 247 | 8.0 | 56 | 2 | 3 | 6 | 8 | 16 | 26 | 45 |
| 85+ | 82 | 10.6 | 111 | 2 | 3 | 7 | 13 | 27 | 31 | 55 |
| GRAND TOTAL | 4744 | 6.1 | 30 | 2 | 3 | 5 | 7 | 10 | 14 | 31 |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 806 | 6.3 | 46 | 1 | 2 | 4 | 7 | 12 | 19 | 39 |
| 70-74 | 579 | 7.5 | 67 | 1 | 2 | 4 | 9 | 17 | 23 | 46 |
| 75-79 | 344 | 8.3 | 94 | 1 | 2 | 5 | 10 | 18 | 24 | 60 |
| 80-84 | 153 | 11.2 | 140 | 2 | 2 | 7 | 15 | 23 | 35 | 60 |
| 85+ | 86 | 12.3 | 99 | 2 | 2 | 9 | 16 | 25 | 29 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1504 | 12.7 | 215 | 2 | 2 | 7 | 17 | 31 | 43 | 86 |
| 70-74 | 1131 | 14.7 | 220 | 2 | 3 | 10 | 20 | 36 | 50 | 98 |
| 75-79 | 828 | 15.6 | 208 | 2 | 3 | 11 | 22 | 37 | 50 | 99+ |
| 80-84 | 421 | 17.7 | 267 | 2 | 3 | 13 | 24 | 41 | 62 | 99+ |
| 85+ | 253 | 19.4 | 251 | 3 | 4 | 15 | 26 | 41 | 57 | 99 |
| TOT. SINGLE DX | 1968 | 7.7 | 73 | 1 | 2 | 5 | 9 | 17 | 24 | 48 |
| " MULTIPLE DX | 4137 | 14.8 | 226 | 2 | 3 | 10 | 20 | 35 | 49 | 94 |
| TOTAL 65-69 YRS | 2310 | 10.5 | 166 | 2 | 2 | 6 | 12 | 26 | 36 | 74 |
| 70-74 | 1710 | 12.3 | 180 | 2 | 2 | 7 | 16 | 31 | 44 | 75 |
| 75-79 | 1172 | 13.5 | 186 | 2 | 2 | 9 | 18 | 32 | 43 | 84 |
| 80-84 | 574 | 16.0 | 242 | 2 | 3 | 12 | 21 | 36 | 56 | 99 |
| 85+ | 339 | 17.6 | 222 | 3 | 3 | 14 | 23 | 38 | 51 | 92 |
| GRAND TOTAL | 6105 | 12.5 | 188 | 2 | 2 | 7 | 16 | 30 | 43 | 76 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 209 | 12.7 | 89 | 2 | 3 | 11 | 15 | 24 | 30 | 55 |
| 70-74 | 223 | 13.1 | 77 | 2 | 4 | 12 | 16 | 22 | 30 | 47 |
| 75-79 | 216 | 14.9 | 67 | 4 | 6 | 14 | 17 | 24 | 32 | 50 |
| 80-84 | 195 | 15.9 | 77 | 5 | 7 | 15 | 20 | 25 | 32 | 47 |
| 85+ | 249 | 17.5 | 96 | 6 | 8 | 16 | 20 | 30 | 37 | 63 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 294 | 16.5 | 170 | 3 | 4 | 14 | 21 | 35 | 44 | 99+ |
| 70-74 | 355 | 19.5 | 198 | 4 | 6 | 16 | 25 | 41 | 53 | 91 |
| 75-79 | 372 | 22.9 | 255 | 5 | 7 | 20 | 29 | 46 | 64 | 99+ |
| 80-84 | 423 | 22.4 | 201 | 7 | 10 | 19 | 27 | 41 | 60 | 99+ |
| 85+ | 486 | 23.1 | 237 | 7 | 9 | 19 | 29 | 43 | 62 | 99+ |
| TOT. SINGLE DX | 1092 | 14.9 | 85 | 3 | 5 | 14 | 18 | 26 | 33 | 54 |
| " MULTIPLE DX | 1930 | 21.2 | 221 | 5 | 7 | 18 | 27 | 41 | 57 | 99+ |
| TOTAL 65-69 YRS | 503 | 14.9 | 140 | 3 | 4 | 13 | 19 | 31 | 39 | 81 |
| 70-74 | 578 | 17.1 | 161 | 3 | 5 | 14 | 21 | 34 | 44 | 68 |
| 75-79 | 588 | 19.9 | 201 | 5 | 7 | 16 | 25 | 38 | 53 | 98 |
| 80-84 | 618 | 20.3 | 172 | 6 | 8 | 17 | 25 | 38 | 50 | 95 |
| 85+ | 735 | 21.2 | 197 | 7 | 9 | 18 | 26 | 38 | 56 | 99+ |
| GRAND TOTAL | 3022 | 18.9 | 181 | 4 | 6 | 16 | 24 | 36 | 49 | 94 |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 607 | 5.2 | 40 | 1 | 1 | 3 | 6 | 11 | 16 | 32 |
| 70-74 | 527 | 6.5 | 68 | 1 | 1 | 4 | 7 | 14 | 22 | 47 |
| 75-79 | 421 | 7.6 | 69 | 1 | 2 | 5 | 9 | 16 | 23 | 44 |
| 80-84 | 247 | 9.7 | 125 | 2 | 2 | 6 | 12 | 19 | 29 | 62 |
| 85+ | 247 | 10.3 | 76 | 2 | 3 | 7 | 13 | 22 | 29 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 442 | 11.5 | 204 | 2 | 2 | 6 | 14 | 28 | 40 | 75 |
| 70-74 | 454 | 14.7 | 258 | 2 | 2 | 10 | 18 | 38 | 50 | 74 |
| 75-79 | 456 | 15.6 | 217 | 2 | 3 | 11 | 21 | 36 | 46 | 75 |
| 80-84 | 349 | 16.2 | 185 | 2 | 3 | 14 | 22 | 33 | 50 | 99+ |
| 85+ | 373 | 16.5 | 200 | 3 | 4 | 13 | 22 | 35 | 55 | 99+ |
| TOT. SINGLE DX | 2049 | 7.2 | 71 | 1 | 2 | 4 | 9 | 16 | 23 | 43 |
| " MULTIPLE DX | 2074 | 14.8 | 218 | 2 | 3 | 10 | 20 | 34 | 48 | 94 |
| TOTAL 65-69 YRS | 1049 | 7.9 | 119 | 1 | 2 | 4 | 8 | 18 | 28 | 63 |
| 70-74 | 981 | 10.3 | 173 | 1 | 2 | 5 | 12 | 24 | 39 | 69 |
| 75-79 | 877 | 11.8 | 162 | 2 | 2 | 7 | 15 | 29 | 40 | 64 |
| 80-84 | 596 | 13.5 | 171 | 2 | 3 | 10 | 18 | 29 | 42 | 99+ |
| 85+ | 620 | 14.0 | 160 | 2 | 3 | 11 | 18 | 30 | 39 | 98 |
| GRAND TOTAL | 4123 | 11.0 | 160 | 1 | 2 | 6 | 14 | 26 | 38 | 71 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 146 | 15.1 | 77 | 5 | 7 | 14 | 18 | 27 | 30 | 57 |
| 70-74 | 215 | 16.2 | 86 | 6 | 8 | 14 | 19 | 27 | 33 | 64 |
| 75-79 | 295 | 17.8 | 100 | 8 | 9 | 16 | 20 | 27 | 36 | 70 |
| 80-84 | 307 | 19.5 | 120 | 8 | 10 | 17 | 22 | 34 | 45 | 74 |
| 85+ | 461 | 18.1 | 104 | 7 | 9 | 16 | 21 | 28 | 35 | 74 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 306 | 21.8 | 243 | 8 | 10 | 18 | 25 | 41 | 65 | 99+ |
| 70-74 | 403 | 22.5 | 193 | 8 | 10 | 19 | 27 | 43 | 56 | 99+ |
| 75-79 | 588 | 22.6 | 180 | 9 | 10 | 19 | 28 | 42 | 53 | 99+ |
| 80-84 | 678 | 22.5 | 193 | 9 | 10 | 19 | 27 | 43 | 61 | 99+ |
| 85+ | 1027 | 21.9 | 177 | 8 | 10 | 18 | 26 | 38 | 55 | 99+ |
| TOT. SINGLE DX | 1424 | 17.7 | 103 | 7 | 9 | 16 | 21 | 28 | 37 | 68 |
| " MULTIPLE DX | 3002 | 22.2 | 190 | 8 | 10 | 19 | 27 | 41 | 56 | 99+ |
| TOTAL 65-69 YRS | 452 | 19.6 | 199 | 7 | 8 | 16 | 23 | 34 | 52 | 98 |
| 70-74 | 618 | 20.3 | 165 | 8 | 9 | 17 | 24 | 38 | 50 | 99+ |
| 75-79 | 883 | 21.0 | 158 | 8 | 10 | 18 | 25 | 38 | 50 | 99+ |
| 80-84 | 985 | 21.6 | 172 | 9 | 10 | 18 | 25 | 40 | 54 | 99+ |
| 85+ | 1488 | 20.7 | 158 | 8 | 10 | 17 | 25 | 35 | 49 | 98 |
| GRAND TOTAL | 4426 | 20.8 | 167 | 8 | 10 | 17 | 25 | 37 | 51 | 99+ |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 898 | 16.0 | 76 | 7 | 8 | 14 | 19 | 26 | 30 | 54 |
| 70-74 | 1204 | 17.8 | 85 | 8 | 9 | 16 | 21 | 28 | 35 | 56 |
| 75-79 | 1475 | 18.3 | 87 | 8 | 10 | 17 | 21 | 28 | 36 | 62 |
| 80-84 | 1762 | 19.4 | 97 | 9 | 10 | 17 | 23 | 31 | 39 | 61 |
| 85+ | 2557 | 19.1 | 110 | 8 | 10 | 17 | 22 | 31 | 39 | 75 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1641 | 22.5 | 179 | 9 | 10 | 19 | 27 | 40 | 52 | 86 |
| 70-74 | 2313 | 23.0 | 192 | 9 | 11 | 19 | 28 | 42 | 55 | 99+ |
| 75-79 | 3227 | 24.2 | 209 | 9 | 12 | 20 | 30 | 45 | 61 | 99+ |
| 80-84 | 3998 | 24.2 | 199 | 10 | 12 | 20 | 29 | 45 | 59 | 99+ |
| 85+ | 5892 | 23.3 | 194 | 9 | 11 | 20 | 28 | 43 | 59 | 99+ |
| TOT. SINGLE DX | 7896 | 18.5 | 97 | 8 | 9 | 16 | 22 | 29 | 37 | 63 |
| " MULTIPLE DX | 17071 | 23.5 | 197 | 9 | 11 | 20 | 29 | 43 | 58 | 99+ |
| TOTAL 65-69 YRS | 2539 | 20.2 | 153 | 7 | 9 | 17 | 24 | 35 | 47 | 79 |
| 70-74 | 3517 | 21.2 | 162 | 8 | 10 | 18 | 25 | 37 | 48 | 93 |
| 75-79 | 4702 | 22.4 | 178 | 9 | 11 | 19 | 27 | 40 | 55 | 99+ |
| 80-84 | 5760 | 22.7 | 173 | 9 | 11 | 19 | 27 | 41 | 53 | 99+ |
| 85+ | 8449 | 22.0 | 173 | 9 | 11 | 19 | 26 | 39 | 53 | 99+ |
| GRAND TOTAL | 24967 | 21.9 | 171 | 9 | 11 | 19 | 26 | 39 | 52 | 99+ |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 41 | 18.9 | 277 | 2 | 5 | 15 | 22 | 47 | 56 | 79 |
| 70-74 | 57 | 15.7 | 216 | 2 | 4 | 13 | 19 | 32 | 51 | 99 |
| 75-79 | 67 | 20.0 | 266 | 3 | 3 | 17 | 26 | 49 | 64 | 99+ |
| 80-84 | 62 | 18.4 | 129 | 4 | 7 | 16 | 24 | 33 | 51 | 94 |
| 85+ | 99 | 17.8 | 124 | 2 | 4 | 16 | 22 | 31 | 41 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 75 | 27.4 | 359 | 8 | 9 | 24 | 41 | 73 | 99+ | 99+ |
| 70-74 | 97 | 27.7 | 363 | 8 | 10 | 22 | 39 | 54 | 67 | 89 |
| 75-79 | 103 | 24.6 | 302 | 4 | 7 | 19 | 35 | 56 | 62 | 99+ |
| 80-84 | 121 | 24.0 | 263 | 6 | 7 | 21 | 32 | 52 | 76 | 99+ |
| 85+ | 177 | 23.9 | 321 | 4 | 7 | 19 | 30 | 54 | 69 | 96 |
| TOT. SINGLE DX | 326 | 18.1 | 189 | 3 | 4 | 16 | 23 | 35 | 53 | 99+ |
| " MULTIPLE DX | 573 | 25.2 | 318 | 6 | 8 | 20 | 35 | 55 | 71 | 99+ |
| TOTAL 65-69 YRS | 116 | 24.4 | 344 | 5 | 8 | 20 | 36 | 65 | 99 | 99+ |
| 70-74 | 154 | 23.3 | 341 | 4 | 6 | 18 | 29 | 51 | 66 | 94 |
| 75-79 | 170 | 22.8 | 292 | 3 | 6 | 17 | 32 | 55 | 62 | 99+ |
| 80-84 | 183 | 22.1 | 224 | 6 | 7 | 19 | 29 | 47 | 72 | 99+ |
| 85+ | 276 | 21.8 | 259 | 4 | 7 | 17 | 27 | 48 | 59 | 86 |
| GRAND TOTAL | 899 | 22.6 | 283 | 4 | 7 | 18 | 29 | 50 | 66 | 99+ |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 293 | 4.7 | 23 | 1 | 1 | 3 | 5 | 10 | 12 | 28 |
| 70-74 | 205 | 4.9 | 30 | 1 | 1 | 3 | 6 | 9 | 14 | 30 |
| 75-79 | 173 | 6.3 | 39 | 1 | 2 | 4 | 7 | 15 | 20 | 32 |
| 80-84 | 111 | 7.3 | 35 | 1 | 2 | 5 | 11 | 15 | 19 | 30 |
| 85+ | 64 | 10.8 | 117 | 2 | 2 | 7 | 15 | 23 | 36 | 50 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 203 | 10.9 | 135 | 1 | 2 | 7 | 15 | 24 | 34 | 59 |
| 70-74 | 171 | 14.2 | 235 | 2 | 3 | 9 | 19 | 30 | 47 | 90 |
| 75-79 | 191 | 12.8 | 121 | 2 | 2 | 10 | 19 | 26 | 35 | 67 |
| 80-84 | 113 | 16.7 | 243 | 2 | 3 | 12 | 24 | 37 | 56 | 99+ |
| 85+ | 92 | 17.4 | 292 | 2 | 3 | 13 | 22 | 45 | 58 | 94 |
| TOT. SINGLE DX | 846 | 5.9 | 40 | 1 | 1 | 4 | 7 | 13 | 18 | 32 |
| " MULTIPLE DX | 770 | 13.7 | 193 | 2 | 2 | 10 | 18 | 30 | 43 | 86 |
| TOTAL 65-69 YRS | 496 | 7.2 | 79 | 1 | 1 | 4 | 8 | 17 | 24 | 49 |
| 70-74 | 376 | 9.1 | 145 | 1 | 2 | 5 | 10 | 21 | 30 | 63 |
| 75-79 | 364 | 9.7 | 93 | 2 | 2 | 6 | 14 | 22 | 29 | 42 |
| 80-84 | 224 | 12.1 | 162 | 2 | 2 | 9 | 15 | 29 | 37 | 92 |
| 85+ | 156 | 14.7 | 230 | 2 | 2 | 10 | 19 | 37 | 51 | 87 |
| GRAND TOTAL | 1616 | 9.6 | 128 | 1 | 2 | 5 | 12 | 22 | 31 | 63 |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1045 | 7.8 | 42 | 2 | 3 | 6 | 9 | 14 | 18 | 28 |
| 70-74 | 726 | 8.8 | 44 | 2 | 3 | 7 | 11 | 17 | 21 | 34 |
| 75-79 | 518 | 10.1 | 83 | 2 | 3 | 8 | 12 | 18 | 24 | 53 |
| 80-84 | 279 | 12.5 | 108 | 3 | 3 | 10 | 16 | 23 | 30 | 60 |
| 85+ | 198 | 11.8 | 90 | 3 | 4 | 10 | 15 | 20 | 27 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1201 | 13.1 | 130 | 3 | 4 | 10 | 16 | 28 | 38 | 64 |
| 70-74 | 946 | 14.9 | 157 | 3 | 5 | 11 | 19 | 30 | 40 | 66 |
| 75-79 | 777 | 16.3 | 183 | 3 | 5 | 13 | 21 | 33 | 43 | 81 |
| 80-84 | 528 | 18.3 | 226 | 3 | 5 | 14 | 23 | 37 | 54 | 82 |
| 85+ | 381 | 18.0 | 158 | 4 | 5 | 15 | 22 | 34 | 42 | 69 |
| TOT. SINGLE DX | 2766 | 9.3 | 63 | 2 | 3 | 7 | 11 | 18 | 22 | 44 |
| " MULTIPLE DX | 3833 | 15.4 | 167 | 3 | 4 | 12 | 19 | 32 | 42 | 71 |
| TOTAL 65-69 YRS | 2246 | 10.6 | 97 | 2 | 3 | 8 | 13 | 21 | 32 | 55 |
| 70-74 | 1672 | 12.3 | 117 | 3 | 4 | 9 | 16 | 23 | 33 | 58 |
| 75-79 | 1295 | 13.8 | 153 | 3 | 4 | 10 | 17 | 28 | 38 | 69 |
| 80-84 | 807 | 16.3 | 193 | 3 | 4 | 12 | 20 | 33 | 47 | 77 |
| 85+ | 579 | 15.9 | 143 | 3 | 5 | 13 | 20 | 29 | 40 | 68 |
| GRAND TOTAL | 6599 | 12.8 | 133 | 3 | 4 | 9 | 16 | 26 | 36 | 64 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 977 | 4.9 | 28 | 1 | 1 | 3 | 6 | 11 | 14 | 29 |
| 70-74 | 827 | 5.1 | 25 | 1 | 1 | 3 | 7 | 11 | 14 | 24 |
| 75-79 | 648 | 5.9 | 47 | 1 | 1 | 3 | 7 | 13 | 19 | 35 |
| 80-84 | 498 | 6.3 | 53 | 1 | 1 | 4 | 8 | 14 | 19 | 33 |
| 85+ | 343 | 6.5 | 71 | 1 | 1 | 4 | 8 | 14 | 20 | 44 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1050 | 10.5 | 134 | 1 | 2 | 7 | 13 | 24 | 33 | 67 |
| 70-74 | 1017 | 11.3 | 144 | 1 | 2 | 8 | 14 | 25 | 36 | 65 |
| 75-79 | 980 | 13.0 | 196 | 2 | 2 | 9 | 16 | 30 | 45 | 90 |
| 80-84 | 861 | 12.9 | 194 | 2 | 3 | 9 | 16 | 28 | 43 | 89 |
| 85+ | 782 | 13.4 | 208 | 2 | 3 | 9 | 16 | 31 | 52 | 95 |
| TOT. SINGLE DX | 3293 | 5.5 | 40 | 1 | 1 | 3 | 7 | 12 | 17 | 31 |
| " MULTIPLE DX | 4690 | 12.1 | 174 | 1 | 2 | 8 | 15 | 27 | 41 | 80 |
| TOTAL 65-69 YRS | 2027 | 7.8 | 92 | 1 | 1 | 5 | 10 | 17 | 26 | 53 |
| 70-74 | 1844 | 8.5 | 101 | 1 | 1 | 5 | 11 | 19 | 27 | 53 |
| 75-79 | 1628 | 10.1 | 149 | 1 | 1 | 6 | 13 | 24 | 36 | 73 |
| 80-84 | 1359 | 10.5 | 153 | 1 | 2 | 7 | 13 | 24 | 34 | 76 |
| 85+ | 1125 | 11.3 | 177 | 1 | 2 | 7 | 14 | 26 | 40 | 77 |
| GRAND TOTAL | 7983 | 9.4 | 130 | 1 | 1 | 6 | 12 | 21 | 31 | 67 |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 230 | 5.1 | 36 | 1 | 1 | 3 | 6 | 13 | 18 | 29 |
| 70-74 | 176 | 4.7 | 31 | 1 | 1 | 2 | 6 | 12 | 16 | 32 |
| 75-79 | 133 | 6.1 | 64 | 1 | 1 | 3 | 8 | 13 | 21 | 40 |
| 80-84 | 96 | 7.8 | 132 | 1 | 1 | 3 | 9 | 22 | 29 | 65 |
| 85+ | 103 | 8.2 | 94 | 1 | 1 | 4 | 11 | 24 | 32 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 209 | 9.4 | 114 | 1 | 1 | 5 | 13 | 22 | 30 | 46 |
| 70-74 | 227 | 11.0 | 184 | 1 | 1 | 6 | 14 | 25 | 37 | 68 |
| 75-79 | 194 | 12.3 | 210 | 1 | 2 | 8 | 16 | 30 | 49 | 98 |
| 80-84 | 170 | 14.0 | 260 | 1 | 2 | 9 | 18 | 35 | 59 | 99+ |
| 85+ | 158 | 12.4 | 213 | 1 | 2 | 8 | 15 | 26 | 31 | 77 |
| TOT. SINGLE DX | 738 | 5.9 | 62 | 1 | 1 | 3 | 7 | 14 | 23 | 37 |
| " MULTIPLE DX | 958 | 11.7 | 194 | 1 | 1 | 7 | 15 | 27 | 41 | 80 |
| TOTAL 65-69 YRS | 439 | 7.2 | 78 | 1 | 1 | 4 | 10 | 17 | 25 | 39 |
| 70-74 | 403 | 8.2 | 127 | 1 | 1 | 4 | 10 | 20 | 30 | 62 |
| 75-79 | 327 | 9.8 | 160 | 1 | 1 | 6 | 12 | 24 | 36 | 80 |
| 80-84 | 266 | 11.7 | 223 | 1 | 1 | 7 | 15 | 29 | 55 | 98 |
| 85+ | 261 | 10.8 | 170 | 1 | 1 | 6 | 14 | 26 | 31 | 77 |
| GRAND TOTAL | 1696 | 9.2 | 145 | 1 | 1 | 5 | 12 | 23 | 33 | 76 |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 67 | 7.3 | 33 | 1 | 2 | 6 | 10 | 13 | 16 | 34 |
| 70-74 | 59 | 9.9 | 79 | 2 | 3 | 7 | 13 | 19 | 26 | 51 |
| 75-79 | 33 | 9.9 | 64 | 1 | 2 | 8 | 15 | 18 | 22 | 38 |
| 80-84 | 28 | 13.3 | 76 | 2 | 3 | 13 | 17 | 23 | 28 | 44 |
| 85+ | 18 | 14.2 | 209 | 2 | 4 | 11 | 15 | 23 | 49 | 67 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 73 | 12.6 | 175 | 2 | 4 | 8 | 15 | 27 | 47 | 69 |
| 70-74 | 70 | 14.5 | 164 | 3 | 4 | 10 | 18 | 29 | 39 | 64 |
| 75-79 | 54 | 22.9 | 376 | 3 | 6 | 17 | 30 | 56 | 73 | 99 |
| 80-84 | 55 | 23.6 | 265 | 4 | 6 | 19 | 31 | 49 | 54 | 79 |
| 85+ | 58 | 21.7 | 162 | 8 | 9 | 18 | 27 | 36 | 54 | 66 |
| TOT. SINGLE DX | 205 | 9.9 | 77 | 2 | 2 | 7 | 14 | 18 | 23 | 48 |
| " MULTIPLE DX | 310 | 18.5 | 240 | 3 | 4 | 15 | 23 | 40 | 58 | 76 |
| TOTAL 65-69 YRS | 140 | 10.0 | 114 | 2 | 2 | 7 | 12 | 18 | 31 | 54 |
| 70-74 | 129 | 12.4 | 130 | 2 | 3 | 9 | 17 | 25 | 34 | 64 |
| 75-79 | 87 | 18.0 | 296 | 2 | 2 | 14 | 22 | 48 | 67 | 92 |
| 80-84 | 83 | 20.1 | 224 | 3 | 5 | 16 | 26 | 44 | 51 | 74 |
| 85+ | 76 | 19.9 | 181 | 6 | 7 | 17 | 23 | 36 | 55 | 67 |
| GRAND TOTAL | 515 | 15.0 | 193 | 2 | 3 | 11 | 19 | 32 | 48 | 71 |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 232 | 9.8 | 98 | 1 | 2 | 6 | 13 | 22 | 29 | 49 |
| 70-74 | 163 | 13.7 | 215 | 2 | 2 | 9 | 16 | 32 | 41 | 74 |
| 75-79 | 139 | 13.8 | 133 | 2 | 2 | 10 | 21 | 30 | 36 | 52 |
| 80-84 | 68 | 15.9 | 240 | 2 | 2 | 10 | 22 | 37 | 54 | 66 |
| 85+ | 54 | 16.9 | 153 | 2 | 3 | 14 | 26 | 36 | 40 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 330 | 16.3 | 245 | 2 | 3 | 11 | 21 | 41 | 53 | 68 |
| 70-74 | 318 | 19.6 | 319 | 2 | 3 | 15 | 28 | 44 | 60 | 89 |
| 75-79 | 223 | 20.7 | 289 | 3 | 4 | 17 | 28 | 47 | 66 | 99+ |
| 80-84 | 162 | 25.3 | 389 | 3 | 5 | 20 | 33 | 53 | 69 | 98 |
| 85+ | 109 | 20.6 | 234 | 3 | 5 | 17 | 31 | 39 | 46 | 92 |
| TOT. SINGLE DX | 656 | 12.9 | 159 | 2 | 2 | 8 | 18 | 29 | 38 | 59 |
| " MULTIPLE DX | 1142 | 19.7 | 301 | 2 | 3 | 15 | 28 | 44 | 60 | 97 |
| TOTAL 65-69 YRS | 562 | 13.6 | 195 | 2 | 2 | 8 | 19 | 33 | 45 | 64 |
| 70-74 | 481 | 17.6 | 291 | 2 | 3 | 12 | 25 | 40 | 56 | 83 |
| 75-79 | 362 | 18.1 | 240 | 2 | 3 | 15 | 25 | 37 | 54 | 99+ |
| 80-84 | 230 | 22.5 | 363 | 2 | 3 | 18 | 32 | 50 | 67 | 97 |
| 85+ | 163 | 19.4 | 210 | 3 | 4 | 17 | 28 | 38 | 44 | 86 |
| GRAND TOTAL | 1798 | 17.2 | 260 | 2 | 3 | 13 | 24 | 39 | 53 | 86 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 812 | 13.0 | 50 | 6 | 7 | 11 | 16 | 21 | 25 | 33 |
| 70-74 | 395 | 14.6 | 64 | 6 | 7 | 13 | 19 | 23 | 30 | 45 |
| 75-79 | 176 | 15.7 | 61 | 6 | 7 | 15 | 19 | 28 | 33 | 40 |
| 80-84 | 50 | 19.4 | 118 | 8 | 9 | 16 | 21 | 34 | 45 | 49 |
| 85+ | 22 | 17.9 | 147 | 4 | 5 | 17 | 21 | 27 | 43 | 62 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1136 | 17.7 | 114 | 7 | 8 | 15 | 22 | 31 | 39 | 60 |
| 70-74 | 788 | 21.4 | 177 | 8 | 9 | 18 | 27 | 38 | 49 | 72 |
| 75-79 | 409 | 22.6 | 175 | 8 | 10 | 19 | 27 | 41 | 48 | 73 |
| 80-84 | 132 | 25.0 | 214 | 11 | 12 | 20 | 31 | 46 | 59 | 99+ |
| 85+ | 45 | 25.1 | 232 | 8 | 10 | 22 | 29 | 50 | 69 | 99+ |
| TOT. SINGLE DX | 1455 | 14.0 | 61 | 6 | 7 | 12 | 17 | 23 | 28 | 42 |
| " MULTIPLE DX | 2510 | 20.2 | 157 | 7 | 8 | 17 | 25 | 37 | 45 | 73 |
| TOTAL 65-69 YRS | 1948 | 15.7 | 93 | 6 | 7 | 13 | 19 | 28 | 34 | 54 |
| 70-74 | 1183 | 19.1 | 150 | 7 | 8 | 16 | [illegible] | 34 | 44 | 64 |
| 75-79 | 585 | 20.5 | 151 | 7 | 9 | 18 | 25 | 37 | 44 | 69 |
| 80-84 | 182 | 23.5 | 164 | 9 | 11 | 19 | 30 | 44 | 53 | 96 |
| 85+ | 67 | 22.7 | 213 | 6 | 9 | 21 | 26 | 43 | 62 | 97 |
| GRAND TOTAL | 3965 | 17.9 | 131 | 6 | 8 | 15 | 22 | 32 | 40 | 64 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 514 | 4.5 | 28 | 1 | 1 | 3 | 5 | 10 | 14 | 25 |
| 70-74 | 306 | 5.4 | 35 | 1 | 2 | 3 | 6 | 12 | 17 | 30 |
| 75-79 | 183 | 6.9 | 65 | 1 | 2 | 4 | 8 | 17 | 26 | 39 |
| 80-84 | 58 | 6.4 | 35 | 1 | 1 | 4 | 9 | 16 | 20 | 26 |
| 85+ | 23 | 7.0 | 55 | 1 | 2 | 3 | 9 | 21 | 24 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 705 | 7.9 | 102 | 1 | 2 | 5 | 9 | 17 | 28 | 54 |
| 70-74 | 502 | 8.8 | 119 | 2 | 2 | 5 | 10 | 21 | 29 | 64 |
| 75-79 | 281 | 10.1 | 100 | 1 | 2 | 6 | 13 | 24 | 32 | 47 |
| 80-84 | 125 | 15.3 | 258 | 2 | 3 | 10 | 20 | 37 | 49 | 78 |
| 85+ | 65 | 19.4 | 293 | 2 | 4 | 13 | 26 | 44 | 58 | 74 |
| TOT. SINGLE DX | 1084 | 5.3 | 38 | 1 | 1 | 3 | 6 | 12 | 17 | 33 |
| " MULTIPLE DX | 1678 | 9.6 | 133 | 2 | 2 | 5 | 12 | 23 | 33 | 60 |
| TOTAL 65-69 YRS | 1219 | 6.5 | 74 | 1 | 2 | 4 | 7 | 15 | 19 | 46 |
| 70-74 | 808 | 7.5 | 90 | 1 | 2 | 4 | 8 | 17 | 25 | 49 |
| 75-79 | 464 | 8.8 | 89 | 1 | 2 | 5 | 11 | 21 | 31 | 44 |
| 80-84 | 183 | 12.5 | 204 | 1 | 2 | 8 | 16 | 32 | 43 | 66 |
| 85+ | 88 | 16.2 | 200 | 2 | 2 | 11 | 22 | 41 | 52 | 72 |
| GRAND TOTAL | 2762 | 7.9 | 100 | 1 | 2 | 4 | 9 | 18 | 28 | 51 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 351 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 12 | 17 |
| 70-74 | 192 | 5.7 | 34 | 1 | 2 | 4 | 7 | 10 | 16 | 24 |
| 75-79 | 93 | 6.1 | 26 | 1 | 2 | 5 | 7 | 12 | 16 | 29 |
| 80-84 | 35 | 5.0 | 19 | 2 | 2 | 4 | 6 | 8 | 18 | 21 |
| 85+ | 10 | 5.7 | 14 | 1 | 1 | 5 | 9 | 11 | 12 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 754 | 5.8 | 37 | 1 | 2 | 4 | 7 | 11 | 16 | 30 |
| 70-74 | 446 | 7.1 | 63 | 2 | 2 | 5 | 8 | 14 | 21 | 52 |
| 75-79 | 226 | 7.2 | 41 | 1 | 2 | 5 | 9 | 16 | 18 | 35 |
| 80-84 | 87 | 9.0 | 86 | 2 | 2 | 6 | 12 | 20 | 28 | 50 |
| 85+ | 31 | 12.0 | 198 | 2 | 3 | 8 | 13 | 26 | 53 | 62 |
| TOT. SINGLE DX | 681 | 5.3 | 21 | 1 | 2 | 4 | 7 | 9 | 13 | 22 |
| " MULTIPLE DX | 1544 | 6.7 | 53 | 2 | 2 | 5 | 8 | 14 | 19 | 36 |
| TOTAL 65-69 YRS | 1105 | 5.6 | 29 | 1 | 2 | 4 | 7 | 10 | 15 | 28 |
| 70-74 | 638 | 6.7 | 55 | 2 | 2 | 5 | 8 | 13 | 19 | 42 |
| 75-79 | 319 | 6.9 | 37 | 1 | 2 | 5 | 9 | 15 | 18 | 33 |
| 80-84 | 122 | 7.9 | 70 | 2 | 2 | 5 | 9 | 19 | 24 | 48 |
| 85+ | 41 | 10.5 | 160 | 2 | 2 | 7 | 11 | 19 | 43 | 62 |
| GRAND TOTAL | 2225 | 6.3 | 43 | 1 | 2 | 5 | 7 | 12 | 17 | 32 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 59 | 14.1 | 47 | 5 | 7 | 13 | 19 | 24 | 29 | 32 |
| 70-74 | 21 | 21.9 | 164 | 6 | 10 | 21 | 28 | 34 | 48 | 64 |
| 75-79 | 13 | 15.3 | 162 | 2 | 4 | 12 | 16 | 38 | 46 | 46 |
| 80-84 | | | | | | | | | | |
| 85+ | 5 | 12.4 | 31 | 7 | 7 | 13 | 15 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 123 | 19.6 | 214 | 7 | 8 | 14 | 25 | 42 | 52 | 87 |
| 70-74 | 74 | 22.4 | 356 | 6 | 7 | 15 | 30 | 54 | 94 | 99+ |
| 75-79 | 31 | 27.2 | 223 | 10 | 11 | 21 | 38 | 52 | 58 | 60 |
| 80-84 | 9 | 31.7 | 444 | 8 | 9 | 28 | 47 | 63 | 71 | 71 |
| 85+ | 8 | 30.0 | 507 | 9 | 12 | 29 | 78 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 98 | 15.8 | 94 | 5 | 7 | 13 | 20 | 29 | 33 | 56 |
| " MULTIPLE DX | 245 | 22.2 | 283 | 7 | 8 | 16 | 30 | 50 | 72 | 99+ |
| TOTAL 65-69 YRS | 182 | 17.8 | 167 | 6 | 7 | 14 | 22 | 33 | 49 | 81 |
| 70-74 | 95 | 22.3 | 312 | 6 | 8 | 14 | 29 | 47 | 87 | 99+ |
| 75-79 | 44 | 23.7 | 232 | 5 | 9 | 20 | 33 | 48 | 58 | 60 |
| 80-84 | 9 | 31.7 | 445 | 8 | 9 | 28 | 47 | 63 | 71 | 71 |
| 85+ | 13 | 23.2 | 386 | 7 | 8 | 18 | 42 | 99+ | 99+ | 99+ |
| GRAND TOTAL | 343 | 20.4 | 237 | 7 | 8 | 15 | 25 | 43 | 58 | 99+ |

## 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 291 | 6.0 | 35 | 1 | 2 | 4 | 7 | 12 | 19 | 31 |
| 70-74 | 178 | 6.9 | 44 | 2 | 2 | 5 | 9 | 16 | 19 | 32 |
| 75-79 | 118 | 7.2 | 68 | 1 | 2 | 4 | 11 | 17 | 20 | 43 |
| 80-84 | 45 | 8.2 | 95 | 2 | 2 | 5 | 7 | 23 | 26 | 53 |
| 85+ | 23 | 11.0 | 129 | 1 | 2 | 5 | 21 | 31 | 34 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 350 | 8.0 | 73 | 2 | 2 | 5 | 9 | 18 | 23 | 55 |
| 70-74 | 226 | 9.0 | 87 | 2 | 3 | 6 | 12 | 20 | 23 | 97 |
| 75-79 | 141 | 9.9 | 118 | 2 | 2 | 6 | 12 | 22 | 31 | 59 |
| 80-84 | 84 | 12.3 | 172 | 2 | 3 | 7 | 17 | 29 | 37 | 72 |
| 85+ | 33 | 14.6 | 210 | <1 | 2 | 9 | 23 | 42 | 46 | 48 |
| TOT. SINGLE DX | 655 | 6.8 | 52 | 1 | 2 | 4 | 8 | 16 | 22 | 34 |
| " MULTIPLE DX | 834 | 9.3 | 102 | 2 | 2 | 5 | 12 | 21 | 30 | 57 |
| TOTAL 65-69 YRS | 641 | 7.1 | 57 | 1 | 2 | 5 | 8 | 15 | 22 | 45 |
| 70-74 | 404 | 8.1 | 69 | 2 | 2 | 5 | 11 | 18 | 22 | 45 |
| 75-79 | 259 | 8.7 | 97 | 2 | 2 | 5 | 11 | 20 | 28 | 58 |
| 80-84 | 129 | 10.9 | 149 | 2 | 2 | 6 | 15 | 26 | 33 | 60 |
| 85+ | 56 | 13.1 | 178 | 1 | 2 | 6 | 22 | 35 | 43 | 48 |
| GRAND TOTAL | 1489 | 8.2 | 82 | 2 | 2 | 5 | 10 | 19 | 26 | 46 |

## 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1559 | 15.9 | 46 | 8 | 10 | 15 | 18 | 23 | 27 | 41 |
| 70-74 | 1435 | 16.3 | 41 | 9 | 10 | 15 | 18 | 23 | 28 | 40 |
| 75-79 | 1139 | 17.4 | 54 | 9 | 11 | 16 | 20 | 25 | 29 | 44 |
| 80-84 | 547 | 18.9 | 66 | 10 | 11 | 17 | 21 | 28 | 32 | 58 |
| 85+ | 262 | 19.9 | 79 | 11 | 12 | 18 | 23 | 28 | 36 | 59 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1708 | 19.2 | 103 | 9 | 11 | 16 | 22 | 32 | 39 | 60 |
| 70-74 | 1814 | 21.0 | 126 | 10 | 11 | 18 | 24 | 34 | 44 | 72 |
| 75-79 | 1556 | 23.1 | 158 | 11 | 12 | 20 | 27 | 39 | 50 | 83 |
| 80-84 | 997 | 23.7 | 157 | 11 | 13 | 20 | 28 | 41 | 50 | 84 |
| 85+ | 568 | 25.2 | 202 | 11 | 13 | 21 | 29 | 45 | 59 | 95 |
| TOT. SINGLE DX | 4942 | 16.9 | 52 | 9 | 10 | 16 | 19 | 24 | 29 | 46 |
| " MULTIPLE DX | 6643 | 21.8 | 143 | 10 | 11 | 18 | 25 | 36 | 47 | 79 |
| TOTAL 65-69 YRS | 3267 | 17.6 | 79 | 9 | 10 | 16 | 20 | 27 | 34 | 56 |
| 70-74 | 3249 | 18.9 | 94 | 9 | 11 | 17 | 21 | 30 | 37 | 62 |
| 75-79 | 2695 | 20.7 | 122 | 10 | 11 | 18 | 24 | 33 | 42 | 74 |
| 80-84 | 1544 | 22.0 | 131 | 10 | 12 | 19 | 26 | 35 | 46 | 76 |
| 85+ | 830 | 23.5 | 170 | 11 | 13 | 20 | 27 | 39 | 53 | 87 |
| GRAND TOTAL | 11585 | 19.7 | 110 | 9 | 11 | 17 | 23 | 31 | 40 | 69 |

## 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 605 | 15.7 | 45 | 8 | 9 | 14 | 18 | 24 | 28 | 39 |
| 70-74 | 828 | 16.6 | 54 | 8 | 9 | 15 | 20 | 25 | 30 | 45 |
| 75-79 | 1053 | 17.5 | 68 | 8 | 10 | 16 | 20 | 26 | 32 | 54 |
| 80-84 | 1157 | 18.6 | 88 | 9 | 10 | 16 | 21 | 29 | 35 | 60 |
| 85+ | 1246 | 18.7 | 81 | 8 | 11 | 17 | 22 | 29 | 36 | 67 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 982 | 22.0 | 170 | 9 | 11 | 18 | 26 | 38 | 50 | 99 |
| 70-74 | 1514 | 21.7 | 135 | 10 | 11 | 19 | 26 | 37 | 48 | 78 |
| 75-79 | 2024 | 23.0 | 166 | 10 | 12 | 20 | 27 | 39 | 52 | 97 |
| 80-84 | 2305 | 23.8 | 185 | 10 | 12 | 20 | 29 | 41 | 56 | 99+ |
| 85+ | 2906 | 23.5 | 174 | 10 | 12 | 20 | 29 | 41 | 54 | 99+ |
| TOT. SINGLE DX | 4889 | 17.7 | 72 | 8 | 10 | 16 | 21 | 27 | 33 | 54 |
| " MULTIPLE DX | 9731 | 23.0 | 170 | 10 | 12 | 20 | 27 | 40 | 53 | 99+ |
| TOTAL 65-69 YRS | 1587 | 19.6 | 132 | 9 | 10 | 17 | 23 | 34 | 42 | 80 |
| 70-74 | 2342 | 19.9 | 113 | 9 | 10 | 17 | 23 | 33 | 41 | 70 |
| 75-79 | 3077 | 21.1 | 140 | 9 | 11 | 18 | 24 | 35 | 46 | 88 |
| 80-84 | 3462 | 22.0 | 159 | 10 | 11 | 19 | 26 | 37 | 50 | 89 |
| 85+ | 4152 | 22.1 | 152 | 10 | 11 | 19 | 26 | 38 | 49 | 99+ |
| GRAND TOTAL | 14620 | 21.3 | 143 | 9 | 11 | 18 | 25 | 36 | 47 | 88 |

## 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1207 | 16.7 | 53 | 8 | 9 | 16 | 19 | 25 | 30 | 43 |
| 70-74 | 1260 | 17.4 | 50 | 8 | 10 | 16 | 21 | 26 | 31 | 38 |
| 75-79 | 874 | 17.7 | 55 | 8 | 10 | 16 | 21 | 26 | 31 | 44 |
| 80-84 | 386 | 19.2 | 81 | 8 | 10 | 17 | 23 | 31 | 37 | 57 |
| 85+ | 113 | 20.2 | 86 | 9 | 10 | 18 | 24 | 33 | 41 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1310 | 18.6 | 99 | 6 | 9 | 17 | 22 | 30 | 38 | 60 |
| 70-74 | 1417 | 20.5 | 127 | 9 | 11 | 18 | 24 | 33 | 42 | 74 |
| 75-79 | 1168 | 21.3 | 122 | 9 | 11 | 19 | 25 | 35 | 43 | 71 |
| 80-84 | 579 | 22.3 | 126 | 9 | 12 | 20 | 27 | 36 | 45 | 66 |
| 85+ | 191 | 24.8 | 152 | 11 | 13 | 22 | 31 | 41 | 49 | 96 |
| TOT. SINGLE DX | 3840 | 17.5 | 58 | 8 | 10 | 16 | 21 | 26 | 31 | 44 |
| " MULTIPLE DX | 4665 | 20.6 | 122 | 8 | 11 | 18 | 24 | 34 | 42 | 69 |
| TOTAL 65-69 YRS | 2517 | 17.7 | 78 | 7 | 9 | 16 | 21 | 28 | 33 | 52 |
| 70-74 | 2677 | 19.0 | 94 | 8 | 10 | 17 | 22 | 30 | 36 | 62 |
| 75-79 | 2042 | 19.7 | 97 | 9 | 11 | 18 | 23 | 31 | 38 | 62 |
| 80-84 | 965 | 21.1 | 111 | 9 | 11 | 19 | 25 | 34 | 41 | 64 |
| 85+ | 304 | 23.1 | 133 | 10 | 12 | 21 | 28 | 38 | 46 | 81 |
| GRAND TOTAL | 8505 | 19.2 | 95 | 8 | 10 | 17 | 23 | 31 | 38 | 61 |

### 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 472 | 5.9 | 29 | 2 | 2 | 4 | 7 | 12 | 14 | 26 |
| 70-74 | 259 | 6.4 | 23 | 2 | 2 | 5 | 8 | 13 | 16 | 24 |
| 75-79 | 151 | 8.1 | 43 | 2 | 2 | 6 | 11 | 17 | 22 | 31 |
| 80-84 | 51 | 8.7 | 53 | 2 | 2 | 6 | 13 | 19 | 20 | 37 |
| 85+ | 19 | 9.0 | 55 | 1 | 2 | 5 | 14 | 19 | 24 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 592 | 7.6 | 45 | 2 | 3 | 6 | 9 | 15 | 21 | 38 |
| 70-74 | 355 | 9.1 | 80 | 2 | 3 | 6 | 11 | 19 | 26 | 53 |
| 75-79 | 202 | 11.1 | 100 | 2 | 3 | 8 | 15 | 23 | 32 | 48 |
| 80-84 | 93 | 10.5 | 83 | 2 | 2 | 8 | 16 | 24 | 29 | 81 |
| 85+ | 42 | 19.1 | 225 | 2 | 3 | 15 | 28 | 45 | 49 | 52 |
| TOT. SINGLE DX | 952 | 6.6 | 33 | 2 | 2 | 5 | 8 | 13 | 17 | 28 |
| " MULTIPLE DX | 1284 | 9.2 | 77 | 2 | 3 | 6 | 11 | 20 | 27 | 47 |
| TOTAL 65-69 YRS | 1064 | 6.9 | 39 | 2 | 2 | 5 | 8 | 13 | 17 | 36 |
| 70-74 | 614 | 8.0 | 58 | 2 | 2 | 5 | 10 | 17 | 22 | 36 |
| 75-79 | 353 | 9.8 | 78 | 2 | 3 | 7 | 12 | 21 | 29 | 43 |
| 80-84 | 144 | 9.9 | 73 | 2 | 2 | 7 | 14 | 21 | 26 | 58 |
| 85+ | 61 | 16.0 | 193 | 2 | 2 | 11 | 25 | 37 | 47 | 52 |
| GRAND TOTAL | 2236 | 8.1 | 60 | 2 | 2 | 5 | 10 | 17 | 24 | 40 |

### 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 265 | 3.4 | 19 | <1 | <1 | 2 | 3 | 8 | 10 | 28 |
| 70-74 | 168 | 3.6 | 19 | <1 | <1 | 2 | 4 | 8 | 12 | 24 |
| 75-79 | 78 | 3.9 | 35 | <1 | <1 | 2 | 3 | 8 | 21 | 33 |
| 80-84 | 41 | 5.9 | 57 | <1 | <1 | 3 | 6 | 16 | 27 | 30 |
| 85+ | 16 | 4.1 | 10 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 239 | 8.8 | 148 | 1 | 1 | 5 | 10 | 18 | 30 | 76 |
| 70-74 | 163 | 11.7 | 178 | <1 | 1 | 6 | 16 | 30 | 37 | 61 |
| 75-79 | 114 | 12.9 | 205 | 2 | 2 | 7 | 17 | 33 | 48 | 92 |
| 80-84 | 52 | 13.7 | 138 | 1 | 2 | 12 | 18 | 28 | 33 | 58 |
| 85+ | 57 | 14.4 | 116 | 2 | 3 | 12 | 20 | 33 | 36 | 47 |
| TOT. SINGLE DX | 568 | 3.7 | 24 | <1 | <1 | 2 | 4 | 8 | 12 | 28 |
| " MULTIPLE DX | 625 | 11.2 | 166 | 1 | 2 | 7 | 15 | 28 | 36 | 65 |
| TOTAL 65-69 YRS | 504 | 6.0 | 87 | <1 | <1 | 3 | 7 | 13 | 19 | 51 |
| 70-74 | 331 | 7.6 | 114 | <1 | <1 | 3 | 9 | 21 | 30 | 54 |
| 75-79 | 192 | 9.2 | 155 | <1 | 1 | 4 | 11 | 28 | 35 | 76 |
| 80-84 | 93 | 10.3 | 117 | <1 | 1 | 5 | 15 | 26 | 30 | 54 |
| 85+ | 73 | 12.1 | 111 | 2 | 2 | 8 | 18 | 32 | 35 | 45 |
| GRAND TOTAL | 1193 | 7.7 | 112 | <1 | 1 | 3 | 9 | 20 | 30 | 56 |

### 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 457 | 3.6 | 17 | <1 | 1 | 2 | 4 | 6 | 11 | 25 |
| 70-74 | 289 | 4.2 | 19 | <1 | 1 | 3 | 4 | 9 | 13 | 22 |
| 75-79 | 160 | 5.6 | 56 | <1 | 1 | 3 | 6 | 12 | 20 | 40 |
| 80-84 | 82 | 7.6 | 81 | <1 | 1 | 5 | 9 | 16 | 27 | 50 |
| 85+ | 34 | 4.3 | 13 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 556 | 9.8 | 147 | 1 | 2 | 5 | 12 | 23 | 33 | 65 |
| 70-74 | 399 | 11.1 | 155 | 1 | 2 | 7 | 13 | 26 | 35 | 62 |
| 75-79 | 258 | 11.7 | 139 | 2 | 2 | 8 | 15 | 30 | 36 | 87 |
| 80-84 | 151 | 12.2 | 170 | 2 | 2 | 8 | 16 | 29 | 39 | 67 |
| 85+ | 87 | 14.1 | 193 | 1 | 2 | 10 | 19 | 31 | 40 | 79 |
| TOT. SINGLE DX | 1022 | 4.4 | 30 | <1 | 1 | 3 | 5 | 9 | 13 | 29 |
| " MULTIPLE DX | 1451 | 11.0 | 154 | 1 | 2 | 7 | 14 | 26 | 36 | 65 |
| TOTAL 65-69 YRS | 1013 | 7.0 | 98 | <1 | 1 | 3 | 6 | 17 | 25 | 55 |
| 70-74 | 688 | 8.2 | 110 | <1 | 1 | 4 | 10 | 19 | 30 | 57 |
| 75-79 | 418 | 9.4 | 116 | 1 | 2 | 5 | 13 | 24 | 35 | 53 |
| 80-84 | 233 | 10.6 | 143 | 1 | 2 | 6 | 13 | 25 | 36 | 59 |
| 85+ | 121 | 11.3 | 162 | 1 | 2 | 8 | 16 | 26 | 32 | 67 |
| GRAND TOTAL | 2473 | 8.3 | 113 | 1 | 1 | 4 | 10 | 20 | 30 | 56 |

### 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 530 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 70-74 | 354 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 75-79 | 149 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 80-84 | 50 | 2.9 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 85+ | 12 | 6.8 | 86 | 2 | 2 | 3 | 6 | 18 | 33 | 35 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 299 | 4.0 | 19 | 1 | 2 | 3 | 4 | 8 | 14 | 25 |
| 70-74 | 185 | 4.7 | 32 | 1 | 2 | 3 | 4 | 9 | 16 | 30 |
| 75-79 | 106 | 6.0 | 87 | 1 | 2 | 3 | 5 | 14 | 22 | 58 |
| 80-84 | 42 | 5.2 | 29 | 1 | 1 | 3 | 6 | 12 | 14 | 31 |
| 85+ | 17 | 7.6 | 57 | <1 | 1 | 5 | 11 | 19 | 25 | 28 |
| TOT. SINGLE DX | 1095 | 2.7 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 649 | 4.7 | 36 | 1 | 2 | 3 | 4 | 9 | 17 | 29 |
| TOTAL 65-69 YRS | 829 | 3.1 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 20 |
| 70-74 | 539 | 3.4 | 14 | 1 | 1 | 2 | 3 | 5 | 9 | 21 |
| 75-79 | 255 | 4.2 | 41 | 1 | 1 | 2 | 4 | 7 | 13 | 29 |
| 80-84 | 92 | 3.9 | 17 | <1 | 1 | 3 | 4 | 8 | 13 | 24 |
| 85+ | 29 | 7.3 | 67 | 1 | 1 | 4 | 9 | 18 | 28 | 35 |
| GRAND TOTAL | 1744 | 3.4 | 17 | 1 | 1 | 2 | 3 | 5 | 9 | 24 |

## 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 96 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 70-74 | 51 | 2.6 | 4 | <1 | <1 | 2 | 3 | 5 | 9 | 10 |
| 75-79 | 33 | 3.4 | 28 | 1 | 1 | 2 | 3 | 5 | 8 | 32 |
| 80-84 | 8 | 3.6 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 85+ | 7 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 104 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 12 | 25 |
| 70-74 | 78 | 5.9 | 50 | 1 | 1 | 3 | 6 | 16 | 23 | 34 |
| 75-79 | 42 | 5.7 | 48 | 1 | 2 | 3 | 5 | 12 | 22 | 33 |
| 80-84 | 18 | 4.3 | 29 | 1 | 1 | 2 | 4 | 10 | 18 | 23 |
| 85+ | 8 | 3.8 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| TOT. SINGLE DX | 195 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| " MULTIPLE DX | 250 | 5.0 | 34 | 1 | 1 | 3 | 5 | 11 | 16 | 33 |
| TOTAL 65-69 YRS | 200 | 3.4 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 70-74 | 129 | 4.6 | 35 | 1 | 1 | 3 | 5 | 9 | 18 | 34 |
| 75-79 | 75 | 4.7 | 41 | 1 | 1 | 3 | 4 | 10 | 14 | 33 |
| 80-84 | 26 | 4.1 | 21 | 1 | 1 | 3 | 4 | 9 | 13 | 23 |
| 85+ | 15 | 3.6 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 8 |
| GRAND TOTAL | 445 | 4.0 | 24 | 1 | 1 | 3 | 4 | 8 | 12 | 32 |

## 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 345 | 5.2 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 70-74 | 193 | 5.4 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 16 |
| 75-79 | 93 | 5.5 | 33 | 1 | 2 | 4 | 6 | 11 | 17 | 32 |
| 80-84 | 49 | 5.9 | 36 | 1 | 2 | 5 | 7 | 9 | 12 | 41 |
| 85+ | 14 | 5.5 | 11 | 2 | 2 | 5 | 7 | 12 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 313 | 8.0 | 104 | 2 | 2 | 5 | 8 | 17 | 28 | 64 |
| 70-74 | 239 | 9.0 | 96 | 2 | 2 | 5 | 10 | 21 | 30 | 62 |
| 75-79 | 129 | 10.5 | 133 | 2 | 2 | 6 | 13 | 26 | 39 | 77 |
| 80-84 | 57 | 8.9 | 58 | 1 | 2 | 6 | 15 | 21 | 26 | 32 |
| 85+ | 40 | 15.6 | 304 | 2 | 3 | 8 | 25 | 49 | 65 | 99+ |
| TOT. SINGLE DX | 694 | 5.3 | 26 | 1 | 2 | 4 | 6 | 9 | 13 | 26 |
| " MULTIPLE DX | 778 | 9.2 | 116 | 2 | 2 | 5 | 10 | 22 | 32 | 64 |
| TOTAL 65-69 YRS | 658 | 6.5 | 68 | 1 | 2 | 4 | 7 | 12 | 19 | 49 |
| 70-74 | 432 | 7.4 | 62 | 2 | 2 | 5 | 8 | 15 | 24 | 47 |
| 75-79 | 222 | 8.4 | 97 | 1 | 2 | 5 | 10 | 19 | 32 | 55 |
| 80-84 | 106 | 7.5 | 50 | 1 | 2 | 5 | 9 | 17 | 21 | 36 |
| 85+ | 54 | 13.0 | 247 | 2 | 2 | 7 | 14 | 35 | 54 | 99 |
| GRAND TOTAL | 1472 | 7.4 | 77 | 1 | 2 | 5 | 8 | 15 | 25 | 54 |

## 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 138 | 6.4 | 62 | 1 | 2 | 4 | 7 | 12 | 17 | 37 |
| 70-74 | 83 | 6.2 | 19 | 1 | 2 | 5 | 9 | 12 | 16 | 21 |
| 75-79 | 50 | 9.2 | 39 | 2 | 2 | 8 | 14 | 18 | 21 | 25 |
| 80-84 | 19 | 7.5 | 40 | 1 | 2 | 5 | 10 | 15 | 22 | 27 |
| 85+ | 10 | 8.7 | 23 | 2 | 2 | 11 | 14 | 48 | 96 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 139 | 9.7 | 64 | 2 | 3 | 7 | 14 | 19 | 26 | 59 |
| 70-74 | 92 | 13.4 | 162 | 2 | 3 | 9 | 17 | 29 | 40 | 63 |
| 75-79 | 52 | 13.8 | 144 | 3 | 3 | 10 | 21 | 36 | 53 | 99+ |
| 80-84 | 29 | 18.2 | 325 | 2 | 2 | 12 | 32 | 51 | 64 | 99+ |
| 85+ | 13 | 26.6 | 554 | 4 | 5 | 22 | 33 | 52 | 86 | 94 |
| TOT. SINGLE DX | 300 | 7.0 | 45 | 1 | 2 | 5 | 9 | 15 | 18 | 30 |
| " MULTIPLE DX | 325 | 12.8 | 159 | 2 | 3 | 9 | 17 | 32 | 41 | 99+ |
| TOTAL 65-69 YRS | 277 | 8.1 | 66 | 1 | 2 | 6 | 10 | 17 | 25 | 50 |
| 70-74 | 175 | 10.0 | 107 | 1 | 2 | 7 | 12 | 21 | 30 | 59 |
| 75-79 | 102 | 11.5 | 98 | 2 | 3 | 9 | 15 | 27 | 36 | 99+ |
| 80-84 | 48 | 13.9 | 237 | 2 | 2 | 9 | 15 | 46 | 52 | 99+ |
| 85+ | 23 | 18.8 | 394 | 2 | 3 | 13 | 29 | 46 | 96 | 99+ |
| GRAND TOTAL | 625 | 10.0 | 113 | 2 | 2 | 7 | 13 | 22 | 33 | 76 |

## 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 74 | 3.7 | 31 | 1 | 1 | 2 | 4 | 7 | 12 | 37 |
| 70-74 | 61 | 3.2 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 75-79 | 40 | 3.7 | 49 | <1 | 1 | 2 | 3 | 6 | 14 | 43 |
| 80-84 | 25 | 3.3 | 6 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| 85+ | 18 | 3.5 | 28 | 1 | 1 | 2 | 3 | 6 | 17 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 95 | 8.2 | 130 | 1 | 1 | 4 | 9 | 25 | 41 | 99+ |
| 70-74 | 87 | 9.5 | 132 | 1 | 1 | 5 | 12 | 25 | 32 | 61 |
| 75-79 | 67 | 12.2 | 312 | 1 | 1 | 5 | 14 | 36 | 66 | 98 |
| 80-84 | 44 | 11.6 | 118 | 1 | 2 | 7 | 20 | 27 | 32 | 45 |
| 85+ | 19 | 7.7 | 23 | 1 | 2 | 7 | 11 | 15 | 16 | 17 |
| TOT. SINGLE DX | 218 | 3.5 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 30 |
| " MULTIPLE DX | 312 | 9.8 | 163 | 1 | 1 | 5 | 12 | 26 | 37 | 91 |
| TOTAL 65-69 YRS | 169 | 6.2 | 92 | 1 | 1 | 3 | 7 | 17 | 25 | 93 |
| 70-74 | 148 | 6.9 | 91 | 1 | 1 | 3 | 8 | 19 | 26 | 37 |
| 75-79 | 107 | 9.0 | 230 | 1 | 1 | 3 | 9 | 29 | 44 | 92 |
| 80-84 | 69 | 8.6 | 93 | 1 | 1 | 4 | 10 | 24 | 28 | 44 |
| 85+ | 37 | 5.6 | 30 | 1 | 1 | 4 | 8 | 14 | 16 | 24 |
| GRAND TOTAL | 530 | 7.2 | 116 | 1 | 1 | 3 | 8 | 20 | 29 | 71 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 5 | 7.4 | 19 | 1 | 1 | 7 | 10 | 13 | 13 | 13 |
| 70-74 | 4 | 33.0 | 484 | 9 | 9 | 32 | 50 | 59 | 59 | 59 |
| 75-79 | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 80-84 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 85+ | 5 | 11.8 | 81 | 4 | 4 | 9 | 18 | 26 | 26 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 16 | 17.0 | 492 | 2 | 3 | 11 | 18 | 80 | 95 | 99+ |
| 70-74 | 16 | 20.7 | 561 | <1 | 1 | 11 | 29 | 64 | 75 | 79 |
| 75-79 | 16 | 25.3 | 288 | 9 | 10 | 17 | 35 | 50 | 60 | 65 |
| 80-84 | 7 | 19.3 | 174 | 9 | 10 | 17 | 19 | 42 | 48 | 48 |
| 85+ | 10 | 22.1 | 407 | 2 | 6 | 15 | 30 | 52 | 74 | 74 |
| TOT. SINGLE DX | 16 | 14.8 | 249 | 2 | 3 | 9 | 18 | 40 | 54 | 59 |
| " MULTIPLE DX | 65 | 21.0 | 397 | 2 | 3 | 14 | 30 | 54 | 75 | 98 |
| TOTAL 65-69 YRS | 21 | 14.7 | 390 | 1 | 2 | 10 | 16 | 64 | 92 | 99+ |
| 70-74 | 20 | 23.2 | 545 | <1 | 2 | 14 | 38 | 63 | 73 | 79 |
| 75-79 | 17 | 24.0 | 300 | 5 | 9 | 17 | 35 | 50 | 60 | 65 |
| 80-84 | 8 | 17.5 | 175 | 5 | 6 | 15 | 18 | 39 | 48 | 48 |
| 85+ | 15 | 18.7 | 310 | 2 | 4 | 14 | 24 | 31 | 63 | 74 |
| GRAND TOTAL | 81 | 19.8 | 371 | 2 | 3 | 13 | 24 | 51 | 70 | 96 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 68 | 10.6 | 173 | 1 | 2 | 6 | 11 | 26 | 40 | 62 |
| 70-74 | 77 | 13.1 | 311 | 1 | 2 | 7 | 14 | 32 | 45 | 94 |
| 75-79 | 97 | 11.3 | 168 | 1 | 2 | 7 | 14 | 25 | 35 | 74 |
| 80-84 | 47 | 11.9 | 249 | 1 | 2 | 6 | 11 | 32 | 52 | 68 |
| 85+ | 51 | 12.5 | 174 | 1 | 2 | 8 | 15 | 27 | 36 | 65 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 680 | 22.7 | 343 | 3 | 5 | 17 | 33 | 50 | 65 | 99+ |
| 70-74 | 615 | 23.7 | 363 | 3 | 5 | 19 | 33 | 50 | 68 | 98 |
| 75-79 | 501 | 21.7 | 305 | 3 | 4 | 17 | 30 | 47 | 56 | 91 |
| 80-84 | 351 | 22.0 | 277 | 4 | 6 | 19 | 30 | 48 | 68 | 99+ |
| 85+ | 313 | 22.2 | 271 | 4 | 6 | 18 | 28 | 48 | 61 | 95 |
| TOT. SINGLE DX | 340 | 11.8 | 212 | 1 | 2 | 7 | 13 | 28 | 40 | 71 |
| " MULTIPLE DX | 2460 | 22.6 | 322 | 3 | 5 | 18 | 31 | 49 | 64 | 99+ |
| TOTAL 65-69 YRS | 748 | 21.6 | 340 | 3 | 4 | 16 | 30 | 49 | 64 | 99+ |
| 70-74 | 692 | 22.5 | 369 | 3 | 4 | 17 | 31 | 49 | 65 | 99 |
| 75-79 | 598 | 20.0 | 297 | 2 | 3 | [illegible] | 28 | 45 | 55 | 90 |
| 80-84 | 398 | 20.8 | 285 | 3 | 4 | 17 | 29 | 47 | 66 | 99+ |
| 85+ | 364 | 20.8 | 269 | 3 | 5 | 17 | 27 | 45 | 59 | 91 |
| GRAND TOTAL | 2800 | 21.3 | 321 | 3 | 4 | 16 | 29 | 48 | 62 | 99+ |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 37 | 20.8 | 163 | 7 | 9 | 16 | 25 | 40 | 47 | 63 |
| 70-74 | 70 | 22.8 | 157 | 9 | 10 | 20 | 29 | 37 | 47 | 73 |
| 75-79 | 51 | 24.2 | 295 | 8 | 9 | 18 | 31 | 46 | 67 | 82 |
| 80-84 | 33 | 20.6 | 151 | 9 | 9 | 17 | 23 | 37 | 53 | 60 |
| 85+ | 39 | 22.4 | 179 | 8 | 9 | 18 | 31 | 42 | 59 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 777 | 32.2 | 359 | 10 | 13 | 28 | 44 | 64 | 85 | 99+ |
| 70-74 | 788 | 33.4 | 382 | 11 | 13 | 29 | 46 | 69 | 89 | 99+ |
| 75-79 | 717 | 32.9 | 416 | 10 | 12 | 29 | 46 | 74 | 92 | 99+ |
| 80-84 | 472 | 31.7 | 422 | 9 | 12 | 28 | 45 | 71 | 92 | 99+ |
| 85+ | 476 | 30.6 | 435 | 8 | 10 | 25 | 42 | 71 | 89 | 99+ |
| TOT. SINGLE DX | 230 | 22.4 | 190 | 8 | 9 | 18 | 29 | 41 | 49 | 78 |
| " MULTIPLE DX | 3230 | 32.3 | 398 | 9 | 12 | 28 | 45 | 70 | 89 | 99+ |
| TOTAL 65-69 YRS | 814 | 31.7 | 356 | 9 | 12 | 28 | 43 | 63 | 82 | 99+ |
| 70-74 | 858 | 32.5 | 372 | 10 | 13 | 28 | 45 | 67 | 87 | 99+ |
| 75-79 | 768 | 32.3 | 413 | 9 | 12 | 28 | 45 | 73 | 91 | 99+ |
| 80-84 | 505 | 31.0 | 412 | 9 | 11 | 27 | 43 | 70 | 90 | 99+ |
| 85+ | 515 | 30.0 | 421 | 8 | 10 | 24 | 41 | 67 | 88 | 99+ |
| GRAND TOTAL | 3460 | 31.7 | 391 | 9 | 12 | 27 | 44 | 68 | 88 | 99+ |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 45 | 17.6 | 131 | 5 | 6 | 16 | 22 | 30 | 46 | 57 |
| 70-74 | 59 | 20.8 | 234 | 6 | 7 | 17 | 26 | 39 | 60 | 74 |
| 75-79 | 54 | 24.4 | 295 | 7 | 9 | 18 | 28 | 45 | 57 | 93 |
| 80-84 | 44 | 21.2 | 286 | 5 | 7 | 16 | 25 | 49 | 69 | 99+ |
| 85+ | 78 | 17.4 | 110 | 6 | 7 | 16 | 20 | 34 | 45 | 86 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 542 | 30.6 | 378 | 10 | 12 | 25 | 44 | 65 | 80 | 99+ |
| 70-74 | 642 | 28.1 | 320 | 9 | 11 | 23 | 39 | 64 | 96 | 99+ |
| 75-79 | 692 | 28.4 | 350 | 8 | 10 | 25 | 39 | 64 | 91 | 99+ |
| 80-84 | 691 | 26.9 | 336 | 7 | 10 | 22 | 37 | 58 | 81 | 99+ |
| 85+ | 897 | 23.7 | 279 | 7 | 9 | 19 | 31 | 49 | 68 | 99+ |
| TOT. SINGLE DX | 280 | 20.1 | 207 | 6 | 7 | 16 | 24 | 42 | 54 | 88 |
| " MULTIPLE DX | 3464 | 27.2 | 333 | 8 | 10 | 22 | 37 | 59 | 82 | 99+ |
| TOTAL 65-69 YRS | 587 | 29.6 | 372 | 9 | 11 | 24 | 42 | 64 | 78 | 99+ |
| 70-74 | 701 | 27.4 | 317 | 9 | 11 | 23 | 38 | 61 | 93 | 99+ |
| 75-79 | 746 | 28.1 | 347 | 8 | 10 | 24 | 38 | 62 | 88 | 99+ |
| 80-84 | 735 | 26.6 | 335 | 7 | 9 | 21 | 37 | 58 | 79 | 99+ |
| 85+ | 975 | 23.2 | 269 | 7 | 8 | 19 | 30 | 48 | 66 | 99+ |
| GRAND TOTAL | 3744 | 26.6 | 327 | 8 | 10 | 21 | 36 | 58 | 79 | 99+ |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 13 | 18.2 | 62 | 3 | 9 | 17 | 25 | 27 | 29 | 30 |
| 70-74 | 12 | 16.5 | 151 | 3 | 4 | 15 | 25 | 35 | 36 | 36 |
| 75-79 | 12 | 22.3 | 94 | 11 | 12 | 19 | 29 | 38 | 40 | 40 |
| 80-84 | 7 | 19.7 | 467 | 8 | 8 | 10 | 18 | 58 | 68 | 68 |
| 85+ | 5 | 22.4 | 252 | 3 | 3 | 23 | 32 | 45 | 45 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 212 | 31.5 | 323 | 10 | 14 | 28 | 43 | 57 | 82 | 99+ |
| 70-74 | 176 | 32.0 | 390 | 7 | 12 | 27 | 46 | 65 | 84 | 99+ |
| 75-79 | 134 | 31.8 | 350 | 8 | 10 | 30 | 46 | 66 | 84 | 99+ |
| 80-84 | 88 | 33.4 | 373 | 11 | 12 | 31 | 49 | 63 | 82 | 99+ |
| 85+ | 74 | 34.5 | 468 | 5 | 10 | 32 | 52 | 76 | 82 | 99+ |
| TOT. SINGLE DX | 49 | 19.4 | 157 | 3 | 5 | 17 | 26 | 36 | 40 | 68 |
| " MULTIPLE DX | 684 | 32.3 | 367 | 8 | 12 | 29 | 46 | 65 | 82 | 99+ |
| TOTAL 65-69 YRS | 225 | 30.8 | 318 | 10 | 13 | 27 | 42 | 56 | 82 | 99+ |
| 70-74 | 188 | 31.0 | 389 | 6 | 10 | 27 | 43 | 65 | 84 | 99+ |
| 75-79 | 146 | 31.0 | 336 | 8 | 11 | 27 | 45 | 65 | 80 | 99+ |
| 80-84 | 95 | 32.4 | 388 | 9 | 11 | 30 | 49 | 64 | 79 | 99+ |
| 85+ | 79 | 33.7 | 460 | 5 | 9 | 31 | 51 | 75 | 81 | 99+ |
| GRAND TOTAL | 733 | 31.4 | 363 | 8 | 11 | 28 | 45 | 64 | 82 | 99+ |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 6 | 3.8 | 8 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| 70-74 | 4 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 4 | 5.0 | 20 | 1 | 1 | 4 | 8 | 11 | 11 | 11 |
| 70-74 | 6 | 10.0 | 127 | 3 | 3 | 5 | 12 | 30 | 32 | 32 |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 85+ | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| TOT. SINGLE DX | 10 | 4.1 | 6 | 1 | 1 | 4 | 5 | 8 | 9 | 9 |
| " MULTIPLE DX | 14 | 8.6 | 72 | 1 | 2 | 5 | 12 | 21 | 30 | 32 |
| TOTAL 65-69 YRS | 10 | 4.3 | 12 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 70-74 | 10 | 7.8 | 80 | 2 | 2 | 5 | 7 | 22 | 32 | 32 |
| 75-79 | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 80-84 | 2 | 8.0 | 32 | 4 | 4 | 8 | 12 | 12 | 12 | 12 |
| 85+ | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| GRAND TOTAL | 24 | 6.8 | 48 | 1 | 2 | 4 | 8 | 13 | 24 | 32 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 58 | 7.4 | 49 | 1 | 1 | 6 | 9 | 18 | 23 | 36 |
| 70-74 | 46 | 12.2 | 170 | 1 | 2 | 8 | 14 | 30 | 39 | 61 |
| 75-79 | 31 | 13.5 | 178 | 1 | 2 | 7 | 20 | 36 | 46 | 48 |
| 80-84 | 17 | 11.7 | 37 | 3 | 4 | 12 | 15 | 22 | 24 | 24 |
| 85+ | 18 | 18.1 | 260 | 5 | 6 | 11 | 25 | 38 | 57 | 68 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 142 | 19.0 | 287 | 3 | 4 | 13 | 26 | 45 | 66 | 99+ |
| 70-74 | 131 | 17.0 | 162 | 2 | 4 | 14 | 23 | 32 | 39 | 74 |
| 75-79 | 92 | 18.0 | 212 | 2 | 4 | 15 | 24 | 36 | 53 | 95 |
| 80-84 | 56 | 20.6 | 243 | 5 | 6 | 15 | 35 | 47 | 51 | 98 |
| 85+ | 41 | 19.1 | 271 | 4 | 5 | 14 | 26 | 43 | 55 | 74 |
| TOT. SINGLE DX | 170 | 11.3 | 135 | 1 | 1 | 8 | 14 | 25 | 37 | 58 |
| " MULTIPLE DX | 462 | 18.4 | 230 | 3 | 4 | 14 | 25 | 41 | 51 | 98 |
| TOTAL 65-69 YRS | 200 | 15.6 | 246 | 1 | 3 | 10 | 22 | 41 | 53 | 99+ |
| 70-74 | 177 | 15.7 | 168 | 1 | 2 | 13 | 21 | 32 | 38 | 70 |
| 75-79 | 123 | 16.8 | 206 | 2 | 3 | 14 | 23 | 36 | 47 | 92 |
| 80-84 | 73 | 18.6 | 209 | 5 | 6 | 13 | 24 | 43 | 49 | 93 |
| 85+ | 59 | 18.8 | 264 | 4 | 5 | 14 | 25 | 41 | 56 | 73 |
| GRAND TOTAL | 632 | 16.5 | 214 | 2 | 3 | 13 | 22 | 37 | 48 | 86 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 10 | 9.7 | 48 | 2 | 2 | 7 | 13 | 20 | 25 | 25 |
| 70-74 | 10 | 11.2 | 39 | 3 | 3 | 10 | 15 | 20 | 23 | 23 |
| 75-79 | 5 | 14.8 | 81 | 3 | 3 | 16 | 21 | 26 | 26 | 26 |
| 80-84 | | | | | | | | | | |
| 85+ | 3 | 14.3 | 54 | 6 | 6 | 17 | 19 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 7 | 17.6 | 67 | 9 | 9 | 17 | 18 | 31 | 34 | 34 |
| 70-74 | 14 | 15.3 | 47 | 3 | 6 | 17 | 20 | 23 | 26 | 27 |
| 75-79 | 8 | 16.1 | 107 | 7 | 8 | 12 | 20 | 34 | 38 | 38 |
| 80-84 | 3 | 9.7 | 65 | 5 | 5 | 5 | 16 | 19 | 19 | 19 |
| 85+ | 4 | 17.8 | 251 | 4 | 4 | 15 | 31 | 36 | 36 | 36 |
| TOT. SINGLE DX | 28 | 11.6 | 50 | 3 | 3 | 10 | 17 | 22 | 25 | 26 |
| " MULTIPLE DX | 36 | 15.7 | 80 | 4 | 5 | 16 | 20 | 27 | 35 | 38 |
| TOTAL 65-69 YRS | 17 | 12.9 | 68 | 2 | 3 | 12 | 17 | 24 | 31 | 34 |
| 70-74 | 24 | 13.6 | 47 | 3 | 4 | 13 | 19 | 22 | 24 | 27 |
| 75-79 | 13 | 15.6 | 90 | 4 | 6 | 12 | 21 | 28 | 36 | 38 |
| 80-84 | 3 | 9.7 | 65 | 5 | 5 | 5 | 16 | 19 | 19 | 19 |
| 85+ | 7 | 16.3 | 147 | 4 | 4 | 17 | 24 | 34 | 36 | 36 |
| GRAND TOTAL | 64 | 13.9 | 70 | 3 | 4 | 12 | 19 | 25 | 29 | 38 |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1680 | 3.3 | 9 | 1 | 1 | 2 | 3 | 7 | 9 | 16 |
| 70-74 | 1167 | 3.6 | 15 | 1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 75-79 | 728 | 4.1 | 11 | 1 | 2 | 3 | 5 | 9 | 11 | 16 |
| 80-84 | 380 | 4.3 | 12 | 1 | 2 | 3 | 5 | 9 | 12 | 16 |
| 85+ | 224 | 5.6 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1865 | 6.7 | 62 | 1 | 2 | 4 | 8 | 14 | 21 | 43 |
| 70-74 | 1454 | 7.9 | 82 | 2 | 2 | 5 | 10 | 17 | 23 | 52 |
| 75-79 | 1037 | 9.7 | 128 | 2 | 2 | 6 | 12 | 21 | 30 | 75 |
| 80-84 | 627 | 10.8 | 122 | 2 | 2 | 7 | 14 | 23 | 31 | 69 |
| 85+ | 483 | 10.8 | 124 | 2 | 2 | 8 | 14 | 23 | 31 | 72 |
| TOT. SINGLE DX | 4179 | 3.8 | 13 | 1 | 2 | 2 | 4 | 8 | 11 | 17 |
| " MULTIPLE DX | 5466 | 8.4 | 95 | 2 | 2 | 5 | 11 | 18 | 26 | 58 |
| TOTAL 65-69 YRS | 3545 | 5.1 | 40 | 1 | 2 | 3 | 6 | 11 | 15 | 33 |
| 70-74 | 2621 | 6.0 | 57 | 1 | 2 | 3 | 7 | 13 | 18 | 40 |
| 75-79 | 1765 | 7.4 | 88 | 2 | 2 | 4 | 9 | 16 | 23 | 63 |
| 80-84 | 1007 | 8.3 | 91 | 2 | 2 | 5 | 11 | 18 | 26 | 51 |
| 85+ | 707 | 9.1 | 100 | 2 | 2 | 6 | 11 | 19 | 27 | 61 |
| GRAND TOTAL | 9645 | 6.4 | 65 | 1 | 2 | 3 | 8 | 14 | 20 | 44 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 144 | 6.3 | 23 | 2 | 2 | 5 | 8 | 11 | 16 | 22 |
| 70-74 | 146 | 7.0 | 19 | 2 | 2 | 6 | 9 | 12 | 15 | 25 |
| 75-79 | 144 | 8.3 | 39 | 2 | 3 | 8 | 10 | 14 | 16 | 26 |
| 80-84 | 162 | 8.6 | 41 | 3 | 4 | 8 | 10 | 13 | 16 | 65 |
| 85+ | 172 | 7.8 | 14 | 2 | 4 | 7 | 9 | 13 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 268 | 9.9 | 91 | 2 | 2 | 7 | 12 | 22 | 28 | 52 |
| 70-74 | 296 | 11.6 | 101 | 2 | 3 | 8 | 14 | 23 | 32 | 49 |
| 75-79 | 292 | 12.2 | 88 | 2 | 4 | 10 | 15 | 23 | 32 | 46 |
| 80-84 | 271 | 12.7 | 89 | 4 | 5 | 10 | 16 | 24 | 33 | 75 |
| 85+ | 331 | 13.4 | 130 | 4 | 5 | 11 | 16 | 23 | 34 | 96 |
| TOT. SINGLE DX | 768 | 7.6 | 28 | 2 | 3 | 7 | 9 | 13 | 16 | 25 |
| " MULTIPLE DX | 1458 | 12.0 | 102 | 2 | 4 | 9 | 15 | 23 | 31 | 55 |
| TOTAL 65-69 YRS | 412 | 8.7 | 71 | 2 | 2 | 6 | 10 | 17 | 25 | 49 |
| 70-74 | 442 | 10.1 | 78 | 2 | 3 | 8 | 12 | 19 | 28 | 43 |
| 75-79 | 436 | 11.0 | 75 | 2 | 4 | 9 | 13 | 20 | 27 | 45 |
| 80-84 | 433 | 11.1 | 75 | 3 | 5 | 9 | 13 | 20 | 29 | 71 |
| 85+ | 503 | 11.4 | 98 | 3 | 4 | 9 | 14 | 20 | 29 | 90 |
| GRAND TOTAL | 2226 | 10.5 | 81 | 2 | 3 | 8 | 13 | 20 | 28 | 53 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1345 | 8.7 | 14 | 4 | 5 | 8 | 10 | 13 | 15 | 21 |
| 70-74 | 1072 | 9.1 | 13 | 5 | 5 | 9 | 11 | 14 | 16 | 22 |
| 75-79 | 764 | 9.2 | 15 | 5 | 5 | 9 | 11 | 14 | 16 | 21 |
| 80-84 | 352 | 9.4 | 16 | 5 | 5 | 9 | 11 | 15 | 17 | 26 |
| 85+ | 180 | 10.1 | 24 | 5 | 5 | 9 | 12 | 15 | 18 | 33 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1925 | 11.1 | 41 | 5 | 6 | 9 | 13 | 18 | 23 | 37 |
| 70-74 | 1618 | 11.7 | 50 | 5 | 6 | 10 | 14 | 19 | 24 | 37 |
| 75-79 | 1210 | 12.5 | 59 | 5 | 6 | 11 | 15 | 21 | 25 | 47 |
| 80-84 | 680 | 12.7 | 55 | 5 | 6 | 11 | 15 | 21 | 26 | 45 |
| 85+ | 339 | 12.8 | 56 | 5 | 6 | 11 | 16 | 22 | 28 | 38 |
| TOT. SINGLE DX | 3713 | 9.0 | 15 | 5 | 5 | 8 | 10 | 13 | 16 | 22 |
| " MULTIPLE DX | 5772 | 11.9 | 51 | 5 | 6 | 10 | 14 | 19 | 24 | 39 |
| TOTAL 65-69 YRS | 3270 | 10.1 | 32 | 5 | 5 | 9 | 11 | 16 | 20 | 33 |
| 70-74 | 2690 | 10.7 | 38 | 5 | 6 | 9 | 12 | 17 | 21 | 34 |
| 75-79 | 1974 | 11.2 | 45 | 5 | 6 | 10 | 13 | 18 | 22 | 37 |
| 80-84 | 1032 | 11.6 | 44 | 5 | 6 | 10 | 14 | 19 | 24 | 41 |
| 85+ | 519 | 11.9 | 47 | 5 | 6 | 10 | 14 | 19 | 24 | 37 |
| GRAND TOTAL | 9485 | 10.8 | 39 | 5 | 6 | 9 | 12 | 17 | 22 | 35 |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups

# *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups

## *ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 139 | 4.1 | 13 | 1 | 1 | 4 | 5 | 7 | 8 | 28 |
| 70-74 | 77 | 3.6 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 20 |
| 75-79 | 49 | 4.2 | 25 | 1 | 1 | 3 | 4 | 8 | 12 | 32 |
| 80-84 | 23 | 6.7 | 29 | 1 | 2 | 4 | 9 | 14 | 18 | 24 |
| 35+ | 15 | 4.2 | 6 | 2 | 2 | 3 | 6 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 200 | 5.6 | 19 | 2 | 2 | 4 | 7 | 11 | 15 | 23 |
| 70-74 | 130 | 5.9 | 62 | 2 | 2 | 4 | 7 | 9 | 12 | 50 |
| 75-79 | 55 | 8.6 | 93 | 2 | 2 | 5 | 10 | 18 | 28 | 53 |
| 80-84 | 33 | 8.2 | 58 | 2 | 3 | 5 | 10 | 16 | 25 | 39 |
| 85+ | 19 | 11.2 | 76 | 2 | 3 | 8 | 15 | 27 | 29 | 31 |
| TOT. SINGLE DX | 303 | 4.2 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 26 |
| " MULTIPLE DX | 437 | 6.5 | 49 | 2 | 2 | 4 | 8 | 12 | 18 | 39 |
| TOTAL 65-69 YRS | 339 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 25 |
| 70-74 | 207 | 5.0 | 44 | 2 | 2 | 4 | 5 | 8 | 11 | 32 |
| 75-79 | 104 | 6.5 | 66 | 1 | 2 | 4 | 7 | 14 | 22 | 46 |
| 80-84 | 56 | 7.6 | 47 | 2 | 2 | 5 | 10 | 14 | 23 | 38 |
| 85+ | 34 | 8.1 | 57 | 2 | 2 | 6 | 9 | 19 | 27 | 31 |
| GRAND TOTAL | 740 | 5.6 | 36 | 1 | 2 | 4 | 6 | 10 | 15 | 31 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 31 | 4.6 | 7 | 2 | 2 | 4 | 5 | 8 | 10 | 16 |
| 70-74 | 20 | 7.6 | 52 | 1 | 2 | 5 | 9 | 19 | 25 | 28 |
| 75-79 | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 80-84 | 7 | 7.4 | 79 | 2 | 2 | 4 | 7 | 23 | 27 | 27 |
| 85+ | 4 | 8.8 | 61 | 2 | 2 | 6 | 13 | 20 | 20 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 28 | 8.9 | 93 | 3 | 3 | 6 | 11 | 16 | 21 | 53 |
| 70-74 | 24 | 8.0 | 44 | 2 | 2 | 5 | 11 | 15 | 24 | 27 |
| 75-79 | 6 | 13.2 | 62 | 3 | 3 | 13 | 18 | 24 | 25 | 25 |
| 80-84 | 6 | 12.8 | 103 | 4 | 4 | 11 | 28 | 86 | 99+ | 99+ |
| 85+ | 4 | 15.8 | 164 | 6 | 6 | 12 | 25 | 33 | 33 | 33 |
| TOT. SINGLE DX | 65 | 6.0 | 33 | 2 | 2 | 4 | 6 | 15 | 20 | 28 |
| " MULTIPLE DX | 68 | 9.7 | 78 | 2 | 3 | 7 | 13 | 21 | 32 | 91 |
| TOTAL 65-69 YRS | 59 | 6.6 | 52 | 2 | 3 | 4 | 8 | 13 | 16 | 50 |
| 70-74 | 44 | 7.8 | 47 | 2 | 2 | 5 | 11 | 17 | 24 | 28 |
| 75-79 | 9 | 9.6 | 69 | 2 | 2 | 7 | 16 | 22 | 25 | 25 |
| 80-84 | 13 | 9.9 | 90 | 2 | 2 | 7 | 15 | 39 | 86 | 99+ |
| 85+ | 8 | 12.3 | 111 | 2 | 3 | 7 | 19 | 29 | 33 | 33 |
| GRAND TOTAL | 133 | 7.9 | 59 | 2 | 2 | 5 | 10 | 17 | 26 | 60 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1279 | 4.0 | 24 | <1 | <1 | 2 | 4 | 8 | 14 | 27 |
| 70-74 | 981 | 4.5 | 34 | <1 | <1 | 3 | 5 | 10 | 15 | 30 |
| 75-79 | 703 | 5.2 | 44 | <1 | <1 | 3 | 5 | 12 | 19 | 32 |
| 80-84 | 413 | 6.3 | 90 | <1 | 1 | 3 | 7 | 15 | 23 | 41 |
| 85+ | 371 | 6.1 | 57 | <1 | 1 | 3 | 7 | 13 | 22 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2743 | 9.8 | 117 | 1 | 2 | 6 | 12 | 22 | 30 | 61 |
| 70-74 | 2324 | 10.9 | 130 | 2 | 2 | 8 | 14 | 23 | 33 | 69 |
| 75-79 | 1967 | 11.6 | 135 | 2 | 2 | 8 | 15 | 26 | 35 | 72 |
| 80-84 | 1468 | 13.1 | 171 | 2 | 2 | 9 | 16 | 29 | 40 | 74 |
| 85+ | 1285 | 13.6 | 178 | 2 | 2 | 10 | 17 | 30 | 43 | 84 |
| TOT. SINGLE DX | 3747 | 4.8 | 42 | <1 | <1 | 3 | 5 | 11 | 17 | 32 |
| " MULTIPLE DX | 9787 | 11.4 | 142 | 2 | 2 | 8 | 14 | 25 | 35 | 71 |
| TOTAL 65-69 YRS | 4022 | 8.0 | 95 | <1 | 1 | 5 | 10 | 18 | 26 | 51 |
| 70-74 | 3305 | 9.0 | 111 | 1 | 2 | 6 | 12 | 20 | 29 | 60 |
| 75-79 | 2670 | 9.9 | 120 | 1 | 2 | 6 | 13 | 23 | 32 | 63 |
| 80-84 | 1881 | 11.6 | 162 | 1 | 2 | 8 | 15 | 26 | 38 | 68 |
| 85+ | 1656 | 11.9 | 161 | 1 | 2 | 8 | 15 | 27 | 39 | 77 |
| GRAND TOTAL | 13534 | 9.6 | 123 | 1 | 2 | 6 | 12 | 22 | 31 | 63 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 912 | 9.0 | 122 | 1 | 1 | 5 | 11 | 21 | 31 | 62 |
| 70-74 | 734 | 9.1 | 112 | 1 | 2 | 5 | 12 | 22 | 32 | 53 |
| 75-79 | 561 | 9.7 | 126 | 1 | 2 | 6 | 13 | 21 | 31 | 57 |
| 80-84 | 412 | 9.6 | 114 | 1 | 2 | 6 | 12 | 23 | 33 | 53 |
| 85+ | 330 | 9.7 | 120 | 1 | 1 | 6 | 12 | 25 | 32 | 51 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2944 | 15.3 | 237 | 2 | 2 | 10 | 20 | 37 | 52 | 98 |
| 70-74 | 2913 | 16.6 | 279 | 2 | 2 | 11 | 22 | 42 | 58 | 98 |
| 75-79 | 2451 | 16.9 | 272 | 2 | 3 | 12 | 22 | 40 | 58 | 99+ |
| 80-84 | 1994 | 17.7 | 296 | 2 | 3 | 12 | 24 | 46 | 67 | 99+ |
| 85+ | 2076 | 17.5 | 290 | 2 | 3 | 12 | 24 | 43 | 61 | 99+ |
| TOT. SINGLE DX | 2949 | 9.3 | 119 | 1 | 1 | 5 | 12 | 22 | 32 | 54 |
| " MULTIPLE DX | 12378 | 16.7 | 273 | 2 | 2 | 12 | 22 | 42 | 58 | 99+ |
| TOTAL 65-69 YRS | 3856 | 13.8 | 217 | 1 | 2 | 9 | 18 | 34 | 47 | 90 |
| 70-74 | 3647 | 15.1 | 255 | 1 | 2 | 10 | 20 | 38 | 54 | 93 |
| 75-79 | 3012 | 15.6 | 253 | 2 | 2 | 11 | 21 | 37 | 53 | 99+ |
| 80-84 | 2406 | 16.3 | 275 | 2 | 2 | 11 | 22 | 42 | 62 | 99+ |
| 85+ | 2406 | 16.4 | 274 | 2 | 2 | 11 | 22 | 41 | 57 | 99+ |
| GRAND TOTAL | 15327 | 15.3 | 252 | 1 | 2 | 10 | 20 | 38 | 54 | 99+ |

## 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 224 | 14.0 | 165 | 1 | 2 | 11 | 20 | 32 | 38 | 57 |
| 70-74 | 208 | 15.0 | 161 | 1 | 2 | 12 | 21 | 31 | 37 | 66 |
| 75-79 | 193 | 18.3 | 193 | 2 | 3 | 15 | 25 | 35 | 46 | 68 |
| 80-84 | 121 | 18.9 | 271 | 1 | 2 | 16 | 26 | 40 | 50 | 99 |
| 85+ | 116 | 19.4 | 228 | 2 | 3 | 16 | 25 | 37 | 45 | 76 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 533 | 25.9 | 373 | 4 | 6 | 22 | 35 | 59 | 75 | 99+ |
| 70-74 | 500 | 26.8 | 356 | 4 | 7 | 23 | 37 | 54 | 66 | 97 |
| 75-79 | 474 | 28.7 | 332 | 5 | 8 | 25 | 40 | 57 | 71 | 99+ |
| 80-84 | 315 | 28.9 | 309 | 7 | 9 | 26 | 39 | 55 | 71 | 99+ |
| 85+ | 329 | 28.9 | 320 | 5 | 9 | 26 | 39 | 57 | 75 | 99+ |
| TOT. SINGLE DX | 862 | 16.6 | 198 | 1 | 2 | 13 | 23 | 34 | 42 | 71 |
| " MULTIPLE DX | 2151 | 27.6 | 344 | 4 | 7 | 24 | 38 | 56 | 72 | 99+ |
| TOTAL 65-69 YRS | 757 | 22.4 | 341 | 2 | 3 | 18 | 31 | 50 | 69 | 99+ |
| 70-74 | 708 | 23.3 | 328 | 3 | 5 | 19 | 32 | 49 | 62 | 94 |
| 75-79 | 667 | 25.7 | 315 | 3 | 6 | 22 | 35 | 53 | 66 | 99+ |
| 80-84 | 436 | 26.1 | 318 | 2 | 6 | 23 | 37 | 52 | 67 | 99+ |
| 85+ | 445 | 26.4 | 313 | 4 | 8 | 23 | 36 | 52 | 70 | 99+ |
| GRAND TOTAL | 3013 | 24.5 | 327 | 3 | 5 | 21 | 34 | 51 | 66 | 99+ |

## 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 45 | 10.2 | 298 | 1 | 1 | 3 | 12 | 31 | 43 | 94 |
| 70-74 | 35 | 8.6 | 113 | 1 | 1 | 5 | 10 | 24 | 38 | 42 |
| 75-79 | 27 | 9.9 | 150 | 1 | 1 | 4 | 13 | 23 | 40 | 53 |
| 80-84 | 21 | 14.6 | 298 | 2 | 2 | 6 | 20 | 41 | 51 | 63 |
| 85+ | 5 | 4.4 | 15 | <1 | <1 | 3 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 87 | 16.5 | 216 | 2 | 2 | 11 | 25 | 39 | 52 | 84 |
| 70-74 | 78 | 22.1 | 444 | 1 | 2 | 15 | 38 | 59 | 72 | 95 |
| 75-79 | 72 | 24.2 | 664 | 2 | 2 | 16 | 43 | 85 | 99+ | 99+ |
| 80-84 | 55 | 30.3 | 643 | 2 | 2 | 32 | 51 | 88 | 99+ | 99+ |
| 85+ | 28 | 26.3 | 819 | 4 | 5 | 15 | 30 | 83 | 89 | 98 |
| TOT. SINGLE DX | 133 | 10.2 | 209 | 1 | 1 | 4 | 11 | 31 | 42 | 68 |
| " MULTIPLE DX | 320 | 22.8 | 514 | 2 | 2 | 16 | 38 | 62 | 88 | 99+ |
| TOTAL 65-69 YRS | 132 | 14.4 | 251 | 1 | 1 | 7 | 23 | 39 | 51 | 95 |
| 70-74 | 113 | 17.9 | 379 | 1 | 2 | 10 | 26 | 46 | 62 | 89 |
| 75-79 | 99 | 20.3 | 562 | 1 | 2 | 13 | 35 | 79 | 98 | 99+ |
| 80-84 | 76 | 26.0 | 592 | 2 | 2 | 23 | 48 | 68 | 99 | 99+ |
| 85+ | 33 | 23.0 | 756 | 1 | 3 | 9 | 29 | 82 | 87 | 98 |
| GRAND TOTAL | 453 | 19.1 | 457 | 1 | 2 | 11 | 30 | 55 | 81 | 99+ |

## 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 277 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 70-74 | 167 | 3.1 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 75-79 | 95 | 4.1 | 17 | 1 | 1 | 3 | 4 | 7 | 15 | 22 |
| 80-84 | 46 | 3.8 | 11 | 1 | 1 | 3 | 5 | 6 | 12 | 18 |
| 85+ | 26 | 5.4 | 15 | <1 | 1 | 4 | 7 | 12 | 14 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 567 | 8.2 | 108 | 1 | 2 | 5 | 10 | 17 | 24 | 63 |
| 70-74 | 427 | 10.5 | 120 | 1 | 2 | 7 | 14 | 24 | 33 | 75 |
| 75-79 | 329 | 12.3 | 161 | 2 | 2 | 8 | 16 | 28 | 48 | 99+ |
| 80-84 | 232 | 14.2 | 226 | 2 | 3 | 10 | 16 | 37 | 54 | 99+ |
| 85+ | 154 | 14.9 | 198 | 3 | 4 | 10 | 20 | 41 | 65 | 99+ |
| TOT. SINGLE DX | 611 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| " MULTIPLE DX | 1709 | 11.0 | 151 | 2 | 2 | 7 | 14 | 25 | 40 | 99+ |
| TOTAL 65-69 YRS | 844 | 6.4 | 81 | 1 | 1 | 3 | 7 | 14 | 21 | 55 |
| 70-74 | 594 | 8.4 | 100 | 1 | 1 | 5 | 11 | 20 | 28 | 64 |
| 75-79 | 424 | 10.5 | 140 | 1 | 2 | 6 | 14 | 25 | 43 | 99+ |
| 80-84 | 278 | 12.5 | 206 | 2 | 2 | 9 | 15 | 27 | 47 | 98 |
| 85+ | 180 | 13.5 | 183 | 3 | 3 | 9 | 17 | 38 | 54 | 99+ |
| GRAND TOTAL | 2320 | 8.9 | 125 | 1 | 2 | 5 | 11 | 21 | 32 | 85 |

## 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 41 | 5.4 | 47 | 1 | 1 | 3 | 6 | 11 | 21 | 35 |
| 70-74 | 25 | 7.2 | 56 | 1 | 1 | 6 | 7 | 14 | 27 | 34 |
| 75-79 | 31 | 8.5 | 102 | 1 | 2 | 5 | 9 | 20 | 26 | 51 |
| 80-84 | 11 | 9.8 | 38 | 2 | 3 | 8 | 15 | 19 | 21 | 21 |
| 85+ | 8 | 9.6 | 34 | 4 | 4 | 8 | 13 | 19 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 170 | 12.6 | 118 | 3 | 3 | 10 | 15 | 25 | 32 | 57 |
| 70-74 | 187 | 12.0 | 75 | 3 | 4 | 10 | 15 | 23 | 29 | 43 |
| 75-79 | 178 | 12.7 | 132 | 3 | 4 | 10 | 15 | 25 | 31 | 86 |
| 80-84 | 108 | 13.8 | 144 | 3 | 4 | 11 | 16 | 25 | 39 | 65 |
| 85+ | 76 | 11.9 | 72 | 3 | 4 | 9 | 15 | 22 | 33 | 40 |
| TOT. SINGLE DX | 116 | 7.3 | 63 | 1 | 1 | 5 | 8 | 16 | 26 | 40 |
| " MULTIPLE DX | 719 | 12.5 | 110 | 3 | 4 | 10 | 15 | 24 | 32 | 58 |
| TOTAL 65-69 YRS | 211 | 11.2 | 112 | 2 | 3 | 9 | 14 | 23 | 30 | 52 |
| 70-74 | 212 | 11.4 | 75 | 2 | 4 | 9 | 14 | 23 | 29 | 43 |
| 75-79 | 209 | 12.0 | 130 | 2 | 4 | 9 | 15 | 25 | 30 | 76 |
| 80-84 | 119 | 13.4 | 136 | 3 | 4 | 10 | 16 | 24 | 37 | 64 |
| 85+ | 84 | 11.7 | 69 | 3 | 4 | 9 | 15 | 22 | 31 | 40 |
| GRAND TOTAL | 835 | 11.8 | 106 | 2 | 3 | 9 | 15 | 23 | 30 | 54 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1016 | 6.3 | 37 | 1 | 1 | 4 | 9 | 14 | 18 | 29 |
| 70-74 | 569 | 7.1 | 51 | 1 | 1 | 4 | 10 | 16 | 23 | 34 |
| 75-79 | 270 | 7.7 | 71 | 1 | 2 | 5 | 10 | 17 | 22 | 50 |
| 80-84 | 98 | 8.6 | 50 | 1 | 2 | 7 | 13 | 20 | 24 | 29 |
| 85+ | 40 | 7.9 | 103 | 1 | 2 | 4 | 10 | 15 | 27 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 1867 | 10.3 | 96 | 1 | 2 | 8 | 14 | 21 | 29 | 48 |
| 70-74 | 1346 | 12.1 | 130 | 2 | 2 | 9 | 16 | 27 | 33 | 62 |
| 75-79 | 806 | 12.6 | 121 | 2 | 3 | 9 | 17 | 27 | 33 | 66 |
| 80-84 | 329 | 14.8 | 151 | 2 | 3 | 11 | 20 | 31 | 43 | 76 |
| 85+ | 100 | 16.0 | 234 | 2 | 3 | 12 | 20 | 34 | 44 | 78 |
| TOT. SINGLE DX | 1993 | 6.9 | 48 | 1 | 1 | 4 | 9 | 15 | 20 | 33 |
| " MULTIPLE DX | 4448 | 11.7 | 121 | 2 | 2 | 9 | 15 | 26 | 33 | 59 |
| TOTAL 65-69 YRS | 2883 | 8.9 | 79 | 1 | 2 | 6 | 12 | 19 | 26 | 44 |
| 70-74 | 1915 | 10.6 | 113 | 1 | 2 | 8 | 14 | 24 | 31 | 55 |
| 75-79 | 1076 | 11.3 | 114 | 2 | 2 | 8 | 16 | 25 | 31 | 63 |
| 80-84 | 427 | 13.4 | 135 | 2 | 3 | 10 | 18 | 28 | 37 | 65 |
| 85+ | 140 | 13.7 | 210 | 2 | 2 | 9 | 16 | 32 | 41 | 76 |
| GRAND TOTAL | 6441 | 10.2 | 103 | 1 | 2 | 7 | 14 | 23 | 30 | 51 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1056 | 4.8 | 31 | 1 | 1 | 3 | 6 | 10 | 15 | 27 |
| 70-74 | 854 | 5.0 | 30 | 1 | 2 | 3 | 6 | 10 | 14 | 33 |
| 75-79 | 507 | 5.1 | 32 | 1 | 2 | 3 | 6 | 10 | 15 | 32 |
| 80-84 | 175 | 6.2 | 45 | 1 | 2 | 3 | 8 | 14 | 19 | 31 |
| 85+ | 57 | 5.9 | 31 | 1 | 2 | 3 | 8 | 13 | 16 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 2834 | 8.6 | 81 | 2 | 2 | 6 | 11 | 18 | 25 | 49 |
| 70-74 | 2446 | 9.2 | 92 | 2 | 2 | 7 | 11 | 19 | 26 | 55 |
| 75-79 | 1525 | 9.9 | 104 | 2 | 2 | 7 | 12 | 21 | 29 | 53 |
| 80-84 | 623 | 9.6 | 75 | 2 | 2 | 7 | 13 | 19 | 25 | 46 |
| 85+ | 204 | 10.1 | 73 | 2 | 2 | 8 | 13 | 21 | 27 | 43 |
| TOT. SINGLE DX | 2649 | 5.0 | 32 | 1 | 2 | 3 | 6 | 10 | 15 | 31 |
| " MULTIPLE DX | 7632 | 9.2 | 89 | 2 | 2 | 7 | 12 | 19 | 26 | 52 |
| TOTAL 65-69 YRS | 3890 | 7.6 | 71 | 1 | 2 | 5 | 10 | 16 | 22 | 44 |
| 70-74 | 3300 | 8.1 | 80 | 2 | 2 | 5 | 10 | 17 | 24 | 48 |
| 75-79 | 2032 | 8.7 | 91 | 1 | 2 | 6 | 11 | 19 | 26 | 52 |
| 80-84 | 798 | 8.8 | 71 | 2 | 2 | 6 | 11 | 18 | 24 | 45 |
| 85+ | 261 | 9.2 | 68 | 1 | 2 | 7 | 12 | 19 | 25 | 40 |
| GRAND TOTAL | 10281 | 8.1 | 78 | 1 | 2 | 5 | 10 | 17 | 24 | 47 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 120 | 3.3 | 7 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 70-74 | 59 | 3.3 | 7 | 1 | 1 | 2 | 4 | 8 | 10 | 13 |
| 75-79 | 16 | 4.7 | 11 | 1 | 2 | 3 | 7 | 10 | 12 | 13 |
| 80-84 | 6 | 4.3 | 22 | 2 | 2 | 3 | 3 | 13 | 14 | 14 |
| 85+ | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 593 | 5.7 | 31 | 1 | 2 | 3 | 8 | 12 | 16 | 25 |
| 70-74 | 222 | 6.3 | 37 | 1 | 2 | 4 | 8 | 14 | 18 | 30 |
| 75-79 | 72 | 8.0 | 54 | 1 | 2 | 6 | 12 | 18 | 22 | 36 |
| 80-84 | 11 | 6.5 | 9 | 2 | 3 | 6 | 9 | 10 | 12 | 12 |
| 85+ | 3 | 9.3 | 44 | 2 | 2 | 11 | 14 | 15 | 15 | 15 |
| TOT. SINGLE DX | 202 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 10 | 14 |
| " MULTIPLE DX | 901 | 6.0 | 35 | 1 | 2 | 4 | 8 | 13 | 18 | 25 |
| TOTAL 65-69 YRS | 713 | 5.3 | 28 | 1 | 2 | 3 | 7 | 11 | 16 | 24 |
| 70-74 | 281 | 5.7 | 33 | 1 | 1 | 4 | 7 | 12 | 17 | 25 |
| 75-79 | 88 | 7.4 | 48 | 1 | 2 | 5 | 11 | 18 | 20 | 33 |
| 80-84 | 17 | 5.7 | 14 | 2 | 2 | 5 | 8 | 11 | 13 | 14 |
| 85+ | 4 | 7.5 | 43 | 2 | 2 | 7 | 13 | 15 | 15 | 15 |
| GRAND TOTAL | 1103 | 5.6 | 31 | 1 | 2 | 3 | 7 | 12 | 16 | 25 |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 1633 | 5.2 | 28 | 1 | 1 | 3 | 7 | 12 | 16 | 23 |
| 70-74 | 1236 | 5.7 | 31 | 1 | 1 | 3 | 8 | 13 | 16 | 26 |
| 75-79 | 810 | 5.9 | 39 | 1 | 2 | 3 | 8 | 13 | 16 | 32 |
| 80-84 | 370 | 6.3 | 38 | 1 | 2 | 4 | 9 | 14 | 17 | 30 |
| 85+ | 188 | 8.1 | 82 | 1 | 2 | 5 | 10 | 17 | 22 | 47 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 5513 | 9.2 | 76 | 2 | 2 | 7 | 12 | 19 | 25 | 42 |
| 70-74 | 4763 | 9.7 | 86 | 2 | 2 | 7 | 13 | 20 | 26 | 49 |
| 75-79 | 3499 | 10.4 | 94 | 2 | 2 | 8 | 14 | 21 | 28 | 51 |
| 80-84 | 1865 | 11.8 | 107 | 2 | 2 | 9 | 15 | 23 | 30 | 57 |
| 85+ | 1087 | 12.9 | 128 | 2 | 3 | 10 | 16 | 25 | 34 | 64 |
| TOT. SINGLE DX | 4237 | 5.7 | 35 | 1 | 1 | 3 | 8 | 13 | 16 | 26 |
| " MULTIPLE DX | 16727 | 10.1 | 91 | 2 | 2 | 8 | 13 | 21 | 27 | 50 |
| TOTAL 65-69 YRS | 7146 | 8.3 | 68 | 1 | 2 | 6 | 11 | 18 | 23 | 40 |
| 70-74 | 5999 | 8.9 | 78 | 1 | 2 | 7 | 12 | 18 | 24 | 45 |
| 75-79 | 4309 | 9.5 | 87 | 2 | 2 | 7 | 13 | 20 | 26 | 48 |
| 80-84 | 2235 | 10.9 | 100 | 2 | 2 | 8 | 14 | 22 | 28 | 54 |
| 85+ | 1275 | 12.2 | 125 | 2 | 2 | 10 | 16 | 24 | 32 | 63 |
| **GRAND TOTAL** | **20964** | **9.2** | **83** | **1** | **2** | **7** | **12** | **19** | **25** | **46** |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 12636 | 7.0 | 41 | 1 | 2 | 5 | 9 | 14 | 18 | 34 |
| 70-74 | 10839 | 7.5 | 43 | 2 | 2 | 6 | 9 | 15 | 19 | 35 |
| 75-79 | 8583 | 7.9 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| 80-84 | 5710 | 8.4 | 53 | 2 | 2 | 6 | 10 | 16 | 21 | 37 |
| 85+ | 4556 | 8.7 | 59 | 2 | 2 | 7 | 11 | 17 | 22 | 41 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 77919 | 9.6 | 67 | 2 | 3 | 7 | 12 | 18 | 25 | 45 |
| 70-74 | 81214 | 10.3 | 76 | 2 | 3 | 8 | 13 | 20 | 26 | 48 |
| 75-79 | 74399 | 10.9 | 83 | 3 | 3 | 8 | 13 | 21 | 28 | 51 |
| 80-84 | 56984 | 11.5 | 93 | 3 | 4 | 9 | 14 | 22 | 29 | 55 |
| 85+ | 47740 | 11.8 | 95 | 3 | 4 | 9 | 15 | 23 | 30 | 57 |
| TOT. SINGLE DX | 42324 | 7.7 | 48 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| " MULTIPLE DX | 338256 | 10.7 | 82 | 3 | 3 | 8 | 13 | 21 | 27 | 50 |
| TOTAL 65-69 YRS | 90555 | 9.3 | 65 | 2 | 3 | 7 | 11 | 18 | 24 | 44 |
| 70-74 | 92053 | 9.9 | 74 | 2 | 3 | 8 | 12 | 19 | 25 | 46 |
| 75-79 | 82982 | 10.6 | 81 | 2 | 3 | 8 | 13 | 20 | 27 | 50 |
| 80-84 | 62694 | 11.2 | 90 | 3 | 3 | 9 | 14 | 22 | 29 | 54 |
| 85+ | 52296 | 11.5 | 93 | 3 | 3 | 9 | 14 | 22 | 30 | 56 |
| **GRAND TOTAL** | **380580** | **10.3** | **79** | **2** | **3** | **8** | **13** | **20** | **27** | **49** |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 3035 | 9.2 | 62 | 2 | 3 | 7 | 11 | 17 | 22 | 42 |
| 70-74 | 2695 | 9.9 | 75 | 2 | 3 | 8 | 12 | 19 | 24 | 47 |
| 75-79 | 2175 | 10.1 | 75 | 2 | 3 | 8 | 12 | 19 | 26 | 50 |
| 80-84 | 1597 | 11.0 | 97 | 2 | 3 | 8 | 14 | 20 | 28 | 52 |
| 85+ | 1434 | 11.0 | 86 | 2 | 3 | 9 | 14 | 21 | 29 | 49 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 14641 | 11.3 | 85 | 3 | 4 | 9 | 14 | 21 | 28 | 53 |
| 70-74 | 15623 | 11.8 | 90 | 3 | 4 | 9 | 15 | 22 | 30 | 53 |
| 75-79 | 14894 | 12.6 | 100 | 3 | 4 | 10 | 15 | 24 | 31 | 56 |
| 80-84 | 11985 | 13.1 | 103 | 3 | 4 | 10 | 16 | 25 | 32 | 57 |
| 85+ | 11286 | 13.7 | 115 | 3 | 4 | 11 | 17 | 26 | 34 | 63 |
| TOT. SINGLE DX | 10936 | 10.0 | 77 | 2 | 3 | 8 | 12 | 19 | 26 | 48 |
| " MULTIPLE DX | 68429 | 12.4 | 99 | 3 | 4 | 10 | 15 | 23 | 31 | 56 |
| TOTAL 65-69 YRS | 17676 | 10.9 | 82 | 3 | 3 | 9 | 13 | 20 | 27 | 52 |
| 70-74 | 18318 | 11.5 | 88 | 3 | 4 | 9 | 14 | 22 | 29 | 52 |
| 75-79 | 17069 | 12.2 | 98 | 3 | 4 | 10 | 15 | 23 | 31 | 56 |
| 80-84 | 13582 | 12.8 | 103 | 3 | 4 | 10 | 16 | 24 | 32 | 56 |
| 85+ | 12720 | 13.4 | 113 | 3 | 4 | 11 | 17 | 25 | 33 | 63 |
| **GRAND TOTAL** | **79365** | **12.1** | **96** | **3** | **4** | **10** | **15** | **23** | **30** | **55** |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 65-69 YRS | | | | | | | | | | |
| 70-74 | | | | | | | | | | |
| 75-79 | | | | | | | | | | |
| 80-84 | | | | | | | | | | |
| 85+ | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 65-69 YRS | 4705 | 7.6 | 39 | 2 | 2 | 6 | 10 | 14 | 19 | 31 |
| 70-74 | 4043 | 7.9 | 47 | 2 | 2 | 6 | 10 | 15 | 20 | 35 |
| 75-79 | 3148 | 8.1 | 50 | 2 | 2 | 6 | 10 | 16 | 21 | 36 |
| 80-84 | 2219 | 8.5 | 59 | 2 | 2 | 6 | 11 | 17 | 22 | 41 |
| 85+ | 1939 | 8.8 | 65 | 2 | 3 | 7 | 11 | 16 | 21 | 48 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 65-69 YRS | 32971 | 9.6 | 63 | 2 | 3 | 7 | 12 | 18 | 23 | 42 |
| 70-74 | 34237 | 10.1 | 71 | 2 | 3 | 8 | 13 | 19 | 25 | 45 |
| 75-79 | 30799 | 10.6 | 76 | 2 | 3 | 8 | 13 | 20 | 26 | 48 |
| 80-84 | 23932 | 11.0 | 82 | 3 | 3 | 9 | 14 | 21 | 28 | 49 |
| 85+ | 22333 | 11.6 | 90 | 3 | 4 | 9 | 14 | 22 | 30 | 54 |
| TOT. SINGLE DX | 16054 | 8.0 | 50 | 2 | 2 | 6 | 10 | 15 | 20 | 36 |
| " MULTIPLE DX | 144272 | 10.5 | 76 | 2 | 3 | 8 | 13 | 20 | 26 | 47 |
| TOTAL 65-69 YRS | 37676 | 9.3 | 61 | 2 | 3 | 7 | 12 | 18 | 23 | 41 |
| 70-74 | 38280 | 9.9 | 70 | 2 | 3 | 8 | 12 | 19 | 25 | 45 |
| 75-79 | 33947 | 10.3 | 75 | 2 | 3 | 8 | 13 | 20 | 26 | 46 |
| 80-84 | 26151 | 10.8 | 81 | 2 | 3 | 8 | 13 | 21 | 27 | 49 |
| 85+ | 24272 | 11.4 | 89 | 3 | 4 | 9 | 14 | 22 | 29 | 54 |
| **GRAND TOTAL** | **160326** | **10.2** | **74** | **2** | **3** | **8** | **13** | **20** | **26** | **46** |

| | | |
|---|---|---|
| | | 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |

| | | |
|---|---|---|
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index

## Part 1: Diagnosis Index
## Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – *see Appendicitis, acute* |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – *see Dependence* |
|  | Adenocarcinoma – *see Neoplasm, malignant* |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease — *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis — *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
|  |  |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| | |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
| | Cancer — *see Neoplasm, malignant* |
| | Carcinoma — *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs — *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
|  | Deformity, congenital – *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
|  | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular – *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer – *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| | |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve — *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| | |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes — *see Diabetes mellitus* |
| | |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
|  | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease — *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
|  | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
|  | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
|  |  |
|  | Paget's disease — *see Disease, Paget's* |
|  | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
|  | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease — *see Valvular disease* |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
|  | Sarcoma — *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain — *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
| | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
| | Tricuspid valve disease — *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| | |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| | |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
| | Wound, open – *see Laceration* |
| | |
| 12 | Yellow fever |

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
| | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
| | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 | Incidental |
|  | Arteriography |
| 757 | Aorta |
| 755 | Cerebral |
| 756 | Coronary |
| 757 | Femoral |
| 755 | Head |
| 756 | Heart |
| 757 | Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 | Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 699 | Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
|  | Artificial |
| 686 | Insemination |
| 690 | Rupture of membranes for delivery |
|  | Aspiration |
| 752 | Breast, except for biopsy |
| 742 | Biopsy |
| 741 | Bursa |
| 682 | Cul-de-sac |
| 677 | Curettage, uterus, except for termination of pregnancy |
| 674 | Termination of pregnancy |
| 651 | Hydrocele, except of spermatic cord |
| 656 | Spermatic cord |
| 632 | Kidney |
| 614 | Liver, percutaneous, except for biopsy |
| 615 | Biopsy |
| 537 | Middle ear |
| 546 | Nasal sinus |
| 663 | Ovary |
| 752 | Skin |
| 656 | Spermatocele |
| 529 | Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Augmentation |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Biopsy (continued) |
| 618 | Pancreas |
| 658 | Penis |
| 508 | Peripheral nerve |
| 626 | Peritoneum |
| 556 | Pharynx |
| 570 | Pleura |
| 650 | Prostate |
| 606 | Rectum |
| 651 | Scrotum |
| 747 | Skin |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 654 | Testes |
| 514 | Thyroid |
| 552 | Tongue |
| 559 | Trachea |
| 670 | Uterus |
| 682 | Vagina |
| 558 | Vocal cord |
| 683 | Vulva |
| 518 | Blepharorrhaphy |
| 763 | Blood transfusion, except intrauterine exchange |
| 696 | Intrauterine exchange |
| 585 | Bone marrow transplant |
| 745 | Breast augmentation |
| 688 | Breech extraction for delivery |
| 567 | Bronchoscopy |
| 704 | Bunionectomy |
| 730 | Bursectomy, except of hand |
| 728 | Hand |
| 726 | Bursotomy |
| | Bypass, graft or shunt |
| 572 | Aortocoronary |
| 578 | Blood vessels (systemic) |
| 572 | Coronary |
| 596 | Gastric |
| 572 | Heart |
| 579 | Heart-lung |
| 601 | Intestine |
| 596 | Stomach |
| 634 | Urinary |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 763 | Cancer chemotherapy |
|  | Cardiac |
| 573 |  Catheterization |
| 764 |  Function tests |
|  |  Massage |
| 763 |   Closed |
| 575 |   Open |
| 574 |  Pacemaker insertion or replacement |
| 575 |  Revascularization, except coronary bypass |
| 572 |   Coronary bypass |
| 764 |  Stress tests |
| 509 | Carpal tunnel decompression or release |
| 760 | Cast application |
| 758 | C.A.T. scan |
| 526 | Cataract extraction, except intracapsular |
| 525 |  Intracapsular |
|  | Catheterization |
| 647 |  Bladder, except suprapubic approach |
| 638 |   Suprapubic approach |
| 581 |  Blood vessel |
| 573 |  Cardiac |
| 645 |  Ureteral |
| 647 |  Urethral, indwelling |
| 587 |  Vein, except umbilical |
| 581 |   Umbilical |
| 669 | Cerclage, cervix |
| 692 | Cesarean section, except low cervical |
| 691 |  Low cervical |
| 763 | Chemotherapy |
| 758 | Cholangiogram (intravenous) (percutaneous) |
| 616 | Cholecystectomy |
| 758 | Cholecystogram |
| 617 | Cholecystotomy |
| 764 | Circulatory monitoring |
| 657 | Circumcision, except newborn |
|  | Closure |
| 617 |  Cholecystostomy |
| 601 |  Colostomy |
|  |  Fistula – *see Fistulectomy* |
| 596 |  Gastric anastomosis |
| 601 |  Sigmoidostomy |
| 570 |  Thoracostomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

# OPERATION INDEX (continued)

**Group Number** **Title**

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions – *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, exept of hand
    - 728 Hand

## OPERATION INDEX (continued)

**Group Number** **Title**

- Division (continued)
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage — *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
  - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (electroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin
- 753 Encephalography
- Endoscopy
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 | With low forceps delivery |
| 689 | With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 | Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 | Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 | Eyeball |
| 673 | Pelvic |
|  | Examination |
| 764 | Eye |
| 764 | General physical |
| 764 | Gynecologic |
| 764 | Pelvic |
| 761 | Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 | Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 | Anal fistula |
| 727 | Baker's cyst |
| 705 | Bone, except facial |
| 699 | Facial, except partial |
| 698 | Partial |
| 556 | Branchial cleft cyst |
| 704 | Bunion |
| 517 | Chalazion, eyelid |
| 599 | Colon |
| 665 | Fallopian tubes, bilateral, except endoscopic approach |
| 664 | Endoscopic approach |
| 670 | Fibroid, uterine |
| 616 | Gallbladder |
| 508 | Ganglion, except of tendon |
| 727 | Tendon (of hand) |
| 612 | Hemorrhoids |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Excision (continued)
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 With adenoids
  - 556 Tonsil tag
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 |  Breech, for delivery |
| 547 |  Dental |
| 686 |  Menstrual |
| 547 |  Teeth |
| 689 |  Vacuum, for delivery |
| | |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 |  Hand |
| 726 | Fasciotomy, except of hand |
| 728 |  Hand |
| | Fistulectomy |
| 610 |  Anal |
| 638 |  Bladder |
| 556 |  Branchial cleft |
| 564 |  Bronchus |
| 601 |  Intestine |
| 542 |  Nasal |
| 542 |  Nasolabial |
| 546 |  Oroantral |
| 609 |  Perirectal |
| 556 |  Pharynx |
| 640 |  Rectourethral |
| 679 |  Rectouterine |
| 681 |  Rectovaginal |
| 638 |  Rectovesical |
| 609 |  Rectum |
| 562 |  Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| |  With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 |  Low forceps |
| | Formation |
| 581 |  Arteriovenous shunt for dialysis |
| 634 |  Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 |  Closed, except with internal fixation |
| 711 |   With internal fixation |
| 713 |  Open, except with internal fixation |
| 712 |   With internal fixation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture-reduction, except facial bone, femur, and nose (continued) |
| 701 | Facial bone, except closed reduction |
| 700 | Closed reduction |
| | Femur |
| 710 | Closed, except with internal fixation |
| 708 | With internal fixation |
| 710 | Open, except with internal fixation |
| 709 | With internal fixation |
| 701 | Mandible, except closed reduction |
| 700 | Closed reduction |
| 701 | Maxillofacial, except closed reduction |
| 700 | Closed reduction |
| 544 | Nose |
| 552 | Frenectomy (labial) (tongue) |
| 557 | Frenotomy (labial) (tongue) |
| 721 | Fusion, joint, except spinal |
| 720 | Spinal |
| 508 | Ganglionectomy, except of tendon |
| 727 | Tendon (of hand) |
| 508 | Gasserian ganglionectomy |
| 593 | Gastrectomy, except total |
| 594 | Total |
| 589 | Gastroscopy, except surgical approach |
| 596 | Surgical approach (transabdominal) |
| 591 | Gastrostomy |
| 590 | Gastrotomy |
| 699 | Genioplasty |
| 758 | G.I. series x-ray |
| 549 | Gingivectomy, gingivoplasty |
| 523 | Glaucoma operation |
| 552 | Glossectomy |
| | Graft |
| 706 | Bone, except facial and skull |
| 702 | Facial |
| 503 | Skull |
| 749 | Free, of skin |
| 552 | Lip |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 750 | Pedicle, of skin |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| | Skin |
| 749 | Free |
| 750 | Pedicle |
| 731 | Tendon, except of hand |
| 729 | Hand |
| | |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 | Diaphragmatic |
| 624 | Epigastric |
| 622 | Femoral |
| 624 | Incisional |
| | Inguinal |
| 621 | Bilateral |
| 620 | Unilateral |
| 623 | Umbilical |
| 624 | Ventral |
| 723 | Hip replacement, except total |
| 722 | Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 | Radical |
| 672 | Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 | Termination of pregnancy |
| | |
| 602 | Ileostomy, except loop |
| 600 | Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 | Breast |
| 740 | Limb prosthesis |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 | Retroperitoneal abscess |
| 651 | Scrotum |
| | Sinus (nasal) – *see Sinusotomy* |
| 748 | Skin, except pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 506 | Spinal meninges |
| 726 | Tendon |
| 569 | Thorax |
| 633 | Ureter |
| 682 | Vagina |
| 683 | Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 | Intra-amniotic, for termination of pregnancy |
| 763 | Therapeutic agent (drugs) |
| 745 | Breast |
| 741 | Bursa |
| 741 | Joint |
| 741 | Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 | Cardiac pacemaker |
| 686 | Intrauterine contraceptive device |
| 679 | Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | Laceration repair (suture) – *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 | Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 | Partial |
| 576 | Laryngoscopy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 |    Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 |    Intracapsular |
| | Ligation |
| 665 |    Fallopian tubes (bilateral), except endoscopic approach |
| 664 |       Endoscopic approach |
| 612 |    Hemorrhoids |
| 577 |    Varicose veins |
| 655 |    Vas deferens |
| 577 | Ligation and stripping, varicose veins |
| | Lobectomy |
| 501 |    Brain |
| 615 |    Liver |
| 566 |    Lung, except partial |
| 565 |       Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
| | Lysis, adhesions |
| 630 |    Abdominal |
| 741 |    Hand |
| 524 |    Iris |
| 716 |    Joint |
| 731 |    Muscle, except of hand |
| 741 |       Hand |
| 630 |    Pelvis |
| 630 |    Peritoneum |
| 731 |    Tendon, except of hand |
| 741 |       Hand |
| | |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 |    Partial |
| 699 | Mandibulotomy |
| | Mastectomy |
| 743 |    Complete |
| 743 |    Simple, except extended |
| 744 |       Extended |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| | |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| | |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
|  | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
|  | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
|  | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

# OPERATION INDEX (continued)

Group Number — Title

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

## OPERATION INDEX (continued)

**Group Number** **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia — *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 Without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 With incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Removal (continued) |
| 524 |         Iris |
| 527 |         Lens |
| |     Prosthesis |
| 745 |         Breast |
| 716 |         Joint |
| 697 |     Retained placenta, manually |
| 764 |     Sutures |
| 764 |     T-tube, gallbladder |
| 764 |     Therapeutic device, nonoperatively |
| 529 |     Vitreous |
| 580 | Renal dialysis |
| | Repair |
| 630 |     Abdominal wall |
| 613 |     Anal fistula, except by excision |
| 610 |         Excision |
| 581 |     Aneurysm (arteriovenous) |
| 638 |     Bladder, except obstetric laceration |
| 697 |         Obstetric laceration |
| 518 |     Blepharoptosis |
| 581 |     Blood vessel |
| 706 |     Bone, except facial |
| 699 |         Facial |
| 745 |     Breast |
| 564 |     Bronchial fistula |
| 704 |     Bunion |
| 571 |     Cardiac septal defect |
| 669 |     Cervix, except obstetric laceration |
| 697 |         Obstetric laceration |
| 570 |     Chest wall |
| 551 |     Cleft palate |
| 520 |     Conjunctiva |
| 522 |     Cornea, except transplant |
| 521 |         Transplant |
| 680 |     Cystocele, vagina |
| 730 |     Diastasis recti |
| 534 |     Ear, external |
| 518 |     Ectropion or entropion, eyelid |
| 697 |     Episiotomy |
| 518 |     Eyelid |
| |     Fistula — *see Fistulectomy* |
| 704 |     Hallux valgus |
| 729 |     Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| | Hernia – *see Herniorrhaphy* |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| | Hydrocephalus, by ventricular shunt |
| 504 | Extracranial |
| 505 | Intracranial (ventriculostomy) |
| 601 | Intestine |
| 725 | Joint, except hip and knee |
| 723 | Hip, except total replacement |
| 722 | Total replacement |
| 724 | Knee |
| 724 | Knee (joint) |
| | Laceration – *see also Repair, by site* |
| 697 | Obstetric |
| 562 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 568 | Lung |
| 731 | Muscle, except extraocular and of hand |
| 531 | Extraocular |
| 729 | Hand |
| 556 | Nasopharyngeal atresia |
| 542 | Nose |
| 663 | Ovary |
| 551 | Palate |
| 658 | Penis |
| 685 | Perineum, female, except obstetric laceration |
| 697 | Obstetric laceration |
| 509 | Peripheral nerve |
| 596 | Pylorus, stomach |
| 680 | Rectocele, vagina |
| 609 | Rectum |
| 528 | Retinal detachment or tear |
| 730 | Rotator-cuff (shoulder) |
| 503 | Skull |
| 507 | Spina bifida |
| 507 | Spinal meningocele |
| 596 | Stomach |
| 644 | Stress incontinence, except urethral suspension |
| 643 | Urethral suspension |
| 731 | Tendon, except of hand |
| 729 | Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |   Testis |
| 562 |   Trachea |
| 635 |   Ureter |
| 640 |   Urethra |
| 679 |   Uterus, except obstetric laceration and supporting structures |
| 697 |     Obstetric laceration |
| 678 |     Supporting structures |
| 681 |   Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |     Cystocele and rectocele |
| 697 |     Obstetric laceration |
| 552 |   Vestibular arch (mouth) |
| 685 |   Vulva, except obstetric laceration |
| 697 |     Obstetric laceration |
| | Replacement |
| 574 |   Cardiac pacemaker |
| 571 |   Heart valve |
| 725 |   Joint, except hip and knee |
| 723 |     Hip, except total replacement |
| 722 |       Total replacement |
| 724 |     Knee |
| 647 |   Urinary catheter |
| | Resection |
| 638 |   Bladder |
| 581 |   Blood vessel |
| 564 |   Bronchus |
| 599 |   Large intestine |
| 730 |   Muscle, except of hand |
| 728 |     Hand |
| 541 |   Nasal septum, submucous |
| 530 |   Ocular muscle |
| 660 |   Ovary |
| 608 |   Rectum (abdominoperineal) (pull-through) |
| 549 |   Root of tooth |
| 598 |   Small intestine |
| 730 |   Tendon, except of hand |
| 728 |     Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |   Amputation stump |
| 581 |   Arteriovenous shunt for dialysis |
| 596 |   Gastric anastomosis |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Revision (continued)
  - 601 Intestinal anastomosis
  - 539 Mastoidectomy
  - 562 Tracheostomy
  - 539 Tympanoplasty
  - 505 Ventricular shunt
- 542 Rhinoplasty
- 751 Rhytidectomy, facial
- 549 Root canal therapy
- 549 Root resection (tooth)
- 690 Rupture of membranes for delivery

- Salpingectomy
  - 665 Bilateral
  - 666 Unilateral
- Salpingo-oophorectomy
  - 662 Bilateral
  - 661 Unilateral
- 730 Scalenectomy
- 726 Scalenotomy
- Scan
  - 758 C.A.T. (computerized axial tomography)
  - 758 Radioisotope
- 528 Scleral buckling, for retinal detachment
- 706 Shortening, bone
- Shunt — *see also Bypass*
  - 504 Cerebral ventricles, except intracranial and revision
    - 505 Intracranial
    - 505 Revision
  - 578 Peripheral vessels
  - 630 Peritoneovenous
  - 578 Systemic vessels
- 550 Sialoadenectomy
- 599 Sigmoidectomy
- 546 Sinusectomy, nasal
- 546 Sinusotomy, except radical maxillary
  - 545 Radical maxillary
- 751 Size-reduction, skin tissue except breast
  - 745 Breast
- Sphincterotomy
  - 617 Ampullary (of Vater) (pancreas)
  - 613 Anus

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| 644 | Stress incontinence repair, except by urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture – *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| | |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| | |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | |
| | X-ray — *see Radiography* |
| | |
| 751 | Z-plasty, skin |

R3850-1 [illegible]

CPHA COMMISSION ON PROFESSIONAL AND HOSPITAL ACTIVITIES

# PED LENGTH OF STAY

## BY DIAGNOSIS BY OPERATION

## UNITED STATES

# Pediatric

## 1981

# Pediatric Length of Stay by Diagnosis and Operation, United States, 1981

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
November, 1982

# LENGTH OF STAY

Copyright 1982 by Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

*Library of Congress Catalog Card Number: 73-173193*

This volume is one of the books in a series entitled
Length of Stay . . .

. . . by Diagnosis, United States, 1981
. . . by Diagnosis, United States, North Central Region, 1981
. . . by Diagnosis, United States, Northeastern Region, 1981
. . . by Diagnosis, United States, Southern Region, 1981
. . . by Diagnosis, United States, Western Region, 1981
. . . by Diagnosis, Canada, 1981

. . . by Operation, United States, 1981
. . . by Operation, United States, North Central Region, 1981
. . . by Operation, United States, Northeastern Region, 1981
. . . by Operation, United States, Southern Region, 1981
. . . by Operation, United States, Western Region, 1981
. . . by Operation, Canada, 1981

Geriatric Length of Stay, by Diagnosis and Operation, United States, 1981
Pediatric Length of Stay, by Diagnosis and Operation, United States, 1981

The length of stay series began in 1963, and certain volumes are still available from the Commission on Professional and Hospital Activities.

# PREFACE

This book is one volume of a set of 14 books presenting statistics on hospital stay during 1981 in North America. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Utilization Information Service (UIS) data from New York hospitals are included this year for the first time.

These statistics, which are also available on computer-readable magnetic tape, can provide a valuable perspective for physicians, administrators, utilization review authorities, and planners who make decisions based on length of hospitalization. They can also serve as an aid in establishing check points for "continued stay review" and in the implementation or revision of utilization review systems.

We extend our appreciation to the hospitals that supported this study by making their data available.

## PROJECT STAFF
## 1981 LENGTH OF STAY BOOKS

Edward J. Kobrinski, Manager, Research and Statistics
Carol A. Prevost, Research Assistant

# CONTENTS

**Preface** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . iii

**Discussion of the Data** . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1

  Source of the Data. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 1

  Data Quality. . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 2

  Coverage . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . . 3

  Organization of Length of Stay Tables. . . . . . . . . . . . . . . . . . . . 5

    Definition of Multiple Diagnosis Patients . . . . . . . . . . . . . . . . 5

    Definition of Operated Patients . . . . . . . . . . . . . . . . . . . . . 6

  Explanation of Statistics. . . . . . . . . . . . . . . . . . . . . . . . . . 6

  Defining the Extended Stay Case . . . . . . . . . . . . . . . . . . . . . . 7

**Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . . . . . 15

  Summary of All Patients in Diagnosis Groups . . . . . . . . . . . . . . . . 16

  Summary of All Patients Except Newborn . . . . . . . . . . . . . . . . . . . 17

  Diagnosis Groups 1-398 . . . . . . . . . . . . . . . . . . . . . . . . . . . 18

  Summary of All Patients in Operation Groups. . . . . . . . . . . . . . . . . 218

  Operation Groups 501-764 . . . . . . . . . . . . . . . . . . . . . . . . . . 219

**Appendix:** ***ICD-9-CM*** **Codes for Selected Diagnosis and Operation Groups** . . 285

**Index to Length of Stay Tables** . . . . . . . . . . . . . . . . . . . . . . . . 291

# DISCUSSION OF THE DATA

## Source of the Data

Data in the length of stay books were compiled from individual patient discharge records submitted by hospitals participating in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities (CPHA). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

CPHA is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is nonprofit, nongovernmental, noncommercial. CPHA is sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

The following steps explain the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ microcomputer (floppy disk), PAS Case Abstract, or magnetic tape.

2. The disk, abstract, or tape is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.

3. Data then undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.

4. The computer system continually adds data to the permanent history file. Participating hospitals are provided access to these data through interactive systems, reports, and in-house computers. The stored data are also available to researchers on a contractual basis.

5. Length of stay statistics from this file are published annually in this series of books.

## Data Quality

Data quality has always been and remains one of CPHA's major concerns. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network. CPHA's position of leadership in health information processing systems and data usage necessitates a constant striving for data accuracy.

CPHA goes to considerable length to prevent and correct errors in data submission by training hospital medical record personnel in coding and abstracting methods, by monitoring submitted data, and by meticulously checking and editing the data for errors. Over 350 checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies in the data that are detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, a sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by the computer. The remainder are referred to the hospital staff through error messages generated by the computer.

In addition to the initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events noted on a record cause that record to be excluded:

1. death
2. stillborn
3. admitted from other short-term hospital
4. discharged to other short-term hospital
5. discharged against medical advice
6. length of stay greater than 99 days is included only in the percentile calculations

These patient records were excluded because they do not represent typical short-term patients. Data that pass all the edits represent patients whose length of stay was solely determined and managed by the physician.

## Coverage

Data chosen for inclusion in the length of stay series are from general, non-federal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of the regional books. In addition to the hospitals that contribute data through PAS, the length of stay book series also has data from hospitals in New York that were contributed by Utilization Information Service (UIS). Together, PAS and UIS data provide over 80 percent coverage for the state of New York. The UIS data do not include newborn (*ICD-9-CM List A* 393-395).

Hospitals participating in PAS from United States Territories and Puerto Rico were excluded from the series. Data from psychiatric hospitals were excluded because the psychiatric hospitals are not general hospitals. Data from psychiatric units within general hospitals were included.

Characteristics of all the hospitals with data included in the length of stay books are displayed on the following page.


Northeast
North Central
West
Pacific**
Mountain
West North Central
East North Central
Middle Atlantic
New England
South Atlantic
East South Central
West South Central
South
** Includes Alaska and Hawaii

*Census Divisions and Regions in the United States*

## Bed Size, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S.
## January-December 1981

| | Short-Term Nonfederal Hospitals | | | Beds | | |
|---|---|---|---|---|---|---|
| Hospital Class (1) | U.S. Total[2] (2) | Number in Books (3) | Percent in Books (4) | U.S. Total[2] (5) | Number in Books (6) | Percent in Books (7) |
| **Bed Size** | | | | | | |
| Less than 25 beds | 266 | 23 | 8.6 | 5,064 | 453 | 8.9 |
| 25-49 | 1,024 | 137 | 13.4 | 37,104 | 5,320 | 14.3 |
| 50-99 | 1,428 | 302 | 21.1 | 102,847 | 22,330 | 21.7 |
| 100-199 | 1,320 | 371 | 28.1 | 186,598 | 53,217 | 28.5 |
| 200-299 | 702 | 260 | 37.0 | 170,295 | 63,815 | 37.5 |
| 300-399 | 404 | 150 | 37.1 | 137,385 | 51,389 | 37.4 |
| 400-499 | 266 | 96 | 36.1 | 117,812 | 42,796 | 36.3 |
| 500 or more | 316 | 82 | 25.9 | 218,042 | 54,935 | 25.2 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |
| **Region and Census Division** | | | | | | |
| Northeast | 834 | 300 | 36.0 | 211,237 | 75,760 | 35.9 |
| New England | 244 | 66 | 27.0 | 49,134 | 14,900 | 30.3 |
| Middle Atlantic | 590 | 234 | 39.7 | 162,103 | 60,860 | 37.5 |
| North Central | 1,685 | 501 | 29.7 | 288,845 | 105,014 | 36.4 |
| East North Central | 892 | 383 | 42.9 | 191,524 | 82,064 | 42.8 |
| West North Central | 793 | 118 | 14.9 | 97,321 | 22,950 | 23.6 |
| South | 2,138 | 339 | 15.9 | 329,860 | 69,651 | 21.1 |
| South Atlantic | 806 | 236 | 29.3 | 155,152 | 47,941 | 30.9 |
| East South Central | 495 | 34 | 6.9 | 70,808 | 8,635 | 12.2 |
| West South Central | 837 | 69 | 8.2 | 103,900 | 13,075 | 12.6 |
| West | 1,069 | 281 | 26.3 | 145,205 | 43,830 | 30.2 |
| Mountain | 366 | 96 | 26.2 | 40,745 | 15,473 | 38.0 |
| Pacific | 703 | 185 | 26.3 | 104,460 | 28,357 | 27.1 |
| Total | 5,726 | 1,421 | 24.8 | 975,147 | 294,255 | 30.2 |

The Pediatric book was compiled from the data of 1,405 hospitals. The Geriatric book was compiled from the data of 1,409 hospitals.

---

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1980 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

## Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross classification, a patient classification system similar to Diagnosis Related Groups (DRGs). The diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups.*[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birthweight in grams as a means of stratifying patients. The operated classification system is called *ICD-9-CM List B: Hospital Procedure Groups.* Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient data were assigned *ICD-9-CM List A* groups on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data were assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the Uniform Hospital Discharge Data Set (UHDDS)[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM.*

### Definition of Multiple Diagnosis Patients

Patients are classified in the multiple diagnosis category if they had at least one valid secondary diagnosis in addition to the principal. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM),* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained in *UHDDS Classes of Procedures, ICD-9-CM,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

### Definition of Operated Patients

In the diagnosis tables, operated patients are patients who had at least one UHDDS Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure was grouped into an *ICD-9-CM List B* number where at least one UHDDS Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures and at least one procedure that is Class 2-4: 548, 557, 575, 576, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

## Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parenthesis by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Length of stay was calculated by the computer from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission were counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell (one line of data within a table) were discharged on the day of admission, the 5th percentile is shown as "<1."

Patients who were hospitalized 100 days or longer are not included in Number of Patients, Average Stay, or Variance. The percentiles shown in columns 5 through 11, however, do include these patients.

The variance displayed is an unbiased estimate of the mean squared deviation from the average. For each cell it is calculated as $\sum_{i=1}^{N} (X_i - \overline{X})^2/(N - 1)$, where the $X_i$'s are the length of stay for each patient, $\overline{X}$ is the average stay in the cell, and N is the number of patients in the cell.

The 5th, 10th, 50th, 75th, 90th, 95th, and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Determining a stay percentile for a group of patients is done by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

## Defining the Extended Stay Case

Concurrent review of a continuous hospital stay that equals or exceeds the period defined in the hospital's utilization review plan or memorandum of understanding with the utilization review authority is called extended stay review. This review, whether applied universally to all patients within the facility or focused on known or suspected problem areas, is designed to answer the following question: Is further hospitalization medically necessary?

Ideally, this question is posed at that point in the patient's hospitalization which is neither so early as to be annoyingly pointless nor so late that opportunity for cost containment has passed. The median (50th percentile) stay for similar patients, as reflected in current length of stay tables, represents an effort to arrive at a sensible compromise as to the "correct" day on which to initiate the review process.

To satisfy the requirements for extended stay review, a method of defining an extended stay must begin with a definition of factors that affect stay. Presented here is a technique for determining extended stay review dates according to the admitting diagnosis, whether the patient had single or multiple diagnoses, whether the patient had an operation, and the patient's age. In some instances it is appropriate to determine the date for extended stay review by referring to an operation table rather than one based on the diagnosis.

An extended stay review date can be projected for each patient at the time of admission to the hospital by using one of the length of stay books published by CPHA. With the appropriate book, the six steps to determine a review date are as follows:

Step 1. Find the length of stay diagnosis or procedure group (derived from the *ICD-9-CM List A: Hospital Diagnosis Groups* or *ICD-9-CM List B: Hospital Procedure Groups*[1]) that contains the admission diagnosis or principal procedure in one of the following ways:

a. Usually the diagnosis can be found in *Concurrent Review Screening,*[2] developed for admission certification and extended stay review purposes, in which diagnoses are listed alphabetically. The length of stay group for each diagnosis is given in column 4.

b. Diagnoses and procedures can also be found in the Alphabetic Indexes at the back of the length of stay books.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] *Concurrent Review Screening—Criteria for Hospital Admission and Assignment of Length of Stay,* Second Edition, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

c. If a diagnosis is not listed in the index to the length of stay tables, the code for the diagnosis can be found in Volume 2 of *ICD-9-CM.*[1] That code can then be located in *List A* or in the heading of the length of stay table. Operated codes can be found in *ICD-9-CM,* Volume 3.

d. If a diagnosis is not clearly specified and therefore might fall into one of several diagnosis groups, the attending physician should be consulted.

Step 2. Find the appropriate table in the length of stay book. The group number precedes the title of each table.

Step 3. Find the appropriate part of the table for single or multiple diagnoses.

Step 4. If surgery is planned, find the applicable section for operated patients. For some diagnoses two or more operations with widely different lengths of stay could be performed, e.g., primary malignancy of trachea, bronchus, and lung, where the planned operation may be either bronchoscopy or a major lung resection. The second edition of *Concurrent Review Screening* directs the UR coordinator to the appropriate operation length of stay table.

Step 5. Determine the patient's age on day of admission and locate the correct age group to find the appropriate cell.

Step 6. Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (column 7) of the table intersects the horizontal line that includes the pertinent variables for the patient having an extended stay review date assigned.

Example: On 3 November a 12 year old patient is admitted to a hospital. The admitting diagnosis is viral pneumonia and no secondary diagnoses are recorded. The following illustrations show the six steps for finding the date on which the patient becomes an extended stay case and must be reviewed.

---

[1] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 2, Diseases: Alphabetic Index,* and *Volume 3, Procedures, Tabular List and Alphabetic Index,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

Step 1. The length of stay group can be found in any of the following ways:

a. Pneumonia is listed as a diagnosis in *Concurrent Review Screening*. The length of stay table is number 179.

| 1 ADMITTING DIAGNOSIS | 2 Suggested Admission Category | 3 Your Hospital's Admission Category | 4 Length of Stay Group |
|---|---|---|---|
| Pleural effusion, excluding tuberculosis | 3 | | 186 |
| Criteria for admission | | | |
| 1. *For management of underlying cause (e.g., radiation or chemotherapy for lymphoma)* | | | |
| 2. *Scheduled for operation other than thoracentesis* | | | |
| 3. | | | |
| 4. | | | |
| Pleurisy, without mention of effusion or tbc * | 4 | | 186 |
| Pneumonia | | | |
| acute interstitial | 3 | | 17 |
| broncho-, organism not specified | 3 | | 179 |
| chronic, interstitial | 3 | | 186 |
| lobar | 3 | | 179 |
| organism or type not specified | 3 | | 179 |
| pneumococcal | 3 | | 179 |
| viral | 3 | | 179 |
| Criteria for admission (for above 7) | | | |
| 1. *Respiratory distress (cyanosis, dyspnea at rest, tachypnea $>$ 40 resp/min, $PO_2 < 50$)* | | | |
| 2. *Complicating respiratory disease e.g., emphysema, COPD, asthma* | | | |
| 3. *Serious complicating illness, e.g., diabetes mellitus, leukemia, steroid therapy, neoplasms, renal disease* | | | |
| 4. | | | |
| 5. | | | |

b. The Alphabetic Index at the back of the length of stay book shows that pneumonia is included in diagnosis group 179.



DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| **179** | **Pneumonia, except influenzal** |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

c. Pneumonia can be found in Volume 2 of *ICD-9-CM* on page 586.



**Pleurodynia** **INDEX TO DISEASES**

**Pleurodynia** — *continued*
  epidemic 074.1
  viral 074.1
**Pleurohepatitis** 573.8
**Pleuropericarditis** *(see also* Pericarditis) 423.9
  acute 420.90
**Pleuropneumonia** (acute) (bilateral) (double) (septic) *(see also* Pneumonia) 486
  chronic *(see also* Fibrosis, lung) 515
**Pleurorrhea** *(see also* Hydrothorax) 511.8
**Plexitis, brachial** 353.0
**Plica**
  polonica 132.0
  tonsil 474.8
**Plicae dysphonia ventricularis** 784.49
**Plicated tongue** 529.5
  congenital 750.13
**Plug**
  bronchus NEC 519.1
  meconium (newborn) NEC 777.1
  mucus — *see* Mucus, plug
**Plumbism** 984.9
  specified type of lead — *see* Table of drugs and chemicals
**Plummer's disease** (toxic nodular goiter) 242.3
**Plummer-Vinson syndrome** (sideropenic dysphagia) 280.8
**Pluricarential syndrome of infancy** 260
**Plurideficiency syndrome of infancy** 260
**Plus** (and minus) hand (intrinsic) 736.09
**Pneumathemia** — *see* Air, embolism, by type
**Pneumatic drill or hammer disease** 994.9
**Pneumatocele** (lung) 518.8
  intracranial 348.8
  tension 492.0
**Pneumatosis**
  cystoides intestinalis 569.89
  peritonei 568.89
  pulmonum 492.8
**Pneumaturia** 599.8
**Pneumoblastoma** (M8981/3) — *see* Neoplasm, lung, malignant
**Pneumocephalus** 348.8
**Pneumococcemia** 038.2
  with pneumonia 481
**Pneumococcus, pneumococcal** — *see* condition
**Pneumoconiosis** (due to) (inhalation of) 505
  aluminum 503
  asbestos 501
  bagasse 495.1
  bauxite 503
  beryllium 503
  carbon electrode makers' 503
  coal
    miners' (simple) 500
    workers' (simple) 500
  cotton dust 504

**Pneumoconiosis** (due to) (inhalation of) — *continued*
  diatomite fibrosis 502
  dust NEC 504
    inorganic 503
    lime 502
    marble 502
    organic NEC 504
  fumes or vapors (from silo) 506.9
  graphite 503
  hard metal 503
  mica 502
  moldy hay 495.0
  rheumatoid 714.81
  silica NEC 502
    and carbon 500
  silicate NEC 502
  talc 502
**Pneumocystis carinii pneumonia** 136.3
**Pneumocystosis** 136.3
  with pneumonia 136.3
**Pneumoenteritis** 025
**Pneumohemopericardium** *(see also* Pericarditis) 423.9
**Pneumohemothorax** *(see also* Hemothorax) 511.8
  traumatic 860.4
    with open wound into thorax 860.5
**Pneumohydropericardium** *(see also* Pericarditis) 423.9
**Pneumohydrothorax** *(see also* Hydrothorax) 511.8
**Pneumomediastinum** 518.1
  congenital 770.2
  fetus or newborn 770.2
**Pneumomycosis** 117.9
**Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive ) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (intrauterine) (latent) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486**
  with influenza, flu, or grippe 487.0
  adenoviral 480.0
  adynamic 514
  alba 090.0
  allergic 518.3
  alveolar — *see* Pneumonia, lobar
  anthrax 022.1 *[484.5]*
  apex, apical — *see* Pneumonia, lobar
  ascaris 127.0
  aspiration 507.0

**586**

Step 2. Find the table for group 179 in the length of stay book.

### 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 470 | 5.8 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 1-11 MOS | 8897 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14878 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 6-12 YRS | 5241 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 2746 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 10 | 10 |
| 1-11 MOS | 53 | 6.5 | 18 | 2 | 3 | 5 | 8 | 12 | 13 | 27 |
| 1-5 YRS | 72 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 47 |
| 6-12 YRS | 43 | 9.2 | 55 | 1 | 2 | 7 | 15 | 19 | 25 | 29 |
| 13-19 YRS | 44 | 9.7 | 54 | 2 | 2 | 8 | 14 | 18 | 23 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 330 | 7.2 | 17 | 2 | 3 | 6 | 9 | 13 | 16 | 21 |
| 1-11 MOS | 7894 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 21 |
| 1-5 YRS | 13395 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 6-12 YRS | 3717 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 13-19 YRS | 2110 | 6.4 | 20 | 2 | 3 | 5 | 8 | 11 | 14 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 13 | 11.6 | 59 | 4 | 6 | 9 | 12 | 22 | 32 | 34 |
| 1-11 MOS | 169 | 13.7 | 157 | 3 | 4 | 10 | 17 | 28 | 46 | 95 |
| 1-5 YRS | 251 | 12.2 | 112 | 3 | 3 | 9 | 15 | 24 | 32 | 64 |
| 6-12 YRS | 124 | 12.1 | 54 | 3 | 4 | 11 | 17 | 22 | 26 | 34 |
| 13-19 YRS | 139 | 15.7 | 147 | 3 | 4 | 12 | 20 | 34 | 41 | 58 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 32232 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 221 | 8.1 | 47 | 2 | 2 | 6 | 10 | 17 | 20 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27446 | 5.5 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | 696 | 13.2 | 120 | 3 | 4 | 10 | 17 | 25 | 36 | 69 |
| **1. SINGLE DX** | 32453 | 4.7 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 28142 | 5.7 | 19 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| **A. NOT OPERATED** | 59678 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| **B. OPERATED** | 917 | 12.0 | 107 | 2 | 3 | 9 | 16 | 23 | 32 | 63 |
| TOTAL 0-27 DYS | 822 | 6.5 | 14 | 2 | 3 | 6 | 8 | 11 | 13 | 20 |
| 1-11 MOS | 17013 | 5.6 | 15 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 1-5 YRS | 28596 | 4.8 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 6-12 YRS | 9125 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 13-19 YRS | 5039 | 6.0 | 20 | 2 | 3 | 5 | 7 | 10 | 13 | 25 |
| **GRAND TOTAL** | **60595** | **5.2** | **13** | **2** | **2** | **4** | **6** | **9** | **11** | **18** |

Step 3. There are no secondary diagnoses recorded, so attention is directed to the top ten lines of the table (1. Single Dx).



**179: Pneumonia (480-486)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 470 | 5.8 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 1-11 MOS | 8897 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14878 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 6-12 YRS | 5241 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 2746 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 10 | 10 |
| 1-11 MOS | 53 | 6.5 | 18 | 2 | 3 | 5 | 8 | 12 | 13 | 27 |
| 1-5 YRS | 72 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 47 |
| 6-12 YRS | 43 | 9.2 | 55 | 1 | 2 | 7 | 15 | 19 | 25 | 29 |
| 13-19 YRS | 44 | 9.7 | 54 | 2 | 2 | 8 | 14 | 18 | 23 | 33 |

Step 4. Since no surgery is scheduled, use the first five lines of the table (Section 1.A).



**179: Pneumonia (480-486)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 470 | 5.8 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 1-11 MOS | 8897 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14878 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 6-12 YRS | 5241 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 2746 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 10 | 10 |
| 1-11 MOS | 53 | 6.5 | 18 | 2 | 3 | 5 | 8 | 12 | 13 | 27 |
| 1-5 YRS | 72 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 47 |
| 6-12 YRS | 43 | 9.2 | 55 | 1 | 2 | 7 | 15 | 19 | 25 | 29 |
| 13-19 YRS | 44 | 9.7 | 54 | 2 | 2 | 8 | 14 | 18 | 23 | 33 |

Step 5. The patient is 12 years old and therefore falls in the age group 6-12.



**179: Pneumonia (480-486)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 470 | 5.8 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 1-11 MOS | 8897 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14878 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 6-12 YRS | 5241 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 2746 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 10 | 10 |
| 1-11 MOS | 53 | 6.5 | 18 | 2 | 3 | 5 | 8 | 12 | 13 | 27 |
| 1-5 YRS | 72 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 47 |
| 6-12 YRS | 43 | 9.2 | 55 | 1 | 2 | 7 | 15 | 19 | 25 | 29 |
| 13-19 YRS | 44 | 9.7 | 54 | 2 | 2 | 8 | 14 | 18 | 23 | 33 |

Step 6. The 50th percentile day is the date assigned for initial extended stay review. Column 7 shows the fourth day after admission to be the day that this patient comes up for extended stay review.



**179: Pneumonia (480-486)**

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 470 | 5.8 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 15 |
| 1-11 MOS | 8897 | 5.0 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14878 | 4.4 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 6-12 YRS | 5241 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 2746 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.7 | 6 | 2 | 2 | 6 | 7 | 9 | 10 | 10 |
| 1-11 MOS | 53 | 6.5 | 18 | 2 | 3 | 5 | 8 | 12 | 13 | 27 |
| 1-5 YRS | 72 | 8.1 | 61 | 1 | 2 | 6 | 10 | 15 | 24 | 47 |
| 6-12 YRS | 43 | 9.2 | 55 | 1 | 2 | 7 | 15 | 19 | 25 | 29 |
| 13-19 YRS | 44 | 9.7 | 54 | 2 | 2 | 8 | 14 | 18 | 23 | 33 |

The patient was admitted on 3 November; therefore, the fourth day will fall on 7 November. Prior to or on 7 November, the groups responsible for conducting extended stay review will make a finding as to whether further stay is medically necessary.

In the above example, the stay percentile used to define extended stay was the 50th percentile (column 7). If, based on the initial review, the patient's stay in the hospital was approved for extension beyond the 50th percentile, the date for the second extended stay review is determined in accordance with the hospital's plan, e.g., the 75th percentile.

Subsequent extended stay review dates should be set by the physician advisor or the utilization review committee as necessary based on the patient's medical condition and the attending physician's evaluation of the patient's progress.

# Length of Stay Tables
# Diagnosis Groups

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 594528 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 1-11 MOS | 47943 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 1-5 YRS | 97339 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 6-12 YRS | 65195 | 3.6 | 24 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 13-19 YRS | 173384 | 4.0 | 35 | <1 | 1 | 3 | 4 | 7 | 10 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1346 | 5.3 | 41 | 1 | 1 | 4 | 6 | 9 | 15 | 39 |
| 1-11 MOS | 12070 | 3.3 | 18 | <1 | <1 | 2 | 4 | 7 | 10 | 21 |
| 1-5 YRS | 68433 | 2.3 | 10 | <1 | <1 | 2 | 2 | 4 | 7 | 16 |
| 6-12 YRS | 93067 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 13-19 YRS | 227659 | 3.3 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 270103 | 4.9 | 24 | 2 | 2 | 4 | 5 | 7 | 11 | 27 |
| 1-11 MOS | 56698 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 1-5 YRS | 100958 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 6-12 YRS | 51049 | 4.2 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 13-19 YRS | 111803 | 5.5 | 65 | 1 | 1 | 3 | 6 | 10 | 17 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 9557 | 17.4 | 374 | 2 | 3 | 10 | 24 | 50 | 71 | 99+ |
| 1-11 MOS | 8116 | 7.0 | 96 | <1 | 1 | 3 | 8 | 17 | 26 | 59 |
| 1-5 YRS | 48173 | 3.2 | 29 | <1 | <1 | 2 | 2 | 7 | 11 | 29 |
| 6-12 YRS | 46067 | 4.0 | 39 | <1 | 1 | 2 | 4 | 8 | 13 | 33 |
| 13-19 YRS | 123269 | 5.5 | 53 | 1 | 1 | 4 | 6 | 10 | 16 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 978389 | 3.4 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| B. *Operated* | 402575 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 590611 | 4.8 | 30 | 1 | 2 | 4 | 5 | 8 | 12 | 30 |
| B. *Operated* | 235182 | 5.3 | 67 | <1 | 1 | 3 | 5 | 11 | 18 | 49 |
| **1. SINGLE DX** | 1380964 | 3.3 | 11 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 825793 | 5.0 | 41 | 1 | 1 | 3 | 5 | 9 | 13 | 36 |
| **A. NOT OPERATED** | 1569000 | 3.9 | 19 | 1 | 1 | 3 | 4 | 6 | 9 | 21 |
| **B. OPERATED** | 637757 | 3.8 | 33 | <1 | 1 | 2 | 4 | 7 | 11 | 30 |
| TOTAL 0-27 DYS | 875534 | 3.9 | 16 | 1 | 2 | 3 | 4 | 6 | 7 | 19 |
| 1-11 MOS | 124827 | 4.6 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 1-5 YRS | 314903 | 3.4 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 6-12 YRS | 255378 | 3.5 | 24 | <1 | 1 | 2 | 4 | 7 | 9 | 25 |
| 13-19 YRS | 636115 | 4.3 | 36 | 1 | 1 | 3 | 5 | 8 | 11 | 33 |
| **GRAND TOTAL** | **2206757** | **3.9** | **23** | **1** | **1** | **3** | **4** | **7** | **9** | **24** |

## SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11094 | 3.8 | 14 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| 1-11 MOS | 47943 | 4.1 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 1-5 YRS | 97339 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 6-12 YRS | 65195 | 3.6 | 24 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| 13-19 YRS | 173384 | 4.0 | 35 | <1 | 1 | 3 | 4 | 7 | 10 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1052 | 5.2 | 39 | 1 | 1 | 4 | 6 | 9 | 15 | 39 |
| 1-11 MOS | 12070 | 3.3 | 18 | <1 | <1 | 2 | 4 | 7 | 10 | 21 |
| 1-5 YRS | 68433 | 2.3 | 10 | <1 | <1 | 2 | 2 | 4 | 7 | 16 |
| 6-12 YRS | 93067 | 2.8 | 12 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 13-19 YRS | 227659 | 3.3 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6963 | 6.4 | 50 | 1 | 2 | 4 | 7 | 13 | 20 | 38 |
| 1-11 MOS | 56698 | 5.0 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| 1-5 YRS | 100958 | 4.1 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| 6-12 YRS | 51049 | 4.2 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 13-19 YRS | 111803 | 5.5 | 65 | 1 | 1 | 3 | 6 | 10 | 17 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 950 | 11.5 | 217 | 1 | 2 | 7 | 13 | 29 | 52 | 99+ |
| 1-11 MOS | 8116 | 7.0 | 96 | <1 | 1 | 3 | 8 | 17 | 26 | 59 |
| 1-5 YRS | 48173 | 3.2 | 29 | <1 | <1 | 2 | 2 | 7 | 11 | 29 |
| 6-12 YRS | 46067 | 4.0 | 39 | <1 | 1 | 2 | 4 | 8 | 13 | 33 |
| 13-19 YRS | 123269 | 5.5 | 53 | 1 | 1 | 4 | 6 | 10 | 16 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394955 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 9 | 25 |
| B. *Operated* | 402281 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 327471 | 4.8 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 32 |
| B. *Operated* | 226575 | 4.8 | 49 | <1 | 1 | 3 | 5 | 9 | 15 | 39 |
| **1. SINGLE DX** | 797236 | 3.4 | 17 | <1 | 1 | 2 | 4 | 6 | 8 | 20 |
| **2. MULTIPLE DX** | 554046 | 4.8 | 41 | 1 | 1 | 3 | 5 | 9 | 14 | 35 |
| **A. NOT OPERATED** | 722426 | 4.3 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 29 |
| **B. OPERATED** | 628856 | 3.6 | 25 | <1 | 1 | 2 | 4 | 7 | 10 | 26 |
| TOTAL 0-27 DYS | 20059 | 5.1 | 41 | 1 | 1 | 3 | 6 | 10 | 15 | 35 |
| 1-11 MOS | 124827 | 4.6 | 21 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 1-5 YRS | 314903 | 3.4 | 15 | <1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 6-12 YRS | 255378 | 3.5 | 24 | <1 | 1 | 2 | 4 | 7 | 9 | 25 |
| 13-19 YRS | 636115 | 4.3 | 36 | 1 | 1 | 3 | 5 | 8 | 11 | 33 |
| **GRAND TOTAL** | **1351282** | **4.0** | **28** | **1** | **1** | **3** | **4** | **7** | **11** | **27** |

## 1: Intestinal infectious disease (001-009)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 215 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 1-11 MOS | 2170 | 4.1 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 1-5 YRS | 2778 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 6-12 YRS | 1849 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 13-19 YRS | 1813 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 22 | 7.3 | 19 | 1 | 2 | 7 | 9 | 12 | 16 | 21 |
| 1-5 YRS | 31 | 5.9 | 27 | 1 | 1 | 4 | 8 | 11 | 15 | 27 |
| 6-12 YRS | 30 | 5.5 | 28 | 2 | 2 | 4 | 6 | 8 | 8 | 32 |
| 13-19 YRS | 74 | 5.3 | 11 | 2 | 2 | 5 | 7 | 9 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 155 | 6.0 | 28 | 1 | 2 | 4 | 7 | 11 | 17 | 23 |
| 1-11 MOS | 2838 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 1-5 YRS | 3463 | 3.8 | 7 | 1 | 2 | 3 | 5 | 6 | 9 | 14 |
| 6-12 YRS | 1309 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 1220 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 57 | 9.9 | 86 | 2 | 3 | 7 | 10 | 21 | 26 | 49 |
| 1-5 YRS | 38 | 8.8 | 43 | 2 | 2 | 7 | 11 | 19 | 25 | 28 |
| 6-12 YRS | 22 | 5.0 | 5 | 2 | 3 | 5 | 6 | 8 | 10 | 10 |
| 13-19 YRS | 53 | 6.7 | 18 | 1 | 2 | 6 | 9 | 13 | 15 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8825 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 159 | 5.7 | 18 | 2 | 2 | 5 | 7 | 9 | 11 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8985 | 4.0 | 8 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 175 | 7.9 | 46 | 2 | 3 | 6 | 9 | 16 | 21 | 36 |
| **1. SINGLE DX** | 8984 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 9160 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 17810 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **B. OPERATED** | 334 | 6.8 | 34 | 2 | 2 | 5 | 8 | 12 | 20 | 29 |
| TOTAL 0-27 DYS | 377 | 5.0 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 19 |
| 1-11 MOS | 5087 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| 1-5 YRS | 6310 | 3.7 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 6-12 YRS | 3210 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 3160 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **18144** | **3.8** | **8** | **1** | **1** | **3** | **5** | **7** | **8** | **14** |

## 2: Respiratory tuberculosis (010-012)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 10 | 17.2 | 480 | 3 | 3 | 9 | 12 | 58 | 64 | 64 |
| 1-5 YRS | 36 | 7.2 | 51 | 2 | 3 | 4 | 9 | 18 | 24 | 33 |
| 6-12 YRS | 7 | 6.6 | 24 | 1 | 2 | 5 | 8 | 15 | 16 | 16 |
| 13-19 YRS | 26 | 10.1 | 73 | 1 | 3 | 9 | 13 | 18 | 27 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 13.7 | 86 | 3 | 3 | 18 | 19 | 20 | 20 | 20 |
| 1-5 YRS | 6 | 7.5 | 35 | 2 | 2 | 6 | 13 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 11 | 8.0 | 21 | <1 | 1 | 10 | 10 | 14 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 12.7 | 52 | 8 | 8 | 9 | 18 | 21 | 21 | 21 |
| 1-5 YRS | 10 | 7.1 | 17 | 2 | 2 | 7 | 9 | 13 | 14 | 14 |
| 6-12 YRS | 6 | 4.3 | 5 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 20 | 10.9 | 52 | 2 | 3 | 9 | 14 | 22 | 27 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 3.7 | 1 | 3 | 3 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 3 | 18.3 | 44 | 14 | 14 | 15 | 23 | 26 | 26 | 26 |
| 13-19 YRS | 8 | 9.0 | 9 | 4 | 5 | 9 | 10 | 13 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 80 | 9.3 | 113 | 2 | 3 | 5 | 11 | 18 | 29 | 60 |
| B. *Operated* | 20 | 8.7 | 34 | <1 | 1 | 9 | 13 | 17 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 9.0 | 41 | 2 | 3 | 8 | 13 | 17 | 24 | 28 |
| B. *Operated* | 15 | 9.9 | 35 | 3 | 3 | 9 | 13 | 15 | 23 | 26 |
| **1. SINGLE DX** | 100 | 9.2 | 97 | 1 | 3 | 6 | 11 | 18 | 24 | 58 |
| **2. MULTIPLE DX** | 54 | 9.3 | 39 | 2 | 3 | 8 | 13 | 16 | 25 | 28 |
| **A. NOT OPERATED** | 119 | 9.2 | 89 | 2 | 3 | 7 | 12 | 18 | 26 | 56 |
| **B. OPERATED** | 35 | 9.2 | 34 | 1 | 2 | 9 | 13 | 16 | 19 | 26 |
| TOTAL 0-27 DYS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 16 | 15.7 | 310 | 3 | 3 | 9 | 19 | 49 | 60 | 64 |
| 1-5 YRS | 55 | 7.0 | 40 | 2 | 3 | 4 | 9 | 16 | 22 | 33 |
| 6-12 YRS | 16 | 7.9 | 45 | 1 | 2 | 6 | 11 | 16 | 23 | 26 |
| 13-19 YRS | 65 | 9.8 | 49 | 1 | 3 | 9 | 13 | 16 | 25 | 39 |
| **GRAND TOTAL** | **154** | **9.2** | **76** | **2** | **3** | **7** | **12** | **18** | **24** | **52** |

## 3: Nonrespiratory tuberculosis (013-018)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 2 | 12.0 | 162 | 3 | 3 | 12 | 21 | 21 | 21 | 21 |
| 6-12 YRS | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 6 | 10.3 | 92 | 1 | 1 | 10 | 18 | 21 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 8.0 | 72 | 2 | 2 | 5 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 15 | 3.1 | 9 | <1 | <1 | 2 | 4 | 9 | 10 | 11 |
| 6-12 YRS | 7 | 7.3 | 60 | 1 | 1 | 4 | 13 | 20 | 21 | 21 |
| 13-19 YRS | 13 | 10.5 | 163 | 1 | 2 | 6 | 15 | 23 | 44 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 43.0 | | 43 | 43 | 43 | 43 | 43 | 43 | 43 |
| 1-5 YRS | 10 | 17.6 | 192 | 3 | 3 | 16 | 32 | 36 | 39 | 39 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 9.6 | 83 | 2 | 2 | 6 | 16 | 24 | 24 | 24 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 12.3 | 57 | 5 | 5 | 9 | 19 | 22 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 9.5 | 77 | 1 | 1 | 3 | 18 | 21 | 21 | 21 |
| B. *Operated* | 37 | 6.8 | 81 | <1 | 1 | 3 | 9 | 15 | 20 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 18.3 | 240 | <1 | 2 | 16 | 33 | 40 | 43 | 43 |
| B. *Operated* | 13 | 10.7 | 61 | 2 | 3 | 6 | 18 | 23 | 24 | 24 |
| **1. SINGLE DX** | 48 | 7.4 | 79 | <1 | 1 | 3 | 12 | 18 | 21 | 49 |
| **2. MULTIPLE DX** | 25 | 14.4 | 156 | 1 | 3 | 9 | 22 | 34 | 40 | 43 |
| **A. NOT OPERATED** | 23 | 14.1 | 176 | <1 | 1 | 11 | 21 | 35 | 40 | 43 |
| **B. OPERATED** | 50 | 7.8 | 77 | <1 | 1 | 5 | 11 | 19 | 23 | 49 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 13.0 | 308 | 1 | 1 | 5 | 21 | 43 | 43 | 43 |
| 1-5 YRS | 32 | 9.2 | 117 | <1 | 1 | 4 | 12 | 26 | 34 | 39 |
| 6-12 YRS | 9 | 7.6 | 53 | 1 | 1 | 4 | 14 | 19 | 21 | 21 |
| 13-19 YRS | 27 | 10.6 | 110 | 1 | 1 | 6 | 17 | 21 | 27 | 49 |
| **GRAND TOTAL** | **73** | **9.8** | **115** | **<1** | **1** | **5** | **15** | **22** | **34** | **48** |

## 4: Streptococcal sore throat and scarlet fever (034)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.3 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 32 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 1-5 YRS | 287 | 2.8 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 387 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 284 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 1.9 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 64 | 1.8 | 2 | 1 | 1 | 2 | 2 | 2 | 2 | 9 |
| 13-19 YRS | 22 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.5 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 51 | 3.7 | 3 | 1 | 2 | 4 | 5 | 5 | 7 | 9 |
| 1-5 YRS | 489 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 6-12 YRS | 573 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 13-19 YRS | 355 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 23 | 3.8 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 6-12 YRS | 33 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 7 |
| 13-19 YRS | 19 | 3.7 | 14 | 1 | 1 | 2 | 3 | 10 | 13 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 993 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 94 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1474 | 3.4 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| B. *Operated* | 76 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 16 |
| **1. SINGLE DX** | 1087 | 2.8 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 1550 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **A. NOT OPERATED** | 2467 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **B. OPERATED** | 170 | 2.6 | 5 | 1 | 1 | 2 | 2 | 5 | 7 | 14 |
| TOTAL 0-27 DYS | 9 | 4.1 | 1 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 84 | 3.7 | 3 | 1 | 2 | 4 | 4 | 5 | 7 | 9 |
| 1-5 YRS | 807 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 6-12 YRS | 1057 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 13-19 YRS | 680 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| **GRAND TOTAL** | **2637** | **3.1** | **4** | **1** | **1** | **3** | **4** | **5** | **6** | **10** |

## 5: Septicemia (038)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 173 | 6.7 | 13 | 2 | 3 | 6 | 9 | 11 | 12 | 19 |
| 1-11 MOS | 420 | 5.4 | 13 | 1 | 2 | 4 | 7 | 11 | 11 | 18 |
| 1-5 YRS | 318 | 5.2 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 6-12 YRS | 56 | 7.1 | 57 | 2 | 2 | 5 | 8 | 14 | 24 | 39 |
| 13-19 YRS | 43 | 6.6 | 27 | 2 | 3 | 5 | 8 | 13 | 16 | 30 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 8 | 9.1 | 12 | 4 | 5 | 9 | 11 | 14 | 15 | 15 |
| 1-11 MOS | 12 | 6.1 | 28 | <1 | 1 | 5 | 8 | 14 | 19 | 20 |
| 1-5 YRS | 6 | 14.7 | 146 | 2 | 3 | 10 | 21 | 34 | 36 | 36 |
| 6-12 YRS | 1 | 18.0 |  | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 13-19 YRS | 2 | 8.0 |  | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 143 | 7.4 | 19 | 2 | 3 | 7 | 10 | 14 | 15 | 24 |
| 1-11 MOS | 447 | 6.8 | 19 | 2 | 2 | 6 | 9 | 12 | 14 | 24 |
| 1-5 YRS | 431 | 6.8 | 30 | 2 | 2 | 5 | 8 | 13 | 16 | 29 |
| 6-12 YRS | 95 | 8.4 | 48 | 2 | 3 | 7 | 10 | 18 | 21 | 39 |
| 13-19 YRS | 116 | 10.4 | 77 | 3 | 3 | 7 | 13 | 27 | 31 | 60 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 19 | 10.2 | 33 | 2 | 3 | 10 | 13 | 19 | 22 | 23 |
| 1-11 MOS | 45 | 14.6 | 136 | 3 | 5 | 11 | 17 | 26 | 44 | 59 |
| 1-5 YRS | 31 | 14.0 | 135 | 2 | 4 | 10 | 18 | 31 | 42 | 50 |
| 6-12 YRS | 15 | 18.3 | 126 | 2 | 4 | 19 | 29 | 33 | 34 | 34 |
| 13-19 YRS | 23 | 17.0 | 223 | 5 | 6 | 10 | 24 | 32 | 47 | 71 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1010 | 5.7 | 16 | 2 | 2 | 5 | 7 | 11 | 12 | 18 |
| B. *Operated* | 29 | 9.2 | 54 | 1 | 2 | 8 | 11 | 19 | 22 | 36 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1232 | 7.3 | 31 | 2 | 2 | 6 | 10 | 14 | 17 | 30 |
| B. *Operated* | 133 | 14.7 | 136 | 2 | 5 | 11 | 19 | 30 | 34 | 61 |
| **1. SINGLE DX** | 1039 | 5.8 | 17 | 2 | 2 | 5 | 8 | 11 | 12 | 20 |
| **2. MULTIPLE DX** | 1365 | 8.1 | 46 | 2 | 2 | 6 | 10 | 15 | 22 | 34 |
| **A. NOT OPERATED** | 2242 | 6.6 | 25 | 2 | 2 | 5 | 8 | 12 | 15 | 28 |
| **B. OPERATED** | 162 | 13.7 | 126 | 2 | 4 | 10 | 18 | 29 | 34 | 58 |
| TOTAL 0-27 DYS | 343 | 7.2 | 17 | 2 | 3 | 6 | 10 | 12 | 15 | 21 |
| 1-11 MOS | 924 | 6.6 | 25 | 2 | 2 | 5 | 9 | 12 | 15 | 24 |
| 1-5 YRS | 786 | 6.5 | 31 | 2 | 2 | 5 | 8 | 12 | 16 | 31 |
| 6-12 YRS | 167 | 8.9 | 66 | 2 | 3 | 6 | 10 | 19 | 28 | 39 |
| 13-19 YRS | 184 | 10.3 | 90 | 3 | 3 | 7 | 12 | 26 | 31 | 60 |
| **GRAND TOTAL** | **2404** | **7.1** | **35** | **2** | **2** | **5** | **9** | **13** | **17** | **32** |

## 6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 30 | 10.9 | 45 | 3 | 3 | 11 | 15 | 22 | 24 | 24 |
| 1-11 MOS | 246 | 7.6 | 21 | 2 | 2 | 7 | 11 | 13 | 15 | 23 |
| 1-5 YRS | 275 | 8.0 | 22 | 1 | 2 | 8 | 11 | 14 | 16 | 22 |
| 6-12 YRS | 87 | 6.6 | 23 | 1 | 1 | 5 | 10 | 13 | 15 | 22 |
| 13-19 YRS | 183 | 6.6 | 19 | 2 | 2 | 5 | 9 | 13 | 15 | 18 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 16.0 |  | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 9 | 10.2 | 8 | 4 | 6 | 10 | 12 | 14 | 14 | 14 |
| 1-5 YRS | 23 | 8.2 | 21 | 1 | 2 | 9 | 12 | 14 | 15 | 15 |
| 6-12 YRS | 5 | 7.6 | 60 | 1 | 1 | 5 | 12 | 20 | 20 | 20 |
| 13-19 YRS | 14 | 10.4 | 137 | <1 | 1 | 7 | 11 | 25 | 41 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 22 | 7.1 | 12 | 3 | 3 | 6 | 10 | 12 | 13 | 15 |
| 1-11 MOS | 191 | 9.0 | 30 | 2 | 3 | 8 | 12 | 16 | 18 | 24 |
| 1-5 YRS | 212 | 7.3 | 21 | 1 | 2 | 6 | 11 | 14 | 16 | 20 |
| 6-12 YRS | 92 | 6.9 | 31 | 2 | 2 | 5 | 10 | 13 | 19 | 26 |
| 13-19 YRS | 130 | 6.5 | 17 | 2 | 2 | 5 | 9 | 12 | 14 | 19 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 13.0 | 8 | 11 | 11 | 13 | 15 | 15 | 15 | 15 |
| 1-11 MOS | 18 | 13.8 | 32 | 7 | 7 | 13 | 17 | 20 | 26 | 29 |
| 1-5 YRS | 18 | 12.3 | 75 | <1 | 2 | 11 | 15 | 22 | 33 | 39 |
| 6-12 YRS | 9 | 8.8 | 54 | 2 | 2 | 5 | 17 | 19 | 20 | 20 |
| 13-19 YRS | 13 | 10.2 | 41 | 2 | 3 | 8 | 15 | 18 | 23 | 24 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 821 | 7.5 | 23 | 1 | 2 | 7 | 11 | 14 | 16 | 22 |
| B. *Operated* | 52 | 9.2 | 52 | 1 | 2 | 9 | 12 | 15 | 20 | 45 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 647 | 7.6 | 25 | 2 | 2 | 6 | 11 | 14 | 17 | 22 |
| B. *Operated* | 60 | 11.8 | 50 | 2 | 3 | 11 | 16 | 20 | 23 | 38 |
| **1. SINGLE DX** | 873 | 7.6 | 25 | 1 | 2 | 7 | 11 | 14 | 16 | 23 |
| **2. MULTIPLE DX** | 707 | 7.9 | 28 | 2 | 2 | 7 | 11 | 15 | 18 | 23 |
| **A. NOT OPERATED** | 1468 | 7.5 | 24 | 2 | 2 | 7 | 11 | 14 | 16 | 22 |
| **B. OPERATED** | 112 | 10.6 | 52 | 1 | 2 | 10 | 14 | 18 | 23 | 41 |
| TOTAL 0-27 DYS | 55 | 9.6 | 34 | 3 | 3 | 8 | 13 | 17 | 22 | 24 |
| 1-11 MOS | 464 | 8.5 | 26 | 2 | 3 | 8 | 11 | 15 | 17 | 24 |
| 1-5 YRS | 528 | 7.9 | 24 | 1 | 2 | 8 | 11 | 14 | 16 | 21 |
| 6-12 YRS | 193 | 6.8 | 29 | 1 | 2 | 5 | 10 | 14 | 18 | 23 |
| 13-19 YRS | 340 | 6.9 | 24 | 2 | 2 | 5 | 9 | 13 | 15 | 23 |
| **GRAND TOTAL** | **1580** | **7.8** | **26** | **2** | **2** | **7** | **11** | **14** | **17** | **23** |

## 7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 125 | 4.9 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 1-11 MOS | 457 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-5 YRS | 364 | 3.7 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 6-12 YRS | 706 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 759 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 6.3 | 7 | 4 | 4 | 5 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 10 | 5.8 | 10 | 2 | 2 | 5 | 7 | 10 | 13 | 13 |
| 1-5 YRS | 6 | 8.7 | 57 | 3 | 3 | 5 | 11 | 22 | 23 | 23 |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 7.0 | 57 | 2 | 2 | 4 | 7 | 20 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 45 | 5.5 | 9 | 2 | 3 | 5 | 6 | 10 | 12 | 15 |
| 1-11 MOS | 248 | 5.0 | 10 | 1 | 2 | 4 | 6 | 10 | 11 | 16 |
| 1-5 YRS | 141 | 5.2 | 12 | 2 | 2 | 4 | 6 | 10 | 13 | 19 |
| 6-12 YRS | 191 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 13-19 YRS | 199 | 4.8 | 19 | 1 | 2 | 4 | 6 | 9 | 11 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 7.7 | 41 | 3 | 3 | 5 | 12 | 15 | 15 | 15 |
| 1-11 MOS | 12 | 7.8 | 18 | 3 | 3 | 7 | 10 | 13 | 17 | 18 |
| 1-5 YRS | 3 | 11.7 | 6 | 9 | 9 | 12 | 13 | 14 | 14 | 14 |
| 6-12 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 13-19 YRS | 6 | 12.3 | 60 | 5 | 5 | 13 | 23 | 85 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2411 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 30 | 6.5 | 27 | 2 | 2 | 5 | 7 | 12 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 824 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| B. *Operated* | 25 | 10.0 | 39 | 3 | 4 | 9 | 14 | 24 | 41 | 99+ |
| **1. SINGLE DX** | 2441 | 3.7 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 849 | 4.9 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 18 |
| **A. NOT OPERATED** | 3235 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 55 | 8.1 | 35 | 2 | 3 | 6 | 11 | 18 | 24 | 95 |
| TOTAL 0-27 DYS | 179 | 5.2 | 8 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 1-11 MOS | 727 | 4.5 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 13 |
| 1-5 YRS | 514 | 4.2 | 9 | 1 | 2 | 3 | 5 | 8 | 10 | 14 |
| 6-12 YRS | 900 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 13-19 YRS | 970 | 4.0 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **GRAND TOTAL** | **3290** | **4.0** | **8** | **1** | **2** | **3** | **5** | **7** | **10** | **14** |

## 8: Viral diseases with exanthem (050-057)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 4.1 | 12 | 1 | 1 | 3 | 4 | 9 | 13 | 13 |
| 1-11 MOS | 462 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 10 |
| 1-5 YRS | 703 | 3.3 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 6-12 YRS | 178 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 13-19 YRS | 240 | 4.6 | 22 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 16.8 | 794 | 2 | 2 | 3 | 69 | 99+ | 99+ | 99+ |
| 1-5 YRS | 3 | 6.3 | 8 | 3 | 3 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 7.1 | 102 | 1 | 1 | 3 | 5 | 24 | 33 | 34 |
| 1-11 MOS | 428 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 1-5 YRS | 1112 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 6-12 YRS | 310 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 13-19 YRS | 325 | 5.0 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 28.0 | 288 | 16 | 16 | 28 | 40 | 40 | 40 | 40 |
| 1-11 MOS | 7 | 13.1 | 175 | 3 | 3 | 8 | 16 | 36 | 41 | 41 |
| 1-5 YRS | 14 | 13.5 | 112 | 4 | 4 | 10 | 21 | 28 | 37 | 40 |
| 6-12 YRS | 11 | 12.8 | 463 | 2 | 2 | 5 | 10 | 41 | 73 | 76 |
| 13-19 YRS | 13 | 8.8 | 29 | 2 | 3 | 8 | 10 | 30 | 84 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1594 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 9 | 10.6 | 335 | 2 | 2 | 4 | 8 | 79 | 99+ | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2186 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 47 | 12.6 | 184 | 2 | 3 | 9 | 16 | 36 | 44 | 99+ |
| **1. SINGLE DX** | 1603 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 2233 | 4.1 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 3780 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 56 | 12.3 | 203 | 2 | 3 | 8 | 16 | 40 | 69 | 99+ |
| TOTAL 0-27 DYS | 24 | 7.5 | 104 | 1 | 1 | 3 | 6 | 20 | 36 | 40 |
| 1-11 MOS | 901 | 3.4 | 9 | 1 | 2 | 3 | 4 | 5 | 6 | 13 |
| 1-5 YRS | 1832 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 6-12 YRS | 500 | 3.9 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 13-19 YRS | 579 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 10 | 18 |
| **GRAND TOTAL** | **3836** | **3.8** | **11** | **1** | **1** | **3** | **5** | **7** | **9** | **14** |

## 9: Viral hepatitis (070)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 5.8 | 6 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 58 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 6-12 YRS | 188 | 5.9 | 13 | 2 | 2 | 6 | 8 | 11 | 12 | 17 |
| 13-19 YRS | 541 | 7.0 | 18 | 2 | 3 | 6 | 9 | 12 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 17 | 8.7 | 44 | <1 | 1 | 8 | 15 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 9 | 5.8 | 11 | 1 | 1 | 7 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 19 | 6.6 | 16 | 1 | 2 | 6 | 10 | 12 | 14 | 15 |
| 6-12 YRS | 68 | 5.8 | 16 | 2 | 2 | 4 | 7 | 12 | 13 | 21 |
| 13-19 YRS | 230 | 7.9 | 55 | 2 | 2 | 6 | 9 | 14 | 18 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 25.5 | 1201 | 1 | 1 | 25 | 50 | 50 | 50 | 50 |
| 1-5 YRS | 2 | 22.5 | 265 | 11 | 11 | 22 | 34 | 34 | 34 | 34 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 12 | 13.3 | 78 | 1 | 3 | 11 | 20 | 25 | 31 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 794 | 6.6 | 16 | 2 | 2 | 6 | 8 | 12 | 14 | 20 |
| B. *Operated* | 18 | 8.4 | 43 | <1 | 1 | 7 | 15 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 327 | 7.4 | 44 | 2 | 2 | 6 | 9 | 13 | 16 | 32 |
| B. *Operated* | 17 | 15.3 | 175 | 1 | 2 | 11 | 22 | 34 | 44 | 50 |
| **1. SINGLE DX** | 812 | 6.6 | 17 | 2 | 2 | 6 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | 344 | 7.8 | 53 | 2 | 2 | 6 | 9 | 13 | 19 | 46 |
| **A. NOT OPERATED** | 1121 | 6.8 | 25 | 2 | 2 | 6 | 9 | 12 | 14 | 22 |
| **B. OPERATED** | 35 | 11.7 | 116 | 1 | 1 | 9 | 17 | 22 | 33 | 50 |
| TOTAL 0-27 DYS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 17 | 8.1 | 125 | 1 | 1 | 7 | 8 | 10 | 36 | 50 |
| 1-5 YRS | 80 | 5.5 | 21 | 1 | 2 | 5 | 7 | 10 | 12 | 29 |
| 6-12 YRS | 257 | 5.9 | 14 | 2 | 2 | 5 | 7 | 11 | 13 | 17 |
| 13-19 YRS | 800 | 7.4 | 31 | 2 | 2 | 6 | 9 | 13 | 16 | 26 |
| **GRAND TOTAL** | **1156** | **7.0** | **28** | **2** | **2** | **6** | **9** | **12** | **15** | **24** |

## 10: Infectious mononucleosis (075)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 140 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| 6-12 YRS | 312 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 13-19 YRS | 1973 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 9 | 4.0 | 6 | 2 | 2 | 3 | 4 | 8 | 10 | 10 |
| 13-19 YRS | 24 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 4.2 | 5 | 2 | 2 | 3 | 6 | 6 | 8 | 8 |
| 1-5 YRS | 170 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| 6-12 YRS | 364 | 4.5 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 1765 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 6.7 | 22 | 3 | 3 | 5 | 10 | 12 | 12 | 12 |
| 6-12 YRS | 10 | 6.7 | 17 | 2 | 2 | 6 | 10 | 13 | 15 | 15 |
| 13-19 YRS | 49 | 9.0 | 49 | 3 | 3 | 7 | 11 | 15 | 20 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2427 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 35 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2305 | 5.0 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 63 | 8.4 | 43 | 2 | 3 | 7 | 11 | 14 | 17 | 41 |
| **1. SINGLE DX** | 2462 | 4.5 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 2368 | 5.1 | 12 | 2 | 2 | 4 | 6 | 9 | 10 | 17 |
| **A. NOT OPERATED** | 4732 | 4.8 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 98 | 7.0 | 34 | 2 | 2 | 6 | 9 | 12 | 15 | 37 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 8 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 1-5 YRS | 315 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 6-12 YRS | 695 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 9 | 12 |
| 13-19 YRS | 3811 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| **GRAND TOTAL** | **4830** | **4.8** | **9** | **2** | **2** | **4** | **6** | **8** | **10** | **15** |

## 11: Viral warts (078.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 13 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 87 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 218 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 973 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 19 | 3.7 | 21 | <1 | <1 | 2 | 4 | 8 | 15 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 9 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 22 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 212 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 16 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | 1282 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 21 | 3.6 | 19 | <1 | <1 | 2 | 4 | 8 | 14 | 20 |
| B. *Operated* | 245 | 3.0 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 1. SINGLE DX | 1298 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | 266 | 3.1 | 9 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| A. NOT OPERATED | 37 | 3.1 | 12 | <1 | <1 | 2 | 3 | 7 | 8 | 20 |
| B. OPERATED | 1527 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 4 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 96 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 4 |
| 6-12 YRS | 245 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 1217 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| GRAND TOTAL | 1564 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |

## 12: Miscellaneous viral diseases (046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 436 | 3.6 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 1-11 MOS | 1530 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 1-5 YRS | 1861 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 6-12 YRS | 1187 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 13-19 YRS | 986 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 12 | 3.5 | 3 | 2 | 2 | 3 | 4 | 7 | 8 | 8 |
| 1-11 MOS | 26 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 5 |
| 1-5 YRS | 39 | 2.9 | 13 | <1 | <1 | 2 | 4 | 6 | 8 | 22 |
| 6-12 YRS | 43 | 3.4 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 15 |
| 13-19 YRS | 37 | 4.1 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 203 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 15 |
| 1-11 MOS | 1271 | 3.6 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 1-5 YRS | 2212 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 6-12 YRS | 971 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 13-19 YRS | 1056 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 25 | 7.8 | 86 | 2 | 3 | 4 | 7 | 23 | 30 | 41 |
| 1-5 YRS | 54 | 5.9 | 38 | 1 | 2 | 4 | 7 | 12 | 18 | 37 |
| 6-12 YRS | 40 | 4.9 | 13 | <1 | 1 | 4 | 7 | 10 | 11 | 17 |
| 13-19 YRS | 57 | 9.2 | 143 | 1 | 2 | 6 | 10 | 24 | 45 | 97 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6000 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 157 | 3.4 | 8 | <1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5713 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | 182 | 6.9 | 73 | 1 | 2 | 4 | 8 | 14 | 24 | 61 |
| 1. SINGLE DX | 6157 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 5895 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| A. NOT OPERATED | 11713 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. OPERATED | 339 | 5.3 | 46 | 1 | 1 | 3 | 6 | 10 | 16 | 42 |
| TOTAL 0-27 DYS | 657 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 1-11 MOS | 2852 | 3.3 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 1-5 YRS | 4166 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 6-12 YRS | 2241 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 13-19 YRS | 2136 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| GRAND TOTAL | 12052 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |

## 13: Rickettsioses and other arthropod-borne diseases (080-088)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 3.7 | 7 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 1-5 YRS | 88 | 4.4 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 13 |
| 6-12 YRS | 129 | 4.6 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 13-19 YRS | 88 | 4.6 | 7 | 2 | 2 | 4 | 5 | 7 | 10 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 4 | 6.8 | 18 | 4 | 4 | 5 | 9 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.5 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 23 | 5.5 | 11 | 2 | 3 | 4 | 6 | 10 | 13 | 16 |
| 6-12 YRS | 23 | 4.9 | 5 | 2 | 2 | 4 | 7 | 8 | 9 | 9 |
| 13-19 YRS | 33 | 5.1 | 9 | 1 | 2 | 5 | 6 | 9 | 11 | 15 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| 6-12 YRS | 2 | 10.0 | 32 | 6 | 6 | 10 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 1 | 60.0 | | 60 | 60 | 60 | 60 | 60 | 60 | 60 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 311 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| *B. Operated* | 6 | 7.0 | 14 | 4 | 4 | 5 | 10 | 13 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 83 | 5.1 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| *B. Operated* | 5 | 20.0 | 516 | 6 | 6 | 14 | 26 | 60 | 60 | 60 |
| **1. SINGLE DX** | 317 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | 88 | 5.9 | 43 | 2 | 2 | 5 | 7 | 10 | 14 | 43 |
| **A. NOT OPERATED** | 394 | 4.6 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| **B. OPERATED** | 11 | 12.9 | 259 | 4 | 4 | 6 | 14 | 33 | 58 | 60 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 10 | 3.6 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 1-5 YRS | 114 | 4.7 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 6-12 YRS | 155 | 4.7 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 126 | 5.2 | 32 | 2 | 2 | 4 | 5 | 8 | 11 | 27 |
| **GRAND TOTAL** | 405 | 4.8 | 14 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |

## 14: Syphilis and other venereal diseases (090-099)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 30 | 6.5 | 11 | 2 | 2 | 6 | 9 | 11 | 14 | 14 |
| 1-11 MOS | 16 | 9.0 | 19 | 2 | 5 | 9 | 11 | 12 | 18 | 21 |
| 1-5 YRS | 24 | 6.1 | 16 | 2 | 2 | 4 | 10 | 13 | 13 | 14 |
| 6-12 YRS | 12 | 5.8 | 17 | 1 | 1 | 5 | 9 | 12 | 13 | 13 |
| 13-19 YRS | 303 | 5.0 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 13-19 YRS | 92 | 3.2 | 10 | <1 | 1 | 2 | 3 | 7 | 9 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 13.0 | 93 | 6 | 6 | 9 | 20 | 24 | 24 | 24 |
| 1-11 MOS | 4 | 8.0 | 22 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| 1-5 YRS | 20 | 8.4 | 67 | 1 | 2 | 6 | 11 | 17 | 28 | 35 |
| 6-12 YRS | 10 | 5.3 | 21 | 1 | 1 | 4 | 8 | 12 | 15 | 15 |
| 13-19 YRS | 257 | 5.6 | 9 | 2 | 2 | 5 | 7 | 9 | 12 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 3 | 3.0 | 4 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 60 | 5.2 | 15 | <1 | 1 | 4 | 7 | 11 | 13 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 385 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 15 |
| *B. Operated* | 104 | 3.0 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 294 | 5.9 | 15 | 2 | 2 | 5 | 7 | 10 | 13 | 21 |
| *B. Operated* | 66 | 5.2 | 15 | <1 | 1 | 4 | 7 | 11 | 14 | 17 |
| **1. SINGLE DX** | 489 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| **2. MULTIPLE DX** | 360 | 5.8 | 15 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 679 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 16 |
| **B. OPERATED** | 170 | 3.9 | 13 | <1 | 1 | 2 | 5 | 9 | 11 | 17 |
| TOTAL 0-27 DYS | 34 | 7.3 | 21 | 2 | 3 | 7 | 9 | 14 | 14 | 24 |
| 1-11 MOS | 21 | 8.4 | 20 | 1 | 2 | 9 | 11 | 12 | 17 | 21 |
| 1-5 YRS | 52 | 6.4 | 37 | 1 | 1 | 4 | 9 | 13 | 14 | 35 |
| 6-12 YRS | 30 | 4.9 | 15 | 1 | 1 | 3 | 7 | 11 | 13 | 15 |
| 13-19 YRS | 712 | 5.0 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| **GRAND TOTAL** | 849 | 5.3 | 12 | 1 | 2 | 4 | 7 | 9 | 12 | 16 |

## 15: Mycoses (110-118)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 4.3 | 6 | <1 | <1 | 4 | 5 | 7 | 9 | 9 |
| 1-11 MOS | 39 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 8 | 10 |
| 1-5 YRS | 40 | 4.4 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 6-12 YRS | 26 | 4.5 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 8 |
| 13-19 YRS | 18 | 5.8 | 62 | <1 | 1 | 4 | 6 | 8 | 25 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 4 | 30.0 | 1113 | 1 | 1 | 20 | 50 | 78 | 78 | 78 |
| 6-12 YRS | 7 | 9.1 | 155 | 1 | 1 | 3 | 14 | 31 | 34 | 34 |
| 13-19 YRS | 9 | 11.3 | 254 | <1 | <1 | 4 | 13 | 40 | 47 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 22 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 8 |
| 1-11 MOS | 102 | 4.5 | 12 | 2 | 2 | 4 | 5 | 8 | 12 | 21 |
| 1-5 YRS | 55 | 5.5 | 14 | 2 | 2 | 5 | 7 | 9 | 14 | 21 |
| 6-12 YRS | 26 | 6.5 | 11 | 2 | 3 | 6 | 9 | 12 | 13 | 14 |
| 13-19 YRS | 52 | 7.9 | 162 | 1 | 2 | 5 | 7 | 11 | 20 | 82 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 9.3 | 30 | 4 | 4 | 9 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 5 | 23.2 | 847 | 8 | 8 | 10 | 30 | 75 | 75 | 75 |
| 13-19 YRS | 21 | 10.1 | 174 | 1 | 1 | 5 | 13 | 22 | 41 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 133 | 4.3 | 15 | 1 | 2 | 3 | 5 | 7 | 9 | 24 |
| B. *Operated* | 22 | 14.0 | 362 | <1 | 1 | 5 | 18 | 38 | 59 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 257 | 5.5 | 43 | 2 | 2 | 4 | 6 | 9 | 13 | 22 |
| B. *Operated* | 31 | 12.1 | 255 | 1 | 2 | 8 | 14 | 22 | 57 | 75 |
| **1. SINGLE DX** | 155 | 5.7 | 73 | 1 | 2 | 4 | 5 | 9 | 18 | 46 |
| **2. MULTIPLE DX** | 288 | 6.2 | 70 | 1 | 2 | 4 | 7 | 10 | 15 | 55 |
| **A. NOT OPERATED** | 390 | 5.1 | 34 | 1 | 2 | 4 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 53 | 12.9 | 294 | 1 | 1 | 7 | 15 | 30 | 57 | 78 |
| TOTAL 0-27 DYS | 32 | 3.9 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 9 |
| 1-11 MOS | 146 | 4.4 | 12 | 2 | 2 | 3 | 5 | 8 | 12 | 20 |
| 1-5 YRS | 101 | 6.1 | 70 | 1 | 2 | 4 | 6 | 10 | 17 | 50 |
| 6-12 YRS | 64 | 7.3 | 98 | 2 | 2 | 5 | 8 | 12 | 16 | 69 |
| 13-19 YRS | 100 | 8.3 | 153 | 1 | 1 | 5 | 7 | 17 | 32 | 71 |
| **GRAND TOTAL** | **443** | **6.0** | **71** | **1** | **2** | **4** | **6** | **10** | **16** | **50** |

## 16: Helminthiases (120-129)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 21 | 3.2 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 12 |
| 6-12 YRS | 35 | 3.3 | 9 | 1 | 1 | 2 | 4 | 7 | 11 | 13 |
| 13-19 YRS | 13 | 4.5 | 7 | 2 | 2 | 4 | 5 | 8 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 4.4 | 13 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 19 | 3.7 | 2 | 1 | 2 | 4 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 17 | 4.3 | 7 | <1 | 1 | 4 | 5 | 8 | 11 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 23 | 5.1 | 24 | <1 | 1 | 4 | 6 | 15 | 17 | 18 |
| 6-12 YRS | 19 | 3.6 | 7 | <1 | 1 | 3 | 5 | 8 | 10 | 11 |
| 13-19 YRS | 16 | 4.4 | 8 | <1 | 1 | 4 | 7 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 24 | 4.5 | 7 | 1 | 2 | 4 | 6 | 7 | 9 | 13 |
| 13-19 YRS | 21 | 6.2 | 49 | 1 | 2 | 4 | 6 | 13 | 25 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 70 | 3.5 | 8 | 1 | 1 | 3 | 4 | 7 | 12 | 13 |
| B. *Operated* | 41 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 4.5 | 15 | <1 | 1 | 3 | 5 | 9 | 14 | 18 |
| B. *Operated* | 50 | 5.1 | 24 | 1 | 2 | 4 | 6 | 8 | 13 | 31 |
| **1. SINGLE DX** | 111 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 10 | 13 |
| **2. MULTIPLE DX** | 110 | 4.8 | 19 | 1 | 1 | 4 | 6 | 8 | 13 | 25 |
| **A. NOT OPERATED** | 130 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 16 |
| **B. OPERATED** | 91 | 4.6 | 16 | 1 | 2 | 4 | 5 | 7 | 10 | 27 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 7.0 | 31 | 2 | 2 | 6 | 11 | 13 | 13 | 13 |
| 1-5 YRS | 54 | 4.1 | 14 | <1 | 1 | 3 | 5 | 8 | 14 | 18 |
| 6-12 YRS | 97 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 13-19 YRS | 67 | 5.0 | 20 | 1 | 2 | 4 | 6 | 8 | 12 | 29 |
| **GRAND TOTAL** | **221** | **4.2** | **13** | **1** | **1** | **3** | **5** | **8** | **12** | **19** |

## 17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 5.0 | 6 | 2 | 2 | 4 | 7 | 8 | 10 | 10 |
| 1-5 YRS | 30 | 5.1 | 14 | 1 | 1 | 4 | 7 | 10 | 14 | 16 |
| 6-12 YRS | 18 | 4.6 | 9 | 1 | 2 | 4 | 5 | 8 | 12 | 14 |
| 13-19 YRS | 28 | 5.9 | 26 | 1 | 1 | 4 | 8 | 13 | 15 | 24 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 4 | 12.0 | 153 | 2 | 2 | 8 | 19 | 30 | 30 | 30 |
| 13-19 YRS | 39 | 4.5 | 16 | 1 | 1 | 3 | 7 | 9 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 28 | 6.7 | 12 | 1 | 2 | 6 | 8 | 12 | 14 | 14 |
| 1-5 YRS | 78 | 6.3 | 28 | 2 | 2 | 5 | 8 | 14 | 15 | 30 |
| 6-12 YRS | 30 | 5.4 | 13 | 2 | 2 | 4 | 8 | 9 | 14 | 15 |
| 13-19 YRS | 68 | 6.5 | 48 | 2 | 2 | 5 | 8 | 11 | 17 | 45 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 8 | 13.8 | 163 | 2 | 3 | 10 | 16 | 36 | 42 | 42 |
| 13-19 YRS | 27 | 10.6 | 119 | 2 | 2 | 6 | 13 | 27 | 40 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 5.2 | 16 | 1 | 1 | 4 | 7 | 10 | 14 | 21 |
| B. *Operated* | 44 | 5.2 | 29 | 1 | 1 | 3 | 7 | 10 | 16 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 204 | 6.3 | 30 | 2 | 2 | 5 | 8 | 12 | 14 | 29 |
| B. *Operated* | 37 | 11.2 | 120 | 2 | 2 | 8 | 12 | 27 | 41 | 43 |
| **1. SINGLE DX** | 131 | 5.2 | 20 | 1 | 1 | 4 | 7 | 10 | 14 | 25 |
| **2. MULTIPLE DX** | 241 | 7.0 | 46 | 2 | 2 | 5 | 8 | 14 | 16 | 42 |
| **A. NOT OPERATED** | 291 | 6.0 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| **B. OPERATED** | 81 | 7.9 | 79 | 1 | 2 | 5 | 10 | 17 | 29 | 43 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 39 | 6.2 | 11 | 1 | 2 | 6 | 8 | 11 | 13 | 14 |
| 1-5 YRS | 110 | 6.0 | 24 | 1 | 2 | 4 | 8 | 13 | 14 | 26 |
| 6-12 YRS | 60 | 6.7 | 47 | 2 | 2 | 4 | 8 | 13 | 18 | 41 |
| 13-19 YRS | 162 | 6.6 | 51 | 1 | 2 | 4 | 8 | 14 | 19 | 43 |
| **GRAND TOTAL** | **372** | **6.4** | **38** | **1** | **2** | **5** | **8** | **13** | **15** | **39** |

## 18: Late effects of infectious and parasitic diseases (137-139)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 5 | 6.2 | 20 | 1 | 1 | 6 | 8 | 13 | 13 | 13 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 5 | 5.6 | 14 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 4 | 4.0 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 4.6 | 15 | 1 | 1 | 4 | 6 | 11 | 13 | 13 |
| B. *Operated* | 7 | 5.7 | 10 | 2 | 2 | 5 | 8 | 10 | 11 | 11 |
| **1. SINGLE DX** | 7 | 3.4 | 4 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | 16 | 5.1 | 12 | 1 | 1 | 4 | 7 | 11 | 12 | 13 |
| **A. NOT OPERATED** | 12 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 12 | 13 |
| **B. OPERATED** | 11 | 5.1 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 4 | 4.8 | 4 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 14 | 5.3 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 13 |
| **GRAND TOTAL** | **23** | **4.6** | **10** | **1** | **2** | **4** | **6** | **9** | **12** | **13** |

## 19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 6 | 3.8 | 9 | 2 | 2 | 3 | 3 | 9 | 10 | 10 |
| 13-19 YRS | 9 | 6.7 | 12 | 3 | 3 | 6 | 8 | 12 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 11 | 4.2 | 8 | 2 | 2 | 3 | 6 | 8 | 11 | 11 |
| 13-19 YRS | 12 | 9.4 | 144 | 2 | 2 | 5 | 7 | 33 | 38 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 4 | 7.0 | 13 | 3 | 3 | 7 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 20 | 6.1 | 36 | 1 | 1 | 5 | 9 | 18 | 60 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 17 | 5.9 | 11 | 2 | 2 | 5 | 8 | 10 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 6.7 | 80 | 1 | 2 | 5 | 6 | 13 | 33 | 39 |
| B. *Operated* | 25 | 6.0 | 31 | 1 | 1 | 5 | 10 | 12 | 42 | 99+ |
| **1. SINGLE DX** | 28 | 4.4 | 11 | 1 | 1 | 3 | 6 | 10 | 11 | 14 |
| **2. MULTIPLE DX** | 49 | 6.3 | 54 | 1 | 2 | 5 | 8 | 11 | 30 | 99+ |
| **A. NOT OPERATED** | 35 | 5.3 | 59 | 1 | 1 | 3 | 5 | 8 | 25 | 39 |
| **B. OPERATED** | 42 | 6.0 | 23 | 1 | 2 | 5 | 9 | 11 | 19 | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 4 | 2.8 | 12 | <1 | <1 | 1 | 4 | 8 | 8 | 8 |
| 6-12 YRS | 23 | 4.3 | 10 | 1 | 2 | 3 | 6 | 10 | 11 | 11 |
| 13-19 YRS | 49 | 6.4 | 54 | 1 | 2 | 5 | 8 | 13 | 30 | 99+ |
| **GRAND TOTAL** | 77 | 5.6 | 39 | 1 | 1 | 4 | 7 | 10 | 22 | 83 |

## 20: Malignant neoplasm of esophagus (150)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 39.0 | | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 22.0 | 578 | 5 | 5 | 22 | 39 | 39 | 39 | 39 |
| B. *Operated* | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **1. SINGLE DX** | 4 | 14.3 | 277 | 4 | 4 | 7 | 24 | 39 | 39 | 39 |
| **2. MULTIPLE DX** | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **A. NOT OPERATED** | 2 | 22.0 | 578 | 5 | 5 | 22 | 39 | 39 | 39 | 39 |
| **B. OPERATED** | 3 | 19.7 | 526 | 4 | 4 | 9 | 37 | 46 | 46 | 46 |
| TOTAL 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 39.0 | | 39 | 39 | 39 | 39 | 39 | 39 | 39 |
| 1-5 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| **GRAND TOTAL** | 5 | 20.6 | 409 | 4 | 4 | 9 | 41 | 46 | 46 | 46 |

## 21: Malignant neoplasm of stomach (151)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 5.0 | 17 | 2 | 2 | 3 | 7 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 16.5 | 13 | 14 | 14 | 16 | 19 | 19 | 19 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 10.5 | 113 | 3 | 3 | 10 | 18 | 18 | 18 | 18 |
| B. *Operated* | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 5.1 | 13 | 2 | 2 | 3 | 7 | 11 | 12 | 12 |
| B. *Operated* | 4 | 19.3 | 17 | 14 | 14 | 19 | 22 | 24 | 24 | 24 |
| **1. SINGLE DX** | 4 | 8.0 | 54 | 2 | 2 | 6 | 13 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | 11 | 10.3 | 64 | 2 | 2 | 8 | 18 | 22 | 24 | 24 |
| **A. NOT OPERATED** | 9 | 6.3 | 30 | 2 | 2 | 3 | 9 | 16 | 18 | 18 |
| **B. OPERATED** | 6 | 14.7 | 65 | 2 | 3 | 16 | 20 | 24 | 24 | 24 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 12.3 | 66 | 3 | 3 | 13 | 19 | 20 | 20 | 20 |
| 1-5 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 10 | 7.2 | 36 | 2 | 2 | 4 | 12 | 16 | 19 | 19 |
| **GRAND TOTAL** | **15** | **9.7** | **58** | **2** | **2** | **8** | **17** | **20** | **23** | **24** |

## 22: Malignant neoplasm of small intestine (152)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **1. SINGLE DX** | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| **A. NOT OPERATED** | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **B. OPERATED** | 2 | 11.0 | 8 | 9 | 9 | 11 | 13 | 13 | 13 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 8.3 | 25 | 3 | 3 | 9 | 12 | 13 | 13 | 13 |
| **GRAND TOTAL** | **3** | **8.3** | **25** | **3** | **3** | **9** | **12** | **13** | **13** | **13** |

### 23: Malignant neoplasm of colon (153)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 2 | 17.0 | 200 | 7 | 7 | 17 | 27 | 27 | 27 | 27 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 98.0 | | 98 | 98 | 98 | 98 | 98 | 98 | 98 |
| 1-11 MOS | 4 | 16.3 | 5 | 13 | 13 | 17 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 7 | 8.7 | 26 | 3 | 3 | 7 | 13 | 16 | 16 | 16 |
| 13-19 YRS | 8 | 15.8 | 146 | 3 | 4 | 13 | 23 | 35 | 37 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 4 | 17.8 | 69 | 7 | 7 | 18 | 23 | 27 | 27 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 7.8 | 35 | 2 | 2 | 6 | 11 | 16 | 16 | 16 |
| B. *Operated* | 22 | 16.8 | 400 | 3 | 3 | 13 | 17 | 32 | 61 | 98 |
| **1. SINGLE DX** | 6 | 13.3 | 88 | 4 | 4 | 12 | 20 | 26 | 27 | 27 |
| **2. MULTIPLE DX** | 26 | 15.4 | 351 | 3 | 3 | 12 | 17 | 29 | 49 | 98 |
| **A. NOT OPERATED** | 6 | 6.7 | 24 | 2 | 2 | 5 | 7 | 15 | 16 | 16 |
| **B. OPERATED** | 26 | 17.0 | 344 | 3 | 3 | 14 | 17 | 30 | 49 | 98 |
| TOTAL 0-27 DYS | 4 | 35.3 | 1780 | 7 | 7 | 18 | 59 | 98 | 98 | 98 |
| 1-11 MOS | 6 | 16.5 | 43 | 7 | 8 | 17 | 18 | 26 | 27 | 27 |
| 1-5 YRS | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 9 | 9.2 | 30 | 3 | 3 | 7 | 14 | 17 | 17 | 17 |
| 13-19 YRS | 11 | 12.5 | 133 | 2 | 3 | 7 | 17 | 33 | 37 | 37 |
| **GRAND TOTAL** | **32** | **15.0** | **298** | **3** | **3** | **12** | **17** | **28** | **36** | **98** |

### 24: Malignant neoplasm of rectum, rectosigmoid junction, and anus (154)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 11.7 | 8 | 10 | 10 | 10 | 14 | 15 | 15 | 15 |
| 13-19 YRS | 4 | 10.0 | 22 | 7 | 7 | 8 | 13 | 17 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 19.5 | 203 | 1 | 1 | 22 | 30 | 33 | 33 | 33 |
| 1-5 YRS | 2 | 23.5 | 1 | 23 | 23 | 23 | 24 | 24 | 24 | 24 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 3 | 12.0 | 7 | 10 | 10 | 11 | 14 | 15 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 8 | 11.3 | 15 | 7 | 7 | 10 | 15 | 16 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 10 | 16.3 | 114 | 1 | 1 | 15 | 24 | 30 | 33 | 33 |
| **1. SINGLE DX** | 9 | 10.1 | 25 | 1 | 3 | 10 | 15 | 16 | 17 | 17 |
| **2. MULTIPLE DX** | 11 | 15.0 | 121 | 1 | 1 | 15 | 24 | 30 | 33 | 33 |
| **A. NOT OPERATED** | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **B. OPERATED** | 18 | 14.1 | 73 | 1 | 3 | 13 | 17 | 27 | 31 | 33 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 18.6 | 156 | 1 | 1 | 16 | 29 | 33 | 33 | 33 |
| 1-5 YRS | 2 | 23.5 | 1 | 23 | 23 | 23 | 24 | 24 | 24 | 24 |
| 6-12 YRS | 5 | 7.8 | 32 | 2 | 2 | 10 | 11 | 15 | 15 | 15 |
| 13-19 YRS | 8 | 9.6 | 25 | 1 | 3 | 9 | 13 | 16 | 17 | 17 |
| **GRAND TOTAL** | **20** | **12.8** | **80** | **1** | **1** | **11** | **16** | **26** | **30** | **33** |

### 25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 15 | 2.2 | 3 | <1 | <1 | 2 | 3 | 3 | 7 | 8 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 3 | 8.3 | 26 | 4 | 4 | 7 | 12 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 11.0 | 8 | 9 | 9 | 11 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 5 | 10.0 | 62 | 1 | 1 | 9 | 14 | 22 | 22 | 22 |
| 6-12 YRS | 4 | 10.8 | 35 | 3 | 3 | 11 | 15 | 17 | 17 | 17 |
| 13-19 YRS | 6 | 14.0 | 40 | 3 | 4 | 16 | 17 | 21 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 4 | 7.5 | 46 | 2 | 2 | 6 | 13 | 16 | 16 | 16 |
| 1-5 YRS | 15 | 3.3 | 4 | 1 | 2 | 2 | 4 | 6 | 8 | 8 |
| 6-12 YRS | 5 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 10 | 4.6 | 12 | 1 | 1 | 4 | 6 | 10 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 16.0 | 31 | 10 | 10 | 17 | 20 | 21 | 21 | 21 |
| 1-5 YRS | 3 | 10.7 | 14 | 8 | 8 | 12 | 57 | 99+ | 99+ | 99+ |
| 6-12 YRS | 4 | 13.3 | 100 | 1 | 1 | 14 | 21 | 24 | 24 | 24 |
| 13-19 YRS | 8 | 12.0 | 52 | 3 | 4 | 10 | 18 | 22 | 23 | 23 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.2 | 11 | <1 | <1 | 2 | 3 | 8 | 11 | 14 |
| B. *Operated* | 17 | 11.7 | 38 | 2 | 3 | 12 | 17 | 20 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 35 | 4.0 | 11 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| B. *Operated* | 18 | 12.7 | 47 | 2 | 4 | 12 | 20 | 24 | 66 | 99+ |
| 1. SINGLE DX | 36 | 7.2 | 42 | <1 | <1 | 4 | 12 | 17 | 20 | 22 |
| 2. MULTIPLE DX | 53 | 7.0 | 40 | 1 | 1 | 4 | 10 | 18 | 23 | 97 |
| A. NOT OPERATED | 54 | 3.7 | 11 | <1 | <1 | 2 | 4 | 8 | 11 | 16 |
| B. OPERATED | 35 | 12.2 | 42 | 2 | 3 | 12 | 17 | 22 | 24 | 99+ |
| TOTAL 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 9 | 11.1 | 42 | 2 | 2 | 10 | 16 | 19 | 21 | 21 |
| 1-5 YRS | 38 | 4.3 | 20 | <1 | <1 | 2 | 6 | 11 | 19 | 99+ |
| 6-12 YRS | 14 | 7.9 | 57 | <1 | 1 | 4 | 13 | 19 | 23 | 24 |
| 13-19 YRS | 27 | 9.3 | 44 | 1 | 2 | 8 | 15 | 20 | 22 | 23 |
| GRAND TOTAL | 89 | 7.1 | 40 | <1 | 1 | 4 | 11 | 17 | 21 | 70 |

### 26: Malignant neoplasm of pancreas (157)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 12.5 | 1 | 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 13-19 YRS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 13-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | 3 | 17.7 | 80 | 12 | 12 | 13 | 24 | 28 | 28 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 5 | 5.6 | 13 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| B. *Operated* | 3 | 21.7 | 22 | 18 | 18 | 20 | 25 | 27 | 27 | 27 |
| 1. SINGLE DX | 5 | 12.4 | 92 | 4 | 4 | 12 | 17 | 28 | 28 | 28 |
| 2. MULTIPLE DX | 8 | 11.6 | 83 | 2 | 2 | 9 | 19 | 25 | 27 | 27 |
| A. NOT OPERATED | 7 | 5.3 | 9 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| B. OPERATED | 6 | 19.7 | 46 | 12 | 12 | 19 | 27 | 28 | 28 | 28 |
| TOTAL 0-27 DYS | 2 | 14.5 | 313 | 2 | 2 | 14 | 27 | 27 | 27 | 27 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 4 | 12.5 | 38 | 5 | 5 | 12 | 16 | 20 | 20 | 20 |
| 13-19 YRS | 4 | 15.0 | 108 | 4 | 4 | 14 | 23 | 28 | 28 | 28 |
| GRAND TOTAL | 13 | 11.9 | 79 | 2 | 2 | 10 | 18 | 27 | 28 | 28 |

### 27: Malignant neoplasm of bronchus, lung, and trachea (162)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.0 | 48 | 4 | 4 | 4 | 13 | 16 | 16 | 16 |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 10.7 | 56 | 3 | 3 | 11 | 16 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 38.0 | | 38 | 38 | 38 | 38 | 38 | 38 | 38 |
| 13-19 YRS | 3 | 11.7 | 4 | 10 | 10 | 11 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 1-11 MOS | 4 | 6.8 | 64 | 1 | 1 | 4 | 12 | 18 | 18 | 18 |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 3.2 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 13-19 YRS | 4 | 14.8 | 553 | 2 | 2 | 3 | 27 | 50 | 50 | 50 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 13.0 | 72 | 7 | 7 | 13 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 9.0 | 3 | 8 | 8 | 8 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 2 | 12.5 | 1 | 12 | 12 | 12 | 13 | 13 | 13 | 13 |
| 13-19 YRS | 8 | 13.4 | 60 | 3 | 4 | 13 | 17 | 25 | 28 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 9.4 | 37 | 3 | 3 | 10 | 15 | 18 | 18 | 18 |
| B. *Operated* | 4 | 18.3 | 176 | 10 | 10 | 12 | 26 | 38 | 38 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16 | 8.1 | 168 | 1 | 1 | 3 | 7 | 23 | 42 | 50 |
| B. *Operated* | 16 | 11.8 | 42 | 3 | 4 | 11 | 16 | 19 | 25 | 28 |
| **1. SINGLE DX** | 11 | 12.6 | 95 | 3 | 3 | 11 | 15 | 26 | 37 | 38 |
| **2. MULTIPLE DX** | 32 | 9.9 | 105 | 1 | 1 | 7 | 14 | 20 | 28 | 50 |
| **A. NOT OPERATED** | 23 | 8.5 | 125 | 1 | 1 | 4 | 11 | 19 | 33 | 50 |
| **B. OPERATED** | 20 | 13.1 | 68 | 3 | 5 | 11 | 16 | 23 | 33 | 38 |
| TOTAL 0-27 DYS | 3 | 16.7 | 76 | 7 | 7 | 19 | 23 | 24 | 24 | 24 |
| 1-11 MOS | 8 | 6.8 | 44 | 1 | 1 | 4 | 11 | 17 | 18 | 18 |
| 1-5 YRS | 6 | 6.7 | 17 | 1 | 1 | 8 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 8 | 9.9 | 151 | 1 | 1 | 5 | 12 | 30 | 38 | 38 |
| 13-19 YRS | 18 | 12.9 | 132 | 2 | 3 | 11 | 17 | 25 | 41 | 50 |
| **GRAND TOTAL** | **43** | **10.6** | **102** | **1** | **2** | **8** | **15** | **20** | **31** | **50** |

### 28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 9.0 | 127 | 2 | 2 | 3 | 17 | 22 | 22 | 22 |
| 1-5 YRS | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 11.0 | 98 | 4 | 4 | 11 | 18 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 5 | 7.4 | 89 | <1 | <1 | 1 | 14 | 22 | 22 | 22 |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 10 | 6.9 | 48 | 1 | 1 | 5 | 8 | 18 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 3 | 3.3 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 4 | 3.5 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 29.7 | 1758 | 3 | 3 | 8 | 60 | 78 | 78 | 78 |
| 1-5 YRS | 2 | 16.0 | 18 | 13 | 13 | 16 | 19 | 19 | 19 | 19 |
| 6-12 YRS | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 13-19 YRS | 7 | 18.6 | 193 | 2 | 3 | 19 | 36 | 83 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 6.8 | 58 | 2 | 2 | 3 | 8 | 20 | 22 | 22 |
| B. *Operated* | 17 | 6.7 | 52 | <1 | <1 | 5 | 9 | 20 | 23 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 3.7 | 3 | <1 | 1 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | 14 | 19.6 | 396 | 2 | 3 | 13 | 27 | 78 | 94 | 99+ |
| **1. SINGLE DX** | 26 | 6.7 | 52 | <1 | 1 | 4 | 8 | 21 | 23 | 24 |
| **2. MULTIPLE DX** | 23 | 13.4 | 299 | 1 | 2 | 7 | 18 | 46 | 85 | 99+ |
| **A. NOT OPERATED** | 18 | 5.2 | 31 | 1 | 2 | 4 | 5 | 14 | 20 | 22 |
| **B. OPERATED** | 31 | 12.5 | 242 | <1 | 1 | 8 | 18 | 34 | 74 | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 15.3 | 689 | 1 | 1 | 4 | 15 | 61 | 78 | 78 |
| 1-5 YRS | 14 | 6.5 | 50 | <1 | <1 | 3 | 12 | 19 | 21 | 22 |
| 6-12 YRS | 4 | 8.8 | 16 | 4 | 4 | 9 | 12 | 13 | 13 | 13 |
| 13-19 YRS | 23 | 10.2 | 113 | 1 | 2 | 6 | 18 | 31 | 59 | 99+ |
| **GRAND TOTAL** | **49** | **9.9** | **175** | **<1** | **1** | **5** | **13** | **23** | **42** | **99+** |

## 29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 13 | 7.2 | 84 | 1 | 1 | 5 | 8 | 15 | 32 | 36 |
| 6-12 YRS | 32 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 55 | 3.2 | 10 | <1 | <1 | 2 | 4 | 5 | 7 | 19 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 10.8 | 98 | 1 | 1 | 10 | 19 | 22 | 22 | 22 |
| 1-5 YRS | 20 | 5.4 | 18 | <1 | 1 | 4 | 8 | 12 | 14 | 15 |
| 6-12 YRS | 47 | 6.7 | 49 | 1 | 1 | 4 | 8 | 15 | 20 | 37 |
| 13-19 YRS | 105 | 7.5 | 46 | 2 | 2 | 6 | 9 | 15 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 1-5 YRS | 20 | 4.4 | 5 | 1 | 1 | 4 | 6 | 8 | 8 | 8 |
| 6-12 YRS | 47 | 4.4 | 38 | <1 | 1 | 2 | 5 | 9 | 22 | 31 |
| 13-19 YRS | 71 | 4.5 | 17 | 1 | 1 | 4 | 5 | 9 | 15 | 22 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 15.7 | 64 | 8 | 8 | 15 | 22 | 24 | 24 | 24 |
| 1-5 YRS | 9 | 12.2 | 203 | 2 | 2 | 9 | 10 | 35 | 49 | 49 |
| 6-12 YRS | 23 | 10.7 | 74 | 1 | 2 | 8 | 16 | 23 | 30 | 33 |
| 13-19 YRS | 45 | 11.0 | 76 | 2 | 3 | 8 | 16 | 19 | 29 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 101 | 3.4 | 18 | <1 | <1 | 2 | 4 | 5 | 8 | 27 |
| B. *Operated* | 176 | 7.1 | 45 | 1 | 2 | 5 | 9 | 15 | 20 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 4.7 | 33 | 1 | 1 | 3 | 5 | 9 | 16 | 32 |
| B. *Operated* | 80 | 11.3 | 86 | 2 | 3 | 8 | 16 | 22 | 30 | 47 |
| **1. SINGLE DX** | 277 | 5.8 | 38 | <1 | 1 | 4 | 7 | 13 | 17 | 34 |
| **2. MULTIPLE DX** | 219 | 7.1 | 62 | 1 | 1 | 4 | 8 | 17 | 23 | 43 |
| **A. NOT OPERATED** | 240 | 4.2 | 27 | <1 | 1 | 3 | 5 | 8 | 11 | 31 |
| **B. OPERATED** | 256 | 8.4 | 61 | 1 | 2 | 6 | 11 | 18 | 26 | 40 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 15.1 | 188 | 1 | 1 | 15 | 22 | 36 | 44 | 44 |
| 1-5 YRS | 62 | 6.4 | 57 | 1 | 1 | 5 | 8 | 10 | 14 | 47 |
| 6-12 YRS | 149 | 5.7 | 46 | 1 | 1 | 3 | 6 | 14 | 21 | 33 |
| 13-19 YRS | 276 | 6.4 | 43 | 1 | 1 | 4 | 8 | 15 | 19 | 31 |
| **GRAND TOTAL** | **496** | **6.4** | **49** | **1** | **1** | **4** | **8** | **15** | **20** | **37** |

## 30: Malignant melanoma of skin, excluding genital organs (172)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 4.8 | 10 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 21 | 4.6 | 31 | <1 | <1 | 3 | 5 | 10 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 5 | 6.4 | 9 | 3 | 3 | 6 | 8 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 8.0 | 49 | 3 | 3 | 5 | 13 | 16 | 16 | 16 |
| B. *Operated* | 28 | 4.4 | 25 | <1 | <1 | 3 | 6 | 10 | 12 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.5 | 14 | 2 | 2 | 3 | 7 | 10 | 10 | 10 |
| B. *Operated* | 7 | 6.0 | 8 | 3 | 3 | 6 | 7 | 10 | 11 | 11 |
| **1. SINGLE DX** | 31 | 4.7 | 27 | <1 | <1 | 3 | 6 | 10 | 16 | 25 |
| **2. MULTIPLE DX** | 11 | 5.5 | 9 | 2 | 2 | 5 | 7 | 10 | 11 | 11 |
| **A. NOT OPERATED** | 7 | 6.0 | 27 | 2 | 2 | 3 | 9 | 15 | 16 | 16 |
| **B. OPERATED** | 35 | 4.7 | 21 | <1 | 1 | 3 | 7 | 10 | 11 | 25 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 5 | 4.8 | 10 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 31 | 5.3 | 27 | <1 | 1 | 3 | 7 | 11 | 16 | 25 |
| **GRAND TOTAL** | **42** | **4.9** | **22** | **<1** | **1** | **3** | **7** | **10** | **13** | **25** |

## 31: Other malignant neoplasm of skin, excluding genital organs (173)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 3.8 | 11 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 9 | 3.8 | 18 | 1 | 1 | 2 | 4 | 11 | 14 | 14 |
| 13-19 YRS | 12 | 3.8 | 7 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 4.2 | 13 | <1 | <1 | 3 | 7 | 10 | 10 | 10 |
| 13-19 YRS | 6 | 2.2 | 2 | 1 | 1 | 2 | 2 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | 28 | 3.7 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | 13 | 3.5 | 9 | <1 | <1 | 2 | 5 | 8 | 10 | 10 |
| **1. SINGLE DX** | 30 | 3.7 | 10 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 14 | 3.6 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 10 |
| **A. NOT OPERATED** | 3 | 3.7 | 5 | 1 | 1 | 5 | 5 | 5 | 5 | 5 |
| **B. OPERATED** | 41 | 3.6 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 14 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 6 | 3.8 | 11 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 16 | 3.8 | 15 | <1 | <1 | 2 | 5 | 10 | 13 | 14 |
| 13-19 YRS | 20 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| **GRAND TOTAL** | **44** | **3.6** | **9** | **<1** | **1** | **2** | **5** | **8** | **10** | **14** |

## 32: Malignant neoplasm of breast (female) (male) (174-175)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 13 | 2.8 | 6 | <1 | 1 | 2 | 3 | 7 | 9 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 10.0 | 50 | 5 | 5 | 10 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 2 | 15.0 | 338 | 2 | 2 | 15 | 28 | 28 | 28 | 28 |
| 13-19 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 9.3 | 24 | 6 | 6 | 7 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| 6-12 YRS | 5 | 10.8 | 8 | 8 | 8 | 11 | 13 | 14 | 14 | 14 |
| 13-19 YRS | 4 | 7.3 | 13 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 18 | 3.8 | 9 | <1 | 1 | 2 | 5 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 8.3 | 81 | 2 | 2 | 5 | 10 | 24 | 28 | 28 |
| B. *Operated* | 14 | 9.7 | 15 | 3 | 6 | 9 | 13 | 15 | 16 | 16 |
| **1. SINGLE DX** | 18 | 3.8 | 9 | <1 | 1 | 2 | 5 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | 22 | 9.2 | 36 | 2 | 2 | 8 | 13 | 15 | 21 | 28 |
| **A. NOT OPERATED** | 8 | 8.3 | 81 | 2 | 2 | 5 | 10 | 24 | 28 | 28 |
| **B. OPERATED** | 32 | 6.4 | 20 | 1 | 1 | 6 | 9 | 13 | 15 | 16 |
| TOTAL 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 7 | 7.1 | 18 | 2 | 3 | 6 | 9 | 14 | 15 | 15 |
| 1-5 YRS | 5 | 10.0 | 28 | 5 | 5 | 9 | 15 | 16 | 16 | 16 |
| 6-12 YRS | 8 | 10.8 | 69 | 2 | 2 | 10 | 13 | 24 | 28 | 28 |
| 13-19 YRS | 19 | 3.9 | 10 | <1 | 1 | 2 | 6 | 9 | 10 | 10 |
| **GRAND TOTAL** | **40** | **6.8** | **31** | **1** | **2** | **5** | **9** | **14** | **16** | **28** |

## 33: Malignant neoplasm of cervix uteri, excluding carcinoma in situ (180)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 8 | 4.6 | 11 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 5.7 | 35 | 1 | 1 | 3 | 7 | 16 | 17 | 17 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 9 | 4.6 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 7 | 5.4 | 30 | 1 | 1 | 4 | 6 | 15 | 17 | 17 |
| 1. SINGLE DX | 10 | 4.3 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| 2. MULTIPLE DX | 8 | 5.1 | 26 | 1 | 1 | 3 | 6 | 14 | 17 | 17 |
| A. NOT OPERATED | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. OPERATED | 16 | 4.9 | 17 | 1 | 1 | 4 | 7 | 10 | 15 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 15 | 4.9 | 19 | 1 | 1 | 3 | 7 | 10 | 15 | 17 |
| GRAND TOTAL | 18 | 4.7 | 16 | 1 | 1 | 3 | 7 | 9 | 14 | 17 |

## 34: Malignant neoplasm of corpus uteri (179; 182)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 6.3 | 20 | 2 | 2 | 6 | 10 | 11 | 11 | 11 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | 3 | 9.3 | 10 | 7 | 7 | 8 | 12 | 13 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 7 | 6.3 | 12 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| 1. SINGLE DX | 4 | 8.3 | 12 | 5 | 5 | 7 | 10 | 13 | 13 | 13 |
| 2. MULTIPLE DX | 7 | 6.3 | 12 | 2 | 2 | 6 | 9 | 11 | 11 | 11 |
| A. NOT OPERATED | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. OPERATED | 10 | 7.2 | 12 | 2 | 2 | 7 | 9 | 12 | 13 | 13 |
| TOTAL 0-27 DYS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 4 | 7.8 | 21 | 2 | 2 | 8 | 11 | 13 | 13 | 13 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 6.8 | 14 | 2 | 2 | 7 | 9 | 11 | 11 | 11 |
| GRAND TOTAL | 11 | 7.0 | 11 | 2 | 2 | 7 | 9 | 12 | 13 | 13 |

## 35: Malignant neoplasm of ovary (183.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 24 | 4.0 | 6 | <1 | 1 | 4 | 6 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 7 | 8.3 | 10 | 3 | 4 | 9 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 26 | 8.3 | 9 | 4 | 5 | 8 | 10 | 14 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 19.5 | 181 | 10 | 10 | 19 | 29 | 29 | 29 | 29 |
| 6-12 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 16 | 4.3 | 8 | <1 | 1 | 5 | 5 | 7 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 12.0 | 32 | 8 | 8 | 12 | 16 | 16 | 16 | 16 |
| 6-12 YRS | 3 | 7.3 | 6 | 5 | 5 | 7 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 22 | 9.1 | 31 | 3 | 4 | 8 | 10 | 19 | 22 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 3.9 | 5 | 1 | 1 | 4 | 5 | 6 | 7 | 10 |
| B. *Operated* | 33 | 8.3 | 9 | 4 | 5 | 8 | 10 | 12 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 6.1 | 38 | <1 | 1 | 5 | 6 | 11 | 20 | 29 |
| B. *Operated* | 28 | 9.1 | 27 | 4 | 5 | 8 | 10 | 17 | 22 | 23 |
| **1. SINGLE DX** | 61 | 6.3 | 12 | 1 | 1 | 6 | 9 | 11 | 13 | 15 |
| **2. MULTIPLE DX** | 48 | 7.9 | 33 | 1 | 2 | 6 | 9 | 16 | 22 | 29 |
| **A. NOT OPERATED** | 48 | 4.8 | 20 | 1 | 1 | 4 | 6 | 9 | 10 | 29 |
| **B. OPERATED** | 61 | 8.7 | 17 | 4 | 5 | 8 | 10 | 15 | 17 | 23 |
| TOTAL 0-27 DYS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 6 | 12.0 | 88 | 3 | 3 | 9 | 16 | 28 | 29 | 29 |
| 6-12 YRS | 12 | 7.8 | 8 | 3 | 4 | 8 | 10 | 11 | 11 | 11 |
| 13-19 YRS | 88 | 6.6 | 18 | 1 | 1 | 6 | 9 | 11 | 15 | 23 |
| **GRAND TOTAL** | **109** | **7.0** | **22** | **1** | **2** | **6** | **9** | **11** | **15** | **25** |

## 36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 5 | 27.6 | 643 | 4 | 4 | 30 | 42 | 65 | 65 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | 6 | 3.2 | 15 | 1 | 1 | 2 | 3 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.0 | 6 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| B. *Operated* | 6 | 23.7 | 607 | 4 | 4 | 17 | 35 | 62 | 65 | 65 |
| **1. SINGLE DX** | 9 | 3.1 | 11 | <1 | <1 | 2 | 4 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | 11 | 14.3 | 422 | <1 | 1 | 4 | 24 | 47 | 63 | 65 |
| **A. NOT OPERATED** | 8 | 3.0 | 5 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| **B. OPERATED** | 12 | 13.4 | 398 | 1 | 1 | 4 | 20 | 44 | 62 | 65 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 3.2 | 19 | <1 | <1 | 1 | 4 | 11 | 11 | 11 |
| 6-12 YRS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 13 | 12.2 | 377 | 1 | 1 | 4 | 12 | 41 | 60 | 65 |
| **GRAND TOTAL** | **20** | **9.3** | **260** | **<1** | **<1** | **3** | **6** | **32** | **50** | **65** |

## 37: Malignant neoplasm of prostate (185)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 4 | 10.5 | 70 | 5 | 5 | 7 | 15 | 23 | 23 | 23 |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 3 | 17.0 | 103 | 8 | 8 | 15 | 25 | 28 | 28 | 28 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 18.0 | 242 | 7 | 7 | 18 | 29 | 29 | 29 | 29 |
| 1-5 YRS | 5 | 8.6 | 17 | 4 | 4 | 9 | 11 | 15 | 15 | 15 |
| 6-12 YRS | 3 | 26.7 | 236 | 9 | 9 | 34 | 36 | 37 | 37 | 37 |
| 13-19 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | 9 | 9.6 | 37 | 2 | 3 | 8 | 12 | 19 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 11.3 | 72 | 3 | 3 | 9 | 14 | 25 | 28 | 28 |
| B. *Operated* | 12 | 14.9 | 135 | 4 | 5 | 9 | 22 | 35 | 37 | 37 |
| **1. SINGLE DX** | 10 | 9.2 | 34 | 2 | 3 | 8 | 12 | 18 | 23 | 23 |
| **2. MULTIPLE DX** | 19 | 13.6 | 110 | 3 | 4 | 9 | 15 | 32 | 36 | 37 |
| **A. NOT OPERATED** | 8 | 10.6 | 65 | 3 | 3 | 8 | 13 | 24 | 28 | 28 |
| **B. OPERATED** | 21 | 12.6 | 96 | 3 | 5 | 9 | 14 | 31 | 35 | 37 |
| TOTAL 0-27 DYS | 2 | 10.0 | 18 | 7 | 7 | 10 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 8 | 11.3 | 89 | 3 | 4 | 7 | 16 | 27 | 29 | 29 |
| 1-5 YRS | 9 | 10.7 | 62 | 2 | 3 | 9 | 15 | 23 | 28 | 28 |
| 6-12 YRS | 5 | 18.6 | 243 | 4 | 4 | 9 | 35 | 37 | 37 | 37 |
| 13-19 YRS | 5 | 10.2 | 9 | 6 | 6 | 12 | 12 | 13 | 13 | 13 |
| **GRAND TOTAL** | **29** | **12.1** | **86** | **3** | **4** | **9** | **14** | **29** | **34** | **37** |

## 38: Malignant neoplasm of male genitalia, except prostate (186-187)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 16 | 3.8 | 5 | 1 | 1 | 3 | 6 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 5.2 | 11 | 2 | 2 | 4 | 7 | 11 | 11 | 11 |
| 1-5 YRS | 5 | 2.4 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 53 | 7.2 | 31 | 2 | 3 | 6 | 9 | 13 | 17 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 31 | 5.6 | 15 | 2 | 2 | 5 | 6 | 8 | 18 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 29 | 14.2 | 139 | 3 | 4 | 12 | 17 | 28 | 46 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 3.7 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | 64 | 6.7 | 29 | 2 | 2 | 5 | 8 | 11 | 16 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 5.5 | 14 | 2 | 3 | 5 | 6 | 8 | 17 | 19 |
| B. *Operated* | 30 | 13.9 | 138 | 3 | 4 | 11 | 17 | 27 | 46 | 50 |
| **1. SINGLE DX** | 82 | 6.0 | 25 | 1 | 2 | 5 | 8 | 10 | 15 | 30 |
| **2. MULTIPLE DX** | 63 | 9.5 | 90 | 2 | 3 | 5 | 13 | 20 | 26 | 49 |
| **A. NOT OPERATED** | 51 | 4.9 | 12 | 1 | 2 | 5 | 6 | 8 | 8 | 19 |
| **B. OPERATED** | 94 | 9.0 | 74 | 2 | 3 | 7 | 11 | 17 | 24 | 48 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 4.6 | 12 | <1 | <1 | 3 | 6 | 10 | 11 | 11 |
| 1-5 YRS | 8 | 3.0 | 1 | <1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 129 | 8.0 | 60 | 2 | 2 | 5 | 8 | 17 | 22 | 47 |
| **GRAND TOTAL** | **145** | **7.5** | **56** | **2** | **2** | **5** | **8** | **16** | **20** | **48** |

## 39: Malignant neoplasm of bladder (188)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 3 | 5.7 | 25 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| 13-19 YRS | 9 | 4.3 | 11 | 1 | 1 | 4 | 6 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 7.3 | 33 | 2 | 2 | 6 | 11 | 15 | 15 | 15 |
| 1-5 YRS | 8 | 6.4 | 31 | 2 | 2 | 4 | 8 | 16 | 18 | 18 |
| 6-12 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 9 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | 14 | 5.1 | 13 | 1 | 1 | 5 | 9 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| B. *Operated* | 23 | 5.3 | 19 | 1 | 2 | 4 | 6 | 12 | 16 | 18 |
| **1. SINGLE DX** | 16 | 4.8 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | 24 | 5.3 | 18 | 1 | 2 | 4 | 6 | 11 | 16 | 18 |
| **A. NOT OPERATED** | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| **B. OPERATED** | 37 | 5.2 | 16 | 1 | 1 | 4 | 7 | 11 | 14 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 7.6 | 25 | 2 | 2 | 8 | 10 | 15 | 15 | 15 |
| 1-5 YRS | 10 | 6.2 | 24 | 2 | 2 | 5 | 7 | 14 | 18 | 18 |
| 6-12 YRS | 6 | 6.0 | 13 | 1 | 1 | 5 | 9 | 11 | 11 | 11 |
| 13-19 YRS | 19 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 10 |
| **GRAND TOTAL** | 40 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |

## 40: Malignant neoplasm of kidney and other urinary organs (189)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.0 | 3 | <1 | <1 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 3.8 | 15 | <1 | <1 | 2 | 5 | 10 | 11 | 11 |
| 6-12 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 14.3 | 10 | 12 | 12 | 13 | 17 | 18 | 18 | 18 |
| 1-5 YRS | [illegible] | 11.4 | 53 | 2 | 5 | 9 | 13 | 22 | 29 | 31 |
| 6-12 YRS | [illegible] | 10.2 | 6 | 8 | 8 | 9 | 12 | 14 | 14 | 14 |
| 13-19 YRS | 7 | 12.9 | 91 | 2 | 3 | 11 | 15 | 29 | 32 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 12 | 3.7 | 5 | 1 | 1 | 4 | 5 | 6 | 9 | 9 |
| 6-12 YRS | 6 | 5.0 | 5 | 2 | 2 | 5 | 5 | 9 | 9 | 9 |
| 13-19 YRS | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 14.3 | 20 | 10 | 10 | 14 | 18 | 19 | 19 | 19 |
| 1-5 YRS | 23 | 17.2 | 277 | 5 | 6 | 10 | 21 | 37 | 64 | 65 |
| 6-12 YRS | 3 | 27.3 | 132 | 16 | 16 | 27 | 36 | 39 | 39 | 39 |
| 13-19 YRS | 8 | 12.4 | 53 | 1 | 3 | 12 | 17 | 22 | 24 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 3.6 | 8 | <1 | <1 | 4 | 5 | 6 | 10 | 11 |
| B. *Operated* | 40 | 11.7 | 47 | 2 | 6 | 10 | 13 | 20 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 22 | 4.4 | 6 | 1 | 2 | 4 | 5 | 9 | 10 | 11 |
| B. *Operated* | 37 | 16.8 | 202 | 5 | 6 | 13 | 20 | 31 | 55 | 65 |
| **1. SINGLE DX** | 53 | 9.7 | 50 | 1 | 2 | 9 | 12 | 18 | 27 | 32 |
| **2. MULTIPLE DX** | 59 | 12.1 | 164 | 1 | 2 | 9 | 15 | 27 | 35 | 65 |
| **A. NOT OPERATED** | 35 | 4.1 | 7 | <1 | 1 | 4 | 5 | 9 | 10 | 11 |
| **B. OPERATED** | 77 | 14.1 | 127 | 3 | 6 | 11 | 16 | 28 | 32 | 64 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 10 | 9.9 | 40 | <1 | 2 | 11 | 14 | 18 | 19 | 19 |
| 1-5 YRS | 65 | 11.3 | 145 | 1 | 2 | 8 | 12 | 27 | 31 | 65 |
| 6-12 YRS | 16 | 10.5 | 99 | 1 | 2 | 8 | 12 | 26 | 35 | 39 |
| 13-19 YRS | 20 | 10.9 | 60 | 1 | 2 | 9 | 15 | 21 | 28 | 32 |
| **GRAND TOTAL** | 112 | 11.0 | 111 | 1 | 2 | 9 | 13 | 23 | 31 | 64 |

## 41: Malignant neoplasm of eye (190)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 7 | 1.9 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 3.6 | 10 | 1 | 1 | 2 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 11 | 3.7 | 15 | <1 | <1 | 2 | 5 | 9 | 14 | 14 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 6 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 9.1 | 132 | <1 | <1 | 2 | 16 | 28 | 31 | 31 |
| 1-5 YRS | 5 | 15.4 | 306 | <1 | <1 | 8 | 28 | 42 | 42 | 42 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 20 | 3.7 | 10 | <1 | 1 | 3 | 5 | 7 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 2.7 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | 15 | 9.9 | 167 | <1 | <1 | 2 | 16 | 31 | 39 | 42 |
| **1. SINGLE DX** | 38 | 2.9 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 25 | 7.0 | 111 | <1 | 1 | 2 | 6 | 24 | 34 | 42 |
| **A. NOT OPERATED** | 28 | 2.3 | 2 | <1 | 1 | 2 | 4 | 4 | 4 | 5 |
| **B. OPERATED** | 35 | 6.3 | 84 | <1 | 1 | 2 | 7 | 18 | 29 | 42 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 5.4 | 68 | <1 | <1 | 2 | 7 | 17 | 27 | 31 |
| 1-5 YRS | 25 | 5.3 | 85 | <1 | 1 | 2 | 5 | 14 | 28 | 42 |
| 6-12 YRS | 10 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 12 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| **GRAND TOTAL** | 63 | 4.5 | 51 | <1 | 1 | 2 | 4 | 8 | 20 | 41 |

## 42: Malignant neoplasm of brain (191)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 18 | 6.6 | 40 | <1 | 1 | 4 | 11 | 17 | 21 | 22 |
| 6-12 YRS | 32 | 6.4 | 100 | 1 | 1 | 3 | 5 | 13 | 32 | 49 |
| 13-19 YRS | 16 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 22.8 | 82 | 15 | 15 | 22 | 30 | 32 | 32 | 32 |
| 1-5 YRS | 35 | 16.4 | 175 | 4 | 5 | 12 | 18 | 33 | 51 | 58 |
| 6-12 YRS | 56 | 13.9 | 87 | 2 | 4 | 12 | 19 | 25 | 29 | 52 |
| 13-19 YRS | 53 | 15.3 | 82 | 7 | 8 | 13 | 19 | 26 | 30 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 25 | 5.6 | 163 | <1 | 1 | 2 | 4 | 9 | 27 | 65 |
| 6-12 YRS | 40 | 5.6 | 43 | 1 | 1 | 4 | 7 | 10 | 20 | 33 |
| 13-19 YRS | 52 | 8.2 | 125 | 2 | 2 | 5 | 8 | 15 | 24 | 66 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-5 YRS | 37 | 26.2 | 209 | 10 | 13 | 23 | 37 | 43 | 69 | 99+ |
| 6-12 YRS | 45 | 22.9 | 359 | 5 | 6 | 18 | 27 | 54 | 76 | 79 |
| 13-19 YRS | 51 | 23.1 | 400 | 4 | 5 | 17 | 30 | 57 | 74 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 5.5 | 61 | 1 | 1 | 3 | 5 | 11 | 20 | 46 |
| B. *Operated* | 148 | 15.3 | 106 | 4 | 6 | 13 | 19 | 28 | 33 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 119 | 6.8 | 104 | 1 | 1 | 4 | 8 | 12 | 24 | 65 |
| B. *Operated* | 134 | 23.9 | 328 | 4 | 6 | 19 | 30 | 50 | 75 | 99+ |
| **1. SINGLE DX** | 215 | 12.2 | 113 | 1 | 2 | 10 | 17 | 24 | 32 | 54 |
| **2. MULTIPLE DX** | 253 | 15.8 | 295 | 1 | 2 | 10 | 23 | 38 | 62 | 96 |
| **A. NOT OPERATED** | 186 | 6.3 | 89 | 1 | 1 | 4 | 7 | 11 | 22 | 39 |
| **B. OPERATED** | 282 | 19.4 | 230 | 4 | 6 | 15 | 24 | 38 | 54 | 92 |
| TOTAL 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 7 | 18.4 | 106 | 1 | 4 | 16 | 27 | 31 | 32 | 32 |
| 1-5 YRS | 115 | 15.7 | 230 | 1 | 1 | 12 | 22 | 39 | 48 | 88 |
| 6-12 YRS | 173 | 12.9 | 194 | 1 | 2 | 9 | 17 | 28 | 34 | 77 |
| 13-19 YRS | 172 | 14.3 | 227 | 1 | 2 | 10 | 18 | 30 | 50 | 92 |
| **GRAND TOTAL** | 468 | 14.2 | 214 | 1 | 2 | 10 | 19 | 31 | 45 | 79 |

## 43: Malignant neoplasm of other parts of nervous system (192)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 15.5 | 145 | 7 | 7 | 15 | 24 | 24 | 24 | 24 |
| 6-12 YRS | 3 | 8.3 | 50 | 2 | 2 | 7 | 14 | 16 | 16 | 16 |
| 13-19 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 51 | 99+ | 99+ | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 14.7 | 54 | 8 | 8 | 12 | 17 | 27 | 29 | 29 |
| 6-12 YRS | 5 | 12.4 | 102 | 3 | 3 | 11 | 17 | 29 | 29 | 29 |
| 13-19 YRS | 7 | 16.0 | 535 | 2 | 3 | 9 | 11 | 57 | 68 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 3.5 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 7 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 2 | 31.0 | 1352 | 5 | 5 | 31 | 57 | 57 | 57 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 14.3 | 155 | 3 | 3 | 10 | 19 | 35 | 39 | 39 |
| 6-12 YRS | 3 | 21.0 | 273 | 5 | 5 | 20 | 33 | 38 | 38 | 38 |
| 13-19 YRS | 10 | 27.3 | 672 | 9 | 9 | 17 | 21 | 76 | 78 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 7.8 | 67 | 1 | 1 | 7 | 18 | 70 | 99+ | 99+ |
| B. *Operated* | 19 | 14.6 | 221 | 2 | 4 | 11 | 15 | 29 | 51 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 7.5 | 225 | 1 | 1 | 3 | 5 | 17 | 49 | 57 |
| B. *Operated* | 20 | 21.8 | 433 | 4 | 5 | 16 | 21 | 56 | 76 | 78 |
| **1. SINGLE DX** | 27 | 12.6 | 181 | 2 | 2 | 9 | 16 | 29 | 71 | 99+ |
| **2. MULTIPLE DX** | 33 | 16.2 | 392 | 1 | 2 | 9 | 18 | 43 | 71 | 78 |
| **A. NOT OPERATED** | 21 | 7.6 | 158 | 1 | 1 | 4 | 7 | 34 | 74 | 99+ |
| **B. OPERATED** | 39 | 18.3 | 334 | 3 | 5 | 12 | 20 | 39 | 71 | 78 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 20 | 12.4 | 95 | 2 | 3 | 9 | 17 | 26 | 34 | 39 |
| 6-12 YRS | 18 | 9.5 | 107 | 1 | 1 | 5 | 13 | 26 | 34 | 38 |
| 13-19 YRS | 22 | 20.6 | 594 | 1 | 2 | 11 | 20 | 75 | 86 | 99+ |
| **GRAND TOTAL** | **60** | **14.5** | **296** | **1** | **2** | **9** | **17** | **38** | **71** | **98** |

## 44: Malignant neoplasm of endocrine glands (193-194)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 5.0 | 34 | 1 | 1 | 2 | 7 | 15 | 16 | 16 |
| 1-5 YRS | 26 | 5.8 | 16 | 1 | 2 | 5 | 7 | 12 | 14 | 17 |
| 6-12 YRS | 6 | 4.5 | 19 | <1 | <1 | 3 | 7 | 11 | 12 | 12 |
| 13-19 YRS | 14 | 3.1 | 4 | 2 | 2 | 3 | 3 | 5 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 5 | 13.0 | 134 | 5 | 5 | 7 | 18 | 33 | 33 | 33 |
| 1-5 YRS | 9 | 16.9 | 292 | 3 | 3 | 9 | 27 | 46 | 51 | 51 |
| 6-12 YRS | 6 | 6.2 | 25 | 2 | 2 | 4 | 9 | 14 | 15 | 15 |
| 13-19 YRS | 57 | 5.2 | 14 | 1 | 2 | 4 | 5 | 9 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.3 | 9 | 3 | 3 | 7 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 30 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 10 | 13 |
| 6-12 YRS | 16 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 13-19 YRS | 20 | 4.0 | 10 | <1 | <1 | 3 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 16.0 | 88 | 6 | 6 | 17 | 21 | 30 | 30 | 30 |
| 1-5 YRS | 10 | 19.7 | 604 | 3 | 3 | 10 | 29 | 57 | 83 | 83 |
| 6-12 YRS | 4 | 7.3 | 26 | 2 | 2 | 7 | 11 | 13 | 13 | 13 |
| 13-19 YRS | 51 | 11.7 | 216 | 1 | 3 | 6 | 12 | 35 | 48 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 4.8 | 15 | 1 | 1 | 3 | 7 | 12 | 13 | 17 |
| B. *Operated* | 78 | 7.1 | 66 | 2 | 2 | 4 | 7 | 14 | 22 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 4.3 | 9 | <1 | 1 | 4 | 6 | 9 | 10 | 13 |
| B. *Operated* | 70 | 12.9 | 252 | 2 | 3 | 7 | 15 | 33 | 48 | 96 |
| **1. SINGLE DX** | 130 | 6.2 | 47 | 1 | 2 | 4 | 7 | 12 | 17 | 41 |
| **2. MULTIPLE DX** | 139 | 8.6 | 149 | 1 | 1 | 5 | 9 | 20 | 33 | 85 |
| **A. NOT OPERATED** | 121 | 4.5 | 12 | <1 | 1 | 3 | 7 | 9 | 12 | 16 |
| **B. OPERATED** | 148 | 9.8 | 161 | 2 | 2 | 5 | 9 | 23 | 36 | 83 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 19 | 10.2 | 83 | 1 | 2 | 7 | 15 | 25 | 32 | 33 |
| 1-5 YRS | 75 | 8.7 | 147 | 1 | 2 | 5 | 9 | 10 | 31 | 75 |
| 6-12 YRS | 32 | 4.4 | 14 | <1 | 1 | 3 | 5 | 11 | 13 | 15 |
| 13-19 YRS | 142 | 7.1 | 96 | 1 | 2 | 4 | 7 | 15 | 23 | 82 |
| **GRAND TOTAL** | **269** | **7.4** | **101** | **1** | **2** | **5** | **8** | **15** | **25** | **75** |

## 45: Malignant neoplasm of ill-defined and secondary sites (195-199)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 11 | 3.8 | 4 | 1 | 1 | 4 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 7 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 21 | 6.7 | 57 | 1 | 1 | 5 | 7 | 15 | 26 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 1-5 YRS | 10 | 14.4 | 322 | 1 | 2 | 5 | 28 | 43 | 57 | 57 |
| 6-12 YRS | 7 | 7.1 | 38 | 1 | 1 | 5 | 12 | 16 | 17 | 17 |
| 13-19 YRS | 25 | 7.0 | 24 | 1 | 2 | 7 | 10 | 13 | 15 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 7.3 | 37 | 1 | 1 | 8 | 10 | 17 | 20 | 20 |
| 1-5 YRS | 18 | 6.3 | 22 | 1 | 2 | 5 | 8 | 15 | 17 | 17 |
| 6-12 YRS | 27 | 4.1 | 21 | <1 | <1 | 2 | 4 | 10 | 13 | 23 |
| 13-19 YRS | 97 | 6.3 | 66 | 1 | 1 | 5 | 7 | 11 | 18 | 53 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 12.5 | 85 | 6 | 6 | 12 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 7 | 18.9 | 586 | 4 | 4 | 6 | 22 | 62 | 71 | 71 |
| 1-5 YRS | 15 | 12.1 | 188 | 2 | 3 | 7 | 13 | 28 | 48 | 55 |
| 6-12 YRS | 9 | 7.0 | 9 | 3 | 4 | 6 | 9 | 12 | 12 | 12 |
| 13-19 YRS | 66 | 12.1 | 178 | 3 | 4 | 8 | 13 | 21 | 47 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 4.9 | 33 | 1 | 1 | 4 | 5 | 8 | 15 | 34 |
| B. *Operated* | 43 | 9.1 | 103 | 1 | 2 | 6 | 10 | 22 | 28 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 5.9 | 51 | 1 | 1 | 4 | 7 | 11 | 17 | 38 |
| B. *Operated* | 99 | 12.1 | 168 | 3 | 3 | 8 | 13 | 23 | 50 | 71 |
| **1. SINGLE DX** | 85 | 7.0 | 72 | 1 | 1 | 5 | 8 | 14 | 25 | 49 |
| **2. MULTIPLE DX** | 250 | 8.4 | 114 | 1 | 2 | 5 | 9 | 16 | 23 | 66 |
| **A. NOT OPERATED** | 193 | 5.7 | 47 | 1 | 1 | 4 | 6 | 11 | 17 | 36 |
| **B. OPERATED** | 142 | 11.2 | 163 | 2 | 3 | 7 | 13 | 23 | 35 | 70 |
| TOTAL 0-27 DYS | 2 | 12.5 | 85 | 6 | 6 | 12 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 20 | 11.4 | 251 | 1 | 1 | 6 | 13 | 24 | 48 | 71 |
| 1-5 YRS | 54 | 8.9 | 128 | 1 | 2 | 5 | 9 | 19 | 28 | 57 |
| 6-12 YRS | 50 | 4.8 | 20 | <1 | 1 | 3 | 5 | 11 | 14 | 23 |
| 13-19 YRS | 209 | 8.2 | 101 | 1 | 2 | 5 | 9 | 14 | 22 | 65 |
| **GRAND TOTAL** | 335 | 8.0 | 103 | 1 | 2 | 5 | 9 | 16 | 24 | 64 |

## 46: Hodgkin's disease (201)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 10 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 98 | 3.3 | 19 | <1 | 1 | 2 | 4 | 8 | 10 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 18.0 | 2 | 17 | 17 | 18 | 19 | 19 | 19 | 19 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 3.3 | 9 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 6-12 YRS | 28 | [illegible] | 21 | 1 | 1 | 6 | 9 | 14 | 16 | 17 |
| 13-19 YRS | 268 | 7.8 | 38 | 1 | 2 | 6 | 10 | 16 | 19 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 2.0 | 3 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 8 | 3.3 | 9 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 13-19 YRS | 93 | 4.6 | 22 | 1 | 1 | 4 | 6 | 10 | 12 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 5.5 | 41 | 1 | 1 | 5 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 12 | 7.5 | 42 | 1 | 1 | 6 | 12 | 18 | 19 | 19 |
| 13-19 YRS | 81 | 11.9 | 74 | 2 | 3 | 10 | 16 | 24 | 26 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 110 | 3.0 | 17 | <1 | <1 | 1 | 3 | 7 | 10 | 26 |
| B. *Operated* | 304 | 7.6 | 37 | 1 | 2 | 6 | 10 | 16 | 19 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 4.3 | 20 | 1 | 1 | 3 | 6 | 10 | 11 | 26 |
| B. *Operated* | 95 | 11.2 | 71 | 2 | 2 | 9 | 16 | 23 | 26 | 44 |
| **1. SINGLE DX** | 414 | 6.4 | 36 | 1 | 1 | 5 | 9 | 15 | 18 | 28 |
| **2. MULTIPLE DX** | 203 | 7.5 | 56 | 1 | 1 | 5 | 10 | 17 | 23 | 34 |
| **A. NOT OPERATED** | 218 | 3.7 | 19 | <1 | 1 | 2 | 5 | 9 | 11 | 26 |
| **B. OPERATED** | 399 | 8.5 | 47 | 1 | 2 | 7 | 11 | 17 | 22 | 32 |
| TOTAL 0-27 DYS | 2 | 18.0 | 2 | 17 | 17 | 18 | 19 | 19 | 19 | 19 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 17 | 2.8 | 8 | 1 | 1 | 1 | 4 | 8 | 10 | 10 |
| 6-12 YRS | 58 | 5.2 | 24 | <1 | <1 | 3 | 7 | 14 | 17 | 19 |
| 13-19 YRS | 540 | 7.0 | 44 | 1 | 1 | 5 | 9 | 16 | 21 | 29 |
| **GRAND TOTAL** | 617 | 6.8 | 42 | 1 | 1 | 5 | 9 | 16 | 20 | 28 |

## 47: Lymphoid leukemia (204)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 11.2 | 29 | 5 | 5 | 11 | 16 | 17 | 17 | 17 |
| 1-5 YRS | 86 | 5.3 | 32 | <1 | <1 | 3 | 8 | 15 | 16 | 24 |
| 6-12 YRS | 77 | 5.0 | 51 | <1 | <1 | 2 | 6 | 13 | 20 | 39 |
| 13-19 YRS | 61 | 4.7 | 21 | 1 | 1 | 4 | 6 | 9 | 15 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 81 | 11.2 | 236 | <1 | <1 | 5 | 13 | 27 | 49 | 80 |
| 6-12 YRS | 46 | 8.0 | 75 | <1 | 1 | 4 | 10 | 22 | 29 | 30 |
| 13-19 YRS | 49 | 12.3 | 251 | 1 | 1 | 6 | 15 | 37 | 44 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 71 | 5.3 | 32 | <1 | <1 | 4 | 8 | 11 | 13 | 32 |
| 6-12 YRS | 108 | 6.3 | 61 | <1 | 1 | 4 | 8 | 13 | 17 | 44 |
| 13-19 YRS | 67 | 7.2 | 40 | 1 | 1 | 6 | 9 | 15 | 21 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 49 | 12.9 | 286 | 1 | 1 | 7 | 16 | 24 | 32 | 89 |
| 6-12 YRS | 60 | 14.8 | 179 | 2 | 3 | 10 | 23 | 32 | 38 | 66 |
| 13-19 YRS | 42 | 21.1 | 278 | 2 | 3 | 17 | 33 | 44 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 5.2 | 36 | <1 | <1 | [illegible] | 7 | 14 | 17 | 26 |
| B. *Operated* | 178 | 10.6 | 197 | <1 | 1 | 5 | 14 | 28 | 42 | 74 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 248 | 6.2 | 46 | <1 | 1 | 4 | 8 | 13 | 19 | 34 |
| B. *Operated* | 152 | 15.8 | 248 | 1 | 3 | 11 | 23 | 35 | 49 | 89 |
| **1. SINGLE DX** | 408 | 7.6 | 113 | <1 | <1 | 4 | 9 | 18 | 27 | 51 |
| **2. MULTIPLE DX** | 400 | 9.9 | 144 | <1 | 1 | 6 | 11 | 24 | 34 | 69 |
| **A. NOT OPERATED** | 478 | 5.7 | 41 | <1 | <1 | 4 | 8 | 13 | 17 | 32 |
| **B. OPERATED** | 330 | 13.0 | 226 | <1 | 1 | 8 | 17 | 31 | 42 | 83 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 8.6 | 26 | 2 | 3 | 7 | 13 | 16 | 17 | 17 |
| 1-5 YRS | 287 | 8.3 | 142 | <1 | <1 | 4 | 10 | 17 | 27 | 75 |
| 6-12 YRS | 291 | 8.0 | 97 | <1 | 1 | 4 | 10 | 22 | 29 | 47 |
| 13-19 YRS | 219 | 10.3 | 160 | 1 | 1 | 6 | 13 | 25 | 39 | 73 |
| **GRAND TOTAL** | **808** | **8.7** | **130** | **<1** | **1** | **5** | **11** | **23** | **31** | **62** |

## 48: Leukemia, except lymphoid (205-208)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 45 | 3.3 | 16 | <1 | <1 | 1 | 4 | 6 | 15 | 18 |
| 6-12 YRS | 48 | 3.3 | 6 | <1 | <1 | 3 | 5 | 6 | 9 | 10 |
| 13-19 YRS | 57 | 5.6 | 28 | <1 | 1 | 5 | 6 | 11 | 13 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-11 MOS | 1 | 56.0 | | 56 | 56 | 56 | 56 | 56 | 56 | 56 |
| 1-5 YRS | 12 | 28.5 | 456 | 6 | 6 | 20 | 44 | 59 | 68 | 69 |
| 6-12 YRS | 19 | 11.5 | 242 | <1 | 2 | 5 | 11 | 31 | 53 | 64 |
| 13-19 YRS | 40 | 19.8 | 427 | 1 | 1 | 12 | 35 | 55 | 73 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 49 | 4.9 | 27 | <1 | <1 | 4 | 5 | 10 | 17 | 26 |
| 6-12 YRS | 49 | 5.3 | 21 | <1 | <1 | 4 | 6 | 12 | 13 | 25 |
| 13-19 YRS | 71 | 5.5 | 32 | <1 | 1 | 4 | 7 | 12 | 15 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 11.5 | 145 | 3 | 3 | 11 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 14 | 20.1 | 311 | 2 | 2 | 13 | 29 | 40 | 62 | 68 |
| 6-12 YRS | 22 | 13.1 | 165 | 1 | 2 | 9 | 18 | 30 | 42 | 54 |
| 13-19 YRS | 46 | 26.4 | 334 | 3 | 3 | 26 | 37 | 47 | 63 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 151 | 4.2 | 18 | <1 | <1 | 3 | 5 | 9 | 11 | 23 |
| B. *Operated* | 73 | 19.6 | 410 | 1 | 2 | 10 | 35 | 55 | 64 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 172 | 5.2 | 27 | <1 | <1 | 4 | 7 | 11 | 15 | 26 |
| B. *Operated* | 84 | 21.5 | 308 | 2 | 3 | 17 | 32 | 44 | 56 | 74 |
| **1. SINGLE DX** | 224 | 9.2 | 197 | <1 | <1 | 5 | 9 | 29 | 43 | 73 |
| **2. MULTIPLE DX** | 256 | 10.6 | 177 | <1 | 1 | 5 | 12 | 29 | 39 | 68 |
| **A. NOT OPERATED** | 323 | 4.7 | 23 | <1 | <1 | 4 | 6 | 10 | 14 | 25 |
| **B. OPERATED** | 157 | 20.6 | 354 | 1 | 3 | 14 | 34 | 47 | 61 | 86 |
| TOTAL 0-27 DYS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-11 MOS | 7 | 12.4 | 414 | 1 | 1 | 3 | 16 | 49 | 56 | 56 |
| 1-5 YRS | 120 | 8.4 | 165 | <1 | <1 | 4 | 9 | 23 | 40 | 68 |
| 6-12 YRS | 138 | 6.7 | 81 | <1 | <1 | 5 | 7 | 13 | 23 | 55 |
| 13-19 YRS | 214 | 12.7 | 247 | 1 | 1 | 6 | 15 | 36 | 47 | 79 |
| **GRAND TOTAL** | **480** | **9.9** | **187** | **<1** | **1** | **5** | **11** | **29** | **41** | **69** |

## 49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 6.0 | 48 | 2 | 2 | 2 | 11 | 14 | 14 | 14 |
| 1-5 YRS | 7 | 5.1 | 58 | <1 | <1 | 2 | 5 | 19 | 22 | 22 |
| 6-12 YRS | 25 | 5.1 | 22 | <1 | <1 | 3 | 9 | 13 | 33 | 99+ |
| 13-19 YRS | 49 | 5.1 | 21 | 1 | 1 | 4 | 6 | 13 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 20 | 6.4 | 25 | 1 | 2 | 4 | 10 | 13 | 15 | 17 |
| 6-12 YRS | 30 | 6.6 | 39 | 1 | 1 | 4 | 10 | 16 | 18 | 25 |
| 13-19 YRS | 59 | 10.8 | 97 | 1 | 2 | 8 | 16 | 24 | 31 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 7.2 | 37 | 2 | 2 | 4 | 12 | 16 | 16 | 16 |
| 1-5 YRS | 16 | 8.5 | 103 | 1 | 2 | 6 | 7 | 17 | 36 | 44 |
| 6-12 YRS | 28 | 4.6 | 12 | 1 | 1 | 4 | 7 | 9 | 10 | 14 |
| 13-19 YRS | 46 | 5.3 | 54 | 1 | 2 | 3 | 5 | 10 | 13 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 3 | 7.0 | 13 | 4 | 4 | 6 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 19 | 13.8 | 231 | 3 | 4 | 8 | 16 | 28 | 51 | 68 |
| 13-19 YRS | 37 | 15.9 | 173 | 2 | 2 | 11 | 25 | 38 | 46 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 85 | 5.1 | 24 | <1 | 1 | 4 | 6 | 13 | 16 | 72 |
| B. *Operated* | 110 | 8.8 | 71 | 1 | 1 | 6 | 12 | 19 | 25 | 42 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 95 | 5.7 | 49 | 1 | 1 | 4 | 7 | 10 | 14 | 47 |
| B. *Operated* | 62 | 14.4 | 178 | 2 | 3 | 10 | 19 | 31 | 44 | 66 |
| **1. SINGLE DX** | 195 | 7.2 | 53 | 1 | 1 | 5 | 10 | 17 | 22 | 44 |
| **2. MULTIPLE DX** | 157 | 9.2 | 117 | 1 | 2 | 5 | 10 | 22 | 31 | 49 |
| **A. NOT OPERATED** | 180 | 5.5 | 37 | 1 | 1 | 4 | 7 | 13 | 15 | 47 |
| **B. OPERATED** | 172 | 10.8 | 116 | 1 | 2 | 8 | 15 | 25 | 31 | 50 |
| TOTAL 0-27 DYS | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 10 | 7.2 | 32 | 2 | 2 | 4 | 13 | 15 | 16 | 16 |
| 1-5 YRS | 46 | 7.0 | 55 | 1 | 1 | 5 | 9 | 14 | 19 | 44 |
| 6-12 YRS | 102 | 7.0 | 72 | 1 | 1 | 5 | 9 | 16 | 22 | 83 |
| 13-19 YRS | 191 | 9.0 | 98 | 1 | 1 | 5 | 11 | 22 | 29 | 49 |
| **GRAND TOTAL** | **352** | **8.1** | **83** | **1** | **1** | **5** | **10** | **18** | **25** | **49** |

## 50: Benign neoplasm of lip, oral cavity, and pharynx (210)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 4 | 5.0 | 10 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 24 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 53 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 152 | 3.4 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 4.2 | 37 | <1 | <1 | 1 | 6 | 15 | 15 | 15 |
| 6-12 YRS | 10 | 3.3 | 23 | <1 | <1 | 2 | 2 | 10 | 17 | 17 |
| 13-19 YRS | 30 | 4.8 | 17 | <1 | 1 | 4 | 6 | 11 | 16 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 4.1 | 8 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| B. *Operated* | 236 | 2.9 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 45 | 4.4 | 20 | <1 | 1 | 3 | 5 | 13 | 16 | 17 |
| **1. SINGLE DX** | 244 | 2.9 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | 46 | 4.3 | 19 | <1 | 1 | 3 | 5 | 13 | 16 | 17 |
| **A. NOT OPERATED** | 9 | 4.0 | 7 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| **B. OPERATED** | 281 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 29 | 2.0 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| 6-12 YRS | 66 | 2.4 | 5 | <1 | 1 | 2 | 2 | 4 | 6 | 16 |
| 13-19 YRS | 187 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **GRAND TOTAL** | **290** | **3.1** | **10** | **<1** | **1** | **2** | **4** | **6** | **8** | **17** |

## 51: Benign neoplasm of other parts of digestive system (211)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 15 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 6-12 YRS | 18 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 19 | 3.5 | 10 | <1 | 1 | 3 | 4 | 7 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 45 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 12 |
| 6-12 YRS | 62 | 3.1 | 6 | <1 | 1 | 2 | 5 | 6 | 7 | 12 |
| 13-19 YRS | 74 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.3 | 16 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 11 | 3.6 | 8 | <1 | <1 | 2 | 6 | 8 | 9 | 9 |
| 6-12 YRS | 12 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 17 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 6.8 | 61 | 1 | 1 | 5 | 10 | 20 | 20 | 20 |
| 1-5 YRS | 16 | 3.8 | 5 | 2 | 2 | 3 | 5 | 7 | 8 | 8 |
| 6-12 YRS | 33 | 4.2 | 17 | 1 | 1 | 2 | 5 | 11 | 15 | 16 |
| 13-19 YRS | 51 | 5.6 | 18 | 1 | 2 | 5 | 8 | 12 | 14 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 182 | 3.7 | 10 | 1 | 1 | 2 | 5 | 7 | 10 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| B. *Operated* | 105 | 5.0 | 17 | 1 | 1 | 3 | 7 | 11 | 14 | 18 |
| **1. SINGLE DX** | 234 | 3.6 | 9 | 1 | 1 | 2 | 5 | 7 | 10 | 14 |
| **2. MULTIPLE DX** | 148 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 13 | 17 |
| **A. NOT OPERATED** | 95 | 3.4 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| **B. OPERATED** | 287 | 4.2 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 6.1 | 35 | 1 | 1 | 5 | 7 | 16 | 20 | 20 |
| 1-5 YRS | 87 | 3.1 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 6-12 YRS | 125 | 3.4 | 8 | 1 | 1 | 2 | 5 | 7 | 8 | 15 |
| 13-19 YRS | 161 | 4.7 | 14 | 1 | 1 | 3 | 7 | 10 | 13 | 17 |
| **GRAND TOTAL** | **382** | **4.0** | **11** | **1** | **1** | **3** | **6** | **8** | **11** | **16** |

## 52: Benign neoplasm of respiratory system and intrathoracic organs (212)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 20 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 6 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 9 | 3.0 | 8 | 1 | 1 | 2 | 3 | 8 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 2.2 | 5 | 1 | 1 | 2 | 2 | 4 | 8 | 10 |
| 1-5 YRS | 101 | 1.8 | 5 | <1 | <1 | 1 | 2 | 2 | 4 | 14 |
| 6-12 YRS | 89 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 5 |
| 13-19 YRS | 77 | 3.4 | 13 | 1 | 1 | 2 | 4 | 9 | 12 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 3.8 | 5 | <1 | <1 | 4 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 4 | 5.5 | 35 | 1 | 1 | 3 | 9 | 14 | 14 | 14 |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 9.7 | 30 | 6 | 6 | 7 | 14 | 16 | 16 | 16 |
| 1-5 YRS | 27 | 4.4 | 17 | <1 | 1 | 3 | 5 | 11 | 14 | 15 |
| 6-12 YRS | 37 | 2.2 | 5 | 1 | 1 | 2 | 2 | 3 | 7 | 12 |
| 13-19 YRS | 24 | 3.6 | 9 | 1 | 2 | 2 | 4 | 8 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 5 | 10 |
| B. *Operated* | 283 | 2.2 | 6 | <1 | <1 | 2 | 2 | 3 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 4.4 | 14 | <1 | 1 | 4 | 5 | 10 | 14 | 14 |
| B. *Operated* | 91 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 11 | 16 |
| **1. SINGLE DX** | 313 | 2.2 | 6 | <1 | <1 | 2 | 2 | 3 | 8 | 15 |
| **2. MULTIPLE DX** | 102 | 3.6 | 12 | 1 | 1 | 2 | 4 | 9 | 12 | 15 |
| **A. NOT OPERATED** | 46 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **B. OPERATED** | 374 | 2.5 | 8 | <1 | 1 | 2 | 2 | 5 | 9 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 19 | 3.4 | 15 | 1 | 1 | 2 | 4 | 9 | 13 | 16 |
| 1-5 YRS | 154 | 2.4 | 8 | <1 | <1 | 2 | 2 | 4 | 9 | 15 |
| 6-12 YRS | 136 | 1.8 | 3 | <1 | 1 | 2 | 2 | 2 | 3 | 12 |
| 13-19 YRS | 111 | 3.4 | 11 | 1 | 1 | 2 | 3 | 9 | 11 | 16 |
| **GRAND TOTAL** | **420** | **2.5** | **8** | **<1** | **1** | **2** | **2** | **5** | **9** | **15** |

## 53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 5 | 6.2 | 39 | 1 | 1 | 4 | 6 | 17 | 17 | 17 |
| 6-12 YRS | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 20 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 9.0 | 127 | 2 | 2 | 3 | 17 | 22 | 22 | 22 |
| 1-11 MOS | 35 | 2.5 | 4 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 1-5 YRS | 152 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 6-12 YRS | 738 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 1870 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 8 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 6-12 YRS | 12 | 2.9 | 16 | <1 | <1 | 1 | 3 | 8 | 14 | 15 |
| 13-19 YRS | 19 | 2.9 | 8 | <1 | <1 | 2 | 4 | 7 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 7 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 34 | 3.5 | 17 | <1 | <1 | 2 | 4 | 10 | 19 | 99+ |
| 6-12 YRS | 131 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 13-19 YRS | 268 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 17 |
| B. *Operated* | 2798 | 3.0 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 2.7 | 9 | <1 | <1 | 1 | 3 | 7 | 9 | 15 |
| B. *Operated* | 441 | 3.8 | 16 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| **1. SINGLE DX** | 2831 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **2. MULTIPLE DX** | 482 | 3.7 | 16 | <1 | 1 | 3 | 4 | 7 | 9 | 23 |
| **A. NOT OPERATED** | 74 | 2.8 | 9 | <1 | <1 | 2 | 3 | 6 | 8 | 17 |
| **B. OPERATED** | 3239 | 3.1 | 6 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| TOTAL 0-27 DYS | 5 | 6.0 | 81 | <1 | <1 | 2 | 8 | 22 | 22 | 22 |
| 1-11 MOS | 45 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 1-5 YRS | 199 | 2.6 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 18 |
| 6-12 YRS | 887 | 2.9 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 13-19 YRS | 2177 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| **GRAND TOTAL** | **3313** | **3.1** | **6** | **<1** | **1** | **2** | **4** | **5** | **7** | **13** |

## 54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 24 | 3.3 | 11 | <1 | <1 | 2 | 4 | 7 | 10 | 16 |
| 1-5 YRS | 18 | 4.7 | 75 | <1 | <1 | 2 | 4 | 9 | 27 | 38 |
| 6-12 YRS | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 13-19 YRS | 13 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 3.4 | 9 | 1 | 1 | 2 | 4 | 8 | 10 | 10 |
| 1-11 MOS | 260 | 2.5 | 11 | <1 | <1 | 2 | 3 | 4 | 7 | 19 |
| 1-5 YRS | 921 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 791 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 13-19 YRS | 755 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 32 | 4.2 | 14 | <1 | 1 | 4 | 6 | 10 | 15 | 99+ |
| 1-5 YRS | 39 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 10 | 3.0 | 9 | <1 | <1 | 1 | 5 | 8 | 8 | 8 |
| 13-19 YRS | 8 | 3.6 | 3 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 57 | 5.6 | 98 | <1 | 1 | 3 | 5 | 10 | 19 | 64 |
| 1-5 YRS | 131 | 4.6 | 68 | <1 | 1 | 2 | 4 | 10 | 20 | 54 |
| 6-12 YRS | 173 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 13-19 YRS | 212 | 3.4 | 18 | <1 | 1 | 2 | 4 | 7 | 9 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 3.3 | 27 | <1 | <1 | 2 | 3 | 6 | 9 | 35 |
| B. *Operated* | 2735 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 91 | 3.3 | 9 | <1 | <1 | 2 | 5 | 8 | 9 | 64 |
| B. *Operated* | 574 | 3.6 | 34 | <1 | 1 | 2 | 3 | 7 | 11 | 31 |
| **1. SINGLE DX** | 2797 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 665 | 3.6 | 31 | <1 | <1 | 2 | 4 | 7 | 11 | 31 |
| **A. NOT OPERATED** | 153 | 3.3 | 16 | <1 | <1 | 2 | 4 | 7 | 9 | 37 |
| **B. OPERATED** | 3309 | 2.5 | 10 | <1 | <1 | 2 | 3 | 4 | 7 | 13 |
| TOTAL 0-27 DYS | 12 | 3.3 | 6 | 1 | 1 | 3 | 4 | 7 | 10 | 10 |
| 1-11 MOS | 373 | 3.2 | 26 | <1 | <1 | 2 | 3 | 6 | 9 | 33 |
| 1-5 YRS | 1109 | 2.3 | 13 | <1 | <1 | 1 | 2 | 4 | 6 | 15 |
| 6-12 YRS | 980 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 13-19 YRS | 988 | 2.7 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **GRAND TOTAL** | **3462** | **2.5** | **10** | **<1** | **<1** | **2** | **3** | **5** | **7** | **15** |

## 55: Benign neoplasm of breast (217)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 31 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 1475 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 210 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | 1509 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| B. *Operated* | 215 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **1. SINGLE DX** | 1514 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | 222 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **A. NOT OPERATED** | 12 | 1.4 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| **B. OPERATED** | 1724 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 35 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 1697 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **GRAND TOTAL** | **1736** | **2.0** | **2** | **<1** | **1** | **2** | **2** | **3** | **4** | **6** |

## 56: Uterine leiomyoma (218)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 7.5 | 3 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 17 | 4.7 | 18 | 1 | 2 | 3 | 5 | 9 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 9 | 7.0 | 8 | 2 | 3 | 7 | 8 | 11 | 13 | 13 |
| 1-5 YRS | 7 | 5.9 | 7 | <1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 6-12 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 13-19 YRS | 23 | 5.5 | 21 | <1 | 1 | 5 | 8 | 11 | 15 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 24 | 5.6 | 15 | 1 | 2 | 5 | 8 | 9 | 13 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.8 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | 42 | 5.8 | 15 | <1 | 1 | 6 | 8 | 9 | 13 | 19 |
| **1. SINGLE DX** | 28 | 5.2 | 15 | 1 | 2 | 4 | 7 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | 46 | 5.5 | 14 | <1 | 1 | 6 | 8 | 9 | 13 | 19 |
| **A. NOT OPERATED** | 8 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| **B. OPERATED** | 66 | 5.7 | 15 | <1 | 1 | 6 | 8 | 9 | 13 | 19 |
| TOTAL 0-27 DYS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 13 | 7.2 | 6 | 3 | 5 | 7 | 8 | 10 | 12 | 13 |
| 1-5 YRS | 8 | 6.3 | 7 | <1 | 1 | 7 | 8 | 9 | 9 | 9 |
| 6-12 YRS | 4 | 4.5 | 17 | <1 | <1 | 4 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 47 | 4.8 | 17 | 1 | 1 | 4 | 7 | 9 | 14 | 19 |
| **GRAND TOTAL** | **74** | **5.4** | **14** | **<1** | **1** | **5** | **7** | **9** | **12** | **19** |

## 57: Benign neoplasm of uterus, except leiomyoma (219)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 3.3 | 5 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 7 | 3.0 | 5 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| **1. SINGLE DX** | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | 8 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| **A. NOT OPERATED** | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 12 | 2.6 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 12 | 2.6 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| **GRAND TOTAL** | 13 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 7 |

## 58: Benign neoplasm of ovary (220)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 4.0 | 3 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 8.0 | 19 | 3 | 3 | 10 | 11 | 11 | 11 | 11 |
| 6-12 YRS | 32 | 6.8 | 6 | 4 | 4 | 6 | 9 | 10 | 11 | 12 |
| 13-19 YRS | 421 | 5.9 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 18 | 6.6 | 7 | 4 | 4 | 6 | 8 | 9 | 12 | 14 |
| 13-19 YRS | 338 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 4.0 | 3 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| B. *Operated* | 456 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 5.0 | 32 | <1 | <1 | 4 | 9 | 9 | 9 | 9 |
| B. *Operated* | 358 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| **1. SINGLE DX** | 463 | 6.0 | 3 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| **2. MULTIPLE DX** | 360 | 6.3 | 5 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| **A. NOT OPERATED** | 9 | 4.2 | 7 | <1 | <1 | 5 | 5 | 8 | 9 | 9 |
| **B. OPERATED** | 814 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |
| TOTAL 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 8.5 | 14 | 3 | 3 | 10 | 11 | 11 | 11 | 11 |
| 6-12 YRS | 50 | 6.7 | 6 | 4 | 4 | 6 | 9 | 10 | 11 | 14 |
| 13-19 YRS | 768 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 12 |
| **GRAND TOTAL** | 823 | 6.1 | 4 | 4 | 4 | 6 | 7 | 8 | 10 | 13 |

## 59: Benign neoplasm of female genitalia, except uterus and ovary (221)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 10 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 18 | 2.9 | 7 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 10 | 3.7 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 31 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 13 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 1. SINGLE DX | 31 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 9 | 9 |
| 2. MULTIPLE DX | 13 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| A. NOT OPERATED | | | | | | | | | | |
| B. OPERATED | 44 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 13 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 28 | 3.2 | 6 | <1 | <1 | 2 | 5 | 7 | 9 | 9 |
| GRAND TOTAL | 44 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |

## 60: Benign neoplasm of male genital organ (222)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 5 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 9 | 4.0 | 22 | <1 | 1 | 2 | 4 | 12 | 16 | 16 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | 23 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 11 | 3.5 | 18 | <1 | 1 | 2 | 4 | 9 | 15 | 16 |
| 1. SINGLE DX | 24 | 2.4 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 7 |
| 2. MULTIPLE DX | 12 | 3.3 | 17 | <1 | <1 | 2 | 3 | 8 | 15 | 16 |
| A. NOT OPERATED | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| B. OPERATED | 34 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 6 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 2.7 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 8 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 13-19 YRS | 18 | 3.6 | 13 | <1 | <1 | 2 | 4 | 7 | 12 | 16 |
| GRAND TOTAL | 36 | 2.7 | 8 | <1 | <1 | 2 | 3 | 6 | 7 | 16 |

### 61: Benign neoplasm of urinary organ (223)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 7 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 4.3 | 21 | <1 | <1 | 2 | 8 | 12 | 12 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 10 | 3.3 | 14 | <1 | <1 | 2 | 2 | 10 | 12 | 12 |
| **1. SINGLE DX** | 9 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | 10 | 3.3 | 14 | <1 | <1 | 2 | 2 | 10 | 12 | 12 |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | 19 | 2.7 | 8 | <1 | <1 | 2 | 2 | 6 | 10 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 13 | 3.2 | 11 | <1 | 1 | 2 | 3 | 9 | 11 | 12 |
| **GRAND TOTAL** | 19 | 2.7 | 8 | <1 | <1 | 2 | 2 | 6 | 10 | 12 |

### 62: Benign neoplasm of eye (224)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 73th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 30 | 1.6 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 6-12 YRS | 30 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| 13-19 YRS | 38 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 102 | 1.7 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 9 | 2.9 | 10 | 1 | 1 | 2 | 3 | 8 | 11 | 11 |
| **1. SINGLE DX** | 104 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 9 |
| **2. MULTIPLE DX** | 11 | 2.5 | 8 | <1 | <1 | 2 | 2 | 6 | 11 | 11 |
| **A. NOT OPERATED** | 4 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| **B. OPERATED** | 111 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 36 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 6-12 YRS | 35 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 6 | 12 |
| 13-19 YRS | 40 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 11 |
| **GRAND TOTAL** | 115 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 11 |

## 63: Benign neoplasm of central nervous system (225)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 5 | 4.0 | 8 | 1 | 1 | 3 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 6 | 10.3 | 94 | 2 | 2 | 6 | 21 | 24 | 24 | 24 |
| 6-12 YRS | 11 | 11.2 | 226 | 2 | 2 | 8 | 11 | 30 | 53 | 55 |
| 13-19 YRS | 22 | 11.6 | 70 | 1 | 2 | 10 | 14 | 22 | 31 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 31.0 | 578 | 14 | 14 | 31 | 48 | 48 | 48 | 48 |
| 1-5 YRS | 6 | 10.3 | 33 | 4 | 4 | 9 | 11 | 20 | 21 | 21 |
| 6-12 YRS | 8 | 19.4 | 179 | 7 | 8 | 15 | 25 | 42 | 46 | 46 |
| 13-19 YRS | 11 | 17.7 | 178 | 1 | 2 | 17 | 22 | 38 | 46 | 47 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 3.4 | 7 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| B. *Operated* | 40 | 11.3 | 108 | 2 | 2 | 9 | 13 | 22 | 32 | 55 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 27 | 17.6 | 172 | 2 | 5 | 14 | 21 | 43 | 47 | 48 |
| **1. SINGLE DX** | 47 | 10.1 | 100 | 1 | 2 | 8 | 12 | 21 | 29 | 55 |
| **2. MULTIPLE DX** | 32 | 15.3 | 174 | 1 | 2 | 11 | 19 | 37 | 47 | 48 |
| **A. NOT OPERATED** | 12 | 3.2 | 5 | 1 | 1 | 3 | 4 | 7 | 7 | 7 |
| **B. OPERATED** | 67 | 13.8 | 141 | 2 | 2 | 10 | 17 | 31 | 46 | 54 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 23.7 | 450 | 9 | 9 | 14 | 39 | 48 | 48 | 48 |
| 1-5 YRS | 12 | 10.3 | 58 | 2 | 2 | 8 | 16 | 22 | 24 | 24 |
| 6-12 YRS | 26 | 11.4 | 183 | 1 | 2 | 7 | 13 | 31 | 48 | 55 |
| 13-19 YRS | 38 | 12.4 | 167 | 1 | 2 | 10 | 17 | 26 | 34 | 47 |
| **GRAND TOTAL** | 79 | 12.2 | 138 | 1 | 2 | 9 | 16 | 26 | 41 | 53 |

## 64: Benign neoplasm of thyroid glands (226)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 9 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 139 | 3.8 | 1 | 2 | 3 | 4 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 4.3 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 32 | 5.2 | 10 | 2 | 3 | 4 | 5 | 11 | 13 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | 151 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| B. *Operated* | 38 | 5.0 | 8 | 2 | 3 | 4 | 5 | 9 | 13 | 14 |
| **1. SINGLE DX** | 153 | 3.7 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 40 | 5.1 | 8 | 2 | 3 | 4 | 5 | 9 | 13 | 14 |
| **A. NOT OPERATED** | 4 | 3.8 | 6 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| **B. OPERATED** | 189 | 4.0 | 3 | 2 | 3 | 4 | 4 | 5 | 7 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 16 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 6 |
| 13-19 YRS | 174 | 4.1 | 3 | 2 | 3 | 4 | 5 | 5 | 7 | 13 |
| **GRAND TOTAL** | 193 | 4.0 | 3 | 2 | 2 | 4 | 4 | 5 | 7 | 13 |

## 65: Benign neoplasm of endocrine glands, except thyroid (227)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 9 | 4.7 | 23 | 1 | 1 | 3 | 4 | 12 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 17.3 | 122 | 7 | 7 | 16 | 26 | 29 | 29 | 29 |
| 6-12 YRS | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| 13-19 YRS | 21 | 9.5 | 49 | 4 | 4 | 7 | 12 | 15 | 24 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 4.0 | 14 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 95.0 | | 95 | 95 | 95 | 95 | 95 | 95 | 95 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 2 | 11.5 | 25 | 8 | 8 | 11 | 15 | 15 | 15 | 15 |
| 13-19 YRS | 14 | 14.6 | 215 | 6 | 7 | 10 | 15 | 27 | 55 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 5.2 | 21 | 1 | 2 | 4 | 5 | 13 | 17 | 17 |
| B. *Operated* | 27 | 10.0 | 58 | 3 | 4 | 7 | 14 | 16 | 30 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.0 | 14 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| B. *Operated* | 18 | 18.2 | 539 | 5 | 6 | 10 | 15 | 51 | 82 | 95 |
| **1. SINGLE DX** | 38 | 8.6 | 51 | 2 | 3 | 6 | 11 | 16 | 24 | 35 |
| **2. MULTIPLE DX** | 23 | 15.1 | 455 | 1 | 2 | 9 | 14 | 31 | 74 | 95 |
| **A. NOT OPERATED** | 16 | 4.8 | 18 | 1 | 1 | 4 | 6 | 10 | 15 | 17 |
| **B. OPERATED** | 45 | 13.3 | 259 | 4 | 4 | 8 | 15 | 23 | 42 | 95 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 49.0 | 4232 | 3 | 3 | 49 | 95 | 95 | 95 | 95 |
| 1-5 YRS | 5 | 13.4 | 93 | 5 | 5 | 10 | 19 | 29 | 29 | 29 |
| 6-12 YRS | 5 | 8.6 | 24 | 3 | 3 | 8 | 13 | 15 | 15 | 15 |
| 13-19 YRS | 49 | 9.5 | 99 | 1 | 2 | 7 | 11 | 16 | 24 | 63 |
| **GRAND TOTAL** | 61 | 11.0 | 208 | 2 | 3 | 7 | 12 | 17 | 32 | 91 |

## 66: Carcinoma in situ of cervix (233.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 69 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 26 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 71 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 29 | 3.1 | 5 | 1 | 1 | 2 | 3 | 7 | 9 | 10 |
| **1. SINGLE DX** | 71 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 32 | 2.9 | 5 | 1 | 1 | 2 | 3 | 6 | [illegible] | 10 |
| **A. NOT OPERATED** | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 100 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.7 | 21 | 2 | 2 | 2 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 98 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| **GRAND TOTAL** | 103 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |

## 67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 2.5 | 3 | 1 | 1 | 2 | 2 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 3.8 | 11 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 9 | 2.1 | 2 | 1 | 1 | 2 | 2 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| B. *Operated* | 9 | 3.9 | 9 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| **1. SINGLE DX** | 10 | 2.2 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 6 |
| **2. MULTIPLE DX** | 11 | 3.7 | 8 | <1 | <1 | 3 | 5 | 8 | 10 | 10 |
| **A. NOT OPERATED** | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| **B. OPERATED** | 18 | 3.0 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 4.3 | 6 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 13 | 3.0 | 7 | <1 | 1 | 2 | 4 | 7 | 9 | 10 |
| **GRAND TOTAL** | 21 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |

## 68: Neoplasms of uncertain behavior and unspecified nature (235-239)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 4.0 | 11 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 24 | 2.0 | 2 | <1 | 1 | 1 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 36 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| 13-19 YRS | 70 | 4.6 | 39 | 1 | 1 | 3 | 6 | 9 | 12 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 10.0 | 33 | 5 | 5 | 8 | 14 | 18 | 18 | 18 |
| 1-11 MOS | 27 | 3.5 | 7 | <1 | 1 | 2 | 5 | 8 | 9 | 10 |
| 1-5 YRS | 97 | 3.0 | 16 | <1 | <1 | 2 | 3 | 7 | 9 | 23 |
| 6-12 YRS | 164 | 4.2 | 25 | 1 | 1 | 2 | 5 | 9 | 13 | 32 |
| 13-19 YRS | 370 | 4.4 | 24 | 1 | 1 | 3 | 5 | 10 | 13 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 9 | 3.8 | 16 | 1 | 1 | 2 | 8 | 11 | 13 | 13 |
| 1-5 YRS | 34 | 3.4 | 9 | <1 | <1 | 2 | 5 | 6 | 8 | 18 |
| 6-12 YRS | 35 | 3.6 | 13 | 1 | 1 | 3 | 4 | 6 | 7 | 22 |
| 13-19 YRS | 62 | 5.7 | 62 | 1 | 1 | 4 | 6 | 12 | 16 | 45 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 5 | 4.8 | 7 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 34 | 11.8 | 241 | 1 | 2 | 6 | 13 | 38 | 41 | 73 |
| 6-12 YRS | 51 | 9.1 | 110 | <1 | 1 | 4 | 16 | 20 | 25 | 82 |
| 13-19 YRS | 141 | 8.8 | 139 | 1 | 2 | 6 | 9 | 17 | 31 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 3.8 | 23 | 1 | 1 | 3 | 4 | 7 | 10 | 27 |
| B. *Operated* | 662 | 4.2 | 23 | <1 | 1 | 2 | 5 | 9 | 12 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 143 | 4.5 | 34 | <1 | 1 | 3 | 5 | 8 | 13 | 41 |
| B. *Operated* | 232 | 9.2 | 144 | 1 | 1 | 6 | 10 | 20 | 35 | 68 |
| **1. SINGLE DX** | 800 | 4.1 | 23 | 1 | 1 | 2 | 5 | 9 | 12 | 25 |
| **2. MULTIPLE DX** | 375 | 7.4 | 107 | 1 | 1 | 4 | 8 | 17 | 25 | 50 |
| **A. NOT OPERATED** | 281 | 4.1 | 29 | 1 | 1 | 3 | 5 | 7 | 12 | 36 |
| **B. OPERATED** | 894 | 5.5 | 59 | 1 | 1 | 3 | 6 | 11 | 18 | 40 |
| TOTAL 0-27 DYS | 11 | 5.4 | 26 | 1 | 1 | 3 | 7 | 13 | 18 | 18 |
| 1-11 MOS | 46 | 3.7 | 9 | <1 | 1 | 3 | 6 | 8 | 9 | 13 |
| 1-5 YRS | 189 | 4.5 | 64 | <1 | <1 | 2 | 5 | 8 | 19 | 40 |
| 6-12 YRS | 286 | 4.9 | 40 | 1 | 1 | 3 | 5 | 11 | 18 | 33 |
| 13-19 YRS | 643 | 5.5 | 58 | 1 | 1 | 4 | 6 | 11 | 15 | 42 |
| **GRAND TOTAL** | 1175 | 5.1 | 52 | 1 | 1 | 3 | 6 | 10 | 17 | 40 |

## 69: Simple and nontoxic nodular goiter (240-241)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 4.0 | 16 | 1 | 1 | 3 | 5 | 11 | 11 | 11 |
| 13-19 YRS | 14 | 2.3 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 5 | 3.6 | 9 | <1 | <1 | 3 | 6 | 8 | 8 | 8 |
| 13-19 YRS | 96 | 4.0 | 2 | 2 | 3 | 4 | 5 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 8 | 3.6 | 6 | 1 | 1 | 3 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 19 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 12.0 | 215 | 4 | 4 | 5 | 20 | 34 | 34 | 34 |
| 13-19 YRS | 34 | 4.9 | 6 | 2 | 3 | 4 | 6 | 7 | 11 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 11 |
| B. *Operated* | 104 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| B. *Operated* | 39 | 5.6 | 27 | 2 | 3 | 4 | 6 | 9 | 13 | 34 |
| **1. SINGLE DX** | 124 | 3.8 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 68 | 4.7 | 19 | 1 | 1 | 4 | 5 | 7 | 10 | 30 |
| **A. NOT OPERATED** | 49 | 3.1 | 5 | 1 | 1 | 2 | 5 | 6 | 7 | 11 |
| **B. OPERATED** | 143 | 4.4 | 10 | 2 | 3 | 4 | 5 | 6 | 8 | 15 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 5 | 2.8 | 9 | <1 | <1 | 2 | 4 | 8 | 8 | 8 |
| 6-12 YRS | 22 | 5.2 | 48 | <1 | 1 | 4 | 5 | 9 | 20 | 34 |
| 13-19 YRS | 163 | 4.0 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 11 |
| **GRAND TOTAL** | 192 | 4.1 | 9 | 1 | 2 | 4 | 5 | 6 | 7 | 13 |

## 70: Other diseases of thyroid gland (242-246)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 23 | 4.0 | 6 | 1 | 2 | 4 | 5 | 7 | 10 | 12 |
| 1-11 MOS | 8 | 5.1 | 26 | 1 | 1 | 3 | 9 | 13 | 14 | 14 |
| 1-5 YRS | 13 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 6-12 YRS | 42 | 4.7 | 14 | 1 | 2 | 4 | 6 | 8 | 12 | 21 |
| 13-19 YRS | 123 | 6.2 | 42 | 1 | 2 | 5 | 8 | 11 | 12 | 35 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 18 | 4.8 | 7 | 2 | 2 | 4 | 5 | 10 | 11 | 11 |
| 13-19 YRS | 160 | 6.0 | 36 | 2 | 3 | 5 | 6 | 10 | 15 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 5.7 | 26 | 1 | 1 | 4 | 8 | 14 | 15 | 15 |
| 1-11 MOS | 11 | 6.0 | 56 | 1 | 1 | 2 | 9 | 20 | 21 | 21 |
| 1-5 YRS | 12 | 9.4 | 200 | 1 | 1 | 6 | 9 | 24 | 49 | 53 |
| 6-12 YRS | 36 | 5.3 | 17 | 1 | 1 | 4 | 7 | 9 | 12 | 23 |
| 13-19 YRS | 126 | 5.9 | 32 | 1 | 2 | 4 | 7 | 11 | 14 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 8 | 4.9 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 58 | 7.5 | 28 | 4 | 4 | 6 | 8 | 13 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 5.4 | 30 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| B. *Operated* | 185 | 5.8 | 32 | 2 | 3 | 4 | 6 | 9 | 13 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 191 | 6.0 | 40 | 1 | 1 | 4 | 7 | 11 | 15 | 38 |
| B. *Operated* | 69 | 7.0 | 25 | 3 | 4 | 5 | 8 | 12 | 17 | 30 |
| **1. SINGLE DX** | 394 | 5.6 | 31 | 1 | 2 | 4 | 6 | 10 | 12 | 30 |
| **2. MULTIPLE DX** | 260 | 6.3 | 36 | 1 | 2 | 5 | 7 | 12 | 16 | 36 |
| **A. NOT OPERATED** | 400 | 5.7 | 35 | 1 | 2 | 4 | 7 | 11 | 13 | 30 |
| **B. OPERATED** | 254 | 6.1 | 31 | 2 | 3 | 5 | 6 | 10 | 15 | 32 |
| TOTAL 0-27 DYS | 29 | 4.3 | 10 | 1 | 2 | 4 | 5 | 9 | 12 | 15 |
| 1-11 MOS | 20 | 5.8 | 40 | 1 | 1 | 3 | 9 | 16 | 20 | 21 |
| 1-5 YRS | 34 | 5.5 | 78 | 1 | 1 | 3 | 5 | 9 | 12 | 53 |
| 6-12 YRS | 104 | 4.9 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 22 |
| 13-19 YRS | 467 | 6.2 | 36 | 2 | 2 | 5 | 7 | 11 | 15 | 35 |
| **GRAND TOTAL** | 654 | 5.9 | 33 | 1 | 2 | 4 | 7 | 11 | 14 | 32 |

### 71: Diabetes mellitus without complication (250.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 4 | 5.0 | 3 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 155 | 6.8 | 15 | 2 | 3 | 6 | 8 | 11 | 14 | 20 |
| 6-12 YRS | 616 | 7.0 | 21 | 2 | 3 | 6 | 9 | 11 | 14 | 21 |
| 13-19 YRS | 846 | 6.2 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 4 | 3.8 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 10.0 | 72 | 4 | 4 | 10 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 11 | 8.8 | 43 | 2 | 3 | 7 | 10 | 20 | 24 | 24 |
| 1-5 YRS | 94 | 7.4 | 36 | 1 | 1 | 6 | 10 | 14 | 18 | 30 |
| 6-12 YRS | 324 | 5.8 | 18 | 1 | 1 | 5 | 8 | 11 | 13 | 20 |
| 13-19 YRS | 689 | 5.8 | 30 | 1 | 2 | 5 | 7 | 11 | 13 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 1-5 YRS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 12 | 7.2 | 15 | 2 | 3 | 7 | 10 | 13 | 14 | 14 |
| 13-19 YRS | 47 | 9.9 | 157 | 1 | 2 | 6 | 11 | 22 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1622 | 6.6 | 17 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| *B. Operated* | 5 | 5.2 | [illegible] | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1120 | 6.0 | 25 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| *B. Operated* | 62 | 9.5 | 124 | 2 | 2 | 7 | 11 | 17 | 40 | 96 |
| **1. SINGLE DX** | 1627 | 6.5 | 17 | 2 | 2 | 6 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | 1182 | 6.1 | 33 | 1 | 2 | 5 | 8 | 11 | 14 | 30 |
| **A. NOT OPERATED** | 2742 | 6.3 | 22 | 1 | 2 | 6 | 8 | 11 | 14 | 21 |
| **B. OPERATED** | 67 | 9.2 | 116 | 1 | 2 | 7 | 10 | 16 | 36 | 95 |
| TOTAL 0-27 DYS | 3 | 10.3 | 36 | 4 | 4 | 11 | 15 | 16 | 16 | 16 |
| 1-11 MOS | 16 | 8.5 | 40 | 2 | 3 | 7 | 9 | 19 | 22 | 24 |
| 1-5 YRS | 251 | 7.1 | 22 | 1 | 2 | 6 | 9 | 13 | 16 | 26 |
| 6-12 YRS | 953 | 6.6 | 20 | 1 | 2 | 6 | 9 | 11 | 13 | 20 |
| 13-19 YRS | 1586 | 6.1 | 26 | 1 | 2 | 5 | 8 | 11 | 13 | 24 |
| **GRAND TOTAL** | 2809 | 6.4 | 24 | 1 | 2 | 6 | 8 | 11 | 14 | 22 |

### 72: Diabetic acidosis or coma (250.1-250.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 7.6 | 33 | 1 | 2 | 6 | 9 | 17 | 20 | 20 |
| 1-5 YRS | 68 | 7.3 | 18 | 2 | 2 | 7 | 9 | 15 | 17 | 18 |
| 6-12 YRS | 698 | 5.5 | 16 | 1 | 2 | 5 | 7 | 11 | 14 | 18 |
| 13-19 YRS | 1784 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 14 | 5.9 | 19 | 1 | 1 | 5 | 8 | 11 | 16 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 5.0 | 27 | 2 | 2 | 2 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 8 | 18.4 | 94 | 6 | 7 | 16 | 26 | 31 | 33 | 33 |
| 1-5 YRS | 67 | 8.2 | 40 | 1 | 2 | 7 | 11 | 18 | 22 | 26 |
| 6-12 YRS | 466 | 5.8 | 20 | 1 | 2 | 5 | 8 | 11 | 13 | 22 |
| 13-19 YRS | 1371 | 5.9 | 26 | 2 | 2 | 5 | 7 | 11 | 14 | 24 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 6-12 YRS | 5 | 8.8 | 23 | 3 | 3 | 8 | 13 | 15 | 15 | 15 |
| 13-19 YRS | 53 | 11.8 | 111 | 2 | 3 | 9 | 14 | 24 | 37 | 67 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 2558 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| *B. Operated* | 18 | 6.6 | 28 | 1 | 1 | 5 | 8 | 16 | 20 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1915 | 6.0 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 25 |
| *B. Operated* | 59 | 11.7 | 104 | 2 | 3 | 9 | 14 | 23 | 33 | 56 |
| **1. SINGLE DX** | 2576 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 1974 | 6.2 | 30 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| **A. NOT OPERATED** | 4473 | 5.5 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 77 | 10.5 | 91 | 2 | 3 | 8 | 13 | 22 | 25 | 53 |
| TOTAL 0-27 DYS | 3 | 5.0 | 27 | 2 | 2 | 2 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 17 | 13.5 | 68 | 2 | 4 | 11 | 21 | 27 | 31 | 33 |
| 1-5 YRS | 137 | 7.8 | 30 | 1 | 2 | 7 | 10 | 16 | 19 | 25 |
| 6-12 YRS | 1171 | 5.6 | 18 | 1 | 2 | 5 | 7 | 11 | 13 | 19 |
| 13-19 YRS | 3222 | 5.4 | 20 | 1 | 2 | 4 | 7 | 10 | 12 | 22 |
| **GRAND TOTAL** | 4550 | 5.6 | 21 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |

## 73: Other complicated diabetes mellitus (250.4-250.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 7.5 | 6 | 4 | 4 | 8 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 61 | 6.8 | 14 | 1 | 2 | 6 | 9 | 12 | 13 | 20 |
| 6-12 YRS | 341 | 6.6 | 18 | 2 | 3 | 6 | 8 | 11 | 13 | 25 |
| 13-19 YRS | 684 | 6.0 | 18 | 1 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 11 | 3.4 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 9.0 | 9 | 6 | 6 | 9 | 11 | 12 | 12 | 12 |
| 1-11 MOS | 15 | 11.5 | 70 | 3 | 4 | 8 | 16 | 20 | 31 | 35 |
| 1-5 YRS | 38 | 8.7 | 77 | 1 | 2 | 6 | 13 | 18 | 23 | 47 |
| 6-12 YRS | 216 | 5.9 | 22 | 1 | 1 | 5 | 8 | 11 | 14 | 25 |
| 13-19 YRS | 609 | 6.2 | 26 | 1 | 2 | 5 | 8 | 11 | 14 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 26.5 | 442 | 3 | 3 | 37 | 62 | 99+ | 99+ | 99+ |
| 6-12 YRS | 7 | 6.3 | 13 | 2 | 2 | 6 | 9 | 11 | 12 | 12 |
| 13-19 YRS | 61 | 9.5 | 40 | 2 | 3 | 8 | 13 | 18 | 23 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1092 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| B. *Operated* | 14 | 3.1 | 3 | 2 | 2 | 3 | 3 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 882 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 30 |
| B. *Operated* | 74 | 10.2 | 68 | 2 | 3 | 8 | 13 | 20 | 27 | 87 |
| **1. SINGLE DX** | 1106 | 6.2 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 22 |
| **2. MULTIPLE DX** | 956 | 6.6 | 32 | 1 | 2 | 5 | 8 | 12 | 17 | 32 |
| **A. NOT OPERATED** | 1974 | 6.3 | 22 | 1 | 2 | 5 | 8 | 11 | 14 | 26 |
| **B. OPERATED** | 88 | 9.1 | 65 | 2 | 2 | 7 | 12 | 18 | 27 | 80 |
| TOTAL 0-27 DYS | 8 | 8.3 | 17 | 1 | 2 | 9 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 19 | 10.7 | 58 | 3 | 4 | 8 | 14 | 19 | 28 | 35 |
| 1-5 YRS | 103 | 8.3 | 64 | 1 | 2 | 6 | 11 | 15 | 22 | 73 |
| 6-12 YRS | 567 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 25 |
| 13-19 YRS | 1365 | 6.2 | 23 | 1 | 2 | 5 | 8 | 11 | 15 | 27 |
| **GRAND TOTAL** | **2062** | **6.4** | **25** | **1** | **2** | **5** | **8** | **12** | **15** | **27** |

## 74: Ovarian dysfunction (256)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 27 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 163 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 21 | 4.3 | 3 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 161 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | 165 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 4.4 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 9 |
| B. *Operated* | 166 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| **1. SINGLE DX** | 192 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 189 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 50 | 3.7 | 3 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| **B. OPERATED** | 331 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 9 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 7 | 5.1 | 8 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| 13-19 YRS | 372 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| **GRAND TOTAL** | **381** | **4.1** | **7** | **1** | **1** | **4** | **5** | **7** | **9** | **12** |

## 75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 8.3 | 35 | 1 | 1 | 8 | 10 | 17 | 20 | 20 |
| 1-11 MOS | 33 | 3.6 | 13 | 1 | 1 | 2 | 4 | 9 | 13 | 14 |
| 1-5 YRS | 147 | 3.1 | 16 | <1 | 1 | 2 | 3 | 6 | 8 | 19 |
| 6-12 YRS | 189 | 3.1 | 10 | 1 | 1 | 2 | 3 | 6 | 7 | 14 |
| 13-19 YRS | 197 | 4.4 | 17 | 1 | 1 | 3 | 6 | 8 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 13 | 4.7 | 19 | 1 | 2 | 3 | 5 | 10 | 16 | 18 |
| 6-12 YRS | 15 | 5.3 | 12 | 1 | 2 | 6 | 8 | 11 | 11 | 11 |
| 13-19 YRS | 26 | 5.8 | 27 | 1 | 2 | 4 | 7 | 11 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 9.2 | 100 | 2 | 2 | 6 | 9 | 25 | 35 | 35 |
| 1-11 MOS | 46 | 5.3 | 39 | 1 | 1 | 3 | 6 | 12 | 19 | 33 |
| 1-5 YRS | 184 | 4.3 | 35 | 1 | 1 | 2 | 5 | 8 | 13 | 41 |
| 6-12 YRS | 211 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 336 | 4.8 | 31 | 1 | 1 | 4 | 6 | 8 | 11 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 21.0 | 392 | 7 | 7 | 21 | 35 | 35 | 35 | 35 |
| 1-11 MOS | 3 | 31.3 | 346 | 14 | 14 | 29 | 45 | 51 | 51 | 51 |
| 1-5 YRS | 11 | 6.7 | 23 | 1 | 2 | 5 | 9 | 13 | 18 | 18 |
| 6-12 YRS | 19 | 4.6 | 12 | 1 | 2 | 4 | 6 | 9 | 13 | 16 |
| 13-19 YRS | 40 | 8.7 | 90 | 1 | 2 | 6 | 10 | 19 | 30 | 48 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 574 | 3.6 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| B. *Operated* | 58 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 786 | 4.2 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| B. *Operated* | 75 | 8.6 | 98 | 1 | 2 | 5 | 9 | 18 | 33 | 50 |
| **1. SINGLE DX** | 632 | 3.8 | 16 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | 861 | 4.6 | 35 | 1 | 1 | 3 | 5 | 8 | 13 | 34 |
| **A. NOT OPERATED** | 1360 | 4.0 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| **B. OPERATED** | 133 | 7.2 | 66 | 1 | 2 | 4 | 8 | 16 | 25 | 49 |
| TOTAL 0-27 DYS | 21 | 9.7 | 88 | 1 | 2 | 7 | 10 | 26 | 35 | 35 |
| 1-11 MOS | 84 | 5.5 | 60 | 1 | 1 | 3 | 6 | 13 | 19 | 45 |
| 1-5 YRS | 355 | 3.9 | 26 | 1 | 1 | 2 | 4 | 7 | 12 | 31 |
| 6-12 YRS | 434 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 599 | 5.0 | 31 | 1 | 1 | 4 | 6 | 9 | 13 | 30 |
| **GRAND TOTAL** | **1493** | **4.3** | **27** | **1** | **1** | **3** | **5** | **8** | **11** | **31** |

## 76: Nutritional deficiencies (260-269)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.5 | 7 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 18 | 5.8 | 26 | 2 | 2 | 4 | 6 | 12 | 19 | 23 |
| 1-5 YRS | 22 | 6.5 | 40 | 1 | 2 | 5 | 8 | 12 | 20 | 31 |
| 6-12 YRS | 4 | 4.8 | 32 | 1 | 1 | 3 | 8 | 13 | 13 | 13 |
| 13-19 YRS | 10 | 5.4 | 5 | 2 | 2 | 5 | 7 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 5 | 3.4 | 7 | 2 | 2 | 2 | 4 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 7.3 | 23 | 2 | 2 | 6 | 10 | 13 | 17 | 19 |
| 1-11 MOS | 65 | 8.8 | 78 | 2 | 2 | 6 | 10 | 21 | 28 | 47 |
| 1-5 YRS | 45 | 9.2 | 65 | 1 | 2 | 6 | 12 | 19 | 26 | 35 |
| 6-12 YRS | 6 | 12.7 | 182 | 1 | 1 | 9 | 16 | 36 | 38 | 38 |
| 13-19 YRS | 23 | 7.3 | 17 | 2 | 3 | 7 | 8 | 15 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-11 MOS | 5 | 18.8 | 188 | 6 | 6 | 17 | 28 | 39 | 39 | 39 |
| 1-5 YRS | 3 | 18.0 | 475 | 3 | 3 | 8 | 34 | 43 | 43 | 43 |
| 6-12 YRS | 5 | 12.4 | 113 | 5 | 5 | 10 | 15 | 31 | 31 | 31 |
| 13-19 YRS | 7 | 8.7 | 29 | 5 | 5 | 6 | 14 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 13 | 30 |
| B. *Operated* | 9 | 3.7 | 6 | 1 | 1 | 3 | 5 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 154 | 8.7 | 63 | 2 | 2 | 6 | 10 | 19 | 23 | 38 |
| B. *Operated* | 21 | 13.9 | 137 | 4 | 5 | 8 | 18 | 34 | 41 | 43 |
| **1. SINGLE DX** | 67 | 5.6 | 24 | 1 | 2 | 4 | 7 | 10 | 13 | 30 |
| **2. MULTIPLE DX** | 175 | 9.3 | 74 | 2 | 2 | 7 | 11 | 19 | 30 | 42 |
| **A. NOT OPERATED** | 212 | 8.0 | 54 | 2 | 2 | 6 | 9 | 17 | 21 | 36 |
| **B. OPERATED** | 30 | 10.8 | 119 | 2 | 2 | 6 | 16 | 28 | 39 | 43 |
| TOTAL 0-27 DYS | 21 | 7.6 | 27 | 2 | 3 | 6 | 10 | 15 | 20 | 21 |
| 1-11 MOS | 88 | 8.8 | 79 | 2 | 2 | 6 | 10 | 21 | 27 | 46 |
| 1-5 YRS | 71 | 8.7 | 72 | 1 | 2 | 6 | 11 | 19 | 31 | 41 |
| 6-12 YRS | 17 | 9.5 | 110 | 1 | 1 | 6 | 11 | 28 | 36 | 38 |
| 13-19 YRS | 45 | 6.7 | 16 | 2 | 2 | 6 | 8 | 15 | 17 | 17 |
| **GRAND TOTAL** | **242** | **8.3** | **62** | **2** | **2** | **6** | **10** | **18** | **24** | **39** |

## 77: Cystic fibrosis (277.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 27 | 10.9 | 84 | 2 | 3 | 8 | 14 | 22 | 35 | 37 |
| 1-5 YRS | 44 | 9.1 | 31 | 2 | 2 | 10 | 12 | 14 | 18 | 29 |
| 6-12 YRS | 94 | 10.7 | 32 | 2 | 3 | 10 | 14 | 18 | 20 | 31 |
| 13-19 YRS | 132 | 12.4 | 33 | 3 | 6 | 12 | 15 | 19 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 2 | 22.5 | 145 | 14 | 14 | 22 | 31 | 31 | 31 | 31 |
| 13-19 YRS | 2 | 22.0 | 162 | 13 | 13 | 22 | 31 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 42 | 14.1 | 221 | 2 | 3 | 9 | 19 | 28 | 43 | 76 |
| 1-5 YRS | 110 | 9.0 | 36 | 2 | 2 | 8 | 13 | 16 | 20 | 29 |
| 6-12 YRS | 127 | 12.0 | 60 | 2 | 3 | 10 | 15 | 20 | 27 | 41 |
| 13-19 YRS | 170 | 11.2 | 38 | 3 | 4 | 10 | 14 | 18 | 23 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 84.0 | | 84 | 84 | 92 | 99+ | 99+ | 99+ | 99+ |
| 1-11 MOS | 3 | 24.0 | 372 | 10 | 10 | 16 | 38 | 46 | 46 | 46 |
| 1-5 YRS | 6 | 11.2 | 66 | 1 | 1 | 10 | 16 | 23 | 24 | 24 |
| 6-12 YRS | 12 | 19.1 | 129 | 2 | 3 | 18 | 29 | 32 | 35 | 36 |
| 13-19 YRS | 15 | 13.1 | 100 | 2 | 5 | 8 | 22 | 26 | 33 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 298 | 11.2 | 38 | 2 | 3 | 10 | 14 | 18 | 21 | 36 |
| B. *Operated* | 5 | 20.8 | 87 | 13 | 13 | 15 | 31 | 31 | 31 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 450 | 11.2 | 62 | 2 | 3 | 10 | 14 | 20 | 25 | 37 |
| B. *Operated* | 37 | 17.5 | 250 | 2 | 3 | 13 | 26 | 36 | 69 | 99+ |
| **1. SINGLE DX** | 303 | 11.4 | 40 | 2 | 3 | 11 | 14 | 18 | 22 | 36 |
| **2. MULTIPLE DX** | 487 | 11.6 | 79 | 2 | 3 | 10 | 14 | 21 | 27 | 47 |
| **A. NOT OPERATED** | 748 | 11.2 | 53 | 2 | 3 | 10 | 14 | 19 | 23 | 36 |
| **B. OPERATED** | 42 | 17.9 | 229 | 2 | 4 | 14 | 27 | 36 | 59 | 99+ |
| TOTAL 0-27 DYS | 3 | 32.3 | 2032 | 1 | 1 | 48 | 92 | 99+ | 99+ | 99+ |
| 1-11 MOS | 72 | 13.3 | 176 | 2 | 3 | 9 | 17 | 28 | 37 | 72 |
| 1-5 YRS | 161 | 9.2 | 35 | 2 | 2 | 9 | 13 | 16 | 20 | 29 |
| 6-12 YRS | 235 | 11.9 | 56 | 2 | 3 | 10 | 15 | 21 | 28 | 37 |
| 13-19 YRS | 319 | 11.9 | 40 | 3 | 4 | 11 | 15 | 19 | 23 | 36 |
| **GRAND TOTAL** | **790** | **11.5** | **64** | **2** | **3** | **10** | **14** | **20** | **26** | **38** |

## 78: Obesity of nonendocrine origin (278.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 4.5 | 4 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| 6-12 YRS | 25 | 9.8 | 327 | 1 | 2 | 3 | 6 | 25 | 53 | 85 |
| 13-19 YRS | 41 | 9.6 | 302 | 1 | 1 | 4 | 7 | 22 | 62 | 79 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 76 | 8.6 | 21 | 5 | 6 | 8 | 9 | 11 | 14 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 9 | 6.0 | 33 | 1 | 1 | 5 | 6 | 16 | 20 | 20 |
| 6-12 YRS | 43 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| 13-19 YRS | 60 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 19 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 16.0 | 50 | 11 | 11 | 16 | 21 | 21 | 21 | 21 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 13-19 YRS | 73 | 10.4 | 89 | 5 | 6 | 8 | 9 | 14 | 29 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 77 | 8.9 | 266 | 1 | 2 | 4 | 6 | 19 | 54 | 83 |
| B. *Operated* | 77 | 8.6 | 21 | 5 | 6 | 8 | 9 | 11 | 14 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 114 | 5.1 | 16 | 1 | 2 | 4 | 6 | 10 | 14 | 51 |
| B. *Operated* | 76 | 10.7 | 91 | 5 | 6 | 8 | 10 | 16 | 30 | 63 |
| **1. SINGLE DX** | 154 | 8.8 | 143 | 2 | 2 | 7 | 8 | 13 | 24 | 78 |
| **2. MULTIPLE DX** | 190 | 7.4 | 53 | 2 | 2 | 6 | 9 | 11 | 20 | 58 |
| **A. NOT OPERATED** | 191 | 6.7 | 120 | 1 | 2 | 4 | 6 | 10 | 23 | 82 |
| **B. OPERATED** | 153 | 9.7 | 56 | 5 | 6 | 8 | 9 | 13 | 20 | 40 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 9.2 | 62 | 2 | 2 | 10 | 13 | 21 | 21 | 21 |
| 1-5 YRS | 20 | 5.2 | 17 | 1 | 2 | 4 | 6 | 9 | 15 | 20 |
| 6-12 YRS | 69 | 6.8 | 133 | 2 | 2 | 4 | 6 | 11 | 25 | 77 |
| 13-19 YRS | 250 | 8.5 | 89 | 2 | 3 | 7 | 9 | 12 | 22 | 72 |
| **GRAND TOTAL** | **344** | **8.0** | **93** | **2** | **2** | **6** | **9** | **11** | **21** | **72** |

## 79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 53 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 1-11 MOS | 56 | 4.1 | 10 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 1-5 YRS | 89 | 3.9 | 38 | <1 | <1 | 3 | 4 | 6 | 9 | 42 |
| 6-12 YRS | 64 | 5.1 | 162 | <1 | <1 | 2 | 4 | 8 | 15 | 88 |
| 13-19 YRS | 128 | 3.4 | 19 | <1 | 1 | 1 | 4 | 8 | 10 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 20.0 | 8 | 18 | 18 | 20 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 13 | 5.3 | 26 | 1 | 2 | 4 | 6 | 11 | 19 | 21 |
| 1-5 YRS | 38 | 4.6 | 24 | <1 | 1 | 3 | 5 | 10 | 14 | 27 |
| 6-12 YRS | 36 | 6.7 | 99 | 1 | 1 | 3 | 6 | 11 | 36 | 43 |
| 13-19 YRS | 46 | 3.7 | 11 | <1 | 1 | 2 | 5 | 9 | 12 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 28 | 5.0 | 54 | 1 | 1 | 3 | 4 | 9 | 17 | 40 |
| 1-11 MOS | 96 | 7.4 | 61 | 2 | 2 | 5 | 9 | 15 | 17 | 47 |
| 1-5 YRS | 123 | 5.6 | 62 | <1 | 1 | 4 | 7 | 10 | 17 | 51 |
| 6-12 YRS | 87 | 4.5 | 28 | <1 | <1 | 3 | 5 | 8 | 13 | 34 |
| 13-19 YRS | 98 | 5.1 | 20 | <1 | 1 | 4 | 6 | 10 | 15 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 10.7 | 89 | 2 | 3 | 9 | 10 | 19 | 36 | 41 |
| 1-5 YRS | 26 | 11.2 | 241 | <1 | <1 | 4 | 12 | 31 | 49 | 64 |
| 6-12 YRS | 23 | 9.1 | 38 | 2 | 3 | 8 | 14 | 16 | 20 | 26 |
| 13-19 YRS | 56 | 9.6 | 75 | 1 | 2 | 7 | 12 | 23 | 31 | 96 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 390 | 3.8 | 43 | <1 | <1 | 2 | 4 | 7 | 9 | 29 |
| B. *Operated* | 135 | 5.2 | 43 | <1 | 1 | 3 | 6 | 10 | 17 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 432 | 5.6 | 45 | <1 | 1 | 4 | 7 | 11 | 16 | 40 |
| B. *Operated* | 119 | 10.0 | 104 | 1 | 2 | 7 | 12 | 24 | 31 | 75 |
| 1. SINGLE DX | 525 | 4.2 | 44 | <1 | 1 | 3 | 5 | 8 | 11 | 31 |
| 2. MULTIPLE DX | 551 | 6.6 | 61 | <1 | 1 | 4 | 8 | 14 | 19 | 46 |
| A. NOT OPERATED | 822 | 4.8 | 45 | <1 | 1 | 3 | 5 | 9 | 14 | 31 |
| B. OPERATED | 254 | 7.4 | 77 | 1 | 1 | 4 | 9 | 17 | 27 | 47 |
| TOTAL 0-27 DYS | 83 | 4.1 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 34 |
| 1-11 MOS | 179 | 6.5 | 47 | 1 | 2 | 4 | 8 | 13 | 17 | 38 |
| 1-5 YRS | 276 | 5.5 | 69 | <1 | 1 | 3 | 5 | 10 | 18 | 50 |
| 6-12 YRS | 210 | 5.6 | 83 | <1 | <1 | 3 | 6 | 11 | 16 | 41 |
| 13-19 YRS | 328 | 5.0 | 32 | <1 | 1 | 3 | 6 | 11 | 18 | 30 |
| GRAND TOTAL | 1076 | 5.4 | 54 | <1 | 1 | 3 | 6 | 11 | 17 | 41 |

## 80: Gout (274)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 17.5 | 313 | 5 | 5 | 17 | 30 | 30 | 30 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| B. *Operated* | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 3 | 12.3 | 236 | 2 | 2 | 5 | 24 | 30 | 30 | 30 |
| B. *Operated* | 5 | 4.6 | 9 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 1. SINGLE DX | 7 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 2. MULTIPLE DX | 8 | 7.5 | 89 | 1 | 1 | 5 | 7 | 23 | 30 | 30 |
| A. NOT OPERATED | 9 | 5.8 | 84 | 1 | 1 | 3 | 4 | 20 | 30 | 30 |
| B. OPERATED | 6 | 4.2 | 9 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 10 | 6.2 | 73 | 1 | 1 | 4 | 5 | 18 | 30 | 30 |
| GRAND TOTAL | 15 | 5.1 | 52 | 1 | 1 | 3 | 5 | 8 | 24 | 30 |

## 81: Disorders of fluid, electrolyte, and acid-base balance (276)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 6.6 | 221 | 1 | 1 | 2 | 5 | 11 | 47 | 58 |
| 1-11 MOS | 95 | 4.0 | 30 | <1 | 1 | 3 | 4 | 5 | 8 | 39 |
| 1-5 YRS | 176 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 6-12 YRS | 78 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 13-19 YRS | 49 | 3.1 | 5 | 1 | 1 | 3 | 3 | 7 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 45 | 5.7 | 14 | 2 | 2 | 5 | 6 | 11 | 12 | 19 |
| 1-11 MOS | 556 | 5.4 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 30 |
| 1-5 YRS | 920 | 3.7 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 6-12 YRS | 403 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 13-19 YRS | 376 | 4.0 | 15 | 1 | 1 | 3 | 5 | 7 | 8 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 10.9 | 232 | 3 | 3 | 4 | 9 | 38 | 45 | 45 |
| 1-11 MOS | 28 | 8.1 | 42 | 1 | 2 | 6 | 10 | 21 | 22 | 24 |
| 1-5 YRS | 24 | 7.8 | 61 | 2 | 3 | 5 | 8 | 14 | 28 | 36 |
| 6-12 YRS | 6 | 9.7 | 67 | 2 | 2 | 6 | 20 | 20 | 20 | 20 |
| 13-19 YRS | 13 | 9.2 | 84 | 1 | 1 | 6 | 13 | 22 | 31 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 412 | 3.2 | 18 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| B. *Operated* | 6 | 5.8 | 9 | 2 | 2 | 5 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2300 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| B. *Operated* | 78 | 8.6 | 69 | 1 | 2 | 6 | 9 | 20 | 25 | 42 |
| **1. SINGLE DX** | 418 | 3.2 | 18 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| **2. MULTIPLE DX** | 2378 | 4.2 | 18 | 1 | 1 | 3 | 5 | 7 | 11 | 23 |
| **A. NOT OPERATED** | 2712 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| **B. OPERATED** | 84 | 8.4 | 65 | 1 | 2 | 5 | 9 | 20 | 24 | 42 |
| TOTAL 0-27 DYS | 68 | 6.4 | 76 | 1 | 2 | 4 | 6 | 11 | 14 | 56 |
| 1-11 MOS | 681 | 5.3 | 32 | 1 | 2 | 4 | 6 | 10 | 14 | 31 |
| 1-5 YRS | 1121 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 8 | 17 |
| 6-12 YRS | 488 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 16 |
| 13-19 YRS | 438 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| **GRAND TOTAL** | **2796** | **4.1** | **18** | **1** | **1** | **3** | **5** | **7** | **10** | **23** |

## 82: Iron deficiency anemia (280)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 55 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| 1-5 YRS | 85 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 13 |
| 6-12 YRS | 13 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 13-19 YRS | 53 | 4.3 | 7 | 1 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 15 | 5.5 | 10 | <1 | 1 | 6 | 8 | 10 | 11 | 12 |
| 6-12 YRS | 3 | 5.0 | 12 | 3 | 3 | 3 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 20 | 4.9 | 9 | 2 | 2 | 4 | 7 | 8 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 80 | 5.5 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| 1-5 YRS | 135 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 6-12 YRS | 25 | 4.6 | 5 | 1 | 2 | 4 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 144 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 4.5 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 5.4 | 5 | 4 | 4 | 4 | 7 | 9 | 9 | 9 |
| 6-12 YRS | 4 | 7.0 | 8 | 5 | 5 | 6 | 9 | 11 | 11 | 11 |
| 13-19 YRS | 46 | 7.9 | 100 | 1 | 1 | 4 | 9 | 18 | 24 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 206 | 4.3 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | 39 | 5.2 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 386 | 4.9 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | 59 | 7.4 | 80 | 1 | 2 | 4 | 7 | 15 | 20 | 54 |
| **1. SINGLE DX** | 245 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 10 | 13 |
| **2. MULTIPLE DX** | 445 | 5.3 | 20 | 1 | 2 | 4 | 7 | 9 | 13 | 19 |
| **A. NOT OPERATED** | 592 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| **B. OPERATED** | 98 | 6.5 | 52 | 1 | 2 | 4 | 7 | 13 | 17 | 47 |
| TOTAL 0-27 DYS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 140 | 5.1 | 10 | 1 | 2 | 5 | 6 | 9 | 10 | 19 |
| 1-5 YRS | 240 | 4.7 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| 6-12 YRS | 45 | 4.4 | 6 | 1 | 2 | 4 | 6 | 8 | 8 | 11 |
| 13-19 YRS | 263 | 5.3 | 26 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| **GRAND TOTAL** | **690** | **5.0** | **16** | **1** | **2** | **4** | **6** | **9** | **12** | **18** |

## 83: Sickle-cell anemia and trait (282.5-282.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 16 | 4.1 | 4 | <1 | 1 | 4 | 5 | 7 | 8 | 8 |
| 1-5 YRS | 182 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 6-12 YRS | 359 | 4.0 | 7 | <1 | 1 | 4 | 5 | 7 | 9 | 12 |
| 13-19 YRS | 550 | 5.2 | 13 | 1 | 2 | 4 | 7 | 10 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 10.7 | 32 | 6 | 6 | 9 | 15 | 17 | 17 | 17 |
| 6-12 YRS | 3 | 6.3 | 1 | 5 | 5 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 4 | 11.8 | 44 | 5 | 5 | 11 | 17 | 20 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 36 | 5.6 | 47 | 1 | 1 | 3 | 6 | 12 | 21 | 35 |
| 1-5 YRS | 223 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 21 |
| 6-12 YRS | 275 | 5.9 | 43 | 1 | 1 | 5 | 7 | 11 | 14 | 24 |
| 13-19 YRS | 418 | 7.5 | 37 | 2 | 2 | 6 | 9 | 14 | 19 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 6.8 | 13 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 6-12 YRS | 12 | 10.3 | 70 | 1 | 4 | 8 | 11 | 20 | 33 | 35 |
| 13-19 YRS | 45 | 13.6 | 198 | 2 | 4 | 9 | 16 | 29 | 38 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1109 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | 10 | 9.8 | 28 | 5 | 5 | 8 | 14 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 953 | 6.5 | 35 | 1 | 2 | 5 | 8 | 12 | 15 | 31 |
| B. *Operated* | 61 | 12.5 | 163 | 2 | 3 | 9 | 15 | 26 | 34 | 77 |
| **1. SINGLE DX** | 1119 | 4.6 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | 1014 | 6.8 | 45 | 1 | 2 | 5 | 8 | 13 | 16 | 35 |
| **A. NOT OPERATED** | 2062 | 5.5 | 22 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| **B. OPERATED** | 71 | 12.2 | 144 | 2 | 4 | 9 | 14 | 23 | 33 | 74 |
| TOTAL 0-27 DYS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 52 | 5.1 | 34 | 1 | 1 | 3 | 6 | 9 | 17 | 35 |
| 1-5 YRS | 412 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 10 | 17 |
| 6-12 YRS | 649 | 4.9 | 24 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| 13-19 YRS | 1017 | 6.6 | 35 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| **GRAND TOTAL** | **2133** | **5.7** | **28** | **1** | **2** | **5** | **7** | **10** | **14** | **26** |

## 84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 2.8 | 4 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 75 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 7 |
| 1-5 YRS | 226 | 2.4 | 10 | <1 | <1 | 1 | 2 | 5 | 8 | 15 |
| 6-12 YRS | 185 | 1.9 | 4 | <1 | <1 | <1 | 2 | 4 | 7 | 11 |
| 13-19 YRS | 315 | 1.9 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 13 | 3.2 | 9 | <1 | 1 | 3 | 4 | 6 | 11 | 12 |
| 1-5 YRS | 44 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 14 |
| 6-12 YRS | 36 | 7.4 | 111 | 1 | 2 | 5 | 6 | 13 | 20 | 64 |
| 13-19 YRS | 69 | 7.5 | 23 | 2 | 2 | 6 | 9 | 15 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 13 | 5.2 | 27 | 1 | 1 | 3 | 8 | 13 | 17 | 18 |
| 1-11 MOS | 90 | 5.3 | 63 | <1 | 1 | 3 | 6 | 11 | 20 | 55 |
| 1-5 YRS | 159 | 3.7 | 12 | <1 | 1 | 2 | 5 | 9 | 12 | 19 |
| 6-12 YRS | 142 | 3.8 | 21 | <1 | <1 | 2 | 5 | 9 | 14 | 22 |
| 13-19 YRS | 241 | 4.0 | 14 | <1 | <1 | 3 | 5 | 9 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 5.9 | 55 | 1 | 1 | 3 | 6 | 19 | 22 | 22 |
| 1-5 YRS | 35 | 7.1 | 102 | 1 | 1 | 4 | 7 | 14 | 23 | 57 |
| 6-12 YRS | 44 | 6.8 | 35 | 1 | 1 | 6 | 9 | 14 | 45 | 99+ |
| 13-19 YRS | 93 | 8.9 | 88 | 2 | 3 | 6 | 10 | 15 | 29 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 812 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 7 | 12 |
| B. *Operated* | 164 | 6.3 | 40 | 1 | 1 | 5 | 7 | 12 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 645 | 4.1 | 22 | <1 | <1 | 3 | 5 | 9 | 12 | 25 |
| B. *Operated* | 179 | 7.9 | 77 | 1 | 2 | 6 | 9 | 15 | 27 | 88 |
| **1. SINGLE DX** | 976 | 2.8 | 14 | <1 | <1 | 1 | 3 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | 824 | 4.9 | 36 | <1 | <1 | 3 | 6 | 10 | 14 | 37 |
| **A. NOT OPERATED** | 1457 | 3.0 | 14 | <1 | <1 | 1 | 4 | 7 | 10 | 19 |
| **B. OPERATED** | 343 | 7.1 | 59 | 1 | 2 | 6 | 8 | 13 | 20 | 62 |
| TOTAL 0-27 DYS | 26 | 4.2 | 17 | <1 | <1 | 3 | 5 | 10 | 13 | 18 |
| 1-11 MOS | 185 | 3.9 | 36 | <1 | 1 | 3 | 4 | 7 | 12 | 51 |
| 1-5 YRS | 464 | 3.4 | 19 | <1 | <1 | 2 | 4 | 7 | 11 | 19 |
| 6-12 YRS | 407 | 3.6 | 26 | <1 | <1 | 1 | 5 | 9 | 12 | 30 |
| 13-19 YRS | 718 | 4.0 | 26 | <1 | <1 | 2 | 5 | 9 | 12 | 25 |
| **GRAND TOTAL** | **1800** | **3.8** | **25** | **<1** | **<1** | **2** | **5** | **9** | **12** | **26** |

## 85: Hemophilia (congenital factor VIII disorder) (286.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 5.0 | 37 | 1 | 1 | 2 | 9 | 12 | 12 | 12 |
| 1-11 MOS | 4 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 25 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 15 | 3.3 | 5 | <1 | <1 | 3 | 5 | 7 | 8 | 9 |
| 13-19 YRS | 27 | 4.5 | 14 | <1 | <1 | 3 | 6 | 10 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 10 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 50 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 12 | 18 |
| 6-12 YRS | 40 | 4.4 | 15 | 1 | 1 | 3 | 6 | 11 | 13 | 15 |
| 13-19 YRS | 53 | 4.2 | 31 | 1 | 1 | 3 | 5 | 8 | 12 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 6 | 5.5 | 16 | 1 | 1 | 6 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 10 | 13.4 | 57 | 3 | 3 | 13 | 20 | 22 | 23 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 3.4 | 9 | <1 | <1 | 3 | 4 | 7 | 11 | 15 |
| B. *Operated* | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 18 |
| B. *Operated* | 18 | 9.8 | 52 | 1 | 2 | 8 | 13 | 21 | 23 | 23 |
| **1. SINGLE DX** | 76 | 3.5 | 9 | <1 | <1 | 3 | 5 | 7 | 10 | 15 |
| **2. MULTIPLE DX** | 171 | 4.7 | 25 | 1 | 1 | 3 | 6 | 12 | 14 | 23 |
| **A. NOT OPERATED** | 227 | 3.8 | 16 | <1 | 1 | 3 | 5 | 8 | 12 | 16 |
| **B. OPERATED** | 20 | 9.4 | 48 | 1 | 2 | 7 | 13 | 21 | 22 | 23 |
| TOTAL 0-27 DYS | 3 | 5.0 | 37 | 1 | 1 | 2 | 9 | 12 | 12 | 12 |
| 1-11 MOS | 15 | 2.3 | 3 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 76 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 11 | 17 |
| 6-12 YRS | 61 | 4.3 | 13 | <1 | 1 | 3 | 6 | 10 | 12 | 15 |
| 13-19 YRS | 92 | 5.3 | 35 | <1 | 1 | 3 | 6 | 13 | 19 | 32 |
| **GRAND TOTAL** | **247** | **4.3** | **21** | **1** | **1** | **3** | **5** | **10** | **13** | **22** |

## 86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 34 | 3.5 | 5 | <1 | 1 | 3 | 5 | 6 | 9 | 9 |
| 1-5 YRS | 369 | 4.1 | 10 | 1 | 1 | 3 | 5 | 9 | 10 | 15 |
| 6-12 YRS | 228 | 4.2 | 8 | 1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 13-19 YRS | 131 | 5.5 | 34 | 1 | 1 | 4 | 7 | 10 | 15 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 13 | 5.8 | 24 | 1 | 1 | 5 | 6 | 13 | 18 | 19 |
| 1-5 YRS | 146 | 5.6 | 16 | 1 | 2 | 5 | 7 | 11 | 13 | 21 |
| 6-12 YRS | 117 | 6.1 | 13 | 2 | 2 | 6 | 7 | 11 | 14 | 17 |
| 13-19 YRS | 164 | 6.5 | 16 | 2 | 2 | 6 | 8 | 12 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 54 | 4.2 | 11 | 1 | 1 | 4 | 5 | 7 | 11 | 20 |
| 1-5 YRS | 252 | 4.3 | 10 | 1 | 1 | 3 | 6 | 8 | 11 | 17 |
| 6-12 YRS | 195 | 4.5 | 16 | 1 | 1 | 3 | 6 | 8 | 12 | 23 |
| 13-19 YRS | 184 | 5.4 | 28 | 1 | 1 | 4 | 7 | 9 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 11 | 10.8 | 82 | 3 | 3 | 7 | 14 | 24 | 33 | 34 |
| 1-5 YRS | 68 | 8.3 | 70 | 1 | 2 | 6 | 11 | 17 | 23 | 46 |
| 6-12 YRS | 61 | 6.7 | 15 | 1 | 2 | 6 | 9 | 12 | 14 | 19 |
| 13-19 YRS | 132 | 8.6 | 96 | 2 | 3 | 7 | 9 | 15 | 22 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 766 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 440 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 691 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | 273 | 8.2 | 71 | 2 | 2 | 7 | 9 | 15 | 20 | 46 |
| **1. SINGLE DX** | 1206 | 5.0 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 964 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 15 | 30 |
| **A. NOT OPERATED** | 1457 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 11 | 18 |
| **B. OPERATED** | 713 | 6.9 | 38 | 2 | 2 | 6 | 8 | 12 | 16 | 32 |
| TOTAL 0-27 DYS | 11 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 9 |
| 1-11 MOS | 112 | 4.8 | 21 | 1 | 1 | 4 | 6 | 9 | 14 | 25 |
| 1-5 YRS | 835 | 4.7 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 6-12 YRS | 601 | 4.9 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| 13-19 YRS | 611 | 6.4 | 42 | 1 | 2 | 5 | 8 | 11 | 15 | 32 |
| **GRAND TOTAL** | **2170** | **5.3** | **24** | **1** | **1** | **4** | **7** | **10** | **13** | **22** |

## 87: Nonspecific mesenteric lymphadenitis (289.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 5 | 3.2 | 6 | 1 | 1 | 2 | 5 | 7 | 7 | 7 |
| 1-5 YRS | 223 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 6-12 YRS | 1663 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 1449 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 70 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 6-12 YRS | 652 | 3.9 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 894 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 189 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 787 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 625 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 41 | 5.1 | 6 | 2 | 3 | 4 | 6 | 9 | 11 | 12 |
| 6-12 YRS | 244 | 5.0 | 12 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| 13-19 YRS | 312 | 5.3 | 11 | 2 | 3 | 5 | 6 | 8 | 10 | 19 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 3340 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1617 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1604 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 597 | 5.2 | 11 | 2 | 3 | 4 | 6 | 8 | 10 | 19 |
| **1. SINGLE DX** | 4957 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 2201 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 4944 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 2214 | 4.3 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 14 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 9 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 1-5 YRS | 523 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 3346 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 3280 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **GRAND TOTAL** | **7158** | **3.1** | **4** | **1** | **1** | **3** | **4** | **5** | **6** | **10** |

## 88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 58 | 5.3 | 12 | 2 | 2 | 4 | 6 | 8 | 13 | 20 |
| 1-5 YRS | 314 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| 6-12 YRS | 180 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 10 |
| 13-19 YRS | 72 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 32 | 6.3 | 15 | 1 | 2 | 6 | 8 | 11 | 12 | 18 |
| 1-5 YRS | 135 | 3.8 | 13 | <1 | 1 | 2 | 5 | 9 | 11 | 16 |
| 6-12 YRS | 163 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 222 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 6.0 |  | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 32 | 4.4 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 11 |
| 1-5 YRS | 203 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 6-12 YRS | 110 | 4.2 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 13-19 YRS | 68 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 39 | 8.4 | 18 | 3 | 4 | 8 | 12 | 14 | 15 | 19 |
| 1-5 YRS | 84 | 4.6 | 11 | 1 | 1 | 4 | 7 | 8 | 10 | 17 |
| 6-12 YRS | 71 | 3.6 | 9 | <1 | 1 | 2 | 5 | 8 | 10 | 14 |
| 13-19 YRS | 99 | 4.3 | 37 | 1 | 1 | 3 | 5 | 8 | 12 | 37 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 627 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| B. *Operated* | 552 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 414 | 4.5 | 8 | 1 | 2 | 4 | 6 | 7 | 10 | 14 |
| B. *Operated* | 293 | 4.8 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 18 |
| **1. SINGLE DX** | 1179 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | 707 | 4.6 | 14 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| **A. NOT OPERATED** | 1041 | 4.6 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 15 |
| **B. OPERATED** | 845 | 3.8 | 14 | <1 | 1 | 2 | 5 | 8 | 11 | 16 |
| TOTAL 0-27 DYS | 4 | 3.3 | 5 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 161 | 6.1 | 14 | 2 | 2 | 5 | 8 | 11 | 14 | 19 |
| 1-5 YRS | 736 | 4.6 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| 6-12 YRS | 524 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 13-19 YRS | 461 | 3.5 | 14 | <1 | 1 | 2 | 4 | 7 | 9 | 14 |
| **GRAND TOTAL** | **1886** | **4.2** | **11** | **1** | **1** | **3** | **6** | **8** | **10** | **15** |

## 89: Transient organic psychotic conditions (293)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 26 | 9.1 | 85 | 1 | 1 | 7 | 12 | 21 | 26 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 5 | 7.6 | 111 | <1 | <1 | 2 | 12 | 26 | 26 | 26 |
| 13-19 YRS | 53 | 11.1 | 196 | 1 | 1 | 7 | 11 | 29 | 45 | 74 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 7.9 | 79 | 1 | 1 | 5 | 11 | 20 | 22 | 43 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 59 | 10.6 | 186 | <1 | 1 | 7 | 11 | 28 | 43 | 72 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 31 | 7.9 | 79 | 1 | 1 | 5 | 11 | 20 | 22 | 43 |
| **2. MULTIPLE DX** | 59 | 10.6 | 186 | <1 | 1 | 7 | 11 | 28 | 43 | 72 |
| **A. NOT OPERATED** | 90 | 9.7 | 149 | 1 | 1 | 6 | 11 | 23 | 40 | 64 |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 8 | 5.3 | 74 | <1 | <1 | 2 | 5 | 20 | 26 | 26 |
| 13-19 YRS | 79 | 10.4 | 159 | 1 | 1 | 7 | 12 | 24 | 42 | 67 |
| **GRAND TOTAL** | **90** | **9.7** | **149** | **1** | **1** | **6** | **11** | **23** | **40** | **64** |

## 90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 15 | 2.3 | 9 | 1 | 1 | 1 | 2 | 3 | 10 | 13 |
| 1-5 YRS | 112 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 6-12 YRS | 188 | 2.5 | 12 | 1 | 1 | 2 | 3 | 4 | 7 | 23 |
| 13-19 YRS | 309 | 3.8 | 47 | 1 | 1 | 2 | 4 | 6 | 9 | 47 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 5.8 | 27 | 1 | 2 | 4 | 7 | 15 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 6.0 | 35 | 1 | 1 | 3 | 10 | 16 | 17 | 17 |
| 1-5 YRS | 68 | 5.6 | 112 | 1 | 1 | 3 | 5 | 11 | 19 | 71 |
| 6-12 YRS | 126 | 4.1 | 59 | 1 | 1 | 2 | 4 | 8 | 13 | 76 |
| 13-19 YRS | 395 | 6.9 | 97 | 1 | 1 | 4 | 7 | 16 | 29 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 12.0 | | 12 | 12 | 56 | 99+ | 99+ | 99+ | 99+ |
| 6-12 YRS | 8 | 14.5 | 466 | 1 | 1 | 8 | 11 | 51 | 67 | 67 |
| 13-19 YRS | 18 | 15.9 | 445 | <1 | 1 | 5 | 24 | 49 | 69 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 627 | 3.0 | 28 | 1 | 1 | 2 | 3 | 5 | 7 | 29 |
| B. *Operated* | 12 | 4.3 | 22 | <1 | <1 | 3 | 4 | 12 | 16 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 601 | 6.1 | 90 | 1 | 1 | 3 | 6 | 14 | 23 | 74 |
| B. *Operated* | 27 | 15.4 | 417 | 1 | 1 | 8 | 20 | 64 | 79 | 99+ |
| **1. SINGLE DX** | 639 | 3.0 | 28 | 1 | 1 | 2 | 3 | 5 | 8 | 29 |
| **2. MULTIPLE DX** | 628 | 6.5 | 107 | 1 | 1 | 3 | 7 | 15 | 27 | 84 |
| **A. NOT OPERATED** | 1228 | 4.5 | 61 | 1 | 1 | 2 | 4 | 9 | 18 | 53 |
| **B. OPERATED** | 39 | 11.9 | 319 | <1 | 1 | 4 | 13 | 44 | 72 | 99+ |
| TOTAL 0-27 DYS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 29 | 3.7 | 22 | 1 | 1 | 2 | 3 | 14 | 15 | 17 |
| 1-5 YRS | 182 | 3.2 | 46 | 1 | 1 | 2 | 3 | 6 | 10 | 63 |
| 6-12 YRS | 323 | 3.4 | 44 | 1 | 1 | 2 | 3 | 7 | 10 | 51 |
| 13-19 YRS | 730 | 5.8 | 87 | 1 | 1 | 3 | 5 | 13 | 25 | 62 |
| **GRAND TOTAL** | **1267** | **4.8** | **70** | **1** | **1** | **2** | **4** | **9** | **19** | **60** |

## 91: Arteriosclerotic dementia (290.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

## 92: Alcoholic psychoses (291)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 18 | 4.6 | 74 | <1 | <1 | 2 | 3 | 13 | 28 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 15.3 | 124 | 7 | 7 | 11 | 24 | 28 | 28 | 28 |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 51 | 6.8 | 59 | 1 | 1 | 5 | 6 | 18 | 28 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 4.6 | 74 | <1 | <1 | 2 | 3 | 13 | 28 | 36 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 57 | 7.5 | 67 | 1 | 1 | 5 | 8 | 23 | 28 | 36 |
| B. *Operated* | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| **1. SINGLE DX** | 18 | 4.6 | 74 | <1 | <1 | 2 | 3 | 13 | 28 | 36 |
| **2. MULTIPLE DX** | 59 | 7.4 | 65 | <1 | 1 | 5 | 8 | 23 | 28 | 36 |
| **A. NOT OPERATED** | 75 | 6.8 | 69 | <1 | 1 | 4 | 7 | 21 | 28 | 37 |
| **B. OPERATED** | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| TOTAL 0-27 DYS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 15.3 | 124 | 7 | 7 | 11 | 24 | 28 | 28 | 28 |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 71 | 6.1 | 61 | <1 | 1 | 4 | 6 | 16 | 28 | 37 |
| **GRAND TOTAL** | 77 | 6.7 | 68 | <1 | 1 | 4 | 7 | 20 | 28 | 37 |

## 93: Drug psychoses (292)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.5 | 221 | 1 | 1 | 11 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 101 | 8.1 | 85 | 1 | 1 | 5 | 10 | 21 | 29 | 43 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 4 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 108 | 9.2 | 127 | 1 | 1 | 5 | 12 | 20 | 26 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 8.0 | 84 | 1 | 1 | 5 | 10 | 21 | 28 | 43 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 8.8 | 123 | 1 | 1 | 5 | 12 | 19 | 26 | 64 |
| B. *Operated* | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| **1. SINGLE DX** | 107 | 8.0 | 84 | 1 | 1 | 5 | 10 | 21 | 28 | 43 |
| **2. MULTIPLE DX** | 115 | 8.9 | 122 | 1 | 1 | 5 | 12 | 19 | 25 | 64 |
| **A. NOT OPERATED** | 220 | 8.4 | 104 | 1 | 1 | 5 | 11 | 20 | 27 | 53 |
| **B. OPERATED** | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| TOTAL 0-27 DYS | 2 | 11.5 | 221 | 1 | 1 | 11 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 3.6 | 14 | 1 | 1 | 2 | 5 | 10 | 10 | 10 |
| 13-19 YRS | 211 | 8.7 | 106 | 1 | 1 | 5 | 11 | 20 | 27 | 54 |
| **GRAND TOTAL** | **222** | **8.4** | **103** | **1** | **1** | **5** | **11** | **20** | **27** | **52** |

## 94: Paranoid schizophrenia (295.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 29.0 | 1458 | 2 | 2 | 29 | 56 | 56 | 56 | 56 |
| 13-19 YRS | 490 | 20.8 | 349 | 2 | 3 | 16 | 28 | 51 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 48.5 | 1 | 48 | 48 | 48 | 49 | 49 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 50.7 | 1633 | 14 | 14 | 44 | 81 | 94 | 94 | 94 |
| 13-19 YRS | 218 | 23.1 | 437 | 2 | 3 | 17 | 32 | 57 | 76 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 43.3 | 533 | 18 | 19 | 36 | 57 | 79 | 84 | 84 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 493 | 20.8 | 351 | 2 | 3 | 16 | 28 | 52 | 66 | 99+ |
| B. *Operated* | 2 | 48.5 | 1 | 48 | 48 | 48 | 49 | 49 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 223 | 23.3 | 455 | 2 | 3 | 17 | 33 | 58 | 77 | 99+ |
| B. *Operated* | 7 | 43.3 | 533 | 18 | 19 | 36 | 57 | 79 | 84 | 84 |
| **1. SINGLE DX** | 495 | 20.9 | 353 | 2 | 3 | 16 | 28 | 51 | 66 | 99+ |
| **2. MULTIPLE DX** | 230 | 23.9 | 467 | 2 | 3 | 17 | 34 | 58 | 77 | 99+ |
| **A. NOT OPERATED** | 716 | 21.6 | 384 | 2 | 3 | 16 | 30 | 53 | 73 | 99+ |
| **B. OPERATED** | 9 | 44.4 | 405 | 18 | 21 | 48 | 54 | 74 | 84 | 84 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 7.0 | 16 | 3 | 3 | 7 | 10 | 11 | 11 | 11 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 42.0 | 1322 | 2 | 2 | 44 | 65 | 94 | 94 | 94 |
| 13-19 YRS | 717 | 21.8 | 383 | 2 | 3 | 16 | 30 | 53 | 73 | 99+ |
| **GRAND TOTAL** | **725** | **21.9** | **390** | **2** | **3** | **16** | **30** | **53** | **74** | **99+** |

## 95: Acute schizophrenic episode (295.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 45.0 | | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 13-19 YRS | 143 | 19.2 | 297 | 2 | 3 | 13 | 27 | 49 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 61 | 25.2 | 448 | 3 | 5 | 18 | 36 | 51 | 72 | 94 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 45.5 | 1 | 45 | 45 | 45 | 46 | 46 | 46 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 19.4 | 300 | 2 | 3 | 13 | 27 | 49 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 25.2 | 448 | 3 | 5 | 18 | 36 | 51 | 72 | 94 |
| B. *Operated* | 2 | 45.5 | 1 | 45 | 45 | 45 | 46 | 46 | 46 | 46 |
| **1. SINGLE DX** | 144 | 19.4 | 300 | 2 | 3 | 13 | 27 | 49 | 62 | 99+ |
| **2. MULTIPLE DX** | 63 | 25.9 | 447 | 3 | 5 | 19 | 39 | 51 | 71 | 93 |
| **A. NOT OPERATED** | 205 | 21.1 | 349 | 2 | 3 | 14 | 33 | 50 | 66 | 96 |
| **B. OPERATED** | 2 | 45.5 | 1 | 45 | 45 | 45 | 46 | 46 | 46 | 46 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 45.0 | | 45 | 45 | 45 | 45 | 45 | 45 | 45 |
| 13-19 YRS | 206 | 21.2 | 350 | 2 | 3 | 14 | 33 | 50 | 66 | 96 |
| **GRAND TOTAL** | **207** | **21.3** | **351** | **2** | **3** | **14** | **33** | **50** | **66** | **96** |

## 96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.5 | 113 | 4 | 4 | 11 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 2 | 12.5 | 221 | 2 | 2 | 12 | 23 | 23 | 23 | 23 |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 13 | 45.6 | 989 | 6 | 10 | 62 | 87 | 99+ | 99+ | 99+ |
| 13-19 YRS | 1140 | 19.9 | 307 | 2 | 3 | 15 | 28 | 45 | 58 | 87 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 27.5 | 309 | <1 | 2 | 27 | 42 | 48 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 15.7 | 96 | 10 | 10 | 10 | 23 | 27 | 27 | 27 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 6 | 24.3 | 451 | 4 | 4 | 34 | 49 | 90 | 99+ | 99+ |
| 13-19 YRS | 548 | 22.0 | 367 | 2 | 3 | 17 | 31 | 52 | 66 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 66.0 | 882 | 45 | 45 | 66 | 87 | 87 | 87 | 87 |
| 13-19 YRS | 22 | 35.0 | 412 | 12 | 13 | 33 | 55 | 72 | 86 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1158 | 20.2 | 320 | 2 | 3 | 15 | 29 | 46 | 60 | 98 |
| B. *Operated* | 6 | 27.5 | 309 | <1 | 2 | 27 | 42 | 48 | 49 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 558 | 22.0 | 365 | 2 | 3 | 17 | 31 | 52 | 66 | 99+ |
| B. *Operated* | 24 | 37.6 | 491 | 12 | 13 | 34 | 56 | 78 | 90 | 99+ |
| **1. SINGLE DX** | 1164 | 20.2 | 320 | 2 | 3 | 15 | 29 | 46 | 60 | 97 |
| **2. MULTIPLE DX** | 582 | 22.6 | 379 | 2 | 3 | 17 | 34 | 54 | 69 | 99+ |
| **A. NOT OPERATED** | 1716 | 20.7 | 335 | 2 | 3 | 15 | 29 | 49 | 64 | 99+ |
| **B. OPERATED** | 30 | 35.6 | 460 | 11 | 13 | 34 | 51 | 74 | 87 | 99+ |
| TOTAL 0-27 DYS | 5 | 14.0 | 82 | 4 | 4 | 10 | 21 | 27 | 27 | 27 |
| 1-11 MOS | 2 | 12.5 | 221 | 2 | 2 | 12 | 23 | 23 | 23 | 23 |
| 1-5 YRS | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 21 | 41.5 | 909 | 4 | 4 | 45 | 82 | 99+ | 99+ | 99+ |
| 13-19 YRS | 1716 | 20.8 | 330 | 2 | 3 | 16 | 29 | 48 | 61 | 93 |
| **GRAND TOTAL** | **1746** | **21.0** | **341** | **2** | **3** | **16** | **30** | **49** | **64** | **99+** |

## 97: Childhood psychosis (299)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 22.0 | | 22 | 22 | 61 | 99+ | 99+ | 99+ | 99+ |
| 6-12 YRS | 32 | 14.7 | 388 | 1 | 3 | 6 | 34 | 97 | 99+ | 99+ |
| 13-19 YRS | 7 | 40.3 | 1113 | 4 | 7 | 31 | 69 | 90 | 93 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 12.0 | 273 | 2 | 2 | 3 | 19 | 41 | 45 | 45 |
| 6-12 YRS | 25 | 25.2 | 775 | 1 | 1 | 25 | 67 | 99+ | 99+ | 99+ |
| 13-19 YRS | 8 | 19.4 | 329 | 3 | 4 | 12 | 31 | 49 | 51 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 19.3 | 577 | 2 | 3 | 11 | 40 | 99+ | 99+ | 99+ |
| B. *Operated* | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 21.7 | 604 | 1 | 2 | 12 | 46 | 90 | 99+ | 99+ |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 42 | 18.8 | 555 | 2 | 3 | 10 | 39 | 98 | 99+ | 99+ |
| **2. MULTIPLE DX** | 41 | 21.3 | 598 | 1 | 2 | 11 | 45 | 89 | 99+ | 99+ |
| **A. NOT OPERATED** | 80 | 20.5 | 584 | 1 | 2 | 11 | 44 | 97 | 99+ | 99+ |
| **B. OPERATED** | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 13.3 | 247 | 2 | 2 | 4 | 29 | 78 | 99+ | 99+ |
| 6-12 YRS | 59 | 18.8 | 562 | 1 | 2 | 9 | 46 | 99+ | 99+ | 99+ |
| 13-19 YRS | 16 | 27.8 | 736 | 3 | 4 | 18 | 41 | 76 | 89 | 93 |
| **GRAND TOTAL** | **83** | **20.0** | **571** | **1** | **2** | **10** | **43** | **95** | **99+** | **99+** |

## 98: Major depressive psychoses (296.2-296.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 23.3 | 376 | 4 | 4 | 19 | 36 | 50 | 50 | 50 |
| 6-12 YRS | 12 | 24.2 | 406 | 1 | 2 | 21 | 44 | 51 | 54 | 55 |
| 13-19 YRS | 389 | 17.6 | 287 | 1 | 2 | 12 | 26 | 47 | 58 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 13.0 | 162 | 4 | 4 | 13 | 22 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 3 | 15.0 | 31 | 10 | 10 | 14 | 19 | 21 | 21 | 21 |
| 6-12 YRS | 19 | 30.5 | 421 | 4 | 5 | 26 | 48 | 60 | 68 | 70 |
| 13-19 YRS | 487 | 16.7 | 322 | 1 | 2 | 10 | 22 | 44 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 30.0 | | 30 | 30 | 30 | 30 | 30 | 30 | 30 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 24 | 38.5 | 711 | 6 | 9 | 32 | 66 | 79 | 81 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 406 | 17.8 | 291 | 1 | 2 | 13 | 27 | 48 | 57 | 99+ |
| B. *Operated* | 2 | 13.0 | 162 | 4 | 4 | 13 | 22 | 22 | 22 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 511 | 17.1 | 329 | 1 | 2 | 11 | 23 | 45 | 63 | 99+ |
| B. *Operated* | 25 | 38.1 | 684 | 6 | 9 | 30 | 64 | 79 | 81 | 81 |
| **1. SINGLE DX** | 408 | 17.8 | 290 | 1 | 2 | 13 | 27 | 48 | 57 | 99+ |
| **2. MULTIPLE DX** | 536 | 18.1 | 364 | 1 | 2 | 11 | 25 | 49 | 67 | 99+ |
| **A. NOT OPERATED** | 917 | 17.4 | 312 | 1 | 2 | 12 | 24 | 46 | 62 | 99+ |
| **B. OPERATED** | 27 | 36.3 | 683 | 4 | 8 | 30 | 56 | 78 | 81 | 81 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 8 | 21.0 | 200 | 4 | 6 | 19 | 26 | 44 | 50 | 50 |
| 6-12 YRS | 31 | 28.1 | 411 | 2 | 3 | 24 | 45 | 53 | 64 | 70 |
| 13-19 YRS | 902 | 17.6 | 328 | 1 | 2 | 11 | 25 | 46 | 63 | 99+ |
| **GRAND TOTAL** | **944** | **18.0** | **332** | **1** | **2** | **12** | **26** | **48** | **63** | **99+** |

## 99: Other affective psychoses (296.0-296.1; 296.4-296.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 12 | 15.7 | 214 | 2 | 2 | 11 | 20 | 34 | 53 | 56 |
| 13-19 YRS | 396 | 20.3 | 304 | 3 | 4 | 15 | 27 | 47 | 58 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 9 | 14.8 | 339 | 3 | 3 | 4 | 21 | 47 | 50 | 50 |
| 13-19 YRS | 271 | 21.6 | 303 | 3 | 4 | 18 | 30 | 46 | 62 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 14 | 31.2 | 407 | 7 | 8 | 25 | 50 | 60 | 64 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 411 | 20.1 | 301 | 3 | 4 | 15 | 27 | 47 | 57 | 91 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 281 | 21.3 | 304 | 3 | 4 | 17 | 30 | 46 | 62 | 99+ |
| B. *Operated* | 14 | 31.2 | 407 | 7 | 8 | 25 | 50 | 60 | 64 | 65 |
| **1. SINGLE DX** | 411 | 20.1 | 301 | 3 | 4 | 15 | 27 | 47 | 57 | 91 |
| **2. MULTIPLE DX** | 295 | 21.8 | 312 | 3 | 4 | 17 | 31 | 47 | 62 | 99+ |
| **A. NOT OPERATED** | 692 | 20.6 | 302 | 3 | 4 | 16 | 28 | 46 | 58 | 99 |
| **B. OPERATED** | 14 | 31.2 | 407 | 7 | 8 | 25 | 50 | 60 | 64 | 65 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 11.5 | 25 | 8 | 8 | 11 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 21 | 15.3 | 253 | 2 | 3 | 10 | 19 | 46 | 53 | 56 |
| 13-19 YRS | 681 | 21.0 | 307 | 3 | 4 | 17 | 28 | 47 | 61 | 99 |
| **GRAND TOTAL** | **706** | **20.8** | **306** | **3** | **4** | **16** | **28** | **47** | **59** | **99** |

## 100: Miscellaneous psychoses (297; 298)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| 1-5 YRS | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 6-12 YRS | 20 | 5.3 | 27 | <1 | <1 | 4 | 11 | 41 | 99+ | 99+ |
| 13-19 YRS | 402 | 15.3 | 231 | 1 | 2 | 11 | 21 | 40 | 49 | 95 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 24.0 | 759 | 7 | 7 | 12 | 40 | 65 | 65 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 16 | 14.4 | 554 | 1 | 1 | 6 | 14 | 57 | 76 | 83 |
| 13-19 YRS | 308 | 16.6 | 292 | 1 | 2 | 11 | 22 | 40 | 65 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 8 | 16.1 | 107 | 2 | 3 | 16 | 25 | 29 | 30 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 426 | 14.8 | 225 | 1 | 2 | 11 | 20 | 39 | 49 | 99+ |
| B. *Operated* | 4 | 24.0 | 759 | 7 | 7 | 12 | 40 | 65 | 65 | 65 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 327 | 16.4 | 302 | 1 | 2 | 11 | 22 | 40 | 65 | 99+ |
| B. *Operated* | 8 | 16.1 | 107 | 2 | 3 | 16 | 25 | 29 | 30 | 30 |
| **1. SINGLE DX** | 430 | 14.8 | 229 | 1 | 2 | 11 | 20 | 40 | 50 | 99+ |
| **2. MULTIPLE DX** | 335 | 16.4 | 297 | 1 | 2 | 11 | 22 | 40 | 63 | 99+ |
| **A. NOT OPERATED** | 753 | 15.5 | 259 | 1 | 2 | 11 | 21 | 40 | 53 | 99+ |
| **B. OPERATED** | 12 | 18.8 | 290 | 2 | 4 | 15 | 25 | 40 | 61 | 65 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 13.5 | 113 | 6 | 6 | 13 | 21 | 21 | 21 | 21 |
| 1-5 YRS | 5 | 3.0 | 9 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| 6-12 YRS | 36 | 9.3 | 274 | <1 | 1 | 4 | 11 | 49 | 93 | 99+ |
| 13-19 YRS | 722 | 15.9 | 258 | 1 | 2 | 11 | 21 | 40 | 52 | 99+ |
| **GRAND TOTAL** | **765** | **15.5** | **259** | **1** | **2** | **11** | **21** | **40** | **54** | **99+** |

## 101: Anxiety states (300.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.0 | 31 | 1 | 1 | 5 | 10 | 12 | 12 | 12 |
| 1-5 YRS | 8 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 37 | 10.1 | 259 | 1 | 1 | 4 | 8 | 50 | 54 | 99+ |
| 13-19 YRS | 348 | 6.7 | 141 | <1 | 1 | 3 | 6 | 16 | 36 | 99 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 4.8 | 12 | 1 | 1 | 5 | 5 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 5 | 4.4 | 10 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 58 | 6.7 | 115 | 1 | 1 | 4 | 6 | 10 | 21 | 61 |
| 13-19 YRS | 432 | 8.5 | 140 | 1 | 1 | 4 | 9 | 22 | 35 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 17 | 10.8 | 125 | 1 | 2 | 7 | 11 | 30 | 37 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 396 | 7.0 | 149 | <1 | 1 | 3 | 6 | 18 | 42 | 99+ |
| B. *Operated* | 6 | 4.8 | 12 | 1 | 1 | 5 | 5 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 499 | 8.2 | 135 | 1 | 1 | 4 | 8 | 21 | 34 | 63 |
| B. *Operated* | 23 | 8.6 | 107 | 1 | 1 | 5 | 10 | 28 | 34 | 40 |
| **1. SINGLE DX** | 402 | 6.9 | 147 | <1 | 1 | 3 | 6 | 17 | 42 | 99+ |
| **2. MULTIPLE DX** | 522 | 8.2 | 134 | 1 | 1 | 4 | 8 | 21 | 34 | 63 |
| **A. NOT OPERATED** | 895 | 7.7 | 141 | 1 | 1 | 4 | 7 | 20 | 37 | 75 |
| **B. OPERATED** | 29 | 7.8 | 88 | 1 | 1 | 5 | 10 | 21 | 31 | 40 |
| TOTAL 0-27 DYS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 8 | 5.0 | 15 | 1 | 1 | 4 | 7 | 11 | 12 | 12 |
| 1-5 YRS | 14 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 6 |
| 6-12 YRS | 97 | 7.9 | 168 | 1 | 1 | 4 | 7 | 16 | 51 | 82 |
| 13-19 YRS | 803 | 7.8 | 140 | 1 | 1 | 4 | 8 | 21 | 35 | 75 |
| **GRAND TOTAL** | **924** | **7.7** | **140** | **1** | **1** | **4** | **7** | **20** | **36** | **75** |

## 102: Neurotic depression (300.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 52 | 99+ | 99+ | 99+ | 99+ |
| 1-11 MOS | 2 | 8.5 | 85 | 2 | 2 | 8 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 53 | 23.2 | 494 | 1 | 3 | 15 | 34 | 62 | 79 | 99+ |
| 13-19 YRS | 1089 | 17.5 | 374 | 1 | 2 | 10 | 24 | 49 | 63 | 93 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 20.0 | 128 | 12 | 12 | 20 | 28 | 28 | 28 | 28 |
| 1-11 MOS | 4 | 10.3 | 94 | 3 | 3 | 7 | 17 | 24 | 24 | 24 |
| 1-5 YRS | 4 | 20.0 | 248 | 4 | 4 | 19 | 33 | 38 | 38 | 38 |
| 6-12 YRS | 73 | 27.7 | 406 | 3 | 5 | 26 | 41 | 56 | 63 | 89 |
| 13-19 YRS | 1338 | 18.9 | 376 | 1 | 2 | 12 | 27 | 50 | 67 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 70.0 | | 70 | 70 | 70 | 70 | 70 | 70 | 70 |
| 13-19 YRS | 40 | 23.6 | 472 | 3 | 4 | 15 | 34 | 63 | 82 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1146 | 17.7 | 380 | 1 | 2 | 10 | 25 | 50 | 64 | 97 |
| B. *Operated* | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1421 | 19.3 | 379 | 2 | 2 | 13 | 28 | 50 | 66 | 99+ |
| B. *Operated* | 42 | 24.3 | 507 | 3 | 5 | 15 | 34 | 67 | 80 | 99+ |
| **1. SINGLE DX** | 1147 | 17.7 | 379 | 1 | 2 | 10 | 25 | 50 | 64 | 97 |
| **2. MULTIPLE DX** | 1463 | 19.5 | 383 | 2 | 2 | 13 | 28 | 51 | 67 | 99+ |
| **A. NOT OPERATED** | 2567 | 18.6 | 380 | 1 | 2 | 11 | 27 | 50 | 65 | 99+ |
| **B. OPERATED** | 43 | 24.0 | 500 | 4 | 5 | 15 | 34 | 66 | 78 | 99+ |
| TOTAL 0-27 DYS | 3 | 14.7 | 149 | 4 | 4 | 20 | 64 | 99+ | 99+ | 99+ |
| 1-11 MOS | 7 | 9.3 | 63 | 2 | 2 | 7 | 14 | 22 | 24 | 24 |
| 1-5 YRS | 5 | 17.0 | 231 | 4 | 4 | 10 | 30 | 38 | 38 | 38 |
| 6-12 YRS | 127 | 26.1 | 456 | 2 | 4 | 21 | 40 | 60 | 68 | 95 |
| 13-19 YRS | 2468 | 18.3 | 377 | 1 | 2 | 11 | 26 | 49 | 66 | 99+ |
| **GRAND TOTAL** | **2610** | **18.7** | **382** | **1** | **2** | **11** | **27** | **50** | **66** | **99+** |

### 103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 17.0 | 72 | 11 | 11 | 17 | 23 | 23 | 23 | 23 |
| 1-5 YRS | 10 | 3.1 | 3 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 117 | 8.4 | 232 | 1 | 1 | 3 | 8 | 19 | 46 | 90 |
| 13-19 YRS | 947 | 11.2 | 202 | 1 | 1 | 5 | 15 | 33 | 48 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 17 | 13.6 | 367 | 1 | 2 | 5 | 11 | 47 | 62 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 21.0 | 772 | 3 | 3 | 7 | 41 | 53 | 53 | 53 |
| 1-5 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 100 | 10.3 | 217 | 1 | 2 | 5 | 11 | 36 | 72 | 99+ |
| 13-19 YRS | 1167 | 13.4 | 290 | 1 | 1 | 7 | 17 | 35 | 57 | 97 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 13-19 YRS | 43 | 14.9 | 322 | <1 | 1 | 8 | 24 | 43 | 59 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1076 | 10.9 | 204 | 1 | 1 | 5 | 14 | 32 | 48 | 99+ |
| B. *Operated* | 21 | 12.0 | 306 | 1 | 2 | 5 | 9 | 41 | 58 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1273 | 13.1 | 285 | 1 | 1 | 7 | 17 | 35 | 57 | 99+ |
| B. *Operated* | 45 | 14.4 | 315 | <1 | 1 | 8 | 24 | 43 | 54 | 99+ |
| **1. SINGLE DX** | 1097 | 10.9 | 206 | 1 | 1 | 5 | 14 | 32 | 49 | 99+ |
| **2. MULTIPLE DX** | 1318 | 13.2 | 285 | 1 | 1 | 7 | 17 | 36 | 57 | 99+ |
| **A. NOT OPERATED** | 2349 | 12.1 | 249 | 1 | 1 | 6 | 16 | 34 | 53 | 99+ |
| **B. OPERATED** | 66 | 13.6 | 308 | 1 | 1 | 7 | 16 | 42 | 53 | 98 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 19.4 | 409 | 3 | 3 | 11 | 30 | 53 | 53 | 53 |
| 1-5 YRS | 14 | 3.4 | 3 | <1 | 1 | 3 | 5 | 5 | 6 | 6 |
| 6-12 YRS | 222 | 9.2 | 221 | 1 | 1 | 4 | 8 | 27 | 59 | 99+ |
| 13-19 YRS | 2174 | 12.5 | 253 | 1 | 1 | 6 | 17 | 35 | 52 | 99+ |
| **GRAND TOTAL** | **2415** | **12.1** | **251** | **1** | **1** | **6** | **16** | **35** | **53** | **99+** |

### 104: Alcoholic dependence syndrome (303)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 16.5 | 421 | 2 | 2 | 16 | 31 | 31 | 31 | 31 |
| 1-11 MOS | 5 | 12.6 | 175 | 1 | 1 | 5 | 26 | 28 | 28 | 28 |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 23 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 13-19 YRS | 710 | 10.6 | 147 | <1 | 1 | 4 | 21 | 29 | 33 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 10.9 | 70 | 3 | 3 | 7 | 18 | 23 | 24 | 24 |
| 1-5 YRS | 7 | 10.4 | 105 | 2 | 2 | 5 | 18 | 27 | 28 | 28 |
| 6-12 YRS | 11 | 7.3 | 139 | 1 | 1 | 3 | 8 | 25 | 40 | 41 |
| 13-19 YRS | 1271 | 18.4 | 249 | 1 | 1 | 15 | 30 | 40 | 46 | 59 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 27 | 20.7 | 268 | <1 | 1 | 21 | 33 | 44 | 45 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 741 | 10.3 | 145 | <1 | 1 | 4 | 20 | 29 | 33 | 42 |
| B. *Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1297 | 18.3 | 248 | 1 | 1 | 15 | 29 | 40 | 46 | 59 |
| B. *Operated* | 30 | 18.9 | 272 | <1 | 1 | 15 | 32 | 44 | 45 | 46 |
| **1. SINGLE DX** | 742 | 10.3 | 145 | <1 | 1 | 4 | 20 | 29 | 33 | 42 |
| **2. MULTIPLE DX** | 1327 | 18.3 | 248 | 1 | 1 | 15 | 29 | 41 | 46 | 59 |
| **A. NOT OPERATED** | 2038 | 15.4 | 225 | <1 | 1 | 10 | 28 | 36 | 43 | 57 |
| **B. OPERATED** | 31 | 18.3 | 273 | <1 | 1 | 13 | 31 | 44 | 45 | 46 |
| TOTAL 0-27 DYS | 2 | 16.5 | 421 | 2 | 2 | 16 | 31 | 31 | 31 | 31 |
| 1-11 MOS | 13 | 11.5 | 100 | 1 | 2 | 6 | 22 | 26 | 28 | 28 |
| 1-5 YRS | 9 | 8.6 | 93 | 1 | 1 | 4 | 11 | 26 | 28 | 28 |
| 6-12 YRS | 36 | 3.3 | 49 | <1 | 1 | 1 | 2 | 7 | 13 | 41 |
| 13-19 YRS | 2009 | 15.7 | 227 | <1 | 1 | 10 | 28 | 36 | 43 | 57 |
| **GRAND TOTAL** | **2069** | **15.4** | **226** | **<1** | **1** | **10** | **28** | **36** | **43** | **57** |

## 105: Opioid dependence (304.0; 304.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 21 | 11.7 | 84 | 2 | 3 | 6 | 20 | 25 | 29 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 62 | 12.0 | 47 | 1 | 3 | 13 | 14 | 17 | 24 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 14.5 | 24 | 9 | 9 | 14 | 18 | 20 | 20 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 11.7 | 84 | 2 | 3 | 6 | 20 | 25 | 29 | 30 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 12.0 | 47 | 1 | 3 | 13 | 14 | 17 | 24 | 40 |
| B. *Operated* | 4 | 14.5 | 24 | 9 | 9 | 14 | 18 | 20 | 20 | 20 |
| **1. SINGLE DX** | 21 | 11.7 | 84 | 2 | 3 | 6 | 20 | 25 | 29 | 30 |
| **2. MULTIPLE DX** | 66 | 12.1 | 46 | 1 | 4 | 13 | 15 | 17 | 24 | 40 |
| **A. NOT OPERATED** | 83 | 11.9 | 56 | 1 | 3 | 13 | 15 | 21 | 26 | 38 |
| **B. OPERATED** | 4 | 14.5 | 24 | 9 | 9 | 14 | 18 | 20 | 20 | 20 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 87 | 12.0 | 54 | 1 | 3 | 13 | 15 | 21 | 25 | 38 |
| **GRAND TOTAL** | **87** | **12.0** | **54** | **1** | **3** | **13** | **15** | **21** | **25** | **38** |

## 106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 2 | 18.5 | 181 | 9 | 9 | 18 | 28 | 28 | 28 | 28 |
| 13-19 YRS | 185 | 19.0 | 230 | 1 | 2 | 14 | 30 | 40 | 44 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 337 | 23.7 | 250 | 2 | 4 | 24 | 35 | 43 | 48 | 72 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 65.2 | 69 | 53 | 53 | 64 | 73 | 73 | 73 | 73 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 189 | 18.9 | 227 | 1 | 2 | 14 | 30 | 39 | 43 | 65 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 339 | 23.6 | 250 | 2 | 4 | 24 | 35 | 43 | 48 | 72 |
| B. *Operated* | 5 | 65.2 | 69 | 53 | 53 | 64 | 73 | 73 | 73 | 73 |
| **1. SINGLE DX** | 190 | 18.8 | 227 | 1 | 2 | 14 | 30 | 38 | 43 | 65 |
| **2. MULTIPLE DX** | 344 | 24.2 | 272 | 2 | 4 | 24 | 36 | 44 | 50 | 74 |
| **A. NOT OPERATED** | 528 | 21.9 | 246 | 2 | 3 | 21 | 33 | 42 | 46 | 68 |
| **B. OPERATED** | 6 | 54.8 | 700 | 3 | 8 | 63 | 73 | 73 | 73 | 73 |
| TOTAL 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 3 | 14.3 | 142 | 6 | 6 | 9 | 23 | 28 | 28 | 28 |
| 13-19 YRS | 528 | 22.4 | 263 | 2 | 3 | 22 | 34 | 42 | 48 | 71 |
| **GRAND TOTAL** | **534** | **22.3** | **262** | **2** | **3** | **21** | **34** | **42** | **48** | **71** |

## 107: Nondependent abuse of alcohol (305.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 12 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 84 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 13-19 YRS | 927 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 32 | 2.3 | 11 | <1 | <1 | 1 | 2 | 4 | 7 | 19 |
| 13-19 YRS | 594 | 2.6 | 29 | <1 | <1 | 1 | 2 | 4 | 8 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 29 | 2.1 | 11 | <1 | <1 | 1 | 2 | 3 | 6 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1024 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| B. *Operated* | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 636 | 2.6 | 28 | <1 | <1 | 1 | 2 | 4 | 8 | 30 |
| B. *Operated* | 32 | 2.0 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |
| **1. SINGLE DX** | 1026 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 10 |
| **2. MULTIPLE DX** | 668 | 2.6 | 27 | <1 | <1 | 1 | 2 | 4 | 8 | 28 |
| **A. NOT OPERATED** | 1660 | 1.9 | 14 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| **B. OPERATED** | 34 | 1.9 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.0 | 21 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 21 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 118 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 11 |
| 13-19 YRS | 1552 | 1.9 | 15 | <1 | <1 | 1 | 2 | 3 | 5 | 15 |
| **GRAND TOTAL** | **1694** | **1.9** | **14** | **<1** | **<1** | **1** | **2** | **3** | **5** | **15** |

## 108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 4 | 15.8 | 555 | 2 | 2 | 5 | 28 | 51 | 51 | 51 |
| 13-19 YRS | 224 | 8.1 | 112 | <1 | 1 | 3 | 10 | 27 | 31 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 307 | 11.4 | 167 | 1 | 1 | 6 | 15 | 30 | 37 | 57 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 9 | 20.4 | 165 | 3 | 4 | 22 | 31 | 37 | 40 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 230 | 8.2 | 118 | <1 | 1 | 3 | 10 | 28 | 31 | 44 |
| B. *Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 308 | 11.4 | 167 | 1 | 1 | 6 | 15 | 30 | 37 | 57 |
| B. *Operated* | 9 | 20.4 | 165 | 3 | 4 | 22 | 31 | 37 | 40 | 40 |
| **1. SINGLE DX** | 231 | 8.2 | 117 | <1 | 1 | 3 | 10 | 28 | 31 | 44 |
| **2. MULTIPLE DX** | 317 | 11.6 | 168 | 1 | 1 | 6 | 16 | 30 | 37 | 56 |
| **A. NOT OPERATED** | 538 | 10.0 | 148 | 1 | 1 | 5 | 14 | 29 | 36 | 50 |
| **B. OPERATED** | 10 | 18.7 | 177 | 3 | 3 | 17 | 31 | 36 | 40 | 40 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 13.2 | 449 | 2 | 2 | 4 | 17 | 51 | 51 | 51 |
| 13-19 YRS | 541 | 10.2 | 148 | 1 | 1 | 5 | 14 | 29 | 36 | 49 |
| **GRAND TOTAL** | **548** | **10.2** | **149** | **1** | **1** | **5** | **14** | **29** | **36** | **50** |

### 109: Psychophysiologic disorder (306; 316)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 5 | 2.6 | 2 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 27 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| 6-12 YRS | 111 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 13-19 YRS | 251 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 3.4 | 11 | <1 | <1 | 2 | 5 | 9 | 9 | 9 |
| 6-12 YRS | 10 | 5.3 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 14 |
| 13-19 YRS | 19 | 5.4 | 8 | 1 | 2 | 5 | 7 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 6 | 4.2 | 9 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 10 | 4.4 | 20 | 1 | 1 | 3 | 5 | 11 | 16 | 16 |
| 6-12 YRS | 71 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 80 |
| 13-19 YRS | 287 | 4.7 | 19 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 12.0 | 50 | 7 | 7 | 12 | 17 | 17 | 17 | 17 |
| 6-12 YRS | 7 | 3.9 | 7 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 13-19 YRS | 13 | 7.7 | 20 | <1 | 2 | 7 | 12 | 13 | 15 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 395 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 34 | 5.1 | 10 | 1 | 1 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 375 | 4.5 | 17 | 1 | 1 | 4 | 6 | 8 | 10 | 21 |
| B. *Operated* | 22 | 6.9 | 22 | 1 | 1 | 7 | 10 | 13 | 16 | 17 |
| **1. SINGLE DX** | 429 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 397 | 4.6 | 17 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| **A. NOT OPERATED** | 770 | 4.1 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 56 | 5.8 | 15 | 1 | 1 | 5 | 8 | 12 | 13 | 17 |
| TOTAL 0-27 DYS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 11 | 3.5 | 6 | 1 | 1 | 2 | 5 | 7 | 8 | 8 |
| 1-5 YRS | 44 | 4.1 | 13 | 1 | 1 | 3 | 5 | 8 | 12 | 17 |
| 6-12 YRS | 199 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 13-19 YRS | 570 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **GRAND TOTAL** | **826** | **4.2** | **12** | **1** | **1** | **3** | **5** | **8** | **10** | **17** |

### 110: Adjustment reactions and acute reactions to stress (308-309)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 4.3 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 17 | 10.6 | 161 | 1 | 1 | 3 | 19 | 30 | 37 | 41 |
| 6-12 YRS | 179 | 14.7 | 391 | 1 | 2 | 7 | 23 | 78 | 99+ | 99+ |
| 13-19 YRS | 1936 | 12.8 | 235 | 1 | 1 | 7 | 18 | 35 | 51 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 11.8 | 321 | <1 | <1 | 3 | 19 | 43 | 43 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.7 | 21 | 4 | 4 | 4 | 10 | 12 | 12 | 12 |
| 1-5 YRS | 18 | 15.7 | 385 | 1 | 1 | 6 | 37 | 84 | 99+ | 99+ |
| 6-12 YRS | 175 | 13.0 | 264 | 2 | 2 | 6 | 18 | 41 | 66 | 99+ |
| 13-19 YRS | 1795 | 13.1 | 259 | 1 | 1 | 6 | 17 | 34 | 52 | 92 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 8 | 17.4 | 335 | 2 | 3 | 13 | 18 | 49 | 60 | 60 |
| 13-19 YRS | 45 | 20.5 | 550 | 1 | 1 | 11 | 35 | 72 | 96 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2137 | 12.9 | 247 | 1 | 1 | 7 | 18 | 37 | 56 | 99+ |
| B. *Operated* | 5 | 11.8 | 321 | <1 | <1 | 3 | 19 | 43 | 43 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1991 | 13.1 | 260 | 1 | 1 | 6 | 17 | 35 | 52 | 98 |
| B. *Operated* | 56 | 19.0 | 503 | 1 | 1 | 11 | 29 | 63 | 89 | 99+ |
| **1. SINGLE DX** | 2142 | 12.9 | 247 | 1 | 1 | 7 | 18 | 37 | 56 | 99+ |
| **2. MULTIPLE DX** | 2047 | 13.2 | 267 | 1 | 1 | 6 | 18 | 36 | 54 | 99+ |
| **A. NOT OPERATED** | 4128 | 13.0 | 253 | 1 | 1 | 7 | 18 | 36 | 54 | 99+ |
| **B. OPERATED** | 61 | 18.4 | 486 | 1 | 1 | 11 | 28 | 61 | 86 | 99+ |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 7 | 5.3 | 10 | 2 | 2 | 4 | 6 | 11 | 12 | 12 |
| 1-5 YRS | 38 | 12.3 | 264 | 1 | 1 | 4 | 25 | 43 | 84 | 99+ |
| 6-12 YRS | 362 | 14.0 | 328 | 2 | 2 | 7 | 21 | 57 | 99+ | 99+ |
| 13-19 YRS | 3781 | 13.0 | 251 | 1 | 1 | 7 | 18 | 35 | 52 | 99+ |
| **GRAND TOTAL** | **4189** | **13.1** | **257** | **1** | **1** | **7** | **18** | **37** | **55** | **99+** |

## 111: Miscellaneous mental disorders (307; 311-315)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 19 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-5 YRS | 138 | 4.8 | 69 | 1 | 1 | 2 | 4 | 10 | 16 | 75 |
| 6-12 YRS | 534 | 17.0 | 530 | 1 | 2 | 6 | 27 | 70 | 90 | 99+ |
| 13-19 YRS | 1832 | 18.0 | 426 | 1 | 2 | 9 | 27 | 56 | 71 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 2.7 | 4 | 1 | 1 | 2 | 5 | 72 | 99+ | 99+ |
| 6-12 YRS | 18 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 10 | 13 |
| 13-19 YRS | 19 | 5.8 | 37 | 1 | 1 | 4 | 7 | 13 | 21 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 37 | 6.1 | 29 | 2 | 2 | 4 | 9 | 13 | 19 | 24 |
| 1-5 YRS | 163 | 6.0 | 113 | 1 | 1 | 3 | 6 | 19 | 72 | 99+ |
| 6-12 YRS | 485 | 18.3 | 556 | 1 | 2 | 8 | 29 | 77 | 99+ | 99+ |
| 13-19 YRS | 1904 | 17.1 | 400 | 1 | 2 | 8 | 25 | 50 | 70 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 17.0 | 338 | 4 | 4 | 17 | 30 | 30 | 30 | 30 |
| 1-5 YRS | 6 | 10.5 | 143 | 2 | 2 | 7 | 10 | 32 | 34 | 34 |
| 6-12 YRS | 14 | 6.8 | 57 | 1 | 1 | 5 | 8 | 29 | 82 | 99+ |
| 13-19 YRS | 88 | 28.3 | 592 | 2 | 5 | 23 | 51 | 69 | 95 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2525 | 17.0 | 436 | 1 | 2 | 7 | 25 | 57 | 75 | 99+ |
| B. *Operated* | 44 | 4.0 | 22 | 1 | 1 | 2 | 5 | 11 | 17 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2590 | 16.5 | 415 | 1 | 2 | 8 | 24 | 55 | 78 | 99+ |
| B. *Operated* | 110 | 24.3 | 552 | 2 | 3 | 18 | 44 | 64 | 95 | 99+ |
| **1. SINGLE DX** | 2569 | 16.7 | 431 | 1 | 2 | 7 | 25 | 56 | 75 | 99+ |
| **2. MULTIPLE DX** | 2700 | 16.8 | 422 | 1 | 2 | 8 | 25 | 56 | 79 | 99+ |
| **A. NOT OPERATED** | 5115 | 16.7 | 425 | 1 | 2 | 8 | 25 | 56 | 77 | 99+ |
| **B. OPERATED** | 154 | 18.5 | 484 | 1 | 1 | 8 | 28 | 62 | 92 | 99+ |
| TOTAL 0-27 DYS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 58 | 5.5 | 32 | 1 | 2 | 3 | 7 | 10 | 19 | 30 |
| 1-5 YRS | 314 | 5.5 | 92 | 1 | 1 | 3 | 6 | 12 | 30 | 99+ |
| 6-12 YRS | 1051 | 17.2 | 532 | 1 | 2 | 6 | 27 | 71 | 98 | 99+ |
| 13-19 YRS | 3843 | 17.7 | 418 | 1 | 2 | 9 | 26 | 55 | 71 | 99+ |
| **GRAND TOTAL** | **5269** | **16.8** | **427** | **1** | **2** | **8** | **25** | **56** | **77** | **99+** |

## 112: Mental retardation (317-319)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 4 | 3.0 | 5 | 1 | 1 | 3 | 29 | 99+ | 99+ | 99+ |
| 6-12 YRS | 11 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 33 | 8.9 | 143 | 1 | 1 | 5 | 11 | 21 | 54 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 6.3 | 1 | 5 | 5 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 3 | 4.7 | 12 | <1 | <1 | 5 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 38 | 4.6 | 11 | 1 | 2 | 4 | 5 | 9 | 12 | 17 |
| 6-12 YRS | 59 | 7.6 | 188 | 1 | 1 | 4 | 8 | 15 | 68 | 99+ |
| 13-19 YRS | 159 | 10.8 | 135 | 1 | 2 | 7 | 13 | 23 | 37 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 5.1 | 44 | <1 | <1 | 2 | 7 | 17 | 19 | 19 |
| 6-12 YRS | 14 | 11.2 | 199 | 1 | 2 | 5 | 8 | 40 | 45 | 46 |
| 13-19 YRS | 22 | 8.4 | 139 | 1 | 1 | 5 | 7 | 19 | 44 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 7.1 | 104 | 1 | 1 | 4 | 8 | 16 | 55 | 99+ |
| B. *Operated* | 6 | 5.5 | 6 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 257 | 9.1 | 133 | 1 | 2 | 5 | 11 | 21 | 37 | 86 |
| B. *Operated* | 43 | 8.8 | 142 | <1 | 1 | 5 | 7 | 25 | 44 | 46 |
| **1. SINGLE DX** | 55 | 6.9 | 93 | <1 | 1 | 5 | 8 | 15 | 53 | 99+ |
| **2. MULTIPLE DX** | 300 | 9.1 | 134 | 1 | 2 | 5 | 10 | 21 | 39 | 83 |
| **A. NOT OPERATED** | 306 | 8.8 | 129 | 1 | 1 | 5 | 11 | 20 | 40 | 99+ |
| **B. OPERATED** | 49 | 8.4 | 126 | <1 | 1 | 5 | 7 | 20 | 43 | 46 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 49 | 4.5 | 15 | 1 | 1 | 4 | 6 | 11 | 17 | 99+ |
| 6-12 YRS | 87 | 7.7 | 162 | 1 | 1 | 4 | 7 | 16 | 46 | 99+ |
| 13-19 YRS | 217 | 10.2 | 135 | 1 | 2 | 7 | 12 | 23 | 42 | 63 |
| **GRAND TOTAL** | **355** | **8.8** | **128** | **1** | **1** | **5** | **10** | **20** | **41** | **98** |

## 113: Inflammatory diseases of central nervous system (320-326)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 76 | 13.0 | 34 | 4 | 6 | 12 | 16 | 21 | 24 | 31 |
| 1-11 MOS | 584 | 11.3 | 24 | 2 | 4 | 11 | 13 | 16 | 19 | 24 |
| 1-5 YRS | 578 | 11.6 | 17 | 3 | 7 | 11 | 14 | 16 | 17 | 22 |
| 6-12 YRS | 172 | 7.1 | 33 | 1 | 1 | 6 | 11 | 13 | 15 | 19 |
| 13-19 YRS | 123 | 7.5 | 30 | 2 | 2 | 6 | 10 | 14 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 15.0 | 32 | 11 | 11 | 15 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 82 | 14.3 | 30 | 9 | 10 | 12 | 16 | 22 | 25 | 34 |
| 1-5 YRS | 71 | 12.7 | 24 | 6 | 8 | 12 | 15 | 19 | 23 | 29 |
| 6-12 YRS | 9 | 14.4 | 122 | 6 | 7 | 10 | 16 | 34 | 40 | 40 |
| 13-19 YRS | 23 | 22.7 | 411 | 2 | 2 | 18 | 38 | 53 | 66 | 69 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 54 | 14.1 | 56 | <1 | 4 | 14 | 19 | 22 | 27 | 36 |
| 1-11 MOS | 565 | 12.5 | 28 | 3 | 5 | 12 | 15 | 19 | 21 | 30 |
| 1-5 YRS | 472 | 12.3 | 40 | 3 | 5 | 12 | 15 | 18 | 20 | 33 |
| 6-12 YRS | 92 | 9.5 | 78 | 1 | 2 | 8 | 12 | 15 | 26 | 50 |
| 13-19 YRS | 99 | 9.9 | 113 | 1 | 2 | 8 | 13 | 18 | 24 | 67 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 13 | 26.2 | 237 | 14 | 15 | 23 | 29 | 76 | 95 | 99+ |
| 1-11 MOS | 170 | 17.9 | 102 | 7 | 9 | 15 | 22 | 30 | 36 | 58 |
| 1-5 YRS | 82 | 18.4 | 132 | 7 | 9 | 15 | 21 | 37 | 53 | 99+ |
| 6-12 YRS | 19 | 40.7 | 628 | 9 | 15 | 39 | 58 | 78 | 86 | 89 |
| 13-19 YRS | 40 | 26.1 | 403 | 2 | 4 | 22 | 34 | 56 | 71 | 81 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1533 | 10.7 | 26 | 2 | 3 | 11 | 13 | 16 | 18 | 24 |
| B. *Operated* | 187 | 14.7 | 86 | 6 | 8 | 12 | 16 | 23 | 31 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1282 | 12.1 | 45 | 2 | 3 | 12 | 15 | 18 | 22 | 35 |
| B. *Operated* | 324 | 20.7 | 213 | 6 | 9 | 17 | 25 | 40 | 58 | 91 |
| **1. SINGLE DX** | 1720 | 11.2 | 34 | 2 | 3 | 11 | 14 | 17 | 19 | 30 |
| **2. MULTIPLE DX** | 1606 | 13.8 | 90 | 2 | 4 | 12 | 16 | 22 | 30 | 59 |
| **A. NOT OPERATED** | 2815 | 11.3 | 35 | 2 | 3 | 11 | 14 | 17 | 20 | 29 |
| **B. OPERATED** | 511 | 18.5 | 174 | 6 | 9 | 14 | 22 | 35 | 47 | 81 |
| TOTAL 0-27 DYS | 145 | 14.6 | 72 | 3 | 6 | 14 | 18 | 23 | 28 | 74 |
| 1-11 MOS | 1401 | 12.8 | 40 | 3 | 6 | 12 | 15 | 20 | 23 | 35 |
| 1-5 YRS | 1203 | 12.4 | 37 | 3 | 6 | 12 | 15 | 17 | 20 | 38 |
| 6-12 YRS | 292 | 10.3 | 153 | 1 | 2 | 8 | 12 | 16 | 38 | 72 |
| 13-19 YRS | 285 | 12.2 | 186 | 2 | 2 | 9 | 14 | 26 | 42 | 69 |
| **GRAND TOTAL** | **3326** | **12.5** | **63** | **2** | **4** | **12** | **15** | **19** | **24** | **47** |

## 114: Parkinson's disease (332)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 2 | 28.0 | 2 | 27 | 27 | 28 | 29 | 29 | 29 | 29 |
| 1-5 YRS | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 13.3 | 147 | 2 | 2 | 9 | 27 | 29 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | 3 | 4.3 | 33 | 1 | 1 | 1 | 9 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | 6 | 13.3 | 147 | 2 | 2 | 9 | 27 | 29 | 29 | 29 |
| **A. NOT OPERATED** | 8 | 10.3 | 138 | 1 | 1 | 4 | 20 | 28 | 29 | 29 |
| **B. OPERATED** | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 17.0 | 179 | 1 | 1 | 19 | 28 | 29 | 29 | 29 |
| 1-5 YRS | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **GRAND TOTAL** | **9** | **10.3** | **121** | **1** | **1** | **5** | **17** | **28** | **29** | **29** |

## 115: Multiple sclerosis (340)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 13.3 | 102 | 7 | 7 | 8 | 21 | 25 | 25 | 25 |
| 13-19 YRS | 39 | 9.1 | 27 | 3 | 4 | 8 | 11 | 19 | 20 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 12 | 7.3 | 36 | 1 | 2 | 6 | 9 | 16 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 16 | 15.7 | 408 | 2 | 3 | 7 | 16 | 49 | 68 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 9.0 | 52 | 3 | 3 | 7 | 14 | 17 | 17 | 17 |
| 13-19 YRS | 2 | 11.0 | 72 | 5 | 5 | 11 | 17 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 9.4 | 32 | 3 | 4 | 8 | 11 | 20 | 21 | 25 |
| B. *Operated* | 12 | 7.3 | 36 | 1 | 2 | 6 | 9 | 16 | 21 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 15.0 | 391 | 2 | 3 | 7 | 13 | 47 | 67 | 75 |
| B. *Operated* | 5 | 9.8 | 45 | 3 | 3 | 7 | 17 | 17 | 17 | 17 |
| **1. SINGLE DX** | 54 | 8.9 | 33 | 3 | 3 | 8 | 10 | 20 | 21 | 25 |
| **2. MULTIPLE DX** | 22 | 13.8 | 311 | 2 | 3 | 7 | 17 | 36 | 61 | 75 |
| **A. NOT OPERATED** | 59 | 11.0 | 137 | 3 | 4 | 7 | 11 | 21 | 27 | 73 |
| **B. OPERATED** | 17 | 8.0 | 37 | 1 | 2 | 7 | 10 | 17 | 20 | 22 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 7 | 10.1 | 63 | 3 | 3 | 7 | 15 | 23 | 25 | 25 |
| 13-19 YRS | 69 | 10.4 | 121 | 3 | 3 | 7 | 11 | 20 | 23 | 70 |
| **GRAND TOTAL** | **76** | **10.4** | **115** | **3** | **3** | **7** | **11** | **20** | **24** | **69** |

## 116: Epilepsy (345)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 117 | 6.2 | 41 | 1 | 1 | 4 | 7 | 17 | 20 | 34 |
| 1-5 YRS | 529 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 6-12 YRS | 602 | 3.4 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 13-19 YRS | 810 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 17 | 6.6 | 124 | 1 | 1 | 4 | 7 | 37 | 80 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 12.2 | 129 | 2 | 2 | 8 | 19 | 31 | 32 | 32 |
| 1-11 MOS | 161 | 5.3 | 25 | 1 | 1 | 4 | 7 | 12 | 15 | 30 |
| 1-5 YRS | 624 | 4.7 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| 6-12 YRS | 521 | 4.3 | 23 | 1 | 1 | 3 | 5 | 9 | 12 | 32 |
| 13-19 YRS | 671 | 5.9 | 57 | 1 | 1 | 4 | 7 | 11 | 19 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 9.0 | 90 | 3 | 3 | 5 | 21 | 79 | 99+ | 99+ |
| 1-5 YRS | 18 | 10.7 | 259 | 1 | 2 | 6 | 9 | 22 | 52 | 71 |
| 6-12 YRS | 20 | 8.4 | 92 | 1 | 1 | 5 | 8 | 21 | 32 | 40 |
| 13-19 YRS | 33 | 10.3 | 76 | 2 | 3 | 8 | 12 | 27 | 32 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2061 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| B. *Operated* | 24 | 5.6 | 90 | 1 | 1 | 4 | 6 | 9 | 62 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1983 | 5.1 | 40 | 1 | 1 | 3 | 6 | 10 | 14 | 34 |
| B. *Operated* | 78 | 9.8 | 119 | 2 | 2 | 6 | 11 | 25 | 33 | 92 |
| **1. SINGLE DX** | 2085 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 20 |
| **2. MULTIPLE DX** | 2061 | 5.3 | 44 | 1 | 1 | 3 | 6 | 10 | 15 | 34 |
| **A. NOT OPERATED** | 4044 | 4.3 | 26 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| **B. OPERATED** | 102 | 8.8 | 115 | 1 | 2 | 6 | 9 | 24 | 35 | 99+ |
| TOTAL 0-27 DYS | 9 | 8.9 | 105 | 2 | 2 | 4 | 11 | 27 | 32 | 32 |
| 1-11 MOS | 287 | 5.7 | 33 | 1 | 1 | 4 | 7 | 14 | 18 | 33 |
| 1-5 YRS | 1173 | 4.1 | 28 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| 6-12 YRS | 1146 | 3.9 | 20 | 1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 13-19 YRS | 1531 | 4.8 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 31 |
| **GRAND TOTAL** | **4146** | **4.4** | **29** | **1** | **1** | **3** | **5** | **8** | **12** | **29** |

## 117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 8.0 | 89 | 1 | 1 | 5 | 8 | 24 | 31 | 32 |
| 1-11 MOS | 104 | 3.8 | 35 | <1 | 1 | 2 | 4 | 8 | 12 | 34 |
| 1-5 YRS | 233 | 3.7 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 23 |
| 6-12 YRS | 209 | 4.5 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 13-19 YRS | 342 | 5.3 | 53 | 1 | 1 | 3 | 6 | 10 | 15 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 19.3 | 1112 | 1 | 1 | 7 | 15 | 79 | 94 | 94 |
| 1-11 MOS | 85 | 8.6 | 68 | 1 | 2 | 7 | 10 | 16 | 26 | 48 |
| 1-5 YRS | 192 | 4.4 | 24 | 1 | 1 | 3 | 4 | 9 | 14 | 28 |
| 6-12 YRS | 229 | 6.2 | 54 | 1 | 2 | 4 | 7 | 13 | 17 | 36 |
| 13-19 YRS | 270 | 7.8 | 54 | 1 | 2 | 5 | 10 | 17 | 22 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 9.5 | 1 | 9 | 9 | 9 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 182 | 5.8 | 40 | 1 | 1 | 4 | 7 | 11 | 18 | 45 |
| 1-5 YRS | 425 | 5.9 | 84 | 1 | 1 | 4 | 6 | 12 | 17 | 62 |
| 6-12 YRS | 326 | 5.9 | 50 | 1 | 1 | 4 | 6 | 12 | 17 | 45 |
| 13-19 YRS | 510 | 9.0 | 158 | 1 | 1 | 5 | 9 | 25 | 36 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 10.6 | 49 | 2 | 2 | 15 | 16 | 17 | 17 | 17 |
| 1-11 MOS | 77 | 10.1 | 89 | 1 | 2 | 9 | 13 | 21 | 54 | 99+ |
| 1-5 YRS | 280 | 7.4 | 120 | 1 | 2 | 4 | 8 | 16 | 31 | 69 |
| 6-12 YRS | 358 | 6.5 | 84 | 1 | 1 | 4 | 7 | 13 | 18 | 43 |
| 13-19 YRS | 383 | 11.5 | 213 | 1 | 2 | 6 | 14 | 26 | 51 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 899 | 4.5 | 35 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| B. *Operated* | 783 | 6.7 | 60 | 1 | 2 | 4 | 8 | 14 | 20 | 36 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1445 | 7.0 | 99 | 1 | 1 | 4 | 8 | 15 | 26 | 81 |
| B. *Operated* | 1103 | 8.7 | 143 | 1 | 2 | 5 | 10 | 19 | 32 | 90 |
| **1. SINGLE DX** | 1682 | 5.5 | 48 | 1 | 1 | 3 | 6 | 11 | 17 | 35 |
| **2. MULTIPLE DX** | 2548 | 7.7 | 118 | 1 | 1 | 4 | 8 | 17 | 28 | 83 |
| **A. NOT OPERATED** | 2344 | 6.0 | 76 | 1 | 1 | 4 | 6 | 12 | 21 | 55 |
| **B. OPERATED** | 1886 | 7.9 | 109 | 1 | 2 | 5 | 9 | 17 | 26 | 73 |
| TOTAL 0-27 DYS | 25 | 11.8 | 347 | 1 | 2 | 7 | 15 | 19 | 47 | 94 |
| 1-11 MOS | 448 | 6.6 | 57 | 1 | 1 | 4 | 8 | 14 | 22 | 67 |
| 1-5 YRS | 1130 | 5.6 | 71 | 1 | 1 | 3 | 6 | 11 | 17 | 55 |
| 6-12 YRS | 1122 | 5.9 | 56 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| 13-19 YRS | 1505 | 8.6 | 134 | 1 | 1 | 5 | 9 | 20 | 32 | 87 |
| **GRAND TOTAL** | **4230** | **6.9** | **91** | **1** | **1** | **4** | **8** | **15** | **24** | **67** |

## 118: Migraine (346)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 42 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 343 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 677 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 7 | 2.7 | 2 | 1 | 1 | 3 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 31 | 4.6 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 17 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 139 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 13-19 YRS | 336 | 4.1 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 10 | 4.4 | 8 | 2 | 2 | 4 | 5 | 9 | 11 | 11 |
| 13-19 YRS | 23 | 5.8 | 21 | 1 | 2 | 4 | 8 | 10 | 17 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1062 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 38 | 4.3 | 8 | 1 | 2 | 3 | 5 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 494 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 34 | 5.3 | 17 | 2 | 2 | 4 | 6 | 9 | 14 | 21 |
| **1. SINGLE DX** | 1100 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 528 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 1556 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 72 | 4.8 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 60 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 6-12 YRS | 499 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 13-19 YRS | 1067 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **1628** | **3.3** | **5** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

### 119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 13 | 2.3 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 146 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 3 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 8 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 45 | 3.3 | 23 | <1 | 1 | 2 | 3 | 5 | 7 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 3.0 | 2 | 2 | 2 | 3 | 3 | 6 | 6 | 6 |
| B. *Operated* | 166 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. *Operated* | 55 | 3.2 | 19 | 1 | 1 | 2 | 3 | 4 | 5 | 31 |
| **1. SINGLE DX** | 172 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 59 | 3.2 | 18 | 1 | 1 | 2 | 3 | 5 | 6 | 30 |
| **A. NOT OPERATED** | 10 | 2.9 | 3 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| **B. OPERATED** | 221 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 4 | 12 |
| TOTAL 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 4 | 3.5 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 22 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 199 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 13 |
| **GRAND TOTAL** | **231** | **2.5** | **6** | **<1** | **1** | **2** | **3** | **4** | **5** | **12** |

### 120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 6 | 3.7 | 18 | 1 | 1 | 2 | 4 | 11 | 12 | 12 |
| 1-5 YRS | 52 | 5.8 | 58 | <1 | 1 | 3 | 7 | 14 | 20 | 46 |
| 6-12 YRS | 61 | 7.5 | 65 | 1 | 1 | 4 | 9 | 18 | 26 | 40 |
| 13-19 YRS | 207 | 8.4 | 118 | 1 | 1 | 5 | 9 | 19 | 28 | 58 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | 12 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 4.3 | 7 | 1 | 1 | 3 | 6 | 8 | 9 | 9 |
| 6-12 YRS | 58 | 3.9 | 47 | 1 | 1 | 3 | 4 | 7 | 8 | 50 |
| 13-19 YRS | 482 | 3.9 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 10 | 7.1 | 32 | 1 | 1 | 6 | 13 | 15 | 16 | 16 |
| 1-5 YRS | 27 | 7.1 | 54 | 1 | 2 | 4 | 7 | 19 | 25 | 28 |
| 6-12 YRS | 39 | 8.2 | 72 | 1 | 1 | 5 | 11 | 18 | 29 | 37 |
| 13-19 YRS | 157 | 6.8 | 67 | 1 | 1 | 4 | 8 | 14 | 20 | 46 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 6.8 | 78 | 2 | 2 | 3 | 11 | 20 | 20 | 20 |
| 1-5 YRS | 9 | 6.2 | 44 | <1 | 1 | 5 | 6 | 17 | 23 | 23 |
| 6-12 YRS | 30 | 6.9 | 127 | 1 | 1 | 4 | 9 | 13 | 61 | 99+ |
| 13-19 YRS | 225 | 5.7 | 62 | 1 | 2 | 3 | 6 | 12 | 23 | 75 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 328 | 7.7 | 97 | 1 | 1 | 5 | 9 | 18 | 25 | 52 |
| B. *Operated* | 557 | 3.9 | 19 | 1 | 1 | 3 | 4 | 7 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 7.0 | 64 | 1 | 1 | 4 | 8 | 15 | 21 | 39 |
| B. *Operated* | 269 | 5.8 | 68 | 1 | 2 | 3 | 6 | 12 | 23 | 93 |
| **1. SINGLE DX** | 885 | 5.3 | 51 | 1 | 1 | 3 | 5 | 10 | 17 | 42 |
| **2. MULTIPLE DX** | 503 | 6.4 | 67 | 1 | 2 | 4 | 7 | 14 | 23 | 57 |
| **A. NOT OPERATED** | 562 | 7.4 | 83 | 1 | 1 | 4 | 9 | 16 | 24 | 50 |
| **B. OPERATED** | 826 | 4.5 | 36 | 1 | 1 | 3 | 5 | 8 | 13 | 41 |
| TOTAL 0-27 DYS | 7 | 4.6 | 24 | <1 | <1 | 3 | 7 | 13 | 14 | 14 |
| 1-11 MOS | 20 | 6.0 | 35 | 1 | 1 | 3 | 10 | 15 | 18 | 20 |
| 1-5 YRS | 102 | 6.0 | 48 | 1 | 1 | 4 | 7 | 15 | 21 | 37 |
| 6-12 YRS | 188 | 6.5 | 73 | 1 | 1 | 4 | 7 | 15 | 21 | 59 |
| 13-19 YRS | 1071 | 5.6 | 56 | 1 | 2 | 3 | 6 | 11 | 18 | 47 |
| **GRAND TOTAL** | **1388** | **5.7** | **57** | **1** | **1** | **3** | **6** | **12** | **19** | **47** |

## 121: Retinal detachment and defects (361)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 3.0 | 16 | <1 | <1 | 1 | 4 | 10 | 10 | 10 |
| 6-12 YRS | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 5.7 | | 5 | 5 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 6 | 4.0 | 2 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 51 | 5.0 | 7 | 1 | 2 | 5 | 7 | 8 | 10 | 14 |
| 13-19 YRS | 168 | 5.2 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 9 | 2.1 | 2 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 6.0 | 29 | 3 | 3 | 4 | 9 | 14 | 14 | 14 |
| 1-5 YRS | 8 | 3.6 | 11 | 1 | 1 | 2 | 5 | 9 | 10 | 10 |
| 6-12 YRS | 38 | 6.3 | 26 | 2 | 2 | 5 | 8 | 10 | 17 | 29 |
| 13-19 YRS | 90 | 7.2 | 27 | 2 | 3 | 6 | 8 | 15 | 19 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 2.5 | 6 | <1 | <1 | 1 | 3 | 5 | 9 | 10 |
| B. *Operated* | 229 | 5.1 | 8 | 1 | 2 | 5 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| B. *Operated* | 140 | 6.7 | 26 | 2 | 2 | 6 | 8 | 12 | 19 | 29 |
| **1. SINGLE DX** | 242 | 5.0 | 8 | 1 | 2 | 5 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | 154 | 6.3 | 26 | 1 | 2 | 5 | 8 | 11 | 18 | 29 |
| **A. NOT OPERATED** | 27 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 369 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 22 |
| TOTAL 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 7 | 5.9 | 14 | 3 | 3 | 5 | 6 | 12 | 14 | 14 |
| 1-5 YRS | 19 | 3.6 | 8 | <1 | <1 | 3 | 5 | 9 | 10 | 10 |
| 6-12 YRS | 97 | 5.3 | 15 | 1 | 2 | 5 | 7 | 9 | 11 | 25 |
| 13-19 YRS | 272 | 5.7 | 16 | 1 | 2 | 5 | 7 | 10 | 14 | 22 |
| **GRAND TOTAL** | **396** | **5.5** | **15** | **1** | **2** | **5** | **7** | **10** | **12** | **22** |

## 122: Open angle and primary closure glaucoma (365.1-365.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 4 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 5 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 21 | 3.1 | 4 | 1 | 1 | 2 | 4 | 6 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 4.7 | 40 | <1 | <1 | 1 | 9 | 12 | 12 | 12 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 6 | 4.2 | 40 | 1 | 1 | 2 | 3 | 16 | 17 | 17 |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.4 | 7 | 1 | 1 | 2 | 2 | 7 | 9 | 9 |
| B. *Operated* | 31 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 3.4 | 23 | <1 | <1 | 1 | 4 | 12 | 12 | 12 |
| B. *Operated* | 14 | 3.3 | 18 | 1 | 1 | 2 | 3 | 8 | 15 | 17 |
| **1. SINGLE DX** | 39 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| **2. MULTIPLE DX** | 19 | 3.3 | 18 | <1 | 1 | 2 | 3 | 10 | 15 | 17 |
| **A. NOT OPERATED** | 13 | 2.8 | 12 | <1 | <1 | 1 | 2 | 10 | 12 | 12 |
| **B. OPERATED** | 45 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-5 YRS | 18 | 3.1 | 18 | <1 | 1 | 2 | 3 | 9 | 15 | 17 |
| 6-12 YRS | 8 | 3.3 | 6 | 2 | 2 | 2 | 3 | 7 | 9 | 9 |
| 13-19 YRS | 25 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 8 | 8 |
| **GRAND TOTAL** | **58** | **3.0** | **8** | **1** | **1** | **2** | **3** | **6** | **9** | **17** |

## 123: Other glaucoma (365.0; 365.3-365.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 4 | 2.5 | 3 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 8 | 6.4 | 92 | 1 | 1 | 2 | 7 | 23 | 29 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 6 | 2.7 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 11 | 3.3 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 13-19 YRS | 24 | 2.8 | 2 | 1 | 2 | 2 | 4 | 5 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 3 | 5.7 | 14 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 4 | 5.0 | 37 | 1 | 1 | 2 | 8 | 14 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 4 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 11 | 6.1 | 32 | <1 | 1 | 3 | 11 | 15 | 18 | 18 |
| 13-19 YRS | 23 | 3.8 | 12 | 1 | 1 | 4 | 4 | 7 | 12 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 4.3 | 52 | <1 | <1 | 1 | 4 | 9 | 24 | 29 |
| B. *Operated* | 46 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 3.3 | 17 | <1 | <1 | 1 | 3 | 11 | 13 | 14 |
| B. *Operated* | 39 | 4.2 | 17 | 1 | 1 | 3 | 4 | 11 | 14 | 18 |
| **1. SINGLE DX** | 61 | 3.1 | 14 | 1 | 1 | 2 | 4 | 5 | 7 | 27 |
| **2. MULTIPLE DX** | 52 | 4.0 | 17 | <1 | 1 | 3 | 4 | 11 | 14 | 18 |
| **A. NOT OPERATED** | 28 | 3.8 | 35 | <1 | <1 | 1 | 4 | 10 | 15 | 29 |
| **B. OPERATED** | 85 | 3.4 | 9 | 1 | 1 | 2 | 4 | 6 | 10 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 16 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 6-12 YRS | 29 | 4.5 | 16 | <1 | 1 | 3 | 5 | 11 | 13 | 18 |
| 13-19 YRS | 59 | 3.8 | 20 | 1 | 1 | 2 | 4 | 6 | 12 | 28 |
| **GRAND TOTAL** | **113** | **3.5** | **15** | **1** | **1** | **2** | **4** | **6** | **12** | **22** |

## 124: Senile cataract (366.1; 366.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

CPHA excludes pediatric patients from this diagnosis group because of clinical implausibility.

## 125: Cataract, except senile (366.0; 366.2-366.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 3 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 61 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 6-12 YRS | 119 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 136 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 6 | 2.5 | 6 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 46 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 6-12 YRS | 74 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 68 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 321 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 2.3 | 5 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| B. *Operated* | 191 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 327 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 201 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 16 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| **B. OPERATED** | 512 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 109 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 6-12 YRS | 198 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 213 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **GRAND TOTAL** | **528** | **2.4** | **1** | **1** | **1** | **2** | **3** | **4** | **5** | **7** |

## 126: Strabismus (378)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 1-5 YRS | 83 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 70 |
| 6-12 YRS | 18 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 13-19 YRS | 17 | 4.4 | 12 | <1 | 1 | 3 | 7 | 9 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 402 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 3835 | 1.6 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 2259 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 1103 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 26 | 1.2 | 1 | <1 | <1 | <1 | 1 | 2 | 3 | 5 |
| 1-5 YRS | 202 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 6-12 YRS | 43 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 13-19 YRS | 24 | 2.3 | 3 | <1 | <1 | 2 | 3 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 44 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 1-5 YRS | 639 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 401 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 280 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 128 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 8 | 30 |
| B. *Operated* | 7602 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 295 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 1364 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **1. SINGLE DX** | 7730 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| **2. MULTIPLE DX** | 1659 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| **A. NOT OPERATED** | 423 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 10 |
| **B. OPERATED** | 8966 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| TOTAL 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 482 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 1-5 YRS | 4759 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 2721 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 1424 | 1.9 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| **GRAND TOTAL** | **9389** | **1.7** | **1** | **<1** | **1** | **2** | **2** | **2** | **2** | **3** |

## 127: Miscellaneous disorders of superficial structures of eye (370-375)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 53 | 3.7 | 2 | <1 | 2 | 3 | 5 | 6 | 6 | 7 |
| 1-11 MOS | 301 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 1-5 YRS | 378 | 1.8 | 6 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 68 | 3.0 | 12 | <1 | 1 | 2 | 4 | 5 | 8 | 22 |
| 13-19 YRS | 61 | 3.4 | 5 | <1 | 1 | 3 | 5 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 38 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 1-5 YRS | 352 | 1.8 | 12 | <1 | <1 | 1 | 2 | 3 | 3 | 9 |
| 6-12 YRS | 313 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 340 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 47 | 5.3 | 13 | 2 | 2 | 4 | 6 | 11 | 12 | 21 |
| 1-11 MOS | 152 | 3.3 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 9 |
| 1-5 YRS | 217 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 6-12 YRS | 90 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 13-19 YRS | 61 | 3.5 | 10 | <1 | 1 | 3 | 4 | 6 | 8 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 7.5 | 7 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 17 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 1-5 YRS | 89 | 2.5 | 10 | <1 | <1 | 2 | 2 | 4 | 7 | 21 |
| 6-12 YRS | 108 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 7 | 19 |
| 13-19 YRS | 128 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 861 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| B. *Operated* | 1045 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 567 | 3.5 | 7 | <1 | 1 | 3 | 5 | 6 | 8 | 14 |
| B. *Operated* | 346 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **1. SINGLE DX** | 1906 | 1.9 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | 913 | 3.3 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **A. NOT OPERATED** | 1428 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| **B. OPERATED** | 1391 | 2.1 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 10 |
| TOTAL 0-27 DYS | 106 | 4.5 | 8 | 1 | 2 | 4 | 5 | 7 | 11 | 16 |
| 1-11 MOS | 508 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 9 |
| 1-5 YRS | 1036 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 6-12 YRS | 579 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 13-19 YRS | 590 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **GRAND TOTAL** | **2819** | **2.4** | **6** | **<1** | **<1** | **2** | **3** | **5** | **6** | **11** |

## 128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 19 | 4.8 | 6 | 1 | 2 | 4 | 7 | 7 | 9 | 11 |
| 1-11 MOS | 187 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 1-5 YRS | 509 | 3.8 | 7 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 6-12 YRS | 261 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| 13-19 YRS | 198 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 18 | 4.8 | 14 | 1 | 1 | 4 | 7 | 9 | 14 | 16 |
| 1-5 YRS | 65 | 2.9 | 10 | <1 | <1 | 2 | 3 | 7 | 9 | 17 |
| 6-12 YRS | 71 | 4.0 | 20 | <1 | <1 | 2 | 5 | 11 | 14 | 22 |
| 13-19 YRS | 99 | 3.7 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 4.7 | 9 | 2 | 2 | 4 | 6 | 11 | 12 | 12 |
| 1-11 MOS | 194 | 5.3 | 19 | 1 | 2 | 4 | 7 | 10 | 11 | 27 |
| 1-5 YRS | 402 | 4.6 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 16 |
| 6-12 YRS | 190 | 5.0 | 8 | 2 | 2 | 5 | 6 | 9 | 11 | 14 |
| 13-19 YRS | 161 | 4.8 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 23 | 9.0 | 156 | 1 | 1 | 7 | 12 | 15 | 32 | 62 |
| 1-5 YRS | 61 | 4.2 | 12 | <1 | 1 | 3 | 6 | 11 | 12 | 15 |
| 6-12 YRS | 84 | 4.2 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| 13-19 YRS | 124 | 4.9 | 14 | 1 | 2 | 3 | 6 | 11 | 14 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1174 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 254 | 3.7 | 13 | <1 | 1 | 2 | 4 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 962 | 4.9 | 11 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| B. *Operated* | 294 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 13 | 17 |
| **1. SINGLE DX** | 1428 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 1256 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 2136 | 4.3 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 548 | 4.3 | 20 | 1 | 1 | 3 | 5 | 10 | 12 | 17 |
| TOTAL 0-27 DYS | 37 | 4.7 | 7 | 1 | 2 | 4 | 6 | 7 | 11 | 12 |
| 1-11 MOS | 422 | 4.8 | 21 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 1-5 YRS | 1037 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 606 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 13-19 YRS | 582 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **GRAND TOTAL** | **2684** | **4.3** | **11** | **1** | **2** | **4** | **5** | **8** | **10** | **15** |

## 129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 1-5 YRS | 20 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 6-12 YRS | 17 | 2.9 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 23 | 3.0 | 6 | 1 | 1 | 3 | 3 | 5 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 15 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 6-12 YRS | 13 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 26 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 2.7 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 9 |
| 1-5 YRS | 24 | 2.7 | 8 | <1 | <1 | 2 | 4 | 5 | 8 | 14 |
| 6-12 YRS | 26 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 49 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 2.3 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 6-12 YRS | 12 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 13-19 YRS | 29 | 4.9 | 25 | 1 | 1 | 3 | 6 | 11 | 16 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 76 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | 54 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| B. *Operated* | 52 | 3.9 | 16 | 1 | 1 | 2 | 5 | 8 | 12 | 23 |
| **1. SINGLE DX** | 130 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| **2. MULTIPLE DX** | 160 | 3.4 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 16 |
| **A. NOT OPERATED** | 184 | 2.9 | 6 | <1 | 1 | 2 | 4 | 5 | 8 | 13 |
| **B. OPERATED** | 106 | 3.0 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 25 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| 1-5 YRS | 70 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 12 |
| 6-12 YRS | 68 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 13-19 YRS | 127 | 3.7 | 12 | 1 | 1 | 3 | 4 | 8 | 11 | 18 |
| **GRAND TOTAL** | **290** | **2.9** | **7** | **<1** | **1** | **2** | **3** | **6** | **8** | **14** |

## 130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 174 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 1-11 MOS | 1370 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 1-5 YRS | 1263 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 6-12 YRS | 137 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 13 |
| 13-19 YRS | 59 | 3.7 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 4.2 | 7 | <1 | <1 | 5 | 6 | 8 | 8 | 8 |
| 1-11 MOS | 1546 | 1.3 | 2 | <1 | <1 | <1 | 1 | 1 | 3 | 7 |
| 1-5 YRS | 9935 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 6-12 YRS | 4478 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 13-19 YRS | 1157 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 161 | 4.3 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 12 |
| 1-11 MOS | 3423 | 3.7 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 12 |
| 1-5 YRS | 4605 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 6-12 YRS | 535 | 3.4 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 12 |
| 13-19 YRS | 229 | 3.8 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 16 | 4.7 | 5 | 1 | 3 | 4 | 6 | 8 | 9 | 9 |
| 1-11 MOS | 459 | 2.7 | 9 | <1 | <1 | 1 | 4 | 6 | 8 | 13 |
| 1-5 YRS | 6541 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 6-12 YRS | 3532 | 1.7 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 13-19 YRS | 1008 | 2.3 | 3 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3003 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 17131 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8953 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 11556 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| **1. SINGLE DX** | 20134 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 20509 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 11956 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 28687 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| TOTAL 0-27 DYS | 366 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 1-11 MOS | 6798 | 2.9 | 6 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| 1-5 YRS | 22344 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 6-12 YRS | 8682 | 1.6 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 13-19 YRS | 2453 | 2.3 | 4 | <1 | <1 | 2 | 3 | 3 | 5 | 9 |
| **GRAND TOTAL** | **40643** | **2.0** | **3** | **<1** | **<1** | **1** | **2** | **4** | **5** | **9** |

### 131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 3.4 | 3 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 71 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| 1-5 YRS | 131 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| 6-12 YRS | 77 | 3.8 | 4 | 1 | 2 | 3 | 5 | 7 | 7 | 9 |
| 13-19 YRS | 78 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 119 | 1.9 | 7 | <1 | <1 | 1 | 1 | 4 | 7 | 16 |
| 1-5 YRS | 793 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 9 |
| 6-12 YRS | 468 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 13-19 YRS | 175 | 2.5 | 5 | <1 | <1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 7.4 | 12 | 4 | 4 | 6 | 10 | 12 | 12 | 12 |
| 1-11 MOS | 173 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 1-5 YRS | 385 | 3.7 | 8 | <1 | 1 | 3 | 4 | 7 | 9 | 14 |
| 6-12 YRS | 137 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 10 | 17 |
| 13-19 YRS | 113 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 52 | 3.9 | 23 | <1 | <1 | 2 | 5 | 9 | 11 | 29 |
| 1-5 YRS | 848 | 1.9 | 4 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 6-12 YRS | 576 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 6 | 12 |
| 13-19 YRS | 224 | 3.0 | 8 | 1 | 1 | 2 | 3 | 4 | 7 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 362 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| B. *Operated* | 1556 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 813 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| B. *Operated* | 1701 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| **1. SINGLE DX** | 1918 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 2514 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 1175 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **B. OPERATED** | 3257 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| TOTAL 0-27 DYS | 12 | 6.5 | 18 | 1 | 2 | 5 | 9 | 13 | 16 | 16 |
| 1-11 MOS | 415 | 3.3 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| 1-5 YRS | 2157 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 6-12 YRS | 1258 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 13-19 YRS | 590 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **4432** | **2.5** | **6** | **<1** | **<1** | **2** | **3** | **5** | **7** | **12** |

### 132: Vertiginous syndromes (386)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 17 | 2.1 | 3 | <1 | 1 | 1 | 2 | 5 | 7 | 8 |
| 6-12 YRS | 26 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 91 | 4.0 | 6 | 1 | 1 | 3 | 6 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 2.4 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 8 | 2.9 | 2 | 2 | 2 | 3 | 3 | 5 | 6 | 6 |
| 13-19 YRS | 16 | 3.1 | 2 | <1 | 2 | 3 | 4 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 4 | 5.0 | 9 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 10 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 6-12 YRS | 25 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 11 | 14 |
| 13-19 YRS | 85 | 4.7 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 6 | 2.7 | 1 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 5 | 2.0 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 13 | 3.9 | 8 | 1 | 1 | 3 | 5 | 9 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 136 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 29 | 2.9 | 1 | 1 | 2 | 3 | 3 | 5 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 4.6 | 9 | 1 | 2 | 4 | 5 | 9 | 11 | 15 |
| B. *Operated* | 25 | 3.5 | 7 | 1 | 1 | 2 | 4 | 8 | 10 | 11 |
| **1. SINGLE DX** | 165 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 150 | 4.4 | 9 | 1 | 1 | 4 | 5 | 9 | 11 | 14 |
| **A. NOT OPERATED** | 261 | 4.1 | 7 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| **B. OPERATED** | 54 | 3.2 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| TOTAL 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 7 | 4.9 | 12 | <1 | <1 | 5 | 7 | 10 | 10 | 10 |
| 1-5 YRS | 38 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 64 | 3.7 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| 13-19 YRS | 205 | 4.2 | 7 | 1 | 2 | 4 | 5 | 8 | 10 | 13 |
| **GRAND TOTAL** | **315** | **4.0** | **7** | **1** | **1** | **3** | **5** | **7** | **9** | **13** |

## 133: Otosclerosis (387)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 6 | 1.5 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 16 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 13-19 YRS | 100 | 2.6 | 5 | 1 | 1 | 2 | 3 | 3 | 4 | 16 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 1 | 7.0 |  | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS |  |  |  |  |  |  |  |  |  |  |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 4 | 2.8 |  | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 25 | 2.6 | 1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| B. *Operated* | 122 | 2.5 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 15 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 1 | 7.0 |  | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| B. *Operated* | 30 | 2.6 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| **1. SINGLE DX** | 124 | 2.5 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 15 |
| **2. MULTIPLE DX** | 31 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 7 |
| **A. NOT OPERATED** | 3 | 3.7 | 9 | <1 | <1 | 3 | 6 | 7 | 7 | 7 |
| **B. OPERATED** | 152 | 2.5 | 3 | 1 | 1 | 2 | 3 | 3 | 4 | 13 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 7 | 1.6 |  | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 21 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 127 | 2.6 | 4 | 1 | 1 | 2 | 3 | 3 | 4 | 15 |
| **GRAND TOTAL** | **155** | **2.5** | **3** | **1** | **1** | **2** | **3** | **3** | **4** | **13** |

## 134: Miscellaneous diseases of ear (380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 29 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 38 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 13-19 YRS | 38 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 4 | 1.3 |  | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 383 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 1312 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 1113 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 9 | 3.8 | 9 | 1 | 1 | 3 | 4 | 9 | 11 | 11 |
| 1-5 YRS | 52 | 2.9 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 12 |
| 6-12 YRS | 38 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| 13-19 YRS | 49 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 11 | 17 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 7 | 2.3 | 6 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 1-5 YRS | 318 | 1.9 | 10 | <1 | <1 | 1 | 2 | 2 | 3 | 15 |
| 6-12 YRS | 937 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 731 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 109 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 2814 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 148 | 3.0 | 8 | <1 | <1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | 1993 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **1. SINGLE DX** | 2923 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** | 2141 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **A. NOT OPERATED** | 257 | 2.7 | 6 | <1 | <1 | 2 | 3 | 5 | 8 | 12 |
| **B. OPERATED** | 4807 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| TOTAL 0-27 DYS | 3 | 1.7 |  | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 23 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 1-5 YRS | 782 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 2325 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 1931 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| **GRAND TOTAL** | **5064** | **2.0** | **2** | **<1** | **1** | **2** | **2** | **3** | **4** | **7** |

## 135: Rheumatic fever, acute (390-392)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 27 | 4.9 | 8 | 2 | 2 | 4 | 7 | 9 | 11 | 12 |
| 6-12 YRS | 144 | 7.1 | 21 | 2 | 3 | 6 | 10 | 13 | 15 | 21 |
| 13-19 YRS | 85 | 6.4 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1 | 21.0 | | 21 | 21 | 21 | 21 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 25 | 6.6 | 12 | 2 | 3 | 6 | 9 | 11 | 13 | 16 |
| 6-12 YRS | 79 | 8.3 | 39 | 2 | 2 | 7 | 12 | 17 | 20 | 32 |
| 13-19 YRS | 60 | 8.3 | 33 | 2 | 2 | 7 | 12 | 18 | 21 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 9.0 | 37 | <1 | <1 | 10 | 13 | 15 | 15 | 15 |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 8 | 11.4 | 36 | 1 | 3 | 11 | 15 | 19 | 20 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 257 | 6.6 | 20 | 2 | 2 | 5 | 9 | 12 | 15 | 21 |
| B. *Operated* | 5 | 5.2 | 78 | <1 | <1 | 1 | 7 | 21 | 21 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 165 | 8.0 | 32 | 2 | 2 | 7 | 11 | 16 | 20 | 24 |
| B. *Operated* | 13 | 10.5 | 31 | <1 | 1 | 10 | 14 | 18 | 20 | 20 |
| **1. SINGLE DX** | 262 | 6.6 | 21 | 2 | 2 | 5 | 9 | 12 | 15 | 21 |
| **2. MULTIPLE DX** | 178 | 8.2 | 33 | 2 | 2 | 7 | 11 | 17 | 20 | 23 |
| **A. NOT OPERATED** | 422 | 7.2 | 25 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| **B. OPERATED** | 18 | 9.0 | 46 | <1 | <1 | 9 | 14 | 19 | 21 | 21 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.3 | 4 | <1 | <1 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 58 | 5.8 | 13 | 1 | 2 | 5 | 7 | 11 | 12 | 16 |
| 6-12 YRS | 225 | 7.5 | 27 | 2 | 2 | 6 | 10 | 14 | 17 | 23 |
| 13-19 YRS | 154 | 7.5 | 29 | 2 | 2 | 6 | 10 | 15 | 20 | 24 |
| **GRAND TOTAL** | **440** | **7.2** | **26** | **2** | **2** | **6** | **10** | **14** | **17** | **22** |

## 136: Chronic rheumatic heart disease (393-398)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 6 | 6.5 | 16 | 2 | 2 | 6 | 10 | 12 | 12 | 12 |
| 13-19 YRS | 25 | 4.5 | 4 | 1 | 2 | 5 | 6 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 10.4 | 56 | 1 | 1 | 8 | 17 | 19 | 19 | 19 |
| 13-19 YRS | 12 | 9.3 | 48 | 1 | 1 | 10 | 13 | 18 | 23 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 11 | 8.7 | 140 | <1 | 1 | 4 | 6 | 30 | 38 | 39 |
| 13-19 YRS | 47 | 5.7 | 26 | 1 | 2 | 5 | 7 | 10 | 22 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 3 | 4.0 | 12 | 2 | 2 | 2 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 24 | 8.9 | 37 | 2 | 2 | 9 | 12 | 18 | 20 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 4.8 | 6 | 1 | 2 | 5 | 6 | 8 | 10 | 12 |
| B. *Operated* | 22 | 7.9 | 47 | 1 | 1 | 7 | 12 | 18 | 21 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 6.3 | 45 | 1 | 2 | 4 | 7 | 11 | 27 | 93 |
| B. *Operated* | 32 | 7.4 | 35 | 2 | 2 | 5 | 11 | 17 | 19 | 21 |
| **1. SINGLE DX** | 55 | 6.0 | 24 | 1 | 2 | 5 | 8 | 12 | 17 | 24 |
| **2. MULTIPLE DX** | 93 | 6.7 | 42 | 2 | 2 | 5 | 8 | 15 | 21 | 73 |
| **A. NOT OPERATED** | 94 | 5.8 | 32 | 1 | 2 | 5 | 7 | 10 | 19 | 72 |
| **B. OPERATED** | 54 | 7.6 | 39 | 1 | 2 | 6 | 12 | 17 | 19 | 24 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 3 | 5.3 | 17 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 11 | 2.4 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 6 |
| 6-12 YRS | 25 | 8.0 | 76 | 1 | 2 | 5 | 9 | 19 | 28 | 39 |
| 13-19 YRS | 108 | 6.6 | 28 | 1 | 2 | 5 | 8 | 13 | 19 | 59 |
| **GRAND TOTAL** | **148** | **6.4** | **35** | **1** | **2** | **5** | **8** | **13** | **19** | **40** |

## 137: Essential hypertension (401)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 6.9 | 40 | 2 | 2 | 4 | 9 | 18 | 21 | 21 |
| 1-5 YRS | 8 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 31 | 3.9 | 5 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 13-19 YRS | 190 | 3.7 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 15.0 | 273 | 4 | 4 | 7 | 27 | 34 | 34 | 34 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 4 | 7.3 | 63 | 2 | 2 | 4 | 12 | 19 | 19 | 19 |
| 13-19 YRS | 45 | 3.4 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 13 | 7.2 | 15 | 1 | 2 | 8 | 10 | 12 | 12 | 12 |
| 1-5 YRS | 6 | 5.5 | 13 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 6-12 YRS | 42 | 5.8 | 25 | 1 | 2 | 4 | 7 | 9 | 14 | 30 |
| 13-19 YRS | 276 | 4.5 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 4 | 12.3 | 7 | 10 | 10 | 12 | 14 | 15 | 15 | 15 |
| 1-5 YRS | 4 | 8.5 | 30 | 4 | 4 | 8 | 13 | 15 | 15 | 15 |
| 6-12 YRS | 7 | 5.9 | 13 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 13-19 YRS | 47 | 7.9 | 32 | 2 | 2 | 6 | 10 | 16 | 18 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 3.9 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | 53 | 4.4 | 26 | 1 | 2 | 3 | 4 | 7 | 11 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 338 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| B. *Operated* | 63 | 7.9 | 29 | 2 | 3 | 6 | 11 | 15 | 17 | 28 |
| **1. SINGLE DX** | 291 | 4.0 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 401 | 5.3 | 15 | 1 | 2 | 4 | 7 | 10 | 13 | 19 |
| **A. NOT OPERATED** | 576 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 116 | 6.3 | 30 | 2 | 2 | 4 | 8 | 14 | 17 | 31 |
| TOTAL 0-27 DYS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 29 | 8.6 | 46 | 2 | 2 | 8 | 11 | 15 | 22 | 34 |
| 1-5 YRS | 19 | 5.2 | 14 | 1 | 2 | 4 | 6 | 12 | 14 | 15 |
| 6-12 YRS | 84 | 5.2 | 19 | 1 | 2 | 4 | 7 | 9 | 11 | 26 |
| 13-19 YRS | 558 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| **GRAND TOTAL** | 692 | 4.7 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 138: Hypertensive heart disease (402)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 6.7 | 17 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 9.5 | 85 | 3 | 3 | 9 | 14 | 16 | 16 | 16 |
| 1-5 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 5 | 7.0 | 82 | 1 | 1 | 3 | 9 | 23 | 23 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5 | 4.6 | 5 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| B. *Operated* | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 7.4 | 40 | 1 | 2 | 5 | 10 | 17 | 22 | 23 |
| B. *Operated* | 4 | 5.0 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| **1. SINGLE DX** | 6 | 5.3 | 7 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | 17 | 6.8 | 32 | 1 | 2 | 5 | 9 | 15 | 21 | 23 |
| **A. NOT OPERATED** | 18 | 6.6 | 31 | 1 | 2 | 5 | 8 | 14 | 20 | 23 |
| **B. OPERATED** | 5 | 5.8 | 7 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| TOTAL 0-27 DYS | 3 | 6.7 | 17 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 8.7 | 44 | 3 | 3 | 7 | 14 | 16 | 16 | 16 |
| 1-5 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 14 | 5.7 | 30 | 1 | 2 | 4 | 7 | 10 | 20 | 23 |
| **GRAND TOTAL** | 23 | 6.4 | 25 | 1 | 2 | 5 | 8 | 11 | 18 | 23 |

## 139: Miscellaneous hypertensive disease (403-405)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 4 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 9 | 5.3 | 19 | 1 | 1 | 5 | 8 | 12 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 8 | 5.4 | 15 | 1 | 1 | 5 | 7 | 11 | 13 | 13 |
| 13-19 YRS | 14 | 5.4 | 18 | 1 | 1 | 4 | 7 | 12 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 6.7 | 25 | 1 | 1 | 6 | 11 | 13 | 13 | 13 |
| 1-5 YRS | 7 | 5.1 | 7 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 6-12 YRS | 14 | 5.1 | 7 | 2 | 2 | 4 | 7 | 9 | 10 | 10 |
| 13-19 YRS | 21 | 4.1 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 23.0 | | 23 | 23 | 23 | 23 | 23 | 23 | 23 |
| 1-5 YRS | 5 | 25.2 | 1668 | 3 | 3 | 8 | 33 | 98 | 98 | 98 |
| 6-12 YRS | 16 | 9.9 | 84 | 1 | 3 | 5 | 14 | 27 | 30 | 31 |
| 13-19 YRS | 28 | 6.8 | 38 | 2 | 2 | 5 | 8 | 14 | 18 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 5.2 | 19 | 1 | 1 | 4 | 7 | 12 | 15 | 16 |
| B. *Operated* | 23 | 5.3 | 16 | 1 | 1 | 4 | 7 | 12 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 48 | 4.9 | 9 | 2 | 2 | 4 | 7 | 9 | 10 | 13 |
| B. *Operated* | 50 | 9.9 | 215 | 2 | 2 | 5 | 11 | 20 | 31 | 98 |
| **1. SINGLE DX** | 40 | 5.3 | 17 | 1 | 1 | 4 | 7 | 12 | 14 | 16 |
| **2. MULTIPLE DX** | 98 | 7.5 | 119 | 2 | 2 | 4 | 8 | 13 | 21 | 66 |
| **A. NOT OPERATED** | 65 | 5.0 | 11 | 1 | 2 | 4 | 7 | 10 | 11 | 16 |
| **B. OPERATED** | 73 | 8.5 | 156 | 1 | 2 | 5 | 9 | 16 | 27 | 83 |
| TOTAL 0-27 DYS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 8 | 8.4 | 53 | 1 | 2 | 5 | 12 | 20 | 23 | 23 |
| 1-5 YRS | 17 | 10.5 | 517 | 1 | 2 | 5 | 7 | 11 | 68 | 98 |
| 6-12 YRS | 40 | 7.0 | 43 | 1 | 2 | 4 | 9 | 14 | 23 | 31 |
| 13-19 YRS | 72 | 5.6 | 23 | 1 | 2 | 4 | 8 | 11 | 14 | 28 |
| **GRAND TOTAL** | **138** | **6.8** | **90** | **1** | **2** | **4** | **8** | **13** | **16** | **39** |

## 140: Acute myocardial infarction (410)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 5 | 9.4 | 29 | 1 | 1 | 10 | 13 | 15 | 15 | 15 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 11 | 10.7 | 30 | 5 | 5 | 10 | 15 | 18 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 10.0 | 24 | 6 | 6 | 9 | 11 | 18 | 19 | 19 |
| 1-11 MOS | 14 | 12.1 | 9 | 7 | 9 | 12 | 13 | 16 | 18 | 18 |
| 1-5 YRS | 11 | 12.6 | 32 | 4 | 7 | 12 | 14 | 22 | 24 | 24 |
| 6-12 YRS | 8 | 12.3 | 36 | <1 | 3 | 12 | 17 | 19 | 20 | 20 |
| 13-19 YRS | 15 | 14.8 | 117 | 3 | 4 | 12 | 15 | 40 | 40 | 40 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 24.3 | 446 | 2 | 2 | 27 | 40 | 44 | 44 | 44 |
| 1-5 YRS | 8 | 8.0 | 171 | 1 | 1 | 1 | 14 | 30 | 32 | 32 |
| 6-12 YRS | 12 | 1.3 | | 1 | 1 | 1 | 1 | 2 | 3 | 3 |
| 13-19 YRS | 11 | 8.4 | 152 | 1 | 1 | 2 | 16 | 30 | 33 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 10.2 | 27 | 2 | 5 | 10 | 14 | 16 | 19 | 21 |
| B. *Operated* | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 12.7 | 48 | 4 | 6 | 12 | 15 | 19 | 23 | 40 |
| B. *Operated* | 34 | 7.2 | 150 | 1 | 1 | 1 | 2 | 28 | 33 | 44 |
| **1. SINGLE DX** | 20 | 10.2 | 32 | 1 | 3 | 10 | 14 | 17 | 19 | 21 |
| **2. MULTIPLE DX** | 88 | 10.6 | 94 | 1 | 1 | 10 | 14 | 23 | 32 | 43 |
| **A. NOT OPERATED** | 72 | 12.1 | 44 | 4 | 5 | 12 | 14 | 18 | 21 | 40 |
| **B. OPERATED** | 36 | 7.3 | 145 | 1 | 1 | 1 | 3 | 28 | 33 | 44 |
| TOTAL 0-27 DYS | 7 | 10.6 | 22 | 6 | 6 | 10 | 13 | 18 | 19 | 19 |
| 1-11 MOS | 22 | 13.1 | 76 | 2 | 5 | 12 | 15 | 21 | 34 | 44 |
| 1-5 YRS | 20 | 10.2 | 90 | 1 | 1 | 9 | 14 | 25 | 29 | 32 |
| 6-12 YRS | 22 | 6.2 | 47 | <1 | 1 | 2 | 12 | 17 | 19 | 20 |
| 13-19 YRS | 37 | 11.7 | 104 | 1 | 1 | 10 | 15 | 27 | 37 | 40 |
| **GRAND TOTAL** | **108** | **10.5** | **82** | **1** | **1** | **10** | **14** | **21** | **28** | **42** |

## 141: Angina pectoris (413)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 5.7 | 9 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 4.6 | 4 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 20 | 5.8 | 8 | 1 | 2 | 6 | 7 | 10 | 11 | 12 |
| 1-5 YRS | 12 | 5.3 | 10 | <1 | 2 | 4 | 6 | 10 | 13 | 13 |
| 6-12 YRS | 8 | 3.8 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 22 | 6.4 | 23 | 2 | 3 | 5 | 7 | 12 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 8.3 | 20 | 2 | 2 | 9 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 6 | 10.0 | 113 | 2 | 2 | 7 | 13 | 27 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 4.8 | 4 | 2 | 2 | 4 | 6 | 8 | 9 | 9 |
| B. *Operated* | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 5.5 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 22 |
| B. *Operated* | 12 | 8.3 | 64 | 1 | 1 | 6 | 12 | 18 | 27 | 29 |
| **1. SINGLE DX** | 13 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 9 |
| **2. MULTIPLE DX** | 77 | 5.9 | 21 | 1 | 2 | 5 | 7 | 12 | 13 | 28 |
| **A. NOT OPERATED** | 75 | 5.4 | 12 | 2 | 2 | 5 | 7 | 9 | 12 | 21 |
| **B. OPERATED** | 15 | 7.1 | 57 | 1 | 1 | 4 | 12 | 13 | 25 | 29 |
| TOTAL 0-27 DYS | 4 | 3.8 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 27 | 6.1 | 10 | 2 | 2 | 6 | 8 | 11 | 12 | 12 |
| 1-5 YRS | 14 | 5.1 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 13 |
| 6-12 YRS | 10 | 3.2 | 4 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 35 | 6.5 | 35 | 2 | 2 | 5 | 7 | 12 | 21 | 29 |
| **GRAND TOTAL** | **90** | **5.7** | **19** | **1** | **2** | **5** | **7** | **11** | **12** | **27** |

## 142: Other acute and subacute forms of ischemic heart disease (411)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 6.3 | 41 | 1 | 1 | 4 | 11 | 15 | 15 | 15 |
| 1-11 MOS | 13 | 9.8 | 20 | 4 | 6 | 9 | 10 | 18 | 20 | 21 |
| 1-5 YRS | 9 | 6.4 | 14 | 1 | 2 | 5 | 10 | 12 | 13 | 13 |
| 6-12 YRS | 7 | 8.4 | 30 | 2 | 2 | 7 | 12 | 17 | 18 | 18 |
| 13-19 YRS | 11 | 6.6 | 10 | 4 | 4 | 6 | 7 | 11 | 15 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 6.5 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 7.8 | 20 | 2 | 3 | 7 | 10 | 15 | 17 | 21 |
| B. *Operated* | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **1. SINGLE DX** | 4 | 6.5 | 2 | 5 | 5 | 6 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | 46 | 7.6 | 20 | 2 | 2 | 7 | 9 | 15 | 17 | 21 |
| **A. NOT OPERATED** | 48 | 7.7 | 18 | 2 | 4 | 7 | 9 | 14 | 17 | 21 |
| **B. OPERATED** | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| TOTAL 0-27 DYS | 6 | 6.3 | 25 | 1 | 1 | 6 | 8 | 14 | 15 | 15 |
| 1-11 MOS | 15 | 9.3 | 19 | 4 | 6 | 8 | 10 | 17 | 20 | 21 |
| 1-5 YRS | 10 | 6.3 | 13 | 1 | 2 | 5 | 10 | 12 | 13 | 13 |
| 6-12 YRS | 7 | 8.4 | 30 | 2 | 2 | 7 | 12 | 17 | 18 | 18 |
| 13-19 YRS | 12 | 6.3 | 11 | 2 | 3 | 6 | 7 | 11 | 14 | 15 |
| **GRAND TOTAL** | **50** | **7.5** | **18** | **2** | **3** | **7** | **9** | **14** | **17** | **21** |

## 143: Miscellaneous ischemic heart disease (412; 414)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 9 | 4.7 | 21 | <1 | <1 | 2 | 8 | 12 | 13 | 13 |
| 6-12 YRS | 13 | 5.8 | 68 | <1 | <1 | 2 | 5 | 23 | 23 | 23 |
| 13-19 YRS | 8 | 4.0 | 21 | 1 | 1 | 3 | 4 | 12 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 8.9 | 48 | 3 | 3 | 7 | 9 | 20 | 26 | 26 |
| 1-11 MOS | 10 | 5.6 | 31 | 1 | 1 | 4 | 6 | 14 | 20 | 20 |
| 1-5 YRS | 12 | 11.2 | 62 | 2 | 3 | 9 | 17 | 21 | 26 | 27 |
| 6-12 YRS | 11 | 6.0 | 12 | 2 | 2 | 7 | 9 | 10 | 11 | 11 |
| 13-19 YRS | 7 | 3.3 | 6 | <1 | <1 | 3 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.0 | 15 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 11.8 | 72 | 2 | 2 | 10 | 18 | 24 | 24 | 24 |
| 1-5 YRS | 10 | 3.3 | 13 | 1 | 1 | 2 | 2 | 10 | 10 | 10 |
| 6-12 YRS | 7 | 5.7 | 71 | 1 | 1 | 2 | 7 | 21 | 24 | 24 |
| 13-19 YRS | 12 | 5.3 | 25 | 1 | 1 | 3 | 8 | 14 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 5.0 | 7 | 3 | 3 | 4 | 7 | 8 | 8 | 8 |
| B. *Operated* | 32 | 5.3 | 41 | <1 | <1 | 2 | 6 | 15 | 22 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 7.4 | 39 | 1 | 2 | 6 | 9 | 17 | 20 | 27 |
| B. *Operated* | 38 | 5.7 | 38 | 1 | 1 | 2 | 10 | 14 | 21 | 24 |
| **1. SINGLE DX** | 35 | 5.2 | 38 | <1 | <1 | 2 | 6 | 15 | 21 | 23 |
| **2. MULTIPLE DX** | 88 | 6.6 | 39 | 1 | 1 | 4 | 9 | 16 | 20 | 27 |
| **A. NOT OPERATED** | 53 | 7.2 | 38 | 1 | 2 | 6 | 9 | 17 | 20 | 27 |
| **B. OPERATED** | 70 | 5.5 | 39 | <1 | 1 | 2 | 8 | 15 | 23 | 24 |
| TOTAL 0-27 DYS | 14 | 7.8 | 40 | 2 | 2 | 6 | 9 | 16 | 24 | 26 |
| 1-11 MOS | 18 | 7.6 | 48 | 1 | 2 | 5 | 10 | 19 | 22 | 24 |
| 1-5 YRS | 32 | 6.6 | 44 | 1 | 1 | 3 | 10 | 17 | 19 | 27 |
| 6-12 YRS | 32 | 5.9 | 44 | <1 | 1 | 2 | 8 | 16 | 23 | 24 |
| 13-19 YRS | 27 | 4.4 | 18 | 1 | 1 | 3 | 5 | 13 | 15 | 15 |
| **GRAND TOTAL** | 123 | 6.2 | 39 | 1 | 1 | 3 | 9 | 15 | 21 | 26 |

## 144: Pulmonary embolism and infarction (415.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 13-19 YRS | 46 | 9.2 | 21 | 3 | 3 | 9 | 12 | 13 | 19 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.7 | 1 | 5 | 5 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 6-12 YRS | 2 | 5.5 | 41 | 1 | 1 | 5 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 48 | 10.1 | 24 | 3 | 4 | 9 | 13 | 16 | 20 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 13.2 | 13 | 7 | 7 | 13 | 16 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 50 | 9.1 | 21 | 3 | 3 | 9 | 12 | 13 | 19 | 23 |
| B. *Operated* | 3 | 10.0 | 21 | 5 | 5 | 11 | 13 | 14 | 14 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 10.0 | 30 | 3 | 4 | 9 | 13 | 16 | 23 | 28 |
| B. *Operated* | 7 | 11.6 | 28 | 2 | 3 | 13 | 15 | 17 | 17 | 17 |
| **1. SINGLE DX** | 53 | 9.2 | 20 | 3 | 3 | 10 | 12 | 13 | 18 | 23 |
| **2. MULTIPLE DX** | 61 | 10.2 | 29 | 3 | 4 | 9 | 13 | 16 | 22 | 28 |
| **A. NOT OPERATED** | 104 | 9.6 | 25 | 3 | 3 | 9 | 12 | 15 | 20 | 26 |
| **B. OPERATED** | 10 | 11.1 | 24 | 2 | 3 | 12 | 14 | 16 | 17 | 17 |
| TOTAL 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 5.8 | 9 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 6-12 YRS | 5 | 7.6 | 28 | 1 | 1 | 10 | 11 | 13 | 13 | 13 |
| 13-19 YRS | 102 | 9.9 | 22 | 3 | 4 | 10 | 13 | 16 | 19 | 24 |
| **GRAND TOTAL** | 114 | 9.7 | 25 | 3 | 3 | 9 | 13 | 16 | 20 | 26 |

## 145: Acute and subacute endocarditis (421)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 11.0 | 200 | 1 | 1 | 11 | 21 | 21 | 21 | 21 |
| 6-12 YRS | 3 | 13.0 | 133 | 4 | 4 | 9 | 22 | 26 | 26 | 26 |
| 13-19 YRS | 4 | 19.0 | 175 | 3 | 3 | 20 | 29 | 33 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 8 | 17.1 | 134 | 2 | 3 | 17 | 28 | 30 | 30 | 30 |
| 6-12 YRS | 11 | 27.6 | 155 | 11 | 11 | 29 | 34 | 46 | 48 | 48 |
| 13-19 YRS | 34 | 25.9 | 212 | 3 | 3 | 28 | 35 | 43 | 45 | 63 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 21.5 | 145 | 13 | 13 | 21 | 30 | 30 | 30 | 30 |
| 13-19 YRS | 10 | 22.7 | 188 | 2 | 3 | 29 | 36 | 36 | 36 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 15.2 | 137 | 1 | 2 | 14 | 26 | 30 | 33 | 33 |
| B. *Operated* | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 24.5 | 201 | 2 | 3 | 28 | 32 | 43 | 45 | 62 |
| B. *Operated* | 12 | 22.5 | 168 | 2 | 4 | 29 | 33 | 36 | 36 | 36 |
| **1. SINGLE DX** | 10 | 14.6 | 126 | 1 | 2 | 12 | 26 | 30 | 33 | 33 |
| **2. MULTIPLE DX** | 66 | 24.1 | 193 | 2 | 3 | 28 | 32 | 42 | 45 | 61 |
| **A. NOT OPERATED** | 63 | 23.2 | 200 | 2 | 3 | 27 | 31 | 42 | 45 | 61 |
| **B. OPERATED** | 13 | 21.5 | 168 | 2 | 4 | 29 | 32 | 36 | 36 | 36 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 10 | 15.9 | 133 | 1 | 1 | 16 | 28 | 29 | 30 | 30 |
| 6-12 YRS | 17 | 23.2 | 168 | 6 | 9 | 26 | 30 | 43 | 47 | 48 |
| 13-19 YRS | 48 | 24.7 | 200 | 3 | 3 | 28 | 34 | 41 | 44 | 63 |
| **GRAND TOTAL** | **76** | **22.9** | **193** | **2** | **3** | **27** | **31** | **39** | **45** | **59** |

## 146: Paroxysmal supraventricular tachycardia (427.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 3.6 | 2 | 2 | 2 | 4 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 18 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 1-5 YRS | 28 | 2.0 | 3 | <1 | <1 | 2 | 3 | 3 | 4 | 9 |
| 6-12 YRS | 29 | 2.8 | 6 | 1 | 1 | 2 | 3 | 7 | 8 | 11 |
| 13-19 YRS | 55 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 4.5 | 11 | 2 | 2 | 3 | 5 | 10 | 13 | 13 |
| 1-11 MOS | 19 | 4.7 | 16 | 1 | 1 | 3 | 6 | 9 | 15 | 18 |
| 1-5 YRS | 24 | 3.5 | 9 | 1 | 1 | 3 | 4 | 9 | 11 | 12 |
| 6-12 YRS | 16 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 13-19 YRS | 43 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 5 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 112 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | 6 | 2.7 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| **1. SINGLE DX** | 142 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 118 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 10 | 15 |
| **A. NOT OPERATED** | 251 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 9 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| TOTAL 0-27 DYS | 19 | 4.1 | 7 | 2 | 2 | 4 | 5 | 7 | 10 | 13 |
| 1-11 MOS | 37 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 1-5 YRS | 53 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 9 | 12 |
| 6-12 YRS | 47 | 3.0 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 11 |
| 13-19 YRS | 104 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **GRAND TOTAL** | **260** | **3.0** | **6** | **<1** | **1** | **2** | **4** | **6** | **8** | **12** |

## 147: Atrial fibrillation and flutter (427.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 19 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 10.3 | 89 | 3 | 3 | 7 | 17 | 21 | 21 | 21 |
| 1-11 MOS | 13 | 6.4 | 26 | 1 | 2 | 5 | 10 | 13 | 17 | 18 |
| 1-5 YRS | 6 | 6.2 | 45 | 2 | 2 | 3 | 8 | 18 | 19 | 19 |
| 6-12 YRS | 8 | 5.8 | 14 | 2 | 2 | 5 | 7 | 12 | 14 | 14 |
| 13-19 YRS | 25 | 3.0 | 3 | <1 | 1 | 3 | 4 | 6 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 7.7 | 54 | 2 | 2 | 5 | 13 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 6.4 | 24 | 2 | 2 | 7 | 9 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| B. *Operated* | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 4.9 | 21 | 1 | 1 | 3 | 6 | 10 | 17 | 21 |
| B. *Operated* | 9 | 6.4 | 28 | 2 | 2 | 5 | 9 | 15 | 16 | 16 |
| **1. SINGLE DX** | 29 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 64 | 5.1 | 21 | 1 | 1 | 3 | 7 | 12 | 17 | 21 |
| **A. NOT OPERATED** | 82 | 4.2 | 16 | 1 | 1 | 3 | 5 | 9 | 13 | 20 |
| **B. OPERATED** | 11 | 5.9 | 24 | 2 | 2 | 5 | 7 | 15 | 16 | 16 |
| TOTAL 0-27 DYS | 4 | 8.0 | 81 | 1 | 1 | 5 | 14 | 21 | 21 | 21 |
| 1-11 MOS | 18 | 5.6 | 23 | 1 | 1 | 3 | 10 | 11 | 16 | 18 |
| 1-5 YRS | 11 | 5.9 | 37 | 2 | 2 | 3 | 7 | 17 | 19 | 19 |
| 6-12 YRS | 10 | 4.9 | 14 | 1 | 1 | 4 | 5 | 11 | 14 | 14 |
| 13-19 YRS | 50 | 3.3 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 14 |
| **GRAND TOTAL** | 93 | 4.4 | 17 | 1 | 1 | 3 | 5 | 10 | 14 | 20 |

## 148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 17 | 3.7 | 5 | <1 | 1 | 3 | 6 | 7 | 8 | 8 |
| 1-11 MOS | 29 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 1-5 YRS | 35 | 2.9 | 8 | 1 | 1 | 1 | 4 | 8 | 8 | 13 |
| 6-12 YRS | 47 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 13-19 YRS | 132 | 3.6 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.0 | 2 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 7 | 4.1 | 14 | 1 | 1 | 3 | 5 | 11 | 12 | 12 |
| 6-12 YRS | 9 | 3.7 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 14 | 4.6 | 12 | <1 | 1 | 4 | 5 | 9 | 13 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 28 | 6.4 | 21 | 2 | 2 | 5 | 8 | 12 | 19 | 19 |
| 1-11 MOS | 53 | 5.9 | 29 | <1 | 1 | 4 | 9 | 13 | 22 | 97 |
| 1-5 YRS | 49 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 16 |
| 6-12 YRS | 50 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| 13-19 YRS | 240 | 4.4 | 19 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 17.5 | 181 | 8 | 8 | 17 | 27 | 27 | 27 | 27 |
| 1-11 MOS | 7 | 13.3 | 234 | 3 | 3 | 8 | 16 | 40 | 46 | 46 |
| 1-5 YRS | 17 | 7.3 | 52 | <1 | 1 | 4 | 11 | 16 | 24 | 28 |
| 6-12 YRS | 17 | 4.9 | 18 | 1 | 2 | 3 | 7 | 12 | 14 | 15 |
| 13-19 YRS | 39 | 10.1 | 235 | 1 | 2 | 5 | 10 | 21 | 50 | 74 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 260 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 13 |
| B. *Operated* | 35 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 420 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 12 | 23 |
| B. *Operated* | 82 | 8.9 | 151 | 1 | 2 | 5 | 10 | 17 | 31 | 70 |
| **1. SINGLE DX** | 295 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 502 | 5.3 | 42 | 1 | 1 | 3 | 6 | 10 | 14 | 40 |
| **A. NOT OPERATED** | 680 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **B. OPERATED** | 117 | 7.4 | 114 | 1 | 2 | 4 | 8 | 15 | 26 | 67 |
| TOTAL 0-27 DYS | 47 | 5.9 | 26 | 1 | 2 | 5 | 7 | 11 | 19 | 27 |
| 1-11 MOS | 94 | 5.3 | 40 | <1 | 1 | 3 | 7 | 11 | 17 | 78 |
| 1-5 YRS | 108 | 4.1 | 18 | 1 | 1 | 3 | 5 | 10 | 13 | 22 |
| 6-12 YRS | 123 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 13-19 YRS | 425 | 4.7 | 39 | 1 | 1 | 3 | 6 | 9 | 12 | 29 |
| **GRAND TOTAL** | 797 | 4.6 | 31 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |

## 149: Heart failure (428)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 5.6 | 15 | 1 | 1 | 4 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 15 | 4.5 | 9 | 1 | 2 | 3 | 6 | 9 | 11 | 12 |
| 1-5 YRS | 12 | 5.1 | 14 | 1 | 1 | 4 | 7 | 11 | 13 | 13 |
| 6-12 YRS | 5 | 6.2 | 3 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 15.0 | 50 | 10 | 10 | 15 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 34 | 5.8 | 17 | <1 | 2 | 5 | 8 | 12 | 14 | 16 |
| 1-11 MOS | 156 | 7.3 | 60 | 1 | 2 | 5 | 9 | 14 | 20 | 40 |
| 1-5 YRS | 109 | 8.7 | 97 | 1 | 2 | 6 | 10 | 16 | 23 | 64 |
| 6-12 YRS | 31 | 9.0 | 52 | 2 | 2 | 7 | 14 | 18 | 19 | 35 |
| 13-19 YRS | 42 | 9.9 | 126 | 2 | 3 | 7 | 11 | 20 | 28 | 69 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 13.6 | 142 | 1 | 1 | 15 | 20 | 31 | 31 | 31 |
| 1-11 MOS | 23 | 11.4 | 128 | 2 | 3 | 6 | 15 | 33 | 39 | 40 |
| 1-5 YRS | 11 | 19.9 | 556 | 2 | 2 | 12 | 21 | 65 | 67 | 67 |
| 6-12 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 19 | 6.2 | 25 | 1 | 2 | 5 | 9 | 15 | 18 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 5.0 | 10 | 1 | 1 | 4 | 7 | 9 | 11 | 13 |
| B. *Operated* | 7 | 5.7 | 50 | 1 | 1 | 2 | 8 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 372 | 8.0 | 74 | 1 | 2 | 6 | 9 | 15 | 21 | 56 |
| B. *Operated* | 61 | 11.0 | 183 | 2 | 2 | 6 | 15 | 26 | 39 | 67 |
| **1. SINGLE DX** | 47 | 5.1 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 433 | 8.4 | 90 | 1 | 2 | 6 | 10 | 17 | 23 | 63 |
| **A. NOT OPERATED** | 412 | 7.7 | 69 | 1 | 2 | 6 | 9 | 14 | 20 | 48 |
| **B. OPERATED** | 68 | 10.5 | 171 | 1 | 2 | 6 | 14 | 22 | 39 | 66 |
| TOTAL 0-27 DYS | 44 | 6.6 | 34 | 1 | 1 | 5 | 9 | 14 | 16 | 31 |
| 1-11 MOS | 196 | 7.6 | 66 | 1 | 2 | 6 | 9 | 16 | 21 | 40 |
| 1-5 YRS | 133 | 9.2 | 134 | 1 | 2 | 6 | 10 | 17 | 26 | 66 |
| 6-12 YRS | 41 | 7.8 | 45 | 2 | 2 | 6 | 11 | 16 | 19 | 35 |
| 13-19 YRS | 66 | 8.3 | 91 | 2 | 2 | 6 | 9 | 17 | 22 | 63 |
| **GRAND TOTAL** | 480 | 8.1 | 84 | 1 | 2 | 6 | 9 | 16 | 21 | 62 |

## 150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 18 | 4.7 | 18 | 1 | 1 | 3 | 6 | 10 | 15 | 17 |
| 1-5 YRS | 22 | 5.4 | 17 | <1 | 1 | 5 | 8 | 12 | 13 | 13 |
| 6-12 YRS | 38 | 4.2 | 10 | 1 | 1 | 3 | 6 | 8 | 11 | 16 |
| 13-19 YRS | 213 | 4.9 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 8 | 3.5 | 7 | 2 | 2 | 2 | 4 | 8 | 9 | 9 |
| 1-5 YRS | 42 | 3.5 | 17 | 1 | 1 | 2 | 2 | 9 | 16 | 18 |
| 6-12 YRS | 47 | 4.2 | 41 | 1 | 2 | 2 | 3 | 9 | 12 | 42 |
| 13-19 YRS | 87 | 4.1 | 15 | 1 | 2 | 2 | 4 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 44 | 6.8 | 36 | 1 | 1 | 5 | 9 | 13 | 15 | 36 |
| 1-5 YRS | 55 | 7.3 | 57 | 1 | 2 | 4 | 10 | 15 | 19 | 43 |
| 6-12 YRS | 56 | 5.3 | 40 | 1 | 2 | 3 | 7 | 9 | 13 | 43 |
| 13-19 YRS | 250 | 6.2 | 27 | 1 | 2 | 5 | 8 | 12 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 1-11 MOS | 23 | 14.2 | 166 | 2 | 2 | 9 | 17 | 37 | 45 | 48 |
| 1-5 YRS | 44 | 4.9 | 61 | 1 | 1 | 2 | 3 | 11 | 17 | 46 |
| 6-12 YRS | 41 | 5.8 | 43 | 1 | 2 | 2 | 8 | 13 | 22 | 30 |
| 13-19 YRS | 105 | 7.6 | 65 | 1 | 2 | 4 | 11 | 16 | 23 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 4.8 | 16 | 1 | 1 | 4 | 6 | 10 | 12 | 22 |
| B. *Operated* | 185 | 3.9 | 22 | 1 | 2 | 2 | 3 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 408 | 6.3 | 34 | 1 | 2 | 5 | 8 | 13 | 16 | 36 |
| B. *Operated* | 214 | 7.5 | 78 | 1 | 2 | 3 | 11 | 16 | 26 | 45 |
| **1. SINGLE DX** | 477 | 4.5 | 18 | 1 | 2 | 3 | 5 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | 622 | 6.7 | 49 | 1 | 2 | 4 | 9 | 14 | 18 | 40 |
| **A. NOT OPERATED** | 700 | 5.7 | 27 | 1 | 2 | 4 | 7 | 11 | 15 | 29 |
| **B. OPERATED** | 399 | 5.9 | 55 | 1 | 2 | 2 | 8 | 14 | 18 | 43 |
| TOTAL 0-27 DYS | 6 | 7.5 | 109 | 1 | 1 | 3 | 9 | 26 | 28 | 28 |
| 1-11 MOS | 93 | 7.9 | 74 | 1 | 2 | 6 | 9 | 17 | 25 | 48 |
| 1-5 YRS | 163 | 5.4 | 44 | 1 | 1 | 2 | 7 | 13 | 16 | 42 |
| 6-12 YRS | 182 | 4.9 | 35 | 1 | 2 | 3 | 6 | 10 | 14 | 38 |
| 13-19 YRS | 655 | 5.7 | 29 | 1 | 2 | 4 | 7 | 12 | 15 | 29 |
| **GRAND TOTAL** | 1099 | 5.7 | 37 | 1 | 2 | 4 | 7 | 12 | 16 | 37 |

## 151: Cardiovascular disease, unspecified (429.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 11.3 | 56 | 4 | 4 | 11 | 17 | 19 | 19 | 19 |
| 1-5 YRS | 5 | 18.4 | 361 | 2 | 2 | 11 | 25 | 51 | 51 | 51 |
| 6-12 YRS | 2 | 7.0 | 72 | 1 | 1 | 7 | 13 | 13 | 13 | 13 |
| 13-19 YRS | 7 | 5.3 | 5 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 2 | 12.0 | 200 | 2 | 2 | 12 | 22 | 22 | 22 | 22 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 19 | 10.0 | 123 | 1 | 2 | 7 | 11 | 18 | 37 | 51 |
| B. *Operated* | 5 | 9.4 | 96 | 2 | 2 | 3 | 19 | 22 | 22 | 22 |
| 1. SINGLE DX | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 2. MULTIPLE DX | 24 | 9.9 | 113 | 1 | 2 | 6 | 12 | 19 | 31 | 51 |
| A. NOT OPERATED | 19 | 10.0 | 123 | 1 | 2 | 7 | 11 | 18 | 37 | 51 |
| B. OPERATED | 7 | 8.0 | 74 | 1 | 1 | 3 | 15 | 21 | 22 | 22 |
| TOTAL 0-27 DYS | 2 | 6.5 | 5 | 5 | 5 | 6 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 11.3 | 56 | 4 | 4 | 11 | 17 | 19 | 19 | 19 |
| 1-5 YRS | 6 | 18.3 | 289 | 2 | 3 | 14 | 18 | 48 | 51 | 51 |
| 6-12 YRS | 4 | 4.8 | 31 | 1 | 1 | 2 | 8 | 13 | 13 | 13 |
| 13-19 YRS | 11 | 6.4 | 33 | 1 | 2 | 5 | 8 | 14 | 21 | 22 |
| GRAND TOTAL | 26 | 9.5 | 107 | 1 | 2 | 6 | 11 | 19 | 28 | 51 |

## 152: Subarachnoid hemorrhage without paralysis (430)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 4 | 2.5 | 9 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 13 | 13.0 | 43 | 2 | 4 | 15 | 17 | 21 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 3 | 15.0 | 217 | 2 | 2 | 12 | 26 | 31 | 31 | 31 |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 6 | 7.3 | 23 | <1 | <1 | 7 | 12 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 6-12 YRS | 3 | 30.3 | 444 | 7 | 7 | 36 | 45 | 48 | 48 | 48 |
| 13-19 YRS | 10 | 27.8 | 260 | 7 | 7 | 30 | 42 | 48 | 51 | 51 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 7 | 2.7 | 6 | <1 | <1 | 1 | 4 | 6 | 7 | 7 |
| B. *Operated* | 15 | 12.1 | 44 | 2 | 3 | 15 | 15 | 21 | 22 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 13 | 9.2 | 74 | <1 | 1 | 6 | 12 | 22 | 29 | 31 |
| B. *Operated* | 15 | 26.7 | 254 | 7 | 7 | 29 | 41 | 48 | 50 | 51 |
| 1. SINGLE DX | 22 | 9.1 | 51 | <1 | 1 | 7 | 15 | 20 | 21 | 22 |
| 2. MULTIPLE DX | 28 | 18.6 | 243 | 2 | 2 | 13 | 31 | 44 | 48 | 51 |
| A. NOT OPERATED | 20 | 7.0 | 59 | <1 | <1 | 4 | 10 | 16 | 25 | 31 |
| B. OPERATED | 30 | 19.4 | 198 | 3 | 4 | 15 | 29 | 43 | 48 | 51 |
| TOTAL 0-27 DYS | 2 | 12.0 | 128 | 4 | 4 | 12 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 5 | 13.4 | 114 | 2 | 2 | 12 | 17 | 31 | 31 | 31 |
| 1-5 YRS | 3 | 8.7 | 80 | 3 | 3 | 4 | 15 | 19 | 19 | 19 |
| 6-12 YRS | 7 | 14.7 | 364 | 1 | 1 | 6 | 29 | 48 | 48 | 48 |
| 13-19 YRS | 33 | 15.2 | 177 | <1 | 1 | 13 | 20 | 38 | 45 | 51 |
| GRAND TOTAL | 50 | 14.4 | 178 | 1 | 1 | 12 | 20 | 36 | 48 | 51 |

## 153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 1 | 10.0 | | 10 | 10 | 55 | 99+ | 99+ | 99+ | 99+ |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 1 | 10.0 | | 10 | 10 | 55 | 99+ | 99+ | 99+ | 99+ |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | 1 | 10.0 | | 10 | 10 | 55 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | **1** | **10.0** | | **10** | **10** | **55** | **99+** | **99+** | **99+** | **99+** |

## 154: Intracerebral hemorrhage without paralysis (431-432)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 13-19 YRS | 7 | 13.4 | 150 | <1 | <1 | 14 | 22 | 31 | 33 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 1-11 MOS | 9 | 15.1 | 258 | 4 | 4 | 11 | 18 | 42 | 54 | 54 |
| 1-5 YRS | 6 | 12.3 | 60 | 2 | 2 | 14 | 19 | 21 | 21 | 21 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 11 | 13.7 | 34 | 7 | 7 | 13 | 19 | 22 | 23 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 7.3 | 21 | 2 | 2 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 9 | 7.3 | 47 | 1 | 1 | 4 | 14 | 17 | 17 | 17 |
| 1-5 YRS | 7 | 5.4 | 9 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 6-12 YRS | 3 | 5.3 | 56 | 1 | 1 | 1 | 11 | 14 | 14 | 14 |
| 13-19 YRS | 8 | 5.3 | 35 | <1 | <1 | 3 | 7 | 16 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 11 | 20.0 | 108 | 9 | 11 | 16 | 21 | 37 | 45 | 46 |
| 1-5 YRS | 11 | 12.3 | 36 | 6 | 6 | 12 | 17 | 20 | 25 | 25 |
| 6-12 YRS | 9 | 14.0 | 49 | 5 | 5 | 12 | 20 | 23 | 23 | 23 |
| 13-19 YRS | 21 | 24.6 | 589 | 2 | 3 | 17 | 33 | 62 | 79 | 97 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 11.3 | 185 | <1 | <1 | 4 | 17 | 35 | 40 | 41 |
| B. *Operated* | 28 | 14.1 | 105 | 3 | 4 | 13 | 19 | 24 | 27 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 6.1 | 30 | 1 | 1 | 4 | 10 | 15 | 17 | 18 |
| B. *Operated* | 53 | 19.1 | 289 | 3 | 5 | 16 | 22 | 34 | 58 | 96 |
| **1. SINGLE DX** | 41 | 13.2 | 128 | 1 | 2 | 11 | 19 | 25 | 37 | 54 |
| **2. MULTIPLE DX** | 83 | 14.4 | 233 | 1 | 2 | 11 | 17 | 31 | 41 | 86 |
| **A. NOT OPERATED** | 43 | 7.7 | 79 | <1 | 1 | 4 | 11 | 17 | 28 | 41 |
| **B. OPERATED** | 81 | 17.4 | 229 | 3 | 5 | 14 | 21 | 32 | 50 | 87 |
| TOTAL 0-27 DYS | 5 | 11.8 | 63 | 2 | 2 | 10 | 16 | 24 | 24 | 24 |
| 1-11 MOS | 31 | 13.8 | 152 | 1 | 2 | 13 | 17 | 27 | 45 | 54 |
| 1-5 YRS | 27 | 9.4 | 44 | 1 | 1 | 8 | 14 | 19 | 22 | 25 |
| 6-12 YRS | 14 | 13.9 | 113 | 1 | 1 | 12 | 20 | 25 | 37 | 41 |
| 13-19 YRS | 47 | 17.1 | 343 | 1 | 2 | 13 | 22 | 33 | 61 | 97 |
| **GRAND TOTAL** | **124** | **14.0** | **197** | **1** | **2** | **11** | **18** | **26** | **39** | **73** |

## 155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| B. *Operated* | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 2 | 18.5 | 1 | 18 | 18 | 18 | 19 | 19 | 19 | 19 |
| **A. NOT OPERATED** | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| **B. OPERATED** | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | **2** | **18.5** | **1** | **18** | **18** | **18** | **19** | **19** | **19** | **19** |

## 156: Precerebral artery occlusion without paralysis (433)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 5.3 | 6 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 4 | 7.0 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 7.0 | 14 | 3 | 3 | 9 | 10 | 10 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 13.0 | 8 | 11 | 11 | 13 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 7 | 9.7 | 30 | 4 | 4 | 7 | 15 | 17 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 11 | 6.5 | 6 | 2 | 3 | 7 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 6.7 | 11 | 3 | 3 | 7 | 10 | 10 | 10 | 10 |
| B. *Operated* | 13 | 10.0 | 24 | 3 | 4 | 11 | 14 | 16 | 17 | 17 |
| **1. SINGLE DX** | 11 | 6.5 | 6 | 2 | 3 | 7 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | 19 | 8.9 | 22 | 3 | 3 | 9 | 13 | 16 | 17 | 17 |
| **A. NOT OPERATED** | 6 | 6.7 | 11 | 3 | 3 | 7 | 10 | 10 | 10 | 10 |
| **B. OPERATED** | 24 | 8.4 | 18 | 3 | 3 | 7 | 11 | 15 | 16 | 17 |
| TOTAL 0-27 DYS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 6 | 7.8 | 20 | 3 | 3 | 7 | 11 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 4 | 7.0 | 31 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 13-19 YRS | 16 | 8.2 | 18 | 3 | 3 | 7 | 10 | 16 | 17 | 17 |
| **GRAND TOTAL** | **30** | **8.1** | **17** | **3** | **3** | **7** | **10** | **14** | **16** | **17** |

## 157: Precerebral artery occlusion with paralysis (433 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

## 158: Occlusion of cerebral arteries, thrombosis, and embolism, without paralysis (434)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 8.0 | 98 | 1 | 1 | 8 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 6 | 6.0 | 37 | 1 | 1 | 3 | 9 | 16 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 8.3 | 61 | 2 | 2 | 6 | 14 | 19 | 19 | 19 |
| 1-11 MOS | 7 | 12.6 | 51 | 1 | 2 | 13 | 17 | 22 | 23 | 23 |
| 1-5 YRS | 11 | 11.4 | 131 | 2 | 3 | 5 | 21 | 30 | 34 | 34 |
| 6-12 YRS | 8 | 5.3 | 5 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 12 | 11.8 | 109 | 2 | 2 | 6 | 22 | 27 | 30 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 1 | 46.0 | | 46 | 46 | 46 | 46 | 46 | 46 | 46 |
| 6-12 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 8 | 11.0 | 53 | 3 | 3 | 10 | 15 | 22 | 24 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 3.4 | 2 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| B. *Operated* | 11 | 6.8 | 34 | 1 | 1 | 4 | 11 | 16 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 10.2 | 81 | 2 | 2 | 6 | 14 | 25 | 29 | 34 |
| B. *Operated* | 11 | 14.0 | 153 | 3 | 3 | 11 | 17 | 33 | 45 | 46 |
| **1. SINGLE DX** | 20 | 5.3 | 22 | 1 | 1 | 4 | 7 | 13 | 16 | 17 |
| **2. MULTIPLE DX** | 53 | 11.0 | 96 | 2 | 2 | 7 | 15 | 25 | 30 | 46 |
| **A. NOT OPERATED** | 51 | 9.0 | 74 | 2 | 2 | 5 | 12 | 24 | 27 | 34 |
| **B. OPERATED** | 22 | 10.4 | 103 | 1 | 2 | 9 | 14 | 20 | 33 | 46 |
| TOTAL 0-27 DYS | 5 | 8.6 | 46 | 2 | 2 | 9 | 12 | 19 | 19 | 19 |
| 1-11 MOS | 11 | 9.3 | 53 | 1 | 1 | 7 | 14 | 20 | 23 | 23 |
| 1-5 YRS | 14 | 13.4 | 198 | 1 | 2 | 6 | 25 | 35 | 44 | 46 |
| 6-12 YRS | 11 | 6.3 | 14 | 2 | 2 | 5 | 8 | 12 | 14 | 14 |
| 13-19 YRS | 32 | 9.0 | 68 | 2 | 2 | 5 | 12 | 24 | 25 | 31 |
| **GRAND TOTAL** | 73 | 9.4 | 82 | 1 | 2 | 6 | 13 | 24 | 27 | 43 |

## 159: Occlusion of cerebral arteries, thrombosis, and embolism, with paralysis (434 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 14.0 | 73 | 5 | 5 | 15 | 20 | 22 | 22 | 22 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 18.0 | 133 | 7 | 7 | 17 | 27 | 30 | 30 | 30 |
| 13-19 YRS | 3 | 36.0 | 421 | 16 | 16 | 35 | 51 | 57 | 57 | 57 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 8.0 | 13 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 10 | 21.0 | 259 | 5 | 5 | 16 | 30 | 46 | 57 | 57 |
| *B. Operated* | 4 | 8.3 | 9 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 14 | 17.4 | 217 | 4 | 5 | 13 | 22 | 37 | 53 | 57 |
| **A. NOT OPERATED** | 10 | 21.0 | 259 | 5 | 5 | 16 | 30 | 46 | 57 | 57 |
| **B. OPERATED** | 4 | 8.3 | 9 | 4 | 4 | 9 | 10 | 11 | 11 | 11 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 14.0 | 73 | 5 | 5 | 15 | 20 | 22 | 22 | 22 |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 3 | 18.0 | 133 | 7 | 7 | 17 | 27 | 30 | 30 | 30 |
| 13-19 YRS | 6 | 22.0 | 409 | 4 | 4 | 13 | 35 | 55 | 57 | 57 |
| **GRAND TOTAL** | 14 | 17.4 | 217 | 4 | 5 | 13 | 22 | 37 | 53 | 57 |

## 160: Transient cerebral ischemia without paralysis (435)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 3 | 7.3 | 33 | 4 | 4 | 4 | 12 | 14 | 14 | 14 |
| 13-19 YRS | 8 | 3.1 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 6 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 5 | 2.4 | 4 | 1 | 1 | 1 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 5.3 | 7 | 2 | 2 | 5 | 6 | 10 | 10 | 10 |
| 1-5 YRS | 8 | 7.5 | 18 | 2 | 3 | 7 | 9 | 14 | 16 | 16 |
| 6-12 YRS | 6 | 6.3 | 13 | 3 | 3 | 5 | 9 | 12 | 12 | 12 |
| 13-19 YRS | 24 | 6.3 | 8 | 3 | 4 | 6 | 7 | 11 | 12 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 14 | 4.0 | 10 | 1 | 2 | 3 | 4 | 7 | 12 | 14 |
| *B. Operated* | 6 | 3.7 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 47 | 6.2 | 10 | 2 | 3 | 5 | 8 | 11 | 12 | 16 |
| *B. Operated* | 6 | 9.7 | 34 | 2 | 2 | 11 | 14 | 16 | 16 | 16 |
| **1. SINGLE DX** | 20 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 12 | 14 |
| **2. MULTIPLE DX** | 53 | 6.6 | 13 | 2 | 3 | 6 | 9 | 12 | 14 | 16 |
| **A. NOT OPERATED** | 61 | 5.7 | 10 | 2 | 2 | 5 | 7 | 11 | 13 | 16 |
| **B. OPERATED** | 12 | 6.7 | 31 | 1 | 1 | 4 | 11 | 15 | 16 | 16 |
| TOTAL 0-27 DYS | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 9 | 5.6 | 11 | 2 | 2 | 5 | 7 | 11 | 12 | 12 |
| 1-5 YRS | 11 | 7.5 | 25 | 1 | 2 | 7 | 10 | 16 | 16 | 16 |
| 6-12 YRS | 11 | 7.4 | 16 | 3 | 3 | 6 | 11 | 13 | 14 | 14 |
| 13-19 YRS | 39 | 5.2 | 10 | 1 | 2 | 5 | 7 | 10 | 13 | 14 |
| **GRAND TOTAL** | 73 | 5.9 | 14 | 1 | 2 | 5 | 7 | 12 | 14 | 16 |

## 161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 2.8 | 2 | 2 | 2 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 8 | 5.1 | 10 | 1 | 1 | 5 | 7 | 10 | 10 | 10 |
| 13-19 YRS | 15 | 6.7 | 33 | <1 | 2 | 5 | 9 | 14 | 19 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 21.0 | 658 | 5 | 5 | 10 | 36 | 59 | 59 | 59 |
| 1-11 MOS | 16 | 12.5 | 166 | 4 | 5 | 11 | 12 | 16 | 46 | 59 |
| 1-5 YRS | 19 | 8.7 | 44 | 2 | 3 | 7 | 14 | 17 | 23 | 27 |
| 6-12 YRS | 10 | 11.1 | 55 | <1 | 1 | 11 | 14 | 22 | 23 | 23 |
| 13-19 YRS | 15 | 7.3 | 27 | 1 | 2 | 8 | 11 | 14 | 17 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 14.5 | 181 | 5 | 5 | 14 | 24 | 24 | 24 | 24 |
| 1-5 YRS | 3 | 13.7 | 481 | 1 | 1 | 1 | 30 | 39 | 39 | 39 |
| 6-12 YRS | 5 | 17.4 | 505 | <1 | <1 | 8 | 29 | 55 | 55 | 55 |
| 13-19 YRS | 2 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 5.6 | 21 | 1 | 2 | 4 | 8 | 12 | 14 | 21 |
| B. *Operated* | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 64 | 10.5 | 109 | 2 | 2 | 8 | 13 | 18 | 24 | 59 |
| B. *Operated* | 12 | 14.9 | 294 | <1 | 1 | 9 | 22 | 44 | 53 | 55 |
| **1. SINGLE DX** | 33 | 5.0 | 21 | <1 | 1 | 4 | 7 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | 76 | 11.2 | 137 | 1 | 2 | 8 | 13 | 21 | 35 | 59 |
| **A. NOT OPERATED** | 93 | 8.9 | 86 | 2 | 2 | 6 | 12 | 16 | 21 | 59 |
| **B. OPERATED** | 16 | 11.5 | 253 | <1 | <1 | 4 | 16 | 37 | 50 | 55 |
| TOTAL 0-27 DYS | 4 | 21.0 | 658 | 5 | 5 | 10 | 36 | 59 | 59 | 59 |
| 1-11 MOS | 19 | 12.3 | 152 | 4 | 5 | 11 | 12 | 21 | 43 | 59 |
| 1-5 YRS | 27 | 8.2 | 77 | 1 | 2 | 5 | 10 | 18 | 29 | 39 |
| 6-12 YRS | 26 | 9.3 | 131 | <1 | 1 | 6 | 13 | 21 | 29 | 55 |
| 13-19 YRS | 33 | 7.1 | 28 | <1 | 1 | 6 | 11 | 14 | 17 | 21 |
| **GRAND TOTAL** | **109** | **9.3** | **109** | **1** | **2** | **6** | **12** | **18** | **24** | **59** |

## 162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 8 | 18.1 | 231 | 5 | 5 | 14 | 26 | 42 | 47 | 47 |
| 1-5 YRS | 7 | 22.6 | 723 | <1 | 1 | 13 | 26 | 70 | 80 | 80 |
| 6-12 YRS | 2 | 15.5 | 181 | 6 | 6 | 15 | 25 | 25 | 25 | 25 |
| 13-19 YRS | 5 | 28.4 | 437 | 3 | 3 | 34 | 47 | 49 | 49 | 49 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 33.0 | 273 | 22 | 22 | 25 | 45 | 52 | 52 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23 | 21.2 | 381 | 2 | 4 | 13 | 30 | 47 | 60 | 80 |
| B. *Operated* | 4 | 30.3 | 212 | 22 | 22 | 24 | 38 | 52 | 52 | 52 |
| **1. SINGLE DX** | | | | | | | | | | |
| **2. MULTIPLE DX** | 27 | 22.6 | 358 | 3 | 5 | 21 | 30 | 49 | 56 | 80 |
| **A. NOT OPERATED** | 23 | 21.2 | 381 | 2 | 4 | 13 | 30 | 47 | 60 | 80 |
| **B. OPERATED** | 4 | 30.3 | 212 | 22 | 22 | 24 | 38 | 52 | 52 | 52 |
| TOTAL 0-27 DYS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 8 | 18.1 | 231 | 5 | 5 | 14 | 26 | 42 | 47 | 47 |
| 1-5 YRS | 8 | 22.5 | 620 | <1 | 1 | 15 | 25 | 65 | 80 | 80 |
| 6-12 YRS | 2 | 15.5 | 181 | 6 | 6 | 15 | 25 | 25 | 25 | 25 |
| 13-19 YRS | 8 | 30.1 | 334 | 3 | 5 | 29 | 47 | 51 | 52 | 52 |
| **GRAND TOTAL** | **27** | **22.6** | **358** | **3** | **5** | **21** | **30** | **49** | **56** | **80** |

## 163: Other and ill-defined cerebrovascular disease (437-438)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.0 | 25 | 3 | 3 | 8 | 12 | 13 | 13 | 13 |
| 1-5 YRS | 6 | 4.0 | 22 | 1 | 1 | 2 | 5 | 12 | 13 | 13 |
| 6-12 YRS | 5 | 2.4 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 6 | 7.3 | 11 | 3 | 3 | 7 | 10 | 12 | 12 | 12 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 5 | 8.6 | 16 | 3 | 3 | 10 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 5 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 14 | 10.1 | 90 | 1 | 2 | 7 | 16 | 22 | 29 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 17.6 | 1169 | 2 | 2 | 5 | 7 | 77 | 95 | 95 |
| 1-5 YRS | 10 | 9.1 | 62 | 1 | 2 | 7 | 12 | 22 | 26 | 26 |
| 6-12 YRS | 10 | 6.7 | 28 | 1 | 2 | 4 | 9 | 15 | 16 | 16 |
| 13-19 YRS | 23 | 6.2 | 97 | 1 | 1 | 4 | 5 | 15 | 29 | 47 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 10.3 | 41 | 3 | 3 | 13 | 14 | 15 | 15 | 15 |
| 6-12 YRS | 3 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 15 | 14.0 | 113 | 2 | 2 | 14 | 17 | 26 | 37 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 20 | 5.2 | 17 | 1 | 1 | 4 | 8 | 12 | 13 | 13 |
| *B. Operated* | 25 | 8.3 | 60 | 1 | 2 | 5 | 12 | 21 | 24 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 51 | 8.5 | 214 | 1 | 1 | 4 | 7 | 17 | 26 | 94 |
| *B. Operated* | 22 | 12.0 | 91 | 2 | 2 | 11 | 17 | 24 | 32 | 41 |
| **1. SINGLE DX** | 45 | 6.9 | 42 | 1 | 1 | 4 | 10 | 16 | 21 | 31 |
| **2. MULTIPLE DX** | 73 | 9.5 | 178 | 1 | 2 | 5 | 12 | 19 | 26 | 84 |
| **A. NOT OPERATED** | 71 | 7.5 | 159 | 1 | 1 | 4 | 7 | 14 | 19 | 85 |
| **B. OPERATED** | 47 | 10.0 | 76 | 2 | 2 | 8 | 15 | 21 | 27 | 41 |
| TOTAL 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 12 | 13.6 | 666 | 2 | 3 | 6 | 8 | 38 | 87 | 95 |
| 1-5 YRS | 24 | 7.9 | 41 | 1 | 1 | 6 | 12 | 15 | 21 | 26 |
| 6-12 YRS | 23 | 4.7 | 17 | 1 | 1 | 3 | 5 | 10 | 15 | 16 |
| 13-19 YRS | 58 | 9.3 | 97 | 1 | 2 | 5 | 14 | 21 | 29 | 47 |
| **GRAND TOTAL** | 118 | 8.5 | 127 | 1 | 2 | 5 | 12 | 17 | 25 | 62 |

## 164: Atherosclerosis (440)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 13-19 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 1-5 YRS | 2 | 19.5 | 181 | 10 | 10 | 19 | 29 | 29 | 29 | 29 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 10.0 | 79 | 3 | 3 | 7 | 17 | 20 | 20 | 20 |
| 1-11 MOS | 3 | 14.0 | 4 | 12 | 12 | 14 | 15 | 16 | 16 | 16 |
| 1-5 YRS | 2 | 15.5 | 41 | 11 | 11 | 15 | 20 | 20 | 20 | 20 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 7 | 7.3 | 28 | 2 | 2 | 5 | 12 | 14 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| *B. Operated* | 2 | 4.5 | 25 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 5 | 11.4 | 106 | 3 | 3 | 10 | 15 | 29 | 29 | 29 |
| *B. Operated* | 16 | 9.9 | 38 | 2 | 2 | 11 | 14 | 19 | 20 | 20 |
| **1. SINGLE DX** | 3 | 4.0 | 13 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | 21 | 10.2 | 50 | 2 | 3 | 10 | 14 | 20 | 24 | 29 |
| **A. NOT OPERATED** | 6 | 10.0 | 97 | 3 | 3 | 7 | 10 | 27 | 29 | 29 |
| **B. OPERATED** | 18 | 9.3 | 38 | 1 | 2 | 9 | 14 | 19 | 20 | 20 |
| TOTAL 0-27 DYS | 3 | 10.0 | 79 | 3 | 3 | 7 | 17 | 20 | 20 | 20 |
| 1-11 MOS | 6 | 10.0 | 26 | 3 | 3 | 11 | 14 | 16 | 16 | 16 |
| 1-5 YRS | 4 | 17.5 | 79 | 10 | 10 | 15 | 24 | 29 | 29 | 29 |
| 6-12 YRS | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 9 | 6.9 | 23 | 2 | 2 | 5 | 11 | 14 | 15 | 15 |
| **GRAND TOTAL** | 24 | 9.5 | 49 | 1 | 2 | 9 | 13 | 20 | 23 | 29 |

## 165: Aortic aneurysm (441)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 2 | 16.5 | 1 | 16 | 16 | 16 | 17 | 17 | 17 | 17 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 7 | 28.0 | 981 | 2 | 3 | 14 | 53 | 77 | 80 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| B. *Operated* | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 11 | 23.5 | 631 | 2 | 6 | 16 | 18 | 72 | 79 | 80 |
| **1. SINGLE DX** | 3 | 7.3 | 14 | 3 | 3 | 9 | 10 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | 14 | 18.6 | 577 | 1 | 1 | 12 | 17 | 67 | 77 | 80 |
| **A. NOT OPERATED** | 4 | 3.0 | 16 | 1 | 1 | 1 | 5 | 9 | 9 | 9 |
| **B. OPERATED** | 13 | 20.8 | 569 | 2 | 3 | 14 | 17 | 69 | 78 | 80 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 3 | 14.0 | 19 | 9 | 9 | 16 | 17 | 17 | 17 | 17 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 11 | 19.2 | 744 | 1 | 1 | 10 | 15 | 72 | 79 | 80 |
| **GRAND TOTAL** | 17 | 16.6 | 490 | 1 | 1 | 10 | 16 | 56 | 75 | 80 |

## 166: Aneurysm, except aortic (442)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 5.1 | 22 | <1 | <1 | 3 | 10 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 11 | 6.3 | 30 | 1 | 1 | 3 | 11 | 15 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 13 | 3.9 | 16 | <1 | 1 | 2 | 5 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 14 | 6.7 | 24 | 1 | 2 | 5 | 9 | 13 | 16 | 17 |
| **1. SINGLE DX** | 13 | 3.9 | 16 | <1 | 1 | 2 | 5 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | 14 | 6.7 | 24 | 1 | 2 | 5 | 9 | 13 | 16 | 17 |
| **A. NOT OPERATED** | | | | | | | | | | |
| **B. OPERATED** | 27 | 5.4 | 21 | 1 | 1 | 3 | 9 | 12 | 14 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 6 | 3.7 | 12 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 19 | 5.8 | 26 | <1 | 1 | 3 | 11 | 13 | 15 | 17 |
| **GRAND TOTAL** | 27 | 5.4 | 21 | 1 | 1 | 3 | 9 | 12 | 14 | 17 |

## 167: Arterial embolism and thrombosis (444)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 3 | 7.0 | 3 | 6 | 6 | 6 | 8 | 9 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 6-12 YRS | 2 | 12.5 | 221 | 2 | 2 | 12 | 23 | 23 | 23 | 23 |
| 13-19 YRS | 12 | 4.4 | 9 | 1 | 1 | 4 | 6 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 4.6 | 6 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 9.0 | 11 | 4 | 5 | 8 | 10 | 14 | 15 | 15 |
| 1-5 YRS | 2 | 9.5 | 61 | 4 | 4 | 9 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 3 | 5.3 | 33 | 2 | 2 | 2 | 10 | 12 | 12 | 12 |
| 13-19 YRS | 17 | 13.9 | 147 | 3 | 3 | 10 | 17 | 30 | 44 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 6.1 | 8 | 2 | 2 | 6 | 8 | 10 | 10 | 10 |
| B. *Operated* | 16 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 19 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 6.7 | 19 | 1 | 2 | 5 | 9 | 13 | 14 | 14 |
| B. *Operated* | 29 | 11.5 | 100 | 2 | 3 | 10 | 13 | 22 | 32 | 51 |
| **1. SINGLE DX** | 23 | 6.0 | 23 | 1 | 2 | 6 | 8 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | 36 | 10.6 | 87 | 2 | 3 | 8 | 12 | 19 | 29 | 51 |
| **A. NOT OPERATED** | 14 | 6.4 | 13 | 1 | 2 | 6 | 9 | 11 | 13 | 14 |
| **B. OPERATED** | 45 | 9.5 | 82 | 2 | 2 | 8 | 11 | 19 | 26 | 51 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 8 | 9.6 | 13 | 4 | 5 | 9 | 12 | 15 | 15 | 15 |
| 1-5 YRS | 6 | 8.8 | 16 | 4 | 4 | 8 | 11 | 15 | 15 | 15 |
| 6-12 YRS | 7 | 6.6 | 66 | 2 | 2 | 2 | 10 | 21 | 23 | 23 |
| 13-19 YRS | 37 | 9.0 | 90 | 1 | 2 | 6 | 10 | 18 | 29 | 51 |
| **GRAND TOTAL** | 59 | 8.8 | 66 | 2 | 2 | 8 | 11 | 16 | 24 | 49 |

## 168: Miscellaneous diseases of arteries (443; 446-448)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 23 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 1-5 YRS | 138 | 6.8 | 16 | 1 | 2 | 7 | 9 | 12 | 15 | 18 |
| 6-12 YRS | 27 | 5.3 | 14 | 3 | 3 | 4 | 6 | 8 | 12 | 21 |
| 13-19 YRS | 45 | 5.3 | 31 | 1 | 2 | 4 | 7 | 9 | 11 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 5.5 | 39 | 1 | 1 | 1 | 11 | 15 | 17 | 17 |
| 6-12 YRS | 14 | 3.5 | 11 | <1 | <1 | 2 | 5 | 8 | 10 | 11 |
| 13-19 YRS | 51 | 6.5 | 46 | 1 | 2 | 3 | 10 | 16 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 16 | 7.8 | 25 | 1 | 1 | 7 | 11 | 15 | 17 | 18 |
| 1-5 YRS | 69 | 8.3 | 58 | 1 | 2 | 6 | 10 | 19 | 22 | 40 |
| 6-12 YRS | 19 | 9.0 | 32 | 2 | 2 | 8 | 13 | 17 | 20 | 22 |
| 13-19 YRS | 44 | 6.4 | 45 | 2 | 2 | 4 | 6 | 13 | 22 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 11.0 | 193 | 2 | 2 | 4 | 21 | 27 | 27 | 27 |
| 1-5 YRS | 15 | 13.3 | 448 | <1 | 1 | 6 | 13 | 47 | 69 | 77 |
| 6-12 YRS | 15 | 7.9 | 71 | 1 | 2 | 3 | 11 | 24 | 28 | 29 |
| 13-19 YRS | 49 | 4.0 | 19 | <1 | <1 | 2 | 5 | 10 | 16 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 234 | 6.1 | 18 | 1 | 2 | 5 | 8 | 11 | 13 | 19 |
| B. *Operated* | 77 | 5.8 | 39 | <1 | 1 | 3 | 9 | 15 | 18 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 7.7 | 47 | 2 | 2 | 6 | 10 | 17 | 21 | 38 |
| B. *Operated* | 82 | 6.7 | 119 | <1 | <1 | 3 | 7 | 17 | 24 | 67 |
| **1. SINGLE DX** | 311 | 6.0 | 23 | 1 | 2 | 5 | 8 | 11 | 16 | 22 |
| **2. MULTIPLE DX** | 231 | 7.4 | 73 | 1 | 1 | 5 | 9 | 17 | 22 | 42 |
| **A. NOT OPERATED** | 383 | 6.7 | 30 | 1 | 2 | 5 | 8 | 13 | 17 | 33 |
| **B. OPERATED** | 159 | 6.2 | 80 | <1 | 1 | 3 | 8 | 16 | 21 | 46 |
| TOTAL 0-27 DYS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 42 | 6.2 | 26 | 1 | 2 | 5 | 8 | 12 | 15 | 27 |
| 1-5 YRS | 233 | 7.6 | 58 | 1 | 2 | 6 | 9 | 14 | 18 | 42 |
| 6-12 YRS | 75 | 6.4 | 32 | 1 | 1 | 5 | 8 | 14 | 21 | 25 |
| 13-19 YRS | 189 | 5.6 | 35 | <1 | 1 | 3 | 7 | 11 | 17 | 34 |
| **GRAND TOTAL** | 542 | 6.6 | 44 | 1 | 1 | 5 | 8 | 13 | 18 | 36 |

## 169: Phlebitis and thrombophlebitis (451)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 4 | 6.5 | 12 | 3 | 3 | 6 | 9 | 10 | 10 | 10 |
| 6-12 YRS | 10 | 5.4 | 20 | 1 | 2 | 4 | 6 | 12 | 17 | 17 |
| 13-19 YRS | 227 | 7.3 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 10.0 | 37 | 6 | 6 | 7 | 14 | 17 | 17 | 17 |
| 13-19 YRS | 94 | 7.7 | 22 | 2 | 3 | 7 | 10 | 13 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 8.0 | 21 | 3 | 3 | 8 | 12 | 14 | 14 | 14 |
| 1-5 YRS | 4 | 7.8 | 26 | 2 | 2 | 8 | 12 | 13 | 13 | 13 |
| 6-12 YRS | 5 | 5.4 | 9 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 153 | 8.2 | 23 | 2 | 3 | 7 | 11 | 15 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 9.0 | 73 | 1 | 1 | 8 | 15 | 18 | 18 | 18 |
| 6-12 YRS | 7 | 8.1 | 20 | 2 | 2 | 8 | 12 | 14 | 14 | 14 |
| 13-19 YRS | 53 | 11.5 | 49 | 3 | 5 | 10 | 14 | 18 | 28 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 245 | 7.2 | 17 | 2 | 3 | 7 | 9 | 12 | 14 | 23 |
| B. *Operated* | 97 | 7.7 | 22 | 2 | 3 | 7 | 10 | 14 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 170 | 8.1 | 23 | 2 | 3 | 7 | 11 | 15 | 18 | 20 |
| B. *Operated* | 63 | 11.0 | 47 | 3 | 4 | 9 | 14 | 18 | 26 | 35 |
| **1. SINGLE DX** | 342 | 7.4 | 19 | 2 | 3 | 7 | 10 | 13 | 15 | 24 |
| **2. MULTIPLE DX** | 233 | 8.9 | 31 | 2 | 3 | 8 | 12 | 16 | 18 | 29 |
| **A. NOT OPERATED** | 415 | 7.6 | 20 | 2 | 3 | 7 | 10 | 14 | 16 | 21 |
| **B. OPERATED** | 160 | 9.0 | 34 | 2 | 3 | 8 | 12 | 16 | 18 | 32 |
| TOTAL 0-27 DYS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 10 | 7.9 | 25 | 1 | 2 | 8 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 11 | 7.6 | 27 | 1 | 2 | 8 | 11 | 15 | 18 | 18 |
| 6-12 YRS | 25 | 6.7 | 20 | 2 | 3 | 6 | 8 | 14 | 17 | 17 |
| 13-19 YRS | 527 | 8.1 | 24 | 2 | 3 | 7 | 10 | 15 | 17 | 25 |
| **GRAND TOTAL** | **575** | **8.0** | **24** | **2** | **3** | **7** | **10** | **14** | **17** | **25** |

## 170: Varicose veins of lower extremities (454)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 50th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 2.7 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 9 | 3.1 | 8 | <1 | <1 | 2 | 3 | 8 | 10 | 10 |
| 6-12 YRS | 5 | 3.8 | 5 | 1 | 1 | 5 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 124 | 3.5 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 19 | 4.8 | 16 | 1 | 1 | 3 | 6 | 12 | 15 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| B. *Operated* | 142 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | 23 | 4.6 | 14 | <1 | 1 | 3 | 6 | 9 | 15 | 15 |
| **1. SINGLE DX** | 144 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | 25 | 4.7 | 13 | 1 | 1 | 3 | 6 | 8 | 15 | 15 |
| **A. NOT OPERATED** | 4 | 5.3 | 5 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| **B. OPERATED** | 165 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 4.0 | 4 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 11 | 3.2 | 7 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 6-12 YRS | 7 | 4.0 | 5 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 144 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 15 |
| **GRAND TOTAL** | **169** | **3.7** | **4** | **1** | **2** | **3** | **4** | **6** | **7** | **14** |

## 171: Hemorrhoids (455)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 2.2 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 53 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 8 | 2.6 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 7 | 4.6 | 11 | 1 | 1 | 5 | 5 | 10 | 11 | 11 |
| 13-19 YRS | 111 | 4.3 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 3 | 2.3 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 7 | 3.1 | 2 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 43 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 7.2 | 8 | 5 | 5 | 7 | 8 | 12 | 12 | 12 |
| 1-11 MOS | 5 | 4.8 | 5 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 10 | 5.6 | 32 | 1 | 1 | 4 | 6 | 14 | 20 | 20 |
| 6-12 YRS | 8 | 4.4 | 4 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 256 | 5.0 | 7 | 2 | 3 | 5 | 6 | 8 | 9 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 62 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| B. *Operated* | 129 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 55 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| B. *Operated* | 284 | 5.0 | 8 | 2 | 3 | 5 | 6 | 8 | 9 | 18 |
| **1. SINGLE DX** | 191 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 10 |
| **2. MULTIPLE DX** | 339 | 4.8 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 117 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **B. OPERATED** | 413 | 4.8 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| TOTAL 0-27 DYS | 6 | 6.2 | 13 | 1 | 1 | 6 | 7 | 12 | 12 | 12 |
| 1-11 MOS | 9 | 3.9 | 7 | <1 | <1 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 26 | 3.7 | 15 | <1 | <1 | 3 | 4 | 6 | 11 | 20 |
| 6-12 YRS | 26 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| 13-19 YRS | 463 | 4.5 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 12 |
| **GRAND TOTAL** | **530** | **4.4** | **7** | **1** | **2** | **4** | **5** | **7** | **8** | **13** |

## 172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 13 | 3.2 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 6-12 YRS | 30 | 4.0 | 16 | 1 | 1 | 3 | 4 | 8 | 11 | 21 |
| 13-19 YRS | 125 | 4.4 | 13 | <1 | 1 | 3 | 6 | 8 | 12 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 5 | 5.4 | 50 | 1 | 1 | 3 | 7 | 18 | 18 | 18 |
| 1-5 YRS | 16 | 4.1 | 37 | <1 | <1 | 2 | 4 | 10 | 20 | 25 |
| 6-12 YRS | 69 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 13-19 YRS | 457 | 3.6 | 12 | 1 | 2 | 3 | 4 | 6 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 12.7 | 20 | 8 | 8 | 13 | 16 | 17 | 17 | 17 |
| 1-11 MOS | 11 | 6.7 | 29 | 1 | 1 | 5 | 11 | 15 | 17 | 17 |
| 1-5 YRS | 43 | 4.1 | 12 | 1 | 1 | 3 | 6 | 8 | 11 | 19 |
| 6-12 YRS | 40 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 154 | 5.2 | 18 | 1 | 2 | 4 | 7 | 9 | 12 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 10 | 26.6 | 443 | 7 | 8 | 20 | 41 | 57 | 73 | 73 |
| 1-5 YRS | 14 | 6.1 | 45 | <1 | 1 | 3 | 8 | 18 | 22 | 23 |
| 6-12 YRS | 28 | 4.2 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 11 |
| 13-19 YRS | 191 | 6.2 | 67 | 1 | 2 | 4 | 6 | 13 | 19 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 172 | 4.2 | 13 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| B. *Operated* | 548 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 10 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 4.8 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| B. *Operated* | 244 | 6.8 | 89 | 1 | 2 | 4 | 7 | 14 | 23 | 44 |
| **1. SINGLE DX** | 720 | 3.7 | 12 | 1 | 1 | 3 | 4 | 7 | 11 | 19 |
| **2. MULTIPLE DX** | 495 | 5.8 | 53 | 1 | 1 | 4 | 6 | 11 | 17 | 37 |
| **A. NOT OPERATED** | 423 | 4.6 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **B. OPERATED** | 792 | 4.5 | 38 | 1 | 2 | 3 | 4 | 9 | 14 | 31 |
| TOTAL 0-27 DYS | 5 | 11.2 | 22 | 5 | 5 | 13 | 14 | 17 | 17 | 17 |
| 1-11 MOS | 30 | 12.6 | 258 | 1 | 1 | 6 | 13 | 36 | 42 | 73 |
| 1-5 YRS | 86 | 4.3 | 21 | <1 | 1 | 3 | 5 | 8 | 13 | 24 |
| 6-12 YRS | 167 | 3.3 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 13-19 YRS | 927 | 4.5 | 25 | 1 | 2 | 3 | 5 | 9 | 13 | 26 |
| **GRAND TOTAL** | **1215** | **4.5** | **30** | **1** | **1** | **3** | **5** | **9** | **13** | **28** |

## 173: Acute URI, except streptococcal (460-465)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 214 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 1-11 MOS | 3520 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 1-5 YRS | 9843 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 1764 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 13-19 YRS | 1294 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 19 | 6.8 | 37 | 1 | 1 | 4 | 9 | 16 | 20 | 23 |
| 1-5 YRS | 488 | 2.6 | 5 | 1 | 1 | 2 | 2 | 5 | 7 | 14 |
| 6-12 YRS | 921 | 1.9 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 7 |
| 13-19 YRS | 1283 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 275 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| 1-11 MOS | 4946 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 14 |
| 1-5 YRS | 11207 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 6-12 YRS | 2916 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 2548 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 7.3 | 25 | 2 | 2 | 8 | 11 | 12 | 12 | 12 |
| 1-11 MOS | 74 | 8.4 | 38 | 2 | 3 | 7 | 10 | 16 | 23 | 33 |
| 1-5 YRS | 564 | 3.2 | 12 | 1 | 1 | 2 | 3 | 7 | 10 | 18 |
| 6-12 YRS | 571 | 2.5 | 11 | 1 | 1 | 2 | 2 | 3 | 6 | 16 |
| 13-19 YRS | 444 | 4.2 | 39 | 1 | 1 | 2 | 4 | 8 | 12 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16635 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 2713 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21892 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 1656 | 3.5 | 22 | 1 | 1 | 2 | 3 | 7 | 10 | 22 |
| **1. SINGLE DX** | 19348 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 23548 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 38527 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 4369 | 2.7 | 10 | 1 | 1 | 2 | 2 | 5 | 7 | 15 |
| TOTAL 0-27 DYS | 494 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 1-11 MOS | 8559 | 3.7 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 1-5 YRS | 22102 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 6-12 YRS | 6172 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 5569 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **GRAND TOTAL** | **42896** | **3.2** | **6** | **1** | **1** | **3** | **4** | **6** | **7** | **11** |

## 174: Bronchitis and bronchiolitis, acute (466)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 158 | 4.4 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| 1-11 MOS | 7406 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 1-5 YRS | 7298 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 6-12 YRS | 840 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 427 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 19 | 5.9 | 11 | <1 | 2 | 6 | 8 | 10 | 12 | 14 |
| 1-5 YRS | 15 | 7.0 | 33 | 1 | 2 | 6 | 8 | 17 | 18 | 19 |
| 6-12 YRS | 6 | 2.7 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 9 | 5.8 | 14 | <1 | 1 | 5 | 8 | 11 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 125 | 5.2 | 16 | 2 | 2 | 4 | 6 | 10 | 12 | 20 |
| 1-11 MOS | 6779 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 1-5 YRS | 5790 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 780 | 4.2 | 12 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 13-19 YRS | 702 | 4.7 | 6 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 82 | 11.1 | 191 | 3 | 4 | 8 | 11 | 20 | 31 | 88 |
| 1-5 YRS | 53 | 8.4 | 70 | 2 | 3 | 6 | 9 | 14 | 20 | 53 |
| 6-12 YRS | 9 | 5.3 | 4 | 2 | 2 | 6 | 6 | 8 | 8 | 8 |
| 13-19 YRS | 27 | 9.6 | 25 | 3 | 4 | 8 | 14 | 18 | 19 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 16129 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 49 | 5.8 | 18 | 1 | 2 | 5 | 8 | 12 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14176 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | 171 | 9.7 | 119 | 2 | 4 | 7 | 11 | 16 | 21 | 78 |
| **1. SINGLE DX** | 16178 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 14347 | 4.7 | 10 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 30305 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **B. OPERATED** | 220 | 8.9 | 99 | 2 | 3 | 6 | 10 | 16 | 20 | 63 |
| TOTAL 0-27 DYS | 283 | 4.7 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 1-11 MOS | 14286 | 4.6 | 9 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| 1-5 YRS | 13156 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 6-12 YRS | 1635 | 3.7 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 13-19 YRS | 1165 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| **GRAND TOTAL** | **30525** | **4.2** | **8** | **1** | **2** | **4** | **5** | **7** | **9** | **13** |

## 175: Deviated nasal septum (470)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 15 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 11 | 1.5 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 155 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 13-19 YRS | 2762 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 52 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 16 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 6-12 YRS | 266 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 13-19 YRS | 3636 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| B. *Operated* | 2933 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 5 |
| B. *Operated* | 3922 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| **1. SINGLE DX** | 2948 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 3980 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| **A. NOT OPERATED** | 73 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| **B. OPERATED** | 6855 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| TOTAL 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 8 | 2.6 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 30 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 5 |
| 6-12 YRS | 424 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 13-19 YRS | 6465 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **GRAND TOTAL** | **6928** | **2.5** | **1** | **1** | **1** | **2** | **3** | **4** | **4** | **6** |

## 176: Nasal polyp (471)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 40 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 13-19 YRS | 130 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 7 | 3.0 | 6 | <1 | <1 | 3 | 3 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 4 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 63 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 8 |
| 13-19 YRS | 184 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 175 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 8 |
| B. *Operated* | 253 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **1. SINGLE DX** | 179 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 266 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **A. NOT OPERATED** | 17 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| **B. OPERATED** | 428 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 9 | 1.6 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 6-12 YRS | 109 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 13-19 YRS | 325 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| **GRAND TOTAL** | **445** | **2.3** | **2** | **<1** | **1** | **2** | **3** | **4** | **5** | **9** |

## 177: Chronic disease of tonsils and adenoids (474)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 3.3 | 4 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 115 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 6-12 YRS | 151 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 123 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 33 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 1-5 YRS | 15813 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 28191 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 23203 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 15 | 4.3 | 28 | <1 | <1 | 3 | 5 | 6 | 18 | 22 |
| 1-5 YRS | 551 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| 6-12 YRS | 438 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 13-19 YRS | 245 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 93 | 1.9 | 7 | <1 | <1 | 1 | 2 | 2 | 3 | 18 |
| 1-5 YRS | 16158 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 12980 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 4172 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 394 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 6 |
| B. *Operated* | 67248 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1249 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| B. *Operated* | 33410 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| **1. SINGLE DX** | 67642 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 34659 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| **A. NOT OPERATED** | 1643 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| **B. OPERATED** | 100658 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| TOTAL 0-27 DYS | 16 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 1-11 MOS | 145 | 2.2 | 8 | <1 | <1 | 2 | 2 | 4 | 5 | 22 |
| 1-5 YRS | 32637 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 41760 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 27743 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| **GRAND TOTAL** | **102301** | **1.8** | **1** | **<1** | **1** | **2** | **2** | **2** | **3** | **4** |

## 178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 20 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 114 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 1-5 YRS | 492 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 483 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 816 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.0 | 72 | 1 | 1 | 7 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 33 | 6.0 | 104 | 1 | 1 | 2 | 5 | 17 | 22 | 54 |
| 1-5 YRS | 198 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 14 |
| 6-12 YRS | 599 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 1637 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 23 | 2.9 | 3 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 176 | 3.8 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 1-5 YRS | 397 | 3.6 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| 6-12 YRS | 392 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| 13-19 YRS | 599 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 35 | 9.6 | 234 | 1 | 2 | 7 | 12 | 25 | 96 | 99+ |
| 1-5 YRS | 246 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 17 |
| 6-12 YRS | 542 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 13-19 YRS | 1161 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1925 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 2469 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1587 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 1987 | 2.9 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| **1. SINGLE DX** | 4394 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 3574 | 3.4 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 3512 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 4456 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| TOTAL 0-27 DYS | 48 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 1-11 MOS | 358 | 4.3 | 40 | 1 | 1 | 3 | 5 | 8 | 11 | 51 |
| 1-5 YRS | 1333 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 2016 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 4213 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **GRAND TOTAL** | **7968** | **3.0** | **6** | **1** | **1** | **2** | **4** | **5** | **7** | **12** |

## 179: Pneumonia (480-486)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 432 | 5.6 | 8 | 2 | 3 | 5 | 7 | 10 | 11 | 13 |
| 1-11 MOS | 7733 | 4.9 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| 1-5 YRS | 14088 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 5036 | 4.5 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| 13-19 YRS | 2740 | 5.1 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 10.0 | 19 | 7 | 7 | 8 | 13 | 15 | 15 | 15 |
| 1-11 MOS | 40 | 7.9 | 27 | 3 | 3 | 6 | 10 | 13 | 17 | 30 |
| 1-5 YRS | 83 | 8.7 | 82 | 1 | 1 | 7 | 11 | 16 | 19 | 59 |
| 6-12 YRS | 25 | 7.1 | 48 | 1 | 2 | 6 | 9 | 14 | 20 | 34 |
| 13-19 YRS | 42 | 8.9 | 42 | 2 | 2 | 8 | 11 | 14 | 21 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 299 | 7.1 | 28 | 2 | 2 | 6 | 9 | 12 | 15 | 28 |
| 1-11 MOS | 7074 | 5.7 | 14 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 1-5 YRS | 12975 | 5.0 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 17 |
| 6-12 YRS | 3451 | 5.3 | 13 | 2 | 2 | 4 | 6 | 9 | 12 | 18 |
| 13-19 YRS | 2022 | 6.3 | 19 | 2 | 2 | 5 | 8 | 11 | 14 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 9.9 | 22 | 3 | 4 | 10 | 11 | 16 | 20 | 21 |
| 1-11 MOS | 145 | 12.4 | 142 | 3 | 4 | 9 | 15 | 21 | 32 | 91 |
| 1-5 YRS | 216 | 12.4 | 168 | 2 | 3 | 9 | 14 | 25 | 35 | 72 |
| 6-12 YRS | 84 | 14.9 | 179 | 3 | 5 | 11 | 17 | 27 | 38 | 84 |
| 13-19 YRS | 130 | 15.2 | 106 | 4 | 6 | 13 | 19 | 26 | 36 | 59 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30029 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| B. *Operated* | 193 | 8.4 | 56 | 1 | 2 | 7 | 11 | 14 | 20 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25821 | 5.4 | 14 | 2 | 2 | 4 | 7 | 9 | 12 | 18 |
| B. *Operated* | 589 | 13.3 | 147 | 3 | 4 | 10 | 16 | 24 | 35 | 78 |
| **1. SINGLE DX** | 30222 | 4.6 | 7 | 2 | 2 | 4 | 6 | 8 | 10 | 14 |
| **2. MULTIPLE DX** | 26410 | 5.5 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 55850 | 5.0 | 10 | 2 | 2 | 4 | 6 | 9 | 11 | 16 |
| **B. OPERATED** | 782 | 12.1 | 129 | 2 | 3 | 9 | 15 | 22 | 32 | 66 |
| TOTAL 0-27 DYS | 748 | 6.3 | 17 | 2 | 3 | 5 | 8 | 11 | 12 | 21 |
| 1-11 MOS | 14992 | 5.4 | 13 | 2 | 2 | 5 | 7 | 9 | 12 | 17 |
| 1-5 YRS | 27362 | 4.7 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 6-12 YRS | 8596 | 5.0 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 17 |
| 13-19 YRS | 4934 | 5.9 | 18 | 2 | 2 | 5 | 7 | 10 | 13 | 22 |
| **GRAND TOTAL** | **56632** | **5.1** | **13** | **2** | **2** | **4** | **6** | **9** | **11** | **17** |

## 180: Influenza (487)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 19 | 3.4 | 1 | 1 | 2 | 4 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 158 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 1-5 YRS | 399 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 6-12 YRS | 330 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 9 |
| 13-19 YRS | 460 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 4 | 3.8 | 5 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.1 | 5 | 2 | 2 | 5 | 7 | 8 | 9 | 9 |
| 1-11 MOS | 243 | 4.7 | 13 | 1 | 2 | 4 | 5 | 8 | 11 | 22 |
| 1-5 YRS | 738 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 490 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 8 | 12 |
| 13-19 YRS | 660 | 3.6 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 10.0 | 2 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 2 | 2.5 | 5 | 1 | 1 | 4 | 76 | 99+ | 99+ | 99+ |
| 1-5 YRS | 12 | 9.7 | 43 | 2 | 3 | 7 | 15 | 19 | 23 | 24 |
| 6-12 YRS | 6 | 5.7 | 5 | 2 | 2 | 6 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 11 | 5.4 | 4 | 3 | 3 | 5 | 6 | 9 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1366 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 9 | 3.9 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2140 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| B. *Operated* | 33 | 7.1 | 23 | 2 | 3 | 6 | 9 | 15 | 22 | 99+ |
| **1. SINGLE DX** | 1375 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 2173 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **A. NOT OPERATED** | 3506 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 42 | 6.4 | 20 | 2 | 2 | 5 | 8 | 14 | 19 | 99+ |
| TOTAL 0-27 DYS | 30 | 4.4 | 5 | 2 | 2 | 4 | 5 | 8 | 9 | 11 |
| 1-11 MOS | 404 | 4.1 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 21 |
| 1-5 YRS | 1151 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 6-12 YRS | 830 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 1133 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| **GRAND TOTAL** | **3548** | **3.6** | **6** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

## 181: Bronchitis, chronic and unspecified (490-491)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 33 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 9 |
| 1-11 MOS | 1570 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 1-5 YRS | 2779 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 6-12 YRS | 458 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 246 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 5.8 | 28 | 1 | 1 | 4 | 9 | 13 | 13 | 13 |
| 1-5 YRS | 17 | 4.5 | 14 | 1 | 1 | 3 | 6 | 8 | 13 | 16 |
| 6-12 YRS | 12 | 4.1 | 11 | <1 | <1 | 3 | 6 | 9 | 10 | 10 |
| 13-19 YRS | 19 | 4.0 | 7 | <1 | <1 | 3 | 5 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 35 | 6.4 | 34 | 2 | 3 | 6 | 6 | 10 | 14 | 36 |
| 1-11 MOS | 1450 | 4.9 | 9 | 2 | 2 | 4 | 6 | 9 | 10 | 14 |
| 1-5 YRS | 2239 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 6-12 YRS | 418 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| 13-19 YRS | 334 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 17 | 12.9 | 483 | 2 | 3 | 8 | 11 | 14 | 68 | 97 |
| 1-5 YRS | 35 | 7.5 | 28 | 1 | 2 | 7 | 9 | 18 | 20 | 20 |
| 6-12 YRS | 11 | 5.3 | 6 | 1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 41 | 6.0 | 12 | 1 | 2 | 5 | 8 | 11 | 13 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5086 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| B. *Operated* | 52 | 4.3 | 11 | <1 | 1 | 3 | 6 | 9 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4476 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| B. *Operated* | 104 | 7.6 | 96 | 1 | 2 | 6 | 9 | 13 | 16 | 55 |
| **1. SINGLE DX** | 5138 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 4580 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 14 |
| **A. NOT OPERATED** | 9562 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| **B. OPERATED** | 156 | 6.5 | 69 | 1 | 1 | 5 | 8 | 12 | 14 | 20 |
| TOTAL 0-27 DYS | 68 | 5.4 | 20 | 2 | 2 | 5 | 6 | 8 | 10 | 32 |
| 1-11 MOS | 3041 | 4.6 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 1-5 YRS | 5070 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| 6-12 YRS | 899 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 13-19 YRS | 640 | 4.4 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| **GRAND TOTAL** | **9718** | **4.0** | **7** | **1** | **2** | **3** | **5** | **7** | **9** | **13** |

## 182: Emphysema (492)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 8.2 | 56 | 3 | 3 | 6 | 11 | 21 | 21 | 21 |
| 6-12 YRS | 3 | 10.3 | 44 | 6 | 6 | 7 | 15 | 18 | 18 | 18 |
| 13-19 YRS | 8 | 3.8 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 10 | 11.2 | 11 | 6 | 7 | 11 | 13 | 16 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4 | 4.8 | 19 | 1 | 1 | 3 | 7 | 11 | 11 | 11 |
| B. *Operated* | 3 | 7.0 | 91 | 1 | 1 | 2 | 14 | 18 | 18 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 6.6 | 32 | 1 | 2 | 5 | 8 | 17 | 20 | 21 |
| B. *Operated* | 12 | 10.3 | 15 | 3 | 5 | 10 | 13 | 16 | 16 | 16 |
| **1. SINGLE DX** | 7 | 5.7 | 41 | 1 | 1 | 3 | 9 | 17 | 18 | 18 |
| **2. MULTIPLE DX** | 31 | 8.0 | 28 | 2 | 2 | 7 | 12 | 16 | 18 | 21 |
| **A. NOT OPERATED** | 23 | 6.3 | 29 | 1 | 2 | 4 | 8 | 16 | 19 | 21 |
| **B. OPERATED** | 15 | 9.6 | 27 | 1 | 2 | 9 | 13 | 16 | 18 | 18 |
| TOTAL 0-27 DYS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 5 | 5.0 | 12 | 3 | 3 | 3 | 6 | 11 | 11 | 11 |
| 1-5 YRS | 7 | 8.6 | 62 | 1 | 1 | 6 | 15 | 20 | 21 | 21 |
| 6-12 YRS | 5 | 8.2 | 35 | 2 | 2 | 7 | 10 | 18 | 18 | 18 |
| 13-19 YRS | 20 | 7.4 | 23 | 1 | 1 | 7 | 11 | 14 | 16 | 16 |
| **GRAND TOTAL** | **38** | **7.6** | **30** | **1** | **2** | **6** | **11** | **16** | **18** | **21** |

## 183: Asthma (493)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 6.1 | 43 | 1 | 1 | 5 | 8 | 11 | 23 | 27 |
| 1-11 MOS | 1646 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 13 |
| 1-5 YRS | 9950 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 6-12 YRS | 7526 | 3.5 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 5446 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.3 | 6 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 12 | 6.1 | 11 | 2 | 2 | 5 | 8 | 11 | 12 | 12 |
| 6-12 YRS | 18 | 4.3 | 5 | <1 | 1 | 4 | 6 | 7 | 8 | 9 |
| 13-19 YRS | 17 | 7.9 | 38 | 2 | 2 | 4 | 12 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 5.2 | 9 | 2 | 2 | 5 | 6 | 10 | 12 | 12 |
| 1-11 MOS | 1471 | 5.3 | 8 | 2 | 2 | 5 | 7 | 9 | 10 | 15 |
| 1-5 YRS | 6483 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| 6-12 YRS | 3111 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 13-19 YRS | 2396 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 22 | 15.8 | 352 | 4 | 5 | 10 | 16 | 28 | 62 | 91 |
| 1-5 YRS | 68 | 6.9 | 21 | 3 | 3 | 6 | 8 | 11 | 12 | 32 |
| 6-12 YRS | 33 | 7.1 | 67 | 1 | 2 | 5 | 7 | 13 | 26 | 43 |
| 13-19 YRS | 53 | 9.4 | 62 | 2 | 3 | 7 | 12 | 19 | 22 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24583 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 50 | 6.1 | 19 | 2 | 2 | 5 | 8 | 12 | 16 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13472 | 4.3 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | 177 | 8.8 | 89 | 2 | 3 | 7 | 10 | 15 | 21 | 48 |
| **1. SINGLE DX** | 24633 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 13649 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 38055 | 3.9 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| **B. OPERATED** | 227 | 8.2 | 75 | 2 | 3 | 6 | 10 | 14 | 20 | 45 |
| TOTAL 0-27 DYS | 27 | 5.9 | 27 | 1 | 2 | 5 | 7 | 11 | 14 | 27 |
| 1-11 MOS | 3142 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 10 | 15 |
| 1-5 YRS | 16513 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 6-12 YRS | 10688 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 7912 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| **GRAND TOTAL** | **38282** | **3.9** | **6** | **1** | **2** | **3** | **5** | **7** | **8** | **12** |

## 184: Miscellaneous obstructive lung diseases (494-496)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 6.3 | 17 | 3 | 3 | 5 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 19 | 4.2 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 26 | 5.8 | 20 | 2 | 2 | 4 | 8 | 12 | 15 | 21 |
| 6-12 YRS | 16 | 3.8 | 3 | 2 | 2 | 4 | 5 | 5 | 8 | 9 |
| 13-19 YRS | 29 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 4 | 9.3 | 179 | 1 | 1 | 4 | 17 | 29 | 29 | 29 |
| 6-12 YRS | 5 | 3.4 | 10 | 1 | 1 | 2 | 4 | 9 | 9 | 9 |
| 13-19 YRS | 7 | 7.0 | 48 | 1 | 1 | 3 | 11 | 18 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 8.0 | 4 | 5 | 5 | 9 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 38 | 7.3 | 30 | 2 | 2 | 6 | 9 | 14 | 17 | 31 |
| 1-5 YRS | 42 | 6.4 | 25 | 2 | 3 | 5 | 8 | 13 | 19 | 23 |
| 6-12 YRS | 28 | 9.3 | 57 | 3 | 3 | 6 | 11 | 21 | 25 | 34 |
| 13-19 YRS | 47 | 7.0 | 30 | 2 | 2 | 5 | 10 | 14 | 18 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 18.0 | 98 | 11 | 11 | 18 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 4 | 17.5 | 183 | 2 | 2 | 16 | 26 | 35 | 35 | 35 |
| 1-5 YRS | 11 | 14.3 | 268 | 1 | 1 | 8 | 27 | 39 | 50 | 51 |
| 6-12 YRS | 9 | 7.6 | 19 | 2 | 2 | 7 | 11 | 14 | 15 | 15 |
| 13-19 YRS | 17 | 8.4 | 48 | 2 | 2 | 8 | 11 | 26 | 72 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| B. *Operated* | 17 | 6.4 | 59 | 1 | 1 | 3 | 8 | 18 | 26 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 160 | 7.4 | 33 | 2 | 2 | 6 | 9 | 14 | 19 | 31 |
| B. *Operated* | 43 | 11.0 | 116 | 2 | 2 | 8 | 15 | 31 | 40 | 99+ |
| **1. SINGLE DX** | 110 | 4.8 | 17 | 1 | 2 | 4 | 5 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | 203 | 8.1 | 52 | 2 | 2 | 6 | 10 | 17 | 24 | 42 |
| **A. NOT OPERATED** | 253 | 6.3 | 26 | 2 | 2 | 5 | 8 | 12 | 17 | 27 |
| **B. OPERATED** | 60 | 9.7 | 103 | 1 | 2 | 7 | 13 | 29 | 33 | 95 |
| TOTAL 0-27 DYS | 10 | 9.5 | 37 | 3 | 4 | 9 | 11 | 18 | 25 | 25 |
| 1-11 MOS | 62 | 7.0 | 38 | 2 | 2 | 6 | 8 | 14 | 18 | 35 |
| 1-5 YRS | 83 | 7.4 | 65 | 1 | 2 | 4 | 8 | 15 | 25 | 44 |
| 6-12 YRS | 58 | 7.0 | 38 | 2 | 2 | 5 | 8 | 15 | 21 | 33 |
| 13-19 YRS | 100 | 6.3 | 29 | 1 | 2 | 4 | 8 | 14 | 19 | 64 |
| **GRAND TOTAL** | **313** | **6.9** | **42** | **2** | **2** | **5** | **8** | **14** | **21** | **34** |

## 185: Spontaneous pneumothorax (512)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 257 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 6 | 5.8 | 21 | 3 | 3 | 4 | 5 | 14 | 15 | 15 |
| 13-19 YRS | 518 | 6.5 | 18 | 2 | 3 | 6 | 8 | 11 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 4.2 | 3 | 2 | 2 | 5 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 7 | 4.7 | 31 | 2 | 2 | 2 | 4 | 15 | 17 | 17 |
| 13-19 YRS | 65 | 4.2 | 13 | 1 | 1 | 3 | 5 | 7 | 11 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 2 | 13.0 | 8 | 11 | 11 | 13 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 6-12 YRS | 9 | 10.1 | 38 | 4 | 4 | 9 | 12 | 20 | 24 | 24 |
| 13-19 YRS | 145 | 10.8 | 74 | 3 | 4 | 9 | 13 | 23 | 26 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 264 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 526 | 6.5 | 17 | 2 | 3 | 5 | 8 | 11 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 4.3 | 13 | 1 | 1 | 3 | 5 | 7 | 11 | 20 |
| B. *Operated* | 160 | 10.7 | 70 | 3 | 4 | 9 | 13 | 22 | 26 | 42 |
| **1. SINGLE DX** | 790 | 5.6 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| **2. MULTIPLE DX** | 239 | 8.6 | 60 | 1 | 2 | 6 | 11 | 17 | 25 | 38 |
| **A. NOT OPERATED** | 343 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 686 | 7.5 | 33 | 2 | 3 | 6 | 9 | 14 | 19 | 28 |
| TOTAL 0-27 DYS | 4 | 3.5 | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 6 | 7.2 | 23 | 2 | 2 | 5 | 11 | 15 | 15 | 15 |
| 1-5 YRS | 9 | 5.8 | 10 | 2 | 2 | 5 | 7 | 11 | 11 | 11 |
| 6-12 YRS | 25 | 6.7 | 33 | 1 | 2 | 5 | 9 | 15 | 19 | 24 |
| 13-19 YRS | 985 | 6.3 | 28 | 1 | 2 | 5 | 8 | 12 | 16 | 26 |
| **GRAND TOTAL** | **1029** | **6.3** | **28** | **1** | **2** | **5** | **8** | **12** | **16** | **26** |

## 186: Miscellaneous lung and pleural diseases (500-511; 513-519)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 41 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 1-11 MOS | 300 | 4.3 | 11 | 1 | 1 | 4 | 5 | 8 | 10 | 17 |
| 1-5 YRS | 451 | 3.5 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 6-12 YRS | 146 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 17 |
| 13-19 YRS | 264 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 23 | 7.1 | 55 | 1 | 1 | 3 | 9 | 22 | 25 | 26 |
| 1-5 YRS | 53 | 4.2 | 28 | <1 | 1 | 2 | 5 | 10 | 15 | 28 |
| 6-12 YRS | 38 | 5.2 | 62 | <1 | 1 | 2 | 5 | 11 | 18 | 45 |
| 13-19 YRS | 106 | 8.5 | 75 | 1 | 1 | 6 | 11 | 18 | 22 | 46 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 40 | 6.1 | 20 | 1 | 2 | 5 | 8 | 11 | 15 | 22 |
| 1-11 MOS | 505 | 5.7 | 24 | 1 | 2 | 4 | 7 | 10 | 15 | 26 |
| 1-5 YRS | 783 | 4.6 | 17 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 6-12 YRS | 282 | 5.3 | 16 | 1 | 2 | 4 | 7 | 10 | 14 | 20 |
| 13-19 YRS | 396 | 5.9 | 33 | 1 | 1 | 4 | 7 | 12 | 15 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 26.7 | 240 | 11 | 11 | 27 | 38 | 42 | 42 | 42 |
| 1-11 MOS | 35 | 16.7 | 363 | 1 | 3 | 9 | 19 | 45 | 59 | 86 |
| 1-5 YRS | 101 | 7.1 | 75 | 1 | 1 | 4 | 10 | 18 | 24 | 82 |
| 6-12 YRS | 54 | 8.6 | 80 | 1 | 1 | 4 | 14 | 23 | 29 | 33 |
| 13-19 YRS | 139 | 12.2 | 220 | 1 | 2 | 8 | 15 | 30 | 36 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1202 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 221 | 6.7 | 62 | <1 | 1 | 4 | 9 | 16 | 22 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2006 | 5.3 | 22 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| B. *Operated* | 332 | 10.7 | 178 | 1 | 2 | 6 | 14 | 24 | 34 | 97 |
| **1. SINGLE DX** | 1423 | 4.3 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 2338 | 6.0 | 48 | 1 | 2 | 4 | 7 | 12 | 17 | 34 |
| **A. NOT OPERATED** | 3208 | 4.7 | 18 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **B. OPERATED** | 553 | 9.1 | 135 | 1 | 1 | 5 | 11 | 21 | 30 | 66 |
| TOTAL 0-27 DYS | 85 | 5.7 | 36 | 1 | 1 | 4 | 7 | 11 | 14 | 37 |
| 1-11 MOS | 863 | 5.7 | 39 | 1 | 2 | 4 | 6 | 10 | 16 | 28 |
| 1-5 YRS | 1388 | 4.4 | 19 | 1 | 1 | 3 | 5 | 9 | 11 | 22 |
| 6-12 YRS | 520 | 5.2 | 26 | 1 | 1 | 4 | 6 | 11 | 16 | 24 |
| 13-19 YRS | 905 | 6.6 | 68 | 1 | 1 | 4 | 8 | 14 | 20 | 39 |
| **GRAND TOTAL** | **3761** | **5.4** | **37** | **1** | **1** | **4** | **6** | **11** | **15** | **29** |

## 187: Disease of teeth and jaws (520-526)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 5.2 | 34 | 2 | 2 | 3 | 4 | 16 | 17 | 17 |
| 1-5 YRS | 94 | 3.3 | 5 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 6-12 YRS | 38 | 3.2 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 72 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 9 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 1493 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 6-12 YRS | 849 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 10125 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 19 | 3.8 | 3 | 2 | 2 | 3 | 4 | 7 | 8 | 9 |
| 1-5 YRS | 146 | 2.9 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 9 |
| 6-12 YRS | 94 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 8 | 13 |
| 13-19 YRS | 188 | 2.6 | 5 | <1 | <1 | 2 | 4 | 6 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 7 | 4.1 | 20 | <1 | <1 | 2 | 10 | 74 | 99+ | 99+ |
| 1-5 YRS | 634 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 6-12 YRS | 688 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 3498 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 210 | 3.3 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 12483 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 448 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| B. *Operated* | 4828 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **1. SINGLE DX** | 12693 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 5276 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| **A. NOT OPERATED** | 658 | 3.0 | 6 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 17311 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| TOTAL 0-27 DYS | 9 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 1-11 MOS | 41 | 3.6 | 10 | <1 | 1 | 3 | 4 | 9 | 14 | 99+ |
| 1-5 YRS | 2367 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| 6-12 YRS | 1669 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 13883 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 4 | 7 |
| **GRAND TOTAL** | **17969** | **2.0** | **2** | **<1** | **1** | **2** | **2** | **3** | **4** | **7** |

## 188: Disease of mouth, except dental (527-529)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 40 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 1-5 YRS | 168 | 3.9 | 4 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| 6-12 YRS | 71 | 4.1 | 7 | 1 | 1 | 4 | 6 | 7 | 9 | 14 |
| 13-19 YRS | 102 | 3.8 | 3 | 1 | 1 | 4 | 5 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 29 | 2.6 | 9 | <1 | <1 | 1 | 3 | 6 | 9 | 15 |
| 1-5 YRS | 154 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 6-12 YRS | 243 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 274 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 74 | 4.2 | 10 | 1 | 1 | 3 | 5 | 7 | 11 | 17 |
| 1-5 YRS | 312 | 4.3 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| 6-12 YRS | 107 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| 13-19 YRS | 117 | 4.5 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 5.4 | 35 | <1 | 1 | 4 | 6 | 11 | 21 | 24 |
| 1-5 YRS | 64 | 4.3 | 22 | <1 | 1 | 3 | 6 | 9 | 13 | 27 |
| 6-12 YRS | 105 | 2.8 | 8 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| 13-19 YRS | 144 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 383 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| B. *Operated* | 701 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 4.4 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 327 | 3.5 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| **1. SINGLE DX** | 1084 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 941 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 997 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| **B. OPERATED** | 1028 | 2.8 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| TOTAL 0-27 DYS | 7 | 3.7 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 157 | 3.8 | 12 | <1 | 1 | 3 | 5 | 7 | 10 | 17 |
| 1-5 YRS | 698 | 3.8 | 7 | <1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 6-12 YRS | 526 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 13-19 YRS | 637 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| **GRAND TOTAL** | **2025** | **3.5** | **7** | **<1** | **1** | **3** | **5** | **6** | **8** | **13** |

## 189: Diseases of esophagus (530)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 110 | 3.9 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 1-11 MOS | 348 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 1-5 YRS | 81 | 3.5 | 12 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 6-12 YRS | 34 | 3.7 | 31 | <1 | 1 | 3 | 4 | 6 | 9 | 33 |
| 13-19 YRS | 153 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 39 | 6.9 | 77 | <1 | 1 | 4 | 7 | 17 | 29 | 41 |
| 1-5 YRS | 65 | 4.0 | 20 | <1 | <1 | 2 | 5 | 9 | 13 | 25 |
| 6-12 YRS | 34 | 4.8 | 71 | <1 | <1 | 2 | 5 | 13 | 17 | 46 |
| 13-19 YRS | 77 | 4.4 | 12 | <1 | 1 | 3 | 7 | 10 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 73 | 5.1 | 22 | 1 | 2 | 4 | 5 | 11 | 13 | 28 |
| 1-11 MOS | 361 | 5.8 | 20 | 1 | 2 | 4 | 7 | 12 | 15 | 22 |
| 1-5 YRS | 70 | 5.0 | 14 | 1 | 1 | 4 | 7 | 9 | 14 | 18 |
| 6-12 YRS | 60 | 5.0 | 19 | 1 | 1 | 3 | 7 | 11 | 15 | 20 |
| 13-19 YRS | 256 | 4.5 | 12 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 52 | 13.5 | 132 | 1 | 2 | 9 | 21 | 28 | 35 | 56 |
| 1-5 YRS | 62 | 8.6 | 97 | 1 | 1 | 6 | 14 | 24 | 29 | 94 |
| 6-12 YRS | 29 | 8.1 | 96 | <1 | 1 | 5 | 10 | 23 | 29 | 43 |
| 13-19 YRS | 97 | 9.2 | 78 | 1 | 2 | 7 | 10 | 20 | 27 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 726 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 217 | 4.8 | 36 | <1 | <1 | 2 | 6 | 10 | 14 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 820 | 5.2 | 17 | 1 | 2 | 4 | 7 | 10 | 13 | 20 |
| B. *Operated* | 242 | 9.8 | 99 | 1 | 1 | 7 | 13 | 24 | 30 | 56 |
| **1. SINGLE DX** | 943 | 3.9 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 1062 | 6.3 | 39 | 1 | 2 | 4 | 8 | 13 | 19 | 32 |
| **A. NOT OPERATED** | 1546 | 4.5 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 19 |
| **B. OPERATED** | 459 | 7.4 | 75 | <1 | 1 | 5 | 9 | 18 | 27 | 46 |
| TOTAL 0-27 DYS | 187 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 1-11 MOS | 800 | 5.4 | 30 | 1 | 2 | 4 | 7 | 11 | 16 | 28 |
| 1-5 YRS | 278 | 5.2 | 37 | <1 | 1 | 3 | 7 | 12 | 18 | 30 |
| 6-12 YRS | 157 | 5.3 | 48 | <1 | 1 | 3 | 6 | 12 | 17 | 42 |
| 13-19 YRS | 583 | 5.0 | 25 | 1 | 1 | 4 | 7 | 9 | 12 | 27 |
| **GRAND TOTAL** | **2005** | **5.2** | **29** | **1** | **1** | **3** | **6** | **10** | **15** | **29** |

## 190: Gastric ulcer without complication (531.30; 531.70; 531.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 9.7 | 52 | 5 | 5 | 6 | 15 | 18 | 18 | 18 |
| 6-12 YRS | 14 | 4.3 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 89 | 4.4 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 5.0 | 8 | 3 | 3 | 5 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 10 | 6.4 | 8 | <1 | 2 | 6 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 5.7 | 9 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| 6-12 YRS | 15 | 6.4 | 14 | 2 | 3 | 5 | 8 | 10 | 15 | 17 |
| 13-19 YRS | 71 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 4.8 | 10 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 30 | 6.2 | 14 | 2 | 2 | 5 | 9 | 12 | 14 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| B. *Operated* | 14 | 6.2 | 8 | 1 | 2 | 6 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 90 | 5.0 | 10 | 2 | 2 | 5 | 6 | 8 | 10 | 18 |
| B. *Operated* | 34 | 6.0 | 13 | 2 | 2 | 5 | 9 | 11 | 14 | 15 |
| **1. SINGLE DX** | 122 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | 124 | 5.3 | 11 | 2 | 2 | 5 | 6 | 9 | 12 | 18 |
| **A. NOT OPERATED** | 198 | 4.7 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| **B. OPERATED** | 48 | 6.1 | 11 | 2 | 2 | 5 | 8 | 11 | 13 | 15 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 4.8 | 5 | 3 | 3 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 6 | 7.7 | 29 | 3 | 3 | 6 | 9 | 17 | 18 | 18 |
| 6-12 YRS | 35 | 5.3 | 9 | 2 | 2 | 5 | 7 | 9 | 10 | 17 |
| 13-19 YRS | 200 | 4.8 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 16 |
| **GRAND TOTAL** | **246** | **5.0** | **10** | **1** | **2** | **4** | **6** | **9** | **10** | **17** |

### 191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 4 | 5.3 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 34 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 9.5 | 25 | 6 | 6 | 9 | 13 | 13 | 13 | 13 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 20 | 7.4 | 12 | 3 | 4 | 7 | 9 | 11 | 15 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 4.6 | 5 | 1 | 1 | 5 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 6 | 6.0 | 12 | 3 | 3 | 4 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 7 | 11.1 | 170 | 2 | 3 | 6 | 10 | 34 | 40 | 40 |
| 13-19 YRS | 28 | 4.9 | 8 | 1 | 1 | 4 | 7 | 9 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 25 | 7.2 | 8 | 3 | 3 | 7 | 9 | 10 | 12 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 4.2 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. *Operated* | 24 | 7.3 | 13 | 3 | 3 | 6 | 9 | 12 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 46 | 6.0 | 34 | 1 | 2 | 5 | 8 | 10 | 11 | 40 |
| B. *Operated* | 27 | 7.5 | 8 | 3 | 3 | 7 | 9 | 11 | 12 | 14 |
| **1. SINGLE DX** | 66 | 5.3 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | 73 | 6.5 | 25 | 1 | 2 | 6 | 9 | 10 | 11 | 34 |
| **A. NOT OPERATED** | 88 | 5.1 | 20 | 1 | 2 | 4 | 6 | 9 | 10 | 29 |
| **B. OPERATED** | 51 | 7.4 | 10 | 3 | 3 | 7 | 9 | 11 | 13 | 18 |
| TOTAL 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 8 | 5.6 | 13 | 1 | 2 | 5 | 7 | 11 | 13 | 13 |
| 1-5 YRS | 10 | 6.6 | 12 | 3 | 3 | 5 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 13 | 8.3 | 96 | 2 | 3 | 6 | 7 | 17 | 36 | 40 |
| 13-19 YRS | 107 | 5.7 | 9 | 2 | 2 | 5 | 8 | 10 | 11 | 16 |
| **GRAND TOTAL** | **139** | **6.0** | **18** | **2** | **2** | **5** | **8** | **10** | **11** | **20** |

### 192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 16 | 3.6 | 6 | <1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 6-12 YRS | 129 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 8 | 11 |
| 13-19 YRS | 632 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 7.5 | 41 | 3 | 3 | 7 | 12 | 12 | 12 | 12 |
| 13-19 YRS | 32 | 7.8 | 20 | 2 | 3 | 7 | 10 | 13 | 19 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 8.2 | 90 | 2 | 2 | 5 | 10 | 25 | 25 | 25 |
| 1-11 MOS | 6 | 4.5 | 10 | 2 | 2 | 4 | 6 | 10 | 10 | 10 |
| 1-5 YRS | 7 | 11.1 | 220 | 1 | 1 | 5 | 13 | 37 | 43 | 43 |
| 6-12 YRS | 68 | 5.0 | 17 | 1 | 2 | 4 | 6 | 10 | 12 | 25 |
| 13-19 YRS | 435 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 4 | 6.8 | 24 | 4 | 4 | 5 | 9 | 14 | 14 | 14 |
| 13-19 YRS | 41 | 8.8 | 40 | 2 | 3 | 6 | 12 | 19 | 21 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 780 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| B. *Operated* | 35 | 7.7 | 20 | 2 | 3 | 7 | 10 | 13 | 18 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 521 | 5.0 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| B. *Operated* | 48 | 8.5 | 37 | 2 | 3 | 6 | 11 | 19 | 21 | 26 |
| **1. SINGLE DX** | 815 | 4.2 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 569 | 5.3 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 25 |
| **A. NOT OPERATED** | 1301 | 4.4 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **B. OPERATED** | 83 | 8.2 | 29 | 2 | 3 | 7 | 11 | 17 | 20 | 24 |
| TOTAL 0-27 DYS | 8 | 6.9 | 56 | 2 | 2 | 4 | 6 | 20 | 25 | 25 |
| 1-11 MOS | 9 | 5.3 | 10 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| 1-5 YRS | 24 | 5.8 | 74 | <1 | 1 | 4 | 5 | 11 | 23 | 43 |
| 6-12 YRS | 203 | 4.3 | 10 | 1 | 2 | 4 | 5 | 7 | 10 | 16 |
| 13-19 YRS | 1140 | 4.6 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| **GRAND TOTAL** | **1384** | **4.6** | **12** | **1** | **2** | **4** | **6** | **8** | **10** | **18** |

## 193: Nongastric peptic ulcer with hemorrhage or perforation (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 18 | 5.6 | 7 | 3 | 3 | 5 | 7 | 9 | 11 | 12 |
| 13-19 YRS | 162 | 4.3 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.7 | 8 | 2 | 2 | 2 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 51 | 8.3 | 9 | 4 | 5 | 8 | 10 | 12 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 16 | 5.8 | 12 | 2 | 3 | 5 | 7 | 9 | 14 | 16 |
| 13-19 YRS | 131 | 5.5 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 1-11 MOS | 3 | 8.7 | 69 | 2 | 2 | 6 | 15 | 18 | 18 | 18 |
| 1-5 YRS | 4 | 11.0 | 152 | 3 | 3 | 6 | 19 | 29 | 29 | 29 |
| 6-12 YRS | 3 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 29 | 10.4 | 25 | 4 | 5 | 9 | 13 | 19 | 20 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 184 | 4.5 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | 58 | 7.7 | 11 | 2 | 3 | 7 | 10 | 12 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 5.6 | 11 | 2 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 40 | 10.7 | 54 | 3 | 4 | 9 | 13 | 20 | 26 | 37 |
| **1. SINGLE DX** | 242 | 5.2 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 14 |
| **2. MULTIPLE DX** | 192 | 6.6 | 24 | 2 | 2 | 6 | 8 | 11 | 16 | 26 |
| **A. NOT OPERATED** | 336 | 5.0 | 8 | 2 | 2 | 4 | 7 | 9 | 10 | 16 |
| **B. OPERATED** | 98 | 8.9 | 30 | 2 | 3 | 8 | 10 | 16 | 19 | 33 |
| TOTAL 0-27 DYS | 2 | 23.0 | 392 | 9 | 9 | 23 | 37 | 37 | 37 | 37 |
| 1-11 MOS | 8 | 5.9 | 32 | 1 | 1 | 4 | 8 | 15 | 18 | 18 |
| 1-5 YRS | 13 | 6.3 | 53 | 1 | 2 | 4 | 7 | 13 | 26 | 29 |
| 6-12 YRS | 38 | 5.6 | 8 | 3 | 3 | 5 | 7 | 9 | 11 | 16 |
| 13-19 YRS | 373 | 5.8 | 13 | 2 | 2 | 5 | 8 | 10 | 13 | 18 |
| **GRAND TOTAL** | **434** | **5.8** | **16** | **2** | **2** | **5** | **8** | **10** | **13** | **20** |

## 194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 8 | 7.0 | 9 | 3 | 4 | 6 | 9 | 12 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 7.5 | 5 | 4 | 4 | 7 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 18.8 | 79 | 8 | 8 | 21 | 23 | 30 | 31 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 5.6 | 11 | <1 | 1 | 5 | 7 | 11 | 12 | 12 |
| B. *Operated* | 3 | 9.0 | 4 | 7 | 7 | 9 | 10 | 11 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 8.3 | 9 | 4 | 5 | 8 | 10 | 13 | 13 | 13 |
| B. *Operated* | 6 | 18.8 | 79 | 8 | 8 | 21 | 23 | 30 | 31 | 31 |
| **1. SINGLE DX** | 15 | 6.3 | 11 | <1 | 2 | 6 | 9 | 11 | 12 | 12 |
| **2. MULTIPLE DX** | 13 | 13.2 | 67 | 4 | 6 | 9 | 20 | 25 | 30 | 31 |
| **A. NOT OPERATED** | 19 | 6.6 | 11 | 1 | 2 | 7 | 8 | 12 | 13 | 13 |
| **B. OPERATED** | 9 | 15.6 | 75 | 7 | 7 | 11 | 23 | 28 | 31 | 31 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 2 | 7.0 | 72 | <1 | <1 | 6 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 22 | 10.5 | 51 | 4 | 5 | 8 | 11 | 23 | 26 | 31 |
| **GRAND TOTAL** | **28** | **9.5** | **48** | **2** | **3** | **8** | **11** | **22** | **24** | **31** |

### 195: Gastritis and duodenitis (535)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 25 | 3.4 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 1-11 MOS | 162 | 2.9 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 1-5 YRS | 460 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 6-12 YRS | 804 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 1669 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 12 | 4.7 | 7 | <1 | 2 | 4 | 6 | 9 | 9 | 9 |
| 13-19 YRS | 63 | 4.6 | 8 | <1 | 1 | 4 | 6 | 9 | 10 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 23 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 8 |
| 1-11 MOS | 282 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 1-5 YRS | 925 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 6-12 YRS | 1044 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 1953 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 15.6 | 373 | 4 | 4 | 8 | 19 | 50 | 50 | 50 |
| 1-5 YRS | 12 | 6.6 | 15 | 3 | 3 | 5 | 8 | 14 | 15 | 15 |
| 6-12 YRS | 18 | 5.7 | 16 | 1 | 2 | 5 | 6 | 9 | 15 | 19 |
| 13-19 YRS | 141 | 7.1 | 37 | 2 | 3 | 6 | 9 | 12 | 17 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3120 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 78 | 4.6 | 7 | <1 | 1 | 4 | 6 | 9 | 10 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4227 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| B. *Operated* | 176 | 7.2 | 43 | 2 | 3 | 6 | 8 | 12 | 18 | 45 |
| **1. SINGLE DX** | 3198 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 4403 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 7347 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 254 | 6.4 | 34 | 1 | 2 | 5 | 8 | 11 | 13 | 38 |
| TOTAL 0-27 DYS | 49 | 3.8 | 3 | 1 | 2 | 4 | 5 | 7 | 7 | 8 |
| 1-11 MOS | 449 | 3.7 | 11 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| 1-5 YRS | 1399 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| 6-12 YRS | 1878 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 13-19 YRS | 3826 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **GRAND TOTAL** | **7601** | **3.4** | **7** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

### 196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 2.3 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 8 |
| 1-11 MOS | 65 | 3.4 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 22 |
| 1-5 YRS | 60 | 3.3 | 13 | 1 | 1 | 2 | 4 | 6 | 7 | 25 |
| 6-12 YRS | 196 | 3.1 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 417 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 89 | 4.5 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-11 MOS | 213 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 1-5 YRS | 19 | 5.3 | 5 | 2 | 2 | 5 | 6 | 9 | 10 | 10 |
| 6-12 YRS | 6 | 9.2 | 56 | 2 | 2 | 7 | 11 | 22 | 23 | 23 |
| 13-19 YRS | 17 | 9.1 | 79 | 3 | 3 | 7 | 9 | 18 | 33 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 4.1 | 11 | 1 | 1 | 3 | 6 | 9 | 11 | 11 |
| 1-11 MOS | 83 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 11 | 14 |
| 1-5 YRS | 67 | 4.0 | 12 | 1 | 2 | 3 | 5 | 7 | 9 | 23 |
| 6-12 YRS | 193 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 472 | 4.2 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 7.8 | 37 | 2 | 3 | 7 | 8 | 16 | 24 | 24 |
| 1-11 MOS | 40 | 6.6 | 30 | 2 | 2 | 5 | 7 | 10 | 19 | 29 |
| 1-5 YRS | 14 | 9.1 | 49 | 1 | 2 | 7 | 16 | 20 | 21 | 22 |
| 6-12 YRS | 7 | 6.7 | 12 | 1 | 2 | 7 | 9 | 11 | 12 | 12 |
| 13-19 YRS | 43 | 12.1 | 124 | 2 | 3 | 9 | 14 | 27 | 36 | 56 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 749 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 344 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 829 | 4.0 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 114 | 9.1 | 72 | 2 | 3 | 7 | 12 | 19 | 27 | 44 |
| **1. SINGLE DX** | 1093 | 3.7 | 8 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 943 | 4.6 | 18 | 1 | 2 | 4 | 5 | 8 | 12 | 24 |
| **A. NOT OPERATED** | 1578 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| **B. OPERATED** | 458 | 5.9 | 30 | 2 | 2 | 4 | 7 | 10 | 14 | 33 |
| TOTAL 0-27 DYS | 124 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 16 |
| 1-11 MOS | 401 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 10 | 19 |
| 1-5 YRS | 160 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 6-12 YRS | 402 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 11 |
| 13-19 YRS | 949 | 4.2 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 19 |
| **GRAND TOTAL** | **2036** | **4.1** | **13** | **1** | **1** | **3** | **5** | **7** | **9** | **19** |

## 197: Acute appendicitis without peritonitis (540.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 4.6 | 19 | 1 | 1 | 4 | 6 | 12 | 12 | 12 |
| 6-12 YRS | 71 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| 13-19 YRS | 111 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 9 | 4.0 | 3 | 2 | 2 | 4 | 4 | 7 | 8 | 8 |
| 1-5 YRS | 500 | 4.5 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 15 |
| 6-12 YRS | 7256 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 12151 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 40 | 2.0 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 13-19 YRS | 66 | 3.4 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 3 | 7.3 | 24 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| 1-5 YRS | 119 | 6.4 | 16 | 2 | 3 | 5 | 8 | 12 | 16 | 19 |
| 6-12 YRS | 1000 | 5.6 | 15 | 2 | 3 | 4 | 6 | 10 | 14 | 19 |
| 13-19 YRS | 1883 | 5.6 | 15 | 2 | 3 | 5 | 6 | 10 | 13 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 187 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| B. *Operated* | 19920 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| B. *Operated* | 3007 | 5.6 | 15 | 2 | 3 | 4 | 6 | 10 | 13 | 20 |
| **1. SINGLE DX** | 20107 | 3.8 | 3 | 2 | 2 | 4 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 3120 | 5.5 | 15 | 2 | 3 | 4 | 6 | 10 | 13 | 20 |
| **A. NOT OPERATED** | 300 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| **B. OPERATED** | 22927 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 13 |
| TOTAL 0-27 DYS | 6 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 12 | 4.8 | 9 | 2 | 3 | 4 | 5 | 9 | 12 | 13 |
| 1-5 YRS | 631 | 4.8 | 12 | 2 | 2 | 4 | 6 | 9 | 12 | 17 |
| 6-12 YRS | 8367 | 3.9 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 14211 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| **GRAND TOTAL** | **23227** | **4.1** | **5** | **2** | **2** | **4** | **5** | **6** | **8** | **13** |

## 198: Acute appendicitis with peritonitis (540.0-540.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 10 | 12.8 | 9 | 8 | 9 | 13 | 15 | 17 | 17 | 17 |
| 6-12 YRS | 30 | 8.7 | 44 | 1 | 3 | 7 | 13 | 17 | 24 | 29 |
| 13-19 YRS | 33 | 7.2 | 8 | 2 | 3 | 7 | 9 | 11 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 343 | 7.9 | 12 | 3 | 4 | 7 | 10 | 12 | 14 | 21 |
| 6-12 YRS | 1527 | 7.5 | 14 | 3 | 4 | 7 | 9 | 12 | 14 | 21 |
| 13-19 YRS | 1989 | 7.2 | 16 | 3 | 3 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 6-12 YRS | 5 | 9.2 | 27 | 5 | 5 | 8 | 11 | 18 | 18 | 18 |
| 13-19 YRS | 9 | 9.8 | 22 | 1 | 3 | 10 | 13 | 15 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 9.3 | 9 | 6 | 6 | 10 | 11 | 12 | 12 | 12 |
| 1-11 MOS | 4 | 10.5 | 10 | 7 | 7 | 10 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 179 | 11.0 | 31 | 5 | 6 | 10 | 13 | 18 | 23 | 30 |
| 6-12 YRS | 720 | 11.1 | 37 | 4 | 5 | 9 | 14 | 19 | 24 | 32 |
| 13-19 YRS | 746 | 11.0 | 47 | 3 | 4 | 9 | 14 | 20 | 23 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 8.6 | 26 | 2 | 3 | 8 | 11 | 15 | 17 | 28 |
| B. *Operated* | 3862 | 7.4 | 15 | 3 | 3 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 10.1 | 24 | 2 | 5 | 9 | 14 | 17 | 18 | 18 |
| B. *Operated* | 1652 | 11.0 | 41 | 4 | 5 | 9 | 14 | 19 | 24 | 33 |
| **1. SINGLE DX** | 3935 | 7.4 | 15 | 3 | 3 | 7 | 9 | 12 | 14 | 21 |
| **2. MULTIPLE DX** | 1667 | 11.0 | 41 | 4 | 5 | 9 | 14 | 19 | 24 | 33 |
| **A. NOT OPERATED** | 88 | 8.8 | 26 | 2 | 3 | 8 | 11 | 15 | 17 | 27 |
| **B. OPERATED** | 5514 | 8.5 | 25 | 3 | 4 | 7 | 10 | 14 | 18 | 27 |
| TOTAL 0-27 DYS | 4 | 8.8 | 8 | 6 | 6 | 8 | 11 | 12 | 12 | 12 |
| 1-11 MOS | 6 | 8.7 | 14 | 4 | 4 | 8 | 12 | 14 | 14 | 14 |
| 1-5 YRS | 533 | 9.0 | 21 | 4 | 4 | 8 | 11 | 15 | 17 | 26 |
| 6-12 YRS | 2282 | 8.7 | 24 | 3 | 4 | 8 | 10 | 15 | 18 | 27 |
| 13-19 YRS | 2777 | 8.3 | 27 | 3 | 3 | 7 | 10 | 14 | 17 | 27 |
| **GRAND TOTAL** | **5602** | **8.5** | **25** | **3** | **4** | **7** | **10** | **14** | **18** | **27** |

## 199: Disease of appendix, except acute appendicitis (541-543)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 2.6 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 6-12 YRS | 121 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 5 | 7 |
| 13-19 YRS | 239 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 40 | 4.2 | 8 | 2 | 2 | 3 | 5 | 7 | 11 | 15 |
| 6-12 YRS | 646 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 13-19 YRS | 1244 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 5.3 | 62 | 1 | 1 | 2 | 9 | 17 | 17 | 17 |
| 6-12 YRS | 51 | 3.2 | 27 | 1 | 1 | 2 | 3 | 5 | 6 | 38 |
| 13-19 YRS | 133 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 12.0 | 8 | 10 | 10 | 12 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 28 | 7.8 | 46 | 2 | 2 | 5 | 10 | 18 | 24 | 29 |
| 6-12 YRS | 282 | 5.1 | 11 | 2 | 2 | 4 | 6 | 9 | 11 | 15 |
| 13-19 YRS | 687 | 5.2 | 6 | 3 | 3 | 5 | 6 | 8 | 10 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 365 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| B. *Operated* | 1931 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 188 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 15 |
| B. *Operated* | 1000 | 5.2 | 9 | 2 | 3 | 4 | 6 | 8 | 11 | 16 |
| **1. SINGLE DX** | 2296 | 3.9 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | 1188 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 16 |
| **A. NOT OPERATED** | 553 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 2931 | 4.6 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 3 | 10.3 | 12 | 7 | 7 | 10 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 77 | 5.5 | 26 | 1 | 2 | 4 | 6 | 13 | 16 | 27 |
| 6-12 YRS | 1100 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 8 | 12 |
| 13-19 YRS | 2303 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| **GRAND TOTAL** | **3484** | **4.3** | **7** | **1** | **2** | **4** | **5** | **7** | **9** | **13** |

## 200: Inguinal hernia without complication (550.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 25.5 | 1201 | 1 | 1 | 25 | 50 | 50 | 50 | 50 |
| 1-11 MOS | 50 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 1-5 YRS | 45 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| 6-12 YRS | 13 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 34 | 1.9 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 66 | 2.3 | 12 | <1 | <1 | 1 | 2 | 3 | 5 | 25 |
| 1-11 MOS | 2696 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 1-5 YRS | 5331 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 3244 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 4579 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 228 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 1-5 YRS | 315 | 1.4 | 2 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 6-12 YRS | 57 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 6 |
| 13-19 YRS | 48 | 1.8 | 3 | <1 | <1 | 1 | 1 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 43 | 3.3 | 29 | <1 | <1 | 2 | 3 | 5 | 9 | 35 |
| 1-11 MOS | 1962 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 1-5 YRS | 3641 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 1396 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 1194 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 1.8 | 17 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 15916 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 649 | 1.6 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| B. *Operated* | 8236 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **1. SINGLE DX** | 16060 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 8885 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **A. NOT OPERATED** | 793 | 1.6 | 5 | <1 | <1 | 1 | 1 | 3 | 4 | 8 |
| **B. OPERATED** | 24152 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | 112 | 3.1 | 39 | <1 | <1 | 2 | 3 | 4 | 7 | 41 |
| 1-11 MOS | 4936 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 1-5 YRS | 9332 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 6-12 YRS | 4710 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 13-19 YRS | 5855 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **GRAND TOTAL** | **24945** | **2.2** | **3** | **<1** | **<1** | **2** | **3** | **4** | **5** | **7** |

## 201: Inguinal hernia, complicated (550.0-550.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 12 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 19 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 2 |
| 6-12 YRS | 6 | 1.7 | 3 | <1 | <1 | 1 | 1 | 5 | 5 | 5 |
| 13-19 YRS | 5 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 47 | 2.4 | 5 | 1 | 1 | 2 | 2 | 5 | 9 | 10 |
| 1-11 MOS | 425 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 1-5 YRS | 327 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 61 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 140 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 13 | 2.5 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 1-5 YRS | 15 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 4.5 | 18 | <1 | <1 | 3 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 35 | 2.9 | 6 | 1 | 1 | 2 | 3 | 7 | 8 | 11 |
| 1-11 MOS | 280 | 2.9 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 23 |
| 1-5 YRS | 203 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 16 |
| 6-12 YRS | 43 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 13-19 YRS | 56 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| B. *Operated* | 1000 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 617 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| **1. SINGLE DX** | 1043 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 655 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 81 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| **B. OPERATED** | 1617 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| TOTAL 0-27 DYS | 85 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 1-11 MOS | 730 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 1-5 YRS | 564 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 6-12 YRS | 112 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 13-19 YRS | 207 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| **GRAND TOTAL** | 1698 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |

## 202: Umbilical hernia without complication (553.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 18 | 2.5 | 9 | <1 | <1 | 1 | 2 | 8 | 11 | 11 |
| 6-12 YRS | 6 | 2.2 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 3 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 309 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 1-5 YRS | 1567 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 675 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 304 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 49 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 10 |
| 1-5 YRS | 82 | 2.6 | 24 | <1 | <1 | 1 | 2 | 5 | 7 | 32 |
| 6-12 YRS | 13 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 3 | 3 |
| 13-19 YRS | 6 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 51 | 99+ | 99+ | 99+ | 99+ |
| 1-11 MOS | 104 | 2.9 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 56 |
| 1-5 YRS | 303 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 6-12 YRS | 130 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 91 | 3.8 | 5 | 1 | 2 | 3 | 4 | 7 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 33 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 9 | 11 |
| B. *Operated* | 2857 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 2.4 | 15 | <1 | <1 | 1 | 2 | 6 | 6 | 24 |
| B. *Operated* | 629 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| **1. SINGLE DX** | 2890 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 779 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **A. NOT OPERATED** | 183 | 2.4 | 13 | <1 | <1 | 1 | 2 | 5 | 7 | 21 |
| **B. OPERATED** | 3486 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| TOTAL 0-27 DYS | 3 | 2.0 | | 2 | 2 | 2 | 51 | 99+ | 99+ | 99+ |
| 1-11 MOS | 468 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 1-5 YRS | 1970 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 824 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 404 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | 3669 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |

## 203: Ventral hernia without complication (553.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 7 | 2.0 | 5 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 32 | 3.5 | 16 | <1 | <1 | 2 | 4 | 7 | 8 | 22 |
| 1-5 YRS | 114 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 6 | 12 |
| 6-12 YRS | 153 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 249 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 4 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 1-5 YRS | 4 | 2.5 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 7 | 6.0 | 16 | 2 | 2 | 6 | 7 | 13 | 14 | 14 |
| 1-5 YRS | 48 | 3.0 | 8 | <1 | <1 | 2 | 3 | 7 | 10 | 14 |
| 6-12 YRS | 42 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 76 | 4.0 | 6 | 2 | 2 | 4 | 4 | 6 | 9 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 7 |
| B. *Operated* | 549 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.7 | 7 | <1 | <1 | 1 | 4 | 8 | 9 | 9 |
| B. *Operated* | 174 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 10 | 14 |
| **1. SINGLE DX** | 562 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | 189 | 3.5 | 7 | <1 | 1 | 3 | 4 | 6 | 9 | 14 |
| **A. NOT OPERATED** | 28 | 2.2 | 5 | <1 | <1 | 1 | 2 | 6 | 8 | 9 |
| **B. OPERATED** | 723 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| TOTAL 0-27 DYS | 4 | 7.8 | 2 | 6 | 6 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 44 | 3.7 | 15 | <1 | <1 | 2 | 5 | 7 | 10 | 22 |
| 1-5 YRS | 169 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 8 | 12 |
| 6-12 YRS | 201 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 333 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **GRAND TOTAL** | **751** | **2.8** | **4** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

## 204: Diaphragmatic hernia without complication (553.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 22 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 5 | 4.6 | 23 | <1 | <1 | 2 | 8 | 12 | 12 | 12 |
| 1-5 YRS | 14 | 6.3 | 126 | 2 | 2 | 2 | 4 | 14 | 37 | 44 |
| 6-12 YRS | 5 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 10 | 5.3 | 7 | 1 | 2 | 5 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 6 | 3.7 | 3 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 5 | 4.0 | 8 | 2 | 2 | 2 | 6 | 8 | 8 | 8 |
| 13-19 YRS | 65 | 4.6 | 9 | 1 | 1 | 4 | 5 | 9 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 17.4 | 114 | 3 | 4 | 22 | 29 | 79 | 99+ | 99+ |
| 1-5 YRS | 6 | 17.7 | 120 | 2 | 2 | 21 | 24 | 30 | 31 | 31 |
| 6-12 YRS | 6 | 7.8 | 14 | 1 | 2 | 8 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 27 | 9.4 | 106 | 2 | 2 | 7 | 9 | 22 | 33 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| B. *Operated* | 33 | 5.2 | 64 | 1 | 1 | 2 | 5 | 11 | 18 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 87 | 4.6 | 9 | 1 | 1 | 4 | 6 | 9 | 10 | 15 |
| B. *Operated* | 46 | 11.5 | 106 | 2 | 2 | 8 | 18 | 29 | 34 | 99+ |
| **1. SINGLE DX** | 63 | 4.7 | 36 | 1 | 1 | 3 | 5 | 9 | 11 | 41 |
| **2. MULTIPLE DX** | 133 | 7.0 | 53 | 1 | 2 | 5 | 8 | 17 | 25 | 57 |
| **A. NOT OPERATED** | 117 | 4.5 | 8 | 1 | 1 | 4 | 5 | 9 | 10 | 14 |
| **B. OPERATED** | 79 | 8.9 | 97 | 1 | 2 | 6 | 11 | 25 | 31 | 85 |
| TOTAL 0-27 DYS | 3 | 10.0 | 81 | 1 | 1 | 10 | 17 | 19 | 19 | 19 |
| 1-11 MOS | 24 | 8.4 | 73 | <1 | 1 | 6 | 10 | 26 | 48 | 99+ |
| 1-5 YRS | 28 | 8.1 | 112 | 1 | 2 | 3 | 9 | 23 | 32 | 44 |
| 6-12 YRS | 19 | 4.5 | 12 | 1 | 1 | 3 | 8 | 10 | 11 | 11 |
| 13-19 YRS | 122 | 5.6 | 33 | 1 | 2 | 4 | 7 | 9 | 13 | 35 |
| **GRAND TOTAL** | **196** | **6.3** | **48** | **1** | **2** | **4** | **7** | **12** | **22** | **47** |

## 205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 27 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 6-12 YRS | 32 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 54 | 3.8 | 2 | 1 | 2 | 4 | 5 | 5 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 3 | 4.3 | 12 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 5 | 3.0 | 9 | 1 | 1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 7 | 3.6 | 22 | <1 | <1 | 2 | 3 | 12 | 14 | 14 |
| 1-5 YRS | 11 | 2.6 | 5 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 6-12 YRS | 8 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 25 | 5.6 | 8 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 119 | 2.7 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 14 | 3.0 | 6 | <1 | 1 | 2 | 4 | 8 | 8 | 8 |
| B. *Operated* | 53 | 4.3 | 11 | 1 | 1 | 4 | 6 | 8 | 12 | 17 |
| **1. SINGLE DX** | 121 | 2.7 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | 67 | 4.0 | 10 | 1 | 1 | 3 | 6 | 8 | 9 | 16 |
| **A. NOT OPERATED** | 16 | 2.9 | 5 | <1 | 1 | 2 | 4 | 7 | 8 | 8 |
| **B. OPERATED** | 172 | 3.2 | 6 | <1 | 1 | 3 | 4 | 6 | 7 | 14 |
| TOTAL 0-27 DYS | 2 | 8.5 | 41 | 4 | 4 | 8 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 19 | 2.8 | 9 | <1 | <1 | 2 | 3 | 5 | 10 | 14 |
| 1-5 YRS | 41 | 2.0 | 3 | <1 | <1 | 2 | 2 | 4 | 7 | 8 |
| 6-12 YRS | 41 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 85 | 4.3 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| **GRAND TOTAL** | **188** | **3.2** | **6** | **<1** | **1** | **3** | **4** | **6** | **7** | **14** |

## 206: Complicated hernia of abdominal cavity, except inguinal (551-552)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 6 | 2.3 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 26 | 2.2 | 4 | <1 | 1 | 2 | 3 | 4 | 8 | 8 |
| 1-5 YRS | 78 | 3.1 | 36 | 1 | 1 | 2 | 3 | 4 | 6 | 41 |
| 6-12 YRS | 43 | 3.0 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| 13-19 YRS | 71 | 3.6 | 6 | 1 | 2 | 3 | 4 | 7 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 5 | 4.0 | 14 | 1 | 1 | 2 | 7 | 9 | 9 | 9 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 12 | 3.9 | 10 | 1 | 1 | 3 | 5 | 10 | 11 | 11 |
| 1-5 YRS | 15 | 4.6 | 9 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| 6-12 YRS | 6 | 9.2 | 87 | 2 | 2 | 6 | 10 | 25 | 27 | 27 |
| 13-19 YRS | 20 | 9.5 | 109 | 2 | 2 | 5 | 11 | 31 | 33 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 2.7 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | 219 | 3.1 | 16 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 2.9 | 8 | <1 | <1 | 2 | 3 | 8 | 9 | 9 |
| B. *Operated* | 55 | 6.8 | 57 | 1 | 2 | 4 | 8 | 12 | 30 | 35 |
| **1. SINGLE DX** | 231 | 3.1 | 16 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 65 | 6.2 | 52 | 1 | 1 | 4 | 7 | 11 | 28 | 34 |
| **A. NOT OPERATED** | 22 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| **B. OPERATED** | 274 | 3.9 | 27 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| TOTAL 0-27 DYS | 3 | 4.7 | 5 | 2 | 2 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 44 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| 1-5 YRS | 100 | 3.3 | 30 | 1 | 1 | 2 | 3 | 6 | 8 | 32 |
| 6-12 YRS | 51 | 3.8 | 18 | 1 | 1 | 3 | 4 | 8 | 11 | 27 |
| 13-19 YRS | 98 | 4.7 | 32 | 1 | 2 | 3 | 4 | 8 | 14 | 33 |
| **GRAND TOTAL** | **296** | **3.8** | **25** | **1** | **1** | **3** | **4** | **7** | **10** | **31** |

## 207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 1.5 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 1-11 MOS | 100 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 1-5 YRS | 158 | 2.4 | 9 | 1 | 1 | 2 | 2 | 5 | 7 | 11 |
| 6-12 YRS | 78 | 4.5 | 15 | 1 | 2 | 4 | 5 | 8 | 11 | 23 |
| 13-19 YRS | 192 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 144 | 6.5 | 69 | 2 | 3 | 5 | 7 | 9 | 12 | 48 |
| 1-5 YRS | 106 | 6.3 | 9 | 2 | 3 | 6 | 8 | 10 | 12 | 16 |
| 6-12 YRS | 71 | 7.7 | 12 | 3 | 4 | 7 | 9 | 11 | 16 | 19 |
| 13-19 YRS | 182 | 9.0 | 24 | 4 | 5 | 8 | 10 | 15 | 18 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 4.9 | 10 | 2 | 2 | 5 | 6 | 10 | 11 | 11 |
| 1-11 MOS | 65 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 16 |
| 1-5 YRS | 103 | 5.1 | 25 | 1 | 1 | 4 | 6 | 11 | 15 | 27 |
| 6-12 YRS | 64 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 10 | 17 |
| 13-19 YRS | 134 | 5.1 | 18 | 1 | 1 | 4 | 7 | 10 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 8.0 | 13 | 4 | 4 | 10 | 34 | 99+ | 99+ | 99+ |
| 1-11 MOS | 101 | 9.5 | 115 | 3 | 3 | 7 | 10 | 17 | 28 | 64 |
| 1-5 YRS | 123 | 9.1 | 46 | 3 | 4 | 8 | 10 | 14 | 20 | 39 |
| 6-12 YRS | 82 | 8.3 | 24 | 4 | 4 | 7 | 10 | 13 | 16 | 32 |
| 13-19 YRS | 225 | 12.3 | 90 | 5 | 6 | 10 | 14 | 20 | 32 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 532 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 8 | 17 |
| B. *Operated* | 504 | 7.5 | 33 | 3 | 3 | 7 | 9 | 12 | 16 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 373 | 4.8 | 17 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | 535 | 10.4 | 76 | 3 | 4 | 8 | 12 | 18 | 26 | 53 |
| **1. SINGLE DX** | 1036 | 5.4 | 25 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 908 | 8.1 | 59 | 1 | 2 | 6 | 10 | 15 | 20 | 42 |
| **A. NOT OPERATED** | 905 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 1039 | 9.0 | 57 | 3 | 4 | 7 | 10 | 15 | 20 | 44 |
| TOTAL 0-27 DYS | 16 | 4.6 | 13 | 1 | 1 | 4 | 7 | 12 | 69 | 99+ |
| 1-11 MOS | 410 | 5.8 | 61 | 1 | 1 | 4 | 7 | 10 | 14 | 37 |
| 1-5 YRS | 490 | 5.5 | 28 | 1 | 1 | 4 | 7 | 11 | 14 | 29 |
| 6-12 YRS | 295 | 6.3 | 19 | 2 | 2 | 6 | 8 | 10 | 16 | 23 |
| 13-19 YRS | 733 | 8.1 | 50 | 1 | 2 | 7 | 10 | 15 | 19 | 42 |
| **GRAND TOTAL** | **1944** | **6.7** | **43** | **1** | **1** | **5** | **8** | **12** | **16** | **34** |

## 208: Noninfectious gastroenteritis and colitis (558)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 522 | 3.9 | 7 | 1 | 2 | 3 | 5 | 6 | 8 | 17 |
| 1-11 MOS | 5879 | 3.9 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| 1-5 YRS | 7148 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 6-12 YRS | 4429 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 5024 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.8 | 5 | 4 | 4 | 5 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 47 | 8.2 | 73 | <1 | 1 | 5 | 9 | 19 | 32 | 38 |
| 1-5 YRS | 54 | 3.8 | 12 | <1 | <1 | 3 | 4 | 8 | 11 | 16 |
| 6-12 YRS | 77 | 4.5 | 9 | 1 | 2 | 4 | 5 | 9 | 10 | 18 |
| 13-19 YRS | 244 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 539 | 5.3 | 15 | 2 | 2 | 4 | 6 | 10 | 11 | 18 |
| 1-11 MOS | 9355 | 4.7 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 18 |
| 1-5 YRS | 11506 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 6-12 YRS | 3507 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 13-19 YRS | 3363 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 7.7 | 23 | <1 | 1 | 7 | 10 | 15 | 16 | 16 |
| 1-11 MOS | 215 | 10.2 | 114 | 3 | 3 | 6 | 10 | 24 | 36 | 52 |
| 1-5 YRS | 148 | 7.7 | 100 | 2 | 3 | 5 | 8 | 14 | 32 | 99+ |
| 6-12 YRS | 74 | 6.0 | 15 | 2 | 3 | 5 | 7 | 11 | 14 | 20 |
| 13-19 YRS | 192 | 7.0 | 43 | 1 | 2 | 6 | 8 | 13 | 17 | 33 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 23002 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | 426 | 5.0 | 16 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28270 | 3.9 | 8 | 1 | 2 | 3 | 5 | 7 | 8 | 14 |
| B. *Operated* | 643 | 8.1 | 78 | 2 | 3 | 6 | 8 | 16 | 24 | 60 |
| **1. SINGLE DX** | 23428 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | 28913 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 51272 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 1069 | 6.9 | 56 | 1 | 2 | 5 | 7 | 12 | 19 | 44 |
| TOTAL 0-27 DYS | 1079 | 4.6 | 12 | 1 | 2 | 4 | 5 | 8 | 11 | 18 |
| 1-11 MOS | 15496 | 4.5 | 12 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| 1-5 YRS | 18856 | 3.5 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 12 |
| 6-12 YRS | 8087 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 8823 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **GRAND TOTAL** | **52341** | **3.6** | **8** | **1** | **1** | **3** | **4** | **6** | **8** | **13** |

## 209: Diverticula of intestine (562)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 4 | 6.8 | 8 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| 6-12 YRS | 3 | 7.3 | 44 | 3 | 3 | 4 | 12 | 15 | 15 | 15 |
| 13-19 YRS | 13 | 4.2 | 5 | <1 | 1 | 3 | 5 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 9.5 | 113 | 2 | 2 | 9 | 17 | 17 | 17 | 17 |
| 1-5 YRS | 4 | 8.8 | 26 | 4 | 4 | 7 | 12 | 16 | 16 | 16 |
| 6-12 YRS | 2 | 12.0 | 72 | 6 | 6 | 12 | 18 | 18 | 18 | 18 |
| 13-19 YRS | 12 | 5.7 | 4 | 2 | 3 | 5 | 7 | 8 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 15.3 | 72 | 7 | 7 | 15 | 22 | 24 | 24 | 24 |
| 1-11 MOS | 8 | 5.5 | 8 | 2 | 2 | 5 | 8 | 9 | 10 | 10 |
| 1-5 YRS | 9 | 6.2 | 35 | <1 | 1 | 5 | 7 | 15 | 21 | 21 |
| 6-12 YRS | 4 | 4.5 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 7 | 3.7 | 4 | 1 | 1 | 4 | 4 | 6 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 9.7 | 9 | 7 | 7 | 9 | 12 | 13 | 13 | 13 |
| 1-5 YRS | 3 | 16.7 | 1 | 16 | 16 | 16 | 18 | 18 | 18 | 18 |
| 6-12 YRS | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 11 | 12.8 | 185 | 4 | 5 | 9 | 12 | 30 | 51 | 53 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 5.0 | 11 | 1 | 2 | 4 | 6 | 10 | 12 | 15 |
| B. *Operated* | 20 | 7.3 | 21 | 2 | 3 | 6 | 8 | 16 | 17 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 6.1 | 27 | 1 | 2 | 4 | 7 | 12 | 21 | 24 |
| B. *Operated* | 20 | 12.7 | 105 | 5 | 6 | 10 | 15 | 17 | 35 | 53 |
| **1. SINGLE DX** | 44 | 6.0 | 17 | 2 | 2 | 5 | 8 | 11 | 16 | 18 |
| **2. MULTIPLE DX** | 51 | 8.7 | 67 | 2 | 3 | 7 | 10 | 16 | 21 | 53 |
| **A. NOT OPERATED** | 55 | 5.6 | 20 | 1 | 2 | 4 | 7 | 10 | 15 | 24 |
| **B. OPERATED** | 40 | 10.0 | 69 | 3 | 4 | 8 | 12 | 17 | 18 | 53 |
| TOTAL 0-27 DYS | 5 | 13.2 | 45 | 7 | 7 | 10 | 17 | 24 | 24 | 24 |
| 1-11 MOS | 16 | 6.1 | 20 | 2 | 2 | 5 | 8 | 13 | 16 | 17 |
| 1-5 YRS | 20 | 8.4 | 34 | 1 | 2 | 7 | 13 | 17 | 19 | 21 |
| 6-12 YRS | 11 | 7.9 | 31 | 3 | 3 | 5 | 13 | 17 | 18 | 18 |
| 13-19 YRS | 43 | 6.7 | 61 | 1 | 2 | 5 | 8 | 10 | 13 | 53 |
| **GRAND TOTAL** | 95 | 7.5 | 45 | 2 | 3 | 6 | 9 | 16 | 18 | 40 |

## 210: Anal fissure, fistula, and abscess (565-566)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 18 | 3.7 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 1-5 YRS | 31 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 6-12 YRS | 13 | 3.0 | 4 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 13-19 YRS | 59 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 98 | 2.4 | 5 | <1 | <1 | 2 | 3 | 5 | 6 | 13 |
| 1-5 YRS | 64 | 2.8 | 6 | <1 | <1 | 2 | 3 | 7 | 8 | 11 |
| 6-12 YRS | 53 | 2.9 | 2 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 503 | 3.6 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 2.8 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 32 | 4.3 | 26 | 1 | 1 | 3 | 5 | 9 | 16 | 26 |
| 1-5 YRS | 27 | 4.3 | 7 | 1 | 1 | 4 | 6 | 7 | 9 | 12 |
| 6-12 YRS | 28 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 42 | 3.9 | 7 | 1 | 1 | 3 | 5 | 6 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 5.6 | 2 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 43 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 1-5 YRS | 28 | 4.6 | 29 | 1 | 2 | 3 | 5 | 10 | 14 | 28 |
| 6-12 YRS | 21 | 5.2 | 29 | <1 | 1 | 4 | 6 | 11 | 20 | 23 |
| 13-19 YRS | 283 | 4.6 | 11 | 1 | 2 | 4 | 5 | 7 | 9 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 125 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 721 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 3.8 | 10 | 1 | 1 | 3 | 5 | 6 | 9 | 18 |
| B. *Operated* | 380 | 4.4 | 13 | 1 | 2 | 4 | 5 | 8 | 9 | 22 |
| **1. SINGLE DX** | 846 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 518 | 4.3 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| **A. NOT OPERATED** | 263 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **B. OPERATED** | 1101 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 15 |
| TOTAL 0-27 DYS | 21 | 3.4 | 3 | 1 | 1 | 3 | 5 | 6 | 7 | 7 |
| 1-11 MOS | 191 | 2.9 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| 1-5 YRS | 150 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| 6-12 YRS | 115 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 19 |
| 13-19 YRS | 887 | 3.9 | 9 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **GRAND TOTAL** | 1364 | 3.7 | 9 | 1 | 1 | 3 | 5 | 6 | 8 | 15 |

## 211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 29 | 4.1 | 16 | <1 | 1 | 3 | 4 | 10 | 14 | 17 |
| 1-11 MOS | 110 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 13 |
| 1-5 YRS | 510 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 901 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 1764 | 4.4 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 11.0 | 154 | <1 | <1 | 3 | 21 | 29 | 29 | 29 |
| 1-11 MOS | 21 | 4.3 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 12 |
| 1-5 YRS | 194 | 3.9 | 16 | <1 | 1 | 2 | 5 | 9 | 11 | 21 |
| 6-12 YRS | 233 | 5.8 | 40 | <1 | 1 | 4 | 7 | 12 | 17 | 36 |
| 13-19 YRS | 587 | 7.8 | 44 | 1 | 2 | 6 | 10 | 15 | 21 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 37 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| 1-11 MOS | 126 | 4.1 | 7 | 1 | 2 | 3 | 5 | 8 | 9 | 13 |
| 1-5 YRS | 405 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| 6-12 YRS | 759 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 13-19 YRS | 1517 | 5.2 | 21 | 1 | 2 | 4 | 6 | 9 | 12 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 21.7 | 889 | 2 | 3 | 10 | 66 | 96 | 99+ | 99+ |
| 1-11 MOS | 36 | 7.4 | 61 | 2 | 2 | 5 | 9 | 14 | 18 | 45 |
| 1-5 YRS | 128 | 6.4 | 33 | 1 | 1 | 5 | 8 | 12 | 16 | 32 |
| 6-12 YRS | 191 | 7.8 | 62 | 1 | 2 | 5 | 10 | 16 | 24 | 40 |
| 13-19 YRS | 733 | 11.0 | 108 | 2 | 3 | 8 | 14 | 23 | 30 | 62 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3314 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| B. *Operated* | 1040 | 6.6 | 40 | 1 | 1 | 5 | 8 | 14 | 19 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2844 | 4.5 | 16 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| B. *Operated* | 1094 | 9.9 | 97 | 2 | 2 | 7 | 12 | 21 | 28 | 61 |
| **1. SINGLE DX** | 4354 | 4.5 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | 3938 | 6.0 | 45 | 1 | 1 | 4 | 7 | 12 | 17 | 35 |
| **A. NOT OPERATED** | 6158 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **B. OPERATED** | 2134 | 8.3 | 72 | 1 | 2 | 6 | 10 | 17 | 24 | 43 |
| TOTAL 0-27 DYS | 77 | 5.8 | 100 | 1 | 1 | 3 | 6 | 12 | 21 | 95 |
| 1-11 MOS | 293 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| 1-5 YRS | 1237 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| 6-12 YRS | 2084 | 4.1 | 19 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| 13-19 YRS | 4601 | 6.1 | 42 | 1 | 2 | 4 | 7 | 12 | 17 | 33 |
| **GRAND TOTAL** | **8292** | **5.2** | **32** | **1** | **1** | **4** | **6** | **10** | **15** | **30** |

## 212: Alcoholic liver disease (571.0-571.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 9.8 | 134 | 1 | 1 | 5 | 13 | 30 | 32 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 32.5 | 113 | 25 | 25 | 32 | 40 | 40 | 40 | 40 |
| 1-5 YRS | 3 | 5.7 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 5 | 4.4 | 10 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 14 | 21.7 | 192 | 2 | 4 | 23 | 28 | 32 | 50 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6 | 9.8 | 134 | 1 | 1 | 5 | 13 | 30 | 32 | 32 |
| B. *Operated* | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 17.0 | 201 | 2 | 3 | 15 | 26 | 31 | 44 | 55 |
| B. *Operated* | 4 | 6.8 | 14 | 2 | 2 | 7 | 9 | 11 | 11 | 11 |
| **1. SINGLE DX** | 7 | 10.7 | 117 | 1 | 2 | 5 | 15 | 29 | 32 | 32 |
| **2. MULTIPLE DX** | 28 | 15.5 | 186 | 2 | 2 | 9 | 25 | 30 | 41 | 55 |
| **A. NOT OPERATED** | 30 | 15.6 | 191 | 1 | 2 | 9 | 26 | 31 | 40 | 55 |
| **B. OPERATED** | 5 | 8.6 | 28 | 2 | 2 | 8 | 12 | 16 | 16 | 16 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 24.3 | 256 | 8 | 8 | 25 | 36 | 40 | 40 | 40 |
| 1-5 YRS | 3 | 5.7 | 6 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 5 | 4.4 | 10 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 23 | 17.0 | 184 | 1 | 2 | 16 | 27 | 30 | 40 | 55 |
| **GRAND TOTAL** | **35** | **14.6** | **172** | **1** | **2** | **8** | **25** | **30** | **38** | **55** |

## 213: Other cirrhosis and chronic liver disease (571.4-571.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 7 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 3 | 4.0 | 3 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 17 | 4.4 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 3.3 | 5 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 7 | 4.7 | 13 | 1 | 1 | 4 | 6 | 11 | 12 | 12 |
| 6-12 YRS | 14 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 13-19 YRS | 47 | 3.1 | 10 | <1 | 1 | 2 | 4 | 6 | 12 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 10.5 | 1 | 10 | 10 | 10 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 3 | 5.0 | 7 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 10 | 4.0 | 10 | 1 | 1 | 3 | 7 | 9 | 10 | 10 |
| 6-12 YRS | 6 | 3.0 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 13-19 YRS | 33 | 5.8 | 23 | 1 | 2 | 4 | 7 | 12 | 18 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 6.6 | 26 | 1 | 1 | 5 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 5 | 4.0 | 7 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 6-12 YRS | 4 | 6.0 | 31 | 1 | 1 | 5 | 10 | 13 | 13 | 13 |
| 13-19 YRS | 42 | 8.7 | 78 | 2 | 2 | 6 | 10 | 18 | 30 | 42 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 3.6 | 8 | <1 | 1 | 2 | 5 | 7 | 11 | 12 |
| B. *Operated* | 72 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 11 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 5.3 | 18 | 1 | 1 | 4 | 7 | 10 | 14 | 20 |
| B. *Operated* | 56 | 7.9 | 64 | 1 | 2 | 5 | 10 | 15 | 28 | 41 |
| **1. SINGLE DX** | 102 | 3.4 | 9 | <1 | 1 | 2 | 4 | 6 | 11 | 14 |
| **2. MULTIPLE DX** | 110 | 6.6 | 43 | 1 | 2 | 5 | 9 | 13 | 18 | 35 |
| **A. NOT OPERATED** | 84 | 4.7 | 15 | 1 | 1 | 3 | 7 | 10 | 12 | 19 |
| **B. OPERATED** | 128 | 5.3 | 38 | 1 | 1 | 3 | 6 | 12 | 14 | 33 |
| TOTAL 0-27 DYS | 3 | 7.3 | 30 | 1 | 1 | 10 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 14 | 4.6 | 13 | 1 | 1 | 3 | 6 | 12 | 12 | 12 |
| 1-5 YRS | 29 | 3.7 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 12 |
| 6-12 YRS | 27 | 3.6 | 8 | 1 | 1 | 2 | 5 | 8 | 10 | 13 |
| 13-19 YRS | 139 | 5.6 | 38 | 1 | 1 | 3 | 7 | 13 | 16 | 32 |
| **GRAND TOTAL** | **212** | **5.1** | **29** | **1** | **1** | **3** | **6** | **11** | **14** | **30** |

## 214: Miscellaneous diseases of liver (570; 572-573)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 7 | 7.7 | 25 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 1-5 YRS | 33 | 5.3 | 85 | 1 | 1 | 3 | 5 | 7 | 12 | 55 |
| 6-12 YRS | 56 | 6.1 | 28 | 2 | 2 | 5 | 8 | 12 | 13 | 32 |
| 13-19 YRS | 209 | 5.7 | 12 | 2 | 2 | 5 | 7 | 10 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 7 | 9.7 | 71 | 3 | 3 | 7 | 12 | 24 | 27 | 27 |
| 13-19 YRS | 21 | 6.6 | 36 | 1 | 1 | 7 | 10 | 13 | 18 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 8.6 | 58 | 1 | 1 | 5 | 12 | 21 | 22 | 22 |
| 1-5 YRS | 17 | 6.6 | 26 | <1 | 1 | 5 | 12 | 13 | 16 | 18 |
| 6-12 YRS | 54 | 5.2 | 11 | 2 | 2 | 4 | 6 | 11 | 13 | 16 |
| 13-19 YRS | 132 | 6.4 | 18 | 2 | 2 | 6 | 8 | 11 | 16 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 12.4 | 157 | 3 | 3 | 8 | 17 | 34 | 34 | 34 |
| 1-5 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 7 | 9.4 | 69 | 2 | 2 | 8 | 14 | 23 | 25 | 25 |
| 13-19 YRS | 30 | 12.2 | 106 | 2 | 2 | 11 | 15 | 23 | 27 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 306 | 5.8 | 23 | 2 | 2 | 5 | 7 | 11 | 13 | 22 |
| B. *Operated* | 32 | 7.0 | 42 | 1 | 1 | 6 | 11 | 14 | 23 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 212 | 6.2 | 19 | 2 | 2 | 5 | 8 | 12 | 16 | 22 |
| B. *Operated* | 44 | 11.4 | 100 | 2 | 2 | 10 | 15 | 24 | 29 | 51 |
| **1. SINGLE DX** | 338 | 5.9 | 25 | 1 | 2 | 5 | 7 | 11 | 14 | 24 |
| **2. MULTIPLE DX** | 256 | 7.1 | 36 | 2 | 2 | 5 | 9 | 14 | 20 | 27 |
| **A. NOT OPERATED** | 518 | 6.0 | 21 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| **B. OPERATED** | 76 | 9.5 | 80 | 1 | 2 | 8 | 13 | 22 | 26 | 47 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 23 | 8.6 | 64 | 1 | 2 | 5 | 12 | 20 | 26 | 34 |
| 1-5 YRS | 54 | 5.7 | 61 | 1 | 1 | 4 | 6 | 13 | 13 | 53 |
| 6-12 YRS | 124 | 6.1 | 26 | 2 | 2 | 5 | 7 | 12 | 14 | 29 |
| 13-19 YRS | 392 | 6.5 | 25 | 2 | 2 | 5 | 8 | 12 | 16 | 23 |
| **GRAND TOTAL** | **594** | **6.4** | **30** | **2** | **2** | **5** | **8** | **12** | **16** | **26** |

## 215: Gallbladder disease with calculus (574.0-574.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 7 | 2.6 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 200 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 9.0 | 41 | 5 | 5 | 6 | 12 | 20 | 20 | 20 |
| 1-11 MOS | 6 | 8.3 | 5 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 6 | 4.5 | 5 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 29 | 5.9 | 11 | 2 | 2 | 6 | 7 | 9 | 10 | 19 |
| 13-19 YRS | 1170 | 7.2 | 7 | 4 | 5 | 7 | 8 | 11 | 13 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 5.3 | 9 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 5 | 5.6 | 13 | 2 | 2 | 5 | 8 | 11 | 11 | 11 |
| 6-12 YRS | 5 | 5.0 | 17 | 2 | 2 | 3 | 7 | 12 | 12 | 12 |
| 13-19 YRS | 124 | 4.3 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 9.0 | 4 | 6 | 6 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 14 | 9.3 | 10 | 5 | 6 | 9 | 12 | 14 | 14 | 14 |
| 1-5 YRS | 5 | 8.6 | 63 | 1 | 1 | 7 | 15 | 20 | 20 | 20 |
| 6-12 YRS | 14 | 9.0 | 12 | 3 | 5 | 9 | 11 | 12 | 16 | 17 |
| 13-19 YRS | 577 | 9.2 | 20 | 5 | 5 | 8 | 11 | 15 | 17 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 209 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| B. *Operated* | 1216 | 7.2 | 8 | 4 | 5 | 6 | 8 | 11 | 13 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 139 | 4.4 | 9 | 1 | 1 | 3 | 5 | 9 | 11 | 15 |
| B. *Operated* | 614 | 9.2 | 20 | 5 | 5 | 8 | 11 | 14 | 17 | 24 |
| **1. SINGLE DX** | 1425 | 6.6 | 9 | 2 | 3 | 6 | 8 | 10 | 12 | 16 |
| **2. MULTIPLE DX** | 753 | 8.3 | 22 | 2 | 3 | 7 | 10 | 14 | 16 | 23 |
| **A. NOT OPERATED** | 348 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 1830 | 7.8 | 13 | 4 | 5 | 7 | 9 | 12 | 14 | 20 |
| TOTAL 0-27 DYS | 11 | 7.9 | 23 | 3 | 3 | 6 | 10 | 14 | 20 | 20 |
| 1-11 MOS | 24 | 8.5 | 9 | 4 | 5 | 8 | 11 | 13 | 14 | 14 |
| 1-5 YRS | 17 | 6.1 | 23 | 1 | 2 | 6 | 7 | 13 | 18 | 20 |
| 6-12 YRS | 55 | 6.2 | 14 | 2 | 2 | 6 | 8 | 11 | 12 | 19 |
| 13-19 YRS | 2071 | 7.2 | 14 | 2 | 3 | 6 | 9 | 12 | 14 | 20 |
| **GRAND TOTAL** | **2178** | **7.2** | **14** | **2** | **3** | **6** | **9** | **12** | **14** | **20** |

## 216: Gallbladder disease without mention of calculus (575)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 5 | 6.8 | 20 | 2 | 2 | 7 | 10 | 13 | 13 | 13 |
| 13-19 YRS | 174 | 3.8 | 6 | 1 | 2 | 3 | 5 | 7 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 7.3 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 126 | 7.6 | 12 | 4 | 5 | 7 | 9 | 12 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 5.7 | 22 | 2 | 2 | 4 | 9 | 11 | 11 | 11 |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 10 | 4.8 | 4 | 2 | 2 | 5 | 6 | 7 | 8 | 8 |
| 13-19 YRS | 167 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 9.3 | 16 | 6 | 6 | 8 | 12 | 15 | 15 | 15 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 5.3 | 5 | 4 | 4 | 4 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 114 | 9.2 | 24 | 4 | 6 | 8 | 10 | 14 | 18 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 183 | 3.9 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 15 |
| B. *Operated* | 131 | 7.6 | 11 | 4 | 5 | 7 | 9 | 11 | 16 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 184 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 9 | 12 |
| B. *Operated* | 122 | 9.1 | 23 | 4 | 5 | 8 | 10 | 14 | 18 | 32 |
| **1. SINGLE DX** | 314 | 5.4 | 12 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 306 | 6.4 | 19 | 2 | 2 | 6 | 8 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 367 | 4.2 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 13 |
| **B. OPERATED** | 253 | 8.3 | 18 | 4 | 5 | 7 | 9 | 13 | 17 | 25 |
| TOTAL 0-27 DYS | 4 | 5.3 | 13 | 2 | 2 | 4 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 11 | 6.2 | 17 | 1 | 2 | 5 | 8 | 13 | 15 | 15 |
| 1-5 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 21 | 5.7 | 8 | 2 | 2 | 5 | 7 | 9 | 11 | 13 |
| 13-19 YRS | 581 | 5.9 | 16 | 1 | 2 | 5 | 8 | 10 | 13 | 20 |
| **GRAND TOTAL** | **620** | **5.9** | **16** | **1** | **2** | **5** | **8** | **10** | **13** | **20** |

## 217: Diseases of bile ducts with calculus (574.3-574.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 10 | 4.9 | 17 | 1 | 1 | 3 | 6 | 12 | 14 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 37 | 9.8 | 21 | 5 | 6 | 9 | 12 | 17 | 19 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 12 | 4.2 | 5 | 1 | 2 | 4 | 5 | 8 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 28 | 10.1 | 19 | 5 | 5 | 9 | 12 | 16 | 18 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 4.6 | 16 | 1 | 1 | 3 | 5 | 12 | 14 | 14 |
| B. *Operated* | 38 | 9.9 | 22 | 5 | 6 | 9 | 12 | 17 | 19 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 4.6 | 7 | 1 | 2 | 4 | 7 | 9 | 10 | 10 |
| B. *Operated* | 30 | 10.4 | 19 | 5 | 6 | 10 | 12 | 16 | 18 | 23 |
| **1. SINGLE DX** | 49 | 8.7 | 25 | 2 | 3 | 8 | 11 | 16 | 18 | 24 |
| **2. MULTIPLE DX** | 45 | 8.5 | 22 | 2 | 3 | 7 | 11 | 15 | 17 | 23 |
| **A. NOT OPERATED** | 26 | 4.6 | 10 | 1 | 2 | 3 | 6 | 10 | 11 | 14 |
| **B. OPERATED** | 68 | 10.1 | 20 | 5 | 6 | 9 | 12 | 17 | 18 | 24 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 6-12 YRS | 4 | 10.0 | 35 | 2 | 2 | 11 | 14 | 16 | 16 | 16 |
| 13-19 YRS | 87 | 8.6 | 23 | 2 | 3 | 8 | 11 | 15 | 18 | 24 |
| **GRAND TOTAL** | 94 | 8.6 | 23 | 2 | 3 | 8 | 11 | 16 | 18 | 24 |

## 218: Diseases of bile ducts without mention of calculus (576)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 7.7 | 24 | 2 | 2 | 10 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 5 | 5.6 | 7 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 10 | 6.0 | 20 | 1 | 1 | 4 | 10 | 13 | 13 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 7 | 8.4 | 65 | 1 | 1 | 5 | 17 | 19 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 7 | 14.1 | 15 | 10 | 10 | 14 | 15 | 21 | 22 | 22 |
| 1-5 YRS | 4 | 7.0 | 12 | 2 | 2 | 8 | 9 | 10 | 10 | 10 |
| 6-12 YRS | 3 | 7.7 | 33 | 1 | 1 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 12 | 4.6 | 6 | <1 | 1 | 4 | 6 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 10.7 | 16 | 7 | 7 | 10 | 14 | 15 | 15 | 15 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 15 | 15.1 | 76 | 2 | 2 | 15 | 18 | 25 | 33 | 36 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 5.7 | 15 | <1 | 1 | 4 | 8 | 12 | 13 | 13 |
| B. *Operated* | 10 | 8.3 | 48 | 1 | 1 | 7 | 13 | 18 | 19 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 7.8 | 26 | 1 | 2 | 8 | 11 | 14 | 16 | 22 |
| B. *Operated* | 18 | 14.4 | 67 | 2 | 3 | 15 | 17 | 24 | 32 | 36 |
| **1. SINGLE DX** | 31 | 6.5 | 26 | 1 | 1 | 5 | 10 | 13 | 18 | 19 |
| **2. MULTIPLE DX** | 45 | 10.4 | 52 | 1 | 2 | 10 | 15 | 19 | 23 | 36 |
| **A. NOT OPERATED** | 48 | 6.9 | 22 | 1 | 1 | 6 | 10 | 13 | 14 | 22 |
| **B. OPERATED** | 28 | 12.2 | 67 | 1 | 2 | 13 | 17 | 20 | 26 | 36 |
| TOTAL 0-27 DYS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 14 | 11.9 | 20 | 3 | 6 | 12 | 14 | 16 | 21 | 22 |
| 1-5 YRS | 10 | 6.5 | 9 | <1 | 1 | 7 | 8 | 9 | 10 | 10 |
| 6-12 YRS | 6 | 5.0 | 22 | 1 | 1 | 3 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 44 | 9.1 | 60 | 1 | 2 | 6 | 15 | 19 | 22 | 36 |
| **GRAND TOTAL** | 76 | 8.8 | 45 | 1 | 2 | 8 | 13 | 17 | 20 | 33 |

## 219: Diseases of pancreas (577)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 14 | 7.7 | 8 | 4 | 5 | 7 | 8 | 12 | 14 | 15 |
| 6-12 YRS | 43 | 5.6 | 10 | 1 | 2 | 5 | 8 | 8 | 11 | 17 |
| 13-19 YRS | 297 | 5.5 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 7 | 13.7 | 120 | 2 | 3 | 8 | 25 | 29 | 29 | 29 |
| 13-19 YRS | 26 | 10.2 | 57 | 1 | 2 | 10 | 13 | 23 | 26 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 3 | 9.0 | 129 | 1 | 1 | 4 | 17 | 22 | 22 | 22 |
| 1-5 YRS | 13 | 7.8 | 46 | 1 | 2 | 7 | 8 | 15 | 26 | 28 |
| 6-12 YRS | 41 | 8.2 | 99 | 1 | 2 | 5 | 10 | 16 | 19 | 62 |
| 13-19 YRS | 229 | 6.7 | 40 | 2 | 2 | 5 | 8 | 11 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 24.0 | 392 | 10 | 10 | 24 | 38 | 38 | 38 | 38 |
| 6-12 YRS | 5 | 8.2 | 7 | 5 | 5 | 8 | 10 | 12 | 12 | 12 |
| 13-19 YRS | 58 | 18.9 | 311 | 3 | 4 | 13 | 23 | 42 | 57 | 90 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 356 | 5.6 | 10 | 1 | 2 | 5 | 7 | 9 | 11 | 17 |
| B. *Operated* | 34 | 10.9 | 67 | 1 | 2 | 9 | 13 | 25 | 29 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 287 | 7.0 | 49 | 2 | 2 | 5 | 8 | 12 | 17 | 36 |
| B. *Operated* | 65 | 18.2 | 293 | 3 | 5 | 12 | 20 | 41 | 56 | 89 |
| **1. SINGLE DX** | 390 | 6.0 | 17 | 1 | 2 | 5 | 8 | 11 | 13 | 25 |
| **2. MULTIPLE DX** | 352 | 9.1 | 112 | 2 | 3 | 6 | 10 | 17 | 28 | 62 |
| **A. NOT OPERATED** | 643 | 6.2 | 28 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| **B. OPERATED** | 99 | 15.7 | 227 | 2 | 3 | 11 | 17 | 32 | 47 | 82 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 5 | 6.2 | 80 | 1 | 1 | 3 | 8 | 22 | 22 | 22 |
| 1-5 YRS | 30 | 8.8 | 53 | 2 | 3 | 7 | 9 | 13 | 28 | 38 |
| 6-12 YRS | 96 | 7.4 | 58 | 2 | 2 | 6 | 8 | 13 | 18 | 47 |
| 13-19 YRS | 610 | 7.4 | 66 | 2 | 2 | 5 | 8 | 13 | 18 | 46 |
| **GRAND TOTAL** | 742 | 7.5 | 65 | 2 | 2 | 6 | 8 | 13 | 18 | 44 |

## 220: Gastrointestinal hemorrhage (578)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 24 | 3.2 | 7 | <1 | 1 | 3 | 4 | 7 | 10 | 11 |
| 1-11 MOS | 64 | 3.0 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 10 |
| 1-5 YRS | 116 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 6-12 YRS | 83 | 3.6 | 12 | 1 | 1 | 3 | 4 | 7 | 8 | 23 |
| 13-19 YRS | 165 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 6 | 3.7 | 5 | 2 | 2 | 3 | 4 | 8 | 8 | 8 |
| 6-12 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 11 | 5.8 | 14 | 1 | 2 | 5 | 7 | 11 | 15 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 19 | 5.0 | 11 | 1 | 1 | 5 | 8 | 10 | 12 | 13 |
| 1-11 MOS | 53 | 4.4 | 15 | 1 | 1 | 3 | 5 | 9 | 13 | 20 |
| 1-5 YRS | 143 | 4.0 | 23 | 1 | 1 | 3 | 4 | 6 | 10 | 34 |
| 6-12 YRS | 107 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 16 |
| 13-19 YRS | 284 | 4.2 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 7.7 | 9 | 5 | 5 | 7 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 17 | 7.5 | 46 | 1 | 1 | 7 | 8 | 19 | 24 | 25 |
| 6-12 YRS | 16 | 6.9 | 35 | 1 | 1 | 6 | 10 | 12 | 20 | 24 |
| 13-19 YRS | 56 | 9.2 | 53 | 2 | 3 | 7 | 11 | 17 | 25 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 452 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 20 | 5.0 | 10 | 1 | 2 | 4 | 6 | 8 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 606 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| B. *Operated* | 93 | 8.4 | 47 | 1 | 2 | 7 | 11 | 16 | 24 | 36 |
| **1. SINGLE DX** | 472 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | 699 | 4.7 | 21 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| **A. NOT OPERATED** | 1058 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **B. OPERATED** | 113 | 7.8 | 42 | 1 | 2 | 6 | 10 | 15 | 23 | 35 |
| TOTAL 0-27 DYS | 44 | 4.1 | 10 | 1 | 1 | 3 | 5 | 9 | 10 | 13 |
| 1-11 MOS | 121 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 1-5 YRS | 282 | 3.7 | 17 | 1 | 1 | 3 | 4 | 6 | 9 | 28 |
| 6-12 YRS | 208 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 13-19 YRS | 516 | 4.6 | 17 | 1 | 1 | 4 | 6 | 8 | 11 | 24 |
| **GRAND TOTAL** | 1171 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 23 |

### 221: Intestinal malabsorption (579)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 59 | 3.5 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 159 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 10 | 17 |
| 1-5 YRS | 60 | 4.5 | 9 | 1 | 1 | 4 | 5 | 10 | 11 | 14 |
| 6-12 YRS | 15 | 3.7 | 6 | 2 | 2 | 3 | 5 | 6 | 10 | 11 |
| 13-19 YRS | 7 | 7.6 | 33 | 3 | 3 | 4 | 11 | 17 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 13.3 | 246 | 1 | 1 | 8 | 25 | 31 | 31 | 31 |
| 1-5 YRS | 13 | 2.8 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 9 |
| 6-12 YRS | 5 | 2.4 | 10 | <1 | <1 | 1 | 3 | 8 | 8 | 8 |
| 13-19 YRS | 3 | 21.0 | 192 | 13 | 13 | 13 | 31 | 37 | 37 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 33 | 4.3 | 7 | 2 | 2 | 3 | 6 | 8 | 11 | 12 |
| 1-11 MOS | 178 | 5.3 | 16 | 2 | 2 | 4 | 6 | 9 | 14 | 22 |
| 1-5 YRS | 75 | 6.2 | 24 | 2 | 2 | 5 | 8 | 12 | 16 | 24 |
| 6-12 YRS | 13 | 3.8 | 4 | 1 | 2 | 3 | 5 | 7 | 9 | 9 |
| 13-19 YRS | 8 | 8.6 | 65 | 2 | 3 | 5 | 11 | 23 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 12 | 10.8 | 118 | 4 | 4 | 8 | 11 | 23 | 41 | 44 |
| 1-5 YRS | 5 | 11.2 | 65 | 5 | 5 | 8 | 16 | 24 | 24 | 24 |
| 6-12 YRS | 7 | 18.1 | 1283 | <1 | <1 | 5 | 10 | 81 | 99 | 99+ |
| 13-19 YRS | 7 | 7.0 | 11 | 1 | 2 | 9 | 9 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 300 | 4.2 | 8 | 1 | 2 | 3 | 5 | 7 | 10 | 16 |
| B. *Operated* | 24 | 6.3 | 88 | <1 | <1 | 2 | 8 | 15 | 33 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 307 | 5.4 | 18 | 2 | 2 | 4 | 6 | 10 | 14 | 24 |
| B. *Operated* | 32 | 11.4 | 317 | 1 | 2 | 7 | 10 | 17 | 42 | 99 |
| **1. SINGLE DX** | 324 | 4.3 | 14 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | 339 | 6.0 | 49 | 2 | 2 | 4 | 7 | 11 | 15 | 26 |
| **A. NOT OPERATED** | 607 | 4.8 | 14 | 2 | 2 | 4 | 6 | 9 | 11 | 22 |
| **B. OPERATED** | 56 | 9.2 | 222 | <1 | 1 | 5 | 10 | 14 | 35 | 96 |
| TOTAL 0-27 DYS | 93 | 3.8 | 4 | 2 | 2 | 3 | 5 | 7 | 7 | 12 |
| 1-11 MOS | 352 | 5.0 | 19 | 2 | 2 | 4 | 6 | 9 | 12 | 22 |
| 1-5 YRS | 153 | 5.4 | 19 | 1 | 2 | 4 | 7 | 10 | 14 | 24 |
| 6-12 YRS | 40 | 6.1 | 234 | <1 | 1 | 3 | 8 | 8 | 11 | 99 |
| 13-19 YRS | 25 | 9.4 | 66 | 2 | 3 | 8 | 12 | 18 | 29 | 37 |
| **GRAND TOTAL** | **663** | **5.2** | **32** | **1** | **2** | **4** | **6** | **9** | **13** | **25** |

### 222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 7 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 164 | 6.9 | 24 | 1 | 2 | 6 | 9 | 14 | 18 | 24 |
| 6-12 YRS | 128 | 7.3 | 34 | 1 | 2 | 6 | 9 | 15 | 18 | 33 |
| 13-19 YRS | 90 | 5.5 | 12 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 33 | 5.0 | 22 | 1 | 2 | 3 | 6 | 11 | 16 | 22 |
| 6-12 YRS | 49 | 4.7 | 18 | 1 | 2 | 3 | 6 | 10 | 16 | 18 |
| 13-19 YRS | 111 | 4.4 | 16 | 2 | 2 | 3 | 5 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 91 | 7.9 | 29 | 2 | 2 | 6 | 11 | 16 | 20 | 21 |
| 6-12 YRS | 112 | 5.7 | 16 | 1 | 2 | 5 | 7 | 11 | 12 | 20 |
| 13-19 YRS | 106 | 6.6 | 28 | 1 | 2 | 5 | 8 | 14 | 19 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 2 | 11.0 | 32 | 7 | 7 | 11 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 15 | 8.7 | 113 | 1 | 1 | 5 | 14 | 39 | 83 | 99+ |
| 6-12 YRS | 27 | 5.4 | 20 | 1 | 2 | 4 | 7 | 14 | 16 | 16 |
| 13-19 YRS | 116 | 8.8 | 87 | 1 | 2 | 6 | 12 | 16 | 25 | 52 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 390 | 6.7 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 23 |
| B. *Operated* | 194 | 4.5 | 17 | 2 | 2 | 3 | 6 | 10 | 15 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 313 | 6.6 | 24 | 1 | 2 | 5 | 9 | 13 | 17 | 22 |
| B. *Operated* | 162 | 8.2 | 77 | 1 | 2 | 5 | 11 | 16 | 24 | 61 |
| **1. SINGLE DX** | 584 | 6.0 | 23 | 1 | 2 | 4 | 8 | 12 | 16 | 23 |
| **2. MULTIPLE DX** | 475 | 7.2 | 43 | 1 | 2 | 5 | 9 | 15 | 19 | 38 |
| **A. NOT OPERATED** | 703 | 6.7 | 25 | 1 | 2 | 5 | 9 | 13 | 17 | 23 |
| **B. OPERATED** | 356 | 6.2 | 48 | 1 | 2 | 3 | 8 | 14 | 18 | 45 |
| TOTAL 0-27 DYS | 3 | 5.3 | 9 | 2 | 2 | 6 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 14 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 14 | 15 |
| 1-5 YRS | 303 | 7.1 | 30 | 1 | 2 | 6 | 10 | 15 | 19 | 24 |
| 6-12 YRS | 316 | 6.1 | 25 | 1 | 2 | 5 | 8 | 13 | 16 | 24 |
| 13-19 YRS | 423 | 6.4 | 40 | 2 | 2 | 4 | 8 | 13 | 18 | 27 |
| **GRAND TOTAL** | **1059** | **6.5** | **32** | **1** | **2** | **5** | **9** | **13** | **17** | **26** |

## 223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 50 | 4.6 | 6 | 2 | 2 | 4 | 6 | 6 | 11 | 13 |
| 6-12 YRS | 127 | 5.9 | 13 | 2 | 2 | 5 | 7 | 11 | 13 | 19 |
| 13-19 YRS | 59 | 4.9 | 11 | 1 | 2 | 4 | 6 | 8 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 10.0 | 166 | 2 | 2 | 5 | 18 | 29 | 29 | 29 |
| 6-12 YRS | 8 | 5.6 | 32 | 2 | 2 | 4 | 6 | 15 | 19 | 19 |
| 13-19 YRS | 16 | 4.9 | 16 | 1 | 1 | 4 | 6 | 8 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 43 | 6.3 | 25 | 1 | 2 | 5 | 8 | 13 | 17 | 25 |
| 6-12 YRS | 77 | 7.2 | 15 | 2 | 3 | 6 | 10 | 13 | 14 | 15 |
| 13-19 YRS | 45 | 7.5 | 29 | 2 | 3 | 7 | 9 | 15 | 21 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 5.4 | 9 | 1 | 1 | 6 | 7 | 9 | 9 | 9 |
| 6-12 YRS | 6 | 7.0 | 19 | 2 | 2 | 7 | 10 | 13 | 13 | 13 |
| 13-19 YRS | 23 | 9.3 | 47 | 1 | 2 | 9 | 12 | 18 | 25 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 238 | 5.4 | 11 | 2 | 2 | 5 | 6 | 10 | 12 | 18 |
| B. *Operated* | 28 | 5.8 | 38 | 1 | 2 | 4 | 7 | 14 | 20 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 165 | 7.1 | 21 | 2 | 3 | 6 | 9 | 13 | 15 | 25 |
| B. *Operated* | 34 | 8.3 | 38 | 1 | 2 | 7 | 12 | 16 | 23 | 26 |
| **1. SINGLE DX** | 266 | 5.4 | 14 | 2 | 2 | 5 | 6 | 10 | 13 | 19 |
| **2. MULTIPLE DX** | 199 | 7.3 | 24 | 2 | 2 | 6 | 10 | 13 | 16 | 25 |
| **A. NOT OPERATED** | 403 | 6.1 | 16 | 2 | 2 | 5 | 7 | 12 | 14 | 20 |
| **B. OPERATED** | 62 | 7.2 | 39 | 1 | 2 | 6 | 9 | 16 | 21 | 29 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 102 | 5.6 | 20 | 1 | 2 | 5 | 6 | 11 | 14 | 27 |
| 6-12 YRS | 218 | 6.4 | 15 | 2 | 2 | 6 | 8 | 12 | 14 | 19 |
| 13-19 YRS | 143 | 6.4 | 25 | 1 | 2 | 5 | 7 | 13 | 17 | 26 |
| **GRAND TOTAL** | **465** | **6.2** | **19** | **2** | **2** | **5** | **8** | **12** | **15** | **24** |

## 224: Chronic renal failure (585)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-5 YRS | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 7 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 13-19 YRS | 6 | 3.8 | 5 | <1 | <1 | 4 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 6.5 | 83 | 1 | 1 | 3 | 12 | 20 | 20 | 20 |
| 6-12 YRS | 21 | 9.5 | 186 | <1 | <1 | 3 | 11 | 34 | 42 | 48 |
| 13-19 YRS | 44 | 8.7 | 82 | <1 | 1 | 5 | 12 | 23 | 34 | 99+ |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 15.5 | 18 | 11 | 11 | 15 | 18 | 21 | 21 | 21 |
| 1-5 YRS | 10 | 11.3 | 347 | 1 | 1 | 4 | 8 | 41 | 62 | 62 |
| 6-12 YRS | 25 | 5.7 | 40 | <1 | 1 | 2 | 6 | 16 | 22 | 23 |
| 13-19 YRS | 36 | 4.1 | 17 | <1 | 1 | 3 | 6 | 10 | 13 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 6.7 | 2 | 5 | 5 | 7 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 32 | 7.2 | 84 | <1 | 1 | 4 | 7 | 27 | 35 | 99+ |
| 13-19 YRS | 135 | 7.9 | 78 | <1 | <1 | 4 | 11 | 19 | 27 | 38 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.2 | 14 | <1 | <1 | 2 | 4 | 6 | 12 | 17 |
| B. *Operated* | 69 | 8.8 | 111 | <1 | 1 | 4 | 11 | 24 | 38 | 90 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 6.2 | 74 | <1 | 1 | 3 | 7 | 16 | 21 | 52 |
| B. *Operated* | 170 | 7.8 | 78 | <1 | <1 | 4 | 11 | 21 | 32 | 88 |
| **1. SINGLE DX** | 88 | 7.6 | 95 | <1 | 1 | 3 | 9 | 22 | 33 | 80 |
| **2. MULTIPLE DX** | 245 | 7.3 | 77 | <1 | <1 | 4 | 10 | 19 | 26 | 63 |
| **A. NOT OPERATED** | 94 | 5.6 | 63 | <1 | 1 | 3 | 6 | 14 | 20 | 45 |
| **B. OPERATED** | 239 | 8.1 | 87 | <1 | <1 | 4 | 11 | 22 | 33 | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 15.8 | 14 | 11 | 11 | 16 | 21 | 92 | 99+ | 99+ |
| 1-5 YRS | 22 | 7.6 | 176 | 1 | 1 | 4 | 7 | 20 | 37 | 62 |
| 6-12 YRS | 85 | 6.9 | 91 | <1 | 1 | 3 | 6 | 22 | 34 | 81 |
| 13-19 YRS | 221 | 7.3 | 69 | <1 | <1 | 4 | 10 | 19 | 26 | 40 |
| **GRAND TOTAL** | **333** | **7.4** | **81** | **<1** | **<1** | **4** | **10** | **20** | **28** | **67** |

## 225: Other renal failure (584; 586)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 10 | 7.7 | 74 | 1 | 1 | 5 | 6 | 23 | 26 | 26 |
| 6-12 YRS | 6 | 7.3 | 64 | 1 | 1 | 4 | 13 | 20 | 21 | 21 |
| 13-19 YRS | 9 | 5.3 | 39 | 1 | 1 | 2 | 7 | 16 | 20 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 7 | 4.9 | 18 | <1 | <1 | 3 | 9 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 11 | 7.8 | 30 | <1 | 1 | 9 | 12 | 15 | 16 | 16 |
| 1-5 YRS | 12 | 6.0 | 24 | 1 | 1 | 4 | 9 | 14 | 15 | 15 |
| 6-12 YRS | 12 | 3.7 | 4 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 19 | 6.1 | 33 | <1 | 1 | 4 | 7 | 16 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 30.0 | 512 | 14 | 14 | 30 | 46 | 46 | 46 | 46 |
| 1-5 YRS | 3 | 13.0 | 49 | 5 | 5 | 15 | 17 | 18 | 18 | 18 |
| 6-12 YRS | 5 | 18.6 | 99 | 7 | 7 | 21 | 29 | 93 | 99+ | 99+ |
| 13-19 YRS | 51 | 4.7 | 69 | <1 | <1 | <1 | 5 | 13 | 16 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 6.5 | 48 | 1 | 1 | 4 | 7 | 20 | 21 | 26 |
| B. *Operated* | 10 | 3.8 | 15 | <1 | <1 | 2 | 8 | 10 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 5.9 | 24 | <1 | 1 | 4 | 8 | 14 | 16 | 21 |
| B. *Operated* | 61 | 7.1 | 109 | <1 | <1 | <1 | 9 | 24 | 39 | 93 |
| **1. SINGLE DX** | 39 | 5.8 | 41 | 1 | 1 | 4 | 8 | 17 | 21 | 26 |
| **2. MULTIPLE DX** | 117 | 6.5 | 68 | <1 | <1 | 3 | 9 | 16 | 24 | 63 |
| **A. NOT OPERATED** | 85 | 6.1 | 32 | 1 | 1 | 4 | 8 | 15 | 21 | 24 |
| **B. OPERATED** | 71 | 6.6 | 97 | <1 | <1 | 1 | 9 | 19 | 34 | 88 |
| TOTAL 0-27 DYS | 3 | 7.3 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 17 | 9.4 | 115 | <1 | 1 | 6 | 13 | 16 | 35 | 46 |
| 1-5 YRS | 26 | 7.3 | 47 | 1 | 1 | 5 | 10 | 18 | 22 | 26 |
| 6-12 YRS | 24 | 7.6 | 69 | 1 | 1 | 4 | 10 | 25 | 47 | 99+ |
| 13-19 YRS | 86 | 5.1 | 53 | <1 | <1 | 2 | 6 | 12 | 20 | 41 |
| **GRAND TOTAL** | 156 | 6.4 | 61 | <1 | <1 | 3 | 9 | 16 | 22 | 46 |

## 226: Acute pyelonephritis (590.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 9 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 7 |
| 1-5 YRS | 153 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 6-12 YRS | 232 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 13-19 YRS | 714 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 18 | 6.3 | 12 | 1 | 2 | 6 | 7 | 10 | 14 | 16 |
| 6-12 YRS | 26 | 6.3 | 9 | 3 | 3 | 6 | 7 | 10 | 12 | 17 |
| 13-19 YRS | 44 | 5.8 | 8 | 3 | 3 | 5 | 7 | 8 | 9 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 22 | 5.0 | 6 | 2 | 3 | 4 | 7 | 9 | 10 | 11 |
| 1-5 YRS | 144 | 4.8 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 11 |
| 6-12 YRS | 168 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 13-19 YRS | 727 | 4.9 | 6 | 2 | 2 | 5 | 6 | 8 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 12.8 | 18 | 10 | 10 | 11 | 15 | 19 | 19 | 19 |
| 1-11 MOS | 6 | 9.8 | 45 | 5 | 5 | 8 | 9 | 22 | 23 | 23 |
| 1-5 YRS | 33 | 6.8 | 22 | 2 | 3 | 5 | 7 | 14 | 19 | 20 |
| 6-12 YRS | 46 | 7.1 | 17 | 2 | 2 | 6 | 9 | 13 | 16 | 17 |
| 13-19 YRS | 112 | 8.3 | 20 | 3 | 4 | 7 | 10 | 15 | 18 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1109 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| B. *Operated* | 90 | 6.1 | 9 | 3 | 3 | 6 | 7 | 9 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1065 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 14 |
| B. *Operated* | 201 | 7.9 | 21 | 3 | 3 | 7 | 9 | 15 | 18 | 21 |
| **1. SINGLE DX** | 1199 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 1266 | 5.3 | 9 | 2 | 2 | 5 | 6 | 9 | 11 | 18 |
| **A. NOT OPERATED** | 2174 | 4.6 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **B. OPERATED** | 291 | 7.3 | 18 | 3 | 3 | 6 | 9 | 14 | 17 | 21 |
| TOTAL 0-27 DYS | 9 | 7.7 | 31 | 2 | 2 | 5 | 11 | 16 | 19 | 19 |
| 1-11 MOS | 39 | 5.6 | 14 | 2 | 3 | 5 | 7 | 9 | 11 | 23 |
| 1-5 YRS | 348 | 4.9 | 7 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| 6-12 YRS | 472 | 4.8 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 13-19 YRS | 1597 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| **GRAND TOTAL** | 2465 | 4.9 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |

## 227: Miscellaneous kidney infections (590.0; 590.2-590.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 19 | 5.5 | 8 | <1 | 1 | 6 | 7 | 9 | 10 | 10 |
| 1-5 YRS | 179 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 10 | 15 |
| 6-12 YRS | 268 | 4.2 | 25 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| 13-19 YRS | 772 | 4.2 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 22 | 3.6 | 8 | <1 | 1 | 3 | 6 | 7 | 10 | 12 |
| 6-12 YRS | 52 | 4.3 | 13 | <1 | 1 | 3 | 6 | 8 | 9 | 22 |
| 13-19 YRS | 88 | 6.5 | 80 | 1 | 1 | 5 | 8 | 11 | 13 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 28 | 5.9 | 10 | 2 | 2 | 6 | 8 | 10 | 11 | 14 |
| 1-5 YRS | 138 | 5.2 | 11 | 2 | 2 | 4 | 7 | 10 | 12 | 17 |
| 6-12 YRS | 164 | 4.7 | 20 | 2 | 2 | 4 | 5 | 8 | 9 | 15 |
| 13-19 YRS | 735 | 4.9 | 11 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 9.2 | 48 | 1 | 2 | 8 | 10 | 21 | 25 | 25 |
| 1-5 YRS | 61 | 6.3 | 23 | <1 | 1 | 5 | 9 | 13 | 15 | 25 |
| 6-12 YRS | 102 | 5.0 | 15 | <1 | 1 | 4 | 7 | 10 | 11 | 18 |
| 13-19 YRS | 215 | 7.6 | 25 | 1 | 2 | 7 | 9 | 13 | 18 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1240 | 4.2 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| B. *Operated* | 163 | 5.4 | 50 | <1 | 1 | 5 | 7 | 10 | 11 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1065 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 15 |
| B. *Operated* | 387 | 6.8 | 24 | 1 | 1 | 6 | 9 | 13 | 16 | 25 |
| **1. SINGLE DX** | 1403 | 4.4 | 14 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 1452 | 5.4 | 16 | 1 | 2 | 5 | 7 | 10 | 12 | 19 |
| **A. NOT OPERATED** | 2305 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 9 | 14 |
| **B. OPERATED** | 550 | 6.3 | 32 | 1 | 1 | 5 | 8 | 12 | 15 | 24 |
| TOTAL 0-27 DYS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 57 | 6.3 | 16 | 1 | 2 | 6 | 8 | 10 | 13 | 24 |
| 1-5 YRS | 400 | 4.9 | 12 | 1 | 2 | 4 | 6 | 9 | 12 | 16 |
| 6-12 YRS | 586 | 4.5 | 21 | 1 | 2 | 4 | 5 | 8 | 9 | 16 |
| 13-19 YRS | 1810 | 5.0 | 14 | 2 | 2 | 4 | 6 | 8 | 11 | 19 |
| **GRAND TOTAL** | **2855** | **4.9** | **15** | **1** | **2** | **4** | **6** | **8** | **11** | **18** |

## 228: Calculus of kidney (592.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 28 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 186 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 23 | 7.6 | 17 | 1 | 2 | 8 | 11 | 14 | 15 | 15 |
| 13-19 YRS | 87 | 7.1 | 20 | 2 | 2 | 7 | 9 | 13 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 4 | 2.0 | 4 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 15 | 4.0 | 5 | 1 | 2 | 3 | 6 | 7 | 8 | 8 |
| 13-19 YRS | 129 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.0 | 19 | 3 | 3 | 4 | 9 | 11 | 11 | 11 |
| 1-5 YRS | 8 | 9.5 | 28 | 2 | 2 | 11 | 13 | 16 | 17 | 17 |
| 6-12 YRS | 26 | 9.7 | 111 | 1 | 2 | 8 | 10 | 14 | 41 | 47 |
| 13-19 YRS | 75 | 10.7 | 62 | 1 | 3 | 9 | 14 | 19 | 26 | 43 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 217 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 114 | 7.4 | 22 | 2 | 2 | 7 | 9 | 13 | 15 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| B. *Operated* | 112 | 10.3 | 69 | 1 | 3 | 8 | 12 | 17 | 27 | 45 |
| **1. SINGLE DX** | 331 | 4.2 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | 262 | 6.5 | 44 | 1 | 1 | 5 | 8 | 13 | 17 | 40 |
| **A. NOT OPERATED** | 367 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 226 | 8.8 | 47 | 2 | 2 | 8 | 11 | 15 | 21 | 41 |
| TOTAL 0-27 DYS | 3 | 11.0 | 156 | 1 | 1 | 7 | 20 | 25 | 25 | 25 |
| 1-11 MOS | 7 | 6.3 | 19 | 2 | 2 | 4 | 10 | 13 | 13 | 13 |
| 1-5 YRS | 14 | 6.9 | 28 | 1 | 1 | 6 | 12 | 13 | 16 | 17 |
| 6-12 YRS | 92 | 6.0 | 45 | 1 | 1 | 4 | 8 | 11 | 14 | 44 |
| 13-19 YRS | 477 | 5.0 | 25 | 1 | 1 | 3 | 7 | 10 | 14 | 26 |
| **GRAND TOTAL** | **593** | **5.2** | **29** | **1** | **1** | **3** | **7** | **11** | **15** | **27** |

## 229: Calculus of ureter (592.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 7 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 4 | 2.5 | 1 | 2 | 2 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 47 | 2.9 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 7 |
| 13-19 YRS | 700 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 6 | 6.0 | 8 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 1-5 YRS | 3 | 8.0 | 67 | 1 | 1 | 6 | 14 | 17 | 17 | 17 |
| 6-12 YRS | 48 | 6.1 | 11 | 2 | 2 | 6 | 8 | 10 | 12 | 18 |
| 13-19 YRS | 353 | 5.4 | 9 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 13.0 | 301 | 2 | 2 | 4 | 26 | 33 | 33 | 33 |
| 6-12 YRS | 11 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 13-19 YRS | 182 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.5 | 25 | 4 | 4 | 7 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 7 | 8.0 | 9 | 4 | 4 | 9 | 11 | 12 | 12 | 12 |
| 6-12 YRS | 13 | 7.2 | 47 | 2 | 2 | 5 | 8 | 14 | 25 | 28 |
| 13-19 YRS | 146 | 7.0 | 22 | 2 | 3 | 5 | 9 | 13 | 16 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 760 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 411 | 5.5 | 10 | 2 | 2 | 5 | 7 | 10 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 200 | 3.0 | 9 | 1 | 1 | 2 | 4 | 5 | 6 | 15 |
| B. *Operated* | 168 | 7.1 | 23 | 2 | 3 | 5 | 9 | 12 | 16 | 27 |
| **1. SINGLE DX** | 1171 | 3.5 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| **2. MULTIPLE DX** | 368 | 4.9 | 19 | 1 | 1 | 4 | 6 | 10 | 12 | 25 |
| **A. NOT OPERATED** | 960 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **B. OPERATED** | 579 | 6.0 | 14 | 2 | 2 | 5 | 8 | 11 | 12 | 20 |
| TOTAL 0-27 DYS | 3 | 7.3 | 72 | <1 | <1 | 4 | 14 | 17 | 17 | 17 |
| 1-11 MOS | 19 | 3.9 | 9 | 1 | 1 | 3 | 4 | 10 | 11 | 11 |
| 1-5 YRS | 17 | 7.6 | 62 | 1 | 2 | 5 | 10 | 16 | 27 | 33 |
| 6-12 YRS | 119 | 4.6 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 21 |
| 13-19 YRS | 1381 | 3.7 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **GRAND TOTAL** | **1539** | **3.9** | **11** | **1** | **1** | **3** | **5** | **8** | **10** | **17** |

## 230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 20 | 4.7 | 23 | 1 | 1 | 3 | 7 | 11 | 16 | 19 |
| 1-5 YRS | 43 | 2.9 | 13 | <1 | <1 | 2 | 3 | 5 | 9 | 21 |
| 6-12 YRS | 39 | 2.7 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 8 |
| 13-19 YRS | 51 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 23 | 7.0 | 39 | <1 | 1 | 6 | 10 | 12 | 21 | 28 |
| 1-5 YRS | 472 | 5.3 | 19 | <1 | 1 | 5 | 8 | 11 | 12 | 17 |
| 6-12 YRS | 460 | 6.4 | 20 | <1 | 1 | 7 | 9 | 12 | 14 | 19 |
| 13-19 YRS | 282 | 7.1 | 29 | 1 | 1 | 7 | 10 | 13 | 17 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.7 | 4 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 34 | 6.9 | 46 | 1 | 1 | 5 | 9 | 15 | 24 | 31 |
| 1-5 YRS | 85 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 6-12 YRS | 61 | 3.6 | 11 | <1 | 1 | 3 | 4 | 7 | 9 | 22 |
| 13-19 YRS | 108 | 3.8 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 13.5 | 221 | 3 | 3 | 13 | 24 | 24 | 24 | 24 |
| 1-11 MOS | 40 | 10.7 | 102 | 1 | 2 | 8 | 14 | 24 | 34 | 47 |
| 1-5 YRS | 522 | 6.3 | 30 | <1 | 1 | 5 | 9 | 13 | 16 | 22 |
| 6-12 YRS | 547 | 7.0 | 37 | <1 | 1 | 7 | 10 | 14 | 17 | 31 |
| 13-19 YRS | 367 | 8.6 | 35 | 1 | 2 | 8 | 11 | 15 | 18 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 153 | 3.0 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 19 |
| B. *Operated* | 1239 | 6.2 | 22 | <1 | 1 | 6 | 9 | 12 | 14 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 294 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| B. *Operated* | 1478 | 7.2 | 37 | <1 | 1 | 7 | 10 | 14 | 17 | 31 |
| **1. SINGLE DX** | 1392 | 5.8 | 22 | <1 | 1 | 5 | 9 | 11 | 14 | 20 |
| **2. MULTIPLE DX** | 1772 | 6.7 | 35 | <1 | 1 | 6 | 10 | 13 | 17 | 29 |
| **A. NOT OPERATED** | 447 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 10 | 22 |
| **B. OPERATED** | 2717 | 6.7 | 31 | <1 | 1 | 7 | 10 | 13 | 16 | 26 |
| TOTAL 0-27 DYS | 10 | 6.1 | 43 | 1 | 1 | 4 | 7 | 16 | 24 | 24 |
| 1-11 MOS | 117 | 7.8 | 64 | 1 | 1 | 6 | 10 | 15 | 26 | 43 |
| 1-5 YRS | 1122 | 5.6 | 24 | <1 | 1 | 4 | 9 | 12 | 14 | 20 |
| 6-12 YRS | 1107 | 6.4 | 29 | <1 | 1 | 6 | 9 | 12 | 15 | 25 |
| 13-19 YRS | 808 | 7.0 | 31 | 1 | 1 | 6 | 10 | 13 | 17 | 26 |
| **GRAND TOTAL** | **3164** | **6.3** | **29** | **<1** | **1** | **6** | **9** | **12** | **16** | **25** |

## 231: Urinary calculus, except kidney and ureter (592.9; 594)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 13-19 YRS | 52 | 2.4 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 5.8 | 63 | 1 | 1 | 2 | 8 | 20 | 21 | 21 |
| 6-12 YRS | 11 | 6.6 | 22 | 1 | 3 | 5 | 8 | 14 | 18 | 18 |
| 13-19 YRS | 28 | 5.4 | 12 | 1 | 1 | 5 | 6 | 12 | 13 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 16 | 4.0 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 6.5 | 14 | 1 | 1 | 7 | 9 | 11 | 12 | 12 |
| 6-12 YRS | 6 | 3.8 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 36 | 6.5 | 33 | 2 | 2 | 4 | 9 | 11 | 15 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 45 | 5.8 | 20 | 1 | 1 | 5 | 7 | 13 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 18 | 3.8 | 3 | 2 | 2 | 4 | 4 | 7 | 7 | 7 |
| B. *Operated* | 51 | 6.1 | 26 | 2 | 2 | 4 | 9 | 11 | 15 | 32 |
| **1. SINGLE DX** | 105 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 12 | 19 |
| **2. MULTIPLE DX** | 69 | 5.5 | 21 | 2 | 2 | 4 | 7 | 10 | 12 | 29 |
| **A. NOT OPERATED** | 78 | 2.7 | 3 | <1 | 1 | 2 | 4 | 5 | 6 | 8 |
| **B. OPERATED** | 96 | 6.0 | 23 | 1 | 2 | 5 | 8 | 12 | 14 | 27 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 6.2 | 32 | 1 | 1 | 6 | 9 | 13 | 19 | 21 |
| 6-12 YRS | 27 | 4.5 | 13 | 1 | 1 | 4 | 5 | 8 | 13 | 18 |
| 13-19 YRS | 132 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **GRAND TOTAL** | 174 | 4.5 | 17 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |

## 232: Cystitis (595)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 6 | 3.7 | 10 | <1 | <1 | 3 | 3 | 9 | 10 | 10 |
| 1-5 YRS | 121 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 6-12 YRS | 177 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 215 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 157 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 6-12 YRS | 248 | 2.2 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 13-19 YRS | 377 | 3.0 | 16 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 5.1 | 2 | 3 | 3 | 6 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 105 | 3.7 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 19 |
| 6-12 YRS | 151 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 308 | 4.0 | 7 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 5 | 4.4 | 8 | 2 | 2 | 4 | 6 | 9 | 9 | 9 |
| 1-5 YRS | 281 | 2.4 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 389 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 589 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 520 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 786 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 572 | 3.8 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| B. *Operated* | 1265 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **1. SINGLE DX** | 1306 | 2.8 | 7 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 1837 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 1092 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 2051 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 7 | 14 |
| TOTAL 0-27 DYS | 4 | 4.0 | 5 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 21 | 4.2 | 6 | 1 | 2 | 3 | 6 | 8 | 9 | 10 |
| 1-5 YRS | 664 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 6-12 YRS | 965 | 2.8 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 1489 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| **GRAND TOTAL** | 3143 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |

## 233: Urethral stricture (598)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 16 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 6-12 YRS | 9 | 2.6 | 4 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 13-19 YRS | 12 | 3.2 | 5 | <1 | 1 | 2 | 5 | 7 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 32 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 6 | 6 |
| 1-5 YRS | 1596 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 1285 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 519 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.8 | 7 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 1-5 YRS | 28 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 26 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 16 | 2.4 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 15 | 2.1 | 4 | 1 | 1 | 1 | 2 | 6 | 7 | 7 |
| 1-5 YRS | 1125 | 1.9 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 1247 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 13-19 YRS | 591 | 3.4 | 21 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 37 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| B. *Operated* | 3433 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 75 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| B. *Operated* | 2978 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| **1. SINGLE DX** | 3470 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 3053 | 2.2 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| **A. NOT OPERATED** | 112 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 6411 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 52 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 7 |
| 1-5 YRS | 2765 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 2567 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 1138 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| **GRAND TOTAL** | 6523 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |

## 234: Miscellaneous urinary diseases (596-597; 599)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 62 | 5.4 | 17 | 2 | 2 | 5 | 6 | 9 | 11 | 27 |
| 1-11 MOS | 288 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-5 YRS | 830 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 6-12 YRS | 717 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 13-19 YRS | 967 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.3 | 7 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 43 | 3.9 | 12 | <1 | 1 | 3 | 5 | 9 | 12 | 14 |
| 1-5 YRS | 746 | 2.2 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 10 |
| 6-12 YRS | 860 | 2.3 | 4 | <1 | <1 | 2 | 2 | 5 | 7 | 10 |
| 13-19 YRS | 772 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 101 | 5.8 | 15 | 2 | 3 | 5 | 7 | 11 | 14 | 21 |
| 1-11 MOS | 524 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 11 | 14 |
| 1-5 YRS | 1109 | 4.1 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 855 | 3.6 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 13-19 YRS | 1516 | 4.3 | 12 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 17 | 6.6 | 29 | 2 | 2 | 4 | 8 | 13 | 19 | 23 |
| 1-11 MOS | 106 | 5.9 | 21 | 1 | 1 | 5 | 8 | 11 | 14 | 22 |
| 1-5 YRS | 1119 | 2.7 | 9 | <1 | 1 | 2 | 3 | 7 | 9 | 14 |
| 6-12 YRS | 1135 | 2.8 | 9 | <1 | 1 | 2 | 3 | 6 | 9 | 15 |
| 13-19 YRS | 1067 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2864 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 2425 | 2.4 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4105 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 9 | 14 |
| B. *Operated* | 3444 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| **1. SINGLE DX** | 5289 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 7549 | 3.8 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 6969 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **B. OPERATED** | 5869 | 2.9 | 10 | <1 | 1 | 2 | 3 | 7 | 9 | 15 |
| TOTAL 0-27 DYS | 184 | 5.7 | 17 | 2 | 2 | 5 | 7 | 11 | 13 | 24 |
| 1-11 MOS | 961 | 4.7 | 10 | 1 | 2 | 4 | 6 | 9 | 11 | 15 |
| 1-5 YRS | 3804 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 6-12 YRS | 3567 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 13-19 YRS | 4322 | 3.7 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **GRAND TOTAL** | 12838 | 3.4 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |

## 235: Hyperplasia of prostate (600)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 7.8 | 7 | 5 | 5 | 7 | 9 | 12 | 13 | 13 |
| 1-5 YRS | 9 | 4.6 | 8 | <1 | <1 | 6 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 10 | 5.8 | 29 | <1 | 1 | 5 | 6 | 13 | 20 | 20 |
| 13-19 YRS | 8 | 4.4 | 8 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 9.0 | 32 | 5 | 5 | 9 | 13 | 13 | 13 | 13 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 15 | 10.3 | 44 | 2 | 2 | 8 | 16 | 19 | 22 | 23 |
| 1-5 YRS | 10 | 5.5 | 15 | 2 | 2 | 4 | 7 | 11 | 15 | 15 |
| 6-12 YRS | 5 | 7.4 | 34 | 2 | 2 | 6 | 10 | 17 | 17 | 17 |
| 13-19 YRS | 9 | 7.0 | 75 | <1 | <1 | 5 | 8 | 21 | 29 | 29 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| B. *Operated* | 35 | 5.6 | 14 | <1 | 1 | 6 | 7 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 4.6 | 16 | 1 | 1 | 4 | 5 | 11 | 13 | 13 |
| B. *Operated* | 40 | 7.9 | 42 | 1 | 2 | 6 | 9 | 18 | 21 | 29 |
| **1. SINGLE DX** | 37 | 5.5 | 14 | <1 | 1 | 6 | 7 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | 47 | 7.4 | 39 | 1 | 2 | 6 | 8 | 17 | 20 | 29 |
| **A. NOT OPERATED** | 9 | 4.2 | 12 | 1 | 1 | 3 | 4 | 10 | 13 | 13 |
| **B. OPERATED** | 75 | 6.8 | 30 | 1 | 2 | 6 | 8 | 16 | 19 | 27 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 24 | 9.2 | 32 | 2 | 3 | 8 | 12 | 19 | 20 | 23 |
| 1-5 YRS | 21 | 5.4 | 13 | <1 | 1 | 5 | 7 | 10 | 14 | 15 |
| 6-12 YRS | 15 | 6.3 | 29 | <1 | 2 | 6 | 6 | 17 | 19 | 20 |
| 13-19 YRS | 23 | 5.0 | 33 | <1 | 1 | 3 | 6 | 8 | 16 | 29 |
| **GRAND TOTAL** | 84 | 6.5 | 29 | 1 | 2 | 6 | 8 | 18 | 19 | 27 |

## 236: Diseases of the prostate, except hypertrophy (601-602)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 52 | 3.3 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 12 | 6.5 | 264 | <1 | <1 | 2 | 3 | 20 | 53 | 58 |
| 13-19 YRS | 72 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 48 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 17.0 | 512 | 1 | 1 | 17 | 33 | 33 | 33 | 33 |
| 6-12 YRS | 5 | 3.0 | 5 | 2 | 2 | 2 | 4 | 7 | 7 | 7 |
| 13-19 YRS | 101 | 3.7 | 13 | 1 | 1 | 2 | 5 | 7 | 12 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 3.3 | 8 | 1 | 1 | 2 | 4 | 8 | 9 | 15 |
| B. *Operated* | 86 | 3.2 | 39 | <1 | 1 | 2 | 3 | 5 | 7 | 41 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 4.2 | 9 | 1 | 2 | 3 | 6 | 7 | 11 | 14 |
| B. *Operated* | 108 | 3.9 | 20 | 1 | 1 | 2 | 5 | 7 | 13 | 27 |
| **1. SINGLE DX** | 138 | 3.2 | 27 | <1 | 1 | 2 | 4 | 6 | 8 | 20 |
| **2. MULTIPLE DX** | 162 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 12 | 21 |
| **A. NOT OPERATED** | 106 | 3.8 | 8 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 194 | 3.6 | 29 | <1 | 1 | 2 | 4 | 7 | 9 | 28 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 4 | 9.3 | 251 | <1 | <1 | 1 | 17 | 33 | 33 | 33 |
| 6-12 YRS | 21 | 5.0 | 150 | <1 | 1 | 2 | 3 | 5 | 30 | 58 |
| 13-19 YRS | 273 | 3.5 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| **GRAND TOTAL** | 300 | 3.6 | 21 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |

## 237: Hydrocele (603)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 1-5 YRS | 16 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 10 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-11 MOS | 159 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 1-5 YRS | 606 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 225 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 13-19 YRS | 390 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 22 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 1-5 YRS | 58 | 1.9 | 7 | <1 | <1 | 1 | 1 | 4 | 5 | 18 |
| 6-12 YRS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 9 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 153 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 1-5 YRS | 633 | 2.1 | 3 | <1 | <1 | 2 | 3 | 3 | 4 | 7 |
| 6-12 YRS | 221 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 210 | 3.5 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 46 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| *B. Operated* | 1383 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 95 | 1.7 | 5 | <1 | <1 | 1 | 2 | 4 | 4 | 14 |
| *B. Operated* | 1219 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 1429 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 1314 | 2.4 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 141 | 1.6 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| **B. OPERATED** | 2602 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | 5 | 2.2 | 1 | <1 | <1 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 350 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 1-5 YRS | 1313 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 462 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 613 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **GRAND TOTAL** | **2743** | **2.3** | **2** | **<1** | **1** | **2** | **3** | **4** | **5** | **7** |

## 238: Orchitis and epididymitis (604)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 14 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 93 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 7 | 10 |
| 13-19 YRS | 446 | 4.2 | 6 | 1 | 2 | 4 | 5 | 8 | 9 | 12 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 9 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 6-12 YRS | 51 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 13-19 YRS | 117 | 4.2 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 8 | 4.1 | 6 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 6-12 YRS | 23 | 5.7 | 15 | 1 | 2 | 5 | 7 | 12 | 15 | 16 |
| 13-19 YRS | 143 | 4.7 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 17 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 14 | 18 |
| 6-12 YRS | 31 | 4.4 | 11 | 1 | 1 | 3 | 6 | 9 | 12 | 14 |
| 13-19 YRS | 89 | 5.3 | 14 | 1 | 2 | 4 | 7 | 11 | 14 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 554 | 4.0 | 6 | 1 | 1 | 4 | 5 | 7 | 9 | 12 |
| *B. Operated* | 180 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 176 | 4.8 | 8 | 1 | 2 | 4 | 6 | 9 | 10 | 15 |
| *B. Operated* | 141 | 4.8 | 14 | 1 | 1 | 4 | 7 | 10 | 13 | 18 |
| **1. SINGLE DX** | 734 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | 317 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 730 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 8 | 13 |
| **B. OPERATED** | 321 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 11 | 17 |
| TOTAL 0-27 DYS | 3 | 5.0 | 16 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 7 | 3.0 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 48 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 18 |
| 6-12 YRS | 198 | 3.7 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 13-19 YRS | 795 | 4.4 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| **GRAND TOTAL** | **1051** | **4.2** | **8** | **1** | **1** | **4** | **5** | **8** | **10** | **14** |

## 239: Redundant prepuce and phimosis (605)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 1-11 MOS | 45 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 1-5 YRS | 526 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 278 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 191 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 372 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 1-5 YRS | 1790 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 1101 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 782 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 2.4 | 4 | <1 | <1 | 1 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 48 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 1-5 YRS | 183 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 61 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 13-19 YRS | 34 | 2.2 | 2 | <1 | <1 | 2 | 3 | 3 | 4 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 64 | 2.3 | 7 | <1 | <1 | 2 | 2 | 4 | 6 | 18 |
| 1-5 YRS | 442 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 300 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 13-19 YRS | 245 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1054 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| B. *Operated* | 4045 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 331 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| B. *Operated* | 1051 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| **1. SINGLE DX** | 5099 | 1.7 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 1382 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **A. NOT OPERATED** | 1385 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **B. OPERATED** | 5096 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| TOTAL 0-27 DYS | 19 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| 1-11 MOS | 529 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 1-5 YRS | 2941 | 1.6 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 1740 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 1252 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **GRAND TOTAL** | **6481** | **1.8** | **1** | **<1** | **<1** | **2** | **2** | **2** | **3** | **5** |

## 240: Miscellaneous diseases of male genital organs (606-608)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 5 | 2.8 | 6 | 1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 1-5 YRS | 55 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 6-12 YRS | 98 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 95 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 27 | 2.4 | 6 | <1 | 1 | 2 | 2 | 3 | 5 | 14 |
| 1-5 YRS | 251 | 2.0 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 728 | 2.1 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 13-19 YRS | 1543 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 5.0 | 18 | <1 | <1 | 4 | 7 | 12 | 13 | 13 |
| 1-5 YRS | 56 | 2.7 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 6-12 YRS | 28 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 60 | 3.4 | 9 | 1 | 1 | 2 | 5 | 7 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 1-11 MOS | 30 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 8 | 9 |
| 1-5 YRS | 179 | 2.3 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| 6-12 YRS | 257 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 13-19 YRS | 520 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 259 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| B. *Operated* | 2554 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 159 | 3.1 | 6 | 1 | 1 | 2 | 4 | 7 | 8 | 13 |
| B. *Operated* | 992 | 3.1 | 7 | 1 | 1 | 2 | 4 | 5 | 8 | 14 |
| **1. SINGLE DX** | 2813 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1151 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 418 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **B. OPERATED** | 3546 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| TOTAL 0-27 DYS | 25 | 3.1 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 69 | 3.2 | 8 | 1 | 1 | 2 | 4 | 8 | 8 | 14 |
| 1-5 YRS | 541 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 6-12 YRS | 1111 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 2218 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **GRAND TOTAL** | **3964** | **2.6** | **4** | **1** | **1** | **2** | **3** | **5** | **6** | **10** |

### 241: Benign mammary dysplasia (610)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 12 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 7 | 3.0 | 3 | <1 | <1 | 3 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 12 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 585 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 11 | 2.9 | 9 | <1 | <1 | 1 | 4 | 8 | 10 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 141 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 15 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| *B. Operated* | 610 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 11 | 2.9 | 9 | <1 | <1 | 1 | 4 | 8 | 10 | 10 |
| *B. Operated* | 152 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **1. SINGLE DX** | 625 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 163 | 2.8 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 26 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 8 | 10 |
| **B. OPERATED** | 762 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| TOTAL 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 7 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 8 | 2.8 | 3 | <1 | <1 | 2 | 4 | 5 | 6 | 6 |
| 6-12 YRS | 22 | 2.1 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 13-19 YRS | 749 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| **GRAND TOTAL** | **788** | **2.3** | **2** | **<1** | **1** | **2** | **3** | **4** | **4** | **7** |

### 242: Miscellaneous diseases of breast (611)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 3.2 | 3 | 2 | 2 | 2 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 4.5 | 8 | 2 | 2 | 3 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 4 | 3.8 | 1 | 3 | 3 | 4 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 9 | 3.1 | 3 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 74 | 3.4 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| *B. Opsrated* | | | | | | | | | | |
| 0-27 DYS | 13 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 6 | 4.2 | 7 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 1-5 YRS | 7 | 4.1 | 12 | 1 | 1 | 3 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 98 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 13-19 YRS | 1564 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.3 | 12 | <1 | <1 | 3 | 5 | 10 | 11 | 11 |
| 1-11 MOS | 4 | 4.8 | 10 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 6 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 43 | 2.2 | 2 | <1 | <1 | 2 | 4 | 4 | 5 | 6 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.8 | 7 | 3 | 3 | 6 | 7 | 10 | 11 | 11 |
| 1-11 MOS | 5 | 4.4 | 7 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 10 | 3.5 | 7 | 1 | 1 | 3 | 4 | 8 | 9 | 9 |
| 13-19 YRS | 317 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 104 | 3.4 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 11 |
| *B. Operated* | 1688 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 61 | 2.9 | 4 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| *B. Operated* | 344 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 18 |
| **1. SINGLE DX** | 1792 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 405 | 3.7 | 11 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 165 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 2032 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-27 DYS | 39 | 4.0 | 6 | 1 | 2 | 3 | 6 | 7 | 10 | 11 |
| 1-11 MOS | 21 | 4.4 | 7 | 1 | 2 | 4 | 7 | 8 | 9 | 9 |
| 1-5 YRS | 16 | 4.8 | 7 | 1 | 2 | 4 | 7 | 8 | 9 | 10 |
| 6-12 YRS | 123 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 13-19 YRS | 1998 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | **2197** | **3.1** | **4** | **1** | **1** | **3** | **4** | **5** | **6** | **9** |

## 243: Ovarian cyst (620.0-620.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 49 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 7 | 7 |
| 13-19 YRS | 1123 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 7.3 | 14 | 2 | 2 | 8 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 56 | 4.8 | 7 | 1 | 2 | 4 | 6 | 7 | 10 | 13 |
| 13-19 YRS | 1903 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 21 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 13 |
| 13-19 YRS | 544 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 6.7 | 2 | 5 | 5 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 4 | 5.5 | 12 | <1 | <1 | 6 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 3 | 7.3 | 24 | 4 | 4 | 5 | 11 | 13 | 13 | 13 |
| 6-12 YRS | 45 | 6.4 | 9 | 2 | 3 | 6 | 8 | 11 | 12 | 15 |
| 13-19 YRS | 1641 | 5.2 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1176 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 1966 | 4.6 | 6 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 569 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 1696 | 5.3 | 8 | 1 | 2 | 5 | 7 | 9 | 10 | 15 |
| **1. SINGLE DX** | 3142 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 2265 | 4.8 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| **A. NOT OPERATED** | 1745 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| **B. OPERATED** | 3662 | 4.9 | 7 | 1 | 2 | 5 | 6 | 8 | 10 | 13 |
| TOTAL 0-27 DYS | 5 | 6.0 | 2 | 5 | 5 | 5 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 12 | 5.0 | 13 | <1 | <1 | 5 | 8 | 10 | 11 | 11 |
| 1-5 YRS | 8 | 5.0 | 14 | 1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 6-12 YRS | 171 | 4.5 | 8 | 1 | 1 | 4 | 6 | 8 | 11 | 13 |
| 13-19 YRS | 5211 | 4.2 | 7 | 1 | 1 | 4 | 6 | 7 | 9 | 13 |
| **GRAND TOTAL** | **5407** | **4.3** | **7** | **1** | **1** | **4** | **6** | **8** | **9** | **13** |

## 244: Pelvic inflammatory disease (614)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 16 | 4.0 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 10 |
| 13-19 YRS | 3806 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 4.6 | 7 | 2 | 2 | 3 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 19 | 7.5 | 32 | 2 | 3 | 6 | 9 | 13 | 21 | 27 |
| 13-19 YRS | 1207 | 5.3 | 12 | 1 | 2 | 5 | 7 | 9 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| 1-11 MOS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 18 | 4.4 | 11 | <1 | 1 | 4 | 7 | 9 | 11 | 13 |
| 13-19 YRS | 2102 | 5.2 | 10 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 4.6 | 12 | <1 | <1 | 4 | 6 | 10 | 11 | 11 |
| 1-5 YRS | 5 | 4.2 | 8 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 27 | 8.4 | 30 | 2 | 4 | 6 | 12 | 14 | 19 | 28 |
| 13-19 YRS | 1791 | 6.6 | 16 | 2 | 2 | 6 | 8 | 11 | 14 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3828 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| B. *Operated* | 1233 | 5.3 | 13 | 1 | 2 | 5 | 7 | 9 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2126 | 5.2 | 10 | 2 | 2 | 5 | 6 | 9 | 10 | 15 |
| B. *Operated* | 1831 | 6.6 | 17 | 2 | 2 | 6 | 8 | 12 | 14 | 20 |
| **1. SINGLE DX** | 5061 | 4.7 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| **2. MULTIPLE DX** | 3957 | 5.8 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| **A. NOT OPERATED** | 5954 | 4.7 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 13 |
| **B. OPERATED** | 3064 | 6.1 | 15 | 1 | 2 | 6 | 8 | 11 | 13 | 20 |
| TOTAL 0-27 DYS | 3 | 13.0 | 91 | 7 | 7 | 8 | 20 | 24 | 24 | 24 |
| 1-11 MOS | 20 | 4.1 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 11 |
| 1-5 YRS | 9 | 4.3 | 9 | 1 | 1 | 4 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 80 | 6.4 | 24 | 1 | 2 | 5 | 8 | 13 | 14 | 28 |
| 13-19 YRS | 8906 | 5.2 | 10 | 2 | 2 | 5 | 7 | 9 | 11 | 16 |
| **GRAND TOTAL** | **9018** | **5.2** | **10** | **2** | **2** | **5** | **7** | **9** | **11** | **16** |

## 245: Endometriosis (617)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 54 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.8 | 7 | <1 | <1 | 4 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 253 | 3.4 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 34 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 4.3 | 11 | <1 | <1 | 4 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 7 | 6.4 | 3 | 4 | 4 | 7 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 299 | 4.2 | 8 | 1 | 1 | 3 | 6 | 7 | 9 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 54 | 3.4 | 4 | <1 | 1 | 3 | 5 | 6 | 7 | 8 |
| B. *Operated* | 258 | 3.4 | 6 | <1 | 1 | 2 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 3.9 | 5 | 1 | 1 | 4 | 5 | 7 | 9 | 9 |
| B. *Operated* | 313 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| **1. SINGLE DX** | 312 | 3.4 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 348 | 4.2 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| **A. NOT OPERATED** | 89 | 3.6 | 4 | 1 | 1 | 3 | 5 | 7 | 8 | 9 |
| **B. OPERATED** | 571 | 3.9 | 7 | <1 | 1 | 3 | 6 | 7 | 9 | 13 |
| TOTAL 0-27 DYS | 4 | 4.3 | 11 | <1 | <1 | 4 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 11 | 5.5 | 6 | <1 | 1 | 6 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 5.3 | 4 | 3 | 3 | 6 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 640 | 3.8 | 7 | <1 | 1 | 3 | 6 | 7 | 8 | 12 |
| **GRAND TOTAL** | **660** | **3.8** | **7** | **<1** | **1** | **3** | **6** | **7** | **8** | **12** |

## 246: Inflammatory disease of cervix uteri (616.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 3 | 3.0 | 3 | 2 | 2 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 56 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 26 | 4.2 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 4 | 6.0 | 19 | 1 | 1 | 6 | 9 | 11 | 11 | 11 |
| 13-19 YRS | 122 | 3.2 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 61 | 2.0 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 27 | 4.3 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 10 |
| B. *Operated* | 130 | 3.3 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 10 |
| **1. SINGLE DX** | 69 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 157 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 10 |
| **A. NOT OPERATED** | 35 | 3.9 | 5 | 1 | 1 | 4 | 6 | 6 | 9 | 10 |
| **B. OPERATED** | 191 | 2.9 | 4 | <1 | 1 | 2 | 3 | 6 | 8 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 8 | 2.0 | 3 | 1 | 1 | 2 | 2 | 5 | 6 | 6 |
| 6-12 YRS | 9 | 4.2 | 11 | 1 | 1 | 3 | 6 | 10 | 11 | 11 |
| 13-19 YRS | 208 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 10 |
| **GRAND TOTAL** | **226** | **3.0** | **4** | **<1** | **1** | **2** | **4** | **6** | **8** | **10** |

## 247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 29 | 2.5 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 28 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 206 | 3.8 | 4 | 1 | 2 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 7 | 2.7 | 4 | <1 | <1 | 2 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 12 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 475 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 22 | 3.5 | 9 | <1 | 1 | 2 | 6 | 8 | 10 | 11 |
| 6-12 YRS | 20 | 3.9 | 4 | 1 | 2 | 3 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 229 | 4.6 | 5 | 2 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.0 | 49 | 1 | 1 | 3 | 11 | 14 | 14 | 14 |
| 1-5 YRS | 19 | 2.2 | 3 | <1 | 1 | 2 | 2 | 5 | 7 | 8 |
| 6-12 YRS | 16 | 2.9 | 6 | <1 | 1 | 2 | 3 | 8 | 9 | 9 |
| 13-19 YRS | 284 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 264 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 495 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 272 | 4.5 | 5 | 1 | 2 | 4 | 6 | 8 | 9 | 11 |
| B. *Operated* | 322 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 1. SINGLE DX | 759 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 594 | 4.0 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| A. NOT OPERATED | 536 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| B. OPERATED | 817 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 5 | 4.2 | 31 | 1 | 1 | 2 | 6 | 14 | 14 | 14 |
| 1-5 YRS | 77 | 2.7 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 10 |
| 6-12 YRS | 76 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 13-19 YRS | 1194 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| GRAND TOTAL | 1353 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |

## 248: Genital prolapse (618)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.5 | 13 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 8.3 | 5 | 5 | 5 | 8 | 9 | 12 | 12 | 12 |
| 1-5 YRS | 7 | 4.4 | 15 | 1 | 1 | 3 | 7 | 10 | 11 | 11 |
| 6-12 YRS | 5 | 5.0 | 15 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 16 | 4.1 | 4 | <1 | 2 | 4 | 5 | 7 | 8 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 11.3 | 90 | 4 | 4 | 8 | 17 | 25 | 25 | 25 |
| 1-11 MOS | 3 | 9.7 | 16 | 6 | 6 | 9 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 5 | 9.4 | 18 | 6 | 6 | 8 | 12 | 16 | 16 | 16 |
| 6-12 YRS | 6 | 6.8 | 23 | 1 | 1 | 7 | 12 | 12 | 12 | 12 |
| 13-19 YRS | 23 | 6.4 | 12 | 2 | 3 | 5 | 8 | 12 | 14 | 16 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| B. *Operated* | 36 | 5.0 | 10 | <1 | 1 | 5 | 7 | 9 | 11 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | 41 | 7.5 | 22 | 2 | 3 | 6 | 10 | 13 | 16 | 25 |
| 1. SINGLE DX | 38 | 4.9 | 10 | <1 | 1 | 5 | 7 | 9 | 10 | 12 |
| 2. MULTIPLE DX | 43 | 7.3 | 22 | 2 | 2 | 6 | 10 | 13 | 16 | 25 |
| A. NOT OPERATED | 4 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| B. OPERATED | 77 | 6.3 | 18 | 1 | 2 | 6 | 8 | 12 | 13 | 23 |
| TOTAL 0-27 DYS | 6 | 8.7 | 73 | <1 | <1 | 6 | 10 | 23 | 25 | 25 |
| 1-11 MOS | 10 | 8.5 | 8 | 5 | 5 | 8 | 9 | 13 | 14 | 14 |
| 1-5 YRS | 12 | 6.5 | 21 | 1 | 1 | 6 | 9 | 13 | 16 | 16 |
| 6-12 YRS | 11 | 6.0 | 18 | 1 | 1 | 6 | 9 | 12 | 12 | 12 |
| 13-19 YRS | 42 | 5.2 | 10 | 1 | 2 | 5 | 7 | 9 | 12 | 16 |
| GRAND TOTAL | 81 | 6.2 | 18 | 1 | 1 | 5 | 8 | 12 | 13 | 22 |

## 249: Metrorrhagia (626.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 11 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 57 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 19 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 53 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 3.0 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| B. *Operated* | 57 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| B. *Operated* | 54 | 2.9 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 14 |
| **1. SINGLE DX** | 68 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 73 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **A. NOT OPERATED** | 30 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 8 |
| **B. OPERATED** | 111 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 140 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **GRAND TOTAL** | 141 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |

## 250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 23 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 13-19 YRS | 421 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 22 | 2.5 | 5 | <1 | 1 | 2 | 2 | 4 | 7 | 12 |
| 13-19 YRS | 1511 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 29 | 3.6 | 10 | 1 | 1 | 3 | 4 | 7 | 11 | 18 |
| 13-19 YRS | 457 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 35 | 3.9 | 12 | <1 | 1 | 3 | 5 | 6 | 11 | 19 |
| 13-19 YRS | 1289 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 444 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| B. *Operated* | 1533 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 486 | 3.3 | 8 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| B. *Operated* | 1324 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **1. SINGLE DX** | 1977 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 1810 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 930 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **B. OPERATED** | 2857 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 109 | 3.3 | 8 | 1 | 1 | 2 | 4 | 5 | 8 | 17 |
| 13-19 YRS | 3678 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **GRAND TOTAL** | 3787 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |

### 251: Menopausal and postmenopausal disorders (627)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 4 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| **1. SINGLE DX** | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **2. MULTIPLE DX** | 5 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| **A. NOT OPERATED** | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| **B. OPERATED** | 6 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| **GRAND TOTAL** | 7 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |

### 252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 8 | 2.3 | 10 | <1 | <1 | 1 | 2 | 8 | 10 | 10 |
| 6-12 YRS | 27 | 2.4 | 19 | <1 | <1 | 1 | 2 | 3 | 7 | 24 |
| 13-19 YRS | 143 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 8 | 2.5 | 5 | 1 | 1 | 2 | 3 | 6 | 8 | 8 |
| 1-5 YRS | 15 | 3.4 | 13 | <1 | <1 | 2 | 5 | 7 | 12 | 14 |
| 6-12 YRS | 49 | 3.3 | 7 | <1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 13-19 YRS | 696 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 7 |
| 6-12 YRS | 16 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 10 | 11 |
| 13-19 YRS | 134 | 3.1 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.5 | 6 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 14 | 4.1 | 20 | <1 | 1 | 2 | 6 | 9 | 15 | 17 |
| 1-5 YRS | 9 | 4.3 | 7 | 1 | 1 | 5 | 6 | 8 | 9 | 9 |
| 6-12 YRS | 52 | 4.7 | 8 | 1 | 1 | 4 | 6 | 8 | 9 | 15 |
| 13-19 YRS | 651 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 181 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| B. *Operated* | 770 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 164 | 3.0 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 730 | 4.0 | 14 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **1. SINGLE DX** | 951 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | 894 | 3.8 | 13 | <1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **A. NOT OPERATED** | 345 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **B. OPERATED** | 1500 | 3.4 | 10 | <1 | 1 | 2 | 5 | 7 | 8 | 13 |
| TOTAL 0-27 DYS | 7 | 3.9 | 7 | 1 | 1 | 2 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 24 | 3.4 | 13 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 1-5 YRS | 46 | 3.2 | 8 | <1 | <1 | 2 | 5 | 7 | 9 | 14 |
| 6-12 YRS | 144 | 3.6 | 10 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 13-19 YRS | 1624 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **GRAND TOTAL** | 1845 | 3.3 | 9 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |

## 253: Signs and symptoms referable to female genital organs (625; 628)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 65 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 13-19 YRS | 869 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 13 | 2.2 | 5 | <1 | <1 | 1 | 2 | 5 | 8 | 9 |
| 13-19 YRS | 635 | 2.7 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 30 | 2.3 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 13-19 YRS | 578 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 6.2 | 4 | 4 | 4 | 6 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 9 | 3.7 | 15 | <1 | <1 | 2 | 6 | 10 | 12 | 12 |
| 6-12 YRS | 24 | 2.1 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 13-19 YRS | 655 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 939 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 651 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 610 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 6 | 9 |
| B. *Operated* | 695 | 3.4 | 8 | <1 | 1 | 2 | 5 | 7 | 8 | 13 |
| **1. SINGLE DX** | 1590 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | 1305 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 1549 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| **B. OPERATED** | 1346 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 12 |
| TOTAL 0-27 DYS | 4 | 5.0 | 13 | 1 | 1 | 5 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 6 | 6.2 | 3 | 4 | 4 | 6 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 16 | 2.7 | 9 | <1 | 1 | 2 | 2 | 7 | 10 | 12 |
| 6-12 YRS | 132 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 2737 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **GRAND TOTAL** | 2895 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |

## 254: Ectopic pregnancy (633)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 11 | 2.4 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 7.3 | 26 | 3 | 3 | 6 | 11 | 13 | 13 | 13 |
| 13-19 YRS | 480 | 5.3 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 13 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 327 | 5.8 | 7 | 3 | 4 | 5 | 7 | 8 | 10 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 2.4 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| B. *Operated* | 483 | 5.3 | 3 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| B. *Operated* | 328 | 5.8 | 7 | 3 | 4 | 5 | 7 | 8 | 10 | 15 |
| **1. SINGLE DX** | 494 | 5.2 | 4 | 3 | 3 | 5 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | 341 | 5.6 | 7 | 2 | 3 | 5 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 24 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| **B. OPERATED** | 811 | 5.5 | 5 | 3 | 3 | 5 | 6 | 8 | 9 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 6.8 | 19 | 3 | 3 | 5 | 9 | 13 | 13 | 13 |
| 13-19 YRS | 831 | 5.4 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |
| **GRAND TOTAL** | 835 | 5.4 | 5 | 2 | 3 | 5 | 6 | 8 | 9 | 13 |

## 255: Legally induced abortion (635)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 269 | 1.3 | 1 | <1 | 1 | 1 | 2 | 2 | 2 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 34 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 7696 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 58 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 2.2 | | 2 | 2 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 2055 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 272 | 1.3 | 1 | <1 | 1 | 1 | 2 | 2 | 2 | 5 |
| B. *Operated* | 7730 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 2061 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **1. SINGLE DX** | 8002 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| **2. MULTIPLE DX** | 2119 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| **A. NOT OPERATED** | 330 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **B. OPERATED** | 9791 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 43 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 10078 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| **GRAND TOTAL** | 10121 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |

## 256: Other induced abortion (636)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| B. *Operated* | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| B. *Operated* | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 3 | 2.7 | 2 | <1 | <1 | 3 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| **A. NOT OPERATED** | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **B. OPERATED** | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 2.4 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| **GRAND TOTAL** | 5 | 2.4 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |

## 257: Spontaneous and unspecified abortion (634; 637)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 1047 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 20 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 7590 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 192 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.0 | 7 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 1119 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1051 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | 7610 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 192 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 1122 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **1. SINGLE DX** | 8661 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 1314 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 1243 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **B. OPERATED** | 8732 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 27 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 9948 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **GRAND TOTAL** | 9975 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |

## 258: Other pregnancy with abortive outcome (630-632; 638-639)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 275 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 757 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 84 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 214 | 3.7 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 275 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 6 | 11 |
| B. *Operated* | 758 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 84 | 3.5 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 9 |
| B. *Operated* | 214 | 3.7 | 19 | 1 | 1 | 3 | 4 | 7 | 10 | 20 |
| **1. SINGLE DX** | 1033 | 2.4 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 298 | 3.7 | 15 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 359 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **B. OPERATED** | 972 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1330 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| **GRAND TOTAL** | 1331 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |

## 259: Threatened abortion (640.00; 640.03)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 1023 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 30 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 202 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 18 | 5.7 | 41 | 1 | 1 | 3 | 6 | 15 | 22 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1024 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 30 | 2.6 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 202 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | 18 | 5.7 | 41 | 1 | 1 | 3 | 6 | 15 | 22 | 25 |
| **1. SINGLE DX** | 1054 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 220 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **A. NOT OPERATED** | 1226 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 48 | 3.7 | 18 | 1 | 1 | 3 | 4 | 6 | 12 | 25 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 1273 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | 1274 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |

## 260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 58 | 1.9 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 15 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 1.9 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| B. *Operated* | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 15 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 9 | 11 |
| B. *Operated* | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| **1. SINGLE DX** | 59 | 1.9 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 18 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 11 |
| **A. NOT OPERATED** | 73 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 77 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | 77 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |

## 261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 7 | 5.0 | 20 | 2 | 2 | 3 | 7 | 13 | 14 | 14 |
| 13-19 YRS | 1017 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 86 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 224 | 4.5 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 51 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1024 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| B. *Operated* | 86 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 225 | 4.5 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| B. *Operated* | 51 | 4.3 | 17 | 1 | 1 | 3 | 5 | 9 | 14 | 20 |
| **1. SINGLE DX** | 1110 | 3.7 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 276 | 4.5 | 11 | <1 | 1 | 3 | 6 | 9 | 11 | 16 |
| **A. NOT OPERATED** | 1249 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 137 | 4.0 | 9 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 4.8 | 18 | 2 | 2 | 3 | 6 | 12 | 14 | 14 |
| 13-19 YRS | 1378 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **GRAND TOTAL** | 1386 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |

## 262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1259 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 9 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 444 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 14 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1259 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| B. *Operated* | 9 | 3.1 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 444 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| B. *Operated* | 14 | 4.9 | 9 | 2 | 2 | 4 | 6 | 8 | 12 | 13 |
| **1. SINGLE DX** | 1268 | 3.2 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 458 | 3.7 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 1703 | 3.3 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 23 | 4.2 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1726 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| **GRAND TOTAL** | 1726 | 3.4 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |

## 263: False labor (644.10; 644.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 6.2 | 160 | <1 | <1 | 1 | 1 | 29 | 32 | 32 |
| 13-19 YRS | 7094 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 13-19 YRS | 552 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 595 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 69 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7100 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| B. *Operated* | 554 | 1.2 | 1 | <1 | <1 | <1 | 1 | 1 | 3 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 596 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| B. *Operated* | 69 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| **1. SINGLE DX** | 7654 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| **2. MULTIPLE DX** | 665 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| **A. NOT OPERATED** | 7696 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| **B. OPERATED** | 623 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 9 | 4.4 | 107 | <1 | <1 | 1 | 1 | 20 | 32 | 32 |
| 13-19 YRS | 8310 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| **GRAND TOTAL** | 8319 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |

## 264: Placenta previa without delivery (641.03-641.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 222 | 3.2 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 12 | 3.8 | 19 | <1 | <1 | 2 | 4 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 60 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 4.8 | 13 | 1 | 1 | 5 | 7 | 10 | 10 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 222 | 3.2 | 11 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| B. *Operated* | 12 | 3.8 | 19 | <1 | <1 | 2 | 4 | 11 | 14 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 22 |
| B. *Operated* | 5 | 4.8 | 13 | 1 | 1 | 5 | 7 | 10 | 10 | 10 |
| **1. SINGLE DX** | 234 | 3.2 | 11 | <1 | 1 | 2 | 3 | 6 | 10 | 19 |
| **2. MULTIPLE DX** | 66 | 4.1 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| **A. NOT OPERATED** | 283 | 3.4 | 11 | <1 | 1 | 2 | 4 | 6 | 9 | 20 |
| **B. OPERATED** | 17 | 4.1 | 17 | <1 | 1 | 2 | 5 | 10 | 13 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 299 | 3.4 | 11 | <1 | 1 | 2 | 4 | 6 | 10 | 20 |
| **GRAND TOTAL** | 300 | 3.4 | 11 | <1 | 1 | 2 | 4 | 6 | 10 | 19 |

## 265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 535 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 42 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 120 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 16 | 3.8 | 6 | <1 | <1 | 4 | 5 | 7 | 8 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 536 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | 42 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 2.6 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 11 |
| B. *Operated* | 16 | 3.8 | 6 | <1 | <1 | 4 | 5 | 7 | 8 | 9 |
| **1. SINGLE DX** | 578 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 136 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 8 | 11 |
| **A. NOT OPERATED** | 656 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 58 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 713 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| **GRAND TOTAL** | **714** | **2.3** | **3** | **<1** | **<1** | **2** | **3** | **4** | **6** | **10** |

## 266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1099 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 117 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 1102 | 3.9 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 88 | 4.4 | 17 | <1 | <1 | 3 | 5 | 10 | 13 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1099 | 3.4 | 4 | <1 | 1 | 3 | 4 | 6 | 7 | 10 |
| B. *Operated* | 117 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1103 | 3.9 | 6 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| B. *Operated* | 88 | 4.4 | 17 | <1 | <1 | 3 | 5 | 10 | 13 | 20 |
| **1. SINGLE DX** | 1216 | 3.3 | 4 | <1 | <1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1191 | 3.9 | 7 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 2202 | 3.6 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **B. OPERATED** | 205 | 3.2 | 11 | <1 | <1 | 2 | 4 | 7 | 9 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 2406 | 3.6 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **GRAND TOTAL** | **2407** | **3.6** | **5** | **<1** | **1** | **3** | **5** | **6** | **7** | **11** |

### 267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 326 | 4.1 | 23 | <1 | 1 | 3 | 5 | 8 | 12 | 33 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 26 | 4.1 | 29 | <1 | <1 | 3 | 4 | 8 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 801 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 99 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 326 | 4.1 | 23 | <1 | 1 | 3 | 5 | 8 | 12 | 33 |
| B. *Operated* | 26 | 4.1 | 29 | <1 | <1 | 3 | 4 | 8 | 15 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 801 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| B. *Operated* | 99 | 4.0 | 12 | <1 | 1 | 3 | 5 | 8 | 11 | 19 |
| **1. SINGLE DX** | 352 | 4.1 | 23 | <1 | 1 | 3 | 4 | 8 | 12 | 33 |
| **2. MULTIPLE DX** | 900 | 4.2 | 18 | <1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **A. NOT OPERATED** | 1127 | 4.2 | 20 | <1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **B. OPERATED** | 125 | 4.0 | 15 | <1 | 1 | 3 | 5 | 8 | 12 | 23 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1252 | 4.2 | 19 | <1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **GRAND TOTAL** | **1252** | **4.2** | **19** | **<1** | **1** | **3** | **5** | **8** | **12** | **24** |

### 268: Miscellaneous complications of pregnancy without delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 2673 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 6 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 610 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1030 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 293 | 3.7 | 12 | <1 | <1 | 3 | 5 | 8 | 10 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2677 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 6 | 13 |
| B. *Operated* | 610 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1031 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 15 |
| B. *Operated* | 293 | 3.7 | 12 | <1 | <1 | 3 | 5 | 8 | 10 | 16 |
| **1. SINGLE DX** | 3287 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| **2. MULTIPLE DX** | 1324 | 3.2 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 3708 | 2.6 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| **B. OPERATED** | 903 | 3.0 | 10 | <1 | <1 | 2 | 4 | 6 | 8 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 4606 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| **GRAND TOTAL** | **4611** | **2.7** | **9** | **<1** | **<1** | **2** | **3** | **5** | **7** | **15** |

## 269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 399 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 148 | 4.7 | 34 | 2 | 2 | 3 | 5 | 7 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 452 | 3.5 | 7 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 22.0 | | 22 | 22 | 22 | 22 | 22 | 22 | 22 |
| 13-19 YRS | 501 | 6.3 | 63 | 2 | 2 | 4 | 6 | 12 | 20 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 399 | 2.9 | 1 | 2 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 148 | 4.7 | 34 | 2 | 2 | 3 | 5 | 7 | 9 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 453 | 3.5 | 7 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| B. *Operated* | 502 | 6.3 | 64 | 2 | 2 | 4 | 6 | 12 | 21 | 46 |
| **1. SINGLE DX** | 547 | 3.4 | 11 | 2 | 2 | 3 | 4 | 5 | 6 | 13 |
| **2. MULTIPLE DX** | 955 | 5.0 | 39 | 2 | 2 | 3 | 5 | 7 | 14 | 40 |
| **A. NOT OPERATED** | 852 | 3.2 | 4 | 2 | 2 | 3 | 4 | 4 | 5 | 10 |
| **B. OPERATED** | 650 | 6.0 | 57 | 2 | 2 | 4 | 5 | 10 | 19 | 46 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 12.0 | 200 | 2 | 2 | 12 | 22 | 22 | 22 | 22 |
| 13-19 YRS | 1500 | 4.4 | 29 | 2 | 2 | 3 | 4 | 6 | 10 | 33 |
| **GRAND TOTAL** | **1502** | **4.4** | **29** | **2** | **2** | **3** | **4** | **6** | **10** | **33** |

## 270: Normal delivery (650)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 50 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 38401 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 2.9 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 7126 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 1468 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 5.0 | 19 | 2 | 2 | 3 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 852 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 38451 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 7134 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1471 | 3.2 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | 855 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **1. SINGLE DX** | 45585 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| **2. MULTIPLE DX** | 2326 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 39922 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 7989 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 64 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 10 |
| 13-19 YRS | 47847 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **GRAND TOTAL** | **47911** | **2.9** | **1** | **1** | **2** | **3** | **3** | **4** | **4** | **6** |

## 271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 19 | 3.2 | 5 | 1 | 1 | 3 | 3 | 7 | 8 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 69 | 5.9 | 13 | 3 | 3 | 5 | 7 | 9 | 10 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 20 | 4.8 | 19 | 2 | 2 | 3 | 5 | 13 | 16 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 103 | 6.8 | 34 | 2 | 3 | 5 | 7 | 12 | 18 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 19 | 3.2 | 5 | 1 | 1 | 3 | 3 | 7 | 8 | 9 |
| B. *Operated* | 69 | 5.9 | 13 | 3 | 3 | 5 | 7 | 9 | 10 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 4.8 | 19 | 2 | 2 | 3 | 5 | 13 | 16 | 16 |
| B. *Operated* | 104 | 6.8 | 34 | 2 | 3 | 5 | 7 | 11 | 18 | 35 |
| **1. SINGLE DX** | 88 | 5.3 | 13 | 2 | 2 | 5 | 6 | 8 | 10 | 24 |
| **2. MULTIPLE DX** | 124 | 6.4 | 32 | 2 | 2 | 5 | 7 | 11 | 17 | 31 |
| **A. NOT OPERATED** | 39 | 4.0 | 12 | 1 | 2 | 3 | 4 | 8 | 13 | 16 |
| **B. OPERATED** | 173 | 6.4 | 26 | 2 | 3 | 5 | 7 | 10 | 16 | 28 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 211 | 6.0 | 24 | 2 | 2 | 5 | 6 | 10 | 16 | 27 |
| **GRAND TOTAL** | **212** | **6.0** | **24** | **2** | **2** | **5** | **6** | **10** | **16** | **27** |

## 272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 158 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 185 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 160 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 374 | 5.0 | 17 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 158 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| B. *Operated* | 185 | 4.4 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 161 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 13 |
| B. *Operated* | 374 | 5.0 | 17 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| **1. SINGLE DX** | 343 | 3.7 | 4 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 535 | 4.5 | 14 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 319 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 559 | 4.8 | 13 | 2 | 2 | 4 | 6 | 7 | 9 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 877 | 4.2 | 10 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| **GRAND TOTAL** | **878** | **4.2** | **10** | **1** | **2** | **4** | **5** | **7** | **8** | **15** |

## 273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 35 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 382 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 3.6 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 192 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 35 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 5 |
| B. *Operated* | 382 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 3.6 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| B. *Operated* | 192 | 3.4 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| **1. SINGLE DX** | 417 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| **2. MULTIPLE DX** | 199 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 14 |
| **A. NOT OPERATED** | 42 | 2.9 | 1 | 1 | 1 | 3 | 3 | 5 | 5 | 6 |
| **B. OPERATED** | 574 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 616 | 3.0 | 3 | 1 | 1 | 3 | 4 | 4 | 5 | 8 |
| **GRAND TOTAL** | **616** | **3.0** | **3** | **1** | **1** | **3** | **4** | **4** | **5** | **8** |

## 274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 175 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 97 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 92 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 115 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 8 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 175 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 5 |
| B. *Operated* | 97 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 92 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| B. *Operated* | 115 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 8 | 9 |
| **1. SINGLE DX** | 272 | 3.0 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | 207 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 9 |
| **A. NOT OPERATED** | 267 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| **B. OPERATED** | 212 | 3.5 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 479 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **GRAND TOTAL** | **479** | **3.2** | **2** | **1** | **2** | **3** | **4** | **5** | **5** | **8** |

## 275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 56 | 4.1 | 11 | 2 | 2 | 3 | 4 | 6 | 7 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 43 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 79 | 4.0 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 281 | 5.6 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 56 | 4.1 | 11 | 2 | 2 | 3 | 4 | 6 | 7 | 25 |
| B. *Operated* | 43 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 79 | 4.0 | 20 | 1 | 1 | 3 | 4 | 7 | 10 | 31 |
| B. *Operated* | 282 | 5.6 | 17 | 2 | 2 | 5 | 6 | 9 | 13 | 23 |
| **1. SINGLE DX** | 99 | 4.1 | 7 | 2 | 2 | 3 | 5 | 6 | 7 | 18 |
| **2. MULTIPLE DX** | 361 | 5.3 | 18 | 2 | 2 | 4 | 6 | 9 | 12 | 24 |
| **A. NOT OPERATED** | 135 | 4.0 | 16 | 1 | 2 | 3 | 4 | 6 | 9 | 28 |
| **B. OPERATED** | 325 | 5.4 | 15 | 2 | 2 | 5 | 6 | 9 | 12 | 22 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 459 | 5.0 | 16 | 2 | 2 | 4 | 6 | 8 | 11 | 24 |
| **GRAND TOTAL** | **460** | **5.0** | **16** | **2** | **2** | **4** | **6** | **8** | **11** | **24** |

## 276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 135 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 1175 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 67 | 3.1 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 1175 | 5.6 | 9 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 135 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 1177 | 4.8 | 3 | 2 | 3 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 67 | 3.1 | 5 | 1 | 2 | 3 | 3 | 5 | 6 | 13 |
| B. *Operated* | 1178 | 5.6 | 9 | 2 | 3 | 5 | 7 | 8 | 10 | 17 |
| **1. SINGLE DX** | 1312 | 4.6 | 3 | 2 | 2 | 5 | 6 | 7 | 7 | 9 |
| **2. MULTIPLE DX** | 1245 | 5.5 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 202 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 2355 | 5.2 | 6 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 2552 | 5.0 | 6 | 2 | 3 | 5 | 6 | 7 | 9 | 13 |
| **GRAND TOTAL** | **2557** | **5.0** | **6** | **2** | **3** | **5** | **6** | **7** | **9** | **13** |

## 277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 266 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 885 | 3.7 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 120 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 1889 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 266 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 885 | 3.7 | 2 | 2 | 2 | 3 | 5 | 6 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 120 | 2.9 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 8 |
| B. *Operated* | 1890 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| **1. SINGLE DX** | 1151 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 2010 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 386 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| **B. OPERATED** | 2775 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 3160 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| **GRAND TOTAL** | **3161** | **4.1** | **4** | **2** | **2** | **4** | **5** | **6** | **7** | **11** |

## 278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 43 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 5.0 | 5 | 3 | 3 | 4 | 6 | 9 | 9 | 9 |
| 13-19 YRS | 2627 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 25 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 12 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 6.5 | 4 | 4 | 4 | 6 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 3818 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 43 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 2633 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 25 | 4.6 | 8 | 2 | 2 | 4 | 5 | 7 | 12 | 13 |
| B. *Operated* | 3824 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| **1. SINGLE DX** | 2676 | 5.6 | 5 | 3 | 4 | 5 | 6 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 3849 | 6.3 | 6 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| **A. NOT OPERATED** | 68 | 3.9 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 13 |
| **B. OPERATED** | 6457 | 6.0 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 12 | 5.8 | 4 | 3 | 3 | 5 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 6513 | 6.0 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 14 |
| **GRAND TOTAL** | **6525** | **6.0** | **6** | **4** | **4** | **6** | **7** | **8** | **10** | **14** |

### 279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 490 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 699 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 241 | 3.5 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 1480 | 4.7 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 491 | 3.2 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 6 |
| B. *Operated* | 702 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 242 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 1483 | 4.7 | 8 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| **1. SINGLE DX** | 1193 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| **2. MULTIPLE DX** | 1725 | 4.6 | 7 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| **A. NOT OPERATED** | 733 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **B. OPERATED** | 2185 | 4.5 | 7 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 3.8 | 6 | 2 | 2 | 3 | 4 | 8 | 9 | 9 |
| 13-19 YRS | 2910 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| **GRAND TOTAL** | **2918** | **4.2** | **6** | **2** | **2** | **4** | **5** | **7** | **8** | **13** |

### 280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 58 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 202 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 41 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 375 | 5.8 | 16 | 2 | 3 | 5 | 7 | 8 | 11 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 58 | 3.0 | 2 | 1 | 2 | 3 | 3 | 5 | 5 | 7 |
| B. *Operated* | 202 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| B. *Operated* | 376 | 5.8 | 16 | 2 | 3 | 5 | 7 | 8 | 11 | 19 |
| **1. SINGLE DX** | 260 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | 417 | 5.5 | 15 | 2 | 3 | 5 | 6 | 8 | 10 | 18 |
| **A. NOT OPERATED** | 99 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 5 | 8 |
| **B. OPERATED** | 578 | 5.3 | 12 | 2 | 2 | 5 | 6 | 8 | 10 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 676 | 5.0 | 11 | 2 | 2 | 5 | 6 | 8 | 9 | 15 |
| **GRAND TOTAL** | **677** | **5.0** | **11** | **2** | **2** | **5** | **6** | **8** | **9** | **15** |

## 281: Uterine scar from previous surgery (654.20-654.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 21 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 1659 | 5.5 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 7 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 4.6 | 1 | 3 | 3 | 5 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 1137 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 8 |
| B. *Operated* | 1662 | 5.5 | 2 | 4 | 4 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| B. *Operated* | 1142 | 6.0 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| **1. SINGLE DX** | 1683 | 5.5 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | 1149 | 5.9 | 4 | 4 | 4 | 6 | 7 | 8 | 9 | 13 |
| **A. NOT OPERATED** | 28 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **B. OPERATED** | 2804 | 5.7 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 5.1 | 2 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 2824 | 5.7 | 3 | 4 | 4 | 6 | 6 | 7 | 8 | 11 |
| **GRAND TOTAL** | **2832** | **5.7** | **3** | **4** | **4** | **6** | **6** | **7** | **8** | **11** |

## 282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 923 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 688 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 534 | 3.7 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 1850 | 4.7 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 924 | 3.3 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 690 | 3.6 | 2 | 2 | 2 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 534 | 3.7 | 4 | 2 | 2 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 1851 | 4.7 | 10 | 2 | 2 | 4 | 6 | 7 | 9 | 15 |
| **1. SINGLE DX** | 1614 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 2385 | 4.5 | 9 | 2 | 2 | 4 | 5 | 7 | 8 | 15 |
| **A. NOT OPERATED** | 1458 | 3.4 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **B. OPERATED** | 2541 | 4.4 | 9 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 3.5 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 3995 | 4.1 | 6 | 2 | 2 | 4 | 5 | 6 | 8 | 12 |
| **GRAND TOTAL** | **3999** | **4.1** | **6** | **2** | **2** | **4** | **5** | **6** | **8** | **12** |

## 283: Umbilical cord complication (663 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 2734 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1340 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 642 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1279 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 2736 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 5 |
| B. *Operated* | 1342 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 643 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 7 |
| B. *Operated* | 1279 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 1. SINGLE DX | 4078 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX | 1922 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| A. NOT OPERATED | 3379 | 2.9 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| B. OPERATED | 2621 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 5995 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **GRAND TOTAL** | **6000** | **3.1** | **2** | **2** | **2** | **3** | **4** | **4** | **5** | **7** |

## 284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 461 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 10 | 2.9 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 6 |
| 13-19 YRS | 4526 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 102 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1760 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 461 | 2.7 | 2 | 1 | 1 | 3 | 3 | 4 | 4 | 6 |
| B. *Operated* | 4536 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 102 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | 1761 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| 1. SINGLE DX | 4997 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | 1863 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 8 |
| A. NOT OPERATED | 563 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| B. OPERATED | 6297 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 11 | 2.9 | 2 | 1 | 1 | 3 | 3 | 4 | 6 | 6 |
| 13-19 YRS | 6849 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| **GRAND TOTAL** | **6860** | **2.8** | **2** | **1** | **2** | **3** | **3** | **4** | **4** | **6** |

### 285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 357 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 10 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 4727 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 106 | 3.2 | 3 | 1 | 2 | 3 | 3 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 2963 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 357 | 3.0 | 1 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| B. *Operated* | 4737 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 3.2 | 3 | 1 | 2 | 3 | 3 | 5 | 6 | 10 |
| B. *Operated* | 2964 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **1. SINGLE DX** | 5094 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 3070 | 3.2 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| **A. NOT OPERATED** | 463 | 3.1 | 2 | 1 | 2 | 3 | 4 | 4 | 5 | 8 |
| **B. OPERATED** | 7701 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 11 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 8153 | 3.1 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **GRAND TOTAL** | **8164** | **3.1** | **2** | **2** | **2** | **3** | **4** | **4** | **5** | **7** |

### 286: Other obstetrical trauma (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 322 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 1786 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 82 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1209 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 324 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 6 |
| B. *Operated* | 1788 | 3.0 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 82 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 11 |
| B. *Operated* | 1209 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **1. SINGLE DX** | 2112 | 3.0 | 2 | 2 | 2 | 3 | 3 | 4 | 4 | 6 |
| **2. MULTIPLE DX** | 1291 | 3.4 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 8 |
| **A. NOT OPERATED** | 406 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| **B. OPERATED** | 2997 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 3.3 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 3399 | 3.1 | 3 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| **GRAND TOTAL** | **3403** | **3.1** | **3** | **2** | **2** | **3** | **4** | **4** | **5** | **7** |

### 287: Miscellaneous complications of delivery (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 4915 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 18 | 2.9 | 3 | <1 | 1 | 3 | 3 | 6 | 7 | 7 |
| 13-19 YRS | 13745 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 9 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 2720 | 3.5 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 14 | 4.9 | 4 | 2 | 3 | 4 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 11610 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4918 | 3.2 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |
| B. *Operated* | 13763 | 3.4 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2729 | 3.5 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| B. *Operated* | 11624 | 4.6 | 11 | 2 | 2 | 4 | 5 | 8 | 10 | 18 |
| **1. SINGLE DX** | 18681 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | 14353 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 17 |
| **A. NOT OPERATED** | 7647 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| **B. OPERATED** | 25387 | 3.9 | 7 | 2 | 2 | 3 | 4 | 6 | 8 | 14 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 44 | 3.6 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 8 |
| 13-19 YRS | 32990 | 3.8 | 6 | 2 | 2 | 3 | 4 | 6 | 8 | 13 |
| **GRAND TOTAL** | **33034** | **3.8** | **6** | **2** | **2** | **3** | **4** | **6** | **8** | **13** |

### 288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 176 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 19 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 73 | 4.6 | 18 | 2 | 2 | 4 | 5 | 6 | 8 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 24 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 12 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 176 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 13 |
| B. *Operated* | 19 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 11 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 73 | 4.6 | 18 | 2 | 2 | 4 | 5 | 6 | 8 | 31 |
| B. *Operated* | 24 | 5.1 | 9 | 1 | 2 | 5 | 7 | 9 | 12 | 13 |
| **1. SINGLE DX** | 195 | 4.2 | 7 | 2 | 2 | 4 | 5 | 6 | 7 | 14 |
| **2. MULTIPLE DX** | 97 | 4.8 | 16 | 2 | 2 | 4 | 6 | 7 | 9 | 26 |
| **A. NOT OPERATED** | 249 | 4.3 | 10 | 2 | 2 | 4 | 5 | 6 | 7 | 15 |
| **B. OPERATED** | 43 | 5.0 | 9 | 1 | 2 | 4 | 7 | 9 | 12 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 292 | 4.4 | 10 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| **GRAND TOTAL** | **292** | **4.4** | **10** | **2** | **2** | **4** | **5** | **7** | **8** | **14** |

### 289: Puerperal hemorrhage (after 24 hrs.) (666.24)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 98 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 253 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 40 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 127 | 2.9 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| B. *Operated* | 254 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 40 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 127 | 2.9 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| **1. SINGLE DX** | 352 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **2. MULTIPLE DX** | 167 | 2.8 | 12 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 138 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| **B. OPERATED** | 381 | 2.2 | 6 | 1 | 1 | 2 | 2 | 4 | 5 | 8 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 518 | 2.1 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| **GRAND TOTAL** | **519** | **2.1** | **5** | **<1** | **1** | **2** | **2** | **4** | **5** | **8** |

### 290: Other puerperal complications (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 93 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 11.0 | 128 | 3 | 3 | 11 | 19 | 19 | 19 | 19 |
| 13-19 YRS | 127 | 3.4 | 8 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 49 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 74 | 4.8 | 25 | 1 | 2 | 3 | 5 | 8 | 17 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 93 | 4.2 | 10 | 1 | 1 | 3 | 5 | 9 | 12 | 14 |
| B. *Operated* | 129 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 49 | 3.4 | 5 | <1 | 1 | 3 | 4 | 7 | 8 | 10 |
| B. *Operated* | 74 | 4.8 | 25 | 1 | 2 | 3 | 5 | 8 | 17 | 25 |
| **1. SINGLE DX** | 222 | 3.8 | 10 | 1 | 1 | 3 | 4 | 8 | 11 | 16 |
| **2. MULTIPLE DX** | 123 | 4.2 | 17 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **A. NOT OPERATED** | 142 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| **B. OPERATED** | 203 | 4.0 | 16 | 1 | 1 | 3 | 4 | 8 | 13 | 23 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 11.0 | 128 | 3 | 3 | 11 | 19 | 19 | 19 | 19 |
| 13-19 YRS | 343 | 3.9 | 12 | 1 | 1 | 3 | 4 | 8 | 10 | 20 |
| **GRAND TOTAL** | **345** | **4.0** | **13** | **1** | **1** | **3** | **4** | **8** | **11** | **20** |

## 291: Cellulitis and abscess, except digit (682)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 28 | 5.4 | 10 | 1 | 2 | 5 | 7 | 10 | 12 | 13 |
| 1-11 MOS | 229 | 4.6 | 7 | 2 | 2 | 4 | 6 | 7 | 10 | 15 |
| 1-5 YRS | 863 | 4.0 | 7 | 2 | 2 | 3 | 5 | 7 | 8 | 13 |
| 6-12 YRS | 855 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| 13-19 YRS | 1053 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.5 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 133 | 4.2 | 8 | <1 | 1 | 4 | 5 | 8 | 9 | 15 |
| 1-5 YRS | 490 | 4.0 | 9 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 6-12 YRS | 381 | 5.2 | 17 | 1 | 1 | 4 | 6 | 9 | 13 | 20 |
| 13-19 YRS | 549 | 5.1 | 14 | 1 | 2 | 4 | 6 | 10 | 12 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 26 | 4.9 | 9 | 2 | 3 | 4 | 6 | 9 | 11 | 16 |
| 1-11 MOS | 293 | 5.3 | 13 | 2 | 2 | 4 | 6 | 10 | 11 | 18 |
| 1-5 YRS | 733 | 4.6 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 6-12 YRS | 612 | 4.9 | 12 | 2 | 2 | 4 | 6 | 8 | 10 | 19 |
| 13-19 YRS | 887 | 5.0 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.0 | 32 | 7 | 7 | 11 | 15 | 15 | 15 | 15 |
| 1-11 MOS | 95 | 8.1 | 97 | 2 | 2 | 6 | 9 | 13 | 18 | 64 |
| 1-5 YRS | 279 | 5.8 | 27 | 1 | 2 | 4 | 7 | 11 | 14 | 24 |
| 6-12 YRS | 241 | 7.5 | 49 | 2 | 2 | 6 | 9 | 14 | 19 | 36 |
| 13-19 YRS | 424 | 7.2 | 45 | 2 | 2 | 5 | 9 | 15 | 21 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3028 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| B. *Operated* | 1557 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2551 | 4.9 | 10 | 2 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 1041 | 7.0 | 46 | 2 | 2 | 5 | 8 | 13 | 19 | 36 |
| **1. SINGLE DX** | 4585 | 4.4 | 9 | 1 | 2 | 4 | 5 | 8 | 10 | 15 |
| **2. MULTIPLE DX** | 3592 | 5.5 | 21 | 2 | 2 | 4 | 6 | 10 | 13 | 25 |
| **A. NOT OPERATED** | 5579 | 4.6 | 8 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| **B. OPERATED** | 2598 | 5.6 | 28 | 1 | 2 | 4 | 7 | 11 | 14 | 28 |
| TOTAL 0-27 DYS | 60 | 5.3 | 11 | 1 | 2 | 4 | 7 | 10 | 12 | 16 |
| 1-11 MOS | 750 | 5.3 | 22 | 1 | 2 | 4 | 6 | 9 | 11 | 18 |
| 1-5 YRS | 2365 | 4.4 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| 6-12 YRS | 2089 | 5.0 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 20 |
| 13-19 YRS | 2913 | 5.1 | 15 | 2 | 2 | 4 | 6 | 9 | 12 | 21 |
| **GRAND TOTAL** | 8177 | 4.9 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |

## 292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 128 | 4.1 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 1-11 MOS | 91 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 1-5 YRS | 376 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| 6-12 YRS | 205 | 4.4 | 9 | 1 | 2 | 4 | 6 | 8 | 9 | 17 |
| 13-19 YRS | 221 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 5.8 | 9 | 2 | 2 | 6 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 49 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 12 | 15 |
| 1-5 YRS | 220 | 3.7 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 19 |
| 6-12 YRS | 205 | 3.7 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 23 |
| 13-19 YRS | 357 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 92 | 4.8 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 12 |
| 1-11 MOS | 112 | 5.1 | 11 | 2 | 2 | 4 | 6 | 8 | 11 | 22 |
| 1-5 YRS | 400 | 4.9 | 12 | 2 | 2 | 4 | 6 | 9 | 11 | 18 |
| 6-12 YRS | 239 | 4.9 | 24 | 2 | 2 | 4 | 6 | 8 | 11 | 23 |
| 13-19 YRS | 279 | 5.0 | 19 | 2 | 2 | 4 | 6 | 8 | 11 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 5.0 | 16 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 66 | 6.8 | 30 | 1 | 1 | 6 | 9 | 11 | 13 | 37 |
| 1-5 YRS | 132 | 5.7 | 18 | <1 | 1 | 5 | 8 | 12 | 14 | 19 |
| 6-12 YRS | 102 | 6.0 | 32 | 1 | 2 | 4 | 8 | 13 | 18 | 31 |
| 13-19 YRS | 199 | 5.5 | 23 | 1 | 1 | 4 | 7 | 10 | 15 | 25 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1021 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 9 | 12 |
| B. *Operated* | 835 | 3.9 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1122 | 4.9 | 16 | 2 | 2 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 502 | 5.8 | 25 | 1 | 1 | 4 | 8 | 11 | 15 | 25 |
| **1. SINGLE DX** | 1856 | 4.0 | 9 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| **2. MULTIPLE DX** | 1624 | 5.2 | 19 | 1 | 2 | 4 | 6 | 10 | 12 | 21 |
| **A. NOT OPERATED** | 2143 | 4.6 | 11 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 1337 | 4.6 | 18 | 1 | 1 | 3 | 6 | 10 | 13 | 20 |
| TOTAL 0-27 DYS | 227 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 11 |
| 1-11 MOS | 318 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 1-5 YRS | 1128 | 4.5 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 6-12 YRS | 751 | 4.6 | 19 | 1 | 1 | 3 | 6 | 9 | 11 | 21 |
| 13-19 YRS | 1056 | 4.6 | 15 | 1 | 1 | 4 | 6 | 8 | 11 | 20 |
| **GRAND TOTAL** | 3480 | 4.6 | 14 | 1 | 1 | 4 | 6 | 8 | 11 | 18 |

## 293: Pilonidal cyst (685)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 2 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 59 | 3.1 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 10 | 2.9 | 3 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 1-5 YRS | 14 | 2.3 | 1 | <1 | <1 | 2 | 3 | 3 | 5 | 5 |
| 6-12 YRS | 40 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 4130 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 33 | 1.9 | 7 | <1 | <1 | 1 | 1 | 3 | 6 | 15 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 3 | 9.7 | 4 | 8 | 8 | 9 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 482 | 5.2 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 63 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 9 |
| B. *Operated* | 4196 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 35 | 2.0 | 7 | <1 | <1 | 1 | 1 | 4 | 7 | 15 |
| B. *Operated* | 490 | 5.2 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| **1. SINGLE DX** | 4259 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 525 | 5.0 | 16 | 1 | 2 | 4 | 6 | 8 | 12 | 19 |
| **A. NOT OPERATED** | 98 | 2.6 | 5 | <1 | <1 | 2 | 4 | 5 | 7 | 12 |
| **B. OPERATED** | 4686 | 3.9 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| TOTAL 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 15 | 4.0 | 12 | 1 | 1 | 2 | 6 | 9 | 11 | 12 |
| 1-5 YRS | 20 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 7 |
| 6-12 YRS | 43 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 4704 | 3.9 | 7 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| **GRAND TOTAL** | **4784** | **3.9** | **7** | **1** | **2** | **4** | **5** | **6** | **8** | **12** |

## 294: Sebaceous cyst (706.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 1 | 7.0 |  | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 6 | 1.3 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 4 | 1.3 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 61 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 1-5 YRS | 280 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 6-12 YRS | 233 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 348 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 6 | 1.3 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 9 | 1.2 |  | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 9 | 2.6 | 5 | <1 | <1 | 2 | 3 | 6 | 8 | 8 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 6 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 31 | 1.7 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 46 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 13-19 YRS | 61 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 14 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 6 | 7 |
| B. *Operated* | 923 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 27 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| B. *Operated* | 144 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| **1. SINGLE DX** | 937 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| **2. MULTIPLE DX** | 171 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| **A. NOT OPERATED** | 41 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| **B. OPERATED** | 1067 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| TOTAL 0-27 DYS | 3 | 1.7 |  | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 74 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 1-5 YRS | 326 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 6-12 YRS | 283 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 422 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| **GRAND TOTAL** | **1108** | **1.7** | **2** | **<1** | **<1** | **1** | **2** | **3** | **3** | **7** |

## 295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 56 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 1-11 MOS | 213 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 1-5 YRS | 583 | 3.5 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 6-12 YRS | 410 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 14 | 23 |
| 13-19 YRS | 495 | 4.9 | 27 | 1 | 1 | 3 | 6 | 11 | 17 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 45 | 2.7 | 12 | <1 | <1 | 1 | 2 | 6 | 11 | 16 |
| 1-5 YRS | 367 | 2.4 | 10 | <1 | <1 | 2 | 2 | 4 | 7 | 14 |
| 6-12 YRS | 939 | 2.4 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| 13-19 YRS | 2208 | 2.8 | 16 | <1 | <1 | 2 | 3 | 5 | 7 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 56 | 4.3 | 6 | 1 | 2 | 4 | 6 | 8 | 10 | 12 |
| 1-11 MOS | 342 | 4.9 | 10 | 1 | 2 | 4 | 6 | 8 | 11 | 15 |
| 1-5 YRS | 637 | 4.3 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 6-12 YRS | 308 | 4.7 | 20 | 1 | 1 | 4 | 6 | 8 | 12 | 20 |
| 13-19 YRS | 477 | 6.2 | 36 | 1 | 1 | 4 | 7 | 14 | 19 | 30 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 7.0 | 11 | 5 | 5 | 6 | 9 | 12 | 12 | 12 |
| 1-11 MOS | 16 | 7.6 | 47 | <1 | 1 | 4 | 11 | 18 | 21 | 23 |
| 1-5 YRS | 180 | 5.2 | 68 | <1 | 1 | 2 | 5 | 11 | 28 | 40 |
| 6-12 YRS | 347 | 4.4 | 35 | <1 | 1 | 2 | 4 | 11 | 17 | 29 |
| 13-19 YRS | 909 | 6.2 | 97 | 1 | 1 | 3 | 6 | 15 | 25 | 54 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1757 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| B. *Operated* | 3561 | 2.7 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1820 | 4.9 | 20 | 1 | 1 | 4 | 6 | 10 | 13 | 25 |
| B. *Operated* | 1456 | 5.7 | 78 | <1 | 1 | 2 | 6 | 14 | 22 | 50 |
| **1. SINGLE DX** | 5318 | 3.2 | 14 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| **2. MULTIPLE DX** | 3276 | 5.3 | 46 | 1 | 1 | 3 | 6 | 11 | 17 | 36 |
| **A. NOT OPERATED** | 3577 | 4.5 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| **B. OPERATED** | 5017 | 3.5 | 33 | <1 | <1 | 2 | 3 | 7 | 12 | 30 |
| TOTAL 0-27 DYS | 118 | 4.3 | 5 | 2 | 2 | 4 | 5 | 8 | 8 | 12 |
| 1-11 MOS | 616 | 4.4 | 11 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| 1-5 YRS | 1767 | 3.7 | 17 | <1 | 1 | 3 | 4 | 7 | 10 | 21 |
| 6-12 YRS | 2004 | 3.4 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 21 |
| 13-19 YRS | 4089 | 4.2 | 40 | <1 | 1 | 2 | 4 | 9 | 15 | 32 |
| **GRAND TOTAL** | **8594** | **4.0** | **27** | **<1** | **1** | **2** | **4** | **8** | **12** | **28** |

## 296: Diffuse diseases of connective tissue (710)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 1-5 YRS | 7 | 16.6 | 816 | 2 | 2 | 7 | 9 | 67 | 81 | 81 |
| 6-12 YRS | 22 | 6.3 | 20 | 1 | 2 | 5 | 9 | 14 | 16 | 17 |
| 13-19 YRS | 85 | 7.6 | 34 | 2 | 3 | 6 | 9 | 13 | 18 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 8.3 | 104 | 1 | 1 | 4 | 16 | 20 | 20 | 20 |
| 6-12 YRS | 13 | 9.4 | 79 | 1 | 2 | 7 | 13 | 22 | 29 | 31 |
| 13-19 YRS | 43 | 11.0 | 246 | 2 | 2 | 6 | 12 | 24 | 41 | 85 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 6.6 | 5 | 4 | 4 | 6 | 8 | 10 | 10 | 10 |
| 6-12 YRS | 14 | 6.4 | 33 | 2 | 2 | 4 | 7 | 16 | 20 | 21 |
| 13-19 YRS | 144 | 9.7 | 99 | 2 | 3 | 7 | 10 | 23 | 29 | 52 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 18.0 | 288 | 6 | 6 | 18 | 30 | 30 | 30 | 30 |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 14 | 14.9 | 170 | 1 | 3 | 9 | 20 | 37 | 39 | 39 |
| 13-19 YRS | 63 | 13.9 | 160 | 1 | 2 | 9 | 19 | 30 | 41 | 61 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 116 | 8.1 | 81 | 2 | 2 | 6 | 9 | 14 | 19 | 49 |
| B. *Operated* | 60 | 10.5 | 196 | 1 | 2 | 6 | 12 | 21 | 32 | 82 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 163 | 9.3 | 91 | 2 | 3 | 6 | 10 | 21 | 29 | 51 |
| B. *Operated* | 81 | 13.9 | 160 | 1 | 2 | 9 | 19 | 31 | 39 | 59 |
| **1. SINGLE DX** | 176 | 8.9 | 121 | 2 | 2 | 6 | 10 | 17 | 30 | 75 |
| **2. MULTIPLE DX** | 244 | 10.9 | 118 | 2 | 3 | 7 | 13 | 27 | 35 | 53 |
| **A. NOT OPERATED** | 279 | 8.8 | 87 | 2 | 3 | 6 | 10 | 17 | 28 | 51 |
| **B. OPERATED** | 141 | 12.4 | 177 | 1 | 2 | 8 | 16 | 30 | 38 | 64 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 4 | 18.8 | 201 | 6 | 6 | 18 | 31 | 32 | 32 | 32 |
| 1-5 YRS | 17 | 10.5 | 351 | 1 | 2 | 6 | 8 | 18 | 60 | 81 |
| 6-12 YRS | 63 | 8.9 | 77 | 1 | 2 | 6 | 12 | 20 | 33 | 39 |
| 13-19 YRS | 335 | 10.1 | 116 | 2 | 2 | 7 | 11 | 23 | 31 | 57 |
| **GRAND TOTAL** | **420** | **10.0** | **120** | **2** | **2** | **7** | **11** | **22** | **31** | **58** |

## 297: Rheumatoid arthritis, except spine (714)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 3 | 3.7 | 2 | 2 | 2 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 123 | 5.3 | 17 | 1 | 1 | 4 | 7 | 10 | 11 | 26 |
| 6-12 YRS | 182 | 5.9 | 19 | 2 | 2 | 5 | 7 | 11 | 15 | 24 |
| 13-19 YRS | 144 | 6.4 | 19 | 2 | 2 | 5 | 8 | 12 | 17 | 20 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 16.0 |  | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 3 | 8.7 | 44 | 1 | 1 | 12 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 26 | 4.5 | 25 | <1 | <1 | 3 | 5 | 12 | 15 | 22 |
| 6-12 YRS | 21 | 7.1 | 31 | 1 | 1 | 6 | 10 | 18 | 19 | 19 |
| 13-19 YRS | 52 | 8.2 | 70 | 1 | 1 | 4 | 14 | 20 | 24 | 42 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 7 | 10.9 | 46 | 3 | 4 | 9 | 15 | 22 | 23 | 23 |
| 1-5 YRS | 61 | 7.8 | 70 | 1 | 2 | 5 | 9 | 19 | 25 | 45 |
| 6-12 YRS | 94 | 7.8 | 39 | 2 | 3 | 6 | 10 | 15 | 21 | 32 |
| 13-19 YRS | 99 | 8.2 | 46 | 2 | 3 | 6 | 10 | 17 | 21 | 37 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 6 | 15.3 | 27 | 9 | 9 | 14 | 18 | 23 | 24 | 24 |
| 1-5 YRS | 6 | 8.8 | 28 | 2 | 2 | 9 | 9 | 17 | 18 | 18 |
| 6-12 YRS | 17 | 11.8 | 80 | 2 | 3 | 7 | 20 | 22 | 27 | 29 |
| 13-19 YRS | 46 | 12.6 | 209 | 2 | 2 | 7 | 13 | 32 | 46 | 71 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 452 | 5.9 | 18 | 1 | 2 | 5 | 7 | 11 | 15 | 22 |
| B. *Operated* | 103 | 7.1 | 51 | <1 | 1 | 4 | 10 | 18 | 21 | 33 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 261 | 8.1 | 49 | 2 | 2 | 6 | 10 | 17 | 23 | 33 |
| B. *Operated* | 75 | 12.3 | 150 | 2 | 2 | 9 | 17 | 24 | 40 | 66 |
| **1. SINGLE DX** | 555 | 6.1 | 25 | 1 | 2 | 5 | 8 | 12 | 17 | 25 |
| **2. MULTIPLE DX** | 336 | 9.0 | 74 | 2 | 2 | 6 | 11 | 19 | 25 | 46 |
| **A. NOT OPERATED** | 713 | 6.7 | 31 | 1 | 2 | 5 | 8 | 13 | 18 | 27 |
| **B. OPERATED** | 178 | 9.3 | 99 | 1 | 1 | 6 | 13 | 20 | 25 | 50 |
| TOTAL 0-27 DYS | 1 | 16.0 |  | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 19 | 10.8 | 44 | 1 | 2 | 12 | 15 | 21 | 24 | 24 |
| 1-5 YRS | 216 | 6.0 | 34 | 1 | 1 | 4 | 7 | 11 | 17 | 30 |
| 6-12 YRS | 314 | 6.9 | 31 | 2 | 2 | 5 | 9 | 15 | 19 | 28 |
| 13-19 YRS | 341 | 8.0 | 63 | 2 | 2 | 6 | 10 | 17 | 21 | 44 |
| **GRAND TOTAL** | **891** | **7.2** | **45** | **1** | **2** | **5** | **9** | **15** | **20** | **33** |

## 298: Osteoarthrosis (osteoarthritis), except spine (715)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 18.0 |  | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 5 | 3.4 | 5 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 9 | 7.4 | 28 | 2 | 2 | 7 | 10 | 16 | 18 | 18 |
| 13-19 YRS | 10 | 7.4 | 64 | 1 | 1 | 4 | 9 | 20 | 28 | 28 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 27.0 |  | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | 3 | 12.0 | 4 | 10 | 10 | 12 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 6 | 12.3 | 55 | 2 | 2 | 15 | 15 | 21 | 22 | 22 |
| 6-12 YRS | 10 | 10.1 | 84 | 2 | 2 | 7 | 17 | 25 | 27 | 27 |
| 13-19 YRS | 74 | 5.2 | 37 | 1 | 2 | 3 | 5 | 14 | 21 | 31 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 1.0 |  | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 8 | 7.3 | 17 | 2 | 3 | 6 | 9 | 13 | 15 | 15 |
| 6-12 YRS | 3 | 6.7 | 6 | 4 | 4 | 7 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 11 | 6.5 | 53 | 1 | 1 | 4 | 5 | 20 | 24 | 24 |
| B. *Operated* |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 18.5 | 25 | 15 | 15 | 18 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 5 | 12.4 | 13 | 9 | 9 | 11 | 15 | 18 | 18 | 18 |
| 1-5 YRS | 3 | 25.3 | 36 | 19 | 19 | 26 | 30 | 31 | 31 | 31 |
| 6-12 YRS | 4 | 10.5 | 50 | 2 | 2 | 10 | 15 | 19 | 19 | 19 |
| 13-19 YRS | 64 | 4.5 | 33 | 1 | 1 | 3 | 5 | 11 | 12 | 38 |
| **SUBTOTALS:** |  |  |  |  |  |  |  |  |  |  |
| **1. SINGLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 26 | 6.8 | 41 | 1 | 2 | 4 | 9 | 17 | 20 | 28 |
| B. *Operated* | 94 | 6.6 | 51 | 1 | 2 | 4 | 8 | 17 | 23 | 30 |
| **2. MULTIPLE DX** |  |  |  |  |  |  |  |  |  |  |
| A. *Not Operated* | 25 | 6.3 | 30 | 1 | 1 | 5 | 8 | 15 | 19 | 24 |
| B. *Operated* | 78 | 6.5 | 55 | 1 | 1 | 3 | 9 | 16 | 21 | 39 |
| **1. SINGLE DX** | 120 | 6.7 | 48 | 1 | 2 | 4 | 8 | 17 | 23 | 30 |
| **2. MULTIPLE DX** | 103 | 6.5 | 48 | 1 | 1 | 4 | 9 | 16 | 20 | 36 |
| **A. NOT OPERATED** | 51 | 6.6 | 35 | 1 | 1 | 5 | 8 | 16 | 18 | 28 |
| **B. OPERATED** | 172 | 6.6 | 52 | 1 | 2 | 3 | 8 | 17 | 22 | 31 |
| TOTAL 0-27 DYS | 5 | 13.4 | 136 | 1 | 1 | 15 | 23 | 27 | 27 | 27 |
| 1-11 MOS | 11 | 11.3 | 24 | 1 | 5 | 11 | 14 | 18 | 18 | 18 |
| 1-5 YRS | 22 | 10.2 | 71 | 1 | 2 | 7 | 15 | 23 | 28 | 31 |
| 6-12 YRS | 26 | 8.8 | 48 | 2 | 2 | 7 | 12 | 19 | 24 | 27 |
| 13-19 YRS | 159 | 5.2 | 38 | 1 | 1 | 3 | 5 | 11 | 18 | 31 |
| **GRAND TOTAL** | **223** | **6.6** | **48** | **1** | **2** | **4** | **9** | **17** | **22** | **31** |

## 299: Other arthropathies (711-713; 716)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.0 | 200 | 1 | 1 | 11 | 21 | 21 | 21 | 21 |
| 1-11 MOS | 23 | 9.4 | 47 | 1 | 2 | 10 | 13 | 17 | 24 | 27 |
| 1-5 YRS | 175 | 7.4 | 38 | 1 | 2 | 5 | 10 | 17 | 20 | 27 |
| 6-12 YRS | 137 | 7.0 | 28 | 2 | 2 | 6 | 9 | 14 | 16 | 29 |
| 13-19 YRS | 162 | 6.9 | 33 | 2 | 2 | 5 | 9 | 14 | 16 | 31 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 16.8 | 100 | 2 | 2 | 21 | 23 | 23 | 23 | 23 |
| 1-11 MOS | 27 | 15.7 | 45 | 6 | 8 | 15 | 21 | 25 | 29 | 29 |
| 1-5 YRS | 85 | 13.7 | 63 | 4 | 5 | 12 | 17 | 24 | 29 | 39 |
| 6-12 YRS | 68 | 15.0 | 94 | 3 | 4 | 14 | 21 | 29 | 31 | 50 |
| 13-19 YRS | 165 | 7.3 | 59 | 1 | 2 | 4 | 9 | 15 | 24 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 38 | 12.5 | 54 | 3 | 4 | 13 | 15 | 22 | 28 | 35 |
| 1-5 YRS | 86 | 10.4 | 68 | 2 | 3 | 7 | 16 | 22 | 28 | 35 |
| 6-12 YRS | 80 | 7.9 | 40 | 1 | 2 | 5 | 11 | 18 | 20 | 26 |
| 13-19 YRS | 123 | 8.8 | 105 | 2 | 3 | 6 | 10 | 17 | 23 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 25.0 | 336 | 5 | 5 | 29 | 38 | 41 | 41 | 41 |
| 1-11 MOS | 31 | 18.5 | 51 | 6 | 10 | 19 | 22 | 29 | 29 | 35 |
| 1-5 YRS | 50 | 17.2 | 105 | 5 | 7 | 15 | 22 | 32 | 36 | 56 |
| 6-12 YRS | 65 | 17.8 | 104 | 3 | 4 | 16 | 26 | 31 | 34 | 39 |
| 13-19 YRS | 111 | 11.4 | 137 | 2 | 2 | 7 | 16 | 27 | 32 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 499 | 7.2 | 34 | 1 | 2 | 5 | 10 | 15 | 19 | 29 |
| B. *Operated* | 349 | 11.1 | 79 | 2 | 2 | 9 | 16 | 24 | 29 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 329 | 9.4 | 74 | 2 | 3 | 7 | 13 | 20 | 24 | 35 |
| B. *Operated* | 260 | 15.1 | 123 | 2 | 3 | 14 | 22 | 30 | 34 | 42 |
| **1. SINGLE DX** | 848 | 8.8 | 56 | 2 | 2 | 6 | 13 | 19 | 24 | 33 |
| **2. MULTIPLE DX** | 589 | 11.9 | 104 | 2 | 3 | 9 | 17 | 26 | 31 | 40 |
| **A. NOT OPERATED** | 828 | 8.1 | 51 | 2 | 2 | 6 | 11 | 17 | 21 | 31 |
| **B. OPERATED** | 609 | 12.8 | 101 | 2 | 2 | 11 | 19 | 27 | 31 | 41 |
| TOTAL 0-27 DYS | 11 | 16.4 | 159 | 1 | 2 | 19 | 23 | 34 | 40 | 41 |
| 1-11 MOS | 119 | 14.2 | 59 | 3 | 4 | 14 | 19 | 25 | 29 | 35 |
| 1-5 YRS | 396 | 10.6 | 70 | 2 | 2 | 8 | 15 | 22 | 27 | 36 |
| 6-12 YRS | 350 | 10.7 | 77 | 2 | 2 | 8 | 15 | 24 | 29 | 35 |
| 13-19 YRS | 561 | 8.3 | 79 | 2 | 2 | 5 | 10 | 18 | 26 | 41 |
| **GRAND TOTAL** | **1437** | **10.1** | **78** | **2** | **2** | **7** | **14** | **22** | **28** | **38** |

## 300: Internal derangement of knee joint (717)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 22 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 121 | 2.5 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 3.4 | 2 | 1 | 1 | 4 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 11 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 7 |
| 6-12 YRS | 159 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 13-19 YRS | 4897 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 16 | 4.6 | 17 | <1 | <1 | 3 | 6 | 12 | 13 | 13 |
| 13-19 YRS | 89 | 2.4 | 7 | <1 | <1 | 1 | 3 | 6 | 7 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 3.4 | 8 | 1 | 1 | 2 | 5 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 3.7 | 6 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 77 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 13-19 YRS | 2614 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 144 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | 5072 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 106 | 2.7 | 9 | <1 | <1 | 1 | 4 | 6 | 8 | 16 |
| B. *Operated* | 2699 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **1. SINGLE DX** | 5216 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | 2805 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 8 | 12 |
| **A. NOT OPERATED** | 250 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| **B. OPERATED** | 7771 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 10 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 1-5 YRS | 16 | 2.9 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 6-12 YRS | 274 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 7721 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **GRAND TOTAL** | **8021** | **3.2** | **5** | **1** | **1** | **3** | **4** | **6** | **7** | **10** |

## 301: Other disorders of joint (718-719)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 10 | 11 |
| 1-5 YRS | 249 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 6-12 YRS | 259 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| 13-19 YRS | 245 | 3.8 | 8 | <1 | 1 | 3 | 5 | 8 | 10 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 12 | 4.6 | 18 | 1 | 1 | 3 | 5 | 11 | 15 | 16 |
| 1-5 YRS | 79 | 4.4 | 33 | <1 | 1 | 2 | 4 | 9 | 18 | 31 |
| 6-12 YRS | 338 | 3.6 | 7 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 13-19 YRS | 4885 | 3.6 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 6 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 143 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 15 |
| 6-12 YRS | 177 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 13-19 YRS | 287 | 4.3 | 21 | <1 | 1 | 3 | 6 | 9 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 4.0 | 13 | <1 | <1 | 3 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 55 | 5.3 | 15 | 2 | 2 | 4 | 7 | 11 | 12 | 22 |
| 6-12 YRS | 203 | 5.9 | 43 | 1 | 2 | 4 | 6 | 11 | 20 | 37 |
| 13-19 YRS | 1608 | 4.2 | 13 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 767 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | 5316 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 614 | 4.2 | 15 | 1 | 1 | 3 | 5 | 8 | 11 | 18 |
| B. *Operated* | 1869 | 4.4 | 17 | 1 | 2 | 3 | 5 | 8 | 10 | 22 |
| **1. SINGLE DX** | 6083 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 2483 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **A. NOT OPERATED** | 1381 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| **B. OPERATED** | 7185 | 3.8 | 8 | 1 | 1 | 3 | 5 | 6 | 8 | 14 |
| TOTAL 0-27 DYS | 3 | 2.7 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 35 | 3.7 | 10 | <1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 1-5 YRS | 526 | 4.0 | 12 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 6-12 YRS | 977 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 13-19 YRS | 7025 | 3.7 | 7 | 1 | 1 | 3 | 5 | 6 | 8 | 13 |
| **GRAND TOTAL** | **8566** | **3.8** | **9** | **1** | **1** | **3** | **5** | **6** | **8** | **15** |

## 302: Ankylosing spondylitis (720.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 8 | 9.5 | 56 | 2 | 3 | 7 | 11 | 22 | 26 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 9.7 | 49 | 2 | 3 | 8 | 11 | 21 | 26 | 26 |
| B. *Operated* | 2 | 10.0 | 8 | 8 | 8 | 10 | 12 | 12 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| B. *Operated* | 4 | 8.5 | 33 | <1 | <1 | 10 | 13 | 13 | 13 | 13 |
| **1. SINGLE DX** | 11 | 9.7 | 40 | 2 | 3 | 8 | 12 | 18 | 25 | 26 |
| **2. MULTIPLE DX** | 6 | 7.8 | 21 | <1 | 1 | 7 | 13 | 13 | 13 | 13 |
| **A. NOT OPERATED** | 11 | 9.1 | 41 | 2 | 3 | 7 | 11 | 18 | 25 | 26 |
| **B. OPERATED** | 6 | 9.0 | 22 | <1 | 1 | 10 | 13 | 13 | 13 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 4.0 | 18 | <1 | <1 | 3 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 14 | 9.6 | 34 | 2 | 4 | 8 | 13 | 15 | 23 | 26 |
| **GRAND TOTAL** | **17** | **9.1** | **33** | **1** | **2** | **8** | **12** | **13** | **22** | **26** |

## 303: Spondylosis and allied disorders (721)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 14 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 16 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 14 | 5.2 | 12 | 1 | 1 | 4 | 9 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 9 | 12.6 | 521 | 1 | 1 | 6 | 8 | 48 | 73 | 73 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 11.0 | 162 | 2 | 2 | 11 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 7.0 | 19 | 2 | 2 | 9 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 17 | 11.4 | 214 | 2 | 4 | 8 | 10 | 17 | 49 | 66 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 17 | 5.2 | 21 | 1 | 1 | 3 | 7 | 11 | 16 | 18 |
| B. *Operated* | 15 | 5.1 | 12 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 12 | 10.9 | 388 | 1 | 2 | 6 | 7 | 29 | 67 | 73 |
| B. *Operated* | 25 | 10.6 | 153 | 2 | 2 | 8 | 10 | 17 | 31 | 66 |
| **1. SINGLE DX** | 32 | 5.2 | 16 | 1 | 1 | 4 | 8 | 10 | 12 | 18 |
| **2. MULTIPLE DX** | 37 | 10.7 | 221 | 1 | 2 | 7 | 10 | 17 | 50 | 73 |
| **A. NOT OPERATED** | 29 | 7.6 | 173 | 1 | 1 | 5 | 7 | 11 | 21 | 73 |
| **B. OPERATED** | 40 | 8.5 | 106 | 1 | 2 | 7 | 10 | 13 | 18 | 66 |
| TOTAL 0-27 DYS | 3 | 9.0 | 93 | 2 | 2 | 5 | 16 | 20 | 20 | 20 |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 5 | 7.2 | 20 | 2 | 2 | 9 | 10 | 12 | 12 | 12 |
| 6-12 YRS | 6 | 6.0 | 13 | 1 | 1 | 6 | 8 | 11 | 11 | 11 |
| 13-19 YRS | 54 | 8.4 | 162 | 1 | 1 | 6 | 9 | 12 | 18 | 73 |
| **GRAND TOTAL** | **69** | **8.1** | **132** | **1** | **1** | **6** | **9** | **12** | **18** | **72** |

## 304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 17 | 7.0 | 30 | 1 | 1 | 8 | 9 | 14 | 19 | 21 |
| 6-12 YRS | 9 | 6.3 | 20 | 1 | 2 | 5 | 9 | 13 | 15 | 15 |
| 13-19 YRS | 157 | 7.7 | 26 | 2 | 2 | 7 | 10 | 14 | 17 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 6.6 | 17 | 2 | 2 | 5 | 9 | 13 | 13 | 13 |
| 1-11 MOS | 5 | 8.0 | 10 | 5 | 5 | 7 | 10 | 13 | 13 | 13 |
| 1-5 YRS | 2 | 13.0 | 128 | 5 | 5 | 13 | 21 | 21 | 21 | 21 |
| 6-12 YRS | 9 | 7.1 | 31 | 1 | 1 | 6 | 11 | 15 | 16 | 16 |
| 13-19 YRS | 527 | 7.8 | 25 | 1 | 2 | 7 | 10 | 15 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 5 | 14.4 | 95 | 4 | 4 | 12 | 19 | 30 | 30 | 30 |
| 1-5 YRS | 4 | 8.0 | 6 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 54 | 8.3 | 40 | 1 | 3 | 7 | 10 | 15 | 17 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 11.5 | 110 | 1 | 1 | 9 | 18 | 26 | 26 | 26 |
| 1-5 YRS | 3 | 13.0 | 121 | 2 | 2 | 13 | 21 | 24 | 24 | 24 |
| 6-12 YRS | 5 | 11.2 | 131 | 2 | 2 | 10 | 16 | 30 | 30 | 30 |
| 13-19 YRS | 90 | 10.2 | 56 | 2 | 3 | 8 | 14 | 19 | 25 | 41 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 186 | 7.6 | 26 | 1 | 2 | 7 | 10 | 14 | 16 | 24 |
| B. *Operated* | 548 | 7.8 | 25 | 1 | 2 | 7 | 10 | 15 | 18 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 66 | 8.7 | 42 | 2 | 3 | 8 | 11 | 15 | 19 | 36 |
| B. *Operated* | 104 | 10.4 | 59 | 2 | 2 | 9 | 14 | 22 | 25 | 39 |
| **1. SINGLE DX** | 734 | 7.7 | 25 | 1 | 2 | 7 | 10 | 14 | 17 | 23 |
| **2. MULTIPLE DX** | 170 | 9.7 | 53 | 2 | 3 | 8 | 12 | 17 | 25 | 36 |
| **A. NOT OPERATED** | 252 | 7.9 | 30 | 1 | 2 | 7 | 10 | 14 | 17 | 30 |
| **B. OPERATED** | 652 | 8.2 | 32 | 1 | 2 | 7 | 11 | 15 | 19 | 26 |
| TOTAL 0-27 DYS | 10 | 7.0 | 12 | 2 | 2 | 7 | 10 | 12 | 13 | 13 |
| 1-11 MOS | 15 | 11.4 | 61 | 2 | 4 | 10 | 13 | 26 | 29 | 30 |
| 1-5 YRS | 26 | 8.3 | 40 | 1 | 2 | 8 | 11 | 20 | 22 | 24 |
| 6-12 YRS | 25 | 7.7 | 43 | 1 | 2 | 6 | 11 | 15 | 19 | 30 |
| 13-19 YRS | 828 | 8.1 | 30 | 1 | 2 | 7 | 10 | 15 | 18 | 26 |
| **GRAND TOTAL** | **904** | **8.1** | **31** | **1** | **2** | **7** | **10** | **15** | **18** | **27** |

### 305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 5.8 | 25 | 2 | 2 | 4 | 9 | 13 | 13 | 13 |
| 6-12 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 40 | 6.5 | 16 | 1 | 2 | 6 | 9 | 12 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 8.3 | 6 | 6 | 6 | 8 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 2 | 8.0 | 98 | <1 | <1 | 7 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 53 | 7.4 | 28 | 1 | 2 | 6 | 10 | 16 | 20 | 97 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 8.5 | 61 | 3 | 3 | 8 | 14 | 14 | 14 | 14 |
| 6-12 YRS | 2 | 11.5 | 41 | 7 | 7 | 11 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 24 | 8.0 | 25 | 2 | 3 | 7 | 10 | 15 | 19 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 12 | 9.7 | 57 | 1 | 2 | 7 | 14 | 21 | 25 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Cperated* | 48 | 6.1 | 16 | 1 | 2 | 5 | 9 | 12 | 14 | 15 |
| B. *Operated* | 61 | 7.2 | 27 | 1 | 2 | 6 | 10 | 15 | 19 | 91 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 29 | 8.1 | 25 | 2 | 3 | 7 | 11 | 16 | 18 | 22 |
| B. *Operated* | 13 | 9.2 | 55 | 1 | 2 | 7 | 12 | 20 | 25 | 26 |
| **1. SINGLE DX** | 109 | 6.7 | 22 | 1 | 2 | 6 | 10 | 14 | 16 | 56 |
| **2. MULTIPLE DX** | 42 | 8.5 | 34 | 2 | 3 | 7 | 11 | 18 | 20 | 26 |
| **A. NOT OPERATED** | 77 | 6.9 | 20 | 2 | 2 | 6 | 9 | 14 | 15 | 21 |
| **B. OPERATED** | 74 | 7.6 | 32 | 1 | 2 | 6 | 10 | 17 | 20 | 81 |
| TOTAL 0-27 DYS | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 4 | 7.5 | 7 | 5 | 5 | 7 | 9 | 11 | 11 | 11 |
| 1-5 YRS | 8 | 7.0 | 35 | <1 | 1 | 4 | 13 | 15 | 15 | 15 |
| 6-12 YRS | 7 | 5.0 | 27 | 1 | 1 | 3 | 6 | 14 | 16 | 16 |
| 13-19 YRS | 129 | 7.4 | 26 | 1 | 2 | 6 | 10 | 15 | 18 | 41 |
| **GRAND TOTAL** | **151** | **7.2** | **26** | **1** | **2** | **6** | **10** | **15** | **18** | **26** |

### 306: Sacroiliac joint disorder (720.2; 724.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 6-12 YRS | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 62 | 6.0 | 9 | 2 | 2 | 6 | 8 | 10 | 11 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 29 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 3 | 7.3 | 44 | 3 | 3 | 4 | 12 | 15 | 15 | 15 |
| 13-19 YRS | 55 | 6.1 | 14 | 1 | 2 | 6 | 8 | 11 | 14 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 19 | 8.1 | 26 | 2 | 2 | 8 | 13 | 16 | 17 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 65 | 6.2 | 9 | 2 | 2 | 6 | 8 | 11 | 11 | 14 |
| B. *Operated* | 30 | 5.4 | 13 | 2 | 2 | 5 | 7 | 10 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 61 | 6.0 | 15 | 1 | 2 | 5 | 8 | 11 | 15 | 19 |
| B. *Operated* | 20 | 7.9 | 26 | 2 | 2 | 7 | 12 | 15 | 16 | 17 |
| **1. SINGLE DX** | 95 | 5.9 | 10 | 2 | 2 | 6 | 8 | 10 | 12 | 15 |
| **2. MULTIPLE DX** | 81 | 6.4 | 18 | 1 | 2 | 6 | 9 | 13 | 15 | 18 |
| **A. NOT OPERATED** | 126 | 6.1 | 12 | 2 | 2 | 6 | 8 | 11 | 12 | 16 |
| **B. OPERATED** | 50 | 6.4 | 19 | 2 | 2 | 5 | 9 | 14 | 15 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.3 | 4 | 1 | 1 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 3 | 7.3 | 42 | 1 | 1 | 7 | 12 | 14 | 14 | 14 |
| 6-12 YRS | 5 | 7.4 | 23 | 3 | 3 | 6 | 10 | 15 | 15 | 15 |
| 13-19 YRS | 165 | 6.2 | 14 | 2 | 2 | 6 | 8 | 11 | 13 | 17 |
| **GRAND TOTAL** | **176** | **6.2** | **14** | **2** | **2** | **6** | **8** | **11** | **14** | **17** |

## 307: Sciatica (724.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 3.5 | 11 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 13-19 YRS | 16 | 6.1 | 44 | <1 | 2 | 4 | 7 | 9 | 23 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 14 | 6.3 | 20 | 1 | 1 | 6 | 9 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 15.5 | 41 | 11 | 11 | 15 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 20 | 6.5 | 16 | 1 | 2 | 6 | 8 | 13 | 14 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 6.0 | 37 | 2 | 2 | 3 | 10 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 5.6 | 37 | <1 | 1 | 4 | 7 | 9 | 19 | 29 |
| B. *Operated* | 14 | 6.3 | 20 | 1 | 1 | 6 | 9 | 12 | 14 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 7.1 | 23 | 1 | 2 | 6 | 10 | 13 | 16 | 20 |
| B. *Operated* | 5 | 5.6 | 19 | 2 | 2 | 5 | 7 | 13 | 13 | 13 |
| **1. SINGLE DX** | 34 | 5.9 | 29 | 1 | 1 | 4 | 8 | 11 | 14 | 29 |
| **2. MULTIPLE DX** | 29 | 6.9 | 22 | 1 | 2 | 6 | 10 | 13 | 15 | 20 |
| **A. NOT OPERATED** | 44 | 6.4 | 30 | 1 | 1 | 5 | 8 | 13 | 16 | 29 |
| **B. OPERATED** | 19 | 6.1 | 18 | 1 | 1 | 5 | 9 | 12 | 14 | 15 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 12.0 | 57 | 5 | 5 | 11 | 18 | 20 | 20 | 20 |
| 1-5 YRS | 2 | 3.0 | 8 | <1 | <1 | 2 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 5 | 4.8 | 17 | 1 | 1 | 4 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 53 | 6.3 | 25 | 1 | 2 | 5 | 8 | 13 | 15 | 29 |
| **GRAND TOTAL** | **63** | **6.3** | **26** | **1** | **1** | **5** | **9** | **13** | **15** | **28** |

## 308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 9.0 | 50 | 4 | 4 | 9 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 5 | 5.8 | 30 | 1 | 1 | 4 | 8 | 15 | 15 | 15 |
| 1-5 YRS | 32 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 6-12 YRS | 110 | 4.0 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 13-19 YRS | 499 | 5.2 | 15 | 1 | 2 | 4 | 7 | 10 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 10 | 3.8 | 4 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 31 | 5.5 | 30 | 1 | 1 | 3 | 8 | 13 | 14 | 25 |
| 13-19 YRS | 298 | 5.1 | 19 | 1 | 2 | 3 | 7 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 9.8 | 43 | 2 | 2 | 9 | 14 | 18 | 18 | 18 |
| 1-11 MOS | 7 | 8.9 | 43 | 1 | 2 | 7 | 14 | 18 | 19 | 19 |
| 1-5 YRS | 34 | 2.7 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 6-12 YRS | 64 | 3.8 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| 13-19 YRS | 398 | 5.7 | 26 | 1 | 1 | 4 | 7 | 11 | 15 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 2 | 13.5 | 313 | <1 | <1 | 13 | 26 | 26 | 26 | 26 |
| 6-12 YRS | 17 | 5.2 | 11 | 1 | 1 | 4 | 8 | 10 | 11 | 11 |
| 13-19 YRS | 168 | 6.4 | 23 | 1 | 2 | 5 | 9 | 14 | 16 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 648 | 4.9 | 15 | 1 | 1 | 4 | 6 | 10 | 12 | 19 |
| B. *Operated* | 343 | 5.1 | 20 | 1 | 2 | 3 | 7 | 11 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 507 | 5.3 | 24 | 1 | 1 | 4 | 7 | 11 | 15 | 23 |
| B. *Operated* | 189 | 6.5 | 24 | 1 | 2 | 5 | 9 | 14 | 17 | 21 |
| **1. SINGLE DX** | 991 | 5.0 | 16 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| **2. MULTIPLE DX** | 696 | 5.6 | 24 | 1 | 1 | 4 | 7 | 12 | 15 | 22 |
| **A. NOT OPERATED** | 1155 | 5.1 | 19 | 1 | 1 | 4 | 7 | 10 | 13 | 21 |
| **B. OPERATED** | 532 | 5.6 | 22 | 1 | 2 | 4 | 8 | 12 | 15 | 23 |
| TOTAL 0-27 DYS | 9 | 9.8 | 33 | 2 | 3 | 10 | 15 | 18 | 18 | 18 |
| 1-11 MOS | 15 | 7.4 | 35 | 1 | 1 | 4 | 14 | 15 | 18 | 19 |
| 1-5 YRS | 78 | 3.0 | 11 | <1 | 1 | 2 | 3 | 7 | 7 | 21 |
| 6-12 YRS | 222 | 4.3 | 12 | 1 | 1 | 3 | 5 | 9 | 12 | 17 |
| 13-19 YRS | 1363 | 5.5 | 20 | 1 | 2 | 4 | 7 | 11 | 14 | 22 |
| **GRAND TOTAL** | **1687** | **5.3** | **20** | **1** | **1** | **4** | **7** | **11** | **14** | **21** |

## 309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 277 | 3.5 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 6-12 YRS | 272 | 4.4 | 9 | 1 | 2 | 4 | 6 | 9 | 10 | 14 |
| 13-19 YRS | 149 | 4.1 | 5 | 1 | 2 | 4 | 6 | 7 | 9 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 150 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 204 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 13-19 YRS | 1212 | 2.8 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 8 | 6 | 6 | 8 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 103 | 3.9 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| 6-12 YRS | 83 | 4.7 | 24 | 1 | 1 | 3 | 6 | 8 | 13 | 31 |
| 13-19 YRS | 100 | 4.5 | 10 | 1 | 1 | 4 | 6 | 8 | 10 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 22 | 4.6 | 33 | <1 | <1 | 2 | 5 | 13 | 18 | 24 |
| 6-12 YRS | 53 | 3.6 | 14 | 1 | 1 | 3 | 4 | 7 | 9 | 26 |
| 13-19 YRS | 418 | 3.4 | 11 | 1 | 1 | 3 | 4 | 6 | 7 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 702 | 4.0 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |
| B. *Operated* | 1572 | 2.7 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 289 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| B. *Operated* | 497 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 19 |
| **1. SINGLE DX** | 2274 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 786 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 991 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 2069 | 2.9 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| TOTAL 0-27 DYS | 5 | 6.0 | 16 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 12 | 3.7 | 4 | 1 | 2 | 3 | 4 | 7 | 8 | 8 |
| 1-5 YRS | 552 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 6-12 YRS | 612 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 13-19 YRS | 1879 | 3.1 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **GRAND TOTAL** | **3060** | **3.3** | **8** | **<1** | **1** | **3** | **4** | **6** | **8** | **14** |

## 310: Bunion and deformities of toe (727.1; 735)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 7 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 6 | 3.8 | 20 | <1 | <1 | 1 | 6 | 11 | 12 | 12 |
| 1-5 YRS | 10 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 6-12 YRS | 121 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 1171 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 15 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 4 | 3.3 | 5 | <1 | <1 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 79 | 3.6 | 2 | 1 | 2 | 4 | 5 | 5 | 6 | 7 |
| 13-19 YRS | 962 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 1310 | 3.6 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 20 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| B. *Operated* | 1050 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **1. SINGLE DX** | 1320 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 6 | 11 |
| **2. MULTIPLE DX** | 1070 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **A. NOT OPERATED** | 30 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| **B. OPERATED** | 2360 | 3.7 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| TOTAL 0-27 DYS | 4 | 5.5 | 2 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 9 | 3.9 | 13 | <1 | <1 | 3 | 5 | 10 | 12 | 12 |
| 1-5 YRS | 17 | 2.6 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 6-12 YRS | 205 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 13-19 YRS | 2155 | 3.7 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **GRAND TOTAL** | **2390** | **3.7** | **3** | **1** | **2** | **3** | **5** | **6** | **7** | **10** |

## 311: Ganglion and cyst (727.4-727.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 6-12 YRS | 11 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 13-19 YRS | 22 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 298 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 701 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 1772 | 2.0 | 7 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 9 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| 13-19 YRS | 27 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 4 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 22 | 3.4 | 19 | <1 | 1 | 2 | 3 | 6 | 13 | 22 |
| 6-12 YRS | 62 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| 13-19 YRS | 241 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| B. *Operated* | 2783 | 1.9 | 5 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| B. *Operated* | 327 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **1. SINGLE DX** | 2822 | 1.9 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 371 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **A. NOT OPERATED** | 83 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| **B. OPERATED** | 3110 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| TOTAL 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 12 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 334 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 783 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 2062 | 2.0 | 6 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| **GRAND TOTAL** | **3193** | **2.0** | **4** | **<1** | **<1** | **2** | **2** | **3** | **4** | **6** |

## 312: Osteomyelitis (730)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
| --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 8.6 | 65 | <1 | <1 | 6 | 14 | 21 | 21 | 21 |
| 1-11 MOS | 30 | 15.7 | 61 | 4 | 6 | 14 | 22 | 27 | 28 | 34 |
| 1-5 YRS | 103 | 13.4 | 64 | 2 | 4 | 12 | 20 | 24 | 29 | 34 |
| 6-12 YRS | 161 | 16.6 | 111 | 2 | 5 | 15 | 22 | 29 | 33 | 51 |
| 13-19 YRS | 100 | 14.9 | 126 | 2 | 4 | 12 | 20 | 30 | 40 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 12.3 | 122 | 2 | 2 | 11 | 21 | 24 | 24 | 24 |
| 1-11 MOS | 7 | 18.0 | 30 | 11 | 11 | 19 | 21 | 26 | 27 | 27 |
| 1-5 YRS | 69 | 15.6 | 124 | 2 | 3 | 14 | 22 | 31 | 39 | 47 |
| 6-12 YRS | 143 | 17.9 | 155 | 2 | 3 | 16 | 26 | 34 | 43 | 53 |
| 13-19 YRS | 207 | 13.2 | 116 | 2 | 3 | 9 | 20 | 29 | 36 | 45 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 72 | 2 | 2 | 8 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 18 | 15.7 | 75 | 1 | 3 | 15 | 21 | 28 | 32 | 34 |
| 1-5 YRS | 61 | 17.2 | 139 | 2 | 3 | 15 | 26 | 30 | 36 | 55 |
| 6-12 YRS | 72 | 17.9 | 139 | 2 | 3 | 16 | 25 | 32 | 40 | 59 |
| 13-19 YRS | 63 | 19.5 | 171 | 2 | 6 | 17 | 27 | 39 | 43 | 65 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 19.0 | 32 | 15 | 15 | 19 | 23 | 23 | 23 | 23 |
| 1-11 MOS | 13 | 26.7 | 229 | 8 | 9 | 21 | 38 | 47 | 57 | 59 |
| 1-5 YRS | 50 | 23.6 | 226 | 4 | 5 | 23 | 31 | 43 | 44 | 80 |
| 6-12 YRS | 99 | 23.4 | 213 | 2 | 4 | 23 | 31 | 44 | 47 | 67 |
| 13-19 YRS | 135 | 18.4 | 224 | 2 | 3 | 14 | 26 | 39 | 52 | 77 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 399 | 15.2 | 100 | 2 | 4 | 14 | 21 | 28 | 32 | 45 |
| B. *Operated* | 429 | 15.2 | 133 | 2 | 3 | 13 | 22 | 30 | 39 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 216 | 17.9 | 142 | 2 | 3 | 16 | 25 | 31 | 40 | 59 |
| B. *Operated* | 299 | 21.3 | 225 | 2 | 4 | 20 | 29 | 43 | 49 | 75 |
| **1. SINGLE DX** | 828 | 15.2 | 117 | 2 | 3 | 14 | 22 | 29 | 36 | 46 |
| **2. MULTIPLE DX** | 515 | 19.9 | 192 | 2 | 3 | 18 | 28 | 39 | 46 | 65 |
| **A. NOT OPERATED** | 615 | 16.1 | 116 | 2 | 4 | 14 | 22 | 29 | 35 | 49 |
| **B. OPERATED** | 728 | 17.7 | 179 | 2 | 3 | 15 | 25 | 36 | 44 | 58 |
| TOTAL 0-27 DYS | 12 | 11.2 | 72 | <1 | 1 | 11 | 18 | 23 | 24 | 24 |
| 1-11 MOS | 68 | 18.1 | 107 | 4 | 8 | 16 | 22 | 30 | 38 | 56 |
| 1-5 YRS | 283 | 16.6 | 135 | 2 | 4 | 14 | 23 | 31 | 38 | 47 |
| 6-12 YRS | 475 | 18.6 | 155 | 2 | 4 | 16 | 26 | 34 | 43 | 56 |
| 13-19 YRS | 505 | 15.7 | 159 | 2 | 3 | 13 | 22 | 33 | 42 | 58 |
| **GRAND TOTAL** | **1343** | **17.0** | **151** | **2** | **3** | **15** | **24** | **32** | **42** | **57** |

## 313: Localized disorders of bone and cartilage (731-733)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | 3 | 3.0 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 5 | 3.0 | 12 | <1 | <1 | 1 | 4 | 9 | 9 | 9 |
| 1-5 YRS | 86 | 6.2 | 41 | 1 | 1 | 4 | 7 | 16 | 18 | 32 |
| 6-12 YRS | 230 | 6.5 | 35 | 1 | 1 | 5 | 9 | 14 | 19 | 29 |
| 13-19 YRS | 217 | 4.5 | 33 | 1 | 1 | 3 | 6 | 9 | 11 | 34 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 4.1 | 12 | 1 | 1 | 3 | 5 | 9 | 13 | 13 |
| 1-5 YRS | 122 | 4.5 | 13 | <1 | 1 | 3 | 6 | 10 | 13 | 17 |
| 6-12 YRS | 957 | 5.3 | 32 | 1 | 1 | 4 | 6 | 10 | 15 | 31 |
| 13-19 YRS | 3082 | 4.3 | 16 | 1 | 2 | 3 | 5 | 8 | 11 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 5 | 12.0 | 27 | 3 | 3 | 13 | 15 | 16 | 16 | 16 |
| 1-5 YRS | 29 | 6.2 | 28 | 1 | 1 | 4 | 9 | 15 | 17 | 21 |
| 6-12 YRS | 110 | 7.2 | 74 | <1 | 1 | 4 | 8 | 20 | 28 | 39 |
| 13-19 YRS | 201 | 4.3 | 30 | <1 | 1 | 3 | 5 | 8 | 10 | 37 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | 2 | 29.5 | 1013 | 7 | 7 | 29 | 52 | 52 | 52 | 52 |
| 1-11 MOS | 1 | 28.0 | | 28 | 28 | 28 | 28 | 28 | 28 | 28 |
| 1-5 YRS | 48 | 8.5 | 85 | 1 | 1 | 5 | 11 | 23 | 29 | 39 |
| 6-12 YRS | 216 | 6.8 | 93 | 1 | 1 | 4 | 7 | 15 | 22 | 60 |
| 13-19 YRS | 1033 | 5.1 | 28 | 1 | 2 | 3 | 5 | 10 | 15 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 541 | 5.6 | 35 | 1 | 1 | 4 | 7 | 11 | 17 | 30 |
| B. *Operated* | 4172 | 4.6 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 347 | 5.5 | 46 | <1 | 1 | 3 | 6 | 12 | 18 | 34 |
| B. *Operated* | 1300 | 5.6 | 44 | 1 | 2 | 4 | 6 | 11 | 16 | 34 |
| **1. SINGLE DX** | 4713 | 4.7 | 22 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| **2. MULTIPLE DX** | 1647 | 5.5 | 44 | 1 | 1 | 4 | 6 | 11 | 17 | 34 |
| **A. NOT OPERATED** | 888 | 5.5 | 39 | 1 | 1 | 4 | 7 | 11 | 17 | 33 |
| **B. OPERATED** | 5472 | 4.8 | 26 | 1 | 1 | 3 | 5 | 9 | 13 | 26 |
| TOTAL 0-27 DYS | 7 | 10.0 | 347 | 1 | 1 | 3 | 6 | 43 | 52 | 52 |
| 1-11 MOS | 22 | 6.7 | 48 | <1 | 1 | 3 | 13 | 15 | 21 | 28 |
| 1-5 YRS | 285 | 5.9 | 37 | 1 | 1 | 4 | 7 | 13 | 18 | 32 |
| 6-12 YRS | 1513 | 5.8 | 44 | 1 | 1 | 4 | 7 | 12 | 18 | 35 |
| 13-19 YRS | 4533 | 4.5 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **GRAND TOTAL** | **6360** | **4.9** | **28** | **1** | **1** | **3** | **6** | **9** | **14** | **28** |

## 314: Acquired deformities of limbs, except toe (734; 736)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 9 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 6-12 YRS | 6 | 4.5 | 6 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 13 | 4.7 | 38 | <1 | <1 | 2 | 5 | 12 | 21 | 23 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 2.9 | 2 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| 1-5 YRS | 87 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 16 |
| 6-12 YRS | 238 | 4.0 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 13-19 YRS | 604 | 3.9 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| **A. *Not Operated*** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 8 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 14 | 1.7 | 4 | <1 | <1 | 1 | 1 | 3 | 7 | 8 |
| 13-19 YRS | 18 | 4.7 | 46 | <1 | <1 | 2 | 4 | 19 | 21 | 21 |
| **B. *Operated*** | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 53 | 3.2 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| 6-12 YRS | 180 | 4.7 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 28 |
| 13-19 YRS | 407 | 5.7 | 48 | 1 | 2 | 4 | 6 | 10 | 14 | 40 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 30 | 3.6 | 20 | <1 | <1 | 2 | 4 | 8 | 9 | 23 |
| B. *Operated* | 937 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 42 | 3.0 | 22 | <1 | <1 | 1 | 3 | 7 | 18 | 21 |
| B. *Operated* | 642 | 5.2 | 36 | 1 | 2 | 4 | 6 | 9 | 13 | 31 |
| **1. SINGLE DX** | 967 | 3.9 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 684 | 5.0 | 35 | 1 | 1 | 4 | 6 | 9 | 13 | 30 |
| **A. NOT OPERATED** | 72 | 3.3 | 21 | <1 | <1 | 2 | 3 | 8 | 15 | 23 |
| **B. OPERATED** | 1579 | 4.4 | 21 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 13 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 1-5 YRS | 157 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 6-12 YRS | 438 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 13-19 YRS | 1042 | 4.6 | 28 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| **GRAND TOTAL** | **1651** | **4.4** | **21** | **1** | **1** | **3** | **5** | **8** | **10** | **21** |

### 315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 21 | 8.3 | 141 | <1 | 1 | 5 | 8 | 17 | 38 | 55 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 8 | 5.8 | 25 | 1 | 2 | 4 | 7 | 14 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 9 | 5.7 | 11 | 1 | 1 | 6 | 8 | 11 | 11 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 21.0 | 392 | 7 | 7 | 21 | 33 | 35 | 35 | 35 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 6.0 | 47 | 1 | 1 | 3 | 10 | 16 | 16 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 24 | 7.6 | 127 | <1 | 1 | 5 | 7 | 13 | 34 | 55 |
| B. *Operated* | 8 | 5.8 | 25 | 1 | 2 | 4 | 7 | 14 | 17 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 11 | 5.2 | 11 | <1 | 1 | 5 | 7 | 10 | 11 | 11 |
| B. *Operated* | 6 | 11.0 | 167 | 1 | 1 | 6 | 16 | 33 | 35 | 35 |
| **1. SINGLE DX** | 32 | 7.2 | 100 | 1 | 1 | 4 | 7 | 13 | 24 | 55 |
| **2. MULTIPLE DX** | 17 | 7.2 | 67 | <1 | 1 | 5 | 8 | 15 | 28 | 35 |
| **A. NOT OPERATED** | 35 | 6.9 | 90 | <1 | 1 | 5 | 7 | 11 | 22 | 55 |
| **B. OPERATED** | 14 | 8.0 | 85 | 1 | 1 | 5 | 8 | 19 | 31 | 35 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 14.3 | 329 | <1 | <1 | 7 | 28 | 35 | 35 | 35 |
| 6-12 YRS | 3 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 42 | 7.0 | 81 | 1 | 1 | 5 | 8 | 13 | 20 | 55 |
| **GRAND TOTAL** | **49** | **7.2** | **87** | **1** | **1** | **5** | **7** | **14** | **25** | **55** |

### 316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 3.6 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 1-5 YRS | 86 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 5 | 17 |
| 6-12 YRS | 178 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 13-19 YRS | 440 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | 9 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 15 | 2.2 | 4 | <1 | <1 | 2 | 2 | 3 | 8 | 9 |
| 1-5 YRS | 157 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 441 | 4.6 | 26 | 1 | 1 | 3 | 5 | 12 | 16 | 23 |
| 13-19 YRS | 1972 | 4.7 | 25 | 1 | 1 | 3 | 5 | 12 | 16 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 5.6 | 1 | 4 | 4 | 6 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 13 | 6.2 | 34 | <1 | 1 | 4 | 8 | 15 | 19 | 20 |
| 1-5 YRS | 80 | 3.3 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 19 |
| 6-12 YRS | 128 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 9 | 11 |
| 13-19 YRS | 456 | 4.6 | 16 | 1 | 1 | 4 | 6 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 10 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 99 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 8 |
| 6-12 YRS | 240 | 6.0 | 61 | 1 | 2 | 3 | 6 | 12 | 23 | 39 |
| 13-19 YRS | 1369 | 4.4 | 27 | 1 | 1 | 3 | 4 | 10 | 16 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 716 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 12 |
| B. *Operated* | 2588 | 4.5 | 24 | 1 | 1 | 3 | 5 | 11 | 15 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 682 | 4.3 | 14 | 1 | 1 | 3 | 6 | 8 | 11 | 20 |
| B. *Operated* | 1719 | 4.5 | 31 | 1 | 1 | 3 | 4 | 10 | 16 | 31 |
| **1. SINGLE DX** | 3304 | 4.3 | 20 | 1 | 1 | 3 | 5 | 10 | 14 | 22 |
| **2. MULTIPLE DX** | 2401 | 4.4 | 26 | 1 | 1 | 3 | 5 | 9 | 14 | 27 |
| **A. NOT OPERATED** | 1398 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| **B. OPERATED** | 4307 | 4.5 | 26 | 1 | 1 | 3 | 5 | 11 | 15 | 26 |
| TOTAL 0-27 DYS | 9 | 5.2 | 3 | <1 | 2 | 6 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 50 | 3.6 | 14 | <1 | 1 | 2 | 4 | 8 | 13 | 20 |
| 1-5 YRS | 422 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 6-12 YRS | 987 | 4.6 | 30 | 1 | 1 | 3 | 5 | 10 | 15 | 30 |
| 13-19 YRS | 4237 | 4.5 | 23 | 1 | 1 | 3 | 5 | 10 | 15 | 23 |
| **GRAND TOTAL** | **5705** | **4.4** | **23** | **1** | **1** | **3** | **5** | **10** | **14** | **24** |

## 317: Somatic dysfunction (739)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 4.8 | 6 | 1 | 1 | 5 | 7 | 8 | 8 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 3 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 23 | 5.5 | 11 | 2 | 3 | 4 | 8 | 10 | 13 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 7.3 | 21 | 2 | 2 | 7 | 10 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9 | 4.4 | 6 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| B. *Operated* | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 28 | 5.2 | 10 | 2 | 2 | 4 | 7 | 10 | 12 | 14 |
| B. *Operated* | 4 | 7.3 | 21 | 2 | 2 | 7 | 10 | 13 | 13 | 13 |
| **1. SINGLE DX** | 10 | 4.6 | 6 | 1 | 1 | 5 | 6 | 8 | 8 | 8 |
| **2. MULTIPLE DX** | 32 | 5.5 | 11 | 2 | 2 | 4 | 8 | 11 | 13 | 14 |
| **A. NOT OPERATED** | 37 | 5.0 | 9 | 1 | 2 | 4 | 7 | 9 | 11 | 14 |
| **B. OPERATED** | 5 | 7.0 | 16 | 2 | 2 | 6 | 9 | 13 | 13 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 5 | 4.0 | 7 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 35 | 5.5 | 11 | 2 | 2 | 5 | 8 | 10 | 13 | 14 |
| **GRAND TOTAL** | 42 | 5.3 | 10 | 1 | 2 | 5 | 8 | 9 | 12 | 14 |

## 318: Congenital anomaly of nervous system (740-742)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 6.7 | 37 | 1 | 1 | 4 | 10 | 17 | 19 | 20 |
| 1-11 MOS | 60 | 2.8 | 12 | <1 | <1 | 2 | 3 | 5 | 9 | 23 |
| 1-5 YRS | 65 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 86 |
| 6-12 YRS | 35 | 3.5 | 7 | 1 | 1 | 3 | 4 | 9 | 9 | 13 |
| 13-19 YRS | 23 | 4.0 | 13 | <1 | 1 | 3 | 4 | 8 | 13 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 26 | 11.1 | 89 | 4 | 4 | 9 | 12 | 18 | 40 | 41 |
| 1-11 MOS | 81 | 7.7 | 40 | 1 | 2 | 7 | 10 | 15 | 19 | 35 |
| 1-5 YRS | 51 | 6.8 | 25 | 2 | 2 | 5 | 10 | 16 | 19 | 98 |
| 6-12 YRS | 20 | 5.5 | 13 | 1 | 2 | 4 | 7 | 11 | 13 | 14 |
| 13-19 YRS | 33 | 8.5 | 39 | 2 | 2 | 7 | 12 | 17 | 20 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 12 | 10.4 | 97 | 2 | 2 | 6 | 15 | 28 | 31 | 32 |
| 1-11 MOS | 115 | 5.5 | 39 | <1 | 1 | 4 | 7 | 11 | 19 | 32 |
| 1-5 YRS | 178 | 4.4 | 20 | <1 | 1 | 3 | 5 | 10 | 15 | 23 |
| 6-12 YRS | 76 | 5.3 | 58 | 1 | 1 | 3 | 7 | 9 | 14 | 51 |
| 13-19 YRS | 61 | 7.2 | 142 | 1 | 1 | 4 | 10 | 14 | 17 | 83 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 18 | 17.1 | 174 | 3 | 7 | 12 | 24 | 33 | 48 | 57 |
| 1-11 MOS | 81 | 14.7 | 274 | 2 | 3 | 10 | 14 | 38 | 48 | 86 |
| 1-5 YRS | 119 | 13.1 | 269 | 2 | 2 | 6 | 15 | 33 | 53 | 79 |
| 6-12 YRS | 93 | 10.7 | 133 | 2 | 2 | 7 | 12 | 26 | 39 | 86 |
| 13-19 YRS | 63 | 11.1 | 84 | 2 | 2 | 8 | 16 | 27 | 32 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 198 | 3.2 | 12 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| B. *Operated* | 211 | 7.8 | 41 | 1 | 2 | 6 | 11 | 15 | 19 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 5.4 | 51 | 1 | 1 | 3 | 7 | 11 | 17 | 29 |
| B. *Operated* | 374 | 12.7 | 202 | 2 | 2 | 8 | 15 | 31 | 44 | 81 |
| **1. SINGLE DX** | 409 | 5.6 | 32 | 1 | 1 | 4 | 8 | 12 | 17 | 38 |
| **2. MULTIPLE DX** | 816 | 8.7 | 133 | 1 | 1 | 5 | 10 | 19 | 31 | 70 |
| **A. NOT OPERATED** | 640 | 4.7 | 40 | <1 | 1 | 3 | 5 | 10 | 16 | 28 |
| **B. OPERATED** | 585 | 10.9 | 149 | 2 | 2 | 7 | 12 | 25 | 37 | 78 |
| TOTAL 0-27 DYS | 71 | 11.6 | 110 | 1 | 2 | 9 | 14 | 25 | 34 | 54 |
| 1-11 MOS | 337 | 7.8 | 108 | 1 | 1 | 5 | 9 | 16 | 26 | 56 |
| 1-5 YRS | 413 | 6.8 | 107 | 1 | 1 | 3 | 7 | 16 | 25 | 78 |
| 6-12 YRS | 224 | 7.3 | 85 | 1 | 1 | 4 | 8 | 15 | 25 | 82 |
| 13-19 YRS | 180 | 8.4 | 90 | 1 | 2 | 6 | 11 | 18 | 26 | 75 |
| **GRAND TOTAL** | 1225 | 7.7 | 102 | 1 | 1 | 4 | 9 | 17 | 26 | 65 |

## 319: Congenital anomaly of eye, ear, face, and neck (743-744)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 239 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 3 |
| 1-5 YRS | 262 | 1.2 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 6-12 YRS | 27 | 2.3 | 6 | <1 | <1 | 1 | 2 | 5 | 9 | 11 |
| 13-19 YRS | 17 | 3.0 | 8 | <1 | 1 | 2 | 3 | 7 | 10 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 12 | 2.8 | 7 | 1 | 1 | 2 | 3 | 6 | 10 | 11 |
| 1-11 MOS | 186 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 1-5 YRS | 675 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 743 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 509 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 14.3 | 481 | <1 | <1 | 4 | 26 | 47 | 47 | 47 |
| 1-11 MOS | 47 | 2.0 | 5 | <1 | <1 | 1 | 1 | 5 | 7 | 10 |
| 1-5 YRS | 81 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 6-12 YRS | 19 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 11 | 1.4 | 1 | <1 | <1 | 1 | 1 | 3 | 5 | 5 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | 6 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 64 | 3.5 | 47 | <1 | 1 | 2 | 3 | 7 | 8 | 49 |
| 1-5 YRS | 199 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 6-12 YRS | 190 | 2.5 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 13-19 YRS | 168 | 3.2 | 8 | 1 | 1 | 2 | 4 | 5 | 7 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 546 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| B. *Operated* | 2125 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 162 | 1.9 | 15 | <1 | <1 | 1 | 1 | 3 | 5 | 10 |
| B. *Operated* | 624 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| **1. SINGLE DX** | 2671 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 786 | 2.6 | 11 | <1 | <1 | 2 | 3 | 4 | 7 | 11 |
| **A. NOT OPERATED** | 708 | 1.4 | 5 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |
| **B. OPERATED** | 2749 | 2.3 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-27 DYS | 20 | 5.3 | 102 | <1 | 1 | 2 | 4 | 9 | 29 | 47 |
| 1-11 MOS | 536 | 1.8 | 8 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 1-5 YRS | 1217 | 1.8 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 979 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 13-19 YRS | 705 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **GRAND TOTAL** | **3457** | **2.1** | **4** | **<1** | **<1** | **2** | **2** | **3** | **5** | **9** |

## 320: Congenital anomaly of heart and circulatory system (745-747)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 35 | 4.4 | 24 | 1 | 1 | 3 | 5 | 8 | 11 | 28 |
| 1-11 MOS | 58 | 3.3 | 7 | <1 | 1 | 3 | 4 | 8 | 10 | 11 |
| 1-5 YRS | 43 | 2.8 | 6 | <1 | <1 | 2 | 3 | 6 | 8 | 11 |
| 6-12 YRS | 20 | 2.7 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 17 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 10 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 18 | 8.2 | 99 | <1 | <1 | 5 | 10 | 18 | 33 | 42 |
| 1-11 MOS | 245 | 4.9 | 24 | 1 | 1 | 2 | 7 | 11 | 14 | 20 |
| 1-5 YRS | 733 | 4.6 | 23 | 1 | 1 | 2 | 7 | 10 | 12 | 20 |
| 6-12 YRS | 305 | 4.5 | 21 | 1 | 1 | 2 | 8 | 9 | 11 | 20 |
| 13-19 YRS | 325 | 4.2 | 12 | 1 | 1 | 2 | 7 | 9 | 11 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 67 | 6.6 | 58 | 1 | 1 | 5 | 7 | 13 | 24 | 41 |
| 1-11 MOS | 300 | 5.6 | 49 | 1 | 1 | 4 | 6 | 11 | 15 | 33 |
| 1-5 YRS | 230 | 4.7 | 30 | <1 | 1 | 3 | 6 | 9 | 14 | 33 |
| 6-12 YRS | 71 | 4.7 | 41 | <1 | 1 | 3 | 6 | 8 | 10 | 41 |
| 13-19 YRS | 82 | 5.7 | 38 | 1 | 1 | 4 | 7 | 13 | 19 | 32 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 79 | 12.9 | 294 | 1 | 1 | 8 | 14 | 39 | 65 | 96 |
| 1-11 MOS | 554 | 8.8 | 126 | 1 | 1 | 6 | 11 | 21 | 30 | 74 |
| 1-5 YRS | 759 | 6.1 | 53 | 1 | 1 | 2 | 9 | 12 | 17 | 43 |
| 6-12 YRS | 342 | 6.1 | 51 | 1 | 1 | 2 | 9 | 12 | 19 | 43 |
| 13-19 YRS | 263 | 7.1 | 90 | 1 | 2 | 3 | 9 | 14 | 22 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 173 | 3.3 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 12 |
| B. *Operated* | 1626 | 4.6 | 22 | 1 | 1 | 2 | 7 | 10 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 750 | 5.3 | 42 | 1 | 1 | 4 | 6 | 10 | 15 | 34 |
| B. *Operated* | 2007 | 7.2 | 90 | 1 | 1 | 3 | 9 | 15 | 24 | 60 |
| **1. SINGLE DX** | 1799 | 4.5 | 21 | 1 | 1 | 2 | 7 | 10 | 11 | 19 |
| **2. MULTIPLE DX** | 2757 | 6.7 | 77 | 1 | 1 | 3 | 9 | 14 | 22 | 46 |
| **A. NOT OPERATED** | 923 | 4.9 | 37 | <1 | 1 | 3 | 6 | 10 | 14 | 33 |
| **B. OPERATED** | 3633 | 6.1 | 61 | 1 | 1 | 2 | 8 | 12 | 18 | 43 |
| TOTAL 0-27 DYS | 199 | 8.9 | 160 | 1 | 1 | 5 | 9 | 19 | 39 | 81 |
| 1-11 MOS | 1157 | 6.9 | 82 | 1 | 1 | 4 | 9 | 15 | 24 | 50 |
| 1-5 YRS | 1775 | 5.2 | 37 | 1 | 1 | 2 | 8 | 11 | 14 | 30 |
| 6-12 YRS | 738 | 5.2 | 37 | 1 | 1 | 2 | 8 | 11 | 14 | 39 |
| 13-19 YRS | 687 | 5.5 | 46 | 1 | 1 | 3 | 8 | 11 | 15 | 30 |
| **GRAND TOTAL** | **4556** | **5.8** | **56** | **1** | **1** | **3** | **8** | **12** | **17** | **42** |

## 321: Cleft palate and lip (749)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 8 | 4.3 | 44 | 1 | 1 | 1 | 4 | 16 | 20 | 20 |
| 1-5 YRS | 7 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 28 | 5.1 | 5 | 2 | 2 | 5 | 7 | 8 | 8 | 10 |
| 1-11 MOS | 428 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 13 |
| 1-5 YRS | 570 | 4.3 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 10 |
| 6-12 YRS | 216 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 159 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 9 | 5.9 | 20 | 1 | 1 | 6 | 8 | 13 | 14 | 14 |
| 1-11 MOS | 25 | 3.3 | 47 | <1 | <1 | 1 | 2 | 6 | 21 | 32 |
| 1-5 YRS | 55 | 1.8 | 3 | <1 | <1 | 1 | 1 | 5 | 6 | 9 |
| 6-12 YRS | 9 | 1.1 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 13-19 YRS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 7.2 | 56 | 1 | 1 | 3 | 12 | 19 | 24 | 24 |
| 1-11 MOS | 151 | 6.3 | 50 | 2 | 2 | 5 | 6 | 9 | 14 | 39 |
| 1-5 YRS | 376 | 4.6 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 6-12 YRS | 132 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| 13-19 YRS | 159 | 3.2 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 21 | 2.7 | 17 | <1 | <1 | 1 | 2 | 5 | 12 | 20 |
| B. *Operated* | 1401 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 102 | 2.4 | 16 | <1 | <1 | 1 | 2 | 6 | 8 | 24 |
| B. *Operated* | 828 | 4.5 | 15 | 1 | 2 | 4 | 5 | 7 | 9 | 21 |
| **1. SINGLE DX** | 1422 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| **2. MULTIPLE DX** | 930 | 4.3 | 16 | 1 | 1 | 4 | 5 | 7 | 9 | 21 |
| **A. NOT OPERATED** | 123 | 2.5 | 16 | <1 | <1 | 1 | 2 | 6 | 8 | 23 |
| **B. OPERATED** | 2229 | 4.3 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 12 |
| TOTAL 0-27 DYS | 51 | 5.5 | 18 | 1 | 1 | 4 | 7 | 10 | 14 | 24 |
| 1-11 MOS | 612 | 5.1 | 19 | 1 | 2 | 4 | 6 | 8 | 9 | 31 |
| 1-5 YRS | 1008 | 4.2 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 6-12 YRS | 357 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 13-19 YRS | 324 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **GRAND TOTAL** | 2352 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |

## 322: Congenital hypertrophic pyloric stenosis (750.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 29 | 2.8 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 1-11 MOS | 56 | 3.2 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| 1-5 YRS | 18 | 3.3 | 8 | 1 | 1 | 2 | 4 | 7 | 10 | 12 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 339 | 4.2 | 8 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 1-11 MOS | 771 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 1-5 YRS | 107 | 4.5 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 10 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 11 | 3.7 | 9 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 1-11 MOS | 48 | 4.5 | 9 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 1-5 YRS | 13 | 5.0 | 11 | 1 | 1 | 4 | 7 | 9 | 12 | 13 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 80 | 6.0 | 11 | 2 | 3 | 5 | 8 | 10 | 11 | 19 |
| 1-11 MOS | 170 | 5.5 | 9 | 3 | 3 | 5 | 7 | 9 | 12 | 17 |
| 1-5 YRS | 26 | 8.0 | 21 | 3 | 4 | 6 | 9 | 15 | 17 | 21 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 103 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| B. *Operated* | 1217 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 4.5 | 9 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 276 | 5.9 | 11 | 3 | 3 | 5 | 7 | 10 | 13 | 18 |
| **1. SINGLE DX** | 1320 | 4.0 | 5 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 348 | 5.6 | 11 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| **A. NOT OPERATED** | 175 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| **B. OPERATED** | 1493 | 4.4 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-27 DYS | 459 | 4.4 | 8 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-11 MOS | 1045 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 1-5 YRS | 164 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | 1668 | 4.3 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |

## 323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 31 | 3.9 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 14 |
| 1-11 MOS | 132 | 3.0 | 13 | <1 | <1 | 2 | 4 | 6 | 8 | 21 |
| 1-5 YRS | 161 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 48 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 27 | 3.1 | 6 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 30 | 11.7 | 153 | 1 | 1 | 8 | 13 | 30 | 41 | 52 |
| 1-11 MOS | 162 | 6.1 | 38 | <1 | 1 | 4 | 9 | 14 | 20 | 27 |
| 1-5 YRS | 386 | 3.3 | 15 | <1 | <1 | 2 | 4 | 8 | 10 | 22 |
| 6-12 YRS | 175 | 3.8 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 11 |
| 13-19 YRS | 268 | 4.2 | 16 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 16 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 10 | 12 |
| 1-11 MOS | 111 | 7.4 | 120 | 1 | 1 | 4 | 9 | 15 | 17 | 64 |
| 1-5 YRS | 109 | 5.0 | 43 | <1 | 1 | 3 | 7 | 10 | 18 | 70 |
| 6-12 YRS | 40 | 3.9 | 9 | <1 | <1 | 3 | 5 | 8 | 10 | 13 |
| 13-19 YRS | 28 | 3.8 | 6 | <1 | <1 | 3 | 6 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 31 | 23.1 | 356 | 5 | 7 | 18 | 33 | 54 | 77 | 99+ |
| 1-11 MOS | 133 | 15.5 | 305 | 1 | 2 | 10 | 20 | 32 | 57 | 89 |
| 1-5 YRS | 206 | 7.6 | 66 | <1 | 1 | 5 | 9 | 16 | 20 | 47 |
| 6-12 YRS | 143 | 5.5 | 20 | 1 | 2 | 4 | 7 | 10 | 12 | 25 |
| 13-19 YRS | 239 | 5.1 | 15 | 1 | 2 | 4 | 7 | 10 | 14 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 399 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 1021 | 4.3 | 24 | <1 | <1 | 3 | 5 | 9 | 14 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 304 | 5.5 | 63 | <1 | 1 | 4 | 7 | 11 | 16 | 45 |
| B. *Operated* | 752 | 8.4 | 118 | 1 | 2 | 5 | 10 | 18 | 29 | 64 |
| **1. SINGLE DX** | 1420 | 3.8 | 20 | <1 | <1 | 2 | 5 | 8 | 11 | 22 |
| **2. MULTIPLE DX** | 1056 | 7.6 | 104 | 1 | 1 | 5 | 9 | 16 | 25 | 59 |
| **A. NOT OPERATED** | 703 | 3.8 | 34 | <1 | <1 | 2 | 5 | 8 | 11 | 31 |
| **B. OPERATED** | 1773 | 6.1 | 68 | <1 | 1 | 4 | 7 | 13 | 19 | 46 |
| TOTAL 0-27 DYS | 108 | 11.4 | 212 | 1 | 1 | 7 | 13 | 34 | 52 | 88 |
| 1-11 MOS | 538 | 7.9 | 136 | <1 | 1 | 4 | 9 | 18 | 28 | 68 |
| 1-5 YRS | 862 | 4.3 | 33 | <1 | <1 | 2 | 5 | 10 | 15 | 34 |
| 6-12 YRS | 406 | 4.2 | 12 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| 13-19 YRS | 562 | 4.5 | 15 | 1 | 1 | 3 | 6 | 9 | 12 | 19 |
| **GRAND TOTAL** | **2476** | **5.4** | **59** | **<1** | **1** | **3** | **6** | **11** | **17** | **41** |

## 324: Undescended testicle (752.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 14 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 22 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 7 | 2.6 | 5 | <1 | <1 | 1 | 4 | 6 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 1105 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 1349 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 431 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 69 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| 6-12 YRS | 44 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 13-19 YRS | 8 | 2.1 | 8 | <1 | <1 | 1 | 2 | 7 | 9 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 23 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 1-5 YRS | 1193 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 6-12 YRS | 1018 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 10 |
| 13-19 YRS | 311 | 3.8 | 4 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 44 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | 2893 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 122 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 9 |
| B. *Operated* | 2545 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **1. SINGLE DX** | 2937 | 2.8 | 2 | 1 | 1 | 3 | 3 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | 2667 | 3.0 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| **A. NOT OPERATED** | 166 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 4 | 9 |
| **B. OPERATED** | 5438 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 32 | 2.0 | 1 | <1 | <1 | 2 | 2 | 4 | 5 | 5 |
| 1-5 YRS | 2381 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 6-12 YRS | 2433 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 757 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | **5604** | **2.9** | **3** | **1** | **1** | **3** | **4** | **5** | **6** | **9** |

## 325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 4.3 | 7 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 10 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 36 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| 6-12 YRS | 26 | 2.2 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 22 | 2.9 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 5.7 | 8 | 1 | 1 | 6 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 59 | 5.8 | 32 | <1 | 1 | 4 | 8 | 13 | 15 | 32 |
| 1-5 YRS | 1110 | 5.4 | 18 | <1 | 1 | 4 | 8 | 11 | 13 | 17 |
| 6-12 YRS | 453 | 4.3 | 16 | <1 | 1 | 3 | 6 | 10 | 12 | 17 |
| 13-19 YRS | 465 | 4.4 | 14 | <1 | 1 | 3 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 5.3 | 40 | <1 | <1 | 2 | 13 | 14 | 14 | 14 |
| 1-11 MOS | 28 | 4.5 | 69 | <1 | 1 | 2 | 4 | 8 | 13 | 45 |
| 1-5 YRS | 85 | 3.1 | 65 | <1 | <1 | 1 | 2 | 6 | 10 | 54 |
| 6-12 YRS | 27 | 3.2 | 5 | <1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 13-19 YRS | 48 | 3.2 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 17 | 10.2 | 165 | <1 | 1 | 7 | 12 | 24 | 44 | 53 |
| 1-11 MOS | 79 | 7.6 | 64 | 1 | 1 | 5 | 10 | 19 | 26 | 35 |
| 1-5 YRS | 600 | 5.2 | 27 | <1 | 1 | 3 | 8 | 12 | 14 | 23 |
| 6-12 YRS | 379 | 5.1 | 23 | 1 | 1 | 3 | 8 | 11 | 14 | 17 |
| 13-19 YRS | 456 | 5.4 | 20 | 1 | 1 | 4 | 7 | 11 | 15 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 98 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 2093 | 4.9 | 17 | <1 | 1 | 4 | 8 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 194 | 3.4 | 41 | <1 | <1 | 2 | 3 | 7 | 10 | 36 |
| B. *Operated* | 1531 | 5.4 | 28 | 1 | 1 | 4 | 8 | 12 | 15 | 24 |
| **1. SINGLE DX** | 2191 | 4.8 | 17 | <1 | 1 | 3 | 7 | 10 | 12 | 17 |
| **2. MULTIPLE DX** | 1725 | 5.2 | 30 | <1 | 1 | 3 | 7 | 11 | 14 | 25 |
| **A. NOT OPERATED** | 292 | 3.1 | 29 | <1 | <1 | 2 | 3 | 6 | 8 | 21 |
| **B. OPERATED** | 3624 | 5.1 | 22 | <1 | 1 | 4 | 8 | 11 | 13 | 20 |
| TOTAL 0-27 DYS | 33 | 7.8 | 97 | <1 | 1 | 6 | 10 | 14 | 24 | 53 |
| 1-11 MOS | 176 | 6.2 | 52 | 1 | 1 | 4 | 8 | 14 | 21 | 35 |
| 1-5 YRS | 1831 | 5.1 | 23 | <1 | 1 | 4 | 8 | 11 | 13 | 19 |
| 6-12 YRS | 885 | 4.6 | 19 | <1 | 1 | 3 | 7 | 11 | 13 | 17 |
| 13-19 YRS | 991 | 4.8 | 17 | <1 | 1 | 3 | 6 | 10 | 13 | 19 |
| **GRAND TOTAL** | **3916** | **5.0** | **23** | **<1** | **1** | **3** | **7** | **11** | **13** | **20** |

## 326: Clubfoot (754.5-754.7)

| | | | | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 20 | 2.0 | 7 | <1 | <1 | 1 | 1 | 4 | 9 | 12 |
| 1-5 YRS | 25 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 4 |
| 6-12 YRS | 5 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 394 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 9 |
| 1-5 YRS | 491 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| 6-12 YRS | 229 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 12 |
| 13-19 YRS | 203 | 5.0 | 9 | 2 | 2 | 4 | 6 | 8 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 31 | 1.6 | 2 | <1 | <1 | 1 | 1 | 4 | 5 | 7 |
| 1-5 YRS | 34 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 6-12 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 74 | 3.9 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 12 |
| 1-5 YRS | 170 | 3.8 | 7 | 1 | 2 | 3 | 4 | 6 | 7 | 18 |
| 6-12 YRS | 171 | 4.9 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 14 |
| 13-19 YRS | 297 | 4.7 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 52 | 1.7 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 12 |
| B. *Operated* | 1320 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 74 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 4 | 7 |
| B. *Operated* | 713 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| **1. SINGLE DX** | 1372 | 3.6 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | 787 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 126 | 1.5 | 2 | <1 | <1 | 1 | 1 | 3 | 5 | 8 |
| **B. OPERATED** | 2033 | 3.9 | 6 | 1 | 2 | 3 | 5 | 6 | 8 | 13 |
| TOTAL 0-27 DYS | 4 | 6.3 | 30 | 2 | 2 | 4 | 10 | 14 | 14 | 14 |
| 1-11 MOS | 519 | 2.9 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 1-5 YRS | 720 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 6-12 YRS | 409 | 4.5 | 6 | 2 | 2 | 4 | 5 | 8 | 9 | 13 |
| 13-19 YRS | 507 | 4.8 | 7 | 2 | 2 | 4 | 6 | 8 | 9 | 16 |
| **GRAND TOTAL** | **2159** | **3.8** | **6** | **1** | **1** | **3** | **5** | **6** | **8** | **13** |

## 327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 28 | 3.8 | 13 | <1 | <1 | 2 | 5 | 11 | 12 | 13 |
| 1-11 MOS | 262 | 3.0 | 19 | <1 | <1 | 1 | 2 | 8 | 13 | 23 |
| 1-5 YRS | 241 | 2.8 | 28 | <1 | <1 | 2 | 2 | 4 | 7 | 29 |
| 6-12 YRS | 65 | 4.0 | 35 | <1 | 1 | 3 | 4 | 6 | 13 | 34 |
| 13-19 YRS | 111 | 4.4 | 14 | 1 | 1 | 3 | 6 | 8 | 10 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 16 | 6.2 | 52 | 1 | 2 | 4 | 6 | 9 | 25 | 32 |
| 1-11 MOS | 606 | 6.1 | 37 | 1 | 1 | 4 | 8 | 14 | 17 | 25 |
| 1-5 YRS | 1309 | 3.8 | 20 | <1 | 1 | 2 | 4 | 8 | 12 | 25 |
| 6-12 YRS | 1080 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 19 |
| 13-19 YRS | 1769 | 4.2 | 15 | 1 | 2 | 3 | 5 | 8 | 11 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 37 | 9.4 | 53 | <1 | 1 | 8 | 13 | 19 | 24 | 32 |
| 1-11 MOS | 232 | 4.5 | 24 | <1 | 1 | 3 | 6 | 10 | 15 | 24 |
| 1-5 YRS | 291 | 4.2 | 26 | <1 | <1 | 2 | 5 | 10 | 14 | 30 |
| 6-12 YRS | 107 | 4.4 | 30 | <1 | <1 | 3 | 5 | 10 | 14 | 32 |
| 13-19 YRS | 154 | 4.7 | 29 | <1 | 1 | 3 | 6 | 10 | 12 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 17 | 16.8 | 388 | 2 | 3 | 9 | 16 | 56 | 65 | 67 |
| 1-11 MOS | 193 | 8.5 | 95 | 1 | 2 | 5 | 10 | 23 | 30 | 68 |
| 1-5 YRS | 463 | 6.1 | 56 | 1 | 1 | 4 | 7 | 14 | 20 | 45 |
| 6-12 YRS | 409 | 6.9 | 80 | 1 | 2 | 4 | 7 | 13 | 22 | 49 |
| 13-19 YRS | 685 | 5.8 | 28 | 1 | 2 | 4 | 7 | 12 | 16 | 30 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 707 | 3.3 | 23 | <1 | <1 | 2 | 3 | 7 | 10 | 26 |
| B. *Operated* | 4780 | 4.3 | 19 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 821 | 4.7 | 29 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| B. *Operated* | 1767 | 6.5 | 59 | 1 | 2 | 4 | 7 | 14 | 20 | 44 |
| **1. SINGLE DX** | 5487 | 4.2 | 20 | 1 | 1 | 3 | 5 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | 2588 | 5.9 | 50 | 1 | 1 | 4 | 7 | 13 | 19 | 39 |
| **A. NOT OPERATED** | 1528 | 4.0 | 26 | <1 | <1 | 2 | 5 | 9 | 13 | 27 |
| **B. OPERATED** | 6547 | 4.9 | 31 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |
| TOTAL 0-27 DYS | 98 | 8.6 | 115 | <1 | 1 | 5 | 11 | 17 | 29 | 64 |
| 1-11 MOS | 1293 | 5.5 | 42 | <1 | 1 | 3 | 8 | 13 | 18 | 32 |
| 1-5 YRS | 2304 | 4.2 | 30 | <1 | 1 | 2 | 5 | 9 | 14 | 29 |
| 6-12 YRS | 1661 | 4.8 | 33 | 1 | 1 | 3 | 5 | 9 | 13 | 32 |
| 13-19 YRS | 2719 | 4.7 | 19 | 1 | 2 | 3 | 6 | 9 | 13 | 22 |
| **GRAND TOTAL** | 8075 | 4.8 | 30 | 1 | 1 | 3 | 6 | 10 | 15 | 29 |

## 328: Perinatal conditions causing morbidity and mortality (760-779)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5475 | 3.4 | 16 | 1 | 1 | 2 | 3 | 6 | 10 | 23 |
| 1-11 MOS | 489 | 5.8 | 54 | 1 | 1 | 3 | 6 | 14 | 21 | 35 |
| 1-5 YRS | 569 | 5.9 | 52 | 1 | 1 | 3 | 6 | 15 | 23 | 34 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 66 | 6.3 | 91 | 1 | 2 | 4 | 5 | 11 | 27 | 59 |
| 1-11 MOS | 46 | 7.4 | 78 | <1 | <1 | 4 | 9 | 18 | 29 | 37 |
| 1-5 YRS | 20 | 3.9 | 39 | <1 | <1 | 2 | 3 | 9 | 20 | 28 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2514 | 7.9 | 94 | 1 | 2 | 4 | 9 | 20 | 29 | 44 |
| 1-11 MOS | 693 | 10.4 | 128 | 1 | 2 | 6 | 14 | 26 | 35 | 57 |
| 1-5 YRS | 549 | 13.9 | 229 | 2 | 2 | 8 | 19 | 34 | 48 | 99+ |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 198 | 17.5 | 420 | 2 | 3 | 11 | 23 | 53 | 80 | 99+ |
| 1-11 MOS | 99 | 13.3 | 184 | 1 | 1 | 10 | 22 | 47 | 99+ | 99+ |
| 1-5 YRS | 58 | 17.2 | 501 | 1 | 2 | 9 | 21 | 77 | 99 | 99+ |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6533 | 3.8 | 23 | 1 | 1 | 2 | 4 | 7 | 13 | 27 |
| B. *Operated* | 132 | 6.3 | 79 | <1 | 1 | 3 | 6 | 14 | 27 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3756 | 9.3 | 125 | 1 | 2 | 5 | 12 | 23 | 33 | 60 |
| B. *Operated* | 355 | 16.3 | 369 | 1 | 2 | 10 | 22 | 51 | 95 | 99+ |
| **1. SINGLE DX** | 6665 | 3.8 | 24 | 1 | 1 | 2 | 4 | 7 | 13 | 27 |
| **2. MULTIPLE DX** | 4111 | 9.9 | 150 | 1 | 2 | 5 | 13 | 25 | 36 | 81 |
| **A. NOT OPERATED** | 10289 | 5.8 | 67 | 1 | 1 | 3 | 5 | 14 | 23 | 42 |
| **B. OPERATED** | 487 | 13.6 | 310 | 1 | 2 | 7 | 18 | 42 | 66 | 99+ |
| TOTAL 0-27 DYS | 8253 | 5.1 | 58 | 1 | 1 | 3 | 4 | 12 | 19 | 41 |
| 1-11 MOS | 1327 | 8.8 | 109 | 1 | 1 | 5 | 11 | 24 | 33 | 59 |
| 1-5 YRS | 1196 | 10.1 | 173 | 1 | 2 | 5 | 13 | 27 | 37 | 94 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | 10776 | 6.1 | 81 | 1 | 1 | 3 | 6 | 15 | 24 | 48 |

## 329: Convulsions (780.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 94 | 3.9 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 12 |
| 1-11 MOS | 731 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 1-5 YRS | 2865 | 2.8 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 6-12 YRS | 1424 | 3.0 | 4 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 13-19 YRS | 1774 | 3.5 | 10 | 1 | 1 | 3 | 4 | 7 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 7 | 4.1 | 6 | <1 | <1 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 14 | 4.6 | 8 | 2 | 2 | 4 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 24 | 5.5 | 90 | 2 | 2 | 3 | 5 | 8 | 22 | 49 |
| 13-19 YRS | 41 | 6.6 | 69 | 2 | 2 | 4 | 7 | 12 | 20 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 48 | 6.2 | 35 | 1 | 2 | 5 | 7 | 9 | 17 | 32 |
| 1-11 MOS | 1179 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 21 |
| 1-5 YRS | 4822 | 3.4 | 9 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| 6-12 YRS | 981 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 13-19 YRS | 1180 | 4.9 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 1-11 MOS | 28 | 9.1 | 51 | 3 | 3 | 6 | 10 | 20 | 27 | 28 |
| 1-5 YRS | 78 | 8.2 | 63 | 1 | 2 | 5 | 10 | 19 | 26 | 85 |
| 6-12 YRS | 30 | 8.7 | 117 | 3 | 3 | 5 | 9 | 13 | 23 | 61 |
| 13-19 YRS | 75 | 9.2 | 129 | 1 | 2 | 6 | 11 | 16 | 32 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6888 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 87 | 5.8 | 59 | 2 | 2 | 3 | 7 | 10 | 13 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8210 | 3.8 | 13 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| B. *Operated* | 212 | 8.9 | 96 | 1 | 2 | 6 | 11 | 19 | 28 | 59 |
| **1. SINGLE DX** | 6975 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 8422 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 15098 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 299 | 8.0 | 87 | 2 | 2 | 5 | 9 | 17 | 27 | 56 |
| TOTAL 0-27 DYS | 144 | 4.9 | 26 | 1 | 1 | 4 | 6 | 9 | 11 | 33 |
| 1-11 MOS | 1945 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| 1-5 YRS | 7779 | 3.2 | 9 | 1 | 1 | 3 | 4 | 6 | 7 | 14 |
| 6-12 YRS | 2459 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| 13-19 YRS | 3070 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **GRAND TOTAL** | 15397 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |

## 330: Pyrexia of unknown origin (780.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 222 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 9 |
| 1-11 MOS | 698 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 1-5 YRS | 803 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 6-12 YRS | 309 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 250 | 4.1 | 8 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.0 | 4 | 3 | 3 | 3 | 4 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 5.6 | 5 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 15 | 4.0 | 4 | 1 | 2 | 4 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 6 | 8.0 | 46 | 3 | 3 | 5 | 12 | 19 | 20 | 20 |
| 13-19 YRS | 16 | 9.3 | 46 | 1 | 1 | 9 | 13 | 14 | 24 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 169 | 4.0 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 11 |
| 1-11 MOS | 989 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 1-5 YRS | 1360 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 6-12 YRS | 449 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 16 |
| 13-19 YRS | 409 | 4.7 | 13 | 1 | 2 | 4 | 6 | 9 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 5.0 | 12 | 3 | 3 | 4 | 5 | 11 | 12 | 12 |
| 1-11 MOS | 19 | 5.1 | 11 | 2 | 2 | 4 | 8 | 12 | 97 | 99+ |
| 1-5 YRS | 38 | 8.7 | 72 | 1 | 1 | 6 | 10 | 24 | 27 | 30 |
| 6-12 YRS | 31 | 7.1 | 23 | 1 | 2 | 6 | 10 | 16 | 17 | 18 |
| 13-19 YRS | 44 | 10.8 | 65 | 3 | 3 | 9 | 13 | 21 | 33 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2282 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| B. *Operated* | 48 | 6.4 | 27 | 1 | 2 | 5 | 8 | 13 | 15 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3376 | 3.6 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | 138 | 8.3 | 51 | 2 | 2 | 6 | 11 | 18 | 26 | 42 |
| **1. SINGLE DX** | 2330 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 3514 | 3.8 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 5658 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **B. OPERATED** | 186 | 7.9 | 45 | 2 | 2 | 6 | 11 | 17 | 24 | 35 |
| TOTAL 0-27 DYS | 403 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 8 | 11 |
| 1-11 MOS | 1711 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 1-5 YRS | 2216 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 6-12 YRS | 795 | 3.7 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 13-19 YRS | 719 | 5.0 | 18 | 1 | 2 | 4 | 6 | 10 | 12 | 24 |
| **GRAND TOTAL** | 5844 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |

## 331: Headache (784.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 59 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 430 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 13-19 YRS | 910 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 6.5 | 33 | 1 | 1 | 4 | 12 | 15 | 15 | 15 |
| 13-19 YRS | 41 | 3.7 | 7 | 1 | 1 | 3 | 5 | 8 | 8 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 51 | 3.6 | 7 | <1 | 1 | 3 | 4 | 7 | 10 | 13 |
| 6-12 YRS | 391 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 12 |
| 13-19 YRS | 886 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 9 | 4.7 | 12 | 1 | 1 | 4 | 7 | 10 | 12 | 12 |
| 13-19 YRS | 42 | 5.6 | 8 | 2 | 2 | 6 | 7 | 9 | 10 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1402 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| *B. Operated* | 47 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 1331 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| *B. Operated* | 53 | 5.4 | 9 | 1 | 2 | 5 | 7 | 9 | 11 | 15 |
| **1. SINGLE DX** | 1449 | 3.0 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 1384 | 3.9 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **A. NOT OPERATED** | 2733 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| **B. OPERATED** | 100 | 4.8 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| TOTAL 0-27 DYS | 4 | 4.3 | 7 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 1-11 MOS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 112 | 3.0 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 12 |
| 6-12 YRS | 836 | 3.1 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 1879 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| **GRAND TOTAL** | **2833** | **3.5** | **6** | **1** | **1** | **3** | **4** | **6** | **8** | **13** |

## 332: Epistaxis (784.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 42 | 1.9 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 6 |
| 6-12 YRS | 47 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 66 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 20 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 66 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 6 |
| 6-12 YRS | 65 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 51 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 12 | 5.0 | 45 | <1 | <1 | 2 | 5 | 15 | 23 | 24 |
| 1-5 YRS | 74 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 7 | 18 |
| 6-12 YRS | 85 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 75 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 20 | 2.1 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 30 | 3.0 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 12 |
| 13-19 YRS | 37 | 3.7 | 7 | <1 | 1 | 3 | 4 | 9 | 9 | 10 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 159 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| *B. Operated* | 183 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 249 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 17 |
| *B. Operated* | 88 | 3.1 | 6 | <1 | <1 | 2 | 4 | 7 | 9 | 11 |
| **1. SINGLE DX** | 342 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| **2. MULTIPLE DX** | 337 | 3.2 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 13 |
| **A. NOT OPERATED** | 408 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 14 |
| **B. OPERATED** | 271 | 2.4 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| TOTAL 0-27 DYS | 5 | 3.6 | 1 | 2 | 2 | 4 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 16 | 4.4 | 36 | <1 | <1 | 2 | 5 | 11 | 20 | 24 |
| 1-5 YRS | 202 | 2.1 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| 6-12 YRS | 227 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 6 | 11 |
| 13-19 YRS | 229 | 3.3 | 6 | 1 | 1 | 3 | 4 | 7 | 9 | 10 |
| **GRAND TOTAL** | **679** | **2.7** | **6** | **<1** | **<1** | **2** | **3** | **5** | **7** | **11** |

## 333: Signs and symptoms referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 3.2 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-5 YRS | 57 | 4.3 | 54 | <1 | 1 | 3 | 5 | 7 | 8 | 53 |
| 6-12 YRS | 70 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 6 | 12 |
| 13-19 YRS | 104 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 10 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 6 | 3.8 | 17 | <1 | <1 | 2 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 169 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 13 |
| 6-12 YRS | 286 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 13-19 YRS | 517 | 2.5 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 3.4 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 28 | 4.4 | 17 | 1 | 1 | 3 | 5 | 9 | 16 | 18 |
| 1-5 YRS | 70 | 4.0 | 10 | <1 | 1 | 4 | 5 | 8 | 9 | 18 |
| 6-12 YRS | 72 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 13-19 YRS | 116 | 4.1 | 6 | 1 | 1 | 3 | 5 | 8 | 9 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 11.1 | 44 | 4 | 4 | 10 | 16 | 20 | 22 | 22 |
| 1-5 YRS | 45 | 4.6 | 33 | <1 | 1 | 2 | 6 | 10 | 15 | 28 |
| 6-12 YRS | 65 | 3.4 | 14 | 1 | 1 | 2 | 3 | 8 | 11 | 22 |
| 13-19 YRS | 123 | 5.1 | 27 | 1 | 1 | 3 | 7 | 11 | 16 | 28 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 242 | 3.6 | 17 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | 979 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 291 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 8 | 17 |
| B. *Operated* | 242 | 4.8 | 27 | 1 | 1 | 3 | 6 | 11 | 16 | 27 |
| **1. SINGLE DX** | 1221 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| **2. MULTIPLE DX** | 533 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 11 | 23 |
| **A. NOT OPERATED** | 533 | 3.8 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **B. OPERATED** | 1221 | 2.8 | 10 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-27 DYS | 6 | 3.5 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 54 | 5.2 | 25 | 1 | 1 | 4 | 6 | 14 | 17 | 22 |
| 1-5 YRS | 341 | 3.1 | 18 | <1 | <1 | 2 | 4 | 7 | 8 | 19 |
| 6-12 YRS | 493 | 2.5 | 5 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 13-19 YRS | 860 | 3.2 | 10 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| **GRAND TOTAL** | **1754** | **3.1** | **11** | **<1** | **1** | **2** | **3** | **6** | **8** | **16** |

## 334: Gangrene (785.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 3 | 12.3 | 46 | 7 | 7 | 10 | 17 | 20 | 20 | 20 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.0 | 7 | 2 | 2 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 17 | 9.4 | 310 | 1 | 1 | 3 | 12 | 14 | 54 | 75 |
| 6-12 YRS | 14 | 6.1 | 50 | <1 | 1 | 3 | 8 | 15 | 24 | 27 |
| 13-19 YRS | 49 | 6.2 | 43 | 1 | 1 | 4 | 7 | 16 | 22 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 7.3 | 36 | <1 | <1 | 8 | 12 | 13 | 13 | 13 |
| 1-5 YRS | 2 | 11.0 | 50 | 6 | 6 | 11 | 16 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 7.5 | 46 | 1 | 1 | 6 | 12 | 17 | 17 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 19.5 | 265 | 8 | 8 | 19 | 31 | 31 | 31 | 31 |
| 1-11 MOS | 4 | 14.8 | 176 | 5 | 5 | 10 | 23 | 34 | 34 | 34 |
| 1-5 YRS | 10 | 6.5 | 70 | 2 | 2 | 3 | 5 | 21 | 28 | 28 |
| 6-12 YRS | 16 | 7.4 | 66 | 1 | 1 | 3 | 12 | 21 | 25 | 27 |
| 13-19 YRS | 35 | 9.9 | 190 | <1 | 1 | 4 | 14 | 38 | 53 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7 | 10.9 | 37 | 3 | 4 | 10 | 16 | 20 | 20 | 20 |
| B. *Operated* | 83 | 6.8 | 95 | 1 | 1 | 4 | 8 | 14 | 23 | 59 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10 | 7.7 | 34 | <1 | <1 | 6 | 13 | 16 | 17 | 17 |
| B. *Operated* | 67 | 9.4 | 142 | 1 | 1 | 4 | 13 | 29 | 39 | 92 |
| **1. SINGLE DX** | 90 | 7.1 | 91 | 1 | 1 | 4 | 8 | 16 | 22 | 56 |
| **2. MULTIPLE DX** | 77 | 9.2 | 127 | 1 | 1 | 4 | 13 | 28 | 37 | 88 |
| **A. NOT OPERATED** | 17 | 9.0 | 36 | <1 | 1 | 8 | 14 | 18 | 19 | 20 |
| **B. OPERATED** | 150 | 7.9 | 117 | 1 | 1 | 4 | 9 | 22 | 30 | 75 |
| TOTAL 0-27 DYS | 4 | 11.3 | 179 | 3 | 3 | 6 | 19 | 31 | 31 | 31 |
| 1-11 MOS | 12 | 9.5 | 73 | <1 | 1 | 7 | 11 | 19 | 32 | 34 |
| 1-5 YRS | 32 | 8.8 | 188 | 1 | 1 | 4 | 12 | 17 | 27 | 75 |
| 6-12 YRS | 30 | 6.8 | 57 | 1 | 1 | 3 | 9 | 19 | 27 | 27 |
| 13-19 YRS | 89 | 7.8 | 103 | 1 | 1 | 4 | 9 | 22 | 30 | 83 |
| **GRAND TOTAL** | **167** | **8.0** | **108** | **1** | **1** | **4** | **10** | **21** | **28** | **72** |

## 335: Chest pain (786.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 5 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 9 | 2.8 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 1-5 YRS | 10 | 3.4 | 8 | 1 | 1 | 3 | 3 | 8 | 11 | 11 |
| 6-12 YRS | 89 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 10 |
| 13-19 YRS | 276 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 12 | 3.8 | 4 | 1 | 1 | 3 | 5 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.8 | 13 | 1 | 1 | 2 | 6 | 9 | 9 | 9 |
| 1-11 MOS | 8 | 2.6 | 1 | 1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 12 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 77 | 3.4 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 9 |
| 13-19 YRS | 353 | 3.5 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 14.3 | 46 | 9 | 9 | 12 | 19 | 22 | 22 | 22 |
| 1-5 YRS | 4 | 4.0 | 11 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 6-12 YRS | 3 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 25 | 5.6 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 386 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| B. *Operated* | 16 | 3.6 | 4 | 1 | 2 | 3 | 5 | 7 | 7 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 454 | 3.5 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| B. *Operated* | 36 | 5.9 | 39 | 1 | 1 | 4 | 8 | 12 | 19 | 32 |
| **1. SINGLE DX** | 402 | 3.0 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **2. MULTIPLE DX** | 490 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| **A. NOT OPERATED** | 840 | 3.2 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| **B. OPERATED** | 52 | 5.2 | 29 | 1 | 2 | 4 | 6 | 10 | 12 | 32 |
| TOTAL 0-27 DYS | 7 | 3.0 | 8 | <1 | <1 | 2 | 4 | 8 | 9 | 9 |
| 1-11 MOS | 21 | 4.4 | 24 | 1 | 1 | 3 | 4 | 10 | 16 | 22 |
| 1-5 YRS | 27 | 3.5 | 6 | 1 | 1 | 3 | 5 | 6 | 9 | 11 |
| 6-12 YRS | 171 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 13-19 YRS | 666 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **GRAND TOTAL** | **892** | **3.3** | **7** | **1** | **1** | **3** | **4** | **6** | **8** | **12** |

## 336: Other signs and symptoms referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 127 | 3.7 | 22 | 1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 1-11 MOS | 693 | 3.6 | 16 | 1 | 1 | 3 | 4 | 7 | 9 | 18 |
| 1-5 YRS | 228 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 56 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 13-19 YRS | 84 | 2.7 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 13 | 7.7 | 110 | <1 | 1 | 4 | 8 | 22 | 36 | 42 |
| 1-5 YRS | 23 | 3.0 | 10 | <1 | 1 | 1 | 4 | 8 | 10 | 11 |
| 6-12 YRS | 20 | 6.1 | 184 | 1 | 1 | 3 | 5 | 7 | 35 | 63 |
| 13-19 YRS | 28 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 10 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 70 | 5.0 | 38 | 1 | 1 | 4 | 6 | 9 | 11 | 42 |
| 1-11 MOS | 612 | 4.9 | 25 | 1 | 1 | 3 | 6 | 10 | 12 | 22 |
| 1-5 YRS | 322 | 3.7 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 19 |
| 6-12 YRS | 82 | 4.2 | 34 | 1 | 1 | 3 | 4 | 7 | 13 | 37 |
| 13-19 YRS | 160 | 4.1 | 16 | 1 | 1 | 3 | 5 | 7 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 18.8 | 561 | 4 | 4 | 8 | 32 | 54 | 54 | 54 |
| 1-11 MOS | 31 | 12.2 | 312 | 1 | 2 | 5 | 11 | 33 | 65 | 71 |
| 1-5 YRS | 21 | 10.1 | 252 | <1 | 1 | 3 | 8 | 35 | 48 | 61 |
| 6-12 YRS | 18 | 5.5 | 27 | <1 | <1 | 4 | 8 | 13 | 17 | 19 |
| 13-19 YRS | 39 | 8.1 | 44 | 2 | 2 | 6 | 9 | 18 | 21 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1188 | 3.3 | 13 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| B. *Operated* | 91 | 4.8 | 68 | 1 | 1 | 2 | 5 | 9 | 11 | 54 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1246 | 4.4 | 22 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | 113 | 9.5 | 171 | 1 | 1 | 5 | 10 | 20 | 37 | 68 |
| **1. SINGLE DX** | 1279 | 3.4 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | 1359 | 4.9 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 32 |
| **A. NOT OPERATED** | 2434 | 3.9 | 18 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **B. OPERATED** | 204 | 7.4 | 130 | 1 | 1 | 4 | 8 | 16 | 28 | 64 |
| TOTAL 0-27 DYS | 203 | 4.5 | 40 | 1 | 1 | 3 | 5 | 9 | 12 | 46 |
| 1-11 MOS | 1354 | 4.4 | 29 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| 1-5 YRS | 594 | 3.4 | 19 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| 6-12 YRS | 176 | 4.0 | 41 | 1 | 1 | 2 | 4 | 7 | 12 | 39 |
| 13-19 YRS | 311 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| **GRAND TOTAL** | **2638** | **4.1** | **27** | **1** | **1** | **3** | **5** | **8** | **11** | **23** |

## 337: Signs and symptoms referable to urinary system (788)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 9 | 1.2 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 70 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 95 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 8 |
| 13-19 YRS | 187 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 199 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 390 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 152 | 2.8 | 7 | <1 | 1 | 2 | 3 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.0 | 7 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 7.0 | 5 | 4 | 4 | 7 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 62 | 2.4 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 81 | 4.2 | 73 | 1 | 1 | 3 | 4 | 6 | 7 | 60 |
| 13-19 YRS | 165 | 3.4 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.3 | | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 221 | 2.4 | 12 | <1 | <1 | 1 | 2 | 5 | 8 | 14 |
| 6-12 YRS | 409 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 5 | 15 |
| 13-19 YRS | 118 | 4.3 | 17 | <1 | 1 | 3 | 5 | 9 | 14 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 363 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| B. *Operated* | 742 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 317 | 3.5 | 22 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| B. *Operated* | 751 | 2.6 | 11 | <1 | <1 | 2 | 3 | 5 | 8 | 17 |
| **1. SINGLE DX** | 1105 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 1068 | 2.9 | 14 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **A. NOT OPERATED** | 680 | 2.9 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 10 |
| **B. OPERATED** | 1493 | 2.2 | 7 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| TOTAL 0-27 DYS | 5 | 2.4 | 4 | 1 | 1 | 2 | 3 | 6 | 6 | 6 |
| 1-11 MOS | 19 | 3.7 | 9 | 1 | 1 | 2 | 6 | 8 | 9 | 10 |
| 1-5 YRS | 552 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 11 |
| 6-12 YRS | 975 | 2.1 | 10 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 13-19 YRS | 622 | 3.2 | 7 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| **GRAND TOTAL** | 2173 | 2.4 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 338: Abdominal pain (789.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 34 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 1-11 MOS | 162 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 1-5 YRS | 507 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 3169 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 5463 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 24 | 3.2 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 6-12 YRS | 266 | 3.7 | 4 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 824 | 4.1 | 8 | 1 | 2 | 4 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 19 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 1-11 MOS | 109 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 1-5 YRS | 361 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 1620 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 3375 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 3 | 7.3 | 57 | 2 | 2 | 4 | 13 | 16 | 16 | 16 |
| 1-5 YRS | 15 | 3.9 | 6 | <1 | 1 | 3 | 5 | 6 | 9 | 10 |
| 6-12 YRS | 175 | 4.8 | 12 | 2 | 2 | 4 | 6 | 8 | 11 | 18 |
| 13-19 YRS | 607 | 5.3 | 13 | 1 | 2 | 4 | 6 | 10 | 12 | 20 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 9335 | 2.6 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| B. *Operated* | 1116 | 4.0 | 7 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5484 | 3.1 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| B. *Operated* | 802 | 5.2 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| **1. SINGLE DX** | 10451 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 6286 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 14819 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **B. OPERATED** | 1918 | 4.5 | 10 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| TOTAL 0-27 DYS | 55 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| 1-11 MOS | 276 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 1-5 YRS | 907 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 6-12 YRS | 5230 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 10269 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **GRAND TOTAL** | 16737 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |

## 339: Other signs and symptoms referable to GI tract and abdomen (787; 789.1-789.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 69 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 5 | 13 |
| 1-11 MOS | 232 | 3.0 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 11 |
| 1-5 YRS | 179 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 6-12 YRS | 215 | 3.2 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 171 | 3.3 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 20 | 4.3 | 9 | 1 | 1 | 4 | 6 | 8 | 10 | 12 |
| 13-19 YRS | 36 | 4.6 | 17 | 1 | 1 | 3 | 6 | 9 | 15 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 72 | 4.0 | 21 | 1 | 2 | 3 | 5 | 6 | 8 | 33 |
| 1-11 MOS | 437 | 4.1 | 20 | 1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 1-5 YRS | 521 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 10 |
| 6-12 YRS | 435 | 3.4 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 13-19 YRS | 404 | 3.7 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 7.8 | 32 | <1 | 1 | 6 | 14 | 16 | 17 | 17 |
| 1-5 YRS | 22 | 6.5 | 21 | 1 | 2 | 5 | 9 | 14 | 16 | 17 |
| 6-12 YRS | 33 | 5.3 | 19 | 1 | 1 | 5 | 7 | 11 | 14 | 20 |
| 13-19 YRS | 84 | 8.2 | 68 | 1 | 1 | 6 | 10 | 17 | 24 | 45 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 866 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 66 | 4.1 | 13 | 1 | 1 | 3 | 5 | 9 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1869 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |
| B. *Operated* | 155 | 7.3 | 48 | 1 | 1 | 5 | 9 | 14 | 20 | 35 |
| **1. SINGLE DX** | 932 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 2024 | 3.8 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| **A. NOT OPERATED** | 2735 | 3.4 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **B. OPERATED** | 221 | 6.3 | 40 | 1 | 1 | 5 | 8 | 14 | 17 | 34 |
| TOTAL 0-27 DYS | 142 | 3.2 | 13 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| 1-11 MOS | 688 | 3.8 | 17 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| 1-5 YRS | 728 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 6-12 YRS | 703 | 3.5 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 13-19 YRS | 695 | 4.2 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 22 |
| **GRAND TOTAL** | **2956** | **3.6** | **13** | **1** | **1** | **3** | **4** | **7** | **9** | **17** |

## 340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 647 | 3.5 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 1-11 MOS | 1553 | 4.9 | 24 | 1 | 1 | 3 | 6 | 9 | 13 | 23 |
| 1-5 YRS | 1244 | 3.9 | 28 | 1 | 1 | 3 | 4 | 7 | 11 | 28 |
| 6-12 YRS | 813 | 3.3 | 25 | 1 | 1 | 2 | 4 | 6 | 7 | 23 |
| 13-19 YRS | 1928 | 3.8 | 25 | 1 | 1 | 3 | 4 | 7 | 9 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 5.4 | 7 | 2 | 2 | 5 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 42 | 4.7 | 21 | 1 | 1 | 3 | 6 | 14 | 14 | 18 |
| 1-5 YRS | 128 | 3.2 | 34 | <1 | <1 | 2 | 3 | 6 | 9 | 25 |
| 6-12 YRS | 138 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 249 | 3.6 | 16 | 1 | 1 | 2 | 4 | 8 | 10 | 19 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 428 | 5.2 | 18 | 1 | 2 | 4 | 6 | 10 | 14 | 24 |
| 1-11 MOS | 1901 | 6.9 | 37 | 1 | 2 | 5 | 9 | 14 | 18 | 30 |
| 1-5 YRS | 1417 | 4.8 | 23 | 1 | 1 | 3 | 6 | 9 | 12 | 25 |
| 6-12 YRS | 838 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 13-19 YRS | 1935 | 4.3 | 24 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 16 | 9.1 | 43 | 3 | 4 | 7 | 9 | 21 | 23 | 24 |
| 1-11 MOS | 94 | 13.5 | 185 | 2 | 2 | 10 | 17 | 36 | 52 | 99+ |
| 1-5 YRS | 107 | 6.9 | 86 | 1 | 1 | 4 | 8 | 15 | 26 | 48 |
| 6-12 YRS | 96 | 5.0 | 34 | 1 | 1 | 3 | 6 | 10 | 14 | 33 |
| 13-19 YRS | 245 | 5.1 | 35 | 1 | 1 | 3 | 6 | 10 | 14 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6185 | 4.0 | 24 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| B. *Operated* | 562 | 3.3 | 18 | <1 | 1 | 2 | 3 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6519 | 5.2 | 27 | 1 | 1 | 4 | 6 | 10 | 14 | 26 |
| B. *Operated* | 558 | 6.9 | 79 | 1 | 1 | 4 | 8 | 15 | 24 | 56 |
| **1. SINGLE DX** | 6747 | 3.9 | 24 | 1 | 1 | 3 | 4 | 7 | 10 | 23 |
| **2. MULTIPLE DX** | 7077 | 5.3 | 31 | 1 | 1 | 4 | 6 | 10 | 14 | 29 |
| **A. NOT OPERATED** | 12704 | 4.6 | 26 | 1 | 1 | 3 | 5 | 9 | 12 | 26 |
| **B. OPERATED** | 1120 | 5.1 | 52 | 1 | 1 | 3 | 6 | 11 | 17 | 45 |
| TOTAL 0-27 DYS | 1096 | 4.3 | 17 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 1-11 MOS | 3590 | 6.2 | 38 | 1 | 2 | 4 | 8 | 13 | 17 | 32 |
| 1-5 YRS | 2896 | 4.4 | 28 | 1 | 1 | 3 | 5 | 9 | 12 | 28 |
| 6-12 YRS | 1885 | 3.6 | 19 | 1 | 1 | 3 | 4 | 7 | 9 | 19 |
| 13-19 YRS | 4357 | 4.1 | 25 | 1 | 1 | 3 | 5 | 7 | 10 | 26 |
| **GRAND TOTAL** | **13824** | **4.6** | **28** | **1** | **1** | **3** | **5** | **9** | **13** | **27** |

## 341: Fracture of vault of skull (800; 803)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 46 | 1.9 | 1 | 1 | 1 | 2 | 2 | 4 | 4 | 4 |
| 1-11 MOS | 611 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 1-5 YRS | 605 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 6-12 YRS | 251 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 13-19 YRS | 133 | 4.1 | 14 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 29 | 4.9 | 7 | 1 | 2 | 4 | 6 | 8 | 9 | 13 |
| 1-5 YRS | 76 | 5.5 | 30 | 1 | 2 | 4 | 7 | 9 | 14 | 33 |
| 6-12 YRS | 98 | 5.5 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 19 |
| 13-19 YRS | 55 | 8.9 | 189 | 2 | 2 | 6 | 9 | 13 | 25 | 96 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 15 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 11 | 12 |
| 1-11 MOS | 303 | 3.6 | 16 | 1 | 1 | 2 | 4 | 8 | 10 | 21 |
| 1-5 YRS | 400 | 3.7 | 16 | 1 | 1 | 2 | 5 | 7 | 10 | 19 |
| 6-12 YRS | 261 | 4.0 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 26 |
| 13-19 YRS | 205 | 5.4 | 37 | 1 | 1 | 4 | 6 | 11 | 15 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 20 | 13.4 | 369 | 1 | 2 | 7 | 12 | 32 | 59 | 84 |
| 1-5 YRS | 91 | 11.2 | 139 | 1 | 2 | 7 | 13 | 27 | 39 | 84 |
| 6-12 YRS | 120 | 10.5 | 120 | 1 | 2 | 7 | 13 | 27 | 46 | 99+ |
| 13-19 YRS | 234 | 15.8 | 304 | 2 | 3 | 9 | 22 | 43 | 73 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1646 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 258 | 6.2 | 56 | 1 | 2 | 5 | 7 | 10 | 13 | 35 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1184 | 4.0 | 20 | 1 | 1 | 3 | 5 | 9 | 11 | 24 |
| B. *Operated* | 466 | 13.4 | 231 | 1 | 2 | 8 | 18 | 36 | 59 | 99+ |
| **1. SINGLE DX** | 1904 | 2.9 | 13 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **2. MULTIPLE DX** | 1650 | 6.7 | 97 | 1 | 1 | 3 | 7 | 15 | 26 | 73 |
| **A. NOT OPERATED** | 2830 | 3.1 | 11 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| **B. OPERATED** | 724 | 10.8 | 180 | 1 | 2 | 7 | 12 | 27 | 43 | 99+ |
| TOTAL 0-27 DYS | 62 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 7 | 12 |
| 1-11 MOS | 963 | 2.9 | 17 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 1-5 YRS | 1172 | 3.6 | 25 | 1 | 1 | 2 | 4 | 7 | 10 | 29 |
| 6-12 YRS | 730 | 4.9 | 36 | 1 | 1 | 3 | 6 | 10 | 15 | 36 |
| 13-19 YRS | 627 | 9.3 | 171 | 1 | 1 | 5 | 10 | 23 | 39 | 99+ |
| **GRAND TOTAL** | 3554 | 4.6 | 55 | 1 | 1 | 2 | 5 | 9 | 15 | 46 |

## 342: Fracture of base of skull (801)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 73 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 4 | 7 |
| 1-5 YRS | 267 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 6-12 YRS | 203 | 3.1 | 5 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 222 | 4.2 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 15 | 7.5 | 72 | 1 | 1 | 5 | 7 | 17 | 30 | 35 |
| 6-12 YRS | 31 | 9.7 | 155 | 2 | 3 | 7 | 9 | 14 | 39 | 66 |
| 13-19 YRS | 58 | 7.5 | 44 | 1 | 2 | 6 | 9 | 13 | 22 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 17.0 | 512 | 1 | 1 | 17 | 33 | 33 | 33 | 33 |
| 1-11 MOS | 61 | 3.7 | 15 | 1 | 1 | 2 | 3 | 10 | 13 | 17 |
| 1-5 YRS | 182 | 3.8 | 18 | 1 | 1 | 3 | 4 | 8 | 11 | 21 |
| 6-12 YRS | 222 | 4.9 | 24 | 1 | 1 | 3 | 6 | 11 | 14 | 25 |
| 13-19 YRS | 303 | 6.3 | 45 | 1 | 1 | 4 | 7 | 13 | 18 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 21.0 | 404 | 7 | 7 | 13 | 31 | 55 | 55 | 55 |
| 1-5 YRS | 51 | 9.0 | 83 | 1 | 1 | 7 | 12 | 23 | 35 | 99 |
| 6-12 YRS | 59 | 11.5 | 188 | 1 | 2 | 7 | 13 | 28 | 37 | 67 |
| 13-19 YRS | 186 | 14.9 | 270 | 2 | 2 | 9 | 19 | 39 | 70 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 769 | 3.0 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 13 |
| B. *Operated* | 106 | 8.1 | 79 | 2 | 2 | 6 | 9 | 13 | 25 | 51 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 770 | 5.1 | 32 | 1 | 1 | 3 | 6 | 11 | 15 | 32 |
| B. *Operated* | 301 | 13.3 | 228 | 1 | 2 | 8 | 16 | 33 | 52 | 99+ |
| **1. SINGLE DX** | 875 | 3.6 | 18 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **2. MULTIPLE DX** | 1071 | 7.4 | 100 | 1 | 1 | 4 | 8 | 16 | 26 | 69 |
| **A. NOT OPERATED** | 1539 | 4.1 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 20 |
| **B. OPERATED** | 407 | 12.0 | 194 | 1 | 2 | 7 | 13 | 30 | 42 | 96 |
| TOTAL 0-27 DYS | 6 | 6.8 | 165 | 1 | 1 | 2 | 2 | 30 | 33 | 33 |
| 1-11 MOS | 141 | 3.4 | 31 | 1 | 1 | 2 | 3 | 7 | 12 | 26 |
| 1-5 YRS | 515 | 3.6 | 22 | 1 | 1 | 2 | 4 | 7 | 12 | 34 |
| 6-12 YRS | 515 | 5.2 | 50 | 1 | 1 | 3 | 6 | 11 | 15 | 37 |
| 13-19 YRS | 769 | 7.9 | 105 | 1 | 2 | 5 | 9 | 17 | 26 | 71 |
| **GRAND TOTAL** | 1946 | 5.7 | 67 | 1 | 1 | 3 | 6 | 12 | 19 | 48 |

## 343: Fracture of face bones (802)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 22 | 1.9 | 2 | <1 | 1 | 1 | 2 | 4 | 5 | [illegible] |
| 6-12 YRS | 53 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 7 |
| 13-19 YRS | 148 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 123 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 6-12 YRS | 909 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 3285 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 34 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| 6-12 YRS | 83 | 2.7 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| 13-19 YRS | 285 | 2.8 | 10 | <1 | 1 | 2 | 3 | 6 | 7 | 16 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.3 | | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 93 | 3.6 | 15 | 1 | 1 | 2 | 5 | 8 | 9 | 22 |
| 6-12 YRS | 446 | 3.5 | 17 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 13-19 YRS | 2455 | 4.4 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 225 | 2.1 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 4324 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 406 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 2997 | 4.2 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **1. SINGLE DX** | 4549 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 3403 | 4.0 | 20 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| **A. NOT OPERATED** | 631 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **B. OPERATED** | 7321 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| TOTAL 0-27 DYS | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 13 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 6 |
| 1-5 YRS | 272 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 7 | 9 |
| 6-12 YRS | 1491 | 2.3 | 7 | <1 | <1 | 2 | 3 | 4 | 6 | 10 |
| 13-19 YRS | 6173 | 3.1 | 12 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **GRAND TOTAL** | 7952 | 3.0 | 11 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |

## 344: Fracture of vertebral column without mention of spinal cord injury (805)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 12.5 | 113 | 5 | 5 | 12 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 15 | 7.0 | 69 | 1 | 1 | 4 | 8 | 13 | 29 | 34 |
| 6-12 YRS | 170 | 3.7 | 8 | 1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 13-19 YRS | 812 | 5.4 | 22 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 12.0 | 116 | 2 | 2 | 6 | 20 | 28 | 28 | 28 |
| 6-12 YRS | 10 | 11.3 | 124 | 2 | 2 | 7 | 16 | 29 | 38 | 38 |
| 13-19 YRS | 127 | 14.0 | 119 | 3 | 4 | 11 | 19 | 30 | 36 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 5 | 7.4 | 23 | 3 | 3 | 5 | 10 | 15 | 15 | 15 |
| 1-5 YRS | 9 | 5.8 | 99 | 1 | 1 | 3 | 4 | 21 | 32 | 32 |
| 6-12 YRS | 80 | 5.0 | 20 | 1 | 1 | 4 | 6 | 10 | 15 | 24 |
| 13-19 YRS | 718 | 6.4 | 36 | 1 | 2 | 5 | 8 | 13 | 17 | 29 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 9.0 | 32 | 2 | 2 | 9 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 15 | 16.5 | 535 | 1 | 2 | 7 | 22 | 28 | 77 | 93 |
| 13-19 YRS | 303 | 14.1 | 152 | 2 | 3 | 10 | 18 | 31 | 43 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 999 | 5.2 | 21 | 1 | 1 | 4 | 7 | 10 | 13 | 23 |
| B. *Operated* | 142 | 13.8 | 118 | 3 | 4 | 11 | 19 | 29 | 37 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 813 | 6.3 | 35 | 1 | 2 | 5 | 7 | 12 | 17 | 30 |
| B. *Operated* | 325 | 14.0 | 167 | 2 | 3 | 10 | 18 | 30 | 43 | 99+ |
| **1. SINGLE DX** | 1141 | 6.2 | 41 | 1 | 1 | 4 | 7 | 12 | 18 | 36 |
| **2. MULTIPLE DX** | 1138 | 8.5 | 85 | 1 | 2 | 6 | 10 | 18 | 26 | 58 |
| **A. NOT OPERATED** | 1812 | 5.7 | 27 | 1 | 1 | 4 | 7 | 11 | 14 | 25 |
| **B. OPERATED** | 467 | 14.0 | 152 | 2 | 3 | 11 | 18 | 30 | 40 | 90 |
| TOTAL 0-27 DYS | 2 | 12.0 | 128 | 4 | 4 | 12 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 7 | 8.9 | 40 | 3 | 3 | 5 | 13 | 19 | 20 | 20 |
| 1-5 YRS | 35 | 7.7 | 74 | 1 | 1 | 4 | 10 | 18 | 31 | 34 |
| 6-12 YRS | 275 | 5.0 | 52 | 1 | 1 | 3 | 6 | 9 | 15 | 27 |
| 13-19 YRS | 1960 | 7.7 | 65 | 1 | 2 | 5 | 9 | 16 | 23 | 43 |
| **GRAND TOTAL** | 2279 | 7.4 | 64 | 1 | 2 | 5 | 9 | 15 | 22 | 42 |

### 345: Fracture of vertebral column with cord injury (806)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 6 | 5.0 | 78 | <1 | <1 | 1 | 2 | 21 | 23 | 23 |
| 13-19 YRS | 30 | 8.0 | 73 | 1 | 2 | 6 | 10 | 17 | 22 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 31 | 29.0 | 457 | 8 | 10 | 22 | 45 | 71 | 84 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 13-19 YRS | 24 | 17.3 | 626 | 1 | 1 | 9 | 13 | 63 | 82 | 88 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 2 | 49.0 | 72 | 43 | 43 | 49 | 55 | 55 | 55 | 55 |
| 13-19 YRS | 106 | 38.1 | 593 | 9 | 11 | 36 | 59 | 96 | 99+ | 99+ |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 37 | 7.5 | 71 | 1 | 1 | 5 | 9 | 18 | 23 | 44 |
| B. *Operated* | 31 | 29.0 | 457 | 8 | 10 | 22 | 45 | 71 | 84 | 99+ |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 25 | 16.7 | 611 | <1 | 1 | 9 | 13 | 61 | 81 | 88 |
| B. *Operated* | 109 | 38.1 | 586 | 9 | 11 | 36 | 58 | 95 | 99+ | 99+ |
| 1. SINGLE DX | 68 | 17.3 | 358 | 1 | 2 | 10 | 23 | 49 | 70 | 97 |
| 2. MULTIPLE DX | 134 | 34.1 | 656 | 3 | 5 | 29 | 56 | 85 | 99 | 99+ |
| A. NOT OPERATED | 62 | 11.2 | 302 | 1 | 1 | 6 | 10 | 22 | 54 | 87 |
| B. OPERATED | 140 | 36.1 | 568 | 9 | 10 | 32 | 56 | 85 | 99+ | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 10.5 | 13 | 8 | 8 | 10 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 9 | 14.3 | 446 | <1 | <1 | 2 | 28 | 50 | 55 | 55 |
| 13-19 YRS | 191 | 29.3 | 620 | 3 | 4 | 23 | 47 | 80 | 97 | 99+ |
| GRAND TOTAL | 202 | 28.4 | 616 | 2 | 3 | 21 | 46 | 76 | 96 | 99+ |

### 346: Fracture of ribs, sternum, larynx, and trachea (807)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 3.9 | 13 | 1 | 1 | 3 | 5 | 10 | 11 | 11 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 22 | 2.3 | 4 | 1 | 1 | 2 | 2 | 6 | 7 | 9 |
| 13-19 YRS | 85 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 11 | 6.1 | 24 | 2 | 2 | 4 | 7 | 14 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 7.7 | 36 | 2 | 2 | 7 | 12 | 14 | 14 | 14 |
| 1-11 MOS | 16 | 7.9 | 31 | 2 | 2 | 6 | 11 | 16 | 19 | 20 |
| 1-5 YRS | 23 | 4.2 | 17 | <1 | 1 | 3 | 5 | 9 | 14 | 19 |
| 6-12 YRS | 47 | 3.6 | 6 | 1 | 1 | 3 | 4 | 7 | 8 | 13 |
| 13-19 YRS | 289 | 4.7 | 46 | 1 | 1 | 3 | 6 | 9 | 11 | 34 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 17.3 | 116 | 5 | 5 | 22 | 24 | 25 | 25 | 25 |
| 1-5 YRS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 18 | 12.1 | 133 | 2 | 2 | 7 | 14 | 35 | 38 | 39 |
| 13-19 YRS | 142 | 10.7 | 183 | 2 | 3 | 7 | 11 | 19 | 34 | 83 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 117 | 2.6 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 11 | 6.1 | 24 | 2 | 2 | 4 | 7 | 14 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 378 | 4.7 | 39 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| B. *Operated* | 165 | 10.9 | 174 | 2 | 3 | 7 | 12 | 23 | 37 | 82 |
| 1. SINGLE DX | 128 | 2.9 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 18 |
| 2. MULTIPLE DX | 543 | 6.6 | 87 | 1 | 1 | 4 | 7 | 12 | 18 | 51 |
| A. NOT OPERATED | 495 | 4.2 | 32 | 1 | 1 | 3 | 5 | 8 | 11 | 20 |
| B. OPERATED | 176 | 10.6 | 166 | 2 | 3 | 7 | 12 | 22 | 35 | 81 |
| TOTAL 0-27 DYS | 4 | 7.5 | 24 | 2 | 2 | 7 | 11 | 14 | 14 | 14 |
| 1-11 MOS | 26 | 7.9 | 46 | 1 | 2 | 5 | 11 | 20 | 23 | 25 |
| 1-5 YRS | 27 | 4.0 | 15 | 1 | 1 | 3 | 5 | 8 | 13 | 19 |
| 6-12 YRS | 87 | 5.0 | 44 | 1 | 1 | 3 | 6 | 9 | 14 | 38 |
| 13-19 YRS | 527 | 6.0 | 84 | 1 | 1 | 4 | 7 | 11 | 16 | 51 |
| GRAND TOTAL | 671 | 5.9 | 74 | 1 | 1 | 4 | 7 | 12 | 16 | 45 |

### 347: Fracture of pelvis (808)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 4.8 | 9 | 1 | 1 | 5 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 21 | 3.9 | 12 | <1 | 1 | 2 | 5 | 9 | 12 | 13 |
| 6-12 YRS | 68 | 4.9 | 25 | 1 | 1 | 4 | 6 | 9 | 12 | 33 |
| 13-19 YRS | 356 | 6.7 | 38 | 1 | 2 | 5 | 8 | 13 | 18 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 6-12 YRS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 13-19 YRS | 37 | 16.9 | 318 | 2 | 2 | 11 | 23 | 39 | 58 | 80 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 12.0 | 61 | 2 | 2 | 12 | 17 | 21 | 21 | 21 |
| 1-5 YRS | 43 | 6.7 | 27 | 2 | 3 | 5 | 9 | 12 | 17 | 27 |
| 6-12 YRS | 73 | 8.5 | 49 | 2 | 2 | 6 | 11 | 18 | 21 | 40 |
| 13-19 YRS | 389 | 11.1 | 122 | 2 | 3 | 8 | 12 | 23 | 34 | 61 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 12.6 | 79 | 2 | 3 | 12 | 18 | 25 | 30 | 31 |
| 6-12 YRS | 29 | 14.7 | 116 | 4 | 5 | 9 | 20 | 33 | 35 | 43 |
| 13-19 YRS | 265 | 22.5 | 344 | 3 | 5 | 16 | 31 | 51 | 64 | 85 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 451 | 6.3 | 35 | 1 | 2 | 5 | 8 | 12 | 17 | 35 |
| B. *Operated* | 39 | 17.1 | 303 | 2 | 3 | 14 | 24 | 37 | 57 | 80 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 509 | 10.3 | 105 | 2 | 3 | 7 | 12 | 21 | 31 | 57 |
| B. *Operated* | 306 | 21.4 | 320 | 3 | 5 | 15 | 29 | 49 | 58 | 83 |
| **1. SINGLE DX** | 490 | 7.1 | 64 | 1 | 2 | 5 | 8 | 14 | 22 | 42 |
| **2. MULTIPLE DX** | 815 | 14.5 | 214 | 2 | 3 | 9 | 18 | 34 | 48 | 72 |
| **A. NOT OPERATED** | 960 | 8.4 | 76 | 1 | 2 | 6 | 10 | 17 | 24 | 44 |
| **B. OPERATED** | 345 | 20.9 | 319 | 3 | 4 | 15 | 28 | 49 | 58 | 81 |
| TOTAL 0-27 DYS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | 10 | 7.7 | 39 | 1 | 1 | 6 | 12 | 17 | 21 | 21 |
| 1-5 YRS | 76 | 7.0 | 41 | 1 | 2 | 5 | 9 | 15 | 23 | 30 |
| 6-12 YRS | 171 | 8.2 | 62 | 1 | 2 | 5 | 10 | 19 | 23 | 41 |
| 13-19 YRS | 1047 | 12.7 | 194 | 2 | 3 | 8 | 15 | 30 | 44 | 72 |
| **GRAND TOTAL** | 1305 | 11.7 | 170 | 2 | 2 | 7 | 13 | 27 | 42 | 68 |

### 348: Fracture of humerus (812)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 6.0 | 29 | 1 | 1 | 5 | 10 | 12 | 12 | 12 |
| 1-11 MOS | 46 | 3.5 | 10 | <1 | 1 | 2 | 4 | 8 | 11 | 14 |
| 1-5 YRS | 252 | 3.4 | 20 | <1 | 1 | 2 | 3 | 10 | 15 | 20 |
| 6-12 YRS | 339 | 4.2 | 46 | <1 | 1 | 2 | 3 | 12 | 18 | 26 |
| 13-19 YRS | 184 | 3.1 | 19 | <1 | 1 | 2 | 3 | 5 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 15 | 6.9 | 53 | 1 | 2 | 4 | 11 | 16 | 23 | 26 |
| 1-5 YRS | 1011 | 4.2 | 25 | 1 | 1 | 2 | 4 | 12 | 16 | 23 |
| 6-12 YRS | 2169 | 4.5 | 32 | 1 | 1 | 2 | 4 | 13 | 19 | 25 |
| 13-19 YRS | 1113 | 4.2 | 22 | 1 | 1 | 3 | 4 | 8 | 15 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 3.8 | 8 | 2 | 2 | 3 | 5 | 9 | 9 | 9 |
| 1-11 MOS | 16 | 6.9 | 32 | 1 | 2 | 5 | 11 | 16 | 17 | 18 |
| 1-5 YRS | 57 | 5.5 | 28 | 1 | 1 | 3 | 7 | 15 | 16 | 21 |
| 6-12 YRS | 98 | 4.4 | 28 | <1 | 1 | 2 | 5 | 12 | 17 | 26 |
| 13-19 YRS | 119 | 4.9 | 27 | <1 | 1 | 4 | 6 | 10 | 16 | 28 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 8.6 | 77 | 1 | 1 | 5 | 16 | 22 | 27 | 28 |
| 1-5 YRS | 191 | 7.6 | 60 | 1 | 1 | 4 | 11 | 17 | 22 | 41 |
| 6-12 YRS | 534 | 7.1 | 54 | 1 | 1 | 4 | 9 | 19 | 23 | 30 |
| 13-19 YRS | 450 | 8.4 | 97 | 1 | 2 | 5 | 9 | 21 | 30 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 825 | 3.7 | 30 | <1 | 1 | 2 | 3 | 10 | 16 | 24 |
| B. *Operated* | 4310 | 4.4 | 28 | 1 | 1 | 2 | 4 | 12 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 296 | 4.9 | 27 | 1 | 1 | 3 | 6 | 12 | 17 | 24 |
| B. *Operated* | 1189 | 7.7 | 72 | 1 | 1 | 4 | 10 | 19 | 25 | 41 |
| **1. SINGLE DX** | 5135 | 4.2 | 28 | 1 | 1 | 2 | 4 | 11 | 17 | 24 |
| **2. MULTIPLE DX** | 1485 | 7.1 | 64 | 1 | 1 | 4 | 9 | 18 | 23 | 40 |
| **A. NOT OPERATED** | 1121 | 4.0 | 30 | <1 | 1 | 2 | 4 | 11 | 16 | 24 |
| **B. OPERATED** | 5499 | 5.1 | 39 | 1 | 1 | 3 | 5 | 14 | 19 | 28 |
| TOTAL 0-27 DYS | 12 | 4.3 | 13 | 1 | 1 | 3 | 7 | 10 | 12 | 12 |
| 1-11 MOS | 91 | 5.4 | 34 | 1 | 1 | 3 | 7 | 15 | 18 | 27 |
| 1-5 YRS | 1511 | 4.5 | 30 | 1 | 1 | 2 | 5 | 13 | 17 | 23 |
| 6-12 YRS | 3140 | 4.9 | 38 | 1 | 1 | 2 | 5 | 14 | 20 | 26 |
| 13-19 YRS | 1866 | 5.1 | 43 | 1 | 1 | 3 | 5 | 11 | 19 | 36 |
| **GRAND TOTAL** | 6620 | 4.9 | 38 | 1 | 1 | 3 | 5 | 13 | 19 | 27 |

## 349: Fracture of radius and ulna (813)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 2.5 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 73 | 1.7 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 16 |
| 6-12 YRS | 267 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 131 | 2.0 | 7 | <1 | <1 | 1 | 2 | 3 | 4 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 1.2 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 1059 | 1.5 | 5 | <1 | 1 | 1 | 2 | 2 | 3 | 6 |
| 6-12 YRS | 5073 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 2577 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 2.3 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 36 | 2.3 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 109 | 2.6 | 10 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 13-19 YRS | 161 | 2.7 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 6.0 | 19 | 1 | 1 | 8 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 154 | 2.4 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 760 | 3.3 | 24 | 1 | 1 | 2 | 3 | 7 | 10 | 26 |
| 13-19 YRS | 882 | 5.4 | 47 | 1 | 1 | 3 | 6 | 12 | 17 | 37 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 477 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 8716 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 312 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| B. *Operated* | 1799 | 4.3 | 35 | 1 | 1 | 3 | 5 | 9 | 14 | 29 |
| **1. SINGLE DX** | 9193 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 8 |
| **2. MULTIPLE DX** | 2111 | 4.0 | 31 | 1 | 1 | 2 | 4 | 8 | 12 | 28 |
| **A. NOT OPERATED** | 789 | 2.1 | 5 | <1 | 1 | 1 | 3 | 4 | 5 | 10 |
| **B. OPERATED** | 10515 | 2.3 | 10 | 1 | 1 | 1 | 2 | 4 | 6 | 14 |
| TOTAL 0-27 DYS | 4 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 18 | 2.7 | 6 | <1 | 1 | 2 | 4 | 7 | 9 | 9 |
| 1-5 YRS | 1322 | 1.6 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 6209 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| 13-19 YRS | 3751 | 3.2 | 17 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| **GRAND TOTAL** | 11304 | 2.3 | 9 | 1 | 1 | 1 | 2 | 4 | 6 | 14 |

## 350: Miscellaneous fractures of upper extremity (814-818)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 15 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 5 |
| 6-12 YRS | 34 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 78 | 2.2 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 124 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 6-12 YRS | 542 | 1.8 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 13-19 YRS | 2062 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 5.6 | 33 | <1 | 1 | 4 | 6 | 16 | 19 | 19 |
| 6-12 YRS | 40 | 4.0 | 25 | <1 | 1 | 2 | 4 | 10 | 17 | 22 |
| 13-19 YRS | 102 | 3.4 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 88 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 17 |
| 6-12 YRS | 187 | 3.2 | 10 | 1 | 1 | 2 | 4 | 6 | 11 | 18 |
| 13-19 YRS | 691 | 3.6 | 17 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 127 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| B. *Operated* | 2732 | 1.9 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 150 | 3.7 | 15 | <1 | 1 | 3 | 4 | 8 | 11 | 21 |
| B. *Operated* | 970 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 19 |
| **1. SINGLE DX** | 2859 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 1120 | 3.4 | 15 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| **A. NOT OPERATED** | 277 | 2.9 | 9 | <1 | 1 | 2 | 4 | 5 | 8 | 20 |
| **B. OPERATED** | 3702 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 7 | 2.1 | 3 | 1 | 1 | 1 | 3 | 5 | 6 | 6 |
| 1-5 YRS | 235 | 2.2 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| 6-12 YRS | 803 | 2.3 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 18 |
| 13-19 YRS | 2933 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **GRAND TOTAL** | 3979 | 2.4 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |

## 351: Fracture of neck of femur (820)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 8.5 | 96 | 1 | 1 | 3 | 13 | 24 | 30 | 31 |
| 1-5 YRS | 77 | 14.1 | 97 | 1 | 2 | 15 | 21 | 26 | 28 | 42 |
| 6-12 YRS | 46 | 25.5 | 258 | 4 | 4 | 26 | 31 | 46 | 58 | 71 |
| 13-19 YRS | 59 | 11.5 | 281 | <1 | 1 | 4 | 8 | 44 | 51 | 64 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 18.2 | 91 | 6 | 6 | 17 | 26 | 30 | 30 | 30 |
| 1-11 MOS | 9 | 8.1 | 26 | 2 | 2 | 8 | 11 | 15 | 18 | 18 |
| 1-5 YRS | 45 | 14.8 | 185 | 2 | 3 | 15 | 21 | 25 | 31 | 81 |
| 6-12 YRS | 136 | 12.4 | 94 | 4 | 4 | 9 | 17 | 25 | 30 | 52 |
| 13-19 YRS | 200 | 13.2 | 134 | 3 | 4 | 10 | 15 | 24 | 41 | 58 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 12.0 | 128 | 4 | 4 | 12 | 20 | 20 | 20 | 20 |
| 1-11 MOS | 5 | 12.0 | 140 | 5 | 5 | 7 | 15 | 33 | 33 | 33 |
| 1-5 YRS | 22 | 18.4 | 157 | 1 | 2 | 19 | 25 | 35 | 43 | 46 |
| 6-12 YRS | 34 | 21.3 | 178 | 2 | 3 | 23 | 33 | 36 | 42 | 44 |
| 13-19 YRS | 26 | 16.4 | 311 | 2 | 2 | 12 | 31 | 53 | 69 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 21.0 | | 21 | 21 | 21 | 80 | 99+ | 99+ | 99+ |
| 1-11 MOS | 17 | 25.5 | 344 | 5 | 8 | 20 | 31 | 58 | 69 | 72 |
| 1-5 YRS | 27 | 18.0 | 127 | 2 | 4 | 14 | 26 | 33 | 36 | 48 |
| 6-12 YRS | 79 | 21.6 | 335 | 2 | 3 | 18 | 30 | 44 | 51 | 92 |
| 13-19 YRS | 187 | 20.8 | 306 | 4 | 5 | 15 | 28 | 47 | 64 | 98 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 193 | 15.7 | 221 | 1 | 2 | 12 | 24 | 35 | 46 | 65 |
| B. *Operated* | 395 | 13.1 | 124 | 3 | 4 | 10 | 16 | 25 | 35 | 57 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 89 | 18.4 | 208 | 2 | 2 | 17 | 30 | 37 | 44 | 86 |
| B. *Operated* | 312 | 21.0 | 297 | 3 | 5 | 16 | 28 | 44 | 63 | 97 |
| **1. SINGLE DX** | 588 | 13.9 | 157 | 2 | 3 | 10 | 19 | 29 | 39 | 60 |
| **2. MULTIPLE DX** | 401 | 20.4 | 278 | 2 | 4 | 16 | 29 | 43 | 55 | 97 |
| **A. NOT OPERATED** | 282 | 16.6 | 218 | 1 | 2 | 14 | 26 | 35 | 45 | 65 |
| **B. OPERATED** | 707 | 16.6 | 215 | 3 | 4 | 12 | 21 | 36 | 49 | 85 |
| TOTAL 0-27 DYS | 9 | 17.4 | 72 | 4 | 5 | 20 | 25 | 65 | 99+ | 99+ |
| 1-11 MOS | 42 | 15.7 | 245 | 1 | 2 | 11 | 20 | 34 | 49 | 72 |
| 1-5 YRS | 171 | 15.5 | 133 | 1 | 2 | 15 | 22 | 28 | 33 | 48 |
| 6-12 YRS | 295 | 17.9 | 220 | 3 | 4 | 14 | 26 | 38 | 44 | 68 |
| 13-19 YRS | 472 | 16.2 | 243 | 2 | 4 | 11 | 19 | 38 | 54 | 86 |
| **GRAND TOTAL** | **989** | **16.6** | **216** | **2** | **3** | **12** | **22** | **36** | **48** | **75** |

## 352: Other femoral fracture (821)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 8.2 | 35 | 2 | 2 | 8 | 12 | 16 | 16 | 16 |
| 1-11 MOS | 179 | 9.7 | 68 | 1 | 1 | 7 | 16 | 20 | 23 | 30 |
| 1-5 YRS | 736 | 16.4 | 100 | 1 | 2 | 17 | 23 | 27 | 33 | 46 |
| 6-12 YRS | 517 | 24.0 | 169 | 2 | 4 | 25 | 31 | 39 | 47 | 57 |
| 13-19 YRS | 239 | 24.4 | 409 | 1 | 2 | 25 | 38 | 51 | 61 | 75 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 64 | 7.4 | 47 | 1 | 1 | 4 | 13 | 19 | 21 | 24 |
| 1-5 YRS | 458 | 14.0 | 112 | 1 | 2 | 14 | 22 | 26 | 31 | 41 |
| 6-12 YRS | 559 | 21.4 | 239 | 2 | 3 | 22 | 30 | 40 | 50 | 66 |
| 13-19 YRS | 827 | 14.9 | 210 | 2 | 2 | 11 | 20 | 36 | 49 | 68 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 13.0 | 57 | 4 | 4 | 13 | 18 | 22 | 22 | 22 |
| 1-11 MOS | 37 | 10.8 | 52 | 1 | 2 | 10 | 17 | 21 | 22 | 24 |
| 1-5 YRS | 259 | 19.8 | 160 | 2 | 3 | 20 | 26 | 33 | 40 | 67 |
| 6-12 YRS | 211 | 25.0 | 193 | 2 | 4 | 26 | 33 | 43 | 47 | 61 |
| 13-19 YRS | 148 | 29.6 | 445 | 1 | 3 | 30 | 46 | 59 | 74 | 99+ |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 21.0 | 2 | 20 | 20 | 21 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 12 | 11.4 | 80 | 1 | 2 | 10 | 19 | 24 | 27 | 27 |
| 1-5 YRS | 191 | 19.3 | 134 | 2 | 4 | 20 | 27 | 36 | 39 | 83 |
| 6-12 YRS | 383 | 25.5 | 220 | 3 | 4 | 26 | 35 | 42 | 51 | 69 |
| 13-19 YRS | 1146 | 25.8 | 357 | 4 | 6 | 20 | 36 | 55 | 68 | 99 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1677 | 19.2 | 186 | 1 | 2 | 19 | 26 | 35 | 44 | 61 |
| B. *Operated* | 1910 | 16.4 | 201 | 2 | 2 | 13 | 24 | 35 | 44 | 66 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 659 | 23.1 | 251 | 2 | 3 | 22 | 31 | 43 | 52 | 81 |
| B. *Operated* | 1734 | 24.9 | 305 | 3 | 5 | 21 | 34 | 50 | 63 | 93 |
| **1. SINGLE DX** | 3587 | 17.7 | 196 | 1 | 2 | 16 | 25 | 35 | 44 | 64 |
| **2. MULTIPLE DX** | 2393 | 24.4 | 291 | 3 | 5 | 22 | 33 | 48 | 61 | 91 |
| **A. NOT OPERATED** | 2336 | 20.3 | 207 | 1 | 2 | 20 | 28 | 38 | 47 | 67 |
| **B. OPERATED** | 3644 | 20.4 | 269 | 2 | 3 | 17 | 29 | 43 | 54 | 82 |
| TOTAL 0-27 DYS | 14 | 11.3 | 55 | 1 | 2 | 12 | 16 | 22 | 22 | 22 |
| 1-11 MOS | 292 | 9.4 | 63 | 1 | 1 | 7 | 16 | 20 | 23 | 29 |
| 1-5 YRS | 1644 | 16.6 | 121 | 1 | 2 | 17 | 23 | 29 | 35 | 48 |
| 6-12 YRS | 1670 | 23.6 | 210 | 2 | 3 | 24 | 32 | 41 | 49 | 65 |
| 13-19 YRS | 2360 | 22.1 | 344 | 2 | 3 | 17 | 33 | 50 | 62 | 92 |
| **GRAND TOTAL** | **5980** | **20.4** | **245** | **2** | **3** | **19** | **28** | **41** | **51** | **76** |

## 353: Fracture of tibia and fibula (823)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 17 | 2.5 | 8 | <1 | 1 | 1 | 2 | 7 | 10 | 11 |
| 1-5 YRS | 280 | 2.3 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 16 |
| 6-12 YRS | 542 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 13-19 YRS | 611 | 3.2 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 7 | 5.0 | 21 | 1 | 1 | 2 | 9 | 11 | 12 | 12 |
| 1-5 YRS | 292 | 2.5 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 1256 | 3.9 | 15 | 1 | 1 | 3 | 5 | 7 | 10 | 16 |
| 13-19 YRS | 2010 | 5.0 | 23 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 11 | 7.7 | 26 | 3 | 3 | 6 | 11 | 16 | 17 | 17 |
| 1-5 YRS | 88 | 3.5 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| 6-12 YRS | 111 | 4.9 | 45 | 1 | 1 | 4 | 5 | 9 | 10 | 36 |
| 13-19 YRS | 231 | 4.9 | 22 | 1 | 1 | 4 | 6 | 9 | 12 | 62 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 5.3 | 6 | 3 | 3 | 5 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 22.0 | 208 | 10 | 10 | 18 | 33 | 38 | 38 | 38 |
| 1-5 YRS | 98 | 6.5 | 102 | 1 | 1 | 3 | 6 | 14 | 29 | 60 |
| 6-12 YRS | 348 | 8.2 | 106 | 1 | 2 | 5 | 8 | 18 | 30 | 56 |
| 13-19 YRS | 1100 | 11.7 | 177 | 2 | 3 | 7 | 14 | 26 | 41 | 89 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1450 | 2.9 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| B. *Operated* | 3566 | 4.4 | 19 | 1 | 1 | 3 | 5 | 8 | 11 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 442 | 4.7 | 25 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| B. *Operated* | 1552 | 10.6 | 160 | 1 | 2 | 6 | 12 | 24 | 38 | 76 |
| **1. SINGLE DX** | 5016 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| **2. MULTIPLE DX** | 1994 | 9.3 | 136 | 1 | 2 | 6 | 10 | 21 | 34 | 75 |
| **A. NOT OPERATED** | 1892 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| **B. OPERATED** | 5118 | 6.3 | 70 | 1 | 1 | 4 | 7 | 12 | 19 | 51 |
| TOTAL 0-27 DYS | 5 | 5.6 | 8 | 3 | 3 | 5 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 38 | 6.0 | 53 | 1 | 1 | 3 | 9 | 15 | 18 | 38 |
| 1-5 YRS | 758 | 3.1 | 20 | 1 | 1 | 2 | 3 | 6 | 8 | 22 |
| 6-12 YRS | 2257 | 4.3 | 31 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| 13-19 YRS | 3952 | 6.6 | 74 | 1 | 1 | 4 | 7 | 13 | 20 | 54 |
| **GRAND TOTAL** | 7010 | 5.5 | 56 | 1 | 1 | 3 | 6 | 11 | 16 | 44 |

## 354: Miscellaneous fractures of lower extremity (822; 824-827)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 66 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 199 | 3.0 | 16 | 1 | 1 | 2 | 4 | 5 | 6 | 17 |
| 13-19 YRS | 409 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 13 | 4 | 4 | 6 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 6 | 7.0 | 44 | 1 | 1 | 7 | 13 | 14 | 14 | 14 |
| 1-5 YRS | 90 | 2.8 | 13 | 1 | 1 | 2 | 3 | 5 | 6 | 23 |
| 6-12 YRS | 726 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 3034 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 6 | 6.5 | 16 | 3 | 3 | 5 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 40 | 4.1 | 25 | 1 | 1 | 2 | 5 | 9 | 13 | 28 |
| 6-12 YRS | 73 | 4.2 | 56 | <1 | 1 | 3 | 5 | 7 | 9 | 52 |
| 13-19 YRS | 305 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 4 | 8.0 | 7 | 5 | 5 | 8 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 39 | 7.5 | 96 | 1 | 1 | 5 | 9 | 13 | 31 | 47 |
| 6-12 YRS | 248 | 6.7 | 52 | 1 | 2 | 4 | 7 | 13 | 22 | 38 |
| 13-19 YRS | 1556 | 7.0 | 68 | 2 | 2 | 6 | 7 | 12 | 19 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 676 | 2.8 | 8 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| B. *Operated* | 3858 | 3.8 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 4.3 | 24 | 1 | 1 | 3 | 5 | 9 | 12 | 23 |
| B. *Operated* | 1849 | 7.0 | 66 | 2 | 2 | 5 | 7 | 13 | 19 | 45 |
| **1. SINGLE DX** | 4534 | 3.6 | 8 | 1 | 1 | 3 | 5 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 2274 | 6.5 | 59 | 1 | 2 | 4 | 7 | 12 | 18 | 42 |
| **A. NOT OPERATED** | 1101 | 3.4 | 15 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **B. OPERATED** | 5707 | 4.8 | 29 | 1 | 1 | 4 | 5 | 9 | 12 | 30 |
| TOTAL 0-27 DYS | 5 | 5.4 | 15 | 2 | 2 | 4 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 18 | 6.4 | 22 | 1 | 1 | 5 | 11 | 13 | 14 | 14 |
| 1-5 YRS | 235 | 3.6 | 29 | 1 | 1 | 2 | 4 | 7 | 10 | 35 |
| 6-12 YRS | 1246 | 4.0 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 26 |
| 13-19 YRS | 5304 | 4.8 | 28 | 1 | 1 | 4 | 5 | 8 | 11 | 27 |
| **GRAND TOTAL** | 6808 | 4.6 | 27 | 1 | 1 | 3 | 5 | 8 | 11 | 27 |

## 355: Fracture of other bones (810-811; 829)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 17 | 2.7 | 19 | <1 | 1 | 2 | 2 | 4 | 14 | 19 |
| 6-12 YRS | 31 | 2.2 | 4 | 1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 13-19 YRS | 110 | 2.1 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 4 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 34 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 13-19 YRS | 240 | 2.9 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 10 | 4.9 | 15 | 1 | 1 | 4 | 6 | 10 | 14 | 14 |
| 1-5 YRS | 63 | 3.5 | 22 | 1 | 1 | 2 | 4 | 6 | 12 | 27 |
| 6-12 YRS | 94 | 3.7 | 25 | 1 | 1 | 2 | 3 | 7 | 13 | 30 |
| 13-19 YRS | 329 | 4.2 | 22 | 1 | 1 | 3 | 5 | 8 | 10 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 32 | 6.7 | 121 | 1 | 1 | 4 | 8 | 18 | 55 | 99+ |
| 13-19 YRS | 178 | 6.5 | 58 | 1 | 1 | 4 | 7 | 13 | 25 | 48 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 161 | 2.2 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 279 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 498 | 4.0 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 25 |
| B. *Operated* | 219 | 6.4 | 65 | 1 | 1 | 4 | 7 | 13 | 24 | 72 |
| 1. SINGLE DX | 440 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 2. MULTIPLE DX | 717 | 4.7 | 36 | 1 | 1 | 3 | 6 | 9 | 14 | 36 |
| A. NOT OPERATED | 659 | 3.6 | 18 | 1 | 1 | 2 | 4 | 7 | 10 | 24 |
| B. OPERATED | 498 | 4.5 | 33 | 1 | 1 | 3 | 5 | 8 | 12 | 38 |
| TOTAL 0-27 DYS | 3 | 4.0 | 9 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 14 | 5.0 | 19 | 1 | 1 | 4 | 6 | 14 | 14 | 14 |
| 1-5 YRS | 92 | 3.3 | 19 | 1 | 1 | 2 | 3 | 6 | 12 | 25 |
| 6-12 YRS | 191 | 3.8 | 35 | 1 | 1 | 2 | 4 | 7 | 12 | 50 |
| 13-19 YRS | 857 | 4.1 | 23 | 1 | 1 | 3 | 5 | 8 | 10 | 32 |
| GRAND TOTAL | 1157 | 4.0 | 25 | 1 | 1 | 3 | 4 | 8 | 11 | 32 |

## 356: Fracture of multiple bones (804; 809; 819; 828)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 17 | 2.3 | 2 | <1 | 1 | 2 | 2 | 5 | 6 | 7 |
| 1-5 YRS | 22 | 3.0 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 6-12 YRS | 12 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 13-19 YRS | 12 | 4.5 | 11 | <1 | <1 | 4 | 6 | 9 | 12 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 4 | 7.0 | 25 | 2 | 2 | 6 | 11 | 13 | 13 | 13 |
| 6-12 YRS | 9 | 6.4 | 13 | 1 | 1 | 7 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 8 | 13.6 | 185 | 2 | 2 | 8 | 22 | 36 | 38 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 12.7 | 633 | 1 | 1 | 3 | 4 | 58 | 64 | 64 |
| 1-5 YRS | 16 | 3.9 | 8 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 6-12 YRS | 6 | 3.3 | 2 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 13-19 YRS | 11 | 7.0 | 43 | 2 | 2 | 5 | 8 | 19 | 21 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 17.5 | 146 | 1 | 1 | 21 | 26 | 27 | 27 | 27 |
| 6-12 YRS | 7 | 8.6 | 35 | 2 | 2 | 6 | 14 | 16 | 17 | 17 |
| 13-19 YRS | 19 | 28.2 | 501 | 4 | 6 | 21 | 47 | 64 | 70 | 73 |
| SUBTOTALS: | | | | | | | | | | |
| 1. SINGLE DX | | | | | | | | | | |
| A. *Not Operated* | 64 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 11 |
| B. *Operated* | 22 | 8.9 | 85 | 1 | 1 | 8 | 10 | 19 | 34 | 38 |
| 2. MULTIPLE DX | | | | | | | | | | |
| A. *Not Operated* | 39 | 6.1 | 108 | 1 | 2 | 3 | 6 | 9 | 20 | 64 |
| B. *Operated* | 30 | 22.2 | 405 | 2 | 3 | 15 | 29 | 56 | 67 | 73 |
| 1. SINGLE DX | 86 | 4.4 | 32 | <1 | 1 | 2 | 5 | 9 | 12 | 35 |
| 2. MULTIPLE DX | 69 | 13.1 | 298 | 1 | 2 | 6 | 16 | 37 | 59 | 72 |
| A. NOT OPERATED | 103 | 4.1 | 56 | 1 | 1 | 2 | 4 | 7 | 9 | 41 |
| B. OPERATED | 52 | 16.6 | 309 | 1 | 2 | 10 | 21 | 43 | 58 | 73 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 24 | 4.8 | 161 | <1 | 1 | 2 | 3 | 5 | 24 | 64 |
| 1-5 YRS | 46 | 4.9 | 33 | 1 | 1 | 3 | 6 | 9 | 18 | 27 |
| 6-12 YRS | 34 | 4.7 | 18 | 1 | 1 | 3 | 7 | 11 | 14 | 17 |
| 13-19 YRS | 50 | 15.5 | 331 | 1 | 2 | 8 | 21 | 45 | 59 | 73 |
| GRAND TOTAL | 155 | 8.3 | 168 | 1 | 1 | 3 | 8 | 21 | 36 | 67 |

## 357: Dislocation of shoulder (831)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 25 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 2.0 | 3 | 1 | 1 | 1 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 18 | 2.9 | 13 | <1 | 1 | 2 | 3 | 4 | 12 | 17 |
| 13-19 YRS | 655 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 3 | 4.0 | 27 | <1 | <1 | 1 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 31 | 3.1 | 7 | 1 | 1 | 2 | 5 | 6 | 8 | 12 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 7.4 | 123 | 1 | 1 | 3 | 10 | 27 | 27 | 27 |
| 6-12 YRS | 5 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 92 | 5.1 | 25 | 1 | 1 | 3 | 6 | 10 | 17 | 27 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 26 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| *B. Operated* | 678 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 37 | 3.3 | 8 | <1 | 1 | 2 | 5 | 8 | 10 | 12 |
| *B. Operated* | 102 | 5.1 | 28 | 1 | 1 | 3 | 6 | 10 | 10 | 28 |
| **1. SINGLE DX** | 704 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | 139 | 4.6 | 24 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| **A. NOT OPERATED** | 63 | 2.7 | 6 | <1 | 1 | 2 | 3 | 6 | 9 | 12 |
| **B. OPERATED** | 780 | 3.3 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |
| TOTAL 0-27 DYS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 10 | 4.6 | 64 | <1 | <1 | 2 | 4 | 16 | 27 | 27 |
| 6-12 YRS | 26 | 2.9 | 12 | <1 | 1 | 2 | 3 | 4 | 11 | 17 |
| 13-19 YRS | 803 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **GRAND TOTAL** | 843 | 3.2 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 12 |

## 358: Dislocation of knee (836)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 22 | 3.8 | 17 | <1 | 1 | 3 | 4 | 9 | 14 | 19 |
| 13-19 YRS | 99 | 3.0 | 7 | <1 | <1 | 2 | 4 | 6 | 7 | 16 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 3.0 | 2 | 2 | 2 | 3 | 29 | 99+ | 99+ | 99+ |
| 1-11 MOS | 3 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 4 | 4.0 | 5 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 160 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 7 | 14 |
| 13-19 YRS | 4431 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 12 | 5.3 | 30 | <1 | 1 | 3 | 6 | 15 | 18 | 19 |
| 13-19 YRS | 77 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 8 | 13 |
| *B. Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 49 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 11 | 18 |
| 13-19 YRS | 2059 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| *A. Not Operated* | 124 | 3.1 | 9 | <1 | <1 | 2 | 4 | 6 | 7 | 20 |
| *B. Operated* | 4602 | 3.5 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| *A. Not Operated* | 91 | 2.7 | 10 | <1 | <1 | 1 | 4 | 6 | 9 | 17 |
| *B. Operated* | 2113 | 4.2 | 9 | 1 | 2 | 4 | 5 | 7 | 9 | 16 |
| **1. SINGLE DX** | 4726 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| **2. MULTIPLE DX** | 2204 | 4.1 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| **A. NOT OPERATED** | 215 | 3.0 | 9 | <1 | <1 | 2 | 4 | 6 | 8 | 19 |
| **B. OPERATED** | 6715 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| TOTAL 0-27 DYS | 5 | 2.8 | 2 | 2 | 2 | 3 | 5 | 90 | 99+ | 99+ |
| 1-11 MOS | 3 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 13 | 3.6 | 4 | <1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 243 | 2.9 | 8 | 1 | 1 | 3 | 5 | 6 | 9 | 15 |
| 13-19 YRS | 6666 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| **GRAND TOTAL** | 6930 | 3.7 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |

## 359: Other dislocation (830; 832-835; 837-839)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 5 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 23 | 5.3 | 40 | <1 | 1 | 3 | 6 | 12 | 24 | 25 |
| 6-12 YRS | 39 | 3.2 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 17 |
| 13-19 YRS | 109 | 4.0 | 13 | 1 | 1 | 3 | 5 | 8 | 10 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 8 | 8 |
| 1-5 YRS | 75 | 4.3 | 31 | <1 | 1 | 2 | 5 | 12 | 16 | 28 |
| 6-12 YRS | 342 | 2.6 | 11 | <1 | 1 | 1 | 3 | 6 | 9 | 19 |
| 13-19 YRS | 642 | 3.9 | 32 | <1 | 1 | 2 | 4 | 9 | 15 | 29 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 3.0 | 7 | <1 | <1 | 2 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 10 | 5.3 | 18 | 1 | 1 | 4 | 8 | 12 | 13 | 13 |
| 6-12 YRS | 35 | 3.9 | 12 | 1 | 1 | 3 | 6 | 10 | 11 | 12 |
| 13-19 YRS | 108 | 8.2 | 87 | 1 | 1 | 6 | 9 | 19 | 33 | 42 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 21 | 5.3 | 16 | <1 | 1 | 4 | 7 | 12 | 13 | 14 |
| 6-12 YRS | 108 | 5.5 | 86 | 1 | 1 | 2 | 5 | 14 | 25 | 50 |
| 13-19 YRS | 354 | 10.2 | 143 | 1 | 1 | 6 | 13 | 25 | 35 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 177 | 3.9 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 22 |
| B. *Operated* | 1070 | 3.5 | 26 | <1 | 1 | 2 | 4 | 8 | 14 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 156 | 7.0 | 68 | 1 | 1 | 5 | 8 | 13 | 26 | 42 |
| B. *Operated* | 486 | 8.9 | 128 | 1 | 1 | 5 | 11 | 22 | 32 | 62 |
| **1. SINGLE DX** | 1247 | 3.6 | 24 | <1 | 1 | 2 | 4 | 8 | 13 | 24 |
| **2. MULTIPLE DX** | 642 | 8.4 | 114 | 1 | 1 | 5 | 10 | 21 | 31 | 47 |
| **A. NOT OPERATED** | 333 | 5.4 | 42 | 1 | 1 | 3 | 7 | 11 | 17 | 40 |
| **B. OPERATED** | 1556 | 5.2 | 64 | 1 | 1 | 2 | 5 | 13 | 20 | 42 |
| TOTAL 0-27 DYS | 3 | 4.0 | 7 | 1 | 1 | 5 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 20 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 1-5 YRS | 129 | 4.7 | 29 | <1 | 1 | 3 | 6 | 12 | 14 | 26 |
| 6-12 YRS | 524 | 3.4 | 28 | 1 | 1 | 2 | 3 | 7 | 12 | 26 |
| 13-19 YRS | 1213 | 6.1 | 76 | 1 | 1 | 3 | 7 | 15 | 23 | 43 |
| **GRAND TOTAL** | 1889 | 5.2 | 60 | 1 | 1 | 2 | 6 | 12 | 20 | 42 |

## 360: Sprains and strains of knee and leg (844)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 14 | 3.9 | 5 | 1 | 1 | 4 | 6 | 6 | 8 | 8 |
| 6-12 YRS | 36 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 8 | 20 |
| 13-19 YRS | 185 | 2.5 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 69 | 3.3 | 5 | 1 | 1 | 3 | 4 | 7 | 9 | 9 |
| 13-19 YRS | 1527 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 5.3 | 8 | 2 | 2 | 5 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 29 | 5.9 | 64 | 1 | 2 | 4 | 6 | 10 | 19 | 48 |
| 13-19 YRS | 112 | 3.8 | 10 | <1 | 1 | 3 | 5 | 9 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 18.0 | | 18 | 18 | 18 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 50 | 4.1 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 10 |
| 13-19 YRS | 1321 | 4.8 | 9 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 236 | 2.7 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 9 |
| B. *Operated* | 1598 | 3.7 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 148 | 4.3 | 21 | 1 | 1 | 3 | 5 | 9 | 11 | 16 |
| B. *Operated* | 1374 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **1. SINGLE DX** | 1834 | 3.6 | 5 | 1 | 1 | 3 | 5 | 6 | 8 | 11 |
| **2. MULTIPLE DX** | 1522 | 4.7 | 10 | 1 | 2 | 4 | 6 | 8 | 10 | 15 |
| **A. NOT OPERATED** | 384 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 13 |
| **B. OPERATED** | 2972 | 4.2 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| TOTAL 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 9.5 | 145 | 1 | 1 | 9 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 23 | 4.7 | 8 | 1 | 2 | 4 | 6 | 8 | 11 | 12 |
| 6-12 YRS | 184 | 3.9 | 16 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| 13-19 YRS | 3145 | 4.1 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |
| **GRAND TOTAL** | 3356 | 4.1 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 14 |

## 361: Sprains and strains of sacroiliac region (846)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 7.0 | 72 | 1 | 1 | 7 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 23 | 4.3 | 17 | 1 | 1 | 4 | 6 | 9 | 14 | 18 |
| 13-19 YRS | 511 | 5.0 | 10 | 1 | 2 | 4 | 7 | 9 | 11 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 50 | 5.5 | 13 | 1 | 1 | 5 | 8 | 11 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 6.0 | 7 | 3 | 3 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 4.7 | 5 | 2 | 2 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 6 | 5.0 | 21 | 1 | 1 | 3 | 8 | 12 | 13 | 13 |
| 6-12 YRS | 33 | 4.2 | 8 | 1 | 2 | 3 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 385 | 5.9 | 19 | 1 | 2 | 5 | 8 | 11 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 46 | 9.C | 42 | 2 | 3 | 7 | 12 | 17 | 23 | 32 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 539 | 5.0 | 11 | 1 | 1 | 4 | 7 | 9 | 11 | 15 |
| B. *Operated* | 52 | 5.5 | 13 | 1 | 1 | 5 | 8 | 11 | 12 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 430 | 5.8 | 18 | 1 | 2 | 5 | 7 | 11 | 14 | 21 |
| B. *Operated* | 48 | 8.7 | 42 | 2 | 3 | 7 | 12 | 17 | 23 | 32 |
| **1. SINGLE DX** | 591 | 5.0 | 11 | 1 | 1 | 4 | 7 | 10 | 11 | 15 |
| **2. MULTIPLE DX** | 478 | 6.1 | 21 | 1 | 2 | 5 | 8 | 11 | 14 | 24 |
| **A. NOT OPERATED** | 969 | 5.3 | 14 | 1 | 2 | 5 | 7 | 10 | 13 | 18 |
| **B. OPERATED** | 100 | 7.0 | 29 | 1 | 2 | 6 | 10 | 13 | 17 | 28 |
| TOTAL 0-27 DYS | 4 | 5.0 | 9 | 2 | 2 | 5 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 5.6 | 22 | 1 | 1 | 6 | 8 | 13 | 13 | 13 |
| 1-5 YRS | 10 | 4.5 | 15 | 1 | 1 | 3 | 8 | 11 | 13 | 13 |
| 6-12 YRS | 58 | 4.3 | 11 | 1 | 1 | 3 | 6 | 8 | 11 | 18 |
| 13-19 YRS | 992 | 5.6 | 16 | 1 | 2 | 5 | 7 | 10 | 13 | 19 |
| **GRAND TOTAL** | **1069** | **5.5** | **16** | **1** | **2** | **5** | **7** | **10** | **13** | **19** |

## 362: Sprains and strains of other and unspecified parts of back (847)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 5 | 6.6 | 35 | 1 | 1 | 7 | 9 | 16 | 16 | 16 |
| 1-5 YRS | 58 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 167 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 7 |
| 13-19 YRS | 830 | 3.6 | 9 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 5.0 | 48 | 1 | 1 | 1 | 10 | 13 | 13 | 13 |
| 13-19 YRS | 41 | 4.8 | 15 | 1 | 2 | 3 | 6 | 10 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 7.4 | 11 | 2 | 2 | 8 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 26 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 6-12 YRS | 98 | 2.9 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 12 |
| 13-19 YRS | 973 | 4.5 | 15 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 11.0 | 18 | 8 | 8 | 11 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 51 | 5.9 | 16 | 1 | 1 | 5 | 9 | 11 | 12 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1061 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 13 |
| B. *Operated* | 44 | 4.8 | 16 | 1 | 2 | 3 | 6 | 12 | 14 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1102 | 4.3 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| B. *Operated* | 54 | 6.2 | 16 | 1 | 1 | 5 | 10 | 12 | 14 | 16 |
| **1. SINGLE DX** | 1105 | 3.4 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| **2. MULTIPLE DX** | 1156 | 4.4 | 14 | 1 | 1 | 3 | 6 | 9 | 11 | 15 |
| **A. NOT OPERATED** | 2163 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| **B. OPERATED** | 98 | 5.6 | 17 | 1 | 1 | 4 | 8 | 12 | 14 | 17 |
| TOTAL 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 10 | 7.0 | 21 | 1 | 1 | 7 | 10 | 13 | 16 | 16 |
| 1-5 YRS | 85 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 6-12 YRS | 270 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 13-19 YRS | 1895 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| **GRAND TOTAL** | **2261** | **3.9** | **11** | **1** | **1** | **3** | **5** | **8** | **10** | **15** |

## 363: Other sprains and strains (840-843; 845; 848)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.3 | 4 | <1 | <1 | 1 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 29 | 2.8 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 9 |
| 6-12 YRS | 99 | 3.1 | 9 | <1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 13-19 YRS | 302 | 2.8 | 5 | <1 | 1 | 2 | 3 | 6 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 16 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 4 | 4 |
| 6-12 YRS | 77 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| 13-19 YRS | 839 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 30 | 3.5 | 12 | <1 | <1 | 2 | 4 | 9 | 12 | 15 |
| 6-12 YRS | 51 | 3.3 | 9 | 1 | 1 | 3 | 4 | 7 | 12 | 98 |
| 13-19 YRS | 209 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 7 | 3.6 | 1 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 20 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 248 | 3.8 | 14 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 434 | 2.8 | 6 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| B. *Operated* | 933 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 292 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 9 | 16 |
| B. *Operated* | 276 | 3.7 | 13 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| **1. SINGLE DX** | 1367 | 2.8 | 4 | 1 | 1 | 2 | 4 | 5 | 6 | 10 |
| **2. MULTIPLE DX** | 568 | 3.6 | 10 | 1 | 1 | 3 | 4 | 6 | 9 | 15 |
| **A. NOT OPERATED** | 726 | 3.1 | 7 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 1209 | 3.0 | 6 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 2.4 | 3 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 82 | 2.9 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| 6-12 YRS | 247 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 7 | 15 |
| 13-19 YRS | 1598 | 3.1 | 6 | 1 | 1 | 3 | 4 | 5 | 7 | 11 |
| **GRAND TOTAL** | **1935** | **3.1** | **6** | **1** | **1** | **3** | **4** | **5** | **7** | **12** |

## 364: Concussion (850)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 3.0 | 16 | 1 | 1 | 1 | 4 | 10 | 10 | 10 |
| 1-11 MOS | 221 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 1-5 YRS | 2136 | 1.4 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 4137 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 4074 | 1.9 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 3.1 | 37 | 1 | 1 | 1 | 2 | 5 | 20 | 24 |
| 6-12 YRS | 14 | 1.9 | 3 | 1 | 1 | 1 | 2 | 5 | 6 | 6 |
| 13-19 YRS | 35 | 2.2 | 5 | 1 | 1 | 2 | 2 | 4 | 7 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 137 | 2.4 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 17 |
| 1-5 YRS | 1332 | 2.2 | 6 | 1 | 1 | 2 | 2 | 4 | 6 | 10 |
| 6-12 YRS | 2995 | 2.1 | 3 | 1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 5864 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 6 | 4.5 | 10 | 1 | 1 | 4 | 6 | 10 | 10 | 10 |
| 1-5 YRS | 184 | 3.6 | 30 | 1 | 1 | 2 | 4 | 7 | 13 | 24 |
| 6-12 YRS | 468 | 4.1 | 50 | 1 | 1 | 2 | 4 | 8 | 12 | 40 |
| 13-19 YRS | 1810 | 4.9 | 64 | 1 | 1 | 2 | 5 | 11 | 18 | 49 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10573 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| B. *Operated* | 63 | 2.3 | 11 | 1 | 1 | 1 | 2 | 4 | 7 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 10335 | 2.5 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 12 |
| B. *Operated* | 2471 | 4.7 | 59 | 1 | 1 | 2 | 5 | 10 | 16 | 47 |
| **1. SINGLE DX** | 10636 | 1.7 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 12806 | 2.9 | 18 | 1 | 1 | 2 | 3 | 5 | 8 | 19 |
| **A. NOT OPERATED** | 20908 | 2.1 | 5 | 1 | 1 | 1 | 2 | 4 | 5 | 10 |
| **B. OPERATED** | 2534 | 4.6 | 58 | 1 | 1 | 2 | 5 | 10 | 16 | 47 |
| TOTAL 0-27 DYS | 15 | 3.0 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 10 |
| 1-11 MOS | 364 | 1.8 | 3 | 1 | 1 | 1 | 2 | 4 | 5 | 8 |
| 1-5 YRS | 3666 | 1.8 | 5 | 1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 7614 | 1.9 | 6 | 1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 13-19 YRS | 11783 | 2.8 | 16 | <1 | 1 | 2 | 3 | 5 | 7 | 18 |
| **GRAND TOTAL** | **23442** | **2.3** | **11** | **1** | **1** | **2** | **2** | **4** | **6** | **14** |

## 365: Intracranial injury, except concussion (851-854)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 1.6 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 1-11 MOS | 198 | 1.5 | 3 | <1 | 1 | 1 | 1 | 2 | 3 | 12 |
| 1-5 YRS | 871 | 1.7 | 6 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 992 | 1.8 | 5 | 1 | 1 | 1 | 2 | 3 | 4 | 10 |
| 13-19 YRS | 987 | 2.9 | 20 | <1 | 1 | 2 | 3 | 6 | 9 | 26 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 15 | 17.0 | 291 | 4 | 4 | 13 | 20 | 33 | 62 | 72 |
| 1-5 YRS | 29 | 9.3 | 54 | 2 | 2 | 7 | 11 | 23 | 27 | 29 |
| 6-12 YRS | 45 | 5.8 | 11 | 1 | 1 | 6 | 8 | 10 | 11 | 15 |
| 13-19 YRS | 87 | 13.6 | 268 | 1 | 3 | 8 | 15 | 24 | 55 | 81 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 3.3 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 168 | 3.2 | 17 | 1 | 1 | 2 | 4 | 6 | 13 | 22 |
| 1-5 YRS | 822 | 2.7 | 17 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 6-12 YRS | 1000 | 2.6 | 12 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 13-19 YRS | 1480 | 4.2 | 47 | <1 | 1 | 2 | 4 | 9 | 16 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 23 | 19.4 | 353 | 1 | 2 | 16 | 25 | 47 | 62 | 76 |
| 1-5 YRS | 125 | 8.7 | 156 | 1 | 1 | 4 | 9 | 25 | 37 | 66 |
| 6-12 YRS | 198 | 11.9 | 332 | 1 | 1 | 4 | 14 | 31 | 65 | 97 |
| 13-19 YRS | 732 | 17.5 | 467 | 1 | 1 | 8 | 30 | 63 | 88 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3056 | 2.1 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 14 |
| B. *Operated* | 176 | 11.2 | 180 | 1 | 2 | 7 | 12 | 22 | 32 | 78 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3476 | 3.4 | 29 | 1 | 1 | 2 | 3 | 7 | 11 | 27 |
| B. *Operated* | 1080 | 15.5 | 414 | 1 | 1 | 6 | 24 | 54 | 76 | 99+ |
| **1. SINGLE DX** | 3232 | 2.6 | 24 | <1 | 1 | 1 | 2 | 5 | 8 | 23 |
| **2. MULTIPLE DX** | 4556 | 6.2 | 147 | 1 | 1 | 2 | 5 | 16 | 33 | 90 |
| **A. NOT OPERATED** | 6532 | 2.8 | 21 | 1 | 1 | 1 | 3 | 5 | 8 | 23 |
| **B. OPERATED** | 1256 | 14.9 | 383 | 1 | 1 | 7 | 20 | 51 | 73 | 99+ |
| TOTAL 0-27 DYS | 16 | 2.2 | 3 | <1 | <1 | 1 | 3 | 5 | 6 | 6 |
| 1-11 MOS | 404 | 3.8 | 61 | 1 | 1 | 1 | 3 | 8 | 17 | 40 |
| 1-5 YRS | 1847 | 2.7 | 25 | 1 | 1 | 1 | 2 | 5 | 8 | 29 |
| 6-12 YRS | 2235 | 3.1 | 45 | 1 | 1 | 1 | 2 | 6 | 10 | 32 |
| 13-19 YRS | 3286 | 7.0 | 173 | <1 | 1 | 2 | 6 | 20 | 40 | 98 |
| **GRAND TOTAL** | **7788** | **4.7** | **99** | **1** | **1** | **2** | **4** | **10** | **22** | **70** |

## 366: Internal injury to thoracic region (860-862)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 16 | 2.6 | 6 | 1 | 1 | 2 | 3 | 4 | 9 | 11 |
| 6-12 YRS | 15 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 13-19 YRS | 80 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 6.5 | 14 | 4 | 4 | 5 | 9 | 12 | 12 | 12 |
| 6-12 YRS | 8 | 4.9 | 8 | 2 | 2 | 4 | 6 | 10 | 11 | 11 |
| 13-19 YRS | 144 | 6.7 | 25 | 1 | 3 | 5 | 8 | 12 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.5 | 25 | 1 | 1 | 4 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 12 | 3.4 | 7 | 1 | 1 | 3 | 5 | 8 | 9 | 9 |
| 6-12 YRS | 34 | 4.7 | 14 | 1 | 1 | 4 | 6 | 9 | 11 | 20 |
| 13-19 YRS | 172 | 4.8 | 25 | 1 | 1 | 4 | 6 | 9 | 12 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 9.0 | 2 | 8 | 8 | 9 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 18 | 7.8 | 17 | 2 | 3 | 8 | 11 | 16 | 63 | 99+ |
| 6-12 YRS | 29 | 11.8 | 188 | 1 | 2 | 7 | 10 | 45 | 54 | 99+ |
| 13-19 YRS | 336 | 11.3 | 127 | 3 | 4 | 8 | 12 | 20 | 32 | 64 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 113 | 3.0 | 5 | 1 | 1 | 2 | 4 | 5 | 8 | 11 |
| B. *Operated* | 156 | 6.6 | 24 | 1 | 3 | 5 | 8 | 12 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 220 | 4.7 | 22 | 1 | 1 | 4 | 6 | 9 | 11 | 23 |
| B. *Operated* | 385 | 11.1 | 126 | 3 | 4 | 8 | 12 | 21 | 39 | 72 |
| **1. SINGLE DX** | 269 | 5.1 | 19 | 1 | 1 | 4 | 6 | 10 | 12 | 24 |
| **2. MULTIPLE DX** | 605 | 8.8 | 98 | 1 | 2 | 6 | 10 | 17 | 27 | 63 |
| **A. NOT OPERATED** | 333 | 4.1 | 17 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **B. OPERATED** | 541 | 9.8 | 101 | 2 | 3 | 7 | 11 | 18 | 28 | 64 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 5.0 | 17 | 1 | 1 | 5 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 50 | 5.0 | 16 | 1 | 1 | 4 | 8 | 11 | 12 | 99 |
| 6-12 YRS | 86 | 6.6 | 83 | 1 | 1 | 4 | 7 | 11 | 26 | 83 |
| 13-19 YRS | 732 | 8.0 | 80 | 1 | 2 | 6 | 9 | 16 | 23 | 58 |
| **GRAND TOTAL** | **874** | **7.7** | **76** | **1** | **2** | **5** | **9** | **15** | **22** | **59** |

## 367: Internal injury, except chest (863-869)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 76 | 3.3 | 16 | <1 | 1 | 2 | 4 | 7 | 10 | 25 |
| 6-12 YRS | 345 | 3.8 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| 13-19 YRS | 664 | 3.9 | 9 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 32 | 8.8 | 41 | 2 | 3 | 6 | 11 | 17 | 23 | 30 |
| 6-12 YRS | 180 | 6.8 | 11 | 2 | 3 | 6 | 8 | 12 | 14 | 18 |
| 13-19 YRS | 365 | 7.0 | 13 | 3 | 3 | 7 | 8 | 10 | 12 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.0 | 4 | 1 | 1 | 1 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 71 | 5.3 | 29 | 1 | 1 | 3 | 6 | 12 | 18 | 25 |
| 6-12 YRS | 285 | 4.2 | 12 | 1 | 1 | 3 | 5 | 10 | 12 | 16 |
| 13-19 YRS | 723 | 4.1 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 22.8 | 688 | 8 | 8 | 10 | 37 | 62 | 62 | 62 |
| 1-5 YRS | 89 | 13.2 | 134 | 4 | 5 | 8 | 15 | 28 | 41 | 58 |
| 6-12 YRS | 283 | 10.9 | 103 | 3 | 4 | 7 | 12 | 23 | 28 | 60 |
| 13-19 YRS | 1031 | 13.4 | 165 | 4 | 5 | 9 | 14 | 28 | 42 | 78 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1088 | 3.8 | 10 | 1 | 1 | 3 | 5 | 8 | 10 | 16 |
| B. *Operated* | 577 | 7.0 | 14 | 2 | 3 | 6 | 8 | 11 | 14 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1083 | 4.2 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| B. *Operated* | 1407 | 12.9 | 152 | 3 | 5 | 9 | 14 | 27 | 41 | 73 |
| **1. SINGLE DX** | 1665 | 4.9 | 14 | 1 | 1 | 4 | 7 | 9 | 12 | 18 |
| **2. MULTIPLE DX** | 2490 | 9.1 | 110 | 1 | 2 | 7 | 10 | 19 | 28 | 62 |
| **A. NOT OPERATED** | 2171 | 4.0 | 11 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| **B. OPERATED** | 1984 | 11.2 | 119 | 3 | 4 | 8 | 12 | 22 | 34 | 68 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 10 | 10.1 | 349 | 1 | 1 | 3 | 9 | 37 | 62 | 62 |
| 1-5 YRS | 268 | 7.7 | 78 | 1 | 1 | 5 | 9 | 18 | 27 | 42 |
| 6-12 YRS | 1093 | 6.2 | 44 | 1 | 1 | 5 | 8 | 12 | 16 | 33 |
| 13-19 YRS | 2783 | 7.9 | 87 | 1 | 2 | 6 | 9 | 15 | 23 | 54 |
| **GRAND TOTAL** | **4155** | **7.4** | **76** | **1** | **1** | **5** | **9** | **14** | **22** | **50** |

## 368: Laceration or enucleation of eye (870-871)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 26 | 2.4 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 25 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 13-19 YRS | 30 | 2.9 | 3 | <1 | 1 | 3 | 4 | 6 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 2.2 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 309 | 2.1 | 4 | <1 | 1 | 1 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 301 | 3.3 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 13-19 YRS | 279 | 3.2 | 5 | <1 | 1 | 3 | 5 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 23 | 3.6 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 6-12 YRS | 32 | 3.6 | 8 | <1 | 1 | 3 | 4 | 9 | 10 | 11 |
| 13-19 YRS | 51 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 4.9 | 32 | 1 | 1 | 3 | 5 | 15 | 18 | 18 |
| 1-5 YRS | 181 | 3.0 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 17 |
| 6-12 YRS | 231 | 4.1 | 12 | 1 | 1 | 3 | 5 | 8 | 11 | 17 |
| 13-19 YRS | 405 | 4.9 | 46 | 1 | 1 | 4 | 6 | 9 | 11 | 31 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 81 | 2.6 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | 901 | 2.9 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 108 | 3.1 | 5 | <1 | 1 | 3 | 4 | 6 | 9 | 11 |
| B. *Operated* | 825 | 4.3 | 29 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **1. SINGLE DX** | 982 | 2.8 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 12 |
| **2. MULTIPLE DX** | 933 | 4.2 | 26 | 1 | 1 | 3 | 5 | 8 | 10 | 22 |
| **A. NOT OPERATED** | 189 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 7 | 11 |
| **B. OPERATED** | 1726 | 3.5 | 17 | 1 | 1 | 2 | 5 | 7 | 9 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 22 | 3.1 | 13 | 1 | 1 | 2 | 4 | 5 | 11 | 18 |
| 1-5 YRS | 539 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 589 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 13-19 YRS | 755 | 4.1 | 27 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| **GRAND TOTAL** | **1915** | **3.5** | **16** | **1** | **1** | **2** | **4** | **7** | **9** | **17** |

## 369: Other laceration of head and neck (872-874)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 1-5 YRS | 134 | 2.3 | 4 | 1 | 1 | 1 | 3 | 5 | 6 | 10 |
| 6-12 YRS | 98 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 181 | 2.1 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 40 | 1.4 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 1-5 YRS | 785 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 346 | 2.3 | 6 | <1 | 1 | 2 | 2 | 5 | 6 | 12 |
| 13-19 YRS | 413 | 3.2 | 32 | <1 | 1 | 2 | 3 | 6 | 8 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | 24 | 1 | 1 | 2 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 23 | 2.8 | 3 | <1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 180 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 15 |
| 6-12 YRS | 178 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 13-19 YRS | 573 | 2.7 | 14 | <1 | <1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 21 | 3.9 | 33 | <1 | 1 | 2 | 3 | 10 | 18 | 26 |
| 1-5 YRS | 539 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 6-12 YRS | 524 | 3.0 | 10 | 1 | 1 | 2 | 3 | 6 | 8 | 17 |
| 13-19 YRS | 1533 | 4.0 | 36 | <1 | 1 | 2 | 4 | 7 | 12 | 35 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 425 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| B. *Operated* | 1585 | 2.2 | 11 | <1 | <1 | 1 | 2 | 4 | 6 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 957 | 2.7 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 2618 | 3.5 | 26 | <1 | 1 | 2 | 4 | 7 | 10 | 26 |
| **1. SINGLE DX** | 2010 | 2.2 | 9 | <1 | 1 | 1 | 2 | 4 | 6 | 12 |
| **2. MULTIPLE DX** | 3575 | 3.3 | 22 | <1 | 1 | 2 | 4 | 6 | 9 | 23 |
| **A. NOT OPERATED** | 1382 | 2.5 | 8 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| **B. OPERATED** | 4203 | 3.0 | 21 | <1 | 1 | 2 | 3 | 6 | 8 | 23 |
| TOTAL 0-27 DYS | 5 | 3.0 | 16 | 1 | 1 | 1 | 4 | 10 | 10 | 10 |
| 1-11 MOS | 96 | 2.3 | 9 | <1 | <1 | 1 | 2 | 4 | 6 | 19 |
| 1-5 YRS | 1638 | 2.1 | 5 | <1 | 1 | 1 | 2 | 4 | 6 | 12 |
| 6-12 YRS | 1146 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 13-19 YRS | 2700 | 3.5 | 29 | <1 | 1 | 2 | 4 | 6 | 10 | 29 |
| **GRAND TOTAL** | **5585** | **2.9** | **18** | **<1** | **1** | **2** | **3** | **6** | **8** | **20** |

## 370: Other laceration of trunk and multiple and unspecified sites (875-879)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 4.0 | 27 | 1 | 1 | 1 | 8 | 10 | 10 | 10 |
| 1-5 YRS | 67 | 2.3 | 5 | <1 | 1 | 1 | 3 | 4 | 6 | 13 |
| 6-12 YRS | 118 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 7 | 10 |
| 13-19 YRS | 395 | 2.4 | 23 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 113 | 2.1 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 8 |
| 6-12 YRS | 233 | 2.6 | 7 | <1 | 1 | 1 | 3 | 6 | 8 | 14 |
| 13-19 YRS | 462 | 4.6 | 29 | 1 | 1 | 3 | 6 | 9 | 12 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 7.0 | 16 | 3 | 3 | 7 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 33 | 3.5 | 12 | 1 | 1 | 2 | 4 | 9 | 10 | 16 |
| 6-12 YRS | 62 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 13-19 YRS | 279 | 3.1 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 13.5 | 1 | 13 | 13 | 13 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 68 | 4.4 | 16 | 1 | 1 | 4 | 5 | 10 | 12 | 20 |
| 6-12 YRS | 131 | 4.8 | 24 | 1 | 1 | 3 | 7 | 11 | 15 | 24 |
| 13-19 YRS | 606 | 8.0 | 85 | 1 | 1 | 6 | 9 | 15 | 25 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 584 | 2.4 | 17 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| B. *Operated* | 812 | 3.7 | 20 | <1 | 1 | 2 | 5 | 8 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 377 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |
| B. *Operated* | 807 | 7.2 | 71 | 1 | 1 | 5 | 9 | 14 | 22 | 45 |
| **1. SINGLE DX** | 1396 | 3.1 | 19 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| **2. MULTIPLE DX** | 1184 | 5.9 | 56 | 1 | 1 | 4 | 7 | 12 | 18 | 40 |
| **A. NOT OPERATED** | 961 | 2.7 | 14 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **B. OPERATED** | 1619 | 5.4 | 49 | 1 | 1 | 4 | 7 | 11 | 15 | 35 |
| TOTAL 0-27 DYS | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 11 | 6.2 | 26 | 1 | 1 | 5 | 11 | 13 | 14 | 14 |
| 1-5 YRS | 281 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 9 | 16 |
| 6-12 YRS | 544 | 3.1 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 18 |
| 13-19 YRS | 1742 | 5.1 | 49 | 1 | 1 | 3 | 6 | 10 | 14 | 38 |
| **GRAND TOTAL** | **2580** | **4.4** | **38** | **<1** | **1** | **3** | **5** | **9** | **13** | **31** |

## 371: Open wound of upper limb (880-887)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 67 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 6-12 YRS | 137 | 2.9 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 11 |
| 13-19 YRS | 347 | 3.0 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 26 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 1-5 YRS | 583 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 6-12 YRS | 840 | 2.2 | 5 | <1 | 1 | 2 | 2 | 4 | 6 | 11 |
| 13-19 YRS | 2570 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 43 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 6-12 YRS | 75 | 3.6 | 11 | 1 | 1 | 3 | 4 | 7 | 9 | 21 |
| 13-19 YRS | 304 | 3.9 | 18 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 6 |
| 1-5 YRS | 299 | 2.8 | 15 | 1 | 1 | 2 | 3 | 5 | 9 | 19 |
| 6-12 YRS | 561 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 18 |
| 13-19 YRS | 1938 | 3.7 | 28 | 1 | 1 | 2 | 4 | 7 | 11 | 26 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 551 | 3.0 | 6 | <1 | 1 | 2 | 4 | 6 | 7 | 12 |
| B. *Operated* | 4020 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 423 | 3.8 | 15 | <1 | 1 | 3 | 5 | 7 | 10 | 22 |
| B. *Operated* | 2810 | 3.5 | 23 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| **1. SINGLE DX** | 4571 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| **2. MULTIPLE DX** | 3233 | 3.5 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 23 |
| **A. NOT OPERATED** | 974 | 3.3 | 10 | <1 | 1 | 3 | 4 | 6 | 8 | 15 |
| **B. OPERATED** | 6830 | 2.8 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 39 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 1-5 YRS | 992 | 2.3 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 6-12 YRS | 1613 | 2.6 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 13-19 YRS | 5159 | 3.0 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 18 |
| **GRAND TOTAL** | **7804** | **2.8** | **12** | **<1** | **1** | **2** | **3** | **5** | **8** | **17** |

## 372: Open wound of lower limb (890-897)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 4.2 | 18 | 1 | 1 | 2 | 6 | 12 | 14 | 14 |
| 1-5 YRS | 87 | 2.4 | 8 | <1 | <1 | 1 | 3 | 5 | 6 | 18 |
| 6-12 YRS | 232 | 2.9 | 4 | <1 | 1 | 2 | 4 | 6 | 8 | 9 |
| 13-19 YRS | 434 | 3.5 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 2.5 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 336 | 3.7 | 23 | <1 | <1 | 2 | 4 | 8 | 14 | 21 |
| 6-12 YRS | 884 | 3.8 | 18 | <1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 13-19 YRS | 1313 | 4.4 | 27 | 1 | 1 | 3 | 5 | 9 | 13 | 28 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 38 | 4.4 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 14 |
| 6-12 YRS | 110 | 4.5 | 8 | 1 | 1 | 4 | 6 | 9 | 11 | 13 |
| 13-19 YRS | 220 | 4.4 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 115 | 6.7 | 68 | 1 | 1 | 4 | 7 | 19 | 21 | 42 |
| 6-12 YRS | 316 | 7.1 | 82 | 1 | 2 | 4 | 8 | 16 | 22 | 46 |
| 13-19 YRS | 727 | 8.4 | 110 | 1 | 1 | 5 | 9 | 20 | 29 | 55 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 762 | 3.2 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| B. *Operated* | 2541 | 4.1 | 23 | <1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 369 | 4.5 | 12 | 1 | 1 | 4 | 6 | 8 | 11 | 17 |
| B. *Operated* | 1158 | 7.9 | 99 | 1 | 1 | 5 | 9 | 18 | 28 | 53 |
| **1. SINGLE DX** | 3303 | 3.9 | 20 | <1 | 1 | 3 | 4 | 8 | 11 | 23 |
| **2. MULTIPLE DX** | 1527 | 7.1 | 80 | 1 | 1 | 4 | 8 | 15 | 23 | 50 |
| **A. NOT OPERATED** | 1131 | 3.6 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| **B. OPERATED** | 3699 | 5.3 | 50 | 1 | 1 | 3 | 6 | 11 | 17 | 38 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 18 | 3.6 | 11 | 1 | 1 | 2 | 5 | 8 | 12 | 14 |
| 1-5 YRS | 576 | 4.2 | 30 | <1 | 1 | 2 | 5 | 9 | 16 | 24 |
| 6-12 YRS | 1542 | 4.4 | 30 | 1 | 1 | 3 | 5 | 9 | 13 | 27 |
| 13-19 YRS | 2694 | 5.3 | 50 | 1 | 1 | 3 | 6 | 10 | 16 | 39 |
| **GRAND TOTAL** | **4830** | **4.9** | **41** | **1** | **1** | **3** | **5** | **10** | **15** | **34** |

### 373: Injury to blood vessels (900-904)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 7 | 5.7 | 42 | 2 | 2 | 3 | 6 | 17 | 20 | 20 |
| 6-12 YRS | 15 | 2.7 | 29 | 1 | 1 | 1 | 2 | 3 | 17 | 22 |
| 13-19 YRS | 8 | 1.9 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 13 | 3.8 | 4 | 1 | 2 | 4 | 5 | 7 | 8 | 8 |
| 13-19 YRS | 37 | 4.7 | 16 | <1 | 1 | 4 | 7 | 9 | 12 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 7 | 4.6 | 16 | 1 | 1 | 3 | 8 | 11 | 11 | 11 |
| 6-12 YRS | 11 | 1.5 | | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 21 | 3.8 | 12 | <1 | 1 | 2 | 6 | 8 | 11 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 9 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 6-12 YRS | 28 | 7.4 | 304 | 1 | 1 | 4 | 7 | 12 | 95 | 99+ |
| 13-19 YRS | 106 | 11.2 | 262 | 1 | 1 | 5 | 12 | 27 | 51 | 80 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 31 | 3.2 | 25 | <1 | <1 | 2 | 2 | 6 | 19 | 22 |
| B. *Operated* | 56 | 4.2 | 12 | 1 | 1 | 3 | 6 | 8 | 10 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 39 | 3.3 | 10 | 1 | 1 | 2 | 4 | 8 | 10 | 14 |
| B. *Operated* | 144 | 9.9 | 256 | 1 | 1 | 5 | 10 | 23 | 51 | 95 |
| **1. SINGLE DX** | 87 | 3.8 | 17 | <1 | 1 | 2 | 5 | 8 | 10 | 21 |
| **2. MULTIPLE DX** | 183 | 8.5 | 211 | 1 | 1 | 4 | 9 | 17 | 41 | 95 |
| **A. NOT OPERATED** | 70 | 3.2 | 16 | <1 | 1 | 2 | 3 | 8 | 11 | 22 |
| **B. OPERATED** | 200 | 8.3 | 194 | 1 | 1 | 4 | 8 | 16 | 39 | 94 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.0 | 50 | 2 | 2 | 7 | 12 | 12 | 12 | 12 |
| 1-5 YRS | 29 | 3.6 | 15 | 1 | 1 | 2 | 4 | 8 | 11 | 20 |
| 6-12 YRS | 67 | 4.7 | 137 | 1 | 1 | 2 | 4 | 8 | 13 | 99 |
| 13-19 YRS | 172 | 8.4 | 178 | 1 | 1 | 4 | 9 | 17 | 37 | 69 |
| **GRAND TOTAL** | **270** | **7.0** | **153** | **1** | **1** | **3** | **7** | **13** | **24** | **89** |

### 374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external causes (905-909)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 13 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 22 | 3.7 | 4 | <1 | 1 | 3 | [illegible] | 7 | 7 | 7 |
| 13-19 YRS | 70 | 5.2 | 26 | 1 | 1 | 3 | 7 | 12 | 17 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 7 | 4.3 | 10 | 1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 1-5 YRS | 74 | 3.4 | 12 | <1 | 1 | 2 | 4 | 7 | 9 | 22 |
| 6-12 YRS | 222 | 3.8 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 19 |
| 13-19 YRS | 685 | 4.2 | 20 | 1 | 1 | 3 | 5 | 8 | 12 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 6 | 5.7 | 11 | 1 | 1 | 5 | 7 | 11 | 11 | 11 |
| 1-5 YRS | 24 | 4.0 | 19 | 1 | 1 | 3 | 4 | 10 | 14 | 20 |
| 6-12 YRS | 33 | 5.5 | 22 | 1 | 2 | 4 | 7 | 11 | 12 | 24 |
| 13-19 YRS | 115 | 7.6 | 138 | 1 | 1 | 4 | 8 | 15 | 25 | 80 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 53 | 3.4 | 9 | 1 | 1 | 2 | 4 | 8 | 9 | 18 |
| 6-12 YRS | 148 | 4.3 | 25 | 1 | 1 | 3 | 5 | 9 | 15 | 28 |
| 13-19 YRS | 560 | 4.9 | 49 | 1 | 1 | 3 | 5 | 9 | 15 | 44 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 14 | 22 |
| B. *Operated* | 989 | 4.0 | 18 | 1 | 1 | 3 | 5 | 8 | 11 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 179 | 6.6 | 97 | 1 | 1 | 4 | 7 | 12 | 21 | 68 |
| B. *Operated* | 762 | 4.7 | 42 | 1 | 1 | 3 | 5 | 9 | 15 | 40 |
| **1. SINGLE DX** | 1096 | 4.1 | 18 | 1 | 1 | 3 | 5 | 8 | 12 | 24 |
| **2. MULTIPLE DX** | 941 | 5.1 | 53 | 1 | 1 | 3 | 5 | 10 | 15 | 41 |
| **A. NOT OPERATED** | 286 | 5.8 | 69 | 1 | 1 | 3 | 6 | 11 | 18 | 37 |
| **B. OPERATED** | 1751 | 4.3 | 29 | 1 | 1 | 3 | 5 | 9 | 13 | 30 |
| TOTAL 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 16 | 4.9 | 10 | 1 | 1 | 4 | 7 | 10 | 11 | 11 |
| 1-5 YRS | 164 | 3.3 | 11 | <1 | 1 | 2 | 4 | 7 | 9 | 20 |
| 6-12 YRS | 425 | 4.1 | 19 | 1 | 1 | 3 | 5 | 9 | 11 | 24 |
| 13-19 YRS | 1430 | 4.8 | 42 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| **GRAND TOTAL** | **2037** | **4.5** | **35** | **1** | **1** | **3** | **5** | **9** | **13** | **30** |

## 375: Contusion of eye and adnexa (921)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 2.7 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 151 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 11 |
| 6-12 YRS | 574 | 4.1 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 12 |
| 13-19 YRS | 571 | 4.3 | 6 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 5.1 | 15 | <1 | 1 | 4 | 8 | 11 | 12 | 12 |
| 6-12 YRS | 26 | 6.4 | 18 | 1 | 2 | 6 | 10 | 13 | 14 | 15 |
| 13-19 YRS | 9 | 5.7 | 10 | 2 | 2 | 6 | 7 | 10 | 12 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 4.0 | 17 | <1 | <1 | 2 | 6 | 10 | 14 | 14 |
| 1-5 YRS | 76 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 14 |
| 6-12 YRS | 271 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 9 | 14 |
| 13-19 YRS | 349 | 4.1 | 10 | 1 | 1 | 4 | 5 | 7 | 9 | 17 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 17 | 5.4 | 30 | 1 | 1 | 4 | 5 | 12 | 19 | 23 |
| 6-12 YRS | 44 | 6.1 | 17 | 1 | 2 | 5 | 9 | 12 | 14 | 19 |
| 13-19 YRS | 67 | 4.8 | 10 | 1 | 1 | 4 | 6 | 9 | 11 | 15 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1302 | 4.2 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| B. *Operated* | 49 | 5.9 | 15 | 1 | 2 | 6 | 9 | 12 | 13 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 707 | 4.1 | 9 | 1 | 1 | 4 | 5 | 7 | 9 | 16 |
| B. *Operated* | 128 | 5.3 | 15 | 1 | 1 | 5 | 7 | 11 | 13 | 20 |
| **1. SINGLE DX** | 1351 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 13 |
| **2. MULTIPLE DX** | 835 | 4.3 | 10 | 1 | 1 | 4 | 5 | 8 | 10 | 16 |
| **A. NOT OPERATED** | 2009 | 4.1 | 6 | 1 | 1 | 4 | 5 | 7 | 8 | 14 |
| **B. OPERATED** | 177 | 5.5 | 15 | 1 | 2 | 5 | 8 | 11 | 13 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 17 | 3.5 | 12 | <1 | 1 | 2 | 5 | 7 | 12 | 14 |
| 1-5 YRS | 258 | 4.0 | 7 | 1 | 1 | 4 | 5 | 7 | 9 | 13 |
| 6-12 YRS | 915 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 13-19 YRS | 996 | 4.3 | 8 | 1 | 1 | 4 | 5 | 7 | 9 | 15 |
| **GRAND TOTAL** | **2186** | **4.3** | **7** | **1** | **1** | **4** | **5** | **7** | **9** | **14** |

## 376: Other superficial injuries (910-920; 922-924)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 119 | 1.7 | 3 | <1 | 1 | 1 | 2 | 3 | 4 | 11 |
| 1-5 YRS | 573 | 1.8 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 8 |
| 6-12 YRS | 858 | 2.0 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 13-19 YRS | 1655 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 9 | 2.4 | 5 | 1 | 1 | 1 | 3 | 6 | 8 | 8 |
| 1-5 YRS | 74 | 2.6 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 13 |
| 6-12 YRS | 147 | 3.4 | 30 | <1 | 1 | 2 | 3 | 7 | 9 | 21 |
| 13-19 YRS | 277 | 3.8 | 24 | <1 | 1 | 3 | 4 | 8 | 9 | 23 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 4.0 | 16 | <1 | <1 | 3 | 6 | 10 | 11 | 11 |
| 1-11 MOS | 156 | 3.1 | 10 | 1 | 1 | 2 | 4 | 7 | 8 | 20 |
| 1-5 YRS | 899 | 2.6 | 6 | 1 | 1 | 2 | 3 | 5 | 8 | 14 |
| 6-12 YRS | 1143 | 2.5 | 13 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 2953 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 7 | 12 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 9.5 | 85 | 3 | 3 | 9 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 89 | 4.3 | 16 | 1 | 1 | 3 | 6 | 9 | 12 | 22 |
| 6-12 YRS | 152 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| 13-19 YRS | 503 | 4.1 | 18 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3211 | 2.0 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| B. *Operated* | 508 | 3.5 | 23 | <1 | 1 | 2 | 4 | 7 | 9 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 5157 | 2.7 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 13 |
| B. *Operated* | 747 | 4.0 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 19 |
| **1. SINGLE DX** | 3719 | 2.2 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | 5904 | 2.9 | 9 | 1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **A. NOT OPERATED** | 8368 | 2.4 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **B. OPERATED** | 1255 | 3.8 | 19 | 1 | 1 | 2 | 5 | 8 | 11 | 19 |
| TOTAL 0-27 DYS | 14 | 2.8 | 8 | <1 | <1 | 2 | 4 | 6 | 10 | 11 |
| 1-11 MOS | 286 | 2.5 | 8 | 1 | 1 | 1 | 3 | 5 | 7 | 16 |
| 1-5 YRS | 1635 | 2.4 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| 6-12 YRS | 2300 | 2.4 | 10 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 13-19 YRS | 5388 | 2.8 | 8 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| **GRAND TOTAL** | **9623** | **2.6** | **8** | **<1** | **1** | **2** | **3** | **5** | **7** | **13** |

### 377: Miscellaneous crushing injury (925-929)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 98 | 2.1 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 6-12 YRS | 44 | 3.7 | 24 | 1 | 1 | 2 | 4 | 6 | 14 | 25 |
| 13-19 YRS | 70 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 22 | 6.0 | 68 | <1 | <1 | 3 | 6 | 17 | 27 | 35 |
| 6-12 YRS | 28 | 6.3 | 46 | 1 | 1 | 4 | 8 | 18 | 20 | 25 |
| 13-19 YRS | 76 | 6.6 | 73 | 1 | 1 | 4 | 7 | 17 | 24 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 40 | 3.1 | 7 | 1 | 1 | 2 | 4 | 5 | 7 | 16 |
| 6-12 YRS | 25 | 2.7 | 2 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 61 | 4.3 | 16 | 1 | 1 | 3 | 5 | 9 | 12 | 21 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 30 | 7.8 | 80 | 1 | 1 | 4 | 14 | 20 | 22 | 39 |
| 6-12 YRS | 49 | 6.1 | 49 | 1 | 1 | 4 | 7 | 12 | 21 | 39 |
| 13-19 YRS | 148 | 9.9 | 165 | 1 | 1 | 5 | 13 | 25 | 35 | 63 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 212 | 2.8 | 9 | 1 | 1 | 2 | 3 | 6 | 7 | 19 |
| B. *Operated* | 126 | 6.4 | 65 | <1 | 1 | 4 | 8 | 17 | 24 | 43 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 126 | 3.6 | 11 | 1 | 1 | 3 | 5 | 6 | 10 | 18 |
| B. *Operated* | 227 | 8.8 | 131 | 1 | 1 | 4 | 10 | 22 | 31 | 47 |
| **1. SINGLE DX** | 338 | 4.1 | 33 | 1 | 1 | 2 | 4 | 9 | 16 | 31 |
| **2. MULTIPLE DX** | 353 | 7.0 | 94 | 1 | 1 | 4 | 7 | 18 | 26 | 39 |
| **A. NOT OPERATED** | 338 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **B. OPERATED** | 353 | 8.0 | 109 | 1 | 1 | 4 | 9 | 21 | 29 | 43 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 190 | 3.7 | 27 | 1 | 1 | 2 | 4 | 7 | 15 | 30 |
| 6-12 YRS | 146 | 4.8 | 34 | 1 | 1 | 3 | 5 | 10 | 19 | 29 |
| 13-19 YRS | 355 | 6.9 | 96 | 1 | 1 | 3 | 7 | 18 | 26 | 43 |
| **GRAND TOTAL** | **691** | **5.6** | **66** | **1** | **1** | **3** | **6** | **14** | **21** | **39** |

### 378: Foreign body on external eye (930)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 27 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 6-12 YRS | 19 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 5 | 6 |
| 13-19 YRS | 20 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 7 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 18 | 1.4 | 3 | <1 | <1 | 1 | 1 | 1 | 5 | 8 |
| 6-12 YRS | 24 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| 13-19 YRS | 15 | 1.9 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 5 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 6-12 YRS | 3 | 1.3 | | <1 | <1 | <1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 4 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 3.4 | 7 | 1 | 1 | 3 | 4 | 8 | 8 | 8 |
| 6-12 YRS | 6 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 13-19 YRS | 10 | 4.2 | 14 | 1 | 1 | 3 | 7 | 10 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 69 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| B. *Operated* | 58 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 13 | 1.5 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| B. *Operated* | 21 | 3.3 | 9 | <1 | 1 | 2 | 4 | 8 | 10 | 13 |
| **1. SINGLE DX** | 127 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 34 | 2.6 | 7 | <1 | <1 | 2 | 3 | 7 | 8 | 13 |
| **A. NOT OPERATED** | 82 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| **B. OPERATED** | 79 | 2.3 | 5 | <1 | <1 | 1 | 3 | 5 | 8 | 12 |
| TOTAL 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 55 | 1.4 | 2 | <1 | <1 | <1 | 1 | 2 | 3 | 8 |
| 6-12 YRS | 52 | 1.9 | 3 | <1 | <1 | 1 | 2 | 4 | 6 | 10 |
| 13-19 YRS | 49 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 7 | 13 |
| **GRAND TOTAL** | **161** | **1.9** | **3** | **<1** | **<1** | **1** | **2** | **4** | **6** | **10** |

## 379: Foreign body entering through other body orifice (931-939)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 60 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 1-11 MOS | 246 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 1-5 YRS | 1170 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 5 |
| 6-12 YRS | 492 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 7 |
| 13-19 YRS | 298 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 51 | 2.1 | 3 | 1 | 1 | 1 | 3 | 4 | 5 | 9 |
| 1-5 YRS | 284 | 2.0 | 4 | <1 | <1 | 1 | 2 | 4 | 6 | 12 |
| 6-12 YRS | 92 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| 13-19 YRS | 84 | 2.2 | 4 | <1 | 1 | 1 | 3 | 5 | 7 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 38 | 2.7 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 13 |
| 1-11 MOS | 91 | 2.7 | 5 | <1 | 1 | 2 | 4 | 5 | 7 | 13 |
| 1-5 YRS | 197 | 2.3 | 5 | <1 | 1 | 1 | 3 | 4 | 6 | 15 |
| 6-12 YRS | 51 | 2.3 | 6 | <1 | <1 | 1 | 3 | 5 | 8 | 13 |
| 13-19 YRS | 67 | 3.5 | 15 | <1 | 1 | 2 | 4 | 9 | 11 | 86 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 15 | 6.4 | 28 | 1 | 1 | 4 | 8 | 14 | 18 | 20 |
| 1-5 YRS | 113 | 3.9 | 22 | <1 | <1 | 2 | 5 | 7 | 14 | 26 |
| 6-12 YRS | 42 | 4.0 | 27 | <1 | <1 | 2 | 4 | 10 | 14 | 28 |
| 13-19 YRS | 43 | 4.9 | 51 | <1 | <1 | 2 | 6 | 12 | 19 | 39 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2266 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| B. *Operated* | 512 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 444 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | 213 | 4.3 | 29 | <1 | <1 | 2 | 5 | 8 | 17 | 27 |
| **1. SINGLE DX** | 2778 | 1.5 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | 657 | 3.1 | 15 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| **A. NOT OPERATED** | 2710 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| **B. OPERATED** | 725 | 2.7 | 12 | <1 | 1 | 2 | 3 | 6 | 8 | 20 |
| TOTAL 0-27 DYS | 99 | 2.2 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 12 |
| 1-11 MOS | 403 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 1-5 YRS | 1764 | 1.7 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 677 | 1.8 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 10 |
| 13-19 YRS | 492 | 2.2 | 9 | <1 | <1 | 1 | 2 | 4 | 7 | 18 |
| **GRAND TOTAL** | **3435** | **1.9** | **5** | **<1** | **<1** | **1** | **2** | **3** | **5** | **10** |

## 380: Third degree burns (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 6.9 | 57 | 1 | 1 | 4 | 10 | 19 | 24 | 26 |
| 1-5 YRS | 78 | 6.6 | 39 | 1 | 1 | 5 | 9 | 13 | 18 | 36 |
| 6-12 YRS | 39 | 9.7 | 53 | 2 | 3 | 8 | 14 | 19 | 24 | 35 |
| 13-19 YRS | 43 | 7.5 | 40 | 1 | 1 | 6 | 10 | 18 | 21 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 10.8 | 71 | 2 | 2 | 12 | 15 | 24 | 26 | 26 |
| 1-5 YRS | 88 | 15.1 | 231 | 2 | 2 | 10 | 22 | 38 | 46 | 91 |
| 6-12 YRS | 127 | 12.2 | 135 | 1 | 2 | 8 | 16 | 29 | 35 | 55 |
| 13-19 YRS | 152 | 12.6 | 144 | 1 | 2 | 9 | 16 | 29 | 41 | 50 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 27 | 9.2 | 61 | 1 | 2 | 6 | 13 | 20 | 27 | 32 |
| 1-5 YRS | 123 | 9.4 | 85 | 1 | 2 | 6 | 12 | 22 | 29 | 68 |
| 6-12 YRS | 45 | 6.9 | 30 | 1 | 1 | 6 | 11 | 16 | 18 | 20 |
| 13-19 YRS | 56 | 7.8 | 63 | 1 | 1 | 6 | 9 | 17 | 23 | 44 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 39 | 22.2 | 254 | 2 | 4 | 22 | 33 | 49 | 57 | 99+ |
| 1-5 YRS | 151 | 19.2 | 232 | 2 | 4 | 16 | 26 | 35 | 46 | 83 |
| 6-12 YRS | 152 | 23.2 | 293 | 3 | 5 | 20 | 32 | 47 | 57 | 78 |
| 13-19 YRS | 181 | 21.0 | 331 | 3 | 4 | 15 | 29 | 50 | 64 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 174 | 7.5 | 45 | 1 | 1 | 5 | 10 | 17 | 21 | 33 |
| B. *Operated* | 378 | 13.0 | 160 | 1 | 2 | 9 | 18 | 30 | 40 | 62 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 251 | 8.6 | 68 | 1 | 1 | 6 | 11 | 20 | 26 | 45 |
| B. *Operated* | 523 | 21.2 | 287 | 3 | 4 | 16 | 29 | 46 | 56 | 97 |
| **1. SINGLE DX** | 552 | 11.3 | 130 | 1 | 2 | 8 | 15 | 27 | 36 | 60 |
| **2. MULTIPLE DX** | 774 | 17.1 | 250 | 2 | 3 | 12 | 24 | 40 | 52 | 88 |
| **A. NOT OPERATED** | 425 | 8.2 | 58 | 1 | 1 | 6 | 10 | 18 | 24 | 40 |
| **B. OPERATED** | 901 | 17.7 | 250 | 2 | 2 | 13 | 26 | 40 | 51 | 83 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 91 | 14.6 | 186 | 1 | 2 | 11 | 23 | 34 | 49 | 82 |
| 1-5 YRS | 440 | 13.4 | 180 | 1 | 2 | 9 | 20 | 29 | 40 | 77 |
| 6-12 YRS | 363 | 15.9 | 220 | 2 | 2 | 11 | 22 | 35 | 46 | 64 |
| 13-19 YRS | 432 | 15.0 | 230 | 1 | 2 | 10 | 20 | 38 | 49 | 85 |
| **GRAND TOTAL** | **1326** | **14.7** | **208** | **1** | **2** | **10** | **21** | **34** | **46** | **76** |

## 381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 164 | 4.7 | 16 | 1 | 1 | 4 | 6 | 10 | 13 | 20 |
| 1-5 YRS | 737 | 6.2 | 34 | 1 | 1 | 5 | 8 | 13 | 18 | 30 |
| 6-12 YRS | 251 | 5.4 | 26 | 1 | 1 | 4 | 7 | 12 | 15 | 25 |
| 13-19 YRS | 372 | 5.3 | 31 | 1 | 1 | 3 | 7 | 12 | 18 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 21 | 8.5 | 40 | 1 | 1 | 7 | 11 | 21 | 22 | 23 |
| 1-5 YRS | 118 | 7.8 | 56 | 1 | 1 | 6 | 10 | 17 | 22 | 39 |
| 6-12 YRS | 68 | 10.3 | 106 | 1 | 2 | 8 | 11 | 24 | 30 | 58 |
| 13-19 YRS | 84 | 10.2 | 95 | 2 | 2 | 6 | 13 | 22 | 31 | 47 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 3.2 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 265 | 5.5 | 24 | 1 | 1 | 4 | 7 | 11 | 16 | 24 |
| 1-5 YRS | 1233 | 6.7 | 38 | 1 | 1 | 5 | 9 | 15 | 19 | 30 |
| 6-12 YRS | 403 | 6.0 | 29 | 1 | 1 | 5 | 8 | 12 | 16 | 24 |
| 13-19 YRS | 685 | 5.7 | 36 | 1 | 1 | 4 | 8 | 12 | 16 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 42 | 14.3 | 225 | 2 | 3 | 9 | 22 | 25 | 34 | 89 |
| 1-5 YRS | 226 | 12.1 | 113 | 1 | 2 | 9 | 16 | 28 | 34 | 47 |
| 6-12 YRS | 113 | 13.9 | 160 | 2 | 2 | 9 | 19 | 31 | 44 | 58 |
| 13-19 YRS | 181 | 13.5 | 212 | 1 | 2 | 8 | 17 | 34 | 43 | 70 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1525 | 5.7 | 30 | 1 | 1 | 4 | 8 | 12 | 17 | 25 |
| B. *Operated* | 291 | 9.1 | 78 | 1 | 2 | 7 | 11 | 21 | 27 | 44 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 2592 | 6.2 | 35 | 1 | 1 | 5 | 8 | 14 | 17 | 29 |
| B. *Operated* | 562 | 13.1 | 162 | 1 | 2 | 9 | 17 | 30 | 40 | 60 |
| **1. SINGLE DX** | 1816 | 6.2 | 40 | 1 | 1 | 4 | 8 | 13 | 19 | 31 |
| **2. MULTIPLE DX** | 3154 | 7.4 | 64 | 1 | 1 | 5 | 9 | 16 | 22 | 41 |
| **A. NOT OPERATED** | 4117 | 6.0 | 33 | 1 | 1 | 4 | 8 | 13 | 17 | 27 |
| **B. OPERATED** | 853 | 11.7 | 137 | 1 | 2 | 8 | 15 | 26 | 36 | 54 |
| TOTAL 0-27 DYS | 7 | 3.3 | 2 | <1 | <1 | 4 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 492 | 6.1 | 46 | 1 | 1 | 4 | 8 | 13 | 19 | 26 |
| 1-5 YRS | 2314 | 7.1 | 48 | 1 | 1 | 5 | 9 | 16 | 21 | 34 |
| 6-12 YRS | 835 | 7.2 | 60 | 1 | 1 | 5 | 9 | 15 | 23 | 39 |
| 13-19 YRS | 1322 | 7.0 | 70 | 1 | 1 | 4 | 9 | 15 | 21 | 43 |
| **GRAND TOTAL** | **4970** | **7.0** | **56** | **1** | **1** | **5** | **9** | **15** | **21** | **37** |

## 382: Injury to nerve and spinal cord (950-957)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 7 | 2.3 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 6-12 YRS | 33 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 6 | 8 |
| 13-19 YRS | 110 | 3.4 | 12 | 1 | 1 | 2 | 4 | 7 | 11 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 14 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 78 | 2.4 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 13-19 YRS | 264 | 2.9 | 15 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 3 | 4.3 | 33 | <1 | <1 | 1 | 8 | 11 | 11 | 11 |
| 1-5 YRS | 9 | 4.0 | 21 | 1 | 1 | 2 | 5 | 12 | 15 | 15 |
| 6-12 YRS | 17 | 2.9 | 9 | 1 | 1 | 2 | 3 | 6 | 11 | 13 |
| 13-19 YRS | 108 | 4.8 | 40 | 1 | 1 | 3 | 5 | 9 | 16 | 37 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 30 | 2.8 | 17 | 1 | 1 | 2 | 2 | 5 | 8 | 23 |
| 6-12 YRS | 64 | 3.2 | 37 | 1 | 1 | 2 | 3 | 6 | 9 | 41 |
| 13-19 YRS | 244 | 4.5 | 53 | 1 | 1 | 2 | 4 | 10 | 23 | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 152 | 3.0 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| B. *Operated* | 358 | 2.7 | 12 | <1 | 1 | 2 | 3 | 4 | 7 | 14 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 138 | 4.5 | 34 | 1 | 1 | 3 | 5 | 9 | 14 | 33 |
| B. *Operated* | 338 | 4.1 | 47 | 1 | 1 | 2 | 4 | 8 | 19 | 80 |
| **1. SINGLE DX** | 510 | 2.8 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 476 | 4.2 | 43 | 1 | 1 | 2 | 4 | 9 | 16 | 45 |
| **A. NOT OPERATED** | 290 | 3.7 | 22 | 1 | 1 | 2 | 4 | 7 | 11 | 27 |
| **B. OPERATED** | 696 | 3.4 | 30 | 1 | 1 | 2 | 3 | 6 | 10 | 34 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 7 | 2.7 | 14 | <1 | <1 | 1 | 2 | 9 | 11 | 11 |
| 1-5 YRS | 60 | 2.6 | 12 | 1 | 1 | 2 | 3 | 5 | 7 | 22 |
| 6-12 YRS | 192 | 2.7 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 18 |
| 13-19 YRS | 726 | 3.8 | 32 | 1 | 1 | 2 | 4 | 7 | 11 | 33 |
| **GRAND TOTAL** | **986** | **3.5** | **27** | **1** | **1** | **2** | **4** | **7** | **11** | **31** |

## 383: Certain traumatic complications and unspecified injuries (958-959)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 23 | 2.4 | 6 | <1 | <1 | 1 | 3 | 5 | 9 | 11 |
| 1-5 YRS | 219 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 6-12 YRS | 315 | 2.1 | 2 | 1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 13-19 YRS | 571 | 2.5 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 53 | 3.3 | 17 | <1 | 1 | 2 | 4 | 8 | 12 | 24 |
| 6-12 YRS | 73 | 3.7 | 14 | 1 | 1 | 2 | 5 | 8 | 13 | 19 |
| 13-19 YRS | 263 | 4.4 | 16 | 1 | 1 | 3 | 5 | 9 | 13 | 22 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 12 | 3.8 | 17 | 1 | 1 | 2 | 5 | 9 | 14 | 15 |
| 1-5 YRS | 160 | 2.8 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 14 |
| 6-12 YRS | 285 | 3.4 | 13 | 1 | 1 | 2 | 4 | 6 | 8 | 22 |
| 13-19 YRS | 619 | 3.4 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1-5 YRS | 26 | 8.4 | 79 | 1 | 1 | 5 | 12 | 23 | 28 | 32 |
| 6-12 YRS | 77 | 8.0 | 83 | 1 | 1 | 5 | 11 | 16 | 20 | 52 |
| 13-19 YRS | 336 | 8.6 | 132 | 1 | 1 | 5 | 10 | 18 | 28 | 69 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1130 | 2.4 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| B. *Operated* | 390 | 4.1 | 16 | 1 | 1 | 3 | 5 | 9 | 13 | 21 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1078 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| B. *Operated* | 440 | 8.5 | 120 | 1 | 1 | 5 | 10 | 18 | 28 | 63 |
| **1. SINGLE DX** | 1520 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| **2. MULTIPLE DX** | 1518 | 4.8 | 48 | 1 | 1 | 3 | 5 | 10 | 15 | 36 |
| **A. NOT OPERATED** | 2208 | 2.8 | 7 | 1 | 1 | 2 | 3 | 6 | 7 | 13 |
| **B. OPERATED** | 830 | 6.4 | 76 | 1 | 1 | 3 | 8 | 14 | 20 | 52 |
| TOTAL 0-27 DYS | 4 | 2.8 | 2 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 37 | 3.3 | 17 | <1 | 1 | 2 | 3 | 8 | 14 | 20 |
| 1-5 YRS | 458 | 3.0 | 12 | 1 | 1 | 2 | 3 | 6 | 7 | 23 |
| 6-12 YRS | 750 | 3.4 | 19 | 1 | 1 | 2 | 4 | 7 | 11 | 22 |
| 13-19 YRS | 1789 | 4.2 | 37 | 1 | 1 | 3 | 5 | 9 | 13 | 29 |
| **GRAND TOTAL** | **3038** | **3.8** | **29** | **1** | **1** | **2** | **4** | **8** | **12** | **26** |

## 384: Poisoning by drugs, medicinal, and biological substances (960-979)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 1.4 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 126 | 2.0 | 24 | <1 | 1 | 1 | 2 | 3 | 4 | 18 |
| 1-5 YRS | 2906 | 1.4 | 1 | <1 | 1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 425 | 2.0 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 8 |
| 13-19 YRS | 3359 | 2.2 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 8 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 8 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 10 | 3.9 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 95 | 3.5 | 20 | 1 | 1 | 2 | 3 | 7 | 9 | 29 |
| 1-5 YRS | 871 | 2.1 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 368 | 3.6 | 29 | 1 | 1 | 2 | 4 | 6 | 8 | 34 |
| 13-19 YRS | 5146 | 4.3 | 48 | <1 | 1 | 2 | 4 | 8 | 14 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 9.5 | 114 | 2 | 2 | 5 | 16 | 25 | 25 | 25 |
| 1-5 YRS | 5 | 3.6 | 1 | 2 | 2 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 4 | 13.3 | 121 | 2 | 2 | 13 | 22 | 25 | 25 | 25 |
| 13-19 YRS | 71 | 9.4 | 170 | <1 | 1 | 5 | 10 | 20 | 48 | 93 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6823 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | 18 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6490 | 3.9 | 42 | <1 | 1 | 2 | 4 | 7 | 12 | 36 |
| B. *Operated* | 84 | 9.2 | 155 | 1 | 1 | 5 | 10 | 24 | 44 | 89 |
| **1. SINGLE DX** | 6841 | 1.9 | 5 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| **2. MULTIPLE DX** | 6574 | 4.0 | 43 | <1 | 1 | 2 | 4 | 7 | 13 | 39 |
| **A. NOT OPERATED** | 13313 | 2.9 | 24 | <1 | 1 | 2 | 3 | 5 | 8 | 25 |
| **B. OPERATED** | 102 | 8.2 | 133 | 1 | 1 | 4 | 9 | 19 | 40 | 84 |
| TOTAL 0-27 DYS | 17 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 225 | 2.7 | 25 | <1 | 1 | 1 | 3 | 4 | 7 | 27 |
| 1-5 YRS | 3790 | 1.6 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 799 | 2.8 | 17 | 1 | 1 | 2 | 3 | 5 | 6 | 20 |
| 13-19 YRS | 8584 | 3.5 | 35 | <1 | 1 | 2 | 3 | 6 | 10 | 33 |
| **GRAND TOTAL** | **13415** | **2.9** | **25** | **<1** | **1** | **2** | **3** | **5** | **8** | **26** |

## 385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 139 | 1.5 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 6 |
| 1-5 YRS | 1858 | 2.0 | 6 | <1 | 1 | 1 | 2 | 5 | 6 | 10 |
| 6-12 YRS | 448 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 741 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 9 | 3.4 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 6-12 YRS | 10 | 4.7 | 19 | 1 | 1 | 3 | 6 | 12 | 15 | 15 |
| 13-19 YRS | 26 | 4.2 | 7 | 1 | 1 | 4 | 6 | 8 | 8 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 4.8 | 39 | 1 | 1 | 2 | 8 | 14 | 14 | 14 |
| 1-11 MOS | 68 | 3.0 | 9 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 1-5 YRS | 834 | 3.1 | 11 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 6-12 YRS | 136 | 2.7 | 6 | 1 | 1 | 2 | 3 | 6 | 9 | 12 |
| 13-19 YRS | 553 | 3.7 | 58 | <1 | 1 | 2 | 3 | 6 | 11 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 17 | 12.8 | 293 | <1 | <1 | 5 | 19 | 42 | 52 | 57 |
| 6-12 YRS | 6 | 5.3 | 20 | 2 | 2 | 4 | 6 | 13 | 14 | 14 |
| 13-19 YRS | 23 | 12.9 | 371 | 1 | 2 | 6 | 11 | 38 | 64 | 82 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 3189 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| B. *Operated* | 45 | 4.2 | 9 | 1 | 1 | 3 | 6 | 8 | 9 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1595 | 3.3 | 27 | 1 | 1 | 2 | 4 | 6 | 9 | 19 |
| B. *Operated* | 46 | 11.9 | 294 | 1 | 1 | 5 | 11 | 35 | 55 | 82 |
| **1. SINGLE DX** | 3234 | 1.9 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 9 |
| **2. MULTIPLE DX** | 1641 | 3.5 | 36 | 1 | 1 | 2 | 4 | 7 | 10 | 29 |
| **A. NOT OPERATED** | 4784 | 2.4 | 12 | <1 | 1 | 1 | 2 | 5 | 7 | 14 |
| **B. OPERATED** | 91 | 8.1 | 166 | 1 | 1 | 4 | 8 | 15 | 35 | 72 |
| TOTAL 0-27 DYS | 7 | 3.3 | 23 | 1 | 1 | 1 | 3 | 12 | 14 | 14 |
| 1-11 MOS | 207 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 6 | 13 |
| 1-5 YRS | 2718 | 2.4 | 10 | <1 | 1 | 1 | 3 | 6 | 7 | 13 |
| 6-12 YRS | 600 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 11 |
| 13-19 YRS | 1343 | 2.8 | 34 | <1 | 1 | 1 | 3 | 5 | 7 | 29 |
| **GRAND TOTAL** | **4875** | **2.5** | **16** | **<1** | **1** | **1** | **2** | **5** | **7** | **15** |

## 386: Miscellaneous adverse effects (990-994; 995)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 17 | 2.6 | 4 | <1 | 1 | 2 | 3 | 6 | 7 | 7 |
| 1-11 MOS | 129 | 2.9 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 15 |
| 1-5 YRS | 717 | 2.3 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 6-12 YRS | 374 | 2.7 | 5 | 1 | 1 | 2 | 4 | 5 | 7 | 12 |
| 13-19 YRS | 492 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 10.0 | 162 | 1 | 1 | 10 | 19 | 19 | 19 | 19 |
| 1-5 YRS | 6 | 6.8 | 73 | 2 | 2 | 3 | 6 | 22 | 24 | 24 |
| 6-12 YRS | 2 | 9.5 | 13 | 7 | 7 | 9 | 12 | 12 | 12 | 12 |
| 13-19 YRS | 11 | 13.7 | 108 | 1 | 2 | 14 | 22 | 28 | 33 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 14 | 4.3 | 5 | 1 | 2 | 4 | 6 | 7 | 8 | 8 |
| 1-11 MOS | 144 | 6.0 | 37 | 1 | 1 | 4 | 8 | 12 | 15 | 38 |
| 1-5 YRS | 557 | 4.2 | 24 | 1 | 1 | 3 | 5 | 9 | 13 | 25 |
| 6-12 YRS | 296 | 3.9 | 34 | 1 | 1 | 3 | 4 | 7 | 9 | 30 |
| 13-19 YRS | 503 | 3.3 | 19 | 1 | 1 | 2 | 4 | 7 | 9 | 15 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 20.4 | 559 | 2 | 3 | 14 | 23 | 50 | 85 | 88 |
| 1-5 YRS | 22 | 11.3 | 276 | <1 | 1 | 5 | 14 | 49 | 81 | 99+ |
| 6-12 YRS | 8 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 27 | 7.8 | 62 | 1 | 1 | 6 | 13 | 31 | 99+ | 99+ |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1729 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 21 | 11.0 | 90 | 1 | 1 | 7 | 18 | 25 | 29 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1514 | 4.0 | 26 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| B. *Operated* | 68 | 10.3 | 221 | 1 | 1 | 5 | 14 | 29 | 87 | 99+ |
| **1. SINGLE DX** | 1750 | 2.6 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| **2. MULTIPLE DX** | 1582 | 4.3 | 36 | 1 | 1 | 3 | 5 | 9 | 13 | 34 |
| **A. NOT OPERATED** | 3243 | 3.2 | 16 | 1 | 1 | 2 | 4 | 7 | 9 | 18 |
| **B. OPERATED** | 89 | 10.5 | 189 | 1 | 1 | 6 | 14 | 25 | 68 | 99+ |
| TOTAL 0-27 DYS | 31 | 3.4 | 5 | 1 | 1 | 3 | 5 | 7 | 7 | 8 |
| 1-11 MOS | 286 | 5.2 | 54 | 1 | 1 | 3 | 6 | 11 | 15 | 33 |
| 1-5 YRS | 1302 | 3.3 | 20 | 1 | 1 | 2 | 4 | 7 | 10 | 20 |
| 6-12 YRS | 680 | 3.2 | 18 | 1 | 1 | 2 | 4 | 6 | 8 | 16 |
| 13-19 YRS | 1033 | 3.2 | 18 | 1 | 1 | 2 | 3 | 7 | 9 | 24 |
| **GRAND TOTAL** | **3332** | **3.4** | **22** | **1** | **1** | **2** | **4** | **7** | **10** | **22** |

# Length of Stay Tables
# Operation Groups

## 387: Complications peculiar to certain specified procedures (996)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 15 | 5.9 | 35 | <1 | <1 | 4 | 8 | 16 | 20 | 21 |
| 1-5 YRS | 49 | 3.0 | 8 | <1 | <1 | 2 | 4 | 6 | 8 | 15 |
| 6-12 YRS | 41 | 3.3 | 9 | <1 | 1 | 3 | 4 | 7 | 10 | 15 |
| 13-19 YRS | 63 | 5.9 | 26 | <1 | 1 | 4 | 8 | 13 | 18 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 7.0 | 13 | 3 | 3 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 97 | 7.9 | 61 | 2 | 2 | 6 | 9 | 15 | 19 | 50 |
| 1-5 YRS | 247 | 5.7 | 41 | <1 | <1 | 4 | 7 | 11 | 15 | 32 |
| 6-12 YRS | 251 | 5.7 | 57 | <1 | <1 | 4 | 7 | 11 | 15 | 48 |
| 13-19 YRS | 496 | 4.8 | 50 | <1 | 1 | 3 | 5 | 10 | 15 | 34 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 28 | 5.8 | 50 | 1 | 1 | 3 | 7 | 19 | 24 | 25 |
| 1-5 YRS | 60 | 3.4 | 11 | <1 | 1 | 2 | 4 | 9 | 12 | 91 |
| 6-12 YRS | 50 | 5.2 | 30 | <1 | 1 | 3 | 7 | 12 | 15 | 26 |
| 13-19 YRS | 63 | 5.7 | 48 | 1 | 2 | 3 | 6 | 14 | 21 | 41 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 9.3 | 12 | 6 | 6 | 8 | 11 | 14 | 14 | 14 |
| 1-11 MOS | 172 | 12.5 | 148 | 2 | 2 | 8 | 17 | 28 | 40 | 57 |
| 1-5 YRS | 306 | 11.2 | 215 | 1 | 1 | 6 | 11 | 29 | 39 | 84 |
| 6-12 YRS | 246 | 7.8 | 72 | <1 | 1 | 6 | 9 | 17 | 22 | 38 |
| 13-19 YRS | 414 | 8.3 | 110 | 1 | 1 | 5 | 9 | 19 | 31 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 169 | 4.4 | 19 | <1 | 1 | 3 | 6 | 10 | 15 | 21 |
| B. *Operated* | 1095 | 5.5 | 51 | <1 | 1 | 3 | 7 | 11 | 15 | 40 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 201 | 4.9 | 33 | 1 | 1 | 3 | 6 | 12 | 17 | 35 |
| B. *Operated* | 1142 | 9.6 | 138 | 1 | 2 | 6 | 11 | 23 | 34 | 59 |
| **1. SINGLE DX** | 1264 | 5.4 | 47 | <1 | 1 | 3 | 6 | 11 | 15 | 35 |
| **2. MULTIPLE DX** | 1343 | 8.9 | 125 | 1 | 1 | 5 | 10 | 22 | 32 | 59 |
| **A. NOT OPERATED** | 370 | 4.7 | 27 | <1 | 1 | 3 | 6 | 11 | 15 | 25 |
| **B. OPERATED** | 2237 | 7.6 | 100 | <1 | 1 | 4 | 9 | 16 | 28 | 50 |
| TOTAL 0-27 DYS | 9 | 7.4 | 15 | 2 | 2 | 8 | 10 | 12 | 14 | 14 |
| 1-11 MOS | 312 | 10.1 | 113 | 1 | 2 | 7 | 12 | 23 | 34 | 53 |
| 1-5 YRS | 662 | 7.8 | 126 | <1 | 1 | 4 | 9 | 16 | 30 | 61 |
| 6-12 YRS | 588 | 6.4 | 59 | <1 | <1 | 4 | 8 | 13 | 20 | 39 |
| 13-19 YRS | 1036 | 6.3 | 75 | 1 | 1 | 4 | 7 | 14 | 20 | 44 |
| **GRAND TOTAL** | **2607** | **7.2** | **90** | **<1** | **1** | **4** | **8** | **15** | **25** | **49** |

## 388: Hemorrhage or hematoma complicating a procedure (998.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 5 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 13 | 1.5 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 1-5 YRS | 191 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 286 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 334 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 184 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 254 | 1.9 | 11 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| 13-19 YRS | 374 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 33 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 9 |
| 6-12 YRS | 31 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 13-19 YRS | 78 | 3.7 | 16 | 1 | 1 | 3 | 5 | 7 | 11 | 25 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 2 | 7.5 | 61 | 2 | 2 | 7 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 23 | 2.9 | 8 | <1 | 1 | 2 | 3 | 6 | 9 | 14 |
| 6-12 YRS | 29 | 3.0 | 11 | 1 | 1 | 2 | 4 | 7 | 8 | 16 |
| 13-19 YRS | 56 | 3.9 | 13 | <1 | 1 | 2 | 6 | 10 | 11 | 16 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 829 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 5 | 9 |
| B. *Operated* | 818 | 2.0 | 6 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 149 | 3.1 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| B. *Operated* | 111 | 3.6 | 12 | 1 | 1 | 2 | 5 | 9 | 11 | 16 |
| **1. SINGLE DX** | 1647 | 2.0 | 4 | <1 | 1 | 1 | 2 | 4 | 5 | 10 |
| **2. MULTIPLE DX** | 260 | 3.3 | 11 | 1 | 1 | 2 | 4 | 7 | 10 | 16 |
| **A. NOT OPERATED** | 978 | 2.1 | 4 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| **B. OPERATED** | 929 | 2.2 | 7 | <1 | 1 | 1 | 2 | 4 | 6 | 12 |
| TOTAL 0-27 DYS | 8 | 2.5 | 12 | 1 | 1 | 1 | 2 | 8 | 11 | 11 |
| 1-11 MOS | 26 | 2.2 | 6 | <1 | 1 | 2 | 2 | 4 | 6 | 13 |
| 1-5 YRS | 431 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 600 | 1.9 | 6 | <1 | 1 | 1 | 2 | 3 | 4 | 9 |
| 13-19 YRS | 842 | 2.5 | 6 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **GRAND TOTAL** | **1907** | **2.2** | **5** | **<1** | **1** | **1** | **2** | **4** | **5** | **11** |

### 389: Postoperative wound infection (998.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 7 | 6.0 | 31 | 1 | 1 | 5 | 8 | 15 | 17 | 17 |
| 1-11 MOS | 15 | 5.3 | 11 | 2 | 2 | 4 | 7 | 8 | 13 | 14 |
| 1-5 YRS | 28 | 4.5 | 8 | 1 | 2 | 4 | 6 | 8 | 10 | 14 |
| 6-12 YRS | 94 | 5.4 | 14 | 1 | 2 | 4 | 7 | 9 | 13 | 21 |
| 13-19 YRS | 231 | 6.4 | 19 | 2 | 2 | 5 | 8 | 12 | 14 | 23 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 6 | 4.2 | 8 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 47 | 5.2 | 35 | <1 | 1 | 3 | 7 | 12 | 20 | 31 |
| 6-12 YRS | 101 | 7.2 | 22 | 1 | 2 | 6 | 10 | 13 | 15 | 24 |
| 13-19 YRS | 200 | 9.0 | 65 | 2 | 2 | 7 | 10 | 15 | 24 | 39 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 5.1 | 12 | <1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 1-11 MOS | 13 | 4.0 | 5 | 1 | 1 | 3 | 5 | 7 | 9 | 9 |
| 1-5 YRS | 28 | 4.8 | 7 | 1 | 2 | 4 | 6 | 9 | 10 | 12 |
| 6-12 YRS | 60 | 6.6 | 32 | 2 | 2 | 5 | 8 | 12 | 20 | 30 |
| 13-19 YRS | 126 | 6.7 | 19 | 2 | 2 | 6 | 8 | 13 | 15 | 19 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 6 | 17.2 | 275 | 1 | 2 | 14 | 16 | 46 | 49 | 49 |
| 1-11 MOS | 3 | 8.3 | 16 | 4 | 4 | 9 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 24 | 8.0 | 35 | <1 | 1 | 7 | 11 | 16 | 20 | 24 |
| 6-12 YRS | 53 | 8.0 | 45 | 1 | 2 | 6 | 9 | 19 | 22 | 32 |
| 13-19 YRS | 122 | 12.0 | 107 | 2 | 2 | 9 | 15 | 25 | 33 | 51 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 375 | 6.0 | 17 | 2 | 2 | 5 | 7 | 11 | 14 | 22 |
| B. *Operated* | 355 | 7.9 | 49 | 1 | 2 | 6 | 10 | 14 | 21 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 235 | 6.2 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 27 |
| B. *Operated* | 208 | 10.6 | 89 | 1 | 2 | 8 | 13 | 22 | 30 | 47 |
| **1. SINGLE DX** | 730 | 6.9 | 34 | 1 | 2 | 6 | 9 | 13 | 15 | 29 |
| **2. MULTIPLE DX** | 443 | 8.3 | 57 | 1 | 2 | 6 | 10 | 16 | 22 | 37 |
| **A. NOT OPERATED** | 610 | 6.1 | 18 | 2 | 2 | 5 | 8 | 11 | 14 | 23 |
| **B. OPERATED** | 563 | 8.9 | 66 | 1 | 2 | 7 | 11 | 17 | 24 | 40 |
| TOTAL 0-27 DYS | 22 | 8.6 | 108 | <1 | 1 | 5 | 13 | 16 | 30 | 49 |
| 1-11 MOS | 37 | 4.9 | 9 | 1 | 1 | 4 | 7 | 9 | 11 | 14 |
| 1-5 YRS | 127 | 5.5 | 24 | 1 | 1 | 4 | 7 | 12 | 15 | 26 |
| 6-12 YRS | 308 | 6.7 | 26 | 1 | 2 | 5 | 9 | 13 | 17 | 26 |
| 13-19 YRS | 679 | 8.2 | 52 | 2 | 2 | 6 | 10 | 15 | 22 | 37 |
| **GRAND TOTAL** | **1173** | **7.4** | **43** | **1** | **2** | **6** | **9** | **14** | **20** | **32** |

### 390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 15 | 2.3 | 5 | 1 | 1 | 2 | 3 | 3 | 8 | 10 |
| 1-5 YRS | 49 | 2.6 | 15 | <1 | 1 | 1 | 3 | 4 | 5 | 27 |
| 6-12 YRS | 35 | 3.3 | 15 | 1 | 1 | 2 | 4 | 7 | 13 | 17 |
| 13-19 YRS | 94 | 4.9 | 35 | 1 | 1 | 3 | 5 | 9 | 16 | 36 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 2 | 16.0 | 8 | 14 | 14 | 16 | 18 | 18 | 18 | 18 |
| 1-11 MOS | 9 | 4.4 | 16 | <1 | <1 | 2 | 8 | 10 | 12 | 12 |
| 1-5 YRS | 61 | 3.3 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 13 |
| 6-12 YRS | 69 | 4.4 | 37 | <1 | <1 | 2 | 5 | 9 | 18 | 34 |
| 13-19 YRS | 190 | 4.3 | 24 | <1 | 1 | 3 | 5 | 9 | 12 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 14 | 8.7 | 298 | 1 | 1 | 4 | 7 | 15 | 56 | 68 |
| 1-5 YRS | 52 | 2.8 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 9 |
| 6-12 YRS | 57 | 3.6 | 12 | 1 | 1 | 2 | 4 | 9 | 10 | 19 |
| 13-19 YRS | 128 | 4.7 | 30 | 1 | 1 | 3 | 5 | 10 | 17 | 51 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 9.0 | 25 | 4 | 4 | 9 | 13 | 14 | 14 | 14 |
| 1-11 MOS | 11 | 8.6 | 63 | 1 | 1 | 6 | 15 | 20 | 24 | 24 |
| 1-5 YRS | 65 | 8.2 | 164 | <1 | 1 | 5 | 9 | 19 | 29 | 98 |
| 6-12 YRS | 50 | 6.1 | 25 | 1 | 2 | 5 | 8 | 14 | 19 | 21 |
| 13-19 YRS | 117 | 9.0 | 121 | 1 | 1 | 5 | 10 | 24 | 33 | 57 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 194 | 3.8 | 25 | 1 | 1 | 2 | 4 | 7 | 13 | 30 |
| B. *Operated* | 331 | 4.2 | 25 | <1 | <1 | 2 | 5 | 9 | 13 | 27 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 252 | 4.3 | 36 | 1 | 1 | 3 | 5 | 9 | 12 | 38 |
| B. *Operated* | 246 | 8.2 | 109 | 1 | 1 | 5 | 9 | 19 | 28 | 61 |
| **1. SINGLE DX** | 525 | 4.1 | 25 | <1 | 1 | 2 | 5 | 8 | 13 | 27 |
| **2. MULTIPLE DX** | 498 | 6.2 | 76 | 1 | 1 | 3 | 7 | 14 | 21 | 57 |
| **A. NOT OPERATED** | 446 | 4.1 | 31 | 1 | 1 | 2 | 5 | 8 | 13 | 32 |
| **B. OPERATED** | 577 | 5.9 | 64 | <1 | 1 | 3 | 7 | 14 | 20 | 45 |
| TOTAL 0-27 DYS | 7 | 8.7 | 47 | <1 | <1 | 9 | 14 | 17 | 18 | 18 |
| 1-11 MOS | 49 | 6.0 | 106 | 1 | 1 | 3 | 6 | 13 | 18 | 68 |
| 1-5 YRS | 227 | 4.4 | 59 | <1 | 1 | 2 | 5 | 9 | 14 | 59 |
| 6-12 YRS | 211 | 4.4 | 25 | <1 | 1 | 3 | 5 | 10 | 16 | 23 |
| 13-19 YRS | 529 | 5.5 | 52 | 1 | 1 | 3 | 6 | 12 | 19 | 41 |
| **GRAND TOTAL** | **1023** | **5.1** | **51** | **<1** | **1** | **3** | **6** | **11** | **18** | **38** |

## 391: Other complications of medical care, except drugs (999)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 13 | 2.1 | 1 | 1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 1-5 YRS | 54 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 9 | 9 |
| 6-12 YRS | 30 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 11 | 16 |
| 13-19 YRS | 25 | 2.8 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 6 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 17 | 3.5 | 19 | <1 | <1 | 2 | 3 | 7 | 15 | 19 |
| 1-5 YRS | 48 | 2.9 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 8 |
| 6-12 YRS | 19 | 3.4 | 9 | <1 | 1 | 2 | 4 | 9 | 10 | 10 |
| 13-19 YRS | 22 | 5.6 | 27 | 1 | 1 | 4 | 8 | 10 | 17 | 24 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 5.3 | 16 | 3 | 3 | 3 | 8 | 10 | 10 | 10 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 12.7 | | 12 | 12 | 13 | 13 | 13 | 13 | 13 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 123 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| B. *Operated* | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 4 | 4 | 4 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 107 | 3.6 | 12 | 1 | 1 | 3 | 4 | 8 | 9 | 21 |
| B. *Operated* | 6 | 9.0 | 23 | 3 | 3 | 11 | 13 | 13 | 13 | 13 |
| **1. SINGLE DX** | 129 | 2.9 | 5 | 1 | 1 | 2 | 3 | 5 | 7 | 12 |
| **2. MULTIPLE DX** | 113 | 3.9 | 14 | 1 | 1 | 3 | 5 | 8 | 12 | 21 |
| **A. NOT OPERATED** | 230 | 3.2 | 8 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| **B. OPERATED** | 12 | 5.9 | 21 | 2 | 2 | 3 | 11 | 13 | 13 | 13 |
| TOTAL 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 32 | 2.9 | 11 | <1 | 1 | 2 | 3 | 4 | 8 | 19 |
| 1-5 YRS | 106 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 8 | 10 |
| 6-12 YRS | 51 | 3.6 | 9 | 1 | 1 | 3 | 4 | 8 | 10 | 16 |
| 13-19 YRS | 51 | 4.6 | 19 | 1 | 1 | 3 | 6 | 10 | 13 | 24 |
| **GRAND TOTAL** | **242** | **3.4** | **9** | **1** | **1** | **3** | **4** | **7** | **9** | **16** |

## 392: Admission for prophylactic sterilization (V25.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 6 | 1.5 | 2 | <1 | <1 | 1 | 1 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 5 | 2.4 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 217 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 8 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 2.5 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 161 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| B. *Operated* | 235 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 8 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| B. *Operated* | 172 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| **1. SINGLE DX** | 236 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | 180 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 9 |
| **A. NOT OPERATED** | 9 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| **B. OPERATED** | 407 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | 4 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 12 | 2.0 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 2.5 | 6 | 1 | 1 | 2 | 3 | 7 | 7 | 7 |
| 6-12 YRS | 7 | 3.3 | 4 | 1 | 1 | 2 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 387 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 7 |
| **GRAND TOTAL** | **416** | **2.2** | **2** | **<1** | **<1** | **2** | **3** | **4** | **5** | **7** |

### 393: Single liveborn, born in hospital (V30.0; V39.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 3 | 36.0 | 2269 | 8 | 8 | 9 | 70 | 91 | 91 | 91 |
| 1000-1499 | 8 | 29.5 | 225 | 10 | 11 | 28 | 40 | 50 | 54 | 54 |
| 1500-1749 | 21 | 18.5 | 37 | 9 | 9 | 19 | 23 | 26 | 27 | 27 |
| 1750-2499 | 9707 | 3.5 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| 2500+ | 566222 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 3 | 43.0 | 228 | 29 | 29 | 41 | 54 | 59 | 59 | 59 |
| 1500-1749 | 1 | 32.0 | | 32 | 32 | 32 | 32 | 32 | 32 | 32 |
| 1750-2499 | 18 | 12.0 | 92 | 2 | 3 | 12 | 16 | 21 | 33 | 41 |
| 2500+ | 264 | 4.2 | 14 | 1 | 2 | 3 | 5 | 7 | 8 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 126 | 57.7 | 589 | 9 | 21 | 68 | 85 | 99+ | 99+ | 99+ |
| 1000-1499 | 1049 | 40.6 | 245 | 17 | 23 | 39 | 51 | 63 | 71 | 99+ |
| 1500-1749 | 1556 | 25.2 | 101 | 11 | 14 | 24 | 30 | 38 | 44 | 59 |
| 1750-2499 | 23631 | 7.8 | 41 | 2 | 2 | 6 | 10 | 17 | 20 | 30 |
| 2500+ | 228791 | 4.1 | 5 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 166 | 70.7 | 506 | 22 | 42 | 84 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 751 | 50.4 | 316 | 26 | 30 | 50 | 64 | 83 | 99+ | 99+ |
| 1500-1749 | 498 | 33.5 | 184 | 16 | 20 | 32 | 40 | 53 | 68 | 99+ |
| 1750-2499 | 1747 | 17.1 | 167 | 3 | 5 | 15 | 22 | 31 | 41 | 81 |
| 2500+ | 4748 | 8.0 | 68 | 2 | 2 | 6 | 9 | 15 | 22 | 50 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 575961 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| B. *Operated* | 286 | 5.2 | 42 | 1 | 2 | 3 | 5 | 8 | 16 | 38 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 255153 | 4.7 | 21 | 2 | 2 | 4 | 5 | 7 | 10 | 24 |
| B. *Operated* | 7910 | 17.0 | 362 | 2 | 3 | 9 | 23 | 48 | 69 | 99+ |
| **1. SINGLE DX** | 576247 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| **2. MULTIPLE DX** | 263063 | 5.1 | 35 | 2 | 2 | 4 | 5 | 7 | 12 | 34 |
| **A. NOT OPERATED** | 831114 | 3.6 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 13 |
| **B. OPERATED** | 8196 | 16.6 | 356 | 2 | 3 | 9 | 22 | 47 | 68 | 99+ |
| TOTAL 1-999 G | 295 | 64.8 | 599 | 15 | 30 | 78 | 99 | 99+ | 99+ | 99+ |
| 1000-1499 | 1811 | 44.6 | 298 | 20 | 25 | 43 | 56 | 72 | 87 | 99+ |
| 1500-1749 | 2076 | 27.2 | 133 | 12 | 15 | 26 | 32 | 42 | 48 | 78 |
| 1750-2499 | 35103 | 7.1 | 46 | 2 | 2 | 5 | 9 | 16 | 20 | 31 |
| 2500+ | 800025 | 3.4 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| **GRAND TOTAL** | **839310** | **3.7** | **13** | **1** | **2** | **3** | **4** | **6** | **7** | **16** |

### 394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 2 | 21.5 | 25 | 18 | 18 | 21 | 25 | 25 | 25 | 25 |
| 1500-1749 | 14 | 20.9 | 25 | 14 | 17 | 19 | 22 | 29 | 30 | 30 |
| 1750-2499 | 1277 | 5.1 | 10 | 2 | 2 | 5 | 6 | 8 | 11 | 17 |
| 2500+ | 4712 | 4.5 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 11 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 1750-2499 | 7 | 12.7 | 97 | 4 | 4 | 9 | 20 | 29 | 30 | 30 |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 22 | 58.9 | 494 | 11 | 17 | 63 | 72 | 85 | 86 | 88 |
| 1000-1499 | 228 | 38.6 | 246 | 18 | 21 | 36 | 48 | 59 | 72 | 98 |
| 1500-1749 | 393 | 24.8 | 86 | 12 | 15 | 24 | 29 | 37 | 43 | 55 |
| 1750-2499 | 3637 | 9.5 | 42 | 3 | 3 | 7 | 13 | 18 | 22 | 30 |
| 2500+ | 2851 | 5.4 | 7 | 3 | 3 | 5 | 6 | 8 | 10 | 15 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 35 | 72.2 | 275 | 44 | 51 | 83 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 150 | 50.5 | 292 | 27 | 30 | 49 | 62 | 83 | 95 | 99+ |
| 1500-1749 | 108 | 34.0 | 215 | 15 | 18 | 30 | 41 | 55 | 59 | 96 |
| 1750-2499 | 237 | 18.2 | 155 | 4 | 6 | 16 | 22 | 31 | 38 | 70 |
| 2500+ | 101 | 10.4 | 166 | 3 | 4 | 6 | 12 | 18 | 24 | 91 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 6005 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| B. *Operated* | 8 | 13.6 | 90 | 4 | 4 | 9 | 21 | 28 | 30 | 30 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 7131 | 9.8 | 92 | 3 | 3 | 6 | 12 | 21 | 28 | 52 |
| B. *Operated* | 631 | 30.3 | 521 | 4 | 6 | 26 | 47 | 73 | 92 | 99+ |
| **1. SINGLE DX** | 6013 | 4.7 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 14 |
| **2. MULTIPLE DX** | 7762 | 11.5 | 158 | 3 | 3 | 7 | 14 | 26 | 38 | 74 |
| **A. NOT OPERATED** | 13136 | 7.5 | 59 | 2 | 3 | 5 | 7 | 15 | 22 | 42 |
| **B. OPERATED** | 639 | 30.1 | 519 | 4 | 6 | 26 | 47 | 72 | 92 | 99+ |
| TOTAL 1-999 G | 57 | 67.1 | 395 | 33 | 46 | 76 | 95 | 99+ | 99+ | 99+ |
| 1000-1499 | 380 | 43.3 | 298 | 20 | 24 | 42 | 54 | 70 | 85 | 99+ |
| 1500-1749 | 516 | 26.6 | 125 | 13 | 15 | 25 | 31 | 41 | 49 | 60 |
| 1750-2499 | 5158 | 8.8 | 47 | 2 | 3 | 6 | 12 | 18 | 22 | 31 |
| 2500+ | 7664 | 4.9 | 8 | 2 | 3 | 5 | 6 | 7 | 8 | 13 |
| **GRAND TOTAL** | **13775** | **8.5** | **103** | **2** | **3** | **5** | **8** | **18** | **27** | **60** |

## 395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | 1 | 35.0 | | 35 | 35 | 35 | 35 | 35 | 35 | 35 |
| 1500-1749 | 2 | 44.0 | | 44 | 44 | 44 | 44 | 44 | 44 | 44 |
| 1750-2499 | 85 | 3.7 | 10 | 1 | 1 | 3 | 4 | 6 | 11 | 18 |
| 2500+ | 1380 | 2.6 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | | | | | | | | | | |
| 1000-1499 | | | | | | | | | | |
| 1500-1749 | | | | | | | | | | |
| 1750-2499 | | | | | | | | | | |
| 2500+ | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 1-999 G | 1 | 78.0 | | 78 | 78 | 78 | 78 | 78 | 78 | 78 |
| 1000-1499 | 16 | 39.8 | 155 | 13 | 27 | 43 | 47 | 50 | 59 | 63 |
| 1500-1749 | 33 | 25.4 | 135 | 9 | 11 | 24 | 35 | 43 | 47 | 48 |
| 1750-2499 | 223 | 8.7 | 42 | 2 | 3 | 7 | 12 | 18 | 21 | 29 |
| 2500+ | 583 | 4.0 | 6 | 1 | 2 | 3 | 5 | 7 | 9 | 13 |
| B. *Operated* | | | | | | | | | | |
| 1-999 G | 3 | 68.0 | 73 | 59 | 59 | 76 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 15 | 49.7 | 403 | 27 | 28 | 48 | 66 | 95 | 99 | 99+ |
| 1500-1749 | 6 | 40.3 | 277 | 19 | 20 | 38 | 53 | 64 | 65 | 65 |
| 1750-2499 | 13 | 12.0 | 53 | 2 | 4 | 8 | 18 | 22 | 23 | 23 |
| 2500+ | 29 | 9.2 | 78 | 1 | 2 | 8 | 11 | 18 | 24 | 46 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1468 | 2.8 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| B. *Operated* | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 856 | 6.8 | 69 | 1 | 2 | 4 | 7 | 14 | 23 | 45 |
| B. *Operated* | 66 | 24.5 | 547 | 2 | 3 | 16 | 46 | 68 | 97 | 99+ |
| **1. SINGLE DX** | 1468 | 2.8 | 6 | 1 | 1 | 3 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 922 | 8.0 | 123 | 1 | 2 | 4 | 8 | 19 | 33 | 66 |
| **A. NOT OPERATED** | 2324 | 4.3 | 33 | 1 | 1 | 3 | 4 | 7 | 12 | 35 |
| **B. OPERATED** | 66 | 24.5 | 547 | 2 | 3 | 16 | 46 | 68 | 97 | 99+ |
| TOTAL 1-999 G | 4 | 70.5 | 74 | 59 | 60 | 77 | 99+ | 99+ | 99+ | 99+ |
| 1000-1499 | 32 | 44.3 | 285 | 27 | 28 | 44 | 51 | 69 | 94 | 99+ |
| 1500-1749 | 41 | 28.5 | 184 | 10 | 11 | 25 | 39 | 46 | 50 | 65 |
| 1750-2499 | 321 | 7.5 | 39 | 1 | 2 | 5 | 11 | 16 | 20 | 28 |
| 2500+ | 1992 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| **GRAND TOTAL** | **2390** | **4.8** | **58** | **1** | **1** | **3** | **4** | **8** | **15** | **46** |

## 396: Aftercare for removal of internal fixation device (V54.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 10 | 1.5 | 1 | <1 | <1 | 1 | 1 | 3 | 4 | 4 |
| 6-12 YRS | 19 | 3.9 | 23 | <1 | <1 | 2 | 5 | 12 | 15 | 17 |
| 13-19 YRS | 42 | 2.7 | 17 | <1 | <1 | 2 | 3 | 5 | 6 | 27 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 1-5 YRS | 116 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 442 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 2721 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 5 | 1.6 | 1 | 1 | 1 | 1 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 8 | 8.1 | 306 | <1 | <1 | 1 | 5 | 38 | 51 | 51 |
| 13-19 YRS | 27 | 3.2 | 21 | <1 | <1 | 2 | 3 | 11 | 14 | 20 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 2.0 | 5 | <1 | <1 | 1 | 2 | 6 | 7 | 7 |
| 1-5 YRS | 40 | 3.3 | 26 | <1 | 1 | 2 | 3 | 5 | 8 | 33 |
| 6-12 YRS | 128 | 3.4 | 9 | <1 | 1 | 3 | 4 | 6 | 9 | 17 |
| 13-19 YRS | 392 | 3.5 | 14 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 72 | 2.9 | 16 | <1 | <1 | 2 | 3 | 5 | 11 | 25 |
| B. *Operated* | 3291 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 41 | 4.0 | 72 | <1 | <1 | 1 | 3 | 10 | 16 | 51 |
| B. *Operated* | 567 | 3.4 | 13 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| **1. SINGLE DX** | 3363 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **2. MULTIPLE DX** | 608 | 3.4 | 17 | <1 | 1 | 2 | 4 | 6 | 9 | 24 |
| **A. NOT OPERATED** | 113 | 3.3 | 36 | <1 | <1 | 2 | 3 | 6 | 13 | 36 |
| **B. OPERATED** | 3858 | 2.6 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 21 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 1-5 YRS | 171 | 2.1 | 8 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 6-12 YRS | 597 | 2.7 | 9 | <1 | <1 | 2 | 3 | 5 | 6 | 14 |
| 13-19 YRS | 3182 | 2.7 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| **GRAND TOTAL** | **3971** | **2.7** | **6** | **<1** | **1** | **2** | **3** | **4** | **6** | **11** |

## 397: Aftercare involving intermittent dialysis (V56)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 4 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 39 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 13-19 YRS | 21 | 1.7 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 12 | 3.8 | 23 | <1 | <1 | <1 | 4 | 11 | 16 | 17 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| B. *Operated* | 6 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 60 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| B. *Operated* | 16 | 3.3 | 18 | <1 | <1 | 1 | 4 | 9 | 15 | 17 |
| **1. SINGLE DX** | 7 | 1.1 | | <1 | <1 | <1 | 1 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | 76 | 2.0 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 15 |
| **A. NOT OPERATED** | 61 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| **B. OPERATED** | 22 | 2.7 | 14 | <1 | <1 | <1 | 3 | 6 | 12 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 45 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 13-19 YRS | 37 | 2.3 | 9 | <1 | <1 | 1 | 2 | 4 | 8 | 17 |
| **GRAND TOTAL** | **83** | **2.0** | **4** | **<1** | **<1** | **2** | **2** | **3** | **4** | **14** |

## 398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 431 | 3.6 | 13 | 1 | 1 | 3 | 4 | 8 | 11 | 19 |
| 1-11 MOS | 440 | 2.9 | 13 | <1 | 1 | 2 | 3 | 6 | 9 | 19 |
| 1-5 YRS | 910 | 2.3 | 8 | <1 | <1 | 1 | 3 | 4 | 6 | 15 |
| 6-12 YRS | 740 | 3.0 | 10 | <1 | <1 | 2 | 4 | 7 | 10 | 16 |
| 13-19 YRS | 2284 | 2.2 | 13 | <1 | <1 | 1 | 2 | 4 | 5 | 11 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 3 | 1.7 | 1 | <1 | <1 | <1 | 2 | 3 | 3 | 3 |
| 1-11 MOS | 71 | 6.2 | 55 | <1 | <1 | 3 | 10 | 12 | 16 | 43 |
| 1-5 YRS | 365 | 2.4 | 10 | <1 | <1 | 1 | 2 | 5 | 8 | 21 |
| 6-12 YRS | 446 | 2.8 | 13 | <1 | <1 | 2 | 2 | 6 | 10 | 20 |
| 13-19 YRS | 1393 | 3.1 | 16 | <1 | <1 | 2 | 3 | 7 | 10 | 16 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | | | | | | | | | | |
| 0-27 DYS | 177 | 6.1 | 60 | 1 | 1 | 3 | 6 | 14 | 21 | 45 |
| 1-11 MOS | 333 | 3.4 | 16 | <1 | <1 | 2 | 4 | 7 | 10 | 22 |
| 1-5 YRS | 935 | 3.2 | 25 | <1 | <1 | 2 | 4 | 6 | 10 | 24 |
| 6-12 YRS | 880 | 3.5 | 24 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| 13-19 YRS | 2217 | 4.3 | 51 | <1 | 1 | 2 | 4 | 8 | 15 | 39 |
| B. *Operated* | | | | | | | | | | |
| 0-27 DYS | 8 | 6.3 | 64 | <1 | <1 | 3 | 18 | 68 | 99+ | 99+ |
| 1-11 MOS | 97 | 6.9 | 74 | 1 | 1 | 3 | 9 | 16 | 18 | 51 |
| 1-5 YRS | 367 | 4.0 | 34 | <1 | 1 | 2 | 4 | 9 | 12 | 24 |
| 6-12 YRS | 330 | 4.5 | 48 | <1 | 1 | 2 | 4 | 9 | 15 | 37 |
| 13-19 YRS | 870 | 5.4 | 79 | <1 | 1 | 3 | 5 | 11 | 19 | 65 |
| **SUBTOTALS:** | | | | | | | | | | |
| **1. SINGLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4805 | 2.5 | 12 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| B. *Operated* | 2278 | 3.0 | 16 | <1 | <1 | 2 | 3 | 7 | 10 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| A. *Not Operated* | 4542 | 3.9 | 39 | <1 | <1 | 2 | 4 | 7 | 12 | 32 |
| B. *Operated* | 1672 | 5.0 | 63 | <1 | 1 | 2 | 5 | 11 | 17 | 53 |
| **1. SINGLE DX** | 7083 | 2.7 | 13 | <1 | <1 | 2 | 3 | 5 | 8 | 16 |
| **2. MULTIPLE DX** | 6214 | 4.2 | 45 | <1 | 1 | 2 | 4 | 8 | 14 | 37 |
| **A. NOT OPERATED** | 9347 | 3.2 | 25 | <1 | <1 | 2 | 3 | 6 | 9 | 25 |
| **B. OPERATED** | 3950 | 3.8 | 37 | <1 | <1 | 2 | 4 | 9 | 12 | 34 |
| TOTAL 0-27 DYS | 619 | 4.4 | 28 | 1 | 1 | 3 | 5 | 9 | 15 | 24 |
| 1-11 MOS | 941 | 3.7 | 25 | <1 | 1 | 2 | 4 | 9 | 12 | 24 |
| 1-5 YRS | 2577 | 2.9 | 18 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 6-12 YRS | 2396 | 3.3 | 21 | <1 | <1 | 2 | 4 | 7 | 10 | 24 |
| 13-19 YRS | 6764 | 3.5 | 36 | <1 | <1 | 2 | 3 | 7 | 10 | 33 |
| **GRAND TOTAL** | **13297** | **3.4** | **29** | **<1** | **<1** | **2** | **4** | **7** | **11** | **28** |

## SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 11460 | 3.8 | 10 | 1 | 2 | 3 | 4 | 6 | 7 | 16 |
| 1-11 MOS | 26157 | 3.8 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 1-5 YRS | 94746 | 2.7 | 12 | <1 | <1 | 2 | 3 | 5 | 8 | 18 |
| 6-12 YRS | 114423 | 3.0 | 16 | <1 | 1 | 2 | 3 | 6 | 8 | 22 |
| 13-19 YRS | 313600 | 3.4 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 24517 | 11.0 | 214 | 2 | 2 | 5 | 11 | 29 | 47 | 92 |
| 1-11 MOS | 26655 | 5.9 | 44 | 1 | 1 | 4 | 7 | 11 | 16 | 36 |
| 1-5 YRS | 77541 | 3.7 | 25 | <1 | 1 | 2 | 4 | 7 | 11 | 26 |
| 6-12 YRS | 64642 | 4.2 | 38 | 1 | 1 | 2 | 4 | 8 | 13 | 33 |
| 13-19 YRS | 170256 | 5.6 | 54 | 1 | 1 | 4 | 6 | 10 | 16 | 44 |
| **TOT. SINGLE DX** | 560386 | 3.3 | 15 | <1 | 1 | 2 | 4 | 6 | 8 | 18 |
| **" MULTIPLE DX** | 363611 | 5.3 | 58 | 1 | 1 | 3 | 6 | 10 | 16 | 44 |
| TOTAL 0-27 DYS | 35977 | 8.7 | 161 | 1 | 2 | 4 | 8 | 21 | 37 | 81 |
| 1-11 MOS | 52812 | 4.9 | 30 | 1 | 1 | 3 | 6 | 9 | 13 | 28 |
| 1-5 YRS | 172287 | 3.2 | 18 | <1 | <1 | 2 | 3 | 6 | 9 | 22 |
| 6-12 YRS | 179065 | 3.5 | 24 | <1 | 1 | 2 | 4 | 7 | 10 | 27 |
| 13-19 YRS | 483856 | 4.2 | 30 | 1 | 1 | 3 | 4 | 7 | 11 | 29 |
| **GRAND TOTAL** | 923997 | 4.1 | 33 | <1 | 1 | 3 | 4 | 7 | 11 | 31 |

## 501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 5.3 | 16 | 3 | 3 | 3 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 55 | 9.4 | 101 | 1 | 1 | 6 | 14 | 23 | 28 | 53 |
| 1-5 YRS | 78 | 11.7 | 135 | 2 | 2 | 8 | 18 | 24 | 37 | 56 |
| 6-12 YRS | 91 | 11.5 | 85 | 2 | 2 | 10 | 14 | 23 | 29 | 49 |
| 13-19 YRS | 129 | 13.1 | 84 | 2 | 4 | 11 | 16 | 22 | 28 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 12 | 24.4 | 479 | 3 | 4 | 20 | 24 | 62 | 77 | 80 |
| 1-11 MOS | 88 | 16.9 | 263 | 1 | 2 | 16 | 23 | 39 | 54 | 80 |
| 1-5 YRS | 101 | 17.4 | 172 | 1 | 3 | 14 | 26 | 40 | 43 | 74 |
| 6-12 YRS | 92 | 21.7 | 438 | 3 | 4 | 16 | 28 | 66 | 81 | 99+ |
| 13-19 YRS | 163 | 24.7 | 429 | 4 | 5 | 18 | 39 | 66 | 97 | 99+ |
| TOT. SINGLE DX | 356 | 11.8 | 99 | 2 | 2 | 10 | 15 | 23 | 29 | 54 |
| " MULTIPLE DX | 456 | 21.3 | 350 | 2 | 4 | 17 | 29 | 53 | 73 | 99+ |
| TOTAL 0-27 DYS | 15 | 20.6 | 441 | 3 | 3 | 17 | 23 | 54 | 73 | 80 |
| 1-11 MOS | 143 | 15.2 | 221 | 1 | 1 | 13 | 20 | 32 | 45 | 72 |
| 1-5 YRS | 179 | 14.9 | 163 | 2 | 2 | 11 | 21 | 37 | 42 | 56 |
| 6-12 YRS | 183 | 16.7 | 288 | 2 | 3 | 12 | 20 | 35 | 67 | 98 |
| 13-19 YRS | 292 | 19.5 | 310 | 3 | 5 | 14 | 25 | 54 | 69 | 99+ |
| GRAND TOTAL | 812 | 17.1 | 262 | 2 | 3 | 13 | 22 | 41 | 59 | 99+ |

## 502: Craniotomy and craniectomy (01.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 4.3 | | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 67 | 9.4 | 48 | 3 | 4 | 8 | 11 | 19 | 26 | 35 |
| 1-5 YRS | 57 | 10.8 | 98 | 3 | 4 | 7 | 12 | 26 | 30 | 56 |
| 6-12 YRS | 73 | 9.1 | 53 | 2 | 3 | 7 | 11 | 14 | 21 | 47 |
| 13-19 YRS | 97 | 14.0 | 125 | 5 | 5 | 10 | 17 | 29 | 39 | 60 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 14.3 | 39 | 8 | 8 | 13 | 18 | 23 | 23 | 23 |
| 1-11 MOS | 30 | 20.8 | 478 | 3 | 4 | 11 | 25 | 57 | 71 | 84 |
| 1-5 YRS | 52 | 16.0 | 131 | 5 | 6 | 13 | 22 | 35 | 59 | 99+ |
| 6-12 YRS | 58 | 23.2 | 448 | 5 | 5 | 13 | 31 | 58 | 71 | 85 |
| 13-19 YRS | 186 | 25.8 | 444 | 6 | 7 | 19 | 38 | 70 | 96 | 99+ |
| TOT. SINGLE DX | 297 | 11.1 | 88 | 2 | 4 | 8 | 13 | 22 | 30 | 52 |
| " MULTIPLE DX | 330 | 23.2 | 404 | 5 | 6 | 16 | 34 | 63 | 80 | 99+ |
| TOTAL 0-27 DYS | 7 | 10.0 | 48 | 4 | 4 | 8 | 13 | 21 | 23 | 23 |
| 1-11 MOS | 97 | 12.9 | 206 | 3 | 4 | 8 | 14 | 27 | 44 | 78 |
| 1-5 YRS | 109 | 13.3 | 120 | 4 | 4 | 9 | 19 | 29 | 39 | 99+ |
| 6-12 YRS | 131 | 15.3 | 276 | 3 | 4 | 9 | 16 | 35 | 57 | 80 |
| 13-19 YRS | 283 | 21.8 | 366 | 5 | 6 | 15 | 33 | 57 | 78 | 99+ |
| GRAND TOTAL | 627 | 17.5 | 291 | 3 | 5 | 11 | 23 | 43 | 65 | 99+ |

## 503: Cranioplasty (02.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 5.2 | 2 | 3 | 3 | 6 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 133 | 6.3 | 8 | 3 | 3 | 6 | 8 | 10 | 12 | 15 |
| 1-5 YRS | 110 | 6.1 | 15 | 2 | 2 | 5 | 8 | 11 | 13 | 21 |
| 6-12 YRS | 151 | 6.3 | 37 | 2 | 2 | 5 | 8 | 10 | 12 | 27 |
| 13-19 YRS | 138 | 6.8 | 74 | 2 | 3 | 5 | 8 | 11 | 13 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 13 | 7.0 | 20 | 4 | 4 | 6 | 7 | 11 | 19 | 21 |
| 1-11 MOS | 40 | 8.5 | 20 | 3 | 4 | 8 | 10 | 13 | 15 | 28 |
| 1-5 YRS | 69 | 10.4 | 56 | 3 | 4 | 8 | 12 | 22 | 30 | 35 |
| 6-12 YRS | 100 | 9.7 | 76 | 2 | 3 | 7 | 12 | 22 | 29 | 76 |
| 13-19 YRS | 159 | 13.0 | 217 | 3 | 3 | 8 | 16 | 35 | 61 | 99+ |
| TOT. SINGLE DX | 537 | 6.4 | 35 | 2 | 3 | 5 | 8 | 10 | 12 | 24 |
| " MULTIPLE DX | 381 | 11.0 | 127 | 3 | 3 | 8 | 12 | 24 | 36 | 99+ |
| TOTAL 0-27 DYS | 18 | 6.5 | 16 | 3 | 4 | 6 | 7 | 9 | 16 | 21 |
| 1-11 MOS | 173 | 6.8 | 12 | 3 | 4 | 6 | 8 | 11 | 13 | 18 |
| 1-5 YRS | 179 | 7.8 | 35 | 2 | 3 | 6 | 9 | 14 | 20 | 32 |
| 6-12 YRS | 251 | 7.6 | 56 | 2 | 2 | 6 | 9 | 13 | 22 | 54 |
| 13-19 YRS | 297 | 10.1 | 160 | 2 | 3 | 6 | 10 | 23 | 40 | 99+ |
| GRAND TOTAL | 918 | 8.3 | 78 | 2 | 3 | 6 | 9 | 14 | 24 | 68 |

## 504: Ventricular shunt, extracranial (02.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 22 | 14.5 | 399 | 3 | 4 | 8 | 12 | 36 | 62 | 94 |
| 1-11 MOS | 102 | 9.0 | 49 | 3 | 4 | 8 | 10 | 16 | 21 | 42 |
| 1-5 YRS | 49 | 7.3 | 11 | 3 | 4 | 6 | 10 | 12 | 14 | 99+ |
| 6-12 YRS | 29 | 7.7 | 21 | 3 | 3 | 7 | 10 | 13 | 15 | 25 |
| 13-19 YRS | 47 | 8.8 | 13 | 4 | 4 | 9 | 11 | 14 | 15 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 83 | 35.8 | 750 | 8 | 10 | 29 | 67 | 95 | 99+ | 99+ |
| 1-11 MOS | 105 | 14.8 | 176 | 4 | 5 | 10 | 18 | 28 | 39 | 78 |
| 1-5 YRS | 78 | 17.9 | 315 | 4 | 5 | 10 | 23 | 41 | 62 | 81 |
| 6-12 YRS | 47 | 13.7 | 187 | 4 | 5 | 9 | 18 | 22 | 27 | 89 |
| 13-19 YRS | 54 | 26.7 | 752 | 5 | 6 | 15 | 53 | 87 | 98 | 99+ |
| TOT. SINGLE DX | 249 | 9.0 | 64 | 3 | 4 | 8 | 10 | 14 | 19 | 56 |
| " MULTIPLE DX | 367 | 21.8 | 491 | 4 | 5 | 13 | 27 | 70 | 89 | 99+ |
| TOTAL 0-27 DYS | 105 | 31.4 | 749 | 5 | 7 | 21 | 60 | 94 | 99+ | 99+ |
| 1-11 MOS | 207 | 12.0 | 122 | 3 | 4 | 9 | 13 | 26 | 30 | 62 |
| 1-5 YRS | 127 | 13.8 | 224 | 4 | 4 | 9 | 13 | 32 | 55 | 86 |
| 6-12 YRS | 76 | 11.4 | 132 | 3 | 4 | 8 | 13 | 20 | 24 | 78 |
| 13-19 YRS | 101 | 18.4 | 486 | 4 | 5 | 10 | 16 | 70 | 89 | 99+ |
| GRAND TOTAL | 616 | 16.6 | 358 | 4 | 4 | 10 | 18 | 46 | 78 | 99+ |

## 505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 7 | 11.9 | 123 | 3 | 3 | 6 | 20 | 30 | 31 | 31 |
| 1-11 MOS | 102 | 9.0 | 72 | 2 | 3 | 7 | 11 | 16 | 24 | 49 |
| 1-5 YRS | 197 | 7.2 | 41 | 2 | 2 | 5 | 9 | 15 | 22 | 33 |
| 6-12 YRS | 116 | 7.0 | 47 | 2 | 2 | 5 | 8 | 13 | 20 | 41 |
| 13-19 YRS | 114 | 11.0 | 117 | 2 | 3 | 7 | 13 | 25 | 29 | 59 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 31 | 36.5 | 745 | 8 | 10 | 37 | 61 | 99 | 99+ | 99+ |
| 1-11 MOS | 175 | 13.2 | 169 | 2 | 3 | 8 | 17 | 35 | 40 | 65 |
| 1-5 YRS | 264 | 13.0 | 213 | 2 | 3 | 8 | 16 | 33 | 46 | 97 |
| 6-12 YRS | 174 | 10.5 | 141 | 2 | 3 | 7 | 11 | 21 | 32 | 84 |
| 13-19 YRS | 202 | 20.3 | 470 | 3 | 3 | 11 | 29 | 60 | 85 | 99+ |
| TOT. SINGLE DX | 536 | 8.4 | 68 | 2 | 2 | 6 | 10 | 17 | 25 | 41 |
| " MULTIPLE DX | 846 | 15.1 | 298 | 2 | 3 | 9 | 18 | 40 | 60 | 99+ |
| TOTAL 0-27 DYS | 38 | 32.0 | 718 | 4 | 6 | 25 | 51 | 95 | 99+ | 99+ |
| 1-11 MOS | 277 | 11.7 | 137 | 2 | 3 | 8 | 13 | 28 | 39 | 59 |
| 1-5 YRS | 461 | 10.5 | 148 | 2 | 2 | 6 | 12 | 25 | 37 | 86 |
| 6-12 YRS | 290 | 9.1 | 106 | 2 | 2 | 6 | 10 | 19 | 28 | 72 |
| 13-19 YRS | 316 | 16.9 | 362 | 2 | 3 | 9 | 22 | 46 | 68 | 99+ |
| GRAND TOTAL | 1382 | 12.5 | 220 | 2 | 3 | 7 | 15 | 32 | 47 | 94 |

## 506: Exploration and decompression of spinal canal structures (03.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 4 | 10.0 | 10 | 6 | 6 | 10 | 12 | 13 | 13 | 13 |
| 13-19 YRS | 66 | 11.5 | 74 | 3 | 5 | 9 | 13 | 20 | 27 | 93 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 2 | 9.0 | 18 | 6 | 6 | 9 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 5 | 7.8 | 28 | 3 | 3 | 5 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 5 | 19.0 | 188 | 7 | 7 | 14 | 30 | 39 | 39 | 39 |
| 6-12 YRS | 11 | 15.1 | 61 | 5 | 7 | 14 | 19 | 26 | 32 | 33 |
| 13-19 YRS | 75 | 19.8 | 201 | 7 | 8 | 17 | 25 | 41 | 62 | 99+ |
| TOT. SINGLE DX | 71 | 11.3 | 70 | 3 | 5 | 9 | 13 | 19 | 26 | 91 |
| " MULTIPLE DX | 98 | 18.4 | 179 | 5 | 7 | 15 | 24 | 35 | 48 | 99+ |
| TOTAL 0-27 DYS | 3 | 7.3 | 17 | 4 | 4 | 6 | 10 | 12 | 12 | 12 |
| 1-11 MOS | 5 | 7.8 | 29 | 3 | 3 | 5 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 5 | 19.0 | 189 | 7 | 7 | 14 | 30 | 39 | 39 | 39 |
| 6-12 YRS | 15 | 13.7 | 51 | 5 | 6 | 12 | 17 | 22 | 30 | 33 |
| 13-19 YRS | 141 | 15.9 | 158 | 5 | 7 | 12 | 20 | 32 | 47 | 99+ |
| GRAND TOTAL | 169 | 15.4 | 145 | 4 | 6 | 12 | 19 | 31 | 43 | 99+ |

## 507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 9 | 16.3 | 154 | 3 | 4 | 15 | 21 | 37 | 41 | 41 |
| 1-11 MOS | 15 | 8.0 | 28 | 2 | 2 | 7 | 8 | 19 | 20 | 20 |
| 1-5 YRS | 23 | 9.5 | 67 | 1 | 2 | 6 | 16 | 21 | 24 | 29 |
| 6-12 YRS | 25 | 13.6 | 209 | 2 | 3 | 6 | 19 | 36 | 40 | 49 |
| 13-19 YRS | 80 | 16.1 | 228 | 1 | 2 | 12 | 21 | 36 | 46 | 95 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 98 | 22.3 | 211 | 6 | 8 | 17 | 28 | 47 | 57 | 59 |
| 1-11 MOS | 18 | 18.4 | 192 | 3 | 4 | 14 | 25 | 39 | 50 | 54 |
| 1-5 YRS | 37 | 15.8 | 159 | 3 | 4 | 11 | 21 | 33 | 42 | 60 |
| 6-12 YRS | 30 | 17.2 | 274 | 4 | 4 | 12 | 20 | 38 | 61 | 72 |
| 13-19 YRS | 92 | 19.9 | 344 | 2 | 3 | 14 | 28 | 47 | 74 | 99+ |
| TOT. SINGLE DX | 152 | 13.9 | 183 | 1 | 2 | 9 | 19 | 35 | 39 | 84 |
| " MULTIPLE DX | 275 | 19.8 | 257 | 3 | 5 | 15 | 26 | 45 | 58 | 91 |
| TOTAL 0-27 DYS | 107 | 21.8 | 208 | 6 | 8 | 17 | 28 | 46 | 57 | 59 |
| 1-11 MOS | 33 | 13.7 | 143 | 2 | 3 | 9 | 20 | 28 | 42 | 54 |
| 1-5 YRS | 60 | 13.4 | 132 | 2 | 3 | 10 | 19 | 28 | 34 | 59 |
| 6-12 YRS | 55 | 15.6 | 243 | 3 | 3 | 9 | 20 | 37 | 46 | 71 |
| 13-19 YRS | 172 | 18.1 | 292 | 2 | 3 | 13 | 25 | 40 | 67 | 99+ |
| GRAND TOTAL | 427 | 17.7 | 238 | 2 | 3 | 13 | 23 | 38 | 52 | 87 |

## 508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 12 | 5.8 | 17 | 1 | 1 | 5 | 9 | 12 | 12 | 12 |
| 6-12 YRS | 34 | 3.0 | 6 | <1 | 1 | 2 | 3 | 6 | 10 | 12 |
| 13-19 YRS | 186 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 1.0 |  | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 3 | 4.7 | 16 | 1 | 1 | 4 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 17 | 5.0 | 13 | 1 | 1 | 4 | 7 | 9 | 14 | 16 |
| 6-12 YRS | 22 | 4.6 | 14 | 1 | 1 | 4 | 5 | 10 | 13 | 18 |
| 13-19 YRS | 92 | 3.9 | 17 | 1 | 1 | 3 | 4 | 8 | 12 | 22 |
| TOT. SINGLE DX | 233 | 3.0 | 6 | 1 | 1 | 2 | 3 | 5 | 9 | 13 |
| " MULTIPLE DX | 135 | 4.1 | 16 | 1 | 1 | 3 | 4 | 8 | 12 | 21 |
| TOTAL 0-27 DYS | 1 | 1.0 |  | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 4 | 4.0 | 13 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 1-5 YRS | 29 | 5.3 | 15 | 1 | 1 | 4 | 8 | 11 | 12 | 16 |
| 6-12 YRS | 56 | 3.6 | 10 | 1 | 1 | 3 | 4 | 8 | 10 | 18 |
| 13-19 YRS | 278 | 3.2 | 9 | 1 | 1 | 2 | 4 | 5 | 9 | 19 |
| GRAND TOTAL | 368 | 3.4 | 10 | 1 | 1 | 2 | 4 | 6 | 10 | 18 |

## 509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 11 | 2.2 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 1-5 YRS | 30 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 129 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 601 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 67 | 2.4 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 19 |
| 6-12 YRS | 141 | 3.0 | 38 | 1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 13-19 YRS | 513 | 3.1 | 9 | 1 | 1 | 2 | 4 | 6 | 8 | 15 |
| TOT. SINGLE DX | 773 | 2.5 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 724 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 15 |
| TOTAL 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 14 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 5 | 5 |
| 1-5 YRS | 97 | 2.4 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 6-12 YRS | 270 | 2.7 | 21 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 1114 | 2.8 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 13 |
| GRAND TOTAL | 1497 | 2.7 | 9 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 510: Sympathectomy (05.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 27 | 6.8 | 21 | 2 | 2 | 6 | 9 | 12 | 16 | 22 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 8 | 6.9 | 10 | 4 | 4 | 6 | 9 | 12 | 13 | 13 |
| TOT. SINGLE DX | 29 | 6.5 | 21 | 2 | 2 | 5 | 8 | 12 | 15 | 22 |
| " MULTIPLE DX | 9 | 8.9 | 46 | 4 | 4 | 7 | 11 | 20 | 25 | 25 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 6-12 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 35 | 6.8 | 18 | 2 | 2 | 6 | 9 | 12 | 14 | 22 |
| GRAND TOTAL | 38 | 7.1 | 27 | 2 | 2 | 6 | 9 | 13 | 19 | 25 |

## 511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 6 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 28 | 5.5 | 49 | <1 | <1 | 3 | 6 | 15 | 27 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 6-12 YRS | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 29 | 5.6 | 48 | <1 | 1 | 3 | 6 | 16 | 23 | 27 |
| TOT. SINGLE DX | 35 | 4.9 | 41 | <1 | <1 | 3 | 5 | 9 | 25 | 27 |
| " MULTIPLE DX | 34 | 5.1 | 43 | <1 | 1 | 2 | 5 | 15 | 22 | 27 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 10 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 57 | 5.5 | 48 | <1 | <1 | 3 | 6 | 17 | 25 | 27 |
| GRAND TOTAL | 69 | 5.0 | 41 | <1 | <1 | 2 | 5 | 14 | 23 | 27 |

## 512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 513: Thyroidectomy (06.2-06.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 5.5 | 5 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 13 | 2.5 | 5 | 1 | 1 | 1 | 4 | 6 | 8 | 8 |
| 6-12 YRS | 34 | 3.7 | 4 | 2 | 2 | 3 | 5 | 6 | 8 | 11 |
| 13-19 YRS | 432 | 4.7 | 15 | 2 | 3 | 4 | 5 | 6 | 9 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 19 | 4.5 | 3 | 1 | 2 | 4 | 5 | 7 | 9 | 10 |
| 13-19 YRS | 153 | 6.0 | 16 | 3 | 3 | 5 | 7 | 10 | 14 | 24 |
| TOT. SINGLE DX | 482 | 4.6 | 14 | 2 | 3 | 4 | 5 | 6 | 8 | 22 |
| " MULTIPLE DX | 176 | 5.8 | 15 | 3 | 3 | 5 | 6 | 10 | 13 | 23 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 6.3 | 3 | 4 | 4 | 6 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 15 | 2.6 | 4 | 1 | 1 | 2 | 3 | 5 | 7 | 8 |
| 6-12 YRS | 53 | 4.0 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 13-19 YRS | 585 | 5.1 | 16 | 2 | 3 | 4 | 5 | 7 | 10 | 24 |
| GRAND TOTAL | 658 | 4.9 | 15 | 2 | 3 | 4 | 5 | 7 | 10 | 24 |

## 514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 2.4 | 4 | <1 | <1 | 2 | 3 | 6 | 7 | 7 |
| 1-5 YRS | 314 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 6-12 YRS | 231 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 13-19 YRS | 234 | 3.1 | 5 | 1 | 2 | 3 | 4 | 4 | 5 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 13.0 | 242 | 2 | 2 | 13 | 24 | 24 | 24 | 24 |
| 1-5 YRS | 39 | 3.4 | 6 | <1 | 1 | 3 | 4 | 7 | 10 | 12 |
| 6-12 YRS | 28 | 3.5 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| 13-19 YRS | 47 | 6.4 | 58 | 1 | 2 | 4 | 7 | 15 | 17 | 47 |
| TOT. SINGLE DX | 787 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 11 |
| " MULTIPLE DX | 117 | 4.8 | 31 | 1 | 2 | 3 | 5 | 11 | 14 | 32 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 10 | 4.5 | 51 | <1 | <1 | 2 | 4 | 15 | 24 | 24 |
| 1-5 YRS | 353 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 6-12 YRS | 259 | 2.7 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 13-19 YRS | 281 | 3.7 | 16 | 1 | 2 | 3 | 4 | 5 | 10 | 19 |
| GRAND TOTAL | 904 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 6 | 14 |

## 515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 8 | 10.0 | 27 | 2 | 3 | 9 | 14 | 17 | 18 | 18 |
| 6-12 YRS | 4 | 9.3 | 25 | 3 | 3 | 9 | 13 | 15 | 15 | 15 |
| 13-19 YRS | 39 | 10.6 | 38 | 3 | 4 | 9 | 15 | 19 | 22 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 4 | 13.3 | 164 | 5 | 5 | 8 | 21 | 32 | 32 | 32 |
| 6-12 YRS | 7 | 11.9 | 53 | 3 | 4 | 8 | 18 | 21 | 22 | 22 |
| 13-19 YRS | 33 | 16.9 | 143 | 4 | 6 | 15 | 20 | 34 | 37 | 63 |
| TOT. SINGLE DX | 53 | 10.2 | 34 | 3 | 4 | 9 | 15 | 18 | 20 | 31 |
| " MULTIPLE DX | 47 | 15.2 | 127 | 4 | 5 | 11 | 19 | 31 | 36 | 63 |
| TOTAL 0-27 DYS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 12 | 11.1 | 65 | 2 | 4 | 9 | 14 | 22 | 31 | 32 |
| 6-12 YRS | 11 | 10.9 | 42 | 3 | 3 | 8 | 16 | 20 | 22 | 22 |
| 13-19 YRS | 72 | 13.5 | 95 | 4 | 5 | 11 | 17 | 23 | 33 | 57 |
| GRAND TOTAL | 100 | 12.6 | 83 | 3 | 5 | 10 | 17 | 22 | 31 | 50 |

## 516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 71 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 1-5 YRS | 383 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 6-12 YRS | 226 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 170 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 8 | 4.1 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 47 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| 6-12 YRS | 40 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 42 | 3.4 | 13 | <1 | <1 | 2 | 4 | 10 | 12 | 17 |
| TOT. SINGLE DX | 851 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 138 | 2.5 | 7 | <1 | <1 | 2 | 2 | 6 | 8 | 13 |
| TOTAL 0-27 DYS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 79 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 1-5 YRS | 430 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 6-12 YRS | 266 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 212 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| GRAND TOTAL | 989 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |

## 518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 34 | 3.0 | 9 | <1 | 1 | 2 | 3 | 8 | 9 | 15 |
| 1-5 YRS | 455 | 1.9 | 8 | <1 | 1 | 2 | 2 | 3 | 3 | 8 |
| 6-12 YRS | 298 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 277 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 11 | 7.0 | 55 | 1 | 2 | 4 | 9 | 19 | 25 | 26 |
| 1-11 MOS | 10 | 2.8 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 9 |
| 1-5 YRS | 208 | 2.4 | 8 | <1 | 1 | 2 | 2 | 5 | 7 | 16 |
| 6-12 YRS | 204 | 3.2 | 15 | 1 | 1 | 2 | 3 | 7 | 12 | 20 |
| 13-19 YRS | 599 | 3.7 | 25 | <1 | 1 | 2 | 4 | 7 | 10 | 26 |
| TOT. SINGLE DX | 1066 | 2.0 | 5 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 1032 | 3.4 | 20 | <1 | 1 | 2 | 4 | 7 | 10 | 24 |
| TOTAL 0-27 DYS | 13 | 6.2 | 51 | 1 | 1 | 3 | 6 | 17 | 24 | 26 |
| 1-11 MOS | 44 | 3.0 | 8 | <1 | 1 | 2 | 3 | 8 | 9 | 15 |
| 1-5 YRS | 663 | 2.1 | 9 | <1 | 1 | 2 | 2 | 3 | 5 | 10 |
| 6-12 YRS | 502 | 2.5 | 7 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 13-19 YRS | 876 | 3.2 | 19 | <1 | 1 | 2 | 3 | 6 | 9 | 23 |
| GRAND TOTAL | 2098 | 2.7 | 13 | <1 | 1 | 2 | 3 | 5 | 7 | 19 |

## 519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 17 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 5 |
| 1-5 YRS | 85 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 66 | 2.0 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 13-19 YRS | 69 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 7.0 | 8 | 5 | 5 | 6 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 8 | 3.9 | 53 | 1 | 1 | 1 | 2 | 16 | 22 | 22 |
| 1-5 YRS | 28 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 6 |
| 6-12 YRS | 22 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 13-19 YRS | 31 | 4.0 | 25 | <1 | 1 | 2 | 4 | 8 | 9 | 28 |
| TOT. SINGLE DX | 238 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| " MULTIPLE DX | 93 | 3.1 | 15 | 1 | 1 | 2 | 3 | 6 | 9 | 25 |
| TOTAL 0-27 DYS | 5 | 7.0 | 6 | 5 | 5 | 7 | 8 | 11 | 11 | 11 |
| 1-11 MOS | 25 | 2.4 | 18 | <1 | <1 | 1 | 2 | 3 | 9 | 22 |
| 1-5 YRS | 113 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 5 |
| 6-12 YRS | 88 | 2.1 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 13-19 YRS | 100 | 2.6 | 9 | <1 | 1 | 2 | 3 | 4 | 7 | 19 |
| GRAND TOTAL | 331 | 2.2 | 5 | <1 | 1 | 2 | 2 | 3 | 5 | 10 |

## 520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 29 | 2.0 | 7 | <1 | <1 | 1 | 2 | 2 | 4 | 16 |
| 6-12 YRS | 47 | 1.7 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 12 |
| 13-19 YRS | 38 | 1.9 | 5 | <1 | <1 | 1 | 2 | 2 | 3 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 13 | 1.8 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 22 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 8 | 9 |
| 13-19 YRS | 24 | 2.5 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| TOT. SINGLE DX | 117 | 1.8 | 5 | <1 | <1 | 1 | 2 | 2 | 3 | 16 |
| " MULTIPLE DX | 59 | 2.5 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 42 | 2.0 | 5 | <1 | 1 | 2 | 2 | 2 | 3 | 16 |
| 6-12 YRS | 69 | 2.1 | 4 | <1 | <1 | 1 | 2 | 5 | 6 | 11 |
| 13-19 YRS | 62 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 15 |
| GRAND TOTAL | 176 | 2.1 | 4 | <1 | <1 | 1 | 2 | 3 | 6 | 18 |

## 521: Corneal transplant (11.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 6 | 5.2 | 16 | 2 | 2 | 4 | 5 | 12 | 13 | 13 |
| 1-5 YRS | 9 | 5.3 | 24 | 1 | 1 | 4 | 8 | 13 | 16 | 16 |
| 6-12 YRS | 5 | 4.2 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 41 | 4.2 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 6 | 4.2 | 3 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 9 | 7.2 | 53 | 1 | 1 | 5 | 8 | 20 | 24 | 24 |
| 13-19 YRS | 17 | 4.9 | 9 | 1 | 2 | 4 | 6 | 9 | 12 | 14 |
| TOT. SINGLE DX | 62 | 4.5 | 8 | 1 | 2 | 4 | 5 | 8 | 10 | 16 |
| " MULTIPLE DX | 35 | 5.9 | 24 | 1 | 2 | 5 | 7 | 14 | 18 | 24 |
| TOTAL 0-27 DYS | 2 | 10.5 | 145 | 2 | 2 | 10 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 8 | 5.6 | 13 | 2 | 2 | 5 | 7 | 11 | 13 | 13 |
| 1-5 YRS | 15 | 4.9 | 15 | 1 | 1 | 4 | 7 | 9 | 14 | 16 |
| 6-12 YRS | 14 | 6.1 | 36 | 1 | 2 | 5 | 6 | 15 | 22 | 24 |
| 13-19 YRS | 58 | 4.4 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 14 |
| GRAND TOTAL | 97 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 22 |

## 522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.6 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 109 | 3.2 | 7 | <1 | <1 | 2 | 4 | 6 | 8 | 17 |
| 6-12 YRS | 130 | 3.9 | 8 | <1 | 1 | 3 | 5 | 8 | 9 | 15 |
| 13-19 YRS | 128 | 3.4 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 5 | 6.4 | 47 | 1 | 1 | 4 | 10 | 18 | 18 | 18 |
| 1-5 YRS | 60 | 4.9 | 18 | 1 | 2 | 4 | 6 | 9 | 13 | 23 |
| 6-12 YRS | 103 | 4.5 | 9 | 1 | 1 | 4 | 6 | 9 | 9 | 17 |
| 13-19 YRS | 92 | 5.3 | 42 | 1 | 2 | 4 | 6 | 9 | 12 | 42 |
| TOT. SINGLE DX | 372 | 3.5 | 8 | <1 | 1 | 3 | 5 | 6 | 9 | 16 |
| " MULTIPLE DX | 261 | 5.0 | 24 | 1 | 1 | 4 | 6 | 9 | 11 | 22 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 10 | 4.5 | 27 | 1 | 1 | 3 | 5 | 12 | 18 | 18 |
| 1-5 YRS | 169 | 3.8 | 12 | <1 | 1 | 3 | 5 | 8 | 9 | 21 |
| 6-12 YRS | 233 | 4.2 | 9 | 1 | 1 | 4 | 5 | 8 | 9 | 16 |
| 13-19 YRS | 220 | 4.2 | 23 | 1 | 1 | 3 | 5 | 7 | 9 | 18 |
| GRAND TOTAL | 633 | 4.1 | 15 | 1 | 1 | 3 | 5 | 8 | 9 | 18 |

## 523: Operations for regulation of intraocular pressure (12.5-12.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 3.3 | 10 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 1-11 MOS | 46 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 1-5 YRS | 30 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |
| 6-12 YRS | 29 | 2.8 | 3 | <1 | <1 | 3 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 51 | 3.0 | 2 | 1 | 2 | 2 | 3 | 5 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 18 | 6.4 | 153 | 2 | 2 | 3 | 4 | 10 | 37 | 55 |
| 1-5 YRS | 14 | 4.1 | 23 | <1 | 1 | 3 | 3 | 13 | 16 | 17 |
| 6-12 YRS | 13 | 3.8 | 9 | 1 | 1 | 3 | 4 | 9 | 11 | 12 |
| 13-19 YRS | 40 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 16 |
| TOT. SINGLE DX | 164 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| " MULTIPLE DX | 89 | 4.3 | 40 | 1 | 1 | 3 | 4 | 8 | 12 | 40 |
| TOTAL 0-27 DYS | 12 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 10 | 11 |
| 1-11 MOS | 64 | 3.7 | 46 | 1 | 1 | 2 | 3 | 6 | 8 | 49 |
| 1-5 YRS | 44 | 3.0 | 9 | 1 | 1 | 2 | 3 | 4 | 11 | 17 |
| 6-12 YRS | 42 | 3.1 | 5 | <1 | 1 | 3 | 3 | 6 | 9 | 12 |
| 13-19 YRS | 91 | 3.3 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 14 |
| GRAND TOTAL | 253 | 3.3 | 16 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |

## 524: Other operations on iris, ciliary body, sclera, and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 2.7 | 1 | 2 | 2 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 31 | 3.3 | 10 | 1 | 1 | 2 | 4 | 9 | 11 | 12 |
| 6-12 YRS | 65 | 5.2 | 18 | 1 | 1 | 4 | 8 | 11 | 14 | 21 |
| 13-19 YRS | 72 | 3.9 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 2.4 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 38 | 3.1 | 5 | <1 | <1 | 2 | 4 | 7 | 8 | 10 |
| 6-12 YRS | 64 | 6.3 | 23 | 1 | 2 | 5 | 9 | 12 | 14 | 25 |
| 13-19 YRS | 77 | 4.9 | 10 | 1 | 2 | 4 | 7 | 10 | 11 | 16 |
| TOT. SINGLE DX | 174 | 4.2 | 12 | 1 | 1 | 3 | 6 | 10 | 12 | 15 |
| " MULTIPLE DX | 186 | 4.9 | 15 | 1 | 1 | 4 | 7 | 10 | 12 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 13 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 1-5 YRS | 69 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 10 | 12 |
| 6-12 YRS | 129 | 5.8 | 21 | 1 | 1 | 5 | 8 | 12 | 14 | 23 |
| 13-19 YRS | 149 | 4.4 | 9 | 1 | 1 | 4 | 6 | 8 | 11 | 13 |
| GRAND TOTAL | 360 | 4.6 | 14 | 1 | 1 | 3 | 6 | 10 | 12 | 17 |

## 525: Intracapsular extraction of lens (13.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 2.5 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 5 |
| 1-5 YRS | 20 | 3.3 | 4 | <1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 6-12 YRS | 37 | 2.8 | 2 | 1 | 2 | 2 | 3 | 5 | 6 | 8 |
| 13-19 YRS | 38 | 2.9 | 3 | 1 | 2 | 2 | 3 | 4 | 6 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 10 | 3.6 | 4 | 1 | 1 | 3 | 4 | 7 | 8 | 8 |
| 1-5 YRS | 15 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 33 | 3.7 | 6 | <1 | <1 | 3 | 4 | 9 | 9 | 10 |
| 13-19 YRS | 32 | 4.3 | 17 | 1 | 2 | 3 | 4 | 9 | 14 | 21 |
| TOT. SINGLE DX | 107 | 2.9 | 3 | 1 | 2 | 2 | 3 | 5 | 6 | 11 |
| " MULTIPLE DX | 91 | 3.7 | 9 | <1 | 1 | 3 | 4 | 8 | 9 | 18 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 22 | 3.0 | 3 | <1 | 1 | 3 | 3 | 5 | 7 | 8 |
| 1-5 YRS | 35 | 3.0 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 6-12 YRS | 70 | 3.2 | 4 | <1 | 1 | 3 | 4 | 6 | 9 | 10 |
| 13-19 YRS | 70 | 3.5 | 10 | 1 | 2 | 3 | 4 | 6 | 11 | 20 |
| GRAND TOTAL | 198 | 3.3 | 6 | <1 | 1 | 3 | 4 | 6 | 8 | 13 |

## 526: Other lens extraction (13.2-13.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 41 | 2.3 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 10 |
| 1-5 YRS | 97 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 121 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 148 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 13 | 3.8 | 20 | <1 | 1 | 2 | 4 | 9 | 16 | 17 |
| 1-5 YRS | 62 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 10 |
| 6-12 YRS | 85 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 13-19 YRS | 85 | 3.0 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 20 |
| TOT. SINGLE DX | 407 | 2.2 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 245 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 54 | 2.6 | 7 | <1 | 1 | 2 | 3 | 4 | 7 | 17 |
| 1-5 YRS | 159 | 2.2 | 2 | <1 | 1 | 2 | 3 | 3 | 4 | 8 |
| 6-12 YRS | 206 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 233 | 2.5 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| GRAND TOTAL | 652 | 2.4 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 10 |

## 527: Miscellaneous operations on lens (13.0; 13.7-13.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-5 YRS | 7 | 2.0 | | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 5 | 2.0 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 3 | 2.0 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 5 | 7.4 | 56 | 1 | 1 | 3 | 15 | 17 | 17 | 17 |
| TOT. SINGLE DX | 13 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| " MULTIPLE DX | 12 | 4.8 | 30 | 1 | 1 | 2 | 6 | 15 | 17 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 10 | 2.0 | 1 | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 10 | 4.7 | 34 | 1 | 1 | 2 | 4 | 15 | 17 | 17 |
| GRAND TOTAL | 25 | 3.3 | 16 | <1 | <1 | 2 | 3 | 9 | 15 | 17 |

## 528: Repair of retina (14.3-14.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 4 | 5.5 | | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 7 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 58 | 4.9 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 19 |
| 13-19 YRS | 185 | 5.0 | 8 | 1 | 2 | 5 | 6 | 9 | 11 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 11.4 | 292 | <1 | 1 | 4 | 13 | 41 | 52 | 52 |
| 1-5 YRS | 8 | 4.8 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 10 |
| 6-12 YRS | 48 | 6.0 | 23 | 1 | 2 | 5 | 7 | 11 | 13 | 29 |
| 13-19 YRS | 117 | 6.5 | 19 | 2 | 2 | 6 | 8 | 10 | 17 | 22 |
| TOT. SINGLE DX | 255 | 5.0 | 9 | 1 | 2 | 5 | 6 | 8 | 11 | 16 |
| " MULTIPLE DX | 181 | 6.5 | 32 | 2 | 2 | 5 | 8 | 11 | 17 | 27 |
| TOTAL 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 12 | 9.4 | 195 | <1 | 1 | 5 | 9 | 25 | 48 | 52 |
| 1-5 YRS | 15 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 10 |
| 6-12 YRS | 106 | 5.4 | 17 | 1 | 2 | 5 | 6 | 9 | 12 | 24 |
| 13-19 YRS | 302 | 5.6 | 13 | 1 | 2 | 5 | 7 | 10 | 13 | 20 |
| GRAND TOTAL | 436 | 5.6 | 19 | 1 | 2 | 5 | 7 | 10 | 12 | 22 |

### 529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 11 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 16 | 3.4 | 5 | 1 | 1 | 3 | 4 | 5 | 9 | 11 |
| 6-12 YRS | 25 | 4.5 | 19 | <1 | <1 | 3 | 6 | 8 | 15 | 21 |
| 13-19 YRS | 36 | 3.8 | 5 | 1 | 2 | 3 | 5 | 7 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 19.0 | 1184 | <1 | <1 | 3 | 18 | 81 | 88 | 88 |
| 1-5 YRS | 19 | 2.5 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 30 | 3.6 | 7 | <1 | 1 | 3 | 5 | 7 | 10 | 11 |
| 13-19 YRS | 46 | 6.2 | 46 | 2 | 2 | 4 | 7 | 11 | 16 | 41 |
| TOT. SINGLE DX | 88 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 10 | 18 |
| " MULTIPLE DX | 101 | 5.5 | 96 | 1 | 1 | 3 | 5 | 9 | 13 | 64 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 17 | 7.9 | 441 | <1 | 1 | 2 | 3 | 15 | 63 | 88 |
| 1-5 YRS | 35 | 2.9 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 6-12 YRS | 55 | 4.0 | 13 | <1 | 1 | 3 | 5 | 8 | 11 | 21 |
| 13-19 YRS | 82 | 5.1 | 30 | 1 | 2 | 4 | 6 | 9 | 12 | 37 |
| GRAND TOTAL | 189 | 4.7 | 56 | 1 | 1 | 3 | 5 | 8 | 11 | 36 |

### 530: Resection and recession of ocular muscle (15.1-15.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 403 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 3810 | 1.6 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 2238 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 1098 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 45 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 1-5 YRS | 649 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 404 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 283 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| TOT. SINGLE DX | 7552 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 1381 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| TOTAL 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 448 | 1.5 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| 1-5 YRS | 4459 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 2642 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 1381 | 1.9 | | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| GRAND TOTAL | 8933 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |

### 531: Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 13 | 1.5 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 12 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 1.7 | | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 10 | 1.9 | | <1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 8 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 4 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| TOT. SINGLE DX | 31 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 22 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 23 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 20 | 1.8 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 13-19 YRS | 10 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 6 |
| GRAND TOTAL | 53 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |

### 532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 23 | 2.7 | 4 | <1 | 1 | 2 | 4 | 7 | 7 | 7 |
| 1-5 YRS | 131 | 2.3 | 4 | <1 | 1 | 2 | 2 | 5 | 8 | 11 |
| 6-12 YRS | 148 | 3.0 | 7 | <1 | 1 | 2 | 3 | 5 | 8 | 15 |
| 13-19 YRS | 217 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 8 | 6.5 | 38 | <1 | 1 | 3 | 11 | 16 | 18 | 18 |
| 1-5 YRS | 57 | 3.7 | 22 | 1 | 1 | 2 | 4 | 7 | 10 | 31 |
| 6-12 YRS | 84 | 4.4 | 10 | 1 | 1 | 4 | 6 | 8 | 11 | 16 |
| 13-19 YRS | 178 | 4.4 | 10 | 1 | 1 | 3 | 6 | 9 | 11 | 14 |
| TOT. SINGLE DX | 519 | 2.8 | 5 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| " MULTIPLE DX | 328 | 4.3 | 13 | 1 | 1 | 3 | 6 | 9 | 11 | 17 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 31 | 3.7 | 15 | <1 | 1 | 2 | 4 | 8 | 13 | 18 |
| 1-5 YRS | 188 | 2.7 | 10 | <1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 6-12 YRS | 232 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 9 | 16 |
| 13-19 YRS | 395 | 3.5 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 14 |
| GRAND TOTAL | 847 | 3.4 | 9 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |

## 533: Miscellaneous diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 15 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 7 | 8 |
| 1-11 MOS | 44 | 1.7 | 6 | <1 | <1 | 1 | 2 | 2 | 3 | 17 |
| 1-5 YRS | 415 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 6-12 YRS | 622 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 13-19 YRS | 408 | 2.3 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 331 | 4.0 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 17 |
| 1-11 MOS | 15 | 4.7 | 68 | <1 | <1 | 2 | 4 | 6 | 27 | 34 |
| 1-5 YRS | 133 | 2.7 | 14 | <1 | 1 | 2 | 3 | 4 | 6 | 23 |
| 6-12 YRS | 194 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 13-19 YRS | 251 | 4.2 | 54 | <1 | 1 | 2 | 4 | 10 | 15 | 78 |
| TOT. SINGLE DX | 1504 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 9 |
| " MULTIPLE DX | 924 | 3.4 | 22 | <1 | 1 | 2 | 4 | 6 | 8 | 20 |
| TOTAL 0-27 DYS | 346 | 3.9 | 8 | 2 | 2 | 3 | 4 | 6 | 7 | 17 |
| 1-11 MOS | 59 | 2.4 | 23 | <1 | <1 | 1 | 2 | 4 | 6 | 32 |
| 1-5 YRS | 548 | 2.1 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 6-12 YRS | 816 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 13-19 YRS | 659 | 3.0 | 24 | <1 | 1 | 2 | 3 | 6 | 9 | 20 |
| GRAND TOTAL | 2428 | 2.6 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 15 |

## 535: Stapes mobilization and stapedectomy (19.0-19.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 69 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 164 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 46 | 2.4 | 1 | 1 | 2 | 2 | 3 | 3 | 4 | 10 |
| 13-19 YRS | 79 | 2.5 | | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| TOT. SINGLE DX | 244 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| " MULTIPLE DX | 129 | 2.4 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 15 | 1.7 | 1 | <1 | 1 | 1 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 115 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 7 |
| 13-19 YRS | 243 | 2.4 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| GRAND TOTAL | 373 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |

## 536: Tympanoplasty (19.4-19.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 249 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 6-12 YRS | 1230 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 13-19 YRS | 1223 | 2.1 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 163 | 2.0 | 5 | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 909 | 2.1 | | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 831 | 2.3 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 5 |
| TOT. SINGLE DX | 2706 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 1906 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| TOTAL 0-27 DYS | 3 | 2.3 | | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 4.0 | 17 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 1-5 YRS | 412 | 1.8 | 2 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 2139 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 2054 | 2.2 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| GRAND TOTAL | 4612 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 537: Myringotomy (20.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 11 | 4.7 | 7 | <1 | <1 | 6 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 1616 | 1.3 | 2 | <1 | <1 | <1 | 1 | 1 | 3 | 7 |
| 1-5 YRS | 9444 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 2 |
| 6-12 YRS | 3908 | 1.1 | | <1 | <1 | <1 | 1 | 1 | 2 | 3 |
| 13-19 YRS | 579 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 21 | 7.1 | 31 | 1 | 2 | 5 | 10 | 15 | 20 | 24 |
| 1-11 MOS | 623 | 4.5 | 24 | <1 | <1 | 3 | 6 | 10 | 14 | 26 |
| 1-5 YRS | 5224 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 6-12 YRS | 2471 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 13-19 YRS | 383 | 2.3 | 23 | <1 | <1 | 2 | 2 | 3 | 5 | 14 |
| **TOT. SINGLE DX** | 15558 | 1.1 | 1 | <1 | <1 | <1 | 1 | 1 | 2 | 4 |
| **" MULTIPLE DX** | 8722 | 1.9 | 6 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| TOTAL 0-27 DYS | 32 | 6.3 | 24 | <1 | 1 | 5 | 8 | 12 | 16 | 24 |
| 1-11 MOS | 2239 | 2.2 | 11 | <1 | <1 | 1 | 1 | 5 | 8 | 16 |
| 1-5 YRS | 14668 | 1.3 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |
| 6-12 YRS | 6379 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 13-19 YRS | 962 | 1.7 | 11 | <1 | <1 | 1 | 2 | 2 | 3 | 8 |
| **GRAND TOTAL** | 24280 | 1.4 | 3 | <1 | <1 | 1 | 1 | 2 | 3 | 8 |

## 538: Mastoidectomy (20.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 9.4 | 17 | 6 | 6 | 9 | 11 | 16 | 16 | 16 |
| 1-5 YRS | 76 | 3.2 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 15 |
| 6-12 YRS | 284 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 335 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 12.5 | 135 | 3 | 3 | 9 | 20 | 29 | 29 | 29 |
| 1-5 YRS | 92 | 3.7 | 10 | 1 | 2 | 2 | 4 | 8 | 11 | 16 |
| 6-12 YRS | 501 | 3.0 | 4 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 445 | 3.0 | 6 | 1 | 2 | 3 | 3 | 4 | 5 | 15 |
| **TOT. SINGLE DX** | 701 | 2.7 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| **" MULTIPLE DX** | 1042 | 3.1 | 7 | 1 | 2 | 3 | 3 | 5 | 7 | 15 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 9 | 10.8 | 62 | 3 | 4 | 9 | 13 | 24 | 29 | 29 |
| 1-5 YRS | 168 | 3.5 | 8 | 1 | 2 | 2 | 4 | 8 | 9 | 16 |
| 6-12 YRS | 785 | 2.9 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 12 |
| 13-19 YRS | 780 | 2.8 | 5 | 1 | 2 | 2 | 3 | 4 | 5 | 9 |
| **GRAND TOTAL** | 1743 | 2.9 | 5 | 1 | 2 | 2 | 3 | 4 | 6 | 13 |

## 539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 26 | 1.7 | 2 | <1 | <1 | 1 | 1 | 4 | 6 | 8 |
| 1-5 YRS | 339 | 1.4 | 1 | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 6-12 YRS | 500 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 13-19 YRS | 260 | 2.1 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 13 | 6.6 | 64 | <1 | <1 | 4 | 7 | 23 | 25 | 25 |
| 1-5 YRS | 161 | 2.2 | 8 | <1 | <1 | 1 | 2 | 4 | 7 | 17 |
| 6-12 YRS | 283 | 2.2 | 5 | <1 | <1 | 2 | 2 | 3 | 5 | 18 |
| 13-19 YRS | 232 | 2.5 | 5 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| **TOT. SINGLE DX** | 1125 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| **" MULTIPLE DX** | 690 | 2.4 | 8 | <1 | <1 | 2 | 3 | 4 | 5 | 19 |
| TOTAL 0-27 DYS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 39 | 3.3 | 28 | <1 | <1 | 1 | 4 | 7 | 16 | 25 |
| 1-5 YRS | 500 | 1.6 | 4 | <1 | <1 | 1 | 2 | 2 | 4 | 13 |
| 6-12 YRS | 783 | 1.8 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |
| 13-19 YRS | 492 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 4 | 8 |
| **GRAND TOTAL** | 1815 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 10 |

## 540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **TOT. SINGLE DX** | | | | | | | | | | |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 541: Submucous resection of nasal septum (21.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 3 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 40 | 2.2 | | 1 | 2 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 965 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 2.4 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 2.4 | 2 | <1 | <1 | 2 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 106 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 13-19 YRS | 1585 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| TOT. SINGLE DX | 1010 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 5 |
| " MULTIPLE DX | 1701 | 2.8 | 2 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | 6 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 8 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 146 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 7 |
| 13-19 YRS | 2550 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |
| GRAND TOTAL | 2711 | 2.7 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 7 |

## 542: Rhinoplasty (21.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 1.7 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 1-5 YRS | 70 | 1.9 | 1 | 1 | 1 | 1 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 239 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 13-19 YRS | 3180 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 16 | 5.0 | 48 | 2 | 2 | 3 | 4 | 5 | 23 | 31 |
| 1-11 MOS | 10 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 1-5 YRS | 58 | 3.2 | 10 | 1 | 1 | 3 | 4 | 5 | 7 | 21 |
| 6-12 YRS | 281 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 3711 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOT. SINGLE DX | 3498 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 |
| " MULTIPLE DX | 4076 | 2.6 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| TOTAL 0-27 DYS | 16 | 5.0 | 49 | 2 | 2 | 3 | 4 | 5 | 23 | 31 |
| 1-11 MOS | 19 | 2.2 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 1-5 YRS | 128 | 2.5 | 6 | 1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 6-12 YRS | 520 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 6891 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |
| GRAND TOTAL | 7574 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 6 |

## 543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 22 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 1-5 YRS | 69 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 8 |
| 6-12 YRS | 160 | 2.3 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 14 |
| 13-19 YRS | 260 | 2.3 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 4.8 | 9 | 3 | 3 | 4 | 5 | 10 | 12 | 12 |
| 1-11 MOS | 5 | 3.8 | 5 | 1 | 1 | 4 | 7 | 91 | 99+ | 99+ |
| 1-5 YRS | 38 | 4.2 | 118 | <1 | <1 | 2 | 3 | 5 | 11 | 68 |
| 6-12 YRS | 158 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 13-19 YRS | 357 | 2.8 | 12 | 1 | 1 | 2 | 3 | 4 | 6 | 21 |
| TOT. SINGLE DX | 512 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| " MULTIPLE DX | 566 | 2.8 | 17 | 1 | 1 | 2 | 3 | 4 | 6 | 21 |
| TOTAL 0-27 DYS | 9 | 4.4 | 9 | 2 | 2 | 3 | 5 | 9 | 12 | 12 |
| 1-11 MOS | 27 | 2.7 | 3 | 1 | 1 | 2 | 4 | 6 | 17 | 99+ |
| 1-5 YRS | 107 | 2.7 | 44 | <1 | <1 | 1 | 2 | 4 | 5 | 38 |
| 6-12 YRS | 318 | 2.2 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 11 |
| 13-19 YRS | 617 | 2.6 | 9 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| GRAND TOTAL | 1078 | 2.5 | 10 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |

## 544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 142 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 6-12 YRS | 776 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 13-19 YRS | 1973 | 1.8 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 24 | 4.6 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| 1-11 MOS | 2 | 12.5 | 265 | <1 | <1 | 12 | 24 | 24 | 24 | 24 |
| 1-5 YRS | 54 | 2.5 | 8 | <1 | <1 | 1 | 2 | 7 | 11 | 13 |
| 6-12 YRS | 242 | 3.1 | 22 | <1 | 1 | 2 | 3 | 6 | 7 | 19 |
| 13-19 YRS | 1059 | 3.5 | 19 | 1 | 1 | 2 | 4 | 6 | 9 | 23 |
| TOT. SINGLE DX | 2894 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 1381 | 3.4 | 20 | <1 | 1 | 2 | 4 | 6 | 9 | 22 |
| TOTAL 0-27 DYS | 26 | 4.3 | 6 | 1 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-11 MOS | 3 | 9.3 | 162 | <1 | <1 | 3 | 19 | 24 | 24 | 24 |
| 1-5 YRS | 196 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 12 |
| 6-12 YRS | 1018 | 1.9 | 7 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 13-19 YRS | 3032 | 2.4 | 8 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| GRAND TOTAL | 4275 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |

## 545: Radical maxillary antrotomy (22.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 29 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 177 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 4 | 2.0 | | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 38 | 2.8 | 6 | 1 | 1 | 2 | 3 | 4 | 8 | 14 |
| 13-19 YRS | 163 | 3.8 | 15 | 1 | 2 | 3 | 4 | 8 | 9 | 33 |
| TOT. SINGLE DX | 213 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |
| " MULTIPLE DX | 207 | 3.6 | 13 | 1 | 1 | 3 | 4 | 7 | 9 | 32 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 10 | 2.0 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 6-12 YRS | 67 | 2.6 | 4 | 1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 340 | 3.4 | 9 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| GRAND TOTAL | 420 | 3.2 | 8 | 1 | 1 | 3 | 4 | 5 | 8 | 13 |

## 546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 4.0 | 13 | 1 | 1 | 3 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 41 | 2.0 | 3 | <1 | <1 | 1 | 2 | 5 | 6 | 9 |
| 6-12 YRS | 105 | 2.9 | 16 | <1 | <1 | 2 | 3 | 6 | 9 | 25 |
| 13-19 YRS | 192 | 3.1 | 6 | <1 | 1 | 2 | 4 | 6 | 9 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 43 | 3.4 | 15 | <1 | <1 | 1 | 5 | 8 | 13 | 16 |
| 6-12 YRS | 138 | 4.5 | 35 | <1 | <1 | 3 | 5 | 10 | 13 | 36 |
| 13-19 YRS | 220 | 5.1 | 30 | 1 | 1 | 3 | 6 | 13 | 16 | 28 |
| TOT. SINGLE DX | 341 | 2.9 | 9 | <1 | <1 | 2 | 3 | 6 | 9 | 14 |
| " MULTIPLE DX | 403 | 4.7 | 30 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 3.8 | 10 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 84 | 2.7 | 10 | <1 | <1 | 1 | 2 | 7 | 9 | 16 |
| 6-12 YRS | 243 | 3.8 | 28 | <1 | <1 | 2 | 4 | 8 | 12 | 33 |
| 13-19 YRS | 412 | 4.1 | 20 | 1 | 1 | 3 | 4 | 9 | 14 | 22 |
| GRAND TOTAL | 744 | 3.9 | 22 | <1 | <1 | 2 | 4 | 8 | 13 | 22 |

## 547: Tooth extraction (23.0-23.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 2.0 | | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 357 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 6-12 YRS | 574 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 8771 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 23 | 4.3 | 4 | 2 | 2 | 4 | 5 | 8 | 9 | 9 |
| 1-11 MOS | 3 | 9.3 | 184 | 1 | 1 | 2 | 19 | 25 | 25 | 25 |
| 1-5 YRS | 302 | 2.1 | 6 | <1 | <1 | 1 | 2 | 4 | 6 | 14 |
| 6-12 YRS | 490 | 2.1 | 7 | <1 | <1 | 2 | 2 | 3 | 6 | 16 |
| 13-19 YRS | 2474 | 2.4 | 11 | <1 | 1 | 2 | 2 | 3 | 5 | 12 |
| TOT. SINGLE DX | 9713 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 3292 | 2.3 | 11 | <1 | 1 | 2 | 2 | 3 | 5 | 13 |
| TOTAL 0-27 DYS | 31 | 3.7 | 4 | 1 | 2 | 3 | 5 | 7 | 9 | 9 |
| 1-11 MOS | 6 | 5.7 | 90 | 1 | 1 | 2 | 2 | 23 | 25 | 25 |
| 1-5 YRS | 659 | 1.6 | 3 | <1 | <1 | 1 | 2 | 2 | 4 | 10 |
| 6-12 YRS | 1064 | 1.8 | 4 | <1 | <1 | 1 | 2 | 2 | 3 | 9 |
| 13-19 YRS | 11245 | 1.9 | 4 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |
| GRAND TOTAL | 13005 | 1.9 | 4 | <1 | 1 | 2 | 2 | 2 | 3 | 6 |

## 548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1036 | 1.1 | | <1 | <1 | 1 | 1 | 1 | 2 | 2 |
| 6-12 YRS | 129 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 13-19 YRS | 85 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 2 | 25.0 | 1152 | <1 | <1 | 24 | 49 | 49 | 49 | 49 |
| 1-5 YRS | 327 | 1.5 | 5 | <1 | <1 | 1 | 1 | 2 | 2 | 9 |
| 6-12 YRS | 139 | 1.8 | 7 | <1 | <1 | 1 | 2 | 2 | 3 | 10 |
| 13-19 YRS | 147 | 3.8 | 93 | <1 | <1 | 2 | 2 | 5 | 13 | 63 |
| TOT. SINGLE DX | 1251 | 1.2 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| " MULTIPLE DX | 617 | 2.2 | 32 | <1 | <1 | 1 | 2 | 2 | 5 | 32 |
| TOTAL 0-27 DYS | 3 | 4.3 | 17 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 2 | 25.0 | 1152 | <1 | <1 | 24 | 49 | 49 | 49 | 49 |
| 1-5 YRS | 1363 | 1.2 | 2 | <1 | <1 | 1 | 1 | 2 | 2 | 3 |
| 6-12 YRS | 268 | 1.5 | 4 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 13-19 YRS | 232 | 3.0 | 60 | <1 | <1 | 1 | 2 | 4 | 6 | 49 |
| GRAND TOTAL | 1868 | 1.5 | 11 | <1 | <1 | 1 | 1 | 2 | 2 | 7 |

## 549: Operations on teeth and gums, except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 6 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 99 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 3 | 6 |
| 6-12 YRS | 107 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 3 | 7 |
| 13-19 YRS | 109 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 5.2 | 4 | 2 | 3 | 5 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 55 | 1.8 | 3 | <1 | <1 | 1 | 2 | 2 | 5 | 14 |
| 6-12 YRS | 118 | 2.7 | 10 | <1 | 1 | 2 | 2 | 4 | 7 | 22 |
| 13-19 YRS | 228 | 2.7 | 8 | <1 | 1 | 2 | 2 | 4 | 8 | 16 |
| TOT. SINGLE DX | 323 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| " MULTIPLE DX | 416 | 2.7 | 8 | <1 | 1 | 2 | 2 | 5 | 7 | 16 |
| TOTAL 0-27 DYS | 16 | 4.9 | 5 | 2 | 3 | 4 | 6 | 9 | 9 | 9 |
| 1-11 MOS | 7 | 2.3 | 2 | <1 | <1 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 154 | 1.5 | 2 | <1 | <1 | 1 | 1 | 2 | 4 | 7 |
| 6-12 YRS | 225 | 2.3 | 6 | <1 | <1 | 2 | 2 | 3 | 5 | 15 |
| 13-19 YRS | 337 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 7 | 13 |
| GRAND TOTAL | 739 | 2.3 | 6 | <1 | <1 | 2 | 2 | 4 | 6 | 13 |

## 550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 15 | 3.3 | 8 | <1 | 1 | 2 | 3 | 9 | 9 | 9 |
| 1-5 YRS | 61 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 6-12 YRS | 143 | 2.6 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 14 |
| 13-19 YRS | 285 | 3.1 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 3.4 | | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 11.7 | 134 | 1 | 1 | 10 | 20 | 24 | 24 | 24 |
| 1-5 YRS | 15 | 6.3 | 37 | 1 | 1 | 4 | 7 | 18 | 20 | 21 |
| 6-12 YRS | 46 | 3.4 | 13 | <1 | 1 | 2 | 3 | 8 | 11 | 19 |
| 13-19 YRS | 101 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 12 |
| TOT. SINGLE DX | 505 | 2.9 | 4 | <1 | 1 | 2 | 4 | 5 | 6 | 10 |
| " MULTIPLE DX | 170 | 4.1 | 12 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| TOTAL 0-27 DYS | 6 | 3.2 | 1 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 18 | 4.7 | 33 | <1 | 1 | 2 | 8 | 10 | 18 | 24 |
| 1-5 YRS | 76 | 3.3 | 12 | <1 | <1 | 2 | 4 | 7 | 8 | 20 |
| 6-12 YRS | 189 | 2.8 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 13-19 YRS | 386 | 3.3 | 4 | 1 | 2 | 3 | 4 | 5 | 6 | 12 |
| GRAND TOTAL | 675 | 3.2 | 7 | 1 | 1 | 3 | 4 | 5 | 7 | 15 |

## 551: Palatoplasty (27.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 92 | 4.4 | 8 | 1 | 2 | 4 | 5 | 7 | 8 | 18 |
| 1-5 YRS | 574 | 3.9 | 4 | 1 | 1 | 4 | 5 | 6 | 8 | 10 |
| 6-12 YRS | 178 | 3.6 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| 13-19 YRS | 72 | 3.8 | 4 | 2 | 2 | 3 | 5 | 7 | 8 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 53 | 5.1 | 11 | 2 | 2 | 5 | 6 | 8 | 10 | 21 |
| 1-5 YRS | 366 | 4.4 | 4 | 1 | 2 | 4 | 6 | 7 | 8 | 11 |
| 6-12 YRS | 107 | 4.1 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 14 |
| 13-19 YRS | 60 | 4.5 | 7 | 2 | 2 | 4 | 5 | 7 | 11 | 18 |
| TOT. SINGLE DX | 917 | 3.9 | 5 | 1 | 1 | 4 | 5 | 6 | 8 | 11 |
| " MULTIPLE DX | 587 | 4.4 | 6 | 1 | 2 | 4 | 6 | 7 | 8 | 13 |
| TOTAL 0-27 DYS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 145 | 4.6 | 10 | 1 | 2 | 4 | 5 | 8 | 9 | 20 |
| 1-5 YRS | 940 | 4.1 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 10 |
| 6-12 YRS | 285 | 3.8 | 4 | 1 | 2 | 4 | 5 | 6 | 7 | 10 |
| 13-19 YRS | 132 | 4.1 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 14 |
| GRAND TOTAL | 1504 | 4.1 | 5 | 1 | 1 | 4 | 5 | 7 | 8 | 12 |

## 552: Operations on tongue, oral cavity, and facial region, except palatoplasty and operations on salivary glands (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 45 | 4.6 | 5 | 1 | 2 | 4 | 6 | 8 | 8 | 10 |
| 1-11 MOS | 425 | 4.4 | 6 | <1 | 1 | 4 | 6 | 8 | 8 | 11 |
| 1-5 YRS | 802 | 2.2 | 4 | <1 | <1 | 1 | 3 | 5 | 7 | 10 |
| 6-12 YRS | 446 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| 13-19 YRS | 421 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 121 | 5.8 | 39 | 2 | 2 | 4 | 8 | 12 | 14 | 70 |
| 1-11 MOS | 132 | 5.6 | 29 | 1 | 2 | 5 | 6 | 8 | 12 | 36 |
| 1-5 YRS | 331 | 3.4 | 9 | <1 | 1 | 2 | 4 | 7 | 9 | 16 |
| 6-12 YRS | 314 | 2.9 | 14 | 1 | 1 | 2 | 3 | 6 | 8 | 16 |
| 13-19 YRS | 597 | 3.5 | 23 | 1 | 1 | 2 | 4 | 7 | 9 | 26 |
| TOT. SINGLE DX | 2139 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 7 | 10 |
| " MULTIPLE DX | 1495 | 3.7 | 21 | 1 | 1 | 2 | 5 | 8 | 10 | 25 |
| TOTAL 0-27 DYS | 166 | 5.5 | 31 | 2 | 2 | 4 | 7 | 10 | 13 | 53 |
| 1-11 MOS | 557 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 9 | 18 |
| 1-5 YRS | 1133 | 2.6 | 6 | <1 | <1 | 2 | 3 | 6 | 7 | 12 |
| 6-12 YRS | 760 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 7 | 11 |
| 13-19 YRS | 1018 | 3.1 | 16 | <1 | 1 | 2 | 4 | 6 | 8 | 17 |
| GRAND TOTAL | 3634 | 3.2 | 12 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |

## 553: Tonsillectomy without adenoidectomy (28.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 13 | 2.2 | 1 | <1 | 1 | 2 | 2 | 4 | 5 | 5 |
| 1-5 YRS | 1339 | 1.6 | | <1 | 1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 5763 | 1.7 | 1 | 1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 19091 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 754 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 1248 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 2722 | 2.4 | 6 | 1 | 1 | 2 | 3 | 3 | 5 | 10 |
| TOT. SINGLE DX | 26210 | 1.9 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 4732 | 2.1 | 4 | 1 | 1 | 2 | 2 | 3 | 4 | 8 |
| TOTAL 0-27 DYS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 21 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 1-5 YRS | 2093 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 7011 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 21813 | 2.0 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| GRAND TOTAL | 30942 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 554: Tonsillectomy with adenoidectomy (28.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 14 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 14268 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 22310 | 1.7 | | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 5377 | 1.9 | | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 1.8 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 25 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 5 | 5 |
| 1-5 YRS | 12288 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 10352 | 1.8 | 1 | 1 | 1 | 2 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 1764 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 4 | 7 |
| TOT. SINGLE DX | 41973 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 24434 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| TOTAL 0-27 DYS | 9 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 39 | 1.8 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 1-5 YRS | 26556 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 32662 | 1.7 | 1 | <1 | 1 | 2 | 2 | 2 | 2 | 4 |
| 13-19 YRS | 7141 | 2.0 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| GRAND TOTAL | 66407 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 4 |

## 555: Adenoidectomy without tonsillectomy (28.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 38 | 1.6 | 1 | <1 | 1 | 1 | 2 | 2 | 4 | 6 |
| 1-5 YRS | 1766 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1596 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 286 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 3 | 3 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 116 | 1.7 | 6 | <1 | <1 | 1 | 2 | 2 | 4 | 14 |
| 1-5 YRS | 6033 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 3066 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 291 | 1.9 | 1 | <1 | 1 | 2 | 2 | 3 | 3 | 7 |
| TOT. SINGLE DX | 3688 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| " MULTIPLE DX | 9508 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| TOTAL 0-27 DYS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 154 | 1.7 | 5 | <1 | <1 | 1 | 2 | 2 | 4 | 9 |
| 1-5 YRS | 7799 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 6-12 YRS | 4662 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 3 |
| 13-19 YRS | 577 | 1.8 | 1 | <1 | 1 | 2 | 2 | 2 | 3 | 5 |
| GRAND TOTAL | 13196 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 3 |

## 556: Operations on pharynx, except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 38 | 2.4 | 12 | <1 | <1 | 2 | 2 | 3 | 7 | 22 |
| 1-5 YRS | 325 | 2.0 | 10 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 6-12 YRS | 502 | 2.2 | 6 | <1 | 1 | 2 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 1051 | 2.7 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 9 | 22.0 | 431 | <1 | 1 | 16 | 42 | 51 | 53 | 53 |
| 1-11 MOS | 13 | 6.1 | 19 | <1 | 1 | 6 | 10 | 11 | 14 | 15 |
| 1-5 YRS | 104 | 2.6 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |
| 6-12 YRS | 111 | 3.3 | 10 | 1 | 1 | 2 | 4 | 7 | 9 | 17 |
| 13-19 YRS | 244 | 3.9 | 12 | 1 | 1 | 3 | 5 | 7 | 8 | 19 |
| TOT. SINGLE DX | 1918 | 2.4 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 9 |
| " MULTIPLE DX | 481 | 3.9 | 24 | <1 | 1 | 2 | 5 | 7 | 10 | 28 |
| TOTAL 0-27 DYS | 11 | 18.4 | 410 | <1 | 1 | 5 | 37 | 50 | 53 | 53 |
| 1-11 MOS | 51 | 3.4 | 17 | <1 | <1 | 2 | 3 | 9 | 10 | 22 |
| 1-5 YRS | 429 | 2.2 | 9 | <1 | <1 | 2 | 2 | 4 | 6 | 9 |
| 6-12 YRS | 613 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| 13-19 YRS | 1295 | 2.9 | 5 | 1 | 1 | 2 | 4 | 5 | 6 | 11 |
| GRAND TOTAL | 2399 | 2.7 | 10 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |

## 557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 34 | 3.6 | 2 | 1 | 2 | 3 | 4 | 6 | 6 | 8 |
| 1-11 MOS | 27 | 1.4 | | <1 | <1 | 1 | 1 | 3 | 3 | 4 |
| 1-5 YRS | 131 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| 6-12 YRS | 40 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 13-19 YRS | 50 | 2.9 | 8 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 416 | 3.8 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 1-11 MOS | 12 | 7.0 | 37 | 1 | 2 | 5 | 9 | 15 | 23 | 24 |
| 1-5 YRS | 37 | 2.4 | 7 | <1 | <1 | 1 | 3 | 5 | 7 | 16 |
| 6-12 YRS | 24 | 3.7 | 8 | <1 | <1 | 2 | 5 | 8 | 10 | 11 |
| 13-19 YRS | 40 | 5.2 | 60 | <1 | 1 | 3 | 6 | 9 | 13 | 49 |
| **TOT. SINGLE DX** | 282 | 1.8 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| **" MULTIPLE DX** | 529 | 3.8 | 9 | 1 | 2 | 3 | 4 | 6 | 7 | 14 |
| TOTAL 0-27 DYS | 450 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 8 |
| 1-11 MOS | 39 | 3.1 | 18 | <1 | <1 | 1 | 3 | 8 | 11 | 24 |
| 1-5 YRS | 168 | 1.5 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 7 |
| 6-12 YRS | 64 | 2.2 | 5 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |
| 13-19 YRS | 90 | 3.9 | 33 | <1 | 1 | 2 | 5 | 8 | 9 | 36 |
| **GRAND TOTAL** | 811 | 3.1 | 8 | <1 | <1 | 3 | 4 | 6 | 7 | 12 |

## 558: Excision of lesion of larynx (30.0; 31.43)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 17 | 3.2 | 12 | 1 | 1 | 2 | 3 | 9 | 12 | 13 |
| 1-5 YRS | 122 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 4 | 13 |
| 6-12 YRS | 185 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 5 |
| 13-19 YRS | 154 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 2 | 24.0 | 800 | 4 | 4 | 24 | 44 | 44 | 44 | 44 |
| 1-11 MOS | 6 | 14.8 | 221 | 2 | 2 | 9 | 30 | 35 | 36 | 36 |
| 1-5 YRS | 31 | 2.3 | 4 | 1 | 1 | 2 | 2 | 5 | 8 | 10 |
| 6-12 YRS | 65 | 1.6 | | <1 | 1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 52 | 2.1 | 3 | <1 | 1 | 2 | 2 | 3 | 3 | 13 |
| **TOT. SINGLE DX** | 478 | 1.7 | 3 | <1 | <1 | 1 | 2 | 2 | 3 | 10 |
| **" MULTIPLE DX** | 156 | 2.7 | 27 | <1 | 1 | 2 | 2 | 3 | 7 | 36 |
| TOTAL 0-27 DYS | 2 | 24.0 | 800 | 4 | 4 | 24 | 44 | 44 | 44 | 44 |
| 1-11 MOS | 23 | 6.2 | 87 | 1 | 1 | 2 | 6 | 17 | 32 | 36 |
| 1-5 YRS | 153 | 2.0 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 10 |
| 6-12 YRS | 250 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 13-19 YRS | 206 | 1.9 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 12 |
| **GRAND TOTAL** | 634 | 2.0 | 9 | <1 | <1 | 1 | 2 | 2 | 4 | 13 |

## 559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 12 | 2.7 | 5 | <1 | <1 | 2 | 3 | 6 | 9 | 9 |
| 6-12 YRS | 8 | 1.3 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 12 | 2.9 | 10 | <1 | <1 | 2 | 3 | 9 | 11 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 22.5 | 145 | 14 | 14 | 22 | 31 | 31 | 31 | 31 |
| 1-5 YRS | 2 | 13.5 | 265 | 2 | 2 | 13 | 25 | 25 | 25 | 25 |
| 6-12 YRS | 7 | 2.7 | 8 | <1 | <1 | 2 | 2 | 8 | 9 | 9 |
| 13-19 YRS | 14 | 6.9 | 45 | 1 | 2 | 3 | 12 | 19 | 20 | 20 |
| **TOT. SINGLE DX** | 32 | 2.4 | 6 | <1 | 1 | 2 | 2 | 5 | 9 | 11 |
| **" MULTIPLE DX** | 25 | 7.5 | 72 | 1 | 1 | 2 | 12 | 20 | 26 | 31 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 22.5 | 145 | 14 | 14 | 22 | 31 | 31 | 31 | 31 |
| 1-5 YRS | 14 | 4.2 | 40 | <1 | 1 | 2 | 4 | 11 | 22 | 25 |
| 6-12 YRS | 15 | 1.9 | 4 | <1 | 1 | 1 | 2 | 2 | 7 | 9 |
| 13-19 YRS | 26 | 5.0 | 32 | <1 | 1 | 2 | 8 | 13 | 19 | 20 |
| **GRAND TOTAL** | 57 | 4.6 | 41 | <1 | 1 | 2 | 4 | 13 | 20 | 31 |

## 560: Complete laryngectomy (30.3-30.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 24.0 | | 24 | 24 | 24 | 24 | 24 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 30.0 | | 30 | 30 | 65 | 99+ | 99+ | 99+ | 99+ |
| **TOT. SINGLE DX** | 2 | 12.5 | 265 | 1 | 1 | 12 | 24 | 24 | 24 | 24 |
| **" MULTIPLE DX** | 1 | 30.0 | | 30 | 30 | 65 | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 27.0 | 18 | 24 | 24 | 30 | 82 | 99+ | 99+ | 99+ |
| **GRAND TOTAL** | 3 | 18.3 | 234 | 1 | 1 | 27 | 65 | 99+ | 99+ | 99+ |

## 561: Permanent tracheostomy (31.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 2 | 9.0 | 8 | 7 | 7 | 9 | 11 | 11 | 11 | 11 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 43.7 | 1129 | 7 | 7 | 51 | 67 | 73 | 73 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 19.0 | 72 | 13 | 13 | 25 | 81 | 99+ | 99+ | 99+ |
| 1-5 YRS | 2 | 31.5 | 85 | 25 | 25 | 31 | 38 | 38 | 38 | 38 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 5 | 58.4 | 725 | 33 | 33 | 59 | 75 | 98 | 98 | 98 |
| TOT. SINGLE DX | 6 | 26.3 | 814 | 7 | 7 | 10 | 51 | 71 | 73 | 73 |
| " MULTIPLE DX | 10 | 39.7 | 786 | 4 | 9 | 34 | 66 | 99 | 99+ | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 15.7 | 69 | 9 | 9 | 19 | 62 | 99+ | 99+ | 99+ |
| 1-5 YRS | 4 | 20.3 | 200 | 7 | 7 | 18 | 31 | 38 | 38 | 38 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 8 | 52.9 | 795 | 7 | 15 | 55 | 70 | 90 | 98 | 98 |
| GRAND TOTAL | 16 | 34.7 | 787 | 5 | 7 | 33 | 61 | 93 | 99 | 99+ |

## 562: Operations on larynx and trachea, except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 15 | 15.8 | 270 | 1 | 1 | 9 | 24 | 42 | 51 | 54 |
| 1-5 YRS | 79 | 6.1 | 20 | 1 | 1 | 5 | 8 | 13 | 17 | 19 |
| 6-12 YRS | 30 | 9.0 | 200 | 1 | 1 | 5 | 10 | 17 | 53 | 63 |
| 13-19 YRS | 48 | 11.9 | 429 | 1 | 1 | 3 | 8 | 46 | 71 | 82 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 30 | 21.7 | 328 | 3 | 5 | 19 | 31 | 66 | 98 | 99+ |
| 1-11 MOS | 39 | 31.0 | 758 | 2 | 2 | 24 | 64 | 90 | 99+ | 99+ |
| 1-5 YRS | 86 | 11.6 | 167 | 1 | 2 | 8 | 15 | 26 | 40 | 89 |
| 6-12 YRS | 45 | 15.7 | 458 | <1 | 1 | 7 | 15 | 62 | 70 | 99+ |
| 13-19 YRS | 108 | 28.7 | 609 | 2 | 3 | 26 | 51 | 90 | 99+ | 99+ |
| TOT. SINGLE DX | 173 | 9.0 | 193 | 1 | 1 | 5 | 9 | 18 | 42 | 78 |
| " MULTIPLE DX | 308 | 21.7 | 512 | 1 | 2 | 14 | 35 | 71 | 97 | 99+ |
| TOTAL 0-27 DYS | 31 | 21.2 | 328 | 3 | 4 | 18 | 31 | 63 | 98 | 99+ |
| 1-11 MOS | 54 | 26.8 | 663 | 1 | 2 | 20 | 43 | 84 | 96 | 99+ |
| 1-5 YRS | 165 | 9.0 | 104 | 1 | 1 | 6 | 11 | 18 | 26 | 71 |
| 6-12 YRS | 75 | 13.0 | 362 | 1 | 1 | 6 | 12 | 52 | 65 | 96 |
| 13-19 YRS | 156 | 23.5 | 612 | 1 | 2 | 16 | 45 | 78 | 99+ | 99+ |
| GRAND TOTAL | 481 | 17.1 | 433 | 1 | 1 | 9 | 25 | 60 | 83 | 99+ |

## 563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 7 | 8.3 | 76 | 1 | 1 | 3 | 18 | 20 | 20 | 20 |
| 1-5 YRS | 24 | 5.2 | 31 | 1 | 1 | 3 | 7 | 16 | 18 | 19 |
| 6-12 YRS | 9 | 3.3 | 3 | <1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 13-19 YRS | 52 | 6.6 | 25 | 1 | 2 | 5 | 9 | 13 | 16 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 42.0 | | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 1-11 MOS | 4 | 13.3 | 23 | 8 | 8 | 13 | 17 | 19 | 19 | 19 |
| 1-5 YRS | 12 | 5.4 | 45 | 1 | 1 | 2 | 8 | 15 | 23 | 24 |
| 6-12 YRS | 9 | 13.7 | 134 | 2 | 3 | 9 | 24 | 31 | 33 | 33 |
| 13-19 YRS | 62 | 12.0 | 170 | 2 | 2 | 9 | 14 | 21 | 35 | 84 |
| TOT. SINGLE DX | 92 | 6.0 | 29 | 1 | 1 | 4 | 9 | 13 | 18 | 25 |
| " MULTIPLE DX | 88 | 11.7 | 155 | 2 | 2 | 9 | 14 | 24 | 34 | 72 |
| TOTAL 0-27 DYS | 1 | 42.0 | | 42 | 42 | 42 | 42 | 42 | 42 | 42 |
| 1-11 MOS | 11 | 10.1 | 59 | 1 | 1 | 11 | 18 | 20 | 20 | 20 |
| 1-5 YRS | 36 | 5.3 | 35 | 1 | 1 | 3 | 8 | 16 | 19 | 24 |
| 6-12 YRS | 18 | 8.5 | 93 | 1 | 2 | 5 | 9 | 27 | 31 | 33 |
| 13-19 YRS | 114 | 9.5 | 111 | 2 | 2 | 7 | 12 | 18 | 24 | 59 |
| GRAND TOTAL | 180 | 8.8 | 98 | 1 | 2 | 6 | 11 | 18 | 24 | 42 |

## 564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 3 | 23.7 | 772 | 2 | 2 | 14 | 45 | 55 | 55 | 55 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | 4 | 19.5 | 584 | 2 | 2 | 10 | 34 | 55 | 55 | 55 |
| " MULTIPLE DX | | | | 99+ | 99+ | 99+ | 99+ | 99+ | 99+ | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 53 | 99+ | 99+ | 99+ | 99+ |
| 13-19 YRS | 3 | 23.7 | 772 | 2 | 2 | 14 | 45 | 55 | 55 | 55 |
| GRAND TOTAL | 4 | 19.5 | 584 | 2 | 2 | 14 | 66 | 99+ | 99+ | 99+ |

## 565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 37.0 | | 37 | 37 | 37 | 37 | 37 | 37 | 37 |
| 1-5 YRS | 10 | 17.6 | 371 | 6 | 6 | 10 | 17 | 49 | 69 | 69 |
| 6-12 YRS | 5 | 9.8 | 85 | 3 | 3 | 6 | 15 | 25 | 25 | 25 |
| 13-19 YRS | 74 | 11.5 | 82 | 5 | 5 | 9 | 13 | 20 | 21 | 60 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 57.0 | 3200 | 17 | 17 | 57 | 97 | 97 | 97 | 97 |
| 1-5 YRS | 16 | 18.1 | 265 | 3 | 4 | 11 | 27 | 37 | 55 | 62 |
| 6-12 YRS | 11 | 15.9 | 104 | 9 | 10 | 12 | 14 | 34 | 41 | 42 |
| 13-19 YRS | 104 | 13.8 | 66 | 5 | 6 | 11 | 19 | 26 | 29 | 40 |
| TOT. SINGLE DX | 90 | 12.4 | 120 | 4 | 5 | 9 | 13 | 21 | 30 | 68 |
| " MULTIPLE DX | 133 | 15.2 | 143 | 5 | 6 | 12 | 20 | 29 | 38 | 99+ |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 50.3 | 1733 | 17 | 17 | 37 | 82 | 97 | 97 | 97 |
| 1-5 YRS | 26 | 17.9 | 293 | 4 | 5 | 10 | 23 | 37 | 63 | 69 |
| 6-12 YRS | 16 | 14.0 | 101 | 3 | 4 | 12 | 13 | 29 | 38 | 42 |
| 13-19 YRS | 178 | 12.9 | 74 | 5 | 5 | 10 | 17 | 24 | 29 | 42 |
| GRAND TOTAL | 223 | 14.0 | 135 | 5 | 5 | 11 | 18 | 27 | 37 | 98 |

## 566: Lobectomy and complete pneumonectomy (32.4-32.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 1-5 YRS | 2 | 11.5 | 85 | 5 | 5 | 11 | 18 | 18 | 18 | 18 |
| 6-12 YRS | 3 | 11.3 | 33 | 8 | 8 | 8 | 16 | 18 | 18 | 18 |
| 13-19 YRS | 5 | 16.2 | 86 | 9 | 9 | 14 | 20 | 32 | 32 | 32 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 24.5 | 293 | 8 | 8 | 28 | 60 | 99+ | 99+ | 99+ |
| 1-11 MOS | 2 | 50.5 | 3281 | 10 | 10 | 50 | 91 | 91 | 91 | 91 |
| 1-5 YRS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 5 | 21.0 | 126 | 11 | 11 | 18 | 28 | 39 | 39 | 39 |
| 13-19 YRS | 13 | 14.2 | 21 | 8 | 8 | 14 | 18 | 19 | 21 | 21 |
| TOT. SINGLE DX | 12 | 12.9 | 55 | 5 | 6 | 10 | 17 | 22 | 31 | 32 |
| " MULTIPLE DX | 26 | 19.4 | 303 | 8 | 8 | 15 | 20 | 45 | 92 | 99+ |
| TOTAL 0-27 DYS | 4 | 24.5 | 294 | 8 | 8 | 28 | 60 | 99+ | 99+ | 99+ |
| 1-11 MOS | 4 | 29.5 | 1683 | 7 | 7 | 10 | 51 | 91 | 91 | 91 |
| 1-5 YRS | 4 | 10.0 | 33 | 5 | 5 | 8 | 14 | 18 | 18 | 18 |
| 6-12 YRS | 8 | 17.4 | 107 | 8 | 8 | 15 | 21 | 34 | 39 | 39 |
| 13-19 YRS | 18 | 14.7 | 36 | 8 | 8 | 14 | 18 | 20 | 28 | 32 |
| GRAND TOTAL | 38 | 17.4 | 230 | 7 | 8 | 14 | 18 | 36 | 71 | 99+ |

## 567: Bronchoscopy (using natural orifice) (33.22-33.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 5.9 | 17 | 1 | 1 | 5 | 9 | 12 | 13 | 13 |
| 1-11 MOS | 117 | 4.3 | 26 | <1 | 1 | 3 | 5 | 9 | 16 | 26 |
| 1-5 YRS | 289 | 3.7 | 28 | 1 | 1 | 2 | 4 | 9 | 12 | 21 |
| 6-12 YRS | 112 | 4.6 | 49 | 1 | 1 | 2 | 5 | 10 | 15 | 38 |
| 13-19 YRS | 156 | 5.5 | 40 | 1 | 1 | 4 | 7 | 12 | 17 | 37 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 15 | 25.9 | 643 | 4 | 5 | 21 | 55 | 99 | 99+ | 99+ |
| 1-11 MOS | 100 | 9.9 | 142 | 1 | 2 | 6 | 14 | 21 | 29 | 95 |
| 1-5 YRS | 212 | 8.0 | 89 | 1 | 1 | 5 | 10 | 19 | 27 | 46 |
| 6-12 YRS | 85 | 9.6 | 133 | 1 | 1 | 6 | 12 | 23 | 30 | 62 |
| 13-19 YRS | 191 | 11.1 | 144 | 2 | 3 | 8 | 14 | 21 | 34 | 85 |
| TOT. SINGLE DX | 684 | 4.4 | 34 | 1 | 1 | 2 | 5 | 10 | 14 | 31 |
| " MULTIPLE DX | 603 | 10.0 | 142 | 1 | 2 | 6 | 13 | 22 | 31 | 90 |
| TOTAL 0-27 DYS | 25 | 17.9 | 482 | 1 | 4 | 12 | 23 | 87 | 99+ | 99+ |
| 1-11 MOS | 217 | 6.9 | 87 | 1 | 1 | 4 | 8 | 17 | 23 | 61 |
| 1-5 YRS | 501 | 5.5 | 58 | 1 | 1 | 3 | 7 | 13 | 19 | 40 |
| 6-12 YRS | 197 | 6.8 | 91 | 1 | 1 | 3 | 8 | 16 | 28 | 50 |
| 13-19 YRS | 347 | 8.6 | 106 | 1 | 1 | 6 | 11 | 18 | 25 | 59 |
| GRAND TOTAL | 1287 | 7.0 | 93 | 1 | 1 | 4 | 8 | 16 | 23 | 57 |

## 568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 6 | 4.3 | 17 | 1 | 1 | 3 | 9 | 10 | 10 | 10 |
| 1-5 YRS | 4 | 2.8 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 4 | 5.3 | 51 | 1 | 1 | 2 | 9 | 16 | 16 | 16 |
| 13-19 YRS | 67 | 6.0 | 13 | 2 | 2 | 5 | 8 | 11 | 12 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 24 | 13.9 | 308 | 1 | 2 | 6 | 16 | 35 | 62 | 70 |
| 1-11 MOS | 2 | 11.5 | 145 | 3 | 3 | 20 | 80 | 99+ | 99+ | 99+ |
| 1-5 YRS | 9 | 16.7 | 196 | 6 | 6 | 10 | 21 | 41 | 45 | 45 |
| 6-12 YRS | 8 | 13.0 | 55 | 4 | 5 | 13 | 18 | 24 | 24 | 24 |
| 13-19 YRS | 49 | 11.4 | 162 | 3 | 3 | 7 | 13 | 20 | 47 | 63 |
| TOT. SINGLE DX | 82 | 5.7 | 15 | 1 | 2 | 5 | 8 | 10 | 13 | 19 |
| " MULTIPLE DX | 92 | 12.7 | 189 | 3 | 3 | 8 | 15 | 28 | 56 | 87 |
| TOTAL 0-27 DYS | 25 | 13.4 | 300 | 1 | 3 | 6 | 16 | 33 | 61 | 70 |
| 1-11 MOS | 8 | 6.1 | 44 | 1 | 1 | 4 | 12 | 68 | 99+ | 99+ |
| 1-5 YRS | 13 | 12.4 | 177 | 1 | 1 | 8 | 13 | 38 | 44 | 45 |
| 6-12 YRS | 12 | 10.4 | 64 | 1 | 2 | 10 | 15 | 23 | 24 | 24 |
| 13-19 YRS | 116 | 8.3 | 82 | 2 | 2 | 6 | 9 | 15 | 20 | 61 |
| GRAND TOTAL | 174 | 9.4 | 119 | 1 | 2 | 6 | 10 | 19 | 31 | 68 |

## 569: Thoracotomy (34.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 12.5 | 6 | 9 | 9 | 13 | 14 | 15 | 15 | 15 |
| 1-11 MOS | 3 | 18.3 | 86 | 8 | 8 | 21 | 25 | 26 | 26 | 26 |
| 1-5 YRS | 23 | 7.7 | 40 | <1 | 1 | 5 | 11 | 18 | 21 | 22 |
| 6-12 YRS | 31 | 5.8 | 19 | <1 | 1 | 4 | 9 | 12 | 14 | 18 |
| 13-19 YRS | 572 | 6.4 | 19 | 2 | 3 | 5 | 8 | 11 | 16 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 308 | 18.2 | 378 | 3 | 4 | 10 | 22 | 54 | 78 | 99+ |
| 1-11 MOS | 24 | 15.8 | 233 | 3 | 4 | 12 | 19 | 36 | 82 | 99+ |
| 1-5 YRS | 54 | 14.7 | 172 | 3 | 5 | 11 | 18 | 26 | 34 | 87 |
| 6-12 YRS | 69 | 12.2 | 71 | 4 | 4 | 10 | 16 | 25 | 30 | 39 |
| 13-19 YRS | 535 | 10.4 | 109 | 3 | 3 | 7 | 12 | 20 | 29 | 75 |
| TOT. SINGLE DX | 633 | 6.5 | 21 | 2 | 3 | 5 | 8 | 12 | 16 | 24 |
| " MULTIPLE DX | 990 | 13.3 | 209 | 3 | 4 | 9 | 15 | 30 | 50 | 99+ |
| TOTAL 0-27 DYS | 312 | 18.1 | 375 | 3 | 4 | 11 | 22 | 54 | 78 | 99+ |
| 1-11 MOS | 27 | 16.1 | 214 | 3 | 4 | 13 | 20 | 34 | 78 | 99+ |
| 1-5 YRS | 77 | 12.6 | 143 | 1 | 3 | 9 | 17 | 24 | 27 | 76 |
| 6-12 YRS | 100 | 10.2 | 64 | 1 | 3 | 8 | 13 | 22 | 27 | 37 |
| 13-19 YRS | 1107 | 8.3 | 67 | 3 | 3 | 6 | 9 | 16 | 22 | 46 |
| GRAND TOTAL | 1623 | 10.7 | 146 | 3 | 3 | 7 | 12 | 22 | 36 | 89 |

## 570: Operations on chest wall, pleura, and mediastinum, except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 17 | 7.3 | 102 | <1 | 1 | 2 | 8 | 27 | 32 | 33 |
| 1-5 YRS | 123 | 5.1 | 9 | <1 | 1 | 5 | 6 | 8 | 10 | 16 |
| 6-12 YRS | 120 | 5.2 | 8 | 1 | 1 | 6 | 6 | 8 | 10 | 16 |
| 13-19 YRS | 237 | 7.4 | 36 | 1 | 2 | 6 | 9 | 12 | 17 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 6.8 | 9 | 4 | 4 | 6 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 5 | 15.0 | 126 | 2 | 2 | 12 | 25 | 29 | 29 | 29 |
| 1-5 YRS | 28 | 7.5 | 47 | 1 | 2 | 6 | 9 | 14 | 21 | 36 |
| 6-12 YRS | 44 | 9.7 | 76 | 1 | 1 | 8 | 12 | 16 | 24 | 51 |
| 13-19 YRS | 156 | 11.4 | 92 | 2 | 3 | 9 | 15 | 21 | 28 | 50 |
| TOT. SINGLE DX | 498 | 6.3 | 26 | 1 | 2 | 6 | 8 | 10 | 13 | 27 |
| " MULTIPLE DX | 237 | 10.6 | 85 | 2 | 2 | 8 | 13 | 20 | 28 | 50 |
| TOTAL 0-27 DYS | 5 | 5.8 | 12 | 2 | 2 | 5 | 8 | 11 | 11 | 11 |
| 1-11 MOS | 22 | 9.0 | 113 | <1 | 1 | 3 | 13 | 29 | 31 | 33 |
| 1-5 YRS | 151 | 5.5 | 17 | 1 | 1 | 5 | 6 | 9 | 11 | 22 |
| 6-12 YRS | 164 | 6.4 | 31 | 1 | 1 | 6 | 8 | 11 | 15 | 29 |
| 13-19 YRS | 393 | 9.0 | 62 | 2 | 2 | 7 | 10 | 17 | 21 | 45 |
| GRAND TOTAL | 735 | 7.7 | 49 | 1 | 2 | 6 | 9 | 15 | 20 | 37 |

## 571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 6.7 | 24 | 1 | 1 | 9 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 36 | 11.7 | 18 | 6 | 7 | 11 | 14 | 18 | 20 | 21 |
| 1-5 YRS | 152 | 9.9 | 35 | 6 | 6 | 9 | 11 | 13 | 18 | 28 |
| 6-12 YRS | 69 | 9.0 | 11 | 6 | 6 | 8 | 10 | 12 | 17 | 23 |
| 13-19 YRS | 64 | 9.6 | 10 | 6 | 7 | 9 | 11 | 13 | 15 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 17 | 16.2 | 350 | 1 | 2 | 10 | 21 | 39 | 64 | 76 |
| 1-11 MOS | 114 | 15.8 | 172 | 7 | 8 | 11 | 17 | 36 | 43 | 75 |
| 1-5 YRS | 197 | 12.6 | 95 | 7 | 7 | 10 | 12 | 21 | 30 | 64 |
| 6-12 YRS | 91 | 11.2 | 41 | 7 | 7 | 9 | 12 | 17 | 25 | 41 |
| 13-19 YRS | 83 | 13.0 | 52 | 8 | 8 | 10 | 14 | 22 | 29 | 43 |
| TOT. SINGLE DX | 324 | 9.8 | 24 | 6 | 6 | 9 | 11 | 14 | 18 | 25 |
| " MULTIPLE DX | 502 | 13.3 | 106 | 7 | 7 | 10 | 14 | 23 | 36 | 64 |
| TOTAL 0-27 DYS | 20 | 14.8 | 310 | 1 | 2 | 9 | 18 | 33 | 59 | 76 |
| 1-11 MOS | 150 | 14.8 | 138 | 7 | 7 | 11 | 16 | 27 | 42 | 74 |
| 1-5 YRS | 349 | 11.4 | 71 | 6 | 7 | 9 | 12 | 18 | 24 | 57 |
| 6-12 YRS | 160 | 10.3 | 29 | 6 | 7 | 9 | 11 | 16 | 21 | 36 |
| 13-19 YRS | 147 | 11.5 | 37 | 7 | 7 | 10 | 12 | 18 | 25 | 38 |
| GRAND TOTAL | 826 | 11.9 | 77 | 6 | 7 | 9 | 12 | 19 | 27 | 51 |

## 572: Direct heart revascularization (36.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 3 | 19.7 | 33 | 13 | 13 | 23 | 23 | 23 | 23 | 23 |
| 13-19 YRS | 1 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 20.3 | 257 | 10 | 10 | 13 | 30 | 44 | 44 | 44 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 6 | 15.8 | 30 | 9 | 9 | 14 | 22 | 23 | 23 | 23 |
| TOT. SINGLE DX | 7 | 16.3 | 24 | 11 | 11 | 15 | 21 | 23 | 23 | 23 |
| " MULTIPLE DX | 11 | 16.9 | 103 | 9 | 9 | 13 | 20 | 31 | 43 | 44 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 19.4 | 197 | 10 | 10 | 16 | 23 | 44 | 44 | 44 |
| 1-5 YRS | 2 | 12.0 | 2 | 11 | 11 | 12 | 13 | 13 | 13 | 13 |
| 6-12 YRS | 3 | 19.7 | 33 | 13 | 13 | 23 | 23 | 23 | 23 | 23 |
| 13-19 YRS | 7 | 15.7 | 26 | 9 | 10 | 15 | 20 | 23 | 23 | 23 |
| GRAND TOTAL | 18 | 16.7 | 69 | 9 | 10 | 14 | 22 | 23 | 36 | 44 |

## 573: Cardiac catheterization (37.21-37.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 11 | 4.9 | 54 | <1 | <1 | 2 | 5 | 15 | 25 | 26 |
| 1-11 MOS | 167 | 2.1 | 2 | 1 | 1 | 2 | 2 | 3 | 5 | 9 |
| 1-5 YRS | 473 | 2.0 | 2 | 1 | 1 | 2 | 2 | 2 | 4 | 9 |
| 6-12 YRS | 221 | 1.9 | | 1 | 1 | 2 | 2 | 2 | 3 | 6 |
| 13-19 YRS | 277 | 2.3 | 5 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 81 | 11.2 | 204 | 1 | 2 | 6 | 12 | 31 | 44 | 68 |
| 1-11 MOS | 367 | 5.1 | 67 | 1 | 1 | 2 | 4 | 12 | 24 | 44 |
| 1-5 YRS | 598 | 2.6 | 14 | 1 | 1 | 2 | 2 | 3 | 7 | 17 |
| 6-12 YRS | 296 | 2.4 | 9 | 1 | 1 | 2 | 2 | 3 | 4 | 13 |
| 13-19 YRS | 297 | 3.2 | 11 | 1 | 2 | 2 | 3 | 6 | 10 | 18 |
| TOT. SINGLE DX | 1149 | 2.1 | 3 | 1 | 1 | 2 | 2 | 3 | 4 | 9 |
| " MULTIPLE DX | 1639 | 3.7 | 38 | 1 | 1 | 2 | 2 | 7 | 13 | 34 |
| TOTAL 0-27 DYS | 92 | 10.5 | 190 | 1 | 1 | 5 | 11 | 28 | 40 | 68 |
| 1-11 MOS | 534 | 4.2 | 49 | 1 | 1 | 2 | 3 | 9 | 19 | 42 |
| 1-5 YRS | 1071 | 2.3 | 9 | 1 | 1 | 2 | 2 | 3 | 6 | 15 |
| 6-12 YRS | 517 | 2.2 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 10 |
| 13-19 YRS | 574 | 2.8 | 9 | 1 | 1 | 2 | 2 | 5 | 7 | 17 |
| GRAND TOTAL | 2788 | 3.0 | 24 | 1 | 1 | 2 | 2 | 5 | 9 | 27 |

## 574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 4.4 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 9 | 4.4 | 3 | 2 | 2 | 5 | 5 | 7 | 8 | 8 |
| 6-12 YRS | 8 | 5.8 | 26 | 2 | 2 | 4 | 5 | 14 | 18 | 18 |
| 13-19 YRS | 17 | 5.6 | 9 | 1 | 3 | 5 | 7 | 8 | 12 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 5 | 16.4 | 305 | 3 | 3 | 9 | 25 | 46 | 46 | 46 |
| 1-5 YRS | 10 | 17.9 | 790 | 2 | 3 | 8 | 13 | 61 | 95 | 95 |
| 6-12 YRS | 17 | 9.8 | 27 | 2 | 3 | 9 | 13 | 16 | 19 | 21 |
| 13-19 YRS | 28 | 9.0 | 59 | 2 | 3 | 6 | 11 | 21 | 28 | 33 |
| TOT. SINGLE DX | 41 | 5.3 | 10 | 2 | 2 | 5 | 7 | 8 | 12 | 18 |
| " MULTIPLE DX | 61 | 11.3 | 186 | 2 | 3 | 7 | 12 | 22 | 30 | 93 |
| TOTAL 0-27 DYS | 3 | 7.7 | 6 | 5 | 5 | 8 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 10 | 10.4 | 178 | 2 | 2 | 5 | 9 | 32 | 46 | 46 |
| 1-5 YRS | 19 | 11.5 | 444 | 2 | 2 | 5 | 9 | 22 | 65 | 95 |
| 6-12 YRS | 25 | 8.5 | 29 | 2 | 2 | 7 | 13 | 16 | 19 | 21 |
| 13-19 YRS | 45 | 7.7 | 43 | 2 | 3 | 6 | 8 | 14 | 25 | 33 |
| GRAND TOTAL | 102 | 8.9 | 123 | 2 | 3 | 6 | 10 | 15 | 25 | 69 |

## 575: Miscellaneous operations on heart (35.0; 35.52; 36.0; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 4 | 7.5 | 25 | 1 | 1 | 8 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 15 | 8.9 | 19 | 2 | 4 | 8 | 11 | 18 | 18 | 18 |
| 6-12 YRS | 11 | 11.3 | 116 | 1 | 3 | 8 | 11 | 26 | 41 | 42 |
| 13-19 YRS | 17 | 10.6 | 77 | 2 | 4 | 9 | 11 | 19 | 33 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 19.0 | | 19 | 19 | 19 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 17 | 12.0 | 43 | 3 | 6 | 10 | 16 | 21 | 26 | 28 |
| 1-5 YRS | 15 | 12.5 | 117 | 1 | 2 | 9 | 14 | 23 | 40 | 46 |
| 6-12 YRS | 20 | 13.1 | 124 | 1 | 3 | 9 | 15 | 29 | 38 | 46 |
| 13-19 YRS | 44 | 12.7 | 59 | 4 | 7 | 11 | 16 | 21 | 24 | 46 |
| TOT. SINGLE DX | 48 | 9.8 | 61 | 1 | 2 | 8 | 11 | 17 | 22 | 42 |
| " MULTIPLE DX | 97 | 12.7 | 76 | 2 | 5 | 10 | 16 | 23 | 29 | 47 |
| TOTAL 0-27 DYS | 2 | 10.5 | 145 | 2 | 2 | 10 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 21 | 11.1 | 42 | 2 | 4 | 10 | 15 | 20 | 25 | 28 |
| 1-5 YRS | 30 | 10.7 | 70 | 2 | 3 | 9 | 11 | 18 | 23 | 46 |
| 6-12 YRS | 31 | 12.5 | 119 | 1 | 4 | 9 | 14 | 29 | 41 | 46 |
| 13-19 YRS | 61 | 12.1 | 64 | 3 | 5 | 10 | 15 | 21 | 24 | 47 |
| GRAND TOTAL | 145 | 11.7 | 73 | 2 | 4 | 10 | 14 | 21 | 28 | 46 |

## 576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 140 | 3.8 | 2 | 2 | 2 | 3 | 5 | 6 | 7 | 8 |
| 1-11 MOS | 123 | 3.6 | 14 | <1 | <1 | 2 | 5 | 9 | 12 | 18 |
| 1-5 YRS | 364 | 2.8 | 9 | <1 | <1 | 2 | 4 | 6 | 9 | 13 |
| 6-12 YRS | 197 | 3.0 | 20 | <1 | <1 | 1 | 2 | 7 | 11 | 24 |
| 13-19 YRS | 150 | 3.8 | 15 | <1 | 1 | 2 | 5 | 10 | 12 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 797 | 5.1 | 36 | 2 | 3 | 4 | 5 | 8 | 12 | 40 |
| 1-11 MOS | 134 | 9.3 | 82 | 1 | 2 | 7 | 12 | 19 | 24 | 52 |
| 1-5 YRS | 264 | 5.8 | 41 | <1 | 1 | 4 | 8 | 13 | 17 | 26 |
| 6-12 YRS | 157 | 5.4 | 28 | 1 | 1 | 3 | 8 | 14 | 16 | 25 |
| 13-19 YRS | 216 | 8.8 | 88 | 1 | 1 | 6 | 12 | 21 | 28 | 52 |
| TOT. SINGLE DX | 974 | 3.2 | 12 | <1 | <1 | 2 | 4 | 7 | 10 | 17 |
| " MULTIPLE DX | 1568 | 6.1 | 90 | 1 | 2 | 4 | 7 | 13 | 19 | 44 |
| TOTAL 0-27 DYS | 937 | 4.9 | 32 | 2 | 3 | 4 | 9 | 7 | 10 | 28 |
| 1-11 MOS | 257 | 6.6 | 58 | <1 | 1 | 4 | 9 | 14 | 20 | 38 |
| 1-5 YRS | 628 | 4.1 | 25 | <1 | <1 | 2 | 5 | 10 | 12 | 21 |
| 6-12 YRS | 354 | 4.1 | 25 | <1 | 1 | 2 | 5 | 10 | 15 | 25 |
| 13-19 YRS | 366 | 6.7 | 64 | 1 | 1 | 4 | 9 | 16 | 22 | 46 |
| GRAND TOTAL | 2542 | 5.0 | 38 | <1 | 1 | 3 | 6 | 11 | 15 | 29 |

### 577: Ligation and stripping of varicose veins (38.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 9 | 3.9 | 9 | 1 | 1 | 3 | 5 | 9 | 10 | 10 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 119 | 3.6 | 2 | 2 | 2 | 3 | 4 | 6 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 20 | 5.3 | 16 | 1 | 2 | 4 | 6 | 13 | 15 | 15 |
| TOT. SINGLE DX | 131 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 10 |
| " MULTIPLE DX | 22 | 5.0 | 16 | 1 | 2 | 3 | 5 | 12 | 15 | 15 |
| TOTAL 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 10 | 3.8 | 8 | 1 | 1 | 3 | 4 | 9 | 10 | 10 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 139 | 3.9 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |
| GRAND TOTAL | 153 | 3.9 | 5 | 2 | 2 | 3 | 4 | 6 | 8 | 15 |

### 578: Systemic shunt or graft bypass (39.0-39.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 18 | 5 | 5 | 8 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 11 | 8.8 | 6 | 5 | 6 | 9 | 10 | 12 | 13 | 15 |
| 1-5 YRS | 8 | 10.4 | 51 | 5 | 5 | 8 | 11 | 23 | 27 | 27 |
| 6-12 YRS | 8 | 8.9 | 70 | 2 | 2 | 6 | 11 | 23 | 27 | 27 |
| 13-19 YRS | 35 | 10.3 | 138 | 1 | 2 | 7 | 13 | 18 | 37 | 58 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 24.4 | 667 | 5 | 9 | 15 | 30 | 87 | 97 | 99+ |
| 1-11 MOS | 26 | 15.3 | 103 | 7 | 7 | 12 | 18 | 28 | 42 | 46 |
| 1-5 YRS | 35 | 11.1 | 52 | 5 | 6 | 9 | 13 | 26 | 80 | 99+ |
| 6-12 YRS | 15 | 15.7 | 64 | 6 | 7 | 15 | 24 | 29 | 79 | 99+ |
| 13-19 YRS | 104 | 14.2 | 175 | 2 | 3 | 11 | 17 | 29 | 39 | 70 |
| TOT. SINGLE DX | 64 | 9.8 | 90 | 2 | 2 | 7 | 12 | 17 | 29 | 55 |
| " MULTIPLE DX | 194 | 14.6 | 175 | 3 | 4 | 11 | 17 | 30 | 46 | 99+ |
| TOTAL 0-27 DYS | 16 | 22.3 | 611 | 4 | 6 | 13 | 23 | 85 | 95 | 99+ |
| 1-11 MOS | 37 | 13.4 | 83 | 6 | 7 | 10 | 15 | 23 | 37 | 46 |
| 1-5 YRS | 43 | 11.0 | 51 | 5 | 6 | 9 | 13 | 27 | 57 | 99+ |
| 6-12 YRS | 23 | 13.3 | 74 | 2 | 5 | 11 | 23 | 27 | 90 | 99+ |
| 13-19 YRS | 139 | 13.2 | 168 | 2 | 2 | 10 | 16 | 29 | 39 | 64 |
| GRAND TOTAL | 258 | 13.4 | 158 | 2 | 3 | 10 | 16 | 28 | 42 | 99+ |

### 579: Extracorporeal circulation (39.61)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | 2 | 9.5 | 5 | 8 | 8 | 9 | 11 | 11 | 11 | 11 |
| " MULTIPLE DX | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 2 | 17.5 | 85 | 11 | 11 | 17 | 24 | 24 | 24 | 24 |
| 13-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| GRAND TOTAL | 4 | 13.5 | 51 | 8 | 8 | 11 | 18 | 24 | 24 | 24 |

### 580: Hemodialysis (39.95)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 13 | 2.2 | 5 | <1 | <1 | 1 | 2 | 6 | 8 | 8 |
| 13-19 YRS | 21 | 4.3 | 19 | <1 | <1 | 2 | 7 | 11 | 13 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 21 | 5.0 | 62 | <1 | <1 | 3 | 5 | 11 | 24 | 37 |
| 13-19 YRS | 206 | 4.2 | 28 | <1 | <1 | 2 | 5 | 11 | 16 | 27 |
| TOT. SINGLE DX | 37 | 3.3 | 14 | <1 | <1 | 1 | 4 | 10 | 11 | 16 |
| " MULTIPLE DX | 229 | 4.4 | 31 | <1 | <1 | 2 | 5 | 11 | 16 | 31 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 4 | 2.8 | 12 | 1 | 1 | 1 | 5 | 8 | 8 | 8 |
| 6-12 YRS | 34 | 3.9 | 42 | <1 | <1 | 2 | 4 | 8 | 12 | 37 |
| 13-19 YRS | 227 | 4.3 | 27 | <1 | <1 | 2 | 6 | 11 | 16 | 25 |
| GRAND TOTAL | 266 | 4.2 | 29 | <1 | <1 | 2 | 5 | 11 | 15 | 29 |

## 581: Other operations on blood vessels (38.0-38.21; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 103 | 9.4 | 125 | 1 | 2 | 5 | 10 | 20 | 40 | 61 |
| 1-11 MOS | 173 | 9.0 | 30 | 2 | 3 | 8 | 11 | 16 | 21 | 32 |
| 1-5 YRS | 315 | 7.5 | 42 | 1 | 2 | 6 | 10 | 13 | 16 | 28 |
| 6-12 YRS | 118 | 5.8 | 32 | 1 | 1 | 5 | 8 | 11 | 13 | 31 |
| 13-19 YRS | 245 | 5.7 | 29 | 1 | 1 | 4 | 8 | 11 | 17 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4726 | 20.7 | 407 | 2 | 4 | 13 | 30 | 55 | 74 | 99+ |
| 1-11 MOS | 394 | 12.0 | 107 | 2 | 4 | 9 | 15 | 25 | 37 | 99+ |
| 1-5 YRS | 406 | 10.8 | 152 | 2 | 3 | 7 | 12 | 21 | 37 | 99 |
| 6-12 YRS | 159 | 9.7 | 139 | 1 | 1 | 7 | 11 | 24 | 34 | 53 |
| 13-19 YRS | 537 | 11.5 | 211 | 1 | 1 | 6 | 13 | 28 | 45 | 76 |
| TOT. SINGLE DX | 954 | 7.3 | 47 | 1 | 1 | 6 | 9 | 14 | 19 | 37 |
| " MULTIPLE DX | 6222 | 18.5 | 365 | 2 | 3 | 11 | 26 | 50 | 69 | 99+ |
| TOTAL 0-27 DYS | 4829 | 20.5 | 404 | 2 | 4 | 13 | 30 | 54 | 73 | 99+ |
| 1-11 MOS | 567 | 11.1 | 86 | 2 | 4 | 8 | 13 | 21 | 33 | 83 |
| 1-5 YRS | 721 | 9.4 | 107 | 1 | 2 | 7 | 11 | 17 | 24 | 77 |
| 6-12 YRS | 277 | 8.0 | 97 | 1 | 1 | 5 | 9 | 16 | 27 | 46 |
| 13-19 YRS | 782 | 9.7 | 162 | 1 | 1 | 6 | 11 | 21 | 36 | 72 |
| GRAND TOTAL | 7176 | 17.0 | 337 | 1 | 3 | 10 | 22 | 46 | 64 | 99+ |

## 582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 67 | 4.3 | 13 | <1 | 1 | 3 | 5 | 10 | 12 | 17 |
| 1-5 YRS | 442 | 2.8 | 7 | <1 | <1 | 2 | 3 | 6 | 8 | 15 |
| 6-12 YRS | 542 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 10 | 17 |
| 13-19 YRS | 991 | 3.4 | 14 | <1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 18.8 | 259 | 5 | 5 | 24 | 41 | 89 | 99+ | 99+ |
| 1-11 MOS | 42 | 8.8 | 82 | 2 | 3 | 7 | 10 | 14 | 18 | 59 |
| 1-5 YRS | 163 | 5.4 | 32 | 1 | 1 | 4 | 8 | 11 | 13 | 24 |
| 6-12 YRS | 175 | 4.7 | 29 | <1 | 1 | 3 | 5 | 10 | 15 | 34 |
| 13-19 YRS | 353 | 5.7 | 43 | 1 | 1 | 3 | 7 | 13 | 17 | 25 |
| TOT. SINGLE DX | 2044 | 3.2 | 12 | <1 | 1 | 2 | 3 | 7 | 10 | 17 |
| " MULTIPLE DX | 739 | 5.7 | 43 | 1 | 1 | 4 | 7 | 12 | 16 | 35 |
| TOTAL 0-27 DYS | 8 | 14.4 | 254 | 1 | 1 | 7 | 30 | 78 | 99+ | 99+ |
| 1-11 MOS | 109 | 6.0 | 44 | 1 | 1 | 4 | 8 | 12 | 14 | 37 |
| 1-5 YRS | 605 | 3.5 | 15 | <1 | 1 | 2 | 4 | 8 | 11 | 17 |
| 6-12 YRS | 717 | 3.4 | 16 | <1 | 1 | 2 | 4 | 8 | 11 | 19 |
| 13-19 YRS | 1344 | 4.0 | 23 | <1 | 1 | 2 | 4 | 9 | 13 | 23 |
| GRAND TOTAL | 2783 | 3.9 | 21 | <1 | 1 | 2 | 4 | 9 | 12 | 21 |

## 583: Radical excision of lymph nodes (40.3-40.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 15 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 5 | 5 |
| 6-12 YRS | 15 | 2.1 | | <1 | 1 | 2 | 3 | 3 | 4 | 4 |
| 13-19 YRS | 49 | 4.8 | 12 | 1 | 2 | 4 | 7 | 10 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 6 | 4.0 | 4 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 7 | 6.1 | 26 | 2 | 2 | 4 | 9 | 15 | 16 | 16 |
| 13-19 YRS | 24 | 8.0 | 29 | 1 | 2 | 7 | 11 | 15 | 18 | 24 |
| TOT. SINGLE DX | 80 | 3.7 | 10 | <1 | 1 | 2 | 5 | 8 | 11 | 13 |
| " MULTIPLE DX | 38 | 6.9 | 26 | 1 | 2 | 6 | 10 | 14 | 16 | 24 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 21 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 22 | 3.4 | 12 | <1 | 1 | 2 | 3 | 7 | 12 | 16 |
| 13-19 YRS | 73 | 5.9 | 20 | 1 | 2 | 4 | 8 | 13 | 13 | 22 |
| GRAND TOTAL | 118 | 4.7 | 17 | 1 | 1 | 3 | 7 | 11 | 13 | 19 |

## 584: Miscellaneous operations on lymphatic system (40.6-40.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 29.0 | 1488 | 1 | 1 | 13 | 58 | 73 | 73 | 73 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| " MULTIPLE DX | 3 | 29.0 | 1488 | 1 | 1 | 13 | 58 | 73 | 73 | 73 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 29.0 | 1488 | 1 | 1 | 13 | 58 | 73 | 73 | 73 |
| 1-5 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| GRAND TOTAL | 5 | 21.0 | 889 | 1 | 1 | 13 | 30 | 73 | 73 | 73 |

## 585: Bone marrow transplant (41.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | | | | | | | | | | |
| **TOT. SINGLE DX** | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **" MULTIPLE DX** | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| **GRAND TOTAL** | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |

## 586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 34 | 7.8 | 134 | 1 | 1 | 5 | 7 | 14 | 40 | 56 |
| 1-5 YRS | 316 | 7.5 | 85 | 1 | 1 | 5 | 9 | 15 | 22 | 54 |
| 6-12 YRS | 364 | 6.9 | 35 | 2 | 2 | 6 | 8 | 12 | 18 | 30 |
| 13-19 YRS | 592 | 8.9 | 78 | 2 | 3 | 7 | 9 | 16 | 24 | 49 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 19 | 16.8 | 313 | 4 | 5 | 10 | 16 | 44 | 64 | 73 |
| 1-11 MOS | 56 | 8.3 | 36 | 2 | 3 | 7 | 12 | 16 | 20 | 29 |
| 1-5 YRS | 252 | 9.6 | 115 | 1 | 2 | 7 | 11 | 20 | 29 | 69 |
| 6-12 YRS | 368 | 10.9 | 95 | 2 | 3 | 8 | 13 | 24 | 31 | 58 |
| 13-19 YRS | 855 | 12.5 | 142 | 3 | 4 | 9 | 14 | 26 | 38 | 76 |
| **TOT. SINGLE DX** | 1307 | 8.0 | 71 | 1 | 2 | 6 | 9 | 14 | 21 | 45 |
| **" MULTIPLE DX** | 1550 | 11.5 | 126 | 2 | 3 | 8 | 13 | 25 | 35 | 73 |
| TOTAL 0-27 DYS | 20 | 16.2 | 305 | 3 | 4 | 10 | 16 | 41 | 62 | 73 |
| 1-11 MOS | 90 | 8.1 | 72 | 1 | 2 | 5 | 10 | 16 | 20 | 52 |
| 1-5 YRS | 568 | 8.4 | 100 | 1 | 1 | 6 | 10 | 17 | 25 | 67 |
| 6-12 YRS | 732 | 8.9 | 7C | 2 | 3 | 7 | 10 | 18 | 25 | 43 |
| 13-19 YRS | 1447 | 11.0 | 119 | 2 | 4 | 8 | 12 | 23 | 35 | 71 |
| **GRAND TOTAL** | 2857 | 9.9 | 104 | 2 | 3 | 7 | 11 | 20 | 30 | 62 |

## 587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 9 | 4.7 | 2 | 3 | 3 | 4 | 5 | 7 | 8 | 8 |
| 1-11 MOS | 24 | 12.0 | 175 | 2 | 2 | 8 | 14 | 27 | 44 | 59 |
| 1-5 YRS | 35 | 12.8 | 342 | 1 | 2 | 5 | 11 | 39 | 52 | 87 |
| 6-12 YRS | 10 | 10.7 | 104 | 1 | 1 | 8 | 14 | 26 | 35 | 35 |
| 13-19 YRS | 33 | 8.0 | 68 | 1 | 2 | 5 | 11 | 18 | 28 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 152 | 14.4 | 365 | 3 | 3 | 6 | 15 | 57 | 76 | 99+ |
| 1-11 MOS | 68 | 16.7 | 321 | 2 | 3 | 11 | 20 | 38 | 61 | 80 |
| 1-5 YRS | 44 | 14.2 | 289 | 2 | 2 | 8 | 27 | 35 | 94 | 99+ |
| 6-12 YRS | 25 | 13.7 | 425 | <1 | 1 | 8 | 15 | 34 | 50 | 99 |
| 13-19 YRS | 60 | 18.8 | 309 | 1 | 2 | 15 | 28 | 43 | 62 | 98 |
| **TOT. SINGLE DX** | 111 | 10.3 | 178 | 1 | 2 | 5 | 12 | 26 | 37 | 70 |
| **" MULTIPLE DX** | 349 | 15.5 | 341 | 2 | 3 | 8 | 21 | 41 | 73 | 99+ |
| TOTAL 0-27 DYS | 161 | 13.8 | 350 | 3 | 3 | 6 | 14 | 47 | 75 | 99+ |
| 1-11 MOS | 92 | 15.5 | 286 | 2 | 3 | 9 | 19 | 37 | 58 | 80 |
| 1-5 YRS | 79 | 13.5 | 309 | 1 | 2 | 7 | 19 | 37 | 70 | 99+ |
| 6-12 YRS | 35 | 12.8 | 330 | <1 | 1 | 8 | 14 | 34 | 38 | 99 |
| 13-19 YRS | 93 | 15.0 | 250 | 1 | 2 | 10 | 22 | 35 | 57 | 92 |
| **GRAND TOTAL** | 460 | 14.3 | 306 | 1 | 2 | 7 | 18 | 37 | 63 | 99+ |

## 588: Operations on esophagus (42.0-42.21; 42.24; 42.3-42.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 20 | 3.6 | 15 | <1 | <1 | 2 | 4 | 7 | 13 | 18 |
| 1-5 YRS | 78 | 2.8 | 13 | <1 | <1 | 2 | 2 | 6 | 8 | 23 |
| 6-12 YRS | 29 | 3.8 | 25 | <1 | <1 | 1 | 3 | 14 | 16 | 17 |
| 13-19 YRS | 80 | 4.5 | 27 | <1 | 1 | 3 | 6 | 10 | 11 | 32 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 16 | 21.6 | 254 | 3 | 6 | 14 | 33 | 50 | 52 | 52 |
| 1-11 MOS | 9 | 17.6 | 810 | 2 | 2 | 5 | 16 | 67 | 89 | 89 |
| 1-5 YRS | 42 | 10.7 | 175 | <1 | 1 | 5 | 18 | 27 | 41 | 54 |
| 6-12 YRS | 28 | 5.9 | 35 | 1 | 1 | 4 | 7 | 14 | 17 | 28 |
| 13-19 YRS | 78 | 8.7 | 61 | <1 | 2 | 7 | 11 | 20 | 22 | 44 |
| **TOT. SINGLE DX** | 208 | 3.6 | 21 | <1 | 1 | 2 | 4 | 8 | 12 | 22 |
| **" MULTIPLE DX** | 173 | 10.4 | 154 | 1 | 1 | 7 | 12 | 24 | 34 | 54 |
| TOTAL 0-27 DYS | 17 | 20.5 | 261 | 2 | 3 | 14 | 32 | 49 | 52 | 52 |
| 1-11 MOS | 29 | 7.9 | 286 | <1 | <1 | 3 | 6 | 15 | 36 | 89 |
| 1-5 YRS | 120 | 5.6 | 83 | <1 | <1 | 2 | 5 | 17 | 26 | 51 |
| 6-12 YRS | 57 | 4.8 | 31 | <1 | 1 | 2 | 7 | 14 | 16 | 27 |
| 13-19 YRS | 158 | 6.6 | 48 | <1 | 1 | 4 | 9 | 13 | 20 | 39 |
| **GRAND TOTAL** | 381 | 6.7 | 92 | <1 | 1 | 3 | 8 | 16 | 24 | 51 |

## 589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 590: Gastrotomy, pyloromyotomy (43.0; 43.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 413 | 4.2 | 6 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| 1-11 MOS | 959 | 4.1 | 4 | 2 | 2 | 4 | 5 | 6 | 8 | 11 |
| 1-5 YRS | 127 | 4.6 | 3 | 2 | 3 | 4 | 6 | 7 | 8 | 10 |
| 6-12 YRS | 7 | 5.3 | 10 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 6 | 5.5 | 9 | 1 | 1 | 6 | 8 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 97 | 7.5 | 55 | 3 | 3 | 6 | 8 | 11 | 18 | 45 |
| 1-11 MOS | 210 | 5.6 | 10 | 2 | 3 | 5 | 7 | 10 | 12 | 18 |
| 1-5 YRS | 29 | 8.1 | 22 | 3 | 4 | 7 | 9 | 16 | 19 | 21 |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 5 | 13.4 | 60 | 3 | 3 | 12 | 19 | 24 | 24 | 24 |
| TOT. SINGLE DX | 1512 | 4.2 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 342 | 6.5 | 27 | 2 | 3 | 5 | 7 | 11 | 14 | 26 |
| TOTAL 0-27 DYS | 510 | 4.8 | 18 | 2 | 2 | 4 | 6 | 8 | 9 | 21 |
| 1-11 MOS | 1169 | 4.3 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 1-5 YRS | 156 | 5.3 | 9 | 2 | 3 | 5 | 6 | 8 | 10 | 19 |
| 6-12 YRS | 8 | 5.4 | 9 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 11 | 9.1 | 46 | 1 | 2 | 8 | 12 | 20 | 24 | 24 |
| GRAND TOTAL | 1854 | 4.6 | 10 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |

## 591: Gastrostomy (43.1-43.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 4.7 | 40 | 1 | 1 | 1 | 9 | 12 | 12 | 12 |
| 1-11 MOS | 1 | 72.0 | | 72 | 72 | 72 | 72 | 72 | 72 | 72 |
| 1-5 YRS | 8 | 4.8 | 6 | 1 | 2 | 4 | 7 | 8 | 8 | 8 |
| 6-12 YRS | 3 | 7.0 | 4 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 9 | 9.9 | 47 | 2 | 3 | 9 | 11 | 21 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 22 | 33.9 | 441 | 8 | 12 | 32 | 62 | 99+ | 99+ | 99+ |
| 1-11 MOS | 22 | 25.8 | 228 | 6 | 7 | 27 | 39 | 61 | 99+ | 99+ |
| 1-5 YRS | 36 | 20.6 | 334 | 3 | 4 | 18 | 35 | 65 | 99+ | 99+ |
| 6-12 YRS | 25 | 11.6 | 58 | 3 | 5 | 9 | 17 | 23 | 26 | 33 |
| 13-19 YRS | 37 | 20.2 | 455 | 4 | 5 | 12 | 31 | 70 | 94 | 99+ |
| TOT. SINGLE DX | 24 | 9.8 | 204 | 1 | 1 | 6 | 9 | 17 | 39 | 72 |
| " MULTIPLE DX | 142 | 21.8 | 354 | 4 | 5 | 17 | 35 | 67 | 99+ | 99+ |
| TOTAL 0-27 DYS | 25 | 30.4 | 484 | 1 | 8 | 30 | 53 | 96 | 99+ | 99+ |
| 1-11 MOS | 23 | 27.8 | 311 | 6 | 7 | 30 | 40 | 72 | 99+ | 99+ |
| 1-5 YRS | 44 | 17.8 | 311 | 2 | 4 | 11 | 32 | 62 | 99+ | 99+ |
| 6-12 YRS | 28 | 11.1 | 55 | 4 | 5 | 9 | 14 | 22 | 25 | 33 |
| 13-19 YRS | 46 | 18.2 | 390 | 4 | 5 | 11 | 22 | 64 | 89 | 99+ |
| GRAND TOTAL | 166 | 20.0 | 348 | 3 | 5 | 14 | 33 | 66 | 99+ | 99+ |

## 592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 6.8 | 19 | 3 | 3 | 5 | 9 | 13 | 13 | 13 |
| 1-5 YRS | 3 | 3.3 | 10 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 14 | 4.8 | 6 | <1 | 2 | 4 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 78 | 5.3 | 10 | 1 | 2 | 5 | 6 | 10 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 24.5 | 1 | 24 | 24 | 24 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 13 | 6.9 | 29 | <1 | 2 | 5 | 9 | 17 | 19 | 19 |
| 13-19 YRS | 161 | 7.0 | 15 | 3 | 3 | 6 | 9 | 12 | 14 | 22 |
| TOT. SINGLE DX | 99 | 5.2 | 10 | <1 | 2 | 5 | 7 | 10 | 11 | 16 |
| " MULTIPLE DX | 180 | 7.2 | 19 | 3 | 3 | 6 | 9 | 13 | 15 | 25 |
| TOTAL 0-27 DYS | 2 | 24.5 | 1 | 24 | 24 | 24 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 6 | 6.7 | 11 | 3 | 3 | 6 | 7 | 12 | 13 | 13 |
| 1-5 YRS | 5 | 4.2 | 7 | <1 | <1 | 5 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 27 | 5.8 | 18 | <1 | 2 | 5 | 7 | 10 | 16 | 19 |
| 13-19 YRS | 239 | 6.5 | 14 | 2 | 3 | 6 | 9 | 11 | 14 | 19 |
| GRAND TOTAL | 279 | 6.5 | 17 | 2 | 3 | 6 | 8 | 11 | 14 | 23 |

## 593: Partial gastrectomy (43.5-43.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 20 | 8.0 | 8 | 3 | 3 | 8 | 10 | 12 | 13 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 11.3 | 16 | 7 | 7 | 12 | 14 | 15 | 15 | 15 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 17 | 24.5 | 454 | 7 | 7 | 18 | 24 | 63 | 78 | 83 |
| TOT. SINGLE DX | 21 | 8.0 | 8 | 3 | 3 | 8 | 10 | 12 | 13 | 13 |
| " MULTIPLE DX | 23 | 20.2 | 391 | 4 | 6 | 15 | 21 | 50 | 73 | 83 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 11.3 | 16 | 7 | 7 | 12 | 14 | 15 | 15 | 15 |
| 6-12 YRS | 2 | 5.0 | 18 | 2 | 2 | 5 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 37 | 15.6 | 277 | 3 | 6 | 10 | 17 | 25 | 60 | 83 |
| GRAND TOTAL | 44 | 14.4 | 242 | 3 | 5 | 9 | 16 | 23 | 52 | 83 |

## 594: Total gastrectomy (43.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| TOT. SINGLE DX | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| " MULTIPLE DX | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |
| GRAND TOTAL | 2 | 6.5 | 41 | 2 | 2 | 6 | 11 | 11 | 11 | 11 |

## 595: Vagotomy (44.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 26 | 10.1 | 16 | 5 | 5 | 9 | 12 | 17 | 18 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 23.4 | 480 | 10 | 10 | 17 | 29 | 62 | 62 | 62 |
| 1-5 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 17 | 17.1 | 107 | 7 | 8 | 14 | 21 | 31 | 43 | 48 |
| TOT. SINGLE DX | 28 | 10.0 | 16 | 5 | 5 | 9 | 12 | 17 | 18 | 20 |
| " MULTIPLE DX | 23 | 18.0 | 179 | 7 | 8 | 14 | 20 | 36 | 53 | 62 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 23.4 | 480 | 10 | 10 | 17 | 29 | 62 | 62 | 62 |
| 1-5 YRS | 2 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 43 | 12.9 | 63 | 5 | 6 | 11 | 16 | 21 | 26 | 48 |
| GRAND TOTAL | 51 | 13.6 | 104 | 5 | 6 | 11 | 16 | 21 | 32 | 62 |

## 596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 11 | 6.2 | 15 | 3 | 3 | 6 | 6 | 12 | 17 | 17 |
| 1-11 MOS | 40 | 7.7 | 70 | 2 | 2 | 5 | 8 | 16 | 27 | 41 |
| 1-5 YRS | 29 | 7.1 | 17 | 2 | 3 | 6 | 8 | 13 | 14 | 22 |
| 6-12 YRS | 11 | 11.9 | 134 | 5 | 6 | 8 | 12 | 26 | 44 | 46 |
| 13-19 YRS | 129 | 8.6 | 18 | 5 | 6 | 8 | 9 | 12 | 15 | 31 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 11 | 37.2 | 429 | 8 | 15 | 27 | 51 | 68 | 76 | 77 |
| 1-11 MOS | 55 | 17.6 | 223 | 4 | 5 | 13 | 24 | 39 | 56 | 99 |
| 1-5 YRS | 41 | 15.2 | 237 | 3 | 5 | 9 | 19 | 28 | 52 | 82 |
| 6-12 YRS | 31 | 14.1 | 186 | 1 | 5 | 8 | 18 | 28 | 42 | 67 |
| 13-19 YRS | 174 | 12.3 | 123 | 5 | 6 | 9 | 13 | 24 | 37 | 80 |
| TOT. SINGLE DX | 220 | 8.3 | 34 | 3 | 4 | 7 | 9 | 13 | 17 | 40 |
| " MULTIPLE DX | 312 | 14.7 | 192 | 5 | 5 | 9 | 18 | 31 | 50 | 82 |
| TOTAL 0-27 DYS | 22 | 21.7 | 463 | 3 | 4 | 12 | 27 | 55 | 68 | 77 |
| 1-11 MOS | 95 | 13.4 | 181 | 2 | 3 | 8 | 18 | 32 | 41 | 90 |
| 1-5 YRS | 70 | 11.9 | 161 | 2 | 3 | 8 | 14 | 22 | 29 | 76 |
| 6-12 YRS | 42 | 13.5 | 170 | 3 | 5 | 8 | 13 | 28 | 44 | 67 |
| 13-19 YRS | 303 | 10.7 | 82 | 5 | 6 | 8 | 10 | 19 | 28 | 63 |
| GRAND TOTAL | 532 | 12.0 | 136 | 4 | 5 | 8 | 13 | 25 | 38 | 77 |

### 597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 7.0 | 32 | 3 | 3 | 7 | 11 | 11 | 11 | 11 |
| 1-11 MOS | 25 | 7.6 | 75 | <1 | <1 | 5 | 8 | 13 | 33 | 38 |
| 1-5 YRS | 134 | 3.9 | 10 | <1 | <1 | 3 | 5 | 9 | 11 | 14 |
| 6-12 YRS | 128 | 4.9 | 20 | <1 | 1 | 4 | 7 | 10 | 12 | 24 |
| 13-19 YRS | 316 | 6.0 | 22 | 1 | 2 | 5 | 8 | 11 | 15 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 20.4 | 373 | 4 | 4 | 13 | 24 | 52 | 67 | 67 |
| 1-11 MOS | 42 | 9.6 | 73 | 2 | 3 | 7 | 10 | 20 | 30 | 44 |
| 1-5 YRS | 78 | 7.0 | 71 | 1 | 2 | 5 | 8 | 13 | 15 | 54 |
| 6-12 YRS | 103 | 7.0 | 34 | 1 | 2 | 6 | 9 | 13 | 18 | 32 |
| 13-19 YRS | 339 | 8.6 | 53 | 2 | 3 | 7 | 10 | 16 | 22 | 41 |
| TOT. SINGLE DX | 605 | 5.4 | 22 | <1 | 1 | 4 | 7 | 10 | 13 | 25 |
| " MULTIPLE DX | 572 | 8.4 | 62 | 2 | 2 | 7 | 10 | 15 | 22 | 51 |
| TOTAL 0-27 DYS | 12 | 18.2 | 335 | 3 | 4 | 12 | 23 | 46 | 64 | 67 |
| 1-11 MOS | 67 | 8.9 | 74 | 1 | 2 | 7 | 10 | 18 | 31 | 43 |
| 1-5 YRS | 212 | 5.0 | 35 | <1 | 1 | 4 | 6 | 10 | 13 | 31 |
| 6-12 YRS | 231 | 5.8 | 27 | 1 | 1 | 5 | 8 | 11 | 15 | 30 |
| 13-19 YRS | 655 | 7.4 | 40 | 1 | 2 | 6 | 9 | 14 | 18 | 38 |
| GRAND TOTAL | 1177 | 6.8 | 44 | 1 | 1 | 5 | 8 | 13 | 17 | 38 |

### 598: Resection of small intestine (45.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 41.0 | | 41 | 41 | 41 | 41 | 41 | 41 | 41 |
| 1-11 MOS | 10 | 15.1 | 175 | 6 | 6 | 9 | 18 | 38 | 46 | 46 |
| 1-5 YRS | 22 | 8.5 | 10 | 4 | 5 | 8 | 11 | 13 | 14 | 15 |
| 6-12 YRS | 15 | 9.1 | 13 | 4 | 5 | 8 | 11 | 16 | 17 | 17 |
| 13-19 YRS | 61 | 10.7 | 48 | 5 | 6 | 9 | 12 | 16 | 19 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 35 | 42.2 | 720 | 10 | 12 | 48 | 82 | 99+ | 99+ | 99+ |
| 1-11 MOS | 16 | 16.8 | 114 | 6 | 7 | 13 | 22 | 31 | 41 | 45 |
| 1-5 YRS | 38 | 10.7 | 72 | 5 | 5 | 9 | 11 | 15 | 26 | 54 |
| 6-12 YRS | 41 | 10.3 | 46 | 4 | 4 | 9 | 11 | 21 | 25 | 36 |
| 13-19 YRS | 139 | 17.1 | 179 | 6 | 7 | 12 | 20 | 34 | 51 | 70 |
| TOT. SINGLE DX | 109 | 10.8 | 57 | 5 | 5 | 9 | 12 | 16 | 21 | 44 |
| " MULTIPLE DX | 269 | 18.4 | 301 | 5 | 6 | 12 | 23 | 49 | 74 | 99+ |
| TOTAL 0-27 DYS | 36 | 42.2 | 700 | 10 | 12 | 47 | 81 | 99+ | 99+ | 99+ |
| 1-11 MOS | 26 | 16.1 | 133 | 6 | 7 | 10 | 22 | 32 | 45 | 46 |
| 1-5 YRS | 60 | 9.9 | 50 | 4 | 5 | 9 | 11 | 13 | 20 | 51 |
| 6-12 YRS | 56 | 10.0 | 38 | 4 | 4 | 9 | 11 | 17 | 23 | 36 |
| 13-19 YRS | 200 | 15.2 | 148 | 6 | 7 | 11 | 17 | 31 | 43 | 62 |
| GRAND TOTAL | 378 | 16.2 | 242 | 5 | 6 | 11 | 18 | 41 | 56 | 99+ |

### 599: Colectomy (45.7-45.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 36.0 | 512 | 20 | 20 | 36 | 52 | 52 | 52 | 52 |
| 1-11 MOS | 16 | 8.6 | 31 | 3 | 5 | 7 | 10 | 12 | 23 | 27 |
| 1-5 YRS | 14 | 10.1 | 22 | 5 | 5 | 9 | 11 | 19 | 20 | 20 |
| 6-12 YRS | 16 | 15.6 | 113 | 7 | 7 | 10 | 20 | 35 | 36 | 36 |
| 13-19 YRS | 106 | 14.3 | 57 | 6 | 7 | 12 | 17 | 23 | 33 | 40 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 21 | 41.5 | 687 | 9 | 10 | 47 | 82 | 99+ | 99+ | 99+ |
| 1-11 MOS | 26 | 15.0 | 269 | 4 | 5 | 12 | 17 | 20 | 42 | 90 |
| 1-5 YRS | 22 | 11.3 | 74 | 3 | 4 | 9 | 15 | 23 | 64 | 99+ |
| 6-12 YRS | 28 | 13.6 | 162 | 2 | 4 | 10 | 15 | 25 | 45 | 63 |
| 13-19 YRS | 161 | 18.7 | 220 | 7 | 7 | 14 | 23 | 36 | 54 | 94 |
| TOT. SINGLE DX | 154 | 13.7 | 70 | 5 | 6 | 11 | 17 | 23 | 34 | 43 |
| " MULTIPLE DX | 258 | 19.0 | 291 | 6 | 7 | 14 | 23 | 46 | 74 | 99+ |
| TOTAL 0-27 DYS | 23 | 41.0 | 650 | 9 | 10 | 47 | 78 | 99+ | 99+ | 99+ |
| 1-11 MOS | 42 | 12.5 | 185 | 4 | 5 | 9 | 13 | 19 | 28 | 90 |
| 1-5 YRS | 36 | 10.8 | 54 | 4 | 5 | 9 | 15 | 19 | 36 | 99+ |
| 6-12 YRS | 44 | 14.3 | 142 | 3 | 6 | 10 | 16 | 33 | 38 | 63 |
| 13-19 YRS | 267 | 17.0 | 160 | 7 | 7 | 13 | 20 | 31 | 41 | 81 |
| GRAND TOTAL | 412 | 17.0 | 215 | 6 | 7 | 12 | 20 | 36 | 57 | 99+ |

### 600: Other incision, resection of intestine (45.0; 45.5; 46.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 5 | 8.2 | 56 | 2 | 2 | 5 | 11 | 21 | 21 | 21 |
| 6-12 YRS | 6 | 6.5 | 14 | 3 | 3 | 6 | 9 | 12 | 13 | 13 |
| 13-19 YRS | 11 | 7.8 | 9 | 3 | 4 | 7 | 9 | 13 | 14 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 9 | 39.2 | 1680 | 6 | 7 | 17 | 98 | 99+ | 99+ | 99+ |
| 1-11 MOS | 3 | 28.0 | 733 | 9 | 9 | 16 | 48 | 59 | 59 | 59 |
| 1-5 YRS | 13 | 18.4 | 298 | 2 | 4 | 10 | 26 | 47 | 58 | 60 |
| 6-12 YRS | 13 | 14.2 | 196 | 4 | 5 | 10 | 17 | 29 | 52 | 67 |
| 13-19 YRS | 40 | 16.5 | 188 | 5 | 7 | 12 | 17 | 31 | 40 | 79 |
| TOT. SINGLE DX | 24 | 7.4 | 18 | 2 | 3 | 7 | 9 | 13 | 16 | 21 |
| " MULTIPLE DX | 78 | 19.5 | 424 | 4 | 6 | 12 | 21 | 53 | 81 | 99+ |
| TOTAL 0-27 DYS | 9 | 39.2 | 1680 | 6 | 7 | 17 | 98 | 99+ | 99+ | 99+ |
| 1-11 MOS | 5 | 19.2 | 516 | 3 | 3 | 9 | 27 | 59 | 59 | 59 |
| 1-5 YRS | 18 | 15.6 | 246 | 2 | 3 | 9 | 21 | 40 | 54 | 60 |
| 6-12 YRS | 19 | 11.8 | 149 | 3 | 4 | 8 | 13 | 21 | 41 | 67 |
| 13-19 YRS | 51 | 14.6 | 162 | 5 | 6 | 11 | 14 | 31 | 33 | 79 |
| GRAND TOTAL | 102 | 16.7 | 384 | 3 | 5 | 10 | 17 | 38 | 67 | 99+ |

## 601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 15.8 | 129 | 4 | 4 | 15 | 25 | 29 | 29 | 29 |
| 1-11 MOS | 135 | 6.0 | 14 | 2 | 2 | 5 | 8 | 11 | 12 | 18 |
| 1-5 YRS | 100 | 7.2 | 44 | 2 | 3 | 6 | 8 | 11 | 19 | 41 |
| 6-12 YRS | 35 | 7.4 | 8 | 3 | 4 | 7 | 9 | 11 | 12 | 17 |
| 13-19 YRS | 169 | 8.8 | 17 | 4 | 5 | 8 | 11 | 13 | 16 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 39 | 29.3 | 633 | 7 | 11 | 20 | 36 | 95 | 99 | 99+ |
| 1-11 MOS | 96 | 9.0 | 73 | 2 | 2 | 7 | 10 | 18 | 24 | 51 |
| 1-5 YRS | 103 | 10.2 | 104 | 4 | 4 | 8 | 11 | 20 | 30 | 94 |
| 6-12 YRS | 59 | 10.0 | 47 | 3 | 4 | 8 | 12 | 19 | 24 | 35 |
| 13-19 YRS | 227 | 13.3 | 111 | 5 | 6 | 10 | 15 | 23 | 35 | 62 |
| TOT. SINGLE DX | 443 | 7.5 | 25 | 2 | 3 | 7 | 9 | 12 | 15 | 29 |
| " MULTIPLE DX | 524 | 12.7 | 159 | 3 | 4 | 9 | 15 | 24 | 35 | 94 |
| TOTAL 0-27 DYS | 43 | 28.1 | 598 | 5 | 9 | 20 | 35 | 93 | 98 | 99+ |
| 1-11 MOS | 231 | 7.3 | 41 | 2 | 2 | 6 | 9 | 13 | 18 | 32 |
| 1-5 YRS | 203 | 8.7 | 77 | 3 | 4 | 7 | 9 | 15 | 23 | 72 |
| 6-12 YRS | 94 | 9.0 | 34 | 3 | 4 | 8 | 10 | 16 | 21 | 35 |
| 13-19 YRS | 396 | 11.4 | 77 | 4 | 5 | 9 | 12 | 20 | 27 | 50 |
| GRAND TOTAL | 967 | 10.4 | 104 | 3 | 4 | 8 | 11 | 19 | 27 | 64 |

## 602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 7 | 8.9 | 32 | 4 | 4 | 7 | 9 | 19 | 21 | 21 |
| 1-11 MOS | 13 | 11.6 | 47 | 4 | 5 | 11 | 19 | 31 | 85 | 99+ |
| 1-5 YRS | 2 | 18.5 | 25 | 15 | 15 | 18 | 22 | 22 | 22 | 22 |
| 6-12 YRS | 4 | 11.5 | 35 | 5 | 5 | 11 | 16 | 18 | 18 | 18 |
| 13-19 YRS | 10 | 10.3 | 7 | 6 | 7 | 10 | 12 | 14 | 16 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 22 | 17.0 | 82 | 6 | 8 | 16 | 25 | 43 | 99+ | 99+ |
| 1-11 MOS | 12 | 20.9 | 146 | 8 | 10 | 16 | 29 | 61 | 93 | 99+ |
| 1-5 YRS | 10 | 22.5 | 474 | 5 | 5 | 13 | 31 | 61 | 67 | 67 |
| 6-12 YRS | 8 | 22.3 | 868 | 4 | 5 | 10 | 23 | 72 | 93 | 93 |
| 13-19 YRS | 28 | 22.3 | 255 | 7 | 9 | 17 | 43 | 99+ | 99+ | 99+ |
| TOT. SINGLE DX | 36 | 11.1 | 32 | 4 | 5 | 9 | 15 | 22 | 23 | 99+ |
| " MULTIPLE DX | 80 | 20.7 | 266 | 6 | 7 | 16 | 29 | 66 | 99+ | 99+ |
| TOTAL 0-27 DYS | 29 | 15.0 | 82 | 5 | 6 | 14 | 23 | 37 | 97 | 99+ |
| 1-11 MOS | 25 | 16.1 | 113 | 5 | 5 | 15 | 23 | 48 | 99+ | 99+ |
| 1-5 YRS | 12 | 21.8 | 393 | 5 | 6 | 14 | 26 | 59 | 66 | 67 |
| 6-12 YRS | 12 | 18.7 | 590 | 4 | 5 | 10 | 20 | 45 | 86 | 93 |
| 13-19 YRS | 38 | 19.2 | 217 | 7 | 8 | 14 | 29 | 73 | 99+ | 99+ |
| GRAND TOTAL | 116 | 17.7 | 212 | 5 | 6 | 14 | 24 | 55 | 99+ | 99+ |

## 603: Appendectomy (47.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 3.8 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 18 | 4.3 | 6 | 1 | 1 | 4 | 5 | 8 | 10 | 11 |
| 1-5 YRS | 956 | 5.6 | 13 | 2 | 2 | 5 | 7 | 10 | 12 | 17 |
| 6-12 YRS | 10187 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| 13-19 YRS | 16838 | 4.3 | 5 | 2 | 2 | 4 | 5 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 6.3 | 15 | 2 | 2 | 5 | 10 | 12 | 12 | 12 |
| 1-11 MOS | 12 | 7.3 | 15 | 3 | 3 | 6 | 10 | 13 | 14 | 14 |
| 1-5 YRS | 379 | 8.4 | 30 | 2 | 3 | 7 | 11 | 16 | 18 | 29 |
| 6-12 YRS | 2328 | 6.9 | 25 | 2 | 3 | 5 | 9 | 14 | 17 | 27 |
| 13-19 YRS | 4069 | 6.4 | 23 | 2 | 3 | 5 | 7 | 11 | 15 | 24 |
| TOT. SINGLE DX | 28004 | 4.4 | 6 | 2 | 2 | 4 | 5 | 7 | 9 | 14 |
| " MULTIPLE DX | 6794 | 6.7 | 25 | 2 | 3 | 5 | 8 | 12 | 16 | 26 |
| TOTAL 0-27 DYS | 11 | 5.2 | 11 | 2 | 2 | 4 | 7 | 11 | 12 | 12 |
| 1-11 MOS | 30 | 5.5 | 12 | 1 | 2 | 4 | 7 | 11 | 13 | 14 |
| 1-5 YRS | 1335 | 6.4 | 20 | 2 | 2 | 5 | 8 | 12 | 15 | 23 |
| 6-12 YRS | 12515 | 4.8 | 11 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |
| 13-19 YRS | 20907 | 4.7 | 10 | 2 | 2 | 4 | 5 | 8 | 10 | 17 |
| GRAND TOTAL | 34798 | 4.8 | 11 | 2 | 2 | 4 | 5 | 8 | 11 | 18 |

## 604: Incidental appendectomy (47.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 5.5 | 1 | 5 | 5 | 5 | 6 | 7 | 7 | 7 |
| 1-5 YRS | 8 | 7.1 | 9 | 4 | 4 | 6 | 8 | 12 | 14 | 14 |
| 6-12 YRS | 114 | 4.1 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 12 |
| 13-19 YRS | 258 | 4.6 | 7 | 2 | 3 | 4 | 5 | 7 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 4 | 17.8 | 471 | 3 | 3 | 10 | 32 | 49 | 49 | 49 |
| 6-12 YRS | 40 | 6.5 | 12 | 3 | 3 | 6 | 8 | 11 | 14 | 19 |
| 13-19 YRS | 91 | 6.3 | 12 | 3 | 3 | 5 | 8 | 11 | 13 | 21 |
| TOT. SINGLE DX | 384 | 4.5 | 7 | 2 | 3 | 4 | 5 | 7 | 8 | 13 |
| " MULTIPLE DX | 137 | 6.6 | 26 | 3 | 3 | 5 | 8 | 11 | 14 | 28 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 6 | 5.3 | 1 | 5 | 5 | 5 | 5 | 7 | 7 | 7 |
| 1-5 YRS | 12 | 10.7 | 162 | 3 | 3 | 6 | 11 | 26 | 46 | 49 |
| 6-12 YRS | 154 | 4.7 | 7 | 2 | 3 | 4 | 6 | 8 | 10 | 15 |
| 13-19 YRS | 349 | 5.0 | 9 | 2 | 3 | 4 | 6 | 8 | 10 | 14 |
| GRAND TOTAL | 521 | 5.1 | 13 | 2 | 3 | 4 | 6 | 8 | 10 | 17 |

## 605: Operations on appendix, except appendectomy (47.2-47.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 8.2 | 21 | 2 | 3 | 7 | 10 | 14 | 20 | 20 |
| 6-12 YRS | 39 | 9.1 | 34 | 3 | 3 | 8 | 11 | 16 | 21 | 30 |
| 13-19 YRS | 63 | 9.6 | 47 | 2 | 3 | 8 | 12 | 16 | 22 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-5 YRS | 4 | 9.8 | 19 | 6 | 6 | 8 | 12 | 16 | 16 | 16 |
| 6-12 YRS | 26 | 10.7 | 27 | 4 | 5 | 10 | 13 | 16 | 20 | 29 |
| 13-19 YRS | 20 | 10.2 | 18 | 4 | 5 | 9 | 13 | 16 | 19 | 21 |
| TOT. SINGLE DX | 113 | 9.3 | 40 | 2 | 3 | 8 | 12 | 16 | 21 | 36 |
| " MULTIPLE DX | 51 | 10.5 | 23 | 4 | 5 | 9 | 13 | 16 | 18 | 29 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-5 YRS | 15 | 8.6 | 20 | 2 | 3 | 8 | 10 | 16 | 19 | 20 |
| 6-12 YRS | 65 | 9.7 | 32 | 3 | 4 | 8 | 12 | 16 | 19 | 30 |
| 13-19 YRS | 83 | 9.7 | 41 | 3 | 3 | 9 | 13 | 16 | 21 | 39 |
| GRAND TOTAL | 164 | 9.7 | 35 | 3 | 4 | 9 | 12 | 16 | 20 | 30 |

## 606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 33 | 4.6 | 22 | <1 | 1 | 2 | 6 | 12 | 14 | 21 |
| 1-5 YRS | 141 | 3.1 | 10 | <1 | 1 | 2 | 4 | 7 | 10 | 17 |
| 6-12 YRS | 111 | 3.5 | 10 | <1 | <1 | 2 | 5 | 8 | 9 | 19 |
| 13-19 YRS | 220 | 4.7 | 15 | 1 | 2 | 4 | 6 | 9 | 11 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 19.4 | 329 | 3 | 3 | 13 | 29 | 57 | 89 | 99+ |
| 1-11 MOS | 27 | 8.6 | 88 | 2 | 2 | 5 | 9 | 23 | 35 | 38 |
| 1-5 YRS | 58 | 4.6 | 59 | <1 | 1 | 3 | 6 | 7 | 9 | 55 |
| 6-12 YRS | 59 | 4.9 | 20 | <1 | 1 | 3 | 7 | 10 | 13 | 27 |
| 13-19 YRS | 106 | 6.5 | 23 | 2 | 2 | 5 | 8 | 13 | 17 | 24 |
| TOT. SINGLE DX | 507 | 4.0 | 14 | <1 | 1 | 3 | 5 | 9 | 10 | 20 |
| " MULTIPLE DX | 264 | 6.6 | 63 | 1 | 1 | 4 | 8 | 13 | 22 | 57 |
| TOTAL 0-27 DYS | 16 | 17.7 | 309 | 3 | 3 | 12 | 28 | 57 | 85 | 99+ |
| 1-11 MOS | 60 | 6.4 | 55 | 1 | 1 | 3 | 7 | 14 | 22 | 38 |
| 1-5 YRS | 199 | 3.5 | 25 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 6-12 YRS | 170 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| 13-19 YRS | 326 | 5.3 | 18 | 1 | 2 | 4 | 7 | 10 | 15 | 23 |
| GRAND TOTAL | 771 | 4.9 | 32 | <1 | 1 | 3 | 6 | 10 | 14 | 28 |

## 607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 23 | 3.2 | 9 | <1 | 1 | 2 | 4 | 5 | 9 | 15 |
| 1-5 YRS | 23 | 3.4 | 8 | <1 | <1 | 2 | 5 | 8 | 10 | 11 |
| 6-12 YRS | 19 | 3.7 | 14 | <1 | 1 | 3 | 4 | 6 | 13 | 18 |
| 13-19 YRS | 165 | 3.8 | 6 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 12 | 3.4 | 8 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 1-5 YRS | 10 | 5.3 | 13 | 2 | 2 | 4 | 8 | 11 | 12 | 12 |
| 6-12 YRS | 9 | 4.6 | 7 | 1 | 1 | 5 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 57 | 4.6 | 23 | 1 | 1 | 3 | 6 | 8 | 9 | 34 |
| TOT. SINGLE DX | 231 | 3.7 | 7 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| " MULTIPLE DX | 88 | 4.8 | 19 | 1 | 1 | 4 | 6 | 8 | 9 | 27 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 35 | 3.3 | 9 | <1 | 1 | 2 | 5 | 6 | 9 | 15 |
| 1-5 YRS | 33 | 4.0 | 10 | <1 | 1 | 3 | 6 | 9 | 11 | 12 |
| 6-12 YRS | 28 | 4.0 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 18 |
| 13-19 YRS | 222 | 4.0 | 11 | 1 | 1 | 3 | 5 | 7 | 9 | 13 |
| GRAND TOTAL | 319 | 3.9 | 11 | 1 | 1 | 3 | 5 | 8 | 9 | 14 |

## 608: Proctectomy (48.4-48.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 16 | 9.7 | 26 | 2 | 4 | 10 | 11 | 15 | 21 | 24 |
| 1-5 YRS | 22 | 9.1 | 36 | 1 | 2 | 9 | 13 | 22 | 50 | 99+ |
| 6-12 YRS | 7 | 7.0 | 29 | 1 | 1 | 9 | 10 | 14 | 15 | 15 |
| 13-19 YRS | 8 | 14.1 | 52 | 3 | 4 | 14 | 19 | 24 | 25 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 19 | 16.1 | 113 | 6 | 9 | 11 | 20 | 30 | 40 | 47 |
| 1-5 YRS | 32 | 12.2 | 32 | 7 | 7 | 11 | 15 | 20 | 25 | 28 |
| 6-12 YRS | 2 | 4.5 | 25 | <1 | <1 | 4 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 18 | 17.3 | 194 | 6 | 7 | 14 | 20 | 29 | 53 | 67 |
| TOT. SINGLE DX | 53 | 9.8 | 37 | 1 | 2 | 10 | 12 | 21 | 24 | 97 |
| " MULTIPLE DX | 72 | 14.3 | 98 | 6 | 7 | 12 | 16 | 26 | 31 | 63 |
| TOTAL 0-27 DYS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 35 | 13.1 | 82 | 4 | 6 | 10 | 14 | 28 | 30 | 47 |
| 1-5 YRS | 54 | 11.0 | 36 | 2 | 2 | 10 | 14 | 22 | 25 | 98 |
| 6-12 YRS | 9 | 6.4 | 26 | <1 | <1 | 8 | 10 | 13 | 15 | 15 |
| 13-19 YRS | 26 | 16.3 | 149 | 5 | 7 | 14 | 20 | 25 | 40 | 67 |
| GRAND TOTAL | 125 | 12.4 | 77 | 2 | 4 | 10 | 15 | 23 | 28 | 78 |

## 609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 6.0 | 9 | 3 | 3 | 6 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 16 | 2.6 | 7 | <1 | 1 | 2 | 2 | 7 | 9 | 10 |
| 1-5 YRS | 61 | 3.6 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 17 |
| 6-12 YRS | 115 | 3.6 | 7 | 1 | 1 | 3 | 5 | 7 | 10 | 14 |
| 13-19 YRS | 623 | 4.8 | 11 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 12.4 | 76 | 2 | 4 | 10 | 13 | 27 | 32 | 32 |
| 1-11 MOS | 16 | 8.8 | 193 | 1 | 1 | 4 | 7 | 30 | 47 | 53 |
| 1-5 YRS | 59 | 6.7 | 88 | 1 | 1 | 4 | 8 | 17 | 46 | 99+ |
| 6-12 YRS | 121 | 5.6 | 12 | 2 | 2 | 5 | 7 | 10 | 12 | 18 |
| 13-19 YRS | 958 | 6.4 | 30 | 2 | 2 | 5 | 8 | 11 | 15 | 29 |
| TOT. SINGLE DX | 818 | 4.5 | 11 | 1 | 1 | 4 | 6 | 9 | 11 | 17 |
| " MULTIPLE DX | 1162 | 6.4 | 34 | 2 | 2 | 5 | 8 | 11 | 15 | 33 |
| TOTAL 0-27 DYS | 11 | 10.6 | 64 | 2 | 3 | 9 | 12 | 22 | 31 | 32 |
| 1-11 MOS | 32 | 5.7 | 107 | 1 | 1 | 2 | 6 | 9 | 30 | 53 |
| 1-5 YRS | 120 | 5.1 | 52 | <1 | 1 | 3 | 7 | 12 | 17 | 99+ |
| 6-12 YRS | 236 | 4.6 | 11 | 1 | 1 | 4 | 6 | 9 | 12 | 16 |
| 13-19 YRS | 1581 | 5.8 | 23 | 1 | 2 | 5 | 7 | 10 | 13 | 23 |
| GRAND TOTAL | 1980 | 5.6 | 25 | 1 | 2 | 4 | 7 | 10 | 13 | 25 |

## 610: Incision or excision of anal fistula (49.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 43 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 3 | 7 |
| 1-5 YRS | 21 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 6-12 YRS | 10 | 3.3 | 2 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 13-19 YRS | 108 | 3.4 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 4.8 | 3 | 3 | 3 | 4 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 18 | 2.0 | 3 | <1 | <1 | 1 | 2 | 6 | 6 | 6 |
| 1-5 YRS | 3 | 2.7 | 4 | <1 | <1 | 2 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 5 | 4.0 | 5 | 2 | 2 | 3 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 68 | 5.3 | 16 | 1 | 2 | 4 | 6 | 10 | 13 | 24 |
| TOT. SINGLE DX | 182 | 2.8 | 2 | <1 | 1 | 3 | 4 | 5 | 6 | 7 |
| " MULTIPLE DX | 98 | 4.5 | 14 | 1 | 1 | 4 | 6 | 7 | 12 | 22 |
| TOTAL 0-27 DYS | 4 | 4.8 | 3 | 3 | 3 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 61 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 7 |
| 1-5 YRS | 24 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 6-12 YRS | 15 | 3.5 | 3 | 1 | 2 | 3 | 5 | 6 | 7 | 7 |
| 13-19 YRS | 176 | 4.1 | 9 | 1 | 2 | 4 | 5 | 7 | 8 | 18 |
| GRAND TOTAL | 280 | 3.4 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 16 |

## 611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 4 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| 1-5 YRS | 25 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 4 |
| 6-12 YRS | 25 | 2.4 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 13-19 YRS | 210 | 3.0 | 6 | <1 | 1 | 3 | 4 | 5 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 3.7 | 14 | 1 | 1 | 2 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 14 | 2.6 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 7 |
| 6-12 YRS | 8 | 3.1 | 5 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 108 | 4.4 | 9 | 2 | 2 | 4 | 5 | 7 | 9 | 19 |
| TOT. SINGLE DX | 265 | 2.8 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| " MULTIPLE DX | 135 | 4.1 | 9 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| TOTAL 0-27 DYS | 3 | 2.0 | 3 | <1 | <1 | 1 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 7 | 2.3 | 7 | <1 | <1 | 1 | 2 | 7 | 8 | 8 |
| 1-5 YRS | 39 | 1.9 | 2 | <1 | <1 | 2 | 2 | 4 | 4 | 7 |
| 6-12 YRS | 33 | 2.6 | 3 | <1 | <1 | 2 | 3 | 5 | 7 | 7 |
| 13-19 YRS | 318 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| GRAND TOTAL | 400 | 3.2 | 7 | <1 | 1 | 3 | 4 | 6 | 7 | 15 |

## 612: Hemorrhoidectomy (49.43-49.46)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 4 | 3.0 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 9 | 4.6 | 9 | 1 | 1 | 5 | 6 | 9 | 11 | 11 |
| 13-19 YRS | 104 | 4.3 | 3 | 2 | 2 | 4 | 5 | 7 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 6.6 | 13 | 2 | 2 | 7 | 8 | 12 | 12 | 12 |
| 1-11 MOS | 4 | 5.5 | 3 | 4 | 4 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 9 | 5.6 | 35 | 1 | 1 | 4 | 7 | 16 | 20 | 20 |
| 6-12 YRS | 10 | 4.2 | 3 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 262 | 4.9 | 5 | 2 | 3 | 4 | 6 | 8 | 9 | 14 |
| TOT. SINGLE DX | 118 | 4.3 | 4 | 2 | 2 | 4 | 5 | 7 | 8 | 11 |
| " MULTIPLE DX | 290 | 4.9 | 7 | 2 | 3 | 4 | 6 | 8 | 9 | 15 |
| TOTAL 0-27 DYS | 5 | 6.6 | 13 | 2 | 2 | 7 | 8 | 12 | 12 | 12 |
| 1-11 MOS | 5 | 5.8 | 3 | 4 | 4 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 13 | 4.8 | 26 | 1 | 1 | 3 | 5 | 11 | 18 | 20 |
| 6-12 YRS | 19 | 4.4 | 6 | 1 | 1 | 5 | 6 | 7 | 9 | 11 |
| 13-19 YRS | 366 | 4.8 | 5 | 2 | 3 | 4 | 6 | 7 | 8 | 12 |
| GRAND TOTAL | 408 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 8 | 13 |

## 613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 4 | 4.3 | 7 | 2 | 2 | 3 | 6 | 8 | 8 | 8 |
| 1-11 MOS | 35 | 3.3 | 11 | <1 | <1 | 2 | 5 | 6 | 10 | 18 |
| 1-5 YRS | 29 | 2.8 | 5 | <1 | <1 | 2 | 4 | 6 | 9 | 10 |
| 6-12 YRS | 22 | 3.2 | 2 | 1 | 2 | 3 | 4 | 6 | 7 | 8 |
| 13-19 YRS | 201 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 24 | 8.7 | 63 | 2 | 3 | 6 | 11 | 17 | 24 | 39 |
| 1-11 MOS | 22 | 4.5 | 6 | 2 | 2 | 4 | 6 | 9 | 10 | 11 |
| 1-5 YRS | 23 | 6.3 | 41 | 1 | 2 | 3 | 9 | 14 | 20 | 28 |
| 6-12 YRS | 11 | 5.7 | 42 | 1 | 1 | 3 | 6 | 18 | 20 | 20 |
| 13-19 YRS | 96 | 5.7 | 42 | 1 | 2 | 4 | 7 | 10 | 13 | 39 |
| **TOT. SINGLE DX** | 291 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 7 | 15 |
| **" MULTIPLE DX** | 176 | 6.0 | 41 | 1 | 2 | 4 | 7 | 12 | 15 | 36 |
| TOTAL 0-27 DYS | 28 | 8.0 | 57 | 2 | 3 | 5 | 9 | 17 | 19 | 39 |
| 1-11 MOS | 57 | 3.8 | 9 | <1 | 1 | 3 | 5 | 6 | 10 | 18 |
| 1-5 YRS | 52 | 4.4 | 24 | <1 | 1 | 2 | 5 | 10 | 13 | 28 |
| 6-12 YRS | 33 | 4.1 | 17 | 1 | 2 | 3 | 4 | 7 | 16 | 20 |
| 13-19 YRS | 297 | 4.2 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 15 |
| **GRAND TOTAL** | **467** | **4.4** | **21** | **1** | **1** | **3** | **5** | **8** | **12** | **20** |

## 614: Incision of liver (50.0; 50.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 6 | 11.0 | 51 | 4 | 4 | 9 | 13 | 23 | 24 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 14.3 | 58 | 6 | 6 | 16 | 20 | 21 | 21 | 21 |
| 6-12 YRS | 3 | 17.0 | 127 | 10 | 10 | 11 | 25 | 30 | 30 | 30 |
| 13-19 YRS | 16 | 22.0 | 428 | 3 | 4 | 18 | 22 | 63 | 64 | 64 |
| **TOT. SINGLE DX** | 8 | 9.9 | 41 | 4 | 5 | 7 | 12 | 21 | 24 | 24 |
| **" MULTIPLE DX** | 23 | 19.7 | 325 | 3 | 4 | 16 | 22 | 58 | 64 | 64 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 3 | 14.3 | 58 | 6 | 6 | 16 | 20 | 21 | 21 | 21 |
| 6-12 YRS | 5 | 12.8 | 97 | 6 | 6 | 10 | 16 | 30 | 30 | 30 |
| 13-19 YRS | 22 | 19.0 | 344 | 3 | 4 | 13 | 22 | 58 | 64 | 64 |
| **GRAND TOTAL** | **31** | **17.2** | **267** | **4** | **4** | **11** | **21** | **40** | **63** | **64** |

## 615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 6 | 13.3 | 195 | 1 | 1 | 9 | 18 | 37 | 39 | 39 |
| 1-11 MOS | 25 | 5.5 | 22 | 1 | 2 | 3 | 9 | 14 | 15 | 17 |
| 1-5 YRS | 25 | 7.5 | 46 | 1 | 2 | 4 | 11 | 21 | 22 | 22 |
| 6-12 YRS | 37 | 5.3 | 18 | 1 | 1 | 4 | 8 | 12 | 14 | 17 |
| 13-19 YRS | 142 | 6.3 | 37 | 1 | 1 | 4 | 9 | 15 | 18 | 25 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 8 | 44.3 | 838 | 6 | 10 | 42 | 72 | 78 | 79 | 79 |
| 1-11 MOS | 39 | 14.4 | 259 | 1 | 2 | 9 | 17 | 34 | 46 | 80 |
| 1-5 YRS | 38 | 12.1 | 183 | 1 | 1 | 8 | 13 | 35 | 45 | 51 |
| 6-12 YRS | 50 | 12.7 | 96 | 2 | 2 | 9 | 18 | 27 | 34 | 40 |
| 13-19 YRS | 279 | 13.7 | 184 | 2 | 2 | 9 | 15 | 33 | 48 | 68 |
| **TOT. SINGLE DX** | 235 | 6.4 | 38 | 1 | 1 | 4 | 9 | 15 | 18 | 26 |
| **" MULTIPLE DX** | 414 | 14.1 | 209 | 2 | 2 | 9 | 16 | 34 | 48 | 74 |
| TOTAL 0-27 DYS | 14 | 31.0 | 779 | 2 | 4 | 20 | 57 | 77 | 79 | 79 |
| 1-11 MOS | 64 | 10.9 | 184 | 1 | 2 | 6 | 13 | 29 | 38 | 75 |
| 1-5 YRS | 63 | 10.3 | 132 | 1 | 2 | 7 | 12 | 25 | 37 | 51 |
| 6-12 YRS | 87 | 9.6 | 76 | 1 | 2 | 7 | 13 | 24 | 28 | 39 |
| 13-19 YRS | 421 | 11.2 | 147 | 1 | 2 | 8 | 13 | 25 | 40 | 66 |
| **GRAND TOTAL** | **649** | **11.3** | **161** | **1** | **2** | **8** | **13** | **26** | **39** | **67** |

## 616: Cholecystectomy (51.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 6 | 8.5 | 34 | 5 | 5 | 6 | 9 | 19 | 20 | 20 |
| 1-11 MOS | 8 | 9.9 | 37 | 5 | 5 | 8 | 11 | 20 | 24 | 24 |
| 1-5 YRS | 4 | 5.0 | 7 | 1 | 1 | 6 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 26 | 7.1 | 7 | 4 | 5 | 7 | 8 | 9 | 11 | 19 |
| 13-19 YRS | 1316 | 7.3 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 18 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 5 | 9.2 | 3 | 6 | 6 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 20 | 10.3 | 43 | 3 | 5 | 8 | 12 | 18 | 26 | 31 |
| 1-5 YRS | 4 | 12.0 | 35 | 7 | 7 | 10 | 16 | 20 | 20 | 20 |
| 6-12 YRS | 20 | 10.3 | 15 | 4 | 6 | 9 | 12 | 16 | 18 | 20 |
| 13-19 YRS | 763 | 9.8 | 30 | 5 | 5 | 8 | 12 | 15 | 18 | 33 |
| **TOT. SINGLE DX** | 1360 | 7.3 | 8 | 4 | 5 | 7 | 8 | 11 | 13 | 19 |
| **" MULTIPLE DX** | 812 | 9.8 | 30 | 5 | 5 | 8 | 12 | 15 | 19 | 32 |
| TOTAL 0-27 DYS | 11 | 8.8 | 18 | 5 | 5 | 9 | 10 | 14 | 20 | 20 |
| 1-11 MOS | 28 | 10.2 | 40 | 4 | 5 | 8 | 12 | 20 | 25 | 31 |
| 1-5 YRS | 8 | 8.5 | 32 | 1 | 2 | 7 | 10 | 18 | 20 | 20 |
| 6-12 YRS | 46 | 8.5 | 13 | 4 | 5 | 8 | 9 | 13 | 17 | 20 |
| 13-19 YRS | 2079 | 8.2 | 18 | 4 | 5 | 7 | 10 | 13 | 15 | 23 |
| **GRAND TOTAL** | **2172** | **8.3** | **18** | **4** | **5** | **7** | **10** | **13** | **15** | **23** |

## 617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 20.2 | 75 | 12 | 12 | 16 | 26 | 34 | 34 | 34 |
| 1-5 YRS | 3 | 6.3 | 70 | 1 | 1 | 2 | 12 | 16 | 16 | 16 |
| 6-12 YRS | 1 | 29.0 | | 29 | 29 | 29 | 29 | 29 | 29 | 29 |
| 13-19 YRS | 13 | 8.7 | 45 | 1 | 2 | 7 | 14 | 19 | 20 | 20 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 17.0 | 103 | 8 | 8 | 15 | 25 | 28 | 28 | 28 |
| 1-5 YRS | 3 | 7.3 | 10 | 5 | 5 | 6 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 3 | 10.0 | 57 | 3 | 3 | 9 | 16 | 18 | 18 | 18 |
| 13-19 YRS | 15 | 10.5 | 54 | 2 | 3 | 9 | 16 | 23 | 24 | 25 |
| **TOT. SINGLE DX** | 22 | 11.9 | 88 | 1 | 2 | 11 | 18 | 25 | 31 | 34 |
| **" MULTIPLE DX** | 24 | 10.9 | 55 | 2 | 3 | 9 | 16 | 23 | 26 | 28 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 19.0 | 75 | 8 | 9 | 16 | 25 | 32 | 34 | 34 |
| 1-5 YRS | 6 | 6.8 | 33 | 1 | 1 | 5 | 11 | 15 | 16 | 16 |
| 6-12 YRS | 4 | 14.8 | 128 | 3 | 3 | 13 | 23 | 29 | 29 | 29 |
| 13-19 YRS | 28 | 9.7 | 49 | 2 | 2 | 8 | 16 | 19 | 23 | 25 |
| **GRAND TOTAL** | **46** | **11.4** | **69** | **2** | **2** | **10** | **16** | **23** | **28** | **34** |

## 618: Operations on pancreas (52.01-52.12; 52.2-52.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 7.3 | 2 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 6-12 YRS | 10 | 10.4 | 37 | 1 | 3 | 10 | 13 | 19 | 23 | 23 |
| 13-19 YRS | 36 | 6.6 | 28 | 1 | 1 | 5 | 10 | 13 | 17 | 24 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 24.5 | 545 | 8 | 8 | 24 | 41 | 41 | 41 | 41 |
| 6-12 YRS | 4 | 20.5 | 102 | 8 | 8 | 21 | 28 | 32 | 32 | 32 |
| 13-19 YRS | 37 | 18.4 | 415 | 2 | 3 | 10 | 18 | 46 | 66 | 92 |
| **TOT. SINGLE DX** | 50 | 7.8 | 38 | 1 | 1 | 7 | 11 | 15 | 23 | 27 |
| **" MULTIPLE DX** | 43 | 18.9 | 379 | 2 | 4 | 12 | 22 | 44 | 63 | 92 |
| TOTAL 0-27 DYS | 1 | 27.0 | | 27 | 27 | 27 | 27 | 27 | 27 | 27 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 14.2 | 226 | 6 | 6 | 8 | 17 | 41 | 41 | 41 |
| 6-12 YRS | 14 | 13.3 | 72 | 2 | 5 | 11 | 18 | 25 | 30 | 32 |
| 13-19 YRS | 73 | 12.6 | 258 | 1 | 2 | 8 | 13 | 26 | 46 | 87 |
| **GRAND TOTAL** | **93** | **12.9** | **224** | **1** | **2** | **9** | **15** | **28** | **43** | **83** |

## 619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 20 | 3.4 | 2 | <1 | 1 | 3 | 4 | 6 | 7 | 8 |
| 1-11 MOS | 34 | 3.4 | 6 | <1 | <1 | 3 | 5 | 8 | 9 | 10 |
| 1-5 YRS | 186 | 3.3 | 7 | 1 | 1 | 3 | 4 | 7 | 9 | 12 |
| 6-12 YRS | 308 | 4.3 | 15 | 1 | 1 | 3 | 5 | 8 | 12 | 25 |
| 13-19 YRS | 940 | 4.9 | 14 | 1 | 2 | 4 | 6 | 9 | 11 | 17 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 23 | 10.2 | 185 | 1 | 2 | 5 | 10 | 22 | 48 | 59 |
| 1-11 MOS | 63 | 6.6 | 33 | 1 | 2 | 5 | 8 | 13 | 17 | 36 |
| 1-5 YRS | 134 | 5.0 | 27 | 1 | 1 | 4 | 6 | 9 | 12 | 34 |
| 6-12 YRS | 215 | 5.0 | 14 | 1 | 2 | 4 | 6 | 9 | 13 | 20 |
| 13-19 YRS | 1003 | 6.1 | 35 | 2 | 2 | 5 | 7 | 11 | 15 | 34 |
| **TOT. SINGLE DX** | 1488 | 4.5 | 13 | 1 | 1 | 4 | 6 | 8 | 10 | 19 |
| **" MULTIPLE DX** | 1438 | 6.0 | 34 | 2 | 2 | 4 | 7 | 10 | 15 | 33 |
| TOTAL 0-27 DYS | 43 | 7.0 | 110 | 1 | 2 | 4 | 7 | 12 | 26 | 59 |
| 1-11 MOS | 97 | 5.5 | 26 | 1 | 1 | 4 | 7 | 10 | 15 | 29 |
| 1-5 YRS | 320 | 4.1 | 16 | 1 | 1 | 3 | 5 | 8 | 10 | 21 |
| 6-12 YRS | 523 | 4.6 | 15 | 1 | 1 | 4 | 6 | 9 | 12 | 22 |
| 13-19 YRS | 1943 | 5.5 | 25 | 1 | 2 | 4 | 7 | 10 | 13 | 26 |
| **GRAND TOTAL** | **2926** | **5.2** | **24** | **1** | **2** | **4** | **6** | **9** | **12** | **26** |

## 620: Unilateral repair of inguinal hernia (53.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 85 | 2.1 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 1-11 MOS | 2244 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 7 |
| 1-5 YRS | 4498 | 1.7 | | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 2992 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 4477 | 3.1 | 1 | 1 | 2 | 3 | 4 | 5 | 5 | 7 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 84 | 13.6 | 419 | 1 | 1 | 4 | 22 | 50 | 83 | 99+ |
| 1-11 MOS | 1502 | 2.5 | 7 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 1-5 YRS | 3149 | 2.1 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 10 |
| 6-12 YRS | 1349 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 1213 | 3.7 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| **TOT. SINGLE DX** | 14296 | 2.2 | 2 | <1 | 1 | 2 | 3 | 4 | 4 | 6 |
| **" MULTIPLE DX** | 7297 | 2.6 | 10 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| TOTAL 0-27 DYS | 169 | 7.8 | 242 | 1 | 1 | 2 | 5 | 33 | 50 | 99+ |
| 1-11 MOS | 3746 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 5 | 10 |
| 1-5 YRS | 7647 | 1.9 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 4341 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 13-19 YRS | 5690 | 3.2 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| **GRAND TOTAL** | **21593** | **2.4** | **5** | **<1** | **1** | **2** | **3** | **4** | **5** | **8** |

## 621: Bilateral repair of inguinal hernia (53.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 23 | 2.9 | 32 | <1 | <1 | 1 | 2 | 4 | 16 | 28 |
| 1-11 MOS | 882 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 3 | 6 |
| 1-5 YRS | 1195 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 6-12 YRS | 327 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 3 | 6 |
| 13-19 YRS | 239 | 3.7 | 2 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 68 | 26.2 | 871 | 1 | 2 | 17 | 61 | 98 | 99+ | 99+ |
| 1-11 MOS | 824 | 2.6 | 16 | <1 | <1 | 2 | 3 | 4 | 7 | 17 |
| 1-5 YRS | 826 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 153 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 6 |
| 13-19 YRS | 71 | 4.4 | 7 | 1 | 2 | 4 | 5 | 7 | 10 | 15 |
| TOT. SINGLE DX | 2666 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 1942 | 3.1 | 58 | <1 | <1 | 2 | 3 | 4 | 8 | 62 |
| TOTAL 0-27 DYS | 91 | 20.3 | 761 | <1 | 1 | 3 | 42 | 90 | 99+ | 99+ |
| 1-11 MOS | 1706 | 2.1 | 8 | <1 | <1 | 2 | 2 | 3 | 4 | 12 |
| 1-5 YRS | 2021 | 1.7 | 2 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 6-12 YRS | 480 | 2.0 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 13-19 YRS | 310 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 10 |
| **GRAND TOTAL** | **4608** | **2.4** | **26** | **<1** | **<1** | **2** | **2** | **4** | **5** | **18** |

## 622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 22 | 1.6 | | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 6-12 YRS | 26 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 56 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 5 | 2.4 | 10 | <1 | <1 | <1 | 3 | 8 | 8 | 8 |
| 6-12 YRS | 7 | 3.3 | 7 | 1 | 1 | 2 | 4 | 8 | 9 | 9 |
| 13-19 YRS | 16 | 7.5 | 162 | 2 | 2 | 4 | 6 | 7 | 41 | 55 |
| TOT. SINGLE DX | 107 | 2.9 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 32 | 5.2 | 87 | <1 | 1 | 4 | 5 | 7 | 9 | 55 |
| TOTAL 0-27 DYS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 5 | 2.6 | 2 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 27 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 8 |
| 6-12 YRS | 33 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 72 | 4.7 | 38 | 2 | 2 | 4 | 5 | 6 | 7 | 45 |
| **GRAND TOTAL** | **139** | **3.5** | **22** | **<1** | **1** | **3** | **4** | **5** | **7** | **14** |

## 623: Repair of umbilical hernia (53.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 341 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 1-5 YRS | 1628 | 2.1 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 6-12 YRS | 703 | 2.1 | | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 13-19 YRS | 331 | 2.7 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 24 | 15.3 | 192 | 2 | 3 | 10 | 20 | 37 | 47 | 56 |
| 1-11 MOS | 111 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 12 | 99+ |
| 1-5 YRS | 323 | 2.9 | 4 | <1 | 1 | 2 | 3 | 5 | 7 | 12 |
| 6-12 YRS | 136 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 13-19 YRS | 102 | 3.9 | 5 | 1 | 2 | 3 | 5 | 7 | 9 | 12 |
| TOT. SINGLE DX | 3005 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| " MULTIPLE DX | 696 | 3.4 | 17 | 1 | 1 | 2 | 4 | 6 | 9 | 24 |
| TOTAL 0-27 DYS | 26 | 14.3 | 190 | 2 | 2 | 10 | 20 | 35 | 46 | 56 |
| 1-11 MOS | 452 | 2.4 | 4 | <1 | 1 | 2 | 3 | 4 | 5 | 18 |
| 1-5 YRS | 1951 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 6-12 YRS | 839 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 433 | 3.0 | 3 | 1 | 1 | 3 | 4 | 5 | 7 | 9 |
| **GRAND TOTAL** | **3701** | **2.4** | **5** | **<1** | **1** | **2** | **3** | **4** | **5** | **10** |

## 624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 4.5 | 5 | 3 | 3 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 31 | 3.8 | 16 | <1 | 1 | 2 | 5 | 8 | 8 | 22 |
| 1-5 YRS | 125 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 5 | 11 |
| 6-12 YRS | 163 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 278 | 2.9 | 1 | 1 | 1 | 3 | 4 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 7.5 | 1 | 7 | 7 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 7 | 4.9 | 4 | 2 | 2 | 5 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 47 | 3.0 | 6 | <1 | <1 | 2 | 3 | 7 | 9 | 11 |
| 6-12 YRS | 45 | 2.9 | 3 | 1 | 1 | 3 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 83 | 4.5 | 18 | 1 | 2 | 4 | 4 | 7 | 11 | 29 |
| TOT. SINGLE DX | 599 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 184 | 3.8 | 12 | 1 | 1 | 3 | 4 | 7 | 9 | 17 |
| TOTAL 0-27 DYS | 4 | 6.0 | 5 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 1-11 MOS | 38 | 4.0 | 14 | <1 | 1 | 3 | 5 | 8 | 8 | 22 |
| 1-5 YRS | 172 | 2.4 | 4 | <1 | <1 | 2 | 3 | 4 | 8 | 11 |
| 6-12 YRS | 208 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 13-19 YRS | 361 | 3.2 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 11 |
| **GRAND TOTAL** | **783** | **2.9** | **5** | **<1** | **1** | **2** | **3** | **5** | **6** | **11** |

### 625: Repair of diaphragmatic and other hernia (53.7-53.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 9.5 | 57 | 1 | 1 | 9 | 15 | 19 | 19 | 19 |
| 1-11 MOS | 16 | 3.8 | 11 | <1 | 1 | 2 | 6 | 8 | 11 | 12 |
| 1-5 YRS | 22 | 3.2 | 9 | <1 | <1 | 2 | 4 | 9 | 10 | 11 |
| 6-12 YRS | 12 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 30 | 4.4 | 13 | 1 | 1 | 3 | 5 | 10 | 12 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 13 | 20.2 | 563 | 2 | 6 | 13 | 31 | 93 | 98 | 99+ |
| 1-11 MOS | 19 | 10.5 | 106 | <1 | 1 | 8 | 14 | 26 | 33 | 39 |
| 1-5 YRS | 22 | 6.3 | 57 | <1 | 1 | 3 | 7 | 21 | 24 | 25 |
| 6-12 YRS | 11 | 4.8 | 14 | 1 | 1 | 3 | 8 | 11 | 11 | 11 |
| 13-19 YRS | 26 | 9.8 | 61 | 2 | 3 | 7 | 11 | 26 | 29 | 31 |
| TOT. SINGLE DX | 84 | 3.9 | 14 | <1 | 1 | 2 | 5 | 9 | 11 | 18 |
| " MULTIPLE DX | 91 | 10.0 | 150 | 1 | 1 | 7 | 12 | 26 | 31 | 97 |
| TOTAL 0-27 DYS | 17 | 17.6 | 455 | 1 | 3 | 12 | 19 | 76 | 97 | 99+ |
| 1-11 MOS | 35 | 7.5 | 73 | <1 | 1 | 5 | 10 | 18 | 26 | 39 |
| 1-5 YRS | 44 | 4.7 | 35 | <1 | <1 | 2 | 6 | 12 | 21 | 25 |
| 6-12 YRS | 23 | 3.3 | 9 | <1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 13-19 YRS | 56 | 6.9 | 42 | 1 | 2 | 5 | 8 | 15 | 24 | 31 |
| GRAND TOTAL | 175 | 7.0 | 93 | <1 | 1 | 4 | 9 | 16 | 26 | 78 |

### 626: Incision, excision of abdominal wall and peritoneum, except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 4.9 | 27 | 1 | 1 | 4 | 5 | 12 | 19 | 19 |
| 1-11 MOS | 34 | 3.4 | 11 | <1 | 1 | 2 | 4 | 7 | 10 | 18 |
| 1-5 YRS | 225 | 3.1 | 10 | <1 | 1 | 2 | 3 | 6 | 7 | 17 |
| 6-12 YRS | 196 | 3.4 | 8 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 13-19 YRS | 342 | 4.7 | 18 | 1 | 1 | 3 | 6 | 9 | 12 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 20 | 12.0 | 161 | 1 | 3 | 7 | 14 | 29 | 42 | 54 |
| 1-11 MOS | 34 | 7.0 | 32 | 1 | 2 | 6 | 9 | 15 | 20 | 21 |
| 1-5 YRS | 111 | 6.7 | 110 | 1 | 1 | 4 | 7 | 16 | 21 | 89 |
| 6-12 YRS | 121 | 6.8 | 47 | 1 | 2 | 5 | 8 | 15 | 21 | 67 |
| 13-19 YRS | 276 | 8.6 | 99 | 1 | 2 | 6 | 10 | 19 | 24 | 68 |
| TOT. SINGLE DX | 807 | 3.9 | 14 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| " MULTIPLE DX | 562 | 7.9 | 89 | 1 | 2 | 5 | 9 | 17 | 24 | 69 |
| TOTAL 0-27 DYS | 30 | 9.6 | 126 | 1 | 2 | 5 | 11 | 24 | 30 | 54 |
| 1-11 MOS | 68 | 5.2 | 25 | 1 | 1 | 3 | 7 | 11 | 18 | 21 |
| 1-5 YRS | 336 | 4.3 | 46 | <1 | 1 | 3 | 4 | 8 | 15 | 35 |
| 6-12 YRS | 317 | 4.7 | 26 | 1 | 1 | 3 | 6 | 10 | 14 | 25 |
| 13-19 YRS | 618 | 6.4 | 59 | 1 | 1 | 4 | 8 | 13 | 20 | 42 |
| GRAND TOTAL | 1369 | 5.5 | 49 | 1 | 1 | 3 | 6 | 11 | 17 | 38 |

### 627: Laparotomy (54.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 18.0 | 54 | 9 | 9 | 18 | 23 | 27 | 27 | 27 |
| 1-11 MOS | 15 | 8.4 | 57 | 2 | 2 | 5 | 10 | 24 | 24 | 24 |
| 1-5 YRS | 53 | 5.9 | 12 | 2 | 2 | 5 | 8 | 9 | 12 | 22 |
| 6-12 YRS | 212 | 6.3 | 20 | 2 | 2 | 5 | 8 | 11 | 14 | 24 |
| 13-19 YRS | 753 | 6.2 | 16 | 2 | 3 | 5 | 7 | 10 | 13 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 29.8 | 826 | 4 | 7 | 23 | 70 | 99 | 99+ | 99+ |
| 1-11 MOS | 15 | 10.7 | 97 | 3 | 4 | 7 | 9 | 29 | 36 | 39 |
| 1-5 YRS | 76 | 10.3 | 62 | 3 | 4 | 8 | 12 | 21 | 32 | 84 |
| 6-12 YRS | 172 | 9.7 | 72 | 3 | 4 | 7 | 11 | 21 | 24 | 48 |
| 13-19 YRS | 894 | 10.5 | 110 | 3 | 4 | 7 | 12 | 21 | 31 | 68 |
| TOT. SINGLE DX | 1037 | 6.3 | 18 | 2 | 3 | 5 | 8 | 11 | 13 | 23 |
| " MULTIPLE DX | 1171 | 10.6 | 114 | 3 | 4 | 7 | 12 | 22 | 32 | 82 |
| TOTAL 0-27 DYS | 18 | 27.2 | 667 | 5 | 7 | 18 | 45 | 95 | 99+ | 99+ |
| 1-11 MOS | 30 | 9.6 | 76 | 2 | 3 | 7 | 9 | 24 | 29 | 39 |
| 1-5 YRS | 129 | 8.5 | 46 | 2 | 3 | 7 | 10 | 17 | 24 | 54 |
| 6-12 YRS | 384 | 7.8 | 46 | 2 | 3 | 6 | 9 | 14 | 21 | 40 |
| 13-19 YRS | 1647 | 8.5 | 72 | 3 | 3 | 6 | 9 | 15 | 22 | 51 |
| GRAND TOTAL | 2208 | 8.6 | 73 | 2 | 3 | 6 | 9 | 16 | 23 | 52 |

### 628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | 5 | 7.6 | 18 | 2 | 2 | 7 | 9 | 14 | 14 | 14 |
| 1-5 YRS | 4 | 2.3 | 2 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 6-12 YRS | 35 | 4.3 | 6 | <1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 13-19 YRS | 1828 | 3.4 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 18.8 | 1543 | 2 | 2 | 3 | 4 | 89 | 99 | 99+ |
| 1-11 MOS | 5 | 5.2 | 24 | <1 | <1 | 3 | 10 | 11 | 11 | 11 |
| 1-5 YRS | 4 | 4.8 | 6 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 6-12 YRS | 18 | 4.8 | 16 | <1 | 1 | 3 | 8 | 11 | 13 | 14 |
| 13-19 YRS | 1415 | 4.5 | 20 | 1 | 1 | 3 | 6 | 9 | 12 | 20 |
| TOT. SINGLE DX | 1873 | 3.4 | 8 | <1 | 1 | 2 | 4 | 7 | 8 | 13 |
| " MULTIPLE DX | 1448 | 4.6 | 27 | 1 | 1 | 3 | 6 | 10 | 12 | 20 |
| TOTAL 0-27 DYS | 7 | 16.3 | 1331 | <1 | <1 | 3 | 4 | 80 | 99 | 99+ |
| 1-11 MOS | 10 | 6.4 | 20 | <1 | <1 | 7 | 10 | 12 | 14 | 14 |
| 1-5 YRS | 8 | 3.5 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 6-12 YRS | 53 | 4.5 | 10 | <1 | 1 | 4 | 7 | 9 | 10 | 14 |
| 13-19 YRS | 3243 | 3.9 | 14 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |
| GRAND TOTAL | 3321 | 3.9 | 17 | <1 | 1 | 3 | 5 | 8 | 10 | 15 |

## 629: Peritoneal dialysis (54.98)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 16.5 | 127 | 5 | 5 | 14 | 23 | 32 | 32 | 32 |
| 1-11 MOS | 21 | 12.8 | 294 | 2 | 3 | 10 | 13 | 20 | 51 | 84 |
| 1-5 YRS | 32 | 9.0 | 91 | <1 | 1 | 7 | 10 | 17 | 21 | 54 |
| 6-12 YRS | 86 | 7.6 | 72 | 1 | 1 | 6 | 9 | 13 | 16 | 58 |
| 13-19 YRS | 269 | 6.9 | 19 | 1 | 2 | 6 | 9 | 13 | 16 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 29 | 26.6 | 384 | 6 | 8 | 24 | 32 | 79 | 99 | 99+ |
| 1-11 MOS | 27 | 16.4 | 311 | 3 | 5 | 11 | 21 | 28 | 42 | 95 |
| 1-5 YRS | 42 | 13.7 | 158 | 2 | 3 | 10 | 16 | 30 | 33 | 74 |
| 6-12 YRS | 75 | 8.3 | 36 | 3 | 4 | 7 | 10 | 13 | 15 | 39 |
| 13-19 YRS | 440 | 8.7 | 67 | 2 | 2 | 7 | 10 | 16 | 20 | 52 |
| TOT. SINGLE DX | 412 | 7.6 | 53 | 1 | 2 | 6 | 9 | 14 | 17 | 38 |
| " MULTIPLE DX | 613 | 10.2 | 111 | 2 | 3 | 7 | 11 | 19 | 30 | 73 |
| TOTAL 0-27 DYS | 33 | 25.4 | 360 | 5 | 7 | 20 | 32 | 75 | 96 | 99+ |
| 1-11 MOS | 48 | 14.8 | 301 | 2 | 4 | 10 | 16 | 24 | 38 | 95 |
| 1-5 YRS | 74 | 11.7 | 134 | 1 | 3 | 9 | 13 | 23 | 31 | 69 |
| 6-12 YRS | 161 | 7.9 | 56 | 1 | 2 | 7 | 9 | 13 | 16 | 47 |
| 13-19 YRS | 709 | 8.0 | 50 | 1 | 2 | 7 | 9 | 15 | 18 | 38 |
| GRAND TOTAL | 1025 | 9.1 | 89 | 1 | 2 | 7 | 10 | 16 | 23 | 63 |

## 631: Complete nephrectomy (55.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 7.7 | 4 | 6 | 6 | 7 | 9 | 10 | 10 | 10 |
| 1-11 MOS | 13 | 9.1 | 14 | 5 | 5 | 9 | 11 | 14 | 17 | 18 |
| 1-5 YRS | 29 | 10.3 | 35 | 5 | 6 | 8 | 11 | 21 | 25 | 28 |
| 6-12 YRS | 26 | 7.8 | 9 | 4 | 4 | 8 | 9 | 13 | 14 | 14 |
| 13-19 YRS | 44 | 8.3 | 7 | 5 | 5 | 8 | 9 | 11 | 14 | 17 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 11 | 15.9 | 144 | 3 | 4 | 14 | 18 | 37 | 41 | 41 |
| 1-11 MOS | 14 | 9.4 | 38 | 2 | 2 | 10 | 15 | 21 | 80 | 99+ |
| 1-5 YRS | 60 | 11.1 | 95 | 4 | 5 | 8 | 13 | 16 | 31 | 62 |
| 6-12 YRS | 48 | 9.9 | 50 | 5 | 6 | 8 | 10 | 21 | 39 | 99+ |
| 13-19 YRS | 145 | 12.2 | 72 | 5 | 6 | 9 | 13 | 21 | 26 | 54 |
| TOT. SINGLE DX | 115 | 8.8 | 16 | 5 | 5 | 8 | 10 | 13 | 17 | 26 |
| " MULTIPLE DX | 278 | 11.6 | 75 | 4 | 6 | 9 | 13 | 21 | 34 | 89 |
| TOTAL 0-27 DYS | 14 | 14.1 | 124 | 3 | 4 | 11 | 16 | 36 | 40 | 41 |
| 1-11 MOS | 27 | 9.3 | 26 | 2 | 4 | 9 | 13 | 19 | 29 | 99+ |
| 1-5 YRS | 89 | 10.8 | 75 | 4 | 5 | 8 | 12 | 19 | 28 | 55 |
| 6-12 YRS | 74 | 9.2 | 37 | 4 | 5 | 8 | 10 | 14 | 35 | 99+ |
| 13-19 YRS | 189 | 11.3 | 60 | 5 | 6 | 9 | 12 | 20 | 24 | 51 |
| GRAND TOTAL | 393 | 10.8 | 59 | 4 | 5 | 9 | 12 | 19 | 27 | 61 |

## 632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 9.5 | 68 | 1 | 1 | 8 | 10 | 23 | 25 | 25 |
| 1-11 MOS | 24 | 10.0 | 60 | 2 | 3 | 7 | 13 | 20 | 29 | 33 |
| 1-5 YRS | 89 | 7.3 | 39 | 2 | 2 | 6 | 9 | 15 | 18 | 30 |
| 6-12 YRS | 172 | 7.9 | 43 | 2 | 2 | 7 | 11 | 15 | 17 | 37 |
| 13-19 YRS | 324 | 7.7 | 33 | 2 | 2 | 7 | 11 | 16 | 21 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 9 | 13.0 | 181 | <1 | 1 | 8 | 17 | 36 | 43 | 43 |
| 1-11 MOS | 22 | 13.0 | 95 | 3 | 5 | 11 | 15 | 24 | 34 | 47 |
| 1-5 YRS | 96 | 11.3 | 56 | 3 | 4 | 10 | 14 | 20 | 29 | 74 |
| 6-12 YRS | 173 | 10.8 | 84 | 2 | 2 | 9 | 13 | 21 | 28 | 47 |
| 13-19 YRS | 364 | 11.1 | 68 | 2 | 2 | 9 | 15 | 23 | 27 | 39 |
| TOT. SINGLE DX | 615 | 7.8 | 39 | 2 | 2 | 7 | 11 | 16 | 20 | 31 |
| " MULTIPLE DX | 664 | 11.1 | 73 | 2 | 2 | 9 | 14 | 22 | 28 | 46 |
| TOTAL 0-27 DYS | 15 | 11.6 | 131 | <1 | 1 | 8 | 13 | 26 | 39 | 43 |
| 1-11 MOS | 46 | 11.4 | 78 | 2 | 4 | 8 | 14 | 24 | 29 | 47 |
| 1-5 YRS | 185 | 9.4 | 52 | 2 | 2 | 8 | 12 | 17 | 26 | 43 |
| 6-12 YRS | 345 | 9.3 | 66 | 2 | 2 | 8 | 12 | 17 | 24 | 46 |
| 13-19 YRS | 688 | 9.5 | 55 | 2 | 2 | 8 | 13 | 19 | 24 | 37 |
| GRAND TOTAL | 1279 | 9.5 | 59 | 2 | 2 | 8 | 12 | 18 | 25 | 41 |

## 633: Ureterotomy (56.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 7.3 | 7 | 4 | 4 | 7 | 9 | 10 | 10 | 10 |
| 1-5 YRS | 4 | 7.5 | 62 | <1 | <1 | 6 | 14 | 17 | 17 | 17 |
| 6-12 YRS | 21 | 8.6 | 15 | 4 | 5 | 8 | 10 | 16 | 17 | 18 |
| 13-19 YRS | 78 | 7.7 | 12 | 2 | 4 | 7 | 9 | 12 | 15 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 4 | 7.0 | 28 | 1 | 1 | 7 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 6 | 6.5 | 14 | 1 | 1 | 7 | 9 | 11 | 11 | 11 |
| 6-12 YRS | 12 | 9.7 | 67 | 3 | 3 | 7 | 11 | 23 | 30 | 31 |
| 13-19 YRS | 44 | 9.8 | 41 | 2 | 2 | 9 | 13 | 17 | 26 | 28 |
| TOT. SINGLE DX | 107 | 7.9 | 14 | 2 | 4 | 8 | 10 | 12 | 17 | 18 |
| " MULTIPLE DX | 67 | 9.2 | 42 | 2 | 2 | 8 | 12 | 17 | 26 | 30 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 8 | 7.1 | 16 | 1 | 2 | 7 | 10 | 12 | 12 | 12 |
| 1-5 YRS | 10 | 6.9 | 29 | <1 | <1 | 7 | 11 | 14 | 17 | 17 |
| 6-12 YRS | 33 | 9.0 | 33 | 3 | 4 | 8 | 10 | 17 | 20 | 31 |
| 13-19 YRS | 122 | 8.5 | 24 | 2 | 3 | 8 | 10 | 14 | 17 | 27 |
| GRAND TOTAL | 174 | 8.4 | 25 | 2 | 3 | 8 | 10 | 15 | 17 | 28 |

## 634: Ureteral diversion (56.5-56.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 7.7 | 5 | 5 | 5 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 217 | 8.9 | 7 | 5 | 6 | 8 | 10 | 12 | 14 | 19 |
| 6-12 YRS | 207 | 8.9 | 8 | 5 | 6 | 8 | 10 | 12 | 15 | 19 |
| 13-19 YRS | 58 | 9.8 | 17 | 4 | 6 | 9 | 11 | 13 | 19 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 1-11 MOS | 23 | 14.6 | 81 | 4 | 6 | 11 | 19 | 26 | 32 | 41 |
| 1-5 YRS | 241 | 10.2 | 16 | 5 | 6 | 9 | 12 | 16 | 18 | 25 |
| 6-12 YRS | 234 | 10.4 | 29 | 5 | 6 | 9 | 11 | 15 | 22 | 37 |
| 13-19 YRS | 104 | 12.0 | 59 | 6 | 7 | 10 | 13 | 17 | 23 | 50 |
| TOT. SINGLE DX | 485 | 9.0 | 9 | 5 | 6 | 8 | 10 | 12 | 15 | 20 |
| " MULTIPLE DX | 603 | 10.8 | 33 | 5 | 6 | 9 | 12 | 16 | 20 | 37 |
| TOTAL 0-27 DYS | 1 | 33.0 | | 33 | 33 | 33 | 33 | 33 | 33 | 33 |
| 1-11 MOS | 26 | 13.8 | 77 | 4 | 5 | 10 | 18 | 26 | 30 | 41 |
| 1-5 YRS | 458 | 9.6 | 13 | 5 | 6 | 9 | 11 | 14 | 17 | 20 |
| 6-12 YRS | 441 | 9.7 | 20 | 5 | 6 | 9 | 11 | 14 | 17 | 31 |
| 13-19 YRS | 162 | 11.2 | 45 | 5 | 7 | 10 | 12 | 17 | 21 | 38 |
| GRAND TOTAL | 1088 | 10.0 | 23 | 5 | 6 | 9 | 11 | 15 | 17 | 32 |

## 635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 7.2 | 24 | 1 | 1 | 9 | 11 | 12 | 12 | 12 |
| 1-5 YRS | 45 | 2.9 | 14 | <1 | <1 | 1 | 2 | 10 | 12 | 13 |
| 6-12 YRS | 58 | 4.5 | 22 | <1 | <1 | 2 | 6 | 10 | 14 | 22 |
| 13-19 YRS | 169 | 5.0 | 12 | 1 | 2 | 4 | 6 | 9 | 11 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 12.7 | 310 | 2 | 2 | 3 | 25 | 33 | 33 | 33 |
| 1-11 MOS | 13 | 9.8 | 71 | 1 | 1 | 10 | 15 | 25 | 25 | 25 |
| 1-5 YRS | 57 | 7.5 | 60 | <1 | 1 | 5 | 12 | 16 | 21 | 43 |
| 6-12 YRS | 54 | 7.7 | 62 | 1 | 1 | 4 | 12 | 19 | 23 | 32 |
| 13-19 YRS | 95 | 7.5 | 34 | 2 | 3 | 6 | 9 | 13 | 18 | 34 |
| TOT. SINGLE DX | 277 | 4.6 | 16 | <1 | 1 | 4 | 6 | 10 | 12 | 21 |
| " MULTIPLE DX | 222 | 7.8 | 52 | 1 | 1 | 5 | 11 | 16 | 22 | 34 |
| TOTAL 0-27 DYS | 3 | 12.7 | 310 | 2 | 2 | 3 | 25 | 33 | 33 | 33 |
| 1-11 MOS | 18 | 9.1 | 58 | 1 | 1 | 9 | 12 | 22 | 25 | 25 |
| 1-5 YRS | 102 | 5.5 | 45 | <1 | <1 | 2 | 10 | 13 | 17 | 34 |
| 6-12 YRS | 112 | 6.0 | 44 | <1 | 1 | 3 | 9 | 15 | 21 | 31 |
| 13-19 YRS | 264 | 5.9 | 22 | 2 | 2 | 5 | 8 | 11 | 13 | 27 |
| GRAND TOTAL | 499 | 6.0 | 34 | <1 | 1 | 4 | 8 | 12 | 16 | 31 |

## 636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 39 | 2.9 | 9 | <1 | 1 | 2 | 3 | 6 | 11 | 14 |
| 1-5 YRS | 1352 | 1.8 | 2 | <1 | <1 | 1 | 2 | 3 | 5 | 9 |
| 6-12 YRS | 1754 | 2.0 | 5 | <1 | <1 | 1 | 2 | 4 | 6 | 9 |
| 13-19 YRS | 1597 | 3.0 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 19 | 8.9 | 39 | <1 | 1 | 7 | 13 | 17 | 21 | 22 |
| 1-11 MOS | 89 | 6.6 | 74 | 1 | 1 | 4 | 9 | 14 | 19 | 53 |
| 1-5 YRS | 1415 | 2.5 | 7 | <1 | <1 | 2 | 3 | 5 | 8 | 14 |
| 6-12 YRS | 1833 | 2.5 | 5 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 13-19 YRS | 1934 | 4.9 | 43 | 1 | 1 | 3 | 6 | 9 | 13 | 27 |
| TOT. SINGLE DX | 4745 | 2.3 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 11 |
| " MULTIPLE DX | 5290 | 3.4 | 22 | <1 | 1 | 2 | 4 | 7 | 10 | 19 |
| TOTAL 0-27 DYS | 22 | 8.1 | 39 | <1 | 1 | 6 | 13 | 16 | 20 | 22 |
| 1-11 MOS | 128 | 5.4 | 57 | 1 | 1 | 3 | 7 | 12 | 15 | 40 |
| 1-5 YRS | 2767 | 2.2 | 5 | <1 | <1 | 1 | 2 | 4 | 7 | 13 |
| 6-12 YRS | 3587 | 2.2 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 11 |
| 13-19 YRS | 3531 | 4.0 | 28 | <1 | 1 | 2 | 5 | 8 | 11 | 22 |
| GRAND TOTAL | 10035 | 2.9 | 15 | <1 | 1 | 2 | 3 | 6 | 8 | 16 |

## 637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 4.0 | 12 | <1 | <1 | 3 | 6 | 9 | 9 | 9 |
| 1-5 YRS | 7 | 4.3 | 9 | 2 | 2 | 3 | 6 | 9 | 10 | 10 |
| 6-12 YRS | 9 | 5.7 | 17 | 1 | 1 | 5 | 8 | 12 | 13 | 13 |
| 13-19 YRS | 48 | 2.9 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 13 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 8 | 3.1 | 11 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| 1-5 YRS | 12 | 6.3 | 20 | 2 | 2 | 6 | 7 | 13 | 17 | 18 |
| 6-12 YRS | 23 | 5.5 | 13 | 1 | 1 | 5 | 9 | 11 | 12 | 13 |
| 13-19 YRS | 76 | 4.1 | 10 | 1 | 1 | 3 | 5 | 8 | 11 | 16 |
| **TOT. SINGLE DX** | 68 | 3.5 | 8 | <1 | 1 | 2 | 5 | 7 | 10 | 13 |
| **" MULTIPLE DX** | 120 | 4.5 | 13 | 1 | 1 | 3 | 6 | 9 | 12 | 17 |
| TOTAL 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 12 | 3.4 | 11 | <1 | <1 | 2 | 4 | 10 | 11 | 11 |
| 1-5 YRS | 19 | 5.6 | 17 | 2 | 2 | 5 | 7 | 11 | 15 | 18 |
| 6-12 YRS | 32 | 5.6 | 14 | 1 | 1 | 5 | 8 | 11 | 13 | 13 |
| 13-19 YRS | 124 | 3.6 | 9 | <1 | 1 | 3 | 5 | 7 | 10 | 16 |
| **GRAND TOTAL** | **188** | **4.1** | **11** | **1** | **1** | **3** | **5** | **9** | **11** | **16** |

## 638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 46 | 4.9 | 8 | 2 | 2 | 4 | 6 | 9 | 10 | 16 |
| 1-11 MOS | 44 | 5.6 | 10 | 2 | 2 | 5 | 7 | 10 | 13 | 14 |
| 1-5 YRS | 81 | 7.1 | 47 | 1 | 2 | 5 | 8 | 13 | 17 | 42 |
| 6-12 YRS | 46 | 5.3 | 14 | 1 | 1 | 4 | 8 | 9 | 13 | 16 |
| 13-19 YRS | 85 | 5.7 | 31 | 1 | 1 | 4 | 8 | 11 | 14 | 33 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 155 | 8.1 | 50 | 3 | 3 | 6 | 10 | 14 | 18 | 52 |
| 1-11 MOS | 77 | 7.7 | 42 | 2 | 3 | 6 | 9 | 16 | 24 | 33 |
| 1-5 YRS | 105 | 7.4 | 37 | 2 | 3 | 6 | 9 | 13 | 19 | 36 |
| 6-12 YRS | 95 | 10.7 | 125 | 1 | 2 | 9 | 12 | 20 | 29 | 62 |
| 13-19 YRS | 178 | 12.5 | 184 | 1 | 2 | 9 | 16 | 30 | 45 | 94 |
| **TOT. SINGLE DX** | 302 | 5.9 | 27 | 1 | 2 | 4 | 8 | 11 | 14 | 31 |
| **" MULTIPLE DX** | 610 | 9.6 | 102 | 2 | 3 | 7 | 11 | 19 | 29 | 61 |
| TOTAL 0-27 DYS | 201 | 7.4 | 43 | 2 | 3 | 6 | 9 | 13 | 17 | 43 |
| 1-11 MOS | 121 | 7.0 | 32 | 2 | 3 | 5 | 8 | 12 | 19 | 33 |
| 1-5 YRS | 186 | 7.3 | 41 | 1 | 2 | 6 | 9 | 13 | 19 | 38 |
| 6-12 YRS | 141 | 9.0 | 96 | 1 | 2 | 7 | 10 | 18 | 23 | 59 |
| 13-19 YRS | 263 | 10.3 | 145 | 1 | 2 | 7 | 12 | 23 | 38 | 80 |
| **GRAND TOTAL** | **912** | **8.4** | **80** | **1** | **2** | **6** | **10** | **17** | **23** | **52** |

## 639: Urethral meatotomy (58.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 15 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 3 | 3 |
| 1-5 YRS | 696 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 423 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 58 | 1.9 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 6 | 5.8 | 30 | 3 | 3 | 4 | 5 | 16 | 17 | 17 |
| 1-11 MOS | 10 | 2.7 | 11 | 1 | 1 | 2 | 3 | 8 | 12 | 12 |
| 1-5 YRS | 396 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 6-12 YRS | 395 | 2.0 | 2 | <1 | <1 | 2 | 2 | 4 | 5 | 8 |
| 13-19 YRS | 86 | 2.6 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| **TOT. SINGLE DX** | 1192 | 1.4 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| **" MULTIPLE DX** | 893 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| TOTAL 0-27 DYS | 6 | 5.8 | 31 | 3 | 3 | 4 | 5 | 16 | 17 | 17 |
| 1-11 MOS | 25 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 5 | 12 |
| 1-5 YRS | 1092 | 1.6 | 2 | <1 | <1 | 1 | 2 | 3 | 3 | 8 |
| 6-12 YRS | 818 | 1.7 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 144 | 2.3 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| **GRAND TOTAL** | **2085** | **1.7** | **2** | **<1** | **<1** | **1** | **2** | **3** | **4** | **8** |

## 640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 13 | 4.2 | 13 | <1 | 1 | 2 | 7 | 10 | 12 | 12 |
| 1-5 YRS | 749 | 6.3 | 15 | 1 | 1 | 6 | 9 | 11 | 13 | 16 |
| 6-12 YRS | 291 | 5.1 | 16 | <1 | 1 | 4 | 8 | 11 | 12 | 18 |
| 13-19 YRS | 174 | 5.6 | 28 | <1 | 1 | 4 | 8 | 11 | 13 | 31 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 6 | 8.7 | 166 | 3 | 3 | 4 | 4 | 32 | 35 | 35 |
| 1-11 MOS | 11 | 3.5 | 5 | <1 | 1 | 2 | 6 | 7 | 8 | 8 |
| 1-5 YRS | 325 | 5.5 | 21 | 1 | 1 | 4 | 8 | 11 | 13 | 21 |
| 6-12 YRS | 214 | 5.0 | 17 | 1 | 1 | 3 | 8 | 11 | 13 | 16 |
| 13-19 YRS | 153 | 5.6 | 27 | 1 | 1 | 4 | 8 | 11 | 13 | 22 |
| **TOT. SINGLE DX** | 1227 | 5.9 | 18 | 1 | 1 | 5 | 9 | 11 | 13 | 17 |
| **" MULTIPLE DX** | 709 | 5.4 | 22 | 1 | 1 | 4 | 8 | 11 | 13 | 21 |
| TOTAL 0-27 DYS | 6 | 8.7 | 167 | 3 | 3 | 4 | 4 | 32 | 35 | 35 |
| 1-11 MOS | 24 | 3.9 | 9 | <1 | 1 | 2 | 6 | 8 | 10 | 12 |
| 1-5 YRS | 1074 | 6.1 | 17 | 1 | 1 | 6 | 9 | 11 | 13 | 17 |
| 6-12 YRS | 505 | 5.1 | 16 | <1 | 1 | 4 | 8 | 11 | 13 | 17 |
| 13-19 YRS | 327 | 5.6 | 28 | 1 | 1 | 4 | 8 | 11 | 13 | 26 |
| **GRAND TOTAL** | **1936** | **5.7** | **19** | **1** | **1** | **5** | **8** | **11** | **13** | **20** |

## 641: Urethral dilation (58.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 5 |
| 1-5 YRS | 481 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 6 |
| 6-12 YRS | 496 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 7 |
| 13-19 YRS | 257 | 2.5 | 17 | <1 | <1 | 2 | 3 | 5 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 15 | 5.3 | 33 | <1 | 1 | 2 | 6 | 17 | 18 | 19 |
| 1-5 YRS | 807 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 6-12 YRS | 865 | 2.2 | 3 | <1 | <1 | 2 | 2 | 4 | 6 | 10 |
| 13-19 YRS | 563 | 3.8 | 20 | <1 | 1 | 2 | 5 | 7 | 10 | 21 |
| TOT. SINGLE DX | 1242 | 1.8 | 5 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 2252 | 2.5 | 8 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-27 DYS | 2 | 12.5 | 25 | 9 | 9 | 12 | 16 | 16 | 16 | 16 |
| 1-11 MOS | 23 | 4.1 | 25 | <1 | <1 | 2 | 5 | 11 | 18 | 19 |
| 1-5 YRS | 1288 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 1361 | 2.0 | 3 | <1 | <1 | 1 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 820 | 3.4 | 20 | <1 | 1 | 2 | 4 | 7 | 9 | 19 |
| GRAND TOTAL | 3494 | 2.2 | 7 | <1 | <1 | 1 | 2 | 5 | 7 | 11 |

## 642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 9 | 2.0 | 2 | <1 | <1 | 1 | 2 | 5 | 6 | 6 |
| 1-5 YRS | 252 | 1.9 | 3 | <1 | <1 | 2 | 2 | 3 | 4 | 13 |
| 6-12 YRS | 206 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 13-19 YRS | 175 | 3.1 | 5 | <1 | 1 | 3 | 4 | 5 | 7 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 2.8 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 241 | 2.3 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 260 | 2.6 | 6 | <1 | <1 | 2 | 3 | 5 | 7 | 12 |
| 13-19 YRS | 194 | 4.3 | 21 | 1 | 1 | 3 | 4 | 8 | 13 | 28 |
| TOT. SINGLE DX | 642 | 2.2 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 10 |
| " MULTIPLE DX | 701 | 3.0 | 10 | <1 | 1 | 2 | 3 | 5 | 8 | 17 |
| TOTAL 0-27 DYS | 4 | 2.8 | | 2 | 2 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 11 | 2.4 | 5 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 1-5 YRS | 493 | 2.1 | 3 | <1 | <1 | 2 | 2 | 4 | 5 | 11 |
| 6-12 YRS | 466 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 9 |
| 13-19 YRS | 369 | 3.7 | 14 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| GRAND TOTAL | 1343 | 2.6 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 14 |

## 643: Urethral suspension (59.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 7 | 3.6 | 3 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 25.0 | | 25 | 25 | 25 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 7 | 6.4 | 10 | 3 | 3 | 7 | 9 | 11 | 11 | 11 |
| TOT. SINGLE DX | 9 | 3.9 | 7 | <1 | 1 | 3 | 5 | 8 | 9 | 9 |
| " MULTIPLE DX | 11 | 8.9 | 40 | 3 | 3 | 7 | 11 | 17 | 24 | 25 |
| TOTAL 0-27 DYS | 2 | 13.0 | 288 | <1 | <1 | 12 | 25 | 25 | 25 | 25 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 6-12 YRS | 2 | 10.0 | 2 | 9 | 9 | 10 | 11 | 11 | 11 | 11 |
| 13-19 YRS | 14 | 5.0 | 9 | 2 | 2 | 4 | 7 | 10 | 11 | 11 |
| GRAND TOTAL | 20 | 6.7 | 30 | 1 | 2 | 5 | 9 | 12 | 18 | 25 |

## 644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 16.0 | | 16 | 16 | 16 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 3 | 7.3 | 22 | 2 | 2 | 9 | 10 | 11 | 11 | 11 |
| TOT. SINGLE DX | 2 | 5.5 | 13 | 3 | 3 | 5 | 8 | 8 | 8 | 8 |
| " MULTIPLE DX | 4 | 9.5 | 34 | 2 | 2 | 10 | 13 | 16 | 16 | 16 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 2 | 12.0 | 32 | 8 | 8 | 12 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 3 | 7.3 | 22 | 2 | 2 | 9 | 10 | 11 | 11 | 11 |
| GRAND TOTAL | 6 | 8.2 | 27 | 2 | 2 | 8 | 11 | 15 | 16 | 16 |

## 645: Ureteral catheterization (59.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 8 | 2.8 | 5 | <1 | <1 | 2 | 4 | 7 | 7 | 7 |
| 6-12 YRS | 9 | 2.7 | 2 | <1 | <1 | 3 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 15 | 4.9 | 8 | 2 | 2 | 4 | 8 | 9 | 10 | 10 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 2.5 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 19 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 6-12 YRS | 18 | 3.3 | 10 | <1 | 1 | 2 | 5 | 7 | 11 | 14 |
| 13-19 YRS | 18 | 8.7 | 159 | <1 | 1 | 4 | 8 | 32 | 42 | 44 |
| **TOT. SINGLE DX** | 33 | 3.7 | 7 | <1 | 1 | 3 | 6 | 8 | 9 | 10 |
| **" MULTIPLE DX** | 59 | 4.5 | 59 | <1 | 1 | 2 | 5 | 8 | 14 | 44 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 2.2 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 1-5 YRS | 27 | 2.3 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 6-12 YRS | 27 | 3.1 | 8 | <1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 33 | 7.0 | 92 | 1 | 1 | 4 | 8 | 11 | 36 | 44 |
| **GRAND TOTAL** | 92 | 4.2 | 40 | <1 | 1 | 2 | 5 | 8 | 10 | 42 |

## 646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 4 | 4.8 | 12 | 1 | 1 | 4 | 7 | 9 | 9 | 9 |
| 6-12 YRS | 2 | 7.5 | 85 | 1 | 1 | 7 | 14 | 14 | 14 | 14 |
| 13-19 YRS | 3 | 4.3 | 4 | 2 | 2 | 5 | 6 | 6 | 6 | 6 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 2 | 6.5 | 25 | 3 | 3 | 6 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 16 | 8.4 | 18 | 1 | 2 | 8 | 11 | 13 | 17 | 19 |
| **TOT. SINGLE DX** | 10 | 5.8 | 19 | 1 | 1 | 5 | 9 | 12 | 14 | 14 |
| **" MULTIPLE DX** | 20 | 7.7 | 19 | 1 | 2 | 8 | 10 | 12 | 16 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 11.0 | | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 6 | 4.2 | 9 | 1 | 1 | 3 | 6 | 9 | 9 | 9 |
| 6-12 YRS | 4 | 7.0 | 37 | 1 | 1 | 6 | 12 | 14 | 14 | 14 |
| 13-19 YRS | 19 | 7.8 | 18 | 1 | 2 | 7 | 10 | 13 | 16 | 19 |
| **GRAND TOTAL** | 30 | 7.1 | 19 | 1 | 1 | 7 | 10 | 12 | 14 | 19 |

## 647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **TOT. SINGLE DX** | | | | | | | | | | |
| **" MULTIPLE DX** | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| **GRAND TOTAL** | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 648: Transurethral prostatectomy (60.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 10 | 10.0 | 28 | 6 | 6 | 8 | 13 | 18 | 23 | 23 |
| 1-5 YRS | 6 | 9.7 | 72 | 5 | 5 | 6 | 7 | 25 | 27 | 27 |
| 6-12 YRS | 7 | 5.3 | 5 | 2 | 2 | 6 | 6 | 8 | 9 | 9 |
| 13-19 YRS | 4 | 6.8 | 10 | 2 | 2 | 8 | 9 | 9 | 9 | 9 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 12 | 11.3 | 28 | 7 | 7 | 9 | 14 | 20 | 23 | 23 |
| 1-5 YRS | 13 | 13.0 | 164 | 4 | 4 | 7 | 16 | 36 | 44 | 46 |
| 6-12 YRS | 7 | 19.1 | 145 | 6 | 6 | 15 | 30 | 36 | 37 | 37 |
| 13-19 YRS | 13 | 10.0 | 63 | 3 | 4 | 8 | 12 | 25 | 28 | 29 |
| **TOT. SINGLE DX** | 29 | 8.2 | 30 | 2 | 3 | 7 | 9 | 13 | 23 | 27 |
| **" MULTIPLE DX** | 47 | 12.4 | 96 | 4 | 4 | 8 | 15 | 28 | 34 | 46 |
| TOTAL 0-27 DYS | 4 | 7.3 | 18 | 3 | 3 | 6 | 10 | 13 | 13 | 13 |
| 1-11 MOS | 22 | 10.7 | 27 | 6 | 6 | 8 | 13 | 20 | 23 | 23 |
| 1-5 YRS | 19 | 11.9 | 133 | 4 | 4 | 7 | 14 | 31 | 40 | 46 |
| 6-12 YRS | 14 | 12.2 | 121 | 2 | 3 | 7 | 15 | 34 | 36 | 37 |
| 13-19 YRS | 17 | 9.2 | 52 | 2 | 3 | 8 | 10 | 22 | 27 | 29 |
| **GRAND TOTAL** | 76 | 10.8 | 74 | 3 | 4 | 8 | 13 | 23 | 32 | 44 |

## 649: Other prostatectomy (60.3-60.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 3.7 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 20.0 | | 20 | 20 | 20 | 20 | 20 | 20 | 20 |
| 13-19 YRS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 9.0 | 66 | 3 | 3 | 6 | 12 | 23 | 23 | 23 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 13-19 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| TOT. SINGLE DX | 11 | 5.1 | 27 | 1 | 1 | 4 | 5 | 12 | 19 | 20 |
| " MULTIPLE DX | 9 | 7.3 | 60 | <1 | <1 | 4 | 11 | 21 | 23 | 23 |
| TOTAL 0-27 DYS | 11 | 6.1 | 36 | 1 | 2 | 4 | 6 | 15 | 22 | 23 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 2 | 18.5 | 5 | 17 | 17 | 18 | 20 | 20 | 20 | 20 |
| 13-19 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| GRAND TOTAL | 20 | 6.1 | 41 | <1 | 1 | 4 | 6 | 18 | 21 | 23 |

## 650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 3.3 | 6 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 6 | 2.8 | 1 | 2 | 2 | 3 | 3 | 5 | 5 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 4.8 | 7 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 5 | 7.6 | 25 | 3 | 3 | 6 | 10 | 15 | 15 | 15 |
| 6-12 YRS | 3 | 4.7 | 14 | 2 | 2 | 3 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 6 | 12.2 | 149 | 2 | 2 | 9 | 14 | 33 | 35 | 35 |
| TOT. SINGLE DX | 14 | 3.1 | 2 | 2 | 2 | 3 | 3 | 5 | 7 | 7 |
| " MULTIPLE DX | 19 | 7.8 | 60 | 2 | 2 | 5 | 9 | 15 | 26 | 35 |
| TOTAL 0-27 DYS | 4 | 3.5 | 1 | 3 | 3 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 4.8 | 8 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 9 | 5.7 | 20 | 2 | 2 | 3 | 8 | 13 | 15 | 15 |
| 6-12 YRS | 4 | 4.5 | 10 | 2 | 2 | 3 | 6 | 9 | 9 | 9 |
| 13-19 YRS | 12 | 7.5 | 92 | 2 | 2 | 4 | 9 | 20 | 33 | 35 |
| GRAND TOTAL | 33 | 5.8 | 41 | 2 | 2 | 3 | 7 | 13 | 15 | 35 |

## 651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 29 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 14 |
| 1-5 YRS | 142 | 2.0 | 2 | <1 | 1 | 2 | 2 | 4 | 5 | 7 |
| 6-12 YRS | 136 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 11 |
| 13-19 YRS | 231 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 3.2 | 1 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 26 | 3.4 | 33 | <1 | <1 | 2 | 3 | 5 | 11 | 31 |
| 1-5 YRS | 120 | 2.8 | 8 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| 6-12 YRS | 72 | 3.0 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 19 |
| 13-19 YRS | 110 | 4.2 | 12 | 1 | 1 | 3 | 5 | 7 | 9 | 24 |
| TOT. SINGLE DX | 542 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| " MULTIPLE DX | 338 | 3.3 | 12 | 1 | 1 | 2 | 4 | 6 | 8 | 21 |
| TOTAL 0-27 DYS | 14 | 3.1 | 2 | 1 | 1 | 3 | 4 | 5 | 5 | 5 |
| 1-11 MOS | 55 | 2.9 | 19 | <1 | <1 | 2 | 3 | 4 | 6 | 30 |
| 1-5 YRS | 262 | 2.4 | 5 | <1 | 1 | 2 | 2 | 4 | 5 | 15 |
| 6-12 YRS | 208 | 2.6 | 6 | <1 | 1 | 2 | 3 | 4 | 6 | 15 |
| 13-19 YRS | 341 | 3.6 | 7 | 1 | 1 | 3 | 4 | 7 | 8 | 12 |
| GRAND TOTAL | 880 | 2.9 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |

## 652: Orchiectomy (62.3-62.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 17 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 7 |
| 1-5 YRS | 135 | 2.2 | | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 6-12 YRS | 148 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 13-19 YRS | 446 | 3.7 | 7 | 1 | 2 | 3 | 4 | 6 | 8 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 35 | 4.2 | 12 | <1 | 2 | 3 | 5 | 7 | 8 | 22 |
| 1-11 MOS | 12 | 2.8 | 5 | 1 | 1 | 2 | 3 | 7 | 8 | 8 |
| 1-5 YRS | 117 | 2.4 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 6-12 YRS | 144 | 2.8 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 326 | 4.5 | 13 | 1 | 2 | 3 | 5 | 8 | 12 | 19 |
| TOT. SINGLE DX | 748 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 14 |
| " MULTIPLE DX | 634 | 3.7 | 9 | 1 | 1 | 3 | 4 | 7 | 9 | 16 |
| TOTAL 0-27 DYS | 37 | 4.1 | 12 | <1 | 1 | 3 | 5 | 7 | 8 | 22 |
| 1-11 MOS | 29 | 2.8 | 3 | 1 | 1 | 2 | 3 | 6 | 7 | 8 |
| 1-5 YRS | 252 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 6-12 YRS | 292 | 2.8 | 3 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 13-19 YRS | 772 | 4.0 | 10 | 1 | 2 | 3 | 5 | 7 | 10 | 17 |
| GRAND TOTAL | 1382 | 3.4 | 7 | 1 | 1 | 3 | 4 | 6 | 8 | 15 |

## 653: Orchiopexy (62.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 13 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 1017 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 6-12 YRS | 1428 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 13-19 YRS | 980 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 4.8 | 8 | 1 | 2 | 4 | 7 | 9 | 11 | 11 |
| 1-11 MOS | 26 | 2.5 | 3 | <1 | <1 | 2 | 3 | 5 | 8 | 8 |
| 1-5 YRS | 1037 | 2.7 | 2 | <1 | 1 | 2 | 3 | 5 | 5 | 8 |
| 6-12 YRS | 901 | 3.4 | 6 | 1 | 2 | 3 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 319 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| TOT. SINGLE DX | 3440 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 8 |
| " MULTIPLE DX | 2293 | 3.1 | 5 | 1 | 1 | 3 | 4 | 5 | 7 | 10 |
| TOTAL 0-27 DYS | 12 | 4.3 | 9 | 1 | 1 | 3 | 6 | 8 | 11 | 11 |
| 1-11 MOS | 39 | 2.2 | 3 | <1 | <1 | 2 | 3 | 4 | 7 | 8 |
| 1-5 YRS | 2054 | 2.7 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 6-12 YRS | 2329 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 13-19 YRS | 1299 | 2.8 | 3 | 1 | 1 | 2 | 4 | 5 | 6 | 8 |
| GRAND TOTAL | 5733 | 2.9 | 3 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |

## 654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 72 | 2.3 | 9 | 1 | 1 | 2 | 3 | 4 | 4 | 22 |
| 6-12 YRS | 328 | 2.1 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 13-19 YRS | 271 | 2.8 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 5.0 | 4 | 3 | 3 | 5 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 4 | 4.3 | 1 | 3 | 3 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 37 | 2.4 | 1 | <1 | 1 | 2 | 3 | 4 | 5 | 6 |
| 6-12 YRS | 109 | 2.9 | 6 | 1 | 1 | 2 | 3 | 5 | 7 | 14 |
| 13-19 YRS | 124 | 4.1 | 29 | 1 | 1 | 3 | 4 | 6 | 10 | 31 |
| TOT. SINGLE DX | 674 | 2.4 | 4 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 277 | 3.4 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| TOTAL 0-27 DYS | 4 | 4.3 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 6 | 3.8 | 1 | 3 | 3 | 4 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 109 | 2.4 | 7 | <1 | 1 | 2 | 3 | 4 | 5 | 15 |
| 6-12 YRS | 437 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 13-19 YRS | 395 | 3.2 | 13 | 1 | 1 | 2 | 4 | 6 | 7 | 14 |
| GRAND TOTAL | 951 | 2.7 | 8 | 1 | 1 | 2 | 3 | 5 | 6 | 11 |

## 655: Interruption of vas deferens (63.6-63.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 12 | 2.5 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 4 | 1.0 | | <1 | <1 | <1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| TOT. SINGLE DX | 14 | 2.5 | 2 | <1 | <1 | 2 | 4 | 4 | 6 | 6 |
| " MULTIPLE DX | 6 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 2 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 1.0 | | <1 | <1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 13 | 2.4 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| GRAND TOTAL | 20 | 2.1 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |

## 656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 154 | 1.8 | | <1 | <1 | 2 | 2 | 3 | 3 | 4 |
| 1-5 YRS | 544 | 2.1 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 370 | 2.2 | 1 | 1 | 1 | 2 | 3 | 3 | 4 | 5 |
| 13-19 YRS | 937 | 2.8 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 4.0 | 4 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 145 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 19 |
| 1-5 YRS | 530 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 7 |
| 6-12 YRS | 246 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 363 | 3.4 | 3 | 1 | 2 | 3 | 4 | 5 | 7 | 11 |
| TOT. SINGLE DX | 2007 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 1289 | 2.6 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| TOTAL 0-27 DYS | 7 | 3.4 | 4 | <1 | <1 | 3 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 299 | 2.1 | 4 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 1-5 YRS | 1074 | 2.1 | 2 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 616 | 2.3 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 6 |
| 13-19 YRS | 1300 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| GRAND TOTAL | 3296 | 2.5 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |

### 657: Circumcision, other than newborn (64.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 402 | 1.9 | 9 | <1 | <1 | 1 | 2 | 2 | 3 | 19 |
| 1-5 YRS | 1841 | 1.6 | | <1 | <1 | 2 | 2 | 2 | 2 | 4 |
| 6-12 YRS | 1120 | 1.8 | | <1 | <1 | 2 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 881 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 125 | 7.0 | 73 | <1 | 1 | 3 | 9 | 19 | 26 | 36 |
| 1-5 YRS | 511 | 2.1 | 3 | <1 | 1 | 2 | 2 | 4 | 5 | 10 |
| 6-12 YRS | 346 | 2.2 | 1 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 13-19 YRS | 303 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 13 |
| TOT. SINGLE DX | 5340 | 1.8 | 2 | <1 | <1 | 2 | 2 | 2 | 3 | 6 |
| " MULTIPLE DX | 1534 | 3.5 | 34 | <1 | 1 | 2 | 3 | 6 | 12 | 31 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 576 | 3.1 | 29 | <1 | <1 | 2 | 2 | 6 | 13 | 30 |
| 1-5 YRS | 3081 | 2.2 | 14 | <1 | <1 | 2 | 2 | 3 | 5 | 17 |
| 6-12 YRS | 1807 | 1.8 | 1 | <1 | <1 | 2 | 2 | 2 | 3 | 5 |
| 13-19 YRS | 1410 | 2.2 | 2 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| GRAND TOTAL | 6874 | 2.2 | 10 | <1 | <1 | 2 | 2 | 3 | 4 | 15 |

### 658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 19 | 3.2 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 18 | 2.4 | 4 | <1 | <1 | 1 | 3 | 7 | 7 | 7 |
| 1-5 YRS | 197 | 3.1 | 8 | <1 | <1 | 2 | 5 | 8 | 9 | 14 |
| 6-12 YRS | 79 | 2.8 | 10 | <1 | <1 | 2 | 2 | 7 | 9 | 18 |
| 13-19 YRS | 83 | 3.1 | 7 | <1 | <1 | 2 | 3 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 71 | 4.0 | 5 | 2 | 2 | 3 | 5 | 6 | 9 | 15 |
| 1-11 MOS | 11 | 3.3 | 8 | <1 | <1 | 2 | 4 | 8 | 10 | 10 |
| 1-5 YRS | 113 | 3.5 | 12 | <1 | <1 | 2 | 5 | 8 | 11 | 16 |
| 6-12 YRS | 42 | 4.4 | 9 | <1 | 1 | 3 | 7 | 9 | 11 | 12 |
| 13-19 YRS | 58 | 5.0 | 21 | <1 | 1 | 4 | 6 | 11 | 14 | 25 |
| TOT. SINGLE DX | 396 | 3.0 | 9 | <1 | <1 | 2 | 4 | 7 | 9 | 15 |
| " MULTIPLE DX | 295 | 4.0 | 12 | <1 | 1 | 3 | 5 | 9 | 11 | 16 |
| TOTAL 0-27 DYS | 90 | 3.8 | 5 | 2 | 2 | 3 | 5 | 6 | 9 | 14 |
| 1-11 MOS | 29 | 2.7 | 6 | <1 | <1 | 2 | 3 | 7 | 7 | 10 |
| 1-5 YRS | 310 | 3.3 | 10 | <1 | <1 | 2 | 5 | 8 | 9 | 16 |
| 6-12 YRS | 121 | 3.3 | 11 | <1 | <1 | 2 | 4 | 8 | 10 | 17 |
| 13-19 YRS | 141 | 3.9 | 14 | <1 | 1 | 2 | 5 | 9 | 11 | 20 |
| GRAND TOTAL | 691 | 3.4 | 10 | <1 | <1 | 2 | 5 | 8 | 10 | 16 |

### 659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

### 660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 6-12 YRS | 41 | 6.0 | 7 | 3 | 3 | 6 | 7 | 10 | 12 | 13 |
| 13-19 YRS | 1140 | 5.6 | 4 | 3 | 3 | 5 | 7 | 8 | 10 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 31.0 | 1372 | 3 | 3 | 17 | 59 | 73 | 73 | 73 |
| 1-11 MOS | 4 | 6.8 | 4 | 5 | 5 | 7 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 3 | 8.7 | 16 | 5 | 5 | 8 | 12 | 13 | 13 | 13 |
| 6-12 YRS | 29 | 7.1 | 9 | 3 | 4 | 7 | 9 | 11 | 14 | 15 |
| 13-19 YRS | 1095 | 6.2 | 8 | 3 | 4 | 6 | 7 | 9 | 11 | 16 |
| TOT. SINGLE DX | 1186 | 5.6 | 5 | 3 | 3 | 5 | 7 | 8 | 10 | 13 |
| " MULTIPLE DX | 1134 | 6.3 | 13 | 3 | 4 | 6 | 7 | 9 | 12 | 16 |
| TOTAL 0-27 DYS | 4 | 24.5 | 1084 | 3 | 3 | 11 | 45 | 73 | 73 | 73 |
| 1-11 MOS | 5 | 7.0 | 4 | 5 | 5 | 8 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 6 | 6.0 | 16 | 2 | 2 | 5 | 8 | 12 | 13 | 13 |
| 6-12 YRS | 70 | 6.5 | 8 | 3 | 3 | 6 | 8 | 11 | 12 | 15 |
| 13-19 YRS | 2235 | 5.9 | 7 | 3 | 3 | 6 | 7 | 9 | 10 | 18 |
| GRAND TOTAL | 2320 | 6.0 | 9 | 3 | 3 | 6 | 7 | 9 | 11 | 18 |

## 661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 6 | 7.5 | 5 | 4 | 4 | 7 | 8 | 11 | 11 | 11 |
| 6-12 YRS | 41 | 6.6 | 7 | 3 | 3 | 6 | 8 | 11 | 11 | 12 |
| 13-19 YRS | 561 | 6.2 | 4 | 4 | 4 | 6 | 7 | 9 | 10 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 7.5 | 3 | 5 | 5 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 2 | 7.0 | 8 | 5 | 5 | 7 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 5 | 6.0 | 5 | 4 | 4 | 5 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 56 | 6.2 | 8 | 3 | 3 | 5 | 7 | 11 | 13 | 15 |
| 13-19 YRS | 774 | 7.0 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| TOT. SINGLE DX | 609 | 6.2 | 5 | 4 | 4 | 6 | 7 | 9 | 11 | 14 |
| " MULTIPLE DX | 841 | 6.9 | 8 | 4 | 4 | 6 | 8 | 10 | 12 | 18 |
| TOTAL 0-27 DYS | 4 | 7.5 | 4 | 5 | 5 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 3 | 7.3 | 4 | 5 | 5 | 8 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 11 | 6.8 | 5 | 4 | 4 | 7 | 8 | 10 | 11 | 11 |
| 6-12 YRS | 97 | 6.3 | 8 | 3 | 3 | 5 | 8 | 11 | 12 | 15 |
| 13-19 YRS | 1335 | 6.7 | 7 | 4 | 4 | 6 | 7 | 10 | 12 | 16 |
| GRAND TOTAL | 1450 | 6.6 | 7 | 4 | 4 | 6 | 7 | 10 | 12 | 16 |

## 662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 17 | 6.1 | 3 | 2 | 5 | 6 | 7 | 9 | 9 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 2 | 11.0 | 32 | 7 | 7 | 11 | 15 | 15 | 15 | 15 |
| 13-19 YRS | 34 | 7.6 | 12 | 4 | 5 | 7 | 8 | 11 | 15 | 22 |
| TOT. SINGLE DX | 20 | 6.2 | 4 | 2 | 5 | 6 | 7 | 9 | 10 | 10 |
| " MULTIPLE DX | 41 | 7.6 | 12 | 4 | 5 | 7 | 8 | 12 | 15 | 22 |
| TOTAL 0-27 DYS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 3 | 6.0 | 1 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 2 | 8.5 | 5 | 7 | 7 | 8 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 4 | 8.0 | 23 | 5 | 5 | 6 | 11 | 15 | 15 | 15 |
| 13-19 YRS | 51 | 7.1 | 10 | 4 | 5 | 6 | 8 | 10 | 13 | 22 |
| GRAND TOTAL | 61 | 7.1 | 10 | 4 | 5 | 7 | 8 | 10 | 14 | 21 |

## 663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 5 | 3.2 | | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 192 | 4.3 | 11 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 5.8 | 4 | 3 | 3 | 6 | 7 | 8 | 8 | 8 |
| 13-19 YRS | 242 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| TOT. SINGLE DX | 199 | 4.2 | 12 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| " MULTIPLE DX | 248 | 4.8 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |
| TOTAL 0-27 DYS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-11 MOS | 3 | 3.3 | 2 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 9 | 4.3 | 4 | 2 | 2 | 4 | 6 | 7 | 8 | 8 |
| 13-19 YRS | 434 | 4.6 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 20 |
| GRAND TOTAL | 447 | 4.5 | 12 | 1 | 2 | 4 | 6 | 8 | 10 | 19 |

## 664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 114 | 1.6 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 96 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 14 |
| TOT. SINGLE DX | 116 | 1.6 | 1 | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| " MULTIPLE DX | 97 | 1.9 | 4 | <1 | <1 | 1 | 2 | 3 | 5 | 14 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 210 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |
| GRAND TOTAL | 213 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 6 |

### 665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 135 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 210 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| TOT. SINGLE DX | 137 | 3.1 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| " MULTIPLE DX | 211 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 8 | 14 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 5.0 | 13 | 2 | 2 | 4 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 345 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| GRAND TOTAL | 348 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |

### 666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 4.5 | 2 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 488 | 5.4 | 3 | 3 | 3 | 5 | 6 | 8 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.3 | 70 | 3 | 3 | 4 | 14 | 18 | 18 | 18 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 8 | 6.6 | 6 | 4 | 4 | 6 | 7 | 11 | 12 | 12 |
| 13-19 YRS | 490 | 6.0 | 9 | 2 | 3 | 6 | 7 | 9 | 11 | 19 |
| TOT. SINGLE DX | 496 | 5.3 | 4 | 2 | 3 | 5 | 6 | 8 | 9 | 12 |
| " MULTIPLE DX | 501 | 6.1 | 10 | 2 | 3 | 6 | 7 | 9 | 11 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.3 | 70 | 3 | 3 | 4 | 14 | 18 | 18 | 18 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 16 | 5.6 | 5 | 2 | 3 | 5 | 7 | 8 | 11 | 12 |
| 13-19 YRS | 978 | 5.7 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 15 |
| GRAND TOTAL | 997 | 5.7 | 7 | 2 | 3 | 5 | 7 | 8 | 10 | 15 |

### 667: Conization of cervix (67.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 7 | 4.7 | 6 | 3 | 3 | 4 | 6 | 9 | 10 | 10 |
| 1-11 MOS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 183 | 2.0 | | <1 | 1 | 2 | 2 | 3 | 4 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 3.7 | | 3 | 3 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 3 | 2.3 | 1 | 1 | 1 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 13-19 YRS | 117 | 2.7 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| TOT. SINGLE DX | 192 | 2.1 | 1 | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| " MULTIPLE DX | 126 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| TOTAL 0-27 DYS | 10 | 4.4 | 5 | 3 | 3 | 4 | 4 | 8 | 10 | 10 |
| 1-11 MOS | 4 | 2.3 | 1 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 3 | 4.7 | 21 | 2 | 2 | 2 | 8 | 10 | 10 | 10 |
| 13-19 YRS | 300 | 2.3 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 7 |
| GRAND TOTAL | 318 | 2.4 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |

### 668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 6-12 YRS | 4 | 1.5 | | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 128 | 1.9 | | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 6 | 1.7 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 5 | 2.8 | 7 | <1 | <1 | 1 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 157 | 3.4 | 32 | <1 | 1 | 2 | 3 | 6 | 8 | 31 |
| TOT. SINGLE DX | 133 | 1.8 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| " MULTIPLE DX | 170 | 3.3 | 30 | <1 | 1 | 2 | 3 | 6 | 8 | 28 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.5 | 25 | 2 | 2 | 5 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 7 | 1.6 | | 1 | 1 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 9 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 7 | 7 |
| 13-19 YRS | 285 | 2.7 | 19 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| GRAND TOTAL | 303 | 2.7 | 18 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |

### 669: Repair and plastic operations on cervix (67.5-67.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 180 | 3.2 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 58 | 4.2 | 5 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| TOT. SINGLE DX | 180 | 3.2 | 4 | 1 | 1 | 3 | 4 | 6 | 7 | 9 |
| " MULTIPLE DX | 58 | 4.2 | 6 | 1 | 2 | 4 | 5 | 7 | 8 | 15 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 238 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |
| GRAND TOTAL | 238 | 3.5 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 10 |

### 670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 40 | 4.4 | 7 | <1 | <1 | 4 | 6 | 8 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | 8 | 1 | 1 | 3 | 5 | 5 | 5 | 5 |
| 13-19 YRS | 49 | 4.6 | 12 | 1 | 1 | 4 | 6 | 8 | 10 | 18 |
| TOT. SINGLE DX | 41 | 4.3 | 7 | <1 | <1 | 4 | 6 | 7 | 9 | 12 |
| " MULTIPLE DX | 52 | 4.7 | 13 | 1 | 1 | 4 | 6 | 9 | 12 | 18 |
| TOTAL 0-27 DYS | 1 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 2.7 | 4 | 1 | 1 | 2 | 4 | 5 | 5 | 5 |
| 13-19 YRS | 89 | 4.5 | 10 | <1 | 1 | 4 | 6 | 8 | 10 | 17 |
| GRAND TOTAL | 93 | 4.5 | 11 | <1 | 1 | 4 | 6 | 8 | 10 | 17 |

### 671: Abdominal hysterectomy (68.3-68.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 9 | 7.2 | 1 | 6 | 6 | 7 | 8 | 9 | 9 | 9 |
| 1-5 YRS | 2 | 7.5 | 5 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 9 | 7.6 | 3 | 5 | 5 | 7 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 52 | 7.6 | 5 | 5 | 5 | 7 | 9 | 11 | 13 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 10 | 7.1 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 19 | 7.7 | 8 | 4 | 5 | 7 | 8 | 11 | 15 | 17 |
| 1-5 YRS | 11 | 8.1 | 8 | 6 | 6 | 7 | 9 | 12 | 16 | 16 |
| 6-12 YRS | 26 | 6.2 | 5 | 3 | 4 | 6 | 6 | 10 | 12 | 13 |
| 13-19 YRS | 225 | 7.7 | 15 | 4 | 5 | 7 | 8 | 10 | 14 | 25 |
| TOT. SINGLE DX | 73 | 7.5 | 5 | 5 | 5 | 7 | 9 | 10 | 12 | 16 |
| " MULTIPLE DX | 291 | 7.5 | 14 | 4 | 5 | 7 | 8 | 10 | 13 | 23 |
| TOTAL 0-27 DYS | 11 | 7.0 | 1 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 28 | 7.5 | 6 | 5 | 6 | 7 | 8 | 9 | 13 | 17 |
| 1-5 YRS | 13 | 8.0 | 7 | 6 | 6 | 7 | 9 | 11 | 15 | 16 |
| 6-12 YRS | 35 | 6.5 | 5 | 3 | 4 | 6 | 8 | 10 | 12 | 13 |
| 13-19 YRS | 277 | 7.6 | 14 | 5 | 5 | 7 | 8 | 10 | 13 | 23 |
| GRAND TOTAL | 364 | 7.5 | 12 | 5 | 5 | 7 | 8 | 10 | 13 | 22 |

### 672: Vaginal hysterectomy (68.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.3 | 1 | 7 | 7 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 2 | 8.5 | 13 | 6 | 6 | 8 | 11 | 11 | 11 | 11 |
| 6-12 YRS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 9 | 5.6 | 1 | 4 | 4 | 5 | 6 | 7 | 7 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 7.3 | 3 | 6 | 6 | 7 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 2 | 6.5 | 1 | 6 | 6 | 6 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 6-12 YRS | 3 | 8.3 | 16 | 4 | 4 | 9 | 11 | 12 | 12 | 12 |
| 13-19 YRS | 20 | 5.8 | 5 | 2 | 3 | 5 | 7 | 9 | 11 | 12 |
| TOT. SINGLE DX | 15 | 6.7 | 4 | 4 | 5 | 6 | 8 | 9 | 11 | 11 |
| " MULTIPLE DX | 30 | 6.3 | 6 | 3 | 4 | 6 | 7 | 10 | 12 | 12 |
| TOTAL 0-27 DYS | 4 | 7.3 | 4 | 6 | 6 | 7 | 8 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 7.6 | 2 | 6 | 6 | 7 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 3 | 8.0 | 7 | 6 | 6 | 7 | 10 | 11 | 11 | 11 |
| 6-12 YRS | 4 | 8.5 | 11 | 4 | 4 | 9 | 11 | 12 | 12 | 12 |
| 13-19 YRS | 29 | 5.7 | 4 | 3 | 4 | 5 | 7 | 8 | 9 | 12 |
| GRAND TOTAL | 45 | 6.4 | 5 | 3 | 4 | 6 | 8 | 9 | 11 | 12 |

### 673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 2 | 7.0 | 18 | 4 | 4 | 7 | 10 | 10 | 10 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 3 | 19.3 | 214 | 6 | 6 | 17 | 30 | 35 | 35 | 35 |
| TOT. SINGLE DX | 3 | 6.7 | 9 | 4 | 4 | 6 | 9 | 10 | 10 | 10 |
| " MULTIPLE DX | 3 | 19.3 | 214 | 6 | 6 | 17 | 30 | 35 | 35 | 35 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 6.0 | | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 13-19 YRS | 5 | 14.4 | 157 | 4 | 4 | 10 | 21 | 35 | 35 | 35 |
| GRAND TOTAL | 6 | 13.0 | 138 | 4 | 4 | 8 | 17 | 33 | 35 | 35 |

### 674: Dilation and curettage of uterus for termination of pregnancy (69.01)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1202 | 1.3 | | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 244 | 3.1 | 35 | <1 | <1 | 1 | 3 | 6 | 8 | 18 |
| TOT. SINGLE DX | 1205 | 1.3 | 1 | <1 | <1 | 1 | 1 | 2 | 2 | 5 |
| " MULTIPLE DX | 244 | 3.1 | 36 | <1 | <1 | 1 | 3 | 6 | 8 | 18 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 1.3 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1446 | 1.6 | 7 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |
| GRAND TOTAL | 1449 | 1.6 | 7 | <1 | <1 | 1 | 1 | 2 | 4 | 8 |

### 675: Other dilation and curettage (69.02; 69.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 3.8 | 26 | <1 | <1 | 2 | 5 | 13 | 13 | 13 |
| 1-5 YRS | 5 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 51 | 2.3 | 5 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 13-19 YRS | 10300 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 6.3 | 25 | <1 | <1 | 7 | 10 | 11 | 11 | 11 |
| 1-11 MOS | 9 | 2.4 | 6 | <1 | <1 | 2 | 2 | 7 | 9 | 9 |
| 1-5 YRS | 8 | 3.1 | 5 | <1 | <1 | 3 | 4 | 7 | 8 | 8 |
| 6-12 YRS | 42 | 3.1 | 8 | <1 | 1 | 2 | 4 | 5 | 6 | 19 |
| 13-19 YRS | 4041 | 3.3 | 10 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| TOT. SINGLE DX | 10362 | 1.9 | 2 | <1 | 1 | 1 | 2 | 3 | 4 | 8 |
| " MULTIPLE DX | 4103 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 9 | 14 |
| TOTAL 0-27 DYS | 4 | 5.3 | 22 | <1 | <1 | 4 | 9 | 11 | 11 | 11 |
| 1-11 MOS | 14 | 2.9 | 13 | <1 | <1 | 2 | 2 | 9 | 12 | 13 |
| 1-5 YRS | 13 | 2.5 | 4 | <1 | <1 | 2 | 3 | 5 | 7 | 8 |
| 6-12 YRS | 93 | 2.7 | 7 | <1 | 1 | 2 | 3 | 5 | 6 | 16 |
| 13-19 YRS | 14341 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |
| GRAND TOTAL | 14465 | 2.3 | 5 | <1 | 1 | 2 | 3 | 4 | 6 | 10 |

### 676: Aspiration curettage for termination of pregnancy (69.51)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 17 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 4 |
| 13-19 YRS | 3892 | 1.2 | | <1 | <1 | <1 | 1 | 2 | 2 | 4 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 9.0 | 98 | 2 | 2 | 9 | 16 | 16 | 16 | 16 |
| 13-19 YRS | 1246 | 1.7 | 10 | <1 | <1 | <1 | 1 | 2 | 5 | 12 |
| TOT. SINGLE DX | 3909 | 1.2 | | <1 | <1 | 1 | 1 | 2 | 2 | 4 |
| " MULTIPLE DX | 1248 | 1.7 | 11 | <1 | <1 | <1 | 1 | 2 | 5 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 19 | 2.2 | 12 | <1 | <1 | 1 | 2 | 3 | 11 | 16 |
| 13-19 YRS | 5138 | 1.3 | 3 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |
| GRAND TOTAL | 5157 | 1.3 | 3 | <1 | <1 | <1 | 1 | 2 | 2 | 6 |

## 677: Other aspiration curettage (69.52; 69.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1118 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 208 | 2.7 | 5 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| TOT. SINGLE DX | 1122 | 1.5 | 1 | <1 | <1 | 1 | 2 | 2 | 4 | 6 |
| " MULTIPLE DX | 208 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 8 | 13 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 4 | 1.5 | | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 1326 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |
| GRAND TOTAL | 1330 | 1.7 | 2 | <1 | <1 | 1 | 2 | 3 | 4 | 8 |

## 678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 9 | 5.0 | 3 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 41 | 6.6 | 9 | 3 | 4 | 6 | 8 | 10 | 14 | 17 |
| TOT. SINGLE DX | 9 | 5.0 | 4 | 2 | 2 | 5 | 6 | 8 | 8 | 8 |
| " MULTIPLE DX | 41 | 6.6 | 10 | 3 | 4 | 6 | 8 | 10 | 14 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 50 | 6.3 | 9 | 3 | 3 | 5 | 8 | 10 | 12 | 17 |
| GRAND TOTAL | 50 | 6.3 | 9 | 3 | 3 | 5 | 8 | 10 | 12 | 17 |

## 679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 4 | 3.3 | 8 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 5 | 2.2 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 5 |
| 13-19 YRS | 179 | 2.8 | 4 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.7 | 4 | 4 | 4 | 5 | 7 | 8 | 8 | 8 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 6 | 4.5 | 9 | <1 | <1 | 4 | 5 | 9 | 10 | 10 |
| 13-19 YRS | 90 | 4.9 | 17 | 1 | 1 | 4 | 7 | 9 | 11 | 25 |
| TOT. SINGLE DX | 191 | 2.8 | 5 | <1 | 1 | 2 | 4 | 6 | 7 | 8 |
| " MULTIPLE DX | 99 | 4.9 | 16 | 1 | 1 | 4 | 7 | 9 | 11 | 25 |
| TOTAL 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 5 | 4.4 | 5 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 4 | 3.3 | 8 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 11 | 3.5 | 7 | <1 | <1 | 3 | 5 | 7 | 10 | 10 |
| 13-19 YRS | 269 | 3.5 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |
| GRAND TOTAL | 290 | 3.5 | 10 | 1 | 1 | 3 | 5 | 7 | 8 | 13 |

## 680: Plastic repair of cystocele and rectocele (70.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 8 | 6.0 | 29 | 1 | 1 | 5 | 7 | 15 | 18 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 5 | 7.6 | 4 | 6 | 6 | 7 | 9 | 11 | 11 | 11 |
| 6-12 YRS | 2 | 7.0 | 2 | 6 | 6 | 7 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 9 | 6.9 | 25 | <1 | <1 | 7 | 10 | 14 | 16 | 16 |
| TOT. SINGLE DX | 11 | 5.8 | 22 | 1 | 2 | 5 | 7 | 13 | 18 | 18 |
| " MULTIPLE DX | 18 | 7.3 | 17 | <1 | 2 | 7 | 10 | 13 | 15 | 16 |
| TOTAL 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 6 | 6.8 | 7 | 3 | 3 | 7 | 8 | 11 | 11 | 11 |
| 6-12 YRS | 3 | 7.3 | 1 | 6 | 6 | 8 | 8 | 8 | 8 | 8 |
| 13-19 YRS | 17 | 6.5 | 26 | <1 | 1 | 5 | 9 | 15 | 17 | 18 |
| GRAND TOTAL | 29 | 6.8 | 19 | 1 | 2 | 6 | 8 | 13 | 16 | 18 |

### 681: Other colporrhaphy (70.6-70.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 17 | 1.8 | 1 | <1 | 1 | 1 | 2 | 4 | 5 | 5 |
| 6-12 YRS | 31 | 2.3 | 5 | 1 | 1 | 1 | 2 | 6 | 7 | 11 |
| 13-19 YRS | 127 | 3.7 | 14 | <1 | 1 | 2 | 5 | 8 | 14 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-5 YRS | 14 | 4.0 | 15 | <1 | 1 | 3 | 4 | 9 | 14 | 16 |
| 6-12 YRS | 31 | 5.0 | 40 | 1 | 1 | 2 | 7 | 11 | 12 | 34 |
| 13-19 YRS | 81 | 5.5 | 82 | <1 | 1 | 3 | 6 | 13 | 16 | 60 |
| TOT. SINGLE DX | 177 | 3.3 | 12 | <1 | 1 | 2 | 4 | 7 | 11 | 18 |
| " MULTIPLE DX | 127 | 5.3 | 64 | <1 | 1 | 3 | 6 | 12 | 15 | 43 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 5.3 | 44 | 1 | 1 | 2 | 10 | 13 | 13 | 13 |
| 1-5 YRS | 31 | 2.8 | 9 | <1 | 1 | 2 | 4 | 5 | 8 | 16 |
| 6-12 YRS | 62 | 3.6 | 24 | 1 | 1 | 2 | 4 | 8 | 11 | 31 |
| 13-19 YRS | 208 | 4.4 | 42 | <1 | 1 | 3 | 5 | 10 | 14 | 26 |
| GRAND TOTAL | 304 | 4.1 | 35 | <1 | 1 | 2 | 5 | 9 | 13 | 26 |

### 682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 5 | 6.8 | 80 | 1 | 1 | 2 | 11 | 22 | 22 | 22 |
| 1-5 YRS | 26 | 2.9 | 13 | <1 | <1 | 1 | 2 | 9 | 12 | 14 |
| 6-12 YRS | 29 | 3.2 | 7 | <1 | 1 | 2 | 4 | 7 | 8 | 14 |
| 13-19 YRS | 551 | 3.2 | 11 | <1 | <1 | 2 | 3 | 7 | 9 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 22 | 5.8 | 87 | 1 | 2 | 4 | 4 | 8 | 27 | 46 |
| 1-11 MOS | 3 | 13.0 | 133 | 1 | 1 | 14 | 21 | 24 | 24 | 24 |
| 1-5 YRS | 15 | 3.3 | 27 | 1 | 1 | 2 | 3 | 5 | 18 | 22 |
| 6-12 YRS | 38 | 5.9 | 47 | <1 | <1 | 3 | 8 | 13 | 23 | 31 |
| 13-19 YRS | 417 | 4.5 | 21 | 1 | 1 | 3 | 6 | 9 | 14 | 21 |
| TOT. SINGLE DX | 613 | 3.2 | 12 | <1 | <1 | 2 | 3 | 7 | 9 | 19 |
| " MULTIPLE DX | 495 | 4.7 | 27 | 1 | 1 | 3 | 6 | 9 | 14 | 29 |
| TOTAL 0-27 DYS | 24 | 5.5 | 81 | 1 | 1 | 3 | 4 | 7 | 24 | 46 |
| 1-11 MOS | 8 | 9.1 | 94 | 1 | 1 | 5 | 18 | 23 | 24 | 24 |
| 1-5 YRS | 41 | 3.0 | 18 | <1 | <1 | 1 | 3 | 8 | 12 | 22 |
| 6-12 YRS | 67 | 4.7 | 32 | <1 | 1 | 2 | 6 | 11 | 14 | 30 |
| 13-19 YRS | 968 | 3.7 | 16 | <1 | 1 | 2 | 4 | 8 | 11 | 20 |
| GRAND TOTAL | 1108 | 3.8 | 19 | <1 | 1 | 2 | 5 | 8 | 12 | 21 |

### 683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 14 | 1.9 | | <1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 45 | 2.0 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 6-12 YRS | 47 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 820 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 4.5 | 7 | 1 | 1 | 4 | 5 | 9 | 9 | 9 |
| 1-11 MOS | 9 | 5.4 | 47 | <1 | <1 | 3 | 6 | 17 | 23 | 23 |
| 1-5 YRS | 34 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 6-12 YRS | 18 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 13-19 YRS | 285 | 4.0 | 22 | 1 | 1 | 3 | 4 | 7 | 10 | 24 |
| TOT. SINGLE DX | 928 | 2.3 | 4 | <1 | <1 | 2 | 3 | 4 | 5 | 8 |
| " MULTIPLE DX | 352 | 3.7 | 20 | 1 | 1 | 3 | 4 | 6 | 9 | 23 |
| TOTAL 0-27 DYS | 8 | 4.4 | 6 | 1 | 1 | 4 | 6 | 8 | 9 | 9 |
| 1-11 MOS | 23 | 3.3 | 21 | <1 | 1 | 2 | 3 | 6 | 13 | 23 |
| 1-5 YRS | 79 | 1.9 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 6-12 YRS | 65 | 2.1 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 1105 | 2.8 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| GRAND TOTAL | 1280 | 2.7 | 9 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |

### 684: Vulvectomy (71.5-71.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 16 | 2.2 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 6 | 3.3 | 4 | 2 | 2 | 2 | 5 | 7 | 7 | 7 |
| TOT. SINGLE DX | 18 | 2.2 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 5 |
| " MULTIPLE DX | 8 | 3.0 | 4 | 2 | 2 | 2 | 4 | 6 | 7 | 7 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 3 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 22 | 2.5 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 7 |
| GRAND TOTAL | 26 | 2.4 | 2 | <1 | 1 | 2 | 2 | 5 | 6 | 7 |

## 685: Miscellaneous operations on vulva and perineum (71.7-71.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 41 | 1.4 | | <1 | <1 | 1 | 2 | 2 | 3 | 5 |
| 6-12 YRS | 78 | 1.6 | 1 | <1 | <1 | 1 | 1 | 4 | 5 | 6 |
| 13-19 YRS | 66 | 2.6 | 2 | <1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 14 | 5.3 | 61 | 1 | 1 | 3 | 5 | 12 | 27 | 31 |
| 6-12 YRS | 33 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |
| 13-19 YRS | 34 | 3.2 | 4 | 1 | 1 | 3 | 4 | 7 | 7 | 10 |
| TOT. SINGLE DX | 187 | 1.9 | 2 | <1 | <1 | 1 | 3 | 4 | 5 | 6 |
| " MULTIPLE DX | 83 | 3.2 | 14 | 1 | 1 | 2 | 4 | 6 | 8 | 24 |
| TOTAL 0-27 DYS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 55 | 2.4 | 18 | <1 | <1 | 1 | 2 | 4 | 6 | 30 |
| 6-12 YRS | 111 | 1.8 | 2 | <1 | <1 | 1 | 2 | 4 | 5 | 8 |
| 13-19 YRS | 100 | 2.8 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| GRAND TOTAL | 270 | 2.3 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |

## 686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 12 | 1.8 | 4 | <1 | <1 | 1 | 2 | 4 | 7 | 8 |
| 6-12 YRS | 9 | 1.7 | 2 | <1 | <1 | 1 | 2 | 4 | 6 | 6 |
| 13-19 YRS | 18 | 3.6 | 21 | <1 | 1 | 2 | 3 | 10 | 16 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 11 | 2.4 | 6 | <1 | <1 | 2 | 2 | 6 | 10 | 10 |
| 6-12 YRS | 9 | 4.2 | 24 | <1 | <1 | 1 | 7 | 12 | 15 | 15 |
| 13-19 YRS | 16 | 5.1 | 39 | <1 | <1 | 2 | 6 | 14 | 21 | 24 |
| TOT. SINGLE DX | 41 | 2.8 | 13 | <1 | <1 | 1 | 2 | 7 | 11 | 19 |
| " MULTIPLE DX | 36 | 4.0 | 26 | <1 | <1 | 2 | 5 | 10 | 15 | 24 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 6.0 | 50 | 1 | 1 | 6 | 11 | 11 | 11 | 11 |
| 1-5 YRS | 23 | 2.1 | 5 | <1 | <1 | 1 | 2 | 4 | 9 | 10 |
| 6-12 YRS | 18 | 2.9 | 14 | <1 | <1 | 1 | 3 | 8 | 12 | 15 |
| 13-19 YRS | 34 | 4.3 | 30 | <1 | 1 | 2 | 4 | 11 | 18 | 24 |
| GRAND TOTAL | 77 | 3.4 | 19 | <1 | <1 | 1 | 3 | 9 | 13 | 23 |

## 687: Low forceps with and without episiotomy (72.0-72.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 17 | 2.8 | | <1 | 1 | 3 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 12621 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 9 | 4.2 | 2 | 2 | 2 | 4 | 5 | 7 | 7 | 7 |
| 13-19 YRS | 7542 | 3.7 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| TOT. SINGLE DX | 12638 | 3.1 | 1 | 2 | 2 | 3 | 4 | 4 | 5 | 6 |
| " MULTIPLE DX | 7551 | 3.7 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 26 | 3.3 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 7 |
| 13-19 YRS | 20163 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |
| GRAND TOTAL | 20189 | 3.3 | 3 | 2 | 2 | 3 | 4 | 5 | 5 | 8 |

## 688: Breech extraction (72.5-72.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 205 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 319 | 3.1 | 10 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOT. SINGLE DX | 205 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 7 |
| " MULTIPLE DX | 319 | 3.1 | 10 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 524 | 3.0 | 7 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |
| GRAND TOTAL | 524 | 3.0 | 7 | 1 | 1 | 3 | 3 | 4 | 5 | 8 |

## 689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 1464 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 6.0 | 18 | 3 | 3 | 6 | 9 | 9 | 9 | 9 |
| 13-19 YRS | 1752 | 3.6 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| TOT. SINGLE DX | 1465 | 3.2 | 2 | 2 | 2 | 3 | 4 | 4 | 5 | 7 |
| " MULTIPLE DX | 1754 | 3.6 | 5 | 2 | 2 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 3 | 5.0 | 12 | 3 | 3 | 3 | 8 | 9 | 9 | 9 |
| 13-19 YRS | 3216 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |
| GRAND TOTAL | 3219 | 3.4 | 4 | 2 | 2 | 3 | 4 | 5 | 6 | 9 |

## 690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 72 | 3.0 | 1 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| 13-19 YRS | 58175 | 2.9 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 23 | 4.2 | 19 | 1 | 2 | 3 | 4 | 8 | 14 | 22 |
| 13-19 YRS | 12157 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| TOT. SINGLE DX | 58247 | 2.9 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 12180 | 3.5 | 5 | 1 | 2 | 3 | 4 | 5 | 7 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 95 | 3.3 | 6 | 1 | 2 | 3 | 4 | 5 | 6 | 17 |
| 13-19 YRS | 70332 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |
| GRAND TOTAL | 70427 | 3.0 | 2 | 1 | 2 | 3 | 3 | 4 | 5 | 7 |

## 691: Low cervical cesarean section (74.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 11 | 5.9 | 3 | 4 | 4 | 6 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 6393 | 5.7 | 4 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 19 | 6.1 | 2 | 3 | 4 | 6 | 8 | 8 | 9 | 9 |
| 13-19 YRS | 10650 | 6.6 | 11 | 4 | 4 | 6 | 7 | 9 | 11 | 19 |
| TOT. SINGLE DX | 6404 | 5.7 | 5 | 4 | 4 | 5 | 6 | 7 | 8 | 12 |
| " MULTIPLE DX | 10669 | 6.6 | 12 | 4 | 4 | 6 | 7 | 9 | 11 | 19 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 30 | 6.0 | 3 | 4 | 4 | 6 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 17043 | 6.3 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |
| GRAND TOTAL | 17073 | 6.3 | 9 | 4 | 4 | 6 | 7 | 9 | 10 | 17 |

## 692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 614 | 5.8 | 4 | 4 | 4 | 5 | 6 | 8 | 9 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 727 | 6.5 | 6 | 4 | 4 | 6 | 7 | 9 | 11 | 17 |
| TOT. SINGLE DX | 615 | 5.8 | 4 | 4 | 4 | 5 | 6 | 8 | 9 | 13 |
| " MULTIPLE DX | 727 | 6.5 | 7 | 4 | 4 | 6 | 7 | 9 | 11 | 17 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 13-19 YRS | 1341 | 6.2 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |
| GRAND TOTAL | 1342 | 6.2 | 6 | 4 | 4 | 6 | 7 | 8 | 10 | 16 |

## 693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 15 | 4.2 | 1 | 2 | 3 | 4 | 5 | 5 | 6 | 6 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 22 | 8.2 | 71 | 3 | 4 | 6 | 7 | 14 | 32 | 40 |
| TOT. SINGLE DX | 15 | 4.2 | 1 | 2 | 3 | 4 | 5 | 5 | 6 | 6 |
| " MULTIPLE DX | 22 | 8.2 | 72 | 3 | 4 | 6 | 7 | 14 | 32 | 40 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 37 | 6.6 | 46 | 3 | 3 | 5 | 7 | 8 | 20 | 40 |
| GRAND TOTAL | 37 | 6.6 | 46 | 3 | 3 | 5 | 7 | 8 | 20 | 40 |

## 694: Intra-amniotic injection for abortion (75.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 11 | 1.8 |  | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 2594 | 1.8 |  | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 5 | 2.2 |  | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 643 | 2.3 | 6 | 1 | 1 | 2 | 2 | 3 | 4 | 14 |
| TOT. SINGLE DX | 2605 | 1.8 | 1 | 1 | 1 | 2 | 2 | 3 | 3 | 4 |
| " MULTIPLE DX | 648 | 2.3 | 7 | 1 | 1 | 2 | 2 | 3 | 4 | 14 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 16 | 1.9 |  | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 13-19 YRS | 3237 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |
| GRAND TOTAL | 3253 | 1.9 | 2 | 1 | 1 | 2 | 2 | 3 | 3 | 5 |

## 695: Diagnostic amniocentesis (75.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 158 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 29 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 108 | 5.2 | 22 | <1 | 1 | 4 | 7 | 12 | 18 | 20 |
| TOT. SINGLE DX | 158 | 4.0 | 19 | <1 | 1 | 3 | 5 | 8 | 10 | 29 |
| " MULTIPLE DX | 108 | 5.2 | 23 | <1 | 1 | 4 | 7 | 12 | 18 | 20 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS |  |  |  |  |  |  |  |  |  |  |
| 13-19 YRS | 266 | 4.5 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |
| GRAND TOTAL | 266 | 4.5 | 21 | <1 | 1 | 3 | 6 | 9 | 13 | 22 |

## 696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 7 | 1.9 |  | <1 | <1 | 2 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 2939 | 2.5 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 1 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 1159 | 3.2 | 3 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| TOT. SINGLE DX | 2946 | 2.5 | 2 | <1 | <1 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 1160 | 3.2 | 4 | <1 | 1 | 3 | 4 | 5 | 6 | 11 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 8 | 2.1 | 1 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 4098 | 2.7 | 3 | <1 | <1 | 3 | 3 | 4 | 5 | 8 |
| GRAND TOTAL | 4106 | 2.7 | 3 | <1 | <1 | 3 | 3 | 4 | 5 | 8 |

## 697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 14 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 6 | 6 |
| 13-19 YRS | 7678 | 2.8 | 1 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 5375 | 3.2 | 4 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| TOT. SINGLE DX | 7692 | 2.8 | 2 | 1 | 2 | 3 | 3 | 4 | 4 | 6 |
| " MULTIPLE DX | 5377 | 3.2 | 4 | 2 | 2 | 3 | 4 | 5 | 5 | 9 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 16 | 2.9 | 1 | 1 | 1 | 3 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 13053 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |
| GRAND TOTAL | 13069 | 3.0 | 3 | 1 | 2 | 3 | 3 | 4 | 5 | 8 |

## 698: Excision of facial bone (76.11; 76.2-76.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 15 | 4.9 | 35 | <1 | <1 | 2 | 8 | 16 | 16 | 16 |
| 6-12 YRS | 43 | 2.5 | 4 | <1 | 1 | 2 | 3 | 4 | 6 | 14 |
| 13-19 YRS | 96 | 3.4 | 8 | 1 | 2 | 3 | 4 | 5 | 7 | 19 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 3.3 | 6 | <1 | <1 | 3 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 20 | 2.9 | 2 | <1 | 1 | 2 | 4 | 5 | 6 | 6 |
| 13-19 YRS | 76 | 4.8 | 13 | 1 | 2 | 4 | 5 | 9 | 13 | 21 |
| TOT. SINGLE DX | 156 | 3.3 | 10 | <1 | 1 | 2 | 4 | 6 | 8 | 16 |
| " MULTIPLE DX | 104 | 4.3 | 11 | 1 | 2 | 4 | 5 | 7 | 12 | 19 |
| TOTAL 0-27 DYS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 21 | 4.5 | 27 | <1 | <1 | 2 | 6 | 15 | 16 | 16 |
| 6-12 YRS | 63 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 13 |
| 13-19 YRS | 172 | 4.0 | 11 | 1 | 2 | 3 | 4 | 7 | 10 | 21 |
| GRAND TOTAL | 260 | 3.7 | 11 | 1 | 1 | 3 | 4 | 6 | 9 | 17 |

## 699: Repair and plastic operations on facial bones (76.4-76.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 4 | 7.0 | 31 | 2 | 2 | 5 | 10 | 15 | 15 | 15 |
| 6-12 YRS | 22 | 5.0 | 12 | 2 | 3 | 4 | 6 | 8 | 12 | 19 |
| 13-19 YRS | 1182 | 3.9 | 2 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 4.7 | 14 | <1 | <1 | 4 | 4 | 11 | 12 | 12 |
| 6-12 YRS | 27 | 4.4 | 11 | 1 | 2 | 3 | 5 | 10 | 14 | 14 |
| 13-19 YRS | 813 | 4.3 | 2 | 3 | 3 | 4 | 5 | 6 | 7 | 11 |
| TOT. SINGLE DX | 1210 | 3.9 | 3 | 2 | 2 | 4 | 4 | 5 | 6 | 10 |
| " MULTIPLE DX | 846 | 4.3 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.5 | 1 | 3 | 3 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 10 | 5.6 | 20 | <1 | 1 | 4 | 6 | 13 | 15 | 15 |
| 6-12 YRS | 49 | 4.7 | 12 | 2 | 2 | 4 | 5 | 8 | 14 | 19 |
| 13-19 YRS | 1995 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |
| GRAND TOTAL | 2056 | 4.1 | 3 | 2 | 3 | 4 | 5 | 6 | 7 | 11 |

## 700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 35 | 2.3 | 1 | 1 | 1 | 2 | 3 | 5 | 5 | 6 |
| 6-12 YRS | 122 | 2.5 | 2 | 1 | 1 | 2 | 3 | 4 | 6 | 8 |
| 13-19 YRS | 626 | 2.8 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 44 | 4.4 | 17 | 1 | 1 | 3 | 6 | 8 | 13 | 20 |
| 6-12 YRS | 155 | 3.6 | 8 | 1 | 2 | 3 | 4 | 7 | 8 | 18 |
| 13-19 YRS | 660 | 5.5 | 52 | 1 | 2 | 4 | 6 | 10 | 14 | 46 |
| TOT. SINGLE DX | 783 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 8 |
| " MULTIPLE DX | 859 | 5.1 | 43 | 1 | 2 | 3 | 6 | 10 | 13 | 34 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 79 | 3.5 | 11 | 1 | 1 | 2 | 5 | 7 | 9 | 19 |
| 6-12 YRS | 277 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 7 | 11 |
| 13-19 YRS | 1286 | 4.2 | 31 | 1 | 1 | 3 | 4 | 7 | 10 | 28 |
| GRAND TOTAL | 1642 | 4.0 | 26 | 1 | 1 | 3 | 4 | 7 | 10 | 21 |

## 701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 4 | 4 |
| 1-5 YRS | 7 | 4.3 | 3 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 60 | 2.9 | 2 | 1 | 1 | 2 | 3 | 6 | 7 | 9 |
| 13-19 YRS | 590 | 3.6 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 5.5 | 1 | 5 | 5 | 5 | 6 | 6 | 6 | 6 |
| 1-5 YRS | 17 | 5.7 | 10 | 1 | 1 | 7 | 8 | 9 | 11 | 12 |
| 6-12 YRS | 66 | 8.0 | 71 | 2 | 2 | 6 | 10 | 14 | 18 | 57 |
| 13-19 YRS | 773 | 7.2 | 61 | 2 | 2 | 5 | 8 | 13 | 18 | 44 |
| **TOT. SINGLE DX** | 662 | 3.5 | 6 | 1 | 1 | 3 | 4 | 6 | 8 | 12 |
| **" MULTIPLE DX** | 858 | 7.2 | 61 | 2 | 2 | 5 | 8 | 13 | 18 | 45 |
| TOTAL 0-27 DYS | 2 | 7.5 | 13 | 5 | 5 | 7 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 5 | 3.6 | 4 | <1 | <1 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 24 | 5.3 | 8 | 1 | 2 | 5 | 8 | 9 | 10 | 12 |
| 6-12 YRS | 126 | 5.6 | 45 | 1 | 2 | 4 | 7 | 11 | 14 | 36 |
| 13-19 YRS | 1363 | 5.6 | 41 | 1 | 2 | 4 | 6 | 11 | 14 | 34 |
| **GRAND TOTAL** | **1520** | **5.6** | **41** | **1** | **2** | **4** | **6** | **11** | **14** | **33** |

## 702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 6 | 5.3 | 7 | 3 | 3 | 4 | 7 | 10 | 10 | 10 |
| 6-12 YRS | 20 | 4.0 | 7 | <1 | 1 | 3 | 5 | 9 | 10 | 11 |
| 13-19 YRS | 46 | 5.1 | 42 | 1 | 2 | 3 | 5 | 8 | 16 | 37 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 3 | 6.0 | 13 | 3 | 3 | 5 | 9 | 10 | 10 | 10 |
| 6-12 YRS | 14 | 4.9 | 11 | 1 | 2 | 4 | 7 | 11 | 12 | 12 |
| 13-19 YRS | 46 | 6.5 | 40 | 1 | 2 | 4 | 7 | 11 | 23 | 34 |
| **TOT. SINGLE DX** | 72 | 4.8 | 30 | 1 | 2 | 3 | 5 | 8 | 11 | 33 |
| **" MULTIPLE DX** | 65 | 6.0 | 32 | 1 | 2 | 4 | 7 | 11 | 15 | 33 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 9 | 5.6 | 8 | 3 | 3 | 4 | 8 | 10 | 10 | 10 |
| 6-12 YRS | 34 | 4.3 | 9 | 1 | 1 | 3 | 5 | 10 | 11 | 12 |
| 13-19 YRS | 92 | 5.8 | 42 | 1 | 2 | 4 | 6 | 11 | 22 | 36 |
| **GRAND TOTAL** | **137** | **5.4** | **31** | **1** | **2** | **4** | **6** | **10** | **12** | **34** |

## 703: Incision and division of bones, except facial (77.0-77.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 3 | 10.0 | 147 | 3 | 3 | 3 | 19 | 24 | 24 | 24 |
| 1-11 MOS | 11 | 11.2 | 102 | 1 | 2 | 6 | 21 | 26 | 27 | 27 |
| 1-5 YRS | 198 | 6.2 | 39 | 2 | 2 | 5 | 6 | 12 | 18 | 38 |
| 6-12 YRS | 486 | 6.8 | 43 | 1 | 2 | 5 | 8 | 15 | 23 | 31 |
| 13-19 YRS | 1024 | 4.8 | 21 | 1 | 2 | 3 | 5 | 9 | 13 | 26 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 2 | 15.0 | | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| 1-11 MOS | 10 | 28.1 | 456 | 2 | 5 | 25 | 40 | 58 | 73 | 73 |
| 1-5 YRS | 128 | 8.2 | 60 | 2 | 3 | 5 | 9 | 17 | 29 | 37 |
| 6-12 YRS | 256 | 8.9 | 95 | 2 | 3 | 6 | 9 | 18 | 31 | 54 |
| 13-19 YRS | 621 | 6.2 | 43 | 2 | 2 | 4 | 7 | 12 | 17 | 42 |
| **TOT. SINGLE DX** | 1722 | 5.5 | 32 | 1 | 2 | 4 | 6 | 11 | 16 | 30 |
| **" MULTIPLE DX** | 1017 | 7.4 | 68 | 2 | 2 | 5 | 8 | 14 | 24 | 47 |
| TOTAL 0-27 DYS | 5 | 12.0 | 81 | 3 | 3 | 15 | 17 | 24 | 24 | 24 |
| 1-11 MOS | 21 | 19.2 | 331 | 1 | 2 | 15 | 27 | 42 | 57 | 73 |
| 1-5 YRS | 326 | 7.0 | 49 | 2 | 2 | 5 | 7 | 14 | 22 | 37 |
| 6-12 YRS | 742 | 7.5 | 63 | 2 | 2 | 5 | 9 | 15 | 25 | 45 |
| 13-19 YRS | 1645 | 5.3 | 30 | 1 | 2 | 4 | 6 | 10 | 14 | 32 |
| **GRAND TOTAL** | **2739** | **6.2** | **46** | **1** | **2** | **4** | **7** | **12** | **19** | **39** |

## 704: Bunionectomy (77.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| **1. SINGLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 4.0 | 8 | 2 | 2 | 4 | 6 | 6 | 6 | 6 |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 80 | 4.0 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 11 |
| 13-19 YRS | 933 | 3.8 | 3 | 2 | 2 | 3 | 4 | 6 | 7 | 11 |
| **2. MULTIPLE DX** | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 3 | 4.0 | 1 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 88 | 3.8 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 13-19 YRS | 962 | 4.1 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| **TOT. SINGLE DX** | 1016 | 3.8 | 3 | 2 | 2 | 3 | 5 | 6 | 7 | 11 |
| **" MULTIPLE DX** | 1056 | 4.1 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 9 |
| TOTAL 0-27 DYS | 2 | 4.5 | 13 | 2 | 2 | 4 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 5 | 4.0 | 3 | 2 | 2 | 4 | 5 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 4.5 | 1 | 4 | 4 | 4 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 168 | 3.9 | 2 | 2 | 2 | 4 | 5 | 6 | 7 | 8 |
| 13-19 YRS | 1895 | 3.9 | 3 | 2 | 2 | 4 | 5 | 6 | 7 | 10 |
| **GRAND TOTAL** | **2072** | **3.9** | **3** | **2** | **2** | **4** | **5** | **6** | **7** | **10** |

## 705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 5 | 4.6 | 14 | 2 | 2 | 3 | 6 | 11 | 11 | 11 |
| 1-11 MOS | 29 | 3.6 | 14 | 1 | 1 | 2 | 4 | 7 | 11 | 19 |
| 1-5 YRS | 216 | 4.7 | 34 | 1 | 1 | 3 | 5 | 11 | 17 | 32 |
| 6-12 YRS | 1323 | 4.1 | 22 | 1 | 2 | 3 | 4 | 7 | 10 | 28 |
| 13-19 YRS | 4226 | 3.8 | 16 | 1 | 1 | 3 | 4 | 6 | 8 | 23 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 7 | 13.6 | 317 | 2 | 2 | 10 | 15 | 45 | 52 | 52 |
| 1-11 MOS | 14 | 6.9 | 32 | 2 | 2 | 5 | 10 | 16 | 20 | 21 |
| 1-5 YRS | 109 | 10.6 | 231 | 1 | 1 | 4 | 11 | 28 | 44 | 73 |
| 6-12 YRS | 369 | 9.5 | 180 | 1 | 2 | 4 | 9 | 28 | 36 | 72 |
| 13-19 YRS | 1793 | 7.2 | 109 | 1 | 2 | 4 | 7 | 16 | 31 | 71 |
| TOT. SINGLE DX | 5799 | 3.9 | 19 | 1 | 1 | 3 | 4 | 6 | 9 | 25 |
| " MULTIPLE DX | 2292 | 7.7 | 128 | 1 | 2 | 4 | 7 | 20 | 33 | 71 |
| TOTAL 0-27 DYS | 12 | 9.8 | 200 | 2 | 2 | 4 | 11 | 27 | 48 | 52 |
| 1-11 MOS | 43 | 4.7 | 22 | 1 | 1 | 3 | 6 | 11 | 16 | 21 |
| 1-5 YRS | 325 | 6.7 | 108 | 1 | 1 | 3 | 6 | 16 | 28 | 63 |
| 6-12 YRS | 1692 | 5.3 | 62 | 1 | 2 | 3 | 5 | 9 | 19 | 43 |
| 13-19 YRS | 6019 | 4.8 | 47 | 1 | 1 | 3 | 5 | 8 | 14 | 41 |
| GRAND TOTAL | 8091 | 5.0 | 53 | 1 | 1 | 3 | 5 | 8 | 16 | 42 |

## 706: Repair and plastic operation on bone, except facial (78.0-78.5; 78.7-78.9, 79.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 7 | 4.6 | 26 | 1 | 1 | 3 | 4 | 14 | 16 | 16 |
| 1-5 YRS | 57 | 10.6 | 105 | 1 | 1 | 5 | 18 | 26 | 30 | 39 |
| 6-12 YRS | 489 | 8.3 | 85 | 2 | 2 | 5 | 8 | 21 | 28 | 45 |
| 13-19 YRS | 1261 | 6.0 | 53 | 1 | 2 | 4 | 6 | 10 | 16 | 44 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 8.0 |  | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 4 | 11.3 | 159 | 3 | 3 | 6 | 18 | 30 | 30 | 30 |
| 1-5 YRS | 31 | 16.8 | 334 | 1 | 1 | 9 | 28 | 37 | 63 | 73 |
| 6-12 YRS | 176 | 11.6 | 179 | 2 | 2 | 6 | 16 | 30 | 39 | 66 |
| 13-19 YRS | 457 | 11.0 | 217 | 2 | 2 | 5 | 11 | 30 | 44 | 75 |
| TOT. SINGLE DX | 1815 | 6.7 | 65 | 1 | 2 | 4 | 7 | 13 | 22 | 44 |
| " MULTIPLE DX | 669 | 11.4 | 212 | 2 | 2 | 6 | 13 | 30 | 43 | 74 |
| TOTAL 0-27 DYS | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 11 | 7.0 | 75 | 1 | 2 | 3 | 6 | 22 | 29 | 30 |
| 1-5 YRS | 88 | 12.8 | 192 | 1 | 1 | 6 | 21 | 30 | 36 | 70 |
| 6-12 YRS | 665 | 9.2 | 112 | 2 | 2 | 5 | 9 | 23 | 30 | 54 |
| 13-19 YRS | 1718 | 7.3 | 102 | 2 | 2 | 4 | 7 | 14 | 23 | 60 |
| GRAND TOTAL | 2484 | 8.0 | 109 | 2 | 2 | 5 | 8 | 18 | 29 | 60 |

## 707: Removal of internal fixation device (76.97; 78.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 12 | 1.8 | 1 | <1 | <1 | 1 | 2 | 4 | 4 | 4 |
| 1-5 YRS | 171 | 4.0 | 56 | <1 | <1 | 1 | 3 | 8 | 25 | 37 |
| 6-12 YRS | 542 | 3.7 | 34 | <1 | <1 | 2 | 3 | 5 | 13 | 37 |
| 13-19 YRS | 3107 | 2.8 | 13 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 7 | 1.4 |  | <1 | <1 | 1 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 75 | 6.2 | 82 | <1 | 1 | 3 | 5 | 22 | 26 | 44 |
| 6-12 YRS | 199 | 5.6 | 63 | 1 | 1 | 3 | 5 | 12 | 25 | 42 |
| 13-19 YRS | 618 | 4.9 | 59 | 1 | 1 | 3 | 5 | 9 | 13 | 44 |
| TOT. SINGLE DX | 3832 | 3.0 | 18 | <1 | 1 | 2 | 3 | 5 | 6 | 24 |
| " MULTIPLE DX | 899 | 5.1 | 62 | 1 | 1 | 3 | 5 | 9 | 21 | 44 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 19 | 1.6 | 1 | <1 | <1 | 1 | 2 | 3 | 4 | 4 |
| 1-5 YRS | 246 | 4.7 | 65 | <1 | <1 | 2 | 3 | 12 | 26 | 37 |
| 6-12 YRS | 741 | 4.2 | 43 | <1 | <1 | 2 | 4 | 7 | 19 | 38 |
| 13-19 YRS | 3725 | 3.2 | 21 | <1 | 1 | 2 | 3 | 5 | 7 | 22 |
| GRAND TOTAL | 4731 | 3.4 | 27 | <1 | 1 | 2 | 3 | 5 | 8 | 30 |

## 708: Closed reduction of fracture of femur with internal fixation (79.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 1 | 3.0 |  | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 75 | 18.6 | 100 | 2 | 4 | 20 | 24 | 32 | 36 | 42 |
| 6-12 YRS | 152 | 23.6 | 206 | 3 | 4 | 24 | 32 | 41 | 51 | 62 |
| 13-19 YRS | 163 | 16.9 | 281 | 3 | 3 | 10 | 21 | 46 | 52 | 88 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 3 | 34.0 | 1092 | 12 | 12 | 18 | 58 | 72 | 72 | 72 |
| 1-5 YRS | 27 | 23.0 | 91 | 4 | 8 | 25 | 29 | 33 | 36 | 38 |
| 6-12 YRS | 85 | 24.9 | 171 | 4 | 6 | 26 | 34 | 40 | 49 | 59 |
| 13-19 YRS | 182 | 26.2 | 360 | 6 | 9 | 20 | 35 | 55 | 73 | 98 |
| TOT. SINGLE DX | 391 | 19.8 | 226 | 3 | 4 | 17 | 28 | 40 | 50 | 64 |
| " MULTIPLE DX | 297 | 25.6 | 286 | 5 | 8 | 23 | 34 | 48 | 62 | 93 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 4 | 26.3 | 968 | 3 | 3 | 15 | 45 | 72 | 72 | 72 |
| 1-5 YRS | 102 | 19.7 | 101 | 3 | 4 | 21 | 27 | 33 | 36 | 41 |
| 6-12 YRS | 237 | 24.1 | 194 | 3 | 5 | 24 | 33 | 41 | 50 | 61 |
| 13-19 YRS | 345 | 21.8 | 344 | 3 | 4 | 16 | 32 | 50 | 63 | 96 |
| GRAND TOTAL | 688 | 22.3 | 260 | 3 | 4 | 20 | 31 | 44 | 54 | 85 |

## 709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 19.5 | 109 | 6 | 6 | 21 | 27 | 30 | 30 | 30 |
| 1-11 MOS | 7 | 6.7 | 34 | 2 | 2 | 4 | 9 | 16 | 18 | 18 |
| 1-5 YRS | 21 | 12.0 | 71 | 2 | 3 | 10 | 19 | 23 | 26 | 30 |
| 6-12 YRS | 126 | 12.2 | 163 | 3 | 4 | 8 | 14 | 24 | 40 | 64 |
| 13-19 YRS | 519 | 12.8 | 91 | 3 | 4 | 11 | 16 | 21 | 30 | 56 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 21.0 | | 21 | 21 | 21 | 80 | 99+ | 99+ | 99+ |
| 1-11 MOS | 10 | 18.2 | 131 | 4 | 5 | 14 | 24 | 37 | 39 | 39 |
| 1-5 YRS | 21 | 15.0 | 114 | 4 | 5 | 12 | 16 | 29 | 42 | 48 |
| 6-12 YRS | 65 | 19.9 | 200 | 2 | 3 | 15 | 31 | 40 | 43 | 53 |
| 13-19 YRS | 689 | 20.7 | 211 | 6 | 8 | 17 | 25 | 40 | 53 | 99 |
| TOT. SINGLE DX | 677 | 12.6 | 104 | 3 | 4 | 10 | 15 | 22 | 30 | 57 |
| " MULTIPLE DX | 787 | 20.5 | 207 | 5 | 8 | 16 | 26 | 40 | 51 | 99 |
| TOTAL 0-27 DYS | 6 | 20.0 | 66 | 6 | 8 | 21 | 29 | 86 | 99+ | 99+ |
| 1-11 MOS | 17 | 13.5 | 121 | 2 | 2 | 11 | 18 | 33 | 38 | 39 |
| 1-5 YRS | 42 | 13.5 | 93 | 3 | 4 | 12 | 19 | 23 | 33 | 48 |
| 6-12 YRS | 191 | 14.9 | 188 | 3 | 4 | 10 | 19 | 36 | 43 | 56 |
| 13-19 YRS | 1208 | 17.3 | 175 | 4 | 6 | 14 | 21 | 32 | 46 | 89 |
| GRAND TOTAL | 1464 | 16.8 | 174 | 4 | 5 | 13 | 21 | 33 | 44 | 85 |

## 710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 6.0 | 49 | 1 | 1 | 3 | 11 | 14 | 14 | 14 |
| 1-11 MOS | 88 | 7.7 | 41 | 1 | 1 | 5 | 13 | 18 | 19 | 23 |
| 1-5 YRS | 373 | 11.9 | 109 | 1 | 2 | 11 | 19 | 24 | 26 | 41 |
| 6-12 YRS | 348 | 16.8 | 210 | 2 | 2 | 14 | 26 | 34 | 42 | 63 |
| 13-19 YRS | 287 | 12.9 | 219 | 1 | 2 | 7 | 16 | 37 | 49 | 66 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 7 | 21.4 | 568 | 4 | 4 | 8 | 35 | 61 | 67 | 67 |
| 1-11 MOS | 16 | 10.8 | 79 | 1 | 2 | 7 | 19 | 24 | 26 | 27 |
| 1-5 YRS | 130 | 15.4 | 128 | 2 | 2 | 16 | 23 | 32 | 39 | 99+ |
| 6-12 YRS | 168 | 21.7 | 226 | 3 | 4 | 20 | 31 | 41 | 47 | 66 |
| 13-19 YRS | 209 | 27.7 | 454 | 2 | 4 | 23 | 43 | 62 | 73 | 99+ |
| TOT. SINGLE DX | 1099 | 13.4 | 172 | 1 | 2 | 9 | 20 | 30 | 40 | 62 |
| " MULTIPLE DX | 530 | 22.2 | 317 | 2 | 3 | 19 | 32 | 48 | 62 | 91 |
| TOTAL 0-27 DYS | 10 | 16.8 | 445 | 1 | 2 | 7 | 22 | 53 | 67 | 67 |
| 1-11 MOS | 104 | 8.2 | 48 | 1 | 1 | 5 | 14 | 19 | 21 | 26 |
| 1-5 YRS | 503 | 12.8 | 117 | 1 | 2 | 12 | 20 | 24 | 31 | 65 |
| 6-12 YRS | 516 | 18.4 | 220 | 2 | 2 | 16 | 28 | 38 | 45 | 63 |
| 13-19 YRS | 496 | 19.1 | 370 | 2 | 2 | 11 | 31 | 51 | 62 | 89 |
| GRAND TOTAL | 1629 | 16.2 | 236 | 1 | 2 | 12 | 24 | 38 | 49 | 74 |

## 711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 5.0 | 28 | 2 | 2 | 3 | 8 | 13 | 13 | 13 |
| 1-5 YRS | 211 | 6.6 | 47 | 1 | 1 | 3 | 12 | 17 | 20 | 27 |
| 6-12 YRS | 571 | 5.9 | 53 | 1 | 1 | 2 | 8 | 18 | 20 | 26 |
| 13-19 YRS | 769 | 4.3 | 33 | <1 | 1 | 2 | 4 | 9 | 17 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.8 | 13 | 1 | 1 | 2 | 6 | 9 | 9 | 9 |
| 1-5 YRS | 45 | 10.4 | 71 | 1 | 2 | 8 | 16 | 23 | 26 | 38 |
| 6-12 YRS | 144 | 10.7 | 102 | 1 | 2 | 7 | 16 | 26 | 29 | 50 |
| 13-19 YRS | 288 | 12.3 | 251 | 1 | 2 | 5 | 16 | 38 | 46 | 72 |
| TOT. SINGLE DX | 1555 | 5.2 | 44 | 1 | 1 | 2 | 6 | 15 | 20 | 28 |
| " MULTIPLE DX | 481 | 11.5 | 189 | 1 | 2 | 6 | 16 | 29 | 42 | 64 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 8 | 4.4 | 18 | 1 | 1 | 3 | 6 | 12 | 13 | 13 |
| 1-5 YRS | 256 | 7.3 | 54 | 1 | 1 | 3 | 12 | 18 | 22 | 30 |
| 6-12 YRS | 715 | 6.9 | 67 | 1 | 1 | 3 | 10 | 19 | 23 | 32 |
| 13-19 YRS | 1057 | 6.5 | 105 | 1 | 1 | 3 | 6 | 17 | 28 | 53 |
| GRAND TOTAL | 2036 | 6.7 | 85 | 1 | 1 | 3 | 8 | 18 | 24 | 46 |

## 712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 3.8 | 9 | 1 | 1 | 3 | 5 | 9 | 9 | 9 |
| 1-11 MOS | 11 | 7.0 | 28 | 1 | 1 | 8 | 12 | 13 | 14 | 14 |
| 1-5 YRS | 334 | 3.0 | 7 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| 6-12 YRS | 1434 | 3.6 | 15 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 13-19 YRS | 5079 | 3.8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 14 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 5.7 | 10 | 2 | 2 | 7 | 8 | 8 | 8 | 8 |
| 1-11 MOS | 6 | 14.0 | 589 | 1 | 1 | 4 | 11 | 58 | 63 | 63 |
| 1-5 YRS | 113 | 6.5 | 85 | 1 | 1 | 3 | 6 | 18 | 22 | 52 |
| 6-12 YRS | 504 | 6.4 | 86 | 1 | 2 | 4 | 6 | 12 | 20 | 51 |
| 13-19 YRS | 2257 | 8.4 | 118 | 1 | 2 | 5 | 9 | 18 | 29 | 67 |
| TOT. SINGLE DX | 6863 | 3.7 | 10 | 1 | 1 | 3 | 4 | 7 | 9 | 15 |
| " MULTIPLE DX | 2883 | 8.0 | 113 | 1 | 2 | 5 | 8 | 17 | 28 | 63 |
| TOTAL 0-27 DYS | 8 | 4.5 | 9 | 1 | 1 | 3 | 7 | 9 | 9 | 9 |
| 1-11 MOS | 17 | 9.5 | 214 | 1 | 1 | 5 | 12 | 14 | 46 | 63 |
| 1-5 YRS | 447 | 3.9 | 29 | 1 | 1 | 2 | 4 | 7 | 12 | 23 |
| 6-12 YRS | 1938 | 4.3 | 36 | 1 | 1 | 3 | 4 | 7 | 11 | 34 |
| 13-19 YRS | 7336 | 5.2 | 47 | 1 | 1 | 4 | 6 | 10 | 14 | 39 |
| GRAND TOTAL | 9746 | 5.0 | 45 | 1 | 1 | 3 | 5 | 9 | 13 | 36 |

## 713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 1.8 | | 1 | 1 | 2 | 2 | 3 | 3 | 3 |
| 1-11 MOS | 26 | 4.2 | 23 | 1 | 1 | 2 | 5 | 15 | 15 | 16 |
| 1-5 YRS | 2003 | 2.3 | 10 | <1 | 1 | 1 | 2 | 4 | 6 | 18 |
| 6-12 YRS | 7616 | 2.3 | 8 | 1 | 1 | 1 | 2 | 4 | 6 | 17 |
| 13-19 YRS | 4890 | 2.8 | 8 | 1 | 1 | 2 | 3 | 6 | 8 | 15 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 15 | 3.9 | 2 | 2 | 2 | 3 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 19 | 10.5 | 53 | 1 | 2 | 9 | 15 | 20 | 25 | 28 |
| 1-5 YRS | 408 | 5.0 | 50 | 1 | 1 | 2 | 5 | 12 | 19 | 33 |
| 6-12 YRS | 1434 | 4.6 | 45 | 1 | 1 | 2 | 5 | 9 | 16 | 40 |
| 13-19 YRS | 1973 | 7.3 | 105 | 1 | 1 | 4 | 8 | 16 | 25 | 55 |
| TOT. SINGLE DX | 14540 | 2.5 | 9 | 1 | 1 | 2 | 3 | 5 | 7 | 16 |
| " MULTIPLE DX | 3849 | 6.0 | 78 | 1 | 1 | 3 | 6 | 14 | 21 | 49 |
| TOTAL 0-27 DYS | 20 | 3.4 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 45 | 6.9 | 48 | 1 | 1 | 4 | 11 | 16 | 19 | 28 |
| 1-5 YRS | 2411 | 2.7 | 19 | <1 | 1 | 1 | 2 | 5 | 10 | 23 |
| 6-12 YRS | 9050 | 2.6 | 15 | 1 | 1 | 2 | 3 | 5 | 8 | 20 |
| 13-19 YRS | 6863 | 4.1 | 41 | 1 | 1 | 2 | 4 | 8 | 13 | 34 |
| GRAND TOTAL | 18389 | 3.2 | 26 | 1 | 1 | 2 | 3 | 6 | 10 | 25 |

## 714: Closed reduction of dislocation (79.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 3.3 | 10 | <1 | <1 | 2 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 161 | 8.2 | 45 | 1 | 1 | 8 | 12 | 17 | 21 | 27 |
| 1-5 YRS | 139 | 6.6 | 60 | <1 | <1 | 2 | 11 | 17 | 24 | 34 |
| 6-12 YRS | 344 | 2.9 | 16 | <1 | 1 | 1 | 3 | 7 | 11 | 22 |
| 13-19 YRS | 642 | 3.3 | 24 | <1 | 1 | 2 | 3 | 7 | 13 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 33 | 4.8 | 7 | 2 | 2 | 4 | 5 | 9 | 10 | 14 |
| 1-11 MOS | 29 | 10.1 | 88 | 1 | 2 | 5 | 16 | 25 | 30 | 33 |
| 1-5 YRS | 25 | 8.5 | 53 | 1 | 1 | 7 | 14 | 20 | 22 | 23 |
| 6-12 YRS | 105 | 6.0 | 80 | 1 | 1 | 3 | 6 | 17 | 23 | 46 |
| 13-19 YRS | 304 | 9.1 | 117 | 1 | 1 | 5 | 11 | 25 | 33 | 47 |
| TOT. SINGLE DX | 1289 | 4.2 | 32 | <1 | 1 | 2 | 4 | 11 | 16 | 27 |
| " MULTIPLE DX | 496 | 8.2 | 99 | 1 | 1 | 4 | 10 | 22 | 30 | 45 |
| TOTAL 0-27 DYS | 36 | 4.6 | 7 | 2 | 2 | 4 | 6 | 9 | 10 | 14 |
| 1-11 MOS | 190 | 8.5 | 52 | 1 | 1 | 8 | 12 | 18 | 23 | 32 |
| 1-5 YRS | 164 | 6.9 | 59 | <1 | 1 | 3 | 11 | 17 | 23 | 32 |
| 6-12 YRS | 449 | 3.6 | 33 | <1 | 1 | 1 | 3 | 9 | 15 | 26 |
| 13-19 YRS | 946 | 5.2 | 62 | <1 | 1 | 2 | 5 | 14 | 22 | 39 |
| GRAND TOTAL | 1785 | 5.3 | 54 | <1 | 1 | 2 | 6 | 15 | 21 | 34 |

## 715: Open reduction of dislocation (79.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 38 | 5.4 | 28 | 1 | 1 | 4 | 5 | 16 | 19 | 21 |
| 1-5 YRS | 67 | 7.7 | 60 | 1 | 2 | 4 | 11 | 19 | 26 | 31 |
| 6-12 YRS | 135 | 3.0 | 10 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 13-19 YRS | 533 | 3.4 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 13 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 18 | 14.4 | 214 | 2 | 3 | 8 | 24 | 37 | 46 | 51 |
| 1-5 YRS | 36 | 13.9 | 180 | 1 | 1 | 10 | 18 | 30 | 43 | 64 |
| 6-12 YRS | 36 | 6.2 | 91 | 1 | 1 | 3 | 6 | 11 | 35 | 43 |
| 13-19 YRS | 161 | 6.9 | 54 | 1 | 2 | 5 | 8 | 16 | 20 | 38 |
| TOT. SINGLE DX | 774 | 3.8 | 14 | 1 | 1 | 3 | 4 | 6 | 10 | 21 |
| " MULTIPLE DX | 251 | 8.3 | 97 | 1 | 1 | 5 | 9 | 19 | 28 | 51 |
| TOTAL 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 56 | 8.3 | 103 | 1 | 1 | 4 | 9 | 21 | 31 | 50 |
| 1-5 YRS | 103 | 9.9 | 110 | 1 | 2 | 6 | 16 | 24 | 30 | 55 |
| 6-12 YRS | 171 | 3.7 | 29 | 1 | 1 | 2 | 4 | 7 | 11 | 38 |
| 13-19 YRS | 694 | 4.2 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| GRAND TOTAL | 1025 | 4.9 | 38 | 1 | 1 | 3 | 5 | 9 | 17 | 31 |

## 716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 14.3 | 137 | 1 | 1 | 21 | 61 | 99+ | 99+ | 99+ |
| 1-11 MOS | 88 | 5.9 | 40 | 1 | 2 | 3 | 6 | 15 | 21 | 29 |
| 1-5 YRS | 287 | 6.8 | 52 | 1 | 1 | 4 | 8 | 17 | 22 | 37 |
| 6-12 YRS | 419 | 5.0 | 32 | 1 | 1 | 3 | 5 | 11 | 16 | 29 |
| 13-19 YRS | 2741 | 3.5 | 8 | 1 | 1 | 3 | 4 | 6 | 8 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 31.9 | 415 | 5 | 6 | 27 | 49 | 60 | 61 | 61 |
| 1-11 MOS | 41 | 14.2 | 86 | 2 | 3 | 13 | 21 | 27 | 29 | 35 |
| 1-5 YRS | 95 | 9.9 | 71 | 2 | 2 | 6 | 15 | 23 | 27 | 34 |
| 6-12 YRS | 202 | 8.7 | 85 | 1 | 2 | 5 | 11 | 23 | 29 | 36 |
| 13-19 YRS | 1322 | 4.2 | 19 | 1 | 1 | 3 | 5 | 7 | 10 | 25 |
| TOT. SINGLE DX | 3538 | 4.0 | 17 | 1 | 1 | 3 | 4 | 7 | 11 | 23 |
| " MULTIPLE DX | 1668 | 5.4 | 43 | 1 | 2 | 3 | 5 | 11 | 21 | 32 |
| TOTAL 0-27 DYS | 11 | 27.1 | 385 | 1 | 4 | 25 | 49 | 73 | 96 | 99+ |
| 1-11 MOS | 129 | 8.6 | 70 | 1 | 2 | 4 | 13 | 22 | 27 | 31 |
| 1-5 YRS | 382 | 7.6 | 59 | 1 | 1 | 5 | 9 | 20 | 23 | 35 |
| 6-12 YRS | 621 | 6.2 | 53 | 1 | 1 | 4 | 6 | 15 | 23 | 33 |
| 13-19 YRS | 4063 | 3.7 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 21 |
| GRAND TOTAL | 5206 | 4.5 | 26 | 1 | 1 | 3 | 5 | 8 | 14 | 29 |

## 717: Excision of intervertebral disc (80.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 15.0 | 8 | 13 | 13 | 15 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 5 | 7.8 | 4 | 6 | 6 | 7 | 9 | 11 | 11 | 11 |
| 1-5 YRS | 3 | 13.7 | 65 | 5 | 5 | 15 | 19 | 21 | 21 | 21 |
| 6-12 YRS | 6 | 9.2 | 17 | 4 | 4 | 9 | 10 | 15 | 16 | 16 |
| 13-19 YRS | 384 | 9.6 | 37 | 4 | 5 | 8 | 12 | 16 | 20 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 3 | 15.0 | 91 | 9 | 9 | 10 | 22 | 26 | 26 | 26 |
| 1-5 YRS | 6 | 16.8 | 52 | 9 | 9 | 16 | 24 | 26 | 26 | 26 |
| 6-12 YRS | 7 | 12.0 | 98 | 1 | 1 | 13 | 16 | 27 | 30 | 30 |
| 13-19 YRS | 103 | 13.0 | 89 | 3 | 4 | 10 | 18 | 30 | 47 | 99+ |
| TOT. SINGLE DX | 400 | 9.6 | 37 | 4 | 5 | 8 | 12 | 16 | 20 | 35 |
| " MULTIPLE DX | 121 | 13.1 | 86 | 2 | 4 | 10 | 18 | 29 | 42 | 99+ |
| TOTAL 0-27 DYS | 4 | 12.5 | 11 | 10 | 10 | 12 | 15 | 17 | 17 | 17 |
| 1-11 MOS | 8 | 10.5 | 43 | 6 | 6 | 9 | 10 | 21 | 26 | 26 |
| 1-5 YRS | 9 | 15.8 | 52 | 5 | 7 | 15 | 22 | 25 | 26 | 26 |
| 6-12 YRS | 13 | 10.7 | 58 | 1 | 2 | 10 | 14 | 20 | 28 | 30 |
| 13-19 YRS | 487 | 10.3 | 50 | 3 | 4 | 8 | 13 | 19 | 25 | 52 |
| GRAND TOTAL | 521 | 10.4 | 50 | 3 | 4 | 9 | 13 | 19 | 25 | 51 |

## 718: Excision of semilunar cartilage of knee joint (80.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 4 | 5.5 | 27 | 1 | 1 | 4 | 9 | 13 | 13 | 13 |
| 1-5 YRS | 10 | 5.2 | 14 | <1 | <1 | 4 | 7 | 11 | 13 | 13 |
| 6-12 YRS | 91 | 4.0 | 5 | 1 | 2 | 4 | 5 | 6 | 7 | 15 |
| 13-19 YRS | 4233 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 3.8 | 9 | 1 | 1 | 3 | 6 | 8 | 8 | 8 |
| 1-5 YRS | 5 | 4.2 | 5 | 1 | 1 | 4 | 6 | 7 | 7 | 7 |
| 6-12 YRS | 35 | 4.2 | 5 | 1 | 2 | 4 | 6 | 6 | 8 | 12 |
| 13-19 YRS | 2288 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| TOT. SINGLE DX | 4340 | 3.5 | 3 | 1 | 2 | 3 | 4 | 6 | 7 | 9 |
| " MULTIPLE DX | 2332 | 4.1 | 7 | 1 | 2 | 4 | 5 | 7 | 8 | 16 |
| TOTAL 0-27 DYS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 8 | 4.6 | 17 | 1 | 1 | 4 | 6 | 11 | 13 | 13 |
| 1-5 YRS | 15 | 4.9 | 11 | <1 | 1 | 4 | 7 | 10 | 12 | 13 |
| 6-12 YRS | 126 | 4.1 | 5 | 1 | 2 | 4 | 5 | 6 | 8 | 14 |
| 13-19 YRS | 6521 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |
| GRAND TOTAL | 6672 | 3.7 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 11 |

## 719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 3.6 | 5 | 1 | 1 | 4 | 5 | 7 | 7 | 7 |
| 1-11 MOS | 13 | 3.2 | 10 | 1 | 1 | 2 | 3 | 8 | 11 | 12 |
| 1-5 YRS | 100 | 4.1 | 23 | <1 | <1 | 2 | 5 | 11 | 16 | 22 |
| 6-12 YRS | 546 | 3.3 | 15 | 1 | 1 | 2 | 3 | 6 | 9 | 20 |
| 13-19 YRS | 5620 | 2.6 | 4 | <1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 3.5 | 3 | 1 | 1 | 3 | 5 | 6 | 6 | 6 |
| 1-11 MOS | 3 | 23.0 | 981 | 2 | 2 | 8 | 46 | 59 | 59 | 59 |
| 1-5 YRS | 19 | 10.8 | 159 | 1 | 2 | 6 | 13 | 35 | 42 | 42 |
| 6-12 YRS | 167 | 5.1 | 67 | 1 | 1 | 3 | 5 | 10 | 18 | 37 |
| 13-19 YRS | 2367 | 3.3 | 11 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| TOT. SINGLE DX | 6284 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| " MULTIPLE DX | 2564 | 3.5 | 18 | 1 | 1 | 2 | 4 | 6 | 9 | 22 |
| TOTAL 0-27 DYS | 13 | 3.5 | 4 | 1 | 1 | 4 | 5 | 6 | 7 | 7 |
| 1-11 MOS | 16 | 6.9 | 203 | 1 | 1 | 2 | 6 | 12 | 45 | 59 |
| 1-5 YRS | 119 | 5.2 | 50 | <1 | 1 | 2 | 6 | 14 | 20 | 41 |
| 6-12 YRS | 713 | 3.7 | 28 | 1 | 1 | 2 | 4 | 7 | 10 | 29 |
| 13-19 YRS | 7987 | 2.8 | 6 | <1 | 1 | 2 | 3 | 5 | 6 | 12 |
| GRAND TOTAL | 8848 | 2.9 | 9 | <1 | 1 | 2 | 3 | 5 | 7 | 15 |

## 720: Spinal fusion (81.0)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARI-ANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 8.0 | | 8 | 8 | 8 | 8 | 8 | 8 | 8 |
| 1-5 YRS | 7 | 15.3 | 265 | 4 | 4 | 7 | 22 | 44 | 48 | 48 |
| 6-12 YRS | 109 | 14.2 | 61 | 5 | 7 | 12 | 17 | 22 | 30 | 47 |
| 13-19 YRS | 509 | 13.2 | 44 | 6 | 7 | 12 | 16 | 20 | 25 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 6 | 6.3 | 10 | 2 | 2 | 6 | 8 | 11 | 11 | 11 |
| 6-12 YRS | 80 | 20.9 | 242 | 5 | 7 | 15 | 29 | 39 | 48 | 85 |
| 13-19 YRS | 290 | 19.6 | 226 | 6 | 8 | 15 | 23 | 38 | 59 | 99 |
| TOT. SINGLE DX | 626 | 13.4 | 49 | 6 | 7 | 12 | 16 | 20 | 26 | 40 |
| " MULTIPLE DX | 377 | 19.7 | 228 | 6 | 8 | 15 | 24 | 38 | 56 | 98 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 8.5 | 1 | 8 | 8 | 8 | 9 | 9 | 9 | 9 |
| 1-5 YRS | 13 | 11.2 | 158 | 2 | 3 | 7 | 11 | 30 | 45 | 48 |
| 6-12 YRS | 189 | 17.0 | 148 | 5 | 7 | 14 | 19 | 32 | 39 | 66 |
| 13-19 YRS | 799 | 15.5 | 120 | 6 | 7 | 13 | 18 | 26 | 35 | 78 |
| GRAND TOTAL | 1003 | 15.8 | 126 | 6 | 7 | 13 | 18 | 28 | 36 | 72 |

### 721: Arthrodesis and stabilization of joint (81.1-81.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 4 | 7.8 | 46 | <1 | <1 | 7 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 16 | 3.3 | 2 | <1 | 1 | 3 | 5 | 5 | 6 | 6 |
| 6-12 YRS | 105 | 4.4 | 5 | 2 | 2 | 4 | 5 | 7 | 9 | 13 |
| 13-19 YRS | 433 | 4.5 | 15 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 4.7 | | 4 | 4 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 14 | 5.2 | 20 | 2 | 2 | 4 | 6 | 11 | 16 | 18 |
| 6-12 YRS | 81 | 5.7 | 22 | 2 | 2 | 5 | 7 | 9 | 14 | 29 |
| 13-19 YRS | 284 | 6.0 | 20 | 2 | 2 | 5 | 7 | 10 | 14 | 26 |
| TOT. SINGLE DX | 558 | 4.5 | 13 | 1 | 2 | 4 | 5 | 8 | 10 | 17 |
| " MULTIPLE DX | 383 | 5.9 | 21 | 2 | 2 | 5 | 7 | 10 | 14 | 27 |
| TOTAL 0-27 DYS | 3 | 4.7 | | 4 | 4 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 5 | 9.0 | 43 | <1 | <1 | 12 | 14 | 15 | 15 | 15 |
| 1-5 YRS | 30 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 18 |
| 6-12 YRS | 186 | 5.0 | 13 | 2 | 2 | 4 | 6 | 9 | 10 | 23 |
| 13-19 YRS | 717 | 5.1 | 18 | 1 | 2 | 4 | 6 | 9 | 12 | 21 |
| GRAND TOTAL | 941 | 5.1 | 17 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |

### 722: Total hip replacement (81.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 12.0 | 8 | 10 | 10 | 12 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 3 | 11.7 | 33 | 5 | 5 | 15 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 4 | 18.8 | 68 | 8 | 8 | 20 | 25 | 27 | 27 | 27 |
| 13-19 YRS | 12 | 14.3 | 107 | 1 | 3 | 15 | 17 | 27 | 40 | 42 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | 2 | 14.0 | 50 | 9 | 9 | 14 | 19 | 19 | 19 | 19 |
| 13-19 YRS | 29 | 20.6 | 289 | 8 | 9 | 12 | 29 | 48 | 61 | 71 |
| TOT. SINGLE DX | 21 | 14.6 | 79 | 3 | 5 | 15 | 17 | 25 | 34 | 42 |
| " MULTIPLE DX | 31 | 20.1 | 275 | 8 | 9 | 12 | 26 | 46 | 60 | 71 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 12.0 | 8 | 10 | 10 | 12 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 3 | 11.7 | 33 | 5 | 5 | 15 | 15 | 15 | 15 | 15 |
| 6-12 YRS | 6 | 17.2 | 57 | 8 | 8 | 18 | 23 | 27 | 27 | 27 |
| 13-19 YRS | 41 | 18.7 | 241 | 5 | 8 | 13 | 18 | 42 | 56 | 71 |
| GRAND TOTAL | 52 | 17.9 | 200 | 5 | 8 | 13 | 18 | 38 | 51 | 71 |

### 723: Other arthroplasty of hip (81.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 13.0 | | 13 | 13 | 13 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 4 | 12.0 | 48 | 4 | 4 | 11 | 16 | 21 | 21 | 21 |
| 1-5 YRS | 3 | 17.7 | 112 | 8 | 8 | 16 | 26 | 29 | 29 | 29 |
| 6-12 YRS | 26 | 10.6 | 109 | 4 | 4 | 7 | 11 | 21 | 36 | 51 |
| 13-19 YRS | 38 | 12.3 | 72 | 4 | 4 | 11 | 16 | 21 | 29 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 3 | 23.7 | 30 | 18 | 18 | 24 | 28 | 29 | 29 | 29 |
| 1-5 YRS | 4 | 19.3 | 138 | 6 | 6 | 19 | 28 | 33 | 33 | 33 |
| 6-12 YRS | 14 | 17.3 | 178 | 2 | 4 | 14 | 24 | 38 | 47 | 49 |
| 13-19 YRS | 15 | 15.9 | 197 | 4 | 6 | 11 | 15 | 42 | 49 | 51 |
| TOT. SINGLE DX | 72 | 11.9 | 84 | 4 | 4 | 9 | 15 | 21 | 31 | 50 |
| " MULTIPLE DX | 37 | 17.1 | 165 | 3 | 5 | 13 | 24 | 36 | 47 | 51 |
| TOTAL 0-27 DYS | 2 | 8.0 | 50 | 3 | 3 | 8 | 13 | 13 | 13 | 13 |
| 1-11 MOS | 7 | 17.0 | 73 | 4 | 5 | 18 | 23 | 28 | 29 | 29 |
| 1-5 YRS | 7 | 18.6 | 107 | 6 | 6 | 16 | 28 | 32 | 33 | 33 |
| 6-12 YRS | 40 | 13.0 | 140 | 4 | 4 | 8 | 16 | 30 | 43 | 51 |
| 13-19 YRS | 53 | 13.3 | 107 | 4 | 4 | 11 | 16 | 26 | 40 | 51 |
| GRAND TOTAL | 109 | 13.7 | 116 | 4 | 4 | 11 | 17 | 29 | 37 | 51 |

### 724: Arthroplasty of knee (81.41-81.47)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 15.3 | 144 | 3 | 3 | 16 | 24 | 27 | 27 | 27 |
| 1-11 MOS | 6 | 7.7 | 18 | 4 | 4 | 7 | 12 | 13 | 13 | 13 |
| 1-5 YRS | 9 | 6.9 | 43 | 1 | 1 | 4 | 10 | 18 | 20 | 20 |
| 6-12 YRS | 129 | 4.6 | 6 | 2 | 2 | 4 | 6 | 8 | 9 | 15 |
| 13-19 YRS | 2295 | 4.8 | 5 | 2 | 2 | 4 | 6 | 7 | 9 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 18.5 | 25 | 15 | 15 | 18 | 22 | 22 | 22 | 22 |
| 1-11 MOS | 6 | 14.2 | 13 | 9 | 9 | 14 | 18 | 18 | 18 | 18 |
| 1-5 YRS | 1 | 26.0 | | 26 | 26 | 26 | 26 | 26 | 26 | 26 |
| 6-12 YRS | 58 | 5.5 | 35 | 1 | 2 | 4 | 6 | 10 | 12 | 42 |
| 13-19 YRS | 1680 | 5.5 | 9 | 2 | 3 | 5 | 6 | 9 | 11 | 16 |
| TOT. SINGLE DX | 2442 | 4.8 | 6 | 2 | 2 | 4 | 6 | 7 | 9 | 13 |
| " MULTIPLE DX | 1747 | 5.5 | 11 | 2 | 3 | 5 | 7 | 9 | 11 | 17 |
| TOTAL 0-27 DYS | 5 | 16.6 | 81 | 3 | 3 | 16 | 23 | 27 | 27 | 27 |
| 1-11 MOS | 12 | 10.9 | 26 | 4 | 4 | 11 | 14 | 18 | 18 | 18 |
| 1-5 YRS | 10 | 8.8 | 75 | 1 | 1 | 5 | 15 | 23 | 26 | 26 |
| 6-12 YRS | 187 | 4.9 | 16 | 1 | 2 | 4 | 6 | 8 | 10 | 18 |
| 13-19 YRS | 3975 | 5.1 | 7 | 2 | 2 | 5 | 6 | 8 | 10 | 14 |
| GRAND TOTAL | 4189 | 5.1 | 8 | 2 | 2 | 5 | 6 | 8 | 10 | 15 |

### 725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 5.0 | 2 | 4 | 4 | 5 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 3.0 | 1 | 1 | 1 | 3 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 31 | 2.5 | 3 | 1 | 1 | 2 | 3 | 4 | 9 | 9 |
| 6-12 YRS | 115 | 2.9 | 4 | 1 | 1 | 2 | 4 | 5 | 8 | 12 |
| 13-19 YRS | 2815 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 4 | 3.8 | 8 | 2 | 2 | 3 | 5 | 8 | 8 | 8 |
| 1-5 YRS | 15 | 4.3 | 12 | 1 | 1 | 4 | 5 | 8 | 13 | 15 |
| 6-12 YRS | 44 | 3.8 | 16 | 1 | 1 | 3 | 4 | 7 | 12 | 24 |
| 13-19 YRS | 636 | 4.4 | 17 | 2 | 2 | 4 | 5 | 7 | 9 | 16 |
| TOT. SINGLE DX | 2969 | 3.5 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 8 |
| " MULTIPLE DX | 700 | 4.4 | 17 | 1 | 2 | 4 | 5 | 7 | 9 | 17 |
| TOTAL 0-27 DYS | 3 | 4.7 | 1 | 4 | 4 | 4 | 6 | 6 | 6 | 6 |
| 1-11 MOS | 10 | 3.3 | 4 | 1 | 1 | 3 | 4 | 6 | 8 | 8 |
| 1-5 YRS | 46 | 3.1 | 7 | 1 | 1 | 2 | 4 | 6 | 9 | 15 |
| 6-12 YRS | 159 | 3.2 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 13 |
| 13-19 YRS | 3451 | 3.7 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |
| GRAND TOTAL | 3669 | 3.6 | 5 | 1 | 2 | 3 | 4 | 6 | 7 | 10 |

### 726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 83 | 3.9 | 15 | <1 | 1 | 3 | 5 | 9 | 12 | 21 |
| 1-5 YRS | 337 | 2.5 | 8 | <1 | <1 | 2 | 3 | 5 | 7 | 15 |
| 6-12 YRS | 327 | 3.8 | 28 | <1 | 1 | 2 | 4 | 8 | 11 | 21 |
| 13-19 YRS | 811 | 4.0 | 16 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 13.5 | 113 | 2 | 2 | 14 | 22 | 24 | 24 | 24 |
| 1-11 MOS | 17 | 8.0 | 36 | 1 | 2 | 7 | 10 | 18 | 22 | 23 |
| 1-5 YRS | 175 | 6.5 | 68 | 2 | 2 | 4 | 6 | 13 | 21 | 49 |
| 6-12 YRS | 229 | 6.0 | 44 | 1 | 2 | 4 | 7 | 13 | 21 | 43 |
| 13-19 YRS | 408 | 7.6 | 99 | 1 | 2 | 4 | 8 | 18 | 30 | 50 |
| TOT. SINGLE DX | 1559 | 3.6 | 18 | <1 | 1 | 2 | 4 | 7 | 10 | 22 |
| " MULTIPLE DX | 833 | 7.0 | 77 | 1 | 2 | 4 | 7 | 16 | 23 | 47 |
| TOTAL 0-27 DYS | 5 | 11.4 | 107 | 2 | 2 | 7 | 22 | 24 | 24 | 24 |
| 1-11 MOS | 100 | 4.6 | 21 | <1 | 1 | 3 | 6 | 10 | 14 | 23 |
| 1-5 YRS | 512 | 3.8 | 33 | <1 | <1 | 2 | 4 | 7 | 12 | 29 |
| 6-12 YRS | 556 | 4.7 | 37 | 1 | 1 | 3 | 5 | 9 | 15 | 39 |
| 13-19 YRS | 1219 | 5.2 | 47 | 1 | 1 | 3 | 5 | 10 | 17 | 39 |
| GRAND TOTAL | 2392 | 4.8 | 41 | <1 | 1 | 3 | 5 | 9 | 15 | 38 |

### 727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 9.7 | 116 | 2 | 2 | 5 | 18 | 22 | 22 | 22 |
| 1-11 MOS | 39 | 3.1 | 16 | <1 | <1 | 1 | 3 | 8 | 12 | 21 |
| 1-5 YRS | 404 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 8 |
| 6-12 YRS | 852 | 2.2 | 3 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 13-19 YRS | 2083 | 2.2 | 10 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 9 | 8.6 | 95 | 2 | 2 | 4 | 13 | 26 | 28 | 28 |
| 1-11 MOS | 17 | 8.2 | 38 | 1 | 2 | 9 | 10 | 19 | 22 | 23 |
| 1-5 YRS | 64 | 5.4 | 117 | <1 | 1 | 2 | 4 | 8 | 28 | 60 |
| 6-12 YRS | 99 | 4.2 | 80 | <1 | 1 | 2 | 4 | 7 | 10 | 64 |
| 13-19 YRS | 359 | 3.8 | 16 | <1 | 1 | 2 | 4 | 7 | 11 | 23 |
| TOT. SINGLE DX | 3381 | 2.2 | 8 | <1 | <1 | 2 | 2 | 3 | 4 | 9 |
| " MULTIPLE DX | 548 | 4.2 | 42 | <1 | 1 | 2 | 4 | 8 | 12 | 32 |
| TOTAL 0-27 DYS | 12 | 8.8 | 91 | 2 | 2 | 4 | 16 | 24 | 27 | 28 |
| 1-11 MOS | 56 | 4.6 | 28 | <1 | 1 | 2 | 7 | 11 | 18 | 23 |
| 1-5 YRS | 468 | 2.4 | 19 | <1 | <1 | 2 | 2 | 3 | 5 | 12 |
| 6-12 YRS | 951 | 2.4 | 12 | <1 | <1 | 2 | 2 | 4 | 5 | 13 |
| 13-19 YRS | 2442 | 2.4 | 12 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| GRAND TOTAL | 3929 | 2.5 | 13 | <1 | <1 | 2 | 3 | 4 | 5 | 13 |

### 728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 1.0 | | <1 | <1 | <1 | <1 | <1 | <1 | <1 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 45 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 7 |
| 6-12 YRS | 29 | 2.0 | | <1 | <1 | 2 | 2 | 3 | 3 | 5 |
| 13-19 YRS | 98 | 2.6 | 2 | <1 | 1 | 2 | 3 | 5 | 6 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 3.0 | 12 | 1 | 1 | 1 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 13 | 6.7 | 40 | 1 | 1 | 3 | 10 | 15 | 21 | 23 |
| 6-12 YRS | 12 | 3.0 | 2 | <1 | <1 | 3 | 4 | 5 | 6 | 6 |
| 13-19 YRS | 30 | 4.2 | 16 | 1 | 1 | 3 | 4 | 10 | 12 | 19 |
| TOT. SINGLE DX | 173 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 6 | 8 |
| " MULTIPLE DX | 60 | 4.4 | 19 | 1 | 1 | 3 | 5 | 10 | 13 | 23 |
| TOTAL 0-27 DYS | 4 | 2.5 | 9 | <1 | <1 | 1 | 4 | 7 | 7 | 7 |
| 1-11 MOS | 2 | 2.0 | 2 | 1 | 1 | 2 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 58 | 3.0 | 14 | <1 | <1 | 2 | 3 | 7 | 11 | 22 |
| 6-12 YRS | 41 | 2.3 | 2 | <1 | <1 | 2 | 3 | 4 | 5 | 6 |
| 13-19 YRS | 128 | 2.9 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |
| GRAND TOTAL | 233 | 2.8 | 7 | <1 | 1 | 2 | 3 | 6 | 8 | 14 |

### 729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 17 | 2.2 | 2 | <1 | <1 | 2 | 3 | 5 | 6 | 6 |
| 1-5 YRS | 243 | 2.0 | 1 | <1 | 1 | 2 | 2 | 4 | 4 | 6 |
| 6-12 YRS | 307 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 6 |
| 13-19 YRS | 1331 | 2.3 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 7 | 2.6 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 139 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 6-12 YRS | 238 | 2.5 | 20 | 1 | 1 | 2 | 3 | 4 | 6 | 9 |
| 13-19 YRS | 869 | 3.0 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 17 |
| TOT. SINGLE DX | 1900 | 2.2 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 9 |
| " MULTIPLE DX | 1254 | 2.8 | 15 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| TOTAL 0-27 DYS | 3 | 3.3 | 10 | 1 | 1 | 2 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 24 | 2.3 | 3 | <1 | 1 | 2 | 3 | 5 | 6 | 6 |
| 1-5 YRS | 382 | 2.0 | 2 | <1 | 1 | 2 | 2 | 3 | 5 | 7 |
| 6-12 YRS | 545 | 2.2 | 10 | 1 | 1 | 2 | 2 | 3 | 5 | 8 |
| 13-19 YRS | 2200 | 2.5 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 13 |
| GRAND TOTAL | 3154 | 2.4 | 8 | <1 | 1 | 2 | 3 | 4 | 6 | 11 |

### 730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 8 | 3.4 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 89 | 2.1 | 2 | <1 | 1 | 2 | 3 | 4 | 5 | 8 |
| 6-12 YRS | 263 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 10 |
| 13-19 YRS | 620 | 2.7 | 4 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 14.5 | 41 | 10 | 10 | 14 | 19 | 19 | 19 | 19 |
| 1-11 MOS | 1 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 44 | 2.9 | 5 | 1 | 1 | 2 | 4 | 6 | 8 | 12 |
| 6-12 YRS | 125 | 4.0 | 14 | 1 | 1 | 3 | 5 | 8 | 13 | 19 |
| 13-19 YRS | 373 | 4.8 | 64 | 1 | 1 | 3 | 4 | 8 | 15 | 49 |
| TOT. SINGLE DX | 981 | 2.7 | 5 | 1 | 1 | 2 | 3 | 5 | 6 | 9 |
| " MULTIPLE DX | 545 | 4.5 | 49 | 1 | 1 | 3 | 4 | 8 | 14 | 41 |
| TOTAL 0-27 DYS | 3 | 11.3 | 50 | 5 | 5 | 10 | 17 | 19 | 19 | 19 |
| 1-11 MOS | 9 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 133 | 2.3 | 3 | 1 | 1 | 2 | 3 | 4 | 6 | 10 |
| 6-12 YRS | 388 | 3.1 | 8 | 1 | 1 | 2 | 4 | 6 | 8 | 17 |
| 13-19 YRS | 993 | 3.5 | 28 | 1 | 1 | 2 | 4 | 6 | 8 | 26 |
| GRAND TOTAL | 1526 | 3.3 | 21 | 1 | 1 | 2 | 4 | 6 | 8 | 19 |

### 731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 4.5 | 5 | 2 | 2 | 4 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 293 | 2.8 | 2 | 1 | 1 | 2 | 3 | 5 | 5 | 9 |
| 1-5 YRS | 522 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 6-12 YRS | 441 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 12 |
| 13-19 YRS | 975 | 3.6 | 6 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 70 | 4.0 | 6 | 1 | 1 | 3 | 5 | 7 | 7 | 14 |
| 1-5 YRS | 333 | 3.5 | 8 | 1 | 2 | 3 | 4 | 6 | 7 | 18 |
| 6-12 YRS | 395 | 4.7 | 16 | 2 | 2 | 4 | 5 | 8 | 11 | 26 |
| 13-19 YRS | 519 | 5.7 | 40 | 1 | 2 | 4 | 6 | 10 | 15 | 39 |
| TOT. SINGLE DX | 2235 | 3.3 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 10 |
| " MULTIPLE DX | 1318 | 4.8 | 24 | 1 | 2 | 4 | 5 | 8 | 11 | 29 |
| TOTAL 0-27 DYS | 5 | 4.6 | 4 | 2 | 2 | 5 | 6 | 7 | 7 | 7 |
| 1-11 MOS | 363 | 3.0 | 4 | 1 | 1 | 3 | 4 | 5 | 6 | 10 |
| 1-5 YRS | 855 | 3.2 | 5 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| 6-12 YRS | 836 | 4.1 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 18 |
| 13-19 YRS | 1494 | 4.4 | 19 | 1 | 1 | 4 | 5 | 7 | 9 | 23 |
| GRAND TOTAL | 3553 | 3.9 | 12 | 1 | 1 | 3 | 5 | 6 | 8 | 17 |

### 732: Amputation of fingers and thumb (84.01-84.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 14 | 1.5 | | <1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 78 | 2.6 | 70 | <1 | 1 | 1 | 2 | 4 | 5 | 56 |
| 6-12 YRS | 61 | 2.2 | 4 | <1 | 1 | 1 | 2 | 4 | 8 | 12 |
| 13-19 YRS | 228 | 2.9 | 19 | <1 | 1 | 2 | 3 | 5 | 7 | 26 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 21 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 6 | 13.0 | 524 | 1 | 1 | 2 | 12 | 54 | 59 | 59 |
| 1-5 YRS | 21 | 4.5 | 25 | <1 | <1 | 2 | 4 | 13 | 17 | 18 |
| 6-12 YRS | 23 | 5.3 | 24 | <1 | 1 | 3 | 7 | 14 | 16 | 18 |
| 13-19 YRS | 105 | 5.0 | 72 | 1 | 1 | 2 | 5 | 10 | 24 | 48 |
| TOT. SINGLE DX | 381 | 2.7 | 27 | <1 | 1 | 2 | 3 | 5 | 7 | 23 |
| " MULTIPLE DX | 176 | 5.0 | 67 | 1 | 1 | 2 | 5 | 10 | 18 | 53 |
| TOTAL 0-27 DYS | 21 | 3.0 | 3 | 1 | 1 | 2 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 20 | 5.0 | 168 | <1 | 1 | 2 | 2 | 7 | 35 | 59 |
| 1-5 YRS | 99 | 3.0 | 61 | <1 | 1 | 1 | 2 | 5 | 9 | 47 |
| 6-12 YRS | 84 | 3.0 | 12 | <1 | 1 | 2 | 3 | 8 | 11 | 17 |
| 13-19 YRS | 333 | 3.6 | 37 | 1 | 1 | 2 | 3 | 6 | 10 | 39 |
| GRAND TOTAL | 557 | 3.4 | 41 | 1 | 1 | 2 | 3 | 6 | 10 | 38 |

## 733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 5 | 3.2 | 7 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 2 | 11.5 | 145 | 3 | 3 | 11 | 20 | 20 | 20 | 20 |
| 13-19 YRS | 18 | 3.6 | 5 | <1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 17.0 | 291 | 3 | 3 | 12 | 30 | 36 | 36 | 36 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 6-12 YRS | 3 | 25.7 | 726 | 2 | 2 | 20 | 46 | 55 | 55 | 55 |
| 13-19 YRS | 16 | 23.2 | 410 | 2 | 3 | 20 | 38 | 47 | 64 | 71 |
| TOT. SINGLE DX | 27 | 4.0 | 15 | <1 | 1 | 3 | 5 | 8 | 10 | 20 |
| " MULTIPLE DX | 23 | 21.8 | 396 | 2 | 2 | 18 | 36 | 49 | 61 | 71 |
| TOTAL 0-27 DYS | 3 | 17.0 | 291 | 3 | 3 | 12 | 30 | 36 | 36 | 36 |
| 1-11 MOS | 2 | 2.5 | 5 | 1 | 1 | 2 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 6 | 3.0 | 6 | <1 | <1 | 2 | 5 | 7 | 7 | 7 |
| 6-12 YRS | 5 | 20.0 | 460 | 2 | 2 | 20 | 29 | 55 | 55 | 55 |
| 13-19 YRS | 34 | 12.8 | 287 | 1 | 2 | 5 | 18 | 41 | 46 | 71 |
| GRAND TOTAL | 50 | 12.2 | 266 | 1 | 1 | 5 | 18 | 39 | 47 | 71 |

## 734: Amputation of toes (84.11)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 9 | 1.7 | | <1 | <1 | 2 | 2 | 3 | 3 | 3 |
| 1-5 YRS | 46 | 3.3 | 28 | 1 | 1 | 2 | 3 | 6 | 9 | 35 |
| 6-12 YRS | 30 | 3.9 | 7 | 1 | 1 | 3 | 6 | 8 | 10 | 10 |
| 13-19 YRS | 94 | 4.9 | 23 | 1 | 2 | 3 | 6 | 9 | 15 | 28 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 6.0 | 2 | 5 | 5 | 6 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 4 | 13.8 | 206 | 1 | 1 | 10 | 23 | 34 | 34 | 34 |
| 1-5 YRS | 19 | 5.3 | 52 | 1 | 1 | 3 | 5 | 12 | 25 | 32 |
| 6-12 YRS | 25 | 6.0 | 17 | 1 | 2 | 5 | 9 | 11 | 15 | 17 |
| 13-19 YRS | 68 | 8.9 | 147 | 1 | 1 | 4 | 10 | 26 | 32 | 95 |
| TOT. SINGLE DX | 180 | 4.2 | 22 | 1 | 1 | 3 | 5 | 8 | 11 | 30 |
| " MULTIPLE DX | 118 | 7.8 | 105 | 1 | 1 | 4 | 9 | 21 | 31 | 83 |
| TOTAL 0-27 DYS | 3 | 5.7 | 1 | 5 | 5 | 5 | 7 | 7 | 7 | 7 |
| 1-11 MOS | 13 | 5.4 | 86 | <1 | <1 | 2 | 4 | 17 | 31 | 34 |
| 1-5 YRS | 65 | 3.9 | 36 | 1 | 1 | 2 | 4 | 6 | 14 | 35 |
| 6-12 YRS | 55 | 4.8 | 13 | 1 | 1 | 4 | 7 | 10 | 11 | 17 |
| 13-19 YRS | 162 | 6.6 | 79 | 1 | 1 | 4 | 8 | 15 | 25 | 71 |
| GRAND TOTAL | 298 | 5.6 | 58 | 1 | 1 | 3 | 6 | 11 | 20 | 41 |

## 735: Below-knee amputation (84.15)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 16.0 | 50 | 11 | 11 | 16 | 21 | 21 | 21 | 21 |
| 6-12 YRS | 3 | 6.3 | 16 | 2 | 2 | 7 | 9 | 10 | 10 | 10 |
| 13-19 YRS | 10 | 12.4 | 16 | 6 | 7 | 12 | 13 | 18 | 21 | 21 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 5 | 24.0 | 368 | 6 | 6 | 20 | 40 | 50 | 50 | 50 |
| 6-12 YRS | 2 | 25.0 | 338 | 12 | 12 | 25 | 38 | 38 | 38 | 38 |
| 13-19 YRS | 20 | 29.8 | 348 | 6 | 8 | 25 | 47 | 54 | 62 | 69 |
| TOT. SINGLE DX | 15 | 11.7 | 26 | 3 | 6 | 11 | 13 | 21 | 21 | 21 |
| " MULTIPLE DX | 31 | 26.4 | 314 | 6 | 8 | 20 | 39 | 53 | 55 | 69 |
| TOTAL 0-27 DYS | 2 | 12.0 | | 12 | 12 | 12 | 12 | 12 | 12 | 12 |
| 1-11 MOS | 2 | 14.0 | 8 | 12 | 12 | 14 | 16 | 16 | 16 | 16 |
| 1-5 YRS | 7 | 21.7 | 269 | 6 | 6 | 20 | 33 | 47 | 50 | 50 |
| 6-12 YRS | 5 | 13.8 | 197 | 2 | 2 | 10 | 18 | 38 | 38 | 38 |
| 13-19 YRS | 30 | 24.0 | 303 | 6 | 8 | 18 | 30 | 53 | 55 | 69 |
| GRAND TOTAL | 46 | 21.6 | 266 | 6 | 7 | 15 | 29 | 50 | 54 | 69 |

## 736: Above-knee amputation (84.16-84.17)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 2 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 3 | 13.3 | 165 | 4 | 4 | 8 | 23 | 28 | 28 | 28 |
| 13-19 YRS | 13 | 12.3 | 35 | 5 | 7 | 9 | 15 | 20 | 26 | 27 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 71.0 | | 71 | 71 | 71 | 71 | 71 | 71 | 71 |
| 1-11 MOS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 5 | 27.4 | 831 | 7 | 7 | 14 | 40 | 77 | 77 | 77 |
| 6-12 YRS | 1 | 17.0 | | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 13-19 YRS | 14 | 23.4 | 332 | 4 | 6 | 15 | 38 | 52 | 57 | 59 |
| TOT. SINGLE DX | 18 | 11.7 | 51 | 4 | 5 | 9 | 15 | 24 | 28 | 28 |
| " MULTIPLE DX | 23 | 24.9 | 473 | 5 | 6 | 14 | 37 | 61 | 73 | 77 |
| TOTAL 0-27 DYS | 1 | 71.0 | | 71 | 71 | 71 | 71 | 71 | 71 | 71 |
| 1-11 MOS | 2 | 9.5 | 41 | 5 | 5 | 9 | 14 | 14 | 14 | 14 |
| 1-5 YRS | 7 | 21.0 | 674 | 5 | 5 | 11 | 24 | 67 | 77 | 77 |
| 6-12 YRS | 4 | 14.3 | 114 | 4 | 4 | 12 | 22 | 28 | 28 | 28 |
| 13-19 YRS | 27 | 18.1 | 215 | 5 | 6 | 14 | 25 | 41 | 52 | 59 |
| GRAND TOTAL | 41 | 19.1 | 326 | 4 | 5 | 14 | 27 | 46 | 64 | 77 |

## 737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 5 | 4.8 |  | 4 | 4 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 4.0 | 3 | 1 | 1 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 4 | 13.3 | 58 | 4 | 4 | 14 | 19 | 20 | 20 | 20 |
| 13-19 YRS | 18 | 13.2 | 137 | 1 | 3 | 9 | 17 | 32 | 41 | 44 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 2 | 4.0 |  | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 7 | 23.4 | 913 | 1 | 2 | 12 | 21 | 76 | 90 | 90 |
| 13-19 YRS | 19 | 31.5 | 555 | 2 | 3 | 31 | 50 | 68 | 69 | 72 |
| TOT. SINGLE DX | 32 | 10.4 | 98 | 1 | 3 | 6 | 12 | 23 | 35 | 44 |
| " MULTIPLE DX | 29 | 26.7 | 630 | 2 | 3 | 19 | 42 | 65 | 73 | 90 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 6 | 4.3 | 1 | 2 | 2 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 7 | 4.0 | 2 | 1 | 2 | 4 | 5 | 6 | 6 | 6 |
| 6-12 YRS | 11 | 19.7 | 592 | 1 | 3 | 12 | 20 | 49 | 87 | 90 |
| 13-19 YRS | 37 | 22.6 | 429 | 2 | 3 | 15 | 37 | 59 | 65 | 72 |
| GRAND TOTAL | 61 | 18.1 | 411 | 2 | 3 | 10 | 22 | 50 | 64 | 88 |

## 738: Reattachment of extremity (84.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 4 | 1.3 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 44 | 3.6 | 23 | <1 | 1 | 1 | 4 | 9 | 16 | 22 |
| 6-12 YRS | 20 | 3.8 | 11 | <1 | <1 | 3 | 6 | 8 | 11 | 13 |
| 13-19 YRS | 40 | 5.0 | 18 | 1 | 1 | 4 | 6 | 11 | 16 | 18 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 11 | 5.1 | 65 | 1 | 1 | 2 | 4 | 16 | 28 | 29 |
| 6-12 YRS | 17 | 9.6 | 84 | 1 | 1 | 8 | 11 | 17 | 33 | 41 |
| 13-19 YRS | 29 | 9.4 | 186 | 2 | 2 | 6 | 9 | 15 | 26 | 75 |
| TOT. SINGLE DX | 108 | 4.0 | 19 | <1 | 1 | 2 | 6 | 9 | 14 | 20 |
| " MULTIPLE DX | 58 | 8.6 | 130 | 1 | 2 | 6 | 9 | 16 | 28 | 72 |
| TOTAL 0-27 DYS | 1 | 9.0 |  | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 4 | 1.3 |  | <1 | <1 | 1 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 55 | 3.9 | 31 | <1 | 1 | 2 | 4 | 8 | 18 | 29 |
| 6-12 YRS | 37 | 6.5 | 52 | <1 | 1 | 6 | 9 | 12 | 16 | 41 |
| 13-19 YRS | 69 | 6.8 | 92 | 1 | 1 | 5 | 8 | 12 | 17 | 66 |
| GRAND TOTAL | 166 | 5.7 | 62 | 1 | 1 | 3 | 7 | 12 | 17 | 39 |

## 739: Revision of amputation stump (84.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS | 20 | 1.9 | 1 | <1 | <1 | 1 | 2 | 4 | 5 | 6 |
| 6-12 YRS | 31 | 2.1 | 2 | <1 | <1 | 2 | 2 | 4 | 6 | 7 |
| 13-19 YRS | 101 | 3.5 | 18 | <1 | 1 | 2 | 3 | 7 | 12 | 26 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS | 1 | 17.0 |  | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 6 | 3.5 | 6 | <1 | <1 | 3 | 5 | 8 | 8 | 8 |
| 6-12 YRS | 17 | 6.1 | 52 | 1 | 1 | 4 | 6 | 17 | 25 | 29 |
| 13-19 YRS | 28 | 2.5 | 2 | <1 | 1 | 2 | 4 | 5 | 5 | 6 |
| TOT. SINGLE DX | 152 | 3.0 | 14 | <1 | 1 | 2 | 3 | 6 | 8 | 23 |
| " MULTIPLE DX | 53 | 4.0 | 24 | <1 | 1 | 2 | 5 | 7 | 16 | 29 |
| TOTAL 0-27 DYS | 1 | 17.0 |  | 17 | 17 | 17 | 17 | 17 | 17 | 17 |
| 1-11 MOS | 1 | 2.0 |  | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-5 YRS | 26 | 2.2 | 3 | <1 | <1 | 2 | 2 | 5 | 6 | 8 |
| 6-12 YRS | 48 | 3.5 | 23 | <1 | 1 | 2 | 4 | 6 | 8 | 29 |
| 13-19 YRS | 129 | 3.3 | 15 | <1 | 1 | 2 | 3 | 7 | 9 | 24 |
| GRAND TOTAL | 205 | 3.3 | 16 | <1 | 1 | 2 | 3 | 6 | 8 | 26 |

## 740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES |  |  |  |  |  |  |
|---|---|---|---|---|---|---|---|---|---|---|
|  |  |  |  | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 2 | 58.0 |  | 58 | 58 | 58 | 58 | 58 | 58 | 58 |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 4 | 13.3 | 242 | 2 | 2 | 8 | 24 | 35 | 35 | 35 |
| 13-19 YRS | 5 | 5.6 | 47 | 2 | 2 | 3 | 7 | 18 | 18 | 18 |
| 2. MULTIPLE DX |  |  |  |  |  |  |  |  |  |  |
| 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS |  |  |  |  |  |  |  |  |  |  |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 3 | 12.7 | 202 | 3 | 3 | 6 | 23 | 29 | 29 | 29 |
| 13-19 YRS | 4 | 4.3 | 8 | 2 | 2 | 4 | 6 | 8 | 8 | 8 |
| TOT. SINGLE DX | 11 | 18.0 | 495 | 2 | 2 | 4 | 31 | 58 | 58 | 58 |
| " MULTIPLE DX | 7 | 7.9 | 92 | 2 | 2 | 5 | 7 | 29 | 29 | 29 |
| TOTAL 0-27 DYS |  |  |  |  |  |  |  |  |  |  |
| 1-11 MOS | 2 | 58.0 |  | 58 | 58 | 58 | 58 | 58 | 58 | 58 |
| 1-5 YRS |  |  |  |  |  |  |  |  |  |  |
| 6-12 YRS | 7 | 13.0 | 189 | 2 | 2 | 6 | 25 | 34 | 35 | 35 |
| 13-19 YRS | 9 | 5.1 | 27 | 2 | 2 | 3 | 6 | 14 | 18 | 18 |
| GRAND TOTAL | 18 | 14.1 | 349 | 2 | 2 | 4 | 18 | 31 | 58 | 58 |

## 741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for *ICD-9-CM* codes, see Appendix)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 3.0 | 2 | 2 | 2 | 3 | 4 | 4 | 4 | 4 |
| 1-11 MOS | 10 | 2.7 | 7 | 1 | 1 | 2 | 2 | 6 | 10 | 10 |
| 1-5 YRS | 13 | 2.8 | 5 | <1 | <1 | 2 | 3 | 5 | 9 | 10 |
| 6-12 YRS | 83 | 2.2 | | <1 | 1 | 2 | 3 | 3 | 4 | 6 |
| 13-19 YRS | 2473 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 3.3 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 6 | 2.2 | 4 | <1 | <1 | 1 | 3 | 6 | 6 | 6 |
| 1-5 YRS | 2 | 6.0 | 8 | 4 | 4 | 6 | 8 | 8 | 8 | 8 |
| 6-12 YRS | 17 | 2.3 | | <1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 453 | 3.0 | 11 | 1 | 1 | 2 | 3 | 5 | 7 | 15 |
| TOT. SINGLE DX | 2581 | 2.0 | 1 | <1 | 1 | 2 | 2 | 3 | 4 | 5 |
| " MULTIPLE DX | 482 | 3.0 | 11 | <1 | 1 | 2 | 3 | 5 | 7 | 14 |
| TOTAL 0-27 DYS | 6 | 3.2 | 3 | 2 | 2 | 3 | 4 | 6 | 6 | 6 |
| 1-11 MOS | 16 | 2.5 | 6 | <1 | <1 | 2 | 3 | 6 | 9 | 10 |
| 1-5 YRS | 15 | 3.3 | 7 | <1 | <1 | 3 | 4 | 8 | 9 | 10 |
| 6-12 YRS | 100 | 2.2 | 1 | <1 | 1 | 2 | 3 | 4 | 4 | 5 |
| 13-19 YRS | 2926 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 7 |
| GRAND TOTAL | 3063 | 2.2 | 3 | <1 | 1 | 2 | 2 | 3 | 4 | 8 |

## 743: Simple mastectomy (85.41-85.42)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 1-5 YRS | 2 | 2.5 | 1 | 2 | 2 | 2 | 3 | 3 | 3 | 3 |
| 6-12 YRS | 19 | 2.3 | | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 257 | 2.6 | 1 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 11.0 | 32 | 7 | 7 | 11 | 15 | 15 | 15 | 15 |
| 1-5 YRS | 2 | 3.5 | 13 | 1 | 1 | 3 | 6 | 6 | 6 | 6 |
| 6-12 YRS | 3 | 3.0 | 3 | 1 | 1 | 4 | 4 | 4 | 4 | 4 |
| 13-19 YRS | 48 | 4.6 | 36 | 1 | 2 | 3 | 4 | 11 | 15 | 38 |
| TOT. SINGLE DX | 279 | 2.6 | 2 | 1 | 1 | 2 | 3 | 4 | 5 | 7 |
| " MULTIPLE DX | 55 | 4.7 | 34 | 1 | 1 | 3 | 4 | 11 | 15 | 37 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 3 | 8.7 | 32 | 4 | 4 | 7 | 13 | 15 | 15 | 15 |
| 1-5 YRS | 4 | 3.0 | 5 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 6-12 YRS | 22 | 2.4 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 13-19 YRS | 305 | 2.9 | 7 | 1 | 1 | 2 | 3 | 4 | 5 | 13 |
| GRAND TOTAL | 334 | 2.9 | 7 | 1 | 1 | 2 | 3 | 4 | 6 | 15 |

## 744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 2 | 3.5 | 5 | 2 | 2 | 3 | 5 | 5 | 5 | 5 |
| 6-12 YRS | 2 | 3.0 | | 3 | 3 | 3 | 3 | 3 | 3 | 3 |
| 13-19 YRS | 14 | 3.9 | 6 | <1 | 1 | 3 | 5 | 7 | 9 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 3 | 8.7 | 56 | 1 | 1 | 9 | 14 | 16 | 16 | 16 |
| 6-12 YRS | 4 | 8.8 | 24 | 2 | 2 | 9 | 12 | 14 | 14 | 14 |
| 13-19 YRS | 8 | 5.5 | 10 | 2 | 2 | 5 | 8 | 10 | 10 | 10 |
| TOT. SINGLE DX | 20 | 4.1 | 6 | <1 | 1 | 3 | 5 | 8 | 9 | 10 |
| " MULTIPLE DX | 15 | 7.0 | 22 | 1 | 2 | 8 | 10 | 14 | 15 | 16 |
| TOTAL 0-27 DYS | 1 | 9.0 | | 9 | 9 | 9 | 9 | 9 | 9 | 9 |
| 1-11 MOS | 1 | 5.0 | | 5 | 5 | 5 | 5 | 5 | 5 | 5 |
| 1-5 YRS | 5 | 6.6 | 37 | 1 | 1 | 5 | 11 | 16 | 16 | 16 |
| 6-12 YRS | 6 | 6.8 | 25 | 2 | 2 | 6 | 11 | 14 | 14 | 14 |
| 13-19 YRS | 22 | 4.5 | 8 | 1 | 1 | 4 | 6 | 9 | 10 | 10 |
| GRAND TOTAL | 35 | 5.3 | 14 | 1 | 2 | 4 | 8 | 10 | 13 | 16 |

# Appendix

## *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups

# *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups

## *ICD-9-CM* codes for diagnosis groups 193, 268, 286, 287, 290, and 380 and for operation groups 552, 557, 576, 619, 686, 713, and 741

| | | |
|---|---|---|
| 193 | Nongastric peptic ulcer with hemorrhage or perforation | 532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60 |
| 268 | Miscellaneous complications of pregnancy without delivery | 644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3 |
| 286 | Other obstetrical trauma | 664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2 |
| 287 | Miscellaneous complications of delivery | 642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; |

## 745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 13 | 3.3 | 3 | 1 | 1 | 3 | 4 | 6 | 7 | 7 |
| 1-11 MOS | 4 | 5.3 | 7 | 3 | 3 | 4 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 8 | 2.6 | 7 | 1 | 1 | 1 | 4 | 7 | 8 | 8 |
| 6-12 YRS | 44 | 3.1 | 6 | 1 | 1 | 2 | 4 | 6 | 8 | 14 |
| 13-19 YRS | 1126 | 3.1 | 2 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 7 | 5.7 | 10 | 3 | 3 | 4 | 8 | 11 | 11 | 11 |
| 1-11 MOS | 7 | 4.9 | 6 | 2 | 2 | 4 | 7 | 8 | 8 | 8 |
| 1-5 YRS | 1 | 4.0 | | 4 | 4 | 4 | 4 | 4 | 4 | 4 |
| 6-12 YRS | 5 | 4.8 | 9 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 13-19 YRS | 313 | 3.8 | 12 | 1 | 2 | 3 | 4 | 6 | 8 | 23 |
| TOT. SINGLE DX | 1195 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 9 |
| " MULTIPLE DX | 333 | 3.9 | 13 | 1 | 2 | 3 | 4 | 6 | 8 | 21 |
| TOTAL 0-27 DYS | 20 | 4.2 | 7 | 1 | 1 | 4 | 5 | 8 | 10 | 11 |
| 1-11 MOS | 11 | 5.0 | 6 | 2 | 2 | 4 | 7 | 9 | 9 | 9 |
| 1-5 YRS | 9 | 2.8 | 7 | 1 | 1 | 1 | 4 | 7 | 8 | 8 |
| 6-12 YRS | 49 | 3.3 | 7 | 1 | 1 | 2 | 4 | 7 | 9 | 14 |
| 13-19 YRS | 1439 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 9 |
| GRAND TOTAL | 1528 | 3.3 | 5 | 1 | 2 | 3 | 4 | 5 | 6 | 10 |

## 746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 1-11 MOS | 9 | 2.9 | 3 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 14 | 3.2 | 14 | <1 | 1 | 2 | 3 | 6 | 14 | 16 |
| 6-12 YRS | 43 | 3.0 | 2 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 3979 | 3.8 | 5 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 8.0 | 2 | 7 | 7 | 8 | 9 | 9 | 9 | 9 |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 5 | 4.8 | 15 | 1 | 1 | 3 | 9 | 9 | 9 | 9 |
| 6-12 YRS | 3 | 4.0 | 9 | <1 | <1 | 4 | 6 | 7 | 7 | 7 |
| 13-19 YRS | 491 | 5.5 | 29 | 2 | 2 | 4 | 6 | 9 | 13 | 28 |
| TOT. SINGLE DX | 4046 | 3.8 | 6 | 1 | 2 | 3 | 5 | 6 | 7 | 10 |
| " MULTIPLE DX | 501 | 5.5 | 29 | 2 | 2 | 4 | 6 | 9 | 13 | 27 |
| TOTAL 0-27 DYS | 3 | 6.0 | 13 | 2 | 2 | 7 | 8 | 9 | 9 | 9 |
| 1-11 MOS | 9 | 2.9 | 4 | 1 | 1 | 2 | 4 | 6 | 6 | 6 |
| 1-5 YRS | 19 | 3.6 | 14 | <1 | 1 | 2 | 3 | 9 | 13 | 16 |
| 6-12 YRS | 46 | 3.1 | 3 | 1 | 1 | 3 | 4 | 5 | 6 | 8 |
| 13-19 YRS | 4470 | 4.0 | 9 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |
| GRAND TOTAL | 4547 | 4.0 | 9 | 1 | 2 | 4 | 5 | 6 | 8 | 12 |

## 747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 20 | 4.8 | 16 | 2 | 2 | 3 | 5 | 9 | 14 | 19 |
| 1-11 MOS | 243 | 2.0 | 2 | <1 | <1 | 2 | 2 | 3 | 5 | 8 |
| 1-5 YRS | 1232 | 1.9 | 3 | <1 | <1 | 1 | 2 | 3 | 5 | 11 |
| 6-12 YRS | 1618 | 2.1 | 4 | <1 | <1 | 2 | 2 | 4 | 5 | 10 |
| 13-19 YRS | 2523 | 2.6 | 12 | <1 | <1 | 2 | 3 | 4 | 6 | 16 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 159 | 4.2 | 15 | 1 | 2 | 3 | 5 | 7 | 10 | 23 |
| 1-11 MOS | 71 | 4.7 | 31 | <1 | 1 | 3 | 5 | 8 | 9 | 35 |
| 1-5 YRS | 294 | 4.2 | 40 | <1 | <1 | 2 | 4 | 9 | 15 | 39 |
| 6-12 YRS | 490 | 3.7 | 23 | <1 | 1 | 2 | 4 | 8 | 11 | 23 |
| 13-19 YRS | 959 | 5.4 | 78 | <1 | 1 | 3 | 5 | 11 | 19 | 52 |
| TOT. SINGLE DX | 5636 | 2.3 | 8 | <1 | <1 | 2 | 2 | 4 | 6 | 12 |
| " MULTIPLE DX | 1973 | 4.7 | 53 | <1 | 1 | 2 | 5 | 9 | 15 | 40 |
| TOTAL 0-27 DYS | 179 | 4.2 | 15 | 1 | 2 | 3 | 5 | 7 | 10 | 22 |
| 1-11 MOS | 314 | 2.6 | 10 | <1 | <1 | 2 | 3 | 5 | 7 | 17 |
| 1-5 YRS | 1526 | 2.4 | 12 | <1 | <1 | 1 | 2 | 4 | 7 | 19 |
| 6-12 YRS | 2108 | 2.5 | 9 | <1 | <1 | 2 | 2 | 4 | 7 | 15 |
| 13-19 YRS | 3482 | 3.4 | 32 | <1 | <1 | 2 | 3 | 6 | 10 | 28 |
| GRAND TOTAL | 7609 | 2.9 | 21 | <1 | <1 | 2 | 3 | 5 | 8 | 22 |

## 748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 16 | 4.9 | 17 | 2 | 2 | 4 | 5 | 10 | 16 | 18 |
| 1-11 MOS | 218 | 4.5 | 14 | <1 | 1 | 3 | 6 | 9 | 12 | 18 |
| 1-5 YRS | 1519 | 3.6 | 24 | <1 | 1 | 2 | 4 | 8 | 11 | 24 |
| 6-12 YRS | 1882 | 4.3 | 34 | <1 | 1 | 2 | 5 | 9 | 14 | 30 |
| 13-19 YRS | 3205 | 4.5 | 33 | <1 | 1 | 3 | 5 | 9 | 14 | 30 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 176 | 6.0 | 42 | 2 | 3 | 5 | 6 | 9 | 14 | 33 |
| 1-11 MOS | 245 | 8.5 | 75 | 1 | 2 | 6 | 10 | 17 | 24 | 41 |
| 1-5 YRS | 1438 | 6.0 | 64 | 1 | 1 | 3 | 7 | 14 | 21 | 42 |
| 6-12 YRS | 1862 | 5.9 | 69 | 1 | 1 | 3 | 6 | 14 | 23 | 46 |
| 13-19 YRS | 5514 | 6.1 | 89 | 1 | 1 | 3 | 6 | 13 | 22 | 64 |
| TOT. SINGLE DX | 6840 | 4.3 | 31 | <1 | 1 | 3 | 5 | 9 | 13 | 29 |
| " MULTIPLE DX | 9235 | 6.1 | 81 | 1 | 1 | 3 | 6 | 13 | 22 | 50 |
| TOTAL 0-27 DYS | 192 | 5.9 | 41 | 2 | 2 | 5 | 6 | 9 | 14 | 33 |
| 1-11 MOS | 463 | 6.6 | 51 | 1 | 1 | 5 | 9 | 14 | 18 | 29 |
| 1-5 YRS | 2957 | 4.8 | 45 | <1 | 1 | 3 | 5 | 11 | 16 | 38 |
| 6-12 YRS | 3744 | 5.1 | 53 | 1 | 1 | 3 | 5 | 11 | 19 | 39 |
| 13-19 YRS | 8719 | 5.5 | 70 | 1 | 1 | 3 | 6 | 11 | 19 | 48 |
| GRAND TOTAL | 16075 | 5.3 | 60 | 1 | 1 | 3 | 6 | 11 | 18 | 42 |

### 749: Free skin grafts (86.6; 86.91)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 14.0 | | 14 | 14 | 14 | 14 | 14 | 14 | 14 |
| 1-11 MOS | 20 | 7.7 | 54 | <1 | 1 | 5 | 13 | 21 | 22 | 23 |
| 1-5 YRS | 222 | 6.6 | 61 | <1 | 1 | 4 | 8 | 16 | 27 | 43 |
| 6-12 YRS | 359 | 7.4 | 56 | 1 | 1 | 5 | 10 | 18 | 23 | 37 |
| 13-19 YRS | 577 | 7.1 | 59 | 1 | 1 | 5 | 10 | 16 | 23 | 39 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 25.8 | 537 | 8 | 8 | 18 | 41 | 59 | 59 | 59 |
| 1-11 MOS | 40 | 24.0 | 260 | 3 | 5 | 23 | 36 | 50 | 57 | 99+ |
| 1-5 YRS | 185 | 15.8 | 188 | 2 | 2 | 12 | 23 | 33 | 38 | 73 |
| 6-12 YRS | 200 | 16.3 | 224 | 2 | 2 | 12 | 24 | 35 | 45 | 71 |
| 13-19 YRS | 357 | 15.3 | 242 | 2 | 2 | 9 | 21 | 39 | 49 | 81 |
| TOT. SINGLE DX | 1179 | 7.1 | 59 | 1 | 1 | 5 | 10 | 16 | 23 | 38 |
| " MULTIPLE DX | 786 | 16.1 | 230 | 2 | 2 | 11 | 23 | 37 | 47 | 80 |
| TOTAL 0-27 DYS | 5 | 23.4 | 431 | 8 | 8 | 14 | 33 | 59 | 59 | 59 |
| 1-11 MOS | 60 | 18.6 | 250 | 1 | 2 | 14 | 27 | 48 | 53 | 95 |
| 1-5 YRS | 407 | 10.8 | 140 | 1 | 1 | 7 | 15 | 28 | 34 | 53 |
| 6-12 YRS | 559 | 10.6 | 134 | 1 | 1 | 7 | 14 | 26 | 34 | 51 |
| 13-19 YRS | 934 | 10.2 | 145 | 1 | 1 | 6 | 13 | 26 | 38 | 65 |
| GRAND TOTAL | 1965 | 10.7 | 147 | 1 | 1 | 7 | 14 | 28 | 36 | 60 |

### 750: Pedicle graft of skin (86.7)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 53 | 2.7 | 6 | <1 | 1 | 2 | 3 | 5 | 9 | 15 |
| 6-12 YRS | 120 | 3.8 | 40 | <1 | 1 | 2 | 3 | 8 | 11 | 38 |
| 13-19 YRS | 227 | 4.3 | 42 | 1 | 1 | 2 | 4 | 9 | 15 | 36 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | 29 | 6.7 | 139 | 1 | 1 | 4 | 7 | 12 | 18 | 65 |
| 6-12 YRS | 43 | 6.8 | 99 | 1 | 1 | 3 | 5 | 22 | 28 | 50 |
| 13-19 YRS | 124 | 8.0 | 126 | 1 | 1 | 4 | 7 | 24 | 34 | 71 |
| TOT. SINGLE DX | 402 | 3.9 | 37 | <1 | 1 | 2 | 4 | 8 | 14 | 33 |
| " MULTIPLE DX | 196 | 7.6 | 121 | 1 | 1 | 3 | 6 | 23 | 31 | 64 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 2.0 | 2 | <1 | <1 | 1 | 3 | 3 | 3 | 3 |
| 1-5 YRS | 82 | 4.1 | 56 | <1 | 1 | 2 | 4 | 8 | 12 | 49 |
| 6-12 YRS | 163 | 4.6 | 57 | <1 | 1 | 2 | 4 | 9 | 22 | 48 |
| 13-19 YRS | 351 | 5.6 | 75 | 1 | 1 | 2 | 5 | 15 | 27 | 50 |
| GRAND TOTAL | 598 | 5.1 | 68 | 1 | 1 | 2 | 5 | 12 | 23 | 50 |

### 751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 4 | 2.5 | 1 | 1 | 1 | 2 | 3 | 4 | 4 | 4 |
| 1-11 MOS | 61 | 2.0 | 1 | <1 | <1 | 2 | 2 | 3 | 4 | 6 |
| 1-5 YRS | 398 | 2.5 | 8 | <1 | 1 | 2 | 2 | 4 | 7 | 17 |
| 6-12 YRS | 535 | 2.4 | 5 | <1 | <1 | 2 | 2 | 4 | 6 | 15 |
| 13-19 YRS | 1253 | 2.4 | 5 | <1 | <1 | 2 | 3 | 4 | 5 | 12 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 5.3 | 7 | 1 | 3 | 5 | 6 | 10 | 11 | 11 |
| 1-11 MOS | 24 | 3.3 | 5 | <1 | 1 | 3 | 4 | 5 | 8 | 12 |
| 1-5 YRS | 181 | 3.6 | 28 | <1 | 1 | 2 | 4 | 7 | 11 | 34 |
| 6-12 YRS | 259 | 3.6 | 22 | <1 | 1 | 2 | 4 | 8 | 10 | 17 |
| 13-19 YRS | 517 | 4.6 | 58 | <1 | 1 | 3 | 5 | 9 | 13 | 42 |
| TOT. SINGLE DX | 2251 | 2.4 | 6 | <1 | <1 | 2 | 3 | 4 | 6 | 13 |
| " MULTIPLE DX | 995 | 4.1 | 42 | <1 | 1 | 2 | 4 | 8 | 12 | 36 |
| TOTAL 0-27 DYS | 18 | 4.7 | 8 | 1 | 1 | 4 | 6 | 9 | 11 | 11 |
| 1-11 MOS | 85 | 2.4 | 3 | <1 | 1 | 2 | 3 | 4 | 5 | 10 |
| 1-5 YRS | 579 | 2.8 | 15 | <1 | 1 | 2 | 3 | 5 | 8 | 19 |
| 6-12 YRS | 794 | 2.8 | 11 | <1 | 1 | 2 | 3 | 5 | 8 | 16 |
| 13-19 YRS | 1770 | 3.1 | 22 | <1 | 1 | 2 | 3 | 5 | 8 | 20 |
| GRAND TOTAL | 3246 | 2.9 | 18 | <1 | 1 | 2 | 3 | 5 | 8 | 18 |

### 752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 753: Encephalography and ventriculography (87.01-87.02)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 2 | 4.0 | 2 | 3 | 3 | 4 | 5 | 5 | 5 | 5 |
| 1-11 MOS | 11 | 3.5 | 16 | <1 | <1 | 2 | 4 | 10 | 15 | 15 |
| 1-5 YRS | 15 | 2.8 | 5 | 1 | 1 | 2 | 4 | 7 | 8 | 8 |
| 6-12 YRS | 38 | 3.6 | 4 | 1 | 1 | 3 | 5 | 6 | 8 | 9 |
| 13-19 YRS | 63 | 4.6 | 43 | 1 | 1 | 3 | 5 | 8 | 12 | 45 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 6 | 8.2 | 27 | 2 | 2 | 6 | 14 | 15 | 15 | 15 |
| 1-11 MOS | 10 | 7.4 | 77 | <1 | 1 | 4 | 6 | 23 | 29 | 29 |
| 1-5 YRS | 35 | 4.7 | 15 | 1 | 1 | 4 | 5 | 8 | 15 | 18 |
| 6-12 YRS | 35 | 4.9 | 15 | 2 | 2 | 4 | 5 | 9 | 14 | 20 |
| 13-19 YRS | 69 | 7.0 | 80 | 2 | 2 | 5 | 8 | 12 | 21 | 59 |
| TOT. SINGLE DX | 129 | 4.0 | 25 | 1 | 1 | 3 | 5 | 8 | 9 | 25 |
| " MULTIPLE DX | 155 | 6.1 | 49 | 1 | 2 | 4 | 6 | 13 | 17 | 34 |
| TOTAL 0-27 DYS | 8 | 7.1 | 23 | 2 | 2 | 6 | 10 | 15 | 15 | 15 |
| 1-11 MOS | 21 | 5.4 | 47 | <1 | <1 | 3 | 5 | 16 | 22 | 29 |
| 1-5 YRS | 50 | 4.1 | 13 | 1 | 1 | 3 | 5 | 7 | 14 | 18 |
| 6-12 YRS | 73 | 4.2 | 10 | 1 | 1 | 4 | 5 | 8 | 9 | 19 |
| 13-19 YRS | 132 | 5.8 | 64 | 1 | 1 | 4 | 6 | 10 | 15 | 52 |
| GRAND TOTAL | 284 | 5.1 | 39 | 1 | 1 | 4 | 6 | 9 | 15 | 32 |

## 754: Myelography (87.21)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 8 | 4.5 | 9 | 1 | 1 | 3 | 6 | 9 | 10 | 10 |
| 1-11 MOS | 12 | 3.8 | 5 | 1 | 1 | 3 | 5 | 7 | 8 | 8 |
| 1-5 YRS | 32 | 3.0 | 5 | <1 | <1 | 2 | 3 | 7 | 8 | 9 |
| 6-12 YRS | 86 | 4.1 | 30 | 1 | 1 | 2 | 4 | 9 | 13 | 34 |
| 13-19 YRS | 767 | 5.0 | 21 | 1 | 1 | 3 | 7 | 11 | 14 | 23 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 5 | 12.8 | 82 | 2 | 2 | 17 | 20 | 21 | 21 | 21 |
| 1-11 MOS | 15 | 6.3 | 29 | <1 | 1 | 5 | 9 | 14 | 18 | 20 |
| 1-5 YRS | 29 | 6.6 | 109 | 1 | 2 | 4 | 6 | 10 | 38 | 49 |
| 6-12 YRS | 50 | 4.5 | 11 | 1 | 1 | 3 | 7 | 9 | 12 | 16 |
| 13-19 YRS | 357 | 6.9 | 43 | 1 | 2 | 5 | 9 | 15 | 18 | 38 |
| TOT. SINGLE DX | 905 | 4.8 | 22 | 1 | 1 | 3 | 6 | 10 | 14 | 23 |
| " MULTIPLE DX | 456 | 6.7 | 44 | 1 | 1 | 5 | 8 | 15 | 18 | 39 |
| TOTAL 0-27 DYS | 13 | 7.7 | 51 | 1 | 2 | 4 | 12 | 20 | 21 | 21 |
| 1-11 MOS | 27 | 5.2 | 20 | 1 | 1 | 4 | 7 | 11 | 15 | 20 |
| 1-5 YRS | 61 | 4.7 | 57 | <1 | <1 | 3 | 5 | 8 | 10 | 48 |
| 6-12 YRS | 136 | 4.2 | 23 | 1 | 1 | 2 | 5 | 9 | 13 | 26 |
| 13-19 YRS | 1124 | 5.6 | 29 | 1 | 1 | 4 | 7 | 12 | 16 | 24 |
| GRAND TOTAL | 1361 | 5.4 | 30 | 1 | 1 | 3 | 7 | 12 | 16 | 25 |

## 755: Cerebral arteriography (88.41)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 4 | 3.3 | 1 | 2 | 2 | 3 | 4 | 5 | 5 | 5 |
| 1-5 YRS | 24 | 5.8 | 50 | 1 | 2 | 4 | 7 | 10 | 18 | 36 |
| 6-12 YRS | 68 | 4.8 | 19 | 1 | 2 | 3 | 6 | 12 | 15 | 20 |
| 13-19 YRS | 203 | 5.1 | 32 | 1 | 2 | 3 | 6 | 10 | 16 | 29 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 5 | 6.2 | 23 | 1 | 1 | 5 | 10 | 13 | 13 | 13 |
| 1-5 YRS | 24 | 8.9 | 120 | 1 | 2 | 4 | 14 | 19 | 31 | 51 |
| 6-12 YRS | 43 | 8.3 | 82 | 1 | 2 | 6 | 8 | 18 | 30 | 48 |
| 13-19 YRS | 166 | 8.8 | 75 | 2 | 2 | 6 | 11 | 22 | 29 | 50 |
| TOT. SINGLE DX | 300 | 5.1 | 31 | 1 | 2 | 3 | 6 | 11 | 15 | 29 |
| " MULTIPLE DX | 238 | 8.7 | 80 | 2 | 2 | 6 | 10 | 21 | 29 | 51 |
| TOTAL 0-27 DYS | 1 | 10.0 | | 10 | 10 | 10 | 10 | 10 | 10 | 10 |
| 1-11 MOS | 9 | 4.9 | 15 | 1 | 1 | 3 | 6 | 11 | 13 | 13 |
| 1-5 YRS | 48 | 7.3 | 86 | 1 | 2 | 4 | 8 | 17 | 23 | 51 |
| 6-12 YRS | 111 | 6.1 | 46 | 1 | 2 | 3 | 8 | 13 | 19 | 38 |
| 13-19 YRS | 369 | 6.8 | 55 | 1 | 2 | 4 | 8 | 15 | 23 | 41 |
| GRAND TOTAL | 538 | 6.7 | 55 | 1 | 2 | 4 | 8 | 15 | 22 | 43 |

## 756: Coronary arteriography (88.55-88.57)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 1.0 | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 1-5 YRS | 2 | 1.5 | 1 | 1 | 1 | 1 | 2 | 2 | 2 | 2 |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | 4 | 4.3 | 21 | 1 | 1 | 2 | 7 | 11 | 11 | 11 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 1 | 7.0 | | 7 | 7 | 7 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 2 | 6.0 | 32 | 2 | 2 | 6 | 10 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 8 | 3.9 | 11 | 2 | 2 | 3 | 4 | 10 | 12 | 12 |
| TOT. SINGLE DX | 7 | 3.0 | 13 | 1 | 1 | 2 | 3 | 9 | 11 | 11 |
| " MULTIPLE DX | 13 | 4.2 | 12 | 2 | 2 | 2 | 5 | 10 | 12 | 12 |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | 2 | 4.0 | 18 | 1 | 1 | 4 | 7 | 7 | 7 | 7 |
| 1-5 YRS | 4 | 3.8 | 18 | 1 | 1 | 2 | 6 | 10 | 10 | 10 |
| 6-12 YRS | 2 | 2.0 | | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 13-19 YRS | 12 | 4.0 | 13 | 1 | 1 | 3 | 4 | 11 | 12 | 12 |
| GRAND TOTAL | 20 | 3.8 | 12 | 1 | 1 | 2 | 4 | 10 | 11 | 12 |

## 757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 3 | 1.7 | 1 | 1 | 1 | 1 | 3 | 3 | 3 | 3 |
| 1-11 MOS | 11 | 3.7 | 7 | 1 | 1 | 2 | 5 | 8 | 9 | 9 |
| 1-5 YRS | 42 | 3.1 | 12 | 1 | 1 | 2 | 2 | 7 | 12 | 17 |
| 6-12 YRS | 72 | 4.4 | 24 | 1 | 1 | 2 | 5 | 11 | 17 | 24 |
| 13-19 YRS | 514 | 5.0 | 27 | 1 | 1 | 3 | 7 | 11 | 14 | 25 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 14 | 16.3 | 486 | 2 | 3 | 7 | 13 | 49 | 73 | 80 |
| 1-11 MOS | 41 | 6.6 | 58 | 1 | 2 | 3 | 9 | 13 | 21 | 41 |
| 1-5 YRS | 57 | 3.6 | 20 | 1 | 1 | 2 | 3 | 8 | 16 | 24 |
| 6-12 YRS | 77 | 4.6 | 20 | 1 | 2 | 2 | 6 | 11 | 13 | 23 |
| 13-19 YRS | 370 | 8.2 | 77 | 1 | 2 | 6 | 11 | 17 | 25 | 46 |
| TOT. SINGLE DX | 642 | 4.8 | 26 | 1 | 1 | 3 | 6 | 11 | 14 | 24 |
| " MULTIPLE DX | 559 | 7.3 | 77 | 1 | 2 | 4 | 9 | 16 | 20 | 46 |
| TOTAL 0-27 DYS | 17 | 13.7 | 428 | 1 | 1 | 6 | 11 | 43 | 68 | 80 |
| 1-11 MOS | 52 | 6.0 | 49 | 1 | 2 | 3 | 8 | 11 | 15 | 41 |
| 1-5 YRS | 99 | 3.4 | 17 | 1 | 1 | 2 | 2 | 8 | 15 | 21 |
| 6-12 YRS | 149 | 4.5 | 22 | 1 | 1 | 2 | 6 | 11 | 14 | 24 |
| 13-19 YRS | 884 | 6.3 | 51 | 1 | 1 | 4 | 8 | 14 | 17 | 35 |
| GRAND TOTAL | 1201 | 6.0 | 51 | 1 | 1 | 3 | 8 | 13 | 17 | 34 |

## 758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.8; 92.0-92.1)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 1849 | 4.0 | 10 | 1 | 2 | 3 | 4 | 6 | 8 | 15 |
| 1-11 MOS | 4731 | 4.2 | 11 | 1 | 1 | 3 | 5 | 8 | 10 | 17 |
| 1-5 YRS | 9662 | 3.5 | 10 | 1 | 1 | 3 | 4 | 6 | 8 | 16 |
| 6-12 YRS | 11587 | 3.4 | 12 | 1 | 1 | 3 | 4 | 6 | 8 | 17 |
| 13-19 YRS | 24619 | 4.1 | 22 | 1 | 1 | 3 | 5 | 7 | 10 | 24 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 4415 | 8.3 | 110 | 2 | 2 | 5 | 8 | 18 | 29 | 61 |
| 1-11 MOS | 6203 | 5.9 | 30 | 1 | 2 | 4 | 7 | 11 | 15 | 27 |
| 1-5 YRS | 10541 | 4.5 | 19 | 1 | 1 | 3 | 5 | 8 | 12 | 22 |
| 6-12 YRS | 10191 | 4.3 | 21 | 1 | 1 | 3 | 5 | 8 | 11 | 23 |
| 13-19 YRS | 25107 | 5.4 | 42 | 1 | 1 | 4 | 6 | 10 | 14 | 37 |
| TOT. SINGLE DX | 52448 | 3.9 | 17 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| " MULTIPLE DX | 56457 | 5.3 | 40 | 1 | 1 | 4 | 6 | 10 | 14 | 34 |
| TOTAL 0-27 DYS | 6264 | 7.0 | 85 | 2 | 2 | 4 | 7 | 14 | 25 | 53 |
| 1-11 MOS | 10934 | 5.2 | 23 | 1 | 1 | 4 | 6 | 10 | 13 | 23 |
| 1-5 YRS | 20203 | 4.0 | 16 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 6-12 YRS | 21778 | 3.8 | 17 | 1 | 1 | 3 | 5 | 7 | 10 | 20 |
| 13-19 YRS | 49726 | 4.8 | 33 | 1 | 1 | 3 | 5 | 9 | 12 | 32 |
| GRAND TOTAL | 108905 | 4.6 | 29 | 1 | 1 | 3 | 5 | 8 | 12 | 28 |

## 759: Therapeutic radiology and nuclear therapy (92.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 760: Special therapies and rehabilitation (93.0-93.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
|---|---|---|---|---|---|---|---|---|---|---|
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 697 | 3.7 | 4 | 1 | 1 | 3 | 5 | 6 | 7 | 12 |
| 1-11 MOS | 2599 | 5.0 | 13 | 1 | 2 | 4 | 6 | 9 | 12 | 20 |
| 1-5 YRS | 5360 | 5.3 | 36 | 1 | 1 | 3 | 5 | 12 | 20 | 29 |
| 6-12 YRS | 3611 | 7.3 | 95 | 1 | 1 | 4 | 7 | 22 | 28 | 47 |
| 13-19 YRS | 4914 | 10.1 | 205 | 1 | 1 | 5 | 10 | 29 | 45 | 73 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 2393 | 8.6 | 136 | 2 | 2 | 5 | 8 | 20 | 34 | 65 |
| 1-11 MOS | 2666 | 6.0 | 24 | 2 | 2 | 5 | 7 | 11 | 14 | 27 |
| 1-5 YRS | 4198 | 5.7 | 34 | 1 | 2 | 4 | 6 | 11 | 18 | 31 |
| 6-12 YRS | 2270 | 8.4 | 108 | 1 | 2 | 5 | 9 | 23 | 32 | 52 |
| 13-19 YRS | 4746 | 10.9 | 192 | 1 | 2 | 6 | 11 | 29 | 44 | 79 |
| TOT. SINGLE DX | 17181 | 7.0 | 97 | 1 | 1 | 4 | 7 | 17 | 27 | 55 |
| " MULTIPLE DX | 16273 | 8.1 | 109 | 1 | 2 | 5 | 8 | 18 | 30 | 61 |
| TOTAL 0-27 DYS | 3090 | 7.5 | 111 | 1 | 2 | 4 | 7 | 16 | 28 | 62 |
| 1-11 MOS | 5265 | 5.5 | 19 | 1 | 2 | 4 | 7 | 10 | 13 | 22 |
| 1-5 YRS | 9558 | 5.5 | 36 | 1 | 1 | 4 | 6 | 12 | 19 | 30 |
| 6-12 YRS | 5881 | 7.7 | 100 | 1 | 1 | 4 | 8 | 22 | 30 | 49 |
| 13-19 YRS | 9660 | 10.5 | 199 | 1 | 2 | 5 | 11 | 29 | 45 | 77 |
| GRAND TOTAL | 33454 | 7.5 | 103 | 1 | 2 | 4 | 7 | 17 | 28 | 58 |

## 761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 762: Non-specific removal of foreign body (98.0-98.2)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 763: Other non-operative therapeutic procedures (99.0-99.9)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| TOT. SINGLE DX | | | | | | | | | | |
| " MULTIPLE DX | | | | | | | | | | |
| TOTAL 0-27 DYS | | | | | | | | | | |
| 1-11 MOS | | | | | | | | | | |
| 1-5 YRS | | | | | | | | | | |
| 6-12 YRS | | | | | | | | | | |
| 13-19 YRS | | | | | | | | | | |
| GRAND TOTAL | | | | | | | | | | |

This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients.

## 764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

| TYPE OF PATIENT (1) | TOTAL PATIENTS (2) | AVG. STAY (3) | VARIANCE (4) | PERCENTILES | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | | 5th (5) | 10th (6) | 50th (7) | 75th (8) | 90th (9) | 95th (10) | 99th (11) |
| 1. SINGLE DX | | | | | | | | | | |
| 0-27 DYS | 7532 | 3.5 | 5 | 1 | 1 | 3 | 4 | 6 | 7 | 11 |
| 1-11 MOS | 6795 | 4.3 | 7 | 1 | 2 | 4 | 5 | 8 | 9 | 14 |
| 1-5 YRS | 10748 | 3.6 | 6 | 1 | 1 | 3 | 5 | 7 | 8 | 12 |
| 6-12 YRS | 5917 | 4.1 | 24 | 1 | 1 | 3 | 5 | 7 | 9 | 23 |
| 13-19 YRS | 8854 | 4.9 | 49 | 1 | 1 | 3 | 5 | 8 | 12 | 43 |
| 2. MULTIPLE DX | | | | | | | | | | |
| 0-27 DYS | 8622 | 7.8 | 100 | 2 | 2 | 5 | 7 | 16 | 26 | 58 |
| 1-11 MOS | 9845 | 5.1 | 16 | 2 | 2 | 4 | 6 | 9 | 12 | 19 |
| 1-5 YRS | 14908 | 4.2 | 11 | 1 | 2 | 3 | 5 | 7 | 9 | 16 |
| 6-12 YRS | 6421 | 4.7 | 34 | 1 | 2 | 3 | 5 | 8 | 11 | 32 |
| 13-19 YRS | 10007 | 6.1 | 68 | 1 | 2 | 4 | 6 | 11 | 20 | 49 |
| TOT. SINGLE DX | 39846 | 4.1 | 19 | 1 | 1 | 3 | 5 | 7 | 9 | 20 |
| " MULTIPLE DX | 49803 | 5.4 | 44 | 1 | 2 | 4 | 6 | 9 | 14 | 38 |
| TOTAL 0-27 DYS | 16154 | 5.8 | 61 | 1 | 2 | 4 | 6 | 10 | 17 | 46 |
| 1-11 MOS | 16640 | 4.8 | 13 | 1 | 2 | 4 | 6 | 8 | 11 | 17 |
| 1-5 YRS | 25656 | 4.0 | 10 | 1 | 1 | 3 | 5 | 7 | 9 | 15 |
| 6-12 YRS | 12338 | 4.4 | 30 | 1 | 1 | 3 | 5 | 8 | 10 | 28 |
| 13-19 YRS | 18861 | 5.5 | 60 | 1 | 1 | 4 | 6 | 10 | 17 | 46 |
| GRAND TOTAL | 89649 | 4.8 | 33 | 1 | 2 | 4 | 5 | 8 | 12 | 32 |

| | | |
|---|---|---|
| | | 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2 |
| 290 | Other puerperal complications | 646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4 |
| 380 | Third degree burns | 941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5 |
| 552 | Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands | 25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99 |
| 557 | Other diagnostic and therapeutic procedures on nose, mouth, and pharynx | 21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19 |
| 576 | Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, lungs, and heart | 31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29 |
| 619 | Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall | 42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29 |
| 686 | Miscellaneous diagnostic and therapeutic procedures on female genital system | 65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19 |

|  |  |  |
|---|---|---|
| 713 | Other reduction of fracture without internal fixation, except maxillofacial and femur | 79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49 |
| 741 | Other diagnostic and therapeutic procedures on musculoskeletal structure | 76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47 |

# Index

## Part 1: Diagnosis Index
## Part 2: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification,* Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, Volume 2 Diseases: Alphabetic Index or Volume 3 Procedures: Tabular List and Alphabetic Index. The diagnosis or operation group containing the *ICD-9-CM* code can then be located in the length of stay tables.

# DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM* List A diagnosis group to which each diagnosis belongs.

| Group Number | Title |
|---|---|
| 211 | Abdominal angina |
| 165 | Abdominal aortic aneurysm |
| 338 | Abdominal pain |
| 258 | Abortion, except spontaneous, elective, legal, therapeutic, and threatened |
| 255 | Abortion, elective |
| 256 | Abortion, illegal |
| 258 | Abortion, missed |
| 256 | Abortion, self-induced |
| 257 | Abortion, spontaneous |
| 255 | Abortion, therapeutic |
| 259 | Abortion, threatened |
| 210 | Abscess, anal |
| 312 | Abscess, bone |
| 292 | Abscess, digit |
| 188 | Abscess, mouth |
| 188 | Abscess, salivary gland |
| 291 | Abscess, skin and subcutaneous tissue, except digit |
| 188 | Abscess, tongue |
| 81 | Acidosis, except diabetic |
| 72 | Acidosis, diabetic |
| 107 | Acute alcoholic intoxication, except in chronic alcoholism |
| 104 | Acute alcoholic intoxication in chronic alcoholism |
|  | Acute appendicitis – ***see Appendicitis, acute*** |
| 174 | Acute bronchitis |
| 122 | Acute glaucoma |
| 84 | Acute hemorrhagic anemia |
| 48 | Acute leukemia, except lymphocytic or lymphoid |
| 47 | Acute leukemia, lymphocytic or lymphoid |
| 140 | Acute myocardial infarction |
| 95 | Acute schizophrenic episode |
|  | Addiction – ***see Dependence*** |
|  | Adenocarcinoma – ***see Neoplasm, malignant*** |
| 245 | Adenomyosis |
| 110 | Adjustment reaction |
| 207 | Adynamic ileus |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 107 | Alcohol abuse |
| 104 | Alcohol dependence |
| 107 | Alcohol intoxication, except in chronic alcoholism |
| 104 | Alcohol intoxication in chronic alcoholism |
| 92 | Alcoholic psychosis |
| 104 | Alcoholism, chronic |
| 81 | Alkalosis |
| 183 | Allergic bronchitis |
| 1 | Amebiasis |
| 140 | AMI |
| 340 | Amnesia |
| 372 | Amputation, traumatic, lower limb |
| 371 | Amputation, traumatic, upper limb |
| 79 | Amyloidosis |
| 210 | Anal abscess |
| 210 | Anal fissure |
| 210 | Anal fistula |
| 391 | Anaphylactic shock, except due to drugs |
| 386 | Anaphylactic shock due to drugs |
| 84 | Anemia, except iron deficiency, sickle cell, and of pregnancy |
| 84 | Anemia, aplastic |
| 82 | Anemia, iron deficiency |
| 267 | Anemia of pregnancy |
| 269 | Anemia of pregnancy, with delivery |
| 83 | Anemia, sickle cell |
| 166 | Aneurysm, except aorta |
| 165 | Aneurysm, aorta |
| 211 | Angina, abdominal |
| 141 | Angina pectoris |
| 54 | Angioma |
| 301 | Ankylosis |
|  | Anomaly, congenital |
| 318 | Central nervous system |
| 320 | Circulatory system |
| 323 | Digestive system, except cleft palate and lip, and pyloric stenosis |
| 319 | Ear |
| 319 | Eye |
| 327 | Generalized |
| 325 | Genitourinary system, except undescended testis and urethral stenosis |
| 320 | Heart |
| 317 | Musculoskeletal system, except clubfoot |
| 323 | Respiratory system |
| 340 | Anorexia, except nervosa |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 111 | Anorexia nervosa |
| 140 | Anterior wall infarction |
| 101 | Anxiety reaction or neurosis, except depression |
| 102 | Anxiety depression |
| 165 | Aortic aneurysm |
|  | Aortic valve disease – *see Valvular disease* |
| 128 | Aphakia |
| 84 | Aplastic anemia |
| 199 | Appendicitis, except acute |
| 197 | Appendicitis, acute, without peritonitis |
| 198 | Appendicitis, acute, with peritonitis |
| 199 | Appendicitis, recurrent |
| 148 | Arrhythmia, heart |
| 168 | Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 164 | Arteriosclerosis, except cerebral and coronary |
| 163 | Arteriosclerosis, cerebral |
| 143 | Arteriosclerosis, coronary |
| 151 | Arteriosclerotic cardiovascular disease |
| 91 | Arteriosclerotic dementia or psychosis |
| 143 | Arteriosclerotic heart disease |
| 164 | Arteriosclerotic vascular disease |
| 299 | Arthritis, except osteo- and rheumatoid |
| 298 | Arthritis, osteo-, except spine |
| 303 | Arthritis, osteo-, spine |
| 299 | Arthritis, pyogenic |
| 297 | Arthritis, rheumatoid, except spine |
| 302 | Arthritis, rheumatoid, spine |
| 339 | Ascites |
| 151 | ASCVD |
| 143 | ASHD |
| 183 | Asthma |
| 183 | Asthmatic bronchitis |
|  | Atherosclerosis – *see Arteriosclerosis* |
| 147 | Atrial fibrillation and flutter |
| 76 | Avitaminosis |
|  |  |
| 145 | Bacterial endocarditis |
| 234 | Bacteriuria, except in pregnancy |
| 266 | Bacteriuria in pregnancy |
| 287 | Bacteriuria in pregnancy, with delivery |
| 311 | Baker's cyst |
| 235 | Benign prostatic hyperplasia (BPH) |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 234 | Bladder disease, except calculus and cystitis |
| 48 | Blast cell leukemia |
| 251 | Bleeding, menopausal |
| 251 | Bleeding, postmenopausal |
| 221 | Blind loop syndrome |
| 129 | Blindness |
| 148 | Block, heart |
| 332 | Bloody nose |
| 313 | Bone disease, except osteomyelitis and osteoarthritis |
| 123 | Borderline glaucoma |
| 1 | Botulism |
| 67 | Bowen's disease |
| 235 | BPH |
| 121 | Break, retinal |
| 242 | Breast disease, except fibrocystic |
| 241 | Breast disease, fibrocystic |
| 183 | Bronchial asthma |
| 174 | Bronchiolitis, acute |
| 181 | Bronchitis, except acute |
| 174 | Bronchitis, acute |
| 181 | Bronchitis, chronic |
| 179 | Bronchopneumonia |
| 6 | Brucellosis |
| 376 | Bruise, except eye and orbit |
| 375 | Bruise, eye and orbit |
| 310 | Bunion |
| 381 | Burn, any site, except third degree |
| 380 | Burn, any site, third degree |
| 309 | Bursitis |
| 217 | Calculus, bile duct, except cystic |
| 231 | Calculus, bladder |
| 215 | Calculus, cystic bile duct |
| 215 | Calculus, gallbladder |
| 228 | Calculus, renal |
| 188 | Calculus, salivary gland |
| 229 | Calculus, ureter |
| 231 | Calculus, urethra |
|  | Cancer – *see Neoplasm, malignant* |
|  | Carcinoma – *see Neoplasm, malignant* |
| 67 | Carcinoma in situ, except cervix |
| 66 | Carcinoma in situ, cervix |
| 148 | Cardiac arrest |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 390 | Cardiac arrest, postoperative |
| 109 | Cardiac neurosis |
| 189 | Cardiospasm |
| 119 | Carpal tunnel syndrome |
| 125 | Cataract, except senile and diabetic |
| 73 | Cataract, diabetic |
| 124 | Cataract, senile |
| 221 | Celiac disease |
| 292 | Cellulitis, digit |
| 291 | Cellulitis, skin and subcutaneous tissue, except digit |
| 117 | Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans |
| 154 | Cerebral hemorrhage, except subarachnoid, without paralysis |
| 155 | Cerebral hemorrhage, except subarachnoid, with paralysis |
| 161 | Cerebrovascular accident, without paralysis |
| 162 | Cerebrovascular accident, with paralysis |
| 268 | Cervical incompetence |
| 280 | Cervical incompetence, with delivery |
| 246 | Cervical infection |
| 246 | Cervicitis |
| 340 | Chemical diabetes mellitus |
| 385 | Chemical poisoning |
| 398 | Chemotherapy session or treatment |
| 8 | Chickenpox |
| 97 | Childhood psychoses |
| 218 | Cholangitis |
| 216 | Cholecystitis, without cholelithiasis |
| 215 | Cholecystitis, with cholelithiasis |
| 217 | Choledocholithiasis |
| 215 | Cholelithiasis |
| 36 | Choriocarcinoma |
| 128 | Chorioretinitis |
| 104 | Chronic alcoholism |
| 181 | Chronic bronchitis |
| 241 | Chronic cystic disease of breast |
| 48 | Chronic leukemia, except lymphocytic or lymphoid |
| 47 | Chronic leukemia, lymphocytic or lymphoid |
| 88 | Chronic lymphadenitis, except mesenteric |
| 213 | Cirrhosis, except Laennec's |
| 212 | Cirrhosis, alcoholic |
| 213 | Cirrhosis, biliary |
| 212 | Cirrhosis, Laennec's |
| 321 | Cleft palate and lip |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 122 | Closed-angle glaucoma |
| 326 | Clubfoot |
| 173 | Cold, head |
| 215 | Colic, biliary |
| 337 | Colic, renal |
| 208 | Colitis, except mucous and ulcerative |
| 211 | Colitis, mucous |
| 211 | Colitis, ulcerative |
| 296 | Collagen disease, NOS |
| 340 | Coma, except diabetic and hepatic |
| 72 | Coma, diabetic |
| 214 | Coma, hepatic |
| 11 | Common warts |
| 390 | Complication of amputation stump |
| 387 | Complication of cardiac pacemaker |
|  | Complication of drugs – *see Effect, adverse* |
| 387 | Complication of grafts |
| 387 | Complication of internal orthopedic device |
| 391 | Complication of medical care, except drugs |
| 387 | Complication of prosthesis |
| 390 | Complication of surgery NEC |
| 364 | Concussion, current or unspecified |
| 149 | Congestive heart failure |
| 127 | Conjunctivitis |
| 376 | Contusion, except eye and orbit |
| 375 | Contusion, eye and orbit |
| 329 | Convulsions, except epileptic |
| 116 | Convulsions, epileptic |
| 184 | COPD |
| 143 | Coronary artery disease |
| 142 | Coronary insufficiency, except chronic |
| 143 | Coronary insufficiency, chronic |
| 140 | Coronary occlusion, acute |
| 336 | Cough |
| 8 | Cowpox |
| 314 | Coxa valgum, varum |
| 83 | Crisis, sickle-cell |
| 211 | Crohn's disease |
| 174 | Croupous bronchitis |
| 367 | Crush injury, except chest and limbs |
| 366 | Crush injury, chest |
| 377 | Crush injury, limbs |
| 75 | Cushing's syndrome |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 161 | CVA, without paralysis |
| 162 | CVA, with paralysis |
| 128 | Cyclitis |
| 311 | Cyst, Baker's |
| 188 | Cyst, mouth |
| 243 | Cyst, ovarian |
| 293 | Cyst, pilonidal |
| 121 | Cyst, retinal |
| 294 | Cyst, sebaceous |
| 311 | Cyst, synovial |
| 241 | Cystic breast |
| 218 | Cystic duct remnant |
| 77 | Cystic fibrosis |
| 232 | Cystitis |
| 266 | Cystitis of pregnancy |
| 248 | Cystocele |
| | |
| 134 | Deafness |
| 295 | Decubitus |
| 112 | Deficiency, mental |
| 76 | Deficiency, nutritional |
| | Deformity, congenital — *see Anomaly, congenital* |
| 316 | Deformity, musculoskeletal, acquired |
| 128 | Degeneration, globe of eye |
| 81 | Dehydration |
| 340 | Delirium, except acute and subacute |
| 89 | Delirium, acute or subacute |
| 270 | Delivery, NOS |
| | Delivery complicated by: |
| 278 | Abnormality, bony pelvis |
| 272 | Abruptio placentae |
| 287 | Acute toxemia |
| 276 | Breech presentation |
| 278 | Cephalopelvic disproportion |
| 281 | Cesarean section, previous |
| 287 | Complication NOS |
| 278 | Disproportion, cephalopelvic |
| 278 | Disproportion, fetopelvic |
| 287 | Eclampsia |
| 278 | Fetopelvic disproportion |
| 287 | Hypertensive disorder |
| 279 | Inertia, uterine |
| 277 | Malpresentation, except breech |
| 275 | Multiple fetation |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Delivery complicated by: (continued) |
| 272 | Placenta, abruptio |
| 271 | Placenta previa |
| 287 | Pre-eclampsia |
| 282 | Premature rupture of membranes |
| 272 | Premature separation of the placenta |
| 276 | Presentation, breech |
| 281 | Previous cesarean section |
| 279 | Prolonged labor, NOS |
| 282 | Rupture of membranes, premature |
| 287 | Toxemia |
| 279 | Uterine inertia |
| 270 | Delivery, normal |
| 270 | Delivery, uncomplicated |
| 90 | Dementia, except arteriosclerotic |
| 91 | Dementia, arteriosclerotic |
| 90 | Dementia, presenile |
| 90 | Dementia, senile |
| 104 | Dependence, alcoholic |
| 106 | Dependence, amphetamine |
| 106 | Dependence, barbiturate |
| 106 | Dependence, cocaine |
| 105 | Dependence, heroin |
| 106 | Dependence, LSD |
| 106 | Dependence, marihuana |
| 105 | Dependence, methadone |
| 105 | Dependence, morphine |
| 105 | Dependence, opioid |
| 111 | Depression, except neurotic, postpartum, and psychotic |
| 102 | Depression, neurotic |
| 267 | Depression, postpartum |
| 98 | Depression, psychotic |
| 102 | Depressive neurosis |
| 98 | Depressive psychosis |
| 102 | Depressive reaction |
| 301 | Derangement, joint except knee |
| 300 | Derangement, knee joint |
| 295 | Dermatitis |
| 15 | Dermatomycosis |
| 121 | Detachment of retina |
| 175 | Deviated nasal septum |
| 340 | Diabetes mellitus, chemical |
| 71 | Diabetes mellitus, uncomplicated |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 73 | Diabetes mellitus, uncontrolled |
| 72 | Diabetic acidosis |
| 73 | Diabetic cataract |
| 72 | Diabetic coma |
| 73 | Diabetic gangrene |
| 73 | Diabetic nephropathy |
| 73 | Diabetic neuropathy |
| 73 | Diabetic retinopathy |
| 73 | Diabetic ulcer |
| 397 | Dialysis, peritoneal |
| 397 | Dialysis, renal |
| 204 | Diaphragmatic hernia |
| 208 | Diarrhea, except infectious and functional |
| 211 | Diarrhea, functional |
| 1 | Diarrhea, infectious |
| 6 | Diphtheria |
|  | Disease |
| 199 | Appendix, except acute appendicitis |
| 151 | Arteriosclerotic cardiovascular |
| 168 | Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene |
| 13 | Arthropod-borne |
| 79 | Autoimmune |
| 6 | Bacterial, except intestinal, tuberculosis, strep throat, and septicemia |
| 218 | Biliary ducts |
| 234 | Bladder, except calculus and cystitis |
| 313 | Bone, except osteomyelitis and osteoarthritis |
| 242 | Breast, except fibrocystic |
| 241 | Breast, fibrocystic |
| 221 | Celiac |
|  | Central nervous system |
| 7 | Enteroviral |
| 113 | Inflammatory, except enteroviral |
| 117 | Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans |
|  | Cerebrovascular — *see Cerebrovascular accident* |
| 136 | Chronic rheumatic heart |
| 296 | Connective tissue, diffuse |
| 143 | Coronary artery |
| 211 | Crohn's |
| 75 | Cushing's |
| 187 | Dental |
| 209 | Diverticular |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 196 | Duodenum, except ulcer and inflammatory |
| 134 | Ear, except inflammatory and otosclerosis |
| 75 | Endocrine, except ovary, thyroid, and diabetes mellitus |
| 189 | Esophagus |
| 129 | Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment |
| 128 | Eye, inflammatory, except lacrimal tract |
| 252 | Fallopian tube, except endometriosis |
| 316 | Fascia |
| 252 | Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual |
| 216 | Gallbladder |
| 252 | Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual |
| | Heart |
| 138 | Hypertensive |
| 143 | Ischemic, except infarction and angina pectoris |
| 136 | Rheumatic, chronic |
| 150 | Other, except arrhythmia and bacterial endocarditis |
| 86 | Hematopoietic, except anemia, hemophilia, and leukemia |
| 328 | Hemolytic, newborn |
| 46 | Hodgkin's |
| 137 | Hypertensive, except heart |
| 138 | Hypertensive, heart |
| 17 | Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases |
| 211 | Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 1 | Intestine, infectious |
| 143 | Ischemic heart, except acute infarction and angina pectoris |
| 187 | Jaw |
| 301 | Joint, except internal derangement, ruptured disc, and sacroiliac |
| 306 | Joint, sacroiliac |
| 230 | Kidney, except nephritis, nephrosis, infection, and calculus |
| 73 | Kimmelstiel-Wilson |
| 127 | Lacrimal tract, inflammation |
| 188 | Lip |
| 214 | Liver, except infectious and serum hepatitis, and Laennec's cirrhosis |
| 186 | Lung, except pneumonia, obstructive, and pneumothorax |
| 184 | Lung, obstructive, except asthma, bronchitis, and emphysema |
| 240 | Male genitalia, except prostate, hydrocele, and inflammatory |
| 132 | Meniere's |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disease (continued) |
| 188 | Mouth, except dental |
| 117 | Muscle, except deformity |
| 120 | Nervous system, except CNS and sciatica |
| 184 | Obstructive lung, except asthma, bronchitis, and emphysema |
| 252 | Ovary, except endometriosis |
| 313 | Paget's, bone |
| 32 | Paget's, breast |
| 219 | Pancreas |
| 252 | Parametrium, except endometriosis |
| 17 | Parasitic, except helminthiasis |
| 114 | Parkinson's |
| 244 | Pelvic inflammatory |
| 196 | Peptic |
| 328 | Perinatal |
| 120 | Peripheral nervous system, except sciatica |
| 211 | Peritoneum |
| 186 | Pleura |
| 236 | Prostate, except hypertrophy |
| 186 | Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps |
| 135 | Rheumatic, active |
| 136 | Rheumatic, chronic |
| 188 | Salivary gland |
| 83 | Sickle-cell |
| 295 | Skin, except infective, pilonidal and sebaceous cysts |
| 196 | Stomach, except ulcer and inflammatory |
| 187 | Teeth |
| 316 | Tendon, except tenosynovitis |
| 188 | Tongue |
| 340 | Undiagnosed |
| 186 | Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps |
| 230 | Ureter, except calculus |
| 234 | Urethra, except calculus and stricture |
| 14 | Venereal |
| 12 | Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts |
| 8 | Viral with exanthem |
| 359 | Dislocation, joint, except knee and shoulder |
| 358 | Dislocation, knee |
| 357 | Dislocation, shoulder |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Disorder |
| 111 | Behavior |
| 81 | Electrolyte |
| 79 | Immunodeficiency |
| 250 | Menstruation, except metrorrhagia |
| 103 | Personality |
| 109 | Psychophysiologic |
| 305 | Displacement of intervertebral disc, except lumbar |
| 304 | Displacement of lumbar disc |
| 165 | Dissecting aortic aneurysm |
| 209 | Diverticulitis |
| 209 | Diverticulosis |
| 189 | Diverticulum, esophagus |
| 209 | Diverticulum, intestine |
| 108 | Drug abuse, except alcohol |
| 106 | Drug dependence, except opioid |
| 105 | Drug dependence, opioid |
| 93 | Drug-induced psychosis |
| 384 | Drug poisoning or overdose |
| 93 | Drug withdrawal syndrome or symptoms |
| 107 | Drunkenness |
| 196 | Duodenal disease, except ulcer and inflammation |
| | Duodenal ulcer — *see Ulcer, duodenal* |
| 195 | Duodenitis |
| 1 | Dysentery |
| 74 | Dysfunction, ovarian |
| 317 | Dysfunction, somatic (osteopathic) |
| 253 | Dysmenorrhea |
| 253 | Dyspareunia |
| 336 | Dyspnea |
| 117 | Dystrophy, muscular |
| 337 | Dysuria |
| | |
| 329 | Eclampsia |
| 261 | of pregnancy |
| 287 | of pregnancy, with delivery |
| 254 | Ectopic pregnancy |
| | Effect, adverse |
| 386 | Drug NOS |
| 384 | Drug, overdose or wrong substance given or taken |
| 386 | External conditions |
| 385 | Nonmedicinal substance |
| 386 | Radiation |
| 386 | Temperature |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 268 | Elderly primigravida |
| 287 | Elderly primigravida, with delivery |
| 255 | Elective abortion |
| 392 | Elective sterilization |
| 81 | Electrolyte imbalance or disorder |
| 167 | Embolism, arterial, except cerebral and precerebral |
| 158 | Embolism, cerebral, without paralysis |
| 159 | Embolism, cerebral, with paralysis |
| 156 | Embolism, precerebral, without paralysis |
| 157 | Embolism, precerebral, with paralysis |
| 144 | Embolism, pulmonary, except postoperative |
| 390 | Embolism, pulmonary, postoperative |
| 172 | Embolism, vein |
| 182 | Emphysema |
| 113 | Encephalitis, except viral |
| 12 | Encephalitis, viral |
| 18 | Encephalitis, viral, late effect |
| 145 | Endocarditis, acute and subacute bacterial |
| 75 | Endocrine disease, except ovary, thyroid, and diabetes mellitus |
| 245 | Endometriosis |
| 247 | Endometritis, except puerperal |
| 288 | Endometritis, puerperal |
| 69 | Enlarged thyroid |
| 208 | Enteritis, except bacterial, regional, and viral |
| 1 | Enteritis, bacterial |
| 208 | Enteritis, noninfectious |
| 211 | Enteritis, regional |
| 1 | Enteritis, viral |
| 238 | Epididymitis |
| 116 | Epilepsy |
| 332 | Epistaxis |
| 6 | Erysipelas |
| 67 | Erythroplasia |
| 172 | Esophageal varices |
| 189 | Esophagitis |
| 189 | Esophagospasm |
| 137 | Essential benign hypertension |
| 398 | Examination, follow-up |
| 298 | Examination, medical |
| 149 | Failure, heart |
| 390 | Failure, heart, postoperative |
| 225 | Failure, renal, except chronic |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Failure, renal, chronic |
| 340 | Fainting |
| 263 | False labor |
| 82 | Fe deficiency anemia |
| 135 | Fever, active rheumatic |
| 330 | Fever, NOS (FUO) |
| 1 | Fever, paratyphoid |
| 288 | Fever, puerperal |
| 4 | Fever, scarlet |
| 1 | Fever, typhoid |
| 12 | Fever, yellow |
| 147 | Fibrillation or flutter, atrial |
| 148 | Fibrillation or flutter, ventricular |
| 241 | Fibrocystic breast |
| 77 | Fibrocystic disease, pancreas |
| 56 | Fibroma, uterus |
| 16 | Filariasis |
| 210 | Fissure, anal |
| 210 | Fistula, anal |
| 128 | Flat anterior chamber |
| 1 | Food poisoning |
| 379 | Foreign body in body orifice, except eye |
| 378 | Foreign body in eye |
|  | Fracture |
| 354 | Ankle |
| 349 | Arm, lower |
| 348 | Arm, upper |
| 354 | Bimalleolar |
| 350 | Carpal |
| 355 | Clavicle |
| 349 | Colles |
| 343 | Face bone |
| 352 | Femur, except upper end |
| 351 | Femur, upper end |
| 353 | Fibula, except lateral malleolus |
| 350 | Finger |
| 354 | Foot |
| 350 | Hand |
| 398 | Healed, aftercare, except removal of fixation device |
| 396 | Healed, aftercare, removal of fixation device |
| 351 | Hip |
| 348 | Humerus |
| 354 | Knee |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Fracture (continued) |
| 354 | Lateral malleolus |
| 353 | Leg, lower, except ankle |
| 352 | Leg, upper, except hip |
| 343 | Mandible |
| 354 | Medial malleolus |
| 350 | Metacarpal |
| 354 | Metatarsal |
| 356 | Multiple bones |
| 343 | Nose |
| 354 | Patella |
| 347 | Pelvis |
| 349 | Radius |
| 346 | Rib |
| 355 | Scapula |
| 342 | Skull, base |
| 341 | Skull, vault |
| 344 | Spine, without cord injury |
| 345 | Spine, with cord injury |
| 346 | Sternum |
| 354 | Tarsal |
| 346 | Thorax |
| 353 | Tibia, except articulating surface |
| 354 | Toe |
| 354 | Trimalleolar |
| 349 | Ulna |
| 344 | Vertebra, without cord injury |
| 345 | Vertebra, with cord injury |
| 330 | FUO |
| 216 | Gallbladder disease |
| 311 | Ganglion, tendon sheath |
| 334 | Gangrene, except gas gangrene |
| 6 | Gangrene, gas |
| | Gastric ulcer – *see Ulcer, gastric* |
| 195 | Gastritis |
| 208 | Gastroenteritis, except infectious |
| 1 | Gastroenteritis, infectious |
| 208 | Gastroenteritis, noninfectious |
| 220 | Gastrointestinal hemorrhage |
| 192 | Gastrojejunal ulcer, without complication |
| 193 | Gastrojejunal ulcer, with complication |
| 164 | Generalized arteriosclerosis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 3 | Generalized tuberculosis |
| 314 | Genu valgum or varum, except congenital |
| 327 | Genu valgum or varum, congenital |
| 220 | GI hemorrhage |
| 123 | Glaucoma, except acute |
| 122 | Glaucoma, acute |
| 122 | Glaucoma, closed-angle |
| 122 | Glaucoma, open-angle |
| 222 | Glomerulonephritis, except acute |
| 223 | Glomerulonephritis, acute |
| 69 | Goiter |
| 14 | Gonorrhea |
| 80 | Gout |
| 116 | Grand mal epilepsy |
| 268 | Grand multiparity |
| 392 | Grand multiparity, without pregnancy |
| 268 | Habitual aborter |
| 252 | Habitual aborter, without pregnancy |
| 310 | Hallux valgus or varus, except congenital |
| 327 | Hallux valgus or varus, congenital |
| 310 | Hammer toe |
| 331 | Headache, except migraine and tension |
| 118 | Headache, migraine |
| 111 | Headache, tension |
| 398 | Healed fracture aftercare, except removal of fixation device |
| 396 | Healed fracture aftercare, removal of fixation device |
| 140 | Heart attack |
| 149 | Heart failure |
| 390 | Heart failure, postoperative |
| 16 | Helminthiasis |
| 54 | Hemangioma |
| 220 | Hematemesis |
| 286 | Hematoma, pelvic, with delivery |
| 290 | Hematoma, pelvic, postpartum |
| 388 | Hematoma, postoperative wound |
| 84 | Hemolytic anemia, except hereditary and newborn |
| 83 | Hemolytic anemia, hereditary |
| 328 | Hemolytic anemia, newborn |
| 328 | Hemolytic disease of newborn |
| 85 | Hemophilia |
| 336 | Hemoptysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Hemorrhage |
| 265 | Antepartum, except early |
| 260 | Antepartum, early |
| 172 | Blood vessel, spontaneous |
| 220 | Gastrointestinal |
| 154 | Intracerebral, except subarachnoid, without paralysis |
| 155 | Intracerebral, except subarachnoid, with paralysis |
| 258 | Postabortal |
| 388 | Postoperative wound |
| 274 | Postpartum, except delayed or secondary |
| 289 | Postpartum, delayed or secondary |
| 260 | Pregnancy, early |
| 289 | Puerperal, after 24 hours |
| 152 | Subarachnoid, without paralysis |
| 153 | Subarachnoid, with paralysis |
| 171 | Hemorrhoids |
| 214 | Hepatitis, except chronic and viral |
| 213 | Hepatitis, chronic |
| 9 | Hepatitis, infectious |
| 9 | Hepatitis, serum |
| 9 | Hepatitis, viral |
| | Hernia, without complication |
| 205 | Abdominal, except inguinal |
| 204 | Diaphragmatic |
| 205 | Femoral |
| 204 | Hiatal |
| 203 | Incisional |
| 200 | Inguinal |
| 203 | Postoperative |
| 202 | Umbilical |
| 203 | Ventral |
| | Hernia, with complication |
| 206 | Abdominal, except inguinal |
| 206 | Diaphragmatic |
| 206 | Femoral |
| 206 | Hiatal |
| 206 | Incisional |
| 201 | Inguinal |
| 206 | Postoperative |
| 206 | Umbilical |
| 206 | Ventral |
| 105 | Heroin dependence or addiction |
| 8 | Herpes simplex |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Herpes simplex, late effect |
| 8 | Herpes zoster |
| 18 | Herpes zoster, late effect |
| 79 | Histiocytosis |
| 46 | Hodgkin's disease |
| 237 | Hydrocele |
| 318 | Hydrocephaly |
| 79 | Hyperbilirubinemia, except neonatal |
| 328 | Hyperbilirubinemia, neonatal |
| 79 | Hypercalcemia |
| 262 | Hyperemesis gravidarum |
| 75 | Hyperinsulinism |
| 79 | Hyperlipoproteinemia |
| 75 | Hyperparathyroidism |
| 235 | Hyperplasia of prostate |
| 81 | Hyperpotassemia |
| 137 | Hypertension, except renal and of pregnancy |
| 261 | Hypertension of pregnancy |
| 287 | Hypertension of pregnancy, with delivery |
| 139 | Hypertension, renal |
| 139 | Hypertension, renovascular |
| 128 | Hypertensive retinopathy |
| 70 | Hyperthyroidism |
| 177 | Hypertrophy of tonsils and adenoids |
| 79 | Hypogammaglobulinemia |
| 75 | Hypoparathyroidism |
| 81 | Hypopotassemia |
| 172 | Hypotension |
| 70 | Hypothyroidism |
| 81 | Hypovolemia |
| | |
| 211 | Ileitis, regional |
| 207 | Ileus, paralytic or adynamic |
| 340 | Ill-defined conditions |
| 79 | Immunodeficiency disorder |
| 160 | Impending CVA |
| 292 | Impetigo |
| 257 | Incomplete abortion |
| 337 | Incontinence |
| 125 | Infantile cataract |
| 122 | Infantile glaucoma |
| 140 | Infarction, acute myocardial |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Infection |
| 232 | Bladder |
| 312 | Bone |
| 246 | Cervix |
| 227 | Kidney, except nephritis, nephrosis, and acute pyelonephritis |
| 6 | Meningococcal |
| 389 | Postoperative wound |
| 288 | Puerperal, major |
| 292 | Skin and subcutaneous tissue, except cellulitis and abscess |
| 173 | Upper respiratory, except streptococcal |
| 234 | Urinary tract |
| 266 | Urinary tract, in pregnancy |
| 247 | Uterine, except cervix |
| 247 | Vaginal |
| 247 | Vulvar |
| 389 | Wound, postoperative |
| 10 | Infectious mononucleosis |
| 252 | Infertility, female |
| 240 | Infertility, male |
| 113 | Inflammation, central nervous system |
| 129 | Inflammation, eye, except lacrimal tract |
| 127 | Inflammation, lacrimal tract |
| 180 | Influenza |
| 180 | Influenzal pneumonia |
| 200 | Inguinal hernia, without complication |
| 201 | Inguinal hernia, with complication |
| | Injury |
| 328 | Birth |
| 373 | Blood vessel |
| 377 | Crush, except abdomen and chest |
| 367 | Crush, abdomen |
| 366 | Crush, chest |
| 365 | Head, except concussion |
| 367 | Internal, except chest |
| 366 | Internal, chest |
| 358 | Knee ligament or meniscus |
| 374 | Late effect |
| 363 | Musculoskeletal, except back and sacroiliac region |
| 362 | Musculoskeletal, back |
| 361 | Musculoskeletal, sacroiliac region |
| 382 | Nerve |
| 386 | Radiation |
| 374 | Radiation, late effect |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Injury (continued) |
| 382 | Spinal cord |
| 376 | Superficial |
| | Insufficiency, heart valve — *see Valvular disease* |
| 250 | Intermenstrual bleeding |
| 160 | Intermittent cerebral ischemia |
| 301 | Internal derangement of joint, except knee |
| 300 | Internal derangement of knee |
| 211 | Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia |
| 107 | Intoxication, acute alcohol |
| 98 | Involutional melancholia |
| 128 | Iridocyclitis |
| 128 | Iritis |
| 82 | Iron deficiency anemia |
| 211 | Irritable colon or bowel |
| 143 | Ischemic heart disease, except acute or subacute |
| 142 | Ischemic heart disease, acute or subacute, except acute myocardial infarction |
| 163 | Ischemic cerebrovascular disease, generalized |
| | |
| 116 | Jacksonian epilepsy |
| 340 | Jaundice, except newborn |
| 328 | Jaundice of newborn |
| 125 | Juvenile cataract |
| | Juvenile diabetes — *see Diabetes mellitus* |
| | |
| 230 | Kidney disease, except nephritis, nephrosis, infection, and calculus |
| 227 | Kidney infection, except nephritis, nephrosis, and acute pyelonephritis |
| 73 | Kimmelstiel-Wilson disease |
| 316 | Kyphosis |
| | |
| | Laceration |
| 370 | Abdominal wall |
| 371 | Arm |
| 370 | Back |
| 365 | Cerebral |
| 370 | Chest |
| 368 | Eye |
| 371 | Hand |
| 369 | Head, except eye |
| 372 | Leg |
| 372 | Lower limb |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Laceration (continued) |
| 370 | Multiple sites |
| 369 | Neck |
| 285 | Perineum, except first and second degree, with delivery |
| 284 | Perineum, first or second degree, with delivery |
| 370 | Trunk |
| 371 | Upper limb |
| 255 | Legal abortion |
| 48 | Leukemia, except lymphocytic |
| 47 | Leukemia, lymphocytic |
| 214 | Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis |
| 6 | Lockjaw |
| 316 | Lordosis |
| 108 | LSD reaction |
| 308 | Lumbago |
| 306 | Lumbosacral instability |
| 186 | Lung disease, except pneumonia, and obstructive |
| 88 | Lymphadenitis, except acute and mesenteric lymphadenitis |
| 292 | Lymphadenitis, acute |
| 87 | Lymphadenitis, mesenteric |
| 54 | Lymphangioma |
| 172 | Lymphedema |
| 49 | Lymphosarcoma |
| 128 | Macular degeneration, retina |
| 221 | Malabsorption syndrome |
| 13 | Malaria |
| 30 | Malignant melanoma, skin |
| 99 | Manic-depressive psychosis |
| 99 | Manic psychosis |
| 242 | Mastitis, except puerperal |
| 290 | Mastitis, puerperal |
| 8 | Measles |
| 18 | Measles, late effect |
| 119 | Median nerve entrapment |
| 30 | Melanoma, malignant |
| 132 | Meniere's disease |
| 113 | Meningitis, except tuberculous and viral |
| 3 | Meningitis, tuberculous |
| 7 | Meningitis, viral |
| 18 | Meningitis, viral, late effect |
| 251 | Menopause |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 250 | Menstrual disorder, except metrorrhagia |
| 112 | Mental deficiency or retardation |
| 211 | Mesenteric artery syndrome |
| 87 | Mesenteric lymphadenitis |
| 247 | Metritis |
| 249 | Metrorrhagia |
| 118 | Migraine |
| 3 | Miliary tuberculosis |
|  | Mitral valve disease – *see Valvular disease* |
| 327 | Mongolism |
| 15 | Moniliasis |
| 10 | Mononucleosis |
| 211 | Mucous colitis |
| 268 | Multiparity, without delivery |
| 392 | Multiparity, without pregnancy |
| 268 | Multiple pregnancy |
| 275 | Multiple pregnancy, with delivery |
| 115 | Multiple sclerosis |
| 12 | Mumps |
| 117 | Muscular dystrophy |
| 15 | Mycosis |
| 140 | Myocardial infarction, acute |
|  |  |
| 176 | Nasal polyp |
| 339 | Nausea |
|  | Neoplasm, benign |
| 61 | Bladder |
| 53 | Bone |
| 63 | Brain |
| 55 | Breast |
| 52 | Bronchus |
| 50 | Buccal cavity |
| 57 | Cervix |
| 53 | Connective tissue |
| 51 | Digestive |
| 65 | Endocrine, except thyroid |
| 62 | Eye |
| 59 | Genitalia, female, except uterus and ovary |
| 60 | Genitalia, male |
| 61 | Kidney |
| 52 | Larynx |
| 52 | Lung |
| 53 | Muscle |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, benign (continued) |
| 63 | Nervous system |
| 58 | Ovary |
| 50 | Pharynx |
| 60 | Prostate |
| 52 | Respiratory |
| 60 | Scrotum |
| 54 | Skin |
| 52 | Thymus |
| 64 | Thyroid |
| 61 | Ureter |
| 61 | Urethra |
| 61 | Urinary |
| 57 | Uterus, except fibroma |
| 56 | Uterus, fibroma |
| 59 | Vagina |
| 59 | Vulva |
| | Neoplasm, malignant |
| 44 | Adrenal gland |
| 39 | Bladder |
| 29 | Bone |
| 42 | Brain |
| 32 | Breast |
| 27 | Bronchus |
| 19 | Buccal cavity |
| 43 | Cerebral meninges |
| 33 | Cervix uteri |
| 23 | Colon |
| 29 | Connective tissue |
| 44 | Endocrine glands |
| 20 | Esophagus |
| 41 | Eye |
| 36 | Fallopian tube |
| 36 | Genitalia, female, except uterus and ovary |
| 38 | Genitalia, male, except prostate |
| 45 | Ill-defined sites |
| 25 | Intestine, except colon and rectum |
| 23 | Intestine, large, except rectum |
| 22 | Intestine, small |
| 40 | Kidney |
| 23 | Large intestine, except rectum |
| 27 | Lung |
| 49 | Lymphatic, except Hodgkin's disease |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| | Neoplasm, malignant (continued) |
| 45 | Metastatic |
| 19 | Mouth |
| 43 | Nervous system, except brain |
| 35 | Ovary |
| 26 | Pancreas |
| 19 | Pharynx |
| 44 | Pituitary gland |
| 36 | Placenta |
| 37 | Prostate |
| 24 | Rectum |
| 28 | Respiratory system, except bronchus and lung |
| 38 | Scrotum |
| 45 | Secondary |
| 31 | Skin, except genitalia |
| 22 | Small intestine |
| 43 | Spinal cord and meninges |
| 21 | Stomach |
| 44 | Thyroid gland |
| 40 | Ureter |
| 40 | Urethra |
| 40 | Urinary tract, except bladder |
| 34 | Uterus, except cervix |
| 36 | Vagina |
| 36 | Vulva |
| 49 | Neoplasm, lymphatic, except leukemia and Hodgkin's disease |
| 68 | Neoplasm, unspecified type, any site |
| 222 | Nephritis, except acute |
| 223 | Nephritis, acute |
| 222 | Nephrosis, except tubular |
| 225 | Nephrosis, tubular |
| 222 | Nephropathy, except diabetic |
| 73 | Nephropathy, diabetic |
| 109 | Nervous gastritis |
| 315 | Neuralgia, except sciatic and trigeminal |
| 307 | Neuralgia, sciatic |
| 120 | Neuralgia, trigeminal |
| 315 | Neuritis, except median and sciatic |
| 119 | Neuritis, median |
| 307 | Neuritis, sciatic |
| 120 | Neuroma, except amputation stump |
| 390 | Neuroma, amputation stump |
| 103 | Neurosis, except anxiety, cardiac, and depressive |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 101 | Neurosis, anxiety |
| 109 | Neurosis, cardiac |
| 102 | Neurosis, depressive |
| 54 | Nevus, skin |
| 327 | Nevus, vascular |
| | Newborn, hospital |
| 394 | Multiple |
| 393 | Single term |
| 394 | Twin |
| | Newborn, nonhospital |
| 395 | Multiple |
| 395 | Single |
| 270 | Normal delivery |
| 125 | Nuclear cataract |
| 84 | Nutritional anemia |
| 128 | Nystagmus |
| 78 | Obesity |
| 268 | Obstructed labor |
| 280 | Obstructed labor, with delivery |
| 218 | Obstruction, bile duct, except calculus |
| 207 | Obstruction, intestinal, except postoperative |
| 390 | Obstruction, intestinal, postoperative |
| 172 | Obstruction, portal vein |
| 172 | Obstruction, vena cava |
| 184 | Obstructive pulmonary disease NOS (COPD) |
| 158 | Occlusion, cerebral, without paralysis |
| 159 | Occlusion, cerebral, with paralysis |
| 156 | Occlusion, precerebral, without paralysis |
| 157 | Occlusion, precerebral, with paralysis |
| 122 | Open-angle glaucoma |
| 105 | Opioid dependence or addiction |
| 128 | Optic atrophy |
| 238 | Orchitis |
| 90 | Organic brain syndrome, except acute and arteriosclerotic |
| 89 | Organic brain syndrome, acute |
| 91 | Organic brain syndrome, arteriosclerotic |
| 89 | Organic brain syndrome, transient |
| 298 | Osteoarthritis, except spinal |
| 303 | Osteoarthritis, spinal |
| 312 | Osteomyelitis |
| 317 | Osteopathic somatic dysfunction |
| 130 | Otitis media, chronic and unspecified |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 131 | Otitis media, acute |
| 133 | Otosclerosis |
| 243 | Ovarian cyst |
| 252 | Ovarian disease, except endometriosis and dysfunction |
| 74 | Ovarian dysfunction |
| 254 | Ovarian pregnancy |
| 74 | Ovary, polycystic |
| 384 | Overdose, drug |
| | |
| | Paget's disease — *see Disease, Paget's* |
| | Pain |
| 338 | Abdominal |
| 335 | Chest |
| 253 | Female genital organ |
| 331 | Head |
| 335 | Precordial |
| 219 | Pancreatic disease |
| 128 | Papilledema |
| 114 | Paralysis agitans |
| 207 | Paralytic ileus |
| 100 | Paranoia, except schizophrenic |
| 94 | Paranoid schizophrenia |
| 114 | Parkinsonism |
| 146 | Paroxysmal atrial or supraventricular tachycardia |
| 17 | Pediculosis |
| | Peptic ulcer — *see Ulcer, peptic* |
| 189 | Perforation, esophagus |
| 397 | Peritoneal dialysis treatment |
| 211 | Peritonitis, except due to appendicitis |
| 84 | Pernicious anemia |
| 6 | Pertussis |
| 314 | Pes planus |
| 116 | Petit mal epilepsy |
| 240 | Peyronie's disease |
| 239 | Phimosis |
| 169 | Phlebitis |
| 244 | PID |
| 171 | Piles |
| 293 | Pilonidal cyst |
| 16 | Pinworm infection |
| 70 | PKU |
| 264 | Placenta previa |
| 271 | Placenta previa, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 11 | Plantar warts |
| 186 | Pleural disease |
| 186 | Pleurisy |
| 179 | Pneumonia, except influenzal |
| 180 | Pneumonia with influenza |
| 185 | Pneumothorax, spontaneous |
| 366 | Pneumothorax, traumatic |
| 385 | Poisoning, except food and drug |
| 384 | Poisoning, drug |
| 1 | Poisoning, food |
| 374 | Poisoning, late effect |
| 7 | Poliomyelitis |
| 18 | Poliomyelitis, late effect |
| 74 | Polycystic ovary |
| 68 | Polycythemia, except secondary |
| 86 | Polycythemia, secondary |
| 268 | Polyhydramnios |
| 287 | Polyhydramnios, with delivery |
| 211 | Polyp, anal |
| 68 | Polyp, bladder |
| 252 | Polyp, cervix |
| 211 | Polyp, intestinal |
| 178 | Polyp, laryngeal |
| 176 | Polyp, nasal |
| 211 | Polyp, rectal |
| 176 | Polyp, sinus |
| 178 | Polyp, vocal cord |
| 172 | Portal vein thrombosis |
| 218 | Postcholecystectomy syndrome |
| 211 | Postgastrectomy dumping syndrome |
| 172 | Postmasectomy lymphedema |
| 390 | Postoperative wound dehiscence |
| 389 | Postoperative wound infection |
| 290 | Postpartum complication, NEC |
| 267 | Postpartum depression |
| 269 | Postpartum depression, with delivery |
| 3 | Pott's disease |
| 156 | Precerebral occlusion, without paralysis |
| 157 | Precerebral occlusion, with paralysis |
| 340 | Prediabetes |
| 261 | Pre-eclampsia |
| 287 | Pre-eclampsia, with delivery |
| 123 | Preglaucoma |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 398 | Pregnancy |
| 254 | Pregnancy, ectopic |
| 254 | Pregnancy, ovarian |
| 268 | Pregnancy, post-term |
| 287 | Pregnancy, post-term, with delivery |
| 254 | Pregnancy, tubal |
| 398 | Pregnancy, undelivered |
| 268 | Premature rupture of membranes |
| 282 | Premature rupture of membranes, with delivery |
| 253 | Premenstrual tension |
| 265 | Prenatal hemorrhage, except threatened abortion |
| 272 | Prenatal hemorrhage, with delivery |
| 125 | Presenile cataract |
| 90 | Presenile dementia or psychosis |
| 128 | Prolapse, iris |
| 248 | Prolapse, uterovaginal |
| 171 | Prolapsed hemorrhoids |
| 236 | Prostatic disease, except hypertrophy |
| 235 | Prostatic hypertrophy |
| 340 | Proteinuria, except postural |
| 223 | Proteinuria, postural or orthostatic |
|  | Psychogenic |
| 109 | Diarrhea |
| 109 | Hyperventilation |
| 109 | Paralysis |
| 109 | Vomiting |
| 116 | Psychomotor epilepsy |
| 100 | Psychosis |
| 92 | Psychosis, alcoholic |
| 91 | Psychosis, arteriosclerotic |
| 98 | Psychosis, depressive |
| 93 | Psychosis, drug-induced |
| 99 | Psychosis, manic-depressive |
| 89 | Psychosis, organic, acute or transient |
| 90 | Psychosis, organic, chronic, except arteriosclerotic |
| 90 | Psychosis, senile |
| 98 | Psychotic depression |
| 290 | Puerperal complication |
| 287 | Puerperal complication, with delivery |
| 144 | Pulmonary embolism |
| 182 | Pulmonary emphysema |
| 1 | Pulmonary tuberculosis |
|  | Pulmonary valve disease – *see Valvular disease* |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 227 | Pyelitis, except acute |
| 226 | Pyelitis, acute |
| 227 | Pyelonephritis, except acute |
| 226 | Pyelonephritis, acute |
| 332 | Pyloric stenosis, congenital |
| 330 | Pyrexia of unknown origin |
| 288 | Pyrexia of unknown origin, puerperal |
| 12 | Rabies |
| 398 | Radiotherapy session or treatment |
| 340 | Rash |
| 101 | Reaction, anxiety |
| 102 | Reaction, depressive |
| 386 | Reaction, drug, NEC |
| 391 | Reaction, transfusion |
| 248 | Rectocele, female |
| 239 | Redundant prepuce |
| 211 | Regional enteritis |
| 396 | Removal of internal fixation device |
| 228 | Renal calculus |
| 397 | Renal dialysis treatment |
| 225 | Renal failure, except chronic |
| 224 | Renal failure, chronic |
| 139 | Renal hypertension |
| 139 | Renovascular hypertension |
| 2 | Respiratory tuberculosis |
| 128 | Retained intraocular foreign body |
| 273 | Retained placenta |
| 112 | Retardation, mental |
| 337 | Retention, urine |
| 121 | Retinal cyst |
| 121 | Retinal detachment |
| 121 | Retinal hemorrhage |
| 121 | Retinal tear |
| 128 | Retinitis pigmentosa |
| 328 | Rh (Rhesus) disease of newborn |
| 135 | Rheumatic fever, active |
| 136 | Rheumatic heart disease, chronic |
| 316 | Rheumatism |
| 297 | Rheumatoid arthritis, except spine |
| 302 | Rheumatoid arthritis, spine |
| 13 | Rickettsiosis |
| 8 | Rubella |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 18 | Rubella, late effect |
| 172 | Rupture, blood vessel |
| 304 | Rupture, lumbar disc |
| 305 | Rupture of intervertebral disc, except lumbar |
| 243 | Rupture, ovarian cyst |
| 268 | Rupture, uterus |
| 286 | Rupture, uterus, with delivery |
| 290 | Rupture, uterus, postpartum |
| 198 | Ruptured appendix |
| 306 | Sacroiliac instability |
| 1 | Salmonellosis |
| 244 | Salpingitis |
| | Sarcoma – *see Neoplasm, malignant, connective tissue* |
| 96 | Schizophrenia, except paranoid, childhood, and acute schizophrenic episode |
| 95 | Schizophrenia, acute episode |
| 97 | Schizophrenia, childhood |
| 94 | Schizophrenia, paranoid |
| 307 | Sciatica |
| 115 | Sclerosis, multiple |
| 316 | Scoliosis |
| 294 | Sebaceous cyst |
| 329 | Seizure, except epileptic |
| 116 | Seizures, epileptic |
| 256 | Self-induced abortion |
| 124 | Senile cataract |
| 90 | Senile dementia or psychosis |
| 340 | Senility |
| 357 | Separation, shoulder |
| 5 | Sepsis |
| 288 | Sepsis, puerperal |
| 5 | Septicemia |
| 288 | Septicemia, puerperal |
| 9 | Serum hepatitis |
| 391 | Serum sickness |
| 391 | Shock, anaphylactic, except due to drug |
| 386 | Shock, anaphylactic, due to drug |
| 333 | Shock, nontraumatic |
| 390 | Shock, postoperative |
| 383 | Shock, traumatic |
| 83 | Sickle cell anemia or crisis |
| 178 | Sinusitis |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 295 | Skin disease, except infective and pilonidal and sebaceous cysts |
| 292 | Skin infection, except cellulitis |
| 305 | Slipped intervertebral disc, except lumbar |
| 304 | Slipped lumbar disc |
| 8 | Smallpox |
| 317 | Somatic dysfunction, osteopathic |
| 240 | Spermatocele |
| 318 | Spina bifida |
| 302 | Spondylitis, ankylosing |
| 303 | Spondylosis |
| 257 | Spontaneous abortion |
| 172 | Spontaneous hemorrhage of blood vessel |
| 185 | Spontaneous pneumothorax |
| 363 | Sprain, except knee, back, and sacroiliac region |
| 362 | Sprain, back |
| 360 | Sprain, knee |
| 361 | Sprain, sacroiliac region |
| 170 | Stasis dermatitis |
| 116 | Status epilepticus |
| 221 | Steatorrhea |
| 74 | Stein-Leventhal syndrome |
| 48 | Stem cell leukemia |
| 322 | Stenosis, pyloric, congenital |
| 233 | Stenosis, urethral, except congenital |
| 325 | Stenosis, urethral, congenital |
|  | Stenosis, heart valve — *see Valvular disease* |
| 392 | Sterilization, elective |
| 196 | Stomach disease, except ulcer and inflammation |
|  | Stomach ulcer — *see Ulcer, gastric* |
| 188 | Stomatitis |
| 126 | Strabismus |
| 363 | Strain, except knee, back, and sacroiliac region |
| 362 | Strain, back |
| 360 | Strain, knee |
| 361 | Strain, sacroiliac region |
| 4 | Streptococcal sore throat |
| 253 | Stress incontinence, female |
| 233 | Stricture of urethral meatus, except congenital |
| 325 | Stricture, urethra, congenital |
| 161 | Stroke, without paralysis |
| 162 | Stroke, with paralysis |
| 145 | Subacute bacterial endocarditis |
| 152 | Subarachnoid hemorrhage, without paralysis |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 153 | Subarachnoid hemorrhage, with paralysis |
| 292 | Subcutaneous infection, except cellulitis |
|  | Syndrome, organic brain – *see Organic brain syndrome* |
| 308 | Syndrome, vertebrogenic pain |
| 309 | Synovitis |
| 14 | Syphilis |
| 296 | Systemic lupus erythematosus (SLE) |
| 333 | Tachycardia, except paroxysmal |
| 148 | Tachycardia, paroxysmal, except atrial |
| 146 | Tachycardia, paroxysmal atrial or supraventricular |
| 314 | Talipes deformity, acquired |
| 16 | Tapeworm infestation |
| 358 | Tear, medial meniscus, current injury |
| 300 | Tear, medial meniscus, old |
| 121 | Tear, retinal |
| 309 | Tenosynovitis, except spine |
| 308 | Tenosynovitis, spine |
| 111 | Tension headache |
| 255 | Termination of pregnancy |
| 6 | Tetanus |
| 165 | Thoracic aortic aneurysm |
| 259 | Threatened abortion |
| 86 | Thrombocytopenia |
| 169 | Thrombophlebitis |
| 172 | Thrombophlebitis migrans |
| 167 | Thrombosis, arterial, except cerebral and precerebral |
| 158 | Thrombosis, cerebral, without paralysis |
| 159 | Thrombosis, cerebral, with paralysis |
| 172 | Thrombosis, portal vein |
| 156 | Thrombosis, precerebral, without paralysis |
| 157 | Thrombosis, precerebral, with paralysis |
| 172 | Thrombosis, vein |
| 70 | Thyroid disease, except nodule or goiter |
| 69 | Thyroid nodule or goiter |
| 70 | Thyrotoxicosis |
| 160 | TIA |
| 120 | Tic douloureux |
| 177 | Tonsillitis, chronic |
| 261 | Toxemia of pregnancy |
| 287 | Toxemia of pregnancy, with delivery |
| 261 | Toxemia of the puerperium |
| 287 | Toxemia of the puerperium, with delivery |

## DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 174 | Tracheobronchitis, acute |
| 391 | Transfusion reaction |
| 160 | Transient ischemic attack (TIA) |
| 125 | Traumatic cataract |
| | Treatment |
| 398 | Chemotherapy |
| 397 | Dialysis |
| 398 | Physical therapy |
| 398 | Radiotherapy |
| 16 | Trichinosis |
| 17 | Trichomoniasis |
| | Tricuspid valve disease – *see Valvular disease* |
| 120 | Trigeminal neuralgia |
| 232 | Trigonitis |
| 254 | Tubal pregnancy |
| 3 | Tuberculosis, bone |
| 18 | Tuberculosis, late effect |
| 2 | Tuberculosis, lung |
| 3 | Tuberculosis, nonrespiratory |
| 2 | Tuberculosis, respiratory |
| 3 | Tuberculous meningitis |
| 363 | Twisted ankle |
| 13 | Typhus |
| | |
| 295 | Ulcer, decubitus |
| 192 | Ulcer, duodenal |
| 193 | Ulcer, duodenal, with hemorrhage or perforation |
| 190 | Ulcer, gastric |
| 191 | Ulcer, gastric, with hemorrhage or perforation |
| 192 | Ulcer, gastrojejunal |
| 193 | Ulcer, gastrojejunal, with hemorrhage or perforation |
| 192 | Ulcer, peptic, except gastric |
| 193 | Ulcer, peptic, except gastric, with hemorrhage or perforation |
| 194 | Ulcer, peptic, any site, with obstruction |
| 295 | Ulcer, skin |
| 170 | Ulcer, varicose, lower extremity |
| 211 | Ulcerative colitis |
| 73 | Uncontrolled diabetes mellitus |
| 324 | Undescended testis |
| 340 | Undiagnosed disease |
| 306 | Unstable low back |
| 173 | Upper respiratory infection, acute, except streptococcal |
| 225 | Uremia, except chronic |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 224 | Uremia, chronic |
| 229 | Ureteral calculus |
| 230 | Ureteral disease, except calculus |
| 231 | Urethral calculus |
| 234 | Urethral disease, except calculus and stricture |
| 233 | Urethral stenosis, except congenital |
| 325 | Urethral stenosis, congenital |
| 233 | Urethral stricture, except congenital |
| 325 | Urethral stricture, congenital |
| 234 | Urethritis |
| 266 | Urethritis, in pregnancy |
| 173 | URI |
| 234 | Urinary tract infection |
| 266 | Urinary tract infection, in pregnancy |
| 57 | Uterine fibroma |
| 248 | Uterine prolapse |
| 128 | Uveitis |
| 247 | Vaginal infection |
| 247 | Vaginitis, except atrophic and senile |
| 251 | Vaginitis, atrophic or senile |
| 314 | Valgus deformity, limb |
| 150 | Valvular disease, nonrheumatic |
| 136 | Valvular disease, rheumatic |
| 172 | Varices, esophagus |
| 170 | Varicose ulcer of lower extremity |
| 170 | Varicose veins of lower extremities |
| 314 | Varus deformity, limb |
| 14 | VD |
| 14 | Venereal disease |
| 11 | Venereal wart |
| 308 | Vertebrogenic pain syndrome |
| 340 | Vertigo |
| 12 | Viral encephalitis |
| 18 | Viral encephalitis, late effect |
| 7 | Viral meningitis |
| 18 | Viral meningitis, late effect |
| 11 | Viral wart |
| 128 | Vitreous abscess |
| 128 | Vitreous prolapse |
| 255 | Voluntary abortion |
| 207 | Volvulus |
| 339 | Vomiting |

# DIAGNOSIS INDEX (continued)

| Group Number | Title |
|---|---|
| 262 | Vomiting of pregnancy |
| 247 | Vulvar infection |
| 247 | Vulvitis |
| 11 | Warts, viral |
| 6 | Whooping cough |
| 92 | Withdrawal, alcohol |
| 93 | Withdrawal, drug |
| 390 | Wound dehiscence, postoperative |
| 389 | Wound infection, postoperative |
| 383 | Wound infection, posttraumatic |
|  | Wound, open — *see Laceration* |
| 12 | Yellow fever |

# OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* operation group to which each operation belongs.

| Group Number | Title |
|---|---|
| 555 | Adenoidectomy, except with tonsillectomy |
| 554 | With tonsillectomy |
| 515 | Adrenalectomy |
| 549 | Alveolectomy |
| 549 | Alveoloplasty |
| 695 | Amniocentesis (diagnostic) |
| 694 | For termination of pregnancy |
|  | Amputation |
| 668 | Cervix |
| 732 | Finger |
| 737 | Foot |
| 733 | Forearm |
| 733 | Hand |
| 737 | Hip |
| 736 | Leg, above knee |
| 735 | Leg, below knee |
| 739 | Revision (any site) |
| 732 | Thumb |
| 734 | Toe |
| 733 | Upper arm |
|  | Anastomosis |
| 617 | Bile duct |
| 581 | Blood vessel |
| 617 | Gallbladder |
| 601 | Intestine |
| 609 | Rectum |
| 757 | Angiocardiography, except coronary vessels |
| 756 | Coronary vessels |
| 757 | Angiography, except cardiac and cerebral vessels |
| 756 | Cardiac vessels |
| 755 | Cerebral vessels |
| 546 | Antrotomy, except radical maxillary |
| 545 | Radical maxillary |
| 572 | Aortocoronary bypass |
| 757 | Aortography |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 603 | Appendectomy, except incidental |
| 604 |     Incidental |
|  | Arteriography |
| 757 |     Aorta |
| 755 |     Cerebral |
| 756 |     Coronary |
| 757 |     Femoral |
| 755 |     Head |
| 756 |     Heart |
| 757 |     Renal |
| 741 | Arthrocentesis |
| 721 | Arthrodesis, except spinal |
| 720 |     Spinal |
| 725 | Arthroplasty, except hip, knee, and temporomandibular |
| 723 |     Hip, except total replacement |
| 722 |         Total replacement |
| 724 |     Knee |
| 699 |     Temporomandibular |
| 719 | Arthroscopy |
| 716 | Arthrotomy |
|  | Artificial |
| 686 |     Insemination |
| 690 |     Rupture of membranes for delivery |
|  | Aspiration |
| 752 |     Breast, except for biopsy |
| 742 |         Biopsy |
| 741 |     Bursa |
| 682 |     Cul-de-sac |
| 677 |     Curettage, uterus, except for termination of pregnancy |
| 674 |         Termination of pregnancy |
| 651 |     Hydrocele, except of spermatic cord |
| 656 |         Spermatic cord |
| 632 |     Kidney |
| 614 |     Liver, percutaneous, except for biopsy |
| 615 |         Biopsy |
| 537 |     Middle ear |
| 546 |     Nasal sinus |
| 663 |     Ovary |
| 752 |     Skin |
| 656 |     Spermatocele |
| 529 |     Vitreous |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | *Augmentation* |
| 745 | Breast |
| 699 | Chin |
| | Biopsy |
| 515 | Adrenal gland |
| 611 | Anus |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 586 | Bone marrow |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix |
| 597 | Colon |
| 597 | Duodenum |
| 668 | Endocervical |
| 588 | Esophagus |
| 532 | Eyeball |
| 517 | Eyelid |
| 666 | Fallopian tubes |
| 597 | Intestine (large) (small) |
| 719 | Joint structure |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 615 | Liver |
| 565 | Lung |
| 582 | Lymph nodes |
| 570 | Mediastinum |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| 543 | Nose |
| 532 | Orbit |
| 660 | Ovary, except by aspiration |
| 663 | Aspiration |

## OPERATION INDEX (continued)

**Group Number** **Title**

- Biopsy (continued)
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery
- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

## OPERATION INDEX (continued)

**Group Number** **Title**

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy
  - Fistula – *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Closure (continued) |
| 635 | Ureterostomy |
| 640 | Urethrostomy |
| 599 | Colectomy |
| 568 | Collapse of lung, surgical |
| 619 | Colonoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 602 | Colostomy, except loop |
| 600 | Loop |
| 681 | Colporrhaphy, except for cystocele or rectocele repair |
| 680 | Cystocele or rectocele repair |
| 758 | Computerized axial tomography (C.A.T. scan) |
| 667 | Conization of cervix |
| 520 | Conjunctivoplasty |
| 764 | Consultation |
| | Control of hemorrhage |
| 638 | Bladder |
| 581 | Blood vessel |
| 569 | Chest |
| 627 | Laparotomy site |
| 544 | Nose, except by anterior packing |
| 557 | Anterior packing |
| 569 | Pleura |
| 581 | Postoperative, not elsewhere classified |
| 650 | Prostate |
| 590 | Stomach |
| 556 | Tonsil |
| 521 | Corneal transplant |
| 572 | Coronary bypass |
| 503 | Cranioplasty |
| 502 | Craniotomy |
| 668 | Cryoconization, cervix |
| 682 | Culdocentesis |
| 682 | Culdoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 523 | Cyclocryotherapy (eye) |
| 523 | Cyclodialysis |
| 638 | Cystectomy (bladder) |
| 680 | Cystocele repair |
| 636 | Cystoscopy |
| 638 | Cystostomy |
| 638 | Cystotomy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 675 | D and C (uterus), except for termination of pregnancy |
| 674 |    Termination of pregnancy |
| 519 | Dacryocystorhinostomy |
|  | Debridement |
| 748 |    Burn (skin) |
| 705 |    Fracture, except of skull |
| 503 |        Skull |
| 748 |    Skin (infection) (wound) |
|  | Decompression |
| 509 |    Carpal tunnel |
| 502 |    Cranial |
| 506 |    Laminectomy |
| 506 |    Spinal |
|  | Delivery |
| 690 |    Artificial rupture of membranes |
| 688 |    Breech extraction |
| 692 |    Cesarean section, except low cervical |
| 691 |        Low cervical |
| 689 |    Forceps, except low forceps |
| 687 |        Low forceps |
| 689 |    Internal and combined version |
| 751 | Dermabrasion |
| 601 | Derotation, intestine |
| 580 | Dialysis, except peritoneal |
| 629 |    Peritoneal |
|  | Dilation |
| 638 |    Bladder (neck) |
| 635 |    Ureteral meatus |
| 645 |    Ureterovesical orifice |
| 641 |    Urethra, urethrovesical junction |
| 675 | Dilation and curettage (D and C), uterus, except for termination of pregnancy |
| 674 |    Termination of pregnancy |
|  | Dislocation-reduction, except temporomandibular |
| 714 |    Closed |
| 715 |    Open |
| 702 |    Temporomandibular (joint) |
|  | Division |
|  |    Adhesions — *see Lysis, adhesions* |
| 613 |    Anal sphincter |
| 726 |    Fascia, except of hand |
| 728 |        Hand |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Division (continued) |
| 508 |   Peripheral nerve |
| 511 |   Sympathetic nerve or ganglion |
| 659 | Dorsal or lateral slit of prepuce |
| | Drainage – *see also Incision (and drainage)* |
| 647 |   Bladder, except surgical approach |
| 638 |     Surgical approach (suprapubic) |
| 569 |   Chest |
| 537 |   Middle ear |
| 763 | Drug therapy |
| 598 | Duodenectomy |
| | |
| 764 | ECG (electrocardiogram) |
| 758 | Echoencephalography |
| 764 | EEG (electroencephalogram) |
| 764 | EKG (electrocardiogram) |
| 764 | Electrocardiogram (ECG) (EKG) |
| 764 | Electroencephalogram (EEG) |
| 752 | Electrolysis, skin |
| 753 | Encephalography |
| | Endoscopy |
| 636 |   Bladder |
| 567 |   Bronchus |
| 619 |   Colon, except surgical approach |
| 609 |     Surgical approach (transabdominal) |
| 682 |   Cul-de-sac, except for tubal ligation |
| 664 |     Tubal ligation |
| 589 |   Esophagus |
| 589 |   Gastric, except surgical approach |
| 596 |     Surgical approach (transabdominal) |
| 576 |   Larynx |
| 628 |   Peritoneum |
| 557 |   Pharynx |
| 609 |   Small intestine |
| 589 |   Stomach, except surgical approach |
| 596 |     Surgical approach (transabdominal) |
| 570 |   Thorax, transpleural |
| 636 |   Urethra |
| 679 |   Uterus |
| 686 |   Vagina |
| 602 | Enterostomy |
| 532 | Enucleation, eyeball |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 533 | Epilation, eyelid |
| 697 | Episioperinorrhaphy |
| 697 | Episiorrhaphy |
| 690 | Episiotomy, except with forceps delivery |
| 687 |   With low forceps delivery |
| 689 |   With other forceps delivery |
| 544 | Epistaxis control, except by anterior packing |
| 557 |   Anterior packing |
| 588 | Esophagectomy |
| 589 | Esophagoscopy, except surgical approach |
| 619 |   Surgical approach |
| 588 | Esophagotomy |
| 613 | Evacuation, hemorrhoids |
|  | Evisceration |
| 532 |   Eyeball |
| 673 |   Pelvic |
|  | Examination |
| 764 |   Eye |
| 764 |   General physical |
| 764 |   Gynecologic |
| 764 |   Pelvic |
| 761 |   Psychiatric |
| 763 | Exchange transfusion, except intrauterine |
| 696 |   Intrauterine |
|  | Excision – *see also Excision of lesion (and destruction of tissue)* |
| 610 |   Anal fistula |
| 727 |   Baker's cyst |
| 705 |   Bone, except facial |
| 699 |     Facial, except partial |
| 698 |       Partial |
| 556 |   Branchial cleft cyst |
| 704 |   Bunion |
| 517 |   Chalazion, eyelid |
| 599 |   Colon |
| 665 |   Fallopian tubes, bilateral, except endoscopic approach |
| 664 |     Endoscopic approach |
| 670 |   Fibroid, uterine |
| 616 |   Gallbladder |
| 508 |   Ganglion, except of tendon |
| 727 |     Tendon (of hand) |
| 612 |   Hemorrhoids |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision (continued) |
| | Hydrocele |
| 679 |  Round ligament |
| 656 |  Spermatic cord |
| 651 |  Tunica vaginalis |
| 717 | Intervertebral disc or cartilage |
| 719 | Joint, except intervertebral disc and cartilage of knee |
| 717 |  Intervertebral disc |
| 718 |  Knee cartilage |
| 631 | Kidney, except partial |
| 632 |  Partial |
| 718 | Knee cartilage (semilunar) |
| 582 | Lymph nodes, except radical |
| 583 |  Radical |
| 508 | Neuroma, peripheral nerve |
| | Ovary |
| 662 |  Bilateral |
| 661 |  Unilateral |
| 550 | Parotid gland |
| 746 | Pilonidal cyst or sinus |
| 515 | Pituitary gland |
| 649 | Prostate, except transurethral approach |
| 648 |  Transurethral approach |
| 522 | Pterygium |
| 747 | Sebaceous cyst, except of eyelid |
| 517 |  Eyelid, eyebrow |
| 718 | Semilunar cartilage, knee |
| 586 | Spleen |
| 514 | Thyroglossal duct or tract |
| 513 | Thyroid |
| 751 | Toenail |
| 552 | Tongue |
| 553 | Tonsil, except with adenoids |
| 554 |  With adenoids |
| 556 | Tonsil tag |
| | Tubes and ovaries |
| 662 |  Bilateral |
| 661 |  Unilateral |
| 670 | Uterine fibroid |
| 577 | Varicocele, except of spermatic cord |
| 656 |  Spermatic cord |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (and destruction of tissue) |
| 626 | Abdominal wall |
| 611 | Anus |
| 617 | Bile duct |
| 638 | Bladder, except transurethral approach |
| 637 | Transurethral approach |
| 705 | Bone, except facial |
| 698 | Facial |
| 501 | Brain |
| 742 | Breast |
| 563 | Bronchus |
| 501 | Cerebral meninges |
| 668 | Cervix, except by conization |
| 667 | Conization |
| 597 | Colon |
| 520 | Conjunctiva |
| 522 | Cornea |
| 597 | Duodenum |
| 534 | Ear, external |
| 588 | Esophagus |
| 532 | Eye |
| 517 | Eyelid |
| 666 | Fallopian tube |
| 549 | Gingiva, gums |
| 597 | Intestine |
| 524 | Iris |
| 632 | Kidney |
| 597 | Large intestine |
| 558 | Larynx |
| 552 | Lip |
| 565 | Lung |
| | Meninges |
| 501 | Cerebral |
| 507 | Spinal |
| 727 | Muscle |
| | Nerve |
| 508 | Peripheral |
| 511 | Sympathetic |
| 543 | Nose, except submucous resection |
| 541 | Submucous resection |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Excision of lesion (continued) |
| 660 | Ovary |
| 550 | Parotid gland |
| 658 | Penis |
| | Perineum |
| 683 | Female |
| 747 | Male |
| 508 | Peripheral nerve |
| 607 | Perirectal tissue |
| 626 | Peritoneum |
| 606 | Rectum |
| 550 | Salivary gland |
| 524 | Sclera |
| 651 | Scrotum |
| 747 | Skin, except radical and of pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 748 | Radical |
| 501 | Skull |
| 597 | Small intestine |
| 507 | Spinal meninges |
| 592 | Stomach |
| 727 | Tendon |
| 654 | Testis |
| 552 | Tongue |
| 559 | Trachea |
| 635 | Ureter |
| 640 | Urethra |
| 679 | Uterine ligament |
| 670 | Uterus |
| 682 | Vagina |
| 559 | Vocal cord |
| 683 | Vulva |
| | Exenteration |
| 532 | Eyeball, orbit |
| 673 | Pelvic |
| | Exploration |
| 627 | Abdominal cavity |
| 617 | Bile duct |
| 632 | Kidney |
| 627 | Exploratory laparotomy |
| 600 | Exteriorization, intestine |
| 579 | Extracorporeal circulation |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Extraction |
| 688 | Breech, for delivery |
| 547 | Dental |
| 686 | Menstrual |
| 547 | Teeth |
| 689 | Vacuum, for delivery |
| 751 | Face lift |
| 730 | Fasciectomy, except of hand |
| 728 | Hand |
| 726 | Fasciotomy, except of hand |
| 728 | Hand |
| | Fistulectomy |
| 610 | Anal |
| 638 | Bladder |
| 556 | Branchial cleft |
| 564 | Bronchus |
| 601 | Intestine |
| 542 | Nasal |
| 542 | Nasolabial |
| 546 | Oroantral |
| 609 | Perirectal |
| 556 | Pharynx |
| 640 | Rectourethral |
| 679 | Rectouterine |
| 681 | Rectovaginal |
| 638 | Rectovesical |
| 609 | Rectum |
| 562 | Tracheoesophageal |
| 523 | Fistulization, sclera (for glaucoma) |
| 741 | Fitting, limb prosthesis |
| 706 | Fixation, internal, of bone, except with fracture-reduction |
| | With fracture-reduction — *see Fracture-reduction* |
| 689 | Forceps delivery, except low forceps |
| 687 | Low forceps |
| | Formation |
| 581 | Arteriovenous shunt for dialysis |
| 634 | Ileal conduit or bladder |
| | Fracture-reduction, except facial bone, femur, and nose |
| 713 | Closed, except with internal fixation |
| 711 | With internal fixation |
| 713 | Open, except with internal fixation |
| 712 | With internal fixation |

## OPERATION INDEX (continued)

Group Number Title

- Fracture-reduction, except facial bone, femur, and nose (continued)
  - 701 Facial bone, except closed reduction
    - 700 Closed reduction
  - Femur
    - 710 Closed, except with internal fixation
      - 708 With internal fixation
    - 710 Open, except with internal fixation
      - 709 With internal fixation
  - 701 Mandible, except closed reduction
    - 700 Closed reduction
  - 701 Maxillofacial, except closed reduction
    - 700 Closed reduction
  - 544 Nose
- 552 Frenectomy (labial) (tongue)
- 557 Frenotomy (labial) (tongue)
- 721 Fusion, joint, except spinal
  - 720 Spinal

- 508 Ganglionectomy, except of tendon
  - 727 Tendon (of hand)
- 508 Gasserian ganglionectomy
- 593 Gastrectomy, except total
  - 594 Total
- 589 Gastroscopy, except surgical approach
  - 596 Surgical approach (transabdominal)
- 591 Gastrostomy
- 590 Gastrotomy
- 699 Genioplasty
- 758 G.I. series x-ray
- 549 Gingivectomy, gingivoplasty
- 523 Glaucoma operation
- 552 Glossectomy
- Graft
  - 706 Bone, except facial and skull
    - 702 Facial
    - 503 Skull
  - 749 Free, of skin
  - 552 Lip
  - 731 Muscle, except of hand
    - 729 Hand
  - 750 Pedicle, of skin

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Graft (continued) |
| | Skin |
| 749 |  Free |
| 750 |  Pedicle |
| 731 | Tendon, except of hand |
| 729 |  Hand |
| 573 | Heart catheterization |
| 579 | Heart-lung bypass |
| 599 | Hemicolectomy |
| 580 | Hemodialysis |
| 612 | Hemorrhoidectomy |
| 615 | Hepatectomy |
| | Herniorrhaphy |
| 625 | Diaphragmatic |
| 624 | Epigastric |
| 622 | Femoral |
| 624 | Incisional |
| | Inguinal |
| 621 |  Bilateral |
| 620 |  Unilateral |
| 623 | Umbilical |
| 624 | Ventral |
| 723 | Hip replacement, except total |
| 722 | Total |
| 576 | His bundle study |
| 515 | Hypophysectomy |
| 671 | Hysterectomy, except radical and vaginal |
| 673 | Radical |
| 672 | Vaginal |
| 678 | Hysteropexy |
| 679 | Hysteroscopy |
| 670 | Hysterotomy, except for termination of pregnancy |
| 693 | Termination of pregnancy |
| 602 | Ileostomy, except loop |
| 600 | Loop |
| 634 | Ileoureterostomy |
| | Implant, implantation |
| 745 | Breast |
| 740 | Limb prosthesis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) |
| 626 | Abdominal wall |
| 610 | Anal fistula |
| 605 | Appendix |
| 683 | Bartholin's gland or abscess |
| 703 | Bone, except facial |
| 702 | Facial |
| 501 | Brain |
| 745 | Breast |
| 501 | Cerebral meninges |
| 569 | Chest (wall) |
| 522 | Cornea |
| 502 | Cranial sinus |
| 534 | Ear, external |
| 518 | Eyelid |
| 552 | Floor of mouth |
| 617 | Gallbladder |
| 549 | Gingiva, gums |
| 600 | Intestine |
| 716 | Joint |
| 519 | Lacrimal gland or sac |
| 614 | Liver |
| 582 | Lymph nodes |
| 539 | Mastoid |
| | Meninges |
| 501 | Cerebral |
| 506 | Spinal |
| 537 | Middle ear |
| 726 | Muscle |
| | Nasal sinus – *see Sinusotomy* |
| 726 | Palmar space (hand) |
| 618 | Pancreas |
| 613 | Perianal tissue |
| | Perineum |
| 683 | Female |
| 748 | Male |
| 607 | Perirectal tissue |
| 627 | Peritoneum, except via cul-de-sac |
| 682 | Via cul-de-sac |
| 746 | Pilonidal cyst or sinus |
| 569 | Pleura |
| 607 | Rectovaginal septum |
| 607 | Rectum |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Incision (and drainage) (continued) |
| 626 | Retroperitoneal abscess |
| 651 | Scrotum |
| | Sinus (nasal) — *see Sinusotomy* |
| 748 | Skin, except pilonidal cyst or sinus |
| 746 | Pilonidal cyst or sinus |
| 506 | Spinal meninges |
| 726 | Tendon |
| 569 | Thorax |
| 633 | Ureter |
| 682 | Vagina |
| 683 | Vulva |
| 690 | Induction of labor (medical or surgical) for delivery |
| | Injection |
| 694 | Intra-amniotic, for termination of pregnancy |
| 763 | Therapeutic agent (drugs) |
| 745 | Breast |
| 741 | Bursa |
| 741 | Joint |
| 741 | Tendon |
| 686 | Insemination, artificial |
| | Insertion |
| 574 | Cardiac pacemaker |
| 686 | Intrauterine contraceptive device |
| 679 | Laminaria, uterus |
| 666 | Insufflation, fallopian tubes |
| 694 | Intra-amniotic injection for termination of pregnancy |
| 758 | Intravenous pyelogram (IVP) |
| 764 | Intubation, nonoperative |
| 764 | Irrigation, nonoperative |
| 758 | IVP (intravenous pyelogram) |
| | Laceration repair (suture) — *see Repair, by site* |
| 506 | Laminectomy, except for excision of intervertebral disc |
| 717 | Excision of intervertebral disc |
| 628 | Laparoscopy, except for tubal ligation |
| 664 | Tubal ligation |
| 627 | Laparotomy, exploratory |
| 560 | Laryngectomy, except partial |
| 559 | Partial |
| 576 | Laryngoscopy |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 562 | Laryngotomy, except permanent |
| 561 | Permanent |
| 706 | Lengthening of bone |
| 526 | Lens extraction, except intracapsular |
| 525 | Intracapsular |
| | Ligation |
| 665 | Fallopian tubes (bilateral), except endoscopic approach |
| 664 | Endoscopic approach |
| 612 | Hemorrhoids |
| 577 | Varicose veins |
| 655 | Vas deferens |
| 577 | Ligation and stripping, varicose veins |
| | Lobectomy |
| 501 | Brain |
| 615 | Liver |
| 566 | Lung, except partial |
| 565 | Partial |
| 687 | Low forceps delivery |
| 512 | Lumbar puncture |
| | Lysis, adhesions |
| 630 | Abdominal |
| 741 | Hand |
| 524 | Iris |
| 716 | Joint |
| 731 | Muscle, except of hand |
| 741 | Hand |
| 630 | Pelvis |
| 630 | Peritoneum |
| 731 | Tendon, except of hand |
| 741 | Hand |
| 745 | Mammary augmentation |
| 745 | Mammectomy |
| 758 | Mammography |
| 745 | Mammoplasty, reduction |
| 699 | Mandibulectomy, except partial |
| 698 | Partial |
| 699 | Mandibulotomy |
| | Mastectomy |
| 743 | Complete |
| 743 | Simple, except extended |
| 744 | Extended |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Mastectomy (continued) |
| 742 | Subtotal |
| 744 | Radical |
| 743 | Partial |
| 538 | Mastoidectomy, except revision |
| 539 | Revision |
| 745 | Mastotomy |
| | Meatotomy |
| 635 | Ureteral |
| 639 | Urethral |
| 690 | Medical induction of labor |
| 718 | Meniscectomy, knee |
| 686 | Menstrual extraction or regulation |
| 699 | Mentoplasty |
| 764 | Monitoring, circulatory (CVP) (PCW) |
| 754 | Myelography |
| 670 | Myomectomy, uterus |
| 537 | Myringotomy |
| 631 | Nephrectomy (complete) |
| 632 | Nephropexy |
| 682 | Obliteration, vagina or vaginal vault |
| 751 | Onychectomy |
| 751 | Onychoplasty |
| | Oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 533 | Ophthalmoscopy |
| 652 | Orchiectomy |
| 653 | Orchiopexy |
| 654 | Orchioplasty, except suspension |
| 653 | Suspension |
| 705 | Ostectomy, except facial bone |
| 699 | Facial bone, except partial |
| 698 | Partial |
| 706 | Osteoplasty, except facial bone |
| 699 | Facial bone |
| 703 | Osteotomy, except facial bone |
| 699 | Facial bone |
| 540 | Otoscopy |

# OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| 551 | Palatoplasty |
| 618 | Pancreatectomy |
| 618 | Pancreatotomy |
| | Paracentesis |
| 626 | Abdominal |
| 524 | Anterior chamber (eye) |
| 576 | Thoracic |
| 514 | Parathyroidectomy |
| 550 | Parotidectomy |
| 673 | Pelvic exenteration |
| 575 | Pericardiocentesis |
| 629 | Peritoneal dialysis |
| 628 | Peritoneoscopy |
| 557 | Pharyngoscopy |
| 556 | Pharyngotomy |
| 757 | Phlebography |
| 540 | Piercing, ear |
| 576 | Pleurocentesis |
| | Plication |
| 644 | Urethral, urethrovesical |
| 581 | Vena cava |
| 753 | Pneumoencephalography |
| 566 | Pneumonectomy |
| 659 | Preputiotomy |
| 608 | Proctectomy |
| 609 | Proctopexy |
| 619 | Proctosigmoidoscopy, except surgical approach |
| 609 | Surgical approach (transabdominal) |
| 607 | Proctotomy |
| 649 | Prostatectomy, except transurethral approach |
| 648 | Transurethral approach |
| 761 | Psychiatric testing and evaluation |
| 761 | Psychotherapy |
| | Puncture |
| 501 | Cranial |
| 512 | Lumbar |
| 501 | Skull, for drainage |
| 512 | Spinal |
| 758 | Pyelogram (intravenous) (retrograde) |
| 636 | Pyeloscopy |
| 632 | Pyelotomy |
| 590 | Pyloromyotomy |
| 596 | Pyloroplasty |

## OPERATION INDEX (continued)

**Group Number** **Title**

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 With internal fixation
    - 713 Open, except with internal fixation
      - 712 With internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction

## OPERATION INDEX (continued)

**Group Number** **Title**

- Reduction (continued)
    - Femur
        - 710 Closed, except with internal fixation
            - 708 With internal fixation
        - 710 Open, except with internal fixation
            - 709 With internal fixation
    - 701 Mandible, except closed reduction
        - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
        - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia – *see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions – *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
        - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
        - 533 Without incision
    - 633 Ureter, except transurethral approach
        - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
        - 563 With incision
    - 532 Eye, except as below
        - 524 Anterior chamber
        - 520 Conjunctiva

## OPERATION INDEX (continued)

**Group Number** **Title**

- Removal (continued)
      - 524 Iris
      - 527 Lens
  - Prosthesis
    - 745 Breast
    - 716 Joint
  - 697 Retained placenta, manually
  - 764 Sutures
  - 764 T-tube, gallbladder
  - 764 Therapeutic device, nonoperatively
  - 529 Vitreous
- 580 Renal dialysis
- Repair
  - 630 Abdominal wall
  - 613 Anal fistula, except by excision
    - 610 Excision
  - 581 Aneurysm (arteriovenous)
  - 638 Bladder, except obstetric laceration
    - 697 Obstetric laceration
  - 518 Blepharoptosis
  - 581 Blood vessel
  - 706 Bone, except facial
    - 699 Facial
  - 745 Breast
  - 564 Bronchial fistula
  - 704 Bunion
  - 571 Cardiac septal defect
  - 669 Cervix, except obstetric laceration
    - 697 Obstetric laceration
  - 570 Chest wall
  - 551 Cleft palate
  - 520 Conjunctiva
  - 522 Cornea, except transplant
    - 521 Transplant
  - 680 Cystocele, vagina
  - 730 Diastasis recti
  - 534 Ear, external
  - 518 Ectropion or entropion, eyelid
  - 697 Episiotomy
  - 518 Eyelid
  - Fistula — *see Fistulectomy*
  - 704 Hallux valgus
  - 729 Hand

## OPERATION INDEX (continued)

**Group Number** **Title**

- Repair (continued)
  - Hernia — *see Herniorrhaphy*
  - 723 Hip, except total replacement
    - 722 Total replacement
  - Hydrocephalus, by ventricular shunt
    - 504 Extracranial
    - 505 Intracranial (ventriculostomy)
  - 601 Intestine
  - 725 Joint, except hip and knee
    - 723 Hip, except total replacement
      - 722 Total replacement
    - 724 Knee
  - 724 Knee (joint)
  - Laceration — *see also Repair, by site*
    - 697 Obstetric
  - 562 Larynx
  - 552 Lip
  - 615 Liver
  - 568 Lung
  - 731 Muscle, except extraocular and of hand
    - 531 Extraocular
    - 729 Hand
  - 556 Nasopharyngeal atresia
  - 542 Nose
  - 663 Ovary
  - 551 Palate
  - 658 Penis
  - 685 Perineum, female, except obstetric laceration
    - 697 Obstetric laceration
  - 509 Peripheral nerve
  - 596 Pylorus, stomach
  - 680 Rectocele, vagina
  - 609 Rectum
  - 528 Retinal detachment or tear
  - 730 Rotator-cuff (shoulder)
  - 503 Skull
  - 507 Spina bifida
  - 507 Spinal meningocele
  - 596 Stomach
  - 644 Stress incontinence, except urethral suspension
    - 643 Urethral suspension
  - 731 Tendon, except of hand
    - 729 Hand

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Repair (continued) |
| 654 |   Testis |
| 562 |   Trachea |
| 635 |   Ureter |
| 640 |   Urethra |
| 679 |   Uterus, except obstetric laceration and supporting structures |
| 697 |     Obstetric laceration |
| 678 |     Supporting structures |
| 681 |   Vagina, except for cystocele and rectocele, and obstetric laceration |
| 680 |     Cystocele and rectocele |
| 697 |     Obstetric laceration |
| 552 |   Vestibular arch (mouth) |
| 685 |   Vulva, except obstetric laceration |
| 697 |     Obstetric laceration |
| | Replacement |
| 574 |   Cardiac pacemaker |
| 571 |   Heart valve |
| 725 |   Joint, except hip and knee |
| 723 |     Hip, except total replacement |
| 722 |       Total replacement |
| 724 |     Knee |
| 647 |   Urinary catheter |
| | Resection |
| 638 |   Bladder |
| 581 |   Blood vessel |
| 564 |   Bronchus |
| 599 |   Large intestine |
| 730 |   Muscle, except of hand |
| 728 |     Hand |
| 541 |   Nasal septum, submucous |
| 530 |   Ocular muscle |
| 660 |   Ovary |
| 608 |   Rectum (abdominoperineal) (pull-through) |
| 549 |   Root of tooth |
| 598 |   Small intestine |
| 730 |   Tendon, except of hand |
| 728 |     Hand |
| 548 | Restoration, tooth |
| 758 | Retrograde pyelogram |
| | Revision |
| 739 |   Amputation stump |
| 581 |   Arteriovenous shunt for dialysis |
| 596 |   Gastric anastomosis |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Revision (continued) |
| 601 | Intestinal anastomosis |
| 539 | Mastoidectomy |
| 562 | Tracheostomy |
| 539 | Tympanoplasty |
| 505 | Ventricular shunt |
| 542 | Rhinoplasty |
| 751 | Rhytidectomy, facial |
| 549 | Root canal therapy |
| 549 | Root resection (tooth) |
| 690 | Rupture of membranes for delivery |
| | Salpingectomy |
| 665 | Bilateral |
| 666 | Unilateral |
| | Salpingo-oophorectomy |
| 662 | Bilateral |
| 661 | Unilateral |
| 730 | Scalenectomy |
| 726 | Scalenotomy |
| | Scan |
| 758 | C.A.T. (computerized axial tomography) |
| 758 | Radioisotope |
| 528 | Scleral buckling, for retinal detachment |
| 706 | Shortening, bone |
| | Shunt – *see also Bypass* |
| 504 | Cerebral ventricles, except intracranial and revision |
| 505 | Intracranial |
| 505 | Revision |
| 578 | Peripheral vessels |
| 630 | Peritoneovenous |
| 578 | Systemic vessels |
| 550 | Sialoadenectomy |
| 599 | Sigmoidectomy |
| 546 | Sinusectomy, nasal |
| 546 | Sinusotomy, except radical maxillary |
| 545 | Radical maxillary |
| 751 | Size-reduction, skin tissue except breast |
| 745 | Breast |
| | Sphincterotomy |
| 617 | Ampullary (of Vater) (pancreas) |
| 613 | Anus |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Sphincterotomy (continued) |
| 638 | Bladder neck |
| | Spinal |
| 720 | Fusion |
| 512 | Tap or puncture |
| 586 | Splenectomy |
| 721 | Stabilization of joint, except foot and knee |
| 725 | Foot |
| 724 | Knee |
| 535 | Stapedectomy |
| 535 | Stapes mobilization |
| 644 | Stress incontinence repair, except by urethral suspension |
| 643 | Urethral suspension |
| | Stress test |
| 764 | Cardiac |
| 764 | Fetal |
| 764 | Uterine |
| 541 | Submucous nasal resection |
| 690 | Surgical induction of labor for delivery |
| | Suspension |
| 643 | Urethra, except with bladder neck |
| 644 | With bladder neck |
| 644 | Urethrovesical |
| | Suture – *see also Repair, by site* |
| 730 | Muscle, except of hand |
| 729 | Hand |
| 748 | Skin |
| 730 | Tendon, except of hand |
| 729 | Hand |
| 510 | Sympathectomy |
| 719 | Synovectomy |
| | |
| 554 | T and A |
| | Takedown – *see Closure* |
| 730 | Tenosynovectomy, except of hand |
| 728 | Hand |
| 726 | Tenotomy, except of hand |
| 728 | Hand |
| | Termination of pregnancy |
| 676 | Aspiration curettage |
| 674 | Dilation and curettage |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Termination of pregnancy (continued) |
| 691 | Hysterotomy |
| 694 | Intra-amniotic injection |
| | Therapy |
| 761 | Behavior |
| 763 | Cancer (chemical) |
| 761 | Electroconvulsive (ECT) |
| 760 | Occupational |
| 760 | Physical |
| 761 | Psychiatric |
| 759 | Radiation |
| 760 | Rehabilitation |
| 761 | Shock (EST) |
| 760 | Speech |
| 758 | Thermography |
| 576 | Thoracentesis |
| 570 | Thoracoscopy, transpleural |
| 569 | Thoracotomy |
| 515 | Thymectomy |
| 513 | Thyroidectomy |
| 552 | Tongue-tie operation |
| 553 | Tonsillectomy, except with adenoidectomy |
| 554 | With adenoidectomy |
| 548 | Tooth restoration |
| 562 | Tracheostomy, except permanent |
| 561 | Permanent |
| 760 | Traction, skeletal, except with fracture-reduction |
| | With fracture-reduction — *see Reduction, fracture* |
| | Transfer — *see Transplant* |
| | Transfusion |
| 763 | Blood |
| 763 | Exchange, except intrauterine |
| 696 | Intrauterine |
| 585 | Bone marrow |
| 763 | Coagulation factor |
| 763 | Gamma globulin |
| 763 | Plasma |
| | Transplant, transplantation |
| 585 | Bone marrow |
| 521 | Corneal |
| 571 | Heart |
| 632 | Kidney |

## OPERATION INDEX (continued)

| Group Number | Title |
|---|---|
| | Transplant, transplantation (continued) |
| 731 | Muscle, except of hand |
| 729 | Hand |
| 731 | Tendon, except of hand |
| 729 | Hand |
| 648 | TUR of prostate |
| 543 | Turbinectomy, nasal |
| 536 | Tympanoplasty, except revision |
| 539 | Revision |
| 537 | Tympanotomy |
| 758 | Ultrasound, diagnostic |
| 635 | Ureterectomy |
| 634 | Ureterostomy |
| 633 | Ureterotomy |
| 636 | Urethroscopy |
| 642 | Urethrotomy |
| 634 | Urinary diversion |
| 764 | Uroflowmetry, uroflometry |
| 763 | Vaccination |
| 689 | Vacuum extraction for delivery |
| 686 | Vaginoscopy |
| 595 | Vagotomy |
| 577 | Varicose vein operation |
| 655 | Vasectomy |
| 656 | Vasoplasty |
| 655 | Vasotomy |
| 656 | Vasovasostomy |
| 757 | Venography |
| 504 | Ventricular shunt, except revision |
| 505 | Revision |
| 753 | Ventriculography |
| 684 | Vulvectomy |
| | X-ray – *see Radiography* |
| 751 | Z-plasty, skin |